

Table 13. Vegetation cover and substrate measured at Site 12 (Ten Cent Camp, Left).

Center Circle	Vegetation	Percent Cover
	Netleaf hackberry (<i>Celtis laevigata</i>)	8.00
	Unidentified perennial forb	7.50
	Wire lettuce (<i>Stephanomeria pauciflora</i>)	3.50
	Apache plume (<i>Fallugia paradoxa</i>)	2.50
	Rice grass (<i>Oryzopsis hymenoides</i>)	1.50
	Unidentified perennial grass	0.50
	Total	23.5
	Substrate	Percent Cover
	Sand	51.5
	Rock	46.0
	Leaf litter	2.50
	Biologic soil crust	0
Upstream Circle	Vegetation	Percent Cover
	Unidentified perennial forb	10.0
	Apache plume (<i>Fallugia paradoxa</i>)	6.00
	Unidentified legume	1.00
	Unidentified aster/composite	0.75
	Rice grass (<i>Oryzopsis hymenoides</i>)	0.75
	Netleaf hackberry (<i>Celtis laevigata</i>)	0.50
	Wire lettuce (<i>Stephanomeria pauciflora</i>)	0.25
	Brome grasses (<i>Bromus</i> sp.)	0.25
	Needle-and-thread (<i>Stipa comata</i>)	0.20
	Total	19.7
	Substrate	Percent Cover
	Sand	84.0
	Rock	15.0
	Leaf litter	1.00
	Biologic soil crust	0

Table 13. Vegetation cover and substrate measured at Site 12 (Ten Cent Camp, Left)—Continued.

Downstream Circle	Vegetation	Percent Cover
	Apache plume (<i>Fallugia paradoxa</i>)	8.50
	Unidentified shrub	7.00
	Rice grass (<i>Oryzopsis hymenoides</i>)	5.00
	Wire lettuce (<i>Stephanomeria pauciflora</i>)	5.00
	Unidentified legume	4.00
	Netleaf hackberry (<i>Celtis laevigata</i>)	2.75
	Total	32.3
	Substrate	Percent Cover
	Sand	89.3
	Rock	10.0
	Leaf litter	0.75
	Biologic soil crust	0
Inland Circle	Vegetation	Percent Cover
	Apache plume (<i>Fallugia paradoxa</i>)	35.0
	Netleaf hackberry (<i>Celtis laevigata</i>)	1.50
	Brome grasses (<i>Bromus</i> sp.)	0.50
	Unidentified aster/composite	0.10
	Total	37.1
	Substrate	Percent Cover
	Sand	71.0
	Rock	4.00
	Leaf litter	5.00
	Biologic soil crust	20.0

Table 13. Vegetation cover and substrate measured at Site 12 (Ten Cent Camp, Left)—Continued.

Riverward Circle	Vegetation	Percent Cover
	Netleaf hackberry (<i>Celtis laevigata</i>)	30.0
	Wire lettuce (<i>Stephanomeria pauciflora</i>)	5.50
	Rice grass (<i>Oryzopsis hymenoides</i>)	1.00
	Brome grasses (<i>Bromus</i> sp.)	1.00
	Unidentified perennial grass	0.50
	Total	38.0
	Substrate	Percent Cover
	Sand	54.0
	Rock	45.0
	Leaf litter	1.00
	Biologic soil crust	0

Total gap length on upstream/downstream transect (out of 2,000 cm): 1,606 cm

Total gap length on inland/riverward transect (out of 2,000 cm): 1,426 cm

Summary

Total vegetation cover, in percent	30.1
Total sand substrate, in percent	70.0
Total rock substrate, in percent	24.0
Total leaf litter substrate, in percent	2.05
Total biologic crust substrate, in percent	4.00
Total gap length, in percent	75.8