

Figure 1.—Map of coal fields of the conterminous United States based on Tully (1986) and others (1988) showing areas that were recently assessed using GIS data from basins discussed in USGS Professional Paper 1625-A (Fort Union Coal Assessment Team, 1999), 1625-B (Kirschbaum and others, 2000), 1625-C (Northern and Central Appalachian Basin Coal Regions Assessment Team, 2001), and 1625-D (Hatch and Afthor, 2002), and in AAPG Discovery Series 14/Studies in Geology 62 (Warwick and others, 2011). Map also includes Mesozoic (Triassic) basins that were not quantitatively assessed by Benson (1982). Coal regions within provinces are labeled, as are individual coal fields.




Figure 2.—Generalized map showing the geologic age of coal-bearing rocks, including unassessed Triassic basins, in the conterminous United States. Map based on Tully (1986), Schruben and others (1998), Benson (1992), and USGS Geologic Names Committee (2010).




Figure 3.—Map showing distribution of coal-bearing formations in the conterminous United States. Formation outlines are taken from the digital version (Schruben and others, 1998) of the geologic map by P.B. King and R.M. Bekman (1974). Unassessed Triassic basins are not shown. The outlines in figure 2 are based on surficial geologic formations (cropping out at or near the surface). Figure 2 was digitized at a more detailed scale than figure 3, so the outlines may not match. The ages of the formations shown in figure 2 represent surficial geologic units, whereas ages shown in figure 2 are for coal-bearing units that may be stratigraphically lower.

## COAL FIELDS OF THE CONTERMINOUS UNITED STATES: NATIONAL COAL RESOURCE ASSESSMENT UPDATED VERSION

By  
Joseph A. East  
2013




Figure 4.—Map showing annual coal production by State in the conterminous United States for 2009, in millions of short tons. Map was created based on U.S. Energy Information Administration (2010).




Figure 5.—Graph showing annual U.S. coal production from 1949 through 2009 in millions of short tons, based on U.S. Energy Information Administration Annual Coal Report 2009 (U.S. Energy Information Administration, 2010).




Table 1.—Annual coal production by State, in thousands of short tons for the years spanning 1980 through 2009, and for 1985 and 1986. Data were compiled from individual U.S. Energy Information Administration Annual Coal Reports from 1994 through 2009.




Figure 6.—Chart showing the basis for classifying coals by rank in the United States, and the formula used for making approximate determinations of rank. This information is based on American Society for Testing and Materials (ASTM) standard D388-06 (ASTM International, 2006). Determinations based on this chart should be considered final or even adequate for any but the most general application. For further information, see ASTM International (2005).

**Introduction**

This map sheet with accompanying Geographic Information System (GIS) project is based on the original digital version of Coal Fields of the Conterminous United States by Tully (1986), and also incorporates updated U.S. Geological Survey (USGS) national coal assessment information as well as information on Mesozoic (Triassic) coal basins in the eastern United States. Tully (1986) published a digital adaptation of Turnbull's Coal Fields of the United States, sheet 11580A, but in selected States he included newer information from published geologic maps. Due to changing technological and economic constraints for coal usage, along with the potential for geologic carbon dioxide sequestration, this map sheet and the GIS component of this report do not differentiate between potentially mineable coal and uneconomic coal, unlike previous versions (Tully, 1986; Turnbull, 1986). The map sheet shows several varied rank, province, name (region and field), and age information, which are also attributes of the GIS project accompanying this report. The shapes of which the map sheet is based were modified in ArcView 3.3, ArcInfo 7, and ArcGIS 9.3 and were subsequently imported into Adobe Illustrator CS3 using MAPublisher 8.3. The metadata file, Coal Fields of the United States, Metadata.doc, includes all sources and processing steps.

This report includes areas that were assessed by the USGS as part of the National Coal Resource Assessment (NCRA). The USGS, assisted by many of the State geological surveys, completed the new assessments of the top producing coal beds and coal zones in five major coal provinces—Eastern, Gulf Coast, Interior, Rocky Mountain, and Northern Great Plains. The assessments, which focused on both coal quality and quantity, utilized GIS technology and large databases. During the timeframe of the coal assessment (1998–2002), these five regions together produced about 1.032 million short tons (mill) of coal annually, constituting 83 percent of the total U.S. coal production (Ruppert and others, 2002). Over 1,900,000 million short tons of coal remain in more than 80 coal beds and coal zones that were assessed (Ruppert and others, 2002).

The NCRA project differed in two fundamental ways from past USGS nationwide coal resource assessments by (1) utilizing digital databases and GIS and (2) focusing on both coal quantity and coal quality. All data and products were geographically referenced and stored, were manipulated digitally, and are publicly available for downloading. The sources of GIS shapes used for this report were USGS Professional Paper 1625-A (Fort Union Coal Assessment Team, 1999), B (Kirschbaum and others, 2000), C (Northern and Central Appalachian Basin Coal Regions Assessment Team, 2001), and D (Hatch and Afthor, 2002), and American Association of Petroleum Geologists (AAPG) Discovery Series 14/Studies in Geology 62 (Warwick and others, 2011). The NCRA publications include (1) stratigraphic and geologic databases for the fully assessed coal in each region; (2) maps showing coal extent, mined area, thickness and elevation of coal beds and zones, and overburden thickness; and (3) geochronological maps showing ash yield, sulfur content, calculated sulfur dioxide content per million British thermal units (Btu), calorific value, and selected trace elements. Each report describes the geology, geochemistry, mining history, coalbed methane potential, and resources for each individual assessed coal bed and/or coal zone, and also contains resource and geochronological tables. In addition, the data and text summaries, the NCRA final assessment reports include interactive GIS files that allow users to query data layers and view assessment results. The USGS coal resource assessments are designed to provide geoscientists, policymakers, planners, and the general public with concise geologic information on the distribution, quantity, and quality of remaining coal resources in the United States. The resource estimates provide a means of comparing one assessment unit with another, and are used for estimating the potential volumes of gas in the coal. The total resource tonnage number is large and is only a starting point for understanding how much coal is actually mineable because of the many geologic, geochronological, economic, and technical restrictions that can be limiting factors to the ultimate recovery of coal from the ground (Ruppert and others, 2002).

**Discussion**

Figure 1 is a 1:5,000,000-scale map showing the conterminous United States divided into six coal provinces: Eastern, Interior, Gulf Coast, Northern Great Plains, Rocky Mountain, and Pacific Coast. Within each province, coal regions and individual coal fields are labeled. Coal regions are color coded to indicate the rank of the coal, which is explained in more detail in figure 6. Areas that were assessed by the NCRA are identified by red hatched polygons, and the assessment information was used to update certain region boundaries. Not all individual NCRA areas of assessment are shown in figure 1, but they are included in the GIS portion of this report. The Western Region of the Interior Province incorporated geologic outlines from Schruben and others (1998). In order to show all areas possibly having coal potential, the unassessed Triassic synrift basins on the East Coast are included in figure 1. The synrift basins are depicted as light blue, green, and purple hatched polygons and were digitized from a Delaware Geological Survey publication (Benson, 1992). These basins have limited data and have not been assessed to the standards of the NCRA. They are included only to show the location of potential coal resources and are qualitatively estimated as to their viability as future targets for exploration, which may lead to actual assessments.

Figure 2 is a 1:14,000,000-scale generalized map showing the geologic age of coal-bearing rocks in the conterminous United States. The map was created by incorporating data from Tully (1986), Schruben and others (1998), Benson (1992), and U.S. Geological Survey Geologic Names Committee (2010).

Figure 3 is a 1:14,000,000-scale map showing distribution of coal-bearing formations in the conterminous United States. They were extracted from the King-Bekman geologic map GIS (Schruben and others, 1998) by Laura R.H. Bewick (USGS), which selected formations shown by assessments to contain coal. Information on specific group names or depositional environment is given where available (Bewick, written comment, 2002). The outlines in figure 2 are based on tectonic basins, while the outlines in figure 3 are based on surficial geologic formations (cropping out at or near the surface). Figure 3 was digitized at a more detailed scale than figure 2, so the outlines may not match. The ages of the formations shown in figure 3 represent surficial geologic units, whereas ages shown in figure 2 are for coal-bearing units that may be stratigraphically lower.

Figure 4 is a 1:18,000,000-scale map showing annual coal production by State in the conterminous United States for 2009, in millions of short tons. This figure is based on U.S. Energy Information Administration (2010), 2009 was the most recent year for which statistics were available at the time of publication.

Figure 5 shows annual coal production for the conterminous United States from 1949 through 2009, and shows the overall upward trend in coal production since 1980.

Table 1 lists annual coal production by State for the conterminous United States for 1985, 1986, and 1990 through 2009.

Figure 6 is a chart showing the basis for classifying coal by rank in the United States. Approximate rank is based on American Society for Testing and Materials (ASTM) standard D388-06 (ASTM International, 2006).

The GIS component of this report contains polygons, lines, and point shapes of the data used to create figures 1, 2, and 4. The ArcGIS project contains (1) shapes of the coal fields with their rank, province, name (region or area), and age; (2) shapes of the Triassic basin outlines and their coal potential; (3) shapes of the coal provinces of the conterminous United States; and (4) point files for labeling the individual fields. From the NCRA assessment, only shapes for outlines of individual assessment units, with aspects of coal thickness and overburden, are included in the GIS project of this report.

**References Cited**

ASTM International, 2005, Standard classification of coals by rank (Designation D388-06), in 2005 annual book of ASTM standards, ASTM International, v. 5.05, p. 169–171.

Benson, R.M., 1992, Map of exposed and buried Early Mesozoic rift basins/synrift rocks of the U.S. Middle Atlantic continental margin, Delaware Geological Survey Miscellaneous Map Series no. 5, one sheet, scale 1:100,000.

Fort Union Coal Assessment Team, 1999, 1999 resource assessment of selected Tertiary coal fields and zones in the northern Rocky Mountains and Great Plains region, U.S. Geological Survey Professional Paper 1625-A, version 1.1, 2 CD-ROMs. (Also available at <http://pubs.usgs.gov/pp/1625a/pp1625a.html>)

Hatch, J.R., and Afthor, R.H., eds., 2002, Resource assessment of the Springfield, Harris, Danville, and Baker coals in the northern Rocky Mountains and Great Plains region, U.S. Geological Survey Professional Paper 1625-D, version 1.0, 2 CD-ROMs. (Also available at <http://pubs.usgs.gov/pp/1625d/>)

King, P.B., and Bekman, H.M., 1974, Geologic map of the United States (exclusive of Alaska and Hawaii), U.S. Geological Survey Special Map, 3 sheets, scale 1:2,500,000.

Kirschbaum, M.A., Roberts, L.N.R., and Bewick, L.R.H., eds., 2000, Geologic assessment of coal in the Colorado Plateau: Arizona, Colorado, New Mexico, and Utah, U.S. Geological Survey Professional Paper 1625-B, version 1.0, 2 CD-ROMs. (Also available at <http://pubs.usgs.gov/pp/1625b/>)

Ruppert, L.E., Kirschbaum, M.A., Warwick, P.D., Flores, R.M., Afthor, R.H., and Hatch, J.R., 2002, The U.S. Geological Survey's national coal resource assessment: the results, International Journal of Coal Geology, v. 50, no. 1–4, p. 247–274.

Schruben, P.G., Andri, R.E., and Bewick, W.J., 1998, Geology of the conterminous United States at 1:2,500,000 scale—a digital representation of the 1974 P.B. King and H.M. Bekman map, U.S. Geological Survey Digital Data Series 11, Release 2. (Also available at <http://pubs.usgs.gov/ds/ds11/>)

Turnbull, James V.A., 1980, Coal fields of the conterminous United States (sheet 11), U.S. Geological Survey map, scale 1:5,000,000.

Tully, John, comp., 1986, Coal fields of the conterminous United States, U.S. Geological Survey Open File Report 86-20, one sheet, scale 1:5,000,000, available only at <http://pubs.usgs.gov/of/1986/of86-20/index.html>.

U.S. Energy Information Administration, 2010, Annual Coal Report 2009, U.S. Energy Information Administration [report] DOE/EIA-0584 (2010), 58 p., available at <http://www.eia.gov/coal/annual/>.

U.S. Geological Survey Geologic Names Committee, 2010, Divisions of geologic time—major chronostratigraphic and geochronologic units, U.S. Geological Survey Fact Sheet 2010-3059, 2 p. (Also available at <http://pubs.usgs.gov/fs/2010/3059/>)

Warwick, P.D., Karlsen, A.K., Merrill, Matthew, and Valentine, B.J., eds., 2011, Geologic assessment of coal in the Gulf of Mexico Coastal Plain, USA, American Association of Petroleum Geologists Discovery Series 14/Studies in Geology 62, 402 p. (Also available at <http://www.aapg.org/AssociationWebSite/GSConferences/GSConferences/GSConferences.aspx>)

Any use of trade, firm, or product names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

This map was printed on an electronic raster directly from digital files. Dimensional calibration may vary between electronic datasets and between raster datasets on the same platform, and raster may change due to atmospheric conditions, therefore, scale and proportions may not be true on plots of this map.

For sale by U.S. Geological Survey Information Services, Box 2508, Federal Center, Denver, CO 80226, 1-888-456-4555.

Digital files available at <http://pubs.usgs.gov/of/2012/1205/>

Supporting citation: East, J.A., 2013, Coal fields of the conterminous United States—National Coal Resource Assessment (latest version), U.S. Geological Survey Open File Report 2012-1205, one sheet, scale 1:5,000,000 (<http://pubs.usgs.gov/of/2012/1205/>).