
Geographical occurrence
Geologic range (all areas)
Shinajiri formation
Yonabaru clay member
Shimajiri tuff member
Ryukyu group
Chinen marl
Nakaoki marl
Naha limestone
Yaeju limestone
× occurs; ⊻ doubtful identifications
Class Gastropoda
Subclass Prosobranchia
Order Archaeogastropoda
Superfamily Pleurotomariacea
Family Haliotidae
Haliotis cf. H. diversicolor Reeve
Superfamily Trochacea
Family Trochidae
Subfamily Solariellinae
Solariella sp. indet.
Solariella cf. S. concentricolor (Yokoyama)
Solariella cf. S. japonica (Smith)
Solariella cf. S. lyrata Pilsbry
"Solariella" alabaica, n. sp.
"Solariella" shinajiriensis, n. sp.
Gaza sp.
Ganthargyra cf. G. hebeles (Dall)
Subfamily Margaritinae
Calliotropis (Trajectotrochus) nakazatoi, n. sp.
Calliotropis (Trajectotrochus) sp. ind.
Calliotropis (Tuberotrochus) dalesi, n. sp.
Calliotropis (Tuberotrochus) aff. C. (T.) dalesi MacNeil
Calliotropis (Calliotropis)
Chrysostoma pseudoloron (Shuto)
Subfamily Trochinae
Trochus niloticus Linné
Trochus ziczac Lamarck
Trochus sp. indet.
Tectus (Tectus) pyramis (Born)
Tectus (Tectus) niloticus (Linné)
Tectus (Tectus) fenestratus (Gmelin)
Tectus (Tectus) maximus (Röding)
Tectus (Tectus) sp. indet.
Tectus (Tectus) nakazatoi, n. sp.
Tectus (Tectus) shinajiriensis, n. sp.
Tectus (Tectus) sp. 1
Tectus (Tectus) sp. 2
Tectus (Tectus) sp. 3
Tectus (Tectus) sp. 4
Tectus (Tectus) sp. 5
Tectus (Tectus) sp. 6
Tectus (Tectus) sp. 7
Tectus (Tectus) sp. 8
Tectus (Tectus) sp. 9
Tectus (Tectus) sp. 10
Tectus (Tectus) sp.