







Sample and depth	I. Abundance			IIa. Length statistics (mm)						IIb. Length frequency M = mean length		Growth characteristics: variations with length					
	Total in split	Perfect in split	Total in sample	N	Range	M	MD	$\sigma$	V	Number of specimens	Length (mm)	III. Number of chambers		IV. Width		V. Flare	
												Number of pairs of chambers	Length (mm)	Width (mm)	Length (mm)	Growth index	Length (mm)
C-6 80 meters	1	1	256	16	S.R. 0.12-0.28  O.R. 0.15-0.25	0.20 ±0.01	0.03	0.03 ±0.01	14.6 ±2.6	20  10	0.25  	10  5	0.25 Proloculus diameter: = 0.017 mm	0.25	0.25	2  1	0.25  
C-17 82 meters	2	2	256	40	S.R. 0.12-0.32  O.R. 0.17-0.28	0.22 ±0.01	0.03	0.03 ±0.003	14.8 ±1.7	20  10	0.25  	10  5	0.25 Proloculus diameter: = 0.017 mm	0.25	0.25	2  1	0.25  
C-8 450 meters	1	1	32	8	O.R. 0.20-0.28	0.23				20  10	0.25  	10  5	0.25 Proloculus diameter: = 0.017 mm	0.25	0.25	2  1	0.25  
										0	0.25	0	0.25	0	0.25	0	0.25

*BOLIVINA (BOLIVINA) INFLATA* HERON-ALLEN AND EARLAND, QUANTITATIVE DATA

For explanation of column headings see text

X indicates living specimens