

Sample and depth	I. Abundance			IIa. Length statistics (mm)							IIb. Length frequency M = mean length		Growth characteristics: variations with length					
	Total in split	Perfect in split	Total in sample	Forms measured	N	Range	M	MD	$\sigma$	V	Number of specimens	Length (mm)	III. Number of chambers		IV. Width		V. Flare	
													Number of pairs of chambers	Length (mm)	Width (mm)	Length (mm)	Growth index	Length (mm)
C-15; 435 meters	6	6	24	Total	19	S.R. 0.32-0.93 O.R. 0.38-0.77	0.62 $\pm 0.02$	0.08	0.10 $\pm 0.02$	16.6 $\pm 2.7$		0.25 0.50 0.75	Number of pairs of chambers	Length (mm)	Width (mm)	Length (mm)	Growth index	Length (mm)
											2 10	0.25 0.50 0.75	Proloculus diameter: • = 0.017 mm • = 0.033-0.067 mm	5 10 15 20	0.25 0.50 0.75	1 2 3 4	0.25 0.50 0.75	38°
C-8; 450 meters	4	4	128	Total	52	S.R. 0.23-0.98 O.R. 0.26-0.83	0.61 $\pm 0.02$	0.10	0.13 $\pm 0.01$	20.7 $\pm 2.0$		0.25 0.50 0.75	Number of pairs of chambers	Length (mm)	Width (mm)	Length (mm)	Growth index	Length (mm)
											2 10	0.25 0.50 0.75	Proloculus diameter: • = 0.033-0.067 mm	5 10 15	0.25 0.50 0.75	1 2 3 4 5 6	0.25 0.50 0.75	45°

**BOLIVINA (LOXOSTOMUM) SALVADORENSIS N. SP., QUANTITATIVE DATA**

For explanation of column headings see text

X indicates living specimens