

**ROCK TYPES**  
 Note: Only those rock types that are colored appear on this sheet. Grain size of sand is indicated by dot size. Combinations are indicated by superposition of patterns. For example, sandy shell limestone is indicated by combination of sandy limestone and shell limestone patterns.


- |  |  |  |  |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |

**ACCESSORIES**  
 Note: Only those accessories for which symbols are shown appear on this sheet. Accessories occur throughout a given rock type unless otherwise noted.

- |  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |

<A-1.5,7  
 Index fossil occurrence (see table 2)  
 Sediment color (shown on right side of rock types—sediment color is gray or white where not shown)  
 Note: Clays of Unit 'C' are white and kaolinitic in SC-P-2. Indurated calcareous sands occur at 480 ft (unit A) in NH-T-16

AGE DESIGNATION	
	QUATERNARY UNIT:
	Post-Miocene rocks
	TERTIARY UNITS: Rocks of—
	Late Miocene age
	Middle Miocene age
	Oligocene age
	Jackson age
	Claborne age
	Sabine age
	Midway age
	CRETACEOUS UNITS:
	A
	B
	C
	D
	E
	F
	G
	CRETACEOUS AND LATE JURASSIC (?)
	UNIT H
	JURASSIC (?)
	UNIT I
	TRIASSIC UNIT:
	Rocks of Triassic age
	Basement rocks



GEOLOGIC CROSS-SECTION B-B' FROM MAXTON WELL, SCOTLAND COUNTY, N.C., TO LEA WELL 1, PENDER COUNTY, N.C.