

ROCK TYPES

Note: Only those rock types that are colored appear on this sheet. Grain size of sand is indicated by dot size. Combinations are indicated by superposition of patterns. For example, sandy shell limestone is indicated by combination of sandy limestone and shell limestone patterns.

Coarse sand	Medium sand	Fine sand	Gravel	Shell hash	Boulders
Clay	Clayey sand (sand-clay)	Sandy clay (clay-sand)	Shale	Siltstone	Anhydrite
Limestone	Shell limestone	Sandy limestone	Chalk	Algal limestone	Colitic limestone
Dolomite	Dolomitic limestone	Coquina	Greensand	Basement	No sample

ACCESSORIES

Note: Only those accessories for which symbols are shown appear on this sheet. Accessories occur throughout a given rock type unless otherwise noted.

Shell fragments	Gypsum	Pyrite	Chert	Lignite
Glaucinite	Feldspar	Fragmentary dolomite	Diatoms	
Mica	Fragmentary chalk	Calcareous sediment	Siderite	Abundant microfauna
Fragmentary limestone	Phosphate	Limonite	Hematite	Ankerite


<A-15,7
Index fossil occurrence (see table 2)

Sediment color (shown on right side of stratigraphic column):
Silt, rock types, gray or white where not shown.)

AGE DESIGNATION

QUATERNARY UNIT:	CRETACEOUS UNITS:
Post-Miocene rocks	A
TERTIARY UNITS: Rocks of-	B
Late Miocene age	C
Middle Miocene age	D
Oligocene age	E
Jackson age	F
Claborne age	G
Sabine age	UNIT H
Midway age	CRETACEOUS AND LATE JURASSIC (I)
	UNIT J
	JURASSIC (K)
	TRIASSIC UNIT:
	Rocks of Triassic age
	Basement rocks

Note: Claiborne glauconite is brown in MD-SM-P-22



GEOLOGIC CROSS-SECTION CC-CC' FROM POINT LOOKOUT HOTEL WELL, ST. MARYS COUNTY, MD., TO TWIFORD WELL 1, CURRITUCK COUNTY, N. C.