Hillshade image calculated from 6-ft lidar DEM, Puget Sound Lidar Consortium. Lidar data acquired 2001–2002.

APPROXIMATE MEAN DECLINATION, 2011

SCALE 1:24 000
1 MILE
1 KILOMETER

MAP LOCATION

Geology mapped by Kenneth P. Clark (1988–89); Peter J. Haussler (1998)
Revisions by Rowland W. Tabor and Ralph A. Haugerud (2007–08)
GIS database and digital cartography by Rowland W. Tabor and Ralph A. Haugerud
Edited by J.J. Ziegler; digital cartographic production by Darlene A. Ryan
Manuscript approved for publication May 27, 2011

CORRELATION OF MAP UNITS

LIST OF MAP UNITS

- af Artificial fill (Holocene)
- Qa Alluvium (Holocene)
- Qls Landslide deposits (Holocene)
- Qf Alluvial fan deposits (Holocene and Pleistocene)
- Qly Younger alluvial fan (Holocene)
- Qlo Older alluvial fan (Holocene and Pleistocene)
- Qoa Older alluvium (Holocene and Pleistocene)
- Qoa6 Older alluvium, unit 6
- Qoa5 Older alluvium, unit 5
- Qoa4 Older alluvium, unit 4
- Qoa3 Older alluvium, unit 3
- Qoa2 Older alluvium, unit 2
- Qoa1 Older alluvium, unit 1
- Qw Wetland deposits (Holocene and late Pleistocene)
- Qvrl Recessional lacustrine deposits
- Qvrl Recessional sublacustrine alluvial fan deposits
- Qvrl Recessional sublacustrine landslide deposits
- Qvro Recessional outwash deposits
- Qvrc2 Chico Creek outwash deposits
- Qvrc1 Chico outwash, unit 1
- Qvrb3 Big Beef Creek outwash deposits
- Qvrb2 Big Beef outwash, unit 2
- Qvrb1 Big Beef outwash, unit 1
- Qvr3 Outwash deposits south of Wildcat Creek
- Qvr2 Outwash, unit 2
- Qvr1 Outwash, unit 1
- Qvrt7 Tahuya River outwash deposits
- Qvrt6 Tahuya outwash, unit 6
- Qvrt5 Tahuya outwash, unit 5
- Qvru2 Union Creek area outwash deposits
- Qvru1 Union outwash, unit 2
- Qvru1 Union outwash, unit 1

- Qvrt4 Big Beef-Tahuya-Mission outwash deposits
- Qvrt3 Tahuya outwash, unit 4
- Qvrt2 Tahuya outwash, unit 3
- Qvrt1 Tahuya outwash, unit 2
- Qvrs3 Lower Tahuya River outwash deposits
- Qvrs2 Southwest outwash, unit 3
- Qvrs1 Southwest outwash, unit 2
- Qvrs2 Southwest outwash, unit 1
- Qvrs1 West outwash, unit 2
- Qvrs1 West outwash, unit 1
- Qvri Ice-contact deposits
- Qvt Till
- Qva Advance outwash deposits
- Qpvu Pre-Vashon-age deposits (Pleistocene)—Shown on cross section only

BEDROCK

- Tb Blakeley Formation (upper Eocene and Oligocene)—Shown on cross section only
- Tdv Felsic volcanic(?) rock (middle Eocene)
- Tcb Crescent Formation (middle Eocene)
- Tobs Massive basaltic lava flows
- Tobs Submarine basalt and related volcanoclastic rocks
- Tad Porphyritic and aphanitic dacite dikes (Eocene)—Individual dikes shown diagrammatically on cross section only. See symbol explanation below
- Telv Felsic intrusive rocks (Eocene?)
- Ted Sheeted dikes of basalt and diabase (Eocene)—Individual dikes shown diagrammatically on cross section only
- Tegd Leucogabbro and pegmatite intruded by dikes of basalt and diabase (Eocene)
- Teum Leucogabbro and pegmatite (Eocene)
- Teum Ultramafic rocks (Eocene)—Shown on cross section only

EXPLANATION OF MAP SYMBOLS

- Contact—Dashed where approximately located; dotted where concealed; no line boundary where gradational between igneous units
- Contact—Inferred
- Fault—Dashed where approximately located; dotted where concealed
- Reverse fault—Dashed where approximately located; dotted and with open teeth where concealed. Teeth on upthrust block. Asterisk shows location of fault in seismic profile (see text)
- Probable fault—Based on LIDAR lineament
- LIDAR lineament—See text
- Strike and dip of inclined bed
- Strike and dip of dikes
- Basalt and diabase of unit Ted
- Dacite of unit Tad
- Pb-U and apatite fission-track sampling locality

Lidar-revised Geologic Map of the Wildcat Lake 7.5' Quadrangle, Kitsap and Mason Counties, Washington

By
Rowland W. Tabor,¹ Ralph A. Haugerud,¹ Peter J. Haussler,¹ and Kenneth P. Clark²
2011

¹U.S. Geological Survey, ²University of Puget Sound

Any use of trade, product, or firm names in this publication is for descriptive purposes only and does not imply endorsement by the U.S. Government.
When this map is printed on an electronic plotter directly from digital files, dimensional calibration may vary between electronic plotters and between X and Y directions on the same plotter, and paper may change size due to atmospheric conditions; therefore, scale and proportions may not be true on plots of this map.
Digital files available at <http://pubs.usgs.gov/cw/3187/>

Hillshade image calculated from 6-ft lidar DEM, Puget Sound Lidar Consortium. Lidar data acquired 2001–2002.

APPROXIMATE MEAN DECLINATION, 2011

SCALE 1:24 000
1 5 0 1 MILE
1 5 0 1 KILOMETER

MAP LOCATION

Geology mapped by Kenneth P. Clark (1988–89); Peter J. Haussler (1998)
Revisions by Rowland W. Tabor and Ralph A. Haugerud (2007–08)
GIS database and digital cartography by Rowland W. Tabor and Ralph A. Haugerud
Edited by J.L. Ziegler; digital cartographic production by Darlene A. Ryan
Manuscript approved for publication May 27, 2011

CORRELATION OF MAP UNITS

LIST OF MAP UNITS

UNCONSOLIDATED DEPOSITS	
POSTGLACIAL DEPOSITS	
af	Artificial fill (Holocene)
Qa	Alluvium (Holocene)
Qls	Landslide deposits (Holocene)
Qf	Alluvial fan deposits (Holocene and Pleistocene)
Qfy	Younger alluvial fan (Holocene)
Qfo	Older alluvial fan (Holocene and Pleistocene)
Qoa	Older alluvium (Holocene and Pleistocene)
Qoa6	Older alluvium, unit 6
Qoa5	Older alluvium, unit 5
Qoa4	Older alluvium, unit 4
Qoa3	Older alluvium, unit 3
Qoa2	Older alluvium, unit 2
Qoa1	Older alluvium, unit 1
Qw	Wetland deposits (Holocene and late Pleistocene)
GLACIAL AND INTERGLACIAL DEPOSITS	
Deposits of the Vashon stage of Fraser Glaciation of Armstrong and others (1965) (late Pleistocene)	
Proglacial lake deposits	
Qvrl	Recessional lacustrine deposits
Qvrl	Recessional sublacustrine alluvial fan deposits
Qvls	Recessional sublacustrine landslide deposits
Qvro	Recessional outwash deposits
Qvrc2	Chico Creek outwash deposits
Qvrc1	Chico outwash, unit 1
Qvrb3	Big Beef Creek outwash deposits
Qvrb2	Big Beef outwash, unit 2
Qvrb1	Big Beef outwash, unit 1
Qvr3	Outwash deposits south of Wildcat Creek
Qvr2	Outwash, unit 2
Qvr1	Outwash, unit 1
Qvrt7	Tahuya River outwash deposits
Qvrt6	Tahuya outwash, unit 6
Qvrt5	Tahuya outwash, unit 5
Qvru2	Union Creek area outwash deposits
Qvru1	Union outwash, unit 1

Qvrt4	Big Beef-Tahuya-Mission outwash deposits
Qvrt3	Tahuya outwash, unit 4
Qvrt2	Tahuya outwash, unit 3
Qvrt1	Tahuya outwash, unit 2
Qvrs3	Lower Tahuya River outwash deposits
Qvrs2	Southwest outwash, unit 3
Qvrs1	Southwest outwash, unit 2
Qvrs2	Southwest outwash, unit 1
Qvrs1	West outwash, unit 2
Qvrs1	West outwash, unit 1
Qvri	Ice-contact deposits
Qvt	Till
Qva	Advance outwash deposits
Qpvu	Pre-Vashon-age deposits (Pleistocene)—Shown on cross section only

BEDROCK

STRATIFIED ROCKS	
Tb	Blakeley Formation (upper Eocene and Oligocene)—Shown on cross section only
Td	Felsic volcanic(?) rock (middle Eocene)
Tcb	Crescent Formation (middle Eocene)
Tobs	Massive basaltic lava flows
Tobs	Submarine basalt and related volcanoclastic rocks
INTRUSIVE ROCKS	
Tad	Porphyritic and aphanitic dacite dikes (Eocene)—Individual dikes shown diagrammatically on cross section only. See symbol explanation below
Telv	Felsic intrusive rocks (Eocene?)
Ted	Sheeted dikes of basalt and diabase (Eocene)—Individual dikes shown diagrammatically on cross section only
Tegd	Leucogabbro and pegmatite intruded by dikes of basalt and diabase (Eocene)
Teg	Leucogabbro and pegmatite (Eocene)
Teum	Ultramafic rocks (Eocene)—Shown on cross section only

EXPLANATION OF MAP SYMBOLS

—	Contact—Dashed where approximately located; dotted where concealed; no line boundary where gradational between igneous units
---	Contact—Inferred
- - - -	Fault—Dashed where approximately located; dotted where concealed
▲	Reverse fault—Dashed where approximately located; dotted and with open teeth where concealed. Teeth on upthrust block.
*	Asterisk shows location of fault in seismic profile (see text)
---	Probable fault—Based on LIDAR lineament
---	LIDAR lineament—See text
15°	Strike and dip of inclined bed
85°	Strike and dip of dikes
85°	Basalt and diabase of unit Ted
85°	Dacite of unit Tad
●	Pb-U and apatite fission-track sampling locality

Lidar-revised Geologic Map of the Wildcat Lake 7.5' Quadrangle, Kitsap and Mason Counties, Washington

By
Rowland W. Tabor,¹ Ralph A. Haugerud,¹ Peter J. Haussler,¹ and Kenneth P. Clark²
2011

¹U.S. Geological Survey; ²University of Puget Sound

Any use of trade, product, or firm names in this publication is for descriptive purposes only and does not imply endorsement by the U.S. Government.
When this map is printed on an electronic plotter directly from digital files, dimensional calibration may vary between electronic plotters and between X and Y directions on the same plotter, and paper may change size due to atmospheric conditions; therefore, scale and proportions may not be true on plots of this map.
Digital files available at <http://pubs.usgs.gov/ofw/3187/>