A Statistical Model and National Data Set for Partitioning Fish-Tissue Mercury Concentration Variation Between Spatiotemporal and Sample Characteristic Effects

By Stephen P. Wente

Prepared in cooperation with the National Institute of Environmental Health Sciences

Scientific Investigation Report 2004-5199

U.S. Department of the Interior
U.S. Geological Survey

U.S. Department of the Interior
Gale A. Norton, Secretary

U.S. Geological Survey
Charles G. Groat, Director

U.S. Geological Survey, Reston, Virginia: 2004

For sale by U.S. Geological Survey, Information Services
Box 25286, Denver Federal Center
Denver, CO 80225

For more information about the USGS and its products:
Telephone: 1-888-ASK-USGS
World Wide Web: http://www.usgs.gov/

Any use of trade, product, or firm names in this publication is for descriptive purposes only and does not imply endorsement by the U.S. Government.

Although this report is in the public domain, permission must be secured from the individual copyright owners to reproduce any copyrighted materials contained within this report.

Suggested citation:
Wente, S.P., 2004, A statistical model and national data set for partitioning fish-tissue mercury concentration variation between spatiotemporal and sample characteristic effects: U.S. Geological Survey Scientific Investigation Report 2004-5199, 15 p.

Contents

Abstract 1
Introduction 1
Purpose and scope 2
Acknowledgements 2
Methods 2
Model description 2
Model assumptions 3
National fish-mercury data set 4
Model performance assessment 4
Model evaluation and applications 6
Model fit 6
Fish-mercury concentration prediction 7
Prediction accuracy 8
Model applications 8
Future studies 9
Summary 9
References cited 10
Appendix 12

Figures

Figure 1. Relation of noncensored observations to predicted fish-mercury concentrations in log units. 6
Figure 2. Predicted fish-mercury concentrations as a function of length for skin-off fillet cuts of 11 frequently sampled species in the upper Midwestern United States depicted in (a) log space, and (b) arithmetic space for a hypothetical sampling event 8

Tables

Table 1. Summary of fish-mercury concentration data contributions to the National Listing of Fish and Wildlife Advisory (NLFWA) data set (September 28, 2002 version of the data set) as modified for calibration of the statistical model used in this report. 5
Table 2. Comparison of model fit for the full and reduced fish-mercury models. 7
Table 3. Likelihood ratio comparisons for the full and reduced fish-mercury models. 7

Conversion Factors

Multiply	By	To obtain
	Length	
inch (in.)	2.54	centimeter (cm)
mile (mi)	1.609	kilometer (km)
	Area	
acre	0.4047	hectare (ha)
	Mass	
pound, avoirdupois (lb)	0.4536	kilogram (kg)

NOTE TO USGS USERS: Use of hectare (ha) as an alternative name for square hectometer (hm^2) is restricted to the measurement of small land or water areas.