





Base modified from U.S. Geological Survey digital data
Scales 1:250,000 (county boundaries) and 1:2,000,000 (hydrography)
Universal Transverse Mercator projection, Datum NAD 83
Zone 14

MAP SHOWING LOCATIONS OF EDWARDS AQUIFER WELLS WITH WATER LEVELS (HYDRAULIC HEADS) USED TO CALIBRATE
EDWARDS AQUIFER MODEL (CALIBRATION TARGET WELLS), SAN ANTONIO REGION, TEXAS


By
R.J. Lindgren, A.R. Dutton, S.D. Hovorka, S.R.H. Worthington, and Scott Painter
2004



Base modified from U.S. Geological Survey digital data
Scales 1:250,000 (county boundaries) and 1:2,000,000 (hydrography)
Universal Transverse Mercator projection, Datum NAD 83
Zone 14

MAP SHOWING MEASURED WATER-LEVEL ALTITUDE IN EDWARDS AQUIFER, 1939-46, AND SIMULATED ALTITUDE OF POTENTIOMETRIC SURFACE,
STEADY-STATE SIMULATION, EDWARDS AQUIFER MODEL, SAN ANTONIO REGION, TEXAS


By
R.J. Lindgren, A.R. Dutton, S.D. Hovorka, S.R.H. Worthington, and Scott Painter
2004



Base modified from U.S. Geological Survey digital data
Scales 1:250,000 (county boundaries) and 1:2,000,000 (hydrography)
Universal Transverse Mercator projection, Datum NAD 83
Zone 14

MAP SHOWING MEASURED WATER-LEVEL ALTITUDE IN EDWARDS AQUIFER AND SIMULATED ALTITUDE OF POTENTIOMETRIC SURFACE FOR DROUGHT CONDITIONS, AUGUST 1956 (STRESS PERIOD 117),
TRANSIENT SIMULATION, EDWARDS AQUIFER MODEL, SAN ANTONIO REGION, TEXAS


By
R.J. Lindgren, A.R. Dutton, S.D. Hovorka, S.R.H. Worthington, and Scott Painter
2004



Base modified from U.S. Geological Survey digital data
Scales 1:250,000 (county boundaries) and 1:2,000,000 (hydrography)
Universal Transverse Mercator projection, Datum NAD 83
Zone 14

MAP SHOWING MEASURED WATER-LEVEL ALTITUDE IN EDWARDS AQUIFER AND SIMULATED ALTITUDE OF POTENTIOMETRIC SURFACE FOR ABOVE-NORMAL RAINFALL CONDITIONS, FEBRUARY 1975 (STRESS PERIOD 339), TRANSIENT SIMULATION, EDWARDS AQUIFER MODEL, SAN ANTONIO REGION, TEXAS


By
R.J. Lindgren, A.R. Dutton, S.D. Hovorka, S.R.H. Worthington, and Scott Painter
2004



Base modified from U.S. Geological Survey digital data
Scales 1:250,000 (county boundaries) and 1:2,000,000 (hydrography)
Universal Transverse Mercator projection, Datum NAD 83
Zone 14

MAP SHOWING SIMULATED FLOW DIRECTIONS FOR STEADY-STATE SIMULATION (1939-46), EDWARDS AQUIFER MODEL, SAN ANTONIO REGION, TEXAS


By
R.J. Lindgren, A.R. Dutton, S.D. Hovorka, S.R.H. Worthington, and Scott Painter
2004



Base modified from U.S. Geological Survey digital data
Scales 1:250,000 (county boundaries) and 1:2,500,000 (hydrography)
Universal Transverse Mercator projection, Datum NAD 83
Zone 14

MAP SHOWING SIMULATED FLOW DIRECTIONS FOR DROUGHT CONDITIONS, AUGUST, 1956 (STRESS PERIOD 117),
TRANSIENT SIMULATION, EDWARDS AQUIFER MODEL, SAN ANTONIO REGION, TEXAS

By
R.J. Lindgren, A.R. Dutton, S.D. Hovorka, S.R.H. Worthington, and Scott Painter
2004



Base modified from U.S. Geological Survey digital data
Scales 1:250,000 (county boundaries) and 1:2,500,000 (hydrography)
Universal Transverse Mercator projection, Datum NAD 83
Zone 14

MAP SHOWING SIMULATED FLOW DIRECTIONS FOR ABOVE-NORMAL RAINFALL CONDITIONS, FEBRUARY 1975 (STRESS PERIOD 339),
TRANSIENT SIMULATION, EDWARDS AQUIFER MODEL, SAN ANTONIO REGION, TEXAS

By
R.J. Lindgren, A.R. Dutton, S.D. Hovorka, S.R.H. Worthington, and Scott Painter
2004