

Appendix 1. Lithologic logs for test holes.

Appendix 1–1. Lithologic log for test hole 1 (Marc LeFrancois, National Park Service, written commun., April 2005)

[Legal description: 1S.8E.4.314]

Depth (meters)	Lithology	Formation
0–3.0	loose sand	Quaternary alluvial sediment
3.0–6.1	loose sand and sandstone	
6.1–21.3	yellow sandstone	San Andres Limestone
21.3–54.9	caliche ¹	
54.9–57.9	grey limestone	
57.9–62.5	yellow limestone	
62.5–89.3	grey limestone	
89.3–93.0	yellow caliche ¹	
93.0–100.6	limestone ²	
100.6–118.9	caliche ¹	
118.9–134.7	hard blue limestone	
134.7–143.3	grey limestone	
143.3–158.5	yellow sandstone	Glorieta Sandstone
158.5–169.2	sandstone	Yeso Formation
169.2–194.5	yellow sandstone ³	

¹Caliche possibly refers to gypsum.

²Seep at 97.5 meters.

³Water at 190.5 meters.

Appendix 1–2. Lithologic log for test hole 2 (adapted from Titus, 1960).

[Legal description: 1S.8E.4.312]

Depth (meters)		Lithology	Formation
0–19.8	sand		Quaternary alluvial sediment
19.8–21.3	clay		
21.3–27.4	limestone, slightly sandy		San Andres Limestone
27.4–33.5	limestone, small amounts of siltstone		
33.5–35.7	diorite, medium-gray to pale greenish-gray; contains mica, garnet, magnetite		Tertiary igneous intrusion
35.7–39.6	limestone; contains calcite veinlets		San Andres Limestone
39.6–42.7	diorite, light-gray to orangish-gray; contains mica, garnet, and magnetite		Tertiary igneous intrusion
42.7–44.2	limestone		San Andres Limestone
44.2–54.9	diorite		Tertiary igneous intrusion
54.9–61.9	limestone, interbedded with dolomite		San Andres Limestone
61.9–76.2	diorite		Tertiary igneous intrusion
76.2–82.3	limestone		San Andres Limestone
82.3–85.3	diorite		Tertiary igneous intrusion
85.3–87.5	limestone; contains calcite veins		San Andres Limestone
87.5–89.9	shale, very calcareous		
89.9–113.7	limestone, minor amounts of siltstone and gypsum ¹		
113.7–120.4	sandstone, very calcareous, coarse- to very fine-grained		
120.4–141.7	limestone, slightly fossiliferous		
141.7–157.6	sandstone, silty and calcareous		Glorieta Sandstone
157.6–160.9	limestone		
160.9–167.6	sandstone, silty and calcareous		
167.6–167.9	shale, gray		
167.9–194.2	sandstone, very fine- to medium-grained hard, tightly cemented ²		Yeso Formation

¹Seep at 97.5 meters.²Water at 190.5 meters.

Appendix 1–3. Lithologic log for test hole 3 (adapted from Clebsch, 1957).

[Legal description: 1S.8E.3.121]

Depth (meters)	Lithology	Formation
0–0.9	sandy soil	Quaternary alluvial sediments
0.9–2.4	gypsum and limestone	San Andres Limestone
2.4–3.7	boulders and gravel	
3.7–4.9	gypsum	
4.9–10.7	boulders	
10.7–18.3	black limestone	
18.3–20.7	white limestone	
20.7–25.9	yellow sand	
25.9–27.4	limestone	
27.4–34.1	gypsum	
34.1–35.7	yellow sand	
35.7–41.1	limestone	
41.1–43.6	quartz	
43.6–44.8	limestone	
44.8–46.3	yellow sand	
46.3–50.3	gypsum	
50.3–54.9	limestone	
54.9–61.9	gypsum	
61.9–65.5	white limestone	
65.5–68.0	sandstone	
68.0–76.2	igneous dike rock	Malpais Basalt
76.2–77.7	broken sand	San Andres Limestone
77.7–82.3	gypsum	
82.3–84.4	limestone	
84.4–128	not record	
128–131.1	limestone	Glorieta Sandstone
131.1–138.7	yellow sandstone	
138.7–140.2	red sandstone	Yeso Formation
140.2–147.8	yellow sandstone	
147.8–150.9	sharp sandy limestone	
150.9–176.8	hard yellow sandstone	
176.8–182.9	soft white sandstone	
182.9–214	yellow sandstone	
214–235	red sandstone	
235–240.5	red clay	
240.5–241.7	limestone	
241.7–242.3	red clay	
242.3–243.8	limestone	
243.8–246.6	white limestone	
246.6–247.2	red clay	
247.2–256	white limestone	
256–266.7	black limestone ¹	

¹Water at 256.0 meters.