

References

- Laronne, J.B., Mizuyama T., Satofuka Y., Sawada T., Yamashita S., Sako S., Tamaki A., Nonaka M., May 2006, Issues in the calibration of an acoustic sensor in mountain rivers Japan. Japan Society of Erosion Control Engineering Jour. Soc. Erosion Control Engineering., Publ. No.45, pp. 72-73, May, 2006.
- Gray, J.R., Melis, T.S, Patiño, Eduardo, Gooding, D.J., Topping, D.J., Larsen, M.C., and Rasmussen, P.P., 2005, U.S. Geological Survey suspended-sediment surrogate research on optic, acoustic, and pressure-difference technologies. *in*, Proceedings of the Federal Interagency Sediment Monitoring Instrument and Analysis Workshop, September 9-11, 2003, Flagstaff, Arizona, J.R. Gray, ed.: U.S. Geological Survey Circular 1276, 10 p.; available only online at: <http://water.usgs.gov/osw/techniques/sediment/sedsurrogate2003workshop/listofpapers.html>.
- Shrestha, S.M., and Arai, I., 2003. Signal Processing of Ground Penetrating Radar Using Spectral Estimation Techniques to Estimate the Position of Buried Targets. EURASIP (European Association for Speech, Signal and Image Processing) Journal on Applied Signal Processing, Vol. 03, No. 12, pp. 1198-1209, Dec. 2003.