

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>01484800</b>	<b>01613900</b>	<b>01614830</b>	<b>01615000</b>	<b>01615500</b>	<b>01616000</b>
Count	number	1,023	1,279	217	1,829	124	806
Max	ft <sup>3</sup> /s	21.0	913	51.0	3,980	13.0	138
Min	ft <sup>3</sup> /s	0.100	0.300	1.80	2.10	1.30	7.10
Median	ft <sup>3</sup> /s	1.40	9.10	9.20	30.0	5.20	17.0
Arithmetic Mean	ft <sup>3</sup> /s	1.98	18.4	8.10	59.2	5.61	19.2
Geometric Mean	ft <sup>3</sup> /s	1.32	--	6.38	--	4.78	--
Harmonic Mean	ft <sup>3</sup> /s	0.894	5.32	4.89	19.9	4.00	15.6
Standard Deviation	ft <sup>3</sup> /s	2.09	38.2	5.97	134	2.98	12.4
5th percentile	ft <sup>3</sup> /s	0.310	1.60	1.90	6.80	1.55	9.00
10th percentile	ft <sup>3</sup> /s	0.380	2.18	2.10	9.00	2.33	10.0
20th percentile	ft <sup>3</sup> /s	0.550	3.90	2.40	14.0	2.90	12.0
30th percentile	ft <sup>3</sup> /s	0.800	5.20	4.18	19.0	3.19	13.0
40th percentile	ft <sup>3</sup> /s	1.10	7.20	5.68	25.0	3.40	14.0
50th percentile	ft <sup>3</sup> /s	1.40	9.10	9.20	30.0	5.20	17.0
60th percentile	ft <sup>3</sup> /s	1.70	12.0	9.90	38.0	7.00	18.0
70th percentile	ft <sup>3</sup> /s	2.30	16.0	11.0	48.0	7.25	20.5
80th percentile	ft <sup>3</sup> /s	2.90	22.0	11.0	64.0	8.50	24.0
90th percentile	ft <sup>3</sup> /s	4.10	38.0	13.0	116	9.00	30.0
Drainage area	mi <sup>2</sup>	1.9	15.9	15.2	58.2	5.89	17
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	11.1	57.4	3.36	68.4	2.21	8.12
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.053	0.019	0.118	0.036	0.221	0.418
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.737	0.572	0.605	0.515	0.883	1.00
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	1.16	0.533	1.02	0.953	1.13
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.696	--	0.420	--	0.811	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.470	0.334	0.322	0.341	0.679	0.916
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	2.40	0.393	2.31	0.506	0.730
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.163	0.101	0.125	0.117	0.263	0.529
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.200	0.137	0.138	0.155	0.396	0.588
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.289	0.245	0.158	0.241	0.492	0.706
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.421	0.327	0.275	0.326	0.542	0.765
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.579	0.453	0.374	0.430	0.577	0.824
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.737	0.572	0.605	0.515	0.883	1.00
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.895	0.755	0.651	0.653	1.19	1.06
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.01	0.724	0.825	1.23	1.21
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	1.38	0.724	1.10	1.44	1.41
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.16	2.39	0.855	1.99	1.53	1.76

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01484800</b>	<b>01613900</b>	<b>01614830</b>	<b>01615000</b>	<b>01615500</b>	<b>01616000</b>
Count	number	933	1,157	197	1,667	113	735
Max	ft <sup>3</sup> /s	32.0	683	40.0	2,970	11.0	564
Min	ft <sup>3</sup> /s	0.230	1.00	1.40	2.90	1.50	4.30
Median	ft <sup>3</sup> /s	1.80	12.0	7.70	38.0	3.80	20.0
Arithmetic Mean	ft <sup>3</sup> /s	2.44	24.6	8.44	71.4	5.10	25.3
Geometric Mean	ft <sup>3</sup> /s	1.74	--	6.42	--	4.36	--
Harmonic Mean	ft <sup>3</sup> /s	1.27	7.80	4.75	28.5	3.69	18.2
Standard Deviation	ft <sup>3</sup> /s	2.72	43.6	6.34	135	2.67	28.2
5th percentile	ft <sup>3</sup> /s	0.400	2.20	1.60	10.0	1.80	9.00
10th percentile	ft <sup>3</sup> /s	0.592	3.30	1.86	13.0	2.00	11.0
20th percentile	ft <sup>3</sup> /s	0.960	5.82	3.20	20.0	2.60	14.0
30th percentile	ft <sup>3</sup> /s	1.20	7.70	4.10	26.0	2.80	16.0
40th percentile	ft <sup>3</sup> /s	1.50	9.50	5.50	31.0	3.20	18.0
50th percentile	ft <sup>3</sup> /s	1.80	12.0	7.70	38.0	3.80	20.0
60th percentile	ft <sup>3</sup> /s	2.10	15.0	9.10	46.0	6.60	23.0
70th percentile	ft <sup>3</sup> /s	2.50	20.0	9.42	60.0	6.80	25.8
80th percentile	ft <sup>3</sup> /s	3.20	30.0	10.0	82.0	8.00	30.0
90th percentile	ft <sup>3</sup> /s	4.56	55.0	18.4	143	8.50	40.0
Drainage area	mi <sup>2</sup>	1.9	15.9	15.2	58.2	5.89	17
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	16.8	43.0	2.63	51.0	1.87	33.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.121	0.063	0.092	0.050	0.255	0.253
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.947	0.755	0.507	0.653	0.645	1.18
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.55	0.555	1.23	0.866	1.49
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.918	--	0.422	--	0.741	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.670	0.491	0.313	0.489	0.626	1.07
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	2.74	0.417	2.31	0.452	1.66
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.211	0.138	0.105	0.172	0.306	0.529
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.312	0.208	0.122	0.223	0.340	0.647
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.505	0.366	0.211	0.344	0.441	0.824
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.632	0.484	0.270	0.447	0.475	0.941
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.789	0.597	0.362	0.533	0.543	1.06
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.947	0.755	0.507	0.653	0.645	1.18
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	0.943	0.599	0.790	1.12	1.35
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	1.26	0.620	1.03	1.15	1.52
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	1.89	0.658	1.41	1.36	1.76
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.40	3.46	1.21	2.45	1.44	2.35

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01484800</b>	<b>01613900</b>	<b>01614830</b>	<b>01615000</b>	<b>01615500</b>	<b>01616000</b>
Count	number	1,023	1,271	217	1,829	124	806
Max	ft <sup>3</sup> /s	30.0	862	96.0	2,380	7.50	468
Min	ft <sup>3</sup> /s	0.290	1.70	1.10	8.20	2.00	9.00
Median	ft <sup>3</sup> /s	2.10	18.0	9.40	43.0	5.45	22.0
Arithmetic Mean	ft <sup>3</sup> /s	3.04	36.9	12.0	91.4	5.19	30.9
Geometric Mean	ft <sup>3</sup> /s	--	--	8.24	--	4.89	--
Harmonic Mean	ft <sup>3</sup> /s	1.60	12.8	5.28	35.9	4.58	21.2
Standard Deviation	ft <sup>3</sup> /s	3.39	54.7	12.6	158	1.70	33.1
5th percentile	ft <sup>3</sup> /s	0.620	3.90	1.30	13.0	2.90	11.0
10th percentile	ft <sup>3</sup> /s	0.820	6.10	1.76	18.0	3.00	12.5
20th percentile	ft <sup>3</sup> /s	1.20	8.80	4.32	24.0	3.16	16.0
30th percentile	ft <sup>3</sup> /s	1.40	12.0	5.76	30.0	3.90	17.0
40th percentile	ft <sup>3</sup> /s	1.60	15.0	8.30	36.0	4.40	19.0
50th percentile	ft <sup>3</sup> /s	2.10	18.0	9.40	43.0	5.45	22.0
60th percentile	ft <sup>3</sup> /s	2.50	24.0	11.0	54.0	6.50	26.0
70th percentile	ft <sup>3</sup> /s	3.00	32.0	13.0	72.0	6.80	31.0
80th percentile	ft <sup>3</sup> /s	3.90	49.0	15.8	105	6.80	37.0
90th percentile	ft <sup>3</sup> /s	5.80	85.0	21.4	184	7.20	50.0
Drainage area	mi <sup>2</sup>	1.9	15.9	15.2	58.2	5.89	17
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	15.8	54.2	6.32	40.9	1.27	27.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.153	0.107	0.072	0.141	0.340	0.529
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	1.13	0.618	0.739	0.925	1.29
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.60	2.32	0.792	1.57	0.881	1.81
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.542	--	0.830	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.841	0.806	0.347	0.618	0.777	1.25
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.79	3.44	0.830	2.71	0.289	1.95
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.326	0.245	0.086	0.223	0.492	0.647
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.432	0.384	0.116	0.309	0.509	0.735
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.632	0.553	0.284	0.412	0.537	0.941
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.737	0.755	0.379	0.515	0.662	1.00
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.842	0.943	0.546	0.619	0.747	1.12
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	1.13	0.618	0.739	0.925	1.29
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	1.51	0.724	0.928	1.10	1.53
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.58	2.01	0.855	1.24	1.15	1.82
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.05	3.08	1.04	1.80	1.15	2.18
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.05	5.35	1.41	3.16	1.22	2.94

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01484800</b>	<b>01613900</b>	<b>01614830</b>	<b>01615000</b>	<b>01615500</b>	<b>01616000</b>
Count	number	990	1,230	210	1,770	120	780
Max	ft <sup>3</sup> /s	27.0	470	49.0	1,780	7.70	339
Min	ft <sup>3</sup> /s	0.190	2.20	1.30	6.40	2.20	7.20
Median	ft <sup>3</sup> /s	1.40	15.0	9.40	33.0	5.20	22.0
Arithmetic Mean	ft <sup>3</sup> /s	2.14	26.5	10.6	64.7	4.90	30.5
Geometric Mean	ft <sup>3</sup> /s	1.48	--	8.18	--	4.67	--
Harmonic Mean	ft <sup>3</sup> /s	1.09	11.4	5.77	28.3	4.44	20.2
Standard Deviation	ft <sup>3</sup> /s	2.43	38.4	7.39	125	1.44	31.0
5th percentile	ft <sup>3</sup> /s	0.396	4.66	1.60	12.6	2.71	10.0
10th percentile	ft <sup>3</sup> /s	0.530	5.50	2.09	15.0	3.10	12.0
20th percentile	ft <sup>3</sup> /s	0.710	7.20	4.00	19.0	3.40	15.0
30th percentile	ft <sup>3</sup> /s	0.977	9.00	6.91	22.0	3.70	17.0
40th percentile	ft <sup>3</sup> /s	1.20	11.0	8.20	27.0	4.20	19.0
50th percentile	ft <sup>3</sup> /s	1.40	15.0	9.40	33.0	5.20	22.0
60th percentile	ft <sup>3</sup> /s	1.80	19.0	11.0	40.0	5.80	25.0
70th percentile	ft <sup>3</sup> /s	2.20	24.0	13.3	51.0	6.10	30.0
80th percentile	ft <sup>3</sup> /s	2.80	33.2	16.0	70.0	6.40	38.0
90th percentile	ft <sup>3</sup> /s	4.40	57.1	19.0	116	6.62	51.1
Drainage area	mi <sup>2</sup>	1.9	15.9	15.2	58.2	5.89	17
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	14.2	29.6	3.22	30.6	1.31	19.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.100	0.138	0.086	0.110	0.374	0.424
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.737	0.943	0.618	0.567	0.883	1.29
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	1.67	0.700	1.11	0.831	1.79
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.780	--	0.538	--	0.793	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.573	0.714	0.379	0.486	0.753	1.19
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	2.42	0.486	2.14	0.245	1.83
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.208	0.293	0.105	0.216	0.459	0.588
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.279	0.346	0.138	0.258	0.526	0.706
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.374	0.453	0.263	0.326	0.577	0.882
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.514	0.566	0.455	0.378	0.628	1.00
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.632	0.692	0.539	0.464	0.713	1.12
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.737	0.943	0.618	0.567	0.883	1.29
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.947	1.19	0.724	0.687	0.985	1.47
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	1.51	0.875	0.876	1.04	1.76
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.47	2.09	1.05	1.20	1.09	2.24
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.32	3.59	1.25	1.99	1.12	3.01

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>01484800</b>	<b>01613900</b>	<b>01614830</b>	<b>01615000</b>	<b>01615500</b>	<b>01616000</b>
Count	number	1,023	1,271	217	1,829	124	806
Max	ft <sup>3</sup> /s	22.0	322	59.0	2,610	25.0	295
Min	ft <sup>3</sup> /s	0.000	0.850	2.30	2.90	3.00	6.50
Median	ft <sup>3</sup> /s	0.690	8.10	6.40	25.0	5.60	20.0
Arithmetic Mean	ft <sup>3</sup> /s	1.13	16.4	8.49	47.5	6.80	26.4
Geometric Mean	ft <sup>3</sup> /s	--	--	6.96	--	5.91	--
Harmonic Mean	ft <sup>3</sup> /s	--	6.28	5.85	20.4	5.31	19.7
Standard Deviation	ft <sup>3</sup> /s	1.66	26.4	6.25	108	4.18	22.0
5th percentile	ft <sup>3</sup> /s	0.160	2.50	2.69	9.10	3.20	11.0
10th percentile	ft <sup>3</sup> /s	0.240	3.10	3.10	10.0	3.30	12.0
20th percentile	ft <sup>3</sup> /s	0.360	4.00	4.12	13.0	3.50	15.0
30th percentile	ft <sup>3</sup> /s	0.450	5.10	4.80	16.0	4.70	17.0
40th percentile	ft <sup>3</sup> /s	0.600	6.40	5.64	20.0	4.90	19.0
50th percentile	ft <sup>3</sup> /s	0.690	8.10	6.40	25.0	5.60	20.0
60th percentile	ft <sup>3</sup> /s	0.890	11.0	7.60	29.0	6.10	23.0
70th percentile	ft <sup>3</sup> /s	1.10	15.0	10.0	36.0	6.40	28.0
80th percentile	ft <sup>3</sup> /s	1.40	21.0	13.0	47.0	8.16	34.0
90th percentile	ft <sup>3</sup> /s	2.18	34.0	16.0	82.0	14.0	44.0
Drainage area	mi <sup>2</sup>	1.9	15.9	15.2	58.2	5.89	17
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	11.6	20.3	3.88	44.8	4.24	17.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.053	0.151	0.050	0.509	0.382
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.363	0.509	0.421	0.430	0.951	1.18
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.597	1.03	0.559	0.816	1.15	1.55
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.458	--	1.00	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.395	0.385	0.351	0.902	1.16
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.873	1.66	0.411	1.86	0.710	1.29
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.084	0.157	0.177	0.156	0.543	0.647
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.126	0.195	0.204	0.172	0.560	0.706
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.189	0.252	0.271	0.223	0.594	0.882
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.237	0.321	0.316	0.275	0.798	1.00
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.316	0.403	0.371	0.344	0.832	1.12
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.363	0.509	0.421	0.430	0.951	1.18
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.468	0.692	0.500	0.498	1.04	1.35
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.579	0.943	0.658	0.619	1.09	1.65
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.737	1.32	0.855	0.808	1.39	2.00
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	2.14	1.05	1.41	2.38	2.59

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>01484800</b>	<b>01613900</b>	<b>01614830</b>	<b>01615000</b>	<b>01615500</b>	<b>01616000</b>
Count	number	990	1,230	210	1,770	120	791
Max	ft <sup>3</sup> /s	20.0	996	60.0	4,670	25.0	250
Min	ft <sup>3</sup> /s	0.000	0.480	1.90	2.70	2.90	5.50
Median	ft <sup>3</sup> /s	0.330	3.60	5.10	17.0	5.05	18.0
Arithmetic Mean	ft <sup>3</sup> /s	0.569	11.9	8.05	38.5	5.62	20.9
Geometric Mean	ft <sup>3</sup> /s	--	--	5.92	--	5.14	--
Harmonic Mean	ft <sup>3</sup> /s	--	2.85	4.76	13.5	4.79	16.7
Standard Deviation	ft <sup>3</sup> /s	1.11	46.8	8.12	148	2.92	15.2
5th percentile	ft <sup>3</sup> /s	0.000	1.00	2.10	5.70	3.10	8.60
10th percentile	ft <sup>3</sup> /s	0.060	1.40	2.49	6.59	3.20	11.0
20th percentile	ft <sup>3</sup> /s	0.170	1.80	3.30	8.80	3.50	13.0
30th percentile	ft <sup>3</sup> /s	0.210	2.30	4.07	12.0	4.00	15.0
40th percentile	ft <sup>3</sup> /s	0.270	2.80	4.66	14.0	4.26	16.0
50th percentile	ft <sup>3</sup> /s	0.330	3.60	5.10	17.0	5.05	18.0
60th percentile	ft <sup>3</sup> /s	0.424	4.70	5.54	20.0	5.68	20.0
70th percentile	ft <sup>3</sup> /s	0.520	6.40	7.83	24.0	6.13	22.0
80th percentile	ft <sup>3</sup> /s	0.662	9.64	10.0	30.0	6.80	25.0
90th percentile	ft <sup>3</sup> /s	1.01	19.0	18.1	53.0	8.74	31.0
Drainage area	mi <sup>2</sup>	1.9	15.9	15.2	58.2	5.89	17
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	10.5	62.6	3.95	80.2	4.24	14.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.030	0.125	0.046	0.492	0.324
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.174	0.226	0.336	0.292	0.857	1.06
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.300	0.747	0.530	0.661	0.955	1.23
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.390	--	0.873	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.179	0.313	0.232	0.813	0.980
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.582	2.94	0.534	2.54	0.496	0.894
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.063	0.138	0.098	0.526	0.506
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	0.088	0.164	0.113	0.543	0.647
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.089	0.113	0.217	0.151	0.594	0.765
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.111	0.145	0.268	0.206	0.679	0.882
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.142	0.176	0.307	0.241	0.723	0.941
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.174	0.226	0.336	0.292	0.857	1.06
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.223	0.296	0.364	0.344	0.964	1.18
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.274	0.403	0.515	0.412	1.04	1.29
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.348	0.606	0.658	0.515	1.15	1.47
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.532	1.19	1.19	0.911	1.48	1.82

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>01484800</b>	<b>01613900</b>	<b>01614830</b>	<b>01615000</b>	<b>01615500</b>	<b>01616000</b>
Count	number	1,023	1,271	217	1,829	124	842
Max	ft <sup>3</sup> /s	41.0	308	45.0	1,900	6.40	104
Min	ft <sup>3</sup> /s	0.000	0.200	1.70	0.800	2.70	5.80
Median	ft <sup>3</sup> /s	0.250	2.10	4.10	11.0	4.00	15.0
Arithmetic Mean	ft <sup>3</sup> /s	0.681	4.57	6.52	21.9	4.10	17.3
Geometric Mean	ft <sup>3</sup> /s	--	--	4.75	--	4.00	--
Harmonic Mean	ft <sup>3</sup> /s	--	1.69	3.81	8.56	3.91	14.2
Standard Deviation	ft <sup>3</sup> /s	2.53	15.6	6.68	62.0	0.903	9.46
5th percentile	ft <sup>3</sup> /s	0.000	0.700	1.90	3.50	3.00	7.40
10th percentile	ft <sup>3</sup> /s	0.040	0.800	2.10	4.40	3.10	9.00
20th percentile	ft <sup>3</sup> /s	0.100	1.20	2.40	6.20	3.20	11.0
30th percentile	ft <sup>3</sup> /s	0.140	1.50	2.80	7.84	3.39	12.0
40th percentile	ft <sup>3</sup> /s	0.200	1.80	3.50	9.30	3.60	14.0
50th percentile	ft <sup>3</sup> /s	0.250	2.10	4.10	11.0	4.00	15.0
60th percentile	ft <sup>3</sup> /s	0.320	2.50	5.10	14.0	4.40	17.0
70th percentile	ft <sup>3</sup> /s	0.410	3.20	6.32	17.0	4.60	19.0
80th percentile	ft <sup>3</sup> /s	0.520	4.20	8.18	22.0	4.84	22.0
90th percentile	ft <sup>3</sup> /s	0.880	7.10	14.4	36.0	5.30	26.0
Drainage area	mi <sup>2</sup>	1.9	15.9	15.2	58.2	5.89	17
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.6	19.4	2.96	32.6	1.09	6.12
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.013	0.112	0.014	0.458	0.341
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.132	0.132	0.270	0.189	0.679	0.882
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.359	0.287	0.429	0.377	0.695	1.02
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.312	--	0.679	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.106	0.251	0.147	0.664	0.835
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.33	0.979	0.440	1.07	0.153	0.557
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.044	0.125	0.060	0.509	0.435
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.021	0.050	0.138	0.076	0.526	0.529
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.053	0.075	0.158	0.107	0.543	0.647
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.074	0.094	0.184	0.135	0.576	0.706
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.105	0.113	0.230	0.160	0.611	0.824
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.132	0.132	0.270	0.189	0.679	0.882
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.168	0.157	0.336	0.241	0.747	1.00
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.216	0.201	0.416	0.292	0.781	1.12
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.274	0.264	0.538	0.378	0.822	1.29
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.463	0.447	0.947	0.619	0.900	1.53

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01484800</b>	<b>01613900</b>	<b>01614830</b>	<b>01615000</b>	<b>01615500</b>	<b>01616000</b>
Count	number	1,023	1,302	216	1,829	124	868
Max	ft <sup>3</sup> /s	40.0	552	23.0	1,950	6.10	291
Min	ft <sup>3</sup> /s	0.000	0.120	0.790	0.400	2.30	5.60
Median	ft <sup>3</sup> /s	0.290	1.60	3.20	9.70	3.50	13.0
Arithmetic Mean	ft <sup>3</sup> /s	0.789	4.70	4.30	22.3	3.64	16.6
Geometric Mean	ft <sup>3</sup> /s	--	--	3.28	--	3.55	--
Harmonic Mean	ft <sup>3</sup> /s	--	1.16	2.54	6.59	3.48	12.9
Standard Deviation	ft <sup>3</sup> /s	2.49	21.8	3.47	77.7	0.795	16.8
5th percentile	ft <sup>3</sup> /s	0.010	0.440	0.959	2.75	2.50	7.50
10th percentile	ft <sup>3</sup> /s	0.060	0.600	1.30	3.50	2.80	8.60
20th percentile	ft <sup>3</sup> /s	0.110	0.800	1.70	5.00	3.10	9.80
30th percentile	ft <sup>3</sup> /s	0.170	1.10	2.00	6.50	3.20	11.0
40th percentile	ft <sup>3</sup> /s	0.240	1.30	2.50	7.90	3.30	12.0
50th percentile	ft <sup>3</sup> /s	0.290	1.60	3.20	9.70	3.50	13.0
60th percentile	ft <sup>3</sup> /s	0.340	2.00	4.40	12.8	3.50	15.0
70th percentile	ft <sup>3</sup> /s	0.440	2.47	5.10	15.0	3.82	17.0
80th percentile	ft <sup>3</sup> /s	0.600	3.20	6.00	19.4	4.34	20.0
90th percentile	ft <sup>3</sup> /s	1.28	5.49	8.85	34.0	4.70	26.0
Drainage area	mi <sup>2</sup>	1.9	15.9	15.2	58.2	5.89	17
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.1	34.7	1.51	33.5	1.04	17.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.008	0.052	0.007	0.390	0.329
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.153	0.101	0.211	0.167	0.594	0.765
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.415	0.296	0.283	0.383	0.617	0.979
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.216	--	0.604	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.073	0.167	0.113	0.591	0.760
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	1.37	0.228	1.34	0.135	0.991
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.005	0.028	0.063	0.047	0.424	0.441
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	0.038	0.086	0.060	0.475	0.506
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.058	0.050	0.112	0.086	0.526	0.576
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.089	0.069	0.132	0.112	0.543	0.647
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.126	0.082	0.164	0.136	0.560	0.706
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.153	0.101	0.211	0.167	0.594	0.765
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.126	0.289	0.220	0.594	0.882
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.232	0.155	0.336	0.258	0.649	1.00
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.316	0.201	0.395	0.333	0.737	1.18
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.674	0.345	0.582	0.584	0.798	1.53



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01484800</b>	<b>01613900</b>	<b>01614830</b>	<b>01615000</b>	<b>01615500</b>	<b>01616000</b>
Count	number	990	1,268	210	1,770	120	840
Max	ft <sup>3</sup> /s	16.0	1,060	186	2,730	4.30	313
Min	ft <sup>3</sup> /s	0.000	0.060	0.930	0.200	2.00	6.30
Median	ft <sup>3</sup> /s	0.270	1.40	2.75	9.20	3.00	13.0
Arithmetic Mean	ft <sup>3</sup> /s	0.427	6.92	6.89	28.5	3.04	15.4
Geometric Mean	ft <sup>3</sup> /s	--	--	3.53	--	2.98	--
Harmonic Mean	ft <sup>3</sup> /s	--	1.21	2.59	5.46	2.92	12.4
Standard Deviation	ft <sup>3</sup> /s	0.847	40.5	17.2	137	0.581	14.1
5th percentile	ft <sup>3</sup> /s	0.000	0.530	1.10	2.00	2.10	7.50
10th percentile	ft <sup>3</sup> /s	0.039	0.630	1.40	3.00	2.29	8.30
20th percentile	ft <sup>3</sup> /s	0.100	0.800	1.68	4.10	2.50	9.40
30th percentile	ft <sup>3</sup> /s	0.160	1.00	2.07	5.80	2.67	10.0
40th percentile	ft <sup>3</sup> /s	0.210	1.20	2.40	7.50	2.90	11.0
50th percentile	ft <sup>3</sup> /s	0.270	1.40	2.75	9.20	3.00	13.0
60th percentile	ft <sup>3</sup> /s	0.300	1.60	3.40	11.0	3.14	15.0
70th percentile	ft <sup>3</sup> /s	0.390	2.00	4.70	14.0	3.43	16.0
80th percentile	ft <sup>3</sup> /s	0.500	2.90	8.20	18.0	3.60	18.0
90th percentile	ft <sup>3</sup> /s	0.790	7.73	11.0	34.0	3.80	24.0
Drainage area	mi <sup>2</sup>	1.9	15.9	15.2	58.2	5.89	17
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.42	66.7	12.2	46.9	0.730	18.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.004	0.061	0.003	0.340	0.371
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.142	0.088	0.181	0.158	0.509	0.765
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.225	0.435	0.453	0.489	0.516	0.906
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.232	--	0.506	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.076	0.170	0.094	0.496	0.732
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.446	2.55	1.13	2.35	0.099	0.830
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.033	0.072	0.034	0.357	0.441
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.021	0.040	0.092	0.052	0.389	0.488
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.053	0.050	0.111	0.070	0.424	0.553
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.084	0.063	0.136	0.100	0.453	0.588
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.111	0.075	0.158	0.129	0.492	0.647
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.142	0.088	0.181	0.158	0.509	0.765
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.158	0.101	0.224	0.189	0.533	0.882
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.205	0.126	0.309	0.241	0.582	0.941
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.263	0.182	0.539	0.309	0.611	1.06
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.416	0.486	0.724	0.584	0.645	1.41

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01484800</b>	<b>01613900</b>	<b>01614830</b>	<b>01615000</b>	<b>01615500</b>	<b>01616000</b>
Count	number	1,014	1,333	217	1,878	100	837
Max	ft <sup>3</sup> /s	13.0	546	19.0	2,550	9.40	304
Min	ft <sup>3</sup> /s	0.000	0.200	0.810	1.10	1.40	4.60
Median	ft <sup>3</sup> /s	0.270	1.90	3.70	10.0	3.30	13.0
Arithmetic Mean	ft <sup>3</sup> /s	0.469	6.56	5.06	29.2	3.43	17.5
Geometric Mean	ft <sup>3</sup> /s	--	--	3.97	--	3.16	--
Harmonic Mean	ft <sup>3</sup> /s	--	1.81	3.17	7.60	2.92	12.8
Standard Deviation	ft <sup>3</sup> /s	0.861	23.7	3.66	110	1.51	20.3
5th percentile	ft <sup>3</sup> /s	0.060	0.800	1.60	2.70	1.50	8.00
10th percentile	ft <sup>3</sup> /s	0.100	0.972	1.90	3.50	1.69	8.66
20th percentile	ft <sup>3</sup> /s	0.150	1.30	2.00	5.00	2.50	9.80
30th percentile	ft <sup>3</sup> /s	0.190	1.50	2.30	6.50	2.67	10.0
40th percentile	ft <sup>3</sup> /s	0.220	1.70	3.10	8.20	3.16	11.0
50th percentile	ft <sup>3</sup> /s	0.270	1.90	3.70	10.0	3.30	13.0
60th percentile	ft <sup>3</sup> /s	0.300	2.60	4.40	13.0	3.64	15.0
70th percentile	ft <sup>3</sup> /s	0.380	3.60	6.42	16.0	3.80	17.0
80th percentile	ft <sup>3</sup> /s	0.550	5.40	8.76	24.0	3.90	19.0
90th percentile	ft <sup>3</sup> /s	0.938	11.0	10.0	46.0	4.10	28.0
Drainage area	mi <sup>2</sup>	1.9	15.9	15.2	58.2	5.89	17
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.84	34.3	1.25	43.8	1.60	17.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.013	0.053	0.019	0.238	0.271
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.142	0.119	0.243	0.172	0.560	0.765
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.247	0.412	0.333	0.501	0.582	1.03
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.261	--	0.537	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.114	0.209	0.131	0.496	0.754
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.453	1.49	0.241	1.89	0.256	1.19
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	0.050	0.105	0.046	0.255	0.471
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.053	0.061	0.125	0.060	0.287	0.509
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.079	0.082	0.132	0.086	0.424	0.576
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.100	0.094	0.151	0.112	0.453	0.588
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.116	0.107	0.204	0.141	0.537	0.647
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.142	0.119	0.243	0.172	0.560	0.765
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.158	0.164	0.289	0.223	0.618	0.882
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.200	0.226	0.422	0.275	0.645	1.00
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.289	0.340	0.576	0.412	0.662	1.12
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.494	0.692	0.658	0.790	0.696	1.65

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01484800</b>	<b>01613900</b>	<b>01614830</b>	<b>01615000</b>	<b>01615500</b>	<b>01616000</b>
Count	number	970	1,284	205	1,794	120	794
Max	ft <sup>3</sup> /s	27.0	586	37.0	2,190	8.50	316
Min	ft <sup>3</sup> /s	0.050	0.600	1.70	2.10	2.10	6.60
Median	ft <sup>3</sup> /s	0.390	3.80	6.00	13.0	3.80	13.0
Arithmetic Mean	ft <sup>3</sup> /s	0.759	12.8	7.75	37.9	4.28	18.3
Geometric Mean	ft <sup>3</sup> /s	0.000	--	6.19	--	4.00	--
Harmonic Mean	ft <sup>3</sup> /s	0.317	3.10	4.91	10.5	3.75	13.1
Standard Deviation	ft <sup>3</sup> /s	1.46	33.4	5.41	110	1.61	23.0
5th percentile	ft <sup>3</sup> /s	0.130	1.20	2.00	4.10	2.30	7.90
10th percentile	ft <sup>3</sup> /s	0.170	1.50	2.10	5.23	2.50	8.70
20th percentile	ft <sup>3</sup> /s	0.200	1.80	3.30	6.60	2.70	9.80
30th percentile	ft <sup>3</sup> /s	0.280	2.30	4.10	8.49	3.40	11.0
40th percentile	ft <sup>3</sup> /s	0.330	2.90	5.20	10.0	3.60	12.0
50th percentile	ft <sup>3</sup> /s	0.390	3.80	6.00	13.0	3.80	13.0
60th percentile	ft <sup>3</sup> /s	0.450	5.70	9.10	17.0	4.10	15.0
70th percentile	ft <sup>3</sup> /s	0.560	8.21	9.60	24.0	4.90	17.0
80th percentile	ft <sup>3</sup> /s	0.960	14.0	11.0	37.0	6.10	20.0
90th percentile	ft <sup>3</sup> /s	1.60	25.7	14.0	67.0	6.82	28.7
Drainage area	mi <sup>2</sup>	1.9	15.9	15.2	58.2	5.89	17
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	14.2	36.9	2.43	37.6	1.44	18.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.026	0.038	0.112	0.036	0.357	0.388
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.205	0.239	0.395	0.223	0.645	0.765
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.399	0.803	0.510	0.652	0.727	1.08
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	--	0.407	--	0.680	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.167	0.195	0.323	0.181	0.637	0.771
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.770	2.10	0.356	1.89	0.274	1.36
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.068	0.075	0.132	0.070	0.390	0.465
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.089	0.094	0.138	0.090	0.424	0.512
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.105	0.113	0.217	0.113	0.458	0.576
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.147	0.145	0.270	0.146	0.577	0.647
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.174	0.182	0.342	0.172	0.611	0.706
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.205	0.239	0.395	0.223	0.645	0.765
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.237	0.358	0.599	0.292	0.696	0.882
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	0.516	0.632	0.412	0.832	1.00
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.505	0.881	0.724	0.636	1.04	1.18
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.842	1.62	0.921	1.15	1.16	1.69

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01484800</b>	<b>01613900</b>	<b>01614830</b>	<b>01615000</b>	<b>01615500</b>	<b>01616000</b>
Count	number	1,023	1,302	212	1,828	124	806
Max	ft <sup>3</sup> /s	15.0	426	124	1,870	18.0	590
Min	ft <sup>3</sup> /s	0.100	0.400	2.00	1.90	2.00	6.10
Median	ft <sup>3</sup> /s	0.680	7.40	6.00	24.0	4.25	16.0
Arithmetic Mean	ft <sup>3</sup> /s	1.14	16.2	9.59	53.6	4.63	21.1
Geometric Mean	ft <sup>3</sup> /s	0.738	--	6.65	--	4.12	--
Harmonic Mean	ft <sup>3</sup> /s	0.503	4.64	4.98	14.7	3.70	14.6
Standard Deviation	ft <sup>3</sup> /s	1.28	29.1	12.2	120	2.47	28.2
5th percentile	ft <sup>3</sup> /s	0.180	1.30	2.17	4.70	2.10	7.90
10th percentile	ft <sup>3</sup> /s	0.210	1.90	2.30	6.00	2.13	8.50
20th percentile	ft <sup>3</sup> /s	0.300	3.40	2.60	9.20	2.40	10.0
30th percentile	ft <sup>3</sup> /s	0.420	4.70	4.80	13.0	3.09	12.0
40th percentile	ft <sup>3</sup> /s	0.510	6.00	5.20	18.0	3.20	14.0
50th percentile	ft <sup>3</sup> /s	0.680	7.40	6.00	24.0	4.25	16.0
60th percentile	ft <sup>3</sup> /s	0.950	9.66	8.54	31.0	5.06	19.0
70th percentile	ft <sup>3</sup> /s	1.30	13.0	11.7	42.0	6.10	22.0
80th percentile	ft <sup>3</sup> /s	1.80	19.0	13.8	62.0	6.34	25.0
90th percentile	ft <sup>3</sup> /s	2.40	36.0	17.9	105	6.94	32.0
Drainage area	mi <sup>2</sup>	1.9	15.9	15.2	58.2	5.89	17
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.89	26.8	8.16	32.1	3.06	34.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.053	0.025	0.132	0.033	0.340	0.359
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.358	0.465	0.395	0.412	0.722	0.941
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.602	1.02	0.631	0.921	0.787	1.24
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.389	--	0.437	--	0.700	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.265	0.292	0.328	0.252	0.628	0.862
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.671	1.83	0.802	2.07	0.419	1.66
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.095	0.082	0.142	0.081	0.357	0.465
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.111	0.119	0.151	0.103	0.362	0.500
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.158	0.214	0.171	0.158	0.407	0.588
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.221	0.296	0.316	0.223	0.525	0.706
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.268	0.377	0.342	0.309	0.543	0.824
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.358	0.465	0.395	0.412	0.722	0.941
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.500	0.608	0.562	0.533	0.859	1.12
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.684	0.818	0.770	0.722	1.04	1.29
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.947	1.19	0.908	1.07	1.08	1.47
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	2.26	1.18	1.80	1.18	1.88

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		January					
	units						
Station Number	number	01616075	01616100	01620500	01621000	01621050	01621410
Count	number	--	155	1,891	62.0	434	62.0
Max	ft <sup>3</sup> /s	--	66.0	1,270	271	929	23.0
Min	ft <sup>3</sup> /s	--	4.80	0.510	20.0	0.540	0.500
Median	ft <sup>3</sup> /s	--	12.0	19.0	40.0	9.30	1.50
Arithmetic Mean	ft <sup>3</sup> /s	--	13.3	33.6	65.1	15.0	2.75
Geometric Mean	ft <sup>3</sup> /s	--	12.3	--	51.5	--	1.51
Harmonic Mean	ft <sup>3</sup> /s	--	11.5	8.79	43.6	3.62	1.13
Standard Deviation	ft <sup>3</sup> /s	--	6.63	66.2	53.4	49.3	4.82
5th percentile	ft <sup>3</sup> /s	--	6.78	2.40	23.0	0.788	0.505
10th percentile	ft <sup>3</sup> /s	--	8.04	4.00	27.1	1.10	0.552
20th percentile	ft <sup>3</sup> /s	--	9.34	8.30	32.4	2.70	0.650
30th percentile	ft <sup>3</sup> /s	--	10.2	11.0	38.0	5.10	1.20
40th percentile	ft <sup>3</sup> /s	--	11.0	15.0	39.0	7.70	1.40
50th percentile	ft <sup>3</sup> /s	--	12.0	19.0	40.0	9.30	1.50
60th percentile	ft <sup>3</sup> /s	--	13.0	24.0	41.6	11.0	1.50
70th percentile	ft <sup>3</sup> /s	--	14.0	31.0	65.5	13.0	1.60
80th percentile	ft <sup>3</sup> /s	--	16.0	44.0	102	15.0	1.90
90th percentile	ft <sup>3</sup> /s	--	19.6	65.0	133	23.0	5.80
Drainage area	mi <sup>2</sup>	--	11	17.3	73	14.3	10.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	6.00	73.4	3.71	65.0	2.11
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.436	0.029	0.274	0.038	0.046
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.09	1.10	0.548	0.650	0.138
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.21	1.94	0.891	1.05	0.252
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.12	--	0.705	--	0.139
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.05	0.508	0.597	0.253	0.104
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.603	3.83	0.732	3.45	0.443
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.616	0.139	0.315	0.055	0.046
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.731	0.231	0.371	0.077	0.051
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.849	0.480	0.444	0.189	0.060
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.927	0.636	0.521	0.357	0.110
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.00	0.867	0.534	0.538	0.128
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.09	1.10	0.548	0.650	0.138
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.18	1.39	0.570	0.769	0.138
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.27	1.79	0.897	0.909	0.147
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.45	2.54	1.40	1.05	0.174
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.78	3.76	1.82	1.61	0.532

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01616075</b>	<b>01616100</b>	<b>01620500</b>	<b>01621000</b>	<b>01621050</b>	<b>01621410</b>
Count	number	--	141	1,722	57.0	395	56.0
Max	ft <sup>3</sup> /s	--	48.0	820	1,290	272	8.40
Min	ft <sup>3</sup> /s	--	3.90	0.510	18.0	0.390	0.660
Median	ft <sup>3</sup> /s	--	11.0	21.0	34.0	7.20	0.845
Arithmetic Mean	ft <sup>3</sup> /s	--	13.3	35.5	115	15.4	1.21
Geometric Mean	ft <sup>3</sup> /s	--	11.5	--	54.2	--	1.01
Harmonic Mean	ft <sup>3</sup> /s	--	9.98	14.0	35.0	3.87	0.930
Standard Deviation	ft <sup>3</sup> /s	--	7.87	53.2	202	23.0	1.26
5th percentile	ft <sup>3</sup> /s	--	4.20	4.22	18.0	0.646	0.677
10th percentile	ft <sup>3</sup> /s	--	4.70	6.60	18.0	2.80	0.745
20th percentile	ft <sup>3</sup> /s	--	8.80	10.0	19.2	4.00	0.770
30th percentile	ft <sup>3</sup> /s	--	9.80	13.0	21.8	5.20	0.790
40th percentile	ft <sup>3</sup> /s	--	11.0	17.0	26.4	6.10	0.820
50th percentile	ft <sup>3</sup> /s	--	11.0	21.0	34.0	7.20	0.845
60th percentile	ft <sup>3</sup> /s	--	12.0	26.0	61.8	10.0	0.880
70th percentile	ft <sup>3</sup> /s	--	13.0	34.0	90.4	16.0	0.970
80th percentile	ft <sup>3</sup> /s	--	19.0	44.8	159	20.0	1.30
90th percentile	ft <sup>3</sup> /s	--	25.0	70.0	268	34.6	1.40
Drainage area	mi <sup>2</sup>	--	11	17.3	73	14.3	10.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	4.36	47.4	17.7	19.0	0.771
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.355	0.029	0.247	0.027	0.061
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.00	1.21	0.466	0.503	0.078
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.21	2.05	1.57	1.08	0.111
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.05	--	0.743	--	0.092
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.907	0.808	0.479	0.271	0.085
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.715	3.08	2.77	1.61	0.116
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.382	0.244	0.247	0.045	0.062
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.427	0.382	0.247	0.196	0.068
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.800	0.578	0.263	0.280	0.071
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.891	0.751	0.299	0.364	0.072
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.00	0.983	0.362	0.427	0.075
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.00	1.21	0.466	0.503	0.078
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.09	1.50	0.847	0.699	0.081
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.18	1.97	1.24	1.12	0.089
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.73	2.59	2.17	1.40	0.119
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.27	4.05	3.67	2.42	0.128

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

	units	March					
		01616075	01616100	01620500	01621000	01621050	01621410
Station Number	number						
Count	number	--	155	1,891	62.0	434	62.0
Max	ft <sup>3</sup> /s	--	118	1,010	1,040	201	89.0
Min	ft <sup>3</sup> /s	--	7.00	3.00	16.0	0.400	0.660
Median	ft <sup>3</sup> /s	--	15.0	32.0	130	12.0	1.20
Arithmetic Mean	ft <sup>3</sup> /s	--	21.7	56.1	192	18.3	5.41
Geometric Mean	ft <sup>3</sup> /s	--	17.2	--	119	--	2.21
Harmonic Mean	ft <sup>3</sup> /s	--	14.4	24.5	66.3	4.55	1.39
Standard Deviation	ft <sup>3</sup> /s	--	18.0	77.0	208	23.5	12.0
5th percentile	ft <sup>3</sup> /s	--	7.38	8.40	17.0	0.838	0.682
10th percentile	ft <sup>3</sup> /s	--	7.98	13.0	20.0	3.00	0.720
20th percentile	ft <sup>3</sup> /s	--	9.60	18.0	51.6	4.50	0.820
30th percentile	ft <sup>3</sup> /s	--	12.0	22.0	109	6.00	0.910
40th percentile	ft <sup>3</sup> /s	--	12.0	26.0	117	8.02	1.04
50th percentile	ft <sup>3</sup> /s	--	15.0	32.0	130	12.0	1.20
60th percentile	ft <sup>3</sup> /s	--	18.0	40.0	164	16.0	2.08
70th percentile	ft <sup>3</sup> /s	--	24.0	54.0	192	20.0	4.56
80th percentile	ft <sup>3</sup> /s	--	31.0	72.0	241	25.0	8.10
90th percentile	ft <sup>3</sup> /s	--	41.6	113	325	36.0	10.9
Drainage area	mi <sup>2</sup>	--	11	17.3	73	14.3	10.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	10.7	58.4	14.2	14.1	8.17
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.636	0.173	0.219	0.028	0.061
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.36	1.85	1.78	0.839	0.110
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.98	3.24	2.63	1.28	0.496
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.56	--	1.63	--	0.202
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.31	1.41	0.908	0.318	0.127
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.63	4.45	2.84	1.65	1.11
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.671	0.486	0.233	0.059	0.063
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.725	0.751	0.274	0.210	0.066
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.873	1.04	0.707	0.315	0.075
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.09	1.27	1.49	0.420	0.083
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.09	1.50	1.60	0.561	0.095
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.36	1.85	1.78	0.839	0.110
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.64	2.31	2.25	1.12	0.191
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.18	3.12	2.63	1.40	0.418
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.82	4.16	3.30	1.75	0.743
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	3.78	6.53	4.45	2.52	0.999

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01616075</b>	<b>01616100</b>	<b>01620500</b>	<b>01621000</b>	<b>01621050</b>	<b>01621410</b>
Count	number	1.00	150	1,830	60.0	438	60.0
Max	ft <sup>3</sup> /s	2.30	52.0	1,750	1,120	101	123
Min	ft <sup>3</sup> /s	2.30	6.50	5.00	57.0	0.800	1.60
Median	ft <sup>3</sup> /s	2.30	17.0	26.0	108	11.0	3.85
Arithmetic Mean	ft <sup>3</sup> /s	2.30	19.0	46.9	187	12.7	8.64
Geometric Mean	ft <sup>3</sup> /s	2.30	16.5	--	130	--	4.65
Harmonic Mean	ft <sup>3</sup> /s	2.30	14.3	22.1	107	5.37	3.53
Standard Deviation	ft <sup>3</sup> /s	--	10.2	85.5	220	10.7	17.7
5th percentile	ft <sup>3</sup> /s	2.30	6.60	9.00	60.1	1.70	1.90
10th percentile	ft <sup>3</sup> /s	2.30	6.80	11.0	64.0	2.37	2.00
20th percentile	ft <sup>3</sup> /s	2.30	11.3	14.0	72.6	3.44	2.20
30th percentile	ft <sup>3</sup> /s	2.30	14.0	18.0	80.8	4.93	2.37
40th percentile	ft <sup>3</sup> /s	2.30	16.0	22.0	94.0	9.58	3.02
50th percentile	ft <sup>3</sup> /s	2.30	17.0	26.0	108	11.0	3.85
60th percentile	ft <sup>3</sup> /s	2.30	18.0	33.4	115	13.0	4.90
70th percentile	ft <sup>3</sup> /s	2.30	21.0	43.0	151	16.0	6.10
80th percentile	ft <sup>3</sup> /s	2.30	25.0	61.0	208	19.0	8.40
90th percentile	ft <sup>3</sup> /s	2.30	31.2	92.1	365	24.0	13.4
Drainage area	mi <sup>2</sup>	--	11	17.3	73	14.3	10.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	4.73	101	15.3	7.06	11.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.591	0.289	0.781	0.056	0.147
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.55	1.50	1.48	0.769	0.353
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.72	2.71	2.56	0.891	0.793
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.50	--	1.79	--	0.427
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.30	1.28	1.47	0.375	0.324
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.926	4.94	3.02	0.751	1.62
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.600	0.520	0.823	0.119	0.174
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.618	0.636	0.877	0.166	0.183
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.03	0.809	0.995	0.241	0.202
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.27	1.04	1.11	0.345	0.217
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.45	1.27	1.29	0.670	0.277
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.55	1.50	1.48	0.769	0.353
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.64	1.93	1.58	0.909	0.450
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.91	2.49	2.07	1.12	0.560
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.27	3.53	2.85	1.33	0.771
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.84	5.32	4.99	1.68	1.23



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	01616075	01616100	01620500	01621000	01621050	01621410
Count	number	31.0	154	1,891	62.0	465	62.0
Max	ft <sup>3</sup> /s	2.30	62.0	794	692	82.0	37.0
Min	ft <sup>3</sup> /s	1.20	5.20	3.20	31.0	0.490	1.30
Median	ft <sup>3</sup> /s	1.60	12.0	20.0	62.0	7.20	3.70
Arithmetic Mean	ft <sup>3</sup> /s	1.58	13.3	34.3	148	9.57	6.07
Geometric Mean	ft <sup>3</sup> /s	1.57	11.9	--	93.8	--	3.94
Harmonic Mean	ft <sup>3</sup> /s	1.56	10.8	15.4	68.7	4.42	2.95
Standard Deviation	ft <sup>3</sup> /s	0.213	7.67	49.5	162	9.12	7.25
5th percentile	ft <sup>3</sup> /s	1.20	5.93	5.80	34.2	1.50	1.32
10th percentile	ft <sup>3</sup> /s	1.40	6.40	7.50	40.0	2.00	1.50
20th percentile	ft <sup>3</sup> /s	1.50	8.06	10.0	44.4	4.00	1.60
30th percentile	ft <sup>3</sup> /s	1.50	9.89	13.0	46.0	5.00	2.83
40th percentile	ft <sup>3</sup> /s	1.50	11.0	16.0	52.0	6.00	3.14
50th percentile	ft <sup>3</sup> /s	1.60	12.0	20.0	62.0	7.20	3.70
60th percentile	ft <sup>3</sup> /s	1.60	13.0	25.0	96.4	8.88	3.86
70th percentile	ft <sup>3</sup> /s	1.60	14.0	33.0	157	11.0	5.11
80th percentile	ft <sup>3</sup> /s	1.60	16.0	46.0	243	13.2	6.60
90th percentile	ft <sup>3</sup> /s	1.80	21.7	71.0	350	18.0	15.9
Drainage area	mi <sup>2</sup>	--	11	17.3	73	14.3	10.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	5.64	45.9	9.48	5.73	3.39
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.473	0.185	0.425	0.034	0.119
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.09	1.16	0.849	0.503	0.339
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.21	1.98	2.03	0.669	0.557
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.08	--	1.28	--	0.362
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.979	0.893	0.941	0.309	0.271
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.698	2.86	2.23	0.638	0.665
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.539	0.335	0.468	0.105	0.121
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.582	0.434	0.548	0.140	0.138
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.733	0.578	0.608	0.280	0.147
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.899	0.751	0.630	0.350	0.260
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.00	0.925	0.712	0.420	0.288
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.09	1.16	0.849	0.503	0.339
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.18	1.45	1.32	0.621	0.354
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.27	1.91	2.14	0.769	0.469
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.45	2.66	3.33	0.923	0.606
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.97	4.10	4.79	1.26	1.46

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	01616075	01616100	01620500	01621000	01621050	01621410
Count	number	30.0	150	1,829	60.0	450	60.0
Max	ft <sup>3</sup> /s	1.60	149	2,800	509	262	46.0
Min	ft <sup>3</sup> /s	1.00	4.10	0.650	16.0	0.590	2.00
Median	ft <sup>3</sup> /s	1.40	8.30	7.90	31.5	5.25	2.45
Arithmetic Mean	ft <sup>3</sup> /s	1.35	14.0	24.6	52.2	10.1	3.92
Geometric Mean	ft <sup>3</sup> /s	1.34	10.5	--	37.5	--	3.03
Harmonic Mean	ft <sup>3</sup> /s	1.33	8.62	5.35	31.5	3.49	2.76
Standard Deviation	ft <sup>3</sup> /s	0.163	15.2	92.1	71.3	19.8	5.83
5th percentile	ft <sup>3</sup> /s	1.00	4.46	1.60	18.1	0.977	2.10
10th percentile	ft <sup>3</sup> /s	1.10	4.90	2.40	20.0	1.40	2.10
20th percentile	ft <sup>3</sup> /s	1.18	5.70	3.50	20.8	2.60	2.20
30th percentile	ft <sup>3</sup> /s	1.37	6.47	4.90	23.0	3.50	2.30
40th percentile	ft <sup>3</sup> /s	1.40	7.40	6.20	27.0	4.30	2.30
50th percentile	ft <sup>3</sup> /s	1.40	8.30	7.90	31.5	5.25	2.45
60th percentile	ft <sup>3</sup> /s	1.40	12.0	10.0	39.8	6.40	2.74
70th percentile	ft <sup>3</sup> /s	1.40	16.0	14.0	46.9	8.39	3.10
80th percentile	ft <sup>3</sup> /s	1.50	20.2	21.0	57.0	11.0	3.40
90th percentile	ft <sup>3</sup> /s	1.50	27.1	43.0	79.8	20.1	5.50
Drainage area	mi <sup>2</sup>	--	11	17.3	73	14.3	10.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	13.5	162	6.97	18.3	4.22
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.373	0.038	0.219	0.041	0.183
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.755	0.457	0.432	0.367	0.225
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.27	1.42	0.714	0.706	0.359
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.953	--	0.513	--	0.278
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.783	0.309	0.432	0.244	0.253
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.38	5.32	0.976	1.39	0.535
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.405	0.092	0.247	0.068	0.193
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.445	0.139	0.274	0.098	0.193
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.518	0.202	0.285	0.182	0.202
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.588	0.283	0.315	0.245	0.211
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.673	0.358	0.370	0.301	0.211
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.755	0.457	0.432	0.367	0.225
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.09	0.578	0.545	0.448	0.251
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.45	0.809	0.642	0.587	0.284
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.84	1.21	0.781	0.769	0.312
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.46	2.49	1.09	1.41	0.505

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	01616075	01616100	01620500	01621000	01621050	01621410
Count	number	31.0	132	1,891	62.0	465	62.0
Max	ft <sup>3</sup> /s	1.40	21.0	488	177	286	67.0
Min	ft <sup>3</sup> /s	0.860	4.10	0.300	9.60	0.570	1.30
Median	ft <sup>3</sup> /s	1.20	9.15	3.40	18.0	4.30	2.00
Arithmetic Mean	ft <sup>3</sup> /s	1.13	9.32	7.42	32.8	8.55	4.32
Geometric Mean	ft <sup>3</sup> /s	1.11	8.31	--	23.6	--	2.49
Harmonic Mean	ft <sup>3</sup> /s	1.09	7.43	2.24	19.6	3.09	2.09
Standard Deviation	ft <sup>3</sup> /s	0.218	4.48	18.4	35.8	17.5	9.25
5th percentile	ft <sup>3</sup> /s	0.866	4.40	0.720	11.0	1.00	1.40
10th percentile	ft <sup>3</sup> /s	0.890	4.60	1.00	12.1	1.30	1.50
20th percentile	ft <sup>3</sup> /s	0.910	4.90	1.50	14.0	1.90	1.52
30th percentile	ft <sup>3</sup> /s	0.920	5.33	2.00	16.0	2.80	1.70
40th percentile	ft <sup>3</sup> /s	0.950	6.38	2.60	17.0	3.60	1.80
50th percentile	ft <sup>3</sup> /s	1.20	9.15	3.40	18.0	4.30	2.00
60th percentile	ft <sup>3</sup> /s	1.30	10.0	4.40	21.0	5.70	2.00
70th percentile	ft <sup>3</sup> /s	1.30	12.0	5.70	23.7	8.28	2.20
80th percentile	ft <sup>3</sup> /s	1.30	13.8	8.30	34.8	11.0	3.00
90th percentile	ft <sup>3</sup> /s	1.40	15.0	14.0	70.4	16.0	7.42
Drainage area	mi <sup>2</sup>	--	11	17.3	73	14.3	10.9
Max	ft <sup>3</sup> /mi <sup>2</sup>	--	1.91	28.2	2.42	20.0	6.15
Min	ft <sup>3</sup> /mi <sup>2</sup>	--	0.373	0.017	0.132	0.040	0.119
Median	ft <sup>3</sup> /mi <sup>2</sup>	--	0.832	0.197	0.247	0.301	0.183
Arithmetic Mean	ft <sup>3</sup> /mi <sup>2</sup>	--	0.847	0.429	0.449	0.598	0.396
Geometric Mean	ft <sup>3</sup> /mi <sup>2</sup>	--	0.755	--	0.323	--	0.229
Harmonic Mean	ft <sup>3</sup> /mi <sup>2</sup>	--	0.676	0.129	0.268	0.216	0.192
Standard Deviation	ft <sup>3</sup> /mi <sup>2</sup>	--	0.408	1.06	0.491	1.22	0.849
5th percentile	ft <sup>3</sup> /mi <sup>2</sup>	--	0.400	0.042	0.151	0.070	0.128
10th percentile	ft <sup>3</sup> /mi <sup>2</sup>	--	0.418	0.058	0.166	0.091	0.138
20th percentile	ft <sup>3</sup> /mi <sup>2</sup>	--	0.445	0.087	0.192	0.133	0.139
30th percentile	ft <sup>3</sup> /mi <sup>2</sup>	--	0.485	0.116	0.219	0.196	0.156
40th percentile	ft <sup>3</sup> /mi <sup>2</sup>	--	0.580	0.150	0.233	0.252	0.165
50th percentile	ft <sup>3</sup> /mi <sup>2</sup>	--	0.832	0.197	0.247	0.301	0.183
60th percentile	ft <sup>3</sup> /mi <sup>2</sup>	--	0.909	0.254	0.288	0.399	0.183
70th percentile	ft <sup>3</sup> /mi <sup>2</sup>	--	1.09	0.329	0.325	0.579	0.202
80th percentile	ft <sup>3</sup> /mi <sup>2</sup>	--	1.25	0.480	0.477	0.769	0.275
90th percentile	ft <sup>3</sup> /mi <sup>2</sup>	--	1.36	0.809	0.964	1.12	0.681

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01616075</b>	<b>01616100</b>	<b>01620500</b>	<b>01621000</b>	<b>01621050</b>	<b>01621410</b>
Count	number	30.0	165	1,891	64.0	464	62.0
Max	ft <sup>3</sup> /s	1.60	11.0	634	243	124	66.0
Min	ft <sup>3</sup> /s	0.980	1.80	0.140	0.500	0.410	0.740
Median	ft <sup>3</sup> /s	1.10	3.90	2.00	22.0	2.70	2.00
Arithmetic Mean	ft <sup>3</sup> /s	1.16	4.84	8.34	56.1	6.73	6.25
Geometric Mean	ft <sup>3</sup> /s	1.15	4.20	--	20.8	3.37	2.54
Harmonic Mean	ft <sup>3</sup> /s	1.14	3.66	1.25	6.64	2.12	1.67
Standard Deviation	ft <sup>3</sup> /s	0.172	2.58	28.5	73.6	12.2	12.6
5th percentile	ft <sup>3</sup> /s	0.991	2.00	0.390	3.08	0.750	0.772
10th percentile	ft <sup>3</sup> /s	1.00	2.10	0.600	3.59	1.00	0.840
20th percentile	ft <sup>3</sup> /s	1.00	2.10	0.820	5.00	1.36	0.942
30th percentile	ft <sup>3</sup> /s	1.00	3.02	1.10	7.40	1.70	1.10
40th percentile	ft <sup>3</sup> /s	1.10	3.50	1.40	12.4	2.12	1.64
50th percentile	ft <sup>3</sup> /s	1.10	3.90	2.00	22.0	2.70	2.00
60th percentile	ft <sup>3</sup> /s	1.20	4.40	2.90	25.8	3.78	2.50
70th percentile	ft <sup>3</sup> /s	1.30	6.28	4.50	39.2	6.00	3.48
80th percentile	ft <sup>3</sup> /s	1.30	7.80	7.50	152	9.04	5.34
90th percentile	ft <sup>3</sup> /s	1.40	8.56	15.0	179	16.0	16.5
Drainage area	mi <sup>2</sup>	--	11	17.3	73	14.3	10.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.00	36.6	3.33	8.67	6.06
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.164	0.008	0.007	0.029	0.068
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.355	0.116	0.301	0.189	0.183
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.440	0.482	0.768	0.470	0.573
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.382	--	0.285	0.236	0.233
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.333	0.073	0.091	0.148	0.153
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.235	1.64	1.01	0.852	1.15
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.182	0.023	0.042	0.052	0.071
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.191	0.035	0.049	0.070	0.077
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.191	0.047	0.068	0.095	0.086
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.275	0.064	0.101	0.119	0.101
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.318	0.081	0.170	0.148	0.150
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.355	0.116	0.301	0.189	0.183
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.400	0.168	0.353	0.264	0.229
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.571	0.260	0.537	0.420	0.319
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.709	0.434	2.08	0.632	0.490
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.778	0.867	2.45	1.12	1.51

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01616075</b>	<b>01616100</b>	<b>01620500</b>	<b>01621000</b>	<b>01621050</b>	<b>01621410</b>
Count	number	30.0	180	1,824	90.0	450	60.0
Max	ft <sup>3</sup> /s	1.30	70.0	1,660	220	1,760	70.0
Min	ft <sup>3</sup> /s	0.650	1.40	0.100	0.200	0.290	0.810
Median	ft <sup>3</sup> /s	0.690	3.30	1.60	5.75	2.70	1.70
Arithmetic Mean	ft <sup>3</sup> /s	0.774	6.09	13.0	21.4	13.3	3.53
Geometric Mean	ft <sup>3</sup> /s	0.758	4.07	--	4.39	2.94	1.86
Harmonic Mean	ft <sup>3</sup> /s	0.746	3.18	0.947	0.873	1.49	1.48
Standard Deviation	ft <sup>3</sup> /s	0.180	8.30	64.7	39.8	91.1	9.17
5th percentile	ft <sup>3</sup> /s	0.656	1.51	0.280	0.300	0.426	0.811
10th percentile	ft <sup>3</sup> /s	0.679	1.70	0.360	0.300	0.539	0.840
20th percentile	ft <sup>3</sup> /s	0.690	2.10	0.600	0.300	0.800	0.916
30th percentile	ft <sup>3</sup> /s	0.690	2.10	0.940	0.400	1.60	1.07
40th percentile	ft <sup>3</sup> /s	0.690	3.00	1.30	3.60	2.26	1.50
50th percentile	ft <sup>3</sup> /s	0.690	3.30	1.60	5.75	2.70	1.70
60th percentile	ft <sup>3</sup> /s	0.704	4.70	2.40	12.4	3.40	1.90
70th percentile	ft <sup>3</sup> /s	0.730	5.76	4.00	17.6	4.33	2.13
80th percentile	ft <sup>3</sup> /s	0.800	6.80	8.34	31.0	7.92	2.82
90th percentile	ft <sup>3</sup> /s	0.984	13.1	22.0	52.0	19.0	3.90
Drainage area	mi <sup>2</sup>	--	11	17.3	73	14.3	10.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	6.36	96.0	3.01	123	6.42
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.127	0.006	0.003	0.020	0.074
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.300	0.092	0.079	0.189	0.156
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.554	0.754	0.294	0.928	0.324
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.370	--	0.060	0.206	0.170
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.289	0.055	0.012	0.104	0.136
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.755	3.74	0.546	6.37	0.841
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.137	0.016	0.004	0.030	0.074
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.155	0.021	0.004	0.038	0.077
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.191	0.035	0.004	0.056	0.084
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.191	0.054	0.005	0.112	0.098
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.273	0.075	0.049	0.158	0.138
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.300	0.092	0.079	0.189	0.156
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.427	0.139	0.170	0.238	0.174
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.524	0.231	0.241	0.303	0.195
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.618	0.482	0.425	0.554	0.259
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.19	1.27	0.712	1.33	0.358

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01616075</b>	<b>01616100</b>	<b>01620500</b>	<b>01621000</b>	<b>01621050</b>	<b>01621410</b>
Count	number	31.0	186	1,922	62.0	465	31.0
Max	ft <sup>3</sup> /s	1.40	26.0	836	14.0	290	7.70
Min	ft <sup>3</sup> /s	0.690	1.50	0.120	0.300	0.320	1.30
Median	ft <sup>3</sup> /s	0.770	3.90	2.80	1.20	3.00	1.70
Arithmetic Mean	ft <sup>3</sup> /s	0.847	6.39	13.9	1.98	6.52	1.83
Geometric Mean	ft <sup>3</sup> /s	0.825	4.86	--	1.28	3.37	1.71
Harmonic Mean	ft <sup>3</sup> /s	0.807	3.84	1.26	0.976	2.00	1.66
Standard Deviation	ft <sup>3</sup> /s	0.216	4.96	40.0	2.62	17.5	1.10
5th percentile	ft <sup>3</sup> /s	0.690	1.70	0.300	0.400	0.563	1.36
10th percentile	ft <sup>3</sup> /s	0.690	2.25	0.491	0.500	0.774	1.40
20th percentile	ft <sup>3</sup> /s	0.690	2.30	0.722	0.720	1.50	1.50
30th percentile	ft <sup>3</sup> /s	0.700	3.00	1.20	0.900	1.80	1.60
40th percentile	ft <sup>3</sup> /s	0.730	3.20	1.80	1.04	2.30	1.60
50th percentile	ft <sup>3</sup> /s	0.770	3.90	2.80	1.20	3.00	1.70
60th percentile	ft <sup>3</sup> /s	0.780	5.30	4.80	1.30	4.10	1.70
70th percentile	ft <sup>3</sup> /s	0.820	9.50	9.00	1.60	6.70	1.70
80th percentile	ft <sup>3</sup> /s	1.00	11.0	17.0	1.90	9.42	1.70
90th percentile	ft <sup>3</sup> /s	1.20	13.0	30.0	2.67	14.0	1.80
Drainage area	mi <sup>2</sup>	--	11	17.3	73	14.3	10.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.36	48.3	0.192	20.3	0.706
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.136	0.007	0.004	0.022	0.119
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.355	0.162	0.016	0.210	0.156
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.581	0.803	0.027	0.456	0.168
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.442	--	0.017	0.236	0.157
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.349	0.073	0.013	0.140	0.152
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.451	2.31	0.036	1.22	0.101
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.155	0.017	0.005	0.039	0.125
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.205	0.028	0.007	0.054	0.128
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.209	0.042	0.010	0.105	0.138
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.273	0.069	0.012	0.126	0.147
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.291	0.104	0.014	0.161	0.147
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.355	0.162	0.016	0.210	0.156
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.482	0.277	0.018	0.287	0.156
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.864	0.520	0.022	0.469	0.156
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.00	0.983	0.026	0.659	0.156
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.18	1.73	0.037	0.979	0.165

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01616075</b>	<b>01616100</b>	<b>01620500</b>	<b>01621000</b>	<b>01621050</b>	<b>01621410</b>
Count	number	6.00	175	1,853	60.0	444	52.0
Max	ft <sup>3</sup> /s	1.20	48.0	3,300	98.0	215	8.50
Min	ft <sup>3</sup> /s	1.10	2.20	0.200	1.60	0.600	0.700
Median	ft <sup>3</sup> /s	1.20	8.70	9.70	13.5	5.50	1.05
Arithmetic Mean	ft <sup>3</sup> /s	1.18	9.66	27.6	26.6	8.78	1.47
Geometric Mean	ft <sup>3</sup> /s	1.18	7.36	--	15.4	4.78	1.20
Harmonic Mean	ft <sup>3</sup> /s	1.18	5.63	2.86	8.46	2.84	1.09
Standard Deviation	ft <sup>3</sup> /s	0.041	7.50	101	24.7	15.9	1.47
5th percentile	ft <sup>3</sup> /s	1.10	2.20	0.597	3.50	0.803	0.740
10th percentile	ft <sup>3</sup> /s	1.15	2.30	1.10	3.59	1.40	0.762
20th percentile	ft <sup>3</sup> /s	1.20	4.10	1.70	4.74	1.70	0.916
30th percentile	ft <sup>3</sup> /s	1.20	4.40	3.56	6.35	2.10	0.966
40th percentile	ft <sup>3</sup> /s	1.20	5.66	6.10	9.68	3.12	1.00
50th percentile	ft <sup>3</sup> /s	1.20	8.70	9.70	13.5	5.50	1.05
60th percentile	ft <sup>3</sup> /s	1.20	9.80	14.2	37.0	7.50	1.10
70th percentile	ft <sup>3</sup> /s	1.20	11.0	21.4	38.0	9.30	1.20
80th percentile	ft <sup>3</sup> /s	1.20	13.2	33.0	49.2	13.0	1.38
90th percentile	ft <sup>3</sup> /s	1.20	20.0	61.0	60.0	17.0	1.49
Drainage area	mi <sup>2</sup>	--	11	17.3	73	14.3	10.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	4.36	191	1.34	15.0	0.780
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.200	0.012	0.022	0.042	0.064
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.791	0.561	0.185	0.385	0.096
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.878	1.60	0.364	0.614	0.135
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.669	--	0.211	0.334	0.110
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.512	0.165	0.116	0.199	0.100
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.682	5.83	0.338	1.11	0.135
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.200	0.035	0.048	0.056	0.068
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.209	0.064	0.049	0.098	0.070
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.373	0.098	0.065	0.119	0.084
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.400	0.206	0.087	0.147	0.089
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.515	0.353	0.133	0.218	0.092
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.791	0.561	0.185	0.385	0.096
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.891	0.821	0.507	0.524	0.101
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.00	1.24	0.521	0.650	0.110
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.20	1.91	0.674	0.909	0.127
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.82	3.53	0.822	1.19	0.137

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01616075</b>	<b>01616100</b>	<b>01620500</b>	<b>01621000</b>	<b>01621050</b>	<b>01621410</b>
Count	number	--	155	1,891	62.0	434	62.0
Max	ft <sup>3</sup> /s	--	165	797	49.0	179	39.0
Min	ft <sup>3</sup> /s	--	4.30	0.400	2.60	0.560	0.550
Median	ft <sup>3</sup> /s	--	13.0	15.0	21.0	7.35	1.25
Arithmetic Mean	ft <sup>3</sup> /s	--	15.7	27.9	18.4	10.9	3.36
Geometric Mean	ft <sup>3</sup> /s	--	12.6	--	11.1	--	1.54
Harmonic Mean	ft <sup>3</sup> /s	--	10.5	6.10	6.36	3.01	1.13
Standard Deviation	ft <sup>3</sup> /s	--	15.1	45.1	14.8	14.4	6.79
5th percentile	ft <sup>3</sup> /s	--	4.80	1.40	2.62	0.863	0.583
10th percentile	ft <sup>3</sup> /s	--	5.00	2.00	2.80	1.00	0.632
20th percentile	ft <sup>3</sup> /s	--	6.50	5.60	2.90	1.80	0.770
30th percentile	ft <sup>3</sup> /s	--	8.82	8.80	3.43	2.90	0.823
40th percentile	ft <sup>3</sup> /s	--	11.0	12.0	5.08	4.44	0.942
50th percentile	ft <sup>3</sup> /s	--	13.0	15.0	21.0	7.35	1.25
60th percentile	ft <sup>3</sup> /s	--	15.0	21.0	26.0	9.68	1.40
70th percentile	ft <sup>3</sup> /s	--	17.0	27.0	28.0	13.0	1.67
80th percentile	ft <sup>3</sup> /s	--	21.0	39.0	32.0	17.0	2.06
90th percentile	ft <sup>3</sup> /s	--	28.0	60.0	36.9	24.0	8.60
Drainage area	mi <sup>2</sup>	--	11	17.3	73	14.3	10.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	15.0	46.1	0.671	12.5	3.58
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.391	0.023	0.036	0.039	0.050
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.18	0.867	0.288	0.514	0.115
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.43	1.61	0.252	0.759	0.308
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.15	--	0.152	--	0.141
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.951	0.353	0.087	0.210	0.104
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.37	2.61	0.203	1.00	0.623
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.436	0.081	0.036	0.060	0.053
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.455	0.116	0.038	0.070	0.058
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.591	0.324	0.040	0.126	0.071
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.802	0.509	0.047	0.203	0.076
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.00	0.694	0.070	0.310	0.086
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.18	0.867	0.288	0.514	0.115
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.36	1.21	0.356	0.677	0.128
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.55	1.56	0.384	0.909	0.153
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.91	2.25	0.438	1.19	0.189
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.55	3.47	0.505	1.68	0.789



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>01621470</b>	<b>01622000</b>	<b>01623000</b>	<b>01623500</b>	<b>01624000</b>	<b>01624300</b>
Count	number	54.0	2,418	217	217	248	598
Max	ft <sup>3</sup> /s	24.0	13,700	1.40	3.70	22.0	4,290
Min	ft <sup>3</sup> /s	2.00	28.0	0.000	0.000	0.100	33.0
Median	ft <sup>3</sup> /s	2.80	272	0.000	0.000	0.900	133
Arithmetic Mean	ft <sup>3</sup> /s	4.04	435	0.092	0.198	2.27	212
Geometric Mean	ft <sup>3</sup> /s	3.31	--	--	--	1.19	--
Harmonic Mean	ft <sup>3</sup> /s	3.00	179	--	--	0.682	113
Standard Deviation	ft <sup>3</sup> /s	3.88	624	0.239	0.499	2.82	274
5th percentile	ft <sup>3</sup> /s	2.10	58.0	0.000	0.000	0.200	40.0
10th percentile	ft <sup>3</sup> /s	2.20	69.0	0.000	0.000	0.300	55.7
20th percentile	ft <sup>3</sup> /s	2.46	121	0.000	0.000	0.400	85.0
30th percentile	ft <sup>3</sup> /s	2.60	170	0.000	0.000	0.500	94.1
40th percentile	ft <sup>3</sup> /s	2.70	218	0.000	0.000	0.700	113
50th percentile	ft <sup>3</sup> /s	2.80	272	0.000	0.000	0.900	133
60th percentile	ft <sup>3</sup> /s	2.98	327	0.000	0.000	1.62	157
70th percentile	ft <sup>3</sup> /s	3.20	407	0.000	0.000	2.49	209
80th percentile	ft <sup>3</sup> /s	3.40	579	0.000	0.100	4.16	290
90th percentile	ft <sup>3</sup> /s	8.64	891	0.500	0.900	6.10	438
Drainage area	mi <sup>2</sup>	18.8	376	0.67	3.85	9.81	179
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	36.4	2.09	0.961	2.24	24.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.106	0.074	0.000	0.000	0.010	0.184
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.149	0.722	0.000	0.000	0.092	0.743
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.215	1.16	0.137	0.051	0.231	1.19
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.176	--	--	--	0.121	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.159	0.477	--	--	0.069	0.631
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.206	1.66	0.357	0.130	0.287	1.53
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.112	0.154	0.000	0.000	0.020	0.223
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.117	0.184	0.000	0.000	0.031	0.311
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.131	0.322	0.000	0.000	0.041	0.475
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.138	0.452	0.000	0.000	0.051	0.526
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.144	0.580	0.000	0.000	0.071	0.631
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.149	0.722	0.000	0.000	0.092	0.743
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.159	0.870	0.000	0.000	0.165	0.878
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.170	1.08	0.000	0.000	0.254	1.17
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	1.54	0.000	0.026	0.424	1.62
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.460	2.37	0.746	0.234	0.622	2.45

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01621470</b>	<b>01622000</b>	<b>01623000</b>	<b>01623500</b>	<b>01624000</b>	<b>01624300</b>
Count	number	40.0	2,203	197	197	226	537
Max	ft <sup>3</sup> /s	35.0	6,230	2.60	39.0	31.0	2,940
Min	ft <sup>3</sup> /s	2.60	35.0	0.000	0.000	0.200	36.0
Median	ft <sup>3</sup> /s	5.00	328	0.000	0.000	2.20	187
Arithmetic Mean	ft <sup>3</sup> /s	6.42	509	0.124	0.460	3.06	265
Geometric Mean	ft <sup>3</sup> /s	5.25	--	--	--	1.99	--
Harmonic Mean	ft <sup>3</sup> /s	4.62	233	--	--	1.19	153
Standard Deviation	ft <sup>3</sup> /s	5.79	581	0.277	2.83	3.52	293
5th percentile	ft <sup>3</sup> /s	2.60	76.0	0.000	0.000	0.300	55.0
10th percentile	ft <sup>3</sup> /s	2.79	104	0.000	0.000	0.800	84.0
20th percentile	ft <sup>3</sup> /s	3.26	173	0.000	0.000	0.900	110
30th percentile	ft <sup>3</sup> /s	3.57	220	0.000	0.000	1.30	135
40th percentile	ft <sup>3</sup> /s	4.56	271	0.000	0.000	1.70	158
50th percentile	ft <sup>3</sup> /s	5.00	328	0.000	0.000	2.20	187
60th percentile	ft <sup>3</sup> /s	5.44	414	0.000	0.100	2.70	219
70th percentile	ft <sup>3</sup> /s	5.95	522	0.100	0.100	3.30	268
80th percentile	ft <sup>3</sup> /s	7.24	690	0.200	0.280	4.20	337
90th percentile	ft <sup>3</sup> /s	9.34	1,060	0.440	0.940	5.70	466
Drainage area	mi <sup>2</sup>	18.8	376	0.67	3.85	9.81	179
Max	ft <sup>3</sup> /mi <sup>2</sup>	1.86	16.6	3.88	10.1	3.16	16.4
Min	ft <sup>3</sup> /mi <sup>2</sup>	0.138	0.093	0.000	0.000	0.020	0.201
Median	ft <sup>3</sup> /mi <sup>2</sup>	0.266	0.872	0.000	0.000	0.224	1.04
Arithmetic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.341	1.35	0.186	0.120	0.311	1.48
Geometric Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.279	--	--	--	0.203	--
Harmonic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.246	0.621	--	--	0.121	0.853
Standard Deviation	ft <sup>3</sup> /mi <sup>2</sup>	0.308	1.55	0.413	0.735	0.359	1.64
5th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.138	0.202	0.000	0.000	0.031	0.307
10th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.148	0.277	0.000	0.000	0.082	0.469
20th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.173	0.460	0.000	0.000	0.092	0.617
30th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.190	0.585	0.000	0.000	0.133	0.754
40th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.243	0.720	0.000	0.000	0.173	0.883
50th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.266	0.872	0.000	0.000	0.224	1.04
60th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.289	1.10	0.000	0.026	0.275	1.22
70th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.316	1.39	0.149	0.026	0.336	1.50
80th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.385	1.84	0.299	0.073	0.428	1.88
90th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.497	2.82	0.657	0.244	0.581	2.61

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01621470</b>	<b>01622000</b>	<b>01623000</b>	<b>01623500</b>	<b>01624000</b>	<b>01624300</b>
Count	number	62.0	2,418	217	217	248	589
Max	ft <sup>3</sup> /s	54.0	13,600	1.70	3.40	37.0	3,950
Min	ft <sup>3</sup> /s	3.60	52.0	0.000	0.000	0.600	44.0
Median	ft <sup>3</sup> /s	6.75	468	0.000	0.100	2.20	212
Arithmetic Mean	ft <sup>3</sup> /s	10.4	703	0.104	0.180	3.33	311
Geometric Mean	ft <sup>3</sup> /s	8.00	--	--	--	2.49	--
Harmonic Mean	ft <sup>3</sup> /s	6.68	367	--	--	2.04	182
Standard Deviation	ft <sup>3</sup> /s	9.52	783	0.177	0.382	3.80	342
5th percentile	ft <sup>3</sup> /s	3.72	144	0.000	0.000	0.845	76.5
10th percentile	ft <sup>3</sup> /s	4.01	189	0.000	0.000	1.20	110
20th percentile	ft <sup>3</sup> /s	4.30	256	0.000	0.000	1.40	135
30th percentile	ft <sup>3</sup> /s	4.80	320	0.000	0.000	1.70	156
40th percentile	ft <sup>3</sup> /s	5.60	393	0.000	0.000	1.98	173
50th percentile	ft <sup>3</sup> /s	6.75	468	0.000	0.100	2.20	212
60th percentile	ft <sup>3</sup> /s	8.30	568	0.100	0.100	2.70	257
70th percentile	ft <sup>3</sup> /s	11.0	715	0.100	0.200	3.40	315
80th percentile	ft <sup>3</sup> /s	12.0	935	0.200	0.300	4.32	400
90th percentile	ft <sup>3</sup> /s	21.0	1,400	0.300	0.400	5.80	553
Drainage area	mi <sup>2</sup>	18.8	376	0.67	3.85	9.81	179
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	2.87	36.2	2.54	0.883	3.77	22.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.191	0.138	0.000	0.000	0.061	0.246
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.359	1.24	0.000	0.026	0.224	1.18
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.554	1.87	0.155	0.047	0.340	1.74
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.425	--	--	--	0.254	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.355	0.977	--	--	0.208	1.02
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.507	2.08	0.264	0.099	0.388	1.91
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.198	0.383	0.000	0.000	0.086	0.427
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.213	0.503	0.000	0.000	0.122	0.613
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.229	0.682	0.000	0.000	0.143	0.754
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.255	0.851	0.000	0.000	0.173	0.872
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.298	1.04	0.000	0.000	0.202	0.966
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.359	1.24	0.000	0.026	0.224	1.18
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.441	1.51	0.149	0.026	0.275	1.44
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.585	1.90	0.149	0.052	0.347	1.76
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.638	2.49	0.299	0.078	0.440	2.23
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	3.72	0.448	0.104	0.591	3.09

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01621470</b>	<b>01622000</b>	<b>01623000</b>	<b>01623500</b>	<b>01624000</b>	<b>01624300</b>
Count	number	60.0	2,340	210	210	240	570
Max	ft <sup>3</sup> /s	32.0	10,000	6.80	29.0	54.0	1,970
Min	ft <sup>3</sup> /s	3.40	80.0	0.000	0.000	0.400	48.0
Median	ft <sup>3</sup> /s	5.95	390	0.100	0.100	1.70	169
Arithmetic Mean	ft <sup>3</sup> /s	7.54	613	0.182	0.351	2.53	252
Geometric Mean	ft <sup>3</sup> /s	6.71	--	--	--	1.79	--
Harmonic Mean	ft <sup>3</sup> /s	6.23	344	--	--	1.42	149
Standard Deviation	ft <sup>3</sup> /s	4.98	690	0.502	2.04	4.03	251
5th percentile	ft <sup>3</sup> /s	3.53	151	0.000	0.000	0.505	56.6
10th percentile	ft <sup>3</sup> /s	4.90	184	0.000	0.000	0.800	80.0
20th percentile	ft <sup>3</sup> /s	5.00	234	0.000	0.000	1.00	100
30th percentile	ft <sup>3</sup> /s	5.30	275	0.000	0.000	1.20	124
40th percentile	ft <sup>3</sup> /s	5.56	322	0.000	0.100	1.50	143
50th percentile	ft <sup>3</sup> /s	5.95	390	0.100	0.100	1.70	169
60th percentile	ft <sup>3</sup> /s	6.60	479	0.200	0.100	2.04	210
70th percentile	ft <sup>3</sup> /s	7.33	612	0.200	0.200	2.40	257
80th percentile	ft <sup>3</sup> /s	8.52	825	0.200	0.300	3.00	344
90th percentile	ft <sup>3</sup> /s	11.1	1,251	0.400	0.400	4.20	486
Drainage area	mi <sup>2</sup>	18.8	376	0.67	3.85	9.81	179
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	26.6	10.1	7.53	5.50	11.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.213	0.000	0.000	0.041	0.268
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.316	1.04	0.149	0.026	0.173	0.944
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.401	1.63	0.271	0.091	0.258	1.41
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.357	--	--	--	0.183	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.331	0.916	--	--	0.144	0.830
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.265	1.84	0.749	0.529	0.411	1.40
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.188	0.402	0.000	0.000	0.051	0.316
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.261	0.489	0.000	0.000	0.082	0.447
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.266	0.622	0.000	0.000	0.102	0.559
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.282	0.731	0.000	0.000	0.122	0.693
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.296	0.856	0.000	0.026	0.153	0.799
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.316	1.04	0.149	0.026	0.173	0.944
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.351	1.27	0.299	0.026	0.208	1.18
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.390	1.63	0.299	0.052	0.245	1.43
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.453	2.20	0.299	0.078	0.306	1.92
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.590	3.33	0.597	0.104	0.428	2.72

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>01621470</b>	<b>01622000</b>	<b>01623000</b>	<b>01623500</b>	<b>01624000</b>	<b>01624300</b>
Count	number	62.0	2,427	217	217	248	589
Max	ft <sup>3</sup> /s	59.0	14,500	1.00	2.40	9.30	4,700
Min	ft <sup>3</sup> /s	2.60	84.0	0.000	0.000	0.300	38.0
Median	ft <sup>3</sup> /s	5.15	320	0.000	0.000	0.900	151
Arithmetic Mean	ft <sup>3</sup> /s	7.75	486	0.154	0.237	1.53	201
Geometric Mean	ft <sup>3</sup> /s	5.83	--	--	--	1.10	--
Harmonic Mean	ft <sup>3</sup> /s	5.07	275	--	--	0.852	120
Standard Deviation	ft <sup>3</sup> /s	9.33	609	0.218	0.430	1.49	264
5th percentile	ft <sup>3</sup> /s	3.00	114	0.000	0.000	0.400	53.0
10th percentile	ft <sup>3</sup> /s	3.31	141	0.000	0.000	0.400	58.0
20th percentile	ft <sup>3</sup> /s	3.82	185	0.000	0.000	0.600	81.0
30th percentile	ft <sup>3</sup> /s	4.06	225	0.000	0.000	0.700	94.0
40th percentile	ft <sup>3</sup> /s	4.80	269	0.000	0.000	0.880	116
50th percentile	ft <sup>3</sup> /s	5.15	320	0.000	0.000	0.900	151
60th percentile	ft <sup>3</sup> /s	5.56	384	0.100	0.060	1.20	177
70th percentile	ft <sup>3</sup> /s	6.00	483	0.200	0.200	1.60	210
80th percentile	ft <sup>3</sup> /s	7.10	630	0.300	0.400	2.20	255
90th percentile	ft <sup>3</sup> /s	12.0	963	0.440	0.840	3.13	340
Drainage area	mi <sup>2</sup>	18.8	376	0.67	3.85	9.81	179
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.14	38.6	1.49	0.623	0.948	26.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.138	0.223	0.000	0.000	0.031	0.212
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.274	0.851	0.000	0.000	0.092	0.844
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.412	1.29	0.230	0.062	0.156	1.12
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.310	--	--	--	0.112	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.270	0.732	--	--	0.087	0.671
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.496	1.62	0.326	0.112	0.151	1.48
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.160	0.304	0.000	0.000	0.041	0.296
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.176	0.375	0.000	0.000	0.041	0.324
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.203	0.492	0.000	0.000	0.061	0.453
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.216	0.598	0.000	0.000	0.071	0.525
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.255	0.716	0.000	0.000	0.090	0.648
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.274	0.851	0.000	0.000	0.092	0.844
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.296	1.02	0.149	0.016	0.122	0.989
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.319	1.29	0.299	0.052	0.163	1.17
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.378	1.68	0.448	0.104	0.224	1.42
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.638	2.56	0.657	0.218	0.319	1.90

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units	01621470	01622000	01623000	01623500	01624000	01624300
Station Number	number						
Count	number	60.0	2,400	210	210	240	570
Max	ft <sup>3</sup> /s	46.0	29,900	4.60	37.0	46.0	4,060
Min	ft <sup>3</sup> /s	1.40	49.0	0.000	0.000	0.000	26.0
Median	ft <sup>3</sup> /s	3.85	180	0.000	0.000	0.700	99.0
Arithmetic Mean	ft <sup>3</sup> /s	9.97	340	0.126	0.340	1.61	156
Geometric Mean	ft <sup>3</sup> /s	5.32	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.46	170	--	--	--	86.5
Standard Deviation	ft <sup>3</sup> /s	12.2	791	0.416	2.60	4.64	299
5th percentile	ft <sup>3</sup> /s	1.70	81.0	0.000	0.000	0.200	38.0
10th percentile	ft <sup>3</sup> /s	1.80	95.0	0.000	0.000	0.200	45.9
20th percentile	ft <sup>3</sup> /s	1.90	118	0.000	0.000	0.400	62.0
30th percentile	ft <sup>3</sup> /s	2.10	137	0.000	0.000	0.500	78.0
40th percentile	ft <sup>3</sup> /s	2.80	157	0.000	0.000	0.500	87.0
50th percentile	ft <sup>3</sup> /s	3.85	180	0.000	0.000	0.700	99.0
60th percentile	ft <sup>3</sup> /s	5.14	211	0.100	0.000	0.800	111
70th percentile	ft <sup>3</sup> /s	10.1	262	0.100	0.100	1.00	131
80th percentile	ft <sup>3</sup> /s	15.6	364	0.100	0.200	1.30	162
90th percentile	ft <sup>3</sup> /s	28.6	627	0.200	0.300	1.80	242
Drainage area	mi <sup>2</sup>	18.8	376	0.67	3.85	9.81	179
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	2.45	79.5	6.87	9.61	4.69	22.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.074	0.130	0.000	0.000	0.000	0.145
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.205	0.479	0.000	0.000	0.071	0.553
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.530	0.903	0.188	0.088	0.164	0.872
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.283	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.184	0.453	--	--	--	0.483
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.651	2.10	0.621	0.675	0.473	1.67
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.090	0.215	0.000	0.000	0.020	0.212
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.096	0.253	0.000	0.000	0.020	0.256
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.101	0.314	0.000	0.000	0.041	0.346
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.112	0.364	0.000	0.000	0.051	0.436
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.149	0.418	0.000	0.000	0.051	0.486
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.205	0.479	0.000	0.000	0.071	0.553
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.273	0.561	0.149	0.000	0.082	0.620
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.537	0.697	0.149	0.026	0.102	0.734
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.830	0.968	0.149	0.052	0.133	0.907
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.52	1.67	0.299	0.078	0.183	1.35

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>01621470</b>	<b>01622000</b>	<b>01623000</b>	<b>01623500</b>	<b>01624000</b>	<b>01624300</b>
Count	number	62.0	2,480	217	217	248	589
Max	ft <sup>3</sup> /s	58.0	6,300	2.00	20.0	67.0	1,140
Min	ft <sup>3</sup> /s	0.850	30.0	0.000	0.000	0.100	27.0
Median	ft <sup>3</sup> /s	5.45	123	0.000	0.000	0.400	70.0
Arithmetic Mean	ft <sup>3</sup> /s	7.01	199	0.095	0.345	2.02	89.9
Geometric Mean	ft <sup>3</sup> /s	4.79	--	--	--	0.490	--
Harmonic Mean	ft <sup>3</sup> /s	3.48	114	--	--	0.288	66.6
Standard Deviation	ft <sup>3</sup> /s	8.36	296	0.262	1.55	6.58	96.2
5th percentile	ft <sup>3</sup> /s	1.42	54.0	0.000	0.000	0.100	36.0
10th percentile	ft <sup>3</sup> /s	1.60	66.0	0.000	0.000	0.100	43.8
20th percentile	ft <sup>3</sup> /s	1.86	82.0	0.000	0.000	0.200	50.0
30th percentile	ft <sup>3</sup> /s	3.10	95.0	0.000	0.000	0.300	58.0
40th percentile	ft <sup>3</sup> /s	4.24	109	0.000	0.000	0.300	65.0
50th percentile	ft <sup>3</sup> /s	5.45	123	0.000	0.000	0.400	70.0
60th percentile	ft <sup>3</sup> /s	6.12	142	0.000	0.000	0.400	79.0
70th percentile	ft <sup>3</sup> /s	7.37	171	0.000	0.000	0.500	87.0
80th percentile	ft <sup>3</sup> /s	8.46	225	0.000	0.000	0.700	100
90th percentile	ft <sup>3</sup> /s	11.0	347	0.440	0.800	4.86	125
Drainage area	mi <sup>2</sup>	18.8	376	0.67	3.85	9.81	179
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.09	16.8	2.99	5.19	6.83	6.37
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.045	0.080	0.000	0.000	0.010	0.151
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.290	0.327	0.000	0.000	0.041	0.391
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.373	0.530	0.142	0.090	0.206	0.502
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.255	--	--	--	0.050	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.185	0.304	--	--	0.029	0.372
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.445	0.787	0.391	0.403	0.671	0.538
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.075	0.144	0.000	0.000	0.010	0.201
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.085	0.176	0.000	0.000	0.010	0.245
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.099	0.218	0.000	0.000	0.020	0.279
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.165	0.253	0.000	0.000	0.031	0.324
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.226	0.290	0.000	0.000	0.031	0.363
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.290	0.327	0.000	0.000	0.041	0.391
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.326	0.378	0.000	0.000	0.041	0.441
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.392	0.455	0.000	0.000	0.051	0.486
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.450	0.599	0.000	0.000	0.071	0.559
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.585	0.923	0.657	0.208	0.495	0.698

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01621470</b>	<b>01622000</b>	<b>01623000</b>	<b>01623500</b>	<b>01624000</b>	<b>01624300</b>
Count	number	62.0	2,477	217	217	248	589
Max	ft <sup>3</sup> /s	46.0	12,700	1.90	6.30	91.0	2,030
Min	ft <sup>3</sup> /s	1.30	32.0	0.000	0.000	0.000	27.0
Median	ft <sup>3</sup> /s	5.20	106	0.000	0.000	0.300	63.0
Arithmetic Mean	ft <sup>3</sup> /s	7.26	231	0.073	0.190	1.52	89.7
Geometric Mean	ft <sup>3</sup> /s	5.08	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.90	97.4	--	--	--	59.0
Standard Deviation	ft <sup>3</sup> /s	8.12	479	0.217	0.673	6.28	129
5th percentile	ft <sup>3</sup> /s	1.42	44.0	0.000	0.000	0.100	30.0
10th percentile	ft <sup>3</sup> /s	2.00	51.0	0.000	0.000	0.100	35.8
20th percentile	ft <sup>3</sup> /s	2.50	65.0	0.000	0.000	0.100	43.0
30th percentile	ft <sup>3</sup> /s	3.93	75.0	0.000	0.000	0.100	49.4
40th percentile	ft <sup>3</sup> /s	4.44	87.0	0.000	0.000	0.200	56.2
50th percentile	ft <sup>3</sup> /s	5.20	106	0.000	0.000	0.300	63.0
60th percentile	ft <sup>3</sup> /s	5.76	129	0.000	0.000	0.400	69.0
70th percentile	ft <sup>3</sup> /s	6.50	172	0.000	0.000	0.500	78.0
80th percentile	ft <sup>3</sup> /s	7.28	246	0.000	0.000	1.26	97.2
90th percentile	ft <sup>3</sup> /s	16.3	453	0.300	0.600	3.90	142
Drainage area	mi <sup>2</sup>	18.8	376	0.67	3.85	9.81	179
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	2.45	33.8	2.84	1.64	9.28	11.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.069	0.085	0.000	0.000	0.000	0.151
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.277	0.282	0.000	0.000	0.031	0.352
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.386	0.615	0.109	0.049	0.155	0.501
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.270	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.207	0.259	--	--	--	0.329
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.432	1.27	0.324	0.175	0.640	0.720
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.075	0.117	0.000	0.000	0.010	0.168
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.106	0.136	0.000	0.000	0.010	0.200
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.133	0.173	0.000	0.000	0.010	0.240
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.209	0.199	0.000	0.000	0.010	0.276
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.236	0.231	0.000	0.000	0.020	0.314
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.277	0.282	0.000	0.000	0.031	0.352
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.306	0.343	0.000	0.000	0.041	0.385
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.346	0.457	0.000	0.000	0.051	0.436
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.387	0.654	0.000	0.000	0.128	0.543
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.867	1.21	0.448	0.156	0.398	0.794



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01621470</b>	<b>01622000</b>	<b>01623000</b>	<b>01623500</b>	<b>01624000</b>	<b>01624300</b>
Count	number	60.0	2,400	210	210	240	570
Max	ft <sup>3</sup> /s	145	32,000	0.500	1.10	5.40	3,530
Min	ft <sup>3</sup> /s	3.40	22.0	0.000	0.000	0.000	26.0
Median	ft <sup>3</sup> /s	9.20	95.5	0.000	0.000	0.250	52.0
Arithmetic Mean	ft <sup>3</sup> /s	22.0	241	0.040	0.062	0.609	85.7
Geometric Mean	ft <sup>3</sup> /s	11.9	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	8.46	91.3	--	--	--	53.6
Standard Deviation	ft <sup>3</sup> /s	32.8	981	0.103	0.168	0.894	193
5th percentile	ft <sup>3</sup> /s	3.51	44.1	0.000	0.000	0.000	32.0
10th percentile	ft <sup>3</sup> /s	4.00	52.0	0.000	0.000	0.000	34.9
20th percentile	ft <sup>3</sup> /s	5.20	61.0	0.000	0.000	0.100	39.0
30th percentile	ft <sup>3</sup> /s	7.02	70.0	0.000	0.000	0.100	44.0
40th percentile	ft <sup>3</sup> /s	8.40	81.0	0.000	0.000	0.100	49.0
50th percentile	ft <sup>3</sup> /s	9.20	95.5	0.000	0.000	0.250	52.0
60th percentile	ft <sup>3</sup> /s	11.4	116	0.000	0.000	0.300	60.0
70th percentile	ft <sup>3</sup> /s	14.3	147	0.000	0.000	0.500	71.0
80th percentile	ft <sup>3</sup> /s	20.4	210	0.000	0.000	0.920	81.0
90th percentile	ft <sup>3</sup> /s	61.6	399	0.200	0.300	1.81	114
Drainage area	mi <sup>2</sup>	18.8	376	0.67	3.85	9.81	179
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.71	85.1	0.746	0.286	0.550	19.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.059	0.000	0.000	0.000	0.145
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.489	0.254	0.000	0.000	0.025	0.291
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	0.642	0.060	0.016	0.062	0.479
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.634	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.450	0.243	--	--	--	0.299
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.75	2.61	0.153	0.044	0.091	1.08
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.187	0.117	0.000	0.000	0.000	0.179
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.213	0.138	0.000	0.000	0.000	0.195
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.277	0.162	0.000	0.000	0.010	0.218
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.373	0.186	0.000	0.000	0.010	0.246
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.447	0.215	0.000	0.000	0.010	0.274
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.489	0.254	0.000	0.000	0.025	0.291
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.606	0.309	0.000	0.000	0.031	0.335
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.761	0.391	0.000	0.000	0.051	0.397
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	0.559	0.000	0.000	0.094	0.453
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.28	1.06	0.299	0.078	0.185	0.639

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01621470</b>	<b>01622000</b>	<b>01623000</b>	<b>01623500</b>	<b>01624000</b>	<b>01624300</b>
Count	number	62.0	2,480	217	217	248	620
Max	ft <sup>3</sup> /s	28.0	20,100	29.0	6.50	53.0	2,960
Min	ft <sup>3</sup> /s	2.40	25.0	0.000	0.000	0.000	27.0
Median	ft <sup>3</sup> /s	4.60	99.0	0.000	0.000	0.300	58.0
Arithmetic Mean	ft <sup>3</sup> /s	6.64	244	0.150	0.064	0.898	129
Geometric Mean	ft <sup>3</sup> /s	5.32	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	4.51	95.1	--	--	--	59.0
Standard Deviation	ft <sup>3</sup> /s	5.40	660	1.97	0.474	3.72	259
5th percentile	ft <sup>3</sup> /s	2.50	47.0	0.000	0.000	0.100	31.0
10th percentile	ft <sup>3</sup> /s	2.60	52.0	0.000	0.000	0.100	33.0
20th percentile	ft <sup>3</sup> /s	2.90	61.0	0.000	0.000	0.100	42.0
30th percentile	ft <sup>3</sup> /s	3.63	70.0	0.000	0.000	0.100	47.0
40th percentile	ft <sup>3</sup> /s	4.04	83.0	0.000	0.000	0.200	52.0
50th percentile	ft <sup>3</sup> /s	4.60	99.0	0.000	0.000	0.300	58.0
60th percentile	ft <sup>3</sup> /s	5.92	123	0.000	0.000	0.400	68.0
70th percentile	ft <sup>3</sup> /s	7.11	161	0.000	0.000	0.700	83.3
80th percentile	ft <sup>3</sup> /s	8.54	253	0.000	0.000	0.900	130
90th percentile	ft <sup>3</sup> /s	12.9	443	0.100	0.100	1.30	230
Drainage area	mi <sup>2</sup>	18.8	376	0.67	3.85	9.81	179
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	53.5	43.3	1.69	5.40	16.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.128	0.066	0.000	0.000	0.000	0.151
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.245	0.263	0.000	0.000	0.031	0.324
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.353	0.650	0.224	0.017	0.092	0.720
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.283	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.240	0.253	--	--	--	0.330
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.287	1.76	2.94	0.123	0.380	1.44
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.133	0.125	0.000	0.000	0.010	0.173
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.138	0.138	0.000	0.000	0.010	0.184
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.154	0.162	0.000	0.000	0.010	0.235
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.193	0.186	0.000	0.000	0.010	0.263
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.215	0.221	0.000	0.000	0.020	0.291
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.245	0.263	0.000	0.000	0.031	0.324
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.315	0.327	0.000	0.000	0.041	0.380
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.378	0.428	0.000	0.000	0.071	0.465
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.454	0.673	0.000	0.000	0.092	0.726
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.686	1.18	0.149	0.026	0.133	1.29

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01621470</b>	<b>01622000</b>	<b>01623000</b>	<b>01623500</b>	<b>01624000</b>	<b>01624300</b>
Count	number	60.0	2,365	210	210	240	600
Max	ft <sup>3</sup> /s	24.0	30,000	2.00	7.20	20.0	20,000
Min	ft <sup>3</sup> /s	2.20	24.0	0.000	0.000	0.000	30.0
Median	ft <sup>3</sup> /s	3.40	128	0.000	0.000	0.400	82.0
Arithmetic Mean	ft <sup>3</sup> /s	4.23	301	0.033	0.090	1.16	209
Geometric Mean	ft <sup>3</sup> /s	3.71	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.46	111	--	--	--	79.3
Standard Deviation	ft <sup>3</sup> /s	3.31	772	0.156	0.539	2.20	899
5th percentile	ft <sup>3</sup> /s	2.30	47.0	0.000	0.000	0.100	38.0
10th percentile	ft <sup>3</sup> /s	2.40	54.0	0.000	0.000	0.100	45.0
20th percentile	ft <sup>3</sup> /s	2.90	68.0	0.000	0.000	0.200	52.0
30th percentile	ft <sup>3</sup> /s	3.07	80.0	0.000	0.000	0.300	59.7
40th percentile	ft <sup>3</sup> /s	3.30	103	0.000	0.000	0.300	68.0
50th percentile	ft <sup>3</sup> /s	3.40	128	0.000	0.000	0.400	82.0
60th percentile	ft <sup>3</sup> /s	3.50	184	0.000	0.000	0.600	103
70th percentile	ft <sup>3</sup> /s	3.90	257	0.000	0.000	1.00	130
80th percentile	ft <sup>3</sup> /s	4.10	373	0.000	0.000	1.32	206
90th percentile	ft <sup>3</sup> /s	5.24	644	0.100	0.200	2.63	353
Drainage area	mi <sup>2</sup>	18.8	376	0.67	3.85	9.81	179
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	79.8	2.99	1.87	2.04	112
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.117	0.064	0.000	0.000	0.000	0.168
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.340	0.000	0.000	0.041	0.458
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.225	0.800	0.050	0.023	0.118	1.17
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.198	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.184	0.296	--	--	--	0.443
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.176	2.05	0.233	0.140	0.225	5.02
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.122	0.125	0.000	0.000	0.010	0.212
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.128	0.144	0.000	0.000	0.010	0.251
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.154	0.181	0.000	0.000	0.020	0.291
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.163	0.213	0.000	0.000	0.031	0.334
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.176	0.274	0.000	0.000	0.031	0.380
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.340	0.000	0.000	0.041	0.458
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.186	0.489	0.000	0.000	0.061	0.575
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.207	0.684	0.000	0.000	0.102	0.728
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.218	0.992	0.000	0.000	0.135	1.15
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.279	1.71	0.149	0.052	0.268	1.97

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01621470</b>	<b>01622000</b>	<b>01623000</b>	<b>01623500</b>	<b>01624000</b>	<b>01624300</b>
Count	number	62.0	2,418	217	217	248	620
Max	ft <sup>3</sup> /s	46.0	14,800	1.30	4.80	33.0	2,480
Min	ft <sup>3</sup> /s	2.80	25.0	0.000	0.000	0.100	36.0
Median	ft <sup>3</sup> /s	3.85	223	0.000	0.000	0.900	137
Arithmetic Mean	ft <sup>3</sup> /s	6.44	347	0.039	0.118	2.04	206
Geometric Mean	ft <sup>3</sup> /s	4.90	--	--	--	0.984	--
Harmonic Mean	ft <sup>3</sup> /s	4.30	140	--	--	0.584	112
Standard Deviation	ft <sup>3</sup> /s	7.62	524	0.139	0.500	3.70	235
5th percentile	ft <sup>3</sup> /s	2.90	50.0	0.000	0.000	0.200	45.0
10th percentile	ft <sup>3</sup> /s	3.00	59.0	0.000	0.000	0.300	50.0
20th percentile	ft <sup>3</sup> /s	3.12	76.0	0.000	0.000	0.300	73.0
30th percentile	ft <sup>3</sup> /s	3.40	126	0.000	0.000	0.500	94.0
40th percentile	ft <sup>3</sup> /s	3.60	175	0.000	0.000	0.700	118
50th percentile	ft <sup>3</sup> /s	3.85	223	0.000	0.000	0.900	137
60th percentile	ft <sup>3</sup> /s	4.32	271	0.000	0.000	1.20	167
70th percentile	ft <sup>3</sup> /s	5.14	340	0.000	0.000	1.50	206
80th percentile	ft <sup>3</sup> /s	7.08	459	0.000	0.000	2.56	270
90th percentile	ft <sup>3</sup> /s	10.9	723	0.100	0.300	5.00	415
Drainage area	mi <sup>2</sup>	18.8	376	0.67	3.85	9.81	179
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	2.45	39.4	1.94	1.25	3.36	13.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.149	0.066	0.000	0.000	0.010	0.201
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.205	0.593	0.000	0.000	0.092	0.765
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.343	0.923	0.058	0.031	0.208	1.15
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.261	--	--	--	0.100	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.228	0.372	--	--	0.059	0.627
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.405	1.39	0.208	0.130	0.377	1.31
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.154	0.133	0.000	0.000	0.020	0.251
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.160	0.157	0.000	0.000	0.031	0.279
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.166	0.202	0.000	0.000	0.031	0.408
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.335	0.000	0.000	0.051	0.525
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.191	0.465	0.000	0.000	0.071	0.657
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.205	0.593	0.000	0.000	0.092	0.765
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.230	0.721	0.000	0.000	0.122	0.935
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.273	0.904	0.000	0.000	0.153	1.15
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.377	1.22	0.000	0.000	0.261	1.51
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.580	1.92	0.149	0.078	0.510	2.32

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>01624800</b>	<b>01625000</b>	<b>01625900</b>	<b>01626000</b>	<b>01626500</b>	<b>01626850</b>
Count	number	930	2,480	93.0	1,705	744	744
Max	ft <sup>3</sup> /s	2,450	12,400	809	6,390	1,510	9,870
Min	ft <sup>3</sup> /s	12.0	42.0	9.60	21.0	29.0	48.0
Median	ft <sup>3</sup> /s	58.0	254	38.0	120	122	175
Arithmetic Mean	ft <sup>3</sup> /s	89.1	398	87.1	177	175	276
Geometric Mean	ft <sup>3</sup> /s	--	--	44.3	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	46.9	200	26.5	90.2	95.4	153
Standard Deviation	ft <sup>3</sup> /s	135	552	123	258	176	484
5th percentile	ft <sup>3</sup> /s	16.0	76.0	9.97	31.0	35.0	69.0
10th percentile	ft <sup>3</sup> /s	24.0	91.0	11.0	38.0	39.0	88.0
20th percentile	ft <sup>3</sup> /s	35.0	128	14.0	67.0	71.0	110
30th percentile	ft <sup>3</sup> /s	41.0	180	18.0	84.0	93.0	128
40th percentile	ft <sup>3</sup> /s	49.6	214	24.8	100	107	147
50th percentile	ft <sup>3</sup> /s	58.0	254	38.0	120	122	175
60th percentile	ft <sup>3</sup> /s	70.0	313	61.2	145	145	210
70th percentile	ft <sup>3</sup> /s	89.0	385	82.0	176	175	249
80th percentile	ft <sup>3</sup> /s	114	525	132	227	233	318
90th percentile	ft <sup>3</sup> /s	160	804	222	330	356	473
Drainage area	mi <sup>2</sup>	73	373	40.8	127	133	148
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	33.6	33.2	19.8	50.3	11.4	66.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.164	0.113	0.235	0.165	0.218	0.324
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.795	0.681	0.931	0.945	0.917	1.18
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	1.07	2.13	1.39	1.31	1.87
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	1.09	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.642	0.537	0.650	0.710	0.717	1.04
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.85	1.48	3.01	2.03	1.32	3.27
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.219	0.204	0.244	0.244	0.263	0.466
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.329	0.244	0.270	0.299	0.293	0.595
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.479	0.343	0.343	0.528	0.534	0.743
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.562	0.483	0.441	0.661	0.699	0.865
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.679	0.574	0.608	0.787	0.805	0.995
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.795	0.681	0.931	0.945	0.917	1.18
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.959	0.840	1.50	1.14	1.09	1.42
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	1.03	2.01	1.39	1.32	1.68
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.41	3.24	1.79	1.75	2.15
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.19	2.16	5.45	2.60	2.68	3.19

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01624800</b>	<b>01625000</b>	<b>01625900</b>	<b>01626000</b>	<b>01626500</b>	<b>01626850</b>
Count	number	848	2,259	85.0	1,553	678	678
Max	ft <sup>3</sup> /s	1,520	7,710	226	3,930	2,220	2,790
Min	ft <sup>3</sup> /s	13.0	42.0	7.40	20.0	30.0	62.0
Median	ft <sup>3</sup> /s	70.0	317	42.0	138	164	180
Arithmetic Mean	ft <sup>3</sup> /s	101	462	56.6	201	197	243
Geometric Mean	ft <sup>3</sup> /s	--	--	37.4	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	61.3	247	22.7	111	112	174
Standard Deviation	ft <sup>3</sup> /s	127	544	47.1	259	182	246
5th percentile	ft <sup>3</sup> /s	28.0	95.0	8.10	49.0	35.0	85.0
10th percentile	ft <sup>3</sup> /s	32.0	123	8.70	61.0	46.0	107
20th percentile	ft <sup>3</sup> /s	44.0	177	9.16	82.0	84.0	134
30th percentile	ft <sup>3</sup> /s	54.0	221	33.2	105	104	150
40th percentile	ft <sup>3</sup> /s	61.0	266	38.0	121	126	164
50th percentile	ft <sup>3</sup> /s	70.0	317	42.0	138	164	180
60th percentile	ft <sup>3</sup> /s	85.0	395	55.0	162	196	203
70th percentile	ft <sup>3</sup> /s	100	480	64.0	191	224	236
80th percentile	ft <sup>3</sup> /s	118	585	96.0	233	270	288
90th percentile	ft <sup>3</sup> /s	169	850	120	353	348	385
Drainage area	mi <sup>2</sup>	73	373	40.8	127	133	148
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	20.8	20.7	5.54	30.9	16.7	18.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.178	0.113	0.181	0.157	0.226	0.419
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.959	0.850	1.03	1.09	1.23	1.22
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	1.24	1.39	1.58	1.48	1.64
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.917	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.839	0.661	0.557	0.871	0.841	1.18
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.74	1.46	1.16	2.04	1.37	1.66
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.384	0.255	0.199	0.386	0.263	0.574
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.438	0.329	0.213	0.480	0.346	0.721
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.603	0.475	0.225	0.646	0.632	0.905
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.740	0.594	0.814	0.824	0.782	1.01
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.836	0.713	0.931	0.953	0.947	1.11
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.959	0.850	1.03	1.09	1.23	1.22
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	1.06	1.35	1.28	1.47	1.37
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	1.29	1.57	1.51	1.68	1.59
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	1.57	2.35	1.83	2.03	1.94
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.32	2.28	2.95	2.78	2.62	2.60

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01624800</b>	<b>01625000</b>	<b>01625900</b>	<b>01626000</b>	<b>01626500</b>	<b>01626850</b>
Count	number	930	2,480	93.0	1,705	744	744
Max	ft <sup>3</sup> /s	2,040	14,600	2,200	3,630	5,670	5,310
Min	ft <sup>3</sup> /s	16.0	45.0	28.0	21.0	31.0	63.0
Median	ft <sup>3</sup> /s	81.0	384	61.0	185	166	240
Arithmetic Mean	ft <sup>3</sup> /s	129	574	163	269	224	371
Geometric Mean	ft <sup>3</sup> /s	--	--	83.0	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	69.5	318	58.8	154	147	214
Standard Deviation	ft <sup>3</sup> /s	177	688	294	283	291	431
5th percentile	ft <sup>3</sup> /s	32.0	139	29.7	65.0	69.3	96.0
10th percentile	ft <sup>3</sup> /s	37.0	166	32.0	80.0	85.0	116
20th percentile	ft <sup>3</sup> /s	50.0	222	35.0	109	107	148
30th percentile	ft <sup>3</sup> /s	59.0	274	39.6	131	127	174
40th percentile	ft <sup>3</sup> /s	69.0	326	48.0	159	146	210
50th percentile	ft <sup>3</sup> /s	81.0	384	61.0	185	166	240
60th percentile	ft <sup>3</sup> /s	96.0	457	78.2	216	190	286
70th percentile	ft <sup>3</sup> /s	117	572	102	267	222	354
80th percentile	ft <sup>3</sup> /s	146	730	215	350	276	459
90th percentile	ft <sup>3</sup> /s	239	1,100	362	525	373	727
Drainage area	mi <sup>2</sup>	73	373	40.8	127	133	148
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	27.9	39.1	53.9	28.6	42.6	35.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.219	0.121	0.686	0.165	0.233	0.426
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	1.03	1.50	1.46	1.25	1.62
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.77	1.54	3.99	2.12	1.69	2.51
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	2.04	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.952	0.852	1.44	1.22	1.10	1.44
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.42	1.84	7.21	2.23	2.19	2.92
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.438	0.373	0.728	0.512	0.521	0.649
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.507	0.445	0.784	0.630	0.639	0.781
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.685	0.595	0.858	0.857	0.805	0.997
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.808	0.735	0.971	1.03	0.955	1.18
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.945	0.874	1.18	1.25	1.10	1.42
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	1.03	1.50	1.46	1.25	1.62
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	1.23	1.92	1.70	1.43	1.93
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.61	1.53	2.50	2.10	1.67	2.39
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.00	1.96	5.27	2.76	2.08	3.10
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.28	2.95	8.88	4.13	2.81	4.91

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01624800</b>	<b>01625000</b>	<b>01625900</b>	<b>01626000</b>	<b>01626500</b>	<b>01626850</b>
Count	number	900	2,400	90.0	1,650	720	728
Max	ft <sup>3</sup> /s	2,000	10,800	280	4,400	4,390	5,390
Min	ft <sup>3</sup> /s	14.0	83.0	20.0	37.0	40.0	67.0
Median	ft <sup>3</sup> /s	65.0	315	33.5	155	158	198
Arithmetic Mean	ft <sup>3</sup> /s	102	461	50.9	237	233	331
Geometric Mean	ft <sup>3</sup> /s	--	--	40.3	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	55.2	280	35.0	136	148	184
Standard Deviation	ft <sup>3</sup> /s	149	533	47.4	278	280	452
5th percentile	ft <sup>3</sup> /s	23.0	127	20.6	62.0	75.1	90.0
10th percentile	ft <sup>3</sup> /s	27.0	153	22.0	75.0	90.0	104
20th percentile	ft <sup>3</sup> /s	40.0	196	24.8	95.0	107	124
30th percentile	ft <sup>3</sup> /s	48.0	231	27.7	115	122	143
40th percentile	ft <sup>3</sup> /s	57.0	267	31.0	134	138	171
50th percentile	ft <sup>3</sup> /s	65.0	315	33.5	155	158	198
60th percentile	ft <sup>3</sup> /s	76.0	371	38.8	185	176	233
70th percentile	ft <sup>3</sup> /s	94.0	451	45.9	228	214	304
80th percentile	ft <sup>3</sup> /s	128	592	60.0	308	290	405
90th percentile	ft <sup>3</sup> /s	182	891	95.3	464	413	594
Drainage area	mi <sup>2</sup>	73	373	40.8	127	133	148
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	27.4	29.0	6.86	34.6	33.0	36.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.192	0.223	0.490	0.291	0.301	0.453
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.890	0.845	0.821	1.22	1.18	1.34
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	1.24	1.25	1.86	1.75	2.24
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.988	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.756	0.751	0.857	1.07	1.11	1.25
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.04	1.43	1.16	2.19	2.11	3.05
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.315	0.340	0.504	0.488	0.564	0.608
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.370	0.410	0.539	0.591	0.677	0.703
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.548	0.525	0.608	0.748	0.805	0.838
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.658	0.619	0.679	0.906	0.917	0.967
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.781	0.716	0.760	1.06	1.04	1.16
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.890	0.845	0.821	1.22	1.18	1.34
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	0.995	0.951	1.46	1.32	1.58
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.21	1.13	1.80	1.61	2.05
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.76	1.59	1.47	2.43	2.18	2.74
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.50	2.39	2.34	3.66	3.11	4.02



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	01624800	01625000	01625900	01626000	01626500	01626850
Count	number	930	2,480	114	1,705	744	775
Max	ft <sup>3</sup> /s	2,020	7,840	665	4,430	3,020	2,280
Min	ft <sup>3</sup> /s	12.0	61.0	2.00	34.0	28.0	62.0
Median	ft <sup>3</sup> /s	51.0	248	26.0	112	122	163
Arithmetic Mean	ft <sup>3</sup> /s	72.3	339	47.9	161	168	216
Geometric Mean	ft <sup>3</sup> /s	--	--	25.5	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	43.6	223	14.4	103	109	153
Standard Deviation	ft <sup>3</sup> /s	110	393	86.9	193	207	209
5th percentile	ft <sup>3</sup> /s	18.0	105	4.38	51.0	49.0	81.0
10th percentile	ft <sup>3</sup> /s	24.9	126	5.06	58.4	62.0	95.0
20th percentile	ft <sup>3</sup> /s	32.0	158	11.0	70.0	79.0	112
30th percentile	ft <sup>3</sup> /s	38.0	184	18.0	83.0	89.0	130
40th percentile	ft <sup>3</sup> /s	44.0	215	22.2	97.0	106	144
50th percentile	ft <sup>3</sup> /s	51.0	248	26.0	112	122	163
60th percentile	ft <sup>3</sup> /s	61.0	290	33.0	131	142	182
70th percentile	ft <sup>3</sup> /s	70.0	340	43.0	155	170	203
80th percentile	ft <sup>3</sup> /s	82.0	415	48.8	198	211	253
90th percentile	ft <sup>3</sup> /s	109	591	87.4	297	287	353
Drainage area	mi <sup>2</sup>	73	373	40.8	127	133	148
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	27.7	21.0	16.3	34.9	22.7	15.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.164	0.164	0.049	0.268	0.211	0.419
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.699	0.665	0.637	0.882	0.917	1.10
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.990	0.908	1.17	1.27	1.26	1.46
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.624	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.597	0.597	0.353	0.808	0.819	1.04
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.51	1.05	2.13	1.52	1.55	1.41
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.247	0.282	0.107	0.402	0.368	0.547
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.341	0.338	0.124	0.460	0.466	0.642
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.438	0.424	0.270	0.551	0.594	0.755
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.521	0.493	0.441	0.654	0.669	0.878
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.603	0.576	0.544	0.764	0.797	0.973
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.699	0.665	0.637	0.882	0.917	1.10
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.836	0.777	0.809	1.03	1.07	1.23
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.959	0.912	1.05	1.22	1.28	1.37
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	1.11	1.20	1.56	1.58	1.71
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	1.58	2.14	2.34	2.16	2.38

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>01624800</b>	<b>01625000</b>	<b>01625900</b>	<b>01626000</b>	<b>01626500</b>	<b>01626850</b>
Count	number	900	2,400	120	1,650	720	750
Max	ft <sup>3</sup> /s	2,380	12,700	330	7,430	3,760	4,230
Min	ft <sup>3</sup> /s	11.0	29.0	0.040	18.0	28.0	47.0
Median	ft <sup>3</sup> /s	41.5	176	12.0	69.0	80.0	106
Arithmetic Mean	ft <sup>3</sup> /s	61.3	260	27.2	117	113	162
Geometric Mean	ft <sup>3</sup> /s	--	--	9.46	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	36.2	157	0.881	65.0	75.8	106
Standard Deviation	ft <sup>3</sup> /s	122	462	48.6	310	184	275
5th percentile	ft <sup>3</sup> /s	17.1	76.0	0.091	34.0	40.0	61.0
10th percentile	ft <sup>3</sup> /s	20.0	89.0	1.18	38.0	45.0	66.0
20th percentile	ft <sup>3</sup> /s	26.0	114	3.74	47.0	54.0	79.0
30th percentile	ft <sup>3</sup> /s	31.0	136	7.16	54.0	62.0	89.0
40th percentile	ft <sup>3</sup> /s	37.0	156	10.0	61.0	72.0	97.0
50th percentile	ft <sup>3</sup> /s	41.5	176	12.0	69.0	80.0	106
60th percentile	ft <sup>3</sup> /s	46.0	199	18.0	80.0	93.0	119
70th percentile	ft <sup>3</sup> /s	52.0	231	25.0	96.0	110	134
80th percentile	ft <sup>3</sup> /s	62.2	286	32.0	120	134	160
90th percentile	ft <sup>3</sup> /s	88.1	412	54.1	178	170	232
Drainage area	mi <sup>2</sup>	73	373	40.8	127	133	148
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	32.6	34.0	8.09	58.5	28.3	28.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.151	0.078	0.001	0.142	0.211	0.318
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.568	0.472	0.294	0.543	0.602	0.716
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.840	0.696	0.667	0.920	0.851	1.09
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.232	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.495	0.422	0.022	0.512	0.570	0.716
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	1.24	1.19	2.44	1.38	1.86
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.204	0.002	0.268	0.301	0.412
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.274	0.239	0.029	0.299	0.338	0.446
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.356	0.306	0.092	0.370	0.406	0.534
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.425	0.365	0.175	0.425	0.466	0.601
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.507	0.418	0.245	0.480	0.541	0.655
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.568	0.472	0.294	0.543	0.602	0.716
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.630	0.534	0.441	0.630	0.699	0.804
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.712	0.619	0.613	0.756	0.827	0.905
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.852	0.767	0.784	0.945	1.01	1.08
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.10	1.33	1.40	1.28	1.57

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	01624800	01625000	01625900	01626000	01626500	01626850
Count	number	930	2,480	124	1,705	744	782
Max	ft <sup>3</sup> /s	967	2,300	107	1,410	734	1,630
Min	ft <sup>3</sup> /s	11.0	21.0	0.000	17.0	24.0	48.0
Median	ft <sup>3</sup> /s	31.0	139	6.30	49.0	58.0	82.0
Arithmetic Mean	ft <sup>3</sup> /s	42.5	178	9.95	68.1	78.0	110
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	29.1	124	--	48.2	55.7	84.8
Standard Deviation	ft <sup>3</sup> /s	59.3	178	15.9	91.4	77.3	130
5th percentile	ft <sup>3</sup> /s	15.0	60.0	0.000	29.0	30.0	57.0
10th percentile	ft <sup>3</sup> /s	18.0	74.0	0.000	32.0	34.0	62.0
20th percentile	ft <sup>3</sup> /s	22.0	94.8	0.000	37.0	41.0	68.0
30th percentile	ft <sup>3</sup> /s	25.0	110	0.056	42.0	49.0	72.3
40th percentile	ft <sup>3</sup> /s	28.0	125	4.00	46.0	54.0	77.0
50th percentile	ft <sup>3</sup> /s	31.0	139	6.30	49.0	58.0	82.0
60th percentile	ft <sup>3</sup> /s	35.0	154	8.00	53.0	64.0	87.6
70th percentile	ft <sup>3</sup> /s	39.0	174	11.1	59.0	71.0	97.0
80th percentile	ft <sup>3</sup> /s	45.0	205	14.4	69.0	85.0	112
90th percentile	ft <sup>3</sup> /s	63.0	286	19.7	95.0	129	143
Drainage area	mi <sup>2</sup>	73	373	40.8	127	133	148
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	13.2	6.17	2.62	11.1	5.52	11.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.151	0.056	0.000	0.134	0.180	0.324
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.425	0.373	0.154	0.386	0.436	0.554
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.583	0.478	0.244	0.536	0.587	0.741
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.399	0.332	--	0.379	0.419	0.573
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.812	0.478	0.390	0.720	0.581	0.876
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.205	0.161	0.000	0.228	0.226	0.385
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.247	0.198	0.000	0.252	0.256	0.419
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.301	0.254	0.000	0.291	0.308	0.459
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.342	0.295	0.001	0.331	0.368	0.489
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.384	0.335	0.098	0.362	0.406	0.520
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.425	0.373	0.154	0.386	0.436	0.554
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.479	0.413	0.196	0.417	0.481	0.592
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.534	0.466	0.272	0.465	0.534	0.655
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.616	0.550	0.353	0.543	0.639	0.757
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.863	0.767	0.483	0.748	0.968	0.966

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01624800</b>	<b>01625000</b>	<b>01625900</b>	<b>01626000</b>	<b>01626500</b>	<b>01626850</b>
Count	number	930	2,480	124	1,705	744	806
Max	ft <sup>3</sup> /s	1,420	10,300	47.0	9,670	7,080	1,740
Min	ft <sup>3</sup> /s	9.70	22.0	0.000	17.0	23.0	44.0
Median	ft <sup>3</sup> /s	26.0	118	1.70	41.0	50.0	70.0
Arithmetic Mean	ft <sup>3</sup> /s	39.2	189	7.35	77.0	103	101
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	25.4	109	--	41.7	51.3	75.2
Standard Deviation	ft <sup>3</sup> /s	66.2	391	10.8	320	351	121
5th percentile	ft <sup>3</sup> /s	14.0	53.0	0.000	27.0	26.0	50.4
10th percentile	ft <sup>3</sup> /s	16.0	65.0	0.000	29.0	33.0	55.0
20th percentile	ft <sup>3</sup> /s	18.0	82.0	0.000	32.0	37.0	59.0
30th percentile	ft <sup>3</sup> /s	21.0	96.0	0.000	35.0	43.0	63.0
40th percentile	ft <sup>3</sup> /s	23.0	108	0.110	39.0	46.0	67.0
50th percentile	ft <sup>3</sup> /s	26.0	118	1.70	41.0	50.0	70.0
60th percentile	ft <sup>3</sup> /s	29.0	130	4.22	44.0	58.0	75.0
70th percentile	ft <sup>3</sup> /s	35.0	151	7.69	48.0	70.0	88.0
80th percentile	ft <sup>3</sup> /s	42.0	195	16.0	59.0	89.0	101
90th percentile	ft <sup>3</sup> /s	65.0	323	24.4	96.0	145	146
Drainage area	mi <sup>2</sup>	73	373	40.8	127	133	148
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	19.5	27.6	1.15	76.1	53.2	11.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.133	0.059	0.000	0.134	0.173	0.297
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.356	0.316	0.042	0.323	0.376	0.473
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.537	0.506	0.180	0.606	0.775	0.684
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.349	0.293	--	0.329	0.385	0.508
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.906	1.05	0.264	2.52	2.64	0.815
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.192	0.142	0.000	0.213	0.195	0.340
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.219	0.174	0.000	0.228	0.248	0.372
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.247	0.220	0.000	0.252	0.278	0.399
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.288	0.257	0.000	0.276	0.323	0.426
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.315	0.290	0.003	0.307	0.346	0.453
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.356	0.316	0.042	0.323	0.376	0.473
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.397	0.349	0.103	0.346	0.436	0.507
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.479	0.405	0.188	0.378	0.526	0.595
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.575	0.523	0.392	0.465	0.669	0.682
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.890	0.866	0.598	0.756	1.09	0.986

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01624800</b>	<b>01625000</b>	<b>01625900</b>	<b>01626000</b>	<b>01626500</b>	<b>01626850</b>
Count	number	900	2,400	120	1,650	720	780
Max	ft <sup>3</sup> /s	4,590	21,700	813	8,110	6,940	8,780
Min	ft <sup>3</sup> /s	9.50	18.0	0.000	16.0	22.0	44.0
Median	ft <sup>3</sup> /s	23.0	109	8.50	38.0	47.0	65.0
Arithmetic Mean	ft <sup>3</sup> /s	48.2	215	44.2	99.7	102	155
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	23.5	104	--	41.8	48.9	74.8
Standard Deviation	ft <sup>3</sup> /s	171	678	124	315	329	435
5th percentile	ft <sup>3</sup> /s	12.0	56.0	0.000	26.0	27.1	52.0
10th percentile	ft <sup>3</sup> /s	14.0	64.0	0.000	28.0	30.0	53.0
20th percentile	ft <sup>3</sup> /s	17.0	75.0	0.000	31.0	33.0	56.0
30th percentile	ft <sup>3</sup> /s	19.0	88.0	0.000	34.0	38.0	59.0
40th percentile	ft <sup>3</sup> /s	21.0	99.0	0.000	36.0	43.0	62.0
50th percentile	ft <sup>3</sup> /s	23.0	109	8.50	38.0	47.0	65.0
60th percentile	ft <sup>3</sup> /s	26.0	121	12.0	43.0	55.4	72.4
70th percentile	ft <sup>3</sup> /s	33.0	146	19.0	52.3	71.3	86.0
80th percentile	ft <sup>3</sup> /s	43.0	190	26.2	74.2	93.0	122
90th percentile	ft <sup>3</sup> /s	69.1	321	80.2	145	152	251
Drainage area	mi <sup>2</sup>	73	373	40.8	127	133	148
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	62.9	58.2	19.9	63.9	52.2	59.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.130	0.048	0.000	0.126	0.165	0.297
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.315	0.292	0.208	0.299	0.353	0.439
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.660	0.576	1.08	0.785	0.765	1.05
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.322	0.279	--	0.329	0.367	0.505
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.34	1.82	3.04	2.48	2.47	2.94
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.164	0.150	0.000	0.205	0.203	0.351
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.192	0.172	0.000	0.220	0.226	0.358
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.233	0.201	0.000	0.244	0.248	0.378
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.260	0.236	0.000	0.268	0.286	0.399
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.288	0.265	0.000	0.283	0.323	0.419
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.315	0.292	0.208	0.299	0.353	0.439
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.356	0.324	0.294	0.339	0.417	0.489
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.452	0.391	0.466	0.412	0.536	0.581
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.589	0.509	0.642	0.584	0.699	0.824
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.947	0.861	1.97	1.14	1.14	1.70

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01624800</b>	<b>01625000</b>	<b>01625900</b>	<b>01626000</b>	<b>01626500</b>	<b>01626850</b>
Count	number	936	2,511	93.0	1,736	744	806
Max	ft <sup>3</sup> /s	1,550	12,100	1,300	3,730	6,920	3,720
Min	ft <sup>3</sup> /s	8.50	34.0	1.80	16.0	21.0	44.0
Median	ft <sup>3</sup> /s	25.0	110	35.0	42.0	55.0	71.0
Arithmetic Mean	ft <sup>3</sup> /s	58.7	231	84.5	114	126	169
Geometric Mean	ft <sup>3</sup> /s	--	--	25.9	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	26.1	113	8.65	45.7	55.0	81.5
Standard Deviation	ft <sup>3</sup> /s	125	561	173	252	347	300
5th percentile	ft <sup>3</sup> /s	13.0	62.0	2.40	26.0	30.0	50.0
10th percentile	ft <sup>3</sup> /s	15.0	68.0	2.60	27.0	32.0	52.0
20th percentile	ft <sup>3</sup> /s	18.0	81.0	3.80	31.0	35.0	56.0
30th percentile	ft <sup>3</sup> /s	21.0	90.0	5.72	33.0	40.0	60.0
40th percentile	ft <sup>3</sup> /s	23.0	99.0	24.6	37.0	49.0	64.0
50th percentile	ft <sup>3</sup> /s	25.0	110	35.0	42.0	55.0	71.0
60th percentile	ft <sup>3</sup> /s	31.0	130	44.2	50.0	66.8	81.0
70th percentile	ft <sup>3</sup> /s	40.0	160	68.8	68.0	88.0	116
80th percentile	ft <sup>3</sup> /s	67.0	222	103	129	117	207
90th percentile	ft <sup>3</sup> /s	107	382	168	214	188	325
Drainage area	mi <sup>2</sup>	73	373	40.8	127	133	148
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.2	32.4	31.9	29.4	52.0	25.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.116	0.091	0.044	0.126	0.158	0.297
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.342	0.295	0.858	0.331	0.414	0.480
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.804	0.620	2.07	0.898	0.950	1.14
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.636	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.357	0.304	0.212	0.360	0.413	0.551
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.72	1.50	4.24	1.98	2.61	2.03
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.178	0.166	0.059	0.205	0.226	0.338
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.205	0.182	0.064	0.213	0.241	0.351
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.247	0.217	0.093	0.244	0.263	0.378
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.288	0.241	0.140	0.260	0.301	0.405
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.315	0.265	0.603	0.291	0.368	0.432
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.342	0.295	0.858	0.331	0.414	0.480
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.425	0.349	1.08	0.394	0.502	0.547
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.548	0.429	1.69	0.535	0.662	0.784
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.918	0.595	2.52	1.02	0.880	1.40
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.47	1.02	4.13	1.68	1.41	2.20

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01624800</b>	<b>01625000</b>	<b>01625900</b>	<b>01626000</b>	<b>01626500</b>	<b>01626850</b>
Count	number	900	2,424	90.0	1,675	720	775
Max	ft <sup>3</sup> /s	2,730	26,000	152	9,070	1,060	12,000
Min	ft <sup>3</sup> /s	9.50	28.0	1.00	23.0	26.0	48.0
Median	ft <sup>3</sup> /s	33.0	135	22.0	62.0	70.0	101
Arithmetic Mean	ft <sup>3</sup> /s	59.3	244	28.4	142	108	232
Geometric Mean	ft <sup>3</sup> /s	--	--	15.9	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	31.5	132	7.23	58.6	62.6	101
Standard Deviation	ft <sup>3</sup> /s	137	619	29.3	375	122	671
5th percentile	ft <sup>3</sup> /s	17.0	65.0	1.67	26.8	32.0	57.0
10th percentile	ft <sup>3</sup> /s	18.0	78.0	2.58	32.0	36.0	59.0
20th percentile	ft <sup>3</sup> /s	22.0	90.0	4.24	36.0	38.0	63.0
30th percentile	ft <sup>3</sup> /s	23.0	100	8.26	41.0	45.0	70.0
40th percentile	ft <sup>3</sup> /s	27.0	114	17.2	51.0	57.0	81.0
50th percentile	ft <sup>3</sup> /s	33.0	135	22.0	62.0	70.0	101
60th percentile	ft <sup>3</sup> /s	40.0	162	25.4	87.0	85.0	140
70th percentile	ft <sup>3</sup> /s	52.0	210	31.0	118	107	179
80th percentile	ft <sup>3</sup> /s	66.0	278	42.2	161	141	232
90th percentile	ft <sup>3</sup> /s	98.2	476	60.8	280	227	382
Drainage area	mi <sup>2</sup>	73	373	40.8	127	133	148
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	37.4	69.7	3.73	71.4	7.97	81.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.130	0.075	0.025	0.181	0.195	0.324
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.452	0.362	0.539	0.488	0.526	0.682
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.812	0.653	0.695	1.12	0.816	1.57
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.390	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.432	0.353	0.177	0.461	0.471	0.683
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.88	1.66	0.718	2.95	0.917	4.53
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.233	0.174	0.041	0.211	0.241	0.385
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.247	0.209	0.063	0.252	0.271	0.399
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.301	0.241	0.104	0.283	0.286	0.426
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.315	0.268	0.202	0.323	0.338	0.473
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.370	0.306	0.422	0.402	0.429	0.547
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.452	0.362	0.539	0.488	0.526	0.682
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.548	0.434	0.623	0.685	0.639	0.946
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.712	0.563	0.760	0.929	0.805	1.21
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.904	0.745	1.03	1.27	1.06	1.57
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	1.28	1.49	2.20	1.71	2.58

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01624800</b>	<b>01625000</b>	<b>01625900</b>	<b>01626000</b>	<b>01626500</b>	<b>01626850</b>
Count	number	930	2,480	93.0	1,705	744	754
Max	ft <sup>3</sup> /s	1,090	11,000	436	1,710	4,250	1,590
Min	ft <sup>3</sup> /s	12.0	41.0	9.00	21.0	22.0	50.0
Median	ft <sup>3</sup> /s	47.0	201	31.0	105	97.0	152
Arithmetic Mean	ft <sup>3</sup> /s	70.5	307	68.6	143	150	198
Geometric Mean	ft <sup>3</sup> /s	--	--	40.5	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	39.0	160	29.1	75.0	72.7	131
Standard Deviation	ft <sup>3</sup> /s	93.9	442	88.6	149	262	174
5th percentile	ft <sup>3</sup> /s	17.0	70.0	13.7	30.0	30.0	56.8
10th percentile	ft <sup>3</sup> /s	19.0	82.0	16.2	34.0	34.0	67.0
20th percentile	ft <sup>3</sup> /s	25.0	97.0	20.0	45.0	40.0	93.0
30th percentile	ft <sup>3</sup> /s	33.0	129	21.0	61.2	67.0	119
40th percentile	ft <sup>3</sup> /s	40.0	160	24.0	84.0	80.0	134
50th percentile	ft <sup>3</sup> /s	47.0	201	31.0	105	97.0	152
60th percentile	ft <sup>3</sup> /s	53.0	243	38.0	125	114	171
70th percentile	ft <sup>3</sup> /s	62.0	297	52.8	152	134	205
80th percentile	ft <sup>3</sup> /s	84.0	394	100	196	171	247
90th percentile	ft <sup>3</sup> /s	138	600	183	286	256	351
Drainage area	mi <sup>2</sup>	73	373	40.8	127	133	148
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	14.9	29.5	10.7	13.5	32.0	10.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.164	0.110	0.221	0.165	0.165	0.338
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.644	0.539	0.760	0.827	0.729	1.03
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.966	0.824	1.68	1.12	1.12	1.34
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.993	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.534	0.429	0.713	0.590	0.547	0.886
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.19	2.17	1.17	1.97	1.17
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.233	0.188	0.336	0.236	0.226	0.383
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.260	0.220	0.397	0.268	0.256	0.453
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.342	0.260	0.490	0.354	0.301	0.628
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.452	0.346	0.515	0.482	0.504	0.804
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.548	0.428	0.588	0.661	0.602	0.905
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.644	0.539	0.760	0.827	0.729	1.03
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.726	0.651	0.931	0.984	0.857	1.16
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.849	0.795	1.29	1.20	1.01	1.39
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	1.06	2.46	1.54	1.29	1.67
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.89	1.61	4.48	2.25	1.92	2.37



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>01627500</b>	<b>01628060</b>	<b>01628150</b>	<b>01628500</b>	<b>01629500</b>	<b>01630700</b>
Count	number	2,015	527	93.0	2,387	1,426	155
Max	ft <sup>3</sup> /s	12,500	121	12.0	39,300	47,000	143
Min	ft <sup>3</sup> /s	43.0	0.000	0.040	130	190	13.0
Median	ft <sup>3</sup> /s	205	1.30	0.330	802	1,065	28.0
Arithmetic Mean	ft <sup>3</sup> /s	309	3.49	0.999	1,232	1,585	33.9
Geometric Mean	ft <sup>3</sup> /s	--	--	0.303	--	--	29.7
Harmonic Mean	ft <sup>3</sup> /s	168	--	0.117	596	833	26.9
Standard Deviation	ft <sup>3</sup> /s	452	8.72	1.84	1,676	2,343	20.9
5th percentile	ft <sup>3</sup> /s	64.0	0.008	0.040	215	319	14.0
10th percentile	ft <sup>3</sup> /s	79.0	0.276	0.040	259	390	17.0
20th percentile	ft <sup>3</sup> /s	122	0.480	0.050	415	581	20.8
30th percentile	ft <sup>3</sup> /s	155	0.700	0.076	535	732	23.0
40th percentile	ft <sup>3</sup> /s	175	0.944	0.230	652	887	25.0
50th percentile	ft <sup>3</sup> /s	205	1.30	0.330	802	1,065	28.0
60th percentile	ft <sup>3</sup> /s	242	1.90	0.426	964	1,260	31.0
70th percentile	ft <sup>3</sup> /s	292	2.70	0.560	1,200	1,530	34.8
80th percentile	ft <sup>3</sup> /s	387	4.10	1.36	1,650	1,940	42.4
90th percentile	ft <sup>3</sup> /s	585	7.46	2.72	2,484	2,960	55.6
Drainage area	mi <sup>2</sup>	212	1.95	1.18	1079	1372	20.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	59.0	62.1	10.2	36.4	34.3	6.98
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.203	0.000	0.034	0.120	0.138	0.634
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.967	0.667	0.280	0.743	0.776	1.37
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.79	0.846	1.14	1.15	1.65
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.257	--	--	1.45
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.794	--	0.099	0.553	0.607	1.31
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.13	4.47	1.56	1.55	1.71	1.02
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.302	0.004	0.034	0.199	0.233	0.683
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.373	0.142	0.034	0.240	0.284	0.829
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.575	0.246	0.042	0.385	0.423	1.01
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.731	0.359	0.064	0.496	0.534	1.12
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.825	0.484	0.195	0.604	0.647	1.22
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.967	0.667	0.280	0.743	0.776	1.37
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	0.974	0.361	0.893	0.918	1.51
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	1.38	0.475	1.11	1.12	1.70
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.83	2.10	1.15	1.53	1.41	2.07
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.76	3.83	2.31	2.30	2.16	2.71

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01627500</b>	<b>01628060</b>	<b>01628150</b>	<b>01628500</b>	<b>01629500</b>	<b>01630700</b>
Count	number	1,849	481	85.0	2,174	1,299	141
Max	ft <sup>3</sup> /s	6,200	199	6.00	21,100	31,600	156
Min	ft <sup>3</sup> /s	32.0	0.000	0.050	133	259	9.20
Median	ft <sup>3</sup> /s	246	1.80	0.850	964	1,300	25.0
Arithmetic Mean	ft <sup>3</sup> /s	346	3.62	1.29	1,421	1,939	31.0
Geometric Mean	ft <sup>3</sup> /s	--	--	0.777	--	--	26.2
Harmonic Mean	ft <sup>3</sup> /s	197	--	0.380	740	1,050	22.9
Standard Deviation	ft <sup>3</sup> /s	435	10.1	1.27	1,612	2,329	22.5
5th percentile	ft <sup>3</sup> /s	72.5	0.370	0.073	258	409	11.0
10th percentile	ft <sup>3</sup> /s	104	0.430	0.140	382	541	12.0
20th percentile	ft <sup>3</sup> /s	144	0.700	0.490	531	734	16.0
30th percentile	ft <sup>3</sup> /s	179	0.980	0.520	675	935	22.0
40th percentile	ft <sup>3</sup> /s	212	1.30	0.636	808	1,090	24.0
50th percentile	ft <sup>3</sup> /s	246	1.80	0.850	964	1,300	25.0
60th percentile	ft <sup>3</sup> /s	290	2.30	1.10	1,200	1,570	28.0
70th percentile	ft <sup>3</sup> /s	346	3.20	1.48	1,470	1,950	32.0
80th percentile	ft <sup>3</sup> /s	416	4.40	1.84	1,844	2,440	37.0
90th percentile	ft <sup>3</sup> /s	589	7.00	3.28	2,730	3,640	47.0
Drainage area	mi <sup>2</sup>	212	1.95	1.18	1079	1372	20.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	29.2	102	5.08	19.6	23.0	7.61
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.151	0.000	0.042	0.123	0.189	0.449
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	0.923	0.720	0.893	0.948	1.22
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.63	1.85	1.09	1.32	1.41	1.51
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.658	--	--	1.28
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.930	--	0.322	0.685	0.765	1.12
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.05	5.18	1.08	1.49	1.70	1.10
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.342	0.190	0.062	0.239	0.298	0.537
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.491	0.221	0.119	0.354	0.394	0.585
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.679	0.359	0.415	0.492	0.535	0.780
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.844	0.503	0.441	0.626	0.682	1.07
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.00	0.667	0.539	0.749	0.794	1.17
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	0.923	0.720	0.893	0.948	1.22
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	1.18	0.932	1.11	1.14	1.37
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.63	1.64	1.25	1.36	1.42	1.56
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.96	2.26	1.56	1.71	1.78	1.80
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.78	3.59	2.78	2.53	2.65	2.29

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01627500</b>	<b>01628060</b>	<b>01628150</b>	<b>01628500</b>	<b>01629500</b>	<b>01630700</b>
Count	number	2,046	527	93.0	2,387	1,426	155
Max	ft <sup>3</sup> /s	9,330	120	28.0	52,400	31,900	256
Min	ft <sup>3</sup> /s	49.0	0.180	0.090	148	259	12.0
Median	ft <sup>3</sup> /s	271	2.90	2.00	1,240	1,570	36.0
Arithmetic Mean	ft <sup>3</sup> /s	397	5.56	2.47	1,842	2,231	50.9
Geometric Mean	ft <sup>3</sup> /s	--	2.77	1.07	--	--	39.0
Harmonic Mean	ft <sup>3</sup> /s	245	1.40	0.393	1,039	1,306	30.8
Standard Deviation	ft <sup>3</sup> /s	477	9.31	3.51	2,132	2,318	41.0
5th percentile	ft <sup>3</sup> /s	114	0.350	0.100	451	588	13.0
10th percentile	ft <sup>3</sup> /s	141	0.500	0.122	533	677	14.0
20th percentile	ft <sup>3</sup> /s	177	0.954	0.170	737	905	22.8
30th percentile	ft <sup>3</sup> /s	204	1.70	0.300	900	1,085	26.0
40th percentile	ft <sup>3</sup> /s	233	2.30	1.70	1,060	1,310	31.0
50th percentile	ft <sup>3</sup> /s	271	2.90	2.00	1,240	1,570	36.0
60th percentile	ft <sup>3</sup> /s	316	3.86	2.40	1,500	1,840	43.0
70th percentile	ft <sup>3</sup> /s	385	5.20	2.80	1,860	2,240	56.6
80th percentile	ft <sup>3</sup> /s	496	7.10	3.32	2,398	2,900	83.0
90th percentile	ft <sup>3</sup> /s	743	12.0	4.90	3,574	4,330	104
Drainage area	mi <sup>2</sup>	212	1.95	1.18	1079	1372	20.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	44.0	61.5	23.7	48.6	23.3	12.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.231	0.092	0.076	0.137	0.189	0.585
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.49	1.69	1.15	1.14	1.76
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.87	2.85	2.09	1.71	1.63	2.48
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.42	0.906	--	--	1.90
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	0.717	0.333	0.963	0.952	1.50
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.25	4.77	2.97	1.98	1.69	2.00
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.539	0.179	0.085	0.418	0.429	0.634
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.665	0.256	0.103	0.494	0.493	0.683
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.835	0.489	0.144	0.683	0.660	1.11
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.962	0.872	0.254	0.834	0.791	1.27
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.18	1.44	0.982	0.955	1.51
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.49	1.69	1.15	1.14	1.76
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	1.98	2.03	1.39	1.34	2.10
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.81	2.67	2.37	1.72	1.63	2.76
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.34	3.64	2.81	2.22	2.11	4.05
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.50	6.15	4.15	3.31	3.16	5.05

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01627500</b>	<b>01628060</b>	<b>01628150</b>	<b>01628500</b>	<b>01629500</b>	<b>01630700</b>
Count	number	1,980	510	90.0	2,310	1,410	150
Max	ft <sup>3</sup> /s	10,100	97.0	18.0	30,800	39,800	228
Min	ft <sup>3</sup> /s	76.0	0.260	0.120	292	264	11.0
Median	ft <sup>3</sup> /s	257	2.10	0.995	1,030	1,360	42.0
Arithmetic Mean	ft <sup>3</sup> /s	388	4.93	2.05	1,566	2,125	52.4
Geometric Mean	ft <sup>3</sup> /s	--	2.27	1.14	--	--	42.7
Harmonic Mean	ft <sup>3</sup> /s	237	1.29	0.660	950	1,240	34.9
Standard Deviation	ft <sup>3</sup> /s	494	9.56	2.72	1,753	2,489	37.0
5th percentile	ft <sup>3</sup> /s	116	0.410	0.162	442	583	12.6
10th percentile	ft <sup>3</sup> /s	133	0.520	0.278	536	679	17.8
20th percentile	ft <sup>3</sup> /s	166	0.770	0.482	661	849	28.0
30th percentile	ft <sup>3</sup> /s	196	0.984	0.777	768	1,000	31.7
40th percentile	ft <sup>3</sup> /s	224	1.50	0.880	892	1,150	36.0
50th percentile	ft <sup>3</sup> /s	257	2.10	0.995	1,030	1,360	42.0
60th percentile	ft <sup>3</sup> /s	298	3.00	1.44	1,240	1,674	49.0
70th percentile	ft <sup>3</sup> /s	369	4.60	1.73	1,560	2,140	58.3
80th percentile	ft <sup>3</sup> /s	490	6.50	3.02	2,022	2,802	73.2
90th percentile	ft <sup>3</sup> /s	727	10.0	4.52	3,081	4,171	89.2
Drainage area	mi <sup>2</sup>	212	1.95	1.18	1079	1372	20.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	47.6	49.7	15.3	28.5	29.0	11.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.358	0.133	0.102	0.271	0.192	0.537
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.08	0.843	0.955	0.991	2.05
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.83	2.53	1.74	1.45	1.55	2.55
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.17	0.970	--	--	2.09
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	0.662	0.560	0.881	0.904	1.70
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.33	4.90	2.31	1.62	1.81	1.80
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.547	0.210	0.137	0.410	0.425	0.612
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.627	0.267	0.236	0.497	0.495	0.868
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.782	0.395	0.408	0.612	0.619	1.37
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.925	0.505	0.658	0.712	0.729	1.55
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	0.769	0.746	0.827	0.838	1.76
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.08	0.843	0.955	0.991	2.05
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	1.54	1.22	1.15	1.22	2.39
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.74	2.36	1.47	1.45	1.56	2.84
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.31	3.33	2.56	1.87	2.04	3.57
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.43	5.13	3.83	2.86	3.04	4.35

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>01627500</b>	<b>01628060</b>	<b>01628150</b>	<b>01628500</b>	<b>01629500</b>	<b>01630700</b>
Count	number	2,046	527	93.0	2,387	1,457	158
Max	ft <sup>3</sup> /s	7,220	70.0	19.0	22,400	26,600	131
Min	ft <sup>3</sup> /s	52.0	0.100	0.310	250	226	7.90
Median	ft <sup>3</sup> /s	198	1.20	0.860	862	1,180	26.0
Arithmetic Mean	ft <sup>3</sup> /s	276	3.37	1.39	1,184	1,609	37.7
Geometric Mean	ft <sup>3</sup> /s	--	1.32	0.941	--	--	29.9
Harmonic Mean	ft <sup>3</sup> /s	184	0.700	0.746	773	1,057	24.6
Standard Deviation	ft <sup>3</sup> /s	323	7.88	2.17	1,278	1,606	27.7
5th percentile	ft <sup>3</sup> /s	94.0	0.194	0.361	379	499	11.0
10th percentile	ft <sup>3</sup> /s	109	0.276	0.392	440	606	14.0
20th percentile	ft <sup>3</sup> /s	131	0.492	0.464	534	736	17.0
30th percentile	ft <sup>3</sup> /s	150	0.650	0.550	628	883	19.0
40th percentile	ft <sup>3</sup> /s	172	0.920	0.712	738	1,030	23.0
50th percentile	ft <sup>3</sup> /s	198	1.20	0.860	862	1,180	26.0
60th percentile	ft <sup>3</sup> /s	229	1.60	1.10	988	1,360	31.0
70th percentile	ft <sup>3</sup> /s	268	2.20	1.34	1,200	1,640	43.8
80th percentile	ft <sup>3</sup> /s	337	3.40	1.60	1,488	2,020	60.0
90th percentile	ft <sup>3</sup> /s	480	6.62	2.38	2,174	2,938	79.0
Drainage area	mi <sup>2</sup>	212	1.95	1.18	1079	1372	20.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	34.1	35.9	16.1	20.8	19.4	6.39
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.245	0.051	0.263	0.232	0.165	0.385
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.934	0.615	0.729	0.799	0.860	1.27
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.73	1.18	1.10	1.17	1.84
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.677	0.797	--	--	1.46
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.869	0.359	0.632	0.716	0.770	1.20
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	4.04	1.84	1.18	1.17	1.35
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.443	0.099	0.306	0.352	0.364	0.537
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.514	0.142	0.332	0.408	0.441	0.683
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.618	0.252	0.393	0.495	0.537	0.829
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.708	0.333	0.466	0.582	0.644	0.927
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.811	0.472	0.603	0.684	0.751	1.12
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.934	0.615	0.729	0.799	0.860	1.27
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	0.821	0.932	0.916	0.991	1.51
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.13	1.14	1.11	1.20	2.14
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.59	1.74	1.36	1.38	1.47	2.93
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.26	3.39	2.02	2.01	2.14	3.85

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>01627500</b>	<b>01628060</b>	<b>01628150</b>	<b>01628500</b>	<b>01629500</b>	<b>01630700</b>
Count	number	1,980	510	90.0	2,310	1,440	180
Max	ft <sup>3</sup> /s	12,300	142	24.0	41,500	28,600	506
Min	ft <sup>3</sup> /s	40.0	0.000	0.070	134	222	2.20
Median	ft <sup>3</sup> /s	133	0.240	0.455	554	780	11.0
Arithmetic Mean	ft <sup>3</sup> /s	205	1.89	1.21	876	1,227	28.6
Geometric Mean	ft <sup>3</sup> /s	--	--	0.489	--	--	14.9
Harmonic Mean	ft <sup>3</sup> /s	125	--	0.273	523	736	10.2
Standard Deviation	ft <sup>3</sup> /s	459	10.3	2.89	1,570	1,776	53.2
5th percentile	ft <sup>3</sup> /s	67.0	0.020	0.090	261	361	3.71
10th percentile	ft <sup>3</sup> /s	76.0	0.050	0.100	308	424	5.29
20th percentile	ft <sup>3</sup> /s	92.0	0.090	0.158	379	519	6.78
30th percentile	ft <sup>3</sup> /s	104	0.130	0.227	440	602	8.37
40th percentile	ft <sup>3</sup> /s	118	0.170	0.330	496	687	9.56
50th percentile	ft <sup>3</sup> /s	133	0.240	0.455	554	780	11.0
60th percentile	ft <sup>3</sup> /s	150	0.320	0.594	632	910	14.0
70th percentile	ft <sup>3</sup> /s	175	0.470	0.880	745	1,090	19.0
80th percentile	ft <sup>3</sup> /s	210	0.900	1.34	956	1,380	33.4
90th percentile	ft <sup>3</sup> /s	306	1.90	2.41	1,440	2,071	75.2
Drainage area	mi <sup>2</sup>	212	1.95	1.18	1079	1372	20.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	58.0	72.8	20.3	38.5	20.8	24.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.189	0.000	0.059	0.124	0.162	0.107
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.627	0.123	0.386	0.513	0.569	0.537
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.969	0.967	1.03	0.812	0.894	1.40
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.414	--	--	0.727
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.591	--	0.232	0.485	0.536	0.495
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.17	5.29	2.45	1.45	1.29	2.59
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.316	0.010	0.076	0.242	0.263	0.181
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.358	0.026	0.085	0.285	0.309	0.258
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.434	0.046	0.134	0.351	0.378	0.331
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.491	0.067	0.192	0.408	0.439	0.408
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.557	0.087	0.280	0.460	0.500	0.466
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.627	0.123	0.386	0.513	0.569	0.537
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.708	0.164	0.503	0.586	0.663	0.683
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.825	0.241	0.746	0.690	0.794	0.927
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.991	0.462	1.14	0.886	1.01	1.63
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	0.974	2.04	1.33	1.51	3.67

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>01627500</b>	<b>01628060</b>	<b>01628150</b>	<b>01628500</b>	<b>01629500</b>	<b>01630700</b>
Count	number	2,046	527	93.0	2,387	1,488	186
Max	ft <sup>3</sup> /s	1,830	82.0	5.40	7,720	10,200	213
Min	ft <sup>3</sup> /s	35.0	0.000	0.050	84.0	152	0.670
Median	ft <sup>3</sup> /s	102	0.060	0.260	408	580	5.65
Arithmetic Mean	ft <sup>3</sup> /s	133	1.07	0.608	549	753	13.4
Geometric Mean	ft <sup>3</sup> /s	--	--	0.282	--	--	6.36
Harmonic Mean	ft <sup>3</sup> /s	98.6	--	0.162	383	540	3.58
Standard Deviation	ft <sup>3</sup> /s	134	4.85	0.908	555	707	23.5
5th percentile	ft <sup>3</sup> /s	55.0	0.000	0.060	199	264	1.04
10th percentile	ft <sup>3</sup> /s	64.0	0.000	0.070	240	335	1.40
20th percentile	ft <sup>3</sup> /s	77.0	0.000	0.080	293	410	2.10
30th percentile	ft <sup>3</sup> /s	86.0	0.020	0.112	334	469	3.45
40th percentile	ft <sup>3</sup> /s	94.0	0.040	0.150	370	518	4.70
50th percentile	ft <sup>3</sup> /s	102	0.060	0.260	408	580	5.65
60th percentile	ft <sup>3</sup> /s	111	0.100	0.362	462	663	8.00
70th percentile	ft <sup>3</sup> /s	123	0.170	0.530	521	742	11.0
80th percentile	ft <sup>3</sup> /s	142	0.608	0.858	620	870	17.0
90th percentile	ft <sup>3</sup> /s	195	2.04	1.50	903	1,233	31.0
Drainage area	mi <sup>2</sup>	212	1.95	1.18	1079	1372	20.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.63	42.1	4.58	7.15	7.43	10.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.165	0.000	0.042	0.078	0.111	0.033
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.481	0.031	0.220	0.378	0.423	0.276
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.628	0.548	0.515	0.509	0.549	0.656
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.239	--	--	0.310
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.465	--	0.137	0.355	0.394	0.175
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.631	2.49	0.769	0.514	0.515	1.15
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.259	0.000	0.051	0.185	0.193	0.050
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.302	0.000	0.059	0.222	0.244	0.068
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.363	0.000	0.068	0.272	0.299	0.102
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.406	0.010	0.095	0.310	0.342	0.168
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.443	0.021	0.127	0.343	0.377	0.229
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.481	0.031	0.220	0.378	0.423	0.276
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.524	0.051	0.307	0.428	0.483	0.390
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.580	0.087	0.449	0.483	0.541	0.537
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.670	0.312	0.727	0.575	0.634	0.829
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.920	1.05	1.27	0.837	0.899	1.51

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01627500</b>	<b>01628060</b>	<b>01628150</b>	<b>01628500</b>	<b>01629500</b>	<b>01630700</b>
Count	number	2,046	527	93.0	2,387	1,488	185
Max	ft <sup>3</sup> /s	8,490	38.0	1.40	32,600	32,400	21.0
Min	ft <sup>3</sup> /s	25.0	0.000	0.020	84.0	138	0.180
Median	ft <sup>3</sup> /s	88.0	0.040	0.080	351	480	2.10
Arithmetic Mean	ft <sup>3</sup> /s	144	0.662	0.241	597	803	3.48
Geometric Mean	ft <sup>3</sup> /s	--	--	0.117	--	--	1.99
Harmonic Mean	ft <sup>3</sup> /s	88.7	--	0.073	337	485	1.09
Standard Deviation	ft <sup>3</sup> /s	331	2.93	0.324	1,188	1,353	3.93
5th percentile	ft <sup>3</sup> /s	49.0	0.000	0.030	170	262	0.270
10th percentile	ft <sup>3</sup> /s	58.5	0.000	0.032	203	311	0.394
20th percentile	ft <sup>3</sup> /s	68.0	0.000	0.044	244	367	0.730
30th percentile	ft <sup>3</sup> /s	75.0	0.000	0.056	279	405	1.10
40th percentile	ft <sup>3</sup> /s	81.0	0.020	0.060	312	439	1.60
50th percentile	ft <sup>3</sup> /s	88.0	0.040	0.080	351	480	2.10
60th percentile	ft <sup>3</sup> /s	98.0	0.070	0.100	400	540	2.80
70th percentile	ft <sup>3</sup> /s	112	0.130	0.218	470	637	3.60
80th percentile	ft <sup>3</sup> /s	141	0.340	0.426	650	868	5.34
90th percentile	ft <sup>3</sup> /s	226	1.30	0.712	1,054	1,400	8.54
Drainage area	mi <sup>2</sup>	212	1.95	1.18	1079	1372	20.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	40.0	19.5	1.19	30.2	23.6	1.02
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.118	0.000	0.017	0.078	0.101	0.009
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.415	0.021	0.068	0.325	0.350	0.102
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.677	0.339	0.204	0.553	0.585	0.170
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.099	--	--	0.097
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.418	--	0.062	0.313	0.354	0.053
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.50	0.274	1.10	0.986	0.192
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.231	0.000	0.025	0.158	0.191	0.013
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.276	0.000	0.027	0.188	0.226	0.019
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.321	0.000	0.037	0.226	0.267	0.036
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.354	0.000	0.047	0.259	0.295	0.054
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.382	0.010	0.051	0.289	0.320	0.078
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.415	0.021	0.068	0.325	0.350	0.102
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.462	0.036	0.085	0.370	0.394	0.137
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.526	0.067	0.185	0.436	0.464	0.176
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.665	0.174	0.361	0.602	0.633	0.260
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	0.667	0.603	0.977	1.02	0.417



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01627500</b>	<b>01628060</b>	<b>01628150</b>	<b>01628500</b>	<b>01629500</b>	<b>01630700</b>
Count	number	1,980	510	90.0	2,310	1,440	180
Max	ft <sup>3</sup> /s	12,500	181	0.640	63,500	84,400	1,040
Min	ft <sup>3</sup> /s	29.0	0.000	0.020	95.0	135	0.180
Median	ft <sup>3</sup> /s	83.0	0.050	0.040	317	433	4.45
Arithmetic Mean	ft <sup>3</sup> /s	199	1.12	0.068	680	1,114	42.1
Geometric Mean	ft <sup>3</sup> /s	--	--	0.050	--	--	5.14
Harmonic Mean	ft <sup>3</sup> /s	87.8	--	0.041	314	464	1.30
Standard Deviation	ft <sup>3</sup> /s	601	8.94	0.079	2,108	3,372	114
5th percentile	ft <sup>3</sup> /s	49.0	0.000	0.020	173	264	0.351
10th percentile	ft <sup>3</sup> /s	58.0	0.000	0.030	192	305	0.479
20th percentile	ft <sup>3</sup> /s	66.0	0.000	0.030	220	335	0.838
30th percentile	ft <sup>3</sup> /s	70.0	0.000	0.030	255	367	0.990
40th percentile	ft <sup>3</sup> /s	76.0	0.020	0.030	282	393	1.30
50th percentile	ft <sup>3</sup> /s	83.0	0.050	0.040	317	433	4.45
60th percentile	ft <sup>3</sup> /s	93.0	0.080	0.050	364	487	8.08
70th percentile	ft <sup>3</sup> /s	115	0.120	0.073	439	642	17.3
80th percentile	ft <sup>3</sup> /s	165	0.200	0.090	600	930	43.0
90th percentile	ft <sup>3</sup> /s	296	0.501	0.120	1,030	1,910	106
Drainage area	mi <sup>2</sup>	212	1.95	1.18	1079	1372	20.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	59.0	92.8	0.542	58.9	61.5	50.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.137	0.000	0.017	0.088	0.098	0.009
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.392	0.026	0.034	0.294	0.316	0.217
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.938	0.574	0.057	0.630	0.812	2.05
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.042	--	--	0.251
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.414	--	0.035	0.291	0.338	0.064
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.83	4.58	0.067	1.95	2.46	5.56
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.231	0.000	0.017	0.160	0.192	0.017
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.274	0.000	0.025	0.178	0.222	0.023
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.311	0.000	0.025	0.204	0.244	0.041
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.330	0.000	0.025	0.236	0.267	0.048
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.358	0.010	0.025	0.261	0.286	0.063
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.392	0.026	0.034	0.294	0.316	0.217
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.439	0.041	0.042	0.337	0.355	0.394
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.544	0.062	0.062	0.407	0.468	0.844
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.778	0.103	0.076	0.556	0.678	2.10
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	0.257	0.102	0.955	1.39	5.18

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01627500</b>	<b>01628060</b>	<b>01628150</b>	<b>01628500</b>	<b>01629500</b>	<b>01630700</b>
Count	number	2,046	527	93.0	2,418	1,457	186
Max	ft <sup>3</sup> /s	12,600	83.0	13.0	42,700	73,300	117
Min	ft <sup>3</sup> /s	32.0	0.000	0.020	100	206	0.280
Median	ft <sup>3</sup> /s	92.0	0.030	0.040	320	470	17.0
Arithmetic Mean	ft <sup>3</sup> /s	222	2.51	1.48	722	1,013	20.6
Geometric Mean	ft <sup>3</sup> /s	--	--	0.169	--	--	9.54
Harmonic Mean	ft <sup>3</sup> /s	95.5	--	0.053	324	478	2.17
Standard Deviation	ft <sup>3</sup> /s	530	8.30	2.88	1,799	2,770	21.4
5th percentile	ft <sup>3</sup> /s	51.0	0.000	0.030	177	257	0.347
10th percentile	ft <sup>3</sup> /s	59.0	0.000	0.030	190	288	0.555
20th percentile	ft <sup>3</sup> /s	65.0	0.000	0.030	220	334	1.40
30th percentile	ft <sup>3</sup> /s	72.0	0.000	0.030	248	366	7.30
40th percentile	ft <sup>3</sup> /s	78.0	0.014	0.030	278	403	15.0
50th percentile	ft <sup>3</sup> /s	92.0	0.030	0.040	320	470	17.0
60th percentile	ft <sup>3</sup> /s	111	0.060	0.082	387	540	20.0
70th percentile	ft <sup>3</sup> /s	150	0.420	0.904	481	677	23.0
80th percentile	ft <sup>3</sup> /s	228	1.60	1.82	717	1,030	30.0
90th percentile	ft <sup>3</sup> /s	390	5.98	5.66	1,273	1,810	44.5
Drainage area	mi <sup>2</sup>	212	1.95	1.18	1079	1372	20.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	59.4	42.6	11.0	39.6	53.4	5.71
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.151	0.000	0.017	0.093	0.150	0.014
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.434	0.015	0.034	0.297	0.343	0.829
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	1.29	1.26	0.669	0.738	1.01
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.144	--	--	0.466
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.450	--	0.045	0.301	0.348	0.106
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.50	4.26	2.44	1.67	2.02	1.04
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.241	0.000	0.025	0.164	0.187	0.017
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.278	0.000	0.025	0.176	0.210	0.027
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.307	0.000	0.025	0.204	0.243	0.068
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.340	0.000	0.025	0.230	0.267	0.356
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.368	0.007	0.025	0.258	0.294	0.732
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.434	0.015	0.034	0.297	0.343	0.829
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.524	0.031	0.069	0.359	0.394	0.976
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.708	0.215	0.766	0.446	0.493	1.12
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	0.821	1.54	0.665	0.751	1.46
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.84	3.07	4.80	1.18	1.32	2.17

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01627500</b>	<b>01628060</b>	<b>01628150</b>	<b>01628500</b>	<b>01629500</b>	<b>01630700</b>
Count	number	1,975	510	90.0	2,334	1,405	175
Max	ft <sup>3</sup> /s	16,400	337	18.0	60,000	78,700	594
Min	ft <sup>3</sup> /s	35.0	0.000	0.030	114	151	1.90
Median	ft <sup>3</sup> /s	123	0.460	0.065	412	597	24.0
Arithmetic Mean	ft <sup>3</sup> /s	247	3.35	0.922	818	1,217	46.5
Geometric Mean	ft <sup>3</sup> /s	--	--	0.175	--	--	23.8
Harmonic Mean	ft <sup>3</sup> /s	117	--	0.071	383	580	10.9
Standard Deviation	ft <sup>3</sup> /s	605	16.7	2.22	1,877	3,009	71.4
5th percentile	ft <sup>3</sup> /s	56.0	0.010	0.030	181	307	2.10
10th percentile	ft <sup>3</sup> /s	65.0	0.030	0.040	210	346	2.58
20th percentile	ft <sup>3</sup> /s	74.0	0.060	0.040	248	378	12.0
30th percentile	ft <sup>3</sup> /s	87.0	0.080	0.040	282	416	17.0
40th percentile	ft <sup>3</sup> /s	102	0.220	0.050	329	483	21.0
50th percentile	ft <sup>3</sup> /s	123	0.460	0.065	412	597	24.0
60th percentile	ft <sup>3</sup> /s	156	0.760	0.120	542	780	29.4
70th percentile	ft <sup>3</sup> /s	209	1.60	1.03	705	1,020	39.0
80th percentile	ft <sup>3</sup> /s	289	3.00	1.42	951	1,340	61.4
90th percentile	ft <sup>3</sup> /s	475	6.43	2.25	1,670	2,366	104
Drainage area	mi <sup>2</sup>	212	1.95	1.18	1079	1372	20.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	77.4	173	15.3	55.6	57.4	29.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.165	0.000	0.025	0.106	0.110	0.093
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.580	0.236	0.055	0.381	0.435	1.17
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	1.72	0.781	0.758	0.887	2.27
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.148	--	--	1.16
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.552	--	0.060	0.355	0.423	0.530
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.86	8.56	1.88	1.74	2.19	3.48
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.264	0.005	0.025	0.168	0.224	0.102
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.307	0.015	0.034	0.195	0.252	0.126
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.349	0.031	0.034	0.229	0.276	0.585
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.410	0.041	0.034	0.261	0.303	0.829
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.481	0.113	0.042	0.305	0.352	1.02
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.580	0.236	0.055	0.381	0.435	1.17
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.736	0.390	0.102	0.502	0.569	1.43
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.986	0.821	0.873	0.653	0.743	1.90
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.36	1.54	1.20	0.882	0.977	3.00
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.24	3.30	1.91	1.55	1.72	5.06

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01627500</b>	<b>01628060</b>	<b>01628150</b>	<b>01628500</b>	<b>01629500</b>	<b>01630700</b>
Count	number	2,015	527	93.0	2,387	1,426	155
Max	ft <sup>3</sup> /s	5,620	43.0	1.60	31,200	19,000	515
Min	ft <sup>3</sup> /s	40.0	0.000	0.030	129	214	8.30
Median	ft <sup>3</sup> /s	174	1.10	0.090	644	931	34.0
Arithmetic Mean	ft <sup>3</sup> /s	260	2.61	0.286	977	1,386	45.3
Geometric Mean	ft <sup>3</sup> /s	--	--	0.150	--	--	36.3
Harmonic Mean	ft <sup>3</sup> /s	142	--	0.090	474	730	30.8
Standard Deviation	ft <sup>3</sup> /s	339	4.44	0.333	1,379	1,661	47.4
5th percentile	ft <sup>3</sup> /s	60.0	0.050	0.040	190	319	12.8
10th percentile	ft <sup>3</sup> /s	70.0	0.136	0.040	223	353	19.4
20th percentile	ft <sup>3</sup> /s	90.0	0.440	0.050	278	439	23.0
30th percentile	ft <sup>3</sup> /s	117	0.608	0.060	391	578	27.0
40th percentile	ft <sup>3</sup> /s	145	0.838	0.070	505	759	32.0
50th percentile	ft <sup>3</sup> /s	174	1.10	0.090	644	931	34.0
60th percentile	ft <sup>3</sup> /s	206	1.60	0.220	771	1,080	38.0
70th percentile	ft <sup>3</sup> /s	255	2.40	0.398	944	1,355	45.8
80th percentile	ft <sup>3</sup> /s	334	3.50	0.544	1,258	1,850	56.2
90th percentile	ft <sup>3</sup> /s	497	6.20	0.600	1,968	2,740	75.0
Drainage area	mi <sup>2</sup>	212	1.95	1.18	1079	1372	20.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	26.5	22.1	1.36	28.9	13.8	25.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.189	0.000	0.025	0.120	0.156	0.405
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.821	0.564	0.076	0.597	0.678	1.66
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	1.34	0.243	0.906	1.01	2.21
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.127	--	--	1.77
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.671	--	0.076	0.439	0.532	1.50
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.60	2.28	0.282	1.28	1.21	2.31
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.283	0.026	0.034	0.176	0.233	0.624
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.330	0.070	0.034	0.206	0.257	0.946
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.425	0.226	0.042	0.258	0.320	1.12
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.552	0.312	0.051	0.362	0.421	1.32
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.684	0.430	0.059	0.468	0.553	1.56
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.821	0.564	0.076	0.597	0.678	1.66
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.972	0.821	0.186	0.715	0.787	1.85
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.23	0.337	0.875	0.988	2.23
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.58	1.79	0.461	1.17	1.35	2.74
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.34	3.18	0.508	1.82	2.00	3.66

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		January					
	units	01631000	01632000	01632082	01632900	01633000	01633500
Station Number	number						
Count	number	2,387	2,542	682	1,457	1,984	279
Max	ft <sup>3</sup> /s	71,400	12,800	3,310	5,190	24,200	690
Min	ft <sup>3</sup> /s	170	1.80	3.60	8.80	24.0	8.00
Median	ft <sup>3</sup> /s	1,260	101	32.0	63.0	280	50.0
Arithmetic Mean	ft <sup>3</sup> /s	1,889	217	52.5	97.7	473	76.9
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	963	40.8	19.7	41.3	159	31.3
Standard Deviation	ft <sup>3</sup> /s	2,597	468	141	183	871	89.0
5th percentile	ft <sup>3</sup> /s	354	8.80	6.60	13.9	44.5	10.0
10th percentile	ft <sup>3</sup> /s	432	16.0	8.20	17.0	61.0	11.0
20th percentile	ft <sup>3</sup> /s	660	35.0	13.0	27.0	110	21.0
30th percentile	ft <sup>3</sup> /s	850	52.0	18.0	38.0	156	28.4
40th percentile	ft <sup>3</sup> /s	1,040	72.0	26.0	50.0	214	38.0
50th percentile	ft <sup>3</sup> /s	1,260	101	32.0	63.0	280	50.0
60th percentile	ft <sup>3</sup> /s	1,500	138	38.0	76.0	359	64.6
70th percentile	ft <sup>3</sup> /s	1,890	190	47.7	95.0	465	84.0
80th percentile	ft <sup>3</sup> /s	2,538	285	61.0	122	620	120
90th percentile	ft <sup>3</sup> /s	3,714	447	93.9	186	953	163
Drainage area	mi <sup>2</sup>	1634	210	45.7	93.6	508	77.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	43.7	61.0	72.4	55.4	47.6	8.90
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.104	0.009	0.079	0.094	0.047	0.103
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.771	0.481	0.700	0.673	0.550	0.645
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	1.03	1.15	1.04	0.932	0.992
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.589	0.195	0.431	0.441	0.313	0.404
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.59	2.23	3.08	1.96	1.71	1.15
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.217	0.042	0.144	0.149	0.088	0.129
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.264	0.076	0.179	0.182	0.120	0.142
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.404	0.167	0.284	0.288	0.217	0.271
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.520	0.248	0.394	0.406	0.307	0.366
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.636	0.343	0.569	0.534	0.422	0.490
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.771	0.481	0.700	0.673	0.550	0.645
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.918	0.657	0.832	0.812	0.706	0.834
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	0.905	1.04	1.01	0.915	1.08
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.55	1.36	1.33	1.30	1.22	1.55
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.27	2.13	2.05	1.99	1.88	2.10

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01631000</b>	<b>01632000</b>	<b>01632082</b>	<b>01632900</b>	<b>01633000</b>	<b>01633500</b>
Count	number	2,175	2,316	621	1,327	1,808	255
Max	ft <sup>3</sup> /s	35,100	5,140	597	2,510	8,610	722
Min	ft <sup>3</sup> /s	217	1.50	3.80	9.10	22.0	14.0
Median	ft <sup>3</sup> /s	1,510	146	28.0	70.0	355	85.0
Arithmetic Mean	ft <sup>3</sup> /s	2,171	282	50.3	111	566	109
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1,174	61.0	19.9	51.7	213	54.4
Standard Deviation	ft <sup>3</sup> /s	2,490	462	69.5	155	765	103
5th percentile	ft <sup>3</sup> /s	436	16.0	6.90	18.0	64.0	15.0
10th percentile	ft <sup>3</sup> /s	584	28.0	9.30	26.0	96.7	18.0
20th percentile	ft <sup>3</sup> /s	815	50.0	14.0	40.0	162	47.0
30th percentile	ft <sup>3</sup> /s	1,070	77.0	19.0	50.0	220	59.0
40th percentile	ft <sup>3</sup> /s	1,266	108	23.0	59.0	288	70.6
50th percentile	ft <sup>3</sup> /s	1,510	146	28.0	70.0	355	85.0
60th percentile	ft <sup>3</sup> /s	1,850	188	37.0	85.0	442	98.4
70th percentile	ft <sup>3</sup> /s	2,240	251	49.0	104	567	120
80th percentile	ft <sup>3</sup> /s	2,790	368	63.0	135	726	148
90th percentile	ft <sup>3</sup> /s	4,046	633	105	214	1,160	197
Drainage area	mi <sup>2</sup>	1634	210	45.7	93.6	508	77.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.5	24.5	13.1	26.8	16.9	9.32
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.133	0.007	0.083	0.097	0.043	0.181
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.924	0.695	0.613	0.748	0.699	1.10
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.33	1.34	1.10	1.19	1.11	1.40
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.719	0.290	0.436	0.552	0.419	0.702
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.52	2.20	1.52	1.66	1.51	1.33
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.267	0.076	0.151	0.192	0.126	0.194
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.357	0.133	0.204	0.278	0.190	0.232
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.499	0.238	0.306	0.427	0.319	0.606
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.655	0.367	0.416	0.534	0.433	0.761
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.775	0.514	0.503	0.630	0.567	0.911
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.924	0.695	0.613	0.748	0.699	1.10
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	0.895	0.810	0.908	0.870	1.27
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	1.19	1.07	1.11	1.12	1.54
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	1.75	1.38	1.44	1.43	1.90
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.48	3.01	2.30	2.28	2.28	2.54

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01631000</b>	<b>01632000</b>	<b>01632082</b>	<b>01632900</b>	<b>01633000</b>	<b>01633500</b>
Count	number	2,387	2,542	682	1,457	1,984	279
Max	ft <sup>3</sup> /s	96,400	14,900	1,170	2,160	14,000	1,610
Min	ft <sup>3</sup> /s	268	11.0	3.90	8.80	21.0	22.0
Median	ft <sup>3</sup> /s	1,940	212	39.0	95.0	498	87.0
Arithmetic Mean	ft <sup>3</sup> /s	2,807	412	69.6	149	826	142
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1,624	141	26.3	72.2	364	80.7
Standard Deviation	ft <sup>3</sup> /s	3,511	724	102	197	1,101	182
5th percentile	ft <sup>3</sup> /s	716	45.0	9.55	27.0	139	40.0
10th percentile	ft <sup>3</sup> /s	863	67.0	12.0	37.0	186	44.8
20th percentile	ft <sup>3</sup> /s	1,150	100	17.0	50.0	252	53.6
30th percentile	ft <sup>3</sup> /s	1,360	130	24.0	61.0	332	64.4
40th percentile	ft <sup>3</sup> /s	1,640	170	31.0	77.0	408	75.0
50th percentile	ft <sup>3</sup> /s	1,940	212	39.0	95.0	498	87.0
60th percentile	ft <sup>3</sup> /s	2,360	266	48.0	116	617	108
70th percentile	ft <sup>3</sup> /s	2,872	342	63.0	146	773	132
80th percentile	ft <sup>3</sup> /s	3,618	495	88.0	190	1,034	160
90th percentile	ft <sup>3</sup> /s	5,250	860	150	281	1,670	268
Drainage area	mi <sup>2</sup>	1634	210	45.7	93.6	508	77.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	59.0	71.0	25.6	23.1	27.6	20.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.164	0.052	0.085	0.094	0.041	0.284
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	1.01	0.853	1.01	0.980	1.12
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.72	1.96	1.52	1.59	1.63	1.83
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.994	0.671	0.576	0.771	0.717	1.04
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.15	3.45	2.23	2.11	2.17	2.35
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.438	0.214	0.209	0.288	0.274	0.516
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.528	0.319	0.263	0.395	0.367	0.578
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.704	0.476	0.372	0.534	0.496	0.692
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.832	0.619	0.525	0.652	0.654	0.831
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.00	0.810	0.678	0.823	0.803	0.968
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	1.01	0.853	1.01	0.980	1.12
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	1.27	1.05	1.24	1.22	1.39
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.76	1.63	1.38	1.56	1.52	1.70
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.21	2.36	1.93	2.03	2.04	2.06
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.21	4.09	3.28	3.00	3.29	3.46

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		April					
	units						
Station Number	number	01631000	01632000	01632082	01632900	01633000	01633500
Count	number	2,310	2,490	660	1,410	1,920	300
Max	ft <sup>3</sup> /s	43,700	13,900	752	2,770	15,800	1,510
Min	ft <sup>3</sup> /s	442	20.0	4.00	16.0	64.0	28.0
Median	ft <sup>3</sup> /s	1,680	174	31.0	79.0	389	69.0
Arithmetic Mean	ft <sup>3</sup> /s	2,436	351	48.1	114	644	108
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1,534	126	22.9	65.4	314	63.1
Standard Deviation	ft <sup>3</sup> /s	2,683	662	65.1	139	881	136
5th percentile	ft <sup>3</sup> /s	740	47.0	9.81	27.6	125	31.0
10th percentile	ft <sup>3</sup> /s	872	59.0	11.0	34.0	156	34.0
20th percentile	ft <sup>3</sup> /s	1,070	79.0	14.0	44.0	216	41.0
30th percentile	ft <sup>3</sup> /s	1,247	103	19.0	58.0	266	48.0
40th percentile	ft <sup>3</sup> /s	1,440	135	26.0	68.0	325	59.0
50th percentile	ft <sup>3</sup> /s	1,680	174	31.0	79.0	389	69.0
60th percentile	ft <sup>3</sup> /s	2,010	225	37.0	94.0	485	80.0
70th percentile	ft <sup>3</sup> /s	2,463	299	49.0	118	620	102
80th percentile	ft <sup>3</sup> /s	3,130	424	66.2	152	848	132
90th percentile	ft <sup>3</sup> /s	4,691	712	94.0	212	1,300	207
Drainage area	mi <sup>2</sup>	1634	210	45.7	93.6	508	77.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	26.7	66.2	16.5	29.6	31.1	19.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.271	0.095	0.088	0.171	0.126	0.361
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.826	0.678	0.844	0.766	0.890
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	1.67	1.05	1.22	1.27	1.39
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.939	0.599	0.502	0.699	0.619	0.814
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.64	3.15	1.42	1.49	1.73	1.75
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.453	0.224	0.215	0.294	0.246	0.400
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.534	0.281	0.241	0.363	0.307	0.439
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.655	0.376	0.306	0.470	0.425	0.529
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.763	0.490	0.416	0.620	0.524	0.619
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.881	0.643	0.569	0.726	0.639	0.761
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.826	0.678	0.844	0.766	0.890
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.07	0.810	1.00	0.955	1.03
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.51	1.43	1.07	1.26	1.22	1.32
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.92	2.02	1.45	1.62	1.67	1.70
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.87	3.39	2.06	2.26	2.56	2.67



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	01631000	01632000	01632082	01632900	01633000	01633500
Count	number	2,387	2,573	682	1,457	1,984	310
Max	ft <sup>3</sup> /s	41,600	12,500	274	1,640	7,830	928
Min	ft <sup>3</sup> /s	331	9.40	5.80	15.0	47.0	15.0
Median	ft <sup>3</sup> /s	1,370	123	22.0	60.0	315	67.0
Arithmetic Mean	ft <sup>3</sup> /s	1,812	267	33.0	80.2	505	105
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1,226	82.0	21.0	51.4	254	57.2
Standard Deviation	ft <sup>3</sup> /s	1,819	519	32.2	83.9	654	124
5th percentile	ft <sup>3</sup> /s	602	28.0	10.0	23.0	102	22.0
10th percentile	ft <sup>3</sup> /s	708	36.2	12.0	28.0	128	29.0
20th percentile	ft <sup>3</sup> /s	844	52.0	15.0	35.0	165	42.0
30th percentile	ft <sup>3</sup> /s	1,000	72.0	17.0	42.0	210	50.0
40th percentile	ft <sup>3</sup> /s	1,160	95.0	19.0	50.0	259	55.6
50th percentile	ft <sup>3</sup> /s	1,370	123	22.0	60.0	315	67.0
60th percentile	ft <sup>3</sup> /s	1,580	162	27.0	72.0	380	80.0
70th percentile	ft <sup>3</sup> /s	1,880	220	33.0	85.0	475	102
80th percentile	ft <sup>3</sup> /s	2,310	332	44.0	100	654	130
90th percentile	ft <sup>3</sup> /s	3,300	550	63.0	139	1,010	198
Drainage area	mi <sup>2</sup>	1634	210	45.7	93.6	508	77.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	25.5	59.5	6.00	17.5	15.4	12.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.203	0.045	0.127	0.160	0.093	0.194
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.838	0.586	0.481	0.641	0.620	0.865
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	1.27	0.723	0.857	0.994	1.35
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.750	0.391	0.460	0.549	0.499	0.739
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	2.47	0.704	0.896	1.29	1.59
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.368	0.133	0.219	0.246	0.201	0.284
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.433	0.172	0.263	0.299	0.252	0.374
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.517	0.248	0.328	0.374	0.325	0.542
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.612	0.343	0.372	0.449	0.413	0.645
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.710	0.452	0.416	0.534	0.510	0.717
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.838	0.586	0.481	0.641	0.620	0.865
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.967	0.771	0.591	0.769	0.748	1.03
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	1.05	0.722	0.908	0.935	1.32
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	1.58	0.963	1.07	1.29	1.68
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.02	2.62	1.38	1.49	1.99	2.55

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units	01631000	01632000	01632082	01632900	01633000	01633500
Station Number	number						
Count	number	2,310	2,490	660	1,410	1,920	300
Max	ft <sup>3</sup> /s	57,000	7,390	732	3,280	11,100	1,450
Min	ft <sup>3</sup> /s	289	2.30	4.40	8.60	12.0	7.60
Median	ft <sup>3</sup> /s	881	45.0	18.0	42.0	169	25.0
Arithmetic Mean	ft <sup>3</sup> /s	1,338	136	30.7	60.7	318	54.4
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	828	30.0	15.6	34.9	133	24.3
Standard Deviation	ft <sup>3</sup> /s	2,327	407	54.6	119	650	117
5th percentile	ft <sup>3</sup> /s	405	9.50	7.10	15.0	53.0	12.0
10th percentile	ft <sup>3</sup> /s	476	14.0	8.70	19.0	69.0	14.0
20th percentile	ft <sup>3</sup> /s	597	21.0	11.0	25.0	97.0	16.8
30th percentile	ft <sup>3</sup> /s	699	26.0	13.0	30.0	121	20.0
40th percentile	ft <sup>3</sup> /s	798	34.0	15.0	36.0	143	22.0
50th percentile	ft <sup>3</sup> /s	881	45.0	18.0	42.0	169	25.0
60th percentile	ft <sup>3</sup> /s	990	60.0	21.0	47.4	202	29.0
70th percentile	ft <sup>3</sup> /s	1,173	86.0	24.0	55.0	244	38.0
80th percentile	ft <sup>3</sup> /s	1,480	130	30.0	66.0	335	54.0
90th percentile	ft <sup>3</sup> /s	2,240	256	50.1	92.1	541	95.1
Drainage area	mi <sup>2</sup>	1634	210	45.7	93.6	508	77.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	34.9	35.2	16.0	35.0	21.9	18.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.011	0.096	0.092	0.024	0.098
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.539	0.214	0.394	0.449	0.333	0.323
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.819	0.647	0.671	0.649	0.626	0.702
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.506	0.143	0.342	0.373	0.263	0.314
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.42	1.94	1.19	1.27	1.28	1.50
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.248	0.045	0.155	0.160	0.104	0.155
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.291	0.067	0.190	0.203	0.136	0.181
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.365	0.100	0.241	0.267	0.191	0.217
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.428	0.124	0.284	0.321	0.238	0.258
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.488	0.162	0.328	0.385	0.281	0.284
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.539	0.214	0.394	0.449	0.333	0.323
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.606	0.286	0.460	0.506	0.398	0.374
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.718	0.410	0.525	0.588	0.480	0.490
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.906	0.620	0.656	0.705	0.659	0.697
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	1.22	1.10	0.984	1.07	1.23

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	01631000	01632000	01632082	01632900	01633000	01633500
Count	number	2,387	2,573	682	1,457	1,984	310
Max	ft <sup>3</sup> /s	10,900	4,770	480	664	3,820	469
Min	ft <sup>3</sup> /s	176	0.570	2.40	6.80	4.50	5.40
Median	ft <sup>3</sup> /s	633	19.0	13.0	30.0	97.0	13.0
Arithmetic Mean	ft <sup>3</sup> /s	807	64.9	21.9	37.6	171	21.5
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	594	8.83	11.2	24.4	71.1	12.9
Standard Deviation	ft <sup>3</sup> /s	718	218	37.2	38.7	272	34.6
5th percentile	ft <sup>3</sup> /s	322	2.20	5.22	10.0	30.0	7.31
10th percentile	ft <sup>3</sup> /s	370	4.30	6.22	13.0	40.0	8.00
20th percentile	ft <sup>3</sup> /s	447	7.70	7.90	18.0	55.6	9.92
30th percentile	ft <sup>3</sup> /s	509	11.0	9.70	22.0	68.9	10.0
40th percentile	ft <sup>3</sup> /s	573	14.0	11.0	26.0	81.0	12.0
50th percentile	ft <sup>3</sup> /s	633	19.0	13.0	30.0	97.0	13.0
60th percentile	ft <sup>3</sup> /s	700	25.0	15.0	34.0	116	14.0
70th percentile	ft <sup>3</sup> /s	795	36.0	18.0	38.0	147	17.0
80th percentile	ft <sup>3</sup> /s	937	56.0	24.0	45.0	191	21.0
90th percentile	ft <sup>3</sup> /s	1,310	115	36.0	64.0	327	40.0
Drainage area	mi <sup>2</sup>	1634	210	45.7	93.6	508	77.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.67	22.7	10.5	7.09	7.52	6.05
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.003	0.053	0.073	0.009	0.070
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.387	0.090	0.284	0.321	0.191	0.168
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.494	0.309	0.479	0.402	0.336	0.278
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.364	0.042	0.244	0.261	0.140	0.167
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.439	1.04	0.815	0.413	0.536	0.446
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.197	0.010	0.114	0.107	0.059	0.094
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.226	0.020	0.136	0.139	0.079	0.103
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.274	0.037	0.173	0.192	0.109	0.128
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.311	0.052	0.212	0.235	0.136	0.129
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.351	0.067	0.241	0.278	0.159	0.155
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.387	0.090	0.284	0.321	0.191	0.168
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.428	0.119	0.328	0.363	0.228	0.181
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.487	0.171	0.394	0.406	0.289	0.219
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.573	0.267	0.525	0.481	0.376	0.271
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.802	0.548	0.788	0.684	0.644	0.516

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01631000</b>	<b>01632000</b>	<b>01632082</b>	<b>01632900</b>	<b>01633000</b>	<b>01633500</b>
Count	number	2,387	2,573	705	1,488	1,984	310
Max	ft <sup>3</sup> /s	59,300	11,400	681	1,180	17,400	2,910
Min	ft <sup>3</sup> /s	160	0.200	1.70	4.00	1.80	5.40
Median	ft <sup>3</sup> /s	538	14.0	10.0	23.0	74.0	9.50
Arithmetic Mean	ft <sup>3</sup> /s	912	83.4	22.8	35.3	207	39.1
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	533	3.88	9.64	20.1	52.2	10.6
Standard Deviation	ft <sup>3</sup> /s	2,047	339	52.7	59.8	604	180
5th percentile	ft <sup>3</sup> /s	279	0.760	4.50	9.10	20.0	6.20
10th percentile	ft <sup>3</sup> /s	325	1.50	5.90	11.0	27.0	6.60
20th percentile	ft <sup>3</sup> /s	389	2.90	7.10	15.0	40.6	7.00
30th percentile	ft <sup>3</sup> /s	440	4.96	7.90	18.1	51.0	7.80
40th percentile	ft <sup>3</sup> /s	485	8.30	9.20	21.0	63.0	8.50
50th percentile	ft <sup>3</sup> /s	538	14.0	10.0	23.0	74.0	9.50
60th percentile	ft <sup>3</sup> /s	606	20.2	12.0	26.0	96.8	11.0
70th percentile	ft <sup>3</sup> /s	744	33.0	15.0	31.0	132	16.0
80th percentile	ft <sup>3</sup> /s	985	65.0	21.2	40.0	212	25.0
90th percentile	ft <sup>3</sup> /s	1,560	169	44.2	58.0	399	54.3
Drainage area	mi <sup>2</sup>	1634	210	45.7	93.6	508	77.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	36.3	54.3	14.9	12.6	34.3	37.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.098	0.001	0.037	0.043	0.004	0.070
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.329	0.067	0.219	0.246	0.146	0.123
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.558	0.397	0.500	0.377	0.407	0.504
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.326	0.018	0.211	0.215	0.103	0.137
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	1.62	1.15	0.638	1.19	2.32
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	0.004	0.098	0.097	0.039	0.080
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.199	0.007	0.129	0.118	0.053	0.085
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.238	0.014	0.155	0.160	0.080	0.090
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.269	0.024	0.173	0.193	0.100	0.101
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.297	0.040	0.201	0.224	0.124	0.110
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.329	0.067	0.219	0.246	0.146	0.123
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.371	0.096	0.263	0.278	0.191	0.142
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.455	0.157	0.328	0.331	0.260	0.206
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.603	0.310	0.464	0.427	0.418	0.323
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.955	0.805	0.967	0.620	0.786	0.701

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01631000</b>	<b>01632000</b>	<b>01632082</b>	<b>01632900</b>	<b>01633000</b>	<b>01633500</b>
Count	number	2,310	2,490	690	1,440	1,920	300
Max	ft <sup>3</sup> /s	98,200	26,400	4,700	4,840	32,200	256
Min	ft <sup>3</sup> /s	140	0.200	2.20	2.80	2.20	4.40
Median	ft <sup>3</sup> /s	504	10.0	9.15	19.0	64.0	9.50
Arithmetic Mean	ft <sup>3</sup> /s	1,057	95.5	42.0	48.9	237	14.5
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	509	3.61	9.54	18.1	52.7	9.54
Standard Deviation	ft <sup>3</sup> /s	3,234	697	224	206	1,149	18.9
5th percentile	ft <sup>3</sup> /s	289	1.00	4.16	8.80	22.0	5.10
10th percentile	ft <sup>3</sup> /s	316	1.30	5.70	10.0	29.0	5.79
20th percentile	ft <sup>3</sup> /s	367	2.20	6.90	13.0	36.0	6.80
30th percentile	ft <sup>3</sup> /s	413	3.70	7.30	15.0	44.0	7.20
40th percentile	ft <sup>3</sup> /s	460	5.86	8.00	17.0	53.0	8.20
50th percentile	ft <sup>3</sup> /s	504	10.0	9.15	19.0	64.0	9.50
60th percentile	ft <sup>3</sup> /s	575	15.0	12.0	24.0	84.4	11.4
70th percentile	ft <sup>3</sup> /s	689	25.0	16.0	28.0	119	14.0
80th percentile	ft <sup>3</sup> /s	938	50.0	28.0	38.0	186	18.0
90th percentile	ft <sup>3</sup> /s	1,681	127	69.1	71.0	366	26.0
Drainage area	mi <sup>2</sup>	1634	210	45.7	93.6	508	77.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	60.1	126	103	51.7	63.4	3.30
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.086	0.001	0.048	0.030	0.004	0.057
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.308	0.048	0.200	0.203	0.126	0.123
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.647	0.455	0.918	0.523	0.466	0.187
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.312	0.017	0.209	0.194	0.104	0.123
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.98	3.32	4.90	2.21	2.26	0.244
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.005	0.091	0.094	0.043	0.066
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.193	0.006	0.125	0.107	0.057	0.075
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.225	0.010	0.151	0.139	0.071	0.088
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.018	0.160	0.160	0.087	0.093
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.282	0.028	0.175	0.182	0.104	0.106
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.308	0.048	0.200	0.203	0.126	0.123
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.352	0.071	0.263	0.256	0.166	0.147
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.422	0.119	0.350	0.299	0.234	0.181
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.574	0.238	0.613	0.406	0.367	0.232
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.605	1.51	0.759	0.720	0.335

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01631000</b>	<b>01632000</b>	<b>01632082</b>	<b>01632900</b>	<b>01633000</b>	<b>01633500</b>
Count	number	2,418	2,573	713	1,488	2,015	279
Max	ft <sup>3</sup> /s	114,000	24,900	617	3,840	13,300	1,210
Min	ft <sup>3</sup> /s	118	0.400	4.80	6.50	14.0	5.10
Median	ft <sup>3</sup> /s	520	12.0	11.0	22.0	78.0	12.0
Arithmetic Mean	ft <sup>3</sup> /s	1,141	121	24.7	52.6	231	23.8
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	524	6.13	11.0	21.6	65.8	10.9
Standard Deviation	ft <sup>3</sup> /s	3,295	687	42.8	142	657	81.2
5th percentile	ft <sup>3</sup> /s	290	1.70	6.00	9.70	27.0	6.60
10th percentile	ft <sup>3</sup> /s	311	2.30	6.30	12.0	32.0	6.90
20th percentile	ft <sup>3</sup> /s	362	3.80	6.80	14.0	42.0	7.20
30th percentile	ft <sup>3</sup> /s	400	5.60	7.20	16.0	50.0	8.00
40th percentile	ft <sup>3</sup> /s	450	8.30	8.50	19.0	60.0	10.0
50th percentile	ft <sup>3</sup> /s	520	12.0	11.0	22.0	78.0	12.0
60th percentile	ft <sup>3</sup> /s	604	21.0	15.0	27.0	101	13.0
70th percentile	ft <sup>3</sup> /s	740	41.0	24.0	36.0	141	14.0
80th percentile	ft <sup>3</sup> /s	1,156	75.0	33.0	64.6	233	19.0
90th percentile	ft <sup>3</sup> /s	2,013	189	54.0	109	450	30.2
Drainage area	mi <sup>2</sup>	1634	210	45.7	93.6	508	77.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	69.8	119	13.5	41.0	26.2	15.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.072	0.002	0.105	0.069	0.028	0.066
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.318	0.057	0.241	0.235	0.154	0.155
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.699	0.575	0.540	0.562	0.455	0.307
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.321	0.029	0.240	0.231	0.129	0.141
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.02	3.27	0.937	1.52	1.29	1.05
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.008	0.131	0.104	0.053	0.085
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.190	0.011	0.138	0.128	0.063	0.089
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.222	0.018	0.149	0.150	0.083	0.093
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.245	0.027	0.158	0.171	0.098	0.103
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.275	0.040	0.186	0.203	0.118	0.129
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.318	0.057	0.241	0.235	0.154	0.155
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.370	0.100	0.328	0.288	0.200	0.168
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.453	0.195	0.525	0.385	0.277	0.181
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.707	0.357	0.722	0.690	0.459	0.245
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	0.899	1.18	1.16	0.886	0.390

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01631000</b>	<b>01632000</b>	<b>01632082</b>	<b>01632900</b>	<b>01633000</b>	<b>01633500</b>
Count	number	2,335	2,485	684	1,434	1,945	270
Max	ft <sup>3</sup> /s	92,400	21,000	1,140	3,230	30,300	1,750
Min	ft <sup>3</sup> /s	107	1.20	5.10	9.30	21.0	8.00
Median	ft <sup>3</sup> /s	662	33.0	15.0	29.0	109	20.0
Arithmetic Mean	ft <sup>3</sup> /s	1,265	157	34.7	60.4	309	55.7
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	630	14.8	14.0	26.8	88.5	17.5
Standard Deviation	ft <sup>3</sup> /s	2,903	670	78.0	134	958	152
5th percentile	ft <sup>3</sup> /s	316	3.70	6.73	12.0	34.0	8.00
10th percentile	ft <sup>3</sup> /s	360	4.94	7.20	14.0	41.4	9.00
20th percentile	ft <sup>3</sup> /s	418	8.70	8.50	17.0	55.0	11.0
30th percentile	ft <sup>3</sup> /s	462	13.0	10.0	19.0	67.2	13.0
40th percentile	ft <sup>3</sup> /s	530	21.0	12.0	24.0	84.0	16.0
50th percentile	ft <sup>3</sup> /s	662	33.0	15.0	29.0	109	20.0
60th percentile	ft <sup>3</sup> /s	864	51.0	21.0	39.0	149	23.0
70th percentile	ft <sup>3</sup> /s	1,140	83.0	30.0	54.0	218	30.0
80th percentile	ft <sup>3</sup> /s	1,530	149	42.0	75.0	345	45.4
90th percentile	ft <sup>3</sup> /s	2,546	310	67.0	125	639	94.2
Drainage area	mi <sup>2</sup>	1634	210	45.7	93.6	508	77.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	56.5	100	24.9	34.5	59.6	22.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.065	0.006	0.112	0.099	0.041	0.103
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.405	0.157	0.328	0.310	0.215	0.258
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.774	0.748	0.760	0.646	0.609	0.719
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.386	0.071	0.306	0.286	0.174	0.226
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.78	3.19	1.71	1.43	1.89	1.96
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.193	0.018	0.147	0.128	0.067	0.103
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.220	0.024	0.158	0.150	0.081	0.116
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.256	0.041	0.186	0.182	0.108	0.142
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.283	0.062	0.219	0.203	0.132	0.168
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.324	0.100	0.263	0.256	0.165	0.206
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.405	0.157	0.328	0.310	0.215	0.258
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.529	0.243	0.460	0.417	0.294	0.297
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.698	0.395	0.656	0.577	0.429	0.387
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.936	0.710	0.919	0.801	0.679	0.586
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.48	1.47	1.34	1.26	1.22

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01631000</b>	<b>01632000</b>	<b>01632082</b>	<b>01632900</b>	<b>01633000</b>	<b>01633500</b>
Count	number	2,387	2,542	682	1,457	1,984	279
Max	ft <sup>3</sup> /s	43,700	12,100	612	1,570	11,100	2,050
Min	ft <sup>3</sup> /s	162	2.90	3.80	8.00	19.0	8.00
Median	ft <sup>3</sup> /s	1,040	79.0	23.0	46.0	209	35.0
Arithmetic Mean	ft <sup>3</sup> /s	1,517	188	37.9	72.2	391	81.9
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	784	24.8	15.2	32.9	120	24.1
Standard Deviation	ft <sup>3</sup> /s	2,033	455	53.7	105	659	176
5th percentile	ft <sup>3</sup> /s	330	5.00	6.00	13.0	40.0	9.50
10th percentile	ft <sup>3</sup> /s	384	7.20	6.80	15.0	48.0	10.0
20th percentile	ft <sup>3</sup> /s	480	20.0	8.42	20.0	68.0	12.6
30th percentile	ft <sup>3</sup> /s	652	36.0	11.0	27.0	110	18.0
40th percentile	ft <sup>3</sup> /s	815	55.0	17.0	34.0	146	26.0
50th percentile	ft <sup>3</sup> /s	1,040	79.0	23.0	46.0	209	35.0
60th percentile	ft <sup>3</sup> /s	1,210	108	29.0	57.0	270	41.8
70th percentile	ft <sup>3</sup> /s	1,472	150	38.7	71.0	356	62.6
80th percentile	ft <sup>3</sup> /s	1,980	227	52.0	92.0	510	90.2
90th percentile	ft <sup>3</sup> /s	2,984	400	81.9	152	858	173
Drainage area	mi <sup>2</sup>	1634	210	45.7	93.6	508	77.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	26.7	57.6	13.4	16.8	21.9	26.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.099	0.014	0.083	0.085	0.037	0.103
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.636	0.376	0.503	0.491	0.411	0.452
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.928	0.895	0.830	0.772	0.769	1.06
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.480	0.118	0.333	0.352	0.237	0.312
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	2.17	1.17	1.13	1.30	2.28
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.202	0.024	0.131	0.139	0.079	0.123
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.235	0.034	0.149	0.160	0.094	0.129
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.294	0.095	0.184	0.214	0.134	0.163
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.399	0.171	0.241	0.288	0.216	0.232
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.499	0.262	0.372	0.363	0.287	0.335
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.636	0.376	0.503	0.491	0.411	0.452
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.741	0.514	0.635	0.609	0.531	0.539
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.901	0.714	0.847	0.759	0.701	0.808
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.08	1.14	0.983	1.00	1.16
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.83	1.90	1.79	1.63	1.69	2.23



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>01634000</b>	<b>01634500</b>	<b>01635090</b>	<b>01635500</b>	<b>01636210</b>	<b>01636242</b>
Count	number	2,542	2,170	217	2,325	899	93.0
Max	ft <sup>3</sup> /s	34,700	6,000	2,820	4,260	180	335
Min	ft <sup>3</sup> /s	65.0	5.80	17.0	1.60	0.600	7.50
Median	ft <sup>3</sup> /s	429	65.0	103	50.0	10.0	25.0
Arithmetic Mean	ft <sup>3</sup> /s	687	113	139	95.5	15.4	37.7
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	26.9
Harmonic Mean	ft <sup>3</sup> /s	308	44.8	66.0	28.2	5.51	21.6
Standard Deviation	ft <sup>3</sup> /s	1,117	206	231	179	17.4	47.5
5th percentile	ft <sup>3</sup> /s	120	15.6	23.0	8.20	1.80	8.74
10th percentile	ft <sup>3</sup> /s	142	21.0	26.6	12.0	3.00	10.0
20th percentile	ft <sup>3</sup> /s	190	30.0	33.2	19.0	4.00	18.0
30th percentile	ft <sup>3</sup> /s	255	40.0	78.0	28.0	5.30	20.0
40th percentile	ft <sup>3</sup> /s	330	52.0	90.0	38.0	7.20	22.8
50th percentile	ft <sup>3</sup> /s	429	65.0	103	50.0	10.0	25.0
60th percentile	ft <sup>3</sup> /s	540	84.0	122	66.0	14.0	26.0
70th percentile	ft <sup>3</sup> /s	684	106	132	88.0	18.0	30.4
80th percentile	ft <sup>3</sup> /s	900	140	168	125	23.0	42.6
90th percentile	ft <sup>3</sup> /s	1,370	220	233	196	34.0	63.0
Drainage area	mi <sup>2</sup>	770	102	154	86.5	14	46.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	45.1	58.8	18.3	49.2	12.9	7.14
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.084	0.057	0.110	0.018	0.043	0.160
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.556	0.637	0.669	0.578	0.714	0.533
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.892	1.11	0.905	1.10	1.10	0.804
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.573
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.400	0.439	0.429	0.326	0.394	0.461
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.45	2.02	1.50	2.08	1.24	1.01
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.156	0.152	0.149	0.095	0.129	0.186
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.184	0.206	0.173	0.139	0.214	0.213
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.247	0.294	0.216	0.220	0.286	0.384
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.331	0.392	0.506	0.324	0.379	0.426
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.429	0.510	0.584	0.439	0.514	0.486
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.556	0.637	0.669	0.578	0.714	0.533
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.701	0.824	0.790	0.763	1.00	0.554
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.888	1.04	0.857	1.02	1.29	0.648
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.37	1.09	1.45	1.64	0.908
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.78	2.16	1.51	2.27	2.43	1.34

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01634000</b>	<b>01634500</b>	<b>01635090</b>	<b>01635500</b>	<b>01636210</b>	<b>01636242</b>
Count	number	2,316	1,977	197	2,118	819	84.0
Max	ft <sup>3</sup> /s	14,300	3,770	1,940	2,220	336	290
Min	ft <sup>3</sup> /s	60.0	7.80	20.0	3.00	0.900	5.50
Median	ft <sup>3</sup> /s	559	84.0	100	70.0	14.0	23.0
Arithmetic Mean	ft <sup>3</sup> /s	859	142	163	116	20.2	35.6
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	22.3
Harmonic Mean	ft <sup>3</sup> /s	389	59.1	71.8	38.8	8.30	16.0
Standard Deviation	ft <sup>3</sup> /s	1,083	221	240	175	24.3	48.7
5th percentile	ft <sup>3</sup> /s	122	20.0	24.9	11.0	2.40	6.13
10th percentile	ft <sup>3</sup> /s	171	25.0	29.0	16.0	3.70	6.50
20th percentile	ft <sup>3</sup> /s	276	40.0	52.6	30.0	6.40	8.26
30th percentile	ft <sup>3</sup> /s	368	57.0	68.8	44.0	9.50	18.0
40th percentile	ft <sup>3</sup> /s	470	69.0	83.0	56.0	12.0	20.0
50th percentile	ft <sup>3</sup> /s	559	84.0	100	70.0	14.0	23.0
60th percentile	ft <sup>3</sup> /s	669	102	108	84.0	17.0	25.8
70th percentile	ft <sup>3</sup> /s	840	125	121	106	21.0	28.0
80th percentile	ft <sup>3</sup> /s	1,120	175	183	140	27.0	36.4
90th percentile	ft <sup>3</sup> /s	1,740	284	375	239	40.0	68.0
Drainage area	mi <sup>2</sup>	770	102	154	86.5	14	46.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	18.6	37.0	12.6	25.7	24.0	6.18
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.078	0.076	0.130	0.035	0.064	0.117
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.726	0.824	0.649	0.809	1.00	0.490
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	1.40	1.06	1.34	1.44	0.758
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.476
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.505	0.579	0.466	0.448	0.593	0.341
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	2.17	1.56	2.02	1.73	1.04
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.158	0.196	0.162	0.127	0.171	0.131
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.222	0.245	0.188	0.185	0.264	0.139
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.358	0.392	0.342	0.347	0.457	0.176
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.477	0.559	0.447	0.509	0.679	0.384
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.610	0.676	0.539	0.647	0.857	0.426
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.726	0.824	0.649	0.809	1.00	0.490
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.869	1.00	0.701	0.971	1.21	0.550
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.23	0.787	1.22	1.50	0.597
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.45	1.72	1.19	1.62	1.93	0.776
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.26	2.78	2.44	2.76	2.86	1.45

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01634000</b>	<b>01634500</b>	<b>01635090</b>	<b>01635500</b>	<b>01636210</b>	<b>01636242</b>
Count	number	2,542	2,170	217	2,325	899	90.0
Max	ft <sup>3</sup> /s	56,500	4,280	2,580	3,540	701	654
Min	ft <sup>3</sup> /s	89.0	12.0	20.0	5.00	1.80	5.80
Median	ft <sup>3</sup> /s	714	120	159	90.0	19.0	24.5
Arithmetic Mean	ft <sup>3</sup> /s	1,146	206	287	156	28.7	57.1
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	28.2
Harmonic Mean	ft <sup>3</sup> /s	561	91.8	97.8	63.9	13.7	18.4
Standard Deviation	ft <sup>3</sup> /s	1,752	284	403	236	40.9	99.9
5th percentile	ft <sup>3</sup> /s	219	33.0	24.9	23.0	5.40	7.63
10th percentile	ft <sup>3</sup> /s	299	47.0	45.0	33.4	8.00	8.48
20th percentile	ft <sup>3</sup> /s	390	62.0	69.2	46.0	10.0	11.0
30th percentile	ft <sup>3</sup> /s	484	79.0	96.8	59.0	13.0	13.0
40th percentile	ft <sup>3</sup> /s	582	98.0	123	74.0	16.0	18.6
50th percentile	ft <sup>3</sup> /s	714	120	159	90.0	19.0	24.5
60th percentile	ft <sup>3</sup> /s	873	148	192	109	22.0	32.0
70th percentile	ft <sup>3</sup> /s	1,100	192	255	138	27.0	42.0
80th percentile	ft <sup>3</sup> /s	1,460	260	375	187	36.4	59.2
90th percentile	ft <sup>3</sup> /s	2,249	414	641	321	53.0	146
Drainage area	mi <sup>2</sup>	770	102	154	86.5	14	46.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	73.4	42.0	16.8	40.9	50.1	13.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.116	0.118	0.130	0.058	0.129	0.124
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.927	1.18	1.03	1.04	1.36	0.522
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	2.02	1.86	1.81	2.05	1.22
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.600
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.729	0.900	0.635	0.738	0.979	0.393
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.28	2.78	2.61	2.73	2.92	2.13
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.285	0.324	0.162	0.266	0.386	0.163
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.388	0.461	0.292	0.386	0.571	0.181
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.507	0.608	0.449	0.532	0.714	0.235
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.629	0.775	0.629	0.682	0.929	0.277
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.756	0.961	0.801	0.855	1.14	0.397
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.927	1.18	1.03	1.04	1.36	0.522
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	1.45	1.25	1.26	1.57	0.682
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	1.89	1.66	1.59	1.93	0.896
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.90	2.55	2.43	2.16	2.60	1.26
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.92	4.06	4.16	3.71	3.79	3.10

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01634000</b>	<b>01634500</b>	<b>01635090</b>	<b>01635500</b>	<b>01636210</b>	<b>01636242</b>
Count	number	2,490	2,100	210	2,280	870	90.0
Max	ft <sup>3</sup> /s	15,400	3,230	2,890	3,830	527	320
Min	ft <sup>3</sup> /s	139	18.0	44.0	9.80	1.40	6.50
Median	ft <sup>3</sup> /s	620	102	172	79.0	17.0	18.0
Arithmetic Mean	ft <sup>3</sup> /s	985	177	293	136	25.2	34.3
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	21.9
Harmonic Mean	ft <sup>3</sup> /s	544	88.3	143	61.0	12.8	17.4
Standard Deviation	ft <sup>3</sup> /s	1,196	238	370	208	32.9	52.5
5th percentile	ft <sup>3</sup> /s	239	40.0	54.6	22.1	5.60	7.81
10th percentile	ft <sup>3</sup> /s	287	46.9	65.0	30.0	6.80	10.0
20th percentile	ft <sup>3</sup> /s	360	58.0	97.8	41.0	9.20	13.0
30th percentile	ft <sup>3</sup> /s	437	69.0	125	53.0	11.0	15.0
40th percentile	ft <sup>3</sup> /s	525	82.0	146	64.0	14.0	16.0
50th percentile	ft <sup>3</sup> /s	620	102	172	79.0	17.0	18.0
60th percentile	ft <sup>3</sup> /s	756	126	222	100	21.0	20.0
70th percentile	ft <sup>3</sup> /s	947	164	284	127	26.0	24.3
80th percentile	ft <sup>3</sup> /s	1,292	225	374	170	34.0	34.6
90th percentile	ft <sup>3</sup> /s	1,930	360	597	272	48.0	59.0
Drainage area	mi <sup>2</sup>	770	102	154	86.5	14	46.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	20.0	31.7	18.8	44.3	37.6	6.82
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.176	0.286	0.113	0.100	0.139
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.805	1.00	1.11	0.913	1.21	0.384
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.73	1.91	1.57	1.80	0.732
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.467
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.706	0.866	0.931	0.705	0.913	0.372
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.55	2.33	2.41	2.41	2.35	1.12
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.311	0.392	0.354	0.255	0.400	0.167
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.373	0.460	0.422	0.347	0.486	0.213
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.468	0.569	0.635	0.474	0.657	0.277
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.568	0.676	0.810	0.613	0.786	0.320
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.682	0.804	0.947	0.740	1.00	0.341
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.805	1.00	1.11	0.913	1.21	0.384
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.982	1.24	1.44	1.16	1.50	0.426
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.61	1.84	1.47	1.86	0.518
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	2.21	2.43	1.97	2.43	0.738
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.51	3.53	3.87	3.14	3.43	1.26

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>01634000</b>	<b>01634500</b>	<b>01635090</b>	<b>01635500</b>	<b>01636210</b>	<b>01636242</b>
Count	number	2,573	2,170	217	2,356	899	93.0
Max	ft <sup>3</sup> /s	15,300	2,890	1,620	2,300	361	147
Min	ft <sup>3</sup> /s	89.0	9.10	28.0	5.60	1.90	3.00
Median	ft <sup>3</sup> /s	505	73.0	116	52.0	11.0	9.70
Arithmetic Mean	ft <sup>3</sup> /s	751	127	169	94.9	17.5	15.1
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	10.3
Harmonic Mean	ft <sup>3</sup> /s	428	60.5	92.7	38.2	8.12	8.40
Standard Deviation	ft <sup>3</sup> /s	884	182	180	154	25.4	21.2
5th percentile	ft <sup>3</sup> /s	191	25.0	37.9	14.0	3.10	4.23
10th percentile	ft <sup>3</sup> /s	225	32.0	47.0	18.0	3.80	4.92
20th percentile	ft <sup>3</sup> /s	281	39.0	60.4	25.0	5.00	5.54
30th percentile	ft <sup>3</sup> /s	345	48.0	75.6	33.0	6.70	6.48
40th percentile	ft <sup>3</sup> /s	424	60.0	92.0	42.0	8.00	8.68
50th percentile	ft <sup>3</sup> /s	505	73.0	116	52.0	11.0	9.70
60th percentile	ft <sup>3</sup> /s	594	92.0	144	66.0	14.0	11.0
70th percentile	ft <sup>3</sup> /s	738	117	177	86.0	18.0	12.0
80th percentile	ft <sup>3</sup> /s	994	161	230	116	24.0	15.6
90th percentile	ft <sup>3</sup> /s	1,460	263	320	197	33.0	21.8
Drainage area	mi <sup>2</sup>	770	102	154	86.5	14	46.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	19.9	28.3	10.5	26.6	25.8	3.13
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.116	0.089	0.182	0.065	0.136	0.064
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.656	0.716	0.753	0.601	0.786	0.207
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.975	1.24	1.09	1.10	1.25	0.322
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.220
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.556	0.593	0.602	0.442	0.580	0.179
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	1.78	1.17	1.78	1.82	0.452
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.248	0.245	0.246	0.162	0.221	0.090
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.292	0.314	0.305	0.208	0.271	0.105
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.365	0.382	0.392	0.289	0.357	0.118
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.448	0.471	0.491	0.382	0.479	0.138
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.551	0.588	0.597	0.486	0.571	0.185
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.656	0.716	0.753	0.601	0.786	0.207
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.771	0.902	0.932	0.763	1.00	0.235
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.958	1.15	1.15	0.994	1.29	0.256
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.58	1.49	1.34	1.71	0.333
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.90	2.58	2.08	2.28	2.36	0.465

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	01634000	01634500	01635090	01635500	01636210	01636242
Count	number	2,490	2,100	210	2,280	870	90.0
Max	ft <sup>3</sup> /s	15,700	9,500	2,210	7,830	604	563
Min	ft <sup>3</sup> /s	65.0	3.80	22.0	0.700	0.250	1.80
Median	ft <sup>3</sup> /s	301	35.0	66.5	18.0	5.60	6.05
Arithmetic Mean	ft <sup>3</sup> /s	486	83.6	136	52.0	11.9	19.2
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	6.71
Harmonic Mean	ft <sup>3</sup> /s	267	28.4	59.4	12.8	3.48	5.26
Standard Deviation	ft <sup>3</sup> /s	808	275	231	254	30.4	75.2
5th percentile	ft <sup>3</sup> /s	119	11.0	28.6	5.00	1.00	2.51
10th percentile	ft <sup>3</sup> /s	150	14.0	31.9	6.60	1.70	2.99
20th percentile	ft <sup>3</sup> /s	189	18.0	37.8	8.60	2.50	3.68
30th percentile	ft <sup>3</sup> /s	222	23.0	44.4	11.0	3.30	4.50
40th percentile	ft <sup>3</sup> /s	262	28.0	55.0	14.0	4.40	4.80
50th percentile	ft <sup>3</sup> /s	301	35.0	66.5	18.0	5.60	6.05
60th percentile	ft <sup>3</sup> /s	352	44.0	82.4	23.0	7.20	6.74
70th percentile	ft <sup>3</sup> /s	427	57.0	98.0	31.0	8.93	7.66
80th percentile	ft <sup>3</sup> /s	537	79.0	154	46.0	12.0	9.92
90th percentile	ft <sup>3</sup> /s	850	150	300	89.1	22.0	13.0
Drainage area	mi <sup>2</sup>	770	102	154	86.5	14	46.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	20.4	93.1	14.4	90.5	43.1	12.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.084	0.037	0.143	0.008	0.018	0.038
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.391	0.343	0.432	0.208	0.400	0.129
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.631	0.820	0.882	0.601	0.848	0.409
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.143
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.346	0.279	0.386	0.148	0.249	0.112
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	2.70	1.50	2.94	2.17	1.60
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.154	0.108	0.185	0.058	0.071	0.054
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.195	0.137	0.207	0.076	0.121	0.064
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.245	0.176	0.245	0.099	0.179	0.078
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.288	0.225	0.288	0.127	0.236	0.096
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.340	0.275	0.357	0.162	0.314	0.102
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.391	0.343	0.432	0.208	0.400	0.129
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.458	0.431	0.535	0.266	0.514	0.144
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.554	0.559	0.636	0.358	0.638	0.163
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.698	0.775	1.00	0.532	0.857	0.212
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.47	1.95	1.03	1.57	0.277

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>01634000</b>	<b>01634500</b>	<b>01635090</b>	<b>01635500</b>	<b>01636210</b>	<b>01636242</b>
Count	number	2,573	2,170	217	2,356	899	93.0
Max	ft <sup>3</sup> /s	6,310	996	399	682	115	175
Min	ft <sup>3</sup> /s	50.0	3.00	18.0	0.400	0.100	2.10
Median	ft <sup>3</sup> /s	197	18.0	41.0	8.90	2.20	6.20
Arithmetic Mean	ft <sup>3</sup> /s	300	32.6	58.5	18.9	4.61	9.67
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	6.53
Harmonic Mean	ft <sup>3</sup> /s	178	15.4	39.4	6.00	1.27	5.37
Standard Deviation	ft <sup>3</sup> /s	387	59.0	54.6	41.6	8.06	18.5
5th percentile	ft <sup>3</sup> /s	82.0	6.70	20.0	2.10	0.390	2.50
10th percentile	ft <sup>3</sup> /s	102	8.00	22.0	3.00	0.600	2.92
20th percentile	ft <sup>3</sup> /s	128	11.0	27.0	4.40	0.900	3.40
30th percentile	ft <sup>3</sup> /s	149	12.0	32.0	5.60	1.30	4.36
40th percentile	ft <sup>3</sup> /s	172	15.0	38.0	7.20	1.80	5.34
50th percentile	ft <sup>3</sup> /s	197	18.0	41.0	8.90	2.20	6.20
60th percentile	ft <sup>3</sup> /s	229	22.0	46.6	11.0	2.80	6.96
70th percentile	ft <sup>3</sup> /s	273	28.0	58.0	14.0	4.00	8.50
80th percentile	ft <sup>3</sup> /s	353	36.0	74.8	19.0	5.84	9.96
90th percentile	ft <sup>3</sup> /s	541	60.0	113	36.0	11.0	14.0
Drainage area	mi <sup>2</sup>	770	102	154	86.5	14	46.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.19	9.76	2.59	7.88	8.21	3.73
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.065	0.029	0.117	0.005	0.007	0.045
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.256	0.176	0.266	0.103	0.157	0.132
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.389	0.320	0.380	0.219	0.329	0.206
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.139
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.232	0.151	0.256	0.069	0.090	0.114
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.503	0.578	0.354	0.481	0.576	0.395
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.106	0.066	0.130	0.024	0.028	0.053
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.133	0.078	0.143	0.035	0.043	0.062
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.166	0.108	0.175	0.051	0.064	0.072
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.194	0.118	0.208	0.065	0.093	0.093
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.223	0.147	0.247	0.083	0.129	0.114
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.256	0.176	0.266	0.103	0.157	0.132
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.297	0.216	0.303	0.127	0.200	0.148
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.355	0.275	0.377	0.162	0.286	0.181
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.458	0.353	0.486	0.220	0.417	0.212
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.702	0.588	0.736	0.416	0.786	0.299

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01634000</b>	<b>01634500</b>	<b>01635090</b>	<b>01635500</b>	<b>01636210</b>	<b>01636242</b>
Count	number	2,573	2,170	217	2,356	899	93.0
Max	ft <sup>3</sup> /s	21,200	6,060	144	7,510	755	13.0
Min	ft <sup>3</sup> /s	45.0	3.20	12.0	0.200	0.080	1.30
Median	ft <sup>3</sup> /s	170	14.0	31.0	6.50	1.50	4.10
Arithmetic Mean	ft <sup>3</sup> /s	346	37.0	37.3	23.5	5.52	4.20
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	1.48	3.83
Harmonic Mean	ft <sup>3</sup> /s	159	12.4	29.3	4.68	0.768	3.49
Standard Deviation	ft <sup>3</sup> /s	796	192	21.6	174	31.9	1.95
5th percentile	ft <sup>3</sup> /s	75.0	5.20	17.0	1.79	0.200	1.84
10th percentile	ft <sup>3</sup> /s	85.0	6.49	18.0	2.10	0.390	2.20
20th percentile	ft <sup>3</sup> /s	106	8.40	20.2	3.00	0.600	2.60
30th percentile	ft <sup>3</sup> /s	129	10.0	23.8	3.90	0.794	3.06
40th percentile	ft <sup>3</sup> /s	149	12.0	28.0	5.00	1.00	3.70
50th percentile	ft <sup>3</sup> /s	170	14.0	31.0	6.50	1.50	4.10
60th percentile	ft <sup>3</sup> /s	194	18.0	34.0	8.00	1.80	4.50
70th percentile	ft <sup>3</sup> /s	243	22.0	40.0	10.0	2.40	4.80
80th percentile	ft <sup>3</sup> /s	374	30.0	49.8	15.0	3.40	5.16
90th percentile	ft <sup>3</sup> /s	686	48.1	67.8	32.0	6.24	5.80
Drainage area	mi <sup>2</sup>	770	102	154	86.5	14	46.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	27.5	59.4	0.935	86.8	53.9	0.277
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.058	0.031	0.078	0.002	0.006	0.028
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.221	0.137	0.201	0.075	0.107	0.087
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.450	0.363	0.242	0.272	0.394	0.090
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.106	0.082
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.206	0.122	0.190	0.054	0.055	0.074
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	1.88	0.140	2.01	2.28	0.042
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.097	0.051	0.110	0.021	0.014	0.039
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.110	0.064	0.117	0.024	0.028	0.047
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.138	0.082	0.131	0.035	0.043	0.055
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.168	0.098	0.155	0.045	0.057	0.065
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.194	0.118	0.182	0.058	0.071	0.079
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.221	0.137	0.201	0.075	0.107	0.087
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.252	0.176	0.221	0.092	0.129	0.096
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.316	0.216	0.260	0.116	0.171	0.102
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.486	0.294	0.323	0.173	0.243	0.110
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.891	0.472	0.440	0.370	0.446	0.124



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01634000</b>	<b>01634500</b>	<b>01635090</b>	<b>01635500</b>	<b>01636210</b>	<b>01636242</b>
Count	number	2,490	2,092	210	2,280	870	90.0
Max	ft <sup>3</sup> /s	60,700	7,400	3,130	6,370	355	320
Min	ft <sup>3</sup> /s	35.0	2.80	10.0	0.800	0.100	1.10
Median	ft <sup>3</sup> /s	149	12.0	30.0	6.00	1.20	4.15
Arithmetic Mean	ft <sup>3</sup> /s	344	43.8	107	31.6	5.00	12.6
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	1.38	4.74
Harmonic Mean	ft <sup>3</sup> /s	147	11.6	29.5	4.77	0.677	3.35
Standard Deviation	ft <sup>3</sup> /s	1,446	234	334	198	20.1	40.7
5th percentile	ft <sup>3</sup> /s	73.0	5.70	14.6	1.90	0.200	1.31
10th percentile	ft <sup>3</sup> /s	84.0	6.40	16.0	2.40	0.300	1.69
20th percentile	ft <sup>3</sup> /s	103	7.60	20.0	3.20	0.470	2.18
30th percentile	ft <sup>3</sup> /s	115	9.10	22.0	3.80	0.607	2.87
40th percentile	ft <sup>3</sup> /s	130	11.0	25.0	4.80	0.826	3.50
50th percentile	ft <sup>3</sup> /s	149	12.0	30.0	6.00	1.20	4.15
60th percentile	ft <sup>3</sup> /s	184	15.0	35.0	7.70	1.50	4.70
70th percentile	ft <sup>3</sup> /s	228	18.0	52.0	10.0	2.20	5.33
80th percentile	ft <sup>3</sup> /s	319	26.8	71.0	16.0	3.92	8.42
90th percentile	ft <sup>3</sup> /s	553	53.9	160	37.1	8.12	14.2
Drainage area	mi <sup>2</sup>	770	102	154	86.5	14	46.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	78.8	72.5	20.3	73.6	25.4	6.82
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.045	0.027	0.065	0.009	0.007	0.023
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.194	0.118	0.195	0.069	0.086	0.088
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.447	0.430	0.693	0.365	0.357	0.268
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.098	0.101
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.191	0.113	0.192	0.055	0.048	0.071
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.88	2.30	2.17	2.29	1.43	0.867
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.095	0.056	0.094	0.022	0.014	0.028
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.109	0.063	0.104	0.028	0.021	0.036
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.134	0.075	0.130	0.037	0.034	0.046
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.149	0.089	0.143	0.044	0.043	0.061
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.168	0.108	0.162	0.055	0.059	0.075
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.194	0.118	0.195	0.069	0.086	0.088
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.239	0.147	0.227	0.089	0.107	0.100
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.296	0.176	0.338	0.116	0.157	0.114
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.415	0.263	0.461	0.185	0.280	0.180
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.718	0.528	1.04	0.429	0.580	0.303

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01634000</b>	<b>01634500</b>	<b>01635090</b>	<b>01635500</b>	<b>01636210</b>	<b>01636242</b>
Count	number	2,573	2,199	208	2,356	918	82.0
Max	ft <sup>3</sup> /s	52,500	13,900	335	9,290	419	70.0
Min	ft <sup>3</sup> /s	35.0	5.20	13.0	1.40	0.100	0.740
Median	ft <sup>3</sup> /s	160	15.0	43.5	8.00	2.20	8.25
Arithmetic Mean	ft <sup>3</sup> /s	395	58.1	60.4	38.3	8.71	12.9
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	7.95
Harmonic Mean	ft <sup>3</sup> /s	156	15.5	35.9	6.99	1.32	4.58
Standard Deviation	ft <sup>3</sup> /s	1,391	351	49.5	237	27.0	14.1
5th percentile	ft <sup>3</sup> /s	77.0	7.30	15.5	2.80	0.400	0.971
10th percentile	ft <sup>3</sup> /s	88.0	8.68	17.7	3.40	0.600	2.15
20th percentile	ft <sup>3</sup> /s	105	10.0	23.4	4.40	0.800	3.56
30th percentile	ft <sup>3</sup> /s	123	12.0	27.0	5.40	1.20	4.73
40th percentile	ft <sup>3</sup> /s	138	13.0	33.0	6.60	1.60	7.04
50th percentile	ft <sup>3</sup> /s	160	15.0	43.5	8.00	2.20	8.25
60th percentile	ft <sup>3</sup> /s	188	20.0	61.2	11.0	3.10	10.6
70th percentile	ft <sup>3</sup> /s	240	27.0	78.8	16.0	4.50	13.0
80th percentile	ft <sup>3</sup> /s	372	43.0	90.0	28.0	8.00	18.0
90th percentile	ft <sup>3</sup> /s	690	89.2	111	61.0	18.0	27.9
Drainage area	mi <sup>2</sup>	770	102	154	86.5	14	46.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	68.2	136	2.18	107	29.9	1.49
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.045	0.051	0.084	0.016	0.007	0.016
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.208	0.147	0.282	0.092	0.157	0.176
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.513	0.570	0.392	0.443	0.622	0.275
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.170
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.202	0.152	0.233	0.081	0.095	0.098
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.81	3.44	0.321	2.75	1.93	0.300
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.100	0.072	0.100	0.032	0.029	0.021
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.114	0.085	0.115	0.039	0.043	0.046
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.136	0.098	0.152	0.051	0.057	0.076
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.160	0.118	0.175	0.062	0.086	0.101
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.127	0.214	0.076	0.114	0.150
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.208	0.147	0.282	0.092	0.157	0.176
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.244	0.196	0.397	0.127	0.221	0.226
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.312	0.265	0.512	0.185	0.321	0.277
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.483	0.422	0.584	0.324	0.571	0.384
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.896	0.875	0.721	0.705	1.29	0.595

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01634000</b>	<b>01634500</b>	<b>01635090</b>	<b>01635500</b>	<b>01636210</b>	<b>01636242</b>
Count	number	2,485	2,124	221	2,275	870	108
Max	ft <sup>3</sup> /s	33,000	4,580	1,530	3,130	476	587
Min	ft <sup>3</sup> /s	48.0	4.80	21.0	2.40	0.200	1.80
Median	ft <sup>3</sup> /s	193	26.0	94.0	15.0	4.30	16.0
Arithmetic Mean	ft <sup>3</sup> /s	439	73.0	134	45.9	10.8	44.3
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	17.5
Harmonic Mean	ft <sup>3</sup> /s	190	24.2	52.4	12.8	2.68	9.81
Standard Deviation	ft <sup>3</sup> /s	1,007	189	173	119	25.7	92.1
5th percentile	ft <sup>3</sup> /s	91.0	11.0	23.0	5.60	0.900	3.65
10th percentile	ft <sup>3</sup> /s	104	12.0	25.0	6.20	1.30	4.10
20th percentile	ft <sup>3</sup> /s	126	15.0	27.0	7.40	1.80	5.64
30th percentile	ft <sup>3</sup> /s	141	17.0	31.0	9.20	2.50	6.60
40th percentile	ft <sup>3</sup> /s	159	21.0	41.0	12.0	3.40	11.0
50th percentile	ft <sup>3</sup> /s	193	26.0	94.0	15.0	4.30	16.0
60th percentile	ft <sup>3</sup> /s	249	37.8	118	21.0	6.08	21.6
70th percentile	ft <sup>3</sup> /s	348	55.0	142	32.0	8.70	31.9
80th percentile	ft <sup>3</sup> /s	535	82.0	199	54.0	12.0	45.8
90th percentile	ft <sup>3</sup> /s	900	148	277	102	22.0	81.5
Drainage area	mi <sup>2</sup>	770	102	154	86.5	14	46.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	42.9	44.9	9.94	36.2	34.0	12.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.062	0.047	0.136	0.028	0.014	0.038
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.251	0.255	0.610	0.173	0.307	0.341
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.570	0.715	0.873	0.531	0.772	0.944
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.374
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.246	0.238	0.340	0.148	0.191	0.209
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	1.85	1.12	1.37	1.83	1.96
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.118	0.108	0.149	0.065	0.064	0.078
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.135	0.118	0.162	0.072	0.093	0.087
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.164	0.147	0.175	0.086	0.129	0.120
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.183	0.167	0.201	0.106	0.179	0.141
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.206	0.206	0.266	0.139	0.243	0.235
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.251	0.255	0.610	0.173	0.307	0.341
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.323	0.371	0.766	0.243	0.434	0.461
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.451	0.539	0.922	0.370	0.621	0.680
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.695	0.804	1.29	0.624	0.857	0.977
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.45	1.80	1.17	1.57	1.74

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01634000</b>	<b>01634500</b>	<b>01635090</b>	<b>01635500</b>	<b>01636210</b>	<b>01636242</b>
Count	number	2,542	2,170	217	2,325	899	93.0
Max	ft <sup>3</sup> /s	14,000	2,580	3,970	3,200	641	362
Min	ft <sup>3</sup> /s	50.0	6.00	18.0	1.60	0.400	8.90
Median	ft <sup>3</sup> /s	326	49.0	97.0	34.0	8.00	23.0
Arithmetic Mean	ft <sup>3</sup> /s	556	93.9	174	69.3	15.4	32.2
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	24.8
Harmonic Mean	ft <sup>3</sup> /s	245	34.0	64.2	19.8	3.73	21.4
Standard Deviation	ft <sup>3</sup> /s	815	162	316	143	31.5	40.9
5th percentile	ft <sup>3</sup> /s	97.0	12.0	22.0	6.23	1.20	9.97
10th percentile	ft <sup>3</sup> /s	115	14.0	24.0	7.90	1.80	12.0
20th percentile	ft <sup>3</sup> /s	150	21.0	33.4	11.8	3.00	17.0
30th percentile	ft <sup>3</sup> /s	195	29.0	62.0	17.0	4.30	19.0
40th percentile	ft <sup>3</sup> /s	252	39.6	75.0	24.0	6.00	20.0
50th percentile	ft <sup>3</sup> /s	326	49.0	97.0	34.0	8.00	23.0
60th percentile	ft <sup>3</sup> /s	402	62.0	138	44.0	11.0	25.0
70th percentile	ft <sup>3</sup> /s	517	82.0	163	58.0	14.0	28.8
80th percentile	ft <sup>3</sup> /s	717	116	215	87.0	19.0	36.0
90th percentile	ft <sup>3</sup> /s	1,180	200	349	150	34.0	52.0
Drainage area	mi <sup>2</sup>	770	102	154	86.5	14	46.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	18.2	25.3	25.8	37.0	45.8	7.72
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.065	0.059	0.117	0.018	0.029	0.190
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.423	0.480	0.630	0.393	0.571	0.490
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.723	0.921	1.13	0.801	1.10	0.687
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.530
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.318	0.334	0.417	0.228	0.267	0.456
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.59	2.05	1.65	2.25	0.871
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.126	0.118	0.143	0.072	0.086	0.213
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.149	0.137	0.156	0.091	0.129	0.256
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.195	0.206	0.217	0.136	0.214	0.362
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.284	0.403	0.197	0.307	0.405
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.328	0.388	0.487	0.277	0.429	0.426
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.423	0.480	0.630	0.393	0.571	0.490
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.522	0.608	0.896	0.509	0.786	0.533
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.671	0.804	1.06	0.671	1.00	0.614
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.931	1.14	1.40	1.01	1.36	0.768
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	1.96	2.26	1.73	2.43	1.11

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		January					
	units	01636266	01636316	01636330	01636690	01638350	01638420
Station Number	number						
Count	number	155	155	31.0	186	186	186
Max	ft <sup>3</sup> /s	124	139	0.550	219	939	542
Min	ft <sup>3</sup> /s	6.10	14.0	0.200	0.950	3.70	1.50
Median	ft <sup>3</sup> /s	14.0	23.0	0.230	15.0	28.0	22.0
Arithmetic Mean	ft <sup>3</sup> /s	18.1	26.1	0.303	18.2	45.2	30.4
Geometric Mean	ft <sup>3</sup> /s	15.2	24.2	0.286	12.2	26.9	18.3
Harmonic Mean	ft <sup>3</sup> /s	13.4	22.9	0.273	6.57	17.9	9.40
Standard Deviation	ft <sup>3</sup> /s	14.2	13.1	0.107	22.2	86.8	49.4
5th percentile	ft <sup>3</sup> /s	6.60	15.0	0.200	1.27	5.14	2.10
10th percentile	ft <sup>3</sup> /s	8.96	16.0	0.210	2.05	6.70	2.60
20th percentile	ft <sup>3</sup> /s	9.98	18.0	0.220	10.0	17.0	14.0
30th percentile	ft <sup>3</sup> /s	11.0	20.0	0.220	12.0	20.0	17.0
40th percentile	ft <sup>3</sup> /s	12.0	21.0	0.230	14.0	23.0	19.0
50th percentile	ft <sup>3</sup> /s	14.0	23.0	0.230	15.0	28.0	22.0
60th percentile	ft <sup>3</sup> /s	15.0	24.0	0.350	16.0	34.0	24.0
70th percentile	ft <sup>3</sup> /s	19.0	28.0	0.370	17.0	38.5	28.5
80th percentile	ft <sup>3</sup> /s	23.2	33.0	0.380	22.0	46.0	34.0
90th percentile	ft <sup>3</sup> /s	32.0	38.0	0.460	28.0	66.5	46.5
Drainage area	mi <sup>2</sup>	5.54	21.4	--	13.5	31.6	23.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	22.4	6.50	--	16.2	29.7	23.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	0.654	--	0.070	0.117	0.065
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.53	1.07	--	1.11	0.886	0.952
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.26	1.22	--	1.35	1.43	1.31
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.74	1.13	--	0.901	0.851	0.792
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.41	1.07	--	0.486	0.566	0.407
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.56	0.613	--	1.64	2.75	2.14
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	0.701	--	0.094	0.163	0.091
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	0.748	--	0.152	0.212	0.113
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.80	0.841	--	0.741	0.538	0.606
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.99	0.935	--	0.889	0.633	0.736
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.17	0.981	--	1.04	0.728	0.823
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.53	1.07	--	1.11	0.886	0.952
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.71	1.12	--	1.19	1.08	1.04
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.43	1.31	--	1.26	1.22	1.23
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.19	1.54	--	1.63	1.46	1.47
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.78	1.78	--	2.07	2.10	2.01

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01636266</b>	<b>01636316</b>	<b>01636330</b>	<b>01636690</b>	<b>01638350</b>	<b>01638420</b>
Count	number	141	141	28.0	169	169	169
Max	ft <sup>3</sup> /s	100	159	0.580	151	607	418
Min	ft <sup>3</sup> /s	5.00	13.0	0.370	1.30	4.10	2.10
Median	ft <sup>3</sup> /s	12.0	21.0	0.445	15.0	30.0	23.0
Arithmetic Mean	ft <sup>3</sup> /s	16.8	27.6	0.466	17.3	46.5	31.8
Geometric Mean	ft <sup>3</sup> /s	13.8	23.9	0.461	11.3	27.3	18.3
Harmonic Mean	ft <sup>3</sup> /s	11.9	21.7	0.456	6.42	17.5	9.66
Standard Deviation	ft <sup>3</sup> /s	13.8	19.0	0.070	19.6	70.0	48.0
5th percentile	ft <sup>3</sup> /s	5.50	13.0	0.375	1.50	5.10	2.30
10th percentile	ft <sup>3</sup> /s	6.30	14.0	0.400	1.86	6.18	2.50
20th percentile	ft <sup>3</sup> /s	9.60	18.0	0.400	5.92	12.6	11.0
30th percentile	ft <sup>3</sup> /s	10.0	18.0	0.411	9.44	17.0	13.0
40th percentile	ft <sup>3</sup> /s	10.0	19.0	0.420	12.2	25.0	20.0
50th percentile	ft <sup>3</sup> /s	12.0	21.0	0.445	15.0	30.0	23.0
60th percentile	ft <sup>3</sup> /s	14.0	22.0	0.482	16.0	35.0	26.0
70th percentile	ft <sup>3</sup> /s	17.0	23.0	0.528	18.0	41.0	30.0
80th percentile	ft <sup>3</sup> /s	22.0	37.0	0.536	23.0	52.4	36.0
90th percentile	ft <sup>3</sup> /s	29.0	50.0	0.566	28.2	86.6	53.8
Drainage area	mi <sup>2</sup>	5.54	21.4	--	13.5	31.6	23.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	18.1	7.43	--	11.2	19.2	18.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.903	0.607	--	0.096	0.130	0.091
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.17	0.981	--	1.11	0.949	0.996
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.03	1.29	--	1.28	1.47	1.38
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.49	1.12	--	0.840	0.864	0.790
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.15	1.02	--	0.476	0.553	0.418
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.50	0.889	--	1.46	2.21	2.08
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.993	0.607	--	0.111	0.161	0.100
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	0.654	--	0.138	0.196	0.108
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	0.841	--	0.439	0.399	0.476
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.81	0.841	--	0.699	0.538	0.563
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.81	0.888	--	0.904	0.791	0.866
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.17	0.981	--	1.11	0.949	0.996
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.53	1.03	--	1.19	1.11	1.13
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.07	1.07	--	1.33	1.30	1.30
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.97	1.73	--	1.70	1.66	1.56
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.23	2.34	--	2.09	2.74	2.33

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

Station Number	units	March					
		01636266	01636316	01636330	01636690	01638350	01638420
Count	number	155	155	31.0	186	186	186
Max	ft <sup>3</sup> /s	119	168	1.00	185	638	407
Min	ft <sup>3</sup> /s	4.90	14.0	0.420	1.20	4.00	2.00
Median	ft <sup>3</sup> /s	17.0	28.0	0.570	20.0	30.5	25.0
Arithmetic Mean	ft <sup>3</sup> /s	27.1	36.7	0.602	25.2	58.1	41.5
Geometric Mean	ft <sup>3</sup> /s	18.6	30.9	0.582	17.0	36.1	26.5
Harmonic Mean	ft <sup>3</sup> /s	13.4	27.3	0.563	10.6	25.0	17.3
Standard Deviation	ft <sup>3</sup> /s	25.6	27.0	0.166	25.6	77.0	50.3
5th percentile	ft <sup>3</sup> /s	5.20	15.0	0.420	2.70	8.54	5.07
10th percentile	ft <sup>3</sup> /s	5.34	16.0	0.430	4.75	13.0	9.15
20th percentile	ft <sup>3</sup> /s	8.56	19.0	0.440	8.00	19.0	12.0
30th percentile	ft <sup>3</sup> /s	11.0	21.0	0.450	11.5	22.5	17.0
40th percentile	ft <sup>3</sup> /s	12.0	24.6	0.510	16.0	27.0	21.0
50th percentile	ft <sup>3</sup> /s	17.0	28.0	0.570	20.0	30.5	25.0
60th percentile	ft <sup>3</sup> /s	21.0	32.0	0.620	22.0	36.0	29.0
70th percentile	ft <sup>3</sup> /s	28.8	38.0	0.720	26.5	53.0	40.5
80th percentile	ft <sup>3</sup> /s	45.4	46.4	0.750	34.0	77.0	58.0
90th percentile	ft <sup>3</sup> /s	61.6	63.6	0.780	48.0	118	88.0
Drainage area	mi <sup>2</sup>	5.54	21.4	--	13.5	31.6	23.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.5	7.85	--	13.7	20.2	17.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.884	0.654	--	0.089	0.127	0.087
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	3.07	1.31	--	1.48	0.965	1.08
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	4.89	1.72	--	1.86	1.84	1.80
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.35	1.44	--	1.26	1.14	1.15
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.42	1.27	--	0.782	0.790	0.747
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.62	1.26	--	1.90	2.44	2.18
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.939	0.701	--	0.200	0.270	0.219
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.964	0.748	--	0.352	0.411	0.396
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.55	0.888	--	0.593	0.601	0.519
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.99	0.981	--	0.852	0.712	0.736
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.17	1.15	--	1.19	0.854	0.909
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.07	1.31	--	1.48	0.965	1.08
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.79	1.50	--	1.63	1.14	1.26
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.20	1.78	--	1.96	1.68	1.75
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	8.19	2.17	--	2.52	2.44	2.51
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	11.1	2.97	--	3.56	3.73	3.81

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01636266</b>	<b>01636316</b>	<b>01636330</b>	<b>01636690</b>	<b>01638350</b>	<b>01638420</b>
Count	number	150	150	30.0	180	180	180
Max	ft <sup>3</sup> /s	148	147	1.80	169	440	300
Min	ft <sup>3</sup> /s	4.30	14.0	0.400	2.80	8.10	3.90
Median	ft <sup>3</sup> /s	21.0	28.5	0.990	20.0	32.5	29.0
Arithmetic Mean	ft <sup>3</sup> /s	29.1	33.1	1.01	24.5	47.8	36.1
Geometric Mean	ft <sup>3</sup> /s	20.5	28.8	0.957	17.0	33.1	24.8
Harmonic Mean	ft <sup>3</sup> /s	14.3	25.7	0.896	11.5	24.9	16.7
Standard Deviation	ft <sup>3</sup> /s	26.0	21.2	0.302	23.8	54.9	37.3
5th percentile	ft <sup>3</sup> /s	4.66	14.0	0.400	3.40	11.0	4.81
10th percentile	ft <sup>3</sup> /s	4.90	14.0	0.798	4.28	12.0	6.17
20th percentile	ft <sup>3</sup> /s	11.0	19.6	0.870	7.30	14.0	10.8
30th percentile	ft <sup>3</sup> /s	14.0	22.0	0.880	10.7	21.0	15.0
40th percentile	ft <sup>3</sup> /s	17.0	24.6	0.910	17.0	27.0	24.0
50th percentile	ft <sup>3</sup> /s	21.0	28.5	0.990	20.0	32.5	29.0
60th percentile	ft <sup>3</sup> /s	26.0	32.4	1.10	23.0	40.0	34.0
70th percentile	ft <sup>3</sup> /s	33.3	37.0	1.10	26.3	50.0	39.0
80th percentile	ft <sup>3</sup> /s	43.4	42.2	1.20	34.2	62.0	49.0
90th percentile	ft <sup>3</sup> /s	60.1	49.3	1.31	45.3	90.5	65.5
Drainage area	mi <sup>2</sup>	5.54	21.4	--	13.5	31.6	23.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	26.7	6.87	--	12.5	13.9	13.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.776	0.654	--	0.207	0.256	0.169
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	3.79	1.33	--	1.48	1.03	1.26
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	5.25	1.55	--	1.81	1.51	1.56
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.70	1.35	--	1.26	1.05	1.07
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.58	1.20	--	0.854	0.789	0.722
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.69	0.989	--	1.76	1.74	1.61
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.840	0.654	--	0.252	0.348	0.208
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.884	0.654	--	0.317	0.380	0.267
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.99	0.916	--	0.541	0.443	0.468
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.53	1.03	--	0.793	0.665	0.649
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.07	1.15	--	1.26	0.854	1.04
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.79	1.33	--	1.48	1.03	1.26
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.69	1.51	--	1.70	1.27	1.47
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	6.01	1.73	--	1.95	1.58	1.69
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	7.83	1.97	--	2.53	1.96	2.12
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	10.8	2.30	--	3.36	2.86	2.84



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	01636266	01636316	01636330	01636690	01638350	01638420
Count	number	186	155	31.0	186	186	186
Max	ft <sup>3</sup> /s	104	87.0	0.840	436	1,560	1,060
Min	ft <sup>3</sup> /s	1.20	12.0	0.560	3.00	5.20	3.50
Median	ft <sup>3</sup> /s	11.0	22.0	0.680	11.0	20.0	16.0
Arithmetic Mean	ft <sup>3</sup> /s	18.1	25.1	0.682	18.9	43.7	32.6
Geometric Mean	ft <sup>3</sup> /s	11.6	23.2	0.676	11.5	22.3	16.8
Harmonic Mean	ft <sup>3</sup> /s	7.54	21.7	0.671	8.82	16.0	12.2
Standard Deviation	ft <sup>3</sup> /s	18.9	10.8	0.088	38.3	123	86.1
5th percentile	ft <sup>3</sup> /s	2.21	13.0	0.560	3.74	6.54	4.74
10th percentile	ft <sup>3</sup> /s	4.15	13.0	0.580	4.80	7.70	6.00
20th percentile	ft <sup>3</sup> /s	4.90	18.4	0.590	5.80	9.70	7.80
30th percentile	ft <sup>3</sup> /s	6.90	21.0	0.600	6.65	13.0	9.15
40th percentile	ft <sup>3</sup> /s	9.20	21.0	0.650	8.80	16.0	13.0
50th percentile	ft <sup>3</sup> /s	11.0	22.0	0.680	11.0	20.0	16.0
60th percentile	ft <sup>3</sup> /s	13.0	24.0	0.720	13.0	24.0	19.0
70th percentile	ft <sup>3</sup> /s	19.0	28.0	0.750	15.0	29.0	23.0
80th percentile	ft <sup>3</sup> /s	29.0	31.2	0.780	19.0	41.0	28.0
90th percentile	ft <sup>3</sup> /s	43.5	38.6	0.810	31.5	81.0	61.5
Drainage area	mi <sup>2</sup>	5.54	21.4	--	13.5	31.6	23.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	18.8	4.07	--	32.3	49.4	45.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.217	0.561	--	0.222	0.165	0.152
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.99	1.03	--	0.815	0.633	0.693
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.28	1.17	--	1.40	1.38	1.41
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.10	1.09	--	0.849	0.705	0.728
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.36	1.01	--	0.653	0.507	0.527
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.42	0.502	--	2.83	3.88	3.73
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.398	0.607	--	0.277	0.207	0.205
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.749	0.607	--	0.356	0.244	0.260
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.884	0.860	--	0.430	0.307	0.338
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	0.981	--	0.493	0.411	0.396
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	0.981	--	0.652	0.506	0.563
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.99	1.03	--	0.815	0.633	0.693
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.35	1.12	--	0.963	0.759	0.823
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.43	1.31	--	1.11	0.918	0.996
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.23	1.46	--	1.41	1.30	1.21
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	7.85	1.80	--	2.33	2.56	2.66

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>01636266</b>	<b>01636316</b>	<b>01636330</b>	<b>01636690</b>	<b>01638350</b>	<b>01638420</b>
Count	number	180	144	54.0	180	180	180
Max	ft <sup>3</sup> /s	120	230	0.560	327	665	587
Min	ft <sup>3</sup> /s	0.600	9.70	0.290	0.840	2.80	1.50
Median	ft <sup>3</sup> /s	6.30	22.0	0.400	5.85	14.0	8.05
Arithmetic Mean	ft <sup>3</sup> /s	18.1	27.6	0.391	17.1	41.5	28.5
Geometric Mean	ft <sup>3</sup> /s	8.85	23.2	0.383	7.77	18.5	11.3
Harmonic Mean	ft <sup>3</sup> /s	5.01	20.4	0.376	4.45	11.1	6.45
Standard Deviation	ft <sup>3</sup> /s	24.3	23.3	0.081	32.6	73.2	59.0
5th percentile	ft <sup>3</sup> /s	1.90	10.0	0.290	1.20	4.32	2.40
10th percentile	ft <sup>3</sup> /s	2.20	12.0	0.300	1.80	5.40	3.00
20th percentile	ft <sup>3</sup> /s	3.00	15.0	0.310	3.30	6.38	3.98
30th percentile	ft <sup>3</sup> /s	3.80	17.0	0.320	4.00	8.00	4.90
40th percentile	ft <sup>3</sup> /s	4.60	21.0	0.350	4.90	9.80	6.20
50th percentile	ft <sup>3</sup> /s	6.30	22.0	0.400	5.85	14.0	8.05
60th percentile	ft <sup>3</sup> /s	11.4	25.0	0.408	8.54	19.0	12.0
70th percentile	ft <sup>3</sup> /s	19.3	26.0	0.431	13.3	36.0	18.3
80th percentile	ft <sup>3</sup> /s	30.0	35.4	0.450	24.0	54.4	37.0
90th percentile	ft <sup>3</sup> /s	49.0	45.7	0.504	37.2	111	68.5
Drainage area	mi <sup>2</sup>	5.54	21.4	--	13.5	31.6	23.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.7	10.7	--	24.2	21.0	25.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.453	--	0.062	0.089	0.065
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.03	--	0.433	0.443	0.348
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.27	1.29	--	1.27	1.31	1.24
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.60	1.08	--	0.576	0.586	0.490
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.904	0.955	--	0.330	0.350	0.279
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.39	1.09	--	2.41	2.32	2.56
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.343	0.467	--	0.089	0.137	0.104
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.397	0.561	--	0.133	0.171	0.130
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.542	0.701	--	0.244	0.202	0.172
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.686	0.794	--	0.296	0.253	0.212
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.830	0.981	--	0.363	0.310	0.268
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.03	--	0.433	0.443	0.348
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.06	1.17	--	0.633	0.601	0.519
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.48	1.21	--	0.985	1.14	0.792
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.42	1.65	--	1.78	1.72	1.60
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	8.84	2.14	--	2.76	3.51	2.97

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	01636266	01636316	01636330	01636690	01638350	01638420
Count	number	186	153	62.0	186	217	198
Max	ft <sup>3</sup> /s	150	194	0.440	140	1,050	429
Min	ft <sup>3</sup> /s	0.260	11.0	0.210	0.280	1.10	0.000
Median	ft <sup>3</sup> /s	4.30	16.0	0.340	4.60	9.40	6.45
Arithmetic Mean	ft <sup>3</sup> /s	8.90	21.3	0.319	5.97	20.0	10.7
Geometric Mean	ft <sup>3</sup> /s	3.71	18.4	0.313	3.80	9.02	--
Harmonic Mean	ft <sup>3</sup> /s	1.54	16.8	0.308	2.15	5.46	--
Standard Deviation	ft <sup>3</sup> /s	15.9	17.7	0.059	10.7	73.4	31.1
5th percentile	ft <sup>3</sup> /s	0.270	11.0	0.220	0.451	1.79	0.539
10th percentile	ft <sup>3</sup> /s	0.590	11.0	0.240	0.755	2.26	0.764
20th percentile	ft <sup>3</sup> /s	0.900	12.0	0.252	2.30	3.10	1.30
30th percentile	ft <sup>3</sup> /s	1.90	14.0	0.283	3.00	5.12	3.51
40th percentile	ft <sup>3</sup> /s	3.00	14.8	0.300	3.60	7.08	5.18
50th percentile	ft <sup>3</sup> /s	4.30	16.0	0.340	4.60	9.40	6.45
60th percentile	ft <sup>3</sup> /s	5.30	18.2	0.346	5.60	11.0	7.90
70th percentile	ft <sup>3</sup> /s	7.50	20.0	0.350	6.25	16.0	9.79
80th percentile	ft <sup>3</sup> /s	13.0	28.6	0.370	7.70	20.0	13.0
90th percentile	ft <sup>3</sup> /s	21.0	37.0	0.390	9.95	35.8	21.3
Drainage area	mi <sup>2</sup>	5.54	21.4	--	13.5	31.6	23.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	27.1	9.07	--	10.4	33.2	18.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.047	0.514	--	0.021	0.035	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.776	0.748	--	0.341	0.297	0.279
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.61	0.994	--	0.442	0.632	0.463
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.670	0.859	--	0.281	0.285	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.277	0.784	--	0.159	0.173	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.86	0.829	--	0.794	2.32	1.35
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.049	0.514	--	0.033	0.057	0.023
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.106	0.514	--	0.056	0.072	0.033
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.162	0.561	--	0.170	0.098	0.056
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.343	0.654	--	0.222	0.162	0.152
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.542	0.692	--	0.267	0.224	0.224
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.776	0.748	--	0.341	0.297	0.279
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.957	0.850	--	0.415	0.348	0.342
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	0.935	--	0.463	0.506	0.424
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.35	1.34	--	0.570	0.633	0.563
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.79	1.73	--	0.737	1.13	0.922

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01636266</b>	<b>01636316</b>	<b>01636330</b>	<b>01636690</b>	<b>01638350</b>	<b>01638420</b>
Count	number	186	162	62.0	185	217	216
Max	ft <sup>3</sup> /s	25.0	44.0	0.340	27.0	166	61.0
Min	ft <sup>3</sup> /s	0.190	5.40	0.000	0.030	0.220	0.000
Median	ft <sup>3</sup> /s	1.30	11.5	0.235	2.20	3.70	2.25
Arithmetic Mean	ft <sup>3</sup> /s	3.11	14.6	0.220	2.92	8.12	3.87
Geometric Mean	ft <sup>3</sup> /s	1.40	12.9	--	1.64	3.60	--
Harmonic Mean	ft <sup>3</sup> /s	0.755	11.7	--	0.440	1.89	--
Standard Deviation	ft <sup>3</sup> /s	4.64	7.99	0.093	3.15	16.2	6.51
5th percentile	ft <sup>3</sup> /s	0.230	6.22	0.002	0.076	0.598	0.000
10th percentile	ft <sup>3</sup> /s	0.250	8.00	0.122	0.134	0.762	0.000
20th percentile	ft <sup>3</sup> /s	0.490	8.90	0.150	1.08	1.32	0.360
30th percentile	ft <sup>3</sup> /s	0.640	9.83	0.170	1.52	1.78	0.825
40th percentile	ft <sup>3</sup> /s	1.00	11.0	0.190	1.90	2.52	1.30
50th percentile	ft <sup>3</sup> /s	1.30	11.5	0.235	2.20	3.70	2.25
60th percentile	ft <sup>3</sup> /s	1.60	13.0	0.290	2.70	4.60	3.00
70th percentile	ft <sup>3</sup> /s	2.25	14.0	0.290	3.38	5.92	3.80
80th percentile	ft <sup>3</sup> /s	4.40	20.0	0.300	4.00	10.0	4.80
90th percentile	ft <sup>3</sup> /s	9.30	29.0	0.310	5.46	17.0	8.80
Drainage area	mi <sup>2</sup>	5.54	21.4	--	13.5	31.6	23.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	4.51	2.06	--	2.00	5.25	2.64
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.034	0.252	--	0.002	0.007	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.235	0.537	--	0.163	0.117	0.097
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.561	0.682	--	0.216	0.257	0.168
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.603	--	0.122	0.114	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.136	0.545	--	0.033	0.060	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.838	0.373	--	0.233	0.514	0.282
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.042	0.290	--	0.006	0.019	0.000
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.045	0.374	--	0.010	0.024	0.000
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.088	0.416	--	0.080	0.042	0.016
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.116	0.459	--	0.113	0.056	0.036
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.514	--	0.141	0.080	0.056
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.235	0.537	--	0.163	0.117	0.097
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.289	0.607	--	0.200	0.146	0.130
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.406	0.654	--	0.250	0.187	0.165
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.794	0.935	--	0.296	0.316	0.208
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	1.36	--	0.404	0.538	0.381

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01636266</b>	<b>01636316</b>	<b>01636330</b>	<b>01636690</b>	<b>01638350</b>	<b>01638420</b>
Count	number	180	163	60.0	180	183	210
Max	ft <sup>3</sup> /s	227	312	0.430	281	1,840	933
Min	ft <sup>3</sup> /s	0.140	5.20	0.000	0.090	0.070	0.000
Median	ft <sup>3</sup> /s	2.15	12.0	0.130	1.80	4.30	1.55
Arithmetic Mean	ft <sup>3</sup> /s	15.6	20.1	0.162	8.60	35.4	15.6
Geometric Mean	ft <sup>3</sup> /s	2.97	13.2	--	2.15	5.17	--
Harmonic Mean	ft <sup>3</sup> /s	0.780	10.8	--	0.908	1.36	--
Standard Deviation	ft <sup>3</sup> /s	32.1	34.3	0.166	29.8	164	83.5
5th percentile	ft <sup>3</sup> /s	0.191	5.50	0.000	0.211	0.310	0.000
10th percentile	ft <sup>3</sup> /s	0.240	5.80	0.000	0.422	0.810	0.000
20th percentile	ft <sup>3</sup> /s	0.478	7.48	0.000	0.678	1.30	0.096
30th percentile	ft <sup>3</sup> /s	0.810	10.0	0.000	1.30	2.26	0.451
40th percentile	ft <sup>3</sup> /s	1.10	11.0	0.000	1.60	3.30	0.750
50th percentile	ft <sup>3</sup> /s	2.15	12.0	0.130	1.80	4.30	1.55
60th percentile	ft <sup>3</sup> /s	5.56	12.0	0.284	2.30	6.14	2.64
70th percentile	ft <sup>3</sup> /s	13.0	13.0	0.320	3.13	10.0	4.23
80th percentile	ft <sup>3</sup> /s	24.4	20.6	0.330	6.20	19.6	7.24
90th percentile	ft <sup>3</sup> /s	40.2	28.8	0.350	15.1	56.8	22.1
Drainage area	mi <sup>2</sup>	5.54	21.4	--	13.5	31.6	23.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	41.0	14.6	--	20.8	58.2	40.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.025	0.243	--	0.007	0.002	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.388	0.561	--	0.133	0.136	0.067
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.81	0.939	--	0.637	1.12	0.673
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.536	0.615	--	0.159	0.163	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.141	0.506	--	0.067	0.043	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	5.79	1.60	--	2.20	5.20	3.61
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.034	0.257	--	0.016	0.010	0.000
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.043	0.271	--	0.031	0.026	0.000
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.086	0.350	--	0.050	0.041	0.004
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.146	0.467	--	0.096	0.072	0.020
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.199	0.514	--	0.119	0.104	0.032
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.388	0.561	--	0.133	0.136	0.067
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.00	0.561	--	0.170	0.194	0.114
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.35	0.607	--	0.232	0.316	0.183
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.40	0.963	--	0.459	0.620	0.313
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	7.26	1.35	--	1.12	1.80	0.957

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01636266</b>	<b>01636316</b>	<b>01636330</b>	<b>01636690</b>	<b>01638350</b>	<b>01638420</b>
Count	number	185	181	62.0	217	186	217
Max	ft <sup>3</sup> /s	82.0	46.0	0.310	47.0	230	105
Min	ft <sup>3</sup> /s	0.170	6.00	0.000	0.520	0.150	0.000
Median	ft <sup>3</sup> /s	4.80	13.0	0.120	2.50	11.5	4.60
Arithmetic Mean	ft <sup>3</sup> /s	10.2	16.0	0.134	5.31	20.1	9.08
Geometric Mean	ft <sup>3</sup> /s	4.01	13.6	--	3.06	10.4	--
Harmonic Mean	ft <sup>3</sup> /s	1.20	11.7	--	1.90	3.89	--
Standard Deviation	ft <sup>3</sup> /s	14.5	9.50	0.136	6.35	32.5	12.7
5th percentile	ft <sup>3</sup> /s	0.220	6.11	0.000	0.598	1.54	0.000
10th percentile	ft <sup>3</sup> /s	0.258	6.40	0.000	0.796	3.70	0.000
20th percentile	ft <sup>3</sup> /s	1.20	7.50	0.000	1.10	4.90	0.774
30th percentile	ft <sup>3</sup> /s	1.70	9.90	0.000	1.70	6.15	1.28
40th percentile	ft <sup>3</sup> /s	4.02	11.0	0.000	1.90	8.20	2.54
50th percentile	ft <sup>3</sup> /s	4.80	13.0	0.120	2.50	11.5	4.60
60th percentile	ft <sup>3</sup> /s	6.58	15.0	0.250	4.16	13.0	7.80
70th percentile	ft <sup>3</sup> /s	9.48	19.0	0.257	6.30	17.0	10.0
80th percentile	ft <sup>3</sup> /s	15.2	23.0	0.270	8.92	22.0	16.0
90th percentile	ft <sup>3</sup> /s	28.0	31.0	0.290	12.0	32.0	22.0
Drainage area	mi <sup>2</sup>	5.54	21.4	--	13.5	31.6	23.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	14.8	2.15	--	3.48	7.28	4.55
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.031	0.280	--	0.039	0.005	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.866	0.607	--	0.185	0.364	0.199
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.84	0.746	--	0.393	0.636	0.393
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.724	0.634	--	0.227	0.329	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.218	0.548	--	0.140	0.123	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.61	0.444	--	0.471	1.03	0.550
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.040	0.286	--	0.044	0.049	0.000
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.047	0.299	--	0.059	0.117	0.000
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.217	0.350	--	0.081	0.155	0.034
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.307	0.463	--	0.126	0.195	0.055
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.726	0.514	--	0.141	0.259	0.110
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.866	0.607	--	0.185	0.364	0.199
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	0.701	--	0.308	0.411	0.338
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	0.888	--	0.467	0.538	0.433
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.74	1.07	--	0.661	0.696	0.693
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.05	1.45	--	0.889	1.01	0.952

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01636266</b>	<b>01636316</b>	<b>01636330</b>	<b>01636690</b>	<b>01638350</b>	<b>01638420</b>
Count	number	174	175	53.0	205	180	205
Max	ft <sup>3</sup> /s	205	108	0.290	126	550	325
Min	ft <sup>3</sup> /s	1.40	7.70	0.000	0.750	2.70	0.480
Median	ft <sup>3</sup> /s	11.0	18.0	0.000	6.20	25.0	12.0
Arithmetic Mean	ft <sup>3</sup> /s	19.9	20.6	0.109	12.2	40.8	21.9
Geometric Mean	ft <sup>3</sup> /s	12.6	18.0	--	6.33	22.0	9.35
Harmonic Mean	ft <sup>3</sup> /s	8.81	16.2	--	3.40	12.2	3.58
Standard Deviation	ft <sup>3</sup> /s	25.9	13.2	0.127	16.7	62.2	34.1
5th percentile	ft <sup>3</sup> /s	3.58	8.28	0.000	0.863	3.01	0.899
10th percentile	ft <sup>3</sup> /s	5.23	10.4	0.000	1.04	3.57	1.04
20th percentile	ft <sup>3</sup> /s	6.86	12.0	0.000	2.28	9.46	1.86
30th percentile	ft <sup>3</sup> /s	7.79	14.0	0.000	3.30	13.0	4.40
40th percentile	ft <sup>3</sup> /s	9.30	15.0	0.000	4.10	18.0	7.62
50th percentile	ft <sup>3</sup> /s	11.0	18.0	0.000	6.20	25.0	12.0
60th percentile	ft <sup>3</sup> /s	13.0	19.0	0.202	9.44	29.0	16.4
70th percentile	ft <sup>3</sup> /s	17.0	21.8	0.240	13.0	38.0	24.0
80th percentile	ft <sup>3</sup> /s	26.4	26.0	0.256	17.0	54.0	31.2
90th percentile	ft <sup>3</sup> /s	43.0	32.0	0.278	28.6	77.6	46.6
Drainage area	mi <sup>2</sup>	5.54	21.4	--	13.5	31.6	23.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	37.0	5.05	--	9.33	17.4	14.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.360	--	0.056	0.085	0.021
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.99	0.841	--	0.459	0.791	0.519
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.60	0.961	--	0.903	1.29	0.947
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.28	0.841	--	0.469	0.697	0.405
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.59	0.757	--	0.252	0.386	0.155
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.68	0.619	--	1.23	1.97	1.47
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.645	0.387	--	0.064	0.095	0.039
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.944	0.486	--	0.077	0.113	0.045
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	0.561	--	0.169	0.299	0.081
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	0.654	--	0.244	0.411	0.190
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	0.701	--	0.304	0.570	0.330
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.99	0.841	--	0.459	0.791	0.519
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.35	0.888	--	0.699	0.918	0.710
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.07	1.02	--	0.963	1.20	1.04
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.77	1.21	--	1.26	1.71	1.35
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	7.76	1.50	--	2.12	2.46	2.02

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01636266</b>	<b>01636316</b>	<b>01636330</b>	<b>01636690</b>	<b>01638350</b>	<b>01638420</b>
Count	number	155	155	31.0	186	186	186
Max	ft <sup>3</sup> /s	286	450	0.380	352	1,450	897
Min	ft <sup>3</sup> /s	5.20	9.70	0.000	0.920	4.00	1.30
Median	ft <sup>3</sup> /s	15.0	23.0	0.000	13.0	30.0	22.0
Arithmetic Mean	ft <sup>3</sup> /s	24.7	31.2	0.084	19.4	48.8	32.2
Geometric Mean	ft <sup>3</sup> /s	17.8	24.7	--	11.3	28.3	17.5
Harmonic Mean	ft <sup>3</sup> /s	14.2	21.6	--	5.47	17.6	8.34
Standard Deviation	ft <sup>3</sup> /s	28.7	38.6	0.130	29.4	111	69.2
5th percentile	ft <sup>3</sup> /s	6.48	11.0	0.000	1.10	4.64	1.84
10th percentile	ft <sup>3</sup> /s	7.94	15.0	0.000	1.50	5.85	2.35
20th percentile	ft <sup>3</sup> /s	9.48	16.0	0.000	4.80	14.0	9.00
30th percentile	ft <sup>3</sup> /s	11.0	17.0	0.000	10.0	19.5	15.0
40th percentile	ft <sup>3</sup> /s	12.0	18.0	0.000	12.0	25.0	18.0
50th percentile	ft <sup>3</sup> /s	15.0	23.0	0.000	13.0	30.0	22.0
60th percentile	ft <sup>3</sup> /s	19.0	25.0	0.000	16.0	39.0	25.0
70th percentile	ft <sup>3</sup> /s	24.0	29.8	0.080	20.0	45.5	32.0
80th percentile	ft <sup>3</sup> /s	35.2	36.2	0.260	26.0	60.0	40.0
90th percentile	ft <sup>3</sup> /s	50.6	57.0	0.300	35.5	88.5	56.0
Drainage area	mi <sup>2</sup>	5.54	21.4	--	13.5	31.6	23.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	51.6	21.0	--	26.1	45.9	38.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.939	0.453	--	0.068	0.127	0.056
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.71	1.07	--	0.963	0.949	0.952
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	4.46	1.46	--	1.44	1.54	1.39
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.21	1.16	--	0.839	0.896	0.759
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.56	1.01	--	0.405	0.557	0.361
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	5.18	1.80	--	2.18	3.51	2.99
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	0.514	--	0.081	0.147	0.079
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	0.701	--	0.111	0.185	0.102
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	0.748	--	0.356	0.443	0.390
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.99	0.794	--	0.741	0.617	0.649
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.17	0.841	--	0.889	0.791	0.779
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.71	1.07	--	0.963	0.949	0.952
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.43	1.17	--	1.19	1.23	1.08
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.33	1.39	--	1.48	1.44	1.39
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	6.35	1.69	--	1.93	1.90	1.73
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	9.13	2.66	--	2.63	2.80	2.42



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>01638480</b>	<b>01643590</b>	<b>01643700</b>	<b>01643805</b>	<b>01643880</b>	<b>01644000</b>
Count	number	1,116	186	1,113	186	186	2,511
Max	ft <sup>3</sup> /s	4,050	459	4,380	1,830	1,030	10,100
Min	ft <sup>3</sup> /s	2.40	1.10	2.60	4.40	2.80	7.00
Median	ft <sup>3</sup> /s	79.0	6.05	115	37.5	47.0	255
Arithmetic Mean	ft <sup>3</sup> /s	132	12.3	165	68.1	66.9	414
Geometric Mean	ft <sup>3</sup> /s	--	6.26	--	36.0	39.6	--
Harmonic Mean	ft <sup>3</sup> /s	43.5	4.63	42.5	23.7	19.5	136
Standard Deviation	ft <sup>3</sup> /s	268	43.3	242	162	97.4	629
5th percentile	ft <sup>3</sup> /s	12.0	1.60	11.0	7.44	4.54	40.0
10th percentile	ft <sup>3</sup> /s	20.0	1.95	25.0	9.35	5.75	66.0
20th percentile	ft <sup>3</sup> /s	33.0	4.30	45.0	21.0	26.0	111
30th percentile	ft <sup>3</sup> /s	48.0	4.70	66.0	24.0	35.0	158
40th percentile	ft <sup>3</sup> /s	64.0	5.10	88.8	29.0	42.0	206
50th percentile	ft <sup>3</sup> /s	79.0	6.05	115	37.5	47.0	255
60th percentile	ft <sup>3</sup> /s	92.0	7.30	140	42.0	53.0	320
70th percentile	ft <sup>3</sup> /s	112	8.30	172	52.0	66.0	410
80th percentile	ft <sup>3</sup> /s	150	10.0	227	68.0	78.0	546
90th percentile	ft <sup>3</sup> /s	239	14.0	333	98.0	121	820
Drainage area	mi <sup>2</sup>	89.5	7.88	122	38.1	47.2	332
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	45.3	58.2	35.9	48.0	21.8	30.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.027	0.140	0.021	0.115	0.059	0.021
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.883	0.768	0.943	0.984	0.996	0.768
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.47	1.56	1.35	1.79	1.42	1.25
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.795	--	0.946	0.839	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.487	0.587	0.349	0.623	0.413	0.409
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.99	5.49	1.99	4.26	2.06	1.89
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.134	0.203	0.090	0.195	0.096	0.120
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.223	0.247	0.205	0.245	0.122	0.199
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.369	0.546	0.369	0.551	0.551	0.334
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.536	0.596	0.541	0.630	0.742	0.476
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.715	0.647	0.728	0.761	0.890	0.620
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.883	0.768	0.943	0.984	0.996	0.768
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.926	1.15	1.10	1.12	0.964
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	1.05	1.41	1.36	1.40	1.23
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	1.27	1.86	1.78	1.65	1.64
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.67	1.78	2.73	2.57	2.55	2.47

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01638480</b>	<b>01643590</b>	<b>01643700</b>	<b>01643805</b>	<b>01643880</b>	<b>01644000</b>
Count	number	1,017	169	988	166	169	2,284
Max	ft <sup>3</sup> /s	3,400	158	4,160	1,450	873	10,800
Min	ft <sup>3</sup> /s	8.90	0.970	3.30	4.90	1.90	10.0
Median	ft <sup>3</sup> /s	85.0	6.70	132	37.0	45.0	335
Arithmetic Mean	ft <sup>3</sup> /s	141	10.0	196	74.8	68.8	507
Geometric Mean	ft <sup>3</sup> /s	--	6.20	--	37.3	35.1	--
Harmonic Mean	ft <sup>3</sup> /s	61.4	4.37	71.7	23.0	13.6	198
Standard Deviation	ft <sup>3</sup> /s	236	18.0	278	155	106	672
5th percentile	ft <sup>3</sup> /s	17.9	1.40	20.0	6.30	2.65	61.3
10th percentile	ft <sup>3</sup> /s	32.6	1.70	48.0	8.75	3.60	94.0
20th percentile	ft <sup>3</sup> /s	52.0	3.10	80.0	18.0	18.6	170
30th percentile	ft <sup>3</sup> /s	63.0	4.34	101	23.0	29.0	230
40th percentile	ft <sup>3</sup> /s	74.0	5.62	116	29.0	40.0	276
50th percentile	ft <sup>3</sup> /s	85.0	6.70	132	37.0	45.0	335
60th percentile	ft <sup>3</sup> /s	99.0	7.40	150	45.0	52.8	400
70th percentile	ft <sup>3</sup> /s	121	8.56	178	53.5	61.2	499
80th percentile	ft <sup>3</sup> /s	165	11.4	235	76.0	81.0	652
90th percentile	ft <sup>3</sup> /s	254	16.4	357	137	120	1,010
Drainage area	mi <sup>2</sup>	89.5	7.88	122	38.1	47.2	332
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	38.0	20.1	34.1	38.1	18.5	32.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.099	0.123	0.027	0.129	0.040	0.030
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.950	0.850	1.08	0.971	0.953	1.01
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	1.27	1.61	1.96	1.46	1.53
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.787	--	0.979	0.744	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.687	0.554	0.587	0.604	0.288	0.596
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.64	2.28	2.28	4.07	2.24	2.02
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.200	0.178	0.164	0.165	0.056	0.184
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.364	0.216	0.393	0.230	0.076	0.283
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.581	0.393	0.656	0.472	0.394	0.512
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.704	0.551	0.828	0.604	0.614	0.693
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.827	0.713	0.951	0.761	0.847	0.831
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.950	0.850	1.08	0.971	0.953	1.01
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	0.939	1.23	1.18	1.12	1.20
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	1.09	1.46	1.40	1.30	1.50
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.84	1.45	1.92	1.99	1.72	1.96
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.84	2.08	2.92	3.60	2.53	3.04

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01638480</b>	<b>01643590</b>	<b>01643700</b>	<b>01643805</b>	<b>01643880</b>	<b>01644000</b>
Count	number	1,116	186	1,085	185	186	2,511
Max	ft <sup>3</sup> /s	4,160	347	3,070	1,110	649	11,800
Min	ft <sup>3</sup> /s	8.40	0.810	5.60	5.40	1.80	24.0
Median	ft <sup>3</sup> /s	111	8.00	154	37.0	46.0	413
Arithmetic Mean	ft <sup>3</sup> /s	186	14.6	235	83.2	84.0	595
Geometric Mean	ft <sup>3</sup> /s	--	8.53	--	45.7	--	--
Harmonic Mean	ft <sup>3</sup> /s	87.1	5.90	106	30.0	26.1	318
Standard Deviation	ft <sup>3</sup> /s	260	29.5	261	130	103	648
5th percentile	ft <sup>3</sup> /s	38.0	2.34	43.3	10.3	7.47	136
10th percentile	ft <sup>3</sup> /s	45.0	3.10	60.0	15.0	16.0	174
20th percentile	ft <sup>3</sup> /s	59.0	4.30	81.8	19.8	22.0	232
30th percentile	ft <sup>3</sup> /s	73.0	5.80	101	24.2	28.0	280
40th percentile	ft <sup>3</sup> /s	88.0	6.90	124	31.2	37.0	342
50th percentile	ft <sup>3</sup> /s	111	8.00	154	37.0	46.0	413
60th percentile	ft <sup>3</sup> /s	141	9.10	190	49.0	61.0	505
70th percentile	ft <sup>3</sup> /s	180	11.0	247	72.8	83.0	619
80th percentile	ft <sup>3</sup> /s	232	16.0	322	106	122	767
90th percentile	ft <sup>3</sup> /s	374	25.5	477	175	188	1,150
Drainage area	mi <sup>2</sup>	89.5	7.88	122	38.1	47.2	332
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	46.5	44.0	25.2	29.1	13.8	35.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.094	0.103	0.046	0.142	0.038	0.072
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	1.02	1.26	0.971	0.975	1.24
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.08	1.86	1.93	2.18	1.78	1.79
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.08	--	1.20	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.973	0.748	0.867	0.786	0.553	0.958
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.91	3.74	2.14	3.40	2.17	1.95
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.425	0.296	0.355	0.270	0.158	0.410
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.503	0.393	0.492	0.394	0.339	0.524
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.659	0.546	0.670	0.520	0.466	0.699
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.816	0.736	0.828	0.635	0.593	0.843
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.983	0.876	1.01	0.819	0.784	1.03
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	1.02	1.26	0.971	0.975	1.24
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.58	1.15	1.56	1.29	1.29	1.52
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.01	1.40	2.02	1.91	1.76	1.86
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.59	2.03	2.64	2.79	2.58	2.31
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.18	3.24	3.91	4.58	3.97	3.46

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01638480</b>	<b>01643590</b>	<b>01643700</b>	<b>01643805</b>	<b>01643880</b>	<b>01644000</b>
Count	number	1,080	180	1,050	180	180	2,430
Max	ft <sup>3</sup> /s	2,810	128	3,000	839	705	19,000
Min	ft <sup>3</sup> /s	17.0	1.40	18.0	10.0	9.00	46.0
Median	ft <sup>3</sup> /s	104	7.85	148	43.5	50.5	350
Arithmetic Mean	ft <sup>3</sup> /s	159	11.3	222	70.1	73.0	519
Geometric Mean	ft <sup>3</sup> /s	--	7.75	--	43.6	48.6	--
Harmonic Mean	ft <sup>3</sup> /s	84.8	5.77	109	31.1	33.9	289
Standard Deviation	ft <sup>3</sup> /s	196	14.6	248	106	89.2	706
5th percentile	ft <sup>3</sup> /s	34.0	2.11	37.0	12.1	12.0	120
10th percentile	ft <sup>3</sup> /s	44.0	2.80	53.9	14.0	15.0	149
20th percentile	ft <sup>3</sup> /s	58.0	3.70	78.0	17.0	19.0	204
30th percentile	ft <sup>3</sup> /s	70.0	5.50	98.0	26.0	34.0	244
40th percentile	ft <sup>3</sup> /s	84.6	6.70	120	34.6	43.0	293
50th percentile	ft <sup>3</sup> /s	104	7.85	148	43.5	50.5	350
60th percentile	ft <sup>3</sup> /s	132	9.20	188	54.4	59.8	416
70th percentile	ft <sup>3</sup> /s	162	11.0	233	65.9	74.0	520
80th percentile	ft <sup>3</sup> /s	207	13.2	307	86.2	100	656
90th percentile	ft <sup>3</sup> /s	308	20.0	446	142	137	971
Drainage area	mi <sup>2</sup>	89.5	7.88	122	38.1	47.2	332
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	31.4	16.2	24.6	22.0	14.9	57.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.190	0.178	0.148	0.262	0.191	0.139
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	0.996	1.21	1.14	1.07	1.05
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.78	1.44	1.82	1.84	1.55	1.56
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.983	--	1.14	1.03	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.948	0.732	0.894	0.816	0.718	0.871
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.19	1.85	2.03	2.78	1.89	2.13
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.380	0.268	0.303	0.316	0.254	0.361
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.492	0.355	0.442	0.367	0.318	0.449
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.648	0.470	0.639	0.446	0.403	0.614
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.782	0.698	0.803	0.682	0.720	0.734
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.945	0.850	0.984	0.908	0.911	0.883
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	0.996	1.21	1.14	1.07	1.05
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.47	1.17	1.54	1.43	1.27	1.25
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.81	1.40	1.91	1.73	1.57	1.57
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.31	1.68	2.52	2.26	2.12	1.98
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.44	2.54	3.65	3.74	2.90	2.93

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>01638480</b>	<b>01643590</b>	<b>01643700</b>	<b>01643805</b>	<b>01643880</b>	<b>01644000</b>
Count	number	1,116	186	1,085	186	186	2,480
Max	ft <sup>3</sup> /s	5,030	424	1,910	2,750	3,060	8,610
Min	ft <sup>3</sup> /s	9.50	1.00	15.0	9.30	4.30	40.0
Median	ft <sup>3</sup> /s	61.5	4.55	104	25.0	28.0	230
Arithmetic Mean	ft <sup>3</sup> /s	121	9.93	164	71.4	68.3	373
Geometric Mean	ft <sup>3</sup> /s	--	5.06	--	32.4	29.8	--
Harmonic Mean	ft <sup>3</sup> /s	52.6	3.61	81.7	23.6	19.8	192
Standard Deviation	ft <sup>3</sup> /s	236	32.1	196	223	236	495
5th percentile	ft <sup>3</sup> /s	22.0	1.40	31.0	11.0	6.84	81.0
10th percentile	ft <sup>3</sup> /s	27.0	1.70	43.0	12.0	9.20	100
20th percentile	ft <sup>3</sup> /s	35.0	2.30	57.0	15.0	13.0	127
30th percentile	ft <sup>3</sup> /s	43.0	2.95	71.0	19.0	17.0	156
40th percentile	ft <sup>3</sup> /s	50.0	3.90	85.6	22.0	22.0	187
50th percentile	ft <sup>3</sup> /s	61.5	4.55	104	25.0	28.0	230
60th percentile	ft <sup>3</sup> /s	79.0	5.70	127	33.0	34.0	281
70th percentile	ft <sup>3</sup> /s	101	7.05	161	41.0	41.0	350
80th percentile	ft <sup>3</sup> /s	142	9.10	218	56.0	58.0	475
90th percentile	ft <sup>3</sup> /s	236	20.0	335	125	120	731
Drainage area	mi <sup>2</sup>	89.5	7.88	122	38.1	47.2	332
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	56.2	53.8	15.7	72.2	64.8	25.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.106	0.127	0.123	0.244	0.091	0.120
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.687	0.577	0.852	0.656	0.593	0.693
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	1.26	1.34	1.87	1.45	1.12
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.642	--	0.851	0.632	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.588	0.459	0.669	0.619	0.419	0.580
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.64	4.07	1.61	5.84	5.00	1.49
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.246	0.178	0.254	0.289	0.145	0.244
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.302	0.216	0.352	0.315	0.195	0.301
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.391	0.292	0.467	0.394	0.275	0.383
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.480	0.374	0.582	0.499	0.360	0.470
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.559	0.495	0.702	0.577	0.466	0.563
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.687	0.577	0.852	0.656	0.593	0.693
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.883	0.723	1.04	0.866	0.720	0.846
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	0.895	1.32	1.08	0.869	1.05
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.59	1.15	1.79	1.47	1.23	1.43
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.63	2.54	2.75	3.28	2.53	2.20

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	01638480	01643590	01643700	01643805	01643880	01644000
Count	number	1,080	180	1,051	180	180	2,400
Max	ft <sup>3</sup> /s	9,530	195	6,270	1,050	672	53,600
Min	ft <sup>3</sup> /s	2.20	0.930	1.50	1.30	0.170	6.60
Median	ft <sup>3</sup> /s	44.0	2.70	58.0	20.0	14.0	140
Arithmetic Mean	ft <sup>3</sup> /s	94.5	9.60	126	72.2	56.0	271
Geometric Mean	ft <sup>3</sup> /s	--	3.90	--	26.1	13.7	--
Harmonic Mean	ft <sup>3</sup> /s	26.7	2.41	33.0	13.1	2.33	93.8
Standard Deviation	ft <sup>3</sup> /s	344	20.6	300	148	105	1,171
5th percentile	ft <sup>3</sup> /s	8.50	0.981	11.0	4.21	0.272	32.0
10th percentile	ft <sup>3</sup> /s	13.0	1.10	16.0	7.59	1.37	45.0
20th percentile	ft <sup>3</sup> /s	20.0	1.40	24.0	9.60	3.36	66.0
30th percentile	ft <sup>3</sup> /s	27.0	1.60	33.0	11.0	6.08	86.0
40th percentile	ft <sup>3</sup> /s	35.0	2.00	42.0	14.6	9.14	112
50th percentile	ft <sup>3</sup> /s	44.0	2.70	58.0	20.0	14.0	140
60th percentile	ft <sup>3</sup> /s	53.4	4.02	81.0	27.0	20.4	175
70th percentile	ft <sup>3</sup> /s	65.0	6.23	104	45.6	32.3	226
80th percentile	ft <sup>3</sup> /s	90.0	11.0	140	90.2	71.6	299
90th percentile	ft <sup>3</sup> /s	156	22.2	219	175	177	493
Drainage area	mi <sup>2</sup>	89.5	7.88	122	38.1	47.2	332
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	106	24.7	51.4	27.6	14.2	161
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.025	0.118	0.012	0.034	0.004	0.020
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.492	0.343	0.475	0.525	0.297	0.422
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.22	1.03	1.90	1.19	0.817
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.495	--	0.686	0.289	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.299	0.306	0.271	0.344	0.049	0.283
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.85	2.61	2.46	3.89	2.22	3.53
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.095	0.124	0.090	0.110	0.006	0.096
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.145	0.140	0.131	0.199	0.029	0.136
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.223	0.178	0.197	0.252	0.071	0.199
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.302	0.203	0.270	0.289	0.129	0.259
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.391	0.254	0.344	0.383	0.194	0.337
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.492	0.343	0.475	0.525	0.297	0.422
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.597	0.510	0.664	0.709	0.432	0.527
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.726	0.791	0.852	1.20	0.684	0.681
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.40	1.15	2.37	1.52	0.901
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.75	2.82	1.80	4.59	3.76	1.49

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>01638480</b>	<b>01643590</b>	<b>01643700</b>	<b>01643805</b>	<b>01643880</b>	<b>01644000</b>
Count	number	1,116	186	1,139	199	200	2,500
Max	ft <sup>3</sup> /s	3,190	440	2,590	2,220	1,710	17,000
Min	ft <sup>3</sup> /s	0.190	0.550	0.220	1.60	0.000	1.70
Median	ft <sup>3</sup> /s	24.0	2.60	29.0	13.0	7.20	67.0
Arithmetic Mean	ft <sup>3</sup> /s	46.7	5.89	57.4	34.6	31.2	143
Geometric Mean	ft <sup>3</sup> /s	--	2.36	--	13.7	--	--
Harmonic Mean	ft <sup>3</sup> /s	7.87	1.66	7.80	8.72	--	31.2
Standard Deviation	ft <sup>3</sup> /s	147	32.5	123	161	126	433
5th percentile	ft <sup>3</sup> /s	2.57	0.697	2.00	2.50	0.072	8.40
10th percentile	ft <sup>3</sup> /s	5.20	0.825	3.68	4.56	0.226	15.0
20th percentile	ft <sup>3</sup> /s	10.0	0.900	8.36	5.70	1.50	25.0
30th percentile	ft <sup>3</sup> /s	15.0	1.05	15.0	6.68	3.00	36.0
40th percentile	ft <sup>3</sup> /s	19.0	2.20	21.0	9.72	4.46	49.0
50th percentile	ft <sup>3</sup> /s	24.0	2.60	29.0	13.0	7.20	67.0
60th percentile	ft <sup>3</sup> /s	29.0	3.00	39.0	16.0	13.0	90.0
70th percentile	ft <sup>3</sup> /s	36.0	3.75	52.6	22.6	23.3	116
80th percentile	ft <sup>3</sup> /s	49.0	4.70	74.4	29.4	37.6	162
90th percentile	ft <sup>3</sup> /s	78.0	6.80	118	46.8	57.2	290
Drainage area	mi <sup>2</sup>	89.5	7.88	122	38.1	47.2	332
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	35.6	55.8	21.2	58.3	36.2	51.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.002	0.070	0.002	0.042	0.000	0.005
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.268	0.330	0.238	0.341	0.153	0.202
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.522	0.747	0.471	0.907	0.661	0.430
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.300	--	0.359	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.088	0.211	0.064	0.229	--	0.094
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.64	4.12	1.01	4.21	2.67	1.30
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.029	0.088	0.016	0.066	0.002	0.025
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.058	0.105	0.030	0.120	0.005	0.045
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.112	0.114	0.069	0.150	0.032	0.075
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.168	0.133	0.123	0.175	0.064	0.108
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.212	0.279	0.172	0.255	0.094	0.148
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.268	0.330	0.238	0.341	0.153	0.202
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.324	0.381	0.320	0.420	0.275	0.271
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.402	0.476	0.431	0.593	0.494	0.349
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.547	0.596	0.610	0.772	0.797	0.488
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.872	0.863	0.970	1.23	1.21	0.873

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01638480</b>	<b>01643590</b>	<b>01643700</b>	<b>01643805</b>	<b>01643880</b>	<b>01644000</b>
Count	number	1,147	195	1,136	216	217	2,511
Max	ft <sup>3</sup> /s	3,500	102	2,680	174	126	24,000
Min	ft <sup>3</sup> /s	0.090	0.540	0.010	0.910	0.000	0.550
Median	ft <sup>3</sup> /s	13.0	1.50	17.0	6.55	1.80	40.0
Arithmetic Mean	ft <sup>3</sup> /s	29.1	2.63	48.7	11.4	7.98	148
Geometric Mean	ft <sup>3</sup> /s	--	1.55	--	6.73	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.01	1.22	0.651	4.24	--	12.9
Standard Deviation	ft <sup>3</sup> /s	117	7.60	139	16.5	16.8	653
5th percentile	ft <sup>3</sup> /s	1.10	0.640	0.399	1.40	0.000	2.80
10th percentile	ft <sup>3</sup> /s	2.20	0.700	0.770	1.60	0.000	5.10
20th percentile	ft <sup>3</sup> /s	4.60	0.750	2.70	2.60	0.090	11.0
30th percentile	ft <sup>3</sup> /s	7.70	0.820	6.40	4.30	0.214	18.0
40th percentile	ft <sup>3</sup> /s	9.64	0.956	11.0	5.70	1.04	27.0
50th percentile	ft <sup>3</sup> /s	13.0	1.50	17.0	6.55	1.80	40.0
60th percentile	ft <sup>3</sup> /s	16.0	1.84	24.0	8.10	2.96	54.0
70th percentile	ft <sup>3</sup> /s	21.0	2.30	34.0	11.0	4.60	79.0
80th percentile	ft <sup>3</sup> /s	31.0	2.62	53.0	16.0	9.58	133
90th percentile	ft <sup>3</sup> /s	54.4	4.66	101	24.0	24.0	272
Drainage area	mi <sup>2</sup>	89.5	7.88	122	38.1	47.2	332
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	39.1	12.9	22.0	4.57	2.67	72.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.001	0.069	0.000	0.024	0.000	0.002
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.145	0.190	0.139	0.172	0.038	0.120
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.325	0.334	0.399	0.300	0.169	0.447
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.197	--	0.177	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.034	0.155	0.005	0.111	--	0.039
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	0.965	1.14	0.432	0.355	1.97
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.012	0.081	0.003	0.037	0.000	0.008
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.025	0.089	0.006	0.042	0.000	0.015
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.051	0.095	0.022	0.068	0.002	0.033
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.086	0.104	0.052	0.113	0.005	0.054
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.121	0.090	0.150	0.022	0.081
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.145	0.190	0.139	0.172	0.038	0.120
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.234	0.197	0.213	0.063	0.163
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.235	0.292	0.279	0.289	0.097	0.238
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.346	0.332	0.434	0.420	0.203	0.401
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.608	0.591	0.828	0.630	0.508	0.819



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01638480</b>	<b>01643590</b>	<b>01643700</b>	<b>01643805</b>	<b>01643880</b>	<b>01644000</b>
Count	number	1,110	210	1,080	210	210	2,460
Max	ft <sup>3</sup> /s	5,400	976	14,000	3,040	5,000	20,800
Min	ft <sup>3</sup> /s	0.180	0.500	0.000	1.10	0.000	0.400
Median	ft <sup>3</sup> /s	9.80	1.40	12.0	7.65	1.75	33.0
Arithmetic Mean	ft <sup>3</sup> /s	54.2	12.2	79.9	53.1	53.9	154
Geometric Mean	ft <sup>3</sup> /s	--	2.19	--	9.65	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.55	1.42	--	4.83	--	9.71
Standard Deviation	ft <sup>3</sup> /s	269	75.4	483	274	359	701
5th percentile	ft <sup>3</sup> /s	0.776	0.590	0.040	1.40	0.000	2.00
10th percentile	ft <sup>3</sup> /s	1.69	0.783	0.339	1.60	0.000	4.20
20th percentile	ft <sup>3</sup> /s	3.38	0.908	2.20	2.80	0.048	8.70
30th percentile	ft <sup>3</sup> /s	5.40	1.00	5.27	4.57	0.567	14.0
40th percentile	ft <sup>3</sup> /s	7.50	1.20	8.76	6.10	1.06	20.0
50th percentile	ft <sup>3</sup> /s	9.80	1.40	12.0	7.65	1.75	33.0
60th percentile	ft <sup>3</sup> /s	13.0	1.84	20.0	13.0	3.72	52.0
70th percentile	ft <sup>3</sup> /s	18.0	2.90	31.0	16.3	7.12	77.0
80th percentile	ft <sup>3</sup> /s	30.0	5.30	49.0	23.2	20.8	123
90th percentile	ft <sup>3</sup> /s	86.0	10.1	146	57.1	73.1	274
Drainage area	mi <sup>2</sup>	89.5	7.88	122	38.1	47.2	332
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	60.3	124	115	79.8	106	62.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.002	0.063	0.000	0.029	0.000	0.001
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.109	0.178	0.098	0.201	0.037	0.099
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.606	1.55	0.655	1.39	1.14	0.463
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.278	--	0.253	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.040	0.180	--	0.127	--	0.029
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.01	9.57	3.96	7.20	7.61	2.11
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.009	0.075	0.000	0.037	0.000	0.006
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.019	0.099	0.003	0.042	0.000	0.013
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.038	0.115	0.018	0.073	0.001	0.026
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.060	0.127	0.043	0.120	0.012	0.042
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.084	0.152	0.072	0.160	0.022	0.060
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.109	0.178	0.098	0.201	0.037	0.099
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.145	0.234	0.164	0.341	0.079	0.157
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.201	0.368	0.254	0.428	0.151	0.232
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.335	0.673	0.402	0.609	0.441	0.370
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.961	1.28	1.20	1.50	1.55	0.826

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01638480</b>	<b>01643590</b>	<b>01643700</b>	<b>01643805</b>	<b>01643880</b>	<b>01644000</b>
Count	number	1,148	217	1,121	217	215	2,542
Max	ft <sup>3</sup> /s	7,040	108	7,500	332	185	26,100
Min	ft <sup>3</sup> /s	0.120	0.510	0.000	1.50	0.000	0.800
Median	ft <sup>3</sup> /s	13.0	3.30	20.0	20.0	14.0	48.0
Arithmetic Mean	ft <sup>3</sup> /s	60.6	5.52	82.7	29.1	20.4	192
Geometric Mean	ft <sup>3</sup> /s	--	3.16	--	17.8	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.74	2.05	--	11.2	--	14.6
Standard Deviation	ft <sup>3</sup> /s	268	9.74	278	40.0	27.3	882
5th percentile	ft <sup>3</sup> /s	1.30	0.609	0.050	4.99	0.000	2.60
10th percentile	ft <sup>3</sup> /s	2.57	0.892	1.80	5.30	0.000	7.10
20th percentile	ft <sup>3</sup> /s	5.70	1.30	4.90	6.14	0.380	14.0
30th percentile	ft <sup>3</sup> /s	8.11	1.80	8.90	11.8	1.52	23.0
40th percentile	ft <sup>3</sup> /s	10.0	2.70	13.0	16.0	5.86	37.0
50th percentile	ft <sup>3</sup> /s	13.0	3.30	20.0	20.0	14.0	48.0
60th percentile	ft <sup>3</sup> /s	20.0	4.12	31.0	23.6	19.0	75.0
70th percentile	ft <sup>3</sup> /s	34.0	5.14	49.0	28.0	24.8	111
80th percentile	ft <sup>3</sup> /s	61.0	7.00	106	35.8	30.0	173
90th percentile	ft <sup>3</sup> /s	119	8.82	196	55.4	49.2	386
Drainage area	mi <sup>2</sup>	89.5	7.88	122	38.1	47.2	332
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	78.7	13.7	61.5	8.71	3.92	78.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.001	0.065	0.000	0.039	0.000	0.002
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.145	0.419	0.164	0.525	0.297	0.145
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.677	0.701	0.678	0.764	0.432	0.578
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.401	--	0.467	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.042	0.260	--	0.294	--	0.044
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.99	1.24	2.28	1.05	0.578	2.66
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.015	0.077	0.000	0.131	0.000	0.008
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.029	0.113	0.015	0.139	0.000	0.021
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.064	0.165	0.040	0.161	0.008	0.042
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.091	0.228	0.073	0.310	0.032	0.069
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.112	0.343	0.107	0.420	0.124	0.111
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.145	0.419	0.164	0.525	0.297	0.145
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.223	0.523	0.254	0.619	0.403	0.226
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.380	0.652	0.402	0.735	0.525	0.333
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.682	0.888	0.869	0.940	0.636	0.521
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.33	1.12	1.61	1.45	1.04	1.16

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01638480</b>	<b>01643590</b>	<b>01643700</b>	<b>01643805</b>	<b>01643880</b>	<b>01644000</b>
Count	number	1,105	205	1,098	205	204	2,455
Max	ft <sup>3</sup> /s	1,620	210	1,260	1,050	726	10,700
Min	ft <sup>3</sup> /s	1.20	0.590	0.000	3.80	0.000	2.40
Median	ft <sup>3</sup> /s	31.0	4.70	46.0	37.0	36.5	96.0
Arithmetic Mean	ft <sup>3</sup> /s	66.4	8.04	96.4	63.9	54.1	231
Geometric Mean	ft <sup>3</sup> /s	--	4.73	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	16.2	3.09	--	18.7	--	41.6
Standard Deviation	ft <sup>3</sup> /s	114	15.9	140	109	77.2	455
5th percentile	ft <sup>3</sup> /s	4.40	0.955	3.50	4.23	0.000	9.80
10th percentile	ft <sup>3</sup> /s	7.60	1.40	7.57	5.10	0.383	21.0
20th percentile	ft <sup>3</sup> /s	12.0	1.98	13.0	15.0	3.10	40.0
30th percentile	ft <sup>3</sup> /s	16.0	3.10	19.1	25.2	11.9	55.0
40th percentile	ft <sup>3</sup> /s	21.0	3.70	33.0	30.0	22.0	74.0
50th percentile	ft <sup>3</sup> /s	31.0	4.70	46.0	37.0	36.5	96.0
60th percentile	ft <sup>3</sup> /s	47.0	5.94	75.0	43.0	44.8	137
70th percentile	ft <sup>3</sup> /s	63.0	7.60	107	55.2	58.2	199
80th percentile	ft <sup>3</sup> /s	91.0	10.0	144	73.2	85.0	322
90th percentile	ft <sup>3</sup> /s	144	17.0	227	125	115	530
Drainage area	mi <sup>2</sup>	89.5	7.88	122	38.1	47.2	332
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	18.1	26.6	10.3	27.6	15.4	32.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.013	0.075	0.000	0.100	0.000	0.007
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.346	0.596	0.377	0.971	0.773	0.289
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.742	1.02	0.790	1.68	1.15	0.694
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.600	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.392	--	0.492	--	0.125
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	2.01	1.14	2.86	1.63	1.37
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.049	0.121	0.029	0.111	0.000	0.030
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.085	0.178	0.062	0.134	0.008	0.063
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.134	0.251	0.107	0.394	0.066	0.120
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.393	0.157	0.661	0.252	0.166
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.235	0.470	0.270	0.787	0.466	0.223
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.346	0.596	0.377	0.971	0.773	0.289
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.525	0.754	0.615	1.13	0.949	0.413
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.704	0.964	0.876	1.45	1.23	0.599
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	1.27	1.18	1.92	1.80	0.970
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.60	2.16	1.86	3.29	2.43	1.60

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01638480</b>	<b>01643590</b>	<b>01643700</b>	<b>01643805</b>	<b>01643880</b>	<b>01644000</b>
Count	number	1,116	186	1,116	186	186	2,511
Max	ft <sup>3</sup> /s	4,580	633	5,190	2,370	2,330	13,900
Min	ft <sup>3</sup> /s	2.50	1.20	2.80	5.10	2.50	4.60
Median	ft <sup>3</sup> /s	61.5	6.00	90.0	42.0	49.5	183
Arithmetic Mean	ft <sup>3</sup> /s	118	11.3	153	69.7	73.8	342
Geometric Mean	ft <sup>3</sup> /s	--	6.11	--	39.7	40.7	--
Harmonic Mean	ft <sup>3</sup> /s	28.4	4.53	33.9	25.7	18.5	79.6
Standard Deviation	ft <sup>3</sup> /s	256	46.4	253	181	175	659
5th percentile	ft <sup>3</sup> /s	7.90	1.50	7.89	6.50	3.57	19.0
10th percentile	ft <sup>3</sup> /s	11.0	2.10	12.0	9.50	5.50	38.0
20th percentile	ft <sup>3</sup> /s	20.0	3.50	30.0	24.0	27.0	61.0
30th percentile	ft <sup>3</sup> /s	38.0	4.10	52.0	28.5	36.0	93.0
40th percentile	ft <sup>3</sup> /s	49.0	5.30	71.0	35.0	44.0	140
50th percentile	ft <sup>3</sup> /s	61.5	6.00	90.0	42.0	49.5	183
60th percentile	ft <sup>3</sup> /s	79.0	7.00	112	50.0	58.0	240
70th percentile	ft <sup>3</sup> /s	104	8.40	147	58.0	69.0	316
80th percentile	ft <sup>3</sup> /s	147	11.0	207	73.0	91.0	442
90th percentile	ft <sup>3</sup> /s	246	17.5	348	115	119	743
Drainage area	mi <sup>2</sup>	89.5	7.88	122	38.1	47.2	332
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	51.2	80.3	42.5	62.2	49.4	41.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.028	0.152	0.023	0.134	0.053	0.014
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.687	0.761	0.738	1.10	1.05	0.551
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	1.44	1.25	1.83	1.56	1.03
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.776	--	1.04	0.862	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.317	0.575	0.278	0.675	0.392	0.240
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.85	5.89	2.07	4.74	3.70	1.98
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.088	0.190	0.065	0.171	0.076	0.057
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.123	0.266	0.098	0.249	0.117	0.114
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.223	0.444	0.246	0.630	0.572	0.184
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.425	0.520	0.426	0.748	0.763	0.280
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.547	0.673	0.582	0.919	0.932	0.422
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.687	0.761	0.738	1.10	1.05	0.551
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.883	0.888	0.918	1.31	1.23	0.723
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	1.07	1.20	1.52	1.46	0.952
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.64	1.40	1.70	1.92	1.93	1.33
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.74	2.22	2.85	3.02	2.52	2.24

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>01644280</b>	<b>01644290</b>	<b>01644291</b>	<b>01644295</b>	<b>01645784</b>	<b>01646000</b>
Count	number	186	186	341	341	168	2,232
Max	ft <sup>3</sup> /s	2,910	1.00	2.10	11.0	40.0	2,100
Min	ft <sup>3</sup> /s	6.30	0.000	0.000	0.020	0.140	9.00
Median	ft <sup>3</sup> /s	39.0	0.030	0.020	0.310	0.795	50.0
Arithmetic Mean	ft <sup>3</sup> /s	115	0.097	0.100	0.541	1.71	73.5
Geometric Mean	ft <sup>3</sup> /s	--	--	--	0.261	0.917	--
Harmonic Mean	ft <sup>3</sup> /s	30.2	--	--	0.115	0.668	41.9
Standard Deviation	ft <sup>3</sup> /s	331	0.153	0.236	0.987	3.72	109
5th percentile	ft <sup>3</sup> /s	8.54	0.000	0.000	0.030	0.318	18.0
10th percentile	ft <sup>3</sup> /s	15.5	0.000	0.000	0.030	0.350	23.0
20th percentile	ft <sup>3</sup> /s	23.0	0.010	0.000	0.070	0.420	30.0
30th percentile	ft <sup>3</sup> /s	28.5	0.010	0.000	0.200	0.570	36.0
40th percentile	ft <sup>3</sup> /s	33.0	0.020	0.010	0.280	0.698	43.0
50th percentile	ft <sup>3</sup> /s	39.0	0.030	0.020	0.310	0.795	50.0
60th percentile	ft <sup>3</sup> /s	52.0	0.040	0.030	0.390	0.952	56.0
70th percentile	ft <sup>3</sup> /s	64.5	0.060	0.060	0.490	1.19	66.0
80th percentile	ft <sup>3</sup> /s	92.0	0.130	0.090	0.600	1.60	84.0
90th percentile	ft <sup>3</sup> /s	154	0.350	0.280	1.10	3.33	123
Drainage area	mi <sup>2</sup>	76.1	0.069	0.085	0.33	0.79	57.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	38.2	14.5	24.7	33.3	50.6	36.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.083	0.000	0.000	0.061	0.177	0.156
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.512	0.435	0.235	0.939	1.01	0.865
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.51	1.40	1.18	1.64	2.16	1.27
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.792	1.16	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.397	--	--	0.347	0.846	0.725
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.36	2.22	2.78	2.99	4.70	1.88
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.112	0.000	0.000	0.091	0.403	0.311
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.204	0.000	0.000	0.091	0.443	0.398
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.302	0.145	0.000	0.212	0.532	0.519
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.375	0.145	0.000	0.606	0.722	0.623
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.434	0.290	0.118	0.848	0.884	0.744
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.512	0.435	0.235	0.939	1.01	0.865
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.683	0.580	0.353	1.18	1.21	0.969
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.848	0.870	0.706	1.48	1.51	1.14
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.88	1.06	1.82	2.03	1.45
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.02	5.07	3.29	3.33	4.22	2.13

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		February					
	units						
Station Number	number	01644280	01644290	01644291	01644295	01645784	01646000
Count	number	169	148	311	311	169	2,034
Max	ft <sup>3</sup> /s	2,640	1.90	2.20	7.40	9.70	1,500
Min	ft <sup>3</sup> /s	7.90	0.000	0.000	0.020	0.200	11.0
Median	ft <sup>3</sup> /s	50.0	0.040	0.030	0.280	0.700	54.0
Arithmetic Mean	ft <sup>3</sup> /s	126	0.095	0.112	0.481	0.909	81.5
Geometric Mean	ft <sup>3</sup> /s	51.9	--	--	0.282	0.747	--
Harmonic Mean	ft <sup>3</sup> /s	30.2	--	--	0.170	0.642	50.7
Standard Deviation	ft <sup>3</sup> /s	288	0.217	0.270	0.772	0.876	107
5th percentile	ft <sup>3</sup> /s	9.80	0.010	0.000	0.050	0.280	25.0
10th percentile	ft <sup>3</sup> /s	12.8	0.010	0.000	0.090	0.340	31.0
20th percentile	ft <sup>3</sup> /s	17.0	0.020	0.000	0.150	0.554	38.0
30th percentile	ft <sup>3</sup> /s	22.0	0.020	0.010	0.180	0.604	43.0
40th percentile	ft <sup>3</sup> /s	35.4	0.020	0.020	0.230	0.700	49.0
50th percentile	ft <sup>3</sup> /s	50.0	0.040	0.030	0.280	0.700	54.0
60th percentile	ft <sup>3</sup> /s	70.8	0.050	0.040	0.350	0.820	62.0
70th percentile	ft <sup>3</sup> /s	81.6	0.060	0.060	0.400	0.970	73.0
80th percentile	ft <sup>3</sup> /s	121	0.070	0.100	0.540	1.00	91.0
90th percentile	ft <sup>3</sup> /s	230	0.152	0.240	0.910	1.32	137
Drainage area	mi <sup>2</sup>	76.1	0.069	0.085	0.33	0.79	57.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	34.7	27.5	25.9	22.4	12.3	26.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.104	0.000	0.000	0.061	0.253	0.190
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.657	0.580	0.353	0.848	0.886	0.934
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.65	1.37	1.31	1.46	1.15	1.41
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.682	--	--	0.855	0.946	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.397	--	--	0.514	0.812	0.877
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.78	3.15	3.18	2.34	1.11	1.86
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.129	0.145	0.000	0.152	0.354	0.433
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.168	0.145	0.000	0.273	0.430	0.536
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.223	0.290	0.000	0.455	0.701	0.657
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.289	0.290	0.118	0.545	0.765	0.744
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.465	0.290	0.235	0.697	0.886	0.848
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.657	0.580	0.353	0.848	0.886	0.934
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.930	0.725	0.471	1.06	1.04	1.07
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	0.870	0.706	1.21	1.23	1.26
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.60	1.01	1.18	1.64	1.27	1.57
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.02	2.20	2.82	2.76	1.67	2.37

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01644280</b>	<b>01644290</b>	<b>01644291</b>	<b>01644295</b>	<b>01645784</b>	<b>01646000</b>
Count	number	186	155	341	372	186	2,232
Max	ft <sup>3</sup> /s	2,160	1.30	2.10	10.0	18.0	1,510
Min	ft <sup>3</sup> /s	8.80	0.010	0.000	0.000	0.120	16.0
Median	ft <sup>3</sup> /s	53.5	0.050	0.030	0.370	0.700	62.0
Arithmetic Mean	ft <sup>3</sup> /s	174	0.075	0.125	0.597	1.45	90.7
Geometric Mean	ft <sup>3</sup> /s	--	0.045	--	--	0.845	--
Harmonic Mean	ft <sup>3</sup> /s	45.0	0.031	--	--	0.637	59.4
Standard Deviation	ft <sup>3</sup> /s	353	0.134	0.281	0.899	2.53	106
5th percentile	ft <sup>3</sup> /s	17.4	0.010	0.000	0.063	0.340	32.0
10th percentile	ft <sup>3</sup> /s	21.0	0.010	0.000	0.121	0.350	36.0
20th percentile	ft <sup>3</sup> /s	29.0	0.020	0.010	0.220	0.450	43.0
30th percentile	ft <sup>3</sup> /s	36.0	0.030	0.010	0.280	0.535	49.0
40th percentile	ft <sup>3</sup> /s	43.0	0.030	0.020	0.310	0.600	55.0
50th percentile	ft <sup>3</sup> /s	53.5	0.050	0.030	0.370	0.700	62.0
60th percentile	ft <sup>3</sup> /s	69.0	0.050	0.050	0.430	0.840	71.0
70th percentile	ft <sup>3</sup> /s	92.5	0.070	0.070	0.514	0.970	81.0
80th percentile	ft <sup>3</sup> /s	179	0.090	0.130	0.718	1.40	98.0
90th percentile	ft <sup>3</sup> /s	355	0.130	0.320	1.00	2.65	150
Drainage area	mi <sup>2</sup>	76.1	0.069	0.085	0.33	0.79	57.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	28.4	18.8	24.7	30.3	22.8	26.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.116	0.145	0.000	0.000	0.152	0.277
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.703	0.725	0.353	1.12	0.886	1.07
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.28	1.08	1.47	1.81	1.84	1.57
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.647	--	--	1.07	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.592	0.448	--	--	0.807	1.03
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.64	1.94	3.30	2.72	3.20	1.84
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.228	0.145	0.000	0.191	0.430	0.554
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.276	0.145	0.000	0.367	0.443	0.623
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.381	0.290	0.118	0.667	0.570	0.744
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.473	0.435	0.118	0.848	0.677	0.848
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.565	0.435	0.235	0.939	0.759	0.952
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.703	0.725	0.353	1.12	0.886	1.07
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.907	0.725	0.588	1.30	1.06	1.23
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	1.01	0.824	1.56	1.23	1.40
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.35	1.30	1.53	2.18	1.77	1.70
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.66	1.88	3.76	3.03	3.35	2.60

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01644280</b>	<b>01644290</b>	<b>01644291</b>	<b>01644295</b>	<b>01645784</b>	<b>01646000</b>
Count	number	180	150	317	360	180	2,190
Max	ft <sup>3</sup> /s	2,530	1.20	2.10	8.40	21.0	1,160
Min	ft <sup>3</sup> /s	13.0	0.000	0.000	0.110	0.340	20.0
Median	ft <sup>3</sup> /s	46.5	0.020	0.020	0.330	0.700	59.0
Arithmetic Mean	ft <sup>3</sup> /s	165	0.050	0.107	0.579	1.43	83.0
Geometric Mean	ft <sup>3</sup> /s	--	--	--	0.396	0.911	--
Harmonic Mean	ft <sup>3</sup> /s	42.6	--	--	0.327	0.755	55.9
Standard Deviation	ft <sup>3</sup> /s	393	0.118	0.242	0.890	2.57	96.8
5th percentile	ft <sup>3</sup> /s	18.0	0.010	0.000	0.161	0.420	30.0
10th percentile	ft <sup>3</sup> /s	21.9	0.010	0.000	0.200	0.450	35.0
20th percentile	ft <sup>3</sup> /s	27.0	0.010	0.010	0.240	0.536	41.0
30th percentile	ft <sup>3</sup> /s	33.0	0.020	0.010	0.270	0.627	46.0
40th percentile	ft <sup>3</sup> /s	38.0	0.020	0.020	0.296	0.700	52.0
50th percentile	ft <sup>3</sup> /s	46.5	0.020	0.020	0.330	0.700	59.0
60th percentile	ft <sup>3</sup> /s	58.4	0.030	0.030	0.370	0.820	67.0
70th percentile	ft <sup>3</sup> /s	86.3	0.040	0.050	0.490	0.893	78.0
80th percentile	ft <sup>3</sup> /s	141	0.050	0.098	0.620	1.20	91.0
90th percentile	ft <sup>3</sup> /s	296	0.080	0.328	1.10	3.01	129
Drainage area	mi <sup>2</sup>	76.1	0.069	0.085	0.33	0.79	57.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	33.2	17.4	24.7	25.5	26.6	20.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	0.000	0.000	0.333	0.430	0.346
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.611	0.290	0.235	1.00	0.886	1.02
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.16	0.720	1.25	1.75	1.81	1.44
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	1.20	1.15	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.559	--	--	0.991	0.955	0.968
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	5.17	1.71	2.85	2.70	3.26	1.67
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.237	0.145	0.000	0.486	0.532	0.519
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.288	0.145	0.000	0.606	0.570	0.606
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.355	0.145	0.118	0.727	0.678	0.709
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.434	0.290	0.118	0.818	0.794	0.796
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.499	0.290	0.235	0.897	0.886	0.900
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.611	0.290	0.235	1.00	0.886	1.02
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.767	0.435	0.353	1.12	1.04	1.16
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	0.580	0.588	1.48	1.13	1.35
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.86	0.725	1.15	1.88	1.52	1.57
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.89	1.16	3.86	3.33	3.81	2.23



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	01644280	01644290	01644291	01644295	01645784	01646000
Count	number	186	155	310	372	186	2,263
Max	ft <sup>3</sup> /s	5,200	1.30	1.70	10.0	36.0	2,310
Min	ft <sup>3</sup> /s	8.70	0.000	0.000	0.020	0.280	14.0
Median	ft <sup>3</sup> /s	29.0	0.010	0.030	0.240	0.800	49.0
Arithmetic Mean	ft <sup>3</sup> /s	131	0.055	0.111	0.494	1.55	71.5
Geometric Mean	ft <sup>3</sup> /s	43.7	--	--	0.265	0.935	--
Harmonic Mean	ft <sup>3</sup> /s	27.4	--	--	0.173	0.753	44.4
Standard Deviation	ft <sup>3</sup> /s	423	0.164	0.221	0.952	3.29	94.9
5th percentile	ft <sup>3</sup> /s	11.0	0.000	0.000	0.060	0.414	22.0
10th percentile	ft <sup>3</sup> /s	13.5	0.004	0.010	0.090	0.450	25.0
20th percentile	ft <sup>3</sup> /s	17.0	0.010	0.010	0.122	0.500	31.0
30th percentile	ft <sup>3</sup> /s	20.0	0.010	0.010	0.180	0.580	36.0
40th percentile	ft <sup>3</sup> /s	23.0	0.010	0.020	0.204	0.700	42.0
50th percentile	ft <sup>3</sup> /s	29.0	0.010	0.030	0.240	0.800	49.0
60th percentile	ft <sup>3</sup> /s	41.0	0.020	0.050	0.290	0.970	56.2
70th percentile	ft <sup>3</sup> /s	58.5	0.020	0.070	0.380	1.10	67.0
80th percentile	ft <sup>3</sup> /s	107	0.040	0.140	0.510	1.40	81.0
90th percentile	ft <sup>3</sup> /s	298	0.080	0.300	0.900	2.50	124
Drainage area	mi <sup>2</sup>	76.1	0.069	0.085	0.33	0.79	57.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	68.3	18.8	20.0	30.3	45.6	40.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.114	0.000	0.000	0.061	0.354	0.242
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.381	0.145	0.353	0.727	1.01	0.848
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	0.794	1.31	1.50	1.96	1.24
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.574	--	--	0.804	1.18	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.360	--	--	0.523	0.953	0.768
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	5.56	2.38	2.60	2.88	4.17	1.64
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.145	0.000	0.000	0.182	0.523	0.381
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.058	0.118	0.273	0.570	0.433
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.223	0.145	0.118	0.370	0.633	0.536
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.263	0.145	0.118	0.545	0.734	0.623
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.302	0.145	0.235	0.618	0.886	0.727
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.381	0.145	0.353	0.727	1.01	0.848
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.539	0.290	0.588	0.879	1.23	0.972
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.769	0.290	0.824	1.15	1.39	1.16
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	0.580	1.65	1.55	1.77	1.40
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.92	1.16	3.53	2.73	3.16	2.15

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>01644280</b>	<b>01644290</b>	<b>01644291</b>	<b>01644295</b>	<b>01645784</b>	<b>01646000</b>
Count	number	180	150	300	360	180	2,190
Max	ft <sup>3</sup> /s	5,510	1.20	12.0	42.0	19.0	25,000
Min	ft <sup>3</sup> /s	5.40	0.000	0.000	0.000	0.220	4.30
Median	ft <sup>3</sup> /s	27.0	0.000	0.010	0.090	0.660	37.0
Arithmetic Mean	ft <sup>3</sup> /s	138	0.030	0.164	0.446	1.37	71.2
Geometric Mean	ft <sup>3</sup> /s	34.9	--	--	--	0.785	--
Harmonic Mean	ft <sup>3</sup> /s	21.1	--	--	--	0.595	30.5
Standard Deviation	ft <sup>3</sup> /s	527	0.122	0.770	2.49	2.42	554
5th percentile	ft <sup>3</sup> /s	8.90	0.000	0.000	0.020	0.280	14.0
10th percentile	ft <sup>3</sup> /s	10.0	0.000	0.000	0.030	0.350	17.0
20th percentile	ft <sup>3</sup> /s	12.0	0.000	0.000	0.040	0.350	21.0
30th percentile	ft <sup>3</sup> /s	14.0	0.000	0.010	0.050	0.500	26.0
40th percentile	ft <sup>3</sup> /s	21.0	0.000	0.010	0.070	0.570	32.0
50th percentile	ft <sup>3</sup> /s	27.0	0.000	0.010	0.090	0.660	37.0
60th percentile	ft <sup>3</sup> /s	34.4	0.010	0.030	0.140	0.700	42.0
70th percentile	ft <sup>3</sup> /s	47.2	0.010	0.050	0.200	0.900	48.0
80th percentile	ft <sup>3</sup> /s	77.4	0.020	0.092	0.300	1.32	60.0
90th percentile	ft <sup>3</sup> /s	207	0.040	0.291	0.530	3.01	89.1
Drainage area	mi <sup>2</sup>	76.1	0.069	0.085	0.33	0.79	57.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	72.4	17.4	141	127	24.1	433
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.071	0.000	0.000	0.000	0.278	0.074
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.355	0.000	0.118	0.273	0.835	0.640
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.81	0.436	1.93	1.35	1.73	1.23
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.459	--	--	--	0.993	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.277	--	--	--	0.753	0.527
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	6.93	1.77	9.06	7.55	3.06	9.59
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.117	0.000	0.000	0.061	0.354	0.242
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.131	0.000	0.000	0.091	0.443	0.294
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.158	0.000	0.000	0.121	0.443	0.363
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.184	0.000	0.118	0.152	0.633	0.450
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.276	0.000	0.118	0.212	0.722	0.554
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.355	0.000	0.118	0.273	0.835	0.640
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.452	0.145	0.353	0.424	0.886	0.727
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.620	0.145	0.588	0.606	1.14	0.830
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	0.290	1.08	0.909	1.67	1.04
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.72	0.580	3.42	1.61	3.81	1.54

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units	01644280	01644290	01644291	01644295	01645784	01646000
Station Number	number						
Count	number	186	155	310	372	186	2,263
Max	ft <sup>3</sup> /s	3,300	1.20	1.70	4.30	20.0	1,200
Min	ft <sup>3</sup> /s	2.00	0.000	0.000	0.000	0.100	1.50
Median	ft <sup>3</sup> /s	23.5	0.000	0.010	0.050	0.570	26.0
Arithmetic Mean	ft <sup>3</sup> /s	74.7	0.028	0.100	0.189	1.39	42.6
Geometric Mean	ft <sup>3</sup> /s	24.5	--	--	--	0.625	--
Harmonic Mean	ft <sup>3</sup> /s	12.2	--	--	--	0.431	17.7
Standard Deviation	ft <sup>3</sup> /s	262	0.138	0.241	0.471	3.06	77.1
5th percentile	ft <sup>3</sup> /s	2.67	0.000	0.000	0.000	0.180	6.20
10th percentile	ft <sup>3</sup> /s	5.75	0.000	0.000	0.010	0.200	9.90
20th percentile	ft <sup>3</sup> /s	8.80	0.000	0.000	0.010	0.280	14.0
30th percentile	ft <sup>3</sup> /s	12.0	0.000	0.000	0.020	0.350	17.0
40th percentile	ft <sup>3</sup> /s	18.0	0.000	0.010	0.030	0.460	22.0
50th percentile	ft <sup>3</sup> /s	23.5	0.000	0.010	0.050	0.570	26.0
60th percentile	ft <sup>3</sup> /s	31.0	0.000	0.010	0.070	0.600	30.0
70th percentile	ft <sup>3</sup> /s	39.5	0.000	0.030	0.100	0.735	35.0
80th percentile	ft <sup>3</sup> /s	63.0	0.002	0.110	0.190	1.10	45.0
90th percentile	ft <sup>3</sup> /s	125	0.016	0.270	0.368	2.20	72.0
Drainage area	mi <sup>2</sup>	76.1	0.069	0.085	0.33	0.79	57.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	43.4	17.4	20.0	13.0	25.3	20.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.026	0.000	0.000	0.000	0.127	0.026
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.309	0.000	0.118	0.152	0.722	0.450
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.981	0.406	1.18	0.573	1.76	0.737
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.321	--	--	--	0.792	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.161	--	--	--	0.545	0.307
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.44	2.00	2.83	1.43	3.87	1.33
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.035	0.000	0.000	0.000	0.228	0.107
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.076	0.000	0.000	0.030	0.253	0.171
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.116	0.000	0.000	0.030	0.354	0.242
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.158	0.000	0.000	0.061	0.443	0.294
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.237	0.000	0.118	0.091	0.582	0.381
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.309	0.000	0.118	0.152	0.722	0.450
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.407	0.000	0.118	0.212	0.759	0.519
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.519	0.000	0.353	0.303	0.930	0.606
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.828	0.029	1.29	0.576	1.39	0.779
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.64	0.232	3.18	1.12	2.78	1.25

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01644280</b>	<b>01644290</b>	<b>01644291</b>	<b>01644295</b>	<b>01645784</b>	<b>01646000</b>
Count	number	185	155	310	372	186	2,263
Max	ft <sup>3</sup> /s	467	0.710	5.90	15.0	41.0	2,000
Min	ft <sup>3</sup> /s	1.30	0.000	0.000	0.000	0.100	0.200
Median	ft <sup>3</sup> /s	14.0	0.000	0.010	0.030	0.440	20.0
Arithmetic Mean	ft <sup>3</sup> /s	32.2	0.025	0.146	0.236	1.43	38.9
Geometric Mean	ft <sup>3</sup> /s	14.4	--	--	--	0.550	--
Harmonic Mean	ft <sup>3</sup> /s	7.86	--	--	--	0.363	10.8
Standard Deviation	ft <sup>3</sup> /s	59.6	0.104	0.516	1.06	3.95	90.9
5th percentile	ft <sup>3</sup> /s	1.76	0.000	0.000	0.000	0.140	4.50
10th percentile	ft <sup>3</sup> /s	3.50	0.000	0.000	0.000	0.185	6.42
20th percentile	ft <sup>3</sup> /s	5.88	0.000	0.000	0.010	0.220	10.0
30th percentile	ft <sup>3</sup> /s	8.20	0.000	0.000	0.020	0.280	13.0
40th percentile	ft <sup>3</sup> /s	11.0	0.000	0.010	0.020	0.350	16.0
50th percentile	ft <sup>3</sup> /s	14.0	0.000	0.010	0.030	0.440	20.0
60th percentile	ft <sup>3</sup> /s	17.0	0.000	0.020	0.050	0.570	25.0
70th percentile	ft <sup>3</sup> /s	22.8	0.000	0.040	0.070	0.690	30.0
80th percentile	ft <sup>3</sup> /s	31.2	0.002	0.142	0.120	1.10	39.0
90th percentile	ft <sup>3</sup> /s	66.8	0.010	0.321	0.310	3.00	64.8
Drainage area	mi <sup>2</sup>	76.1	0.069	0.085	0.33	0.79	57.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.14	10.3	69.4	45.5	51.9	34.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.017	0.000	0.000	0.000	0.127	0.003
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.184	0.000	0.118	0.091	0.557	0.346
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.423	0.366	1.72	0.716	1.81	0.673
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.189	--	--	--	0.696	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.103	--	--	--	0.460	0.187
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.783	1.51	6.07	3.22	4.99	1.57
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.023	0.000	0.000	0.000	0.177	0.078
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.046	0.000	0.000	0.000	0.234	0.111
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.077	0.000	0.000	0.030	0.278	0.173
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.000	0.000	0.061	0.354	0.225
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.145	0.000	0.118	0.061	0.443	0.277
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.184	0.000	0.118	0.091	0.557	0.346
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.223	0.000	0.235	0.152	0.722	0.433
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.300	0.000	0.471	0.212	0.873	0.519
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.410	0.029	1.67	0.364	1.39	0.675
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.878	0.145	3.78	0.939	3.80	1.12

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01644280</b>	<b>01644290</b>	<b>01644291</b>	<b>01644295</b>	<b>01645784</b>	<b>01646000</b>
Count	number	180	150	300	360	180	2,185
Max	ft <sup>3</sup> /s	3,290	0.500	5.80	19.0	48.0	3,310
Min	ft <sup>3</sup> /s	2.40	0.000	0.000	0.000	0.080	0.100
Median	ft <sup>3</sup> /s	16.5	0.000	0.010	0.020	0.350	18.0
Arithmetic Mean	ft <sup>3</sup> /s	93.0	0.007	0.140	0.263	1.85	39.6
Geometric Mean	ft <sup>3</sup> /s	20.6	--	--	--	0.484	--
Harmonic Mean	ft <sup>3</sup> /s	9.37	--	--	--	0.306	8.99
Standard Deviation	ft <sup>3</sup> /s	310	0.048	0.657	1.49	6.28	122
5th percentile	ft <sup>3</sup> /s	3.10	0.000	0.000	0.000	0.110	4.00
10th percentile	ft <sup>3</sup> /s	3.49	0.000	0.000	0.000	0.150	5.80
20th percentile	ft <sup>3</sup> /s	4.50	0.000	0.000	0.000	0.200	8.70
30th percentile	ft <sup>3</sup> /s	7.68	0.000	0.000	0.010	0.220	11.0
40th percentile	ft <sup>3</sup> /s	10.6	0.000	0.010	0.010	0.280	15.0
50th percentile	ft <sup>3</sup> /s	16.5	0.000	0.010	0.020	0.350	18.0
60th percentile	ft <sup>3</sup> /s	25.4	0.000	0.010	0.030	0.480	21.0
70th percentile	ft <sup>3</sup> /s	41.3	0.000	0.020	0.053	0.690	25.0
80th percentile	ft <sup>3</sup> /s	73.6	0.000	0.040	0.120	0.990	32.0
90th percentile	ft <sup>3</sup> /s	145	0.010	0.141	0.291	1.72	57.0
Drainage area	mi <sup>2</sup>	76.1	0.069	0.085	0.33	0.79	57.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	43.2	7.25	68.2	57.6	60.8	57.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	0.000	0.000	0.000	0.101	0.002
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.217	0.000	0.118	0.061	0.443	0.311
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	0.104	1.65	0.796	2.34	0.685
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.270	--	--	--	0.613	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.123	--	--	--	0.387	0.156
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.07	0.691	7.72	4.50	7.95	2.11
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.041	0.000	0.000	0.000	0.139	0.069
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.046	0.000	0.000	0.000	0.190	0.100
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.059	0.000	0.000	0.000	0.253	0.151
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.101	0.000	0.000	0.030	0.278	0.190
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.139	0.000	0.118	0.030	0.354	0.260
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.217	0.000	0.118	0.061	0.443	0.311
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.334	0.000	0.118	0.091	0.608	0.363
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.543	0.000	0.235	0.161	0.873	0.433
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.967	0.000	0.471	0.364	1.25	0.554
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.91	0.145	1.66	0.882	2.18	0.986

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01644280</b>	<b>01644290</b>	<b>01644291</b>	<b>01644295</b>	<b>01645784</b>	<b>01646000</b>
Count	number	217	124	341	341	155	2,263
Max	ft <sup>3</sup> /s	3,730	1.10	3.00	13.0	27.0	3,000
Min	ft <sup>3</sup> /s	3.30	0.000	0.000	0.000	0.120	0.940
Median	ft <sup>3</sup> /s	23.0	0.000	0.010	0.050	0.610	20.0
Arithmetic Mean	ft <sup>3</sup> /s	114	0.045	0.107	0.326	1.38	41.3
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	0.685	--
Harmonic Mean	ft <sup>3</sup> /s	15.5	--	--	--	0.488	15.3
Standard Deviation	ft <sup>3</sup> /s	332	0.117	0.345	1.03	3.05	117
5th percentile	ft <sup>3</sup> /s	4.60	0.000	0.000	0.000	0.174	6.22
10th percentile	ft <sup>3</sup> /s	6.04	0.000	0.000	0.000	0.270	8.80
20th percentile	ft <sup>3</sup> /s	10.2	0.000	0.000	0.000	0.350	12.0
30th percentile	ft <sup>3</sup> /s	13.8	0.000	0.000	0.010	0.380	14.0
40th percentile	ft <sup>3</sup> /s	16.0	0.000	0.010	0.020	0.486	17.0
50th percentile	ft <sup>3</sup> /s	23.0	0.000	0.010	0.050	0.610	20.0
60th percentile	ft <sup>3</sup> /s	32.0	0.000	0.020	0.130	0.700	22.0
70th percentile	ft <sup>3</sup> /s	50.0	0.000	0.030	0.240	0.840	27.0
80th percentile	ft <sup>3</sup> /s	97.8	0.100	0.050	0.340	1.20	38.0
90th percentile	ft <sup>3</sup> /s	252	0.140	0.270	0.700	2.70	65.0
Drainage area	mi <sup>2</sup>	76.1	0.069	0.085	0.33	0.79	57.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	49.0	15.9	35.3	39.4	34.2	51.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.043	0.000	0.000	0.000	0.152	0.016
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.302	0.000	0.118	0.152	0.772	0.346
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	0.659	1.26	0.987	1.74	0.715
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.867	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.204	--	--	--	0.618	0.264
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.36	1.70	4.06	3.13	3.86	2.02
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.060	0.000	0.000	0.000	0.220	0.108
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.079	0.000	0.000	0.000	0.342	0.152
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.134	0.000	0.000	0.000	0.443	0.208
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.000	0.000	0.030	0.481	0.242
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.210	0.000	0.118	0.061	0.615	0.294
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.302	0.000	0.118	0.152	0.772	0.346
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.420	0.000	0.235	0.394	0.886	0.381
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.657	0.000	0.353	0.727	1.06	0.467
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.45	0.588	1.03	1.52	0.657
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.31	2.03	3.18	2.12	3.42	1.12

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01644280</b>	<b>01644290</b>	<b>01644291</b>	<b>01644295</b>	<b>01645784</b>	<b>01646000</b>
Count	number	205	150	330	330	150	2,185
Max	ft <sup>3</sup> /s	2,320	1.70	1.60	4.00	7.50	2,220
Min	ft <sup>3</sup> /s	3.60	0.000	0.000	0.010	0.200	5.70
Median	ft <sup>3</sup> /s	50.0	0.000	0.010	0.120	0.690	29.0
Arithmetic Mean	ft <sup>3</sup> /s	143	0.111	0.084	0.270	0.971	53.0
Geometric Mean	ft <sup>3</sup> /s	--	--	--	0.120	0.761	--
Harmonic Mean	ft <sup>3</sup> /s	20.1	--	--	0.060	0.663	26.1
Standard Deviation	ft <sup>3</sup> /s	289	0.265	0.214	0.471	0.997	101
5th percentile	ft <sup>3</sup> /s	3.80	0.000	0.000	0.020	0.350	11.0
10th percentile	ft <sup>3</sup> /s	4.94	0.000	0.000	0.020	0.459	15.0
20th percentile	ft <sup>3</sup> /s	17.0	0.000	0.000	0.030	0.510	19.0
30th percentile	ft <sup>3</sup> /s	29.0	0.000	0.000	0.060	0.570	22.0
40th percentile	ft <sup>3</sup> /s	38.0	0.000	0.010	0.100	0.590	25.0
50th percentile	ft <sup>3</sup> /s	50.0	0.000	0.010	0.120	0.690	29.0
60th percentile	ft <sup>3</sup> /s	69.4	0.000	0.020	0.160	0.700	35.0
70th percentile	ft <sup>3</sup> /s	100	0.010	0.040	0.243	0.830	42.0
80th percentile	ft <sup>3</sup> /s	140	0.210	0.062	0.340	0.982	55.0
90th percentile	ft <sup>3</sup> /s	298	0.350	0.211	0.544	1.66	83.0
Drainage area	mi <sup>2</sup>	76.1	0.069	0.085	0.33	0.79	57.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	30.5	24.6	18.8	12.1	9.49	38.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.047	0.000	0.000	0.030	0.253	0.099
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.657	0.000	0.118	0.364	0.873	0.502
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.87	1.61	0.983	0.820	1.23	0.917
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.363	0.963	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.264	--	--	0.181	0.839	0.451
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.80	3.84	2.52	1.43	1.26	1.75
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.050	0.000	0.000	0.061	0.443	0.190
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.065	0.000	0.000	0.061	0.581	0.260
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.223	0.000	0.000	0.091	0.646	0.329
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.381	0.000	0.000	0.182	0.722	0.381
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.499	0.000	0.118	0.303	0.747	0.433
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.657	0.000	0.118	0.364	0.873	0.502
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.912	0.000	0.235	0.485	0.886	0.606
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	0.145	0.471	0.736	1.05	0.727
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.84	3.04	0.729	1.03	1.24	0.952
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.92	5.07	2.48	1.65	2.10	1.44

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01644280</b>	<b>01644290</b>	<b>01644291</b>	<b>01644295</b>	<b>01645784</b>	<b>01646000</b>
Count	number	186	186	341	341	155	2,232
Max	ft <sup>3</sup> /s	3,580	3.20	2.50	13.0	43.0	2,140
Min	ft <sup>3</sup> /s	4.40	0.000	0.000	0.020	0.280	7.20
Median	ft <sup>3</sup> /s	57.0	0.010	0.010	0.250	0.700	38.0
Arithmetic Mean	ft <sup>3</sup> /s	137	0.124	0.111	0.558	1.95	62.1
Geometric Mean	ft <sup>3</sup> /s	--	--	--	0.248	0.937	--
Harmonic Mean	ft <sup>3</sup> /s	33.9	--	--	0.125	0.729	35.1
Standard Deviation	ft <sup>3</sup> /s	319	0.361	0.324	1.11	4.66	95.3
5th percentile	ft <sup>3</sup> /s	9.57	0.000	0.000	0.030	0.368	17.0
10th percentile	ft <sup>3</sup> /s	18.0	0.000	0.000	0.070	0.444	21.0
20th percentile	ft <sup>3</sup> /s	23.0	0.000	0.000	0.100	0.500	25.0
30th percentile	ft <sup>3</sup> /s	33.5	0.010	0.000	0.140	0.582	30.0
40th percentile	ft <sup>3</sup> /s	43.0	0.010	0.010	0.200	0.690	34.0
50th percentile	ft <sup>3</sup> /s	57.0	0.010	0.010	0.250	0.700	38.0
60th percentile	ft <sup>3</sup> /s	73.0	0.010	0.020	0.310	0.834	45.0
70th percentile	ft <sup>3</sup> /s	93.5	0.020	0.050	0.400	0.990	53.0
80th percentile	ft <sup>3</sup> /s	139	0.120	0.070	0.530	1.20	66.0
90th percentile	ft <sup>3</sup> /s	305	0.350	0.200	1.20	3.02	106
Drainage area	mi <sup>2</sup>	76.1	0.069	0.085	0.33	0.79	57.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	47.0	46.4	29.4	39.4	54.4	37.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.058	0.000	0.000	0.061	0.354	0.125
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.749	0.145	0.118	0.758	0.886	0.657
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.80	1.80	1.31	1.69	2.47	1.07
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.752	1.19	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.446	--	--	0.380	0.923	0.607
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.20	5.23	3.81	3.37	5.90	1.65
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.126	0.000	0.000	0.091	0.466	0.294
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.237	0.000	0.000	0.212	0.562	0.363
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.302	0.000	0.000	0.303	0.633	0.433
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.440	0.145	0.000	0.424	0.737	0.519
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.565	0.145	0.118	0.606	0.873	0.588
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.749	0.145	0.118	0.758	0.886	0.657
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.959	0.145	0.235	0.939	1.06	0.779
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	0.290	0.588	1.21	1.25	0.917
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.83	1.74	0.824	1.61	1.52	1.14
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.01	5.07	2.35	3.64	3.82	1.83



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>01652500</b>	<b>01653000</b>	<b>01654000</b>	<b>01654500</b>	<b>01655000</b>	<b>01655500</b>
Count	number	992	1,426	1,860	279	217	1,122
Max	ft <sup>3</sup> /s	467	1,660	1,550	55.0	352	550
Min	ft <sup>3</sup> /s	1.70	3.00	2.00	0.500	5.60	0.400
Median	ft <sup>3</sup> /s	7.20	21.0	16.0	4.40	32.0	10.0
Arithmetic Mean	ft <sup>3</sup> /s	16.0	42.9	32.3	5.20	38.2	16.5
Geometric Mean	ft <sup>3</sup> /s	--	--	--	3.60	--	--
Harmonic Mean	ft <sup>3</sup> /s	6.84	18.1	12.5	2.51	19.9	4.88
Standard Deviation	ft <sup>3</sup> /s	32.7	87.0	75.6	5.76	38.6	28.0
5th percentile	ft <sup>3</sup> /s	3.30	7.60	4.90	0.800	8.17	1.30
10th percentile	ft <sup>3</sup> /s	3.80	10.0	6.40	0.900	9.42	2.20
20th percentile	ft <sup>3</sup> /s	4.70	13.0	8.60	1.70	11.0	4.32
30th percentile	ft <sup>3</sup> /s	5.40	16.0	11.0	2.00	16.0	6.50
40th percentile	ft <sup>3</sup> /s	6.10	18.0	13.0	3.50	19.0	8.20
50th percentile	ft <sup>3</sup> /s	7.20	21.0	16.0	4.40	32.0	10.0
60th percentile	ft <sup>3</sup> /s	8.50	25.0	18.0	4.90	38.0	13.0
70th percentile	ft <sup>3</sup> /s	11.0	30.0	23.0	5.30	44.0	17.0
80th percentile	ft <sup>3</sup> /s	15.0	42.0	31.0	6.20	50.0	22.0
90th percentile	ft <sup>3</sup> /s	30.0	79.0	59.0	9.64	77.4	32.0
Drainage area	mi <sup>2</sup>	12.6	33.9	23.9	3.72	37.1	13.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	37.1	49.0	64.9	14.8	9.49	42.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.135	0.088	0.084	0.134	0.151	0.031
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.571	0.619	0.669	1.18	0.863	0.763
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.27	1.27	1.35	1.40	1.03	1.26
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.968	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.543	0.535	0.523	0.676	0.536	0.373
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.59	2.57	3.17	1.55	1.04	2.14
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.262	0.224	0.205	0.215	0.220	0.099
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.302	0.295	0.268	0.242	0.254	0.168
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.373	0.383	0.360	0.457	0.296	0.330
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.429	0.472	0.460	0.538	0.431	0.496
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.484	0.531	0.544	0.941	0.512	0.626
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.571	0.619	0.669	1.18	0.863	0.763
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.675	0.737	0.753	1.32	1.02	0.992
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.873	0.885	0.962	1.42	1.19	1.30
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	1.24	1.30	1.67	1.35	1.68
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.38	2.33	2.47	2.59	2.09	2.44

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01652500</b>	<b>01653000</b>	<b>01654000</b>	<b>01654500</b>	<b>01655000</b>	<b>01655500</b>
Count	number	904	1,300	1,695	255	198	1,017
Max	ft <sup>3</sup> /s	860	1,330	1,340	92.0	341	639
Min	ft <sup>3</sup> /s	2.50	3.90	2.50	0.500	5.40	0.400
Median	ft <sup>3</sup> /s	8.60	23.0	18.0	4.50	36.0	13.0
Arithmetic Mean	ft <sup>3</sup> /s	19.0	46.5	35.9	6.04	45.5	22.2
Geometric Mean	ft <sup>3</sup> /s	--	--	--	4.61	35.7	--
Harmonic Mean	ft <sup>3</sup> /s	8.26	20.4	15.4	3.67	28.9	8.35
Standard Deviation	ft <sup>3</sup> /s	41.9	91.0	73.1	7.37	42.4	36.9
5th percentile	ft <sup>3</sup> /s	4.00	8.60	6.40	1.68	10.0	3.59
10th percentile	ft <sup>3</sup> /s	4.60	11.0	8.44	2.30	18.0	4.90
20th percentile	ft <sup>3</sup> /s	5.70	14.0	12.0	2.80	22.0	7.20
30th percentile	ft <sup>3</sup> /s	6.60	16.0	14.0	3.40	26.0	8.80
40th percentile	ft <sup>3</sup> /s	7.50	19.0	15.0	4.20	31.0	11.0
50th percentile	ft <sup>3</sup> /s	8.60	23.0	18.0	4.50	36.0	13.0
60th percentile	ft <sup>3</sup> /s	10.0	28.0	21.0	5.00	41.0	17.0
70th percentile	ft <sup>3</sup> /s	12.1	35.0	26.0	5.80	46.0	21.0
80th percentile	ft <sup>3</sup> /s	17.4	47.0	37.0	6.80	52.0	27.8
90th percentile	ft <sup>3</sup> /s	36.0	89.0	63.0	8.98	78.3	42.0
Drainage area	mi <sup>2</sup>	12.6	33.9	23.9	3.72	37.1	13.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	68.3	39.2	56.1	24.7	9.19	48.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.198	0.115	0.105	0.134	0.146	0.031
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.683	0.678	0.753	1.21	0.970	0.992
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.51	1.37	1.50	1.62	1.23	1.69
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	1.24	0.963	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.655	0.603	0.644	0.987	0.779	0.637
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.33	2.69	3.06	1.98	1.14	2.82
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.317	0.254	0.268	0.452	0.270	0.274
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.365	0.324	0.353	0.618	0.485	0.374
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.452	0.413	0.502	0.753	0.593	0.550
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.524	0.472	0.586	0.914	0.701	0.672
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.595	0.560	0.628	1.13	0.836	0.840
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.683	0.678	0.753	1.21	0.970	0.992
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.794	0.826	0.879	1.34	1.11	1.30
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.960	1.03	1.09	1.56	1.24	1.60
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	1.39	1.55	1.83	1.40	2.12
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.86	2.63	2.64	2.41	2.11	3.21

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01652500</b>	<b>01653000</b>	<b>01654000</b>	<b>01654500</b>	<b>01655000</b>	<b>01655500</b>
Count	number	992	1,426	1,860	279	217	1,116
Max	ft <sup>3</sup> /s	430	1,040	936	260	662	346
Min	ft <sup>3</sup> /s	2.50	6.20	1.80	1.80	9.10	0.760
Median	ft <sup>3</sup> /s	10.0	26.0	21.0	5.10	44.0	17.0
Arithmetic Mean	ft <sup>3</sup> /s	23.9	55.4	42.2	8.05	67.1	23.7
Geometric Mean	ft <sup>3</sup> /s	--	--	--	5.37	--	--
Harmonic Mean	ft <sup>3</sup> /s	9.54	23.3	18.7	4.43	37.9	12.7
Standard Deviation	ft <sup>3</sup> /s	46.4	94.4	75.4	17.4	83.2	26.9
5th percentile	ft <sup>3</sup> /s	4.60	10.0	8.60	2.10	16.9	4.89
10th percentile	ft <sup>3</sup> /s	5.40	12.0	11.0	2.38	23.0	6.60
20th percentile	ft <sup>3</sup> /s	6.50	15.0	13.0	3.20	27.0	9.00
30th percentile	ft <sup>3</sup> /s	7.40	18.0	16.0	3.90	32.0	12.0
40th percentile	ft <sup>3</sup> /s	8.20	22.0	18.0	4.50	38.4	14.0
50th percentile	ft <sup>3</sup> /s	10.0	26.0	21.0	5.10	44.0	17.0
60th percentile	ft <sup>3</sup> /s	12.0	32.0	26.0	5.48	51.0	20.0
70th percentile	ft <sup>3</sup> /s	15.0	40.0	31.0	6.00	59.2	24.0
80th percentile	ft <sup>3</sup> /s	23.0	58.0	42.2	7.40	73.8	32.0
90th percentile	ft <sup>3</sup> /s	47.9	121	79.1	12.0	124	48.0
Drainage area	mi <sup>2</sup>	12.6	33.9	23.9	3.72	37.1	13.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	34.1	30.7	39.2	69.9	17.8	26.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.198	0.183	0.075	0.484	0.245	0.058
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.794	0.767	0.879	1.37	1.19	1.30
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.90	1.63	1.76	2.17	1.81	1.81
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	1.44	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.757	0.689	0.784	1.19	1.02	0.967
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.68	2.79	3.16	4.67	2.24	2.05
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.365	0.295	0.360	0.565	0.456	0.373
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.429	0.354	0.460	0.640	0.620	0.504
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.516	0.442	0.544	0.860	0.728	0.687
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.587	0.531	0.669	1.05	0.863	0.916
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.651	0.649	0.753	1.21	1.04	1.07
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.794	0.767	0.879	1.37	1.19	1.30
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.952	0.944	1.09	1.47	1.37	1.53
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	1.18	1.30	1.61	1.60	1.83
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.83	1.71	1.77	1.99	1.99	2.44
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.80	3.55	3.31	3.23	3.34	3.66

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01652500</b>	<b>01653000</b>	<b>01654000</b>	<b>01654500</b>	<b>01655000</b>	<b>01655500</b>
Count	number	960	1,350	1,800	270	210	1,080
Max	ft <sup>3</sup> /s	538	1,010	896	78.0	576	495
Min	ft <sup>3</sup> /s	2.40	3.50	1.90	1.90	11.0	1.10
Median	ft <sup>3</sup> /s	8.70	23.0	20.0	4.90	37.5	13.0
Arithmetic Mean	ft <sup>3</sup> /s	19.7	42.9	35.9	6.38	57.2	20.4
Geometric Mean	ft <sup>3</sup> /s	--	--	--	4.81	--	--
Harmonic Mean	ft <sup>3</sup> /s	8.55	20.6	17.6	4.07	31.9	9.90
Standard Deviation	ft <sup>3</sup> /s	40.5	73.1	63.6	8.25	78.1	28.2
5th percentile	ft <sup>3</sup> /s	4.31	9.71	8.51	2.10	14.0	3.80
10th percentile	ft <sup>3</sup> /s	5.00	11.0	10.0	2.20	18.0	4.80
20th percentile	ft <sup>3</sup> /s	5.70	14.0	13.0	2.60	22.0	6.58
30th percentile	ft <sup>3</sup> /s	6.60	17.0	15.7	3.50	25.0	8.77
40th percentile	ft <sup>3</sup> /s	7.70	20.0	18.0	4.32	29.0	11.0
50th percentile	ft <sup>3</sup> /s	8.70	23.0	20.0	4.90	37.5	13.0
60th percentile	ft <sup>3</sup> /s	10.0	28.0	23.0	5.30	44.0	16.0
70th percentile	ft <sup>3</sup> /s	13.0	34.0	28.0	5.73	51.0	20.0
80th percentile	ft <sup>3</sup> /s	18.0	45.0	37.0	6.80	68.0	28.0
90th percentile	ft <sup>3</sup> /s	40.0	85.0	62.0	9.15	93.1	40.1
Drainage area	mi <sup>2</sup>	12.6	33.9	23.9	3.72	37.1	13.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	42.7	29.8	37.5	21.0	15.5	37.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.190	0.103	0.079	0.511	0.296	0.084
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.690	0.678	0.837	1.32	1.01	0.992
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.26	1.50	1.72	1.54	1.56
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	1.29	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.679	0.608	0.737	1.10	0.861	0.756
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.21	2.16	2.66	2.22	2.10	2.15
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.342	0.286	0.356	0.565	0.377	0.290
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.397	0.324	0.418	0.591	0.485	0.366
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.452	0.413	0.544	0.699	0.593	0.502
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.524	0.501	0.657	0.941	0.674	0.669
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.611	0.590	0.753	1.16	0.782	0.840
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.690	0.678	0.837	1.32	1.01	0.992
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.794	0.826	0.962	1.42	1.19	1.22
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	1.00	1.17	1.54	1.37	1.53
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	1.33	1.55	1.83	1.83	2.14
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.17	2.51	2.59	2.46	2.51	3.06

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>01652500</b>	<b>01653000</b>	<b>01654000</b>	<b>01654500</b>	<b>01655000</b>	<b>01655500</b>
Count	number	1,020	1,395	1,860	279	217	1,116
Max	ft <sup>3</sup> /s	587	1,140	1,570	133	712	190
Min	ft <sup>3</sup> /s	1.50	1.90	2.30	1.10	8.40	0.470
Median	ft <sup>3</sup> /s	7.40	17.0	16.0	4.10	31.0	7.70
Arithmetic Mean	ft <sup>3</sup> /s	17.4	38.3	32.4	8.30	52.5	12.7
Geometric Mean	ft <sup>3</sup> /s	--	--	--	4.49	--	--
Harmonic Mean	ft <sup>3</sup> /s	7.43	13.6	13.9	3.33	26.4	5.09
Standard Deviation	ft <sup>3</sup> /s	37.6	71.1	65.3	17.2	73.9	16.5
5th percentile	ft <sup>3</sup> /s	4.10	4.90	6.10	1.30	11.0	2.00
10th percentile	ft <sup>3</sup> /s	4.40	6.80	7.50	1.60	13.6	2.60
20th percentile	ft <sup>3</sup> /s	5.00	9.58	9.60	2.00	16.2	3.50
30th percentile	ft <sup>3</sup> /s	5.60	12.0	12.0	3.00	23.0	4.50
40th percentile	ft <sup>3</sup> /s	6.20	14.0	14.0	3.60	28.0	5.90
50th percentile	ft <sup>3</sup> /s	7.40	17.0	16.0	4.10	31.0	7.70
60th percentile	ft <sup>3</sup> /s	8.50	22.0	19.4	4.58	36.6	9.80
70th percentile	ft <sup>3</sup> /s	11.0	29.0	24.0	5.46	43.2	13.0
80th percentile	ft <sup>3</sup> /s	17.0	44.0	33.0	6.68	58.0	17.0
90th percentile	ft <sup>3</sup> /s	32.1	78.0	66.0	14.0	90.4	26.0
Drainage area	mi <sup>2</sup>	12.6	33.9	23.9	3.72	37.1	13.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	46.6	33.6	65.7	35.8	19.2	14.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.119	0.056	0.096	0.296	0.226	0.036
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.587	0.501	0.669	1.10	0.836	0.588
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	1.13	1.36	2.23	1.41	0.966
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	1.21	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.590	0.403	0.580	0.896	0.712	0.389
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.98	2.10	2.73	4.63	1.99	1.26
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.325	0.145	0.255	0.349	0.296	0.153
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.349	0.201	0.314	0.430	0.367	0.198
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.397	0.283	0.402	0.538	0.437	0.267
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.444	0.354	0.502	0.806	0.620	0.344
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.492	0.413	0.586	0.968	0.755	0.450
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.587	0.501	0.669	1.10	0.836	0.588
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.675	0.649	0.812	1.23	0.987	0.748
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.873	0.855	1.00	1.47	1.16	0.992
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	1.30	1.38	1.80	1.56	1.30
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.55	2.30	2.76	3.76	2.44	1.98

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	01652500	01653000	01654000	01654500	01655000	01655500
Count	number	990	1,378	1,800	270	210	1,080
Max	ft <sup>3</sup> /s	1,280	3,680	3,300	124	558	1,500
Min	ft <sup>3</sup> /s	1.20	1.00	0.820	0.500	3.00	0.020
Median	ft <sup>3</sup> /s	6.70	13.0	11.0	2.80	20.0	3.90
Arithmetic Mean	ft <sup>3</sup> /s	21.0	37.8	27.8	4.22	30.2	11.4
Geometric Mean	ft <sup>3</sup> /s	--	--	--	2.73	18.6	--
Harmonic Mean	ft <sup>3</sup> /s	6.38	10.2	8.40	2.14	13.7	0.629
Standard Deviation	ft <sup>3</sup> /s	62.3	145	114	9.00	56.8	57.6
5th percentile	ft <sup>3</sup> /s	3.00	4.00	3.00	1.00	5.96	0.500
10th percentile	ft <sup>3</sup> /s	3.60	5.00	4.40	1.09	6.80	0.900
20th percentile	ft <sup>3</sup> /s	4.30	6.90	6.20	1.38	8.00	1.60
30th percentile	ft <sup>3</sup> /s	4.80	8.80	7.60	1.80	11.0	2.27
40th percentile	ft <sup>3</sup> /s	5.70	11.0	9.00	2.26	16.0	3.00
50th percentile	ft <sup>3</sup> /s	6.70	13.0	11.0	2.80	20.0	3.90
60th percentile	ft <sup>3</sup> /s	8.04	17.0	13.0	3.20	23.0	5.20
70th percentile	ft <sup>3</sup> /s	10.0	21.9	16.0	3.70	27.0	6.90
80th percentile	ft <sup>3</sup> /s	16.0	32.0	23.0	4.62	31.2	9.72
90th percentile	ft <sup>3</sup> /s	39.0	66.0	45.0	5.73	46.0	18.0
Drainage area	mi <sup>2</sup>	12.6	33.9	23.9	3.72	37.1	13.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	102	109	138	33.3	15.0	115
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.095	0.029	0.034	0.134	0.081	0.002
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.532	0.383	0.460	0.753	0.539	0.298
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.67	1.12	1.16	1.13	0.814	0.868
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.733	0.500	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.506	0.302	0.351	0.576	0.371	0.048
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.95	4.28	4.77	2.42	1.53	4.40
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.238	0.118	0.126	0.269	0.161	0.038
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.286	0.147	0.184	0.293	0.183	0.069
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.341	0.204	0.259	0.371	0.216	0.122
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.381	0.260	0.318	0.484	0.296	0.173
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.452	0.324	0.377	0.608	0.431	0.229
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.532	0.383	0.460	0.753	0.539	0.298
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.638	0.501	0.544	0.860	0.620	0.397
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.794	0.646	0.669	0.995	0.728	0.527
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.27	0.944	0.962	1.24	0.841	0.742
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.10	1.95	1.88	1.54	1.24	1.37

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>01652500</b>	<b>01653000</b>	<b>01654000</b>	<b>01654500</b>	<b>01655000</b>	<b>01655500</b>
Count	number	1,054	1,426	1,860	279	217	1,116
Max	ft <sup>3</sup> /s	584	1,080	980	72.0	820	429
Min	ft <sup>3</sup> /s	0.900	1.20	0.120	0.000	1.40	0.010
Median	ft <sup>3</sup> /s	5.60	10.0	7.80	1.70	14.0	1.90
Arithmetic Mean	ft <sup>3</sup> /s	17.8	31.1	22.0	2.83	33.6	4.64
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	13.5	--
Harmonic Mean	ft <sup>3</sup> /s	4.72	8.42	4.19	--	8.25	0.349
Standard Deviation	ft <sup>3</sup> /s	43.6	74.4	58.1	5.87	94.3	16.7
5th percentile	ft <sup>3</sup> /s	1.90	3.00	1.30	0.300	2.19	0.040
10th percentile	ft <sup>3</sup> /s	2.40	3.90	2.00	0.400	4.00	0.400
20th percentile	ft <sup>3</sup> /s	3.30	5.50	3.60	0.800	6.70	0.700
30th percentile	ft <sup>3</sup> /s	3.90	7.00	5.10	1.20	8.80	1.00
40th percentile	ft <sup>3</sup> /s	4.80	8.70	6.40	1.50	10.0	1.50
50th percentile	ft <sup>3</sup> /s	5.60	10.0	7.80	1.70	14.0	1.90
60th percentile	ft <sup>3</sup> /s	6.78	13.0	9.60	1.80	15.0	2.40
70th percentile	ft <sup>3</sup> /s	9.50	18.0	12.0	2.10	18.0	3.20
80th percentile	ft <sup>3</sup> /s	16.4	29.0	18.0	2.50	21.8	4.70
90th percentile	ft <sup>3</sup> /s	36.0	64.0	40.0	4.60	46.2	8.25
Drainage area	mi <sup>2</sup>	12.6	33.9	23.9	3.72	37.1	13.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	46.3	31.9	41.0	19.4	22.1	32.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.071	0.035	0.005	0.000	0.038	0.001
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.444	0.295	0.326	0.457	0.377	0.145
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.42	0.917	0.920	0.760	0.905	0.355
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.365	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.374	0.248	0.175	--	0.222	0.027
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.46	2.19	2.43	1.58	2.54	1.28
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.151	0.088	0.054	0.081	0.059	0.003
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.190	0.115	0.084	0.108	0.108	0.031
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.262	0.162	0.151	0.215	0.181	0.053
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.310	0.206	0.213	0.323	0.237	0.076
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.381	0.257	0.268	0.403	0.270	0.115
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.444	0.295	0.326	0.457	0.377	0.145
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.538	0.383	0.402	0.484	0.404	0.183
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.754	0.531	0.502	0.565	0.485	0.244
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	0.855	0.753	0.672	0.588	0.359
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.86	1.89	1.67	1.24	1.25	0.630

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01652500</b>	<b>01653000</b>	<b>01654000</b>	<b>01654500</b>	<b>01655000</b>	<b>01655500</b>
Count	number	1,054	1,425	1,860	279	217	1,116
Max	ft <sup>3</sup> /s	938	2,020	1,580	95.0	1,960	459
Min	ft <sup>3</sup> /s	0.700	1.00	0.000	0.000	1.00	0.010
Median	ft <sup>3</sup> /s	4.50	8.20	6.30	1.60	11.0	1.60
Arithmetic Mean	ft <sup>3</sup> /s	18.5	31.3	21.6	3.19	37.1	6.10
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	12.1	1.28
Harmonic Mean	ft <sup>3</sup> /s	3.89	6.63	--	--	8.51	0.196
Standard Deviation	ft <sup>3</sup> /s	55.6	104	76.0	8.42	181	25.0
5th percentile	ft <sup>3</sup> /s	1.50	2.50	0.900	0.300	3.37	0.030
10th percentile	ft <sup>3</sup> /s	2.00	3.50	1.40	0.300	4.60	0.180
20th percentile	ft <sup>3</sup> /s	2.60	4.50	2.40	1.00	6.50	0.400
30th percentile	ft <sup>3</sup> /s	3.40	5.50	3.70	1.14	7.78	0.710
40th percentile	ft <sup>3</sup> /s	4.00	6.70	5.00	1.30	9.30	1.20
50th percentile	ft <sup>3</sup> /s	4.50	8.20	6.30	1.60	11.0	1.60
60th percentile	ft <sup>3</sup> /s	5.40	11.0	7.70	1.70	12.6	2.20
70th percentile	ft <sup>3</sup> /s	7.20	15.0	10.0	2.10	15.0	3.05
80th percentile	ft <sup>3</sup> /s	12.4	23.0	15.0	2.50	18.8	4.10
90th percentile	ft <sup>3</sup> /s	38.0	66.0	37.1	3.62	35.0	9.00
Drainage area	mi <sup>2</sup>	12.6	33.9	23.9	3.72	37.1	13.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	74.4	59.6	66.1	25.5	52.8	35.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.056	0.029	0.000	0.000	0.027	0.001
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.357	0.242	0.264	0.430	0.296	0.122
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.47	0.922	0.904	0.857	1.000	0.466
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.327	0.098
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.309	0.196	--	--	0.229	0.015
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.41	3.06	3.18	2.26	4.87	1.91
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.119	0.074	0.038	0.081	0.091	0.002
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.159	0.103	0.059	0.081	0.124	0.014
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.206	0.133	0.100	0.269	0.175	0.031
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.270	0.162	0.155	0.306	0.210	0.054
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.317	0.198	0.209	0.349	0.251	0.092
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.357	0.242	0.264	0.430	0.296	0.122
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.429	0.324	0.322	0.457	0.340	0.168
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.571	0.442	0.418	0.565	0.404	0.233
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.984	0.678	0.628	0.672	0.507	0.313
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.02	1.95	1.55	0.973	0.943	0.687



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01652500</b>	<b>01653000</b>	<b>01654000</b>	<b>01654500</b>	<b>01655000</b>	<b>01655500</b>
Count	number	1,020	1,380	1,800	270	210	1,080
Max	ft <sup>3</sup> /s	1,060	2,440	1,160	98.0	1,240	486
Min	ft <sup>3</sup> /s	0.800	1.10	0.010	0.000	1.60	0.000
Median	ft <sup>3</sup> /s	3.95	7.60	4.95	1.25	7.90	1.40
Arithmetic Mean	ft <sup>3</sup> /s	18.4	32.4	23.0	2.63	25.9	6.62
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	8.84	--
Harmonic Mean	ft <sup>3</sup> /s	3.50	6.41	1.27	--	6.14	--
Standard Deviation	ft <sup>3</sup> /s	68.2	117	89.7	8.00	103	30.0
5th percentile	ft <sup>3</sup> /s	1.40	2.40	0.471	0.100	2.51	0.021
10th percentile	ft <sup>3</sup> /s	1.80	3.30	1.00	0.390	3.10	0.100
20th percentile	ft <sup>3</sup> /s	2.40	4.40	2.00	0.700	3.80	0.300
30th percentile	ft <sup>3</sup> /s	3.00	5.10	3.10	1.00	4.87	0.600
40th percentile	ft <sup>3</sup> /s	3.50	6.40	3.96	1.10	6.56	1.00
50th percentile	ft <sup>3</sup> /s	3.95	7.60	4.95	1.25	7.90	1.40
60th percentile	ft <sup>3</sup> /s	4.80	10.0	6.10	1.50	10.0	1.90
70th percentile	ft <sup>3</sup> /s	5.90	14.0	8.10	1.80	12.0	2.70
80th percentile	ft <sup>3</sup> /s	9.30	22.2	12.0	2.20	16.0	4.10
90th percentile	ft <sup>3</sup> /s	26.1	52.1	30.0	2.90	24.2	9.33
Drainage area	mi <sup>2</sup>	12.6	33.9	23.9	3.72	37.1	13.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	84.1	72.0	48.5	26.3	33.4	37.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.063	0.032	0.000	0.000	0.043	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.313	0.224	0.207	0.336	0.213	0.107
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	0.956	0.962	0.707	0.699	0.505
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.238	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.278	0.189	0.053	--	0.165	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	5.41	3.45	3.75	2.15	2.79	2.29
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.111	0.071	0.020	0.027	0.068	0.002
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.143	0.097	0.042	0.105	0.084	0.008
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.190	0.130	0.084	0.188	0.102	0.023
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.238	0.150	0.130	0.269	0.131	0.046
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.278	0.189	0.166	0.296	0.177	0.076
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.313	0.224	0.207	0.336	0.213	0.107
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.381	0.295	0.255	0.403	0.270	0.145
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.468	0.413	0.339	0.484	0.323	0.206
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.738	0.655	0.502	0.591	0.431	0.313
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.07	1.54	1.26	0.780	0.652	0.712

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01652500</b>	<b>01653000</b>	<b>01654000</b>	<b>01654500</b>	<b>01655000</b>	<b>01655500</b>
Count	number	1,053	1,457	1,891	279	217	1,147
Max	ft <sup>3</sup> /s	973	1,770	1,660	60.0	428	938
Min	ft <sup>3</sup> /s	1.20	1.20	0.000	0.000	0.700	0.000
Median	ft <sup>3</sup> /s	3.90	8.00	5.90	1.20	7.30	2.00
Arithmetic Mean	ft <sup>3</sup> /s	14.1	30.9	19.3	2.49	16.0	6.77
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	7.23	--
Harmonic Mean	ft <sup>3</sup> /s	3.75	7.14	--	--	4.29	--
Standard Deviation	ft <sup>3</sup> /s	51.5	98.2	76.6	5.72	41.8	31.5
5th percentile	ft <sup>3</sup> /s	1.90	3.00	0.912	0.100	1.40	0.030
10th percentile	ft <sup>3</sup> /s	2.10	3.80	1.60	0.480	1.70	0.200
20th percentile	ft <sup>3</sup> /s	2.70	4.60	2.80	0.900	2.80	0.620
30th percentile	ft <sup>3</sup> /s	3.00	5.40	4.00	0.900	3.50	1.10
40th percentile	ft <sup>3</sup> /s	3.40	6.30	5.00	1.00	6.40	1.60
50th percentile	ft <sup>3</sup> /s	3.90	8.00	5.90	1.20	7.30	2.00
60th percentile	ft <sup>3</sup> /s	4.42	10.0	6.90	1.40	8.52	2.60
70th percentile	ft <sup>3</sup> /s	5.40	14.0	8.40	1.80	11.0	3.50
80th percentile	ft <sup>3</sup> /s	6.96	24.0	12.0	2.50	16.0	4.90
90th percentile	ft <sup>3</sup> /s	17.0	51.0	27.0	3.80	24.0	13.0
Drainage area	mi <sup>2</sup>	12.6	33.9	23.9	3.72	37.1	13.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	77.2	52.2	69.5	16.1	11.5	71.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.095	0.035	0.000	0.000	0.019	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.310	0.236	0.247	0.323	0.197	0.153
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	0.912	0.809	0.669	0.432	0.517
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.195	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.297	0.211	--	--	0.116	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.09	2.90	3.20	1.54	1.13	2.41
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.151	0.088	0.038	0.027	0.038	0.002
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.167	0.112	0.067	0.129	0.046	0.015
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.214	0.136	0.117	0.242	0.075	0.047
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.238	0.159	0.167	0.242	0.094	0.084
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.270	0.186	0.209	0.269	0.173	0.122
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.310	0.236	0.247	0.323	0.197	0.153
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.351	0.295	0.289	0.376	0.230	0.198
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.429	0.413	0.351	0.484	0.296	0.267
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.552	0.708	0.502	0.672	0.431	0.374
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	1.50	1.13	1.02	0.647	0.992

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01652500</b>	<b>01653000</b>	<b>01654000</b>	<b>01654500</b>	<b>01655000</b>	<b>01655500</b>
Count	number	1,014	1,405	1,825	270	210	1,110
Max	ft <sup>3</sup> /s	475	1,130	1,500	67.0	674	364
Min	ft <sup>3</sup> /s	1.20	2.60	1.30	0.400	0.600	0.000
Median	ft <sup>3</sup> /s	5.40	12.0	8.90	2.20	14.0	3.45
Arithmetic Mean	ft <sup>3</sup> /s	15.3	32.7	25.2	3.97	25.7	7.80
Geometric Mean	ft <sup>3</sup> /s	--	--	--	2.30	11.3	--
Harmonic Mean	ft <sup>3</sup> /s	5.23	10.2	7.26	1.66	4.19	--
Standard Deviation	ft <sup>3</sup> /s	39.6	74.5	70.4	7.79	64.7	17.4
5th percentile	ft <sup>3</sup> /s	2.50	4.00	2.70	0.500	0.655	0.500
10th percentile	ft <sup>3</sup> /s	3.20	4.70	3.40	0.700	0.900	0.800
20th percentile	ft <sup>3</sup> /s	3.70	6.50	5.00	1.30	6.94	1.40
30th percentile	ft <sup>3</sup> /s	4.10	8.60	6.40	1.60	9.27	2.00
40th percentile	ft <sup>3</sup> /s	4.60	10.0	7.80	1.80	12.0	2.60
50th percentile	ft <sup>3</sup> /s	5.40	12.0	8.90	2.20	14.0	3.45
60th percentile	ft <sup>3</sup> /s	6.40	15.0	11.0	2.70	17.0	4.40
70th percentile	ft <sup>3</sup> /s	7.70	20.0	14.0	3.00	19.0	6.20
80th percentile	ft <sup>3</sup> /s	10.0	30.0	20.0	3.70	25.0	8.90
90th percentile	ft <sup>3</sup> /s	23.7	64.6	44.0	5.00	36.2	18.0
Drainage area	mi <sup>2</sup>	12.6	33.9	23.9	3.72	37.1	13.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	37.7	33.3	62.8	18.0	18.2	27.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.095	0.077	0.054	0.108	0.016	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.429	0.354	0.372	0.591	0.377	0.263
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	0.966	1.05	1.07	0.693	0.596
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.617	0.306	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.415	0.302	0.304	0.447	0.113	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.14	2.20	2.95	2.10	1.74	1.33
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.198	0.118	0.113	0.134	0.018	0.038
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.254	0.139	0.142	0.188	0.024	0.061
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.294	0.192	0.209	0.349	0.187	0.107
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.325	0.254	0.268	0.430	0.250	0.153
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.365	0.295	0.326	0.484	0.323	0.198
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.429	0.354	0.372	0.591	0.377	0.263
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.508	0.442	0.460	0.726	0.458	0.336
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.611	0.590	0.586	0.806	0.512	0.473
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.794	0.885	0.837	0.995	0.674	0.679
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.88	1.91	1.84	1.34	0.976	1.37

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01652500</b>	<b>01653000</b>	<b>01654000</b>	<b>01654500</b>	<b>01655000</b>	<b>01655500</b>
Count	number	1,007	1,426	1,860	279	217	1,147
Max	ft <sup>3</sup> /s	352	1,170	1,160	115	539	342
Min	ft <sup>3</sup> /s	1.90	2.30	2.00	0.500	0.600	0.040
Median	ft <sup>3</sup> /s	6.20	16.0	12.0	2.90	21.0	7.30
Arithmetic Mean	ft <sup>3</sup> /s	16.5	39.8	28.9	4.70	36.6	13.1
Geometric Mean	ft <sup>3</sup> /s	--	--	--	2.96	19.9	--
Harmonic Mean	ft <sup>3</sup> /s	6.02	13.0	10.2	2.22	7.35	3.03
Standard Deviation	ft <sup>3</sup> /s	35.1	80.8	64.0	9.80	59.3	21.2
5th percentile	ft <sup>3</sup> /s	2.90	4.64	3.90	0.900	1.08	0.700
10th percentile	ft <sup>3</sup> /s	3.50	6.60	5.30	1.30	6.40	1.70
20th percentile	ft <sup>3</sup> /s	4.20	9.10	7.40	1.50	10.0	3.00
30th percentile	ft <sup>3</sup> /s	4.80	11.0	8.80	2.14	12.8	4.48
40th percentile	ft <sup>3</sup> /s	5.30	13.0	10.0	2.50	17.0	5.70
50th percentile	ft <sup>3</sup> /s	6.20	16.0	12.0	2.90	21.0	7.30
60th percentile	ft <sup>3</sup> /s	7.50	19.0	14.0	3.40	30.0	9.46
70th percentile	ft <sup>3</sup> /s	9.30	27.0	19.0	4.16	35.2	13.0
80th percentile	ft <sup>3</sup> /s	14.0	40.0	27.0	5.04	44.0	17.0
90th percentile	ft <sup>3</sup> /s	32.4	87.0	53.1	7.40	58.0	29.0
Drainage area	mi <sup>2</sup>	12.6	33.9	23.9	3.72	37.1	13.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	27.9	34.5	48.5	30.9	14.5	26.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.151	0.068	0.084	0.134	0.016	0.003
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.492	0.472	0.502	0.780	0.566	0.557
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	1.17	1.21	1.26	0.986	1.00
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.795	0.538	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.478	0.382	0.426	0.597	0.198	0.231
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.78	2.38	2.68	2.63	1.60	1.62
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.230	0.137	0.163	0.242	0.029	0.053
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.278	0.195	0.222	0.349	0.173	0.130
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.333	0.268	0.310	0.403	0.270	0.229
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.381	0.324	0.368	0.575	0.345	0.342
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.421	0.383	0.418	0.672	0.458	0.435
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.492	0.472	0.502	0.780	0.566	0.557
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.595	0.560	0.586	0.914	0.809	0.722
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.738	0.796	0.795	1.12	0.949	0.992
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	1.18	1.13	1.35	1.19	1.30
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.57	2.57	2.22	1.99	1.56	2.21

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		January					
	units						
Station Number	number	01656000	01656100	01656102	01656120	01656500	01656650
Count	number	1,681	558	31.0	111	1,091	372
Max	ft <sup>3</sup> /s	4,770	9,730	125	3,670	2,100	3,200
Min	ft <sup>3</sup> /s	2.70	3.50	1.20	14.0	3.10	2.30
Median	ft <sup>3</sup> /s	67.0	116	2.60	123	42.0	57.0
Arithmetic Mean	ft <sup>3</sup> /s	138	292	10.8	304	66.2	124
Geometric Mean	ft <sup>3</sup> /s	--	--	3.99	147	--	--
Harmonic Mean	ft <sup>3</sup> /s	31.1	41.9	2.59	87.8	25.9	25.1
Standard Deviation	ft <sup>3</sup> /s	272	734	24.2	566	117	264
5th percentile	ft <sup>3</sup> /s	7.00	8.00	1.20	22.6	8.00	6.66
10th percentile	ft <sup>3</sup> /s	11.0	22.0	1.40	37.0	12.0	13.0
20th percentile	ft <sup>3</sup> /s	25.0	33.0	1.40	66.0	19.0	19.2
30th percentile	ft <sup>3</sup> /s	41.0	52.0	1.90	101	25.0	26.3
40th percentile	ft <sup>3</sup> /s	54.0	82.0	2.30	114	34.0	37.0
50th percentile	ft <sup>3</sup> /s	67.0	116	2.60	123	42.0	57.0
60th percentile	ft <sup>3</sup> /s	86.0	151	3.60	162	53.0	73.2
70th percentile	ft <sup>3</sup> /s	116	201	5.50	228	67.0	106
80th percentile	ft <sup>3</sup> /s	165	292	7.80	331	83.0	136
90th percentile	ft <sup>3</sup> /s	278	571	20.0	458	113	242
Drainage area	mi <sup>2</sup>	93.4	155	4.82	175	50.2	89.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	51.1	62.8	25.9	21.0	41.8	35.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.029	0.023	0.249	0.080	0.062	0.026
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.717	0.745	0.539	0.703	0.837	0.636
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.48	1.88	2.24	1.74	1.32	1.38
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.828	0.841	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.333	0.271	0.537	0.502	0.516	0.280
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.91	4.74	5.02	3.23	2.33	2.95
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.075	0.052	0.249	0.129	0.159	0.074
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.118	0.142	0.290	0.211	0.239	0.145
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.268	0.213	0.290	0.377	0.378	0.214
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.439	0.335	0.394	0.577	0.498	0.294
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.578	0.529	0.477	0.651	0.677	0.413
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.717	0.745	0.539	0.703	0.837	0.636
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.921	0.974	0.747	0.926	1.06	0.817
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	1.30	1.14	1.30	1.33	1.18
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.77	1.89	1.62	1.89	1.65	1.51
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.98	3.68	4.15	2.62	2.25	2.70

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01656000</b>	<b>01656100</b>	<b>01656102</b>	<b>01656120</b>	<b>01656500</b>	<b>01656650</b>
Count	number	1,525	503	28.0	84.0	988	339
Max	ft <sup>3</sup> /s	4,320	10,400	612	5,720	1,840	3,200
Min	ft <sup>3</sup> /s	3.10	6.40	1.90	46.0	5.60	6.10
Median	ft <sup>3</sup> /s	77.0	140	6.10	221	55.0	84.0
Arithmetic Mean	ft <sup>3</sup> /s	162	346	36.1	450	88.9	166
Geometric Mean	ft <sup>3</sup> /s	--	--	7.56	228	--	--
Harmonic Mean	ft <sup>3</sup> /s	49.0	96.6	4.03	147	41.3	52.7
Standard Deviation	ft <sup>3</sup> /s	310	833	116	806	137	322
5th percentile	ft <sup>3</sup> /s	18.0	34.0	1.95	51.5	16.0	15.0
10th percentile	ft <sup>3</sup> /s	27.0	54.0	2.17	60.3	21.0	23.0
20th percentile	ft <sup>3</sup> /s	39.8	79.0	2.20	78.8	29.0	50.0
30th percentile	ft <sup>3</sup> /s	50.0	99.6	2.30	127	39.0	62.4
40th percentile	ft <sup>3</sup> /s	64.0	119	2.50	181	46.8	72.0
50th percentile	ft <sup>3</sup> /s	77.0	140	6.10	221	55.0	84.0
60th percentile	ft <sup>3</sup> /s	98.0	185	11.2	261	65.0	101
70th percentile	ft <sup>3</sup> /s	130	229	13.8	308	79.0	121
80th percentile	ft <sup>3</sup> /s	179	339	19.4	423	106	181
90th percentile	ft <sup>3</sup> /s	329	648	40.0	979	169	315
Drainage area	mi <sup>2</sup>	93.4	155	4.82	175	50.2	89.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	46.3	67.1	127	32.7	36.7	35.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.033	0.041	0.394	0.263	0.112	0.068
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.824	0.903	1.27	1.26	1.10	0.938
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	2.23	7.48	2.57	1.77	1.85
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	1.57	1.30	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.525	0.623	0.835	0.842	0.822	0.588
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.32	5.37	24.0	4.60	2.73	3.59
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.193	0.219	0.404	0.294	0.319	0.167
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.289	0.348	0.450	0.345	0.418	0.257
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.426	0.510	0.456	0.450	0.578	0.558
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.535	0.643	0.477	0.725	0.777	0.696
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.685	0.765	0.519	1.03	0.932	0.804
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.824	0.903	1.27	1.26	1.10	0.938
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	1.19	2.32	1.49	1.29	1.13
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	1.48	2.86	1.76	1.57	1.35
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.92	2.18	4.02	2.41	2.10	2.02
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.52	4.18	8.30	5.59	3.37	3.52

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01656000</b>	<b>01656100</b>	<b>01656102</b>	<b>01656120</b>	<b>01656500</b>	<b>01656650</b>
Count	number	1,674	527	31.0	93.0	1,085	372
Max	ft <sup>3</sup> /s	3,710	8,540	321	5,150	1,540	2,950
Min	ft <sup>3</sup> /s	5.70	11.0	5.40	60.0	13.0	9.70
Median	ft <sup>3</sup> /s	88.0	141	12.0	214	66.0	105
Arithmetic Mean	ft <sup>3</sup> /s	172	308	30.6	441	94.9	167
Geometric Mean	ft <sup>3</sup> /s	--	--	17.2	268	--	--
Harmonic Mean	ft <sup>3</sup> /s	64.2	93.3	12.8	204	53.9	60.6
Standard Deviation	ft <sup>3</sup> /s	287	612	56.7	686	113	232
5th percentile	ft <sup>3</sup> /s	23.0	33.0	6.06	92.0	22.0	14.0
10th percentile	ft <sup>3</sup> /s	32.0	50.0	7.30	124	29.0	26.0
20th percentile	ft <sup>3</sup> /s	44.0	64.2	7.70	141	37.0	50.2
30th percentile	ft <sup>3</sup> /s	56.0	86.0	8.80	166	46.0	63.3
40th percentile	ft <sup>3</sup> /s	72.0	114	11.0	186	57.0	81.0
50th percentile	ft <sup>3</sup> /s	88.0	141	12.0	214	66.0	105
60th percentile	ft <sup>3</sup> /s	108	168	20.0	245	78.0	124
70th percentile	ft <sup>3</sup> /s	142	221	28.0	318	92.0	166
80th percentile	ft <sup>3</sup> /s	199	327	34.0	444	115	216
90th percentile	ft <sup>3</sup> /s	367	637	47.0	950	184	364
Drainage area	mi <sup>2</sup>	93.4	155	4.82	175	50.2	89.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	39.7	55.1	66.6	29.4	30.7	32.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.061	0.071	1.12	0.343	0.259	0.108
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.942	0.910	2.49	1.22	1.31	1.17
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.85	1.99	6.35	2.52	1.89	1.86
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	3.57	1.53	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.688	0.602	2.65	1.17	1.07	0.676
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.07	3.95	11.8	3.92	2.26	2.59
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.246	0.213	1.26	0.526	0.438	0.156
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.343	0.323	1.51	0.710	0.578	0.290
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.471	0.414	1.60	0.806	0.737	0.560
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.600	0.555	1.83	0.949	0.916	0.706
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.771	0.735	2.28	1.06	1.14	0.904
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.942	0.910	2.49	1.22	1.31	1.17
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	1.09	4.15	1.40	1.55	1.38
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.52	1.43	5.81	1.82	1.83	1.85
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.13	2.11	7.05	2.53	2.29	2.41
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.93	4.11	9.75	5.43	3.67	4.06

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01656000</b>	<b>01656100</b>	<b>01656102</b>	<b>01656120</b>	<b>01656500</b>	<b>01656650</b>
Count	number	1,620	510	30.0	90.0	1,050	360
Max	ft <sup>3</sup> /s	3,230	5,740	60.0	998	1,660	2,880
Min	ft <sup>3</sup> /s	8.10	12.0	3.10	22.0	11.0	9.30
Median	ft <sup>3</sup> /s	61.0	101	7.50	92.0	51.0	63.0
Arithmetic Mean	ft <sup>3</sup> /s	125	266	12.4	142	80.8	138
Geometric Mean	ft <sup>3</sup> /s	--	--	9.00	104	--	--
Harmonic Mean	ft <sup>3</sup> /s	45.8	68.3	7.23	82.0	42.4	48.1
Standard Deviation	ft <sup>3</sup> /s	230	644	12.6	150	120	251
5th percentile	ft <sup>3</sup> /s	16.1	21.6	3.27	34.8	18.0	17.0
10th percentile	ft <sup>3</sup> /s	21.0	28.0	3.99	48.6	21.9	22.0
20th percentile	ft <sup>3</sup> /s	30.0	45.0	5.18	62.0	28.0	31.0
30th percentile	ft <sup>3</sup> /s	38.0	62.0	5.48	68.7	36.0	39.7
40th percentile	ft <sup>3</sup> /s	47.0	75.6	6.70	73.0	43.0	50.0
50th percentile	ft <sup>3</sup> /s	61.0	101	7.50	92.0	51.0	63.0
60th percentile	ft <sup>3</sup> /s	79.0	132	8.76	110	62.0	90.0
70th percentile	ft <sup>3</sup> /s	103	160	11.9	143	76.0	117
80th percentile	ft <sup>3</sup> /s	138	245	15.4	192	96.0	161
90th percentile	ft <sup>3</sup> /s	246	480	24.1	270	146	300
Drainage area	mi <sup>2</sup>	93.4	155	4.82	175	50.2	89.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	34.6	37.0	12.4	5.70	33.1	32.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.087	0.077	0.643	0.126	0.219	0.104
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.653	0.652	1.56	0.526	1.02	0.703
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.34	1.72	2.57	0.810	1.61	1.54
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	1.87	0.592	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.490	0.440	1.50	0.469	0.845	0.537
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.47	4.16	2.62	0.857	2.38	2.80
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.172	0.139	0.677	0.199	0.359	0.190
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.225	0.181	0.828	0.278	0.436	0.246
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.321	0.290	1.07	0.354	0.558	0.346
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.407	0.400	1.14	0.393	0.717	0.443
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.503	0.488	1.39	0.417	0.857	0.558
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.653	0.652	1.56	0.526	1.02	0.703
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.846	0.854	1.82	0.626	1.24	1.00
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	1.03	2.47	0.817	1.51	1.31
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.48	1.58	3.20	1.10	1.91	1.80
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.63	3.10	5.00	1.54	2.91	3.34



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	01656000	01656100	01656102	01656120	01656500	01656650
Count	number	1,674	527	61.0	93.0	1,085	372
Max	ft <sup>3</sup> /s	3,250	4,290	86.0	1,700	720	1,300
Min	ft <sup>3</sup> /s	1.60	5.80	0.300	6.30	3.30	5.40
Median	ft <sup>3</sup> /s	31.0	52.0	2.80	46.0	30.0	40.0
Arithmetic Mean	ft <sup>3</sup> /s	76.3	118	10.5	126	50.2	80.7
Geometric Mean	ft <sup>3</sup> /s	--	--	3.38	49.1	--	--
Harmonic Mean	ft <sup>3</sup> /s	20.7	35.6	1.29	27.6	24.7	26.8
Standard Deviation	ft <sup>3</sup> /s	165	263	16.8	252	65.1	131
5th percentile	ft <sup>3</sup> /s	6.80	11.4	0.352	8.17	11.0	9.40
10th percentile	ft <sup>3</sup> /s	9.10	16.0	0.470	11.2	13.0	12.0
20th percentile	ft <sup>3</sup> /s	14.0	24.0	0.650	18.0	16.0	17.0
30th percentile	ft <sup>3</sup> /s	18.0	32.0	0.910	23.8	20.0	23.0
40th percentile	ft <sup>3</sup> /s	24.0	41.0	1.30	34.8	24.0	31.0
50th percentile	ft <sup>3</sup> /s	31.0	52.0	2.80	46.0	30.0	40.0
60th percentile	ft <sup>3</sup> /s	41.0	66.0	5.40	53.2	38.0	50.6
70th percentile	ft <sup>3</sup> /s	55.1	89.2	12.0	72.0	49.0	71.4
80th percentile	ft <sup>3</sup> /s	83.0	126	18.0	102	64.0	97.0
90th percentile	ft <sup>3</sup> /s	159	222	26.0	323	99.0	179
Drainage area	mi <sup>2</sup>	93.4	155	4.82	175	50.2	89.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	34.8	27.7	17.8	9.71	14.3	14.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.017	0.037	0.062	0.036	0.066	0.060
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.332	0.335	0.581	0.263	0.598	0.446
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.817	0.760	2.19	0.719	1.00	0.901
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.702	0.281	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.222	0.230	0.267	0.158	0.493	0.299
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.76	1.70	3.48	1.44	1.30	1.47
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.073	0.074	0.073	0.047	0.219	0.105
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.097	0.103	0.098	0.064	0.259	0.134
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.150	0.155	0.135	0.103	0.319	0.190
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.193	0.206	0.189	0.136	0.398	0.257
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.257	0.265	0.270	0.199	0.478	0.346
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.332	0.335	0.581	0.263	0.598	0.446
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.439	0.426	1.12	0.304	0.757	0.565
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.590	0.575	2.49	0.411	0.976	0.797
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.889	0.813	3.73	0.581	1.27	1.08
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	1.43	5.39	1.85	1.97	2.00

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	01656000	01656100	01656102	01656120	01656500	01656650
Count	number	1,620	510	60.0	90.0	1,050	360
Max	ft <sup>3</sup> /s	18,500	4,090	123	1,390	3,960	1,980
Min	ft <sup>3</sup> /s	0.200	1.70	0.000	1.60	1.60	2.30
Median	ft <sup>3</sup> /s	15.0	21.0	2.65	20.0	19.0	19.0
Arithmetic Mean	ft <sup>3</sup> /s	71.9	74.7	10.7	63.2	42.5	51.8
Geometric Mean	ft <sup>3</sup> /s	--	--	--	17.3	--	--
Harmonic Mean	ft <sup>3</sup> /s	6.90	12.9	--	6.44	11.4	13.4
Standard Deviation	ft <sup>3</sup> /s	505	269	22.5	164	179	153
5th percentile	ft <sup>3</sup> /s	1.90	3.80	0.000	1.86	3.46	4.80
10th percentile	ft <sup>3</sup> /s	2.90	5.20	0.075	2.19	5.00	6.18
20th percentile	ft <sup>3</sup> /s	4.78	9.20	0.166	2.80	7.40	8.50
30th percentile	ft <sup>3</sup> /s	7.30	12.0	0.257	4.38	10.7	11.0
40th percentile	ft <sup>3</sup> /s	11.0	16.0	0.336	15.0	14.6	14.0
50th percentile	ft <sup>3</sup> /s	15.0	21.0	2.65	20.0	19.0	19.0
60th percentile	ft <sup>3</sup> /s	21.0	28.4	4.44	28.0	24.0	25.0
70th percentile	ft <sup>3</sup> /s	30.0	39.0	6.29	41.0	30.0	34.0
80th percentile	ft <sup>3</sup> /s	49.0	58.2	10.4	67.4	41.0	43.2
90th percentile	ft <sup>3</sup> /s	110	113	32.4	115	67.0	79.9
Drainage area	mi <sup>2</sup>	93.4	155	4.82	175	50.2	89.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	198	26.4	25.5	7.94	78.9	22.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.002	0.011	0.000	0.009	0.032	0.026
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.161	0.135	0.550	0.114	0.378	0.212
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.770	0.482	2.21	0.361	0.847	0.578
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.099	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.074	0.083	--	0.037	0.227	0.149
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	5.41	1.74	4.67	0.936	3.56	1.71
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.020	0.025	0.000	0.011	0.069	0.054
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.031	0.034	0.016	0.013	0.100	0.069
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.051	0.059	0.034	0.016	0.147	0.095
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.078	0.077	0.053	0.025	0.213	0.123
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.118	0.103	0.070	0.086	0.291	0.156
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.161	0.135	0.550	0.114	0.378	0.212
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.225	0.183	0.921	0.160	0.478	0.279
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.321	0.252	1.30	0.234	0.598	0.379
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.525	0.375	2.16	0.385	0.817	0.482
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.18	0.731	6.72	0.658	1.33	0.892

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	<b>01656000</b>	<b>01656100</b>	<b>01656102</b>	<b>01656120</b>	<b>01656500</b>	<b>01656650</b>
Count	number	1,674	528	62.0	93.0	1,085	372
Max	ft <sup>3</sup> /s	2,920	1,870	35.0	199	2,000	368
Min	ft <sup>3</sup> /s	0.000	0.850	0.000	0.580	0.700	2.10
Median	ft <sup>3</sup> /s	6.95	8.05	0.110	7.80	10.0	10.0
Arithmetic Mean	ft <sup>3</sup> /s	30.8	39.3	1.46	14.2	23.2	22.3
Geometric Mean	ft <sup>3</sup> /s	--	--	--	7.40	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	5.77	--	4.12	5.36	8.40
Standard Deviation	ft <sup>3</sup> /s	132	140	4.78	25.1	83.1	37.3
5th percentile	ft <sup>3</sup> /s	0.460	1.90	0.000	0.920	1.60	2.70
10th percentile	ft <sup>3</sup> /s	0.820	2.60	0.000	1.74	2.00	3.90
20th percentile	ft <sup>3</sup> /s	1.80	3.90	0.000	3.40	3.30	5.70
30th percentile	ft <sup>3</sup> /s	3.19	4.80	0.000	4.26	5.00	7.60
40th percentile	ft <sup>3</sup> /s	4.70	6.10	0.000	5.58	7.30	8.80
50th percentile	ft <sup>3</sup> /s	6.95	8.05	0.110	7.80	10.0	10.0
60th percentile	ft <sup>3</sup> /s	10.0	11.0	0.434	9.42	13.0	13.0
70th percentile	ft <sup>3</sup> /s	14.0	16.0	0.628	12.0	16.0	18.0
80th percentile	ft <sup>3</sup> /s	24.0	30.0	1.64	17.0	23.0	30.0
90th percentile	ft <sup>3</sup> /s	49.7	71.3	2.77	26.4	40.0	48.9
Drainage area	mi <sup>2</sup>	93.4	155	4.82	175	50.2	89.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	31.3	12.1	7.26	1.14	39.8	4.11
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.005	0.000	0.003	0.014	0.023
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.074	0.052	0.023	0.045	0.199	0.112
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.330	0.253	0.304	0.081	0.462	0.249
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.042	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.037	--	0.024	0.107	0.094
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	0.905	0.992	0.143	1.66	0.417
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.005	0.012	0.000	0.005	0.032	0.030
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.009	0.017	0.000	0.010	0.040	0.044
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.019	0.025	0.000	0.019	0.066	0.064
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.034	0.031	0.000	0.024	0.100	0.085
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.050	0.039	0.000	0.032	0.145	0.098
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.074	0.052	0.023	0.045	0.199	0.112
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.107	0.071	0.090	0.054	0.259	0.145
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.150	0.103	0.130	0.069	0.319	0.201
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.257	0.194	0.340	0.097	0.458	0.335
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.532	0.460	0.575	0.151	0.797	0.546

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01656000</b>	<b>01656100</b>	<b>01656102</b>	<b>01656120</b>	<b>01656500</b>	<b>01656650</b>
Count	number	1,674	558	62.0	93.0	1,085	372
Max	ft <sup>3</sup> /s	3,890	3,070	4.80	43.0	1,880	1,180
Min	ft <sup>3</sup> /s	0.000	0.710	0.000	0.480	0.500	1.50
Median	ft <sup>3</sup> /s	5.00	5.15	0.075	2.70	8.20	9.35
Arithmetic Mean	ft <sup>3</sup> /s	40.6	71.7	0.510	3.43	27.1	39.5
Geometric Mean	ft <sup>3</sup> /s	--	--	--	2.54	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	3.39	--	2.05	3.83	7.63
Standard Deviation	ft <sup>3</sup> /s	200	305	0.927	4.79	108	116
5th percentile	ft <sup>3</sup> /s	0.100	0.920	0.000	0.764	1.00	2.20
10th percentile	ft <sup>3</sup> /s	0.343	1.20	0.000	1.02	1.40	4.51
20th percentile	ft <sup>3</sup> /s	1.00	2.10	0.000	1.60	2.50	6.32
30th percentile	ft <sup>3</sup> /s	1.80	2.80	0.000	1.90	3.70	7.09
40th percentile	ft <sup>3</sup> /s	3.30	3.50	0.000	2.40	5.50	8.00
50th percentile	ft <sup>3</sup> /s	5.00	5.15	0.075	2.70	8.20	9.35
60th percentile	ft <sup>3</sup> /s	7.18	9.72	0.416	2.90	10.0	12.0
70th percentile	ft <sup>3</sup> /s	10.0	15.0	0.517	3.30	14.0	16.0
80th percentile	ft <sup>3</sup> /s	19.0	40.0	0.792	3.86	20.0	23.0
90th percentile	ft <sup>3</sup> /s	51.0	98.0	1.28	4.64	43.6	61.9
Drainage area	mi <sup>2</sup>	93.4	155	4.82	175	50.2	89.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	41.6	19.8	0.996	0.246	37.5	13.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.005	0.000	0.003	0.010	0.017
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.054	0.033	0.016	0.015	0.163	0.104
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.435	0.462	0.106	0.020	0.540	0.440
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.015	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.022	--	0.012	0.076	0.085
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.14	1.97	0.192	0.027	2.16	1.29
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.001	0.006	0.000	0.004	0.020	0.025
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.004	0.008	0.000	0.006	0.028	0.050
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.011	0.014	0.000	0.009	0.050	0.071
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.019	0.018	0.000	0.011	0.074	0.079
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.035	0.023	0.000	0.014	0.110	0.089
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.054	0.033	0.016	0.015	0.163	0.104
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.077	0.063	0.086	0.017	0.199	0.134
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.107	0.097	0.107	0.019	0.279	0.179
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.203	0.258	0.164	0.022	0.398	0.257
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.546	0.632	0.266	0.027	0.869	0.691

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01656000</b>	<b>01656100</b>	<b>01656102</b>	<b>01656120</b>	<b>01656500</b>	<b>01656650</b>
Count	number	1,631	540	60.0	90.0	1,050	360
Max	ft <sup>3</sup> /s	3,530	8,600	104	2,480	2,020	3,950
Min	ft <sup>3</sup> /s	0.000	0.160	0.000	0.460	0.400	1.10
Median	ft <sup>3</sup> /s	4.00	5.35	0.205	2.75	7.80	7.55
Arithmetic Mean	ft <sup>3</sup> /s	42.1	134	5.23	44.7	25.5	77.5
Geometric Mean	ft <sup>3</sup> /s	--	--	--	4.20	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	2.21	--	2.02	3.55	4.85
Standard Deviation	ft <sup>3</sup> /s	217	713	18.4	264	117	372
5th percentile	ft <sup>3</sup> /s	0.020	0.640	0.000	0.551	0.900	1.50
10th percentile	ft <sup>3</sup> /s	0.190	0.869	0.000	0.904	1.39	1.98
20th percentile	ft <sup>3</sup> /s	0.900	1.30	0.000	1.34	2.40	3.00
30th percentile	ft <sup>3</sup> /s	1.50	2.00	0.000	2.00	3.40	4.80
40th percentile	ft <sup>3</sup> /s	2.70	2.90	0.000	2.30	5.50	5.80
50th percentile	ft <sup>3</sup> /s	4.00	5.35	0.205	2.75	7.80	7.55
60th percentile	ft <sup>3</sup> /s	5.90	10.0	0.854	3.50	9.60	9.20
70th percentile	ft <sup>3</sup> /s	8.80	25.0	1.82	5.45	12.0	12.0
80th percentile	ft <sup>3</sup> /s	16.0	56.0	2.96	10.4	18.0	20.0
90th percentile	ft <sup>3</sup> /s	55.0	146	4.38	30.7	34.0	89.0
Drainage area	mi <sup>2</sup>	93.4	155	4.82	175	50.2	89.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	37.8	55.5	21.6	14.2	40.2	44.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.001	0.000	0.003	0.008	0.012
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.043	0.035	0.043	0.016	0.155	0.084
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.451	0.864	1.09	0.256	0.507	0.865
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.024	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.014	--	0.012	0.071	0.054
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.32	4.60	3.81	1.51	2.34	4.15
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.004	0.000	0.003	0.018	0.017
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.002	0.006	0.000	0.005	0.028	0.022
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.010	0.008	0.000	0.008	0.048	0.033
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.016	0.013	0.000	0.011	0.068	0.054
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.029	0.019	0.000	0.013	0.110	0.065
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.043	0.035	0.043	0.016	0.155	0.084
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.063	0.065	0.177	0.020	0.191	0.103
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.094	0.161	0.378	0.031	0.239	0.134
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	0.361	0.614	0.059	0.359	0.223
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.589	0.943	0.909	0.175	0.677	0.993

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01656000</b>	<b>01656100</b>	<b>01656102</b>	<b>01656120</b>	<b>01656500</b>	<b>01656650</b>
Count	number	1,736	589	62.0	124	1,116	403
Max	ft <sup>3</sup> /s	4,130	8,120	40.0	4,310	2,670	3,630
Min	ft <sup>3</sup> /s	0.000	0.250	0.000	1.20	0.300	1.00
Median	ft <sup>3</sup> /s	7.15	8.60	0.840	28.0	9.00	9.60
Arithmetic Mean	ft <sup>3</sup> /s	46.5	130	2.58	116	23.9	88.8
Geometric Mean	ft <sup>3</sup> /s	--	--	--	20.3	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	3.43	--	5.69	5.39	5.20
Standard Deviation	ft <sup>3</sup> /s	195	572	6.60	418	89.5	302
5th percentile	ft <sup>3</sup> /s	0.400	0.805	0.000	1.60	2.09	1.40
10th percentile	ft <sup>3</sup> /s	0.800	1.20	0.000	1.93	2.70	1.60
20th percentile	ft <sup>3</sup> /s	2.00	2.10	0.000	2.70	3.90	2.70
30th percentile	ft <sup>3</sup> /s	3.60	3.80	0.013	3.30	5.40	5.16
40th percentile	ft <sup>3</sup> /s	5.10	5.60	0.424	9.68	7.00	7.26
50th percentile	ft <sup>3</sup> /s	7.15	8.60	0.840	28.0	9.00	9.60
60th percentile	ft <sup>3</sup> /s	9.80	14.0	0.936	44.8	12.0	21.0
70th percentile	ft <sup>3</sup> /s	17.0	30.6	1.10	74.3	16.0	45.0
80th percentile	ft <sup>3</sup> /s	34.0	78.8	1.40	100	23.0	95.2
90th percentile	ft <sup>3</sup> /s	79.0	177	7.49	204	50.5	171
Drainage area	mi <sup>2</sup>	93.4	155	4.82	175	50.2	89.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	44.2	52.4	8.30	24.6	53.2	40.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.002	0.000	0.007	0.006	0.011
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.077	0.055	0.174	0.160	0.179	0.107
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.498	0.837	0.535	0.665	0.477	0.991
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.116	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.022	--	0.032	0.107	0.058
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.08	3.69	1.37	2.39	1.78	3.37
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.004	0.005	0.000	0.009	0.042	0.016
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.009	0.008	0.000	0.011	0.054	0.018
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.021	0.014	0.000	0.015	0.078	0.030
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.039	0.025	0.003	0.019	0.108	0.058
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.055	0.036	0.088	0.055	0.139	0.081
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.077	0.055	0.174	0.160	0.179	0.107
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.105	0.090	0.194	0.256	0.239	0.234
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.182	0.197	0.228	0.425	0.319	0.502
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.364	0.508	0.290	0.573	0.458	1.06
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.846	1.14	1.55	1.17	1.01	1.91

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01656000</b>	<b>01656100</b>	<b>01656102</b>	<b>01656120</b>	<b>01656500</b>	<b>01656650</b>
Count	number	1,663	543	60.0	120	1,080	390
Max	ft <sup>3</sup> /s	3,560	4,320	82.0	2,910	1,230	1,150
Min	ft <sup>3</sup> /s	0.300	0.500	0.950	2.10	1.90	1.40
Median	ft <sup>3</sup> /s	16.0	36.0	5.60	61.0	17.0	40.0
Arithmetic Mean	ft <sup>3</sup> /s	65.4	143	13.8	142	36.5	71.3
Geometric Mean	ft <sup>3</sup> /s	--	--	6.91	41.7	--	--
Harmonic Mean	ft <sup>3</sup> /s	8.78	12.1	3.97	14.9	12.8	11.5
Standard Deviation	ft <sup>3</sup> /s	184	404	18.5	356	77.5	108
5th percentile	ft <sup>3</sup> /s	2.80	3.04	1.11	3.52	4.61	2.20
10th percentile	ft <sup>3</sup> /s	3.70	5.04	1.86	5.50	6.20	4.26
20th percentile	ft <sup>3</sup> /s	5.90	10.0	2.38	7.38	8.50	7.04
30th percentile	ft <sup>3</sup> /s	8.56	15.0	3.54	15.0	11.0	21.4
40th percentile	ft <sup>3</sup> /s	12.0	19.8	4.46	23.0	13.0	31.6
50th percentile	ft <sup>3</sup> /s	16.0	36.0	5.60	61.0	17.0	40.0
60th percentile	ft <sup>3</sup> /s	25.2	54.0	8.30	79.2	21.0	52.0
70th percentile	ft <sup>3</sup> /s	41.0	93.8	11.3	100	28.0	70.0
80th percentile	ft <sup>3</sup> /s	67.0	139	21.4	147	40.0	98.0
90th percentile	ft <sup>3</sup> /s	134	270	37.5	275	72.1	171
Drainage area	mi <sup>2</sup>	93.4	155	4.82	175	50.2	89.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	38.1	27.9	17.0	16.6	24.5	12.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.003	0.003	0.197	0.012	0.038	0.016
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	0.232	1.16	0.349	0.339	0.446
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.700	0.920	2.87	0.812	0.728	0.796
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	1.43	0.238	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.094	0.078	0.824	0.085	0.256	0.128
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.97	2.61	3.85	2.03	1.54	1.20
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.030	0.020	0.229	0.020	0.092	0.025
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.040	0.033	0.386	0.031	0.124	0.048
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.063	0.065	0.494	0.042	0.169	0.079
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.092	0.097	0.734	0.086	0.219	0.239
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.128	0.128	0.925	0.131	0.259	0.353
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	0.232	1.16	0.349	0.339	0.446
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.270	0.348	1.72	0.453	0.418	0.580
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.439	0.605	2.34	0.572	0.558	0.781
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.717	0.895	4.44	0.842	0.797	1.09
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	1.74	7.78	1.57	1.44	1.90

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01656000</b>	<b>01656100</b>	<b>01656102</b>	<b>01656120</b>	<b>01656500</b>	<b>01656650</b>
Count	number	1,700	558	62.0	124	1,116	403
Max	ft <sup>3</sup> /s	4,760	7,710	614	2,310	1,670	2,100
Min	ft <sup>3</sup> /s	2.60	3.10	1.90	3.40	3.50	2.60
Median	ft <sup>3</sup> /s	43.5	81.0	7.20	52.0	31.0	61.0
Arithmetic Mean	ft <sup>3</sup> /s	110	253	22.7	210	58.6	110
Geometric Mean	ft <sup>3</sup> /s	--	--	9.01	67.1	--	--
Harmonic Mean	ft <sup>3</sup> /s	20.8	35.7	5.88	25.4	20.8	34.5
Standard Deviation	ft <sup>3</sup> /s	250	615	77.5	385	104	193
5th percentile	ft <sup>3</sup> /s	4.80	7.09	2.10	6.38	7.80	9.30
10th percentile	ft <sup>3</sup> /s	7.50	11.7	2.41	9.13	9.10	13.2
20th percentile	ft <sup>3</sup> /s	16.0	36.0	3.96	14.6	13.0	26.0
30th percentile	ft <sup>3</sup> /s	24.0	48.0	4.83	33.9	20.0	36.0
40th percentile	ft <sup>3</sup> /s	32.0	61.8	5.94	44.0	26.0	47.8
50th percentile	ft <sup>3</sup> /s	43.5	81.0	7.20	52.0	31.0	61.0
60th percentile	ft <sup>3</sup> /s	61.0	114	10.5	82.4	39.0	76.0
70th percentile	ft <sup>3</sup> /s	85.0	164	15.7	175	54.0	90.4
80th percentile	ft <sup>3</sup> /s	125	237	22.8	277	72.0	126
90th percentile	ft <sup>3</sup> /s	221	544	31.0	463	121	207
Drainage area	mi <sup>2</sup>	93.4	155	4.82	175	50.2	89.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	51.0	49.7	127	13.2	33.3	23.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.028	0.020	0.394	0.019	0.070	0.029
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.466	0.523	1.49	0.297	0.618	0.681
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.18	1.63	4.71	1.20	1.17	1.23
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	1.87	0.384	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.222	0.230	1.22	0.145	0.414	0.385
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.68	3.97	16.1	2.20	2.08	2.15
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.051	0.046	0.436	0.036	0.155	0.104
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.080	0.075	0.500	0.052	0.181	0.147
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	0.232	0.822	0.083	0.259	0.290
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.257	0.310	1.00	0.194	0.398	0.402
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.343	0.399	1.23	0.251	0.518	0.533
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.466	0.523	1.49	0.297	0.618	0.681
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.653	0.738	2.18	0.471	0.777	0.848
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.910	1.06	3.26	1.00	1.08	1.01
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.34	1.53	4.73	1.59	1.43	1.41
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.37	3.51	6.43	2.65	2.41	2.31



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>01656700</b>	<b>01656725</b>	<b>01656960</b>	<b>01657000</b>	<b>01657020</b>	<b>01657415</b>
Count	number	403	527	442	961	93.0	372
Max	ft <sup>3</sup> /s	11,900	1,130	3,200	8,100	1,200	10,000
Min	ft <sup>3</sup> /s	6.80	0.700	0.700	1.50	23.0	14.0
Median	ft <sup>3</sup> /s	310	19.0	28.0	108	59.0	140
Arithmetic Mean	ft <sup>3</sup> /s	679	42.9	86.2	250	131	358
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	76.6	--
Harmonic Mean	ft <sup>3</sup> /s	84.7	8.15	9.85	26.5	55.4	76.6
Standard Deviation	ft <sup>3</sup> /s	1,270	94.9	239	541	191	857
5th percentile	ft <sup>3</sup> /s	13.4	2.84	3.00	5.91	26.7	20.7
10th percentile	ft <sup>3</sup> /s	44.2	3.46	3.71	11.0	30.0	34.0
20th percentile	ft <sup>3</sup> /s	108	6.02	7.00	31.0	33.0	46.4
30th percentile	ft <sup>3</sup> /s	164	11.0	12.0	55.0	38.2	74.3
40th percentile	ft <sup>3</sup> /s	227	14.0	18.0	80.0	46.6	99.0
50th percentile	ft <sup>3</sup> /s	310	19.0	28.0	108	59.0	140
60th percentile	ft <sup>3</sup> /s	402	24.6	39.6	138	79.0	198
70th percentile	ft <sup>3</sup> /s	560	35.2	61.7	190	110	273
80th percentile	ft <sup>3</sup> /s	798	51.6	89.0	288	183	372
90th percentile	ft <sup>3</sup> /s	1,542	81.0	174	527	281	713
Drainage area	mi <sup>2</sup>	343	25.7	49.7	146	147	185
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	34.7	44.0	64.4	55.5	8.16	54.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.020	0.027	0.014	0.010	0.156	0.076
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.904	0.739	0.563	0.740	0.401	0.757
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.98	1.67	1.73	1.71	0.888	1.94
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.521	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.247	0.317	0.198	0.181	0.377	0.414
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.70	3.69	4.80	3.71	1.30	4.63
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.039	0.111	0.060	0.040	0.182	0.112
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.129	0.135	0.075	0.075	0.204	0.184
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.315	0.234	0.141	0.212	0.224	0.251
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.478	0.428	0.241	0.377	0.260	0.402
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.662	0.545	0.362	0.548	0.317	0.535
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.904	0.739	0.563	0.740	0.401	0.757
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	0.957	0.797	0.945	0.537	1.07
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.63	1.37	1.24	1.30	0.747	1.48
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.33	2.01	1.79	1.97	1.24	2.01
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.50	3.15	3.49	3.61	1.91	3.85

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01656700</b>	<b>01656725</b>	<b>01656960</b>	<b>01657000</b>	<b>01657020</b>	<b>01657415</b>
Count	number	365	480	395	876	84.0	339
Max	ft <sup>3</sup> /s	16,500	1,050	2,580	7,610	3,400	11,700
Min	ft <sup>3</sup> /s	15.0	2.40	1.60	4.50	72.0	17.0
Median	ft <sup>3</sup> /s	280	26.0	37.0	104	246	158
Arithmetic Mean	ft <sup>3</sup> /s	705	57.1	101	271	349	367
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	243	--
Harmonic Mean	ft <sup>3</sup> /s	199	19.2	27.7	65.9	192	128
Standard Deviation	ft <sup>3</sup> /s	1,688	103	236	573	444	927
5th percentile	ft <sup>3</sup> /s	69.9	6.22	10.0	26.0	88.0	46.0
10th percentile	ft <sup>3</sup> /s	113	10.0	13.0	35.0	103	70.0
20th percentile	ft <sup>3</sup> /s	146	14.0	20.0	53.0	123	89.0
30th percentile	ft <sup>3</sup> /s	195	18.0	25.0	68.5	139	117
40th percentile	ft <sup>3</sup> /s	231	21.6	29.6	84.0	183	139
50th percentile	ft <sup>3</sup> /s	280	26.0	37.0	104	246	158
60th percentile	ft <sup>3</sup> /s	344	33.0	48.0	135	282	187
70th percentile	ft <sup>3</sup> /s	440	47.3	67.0	191	330	246
80th percentile	ft <sup>3</sup> /s	609	68.0	101	282	429	348
90th percentile	ft <sup>3</sup> /s	1,156	123	228	577	695	651
Drainage area	mi <sup>2</sup>	343	25.7	49.7	146	147	185
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	48.1	40.9	51.9	52.1	23.1	63.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.044	0.093	0.032	0.031	0.490	0.092
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.816	1.01	0.744	0.712	1.67	0.854
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.05	2.22	2.02	1.86	2.37	1.98
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	1.66	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.580	0.748	0.557	0.452	1.31	0.690
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.92	4.00	4.76	3.92	3.02	5.01
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.204	0.242	0.201	0.178	0.599	0.249
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.329	0.389	0.262	0.240	0.699	0.378
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.425	0.545	0.402	0.363	0.837	0.481
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.569	0.700	0.503	0.469	0.944	0.632
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.674	0.840	0.596	0.575	1.25	0.751
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.816	1.01	0.744	0.712	1.67	0.854
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.00	1.28	0.966	0.925	1.92	1.01
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.84	1.35	1.31	2.24	1.33
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.78	2.65	2.03	1.93	2.92	1.88
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.37	4.80	4.60	3.95	4.73	3.52

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01656700</b>	<b>01656725</b>	<b>01656960</b>	<b>01657000</b>	<b>01657020</b>	<b>01657415</b>
Count	number	372	527	434	961	93.0	372
Max	ft <sup>3</sup> /s	6,790	1,230	2,120	6,170	2,750	10,100
Min	ft <sup>3</sup> /s	89.0	3.60	3.20	16.0	35.0	33.0
Median	ft <sup>3</sup> /s	328	26.0	36.0	133	97.0	204
Arithmetic Mean	ft <sup>3</sup> /s	599	50.3	89.8	291	181	382
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	113	--
Harmonic Mean	ft <sup>3</sup> /s	283	19.3	23.7	98.1	90.7	147
Standard Deviation	ft <sup>3</sup> /s	786	92.5	162	493	337	678
5th percentile	ft <sup>3</sup> /s	128	6.54	6.55	36.0	44.8	51.7
10th percentile	ft <sup>3</sup> /s	146	9.30	12.0	47.0	50.4	70.0
20th percentile	ft <sup>3</sup> /s	175	14.0	17.0	64.0	58.4	93.2
30th percentile	ft <sup>3</sup> /s	214	17.0	21.0	84.0	72.6	117
40th percentile	ft <sup>3</sup> /s	257	22.0	27.0	105	86.4	158
50th percentile	ft <sup>3</sup> /s	328	26.0	36.0	133	97.0	204
60th percentile	ft <sup>3</sup> /s	404	33.0	49.0	167	118	257
70th percentile	ft <sup>3</sup> /s	537	42.0	69.0	229	138	342
80th percentile	ft <sup>3</sup> /s	755	58.0	121	358	194	476
90th percentile	ft <sup>3</sup> /s	1,299	97.4	209	660	269	837
Drainage area	mi <sup>2</sup>	343	25.7	49.7	146	147	185
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	19.8	47.9	42.7	42.3	18.7	54.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.259	0.140	0.064	0.110	0.238	0.178
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.955	1.01	0.724	0.911	0.660	1.10
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.75	1.96	1.81	1.99	1.23	2.07
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.770	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.826	0.751	0.477	0.672	0.617	0.795
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.29	3.60	3.26	3.38	2.29	3.66
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.374	0.254	0.132	0.247	0.305	0.279
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.426	0.362	0.241	0.322	0.343	0.378
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.510	0.545	0.342	0.438	0.397	0.504
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.623	0.661	0.423	0.575	0.494	0.634
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.750	0.856	0.543	0.719	0.588	0.854
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.955	1.01	0.724	0.911	0.660	1.10
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.18	1.28	0.986	1.14	0.803	1.39
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	1.63	1.39	1.57	0.940	1.85
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.20	2.26	2.43	2.45	1.32	2.58
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.79	3.79	4.21	4.52	1.83	4.52

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01656700</b>	<b>01656725</b>	<b>01656960</b>	<b>01657000</b>	<b>01657020</b>	<b>01657415</b>
Count	number	366	510	420	930	90.0	360
Max	ft <sup>3</sup> /s	6,780	1,160	1,810	5,120	2,410	5,720
Min	ft <sup>3</sup> /s	59.0	3.10	3.80	14.0	23.0	38.0
Median	ft <sup>3</sup> /s	241	22.0	27.5	85.0	75.5	175
Arithmetic Mean	ft <sup>3</sup> /s	513	48.3	84.0	216	202	373
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	97.9	--
Harmonic Mean	ft <sup>3</sup> /s	199	16.4	19.3	66.5	67.4	129
Standard Deviation	ft <sup>3</sup> /s	860	96.6	197	471	381	716
5th percentile	ft <sup>3</sup> /s	78.7	6.00	6.41	25.6	29.6	48.0
10th percentile	ft <sup>3</sup> /s	93.5	7.69	8.59	31.0	32.9	58.9
20th percentile	ft <sup>3</sup> /s	123	10.0	12.0	41.0	42.0	80.0
30th percentile	ft <sup>3</sup> /s	151	14.0	16.0	53.0	48.0	99.0
40th percentile	ft <sup>3</sup> /s	187	17.0	19.0	66.0	57.6	125
50th percentile	ft <sup>3</sup> /s	241	22.0	27.5	85.0	75.5	175
60th percentile	ft <sup>3</sup> /s	325	29.0	38.0	112	103	219
70th percentile	ft <sup>3</sup> /s	402	39.0	51.3	146	141	274
80th percentile	ft <sup>3</sup> /s	580	55.0	80.2	218	198	392
90th percentile	ft <sup>3</sup> /s	1,160	96.0	178	406	393	746
Drainage area	mi <sup>2</sup>	343	25.7	49.7	146	147	185
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	19.8	45.1	36.4	35.1	16.4	30.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.172	0.121	0.076	0.096	0.156	0.205
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.703	0.856	0.553	0.582	0.514	0.946
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.50	1.88	1.69	1.48	1.37	2.02
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.666	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.582	0.639	0.389	0.456	0.459	0.698
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.51	3.76	3.96	3.22	2.59	3.87
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.229	0.233	0.129	0.175	0.201	0.259
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.273	0.299	0.173	0.212	0.224	0.318
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.359	0.389	0.241	0.281	0.286	0.432
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.440	0.545	0.322	0.363	0.327	0.535
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.545	0.661	0.382	0.452	0.392	0.676
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.703	0.856	0.553	0.582	0.514	0.946
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.948	1.13	0.765	0.767	0.703	1.18
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.52	1.03	1.00	0.961	1.48
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.69	2.14	1.61	1.49	1.35	2.12
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.38	3.74	3.58	2.78	2.68	4.03

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>01656700</b>	<b>01656725</b>	<b>01656960</b>	<b>01657000</b>	<b>01657020</b>	<b>01657415</b>
Count	number	403	558	434	961	93.0	372
Max	ft <sup>3</sup> /s	8,420	540	912	2,940	657	2,800
Min	ft <sup>3</sup> /s	15.0	0.370	2.20	5.50	16.0	21.0
Median	ft <sup>3</sup> /s	140	11.0	15.0	44.0	38.0	91.5
Arithmetic Mean	ft <sup>3</sup> /s	355	26.0	40.8	126	55.4	190
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	41.4	--
Harmonic Mean	ft <sup>3</sup> /s	91.2	6.64	11.8	31.1	35.4	79.9
Standard Deviation	ft <sup>3</sup> /s	797	54.8	86.4	284	76.6	297
5th percentile	ft <sup>3</sup> /s	23.0	2.00	4.58	11.0	19.0	30.0
10th percentile	ft <sup>3</sup> /s	44.2	2.87	5.43	13.0	21.0	38.0
20th percentile	ft <sup>3</sup> /s	66.4	4.70	7.70	19.0	23.4	54.2
30th percentile	ft <sup>3</sup> /s	83.2	6.60	9.20	26.0	29.0	69.3
40th percentile	ft <sup>3</sup> /s	107	8.80	12.0	33.0	32.8	79.4
50th percentile	ft <sup>3</sup> /s	140	11.0	15.0	44.0	38.0	91.5
60th percentile	ft <sup>3</sup> /s	170	14.0	18.0	56.0	41.0	114
70th percentile	ft <sup>3</sup> /s	251	19.9	26.0	79.0	54.0	159
80th percentile	ft <sup>3</sup> /s	373	27.0	43.4	123	67.0	223
90th percentile	ft <sup>3</sup> /s	630	47.6	90.1	254	79.8	408
Drainage area	mi <sup>2</sup>	343	25.7	49.7	146	147	185
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	24.5	21.0	18.4	20.1	4.47	15.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.044	0.014	0.044	0.038	0.109	0.114
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.408	0.428	0.302	0.301	0.259	0.495
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	1.01	0.820	0.861	0.377	1.03
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.282	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.266	0.258	0.238	0.213	0.241	0.432
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.32	2.13	1.74	1.94	0.521	1.61
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.067	0.078	0.092	0.075	0.129	0.162
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.129	0.112	0.109	0.089	0.143	0.205
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.194	0.183	0.155	0.130	0.159	0.293
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.243	0.257	0.185	0.178	0.197	0.375
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.312	0.342	0.241	0.226	0.223	0.429
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.408	0.428	0.302	0.301	0.259	0.495
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.497	0.545	0.362	0.384	0.279	0.616
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.731	0.774	0.523	0.541	0.367	0.857
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.05	0.873	0.842	0.456	1.20
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.84	1.85	1.81	1.74	0.543	2.21

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>01656700</b>	<b>01656725</b>	<b>01656960</b>	<b>01657000</b>	<b>01657020</b>	<b>01657415</b>
Count	number	390	540	420	930	90.0	360
Max	ft <sup>3</sup> /s	49,700	9,500	1,510	54,500	507	4,640
Min	ft <sup>3</sup> /s	8.00	0.020	0.380	0.400	11.0	13.0
Median	ft <sup>3</sup> /s	70.0	4.80	7.95	19.0	24.5	56.0
Arithmetic Mean	ft <sup>3</sup> /s	423	42.0	29.4	142	43.1	132
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	28.0	--
Harmonic Mean	ft <sup>3</sup> /s	49.4	0.963	4.46	9.99	22.7	45.9
Standard Deviation	ft <sup>3</sup> /s	2,934	435	118	1,836	72.1	377
5th percentile	ft <sup>3</sup> /s	14.6	0.370	1.21	2.70	12.6	19.0
10th percentile	ft <sup>3</sup> /s	20.0	0.740	2.68	4.70	13.9	22.0
20th percentile	ft <sup>3</sup> /s	33.8	1.60	3.96	8.30	15.0	32.0
30th percentile	ft <sup>3</sup> /s	43.0	2.40	5.07	11.0	16.0	39.0
40th percentile	ft <sup>3</sup> /s	57.0	3.50	6.50	15.0	19.0	46.0
50th percentile	ft <sup>3</sup> /s	70.0	4.80	7.95	19.0	24.5	56.0
60th percentile	ft <sup>3</sup> /s	94.4	6.30	9.60	25.0	28.4	62.0
70th percentile	ft <sup>3</sup> /s	136	8.20	12.0	35.0	36.3	77.0
80th percentile	ft <sup>3</sup> /s	243	12.0	17.2	51.0	46.0	100
90th percentile	ft <sup>3</sup> /s	481	26.0	36.0	113	70.0	204
Drainage area	mi <sup>2</sup>	343	25.7	49.7	146	147	185
Max	ft <sup>3</sup> /mi <sup>2</sup>	145	370	30.4	373	3.45	25.1
Min	ft <sup>3</sup> /mi <sup>2</sup>	0.023	0.001	0.008	0.003	0.075	0.070
Median	ft <sup>3</sup> /mi <sup>2</sup>	0.204	0.187	0.160	0.130	0.167	0.303
Arithmetic Mean	ft <sup>3</sup> /mi <sup>2</sup>	1.23	1.63	0.591	0.971	0.293	0.712
Geometric Mean	ft <sup>3</sup> /mi <sup>2</sup>	--	--	--	--	0.191	--
Harmonic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.144	0.037	0.090	0.068	0.154	0.248
Standard Deviation	ft <sup>3</sup> /mi <sup>2</sup>	8.55	16.9	2.37	12.6	0.490	2.04
5th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.042	0.014	0.024	0.018	0.085	0.103
10th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.058	0.029	0.054	0.032	0.095	0.119
20th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.099	0.062	0.080	0.057	0.102	0.173
30th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.125	0.093	0.102	0.075	0.109	0.211
40th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.166	0.136	0.131	0.103	0.129	0.249
50th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.204	0.187	0.160	0.130	0.167	0.303
60th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.275	0.245	0.193	0.171	0.193	0.335
70th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.395	0.319	0.241	0.240	0.247	0.416
80th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.709	0.467	0.346	0.349	0.313	0.542
90th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.40	1.01	0.724	0.775	0.476	1.10

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>01656700</b>	<b>01656725</b>	<b>01656960</b>	<b>01657000</b>	<b>01657020</b>	<b>01657415</b>
Count	number	403	558	434	961	93.0	372
Max	ft <sup>3</sup> /s	5,240	93.0	475	6,600	1,010	1,580
Min	ft <sup>3</sup> /s	3.30	0.000	0.460	0.200	10.0	9.00
Median	ft <sup>3</sup> /s	35.0	1.40	5.60	11.0	18.0	32.0
Arithmetic Mean	ft <sup>3</sup> /s	120	4.93	13.2	56.0	39.2	62.8
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	22.2	--
Harmonic Mean	ft <sup>3</sup> /s	22.6	--	3.60	4.30	19.0	28.2
Standard Deviation	ft <sup>3</sup> /s	375	11.6	36.0	304	110	117
5th percentile	ft <sup>3</sup> /s	6.50	0.010	1.10	1.20	11.0	12.0
10th percentile	ft <sup>3</sup> /s	10.0	0.020	1.80	2.00	13.2	14.0
20th percentile	ft <sup>3</sup> /s	14.4	0.204	2.60	3.20	14.0	18.0
30th percentile	ft <sup>3</sup> /s	17.6	0.582	3.10	5.20	15.0	24.0
40th percentile	ft <sup>3</sup> /s	25.8	1.00	4.20	8.00	16.0	28.0
50th percentile	ft <sup>3</sup> /s	35.0	1.40	5.60	11.0	18.0	32.0
60th percentile	ft <sup>3</sup> /s	45.0	2.20	6.90	14.0	21.0	38.6
70th percentile	ft <sup>3</sup> /s	65.0	3.30	8.21	20.0	24.4	49.4
80th percentile	ft <sup>3</sup> /s	101	5.00	11.0	31.0	27.0	66.0
90th percentile	ft <sup>3</sup> /s	225	11.0	22.0	76.0	42.0	118
Drainage area	mi <sup>2</sup>	343	25.7	49.7	146	147	185
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	15.3	3.62	9.56	45.2	6.87	8.54
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.010	0.000	0.009	0.001	0.068	0.049
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.102	0.054	0.113	0.075	0.122	0.173
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.351	0.192	0.265	0.384	0.267	0.339
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.151	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.066	--	0.072	0.029	0.129	0.153
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	0.450	0.725	2.08	0.745	0.635
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.019	0.000	0.022	0.008	0.075	0.065
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.029	0.001	0.036	0.014	0.090	0.076
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.042	0.008	0.052	0.022	0.095	0.097
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.051	0.023	0.062	0.036	0.102	0.130
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.075	0.039	0.085	0.055	0.109	0.151
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.102	0.054	0.113	0.075	0.122	0.173
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.131	0.086	0.139	0.096	0.143	0.209
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.190	0.128	0.165	0.137	0.166	0.267
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.294	0.195	0.221	0.212	0.184	0.357
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.655	0.428	0.443	0.521	0.286	0.637

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01656700</b>	<b>01656725</b>	<b>01656960</b>	<b>01657000</b>	<b>01657020</b>	<b>01657415</b>
Count	number	403	558	434	961	93.0	372
Max	ft <sup>3</sup> /s	4,100	1,370	1,150	10,200	664	3,340
Min	ft <sup>3</sup> /s	3.70	0.000	0.300	0.200	11.0	6.20
Median	ft <sup>3</sup> /s	24.0	1.30	5.25	8.90	20.0	25.0
Arithmetic Mean	ft <sup>3</sup> /s	116	13.5	22.0	65.0	48.7	94.6
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	26.2	--
Harmonic Mean	ft <sup>3</sup> /s	18.4	--	3.06	3.22	21.3	21.9
Standard Deviation	ft <sup>3</sup> /s	413	71.5	90.7	460	105	314
5th percentile	ft <sup>3</sup> /s	6.40	0.020	0.990	0.710	12.7	8.99
10th percentile	ft <sup>3</sup> /s	8.60	0.087	1.50	1.30	14.0	12.0
20th percentile	ft <sup>3</sup> /s	11.0	0.204	2.06	2.50	16.0	14.0
30th percentile	ft <sup>3</sup> /s	15.0	0.570	2.90	4.20	17.6	17.0
40th percentile	ft <sup>3</sup> /s	20.0	1.00	3.80	6.20	18.8	20.0
50th percentile	ft <sup>3</sup> /s	24.0	1.30	5.25	8.90	20.0	25.0
60th percentile	ft <sup>3</sup> /s	31.0	1.80	6.60	12.0	22.0	31.0
70th percentile	ft <sup>3</sup> /s	46.4	3.20	8.60	17.0	24.8	41.0
80th percentile	ft <sup>3</sup> /s	75.6	6.22	13.4	25.0	37.0	61.8
90th percentile	ft <sup>3</sup> /s	185	18.3	30.7	68.0	76.0	134
Drainage area	mi <sup>2</sup>	343	25.7	49.7	146	147	185
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	12.0	53.3	23.1	69.9	4.52	18.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.011	0.000	0.006	0.001	0.075	0.034
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.070	0.051	0.106	0.061	0.136	0.135
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.340	0.524	0.443	0.445	0.332	0.511
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.178	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.054	--	0.062	0.022	0.145	0.119
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	2.78	1.83	3.15	0.713	1.70
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.019	0.001	0.020	0.005	0.086	0.049
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.025	0.003	0.030	0.009	0.095	0.065
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	0.008	0.041	0.017	0.109	0.076
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.044	0.022	0.058	0.029	0.120	0.092
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.058	0.039	0.076	0.042	0.128	0.108
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.070	0.051	0.106	0.061	0.136	0.135
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.090	0.070	0.133	0.082	0.150	0.168
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.135	0.125	0.173	0.116	0.169	0.222
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.220	0.242	0.270	0.171	0.252	0.334
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.538	0.712	0.618	0.466	0.517	0.722



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01656700</b>	<b>01656725</b>	<b>01656960</b>	<b>01657000</b>	<b>01657020</b>	<b>01657415</b>
Count	number	390	540	420	930	90.0	390
Max	ft <sup>3</sup> /s	18,700	1,650	5,050	12,100	1,670	17,100
Min	ft <sup>3</sup> /s	0.700	0.000	0.100	0.100	8.40	5.60
Median	ft <sup>3</sup> /s	20.0	1.30	3.65	6.30	19.5	20.0
Arithmetic Mean	ft <sup>3</sup> /s	303	18.0	44.1	86.5	90.9	180
Geometric Mean	ft <sup>3</sup> /s	--	--	4.33	--	30.1	--
Harmonic Mean	ft <sup>3</sup> /s	10.3	--	1.86	1.90	20.4	19.0
Standard Deviation	ft <sup>3</sup> /s	1,487	101	316	588	251	1,132
5th percentile	ft <sup>3</sup> /s	2.80	0.000	0.570	0.500	11.0	9.00
10th percentile	ft <sup>3</sup> /s	4.89	0.000	0.800	1.00	11.9	10.0
20th percentile	ft <sup>3</sup> /s	7.28	0.060	1.40	1.80	13.0	12.0
30th percentile	ft <sup>3</sup> /s	9.20	0.160	2.20	2.90	14.0	13.0
40th percentile	ft <sup>3</sup> /s	12.6	0.800	2.90	4.40	16.0	16.6
50th percentile	ft <sup>3</sup> /s	20.0	1.30	3.65	6.30	19.5	20.0
60th percentile	ft <sup>3</sup> /s	29.0	2.30	4.80	10.0	25.0	26.0
70th percentile	ft <sup>3</sup> /s	54.3	3.30	6.80	14.3	38.3	34.0
80th percentile	ft <sup>3</sup> /s	122	5.50	11.0	25.0	60.6	58.0
90th percentile	ft <sup>3</sup> /s	313	16.0	21.1	64.0	132	117
Drainage area	mi <sup>2</sup>	343	25.7	49.7	146	147	185
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	54.5	64.2	102	82.9	11.4	92.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.002	0.000	0.002	0.001	0.057	0.030
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.058	0.051	0.073	0.043	0.133	0.108
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.882	0.699	0.887	0.592	0.618	0.973
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.087	--	0.205	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.030	--	0.037	0.013	0.139	0.103
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.33	3.92	6.35	4.03	1.71	6.12
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.008	0.000	0.011	0.003	0.075	0.049
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.014	0.000	0.016	0.007	0.081	0.054
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.021	0.002	0.028	0.012	0.088	0.065
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.027	0.006	0.044	0.020	0.095	0.070
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.037	0.031	0.058	0.030	0.109	0.090
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.058	0.051	0.073	0.043	0.133	0.108
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.085	0.089	0.097	0.068	0.170	0.141
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.158	0.128	0.137	0.098	0.261	0.184
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.356	0.214	0.221	0.171	0.412	0.314
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.913	0.623	0.425	0.438	0.897	0.633

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01656700</b>	<b>01656725</b>	<b>01656960</b>	<b>01657000</b>	<b>01657020</b>	<b>01657415</b>
Count	number	403	558	465	961	93.0	372
Max	ft <sup>3</sup> /s	9,900	1,050	4,080	8,210	1,260	8,640
Min	ft <sup>3</sup> /s	1.40	0.000	0.100	0.130	12.0	7.60
Median	ft <sup>3</sup> /s	33.0	2.40	5.50	8.00	23.0	27.0
Arithmetic Mean	ft <sup>3</sup> /s	307	20.1	40.1	85.6	72.5	175
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	31.8	--
Harmonic Mean	ft <sup>3</sup> /s	15.3	--	1.47	2.79	23.4	22.9
Standard Deviation	ft <sup>3</sup> /s	1,042	81.9	215	419	171	640
5th percentile	ft <sup>3</sup> /s	5.20	0.010	0.300	0.600	13.0	9.13
10th percentile	ft <sup>3</sup> /s	6.60	0.080	0.500	1.10	14.0	10.0
20th percentile	ft <sup>3</sup> /s	9.20	0.240	1.30	2.50	14.0	12.0
30th percentile	ft <sup>3</sup> /s	13.0	1.01	2.72	3.70	17.0	16.0
40th percentile	ft <sup>3</sup> /s	19.0	1.60	3.70	5.80	22.0	22.0
50th percentile	ft <sup>3</sup> /s	33.0	2.40	5.50	8.00	23.0	27.0
60th percentile	ft <sup>3</sup> /s	45.0	4.20	7.80	12.0	25.0	39.8
70th percentile	ft <sup>3</sup> /s	95.0	7.40	12.8	19.0	34.4	71.4
80th percentile	ft <sup>3</sup> /s	211	14.0	22.0	41.0	59.0	126
90th percentile	ft <sup>3</sup> /s	444	30.3	50.0	113	115	296
Drainage area	mi <sup>2</sup>	343	25.7	49.7	146	147	185
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	28.9	40.9	82.1	56.2	8.57	46.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.004	0.000	0.002	0.001	0.082	0.041
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.096	0.093	0.111	0.055	0.156	0.146
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.894	0.780	0.808	0.586	0.494	0.946
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.217	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.045	--	0.030	0.019	0.159	0.124
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.04	3.19	4.33	2.87	1.16	3.46
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.015	0.000	0.006	0.004	0.088	0.049
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.019	0.003	0.010	0.008	0.095	0.054
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.027	0.009	0.026	0.017	0.095	0.065
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.038	0.039	0.055	0.025	0.116	0.086
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.055	0.062	0.074	0.040	0.150	0.119
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.096	0.093	0.111	0.055	0.156	0.146
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.131	0.163	0.157	0.082	0.170	0.215
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.277	0.288	0.258	0.130	0.234	0.386
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.615	0.545	0.443	0.281	0.401	0.680
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.18	1.01	0.774	0.784	1.60

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01656700</b>	<b>01656725</b>	<b>01656960</b>	<b>01657000</b>	<b>01657020</b>	<b>01657415</b>
Count	number	390	540	450	930	78.0	360
Max	ft <sup>3</sup> /s	7,800	614	1,160	5,670	1,720	3,680
Min	ft <sup>3</sup> /s	0.270	0.090	0.600	0.730	18.0	12.0
Median	ft <sup>3</sup> /s	93.5	7.10	13.0	20.0	68.0	49.5
Arithmetic Mean	ft <sup>3</sup> /s	308	26.1	43.0	105	185	153
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	84.7	--
Harmonic Mean	ft <sup>3</sup> /s	9.53	3.37	5.16	11.4	56.0	37.4
Standard Deviation	ft <sup>3</sup> /s	750	63.7	112	363	336	365
5th percentile	ft <sup>3</sup> /s	1.69	1.10	1.10	3.20	22.9	14.0
10th percentile	ft <sup>3</sup> /s	14.9	1.49	1.70	4.50	27.0	15.0
20th percentile	ft <sup>3</sup> /s	35.8	2.20	4.00	7.70	34.4	22.0
30th percentile	ft <sup>3</sup> /s	53.0	3.10	5.97	10.0	42.1	28.7
40th percentile	ft <sup>3</sup> /s	69.6	5.10	10.0	15.0	53.8	38.0
50th percentile	ft <sup>3</sup> /s	93.5	7.10	13.0	20.0	68.0	49.5
60th percentile	ft <sup>3</sup> /s	128	10.0	17.0	28.0	90.2	68.0
70th percentile	ft <sup>3</sup> /s	203	14.0	21.0	45.0	116	99.3
80th percentile	ft <sup>3</sup> /s	310	23.2	36.2	76.0	166	159
90th percentile	ft <sup>3</sup> /s	643	60.0	97.1	190	364	342
Drainage area	mi <sup>2</sup>	343	25.7	49.7	146	147	185
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	22.7	23.9	23.3	38.8	11.7	19.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.001	0.004	0.012	0.005	0.122	0.065
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.273	0.276	0.262	0.137	0.463	0.268
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.898	1.02	0.865	0.720	1.26	0.830
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.576	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.028	0.131	0.104	0.078	0.381	0.202
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.19	2.48	2.25	2.49	2.29	1.97
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.005	0.043	0.022	0.022	0.156	0.076
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.043	0.058	0.034	0.031	0.184	0.081
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.104	0.086	0.080	0.053	0.234	0.119
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.155	0.121	0.120	0.068	0.286	0.155
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.203	0.198	0.201	0.103	0.366	0.205
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.273	0.276	0.262	0.137	0.463	0.268
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.373	0.389	0.342	0.192	0.614	0.368
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.593	0.545	0.423	0.308	0.786	0.537
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.904	0.903	0.728	0.521	1.13	0.861
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.87	2.33	1.95	1.30	2.48	1.85

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01656700</b>	<b>01656725</b>	<b>01656960</b>	<b>01657000</b>	<b>01657020</b>	<b>01657415</b>
Count	number	403	558	465	961	93.0	372
Max	ft <sup>3</sup> /s	13,500	800	2,240	6,150	3,740	7,150
Min	ft <sup>3</sup> /s	10.0	1.10	1.80	2.70	36.0	14.0
Median	ft <sup>3</sup> /s	184	16.0	20.0	60.0	96.0	101
Arithmetic Mean	ft <sup>3</sup> /s	557	43.9	82.9	195	200	329
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	110	--
Harmonic Mean	ft <sup>3</sup> /s	89.1	10.3	13.6	23.4	82.8	72.9
Standard Deviation	ft <sup>3</sup> /s	1,191	91.4	206	511	433	753
5th percentile	ft <sup>3</sup> /s	15.0	3.20	3.60	6.00	38.0	20.7
10th percentile	ft <sup>3</sup> /s	42.0	4.40	5.68	9.50	44.0	25.0
20th percentile	ft <sup>3</sup> /s	85.4	7.20	11.0	14.0	50.0	57.0
30th percentile	ft <sup>3</sup> /s	125	10.0	14.0	27.0	61.2	70.0
40th percentile	ft <sup>3</sup> /s	152	13.0	16.6	41.0	82.0	83.4
50th percentile	ft <sup>3</sup> /s	184	16.0	20.0	60.0	96.0	101
60th percentile	ft <sup>3</sup> /s	239	20.2	29.4	83.0	113	144
70th percentile	ft <sup>3</sup> /s	362	29.0	44.0	127	139	201
80th percentile	ft <sup>3</sup> /s	565	43.0	75.2	198	197	328
90th percentile	ft <sup>3</sup> /s	1,236	81.3	188	368	298	768
Drainage area	mi <sup>2</sup>	343	25.7	49.7	146	147	185
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	39.4	31.1	45.1	42.1	25.4	38.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.029	0.043	0.036	0.018	0.245	0.076
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.536	0.623	0.402	0.411	0.653	0.543
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	1.71	1.67	1.34	1.36	1.78
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.745	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.260	0.400	0.273	0.160	0.563	0.394
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.47	3.56	4.15	3.50	2.95	4.07
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.044	0.125	0.072	0.041	0.259	0.112
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.122	0.171	0.114	0.065	0.299	0.135
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.249	0.280	0.221	0.096	0.340	0.308
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.363	0.389	0.282	0.185	0.416	0.378
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.443	0.506	0.334	0.281	0.558	0.451
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.536	0.623	0.402	0.411	0.653	0.543
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.696	0.786	0.592	0.568	0.770	0.777
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	1.13	0.885	0.870	0.944	1.08
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.65	1.67	1.51	1.36	1.34	1.77
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.60	3.16	3.78	2.52	2.03	4.15

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		January					
	units						
Station Number	number	<b>01657500</b>	<b>01657655</b>	<b>01657850</b>	<b>01657885</b>	<b>01657895</b>	<b>01658480</b>
Count	number	744	248	62.0	31.0	53.0	62.0
Max	ft <sup>3</sup> /s	18,300	207	283	75.0	565	18.0
Min	ft <sup>3</sup> /s	20.0	0.130	1.60	0.300	3.10	3.20
Median	ft <sup>3</sup> /s	356	3.50	5.00	1.70	8.20	6.25
Arithmetic Mean	ft <sup>3</sup> /s	658	8.20	14.5	5.21	26.6	6.97
Geometric Mean	ft <sup>3</sup> /s	--	3.20	6.71	1.55	11.0	6.30
Harmonic Mean	ft <sup>3</sup> /s	205	1.37	4.72	0.839	7.87	5.76
Standard Deviation	ft <sup>3</sup> /s	1,198	18.7	36.9	13.7	78.2	3.42
5th percentile	ft <sup>3</sup> /s	60.3	0.300	2.12	0.306	3.34	3.30
10th percentile	ft <sup>3</sup> /s	81.3	0.530	2.41	0.340	4.62	3.40
20th percentile	ft <sup>3</sup> /s	150	1.00	3.20	0.400	5.10	3.86
30th percentile	ft <sup>3</sup> /s	210	1.40	3.50	0.670	6.06	5.66
40th percentile	ft <sup>3</sup> /s	281	2.46	4.00	1.10	6.70	6.00
50th percentile	ft <sup>3</sup> /s	356	3.50	5.00	1.70	8.20	6.25
60th percentile	ft <sup>3</sup> /s	450	5.10	6.84	1.80	10.0	6.56
70th percentile	ft <sup>3</sup> /s	566	6.10	9.45	2.00	13.4	7.34
80th percentile	ft <sup>3</sup> /s	769	8.60	12.8	3.20	22.2	8.00
90th percentile	ft <sup>3</sup> /s	1,274	15.0	29.9	11.0	37.2	11.8
Drainage area	mi <sup>2</sup>	570	3.92	6.08	0.96	7.92	6.89
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	32.1	52.8	46.5	78.1	71.3	2.61
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.035	0.033	0.263	0.313	0.391	0.464
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.625	0.893	0.822	1.77	1.04	0.907
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	2.09	2.39	5.43	3.36	1.01
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.816	1.10	1.61	1.39	0.915
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.360	0.348	0.777	0.874	0.993	0.836
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.10	4.77	6.07	14.3	9.87	0.497
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.106	0.077	0.348	0.319	0.422	0.479
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.143	0.135	0.396	0.354	0.583	0.493
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.263	0.255	0.526	0.417	0.644	0.560
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.368	0.357	0.576	0.698	0.765	0.821
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.493	0.628	0.658	1.15	0.846	0.871
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.625	0.893	0.822	1.77	1.04	0.907
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.789	1.30	1.13	1.88	1.26	0.952
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.993	1.56	1.55	2.08	1.69	1.07
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	2.19	2.11	3.33	2.80	1.16
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.24	3.83	4.92	11.5	4.70	1.71

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		February					
	units						
Station Number	number	01657500	01657655	01657850	01657885	01657895	01658480
Count	number	678	226	57.0	29.0	57.0	57.0
Max	ft <sup>3</sup> /s	10,600	163	30.0	8.60	32.0	98.0
Min	ft <sup>3</sup> /s	46.0	0.300	2.70	0.300	3.90	3.60
Median	ft <sup>3</sup> /s	488	3.50	4.80	0.990	6.30	8.90
Arithmetic Mean	ft <sup>3</sup> /s	818	6.70	7.00	1.44	9.29	13.9
Geometric Mean	ft <sup>3</sup> /s	--	3.81	5.74	0.973	7.76	10.2
Harmonic Mean	ft <sup>3</sup> /s	339	2.74	5.02	0.705	6.81	8.69
Standard Deviation	ft <sup>3</sup> /s	1,025	15.6	5.53	1.62	6.60	16.6
5th percentile	ft <sup>3</sup> /s	122	1.00	2.79	0.300	4.09	5.18
10th percentile	ft <sup>3</sup> /s	150	1.55	3.20	0.318	4.30	5.72
20th percentile	ft <sup>3</sup> /s	222	2.50	3.62	0.368	4.72	6.30
30th percentile	ft <sup>3</sup> /s	295	2.90	4.20	0.544	5.26	6.58
40th percentile	ft <sup>3</sup> /s	391	3.10	4.44	0.860	5.80	7.84
50th percentile	ft <sup>3</sup> /s	488	3.50	4.80	0.990	6.30	8.90
60th percentile	ft <sup>3</sup> /s	618	4.00	5.62	1.10	7.96	9.78
70th percentile	ft <sup>3</sup> /s	799	4.60	6.24	1.40	9.68	12.0
80th percentile	ft <sup>3</sup> /s	1,140	5.90	8.98	2.08	12.0	15.6
90th percentile	ft <sup>3</sup> /s	1,943	9.00	14.4	2.86	19.0	21.8
Drainage area	mi <sup>2</sup>	570	3.92	6.08	0.96	7.92	6.89
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	18.6	41.6	4.93	8.96	4.04	14.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.081	0.077	0.444	0.313	0.492	0.522
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.856	0.893	0.789	1.03	0.795	1.29
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	1.71	1.15	1.50	1.17	2.02
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.973	0.945	1.01	0.980	1.49
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.595	0.698	0.826	0.734	0.860	1.26
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.80	3.98	0.909	1.69	0.833	2.41
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.214	0.255	0.459	0.313	0.516	0.752
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.263	0.395	0.526	0.331	0.543	0.830
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.389	0.638	0.595	0.383	0.596	0.914
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.518	0.740	0.691	0.567	0.664	0.955
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.686	0.791	0.730	0.896	0.732	1.14
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.856	0.893	0.789	1.03	0.795	1.29
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.02	0.924	1.15	1.01	1.42
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	1.17	1.03	1.46	1.22	1.74
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.00	1.51	1.48	2.17	1.52	2.26
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.41	2.30	2.37	2.98	2.40	3.16

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01657500</b>	<b>01657655</b>	<b>01657850</b>	<b>01657885</b>	<b>01657895</b>	<b>01658480</b>
Count	number	744	248	62.0	31.0	62.0	62.0
Max	ft <sup>3</sup> /s	10,300	85.0	64.0	19.0	67.0	238
Min	ft <sup>3</sup> /s	18.0	0.700	1.90	0.620	3.50	4.00
Median	ft <sup>3</sup> /s	484	4.90	4.75	1.10	6.55	7.70
Arithmetic Mean	ft <sup>3</sup> /s	891	7.94	8.68	3.42	10.5	16.0
Geometric Mean	ft <sup>3</sup> /s	--	5.01	5.55	1.87	7.57	8.91
Harmonic Mean	ft <sup>3</sup> /s	403	3.27	4.26	1.29	6.31	7.12
Standard Deviation	ft <sup>3</sup> /s	1,084	9.22	11.5	4.56	12.1	33.2
5th percentile	ft <sup>3</sup> /s	174	0.980	1.90	0.650	3.52	4.03
10th percentile	ft <sup>3</sup> /s	214	1.20	2.11	0.700	3.70	4.30
20th percentile	ft <sup>3</sup> /s	288	2.30	2.56	0.840	4.10	4.42
30th percentile	ft <sup>3</sup> /s	346	3.10	3.76	0.980	4.90	4.90
40th percentile	ft <sup>3</sup> /s	408	3.78	4.30	0.980	5.64	7.22
50th percentile	ft <sup>3</sup> /s	484	4.90	4.75	1.10	6.55	7.70
60th percentile	ft <sup>3</sup> /s	618	6.40	5.76	1.30	7.38	8.60
70th percentile	ft <sup>3</sup> /s	838	8.38	6.54	2.80	8.75	9.48
80th percentile	ft <sup>3</sup> /s	1,120	11.0	8.94	6.00	11.6	12.0
90th percentile	ft <sup>3</sup> /s	2,024	18.3	17.8	7.00	19.0	19.8
Drainage area	mi <sup>2</sup>	570	3.92	6.08	0.96	7.92	6.89
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	18.1	21.7	10.5	19.8	8.46	34.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	0.179	0.313	0.646	0.442	0.581
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.849	1.25	0.781	1.15	0.827	1.12
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	2.02	1.43	3.56	1.33	2.32
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.28	0.913	1.95	0.956	1.29
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.708	0.834	0.701	1.35	0.796	1.03
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.90	2.35	1.90	4.75	1.53	4.81
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.305	0.250	0.313	0.677	0.444	0.585
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.376	0.306	0.347	0.729	0.467	0.624
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.505	0.587	0.421	0.875	0.518	0.642
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.607	0.791	0.618	1.02	0.619	0.711
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.716	0.964	0.707	1.02	0.712	1.05
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.849	1.25	0.781	1.15	0.827	1.12
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.63	0.947	1.35	0.932	1.25
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.47	2.14	1.08	2.92	1.10	1.38
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.96	2.81	1.47	6.25	1.46	1.74
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.55	4.67	2.93	7.29	2.40	2.87

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01657500</b>	<b>01657655</b>	<b>01657850</b>	<b>01657885</b>	<b>01657895</b>	<b>01658480</b>
Count	number	720	240	60.0	50.0	60.0	60.0
Max	ft <sup>3</sup> /s	13,600	79.0	63.0	23.0	82.0	140
Min	ft <sup>3</sup> /s	74.0	0.380	1.30	0.520	2.80	2.10
Median	ft <sup>3</sup> /s	318	3.75	3.45	1.10	4.85	10.1
Arithmetic Mean	ft <sup>3</sup> /s	652	4.92	6.37	2.52	8.97	20.1
Geometric Mean	ft <sup>3</sup> /s	--	3.71	4.00	1.54	5.90	10.9
Harmonic Mean	ft <sup>3</sup> /s	268	2.90	3.05	1.21	4.90	6.54
Standard Deviation	ft <sup>3</sup> /s	1,239	6.16	9.54	3.77	14.1	24.4
5th percentile	ft <sup>3</sup> /s	108	1.21	1.51	0.644	2.92	2.22
10th percentile	ft <sup>3</sup> /s	132	1.59	1.70	0.809	3.20	2.99
20th percentile	ft <sup>3</sup> /s	190	2.18	1.80	0.856	3.38	4.00
30th percentile	ft <sup>3</sup> /s	225	2.60	2.07	0.961	3.40	4.30
40th percentile	ft <sup>3</sup> /s	259	3.20	2.52	0.980	3.78	4.78
50th percentile	ft <sup>3</sup> /s	318	3.75	3.45	1.10	4.85	10.1
60th percentile	ft <sup>3</sup> /s	374	4.40	4.82	1.24	5.78	17.0
70th percentile	ft <sup>3</sup> /s	477	5.00	5.80	1.53	7.43	27.0
80th percentile	ft <sup>3</sup> /s	618	5.80	7.40	2.64	9.44	32.2
90th percentile	ft <sup>3</sup> /s	1,191	8.24	11.0	6.07	13.1	47.8
Drainage area	mi <sup>2</sup>	570	3.92	6.08	0.96	7.92	6.89
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	23.9	20.2	10.4	24.0	10.4	20.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.130	0.097	0.214	0.542	0.354	0.305
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.557	0.957	0.567	1.15	0.612	1.46
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.26	1.05	2.63	1.13	2.92
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.946	0.659	1.60	0.744	1.58
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.471	0.741	0.502	1.26	0.618	0.950
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.17	1.57	1.57	3.92	1.78	3.53
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.190	0.307	0.248	0.670	0.368	0.321
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.231	0.406	0.280	0.843	0.404	0.434
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.333	0.556	0.296	0.892	0.427	0.581
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.395	0.663	0.340	1.00	0.429	0.624
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.454	0.816	0.414	1.02	0.477	0.694
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.557	0.957	0.567	1.15	0.612	1.46
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.656	1.12	0.793	1.29	0.730	2.47
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.836	1.28	0.954	1.59	0.938	3.92
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.48	1.22	2.75	1.19	4.67
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.09	2.10	1.81	6.32	1.65	6.94



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	<b>01657500</b>	<b>01657655</b>	<b>01657850</b>	<b>01657885</b>	<b>01657895</b>	<b>01658480</b>
Count	number	744	248	62.0	62.0	62.0	75.0
Max	ft <sup>3</sup> /s	14,400	102	41.0	14.0	81.0	38.0
Min	ft <sup>3</sup> /s	52.0	0.280	0.780	0.280	2.50	0.780
Median	ft <sup>3</sup> /s	248	2.80	5.10	2.25	6.30	6.60
Arithmetic Mean	ft <sup>3</sup> /s	586	5.40	8.07	2.97	11.1	7.91
Geometric Mean	ft <sup>3</sup> /s	--	3.09	5.14	1.88	7.51	5.13
Harmonic Mean	ft <sup>3</sup> /s	183	2.03	3.38	1.14	5.66	3.18
Standard Deviation	ft <sup>3</sup> /s	1,238	9.33	8.23	2.86	12.6	7.42
5th percentile	ft <sup>3</sup> /s	68.3	0.673	1.12	0.303	2.60	1.06
10th percentile	ft <sup>3</sup> /s	80.0	1.10	1.42	0.482	2.81	1.30
20th percentile	ft <sup>3</sup> /s	110	1.40	2.34	0.614	3.32	1.50
30th percentile	ft <sup>3</sup> /s	143	2.00	2.76	1.06	4.23	2.70
40th percentile	ft <sup>3</sup> /s	190	2.50	3.62	1.44	5.48	5.72
50th percentile	ft <sup>3</sup> /s	248	2.80	5.10	2.25	6.30	6.60
60th percentile	ft <sup>3</sup> /s	316	3.40	5.96	2.96	7.56	7.24
70th percentile	ft <sup>3</sup> /s	409	4.39	9.04	3.64	11.4	8.98
80th percentile	ft <sup>3</sup> /s	567	6.10	13.6	4.18	16.0	11.2
90th percentile	ft <sup>3</sup> /s	1,200	11.0	21.6	7.00	26.6	16.6
Drainage area	mi <sup>2</sup>	570	3.92	6.08	0.96	7.92	6.89
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	25.3	26.0	6.74	14.6	10.2	5.52
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.091	0.071	0.128	0.292	0.316	0.113
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.435	0.714	0.839	2.34	0.795	0.958
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	1.38	1.33	3.10	1.41	1.15
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.788	0.845	1.96	0.948	0.745
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.320	0.519	0.556	1.19	0.715	0.461
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.17	2.38	1.35	2.98	1.60	1.08
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.120	0.172	0.183	0.316	0.328	0.154
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.140	0.281	0.234	0.502	0.355	0.189
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.192	0.357	0.385	0.640	0.419	0.218
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.251	0.510	0.454	1.10	0.534	0.392
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.333	0.638	0.595	1.50	0.692	0.830
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.435	0.714	0.839	2.34	0.795	0.958
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.554	0.867	0.980	3.08	0.955	1.05
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.717	1.12	1.49	3.79	1.44	1.30
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.994	1.56	2.24	4.35	2.02	1.63
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.11	2.81	3.55	7.29	3.36	2.41

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>01657500</b>	<b>01657655</b>	<b>01657850</b>	<b>01657885</b>	<b>01657895</b>	<b>01658480</b>
Count	number	720	240	60.0	60.0	60.0	90.0
Max	ft <sup>3</sup> /s	12,400	77.0	29.0	26.0	52.0	7.20
Min	ft <sup>3</sup> /s	27.0	0.100	0.570	0.300	0.880	0.620
Median	ft <sup>3</sup> /s	125	1.55	3.45	1.05	4.50	1.85
Arithmetic Mean	ft <sup>3</sup> /s	307	4.14	5.29	3.13	6.10	2.26
Geometric Mean	ft <sup>3</sup> /s	--	1.63	3.40	1.64	4.09	1.86
Harmonic Mean	ft <sup>3</sup> /s	106	0.841	2.27	1.09	2.83	1.56
Standard Deviation	ft <sup>3</sup> /s	856	10.0	6.05	4.78	7.29	1.48
5th percentile	ft <sup>3</sup> /s	44.0	0.211	0.661	0.540	0.961	0.700
10th percentile	ft <sup>3</sup> /s	58.0	0.328	0.823	0.560	1.09	0.868
20th percentile	ft <sup>3</sup> /s	68.0	0.650	1.76	0.678	1.68	0.988
30th percentile	ft <sup>3</sup> /s	83.0	1.10	2.30	0.807	2.81	1.20
40th percentile	ft <sup>3</sup> /s	104	1.30	2.90	0.980	4.00	1.50
50th percentile	ft <sup>3</sup> /s	125	1.55	3.45	1.05	4.50	1.85
60th percentile	ft <sup>3</sup> /s	155	1.90	4.18	1.60	5.04	2.30
70th percentile	ft <sup>3</sup> /s	200	2.50	4.83	3.36	6.16	2.70
80th percentile	ft <sup>3</sup> /s	277	3.60	6.42	4.62	8.38	3.20
90th percentile	ft <sup>3</sup> /s	528	6.94	11.1	7.05	12.0	4.51
Drainage area	mi <sup>2</sup>	570	3.92	6.08	0.96	7.92	6.89
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.8	19.6	4.77	27.1	6.57	1.04
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.047	0.026	0.094	0.313	0.111	0.090
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.219	0.395	0.567	1.09	0.568	0.269
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.539	1.06	0.869	3.26	0.770	0.328
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.415	0.559	1.71	0.517	0.270
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.187	0.215	0.373	1.14	0.357	0.226
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.50	2.56	0.995	4.98	0.920	0.215
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.077	0.054	0.109	0.563	0.121	0.102
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.102	0.084	0.135	0.583	0.138	0.126
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.119	0.166	0.289	0.706	0.212	0.143
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.146	0.281	0.378	0.841	0.355	0.174
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.182	0.332	0.477	1.02	0.505	0.218
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.219	0.395	0.567	1.09	0.568	0.269
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.272	0.485	0.688	1.67	0.636	0.334
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.351	0.638	0.794	3.50	0.778	0.392
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.486	0.918	1.06	4.81	1.06	0.464
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.927	1.77	1.83	7.34	1.52	0.655

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	<b>01657500</b>	<b>01657655</b>	<b>01657850</b>	<b>01657885</b>	<b>01657895</b>	<b>01658480</b>
Count	number	744	248	40.0	42.0	40.0	93.0
Max	ft <sup>3</sup> /s	10,500	64.0	23.0	16.0	22.0	15.0
Min	ft <sup>3</sup> /s	18.0	0.030	0.400	0.390	0.400	0.110
Median	ft <sup>3</sup> /s	78.0	0.675	1.55	0.630	1.80	0.720
Arithmetic Mean	ft <sup>3</sup> /s	240	2.31	3.37	1.84	3.22	1.76
Geometric Mean	ft <sup>3</sup> /s	--	0.685	1.88	0.987	1.96	0.852
Harmonic Mean	ft <sup>3</sup> /s	69.1	0.280	1.27	0.738	1.39	0.498
Standard Deviation	ft <sup>3</sup> /s	634	7.19	4.77	3.04	4.32	2.75
5th percentile	ft <sup>3</sup> /s	30.0	0.080	0.434	0.402	0.449	0.150
10th percentile	ft <sup>3</sup> /s	33.0	0.110	0.606	0.420	0.689	0.210
20th percentile	ft <sup>3</sup> /s	40.6	0.240	0.796	0.502	0.894	0.330
30th percentile	ft <sup>3</sup> /s	53.0	0.340	0.967	0.570	1.10	0.400
40th percentile	ft <sup>3</sup> /s	65.0	0.480	1.36	0.604	1.46	0.550
50th percentile	ft <sup>3</sup> /s	78.0	0.675	1.55	0.630	1.80	0.720
60th percentile	ft <sup>3</sup> /s	101	0.984	2.08	0.796	2.28	1.00
70th percentile	ft <sup>3</sup> /s	139	1.30	2.50	1.10	2.76	1.70
80th percentile	ft <sup>3</sup> /s	223	1.90	4.32	1.96	3.52	2.36
90th percentile	ft <sup>3</sup> /s	451	3.66	6.90	4.40	6.80	3.70
Drainage area	mi <sup>2</sup>	570	3.92	6.08	0.96	7.92	6.89
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	18.4	16.3	3.78	16.7	2.78	2.18
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	0.008	0.066	0.406	0.051	0.016
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.137	0.172	0.255	0.656	0.227	0.104
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.421	0.590	0.554	1.92	0.407	0.255
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.175	0.310	1.03	0.248	0.124
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.121	0.072	0.210	0.769	0.175	0.072
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	1.83	0.784	3.17	0.546	0.399
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.053	0.020	0.071	0.418	0.057	0.022
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.058	0.028	0.100	0.438	0.087	0.030
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.071	0.061	0.131	0.523	0.113	0.048
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.093	0.087	0.159	0.594	0.139	0.058
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.114	0.122	0.224	0.629	0.184	0.080
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.137	0.172	0.255	0.656	0.227	0.104
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.251	0.342	0.829	0.288	0.145
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.244	0.332	0.411	1.15	0.348	0.247
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.391	0.485	0.711	2.04	0.444	0.343
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.791	0.934	1.13	4.58	0.859	0.537

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01657500</b>	<b>01657655</b>	<b>01657850</b>	<b>01657885</b>	<b>01657895</b>	<b>01658480</b>
Count	number	744	248	31.0	31.0	31.0	93.0
Max	ft <sup>3</sup> /s	15,200	97.0	13.0	4.50	5.70	42.0
Min	ft <sup>3</sup> /s	16.0	0.020	0.170	0.190	0.000	0.000
Median	ft <sup>3</sup> /s	68.0	0.480	0.340	0.370	0.170	0.400
Arithmetic Mean	ft <sup>3</sup> /s	398	2.25	0.847	0.572	0.507	2.45
Geometric Mean	ft <sup>3</sup> /s	--	0.450	0.380	0.401	--	--
Harmonic Mean	ft <sup>3</sup> /s	60.0	0.148	0.307	0.336	--	--
Standard Deviation	ft <sup>3</sup> /s	1,361	7.99	2.31	0.809	1.16	6.32
5th percentile	ft <sup>3</sup> /s	26.0	0.040	0.176	0.190	0.000	0.000
10th percentile	ft <sup>3</sup> /s	31.0	0.050	0.190	0.190	0.000	0.000
20th percentile	ft <sup>3</sup> /s	35.0	0.090	0.220	0.210	0.000	0.050
30th percentile	ft <sup>3</sup> /s	42.0	0.180	0.240	0.280	0.010	0.206
40th percentile	ft <sup>3</sup> /s	54.0	0.278	0.260	0.310	0.090	0.258
50th percentile	ft <sup>3</sup> /s	68.0	0.480	0.340	0.370	0.170	0.400
60th percentile	ft <sup>3</sup> /s	94.0	0.676	0.350	0.440	0.200	0.752
70th percentile	ft <sup>3</sup> /s	144	0.980	0.380	0.470	0.240	1.50
80th percentile	ft <sup>3</sup> /s	246	1.60	0.460	0.560	0.480	2.56
90th percentile	ft <sup>3</sup> /s	584	3.43	0.620	0.800	1.20	4.40
Drainage area	mi <sup>2</sup>	570	3.92	6.08	0.96	7.92	6.89
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	26.7	24.7	2.14	4.69	0.720	6.10
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.028	0.005	0.028	0.198	0.000	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.119	0.122	0.056	0.385	0.021	0.058
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.698	0.575	0.139	0.596	0.064	0.356
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.115	0.063	0.418	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.105	0.038	0.050	0.350	--	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.39	2.04	0.380	0.843	0.146	0.917
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.046	0.010	0.029	0.198	0.000	0.000
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.054	0.013	0.031	0.198	0.000	0.000
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.061	0.023	0.036	0.219	0.000	0.007
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.074	0.046	0.039	0.292	0.001	0.030
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.095	0.071	0.043	0.323	0.011	0.037
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.119	0.122	0.056	0.385	0.021	0.058
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.165	0.172	0.058	0.458	0.025	0.109
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.250	0.063	0.490	0.030	0.218
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.432	0.408	0.076	0.583	0.061	0.372
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.875	0.102	0.833	0.152	0.639

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01657500</b>	<b>01657655</b>	<b>01657850</b>	<b>01657885</b>	<b>01657895</b>	<b>01658480</b>
Count	number	720	240	30.0	30.0	30.0	90.0
Max	ft <sup>3</sup> /s	13,800	522	18.0	13.0	4.10	7.40
Min	ft <sup>3</sup> /s	4.00	0.010	0.090	0.160	0.000	0.000
Median	ft <sup>3</sup> /s	50.0	0.250	0.685	0.590	0.150	0.355
Arithmetic Mean	ft <sup>3</sup> /s	178	7.26	2.66	1.80	0.684	0.688
Geometric Mean	ft <sup>3</sup> /s	--	0.294	0.864	0.746	--	--
Harmonic Mean	ft <sup>3</sup> /s	43.3	0.057	0.344	0.451	--	--
Standard Deviation	ft <sup>3</sup> /s	787	42.1	4.22	3.08	1.04	1.01
5th percentile	ft <sup>3</sup> /s	17.0	0.010	0.090	0.177	0.000	0.000
10th percentile	ft <sup>3</sup> /s	23.9	0.020	0.108	0.209	0.000	0.000
20th percentile	ft <sup>3</sup> /s	31.0	0.040	0.188	0.246	0.000	0.100
30th percentile	ft <sup>3</sup> /s	35.0	0.060	0.384	0.354	0.014	0.144
40th percentile	ft <sup>3</sup> /s	42.0	0.130	0.518	0.490	0.080	0.212
50th percentile	ft <sup>3</sup> /s	50.0	0.250	0.685	0.590	0.150	0.355
60th percentile	ft <sup>3</sup> /s	66.0	0.454	0.806	0.660	0.462	0.654
70th percentile	ft <sup>3</sup> /s	84.3	0.946	2.53	0.879	0.670	0.870
80th percentile	ft <sup>3</sup> /s	120	1.80	3.62	2.90	1.22	1.00
90th percentile	ft <sup>3</sup> /s	259	4.21	8.38	4.35	2.05	1.30
Drainage area	mi <sup>2</sup>	570	3.92	6.08	0.96	7.92	6.89
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	24.2	133	2.96	13.5	0.518	1.07
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.007	0.003	0.015	0.167	0.000	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.088	0.064	0.113	0.615	0.019	0.052
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.313	1.85	0.437	1.88	0.086	0.100
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.075	0.142	0.777	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.076	0.015	0.057	0.469	--	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	10.7	0.695	3.20	0.131	0.146
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.030	0.003	0.015	0.184	0.000	0.000
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.042	0.005	0.018	0.218	0.000	0.000
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.054	0.010	0.031	0.256	0.000	0.015
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.061	0.015	0.063	0.369	0.002	0.021
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.074	0.033	0.085	0.510	0.010	0.031
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.088	0.064	0.113	0.615	0.019	0.052
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.116	0.116	0.133	0.688	0.058	0.095
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.148	0.241	0.416	0.916	0.085	0.126
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.211	0.459	0.595	3.02	0.154	0.145
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.455	1.07	1.38	4.53	0.259	0.189

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01657500</b>	<b>01657655</b>	<b>01657850</b>	<b>01657885</b>	<b>01657895</b>	<b>01658480</b>
Count	number	744	217	31.0	31.0	31.0	62.0
Max	ft <sup>3</sup> /s	27,700	96.0	78.0	78.0	187	24.0
Min	ft <sup>3</sup> /s	5.20	0.010	0.530	0.120	0.450	0.150
Median	ft <sup>3</sup> /s	52.0	0.880	2.00	0.470	1.90	1.20
Arithmetic Mean	ft <sup>3</sup> /s	296	4.68	8.51	5.22	11.1	2.31
Geometric Mean	ft <sup>3</sup> /s	--	0.838	2.52	0.702	2.34	1.27
Harmonic Mean	ft <sup>3</sup> /s	39.9	0.130	1.33	0.328	1.20	0.732
Standard Deviation	ft <sup>3</sup> /s	1,513	9.62	17.6	15.3	34.1	3.64
5th percentile	ft <sup>3</sup> /s	16.0	0.020	0.536	0.120	0.450	0.162
10th percentile	ft <sup>3</sup> /s	18.0	0.040	0.590	0.120	0.470	0.242
20th percentile	ft <sup>3</sup> /s	25.0	0.120	0.780	0.200	0.570	0.724
30th percentile	ft <sup>3</sup> /s	30.0	0.200	0.840	0.250	1.10	0.937
40th percentile	ft <sup>3</sup> /s	39.0	0.484	0.920	0.320	1.40	1.20
50th percentile	ft <sup>3</sup> /s	52.0	0.880	2.00	0.470	1.90	1.20
60th percentile	ft <sup>3</sup> /s	70.0	1.80	2.40	0.590	2.10	1.46
70th percentile	ft <sup>3</sup> /s	106	3.50	5.10	0.750	3.60	1.77
80th percentile	ft <sup>3</sup> /s	168	5.70	7.00	1.20	5.10	2.20
90th percentile	ft <sup>3</sup> /s	364	15.0	24.0	9.10	16.0	5.64
Drainage area	mi <sup>2</sup>	570	3.92	6.08	0.96	7.92	6.89
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	48.6	24.5	12.8	81.3	23.6	3.48
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.009	0.003	0.087	0.125	0.057	0.022
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.091	0.224	0.329	0.490	0.240	0.174
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.519	1.19	1.40	5.44	1.41	0.335
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.214	0.415	0.732	0.296	0.185
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.070	0.033	0.219	0.341	0.152	0.106
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.65	2.45	2.90	15.9	4.31	0.528
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.028	0.005	0.088	0.125	0.057	0.023
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	0.010	0.097	0.125	0.059	0.035
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.044	0.031	0.128	0.208	0.072	0.105
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.053	0.051	0.138	0.260	0.139	0.136
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.068	0.123	0.151	0.333	0.177	0.174
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.091	0.224	0.329	0.490	0.240	0.174
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.123	0.459	0.395	0.615	0.265	0.212
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.186	0.893	0.839	0.781	0.455	0.257
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	1.45	1.15	1.25	0.644	0.319
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.638	3.83	3.95	9.48	2.02	0.819

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01657500</b>	<b>01657655</b>	<b>01657850</b>	<b>01657885</b>	<b>01657895</b>	<b>01658480</b>
Count	number	720	221	30.0	30.0	30.0	60.0
Max	ft <sup>3</sup> /s	17,400	38.0	53.0	16.0	118	78.0
Min	ft <sup>3</sup> /s	1.50	0.030	2.70	0.180	2.60	0.910
Median	ft <sup>3</sup> /s	94.0	1.80	6.55	1.35	6.35	3.05
Arithmetic Mean	ft <sup>3</sup> /s	330	2.56	11.8	2.99	16.6	7.06
Geometric Mean	ft <sup>3</sup> /s	--	1.43	7.64	1.30	8.50	3.41
Harmonic Mean	ft <sup>3</sup> /s	33.5	0.627	5.74	0.630	6.26	2.20
Standard Deviation	ft <sup>3</sup> /s	1,101	3.72	13.5	4.33	28.0	12.5
5th percentile	ft <sup>3</sup> /s	18.1	0.153	2.76	0.180	2.77	0.915
10th percentile	ft <sup>3</sup> /s	26.9	0.270	2.99	0.180	3.71	1.09
20th percentile	ft <sup>3</sup> /s	38.8	0.620	3.44	0.300	4.56	1.20
30th percentile	ft <sup>3</sup> /s	55.0	0.880	4.51	0.723	4.87	1.40
40th percentile	ft <sup>3</sup> /s	73.0	1.20	5.12	1.02	5.50	1.96
50th percentile	ft <sup>3</sup> /s	94.0	1.80	6.55	1.35	6.35	3.05
60th percentile	ft <sup>3</sup> /s	122	2.10	8.56	1.54	7.38	3.60
70th percentile	ft <sup>3</sup> /s	177	2.70	10.3	2.37	9.88	6.20
80th percentile	ft <sup>3</sup> /s	296	3.60	12.0	4.00	13.4	8.94
90th percentile	ft <sup>3</sup> /s	519	5.00	32.4	8.93	32.5	13.4
Drainage area	mi <sup>2</sup>	570	3.92	6.08	0.96	7.92	6.89
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	30.5	9.69	8.72	16.7	14.9	11.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.003	0.008	0.444	0.188	0.328	0.132
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.165	0.459	1.08	1.41	0.802	0.443
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.578	0.653	1.94	3.11	2.09	1.02
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.365	1.26	1.35	1.07	0.495
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.059	0.160	0.944	0.656	0.791	0.319
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.93	0.948	2.22	4.51	3.53	1.82
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	0.039	0.453	0.188	0.349	0.133
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.047	0.069	0.492	0.188	0.468	0.158
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.068	0.158	0.566	0.313	0.576	0.174
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.096	0.224	0.742	0.753	0.615	0.203
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.128	0.306	0.842	1.06	0.694	0.284
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.165	0.459	1.08	1.41	0.802	0.443
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.215	0.536	1.41	1.60	0.932	0.522
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.311	0.689	1.69	2.47	1.25	0.900
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.520	0.918	1.97	4.17	1.69	1.30
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.911	1.28	5.33	9.30	4.10	1.94

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01657500</b>	<b>01657655</b>	<b>01657850</b>	<b>01657885</b>	<b>01657895</b>	<b>01658480</b>
Count	number	744	248	41.0	31.0	31.0	62.0
Max	ft <sup>3</sup> /s	12,000	91.0	47.0	13.0	63.0	52.0
Min	ft <sup>3</sup> /s	1.00	0.240	1.40	0.180	2.90	3.40
Median	ft <sup>3</sup> /s	188	2.40	3.20	0.530	4.30	5.95
Arithmetic Mean	ft <sup>3</sup> /s	473	5.06	5.92	1.50	9.56	9.25
Geometric Mean	ft <sup>3</sup> /s	--	2.37	3.71	0.741	5.90	7.19
Harmonic Mean	ft <sup>3</sup> /s	57.8	1.35	2.93	0.545	4.78	6.07
Standard Deviation	ft <sup>3</sup> /s	1,061	11.2	9.00	2.80	14.0	8.48
5th percentile	ft <sup>3</sup> /s	35.0	0.330	1.50	0.252	3.02	3.40
10th percentile	ft <sup>3</sup> /s	50.0	0.440	1.60	0.300	3.20	3.70
20th percentile	ft <sup>3</sup> /s	68.0	1.24	1.70	0.420	3.20	4.14
30th percentile	ft <sup>3</sup> /s	93.9	1.71	2.50	0.420	3.70	4.73
40th percentile	ft <sup>3</sup> /s	131	2.10	3.00	0.420	4.10	5.50
50th percentile	ft <sup>3</sup> /s	188	2.40	3.20	0.530	4.30	5.95
60th percentile	ft <sup>3</sup> /s	256	2.70	3.40	0.640	4.70	6.92
70th percentile	ft <sup>3</sup> /s	341	3.30	3.90	0.760	6.00	8.87
80th percentile	ft <sup>3</sup> /s	488	4.52	6.00	1.00	9.10	12.8
90th percentile	ft <sup>3</sup> /s	921	8.72	11.0	3.10	16.0	18.8
Drainage area	mi <sup>2</sup>	570	3.92	6.08	0.96	7.92	6.89
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.1	23.2	7.73	13.5	7.95	7.55
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.002	0.061	0.230	0.188	0.366	0.493
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.330	0.612	0.526	0.552	0.543	0.864
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.829	1.29	0.974	1.56	1.21	1.34
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.605	0.610	0.772	0.746	1.04
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.101	0.344	0.482	0.567	0.603	0.882
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.86	2.85	1.48	2.91	1.77	1.23
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.061	0.084	0.247	0.263	0.381	0.493
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.088	0.112	0.263	0.313	0.404	0.537
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.119	0.316	0.280	0.438	0.404	0.601
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.165	0.436	0.411	0.438	0.467	0.687
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.230	0.536	0.493	0.438	0.518	0.798
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.330	0.612	0.526	0.552	0.543	0.864
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.448	0.689	0.559	0.667	0.593	1.00
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.598	0.842	0.641	0.792	0.758	1.29
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.857	1.15	0.987	1.04	1.15	1.86
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	2.22	1.81	3.23	2.02	2.73



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>01658500</b>	<b>01658550</b>	<b>01658650</b>	<b>01658698</b>	<b>01658705</b>	<b>01659000</b>
Count	number	1,736	62.0	62.0	62.0	62.0	291
Max	ft <sup>3</sup> /s	473	35.0	50.0	12.0	20.0	48.0
Min	ft <sup>3</sup> /s	0.320	5.10	7.40	0.270	0.960	0.760
Median	ft <sup>3</sup> /s	5.10	7.65	13.5	1.10	2.10	2.90
Arithmetic Mean	ft <sup>3</sup> /s	9.86	9.45	15.5	1.58	2.89	5.45
Geometric Mean	ft <sup>3</sup> /s	--	8.49	14.0	1.10	2.27	3.39
Harmonic Mean	ft <sup>3</sup> /s	3.24	7.93	13.0	0.856	2.01	2.43
Standard Deviation	ft <sup>3</sup> /s	22.5	5.72	8.15	2.04	3.21	7.20
5th percentile	ft <sup>3</sup> /s	1.00	5.42	7.92	0.283	1.10	0.950
10th percentile	ft <sup>3</sup> /s	1.60	5.71	9.00	0.376	1.20	1.10
20th percentile	ft <sup>3</sup> /s	2.30	6.32	9.70	0.742	1.70	1.50
30th percentile	ft <sup>3</sup> /s	3.20	6.83	11.0	0.925	1.83	2.00
40th percentile	ft <sup>3</sup> /s	4.10	7.24	12.4	1.00	2.00	2.40
50th percentile	ft <sup>3</sup> /s	5.10	7.65	13.5	1.10	2.10	2.90
60th percentile	ft <sup>3</sup> /s	6.00	8.00	14.0	1.20	2.20	3.90
70th percentile	ft <sup>3</sup> /s	7.40	9.10	15.7	1.30	2.20	5.10
80th percentile	ft <sup>3</sup> /s	10.0	9.92	17.0	1.40	2.74	7.00
90th percentile	ft <sup>3</sup> /s	18.5	14.9	25.0	2.82	4.06	11.0
Drainage area	mi <sup>2</sup>	7.62	9.57	16.7	2.06	3.28	5.69
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	62.1	3.66	2.99	5.83	6.10	8.44
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.042	0.533	0.443	0.131	0.293	0.134
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.669	0.799	0.808	0.534	0.640	0.510
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	0.987	0.926	0.766	0.880	0.958
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.887	0.840	0.535	0.692	0.597
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.425	0.829	0.779	0.415	0.612	0.427
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.95	0.598	0.488	0.990	0.977	1.27
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.131	0.566	0.474	0.137	0.335	0.167
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.210	0.597	0.539	0.183	0.366	0.193
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.302	0.660	0.581	0.360	0.518	0.264
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.420	0.714	0.659	0.449	0.558	0.351
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.538	0.757	0.743	0.485	0.610	0.422
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.669	0.799	0.808	0.534	0.640	0.510
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.787	0.836	0.838	0.583	0.671	0.685
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.971	0.951	0.940	0.631	0.671	0.896
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	1.04	1.02	0.680	0.835	1.23
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.43	1.56	1.50	1.37	1.24	1.93

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01658500</b>	<b>01658550</b>	<b>01658650</b>	<b>01658698</b>	<b>01658705</b>	<b>01659000</b>
Count	number	1,582	57.0	57.0	60.0	59.0	280
Max	ft <sup>3</sup> /s	393	151	290	5.70	10.0	190
Min	ft <sup>3</sup> /s	0.500	6.90	12.0	0.440	1.70	0.950
Median	ft <sup>3</sup> /s	6.10	12.0	20.0	1.00	2.40	4.10
Arithmetic Mean	ft <sup>3</sup> /s	11.8	21.4	37.5	1.27	3.21	6.75
Geometric Mean	ft <sup>3</sup> /s	--	15.0	25.6	1.05	2.87	4.44
Harmonic Mean	ft <sup>3</sup> /s	5.00	12.6	21.5	0.925	2.64	3.47
Standard Deviation	ft <sup>3</sup> /s	24.2	27.7	53.7	0.975	1.79	13.4
5th percentile	ft <sup>3</sup> /s	2.00	7.76	13.0	0.561	1.80	1.30
10th percentile	ft <sup>3</sup> /s	2.70	8.66	14.0	0.588	1.90	1.80
20th percentile	ft <sup>3</sup> /s	3.60	9.10	15.0	0.628	2.00	2.56
30th percentile	ft <sup>3</sup> /s	4.40	9.40	16.8	0.738	2.10	3.10
40th percentile	ft <sup>3</sup> /s	5.20	10.4	18.0	0.908	2.30	3.50
50th percentile	ft <sup>3</sup> /s	6.10	12.0	20.0	1.00	2.40	4.10
60th percentile	ft <sup>3</sup> /s	7.40	13.0	24.0	1.10	2.80	4.80
70th percentile	ft <sup>3</sup> /s	9.00	16.2	28.2	1.23	3.22	5.73
80th percentile	ft <sup>3</sup> /s	12.0	21.6	36.4	1.42	4.34	7.44
90th percentile	ft <sup>3</sup> /s	21.0	38.8	56.4	2.40	5.86	12.0
Drainage area	mi <sup>2</sup>	7.62	9.57	16.7	2.06	3.28	5.69
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	51.6	15.8	17.4	2.77	3.05	33.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.066	0.721	0.719	0.214	0.518	0.167
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.801	1.25	1.20	0.485	0.732	0.721
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.55	2.23	2.25	0.614	0.979	1.19
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.57	1.53	0.511	0.875	0.780
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.656	1.32	1.29	0.449	0.804	0.609
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.17	2.90	3.21	0.474	0.546	2.36
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.262	0.811	0.778	0.272	0.549	0.228
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.354	0.905	0.838	0.285	0.579	0.316
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.472	0.951	0.898	0.305	0.610	0.450
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.577	0.982	1.01	0.358	0.640	0.545
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.682	1.09	1.08	0.441	0.701	0.615
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.801	1.25	1.20	0.485	0.732	0.721
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.971	1.36	1.44	0.534	0.854	0.844
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.18	1.69	1.69	0.597	0.982	1.01
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	2.26	2.18	0.689	1.32	1.31
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.76	4.05	3.38	1.17	1.79	2.11

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01658500</b>	<b>01658550</b>	<b>01658650</b>	<b>01658698</b>	<b>01658705</b>	<b>01659000</b>
Count	number	1,736	62.0	62.0	93.0	93.0	328
Max	ft <sup>3</sup> /s	314	276	760	29.0	43.0	115
Min	ft <sup>3</sup> /s	0.900	5.80	10.0	0.670	1.40	0.580
Median	ft <sup>3</sup> /s	7.20	9.25	18.0	1.10	2.30	5.95
Arithmetic Mean	ft <sup>3</sup> /s	13.7	21.0	38.7	2.65	4.30	10.2
Geometric Mean	ft <sup>3</sup> /s	--	12.4	21.0	1.62	2.96	6.71
Harmonic Mean	ft <sup>3</sup> /s	6.00	10.2	17.3	1.29	2.48	4.96
Standard Deviation	ft <sup>3</sup> /s	23.3	40.0	98.8	4.20	6.12	13.8
5th percentile	ft <sup>3</sup> /s	2.90	5.82	10.0	0.784	1.47	2.60
10th percentile	ft <sup>3</sup> /s	3.30	6.36	11.0	0.812	1.52	2.90
20th percentile	ft <sup>3</sup> /s	4.10	7.42	12.0	0.880	1.80	3.60
30th percentile	ft <sup>3</sup> /s	5.00	8.30	13.0	0.966	2.00	4.30
40th percentile	ft <sup>3</sup> /s	6.00	9.04	16.4	1.08	2.20	5.00
50th percentile	ft <sup>3</sup> /s	7.20	9.25	18.0	1.10	2.30	5.95
60th percentile	ft <sup>3</sup> /s	8.60	10.0	19.0	1.42	2.62	7.02
70th percentile	ft <sup>3</sup> /s	11.0	12.0	21.7	1.80	3.00	8.30
80th percentile	ft <sup>3</sup> /s	16.0	17.0	27.0	2.52	4.78	12.0
90th percentile	ft <sup>3</sup> /s	27.0	33.9	47.9	5.18	7.62	20.0
Drainage area	mi <sup>2</sup>	7.62	9.57	16.7	2.06	3.28	5.69
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	41.2	28.8	45.5	14.1	13.1	20.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.118	0.606	0.599	0.325	0.427	0.102
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.945	0.967	1.08	0.534	0.701	1.05
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.79	2.19	2.32	1.29	1.31	1.80
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.30	1.26	0.786	0.902	1.18
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.788	1.07	1.04	0.627	0.757	0.871
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.06	4.18	5.91	2.04	1.87	2.43
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.381	0.608	0.599	0.381	0.448	0.457
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.433	0.665	0.659	0.394	0.463	0.510
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.538	0.775	0.719	0.427	0.549	0.633
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.656	0.867	0.778	0.469	0.610	0.756
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.787	0.945	0.982	0.524	0.671	0.879
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.945	0.967	1.08	0.534	0.701	1.05
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	1.04	1.14	0.689	0.799	1.23
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	1.25	1.30	0.874	0.915	1.46
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.10	1.78	1.62	1.22	1.46	2.11
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.54	3.54	2.87	2.51	2.32	3.51

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01658500</b>	<b>01658550</b>	<b>01658650</b>	<b>01658698</b>	<b>01658705</b>	<b>01659000</b>
Count	number	1,680	60.0	60.0	90.0	90.0	326
Max	ft <sup>3</sup> /s	281	176	285	23.0	37.0	115
Min	ft <sup>3</sup> /s	1.30	2.80	5.90	0.600	1.30	0.710
Median	ft <sup>3</sup> /s	6.50	11.4	20.0	1.30	2.40	5.00
Arithmetic Mean	ft <sup>3</sup> /s	11.7	21.5	37.2	2.34	3.86	8.80
Geometric Mean	ft <sup>3</sup> /s	--	11.6	21.3	1.61	2.87	5.45
Harmonic Mean	ft <sup>3</sup> /s	5.59	7.77	14.9	1.33	2.49	4.09
Standard Deviation	ft <sup>3</sup> /s	20.3	31.6	50.7	3.30	4.92	14.4
5th percentile	ft <sup>3</sup> /s	2.50	3.01	6.52	0.741	1.40	1.70
10th percentile	ft <sup>3</sup> /s	3.00	3.60	7.40	0.780	1.70	2.30
20th percentile	ft <sup>3</sup> /s	3.80	5.08	9.22	0.890	1.90	2.90
30th percentile	ft <sup>3</sup> /s	4.60	5.60	10.0	1.00	2.00	3.40
40th percentile	ft <sup>3</sup> /s	5.50	6.04	11.6	1.20	2.10	4.30
50th percentile	ft <sup>3</sup> /s	6.50	11.4	20.0	1.30	2.40	5.00
60th percentile	ft <sup>3</sup> /s	7.70	15.0	26.4	1.70	2.70	5.90
70th percentile	ft <sup>3</sup> /s	9.20	17.0	31.0	1.90	3.00	7.00
80th percentile	ft <sup>3</sup> /s	12.0	21.8	41.8	2.52	3.76	9.00
90th percentile	ft <sup>3</sup> /s	20.0	61.3	91.7	4.29	7.55	15.0
Drainage area	mi <sup>2</sup>	7.62	9.57	16.7	2.06	3.28	5.69
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	36.9	18.4	17.1	11.2	11.3	20.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	0.293	0.353	0.291	0.396	0.125
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.853	1.19	1.20	0.631	0.732	0.879
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	2.24	2.23	1.14	1.18	1.55
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.21	1.28	0.782	0.876	0.959
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.734	0.812	0.893	0.643	0.759	0.719
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.66	3.30	3.04	1.60	1.50	2.54
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.328	0.314	0.390	0.360	0.427	0.299
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.394	0.376	0.443	0.379	0.518	0.404
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.499	0.531	0.552	0.432	0.579	0.510
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.604	0.585	0.599	0.485	0.610	0.598
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.722	0.631	0.695	0.583	0.640	0.756
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.853	1.19	1.20	0.631	0.732	0.879
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.57	1.58	0.825	0.823	1.04
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.78	1.86	0.922	0.915	1.23
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	2.28	2.50	1.22	1.15	1.58
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.62	6.41	5.49	2.08	2.30	2.64

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>01658500</b>	<b>01658550</b>	<b>01658650</b>	<b>01658698</b>	<b>01658705</b>	<b>01659000</b>
Count	number	1,767	62.0	76.0	93.0	93.0	372
Max	ft <sup>3</sup> /s	549	64.0	124	20.0	29.0	70.0
Min	ft <sup>3</sup> /s	0.300	1.80	3.20	0.260	0.640	0.190
Median	ft <sup>3</sup> /s	3.60	7.55	13.0	0.700	1.30	2.30
Arithmetic Mean	ft <sup>3</sup> /s	7.99	10.2	17.5	1.37	2.28	4.84
Geometric Mean	ft <sup>3</sup> /s	--	6.65	12.4	0.841	1.49	2.61
Harmonic Mean	ft <sup>3</sup> /s	2.64	4.75	9.33	0.671	1.28	1.72
Standard Deviation	ft <sup>3</sup> /s	19.3	11.9	18.5	2.58	4.21	8.58
5th percentile	ft <sup>3</sup> /s	0.910	2.10	3.99	0.280	0.757	0.600
10th percentile	ft <sup>3</sup> /s	1.20	2.20	4.50	0.370	0.810	0.761
20th percentile	ft <sup>3</sup> /s	1.90	2.60	4.90	0.476	0.970	1.10
30th percentile	ft <sup>3</sup> /s	2.40	3.10	7.05	0.590	1.10	1.50
40th percentile	ft <sup>3</sup> /s	3.00	5.10	12.0	0.638	1.20	1.90
50th percentile	ft <sup>3</sup> /s	3.60	7.55	13.0	0.700	1.30	2.30
60th percentile	ft <sup>3</sup> /s	4.50	8.90	15.0	0.870	1.42	3.06
70th percentile	ft <sup>3</sup> /s	5.80	9.91	18.0	1.10	1.60	3.90
80th percentile	ft <sup>3</sup> /s	8.00	12.8	23.0	1.30	1.90	5.10
90th percentile	ft <sup>3</sup> /s	16.0	22.0	34.0	1.80	2.56	9.68
Drainage area	mi <sup>2</sup>	7.62	9.57	16.7	2.06	3.28	5.69
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	72.0	6.69	7.43	9.71	8.84	12.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.039	0.188	0.192	0.126	0.195	0.033
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.472	0.789	0.778	0.340	0.396	0.404
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	1.07	1.05	0.667	0.695	0.850
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.695	0.744	0.408	0.453	0.459
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.346	0.496	0.558	0.326	0.390	0.302
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.53	1.24	1.11	1.25	1.28	1.51
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.119	0.219	0.239	0.136	0.231	0.105
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.157	0.230	0.269	0.180	0.247	0.134
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.249	0.272	0.293	0.231	0.296	0.193
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.315	0.324	0.422	0.286	0.335	0.264
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.394	0.533	0.719	0.310	0.366	0.334
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.472	0.789	0.778	0.340	0.396	0.404
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.591	0.930	0.898	0.422	0.433	0.538
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.761	1.04	1.08	0.534	0.488	0.685
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	1.34	1.38	0.631	0.579	0.896
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.10	2.30	2.04	0.874	0.780	1.70

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	01658500	01658550	01658650	01658698	01658705	01659000
Count	number	1,710	64.0	90.0	90.0	90.0	359
Max	ft <sup>3</sup> /s	770	10.0	17.0	6.10	11.0	116
Min	ft <sup>3</sup> /s	0.036	0.900	1.30	0.150	0.270	0.020
Median	ft <sup>3</sup> /s	1.60	2.30	4.55	0.710	1.10	1.50
Arithmetic Mean	ft <sup>3</sup> /s	4.75	2.70	5.17	1.00	1.68	4.09
Geometric Mean	ft <sup>3</sup> /s	--	2.40	4.50	0.657	1.23	1.45
Harmonic Mean	ft <sup>3</sup> /s	0.779	2.16	3.90	0.458	0.980	0.553
Standard Deviation	ft <sup>3</sup> /s	23.8	1.56	2.90	1.09	1.73	9.81
5th percentile	ft <sup>3</sup> /s	0.200	1.20	1.60	0.186	0.466	0.180
10th percentile	ft <sup>3</sup> /s	0.359	1.33	2.36	0.200	0.549	0.300
20th percentile	ft <sup>3</sup> /s	0.600	1.76	3.00	0.228	0.630	0.410
30th percentile	ft <sup>3</sup> /s	0.850	1.90	3.50	0.355	0.837	0.682
40th percentile	ft <sup>3</sup> /s	1.20	2.00	4.26	0.566	0.958	1.02
50th percentile	ft <sup>3</sup> /s	1.60	2.30	4.55	0.710	1.10	1.50
60th percentile	ft <sup>3</sup> /s	2.00	2.50	5.10	0.844	1.24	1.90
70th percentile	ft <sup>3</sup> /s	2.60	2.90	5.70	0.953	1.63	2.76
80th percentile	ft <sup>3</sup> /s	3.80	3.34	6.62	1.40	2.14	4.14
90th percentile	ft <sup>3</sup> /s	7.50	4.14	9.11	2.23	3.52	7.94
Drainage area	mi <sup>2</sup>	7.62	9.57	16.7	2.06	3.28	5.69
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	101	1.04	1.02	2.96	3.35	20.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.005	0.094	0.078	0.073	0.082	0.004
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.210	0.240	0.272	0.345	0.335	0.264
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.624	0.282	0.310	0.486	0.512	0.718
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.250	0.269	0.319	0.375	0.255
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.102	0.226	0.234	0.223	0.299	0.097
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.12	0.163	0.173	0.531	0.528	1.72
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.026	0.125	0.096	0.090	0.142	0.032
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.047	0.139	0.141	0.097	0.167	0.053
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.079	0.184	0.180	0.111	0.192	0.072
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.112	0.199	0.210	0.172	0.255	0.120
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.157	0.209	0.255	0.275	0.292	0.179
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.210	0.240	0.272	0.345	0.335	0.264
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.262	0.261	0.305	0.410	0.378	0.334
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.341	0.303	0.341	0.463	0.497	0.485
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.499	0.349	0.396	0.680	0.652	0.728
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.984	0.433	0.546	1.08	1.07	1.40

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>01658500</b>	<b>01658550</b>	<b>01658650</b>	<b>01658698</b>	<b>01658705</b>	<b>01659000</b>
Count	number	1,767	93.0	93.0	72.0	72.0	341
Max	ft <sup>3</sup> /s	199	37.0	51.0	9.90	18.0	59.0
Min	ft <sup>3</sup> /s	0.000	0.020	0.220	0.080	0.400	0.010
Median	ft <sup>3</sup> /s	0.750	0.810	1.50	0.625	1.15	0.600
Arithmetic Mean	ft <sup>3</sup> /s	2.59	2.47	4.27	0.966	1.86	2.18
Geometric Mean	ft <sup>3</sup> /s	--	1.00	2.04	0.547	1.18	0.684
Harmonic Mean	ft <sup>3</sup> /s	--	0.374	1.18	0.388	0.905	0.238
Standard Deviation	ft <sup>3</sup> /s	9.83	5.02	7.39	1.69	2.97	6.12
5th percentile	ft <sup>3</sup> /s	0.060	0.084	0.345	0.162	0.427	0.052
10th percentile	ft <sup>3</sup> /s	0.100	0.250	0.564	0.230	0.461	0.130
20th percentile	ft <sup>3</sup> /s	0.220	0.410	0.760	0.250	0.522	0.230
30th percentile	ft <sup>3</sup> /s	0.370	0.530	1.06	0.293	0.630	0.320
40th percentile	ft <sup>3</sup> /s	0.520	0.656	1.20	0.424	0.804	0.400
50th percentile	ft <sup>3</sup> /s	0.750	0.810	1.50	0.625	1.15	0.600
60th percentile	ft <sup>3</sup> /s	1.00	1.42	3.10	0.660	1.50	1.00
70th percentile	ft <sup>3</sup> /s	1.50	2.04	3.84	0.710	1.70	1.60
80th percentile	ft <sup>3</sup> /s	2.10	3.30	5.86	0.788	1.90	2.30
90th percentile	ft <sup>3</sup> /s	3.80	4.76	8.10	1.59	2.99	3.50
Drainage area	mi <sup>2</sup>	7.62	9.57	16.7	2.06	3.28	5.69
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	26.1	3.87	3.05	4.81	5.49	10.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.002	0.013	0.039	0.122	0.002
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.098	0.085	0.090	0.303	0.351	0.105
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.340	0.258	0.256	0.469	0.568	0.383
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.105	0.122	0.266	0.359	0.120
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.039	0.071	0.188	0.276	0.042
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	0.525	0.442	0.820	0.907	1.08
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.008	0.009	0.021	0.079	0.130	0.009
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.013	0.026	0.034	0.112	0.141	0.023
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.029	0.043	0.046	0.121	0.159	0.040
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.049	0.055	0.063	0.142	0.192	0.056
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.068	0.069	0.072	0.206	0.245	0.070
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.098	0.085	0.090	0.303	0.351	0.105
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.131	0.148	0.186	0.320	0.457	0.176
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.197	0.213	0.230	0.345	0.518	0.281
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.276	0.345	0.351	0.383	0.579	0.404
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.499	0.497	0.485	0.772	0.912	0.615

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01658500</b>	<b>01658550</b>	<b>01658650</b>	<b>01658698</b>	<b>01658705</b>	<b>01659000</b>
Count	number	1,767	93.0	93.0	62.0	62.0	340
Max	ft <sup>3</sup> /s	264	50.0	81.0	29.0	45.0	144
Min	ft <sup>3</sup> /s	0.000	0.130	0.210	0.070	0.200	0.000
Median	ft <sup>3</sup> /s	0.500	0.620	0.910	0.450	1.10	0.600
Arithmetic Mean	ft <sup>3</sup> /s	2.40	2.90	5.32	1.51	2.92	2.39
Geometric Mean	ft <sup>3</sup> /s	--	0.965	1.55	0.442	1.22	--
Harmonic Mean	ft <sup>3</sup> /s	--	0.524	0.760	0.230	0.705	--
Standard Deviation	ft <sup>3</sup> /s	13.1	7.08	12.2	4.14	6.38	11.8
5th percentile	ft <sup>3</sup> /s	0.000	0.184	0.227	0.080	0.262	0.010
10th percentile	ft <sup>3</sup> /s	0.000	0.250	0.372	0.090	0.291	0.049
20th percentile	ft <sup>3</sup> /s	0.080	0.300	0.470	0.110	0.350	0.168
30th percentile	ft <sup>3</sup> /s	0.180	0.366	0.576	0.153	0.498	0.300
40th percentile	ft <sup>3</sup> /s	0.300	0.514	0.688	0.330	0.952	0.400
50th percentile	ft <sup>3</sup> /s	0.500	0.620	0.910	0.450	1.10	0.600
60th percentile	ft <sup>3</sup> /s	0.750	0.798	1.32	0.500	1.40	0.866
70th percentile	ft <sup>3</sup> /s	1.10	2.08	4.26	0.706	1.97	1.30
80th percentile	ft <sup>3</sup> /s	1.70	3.36	6.00	1.18	2.78	1.70
90th percentile	ft <sup>3</sup> /s	3.50	6.20	9.90	2.77	6.40	2.70
Drainage area	mi <sup>2</sup>	7.62	9.57	16.7	2.06	3.28	5.69
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	34.6	5.22	4.85	14.1	13.7	25.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.014	0.013	0.034	0.061	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.066	0.065	0.054	0.218	0.335	0.105
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.316	0.303	0.319	0.731	0.889	0.420
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.101	0.093	0.214	0.371	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.055	0.045	0.111	0.215	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	0.740	0.728	2.01	1.95	2.07
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.019	0.014	0.039	0.080	0.002
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.026	0.022	0.044	0.089	0.009
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.010	0.031	0.028	0.053	0.107	0.030
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.024	0.038	0.034	0.074	0.152	0.053
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.039	0.054	0.041	0.160	0.290	0.070
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.066	0.065	0.054	0.218	0.335	0.105
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.098	0.083	0.079	0.243	0.427	0.152
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.144	0.217	0.255	0.343	0.601	0.228
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.223	0.351	0.359	0.573	0.848	0.299
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.459	0.648	0.593	1.34	1.95	0.475



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01658500</b>	<b>01658550</b>	<b>01658650</b>	<b>01658698</b>	<b>01658705</b>	<b>01659000</b>
Count	number	1,709	90.0	90.0	60.0	60.0	329
Max	ft <sup>3</sup> /s	497	11.0	14.0	33.0	48.0	80.0
Min	ft <sup>3</sup> /s	0.000	0.100	0.180	0.130	0.450	0.000
Median	ft <sup>3</sup> /s	0.380	0.565	1.10	0.505	1.10	0.580
Arithmetic Mean	ft <sup>3</sup> /s	3.31	1.19	1.90	2.10	3.51	1.68
Geometric Mean	ft <sup>3</sup> /s	--	0.661	1.04	0.722	1.53	--
Harmonic Mean	ft <sup>3</sup> /s	--	0.385	0.563	0.466	1.08	--
Standard Deviation	ft <sup>3</sup> /s	19.9	1.60	2.19	5.16	7.56	6.12
5th percentile	ft <sup>3</sup> /s	0.000	0.100	0.190	0.144	0.492	0.020
10th percentile	ft <sup>3</sup> /s	0.030	0.130	0.200	0.229	0.589	0.040
20th percentile	ft <sup>3</sup> /s	0.089	0.308	0.250	0.398	0.720	0.100
30th percentile	ft <sup>3</sup> /s	0.130	0.360	0.454	0.420	0.767	0.180
40th percentile	ft <sup>3</sup> /s	0.220	0.410	0.654	0.446	0.990	0.384
50th percentile	ft <sup>3</sup> /s	0.380	0.565	1.10	0.505	1.10	0.580
60th percentile	ft <sup>3</sup> /s	0.600	1.04	2.30	0.560	1.30	0.726
70th percentile	ft <sup>3</sup> /s	0.800	1.40	2.80	0.749	2.10	0.950
80th percentile	ft <sup>3</sup> /s	1.50	1.60	3.00	1.30	2.66	1.40
90th percentile	ft <sup>3</sup> /s	3.50	2.40	3.90	3.85	5.00	2.80
Drainage area	mi <sup>2</sup>	7.62	9.57	16.7	2.06	3.28	5.69
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	65.2	1.15	0.838	16.0	14.6	14.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.010	0.011	0.063	0.137	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.050	0.059	0.066	0.245	0.335	0.102
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.435	0.124	0.114	1.02	1.07	0.294
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.069	0.062	0.350	0.466	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.040	0.034	0.226	0.330	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.61	0.167	0.131	2.51	2.30	1.07
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.010	0.011	0.070	0.150	0.004
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.004	0.014	0.012	0.111	0.180	0.007
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.012	0.032	0.015	0.193	0.220	0.018
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.017	0.038	0.027	0.204	0.234	0.032
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.029	0.043	0.039	0.217	0.302	0.067
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.050	0.059	0.066	0.245	0.335	0.102
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.079	0.109	0.138	0.272	0.396	0.128
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.105	0.146	0.168	0.364	0.640	0.167
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.197	0.167	0.180	0.631	0.811	0.246
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.459	0.251	0.234	1.87	1.52	0.492

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01658500</b>	<b>01658550</b>	<b>01658650</b>	<b>01658698</b>	<b>01658705</b>	<b>01659000</b>
Count	number	1,767	62.0	62.0	62.0	62.0	340
Max	ft <sup>3</sup> /s	293	41.0	62.0	3.40	4.90	30.0
Min	ft <sup>3</sup> /s	0.000	0.350	0.760	0.230	0.560	0.000
Median	ft <sup>3</sup> /s	0.700	1.40	3.40	0.500	1.10	0.545
Arithmetic Mean	ft <sup>3</sup> /s	3.37	3.67	6.05	0.646	1.27	1.48
Geometric Mean	ft <sup>3</sup> /s	--	1.65	3.70	0.564	1.17	--
Harmonic Mean	ft <sup>3</sup> /s	--	1.05	2.74	0.514	1.09	--
Standard Deviation	ft <sup>3</sup> /s	14.7	7.33	9.49	0.482	0.654	3.19
5th percentile	ft <sup>3</sup> /s	0.070	0.410	0.896	0.232	0.575	0.000
10th percentile	ft <sup>3</sup> /s	0.100	0.461	1.31	0.383	0.647	0.100
20th percentile	ft <sup>3</sup> /s	0.220	0.540	2.14	0.460	0.952	0.230
30th percentile	ft <sup>3</sup> /s	0.370	0.873	2.60	0.480	1.10	0.387
40th percentile	ft <sup>3</sup> /s	0.500	1.04	2.88	0.484	1.10	0.416
50th percentile	ft <sup>3</sup> /s	0.700	1.40	3.40	0.500	1.10	0.545
60th percentile	ft <sup>3</sup> /s	1.00	1.84	3.66	0.532	1.20	0.900
70th percentile	ft <sup>3</sup> /s	1.50	2.77	4.27	0.660	1.30	1.00
80th percentile	ft <sup>3</sup> /s	2.40	3.08	6.16	0.730	1.48	1.60
90th percentile	ft <sup>3</sup> /s	5.24	7.50	12.6	0.828	1.78	2.50
Drainage area	mi <sup>2</sup>	7.62	9.57	16.7	2.06	3.28	5.69
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	38.5	4.28	3.71	1.65	1.49	5.27
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.037	0.046	0.112	0.171	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.092	0.146	0.204	0.243	0.335	0.096
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.442	0.383	0.362	0.314	0.387	0.259
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.172	0.222	0.274	0.356	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.110	0.164	0.249	0.331	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.93	0.766	0.569	0.234	0.199	0.561
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.009	0.043	0.054	0.112	0.175	0.000
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.013	0.048	0.078	0.186	0.197	0.018
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.029	0.056	0.128	0.223	0.290	0.040
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.049	0.091	0.156	0.233	0.335	0.068
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.066	0.109	0.172	0.235	0.335	0.073
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.092	0.146	0.204	0.243	0.335	0.096
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.131	0.192	0.219	0.258	0.366	0.158
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.197	0.289	0.256	0.320	0.396	0.176
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.315	0.322	0.369	0.354	0.451	0.281
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.688	0.784	0.754	0.402	0.543	0.439

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01658500</b>	<b>01658550</b>	<b>01658650</b>	<b>01658698</b>	<b>01658705</b>	<b>01659000</b>
Count	number	1,705	60.0	60.0	60.0	60.0	317
Max	ft <sup>3</sup> /s	391	123	205	8.90	12.0	168
Min	ft <sup>3</sup> /s	0.050	1.40	2.60	0.300	0.620	0.040
Median	ft <sup>3</sup> /s	2.00	5.20	7.60	0.695	1.30	1.90
Arithmetic Mean	ft <sup>3</sup> /s	6.06	12.3	19.7	1.10	1.88	4.70
Geometric Mean	ft <sup>3</sup> /s	--	6.37	10.4	0.826	1.45	1.71
Harmonic Mean	ft <sup>3</sup> /s	0.941	4.33	7.28	0.720	1.28	0.676
Standard Deviation	ft <sup>3</sup> /s	18.6	20.6	33.4	1.36	2.15	12.2
5th percentile	ft <sup>3</sup> /s	0.250	1.62	3.02	0.451	0.714	0.180
10th percentile	ft <sup>3</sup> /s	0.424	2.09	3.68	0.500	0.889	0.350
20th percentile	ft <sup>3</sup> /s	0.700	2.86	4.70	0.540	1.00	0.452
30th percentile	ft <sup>3</sup> /s	1.10	3.57	5.31	0.587	1.10	0.776
40th percentile	ft <sup>3</sup> /s	1.50	4.10	6.56	0.656	1.20	1.40
50th percentile	ft <sup>3</sup> /s	2.00	5.20	7.60	0.695	1.30	1.90
60th percentile	ft <sup>3</sup> /s	2.60	6.12	9.40	0.850	1.30	2.40
70th percentile	ft <sup>3</sup> /s	3.60	8.90	15.8	0.920	1.43	3.30
80th percentile	ft <sup>3</sup> /s	5.70	15.2	27.2	0.968	1.72	5.00
90th percentile	ft <sup>3</sup> /s	10.0	29.2	39.4	1.61	2.61	8.56
Drainage area	mi <sup>2</sup>	7.62	9.57	16.7	2.06	3.28	5.69
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	51.3	12.9	12.3	4.32	3.66	29.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.007	0.146	0.156	0.146	0.189	0.007
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.262	0.543	0.455	0.337	0.396	0.334
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.795	1.28	1.18	0.533	0.572	0.826
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.666	0.625	0.401	0.442	0.301
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.123	0.452	0.436	0.350	0.390	0.119
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.44	2.16	2.00	0.662	0.655	2.14
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.033	0.169	0.181	0.219	0.218	0.032
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.056	0.218	0.220	0.243	0.271	0.062
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.092	0.299	0.281	0.262	0.305	0.079
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.144	0.373	0.318	0.285	0.335	0.136
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.197	0.428	0.393	0.318	0.366	0.246
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.262	0.543	0.455	0.337	0.396	0.334
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.341	0.639	0.563	0.413	0.396	0.422
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.472	0.930	0.946	0.447	0.436	0.580
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.748	1.59	1.63	0.470	0.524	0.879
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	3.05	2.36	0.782	0.796	1.50

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01658500</b>	<b>01658550</b>	<b>01658650</b>	<b>01658698</b>	<b>01658705</b>	<b>01659000</b>
Count	number	1,736	62.0	62.0	62.0	62.0	310
Max	ft <sup>3</sup> /s	365	88.0	137	13.0	25.0	192
Min	ft <sup>3</sup> /s	0.160	5.30	8.60	0.270	1.00	0.360
Median	ft <sup>3</sup> /s	3.60	8.05	13.5	0.710	1.70	2.40
Arithmetic Mean	ft <sup>3</sup> /s	8.12	13.7	23.0	1.13	2.62	6.13
Geometric Mean	ft <sup>3</sup> /s	--	10.2	17.3	0.665	1.94	3.14
Harmonic Mean	ft <sup>3</sup> /s	2.26	8.66	14.6	0.524	1.71	2.01
Standard Deviation	ft <sup>3</sup> /s	18.4	15.1	23.0	2.06	3.62	14.8
5th percentile	ft <sup>3</sup> /s	0.679	5.42	8.60	0.280	1.10	0.600
10th percentile	ft <sup>3</sup> /s	1.00	5.61	9.21	0.290	1.11	1.00
20th percentile	ft <sup>3</sup> /s	1.70	6.14	9.84	0.300	1.22	1.58
30th percentile	ft <sup>3</sup> /s	2.20	6.60	11.0	0.363	1.50	1.80
40th percentile	ft <sup>3</sup> /s	2.90	7.04	12.4	0.492	1.60	2.00
50th percentile	ft <sup>3</sup> /s	3.60	8.05	13.5	0.710	1.70	2.40
60th percentile	ft <sup>3</sup> /s	4.60	9.10	15.0	0.766	1.70	3.60
70th percentile	ft <sup>3</sup> /s	5.70	10.7	20.7	0.857	2.20	5.00
80th percentile	ft <sup>3</sup> /s	8.40	15.0	28.8	0.908	2.30	7.24
90th percentile	ft <sup>3</sup> /s	16.0	30.3	50.7	1.28	3.37	12.0
Drainage area	mi <sup>2</sup>	7.62	9.57	16.7	2.06	3.28	5.69
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	47.9	9.20	8.20	6.31	7.62	33.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.021	0.554	0.515	0.131	0.305	0.063
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.472	0.841	0.808	0.345	0.518	0.422
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	1.44	1.37	0.547	0.799	1.08
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.07	1.04	0.323	0.591	0.552
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.297	0.905	0.875	0.255	0.522	0.354
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.42	1.58	1.38	1.00	1.10	2.59
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.089	0.566	0.515	0.136	0.335	0.105
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.131	0.586	0.551	0.141	0.338	0.176
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.223	0.642	0.589	0.146	0.372	0.278
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.289	0.690	0.659	0.176	0.457	0.316
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.381	0.736	0.743	0.239	0.488	0.351
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.472	0.841	0.808	0.345	0.518	0.422
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.604	0.951	0.898	0.372	0.518	0.633
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.748	1.12	1.24	0.416	0.671	0.879
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.57	1.72	0.441	0.701	1.27
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.10	3.17	3.04	0.621	1.03	2.11

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>01659500</b>	<b>01660000</b>	<b>01660100</b>	<b>01660380</b>	<b>01660400</b>	<b>01660500</b>
Count	number	260	291	186	62.0	1,054	372
Max	ft <sup>3</sup> /s	27.0	17.0	408	355	1,280	144
Min	ft <sup>3</sup> /s	0.590	0.360	0.390	3.30	1.80	0.420
Median	ft <sup>3</sup> /s	2.20	1.50	9.30	11.5	30.0	5.80
Arithmetic Mean	ft <sup>3</sup> /s	3.57	2.84	20.1	21.8	48.1	11.2
Geometric Mean	ft <sup>3</sup> /s	2.44	1.84	9.43	13.3	--	6.14
Harmonic Mean	ft <sup>3</sup> /s	1.81	1.34	4.36	10.1	19.5	3.59
Standard Deviation	ft <sup>3</sup> /s	3.93	3.23	39.4	45.0	82.1	16.4
5th percentile	ft <sup>3</sup> /s	0.760	0.636	0.909	3.65	7.20	0.902
10th percentile	ft <sup>3</sup> /s	0.829	0.690	2.20	5.02	11.0	2.00
20th percentile	ft <sup>3</sup> /s	1.18	0.850	4.40	8.32	15.0	2.80
30th percentile	ft <sup>3</sup> /s	1.50	0.970	5.70	8.73	20.0	3.30
40th percentile	ft <sup>3</sup> /s	1.76	1.10	6.80	9.36	25.0	4.10
50th percentile	ft <sup>3</sup> /s	2.20	1.50	9.30	11.5	30.0	5.80
60th percentile	ft <sup>3</sup> /s	3.04	2.20	11.0	14.0	36.0	7.20
70th percentile	ft <sup>3</sup> /s	3.80	2.90	18.0	18.0	44.0	11.0
80th percentile	ft <sup>3</sup> /s	4.90	4.30	25.0	25.0	56.0	15.0
90th percentile	ft <sup>3</sup> /s	7.22	5.40	41.5	30.0	91.0	24.9
Drainage area	mi <sup>2</sup>	4.46	2.46	22.1	10.2	35	13.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.05	6.91	18.5	34.8	36.6	10.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.132	0.146	0.018	0.324	0.051	0.032
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.493	0.610	0.421	1.13	0.857	0.439
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.800	1.15	0.911	2.13	1.37	0.846
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.547	0.749	0.427	1.30	--	0.465
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.407	0.545	0.197	0.994	0.557	0.272
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.882	1.31	1.78	4.41	2.34	1.24
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.170	0.259	0.041	0.357	0.206	0.068
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.186	0.280	0.100	0.492	0.314	0.152
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.265	0.346	0.199	0.816	0.429	0.212
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.336	0.394	0.258	0.856	0.571	0.250
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.395	0.447	0.308	0.918	0.714	0.311
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.493	0.610	0.421	1.13	0.857	0.439
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.682	0.894	0.498	1.37	1.03	0.545
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.852	1.18	0.814	1.76	1.26	0.833
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.75	1.13	2.45	1.60	1.14
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	2.20	1.88	2.94	2.60	1.89

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01659500</b>	<b>01660000</b>	<b>01660100</b>	<b>01660380</b>	<b>01660400</b>	<b>01660500</b>
Count	number	254	282	169	57.0	961	339
Max	ft <sup>3</sup> /s	177	98.0	555	52.0	1,120	250
Min	ft <sup>3</sup> /s	0.690	0.260	1.10	7.20	3.40	0.600
Median	ft <sup>3</sup> /s	3.20	2.30	13.0	12.0	33.0	9.00
Arithmetic Mean	ft <sup>3</sup> /s	4.88	4.04	29.9	14.9	51.1	17.6
Geometric Mean	ft <sup>3</sup> /s	3.14	2.30	13.0	13.1	--	--
Harmonic Mean	ft <sup>3</sup> /s	2.35	1.44	6.25	11.8	25.9	4.57
Standard Deviation	ft <sup>3</sup> /s	11.9	7.04	58.7	8.99	82.6	28.8
5th percentile	ft <sup>3</sup> /s	0.750	0.332	1.40	7.49	9.80	0.790
10th percentile	ft <sup>3</sup> /s	0.900	0.743	2.10	7.60	15.0	3.08
20th percentile	ft <sup>3</sup> /s	1.90	1.10	4.66	8.26	20.0	3.70
30th percentile	ft <sup>3</sup> /s	2.20	1.30	6.04	9.30	26.0	5.00
40th percentile	ft <sup>3</sup> /s	2.52	2.00	9.22	10.0	30.0	7.30
50th percentile	ft <sup>3</sup> /s	3.20	2.30	13.0	12.0	33.0	9.00
60th percentile	ft <sup>3</sup> /s	3.70	2.70	18.8	14.0	38.0	10.0
70th percentile	ft <sup>3</sup> /s	4.41	3.10	28.0	16.2	43.0	13.0
80th percentile	ft <sup>3</sup> /s	5.40	4.28	37.4	18.0	56.0	19.4
90th percentile	ft <sup>3</sup> /s	7.40	13.0	56.2	28.4	82.0	40.4
Drainage area	mi <sup>2</sup>	4.46	2.46	22.1	10.2	35	13.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	39.7	39.8	25.1	5.10	32.0	18.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.155	0.106	0.050	0.706	0.097	0.045
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.717	0.935	0.588	1.18	0.943	0.682
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.64	1.35	1.46	1.46	1.33
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.703	0.935	0.587	1.28	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.528	0.585	0.283	1.16	0.740	0.347
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.67	2.86	2.66	0.881	2.36	2.18
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.168	0.135	0.063	0.734	0.280	0.060
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.202	0.302	0.095	0.745	0.429	0.233
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.426	0.447	0.211	0.810	0.571	0.280
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.493	0.528	0.273	0.912	0.743	0.379
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.565	0.813	0.417	0.980	0.857	0.553
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.717	0.935	0.588	1.18	0.943	0.682
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.830	1.10	0.851	1.37	1.09	0.758
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.989	1.26	1.27	1.59	1.23	0.985
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.74	1.69	1.76	1.60	1.47
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	5.28	2.54	2.78	2.34	3.06

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01659500</b>	<b>01660000</b>	<b>01660100</b>	<b>01660380</b>	<b>01660400</b>	<b>01660500</b>
Count	number	296	328	186	62.0	1,054	391
Max	ft <sup>3</sup> /s	85.0	57.0	415	67.0	1,230	177
Min	ft <sup>3</sup> /s	0.750	0.260	5.10	6.80	4.50	0.610
Median	ft <sup>3</sup> /s	4.40	3.25	27.0	11.5	34.0	13.0
Arithmetic Mean	ft <sup>3</sup> /s	6.90	5.77	39.9	14.3	58.9	21.0
Geometric Mean	ft <sup>3</sup> /s	4.70	3.55	27.3	12.3	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.51	2.31	20.2	11.1	28.8	6.14
Standard Deviation	ft <sup>3</sup> /s	9.34	7.09	47.3	10.4	91.4	24.4
5th percentile	ft <sup>3</sup> /s	1.20	0.698	7.48	6.90	12.8	1.50
10th percentile	ft <sup>3</sup> /s	1.70	0.990	9.70	7.21	17.0	1.90
20th percentile	ft <sup>3</sup> /s	2.60	1.60	13.0	7.90	21.0	4.10
30th percentile	ft <sup>3</sup> /s	3.30	2.30	19.0	8.53	24.0	7.90
40th percentile	ft <sup>3</sup> /s	3.90	2.80	22.0	10.0	28.0	10.0
50th percentile	ft <sup>3</sup> /s	4.40	3.25	27.0	11.5	34.0	13.0
60th percentile	ft <sup>3</sup> /s	5.40	4.00	32.0	12.6	40.0	17.0
70th percentile	ft <sup>3</sup> /s	6.20	5.20	38.0	14.0	49.0	22.0
80th percentile	ft <sup>3</sup> /s	8.20	7.80	50.0	16.8	69.0	31.0
90th percentile	ft <sup>3</sup> /s	12.0	14.0	73.0	22.8	116	49.0
Drainage area	mi <sup>2</sup>	4.46	2.46	22.1	10.2	35	13.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	19.1	23.2	18.8	6.57	35.1	13.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.168	0.106	0.231	0.667	0.129	0.046
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.987	1.32	1.22	1.13	0.971	0.985
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.55	2.35	1.80	1.40	1.68	1.59
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	1.44	1.24	1.20	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.788	0.938	0.914	1.08	0.824	0.466
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.10	2.88	2.14	1.02	2.61	1.85
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.269	0.284	0.338	0.676	0.364	0.114
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.381	0.402	0.439	0.707	0.486	0.144
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.583	0.650	0.588	0.775	0.600	0.311
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.740	0.935	0.860	0.836	0.686	0.598
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.874	1.14	0.995	0.980	0.800	0.758
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.987	1.32	1.22	1.13	0.971	0.985
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.63	1.45	1.24	1.14	1.29
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	2.11	1.72	1.37	1.40	1.67
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.84	3.17	2.26	1.65	1.97	2.35
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.69	5.69	3.30	2.24	3.31	3.71

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01659500</b>	<b>01660000</b>	<b>01660100</b>	<b>01660380</b>	<b>01660400</b>	<b>01660500</b>
Count	number	300	330	180	60.0	1,020	390
Max	ft <sup>3</sup> /s	117	49.0	147	37.0	1,340	202
Min	ft <sup>3</sup> /s	0.950	0.360	3.80	5.10	5.30	0.730
Median	ft <sup>3</sup> /s	4.05	2.70	25.0	8.75	34.0	12.0
Arithmetic Mean	ft <sup>3</sup> /s	6.83	4.66	32.2	11.3	53.9	16.6
Geometric Mean	ft <sup>3</sup> /s	4.46	2.99	25.0	9.96	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.42	2.11	19.6	8.99	27.8	5.14
Standard Deviation	ft <sup>3</sup> /s	11.2	5.86	26.6	6.55	81.2	23.4
5th percentile	ft <sup>3</sup> /s	1.20	0.701	7.81	5.80	12.0	1.36
10th percentile	ft <sup>3</sup> /s	1.59	1.10	9.59	6.19	14.0	1.80
20th percentile	ft <sup>3</sup> /s	2.70	1.50	15.0	6.40	20.0	3.90
30th percentile	ft <sup>3</sup> /s	3.00	2.00	19.0	6.60	25.0	7.00
40th percentile	ft <sup>3</sup> /s	3.60	2.50	21.0	7.26	29.0	9.00
50th percentile	ft <sup>3</sup> /s	4.05	2.70	25.0	8.75	34.0	12.0
60th percentile	ft <sup>3</sup> /s	4.90	3.10	27.0	12.0	40.0	14.0
70th percentile	ft <sup>3</sup> /s	5.60	3.70	34.0	13.3	48.0	16.0
80th percentile	ft <sup>3</sup> /s	7.00	5.32	42.2	15.0	60.0	21.0
90th percentile	ft <sup>3</sup> /s	11.1	13.0	58.9	18.1	91.1	31.1
Drainage area	mi <sup>2</sup>	4.46	2.46	22.1	10.2	35	13.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	26.2	19.9	6.65	3.63	38.3	15.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.213	0.146	0.172	0.500	0.151	0.055
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.908	1.10	1.13	0.858	0.971	0.909
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	1.90	1.46	1.11	1.54	1.26
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.000	1.22	1.13	0.976	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.768	0.858	0.887	0.881	0.794	0.389
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.51	2.38	1.20	0.642	2.32	1.78
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.269	0.285	0.353	0.569	0.343	0.103
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.357	0.447	0.434	0.607	0.400	0.136
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.605	0.610	0.679	0.627	0.571	0.295
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.673	0.813	0.860	0.647	0.714	0.530
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.807	1.02	0.950	0.712	0.829	0.682
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.908	1.10	1.13	0.858	0.971	0.909
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.26	1.22	1.18	1.14	1.06
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.50	1.54	1.30	1.37	1.21
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	2.16	1.91	1.47	1.71	1.59
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.49	5.28	2.67	1.77	2.60	2.36



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	01659500	01660000	01660100	01660380	01660400	01660500
Count	number	341	372	186	62.0	1,054	434
Max	ft <sup>3</sup> /s	34.0	49.0	112	72.0	1,810	134
Min	ft <sup>3</sup> /s	0.500	0.190	0.320	3.30	0.870	0.670
Median	ft <sup>3</sup> /s	2.60	1.50	12.0	9.00	23.0	6.20
Arithmetic Mean	ft <sup>3</sup> /s	3.76	3.01	19.8	12.8	37.6	10.8
Geometric Mean	ft <sup>3</sup> /s	2.63	1.81	10.3	9.76	--	--
Harmonic Mean	ft <sup>3</sup> /s	1.98	1.24	3.88	7.97	16.3	3.24
Standard Deviation	ft <sup>3</sup> /s	4.37	4.34	22.2	12.3	72.8	14.2
5th percentile	ft <sup>3</sup> /s	0.681	0.490	0.620	3.60	6.50	0.850
10th percentile	ft <sup>3</sup> /s	0.900	0.631	2.20	4.04	8.80	1.10
20th percentile	ft <sup>3</sup> /s	1.40	0.900	3.50	5.44	12.0	2.10
30th percentile	ft <sup>3</sup> /s	1.80	1.10	6.35	6.53	15.0	3.30
40th percentile	ft <sup>3</sup> /s	2.20	1.30	8.70	7.94	19.0	4.60
50th percentile	ft <sup>3</sup> /s	2.60	1.50	12.0	9.00	23.0	6.20
60th percentile	ft <sup>3</sup> /s	2.90	1.80	16.0	11.0	27.0	8.20
70th percentile	ft <sup>3</sup> /s	3.50	2.30	20.0	13.0	34.0	9.82
80th percentile	ft <sup>3</sup> /s	4.60	3.80	30.0	16.8	45.0	15.0
90th percentile	ft <sup>3</sup> /s	7.20	9.19	52.0	22.7	69.7	30.1
Drainage area	mi <sup>2</sup>	4.46	2.46	22.1	10.2	35	13.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.62	19.9	5.07	7.06	51.7	10.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.112	0.077	0.014	0.324	0.025	0.051
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.583	0.610	0.543	0.882	0.657	0.470
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.844	1.22	0.895	1.26	1.07	0.822
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.591	0.734	0.467	0.957	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.443	0.505	0.176	0.781	0.465	0.245
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.979	1.77	1.01	1.21	2.08	1.07
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.153	0.199	0.028	0.353	0.186	0.064
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.202	0.257	0.100	0.396	0.251	0.083
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.314	0.366	0.158	0.533	0.343	0.159
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.404	0.447	0.287	0.640	0.429	0.250
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.493	0.528	0.394	0.778	0.543	0.348
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.583	0.610	0.543	0.882	0.657	0.470
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.650	0.732	0.724	1.08	0.771	0.621
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.785	0.935	0.905	1.27	0.971	0.744
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	1.54	1.36	1.65	1.29	1.14
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.61	3.74	2.35	2.23	1.99	2.28

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	01659500	01660000	01660100	01660380	01660400	01660500
Count	number	330	360	180	60.0	1,020	420
Max	ft <sup>3</sup> /s	56.0	28.0	122	25.0	3,900	124
Min	ft <sup>3</sup> /s	0.200	0.060	0.100	1.60	0.660	0.160
Median	ft <sup>3</sup> /s	1.60	1.00	6.45	4.75	10.0	3.80
Arithmetic Mean	ft <sup>3</sup> /s	2.98	3.01	10.2	5.74	25.0	8.76
Geometric Mean	ft <sup>3</sup> /s	1.64	1.26	4.69	4.89	--	4.16
Harmonic Mean	ft <sup>3</sup> /s	1.02	0.654	1.48	4.26	6.94	2.29
Standard Deviation	ft <sup>3</sup> /s	4.91	4.70	14.9	3.91	133	14.6
5th percentile	ft <sup>3</sup> /s	0.320	0.201	0.300	1.81	2.30	0.840
10th percentile	ft <sup>3</sup> /s	0.430	0.309	0.408	2.69	3.49	1.10
20th percentile	ft <sup>3</sup> /s	0.658	0.500	1.70	3.18	4.88	1.50
30th percentile	ft <sup>3</sup> /s	0.877	0.600	3.37	3.87	6.60	2.00
40th percentile	ft <sup>3</sup> /s	1.20	0.800	4.56	4.16	8.20	2.70
50th percentile	ft <sup>3</sup> /s	1.60	1.00	6.45	4.75	10.0	3.80
60th percentile	ft <sup>3</sup> /s	2.10	1.30	8.16	5.20	13.0	5.64
70th percentile	ft <sup>3</sup> /s	2.70	1.90	10.0	5.86	17.0	7.33
80th percentile	ft <sup>3</sup> /s	3.70	3.70	14.0	7.62	22.0	9.80
90th percentile	ft <sup>3</sup> /s	5.80	14.0	21.0	9.03	36.0	21.0
Drainage area	mi <sup>2</sup>	4.46	2.46	22.1	10.2	35	13.2
Max	ft <sup>3</sup> /mi <sup>2</sup>	12.6	11.4	5.52	2.45	111	9.39
Min	ft <sup>3</sup> /mi <sup>2</sup>	0.045	0.024	0.005	0.157	0.019	0.012
Median	ft <sup>3</sup> /mi <sup>2</sup>	0.359	0.407	0.292	0.466	0.286	0.288
Arithmetic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.669	1.22	0.460	0.562	0.714	0.664
Geometric Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.368	0.514	0.212	0.479	--	0.315
Harmonic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.230	0.266	0.067	0.418	0.198	0.173
Standard Deviation	ft <sup>3</sup> /mi <sup>2</sup>	1.10	1.91	0.673	0.383	3.80	1.11
5th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.072	0.082	0.014	0.177	0.066	0.064
10th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.096	0.126	0.018	0.264	0.100	0.083
20th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.148	0.203	0.077	0.312	0.139	0.114
30th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.197	0.244	0.152	0.379	0.189	0.152
40th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.269	0.325	0.206	0.408	0.234	0.205
50th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.359	0.407	0.292	0.466	0.286	0.288
60th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.471	0.528	0.369	0.510	0.371	0.427
70th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.605	0.772	0.452	0.575	0.486	0.555
80th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.830	1.50	0.633	0.747	0.629	0.742
90th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.30	5.69	0.950	0.885	1.03	1.59

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	01659500	01660000	01660100	01660380	01660400	01660500
Count	number	310	341	186	62.0	1,054	403
Max	ft <sup>3</sup> /s	45.0	88.0	98.0	90.0	1,140	66.0
Min	ft <sup>3</sup> /s	0.060	0.020	0.000	1.00	0.070	0.040
Median	ft <sup>3</sup> /s	0.900	0.800	2.30	3.85	5.40	2.10
Arithmetic Mean	ft <sup>3</sup> /s	1.55	2.66	8.37	10.3	16.2	4.17
Geometric Mean	ft <sup>3</sup> /s	0.843	0.854	--	5.15	--	1.93
Harmonic Mean	ft <sup>3</sup> /s	0.510	0.348	--	3.39	2.22	0.791
Standard Deviation	ft <sup>3</sup> /s	3.26	6.12	16.4	17.0	51.5	6.97
5th percentile	ft <sup>3</sup> /s	0.160	0.080	0.004	1.22	0.600	0.200
10th percentile	ft <sup>3</sup> /s	0.210	0.130	0.030	1.81	1.10	0.284
20th percentile	ft <sup>3</sup> /s	0.300	0.300	0.210	2.20	1.80	0.732
30th percentile	ft <sup>3</sup> /s	0.447	0.390	1.20	2.53	2.79	1.00
40th percentile	ft <sup>3</sup> /s	0.600	0.550	1.50	3.00	4.00	1.60
50th percentile	ft <sup>3</sup> /s	0.900	0.800	2.30	3.85	5.40	2.10
60th percentile	ft <sup>3</sup> /s	1.24	1.00	4.20	5.60	7.08	2.70
70th percentile	ft <sup>3</sup> /s	1.60	1.40	6.10	8.56	10.0	3.94
80th percentile	ft <sup>3</sup> /s	2.00	2.50	8.30	12.8	16.0	6.70
90th percentile	ft <sup>3</sup> /s	2.72	11.0	18.5	21.8	30.0	8.58
Drainage area	mi <sup>2</sup>	4.46	2.46	22.1	10.2	35	13.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	10.1	35.8	4.43	8.82	32.6	5.00
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.013	0.008	0.000	0.098	0.002	0.003
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.202	0.325	0.104	0.377	0.154	0.159
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.348	1.08	0.379	1.01	0.464	0.316
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.189	0.347	--	0.505	--	0.147
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.114	0.142	--	0.333	0.064	0.060
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.730	2.49	0.742	1.67	1.47	0.528
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.036	0.033	0.000	0.119	0.017	0.015
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.047	0.053	0.001	0.177	0.031	0.022
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.067	0.122	0.010	0.216	0.051	0.055
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.100	0.159	0.054	0.248	0.080	0.076
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.135	0.224	0.068	0.294	0.114	0.121
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.202	0.325	0.104	0.377	0.154	0.159
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.278	0.407	0.190	0.549	0.202	0.205
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.359	0.569	0.276	0.839	0.286	0.298
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.448	1.02	0.376	1.25	0.457	0.508
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.610	4.47	0.837	2.14	0.857	0.650

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01659500</b>	<b>01660000</b>	<b>01660100</b>	<b>01660380</b>	<b>01660400</b>	<b>01660500</b>
Count	number	310	336	186	62.0	1,053	403
Max	ft <sup>3</sup> /s	120	57.0	119	42.0	503	564
Min	ft <sup>3</sup> /s	0.000	0.030	0.000	0.280	0.000	0.040
Median	ft <sup>3</sup> /s	0.700	0.600	1.35	4.55	3.30	1.90
Arithmetic Mean	ft <sup>3</sup> /s	2.12	2.39	5.58	5.97	12.1	7.24
Geometric Mean	ft <sup>3</sup> /s	--	0.821	--	2.80	--	1.56
Harmonic Mean	ft <sup>3</sup> /s	--	0.360	--	1.33	--	0.519
Standard Deviation	ft <sup>3</sup> /s	10.1	4.87	12.7	8.10	35.5	43.3
5th percentile	ft <sup>3</sup> /s	0.000	0.129	0.000	0.346	0.150	0.090
10th percentile	ft <sup>3</sup> /s	0.060	0.200	0.000	0.526	0.270	0.160
20th percentile	ft <sup>3</sup> /s	0.170	0.300	0.310	0.756	0.730	0.582
30th percentile	ft <sup>3</sup> /s	0.300	0.400	0.605	0.979	1.30	1.10
40th percentile	ft <sup>3</sup> /s	0.438	0.500	0.900	1.48	2.00	1.50
50th percentile	ft <sup>3</sup> /s	0.700	0.600	1.35	4.55	3.30	1.90
60th percentile	ft <sup>3</sup> /s	0.900	0.880	2.30	5.56	5.20	2.30
70th percentile	ft <sup>3</sup> /s	1.20	1.20	4.00	6.61	8.00	2.74
80th percentile	ft <sup>3</sup> /s	1.50	2.50	7.10	8.18	13.0	4.50
90th percentile	ft <sup>3</sup> /s	2.00	8.50	12.5	13.0	23.0	7.28
Drainage area	mi <sup>2</sup>	4.46	2.46	22.1	10.2	35	13.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	26.9	23.2	5.38	4.12	14.4	42.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.012	0.000	0.027	0.000	0.003
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.157	0.244	0.061	0.446	0.094	0.144
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.476	0.972	0.252	0.585	0.346	0.549
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.334	--	0.274	--	0.119
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.146	--	0.130	--	0.039
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.26	1.98	0.575	0.794	1.01	3.28
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.052	0.000	0.034	0.004	0.007
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.013	0.081	0.000	0.052	0.008	0.012
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.038	0.122	0.014	0.074	0.021	0.044
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.067	0.163	0.027	0.096	0.037	0.083
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.098	0.203	0.041	0.145	0.057	0.114
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.157	0.244	0.061	0.446	0.094	0.144
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.202	0.358	0.104	0.545	0.149	0.174
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.269	0.488	0.181	0.648	0.229	0.208
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.336	1.02	0.321	0.802	0.371	0.341
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.448	3.46	0.566	1.27	0.657	0.552

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01659500</b>	<b>01660000</b>	<b>01660100</b>	<b>01660380</b>	<b>01660400</b>	<b>01660500</b>
Count	number	300	330	180	60.0	1,050	390
Max	ft <sup>3</sup> /s	39.0	54.0	165	171	2,450	92.0
Min	ft <sup>3</sup> /s	0.000	0.020	0.020	0.190	0.000	0.010
Median	ft <sup>3</sup> /s	0.415	0.700	1.30	3.95	2.80	1.90
Arithmetic Mean	ft <sup>3</sup> /s	1.14	2.71	8.97	11.9	19.9	3.89
Geometric Mean	ft <sup>3</sup> /s	--	0.774	1.31	3.30	--	1.22
Harmonic Mean	ft <sup>3</sup> /s	--	0.180	0.189	0.928	--	0.234
Standard Deviation	ft <sup>3</sup> /s	3.05	4.81	21.3	24.6	100	8.98
5th percentile	ft <sup>3</sup> /s	0.010	0.020	0.040	0.201	0.060	0.050
10th percentile	ft <sup>3</sup> /s	0.030	0.099	0.050	0.229	0.189	0.150
20th percentile	ft <sup>3</sup> /s	0.098	0.200	0.148	0.552	0.518	0.200
30th percentile	ft <sup>3</sup> /s	0.210	0.300	0.744	1.06	1.00	0.670
40th percentile	ft <sup>3</sup> /s	0.300	0.512	0.988	1.96	1.70	1.20
50th percentile	ft <sup>3</sup> /s	0.415	0.700	1.30	3.95	2.80	1.90
60th percentile	ft <sup>3</sup> /s	0.800	0.970	1.80	7.22	5.04	2.30
70th percentile	ft <sup>3</sup> /s	1.10	1.70	3.10	9.72	7.80	2.80
80th percentile	ft <sup>3</sup> /s	1.40	5.22	9.20	15.6	14.0	4.84
90th percentile	ft <sup>3</sup> /s	2.10	11.0	23.5	26.2	29.0	7.40
Drainage area	mi <sup>2</sup>	4.46	2.46	22.1	10.2	35	13.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.74	22.0	7.47	16.8	70.0	6.97
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.008	0.001	0.019	0.000	0.001
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.093	0.285	0.059	0.387	0.080	0.144
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.257	1.10	0.406	1.16	0.568	0.294
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.315	0.059	0.323	--	0.093
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.073	0.009	0.091	--	0.018
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.684	1.95	0.964	2.41	2.86	0.680
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.002	0.008	0.002	0.020	0.002	0.004
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.007	0.040	0.002	0.022	0.005	0.011
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.022	0.081	0.007	0.054	0.015	0.015
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.047	0.122	0.034	0.104	0.029	0.051
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.067	0.208	0.045	0.192	0.049	0.091
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.093	0.285	0.059	0.387	0.080	0.144
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.394	0.081	0.708	0.144	0.174
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.247	0.691	0.140	0.953	0.223	0.212
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.314	2.12	0.416	1.53	0.400	0.367
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.471	4.47	1.06	2.57	0.829	0.561

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01659500</b>	<b>01660000</b>	<b>01660100</b>	<b>01660380</b>	<b>01660400</b>	<b>01660500</b>
Count	number	310	341	186	62.0	1,069	403
Max	ft <sup>3</sup> /s	15.0	33.0	226	216	1,100	57.0
Min	ft <sup>3</sup> /s	0.000	0.020	0.020	1.00	0.000	0.010
Median	ft <sup>3</sup> /s	0.440	0.630	0.940	7.35	6.20	1.80
Arithmetic Mean	ft <sup>3</sup> /s	0.968	2.41	6.30	15.6	22.1	3.22
Geometric Mean	ft <sup>3</sup> /s	--	0.818	0.904	7.05	--	1.28
Harmonic Mean	ft <sup>3</sup> /s	--	0.280	0.180	4.09	--	0.198
Standard Deviation	ft <sup>3</sup> /s	1.74	4.12	20.7	33.8	72.0	5.63
5th percentile	ft <sup>3</sup> /s	0.010	0.041	0.030	1.25	0.080	0.082
10th percentile	ft <sup>3</sup> /s	0.060	0.200	0.050	1.51	0.328	0.160
20th percentile	ft <sup>3</sup> /s	0.120	0.300	0.180	2.02	1.10	0.400
30th percentile	ft <sup>3</sup> /s	0.207	0.400	0.290	3.99	2.50	0.746
40th percentile	ft <sup>3</sup> /s	0.300	0.500	0.590	5.74	4.00	1.20
50th percentile	ft <sup>3</sup> /s	0.440	0.630	0.940	7.35	6.20	1.80
60th percentile	ft <sup>3</sup> /s	0.700	0.900	1.50	9.40	9.30	2.20
70th percentile	ft <sup>3</sup> /s	0.900	1.40	2.00	12.7	14.0	3.20
80th percentile	ft <sup>3</sup> /s	1.30	3.20	3.70	14.8	20.0	4.06
90th percentile	ft <sup>3</sup> /s	1.80	10.0	16.0	24.4	38.0	6.40
Drainage area	mi <sup>2</sup>	4.46	2.46	22.1	10.2	35	13.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.36	13.4	10.2	21.2	31.4	4.32
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.008	0.001	0.098	0.000	0.001
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.099	0.256	0.043	0.721	0.177	0.136
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.217	0.981	0.285	1.53	0.633	0.244
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.333	0.041	0.691	--	0.097
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.114	0.008	0.401	--	0.015
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.390	1.67	0.937	3.32	2.06	0.426
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.002	0.017	0.001	0.122	0.002	0.006
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.013	0.081	0.002	0.148	0.009	0.012
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.027	0.122	0.008	0.198	0.031	0.030
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.046	0.163	0.013	0.391	0.071	0.057
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.067	0.203	0.027	0.563	0.114	0.091
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.099	0.256	0.043	0.721	0.177	0.136
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.157	0.366	0.068	0.922	0.266	0.167
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.202	0.569	0.090	1.25	0.400	0.242
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.291	1.30	0.167	1.45	0.571	0.308
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.404	4.07	0.724	2.39	1.09	0.485

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01659500</b>	<b>01660000</b>	<b>01660100</b>	<b>01660380</b>	<b>01660400</b>	<b>01660500</b>
Count	number	295	325	180	63.0	1,032	390
Max	ft <sup>3</sup> /s	94.0	77.0	231	111	1,590	374
Min	ft <sup>3</sup> /s	0.140	0.100	0.040	3.60	0.280	0.230
Median	ft <sup>3</sup> /s	1.40	1.20	2.80	9.80	14.0	3.95
Arithmetic Mean	ft <sup>3</sup> /s	2.85	3.12	10.8	14.0	32.6	8.35
Geometric Mean	ft <sup>3</sup> /s	1.40	1.47	2.32	10.1	--	3.74
Harmonic Mean	ft <sup>3</sup> /s	0.826	0.807	0.398	8.44	5.43	1.98
Standard Deviation	ft <sup>3</sup> /s	6.64	5.60	23.5	18.8	75.2	23.1
5th percentile	ft <sup>3</sup> /s	0.206	0.303	0.080	3.96	1.20	0.537
10th percentile	ft <sup>3</sup> /s	0.380	0.440	0.090	4.54	3.40	0.740
20th percentile	ft <sup>3</sup> /s	0.632	0.490	0.306	5.56	5.80	1.50
30th percentile	ft <sup>3</sup> /s	0.910	0.692	0.758	7.80	8.00	2.07
40th percentile	ft <sup>3</sup> /s	1.10	0.850	1.90	9.06	11.0	2.66
50th percentile	ft <sup>3</sup> /s	1.40	1.20	2.80	9.80	14.0	3.95
60th percentile	ft <sup>3</sup> /s	1.60	1.70	4.44	11.0	19.0	4.84
70th percentile	ft <sup>3</sup> /s	2.00	2.68	8.23	12.4	26.0	6.63
80th percentile	ft <sup>3</sup> /s	3.10	4.50	20.2	14.0	38.0	9.30
90th percentile	ft <sup>3</sup> /s	5.50	11.0	24.0	21.0	63.0	16.0
Drainage area	mi <sup>2</sup>	4.46	2.46	22.1	10.2	35	13.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.1	31.3	10.5	10.9	45.4	28.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.031	0.041	0.002	0.353	0.008	0.017
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.314	0.488	0.127	0.961	0.400	0.299
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.639	1.27	0.487	1.38	0.932	0.633
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.313	0.596	0.105	0.993	--	0.284
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.185	0.328	0.018	0.827	0.155	0.150
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	2.28	1.06	1.85	2.15	1.75
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.046	0.123	0.004	0.388	0.034	0.041
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.085	0.179	0.004	0.445	0.097	0.056
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.142	0.199	0.014	0.545	0.166	0.114
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.204	0.281	0.034	0.765	0.229	0.157
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.247	0.346	0.086	0.888	0.314	0.202
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.314	0.488	0.127	0.961	0.400	0.299
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.359	0.691	0.201	1.08	0.543	0.367
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.448	1.09	0.372	1.22	0.743	0.502
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.695	1.83	0.914	1.37	1.09	0.705
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	4.47	1.09	2.06	1.80	1.21

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01659500</b>	<b>01660000</b>	<b>01660100</b>	<b>01660380</b>	<b>01660400</b>	<b>01660500</b>
Count	number	279	310	186	62.0	1,054	403
Max	ft <sup>3</sup> /s	71.0	50.0	145	30.0	1,300	234
Min	ft <sup>3</sup> /s	0.450	0.160	0.390	3.00	1.50	0.530
Median	ft <sup>3</sup> /s	2.20	1.30	4.80	8.30	25.0	5.10
Arithmetic Mean	ft <sup>3</sup> /s	3.60	2.34	14.3	8.21	43.2	10.7
Geometric Mean	ft <sup>3</sup> /s	2.23	1.44	4.86	6.81	--	5.36
Harmonic Mean	ft <sup>3</sup> /s	1.56	1.01	1.92	5.80	15.9	3.23
Standard Deviation	ft <sup>3</sup> /s	5.90	4.00	24.1	5.57	78.8	22.5
5th percentile	ft <sup>3</sup> /s	0.560	0.406	0.410	3.20	5.40	0.760
10th percentile	ft <sup>3</sup> /s	0.708	0.480	0.550	3.41	7.20	1.50
20th percentile	ft <sup>3</sup> /s	0.920	0.700	1.50	3.70	11.0	2.54
30th percentile	ft <sup>3</sup> /s	1.40	0.817	2.25	4.00	17.0	3.50
40th percentile	ft <sup>3</sup> /s	1.70	1.00	3.00	4.24	21.0	4.10
50th percentile	ft <sup>3</sup> /s	2.20	1.30	4.80	8.30	25.0	5.10
60th percentile	ft <sup>3</sup> /s	2.70	1.70	5.90	8.50	29.0	6.60
70th percentile	ft <sup>3</sup> /s	3.40	2.10	9.20	9.85	37.0	7.84
80th percentile	ft <sup>3</sup> /s	4.80	3.40	25.0	11.0	51.0	11.0
90th percentile	ft <sup>3</sup> /s	7.42	4.60	40.0	13.9	82.0	20.0
Drainage area	mi <sup>2</sup>	4.46	2.46	22.1	10.2	35	13.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	15.9	20.3	6.56	2.94	37.1	17.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.101	0.065	0.018	0.294	0.043	0.040
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.493	0.528	0.217	0.814	0.714	0.386
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.807	0.951	0.647	0.805	1.24	0.813
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.499	0.586	0.220	0.668	--	0.406
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.350	0.412	0.087	0.568	0.453	0.244
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	1.62	1.09	0.547	2.25	1.71
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.126	0.165	0.019	0.314	0.154	0.058
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.159	0.195	0.025	0.334	0.206	0.114
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.206	0.285	0.068	0.363	0.314	0.192
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.314	0.332	0.102	0.392	0.486	0.265
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.381	0.407	0.136	0.416	0.600	0.311
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.493	0.528	0.217	0.814	0.714	0.386
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.605	0.691	0.267	0.833	0.829	0.500
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.762	0.854	0.416	0.966	1.06	0.594
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.38	1.13	1.08	1.46	0.833
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	1.87	1.81	1.36	2.34	1.52



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>01661800</b>	<b>01661900</b>	<b>01662000</b>	<b>01662156</b>	<b>01662500</b>	<b>01662800</b>
Count	number	726	186	1,364	181	744	1,457
Max	ft <sup>3</sup> /s	83.0	960	5,020	2.90	159	654
Min	ft <sup>3</sup> /s	1.70	2.40	12.0	0.240	1.00	0.600
Median	ft <sup>3</sup> /s	6.20	17.0	165	0.670	14.0	24.0
Arithmetic Mean	ft <sup>3</sup> /s	8.88	39.1	225	0.798	19.1	33.2
Geometric Mean	ft <sup>3</sup> /s	--	17.4	--	0.694	--	--
Harmonic Mean	ft <sup>3</sup> /s	5.49	10.4	117	0.610	8.50	13.2
Standard Deviation	ft <sup>3</sup> /s	9.11	93.6	267	0.476	16.3	46.0
5th percentile	ft <sup>3</sup> /s	2.50	3.50	45.3	0.320	2.40	5.40
10th percentile	ft <sup>3</sup> /s	3.00	4.45	65.0	0.360	3.90	8.00
20th percentile	ft <sup>3</sup> /s	3.80	5.60	90.0	0.450	7.00	12.0
30th percentile	ft <sup>3</sup> /s	4.60	8.25	115	0.540	9.40	15.0
40th percentile	ft <sup>3</sup> /s	5.40	13.0	138	0.590	11.2	19.0
50th percentile	ft <sup>3</sup> /s	6.20	17.0	165	0.670	14.0	24.0
60th percentile	ft <sup>3</sup> /s	7.70	23.0	196	0.800	18.0	28.0
70th percentile	ft <sup>3</sup> /s	9.30	30.0	236	0.930	22.0	33.0
80th percentile	ft <sup>3</sup> /s	11.0	39.0	291	1.00	29.0	42.0
90th percentile	ft <sup>3</sup> /s	16.0	62.5	419	1.30	40.0	60.4
Drainage area	mi <sup>2</sup>	6.77	20.4	195	1.03	14.6	25.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	12.3	47.1	25.7	2.82	10.9	25.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.251	0.118	0.062	0.233	0.068	0.023
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.916	0.833	0.844	0.650	0.959	0.930
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	1.92	1.15	0.775	1.31	1.29
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.851	--	0.673	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.811	0.512	0.600	0.593	0.582	0.511
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	4.59	1.37	0.462	1.12	1.78
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.369	0.172	0.232	0.311	0.164	0.209
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.443	0.218	0.333	0.350	0.267	0.310
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.561	0.275	0.462	0.437	0.479	0.465
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.679	0.404	0.590	0.524	0.644	0.581
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.798	0.637	0.708	0.573	0.767	0.736
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.916	0.833	0.844	0.650	0.959	0.930
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.13	1.01	0.777	1.23	1.09
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	1.47	1.21	0.903	1.51	1.28
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	1.91	1.49	0.971	1.99	1.63
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.36	3.06	2.15	1.26	2.74	2.34

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01661800</b>	<b>01661900</b>	<b>01662000</b>	<b>01662156</b>	<b>01662500</b>	<b>01662800</b>
Count	number	650	169	1,243	140	678	1,327
Max	ft <sup>3</sup> /s	133	759	6,060	74.0	280	1,210
Min	ft <sup>3</sup> /s	2.40	4.50	17.0	0.280	1.40	0.700
Median	ft <sup>3</sup> /s	8.30	22.0	216	0.880	17.0	27.0
Arithmetic Mean	ft <sup>3</sup> /s	10.1	37.7	301	1.98	25.1	39.7
Geometric Mean	ft <sup>3</sup> /s	--	20.9	--	1.02	--	--
Harmonic Mean	ft <sup>3</sup> /s	7.44	15.4	178	0.749	12.9	18.4
Standard Deviation	ft <sup>3</sup> /s	9.39	82.9	389	6.34	26.0	60.6
5th percentile	ft <sup>3</sup> /s	3.66	5.50	80.0	0.320	4.90	7.90
10th percentile	ft <sup>3</sup> /s	4.19	6.78	100	0.400	7.40	11.0
20th percentile	ft <sup>3</sup> /s	5.50	10.0	135	0.460	9.80	16.0
30th percentile	ft <sup>3</sup> /s	6.80	14.0	167	0.530	12.0	21.0
40th percentile	ft <sup>3</sup> /s	7.60	16.0	190	0.710	14.0	24.0
50th percentile	ft <sup>3</sup> /s	8.30	22.0	216	0.880	17.0	27.0
60th percentile	ft <sup>3</sup> /s	9.20	23.0	247	1.04	21.0	30.0
70th percentile	ft <sup>3</sup> /s	10.3	26.0	290	1.43	26.0	35.2
80th percentile	ft <sup>3</sup> /s	12.0	30.8	361	2.32	32.0	47.0
90th percentile	ft <sup>3</sup> /s	16.0	64.2	509	3.32	51.0	70.0
Drainage area	mi <sup>2</sup>	6.77	20.4	195	1.03	14.6	25.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	19.6	37.2	31.1	71.8	19.2	46.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.355	0.221	0.087	0.272	0.096	0.027
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.08	1.11	0.854	1.16	1.05
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.50	1.85	1.54	1.92	1.72	1.54
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.03	--	0.992	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	0.756	0.911	0.727	0.886	0.712
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	4.06	1.99	6.16	1.78	2.35
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.540	0.270	0.410	0.311	0.336	0.306
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.619	0.332	0.513	0.388	0.507	0.426
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.812	0.490	0.694	0.447	0.671	0.620
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.00	0.686	0.856	0.515	0.822	0.814
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	0.784	0.974	0.689	0.959	0.930
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.08	1.11	0.854	1.16	1.05
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.36	1.13	1.27	1.01	1.44	1.16
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.52	1.27	1.49	1.39	1.78	1.36
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.77	1.51	1.85	2.25	2.19	1.82
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.36	3.15	2.61	3.22	3.49	2.71

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01661800</b>	<b>01661900</b>	<b>01662000</b>	<b>01662156</b>	<b>01662500</b>	<b>01662800</b>
Count	number	713	186	1,364	141	744	1,457
Max	ft <sup>3</sup> /s	124	250	3,950	15.0	562	1,250
Min	ft <sup>3</sup> /s	2.10	6.30	58.0	0.240	4.30	3.90
Median	ft <sup>3</sup> /s	8.70	27.5	255	1.30	23.0	31.0
Arithmetic Mean	ft <sup>3</sup> /s	12.2	38.0	333	1.92	31.2	47.0
Geometric Mean	ft <sup>3</sup> /s	--	28.0	--	1.22	--	--
Harmonic Mean	ft <sup>3</sup> /s	7.76	20.9	225	0.796	19.6	26.7
Standard Deviation	ft <sup>3</sup> /s	13.3	34.3	315	2.14	32.9	64.1
5th percentile	ft <sup>3</sup> /s	3.40	7.38	105	0.280	8.73	12.0
10th percentile	ft <sup>3</sup> /s	4.22	8.70	130	0.290	11.0	15.0
20th percentile	ft <sup>3</sup> /s	5.90	14.0	164	0.450	14.0	19.0
30th percentile	ft <sup>3</sup> /s	7.20	20.0	196	0.650	16.0	22.0
40th percentile	ft <sup>3</sup> /s	7.80	23.0	221	0.890	19.0	26.0
50th percentile	ft <sup>3</sup> /s	8.70	27.5	255	1.30	23.0	31.0
60th percentile	ft <sup>3</sup> /s	9.70	34.0	291	1.70	26.0	38.0
70th percentile	ft <sup>3</sup> /s	11.0	42.5	340	2.20	32.0	47.0
80th percentile	ft <sup>3</sup> /s	14.6	55.0	421	2.80	41.0	59.0
90th percentile	ft <sup>3</sup> /s	21.0	71.5	580	3.80	57.0	85.4
Drainage area	mi <sup>2</sup>	6.77	20.4	195	1.03	14.6	25.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	18.3	12.3	20.3	14.6	38.5	48.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.310	0.309	0.297	0.233	0.295	0.151
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.35	1.31	1.26	1.58	1.20
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.81	1.86	1.71	1.87	2.14	1.82
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.37	--	1.18	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	1.02	1.15	0.773	1.34	1.04
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.96	1.68	1.62	2.07	2.25	2.48
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.502	0.362	0.538	0.272	0.598	0.465
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.623	0.426	0.667	0.282	0.753	0.581
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.871	0.686	0.841	0.437	0.959	0.736
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	0.980	1.00	0.631	1.10	0.853
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	1.13	1.13	0.864	1.30	1.01
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.35	1.31	1.26	1.58	1.20
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	1.67	1.49	1.65	1.78	1.47
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	2.08	1.74	2.14	2.19	1.82
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.16	2.70	2.16	2.72	2.81	2.29
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.10	3.50	2.97	3.69	3.90	3.31

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01661800</b>	<b>01661900</b>	<b>01662000</b>	<b>01662156</b>	<b>01662500</b>	<b>01662800</b>
Count	number	660	180	1,320	184	720	1,410
Max	ft <sup>3</sup> /s	172	115	3,980	70.0	206	613
Min	ft <sup>3</sup> /s	1.70	6.50	54.0	0.390	4.00	7.10
Median	ft <sup>3</sup> /s	8.30	23.0	223	1.25	19.5	28.0
Arithmetic Mean	ft <sup>3</sup> /s	11.6	27.0	309	2.85	26.7	40.6
Geometric Mean	ft <sup>3</sup> /s	--	22.2	--	1.60	--	--
Harmonic Mean	ft <sup>3</sup> /s	7.06	18.4	197	1.15	17.4	24.7
Standard Deviation	ft <sup>3</sup> /s	11.4	18.3	320	5.93	22.2	45.7
5th percentile	ft <sup>3</sup> /s	2.80	7.90	92.0	0.475	8.70	11.0
10th percentile	ft <sup>3</sup> /s	3.30	9.19	111	0.539	9.70	14.0
20th percentile	ft <sup>3</sup> /s	5.00	12.8	140	0.756	12.0	17.0
30th percentile	ft <sup>3</sup> /s	6.30	15.7	167	0.860	14.0	20.0
40th percentile	ft <sup>3</sup> /s	7.30	19.0	194	1.00	17.0	24.0
50th percentile	ft <sup>3</sup> /s	8.30	23.0	223	1.25	19.5	28.0
60th percentile	ft <sup>3</sup> /s	10.0	27.0	263	1.68	24.0	33.4
70th percentile	ft <sup>3</sup> /s	13.0	31.3	310	2.60	29.0	41.0
80th percentile	ft <sup>3</sup> /s	16.0	38.2	389	3.58	36.0	52.2
90th percentile	ft <sup>3</sup> /s	21.0	48.0	550	5.57	52.0	73.0
Drainage area	mi <sup>2</sup>	6.77	20.4	195	1.03	14.6	25.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	25.4	5.64	20.4	68.0	14.1	23.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.251	0.319	0.277	0.379	0.274	0.275
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.13	1.14	1.21	1.34	1.09
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	1.33	1.59	2.76	1.83	1.57
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.09	--	1.56	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	0.904	1.01	1.11	1.19	0.958
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	0.896	1.64	5.75	1.52	1.77
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.414	0.387	0.472	0.461	0.596	0.426
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.487	0.450	0.569	0.523	0.664	0.543
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.739	0.627	0.717	0.734	0.822	0.659
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.931	0.770	0.856	0.835	0.959	0.775
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	0.931	0.995	0.971	1.16	0.930
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.13	1.14	1.21	1.34	1.09
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.48	1.32	1.35	1.63	1.64	1.29
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.92	1.53	1.59	2.52	1.99	1.59
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.36	1.87	1.99	3.48	2.47	2.02
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.10	2.35	2.82	5.41	3.56	2.83

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>01661800</b>	<b>01661900</b>	<b>01662000</b>	<b>01662156</b>	<b>01662500</b>	<b>01662800</b>
Count	number	682	186	1,364	157	744	1,488
Max	ft <sup>3</sup> /s	123	352	2,850	12.0	300	737
Min	ft <sup>3</sup> /s	1.10	4.10	30.0	0.360	1.00	2.90
Median	ft <sup>3</sup> /s	5.80	19.0	175	1.30	13.0	21.0
Arithmetic Mean	ft <sup>3</sup> /s	8.04	25.0	235	1.73	22.2	31.5
Geometric Mean	ft <sup>3</sup> /s	--	17.2	--	1.35	--	--
Harmonic Mean	ft <sup>3</sup> /s	4.66	13.1	145	1.10	10.5	17.6
Standard Deviation	ft <sup>3</sup> /s	8.34	35.8	234	1.51	26.0	38.2
5th percentile	ft <sup>3</sup> /s	1.80	5.00	64.0	0.479	4.30	7.50
10th percentile	ft <sup>3</sup> /s	2.40	5.80	80.0	0.602	5.70	9.10
20th percentile	ft <sup>3</sup> /s	3.10	8.20	98.0	0.794	7.40	12.0
30th percentile	ft <sup>3</sup> /s	4.00	12.0	119	0.934	9.00	15.0
40th percentile	ft <sup>3</sup> /s	5.10	16.0	144	1.10	11.0	18.0
50th percentile	ft <sup>3</sup> /s	5.80	19.0	175	1.30	13.0	21.0
60th percentile	ft <sup>3</sup> /s	7.10	21.0	208	1.56	17.0	26.0
70th percentile	ft <sup>3</sup> /s	8.77	24.0	247	1.80	22.0	32.0
80th percentile	ft <sup>3</sup> /s	11.0	28.0	304	2.28	30.0	41.0
90th percentile	ft <sup>3</sup> /s	15.0	39.0	435	3.24	47.7	60.0
Drainage area	mi <sup>2</sup>	6.77	20.4	195	1.03	14.6	25.8
Max	ft <sup>3</sup> /mi <sup>2</sup>	18.2	17.3	14.6	11.7	20.5	28.6
Min	ft <sup>3</sup> /mi <sup>2</sup>	0.162	0.201	0.154	0.350	0.068	0.112
Median	ft <sup>3</sup> /mi <sup>2</sup>	0.857	0.931	0.897	1.26	0.890	0.814
Arithmetic Mean	ft <sup>3</sup> /mi <sup>2</sup>	1.19	1.23	1.21	1.68	1.52	1.22
Geometric Mean	ft <sup>3</sup> /mi <sup>2</sup>	--	0.844	--	1.31	--	--
Harmonic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.689	0.641	0.744	1.07	0.719	0.680
Standard Deviation	ft <sup>3</sup> /mi <sup>2</sup>	1.23	1.75	1.20	1.47	1.78	1.48
5th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.266	0.245	0.328	0.465	0.295	0.291
10th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.355	0.284	0.410	0.584	0.390	0.353
20th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.458	0.402	0.503	0.771	0.507	0.465
30th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.591	0.588	0.610	0.907	0.616	0.581
40th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.753	0.784	0.738	1.07	0.753	0.698
50th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.857	0.931	0.897	1.26	0.890	0.814
60th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.05	1.03	1.07	1.51	1.16	1.01
70th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.30	1.18	1.27	1.75	1.51	1.24
80th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.62	1.37	1.56	2.21	2.05	1.59
90th percentile	ft <sup>3</sup> /mi <sup>2</sup>	2.22	1.91	2.23	3.15	3.27	2.33

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>01661800</b>	<b>01661900</b>	<b>01662000</b>	<b>01662156</b>	<b>01662500</b>	<b>01662800</b>
Count	number	660	180	1,320	130	720	1,440
Max	ft <sup>3</sup> /s	104	296	14,300	3.90	613	1,780
Min	ft <sup>3</sup> /s	0.030	1.20	6.00	0.120	0.200	0.860
Median	ft <sup>3</sup> /s	3.20	12.0	107	0.590	7.20	13.0
Arithmetic Mean	ft <sup>3</sup> /s	4.94	17.5	167	0.711	13.7	22.5
Geometric Mean	ft <sup>3</sup> /s	--	10.7	--	0.559	--	--
Harmonic Mean	ft <sup>3</sup> /s	0.987	7.08	70.2	0.440	3.18	8.69
Standard Deviation	ft <sup>3</sup> /s	7.19	28.8	453	0.565	32.0	61.2
5th percentile	ft <sup>3</sup> /s	0.502	2.30	23.0	0.166	0.750	2.80
10th percentile	ft <sup>3</sup> /s	1.00	2.60	34.0	0.210	1.40	4.10
20th percentile	ft <sup>3</sup> /s	1.60	4.60	52.0	0.308	3.18	6.40
30th percentile	ft <sup>3</sup> /s	2.10	8.21	69.0	0.420	4.60	8.80
40th percentile	ft <sup>3</sup> /s	2.60	9.50	88.0	0.480	5.70	11.0
50th percentile	ft <sup>3</sup> /s	3.20	12.0	107	0.590	7.20	13.0
60th percentile	ft <sup>3</sup> /s	4.00	14.0	127	0.700	9.00	16.0
70th percentile	ft <sup>3</sup> /s	5.00	16.0	154	0.793	11.0	19.0
80th percentile	ft <sup>3</sup> /s	6.60	19.2	191	0.992	15.0	24.0
90th percentile	ft <sup>3</sup> /s	9.21	29.4	285	1.21	27.0	38.0
Drainage area	mi <sup>2</sup>	6.77	20.4	195	1.03	14.6	25.8
Max	ft <sup>3</sup> /mi <sup>2</sup>	15.4	14.5	73.3	3.79	42.0	69.0
Min	ft <sup>3</sup> /mi <sup>2</sup>	0.004	0.059	0.031	0.117	0.014	0.033
Median	ft <sup>3</sup> /mi <sup>2</sup>	0.473	0.588	0.549	0.573	0.493	0.504
Arithmetic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.730	0.856	0.857	0.690	0.939	0.871
Geometric Mean	ft <sup>3</sup> /mi <sup>2</sup>	--	0.526	--	0.543	--	--
Harmonic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.146	0.347	0.360	0.427	0.218	0.337
Standard Deviation	ft <sup>3</sup> /mi <sup>2</sup>	1.06	1.41	2.32	0.549	2.19	2.37
5th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.074	0.113	0.118	0.161	0.051	0.109
10th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.148	0.127	0.174	0.204	0.096	0.159
20th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.236	0.225	0.267	0.299	0.218	0.248
30th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.310	0.402	0.354	0.408	0.315	0.341
40th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.384	0.466	0.451	0.466	0.390	0.426
50th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.473	0.588	0.549	0.573	0.493	0.504
60th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.591	0.686	0.651	0.680	0.616	0.620
70th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.739	0.784	0.790	0.770	0.753	0.736
80th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.975	0.941	0.979	0.963	1.03	0.930
90th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.36	1.44	1.46	1.17	1.85	1.47

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>01661800</b>	<b>01661900</b>	<b>01662000</b>	<b>01662156</b>	<b>01662500</b>	<b>01662800</b>
Count	number	682	186	1,364	191	744	1,467
Max	ft <sup>3</sup> /s	259	52.0	2,960	3.60	194	449
Min	ft <sup>3</sup> /s	0.020	0.790	3.60	0.060	0.000	0.220
Median	ft <sup>3</sup> /s	2.00	6.30	55.0	0.290	2.40	7.80
Arithmetic Mean	ft <sup>3</sup> /s	4.50	7.66	91.4	0.397	6.15	12.5
Geometric Mean	ft <sup>3</sup> /s	1.63	5.36	--	0.270	--	--
Harmonic Mean	ft <sup>3</sup> /s	0.369	3.45	30.0	0.188	--	4.10
Standard Deviation	ft <sup>3</sup> /s	13.2	6.82	164	0.407	13.4	23.3
5th percentile	ft <sup>3</sup> /s	0.080	0.927	9.00	0.060	0.043	1.20
10th percentile	ft <sup>3</sup> /s	0.200	1.15	12.0	0.080	0.200	1.96
20th percentile	ft <sup>3</sup> /s	0.650	2.50	21.0	0.110	0.600	3.30
30th percentile	ft <sup>3</sup> /s	1.00	4.10	30.0	0.140	1.30	4.70
40th percentile	ft <sup>3</sup> /s	1.50	5.50	41.0	0.210	1.62	6.10
50th percentile	ft <sup>3</sup> /s	2.00	6.30	55.0	0.290	2.40	7.80
60th percentile	ft <sup>3</sup> /s	2.60	7.60	70.0	0.370	3.30	9.40
70th percentile	ft <sup>3</sup> /s	3.70	8.70	87.1	0.490	4.71	12.0
80th percentile	ft <sup>3</sup> /s	5.08	10.0	115	0.630	7.60	16.0
90th percentile	ft <sup>3</sup> /s	8.30	15.0	173	0.780	12.0	24.0
Drainage area	mi <sup>2</sup>	6.77	20.4	195	1.03	14.6	25.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	38.3	2.55	15.2	3.50	13.3	17.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.003	0.039	0.018	0.058	0.000	0.009
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	0.309	0.282	0.282	0.164	0.302
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.665	0.375	0.469	0.386	0.421	0.483
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.241	0.263	--	0.262	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.055	0.169	0.154	0.183	--	0.159
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.94	0.334	0.843	0.395	0.915	0.901
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.012	0.045	0.046	0.058	0.003	0.047
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.030	0.056	0.062	0.078	0.014	0.076
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.096	0.123	0.108	0.107	0.041	0.128
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.148	0.201	0.154	0.136	0.089	0.182
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.222	0.270	0.210	0.204	0.111	0.236
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	0.309	0.282	0.282	0.164	0.302
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.384	0.373	0.359	0.359	0.226	0.364
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.547	0.426	0.447	0.476	0.323	0.465
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.750	0.490	0.590	0.612	0.521	0.620
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	0.735	0.886	0.757	0.822	0.930

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01661800</b>	<b>01661900</b>	<b>01662000</b>	<b>01662156</b>	<b>01662500</b>	<b>01662800</b>
Count	number	682	186	1,364	152	744	1,457
Max	ft <sup>3</sup> /s	63.0	158	8,280	1.70	1,140	517
Min	ft <sup>3</sup> /s	0.000	0.480	1.20	0.060	0.000	0.030
Median	ft <sup>3</sup> /s	1.80	4.90	41.0	0.190	1.60	5.20
Arithmetic Mean	ft <sup>3</sup> /s	4.22	10.6	101	0.254	7.13	11.3
Geometric Mean	ft <sup>3</sup> /s	--	4.85	--	0.195	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	2.68	15.5	0.154	--	1.48
Standard Deviation	ft <sup>3</sup> /s	7.93	20.1	333	0.228	46.6	31.5
5th percentile	ft <sup>3</sup> /s	0.122	0.694	3.83	0.060	0.000	0.400
10th percentile	ft <sup>3</sup> /s	0.310	0.825	6.00	0.070	0.020	0.726
20th percentile	ft <sup>3</sup> /s	0.600	2.20	11.0	0.100	0.200	1.60
30th percentile	ft <sup>3</sup> /s	0.960	2.90	20.0	0.150	0.600	2.60
40th percentile	ft <sup>3</sup> /s	1.40	4.00	31.0	0.170	1.10	3.80
50th percentile	ft <sup>3</sup> /s	1.80	4.90	41.0	0.190	1.60	5.20
60th percentile	ft <sup>3</sup> /s	2.40	5.80	52.0	0.210	2.60	6.80
70th percentile	ft <sup>3</sup> /s	3.10	7.05	68.0	0.267	4.00	8.70
80th percentile	ft <sup>3</sup> /s	4.58	10.0	97.0	0.340	5.68	12.0
90th percentile	ft <sup>3</sup> /s	9.88	22.5	185	0.489	9.50	20.0
Drainage area	mi <sup>2</sup>	6.77	20.4	195	1.03	14.6	25.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	9.31	7.75	42.5	1.65	78.1	20.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.024	0.006	0.058	0.000	0.001
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.266	0.240	0.210	0.184	0.110	0.202
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.623	0.519	0.518	0.247	0.489	0.438
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.238	--	0.189	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.131	0.080	0.150	--	0.057
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	0.983	1.71	0.221	3.19	1.22
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.018	0.034	0.020	0.058	0.000	0.016
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.046	0.040	0.031	0.068	0.001	0.028
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.089	0.108	0.056	0.097	0.014	0.062
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.142	0.142	0.103	0.146	0.041	0.101
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.207	0.196	0.159	0.165	0.075	0.147
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.266	0.240	0.210	0.184	0.110	0.202
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.355	0.284	0.267	0.204	0.178	0.264
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.458	0.346	0.349	0.259	0.274	0.337
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.677	0.490	0.497	0.330	0.389	0.465
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.10	0.949	0.475	0.651	0.775



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01661800</b>	<b>01661900</b>	<b>01662000</b>	<b>01662156</b>	<b>01662500</b>	<b>01662800</b>
Count	number	660	194	1,320	150	720	1,410
Max	ft <sup>3</sup> /s	142	763	6,210	14.0	236	1,090
Min	ft <sup>3</sup> /s	0.000	0.900	0.260	0.040	0.000	0.000
Median	ft <sup>3</sup> /s	1.60	2.95	32.0	0.170	1.30	4.70
Arithmetic Mean	ft <sup>3</sup> /s	4.00	16.4	91.5	0.625	4.79	15.2
Geometric Mean	ft <sup>3</sup> /s	--	4.35	--	0.292	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	2.89	8.94	0.190	--	--
Standard Deviation	ft <sup>3</sup> /s	10.0	70.9	333	1.32	14.8	62.6
5th percentile	ft <sup>3</sup> /s	0.191	1.28	2.10	0.106	0.000	0.390
10th percentile	ft <sup>3</sup> /s	0.340	1.40	4.00	0.110	0.100	0.570
20th percentile	ft <sup>3</sup> /s	0.560	1.96	9.60	0.130	0.310	1.20
30th percentile	ft <sup>3</sup> /s	0.800	2.39	14.0	0.137	0.650	2.20
40th percentile	ft <sup>3</sup> /s	1.20	2.60	22.0	0.150	1.00	3.20
50th percentile	ft <sup>3</sup> /s	1.60	2.95	32.0	0.170	1.30	4.70
60th percentile	ft <sup>3</sup> /s	2.00	3.40	42.0	0.288	2.00	6.20
70th percentile	ft <sup>3</sup> /s	2.70	5.04	58.0	0.509	2.80	8.10
80th percentile	ft <sup>3</sup> /s	3.80	9.70	87.0	0.824	4.40	12.0
90th percentile	ft <sup>3</sup> /s	8.41	22.7	160	1.60	11.0	25.0
Drainage area	mi <sup>2</sup>	6.77	20.4	195	1.03	14.6	25.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.0	37.4	31.8	13.6	16.2	42.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.044	0.001	0.039	0.000	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.236	0.145	0.164	0.165	0.089	0.182
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.591	0.802	0.469	0.607	0.328	0.588
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.213	--	0.284	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.141	0.046	0.184	--	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.48	3.47	1.71	1.28	1.01	2.43
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.028	0.063	0.011	0.102	0.000	0.015
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.050	0.069	0.021	0.107	0.007	0.022
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.083	0.096	0.049	0.126	0.021	0.047
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.118	0.117	0.072	0.133	0.045	0.085
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.127	0.113	0.146	0.068	0.124
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.236	0.145	0.164	0.165	0.089	0.182
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	0.167	0.215	0.280	0.137	0.240
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.399	0.247	0.297	0.494	0.192	0.314
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.561	0.475	0.446	0.800	0.301	0.465
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	1.11	0.822	1.55	0.753	0.969

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01661800</b>	<b>01661900</b>	<b>01662000</b>	<b>01662156</b>	<b>01662500</b>	<b>01662800</b>
Count	number	744	192	1,372	196	744	1,488
Max	ft <sup>3</sup> /s	103	1,530	20,100	5.10	517	2,000
Min	ft <sup>3</sup> /s	0.240	1.00	0.700	0.060	0.000	0.350
Median	ft <sup>3</sup> /s	2.60	3.50	41.0	0.210	2.70	7.00
Arithmetic Mean	ft <sup>3</sup> /s	4.95	35.7	143	0.602	10.6	16.7
Geometric Mean	ft <sup>3</sup> /s	--	7.46	--	0.316	--	--
Harmonic Mean	ft <sup>3</sup> /s	1.99	3.51	21.9	0.206	--	3.40
Standard Deviation	ft <sup>3</sup> /s	8.43	125	728	0.831	27.2	62.1
5th percentile	ft <sup>3</sup> /s	0.730	1.40	6.90	0.080	0.200	0.900
10th percentile	ft <sup>3</sup> /s	1.20	1.51	9.42	0.100	0.300	1.30
20th percentile	ft <sup>3</sup> /s	1.40	2.02	18.0	0.150	1.00	2.50
30th percentile	ft <sup>3</sup> /s	1.70	2.30	27.0	0.170	1.40	3.60
40th percentile	ft <sup>3</sup> /s	2.10	2.90	32.0	0.180	2.02	5.30
50th percentile	ft <sup>3</sup> /s	2.60	3.50	41.0	0.210	2.70	7.00
60th percentile	ft <sup>3</sup> /s	3.10	5.50	60.0	0.270	4.80	9.12
70th percentile	ft <sup>3</sup> /s	4.30	23.1	85.0	0.450	9.00	12.0
80th percentile	ft <sup>3</sup> /s	6.14	34.6	134	1.00	14.0	17.0
90th percentile	ft <sup>3</sup> /s	10.0	78.8	262	1.60	24.0	32.0
Drainage area	mi <sup>2</sup>	6.77	20.4	195	1.03	14.6	25.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	15.2	75.0	103	4.95	35.4	77.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.035	0.049	0.004	0.058	0.000	0.014
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.384	0.172	0.210	0.204	0.185	0.271
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.732	1.75	0.733	0.584	0.725	0.649
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.366	--	0.306	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	0.172	0.112	0.200	--	0.132
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	6.11	3.73	0.807	1.86	2.41
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.069	0.035	0.078	0.014	0.035
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.074	0.048	0.097	0.021	0.050
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.207	0.099	0.092	0.146	0.068	0.097
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.251	0.113	0.138	0.165	0.096	0.140
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.310	0.142	0.164	0.175	0.138	0.205
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.384	0.172	0.210	0.204	0.185	0.271
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.458	0.270	0.308	0.262	0.329	0.353
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.635	1.13	0.436	0.437	0.616	0.465
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.907	1.70	0.687	0.971	0.959	0.659
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.48	3.86	1.34	1.55	1.64	1.24

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01661800</b>	<b>01661900</b>	<b>01662000</b>	<b>01662156</b>	<b>01662500</b>	<b>01662800</b>
Count	number	720	180	1,320	208	720	1,435
Max	ft <sup>3</sup> /s	113	100	3,610	16.0	223	1,370
Min	ft <sup>3</sup> /s	1.40	2.70	9.80	0.120	0.500	1.10
Median	ft <sup>3</sup> /s	4.50	11.0	82.0	0.360	6.50	11.0
Arithmetic Mean	ft <sup>3</sup> /s	6.79	16.9	147	0.770	13.4	23.5
Geometric Mean	ft <sup>3</sup> /s	--	11.3	--	0.447	--	--
Harmonic Mean	ft <sup>3</sup> /s	4.04	7.83	60.8	0.330	3.82	7.64
Standard Deviation	ft <sup>3</sup> /s	7.86	15.7	237	1.41	21.3	58.6
5th percentile	ft <sup>3</sup> /s	1.90	3.31	23.0	0.150	1.10	2.20
10th percentile	ft <sup>3</sup> /s	2.20	3.88	30.0	0.170	1.60	3.60
20th percentile	ft <sup>3</sup> /s	2.70	4.50	39.0	0.210	2.30	5.00
30th percentile	ft <sup>3</sup> /s	3.17	4.97	50.0	0.241	3.00	6.80
40th percentile	ft <sup>3</sup> /s	3.70	6.00	64.0	0.288	4.60	8.80
50th percentile	ft <sup>3</sup> /s	4.50	11.0	82.0	0.360	6.50	11.0
60th percentile	ft <sup>3</sup> /s	5.40	17.0	103	0.452	9.00	15.0
70th percentile	ft <sup>3</sup> /s	7.10	22.3	143	0.679	12.0	21.0
80th percentile	ft <sup>3</sup> /s	9.42	29.0	198	0.870	17.0	28.0
90th percentile	ft <sup>3</sup> /s	12.0	34.1	307	1.73	31.1	45.0
Drainage area	mi <sup>2</sup>	6.77	20.4	195	1.03	14.6	25.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	16.7	4.90	18.5	15.5	15.3	53.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.207	0.132	0.050	0.117	0.034	0.043
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.665	0.539	0.421	0.350	0.445	0.426
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.00	0.827	0.755	0.748	0.921	0.910
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.553	--	0.434	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.596	0.384	0.312	0.320	0.262	0.296
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	0.770	1.21	1.37	1.46	2.27
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.281	0.162	0.118	0.146	0.075	0.085
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.325	0.190	0.154	0.165	0.110	0.140
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.399	0.221	0.200	0.204	0.158	0.194
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.468	0.244	0.256	0.234	0.205	0.264
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.547	0.294	0.328	0.280	0.315	0.341
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.665	0.539	0.421	0.350	0.445	0.426
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.798	0.833	0.528	0.439	0.616	0.581
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	1.09	0.733	0.659	0.822	0.814
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	1.42	1.02	0.845	1.16	1.09
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.77	1.67	1.57	1.68	2.13	1.74

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01661800</b>	<b>01661900</b>	<b>01662000</b>	<b>01662156</b>	<b>01662500</b>	<b>01662800</b>
Count	number	744	186	1,364	191	744	1,457
Max	ft <sup>3</sup> /s	72.0	250	6,820	5.50	176	764
Min	ft <sup>3</sup> /s	0.540	3.80	12.0	0.190	0.600	1.20
Median	ft <sup>3</sup> /s	5.50	15.0	132	0.480	11.0	19.0
Arithmetic Mean	ft <sup>3</sup> /s	7.07	20.4	200	0.984	17.2	27.5
Geometric Mean	ft <sup>3</sup> /s	--	14.0	--	0.621	--	--
Harmonic Mean	ft <sup>3</sup> /s	4.58	10.6	89.9	0.463	5.60	11.3
Standard Deviation	ft <sup>3</sup> /s	6.60	26.5	303	1.12	19.4	37.4
5th percentile	ft <sup>3</sup> /s	2.00	4.60	37.0	0.210	1.80	4.00
10th percentile	ft <sup>3</sup> /s	2.40	5.20	45.0	0.240	2.40	5.20
20th percentile	ft <sup>3</sup> /s	3.30	5.90	61.0	0.320	4.10	8.20
30th percentile	ft <sup>3</sup> /s	4.20	8.05	87.0	0.400	7.60	12.0
40th percentile	ft <sup>3</sup> /s	4.90	11.0	107	0.400	9.70	15.0
50th percentile	ft <sup>3</sup> /s	5.50	15.0	132	0.480	11.0	19.0
60th percentile	ft <sup>3</sup> /s	6.40	18.0	159	0.530	14.0	23.0
70th percentile	ft <sup>3</sup> /s	7.30	24.0	198	0.680	17.1	29.0
80th percentile	ft <sup>3</sup> /s	8.50	26.0	256	1.70	24.0	36.0
90th percentile	ft <sup>3</sup> /s	12.0	31.0	383	2.90	39.7	55.4
Drainage area	mi <sup>2</sup>	6.77	20.4	195	1.03	14.6	25.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	10.6	12.3	35.0	5.34	12.1	29.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.080	0.186	0.062	0.184	0.041	0.047
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.812	0.735	0.677	0.466	0.753	0.736
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	1.00	1.03	0.955	1.18	1.07
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.687	--	0.602	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.677	0.519	0.461	0.449	0.383	0.438
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.975	1.30	1.55	1.09	1.33	1.45
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	0.225	0.190	0.204	0.123	0.155
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.355	0.255	0.231	0.233	0.164	0.202
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.487	0.289	0.313	0.311	0.281	0.318
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.620	0.395	0.446	0.388	0.521	0.465
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.724	0.539	0.549	0.388	0.664	0.581
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.812	0.735	0.677	0.466	0.753	0.736
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.945	0.882	0.815	0.515	0.959	0.891
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.18	1.02	0.660	1.17	1.12
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.27	1.31	1.65	1.64	1.40
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.77	1.52	1.97	2.82	2.72	2.15

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		January					
	units						
Station Number	number	01663000	01663500	01664000	01664500	01665000	01665500
Count	number	403	1,736	2,015	775	1,488	1,922
Max	ft <sup>3</sup> /s	1,250	9,940	17,100	7,630	378	3,340
Min	ft <sup>3</sup> /s	15.0	33.0	39.0	21.0	1.50	13.0
Median	ft <sup>3</sup> /s	122	287	606	558	15.0	128
Arithmetic Mean	ft <sup>3</sup> /s	160	382	850	769	21.7	171
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	92.2	214	421	361	11.7	98.4
Standard Deviation	ft <sup>3</sup> /s	131	429	1,066	805	27.3	171
5th percentile	ft <sup>3</sup> /s	29.2	80.0	154	167	5.35	38.2
10th percentile	ft <sup>3</sup> /s	44.0	103	219	202	7.10	53.0
20th percentile	ft <sup>3</sup> /s	64.8	163	322	314	9.00	73.0
30th percentile	ft <sup>3</sup> /s	88.0	200	409	388	11.0	91.0
40th percentile	ft <sup>3</sup> /s	110	239	507	474	13.0	109
50th percentile	ft <sup>3</sup> /s	122	287	606	558	15.0	128
60th percentile	ft <sup>3</sup> /s	144	338	719	654	17.0	149
70th percentile	ft <sup>3</sup> /s	180	411	872	779	20.0	182
80th percentile	ft <sup>3</sup> /s	236	516	1,100	1,010	26.0	231
90th percentile	ft <sup>3</sup> /s	314	717	1,550	1,520	38.3	331
Drainage area	mi <sup>2</sup>	139	285	619	641	16.1	115
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.99	34.9	27.6	11.9	23.5	29.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.116	0.063	0.033	0.093	0.113
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.878	1.01	0.979	0.871	0.932	1.11
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	1.34	1.37	1.20	1.35	1.49
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.663	0.750	0.680	0.563	0.730	0.855
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.941	1.51	1.72	1.26	1.70	1.49
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.210	0.281	0.249	0.260	0.332	0.332
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.317	0.361	0.354	0.316	0.441	0.461
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.466	0.572	0.520	0.490	0.559	0.635
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.633	0.702	0.661	0.605	0.683	0.791
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.791	0.839	0.819	0.740	0.807	0.948
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.878	1.01	0.979	0.871	0.932	1.11
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	1.19	1.16	1.02	1.06	1.30
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.44	1.41	1.21	1.24	1.58
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.69	1.81	1.78	1.58	1.61	2.01
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.26	2.52	2.50	2.37	2.38	2.88

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01663000</b>	<b>01663500</b>	<b>01664000</b>	<b>01664500</b>	<b>01665000</b>	<b>01665500</b>
Count	number	368	1,577	1,836	707	1,356	1,751
Max	ft <sup>3</sup> /s	2,300	10,200	26,000	6,600	347	4,010
Min	ft <sup>3</sup> /s	19.0	32.0	58.0	16.0	2.00	16.0
Median	ft <sup>3</sup> /s	151	343	710	718	17.0	141
Arithmetic Mean	ft <sup>3</sup> /s	183	463	982	916	24.9	191
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	106	265	548	381	15.1	118
Standard Deviation	ft <sup>3</sup> /s	174	598	1,309	828	30.8	215
5th percentile	ft <sup>3</sup> /s	39.5	100	210	116	7.50	52.0
10th percentile	ft <sup>3</sup> /s	55.7	152	300	185	8.95	66.0
20th percentile	ft <sup>3</sup> /s	76.0	203	416	370	11.0	84.0
30th percentile	ft <sup>3</sup> /s	90.2	260	520	467	13.0	107
40th percentile	ft <sup>3</sup> /s	126	306	625	594	15.0	122
50th percentile	ft <sup>3</sup> /s	151	343	710	718	17.0	141
60th percentile	ft <sup>3</sup> /s	180	392	809	872	19.0	163
70th percentile	ft <sup>3</sup> /s	219	455	945	1,042	22.0	193
80th percentile	ft <sup>3</sup> /s	255	560	1,170	1,250	27.0	239
90th percentile	ft <sup>3</sup> /s	326	783	1,670	1,700	39.5	320
Drainage area	mi <sup>2</sup>	139	285	619	641	16.1	115
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	16.5	35.8	42.0	10.3	21.6	34.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.137	0.112	0.094	0.025	0.124	0.139
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.20	1.15	1.12	1.06	1.23
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	1.62	1.59	1.43	1.54	1.66
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.762	0.929	0.885	0.595	0.935	1.03
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	2.10	2.11	1.29	1.91	1.87
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.284	0.351	0.339	0.181	0.466	0.452
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.401	0.532	0.485	0.289	0.556	0.574
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.547	0.712	0.672	0.577	0.683	0.730
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.649	0.912	0.840	0.728	0.807	0.930
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.904	1.08	1.01	0.927	0.932	1.06
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.20	1.15	1.12	1.06	1.23
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.37	1.31	1.36	1.18	1.42
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.58	1.60	1.53	1.63	1.37	1.68
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.84	1.96	1.89	1.95	1.68	2.08
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.34	2.75	2.70	2.65	2.45	2.78

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01663000</b>	<b>01663500</b>	<b>01664000</b>	<b>01664500</b>	<b>01665000</b>	<b>01665500</b>
Count	number	403	1,732	2,015	775	1,488	1,922
Max	ft <sup>3</sup> /s	3,190	8,540	27,400	13,000	495	3,640
Min	ft <sup>3</sup> /s	56.0	60.0	120	70.0	6.30	35.0
Median	ft <sup>3</sup> /s	193	397	832	739	18.0	174
Arithmetic Mean	ft <sup>3</sup> /s	265	545	1,179	975	28.1	238
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	178	357	725	606	17.4	156
Standard Deviation	ft <sup>3</sup> /s	285	548	1,333	895	33.1	239
5th percentile	ft <sup>3</sup> /s	88.0	162	326	330	9.00	71.0
10th percentile	ft <sup>3</sup> /s	107	203	400	414	10.0	89.0
20th percentile	ft <sup>3</sup> /s	130	261	508	492	12.0	111
30th percentile	ft <sup>3</sup> /s	144	303	609	578	14.0	128
40th percentile	ft <sup>3</sup> /s	170	347	716	656	16.0	150
50th percentile	ft <sup>3</sup> /s	193	397	832	739	18.0	174
60th percentile	ft <sup>3</sup> /s	219	456	987	842	21.0	201
70th percentile	ft <sup>3</sup> /s	270	558	1,200	990	25.0	248
80th percentile	ft <sup>3</sup> /s	338	717	1,510	1,190	32.0	310
90th percentile	ft <sup>3</sup> /s	461	978	2,156	1,750	55.0	429
Drainage area	mi <sup>2</sup>	139	285	619	641	16.1	115
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	22.9	30.0	44.3	20.3	30.7	31.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.403	0.211	0.194	0.109	0.391	0.304
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	1.39	1.34	1.15	1.12	1.51
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.91	1.91	1.91	1.52	1.75	2.07
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.25	1.17	0.945	1.08	1.35
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.05	1.92	2.15	1.40	2.05	2.08
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.633	0.568	0.526	0.515	0.559	0.617
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.770	0.713	0.646	0.645	0.621	0.774
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.935	0.916	0.820	0.768	0.745	0.965
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	1.06	0.984	0.902	0.870	1.11
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	1.22	1.16	1.02	0.994	1.30
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	1.39	1.34	1.15	1.12	1.51
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.58	1.60	1.59	1.31	1.30	1.75
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.95	1.96	1.94	1.54	1.55	2.16
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.43	2.52	2.44	1.86	1.99	2.69
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.32	3.43	3.48	2.73	3.42	3.73

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01663000</b>	<b>01663500</b>	<b>01664000</b>	<b>01664500</b>	<b>01665000</b>	<b>01665500</b>
Count	number	390	1,680	1,950	750	1,440	1,860
Max	ft <sup>3</sup> /s	2,100	6,860	12,000	43,000	275	3,830
Min	ft <sup>3</sup> /s	60.0	98.0	182	128	5.40	48.0
Median	ft <sup>3</sup> /s	180	370	762	671	15.0	156
Arithmetic Mean	ft <sup>3</sup> /s	240	527	1,047	1,086	22.9	224
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	155	330	652	618	14.5	145
Standard Deviation	ft <sup>3</sup> /s	227	561	1,098	1,966	26.8	231
5th percentile	ft <sup>3</sup> /s	75.0	160	300	296	7.60	72.0
10th percentile	ft <sup>3</sup> /s	88.0	182	354	370	8.60	81.0
20th percentile	ft <sup>3</sup> /s	101	222	438	442	10.0	100
30th percentile	ft <sup>3</sup> /s	120	270	532	501	11.0	117
40th percentile	ft <sup>3</sup> /s	139	314	644	578	13.0	135
50th percentile	ft <sup>3</sup> /s	180	370	762	671	15.0	156
60th percentile	ft <sup>3</sup> /s	220	448	906	817	18.0	188
70th percentile	ft <sup>3</sup> /s	263	542	1,070	990	21.0	230
80th percentile	ft <sup>3</sup> /s	322	691	1,330	1,232	27.0	293
90th percentile	ft <sup>3</sup> /s	399	958	1,850	1,741	41.0	415
Drainage area	mi <sup>2</sup>	139	285	619	641	16.1	115
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	15.1	24.1	19.4	67.1	17.1	33.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.432	0.344	0.294	0.200	0.335	0.417
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.30	1.23	1.05	0.932	1.36
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.72	1.85	1.69	1.69	1.42	1.95
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	1.16	1.05	0.963	0.899	1.27
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.64	1.97	1.77	3.07	1.66	2.01
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.540	0.562	0.485	0.462	0.472	0.626
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.633	0.639	0.572	0.577	0.534	0.704
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.725	0.779	0.707	0.689	0.621	0.870
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.863	0.947	0.859	0.782	0.683	1.02
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.997	1.10	1.04	0.902	0.807	1.17
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.30	1.23	1.05	0.932	1.36
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.58	1.57	1.46	1.27	1.12	1.63
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.89	1.90	1.73	1.54	1.30	2.00
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.32	2.43	2.15	1.92	1.68	2.55
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.87	3.36	2.99	2.72	2.55	3.61



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	01663000	01663500	01664000	01664500	01665000	01665500
Count	number	403	1,736	2,015	775	1,488	1,922
Max	ft <sup>3</sup> /s	1,540	4,660	12,600	8,980	422	2,710
Min	ft <sup>3</sup> /s	38.0	50.0	98.0	81.0	3.00	27.0
Median	ft <sup>3</sup> /s	152	305	598	585	11.0	133
Arithmetic Mean	ft <sup>3</sup> /s	200	410	820	800	17.7	173
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	124	256	490	480	10.3	113
Standard Deviation	ft <sup>3</sup> /s	175	392	851	839	24.2	170
5th percentile	ft <sup>3</sup> /s	52.0	117	216	216	4.90	53.0
10th percentile	ft <sup>3</sup> /s	63.0	138	265	258	5.80	64.0
20th percentile	ft <sup>3</sup> /s	80.0	171	331	323	7.00	78.0
30th percentile	ft <sup>3</sup> /s	105	209	405	404	8.21	94.0
40th percentile	ft <sup>3</sup> /s	130	254	497	491	9.60	111
50th percentile	ft <sup>3</sup> /s	152	305	598	585	11.0	133
60th percentile	ft <sup>3</sup> /s	184	363	707	692	14.0	154
70th percentile	ft <sup>3</sup> /s	217	430	846	820	16.0	182
80th percentile	ft <sup>3</sup> /s	276	542	1,060	1,020	21.0	217
90th percentile	ft <sup>3</sup> /s	371	782	1,520	1,450	31.0	300
Drainage area	mi <sup>2</sup>	139	285	619	641	16.1	115
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	11.1	16.4	20.4	14.0	26.2	23.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.273	0.175	0.158	0.126	0.186	0.235
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.07	0.966	0.913	0.683	1.15
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	1.44	1.33	1.25	1.10	1.50
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.895	0.897	0.791	0.749	0.639	0.983
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.38	1.38	1.31	1.50	1.48
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.374	0.410	0.349	0.337	0.304	0.461
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.453	0.482	0.428	0.402	0.360	0.557
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.576	0.600	0.535	0.504	0.435	0.678
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.753	0.733	0.654	0.630	0.510	0.817
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.935	0.891	0.802	0.766	0.596	0.965
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.07	0.966	0.913	0.683	1.15
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	1.27	1.14	1.08	0.870	1.34
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.51	1.37	1.28	0.994	1.58
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.99	1.90	1.71	1.59	1.30	1.89
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.67	2.74	2.46	2.26	1.93	2.61

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	01663000	01663500	01664000	01664500	01665000	01665500
Count	number	390	1,678	1,950	750	1,440	1,860
Max	ft <sup>3</sup> /s	1,580	19,800	45,800	6,520	555	29,400
Min	ft <sup>3</sup> /s	9.40	22.0	33.0	56.0	1.30	11.0
Median	ft <sup>3</sup> /s	86.0	186	381	350	7.40	77.0
Arithmetic Mean	ft <sup>3</sup> /s	135	287	595	502	13.1	159
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	64.3	142	266	285	5.95	63.0
Standard Deviation	ft <sup>3</sup> /s	174	595	1,377	557	27.1	781
5th percentile	ft <sup>3</sup> /s	26.0	53.0	89.0	122	2.40	25.0
10th percentile	ft <sup>3</sup> /s	32.0	70.0	136	159	2.99	31.0
20th percentile	ft <sup>3</sup> /s	41.0	100	198	201	4.10	44.0
30th percentile	ft <sup>3</sup> /s	59.0	126	251	239	5.20	55.0
40th percentile	ft <sup>3</sup> /s	71.0	156	315	291	6.30	65.0
50th percentile	ft <sup>3</sup> /s	86.0	186	381	350	7.40	77.0
60th percentile	ft <sup>3</sup> /s	102	218	446	405	8.90	91.0
70th percentile	ft <sup>3</sup> /s	122	264	540	482	11.0	112
80th percentile	ft <sup>3</sup> /s	165	332	690	632	14.0	147
90th percentile	ft <sup>3</sup> /s	267	527	1,051	973	22.0	240
Drainage area	mi <sup>2</sup>	139	285	619	641	16.1	115
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	11.4	69.5	74.0	10.2	34.5	256
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.068	0.077	0.053	0.087	0.081	0.096
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.619	0.653	0.615	0.546	0.460	0.670
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.972	1.01	0.962	0.783	0.814	1.38
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.463	0.498	0.429	0.445	0.369	0.548
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	2.09	2.22	0.869	1.69	6.79
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.187	0.186	0.144	0.191	0.149	0.217
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.230	0.246	0.220	0.248	0.186	0.270
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	0.351	0.320	0.313	0.255	0.383
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.424	0.442	0.405	0.373	0.323	0.478
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.511	0.547	0.508	0.453	0.391	0.565
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.619	0.653	0.615	0.546	0.460	0.670
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.734	0.765	0.721	0.632	0.553	0.791
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.877	0.926	0.872	0.752	0.683	0.974
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	1.16	1.12	0.987	0.870	1.28
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.92	1.85	1.70	1.52	1.37	2.09

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	01663000	01663500	01664000	01664500	01665000	01665500
Count	number	403	1,736	2,015	775	1,488	1,891
Max	ft <sup>3</sup> /s	1,600	3,140	8,950	6,000	306	1,570
Min	ft <sup>3</sup> /s	1.50	5.30	8.40	5.00	0.400	4.60
Median	ft <sup>3</sup> /s	53.0	107	209	245	5.20	47.0
Arithmetic Mean	ft <sup>3</sup> /s	97.1	169	343	393	10.6	78.3
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	26.2	65.6	116	116	3.69	31.5
Standard Deviation	ft <sup>3</sup> /s	172	241	531	514	24.2	121
5th percentile	ft <sup>3</sup> /s	8.00	22.0	36.0	39.8	1.50	10.0
10th percentile	ft <sup>3</sup> /s	12.2	31.0	52.0	76.0	1.80	15.0
20th percentile	ft <sup>3</sup> /s	19.0	46.0	83.8	125	2.40	21.0
30th percentile	ft <sup>3</sup> /s	28.0	63.0	118	161	3.10	30.0
40th percentile	ft <sup>3</sup> /s	41.8	84.0	159	200	4.10	38.0
50th percentile	ft <sup>3</sup> /s	53.0	107	209	245	5.20	47.0
60th percentile	ft <sup>3</sup> /s	60.0	131	263	293	6.20	58.0
70th percentile	ft <sup>3</sup> /s	73.4	162	328	363	7.40	72.0
80th percentile	ft <sup>3</sup> /s	117	210	445	498	10.0	94.0
90th percentile	ft <sup>3</sup> /s	199	335	702	842	16.0	150
Drainage area	mi <sup>2</sup>	139	285	619	641	16.1	115
Max	ft <sup>3</sup> /mi <sup>2</sup>	11.5	11.0	14.5	9.36	19.0	13.7
Min	ft <sup>3</sup> /mi <sup>2</sup>	0.011	0.019	0.014	0.008	0.025	0.040
Median	ft <sup>3</sup> /mi <sup>2</sup>	0.381	0.374	0.338	0.382	0.323	0.409
Arithmetic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.698	0.594	0.555	0.613	0.661	0.681
Geometric Mean	ft <sup>3</sup> /mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.188	0.230	0.188	0.182	0.229	0.274
Standard Deviation	ft <sup>3</sup> /mi <sup>2</sup>	1.23	0.845	0.858	0.802	1.50	1.05
5th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.058	0.077	0.058	0.062	0.093	0.087
10th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.088	0.109	0.084	0.119	0.112	0.130
20th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.137	0.161	0.135	0.195	0.149	0.183
30th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.201	0.221	0.191	0.251	0.193	0.261
40th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.301	0.295	0.257	0.312	0.255	0.330
50th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.381	0.374	0.338	0.382	0.323	0.409
60th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.432	0.460	0.425	0.458	0.385	0.504
70th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.528	0.567	0.530	0.566	0.460	0.626
80th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.843	0.737	0.719	0.776	0.621	0.817
90th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.43	1.17	1.13	1.31	0.994	1.30

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01663000</b>	<b>01663500</b>	<b>01664000</b>	<b>01664500</b>	<b>01665000</b>	<b>01665500</b>
Count	number	403	1,767	2,015	775	1,488	1,891
Max	ft <sup>3</sup> /s	17,200	23,800	26,800	8,180	1,150	10,600
Min	ft <sup>3</sup> /s	1.20	1.30	4.30	2.00	0.100	0.870
Median	ft <sup>3</sup> /s	44.0	83.0	147	202	4.20	35.0
Arithmetic Mean	ft <sup>3</sup> /s	161	180	349	493	9.88	85.9
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	20.4	34.8	60.6	50.7	2.66	18.1
Standard Deviation	ft <sup>3</sup> /s	888	729	1,091	982	37.3	328
5th percentile	ft <sup>3</sup> /s	4.92	9.88	17.0	13.8	1.10	5.70
10th percentile	ft <sup>3</sup> /s	10.0	14.0	26.0	34.0	1.50	7.80
20th percentile	ft <sup>3</sup> /s	22.0	25.0	43.0	85.0	1.90	13.0
30th percentile	ft <sup>3</sup> /s	32.0	42.0	68.2	129	2.50	20.0
40th percentile	ft <sup>3</sup> /s	37.0	65.0	106	166	3.30	27.0
50th percentile	ft <sup>3</sup> /s	44.0	83.0	147	202	4.20	35.0
60th percentile	ft <sup>3</sup> /s	60.0	104	192	259	5.70	46.0
70th percentile	ft <sup>3</sup> /s	88.0	134	253	379	7.39	60.0
80th percentile	ft <sup>3</sup> /s	130	188	368	571	9.56	84.0
90th percentile	ft <sup>3</sup> /s	260	331	649	1,016	16.0	135
Drainage area	mi <sup>2</sup>	139	285	619	641	16.1	115
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	124	83.5	43.3	12.8	71.4	92.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.009	0.005	0.007	0.003	0.006	0.008
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.317	0.291	0.237	0.315	0.261	0.304
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	0.632	0.563	0.768	0.614	0.747
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.147	0.122	0.098	0.079	0.165	0.157
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	6.39	2.56	1.76	1.53	2.32	2.86
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.035	0.035	0.027	0.022	0.068	0.050
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.072	0.049	0.042	0.053	0.093	0.068
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.158	0.088	0.069	0.133	0.118	0.113
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.230	0.147	0.110	0.202	0.155	0.174
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.266	0.228	0.171	0.259	0.205	0.235
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.317	0.291	0.237	0.315	0.261	0.304
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.432	0.365	0.310	0.404	0.354	0.400
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.633	0.471	0.409	0.592	0.459	0.522
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.935	0.660	0.595	0.891	0.594	0.730
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.87	1.16	1.05	1.59	0.994	1.17

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01663000</b>	<b>01663500</b>	<b>01664000</b>	<b>01664500</b>	<b>01665000</b>	<b>01665500</b>
Count	number	390	1,710	1,950	750	1,461	1,830
Max	ft <sup>3</sup> /s	2,770	13,300	28,200	11,900	625	9,810
Min	ft <sup>3</sup> /s	1.10	1.10	2.90	3.00	0.100	0.450
Median	ft <sup>3</sup> /s	46.0	68.0	123	192	4.10	32.0
Arithmetic Mean	ft <sup>3</sup> /s	85.8	200	399	387	11.3	103
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	12.9	24.9	51.5	62.2	2.69	16.7
Standard Deviation	ft <sup>3</sup> /s	194	624	1,292	859	34.5	391
5th percentile	ft <sup>3</sup> /s	3.00	6.30	13.0	14.0	1.20	5.00
10th percentile	ft <sup>3</sup> /s	4.30	11.0	20.0	28.0	1.60	8.20
20th percentile	ft <sup>3</sup> /s	13.8	21.0	37.0	58.8	2.00	13.0
30th percentile	ft <sup>3</sup> /s	21.0	35.0	61.0	88.0	2.50	18.0
40th percentile	ft <sup>3</sup> /s	32.6	52.0	86.6	132	3.20	23.6
50th percentile	ft <sup>3</sup> /s	46.0	68.0	123	192	4.10	32.0
60th percentile	ft <sup>3</sup> /s	59.4	91.0	170	250	5.10	42.0
70th percentile	ft <sup>3</sup> /s	74.0	132	243	320	6.10	59.0
80th percentile	ft <sup>3</sup> /s	93.2	192	368	448	8.90	96.0
90th percentile	ft <sup>3</sup> /s	151	404	747	729	16.0	175
Drainage area	mi <sup>2</sup>	139	285	619	641	16.1	115
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	19.9	46.7	45.6	18.6	38.8	85.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.008	0.004	0.005	0.005	0.006	0.004
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.331	0.239	0.199	0.300	0.255	0.278
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.617	0.702	0.645	0.604	0.704	0.893
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.093	0.087	0.083	0.097	0.167	0.145
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	2.19	2.09	1.34	2.14	3.40
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.022	0.022	0.021	0.022	0.075	0.043
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.031	0.039	0.032	0.044	0.099	0.071
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.099	0.074	0.060	0.092	0.124	0.113
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.151	0.123	0.099	0.137	0.155	0.157
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.235	0.182	0.140	0.205	0.199	0.205
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.331	0.239	0.199	0.300	0.255	0.278
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.427	0.319	0.275	0.390	0.317	0.365
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.532	0.463	0.393	0.500	0.379	0.513
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.671	0.674	0.595	0.699	0.553	0.835
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.42	1.21	1.14	0.994	1.52

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01663000</b>	<b>01663500</b>	<b>01664000</b>	<b>01664500</b>	<b>01665000</b>	<b>01665500</b>
Count	number	403	1,774	2,046	775	1,488	1,953
Max	ft <sup>3</sup> /s	1,330	34,600	64,000	64,500	419	12,500
Min	ft <sup>3</sup> /s	1.00	0.990	4.20	1.00	0.100	3.80
Median	ft <sup>3</sup> /s	49.0	101	177	229	5.60	46.0
Arithmetic Mean	ft <sup>3</sup> /s	73.0	276	483	628	12.4	130
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	15.0	42.2	82.6	28.7	3.75	28.3
Standard Deviation	ft <sup>3</sup> /s	114	1,111	1,895	2,894	26.2	434
5th percentile	ft <sup>3</sup> /s	3.80	14.0	24.0	20.4	1.60	8.60
10th percentile	ft <sup>3</sup> /s	6.50	20.0	35.0	40.4	2.00	12.0
20th percentile	ft <sup>3</sup> /s	9.00	35.0	61.0	63.0	2.74	18.0
30th percentile	ft <sup>3</sup> /s	32.0	53.0	93.0	117	3.71	25.0
40th percentile	ft <sup>3</sup> /s	42.8	75.0	134	174	4.80	34.0
50th percentile	ft <sup>3</sup> /s	49.0	101	177	229	5.60	46.0
60th percentile	ft <sup>3</sup> /s	60.2	140	240	279	6.70	65.2
70th percentile	ft <sup>3</sup> /s	70.0	195	329	352	8.40	97.0
80th percentile	ft <sup>3</sup> /s	91.8	289	510	489	12.0	142
90th percentile	ft <sup>3</sup> /s	130	533	943	929	22.0	250
Drainage area	mi <sup>2</sup>	139	285	619	641	16.1	115
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	9.57	121	103	101	26.0	109
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.007	0.003	0.007	0.002	0.006	0.033
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.353	0.354	0.286	0.357	0.348	0.400
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.525	0.968	0.781	0.980	0.771	1.13
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.148	0.134	0.045	0.233	0.246
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.821	3.90	3.06	4.51	1.63	3.77
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.027	0.049	0.039	0.032	0.099	0.075
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.047	0.070	0.057	0.063	0.124	0.104
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.065	0.123	0.099	0.098	0.170	0.157
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.230	0.186	0.150	0.183	0.230	0.217
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.308	0.263	0.216	0.271	0.298	0.296
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.353	0.354	0.286	0.357	0.348	0.400
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.433	0.491	0.388	0.436	0.416	0.567
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.504	0.684	0.532	0.549	0.522	0.843
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.660	1.02	0.824	0.763	0.745	1.23
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.935	1.87	1.52	1.45	1.37	2.17

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01663000</b>	<b>01663500</b>	<b>01664000</b>	<b>01664500</b>	<b>01665000</b>	<b>01665500</b>
Count	number	390	1,705	1,975	750	1,440	1,885
Max	ft <sup>3</sup> /s	3,590	18,500	20,100	14,400	642	5,790
Min	ft <sup>3</sup> /s	15.0	16.0	29.0	14.0	0.900	12.0
Median	ft <sup>3</sup> /s	59.0	165	297	285	9.40	80.0
Arithmetic Mean	ft <sup>3</sup> /s	135	313	591	543	16.2	144
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	50.3	115	217	159	6.58	54.3
Standard Deviation	ft <sup>3</sup> /s	292	725	1,093	894	33.0	292
5th percentile	ft <sup>3</sup> /s	18.0	40.3	74.8	32.0	1.80	20.0
10th percentile	ft <sup>3</sup> /s	25.0	51.0	99.0	80.7	3.40	24.0
20th percentile	ft <sup>3</sup> /s	34.0	72.8	134	142	5.40	32.0
30th percentile	ft <sup>3</sup> /s	43.0	94.0	181	196	6.50	42.0
40th percentile	ft <sup>3</sup> /s	49.0	123	232	230	7.80	59.0
50th percentile	ft <sup>3</sup> /s	59.0	165	297	285	9.40	80.0
60th percentile	ft <sup>3</sup> /s	71.0	207	394	370	11.0	100
70th percentile	ft <sup>3</sup> /s	88.0	273	534	522	13.0	129
80th percentile	ft <sup>3</sup> /s	151	389	760	734	16.0	176
90th percentile	ft <sup>3</sup> /s	290	613	1,200	1,110	26.0	297
Drainage area	mi <sup>2</sup>	139	285	619	641	16.1	115
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	25.8	64.9	32.5	22.5	39.9	50.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.056	0.047	0.022	0.056	0.104
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.424	0.579	0.480	0.445	0.584	0.696
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.973	1.10	0.954	0.847	1.00	1.25
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.362	0.402	0.350	0.248	0.409	0.472
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.10	2.54	1.77	1.39	2.05	2.54
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.129	0.141	0.121	0.050	0.112	0.174
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.180	0.179	0.160	0.126	0.211	0.209
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.245	0.255	0.216	0.222	0.335	0.278
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.309	0.330	0.292	0.305	0.404	0.365
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.353	0.430	0.375	0.359	0.484	0.513
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.424	0.579	0.480	0.445	0.584	0.696
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.511	0.728	0.637	0.577	0.683	0.870
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.633	0.958	0.863	0.814	0.807	1.12
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.37	1.23	1.15	0.994	1.53
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.09	2.15	1.94	1.73	1.61	2.58

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01663000</b>	<b>01663500</b>	<b>01664000</b>	<b>01664500</b>	<b>01665000</b>	<b>01665500</b>
Count	number	403	1,736	2,015	775	1,488	1,922
Max	ft <sup>3</sup> /s	5,000	10,400	14,800	15,100	712	3,790
Min	ft <sup>3</sup> /s	13.0	15.0	35.0	10.0	0.900	15.0
Median	ft <sup>3</sup> /s	100	243	480	444	13.0	115
Arithmetic Mean	ft <sup>3</sup> /s	169	355	739	698	19.6	165
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	64.2	163	320	206	9.66	80.1
Standard Deviation	ft <sup>3</sup> /s	315	477	1,001	1,060	29.7	195
5th percentile	ft <sup>3</sup> /s	17.2	64.0	113	54.8	5.10	25.0
10th percentile	ft <sup>3</sup> /s	32.0	80.0	150	99.0	5.90	35.0
20th percentile	ft <sup>3</sup> /s	42.4	117	226	185	7.40	58.2
30th percentile	ft <sup>3</sup> /s	56.0	156	307	292	9.10	78.0
40th percentile	ft <sup>3</sup> /s	75.0	199	389	380	11.0	94.0
50th percentile	ft <sup>3</sup> /s	100	243	480	444	13.0	115
60th percentile	ft <sup>3</sup> /s	130	297	600	541	15.0	138
70th percentile	ft <sup>3</sup> /s	160	367	747	644	17.0	171
80th percentile	ft <sup>3</sup> /s	202	470	971	860	22.0	223
90th percentile	ft <sup>3</sup> /s	312	707	1,466	1,360	35.0	335
Drainage area	mi <sup>2</sup>	139	285	619	641	16.1	115
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	36.0	36.5	23.9	23.6	44.2	33.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.094	0.053	0.057	0.016	0.056	0.130
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.719	0.853	0.775	0.693	0.807	1.00
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	1.25	1.19	1.09	1.22	1.43
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.462	0.573	0.517	0.321	0.600	0.697
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.27	1.67	1.62	1.65	1.84	1.70
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.124	0.225	0.182	0.085	0.317	0.217
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.230	0.281	0.242	0.154	0.366	0.304
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.305	0.411	0.365	0.289	0.460	0.506
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.403	0.547	0.496	0.455	0.565	0.678
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.540	0.698	0.629	0.593	0.683	0.817
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.719	0.853	0.775	0.693	0.807	1.00
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.935	1.04	0.969	0.845	0.932	1.20
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	1.29	1.21	1.00	1.06	1.49
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.45	1.65	1.57	1.34	1.37	1.94
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.24	2.48	2.37	2.12	2.17	2.91



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>01666500</b>	<b>01667000</b>	<b>01667500</b>	<b>01667870</b>	<b>01668000</b>	<b>01668500</b>
Count	number	1,984	155	2,387	93.0	3,100	1,736
Max	ft <sup>3</sup> /s	6,760	3,730	11,300	419	47,000	843
Min	ft <sup>3</sup> /s	30.0	107	47.0	12.0	147	5.00
Median	ft <sup>3</sup> /s	193	326	466	26.0	1,450	44.0
Arithmetic Mean	ft <sup>3</sup> /s	267	422	663	42.1	2,191	59.2
Geometric Mean	ft <sup>3</sup> /s	--	--	--	30.1	--	--
Harmonic Mean	ft <sup>3</sup> /s	156	323	342	25.2	1,082	35.7
Standard Deviation	ft <sup>3</sup> /s	348	400	787	57.6	2,892	58.8
5th percentile	ft <sup>3</sup> /s	61.3	192	120	12.0	382	14.0
10th percentile	ft <sup>3</sup> /s	82.0	212	162	14.0	540	19.0
20th percentile	ft <sup>3</sup> /s	112	248	250	19.0	807	25.0
30th percentile	ft <sup>3</sup> /s	143	291	322	22.0	1,040	30.0
40th percentile	ft <sup>3</sup> /s	167	308	389	24.0	1,220	38.0
50th percentile	ft <sup>3</sup> /s	193	326	466	26.0	1,450	44.0
60th percentile	ft <sup>3</sup> /s	224	349	552	28.2	1,750	51.0
70th percentile	ft <sup>3</sup> /s	267	400	675	36.0	2,090	62.0
80th percentile	ft <sup>3</sup> /s	337	447	886	44.2	2,740	78.0
90th percentile	ft <sup>3</sup> /s	475	613	1,274	64.8	4,131	111
Drainage area	mi <sup>2</sup>	179	445	468	28.8	1595	45.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	37.8	8.38	24.1	14.5	29.5	18.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.168	0.240	0.100	0.417	0.092	0.110
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	0.733	0.996	0.903	0.909	0.965
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	0.949	1.42	1.46	1.37	1.30
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	1.04	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.872	0.725	0.731	0.876	0.679	0.783
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.94	0.899	1.68	2.00	1.81	1.29
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.342	0.432	0.256	0.417	0.240	0.307
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.458	0.476	0.345	0.486	0.339	0.417
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.626	0.558	0.534	0.660	0.506	0.548
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.799	0.654	0.688	0.764	0.652	0.658
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.933	0.692	0.831	0.833	0.765	0.833
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	0.733	0.996	0.903	0.909	0.965
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	0.784	1.18	0.979	1.10	1.12
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	0.900	1.44	1.25	1.31	1.36
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.88	1.00	1.89	1.53	1.72	1.71
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.65	1.38	2.72	2.25	2.59	2.42

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01666500</b>	<b>01667000</b>	<b>01667500</b>	<b>01667870</b>	<b>01668000</b>	<b>01668500</b>
Count	number	1,808	141	2,174	85.0	2,825	1,582
Max	ft <sup>3</sup> /s	5,350	2,680	12,800	150	52,000	1,890
Min	ft <sup>3</sup> /s	37.0	212	44.0	7.20	126	12.0
Median	ft <sup>3</sup> /s	216	472	542	19.0	1,720	49.5
Arithmetic Mean	ft <sup>3</sup> /s	297	616	728	23.5	2,473	65.2
Geometric Mean	ft <sup>3</sup> /s	--	--	--	20.2	--	--
Harmonic Mean	ft <sup>3</sup> /s	184	455	412	17.8	1,313	43.0
Standard Deviation	ft <sup>3</sup> /s	395	424	874	17.8	3,150	83.5
5th percentile	ft <sup>3</sup> /s	80.0	270	164	8.18	496	19.0
10th percentile	ft <sup>3</sup> /s	107	291	220	10.0	730	24.0
20th percentile	ft <sup>3</sup> /s	137	308	298	15.0	984	32.0
30th percentile	ft <sup>3</sup> /s	168	332	386	16.2	1,220	36.0
40th percentile	ft <sup>3</sup> /s	191	382	463	18.0	1,480	42.0
50th percentile	ft <sup>3</sup> /s	216	472	542	19.0	1,720	49.5
60th percentile	ft <sup>3</sup> /s	244	552	632	22.0	2,034	59.0
70th percentile	ft <sup>3</sup> /s	285	695	750	25.0	2,430	71.0
80th percentile	ft <sup>3</sup> /s	340	845	900	29.4	3,020	83.8
90th percentile	ft <sup>3</sup> /s	482	1,060	1,280	34.6	4,470	111
Drainage area	mi <sup>2</sup>	179	445	468	28.8	1595	45.6
Max	ft <sup>3</sup> /mi <sup>2</sup>	29.9	6.02	27.4	5.21	32.6	41.4
Min	ft <sup>3</sup> /mi <sup>2</sup>	0.207	0.476	0.094	0.250	0.079	0.263
Median	ft <sup>3</sup> /mi <sup>2</sup>	1.21	1.06	1.16	0.660	1.08	1.09
Arithmetic Mean	ft <sup>3</sup> /mi <sup>2</sup>	1.66	1.38	1.56	0.816	1.55	1.43
Geometric Mean	ft <sup>3</sup> /mi <sup>2</sup>	--	--	--	0.700	--	--
Harmonic Mean	ft <sup>3</sup> /mi <sup>2</sup>	1.03	1.02	0.880	0.619	0.823	0.943
Standard Deviation	ft <sup>3</sup> /mi <sup>2</sup>	2.21	0.952	1.87	0.620	1.98	1.83
5th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.447	0.608	0.350	0.284	0.311	0.417
10th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.598	0.654	0.470	0.347	0.458	0.526
20th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.765	0.692	0.637	0.521	0.617	0.702
30th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.939	0.746	0.825	0.563	0.765	0.789
40th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.07	0.858	0.989	0.625	0.928	0.921
50th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.21	1.06	1.16	0.660	1.08	1.09
60th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.36	1.24	1.35	0.764	1.28	1.29
70th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.59	1.56	1.60	0.868	1.52	1.56
80th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.90	1.90	1.92	1.02	1.89	1.84
90th percentile	ft <sup>3</sup> /mi <sup>2</sup>	2.69	2.38	2.74	1.20	2.80	2.43

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01666500</b>	<b>01667000</b>	<b>01667500</b>	<b>01667870</b>	<b>01668000</b>	<b>01668500</b>
Count	number	1,984	155	2,387	93.0	3,100	1,736
Max	ft <sup>3</sup> /s	6,120	2,530	15,900	200	51,500	1,080
Min	ft <sup>3</sup> /s	43.0	212	94.0	16.0	206	13.0
Median	ft <sup>3</sup> /s	247	366	602	23.0	1,830	58.0
Arithmetic Mean	ft <sup>3</sup> /s	341	476	835	30.9	2,694	77.6
Geometric Mean	ft <sup>3</sup> /s	--	--	--	26.7	--	--
Harmonic Mean	ft <sup>3</sup> /s	226	379	531	24.6	1,596	51.3
Standard Deviation	ft <sup>3</sup> /s	370	338	872	25.2	3,081	73.8
5th percentile	ft <sup>3</sup> /s	111	242	254	17.0	763	23.0
10th percentile	ft <sup>3</sup> /s	131	262	303	18.0	913	28.0
20th percentile	ft <sup>3</sup> /s	164	285	389	19.0	1,150	36.0
30th percentile	ft <sup>3</sup> /s	190	310	454	20.0	1,350	43.0
40th percentile	ft <sup>3</sup> /s	216	338	530	21.8	1,580	50.0
50th percentile	ft <sup>3</sup> /s	247	366	602	23.0	1,830	58.0
60th percentile	ft <sup>3</sup> /s	283	402	703	25.0	2,150	68.0
70th percentile	ft <sup>3</sup> /s	338	464	838	28.8	2,570	83.0
80th percentile	ft <sup>3</sup> /s	422	575	1,058	33.0	3,290	103
90th percentile	ft <sup>3</sup> /s	589	743	1,520	48.6	5,030	139
Drainage area	mi <sup>2</sup>	179	445	468	28.8	1595	45.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	34.2	5.69	34.0	6.94	32.3	23.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.240	0.476	0.201	0.556	0.129	0.285
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	0.822	1.29	0.799	1.15	1.27
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.91	1.07	1.78	1.07	1.69	1.70
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.927	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	0.853	1.13	0.855	1.00	1.13
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.06	0.759	1.86	0.876	1.93	1.62
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.620	0.543	0.543	0.590	0.478	0.504
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.732	0.590	0.647	0.625	0.572	0.614
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.916	0.640	0.831	0.660	0.721	0.789
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	0.696	0.970	0.694	0.846	0.943
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	0.760	1.13	0.757	0.991	1.10
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	0.822	1.29	0.799	1.15	1.27
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.58	0.903	1.50	0.868	1.35	1.49
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.89	1.04	1.79	1.000	1.61	1.82
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.36	1.29	2.26	1.15	2.06	2.26
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.29	1.67	3.25	1.69	3.15	3.05

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01666500</b>	<b>01667000</b>	<b>01667500</b>	<b>01667870</b>	<b>01668000</b>	<b>01668500</b>
Count	number	1,915	180	2,310	63.0	3,000	1,680
Max	ft <sup>3</sup> /s	5,070	4,880	38,000	222	81,100	836
Min	ft <sup>3</sup> /s	72.0	223	167	16.0	385	12.0
Median	ft <sup>3</sup> /s	222	413	534	26.0	1,620	56.0
Arithmetic Mean	ft <sup>3</sup> /s	304	619	771	31.0	2,485	68.1
Geometric Mean	ft <sup>3</sup> /s	--	--	--	27.5	--	--
Harmonic Mean	ft <sup>3</sup> /s	205	419	494	25.8	1,466	45.8
Standard Deviation	ft <sup>3</sup> /s	325	637	1,098	26.5	3,511	50.0
5th percentile	ft <sup>3</sup> /s	103	239	242	17.2	703	18.0
10th percentile	ft <sup>3</sup> /s	119	267	274	19.0	807	24.9
20th percentile	ft <sup>3</sup> /s	144	291	346	21.0	1,030	33.0
30th percentile	ft <sup>3</sup> /s	167	324	402	21.0	1,220	39.0
40th percentile	ft <sup>3</sup> /s	193	356	463	23.8	1,390	47.0
50th percentile	ft <sup>3</sup> /s	222	413	534	26.0	1,620	56.0
60th percentile	ft <sup>3</sup> /s	259	478	647	27.0	1,920	65.0
70th percentile	ft <sup>3</sup> /s	306	612	775	30.0	2,340	76.0
80th percentile	ft <sup>3</sup> /s	385	794	968	34.0	2,970	95.0
90th percentile	ft <sup>3</sup> /s	534	1,150	1,361	40.4	4,300	126
Drainage area	mi <sup>2</sup>	179	445	468	28.8	1595	45.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	28.3	11.0	81.2	7.71	50.8	18.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.402	0.501	0.357	0.556	0.241	0.263
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	0.928	1.14	0.903	1.02	1.23
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	1.39	1.65	1.08	1.56	1.49
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.953	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	0.942	1.06	0.896	0.919	1.01
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.81	1.43	2.35	0.920	2.20	1.10
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.575	0.537	0.516	0.597	0.441	0.395
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.665	0.601	0.585	0.660	0.506	0.546
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.804	0.654	0.739	0.729	0.646	0.724
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.933	0.729	0.858	0.729	0.765	0.855
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	0.800	0.989	0.826	0.871	1.03
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	0.928	1.14	0.903	1.02	1.23
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.45	1.07	1.38	0.938	1.20	1.43
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	1.38	1.66	1.04	1.47	1.67
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.15	1.79	2.07	1.18	1.86	2.08
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.98	2.58	2.91	1.40	2.70	2.76

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>01666500</b>	<b>01667000</b>	<b>01667500</b>	<b>01667870</b>	<b>01668000</b>	<b>01668500</b>
Count	number	1,984	186	2,387	62.0	3,100	1,736
Max	ft <sup>3</sup> /s	5,570	3,060	14,000	323	51,000	855
Min	ft <sup>3</sup> /s	42.0	105	97.0	5.90	283	1.30
Median	ft <sup>3</sup> /s	185	312	422	18.0	1,250	36.0
Arithmetic Mean	ft <sup>3</sup> /s	242	401	567	28.3	1,883	50.4
Geometric Mean	ft <sup>3</sup> /s	--	--	--	18.2	--	--
Harmonic Mean	ft <sup>3</sup> /s	162	285	370	14.9	1,081	23.4
Standard Deviation	ft <sup>3</sup> /s	271	324	633	52.3	2,721	56.4
5th percentile	ft <sup>3</sup> /s	81.0	151	180	6.35	492	8.80
10th percentile	ft <sup>3</sup> /s	93.0	182	209	7.60	586	12.0
20th percentile	ft <sup>3</sup> /s	113	209	255	12.0	737	18.0
30th percentile	ft <sup>3</sup> /s	133	223	300	13.0	883	24.0
40th percentile	ft <sup>3</sup> /s	157	255	355	15.4	1,050	29.0
50th percentile	ft <sup>3</sup> /s	185	312	422	18.0	1,250	36.0
60th percentile	ft <sup>3</sup> /s	215	356	495	19.6	1,480	44.0
70th percentile	ft <sup>3</sup> /s	248	422	588	22.0	1,760	54.5
80th percentile	ft <sup>3</sup> /s	304	530	728	24.0	2,240	70.0
90th percentile	ft <sup>3</sup> /s	420	720	1,004	30.9	3,440	98.0
Drainage area	mi <sup>2</sup>	179	445	468	28.8	1595	45.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	31.1	6.88	29.9	11.2	32.0	18.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.235	0.236	0.207	0.205	0.177	0.029
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.701	0.902	0.625	0.784	0.789
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	0.900	1.21	0.982	1.18	1.11
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.631	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.903	0.640	0.790	0.519	0.678	0.513
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.51	0.728	1.35	1.82	1.71	1.24
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.453	0.338	0.385	0.220	0.308	0.193
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.520	0.409	0.447	0.264	0.367	0.263
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.631	0.470	0.545	0.417	0.462	0.395
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.743	0.501	0.641	0.451	0.554	0.526
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.877	0.573	0.759	0.535	0.658	0.636
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.701	0.902	0.625	0.784	0.789
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	0.800	1.06	0.681	0.928	0.965
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	0.948	1.26	0.764	1.10	1.20
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	1.19	1.56	0.833	1.40	1.54
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.35	1.62	2.15	1.07	2.16	2.15

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>01666500</b>	<b>01667000</b>	<b>01667500</b>	<b>01667870</b>	<b>01668000</b>	<b>01668500</b>
Count	number	1,920	180	2,300	60.0	3,000	1,680
Max	ft <sup>3</sup> /s	14,700	3,380	43,500	26.0	84,200	2,260
Min	ft <sup>3</sup> /s	17.0	74.0	42.0	3.70	125	0.000
Median	ft <sup>3</sup> /s	124	171	277	7.40	849	21.0
Arithmetic Mean	ft <sup>3</sup> /s	207	278	482	9.24	1,423	34.9
Geometric Mean	ft <sup>3</sup> /s	--	--	--	7.93	--	--
Harmonic Mean	ft <sup>3</sup> /s	98.2	167	229	6.96	675	--
Standard Deviation	ft <sup>3</sup> /s	585	347	1,455	5.57	2,781	74.0
5th percentile	ft <sup>3</sup> /s	38.0	89.1	95.0	3.80	268	1.60
10th percentile	ft <sup>3</sup> /s	49.0	98.0	121	3.99	345	3.49
20th percentile	ft <sup>3</sup> /s	71.0	109	161	4.60	463	7.50
30th percentile	ft <sup>3</sup> /s	87.0	126	196	5.60	570	11.0
40th percentile	ft <sup>3</sup> /s	107	157	236	6.40	705	16.0
50th percentile	ft <sup>3</sup> /s	124	171	277	7.40	849	21.0
60th percentile	ft <sup>3</sup> /s	143	212	328	9.04	995	27.4
70th percentile	ft <sup>3</sup> /s	172	242	403	10.0	1,240	34.0
80th percentile	ft <sup>3</sup> /s	215	308	517	13.0	1,670	47.0
90th percentile	ft <sup>3</sup> /s	332	533	842	18.2	2,701	73.0
Drainage area	mi <sup>2</sup>	179	445	468	28.8	1595	45.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	82.1	7.60	92.9	0.903	52.8	49.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.095	0.166	0.090	0.128	0.078	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.693	0.384	0.592	0.257	0.532	0.461
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	0.624	1.03	0.321	0.892	0.766
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.275	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.549	0.375	0.489	0.242	0.423	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.27	0.780	3.11	0.194	1.74	1.62
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.212	0.200	0.203	0.132	0.168	0.035
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.274	0.220	0.258	0.139	0.216	0.077
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.397	0.245	0.344	0.160	0.290	0.164
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.486	0.284	0.419	0.194	0.357	0.241
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.598	0.352	0.504	0.222	0.442	0.351
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.693	0.384	0.592	0.257	0.532	0.461
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.801	0.476	0.701	0.314	0.624	0.601
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.961	0.544	0.862	0.347	0.777	0.746
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	0.692	1.11	0.451	1.05	1.03
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.86	1.20	1.80	0.632	1.69	1.60

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>01666500</b>	<b>01667000</b>	<b>01667500</b>	<b>01667870</b>	<b>01668000</b>	<b>01668500</b>
Count	number	1,987	186	2,387	62.0	3,100	1,736
Max	ft <sup>3</sup> /s	2,920	1,380	6,590	154	21,400	1,310
Min	ft <sup>3</sup> /s	8.40	14.0	18.0	1.00	17.0	0.000
Median	ft <sup>3</sup> /s	84.0	139	190	6.15	545	12.0
Arithmetic Mean	ft <sup>3</sup> /s	128	209	303	11.1	908	27.6
Geometric Mean	ft <sup>3</sup> /s	--	--	--	5.59	--	--
Harmonic Mean	ft <sup>3</sup> /s	56.7	75.2	133	3.58	364	--
Standard Deviation	ft <sup>3</sup> /s	186	246	425	23.7	1,331	62.1
5th percentile	ft <sup>3</sup> /s	18.0	21.4	45.0	1.22	127	0.600
10th percentile	ft <sup>3</sup> /s	25.0	29.0	61.0	1.31	174	1.65
20th percentile	ft <sup>3</sup> /s	39.0	58.0	92.0	1.92	257	3.20
30th percentile	ft <sup>3</sup> /s	52.0	78.0	124	3.70	354	5.40
40th percentile	ft <sup>3</sup> /s	67.0	96.0	155	5.00	445	8.50
50th percentile	ft <sup>3</sup> /s	84.0	139	190	6.15	545	12.0
60th percentile	ft <sup>3</sup> /s	102	158	228	7.22	663	17.0
70th percentile	ft <sup>3</sup> /s	124	198	286	8.76	841	23.0
80th percentile	ft <sup>3</sup> /s	155	291	374	10.8	1,150	34.0
90th percentile	ft <sup>3</sup> /s	236	474	614	16.7	1,781	57.0
Drainage area	mi <sup>2</sup>	179	445	468	28.8	1595	45.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	16.3	3.10	14.1	5.35	13.4	28.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.047	0.031	0.038	0.035	0.011	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.469	0.311	0.406	0.214	0.342	0.263
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.714	0.471	0.647	0.387	0.569	0.606
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.194	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.317	0.169	0.285	0.124	0.228	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	0.554	0.908	0.823	0.834	1.36
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.101	0.048	0.096	0.042	0.080	0.013
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.140	0.065	0.130	0.045	0.109	0.036
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.218	0.130	0.197	0.067	0.161	0.070
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.291	0.175	0.265	0.128	0.222	0.118
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.374	0.216	0.331	0.174	0.279	0.186
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.469	0.311	0.406	0.214	0.342	0.263
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.570	0.355	0.487	0.251	0.416	0.373
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.693	0.445	0.611	0.304	0.527	0.504
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.866	0.654	0.799	0.375	0.721	0.746
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	1.07	1.31	0.580	1.12	1.25

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01666500</b>	<b>01667000</b>	<b>01667500</b>	<b>01667870</b>	<b>01668000</b>	<b>01668500</b>
Count	number	2,015	186	2,387	62.0	3,100	1,736
Max	ft <sup>3</sup> /s	14,000	6,540	22,600	25.0	68,400	2,210
Min	ft <sup>3</sup> /s	2.00	7.00	2.70	0.150	8.80	0.000
Median	ft <sup>3</sup> /s	67.0	100	155	3.08	436	11.0
Arithmetic Mean	ft <sup>3</sup> /s	130	307	318	4.91	974	27.9
Geometric Mean	ft <sup>3</sup> /s	--	--	--	1.46	--	--
Harmonic Mean	ft <sup>3</sup> /s	36.2	39.1	79.0	0.446	208	--
Standard Deviation	ft <sup>3</sup> /s	397	694	839	5.48	2,440	81.5
5th percentile	ft <sup>3</sup> /s	12.0	8.35	24.0	0.160	66.0	0.600
10th percentile	ft <sup>3</sup> /s	17.0	9.50	38.0	0.171	105	1.60
20th percentile	ft <sup>3</sup> /s	28.0	32.0	64.0	0.230	175	2.80
30th percentile	ft <sup>3</sup> /s	40.0	58.0	94.0	0.263	265	4.70
40th percentile	ft <sup>3</sup> /s	54.0	85.0	121	0.292	350	7.40
50th percentile	ft <sup>3</sup> /s	67.0	100	155	3.08	436	11.0
60th percentile	ft <sup>3</sup> /s	84.0	134	192	6.40	534	15.0
70th percentile	ft <sup>3</sup> /s	107	178	250	7.60	712	22.0
80th percentile	ft <sup>3</sup> /s	143	338	355	9.62	1,040	32.0
90th percentile	ft <sup>3</sup> /s	225	694	598	11.9	1,780	58.0
Drainage area	mi <sup>2</sup>	179	445	468	28.8	1595	45.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	78.2	14.7	48.3	0.868	42.9	48.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.011	0.016	0.006	0.005	0.006	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.374	0.225	0.331	0.107	0.273	0.241
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.726	0.691	0.679	0.171	0.611	0.611
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.051	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.202	0.088	0.169	0.015	0.130	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.22	1.56	1.79	0.190	1.53	1.79
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.067	0.019	0.051	0.006	0.041	0.013
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.095	0.021	0.081	0.006	0.066	0.035
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.156	0.072	0.137	0.008	0.110	0.061
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.223	0.130	0.201	0.009	0.166	0.103
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.302	0.191	0.259	0.010	0.219	0.162
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.374	0.225	0.331	0.107	0.273	0.241
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.469	0.301	0.410	0.222	0.335	0.329
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.598	0.399	0.534	0.264	0.446	0.482
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.800	0.760	0.759	0.334	0.652	0.702
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.56	1.28	0.413	1.12	1.27



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01666500</b>	<b>01667000</b>	<b>01667500</b>	<b>01667870</b>	<b>01668000</b>	<b>01668500</b>
Count	number	1,950	180	2,310	60.0	3,012	1,680
Max	ft <sup>3</sup> /s	11,400	2,680	34,900	13.0	54,600	2,390
Min	ft <sup>3</sup> /s	1.80	6.00	1.50	0.110	6.20	0.000
Median	ft <sup>3</sup> /s	62.0	76.0	137	1.37	355	8.20
Arithmetic Mean	ft <sup>3</sup> /s	172	232	384	2.43	1,008	25.9
Geometric Mean	ft <sup>3</sup> /s	--	--	--	0.806	--	--
Harmonic Mean	ft <sup>3</sup> /s	33.8	39.7	64.2	0.281	200	--
Standard Deviation	ft <sup>3</sup> /s	603	377	1,291	2.77	2,982	104
5th percentile	ft <sup>3</sup> /s	12.0	8.05	22.6	0.111	60.0	0.500
10th percentile	ft <sup>3</sup> /s	19.0	14.0	39.0	0.120	99.1	1.20
20th percentile	ft <sup>3</sup> /s	26.0	31.8	59.0	0.138	149	2.50
30th percentile	ft <sup>3</sup> /s	34.0	44.0	76.0	0.157	200	4.10
40th percentile	ft <sup>3</sup> /s	45.0	60.6	102	0.180	271	5.60
50th percentile	ft <sup>3</sup> /s	62.0	76.0	137	1.37	355	8.20
60th percentile	ft <sup>3</sup> /s	79.0	105	183	3.08	481	11.0
70th percentile	ft <sup>3</sup> /s	104	186	237	4.10	634	16.0
80th percentile	ft <sup>3</sup> /s	157	396	352	4.80	942	24.0
90th percentile	ft <sup>3</sup> /s	305	644	659	5.21	1,810	45.0
Drainage area	mi <sup>2</sup>	179	445	468	28.8	1595	45.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	63.7	6.02	74.6	0.451	34.2	52.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.010	0.013	0.003	0.004	0.004	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.346	0.171	0.293	0.048	0.223	0.180
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.962	0.521	0.821	0.084	0.632	0.567
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.028	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.189	0.089	0.137	0.010	0.126	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.37	0.847	2.76	0.096	1.87	2.28
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.067	0.018	0.048	0.004	0.038	0.011
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.106	0.031	0.083	0.004	0.062	0.026
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.145	0.071	0.126	0.005	0.093	0.055
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.190	0.099	0.162	0.005	0.125	0.090
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.251	0.136	0.218	0.006	0.170	0.123
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.346	0.171	0.293	0.048	0.223	0.180
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.441	0.236	0.391	0.107	0.301	0.241
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.581	0.418	0.506	0.142	0.397	0.351
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.877	0.889	0.753	0.167	0.590	0.526
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	1.45	1.41	0.181	1.13	0.987

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01666500</b>	<b>01667000</b>	<b>01667500</b>	<b>01667870</b>	<b>01668000</b>	<b>01668500</b>
Count	number	2,015	155	2,418	93.0	3,131	1,736
Max	ft <sup>3</sup> /s	11,600	6,000	37,900	241	127,000	920
Min	ft <sup>3</sup> /s	2.60	39.0	2.20	0.300	5.00	0.100
Median	ft <sup>3</sup> /s	75.0	242	161	7.60	441	14.0
Arithmetic Mean	ft <sup>3</sup> /s	169	414	419	15.1	1,154	25.9
Geometric Mean	ft <sup>3</sup> /s	--	--	--	4.31	--	--
Harmonic Mean	ft <sup>3</sup> /s	52.2	178	84.6	1.44	224	3.71
Standard Deviation	ft <sup>3</sup> /s	432	708	1,304	33.9	3,712	48.5
5th percentile	ft <sup>3</sup> /s	18.0	61.6	31.0	0.347	86.0	1.40
10th percentile	ft <sup>3</sup> /s	24.0	88.4	46.0	0.466	121	2.30
20th percentile	ft <sup>3</sup> /s	36.0	112	68.0	0.688	185	4.60
30th percentile	ft <sup>3</sup> /s	50.0	172	99.0	1.30	260	7.45
40th percentile	ft <sup>3</sup> /s	61.0	211	129	2.56	349	10.0
50th percentile	ft <sup>3</sup> /s	75.0	242	161	7.60	441	14.0
60th percentile	ft <sup>3</sup> /s	103	269	216	10.0	607	18.0
70th percentile	ft <sup>3</sup> /s	145	326	312	12.0	810	24.0
80th percentile	ft <sup>3</sup> /s	197	443	459	16.0	1,150	32.0
90th percentile	ft <sup>3</sup> /s	317	673	810	23.8	2,020	50.0
Drainage area	mi <sup>2</sup>	179	445	468	28.8	1595	45.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	64.8	13.5	81.0	8.37	79.6	20.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.015	0.088	0.005	0.010	0.003	0.002
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.419	0.544	0.344	0.264	0.276	0.307
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.944	0.930	0.896	0.525	0.724	0.568
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.150	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.292	0.400	0.181	0.050	0.140	0.081
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.41	1.59	2.79	1.18	2.33	1.06
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.101	0.138	0.066	0.012	0.054	0.031
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.134	0.199	0.098	0.016	0.076	0.050
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.201	0.251	0.145	0.024	0.116	0.101
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.279	0.386	0.212	0.045	0.163	0.163
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.341	0.474	0.276	0.089	0.219	0.219
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.419	0.544	0.344	0.264	0.276	0.307
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.578	0.604	0.462	0.347	0.381	0.395
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.810	0.733	0.667	0.417	0.508	0.526
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	0.996	0.980	0.556	0.721	0.702
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.77	1.51	1.73	0.826	1.27	1.10

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01666500</b>	<b>01667000</b>	<b>01667500</b>	<b>01667870</b>	<b>01668000</b>	<b>01668500</b>
Count	number	1,945	150	2,335	90.0	3,020	1,680
Max	ft <sup>3</sup> /s	10,400	10,000	22,500	394	44,300	290
Min	ft <sup>3</sup> /s	20.0	104	8.00	0.550	45.0	3.90
Median	ft <sup>3</sup> /s	119	250	257	11.0	682	28.0
Arithmetic Mean	ft <sup>3</sup> /s	217	529	482	17.6	1,367	37.1
Geometric Mean	ft <sup>3</sup> /s	--	--	--	8.59	--	--
Harmonic Mean	ft <sup>3</sup> /s	95.2	253	176	3.60	498	21.3
Standard Deviation	ft <sup>3</sup> /s	469	1,019	883	42.7	2,629	34.6
5th percentile	ft <sup>3</sup> /s	38.0	124	65.0	0.576	192	8.10
10th percentile	ft <sup>3</sup> /s	45.4	145	86.0	1.68	245	11.0
20th percentile	ft <sup>3</sup> /s	61.0	171	121	4.10	342	15.0
30th percentile	ft <sup>3</sup> /s	75.0	197	152	5.14	420	20.0
40th percentile	ft <sup>3</sup> /s	92.6	227	199	9.62	534	23.0
50th percentile	ft <sup>3</sup> /s	119	250	257	11.0	682	28.0
60th percentile	ft <sup>3</sup> /s	152	295	335	14.4	860	32.0
70th percentile	ft <sup>3</sup> /s	190	369	443	17.0	1,160	38.0
80th percentile	ft <sup>3</sup> /s	251	530	608	18.2	1,610	48.0
90th percentile	ft <sup>3</sup> /s	405	835	1,006	23.1	2,700	73.1
Drainage area	mi <sup>2</sup>	179	445	468	28.8	1595	45.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	58.1	22.5	48.1	13.7	27.8	6.36
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.112	0.234	0.017	0.019	0.028	0.086
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.665	0.562	0.549	0.382	0.428	0.614
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.19	1.03	0.612	0.857	0.813
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.298	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.532	0.567	0.375	0.125	0.312	0.468
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.62	2.29	1.89	1.48	1.65	0.758
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.212	0.279	0.139	0.020	0.120	0.178
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.254	0.326	0.184	0.058	0.154	0.241
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.341	0.384	0.259	0.142	0.214	0.329
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.419	0.443	0.325	0.178	0.263	0.439
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.517	0.510	0.425	0.334	0.335	0.504
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.665	0.562	0.549	0.382	0.428	0.614
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.849	0.664	0.717	0.500	0.539	0.702
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	0.829	0.946	0.590	0.727	0.833
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	1.19	1.30	0.632	1.01	1.05
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.26	1.88	2.15	0.802	1.69	1.60

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01666500</b>	<b>01667000</b>	<b>01667500</b>	<b>01667870</b>	<b>01668000</b>	<b>01668500</b>
Count	number	1,984	155	2,387	93.0	3,100	1,736
Max	ft <sup>3</sup> /s	4,970	3,780	10,400	146	36,300	553
Min	ft <sup>3</sup> /s	25.0	120	20.0	4.40	70.0	6.00
Median	ft <sup>3</sup> /s	168	363	388	13.0	1,070	34.0
Arithmetic Mean	ft <sup>3</sup> /s	235	506	567	19.9	1,717	46.8
Geometric Mean	ft <sup>3</sup> /s	--	--	--	14.5	--	--
Harmonic Mean	ft <sup>3</sup> /s	131	330	261	12.0	738	28.7
Standard Deviation	ft <sup>3</sup> /s	283	467	710	23.6	2,365	41.4
5th percentile	ft <sup>3</sup> /s	52.3	171	88.4	4.90	260	12.0
10th percentile	ft <sup>3</sup> /s	64.0	185	120	7.10	354	15.0
20th percentile	ft <sup>3</sup> /s	91.0	227	181	9.32	490	20.0
30th percentile	ft <sup>3</sup> /s	120	242	257	10.0	696	25.0
40th percentile	ft <sup>3</sup> /s	145	291	322	12.0	876	28.0
50th percentile	ft <sup>3</sup> /s	168	363	388	13.0	1,070	34.0
60th percentile	ft <sup>3</sup> /s	195	422	465	14.2	1,324	41.0
70th percentile	ft <sup>3</sup> /s	233	502	568	16.0	1,623	49.0
80th percentile	ft <sup>3</sup> /s	299	698	742	20.6	2,230	64.0
90th percentile	ft <sup>3</sup> /s	450	1,080	1,140	38.4	3,481	95.0
Drainage area	mi <sup>2</sup>	179	445	468	28.8	1595	45.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	27.8	8.49	22.2	5.07	22.8	12.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.140	0.270	0.043	0.153	0.044	0.132
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.939	0.816	0.829	0.451	0.671	0.746
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	1.14	1.21	0.690	1.08	1.03
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.504	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.731	0.741	0.558	0.417	0.463	0.629
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.58	1.05	1.52	0.820	1.48	0.907
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.292	0.384	0.189	0.170	0.163	0.263
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.358	0.416	0.256	0.247	0.222	0.329
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.508	0.510	0.387	0.324	0.307	0.439
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.670	0.544	0.549	0.347	0.436	0.548
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.810	0.654	0.689	0.417	0.549	0.614
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.939	0.816	0.829	0.451	0.671	0.746
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	0.948	0.994	0.493	0.830	0.899
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.13	1.21	0.556	1.02	1.07
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.67	1.57	1.59	0.715	1.40	1.40
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.51	2.43	2.44	1.33	2.18	2.08

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>01668800</b>	<b>01669000</b>	<b>01669500</b>	<b>01669520</b>	<b>01670000</b>	<b>01670180</b>
Count	number	664	1,736	1,178	806	1,227	93.0
Max	ft <sup>3</sup> /s	106	345	1,180	910	100	701
Min	ft <sup>3</sup> /s	3.10	6.20	7.50	23.0	1.00	13.0
Median	ft <sup>3</sup> /s	17.0	32.0	92.0	130	6.40	34.0
Arithmetic Mean	ft <sup>3</sup> /s	20.3	37.4	119	159	8.68	64.4
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	42.0
Harmonic Mean	ft <sup>3</sup> /s	13.7	25.1	65.6	104	5.03	33.2
Standard Deviation	ft <sup>3</sup> /s	13.8	28.0	108	116	8.70	103
5th percentile	ft <sup>3</sup> /s	5.45	10.0	20.0	40.0	2.00	14.7
10th percentile	ft <sup>3</sup> /s	8.00	13.0	34.0	52.0	2.50	17.2
20th percentile	ft <sup>3</sup> /s	11.0	18.0	52.4	77.0	3.30	23.4
30th percentile	ft <sup>3</sup> /s	13.0	23.0	65.0	95.0	4.00	27.0
40th percentile	ft <sup>3</sup> /s	14.0	27.0	76.0	114	5.20	31.0
50th percentile	ft <sup>3</sup> /s	17.0	32.0	92.0	130	6.40	34.0
60th percentile	ft <sup>3</sup> /s	19.0	36.0	109	154	7.50	48.0
70th percentile	ft <sup>3</sup> /s	22.1	42.0	130	181	9.50	59.0
80th percentile	ft <sup>3</sup> /s	27.4	52.0	156	215	12.0	68.6
90th percentile	ft <sup>3</sup> /s	37.0	63.5	207	269	16.0	96.6
Drainage area	mi <sup>2</sup>	15.4	27.9	86	109	7.15	41.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.88	12.4	13.7	8.35	14.0	16.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.201	0.222	0.087	0.211	0.140	0.310
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.15	1.07	1.19	0.895	0.811
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	1.34	1.38	1.46	1.21	1.54
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	1.00
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.889	0.898	0.763	0.957	0.704	0.792
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.899	1.00	1.26	1.06	1.22	2.46
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.354	0.358	0.232	0.367	0.280	0.351
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.519	0.466	0.395	0.477	0.350	0.411
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.714	0.645	0.609	0.706	0.462	0.558
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.844	0.824	0.756	0.872	0.559	0.644
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.909	0.968	0.884	1.05	0.727	0.740
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.15	1.07	1.19	0.895	0.811
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.29	1.27	1.41	1.05	1.15
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	1.51	1.51	1.66	1.33	1.41
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.78	1.86	1.81	1.97	1.68	1.64
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.40	2.28	2.40	2.47	2.24	2.31

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01668800</b>	<b>01669000</b>	<b>01669500</b>	<b>01669520</b>	<b>01670000</b>	<b>01670180</b>
Count	number	593	1,582	1,074	734	1,102	85.0
Max	ft <sup>3</sup> /s	336	631	1,930	2,690	92.0	218
Min	ft <sup>3</sup> /s	6.20	6.00	12.0	21.0	1.50	9.50
Median	ft <sup>3</sup> /s	20.0	38.0	103	163	8.20	26.0
Arithmetic Mean	ft <sup>3</sup> /s	22.8	43.3	125	187	10.0	32.1
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	27.1
Harmonic Mean	ft <sup>3</sup> /s	17.6	31.0	84.7	118	6.41	23.7
Standard Deviation	ft <sup>3</sup> /s	19.6	34.7	112	177	8.23	26.7
5th percentile	ft <sup>3</sup> /s	8.94	14.0	37.0	43.8	2.62	11.3
10th percentile	ft <sup>3</sup> /s	11.0	17.0	48.3	61.0	3.40	13.0
20th percentile	ft <sup>3</sup> /s	13.0	23.0	65.6	85.6	4.30	19.6
30th percentile	ft <sup>3</sup> /s	16.0	27.0	76.0	117	5.40	23.0
40th percentile	ft <sup>3</sup> /s	18.0	32.0	90.2	145	6.70	25.0
50th percentile	ft <sup>3</sup> /s	20.0	38.0	103	163	8.20	26.0
60th percentile	ft <sup>3</sup> /s	22.0	43.0	120	180	9.50	28.4
70th percentile	ft <sup>3</sup> /s	24.0	49.0	138	205	11.0	31.8
80th percentile	ft <sup>3</sup> /s	27.0	55.0	156	245	14.0	39.4
90th percentile	ft <sup>3</sup> /s	34.8	70.0	203	310	18.0	49.0
Drainage area	mi <sup>2</sup>	15.4	27.9	86	109	7.15	41.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.8	22.6	22.4	24.7	12.9	5.20
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.403	0.215	0.140	0.193	0.210	0.227
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.36	1.20	1.50	1.15	0.621
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.48	1.55	1.45	1.72	1.40	0.767
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.646
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.11	0.985	1.08	0.896	0.567
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.27	1.24	1.31	1.62	1.15	0.637
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.581	0.502	0.430	0.401	0.366	0.270
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.714	0.609	0.562	0.560	0.476	0.310
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.844	0.824	0.763	0.785	0.601	0.468
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	0.968	0.884	1.07	0.755	0.549
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.15	1.05	1.33	0.937	0.597
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.36	1.20	1.50	1.15	0.621
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	1.54	1.40	1.65	1.33	0.678
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.76	1.61	1.88	1.54	0.759
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.75	1.97	1.81	2.25	1.96	0.940
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.26	2.51	2.37	2.85	2.52	1.17

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01668800</b>	<b>01669000</b>	<b>01669500</b>	<b>01669520</b>	<b>01670000</b>	<b>01670180</b>
Count	number	651	1,736	1,178	806	1,209	93.0
Max	ft <sup>3</sup> /s	253	406	1,210	2,530	108	280
Min	ft <sup>3</sup> /s	6.20	9.80	25.0	21.0	1.90	21.0
Median	ft <sup>3</sup> /s	20.0	41.0	111	167	8.60	34.0
Arithmetic Mean	ft <sup>3</sup> /s	24.0	50.7	142	216	12.0	48.9
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	40.6
Harmonic Mean	ft <sup>3</sup> /s	17.5	35.7	96.6	127	7.13	36.1
Standard Deviation	ft <sup>3</sup> /s	19.9	38.3	109	215	11.6	42.1
5th percentile	ft <sup>3</sup> /s	8.00	16.0	45.0	49.0	3.00	23.0
10th percentile	ft <sup>3</sup> /s	10.0	19.0	54.0	64.0	3.60	25.0
20th percentile	ft <sup>3</sup> /s	13.0	26.0	68.0	90.0	4.70	26.0
30th percentile	ft <sup>3</sup> /s	15.0	32.0	82.0	117	6.10	28.0
40th percentile	ft <sup>3</sup> /s	18.0	36.0	96.0	139	7.30	30.8
50th percentile	ft <sup>3</sup> /s	20.0	41.0	111	167	8.60	34.0
60th percentile	ft <sup>3</sup> /s	22.0	47.0	130	190	10.0	38.8
70th percentile	ft <sup>3</sup> /s	25.0	55.0	156	224	13.0	48.0
80th percentile	ft <sup>3</sup> /s	30.0	66.0	190	287	16.0	59.0
90th percentile	ft <sup>3</sup> /s	40.0	86.0	262	383	24.0	91.8
Drainage area	mi <sup>2</sup>	15.4	27.9	86	109	7.15	41.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	16.4	14.6	14.1	23.2	15.1	6.68
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.403	0.351	0.291	0.193	0.266	0.501
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.47	1.29	1.53	1.20	0.811
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.82	1.65	1.98	1.68	1.17
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.968
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	1.28	1.12	1.16	0.997	0.862
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.37	1.27	1.97	1.62	1.00
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.519	0.573	0.523	0.450	0.420	0.549
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.649	0.681	0.628	0.587	0.503	0.597
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.844	0.932	0.791	0.826	0.657	0.621
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.974	1.15	0.953	1.07	0.853	0.668
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.29	1.12	1.28	1.02	0.735
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.47	1.29	1.53	1.20	0.811
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	1.68	1.51	1.74	1.40	0.926
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	1.97	1.81	2.06	1.82	1.15
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.95	2.37	2.21	2.63	2.24	1.41
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.60	3.08	3.04	3.51	3.36	2.19

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01668800</b>	<b>01669000</b>	<b>01669500</b>	<b>01669520</b>	<b>01670000</b>	<b>01670180</b>
Count	number	630	1,680	1,140	780	1,170	90.0
Max	ft <sup>3</sup> /s	212	428	800	2,380	202	323
Min	ft <sup>3</sup> /s	5.60	7.10	13.0	7.70	1.50	15.0
Median	ft <sup>3</sup> /s	17.5	40.0	91.0	144	7.40	35.0
Arithmetic Mean	ft <sup>3</sup> /s	22.1	47.4	112	188	10.1	44.8
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	36.6
Harmonic Mean	ft <sup>3</sup> /s	16.0	33.1	74.7	107	6.10	32.4
Standard Deviation	ft <sup>3</sup> /s	15.6	30.6	80.4	172	10.5	44.7
5th percentile	ft <sup>3</sup> /s	7.50	14.0	32.0	43.1	2.60	17.0
10th percentile	ft <sup>3</sup> /s	9.40	17.0	42.0	57.9	3.10	19.9
20th percentile	ft <sup>3</sup> /s	12.0	24.0	56.0	85.0	4.10	23.0
30th percentile	ft <sup>3</sup> /s	13.0	30.0	67.0	107	5.40	27.7
40th percentile	ft <sup>3</sup> /s	15.0	35.0	78.0	123	6.36	32.0
50th percentile	ft <sup>3</sup> /s	17.5	40.0	91.0	144	7.40	35.0
60th percentile	ft <sup>3</sup> /s	22.0	46.0	105	174	8.90	40.4
70th percentile	ft <sup>3</sup> /s	25.0	55.0	126	211	11.0	45.0
80th percentile	ft <sup>3</sup> /s	29.0	65.0	159	257	13.2	50.2
90th percentile	ft <sup>3</sup> /s	40.1	84.0	206	339	19.0	65.2
Drainage area	mi <sup>2</sup>	15.4	27.9	86	109	7.15	41.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	13.8	15.3	9.30	21.8	28.3	7.71
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.364	0.254	0.151	0.071	0.210	0.358
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.43	1.06	1.32	1.03	0.835
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	1.70	1.30	1.73	1.41	1.07
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.875
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	1.18	0.868	0.984	0.853	0.772
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.10	0.934	1.58	1.47	1.07
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.487	0.502	0.372	0.395	0.364	0.406
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.610	0.609	0.488	0.531	0.434	0.475
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.779	0.860	0.651	0.780	0.573	0.549
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.844	1.08	0.779	0.979	0.755	0.661
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.974	1.25	0.907	1.13	0.890	0.764
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.43	1.06	1.32	1.03	0.835
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	1.65	1.22	1.60	1.24	0.964
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	1.97	1.47	1.94	1.54	1.07
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.88	2.33	1.85	2.36	1.85	1.20
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.60	3.01	2.40	3.11	2.66	1.56



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	01668800	01669000	01669500	01669520	01670000	01670180
Count	number	655	1,736	1,178	806	1,209	93.0
Max	ft <sup>3</sup> /s	130	365	860	1,570	118	712
Min	ft <sup>3</sup> /s	2.40	1.30	5.80	3.30	0.000	12.0
Median	ft <sup>3</sup> /s	15.0	28.0	58.0	104	5.30	25.0
Arithmetic Mean	ft <sup>3</sup> /s	19.0	35.5	86.7	125	7.47	43.1
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	28.5
Harmonic Mean	ft <sup>3</sup> /s	12.2	20.1	44.9	51.2	--	23.9
Standard Deviation	ft <sup>3</sup> /s	15.3	31.5	91.4	126	9.26	80.9
5th percentile	ft <sup>3</sup> /s	5.20	7.90	17.0	15.0	1.40	13.0
10th percentile	ft <sup>3</sup> /s	6.54	11.0	23.0	25.5	1.90	14.0
20th percentile	ft <sup>3</sup> /s	8.30	16.0	33.0	44.0	2.60	17.0
30th percentile	ft <sup>3</sup> /s	10.0	19.0	40.0	61.0	3.20	19.0
40th percentile	ft <sup>3</sup> /s	12.0	24.0	49.0	83.0	4.20	22.8
50th percentile	ft <sup>3</sup> /s	15.0	28.0	58.0	104	5.30	25.0
60th percentile	ft <sup>3</sup> /s	18.0	33.0	74.0	128	6.40	29.0
70th percentile	ft <sup>3</sup> /s	21.0	38.0	92.0	153	7.80	32.4
80th percentile	ft <sup>3</sup> /s	26.0	47.0	119	172	9.84	40.0
90th percentile	ft <sup>3</sup> /s	35.0	66.0	173	216	14.0	64.8
Drainage area	mi <sup>2</sup>	15.4	27.9	86	109	7.15	41.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.44	13.1	10.0	14.4	16.5	17.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.156	0.047	0.067	0.030	0.000	0.286
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.974	1.00	0.674	0.954	0.741	0.597
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	1.27	1.01	1.15	1.04	1.03
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.681
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.795	0.721	0.522	0.470	--	0.571
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.991	1.13	1.06	1.15	1.30	1.93
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.338	0.283	0.198	0.138	0.196	0.310
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.425	0.394	0.267	0.234	0.266	0.334
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.539	0.573	0.384	0.404	0.364	0.406
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.649	0.681	0.465	0.560	0.448	0.453
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.779	0.860	0.570	0.761	0.587	0.544
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.974	1.00	0.674	0.954	0.741	0.597
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.18	0.860	1.17	0.895	0.692
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.36	1.36	1.07	1.40	1.09	0.773
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.69	1.68	1.38	1.58	1.38	0.955
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.27	2.37	2.01	1.98	1.96	1.55

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	01668800	01669000	01669500	01669520	01670000	01670180
Count	number	660	1,680	1,140	780	1,170	90.0
Max	ft <sup>3</sup> /s	242	714	3,540	1,070	175	237
Min	ft <sup>3</sup> /s	0.900	0.260	0.300	0.410	0.000	4.40
Median	ft <sup>3</sup> /s	10.0	17.0	34.0	53.0	2.80	19.5
Arithmetic Mean	ft <sup>3</sup> /s	14.9	24.4	64.7	77.6	4.92	23.9
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	18.7
Harmonic Mean	ft <sup>3</sup> /s	6.52	8.30	16.5	11.2	--	15.3
Standard Deviation	ft <sup>3</sup> /s	18.1	33.5	162	96.9	8.62	26.2
5th percentile	ft <sup>3</sup> /s	2.10	2.40	5.01	2.31	0.400	5.71
10th percentile	ft <sup>3</sup> /s	3.00	4.89	8.40	5.99	0.580	7.89
20th percentile	ft <sup>3</sup> /s	4.60	8.10	13.0	12.0	1.00	11.8
30th percentile	ft <sup>3</sup> /s	6.40	11.0	18.0	25.7	1.50	14.0
40th percentile	ft <sup>3</sup> /s	8.20	14.0	25.0	38.0	2.00	17.0
50th percentile	ft <sup>3</sup> /s	10.0	17.0	34.0	53.0	2.80	19.5
60th percentile	ft <sup>3</sup> /s	12.0	20.0	45.0	69.4	3.60	21.0
70th percentile	ft <sup>3</sup> /s	16.0	25.0	58.0	87.0	4.70	25.0
80th percentile	ft <sup>3</sup> /s	20.0	33.2	74.2	113	6.50	29.0
90th percentile	ft <sup>3</sup> /s	29.1	49.0	116	166	10.0	38.3
Drainage area	mi <sup>2</sup>	15.4	27.9	86	109	7.15	41.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	15.7	25.6	41.2	9.82	24.5	5.66
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.058	0.009	0.003	0.004	0.000	0.105
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.649	0.609	0.395	0.486	0.392	0.465
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.968	0.874	0.753	0.712	0.689	0.571
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.446
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.424	0.297	0.191	0.103	--	0.364
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.18	1.20	1.88	0.889	1.21	0.625
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.136	0.086	0.058	0.021	0.056	0.136
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.195	0.175	0.098	0.055	0.081	0.188
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.299	0.290	0.151	0.110	0.140	0.282
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.416	0.394	0.209	0.236	0.210	0.334
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.532	0.502	0.291	0.349	0.280	0.406
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.649	0.609	0.395	0.486	0.392	0.465
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.779	0.717	0.523	0.637	0.503	0.501
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	0.896	0.674	0.798	0.657	0.597
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.19	0.863	1.04	0.909	0.692
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.89	1.76	1.35	1.52	1.40	0.914

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	01668800	01669000	01669500	01669520	01670000	01670180
Count	number	682	1,736	1,178	806	1,209	93.0
Max	ft <sup>3</sup> /s	149	442	3,270	2,800	97.0	187
Min	ft <sup>3</sup> /s	0.500	0.010	0.000	0.000	0.000	2.80
Median	ft <sup>3</sup> /s	6.90	10.0	20.0	28.0	1.80	13.0
Arithmetic Mean	ft <sup>3</sup> /s	11.6	18.2	58.9	70.3	3.88	19.3
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	12.8
Harmonic Mean	ft <sup>3</sup> /s	4.01	2.66	--	--	--	9.43
Standard Deviation	ft <sup>3</sup> /s	14.9	28.2	172	164	7.73	25.9
5th percentile	ft <sup>3</sup> /s	1.10	1.49	0.600	0.400	0.100	3.34
10th percentile	ft <sup>3</sup> /s	1.50	2.20	2.40	2.00	0.200	4.22
20th percentile	ft <sup>3</sup> /s	2.82	4.20	6.90	5.00	0.450	5.98
30th percentile	ft <sup>3</sup> /s	4.40	5.95	9.70	9.00	0.816	8.98
40th percentile	ft <sup>3</sup> /s	5.70	8.30	15.0	16.0	1.22	11.0
50th percentile	ft <sup>3</sup> /s	6.90	10.0	20.0	28.0	1.80	13.0
60th percentile	ft <sup>3</sup> /s	8.60	13.0	29.0	43.0	2.20	14.2
70th percentile	ft <sup>3</sup> /s	11.0	17.0	40.9	72.0	2.90	18.0
80th percentile	ft <sup>3</sup> /s	15.0	24.0	62.6	105	4.50	22.2
90th percentile	ft <sup>3</sup> /s	26.0	38.0	105	170	9.06	35.0
Drainage area	mi <sup>2</sup>	15.4	27.9	86	109	7.15	41.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	9.68	15.8	38.0	25.7	13.6	4.46
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	0.000	0.000	0.000	0.000	0.067
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.448	0.358	0.233	0.257	0.252	0.310
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.754	0.654	0.684	0.645	0.542	0.461
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.305
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.260	0.095	--	--	--	0.225
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.970	1.01	2.00	1.51	1.08	0.618
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.071	0.053	0.007	0.004	0.014	0.080
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.097	0.079	0.028	0.018	0.028	0.101
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.183	0.151	0.080	0.046	0.063	0.143
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.286	0.213	0.113	0.083	0.114	0.214
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.370	0.297	0.174	0.147	0.171	0.263
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.448	0.358	0.233	0.257	0.252	0.310
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.558	0.466	0.337	0.394	0.308	0.339
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.714	0.609	0.476	0.661	0.406	0.430
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.974	0.860	0.728	0.963	0.629	0.530
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.69	1.36	1.22	1.56	1.27	0.835

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01668800</b>	<b>01669000</b>	<b>01669500</b>	<b>01669520</b>	<b>01670000</b>	<b>01670180</b>
Count	number	682	1,736	1,178	824	1,209	100
Max	ft <sup>3</sup> /s	1,100	1,080	1,320	1,500	194	57.0
Min	ft <sup>3</sup> /s	0.500	0.000	0.000	0.000	0.000	0.600
Median	ft <sup>3</sup> /s	5.65	8.80	24.0	24.0	1.60	8.25
Arithmetic Mean	ft <sup>3</sup> /s	12.5	18.1	54.5	80.7	4.79	9.94
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	5.86
Harmonic Mean	ft <sup>3</sup> /s	3.74	--	--	--	--	2.79
Standard Deviation	ft <sup>3</sup> /s	47.6	42.7	111	151	11.8	9.37
5th percentile	ft <sup>3</sup> /s	1.40	1.10	1.00	0.185	0.070	0.661
10th percentile	ft <sup>3</sup> /s	1.80	2.10	1.77	1.10	0.200	0.858
20th percentile	ft <sup>3</sup> /s	2.40	3.50	4.00	4.10	0.600	1.28
30th percentile	ft <sup>3</sup> /s	3.40	4.90	7.71	8.19	0.900	4.87
40th percentile	ft <sup>3</sup> /s	4.20	6.60	15.0	14.0	1.20	7.16
50th percentile	ft <sup>3</sup> /s	5.65	8.80	24.0	24.0	1.60	8.25
60th percentile	ft <sup>3</sup> /s	7.26	12.0	32.0	38.0	2.40	9.30
70th percentile	ft <sup>3</sup> /s	10.0	16.0	43.0	71.0	3.50	11.0
80th percentile	ft <sup>3</sup> /s	15.0	22.0	64.6	118	5.40	14.0
90th percentile	ft <sup>3</sup> /s	24.0	38.0	117	211	9.60	22.0
Drainage area	mi <sup>2</sup>	15.4	27.9	86	109	7.15	41.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	71.4	38.7	15.3	13.8	27.1	1.36
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	0.000	0.000	0.000	0.000	0.014
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.367	0.315	0.279	0.220	0.224	0.197
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.810	0.648	0.634	0.740	0.670	0.237
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.140
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.243	--	--	--	--	0.066
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.09	1.53	1.29	1.39	1.64	0.224
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.091	0.039	0.012	0.002	0.010	0.016
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.117	0.075	0.021	0.010	0.028	0.020
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.156	0.125	0.047	0.038	0.084	0.031
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.221	0.176	0.090	0.075	0.126	0.116
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.273	0.237	0.174	0.128	0.168	0.171
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.367	0.315	0.279	0.220	0.224	0.197
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.471	0.430	0.372	0.349	0.336	0.222
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.649	0.573	0.500	0.651	0.490	0.263
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.974	0.789	0.751	1.09	0.755	0.334
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.36	1.36	1.93	1.34	0.525

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01668800</b>	<b>01669000</b>	<b>01669500</b>	<b>01669520</b>	<b>01670000</b>	<b>01670180</b>
Count	number	660	1,680	1,140	810	1,170	120
Max	ft <sup>3</sup> /s	206	739	3,790	6,050	254	95.0
Min	ft <sup>3</sup> /s	0.200	0.000	0.000	0.040	0.000	0.540
Median	ft <sup>3</sup> /s	5.00	7.70	19.0	15.0	1.30	13.5
Arithmetic Mean	ft <sup>3</sup> /s	9.94	18.1	49.0	104	4.40	14.5
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	8.18
Harmonic Mean	ft <sup>3</sup> /s	3.54	--	--	1.72	--	3.17
Standard Deviation	ft <sup>3</sup> /s	17.0	39.4	180	359	15.0	13.7
5th percentile	ft <sup>3</sup> /s	1.10	1.20	0.472	0.486	0.100	0.661
10th percentile	ft <sup>3</sup> /s	1.90	1.80	1.40	1.00	0.200	0.878
20th percentile	ft <sup>3</sup> /s	2.60	2.90	3.58	2.88	0.500	1.48
30th percentile	ft <sup>3</sup> /s	3.60	4.20	8.20	5.50	0.700	7.13
40th percentile	ft <sup>3</sup> /s	4.20	6.10	14.0	8.40	0.950	9.96
50th percentile	ft <sup>3</sup> /s	5.00	7.70	19.0	15.0	1.30	13.5
60th percentile	ft <sup>3</sup> /s	6.10	10.0	25.0	22.0	1.60	15.0
70th percentile	ft <sup>3</sup> /s	8.70	15.0	33.0	48.0	2.50	17.0
80th percentile	ft <sup>3</sup> /s	13.0	24.0	45.0	115	4.30	20.2
90th percentile	ft <sup>3</sup> /s	19.1	39.0	81.0	197	9.11	29.3
Drainage area	mi <sup>2</sup>	15.4	27.9	86	109	7.15	41.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	13.4	26.5	44.1	55.5	35.5	2.27
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.013	0.000	0.000	0.000	0.000	0.013
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.325	0.276	0.221	0.138	0.182	0.322
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.646	0.648	0.570	0.954	0.616	0.346
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.195
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.230	--	--	0.016	--	0.076
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.41	2.09	3.29	2.10	0.326
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.071	0.043	0.005	0.004	0.014	0.016
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.123	0.065	0.016	0.009	0.028	0.021
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.169	0.104	0.042	0.026	0.070	0.035
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.151	0.095	0.050	0.098	0.170
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.273	0.219	0.163	0.077	0.133	0.238
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.325	0.276	0.221	0.138	0.182	0.322
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.396	0.358	0.291	0.202	0.224	0.358
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.565	0.538	0.384	0.440	0.350	0.406
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.844	0.860	0.523	1.06	0.601	0.482
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	1.40	0.942	1.81	1.27	0.699

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01668800</b>	<b>01669000</b>	<b>01669500</b>	<b>01669520</b>	<b>01670000</b>	<b>01670180</b>
Count	number	682	1,767	1,178	837	1,240	93.0
Max	ft <sup>3</sup> /s	121	405	1,010	1,250	95.0	850
Min	ft <sup>3</sup> /s	0.760	0.020	0.000	0.350	0.000	0.620
Median	ft <sup>3</sup> /s	7.30	12.0	27.0	33.0	2.40	11.0
Arithmetic Mean	ft <sup>3</sup> /s	12.2	19.8	48.9	72.9	4.86	31.8
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	8.06
Harmonic Mean	ft <sup>3</sup> /s	5.71	5.12	--	6.29	--	3.12
Standard Deviation	ft <sup>3</sup> /s	13.5	27.1	71.4	117	7.74	94.9
5th percentile	ft <sup>3</sup> /s	2.20	2.10	1.60	0.880	0.200	0.725
10th percentile	ft <sup>3</sup> /s	2.70	3.16	4.10	4.60	0.600	1.34
20th percentile	ft <sup>3</sup> /s	3.92	5.70	11.0	10.0	1.00	1.84
30th percentile	ft <sup>3</sup> /s	5.20	7.70	17.0	16.0	1.30	2.20
40th percentile	ft <sup>3</sup> /s	6.30	9.50	20.0	24.0	1.80	3.60
50th percentile	ft <sup>3</sup> /s	7.30	12.0	27.0	33.0	2.40	11.0
60th percentile	ft <sup>3</sup> /s	8.60	14.0	37.0	47.0	3.10	15.0
70th percentile	ft <sup>3</sup> /s	11.0	20.0	50.0	77.2	4.20	21.4
80th percentile	ft <sup>3</sup> /s	17.8	28.0	66.6	118	7.02	28.6
90th percentile	ft <sup>3</sup> /s	29.9	43.0	116	158	11.0	56.8
Drainage area	mi <sup>2</sup>	15.4	27.9	86	109	7.15	41.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.86	14.5	11.7	11.5	13.3	20.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.049	0.001	0.000	0.003	0.000	0.015
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.474	0.430	0.314	0.303	0.336	0.263
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.789	0.710	0.569	0.669	0.680	0.759
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.192
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.371	0.183	--	0.058	--	0.075
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.877	0.973	0.830	1.08	1.08	2.26
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.143	0.075	0.019	0.008	0.028	0.017
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.175	0.113	0.048	0.042	0.084	0.032
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.255	0.204	0.128	0.092	0.140	0.044
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.338	0.276	0.198	0.147	0.182	0.053
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.409	0.341	0.233	0.220	0.252	0.086
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.474	0.430	0.314	0.303	0.336	0.263
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.558	0.502	0.430	0.431	0.434	0.358
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.714	0.717	0.581	0.708	0.587	0.511
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	1.00	0.774	1.08	0.982	0.683
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.94	1.54	1.34	1.45	1.54	1.36

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01668800</b>	<b>01669000</b>	<b>01669500</b>	<b>01669520</b>	<b>01670000</b>	<b>01670180</b>
Count	number	660	1,705	1,140	805	1,200	90.0
Max	ft <sup>3</sup> /s	80.0	273	1,450	749	96.0	845
Min	ft <sup>3</sup> /s	2.60	3.30	0.000	1.10	0.100	1.20
Median	ft <sup>3</sup> /s	10.0	20.0	56.0	67.0	4.20	21.0
Arithmetic Mean	ft <sup>3</sup> /s	14.1	27.4	79.0	102	6.45	31.8
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	12.3
Harmonic Mean	ft <sup>3</sup> /s	9.14	16.6	--	37.4	2.74	4.95
Standard Deviation	ft <sup>3</sup> /s	11.4	25.2	95.5	97.6	7.30	90.7
5th percentile	ft <sup>3</sup> /s	3.90	7.40	9.52	15.0	1.30	1.30
10th percentile	ft <sup>3</sup> /s	4.60	8.40	18.9	22.0	1.60	1.30
20th percentile	ft <sup>3</sup> /s	6.60	11.0	28.0	31.0	2.20	3.78
30th percentile	ft <sup>3</sup> /s	8.00	14.0	37.0	44.0	2.90	6.15
40th percentile	ft <sup>3</sup> /s	9.10	16.0	44.0	53.0	3.40	13.2
50th percentile	ft <sup>3</sup> /s	10.0	20.0	56.0	67.0	4.20	21.0
60th percentile	ft <sup>3</sup> /s	12.0	24.0	67.0	84.4	5.20	24.0
70th percentile	ft <sup>3</sup> /s	15.0	30.0	80.3	117	6.70	27.3
80th percentile	ft <sup>3</sup> /s	19.0	39.0	98.0	163	9.10	31.2
90th percentile	ft <sup>3</sup> /s	28.0	51.6	160	235	13.0	42.3
Drainage area	mi <sup>2</sup>	15.4	27.9	86	109	7.15	41.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	5.19	9.78	16.9	6.87	13.4	20.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.169	0.118	0.000	0.010	0.014	0.029
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.649	0.717	0.651	0.615	0.587	0.501
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.916	0.981	0.919	0.933	0.902	0.758
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.293
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.593	0.596	--	0.343	0.384	0.118
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.741	0.904	1.11	0.895	1.02	2.16
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.265	0.111	0.138	0.182	0.031
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.299	0.301	0.220	0.202	0.224	0.031
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.429	0.394	0.326	0.284	0.308	0.090
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.519	0.502	0.430	0.404	0.406	0.147
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.591	0.573	0.512	0.486	0.476	0.315
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.649	0.717	0.651	0.615	0.587	0.501
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.779	0.860	0.779	0.774	0.727	0.573
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.974	1.08	0.934	1.07	0.937	0.652
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.40	1.14	1.50	1.27	0.745
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.82	1.85	1.86	2.16	1.82	1.01

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01668800</b>	<b>01669000</b>	<b>01669500</b>	<b>01669520</b>	<b>01670000</b>	<b>01670180</b>
Count	number	682	1,736	1,178	806	1,240	93.0
Max	ft <sup>3</sup> /s	144	270	818	678	90.0	265
Min	ft <sup>3</sup> /s	2.80	4.70	9.00	15.0	0.600	5.40
Median	ft <sup>3</sup> /s	14.0	24.0	67.5	107	5.40	26.0
Arithmetic Mean	ft <sup>3</sup> /s	16.9	30.8	91.8	127	7.14	34.2
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	24.1
Harmonic Mean	ft <sup>3</sup> /s	11.4	20.8	51.7	81.2	4.25	18.2
Standard Deviation	ft <sup>3</sup> /s	12.1	22.0	83.5	90.3	6.61	37.8
5th percentile	ft <sup>3</sup> /s	4.62	8.90	19.0	33.0	1.80	6.92
10th percentile	ft <sup>3</sup> /s	5.71	12.0	25.0	41.5	2.20	8.00
20th percentile	ft <sup>3</sup> /s	8.52	15.0	37.0	59.0	3.00	12.0
30th percentile	ft <sup>3</sup> /s	10.0	18.0	49.0	75.0	3.50	16.0
40th percentile	ft <sup>3</sup> /s	12.0	21.0	58.0	90.0	4.30	22.0
50th percentile	ft <sup>3</sup> /s	14.0	24.0	67.5	107	5.40	26.0
60th percentile	ft <sup>3</sup> /s	16.0	30.0	80.0	125	6.40	28.0
70th percentile	ft <sup>3</sup> /s	19.0	35.0	96.9	148	7.80	32.0
80th percentile	ft <sup>3</sup> /s	24.0	43.0	122	174	10.0	39.6
90th percentile	ft <sup>3</sup> /s	31.0	57.0	189	238	14.0	63.6
Drainage area	mi <sup>2</sup>	15.4	27.9	86	109	7.15	41.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	9.35	9.68	9.51	6.22	12.6	6.32
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.182	0.168	0.105	0.138	0.084	0.129
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.909	0.860	0.785	0.982	0.755	0.621
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.10	1.07	1.17	0.999	0.817
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.576
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.741	0.747	0.602	0.745	0.595	0.434
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.784	0.788	0.971	0.828	0.924	0.902
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.300	0.319	0.221	0.303	0.252	0.165
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.371	0.430	0.291	0.381	0.308	0.191
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.553	0.538	0.430	0.541	0.420	0.286
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.649	0.645	0.570	0.688	0.490	0.382
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.779	0.753	0.674	0.826	0.601	0.525
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.909	0.860	0.785	0.982	0.755	0.621
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	1.08	0.930	1.15	0.895	0.668
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.25	1.13	1.36	1.09	0.764
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.54	1.42	1.60	1.40	0.945
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.01	2.04	2.20	2.18	1.96	1.52



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>01670300</b>	<b>01670400</b>	<b>01671000</b>	<b>01671020</b>	<b>01671025</b>	<b>01671100</b>
Count	number	341	527	1,779	868	83.0	1,395
Max	ft <sup>3</sup> /s	187	4,330	9,600	6,920	898	3,270
Min	ft <sup>3</sup> /s	1.20	38.0	48.0	45.0	161	8.90
Median	ft <sup>3</sup> /s	3.80	210	315	304	394	94.0
Arithmetic Mean	ft <sup>3</sup> /s	7.96	401	551	512	435	145
Geometric Mean	ft <sup>3</sup> /s	4.79	--	--	--	403	--
Harmonic Mean	ft <sup>3</sup> /s	3.74	120	240	189	373	64.0
Standard Deviation	ft <sup>3</sup> /s	14.9	579	826	740	174	214
5th percentile	ft <sup>3</sup> /s	1.70	44.0	88.0	64.5	205	19.0
10th percentile	ft <sup>3</sup> /s	2.00	47.0	110	74.0	262	30.0
20th percentile	ft <sup>3</sup> /s	2.60	56.0	158	108	291	50.0
30th percentile	ft <sup>3</sup> /s	2.90	84.0	205	168	310	66.0
40th percentile	ft <sup>3</sup> /s	3.40	182	260	251	333	79.0
50th percentile	ft <sup>3</sup> /s	3.80	210	315	304	394	94.0
60th percentile	ft <sup>3</sup> /s	4.60	287	384	372	441	111
70th percentile	ft <sup>3</sup> /s	6.10	370	475	479	528	130
80th percentile	ft <sup>3</sup> /s	8.40	528	676	676	617	170
90th percentile	ft <sup>3</sup> /s	14.0	985	1,112	1,003	674	265
Drainage area	mi <sup>2</sup>	5.58	342	440	462	467	107
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	33.5	12.7	21.8	15.0	1.92	30.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.215	0.111	0.109	0.097	0.345	0.083
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.681	0.614	0.716	0.657	0.844	0.879
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	1.17	1.25	1.11	0.931	1.35
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.858	--	--	--	0.862	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.670	0.350	0.546	0.409	0.798	0.598
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.66	1.69	1.88	1.60	0.373	2.00
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.305	0.129	0.200	0.140	0.438	0.178
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.358	0.137	0.250	0.160	0.560	0.280
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.466	0.164	0.359	0.234	0.623	0.467
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.520	0.246	0.467	0.364	0.663	0.617
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.609	0.533	0.591	0.543	0.713	0.738
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.681	0.614	0.716	0.657	0.844	0.879
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.824	0.838	0.873	0.805	0.945	1.04
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.08	1.08	1.04	1.13	1.21
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.51	1.54	1.54	1.46	1.32	1.59
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.51	2.88	2.53	2.17	1.44	2.47

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01670300</b>	<b>01670400</b>	<b>01671000</b>	<b>01671020</b>	<b>01671025</b>	<b>01671100</b>
Count	number	311	480	1,610	791	82.0	1,270
Max	ft <sup>3</sup> /s	320	10,000	12,100	9,070	662	3,970
Min	ft <sup>3</sup> /s	1.50	41.0	48.0	50.0	175	9.90
Median	ft <sup>3</sup> /s	5.00	287	392	394	327	106
Arithmetic Mean	ft <sup>3</sup> /s	9.39	507	604	647	363	160
Geometric Mean	ft <sup>3</sup> /s	5.70	--	--	--	346	--
Harmonic Mean	ft <sup>3</sup> /s	4.86	168	312	247	329	80.4
Standard Deviation	ft <sup>3</sup> /s	26.0	919	818	932	118	240
5th percentile	ft <sup>3</sup> /s	2.46	44.0	126	73.0	180	33.0
10th percentile	ft <sup>3</sup> /s	3.50	56.0	160	90.0	251	40.0
20th percentile	ft <sup>3</sup> /s	4.00	142	226	198	286	58.0
30th percentile	ft <sup>3</sup> /s	4.40	193	279	271	304	79.7
40th percentile	ft <sup>3</sup> /s	4.60	221	338	306	318	95.0
50th percentile	ft <sup>3</sup> /s	5.00	287	392	394	327	106
60th percentile	ft <sup>3</sup> /s	5.30	320	449	468	350	118
70th percentile	ft <sup>3</sup> /s	5.70	376	555	595	388	139
80th percentile	ft <sup>3</sup> /s	7.20	529	712	750	461	177
90th percentile	ft <sup>3</sup> /s	12.0	1,032	1,160	1,410	521	292
Drainage area	mi <sup>2</sup>	5.58	342	440	462	467	107
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	57.3	29.2	27.5	19.6	1.42	37.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.269	0.120	0.109	0.108	0.375	0.093
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.896	0.839	0.891	0.853	0.700	0.991
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	1.48	1.37	1.40	0.778	1.49
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	--	--	--	0.740	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.870	0.492	0.709	0.535	0.704	0.751
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.66	2.69	1.86	2.02	0.253	2.25
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.441	0.129	0.286	0.158	0.386	0.308
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.627	0.164	0.364	0.195	0.538	0.374
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.717	0.414	0.514	0.429	0.612	0.542
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.789	0.564	0.634	0.587	0.652	0.745
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.824	0.646	0.768	0.662	0.681	0.888
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.896	0.839	0.891	0.853	0.700	0.991
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.950	0.936	1.02	1.01	0.750	1.10
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	1.10	1.26	1.29	0.831	1.30
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.55	1.62	1.62	0.988	1.66
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.15	3.02	2.64	3.05	1.11	2.73

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01670300</b>	<b>01670400</b>	<b>01671000</b>	<b>01671020</b>	<b>01671025</b>	<b>01671100</b>
Count	number	341	532	1,767	868	82.0	1,395
Max	ft <sup>3</sup> /s	172	8,330	10,900	10,900	740	3,320
Min	ft <sup>3</sup> /s	1.40	42.0	67.0	45.0	111	9.70
Median	ft <sup>3</sup> /s	5.00	300	416	409	299	113
Arithmetic Mean	ft <sup>3</sup> /s	8.92	599	651	764	333	189
Geometric Mean	ft <sup>3</sup> /s	5.80	--	--	--	286	--
Harmonic Mean	ft <sup>3</sup> /s	4.58	191	356	282	244	95.4
Standard Deviation	ft <sup>3</sup> /s	15.5	987	776	1,195	179	273
5th percentile	ft <sup>3</sup> /s	1.72	52.0	155	85.0	114	40.0
10th percentile	ft <sup>3</sup> /s	2.80	62.2	201	117	127	53.0
20th percentile	ft <sup>3</sup> /s	3.40	173	261	214	136	69.0
30th percentile	ft <sup>3</sup> /s	3.80	191	314	268	224	82.2
40th percentile	ft <sup>3</sup> /s	4.40	241	364	310	279	96.0
50th percentile	ft <sup>3</sup> /s	5.00	300	416	409	299	113
60th percentile	ft <sup>3</sup> /s	5.60	341	486	501	323	133
70th percentile	ft <sup>3</sup> /s	7.00	461	598	642	374	164
80th percentile	ft <sup>3</sup> /s	9.30	614	800	842	511	215
90th percentile	ft <sup>3</sup> /s	17.0	1,509	1,300	1,760	630	367
Drainage area	mi <sup>2</sup>	5.58	342	440	462	467	107
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	30.8	24.4	24.8	23.6	1.58	31.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.251	0.123	0.152	0.097	0.238	0.091
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.896	0.877	0.945	0.885	0.639	1.06
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.60	1.75	1.48	1.65	0.714	1.77
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	--	--	--	0.613	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.821	0.559	0.808	0.611	0.523	0.892
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.78	2.89	1.76	2.59	0.384	2.55
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.308	0.152	0.352	0.184	0.244	0.374
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.502	0.182	0.457	0.253	0.273	0.495
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.609	0.506	0.593	0.463	0.292	0.645
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.681	0.559	0.714	0.580	0.479	0.768
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.789	0.705	0.828	0.671	0.597	0.897
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.896	0.877	0.945	0.885	0.639	1.06
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.00	0.997	1.10	1.08	0.691	1.24
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	1.35	1.36	1.39	0.800	1.53
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.67	1.79	1.82	1.82	1.10	2.01
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.05	4.41	2.95	3.81	1.35	3.43

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01670300</b>	<b>01670400</b>	<b>01671000</b>	<b>01671020</b>	<b>01671025</b>	<b>01671100</b>
Count	number	330	540	1,740	840	81.0	1,350
Max	ft <sup>3</sup> /s	153	6,460	17,300	7,720	734	1,970
Min	ft <sup>3</sup> /s	1.60	42.0	77.0	49.0	101	14.0
Median	ft <sup>3</sup> /s	4.60	231	360	328	266	92.0
Arithmetic Mean	ft <sup>3</sup> /s	8.36	480	597	616	293	143
Geometric Mean	ft <sup>3</sup> /s	5.24	--	--	--	245	--
Harmonic Mean	ft <sup>3</sup> /s	4.17	152	309	242	208	77.9
Standard Deviation	ft <sup>3</sup> /s	14.9	720	896	820	181	177
5th percentile	ft <sup>3</sup> /s	2.10	52.1	128	82.1	109	35.0
10th percentile	ft <sup>3</sup> /s	2.30	58.0	161	102	111	41.0
20th percentile	ft <sup>3</sup> /s	2.88	71.8	220	144	122	54.0
30th percentile	ft <sup>3</sup> /s	3.20	176	271	246	145	67.0
40th percentile	ft <sup>3</sup> /s	3.80	193	316	282	224	80.0
50th percentile	ft <sup>3</sup> /s	4.60	231	360	328	266	92.0
60th percentile	ft <sup>3</sup> /s	5.30	312	417	429	287	109
70th percentile	ft <sup>3</sup> /s	6.50	361	505	560	321	134
80th percentile	ft <sup>3</sup> /s	8.80	542	683	757	403	168
90th percentile	ft <sup>3</sup> /s	13.0	1,281	1,132	1,531	590	272
Drainage area	mi <sup>2</sup>	5.58	342	440	462	467	107
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	27.4	18.9	39.3	16.7	1.57	18.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.287	0.123	0.175	0.106	0.216	0.131
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.824	0.675	0.818	0.710	0.570	0.860
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.50	1.40	1.36	1.33	0.628	1.33
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.938	--	--	--	0.525	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.748	0.444	0.703	0.524	0.445	0.728
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.67	2.11	2.04	1.77	0.388	1.66
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.376	0.152	0.291	0.178	0.234	0.327
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.412	0.170	0.366	0.221	0.238	0.383
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.516	0.210	0.500	0.312	0.261	0.505
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.573	0.513	0.616	0.532	0.310	0.626
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.681	0.565	0.718	0.610	0.480	0.748
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.824	0.675	0.818	0.710	0.570	0.860
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.950	0.913	0.949	0.929	0.615	1.02
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	1.06	1.15	1.21	0.687	1.25
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.58	1.58	1.55	1.64	0.863	1.57
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.33	3.75	2.57	3.31	1.26	2.54

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>01670300</b>	<b>01670400</b>	<b>01671000</b>	<b>01671020</b>	<b>01671025</b>	<b>01671100</b>
Count	number	341	558	1,798	866	91.0	1,395
Max	ft <sup>3</sup> /s	76.0	5,420	5,890	6,540	706	2,270
Min	ft <sup>3</sup> /s	0.560	41.0	57.0	38.0	86.0	6.00
Median	ft <sup>3</sup> /s	3.00	166	240	239	156	60.0
Arithmetic Mean	ft <sup>3</sup> /s	4.33	317	366	404	200	97.9
Geometric Mean	ft <sup>3</sup> /s	3.11	--	--	--	174	--
Harmonic Mean	ft <sup>3</sup> /s	2.54	107	212	160	155	44.8
Standard Deviation	ft <sup>3</sup> /s	6.04	586	444	637	121	148
5th percentile	ft <sup>3</sup> /s	1.20	44.0	94.0	59.0	89.2	16.0
10th percentile	ft <sup>3</sup> /s	1.40	47.0	117	72.0	96.0	21.0
20th percentile	ft <sup>3</sup> /s	1.80	56.4	148	92.0	106	31.0
30th percentile	ft <sup>3</sup> /s	2.20	73.0	175	125	123	41.0
40th percentile	ft <sup>3</sup> /s	2.60	112	202	183	137	50.0
50th percentile	ft <sup>3</sup> /s	3.00	166	240	239	156	60.0
60th percentile	ft <sup>3</sup> /s	3.40	193	284	269	202	73.0
70th percentile	ft <sup>3</sup> /s	3.80	259	347	336	233	91.0
80th percentile	ft <sup>3</sup> /s	4.40	348	442	481	260	118
90th percentile	ft <sup>3</sup> /s	8.00	600	691	791	347	182
Drainage area	mi <sup>2</sup>	5.58	342	440	462	467	107
Max	ft <sup>3</sup> /mi <sup>2</sup>	13.6	15.8	13.4	14.2	1.51	21.2
Min	ft <sup>3</sup> /mi <sup>2</sup>	0.100	0.120	0.130	0.082	0.184	0.056
Median	ft <sup>3</sup> /mi <sup>2</sup>	0.538	0.485	0.545	0.516	0.334	0.561
Arithmetic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.775	0.928	0.832	0.873	0.428	0.915
Geometric Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.558	--	--	--	0.372	--
Harmonic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.455	0.313	0.483	0.347	0.332	0.418
Standard Deviation	ft <sup>3</sup> /mi <sup>2</sup>	1.08	1.71	1.01	1.38	0.260	1.38
5th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.215	0.129	0.214	0.128	0.191	0.150
10th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.251	0.137	0.266	0.156	0.206	0.196
20th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.323	0.165	0.336	0.199	0.227	0.290
30th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.394	0.213	0.398	0.271	0.263	0.383
40th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.466	0.327	0.459	0.396	0.293	0.467
50th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.538	0.485	0.545	0.516	0.334	0.561
60th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.609	0.564	0.646	0.582	0.433	0.682
70th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.681	0.756	0.789	0.726	0.499	0.850
80th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.789	1.02	1.00	1.04	0.557	1.10
90th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.43	1.76	1.57	1.71	0.743	1.70

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>01670300</b>	<b>01670400</b>	<b>01671000</b>	<b>01671020</b>	<b>01671025</b>	<b>01671100</b>
Count	number	330	540	1,740	840	90.0	1,350
Max	ft <sup>3</sup> /s	92.0	6,620	15,700	7,190	731	6,410
Min	ft <sup>3</sup> /s	0.050	40.0	38.0	32.0	68.0	1.90
Median	ft <sup>3</sup> /s	1.40	65.5	138	108	93.5	32.0
Arithmetic Mean	ft <sup>3</sup> /s	2.46	208	247	257	129	66.3
Geometric Mean	ft <sup>3</sup> /s	1.39	--	--	--	108	--
Harmonic Mean	ft <sup>3</sup> /s	0.807	71.9	128	106	98.4	18.5
Standard Deviation	ft <sup>3</sup> /s	6.24	579	619	491	118	242
5th percentile	ft <sup>3</sup> /s	0.241	43.0	64.0	45.0	69.6	5.21
10th percentile	ft <sup>3</sup> /s	0.370	44.0	72.0	56.9	72.9	9.50
20th percentile	ft <sup>3</sup> /s	0.740	47.0	87.0	72.8	78.8	15.0
30th percentile	ft <sup>3</sup> /s	1.00	52.0	100	82.0	81.0	19.0
40th percentile	ft <sup>3</sup> /s	1.20	56.0	118	94.0	87.6	25.0
50th percentile	ft <sup>3</sup> /s	1.40	65.5	138	108	93.5	32.0
60th percentile	ft <sup>3</sup> /s	1.70	79.0	166	142	97.4	40.0
70th percentile	ft <sup>3</sup> /s	2.20	113	203	217	108	50.0
80th percentile	ft <sup>3</sup> /s	2.84	188	263	271	118	69.0
90th percentile	ft <sup>3</sup> /s	3.80	332	415	526	229	109
Drainage area	mi <sup>2</sup>	5.58	342	440	462	467	107
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	16.5	19.4	35.7	15.6	1.57	59.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.009	0.117	0.086	0.069	0.146	0.018
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.251	0.192	0.314	0.234	0.200	0.299
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.441	0.607	0.560	0.556	0.277	0.619
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.249	--	--	--	0.231	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.145	0.210	0.292	0.228	0.211	0.173
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	1.69	1.41	1.06	0.253	2.26
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.043	0.126	0.145	0.097	0.149	0.049
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.066	0.129	0.164	0.123	0.156	0.089
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.133	0.137	0.198	0.158	0.169	0.140
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.152	0.227	0.177	0.173	0.178
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.215	0.164	0.268	0.203	0.188	0.234
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.251	0.192	0.314	0.234	0.200	0.299
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.305	0.231	0.377	0.308	0.209	0.374
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.394	0.331	0.462	0.469	0.231	0.467
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.509	0.550	0.598	0.587	0.254	0.645
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.681	0.971	0.943	1.14	0.491	1.02

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>01670300</b>	<b>01670400</b>	<b>01671000</b>	<b>01671020</b>	<b>01671025</b>	<b>01671100</b>
Count	number	341	558	1,798	868	116	1,395
Max	ft <sup>3</sup> /s	24.0	2,280	7,640	2,460	745	2,680
Min	ft <sup>3</sup> /s	0.060	40.0	7.00	27.0	57.0	0.580
Median	ft <sup>3</sup> /s	0.980	59.0	93.0	76.0	88.0	17.0
Arithmetic Mean	ft <sup>3</sup> /s	1.34	129	212	160	127	38.2
Geometric Mean	ft <sup>3</sup> /s	0.870	--	--	--	106	--
Harmonic Mean	ft <sup>3</sup> /s	0.517	64.6	80.5	80.2	94.0	8.42
Standard Deviation	ft <sup>3</sup> /s	1.87	252	483	264	102	120
5th percentile	ft <sup>3</sup> /s	0.100	43.0	36.0	41.0	57.0	1.98
10th percentile	ft <sup>3</sup> /s	0.300	46.0	46.0	47.7	61.0	3.64
20th percentile	ft <sup>3</sup> /s	0.460	50.0	58.0	60.0	69.0	7.00
30th percentile	ft <sup>3</sup> /s	0.640	51.0	68.0	64.0	74.0	10.0
40th percentile	ft <sup>3</sup> /s	0.760	56.0	79.0	70.0	80.0	14.0
50th percentile	ft <sup>3</sup> /s	0.980	59.0	93.0	76.0	88.0	17.0
60th percentile	ft <sup>3</sup> /s	1.10	65.0	112	86.0	97.0	22.0
70th percentile	ft <sup>3</sup> /s	1.30	69.0	142	106	136	30.0
80th percentile	ft <sup>3</sup> /s	1.60	83.0	203	189	175	41.0
90th percentile	ft <sup>3</sup> /s	2.60	206	368	280	226	68.0
Drainage area	mi <sup>2</sup>	5.58	342	440	462	467	107
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	4.30	6.67	17.4	5.32	1.60	25.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.011	0.117	0.016	0.058	0.122	0.005
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.176	0.173	0.211	0.165	0.188	0.159
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.240	0.379	0.481	0.346	0.273	0.357
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.156	--	--	--	0.227	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.093	0.189	0.183	0.174	0.201	0.079
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.335	0.736	1.10	0.572	0.218	1.12
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.018	0.126	0.082	0.089	0.122	0.019
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.054	0.135	0.105	0.103	0.131	0.034
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.082	0.146	0.132	0.130	0.148	0.065
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.115	0.149	0.155	0.139	0.158	0.093
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.136	0.164	0.180	0.152	0.171	0.131
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.176	0.173	0.211	0.165	0.188	0.159
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.197	0.190	0.255	0.186	0.208	0.206
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.233	0.202	0.323	0.229	0.290	0.280
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.287	0.243	0.461	0.409	0.375	0.383
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.466	0.602	0.837	0.606	0.484	0.636

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01670300</b>	<b>01670400</b>	<b>01671000</b>	<b>01671020</b>	<b>01671025</b>	<b>01671100</b>
Count	number	341	558	1,798	868	122	1,395
Max	ft <sup>3</sup> /s	315	3,940	24,300	3,200	759	9,800
Min	ft <sup>3</sup> /s	0.040	38.0	2.00	30.0	45.0	0.050
Median	ft <sup>3</sup> /s	0.880	55.0	81.0	68.0	71.5	12.0
Arithmetic Mean	ft <sup>3</sup> /s	3.39	130	272	147	120	45.4
Geometric Mean	ft <sup>3</sup> /s	0.790	--	--	--	87.5	--
Harmonic Mean	ft <sup>3</sup> /s	0.286	60.6	52.5	71.3	74.7	3.65
Standard Deviation	ft <sup>3</sup> /s	18.5	313	1,119	313	137	311
5th percentile	ft <sup>3</sup> /s	0.060	41.0	16.0	40.0	49.0	1.10
10th percentile	ft <sup>3</sup> /s	0.090	43.0	24.0	46.0	51.0	2.00
20th percentile	ft <sup>3</sup> /s	0.230	46.0	48.0	53.0	55.2	3.90
30th percentile	ft <sup>3</sup> /s	0.500	49.0	60.0	58.0	58.6	5.70
40th percentile	ft <sup>3</sup> /s	0.640	52.0	69.0	62.0	63.4	7.70
50th percentile	ft <sup>3</sup> /s	0.880	55.0	81.0	68.0	71.5	12.0
60th percentile	ft <sup>3</sup> /s	1.20	60.0	99.0	75.0	76.0	17.0
70th percentile	ft <sup>3</sup> /s	1.50	65.0	134	91.0	79.0	24.8
80th percentile	ft <sup>3</sup> /s	2.20	91.0	208	118	95.2	35.2
90th percentile	ft <sup>3</sup> /s	3.50	204	403	242	264	64.6
Drainage area	mi <sup>2</sup>	5.58	342	440	462	467	107
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	56.5	11.5	55.2	6.93	1.63	91.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.007	0.111	0.005	0.065	0.096	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.158	0.161	0.184	0.147	0.153	0.112
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.608	0.381	0.619	0.318	0.258	0.424
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.142	--	--	--	0.187	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.051	0.177	0.119	0.154	0.160	0.034
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.31	0.916	2.54	0.677	0.294	2.91
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.011	0.120	0.036	0.087	0.105	0.010
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.016	0.126	0.055	0.100	0.109	0.019
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.041	0.135	0.109	0.115	0.118	0.036
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.090	0.143	0.136	0.126	0.125	0.053
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.115	0.152	0.157	0.134	0.136	0.072
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.158	0.161	0.184	0.147	0.153	0.112
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.215	0.175	0.225	0.162	0.163	0.159
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.269	0.190	0.304	0.197	0.169	0.232
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.394	0.266	0.472	0.255	0.204	0.329
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.627	0.597	0.915	0.524	0.566	0.604



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01670300</b>	<b>01670400</b>	<b>01671000</b>	<b>01671020</b>	<b>01671025</b>	<b>01671100</b>
Count	number	330	540	1,740	840	115	1,359
Max	ft <sup>3</sup> /s	29.0	3,420	10,200	9,100	711	3,550
Min	ft <sup>3</sup> /s	0.040	33.0	2.00	27.0	24.0	0.100
Median	ft <sup>3</sup> /s	0.760	50.0	71.0	61.0	69.0	8.70
Arithmetic Mean	ft <sup>3</sup> /s	1.20	106	179	179	132	42.2
Geometric Mean	ft <sup>3</sup> /s	0.638	--	--	--	90.5	--
Harmonic Mean	ft <sup>3</sup> /s	0.301	54.4	35.1	64.2	69.5	2.92
Standard Deviation	ft <sup>3</sup> /s	2.42	272	617	630	143	172
5th percentile	ft <sup>3</sup> /s	0.060	41.0	9.00	39.0	28.8	0.740
10th percentile	ft <sup>3</sup> /s	0.090	43.0	18.0	42.0	35.8	1.10
20th percentile	ft <sup>3</sup> /s	0.310	45.0	35.0	47.0	46.0	1.80
30th percentile	ft <sup>3</sup> /s	0.460	46.0	50.0	53.0	65.0	3.60
40th percentile	ft <sup>3</sup> /s	0.636	47.0	62.0	57.0	66.0	5.80
50th percentile	ft <sup>3</sup> /s	0.760	50.0	71.0	61.0	69.0	8.70
60th percentile	ft <sup>3</sup> /s	0.934	53.0	84.0	65.4	96.2	13.0
70th percentile	ft <sup>3</sup> /s	1.03	57.0	102	73.0	111	19.0
80th percentile	ft <sup>3</sup> /s	1.30	63.0	138	92.0	169	29.0
90th percentile	ft <sup>3</sup> /s	2.01	127	227	225	320	65.0
Drainage area	mi <sup>2</sup>	5.58	342	440	462	467	107
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	5.20	10.0	23.2	19.7	1.52	33.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.007	0.096	0.005	0.058	0.051	0.001
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.136	0.146	0.161	0.132	0.148	0.081
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.215	0.310	0.407	0.388	0.282	0.394
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.114	--	--	--	0.194	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.054	0.159	0.080	0.139	0.149	0.027
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.433	0.795	1.40	1.36	0.306	1.61
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.011	0.120	0.020	0.084	0.062	0.007
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.016	0.126	0.041	0.091	0.077	0.010
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.056	0.132	0.080	0.102	0.099	0.017
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.082	0.135	0.114	0.115	0.139	0.034
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.114	0.137	0.141	0.123	0.141	0.054
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.136	0.146	0.161	0.132	0.148	0.081
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.167	0.155	0.191	0.142	0.206	0.121
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.185	0.167	0.232	0.158	0.237	0.178
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.233	0.184	0.314	0.199	0.362	0.271
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.360	0.370	0.516	0.487	0.684	0.607

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01670300</b>	<b>01670400</b>	<b>01671000</b>	<b>01671020</b>	<b>01671025</b>	<b>01671100</b>
Count	number	372	558	1,798	899	119	1,426
Max	ft <sup>3</sup> /s	100	5,930	11,000	7,800	730	3,700
Min	ft <sup>3</sup> /s	0.120	13.0	1.00	7.60	7.20	0.090
Median	ft <sup>3</sup> /s	1.20	52.0	85.0	72.0	107	17.0
Arithmetic Mean	ft <sup>3</sup> /s	3.16	132	233	206	161	53.2
Geometric Mean	ft <sup>3</sup> /s	1.35	--	--	--	101	--
Harmonic Mean	ft <sup>3</sup> /s	0.773	52.6	50.6	69.9	50.5	3.64
Standard Deviation	ft <sup>3</sup> /s	8.02	453	654	554	140	162
5th percentile	ft <sup>3</sup> /s	0.210	34.0	17.0	37.0	11.0	0.844
10th percentile	ft <sup>3</sup> /s	0.330	41.0	28.0	44.0	15.0	1.30
20th percentile	ft <sup>3</sup> /s	0.500	44.0	52.0	53.0	51.0	3.50
30th percentile	ft <sup>3</sup> /s	0.740	48.0	62.0	59.0	88.4	7.30
40th percentile	ft <sup>3</sup> /s	1.00	50.0	72.0	64.0	92.0	11.0
50th percentile	ft <sup>3</sup> /s	1.20	52.0	85.0	72.0	107	17.0
60th percentile	ft <sup>3</sup> /s	1.56	56.0	101	80.8	153	23.0
70th percentile	ft <sup>3</sup> /s	2.70	60.0	130	99.0	203	36.0
80th percentile	ft <sup>3</sup> /s	3.30	63.6	178	174	258	57.0
90th percentile	ft <sup>3</sup> /s	4.60	161	378	367	369	106
Drainage area	mi <sup>2</sup>	5.58	342	440	462	467	107
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	17.9	17.3	25.0	16.9	1.56	34.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.022	0.038	0.002	0.016	0.015	0.001
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.215	0.152	0.193	0.156	0.229	0.159
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.566	0.385	0.529	0.445	0.344	0.497
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.242	--	--	--	0.216	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.139	0.154	0.115	0.151	0.108	0.034
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	1.32	1.49	1.20	0.299	1.51
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.038	0.099	0.039	0.080	0.024	0.008
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.059	0.120	0.064	0.095	0.032	0.012
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.090	0.129	0.118	0.115	0.109	0.033
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.133	0.140	0.141	0.128	0.189	0.068
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.146	0.164	0.139	0.197	0.103
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.215	0.152	0.193	0.156	0.229	0.159
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.280	0.164	0.230	0.175	0.327	0.215
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.484	0.175	0.295	0.214	0.435	0.336
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.591	0.186	0.405	0.377	0.553	0.533
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.824	0.471	0.859	0.795	0.791	0.986

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01670300</b>	<b>01670400</b>	<b>01671000</b>	<b>01671020</b>	<b>01671025</b>	<b>01671100</b>
Count	number	360	535	1,740	865	100	1,375
Max	ft <sup>3</sup> /s	223	7,970	9,600	9,550	734	1,930
Min	ft <sup>3</sup> /s	0.470	22.0	10.0	15.0	21.0	1.00
Median	ft <sup>3</sup> /s	2.70	57.0	138	101	173	39.0
Arithmetic Mean	ft <sup>3</sup> /s	5.05	235	283	352	245	80.1
Geometric Mean	ft <sup>3</sup> /s	2.72	--	--	--	146	--
Harmonic Mean	ft <sup>3</sup> /s	1.95	66.0	116	96.9	77.9	15.8
Standard Deviation	ft <sup>3</sup> /s	13.9	697	582	722	213	141
5th percentile	ft <sup>3</sup> /s	0.682	42.8	52.0	40.0	22.1	3.64
10th percentile	ft <sup>3</sup> /s	0.976	44.0	62.0	52.0	26.0	9.32
20th percentile	ft <sup>3</sup> /s	1.30	47.0	78.0	67.8	36.0	16.0
30th percentile	ft <sup>3</sup> /s	1.70	50.0	95.0	76.0	90.0	24.0
40th percentile	ft <sup>3</sup> /s	2.20	54.0	118	86.0	98.8	30.0
50th percentile	ft <sup>3</sup> /s	2.70	57.0	138	101	173	39.0
60th percentile	ft <sup>3</sup> /s	3.20	64.0	167	148	264	52.0
70th percentile	ft <sup>3</sup> /s	3.63	72.8	220	268	372	66.8
80th percentile	ft <sup>3</sup> /s	4.40	188	306	431	487	98.0
90th percentile	ft <sup>3</sup> /s	7.60	379	496	735	543	162
Drainage area	mi <sup>2</sup>	5.58	342	440	462	467	107
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	40.0	23.3	21.8	20.7	1.57	18.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.084	0.064	0.023	0.032	0.045	0.009
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.484	0.167	0.314	0.219	0.370	0.364
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.905	0.687	0.643	0.761	0.525	0.748
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.487	--	--	--	0.312	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.349	0.193	0.263	0.210	0.167	0.147
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.50	2.04	1.32	1.56	0.456	1.32
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.122	0.125	0.118	0.087	0.047	0.034
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.175	0.129	0.141	0.113	0.056	0.087
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.233	0.137	0.177	0.147	0.077	0.150
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.305	0.146	0.216	0.165	0.193	0.224
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.394	0.158	0.267	0.186	0.212	0.280
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.484	0.167	0.314	0.219	0.370	0.364
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.573	0.187	0.380	0.319	0.564	0.486
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.651	0.213	0.500	0.579	0.797	0.624
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.789	0.551	0.696	0.932	1.04	0.916
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.36	1.11	1.13	1.59	1.16	1.51

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01670300</b>	<b>01670400</b>	<b>01671000</b>	<b>01671020</b>	<b>01671025</b>	<b>01671100</b>
Count	number	372	527	1,798	868	86.0	1,395
Max	ft <sup>3</sup> /s	117	4,780	9,690	5,620	663	2,040
Min	ft <sup>3</sup> /s	1.10	38.0	20.0	39.0	195	5.80
Median	ft <sup>3</sup> /s	3.40	184	217	257	353	69.0
Arithmetic Mean	ft <sup>3</sup> /s	5.46	265	402	405	406	106
Geometric Mean	ft <sup>3</sup> /s	3.80	--	--	--	384	--
Harmonic Mean	ft <sup>3</sup> /s	3.18	96.2	173	155	363	45.6
Standard Deviation	ft <sup>3</sup> /s	9.02	460	664	564	134	139
5th percentile	ft <sup>3</sup> /s	1.60	44.4	69.0	58.0	211	16.0
10th percentile	ft <sup>3</sup> /s	1.80	45.0	86.0	69.0	265	20.0
20th percentile	ft <sup>3</sup> /s	2.40	49.0	117	78.4	285	32.0
30th percentile	ft <sup>3</sup> /s	2.83	56.8	145	118	305	46.0
40th percentile	ft <sup>3</sup> /s	3.10	99.0	178	201	318	59.0
50th percentile	ft <sup>3</sup> /s	3.40	184	217	257	353	69.0
60th percentile	ft <sup>3</sup> /s	3.66	200	273	305	448	83.0
70th percentile	ft <sup>3</sup> /s	4.17	248	334	374	495	101
80th percentile	ft <sup>3</sup> /s	5.30	309	430	491	545	135
90th percentile	ft <sup>3</sup> /s	9.29	425	800	805	599	215
Drainage area	mi <sup>2</sup>	5.58	342	440	462	467	107
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.0	14.0	22.0	12.2	1.42	19.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.197	0.111	0.045	0.084	0.418	0.054
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.609	0.538	0.493	0.556	0.756	0.645
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.978	0.775	0.914	0.876	0.868	0.989
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.681	--	--	--	0.822	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.570	0.281	0.394	0.335	0.778	0.426
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	1.34	1.51	1.22	0.287	1.30
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.287	0.130	0.157	0.126	0.453	0.150
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.323	0.132	0.195	0.149	0.566	0.187
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.430	0.143	0.266	0.170	0.610	0.299
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.507	0.166	0.330	0.256	0.653	0.430
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.556	0.289	0.405	0.435	0.681	0.551
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.609	0.538	0.493	0.556	0.756	0.645
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.656	0.585	0.620	0.661	0.959	0.776
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.747	0.726	0.759	0.809	1.06	0.942
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.950	0.905	0.976	1.06	1.17	1.26
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	1.24	1.82	1.74	1.28	2.01

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>01671500</b>	<b>01672000</b>	<b>01672500</b>	<b>01673000</b>	<b>01673500</b>	<b>01673550</b>
Count	number	961	93.0	2,201	2,046	899	930
Max	ft <sup>3</sup> /s	158	782	5,360	13,900	118	534
Min	ft <sup>3</sup> /s	0.500	100	46.0	92.0	0.240	5.90
Median	ft <sup>3</sup> /s	3.70	180	340	910	5.70	25.0
Arithmetic Mean	ft <sup>3</sup> /s	6.75	237	536	1,410	7.84	34.9
Geometric Mean	ft <sup>3</sup> /s	--	205	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	2.76	183	262	688	3.56	21.2
Standard Deviation	ft <sup>3</sup> /s	11.4	149	615	1,580	9.13	41.3
5th percentile	ft <sup>3</sup> /s	0.900	100	86.0	237	1.30	10.0
10th percentile	ft <sup>3</sup> /s	1.40	123	129	314	1.80	11.0
20th percentile	ft <sup>3</sup> /s	2.00	135	196	520	2.80	14.0
30th percentile	ft <sup>3</sup> /s	2.50	141	242	643	3.80	18.0
40th percentile	ft <sup>3</sup> /s	3.10	154	284	760	4.60	21.0
50th percentile	ft <sup>3</sup> /s	3.70	180	340	910	5.70	25.0
60th percentile	ft <sup>3</sup> /s	4.50	211	400	1,070	6.70	28.0
70th percentile	ft <sup>3</sup> /s	5.40	258	489	1,300	8.20	33.0
80th percentile	ft <sup>3</sup> /s	7.40	316	658	1,780	10.0	39.0
90th percentile	ft <sup>3</sup> /s	13.0	393	1,180	2,975	15.0	66.1
Drainage area	mi <sup>2</sup>	4.34	297	395	1078	5.77	25.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	36.4	2.63	13.6	12.9	20.5	20.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.115	0.337	0.116	0.085	0.042	0.231
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.853	0.606	0.861	0.844	0.988	0.980
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	0.797	1.36	1.31	1.36	1.37
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.690	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.637	0.617	0.662	0.638	0.616	0.833
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.64	0.501	1.56	1.47	1.58	1.62
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.207	0.337	0.218	0.220	0.225	0.392
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.323	0.414	0.327	0.291	0.312	0.431
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.461	0.455	0.496	0.482	0.485	0.549
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.576	0.475	0.613	0.596	0.659	0.706
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.714	0.519	0.719	0.705	0.797	0.824
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.853	0.606	0.861	0.844	0.988	0.980
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	0.710	1.01	0.993	1.16	1.10
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	0.870	1.24	1.21	1.42	1.29
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	1.06	1.67	1.65	1.73	1.53
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.00	1.32	2.99	2.76	2.60	2.59

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01671500</b>	<b>01672000</b>	<b>01672500</b>	<b>01673000</b>	<b>01673500</b>	<b>01673550</b>
Count	number	875	85.0	2,006	1,864	819	847
Max	ft <sup>3</sup> /s	180	1,820	7,560	18,400	122	561
Min	ft <sup>3</sup> /s	0.700	120	45.0	111	1.10	6.90
Median	ft <sup>3</sup> /s	4.50	268	392	1,060	7.50	28.0
Arithmetic Mean	ft <sup>3</sup> /s	7.82	381	572	1,600	10.4	36.0
Geometric Mean	ft <sup>3</sup> /s	--	294	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.61	247	323	855	5.81	23.6
Standard Deviation	ft <sup>3</sup> /s	12.8	359	600	1,782	10.4	40.9
5th percentile	ft <sup>3</sup> /s	1.50	125	130	341	2.20	11.0
10th percentile	ft <sup>3</sup> /s	1.74	144	168	464	2.90	13.0
20th percentile	ft <sup>3</sup> /s	2.40	167	234	638	4.30	16.0
30th percentile	ft <sup>3</sup> /s	3.10	194	296	790	5.20	20.0
40th percentile	ft <sup>3</sup> /s	3.80	235	342	928	6.40	24.0
50th percentile	ft <sup>3</sup> /s	4.50	268	392	1,060	7.50	28.0
60th percentile	ft <sup>3</sup> /s	5.20	300	451	1,210	8.90	32.0
70th percentile	ft <sup>3</sup> /s	6.80	348	553	1,500	11.0	37.0
80th percentile	ft <sup>3</sup> /s	9.32	428	742	1,990	14.0	44.0
90th percentile	ft <sup>3</sup> /s	15.0	628	1,160	3,307	21.0	59.0
Drainage area	mi <sup>2</sup>	4.34	297	395	1078	5.77	25.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	41.5	6.13	19.1	17.1	21.1	22.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.161	0.404	0.114	0.103	0.191	0.271
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	0.902	0.992	0.983	1.30	1.10
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.80	1.28	1.45	1.48	1.80	1.41
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.989	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.831	0.833	0.817	0.794	1.01	0.927
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.95	1.21	1.52	1.65	1.80	1.61
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.346	0.420	0.329	0.316	0.381	0.431
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.401	0.484	0.424	0.430	0.503	0.510
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.553	0.562	0.592	0.592	0.745	0.627
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.714	0.653	0.749	0.733	0.901	0.784
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.876	0.793	0.866	0.861	1.11	0.941
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	0.902	0.992	0.983	1.30	1.10
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.01	1.14	1.12	1.54	1.25
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	1.17	1.40	1.39	1.91	1.45
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.15	1.44	1.88	1.85	2.43	1.73
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.46	2.11	2.94	3.07	3.64	2.31

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01671500</b>	<b>01672000</b>	<b>01672500</b>	<b>01673000</b>	<b>01673500</b>	<b>01673550</b>
Count	number	961	93.0	2,200	2,046	899	930
Max	ft <sup>3</sup> /s	137	2,020	6,720	20,400	127	612
Min	ft <sup>3</sup> /s	1.30	117	70.0	105	1.80	6.70
Median	ft <sup>3</sup> /s	4.90	219	422	1,190	7.70	30.0
Arithmetic Mean	ft <sup>3</sup> /s	8.25	399	643	1,842	11.0	45.6
Geometric Mean	ft <sup>3</sup> /s	--	281	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	4.31	228	378	1,000	6.58	25.9
Standard Deviation	ft <sup>3</sup> /s	12.0	428	658	1,951	11.5	57.9
5th percentile	ft <sup>3</sup> /s	1.90	129	177	463	2.90	12.0
10th percentile	ft <sup>3</sup> /s	2.30	141	215	568	3.50	14.0
20th percentile	ft <sup>3</sup> /s	3.00	154	267	725	4.40	17.0
30th percentile	ft <sup>3</sup> /s	3.60	164	311	861	5.50	21.0
40th percentile	ft <sup>3</sup> /s	4.20	180	361	1,000	6.60	25.0
50th percentile	ft <sup>3</sup> /s	4.90	219	422	1,190	7.70	30.0
60th percentile	ft <sup>3</sup> /s	5.60	270	491	1,420	9.28	35.0
70th percentile	ft <sup>3</sup> /s	6.90	344	600	1,735	11.6	42.0
80th percentile	ft <sup>3</sup> /s	9.40	466	833	2,410	14.0	55.0
90th percentile	ft <sup>3</sup> /s	16.0	1,033	1,393	3,995	21.0	80.1
Drainage area	mi <sup>2</sup>	4.34	297	395	1078	5.77	25.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	31.6	6.80	17.0	18.9	22.0	24.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.300	0.394	0.177	0.097	0.312	0.263
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	0.737	1.07	1.10	1.33	1.18
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.90	1.34	1.63	1.71	1.90	1.79
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.948	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.992	0.769	0.958	0.928	1.14	1.02
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.77	1.44	1.67	1.81	1.99	2.27
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.438	0.434	0.448	0.430	0.503	0.471
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.530	0.475	0.544	0.527	0.607	0.549
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.691	0.519	0.676	0.673	0.763	0.667
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.829	0.553	0.787	0.798	0.953	0.824
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.968	0.606	0.914	0.928	1.14	0.980
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	0.737	1.07	1.10	1.33	1.18
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	0.909	1.24	1.32	1.61	1.37
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.59	1.16	1.52	1.61	2.01	1.65
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.17	1.57	2.11	2.24	2.43	2.16
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.69	3.48	3.53	3.71	3.64	3.14

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01671500</b>	<b>01672000</b>	<b>01672500</b>	<b>01673000</b>	<b>01673500</b>	<b>01673550</b>
Count	number	930	120	2,130	1,980	870	900
Max	ft <sup>3</sup> /s	164	2,380	12,800	16,300	124	534
Min	ft <sup>3</sup> /s	1.20	117	103	124	1.20	6.00
Median	ft <sup>3</sup> /s	4.00	243	354	971	6.00	28.0
Arithmetic Mean	ft <sup>3</sup> /s	6.48	435	564	1,514	8.77	39.5
Geometric Mean	ft <sup>3</sup> /s	--	316	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.62	257	324	845	4.84	24.4
Standard Deviation	ft <sup>3</sup> /s	11.2	439	714	1,598	9.80	39.7
5th percentile	ft <sup>3</sup> /s	1.70	136	152	389	2.00	11.0
10th percentile	ft <sup>3</sup> /s	2.00	160	175	447	2.50	13.0
20th percentile	ft <sup>3</sup> /s	2.50	177	221	587	3.20	16.0
30th percentile	ft <sup>3</sup> /s	3.07	192	261	725	4.10	21.0
40th percentile	ft <sup>3</sup> /s	3.50	215	304	840	5.00	24.0
50th percentile	ft <sup>3</sup> /s	4.00	243	354	971	6.00	28.0
60th percentile	ft <sup>3</sup> /s	4.60	299	419	1,140	7.00	34.0
70th percentile	ft <sup>3</sup> /s	5.40	417	518	1,390	8.50	41.0
80th percentile	ft <sup>3</sup> /s	6.80	591	688	1,890	11.0	50.0
90th percentile	ft <sup>3</sup> /s	11.0	1,072	1,160	3,282	17.1	73.0
Drainage area	mi <sup>2</sup>	4.34	297	395	1078	5.77	25.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	37.8	8.01	32.4	15.1	21.5	20.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.276	0.394	0.261	0.115	0.208	0.235
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.922	0.816	0.896	0.901	1.04	1.10
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	1.47	1.43	1.40	1.52	1.55
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.06	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.833	0.864	0.821	0.784	0.839	0.957
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.57	1.48	1.81	1.48	1.70	1.56
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.392	0.458	0.384	0.361	0.347	0.431
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.461	0.539	0.443	0.415	0.433	0.510
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.576	0.595	0.559	0.545	0.555	0.627
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.707	0.646	0.661	0.673	0.711	0.824
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.806	0.723	0.770	0.779	0.867	0.941
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.922	0.816	0.896	0.901	1.04	1.10
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.01	1.06	1.06	1.21	1.33
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	1.40	1.31	1.29	1.47	1.61
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	1.99	1.74	1.75	1.91	1.96
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.53	3.61	2.94	3.04	2.96	2.86



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	01671500	01672000	01672500	01673000	01673500	01673550
Count	number	961	124	2,201	2,046	899	930
Max	ft <sup>3</sup> /s	171	1,160	6,650	13,100	68.0	559
Min	ft <sup>3</sup> /s	0.350	47.0	54.0	91.0	0.390	2.70
Median	ft <sup>3</sup> /s	2.60	148	226	658	3.20	21.0
Arithmetic Mean	ft <sup>3</sup> /s	5.39	195	347	1,013	5.59	28.5
Geometric Mean	ft <sup>3</sup> /s	--	161	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	2.11	140	204	547	2.21	15.3
Standard Deviation	ft <sup>3</sup> /s	13.2	163	408	1,114	7.55	34.1
5th percentile	ft <sup>3</sup> /s	0.800	79.0	95.1	230	0.710	5.80
10th percentile	ft <sup>3</sup> /s	1.10	94.0	112	284	1.00	7.50
20th percentile	ft <sup>3</sup> /s	1.40	104	142	375	1.50	10.0
30th percentile	ft <sup>3</sup> /s	1.80	112	166	465	2.00	14.0
40th percentile	ft <sup>3</sup> /s	2.20	131	193	560	2.60	18.0
50th percentile	ft <sup>3</sup> /s	2.60	148	226	658	3.20	21.0
60th percentile	ft <sup>3</sup> /s	3.10	166	267	785	4.00	25.0
70th percentile	ft <sup>3</sup> /s	3.80	192	324	972	5.10	30.0
80th percentile	ft <sup>3</sup> /s	5.00	232	424	1,290	7.30	36.0
90th percentile	ft <sup>3</sup> /s	8.80	361	641	2,155	12.0	53.0
Drainage area	mi <sup>2</sup>	4.34	297	395	1078	5.77	25.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	39.4	3.91	16.8	12.2	11.8	21.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.081	0.158	0.137	0.084	0.068	0.106
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.599	0.498	0.572	0.610	0.555	0.824
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	0.655	0.879	0.940	0.968	1.12
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.541	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.486	0.473	0.517	0.508	0.383	0.600
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.05	0.548	1.03	1.03	1.31	1.34
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.184	0.266	0.241	0.213	0.123	0.227
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.316	0.284	0.263	0.173	0.294
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.323	0.350	0.359	0.348	0.260	0.392
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.415	0.377	0.420	0.431	0.347	0.549
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.507	0.441	0.489	0.519	0.451	0.706
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.599	0.498	0.572	0.610	0.555	0.824
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.714	0.559	0.676	0.728	0.693	0.980
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.876	0.647	0.820	0.902	0.884	1.18
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	0.782	1.07	1.20	1.27	1.41
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.03	1.21	1.62	2.00	2.08	2.08

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	01671500	01672000	01672500	01673000	01673500	01673550
Count	number	930	120	2,133	1,980	870	900
Max	ft <sup>3</sup> /s	388	1,060	11,100	25,000	173	332
Min	ft <sup>3</sup> /s	0.080	32.0	21.0	58.0	0.000	0.260
Median	ft <sup>3</sup> /s	1.40	92.0	131	385	1.25	12.0
Arithmetic Mean	ft <sup>3</sup> /s	3.97	147	238	685	3.02	18.6
Geometric Mean	ft <sup>3</sup> /s	1.38	108	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	0.838	89.1	114	302	--	7.03
Standard Deviation	ft <sup>3</sup> /s	20.8	162	556	1,310	8.26	22.8
5th percentile	ft <sup>3</sup> /s	0.300	46.0	52.7	118	0.200	2.51
10th percentile	ft <sup>3</sup> /s	0.400	52.0	62.0	162	0.300	3.89
20th percentile	ft <sup>3</sup> /s	0.600	61.0	78.0	205	0.500	6.08
30th percentile	ft <sup>3</sup> /s	0.800	77.5	92.0	263	0.710	8.20
40th percentile	ft <sup>3</sup> /s	1.00	84.0	110	320	1.00	10.0
50th percentile	ft <sup>3</sup> /s	1.40	92.0	131	385	1.25	12.0
60th percentile	ft <sup>3</sup> /s	1.70	100	157	464	1.60	15.0
70th percentile	ft <sup>3</sup> /s	2.00	120	190	572	2.20	18.0
80th percentile	ft <sup>3</sup> /s	2.70	149	253	771	3.00	24.0
90th percentile	ft <sup>3</sup> /s	5.00	312	403	1,211	6.00	36.0
Drainage area	mi <sup>2</sup>	4.34	297	395	1078	5.77	25.5
Max	ft <sup>3</sup> /mi <sup>2</sup>	89.4	3.57	28.1	23.2	30.0	13.0
Min	ft <sup>3</sup> /mi <sup>2</sup>	0.018	0.108	0.053	0.054	0.000	0.010
Median	ft <sup>3</sup> /mi <sup>2</sup>	0.323	0.310	0.332	0.357	0.217	0.471
Arithmetic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.915	0.495	0.604	0.635	0.523	0.728
Geometric Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.319	0.362	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.193	0.300	0.288	0.280	--	0.276
Standard Deviation	ft <sup>3</sup> /mi <sup>2</sup>	4.79	0.544	1.41	1.22	1.43	0.893
5th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.069	0.155	0.133	0.110	0.035	0.098
10th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.092	0.175	0.157	0.150	0.052	0.153
20th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.138	0.205	0.197	0.190	0.087	0.238
30th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.184	0.261	0.233	0.244	0.123	0.322
40th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.230	0.283	0.278	0.296	0.173	0.392
50th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.323	0.310	0.332	0.357	0.217	0.471
60th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.392	0.337	0.397	0.430	0.277	0.588
70th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.461	0.404	0.482	0.531	0.381	0.706
80th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.622	0.502	0.641	0.715	0.520	0.941
90th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.15	1.05	1.02	1.12	1.04	1.41

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	01671500	01672000	01672500	01673000	01673500	01673550
Count	number	961	124	2,232	2,046	899	930
Max	ft <sup>3</sup> /s	106	614	3,880	12,900	167	365
Min	ft <sup>3</sup> /s	0.000	6.00	13.0	24.0	0.000	0.000
Median	ft <sup>3</sup> /s	0.800	66.0	95.5	238	0.800	8.85
Arithmetic Mean	ft <sup>3</sup> /s	2.12	80.8	192	492	2.92	15.2
Geometric Mean	ft <sup>3</sup> /s	--	61.8	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	43.4	77.8	193	--	--
Standard Deviation	ft <sup>3</sup> /s	6.36	68.6	361	967	8.83	25.6
5th percentile	ft <sup>3</sup> /s	0.000	13.0	32.0	78.4	0.100	1.06
10th percentile	ft <sup>3</sup> /s	0.100	22.9	39.0	100	0.100	2.00
20th percentile	ft <sup>3</sup> /s	0.200	39.6	52.2	127	0.200	3.70
30th percentile	ft <sup>3</sup> /s	0.400	45.9	65.0	156	0.400	5.20
40th percentile	ft <sup>3</sup> /s	0.600	57.0	79.0	191	0.650	6.80
50th percentile	ft <sup>3</sup> /s	0.800	66.0	95.5	238	0.800	8.85
60th percentile	ft <sup>3</sup> /s	1.10	74.0	114	303	1.10	11.0
70th percentile	ft <sup>3</sup> /s	1.40	90.4	141	384	1.70	14.0
80th percentile	ft <sup>3</sup> /s	2.00	120	197	525	2.74	18.2
90th percentile	ft <sup>3</sup> /s	3.50	146	355	900	5.50	28.1
Drainage area	mi <sup>2</sup>	4.34	297	395	1078	5.77	25.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	24.4	2.07	9.82	12.0	28.9	14.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.020	0.033	0.022	0.000	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.184	0.222	0.242	0.221	0.139	0.347
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.488	0.272	0.487	0.457	0.507	0.596
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.208	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.146	0.197	0.179	--	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.47	0.231	0.915	0.897	1.53	1.01
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.044	0.081	0.073	0.017	0.041
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.023	0.077	0.099	0.093	0.017	0.078
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.046	0.133	0.132	0.118	0.035	0.145
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.092	0.155	0.165	0.145	0.069	0.204
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.138	0.192	0.200	0.177	0.113	0.267
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.184	0.222	0.242	0.221	0.139	0.347
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.249	0.289	0.281	0.191	0.431
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.323	0.304	0.357	0.356	0.295	0.549
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.461	0.404	0.498	0.487	0.475	0.714
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.806	0.492	0.898	0.834	0.953	1.10

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01671500</b>	<b>01672000</b>	<b>01672500</b>	<b>01673000</b>	<b>01673500</b>	<b>01673550</b>
Count	number	961	124	2,232	2,046	899	930
Max	ft <sup>3</sup> /s	442	12,700	16,000	39,300	446	3,840
Min	ft <sup>3</sup> /s	0.000	4.00	5.00	24.0	0.000	0.000
Median	ft <sup>3</sup> /s	0.600	61.0	78.0	191	0.800	7.85
Arithmetic Mean	ft <sup>3</sup> /s	2.79	469	231	601	3.50	21.8
Geometric Mean	ft <sup>3</sup> /s	--	76.2	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	34.8	54.8	156	--	--
Standard Deviation	ft <sup>3</sup> /s	17.2	1,796	781	1,995	17.2	134
5th percentile	ft <sup>3</sup> /s	0.000	9.25	18.0	59.0	0.100	0.500
10th percentile	ft <sup>3</sup> /s	0.000	14.0	24.0	80.0	0.100	1.70
20th percentile	ft <sup>3</sup> /s	0.100	25.0	38.0	104	0.200	3.10
30th percentile	ft <sup>3</sup> /s	0.200	38.9	50.0	125	0.400	4.30
40th percentile	ft <sup>3</sup> /s	0.400	52.0	64.0	150	0.600	5.60
50th percentile	ft <sup>3</sup> /s	0.600	61.0	78.0	191	0.800	7.85
60th percentile	ft <sup>3</sup> /s	0.900	73.2	100	256	1.18	10.0
70th percentile	ft <sup>3</sup> /s	1.20	104	127	346	1.70	14.0
80th percentile	ft <sup>3</sup> /s	1.60	193	184	512	2.70	20.0
90th percentile	ft <sup>3</sup> /s	3.70	532	352	1,010	6.50	35.0
Drainage area	mi <sup>2</sup>	4.34	297	395	1078	5.77	25.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	102	42.8	40.5	36.5	77.3	151
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.013	0.013	0.022	0.000	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.138	0.205	0.197	0.177	0.139	0.308
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.642	1.58	0.585	0.557	0.606	0.856
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.256	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.117	0.139	0.144	--	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.96	6.05	1.98	1.85	2.98	5.24
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.031	0.046	0.055	0.017	0.020
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.047	0.061	0.074	0.017	0.067
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.023	0.084	0.096	0.096	0.035	0.122
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.046	0.131	0.127	0.116	0.069	0.169
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.092	0.175	0.162	0.139	0.104	0.220
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.138	0.205	0.197	0.177	0.139	0.308
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.207	0.246	0.253	0.237	0.205	0.392
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.276	0.350	0.322	0.321	0.295	0.549
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.369	0.649	0.465	0.475	0.468	0.784
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.853	1.79	0.891	0.937	1.13	1.37

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01671500</b>	<b>01672000</b>	<b>01672500</b>	<b>01673000</b>	<b>01673500</b>	<b>01673550</b>
Count	number	930	120	2,160	1,980	870	900
Max	ft <sup>3</sup> /s	131	2,920	6,510	16,200	124	913
Min	ft <sup>3</sup> /s	0.000	1.00	2.30	13.0	0.000	0.170
Median	ft <sup>3</sup> /s	0.410	42.5	65.0	166	0.785	5.90
Arithmetic Mean	ft <sup>3</sup> /s	2.02	171	187	468	2.22	20.4
Geometric Mean	ft <sup>3</sup> /s	--	45.0	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	13.0	36.5	121	--	3.24
Standard Deviation	ft <sup>3</sup> /s	9.11	391	517	1,205	7.60	60.6
5th percentile	ft <sup>3</sup> /s	0.000	3.00	11.0	48.0	0.080	1.20
10th percentile	ft <sup>3</sup> /s	0.000	5.00	17.0	61.0	0.100	1.70
20th percentile	ft <sup>3</sup> /s	0.000	11.8	25.0	79.0	0.200	2.60
30th percentile	ft <sup>3</sup> /s	0.200	27.7	36.0	102	0.400	3.20
40th percentile	ft <sup>3</sup> /s	0.300	33.6	49.0	131	0.572	4.60
50th percentile	ft <sup>3</sup> /s	0.410	42.5	65.0	166	0.785	5.90
60th percentile	ft <sup>3</sup> /s	0.600	51.4	83.0	217	1.00	8.10
70th percentile	ft <sup>3</sup> /s	0.920	79.0	106	288	1.30	11.0
80th percentile	ft <sup>3</sup> /s	1.30	170	149	411	1.90	18.0
90th percentile	ft <sup>3</sup> /s	2.81	414	298	807	3.10	45.0
Drainage area	mi <sup>2</sup>	4.34	297	395	1078	5.77	25.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	30.2	9.83	16.5	15.0	21.5	35.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.003	0.006	0.012	0.000	0.007
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.094	0.143	0.165	0.154	0.136	0.231
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.466	0.577	0.473	0.434	0.385	0.798
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.152	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.044	0.092	0.112	--	0.127
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.10	1.32	1.31	1.12	1.32	2.38
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.010	0.028	0.045	0.014	0.047
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.017	0.043	0.057	0.017	0.067
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.040	0.063	0.073	0.035	0.102
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.046	0.093	0.091	0.094	0.069	0.125
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.069	0.113	0.124	0.121	0.099	0.180
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.094	0.143	0.165	0.154	0.136	0.231
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.138	0.173	0.210	0.202	0.173	0.318
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.212	0.266	0.268	0.267	0.225	0.431
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.300	0.571	0.377	0.381	0.329	0.706
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.647	1.39	0.755	0.749	0.537	1.76

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01671500</b>	<b>01672000</b>	<b>01672500</b>	<b>01673000</b>	<b>01673500</b>	<b>01673550</b>
Count	number	961	93.0	2,227	2,077	899	961
Max	ft <sup>3</sup> /s	198	2,580	9,300	15,600	119	567
Min	ft <sup>3</sup> /s	0.000	30.0	4.10	18.0	0.020	0.120
Median	ft <sup>3</sup> /s	0.800	123	86.0	215	1.10	8.70
Arithmetic Mean	ft <sup>3</sup> /s	2.96	270	233	576	2.98	17.1
Geometric Mean	ft <sup>3</sup> /s	--	141	--	--	1.19	--
Harmonic Mean	ft <sup>3</sup> /s	--	103	48.1	148	0.498	4.15
Standard Deviation	ft <sup>3</sup> /s	12.7	478	587	1,279	7.26	31.5
5th percentile	ft <sup>3</sup> /s	0.000	45.0	12.0	51.0	0.100	1.21
10th percentile	ft <sup>3</sup> /s	0.100	51.0	21.0	70.0	0.200	2.40
20th percentile	ft <sup>3</sup> /s	0.300	76.0	36.0	98.0	0.500	4.00
30th percentile	ft <sup>3</sup> /s	0.500	103	54.0	131	0.700	5.30
40th percentile	ft <sup>3</sup> /s	0.650	112	70.0	174	0.900	7.10
50th percentile	ft <sup>3</sup> /s	0.800	123	86.0	215	1.10	8.70
60th percentile	ft <sup>3</sup> /s	1.00	129	108	296	1.60	11.0
70th percentile	ft <sup>3</sup> /s	1.30	144	142	380	2.06	16.0
80th percentile	ft <sup>3</sup> /s	2.00	188	210	564	2.94	25.0
90th percentile	ft <sup>3</sup> /s	3.80	609	418	1,070	5.40	37.0
Drainage area	mi <sup>2</sup>	4.34	297	395	1078	5.77	25.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	45.6	8.69	23.5	14.5	20.6	22.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.101	0.010	0.017	0.003	0.005
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.184	0.414	0.218	0.199	0.191	0.341
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.681	0.910	0.590	0.534	0.517	0.669
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.474	--	--	0.206	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.346	0.122	0.138	0.086	0.163
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.93	1.61	1.49	1.19	1.26	1.24
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.152	0.030	0.047	0.017	0.047
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.023	0.172	0.053	0.065	0.035	0.094
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.069	0.256	0.091	0.091	0.087	0.157
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.115	0.347	0.137	0.122	0.121	0.208
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.150	0.377	0.177	0.162	0.156	0.278
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.184	0.414	0.218	0.199	0.191	0.341
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.230	0.434	0.272	0.275	0.277	0.431
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.300	0.484	0.359	0.353	0.357	0.627
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.461	0.634	0.532	0.524	0.510	0.980
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.876	2.05	1.06	0.993	0.936	1.45

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01671500</b>	<b>01672000</b>	<b>01672500</b>	<b>01673000</b>	<b>01673500</b>	<b>01673550</b>
Count	number	930	90.0	2,154	2,005	870	925
Max	ft <sup>3</sup> /s	141	1,690	6,520	13,600	107	503
Min	ft <sup>3</sup> /s	0.000	76.0	12.0	57.0	0.170	2.40
Median	ft <sup>3</sup> /s	1.40	123	141	400	2.30	16.0
Arithmetic Mean	ft <sup>3</sup> /s	3.11	196	288	778	4.31	25.4
Geometric Mean	ft <sup>3</sup> /s	--	150	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	133	108	301	1.52	12.8
Standard Deviation	ft <sup>3</sup> /s	7.21	244	476	1,199	7.70	35.2
5th percentile	ft <sup>3</sup> /s	0.200	81.0	40.0	117	0.506	5.50
10th percentile	ft <sup>3</sup> /s	0.400	96.8	51.3	146	0.710	6.90
20th percentile	ft <sup>3</sup> /s	0.700	112	73.0	186	1.00	8.60
30th percentile	ft <sup>3</sup> /s	1.00	117	95.0	251	1.40	11.0
40th percentile	ft <sup>3</sup> /s	1.20	117	115	326	1.80	13.0
50th percentile	ft <sup>3</sup> /s	1.40	123	141	400	2.30	16.0
60th percentile	ft <sup>3</sup> /s	1.90	137	180	490	2.90	19.0
70th percentile	ft <sup>3</sup> /s	2.40	154	240	680	3.50	23.0
80th percentile	ft <sup>3</sup> /s	3.00	170	336	935	5.00	32.0
90th percentile	ft <sup>3</sup> /s	5.62	274	604	1,692	9.20	49.6
Drainage area	mi <sup>2</sup>	4.34	297	395	1078	5.77	25.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	32.5	5.69	16.5	12.6	18.5	19.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.256	0.030	0.053	0.029	0.094
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.323	0.414	0.357	0.371	0.399	0.627
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.717	0.659	0.730	0.722	0.747	0.995
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.504	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.449	0.274	0.280	0.264	0.504
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	0.820	1.21	1.11	1.33	1.38
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.046	0.273	0.101	0.109	0.088	0.216
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.092	0.326	0.130	0.135	0.123	0.271
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.161	0.377	0.185	0.173	0.173	0.337
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.230	0.394	0.241	0.233	0.243	0.431
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.276	0.394	0.291	0.302	0.312	0.510
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.323	0.414	0.357	0.371	0.399	0.627
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.438	0.460	0.456	0.455	0.503	0.745
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.553	0.519	0.608	0.631	0.607	0.902
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.691	0.571	0.851	0.867	0.867	1.25
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	0.924	1.53	1.57	1.59	1.95

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01671500</b>	<b>01672000</b>	<b>01672500</b>	<b>01673000</b>	<b>01673500</b>	<b>01673550</b>
Count	number	961	93.0	2,201	2,046	899	930
Max	ft <sup>3</sup> /s	222	1,380	7,170	15,800	125	291
Min	ft <sup>3</sup> /s	0.200	100	30.0	69.0	0.410	5.50
Median	ft <sup>3</sup> /s	2.80	160	240	685	3.50	20.0
Arithmetic Mean	ft <sup>3</sup> /s	5.73	269	403	1,134	6.01	27.5
Geometric Mean	ft <sup>3</sup> /s	--	204	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1.93	171	181	495	2.45	17.9
Standard Deviation	ft <sup>3</sup> /s	13.3	253	532	1,450	8.79	25.8
5th percentile	ft <sup>3</sup> /s	0.700	100	69.1	172	0.800	8.80
10th percentile	ft <sup>3</sup> /s	0.900	106	86.0	220	1.18	9.90
20th percentile	ft <sup>3</sup> /s	1.20	117	120	339	1.60	12.0
30th percentile	ft <sup>3</sup> /s	1.60	129	158	447	2.10	14.7
40th percentile	ft <sup>3</sup> /s	2.20	130	196	565	2.70	17.0
50th percentile	ft <sup>3</sup> /s	2.80	160	240	685	3.50	20.0
60th percentile	ft <sup>3</sup> /s	3.50	197	292	834	4.30	25.0
70th percentile	ft <sup>3</sup> /s	4.40	243	360	1,030	5.40	31.0
80th percentile	ft <sup>3</sup> /s	5.90	348	493	1,390	8.00	37.0
90th percentile	ft <sup>3</sup> /s	10.0	548	860	2,460	12.2	47.1
Drainage area	mi <sup>2</sup>	4.34	297	395	1078	5.77	25.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	51.2	4.65	18.2	14.7	21.7	11.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.046	0.337	0.076	0.064	0.071	0.216
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.645	0.539	0.608	0.635	0.607	0.784
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	0.905	1.02	1.05	1.04	1.08
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.688	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.444	0.577	0.458	0.459	0.425	0.703
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.08	0.853	1.35	1.35	1.52	1.01
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.161	0.337	0.175	0.160	0.139	0.345
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.207	0.357	0.218	0.204	0.205	0.388
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.276	0.394	0.304	0.314	0.277	0.471
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.369	0.434	0.400	0.415	0.364	0.576
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.507	0.438	0.496	0.524	0.468	0.667
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.645	0.539	0.608	0.635	0.607	0.784
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.806	0.663	0.739	0.774	0.745	0.980
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	0.818	0.911	0.955	0.936	1.22
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.36	1.17	1.25	1.29	1.39	1.45
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.30	1.85	2.18	2.28	2.11	1.85



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>01673638</b>	<b>01673800</b>	<b>01674000</b>	<b>01674500</b>	<b>01677000</b>	<b>02011400</b>
Count	number	273	1,395	2,015	1,984	465	1,023
Max	ft <sup>3</sup> /s	32.0	2,710	6,680	7,560	43.0	8,820
Min	ft <sup>3</sup> /s	2.60	5.40	12.0	77.0	1.40	15.0
Median	ft <sup>3</sup> /s	7.60	65.0	240	650	5.80	128
Arithmetic Mean	ft <sup>3</sup> /s	8.48	112	350	790	7.23	226
Geometric Mean	ft <sup>3</sup> /s	7.72	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	7.08	44.3	153	461	5.34	96.3
Standard Deviation	ft <sup>3</sup> /s	3.96	193	429	622	5.10	405
5th percentile	ft <sup>3</sup> /s	4.10	14.0	45.0	145	2.60	33.0
10th percentile	ft <sup>3</sup> /s	4.62	20.0	68.0	220	3.40	46.0
20th percentile	ft <sup>3</sup> /s	5.40	33.0	120	360	4.10	68.4
30th percentile	ft <sup>3</sup> /s	6.06	46.0	160	450	4.60	87.0
40th percentile	ft <sup>3</sup> /s	6.70	54.6	200	540	5.00	107
50th percentile	ft <sup>3</sup> /s	7.60	65.0	240	650	5.80	128
60th percentile	ft <sup>3</sup> /s	8.40	79.0	295	764	6.80	159
70th percentile	ft <sup>3</sup> /s	9.60	94.0	352	900	7.90	208
80th percentile	ft <sup>3</sup> /s	12.0	128	458	1,050	9.50	286
90th percentile	ft <sup>3</sup> /s	13.0	208	683	1,560	12.0	452
Drainage area	mi <sup>2</sup>	8.81	77.6	256	602	6.29	157
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.63	34.9	26.1	12.6	6.84	56.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	0.070	0.047	0.128	0.223	0.096
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.863	0.838	0.938	1.08	0.922	0.815
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.962	1.44	1.37	1.31	1.15	1.44
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.877	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.804	0.571	0.597	0.765	0.849	0.613
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.449	2.49	1.68	1.03	0.810	2.58
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.465	0.180	0.176	0.241	0.413	0.210
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.524	0.258	0.266	0.365	0.541	0.293
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.613	0.425	0.469	0.598	0.652	0.436
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.688	0.593	0.625	0.747	0.731	0.554
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.760	0.704	0.781	0.897	0.795	0.682
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.863	0.838	0.938	1.08	0.922	0.815
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.953	1.02	1.15	1.27	1.08	1.01
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.21	1.38	1.50	1.26	1.32
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.36	1.65	1.79	1.74	1.51	1.82
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.48	2.68	2.67	2.59	1.91	2.88

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>01673638</b>	<b>01673800</b>	<b>01674000</b>	<b>01674500</b>	<b>01677000</b>	<b>02011400</b>
Count	number	237	1,271	1,835	1,807	424	931
Max	ft <sup>3</sup> /s	57.0	4,130	8,060	8,720	30.0	3,690
Min	ft <sup>3</sup> /s	3.00	5.70	16.0	69.0	0.930	25.0
Median	ft <sup>3</sup> /s	7.00	74.0	271	714	6.10	154
Arithmetic Mean	ft <sup>3</sup> /s	8.32	131	398	900	6.87	237
Geometric Mean	ft <sup>3</sup> /s	7.39	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	6.77	53.9	191	561	5.30	121
Standard Deviation	ft <sup>3</sup> /s	5.62	257	535	723	3.78	293
5th percentile	ft <sup>3</sup> /s	3.80	21.0	70.8	236	2.53	42.0
10th percentile	ft <sup>3</sup> /s	4.30	31.0	102	311	3.33	65.0
20th percentile	ft <sup>3</sup> /s	5.42	45.0	148	420	4.20	85.0
30th percentile	ft <sup>3</sup> /s	6.00	52.0	194	534	4.70	104
40th percentile	ft <sup>3</sup> /s	6.50	62.0	234	626	5.50	129
50th percentile	ft <sup>3</sup> /s	7.00	74.0	271	714	6.10	154
60th percentile	ft <sup>3</sup> /s	7.70	85.0	309	823	6.90	189
70th percentile	ft <sup>3</sup> /s	8.60	103	381	1,000	7.80	233
80th percentile	ft <sup>3</sup> /s	10.0	135	494	1,238	8.74	296
90th percentile	ft <sup>3</sup> /s	12.0	228	724	1,630	11.0	451
Drainage area	mi <sup>2</sup>	8.81	77.6	256	602	6.29	157
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.47	53.2	31.5	14.5	4.77	23.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.341	0.073	0.063	0.115	0.148	0.159
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.795	0.954	1.06	1.19	0.970	0.981
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.944	1.68	1.55	1.50	1.09	1.51
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.839	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.768	0.694	0.744	0.932	0.843	0.770
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.638	3.32	2.09	1.20	0.601	1.87
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.431	0.271	0.277	0.392	0.401	0.268
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.488	0.399	0.398	0.516	0.529	0.414
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.615	0.580	0.578	0.698	0.668	0.541
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.681	0.670	0.758	0.887	0.747	0.662
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.738	0.799	0.914	1.04	0.874	0.822
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.795	0.954	1.06	1.19	0.970	0.981
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.874	1.10	1.21	1.37	1.10	1.20
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.976	1.33	1.49	1.66	1.24	1.48
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.74	1.93	2.06	1.39	1.89
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.36	2.94	2.83	2.71	1.75	2.87

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>01673638</b>	<b>01673800</b>	<b>01674000</b>	<b>01674500</b>	<b>01677000</b>	<b>02011400</b>
Count	number	275	1,395	2,015	1,984	495	1,023
Max	ft <sup>3</sup> /s	59.0	3,680	7,170	10,500	98.0	3,210
Min	ft <sup>3</sup> /s	1.20	5.40	13.0	66.0	0.240	25.0
Median	ft <sup>3</sup> /s	7.90	79.0	308	842	6.40	227
Arithmetic Mean	ft <sup>3</sup> /s	9.24	149	464	1,048	8.14	350
Geometric Mean	ft <sup>3</sup> /s	7.65	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	6.32	65.6	243	667	4.77	179
Standard Deviation	ft <sup>3</sup> /s	6.93	274	577	840	7.95	384
5th percentile	ft <sup>3</sup> /s	2.48	28.0	106	286	2.40	67.0
10th percentile	ft <sup>3</sup> /s	3.90	36.4	131	359	3.04	81.0
20th percentile	ft <sup>3</sup> /s	4.80	47.0	174	480	3.60	124
30th percentile	ft <sup>3</sup> /s	6.00	55.0	212	580	4.50	158
40th percentile	ft <sup>3</sup> /s	6.82	66.0	255	700	5.40	194
50th percentile	ft <sup>3</sup> /s	7.90	79.0	308	842	6.40	227
60th percentile	ft <sup>3</sup> /s	8.70	94.0	374	1,000	7.40	272
70th percentile	ft <sup>3</sup> /s	10.0	115	458	1,180	8.60	348
80th percentile	ft <sup>3</sup> /s	11.0	155	598	1,440	10.0	477
90th percentile	ft <sup>3</sup> /s	16.0	285	886	1,900	14.0	699
Drainage area	mi <sup>2</sup>	8.81	77.6	256	602	6.29	157
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.70	47.4	28.0	17.4	15.6	20.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.136	0.070	0.051	0.110	0.038	0.159
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.897	1.02	1.20	1.40	1.02	1.45
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	1.92	1.81	1.74	1.29	2.23
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.868	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.718	0.846	0.949	1.11	0.758	1.14
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.786	3.52	2.26	1.39	1.26	2.44
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.281	0.361	0.413	0.475	0.382	0.427
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.443	0.469	0.512	0.596	0.483	0.516
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.545	0.606	0.680	0.797	0.572	0.792
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.681	0.709	0.828	0.963	0.715	1.01
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.774	0.851	0.996	1.16	0.859	1.23
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.897	1.02	1.20	1.40	1.02	1.45
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.988	1.21	1.46	1.66	1.18	1.73
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.48	1.79	1.96	1.37	2.22
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	2.00	2.34	2.39	1.59	3.04
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.82	3.67	3.46	3.16	2.23	4.45

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>01673638</b>	<b>01673800</b>	<b>01674000</b>	<b>01674500</b>	<b>01677000</b>	<b>02011400</b>
Count	number	270	1,350	1,950	1,920	480	990
Max	ft <sup>3</sup> /s	80.0	2,280	4,230	9,810	40.0	4,590
Min	ft <sup>3</sup> /s	1.50	8.50	23.0	75.0	1.10	49.0
Median	ft <sup>3</sup> /s	7.90	64.0	250	720	6.30	189
Arithmetic Mean	ft <sup>3</sup> /s	10.6	114	374	939	7.37	284
Geometric Mean	ft <sup>3</sup> /s	8.17	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	6.55	55.1	200	572	5.57	158
Standard Deviation	ft <sup>3</sup> /s	10.3	180	402	775	4.48	366
5th percentile	ft <sup>3</sup> /s	2.72	25.0	85.0	245	2.90	70.0
10th percentile	ft <sup>3</sup> /s	3.40	29.9	105	299	3.20	79.9
20th percentile	ft <sup>3</sup> /s	4.98	37.0	137	394	3.90	103
30th percentile	ft <sup>3</sup> /s	6.00	46.0	171	490	4.70	124
40th percentile	ft <sup>3</sup> /s	6.90	54.6	205	598	5.50	153
50th percentile	ft <sup>3</sup> /s	7.90	64.0	250	720	6.30	189
60th percentile	ft <sup>3</sup> /s	9.40	80.0	306	860	7.10	229
70th percentile	ft <sup>3</sup> /s	11.0	100	385	1,060	8.70	276
80th percentile	ft <sup>3</sup> /s	13.2	130	510	1,410	9.82	341
90th percentile	ft <sup>3</sup> /s	18.0	198	735	1,831	12.0	526
Drainage area	mi <sup>2</sup>	8.81	77.6	256	602	6.29	157
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	9.08	29.4	16.5	16.3	6.36	29.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.170	0.110	0.090	0.125	0.175	0.312
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.897	0.825	0.977	1.20	1.00	1.20
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.47	1.46	1.56	1.17	1.81
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.928	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.743	0.711	0.781	0.949	0.886	1.00
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	2.32	1.57	1.29	0.712	2.33
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.309	0.322	0.332	0.407	0.461	0.446
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.386	0.385	0.410	0.497	0.509	0.509
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.565	0.477	0.534	0.654	0.620	0.656
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.681	0.593	0.668	0.814	0.747	0.790
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.783	0.704	0.801	0.993	0.874	0.975
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.897	0.825	0.977	1.20	1.00	1.20
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	1.03	1.20	1.43	1.13	1.46
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	1.29	1.51	1.76	1.38	1.76
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.50	1.68	1.99	2.34	1.56	2.17
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.04	2.55	2.87	3.04	1.91	3.35

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>01673638</b>	<b>01673800</b>	<b>01674000</b>	<b>01674500</b>	<b>01677000</b>	<b>02011400</b>
Count	number	269	1,395	2,015	1,984	496	1,023
Max	ft <sup>3</sup> /s	158	2,100	2,880	5,120	71.0	3,120
Min	ft <sup>3</sup> /s	0.010	3.00	7.90	33.0	1.30	36.0
Median	ft <sup>3</sup> /s	5.80	40.0	151	455	5.40	149
Arithmetic Mean	ft <sup>3</sup> /s	8.24	73.9	243	627	7.17	222
Geometric Mean	ft <sup>3</sup> /s	5.27	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	0.616	29.2	101	330	4.46	125
Standard Deviation	ft <sup>3</sup> /s	11.3	124	281	555	6.48	244
5th percentile	ft <sup>3</sup> /s	1.40	11.0	37.0	126	1.90	51.0
10th percentile	ft <sup>3</sup> /s	2.10	14.0	48.0	160	2.30	61.0
20th percentile	ft <sup>3</sup> /s	2.96	20.0	68.0	229	2.90	85.0
30th percentile	ft <sup>3</sup> /s	3.60	26.0	95.0	291	3.60	108
40th percentile	ft <sup>3</sup> /s	4.60	33.0	122	361	4.50	126
50th percentile	ft <sup>3</sup> /s	5.80	40.0	151	455	5.40	149
60th percentile	ft <sup>3</sup> /s	7.10	49.0	191	547	6.50	178
70th percentile	ft <sup>3</sup> /s	9.70	63.0	247	710	7.70	223
80th percentile	ft <sup>3</sup> /s	12.0	83.0	335	939	9.90	294
90th percentile	ft <sup>3</sup> /s	15.0	149	553	1,327	15.0	454
Drainage area	mi <sup>2</sup>	8.81	77.6	256	602	6.29	157
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	17.9	27.1	11.3	8.50	11.3	19.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.001	0.039	0.031	0.055	0.207	0.229
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.658	0.515	0.590	0.756	0.859	0.949
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.935	0.952	0.950	1.04	1.14	1.41
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.598	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.070	0.376	0.396	0.549	0.708	0.797
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.60	1.10	0.922	1.03	1.55
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.159	0.142	0.145	0.210	0.302	0.325
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.238	0.180	0.188	0.266	0.366	0.389
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.336	0.258	0.266	0.381	0.461	0.541
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.409	0.335	0.371	0.483	0.572	0.685
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.522	0.425	0.477	0.600	0.715	0.803
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.658	0.515	0.590	0.756	0.859	0.949
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.806	0.631	0.746	0.908	1.03	1.14
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	0.812	0.965	1.18	1.22	1.42
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.36	1.07	1.31	1.56	1.57	1.87
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	1.92	2.16	2.20	2.38	2.89

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>01673638</b>	<b>01673800</b>	<b>01674000</b>	<b>01674500</b>	<b>01677000</b>	<b>02011400</b>
Count	number	269	1,350	1,950	1,920	480	990
Max	ft <sup>3</sup> /s	43.0	8,160	12,200	16,200	46.0	2,960
Min	ft <sup>3</sup> /s	0.000	0.370	2.20	10.0	0.870	22.0
Median	ft <sup>3</sup> /s	3.00	19.0	71.0	242	3.60	80.0
Arithmetic Mean	ft <sup>3</sup> /s	5.42	51.5	139	398	4.86	140
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	3.73	--
Harmonic Mean	ft <sup>3</sup> /s	--	9.88	37.7	143	2.98	71.6
Standard Deviation	ft <sup>3</sup> /s	6.77	258	384	785	4.52	217
5th percentile	ft <sup>3</sup> /s	0.000	2.80	13.0	47.0	1.11	32.0
10th percentile	ft <sup>3</sup> /s	0.028	4.90	19.0	69.0	1.50	38.0
20th percentile	ft <sup>3</sup> /s	0.996	7.50	28.0	105	2.10	49.0
30th percentile	ft <sup>3</sup> /s	1.40	11.0	40.0	152	2.60	57.0
40th percentile	ft <sup>3</sup> /s	2.02	15.0	54.0	197	3.00	66.0
50th percentile	ft <sup>3</sup> /s	3.00	19.0	71.0	242	3.60	80.0
60th percentile	ft <sup>3</sup> /s	4.64	25.0	89.0	298	4.34	95.0
70th percentile	ft <sup>3</sup> /s	6.26	33.0	115	367	5.20	122
80th percentile	ft <sup>3</sup> /s	8.20	47.0	166	494	6.50	169
90th percentile	ft <sup>3</sup> /s	12.0	83.1	268	771	9.30	285
Drainage area	mi <sup>2</sup>	8.81	77.6	256	602	6.29	157
Max	ft <sup>3</sup> /mi <sup>2</sup>	4.88	105	47.7	26.9	7.31	18.9
Min	ft <sup>3</sup> /mi <sup>2</sup>	0.000	0.005	0.009	0.017	0.138	0.140
Median	ft <sup>3</sup> /mi <sup>2</sup>	0.341	0.245	0.277	0.402	0.572	0.510
Arithmetic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.615	0.663	0.541	0.661	0.773	0.893
Geometric Mean	ft <sup>3</sup> /mi <sup>2</sup>	--	--	--	--	0.593	--
Harmonic Mean	ft <sup>3</sup> /mi <sup>2</sup>	--	0.127	0.147	0.238	0.474	0.456
Standard Deviation	ft <sup>3</sup> /mi <sup>2</sup>	0.768	3.32	1.50	1.30	0.718	1.38
5th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.000	0.036	0.051	0.078	0.176	0.204
10th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.003	0.063	0.074	0.115	0.238	0.242
20th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.113	0.097	0.109	0.174	0.334	0.312
30th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.159	0.142	0.156	0.252	0.413	0.363
40th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.229	0.193	0.211	0.327	0.477	0.420
50th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.341	0.245	0.277	0.402	0.572	0.510
60th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.527	0.322	0.348	0.496	0.690	0.605
70th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.711	0.425	0.449	0.610	0.827	0.779
80th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.931	0.606	0.648	0.821	1.03	1.08
90th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.36	1.07	1.05	1.28	1.48	1.82

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>01673638</b>	<b>01673800</b>	<b>01674000</b>	<b>01674500</b>	<b>01677000</b>	<b>02011400</b>
Count	number	273	1,395	2,015	1,984	496	1,023
Max	ft <sup>3</sup> /s	79.0	1,400	4,990	8,580	44.0	709
Min	ft <sup>3</sup> /s	0.000	0.050	0.000	0.820	0.000	15.0
Median	ft <sup>3</sup> /s	2.30	9.10	36.0	147	2.50	49.0
Arithmetic Mean	ft <sup>3</sup> /s	5.21	28.0	100.0	282	4.04	66.0
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	2.10	--	61.4	--	47.9
Standard Deviation	ft <sup>3</sup> /s	9.53	84.9	283	559	5.06	54.4
5th percentile	ft <sup>3</sup> /s	0.000	0.830	4.20	27.0	0.379	25.0
10th percentile	ft <sup>3</sup> /s	0.000	1.60	6.70	38.0	0.580	30.0
20th percentile	ft <sup>3</sup> /s	0.270	2.90	12.0	61.6	1.20	36.0
30th percentile	ft <sup>3</sup> /s	0.862	4.32	18.0	83.0	1.50	40.0
40th percentile	ft <sup>3</sup> /s	1.30	6.30	26.0	111	2.10	44.0
50th percentile	ft <sup>3</sup> /s	2.30	9.10	36.0	147	2.50	49.0
60th percentile	ft <sup>3</sup> /s	3.50	13.0	48.0	184	3.00	58.0
70th percentile	ft <sup>3</sup> /s	5.20	18.0	68.0	243	3.90	68.0
80th percentile	ft <sup>3</sup> /s	7.16	28.0	106	323	5.30	83.0
90th percentile	ft <sup>3</sup> /s	12.0	55.6	198	516	8.95	113
Drainage area	mi <sup>2</sup>	8.81	77.6	256	602	6.29	157
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.97	18.0	19.5	14.3	7.00	4.52
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.001	0.000	0.001	0.000	0.096
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.261	0.117	0.141	0.244	0.397	0.312
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.591	0.361	0.390	0.469	0.642	0.420
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.027	--	0.102	--	0.305
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.09	1.10	0.928	0.805	0.346
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.011	0.016	0.045	0.060	0.159
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.021	0.026	0.063	0.092	0.191
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.031	0.037	0.047	0.102	0.191	0.229
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.098	0.056	0.070	0.138	0.238	0.255
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.148	0.081	0.102	0.185	0.334	0.280
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.261	0.117	0.141	0.244	0.397	0.312
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.397	0.168	0.188	0.305	0.477	0.369
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.590	0.232	0.266	0.404	0.620	0.433
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.813	0.361	0.414	0.537	0.843	0.529
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.36	0.716	0.773	0.858	1.42	0.718

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>01673638</b>	<b>01673800</b>	<b>01674000</b>	<b>01674500</b>	<b>01677000</b>	<b>02011400</b>
Count	number	278	1,395	2,015	1,985	496	1,023
Max	ft <sup>3</sup> /s	212	2,870	8,280	12,200	95.0	2,310
Min	ft <sup>3</sup> /s	0.000	0.000	0.000	0.250	0.000	13.0
Median	ft <sup>3</sup> /s	1.60	5.70	24.0	128	2.50	37.0
Arithmetic Mean	ft <sup>3</sup> /s	8.25	22.9	106	311	4.10	55.6
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	--	--	25.4	--	36.6
Standard Deviation	ft <sup>3</sup> /s	17.9	113	383	742	6.50	103
5th percentile	ft <sup>3</sup> /s	0.000	0.300	1.38	19.0	0.150	20.0
10th percentile	ft <sup>3</sup> /s	0.000	0.670	3.20	27.0	0.310	24.0
20th percentile	ft <sup>3</sup> /s	0.060	1.30	6.20	42.0	0.830	28.0
30th percentile	ft <sup>3</sup> /s	0.150	2.20	10.0	64.0	1.30	30.6
40th percentile	ft <sup>3</sup> /s	0.494	3.80	16.0	92.0	2.00	33.0
50th percentile	ft <sup>3</sup> /s	1.60	5.70	24.0	128	2.50	37.0
60th percentile	ft <sup>3</sup> /s	4.40	9.20	38.0	174	3.00	41.0
70th percentile	ft <sup>3</sup> /s	8.29	14.0	61.0	250	3.95	49.0
80th percentile	ft <sup>3</sup> /s	15.0	21.0	96.0	351	5.40	61.0
90th percentile	ft <sup>3</sup> /s	21.3	40.0	212	649	8.65	85.8
Drainage area	mi <sup>2</sup>	8.81	77.6	256	602	6.29	157
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	24.1	37.0	32.3	20.3	15.1	14.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.000	0.000	0.000	0.000	0.083
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.182	0.073	0.094	0.213	0.397	0.236
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.937	0.295	0.416	0.517	0.651	0.354
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.042	--	0.233
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.03	1.46	1.50	1.23	1.03	0.658
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.004	0.005	0.032	0.024	0.127
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.009	0.013	0.045	0.049	0.153
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.007	0.017	0.024	0.070	0.132	0.178
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.017	0.028	0.039	0.106	0.207	0.195
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.056	0.049	0.063	0.153	0.318	0.210
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.182	0.073	0.094	0.213	0.397	0.236
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.499	0.119	0.148	0.290	0.477	0.261
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.941	0.180	0.238	0.415	0.628	0.312
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	0.271	0.375	0.583	0.859	0.389
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.42	0.515	0.828	1.08	1.38	0.546



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>01673638</b>	<b>01673800</b>	<b>01674000</b>	<b>01674500</b>	<b>01677000</b>	<b>02011400</b>
Count	number	270	1,350	1,950	1,962	491	995
Max	ft <sup>3</sup> /s	415	3,330	7,080	8,030	150	1,960
Min	ft <sup>3</sup> /s	0.000	0.040	0.000	2.60	0.000	13.0
Median	ft <sup>3</sup> /s	3.05	4.00	19.0	102	2.40	31.0
Arithmetic Mean	ft <sup>3</sup> /s	10.7	29.0	86.8	247	3.90	73.5
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	0.912	--	48.8	--	32.9
Standard Deviation	ft <sup>3</sup> /s	33.4	151	311	508	8.11	161
5th percentile	ft <sup>3</sup> /s	0.000	0.200	0.780	14.0	0.114	17.8
10th percentile	ft <sup>3</sup> /s	0.000	0.420	1.70	19.0	0.450	21.0
20th percentile	ft <sup>3</sup> /s	0.208	0.848	3.18	32.0	0.940	24.0
30th percentile	ft <sup>3</sup> /s	0.527	1.30	5.60	50.0	1.50	27.0
40th percentile	ft <sup>3</sup> /s	2.50	2.16	11.0	71.0	1.90	29.0
50th percentile	ft <sup>3</sup> /s	3.05	4.00	19.0	102	2.40	31.0
60th percentile	ft <sup>3</sup> /s	5.98	6.50	30.0	146	2.90	34.4
70th percentile	ft <sup>3</sup> /s	9.79	10.0	44.0	198	3.70	42.0
80th percentile	ft <sup>3</sup> /s	15.0	17.0	71.0	273	4.90	61.2
90th percentile	ft <sup>3</sup> /s	20.0	43.0	156	517	6.70	137
Drainage area	mi <sup>2</sup>	8.81	77.6	256	602	6.29	157
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	47.1	42.9	27.7	13.3	23.8	12.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.001	0.000	0.004	0.000	0.083
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.346	0.052	0.074	0.169	0.382	0.197
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	0.373	0.339	0.410	0.620	0.468
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.012	--	0.081	--	0.209
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.79	1.94	1.22	0.844	1.29	1.02
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.003	0.003	0.023	0.018	0.113
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.005	0.007	0.032	0.072	0.134
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.024	0.011	0.012	0.053	0.149	0.153
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.060	0.017	0.022	0.083	0.238	0.172
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.284	0.028	0.043	0.118	0.302	0.185
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.346	0.052	0.074	0.169	0.382	0.197
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.679	0.084	0.117	0.242	0.461	0.219
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	0.129	0.172	0.328	0.588	0.268
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	0.219	0.277	0.453	0.779	0.390
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.27	0.554	0.611	0.858	1.07	0.873

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>01673638</b>	<b>01673800</b>	<b>01674000</b>	<b>01674500</b>	<b>01677000</b>	<b>02011400</b>
Count	number	300	1,426	2,046	2,015	483	1,054
Max	ft <sup>3</sup> /s	47.0	2,780	9,140	7,250	24.0	2,640
Min	ft <sup>3</sup> /s	0.000	0.040	0.000	2.90	0.310	17.0
Median	ft <sup>3</sup> /s	3.50	9.50	36.0	157	3.60	32.0
Arithmetic Mean	ft <sup>3</sup> /s	5.29	41.1	119	308	4.79	79.0
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	3.71	--
Harmonic Mean	ft <sup>3</sup> /s	--	1.02	--	65.2	2.81	35.2
Standard Deviation	ft <sup>3</sup> /s	6.04	139	347	518	3.71	159
5th percentile	ft <sup>3</sup> /s	0.060	0.190	0.261	18.0	1.02	19.0
10th percentile	ft <sup>3</sup> /s	0.100	0.570	1.40	25.0	1.60	21.0
20th percentile	ft <sup>3</sup> /s	0.906	1.30	5.20	45.0	2.20	23.0
30th percentile	ft <sup>3</sup> /s	1.40	4.20	13.0	76.0	2.50	26.0
40th percentile	ft <sup>3</sup> /s	2.40	6.40	24.0	114	3.10	29.0
50th percentile	ft <sup>3</sup> /s	3.50	9.50	36.0	157	3.60	32.0
60th percentile	ft <sup>3</sup> /s	4.30	14.0	52.0	212	4.20	39.0
70th percentile	ft <sup>3</sup> /s	5.73	21.0	77.0	288	5.60	57.0
80th percentile	ft <sup>3</sup> /s	11.0	36.0	126	387	6.70	90.0
90th percentile	ft <sup>3</sup> /s	13.0	73.0	275	714	9.90	154
Drainage area	mi <sup>2</sup>	8.81	77.6	256	602	6.29	157
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	5.33	35.8	35.7	12.0	3.82	16.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.001	0.000	0.005	0.049	0.108
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.397	0.122	0.141	0.261	0.572	0.204
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.600	0.530	0.466	0.512	0.761	0.503
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.591	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.013	--	0.108	0.446	0.224
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.686	1.79	1.35	0.860	0.590	1.02
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.007	0.002	0.001	0.030	0.162	0.121
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.011	0.007	0.005	0.042	0.254	0.134
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.103	0.017	0.020	0.075	0.350	0.146
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.159	0.054	0.051	0.126	0.397	0.166
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.272	0.082	0.094	0.189	0.493	0.185
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.397	0.122	0.141	0.261	0.572	0.204
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.488	0.180	0.203	0.353	0.668	0.248
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.650	0.271	0.301	0.478	0.890	0.363
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	0.464	0.492	0.643	1.07	0.573
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.48	0.941	1.07	1.19	1.57	0.979

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>01673638</b>	<b>01673800</b>	<b>01674000</b>	<b>01674500</b>	<b>01677000</b>	<b>02011400</b>
Count	number	280	1,375	1,975	1,945	450	1,015
Max	ft <sup>3</sup> /s	63.0	4,210	5,850	5,410	39.0	7,500
Min	ft <sup>3</sup> /s	0.400	0.160	0.000	21.0	0.560	15.0
Median	ft <sup>3</sup> /s	4.70	26.0	88.0	293	5.15	62.0
Arithmetic Mean	ft <sup>3</sup> /s	7.29	69.8	180	446	6.25	139
Geometric Mean	ft <sup>3</sup> /s	4.98	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.23	7.59	--	180	4.07	49.9
Standard Deviation	ft <sup>3</sup> /s	7.36	201	327	504	4.36	370
5th percentile	ft <sup>3</sup> /s	1.20	2.40	6.08	56.0	1.46	21.0
10th percentile	ft <sup>3</sup> /s	1.70	4.80	16.0	75.0	2.69	24.0
20th percentile	ft <sup>3</sup> /s	2.50	8.90	32.0	123	3.70	30.0
30th percentile	ft <sup>3</sup> /s	3.40	14.0	49.0	176	4.10	37.0
40th percentile	ft <sup>3</sup> /s	4.10	20.0	70.0	231	4.70	46.6
50th percentile	ft <sup>3</sup> /s	4.70	26.0	88.0	293	5.15	62.0
60th percentile	ft <sup>3</sup> /s	5.60	36.4	116	357	5.80	81.0
70th percentile	ft <sup>3</sup> /s	7.40	49.0	157	456	6.50	112
80th percentile	ft <sup>3</sup> /s	13.0	73.0	237	611	7.70	158
90th percentile	ft <sup>3</sup> /s	14.0	128	392	1,010	12.0	269
Drainage area	mi <sup>2</sup>	8.81	77.6	256	602	6.29	157
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.15	54.3	22.9	8.99	6.20	47.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.045	0.002	0.000	0.035	0.089	0.096
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.533	0.335	0.344	0.487	0.819	0.395
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.828	0.900	0.704	0.741	0.994	0.886
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.565	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.366	0.098	--	0.300	0.647	0.318
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.836	2.58	1.28	0.837	0.694	2.36
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.136	0.031	0.024	0.093	0.231	0.134
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.193	0.062	0.063	0.125	0.428	0.153
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.284	0.115	0.125	0.204	0.588	0.191
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.386	0.180	0.191	0.292	0.652	0.236
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.465	0.258	0.273	0.383	0.747	0.297
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.533	0.335	0.344	0.487	0.819	0.395
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.636	0.469	0.455	0.593	0.922	0.516
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.840	0.631	0.613	0.757	1.03	0.713
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.48	0.941	0.927	1.02	1.22	1.01
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.59	1.64	1.53	1.68	1.91	1.71

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>01673638</b>	<b>01673800</b>	<b>01674000</b>	<b>01674500</b>	<b>01677000</b>	<b>02011400</b>
Count	number	262	1,395	2,015	1,984	465	1,023
Max	ft <sup>3</sup> /s	40.0	2,270	6,740	7,170	26.0	2,030
Min	ft <sup>3</sup> /s	2.10	1.40	1.40	40.0	1.30	16.0
Median	ft <sup>3</sup> /s	7.35	48.0	171	460	5.30	109
Arithmetic Mean	ft <sup>3</sup> /s	8.29	87.5	271	629	5.84	165
Geometric Mean	ft <sup>3</sup> /s	7.16	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	6.20	26.9	84.0	322	4.63	78.3
Standard Deviation	ft <sup>3</sup> /s	4.80	157	390	580	3.09	195
5th percentile	ft <sup>3</sup> /s	2.92	8.86	28.0	103	2.20	28.0
10th percentile	ft <sup>3</sup> /s	3.40	12.0	39.0	144	3.00	35.0
20th percentile	ft <sup>3</sup> /s	4.40	22.0	72.0	242	3.60	52.0
30th percentile	ft <sup>3</sup> /s	5.40	31.0	100	312	4.20	67.0
40th percentile	ft <sup>3</sup> /s	6.24	39.0	130	383	4.70	85.0
50th percentile	ft <sup>3</sup> /s	7.35	48.0	171	460	5.30	109
60th percentile	ft <sup>3</sup> /s	8.66	59.0	214	576	5.80	138
70th percentile	ft <sup>3</sup> /s	9.50	76.0	268	693	6.40	172
80th percentile	ft <sup>3</sup> /s	11.0	100	366	887	7.30	225
90th percentile	ft <sup>3</sup> /s	14.0	167	568	1,270	9.90	339
Drainage area	mi <sup>2</sup>	8.81	77.6	256	602	6.29	157
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	4.54	29.3	26.3	11.9	4.13	12.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.238	0.018	0.005	0.066	0.207	0.102
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.834	0.619	0.668	0.764	0.843	0.694
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.941	1.13	1.06	1.05	0.928	1.05
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.813	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.703	0.346	0.328	0.535	0.736	0.498
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.545	2.02	1.52	0.964	0.491	1.24
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.331	0.114	0.109	0.171	0.350	0.178
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.386	0.155	0.152	0.240	0.477	0.223
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.499	0.284	0.281	0.402	0.572	0.331
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.613	0.399	0.391	0.518	0.668	0.427
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.708	0.503	0.508	0.636	0.747	0.541
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.834	0.619	0.668	0.764	0.843	0.694
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.983	0.760	0.836	0.957	0.922	0.880
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	0.979	1.05	1.15	1.02	1.10
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	1.29	1.43	1.47	1.16	1.43
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.59	2.15	2.22	2.11	1.57	2.16

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>02011460</b>	<b>02011470</b>	<b>02011480</b>	<b>02011490</b>	<b>02011500</b>	<b>02011800</b>
Count	number	1,023	713	341	713	1,736	1,054
Max	ft <sup>3</sup> /s	5,230	4,890	3,880	131	9,940	10,600
Min	ft <sup>3</sup> /s	3.50	2.00	8.30	1.00	8.80	62.0
Median	ft <sup>3</sup> /s	67.0	75.0	98.0	4.80	136	227
Arithmetic Mean	ft <sup>3</sup> /s	133	166	203	6.81	255	518
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	41.0	37.9	52.8	4.44	75.5	222
Standard Deviation	ft <sup>3</sup> /s	264	331	348	7.76	444	839
5th percentile	ft <sup>3</sup> /s	12.0	11.0	14.0	2.30	20.0	115
10th percentile	ft <sup>3</sup> /s	18.0	14.0	21.0	2.70	35.0	130
20th percentile	ft <sup>3</sup> /s	32.0	21.0	43.0	3.20	60.0	156
30th percentile	ft <sup>3</sup> /s	42.0	38.0	56.0	3.66	80.0	167
40th percentile	ft <sup>3</sup> /s	53.8	54.8	76.0	4.20	103	181
50th percentile	ft <sup>3</sup> /s	67.0	75.0	98.0	4.80	136	227
60th percentile	ft <sup>3</sup> /s	90.0	109	126	5.60	181	297
70th percentile	ft <sup>3</sup> /s	118	147	178	6.94	241	401
80th percentile	ft <sup>3</sup> /s	172	217	261	8.76	351	656
90th percentile	ft <sup>3</sup> /s	287	371	416	12.0	531	1,100
Drainage area	mi <sup>2</sup>	60.9	75.6	88.6	4.9	134	345
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	85.9	64.7	43.8	26.7	74.2	30.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.057	0.026	0.094	0.204	0.066	0.180
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	0.992	1.11	0.980	1.01	0.658
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.19	2.20	2.29	1.39	1.90	1.50
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.674	0.501	0.596	0.906	0.564	0.645
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.34	4.37	3.93	1.58	3.31	2.43
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.197	0.146	0.158	0.469	0.149	0.333
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.296	0.185	0.237	0.551	0.261	0.377
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.525	0.278	0.485	0.653	0.448	0.452
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.690	0.503	0.632	0.747	0.597	0.484
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.883	0.725	0.858	0.857	0.769	0.525
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	0.992	1.11	0.980	1.01	0.658
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.48	1.44	1.42	1.14	1.35	0.860
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.94	1.94	2.01	1.42	1.79	1.16
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.82	2.87	2.95	1.79	2.62	1.90
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.71	4.90	4.70	2.45	3.96	3.19

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		February					
	units						
Station Number	number	02011460	02011470	02011480	02011490	02011500	02011800
Count	number	932	649	311	645	1,581	958
Max	ft <sup>3</sup> /s	2,560	2,340	4,020	67.0	5,220	6,440
Min	ft <sup>3</sup> /s	13.0	15.0	15.0	1.40	15.0	68.0
Median	ft <sup>3</sup> /s	89.5	100	134	5.00	174	370
Arithmetic Mean	ft <sup>3</sup> /s	137	158	228	6.61	296	585
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	64.1	60.4	95.4	4.82	126	272
Standard Deviation	ft <sup>3</sup> /s	182	228	353	6.12	415	754
5th percentile	ft <sup>3</sup> /s	24.0	17.0	40.0	2.70	43.0	115
10th percentile	ft <sup>3</sup> /s	31.0	23.0	48.0	3.00	60.0	148
20th percentile	ft <sup>3</sup> /s	41.0	40.0	58.0	3.60	83.0	169
30th percentile	ft <sup>3</sup> /s	53.0	57.0	75.0	4.00	107	211
40th percentile	ft <sup>3</sup> /s	71.0	82.0	100	4.50	140	283
50th percentile	ft <sup>3</sup> /s	89.5	100	134	5.00	174	370
60th percentile	ft <sup>3</sup> /s	109	128	171	5.70	220	440
70th percentile	ft <sup>3</sup> /s	133	157	220	6.60	282	554
80th percentile	ft <sup>3</sup> /s	175	200	274	8.00	389	771
90th percentile	ft <sup>3</sup> /s	274	294	421	11.0	578	1,080
Drainage area	mi <sup>2</sup>	60.9	75.6	88.6	4.9	134	345
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	42.0	31.0	45.4	13.7	39.0	18.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.213	0.198	0.169	0.286	0.112	0.197
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.47	1.32	1.51	1.02	1.30	1.07
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.25	2.09	2.57	1.35	2.21	1.70
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	0.799	1.08	0.983	0.940	0.787
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.00	3.02	3.99	1.25	3.10	2.18
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.394	0.225	0.451	0.551	0.321	0.333
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.509	0.304	0.542	0.612	0.448	0.429
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.673	0.529	0.655	0.735	0.619	0.490
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.870	0.754	0.847	0.816	0.799	0.612
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.08	1.13	0.918	1.04	0.820
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.47	1.32	1.51	1.02	1.30	1.07
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.79	1.69	1.93	1.16	1.64	1.28
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.18	2.08	2.48	1.35	2.10	1.61
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.87	2.65	3.09	1.63	2.90	2.23
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.50	3.89	4.75	2.24	4.31	3.13

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02011460</b>	<b>02011470</b>	<b>02011480</b>	<b>02011490</b>	<b>02011500</b>	<b>02011800</b>
Count	number	1,023	713	341	712	1,736	1,054
Max	ft <sup>3</sup> /s	2,610	3,120	3,380	108	6,670	8,060
Min	ft <sup>3</sup> /s	12.0	16.0	32.0	1.90	31.0	69.0
Median	ft <sup>3</sup> /s	126	146	183	6.05	260	563
Arithmetic Mean	ft <sup>3</sup> /s	199	252	316	8.37	425	887
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	99.8	107	142	5.87	197	389
Standard Deviation	ft <sup>3</sup> /s	236	318	414	7.66	557	985
5th percentile	ft <sup>3</sup> /s	40.0	35.7	49.1	3.10	67.0	124
10th percentile	ft <sup>3</sup> /s	52.0	52.0	68.0	3.70	97.0	180
20th percentile	ft <sup>3</sup> /s	67.0	82.0	98.0	4.30	132	285
30th percentile	ft <sup>3</sup> /s	82.0	100	124	4.90	175	383
40th percentile	ft <sup>3</sup> /s	102	122	152	5.40	212	474
50th percentile	ft <sup>3</sup> /s	126	146	183	6.05	260	563
60th percentile	ft <sup>3</sup> /s	155	176	235	7.00	322	705
70th percentile	ft <sup>3</sup> /s	200	237	303	8.27	415	885
80th percentile	ft <sup>3</sup> /s	260	316	412	10.0	544	1,140
90th percentile	ft <sup>3</sup> /s	393	525	672	15.9	849	1,937
Drainage area	mi <sup>2</sup>	60.9	75.6	88.6	4.9	134	345
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	42.9	41.3	38.1	22.0	49.8	23.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.197	0.212	0.361	0.388	0.231	0.200
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.07	1.93	2.07	1.23	1.94	1.63
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.26	3.33	3.57	1.71	3.17	2.57
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.64	1.42	1.60	1.20	1.47	1.13
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.87	4.21	4.68	1.56	4.15	2.85
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.657	0.472	0.554	0.633	0.500	0.359
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.854	0.688	0.767	0.755	0.724	0.522
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.08	1.11	0.878	0.985	0.826
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	1.32	1.40	1.00	1.31	1.11
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.67	1.61	1.72	1.10	1.58	1.37
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.07	1.93	2.07	1.23	1.94	1.63
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.55	2.33	2.65	1.43	2.40	2.04
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.29	3.14	3.42	1.69	3.10	2.57
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.26	4.17	4.65	2.04	4.06	3.30
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	6.45	6.95	7.58	3.24	6.33	5.61

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02011460</b>	<b>02011470</b>	<b>02011480</b>	<b>02011490</b>	<b>02011500</b>	<b>02011800</b>
Count	number	990	690	330	690	1,680	1,020
Max	ft <sup>3</sup> /s	2,200	2,490	4,150	91.0	6,100	12,600
Min	ft <sup>3</sup> /s	17.0	17.0	28.0	2.20	34.0	64.0
Median	ft <sup>3</sup> /s	93.5	112	124	5.40	195	447
Arithmetic Mean	ft <sup>3</sup> /s	144	187	206	7.05	299	706
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	78.0	87.6	103	5.30	158	359
Standard Deviation	ft <sup>3</sup> /s	191	281	316	6.71	375	910
5th percentile	ft <sup>3</sup> /s	35.0	36.0	45.0	2.90	66.0	178
10th percentile	ft <sup>3</sup> /s	41.0	45.0	53.0	3.60	82.0	200
20th percentile	ft <sup>3</sup> /s	51.0	58.8	64.8	4.10	106	243
30th percentile	ft <sup>3</sup> /s	63.0	74.0	83.0	4.60	131	301
40th percentile	ft <sup>3</sup> /s	77.0	94.0	107	5.00	162	364
50th percentile	ft <sup>3</sup> /s	93.5	112	124	5.40	195	447
60th percentile	ft <sup>3</sup> /s	111	134	146	5.80	234	517
70th percentile	ft <sup>3</sup> /s	134	166	181	6.70	292	668
80th percentile	ft <sup>3</sup> /s	175	239	247	8.40	400	891
90th percentile	ft <sup>3</sup> /s	262	332	380	11.0	599	1,340
Drainage area	mi <sup>2</sup>	60.9	75.6	88.6	4.9	134	345
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	36.1	32.9	46.8	18.6	45.5	36.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.279	0.225	0.316	0.449	0.254	0.186
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.54	1.48	1.39	1.10	1.46	1.30
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.36	2.48	2.32	1.44	2.23	2.05
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.16	1.16	1.08	1.18	1.04
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.13	3.71	3.57	1.37	2.80	2.64
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.575	0.476	0.508	0.592	0.493	0.516
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.673	0.595	0.598	0.735	0.612	0.579
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.837	0.778	0.731	0.837	0.791	0.704
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.979	0.937	0.939	0.978	0.872
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.24	1.21	1.02	1.21	1.06
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.54	1.48	1.39	1.10	1.46	1.30
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.82	1.77	1.65	1.18	1.75	1.50
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.21	2.20	2.04	1.37	2.18	1.94
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.88	3.16	2.79	1.71	2.99	2.58
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.30	4.40	4.29	2.24	4.47	3.88



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	02011460	02011470	02011480	02011490	02011500	02011800
Count	number	1,023	713	341	713	1,736	1,054
Max	ft <sup>3</sup> /s	3,230	3,140	2,060	100	4,170	6,000
Min	ft <sup>3</sup> /s	12.0	13.0	21.0	1.70	20.0	55.0
Median	ft <sup>3</sup> /s	71.0	94.0	96.0	4.60	137	366
Arithmetic Mean	ft <sup>3</sup> /s	124	169	181	6.64	237	586
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	56.0	61.3	74.4	4.61	109	331
Standard Deviation	ft <sup>3</sup> /s	183	265	256	7.51	316	645
5th percentile	ft <sup>3</sup> /s	20.0	20.0	26.0	2.70	43.0	168
10th percentile	ft <sup>3</sup> /s	27.0	24.0	34.0	3.10	53.0	223
20th percentile	ft <sup>3</sup> /s	36.0	43.0	48.0	3.40	73.0	236
30th percentile	ft <sup>3</sup> /s	47.0	56.0	60.0	3.70	89.0	255
40th percentile	ft <sup>3</sup> /s	59.0	75.0	79.0	4.10	110	292
50th percentile	ft <sup>3</sup> /s	71.0	94.0	96.0	4.60	137	366
60th percentile	ft <sup>3</sup> /s	91.0	121	120	5.12	171	437
70th percentile	ft <sup>3</sup> /s	119	148	160	6.20	222	540
80th percentile	ft <sup>3</sup> /s	162	208	223	7.90	310	757
90th percentile	ft <sup>3</sup> /s	256	342	423	11.0	502	1,140
Drainage area	mi <sup>2</sup>	60.9	75.6	88.6	4.9	134	345
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	53.0	41.5	23.3	20.4	31.1	17.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.197	0.172	0.237	0.347	0.149	0.159
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.24	1.08	0.939	1.02	1.06
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.04	2.23	2.04	1.35	1.77	1.70
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.919	0.811	0.840	0.940	0.817	0.960
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.01	3.50	2.89	1.53	2.36	1.87
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.328	0.265	0.293	0.551	0.321	0.487
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.443	0.317	0.384	0.633	0.396	0.647
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.591	0.569	0.542	0.694	0.545	0.684
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.772	0.741	0.677	0.755	0.664	0.739
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.969	0.992	0.892	0.837	0.821	0.847
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.24	1.08	0.939	1.02	1.06
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	1.60	1.35	1.04	1.28	1.27
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.95	1.96	1.81	1.27	1.65	1.57
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.66	2.75	2.52	1.61	2.31	2.19
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.21	4.52	4.77	2.24	3.74	3.30

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	02011460	02011470	02011480	02011490	02011500	02011800
Count	number	990	690	330	685	1,680	1,020
Max	ft <sup>3</sup> /s	1,760	2,660	2,950	67.0	5,340	5,150
Min	ft <sup>3</sup> /s	4.30	11.0	13.0	1.60	6.70	58.0
Median	ft <sup>3</sup> /s	30.0	28.5	55.0	3.30	58.0	277
Arithmetic Mean	ft <sup>3</sup> /s	65.2	87.7	117	4.56	128	424
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	22.9	26.5	42.3	3.42	46.3	268
Standard Deviation	ft <sup>3</sup> /s	117	183	258	4.66	266	526
5th percentile	ft <sup>3</sup> /s	8.50	13.0	16.6	2.13	18.0	119
10th percentile	ft <sup>3</sup> /s	11.0	14.0	18.0	2.40	23.0	190
20th percentile	ft <sup>3</sup> /s	14.8	15.0	26.0	2.70	30.0	256
30th percentile	ft <sup>3</sup> /s	18.0	17.0	33.0	2.80	36.0	263
40th percentile	ft <sup>3</sup> /s	24.0	21.0	42.6	3.06	44.0	270
50th percentile	ft <sup>3</sup> /s	30.0	28.5	55.0	3.30	58.0	277
60th percentile	ft <sup>3</sup> /s	40.0	44.0	66.0	3.70	76.0	285
70th percentile	ft <sup>3</sup> /s	56.0	73.0	92.0	4.10	105	294
80th percentile	ft <sup>3</sup> /s	90.0	119	120	5.00	158	403
90th percentile	ft <sup>3</sup> /s	150	200	239	7.46	275	739
Drainage area	mi <sup>2</sup>	60.9	75.6	88.6	4.9	134	345
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	28.9	35.2	33.3	13.7	39.9	14.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.071	0.146	0.147	0.327	0.050	0.168
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.493	0.377	0.621	0.673	0.433	0.803
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	1.16	1.32	0.932	0.959	1.23
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.376	0.351	0.477	0.697	0.345	0.778
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.92	2.42	2.92	0.950	1.98	1.52
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.140	0.172	0.187	0.435	0.134	0.345
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.185	0.203	0.490	0.172	0.550
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.243	0.198	0.293	0.551	0.224	0.742
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.296	0.225	0.372	0.571	0.269	0.762
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.394	0.278	0.481	0.624	0.328	0.783
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.493	0.377	0.621	0.673	0.433	0.803
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.657	0.582	0.745	0.755	0.567	0.826
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.920	0.966	1.04	0.837	0.786	0.852
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.48	1.57	1.35	1.02	1.18	1.17
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.46	2.65	2.70	1.52	2.05	2.14

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	02011460	02011470	02011480	02011490	02011500	02011800
Count	number	1,054	713	341	699	1,736	1,054
Max	ft <sup>3</sup> /s	663	854	208	23.0	4,370	1,070
Min	ft <sup>3</sup> /s	1.00	7.70	5.40	1.20	4.00	73.0
Median	ft <sup>3</sup> /s	17.0	16.0	28.0	3.10	30.0	283
Arithmetic Mean	ft <sup>3</sup> /s	30.0	39.7	35.0	3.42	57.6	258
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	12.4	19.1	22.6	3.05	24.9	225
Standard Deviation	ft <sup>3</sup> /s	47.6	72.3	26.5	1.69	151	84.3
5th percentile	ft <sup>3</sup> /s	4.80	12.0	10.0	2.20	9.77	109
10th percentile	ft <sup>3</sup> /s	6.60	13.0	12.0	2.30	13.0	125
20th percentile	ft <sup>3</sup> /s	9.10	14.0	16.0	2.50	18.0	205
30th percentile	ft <sup>3</sup> /s	11.0	15.0	19.0	2.70	22.0	261
40th percentile	ft <sup>3</sup> /s	14.0	15.0	24.0	2.90	26.0	269
50th percentile	ft <sup>3</sup> /s	17.0	16.0	28.0	3.10	30.0	283
60th percentile	ft <sup>3</sup> /s	21.0	20.0	33.0	3.20	36.0	289
70th percentile	ft <sup>3</sup> /s	27.0	25.0	40.0	3.40	47.0	293
80th percentile	ft <sup>3</sup> /s	36.4	43.0	47.0	3.80	66.0	297
90th percentile	ft <sup>3</sup> /s	58.7	86.6	65.0	4.90	103	302
Drainage area	mi <sup>2</sup>	60.9	75.6	88.6	4.9	134	345
Max	ft <sup>3</sup> /mi <sup>2</sup>	10.9	11.3	2.35	4.69	32.6	3.10
Min	ft <sup>3</sup> /mi <sup>2</sup>	0.016	0.102	0.061	0.245	0.030	0.212
Median	ft <sup>3</sup> /mi <sup>2</sup>	0.279	0.212	0.316	0.633	0.224	0.820
Arithmetic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.493	0.524	0.395	0.698	0.430	0.748
Geometric Mean	ft <sup>3</sup> /mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.204	0.253	0.255	0.623	0.186	0.653
Standard Deviation	ft <sup>3</sup> /mi <sup>2</sup>	0.781	0.957	0.299	0.346	1.13	0.244
5th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.079	0.159	0.113	0.449	0.073	0.317
10th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.108	0.172	0.135	0.469	0.097	0.362
20th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.149	0.185	0.181	0.510	0.134	0.594
30th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.181	0.198	0.214	0.551	0.164	0.757
40th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.230	0.198	0.271	0.592	0.194	0.780
50th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.279	0.212	0.316	0.633	0.224	0.820
60th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.345	0.265	0.372	0.653	0.269	0.838
70th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.443	0.331	0.451	0.694	0.351	0.849
80th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.598	0.569	0.530	0.776	0.493	0.861
90th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.964	1.15	0.734	1.00	0.765	0.875

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02011460</b>	<b>02011470</b>	<b>02011480</b>	<b>02011490</b>	<b>02011500</b>	<b>02011800</b>
Count	number	1,054	713	341	713	1,736	1,054
Max	ft <sup>3</sup> /s	595	909	2,070	22.0	4,920	5,180
Min	ft <sup>3</sup> /s	0.870	8.60	2.10	1.90	1.50	56.0
Median	ft <sup>3</sup> /s	10.0	15.0	16.0	2.90	23.0	277
Arithmetic Mean	ft <sup>3</sup> /s	24.3	31.8	44.0	3.24	50.6	253
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	8.04	17.2	12.6	2.93	18.6	200
Standard Deviation	ft <sup>3</sup> /s	53.2	68.9	160	1.65	180	206
5th percentile	ft <sup>3</sup> /s	3.48	13.0	4.81	2.20	6.70	87.8
10th percentile	ft <sup>3</sup> /s	4.00	13.0	6.70	2.30	9.50	98.0
20th percentile	ft <sup>3</sup> /s	5.20	14.0	8.70	2.40	15.0	142
30th percentile	ft <sup>3</sup> /s	6.70	15.0	11.0	2.60	18.0	254
40th percentile	ft <sup>3</sup> /s	8.10	15.0	13.0	2.80	20.0	267
50th percentile	ft <sup>3</sup> /s	10.0	15.0	16.0	2.90	23.0	277
60th percentile	ft <sup>3</sup> /s	13.0	16.0	19.0	3.00	27.0	285
70th percentile	ft <sup>3</sup> /s	17.0	17.0	25.0	3.20	33.0	290
80th percentile	ft <sup>3</sup> /s	25.0	22.0	37.0	3.60	46.0	292
90th percentile	ft <sup>3</sup> /s	44.7	54.8	66.0	4.28	83.5	296
Drainage area	mi <sup>2</sup>	60.9	75.6	88.6	4.9	134	345
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	9.77	12.0	23.4	4.49	36.7	15.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.014	0.114	0.024	0.388	0.011	0.162
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.164	0.198	0.181	0.592	0.172	0.803
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.398	0.420	0.497	0.661	0.378	0.733
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.132	0.227	0.142	0.599	0.139	0.579
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.874	0.912	1.80	0.336	1.35	0.597
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.057	0.172	0.054	0.449	0.050	0.254
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.066	0.172	0.076	0.469	0.071	0.284
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.085	0.185	0.098	0.490	0.112	0.412
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.110	0.198	0.124	0.531	0.134	0.736
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.133	0.198	0.147	0.571	0.149	0.774
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.164	0.198	0.181	0.592	0.172	0.803
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.213	0.212	0.214	0.612	0.201	0.826
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.279	0.225	0.282	0.653	0.246	0.841
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.411	0.291	0.418	0.735	0.343	0.846
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.734	0.725	0.745	0.873	0.623	0.858

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02011460</b>	<b>02011470</b>	<b>02011480</b>	<b>02011490</b>	<b>02011500</b>	<b>02011800</b>
Count	number	1,020	690	330	687	1,680	1,020
Max	ft <sup>3</sup> /s	1,920	1,920	1,480	62.0	2,160	3,720
Min	ft <sup>3</sup> /s	1.20	9.30	1.40	1.60	2.40	47.0
Median	ft <sup>3</sup> /s	7.30	15.0	10.0	2.80	19.0	250
Arithmetic Mean	ft <sup>3</sup> /s	29.9	43.5	35.3	3.52	44.7	256
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	6.38	17.1	8.06	2.90	14.7	181
Standard Deviation	ft <sup>3</sup> /s	101	135	122	3.48	130	280
5th percentile	ft <sup>3</sup> /s	2.40	13.0	2.91	2.10	5.11	75.0
10th percentile	ft <sup>3</sup> /s	3.00	13.0	4.00	2.20	7.00	86.0
20th percentile	ft <sup>3</sup> /s	4.00	14.0	6.00	2.40	11.0	166
30th percentile	ft <sup>3</sup> /s	5.10	14.0	7.20	2.60	14.0	221
40th percentile	ft <sup>3</sup> /s	6.30	15.0	8.60	2.70	17.0	233
50th percentile	ft <sup>3</sup> /s	7.30	15.0	10.0	2.80	19.0	250
60th percentile	ft <sup>3</sup> /s	9.54	16.0	12.0	2.90	21.0	253
70th percentile	ft <sup>3</sup> /s	14.0	17.0	16.0	3.10	26.0	257
80th percentile	ft <sup>3</sup> /s	24.2	21.2	24.0	3.50	35.0	260
90th percentile	ft <sup>3</sup> /s	57.1	78.0	58.0	4.60	79.0	268
Drainage area	mi <sup>2</sup>	60.9	75.6	88.6	4.9	134	345
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	31.5	25.4	16.7	12.7	16.1	10.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.020	0.123	0.016	0.327	0.018	0.136
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.120	0.198	0.113	0.571	0.142	0.725
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.490	0.575	0.399	0.719	0.334	0.741
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.105	0.227	0.091	0.593	0.109	0.526
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	1.79	1.38	0.710	0.973	0.811
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.039	0.172	0.033	0.429	0.038	0.217
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.049	0.172	0.045	0.449	0.052	0.249
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.066	0.185	0.068	0.490	0.082	0.481
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.084	0.185	0.081	0.531	0.104	0.640
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.103	0.198	0.097	0.551	0.127	0.675
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.120	0.198	0.113	0.571	0.142	0.725
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.157	0.212	0.135	0.592	0.157	0.733
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.230	0.225	0.181	0.633	0.194	0.745
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.397	0.280	0.271	0.714	0.261	0.754
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.938	1.03	0.655	0.939	0.590	0.777

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02011460</b>	<b>02011470</b>	<b>02011480</b>	<b>02011490</b>	<b>02011500</b>	<b>02011800</b>
Count	number	1,054	744	372	741	1,767	1,083
Max	ft <sup>3</sup> /s	2,460	1,540	3,630	40.0	5,330	8,850
Min	ft <sup>3</sup> /s	1.70	5.50	2.00	0.900	4.20	49.0
Median	ft <sup>3</sup> /s	11.0	15.0	16.0	2.80	24.0	188
Arithmetic Mean	ft <sup>3</sup> /s	40.3	37.0	85.4	3.47	72.7	244
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	8.32	16.4	13.5	2.88	20.0	161
Standard Deviation	ft <sup>3</sup> /s	124	90.4	280	2.73	237	452
5th percentile	ft <sup>3</sup> /s	2.90	9.30	5.20	1.90	7.40	68.0
10th percentile	ft <sup>3</sup> /s	3.80	10.0	6.00	2.10	9.40	90.0
20th percentile	ft <sup>3</sup> /s	4.90	13.0	7.90	2.50	13.0	150
30th percentile	ft <sup>3</sup> /s	6.30	14.0	11.0	2.60	18.0	162
40th percentile	ft <sup>3</sup> /s	8.10	14.0	13.0	2.70	20.0	178
50th percentile	ft <sup>3</sup> /s	11.0	15.0	16.0	2.80	24.0	188
60th percentile	ft <sup>3</sup> /s	14.8	16.0	21.0	3.00	28.0	193
70th percentile	ft <sup>3</sup> /s	25.0	17.0	36.4	3.20	40.0	199
80th percentile	ft <sup>3</sup> /s	40.0	32.0	85.4	3.70	65.0	204
90th percentile	ft <sup>3</sup> /s	82.0	69.0	173	4.90	137	266
Drainage area	mi <sup>2</sup>	60.9	75.6	88.6	4.9	134	345
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	40.4	20.4	41.0	8.16	39.8	25.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.028	0.073	0.023	0.184	0.031	0.142
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.198	0.181	0.571	0.179	0.545
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.662	0.490	0.963	0.709	0.543	0.706
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.137	0.217	0.152	0.587	0.149	0.467
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.04	1.20	3.16	0.557	1.77	1.31
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.048	0.123	0.059	0.388	0.055	0.197
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.062	0.132	0.068	0.429	0.070	0.261
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.080	0.172	0.089	0.510	0.097	0.435
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.103	0.185	0.124	0.531	0.134	0.470
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.133	0.185	0.147	0.551	0.149	0.516
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.198	0.181	0.571	0.179	0.545
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.243	0.212	0.237	0.612	0.209	0.559
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.411	0.225	0.411	0.653	0.299	0.577
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.657	0.423	0.964	0.755	0.485	0.591
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	0.913	1.95	1.00	1.02	0.770

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02011460</b>	<b>02011470</b>	<b>02011480</b>	<b>02011490</b>	<b>02011500</b>	<b>02011800</b>
Count	number	1,015	715	360	715	1,705	1,043
Max	ft <sup>3</sup> /s	6,280	3,160	1,190	158	6,820	8,670
Min	ft <sup>3</sup> /s	2.50	2.00	5.00	1.40	6.60	53.0
Median	ft <sup>3</sup> /s	37.0	18.0	46.5	3.60	50.0	166
Arithmetic Mean	ft <sup>3</sup> /s	87.4	96.4	80.4	5.28	129	313
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	17.5	16.8	28.1	3.53	32.6	167
Standard Deviation	ft <sup>3</sup> /s	278	239	114	8.26	308	603
5th percentile	ft <sup>3</sup> /s	4.08	7.10	8.32	1.90	10.0	76.0
10th percentile	ft <sup>3</sup> /s	5.74	9.40	12.0	2.30	13.0	115
20th percentile	ft <sup>3</sup> /s	11.8	13.8	18.0	2.70	20.0	149
30th percentile	ft <sup>3</sup> /s	19.0	15.0	24.0	2.82	26.2	153
40th percentile	ft <sup>3</sup> /s	28.0	16.0	34.0	3.20	34.6	156
50th percentile	ft <sup>3</sup> /s	37.0	18.0	46.5	3.60	50.0	166
60th percentile	ft <sup>3</sup> /s	51.0	35.0	58.4	4.10	71.0	170
70th percentile	ft <sup>3</sup> /s	68.0	65.8	75.0	4.80	97.0	179
80th percentile	ft <sup>3</sup> /s	100	109	116	5.70	150	261
90th percentile	ft <sup>3</sup> /s	163	205	185	8.16	297	515
Drainage area	mi <sup>2</sup>	60.9	75.6	88.6	4.9	134	345
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	103	41.8	13.4	32.2	50.9	25.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.041	0.026	0.056	0.286	0.049	0.154
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.608	0.238	0.525	0.735	0.373	0.481
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	1.28	0.907	1.08	0.966	0.906
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.288	0.222	0.317	0.721	0.244	0.484
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.57	3.16	1.28	1.69	2.30	1.75
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.067	0.094	0.094	0.388	0.075	0.220
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.094	0.124	0.135	0.469	0.097	0.333
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.194	0.183	0.203	0.551	0.149	0.432
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.312	0.198	0.271	0.576	0.196	0.443
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.460	0.212	0.384	0.653	0.258	0.452
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.608	0.238	0.525	0.735	0.373	0.481
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.837	0.463	0.659	0.837	0.530	0.493
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	0.870	0.847	0.980	0.724	0.520
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.64	1.44	1.31	1.16	1.12	0.755
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.68	2.71	2.09	1.67	2.22	1.49

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02011460</b>	<b>02011470</b>	<b>02011480</b>	<b>02011490</b>	<b>02011500</b>	<b>02011800</b>
Count	number	1,023	713	372	713	1,736	1,054
Max	ft <sup>3</sup> /s	1,750	2,250	4,570	55.0	7,110	11,800
Min	ft <sup>3</sup> /s	3.20	1.70	11.0	1.40	8.90	53.0
Median	ft <sup>3</sup> /s	60.0	54.0	99.5	4.10	109	170
Arithmetic Mean	ft <sup>3</sup> /s	104	123	170	5.67	211	372
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	34.5	21.6	62.4	4.07	57.7	188
Standard Deviation	ft <sup>3</sup> /s	149	214	322	4.91	375	684
5th percentile	ft <sup>3</sup> /s	11.0	8.10	21.7	2.00	16.0	70.0
10th percentile	ft <sup>3</sup> /s	18.0	12.0	31.0	2.70	21.0	141
20th percentile	ft <sup>3</sup> /s	26.0	16.0	39.0	3.10	38.0	154
30th percentile	ft <sup>3</sup> /s	34.0	24.6	57.3	3.40	59.0	158
40th percentile	ft <sup>3</sup> /s	45.0	37.0	78.0	3.80	80.0	165
50th percentile	ft <sup>3</sup> /s	60.0	54.0	99.5	4.10	109	170
60th percentile	ft <sup>3</sup> /s	79.0	81.2	120	4.80	145	181
70th percentile	ft <sup>3</sup> /s	104	114	148	5.60	189	313
80th percentile	ft <sup>3</sup> /s	140	162	193	6.96	269	445
90th percentile	ft <sup>3</sup> /s	223	263	334	10.0	455	724
Drainage area	mi <sup>2</sup>	60.9	75.6	88.6	4.9	134	345
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	28.7	29.8	51.6	11.2	53.1	34.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.053	0.022	0.124	0.286	0.066	0.154
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.985	0.714	1.12	0.837	0.813	0.493
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	1.62	1.92	1.16	1.58	1.08
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.566	0.285	0.704	0.831	0.431	0.545
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.45	2.82	3.63	1.00	2.80	1.98
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.107	0.244	0.408	0.119	0.203
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.296	0.159	0.350	0.551	0.157	0.410
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.427	0.212	0.440	0.633	0.284	0.446
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.558	0.325	0.647	0.694	0.440	0.458
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.739	0.489	0.880	0.776	0.597	0.479
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.985	0.714	1.12	0.837	0.813	0.493
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.07	1.35	0.980	1.08	0.525
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	1.51	1.67	1.14	1.41	0.908
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.30	2.14	2.18	1.42	2.01	1.29
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.66	3.48	3.77	2.04	3.39	2.10



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>02011950</b>	<b>02012000</b>	<b>02012500</b>	<b>02013000</b>	<b>02013100</b>	<b>02014000</b>
Count	number	248	124	1,829	2,446	1,023	2,170
Max	ft <sup>3</sup> /s	3.50	86.0	10,800	10,400	15,100	7,430
Min	ft <sup>3</sup> /s	0.430	12.0	66.0	14.0	102	16.0
Median	ft <sup>3</sup> /s	1.40	17.0	404	122	442	144
Arithmetic Mean	ft <sup>3</sup> /s	1.26	24.8	632	240	864	239
Geometric Mean	ft <sup>3</sup> /s	1.11	21.3	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	0.974	19.0	293	84.3	398	98.4
Standard Deviation	ft <sup>3</sup> /s	0.593	16.0	815	423	1,226	368
5th percentile	ft <sup>3</sup> /s	0.490	12.0	95.0	24.0	186	30.6
10th percentile	ft <sup>3</sup> /s	0.510	13.0	132	37.0	210	39.0
20th percentile	ft <sup>3</sup> /s	0.640	14.0	203	60.0	266	69.0
30th percentile	ft <sup>3</sup> /s	0.720	14.0	260	84.0	318	95.0
40th percentile	ft <sup>3</sup> /s	0.936	16.0	332	101	376	116
50th percentile	ft <sup>3</sup> /s	1.40	17.0	404	122	442	144
60th percentile	ft <sup>3</sup> /s	1.50	20.0	499	152	552	176
70th percentile	ft <sup>3</sup> /s	1.60	26.0	616	209	728	228
80th percentile	ft <sup>3</sup> /s	1.70	38.0	824	303	1,090	325
90th percentile	ft <sup>3</sup> /s	2.00	47.7	1,300	504	1,992	500
Drainage area	mi <sup>2</sup>	--	11.2	410	162	612	153
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	7.68	26.3	64.2	24.7	48.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.07	0.161	0.086	0.167	0.105
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.52	0.985	0.753	0.722	0.941
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.22	1.54	1.48	1.41	1.56
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.90	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.69	0.714	0.521	0.651	0.643
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.43	1.99	2.61	2.00	2.40
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.07	0.232	0.148	0.304	0.200
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.16	0.322	0.228	0.343	0.255
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.25	0.494	0.370	0.435	0.451
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.25	0.634	0.519	0.520	0.621
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.43	0.810	0.623	0.614	0.758
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.52	0.985	0.753	0.722	0.941
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.79	1.22	0.938	0.902	1.15
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.32	1.50	1.29	1.19	1.49
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	3.39	2.01	1.87	1.78	2.12
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	4.26	3.17	3.11	3.25	3.27

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>02011950</b>	<b>02012000</b>	<b>02012500</b>	<b>02013000</b>	<b>02013100</b>	<b>02014000</b>
Count	number	226	113	1,667	2,229	931	1,976
Max	ft <sup>3</sup> /s	2.70	125	9,880	6,080	10,800	4,740
Min	ft <sup>3</sup> /s	0.490	15.0	60.0	16.0	108	17.0
Median	ft <sup>3</sup> /s	1.70	28.0	523	178	667	199
Arithmetic Mean	ft <sup>3</sup> /s	1.55	32.4	813	303	1,035	291
Geometric Mean	ft <sup>3</sup> /s	1.45	29.5	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1.33	27.4	379	116	508	133
Standard Deviation	ft <sup>3</sup> /s	0.506	17.5	944	464	1,202	360
5th percentile	ft <sup>3</sup> /s	0.600	16.7	124	35.0	185	42.0
10th percentile	ft <sup>3</sup> /s	0.705	19.0	184	55.0	257	62.5
20th percentile	ft <sup>3</sup> /s	1.10	22.0	263	82.6	329	94.0
30th percentile	ft <sup>3</sup> /s	1.30	24.0	340	107	401	122
40th percentile	ft <sup>3</sup> /s	1.50	26.0	421	139	512	159
50th percentile	ft <sup>3</sup> /s	1.70	28.0	523	178	667	199
60th percentile	ft <sup>3</sup> /s	1.80	31.0	670	220	800	243
70th percentile	ft <sup>3</sup> /s	1.80	33.4	843	278	1,030	298
80th percentile	ft <sup>3</sup> /s	1.90	38.0	1,100	372	1,380	390
90th percentile	ft <sup>3</sup> /s	2.20	45.6	1,604	600	2,210	576
Drainage area	mi <sup>2</sup>	--	11.2	410	162	612	153
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	11.2	24.1	37.5	17.6	31.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.34	0.146	0.099	0.176	0.111
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.50	1.28	1.10	1.09	1.30
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.89	1.98	1.87	1.69	1.90
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.63	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.45	0.924	0.717	0.831	0.868
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.56	2.30	2.86	1.96	2.35
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.49	0.302	0.216	0.302	0.275
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.70	0.449	0.340	0.420	0.408
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.96	0.642	0.510	0.538	0.614
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.14	0.829	0.660	0.655	0.797
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.32	1.03	0.859	0.837	1.04
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.50	1.28	1.10	1.09	1.30
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.77	1.63	1.36	1.31	1.59
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.98	2.06	1.72	1.68	1.95
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	3.39	2.68	2.30	2.25	2.55
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	4.07	3.91	3.70	3.61	3.76

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02011950</b>	<b>02012000</b>	<b>02012500</b>	<b>02013000</b>	<b>02013100</b>	<b>02014000</b>
Count	number	248	124	1,829	2,447	1,023	2,170
Max	ft <sup>3</sup> /s	3.70	149	12,800	7,020	11,000	5,160
Min	ft <sup>3</sup> /s	0.650	13.0	102	22.0	145	31.0
Median	ft <sup>3</sup> /s	1.90	22.0	690	217	957	234
Arithmetic Mean	ft <sup>3</sup> /s	1.86	28.4	1,041	390	1,470	365
Geometric Mean	ft <sup>3</sup> /s	1.78	24.4	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1.67	21.9	558	175	732	192
Standard Deviation	ft <sup>3</sup> /s	0.508	20.2	1,187	554	1,419	437
5th percentile	ft <sup>3</sup> /s	0.725	14.0	227	60.0	286	69.6
10th percentile	ft <sup>3</sup> /s	1.17	14.0	302	90.0	320	100
20th percentile	ft <sup>3</sup> /s	1.60	15.0	406	123	496	135
30th percentile	ft <sup>3</sup> /s	1.71	17.0	503	150	659	169
40th percentile	ft <sup>3</sup> /s	1.80	18.0	585	182	795	200
50th percentile	ft <sup>3</sup> /s	1.90	22.0	690	217	957	234
60th percentile	ft <sup>3</sup> /s	2.00	25.0	815	264	1,220	284
70th percentile	ft <sup>3</sup> /s	2.10	31.1	1,026	338	1,524	353
80th percentile	ft <sup>3</sup> /s	2.20	35.0	1,354	469	2,200	460
90th percentile	ft <sup>3</sup> /s	2.50	48.0	2,050	824	3,370	711
Drainage area	mi <sup>2</sup>	--	11.2	410	162	612	153
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	13.3	31.2	43.3	18.0	33.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.16	0.249	0.136	0.237	0.203
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.96	1.68	1.34	1.56	1.53
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.53	2.54	2.41	2.40	2.39
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.18	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.96	1.36	1.08	1.20	1.26
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.81	2.89	3.42	2.32	2.85
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.25	0.554	0.370	0.467	0.455
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.25	0.737	0.556	0.522	0.654
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.34	0.991	0.759	0.810	0.882
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.52	1.23	0.926	1.08	1.10
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.61	1.43	1.12	1.30	1.31
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.96	1.68	1.34	1.56	1.53
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.23	1.99	1.63	1.99	1.86
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.78	2.50	2.09	2.49	2.31
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	3.13	3.30	2.90	3.59	3.01
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	4.29	5.00	5.09	5.51	4.65

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02011950</b>	<b>02012000</b>	<b>02012500</b>	<b>02013000</b>	<b>02013100</b>	<b>02014000</b>
Count	number	240	150	1,770	2,370	990	2,100
Max	ft <sup>3</sup> /s	4.00	216	13,100	7,100	18,800	5,030
Min	ft <sup>3</sup> /s	0.800	12.0	106	37.0	171	50.0
Median	ft <sup>3</sup> /s	2.10	24.0	540	159	718	177
Arithmetic Mean	ft <sup>3</sup> /s	2.03	31.2	784	287	1,172	292
Geometric Mean	ft <sup>3</sup> /s	1.98	26.3	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1.91	23.5	481	143	628	165
Standard Deviation	ft <sup>3</sup> /s	0.412	25.3	819	431	1,343	381
5th percentile	ft <sup>3</sup> /s	1.11	13.0	241	63.6	278	77.0
10th percentile	ft <sup>3</sup> /s	1.60	15.0	277	79.0	330	92.0
20th percentile	ft <sup>3</sup> /s	1.80	18.0	338	97.0	399	113
30th percentile	ft <sup>3</sup> /s	1.90	20.0	388	113	482	131
40th percentile	ft <sup>3</sup> /s	1.90	22.0	457	134	588	150
50th percentile	ft <sup>3</sup> /s	2.10	24.0	540	159	718	177
60th percentile	ft <sup>3</sup> /s	2.20	26.0	640	199	870	216
70th percentile	ft <sup>3</sup> /s	2.20	30.0	800	252	1,153	270
80th percentile	ft <sup>3</sup> /s	2.30	38.0	1,050	338	1,530	367
90th percentile	ft <sup>3</sup> /s	2.40	54.1	1,550	556	2,562	571
Drainage area	mi <sup>2</sup>	--	11.2	410	162	612	153
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	19.3	32.0	43.8	30.7	32.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.07	0.259	0.228	0.279	0.327
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.14	1.32	0.981	1.17	1.16
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.78	1.91	1.77	1.91	1.91
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.35	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.10	1.17	0.885	1.03	1.08
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.26	2.00	2.66	2.20	2.49
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.16	0.587	0.392	0.454	0.503
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.34	0.675	0.488	0.539	0.601
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.61	0.824	0.599	0.652	0.739
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.79	0.946	0.698	0.787	0.856
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.96	1.12	0.825	0.961	0.980
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.14	1.32	0.981	1.17	1.16
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.32	1.56	1.23	1.42	1.41
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.68	1.95	1.56	1.88	1.77
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	3.39	2.56	2.09	2.50	2.40
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	4.83	3.78	3.43	4.19	3.73

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>02011950</b>	<b>02012000</b>	<b>02012500</b>	<b>02013000</b>	<b>02013100</b>	<b>02014000</b>
Count	number	234	155	1,829	2,449	1,023	2,170
Max	ft <sup>3</sup> /s	2.90	86.0	10,200	5,050	6,510	5,100
Min	ft <sup>3</sup> /s	0.570	12.0	106	22.0	159	27.0
Median	ft <sup>3</sup> /s	1.90	20.0	404	110	597	139
Arithmetic Mean	ft <sup>3</sup> /s	1.81	23.3	593	216	930	224
Geometric Mean	ft <sup>3</sup> /s	1.69	21.6	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1.54	20.3	357	96.4	543	120
Standard Deviation	ft <sup>3</sup> /s	0.599	10.9	651	353	927	307
5th percentile	ft <sup>3</sup> /s	0.683	13.0	161	42.0	279	51.6
10th percentile	ft <sup>3</sup> /s	0.829	15.0	195	49.0	316	62.0
20th percentile	ft <sup>3</sup> /s	1.20	16.0	250	63.6	351	81.0
30th percentile	ft <sup>3</sup> /s	1.50	18.0	293	76.0	403	99.0
40th percentile	ft <sup>3</sup> /s	1.80	18.0	338	91.0	477	117
50th percentile	ft <sup>3</sup> /s	1.90	20.0	404	110	597	139
60th percentile	ft <sup>3</sup> /s	2.08	22.0	470	139	732	166
70th percentile	ft <sup>3</sup> /s	2.20	25.0	575	186	911	210
80th percentile	ft <sup>3</sup> /s	2.30	28.2	760	260	1,260	282
90th percentile	ft <sup>3</sup> /s	2.57	34.6	1,160	437	2,070	437
Drainage area	mi <sup>2</sup>	--	11.2	410	162	612	153
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	7.68	24.9	31.2	10.6	33.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.07	0.259	0.136	0.260	0.176
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.79	0.985	0.679	0.975	0.908
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.08	1.45	1.33	1.52	1.46
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.93	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.82	0.872	0.595	0.887	0.783
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.972	1.59	2.18	1.51	2.01
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.16	0.393	0.259	0.457	0.337
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.34	0.476	0.302	0.516	0.405
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.43	0.610	0.393	0.574	0.529
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.61	0.715	0.469	0.659	0.647
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.61	0.824	0.562	0.779	0.765
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.79	0.985	0.679	0.975	0.908
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.96	1.15	0.858	1.20	1.09
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.23	1.40	1.15	1.49	1.37
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.52	1.85	1.61	2.06	1.84
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	3.09	2.83	2.70	3.38	2.86

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	02011950	02012000	02012500	02013000	02013100	02014000
Count	number	240	150	1,770	2,370	990	2,100
Max	ft <sup>3</sup> /s	3.90	171	9,620	10,200	6,950	8,870
Min	ft <sup>3</sup> /s	0.520	8.70	70.0	12.0	112	22.0
Median	ft <sup>3</sup> /s	1.50	13.0	226	49.0	361	72.0
Arithmetic Mean	ft <sup>3</sup> /s	1.50	18.1	363	107	620	141
Geometric Mean	ft <sup>3</sup> /s	1.37	15.2	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1.24	13.9	211	45.7	383	66.2
Standard Deviation	ft <sup>3</sup> /s	0.603	17.7	523	295	735	321
5th percentile	ft <sup>3</sup> /s	0.571	9.31	106	22.0	192	30.0
10th percentile	ft <sup>3</sup> /s	0.650	9.76	123	25.0	292	36.0
20th percentile	ft <sup>3</sup> /s	0.910	11.0	143	30.0	314	44.0
30th percentile	ft <sup>3</sup> /s	1.10	12.0	167	35.0	330	53.0
40th percentile	ft <sup>3</sup> /s	1.30	12.0	191	42.0	346	61.0
50th percentile	ft <sup>3</sup> /s	1.50	13.0	226	49.0	361	72.0
60th percentile	ft <sup>3</sup> /s	1.70	14.0	268	60.0	382	86.0
70th percentile	ft <sup>3</sup> /s	1.80	16.3	318	76.0	479	108
80th percentile	ft <sup>3</sup> /s	2.00	19.0	417	108	661	144
90th percentile	ft <sup>3</sup> /s	2.40	27.3	667	204	1,264	255
Drainage area	mi <sup>2</sup>	--	11.2	410	162	612	153
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	15.3	23.5	63.0	11.4	58.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.777	0.171	0.074	0.183	0.144
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.16	0.550	0.302	0.590	0.471
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.61	0.885	0.661	1.01	0.924
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.35	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.24	0.516	0.282	0.626	0.432
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.58	1.28	1.82	1.20	2.10
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.831	0.259	0.136	0.314	0.196
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.871	0.300	0.154	0.477	0.235
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.982	0.348	0.185	0.513	0.288
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.07	0.407	0.216	0.539	0.346
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.07	0.466	0.259	0.565	0.399
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.16	0.550	0.302	0.590	0.471
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.25	0.653	0.370	0.624	0.562
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.46	0.776	0.469	0.783	0.706
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.70	1.02	0.667	1.08	0.941
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.44	1.63	1.26	2.07	1.67

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>02011950</b>	<b>02012000</b>	<b>02012500</b>	<b>02013000</b>	<b>02013100</b>	<b>02014000</b>
Count	number	248	155	1,829	2,449	1,023	2,170
Max	ft <sup>3</sup> /s	2.10	24.0	4,930	3,100	4,000	2,890
Min	ft <sup>3</sup> /s	0.430	6.90	62.0	9.10	107	15.0
Median	ft <sup>3</sup> /s	0.750	8.80	152	30.0	338	44.5
Arithmetic Mean	ft <sup>3</sup> /s	0.807	10.5	222	50.4	351	69.4
Geometric Mean	ft <sup>3</sup> /s	0.756	9.98	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	0.718	9.60	148	28.5	308	42.9
Standard Deviation	ft <sup>3</sup> /s	0.346	3.56	311	118	181	121
5th percentile	ft <sup>3</sup> /s	0.470	7.20	80.0	15.0	158	22.0
10th percentile	ft <sup>3</sup> /s	0.510	7.50	94.0	17.0	198	26.0
20th percentile	ft <sup>3</sup> /s	0.560	8.00	108	20.0	304	31.0
30th percentile	ft <sup>3</sup> /s	0.641	8.02	121	23.0	318	35.0
40th percentile	ft <sup>3</sup> /s	0.718	8.50	135	26.0	329	39.0
50th percentile	ft <sup>3</sup> /s	0.750	8.80	152	30.0	338	44.5
60th percentile	ft <sup>3</sup> /s	0.790	9.60	171	35.0	349	52.0
70th percentile	ft <sup>3</sup> /s	0.829	11.0	200	41.0	366	61.0
80th percentile	ft <sup>3</sup> /s	0.880	13.0	250	51.0	385	76.0
90th percentile	ft <sup>3</sup> /s	1.10	16.6	327	79.2	426	106
Drainage area	mi <sup>2</sup>	--	11.2	410	162	612	153
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.14	12.0	19.1	6.54	18.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.616	0.151	0.056	0.175	0.098
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.786	0.371	0.185	0.552	0.291
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.935	0.543	0.311	0.574	0.454
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.891	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.857	0.360	0.176	0.504	0.281
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.318	0.758	0.729	0.296	0.789
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.643	0.195	0.093	0.258	0.144
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.670	0.229	0.105	0.324	0.170
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.714	0.263	0.123	0.497	0.203
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.716	0.295	0.142	0.520	0.229
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.759	0.329	0.160	0.538	0.255
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.786	0.371	0.185	0.552	0.291
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.857	0.417	0.216	0.570	0.340
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.982	0.488	0.253	0.598	0.399
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.16	0.611	0.315	0.629	0.497
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.48	0.799	0.489	0.696	0.693

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02011950</b>	<b>02012000</b>	<b>02012500</b>	<b>02013000</b>	<b>02013100</b>	<b>02014000</b>
Count	number	248	155	1,829	2,449	1,023	2,170
Max	ft <sup>3</sup> /s	1.70	60.0	11,800	6,420	5,700	3,510
Min	ft <sup>3</sup> /s	0.420	6.00	64.0	9.00	81.0	16.0
Median	ft <sup>3</sup> /s	0.600	8.70	127	25.0	324	36.0
Arithmetic Mean	ft <sup>3</sup> /s	0.683	9.94	209	54.3	344	64.6
Geometric Mean	ft <sup>3</sup> /s	0.646	9.15	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	0.620	8.72	133	24.1	274	36.1
Standard Deviation	ft <sup>3</sup> /s	0.270	6.12	366	212	333	152
5th percentile	ft <sup>3</sup> /s	0.460	6.50	77.0	13.0	132	21.0
10th percentile	ft <sup>3</sup> /s	0.480	6.70	83.0	14.0	151	23.0
20th percentile	ft <sup>3</sup> /s	0.510	7.00	94.6	17.0	268	25.0
30th percentile	ft <sup>3</sup> /s	0.530	7.40	106	19.0	301	29.0
40th percentile	ft <sup>3</sup> /s	0.560	7.92	116	21.0	312	32.0
50th percentile	ft <sup>3</sup> /s	0.600	8.70	127	25.0	324	36.0
60th percentile	ft <sup>3</sup> /s	0.650	9.20	147	29.0	336	41.0
70th percentile	ft <sup>3</sup> /s	0.690	9.60	180	35.0	350	48.0
80th percentile	ft <sup>3</sup> /s	0.756	11.0	245	45.0	375	61.0
90th percentile	ft <sup>3</sup> /s	0.890	14.0	367	69.0	410	91.0
Drainage area	mi <sup>2</sup>	--	11.2	410	162	612	153
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	5.36	28.8	39.6	9.31	22.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.536	0.156	0.056	0.132	0.105
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.777	0.310	0.154	0.529	0.235
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.887	0.511	0.335	0.562	0.422
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.817	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.779	0.324	0.148	0.448	0.236
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.546	0.892	1.31	0.545	0.996
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.580	0.188	0.080	0.216	0.137
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.598	0.202	0.086	0.247	0.150
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.625	0.231	0.105	0.439	0.163
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.661	0.259	0.117	0.492	0.190
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.707	0.283	0.130	0.510	0.209
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.777	0.310	0.154	0.529	0.235
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.821	0.359	0.179	0.549	0.268
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.857	0.438	0.216	0.572	0.314
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.982	0.599	0.278	0.613	0.399
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.25	0.896	0.426	0.670	0.595



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02011950</b>	<b>02012000</b>	<b>02012500</b>	<b>02013000</b>	<b>02013100</b>	<b>02014000</b>
Count	number	240	150	1,770	2,370	993	2,099
Max	ft <sup>3</sup> /s	1.60	191	5,510	5,560	7,720	5,590
Min	ft <sup>3</sup> /s	0.380	5.50	52.0	7.00	67.0	16.0
Median	ft <sup>3</sup> /s	0.590	8.00	106	20.0	296	32.0
Arithmetic Mean	ft <sup>3</sup> /s	0.660	13.8	169	44.8	373	69.6
Geometric Mean	ft <sup>3</sup> /s	0.606	10.2	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	0.570	8.85	110	20.6	252	32.5
Standard Deviation	ft <sup>3</sup> /s	0.330	19.2	283	158	482	225
5th percentile	ft <sup>3</sup> /s	0.410	5.80	67.0	12.0	115	19.0
10th percentile	ft <sup>3</sup> /s	0.420	5.80	73.0	13.0	135	21.0
20th percentile	ft <sup>3</sup> /s	0.460	6.50	82.0	15.0	238	23.0
30th percentile	ft <sup>3</sup> /s	0.480	6.90	89.0	16.0	268	26.0
40th percentile	ft <sup>3</sup> /s	0.490	7.20	96.0	18.0	280	29.0
50th percentile	ft <sup>3</sup> /s	0.590	8.00	106	20.0	296	32.0
60th percentile	ft <sup>3</sup> /s	0.610	9.48	119	23.0	307	36.0
70th percentile	ft <sup>3</sup> /s	0.633	11.0	138	28.0	316	42.0
80th percentile	ft <sup>3</sup> /s	0.730	15.0	178	36.0	344	52.0
90th percentile	ft <sup>3</sup> /s	1.31	25.1	258	64.0	484	100
Drainage area	mi <sup>2</sup>	--	11.2	410	162	612	153
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	17.1	13.4	34.3	12.6	36.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.491	0.127	0.043	0.109	0.105
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.714	0.259	0.123	0.484	0.209
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.24	0.412	0.276	0.609	0.455
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.912	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.790	0.269	0.127	0.412	0.213
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.71	0.691	0.973	0.788	1.47
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.518	0.163	0.074	0.188	0.124
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.518	0.178	0.080	0.221	0.137
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.580	0.200	0.093	0.389	0.150
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.616	0.217	0.099	0.438	0.170
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.643	0.234	0.111	0.458	0.190
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.714	0.259	0.123	0.484	0.209
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.846	0.290	0.142	0.502	0.235
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.982	0.337	0.173	0.516	0.275
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.34	0.434	0.222	0.562	0.340
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.24	0.630	0.395	0.790	0.654

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02011950</b>	<b>02012000</b>	<b>02012500</b>	<b>02013000</b>	<b>02013100</b>	<b>02014000</b>
Count	number	251	124	1,829	2,480	1,054	2,201
Max	ft <sup>3</sup> /s	3.50	65.0	8,860	2,900	9,340	2,850
Min	ft <sup>3</sup> /s	0.320	5.80	58.0	10.0	74.0	16.0
Median	ft <sup>3</sup> /s	0.640	9.20	118	25.0	242	38.0
Arithmetic Mean	ft <sup>3</sup> /s	0.910	11.0	242	64.0	364	91.2
Geometric Mean	ft <sup>3</sup> /s	0.787	9.90	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	0.696	9.25	120	26.5	233	39.0
Standard Deviation	ft <sup>3</sup> /s	0.524	7.06	528	176	610	203
5th percentile	ft <sup>3</sup> /s	0.440	6.28	68.0	14.0	102	21.0
10th percentile	ft <sup>3</sup> /s	0.460	6.50	73.0	16.0	165	23.0
20th percentile	ft <sup>3</sup> /s	0.480	6.90	80.0	18.0	204	26.0
30th percentile	ft <sup>3</sup> /s	0.510	8.30	91.4	20.0	217	30.0
40th percentile	ft <sup>3</sup> /s	0.590	8.84	101	22.0	230	33.0
50th percentile	ft <sup>3</sup> /s	0.640	9.20	118	25.0	242	38.0
60th percentile	ft <sup>3</sup> /s	0.750	9.60	144	31.0	250	47.0
70th percentile	ft <sup>3</sup> /s	1.20	10.0	175	39.0	267	60.0
80th percentile	ft <sup>3</sup> /s	1.50	12.0	235	56.0	324	85.0
90th percentile	ft <sup>3</sup> /s	1.70	16.4	400	103	523	160
Drainage area	mi <sup>2</sup>	--	11.2	410	162	612	153
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	5.80	21.6	17.9	15.3	18.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.518	0.141	0.062	0.121	0.105
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.821	0.288	0.154	0.395	0.248
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.982	0.589	0.395	0.595	0.596
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.884	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.826	0.294	0.163	0.380	0.255
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.630	1.29	1.09	0.997	1.33
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.560	0.166	0.086	0.166	0.137
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.580	0.178	0.099	0.269	0.150
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.616	0.195	0.111	0.333	0.170
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.741	0.223	0.123	0.355	0.196
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.789	0.246	0.136	0.376	0.216
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.821	0.288	0.154	0.395	0.248
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.857	0.351	0.191	0.408	0.307
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.893	0.427	0.241	0.436	0.392
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.07	0.573	0.346	0.529	0.556
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.46	0.976	0.636	0.854	1.05

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02011950</b>	<b>02012000</b>	<b>02012500</b>	<b>02013000</b>	<b>02013100</b>	<b>02014000</b>
Count	number	240	120	1,770	2,395	1,014	2,125
Max	ft <sup>3</sup> /s	1.90	120	8,680	6,460	10,800	6,600
Min	ft <sup>3</sup> /s	0.470	5.80	60.0	14.0	88.0	16.0
Median	ft <sup>3</sup> /s	0.740	9.15	173	40.0	245	58.0
Arithmetic Mean	ft <sup>3</sup> /s	0.936	15.2	310	112	526	132
Geometric Mean	ft <sup>3</sup> /s	0.845	11.1	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	0.775	9.51	150	37.3	258	51.8
Standard Deviation	ft <sup>3</sup> /s	0.448	18.9	493	311	924	315
5th percentile	ft <sup>3</sup> /s	0.510	5.80	72.0	17.0	116	25.0
10th percentile	ft <sup>3</sup> /s	0.529	6.16	78.0	19.0	165	27.0
20th percentile	ft <sup>3</sup> /s	0.570	6.50	91.0	23.0	198	31.0
30th percentile	ft <sup>3</sup> /s	0.600	7.20	107	27.0	214	37.0
40th percentile	ft <sup>3</sup> /s	0.630	8.00	135	32.0	227	44.0
50th percentile	ft <sup>3</sup> /s	0.740	9.15	173	40.0	245	58.0
60th percentile	ft <sup>3</sup> /s	0.850	11.0	206	55.0	290	74.0
70th percentile	ft <sup>3</sup> /s	1.03	13.0	271	74.0	344	102
80th percentile	ft <sup>3</sup> /s	1.50	18.0	373	112	516	151
90th percentile	ft <sup>3</sup> /s	1.70	22.1	667	218	1,037	253
Drainage area	mi <sup>2</sup>	--	11.2	410	162	612	153
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	10.7	21.2	39.9	17.6	43.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.518	0.146	0.086	0.144	0.105
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.817	0.422	0.247	0.400	0.379
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.36	0.757	0.693	0.859	0.863
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.995	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.849	0.365	0.231	0.421	0.339
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.69	1.20	1.92	1.51	2.06
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.518	0.176	0.105	0.189	0.163
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.550	0.190	0.117	0.270	0.176
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.580	0.222	0.142	0.324	0.203
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.643	0.261	0.167	0.350	0.242
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.714	0.329	0.198	0.371	0.288
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.817	0.422	0.247	0.400	0.379
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.982	0.503	0.340	0.474	0.484
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.16	0.660	0.457	0.562	0.667
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.61	0.910	0.691	0.842	0.987
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.97	1.63	1.34	1.69	1.65

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02011950</b>	<b>02012000</b>	<b>02012500</b>	<b>02013000</b>	<b>02013100</b>	<b>02014000</b>
Count	number	248	124	1,829	2,449	1,021	2,168
Max	ft <sup>3</sup> /s	1.80	235	12,600	5,270	6,390	4,050
Min	ft <sup>3</sup> /s	0.510	5.80	60.0	10.0	108	15.0
Median	ft <sup>3</sup> /s	1.50	22.0	290	80.0	327	100
Arithmetic Mean	ft <sup>3</sup> /s	1.30	30.9	514	168	595	173
Geometric Mean	ft <sup>3</sup> /s	1.21	22.3	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1.11	17.3	210	55.5	328	70.3
Standard Deviation	ft <sup>3</sup> /s	0.437	33.1	822	323	686	280
5th percentile	ft <sup>3</sup> /s	0.560	7.20	80.0	20.0	171	25.0
10th percentile	ft <sup>3</sup> /s	0.590	8.79	88.8	24.0	198	30.0
20th percentile	ft <sup>3</sup> /s	0.770	11.0	120	32.0	222	44.0
30th percentile	ft <sup>3</sup> /s	0.973	13.0	176	44.0	241	58.0
40th percentile	ft <sup>3</sup> /s	1.38	16.2	226	60.0	272	74.8
50th percentile	ft <sup>3</sup> /s	1.50	22.0	290	80.0	327	100
60th percentile	ft <sup>3</sup> /s	1.60	27.8	374	107	435	126
70th percentile	ft <sup>3</sup> /s	1.60	32.1	482	144	577	164
80th percentile	ft <sup>3</sup> /s	1.70	41.4	657	199	804	216
90th percentile	ft <sup>3</sup> /s	1.80	56.0	1,054	338	1,220	349
Drainage area	mi <sup>2</sup>	--	11.2	410	162	612	153
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	21.0	30.7	32.5	10.4	26.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.518	0.146	0.062	0.176	0.098
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.96	0.707	0.494	0.534	0.654
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.76	1.25	1.04	0.972	1.13
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.99	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.54	0.513	0.343	0.536	0.459
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.96	2.01	1.99	1.12	1.83
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.643	0.195	0.123	0.279	0.163
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.785	0.217	0.148	0.324	0.196
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.982	0.293	0.198	0.363	0.288
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.16	0.430	0.272	0.394	0.379
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.45	0.552	0.370	0.444	0.489
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.96	0.707	0.494	0.534	0.654
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.48	0.912	0.660	0.711	0.824
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.87	1.18	0.889	0.943	1.07
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	3.70	1.60	1.23	1.31	1.41
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	5.00	2.57	2.09	1.99	2.28

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		January					
	units						
Station Number	number	02014500	02015000	02015700	02016000	02016500	02017000
Count	number	279	93.0	1,457	2,542	2,542	713
Max	ft <sup>3</sup> /s	150	264	7,200	17,400	43,000	188
Min	ft <sup>3</sup> /s	2.50	6.40	26.0	70.0	180	2.00
Median	ft <sup>3</sup> /s	14.0	22.0	116	405	1,280	14.0
Arithmetic Mean	ft <sup>3</sup> /s	20.8	42.6	191	729	2,136	21.3
Geometric Mean	ft <sup>3</sup> /s	--	29.0	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	9.42	22.1	95.8	318	956	10.0
Standard Deviation	ft <sup>3</sup> /s	21.1	45.6	315	1,118	2,770	22.8
5th percentile	ft <sup>3</sup> /s	3.00	10.7	38.0	108	316	3.14
10th percentile	ft <sup>3</sup> /s	3.30	12.0	47.0	150	421	4.50
20th percentile	ft <sup>3</sup> /s	6.66	14.4	63.2	217	658	7.14
30th percentile	ft <sup>3</sup> /s	9.26	16.0	79.0	278	860	9.56
40th percentile	ft <sup>3</sup> /s	12.0	19.0	96.0	340	1,070	12.0
50th percentile	ft <sup>3</sup> /s	14.0	22.0	116	405	1,280	14.0
60th percentile	ft <sup>3</sup> /s	18.0	31.0	140	501	1,570	17.0
70th percentile	ft <sup>3</sup> /s	21.0	41.6	176	648	2,000	21.0
80th percentile	ft <sup>3</sup> /s	30.0	60.2	230	911	2,780	28.6
90th percentile	ft <sup>3</sup> /s	47.2	95.0	366	1,540	4,650	44.8
Drainage area	mi <sup>2</sup>	12.3	12.4	110	461	1371	13.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	12.2	21.3	65.5	37.7	31.4	14.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.203	0.516	0.236	0.152	0.131	0.150
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.77	1.05	0.877	0.934	1.05
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.69	3.44	1.74	1.58	1.56	1.60
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.34	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.766	1.79	0.871	0.690	0.697	0.754
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.72	3.67	2.87	2.42	2.02	1.71
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.244	0.863	0.345	0.235	0.230	0.236
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.268	0.968	0.427	0.325	0.307	0.338
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.541	1.16	0.575	0.471	0.480	0.537
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.753	1.29	0.718	0.603	0.627	0.719
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.976	1.53	0.873	0.738	0.780	0.902
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.77	1.05	0.877	0.934	1.05
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	2.50	1.27	1.09	1.15	1.28
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	3.35	1.60	1.41	1.46	1.58
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.44	4.85	2.09	1.98	2.03	2.15
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.84	7.66	3.32	3.34	3.39	3.37

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>02014500</b>	<b>02015000</b>	<b>02015700</b>	<b>02016000</b>	<b>02016500</b>	<b>02017000</b>
Count	number	255	84.0	1,327	2,316	2,316	650
Max	ft <sup>3</sup> /s	287	56.0	3,030	12,800	30,600	250
Min	ft <sup>3</sup> /s	3.40	5.80	26.0	60.0	197	2.00
Median	ft <sup>3</sup> /s	25.0	24.0	133	535	1,750	19.0
Arithmetic Mean	ft <sup>3</sup> /s	34.4	23.6	211	847	2,620	23.9
Geometric Mean	ft <sup>3</sup> /s	--	18.7	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	18.0	14.5	115	404	1,260	10.9
Standard Deviation	ft <sup>3</sup> /s	34.9	14.9	264	1,064	3,026	23.4
5th percentile	ft <sup>3</sup> /s	5.16	6.40	53.4	154	445	3.00
10th percentile	ft <sup>3</sup> /s	9.26	7.10	61.6	201	614	4.19
20th percentile	ft <sup>3</sup> /s	14.0	8.16	78.0	270	880	7.20
30th percentile	ft <sup>3</sup> /s	18.0	9.59	93.0	341	1,110	12.0
40th percentile	ft <sup>3</sup> /s	22.0	15.2	110	427	1,380	16.0
50th percentile	ft <sup>3</sup> /s	25.0	24.0	133	535	1,750	19.0
60th percentile	ft <sup>3</sup> /s	30.0	28.0	158	671	2,140	22.0
70th percentile	ft <sup>3</sup> /s	35.0	33.0	200	830	2,620	26.0
80th percentile	ft <sup>3</sup> /s	44.2	37.0	260	1,100	3,470	33.0
90th percentile	ft <sup>3</sup> /s	66.8	44.8	389	1,720	5,360	47.0
Drainage area	mi <sup>2</sup>	12.3	12.4	110	461	1371	13.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	23.3	4.52	27.5	27.8	22.3	18.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.276	0.468	0.236	0.130	0.144	0.150
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.03	1.94	1.21	1.16	1.28	1.43
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.80	1.91	1.92	1.84	1.91	1.80
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.51	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.17	1.05	0.877	0.919	0.817
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.84	1.20	2.40	2.31	2.21	1.76
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.420	0.516	0.485	0.334	0.324	0.226
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.753	0.573	0.560	0.435	0.448	0.315
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	0.658	0.709	0.586	0.642	0.541
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	0.773	0.845	0.739	0.810	0.902
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.79	1.23	1.00	0.926	1.01	1.20
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.03	1.94	1.21	1.16	1.28	1.43
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.44	2.26	1.44	1.46	1.56	1.65
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.85	2.66	1.82	1.80	1.91	1.95
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.59	2.98	2.36	2.39	2.53	2.48
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.43	3.61	3.53	3.73	3.91	3.53

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02014500</b>	<b>02015000</b>	<b>02015700</b>	<b>02016000</b>	<b>02016500</b>	<b>02017000</b>
Count	number	279	93.0	1,457	2,542	2,542	713
Max	ft <sup>3</sup> /s	302	220	3,600	21,400	47,700	211
Min	ft <sup>3</sup> /s	8.00	5.80	45.0	105	280	3.00
Median	ft <sup>3</sup> /s	28.0	29.0	192	658	2,140	19.0
Arithmetic Mean	ft <sup>3</sup> /s	38.9	39.3	304	1,090	3,379	26.0
Geometric Mean	ft <sup>3</sup> /s	--	29.7	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	23.8	23.0	168	561	1,792	16.0
Standard Deviation	ft <sup>3</sup> /s	38.0	35.6	358	1,358	3,763	23.3
5th percentile	ft <sup>3</sup> /s	10.0	6.80	69.0	231	698	6.00
10th percentile	ft <sup>3</sup> /s	13.0	13.0	87.0	290	905	9.50
20th percentile	ft <sup>3</sup> /s	16.0	17.4	116	379	1,250	12.0
30th percentile	ft <sup>3</sup> /s	18.0	21.0	141	469	1,550	14.0
40th percentile	ft <sup>3</sup> /s	24.0	24.8	167	557	1,830	17.0
50th percentile	ft <sup>3</sup> /s	28.0	29.0	192	658	2,140	19.0
60th percentile	ft <sup>3</sup> /s	33.0	33.2	230	795	2,580	22.0
70th percentile	ft <sup>3</sup> /s	41.0	38.8	288	1,020	3,267	27.0
80th percentile	ft <sup>3</sup> /s	49.4	57.2	384	1,390	4,500	35.0
90th percentile	ft <sup>3</sup> /s	70.6	74.0	569	2,199	7,009	49.8
Drainage area	mi <sup>2</sup>	12.3	12.4	110	461	1371	13.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	24.6	17.7	32.7	46.4	34.8	15.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.650	0.468	0.409	0.228	0.204	0.226
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.28	2.34	1.75	1.43	1.56	1.43
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.16	3.17	2.76	2.36	2.46	1.96
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.40	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.94	1.86	1.52	1.22	1.31	1.20
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.09	2.87	3.26	2.94	2.74	1.75
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.813	0.548	0.627	0.501	0.509	0.451
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.05	0.791	0.629	0.660	0.714
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.40	1.05	0.822	0.912	0.902
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.69	1.28	1.02	1.13	1.05
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.95	2.00	1.52	1.21	1.33	1.28
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.28	2.34	1.75	1.43	1.56	1.43
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.68	2.68	2.09	1.72	1.88	1.65
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.33	3.13	2.62	2.21	2.38	2.03
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.02	4.61	3.49	3.02	3.28	2.63
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.74	5.97	5.17	4.77	5.11	3.74

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02014500</b>	<b>02015000</b>	<b>02015700</b>	<b>02016000</b>	<b>02016500</b>	<b>02017000</b>
Count	number	270	60.0	1,409	2,460	2,490	690
Max	ft <sup>3</sup> /s	470	52.0	4,350	19,400	37,000	224
Min	ft <sup>3</sup> /s	7.40	12.0	43.0	130	386	5.20
Median	ft <sup>3</sup> /s	24.0	20.5	153	518	1,660	17.0
Arithmetic Mean	ft <sup>3</sup> /s	32.6	21.9	231	853	2,657	24.7
Geometric Mean	ft <sup>3</sup> /s	--	20.7	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	20.3	19.7	137	469	1,546	15.5
Standard Deviation	ft <sup>3</sup> /s	37.7	8.15	291	1,100	2,950	26.5
5th percentile	ft <sup>3</sup> /s	8.67	13.1	67.5	225	737	7.76
10th percentile	ft <sup>3</sup> /s	10.0	14.9	76.0	251	864	8.90
20th percentile	ft <sup>3</sup> /s	14.0	15.0	92.0	306	1,050	11.0
30th percentile	ft <sup>3</sup> /s	17.0	17.0	107	363	1,200	13.0
40th percentile	ft <sup>3</sup> /s	20.6	18.6	126	433	1,420	15.0
50th percentile	ft <sup>3</sup> /s	24.0	20.5	153	518	1,660	17.0
60th percentile	ft <sup>3</sup> /s	28.0	22.0	183	638	2,040	19.0
70th percentile	ft <sup>3</sup> /s	33.0	23.0	225	824	2,580	23.0
80th percentile	ft <sup>3</sup> /s	41.0	25.2	282	1,100	3,460	30.0
90th percentile	ft <sup>3</sup> /s	63.1	32.3	418	1,690	5,401	45.0
Drainage area	mi <sup>2</sup>	12.3	12.4	110	461	1371	13.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	38.2	4.19	39.5	42.1	27.0	16.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.602	0.968	0.391	0.282	0.282	0.391
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.95	1.65	1.39	1.12	1.21	1.28
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.65	1.76	2.10	1.85	1.94	1.86
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.67	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.65	1.59	1.25	1.02	1.13	1.16
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.06	0.657	2.65	2.39	2.15	1.99
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.704	1.05	0.614	0.488	0.537	0.583
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.813	1.20	0.691	0.544	0.630	0.669
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.21	0.836	0.664	0.766	0.827
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	1.37	0.973	0.787	0.875	0.977
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.67	1.50	1.15	0.939	1.04	1.13
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.95	1.65	1.39	1.12	1.21	1.28
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.28	1.77	1.66	1.38	1.49	1.43
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.68	1.85	2.04	1.79	1.88	1.73
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.33	2.03	2.56	2.39	2.52	2.26
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.13	2.60	3.80	3.67	3.94	3.38



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	02014500	02015000	02015700	02016000	02016500	02017000
Count	number	279	62.0	1,456	2,542	2,573	713
Max	ft <sup>3</sup> /s	190	206	4,110	10,800	29,900	240
Min	ft <sup>3</sup> /s	4.60	9.30	41.0	98.0	306	3.60
Median	ft <sup>3</sup> /s	16.0	17.5	125	385	1,280	13.0
Arithmetic Mean	ft <sup>3</sup> /s	21.3	27.4	190	646	1,995	18.6
Geometric Mean	ft <sup>3</sup> /s	--	20.5	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	13.0	17.8	117	347	1,152	11.2
Standard Deviation	ft <sup>3</sup> /s	21.4	32.7	230	884	2,320	21.6
5th percentile	ft <sup>3</sup> /s	6.30	10.0	56.0	156	532	5.00
10th percentile	ft <sup>3</sup> /s	6.90	12.0	65.0	185	627	6.10
20th percentile	ft <sup>3</sup> /s	8.46	13.0	79.0	230	788	7.40
30th percentile	ft <sup>3</sup> /s	10.0	14.0	93.0	275	920	9.20
40th percentile	ft <sup>3</sup> /s	13.0	16.0	108	328	1,090	12.0
50th percentile	ft <sup>3</sup> /s	16.0	17.5	125	385	1,280	13.0
60th percentile	ft <sup>3</sup> /s	18.8	20.0	148	473	1,550	15.0
70th percentile	ft <sup>3</sup> /s	21.0	22.7	183	587	1,910	18.0
80th percentile	ft <sup>3</sup> /s	26.0	25.0	232	810	2,560	22.0
90th percentile	ft <sup>3</sup> /s	39.2	48.6	353	1,249	3,868	33.0
Drainage area	mi <sup>2</sup>	12.3	12.4	110	461	1371	13.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	15.4	16.6	37.4	23.4	21.8	18.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.374	0.750	0.373	0.213	0.223	0.271
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.41	1.14	0.835	0.934	0.977
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	2.21	1.73	1.40	1.46	1.40
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.66	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.44	1.06	0.753	0.840	0.845
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.74	2.64	2.09	1.92	1.69	1.62
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.512	0.806	0.509	0.339	0.388	0.376
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.561	0.968	0.591	0.401	0.457	0.459
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.688	1.05	0.718	0.499	0.575	0.556
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.813	1.13	0.845	0.597	0.671	0.692
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.29	0.982	0.711	0.795	0.902
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.41	1.14	0.835	0.934	0.977
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	1.61	1.35	1.03	1.13	1.13
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	1.83	1.66	1.27	1.39	1.35
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.11	2.02	2.11	1.76	1.87	1.65
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.19	3.92	3.21	2.71	2.82	2.48

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units	02014500	02015000	02015700	02016000	02016500	02017000
Station Number	number						
Count	number	270	60.0	1,410	2,460	2,490	690
Max	ft <sup>3</sup> /s	250	20.0	3,650	14,800	39,800	136
Min	ft <sup>3</sup> /s	2.20	4.00	29.0	63.0	229	1.70
Median	ft <sup>3</sup> /s	6.45	7.20	72.0	207	708	8.20
Arithmetic Mean	ft <sup>3</sup> /s	11.9	7.95	127	410	1,227	12.2
Geometric Mean	ft <sup>3</sup> /s	7.66	7.51	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	6.03	7.16	70.7	201	682	7.68
Standard Deviation	ft <sup>3</sup> /s	21.3	3.02	207	895	2,016	12.4
5th percentile	ft <sup>3</sup> /s	3.10	5.01	38.0	100	345	3.90
10th percentile	ft <sup>3</sup> /s	3.40	5.30	41.0	116	389	4.50
20th percentile	ft <sup>3</sup> /s	4.00	5.80	48.0	137	470	5.38
30th percentile	ft <sup>3</sup> /s	4.60	6.10	56.0	156	550	6.20
40th percentile	ft <sup>3</sup> /s	5.30	6.50	64.0	178	619	7.00
50th percentile	ft <sup>3</sup> /s	6.45	7.20	72.0	207	708	8.20
60th percentile	ft <sup>3</sup> /s	7.84	8.14	84.0	246	832	9.80
70th percentile	ft <sup>3</sup> /s	9.93	8.53	102	306	1,020	12.0
80th percentile	ft <sup>3</sup> /s	14.0	9.10	141	416	1,380	16.0
90th percentile	ft <sup>3</sup> /s	24.1	12.1	234	720	2,262	26.0
Drainage area	mi <sup>2</sup>	12.3	12.4	110	461	1371	13.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	20.3	1.61	33.2	32.1	29.0	10.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.323	0.264	0.137	0.167	0.128
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.524	0.581	0.655	0.449	0.516	0.617
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.966	0.641	1.15	0.889	0.895	0.916
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.623	0.606	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.491	0.577	0.643	0.435	0.497	0.578
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	0.244	1.88	1.94	1.47	0.934
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.252	0.404	0.345	0.217	0.252	0.293
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.276	0.427	0.373	0.252	0.284	0.338
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.325	0.468	0.436	0.297	0.343	0.405
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.374	0.492	0.509	0.338	0.401	0.466
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.431	0.524	0.582	0.386	0.451	0.526
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.524	0.581	0.655	0.449	0.516	0.617
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.637	0.656	0.764	0.534	0.607	0.737
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.807	0.688	0.927	0.664	0.744	0.902
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	0.734	1.28	0.902	1.01	1.20
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.96	0.976	2.13	1.56	1.65	1.95

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units	02014500	02015000	02015700	02016000	02016500	02017000
Station Number	number						
Count	number	279	62.0	1,457	2,542	2,573	713
Max	ft <sup>3</sup> /s	43.0	10.0	1,850	6,760	16,400	270
Min	ft <sup>3</sup> /s	1.50	2.10	25.0	47.0	174	1.50
Median	ft <sup>3</sup> /s	3.60	3.70	50.0	137	524	6.60
Arithmetic Mean	ft <sup>3</sup> /s	4.77	3.84	68.3	222	688	11.1
Geometric Mean	ft <sup>3</sup> /s	3.85	3.67	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.35	3.53	50.3	137	471	5.93
Standard Deviation	ft <sup>3</sup> /s	4.66	1.33	86.9	356	808	19.2
5th percentile	ft <sup>3</sup> /s	1.80	2.33	30.0	75.0	242	2.70
10th percentile	ft <sup>3</sup> /s	2.00	2.61	33.0	85.0	280	3.20
20th percentile	ft <sup>3</sup> /s	2.30	2.80	38.0	100	330	4.10
30th percentile	ft <sup>3</sup> /s	2.70	3.13	42.0	111	390	5.00
40th percentile	ft <sup>3</sup> /s	3.20	3.30	46.0	123	453	5.80
50th percentile	ft <sup>3</sup> /s	3.60	3.70	50.0	137	524	6.60
60th percentile	ft <sup>3</sup> /s	4.10	4.00	57.0	158	584	7.72
70th percentile	ft <sup>3</sup> /s	4.60	4.20	64.0	185	657	9.30
80th percentile	ft <sup>3</sup> /s	5.90	4.38	76.8	233	780	12.0
90th percentile	ft <sup>3</sup> /s	7.08	5.00	109	368	1,098	22.0
Drainage area	mi <sup>2</sup>	12.3	12.4	110	461	1371	13.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.50	0.806	16.8	14.7	12.0	20.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.122	0.169	0.227	0.102	0.127	0.113
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.293	0.298	0.455	0.297	0.382	0.496
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.388	0.310	0.621	0.482	0.502	0.832
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.313	0.296	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.273	0.284	0.457	0.297	0.344	0.446
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.379	0.108	0.790	0.771	0.589	1.45
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.146	0.188	0.273	0.163	0.177	0.203
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.163	0.210	0.300	0.184	0.204	0.241
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.187	0.226	0.345	0.217	0.241	0.308
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.220	0.252	0.382	0.241	0.284	0.376
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.260	0.266	0.418	0.267	0.330	0.436
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.293	0.298	0.455	0.297	0.382	0.496
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.333	0.323	0.518	0.343	0.426	0.580
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.374	0.339	0.582	0.401	0.479	0.699
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.480	0.353	0.698	0.505	0.569	0.902
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.576	0.403	0.995	0.798	0.801	1.65

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02014500</b>	<b>02015000</b>	<b>02015700</b>	<b>02016000</b>	<b>02016500</b>	<b>02017000</b>
Count	number	279	62.0	1,488	2,542	2,573	713
Max	ft <sup>3</sup> /s	110	4.90	2,120	18,800	50,500	526
Min	ft <sup>3</sup> /s	1.40	1.50	24.0	42.0	178	1.50
Median	ft <sup>3</sup> /s	2.90	2.55	43.0	115	446	5.40
Arithmetic Mean	ft <sup>3</sup> /s	5.05	2.69	64.6	226	688	13.4
Geometric Mean	ft <sup>3</sup> /s	3.37	2.58	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	2.86	2.48	44.1	118	413	5.08
Standard Deviation	ft <sup>3</sup> /s	9.18	0.774	99.8	550	1,413	35.1
5th percentile	ft <sup>3</sup> /s	1.70	1.60	27.0	66.0	217	2.20
10th percentile	ft <sup>3</sup> /s	1.80	1.72	30.0	74.0	238	2.90
20th percentile	ft <sup>3</sup> /s	2.00	1.90	32.4	83.0	280	3.24
30th percentile	ft <sup>3</sup> /s	2.40	2.30	36.0	91.0	332	3.80
40th percentile	ft <sup>3</sup> /s	2.60	2.38	39.0	102	389	4.60
50th percentile	ft <sup>3</sup> /s	2.90	2.55	43.0	115	446	5.40
60th percentile	ft <sup>3</sup> /s	3.10	2.90	47.0	134	505	6.80
70th percentile	ft <sup>3</sup> /s	3.60	3.07	55.0	160	579	9.40
80th percentile	ft <sup>3</sup> /s	4.58	3.30	67.0	219	718	13.0
90th percentile	ft <sup>3</sup> /s	8.10	3.80	99.0	372	1,088	23.0
Drainage area	mi <sup>2</sup>	12.3	12.4	110	461	1371	13.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.94	0.395	19.3	40.8	36.8	39.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.114	0.121	0.218	0.091	0.130	0.113
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.236	0.206	0.391	0.249	0.325	0.406
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.410	0.217	0.588	0.490	0.502	1.01
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.274	0.208	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.232	0.200	0.401	0.255	0.301	0.382
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.746	0.062	0.907	1.19	1.03	2.64
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.138	0.129	0.245	0.143	0.158	0.165
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.146	0.139	0.273	0.161	0.174	0.218
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.163	0.153	0.295	0.180	0.204	0.244
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.195	0.185	0.327	0.197	0.242	0.286
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.211	0.192	0.355	0.221	0.284	0.346
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.236	0.206	0.391	0.249	0.325	0.406
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.252	0.234	0.427	0.291	0.368	0.511
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.293	0.248	0.500	0.347	0.422	0.707
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.372	0.266	0.609	0.475	0.524	0.977
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.659	0.306	0.900	0.807	0.794	1.73

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02014500</b>	<b>02015000</b>	<b>02015700</b>	<b>02016000</b>	<b>02016500</b>	<b>02017000</b>
Count	number	270	60.0	1,440	2,460	2,490	690
Max	ft <sup>3</sup> /s	130	45.0	5,600	16,000	23,400	131
Min	ft <sup>3</sup> /s	1.40	1.10	22.0	40.0	165	1.30
Median	ft <sup>3</sup> /s	2.40	2.10	39.0	100	381	5.75
Arithmetic Mean	ft <sup>3</sup> /s	5.62	4.26	76.4	232	651	8.34
Geometric Mean	ft <sup>3</sup> /s	3.23	2.67	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	2.61	2.16	42.3	104	355	4.81
Standard Deviation	ft <sup>3</sup> /s	12.0	6.92	207	660	1,318	10.8
5th percentile	ft <sup>3</sup> /s	1.60	1.21	27.0	60.0	197	2.26
10th percentile	ft <sup>3</sup> /s	1.70	1.30	29.9	65.0	213	2.70
20th percentile	ft <sup>3</sup> /s	1.80	1.50	32.0	74.8	243	3.20
30th percentile	ft <sup>3</sup> /s	2.00	1.70	34.0	82.0	275	3.80
40th percentile	ft <sup>3</sup> /s	2.20	1.86	37.0	91.0	319	4.60
50th percentile	ft <sup>3</sup> /s	2.40	2.10	39.0	100	381	5.75
60th percentile	ft <sup>3</sup> /s	2.70	2.30	42.0	112	431	6.90
70th percentile	ft <sup>3</sup> /s	3.43	2.96	47.0	135	476	8.00
80th percentile	ft <sup>3</sup> /s	5.04	4.30	66.0	187	572	9.42
90th percentile	ft <sup>3</sup> /s	10.0	7.38	120	363	1,010	15.0
Drainage area	mi <sup>2</sup>	12.3	12.4	110	461	1371	13.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	10.6	3.63	50.9	34.7	17.1	9.85
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.114	0.089	0.200	0.087	0.120	0.098
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.195	0.169	0.355	0.217	0.278	0.432
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.457	0.343	0.695	0.504	0.475	0.627
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.263	0.215	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.212	0.174	0.384	0.226	0.259	0.362
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.973	0.558	1.89	1.43	0.961	0.810
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.130	0.097	0.245	0.130	0.143	0.170
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.138	0.105	0.272	0.141	0.155	0.203
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.146	0.121	0.291	0.162	0.177	0.241
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.163	0.137	0.309	0.178	0.200	0.286
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.150	0.336	0.197	0.233	0.346
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.195	0.169	0.355	0.217	0.278	0.432
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.220	0.185	0.382	0.243	0.314	0.519
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.279	0.239	0.427	0.293	0.347	0.602
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.410	0.347	0.600	0.406	0.417	0.708
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.814	0.595	1.09	0.787	0.737	1.13

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02014500</b>	<b>02015000</b>	<b>02015700</b>	<b>02016000</b>	<b>02016500</b>	<b>02017000</b>
Count	number	279	93.0	1,488	2,573	2,573	713
Max	ft <sup>3</sup> /s	143	16.0	3,150	10,700	29,900	198
Min	ft <sup>3</sup> /s	1.60	1.30	25.0	42.0	156	1.70
Median	ft <sup>3</sup> /s	3.20	3.10	43.0	111	390	6.00
Arithmetic Mean	ft <sup>3</sup> /s	7.11	3.54	83.4	276	782	11.8
Geometric Mean	ft <sup>3</sup> /s	4.21	3.09	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.34	2.78	47.3	117	391	5.55
Standard Deviation	ft <sup>3</sup> /s	13.2	2.29	156	664	1,603	17.9
5th percentile	ft <sup>3</sup> /s	1.90	1.50	30.0	65.0	208	2.60
10th percentile	ft <sup>3</sup> /s	2.00	1.60	31.0	72.0	234	3.00
20th percentile	ft <sup>3</sup> /s	2.20	1.98	33.0	82.0	272	3.60
30th percentile	ft <sup>3</sup> /s	2.40	2.50	36.0	88.0	309	4.30
40th percentile	ft <sup>3</sup> /s	2.70	2.90	38.0	98.0	351	5.20
50th percentile	ft <sup>3</sup> /s	3.20	3.10	43.0	111	390	6.00
60th percentile	ft <sup>3</sup> /s	4.18	3.60	50.0	130	438	7.00
70th percentile	ft <sup>3</sup> /s	5.46	3.80	66.0	171	540	8.94
80th percentile	ft <sup>3</sup> /s	6.70	4.12	92.0	245	759	14.6
90th percentile	ft <sup>3</sup> /s	12.0	4.90	148	470	1,328	24.0
Drainage area	mi <sup>2</sup>	12.3	12.4	110	461	1371	13.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	11.6	1.29	28.6	23.2	21.8	14.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.130	0.105	0.227	0.091	0.114	0.128
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.260	0.250	0.391	0.241	0.284	0.451
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.578	0.285	0.758	0.600	0.571	0.887
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.343	0.249	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.271	0.224	0.430	0.254	0.285	0.418
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	0.184	1.42	1.44	1.17	1.34
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.154	0.121	0.273	0.141	0.152	0.195
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.163	0.129	0.282	0.156	0.171	0.226
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.160	0.300	0.178	0.198	0.271
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.195	0.202	0.327	0.191	0.225	0.323
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.220	0.234	0.345	0.213	0.256	0.391
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.260	0.250	0.391	0.241	0.284	0.451
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.340	0.290	0.455	0.282	0.319	0.526
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.444	0.306	0.600	0.372	0.394	0.672
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.545	0.332	0.836	0.531	0.554	1.10
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.976	0.395	1.35	1.02	0.969	1.80

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02014500</b>	<b>02015000</b>	<b>02015700</b>	<b>02016000</b>	<b>02016500</b>	<b>02017000</b>
Count	number	270	90.0	1,435	2,485	2,485	690
Max	ft <sup>3</sup> /s	237	33.0	8,700	33,900	67,500	216
Min	ft <sup>3</sup> /s	2.20	1.40	29.0	48.0	195	2.30
Median	ft <sup>3</sup> /s	4.40	4.00	65.0	170	544	7.30
Arithmetic Mean	ft <sup>3</sup> /s	14.9	5.59	131	403	1,158	12.9
Geometric Mean	ft <sup>3</sup> /s	7.33	4.19	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	5.12	3.50	63.2	157	505	6.31
Standard Deviation	ft <sup>3</sup> /s	29.2	5.90	340	1,023	2,355	20.6
5th percentile	ft <sup>3</sup> /s	2.70	1.50	34.0	75.0	238	3.06
10th percentile	ft <sup>3</sup> /s	2.79	2.10	36.0	84.0	270	3.40
20th percentile	ft <sup>3</sup> /s	3.18	2.50	41.0	98.0	314	3.80
30th percentile	ft <sup>3</sup> /s	3.57	3.10	46.0	112	366	4.40
40th percentile	ft <sup>3</sup> /s	4.10	3.48	54.0	136	445	6.10
50th percentile	ft <sup>3</sup> /s	4.40	4.00	65.0	170	544	7.30
60th percentile	ft <sup>3</sup> /s	7.18	4.30	80.0	222	686	8.94
70th percentile	ft <sup>3</sup> /s	11.3	4.60	103	297	920	11.0
80th percentile	ft <sup>3</sup> /s	19.0	5.62	142	442	1,340	17.0
90th percentile	ft <sup>3</sup> /s	32.2	10.3	239	824	2,360	24.0
Drainage area	mi <sup>2</sup>	12.3	12.4	110	461	1371	13.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	19.3	2.66	79.1	73.5	49.2	16.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.113	0.264	0.104	0.142	0.173
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.358	0.323	0.591	0.369	0.397	0.549
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	0.451	1.19	0.875	0.845	0.967
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.596	0.338	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.416	0.282	0.575	0.341	0.368	0.475
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.38	0.476	3.09	2.22	1.72	1.55
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.220	0.121	0.309	0.163	0.174	0.230
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.227	0.169	0.327	0.182	0.197	0.256
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.259	0.202	0.373	0.213	0.229	0.286
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.290	0.250	0.418	0.243	0.267	0.331
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.333	0.281	0.491	0.295	0.324	0.459
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.358	0.323	0.591	0.369	0.397	0.549
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.584	0.347	0.727	0.482	0.500	0.672
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.919	0.371	0.936	0.644	0.671	0.827
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.54	0.453	1.29	0.959	0.977	1.28
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.62	0.831	2.17	1.79	1.72	1.80

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02014500</b>	<b>02015000</b>	<b>02015700</b>	<b>02016000</b>	<b>02016500</b>	<b>02017000</b>
Count	number	279	93.0	1,457	2,542	2,542	713
Max	ft <sup>3</sup> /s	447	59.0	4,260	15,400	43,400	253
Min	ft <sup>3</sup> /s	2.60	1.30	25.0	60.0	183	1.60
Median	ft <sup>3</sup> /s	10.0	8.10	97.0	310	925	9.40
Arithmetic Mean	ft <sup>3</sup> /s	23.7	11.2	165	572	1,647	15.1
Geometric Mean	ft <sup>3</sup> /s	12.3	8.15	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	8.18	5.71	81.6	236	714	7.22
Standard Deviation	ft <sup>3</sup> /s	43.5	9.64	245	906	2,467	21.4
5th percentile	ft <sup>3</sup> /s	3.20	2.10	34.0	87.0	264	3.00
10th percentile	ft <sup>3</sup> /s	3.50	2.10	38.6	100	312	3.30
20th percentile	ft <sup>3</sup> /s	4.56	2.96	53.0	145	454	4.60
30th percentile	ft <sup>3</sup> /s	7.20	7.14	66.0	200	588	6.00
40th percentile	ft <sup>3</sup> /s	9.20	7.30	79.0	250	740	8.00
50th percentile	ft <sup>3</sup> /s	10.0	8.10	97.0	310	925	9.40
60th percentile	ft <sup>3</sup> /s	14.0	10.0	120	387	1,170	11.0
70th percentile	ft <sup>3</sup> /s	19.0	13.0	150	502	1,537	14.0
80th percentile	ft <sup>3</sup> /s	28.0	16.0	206	707	2,100	19.0
90th percentile	ft <sup>3</sup> /s	51.6	22.0	316	1,180	3,400	29.6
Drainage area	mi <sup>2</sup>	12.3	12.4	110	461	1371	13.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	36.3	4.76	38.7	33.4	31.7	19.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.211	0.105	0.227	0.130	0.133	0.120
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.813	0.653	0.882	0.672	0.675	0.707
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.93	0.903	1.50	1.24	1.20	1.14
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.00	0.657	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.665	0.461	0.742	0.512	0.521	0.543
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.53	0.777	2.23	1.97	1.80	1.61
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.260	0.169	0.309	0.189	0.193	0.226
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.285	0.169	0.351	0.217	0.228	0.248
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.371	0.239	0.482	0.315	0.331	0.346
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.585	0.576	0.600	0.434	0.429	0.451
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.748	0.589	0.718	0.542	0.540	0.602
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.813	0.653	0.882	0.672	0.675	0.707
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	0.806	1.09	0.839	0.853	0.827
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.54	1.05	1.36	1.09	1.12	1.05
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.28	1.29	1.87	1.53	1.53	1.43
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.20	1.77	2.87	2.56	2.48	2.23



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>02017500</b>	<b>02018000</b>	<b>02018500</b>	<b>02019000</b>	<b>02019500</b>	<b>02020500</b>
Count	number	2,511	2,541	1,984	279	3,007	2,077
Max	ft <sup>3</sup> /s	5,690	13,400	1,860	5,680	74,600	12,100
Min	ft <sup>3</sup> /s	10.0	35.0	1.60	8.00	275	5.00
Median	ft <sup>3</sup> /s	110	328	22.0	93.0	2,010	114
Arithmetic Mean	ft <sup>3</sup> /s	183	544	40.1	223	3,346	225
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	72.9	219	12.7	50.9	1,497	58.4
Standard Deviation	ft <sup>3</sup> /s	262	784	80.0	490	4,554	447
5th percentile	ft <sup>3</sup> /s	21.0	59.0	3.80	13.0	485	12.0
10th percentile	ft <sup>3</sup> /s	32.0	96.0	5.00	18.0	663	29.0
20th percentile	ft <sup>3</sup> /s	53.0	158	8.10	33.0	1,060	50.0
30th percentile	ft <sup>3</sup> /s	72.0	216	11.0	53.0	1,388	70.0
40th percentile	ft <sup>3</sup> /s	91.0	273	16.0	71.0	1,690	91.4
50th percentile	ft <sup>3</sup> /s	110	328	22.0	93.0	2,010	114
60th percentile	ft <sup>3</sup> /s	139	401	28.8	130	2,490	146
70th percentile	ft <sup>3</sup> /s	179	524	37.0	185	3,140	193
80th percentile	ft <sup>3</sup> /s	251	726	52.0	253	4,300	276
90th percentile	ft <sup>3</sup> /s	388	1,130	83.4	459	7,038	490
Drainage area	mi <sup>2</sup>	105	329	34.3	104	2073	141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	54.2	40.7	54.2	54.6	36.0	85.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.095	0.106	0.047	0.077	0.133	0.035
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	0.997	0.641	0.894	0.970	0.809
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.74	1.65	1.17	2.15	1.61	1.60
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.695	0.664	0.369	0.489	0.722	0.414
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.50	2.38	2.33	4.71	2.20	3.17
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.200	0.179	0.111	0.125	0.234	0.085
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.305	0.292	0.146	0.173	0.320	0.206
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.505	0.480	0.236	0.317	0.511	0.355
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.686	0.657	0.321	0.510	0.670	0.496
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.867	0.830	0.466	0.683	0.815	0.648
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	0.997	0.641	0.894	0.970	0.809
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	1.22	0.840	1.25	1.20	1.03
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	1.59	1.08	1.78	1.51	1.37
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.39	2.21	1.52	2.43	2.07	1.96
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.70	3.43	2.43	4.42	3.40	3.48

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>02017500</b>	<b>02018000</b>	<b>02018500</b>	<b>02019000</b>	<b>02019500</b>	<b>02020500</b>
Count	number	2,288	2,316	1,808	254	2,740	1,893
Max	ft <sup>3</sup> /s	3,380	12,500	1,230	1,690	64,800	4,790
Min	ft <sup>3</sup> /s	16.0	41.0	1.20	12.0	317	5.60
Median	ft <sup>3</sup> /s	149	440	36.0	117	2,670	149
Arithmetic Mean	ft <sup>3</sup> /s	220	647	57.5	152	3,968	254
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	101	299	17.3	55.2	1,985	91.9
Standard Deviation	ft <sup>3</sup> /s	267	774	88.2	196	4,497	381
5th percentile	ft <sup>3</sup> /s	33.0	91.9	4.80	14.8	700	30.0
10th percentile	ft <sup>3</sup> /s	47.7	142	7.00	16.3	998	40.0
20th percentile	ft <sup>3</sup> /s	73.0	216	14.0	41.6	1,418	67.0
30th percentile	ft <sup>3</sup> /s	93.0	280	21.0	71.0	1,760	84.0
40th percentile	ft <sup>3</sup> /s	119	360	27.0	93.0	2,170	111
50th percentile	ft <sup>3</sup> /s	149	440	36.0	117	2,670	149
60th percentile	ft <sup>3</sup> /s	179	537	45.0	136	3,330	190
70th percentile	ft <sup>3</sup> /s	222	665	57.0	156	4,030	247
80th percentile	ft <sup>3</sup> /s	296	841	74.0	188	5,240	334
90th percentile	ft <sup>3</sup> /s	431	1,260	112	250	8,026	508
Drainage area	mi <sup>2</sup>	105	329	34.3	104	2073	141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	32.2	38.0	35.9	16.3	31.3	34.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.152	0.125	0.035	0.115	0.153	0.040
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.42	1.34	1.05	1.13	1.29	1.06
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.09	1.97	1.68	1.46	1.91	1.80
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.964	0.909	0.504	0.530	0.958	0.652
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.54	2.35	2.57	1.89	2.17	2.70
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.314	0.279	0.140	0.142	0.338	0.213
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.454	0.432	0.204	0.157	0.481	0.284
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.695	0.657	0.408	0.400	0.684	0.475
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.886	0.851	0.612	0.683	0.849	0.596
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	1.09	0.787	0.894	1.05	0.787
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.42	1.34	1.05	1.13	1.29	1.06
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	1.63	1.31	1.31	1.61	1.35
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.11	2.02	1.66	1.50	1.94	1.75
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.82	2.56	2.16	1.81	2.53	2.37
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.11	3.83	3.27	2.40	3.87	3.60

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02017500</b>	<b>02018000</b>	<b>02018500</b>	<b>02019000</b>	<b>02019500</b>	<b>02020500</b>
Count	number	2,511	2,542	1,984	279	3,007	2,077
Max	ft <sup>3</sup> /s	3,460	10,200	1,440	1,750	72,100	5,990
Min	ft <sup>3</sup> /s	20.0	50.0	1.90	16.0	400	14.0
Median	ft <sup>3</sup> /s	175	500	44.0	114	3,210	201
Arithmetic Mean	ft <sup>3</sup> /s	268	771	74.0	188	4,985	353
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	140	406	26.1	93.7	2,752	150
Standard Deviation	ft <sup>3</sup> /s	315	891	116	214	5,465	495
5th percentile	ft <sup>3</sup> /s	54.0	152	7.00	42.0	1,100	53.0
10th percentile	ft <sup>3</sup> /s	70.0	205	12.0	49.0	1,440	70.0
20th percentile	ft <sup>3</sup> /s	98.0	288	20.0	57.6	1,940	104
30th percentile	ft <sup>3</sup> /s	121	352	29.0	73.0	2,370	136
40th percentile	ft <sup>3</sup> /s	145	416	36.0	99.0	2,790	168
50th percentile	ft <sup>3</sup> /s	175	500	44.0	114	3,210	201
60th percentile	ft <sup>3</sup> /s	210	602	54.0	151	3,820	248
70th percentile	ft <sup>3</sup> /s	265	747	66.0	197	4,780	319
80th percentile	ft <sup>3</sup> /s	348	994	89.0	265	6,448	450
90th percentile	ft <sup>3</sup> /s	525	1,550	142	391	10,200	720
Drainage area	mi <sup>2</sup>	105	329	34.3	104	2073	141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	33.0	31.0	42.0	16.8	34.8	42.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.190	0.152	0.055	0.154	0.193	0.099
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.67	1.52	1.28	1.10	1.55	1.43
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.55	2.34	2.16	1.81	2.40	2.50
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.33	1.23	0.760	0.901	1.33	1.07
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.00	2.71	3.37	2.05	2.64	3.51
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.514	0.462	0.204	0.404	0.531	0.376
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.667	0.623	0.350	0.471	0.695	0.496
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.933	0.875	0.583	0.554	0.936	0.738
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	1.07	0.845	0.702	1.14	0.965
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	1.26	1.05	0.952	1.35	1.19
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.67	1.52	1.28	1.10	1.55	1.43
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.00	1.83	1.57	1.45	1.84	1.76
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.52	2.27	1.92	1.90	2.31	2.26
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.31	3.02	2.59	2.55	3.11	3.19
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.00	4.71	4.14	3.76	4.92	5.11

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		April					
	units						
Station Number	number	02017500	02018000	02018500	02019000	02019500	02020500
Count	number	2,430	2,490	1,920	270	2,910	2,010
Max	ft <sup>3</sup> /s	3,240	14,200	2,270	1,420	63,800	9,940
Min	ft <sup>3</sup> /s	33.0	85.0	2.40	32.0	615	16.0
Median	ft <sup>3</sup> /s	141	394	34.0	124	2,520	149
Arithmetic Mean	ft <sup>3</sup> /s	224	652	63.0	185	4,008	268
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	123	350	23.6	102	2,324	119
Standard Deviation	ft <sup>3</sup> /s	274	868	123	186	4,593	424
5th percentile	ft <sup>3</sup> /s	54.0	148	7.90	42.1	1,090	46.6
10th percentile	ft <sup>3</sup> /s	67.0	191	11.0	48.0	1,290	59.0
20th percentile	ft <sup>3</sup> /s	84.0	241	17.0	68.0	1,588	77.0
30th percentile	ft <sup>3</sup> /s	98.7	284	23.0	88.0	1,870	98.0
40th percentile	ft <sup>3</sup> /s	117	331	28.0	104	2,170	121
50th percentile	ft <sup>3</sup> /s	141	394	34.0	124	2,520	149
60th percentile	ft <sup>3</sup> /s	172	480	42.0	151	3,084	187
70th percentile	ft <sup>3</sup> /s	218	619	55.0	188	3,890	242
80th percentile	ft <sup>3</sup> /s	291	820	75.2	257	5,150	343
90th percentile	ft <sup>3</sup> /s	431	1,290	119	378	8,320	574
Drainage area	mi <sup>2</sup>	105	329	34.3	104	2073	141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	30.9	43.2	66.2	13.7	30.8	70.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.314	0.258	0.070	0.308	0.297	0.113
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.34	1.20	0.991	1.19	1.22	1.06
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.13	1.98	1.84	1.78	1.93	1.90
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.06	0.689	0.984	1.12	0.841
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.61	2.64	3.60	1.78	2.22	3.01
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.514	0.450	0.230	0.405	0.526	0.330
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.638	0.581	0.321	0.462	0.622	0.418
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.800	0.733	0.496	0.654	0.766	0.546
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.940	0.863	0.671	0.846	0.902	0.695
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	1.00	0.816	0.996	1.05	0.858
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.34	1.20	0.991	1.19	1.22	1.06
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.64	1.46	1.22	1.46	1.49	1.33
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.08	1.88	1.60	1.81	1.88	1.72
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.77	2.49	2.19	2.48	2.48	2.43
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.11	3.92	3.47	3.64	4.01	4.07

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>02017500</b>	<b>02018000</b>	<b>02018500</b>	<b>02019000</b>	<b>02019500</b>	<b>02020500</b>
Count	number	2,511	2,573	1,984	279	3,007	2,077
Max	ft <sup>3</sup> /s	3,570	9,210	1,420	682	47,500	7,980
Min	ft <sup>3</sup> /s	14.0	57.0	1.90	13.0	496	8.10
Median	ft <sup>3</sup> /s	97.0	270	23.0	67.0	1,910	112
Arithmetic Mean	ft <sup>3</sup> /s	161	459	39.9	90.4	2,922	216
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	76.9	232	17.4	57.3	1,716	81.5
Standard Deviation	ft <sup>3</sup> /s	219	633	70.8	81.4	3,495	395
5th percentile	ft <sup>3</sup> /s	30.0	99.0	6.73	25.0	800	31.0
10th percentile	ft <sup>3</sup> /s	38.0	120	8.80	28.8	931	40.0
20th percentile	ft <sup>3</sup> /s	51.0	155	12.0	39.6	1,190	55.0
30th percentile	ft <sup>3</sup> /s	62.0	184	15.0	53.0	1,380	70.0
40th percentile	ft <sup>3</sup> /s	76.0	221	19.0	60.0	1,600	89.0
50th percentile	ft <sup>3</sup> /s	97.0	270	23.0	67.0	1,910	112
60th percentile	ft <sup>3</sup> /s	119	334	28.0	81.2	2,290	141
70th percentile	ft <sup>3</sup> /s	152	417	35.0	93.0	2,820	186
80th percentile	ft <sup>3</sup> /s	206	570	46.0	111	3,668	260
90th percentile	ft <sup>3</sup> /s	329	924	74.7	173	5,550	449
Drainage area	mi <sup>2</sup>	105	329	34.3	104	2073	141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	34.0	28.0	41.4	6.56	22.9	56.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.133	0.173	0.055	0.125	0.239	0.057
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.924	0.821	0.671	0.644	0.921	0.794
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	1.40	1.16	0.870	1.41	1.53
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.732	0.705	0.509	0.551	0.828	0.578
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.09	1.92	2.06	0.783	1.69	2.80
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.286	0.301	0.196	0.240	0.386	0.220
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.362	0.365	0.257	0.277	0.449	0.284
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.486	0.471	0.350	0.381	0.574	0.390
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.590	0.559	0.437	0.510	0.666	0.496
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.724	0.672	0.554	0.577	0.772	0.631
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.924	0.821	0.671	0.644	0.921	0.794
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	1.02	0.816	0.781	1.10	1.00
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.45	1.27	1.02	0.894	1.36	1.32
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.96	1.73	1.34	1.07	1.77	1.84
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.13	2.81	2.18	1.66	2.68	3.18

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	02017500	02018000	02018500	02019000	02019500	02020500
Count	number	2,430	2,490	1,920	270	2,910	2,010
Max	ft <sup>3</sup> /s	6,040	10,400	2,970	920	92,200	8,560
Min	ft <sup>3</sup> /s	8.80	34.0	1.20	10.0	280	3.70
Median	ft <sup>3</sup> /s	42.0	134	13.0	37.0	1,100	41.0
Arithmetic Mean	ft <sup>3</sup> /s	93.3	282	29.9	59.1	1,877	141
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	36.4	122	10.3	33.6	1,044	31.3
Standard Deviation	ft <sup>3</sup> /s	208	568	107	81.2	3,220	468
5th percentile	ft <sup>3</sup> /s	15.0	56.0	4.40	13.6	545	11.0
10th percentile	ft <sup>3</sup> /s	19.0	65.0	5.80	21.9	610	14.0
20th percentile	ft <sup>3</sup> /s	23.0	80.0	7.80	26.0	720	21.0
30th percentile	ft <sup>3</sup> /s	28.0	95.0	9.40	27.0	828	26.0
40th percentile	ft <sup>3</sup> /s	34.0	111	11.0	31.0	949	33.0
50th percentile	ft <sup>3</sup> /s	42.0	134	13.0	37.0	1,100	41.0
60th percentile	ft <sup>3</sup> /s	53.0	167	15.0	40.0	1,284	54.0
70th percentile	ft <sup>3</sup> /s	70.0	216	19.0	48.0	1,580	78.0
80th percentile	ft <sup>3</sup> /s	99.0	300	26.0	67.2	2,160	117
90th percentile	ft <sup>3</sup> /s	183	523	46.0	117	3,370	238
Drainage area	mi <sup>2</sup>	105	329	34.3	104	2073	141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	57.5	31.6	86.6	8.85	44.5	60.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.084	0.103	0.035	0.096	0.135	0.026
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.400	0.407	0.379	0.356	0.531	0.291
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.889	0.858	0.871	0.568	0.906	1.00
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.346	0.372	0.300	0.323	0.503	0.222
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.98	1.73	3.13	0.781	1.55	3.32
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.143	0.170	0.128	0.130	0.263	0.078
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.198	0.169	0.211	0.294	0.099
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.219	0.243	0.227	0.250	0.347	0.149
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.267	0.289	0.274	0.260	0.399	0.184
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.324	0.337	0.321	0.298	0.458	0.234
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.400	0.407	0.379	0.356	0.531	0.291
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.505	0.508	0.437	0.385	0.619	0.383
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.667	0.657	0.554	0.462	0.762	0.553
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.943	0.912	0.758	0.646	1.04	0.831
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.74	1.59	1.34	1.13	1.63	1.69

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>02017500</b>	<b>02018000</b>	<b>02018500</b>	<b>02019000</b>	<b>02019500</b>	<b>02020500</b>
Count	number	2,511	2,573	1,984	279	3,007	2,077
Max	ft <sup>3</sup> /s	2,210	8,830	540	323	21,600	2,270
Min	ft <sup>3</sup> /s	7.80	27.0	0.850	8.00	214	0.400
Median	ft <sup>3</sup> /s	22.0	79.0	8.40	22.0	766	21.0
Arithmetic Mean	ft <sup>3</sup> /s	42.0	141	14.0	32.0	1,111	49.3
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	20.7	75.6	6.72	19.8	723	14.0
Standard Deviation	ft <sup>3</sup> /s	105	340	27.6	35.8	1,455	118
5th percentile	ft <sup>3</sup> /s	10.0	40.0	2.93	9.00	390	4.60
10th percentile	ft <sup>3</sup> /s	12.0	44.0	3.60	10.0	440	6.46
20th percentile	ft <sup>3</sup> /s	14.0	52.0	5.00	13.0	517	9.60
30th percentile	ft <sup>3</sup> /s	16.0	60.0	6.10	16.0	588	13.0
40th percentile	ft <sup>3</sup> /s	19.0	69.0	7.20	20.0	678	16.0
50th percentile	ft <sup>3</sup> /s	22.0	79.0	8.40	22.0	766	21.0
60th percentile	ft <sup>3</sup> /s	25.0	92.0	9.70	26.0	877	27.0
70th percentile	ft <sup>3</sup> /s	31.0	111	12.0	31.6	1,020	36.0
80th percentile	ft <sup>3</sup> /s	43.0	142	16.0	40.0	1,250	53.8
90th percentile	ft <sup>3</sup> /s	68.0	223	23.0	56.0	1,800	94.4
Drainage area	mi <sup>2</sup>	105	329	34.3	104	2073	141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.0	26.8	15.7	3.11	10.4	16.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.074	0.082	0.025	0.077	0.103	0.003
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.210	0.240	0.245	0.212	0.370	0.149
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.400	0.427	0.409	0.307	0.536	0.350
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.197	0.230	0.196	0.190	0.349	0.100
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.998	1.03	0.806	0.344	0.702	0.840
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.095	0.122	0.085	0.087	0.188	0.033
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.114	0.134	0.105	0.096	0.212	0.046
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.133	0.158	0.146	0.125	0.249	0.068
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.152	0.182	0.178	0.154	0.284	0.092
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.210	0.210	0.192	0.327	0.113
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.210	0.240	0.245	0.212	0.370	0.149
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.238	0.280	0.283	0.250	0.423	0.191
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	0.337	0.350	0.304	0.492	0.255
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.410	0.432	0.466	0.385	0.603	0.382
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.648	0.677	0.671	0.538	0.868	0.670

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02017500</b>	<b>02018000</b>	<b>02018500</b>	<b>02019000</b>	<b>02019500</b>	<b>02020500</b>
Count	number	2,511	2,573	1,984	279	3,007	2,077
Max	ft <sup>3</sup> /s	3,150	15,200	1,250	2,420	44,300	4,390
Min	ft <sup>3</sup> /s	6.20	26.0	0.400	5.00	230	0.400
Median	ft <sup>3</sup> /s	17.0	65.0	6.70	21.0	662	13.0
Arithmetic Mean	ft <sup>3</sup> /s	41.2	154	12.9	76.5	1,108	54.8
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	17.0	65.2	5.20	17.7	632	8.89
Standard Deviation	ft <sup>3</sup> /s	130	515	39.1	285	2,104	221
5th percentile	ft <sup>3</sup> /s	8.80	35.0	2.50	8.00	323	3.00
10th percentile	ft <sup>3</sup> /s	10.0	38.0	3.00	9.00	374	4.00
20th percentile	ft <sup>3</sup> /s	12.0	44.0	3.90	11.0	450	5.90
30th percentile	ft <sup>3</sup> /s	13.0	50.6	4.90	15.0	509	7.90
40th percentile	ft <sup>3</sup> /s	15.0	56.8	5.80	18.0	584	10.0
50th percentile	ft <sup>3</sup> /s	17.0	65.0	6.70	21.0	662	13.0
60th percentile	ft <sup>3</sup> /s	20.0	76.0	7.70	25.0	750	18.0
70th percentile	ft <sup>3</sup> /s	26.0	96.0	9.30	30.0	901	26.0
80th percentile	ft <sup>3</sup> /s	36.0	134	12.0	38.0	1,140	39.8
90th percentile	ft <sup>3</sup> /s	65.0	239	20.0	67.0	1,804	80.8
Drainage area	mi <sup>2</sup>	105	329	34.3	104	2073	141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	30.0	46.2	36.4	23.3	21.4	31.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.059	0.079	0.012	0.048	0.111	0.003
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.162	0.198	0.195	0.202	0.319	0.092
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.393	0.467	0.375	0.736	0.534	0.389
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.162	0.198	0.152	0.170	0.305	0.063
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	1.56	1.14	2.74	1.01	1.57
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.084	0.106	0.073	0.077	0.156	0.021
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.095	0.116	0.087	0.087	0.181	0.028
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.114	0.134	0.114	0.106	0.217	0.042
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.124	0.154	0.143	0.144	0.246	0.056
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.143	0.173	0.169	0.173	0.282	0.071
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.162	0.198	0.195	0.202	0.319	0.092
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.190	0.231	0.224	0.240	0.362	0.128
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.248	0.292	0.271	0.288	0.435	0.184
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.343	0.407	0.350	0.365	0.550	0.282
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.619	0.726	0.583	0.644	0.870	0.573



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02017500</b>	<b>02018000</b>	<b>02018500</b>	<b>02019000</b>	<b>02019500</b>	<b>02020500</b>
Count	number	2,430	2,489	1,917	270	2,910	2,010
Max	ft <sup>3</sup> /s	4,060	13,300	2,630	930	48,500	9,360
Min	ft <sup>3</sup> /s	5.20	23.0	0.250	5.00	207	0.000
Median	ft <sup>3</sup> /s	16.0	58.0	5.70	20.0	574	12.0
Arithmetic Mean	ft <sup>3</sup> /s	43.1	154	17.9	42.4	1,015	67.4
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	15.3	59.4	4.92	15.0	544	--
Standard Deviation	ft <sup>3</sup> /s	146	495	85.5	90.5	2,149	363
5th percentile	ft <sup>3</sup> /s	8.20	33.0	2.20	7.00	288	2.20
10th percentile	ft <sup>3</sup> /s	9.00	35.0	2.80	7.00	320	3.50
20th percentile	ft <sup>3</sup> /s	10.0	40.0	3.60	9.00	385	5.40
30th percentile	ft <sup>3</sup> /s	12.0	46.0	4.30	11.7	450	7.00
40th percentile	ft <sup>3</sup> /s	13.0	52.0	5.00	14.0	512	9.00
50th percentile	ft <sup>3</sup> /s	16.0	58.0	5.70	20.0	574	12.0
60th percentile	ft <sup>3</sup> /s	18.0	68.0	6.80	22.0	628	15.0
70th percentile	ft <sup>3</sup> /s	22.0	82.0	8.40	28.0	714	21.0
80th percentile	ft <sup>3</sup> /s	29.0	110	12.0	43.0	894	35.0
90th percentile	ft <sup>3</sup> /s	61.0	248	24.0	73.5	1,571	90.0
Drainage area	mi <sup>2</sup>	105	329	34.3	104	2073	141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	38.7	40.4	76.7	8.94	23.4	66.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.050	0.070	0.007	0.048	0.100	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.152	0.176	0.166	0.192	0.277	0.085
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.411	0.467	0.521	0.408	0.490	0.478
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.146	0.180	0.143	0.144	0.262	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	1.50	2.49	0.870	1.04	2.58
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.078	0.100	0.064	0.067	0.139	0.016
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.086	0.106	0.082	0.067	0.154	0.025
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.095	0.122	0.105	0.087	0.186	0.038
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.114	0.140	0.125	0.113	0.217	0.050
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.124	0.158	0.146	0.135	0.247	0.064
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.152	0.176	0.166	0.192	0.277	0.085
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	0.207	0.198	0.212	0.303	0.106
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.210	0.249	0.245	0.269	0.345	0.149
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.276	0.334	0.350	0.413	0.431	0.248
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.581	0.754	0.700	0.707	0.758	0.638

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02017500</b>	<b>02018000</b>	<b>02018500</b>	<b>02019000</b>	<b>02019500</b>	<b>02020500</b>
Count	number	2,542	2,573	2,013	279	3,038	2,108
Max	ft <sup>3</sup> /s	2,610	6,460	792	2,940	31,800	7,910
Min	ft <sup>3</sup> /s	6.60	29.0	1.40	4.00	239	1.20
Median	ft <sup>3</sup> /s	19.0	69.0	6.80	24.0	563	15.0
Arithmetic Mean	ft <sup>3</sup> /s	55.4	186	17.3	72.8	1,200	74.3
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	18.9	71.1	6.27	16.1	584	10.8
Standard Deviation	ft <sup>3</sup> /s	147	436	47.4	255	2,380	290
5th percentile	ft <sup>3</sup> /s	9.12	38.0	2.80	5.00	315	3.70
10th percentile	ft <sup>3</sup> /s	10.0	41.0	3.42	6.00	349	4.70
20th percentile	ft <sup>3</sup> /s	12.0	46.0	4.20	9.00	405	6.20
30th percentile	ft <sup>3</sup> /s	14.0	52.0	5.00	16.0	459	8.60
40th percentile	ft <sup>3</sup> /s	16.0	60.0	5.78	20.0	500	12.0
50th percentile	ft <sup>3</sup> /s	19.0	69.0	6.80	24.0	563	15.0
60th percentile	ft <sup>3</sup> /s	24.0	85.0	8.40	37.0	654	22.0
70th percentile	ft <sup>3</sup> /s	31.0	111	11.0	41.0	822	35.0
80th percentile	ft <sup>3</sup> /s	51.0	174	16.0	60.0	1,160	60.0
90th percentile	ft <sup>3</sup> /s	105	348	28.0	99.2	2,060	131
Drainage area	mi <sup>2</sup>	105	329	34.3	104	2073	141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	24.9	19.6	23.1	28.3	15.3	56.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.063	0.088	0.041	0.038	0.115	0.009
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.210	0.198	0.231	0.272	0.106
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.527	0.564	0.505	0.700	0.579	0.527
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.180	0.216	0.183	0.155	0.282	0.077
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	1.33	1.38	2.45	1.15	2.05
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.087	0.116	0.082	0.048	0.152	0.026
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.095	0.125	0.100	0.058	0.168	0.033
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.114	0.140	0.122	0.087	0.195	0.044
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.133	0.158	0.146	0.154	0.221	0.061
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.152	0.182	0.169	0.192	0.241	0.085
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.210	0.198	0.231	0.272	0.106
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.229	0.258	0.245	0.356	0.316	0.156
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	0.339	0.321	0.394	0.397	0.248
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.486	0.529	0.466	0.577	0.560	0.426
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.00	1.06	0.816	0.954	0.994	0.929

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02017500</b>	<b>02018000</b>	<b>02018500</b>	<b>02019000</b>	<b>02019500</b>	<b>02020500</b>
Count	number	2,455	2,485	1,945	270	2,935	2,035
Max	ft <sup>3</sup> /s	3,640	21,000	7,400	2,280	102,000	21,900
Min	ft <sup>3</sup> /s	10.0	37.0	0.900	5.00	300	3.30
Median	ft <sup>3</sup> /s	37.0	113	9.00	28.5	788	39.0
Arithmetic Mean	ft <sup>3</sup> /s	91.0	290	26.8	74.9	1,669	135
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	30.2	101	7.75	19.5	741	21.0
Standard Deviation	ft <sup>3</sup> /s	201	774	177	196	3,334	605
5th percentile	ft <sup>3</sup> /s	13.0	46.0	3.50	7.00	366	6.10
10th percentile	ft <sup>3</sup> /s	15.0	52.0	4.20	8.00	400	7.60
20th percentile	ft <sup>3</sup> /s	18.0	59.0	5.30	11.0	460	12.0
30th percentile	ft <sup>3</sup> /s	20.0	70.0	6.30	16.0	528	18.0
40th percentile	ft <sup>3</sup> /s	27.0	88.0	7.40	22.0	636	25.0
50th percentile	ft <sup>3</sup> /s	37.0	113	9.00	28.5	788	39.0
60th percentile	ft <sup>3</sup> /s	48.0	150	11.0	35.4	984	57.0
70th percentile	ft <sup>3</sup> /s	69.0	214	16.0	41.0	1,340	85.0
80th percentile	ft <sup>3</sup> /s	114	343	24.0	87.0	2,010	139
90th percentile	ft <sup>3</sup> /s	203	619	47.0	131	3,510	277
Drainage area	mi <sup>2</sup>	105	329	34.3	104	2073	141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	34.7	63.8	216	21.9	49.2	155
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.095	0.112	0.026	0.048	0.145	0.023
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.352	0.343	0.262	0.274	0.380	0.277
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.867	0.882	0.781	0.720	0.805	0.954
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.288	0.308	0.226	0.187	0.358	0.149
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.91	2.35	5.16	1.89	1.61	4.29
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.124	0.140	0.102	0.067	0.177	0.043
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.143	0.158	0.122	0.077	0.193	0.054
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	0.179	0.155	0.106	0.222	0.085
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.190	0.213	0.184	0.154	0.255	0.128
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.257	0.267	0.216	0.212	0.307	0.177
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.352	0.343	0.262	0.274	0.380	0.277
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.457	0.456	0.321	0.340	0.475	0.404
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.657	0.650	0.466	0.394	0.646	0.603
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.04	0.700	0.837	0.970	0.986
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.93	1.88	1.37	1.26	1.69	1.96

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02017500</b>	<b>02018000</b>	<b>02018500</b>	<b>02019000</b>	<b>02019500</b>	<b>02020500</b>
Count	number	2,511	2,542	1,984	279	3,007	2,077
Max	ft <sup>3</sup> /s	3,170	9,340	1,010	1,450	60,000	5,910
Min	ft <sup>3</sup> /s	10.0	35.0	1.20	7.00	316	4.90
Median	ft <sup>3</sup> /s	73.0	224	15.0	44.0	1,410	89.0
Arithmetic Mean	ft <sup>3</sup> /s	132	391	29.4	78.2	2,426	191
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	47.3	148	10.0	29.4	1,049	38.5
Standard Deviation	ft <sup>3</sup> /s	210	613	58.4	120	3,530	375
5th percentile	ft <sup>3</sup> /s	16.0	51.0	3.60	9.00	400	8.79
10th percentile	ft <sup>3</sup> /s	18.0	59.0	4.20	12.0	450	12.0
20th percentile	ft <sup>3</sup> /s	28.0	88.0	5.80	16.6	624	28.2
30th percentile	ft <sup>3</sup> /s	39.0	125	8.70	26.4	864	49.0
40th percentile	ft <sup>3</sup> /s	54.0	170	12.0	35.0	1,110	69.0
50th percentile	ft <sup>3</sup> /s	73.0	224	15.0	44.0	1,410	89.0
60th percentile	ft <sup>3</sup> /s	96.0	280	20.0	66.0	1,780	120
70th percentile	ft <sup>3</sup> /s	128	366	26.0	76.0	2,310	162
80th percentile	ft <sup>3</sup> /s	175	507	36.0	102	3,150	233
90th percentile	ft <sup>3</sup> /s	283	834	58.0	155	5,074	397
Drainage area	mi <sup>2</sup>	105	329	34.3	104	2073	141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	30.2	28.4	29.4	13.9	28.9	41.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.095	0.106	0.035	0.067	0.152	0.035
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.695	0.681	0.437	0.423	0.680	0.631
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.19	0.856	0.752	1.17	1.36
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.450	0.451	0.292	0.283	0.506	0.273
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.00	1.86	1.70	1.15	1.70	2.66
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.152	0.155	0.105	0.087	0.193	0.062
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	0.179	0.122	0.115	0.217	0.085
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.267	0.267	0.169	0.160	0.301	0.200
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.371	0.380	0.254	0.254	0.417	0.348
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.514	0.517	0.350	0.337	0.535	0.489
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.695	0.681	0.437	0.423	0.680	0.631
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.914	0.851	0.583	0.635	0.859	0.851
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	1.11	0.758	0.731	1.11	1.15
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.67	1.54	1.05	0.977	1.52	1.65
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.70	2.53	1.69	1.49	2.45	2.81

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>02021000</b>	<b>02021500</b>	<b>02022500</b>	<b>02023000</b>	<b>02023500</b>	<b>02024000</b>
Count	number	403	2,449	2,480	1,054	372	2,139
Max	ft <sup>3</sup> /s	5,290	20,000	1,650	10,000	1,060	23,600
Min	ft <sup>3</sup> /s	20.0	25.0	3.50	50.0	22.0	75.0
Median	ft <sup>3</sup> /s	153	291	26.0	397	98.0	549
Arithmetic Mean	ft <sup>3</sup> /s	316	542	45.5	654	129	897
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	111	175	18.9	266	66.9	381
Standard Deviation	ft <sup>3</sup> /s	477	906	85.2	843	129	1,236
5th percentile	ft <sup>3</sup> /s	34.0	46.0	6.80	80.0	24.0	110
10th percentile	ft <sup>3</sup> /s	45.0	78.0	8.00	111	26.0	170
20th percentile	ft <sup>3</sup> /s	82.4	125	13.0	177	42.6	270
30th percentile	ft <sup>3</sup> /s	110	176	17.0	260	70.0	350
40th percentile	ft <sup>3</sup> /s	130	229	21.0	328	80.4	447
50th percentile	ft <sup>3</sup> /s	153	291	26.0	397	98.0	549
60th percentile	ft <sup>3</sup> /s	192	366	32.0	482	116	659
70th percentile	ft <sup>3</sup> /s	274	486	39.0	610	140	840
80th percentile	ft <sup>3</sup> /s	406	725	54.0	891	167	1,220
90th percentile	ft <sup>3</sup> /s	718	1,210	88.1	1,440	235	1,960
Drainage area	mi <sup>2</sup>	186	329	35.1	481	112	647
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	28.4	60.8	47.0	20.8	9.46	36.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.076	0.100	0.104	0.196	0.116
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.823	0.884	0.741	0.825	0.875	0.849
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	1.65	1.30	1.36	1.15	1.39
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.597	0.531	0.538	0.554	0.597	0.589
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.56	2.75	2.43	1.75	1.15	1.91
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.183	0.140	0.194	0.166	0.214	0.170
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.242	0.237	0.228	0.231	0.232	0.263
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.443	0.380	0.370	0.367	0.380	0.417
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.589	0.535	0.484	0.541	0.625	0.541
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.699	0.696	0.598	0.682	0.718	0.691
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.823	0.884	0.741	0.825	0.875	0.849
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	1.11	0.912	1.00	1.04	1.02
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.47	1.48	1.11	1.27	1.25	1.30
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.18	2.20	1.54	1.85	1.49	1.89
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.86	3.68	2.51	2.99	2.10	3.03

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>02021000</b>	<b>02021500</b>	<b>02022500</b>	<b>02023000</b>	<b>02023500</b>	<b>02024000</b>
Count	number	367	2,231	2,260	961	339	1,942
Max	ft <sup>3</sup> /s	2,780	8,430	1,910	7,900	1,520	12,700
Min	ft <sup>3</sup> /s	10.0	26.0	4.30	60.0	23.0	81.0
Median	ft <sup>3</sup> /s	211	384	34.0	600	144	701
Arithmetic Mean	ft <sup>3</sup> /s	345	601	53.7	827	197	1,039
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	107	241	24.3	366	109	520
Standard Deviation	ft <sup>3</sup> /s	426	759	85.5	877	181	1,127
5th percentile	ft <sup>3</sup> /s	23.0	69.0	8.21	110	43.0	194
10th percentile	ft <sup>3</sup> /s	49.2	114	11.0	172	56.0	263
20th percentile	ft <sup>3</sup> /s	97.2	172	17.0	250	78.0	364
30th percentile	ft <sup>3</sup> /s	119	212	23.0	330	100	460
40th percentile	ft <sup>3</sup> /s	159	283	28.0	450	114	567
50th percentile	ft <sup>3</sup> /s	211	384	34.0	600	144	701
60th percentile	ft <sup>3</sup> /s	246	490	42.0	735	179	885
70th percentile	ft <sup>3</sup> /s	316	616	52.0	910	208	1,100
80th percentile	ft <sup>3</sup> /s	450	819	65.0	1,160	257	1,420
90th percentile	ft <sup>3</sup> /s	870	1,240	98.2	1,640	400	2,070
Drainage area	mi <sup>2</sup>	186	329	35.1	481	112	647
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	14.9	25.6	54.4	16.4	13.6	19.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.054	0.079	0.123	0.125	0.205	0.125
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	1.17	0.969	1.25	1.29	1.08
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.85	1.83	1.53	1.72	1.76	1.61
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.577	0.734	0.694	0.760	0.969	0.803
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.29	2.31	2.44	1.82	1.62	1.74
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.124	0.210	0.234	0.229	0.384	0.300
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.265	0.347	0.313	0.358	0.500	0.406
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.523	0.523	0.484	0.520	0.696	0.563
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.639	0.644	0.655	0.686	0.893	0.711
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.855	0.860	0.798	0.936	1.02	0.876
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	1.17	0.969	1.25	1.29	1.08
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	1.49	1.20	1.53	1.60	1.37
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	1.87	1.48	1.89	1.86	1.70
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.42	2.49	1.85	2.41	2.29	2.19
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.68	3.77	2.80	3.41	3.57	3.20

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02021000</b>	<b>02021500</b>	<b>02022500</b>	<b>02023000</b>	<b>02023500</b>	<b>02024000</b>
Count	number	403	2,449	2,480	1,054	372	2,139
Max	ft <sup>3</sup> /s	6,490	17,000	4,840	23,000	2,310	13,100
Min	ft <sup>3</sup> /s	10.0	30.0	4.30	60.0	51.0	84.0
Median	ft <sup>3</sup> /s	200	504	41.0	635	190	899
Arithmetic Mean	ft <sup>3</sup> /s	407	827	71.4	980	290	1,330
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	180	381	33.0	536	169	725
Standard Deviation	ft <sup>3</sup> /s	637	1,058	158	1,254	322	1,381
5th percentile	ft <sup>3</sup> /s	86.4	140	13.0	221	75.0	277
10th percentile	ft <sup>3</sup> /s	100	181	16.0	285	94.0	378
20th percentile	ft <sup>3</sup> /s	122	261	24.0	372	115	511
30th percentile	ft <sup>3</sup> /s	145	338	29.0	456	135	624
40th percentile	ft <sup>3</sup> /s	172	416	34.0	533	164	754
50th percentile	ft <sup>3</sup> /s	200	504	41.0	635	190	899
60th percentile	ft <sup>3</sup> /s	241	618	49.0	752	227	1,070
70th percentile	ft <sup>3</sup> /s	322	800	61.0	940	278	1,360
80th percentile	ft <sup>3</sup> /s	522	1,074	80.2	1,260	360	1,780
90th percentile	ft <sup>3</sup> /s	870	1,742	123	1,867	529	2,690
Drainage area	mi <sup>2</sup>	186	329	35.1	481	112	647
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	34.9	51.7	138	47.8	20.6	20.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.054	0.091	0.123	0.125	0.455	0.130
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.53	1.17	1.32	1.69	1.39
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.19	2.51	2.03	2.04	2.59	2.06
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.969	1.16	0.940	1.11	1.51	1.12
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.42	3.22	4.49	2.61	2.88	2.13
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.465	0.424	0.370	0.459	0.670	0.428
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.538	0.550	0.456	0.592	0.839	0.584
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.656	0.793	0.684	0.773	1.03	0.790
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.780	1.03	0.826	0.948	1.21	0.965
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.924	1.26	0.969	1.11	1.46	1.17
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.53	1.17	1.32	1.69	1.39
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.88	1.40	1.56	2.02	1.65
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	2.43	1.74	1.95	2.48	2.10
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.81	3.26	2.28	2.62	3.21	2.75
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.68	5.29	3.51	3.88	4.73	4.16

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02021000</b>	<b>02021500</b>	<b>02022500</b>	<b>02023000</b>	<b>02023500</b>	<b>02024000</b>
Count	number	420	2,370	2,400	1,020	330	2,070
Max	ft <sup>3</sup> /s	4,750	18,500	2,650	8,240	1,520	23,400
Min	ft <sup>3</sup> /s	54.0	61.0	7.60	125	63.0	148
Median	ft <sup>3</sup> /s	208	357	33.0	540	180	697
Arithmetic Mean	ft <sup>3</sup> /s	408	627	57.6	887	249	1,066
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	182	296	29.7	508	168	604
Standard Deviation	ft <sup>3</sup> /s	525	865	109	938	210	1,232
5th percentile	ft <sup>3</sup> /s	80.0	123	13.0	248	82.0	273
10th percentile	ft <sup>3</sup> /s	93.0	147	16.0	284	93.9	317
20th percentile	ft <sup>3</sup> /s	110	187	20.0	341	118	398
30th percentile	ft <sup>3</sup> /s	132	232	24.0	402	140	489
40th percentile	ft <sup>3</sup> /s	160	289	28.0	461	162	582
50th percentile	ft <sup>3</sup> /s	208	357	33.0	540	180	697
60th percentile	ft <sup>3</sup> /s	302	465	39.0	671	204	840
70th percentile	ft <sup>3</sup> /s	430	614	49.0	864	245	1,053
80th percentile	ft <sup>3</sup> /s	612	840	65.2	1,200	336	1,442
90th percentile	ft <sup>3</sup> /s	911	1,320	106	1,901	474	2,181
Drainage area	mi <sup>2</sup>	186	329	35.1	481	112	647
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	25.5	56.2	75.5	17.1	13.6	36.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.290	0.185	0.217	0.260	0.563	0.229
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	1.08	0.940	1.12	1.61	1.08
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.19	1.90	1.64	1.85	2.22	1.65
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.979	0.901	0.846	1.06	1.50	0.934
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.82	2.63	3.11	1.95	1.88	1.90
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.430	0.374	0.370	0.516	0.732	0.422
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.500	0.447	0.456	0.590	0.838	0.490
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.591	0.568	0.570	0.709	1.05	0.615
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.710	0.705	0.684	0.836	1.25	0.756
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.860	0.877	0.798	0.958	1.44	0.900
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	1.08	0.940	1.12	1.61	1.08
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.63	1.41	1.11	1.39	1.83	1.30
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.31	1.87	1.40	1.80	2.19	1.63
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.29	2.55	1.86	2.49	3.00	2.23
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.90	4.01	3.02	3.95	4.23	3.37



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	02021000	02021500	02022500	02023000	02023500	02024000
Count	number	434	2,449	2,480	1,054	341	2,124
Max	ft <sup>3</sup> /s	1,990	12,400	1,550	15,600	1,410	17,800
Min	ft <sup>3</sup> /s	28.0	38.0	6.60	85.0	38.0	114
Median	ft <sup>3</sup> /s	125	259	25.0	383	116	523
Arithmetic Mean	ft <sup>3</sup> /s	212	464	38.3	607	165	806
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	109	204	22.3	325	108	458
Standard Deviation	ft <sup>3</sup> /s	251	715	67.6	871	156	1,002
5th percentile	ft <sup>3</sup> /s	50.0	77.0	11.0	134	51.1	198
10th percentile	ft <sup>3</sup> /s	57.0	96.0	12.0	171	66.0	240
20th percentile	ft <sup>3</sup> /s	69.6	134	15.0	223	76.0	310
30th percentile	ft <sup>3</sup> /s	85.8	166	18.0	271	88.0	372
40th percentile	ft <sup>3</sup> /s	102	204	21.0	326	101	446
50th percentile	ft <sup>3</sup> /s	125	259	25.0	383	116	523
60th percentile	ft <sup>3</sup> /s	153	333	29.0	468	135	647
70th percentile	ft <sup>3</sup> /s	195	435	34.0	580	166	804
80th percentile	ft <sup>3</sup> /s	277	600	42.0	788	220	1,040
90th percentile	ft <sup>3</sup> /s	478	952	63.0	1,157	302	1,510
Drainage area	mi <sup>2</sup>	186	329	35.1	481	112	647
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	10.7	37.7	44.2	32.4	12.6	27.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.151	0.116	0.188	0.177	0.339	0.176
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.672	0.787	0.712	0.795	1.04	0.808
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.41	1.09	1.26	1.47	1.25
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.585	0.621	0.634	0.676	0.967	0.708
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	2.17	1.93	1.81	1.39	1.55
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.269	0.234	0.313	0.278	0.456	0.306
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.306	0.292	0.342	0.356	0.589	0.371
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.374	0.406	0.427	0.463	0.679	0.479
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.461	0.505	0.513	0.563	0.786	0.575
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.548	0.620	0.598	0.678	0.902	0.689
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.672	0.787	0.712	0.795	1.04	0.808
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.823	1.01	0.826	0.972	1.21	1.000
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	1.32	0.969	1.21	1.48	1.24
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	1.82	1.20	1.64	1.96	1.61
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.57	2.89	1.79	2.41	2.70	2.33

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	02021000	02021500	02022500	02023000	02023500	02024000
Count	number	420	2,370	2,400	1,020	330	2,070
Max	ft <sup>3</sup> /s	990	16,800	2,710	9,600	1,970	19,600
Min	ft <sup>3</sup> /s	13.0	17.0	4.50	52.0	20.0	53.0
Median	ft <sup>3</sup> /s	52.0	101	16.0	196	70.0	284
Arithmetic Mean	ft <sup>3</sup> /s	80.3	285	29.7	361	113	565
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	45.8	87.3	15.2	189	65.6	254
Standard Deviation	ft <sup>3</sup> /s	91.8	796	92.1	599	174	1,199
5th percentile	ft <sup>3</sup> /s	22.0	35.0	7.90	91.0	31.0	112
10th percentile	ft <sup>3</sup> /s	25.0	43.0	8.90	109	38.9	136
20th percentile	ft <sup>3</sup> /s	31.0	57.0	11.0	131	47.8	179
30th percentile	ft <sup>3</sup> /s	36.0	68.0	13.0	150	56.0	209
40th percentile	ft <sup>3</sup> /s	42.0	83.0	14.0	168	62.0	240
50th percentile	ft <sup>3</sup> /s	52.0	101	16.0	196	70.0	284
60th percentile	ft <sup>3</sup> /s	62.4	132	18.0	234	80.4	339
70th percentile	ft <sup>3</sup> /s	76.3	178	22.0	289	93.0	416
80th percentile	ft <sup>3</sup> /s	101	271	27.0	411	116	592
90th percentile	ft <sup>3</sup> /s	162	545	44.0	705	184	1,040
Drainage area	mi <sup>2</sup>	186	329	35.1	481	112	647
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	5.32	51.1	77.2	20.0	17.6	30.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.070	0.052	0.128	0.108	0.179	0.082
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.280	0.307	0.456	0.407	0.625	0.438
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.432	0.868	0.845	0.752	1.01	0.873
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.246	0.265	0.434	0.392	0.586	0.393
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.494	2.42	2.62	1.25	1.55	1.85
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.118	0.106	0.225	0.189	0.277	0.173
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.134	0.131	0.254	0.227	0.347	0.210
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.167	0.173	0.313	0.272	0.427	0.277
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.194	0.207	0.370	0.312	0.500	0.323
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.226	0.252	0.399	0.349	0.554	0.371
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.280	0.307	0.456	0.407	0.625	0.438
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.335	0.401	0.513	0.486	0.718	0.524
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.410	0.542	0.627	0.600	0.830	0.643
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.543	0.824	0.769	0.855	1.04	0.915
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.871	1.66	1.25	1.47	1.65	1.61

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	02021000	02021500	02022500	02023000	02023500	02024000
Count	number	434	2,449	2,480	1,054	341	2,139
Max	ft <sup>3</sup> /s	1,910	3,980	702	4,620	229	5,790
Min	ft <sup>3</sup> /s	8.00	8.10	3.90	47.0	16.0	42.0
Median	ft <sup>3</sup> /s	31.0	57.0	12.0	133	38.0	188
Arithmetic Mean	ft <sup>3</sup> /s	70.9	122	17.4	220	44.8	281
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	26.8	50.3	11.3	127	37.2	172
Standard Deviation	ft <sup>3</sup> /s	155	248	34.6	308	24.2	360
5th percentile	ft <sup>3</sup> /s	11.0	22.0	6.10	63.0	21.1	87.0
10th percentile	ft <sup>3</sup> /s	13.0	26.0	7.00	71.3	26.0	97.0
20th percentile	ft <sup>3</sup> /s	18.0	34.0	8.50	90.0	29.0	122
30th percentile	ft <sup>3</sup> /s	22.0	40.0	9.90	103	31.0	143
40th percentile	ft <sup>3</sup> /s	26.0	48.0	11.0	118	34.0	163
50th percentile	ft <sup>3</sup> /s	31.0	57.0	12.0	133	38.0	188
60th percentile	ft <sup>3</sup> /s	38.0	72.0	13.0	156	43.0	221
70th percentile	ft <sup>3</sup> /s	49.1	91.0	14.0	188	48.0	265
80th percentile	ft <sup>3</sup> /s	70.0	132	17.0	252	57.0	330
90th percentile	ft <sup>3</sup> /s	139	230	25.0	387	71.0	498
Drainage area	mi <sup>2</sup>	186	329	35.1	481	112	647
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	10.3	12.1	20.0	9.60	2.04	8.95
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.043	0.025	0.111	0.098	0.143	0.065
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.167	0.173	0.342	0.277	0.339	0.291
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.381	0.372	0.496	0.457	0.400	0.435
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.144	0.153	0.322	0.264	0.332	0.266
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.836	0.753	0.985	0.640	0.216	0.557
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.059	0.067	0.174	0.131	0.188	0.134
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.070	0.079	0.199	0.148	0.232	0.150
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.097	0.103	0.242	0.187	0.259	0.189
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.118	0.122	0.282	0.214	0.277	0.221
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.140	0.146	0.313	0.245	0.304	0.252
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.167	0.173	0.342	0.277	0.339	0.291
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.204	0.219	0.370	0.324	0.384	0.341
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.264	0.277	0.399	0.391	0.429	0.410
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.376	0.401	0.484	0.524	0.509	0.511
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.746	0.700	0.712	0.805	0.634	0.769

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02021000</b>	<b>02021500</b>	<b>02022500</b>	<b>02023000</b>	<b>02023500</b>	<b>02024000</b>
Count	number	434	2,449	2,480	1,054	341	2,139
Max	ft <sup>3</sup> /s	2,660	13,600	2,770	9,310	1,200	56,000
Min	ft <sup>3</sup> /s	9.00	8.00	3.60	37.0	15.0	30.0
Median	ft <sup>3</sup> /s	32.0	42.0	9.90	109	29.0	142
Arithmetic Mean	ft <sup>3</sup> /s	99.0	132	22.5	268	48.1	309
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	27.0	39.2	9.69	105	29.6	138
Standard Deviation	ft <sup>3</sup> /s	243	468	102	612	87.9	1,365
5th percentile	ft <sup>3</sup> /s	11.0	17.0	5.40	49.0	17.0	71.0
10th percentile	ft <sup>3</sup> /s	13.0	21.0	6.00	56.0	19.0	83.0
20th percentile	ft <sup>3</sup> /s	16.0	26.0	7.20	70.0	21.0	97.0
30th percentile	ft <sup>3</sup> /s	19.0	31.0	8.20	85.0	24.0	111
40th percentile	ft <sup>3</sup> /s	24.0	35.0	9.00	96.0	26.0	125
50th percentile	ft <sup>3</sup> /s	32.0	42.0	9.90	109	29.0	142
60th percentile	ft <sup>3</sup> /s	43.0	52.0	11.0	131	33.0	165
70th percentile	ft <sup>3</sup> /s	59.0	71.0	13.0	172	40.0	201
80th percentile	ft <sup>3</sup> /s	95.0	102	16.0	240	50.0	266
90th percentile	ft <sup>3</sup> /s	190	218	25.0	473	73.0	462
Drainage area	mi <sup>2</sup>	186	329	35.1	481	112	647
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	14.3	41.3	78.9	19.4	10.7	86.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.048	0.024	0.103	0.077	0.134	0.046
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.172	0.128	0.282	0.227	0.259	0.219
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.532	0.400	0.642	0.556	0.429	0.478
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.145	0.119	0.276	0.219	0.265	0.213
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.42	2.91	1.27	0.785	2.11
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.059	0.052	0.154	0.102	0.152	0.110
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.070	0.064	0.171	0.116	0.170	0.128
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.086	0.079	0.205	0.146	0.188	0.150
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.102	0.094	0.234	0.177	0.214	0.172
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.129	0.106	0.256	0.200	0.232	0.193
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.172	0.128	0.282	0.227	0.259	0.219
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.231	0.158	0.313	0.272	0.295	0.255
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.317	0.216	0.370	0.358	0.357	0.311
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.511	0.310	0.456	0.500	0.446	0.411
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	0.663	0.712	0.984	0.652	0.715

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02021000</b>	<b>02021500</b>	<b>02022500</b>	<b>02023000</b>	<b>02023500</b>	<b>02024000</b>
Count	number	420	2,370	2,400	1,020	330	2,070
Max	ft <sup>3</sup> /s	2,700	11,800	3,600	11,700	1,300	16,900
Min	ft <sup>3</sup> /s	8.00	7.10	3.40	35.0	12.0	38.0
Median	ft <sup>3</sup> /s	23.0	42.0	9.00	100	25.0	136
Arithmetic Mean	ft <sup>3</sup> /s	63.2	149	20.3	224	45.3	321
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	20.7	36.6	9.17	91.3	26.0	133
Standard Deviation	ft <sup>3</sup> /s	203	586	93.3	637	87.6	889
5th percentile	ft <sup>3</sup> /s	8.00	15.0	5.10	44.0	14.0	66.0
10th percentile	ft <sup>3</sup> /s	10.0	19.0	5.60	50.0	15.0	75.9
20th percentile	ft <sup>3</sup> /s	14.0	24.0	6.80	61.0	18.0	91.0
30th percentile	ft <sup>3</sup> /s	17.0	28.0	7.60	72.0	20.0	105
40th percentile	ft <sup>3</sup> /s	20.0	34.0	8.30	84.0	22.6	120
50th percentile	ft <sup>3</sup> /s	23.0	42.0	9.00	100	25.0	136
60th percentile	ft <sup>3</sup> /s	26.0	52.0	10.0	116	30.0	167
70th percentile	ft <sup>3</sup> /s	32.3	72.0	12.0	138	39.0	207
80th percentile	ft <sup>3</sup> /s	49.2	109	16.0	180	52.0	282
90th percentile	ft <sup>3</sup> /s	102	213	27.0	352	78.2	517
Drainage area	mi <sup>2</sup>	186	329	35.1	481	112	647
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	14.5	35.9	103	24.3	11.6	26.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.043	0.022	0.097	0.073	0.107	0.059
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.124	0.128	0.256	0.208	0.223	0.210
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.340	0.453	0.579	0.465	0.405	0.496
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.111	0.111	0.261	0.190	0.232	0.205
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.78	2.66	1.32	0.782	1.37
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.043	0.046	0.145	0.091	0.125	0.102
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.054	0.058	0.160	0.104	0.134	0.117
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.075	0.073	0.194	0.127	0.161	0.141
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.091	0.085	0.217	0.150	0.179	0.162
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.103	0.236	0.175	0.202	0.185
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.124	0.128	0.256	0.208	0.223	0.210
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.140	0.158	0.285	0.241	0.268	0.258
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.174	0.219	0.342	0.287	0.348	0.320
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.265	0.331	0.456	0.374	0.464	0.436
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.549	0.648	0.769	0.732	0.698	0.799

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02021000</b>	<b>02021500</b>	<b>02022500</b>	<b>02023000</b>	<b>02023500</b>	<b>02024000</b>
Count	number	403	2,480	2,511	1,054	341	2,170
Max	ft <sup>3</sup> /s	3,820	9,190	1,660	8,590	3,620	13,900
Min	ft <sup>3</sup> /s	8.00	9.80	3.30	40.0	14.0	22.0
Median	ft <sup>3</sup> /s	32.0	58.0	9.80	100	27.0	157
Arithmetic Mean	ft <sup>3</sup> /s	130	189	22.6	259	75.7	362
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	26.4	46.9	10.1	101	28.1	151
Standard Deviation	ft <sup>3</sup> /s	412	563	69.4	703	248	812
5th percentile	ft <sup>3</sup> /s	12.2	19.0	5.50	52.0	17.0	71.0
10th percentile	ft <sup>3</sup> /s	14.0	23.0	6.40	60.0	18.0	86.0
20th percentile	ft <sup>3</sup> /s	16.0	28.0	7.40	71.0	19.0	102
30th percentile	ft <sup>3</sup> /s	18.0	35.0	8.00	78.0	22.0	114
40th percentile	ft <sup>3</sup> /s	21.0	44.0	8.80	86.0	23.0	135
50th percentile	ft <sup>3</sup> /s	32.0	58.0	9.80	100	27.0	157
60th percentile	ft <sup>3</sup> /s	39.2	76.0	11.0	122	33.0	186
70th percentile	ft <sup>3</sup> /s	57.0	98.0	13.0	150	37.0	236
80th percentile	ft <sup>3</sup> /s	88.0	144	18.0	199	49.0	345
90th percentile	ft <sup>3</sup> /s	211	342	32.0	390	114	655
Drainage area	mi <sup>2</sup>	186	329	35.1	481	112	647
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	20.5	27.9	47.3	17.9	32.3	21.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.043	0.030	0.094	0.083	0.125	0.034
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.172	0.176	0.279	0.208	0.241	0.243
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.701	0.576	0.645	0.539	0.676	0.560
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.142	0.142	0.287	0.210	0.251	0.233
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.21	1.71	1.98	1.46	2.22	1.25
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.066	0.058	0.157	0.108	0.152	0.110
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.075	0.070	0.182	0.125	0.161	0.133
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.086	0.085	0.211	0.148	0.170	0.158
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.097	0.106	0.228	0.162	0.196	0.176
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.113	0.134	0.251	0.179	0.205	0.209
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.172	0.176	0.279	0.208	0.241	0.243
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.211	0.231	0.313	0.254	0.295	0.287
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.306	0.298	0.370	0.312	0.330	0.364
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.473	0.438	0.513	0.415	0.438	0.534
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.04	0.912	0.810	1.02	1.01

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02021000</b>	<b>02021500</b>	<b>02022500</b>	<b>02023000</b>	<b>02023500</b>	<b>02024000</b>
Count	number	390	2,395	2,420	1,020	360	2,095
Max	ft <sup>3</sup> /s	6,400	41,500	2,890	7,500	1,650	41,200
Min	ft <sup>3</sup> /s	12.0	18.0	4.00	42.0	19.0	71.0
Median	ft <sup>3</sup> /s	47.0	93.0	12.0	132	39.5	226
Arithmetic Mean	ft <sup>3</sup> /s	174	290	25.9	325	78.1	514
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	36.5	68.1	12.3	126	39.0	198
Standard Deviation	ft <sup>3</sup> /s	475	1,037	83.0	615	141	1,269
5th percentile	ft <sup>3</sup> /s	14.0	25.0	6.90	60.0	20.0	88.8
10th percentile	ft <sup>3</sup> /s	15.0	28.0	7.50	66.0	22.0	100
20th percentile	ft <sup>3</sup> /s	18.0	38.0	8.40	78.8	24.0	118
30th percentile	ft <sup>3</sup> /s	27.0	50.0	9.40	90.0	29.0	145
40th percentile	ft <sup>3</sup> /s	38.6	69.0	10.0	103	32.0	178
50th percentile	ft <sup>3</sup> /s	47.0	93.0	12.0	132	39.5	226
60th percentile	ft <sup>3</sup> /s	86.0	138	14.0	171	54.0	299
70th percentile	ft <sup>3</sup> /s	121	199	19.0	267	65.0	394
80th percentile	ft <sup>3</sup> /s	173	322	26.0	368	86.0	583
90th percentile	ft <sup>3</sup> /s	355	627	43.0	661	144	1,100
Drainage area	mi <sup>2</sup>	186	329	35.1	481	112	647
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	34.4	126	82.3	15.6	14.7	63.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.065	0.055	0.114	0.087	0.170	0.110
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.283	0.342	0.273	0.353	0.349
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.938	0.883	0.737	0.675	0.697	0.794
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.196	0.207	0.350	0.261	0.348	0.306
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.55	3.15	2.36	1.28	1.26	1.96
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.075	0.076	0.197	0.125	0.179	0.137
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.081	0.085	0.214	0.137	0.196	0.155
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.097	0.116	0.239	0.164	0.214	0.182
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.145	0.152	0.268	0.187	0.259	0.224
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.208	0.210	0.285	0.214	0.286	0.274
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.283	0.342	0.273	0.353	0.349
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.462	0.419	0.399	0.356	0.482	0.463
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.652	0.604	0.541	0.555	0.580	0.609
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.928	0.979	0.741	0.765	0.768	0.901
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.91	1.91	1.23	1.37	1.29	1.70

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02021000</b>	<b>02021500</b>	<b>02022500</b>	<b>02023000</b>	<b>02023500</b>	<b>02024000</b>
Count	number	403	2,449	2,480	1,054	372	2,134
Max	ft <sup>3</sup> /s	4,570	10,800	817	10,600	1,990	13,600
Min	ft <sup>3</sup> /s	13.0	22.0	4.20	48.0	18.0	70.0
Median	ft <sup>3</sup> /s	114	202	19.0	274	96.0	405
Arithmetic Mean	ft <sup>3</sup> /s	213	413	33.3	521	151	715
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	59.9	113	15.0	179	56.1	287
Standard Deviation	ft <sup>3</sup> /s	407	711	58.6	921	239	1,032
5th percentile	ft <sup>3</sup> /s	16.2	32.0	6.40	62.0	22.0	100
10th percentile	ft <sup>3</sup> /s	20.2	38.0	7.20	70.0	23.0	118
20th percentile	ft <sup>3</sup> /s	37.4	73.0	9.30	96.0	26.0	179
30th percentile	ft <sup>3</sup> /s	63.2	116	11.0	162	47.0	248
40th percentile	ft <sup>3</sup> /s	86.0	155	15.0	214	80.0	320
50th percentile	ft <sup>3</sup> /s	114	202	19.0	274	96.0	405
60th percentile	ft <sup>3</sup> /s	150	270	23.0	344	112	509
70th percentile	ft <sup>3</sup> /s	179	380	29.0	463	131	676
80th percentile	ft <sup>3</sup> /s	246	539	39.0	625	180	942
90th percentile	ft <sup>3</sup> /s	434	889	63.0	1,070	285	1,537
Drainage area	mi <sup>2</sup>	186	329	35.1	481	112	647
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	24.6	32.8	23.3	22.0	17.8	21.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.070	0.067	0.120	0.100	0.161	0.108
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.613	0.614	0.541	0.569	0.857	0.626
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.25	0.949	1.08	1.35	1.11
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.322	0.345	0.428	0.373	0.501	0.444
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.19	2.16	1.67	1.92	2.13	1.60
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.087	0.097	0.182	0.129	0.196	0.155
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.109	0.116	0.205	0.146	0.205	0.183
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.201	0.222	0.265	0.200	0.232	0.277
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.340	0.353	0.313	0.337	0.420	0.383
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.462	0.471	0.427	0.445	0.714	0.495
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.613	0.614	0.541	0.569	0.857	0.626
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.806	0.821	0.655	0.715	1.00	0.786
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.962	1.15	0.826	0.963	1.17	1.04
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	1.64	1.11	1.30	1.60	1.46
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.33	2.70	1.79	2.22	2.54	2.38



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>02024300</b>	<b>02024500</b>	<b>02024752</b>	<b>02024915</b>	<b>02025000</b>	<b>02025500</b>
Count	number	62.0	248	31.0	155	434	2,480
Max	ft <sup>3</sup> /s	1,500	10,600	21,000	283	1,020	93,900
Min	ft <sup>3</sup> /s	31.0	179	2,220	14.0	15.0	431
Median	ft <sup>3</sup> /s	111	695	5,140	51.0	90.0	3,020
Arithmetic Mean	ft <sup>3</sup> /s	203	1,116	6,770	57.2	127	4,788
Geometric Mean	ft <sup>3</sup> /s	126	--	5,416	50.4	--	--
Harmonic Mean	ft <sup>3</sup> /s	92.0	585	4,440	44.0	60.2	2,312
Standard Deviation	ft <sup>3</sup> /s	276	1,336	4,744	32.4	128	6,004
5th percentile	ft <sup>3</sup> /s	40.6	270	2,274	16.0	18.0	759
10th percentile	ft <sup>3</sup> /s	47.1	300	2,410	29.4	25.3	1,080
20th percentile	ft <sup>3</sup> /s	58.4	350	2,930	38.0	43.6	1,600
30th percentile	ft <sup>3</sup> /s	67.2	452	3,090	43.0	55.9	2,140
40th percentile	ft <sup>3</sup> /s	88.2	580	3,240	46.0	70.4	2,576
50th percentile	ft <sup>3</sup> /s	111	695	5,140	51.0	90.0	3,020
60th percentile	ft <sup>3</sup> /s	147	820	7,400	55.0	106	3,634
70th percentile	ft <sup>3</sup> /s	184	1,038	8,110	61.0	134	4,550
80th percentile	ft <sup>3</sup> /s	246	1,324	10,600	72.2	177	6,232
90th percentile	ft <sup>3</sup> /s	397	2,500	12,400	90.6	259	10,200
Drainage area	mi <sup>2</sup>	123	837	3076	27.1	94.6	3256
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	12.2	12.7	6.83	10.4	10.8	28.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.252	0.214	0.722	0.517	0.159	0.132
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.898	0.830	1.67	1.88	0.951	0.928
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.65	1.33	2.20	2.11	1.34	1.47
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	--	1.76	1.86	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.748	0.699	1.44	1.62	0.636	0.710
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.24	1.60	1.54	1.20	1.36	1.84
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.330	0.322	0.739	0.590	0.190	0.233
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.383	0.358	0.783	1.08	0.267	0.332
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.475	0.418	0.953	1.40	0.461	0.491
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.546	0.539	1.00	1.59	0.591	0.657
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.717	0.693	1.05	1.70	0.744	0.791
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.898	0.830	1.67	1.88	0.951	0.928
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	0.980	2.41	2.03	1.12	1.12
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	1.24	2.64	2.25	1.42	1.40
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.00	1.58	3.45	2.66	1.87	1.91
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.23	2.99	4.03	3.34	2.74	3.13

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>02024300</b>	<b>02024500</b>	<b>02024752</b>	<b>02024915</b>	<b>02025000</b>	<b>02025500</b>
Count	number	57.0	225	28.0	141	396	2,260
Max	ft <sup>3</sup> /s	1,340	16,700	6,990	395	1,620	68,100
Min	ft <sup>3</sup> /s	54.0	205	1,520	13.0	21.0	459
Median	ft <sup>3</sup> /s	120	705	2,730	42.0	127	3,835
Arithmetic Mean	ft <sup>3</sup> /s	168	1,562	3,246	54.7	160	5,601
Geometric Mean	ft <sup>3</sup> /s	127	--	2,842	45.2	--	--
Harmonic Mean	ft <sup>3</sup> /s	108	630	2,517	39.2	87.1	2,926
Standard Deviation	ft <sup>3</sup> /s	195	2,396	1,726	49.4	161	5,929
5th percentile	ft <sup>3</sup> /s	55.0	299	1,552	17.0	28.0	1,051
10th percentile	ft <sup>3</sup> /s	63.2	320	1,627	26.0	38.0	1,459
20th percentile	ft <sup>3</sup> /s	68.2	378	1,640	35.0	60.0	2,118
30th percentile	ft <sup>3</sup> /s	94.4	423	1,735	38.0	84.0	2,637
40th percentile	ft <sup>3</sup> /s	101	530	2,046	40.0	110	3,150
50th percentile	ft <sup>3</sup> /s	120	705	2,730	42.0	127	3,835
60th percentile	ft <sup>3</sup> /s	140	925	3,174	45.0	144	4,820
70th percentile	ft <sup>3</sup> /s	155	1,416	4,690	50.0	168	5,800
80th percentile	ft <sup>3</sup> /s	194	1,902	5,074	60.0	211	7,470
90th percentile	ft <sup>3</sup> /s	272	3,162	5,422	83.0	285	11,300
Drainage area	mi <sup>2</sup>	123	837	3076	27.1	94.6	3256
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	10.9	20.0	2.27	14.6	17.1	20.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.439	0.245	0.494	0.480	0.222	0.141
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.976	0.842	0.888	1.55	1.34	1.18
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.36	1.87	1.06	2.02	1.69	1.72
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	--	0.924	1.67	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.879	0.753	0.818	1.45	0.920	0.899
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.59	2.86	0.561	1.82	1.70	1.82
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.447	0.357	0.504	0.627	0.296	0.323
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.514	0.382	0.529	0.959	0.402	0.448
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.554	0.452	0.533	1.29	0.634	0.650
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.767	0.505	0.564	1.40	0.888	0.810
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.820	0.633	0.665	1.48	1.16	0.967
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.976	0.842	0.888	1.55	1.34	1.18
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.11	1.03	1.66	1.52	1.48
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.69	1.52	1.85	1.78	1.78
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.58	2.27	1.65	2.21	2.23	2.29
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.21	3.78	1.76	3.06	3.01	3.47

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02024300</b>	<b>02024500</b>	<b>02024752</b>	<b>02024915</b>	<b>02025000</b>	<b>02025500</b>
Count	number	62.0	248	31.0	155	434	2,480
Max	ft <sup>3</sup> /s	2,410	30,000	30,800	271	2,120	110,000
Min	ft <sup>3</sup> /s	92.0	280	3,090	27.0	28.0	625
Median	ft <sup>3</sup> /s	250	1,500	7,130	48.0	132	4,715
Arithmetic Mean	ft <sup>3</sup> /s	360	2,160	9,472	61.4	193	7,133
Geometric Mean	ft <sup>3</sup> /s	272	--	7,603	54.0	--	--
Harmonic Mean	ft <sup>3</sup> /s	223	1,137	6,366	48.9	119	4,051
Standard Deviation	ft <sup>3</sup> /s	362	2,545	7,220	37.2	216	7,384
5th percentile	ft <sup>3</sup> /s	97.2	347	3,120	29.0	57.8	1,640
10th percentile	ft <sup>3</sup> /s	116	480	3,640	31.0	69.3	2,079
20th percentile	ft <sup>3</sup> /s	154	882	4,250	36.8	85.0	2,900
30th percentile	ft <sup>3</sup> /s	183	1,104	4,990	41.0	96.0	3,437
40th percentile	ft <sup>3</sup> /s	217	1,300	5,320	43.6	110	4,000
50th percentile	ft <sup>3</sup> /s	250	1,500	7,130	48.0	132	4,715
60th percentile	ft <sup>3</sup> /s	280	1,784	8,970	55.4	159	5,700
70th percentile	ft <sup>3</sup> /s	350	2,120	10,700	63.0	186	7,200
80th percentile	ft <sup>3</sup> /s	488	2,878	13,500	78.0	245	9,502
90th percentile	ft <sup>3</sup> /s	707	4,187	18,200	108	338	14,200
Drainage area	mi <sup>2</sup>	123	837	3076	27.1	94.6	3256
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	19.6	35.8	10.0	10.0	22.4	33.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.748	0.335	1.00	0.996	0.296	0.192
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.03	1.79	2.32	1.77	1.40	1.45
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.93	2.58	3.08	2.27	2.04	2.19
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.21	--	2.47	1.99	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.81	1.36	2.07	1.80	1.25	1.24
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.95	3.04	2.35	1.37	2.28	2.27
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.790	0.415	1.01	1.07	0.610	0.504
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.939	0.573	1.18	1.14	0.733	0.639
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.05	1.38	1.36	0.899	0.891
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	1.32	1.62	1.51	1.01	1.06
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.76	1.55	1.73	1.61	1.16	1.23
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.03	1.79	2.32	1.77	1.40	1.45
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.28	2.13	2.92	2.04	1.68	1.75
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.85	2.53	3.48	2.32	1.97	2.21
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.97	3.44	4.39	2.88	2.59	2.92
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.75	5.00	5.92	3.99	3.57	4.36

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02024300</b>	<b>02024500</b>	<b>02024752</b>	<b>02024915</b>	<b>02025000</b>	<b>02025500</b>
Count	number	60.0	240	30.0	150	420	2,430
Max	ft <sup>3</sup> /s	1,040	13,600	40,600	217	1,950	96,700
Min	ft <sup>3</sup> /s	62.0	410	2,670	24.0	41.0	989
Median	ft <sup>3</sup> /s	84.0	1,085	4,900	54.0	121	3,820
Arithmetic Mean	ft <sup>3</sup> /s	116	1,460	7,712	66.7	160	5,967
Geometric Mean	ft <sup>3</sup> /s	96.4	--	5,952	57.5	--	--
Harmonic Mean	ft <sup>3</sup> /s	89.4	949	5,073	50.9	110	3,596
Standard Deviation	ft <sup>3</sup> /s	133	1,415	7,685	41.1	151	6,481
5th percentile	ft <sup>3</sup> /s	62.1	481	2,698	26.0	54.1	1,770
10th percentile	ft <sup>3</sup> /s	64.0	530	3,023	30.9	60.0	2,049
20th percentile	ft <sup>3</sup> /s	71.8	619	3,854	36.8	78.0	2,440
30th percentile	ft <sup>3</sup> /s	75.0	741	3,991	42.0	92.7	2,800
40th percentile	ft <sup>3</sup> /s	80.6	870	4,600	49.0	105	3,260
50th percentile	ft <sup>3</sup> /s	84.0	1,085	4,900	54.0	121	3,820
60th percentile	ft <sup>3</sup> /s	95.0	1,276	5,634	60.4	140	4,644
70th percentile	ft <sup>3</sup> /s	108	1,440	7,241	72.3	164	5,900
80th percentile	ft <sup>3</sup> /s	120	1,840	8,512	91.4	200	7,836
90th percentile	ft <sup>3</sup> /s	140	2,844	13,320	118	276	12,200
Drainage area	mi <sup>2</sup>	123	837	3076	27.1	94.6	3256
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.46	16.2	13.2	8.01	20.6	29.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.504	0.490	0.868	0.886	0.433	0.304
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.683	1.30	1.59	1.99	1.28	1.17
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.940	1.74	2.51	2.46	1.69	1.83
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.783	--	1.93	2.12	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.727	1.13	1.65	1.88	1.16	1.10
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.69	2.50	1.52	1.59	1.99
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.504	0.575	0.877	0.959	0.571	0.544
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.520	0.633	0.983	1.14	0.634	0.629
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.584	0.740	1.25	1.36	0.825	0.749
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.610	0.885	1.30	1.55	0.980	0.860
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.655	1.04	1.50	1.81	1.11	1.00
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.683	1.30	1.59	1.99	1.28	1.17
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.772	1.52	1.83	2.23	1.48	1.43
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.878	1.72	2.35	2.67	1.73	1.81
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.976	2.20	2.77	3.37	2.11	2.41
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	3.40	4.33	4.36	2.92	3.75

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>02024300</b>	<b>02024500</b>	<b>02024752</b>	<b>02024915</b>	<b>02025000</b>	<b>02025500</b>
Count	number	62.0	248	31.0	155	434	2,511
Max	ft <sup>3</sup> /s	105	13,600	5,360	218	1,170	55,600
Min	ft <sup>3</sup> /s	38.0	297	1,540	14.0	21.0	706
Median	ft <sup>3</sup> /s	59.5	650	2,440	40.0	93.0	2,940
Arithmetic Mean	ft <sup>3</sup> /s	62.5	1,061	2,845	46.3	122	4,275
Geometric Mean	ft <sup>3</sup> /s	60.9	--	2,648	41.0	--	--
Harmonic Mean	ft <sup>3</sup> /s	59.4	661	2,472	37.2	80.8	2,671
Standard Deviation	ft <sup>3</sup> /s	14.6	1,300	1,110	28.7	115	4,539
5th percentile	ft <sup>3</sup> /s	42.0	339	1,546	19.0	35.8	1,256
10th percentile	ft <sup>3</sup> /s	46.0	396	1,610	25.4	48.0	1,490
20th percentile	ft <sup>3</sup> /s	51.4	470	1,840	30.0	58.0	1,850
30th percentile	ft <sup>3</sup> /s	56.0	533	1,980	34.0	70.0	2,190
40th percentile	ft <sup>3</sup> /s	57.0	586	2,210	36.0	81.0	2,540
50th percentile	ft <sup>3</sup> /s	59.5	650	2,440	40.0	93.0	2,940
60th percentile	ft <sup>3</sup> /s	61.6	800	3,240	42.4	108	3,500
70th percentile	ft <sup>3</sup> /s	70.0	970	3,400	46.0	128	4,220
80th percentile	ft <sup>3</sup> /s	74.0	1,200	3,790	54.0	153	5,540
90th percentile	ft <sup>3</sup> /s	80.0	1,723	4,400	68.6	213	8,000
Drainage area	mi <sup>2</sup>	123	837	3076	27.1	94.6	3256
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	0.854	16.2	1.74	8.04	12.4	17.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.309	0.355	0.501	0.517	0.222	0.217
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.484	0.777	0.793	1.48	0.983	0.903
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.508	1.27	0.925	1.71	1.29	1.31
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.495	--	0.861	1.51	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.483	0.789	0.804	1.37	0.854	0.820
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.119	1.55	0.361	1.06	1.22	1.39
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.341	0.405	0.503	0.701	0.378	0.386
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.374	0.474	0.523	0.937	0.507	0.458
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.418	0.562	0.598	1.11	0.613	0.568
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.455	0.637	0.644	1.25	0.740	0.673
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.463	0.700	0.718	1.33	0.856	0.780
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.484	0.777	0.793	1.48	0.983	0.903
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.501	0.956	1.05	1.56	1.14	1.07
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.569	1.16	1.11	1.70	1.35	1.30
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.602	1.43	1.23	1.99	1.62	1.70
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.650	2.06	1.43	2.53	2.25	2.46

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	02024300	02024500	02024752	02024915	02025000	02025500
Count	number	60.0	240	30.0	150	420	2,430
Max	ft <sup>3</sup> /s	68.0	14,000	3,730	332	808	118,000
Min	ft <sup>3</sup> /s	27.0	210	1,160	8.10	7.60	424
Median	ft <sup>3</sup> /s	36.5	543	1,455	29.0	50.5	1,730
Arithmetic Mean	ft <sup>3</sup> /s	39.4	961	1,781	47.0	76.2	2,904
Geometric Mean	ft <sup>3</sup> /s	38.3	--	1,670	33.9	--	--
Harmonic Mean	ft <sup>3</sup> /s	37.3	500	1,591	26.2	41.8	1,653
Standard Deviation	ft <sup>3</sup> /s	9.99	1,295	742	46.8	92.2	4,871
5th percentile	ft <sup>3</sup> /s	27.1	235	1,188	11.0	16.0	844
10th percentile	ft <sup>3</sup> /s	28.0	270	1,268	13.9	22.0	962
20th percentile	ft <sup>3</sup> /s	31.8	325	1,308	17.8	31.0	1,170
30th percentile	ft <sup>3</sup> /s	34.0	370	1,357	21.0	38.0	1,340
40th percentile	ft <sup>3</sup> /s	34.6	450	1,422	25.0	45.0	1,500
50th percentile	ft <sup>3</sup> /s	36.5	543	1,455	29.0	50.5	1,730
60th percentile	ft <sup>3</sup> /s	40.0	615	1,502	38.0	60.0	1,990
70th percentile	ft <sup>3</sup> /s	41.0	927	1,722	48.3	72.6	2,440
80th percentile	ft <sup>3</sup> /s	45.0	1,208	1,932	72.0	91.2	3,200
90th percentile	ft <sup>3</sup> /s	56.0	1,877	3,060	103	131	5,142
Drainage area	mi <sup>2</sup>	123	837	3076	27.1	94.6	3256
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	0.553	16.7	1.21	12.3	8.54	36.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.220	0.251	0.377	0.299	0.080	0.130
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.297	0.648	0.473	1.07	0.534	0.531
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.320	1.15	0.579	1.74	0.805	0.892
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.311	--	0.543	1.25	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.303	0.597	0.517	0.967	0.442	0.508
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.081	1.55	0.241	1.73	0.974	1.50
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.220	0.281	0.386	0.406	0.169	0.259
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.228	0.323	0.412	0.513	0.233	0.295
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.259	0.388	0.425	0.657	0.328	0.359
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.276	0.442	0.441	0.775	0.402	0.412
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.281	0.538	0.462	0.923	0.476	0.461
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.297	0.648	0.473	1.07	0.534	0.531
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.325	0.735	0.488	1.40	0.634	0.611
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.333	1.11	0.560	1.78	0.767	0.749
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.366	1.44	0.628	2.66	0.964	0.983
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.455	2.24	0.995	3.81	1.38	1.58

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>02024300</b>	<b>02024500</b>	<b>02024752</b>	<b>02024915</b>	<b>02025000</b>	<b>02025500</b>
Count	number	62.0	248	31.0	155	434	2,511
Max	ft <sup>3</sup> /s	58.0	14,800	1,940	441	1,040	26,800
Min	ft <sup>3</sup> /s	23.0	118	956	8.50	4.00	223
Median	ft <sup>3</sup> /s	26.0	378	1,090	25.0	28.0	1,170
Arithmetic Mean	ft <sup>3</sup> /s	27.3	654	1,149	32.2	49.7	1,610
Geometric Mean	ft <sup>3</sup> /s	27.0	--	1,135	25.5	--	--
Harmonic Mean	ft <sup>3</sup> /s	26.7	321	1,124	21.8	22.9	1,110
Standard Deviation	ft <sup>3</sup> /s	5.18	1,174	196	39.1	90.0	1,813
5th percentile	ft <sup>3</sup> /s	23.0	140	963	9.90	9.00	585
10th percentile	ft <sup>3</sup> /s	23.0	159	987	12.4	12.0	690
20th percentile	ft <sup>3</sup> /s	24.0	195	1,020	16.0	15.0	820
30th percentile	ft <sup>3</sup> /s	25.0	255	1,050	18.0	20.0	936
40th percentile	ft <sup>3</sup> /s	26.0	310	1,060	21.0	25.0	1,050
50th percentile	ft <sup>3</sup> /s	26.0	378	1,090	25.0	28.0	1,170
60th percentile	ft <sup>3</sup> /s	27.0	455	1,120	29.0	35.0	1,340
70th percentile	ft <sup>3</sup> /s	28.0	600	1,160	33.0	41.0	1,560
80th percentile	ft <sup>3</sup> /s	29.0	824	1,240	40.0	52.0	1,870
90th percentile	ft <sup>3</sup> /s	31.8	1,158	1,330	50.2	85.0	2,590
Drainage area	mi <sup>2</sup>	123	837	3076	27.1	94.6	3256
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	0.472	17.7	0.631	16.3	11.0	8.23
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.187	0.141	0.311	0.314	0.042	0.068
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.211	0.451	0.354	0.923	0.296	0.359
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.222	0.781	0.373	1.19	0.525	0.494
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.219	--	0.369	0.941	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.217	0.383	0.365	0.805	0.242	0.341
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.042	1.40	0.064	1.44	0.951	0.557
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.187	0.167	0.313	0.365	0.095	0.180
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.187	0.190	0.321	0.458	0.127	0.212
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.195	0.233	0.332	0.590	0.159	0.252
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.203	0.305	0.341	0.664	0.211	0.287
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.211	0.370	0.345	0.775	0.264	0.322
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.211	0.451	0.354	0.923	0.296	0.359
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.220	0.544	0.364	1.07	0.370	0.412
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.228	0.717	0.377	1.22	0.433	0.479
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.236	0.984	0.403	1.48	0.550	0.574
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.259	1.38	0.432	1.85	0.899	0.795

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02024300</b>	<b>02024500</b>	<b>02024752</b>	<b>02024915</b>	<b>02025000</b>	<b>02025500</b>
Count	number	62.0	248	61.0	155	434	2,511
Max	ft <sup>3</sup> /s	43.0	10,300	2,660	81.0	3,100	98,800
Min	ft <sup>3</sup> /s	20.0	105	752	2.30	4.00	244
Median	ft <sup>3</sup> /s	23.0	298	898	13.0	20.0	1,000
Arithmetic Mean	ft <sup>3</sup> /s	23.7	639	935	16.5	60.8	1,774
Geometric Mean	ft <sup>3</sup> /s	23.4	--	916	12.5	--	--
Harmonic Mean	ft <sup>3</sup> /s	23.2	266	903	9.55	17.5	967
Standard Deviation	ft <sup>3</sup> /s	3.90	1,195	252	14.3	200	3,822
5th percentile	ft <sup>3</sup> /s	20.0	125	756	3.76	6.80	501
10th percentile	ft <sup>3</sup> /s	21.0	151	779	4.90	8.00	560
20th percentile	ft <sup>3</sup> /s	21.0	165	796	6.26	11.0	692
30th percentile	ft <sup>3</sup> /s	22.0	199	822	8.52	15.0	793
40th percentile	ft <sup>3</sup> /s	22.0	251	863	11.0	18.0	892
50th percentile	ft <sup>3</sup> /s	23.0	298	898	13.0	20.0	1,000
60th percentile	ft <sup>3</sup> /s	23.6	378	924	15.0	25.0	1,140
70th percentile	ft <sup>3</sup> /s	24.0	415	976	17.8	33.1	1,350
80th percentile	ft <sup>3</sup> /s	24.0	545	1,020	23.0	52.4	1,770
90th percentile	ft <sup>3</sup> /s	26.0	1,240	1,070	30.2	98.0	2,870
Drainage area	mi <sup>2</sup>	123	837	3076	27.1	94.6	3256
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	0.350	12.3	0.865	2.99	32.8	30.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.163	0.125	0.244	0.085	0.042	0.075
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.187	0.355	0.292	0.480	0.211	0.307
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.193	0.763	0.304	0.610	0.643	0.545
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.191	--	0.298	0.460	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.189	0.318	0.293	0.352	0.185	0.297
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	1.43	0.082	0.526	2.11	1.17
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.163	0.149	0.246	0.139	0.072	0.154
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	0.180	0.253	0.181	0.085	0.172
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	0.197	0.259	0.231	0.116	0.213
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.238	0.267	0.314	0.159	0.244
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.300	0.281	0.406	0.190	0.274
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.187	0.355	0.292	0.480	0.211	0.307
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.192	0.452	0.300	0.554	0.264	0.350
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.195	0.496	0.317	0.657	0.350	0.415
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.195	0.651	0.332	0.849	0.554	0.544
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.211	1.48	0.348	1.11	1.04	0.881



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02024300</b>	<b>02024500</b>	<b>02024752</b>	<b>02024915</b>	<b>02025000</b>	<b>02025500</b>
Count	number	60.0	240	60.0	150	420	2,430
Max	ft <sup>3</sup> /s	55.0	6,150	4,810	605	2,500	62,200
Min	ft <sup>3</sup> /s	20.0	105	600	1.60	2.60	280
Median	ft <sup>3</sup> /s	22.0	205	843	11.0	15.0	879
Arithmetic Mean	ft <sup>3</sup> /s	24.1	359	1,149	34.2	49.4	1,697
Geometric Mean	ft <sup>3</sup> /s	23.6	--	1,013	13.5	--	--
Harmonic Mean	ft <sup>3</sup> /s	23.3	206	940	7.30	11.3	856
Standard Deviation	ft <sup>3</sup> /s	5.61	539	777	68.2	156	3,452
5th percentile	ft <sup>3</sup> /s	21.0	105	695	2.26	3.51	438
10th percentile	ft <sup>3</sup> /s	21.0	110	738	3.00	4.40	512
20th percentile	ft <sup>3</sup> /s	21.0	141	756	4.18	7.60	613
30th percentile	ft <sup>3</sup> /s	21.0	159	796	5.77	10.0	700
40th percentile	ft <sup>3</sup> /s	21.6	179	822	9.22	12.0	781
50th percentile	ft <sup>3</sup> /s	22.0	205	843	11.0	15.0	879
60th percentile	ft <sup>3</sup> /s	23.0	250	902	16.4	25.0	985
70th percentile	ft <sup>3</sup> /s	23.0	331	1,003	21.6	35.0	1,180
80th percentile	ft <sup>3</sup> /s	24.4	450	1,188	35.4	50.0	1,590
90th percentile	ft <sup>3</sup> /s	30.0	546	2,030	98.7	93.2	2,881
Drainage area	mi <sup>2</sup>	123	837	3076	27.1	94.6	3256
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	0.447	7.35	1.56	22.3	26.4	19.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.163	0.125	0.195	0.059	0.027	0.086
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.245	0.274	0.406	0.159	0.270
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.196	0.429	0.373	1.26	0.522	0.521
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.192	--	0.329	0.497	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.189	0.246	0.305	0.269	0.120	0.263
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.046	0.644	0.253	2.52	1.65	1.06
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	0.125	0.226	0.083	0.037	0.135
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	0.131	0.240	0.111	0.047	0.157
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	0.169	0.246	0.154	0.080	0.188
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	0.189	0.259	0.213	0.106	0.215
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.176	0.214	0.267	0.340	0.127	0.240
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.245	0.274	0.406	0.159	0.270
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.187	0.299	0.293	0.605	0.264	0.303
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.187	0.395	0.326	0.797	0.370	0.362
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.198	0.538	0.386	1.31	0.529	0.488
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.244	0.652	0.660	3.64	0.985	0.885

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02024300</b>	<b>02024500</b>	<b>02024752</b>	<b>02024915</b>	<b>02025000</b>	<b>02025500</b>
Count	number	62.0	217	62.0	154	434	2,511
Max	ft <sup>3</sup> /s	93.0	8,900	17,400	351	5,120	52,100
Min	ft <sup>3</sup> /s	20.0	110	496	1.10	3.00	266
Median	ft <sup>3</sup> /s	23.5	208	1,575	31.0	26.0	919
Arithmetic Mean	ft <sup>3</sup> /s	25.8	456	2,709	36.9	58.0	1,984
Geometric Mean	ft <sup>3</sup> /s	24.8	--	1,615	21.8	--	--
Harmonic Mean	ft <sup>3</sup> /s	24.2	231	1,117	7.98	18.0	945
Standard Deviation	ft <sup>3</sup> /s	10.5	914	3,330	39.4	266	3,655
5th percentile	ft <sup>3</sup> /s	20.2	141	569	1.40	6.40	475
10th percentile	ft <sup>3</sup> /s	21.0	157	595	1.70	9.80	560
20th percentile	ft <sup>3</sup> /s	21.0	160	616	11.6	12.0	654
30th percentile	ft <sup>3</sup> /s	22.0	169	653	26.0	15.0	735
40th percentile	ft <sup>3</sup> /s	22.0	179	897	28.2	22.0	810
50th percentile	ft <sup>3</sup> /s	23.5	208	1,575	31.0	26.0	919
60th percentile	ft <sup>3</sup> /s	24.0	298	1,982	35.8	29.0	1,110
70th percentile	ft <sup>3</sup> /s	25.0	326	2,697	40.0	37.0	1,470
80th percentile	ft <sup>3</sup> /s	26.8	393	3,898	47.0	47.4	2,070
90th percentile	ft <sup>3</sup> /s	31.0	638	5,763	62.4	84.2	3,570
Drainage area	mi <sup>2</sup>	123	837	3076	27.1	94.6	3256
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	0.756	10.6	5.66	13.0	54.1	16.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.163	0.131	0.161	0.041	0.032	0.082
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.191	0.249	0.512	1.14	0.275	0.282
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.210	0.545	0.881	1.36	0.613	0.609
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.202	--	0.525	0.805	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.197	0.276	0.363	0.294	0.190	0.290
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.085	1.09	1.08	1.46	2.81	1.12
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.164	0.169	0.185	0.052	0.068	0.146
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	0.187	0.193	0.063	0.104	0.172
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	0.191	0.200	0.428	0.127	0.201
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.202	0.212	0.959	0.159	0.226
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.214	0.292	1.04	0.233	0.249
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.191	0.249	0.512	1.14	0.275	0.282
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.195	0.356	0.644	1.32	0.307	0.341
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.203	0.389	0.877	1.48	0.391	0.451
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.218	0.470	1.27	1.73	0.501	0.636
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.252	0.762	1.87	2.30	0.890	1.10

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02024300</b>	<b>02024500</b>	<b>02024752</b>	<b>02024915</b>	<b>02025000</b>	<b>02025500</b>
Count	number	60.0	210	53.0	168	420	2,425
Max	ft <sup>3</sup> /s	753	9,560	41,000	994	1,520	180,000
Min	ft <sup>3</sup> /s	21.0	132	702	5.90	10.0	410
Median	ft <sup>3</sup> /s	36.0	280	2,880	40.0	30.0	1,340
Arithmetic Mean	ft <sup>3</sup> /s	64.9	434	4,341	64.3	68.0	2,638
Geometric Mean	ft <sup>3</sup> /s	44.7	--	2,378	37.5	--	--
Harmonic Mean	ft <sup>3</sup> /s	38.1	263	1,535	23.0	27.4	1,211
Standard Deviation	ft <sup>3</sup> /s	106	761	6,438	98.6	144	5,487
5th percentile	ft <sup>3</sup> /s	23.1	145	733	7.09	12.0	572
10th percentile	ft <sup>3</sup> /s	26.0	162	747	7.40	14.0	641
20th percentile	ft <sup>3</sup> /s	26.8	179	779	17.0	18.0	764
30th percentile	ft <sup>3</sup> /s	28.0	217	873	22.2	21.0	874
40th percentile	ft <sup>3</sup> /s	31.6	251	1,056	32.8	25.0	1,080
50th percentile	ft <sup>3</sup> /s	36.0	280	2,880	40.0	30.0	1,340
60th percentile	ft <sup>3</sup> /s	46.8	300	3,676	50.2	40.0	1,680
70th percentile	ft <sup>3</sup> /s	55.9	314	4,176	68.6	58.0	2,188
80th percentile	ft <sup>3</sup> /s	64.4	456	5,400	85.4	77.0	3,200
90th percentile	ft <sup>3</sup> /s	83.5	840	7,980	119	120	5,500
Drainage area	mi <sup>2</sup>	123	837	3076	27.1	94.6	3256
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.12	11.4	13.3	36.7	16.1	55.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	0.158	0.228	0.218	0.106	0.126
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.293	0.335	0.936	1.48	0.317	0.412
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.527	0.518	1.41	2.37	0.719	0.810
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.363	--	0.773	1.38	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.310	0.314	0.499	0.850	0.289	0.372
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.860	0.909	2.09	3.64	1.52	1.69
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.187	0.173	0.238	0.262	0.127	0.176
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.211	0.194	0.243	0.273	0.148	0.197
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.218	0.214	0.253	0.627	0.190	0.235
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.228	0.259	0.284	0.819	0.222	0.268
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.257	0.300	0.343	1.21	0.264	0.332
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.293	0.335	0.936	1.48	0.317	0.412
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.380	0.358	1.20	1.85	0.423	0.516
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.454	0.375	1.36	2.53	0.613	0.672
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.524	0.545	1.76	3.15	0.814	0.983
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.679	1.00	2.59	4.40	1.27	1.69

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02024300</b>	<b>02024500</b>	<b>02024752</b>	<b>02024915</b>	<b>02025000</b>	<b>02025500</b>
Count	number	62.0	217	31.0	155	434	2,480
Max	ft <sup>3</sup> /s	100	24,100	10,800	312	4,000	62,900
Min	ft <sup>3</sup> /s	23.0	142	1,370	11.0	8.50	452
Median	ft <sup>3</sup> /s	36.0	415	1,930	58.0	65.5	2,250
Arithmetic Mean	ft <sup>3</sup> /s	37.1	1,009	3,503	66.3	124	3,612
Geometric Mean	ft <sup>3</sup> /s	35.7	--	2,755	55.5	--	--
Harmonic Mean	ft <sup>3</sup> /s	34.6	386	2,315	45.8	41.3	1,708
Standard Deviation	ft <sup>3</sup> /s	12.2	2,381	2,744	46.1	276	4,891
5th percentile	ft <sup>3</sup> /s	24.0	169	1,388	14.0	12.0	636
10th percentile	ft <sup>3</sup> /s	27.1	212	1,510	31.4	15.0	764
20th percentile	ft <sup>3</sup> /s	29.0	250	1,630	38.0	25.0	1,080
30th percentile	ft <sup>3</sup> /s	30.3	290	1,680	44.0	43.9	1,420
40th percentile	ft <sup>3</sup> /s	33.0	350	1,780	50.6	53.2	1,810
50th percentile	ft <sup>3</sup> /s	36.0	415	1,930	58.0	65.5	2,250
60th percentile	ft <sup>3</sup> /s	37.0	540	2,560	64.0	78.0	2,750
70th percentile	ft <sup>3</sup> /s	39.7	720	3,060	70.8	96.4	3,500
80th percentile	ft <sup>3</sup> /s	40.0	920	6,290	80.4	133	4,630
90th percentile	ft <sup>3</sup> /s	47.9	1,770	8,060	105	209	7,411
Drainage area	mi <sup>2</sup>	123	837	3076	27.1	94.6	3256
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	0.813	28.8	3.51	11.5	42.3	19.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.187	0.170	0.445	0.406	0.090	0.139
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.293	0.496	0.627	2.14	0.692	0.691
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.302	1.21	1.14	2.45	1.32	1.11
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.290	--	0.896	2.05	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.281	0.461	0.752	1.69	0.436	0.525
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.099	2.84	0.892	1.70	2.92	1.50
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.195	0.202	0.451	0.517	0.127	0.195
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.220	0.253	0.491	1.16	0.159	0.235
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.236	0.299	0.530	1.40	0.264	0.332
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.246	0.346	0.546	1.62	0.464	0.436
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.268	0.418	0.579	1.87	0.562	0.556
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.293	0.496	0.627	2.14	0.692	0.691
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.301	0.645	0.832	2.36	0.825	0.845
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.323	0.860	0.995	2.61	1.02	1.07
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.325	1.10	2.04	2.97	1.41	1.42
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.389	2.11	2.62	3.86	2.21	2.28

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>02026000</b>	<b>02026500</b>	<b>02027000</b>	<b>02027500</b>	<b>02027800</b>	<b>02028000</b>
Count	number	2,542	341	2,139	1,798	1,085	620
Max	ft <sup>3</sup> /s	79,000	1,540	4,360	2,650	4,850	4,050
Min	ft <sup>3</sup> /s	599	14.0	12.0	6.00	35.0	90.0
Median	ft <sup>3</sup> /s	3,640	110	137	81.0	145	442
Arithmetic Mean	ft <sup>3</sup> /s	5,421	193	191	114	197	561
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	2,820	83.5	98.3	57.4	125	349
Standard Deviation	ft <sup>3</sup> /s	5,993	221	222	135	222	431
5th percentile	ft <sup>3</sup> /s	982	24.1	33.0	21.0	50.0	140
10th percentile	ft <sup>3</sup> /s	1,340	36.0	50.8	32.0	73.4	182
20th percentile	ft <sup>3</sup> /s	1,952	72.0	80.0	47.0	93.8	240
30th percentile	ft <sup>3</sup> /s	2,560	81.0	97.0	56.0	109	290
40th percentile	ft <sup>3</sup> /s	3,140	98.0	118	67.0	122	367
50th percentile	ft <sup>3</sup> /s	3,640	110	137	81.0	145	442
60th percentile	ft <sup>3</sup> /s	4,420	135	163	98.0	166	521
70th percentile	ft <sup>3</sup> /s	5,470	196	197	121	199	647
80th percentile	ft <sup>3</sup> /s	7,266	266	253	159	261	794
90th percentile	ft <sup>3</sup> /s	11,000	444	371	227	355	1,110
Drainage area	mi <sup>2</sup>	3649	69	93	47.7	148	355
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.6	22.3	46.9	55.6	32.8	11.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.164	0.203	0.129	0.126	0.236	0.254
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.998	1.59	1.47	1.70	0.980	1.25
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	2.80	2.05	2.39	1.33	1.58
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.773	1.21	1.06	1.20	0.844	0.982
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.64	3.20	2.38	2.83	1.50	1.21
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.269	0.349	0.355	0.439	0.338	0.395
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.367	0.522	0.546	0.671	0.496	0.513
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.535	1.04	0.860	0.985	0.634	0.676
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.702	1.17	1.04	1.17	0.736	0.817
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.861	1.42	1.27	1.40	0.824	1.03
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.998	1.59	1.47	1.70	0.980	1.25
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.96	1.75	2.05	1.12	1.47
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.50	2.84	2.11	2.54	1.34	1.82
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.99	3.86	2.72	3.33	1.76	2.24
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.01	6.43	3.99	4.76	2.40	3.13

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>02026000</b>	<b>02026500</b>	<b>02027000</b>	<b>02027500</b>	<b>02027800</b>	<b>02028000</b>
Count	number	2,316	311	1,949	1,638	988	565
Max	ft <sup>3</sup> /s	73,400	1,680	2,030	1,380	3,560	3,400
Min	ft <sup>3</sup> /s	470	14.0	20.0	12.0	40.0	133
Median	ft <sup>3</sup> /s	4,720	120	161	92.0	177	545
Arithmetic Mean	ft <sup>3</sup> /s	6,422	152	213	124	233	648
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	3,563	75.1	130	76.8	156	447
Standard Deviation	ft <sup>3</sup> /s	6,255	148	205	120	252	463
5th percentile	ft <sup>3</sup> /s	1,290	20.0	57.0	33.0	76.5	211
10th percentile	ft <sup>3</sup> /s	1,760	26.0	70.0	41.0	87.0	248
20th percentile	ft <sup>3</sup> /s	2,560	70.0	94.0	54.0	110	299
30th percentile	ft <sup>3</sup> /s	3,250	83.0	114	66.0	138	351
40th percentile	ft <sup>3</sup> /s	3,880	100	135	77.8	161	450
50th percentile	ft <sup>3</sup> /s	4,720	120	161	92.0	177	545
60th percentile	ft <sup>3</sup> /s	5,720	145	191	112	200	637
70th percentile	ft <sup>3</sup> /s	6,840	172	228	132	228	720
80th percentile	ft <sup>3</sup> /s	8,580	210	276	165	274	857
90th percentile	ft <sup>3</sup> /s	12,400	280	371	221	392	1,150
Drainage area	mi <sup>2</sup>	3649	69	93	47.7	148	355
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	20.1	24.3	21.8	28.9	24.1	9.58
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.129	0.203	0.215	0.252	0.270	0.375
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.74	1.73	1.93	1.20	1.54
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.76	2.20	2.29	2.61	1.57	1.83
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.976	1.09	1.39	1.61	1.06	1.26
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	2.15	2.20	2.53	1.70	1.30
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.354	0.290	0.613	0.692	0.517	0.594
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.482	0.377	0.753	0.860	0.588	0.699
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.702	1.01	1.01	1.13	0.743	0.842
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.891	1.20	1.23	1.38	0.932	0.988
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.45	1.45	1.63	1.09	1.27
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.74	1.73	1.93	1.20	1.54
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	2.10	2.05	2.35	1.35	1.80
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.87	2.49	2.45	2.77	1.54	2.03
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.35	3.04	2.97	3.46	1.85	2.41
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.40	4.06	3.99	4.63	2.65	3.24

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02026000</b>	<b>02026500</b>	<b>02027000</b>	<b>02027500</b>	<b>02027800</b>	<b>02028000</b>
Count	number	2,542	341	2,139	1,798	1,085	620
Max	ft <sup>3</sup> /s	106,000	2,220	3,500	1,720	6,200	11,300
Min	ft <sup>3</sup> /s	882	20.0	26.0	20.0	58.0	188
Median	ft <sup>3</sup> /s	5,600	134	192	118	197	579
Arithmetic Mean	ft <sup>3</sup> /s	7,912	204	255	153	282	735
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	4,763	130	169	101	186	526
Standard Deviation	ft <sup>3</sup> /s	7,502	206	225	128	334	666
5th percentile	ft <sup>3</sup> /s	1,950	65.2	77.0	45.0	88.0	264
10th percentile	ft <sup>3</sup> /s	2,500	81.0	94.0	54.7	114	310
20th percentile	ft <sup>3</sup> /s	3,450	94.0	122	73.0	140	376
30th percentile	ft <sup>3</sup> /s	4,070	103	142	86.0	157	434
40th percentile	ft <sup>3</sup> /s	4,770	116	165	100	171	503
50th percentile	ft <sup>3</sup> /s	5,600	134	192	118	197	579
60th percentile	ft <sup>3</sup> /s	6,640	169	225	139	233	666
70th percentile	ft <sup>3</sup> /s	8,197	210	269	165	274	756
80th percentile	ft <sup>3</sup> /s	10,800	269	336	204	350	954
90th percentile	ft <sup>3</sup> /s	15,700	400	469	276	477	1,272
Drainage area	mi <sup>2</sup>	3649	69	93	47.7	148	355
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	29.0	32.2	37.6	36.1	41.9	31.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.242	0.290	0.280	0.419	0.392	0.530
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	1.94	2.06	2.47	1.33	1.63
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.17	2.96	2.74	3.21	1.90	2.07
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	1.88	1.82	2.11	1.26	1.48
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.06	2.98	2.42	2.69	2.26	1.88
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.534	0.945	0.828	0.943	0.595	0.744
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.685	1.17	1.01	1.15	0.770	0.873
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.945	1.36	1.31	1.53	0.946	1.06
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	1.49	1.53	1.80	1.06	1.22
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	1.68	1.77	2.10	1.16	1.42
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	1.94	2.06	2.47	1.33	1.63
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.82	2.45	2.42	2.92	1.58	1.88
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.25	3.04	2.89	3.46	1.85	2.13
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.96	3.90	3.61	4.28	2.36	2.69
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.30	5.80	5.04	5.79	3.22	3.58

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02026000</b>	<b>02026500</b>	<b>02027000</b>	<b>02027500</b>	<b>02027800</b>	<b>02028000</b>
Count	number	2,490	300	2,070	1,740	1,050	630
Max	ft <sup>3</sup> /s	107,000	1,610	3,500	2,130	3,420	8,090
Min	ft <sup>3</sup> /s	910	60.0	47.0	29.0	59.0	173
Median	ft <sup>3</sup> /s	4,570	165	169	102	178	588
Arithmetic Mean	ft <sup>3</sup> /s	6,744	243	234	142	240	719
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	4,193	153	153	91.7	163	521
Standard Deviation	ft <sup>3</sup> /s	6,845	220	219	139	261	545
5th percentile	ft <sup>3</sup> /s	2,016	76.1	73.0	43.0	87.0	272
10th percentile	ft <sup>3</sup> /s	2,350	85.9	86.0	50.0	95.9	305
20th percentile	ft <sup>3</sup> /s	2,860	100	106	62.0	114	369
30th percentile	ft <sup>3</sup> /s	3,397	114	127	75.0	132	435
40th percentile	ft <sup>3</sup> /s	3,930	133	146	88.0	150	505
50th percentile	ft <sup>3</sup> /s	4,570	165	169	102	178	588
60th percentile	ft <sup>3</sup> /s	5,600	199	200	121	206	675
70th percentile	ft <sup>3</sup> /s	6,973	254	244	148	240	774
80th percentile	ft <sup>3</sup> /s	8,850	339	311	190	300	943
90th percentile	ft <sup>3</sup> /s	13,300	487	446	273	413	1,281
Drainage area	mi <sup>2</sup>	3649	69	93	47.7	148	355
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	29.3	23.3	37.6	44.7	23.1	22.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.249	0.870	0.505	0.608	0.399	0.487
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	2.39	1.82	2.14	1.20	1.66
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.85	3.52	2.51	2.97	1.62	2.03
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	2.21	1.65	1.92	1.10	1.47
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.88	3.18	2.36	2.91	1.76	1.53
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.552	1.10	0.785	0.901	0.588	0.766
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.644	1.24	0.925	1.05	0.648	0.859
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.784	1.45	1.14	1.30	0.770	1.04
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.931	1.65	1.37	1.57	0.890	1.23
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.93	1.57	1.84	1.01	1.42
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	2.39	1.82	2.14	1.20	1.66
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	2.89	2.15	2.54	1.39	1.90
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.91	3.68	2.62	3.11	1.62	2.18
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.43	4.91	3.35	3.98	2.03	2.66
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.64	7.06	4.80	5.73	2.79	3.61



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	02026000	02026500	02027000	02027500	02027800	02028000
Count	number	2,573	310	2,139	1,798	1,085	651
Max	ft <sup>3</sup> /s	65,200	952	3,830	1,410	3,880	6,080
Min	ft <sup>3</sup> /s	633	35.0	29.0	20.0	37.0	125
Median	ft <sup>3</sup> /s	3,560	100	132	77.0	156	428
Arithmetic Mean	ft <sup>3</sup> /s	4,863	128	176	106	193	567
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	3,154	90.2	114	69.0	136	379
Standard Deviation	ft <sup>3</sup> /s	4,633	97.6	187	105	199	522
5th percentile	ft <sup>3</sup> /s	1,480	42.6	52.0	33.0	67.0	171
10th percentile	ft <sup>3</sup> /s	1,740	50.0	63.0	38.0	80.0	215
20th percentile	ft <sup>3</sup> /s	2,200	60.0	80.0	48.0	98.0	270
30th percentile	ft <sup>3</sup> /s	2,620	72.0	96.0	57.0	116	320
40th percentile	ft <sup>3</sup> /s	3,040	87.0	114	66.0	137	373
50th percentile	ft <sup>3</sup> /s	3,560	100	132	77.0	156	428
60th percentile	ft <sup>3</sup> /s	4,270	121	152	90.0	175	497
70th percentile	ft <sup>3</sup> /s	5,000	148	178	105	198	588
80th percentile	ft <sup>3</sup> /s	6,436	177	225	135	234	703
90th percentile	ft <sup>3</sup> /s	8,948	227	310	187	310	1,010
Drainage area	mi <sup>2</sup>	3649	69	93	47.7	148	355
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	17.9	13.8	41.2	29.6	26.2	17.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.173	0.507	0.312	0.419	0.250	0.352
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.976	1.45	1.42	1.61	1.05	1.21
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.33	1.86	1.89	2.21	1.31	1.60
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.864	1.31	1.23	1.45	0.918	1.07
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.27	1.41	2.01	2.20	1.35	1.47
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.406	0.617	0.559	0.691	0.453	0.482
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.477	0.725	0.677	0.797	0.541	0.606
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.603	0.870	0.860	1.01	0.662	0.761
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.718	1.04	1.03	1.19	0.784	0.901
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.833	1.26	1.23	1.38	0.926	1.05
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.976	1.45	1.42	1.61	1.05	1.21
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.75	1.63	1.89	1.18	1.40
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	2.15	1.91	2.20	1.34	1.66
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.76	2.57	2.42	2.83	1.58	1.98
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.45	3.29	3.33	3.92	2.09	2.85

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>02026000</b>	<b>02026500</b>	<b>02027000</b>	<b>02027500</b>	<b>02027800</b>	<b>02028000</b>
Count	number	2,490	300	2,070	1,740	1,050	630
Max	ft <sup>3</sup> /s	130,000	632	6,200	5,620	13,800	9,060
Min	ft <sup>3</sup> /s	478	19.0	7.10	7.40	17.0	67.0
Median	ft <sup>3</sup> /s	2,100	48.0	81.0	48.0	109	299
Arithmetic Mean	ft <sup>3</sup> /s	3,371	79.4	135	88.1	173	429
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1,974	49.4	65.5	39.6	85.6	271
Standard Deviation	ft <sup>3</sup> /s	5,186	78.8	252	209	569	536
5th percentile	ft <sup>3</sup> /s	971	26.1	26.0	16.0	35.6	123
10th percentile	ft <sup>3</sup> /s	1,120	28.0	34.0	20.0	47.0	151
20th percentile	ft <sup>3</sup> /s	1,390	34.0	47.0	27.0	61.0	200
30th percentile	ft <sup>3</sup> /s	1,620	40.0	58.0	33.0	77.0	235
40th percentile	ft <sup>3</sup> /s	1,840	43.0	69.0	39.0	95.0	266
50th percentile	ft <sup>3</sup> /s	2,100	48.0	81.0	48.0	109	299
60th percentile	ft <sup>3</sup> /s	2,440	57.0	97.4	60.0	121	340
70th percentile	ft <sup>3</sup> /s	3,033	74.0	120	74.0	137	408
80th percentile	ft <sup>3</sup> /s	3,912	108	155	100	165	513
90th percentile	ft <sup>3</sup> /s	5,990	174	247	160	230	741
Drainage area	mi <sup>2</sup>	3649	69	93	47.7	148	355
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	35.6	9.16	66.7	118	93.2	25.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.131	0.275	0.076	0.155	0.115	0.189
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.576	0.696	0.871	1.01	0.733	0.842
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.924	1.15	1.45	1.85	1.17	1.21
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.541	0.716	0.705	0.830	0.578	0.763
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.42	1.14	2.71	4.39	3.84	1.51
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.266	0.378	0.280	0.335	0.240	0.345
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.307	0.406	0.366	0.419	0.318	0.425
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.381	0.493	0.505	0.566	0.412	0.563
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.444	0.580	0.624	0.692	0.520	0.662
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.504	0.623	0.742	0.818	0.642	0.748
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.576	0.696	0.871	1.01	0.733	0.842
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.669	0.826	1.05	1.26	0.818	0.959
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.831	1.07	1.29	1.55	0.926	1.15
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	1.57	1.67	2.10	1.11	1.45
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.64	2.52	2.66	3.35	1.56	2.09

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	02026000	02026500	02027000	02027500	02027800	02028000
Count	number	2,573	310	2,139	1,798	1,085	651
Max	ft <sup>3</sup> /s	30,100	724	1,650	830	2,960	2,400
Min	ft <sup>3</sup> /s	280	5.00	3.40	4.30	7.80	34.0
Median	ft <sup>3</sup> /s	1,490	42.0	50.0	26.0	75.0	206
Arithmetic Mean	ft <sup>3</sup> /s	1,966	58.0	77.6	40.2	99.9	278
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1,355	25.6	36.6	20.1	52.7	177
Standard Deviation	ft <sup>3</sup> /s	1,947	69.8	102	55.4	131	261
5th percentile	ft <sup>3</sup> /s	683	8.00	13.0	7.60	18.0	80.6
10th percentile	ft <sup>3</sup> /s	845	11.9	19.0	9.50	24.0	102
20th percentile	ft <sup>3</sup> /s	1,004	17.0	27.0	14.0	39.0	132
30th percentile	ft <sup>3</sup> /s	1,160	21.0	35.0	18.0	52.0	158
40th percentile	ft <sup>3</sup> /s	1,320	29.2	43.0	22.0	64.0	181
50th percentile	ft <sup>3</sup> /s	1,490	42.0	50.0	26.0	75.0	206
60th percentile	ft <sup>3</sup> /s	1,700	54.0	60.0	30.0	87.0	233
70th percentile	ft <sup>3</sup> /s	1,940	64.6	72.0	37.0	100	266
80th percentile	ft <sup>3</sup> /s	2,380	81.4	92.0	48.0	121	334
90th percentile	ft <sup>3</sup> /s	3,296	108	151	74.3	180	505
Drainage area	mi <sup>2</sup>	3649	69	93	47.7	148	355
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.25	10.5	17.7	17.4	20.0	6.76
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.077	0.072	0.037	0.090	0.053	0.096
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.408	0.609	0.538	0.545	0.507	0.580
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.539	0.841	0.835	0.842	0.675	0.783
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.371	0.371	0.393	0.421	0.356	0.497
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.534	1.01	1.10	1.16	0.888	0.734
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.187	0.116	0.140	0.159	0.122	0.227
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.232	0.172	0.204	0.199	0.162	0.287
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.275	0.246	0.290	0.294	0.264	0.372
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.318	0.304	0.376	0.377	0.351	0.445
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.362	0.423	0.462	0.461	0.432	0.510
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.408	0.609	0.538	0.545	0.507	0.580
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.466	0.783	0.645	0.629	0.588	0.656
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.532	0.936	0.774	0.776	0.676	0.749
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.652	1.18	0.989	1.01	0.818	0.941
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.903	1.57	1.63	1.56	1.22	1.42

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02026000</b>	<b>02026500</b>	<b>02027000</b>	<b>02027500</b>	<b>02027800</b>	<b>02028000</b>
Count	number	2,573	310	2,139	1,798	1,116	651
Max	ft <sup>3</sup> /s	90,200	1,220	32,600	25,000	22,500	21,300
Min	ft <sup>3</sup> /s	268	3.00	0.530	0.990	5.70	38.0
Median	ft <sup>3</sup> /s	1,270	32.0	34.0	16.0	51.0	160
Arithmetic Mean	ft <sup>3</sup> /s	2,140	77.7	101	54.9	104	380
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1,176	15.5	17.8	11.1	37.0	137
Standard Deviation	ft <sup>3</sup> /s	4,216	155	750	612	702	1,189
5th percentile	ft <sup>3</sup> /s	570	4.00	7.20	4.00	14.0	54.6
10th percentile	ft <sup>3</sup> /s	671	5.00	10.0	5.30	17.0	67.0
20th percentile	ft <sup>3</sup> /s	840	8.00	16.0	7.40	26.0	92.0
30th percentile	ft <sup>3</sup> /s	978	17.0	22.0	10.0	34.0	117
40th percentile	ft <sup>3</sup> /s	1,130	28.0	28.0	13.0	42.0	137
50th percentile	ft <sup>3</sup> /s	1,270	32.0	34.0	16.0	51.0	160
60th percentile	ft <sup>3</sup> /s	1,440	41.0	43.0	20.0	62.0	189
70th percentile	ft <sup>3</sup> /s	1,750	53.0	57.0	26.0	76.5	230
80th percentile	ft <sup>3</sup> /s	2,266	94.0	86.0	40.0	95.0	320
90th percentile	ft <sup>3</sup> /s	3,390	176	158	74.0	150	596
Drainage area	mi <sup>2</sup>	3649	69	93	47.7	148	355
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	24.7	17.7	351	524	152	60.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.073	0.043	0.006	0.021	0.039	0.107
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.348	0.464	0.366	0.335	0.345	0.451
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.586	1.13	1.08	1.15	0.703	1.07
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.322	0.225	0.192	0.232	0.250	0.387
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	2.24	8.07	12.8	4.74	3.35
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.156	0.058	0.077	0.084	0.095	0.154
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.184	0.072	0.108	0.111	0.115	0.189
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.230	0.116	0.172	0.155	0.176	0.259
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.268	0.246	0.237	0.210	0.230	0.330
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.310	0.406	0.301	0.273	0.284	0.386
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.348	0.464	0.366	0.335	0.345	0.451
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.395	0.594	0.462	0.419	0.419	0.532
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.480	0.768	0.613	0.545	0.517	0.648
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.621	1.36	0.925	0.839	0.642	0.901
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.929	2.55	1.70	1.55	1.01	1.68

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02026000</b>	<b>02026500</b>	<b>02027000</b>	<b>02027500</b>	<b>02027800</b>	<b>02028000</b>
Count	number	2,490	300	2,070	1,740	1,080	630
Max	ft <sup>3</sup> /s	70,000	2,190	7,180	6,310	5,040	17,100
Min	ft <sup>3</sup> /s	240	2.00	0.550	0.310	3.20	26.0
Median	ft <sup>3</sup> /s	1,110	29.5	33.0	16.0	46.0	147
Arithmetic Mean	ft <sup>3</sup> /s	2,089	87.9	99.7	54.3	97.5	306
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1,056	12.5	16.9	9.79	31.3	113
Standard Deviation	ft <sup>3</sup> /s	4,070	210	305	198	233	830
5th percentile	ft <sup>3</sup> /s	520	3.00	5.90	3.21	12.0	40.0
10th percentile	ft <sup>3</sup> /s	632	4.00	9.00	4.40	17.0	51.0
20th percentile	ft <sup>3</sup> /s	754	8.00	13.0	6.58	25.0	72.0
30th percentile	ft <sup>3</sup> /s	870	14.0	19.0	8.87	31.0	94.0
40th percentile	ft <sup>3</sup> /s	983	21.0	25.0	12.0	38.0	117
50th percentile	ft <sup>3</sup> /s	1,110	29.5	33.0	16.0	46.0	147
60th percentile	ft <sup>3</sup> /s	1,280	42.0	47.0	22.0	55.0	187
70th percentile	ft <sup>3</sup> /s	1,513	59.0	68.0	35.0	71.3	251
80th percentile	ft <sup>3</sup> /s	2,020	100	103	55.0	97.0	334
90th percentile	ft <sup>3</sup> /s	3,500	176	185	108	160	563
Drainage area	mi <sup>2</sup>	3649	69	93	47.7	148	355
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	19.2	31.7	77.2	132	34.1	48.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.066	0.029	0.006	0.006	0.022	0.073
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.304	0.428	0.355	0.335	0.311	0.414
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.573	1.27	1.07	1.14	0.659	0.863
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.289	0.181	0.182	0.205	0.212	0.317
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	3.04	3.28	4.15	1.58	2.34
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.143	0.043	0.063	0.067	0.081	0.113
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.173	0.058	0.097	0.092	0.115	0.144
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.207	0.116	0.140	0.138	0.169	0.203
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.238	0.203	0.204	0.186	0.209	0.265
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.269	0.304	0.269	0.252	0.257	0.330
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.304	0.428	0.355	0.335	0.311	0.414
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.351	0.609	0.505	0.461	0.372	0.527
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.415	0.855	0.731	0.734	0.482	0.707
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.554	1.46	1.11	1.15	0.655	0.941
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.959	2.55	1.99	2.26	1.08	1.59

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02026000</b>	<b>02026500</b>	<b>02027000</b>	<b>02027500</b>	<b>02027800</b>	<b>02028000</b>
Count	number	2,573	341	2,170	1,829	1,085	620
Max	ft <sup>3</sup> /s	60,100	2,770	5,760	2,350	8,420	21,000
Min	ft <sup>3</sup> /s	222	3.00	0.730	1.30	10.0	26.0
Median	ft <sup>3</sup> /s	1,170	41.0	42.0	24.0	57.0	182
Arithmetic Mean	ft <sup>3</sup> /s	2,345	125	105	65.2	134	317
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1,148	22.5	25.0	14.3	46.7	129
Standard Deviation	ft <sup>3</sup> /s	4,019	277	235	140	387	988
5th percentile	ft <sup>3</sup> /s	568	5.00	8.60	4.60	18.0	43.0
10th percentile	ft <sup>3</sup> /s	663	11.0	12.0	6.00	21.4	62.0
20th percentile	ft <sup>3</sup> /s	794	15.0	19.0	8.80	31.0	86.0
30th percentile	ft <sup>3</sup> /s	902	23.0	25.0	13.0	37.0	114
40th percentile	ft <sup>3</sup> /s	1,020	32.0	33.0	18.0	47.0	141
50th percentile	ft <sup>3</sup> /s	1,170	41.0	42.0	24.0	57.0	182
60th percentile	ft <sup>3</sup> /s	1,380	55.0	57.0	34.0	68.0	218
70th percentile	ft <sup>3</sup> /s	1,890	85.0	86.0	51.0	83.0	251
80th percentile	ft <sup>3</sup> /s	2,600	119	134	84.0	142	335
90th percentile	ft <sup>3</sup> /s	4,338	292	228	143	254	571
Drainage area	mi <sup>2</sup>	3649	69	93	47.7	148	355
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	16.5	40.1	61.9	49.3	56.9	59.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.061	0.043	0.008	0.027	0.068	0.073
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.321	0.594	0.452	0.503	0.385	0.513
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.643	1.81	1.13	1.37	0.908	0.894
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.315	0.326	0.269	0.300	0.315	0.362
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	4.01	2.52	2.94	2.62	2.78
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.156	0.072	0.092	0.096	0.122	0.121
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.182	0.159	0.129	0.126	0.145	0.175
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.218	0.217	0.204	0.184	0.209	0.242
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.247	0.333	0.269	0.273	0.250	0.321
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.280	0.464	0.355	0.377	0.318	0.397
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.321	0.594	0.452	0.503	0.385	0.513
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.378	0.797	0.613	0.713	0.459	0.614
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.518	1.23	0.925	1.07	0.561	0.708
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.713	1.72	1.44	1.76	0.959	0.944
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	4.23	2.45	3.00	1.71	1.61

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02026000</b>	<b>02026500</b>	<b>02027000</b>	<b>02027500</b>	<b>02027800</b>	<b>02028000</b>
Count	number	2,485	330	2,095	1,765	1,050	600
Max	ft <sup>3</sup> /s	142,000	1,840	5,760	8,110	5,560	3,650
Min	ft <sup>3</sup> /s	410	6.00	9.00	5.60	20.0	63.0
Median	ft <sup>3</sup> /s	1,640	56.0	77.0	50.0	84.0	210
Arithmetic Mean	ft <sup>3</sup> /s	2,986	117	142	92.7	139	330
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1,462	33.4	52.8	29.4	73.6	185
Standard Deviation	ft <sup>3</sup> /s	5,166	188	272	250	275	361
5th percentile	ft <sup>3</sup> /s	693	10.0	17.0	8.60	31.0	81.0
10th percentile	ft <sup>3</sup> /s	789	17.0	23.0	13.0	42.0	97.8
20th percentile	ft <sup>3</sup> /s	929	21.0	33.0	18.0	51.8	117
30th percentile	ft <sup>3</sup> /s	1,080	26.0	44.0	25.0	60.0	150
40th percentile	ft <sup>3</sup> /s	1,300	37.0	57.0	38.0	67.0	176
50th percentile	ft <sup>3</sup> /s	1,640	56.0	77.0	50.0	84.0	210
60th percentile	ft <sup>3</sup> /s	2,050	82.2	100	66.0	104	258
70th percentile	ft <sup>3</sup> /s	2,690	108	132	86.0	130	333
80th percentile	ft <sup>3</sup> /s	3,862	162	179	120	160	469
90th percentile	ft <sup>3</sup> /s	6,290	280	298	185	236	675
Drainage area	mi <sup>2</sup>	3649	69	93	47.7	148	355
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	38.9	26.7	61.9	170	37.6	10.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.112	0.087	0.097	0.117	0.135	0.177
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.449	0.812	0.828	1.05	0.568	0.592
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.818	1.70	1.52	1.94	0.937	0.930
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.401	0.484	0.567	0.617	0.497	0.521
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.42	2.72	2.93	5.24	1.86	1.02
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.190	0.145	0.183	0.180	0.209	0.228
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.216	0.246	0.247	0.273	0.284	0.275
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.255	0.304	0.355	0.377	0.350	0.330
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.296	0.377	0.473	0.524	0.405	0.422
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.356	0.536	0.613	0.797	0.453	0.496
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.449	0.812	0.828	1.05	0.568	0.592
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.562	1.19	1.08	1.38	0.705	0.728
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.737	1.57	1.42	1.80	0.878	0.939
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	2.34	1.92	2.52	1.08	1.32
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.72	4.06	3.20	3.87	1.60	1.90

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02026000</b>	<b>02026500</b>	<b>02027000</b>	<b>02027500</b>	<b>02027800</b>	<b>02028000</b>
Count	number	2,542	341	2,139	1,798	1,085	620
Max	ft <sup>3</sup> /s	65,200	2,900	2,190	1,670	2,960	9,550
Min	ft <sup>3</sup> /s	376	7.00	13.0	5.90	33.0	60.0
Median	ft <sup>3</sup> /s	2,760	85.0	121	78.0	120	370
Arithmetic Mean	ft <sup>3</sup> /s	4,157	129	175	108	171	523
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	2,081	45.4	80.5	50.4	104	262
Standard Deviation	ft <sup>3</sup> /s	5,119	209	200	116	202	659
5th percentile	ft <sup>3</sup> /s	788	15.0	25.0	15.0	48.0	95.0
10th percentile	ft <sup>3</sup> /s	945	17.0	32.0	20.0	57.0	110
20th percentile	ft <sup>3</sup> /s	1,310	31.0	57.6	38.0	74.0	160
30th percentile	ft <sup>3</sup> /s	1,790	47.0	79.0	52.0	89.0	246
40th percentile	ft <sup>3</sup> /s	2,240	65.0	100	64.0	102	321
50th percentile	ft <sup>3</sup> /s	2,760	85.0	121	78.0	120	370
60th percentile	ft <sup>3</sup> /s	3,340	105	149	96.0	137	428
70th percentile	ft <sup>3</sup> /s	4,200	129	184	118	160	505
80th percentile	ft <sup>3</sup> /s	5,540	170	237	154	203	656
90th percentile	ft <sup>3</sup> /s	8,197	247	339	209	340	976
Drainage area	mi <sup>2</sup>	3649	69	93	47.7	148	355
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	17.9	42.0	23.5	35.0	20.0	26.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.103	0.101	0.140	0.124	0.223	0.169
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.756	1.23	1.30	1.64	0.811	1.04
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.87	1.88	2.27	1.15	1.47
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.570	0.659	0.865	1.06	0.704	0.737
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	3.03	2.15	2.44	1.37	1.86
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.216	0.217	0.269	0.314	0.324	0.268
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.259	0.246	0.344	0.419	0.385	0.310
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.359	0.449	0.619	0.797	0.500	0.452
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.491	0.681	0.849	1.09	0.601	0.692
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.614	0.942	1.08	1.34	0.689	0.903
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.756	1.23	1.30	1.64	0.811	1.04
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.915	1.52	1.60	2.01	0.926	1.21
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	1.87	1.97	2.47	1.08	1.42
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.52	2.46	2.55	3.23	1.37	1.85
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.25	3.58	3.65	4.38	2.29	2.75



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>02028500</b>	<b>02029000</b>	<b>02029500</b>	<b>02030000</b>	<b>02030500</b>	<b>02031000</b>
Count	number	1,984	2,573	372	2,108	2,170	1,147
Max	ft <sup>3</sup> /s	3,060	121,000	3,400	3,610	6,400	4,000
Min	ft <sup>3</sup> /s	12.0	804	8.00	14.0	30.0	11.0
Median	ft <sup>3</sup> /s	124	4,610	100	105	171	93.0
Arithmetic Mean	ft <sup>3</sup> /s	169	6,791	155	151	281	125
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	86.8	3,627	71.4	83.6	151	69.4
Standard Deviation	ft <sup>3</sup> /s	183	7,573	268	198	404	189
5th percentile	ft <sup>3</sup> /s	26.0	1,280	25.0	32.0	66.0	27.0
10th percentile	ft <sup>3</sup> /s	38.0	1,760	32.1	42.7	80.0	35.0
20th percentile	ft <sup>3</sup> /s	69.0	2,540	52.0	61.0	110	53.0
30th percentile	ft <sup>3</sup> /s	84.0	3,320	64.3	76.0	130	64.0
40th percentile	ft <sup>3</sup> /s	101	3,948	84.4	90.0	151	80.0
50th percentile	ft <sup>3</sup> /s	124	4,610	100	105	171	93.0
60th percentile	ft <sup>3</sup> /s	145	5,500	109	125	201	107
70th percentile	ft <sup>3</sup> /s	175	6,844	132	147	242	122
80th percentile	ft <sup>3</sup> /s	222	8,910	177	184	317	151
90th percentile	ft <sup>3</sup> /s	327	13,600	291	271	516	216
Drainage area	mi <sup>2</sup>	94.8	4581	104	116	226	95.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	32.3	26.4	32.7	31.1	28.3	42.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.127	0.176	0.077	0.121	0.133	0.115
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	1.01	0.962	0.905	0.757	0.976
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.78	1.48	1.49	1.30	1.24	1.31
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.916	0.792	0.687	0.720	0.668	0.728
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.93	1.65	2.57	1.71	1.79	1.98
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.274	0.279	0.240	0.276	0.292	0.283
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.401	0.384	0.309	0.368	0.354	0.367
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.728	0.554	0.500	0.526	0.487	0.556
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.886	0.725	0.618	0.655	0.575	0.672
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	0.862	0.812	0.776	0.668	0.839
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	1.01	0.962	0.905	0.757	0.976
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	1.20	1.05	1.08	0.889	1.12
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.85	1.49	1.27	1.27	1.07	1.28
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.34	1.94	1.70	1.58	1.40	1.58
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.45	2.97	2.80	2.34	2.28	2.27

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>02028500</b>	<b>02029000</b>	<b>02029500</b>	<b>02030000</b>	<b>02030500</b>	<b>02031000</b>
Count	number	1,808	2,344	339	1,920	1,974	1,045
Max	ft <sup>3</sup> /s	2,330	86,700	1,500	2,600	9,570	3,090
Min	ft <sup>3</sup> /s	16.0	830	15.0	16.0	30.0	12.0
Median	ft <sup>3</sup> /s	140	5,875	108	130	210	102
Arithmetic Mean	ft <sup>3</sup> /s	190	7,866	133	182	333	142
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	110	4,556	71.9	105	187	79.7
Standard Deviation	ft <sup>3</sup> /s	201	7,492	133	231	488	191
5th percentile	ft <sup>3</sup> /s	49.0	1,700	26.0	47.1	85.0	34.0
10th percentile	ft <sup>3</sup> /s	60.0	2,300	31.0	58.9	102	44.0
20th percentile	ft <sup>3</sup> /s	82.0	3,260	48.0	75.0	136	64.8
30th percentile	ft <sup>3</sup> /s	102	4,209	66.0	95.0	159	82.2
40th percentile	ft <sup>3</sup> /s	119	4,880	95.0	112	186	93.0
50th percentile	ft <sup>3</sup> /s	140	5,875	108	130	210	102
60th percentile	ft <sup>3</sup> /s	160	7,060	132	146	243	117
70th percentile	ft <sup>3</sup> /s	192	8,400	153	172	292	136
80th percentile	ft <sup>3</sup> /s	240	10,400	171	216	373	163
90th percentile	ft <sup>3</sup> /s	336	14,900	231	310	605	238
Drainage area	mi <sup>2</sup>	94.8	4581	104	116	226	95.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	24.6	18.9	14.4	22.4	42.3	32.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.169	0.181	0.144	0.138	0.133	0.126
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.48	1.28	1.04	1.12	0.929	1.07
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.00	1.72	1.28	1.57	1.48	1.49
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	0.995	0.691	0.905	0.827	0.836
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.12	1.64	1.28	1.99	2.16	2.00
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.517	0.371	0.250	0.406	0.376	0.357
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.633	0.502	0.298	0.508	0.451	0.462
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.865	0.712	0.462	0.647	0.602	0.680
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	0.919	0.635	0.819	0.704	0.863
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.07	0.913	0.966	0.823	0.976
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.48	1.28	1.04	1.12	0.929	1.07
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.69	1.54	1.27	1.26	1.08	1.23
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.03	1.83	1.47	1.48	1.29	1.42
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.53	2.27	1.64	1.86	1.65	1.71
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.55	3.25	2.22	2.67	2.68	2.50

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02028500</b>	<b>02029000</b>	<b>02029500</b>	<b>02030000</b>	<b>02030500</b>	<b>02031000</b>
Count	number	1,984	2,573	372	2,108	2,170	1,147
Max	ft <sup>3</sup> /s	3,110	99,400	2,510	3,580	6,580	3,220
Min	ft <sup>3</sup> /s	16.0	998	31.0	18.0	40.0	12.0
Median	ft <sup>3</sup> /s	168	6,660	112	141	224	114
Arithmetic Mean	ft <sup>3</sup> /s	238	9,455	159	210	371	159
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	149	5,851	101	124	209	98.1
Standard Deviation	ft <sup>3</sup> /s	226	8,769	207	263	522	193
5th percentile	ft <sup>3</sup> /s	64.0	2,560	42.7	58.0	101	43.0
10th percentile	ft <sup>3</sup> /s	81.0	3,190	59.2	74.0	123	57.0
20th percentile	ft <sup>3</sup> /s	110	4,220	78.0	94.0	150	71.0
30th percentile	ft <sup>3</sup> /s	128	4,920	88.3	110	170	87.0
40th percentile	ft <sup>3</sup> /s	146	5,720	100	126	196	100
50th percentile	ft <sup>3</sup> /s	168	6,660	112	141	224	114
60th percentile	ft <sup>3</sup> /s	199	7,964	126	163	257	129
70th percentile	ft <sup>3</sup> /s	247	9,616	142	196	309	152
80th percentile	ft <sup>3</sup> /s	319	12,600	171	250	410	193
90th percentile	ft <sup>3</sup> /s	452	18,700	260	368	700	285
Drainage area	mi <sup>2</sup>	94.8	4581	104	116	226	95.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	32.8	21.7	24.1	30.9	29.1	33.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.169	0.218	0.298	0.155	0.177	0.126
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.77	1.45	1.08	1.22	0.989	1.20
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.51	2.06	1.53	1.81	1.64	1.67
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	1.28	0.967	1.07	0.926	1.03
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.39	1.91	1.99	2.27	2.31	2.03
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.675	0.559	0.410	0.500	0.447	0.451
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.854	0.696	0.569	0.638	0.544	0.598
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	0.921	0.750	0.810	0.664	0.745
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	1.07	0.849	0.948	0.752	0.913
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.54	1.25	0.965	1.09	0.867	1.05
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.77	1.45	1.08	1.22	0.989	1.20
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.10	1.74	1.21	1.41	1.14	1.35
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.61	2.10	1.37	1.69	1.37	1.59
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.36	2.75	1.64	2.16	1.81	2.03
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.77	4.08	2.50	3.17	3.10	2.99

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02028500</b>	<b>02029000</b>	<b>02029500</b>	<b>02030000</b>	<b>02030500</b>	<b>02031000</b>
Count	number	1,950	2,490	390	2,040	2,130	1,110
Max	ft <sup>3</sup> /s	3,250	124,000	3,850	3,290	11,200	4,390
Min	ft <sup>3</sup> /s	36.0	1,370	20.0	22.0	61.0	20.0
Median	ft <sup>3</sup> /s	148	5,730	118	129	199	101
Arithmetic Mean	ft <sup>3</sup> /s	215	8,341	198	179	328	159
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	132	5,326	105	112	187	89.8
Standard Deviation	ft <sup>3</sup> /s	217	8,150	335	201	515	254
5th percentile	ft <sup>3</sup> /s	61.0	2,680	42.0	53.0	92.6	43.0
10th percentile	ft <sup>3</sup> /s	72.0	3,040	62.0	65.9	107	51.0
20th percentile	ft <sup>3</sup> /s	90.0	3,660	78.0	80.0	134	63.0
30th percentile	ft <sup>3</sup> /s	109	4,290	89.0	97.0	154	73.0
40th percentile	ft <sup>3</sup> /s	128	4,880	101	114	174	85.0
50th percentile	ft <sup>3</sup> /s	148	5,730	118	129	199	101
60th percentile	ft <sup>3</sup> /s	178	6,910	142	150	226	120
70th percentile	ft <sup>3</sup> /s	219	8,443	177	180	271	144
80th percentile	ft <sup>3</sup> /s	289	10,900	246	222	346	191
90th percentile	ft <sup>3</sup> /s	425	16,400	342	312	570	278
Drainage area	mi <sup>2</sup>	94.8	4581	104	116	226	95.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	34.3	27.1	37.0	28.4	49.6	46.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.380	0.299	0.192	0.190	0.270	0.210
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.25	1.13	1.11	0.881	1.06
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.27	1.82	1.90	1.54	1.45	1.67
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	1.16	1.01	0.965	0.827	0.942
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.29	1.78	3.22	1.73	2.28	2.66
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.643	0.585	0.404	0.457	0.410	0.451
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.759	0.664	0.596	0.568	0.473	0.535
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.949	0.799	0.750	0.690	0.593	0.661
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	0.936	0.856	0.836	0.681	0.766
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	1.07	0.971	0.983	0.770	0.892
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.25	1.13	1.11	0.881	1.06
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.88	1.51	1.37	1.29	1.00	1.26
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.31	1.84	1.70	1.55	1.20	1.51
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.05	2.38	2.37	1.91	1.53	2.00
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.48	3.58	3.29	2.69	2.52	2.92

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>02028500</b>	<b>02029000</b>	<b>02029500</b>	<b>02030000</b>	<b>02030500</b>	<b>02031000</b>
Count	number	2,015	2,573	403	2,108	2,201	1,147
Max	ft <sup>3</sup> /s	3,690	75,400	1,300	4,080	5,250	2,210
Min	ft <sup>3</sup> /s	20.0	970	31.0	11.0	42.0	12.0
Median	ft <sup>3</sup> /s	113	4,500	83.0	98.0	153	88.0
Arithmetic Mean	ft <sup>3</sup> /s	155	5,977	108	134	221	114
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	95.1	4,012	78.9	82.0	139	70.4
Standard Deviation	ft <sup>3</sup> /s	168	5,406	93.7	174	314	123
5th percentile	ft <sup>3</sup> /s	42.0	1,967	45.0	37.0	70.1	29.0
10th percentile	ft <sup>3</sup> /s	52.0	2,280	49.0	46.0	81.0	38.0
20th percentile	ft <sup>3</sup> /s	66.0	2,800	56.0	59.0	98.0	50.0
30th percentile	ft <sup>3</sup> /s	80.0	3,350	62.0	70.0	116	62.0
40th percentile	ft <sup>3</sup> /s	96.0	3,860	72.0	83.0	134	75.0
50th percentile	ft <sup>3</sup> /s	113	4,500	83.0	98.0	153	88.0
60th percentile	ft <sup>3</sup> /s	132	5,322	96.0	115	174	103
70th percentile	ft <sup>3</sup> /s	158	6,220	113	136	198	120
80th percentile	ft <sup>3</sup> /s	200	7,796	138	168	242	142
90th percentile	ft <sup>3</sup> /s	289	10,780	188	230	340	194
Drainage area	mi <sup>2</sup>	94.8	4581	104	116	226	95.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	38.9	16.5	12.5	35.2	23.2	23.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.211	0.212	0.298	0.095	0.186	0.126
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	0.982	0.798	0.845	0.677	0.923
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.64	1.30	1.04	1.15	0.978	1.20
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.00	0.876	0.759	0.706	0.616	0.739
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.78	1.18	0.901	1.50	1.39	1.29
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.443	0.429	0.433	0.319	0.310	0.304
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.549	0.498	0.471	0.397	0.358	0.399
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.696	0.611	0.538	0.509	0.434	0.525
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.844	0.731	0.596	0.603	0.513	0.651
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	0.843	0.692	0.716	0.593	0.787
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	0.982	0.798	0.845	0.677	0.923
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	1.16	0.923	0.991	0.770	1.08
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.67	1.36	1.09	1.17	0.876	1.26
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.11	1.70	1.33	1.45	1.07	1.49
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.05	2.35	1.81	1.99	1.50	2.04

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>02028500</b>	<b>02029000</b>	<b>02029500</b>	<b>02030000</b>	<b>02030500</b>	<b>02031000</b>
Count	number	1,950	2,490	390	2,040	2,138	1,110
Max	ft <sup>3</sup> /s	6,940	208,000	4,330	6,420	33,100	1,930
Min	ft <sup>3</sup> /s	1.60	538	5.00	1.10	10.0	1.70
Median	ft <sup>3</sup> /s	69.0	2,740	52.0	74.0	104	62.0
Arithmetic Mean	ft <sup>3</sup> /s	119	4,288	93.7	107	178	87.6
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	44.3	2,474	49.8	45.2	88.3	36.7
Standard Deviation	ft <sup>3</sup> /s	288	7,058	256	244	824	128
5th percentile	ft <sup>3</sup> /s	18.0	1,180	27.0	19.1	40.0	14.6
10th percentile	ft <sup>3</sup> /s	25.0	1,360	29.0	28.0	50.0	22.0
20th percentile	ft <sup>3</sup> /s	37.0	1,740	37.0	38.0	64.0	32.0
30th percentile	ft <sup>3</sup> /s	47.0	2,100	42.0	49.0	78.0	41.0
40th percentile	ft <sup>3</sup> /s	58.0	2,420	47.0	61.0	92.0	50.0
50th percentile	ft <sup>3</sup> /s	69.0	2,740	52.0	74.0	104	62.0
60th percentile	ft <sup>3</sup> /s	81.0	3,144	61.0	84.4	120	72.0
70th percentile	ft <sup>3</sup> /s	98.3	3,780	74.0	98.3	140	85.3
80th percentile	ft <sup>3</sup> /s	129	4,914	93.0	120	166	104
90th percentile	ft <sup>3</sup> /s	206	7,500	126	174	245	158
Drainage area	mi <sup>2</sup>	94.8	4581	104	116	226	95.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	73.2	45.4	41.6	55.3	146	20.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.017	0.117	0.048	0.009	0.044	0.018
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.728	0.598	0.500	0.638	0.460	0.651
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	0.936	0.901	0.919	0.787	0.919
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.467	0.540	0.479	0.390	0.391	0.385
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.04	1.54	2.46	2.10	3.64	1.35
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.190	0.258	0.260	0.164	0.177	0.153
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.264	0.297	0.279	0.241	0.221	0.231
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.390	0.380	0.356	0.328	0.283	0.336
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.496	0.458	0.404	0.422	0.345	0.430
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.612	0.528	0.452	0.526	0.407	0.525
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.728	0.598	0.500	0.638	0.460	0.651
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.854	0.686	0.587	0.728	0.531	0.756
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	0.825	0.712	0.847	0.619	0.895
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.36	1.07	0.894	1.03	0.735	1.09
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.17	1.64	1.22	1.50	1.08	1.66

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>02028500</b>	<b>02029000</b>	<b>02029500</b>	<b>02030000</b>	<b>02030500</b>	<b>02031000</b>
Count	number	2,015	2,573	403	2,108	2,232	1,147
Max	ft <sup>3</sup> /s	1,460	34,000	1,320	5,560	5,180	1,420
Min	ft <sup>3</sup> /s	0.370	350	2.00	0.170	5.40	0.420
Median	ft <sup>3</sup> /s	43.0	1,910	44.0	52.0	75.0	42.0
Arithmetic Mean	ft <sup>3</sup> /s	71.9	2,496	88.1	78.1	128	60.1
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	22.2	1,668	36.0	19.0	58.6	18.2
Standard Deviation	ft <sup>3</sup> /s	113	2,507	148	171	252	87.5
5th percentile	ft <sup>3</sup> /s	8.00	806	16.0	11.5	24.0	7.50
10th percentile	ft <sup>3</sup> /s	12.0	960	20.0	17.0	31.0	13.0
20th percentile	ft <sup>3</sup> /s	21.0	1,190	24.0	26.0	43.0	22.2
30th percentile	ft <sup>3</sup> /s	28.0	1,420	28.0	34.0	52.0	29.0
40th percentile	ft <sup>3</sup> /s	35.0	1,670	34.8	43.0	63.0	35.0
50th percentile	ft <sup>3</sup> /s	43.0	1,910	44.0	52.0	75.0	42.0
60th percentile	ft <sup>3</sup> /s	50.0	2,160	56.0	60.0	89.0	50.0
70th percentile	ft <sup>3</sup> /s	61.0	2,510	78.0	72.0	106	59.0
80th percentile	ft <sup>3</sup> /s	80.0	3,020	103	88.6	135	72.0
90th percentile	ft <sup>3</sup> /s	137	4,200	185	135	211	103
Drainage area	mi <sup>2</sup>	94.8	4581	104	116	226	95.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	15.4	7.42	12.7	47.9	22.9	14.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.004	0.076	0.019	0.001	0.024	0.004
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.454	0.417	0.423	0.448	0.332	0.441
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.759	0.545	0.847	0.673	0.564	0.631
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.364	0.346	0.164	0.259	0.191
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	0.547	1.42	1.48	1.12	0.918
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.084	0.176	0.154	0.099	0.106	0.079
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.127	0.210	0.192	0.147	0.137	0.136
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.222	0.260	0.231	0.224	0.190	0.233
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	0.310	0.269	0.293	0.230	0.304
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.369	0.365	0.335	0.371	0.279	0.367
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.454	0.417	0.423	0.448	0.332	0.441
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.527	0.472	0.538	0.517	0.394	0.525
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.643	0.548	0.750	0.621	0.469	0.619
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.844	0.659	0.990	0.764	0.597	0.756
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.45	0.917	1.78	1.16	0.933	1.08

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02028500</b>	<b>02029000</b>	<b>02029500</b>	<b>02030000</b>	<b>02030500</b>	<b>02031000</b>
Count	number	2,015	2,573	403	2,108	2,232	1,147
Max	ft <sup>3</sup> /s	28,800	135,000	3,510	28,400	7,290	2,170
Min	ft <sup>3</sup> /s	0.090	370	2.00	0.000	5.10	0.000
Median	ft <sup>3</sup> /s	30.0	1,570	46.0	41.0	65.5	29.0
Arithmetic Mean	ft <sup>3</sup> /s	81.4	2,741	87.2	92.1	137	52.3
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	8.36	1,393	22.5	--	42.5	--
Standard Deviation	ft <sup>3</sup> /s	670	6,189	246	655	398	119
5th percentile	ft <sup>3</sup> /s	4.70	643	8.00	8.00	14.0	4.62
10th percentile	ft <sup>3</sup> /s	7.50	740	14.0	12.0	19.1	7.96
20th percentile	ft <sup>3</sup> /s	12.0	942	22.0	18.0	30.0	13.0
30th percentile	ft <sup>3</sup> /s	18.0	1,130	28.0	27.0	41.0	20.0
40th percentile	ft <sup>3</sup> /s	24.0	1,330	33.0	35.0	51.0	24.0
50th percentile	ft <sup>3</sup> /s	30.0	1,570	46.0	41.0	65.5	29.0
60th percentile	ft <sup>3</sup> /s	38.0	1,850	59.0	50.0	80.0	36.0
70th percentile	ft <sup>3</sup> /s	50.0	2,220	72.0	62.0	97.0	45.0
80th percentile	ft <sup>3</sup> /s	78.0	2,796	102	84.0	126	58.0
90th percentile	ft <sup>3</sup> /s	130	4,430	144	138	196	92.0
Drainage area	mi <sup>2</sup>	94.8	4581	104	116	226	95.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	304	29.5	33.8	245	32.3	22.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.001	0.081	0.019	0.000	0.023	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.316	0.343	0.442	0.353	0.290	0.304
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.858	0.598	0.838	0.794	0.606	0.549
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.088	0.304	0.216	--	0.188	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	7.07	1.35	2.37	5.64	1.76	1.25
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.050	0.140	0.077	0.069	0.062	0.048
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.079	0.162	0.135	0.103	0.085	0.084
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.127	0.206	0.212	0.155	0.133	0.136
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.190	0.247	0.269	0.233	0.181	0.210
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.290	0.317	0.302	0.226	0.252
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.316	0.343	0.442	0.353	0.290	0.304
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.401	0.404	0.567	0.431	0.354	0.378
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.527	0.485	0.692	0.534	0.429	0.472
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.823	0.610	0.979	0.724	0.558	0.609
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	0.967	1.38	1.19	0.867	0.965



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02028500</b>	<b>02029000</b>	<b>02029500</b>	<b>02030000</b>	<b>02030500</b>	<b>02031000</b>
Count	number	1,950	2,490	390	2,040	2,160	1,110
Max	ft <sup>3</sup> /s	6,370	114,000	2,500	13,000	11,000	7,400
Min	ft <sup>3</sup> /s	0.070	300	2.00	0.100	2.00	0.000
Median	ft <sup>3</sup> /s	28.0	1,340	40.0	38.0	58.0	25.0
Arithmetic Mean	ft <sup>3</sup> /s	92.6	2,728	80.3	87.0	142	92.9
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	7.00	1,233	25.0	11.5	33.7	--
Standard Deviation	ft <sup>3</sup> /s	292	5,987	186	386	541	403
5th percentile	ft <sup>3</sup> /s	4.20	580	8.00	7.90	10.1	3.90
10th percentile	ft <sup>3</sup> /s	6.90	672	14.9	11.9	16.0	10.0
20th percentile	ft <sup>3</sup> /s	11.0	846	23.0	18.0	25.0	15.0
30th percentile	ft <sup>3</sup> /s	15.0	1,010	28.0	24.0	35.0	18.0
40th percentile	ft <sup>3</sup> /s	20.0	1,170	34.0	31.0	48.0	21.0
50th percentile	ft <sup>3</sup> /s	28.0	1,340	40.0	38.0	58.0	25.0
60th percentile	ft <sup>3</sup> /s	40.0	1,580	48.0	46.0	68.0	32.0
70th percentile	ft <sup>3</sup> /s	57.0	1,923	59.0	57.0	81.0	46.3
80th percentile	ft <sup>3</sup> /s	85.0	2,602	76.0	76.0	103	74.0
90th percentile	ft <sup>3</sup> /s	171	4,712	167	131	178	127
Drainage area	mi <sup>2</sup>	94.8	4581	104	116	226	95.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	67.2	24.9	24.0	112	48.7	77.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.001	0.065	0.019	0.001	0.009	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	0.293	0.385	0.328	0.257	0.262
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.977	0.596	0.772	0.750	0.630	0.975
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.074	0.269	0.240	0.099	0.149	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.08	1.31	1.79	3.33	2.40	4.23
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.044	0.127	0.077	0.068	0.044	0.041
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.073	0.147	0.143	0.103	0.071	0.105
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.116	0.185	0.221	0.155	0.111	0.157
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.158	0.220	0.269	0.207	0.155	0.189
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.211	0.255	0.327	0.267	0.212	0.220
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	0.293	0.385	0.328	0.257	0.262
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.422	0.345	0.462	0.397	0.301	0.336
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.601	0.420	0.567	0.491	0.358	0.486
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.897	0.568	0.731	0.655	0.456	0.776
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.80	1.03	1.61	1.13	0.788	1.33

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02028500</b>	<b>02029000</b>	<b>02029500</b>	<b>02030000</b>	<b>02030500</b>	<b>02031000</b>
Count	number	2,015	2,604	372	2,149	2,216	1,178
Max	ft <sup>3</sup> /s	3,180	77,200	2,020	5,070	6,820	10,600
Min	ft <sup>3</sup> /s	1.60	307	2.00	1.50	2.00	0.100
Median	ft <sup>3</sup> /s	38.0	1,490	52.0	45.0	67.0	39.0
Arithmetic Mean	ft <sup>3</sup> /s	95.9	3,069	98.9	90.4	151	86.5
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	21.3	1,398	30.0	31.5	45.8	13.7
Standard Deviation	ft <sup>3</sup> /s	203	5,529	194	234	434	362
5th percentile	ft <sup>3</sup> /s	6.40	612	12.7	11.0	16.0	9.19
10th percentile	ft <sup>3</sup> /s	9.14	752	21.0	17.0	26.0	13.0
20th percentile	ft <sup>3</sup> /s	15.0	966	26.0	23.0	37.0	17.0
30th percentile	ft <sup>3</sup> /s	21.0	1,110	34.0	30.0	48.0	22.0
40th percentile	ft <sup>3</sup> /s	29.0	1,270	40.0	38.0	58.0	28.0
50th percentile	ft <sup>3</sup> /s	38.0	1,490	52.0	45.0	67.0	39.0
60th percentile	ft <sup>3</sup> /s	52.4	1,850	62.0	54.0	82.0	50.0
70th percentile	ft <sup>3</sup> /s	74.0	2,450	80.0	70.0	101	67.0
80th percentile	ft <sup>3</sup> /s	120	3,340	104	97.0	134	86.6
90th percentile	ft <sup>3</sup> /s	208	5,727	164	157	203	135
Drainage area	mi <sup>2</sup>	94.8	4581	104	116	226	95.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	33.5	16.9	19.4	43.7	30.2	111
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.017	0.067	0.019	0.013	0.009	0.001
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.401	0.325	0.500	0.388	0.296	0.409
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	0.670	0.951	0.779	0.670	0.907
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.224	0.305	0.289	0.272	0.203	0.144
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.14	1.21	1.86	2.02	1.92	3.80
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.068	0.134	0.122	0.095	0.071	0.096
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.096	0.164	0.202	0.147	0.115	0.136
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.158	0.211	0.250	0.198	0.164	0.178
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.222	0.242	0.327	0.259	0.212	0.231
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.306	0.277	0.385	0.328	0.257	0.294
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.401	0.325	0.500	0.388	0.296	0.409
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.553	0.404	0.596	0.466	0.363	0.525
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.781	0.535	0.769	0.603	0.447	0.703
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.27	0.729	1.00	0.836	0.593	0.909
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.19	1.25	1.57	1.36	0.898	1.42

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02028500</b>	<b>02029000</b>	<b>02029500</b>	<b>02030000</b>	<b>02030500</b>	<b>02031000</b>
Count	number	1,945	2,515	360	2,065	2,125	1,135
Max	ft <sup>3</sup> /s	5,000	199,000	1,190	4,050	7,640	4,800
Min	ft <sup>3</sup> /s	8.00	560	2.00	9.50	24.0	10.0
Median	ft <sup>3</sup> /s	67.0	2,200	58.0	62.0	99.0	56.0
Arithmetic Mean	ft <sup>3</sup> /s	129	3,817	97.4	102	181	104
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	44.7	1,886	35.9	51.2	87.2	44.3
Standard Deviation	ft <sup>3</sup> /s	240	6,762	135	178	383	242
5th percentile	ft <sup>3</sup> /s	16.0	840	20.0	22.0	40.0	18.0
10th percentile	ft <sup>3</sup> /s	19.0	946	22.0	27.0	49.0	24.0
20th percentile	ft <sup>3</sup> /s	28.0	1,198	30.0	35.0	58.0	27.0
30th percentile	ft <sup>3</sup> /s	37.0	1,440	36.0	42.0	69.0	33.2
40th percentile	ft <sup>3</sup> /s	51.0	1,760	41.0	50.6	81.0	44.0
50th percentile	ft <sup>3</sup> /s	67.0	2,200	58.0	62.0	99.0	56.0
60th percentile	ft <sup>3</sup> /s	86.4	2,694	74.4	80.0	118	72.0
70th percentile	ft <sup>3</sup> /s	119	3,460	91.0	94.0	139	88.0
80th percentile	ft <sup>3</sup> /s	161	4,910	133	123	178	120
90th percentile	ft <sup>3</sup> /s	284	7,962	189	185	293	182
Drainage area	mi <sup>2</sup>	94.8	4581	104	116	226	95.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	52.7	43.4	11.4	34.9	33.8	50.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.084	0.122	0.019	0.082	0.106	0.105
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.707	0.480	0.558	0.534	0.438	0.588
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	0.833	0.937	0.877	0.801	1.09
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.472	0.412	0.345	0.441	0.386	0.464
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.53	1.48	1.29	1.54	1.70	2.53
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.169	0.183	0.192	0.190	0.177	0.189
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.200	0.207	0.212	0.233	0.217	0.252
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	0.262	0.288	0.302	0.257	0.283
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.390	0.314	0.346	0.362	0.305	0.348
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.538	0.384	0.394	0.436	0.358	0.462
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.707	0.480	0.558	0.534	0.438	0.588
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.911	0.588	0.715	0.690	0.522	0.756
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	0.755	0.875	0.810	0.615	0.923
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	1.07	1.28	1.06	0.788	1.26
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.99	1.74	1.82	1.60	1.29	1.91

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02028500</b>	<b>02029000</b>	<b>02029500</b>	<b>02030000</b>	<b>02030500</b>	<b>02031000</b>
Count	number	1,984	2,573	372	2,108	2,170	1,147
Max	ft <sup>3</sup> /s	2,740	81,600	1,620	6,300	8,880	3,150
Min	ft <sup>3</sup> /s	9.60	570	3.00	12.0	29.0	8.00
Median	ft <sup>3</sup> /s	105	3,550	73.0	90.0	139	80.0
Arithmetic Mean	ft <sup>3</sup> /s	153	5,219	113	132	235	117
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	67.9	2,703	48.8	68.5	119	56.6
Standard Deviation	ft <sup>3</sup> /s	187	6,169	147	210	427	182
5th percentile	ft <sup>3</sup> /s	21.3	1,017	21.0	28.0	53.0	20.0
10th percentile	ft <sup>3</sup> /s	28.0	1,240	26.0	35.0	62.0	28.0
20th percentile	ft <sup>3</sup> /s	49.0	1,754	33.0	44.0	79.8	41.0
30th percentile	ft <sup>3</sup> /s	69.0	2,376	46.3	61.0	101	55.0
40th percentile	ft <sup>3</sup> /s	89.0	2,980	64.0	74.0	120	67.0
50th percentile	ft <sup>3</sup> /s	105	3,550	73.0	90.0	139	80.0
60th percentile	ft <sup>3</sup> /s	124	4,170	99.6	104	161	92.0
70th percentile	ft <sup>3</sup> /s	151	5,250	124	122	187	112
80th percentile	ft <sup>3</sup> /s	204	6,926	149	160	248	140
90th percentile	ft <sup>3</sup> /s	303	10,280	218	244	403	197
Drainage area	mi <sup>2</sup>	94.8	4581	104	116	226	95.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	28.9	17.8	15.6	54.3	39.3	33.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.101	0.124	0.029	0.103	0.128	0.084
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	0.775	0.702	0.776	0.615	0.839
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.61	1.14	1.09	1.14	1.04	1.23
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.716	0.590	0.469	0.590	0.525	0.594
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.98	1.35	1.41	1.81	1.89	1.91
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.224	0.222	0.202	0.241	0.235	0.210
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	0.271	0.250	0.302	0.274	0.294
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.517	0.383	0.317	0.379	0.353	0.430
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.728	0.519	0.445	0.526	0.447	0.577
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.939	0.651	0.615	0.638	0.531	0.703
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	0.775	0.702	0.776	0.615	0.839
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	0.910	0.958	0.897	0.712	0.965
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.59	1.15	1.19	1.05	0.827	1.18
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.15	1.51	1.43	1.38	1.10	1.47
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.20	2.24	2.10	2.10	1.78	2.07

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		January					
	units						
Station Number	number	02031500	02032000	02032250	02032400	02032500	02032515
Count	number	403	93.0	620	558	434	558
Max	ft <sup>3</sup> /s	110	157	3,200	2,100	1,590	7,310
Min	ft <sup>3</sup> /s	0.600	0.000	3.00	3.00	19.0	16.0
Median	ft <sup>3</sup> /s	8.80	18.0	80.0	32.0	155	250
Arithmetic Mean	ft <sup>3</sup> /s	14.3	26.2	121	54.0	214	367
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	4.58	--	44.0	24.5	98.8	184
Standard Deviation	ft <sup>3</sup> /s	17.3	33.3	201	121	219	511
5th percentile	ft <sup>3</sup> /s	0.920	0.000	10.0	8.99	27.8	61.9
10th percentile	ft <sup>3</sup> /s	1.82	0.000	28.0	13.0	51.3	109
20th percentile	ft <sup>3</sup> /s	4.40	0.040	38.0	18.0	64.0	141
30th percentile	ft <sup>3</sup> /s	5.70	8.12	48.7	21.0	90.0	172
40th percentile	ft <sup>3</sup> /s	7.20	15.0	68.0	26.0	120	210
50th percentile	ft <sup>3</sup> /s	8.80	18.0	80.0	32.0	155	250
60th percentile	ft <sup>3</sup> /s	11.0	20.2	95.0	37.0	193	292
70th percentile	ft <sup>3</sup> /s	13.0	26.0	117	50.0	230	350
80th percentile	ft <sup>3</sup> /s	18.6	33.4	152	64.6	292	455
90th percentile	ft <sup>3</sup> /s	29.0	63.6	224	96.3	426	697
Drainage area	mi <sup>2</sup>	11.2	17.8	77	34.5	215	259
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	9.82	8.82	41.6	60.9	7.40	28.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.054	0.000	0.039	0.087	0.088	0.062
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.786	1.01	1.04	0.928	0.721	0.963
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.47	1.58	1.56	0.994	1.42
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.409	--	0.571	0.709	0.460	0.710
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.55	1.87	2.61	3.50	1.02	1.97
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.082	0.000	0.130	0.261	0.129	0.239
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.163	0.000	0.364	0.377	0.239	0.420
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.393	0.002	0.494	0.522	0.298	0.544
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.509	0.456	0.632	0.609	0.419	0.664
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.643	0.843	0.883	0.754	0.558	0.810
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.786	1.01	1.04	0.928	0.721	0.963
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.982	1.13	1.23	1.07	0.896	1.13
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	1.46	1.52	1.45	1.07	1.35
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	1.88	1.97	1.87	1.36	1.76
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.59	3.57	2.91	2.79	1.98	2.69

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>02031500</b>	<b>02032000</b>	<b>02032250</b>	<b>02032400</b>	<b>02032500</b>	<b>02032515</b>
Count	number	367	85.0	565	509	395	509
Max	ft <sup>3</sup> /s	744	64.0	2,700	1,530	3,060	6,390
Min	ft <sup>3</sup> /s	1.80	0.000	4.80	8.20	25.0	8.60
Median	ft <sup>3</sup> /s	12.0	21.0	88.0	39.0	195	292
Arithmetic Mean	ft <sup>3</sup> /s	26.7	20.4	125	57.0	309	394
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	9.59	--	67.8	34.9	149	240
Standard Deviation	ft <sup>3</sup> /s	52.1	15.3	159	82.7	373	428
5th percentile	ft <sup>3</sup> /s	3.08	0.000	26.3	13.5	59.8	109
10th percentile	ft <sup>3</sup> /s	4.96	0.000	38.4	19.0	77.6	148
20th percentile	ft <sup>3</sup> /s	6.80	5.68	50.0	28.0	110	210
30th percentile	ft <sup>3</sup> /s	7.80	10.0	66.0	32.0	137	244
40th percentile	ft <sup>3</sup> /s	8.94	19.6	76.0	36.0	164	260
50th percentile	ft <sup>3</sup> /s	12.0	21.0	88.0	39.0	195	292
60th percentile	ft <sup>3</sup> /s	18.0	24.0	102	46.0	233	336
70th percentile	ft <sup>3</sup> /s	24.0	26.0	124	55.6	289	387
80th percentile	ft <sup>3</sup> /s	31.6	29.2	160	67.4	376	460
90th percentile	ft <sup>3</sup> /s	54.8	38.6	225	99.0	632	690
Drainage area	mi <sup>2</sup>	11.2	17.8	77	34.5	215	259
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	66.4	3.60	35.1	44.3	14.2	24.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.161	0.000	0.062	0.238	0.116	0.033
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	1.18	1.14	1.13	0.907	1.13
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.38	1.15	1.62	1.65	1.44	1.52
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.856	--	0.881	1.01	0.693	0.928
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.65	0.858	2.06	2.40	1.74	1.65
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.275	0.000	0.342	0.391	0.278	0.421
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.443	0.000	0.499	0.551	0.361	0.570
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.607	0.319	0.649	0.812	0.512	0.811
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.696	0.562	0.857	0.928	0.637	0.942
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.798	1.10	0.987	1.04	0.763	1.00
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	1.18	1.14	1.13	0.907	1.13
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.61	1.35	1.32	1.33	1.09	1.30
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.14	1.46	1.61	1.61	1.34	1.49
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.82	1.64	2.08	1.95	1.75	1.78
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.89	2.17	2.92	2.87	2.94	2.66

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02031500</b>	<b>02032000</b>	<b>02032250</b>	<b>02032400</b>	<b>02032500</b>	<b>02032515</b>
Count	number	403	93.0	620	558	434	558
Max	ft <sup>3</sup> /s	742	94.0	3,300	1,610	3,840	6,590
Min	ft <sup>3</sup> /s	3.50	8.30	14.0	9.50	64.0	55.0
Median	ft <sup>3</sup> /s	23.0	24.0	115	44.5	293	350
Arithmetic Mean	ft <sup>3</sup> /s	42.1	30.7	176	70.6	422	508
Geometric Mean	ft <sup>3</sup> /s	--	24.8	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	18.5	20.4	82.4	38.6	232	290
Standard Deviation	ft <sup>3</sup> /s	64.0	21.2	242	105	465	604
5th percentile	ft <sup>3</sup> /s	7.24	9.11	31.0	17.0	82.0	131
10th percentile	ft <sup>3</sup> /s	9.20	11.0	39.0	20.0	113	158
20th percentile	ft <sup>3</sup> /s	13.0	13.0	54.0	27.0	166	204
30th percentile	ft <sup>3</sup> /s	16.0	16.6	77.7	32.0	209	245
40th percentile	ft <sup>3</sup> /s	19.0	21.0	100	39.0	246	296
50th percentile	ft <sup>3</sup> /s	23.0	24.0	115	44.5	293	350
60th percentile	ft <sup>3</sup> /s	28.0	28.2	139	54.0	355	397
70th percentile	ft <sup>3</sup> /s	38.0	33.0	168	68.0	425	481
80th percentile	ft <sup>3</sup> /s	52.0	45.0	224	87.0	530	615
90th percentile	ft <sup>3</sup> /s	86.6	66.4	350	137	772	1,050
Drainage area	mi <sup>2</sup>	11.2	17.8	77	34.5	215	259
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	66.3	5.28	42.9	46.7	17.9	25.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.313	0.466	0.182	0.275	0.298	0.212
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.05	1.35	1.49	1.29	1.36	1.35
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.76	1.73	2.28	2.05	1.96	1.96
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.40	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.65	1.15	1.07	1.12	1.08	1.12
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	5.71	1.19	3.15	3.03	2.16	2.33
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.646	0.512	0.403	0.491	0.381	0.506
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.821	0.618	0.506	0.580	0.524	0.610
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	0.730	0.701	0.783	0.772	0.789
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	0.933	1.01	0.928	0.972	0.946
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	1.18	1.30	1.13	1.15	1.14
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.05	1.35	1.49	1.29	1.36	1.35
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.50	1.58	1.81	1.57	1.65	1.53
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.39	1.85	2.18	1.97	1.98	1.86
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.64	2.53	2.91	2.52	2.47	2.37
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	7.73	3.73	4.55	3.97	3.59	4.05

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02031500</b>	<b>02032000</b>	<b>02032250</b>	<b>02032400</b>	<b>02032500</b>	<b>02032515</b>
Count	number	420	90.0	600	540	450	540
Max	ft <sup>3</sup> /s	489	71.0	4,160	1,390	3,580	7,810
Min	ft <sup>3</sup> /s	4.50	3.80	16.0	9.90	48.0	61.0
Median	ft <sup>3</sup> /s	24.5	18.5	90.0	35.0	251	287
Arithmetic Mean	ft <sup>3</sup> /s	43.2	20.6	191	76.5	345	518
Geometric Mean	ft <sup>3</sup> /s	--	16.6	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	18.6	13.1	68.1	30.3	201	239
Standard Deviation	ft <sup>3</sup> /s	54.7	13.5	355	146	335	808
5th percentile	ft <sup>3</sup> /s	6.80	4.70	25.0	12.0	83.7	92.0
10th percentile	ft <sup>3</sup> /s	7.77	5.72	31.0	14.0	104	110
20th percentile	ft <sup>3</sup> /s	12.0	9.52	41.0	19.0	140	162
30th percentile	ft <sup>3</sup> /s	15.0	12.0	60.0	23.0	182	198
40th percentile	ft <sup>3</sup> /s	19.0	14.6	75.0	28.0	219	240
50th percentile	ft <sup>3</sup> /s	24.5	18.5	90.0	35.0	251	287
60th percentile	ft <sup>3</sup> /s	33.0	21.0	110	48.0	285	375
70th percentile	ft <sup>3</sup> /s	46.0	22.3	160	67.3	346	485
80th percentile	ft <sup>3</sup> /s	64.0	29.4	247	92.2	455	645
90th percentile	ft <sup>3</sup> /s	89.5	36.1	390	139	700	953
Drainage area	mi <sup>2</sup>	11.2	17.8	77	34.5	215	259
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	43.7	3.99	54.0	40.3	16.7	30.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.402	0.213	0.208	0.287	0.223	0.236
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.19	1.04	1.17	1.01	1.17	1.11
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.86	1.16	2.48	2.22	1.60	2.00
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.934	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	0.736	0.885	0.878	0.935	0.924
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.89	0.758	4.62	4.23	1.56	3.12
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.607	0.264	0.325	0.348	0.389	0.355
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.694	0.321	0.403	0.406	0.484	0.424
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	0.535	0.532	0.551	0.651	0.625
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.34	0.674	0.779	0.667	0.847	0.764
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	0.820	0.974	0.812	1.02	0.925
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.19	1.04	1.17	1.01	1.17	1.11
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.95	1.18	1.43	1.39	1.33	1.45
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.11	1.25	2.08	1.95	1.61	1.87
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.71	1.65	3.21	2.67	2.12	2.49
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	7.99	2.03	5.06	4.03	3.26	3.68



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	02031500	02032000	02032250	02032400	02032500	02032515
Count	number	434	93.0	620	558	465	558
Max	ft <sup>3</sup> /s	458	365	1,890	849	2,380	3,380
Min	ft <sup>3</sup> /s	1.70	0.400	12.0	6.10	35.0	59.0
Median	ft <sup>3</sup> /s	9.85	17.0	64.5	30.5	145	244
Arithmetic Mean	ft <sup>3</sup> /s	19.6	28.3	109	47.0	218	323
Geometric Mean	ft <sup>3</sup> /s	--	17.6	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	8.13	9.19	54.8	24.6	126	204
Standard Deviation	ft <sup>3</sup> /s	37.9	43.9	158	75.1	232	340
5th percentile	ft <sup>3</sup> /s	3.00	4.60	23.0	11.0	57.3	98.0
10th percentile	ft <sup>3</sup> /s	3.93	7.48	28.0	12.0	70.0	110
20th percentile	ft <sup>3</sup> /s	5.60	9.76	37.0	16.0	84.0	134
30th percentile	ft <sup>3</sup> /s	7.10	12.0	45.0	20.0	99.0	166
40th percentile	ft <sup>3</sup> /s	8.42	14.8	54.0	25.0	118	206
50th percentile	ft <sup>3</sup> /s	9.85	17.0	64.5	30.5	145	244
60th percentile	ft <sup>3</sup> /s	13.0	21.0	78.0	37.0	188	285
70th percentile	ft <sup>3</sup> /s	16.0	25.4	101	43.0	233	331
80th percentile	ft <sup>3</sup> /s	22.0	30.2	126	54.0	293	404
90th percentile	ft <sup>3</sup> /s	35.4	49.2	200	74.6	417	518
Drainage area	mi <sup>2</sup>	11.2	17.8	77	34.5	215	259
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	40.9	20.5	24.5	24.6	11.1	13.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.152	0.022	0.156	0.177	0.163	0.228
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.879	0.955	0.838	0.884	0.674	0.942
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.75	1.59	1.42	1.36	1.02	1.25
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.990	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.726	0.517	0.711	0.712	0.585	0.786
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.38	2.47	2.06	2.18	1.08	1.31
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.268	0.258	0.299	0.319	0.267	0.378
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.351	0.420	0.364	0.348	0.326	0.425
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.500	0.548	0.481	0.464	0.391	0.517
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.634	0.674	0.584	0.580	0.460	0.642
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.752	0.831	0.701	0.725	0.550	0.795
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.879	0.955	0.838	0.884	0.674	0.942
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	1.18	1.01	1.07	0.874	1.10
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	1.43	1.31	1.25	1.08	1.28
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.96	1.70	1.64	1.57	1.36	1.56
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.16	2.76	2.60	2.16	1.94	2.00

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	02031500	02032000	02032250	02032400	02032500	02032515
Count	number	420	90.0	600	540	450	540
Max	ft <sup>3</sup> /s	73.0	122	7,390	1,590	2,450	8,540
Min	ft <sup>3</sup> /s	0.600	0.000	2.20	1.90	9.00	11.0
Median	ft <sup>3</sup> /s	4.65	0.500	32.0	18.0	80.0	143
Arithmetic Mean	ft <sup>3</sup> /s	7.19	6.78	92.9	37.6	113	271
Geometric Mean	ft <sup>3</sup> /s	4.91	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.54	--	19.5	11.6	56.9	95.5
Standard Deviation	ft <sup>3</sup> /s	8.40	18.8	371	96.0	170	590
5th percentile	ft <sup>3</sup> /s	1.20	0.000	5.53	3.20	22.0	30.0
10th percentile	ft <sup>3</sup> /s	1.80	0.000	9.00	5.59	27.0	50.0
20th percentile	ft <sup>3</sup> /s	2.60	0.000	14.0	8.94	39.0	80.0
30th percentile	ft <sup>3</sup> /s	3.20	0.000	19.0	11.0	50.7	101
40th percentile	ft <sup>3</sup> /s	4.00	0.100	25.0	15.0	61.0	123
50th percentile	ft <sup>3</sup> /s	4.65	0.500	32.0	18.0	80.0	143
60th percentile	ft <sup>3</sup> /s	5.74	1.78	40.0	22.0	101	170
70th percentile	ft <sup>3</sup> /s	7.20	3.16	52.0	27.0	117	213
80th percentile	ft <sup>3</sup> /s	9.50	5.30	75.0	36.0	143	266
90th percentile	ft <sup>3</sup> /s	14.0	13.3	145	65.2	199	467
Drainage area	mi <sup>2</sup>	11.2	17.8	77	34.5	215	259
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.52	6.85	96.0	46.1	11.4	33.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.054	0.000	0.029	0.055	0.042	0.042
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.415	0.028	0.416	0.522	0.372	0.550
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.642	0.381	1.21	1.09	0.528	1.05
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.439	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.316	--	0.253	0.336	0.265	0.369
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.750	1.06	4.82	2.78	0.792	2.28
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.107	0.000	0.072	0.093	0.102	0.116
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.161	0.000	0.117	0.162	0.126	0.193
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.232	0.000	0.182	0.259	0.181	0.309
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.286	0.000	0.247	0.319	0.236	0.390
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.357	0.006	0.325	0.435	0.284	0.475
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.415	0.028	0.416	0.522	0.372	0.550
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.513	0.100	0.519	0.638	0.470	0.656
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.643	0.178	0.675	0.783	0.544	0.824
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.848	0.298	0.974	1.04	0.666	1.03
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	0.747	1.89	1.89	0.926	1.80

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	02031500	02032000	02032250	02032400	02032500	02032515
Count	number	465	93.0	645	558	465	558
Max	ft <sup>3</sup> /s	57.0	25.0	1,140	541	1,030	2,900
Min	ft <sup>3</sup> /s	0.100	0.000	0.960	0.700	2.10	9.40
Median	ft <sup>3</sup> /s	1.50	0.000	18.0	12.0	35.0	100
Arithmetic Mean	ft <sup>3</sup> /s	2.61	0.824	40.2	21.5	68.1	174
Geometric Mean	ft <sup>3</sup> /s	1.44	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	0.783	--	9.71	7.70	23.7	67.2
Standard Deviation	ft <sup>3</sup> /s	4.79	2.89	84.4	38.5	111	276
5th percentile	ft <sup>3</sup> /s	0.200	0.000	2.60	2.40	7.52	24.0
10th percentile	ft <sup>3</sup> /s	0.400	0.000	4.44	3.70	12.0	33.0
20th percentile	ft <sup>3</sup> /s	0.626	0.000	7.50	6.20	17.0	45.4
30th percentile	ft <sup>3</sup> /s	0.904	0.000	10.0	7.80	22.0	60.0
40th percentile	ft <sup>3</sup> /s	1.20	0.000	14.0	10.0	27.0	80.8
50th percentile	ft <sup>3</sup> /s	1.50	0.000	18.0	12.0	35.0	100
60th percentile	ft <sup>3</sup> /s	1.94	0.000	24.0	15.0	49.0	123
70th percentile	ft <sup>3</sup> /s	2.20	0.400	31.8	18.0	63.6	146
80th percentile	ft <sup>3</sup> /s	3.40	0.900	42.2	23.6	83.4	213
90th percentile	ft <sup>3</sup> /s	4.90	1.98	78.0	48.0	129	340
Drainage area	mi <sup>2</sup>	11.2	17.8	77	34.5	215	259
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	5.09	1.40	14.8	15.7	4.79	11.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.009	0.000	0.012	0.020	0.010	0.036
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.134	0.000	0.234	0.348	0.163	0.386
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.233	0.046	0.522	0.622	0.317	0.671
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.128	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.070	--	0.126	0.223	0.110	0.260
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.428	0.162	1.10	1.12	0.514	1.07
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.018	0.000	0.034	0.069	0.035	0.092
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.036	0.000	0.058	0.107	0.056	0.127
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.056	0.000	0.097	0.180	0.079	0.175
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.081	0.000	0.130	0.226	0.102	0.232
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.107	0.000	0.182	0.290	0.126	0.312
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.134	0.000	0.234	0.348	0.163	0.386
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.173	0.000	0.312	0.435	0.228	0.475
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.196	0.022	0.413	0.522	0.296	0.564
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.304	0.051	0.548	0.684	0.388	0.821
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.438	0.111	1.01	1.39	0.599	1.31

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02031500</b>	<b>02032000</b>	<b>02032250</b>	<b>02032400</b>	<b>02032500</b>	<b>02032515</b>
Count	number	465	120	651	558	465	581
Max	ft <sup>3</sup> /s	1,130	4.60	803	431	17,400	2,760
Min	ft <sup>3</sup> /s	0.000	0.000	0.160	0.500	2.50	3.60
Median	ft <sup>3</sup> /s	1.00	0.000	12.0	8.00	33.0	76.0
Arithmetic Mean	ft <sup>3</sup> /s	8.40	0.128	29.4	17.4	122	135
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	--	3.88	4.57	15.2	39.3
Standard Deviation	ft <sup>3</sup> /s	59.8	0.620	65.7	38.1	834	232
5th percentile	ft <sup>3</sup> /s	0.100	0.000	0.868	1.40	4.26	12.0
10th percentile	ft <sup>3</sup> /s	0.100	0.000	1.50	2.00	6.00	15.0
20th percentile	ft <sup>3</sup> /s	0.200	0.000	3.60	3.40	9.00	27.0
30th percentile	ft <sup>3</sup> /s	0.400	0.000	5.80	4.71	13.0	44.0
40th percentile	ft <sup>3</sup> /s	0.700	0.000	8.80	6.30	18.0	59.0
50th percentile	ft <sup>3</sup> /s	1.00	0.000	12.0	8.00	33.0	76.0
60th percentile	ft <sup>3</sup> /s	1.60	0.000	16.0	10.0	43.0	98.0
70th percentile	ft <sup>3</sup> /s	2.58	0.000	21.0	13.0	57.8	123
80th percentile	ft <sup>3</sup> /s	3.62	0.000	30.0	19.0	82.0	166
90th percentile	ft <sup>3</sup> /s	6.88	0.100	63.0	33.0	163	266
Drainage area	mi <sup>2</sup>	11.2	17.8	77	34.5	215	259
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	101	0.258	10.4	12.5	80.9	10.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.000	0.002	0.014	0.012	0.014
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.089	0.000	0.156	0.232	0.153	0.293
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.750	0.007	0.382	0.504	0.565	0.520
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.050	0.132	0.071	0.152
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	5.34	0.035	0.853	1.10	3.88	0.896
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.009	0.000	0.011	0.041	0.020	0.046
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.009	0.000	0.019	0.058	0.028	0.058
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.018	0.000	0.047	0.099	0.042	0.104
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.036	0.000	0.075	0.137	0.060	0.170
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.063	0.000	0.114	0.183	0.084	0.228
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.089	0.000	0.156	0.232	0.153	0.293
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.143	0.000	0.208	0.290	0.200	0.378
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.230	0.000	0.273	0.377	0.269	0.475
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.323	0.000	0.390	0.551	0.381	0.641
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.614	0.006	0.818	0.957	0.758	1.03

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		September					
	units						
Station Number	number	02031500	02032000	02032250	02032400	02032500	02032515
Count	number	450	120	630	547	450	570
Max	ft <sup>3</sup> /s	277	1,340	7,610	3,200	3,510	15,000
Min	ft <sup>3</sup> /s	0.000	0.000	0.610	0.450	1.30	7.50
Median	ft <sup>3</sup> /s	0.705	0.000	9.10	6.60	38.0	58.0
Arithmetic Mean	ft <sup>3</sup> /s	3.86	39.3	52.6	33.4	102	228
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	--	6.22	4.04	12.3	41.3
Standard Deviation	ft <sup>3</sup> /s	17.2	179	330	165	317	904
5th percentile	ft <sup>3</sup> /s	0.000	0.000	2.16	1.00	2.80	14.0
10th percentile	ft <sup>3</sup> /s	0.090	0.000	2.70	1.60	4.40	18.0
20th percentile	ft <sup>3</sup> /s	0.100	0.000	4.00	2.82	9.00	25.0
30th percentile	ft <sup>3</sup> /s	0.341	0.000	5.50	4.20	15.7	35.0
40th percentile	ft <sup>3</sup> /s	0.500	0.000	7.30	5.40	26.0	46.0
50th percentile	ft <sup>3</sup> /s	0.705	0.000	9.10	6.60	38.0	58.0
60th percentile	ft <sup>3</sup> /s	1.00	0.000	12.0	9.38	50.4	76.4
70th percentile	ft <sup>3</sup> /s	1.50	0.000	18.3	13.0	67.0	108
80th percentile	ft <sup>3</sup> /s	2.92	8.80	38.0	24.0	95.0	206
90th percentile	ft <sup>3</sup> /s	6.71	23.4	87.1	58.4	176	428
Drainage area	mi <sup>2</sup>	11.2	17.8	77	34.5	215	259
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	24.7	75.3	98.8	92.8	16.3	57.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.000	0.008	0.013	0.006	0.029
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.063	0.000	0.118	0.191	0.177	0.224
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.345	2.21	0.684	0.970	0.474	0.880
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.081	0.117	0.057	0.159
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	10.1	4.29	4.77	1.48	3.49
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.000	0.028	0.029	0.013	0.054
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.008	0.000	0.035	0.046	0.020	0.069
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.009	0.000	0.052	0.082	0.042	0.097
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.030	0.000	0.071	0.122	0.073	0.135
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.045	0.000	0.095	0.157	0.121	0.178
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.063	0.000	0.118	0.191	0.177	0.224
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.089	0.000	0.156	0.272	0.234	0.295
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.134	0.000	0.238	0.377	0.312	0.417
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.261	0.494	0.494	0.696	0.442	0.795
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.599	1.31	1.13	1.69	0.816	1.65

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02031500</b>	<b>02032000</b>	<b>02032250</b>	<b>02032400</b>	<b>02032500</b>	<b>02032515</b>
Count	number	403	93.0	651	574	434	580
Max	ft <sup>3</sup> /s	443	615	3,100	1,520	5,450	6,370
Min	ft <sup>3</sup> /s	0.000	0.000	0.560	0.700	3.00	3.90
Median	ft <sup>3</sup> /s	2.20	0.700	17.0	9.35	50.5	74.5
Arithmetic Mean	ft <sup>3</sup> /s	11.5	18.6	74.4	32.9	122	203
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	--	7.58	6.32	26.7	42.8
Standard Deviation	ft <sup>3</sup> /s	38.9	74.9	203	92.8	407	432
5th percentile	ft <sup>3</sup> /s	0.000	0.000	2.40	2.30	6.38	14.0
10th percentile	ft <sup>3</sup> /s	0.108	0.000	3.80	3.00	13.3	19.0
20th percentile	ft <sup>3</sup> /s	0.654	0.000	5.10	4.00	21.0	29.0
30th percentile	ft <sup>3</sup> /s	1.20	0.000	7.00	5.49	36.0	40.0
40th percentile	ft <sup>3</sup> /s	1.60	0.000	10.0	6.90	46.0	53.6
50th percentile	ft <sup>3</sup> /s	2.20	0.700	17.0	9.35	50.5	74.5
60th percentile	ft <sup>3</sup> /s	2.50	3.44	25.0	14.0	56.8	94.0
70th percentile	ft <sup>3</sup> /s	3.00	5.64	45.0	20.0	62.0	146
80th percentile	ft <sup>3</sup> /s	6.24	9.64	75.0	33.4	84.0	246
90th percentile	ft <sup>3</sup> /s	22.8	22.8	150	65.0	199	476
Drainage area	mi <sup>2</sup>	11.2	17.8	77	34.5	215	259
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	39.6	34.6	40.3	44.1	25.3	24.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.000	0.007	0.020	0.014	0.015
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.196	0.039	0.221	0.271	0.235	0.288
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	1.05	0.967	0.954	0.568	0.785
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.098	0.183	0.124	0.165
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.47	4.21	2.64	2.69	1.89	1.67
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.000	0.031	0.067	0.030	0.054
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.010	0.000	0.049	0.087	0.062	0.073
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.058	0.000	0.066	0.116	0.098	0.112
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.107	0.000	0.091	0.159	0.167	0.154
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.143	0.000	0.130	0.200	0.214	0.207
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.196	0.039	0.221	0.271	0.235	0.288
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.223	0.193	0.325	0.406	0.264	0.363
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.268	0.317	0.584	0.580	0.288	0.562
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.557	0.542	0.974	0.968	0.391	0.950
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.04	1.28	1.95	1.88	0.924	1.84

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02031500</b>	<b>02032000</b>	<b>02032250</b>	<b>02032400</b>	<b>02032500</b>	<b>02032515</b>
Count	number	390	90.0	625	540	420	540
Max	ft <sup>3</sup> /s	220	76.0	9,620	2,980	2,830	11,600
Min	ft <sup>3</sup> /s	0.200	0.000	4.60	1.60	10.0	8.60
Median	ft <sup>3</sup> /s	5.00	0.250	33.0	18.0	59.0	139
Arithmetic Mean	ft <sup>3</sup> /s	13.4	4.47	131	51.7	127	315
Geometric Mean	ft <sup>3</sup> /s	4.94	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1.84	--	24.6	13.4	53.1	94.6
Standard Deviation	ft <sup>3</sup> /s	26.1	10.6	501	176	223	803
5th percentile	ft <sup>3</sup> /s	0.355	0.000	8.13	5.80	21.0	37.1
10th percentile	ft <sup>3</sup> /s	0.800	0.000	11.0	6.79	26.9	49.0
20th percentile	ft <sup>3</sup> /s	1.70	0.000	16.0	9.20	32.0	69.8
30th percentile	ft <sup>3</sup> /s	2.40	0.000	20.0	11.0	45.0	92.0
40th percentile	ft <sup>3</sup> /s	3.46	0.000	25.0	14.0	51.6	110
50th percentile	ft <sup>3</sup> /s	5.00	0.250	33.0	18.0	59.0	139
60th percentile	ft <sup>3</sup> /s	7.28	2.06	45.4	23.4	87.4	186
70th percentile	ft <sup>3</sup> /s	9.73	3.70	66.8	34.0	128	244
80th percentile	ft <sup>3</sup> /s	16.0	6.06	119	48.0	155	336
90th percentile	ft <sup>3</sup> /s	28.0	10.1	245	84.0	236	558
Drainage area	mi <sup>2</sup>	11.2	17.8	77	34.5	215	259
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	19.6	4.27	125	86.4	13.2	44.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.018	0.000	0.060	0.046	0.047	0.033
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.446	0.014	0.429	0.522	0.274	0.535
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	0.251	1.70	1.50	0.592	1.22
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.441	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.165	--	0.319	0.389	0.247	0.365
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.33	0.595	6.51	5.10	1.04	3.10
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	0.000	0.106	0.168	0.098	0.143
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.071	0.000	0.143	0.197	0.125	0.189
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.152	0.000	0.208	0.267	0.149	0.269
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.214	0.000	0.260	0.319	0.209	0.355
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.309	0.000	0.325	0.406	0.240	0.425
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.446	0.014	0.429	0.522	0.274	0.535
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.650	0.116	0.590	0.678	0.407	0.719
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.869	0.208	0.868	0.986	0.595	0.942
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	0.340	1.55	1.39	0.721	1.30
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.50	0.567	3.18	2.43	1.10	2.15

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02031500</b>	<b>02032000</b>	<b>02032250</b>	<b>02032400</b>	<b>02032500</b>	<b>02032515</b>
Count	number	403	93.0	620	558	434	558
Max	ft <sup>3</sup> /s	325	126	1,030	586	1,500	2,820
Min	ft <sup>3</sup> /s	0.400	0.000	5.60	4.50	15.0	9.30
Median	ft <sup>3</sup> /s	9.90	13.0	62.0	28.0	105	214
Arithmetic Mean	ft <sup>3</sup> /s	17.9	21.3	103	44.8	161	311
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.97	--	43.1	20.8	70.6	149
Standard Deviation	ft <sup>3</sup> /s	28.9	28.0	130	61.8	187	349
5th percentile	ft <sup>3</sup> /s	1.20	0.000	15.0	7.50	18.0	60.0
10th percentile	ft <sup>3</sup> /s	1.50	0.000	20.0	9.00	40.0	75.0
20th percentile	ft <sup>3</sup> /s	1.90	0.000	31.0	13.0	52.0	111
30th percentile	ft <sup>3</sup> /s	4.32	0.120	42.0	20.0	59.0	152
40th percentile	ft <sup>3</sup> /s	7.48	8.82	53.0	24.0	80.0	188
50th percentile	ft <sup>3</sup> /s	9.90	13.0	62.0	28.0	105	214
60th percentile	ft <sup>3</sup> /s	13.0	17.2	80.4	33.0	132	245
70th percentile	ft <sup>3</sup> /s	17.0	23.0	105	40.0	172	300
80th percentile	ft <sup>3</sup> /s	22.6	36.2	131	55.0	221	390
90th percentile	ft <sup>3</sup> /s	43.0	55.4	204	85.6	324	609
Drainage area	mi <sup>2</sup>	11.2	17.8	77	34.5	215	259
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	29.0	7.08	13.4	17.0	6.98	10.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.036	0.000	0.073	0.130	0.070	0.036
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.884	0.730	0.805	0.812	0.486	0.824
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.60	1.20	1.34	1.30	0.747	1.20
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.355	--	0.560	0.602	0.328	0.574
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.58	1.57	1.69	1.79	0.870	1.35
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.107	0.000	0.195	0.217	0.084	0.232
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.134	0.000	0.260	0.261	0.186	0.290
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.170	0.000	0.403	0.377	0.242	0.430
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.386	0.007	0.545	0.580	0.274	0.587
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.668	0.496	0.688	0.696	0.372	0.726
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.884	0.730	0.805	0.812	0.486	0.824
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	0.966	1.04	0.957	0.616	0.946
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.52	1.29	1.36	1.16	0.800	1.16
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.02	2.03	1.70	1.59	1.03	1.51
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.84	3.11	2.65	2.48	1.51	2.35



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>02032640</b>	<b>02032680</b>	<b>02033500</b>	<b>02034000</b>	<b>02034500</b>	<b>02035000</b>
Count	number	434	682	279	2,263	1,773	3,379
Max	ft <sup>3</sup> /s	5,720	5,890	5,160	19,000	6,180	115,000
Min	ft <sup>3</sup> /s	19.0	28.0	50.0	68.0	28.0	940
Median	ft <sup>3</sup> /s	110	170	348	601	196	6,530
Arithmetic Mean	ft <sup>3</sup> /s	206	265	469	918	340	9,427
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	84.7	138	260	443	162	5,079
Standard Deviation	ft <sup>3</sup> /s	412	386	531	1,268	407	9,822
5th percentile	ft <sup>3</sup> /s	29.8	58.0	76.0	150	66.0	1,800
10th percentile	ft <sup>3</sup> /s	35.3	80.0	159	217	84.0	2,500
20th percentile	ft <sup>3</sup> /s	59.0	98.0	217	323	111	3,700
30th percentile	ft <sup>3</sup> /s	79.0	115	268	410	136	4,620
40th percentile	ft <sup>3</sup> /s	97.0	140	322	507	164	5,540
50th percentile	ft <sup>3</sup> /s	110	170	348	601	196	6,530
60th percentile	ft <sup>3</sup> /s	130	205	396	700	250	7,736
70th percentile	ft <sup>3</sup> /s	160	252	464	875	327	9,556
80th percentile	ft <sup>3</sup> /s	225	327	560	1,160	449	12,700
90th percentile	ft <sup>3</sup> /s	364	477	706	1,760	797	18,610
Drainage area	mi <sup>2</sup>	108	174	503	663	262	6252
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	53.0	33.9	10.3	28.7	23.6	18.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.176	0.161	0.099	0.103	0.107	0.150
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	0.977	0.692	0.906	0.748	1.04
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.91	1.52	0.932	1.38	1.30	1.51
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.785	0.791	0.516	0.668	0.620	0.812
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.82	2.22	1.05	1.91	1.56	1.57
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.275	0.333	0.151	0.226	0.252	0.288
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.327	0.460	0.316	0.328	0.321	0.400
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.546	0.563	0.431	0.487	0.425	0.592
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.731	0.661	0.533	0.618	0.519	0.739
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.898	0.805	0.640	0.765	0.626	0.886
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	0.977	0.692	0.906	0.748	1.04
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.18	0.787	1.06	0.954	1.24
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.48	1.45	0.922	1.32	1.25	1.53
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.09	1.88	1.11	1.75	1.71	2.03
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.37	2.74	1.40	2.65	3.04	2.98

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>02032640</b>	<b>02032680</b>	<b>02033500</b>	<b>02034000</b>	<b>02034500</b>	<b>02035000</b>
Count	number	395	622	254	2,060	1,610	3,078
Max	ft <sup>3</sup> /s	2,940	4,910	3,380	19,500	8,400	115,000
Min	ft <sup>3</sup> /s	20.0	35.0	65.0	82.0	40.0	1,210
Median	ft <sup>3</sup> /s	109	196	408	682	258	7,715
Arithmetic Mean	ft <sup>3</sup> /s	182	305	541	1,022	397	10,670
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	86.9	178	288	544	215	6,369
Standard Deviation	ft <sup>3</sup> /s	290	449	469	1,408	462	9,916
5th percentile	ft <sup>3</sup> /s	27.8	82.0	101	243	90.0	2,729
10th percentile	ft <sup>3</sup> /s	50.0	93.0	145	300	105	3,430
20th percentile	ft <sup>3</sup> /s	60.8	137	195	398	152	4,564
30th percentile	ft <sup>3</sup> /s	74.0	160	260	502	187	5,700
40th percentile	ft <sup>3</sup> /s	93.6	178	322	599	221	6,560
50th percentile	ft <sup>3</sup> /s	109	196	408	682	258	7,715
60th percentile	ft <sup>3</sup> /s	133	230	509	800	314	9,262
70th percentile	ft <sup>3</sup> /s	161	272	644	982	397	11,262
80th percentile	ft <sup>3</sup> /s	215	329	766	1,230	562	14,200
90th percentile	ft <sup>3</sup> /s	300	525	1,081	1,812	818	20,330
Drainage area	mi <sup>2</sup>	108	174	503	663	262	6252
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	27.2	28.2	6.72	29.4	32.1	18.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.185	0.201	0.129	0.124	0.153	0.194
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.13	0.811	1.03	0.985	1.23
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.69	1.75	1.08	1.54	1.52	1.71
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.805	1.02	0.572	0.821	0.821	1.02
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.69	2.58	0.932	2.12	1.76	1.59
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.257	0.471	0.201	0.367	0.344	0.437
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.463	0.534	0.288	0.452	0.401	0.549
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.563	0.789	0.387	0.600	0.580	0.730
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.685	0.920	0.516	0.757	0.714	0.912
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.867	1.02	0.640	0.903	0.844	1.05
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.13	0.811	1.03	0.985	1.23
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	1.32	1.01	1.21	1.20	1.48
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	1.56	1.28	1.48	1.52	1.80
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.99	1.89	1.52	1.86	2.14	2.27
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.78	3.01	2.15	2.73	3.12	3.25

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02032640</b>	<b>02032680</b>	<b>02033500</b>	<b>02034000</b>	<b>02034500</b>	<b>02035000</b>
Count	number	434	688	279	2,263	1,767	3,379
Max	ft <sup>3</sup> /s	1,610	6,400	4,430	33,800	3,550	156,000
Min	ft <sup>3</sup> /s	20.0	69.0	111	80.0	50.0	1,200
Median	ft <sup>3</sup> /s	136	219	430	768	280	9,460
Arithmetic Mean	ft <sup>3</sup> /s	193	330	586	1,168	432	12,868
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	113	201	385	673	248	8,114
Standard Deviation	ft <sup>3</sup> /s	196	439	551	1,564	414	11,396
5th percentile	ft <sup>3</sup> /s	50.8	97.0	143	310	107	3,480
10th percentile	ft <sup>3</sup> /s	57.0	111	227	376	132	4,550
20th percentile	ft <sup>3</sup> /s	75.6	140	322	483	170	5,860
30th percentile	ft <sup>3</sup> /s	94.0	160	346	571	202	6,914
40th percentile	ft <sup>3</sup> /s	111	189	387	662	239	8,060
50th percentile	ft <sup>3</sup> /s	136	219	430	768	280	9,460
60th percentile	ft <sup>3</sup> /s	159	260	475	895	335	10,940
70th percentile	ft <sup>3</sup> /s	192	317	541	1,090	436	13,300
80th percentile	ft <sup>3</sup> /s	246	396	670	1,400	622	17,400
90th percentile	ft <sup>3</sup> /s	409	609	1,056	2,238	970	25,200
Drainage area	mi <sup>2</sup>	108	174	503	663	262	6252
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	14.9	36.8	8.81	51.0	13.5	25.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.185	0.397	0.221	0.121	0.191	0.192
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.26	0.855	1.16	1.07	1.51
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.78	1.90	1.17	1.76	1.65	2.06
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	1.16	0.765	1.02	0.947	1.30
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.81	2.53	1.10	2.36	1.58	1.82
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.470	0.557	0.284	0.468	0.410	0.557
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.528	0.638	0.452	0.567	0.504	0.728
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.700	0.805	0.640	0.729	0.649	0.937
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.870	0.920	0.687	0.861	0.771	1.11
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	1.09	0.769	0.998	0.912	1.29
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.26	0.855	1.16	1.07	1.51
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.47	1.49	0.944	1.35	1.28	1.75
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.78	1.82	1.08	1.64	1.66	2.13
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.28	2.27	1.33	2.11	2.37	2.78
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.79	3.50	2.10	3.38	3.70	4.03

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02032640</b>	<b>02032680</b>	<b>02033500</b>	<b>02034000</b>	<b>02034500</b>	<b>02035000</b>
Count	number	420	690	180	2,190	1,740	3,270
Max	ft <sup>3</sup> /s	931	7,300	11,100	49,000	8,990	134,000
Min	ft <sup>3</sup> /s	40.0	51.0	164	162	52.0	1,760
Median	ft <sup>3</sup> /s	111	200	500	655	220	7,800
Arithmetic Mean	ft <sup>3</sup> /s	152	330	772	1,025	376	11,008
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	101	176	429	588	202	7,201
Standard Deviation	ft <sup>3</sup> /s	135	551	1,051	1,658	489	9,990
5th percentile	ft <sup>3</sup> /s	49.1	84.0	201	275	94.0	3,530
10th percentile	ft <sup>3</sup> /s	54.9	97.0	222	327	113	4,010
20th percentile	ft <sup>3</sup> /s	66.8	116	268	414	140	5,020
30th percentile	ft <sup>3</sup> /s	84.0	138	337	482	165	5,880
40th percentile	ft <sup>3</sup> /s	96.0	168	460	563	189	6,730
50th percentile	ft <sup>3</sup> /s	111	200	500	655	220	7,800
60th percentile	ft <sup>3</sup> /s	128	232	610	771	257	9,260
70th percentile	ft <sup>3</sup> /s	153	294	712	955	330	11,300
80th percentile	ft <sup>3</sup> /s	197	392	890	1,260	478	14,700
90th percentile	ft <sup>3</sup> /s	281	583	1,407	1,860	866	21,300
Drainage area	mi <sup>2</sup>	108	174	503	663	262	6252
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.62	42.0	22.1	73.9	34.3	21.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.370	0.293	0.326	0.244	0.198	0.282
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	1.15	0.994	0.988	0.838	1.25
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	1.90	1.53	1.55	1.44	1.76
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.931	1.01	0.854	0.887	0.772	1.15
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	3.17	2.09	2.50	1.87	1.60
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.454	0.483	0.400	0.415	0.359	0.565
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.508	0.557	0.441	0.493	0.431	0.641
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.619	0.667	0.533	0.624	0.534	0.803
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.778	0.791	0.670	0.727	0.630	0.940
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.889	0.963	0.915	0.849	0.721	1.08
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	1.15	0.994	0.988	0.838	1.25
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	1.33	1.21	1.16	0.981	1.48
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	1.69	1.42	1.44	1.26	1.81
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.82	2.25	1.77	1.90	1.83	2.35
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.60	3.35	2.80	2.81	3.30	3.41

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>02032640</b>	<b>02032680</b>	<b>02033500</b>	<b>02034000</b>	<b>02034500</b>	<b>02035000</b>
Count	number	434	713	186	2,263	1,798	3,379
Max	ft <sup>3</sup> /s	4,320	4,930	4,260	22,900	5,310	92,200
Min	ft <sup>3</sup> /s	16.0	30.0	88.0	84.0	38.0	1,330
Median	ft <sup>3</sup> /s	73.0	176	328	517	147	5,920
Arithmetic Mean	ft <sup>3</sup> /s	116	270	431	747	235	7,907
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	64.5	143	276	442	129	5,301
Standard Deviation	ft <sup>3</sup> /s	237	411	442	1,044	299	7,425
5th percentile	ft <sup>3</sup> /s	28.8	61.8	117	206	59.0	2,640
10th percentile	ft <sup>3</sup> /s	36.0	78.0	142	244	68.0	3,070
20th percentile	ft <sup>3</sup> /s	46.0	97.0	197	301	83.4	3,700
30th percentile	ft <sup>3</sup> /s	55.0	120	257	362	105	4,380
40th percentile	ft <sup>3</sup> /s	64.0	146	280	434	124	5,078
50th percentile	ft <sup>3</sup> /s	73.0	176	328	517	147	5,920
60th percentile	ft <sup>3</sup> /s	83.8	202	395	606	177	6,850
70th percentile	ft <sup>3</sup> /s	98.1	244	470	717	211	8,000
80th percentile	ft <sup>3</sup> /s	122	310	549	900	277	9,962
90th percentile	ft <sup>3</sup> /s	192	449	656	1,320	470	14,200
Drainage area	mi <sup>2</sup>	108	174	503	663	262	6252
Max	ft <sup>3</sup> /mi <sup>2</sup>	40.0	28.3	8.47	34.5	20.3	14.7
Min	ft <sup>3</sup> /mi <sup>2</sup>	0.148	0.172	0.175	0.127	0.145	0.213
Median	ft <sup>3</sup> /mi <sup>2</sup>	0.676	1.01	0.652	0.780	0.559	0.947
Arithmetic Mean	ft <sup>3</sup> /mi <sup>2</sup>	1.08	1.55	0.857	1.13	0.895	1.26
Geometric Mean	ft <sup>3</sup> /mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.598	0.821	0.549	0.666	0.492	0.848
Standard Deviation	ft <sup>3</sup> /mi <sup>2</sup>	2.19	2.36	0.880	1.57	1.14	1.19
5th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.266	0.355	0.233	0.311	0.225	0.422
10th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.333	0.448	0.281	0.368	0.260	0.491
20th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.426	0.557	0.392	0.455	0.318	0.592
30th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.509	0.690	0.511	0.546	0.401	0.701
40th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.593	0.838	0.557	0.655	0.473	0.812
50th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.676	1.01	0.652	0.780	0.559	0.947
60th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.776	1.16	0.785	0.914	0.676	1.10
70th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.908	1.40	0.933	1.08	0.805	1.28
80th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.13	1.78	1.09	1.36	1.06	1.59
90th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.78	2.58	1.30	1.99	1.79	2.27

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>02032640</b>	<b>02032680</b>	<b>02033500</b>	<b>02034000</b>	<b>02034500</b>	<b>02035000</b>
Count	number	420	690	180	2,190	1,740	3,270
Max	ft <sup>3</sup> /s	2,270	25,000	2,670	68,000	24,000	280,000
Min	ft <sup>3</sup> /s	6.50	13.0	66.0	38.0	5.00	640
Median	ft <sup>3</sup> /s	48.0	108	198	337	86.0	3,840
Arithmetic Mean	ft <sup>3</sup> /s	109	244	248	586	168	6,077
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	32.1	80.1	173	258	70.2	3,420
Standard Deviation	ft <sup>3</sup> /s	214	1,099	243	1,773	664	9,767
5th percentile	ft <sup>3</sup> /s	9.91	25.6	78.1	96.0	32.0	1,560
10th percentile	ft <sup>3</sup> /s	12.0	36.0	90.0	130	38.0	1,860
20th percentile	ft <sup>3</sup> /s	23.0	62.0	135	182	48.0	2,380
30th percentile	ft <sup>3</sup> /s	29.0	80.0	157	230	59.0	2,840
40th percentile	ft <sup>3</sup> /s	36.0	94.0	175	290	72.0	3,340
50th percentile	ft <sup>3</sup> /s	48.0	108	198	337	86.0	3,840
60th percentile	ft <sup>3</sup> /s	64.4	128	221	405	104	4,530
70th percentile	ft <sup>3</sup> /s	80.3	153	246	490	131	5,530
80th percentile	ft <sup>3</sup> /s	125	192	300	607	165	7,210
90th percentile	ft <sup>3</sup> /s	219	339	440	1,000	263	11,100
Drainage area	mi <sup>2</sup>	108	174	503	663	262	6252
Max	ft <sup>3</sup> /mi <sup>2</sup>	21.0	144	5.31	103	91.6	44.8
Min	ft <sup>3</sup> /mi <sup>2</sup>	0.060	0.075	0.131	0.057	0.019	0.102
Median	ft <sup>3</sup> /mi <sup>2</sup>	0.444	0.618	0.394	0.508	0.328	0.614
Arithmetic Mean	ft <sup>3</sup> /mi <sup>2</sup>	1.01	1.40	0.494	0.884	0.643	0.972
Geometric Mean	ft <sup>3</sup> /mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.298	0.460	0.344	0.390	0.268	0.547
Standard Deviation	ft <sup>3</sup> /mi <sup>2</sup>	1.98	6.32	0.483	2.67	2.53	1.56
5th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.092	0.147	0.155	0.145	0.122	0.250
10th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.111	0.207	0.179	0.196	0.145	0.298
20th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.213	0.356	0.269	0.275	0.183	0.381
30th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.269	0.460	0.312	0.347	0.225	0.454
40th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.333	0.540	0.348	0.437	0.275	0.534
50th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.444	0.618	0.394	0.508	0.328	0.614
60th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.596	0.736	0.440	0.611	0.397	0.725
70th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.744	0.877	0.489	0.739	0.500	0.885
80th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.16	1.11	0.596	0.916	0.630	1.15
90th percentile	ft <sup>3</sup> /mi <sup>2</sup>	2.03	1.95	0.875	1.51	1.00	1.78

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>02032640</b>	<b>02032680</b>	<b>02033500</b>	<b>02034000</b>	<b>02034500</b>	<b>02035000</b>
Count	number	434	713	186	2,263	1,798	3,379
Max	ft <sup>3</sup> /s	1,720	3,650	3,210	11,600	2,960	55,000
Min	ft <sup>3</sup> /s	3.20	4.00	28.0	15.0	4.60	412
Median	ft <sup>3</sup> /s	33.0	70.0	147	240	59.0	2,710
Arithmetic Mean	ft <sup>3</sup> /s	63.8	117	280	391	118	3,783
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	19.0	42.1	102	161	45.7	2,308
Standard Deviation	ft <sup>3</sup> /s	125	217	432	606	232	4,254
5th percentile	ft <sup>3</sup> /s	5.90	14.0	36.7	56.0	19.0	1,060
10th percentile	ft <sup>3</sup> /s	8.00	25.0	48.5	75.0	23.0	1,268
20th percentile	ft <sup>3</sup> /s	12.0	38.0	57.0	112	32.0	1,620
30th percentile	ft <sup>3</sup> /s	17.0	48.0	75.5	155	39.0	1,970
40th percentile	ft <sup>3</sup> /s	23.0	58.8	114	198	49.0	2,340
50th percentile	ft <sup>3</sup> /s	33.0	70.0	147	240	59.0	2,710
60th percentile	ft <sup>3</sup> /s	43.0	82.0	202	294	75.0	3,170
70th percentile	ft <sup>3</sup> /s	55.0	98.4	250	359	96.0	3,740
80th percentile	ft <sup>3</sup> /s	73.0	134	306	467	131	4,580
90th percentile	ft <sup>3</sup> /s	121	223	560	749	209	6,722
Drainage area	mi <sup>2</sup>	108	174	503	663	262	6252
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	15.9	21.0	6.38	17.5	11.3	8.80
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.030	0.023	0.056	0.023	0.018	0.066
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.306	0.402	0.292	0.362	0.225	0.433
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.590	0.670	0.557	0.590	0.449	0.605
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.176	0.242	0.203	0.243	0.175	0.369
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	1.25	0.858	0.914	0.887	0.680
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.055	0.080	0.073	0.084	0.073	0.170
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.074	0.144	0.096	0.113	0.088	0.203
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.111	0.218	0.113	0.169	0.122	0.259
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.157	0.276	0.150	0.233	0.149	0.315
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.213	0.338	0.227	0.299	0.187	0.374
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.306	0.402	0.292	0.362	0.225	0.433
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.398	0.471	0.402	0.443	0.286	0.507
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.509	0.566	0.497	0.541	0.366	0.598
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.676	0.768	0.608	0.704	0.500	0.733
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	1.28	1.11	1.13	0.796	1.08

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02032640</b>	<b>02032680</b>	<b>02033500</b>	<b>02034000</b>	<b>02034500</b>	<b>02035000</b>
Count	number	434	713	186	2,263	1,798	3,379
Max	ft <sup>3</sup> /s	899	3,870	3,490	57,000	7,280	219,000
Min	ft <sup>3</sup> /s	0.690	2.00	19.0	10.0	5.40	465
Median	ft <sup>3</sup> /s	19.0	58.0	166	190	57.0	2,230
Arithmetic Mean	ft <sup>3</sup> /s	41.8	107	288	440	155	3,897
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	6.79	29.8	66.7	114	39.2	1,894
Standard Deviation	ft <sup>3</sup> /s	80.2	221	440	1,686	446	7,877
5th percentile	ft <sup>3</sup> /s	1.28	9.50	23.0	34.0	14.0	796
10th percentile	ft <sup>3</sup> /s	2.40	16.0	27.0	49.0	18.0	966
20th percentile	ft <sup>3</sup> /s	6.60	26.0	32.0	80.0	25.0	1,300
30th percentile	ft <sup>3</sup> /s	12.0	34.0	41.0	117	33.0	1,590
40th percentile	ft <sup>3</sup> /s	15.0	45.0	84.0	150	44.0	1,900
50th percentile	ft <sup>3</sup> /s	19.0	58.0	166	190	57.0	2,230
60th percentile	ft <sup>3</sup> /s	25.8	76.0	209	238	72.0	2,618
70th percentile	ft <sup>3</sup> /s	36.0	94.0	307	311	94.0	3,230
80th percentile	ft <sup>3</sup> /s	46.4	125	372	432	130	4,220
90th percentile	ft <sup>3</sup> /s	84.0	190	696	747	277	6,740
Drainage area	mi <sup>2</sup>	108	174	503	663	262	6252
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.32	22.2	6.94	86.0	27.8	35.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.006	0.011	0.038	0.015	0.021	0.074
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.176	0.333	0.330	0.287	0.218	0.357
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.387	0.615	0.573	0.664	0.590	0.623
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.063	0.171	0.133	0.173	0.150	0.303
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.743	1.27	0.874	2.54	1.70	1.26
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.012	0.055	0.046	0.051	0.053	0.127
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.022	0.092	0.054	0.074	0.069	0.154
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.061	0.149	0.064	0.121	0.095	0.208
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.111	0.195	0.082	0.176	0.126	0.254
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.139	0.259	0.167	0.226	0.168	0.304
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.176	0.333	0.330	0.287	0.218	0.357
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.239	0.437	0.416	0.359	0.275	0.419
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.333	0.540	0.609	0.469	0.359	0.517
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.430	0.718	0.740	0.651	0.495	0.675
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.778	1.09	1.38	1.13	1.06	1.08



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02032640</b>	<b>02032680</b>	<b>02033500</b>	<b>02034000</b>	<b>02034500</b>	<b>02035000</b>
Count	number	420	690	180	2,190	1,740	3,270
Max	ft <sup>3</sup> /s	11,000	8,760	772	40,800	6,520	143,000
Min	ft <sup>3</sup> /s	0.280	2.40	4.00	5.20	1.50	330
Median	ft <sup>3</sup> /s	22.0	45.0	121	164	49.0	1,800
Arithmetic Mean	ft <sup>3</sup> /s	158	157	134	489	124	3,670
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	5.74	28.4	43.2	99.2	28.2	1,629
Standard Deviation	ft <sup>3</sup> /s	721	605	115	1,854	349	7,890
5th percentile	ft <sup>3</sup> /s	1.01	10.0	14.1	36.0	8.51	690
10th percentile	ft <sup>3</sup> /s	4.90	17.9	18.9	50.0	14.0	874
20th percentile	ft <sup>3</sup> /s	7.90	21.0	20.0	75.0	20.0	1,150
30th percentile	ft <sup>3</sup> /s	11.0	24.0	37.1	97.7	28.0	1,380
40th percentile	ft <sup>3</sup> /s	16.0	31.6	99.2	125	38.0	1,580
50th percentile	ft <sup>3</sup> /s	22.0	45.0	121	164	49.0	1,800
60th percentile	ft <sup>3</sup> /s	32.4	58.0	149	209	60.0	2,154
70th percentile	ft <sup>3</sup> /s	63.0	77.0	186	281	77.3	2,723
80th percentile	ft <sup>3</sup> /s	98.0	125	220	403	104	3,700
90th percentile	ft <sup>3</sup> /s	239	231	254	738	180	6,551
Drainage area	mi <sup>2</sup>	108	174	503	663	262	6252
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	102	50.3	1.53	61.5	24.9	22.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.003	0.014	0.008	0.008	0.006	0.053
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.204	0.259	0.241	0.247	0.187	0.288
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	0.901	0.267	0.737	0.473	0.587
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.053	0.163	0.086	0.150	0.108	0.260
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	6.67	3.48	0.228	2.80	1.33	1.26
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.009	0.057	0.028	0.054	0.032	0.110
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.045	0.103	0.038	0.075	0.053	0.140
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.073	0.121	0.040	0.113	0.076	0.184
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.102	0.138	0.074	0.147	0.107	0.221
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.148	0.182	0.197	0.189	0.145	0.253
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.204	0.259	0.241	0.247	0.187	0.288
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.300	0.333	0.296	0.315	0.229	0.345
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.583	0.443	0.370	0.424	0.295	0.436
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.907	0.720	0.437	0.608	0.398	0.592
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.22	1.33	0.505	1.11	0.687	1.05

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02032640</b>	<b>02032680</b>	<b>02033500</b>	<b>02034000</b>	<b>02034500</b>	<b>02035000</b>
Count	number	465	687	279	2,294	1,798	3,379
Max	ft <sup>3</sup> /s	2,890	15,000	9,350	55,500	7,690	111,000
Min	ft <sup>3</sup> /s	1.70	2.00	4.00	13.0	1.90	348
Median	ft <sup>3</sup> /s	30.0	60.0	175	203	62.0	1,990
Arithmetic Mean	ft <sup>3</sup> /s	80.2	234	407	547	164	4,156
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	16.6	35.5	80.8	134	36.3	1,810
Standard Deviation	ft <sup>3</sup> /s	200	764	935	1,870	466	7,891
5th percentile	ft <sup>3</sup> /s	4.53	16.0	25.0	44.8	14.0	756
10th percentile	ft <sup>3</sup> /s	7.68	18.0	38.0	60.0	19.0	950
20th percentile	ft <sup>3</sup> /s	12.0	24.0	61.2	95.0	30.0	1,270
30th percentile	ft <sup>3</sup> /s	17.0	29.0	80.8	131	42.0	1,470
40th percentile	ft <sup>3</sup> /s	22.0	40.0	140	165	52.8	1,710
50th percentile	ft <sup>3</sup> /s	30.0	60.0	175	203	62.0	1,990
60th percentile	ft <sup>3</sup> /s	51.0	78.6	214	258	77.0	2,440
70th percentile	ft <sup>3</sup> /s	72.8	155	270	372	96.0	3,166
80th percentile	ft <sup>3</sup> /s	95.2	234	408	522	134	4,400
90th percentile	ft <sup>3</sup> /s	156	433	853	910	284	7,902
Drainage area	mi <sup>2</sup>	108	174	503	663	262	6252
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	26.8	86.2	18.6	83.7	29.4	17.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.016	0.011	0.008	0.020	0.007	0.056
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.278	0.345	0.348	0.306	0.237	0.318
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.743	1.35	0.809	0.824	0.628	0.665
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.154	0.204	0.161	0.202	0.139	0.290
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.85	4.39	1.86	2.82	1.78	1.26
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.042	0.092	0.050	0.067	0.053	0.121
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.071	0.103	0.076	0.090	0.073	0.152
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.111	0.138	0.122	0.143	0.115	0.203
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.157	0.167	0.161	0.198	0.160	0.235
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.204	0.230	0.279	0.249	0.202	0.274
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.278	0.345	0.348	0.306	0.237	0.318
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.472	0.452	0.425	0.389	0.294	0.390
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.674	0.891	0.537	0.561	0.366	0.506
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.881	1.35	0.811	0.787	0.511	0.704
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	2.49	1.70	1.37	1.08	1.26

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02032640</b>	<b>02032680</b>	<b>02033500</b>	<b>02034000</b>	<b>02034500</b>	<b>02035000</b>
Count	number	445	660	270	2,215	1,740	3,265
Max	ft <sup>3</sup> /s	2,650	7,990	4,890	31,000	8,470	199,000
Min	ft <sup>3</sup> /s	13.0	16.0	20.0	52.0	20.0	709
Median	ft <sup>3</sup> /s	60.0	116	207	320	99.0	2,748
Arithmetic Mean	ft <sup>3</sup> /s	143	222	471	599	205	4,885
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	39.6	87.8	143	248	85.8	2,523
Standard Deviation	ft <sup>3</sup> /s	273	506	779	1,208	399	7,315
5th percentile	ft <sup>3</sup> /s	14.0	35.0	49.1	93.0	30.1	1,150
10th percentile	ft <sup>3</sup> /s	17.0	41.0	60.0	115	46.0	1,360
20th percentile	ft <sup>3</sup> /s	22.0	52.8	83.8	168	61.0	1,630
30th percentile	ft <sup>3</sup> /s	27.0	72.0	141	206	72.0	1,940
40th percentile	ft <sup>3</sup> /s	39.0	92.0	177	255	85.0	2,270
50th percentile	ft <sup>3</sup> /s	60.0	116	207	320	99.0	2,748
60th percentile	ft <sup>3</sup> /s	82.0	150	280	399	122	3,500
70th percentile	ft <sup>3</sup> /s	115	186	343	520	159	4,570
80th percentile	ft <sup>3</sup> /s	192	244	500	707	228	6,280
90th percentile	ft <sup>3</sup> /s	341	392	1,022	1,170	398	10,200
Drainage area	mi <sup>2</sup>	108	174	503	663	262	6252
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	24.5	45.9	9.72	46.8	32.3	31.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.120	0.092	0.040	0.078	0.076	0.113
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.556	0.667	0.412	0.483	0.378	0.440
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	1.28	0.936	0.903	0.783	0.781
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.367	0.504	0.284	0.375	0.327	0.403
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.52	2.91	1.55	1.82	1.52	1.17
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.130	0.201	0.098	0.140	0.115	0.184
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.157	0.236	0.119	0.173	0.176	0.218
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.204	0.303	0.167	0.253	0.233	0.261
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.250	0.414	0.281	0.311	0.275	0.310
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.361	0.529	0.351	0.385	0.324	0.363
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.556	0.667	0.412	0.483	0.378	0.440
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.759	0.862	0.557	0.602	0.466	0.560
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.07	0.682	0.784	0.608	0.731
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.78	1.40	0.994	1.07	0.870	1.00
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.15	2.25	2.03	1.76	1.52	1.63

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02032640</b>	<b>02032680</b>	<b>02033500</b>	<b>02034000</b>	<b>02034500</b>	<b>02035000</b>
Count	number	434	682	279	2,263	1,798	3,348
Max	ft <sup>3</sup> /s	2,420	3,590	4,490	23,200	6,400	124,000
Min	ft <sup>3</sup> /s	15.0	30.0	27.0	67.0	24.0	835
Median	ft <sup>3</sup> /s	101	159	280	491	154	4,740
Arithmetic Mean	ft <sup>3</sup> /s	152	239	433	762	264	7,038
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	67.1	133	173	361	119	3,637
Standard Deviation	ft <sup>3</sup> /s	217	266	530	1,116	378	8,288
5th percentile	ft <sup>3</sup> /s	23.0	52.0	50.0	137	46.0	1,440
10th percentile	ft <sup>3</sup> /s	25.3	65.0	71.2	174	59.0	1,687
20th percentile	ft <sup>3</sup> /s	46.6	95.0	120	244	78.0	2,320
30th percentile	ft <sup>3</sup> /s	60.0	120	181	336	104	3,121
40th percentile	ft <sup>3</sup> /s	77.0	134	241	416	126	3,980
50th percentile	ft <sup>3</sup> /s	101	159	280	491	154	4,740
60th percentile	ft <sup>3</sup> /s	120	186	341	584	190	5,642
70th percentile	ft <sup>3</sup> /s	149	225	418	718	238	6,959
80th percentile	ft <sup>3</sup> /s	193	306	544	950	333	9,270
90th percentile	ft <sup>3</sup> /s	299	485	908	1,480	568	14,200
Drainage area	mi <sup>2</sup>	108	174	503	663	262	6252
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	22.4	20.6	8.93	35.0	24.4	19.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.139	0.172	0.054	0.101	0.092	0.134
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.935	0.911	0.557	0.741	0.586	0.758
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	1.37	0.861	1.15	1.01	1.13
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.621	0.767	0.344	0.545	0.454	0.582
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.01	1.53	1.05	1.68	1.44	1.33
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.213	0.299	0.099	0.207	0.175	0.230
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.374	0.142	0.262	0.225	0.270
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.431	0.546	0.239	0.368	0.298	0.371
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.556	0.690	0.359	0.507	0.397	0.499
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.713	0.770	0.480	0.627	0.481	0.637
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.935	0.911	0.557	0.741	0.586	0.758
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	1.07	0.678	0.881	0.725	0.902
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	1.29	0.831	1.08	0.908	1.11
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.79	1.76	1.08	1.43	1.27	1.48
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.77	2.78	1.81	2.23	2.17	2.27

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		January					
	units	02035500	02036000	02036500	02037000	02037500	02038000
Station Number	number						
Count	number	62.0	93.0	1,953	2,201	2,263	1,209
Max	ft <sup>3</sup> /s	220	410	705	2,540	126,000	938
Min	ft <sup>3</sup> /s	13.0	19.0	2.00	0.000	210	1.90
Median	ft <sup>3</sup> /s	74.0	36.0	18.0	820	6,450	28.0
Arithmetic Mean	ft <sup>3</sup> /s	80.3	51.6	27.1	588	9,465	44.9
Geometric Mean	ft <sup>3</sup> /s	69.5	42.2	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	57.8	38.0	14.0	--	4,271	19.1
Standard Deviation	ft <sup>3</sup> /s	43.2	51.6	39.0	418	10,686	63.7
5th percentile	ft <sup>3</sup> /s	21.0	25.0	5.50	0.820	1,340	6.35
10th percentile	ft <sup>3</sup> /s	34.1	26.0	7.20	4.00	2,100	11.0
20th percentile	ft <sup>3</sup> /s	55.6	29.0	10.0	47.0	3,600	16.0
30th percentile	ft <sup>3</sup> /s	62.6	32.0	13.0	150	4,420	20.0
40th percentile	ft <sup>3</sup> /s	69.0	35.0	15.0	570	5,360	23.0
50th percentile	ft <sup>3</sup> /s	74.0	36.0	18.0	820	6,450	28.0
60th percentile	ft <sup>3</sup> /s	79.0	39.0	21.0	870	7,582	33.8
70th percentile	ft <sup>3</sup> /s	84.0	45.0	25.0	904	9,384	43.0
80th percentile	ft <sup>3</sup> /s	105	55.6	31.0	950	12,800	55.4
90th percentile	ft <sup>3</sup> /s	134	83.0	49.0	1,010	18,900	82.4
Drainage area	mi <sup>2</sup>	68.4	39.8	22.4	--	6753	33.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.22	10.3	31.5	--	18.7	28.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.190	0.477	0.089	--	0.031	0.057
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	0.905	0.804	--	0.955	0.846
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.30	1.21	--	1.40	1.36
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	1.06	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.844	0.954	0.626	--	0.632	0.576
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.631	1.30	1.74	--	1.58	1.92
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.307	0.628	0.246	--	0.198	0.192
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.499	0.653	0.321	--	0.311	0.332
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.813	0.729	0.446	--	0.533	0.483
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.915	0.804	0.580	--	0.655	0.604
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	0.879	0.670	--	0.794	0.695
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	0.905	0.804	--	0.955	0.846
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	0.980	0.938	--	1.12	1.02
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.13	1.12	--	1.39	1.30
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	1.40	1.38	--	1.90	1.67
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.96	2.09	2.19	--	2.80	2.49

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>02035500</b>	<b>02036000</b>	<b>02036500</b>	<b>02037000</b>	<b>02037500</b>	<b>02038000</b>
Count	number	56.0	84.0	1,779	2,005	2,062	1,102
Max	ft <sup>3</sup> /s	337	192	994	2,540	134,000	1,690
Min	ft <sup>3</sup> /s	20.0	16.0	1.70	0.000	140	5.80
Median	ft <sup>3</sup> /s	64.0	29.0	22.0	850	7,805	41.0
Arithmetic Mean	ft <sup>3</sup> /s	75.9	39.0	30.6	602	10,729	57.3
Geometric Mean	ft <sup>3</sup> /s	59.3	32.3	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	48.3	28.3	17.3	--	5,653	31.4
Standard Deviation	ft <sup>3</sup> /s	65.5	30.5	44.9	420	10,875	79.3
5th percentile	ft <sup>3</sup> /s	20.0	17.0	7.70	0.820	2,383	12.0
10th percentile	ft <sup>3</sup> /s	24.5	18.0	10.0	12.4	3,210	16.0
20th percentile	ft <sup>3</sup> /s	30.0	19.6	13.0	48.0	4,370	21.0
30th percentile	ft <sup>3</sup> /s	41.0	22.0	16.0	211	5,503	28.0
40th percentile	ft <sup>3</sup> /s	55.0	23.0	19.0	557	6,518	35.0
50th percentile	ft <sup>3</sup> /s	64.0	29.0	22.0	850	7,805	41.0
60th percentile	ft <sup>3</sup> /s	69.0	36.8	25.0	892	9,312	48.0
70th percentile	ft <sup>3</sup> /s	79.0	41.1	28.6	920	11,300	57.7
80th percentile	ft <sup>3</sup> /s	95.0	50.0	36.0	948	14,300	72.0
90th percentile	ft <sup>3</sup> /s	115	67.6	55.0	1,020	20,000	102
Drainage area	mi <sup>2</sup>	68.4	39.8	22.4	--	6753	33.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	4.93	4.82	44.4	--	19.8	51.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.292	0.402	0.076	--	0.021	0.175
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.936	0.729	0.982	--	1.16	1.24
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	0.980	1.37	--	1.59	1.73
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.867	0.812	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.707	0.711	0.772	--	0.837	0.947
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.958	0.765	2.00	--	1.61	2.40
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.292	0.427	0.344	--	0.353	0.363
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.358	0.452	0.446	--	0.475	0.483
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.439	0.492	0.580	--	0.647	0.634
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.599	0.553	0.714	--	0.815	0.846
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.804	0.578	0.848	--	0.965	1.06
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.936	0.729	0.982	--	1.16	1.24
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	0.925	1.12	--	1.38	1.45
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	1.03	1.28	--	1.67	1.74
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	1.26	1.61	--	2.12	2.18
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	1.70	2.46	--	2.96	3.08

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02035500</b>	<b>02036000</b>	<b>02036500</b>	<b>02037000</b>	<b>02037500</b>	<b>02038000</b>
Count	number	62.0	93.0	1,953	2,201	2,263	1,209
Max	ft <sup>3</sup> /s	435	368	620	2,540	136,000	1,320
Min	ft <sup>3</sup> /s	16.0	18.0	1.90	0.000	1,290	9.00
Median	ft <sup>3</sup> /s	58.0	30.0	23.0	838	9,140	42.0
Arithmetic Mean	ft <sup>3</sup> /s	65.3	45.4	34.2	591	12,847	65.0
Geometric Mean	ft <sup>3</sup> /s	54.0	35.4	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	46.6	31.4	19.9	--	7,843	34.4
Standard Deviation	ft <sup>3</sup> /s	57.8	53.2	44.1	433	12,030	91.1
5th percentile	ft <sup>3</sup> /s	19.5	20.0	9.50	1.70	3,300	14.0
10th percentile	ft <sup>3</sup> /s	26.3	21.0	11.0	14.0	4,292	17.0
20th percentile	ft <sup>3</sup> /s	34.4	22.4	14.0	48.0	5,668	23.0
30th percentile	ft <sup>3</sup> /s	38.9	25.0	17.0	124	6,696	29.0
40th percentile	ft <sup>3</sup> /s	50.8	28.8	20.0	433	7,860	35.0
50th percentile	ft <sup>3</sup> /s	58.0	30.0	23.0	838	9,140	42.0
60th percentile	ft <sup>3</sup> /s	59.0	33.6	26.0	904	10,900	50.0
70th percentile	ft <sup>3</sup> /s	69.0	40.8	32.0	929	13,400	61.0
80th percentile	ft <sup>3</sup> /s	74.0	48.0	39.6	980	17,200	77.0
90th percentile	ft <sup>3</sup> /s	104	61.2	61.0	1,030	25,340	116
Drainage area	mi <sup>2</sup>	68.4	39.8	22.4	--	6753	33.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.36	9.25	27.7	--	20.1	39.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.452	0.085	--	0.191	0.272
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.848	0.754	1.03	--	1.35	1.27
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.955	1.14	1.53	--	1.90	1.96
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.789	0.890	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.681	0.790	0.887	--	1.16	1.04
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.845	1.34	1.97	--	1.78	2.75
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.284	0.503	0.424	--	0.489	0.423
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.385	0.528	0.491	--	0.636	0.514
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.503	0.563	0.625	--	0.839	0.695
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.569	0.628	0.759	--	0.992	0.876
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.743	0.724	0.893	--	1.16	1.06
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.848	0.754	1.03	--	1.35	1.27
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.863	0.844	1.16	--	1.61	1.51
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.03	1.43	--	1.98	1.84
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.21	1.77	--	2.55	2.33
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.52	1.54	2.72	--	3.75	3.51

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02035500</b>	<b>02036000</b>	<b>02036500</b>	<b>02037000</b>	<b>02037500</b>	<b>02038000</b>
Count	number	60.0	90.0	1,890	2,130	2,190	1,170
Max	ft <sup>3</sup> /s	157	278	570	2,540	152,000	771
Min	ft <sup>3</sup> /s	15.0	14.0	2.30	0.000	1,300	3.90
Median	ft <sup>3</sup> /s	45.0	26.5	19.0	850	7,400	34.0
Arithmetic Mean	ft <sup>3</sup> /s	48.9	34.6	29.0	606	11,122	52.5
Geometric Mean	ft <sup>3</sup> /s	41.9	28.6	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	35.6	25.6	16.5	--	6,716	28.1
Standard Deviation	ft <sup>3</sup> /s	28.3	33.5	38.6	426	11,476	67.4
5th percentile	ft <sup>3</sup> /s	16.0	16.0	7.90	4.40	3,276	12.0
10th percentile	ft <sup>3</sup> /s	17.9	17.0	9.50	15.9	3,779	15.0
20th percentile	ft <sup>3</sup> /s	21.8	18.0	12.0	60.0	4,670	19.0
30th percentile	ft <sup>3</sup> /s	33.9	19.0	14.0	149	5,520	23.0
40th percentile	ft <sup>3</sup> /s	40.6	24.0	16.0	577	6,320	28.0
50th percentile	ft <sup>3</sup> /s	45.0	26.5	19.0	850	7,400	34.0
60th percentile	ft <sup>3</sup> /s	52.0	30.4	22.0	900	8,988	40.0
70th percentile	ft <sup>3</sup> /s	58.3	33.0	27.0	922	11,000	50.0
80th percentile	ft <sup>3</sup> /s	65.0	38.0	34.2	988	14,800	65.0
90th percentile	ft <sup>3</sup> /s	79.5	52.6	51.0	1,030	22,200	98.1
Drainage area	mi <sup>2</sup>	68.4	39.8	22.4	--	6753	33.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	2.30	6.98	25.4	--	22.5	23.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.219	0.352	0.103	--	0.193	0.118
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.658	0.666	0.848	--	1.10	1.03
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.715	0.869	1.30	--	1.65	1.59
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.612	0.718	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.520	0.644	0.735	--	0.994	0.849
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.413	0.841	1.73	--	1.70	2.04
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.402	0.353	--	0.485	0.363
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.262	0.427	0.424	--	0.560	0.453
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.319	0.452	0.536	--	0.692	0.574
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.496	0.477	0.625	--	0.817	0.695
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.594	0.603	0.714	--	0.936	0.846
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.658	0.666	0.848	--	1.10	1.03
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.760	0.764	0.982	--	1.33	1.21
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.852	0.829	1.21	--	1.63	1.51
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.950	0.955	1.53	--	2.19	1.96
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	1.32	2.28	--	3.29	2.96



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	02035500	02036000	02036500	02037000	02037500	02038000
Count	number	62.0	93.0	1,953	2,201	2,263	1,209
Max	ft <sup>3</sup> /s	515	690	416	1,170	87,500	485
Min	ft <sup>3</sup> /s	32.0	14.0	0.700	0.000	590	1.40
Median	ft <sup>3</sup> /s	58.5	28.0	12.0	820	5,760	17.0
Arithmetic Mean	ft <sup>3</sup> /s	86.7	52.2	20.0	590	7,689	29.8
Geometric Mean	ft <sup>3</sup> /s	70.3	34.5	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	62.0	28.3	9.50	--	4,816	13.1
Standard Deviation	ft <sup>3</sup> /s	79.7	84.7	29.5	401	7,141	43.2
5th percentile	ft <sup>3</sup> /s	38.3	16.0	4.00	2.41	2,164	4.85
10th percentile	ft <sup>3</sup> /s	41.0	17.0	5.00	19.0	2,702	6.68
20th percentile	ft <sup>3</sup> /s	45.0	19.4	7.10	75.0	3,370	9.46
30th percentile	ft <sup>3</sup> /s	50.6	21.6	9.20	172	4,080	12.0
40th percentile	ft <sup>3</sup> /s	55.0	23.0	10.0	505	4,920	14.0
50th percentile	ft <sup>3</sup> /s	58.5	28.0	12.0	820	5,760	17.0
60th percentile	ft <sup>3</sup> /s	64.0	33.4	15.0	868	6,830	21.0
70th percentile	ft <sup>3</sup> /s	77.5	42.0	18.0	900	7,940	27.0
80th percentile	ft <sup>3</sup> /s	100	54.0	23.0	940	10,000	36.0
90th percentile	ft <sup>3</sup> /s	163	107	35.8	1,000	14,400	55.2
Drainage area	mi <sup>2</sup>	68.4	39.8	22.4	--	6753	33.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.53	17.3	18.6	--	13.0	14.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.468	0.352	0.031	--	0.087	0.042
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.855	0.704	0.536	--	0.853	0.514
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.27	1.31	0.893	--	1.14	0.899
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.867	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.907	0.711	0.424	--	0.713	0.395
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	2.13	1.32	--	1.06	1.30
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.560	0.402	0.179	--	0.320	0.147
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.599	0.427	0.223	--	0.400	0.202
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.658	0.487	0.317	--	0.499	0.286
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.740	0.543	0.411	--	0.604	0.363
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.804	0.578	0.446	--	0.729	0.423
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.855	0.704	0.536	--	0.853	0.514
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.936	0.839	0.670	--	1.01	0.634
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	1.06	0.804	--	1.18	0.816
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.36	1.03	--	1.48	1.09
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.38	2.69	1.60	--	2.13	1.67

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>02035500</b>	<b>02036000</b>	<b>02036500</b>	<b>02037000</b>	<b>02037500</b>	<b>02038000</b>
Count	number	60.0	90.0	1,890	2,130	2,190	1,170
Max	ft <sup>3</sup> /s	345	84.0	896	2,540	296,000	486
Min	ft <sup>3</sup> /s	12.0	6.70	0.400	0.000	194	1.50
Median	ft <sup>3</sup> /s	30.0	14.0	7.00	784	3,460	8.60
Arithmetic Mean	ft <sup>3</sup> /s	42.0	17.1	11.8	599	5,611	16.9
Geometric Mean	ft <sup>3</sup> /s	31.2	14.9	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	25.7	13.4	4.60	--	2,667	6.48
Standard Deviation	ft <sup>3</sup> /s	48.1	11.3	27.0	367	10,833	33.2
5th percentile	ft <sup>3</sup> /s	14.0	7.48	1.40	3.20	1,040	2.40
10th percentile	ft <sup>3</sup> /s	14.0	8.37	2.50	47.0	1,349	3.00
20th percentile	ft <sup>3</sup> /s	15.8	9.80	3.90	133	1,950	3.98
30th percentile	ft <sup>3</sup> /s	19.4	11.0	4.70	281	2,450	5.27
40th percentile	ft <sup>3</sup> /s	23.8	12.6	5.90	694	2,940	6.70
50th percentile	ft <sup>3</sup> /s	30.0	14.0	7.00	784	3,460	8.60
60th percentile	ft <sup>3</sup> /s	35.4	15.0	8.60	828	4,104	11.0
70th percentile	ft <sup>3</sup> /s	43.0	18.0	10.0	870	5,003	14.0
80th percentile	ft <sup>3</sup> /s	50.4	22.0	13.0	908	6,426	19.0
90th percentile	ft <sup>3</sup> /s	79.0	29.2	22.0	950	9,870	31.0
Drainage area	mi <sup>2</sup>	68.4	39.8	22.4	--	6753	33.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	5.04	2.11	40.0	--	43.8	14.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.175	0.168	0.018	--	0.029	0.045
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.439	0.352	0.313	--	0.512	0.260
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.614	0.430	0.526	--	0.831	0.510
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.456	0.374	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.376	0.336	0.205	--	0.395	0.196
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.703	0.283	1.20	--	1.60	1.00
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.205	0.188	0.063	--	0.154	0.073
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.205	0.210	0.112	--	0.200	0.091
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.231	0.246	0.174	--	0.289	0.120
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.284	0.276	0.210	--	0.363	0.159
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.348	0.317	0.263	--	0.435	0.202
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.439	0.352	0.313	--	0.512	0.260
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.518	0.377	0.384	--	0.608	0.332
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.629	0.452	0.446	--	0.741	0.423
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.737	0.553	0.580	--	0.952	0.574
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	0.734	0.982	--	1.46	0.937

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units	02035500	02036000	02036500	02037000	02037500	02038000
Station Number	number						
Count	number	62.0	93.0	1,953	2,201	2,263	1,209
Max	ft <sup>3</sup> /s	645	552	389	1,150	64,600	1,130
Min	ft <sup>3</sup> /s	5.00	4.30	0.090	0.000	20.0	0.850
Median	ft <sup>3</sup> /s	38.0	14.0	4.30	745	2,310	5.40
Arithmetic Mean	ft <sup>3</sup> /s	74.7	30.7	8.40	545	3,218	14.3
Geometric Mean	ft <sup>3</sup> /s	42.0	15.4	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	26.6	11.1	2.71	--	932	3.89
Standard Deviation	ft <sup>3</sup> /s	108	67.9	18.3	347	4,030	50.0
5th percentile	ft <sup>3</sup> /s	7.15	4.60	0.950	3.80	510	1.50
10th percentile	ft <sup>3</sup> /s	16.0	4.80	1.40	30.0	754	1.80
20th percentile	ft <sup>3</sup> /s	18.2	7.08	2.00	123	1,094	2.30
30th percentile	ft <sup>3</sup> /s	24.3	9.72	2.80	253	1,530	3.10
40th percentile	ft <sup>3</sup> /s	30.4	11.8	3.60	448	1,900	4.02
50th percentile	ft <sup>3</sup> /s	38.0	14.0	4.30	745	2,310	5.40
60th percentile	ft <sup>3</sup> /s	49.2	16.0	5.40	780	2,760	6.90
70th percentile	ft <sup>3</sup> /s	67.5	20.0	6.80	820	3,260	9.20
80th percentile	ft <sup>3</sup> /s	84.0	26.0	9.80	856	3,900	13.4
90th percentile	ft <sup>3</sup> /s	200	46.8	15.0	908	5,832	25.0
Drainage area	mi <sup>2</sup>	68.4	39.8	22.4	--	6753	33.1
Max	ft <sup>3</sup> /mi <sup>2</sup>	9.43	13.9	17.4	--	9.57	34.1
Min	ft <sup>3</sup> /mi <sup>2</sup>	0.073	0.108	0.004	--	0.003	0.026
Median	ft <sup>3</sup> /mi <sup>2</sup>	0.556	0.352	0.192	--	0.342	0.163
Arithmetic Mean	ft <sup>3</sup> /mi <sup>2</sup>	1.09	0.772	0.375	--	0.477	0.433
Geometric Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.614	0.387	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.389	0.279	0.121	--	0.138	0.117
Standard Deviation	ft <sup>3</sup> /mi <sup>2</sup>	1.58	1.71	0.819	--	0.597	1.51
5th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.105	0.116	0.042	--	0.076	0.045
10th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.234	0.121	0.063	--	0.112	0.054
20th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.266	0.178	0.089	--	0.162	0.069
30th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.355	0.244	0.125	--	0.227	0.094
40th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.444	0.296	0.161	--	0.281	0.121
50th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.556	0.352	0.192	--	0.342	0.163
60th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.719	0.402	0.241	--	0.409	0.208
70th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.987	0.503	0.304	--	0.483	0.278
80th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.23	0.653	0.438	--	0.578	0.405
90th percentile	ft <sup>3</sup> /mi <sup>2</sup>	2.92	1.18	0.670	--	0.864	0.755

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02035500</b>	<b>02036000</b>	<b>02036500</b>	<b>02037000</b>	<b>02037500</b>	<b>02038000</b>
Count	number	62.0	93.0	1,953	2,201	2,263	1,209
Max	ft <sup>3</sup> /s	178	58.0	1,330	3,860	195,000	743
Min	ft <sup>3</sup> /s	7.00	3.00	0.010	0.000	20.0	0.230
Median	ft <sup>3</sup> /s	16.0	8.80	4.00	720	1,790	5.90
Arithmetic Mean	ft <sup>3</sup> /s	20.2	10.0	11.4	532	3,485	16.2
Geometric Mean	ft <sup>3</sup> /s	17.2	8.27	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	16.0	7.05	0.994	--	597	3.58
Standard Deviation	ft <sup>3</sup> /s	21.7	8.04	46.5	366	8,910	43.3
5th percentile	ft <sup>3</sup> /s	10.3	3.57	0.570	0.600	194	1.20
10th percentile	ft <sup>3</sup> /s	12.0	3.80	0.800	19.0	431	1.40
20th percentile	ft <sup>3</sup> /s	14.0	4.24	1.30	126	838	2.20
30th percentile	ft <sup>3</sup> /s	15.0	5.78	1.90	199	1,150	3.20
40th percentile	ft <sup>3</sup> /s	16.0	8.00	2.60	393	1,460	4.40
50th percentile	ft <sup>3</sup> /s	16.0	8.80	4.00	720	1,790	5.90
60th percentile	ft <sup>3</sup> /s	16.0	9.60	5.20	774	2,250	7.70
70th percentile	ft <sup>3</sup> /s	17.0	11.0	7.00	805	2,740	10.0
80th percentile	ft <sup>3</sup> /s	18.8	12.6	10.0	848	3,700	15.0
90th percentile	ft <sup>3</sup> /s	25.8	15.8	19.0	900	5,920	30.0
Drainage area	mi <sup>2</sup>	68.4	39.8	22.4	--	6753	33.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	2.60	1.46	59.4	--	28.9	22.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.102	0.075	0.000	--	0.003	0.007
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.221	0.179	--	0.265	0.178
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	0.252	0.507	--	0.516	0.489
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.251	0.208	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.233	0.177	0.044	--	0.088	0.108
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.317	0.202	2.07	--	1.32	1.31
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.151	0.090	0.025	--	0.029	0.036
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.175	0.095	0.036	--	0.064	0.042
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.205	0.107	0.058	--	0.124	0.066
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.219	0.145	0.085	--	0.170	0.097
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.201	0.116	--	0.216	0.133
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.221	0.179	--	0.265	0.178
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.241	0.232	--	0.333	0.233
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.249	0.276	0.313	--	0.406	0.302
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.275	0.317	0.446	--	0.548	0.453
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.377	0.397	0.848	--	0.877	0.906

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02035500</b>	<b>02036000</b>	<b>02036500</b>	<b>02037000</b>	<b>02037500</b>	<b>02038000</b>
Count	number	60.0	90.0	1,890	2,130	2,190	1,170
Max	ft <sup>3</sup> /s	579	500	813	2,850	142,000	1,670
Min	ft <sup>3</sup> /s	8.00	2.00	0.100	0.000	10.0	0.020
Median	ft <sup>3</sup> /s	16.0	8.50	3.50	703	1,460	3.60
Arithmetic Mean	ft <sup>3</sup> /s	46.5	22.6	10.7	507	3,570	17.6
Geometric Mean	ft <sup>3</sup> /s	23.6	9.48	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	17.4	6.28	1.62	--	349	1.06
Standard Deviation	ft <sup>3</sup> /s	91.4	59.8	39.6	359	9,221	81.5
5th percentile	ft <sup>3</sup> /s	9.00	2.40	0.500	0.600	68.0	0.891
10th percentile	ft <sup>3</sup> /s	10.0	2.69	0.700	9.00	233	1.20
20th percentile	ft <sup>3</sup> /s	11.8	3.74	1.10	87.0	732	1.60
30th percentile	ft <sup>3</sup> /s	13.0	6.17	1.70	188	1,000	2.17
40th percentile	ft <sup>3</sup> /s	15.0	7.60	2.50	356	1,240	2.80
50th percentile	ft <sup>3</sup> /s	16.0	8.50	3.50	703	1,460	3.60
60th percentile	ft <sup>3</sup> /s	18.4	9.24	4.70	750	1,790	4.50
70th percentile	ft <sup>3</sup> /s	26.0	11.3	6.20	790	2,330	5.83
80th percentile	ft <sup>3</sup> /s	56.0	19.6	8.60	820	3,292	9.20
90th percentile	ft <sup>3</sup> /s	100	38.2	15.0	874	6,462	21.0
Drainage area	mi <sup>2</sup>	68.4	39.8	22.4	--	6753	33.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.46	12.6	36.3	--	21.0	50.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.117	0.050	0.004	--	0.001	0.001
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.214	0.156	--	0.216	0.109
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.679	0.569	0.477	--	0.529	0.532
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.345	0.238	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.255	0.158	0.072	--	0.052	0.032
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.34	1.50	1.77	--	1.37	2.46
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.132	0.060	0.022	--	0.010	0.027
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.146	0.068	0.031	--	0.034	0.036
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.173	0.094	0.049	--	0.108	0.048
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.190	0.155	0.076	--	0.148	0.066
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.219	0.191	0.112	--	0.184	0.085
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.214	0.156	--	0.216	0.109
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.269	0.232	0.210	--	0.265	0.136
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.380	0.284	0.277	--	0.345	0.176
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.819	0.492	0.384	--	0.487	0.278
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	0.960	0.670	--	0.957	0.634

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02035500</b>	<b>02036000</b>	<b>02036500</b>	<b>02037000</b>	<b>02037500</b>	<b>02038000</b>
Count	number	62.0	93.0	1,984	2,232	2,294	1,240
Max	ft <sup>3</sup> /s	171	88.0	1,880	2,730	152,000	3,700
Min	ft <sup>3</sup> /s	9.00	8.10	0.080	0.000	10.0	0.010
Median	ft <sup>3</sup> /s	23.0	13.0	5.50	730	1,690	5.20
Arithmetic Mean	ft <sup>3</sup> /s	32.4	16.2	14.0	518	4,061	22.4
Geometric Mean	ft <sup>3</sup> /s	26.8	14.4	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	23.4	13.4	2.55	--	533	1.01
Standard Deviation	ft <sup>3</sup> /s	26.0	11.1	69.0	381	8,777	119
5th percentile	ft <sup>3</sup> /s	13.0	8.80	0.653	0.600	144	0.821
10th percentile	ft <sup>3</sup> /s	15.1	9.52	1.10	7.43	565	1.20
20th percentile	ft <sup>3</sup> /s	18.0	11.0	2.40	43.0	890	2.40
30th percentile	ft <sup>3</sup> /s	19.0	11.0	3.30	139	1,160	3.37
40th percentile	ft <sup>3</sup> /s	20.0	11.8	4.30	387	1,400	4.20
50th percentile	ft <sup>3</sup> /s	23.0	13.0	5.50	730	1,690	5.20
60th percentile	ft <sup>3</sup> /s	28.8	14.2	6.98	775	2,110	7.40
70th percentile	ft <sup>3</sup> /s	35.0	16.0	9.20	800	2,971	12.0
80th percentile	ft <sup>3</sup> /s	40.8	17.6	13.0	850	4,470	18.2
90th percentile	ft <sup>3</sup> /s	55.0	24.0	21.7	904	7,918	34.0
Drainage area	mi <sup>2</sup>	68.4	39.8	22.4	--	6753	33.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	2.50	2.21	83.9	--	22.5	112
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.132	0.204	0.004	--	0.001	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.336	0.327	0.246	--	0.250	0.157
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.473	0.406	0.627	--	0.601	0.677
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.392	0.361	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.342	0.336	0.114	--	0.079	0.031
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.380	0.278	3.08	--	1.30	3.60
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.190	0.221	0.029	--	0.021	0.025
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.221	0.239	0.049	--	0.084	0.036
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.263	0.276	0.107	--	0.132	0.073
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.278	0.276	0.147	--	0.172	0.102
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.292	0.296	0.192	--	0.207	0.127
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.336	0.327	0.246	--	0.250	0.157
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.421	0.357	0.312	--	0.312	0.224
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.512	0.402	0.411	--	0.440	0.363
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.596	0.442	0.580	--	0.662	0.550
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.804	0.603	0.969	--	1.17	1.03

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02035500</b>	<b>02036000</b>	<b>02036500</b>	<b>02037000</b>	<b>02037500</b>	<b>02038000</b>
Count	number	60.0	90.0	1,915	2,155	2,215	1,200
Max	ft <sup>3</sup> /s	185	157	1,420	2,540	206,000	1,050
Min	ft <sup>3</sup> /s	10.0	11.0	0.800	0.000	174	0.560
Median	ft <sup>3</sup> /s	21.0	14.0	9.90	760	2,700	12.0
Arithmetic Mean	ft <sup>3</sup> /s	33.4	21.3	18.0	544	4,995	26.2
Geometric Mean	ft <sup>3</sup> /s	25.8	17.8	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	22.1	16.1	7.25	--	1,882	6.67
Standard Deviation	ft <sup>3</sup> /s	32.6	18.9	42.2	387	8,619	66.8
5th percentile	ft <sup>3</sup> /s	14.0	12.0	2.70	0.600	650	1.90
10th percentile	ft <sup>3</sup> /s	16.0	12.0	3.60	2.30	943	2.90
20th percentile	ft <sup>3</sup> /s	16.0	12.0	5.10	28.0	1,320	4.88
30th percentile	ft <sup>3</sup> /s	17.0	13.0	6.40	180	1,660	6.30
40th percentile	ft <sup>3</sup> /s	18.0	13.0	8.00	455	2,020	8.70
50th percentile	ft <sup>3</sup> /s	21.0	14.0	9.90	760	2,700	12.0
60th percentile	ft <sup>3</sup> /s	22.4	16.0	12.0	792	3,560	17.0
70th percentile	ft <sup>3</sup> /s	25.0	18.0	15.0	832	4,588	20.0
80th percentile	ft <sup>3</sup> /s	48.0	24.8	20.0	870	6,504	27.0
90th percentile	ft <sup>3</sup> /s	58.6	40.3	33.0	929	11,000	48.0
Drainage area	mi <sup>2</sup>	68.4	39.8	22.4	--	6753	33.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	2.70	3.94	63.4	--	30.5	31.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.146	0.276	0.036	--	0.026	0.017
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.307	0.352	0.442	--	0.400	0.363
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.488	0.534	0.803	--	0.740	0.793
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.377	0.447	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.323	0.405	0.324	--	0.279	0.202
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.477	0.474	1.88	--	1.28	2.02
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.205	0.302	0.121	--	0.096	0.057
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.302	0.161	--	0.140	0.088
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.302	0.228	--	0.195	0.147
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.249	0.327	0.286	--	0.246	0.190
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.263	0.327	0.357	--	0.299	0.263
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.307	0.352	0.442	--	0.400	0.363
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.327	0.402	0.536	--	0.527	0.514
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.365	0.452	0.670	--	0.679	0.604
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.702	0.623	0.893	--	0.963	0.816
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.857	1.01	1.47	--	1.63	1.45

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02035500</b>	<b>02036000</b>	<b>02036500</b>	<b>02037000</b>	<b>02037500</b>	<b>02038000</b>
Count	number	62.0	93.0	1,953	2,201	2,263	1,216
Max	ft <sup>3</sup> /s	500	454	682	3,110	116,000	677
Min	ft <sup>3</sup> /s	16.0	10.0	1.30	0.000	123	1.10
Median	ft <sup>3</sup> /s	52.0	25.0	14.0	790	4,880	19.0
Arithmetic Mean	ft <sup>3</sup> /s	88.2	43.4	22.0	570	7,171	32.3
Geometric Mean	ft <sup>3</sup> /s	58.3	29.6	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	42.1	23.4	10.7	--	2,910	12.0
Standard Deviation	ft <sup>3</sup> /s	95.1	57.3	35.5	411	8,810	49.2
5th percentile	ft <sup>3</sup> /s	17.0	11.0	4.60	0.820	943	3.50
10th percentile	ft <sup>3</sup> /s	17.1	12.0	5.60	2.30	1,322	6.20
20th percentile	ft <sup>3</sup> /s	26.4	15.4	7.40	19.0	2,154	9.10
30th percentile	ft <sup>3</sup> /s	43.6	21.0	9.30	175	3,020	12.0
40th percentile	ft <sup>3</sup> /s	45.0	23.8	12.0	544	3,950	15.0
50th percentile	ft <sup>3</sup> /s	52.0	25.0	14.0	790	4,880	19.0
60th percentile	ft <sup>3</sup> /s	59.0	29.0	16.0	839	5,820	23.0
70th percentile	ft <sup>3</sup> /s	69.0	33.4	20.0	890	7,164	30.0
80th percentile	ft <sup>3</sup> /s	145	46.0	26.0	922	9,596	42.0
90th percentile	ft <sup>3</sup> /s	211	99.6	40.0	970	14,960	63.5
Drainage area	mi <sup>2</sup>	68.4	39.8	22.4	--	6753	33.1
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.31	11.4	30.4	--	17.2	20.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.251	0.058	--	0.018	0.033
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.760	0.628	0.625	--	0.723	0.574
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.09	0.983	--	1.06	0.975
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.853	0.743	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.616	0.589	0.479	--	0.431	0.363
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	1.44	1.59	--	1.30	1.48
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.249	0.276	0.205	--	0.140	0.106
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.250	0.302	0.250	--	0.196	0.187
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.386	0.387	0.330	--	0.319	0.275
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.637	0.528	0.415	--	0.447	0.363
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.658	0.598	0.536	--	0.585	0.453
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.760	0.628	0.625	--	0.723	0.574
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.863	0.729	0.714	--	0.862	0.695
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	0.839	0.893	--	1.06	0.906
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.12	1.16	1.16	--	1.42	1.27
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.08	2.50	1.79	--	2.22	1.92



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>02038500</b>	<b>02038830</b>	<b>02038850</b>	<b>02038880</b>	<b>02039000</b>	<b>02039500</b>
Count	number	651	62.0	1,271	31.0	1,891	2,511
Max	ft <sup>3</sup> /s	1,670	89.0	275	15.0	2,640	9,370
Min	ft <sup>3</sup> /s	8.50	4.10	0.900	7.90	16.0	49.0
Median	ft <sup>3</sup> /s	50.0	7.80	6.90	9.80	57.0	236
Arithmetic Mean	ft <sup>3</sup> /s	75.6	15.8	10.6	10.3	89.4	397
Geometric Mean	ft <sup>3</sup> /s	--	10.3	--	10.2	--	--
Harmonic Mean	ft <sup>3</sup> /s	41.3	7.59	5.65	10.0	53.5	210
Standard Deviation	ft <sup>3</sup> /s	97.6	17.1	16.4	1.89	121	591
5th percentile	ft <sup>3</sup> /s	15.6	4.12	2.40	7.96	27.0	96.0
10th percentile	ft <sup>3</sup> /s	23.0	4.20	3.10	8.30	31.0	113
20th percentile	ft <sup>3</sup> /s	29.0	4.40	4.10	8.60	38.0	142
30th percentile	ft <sup>3</sup> /s	36.0	4.70	5.00	9.00	45.0	172
40th percentile	ft <sup>3</sup> /s	43.0	5.80	5.90	9.60	50.0	204
50th percentile	ft <sup>3</sup> /s	50.0	7.80	6.90	9.80	57.0	236
60th percentile	ft <sup>3</sup> /s	65.0	11.6	8.30	11.0	66.0	279
70th percentile	ft <sup>3</sup> /s	80.0	17.0	9.50	11.0	78.0	337
80th percentile	ft <sup>3</sup> /s	100	26.0	12.0	12.0	101	452
90th percentile	ft <sup>3</sup> /s	139	33.9	18.0	13.0	167	763
Drainage area	mi <sup>2</sup>	53.3	13.9	8.54	23.2	69.6	302
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	31.3	6.40	32.2	0.647	37.9	31.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.159	0.295	0.105	0.341	0.230	0.162
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.938	0.561	0.808	0.422	0.819	0.781
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.42	1.14	1.24	0.445	1.28	1.31
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.742	--	0.438	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.776	0.546	0.662	0.432	0.768	0.695
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.83	1.23	1.92	0.081	1.74	1.96
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.293	0.296	0.281	0.343	0.388	0.318
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.432	0.302	0.363	0.358	0.445	0.374
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.544	0.317	0.480	0.371	0.546	0.470
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.675	0.338	0.585	0.388	0.647	0.570
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.807	0.417	0.691	0.414	0.718	0.675
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.938	0.561	0.808	0.422	0.819	0.781
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	0.835	0.972	0.474	0.948	0.924
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.50	1.22	1.11	0.474	1.12	1.12
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.88	1.87	1.41	0.517	1.45	1.50
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.61	2.44	2.11	0.560	2.40	2.53

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>02038500</b>	<b>02038830</b>	<b>02038850</b>	<b>02038880</b>	<b>02039000</b>	<b>02039500</b>
Count	number	594	57.0	1,157	28.0	1,723	2,283
Max	ft <sup>3</sup> /s	587	28.0	259	50.0	3,040	11,500
Min	ft <sup>3</sup> /s	11.0	3.10	1.20	9.60	19.0	54.0
Median	ft <sup>3</sup> /s	73.0	14.0	8.00	13.5	67.0	283
Arithmetic Mean	ft <sup>3</sup> /s	93.8	12.2	12.0	17.2	96.3	431
Geometric Mean	ft <sup>3</sup> /s	--	10.4	--	15.4	--	--
Harmonic Mean	ft <sup>3</sup> /s	59.0	8.67	6.65	14.2	62.8	252
Standard Deviation	ft <sup>3</sup> /s	76.0	6.08	19.1	9.86	123	583
5th percentile	ft <sup>3</sup> /s	26.0	3.47	2.97	9.60	31.0	112
10th percentile	ft <sup>3</sup> /s	31.0	4.54	4.20	9.97	38.0	142
20th percentile	ft <sup>3</sup> /s	39.0	5.62	5.50	11.0	46.0	179
30th percentile	ft <sup>3</sup> /s	50.0	6.44	6.10	11.1	53.0	213
40th percentile	ft <sup>3</sup> /s	61.0	9.38	6.80	12.8	60.0	242
50th percentile	ft <sup>3</sup> /s	73.0	14.0	8.00	13.5	67.0	283
60th percentile	ft <sup>3</sup> /s	90.0	15.0	9.20	14.2	76.0	330
70th percentile	ft <sup>3</sup> /s	103	16.0	11.0	16.8	90.0	400
80th percentile	ft <sup>3</sup> /s	126	17.0	13.0	20.0	112	509
90th percentile	ft <sup>3</sup> /s	177	19.0	20.0	31.5	175	782
Drainage area	mi <sup>2</sup>	53.3	13.9	8.54	23.2	69.6	302
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	11.0	2.01	30.3	2.16	43.7	38.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.206	0.223	0.141	0.414	0.273	0.179
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	1.01	0.937	0.582	0.963	0.937
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.76	0.876	1.40	0.742	1.38	1.43
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.751	--	0.663	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	0.624	0.778	0.612	0.902	0.834
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	0.438	2.24	0.425	1.77	1.93
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.488	0.250	0.348	0.414	0.445	0.371
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.582	0.327	0.492	0.430	0.546	0.470
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.732	0.404	0.644	0.474	0.661	0.593
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.938	0.463	0.714	0.478	0.761	0.705
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	0.675	0.796	0.552	0.862	0.801
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	1.01	0.937	0.582	0.963	0.937
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.69	1.08	1.08	0.612	1.09	1.09
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.93	1.15	1.29	0.724	1.29	1.32
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.37	1.22	1.52	0.862	1.61	1.69
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.32	1.37	2.34	1.36	2.51	2.59

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02038500</b>	<b>02038830</b>	<b>02038850</b>	<b>02038880</b>	<b>02039000</b>	<b>02039500</b>
Count	number	651	62.0	1,271	39.0	1,891	2,511
Max	ft <sup>3</sup> /s	942	68.0	342	44.0	2,520	10,300
Min	ft <sup>3</sup> /s	1.20	4.60	1.40	9.20	18.0	67.0
Median	ft <sup>3</sup> /s	76.0	11.7	8.30	11.0	70.0	292
Arithmetic Mean	ft <sup>3</sup> /s	100	17.9	13.6	16.2	110	478
Geometric Mean	ft <sup>3</sup> /s	--	12.4	--	13.9	--	--
Harmonic Mean	ft <sup>3</sup> /s	50.1	8.90	7.50	12.6	67.2	271
Standard Deviation	ft <sup>3</sup> /s	84.0	14.7	22.6	10.9	141	662
5th percentile	ft <sup>3</sup> /s	32.6	4.80	3.70	9.60	32.6	127
10th percentile	ft <sup>3</sup> /s	38.0	4.90	4.40	9.70	39.0	151
20th percentile	ft <sup>3</sup> /s	48.0	5.00	5.50	10.0	48.0	191
30th percentile	ft <sup>3</sup> /s	56.0	5.46	6.50	10.0	57.0	224
40th percentile	ft <sup>3</sup> /s	66.0	5.90	7.50	11.0	64.0	255
50th percentile	ft <sup>3</sup> /s	76.0	11.7	8.30	11.0	70.0	292
60th percentile	ft <sup>3</sup> /s	90.0	22.2	9.60	11.8	80.0	335
70th percentile	ft <sup>3</sup> /s	106	25.7	11.0	12.0	93.0	400
80th percentile	ft <sup>3</sup> /s	132	31.0	15.0	20.8	122	536
90th percentile	ft <sup>3</sup> /s	190	37.0	23.0	37.2	209	899
Drainage area	mi <sup>2</sup>	53.3	13.9	8.54	23.2	69.6	302
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	17.7	4.89	40.0	1.90	36.2	34.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.023	0.331	0.164	0.397	0.259	0.222
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	0.838	0.972	0.474	1.01	0.967
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.88	1.29	1.59	0.698	1.58	1.58
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.894	--	0.598	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.940	0.641	0.878	0.541	0.965	0.896
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.58	1.06	2.64	0.469	2.03	2.19
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.612	0.345	0.433	0.414	0.468	0.421
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.713	0.353	0.515	0.418	0.560	0.500
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.901	0.360	0.644	0.431	0.690	0.632
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	0.393	0.761	0.431	0.819	0.742
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	0.424	0.878	0.474	0.920	0.844
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	0.838	0.972	0.474	1.01	0.967
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.69	1.60	1.12	0.509	1.15	1.11
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.99	1.85	1.29	0.517	1.34	1.32
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.48	2.23	1.76	0.897	1.75	1.77
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.56	2.66	2.69	1.60	3.00	2.98

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02038500</b>	<b>02038830</b>	<b>02038850</b>	<b>02038880</b>	<b>02039000</b>	<b>02039500</b>
Count	number	630	60.0	1,232	60.0	1,830	2,460
Max	ft <sup>3</sup> /s	942	60.0	208	43.0	2,080	10,300
Min	ft <sup>3</sup> /s	11.0	4.60	1.80	9.40	18.0	74.0
Median	ft <sup>3</sup> /s	56.0	11.3	7.90	21.0	61.0	248
Arithmetic Mean	ft <sup>3</sup> /s	87.0	15.1	11.3	20.5	90.4	402
Geometric Mean	ft <sup>3</sup> /s	--	11.5	--	18.2	--	--
Harmonic Mean	ft <sup>3</sup> /s	52.4	9.07	7.22	16.2	56.9	234
Standard Deviation	ft <sup>3</sup> /s	93.1	11.7	15.1	9.84	113	576
5th percentile	ft <sup>3</sup> /s	26.0	4.81	3.80	9.60	28.0	116
10th percentile	ft <sup>3</sup> /s	31.0	5.19	4.40	9.98	33.0	136
20th percentile	ft <sup>3</sup> /s	36.0	5.58	5.20	11.0	41.0	164
30th percentile	ft <sup>3</sup> /s	44.0	5.90	5.80	11.0	47.0	190
40th percentile	ft <sup>3</sup> /s	50.0	6.32	6.70	12.6	54.0	216
50th percentile	ft <sup>3</sup> /s	56.0	11.3	7.90	21.0	61.0	248
60th percentile	ft <sup>3</sup> /s	68.0	16.4	9.00	25.0	69.0	286
70th percentile	ft <sup>3</sup> /s	86.0	19.6	11.0	27.0	81.0	342
80th percentile	ft <sup>3</sup> /s	110	23.2	13.0	28.2	104	456
90th percentile	ft <sup>3</sup> /s	164	28.1	18.0	32.2	167	750
Drainage area	mi <sup>2</sup>	53.3	13.9	8.54	23.2	69.6	302
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	17.7	4.32	24.4	1.85	29.9	34.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.206	0.331	0.211	0.405	0.259	0.245
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	0.813	0.925	0.905	0.876	0.821
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.63	1.08	1.33	0.883	1.30	1.33
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.826	--	0.784	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.982	0.652	0.846	0.697	0.817	0.775
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.75	0.841	1.77	0.424	1.63	1.91
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.488	0.346	0.445	0.414	0.402	0.384
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.582	0.373	0.515	0.430	0.474	0.450
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.675	0.401	0.609	0.474	0.589	0.543
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.826	0.424	0.679	0.474	0.675	0.628
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.938	0.455	0.785	0.543	0.776	0.715
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	0.813	0.925	0.905	0.876	0.821
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.18	1.05	1.08	0.991	0.947
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.61	1.41	1.29	1.16	1.16	1.13
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.06	1.67	1.52	1.22	1.49	1.51
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.08	2.02	2.11	1.39	2.40	2.48

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>02038500</b>	<b>02038830</b>	<b>02038850</b>	<b>02038880</b>	<b>02039000</b>	<b>02039500</b>
Count	number	651	62.0	1,302	62.0	1,891	2,542
Max	ft <sup>3</sup> /s	612	27.0	285	40.0	1,160	5,320
Min	ft <sup>3</sup> /s	3.00	2.80	1.00	6.70	14.0	47.0
Median	ft <sup>3</sup> /s	34.0	7.25	6.20	15.0	48.0	185
Arithmetic Mean	ft <sup>3</sup> /s	55.0	8.21	9.24	14.7	64.8	273
Geometric Mean	ft <sup>3</sup> /s	--	6.78	--	13.3	--	--
Harmonic Mean	ft <sup>3</sup> /s	24.9	5.65	5.40	12.0	43.0	168
Standard Deviation	ft <sup>3</sup> /s	69.1	5.09	15.8	6.90	77.7	374
5th percentile	ft <sup>3</sup> /s	8.92	2.92	2.60	7.10	22.0	84.0
10th percentile	ft <sup>3</sup> /s	13.0	3.20	3.10	7.50	25.0	95.1
20th percentile	ft <sup>3</sup> /s	19.0	3.62	3.82	8.40	30.0	117
30th percentile	ft <sup>3</sup> /s	23.0	4.00	4.63	8.80	37.0	140
40th percentile	ft <sup>3</sup> /s	28.0	4.32	5.30	10.0	43.0	162
50th percentile	ft <sup>3</sup> /s	34.0	7.25	6.20	15.0	48.0	185
60th percentile	ft <sup>3</sup> /s	42.0	10.0	7.20	17.0	54.0	214
70th percentile	ft <sup>3</sup> /s	52.0	11.0	8.30	19.0	61.0	246
80th percentile	ft <sup>3</sup> /s	68.0	12.8	10.0	20.0	71.0	295
90th percentile	ft <sup>3</sup> /s	106	14.0	15.0	23.0	100	443
Drainage area	mi <sup>2</sup>	53.3	13.9	8.54	23.2	69.6	302
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	11.5	1.94	33.4	1.72	16.7	17.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.056	0.201	0.117	0.289	0.201	0.156
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.638	0.522	0.726	0.647	0.690	0.613
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.590	1.08	0.635	0.932	0.905
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.488	--	0.572	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.467	0.406	0.632	0.517	0.618	0.555
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	0.367	1.85	0.297	1.12	1.24
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.167	0.210	0.304	0.306	0.316	0.278
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.244	0.230	0.363	0.323	0.359	0.315
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.356	0.260	0.447	0.362	0.431	0.387
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.432	0.288	0.542	0.379	0.532	0.464
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.525	0.311	0.621	0.431	0.618	0.536
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.638	0.522	0.726	0.647	0.690	0.613
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.788	0.719	0.843	0.733	0.776	0.709
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.976	0.791	0.972	0.819	0.876	0.815
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	0.921	1.17	0.862	1.02	0.977
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.99	1.01	1.76	0.991	1.44	1.47

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>02038500</b>	<b>02038830</b>	<b>02038850</b>	<b>02038880</b>	<b>02039000</b>	<b>02039500</b>
Count	number	630	60.0	1,260	60.0	1,830	2,460
Max	ft <sup>3</sup> /s	910	10.0	1,740	26.0	3,220	28,000
Min	ft <sup>3</sup> /s	0.200	1.00	0.310	3.20	4.30	13.0
Median	ft <sup>3</sup> /s	15.0	5.90	4.40	10.0	36.0	130
Arithmetic Mean	ft <sup>3</sup> /s	28.8	4.79	7.64	9.57	49.7	207
Geometric Mean	ft <sup>3</sup> /s	--	3.80	--	8.71	--	--
Harmonic Mean	ft <sup>3</sup> /s	6.31	2.88	3.14	7.86	30.6	108
Standard Deviation	ft <sup>3</sup> /s	57.5	2.81	49.9	4.12	100	662
5th percentile	ft <sup>3</sup> /s	2.10	1.10	1.30	3.82	15.0	52.0
10th percentile	ft <sup>3</sup> /s	3.40	1.29	1.70	4.77	17.0	62.0
20th percentile	ft <sup>3</sup> /s	6.60	1.60	2.48	5.44	24.0	79.0
30th percentile	ft <sup>3</sup> /s	9.60	2.07	3.10	6.58	28.0	95.7
40th percentile	ft <sup>3</sup> /s	12.0	3.26	3.70	8.20	32.0	112
50th percentile	ft <sup>3</sup> /s	15.0	5.90	4.40	10.0	36.0	130
60th percentile	ft <sup>3</sup> /s	18.0	6.30	5.10	11.0	40.0	154
70th percentile	ft <sup>3</sup> /s	23.0	6.73	6.00	12.0	45.0	180
80th percentile	ft <sup>3</sup> /s	31.0	7.44	7.20	13.0	53.2	215
90th percentile	ft <sup>3</sup> /s	59.3	8.42	9.90	14.0	73.0	314
Drainage area	mi <sup>2</sup>	53.3	13.9	8.54	23.2	69.6	302
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	17.1	0.719	204	1.12	46.3	92.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.004	0.072	0.036	0.138	0.062	0.043
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.281	0.424	0.515	0.431	0.517	0.430
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.540	0.344	0.894	0.413	0.714	0.685
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.273	--	0.375	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.118	0.207	0.367	0.339	0.440	0.358
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	0.202	5.85	0.178	1.44	2.19
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.039	0.079	0.152	0.165	0.216	0.172
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.064	0.093	0.199	0.206	0.244	0.205
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.124	0.115	0.290	0.234	0.345	0.262
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.180	0.149	0.363	0.284	0.402	0.317
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.225	0.235	0.433	0.353	0.460	0.371
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.281	0.424	0.515	0.431	0.517	0.430
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.338	0.453	0.597	0.474	0.575	0.510
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.432	0.484	0.703	0.517	0.647	0.597
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.582	0.535	0.843	0.560	0.764	0.712
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	0.606	1.16	0.603	1.05	1.04

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>02038500</b>	<b>02038830</b>	<b>02038850</b>	<b>02038880</b>	<b>02039000</b>	<b>02039500</b>
Count	number	620	58.0	1,302	62.0	1,891	2,542
Max	ft <sup>3</sup> /s	4,160	32.0	144	33.0	1,170	5,250
Min	ft <sup>3</sup> /s	0.100	1.00	0.150	3.50	2.30	11.0
Median	ft <sup>3</sup> /s	9.95	5.00	3.10	9.15	27.0	100
Arithmetic Mean	ft <sup>3</sup> /s	34.5	5.23	4.37	9.50	38.4	160
Geometric Mean	ft <sup>3</sup> /s	--	3.86	--	8.21	--	--
Harmonic Mean	ft <sup>3</sup> /s	2.13	2.92	1.93	7.22	22.3	81.4
Standard Deviation	ft <sup>3</sup> /s	179	5.00	8.19	5.93	60.8	267
5th percentile	ft <sup>3</sup> /s	0.500	1.20	0.640	3.70	11.0	35.0
10th percentile	ft <sup>3</sup> /s	0.700	1.40	1.00	4.01	13.0	44.0
20th percentile	ft <sup>3</sup> /s	2.30	1.64	1.50	4.92	17.0	58.0
30th percentile	ft <sup>3</sup> /s	5.30	2.33	2.00	5.93	20.0	71.0
40th percentile	ft <sup>3</sup> /s	7.60	3.36	2.50	7.94	23.0	86.0
50th percentile	ft <sup>3</sup> /s	9.95	5.00	3.10	9.15	27.0	100
60th percentile	ft <sup>3</sup> /s	14.0	5.32	3.60	9.50	31.0	119
70th percentile	ft <sup>3</sup> /s	19.0	5.70	4.10	10.0	36.0	142
80th percentile	ft <sup>3</sup> /s	31.0	6.34	5.00	11.8	42.0	181
90th percentile	ft <sup>3</sup> /s	60.1	9.02	7.00	14.9	58.0	274
Drainage area	mi <sup>2</sup>	53.3	13.9	8.54	23.2	69.6	302
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	78.0	2.30	16.9	1.42	16.8	17.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.002	0.072	0.018	0.151	0.033	0.036
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.187	0.360	0.363	0.394	0.388	0.331
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.647	0.376	0.512	0.410	0.551	0.528
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.278	--	0.354	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.040	0.210	0.226	0.311	0.320	0.270
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.36	0.360	0.959	0.256	0.874	0.885
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.009	0.086	0.075	0.159	0.158	0.116
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.013	0.101	0.117	0.173	0.187	0.146
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.043	0.118	0.176	0.212	0.244	0.192
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.099	0.168	0.234	0.256	0.287	0.235
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.143	0.242	0.293	0.342	0.330	0.285
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.187	0.360	0.363	0.394	0.388	0.331
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.263	0.383	0.422	0.409	0.445	0.393
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.356	0.410	0.480	0.431	0.517	0.470
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.582	0.456	0.585	0.509	0.603	0.599
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	0.649	0.820	0.642	0.833	0.907

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02038500</b>	<b>02038830</b>	<b>02038850</b>	<b>02038880</b>	<b>02039000</b>	<b>02039500</b>
Count	number	651	31.0	1,302	62.0	1,891	2,542
Max	ft <sup>3</sup> /s	2,570	5.10	560	30.0	4,940	17,000
Min	ft <sup>3</sup> /s	0.100	3.00	0.030	3.30	0.130	0.070
Median	ft <sup>3</sup> /s	10.0	3.60	2.50	7.95	23.0	94.0
Arithmetic Mean	ft <sup>3</sup> /s	38.5	3.70	4.09	7.74	39.1	186
Geometric Mean	ft <sup>3</sup> /s	--	3.66	--	7.25	--	--
Harmonic Mean	ft <sup>3</sup> /s	1.73	3.63	0.822	6.85	10.4	15.7
Standard Deviation	ft <sup>3</sup> /s	153	0.543	17.1	3.52	129	679
5th percentile	ft <sup>3</sup> /s	0.300	3.00	0.410	4.03	7.46	26.0
10th percentile	ft <sup>3</sup> /s	0.600	3.00	0.650	4.61	9.50	36.0
20th percentile	ft <sup>3</sup> /s	2.60	3.20	1.10	5.50	13.0	49.0
30th percentile	ft <sup>3</sup> /s	4.90	3.50	1.50	6.09	16.0	63.0
40th percentile	ft <sup>3</sup> /s	6.90	3.50	2.10	7.10	19.0	76.0
50th percentile	ft <sup>3</sup> /s	10.0	3.60	2.50	7.95	23.0	94.0
60th percentile	ft <sup>3</sup> /s	13.0	3.80	2.90	8.20	29.0	113
70th percentile	ft <sup>3</sup> /s	18.0	3.80	3.57	8.57	35.0	136
80th percentile	ft <sup>3</sup> /s	26.0	4.00	4.50	8.80	42.0	171
90th percentile	ft <sup>3</sup> /s	55.0	4.40	6.30	9.66	58.0	256
Drainage area	mi <sup>2</sup>	53.3	13.9	8.54	23.2	69.6	302
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	48.2	0.367	65.6	1.29	71.0	56.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.002	0.216	0.004	0.142	0.002	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.188	0.259	0.293	0.343	0.330	0.311
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.722	0.266	0.479	0.334	0.562	0.615
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.263	--	0.312	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	0.261	0.096	0.295	0.149	0.052
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.88	0.039	2.00	0.152	1.85	2.25
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.006	0.216	0.048	0.174	0.107	0.086
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.011	0.216	0.076	0.199	0.136	0.119
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.049	0.230	0.129	0.237	0.187	0.162
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.092	0.252	0.176	0.263	0.230	0.209
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.129	0.252	0.246	0.306	0.273	0.252
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.188	0.259	0.293	0.343	0.330	0.311
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.244	0.273	0.340	0.353	0.417	0.374
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.338	0.273	0.418	0.369	0.503	0.450
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.488	0.288	0.527	0.379	0.603	0.566
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.317	0.738	0.416	0.833	0.847



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02038500</b>	<b>02038830</b>	<b>02038850</b>	<b>02038880</b>	<b>02039000</b>	<b>02039500</b>
Count	number	630	30.0	1,258	60.0	1,830	2,460
Max	ft <sup>3</sup> /s	2,910	8.60	804	30.0	2,700	14,800
Min	ft <sup>3</sup> /s	0.100	3.00	0.180	5.10	2.40	7.80
Median	ft <sup>3</sup> /s	7.20	3.40	2.40	7.75	23.0	87.5
Arithmetic Mean	ft <sup>3</sup> /s	26.4	3.57	6.47	8.88	43.8	199
Geometric Mean	ft <sup>3</sup> /s	--	3.49	--	8.26	--	--
Harmonic Mean	ft <sup>3</sup> /s	1.57	3.43	1.46	7.84	17.7	63.9
Standard Deviation	ft <sup>3</sup> /s	133	1.02	31.7	4.26	130	693
5th percentile	ft <sup>3</sup> /s	0.400	3.00	0.370	5.21	6.80	21.0
10th percentile	ft <sup>3</sup> /s	0.700	3.00	0.800	5.60	8.70	32.0
20th percentile	ft <sup>3</sup> /s	2.40	3.00	1.10	6.56	13.0	48.0
30th percentile	ft <sup>3</sup> /s	3.77	3.10	1.60	6.90	16.0	61.0
40th percentile	ft <sup>3</sup> /s	5.20	3.20	2.00	7.28	19.0	72.0
50th percentile	ft <sup>3</sup> /s	7.20	3.40	2.40	7.75	23.0	87.5
60th percentile	ft <sup>3</sup> /s	10.0	3.50	2.80	8.40	28.0	103
70th percentile	ft <sup>3</sup> /s	14.0	3.60	3.40	8.96	32.0	124
80th percentile	ft <sup>3</sup> /s	21.0	3.72	4.70	9.76	38.0	152
90th percentile	ft <sup>3</sup> /s	38.0	4.01	7.63	12.1	54.0	252
Drainage area	mi <sup>2</sup>	53.3	13.9	8.54	23.2	69.6	302
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	54.6	0.619	94.1	1.29	38.8	49.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.002	0.216	0.021	0.220	0.034	0.026
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.135	0.245	0.281	0.334	0.330	0.290
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.495	0.257	0.758	0.383	0.629	0.658
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.251	--	0.356	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.030	0.247	0.172	0.338	0.255	0.211
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.50	0.074	3.72	0.184	1.86	2.29
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.008	0.216	0.043	0.225	0.098	0.070
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.013	0.216	0.094	0.241	0.125	0.106
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.045	0.216	0.129	0.283	0.187	0.159
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.071	0.223	0.187	0.297	0.230	0.202
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.098	0.230	0.234	0.314	0.273	0.238
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.135	0.245	0.281	0.334	0.330	0.290
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.188	0.252	0.328	0.362	0.402	0.341
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.263	0.259	0.398	0.386	0.460	0.412
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.394	0.268	0.550	0.421	0.546	0.504
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.713	0.288	0.893	0.522	0.776	0.835

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02038500</b>	<b>02038830</b>	<b>02038850</b>	<b>02038880</b>	<b>02039000</b>	<b>02039500</b>
Count	number	651	31.0	1,292	31.0	1,922	2,542
Max	ft <sup>3</sup> /s	1,880	6.90	276	12.0	2,920	12,200
Min	ft <sup>3</sup> /s	0.200	3.70	0.230	7.50	2.70	6.30
Median	ft <sup>3</sup> /s	11.0	4.20	2.80	8.40	31.0	104
Arithmetic Mean	ft <sup>3</sup> /s	28.4	4.41	5.88	8.91	48.6	192
Geometric Mean	ft <sup>3</sup> /s	--	4.36	--	8.85	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.46	4.32	2.13	8.79	23.7	78.7
Standard Deviation	ft <sup>3</sup> /s	101	0.700	16.1	1.14	114	479
5th percentile	ft <sup>3</sup> /s	0.700	3.70	0.787	7.74	11.0	32.0
10th percentile	ft <sup>3</sup> /s	2.30	3.80	1.01	7.90	14.0	41.0
20th percentile	ft <sup>3</sup> /s	3.40	3.80	1.70	8.40	18.0	58.0
30th percentile	ft <sup>3</sup> /s	5.30	3.90	2.10	8.40	23.0	73.0
40th percentile	ft <sup>3</sup> /s	8.50	4.00	2.50	8.40	26.0	90.0
50th percentile	ft <sup>3</sup> /s	11.0	4.20	2.80	8.40	31.0	104
60th percentile	ft <sup>3</sup> /s	14.0	4.40	3.40	8.80	34.0	121
70th percentile	ft <sup>3</sup> /s	19.0	4.90	4.50	8.80	40.0	145
80th percentile	ft <sup>3</sup> /s	25.0	4.90	6.00	9.30	50.0	188
90th percentile	ft <sup>3</sup> /s	44.0	5.00	8.90	11.0	69.0	286
Drainage area	mi <sup>2</sup>	53.3	13.9	8.54	23.2	69.6	302
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	35.3	0.496	32.3	0.517	42.0	40.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.004	0.266	0.027	0.323	0.039	0.021
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.206	0.302	0.328	0.362	0.445	0.344
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.533	0.317	0.689	0.384	0.698	0.636
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.314	--	0.381	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.065	0.311	0.249	0.379	0.340	0.261
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.90	0.050	1.88	0.049	1.63	1.59
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.013	0.266	0.092	0.334	0.158	0.106
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.043	0.273	0.118	0.341	0.201	0.136
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.064	0.273	0.199	0.362	0.259	0.192
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.099	0.281	0.246	0.362	0.330	0.242
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.159	0.288	0.293	0.362	0.374	0.298
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.206	0.302	0.328	0.362	0.445	0.344
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.263	0.317	0.398	0.379	0.489	0.401
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.356	0.353	0.527	0.379	0.575	0.480
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.469	0.353	0.703	0.401	0.718	0.623
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.826	0.360	1.04	0.474	0.991	0.947

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02038500</b>	<b>02038830</b>	<b>02038850</b>	<b>02038880</b>	<b>02039000</b>	<b>02039500</b>
Count	number	630	52.0	1,249	30.0	1,855	2,455
Max	ft <sup>3</sup> /s	1,190	36.0	321	18.0	3,240	8,220
Min	ft <sup>3</sup> /s	0.400	4.60	0.710	8.00	12.0	32.0
Median	ft <sup>3</sup> /s	21.0	6.05	4.30	8.80	39.0	144
Arithmetic Mean	ft <sup>3</sup> /s	44.0	9.65	7.66	9.84	64.3	251
Geometric Mean	ft <sup>3</sup> /s	--	8.04	--	9.63	--	--
Harmonic Mean	ft <sup>3</sup> /s	11.7	7.02	3.84	9.46	36.5	129
Standard Deviation	ft <sup>3</sup> /s	99.3	6.99	17.1	2.31	129	465
5th percentile	ft <sup>3</sup> /s	4.40	4.67	2.10	8.06	17.0	59.0
10th percentile	ft <sup>3</sup> /s	6.39	4.70	2.40	8.10	21.0	70.0
20th percentile	ft <sup>3</sup> /s	11.0	4.72	2.80	8.20	26.0	88.8
30th percentile	ft <sup>3</sup> /s	14.0	4.93	3.10	8.37	31.0	106
40th percentile	ft <sup>3</sup> /s	18.0	5.34	3.60	8.68	35.0	127
50th percentile	ft <sup>3</sup> /s	21.0	6.05	4.30	8.80	39.0	144
60th percentile	ft <sup>3</sup> /s	25.4	11.0	5.30	9.60	44.0	170
70th percentile	ft <sup>3</sup> /s	33.0	11.7	6.46	10.0	52.0	208
80th percentile	ft <sup>3</sup> /s	44.0	12.8	8.00	11.0	67.0	264
90th percentile	ft <sup>3</sup> /s	80.1	15.9	12.0	13.1	106	444
Drainage area	mi <sup>2</sup>	53.3	13.9	8.54	23.2	69.6	302
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	22.3	2.59	37.6	0.776	46.6	27.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.008	0.331	0.083	0.345	0.172	0.106
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.394	0.435	0.504	0.379	0.560	0.477
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.826	0.694	0.897	0.424	0.923	0.830
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.578	--	0.415	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.220	0.505	0.449	0.408	0.524	0.429
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.86	0.503	2.00	0.099	1.85	1.54
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.083	0.336	0.246	0.347	0.244	0.195
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.120	0.338	0.281	0.349	0.302	0.232
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.206	0.340	0.328	0.353	0.374	0.294
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.263	0.355	0.363	0.361	0.445	0.351
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.338	0.384	0.422	0.374	0.503	0.421
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.394	0.435	0.504	0.379	0.560	0.477
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.477	0.791	0.621	0.414	0.632	0.563
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.619	0.842	0.756	0.431	0.747	0.688
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.826	0.921	0.937	0.474	0.963	0.874
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.50	1.14	1.41	0.565	1.52	1.47

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02038500</b>	<b>02038830</b>	<b>02038850</b>	<b>02038880</b>	<b>02039000</b>	<b>02039500</b>
Count	number	651	62.0	1,271	31.0	1,891	2,511
Max	ft <sup>3</sup> /s	1,070	19.0	152	14.0	1,970	6,540
Min	ft <sup>3</sup> /s	5.20	4.00	0.660	8.10	14.0	29.0
Median	ft <sup>3</sup> /s	35.0	8.60	5.80	9.20	50.0	188
Arithmetic Mean	ft <sup>3</sup> /s	62.1	8.43	8.76	9.61	71.7	303
Geometric Mean	ft <sup>3</sup> /s	--	7.46	--	9.51	--	--
Harmonic Mean	ft <sup>3</sup> /s	27.0	6.62	4.69	9.41	44.6	165
Standard Deviation	ft <sup>3</sup> /s	91.9	4.08	11.4	1.56	97.1	448
5th percentile	ft <sup>3</sup> /s	9.28	4.02	2.10	8.16	20.0	74.0
10th percentile	ft <sup>3</sup> /s	13.0	4.20	2.60	8.40	26.0	89.0
20th percentile	ft <sup>3</sup> /s	18.0	4.40	3.30	8.50	32.0	113
30th percentile	ft <sup>3</sup> /s	25.0	4.50	4.20	8.50	38.0	139
40th percentile	ft <sup>3</sup> /s	30.0	4.70	5.00	8.80	43.0	164
50th percentile	ft <sup>3</sup> /s	35.0	8.60	5.80	9.20	50.0	188
60th percentile	ft <sup>3</sup> /s	44.0	11.0	6.70	9.70	56.0	220
70th percentile	ft <sup>3</sup> /s	55.0	11.0	8.00	9.70	66.0	264
80th percentile	ft <sup>3</sup> /s	76.0	12.0	11.0	10.0	80.0	342
90th percentile	ft <sup>3</sup> /s	128	12.0	16.0	12.0	120	523
Drainage area	mi <sup>2</sup>	53.3	13.9	8.54	23.2	69.6	302
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	20.1	1.37	17.8	0.603	28.3	21.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.098	0.288	0.077	0.349	0.201	0.096
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.657	0.619	0.679	0.397	0.718	0.623
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	0.606	1.03	0.414	1.03	1.00
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.537	--	0.410	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.506	0.476	0.549	0.406	0.641	0.547
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.72	0.293	1.34	0.067	1.40	1.48
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.174	0.289	0.246	0.352	0.287	0.245
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.244	0.302	0.304	0.362	0.374	0.295
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.338	0.317	0.386	0.366	0.460	0.374
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.469	0.324	0.492	0.366	0.546	0.460
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.563	0.338	0.585	0.379	0.618	0.543
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.657	0.619	0.679	0.397	0.718	0.623
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.826	0.791	0.785	0.418	0.805	0.728
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.791	0.937	0.418	0.948	0.874
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	0.863	1.29	0.431	1.15	1.13
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.40	0.863	1.87	0.517	1.72	1.73

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		January					
	units	02040000	02041000	02041500	02041650	02042000	02042283
Station Number	number						
Count	number	2,511	1,891	1,178	1,178	186	34.0
Max	ft <sup>3</sup> /s	13,900	4,400	11,100	12,200	799	0.035
Min	ft <sup>3</sup> /s	85.0	19.0	150	92.0	35.0	0.000
Median	ft <sup>3</sup> /s	590	121	1,010	1,140	171	0.001
Arithmetic Mean	ft <sup>3</sup> /s	1,003	214	1,668	1,934	213	0.003
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	0.001
Harmonic Mean	ft <sup>3</sup> /s	512	106	865	940	128	0.001
Standard Deviation	ft <sup>3</sup> /s	1,168	321	1,775	2,046	157	0.007
5th percentile	ft <sup>3</sup> /s	229	46.0	380	386	45.0	0.000
10th percentile	ft <sup>3</sup> /s	269	58.0	449	484	58.0	0.000
20th percentile	ft <sup>3</sup> /s	346	75.0	572	650	90.0	0.000
30th percentile	ft <sup>3</sup> /s	421	88.0	734	796	123	0.000
40th percentile	ft <sup>3</sup> /s	498	101	869	960	150	0.001
50th percentile	ft <sup>3</sup> /s	590	121	1,010	1,140	171	0.001
60th percentile	ft <sup>3</sup> /s	711	147	1,220	1,382	200	0.001
70th percentile	ft <sup>3</sup> /s	886	180	1,550	1,799	228	0.001
80th percentile	ft <sup>3</sup> /s	1,270	242	2,260	2,622	300	0.003
90th percentile	ft <sup>3</sup> /s	2,390	431	3,750	5,006	403	0.011
Drainage area	mi <sup>2</sup>	725	158	1333	1342	140	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	19.2	27.8	8.33	9.09	5.71	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.117	0.120	0.113	0.069	0.250	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.814	0.766	0.758	0.849	1.22	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	1.36	1.25	1.44	1.52	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.706	0.672	0.649	0.701	0.917	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.61	2.03	1.33	1.52	1.12	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.316	0.291	0.285	0.287	0.321	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.371	0.367	0.337	0.361	0.414	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.477	0.475	0.429	0.484	0.643	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.581	0.557	0.551	0.593	0.875	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.687	0.639	0.652	0.715	1.07	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.814	0.766	0.758	0.849	1.22	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.981	0.930	0.915	1.03	1.43	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	1.14	1.16	1.34	1.63	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.75	1.53	1.70	1.95	2.14	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.30	2.73	2.81	3.73	2.88	--

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		February					
	units						
Station Number	number	02040000	02041000	02041500	02041650	02042000	02042283
Count	number	2,288	1,723	1,074	1,073	170	28.0
Max	ft <sup>3</sup> /s	15,000	7,410	9,220	21,600	2,030	0.077
Min	ft <sup>3</sup> /s	111	26.0	300	127	33.0	0.000
Median	ft <sup>3</sup> /s	728	152	1,395	1,370	200	0.001
Arithmetic Mean	ft <sup>3</sup> /s	1,103	244	1,958	2,104	242	0.010
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	0.002
Harmonic Mean	ft <sup>3</sup> /s	625	131	1,194	1,131	131	0.001
Standard Deviation	ft <sup>3</sup> /s	1,103	391	1,569	2,191	257	0.018
5th percentile	ft <sup>3</sup> /s	263	55.0	498	436	38.7	0.000
10th percentile	ft <sup>3</sup> /s	331	71.0	642	619	68.0	0.000
20th percentile	ft <sup>3</sup> /s	434	94.0	816	814	82.0	0.000
30th percentile	ft <sup>3</sup> /s	540	114	984	1,010	110	0.001
40th percentile	ft <sup>3</sup> /s	620	134	1,140	1,180	160	0.001
50th percentile	ft <sup>3</sup> /s	728	152	1,395	1,370	200	0.001
60th percentile	ft <sup>3</sup> /s	870	182	1,698	1,610	229	0.002
70th percentile	ft <sup>3</sup> /s	1,060	219	2,130	1,984	252	0.008
80th percentile	ft <sup>3</sup> /s	1,480	277	2,890	2,730	316	0.016
90th percentile	ft <sup>3</sup> /s	2,510	468	4,175	4,852	421	0.025
Drainage area	mi <sup>2</sup>	725	158	1333	1342	140	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	20.7	46.9	6.92	16.1	14.5	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.153	0.165	0.225	0.095	0.236	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.00	0.962	1.05	1.02	1.43	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.52	1.55	1.47	1.57	1.73	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.862	0.831	0.895	0.843	0.935	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.52	2.47	1.18	1.63	1.84	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.363	0.348	0.373	0.325	0.276	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.457	0.449	0.482	0.461	0.486	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.599	0.595	0.612	0.607	0.586	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.745	0.722	0.738	0.753	0.786	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.855	0.847	0.855	0.879	1.14	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.00	0.962	1.05	1.02	1.43	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.15	1.27	1.20	1.64	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.39	1.60	1.48	1.80	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.04	1.75	2.17	2.03	2.26	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.46	2.96	3.13	3.62	3.00	--

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02040000</b>	<b>02041000</b>	<b>02041500</b>	<b>02041650</b>	<b>02042000</b>	<b>02042283</b>
Count	number	2,511	1,891	1,178	1,178	186	31.0
Max	ft <sup>3</sup> /s	11,200	6,930	9,800	20,100	1,120	0.084
Min	ft <sup>3</sup> /s	128	24.0	395	128	64.0	0.000
Median	ft <sup>3</sup> /s	754	155	1,380	1,420	189	0.001
Arithmetic Mean	ft <sup>3</sup> /s	1,218	273	2,033	2,410	249	0.008
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	0.002
Harmonic Mean	ft <sup>3</sup> /s	696	142	1,311	1,189	176	0.001
Standard Deviation	ft <sup>3</sup> /s	1,270	437	1,588	2,631	177	0.019
5th percentile	ft <sup>3</sup> /s	320	67.0	622	479	87.4	0.000
10th percentile	ft <sup>3</sup> /s	380	79.0	721	622	105	0.000
20th percentile	ft <sup>3</sup> /s	476	98.0	895	837	125	0.000
30th percentile	ft <sup>3</sup> /s	566	116	1,060	980	150	0.001
40th percentile	ft <sup>3</sup> /s	647	136	1,190	1,170	165	0.001
50th percentile	ft <sup>3</sup> /s	754	155	1,380	1,420	189	0.001
60th percentile	ft <sup>3</sup> /s	884	184	1,630	1,680	216	0.002
70th percentile	ft <sup>3</sup> /s	1,130	232	2,178	2,199	266	0.004
80th percentile	ft <sup>3</sup> /s	1,680	307	3,090	3,420	350	0.005
90th percentile	ft <sup>3</sup> /s	2,780	516	4,420	5,649	471	0.016
Drainage area	mi <sup>2</sup>	725	158	1333	1342	140	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	15.4	43.9	7.35	15.0	8.00	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.152	0.296	0.095	0.457	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	0.981	1.04	1.06	1.35	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	1.73	1.52	1.80	1.78	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.960	0.901	0.983	0.886	1.26	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.75	2.77	1.19	1.96	1.26	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.441	0.424	0.467	0.357	0.624	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.524	0.500	0.541	0.463	0.750	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.657	0.620	0.671	0.623	0.893	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.781	0.734	0.795	0.730	1.07	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.892	0.861	0.893	0.872	1.18	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	0.981	1.04	1.06	1.35	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	1.16	1.22	1.25	1.54	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.47	1.63	1.64	1.90	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.32	1.94	2.32	2.55	2.50	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.83	3.27	3.32	4.21	3.36	--

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02040000</b>	<b>02041000</b>	<b>02041500</b>	<b>02041650</b>	<b>02042000</b>	<b>02042283</b>
Count	number	2,460	1,830	1,170	1,140	180	30.0
Max	ft <sup>3</sup> /s	18,800	8,180	18,600	13,500	925	0.020
Min	ft <sup>3</sup> /s	176	28.0	337	116	44.0	0.000
Median	ft <sup>3</sup> /s	622	122	1,145	1,140	150	0.000
Arithmetic Mean	ft <sup>3</sup> /s	1,046	211	1,789	2,030	206	0.003
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	0.001
Harmonic Mean	ft <sup>3</sup> /s	585	112	1,104	1,013	136	0.001
Standard Deviation	ft <sup>3</sup> /s	1,221	332	1,725	2,149	160	0.005
5th percentile	ft <sup>3</sup> /s	272	50.0	538	449	50.5	0.000
10th percentile	ft <sup>3</sup> /s	324	59.0	653	538	74.8	0.000
20th percentile	ft <sup>3</sup> /s	400	76.0	776	664	104	0.000
30th percentile	ft <sup>3</sup> /s	472	91.0	900	796	120	0.000
40th percentile	ft <sup>3</sup> /s	541	106	1,020	962	135	0.000
50th percentile	ft <sup>3</sup> /s	622	122	1,145	1,140	150	0.000
60th percentile	ft <sup>3</sup> /s	732	147	1,330	1,400	170	0.001
70th percentile	ft <sup>3</sup> /s	915	182	1,723	1,870	222	0.001
80th percentile	ft <sup>3</sup> /s	1,320	241	2,500	3,062	284	0.003
90th percentile	ft <sup>3</sup> /s	2,460	402	3,915	5,114	412	0.008
Drainage area	mi <sup>2</sup>	725	158	1333	1342	140	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	25.9	51.8	14.0	10.1	6.61	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.243	0.177	0.253	0.086	0.314	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.857	0.772	0.859	0.849	1.07	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	1.34	1.34	1.51	1.47	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.807	0.706	0.828	0.755	0.971	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	2.10	1.29	1.60	1.14	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.375	0.316	0.404	0.335	0.361	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.447	0.373	0.489	0.401	0.534	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.551	0.481	0.582	0.495	0.743	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.651	0.576	0.675	0.593	0.857	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.746	0.671	0.765	0.717	0.961	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.857	0.772	0.859	0.849	1.07	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	0.930	0.998	1.04	1.22	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.15	1.29	1.39	1.59	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.82	1.53	1.88	2.28	2.03	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.39	2.55	2.94	3.81	2.94	--



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	02040000	02041000	02041500	02041650	02042000	02042283
Count	number	2,542	1,891	1,209	1,178	186	62.0
Max	ft <sup>3</sup> /s	9,000	6,020	16,700	21,200	1,600	0.035
Min	ft <sup>3</sup> /s	88.0	5.70	204	112	19.0	0.000
Median	ft <sup>3</sup> /s	434	78.0	792	775	100	0.000
Arithmetic Mean	ft <sup>3</sup> /s	660	138	1,155	1,312	210	0.002
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	0.001
Harmonic Mean	ft <sup>3</sup> /s	388	65.3	708	643	82.6	0.000
Standard Deviation	ft <sup>3</sup> /s	771	283	1,261	1,821	292	0.006
5th percentile	ft <sup>3</sup> /s	186	28.0	347	277	34.4	0.000
10th percentile	ft <sup>3</sup> /s	215	35.0	397	344	38.0	0.000
20th percentile	ft <sup>3</sup> /s	265	46.0	503	445	52.0	0.000
30th percentile	ft <sup>3</sup> /s	320	56.0	583	552	68.5	0.000
40th percentile	ft <sup>3</sup> /s	371	66.0	674	660	82.0	0.000
50th percentile	ft <sup>3</sup> /s	434	78.0	792	775	100	0.000
60th percentile	ft <sup>3</sup> /s	503	93.0	908	910	125	0.000
70th percentile	ft <sup>3</sup> /s	591	113	1,040	1,100	171	0.001
80th percentile	ft <sup>3</sup> /s	729	146	1,300	1,396	254	0.001
90th percentile	ft <sup>3</sup> /s	1,240	223	2,262	2,544	510	0.003
Drainage area	mi <sup>2</sup>	725	158	1333	1342	140	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	12.4	38.1	12.5	15.8	11.4	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.121	0.036	0.153	0.083	0.136	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.599	0.494	0.594	0.577	0.714	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.910	0.876	0.867	0.977	1.50	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.535	0.414	0.531	0.479	0.590	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.79	0.946	1.36	2.09	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.257	0.177	0.260	0.206	0.245	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.297	0.222	0.298	0.256	0.271	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.366	0.291	0.377	0.331	0.371	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.441	0.354	0.437	0.411	0.489	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.512	0.418	0.506	0.492	0.586	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.599	0.494	0.594	0.577	0.714	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.693	0.589	0.681	0.678	0.893	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.815	0.715	0.780	0.820	1.22	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	0.924	0.975	1.04	1.81	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	1.41	1.70	1.90	3.64	--

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	02040000	02041000	02041500	02041650	02042000	02042283
Count	number	2,460	1,830	1,170	1,140	180	60.0
Max	ft <sup>3</sup> /s	29,600	5,240	11,400	22,000	768	0.011
Min	ft <sup>3</sup> /s	25.0	0.420	130	52.0	4.50	0.000
Median	ft <sup>3</sup> /s	287	47.0	495	459	32.0	0.000
Arithmetic Mean	ft <sup>3</sup> /s	481	84.8	770	886	63.0	0.001
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	36.4	--
Harmonic Mean	ft <sup>3</sup> /s	235	25.2	442	327	25.1	--
Standard Deviation	ft <sup>3</sup> /s	1,157	183	1,007	1,756	105	0.002
5th percentile	ft <sup>3</sup> /s	103	10.0	216	108	9.05	0.000
10th percentile	ft <sup>3</sup> /s	128	17.0	243	138	14.0	0.000
20th percentile	ft <sup>3</sup> /s	169	25.0	295	237	17.0	0.000
30th percentile	ft <sup>3</sup> /s	208	32.0	354	317	20.0	0.000
40th percentile	ft <sup>3</sup> /s	244	39.0	411	393	25.0	0.000
50th percentile	ft <sup>3</sup> /s	287	47.0	495	459	32.0	0.000
60th percentile	ft <sup>3</sup> /s	335	57.0	582	537	41.6	0.000
70th percentile	ft <sup>3</sup> /s	393	70.0	704	657	52.6	0.000
80th percentile	ft <sup>3</sup> /s	491	92.2	910	939	78.0	0.000
90th percentile	ft <sup>3</sup> /s	783	158	1,380	1,740	130	0.001
Drainage area	mi <sup>2</sup>	725	158	1333	1342	140	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	40.8	33.2	8.55	16.4	5.49	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.034	0.003	0.098	0.039	0.032	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.396	0.297	0.371	0.342	0.229	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.663	0.536	0.578	0.661	0.450	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.260	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.324	0.160	0.331	0.244	0.179	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.60	1.16	0.756	1.31	0.750	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.142	0.063	0.162	0.081	0.065	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.108	0.182	0.103	0.100	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.233	0.158	0.221	0.177	0.121	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.287	0.203	0.265	0.236	0.143	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.337	0.247	0.308	0.293	0.179	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.396	0.297	0.371	0.342	0.229	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.462	0.361	0.437	0.400	0.297	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.542	0.443	0.528	0.490	0.376	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.678	0.584	0.683	0.700	0.557	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.00	1.04	1.30	0.929	--

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	02040000	02041000	02041500	02041650	02042000	02042283
Count	number	2,542	1,891	1,209	1,178	186	62.0
Max	ft <sup>3</sup> /s	7,670	2,470	17,100	10,000	9,500	0.093
Min	ft <sup>3</sup> /s	17.0	0.220	27.0	29.0	1.60	0.000
Median	ft <sup>3</sup> /s	202	32.0	369	293	30.0	0.000
Arithmetic Mean	ft <sup>3</sup> /s	369	66.6	715	549	196	0.003
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	39.4	--
Harmonic Mean	ft <sup>3</sup> /s	156	10.8	267	214	16.5	--
Standard Deviation	ft <sup>3</sup> /s	611	140	1,387	892	851	0.014
5th percentile	ft <sup>3</sup> /s	66.0	5.10	91.0	91.0	3.81	0.000
10th percentile	ft <sup>3</sup> /s	85.0	7.80	141	106	9.50	0.000
20th percentile	ft <sup>3</sup> /s	114	13.0	188	143	13.0	0.000
30th percentile	ft <sup>3</sup> /s	138	18.0	230	185	15.0	0.000
40th percentile	ft <sup>3</sup> /s	168	24.0	293	222	24.0	0.000
50th percentile	ft <sup>3</sup> /s	202	32.0	369	293	30.0	0.000
60th percentile	ft <sup>3</sup> /s	244	42.0	462	368	42.0	0.000
70th percentile	ft <sup>3</sup> /s	314	54.0	604	458	64.0	0.000
80th percentile	ft <sup>3</sup> /s	422	75.0	846	609	140	0.000
90th percentile	ft <sup>3</sup> /s	686	133	1,382	1,116	351	0.001
Drainage area	mi <sup>2</sup>	725	158	1333	1342	140	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	10.6	15.6	12.8	7.45	67.9	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.023	0.001	0.020	0.022	0.011	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.279	0.203	0.277	0.218	0.214	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.509	0.421	0.536	0.409	1.40	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.281	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.216	0.068	0.200	0.159	0.118	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.843	0.887	1.04	0.665	6.08	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.091	0.032	0.068	0.068	0.027	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.117	0.049	0.106	0.079	0.068	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.157	0.082	0.141	0.107	0.093	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.191	0.114	0.173	0.138	0.107	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.232	0.152	0.220	0.165	0.171	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.279	0.203	0.277	0.218	0.214	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.337	0.266	0.347	0.274	0.300	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.433	0.342	0.453	0.341	0.457	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.583	0.475	0.634	0.454	1.00	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.946	0.842	1.04	0.832	2.51	--

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02040000</b>	<b>02041000</b>	<b>02041500</b>	<b>02041650</b>	<b>02042000</b>	<b>02042283</b>
Count	number	2,542	1,891	1,209	1,178	186	62.0
Max	ft <sup>3</sup> /s	34,300	8,100	27,700	19,800	1,300	0.104
Min	ft <sup>3</sup> /s	2.60	0.000	21.0	18.0	3.00	0.000
Median	ft <sup>3</sup> /s	190	30.0	334	242	34.0	0.000
Arithmetic Mean	ft <sup>3</sup> /s	417	66.3	795	539	96.5	0.004
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	40.0	--
Harmonic Mean	ft <sup>3</sup> /s	112	--	210	161	22.0	--
Standard Deviation	ft <sup>3</sup> /s	1,324	249	2,138	1,063	178	0.016
5th percentile	ft <sup>3</sup> /s	45.2	2.60	63.0	56.0	7.00	0.000
10th percentile	ft <sup>3</sup> /s	66.0	5.10	94.0	78.0	9.00	0.000
20th percentile	ft <sup>3</sup> /s	96.0	10.0	154	115	13.0	0.000
30th percentile	ft <sup>3</sup> /s	119	17.0	206	148	19.5	0.000
40th percentile	ft <sup>3</sup> /s	150	23.0	264	182	26.0	0.000
50th percentile	ft <sup>3</sup> /s	190	30.0	334	242	34.0	0.000
60th percentile	ft <sup>3</sup> /s	234	37.0	405	331	42.0	0.000
70th percentile	ft <sup>3</sup> /s	295	47.0	546	432	69.0	0.000
80th percentile	ft <sup>3</sup> /s	395	65.0	763	595	125	0.000
90th percentile	ft <sup>3</sup> /s	690	111	1,330	1,143	224	0.004
Drainage area	mi <sup>2</sup>	725	158	1333	1342	140	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	47.3	51.3	20.8	14.8	9.29	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.004	0.000	0.016	0.013	0.021	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.262	0.190	0.251	0.180	0.243	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.576	0.420	0.596	0.402	0.689	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.285	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.155	--	0.158	0.120	0.157	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.83	1.58	1.60	0.792	1.27	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.062	0.016	0.047	0.042	0.050	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.091	0.032	0.071	0.058	0.064	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.132	0.063	0.116	0.086	0.093	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.164	0.108	0.155	0.110	0.139	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.207	0.146	0.198	0.136	0.186	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.262	0.190	0.251	0.180	0.243	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.323	0.234	0.304	0.247	0.300	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.406	0.297	0.409	0.322	0.493	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.545	0.411	0.572	0.443	0.893	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.952	0.703	0.998	0.852	1.60	--

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02040000</b>	<b>02041000</b>	<b>02041500</b>	<b>02041650</b>	<b>02042000</b>	<b>02042283</b>
Count	number	2,460	1,830	1,170	1,140	180	60.0
Max	ft <sup>3</sup> /s	13,400	9,100	10,000	18,500	3,200	0.104
Min	ft <sup>3</sup> /s	15.0	0.350	19.0	26.0	1.30	0.000
Median	ft <sup>3</sup> /s	164	24.0	288	199	25.5	0.000
Arithmetic Mean	ft <sup>3</sup> /s	421	93.9	605	894	89.5	0.002
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	25.7	--
Harmonic Mean	ft <sup>3</sup> /s	114	8.68	169	154	11.9	--
Standard Deviation	ft <sup>3</sup> /s	1,074	443	1,126	2,318	313	0.014
5th percentile	ft <sup>3</sup> /s	37.0	2.40	52.0	66.0	2.62	0.000
10th percentile	ft <sup>3</sup> /s	59.0	3.70	79.9	80.0	4.96	0.000
20th percentile	ft <sup>3</sup> /s	83.0	6.50	127	98.0	7.86	0.000
30th percentile	ft <sup>3</sup> /s	102	10.0	167	126	13.0	0.000
40th percentile	ft <sup>3</sup> /s	128	16.0	242	143	19.6	0.000
50th percentile	ft <sup>3</sup> /s	164	24.0	288	199	25.5	0.000
60th percentile	ft <sup>3</sup> /s	200	30.0	339	265	33.0	0.000
70th percentile	ft <sup>3</sup> /s	250	40.0	426	353	52.0	0.000
80th percentile	ft <sup>3</sup> /s	334	58.2	548	607	68.0	0.000
90th percentile	ft <sup>3</sup> /s	613	125	1,102	1,511	111	0.001
Drainage area	mi <sup>2</sup>	725	158	1333	1342	140	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	18.5	57.6	7.50	13.8	22.9	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.021	0.002	0.014	0.019	0.009	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.226	0.152	0.216	0.148	0.182	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.580	0.594	0.454	0.666	0.639	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.183	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.158	0.055	0.127	0.115	0.085	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.48	2.81	0.845	1.73	2.24	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.051	0.015	0.039	0.049	0.019	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.081	0.023	0.060	0.060	0.035	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.114	0.041	0.095	0.073	0.056	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.141	0.063	0.125	0.094	0.093	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.101	0.182	0.107	0.140	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.226	0.152	0.216	0.148	0.182	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.276	0.190	0.255	0.198	0.236	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.345	0.253	0.320	0.263	0.371	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.461	0.368	0.411	0.452	0.486	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.845	0.792	0.827	1.13	0.789	--

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02040000</b>	<b>02041000</b>	<b>02041500</b>	<b>02041650</b>	<b>02042000</b>	<b>02042283</b>
Count	number	2,542	1,922	1,178	1,209	186	62.0
Max	ft <sup>3</sup> /s	25,200	12,000	7,580	39,400	240	0.015
Min	ft <sup>3</sup> /s	13.0	0.040	27.0	31.0	2.20	0.000
Median	ft <sup>3</sup> /s	204	37.0	365	294	27.5	0.000
Arithmetic Mean	ft <sup>3</sup> /s	465	100	641	973	38.0	0.001
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	24.2	--
Harmonic Mean	ft <sup>3</sup> /s	144	6.68	267	190	12.6	--
Standard Deviation	ft <sup>3</sup> /s	1,273	449	1,045	2,779	38.3	0.003
5th percentile	ft <sup>3</sup> /s	55.0	2.90	94.0	53.0	2.50	0.000
10th percentile	ft <sup>3</sup> /s	74.0	6.21	123	88.0	3.50	0.000
20th percentile	ft <sup>3</sup> /s	99.0	14.0	181	125	14.0	0.000
30th percentile	ft <sup>3</sup> /s	138	22.0	275	169	19.0	0.000
40th percentile	ft <sup>3</sup> /s	177	30.0	322	231	23.0	0.000
50th percentile	ft <sup>3</sup> /s	204	37.0	365	294	27.5	0.000
60th percentile	ft <sup>3</sup> /s	241	45.0	420	364	34.0	0.000
70th percentile	ft <sup>3</sup> /s	300	61.0	490	539	41.0	0.000
80th percentile	ft <sup>3</sup> /s	417	86.0	629	823	50.0	0.000
90th percentile	ft <sup>3</sup> /s	772	134	1,100	1,544	80.0	0.001
Drainage area	mi <sup>2</sup>	725	158	1333	1342	140	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	34.8	75.9	5.69	29.4	1.71	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.018	0.000	0.020	0.023	0.016	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.281	0.234	0.274	0.219	0.196	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.642	0.634	0.481	0.725	0.272	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.173	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.198	0.042	0.201	0.141	0.090	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.76	2.84	0.784	2.07	0.273	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.076	0.018	0.071	0.039	0.018	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.102	0.039	0.093	0.066	0.025	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.137	0.089	0.136	0.093	0.100	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.190	0.139	0.206	0.126	0.136	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.244	0.190	0.241	0.172	0.164	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.281	0.234	0.274	0.219	0.196	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.332	0.285	0.315	0.271	0.243	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.414	0.386	0.368	0.402	0.293	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.575	0.544	0.472	0.613	0.357	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	0.848	0.825	1.15	0.571	--

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02040000</b>	<b>02041000</b>	<b>02041500</b>	<b>02041650</b>	<b>02042000</b>	<b>02042283</b>
Count	number	2,455	1,855	1,140	1,165	180	60.0
Max	ft <sup>3</sup> /s	10,200	5,160	11,200	14,100	1,180	0.200
Min	ft <sup>3</sup> /s	64.0	5.30	115	37.0	6.00	0.000
Median	ft <sup>3</sup> /s	300	64.0	516	545	43.5	0.000
Arithmetic Mean	ft <sup>3</sup> /s	565	142	861	1,133	110	0.007
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	262	50.2	441	353	30.7	--
Standard Deviation	ft <sup>3</sup> /s	812	317	1,133	1,726	178	0.035
5th percentile	ft <sup>3</sup> /s	114	19.0	184	106	8.05	0.000
10th percentile	ft <sup>3</sup> /s	132	27.0	228	185	10.0	0.000
20th percentile	ft <sup>3</sup> /s	175	37.0	290	267	24.0	0.000
30th percentile	ft <sup>3</sup> /s	218	46.0	380	351	30.0	0.000
40th percentile	ft <sup>3</sup> /s	258	55.0	462	442	36.0	0.000
50th percentile	ft <sup>3</sup> /s	300	64.0	516	545	43.5	0.000
60th percentile	ft <sup>3</sup> /s	370	78.0	602	683	56.0	0.000
70th percentile	ft <sup>3</sup> /s	465	99.0	756	901	92.5	0.000
80th percentile	ft <sup>3</sup> /s	630	142	1,010	1,330	143	0.001
90th percentile	ft <sup>3</sup> /s	1,232	260	1,753	2,852	268	0.003
Drainage area	mi <sup>2</sup>	725	158	1333	1342	140	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	14.1	32.7	8.40	10.5	8.43	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.088	0.034	0.086	0.028	0.043	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.414	0.405	0.387	0.406	0.311	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.779	0.896	0.646	0.844	0.788	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.362	0.317	0.331	0.263	0.219	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	2.00	0.850	1.29	1.27	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.157	0.120	0.138	0.079	0.058	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.182	0.171	0.171	0.138	0.071	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.241	0.234	0.218	0.199	0.171	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.301	0.291	0.285	0.262	0.214	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.356	0.348	0.347	0.329	0.257	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.414	0.405	0.387	0.406	0.311	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.510	0.494	0.452	0.509	0.400	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.641	0.627	0.567	0.671	0.661	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.869	0.899	0.758	0.991	1.02	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	1.65	1.32	2.13	1.92	--

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02040000</b>	<b>02041000</b>	<b>02041500</b>	<b>02041650</b>	<b>02042000</b>	<b>02042283</b>
Count	number	2,511	1,891	1,178	1,178	186	62.0
Max	ft <sup>3</sup> /s	11,900	3,000	7,650	10,800	1,240	0.070
Min	ft <sup>3</sup> /s	72.0	16.0	150	58.0	8.00	0.000
Median	ft <sup>3</sup> /s	445	96.0	708	955	98.5	0.000
Arithmetic Mean	ft <sup>3</sup> /s	744	157	1,145	1,433	163	0.002
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	0.000
Harmonic Mean	ft <sup>3</sup> /s	369	78.9	608	633	44.5	0.000
Standard Deviation	ft <sup>3</sup> /s	928	219	1,316	1,551	200	0.010
5th percentile	ft <sup>3</sup> /s	147	31.0	243	242	9.00	0.000
10th percentile	ft <sup>3</sup> /s	186	40.0	315	335	11.5	0.000
20th percentile	ft <sup>3</sup> /s	256	56.0	440	459	35.0	0.000
30th percentile	ft <sup>3</sup> /s	312	66.0	518	620	64.0	0.000
40th percentile	ft <sup>3</sup> /s	370	81.0	600	758	82.0	0.000
50th percentile	ft <sup>3</sup> /s	445	96.0	708	955	98.5	0.000
60th percentile	ft <sup>3</sup> /s	528	112	824	1,122	120	0.000
70th percentile	ft <sup>3</sup> /s	658	140	993	1,410	152	0.000
80th percentile	ft <sup>3</sup> /s	896	189	1,336	1,880	216	0.000
90th percentile	ft <sup>3</sup> /s	1,600	300	2,386	3,236	360	0.001
Drainage area	mi <sup>2</sup>	725	158	1333	1342	140	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	16.4	19.0	5.74	8.05	8.86	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.099	0.101	0.113	0.043	0.057	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.614	0.608	0.531	0.711	0.704	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.994	0.859	1.07	1.16	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.510	0.499	0.456	0.472	0.318	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.39	0.987	1.16	1.43	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.202	0.196	0.182	0.180	0.064	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.257	0.253	0.236	0.250	0.082	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.353	0.354	0.330	0.342	0.250	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.430	0.418	0.389	0.462	0.457	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.510	0.513	0.450	0.565	0.586	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.614	0.608	0.531	0.711	0.704	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.728	0.709	0.618	0.836	0.857	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.908	0.886	0.745	1.05	1.08	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	1.20	1.00	1.40	1.54	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.21	1.90	1.79	2.41	2.57	--



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>02042287</b>	<b>02042426</b>	<b>02042500</b>	<b>02042789</b>	<b>02043500</b>	<b>02043550</b>
Count	number	231	155	2,046	62.0	1,116	93.0
Max	ft <sup>3</sup> /s	2,210	679	2,580	4.70	484	129
Min	ft <sup>3</sup> /s	7.80	2.90	31.0	0.750	0.000	0.970
Median	ft <sup>3</sup> /s	55.0	26.0	297	2.35	30.0	59.0
Arithmetic Mean	ft <sup>3</sup> /s	101	56.7	373	1.95	46.0	54.0
Geometric Mean	ft <sup>3</sup> /s	--	31.0	--	1.69	--	21.6
Harmonic Mean	ft <sup>3</sup> /s	42.2	19.2	208	1.45	--	5.08
Standard Deviation	ft <sup>3</sup> /s	177	84.0	322	0.983	55.9	45.1
5th percentile	ft <sup>3</sup> /s	13.6	6.42	70.0	0.772	2.70	1.17
10th percentile	ft <sup>3</sup> /s	19.0	9.38	110	0.800	5.30	1.34
20th percentile	ft <sup>3</sup> /s	31.0	12.8	160	0.838	12.0	2.42
30th percentile	ft <sup>3</sup> /s	42.0	18.0	206	1.03	18.0	5.56
40th percentile	ft <sup>3</sup> /s	48.0	22.0	248	1.30	24.0	22.8
50th percentile	ft <sup>3</sup> /s	55.0	26.0	297	2.35	30.0	59.0
60th percentile	ft <sup>3</sup> /s	70.0	33.0	343	2.50	37.0	77.4
70th percentile	ft <sup>3</sup> /s	91.0	51.8	402	2.60	46.0	91.4
80th percentile	ft <sup>3</sup> /s	126	80.8	491	2.78	61.0	103
90th percentile	ft <sup>3</sup> /s	187	130	686	3.00	105	109
Drainage area	mi <sup>2</sup>	62.2	37.4	251	6.19	23.6	41.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	35.5	18.2	10.3	0.759	20.5	3.12
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.125	0.078	0.124	0.121	0.000	0.023
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.884	0.695	1.18	0.380	1.27	1.43
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	1.52	1.49	0.316	1.95	1.31
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.830	--	0.273	--	0.522
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.679	0.513	0.830	0.234	--	0.123
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.85	2.25	1.28	0.159	2.37	1.09
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.219	0.172	0.279	0.125	0.114	0.028
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.305	0.251	0.438	0.129	0.225	0.032
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.498	0.342	0.637	0.135	0.508	0.059
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.675	0.481	0.821	0.166	0.763	0.135
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.772	0.588	0.988	0.210	1.02	0.552
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.884	0.695	1.18	0.380	1.27	1.43
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	0.882	1.37	0.404	1.57	1.87
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.39	1.60	0.420	1.95	2.21
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.03	2.16	1.96	0.449	2.58	2.48
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.01	3.49	2.73	0.485	4.43	2.63

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>02042287</b>	<b>02042426</b>	<b>02042500</b>	<b>02042789</b>	<b>02043500</b>	<b>02043550</b>
Count	number	226	141	1,864	57.0	1,017	85.0
Max	ft <sup>3</sup> /s	994	515	5,270	19.0	598	148
Min	ft <sup>3</sup> /s	9.20	1.80	39.0	1.10	1.20	3.60
Median	ft <sup>3</sup> /s	65.0	22.0	345	3.00	38.0	33.0
Arithmetic Mean	ft <sup>3</sup> /s	102	51.8	415	3.74	57.4	45.8
Geometric Mean	ft <sup>3</sup> /s	--	22.0	--	3.12	--	32.6
Harmonic Mean	ft <sup>3</sup> /s	41.7	10.6	261	2.73	19.6	22.6
Standard Deviation	ft <sup>3</sup> /s	120	84.6	330	3.10	64.7	37.2
5th percentile	ft <sup>3</sup> /s	12.4	2.31	101	1.29	5.35	8.42
10th percentile	ft <sup>3</sup> /s	20.0	4.90	136	1.56	9.20	11.0
20th percentile	ft <sup>3</sup> /s	25.0	6.40	194	2.20	17.0	14.0
30th percentile	ft <sup>3</sup> /s	35.5	9.60	239	2.30	23.0	19.0
40th percentile	ft <sup>3</sup> /s	52.0	15.0	292	2.54	30.0	22.0
50th percentile	ft <sup>3</sup> /s	65.0	22.0	345	3.00	38.0	33.0
60th percentile	ft <sup>3</sup> /s	80.0	30.0	408	3.40	48.0	43.4
70th percentile	ft <sup>3</sup> /s	96.5	43.0	465	3.70	60.0	53.0
80th percentile	ft <sup>3</sup> /s	130	63.0	559	4.18	79.0	80.6
90th percentile	ft <sup>3</sup> /s	267	137	767	6.24	130	105
Drainage area	mi <sup>2</sup>	62.2	37.4	251	6.19	23.6	41.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	16.0	13.8	21.0	3.07	25.3	3.58
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.148	0.048	0.155	0.178	0.051	0.087
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	0.588	1.37	0.485	1.61	0.799
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.64	1.38	1.65	0.604	2.43	1.11
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.587	--	0.504	--	0.788
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.670	0.283	1.04	0.442	0.830	0.548
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.93	2.26	1.31	0.501	2.74	0.900
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.199	0.062	0.402	0.208	0.227	0.204
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.322	0.131	0.542	0.252	0.390	0.266
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.402	0.171	0.773	0.355	0.720	0.339
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.571	0.257	0.952	0.372	0.975	0.460
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.836	0.401	1.16	0.410	1.27	0.533
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	0.588	1.37	0.485	1.61	0.799
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	0.802	1.63	0.549	2.03	1.05
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.55	1.15	1.85	0.598	2.54	1.28
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.09	1.68	2.23	0.675	3.35	1.95
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.29	3.66	3.06	1.01	5.51	2.54

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02042287</b>	<b>02042426</b>	<b>02042500</b>	<b>02042789</b>	<b>02043500</b>	<b>02043550</b>
Count	number	248	155	2,046	62.0	1,127	93.0
Max	ft <sup>3</sup> /s	2,960	1,270	3,570	9.10	830	220
Min	ft <sup>3</sup> /s	10.0	4.90	37.0	1.60	1.80	6.60
Median	ft <sup>3</sup> /s	70.5	31.0	366	2.55	35.0	62.0
Arithmetic Mean	ft <sup>3</sup> /s	168	111	462	2.98	53.9	65.1
Geometric Mean	ft <sup>3</sup> /s	--	42.3	--	2.72	--	41.9
Harmonic Mean	ft <sup>3</sup> /s	62.6	23.4	291	2.53	22.9	24.3
Standard Deviation	ft <sup>3</sup> /s	334	213	368	1.47	63.8	51.9
5th percentile	ft <sup>3</sup> /s	25.5	7.40	125	1.70	8.10	7.84
10th percentile	ft <sup>3</sup> /s	31.7	10.0	160	1.70	11.0	8.62
20th percentile	ft <sup>3</sup> /s	45.0	14.8	207	1.92	17.0	11.4
30th percentile	ft <sup>3</sup> /s	52.0	19.2	248	2.03	23.0	22.6
40th percentile	ft <sup>3</sup> /s	61.0	26.0	298	2.10	29.0	35.6
50th percentile	ft <sup>3</sup> /s	70.5	31.0	366	2.55	35.0	62.0
60th percentile	ft <sup>3</sup> /s	93.2	47.0	434	2.90	43.0	79.2
70th percentile	ft <sup>3</sup> /s	131	68.0	511	3.40	55.0	94.2
80th percentile	ft <sup>3</sup> /s	184	124	643	3.88	75.0	110
90th percentile	ft <sup>3</sup> /s	329	265	880	4.69	116	129
Drainage area	mi <sup>2</sup>	62.2	37.4	251	6.19	23.6	41.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	47.6	34.0	14.2	1.47	35.2	5.33
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.161	0.131	0.147	0.258	0.076	0.160
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	0.829	1.46	0.412	1.48	1.50
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.69	2.96	1.84	0.481	2.28	1.58
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.13	--	0.439	--	1.01
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	0.626	1.16	0.408	0.970	0.588
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	5.37	5.69	1.47	0.237	2.70	1.26
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.409	0.198	0.499	0.275	0.343	0.190
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.510	0.267	0.637	0.275	0.466	0.209
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.723	0.396	0.825	0.310	0.720	0.276
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.836	0.513	0.986	0.328	0.975	0.547
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.981	0.695	1.19	0.339	1.23	0.862
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	0.829	1.46	0.412	1.48	1.50
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.50	1.26	1.73	0.468	1.82	1.92
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.11	1.82	2.03	0.549	2.33	2.28
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.95	3.32	2.56	0.627	3.18	2.65
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.29	7.07	3.51	0.758	4.92	3.13

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		April					
	units						
Station Number	number	02042287	02042426	02042500	02042789	02043500	02043550
Count	number	240	150	1,980	60.0	1,110	90.0
Max	ft <sup>3</sup> /s	929	853	3,250	34.0	522	120
Min	ft <sup>3</sup> /s	7.70	4.30	36.0	1.60	0.000	4.40
Median	ft <sup>3</sup> /s	50.0	23.5	276	4.20	18.0	26.5
Arithmetic Mean	ft <sup>3</sup> /s	87.3	50.6	382	5.84	33.1	39.5
Geometric Mean	ft <sup>3</sup> /s	--	27.9	--	4.33	--	27.2
Harmonic Mean	ft <sup>3</sup> /s	38.2	19.6	224	3.58	--	18.8
Standard Deviation	ft <sup>3</sup> /s	111	90.7	328	6.32	48.0	33.2
5th percentile	ft <sup>3</sup> /s	13.1	7.63	86.0	1.61	1.46	7.11
10th percentile	ft <sup>3</sup> /s	18.0	9.87	111	1.89	2.70	8.09
20th percentile	ft <sup>3</sup> /s	24.8	13.0	156	2.58	4.48	11.8
30th percentile	ft <sup>3</sup> /s	31.0	15.7	196	2.97	8.14	15.0
40th percentile	ft <sup>3</sup> /s	39.6	18.6	231	3.26	13.0	21.0
50th percentile	ft <sup>3</sup> /s	50.0	23.5	276	4.20	18.0	26.5
60th percentile	ft <sup>3</sup> /s	64.0	28.8	329	4.60	23.4	34.0
70th percentile	ft <sup>3</sup> /s	85.9	37.0	424	5.23	32.0	49.8
80th percentile	ft <sup>3</sup> /s	111	59.2	568	6.48	46.0	73.6
90th percentile	ft <sup>3</sup> /s	197	114	749	9.72	80.0	92.1
Drainage area	mi <sup>2</sup>	62.2	37.4	251	6.19	23.6	41.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	14.9	22.8	12.9	5.49	22.1	2.91
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.124	0.115	0.143	0.258	0.000	0.107
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.804	0.628	1.10	0.679	0.763	0.642
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	1.35	1.52	0.943	1.40	0.957
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.747	--	0.700	--	0.660
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.615	0.524	0.892	0.578	--	0.456
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.78	2.43	1.31	1.02	2.03	0.804
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.210	0.204	0.343	0.259	0.062	0.172
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.289	0.264	0.442	0.305	0.114	0.196
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.399	0.348	0.622	0.417	0.190	0.286
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.498	0.420	0.781	0.480	0.345	0.363
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.637	0.497	0.920	0.527	0.551	0.508
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.804	0.628	1.10	0.679	0.763	0.642
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.770	1.31	0.743	0.992	0.823
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	0.989	1.69	0.845	1.36	1.21
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.79	1.58	2.26	1.05	1.95	1.78
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.16	3.05	2.99	1.57	3.39	2.23

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>02042287</b>	<b>02042426</b>	<b>02042500</b>	<b>02042789</b>	<b>02043500</b>	<b>02043550</b>
Count	number	248	155	2,046	62.0	1,147	93.0
Max	ft <sup>3</sup> /s	1,530	698	3,000	10.0	1,100	134
Min	ft <sup>3</sup> /s	0.830	0.950	7.60	1.70	0.000	0.710
Median	ft <sup>3</sup> /s	25.0	11.0	165	3.10	2.00	5.40
Arithmetic Mean	ft <sup>3</sup> /s	56.3	35.3	236	3.08	17.9	31.1
Geometric Mean	ft <sup>3</sup> /s	--	12.0	--	2.91	--	7.91
Harmonic Mean	ft <sup>3</sup> /s	12.0	6.28	111	2.78	--	2.62
Standard Deviation	ft <sup>3</sup> /s	125	83.5	242	1.22	58.8	44.8
5th percentile	ft <sup>3</sup> /s	2.95	1.90	39.4	1.80	0.000	0.768
10th percentile	ft <sup>3</sup> /s	6.07	2.34	55.0	1.91	0.000	0.886
20th percentile	ft <sup>3</sup> /s	11.0	4.08	83.0	2.20	0.000	1.30
30th percentile	ft <sup>3</sup> /s	17.0	5.60	110	2.30	0.118	1.70
40th percentile	ft <sup>3</sup> /s	21.0	8.20	140	2.64	0.724	3.06
50th percentile	ft <sup>3</sup> /s	25.0	11.0	165	3.10	2.00	5.40
60th percentile	ft <sup>3</sup> /s	33.0	12.0	197	3.26	4.40	12.2
70th percentile	ft <sup>3</sup> /s	41.9	17.0	247	3.40	9.70	24.8
80th percentile	ft <sup>3</sup> /s	57.6	36.4	323	3.60	18.8	70.0
90th percentile	ft <sup>3</sup> /s	105	79.4	506	4.09	46.0	115
Drainage area	mi <sup>2</sup>	62.2	37.4	251	6.19	23.6	41.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	24.6	18.7	12.0	1.62	46.6	3.24
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.013	0.025	0.030	0.275	0.000	0.017
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.402	0.294	0.657	0.501	0.085	0.131
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.905	0.943	0.942	0.498	0.759	0.754
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.322	--	0.471	--	0.192
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.194	0.168	0.443	0.448	--	0.063
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.00	2.23	0.965	0.198	2.49	1.09
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.047	0.051	0.157	0.291	0.000	0.019
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.098	0.063	0.219	0.309	0.000	0.021
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.109	0.331	0.355	0.000	0.031
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.273	0.150	0.436	0.372	0.005	0.041
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.338	0.219	0.558	0.426	0.031	0.074
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.402	0.294	0.657	0.501	0.085	0.131
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.531	0.321	0.785	0.527	0.186	0.295
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.674	0.455	0.982	0.549	0.411	0.600
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.926	0.973	1.29	0.582	0.797	1.69
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.69	2.12	2.01	0.661	1.95	2.79

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>02042287</b>	<b>02042426</b>	<b>02042500</b>	<b>02042789</b>	<b>02043500</b>	<b>02043550</b>
Count	number	240	150	1,980	60.0	1,110	90.0
Max	ft <sup>3</sup> /s	265	562	2,820	7.30	701	108
Min	ft <sup>3</sup> /s	0.270	0.240	2.40	1.20	0.000	0.000
Median	ft <sup>3</sup> /s	8.10	5.25	86.5	1.85	0.030	1.65
Arithmetic Mean	ft <sup>3</sup> /s	18.1	19.1	167	2.31	11.5	21.4
Geometric Mean	ft <sup>3</sup> /s	8.05	4.99	--	2.08	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.30	1.76	41.2	1.93	--	--
Standard Deviation	ft <sup>3</sup> /s	31.2	60.4	236	1.34	44.4	35.7
5th percentile	ft <sup>3</sup> /s	0.958	0.311	13.0	1.30	0.000	0.000
10th percentile	ft <sup>3</sup> /s	1.70	0.529	21.0	1.40	0.000	0.000
20th percentile	ft <sup>3</sup> /s	3.14	1.50	34.0	1.50	0.000	0.402
30th percentile	ft <sup>3</sup> /s	4.40	2.44	47.0	1.67	0.000	0.644
40th percentile	ft <sup>3</sup> /s	6.26	3.76	65.0	1.80	0.000	0.928
50th percentile	ft <sup>3</sup> /s	8.10	5.25	86.5	1.85	0.030	1.65
60th percentile	ft <sup>3</sup> /s	11.0	7.08	117	2.00	0.494	3.36
70th percentile	ft <sup>3</sup> /s	15.0	11.0	163	2.20	1.60	12.0
80th percentile	ft <sup>3</sup> /s	22.0	16.0	232	2.70	6.12	44.4
90th percentile	ft <sup>3</sup> /s	39.3	27.1	412	3.81	24.0	93.6
Drainage area	mi <sup>2</sup>	62.2	37.4	251	6.19	23.6	41.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	4.26	15.0	11.2	1.18	29.7	2.62
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.004	0.006	0.010	0.194	0.000	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.130	0.140	0.345	0.299	0.001	0.040
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.292	0.510	0.666	0.374	0.487	0.517
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.129	0.133	--	0.336	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.053	0.047	0.164	0.312	--	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.501	1.62	0.940	0.217	1.88	0.865
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.015	0.008	0.052	0.210	0.000	0.000
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.027	0.014	0.084	0.226	0.000	0.000
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.050	0.040	0.135	0.242	0.000	0.010
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.071	0.065	0.187	0.270	0.000	0.016
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.101	0.101	0.259	0.291	0.000	0.022
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.130	0.140	0.345	0.299	0.001	0.040
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.189	0.468	0.323	0.021	0.081
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.241	0.294	0.651	0.355	0.068	0.291
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.354	0.428	0.925	0.436	0.259	1.08
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.632	0.725	1.64	0.616	1.02	2.27

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>02042287</b>	<b>02042426</b>	<b>02042500</b>	<b>02042789</b>	<b>02043500</b>	<b>02043550</b>
Count	number	248	155	2,046	31.0	1,147	93.0
Max	ft <sup>3</sup> /s	133	443	5,350	26.0	298	102
Min	ft <sup>3</sup> /s	0.010	0.300	0.050	0.870	0.000	0.000
Median	ft <sup>3</sup> /s	4.10	5.50	60.0	1.30	0.000	0.350
Arithmetic Mean	ft <sup>3</sup> /s	12.1	18.5	150	2.59	6.60	3.60
Geometric Mean	ft <sup>3</sup> /s	4.24	5.17	--	1.71	--	--
Harmonic Mean	ft <sup>3</sup> /s	0.449	2.16	6.58	1.43	--	--
Standard Deviation	ft <sup>3</sup> /s	21.5	55.8	323	4.47	23.5	13.6
5th percentile	ft <sup>3</sup> /s	0.120	0.516	6.60	0.894	0.000	0.000
10th percentile	ft <sup>3</sup> /s	0.795	0.748	10.0	0.910	0.000	0.000
20th percentile	ft <sup>3</sup> /s	2.00	1.28	19.0	0.960	0.000	0.000
30th percentile	ft <sup>3</sup> /s	2.60	2.48	29.0	0.990	0.000	0.000
40th percentile	ft <sup>3</sup> /s	3.10	3.96	42.0	1.10	0.000	0.000
50th percentile	ft <sup>3</sup> /s	4.10	5.50	60.0	1.30	0.000	0.350
60th percentile	ft <sup>3</sup> /s	5.80	7.54	86.0	2.20	0.000	0.414
70th percentile	ft <sup>3</sup> /s	7.89	9.26	130	2.50	0.182	0.554
80th percentile	ft <sup>3</sup> /s	12.0	15.0	205	2.70	2.00	0.914
90th percentile	ft <sup>3</sup> /s	35.6	34.2	337	3.00	16.0	5.42
Drainage area	mi <sup>2</sup>	62.2	37.4	251	6.19	23.6	41.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	2.14	11.8	21.3	4.20	12.6	2.47
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.008	0.000	0.141	0.000	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.066	0.147	0.239	0.210	0.000	0.008
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.195	0.495	0.599	0.419	0.280	0.087
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.068	0.138	--	0.277	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.007	0.058	0.026	0.231	--	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.345	1.49	1.29	0.722	0.995	0.329
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.002	0.014	0.026	0.144	0.000	0.000
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.013	0.020	0.040	0.147	0.000	0.000
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	0.034	0.076	0.155	0.000	0.000
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.042	0.066	0.116	0.160	0.000	0.000
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.050	0.106	0.167	0.178	0.000	0.000
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.066	0.147	0.239	0.210	0.000	0.008
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.093	0.202	0.343	0.355	0.000	0.010
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.127	0.248	0.518	0.404	0.008	0.013
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.193	0.401	0.817	0.436	0.085	0.022
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.572	0.914	1.34	0.485	0.678	0.131

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02042287</b>	<b>02042426</b>	<b>02042500</b>	<b>02042789</b>	<b>02043500</b>	<b>02043550</b>
Count	number	248	155	2,046	31.0	1,147	93.0
Max	ft <sup>3</sup> /s	228	738	6,680	30.0	1,080	123
Min	ft <sup>3</sup> /s	0.000	0.370	0.080	1.80	0.000	0.000
Median	ft <sup>3</sup> /s	3.20	4.60	66.0	3.80	0.000	0.000
Arithmetic Mean	ft <sup>3</sup> /s	13.3	27.7	176	5.93	17.7	12.4
Geometric Mean	ft <sup>3</sup> /s	--	5.77	--	4.26	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	2.21	8.20	3.47	--	--
Standard Deviation	ft <sup>3</sup> /s	31.7	77.4	373	6.48	66.8	29.5
5th percentile	ft <sup>3</sup> /s	0.020	0.476	4.54	1.80	0.000	0.000
10th percentile	ft <sup>3</sup> /s	0.155	0.820	8.20	2.00	0.000	0.000
20th percentile	ft <sup>3</sup> /s	0.588	1.16	15.0	2.30	0.000	0.000
30th percentile	ft <sup>3</sup> /s	1.30	2.70	28.0	2.50	0.000	0.000
40th percentile	ft <sup>3</sup> /s	2.00	3.60	40.0	3.10	0.000	0.000
50th percentile	ft <sup>3</sup> /s	3.20	4.60	66.0	3.80	0.000	0.000
60th percentile	ft <sup>3</sup> /s	4.62	6.14	96.0	4.20	0.200	1.42
70th percentile	ft <sup>3</sup> /s	6.97	9.82	141	5.70	1.80	2.96
80th percentile	ft <sup>3</sup> /s	10.0	22.0	229	7.00	9.28	6.72
90th percentile	ft <sup>3</sup> /s	36.3	68.8	410	12.0	38.0	55.0
Drainage area	mi <sup>2</sup>	62.2	37.4	251	6.19	23.6	41.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.67	19.7	26.6	4.85	45.8	2.98
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.010	0.000	0.291	0.000	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.051	0.123	0.263	0.614	0.000	0.000
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.214	0.741	0.700	0.958	0.749	0.301
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.154	--	0.688	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.059	0.033	0.560	--	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.510	2.07	1.49	1.05	2.83	0.713
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.013	0.018	0.291	0.000	0.000
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.002	0.022	0.033	0.323	0.000	0.000
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.009	0.031	0.060	0.372	0.000	0.000
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.021	0.072	0.112	0.404	0.000	0.000
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	0.096	0.159	0.501	0.000	0.000
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.051	0.123	0.263	0.614	0.000	0.000
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.074	0.164	0.382	0.679	0.008	0.034
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.112	0.263	0.562	0.921	0.076	0.072
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.161	0.588	0.912	1.13	0.393	0.163
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.584	1.84	1.63	1.94	1.61	1.33



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02042287</b>	<b>02042426</b>	<b>02042500</b>	<b>02042789</b>	<b>02043500</b>	<b>02043550</b>
Count	number	240	150	1,980	30.0	1,110	90.0
Max	ft <sup>3</sup> /s	285	583	14,700	57.0	950	136
Min	ft <sup>3</sup> /s	0.010	0.900	0.070	1.90	0.000	0.000
Median	ft <sup>3</sup> /s	1.10	2.10	43.0	4.20	0.000	0.850
Arithmetic Mean	ft <sup>3</sup> /s	8.43	16.9	173	7.66	14.3	13.2
Geometric Mean	ft <sup>3</sup> /s	0.895	3.30	--	5.07	--	--
Harmonic Mean	ft <sup>3</sup> /s	0.164	2.10	5.23	4.04	--	--
Standard Deviation	ft <sup>3</sup> /s	29.1	70.6	553	10.6	61.8	30.4
5th percentile	ft <sup>3</sup> /s	0.030	1.00	4.30	1.96	0.000	0.000
10th percentile	ft <sup>3</sup> /s	0.050	1.19	6.00	2.19	0.000	0.000
20th percentile	ft <sup>3</sup> /s	0.118	1.30	11.0	2.74	0.000	0.000
30th percentile	ft <sup>3</sup> /s	0.200	1.50	20.0	3.40	0.000	0.000
40th percentile	ft <sup>3</sup> /s	0.306	1.66	31.0	3.80	0.000	0.536
50th percentile	ft <sup>3</sup> /s	1.10	2.10	43.0	4.20	0.000	0.850
60th percentile	ft <sup>3</sup> /s	1.94	2.50	62.0	4.64	0.084	1.20
70th percentile	ft <sup>3</sup> /s	3.50	3.79	93.0	5.76	1.13	2.92
80th percentile	ft <sup>3</sup> /s	5.84	8.20	150	8.60	6.00	8.08
90th percentile	ft <sup>3</sup> /s	13.2	19.1	362	14.0	26.1	53.2
Drainage area	mi <sup>2</sup>	62.2	37.4	251	6.19	23.6	41.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	4.58	15.6	58.6	9.21	40.3	3.29
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.024	0.000	0.307	0.000	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.018	0.056	0.171	0.679	0.000	0.021
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.136	0.453	0.689	1.24	0.607	0.320
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.014	0.088	--	0.819	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.003	0.056	0.021	0.652	--	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.469	1.89	2.20	1.72	2.62	0.737
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.027	0.017	0.316	0.000	0.000
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.001	0.032	0.024	0.354	0.000	0.000
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.002	0.035	0.044	0.443	0.000	0.000
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.003	0.040	0.080	0.549	0.000	0.000
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.005	0.044	0.124	0.614	0.000	0.013
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.018	0.056	0.171	0.679	0.000	0.021
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.031	0.067	0.247	0.750	0.004	0.029
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.056	0.101	0.371	0.931	0.048	0.071
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.094	0.219	0.598	1.39	0.254	0.196
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.212	0.511	1.44	2.26	1.11	1.29

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02042287</b>	<b>02042426</b>	<b>02042500</b>	<b>02042789</b>	<b>02043500</b>	<b>02043550</b>
Count	number	222	155	2,046	31.0	1,116	93.0
Max	ft <sup>3</sup> /s	441	220	2,900	20.0	684	115
Min	ft <sup>3</sup> /s	0.000	0.400	0.070	2.40	0.000	0.000
Median	ft <sup>3</sup> /s	4.00	2.70	62.0	2.60	0.000	0.000
Arithmetic Mean	ft <sup>3</sup> /s	19.4	12.9	151	3.39	14.2	7.80
Geometric Mean	ft <sup>3</sup> /s	--	3.56	--	2.96	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	1.98	7.62	2.81	--	--
Standard Deviation	ft <sup>3</sup> /s	50.0	34.2	250	3.16	52.3	22.1
5th percentile	ft <sup>3</sup> /s	0.152	0.568	3.64	2.40	0.000	0.000
10th percentile	ft <sup>3</sup> /s	0.521	1.00	7.60	2.40	0.000	0.000
20th percentile	ft <sup>3</sup> /s	1.30	1.40	16.0	2.50	0.000	0.000
30th percentile	ft <sup>3</sup> /s	1.90	1.62	28.0	2.50	0.000	0.000
40th percentile	ft <sup>3</sup> /s	2.50	2.10	40.0	2.60	0.000	0.000
50th percentile	ft <sup>3</sup> /s	4.00	2.70	62.0	2.60	0.000	0.000
60th percentile	ft <sup>3</sup> /s	6.42	3.54	96.0	2.70	0.870	0.000
70th percentile	ft <sup>3</sup> /s	12.0	5.18	157	2.80	3.20	3.52
80th percentile	ft <sup>3</sup> /s	21.8	7.54	213	3.10	10.0	7.56
90th percentile	ft <sup>3</sup> /s	40.5	25.6	373	3.50	31.5	11.6
Drainage area	mi <sup>2</sup>	62.2	37.4	251	6.19	23.6	41.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.09	5.88	11.6	3.23	29.0	2.78
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.011	0.000	0.388	0.000	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.064	0.072	0.247	0.420	0.000	0.000
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.312	0.344	0.600	0.548	0.603	0.189
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.095	--	0.479	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.053	0.030	0.455	--	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.804	0.914	0.996	0.510	2.21	0.536
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.002	0.015	0.014	0.388	0.000	0.000
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.008	0.027	0.030	0.388	0.000	0.000
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.021	0.037	0.064	0.404	0.000	0.000
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.031	0.043	0.112	0.404	0.000	0.000
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.040	0.056	0.159	0.420	0.000	0.000
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.064	0.072	0.247	0.420	0.000	0.000
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.103	0.095	0.382	0.436	0.037	0.000
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.193	0.139	0.625	0.452	0.136	0.085
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.350	0.202	0.849	0.501	0.424	0.183
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.651	0.684	1.49	0.565	1.33	0.281

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02042287</b>	<b>02042426</b>	<b>02042500</b>	<b>02042789</b>	<b>02043500</b>	<b>02043550</b>
Count	number	210	150	1,975	46.0	1,080	90.0
Max	ft <sup>3</sup> /s	934	1,280	3,080	17.0	321	131
Min	ft <sup>3</sup> /s	1.80	1.60	0.550	0.790	0.000	0.000
Median	ft <sup>3</sup> /s	16.0	6.85	131	2.60	3.70	0.000
Arithmetic Mean	ft <sup>3</sup> /s	38.7	28.9	222	3.00	15.2	19.7
Geometric Mean	ft <sup>3</sup> /s	19.3	8.52	--	2.43	--	--
Harmonic Mean	ft <sup>3</sup> /s	12.7	5.26	44.2	2.02	--	--
Standard Deviation	ft <sup>3</sup> /s	86.6	114	282	2.58	30.9	36.7
5th percentile	ft <sup>3</sup> /s	3.86	2.10	18.0	0.797	0.000	0.000
10th percentile	ft <sup>3</sup> /s	6.60	2.40	33.0	0.935	0.000	0.000
20th percentile	ft <sup>3</sup> /s	9.94	3.10	54.0	1.50	0.000	0.000
30th percentile	ft <sup>3</sup> /s	13.0	3.80	76.0	2.05	0.000	0.000
40th percentile	ft <sup>3</sup> /s	14.0	5.20	100	2.30	0.980	0.000
50th percentile	ft <sup>3</sup> /s	16.0	6.85	131	2.60	3.70	0.000
60th percentile	ft <sup>3</sup> /s	19.0	8.54	165	2.80	9.74	0.000
70th percentile	ft <sup>3</sup> /s	29.3	13.0	215	2.95	15.0	9.71
80th percentile	ft <sup>3</sup> /s	36.2	23.0	316	3.60	22.0	30.0
90th percentile	ft <sup>3</sup> /s	68.0	36.2	515	4.80	38.0	89.0
Drainage area	mi <sup>2</sup>	62.2	37.4	251	6.19	23.6	41.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	15.0	34.2	12.3	2.75	13.6	3.17
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.029	0.043	0.002	0.128	0.000	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.257	0.183	0.522	0.420	0.157	0.000
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.622	0.772	0.884	0.485	0.645	0.477
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.311	0.228	--	0.392	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.205	0.141	0.176	0.326	--	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	3.06	1.12	0.417	1.31	0.889
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.062	0.056	0.072	0.129	0.000	0.000
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.106	0.064	0.131	0.151	0.000	0.000
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.160	0.083	0.215	0.242	0.000	0.000
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.209	0.102	0.303	0.331	0.000	0.000
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.225	0.139	0.398	0.372	0.042	0.000
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.257	0.183	0.522	0.420	0.157	0.000
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.305	0.228	0.657	0.452	0.413	0.000
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.471	0.348	0.856	0.477	0.636	0.235
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.582	0.615	1.26	0.582	0.932	0.726
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	0.968	2.05	0.775	1.61	2.15

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02042287</b>	<b>02042426</b>	<b>02042500</b>	<b>02042789</b>	<b>02043500</b>	<b>02043550</b>
Count	number	217	162	2,015	62.0	1,116	93.0
Max	ft <sup>3</sup> /s	614	509	1,820	20.0	443	62.0
Min	ft <sup>3</sup> /s	6.10	1.60	11.0	0.660	0.000	0.000
Median	ft <sup>3</sup> /s	31.0	19.0	220	2.55	13.0	9.80
Arithmetic Mean	ft <sup>3</sup> /s	67.5	42.8	291	3.44	26.5	11.5
Geometric Mean	ft <sup>3</sup> /s	--	20.1	--	2.52	--	--
Harmonic Mean	ft <sup>3</sup> /s	24.3	10.7	143	1.94	--	--
Standard Deviation	ft <sup>3</sup> /s	96.9	73.5	259	3.33	43.9	11.4
5th percentile	ft <sup>3</sup> /s	9.60	2.40	44.0	0.715	0.000	0.000
10th percentile	ft <sup>3</sup> /s	11.0	4.92	70.0	1.10	0.175	0.000
20th percentile	ft <sup>3</sup> /s	15.0	7.84	110	1.22	1.60	1.60
30th percentile	ft <sup>3</sup> /s	17.0	12.0	144	1.50	3.60	2.30
40th percentile	ft <sup>3</sup> /s	23.4	15.0	180	1.98	7.30	5.98
50th percentile	ft <sup>3</sup> /s	31.0	19.0	220	2.55	13.0	9.80
60th percentile	ft <sup>3</sup> /s	40.0	23.6	268	3.26	19.0	11.2
70th percentile	ft <sup>3</sup> /s	62.2	31.0	326	3.67	27.0	15.0
80th percentile	ft <sup>3</sup> /s	94.8	47.6	403	4.44	39.0	20.0
90th percentile	ft <sup>3</sup> /s	164	102	595	6.85	63.0	24.0
Drainage area	mi <sup>2</sup>	62.2	37.4	251	6.19	23.6	41.3
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	9.87	13.6	7.25	3.23	18.8	1.50
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.098	0.043	0.044	0.107	0.000	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.498	0.508	0.876	0.412	0.551	0.237
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.14	1.16	0.555	1.12	0.277
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.538	--	0.407	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.391	0.285	0.568	0.314	--	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.97	1.03	0.538	1.86	0.276
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.154	0.064	0.175	0.115	0.000	0.000
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.132	0.279	0.178	0.007	0.000
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.241	0.210	0.437	0.197	0.068	0.039
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.273	0.321	0.575	0.242	0.153	0.056
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.376	0.401	0.717	0.320	0.309	0.145
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.498	0.508	0.876	0.412	0.551	0.237
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.643	0.631	1.07	0.527	0.805	0.271
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.00	0.829	1.30	0.593	1.14	0.363
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.52	1.27	1.61	0.717	1.65	0.484
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.63	2.72	2.37	1.11	2.67	0.581

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>02043750</b>	<b>02044000</b>	<b>02044500</b>	<b>02045000</b>	<b>02045200</b>	<b>02045500</b>
Count	number	93.0	1,253	1,767	124	62.0	2,385
Max	ft <sup>3</sup> /s	133	1,740	6,180	2,500	34.0	7,880
Min	ft <sup>3</sup> /s	0.080	4.10	45.0	156	0.000	50.0
Median	ft <sup>3</sup> /s	28.0	27.0	254	357	10.0	513
Arithmetic Mean	ft <sup>3</sup> /s	39.0	56.2	407	456	10.7	804
Geometric Mean	ft <sup>3</sup> /s	9.40	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	0.859	22.1	227	324	--	380
Standard Deviation	ft <sup>3</sup> /s	40.3	119	509	352	9.72	924
5th percentile	ft <sup>3</sup> /s	0.127	8.00	95.4	175	0.000	122
10th percentile	ft <sup>3</sup> /s	0.372	12.0	127	188	0.000	183
20th percentile	ft <sup>3</sup> /s	0.656	16.0	166	202	0.000	300
30th percentile	ft <sup>3</sup> /s	1.20	19.0	191	260	3.40	369
40th percentile	ft <sup>3</sup> /s	9.44	23.0	219	311	4.68	439
50th percentile	ft <sup>3</sup> /s	28.0	27.0	254	357	10.0	513
60th percentile	ft <sup>3</sup> /s	40.0	34.0	303	418	14.0	623
70th percentile	ft <sup>3</sup> /s	61.8	43.0	371	478	16.0	763
80th percentile	ft <sup>3</sup> /s	81.8	57.0	479	573	20.0	1,030
90th percentile	ft <sup>3</sup> /s	101	104	755	791	22.0	1,634
Drainage area	mi <sup>2</sup>	23.4	38.7	317	356	15.2	577
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	5.85	45.0	19.5	7.02	2.24	13.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.004	0.106	0.142	0.438	0.000	0.087
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	0.698	0.801	1.00	0.658	0.889
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	1.45	1.28	1.28	0.704	1.39
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.413	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.038	0.571	0.715	0.911	--	0.659
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.77	3.07	1.60	0.990	0.639	1.60
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.005	0.207	0.301	0.492	0.000	0.211
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.016	0.310	0.401	0.528	0.000	0.317
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.029	0.413	0.524	0.567	0.000	0.520
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.053	0.491	0.603	0.730	0.224	0.640
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.415	0.594	0.692	0.874	0.308	0.761
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	0.698	0.801	1.00	0.658	0.889
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.76	0.879	0.956	1.18	0.921	1.08
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.72	1.11	1.17	1.34	1.05	1.32
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.60	1.47	1.51	1.61	1.32	1.79
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.43	2.69	2.38	2.22	1.45	2.83

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		February					
	units	02043750	02044000	02044500	02045000	02045200	02045500
Station Number	number						
Count	number	85.0	1,130	1,610	113	56.0	2,175
Max	ft <sup>3</sup> /s	177	2,030	8,150	4,900	120	14,400
Min	ft <sup>3</sup> /s	0.960	6.40	59.0	216	4.30	70.0
Median	ft <sup>3</sup> /s	19.0	38.0	340	375	14.0	680
Arithmetic Mean	ft <sup>3</sup> /s	33.2	68.8	477	533	21.0	915
Geometric Mean	ft <sup>3</sup> /s	17.6	--	--	419	14.9	--
Harmonic Mean	ft <sup>3</sup> /s	7.91	31.3	285	371	11.3	507
Standard Deviation	ft <sup>3</sup> /s	40.7	126	566	661	21.4	964
5th percentile	ft <sup>3</sup> /s	1.43	12.0	126	226	4.30	187
10th percentile	ft <sup>3</sup> /s	3.12	16.0	155	245	5.30	250
20th percentile	ft <sup>3</sup> /s	9.64	22.0	201	260	7.90	372
30th percentile	ft <sup>3</sup> /s	12.0	26.0	255	276	8.95	459
40th percentile	ft <sup>3</sup> /s	14.6	31.0	297	322	9.80	576
50th percentile	ft <sup>3</sup> /s	19.0	38.0	340	375	14.0	680
60th percentile	ft <sup>3</sup> /s	20.4	44.0	399	477	18.0	800
70th percentile	ft <sup>3</sup> /s	24.8	55.0	467	521	21.0	949
80th percentile	ft <sup>3</sup> /s	49.8	75.0	559	574	28.0	1,180
90th percentile	ft <sup>3</sup> /s	90.2	127	820	737	46.0	1,700
Drainage area	mi <sup>2</sup>	23.4	38.7	317	356	15.2	577
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.78	52.5	25.7	13.8	7.89	25.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.042	0.165	0.186	0.607	0.283	0.121
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.836	0.982	1.07	1.05	0.921	1.18
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.78	1.50	1.50	1.38	1.59
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.776	--	--	1.18	0.979	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.348	0.808	0.900	1.04	0.743	0.878
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.79	3.25	1.78	1.86	1.41	1.67
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.061	0.310	0.397	0.634	0.283	0.323
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.137	0.413	0.489	0.688	0.349	0.434
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.424	0.568	0.634	0.730	0.520	0.645
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.528	0.672	0.804	0.775	0.589	0.796
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.642	0.801	0.937	0.906	0.645	0.998
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.836	0.982	1.07	1.05	0.921	1.18
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.897	1.14	1.26	1.34	1.18	1.39
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.42	1.47	1.46	1.38	1.64
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.19	1.94	1.76	1.61	1.84	2.05
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.97	3.28	2.59	2.07	3.03	2.95

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02043750</b>	<b>02044000</b>	<b>02044500</b>	<b>02045000</b>	<b>02045200</b>	<b>02045500</b>
Count	number	93.0	1,240	1,767	124	62.0	2,387
Max	ft <sup>3</sup> /s	165	1,880	9,140	2,340	88.0	11,700
Min	ft <sup>3</sup> /s	5.50	6.80	55.0	202	5.40	96.0
Median	ft <sup>3</sup> /s	32.0	36.0	352	456	11.0	686
Arithmetic Mean	ft <sup>3</sup> /s	48.0	71.0	543	538	13.2	1,016
Geometric Mean	ft <sup>3</sup> /s	29.6	--	--	--	11.1	--
Harmonic Mean	ft <sup>3</sup> /s	17.8	32.2	311	420	9.88	587
Standard Deviation	ft <sup>3</sup> /s	43.4	131	713	342	11.2	1,077
5th percentile	ft <sup>3</sup> /s	5.90	15.0	140	202	5.40	239
10th percentile	ft <sup>3</sup> /s	6.56	17.0	175	268	5.80	325
20th percentile	ft <sup>3</sup> /s	9.26	22.0	223	319	6.78	422
30th percentile	ft <sup>3</sup> /s	12.6	26.0	265	362	7.90	506
40th percentile	ft <sup>3</sup> /s	21.0	31.0	303	393	9.20	587
50th percentile	ft <sup>3</sup> /s	32.0	36.0	352	456	11.0	686
60th percentile	ft <sup>3</sup> /s	47.4	44.0	409	495	12.6	810
70th percentile	ft <sup>3</sup> /s	64.0	56.0	495	541	14.0	998
80th percentile	ft <sup>3</sup> /s	90.8	78.2	628	651	16.0	1,300
90th percentile	ft <sup>3</sup> /s	114	127	961	951	20.0	2,000
Drainage area	mi <sup>2</sup>	23.4	38.7	317	356	15.2	577
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.26	48.6	28.8	6.57	5.79	20.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.242	0.176	0.174	0.567	0.355	0.166
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	0.930	1.11	1.28	0.724	1.19
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.11	1.84	1.71	1.51	0.868	1.76
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	--	--	--	0.732	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.784	0.831	0.982	1.18	0.650	1.02
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.91	3.38	2.25	0.961	0.740	1.87
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.252	0.388	0.442	0.567	0.355	0.414
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.288	0.439	0.552	0.753	0.382	0.563
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.407	0.568	0.703	0.896	0.446	0.731
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.554	0.672	0.836	1.02	0.520	0.877
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.923	0.801	0.956	1.10	0.605	1.02
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	0.930	1.11	1.28	0.724	1.19
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.08	1.14	1.29	1.39	0.829	1.40
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.81	1.45	1.56	1.52	0.921	1.73
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.99	2.02	1.98	1.83	1.05	2.25
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.00	3.28	3.03	2.67	1.32	3.47

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02043750</b>	<b>02044000</b>	<b>02044500</b>	<b>02045000</b>	<b>02045200</b>	<b>02045500</b>
Count	number	90.0	1,200	1,710	120	60.0	2,310
Max	ft <sup>3</sup> /s	140	2,600	11,700	2,400	20.0	12,700
Min	ft <sup>3</sup> /s	4.40	6.70	74.0	165	3.80	108
Median	ft <sup>3</sup> /s	12.5	27.0	298	337	5.00	558
Arithmetic Mean	ft <sup>3</sup> /s	26.7	57.3	458	445	5.75	859
Geometric Mean	ft <sup>3</sup> /s	16.3	--	--	--	5.45	--
Harmonic Mean	ft <sup>3</sup> /s	11.4	24.3	264	331	5.25	477
Standard Deviation	ft <sup>3</sup> /s	30.3	132	671	339	2.48	1,044
5th percentile	ft <sup>3</sup> /s	5.10	11.0	120	178	3.91	204
10th percentile	ft <sup>3</sup> /s	5.49	13.0	143	189	4.30	250
20th percentile	ft <sup>3</sup> /s	6.40	16.0	180	245	4.30	327
30th percentile	ft <sup>3</sup> /s	8.17	19.0	218	287	4.57	401
40th percentile	ft <sup>3</sup> /s	9.96	22.0	255	321	4.92	478
50th percentile	ft <sup>3</sup> /s	12.5	27.0	298	337	5.00	558
60th percentile	ft <sup>3</sup> /s	17.4	32.0	350	369	5.40	656
70th percentile	ft <sup>3</sup> /s	24.6	41.0	418	437	5.80	798
80th percentile	ft <sup>3</sup> /s	45.6	55.2	534	577	6.10	1,042
90th percentile	ft <sup>3</sup> /s	66.3	97.1	804	752	7.15	1,711
Drainage area	mi <sup>2</sup>	23.4	38.7	317	356	15.2	577
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.16	67.2	36.9	6.74	1.32	22.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.193	0.173	0.233	0.463	0.250	0.187
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.550	0.698	0.940	0.945	0.329	0.967
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.48	1.45	1.25	0.378	1.49
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.716	--	--	--	0.358	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.501	0.628	0.832	0.929	0.345	0.826
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.33	3.40	2.12	0.951	0.163	1.81
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.218	0.284	0.379	0.499	0.257	0.354
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.241	0.336	0.451	0.531	0.283	0.433
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.281	0.413	0.568	0.688	0.283	0.567
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.359	0.491	0.688	0.806	0.301	0.695
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.438	0.568	0.804	0.901	0.324	0.828
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.550	0.698	0.940	0.945	0.329	0.967
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.765	0.827	1.10	1.04	0.355	1.14
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.06	1.32	1.23	0.382	1.38
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.01	1.43	1.69	1.62	0.401	1.81
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.92	2.51	2.54	2.11	0.470	2.97



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	02043750	02044000	02044500	02045000	02045200	02045500
Count	number	93.0	1,240	1,767	124	62.0	2,387
Max	ft <sup>3</sup> /s	151	1,240	17,000	2,160	52.0	11,700
Min	ft <sup>3</sup> /s	0.610	3.20	39.0	135	3.00	51.0
Median	ft <sup>3</sup> /s	7.90	15.0	203	275	7.60	330
Arithmetic Mean	ft <sup>3</sup> /s	32.8	34.2	319	399	9.31	543
Geometric Mean	ft <sup>3</sup> /s	10.0	--	--	--	7.27	--
Harmonic Mean	ft <sup>3</sup> /s	3.72	12.8	179	271	6.20	284
Standard Deviation	ft <sup>3</sup> /s	45.9	82.3	659	350	9.24	773
5th percentile	ft <sup>3</sup> /s	1.13	5.30	84.0	151	3.20	121
10th percentile	ft <sup>3</sup> /s	1.42	6.40	98.0	161	3.60	151
20th percentile	ft <sup>3</sup> /s	2.14	8.60	125	188	3.90	196
30th percentile	ft <sup>3</sup> /s	2.80	10.0	148	216	5.80	237
40th percentile	ft <sup>3</sup> /s	4.36	12.0	172	245	6.42	284
50th percentile	ft <sup>3</sup> /s	7.90	15.0	203	275	7.60	330
60th percentile	ft <sup>3</sup> /s	15.0	18.0	242	322	7.60	399
70th percentile	ft <sup>3</sup> /s	31.2	23.0	284	376	8.02	485
80th percentile	ft <sup>3</sup> /s	65.6	30.0	352	473	9.20	628
90th percentile	ft <sup>3</sup> /s	117	57.0	532	894	16.7	995
Drainage area	mi <sup>2</sup>	23.4	38.7	317	356	15.2	577
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.64	32.0	53.6	6.07	3.42	20.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.027	0.083	0.123	0.379	0.197	0.088
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.347	0.388	0.640	0.772	0.500	0.572
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	0.885	1.00	1.12	0.612	0.941
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.441	--	--	--	0.479	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.163	0.330	0.565	0.761	0.408	0.493
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.02	2.13	2.08	0.984	0.608	1.34
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.048	0.137	0.265	0.423	0.211	0.210
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.062	0.165	0.309	0.453	0.237	0.262
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.094	0.222	0.394	0.528	0.257	0.340
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.123	0.258	0.467	0.607	0.382	0.411
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.192	0.310	0.543	0.688	0.422	0.492
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.347	0.388	0.640	0.772	0.500	0.572
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.660	0.465	0.763	0.904	0.500	0.691
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	0.594	0.897	1.06	0.528	0.841
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.88	0.775	1.11	1.33	0.605	1.09
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.13	1.47	1.68	2.51	1.10	1.72

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	02043750	02044000	02044500	02045000	02045200	02045500
Count	number	90.0	1,200	1,710	120	60.0	2,310
Max	ft <sup>3</sup> /s	91.0	2,710	16,700	1,880	218	8,100
Min	ft <sup>3</sup> /s	0.000	0.500	4.60	78.0	1.50	8.70
Median	ft <sup>3</sup> /s	1.35	7.40	134	141	3.20	198
Arithmetic Mean	ft <sup>3</sup> /s	10.9	20.3	218	213	8.62	350
Geometric Mean	ft <sup>3</sup> /s	--	--	--	166	3.94	--
Harmonic Mean	ft <sup>3</sup> /s	--	5.89	96.0	145	3.05	149
Standard Deviation	ft <sup>3</sup> /s	20.9	118	566	232	28.0	580
5th percentile	ft <sup>3</sup> /s	0.000	2.30	42.0	83.0	1.50	57.6
10th percentile	ft <sup>3</sup> /s	0.000	3.10	53.0	91.6	1.70	75.0
20th percentile	ft <sup>3</sup> /s	0.000	4.10	73.0	103	2.00	108
30th percentile	ft <sup>3</sup> /s	0.495	5.00	94.0	116	2.27	133
40th percentile	ft <sup>3</sup> /s	0.810	6.10	112	131	2.56	162
50th percentile	ft <sup>3</sup> /s	1.35	7.40	134	141	3.20	198
60th percentile	ft <sup>3</sup> /s	2.80	9.20	158	165	3.72	246
70th percentile	ft <sup>3</sup> /s	6.00	11.0	188	188	5.70	304
80th percentile	ft <sup>3</sup> /s	13.2	15.2	240	247	6.60	407
90th percentile	ft <sup>3</sup> /s	44.1	28.0	383	372	10.0	666
Drainage area	mi <sup>2</sup>	23.4	38.7	317	356	15.2	577
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	4.00	70.0	52.7	5.28	14.3	14.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.013	0.015	0.219	0.099	0.015
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.059	0.191	0.423	0.396	0.211	0.343
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.478	0.526	0.686	0.598	0.567	0.607
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.468	0.259	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.152	0.303	0.407	0.201	0.258
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.917	3.04	1.79	0.652	1.84	1.01
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.059	0.132	0.233	0.099	0.100
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.080	0.167	0.257	0.112	0.130
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.106	0.230	0.289	0.132	0.187
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.022	0.129	0.297	0.327	0.149	0.231
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.036	0.158	0.353	0.369	0.168	0.281
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.059	0.191	0.423	0.396	0.211	0.343
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.123	0.238	0.498	0.463	0.245	0.426
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.264	0.284	0.593	0.529	0.375	0.527
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.580	0.393	0.757	0.695	0.434	0.706
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.94	0.724	1.21	1.05	0.659	1.15

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units	02043750	02044000	02044500	02045000	02045200	02045500
Station Number	number						
Count	number	93.0	1,240	1,767	124	62.0	2,386
Max	ft <sup>3</sup> /s	40.0	578	7,460	1,820	12.0	12,800
Min	ft <sup>3</sup> /s	0.000	0.030	1.30	57.0	0.100	4.50
Median	ft <sup>3</sup> /s	0.340	4.10	87.0	143	2.50	139
Arithmetic Mean	ft <sup>3</sup> /s	2.02	14.1	157	288	3.01	350
Geometric Mean	ft <sup>3</sup> /s	--	--	--	192	1.40	--
Harmonic Mean	ft <sup>3</sup> /s	--	1.92	47.4	144	0.484	91.7
Standard Deviation	ft <sup>3</sup> /s	6.15	44.5	331	304	2.99	874
5th percentile	ft <sup>3</sup> /s	0.000	0.600	17.0	67.0	0.100	34.0
10th percentile	ft <sup>3</sup> /s	0.000	1.00	28.6	72.0	0.200	46.0
20th percentile	ft <sup>3</sup> /s	0.000	1.70	43.0	94.0	0.300	66.0
30th percentile	ft <sup>3</sup> /s	0.000	2.40	55.0	99.0	0.420	84.0
40th percentile	ft <sup>3</sup> /s	0.000	3.20	69.0	118	1.20	109
50th percentile	ft <sup>3</sup> /s	0.340	4.10	87.0	143	2.50	139
60th percentile	ft <sup>3</sup> /s	0.504	5.20	110	213	2.90	186
70th percentile	ft <sup>3</sup> /s	0.598	7.40	139	277	4.09	246
80th percentile	ft <sup>3</sup> /s	1.10	11.0	183	464	5.60	386
90th percentile	ft <sup>3</sup> /s	4.22	23.1	302	703	7.10	724
Drainage area	mi <sup>2</sup>	23.4	38.7	317	356	15.2	577
Max	ft <sup>3</sup> /mi <sup>2</sup>	1.76	14.9	23.5	5.11	0.789	22.2
Min	ft <sup>3</sup> /mi <sup>2</sup>	0.000	0.001	0.004	0.160	0.007	0.008
Median	ft <sup>3</sup> /mi <sup>2</sup>	0.015	0.106	0.274	0.402	0.164	0.241
Arithmetic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.089	0.365	0.496	0.809	0.198	0.607
Geometric Mean	ft <sup>3</sup> /mi <sup>2</sup>	--	--	--	0.540	0.092	--
Harmonic Mean	ft <sup>3</sup> /mi <sup>2</sup>	--	0.050	0.150	0.404	0.032	0.159
Standard Deviation	ft <sup>3</sup> /mi <sup>2</sup>	0.270	1.15	1.04	0.854	0.196	1.51
5th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.000	0.016	0.054	0.188	0.007	0.059
10th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.000	0.026	0.090	0.202	0.013	0.080
20th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.000	0.044	0.136	0.264	0.020	0.114
30th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.000	0.062	0.174	0.278	0.028	0.146
40th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.000	0.083	0.218	0.330	0.079	0.189
50th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.015	0.106	0.274	0.402	0.164	0.241
60th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.022	0.134	0.347	0.599	0.191	0.322
70th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.026	0.191	0.438	0.778	0.269	0.426
80th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.048	0.284	0.577	1.30	0.368	0.669
90th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.186	0.597	0.953	1.97	0.467	1.25

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02043750</b>	<b>02044000</b>	<b>02044500</b>	<b>02045000</b>	<b>02045200</b>	<b>02045500</b>
Count	number	93.0	1,240	1,767	124	62.0	2,385
Max	ft <sup>3</sup> /s	3.20	2,300	11,700	2,300	77.0	24,000
Min	ft <sup>3</sup> /s	0.000	0.000	0.580	48.0	0.500	1.50
Median	ft <sup>3</sup> /s	0.000	3.80	70.0	99.0	3.20	124
Arithmetic Mean	ft <sup>3</sup> /s	0.336	12.0	141	176	7.56	305
Geometric Mean	ft <sup>3</sup> /s	--	--	--	119	4.09	--
Harmonic Mean	ft <sup>3</sup> /s	--	--	26.3	101	2.75	63.7
Standard Deviation	ft <sup>3</sup> /s	0.654	71.3	385	291	12.7	928
5th percentile	ft <sup>3</sup> /s	0.000	0.200	9.50	53.3	1.20	19.0
10th percentile	ft <sup>3</sup> /s	0.000	0.458	17.0	60.0	1.50	30.0
20th percentile	ft <sup>3</sup> /s	0.000	1.30	30.2	68.0	2.00	47.0
30th percentile	ft <sup>3</sup> /s	0.000	2.00	44.0	86.6	2.30	66.0
40th percentile	ft <sup>3</sup> /s	0.000	2.90	55.0	94.0	2.60	94.6
50th percentile	ft <sup>3</sup> /s	0.000	3.80	70.0	99.0	3.20	124
60th percentile	ft <sup>3</sup> /s	0.100	5.04	94.0	111	4.80	161
70th percentile	ft <sup>3</sup> /s	0.236	6.80	122	141	6.37	215
80th percentile	ft <sup>3</sup> /s	0.428	9.80	161	175	7.98	305
90th percentile	ft <sup>3</sup> /s	1.08	18.0	260	260	15.9	571
Drainage area	mi <sup>2</sup>	23.4	38.7	317	356	15.2	577
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	0.141	59.4	36.9	6.46	5.07	41.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.000	0.002	0.135	0.033	0.003
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.098	0.221	0.278	0.211	0.215
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.015	0.311	0.444	0.496	0.497	0.528
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.335	0.269	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.083	0.282	0.181	0.110
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.029	1.84	1.21	0.817	0.833	1.61
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.005	0.030	0.150	0.079	0.033
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.012	0.054	0.169	0.099	0.052
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.034	0.095	0.191	0.132	0.081
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.052	0.139	0.243	0.151	0.114
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.075	0.174	0.264	0.171	0.164
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.098	0.221	0.278	0.211	0.215
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.004	0.130	0.297	0.312	0.316	0.279
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.010	0.176	0.385	0.397	0.419	0.373
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.019	0.253	0.508	0.492	0.525	0.529
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.047	0.465	0.821	0.730	1.05	0.990

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02043750</b>	<b>02044000</b>	<b>02044500</b>	<b>02045000</b>	<b>02045200</b>	<b>02045500</b>
Count	number	90.0	1,200	1,710	120	60.0	2,310
Max	ft <sup>3</sup> /s	35.0	4,000	11,300	3,540	15.0	13,200
Min	ft <sup>3</sup> /s	0.000	0.000	1.60	36.0	0.100	5.00
Median	ft <sup>3</sup> /s	0.605	3.00	60.0	105	1.05	96.0
Arithmetic Mean	ft <sup>3</sup> /s	2.30	22.8	194	200	1.83	348
Geometric Mean	ft <sup>3</sup> /s	--	--	--	127	1.00	--
Harmonic Mean	ft <sup>3</sup> /s	--	--	27.9	101	0.527	50.5
Standard Deviation	ft <sup>3</sup> /s	6.46	161	715	368	2.40	1,043
5th percentile	ft <sup>3</sup> /s	0.000	0.141	7.40	45.2	0.100	14.0
10th percentile	ft <sup>3</sup> /s	0.000	0.409	13.9	53.0	0.200	20.0
20th percentile	ft <sup>3</sup> /s	0.000	1.00	22.8	72.0	0.500	32.0
30th percentile	ft <sup>3</sup> /s	0.000	1.50	34.0	81.7	0.500	49.7
40th percentile	ft <sup>3</sup> /s	0.316	2.20	44.0	88.0	0.700	69.0
50th percentile	ft <sup>3</sup> /s	0.605	3.00	60.0	105	1.05	96.0
60th percentile	ft <sup>3</sup> /s	0.770	4.00	76.0	147	1.50	125
70th percentile	ft <sup>3</sup> /s	0.836	5.60	98.3	168	1.80	171
80th percentile	ft <sup>3</sup> /s	1.10	9.80	141	202	2.58	258
90th percentile	ft <sup>3</sup> /s	3.79	20.0	279	326	4.12	578
Drainage area	mi <sup>2</sup>	23.4	38.7	317	356	15.2	577
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	1.54	103	35.6	9.94	0.987	22.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.000	0.005	0.101	0.007	0.009
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.027	0.078	0.189	0.295	0.069	0.166
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.101	0.589	0.610	0.561	0.120	0.603
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.357	0.066	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.088	0.283	0.035	0.087
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.284	4.15	2.25	1.04	0.158	1.81
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.004	0.023	0.127	0.007	0.024
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.011	0.044	0.149	0.013	0.035
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.026	0.072	0.202	0.033	0.055
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.039	0.107	0.229	0.033	0.086
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.014	0.057	0.139	0.247	0.046	0.120
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.027	0.078	0.189	0.295	0.069	0.166
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.034	0.103	0.240	0.413	0.099	0.217
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.037	0.145	0.310	0.472	0.118	0.296
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.048	0.253	0.445	0.567	0.170	0.447
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.167	0.517	0.881	0.917	0.271	1.00

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		October					
	units						
Station Number	number	02043750	02044000	02044500	02045000	02045200	02045500
Count	number	93.0	1,271	1,798	124	31.0	2,418
Max	ft <sup>3</sup> /s	18.0	4,750	27,400	930	62.0	18,400
Min	ft <sup>3</sup> /s	0.000	0.000	0.400	73.0	1.30	1.30
Median	ft <sup>3</sup> /s	0.000	6.50	86.5	129	3.40	124
Arithmetic Mean	ft <sup>3</sup> /s	1.38	31.2	221	167	7.73	315
Geometric Mean	ft <sup>3</sup> /s	--	--	--	147	4.17	--
Harmonic Mean	ft <sup>3</sup> /s	--	--	34.5	134	2.85	56.6
Standard Deviation	ft <sup>3</sup> /s	3.13	202	1,017	115	12.0	936
5th percentile	ft <sup>3</sup> /s	0.000	0.600	10.0	83.0	1.30	14.0
10th percentile	ft <sup>3</sup> /s	0.000	1.20	19.0	88.0	1.60	24.0
20th percentile	ft <sup>3</sup> /s	0.000	2.20	34.0	105	1.60	43.0
30th percentile	ft <sup>3</sup> /s	0.000	3.30	51.0	114	1.80	66.1
40th percentile	ft <sup>3</sup> /s	0.000	4.70	68.0	121	2.40	96.0
50th percentile	ft <sup>3</sup> /s	0.000	6.50	86.5	129	3.40	124
60th percentile	ft <sup>3</sup> /s	0.000	8.00	106	149	5.70	161
70th percentile	ft <sup>3</sup> /s	0.976	10.0	136	163	6.60	207
80th percentile	ft <sup>3</sup> /s	2.30	16.0	198	216	8.30	310
90th percentile	ft <sup>3</sup> /s	3.72	30.0	308	275	16.0	562
Drainage area	mi <sup>2</sup>	23.4	38.7	317	356	15.2	577
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	0.792	123	86.4	2.61	4.08	31.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.000	0.001	0.205	0.086	0.002
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.168	0.273	0.362	0.224	0.215
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.061	0.806	0.696	0.469	0.509	0.545
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.412	0.275	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.109	0.377	0.188	0.098
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.138	5.21	3.21	0.323	0.793	1.62
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.016	0.032	0.233	0.086	0.024
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.031	0.060	0.247	0.105	0.042
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.057	0.107	0.295	0.105	0.075
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.085	0.161	0.320	0.118	0.115
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.121	0.215	0.339	0.158	0.166
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.168	0.273	0.362	0.224	0.215
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.207	0.334	0.418	0.375	0.279
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.043	0.258	0.429	0.457	0.434	0.359
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.101	0.413	0.623	0.607	0.546	0.537
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.164	0.775	0.970	0.772	1.05	0.974

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02043750</b>	<b>02044000</b>	<b>02044500</b>	<b>02045000</b>	<b>02045200</b>	<b>02045500</b>
Count	number	90.0	1,230	1,735	120	30.0	2,335
Max	ft <sup>3</sup> /s	73.0	1,800	9,440	4,440	11.0	14,300
Min	ft <sup>3</sup> /s	0.000	1.20	21.0	105	5.70	25.0
Median	ft <sup>3</sup> /s	0.000	11.5	133	260	6.10	210
Arithmetic Mean	ft <sup>3</sup> /s	7.73	35.0	255	531	6.67	427
Geometric Mean	ft <sup>3</sup> /s	--	--	--	344	6.56	--
Harmonic Mean	ft <sup>3</sup> /s	--	8.60	107	272	6.48	148
Standard Deviation	ft <sup>3</sup> /s	16.5	109	529	737	1.29	800
5th percentile	ft <sup>3</sup> /s	0.000	3.20	42.0	156	5.70	52.0
10th percentile	ft <sup>3</sup> /s	0.000	4.00	50.0	175	5.70	62.0
20th percentile	ft <sup>3</sup> /s	0.000	5.30	70.0	188	5.70	90.8
30th percentile	ft <sup>3</sup> /s	0.000	6.80	93.0	202	5.70	134
40th percentile	ft <sup>3</sup> /s	0.000	9.10	114	230	5.94	171
50th percentile	ft <sup>3</sup> /s	0.000	11.5	133	260	6.10	210
60th percentile	ft <sup>3</sup> /s	0.000	15.0	158	309	6.60	265
70th percentile	ft <sup>3</sup> /s	2.06	20.0	198	429	7.10	353
80th percentile	ft <sup>3</sup> /s	9.28	29.0	279	621	7.20	481
90th percentile	ft <sup>3</sup> /s	37.1	54.1	458	1,098	8.25	854
Drainage area	mi <sup>2</sup>	23.4	38.7	317	356	15.2	577
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.21	46.5	29.8	12.5	0.724	24.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.031	0.066	0.295	0.375	0.043
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.297	0.420	0.730	0.401	0.364
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.340	0.904	0.805	1.49	0.439	0.740
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.965	0.432	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.222	0.338	0.764	0.426	0.256
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.726	2.81	1.67	2.07	0.085	1.39
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.083	0.132	0.439	0.375	0.090
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.103	0.158	0.492	0.375	0.107
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.137	0.221	0.528	0.375	0.157
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.176	0.293	0.567	0.375	0.232
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.235	0.360	0.646	0.391	0.296
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.297	0.420	0.730	0.401	0.364
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.388	0.498	0.868	0.434	0.459
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.091	0.517	0.625	1.21	0.467	0.612
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.408	0.749	0.880	1.74	0.474	0.834
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.63	1.40	1.44	3.08	0.543	1.48

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02043750</b>	<b>02044000</b>	<b>02044500</b>	<b>02045000</b>	<b>02045200</b>	<b>02045500</b>
Count	number	93.0	1,271	1,767	124	31.0	2,387
Max	ft <sup>3</sup> /s	30.0	1,750	3,640	2,200	42.0	5,220
Min	ft <sup>3</sup> /s	0.000	3.10	41.0	143	5.00	52.0
Median	ft <sup>3</sup> /s	1.70	20.0	194	245	6.60	343
Arithmetic Mean	ft <sup>3</sup> /s	4.04	39.9	302	357	9.82	540
Geometric Mean	ft <sup>3</sup> /s	--	--	--	287	7.96	--
Harmonic Mean	ft <sup>3</sup> /s	--	15.0	168	255	7.14	246
Standard Deviation	ft <sup>3</sup> /s	4.94	86.6	360	354	8.94	642
5th percentile	ft <sup>3</sup> /s	0.000	5.40	73.0	162	5.00	82.0
10th percentile	ft <sup>3</sup> /s	0.000	6.80	91.0	175	5.20	114
20th percentile	ft <sup>3</sup> /s	0.688	9.60	112	189	5.80	164
30th percentile	ft <sup>3</sup> /s	1.00	13.0	137	215	6.00	222
40th percentile	ft <sup>3</sup> /s	1.30	16.0	166	230	6.10	284
50th percentile	ft <sup>3</sup> /s	1.70	20.0	194	245	6.60	343
60th percentile	ft <sup>3</sup> /s	2.02	25.0	231	260	7.10	423
70th percentile	ft <sup>3</sup> /s	7.50	32.0	293	307	7.60	544
80th percentile	ft <sup>3</sup> /s	8.76	43.0	390	400	8.70	723
90th percentile	ft <sup>3</sup> /s	9.40	73.0	561	586	17.0	1,060
Drainage area	mi <sup>2</sup>	23.4	38.7	317	356	15.2	577
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	45.2	11.5	6.18	2.76	9.05
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.080	0.129	0.402	0.329	0.090
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.075	0.517	0.612	0.688	0.434	0.594
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	1.03	0.952	1.00	0.646	0.937
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.806	0.524	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.388	0.531	0.716	0.470	0.427
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.217	2.24	1.14	0.993	0.588	1.11
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.140	0.230	0.455	0.329	0.142
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.176	0.287	0.492	0.342	0.198
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.030	0.248	0.353	0.531	0.382	0.284
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.044	0.336	0.432	0.603	0.395	0.385
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.057	0.413	0.524	0.646	0.401	0.492
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.075	0.517	0.612	0.688	0.434	0.594
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.089	0.646	0.729	0.730	0.467	0.733
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.330	0.827	0.924	0.862	0.500	0.943
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.385	1.11	1.23	1.12	0.572	1.25
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.413	1.89	1.77	1.65	1.12	1.84



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>02046000</b>	<b>02046500</b>	<b>02047000</b>	<b>02047100</b>	<b>02047500</b>	<b>02048000</b>
Count	number	1,891	248	2,046	155	1,992	1,429
Max	ft <sup>3</sup> /s	3,890	66.0	13,500	1,780	3,470	6,110
Min	ft <sup>3</sup> /s	4.70	0.000	90.0	11.0	2.30	12.0
Median	ft <sup>3</sup> /s	93.0	3.35	1,470	105	370	628
Arithmetic Mean	ft <sup>3</sup> /s	159	5.41	1,993	171	476	795
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	60.1	--	916	85.6	151	266
Standard Deviation	ft <sup>3</sup> /s	225	7.14	1,762	226	432	711
5th percentile	ft <sup>3</sup> /s	19.0	0.000	235	40.0	39.7	52.5
10th percentile	ft <sup>3</sup> /s	31.0	0.000	466	44.4	99.0	188
20th percentile	ft <sup>3</sup> /s	49.0	0.700	818	59.0	195	320
30th percentile	ft <sup>3</sup> /s	64.0	1.91	1,050	72.0	249	430
40th percentile	ft <sup>3</sup> /s	77.0	2.80	1,250	84.6	310	532
50th percentile	ft <sup>3</sup> /s	93.0	3.35	1,470	105	370	628
60th percentile	ft <sup>3</sup> /s	115	4.00	1,770	135	442	740
70th percentile	ft <sup>3</sup> /s	144	5.50	2,240	166	524	895
80th percentile	ft <sup>3</sup> /s	200	8.66	2,920	210	656	1,120
90th percentile	ft <sup>3</sup> /s	330	13.3	3,780	307	905	1,460
Drainage area	mi <sup>2</sup>	113	4.99	1441	86	290	451
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	34.4	13.2	9.37	20.7	12.0	13.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.042	0.000	0.062	0.128	0.008	0.027
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.823	0.671	1.02	1.22	1.28	1.39
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	1.08	1.38	1.99	1.64	1.76
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.532	--	0.636	0.995	0.521	0.590
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.99	1.43	1.22	2.63	1.49	1.58
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.168	0.000	0.163	0.465	0.137	0.116
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.274	0.000	0.323	0.516	0.341	0.417
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.434	0.140	0.568	0.686	0.672	0.710
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.566	0.383	0.729	0.837	0.859	0.954
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.681	0.561	0.867	0.984	1.07	1.18
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.823	0.671	1.02	1.22	1.28	1.39
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	0.802	1.23	1.57	1.52	1.64
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.27	1.10	1.55	1.93	1.81	1.98
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.77	1.74	2.03	2.44	2.26	2.48
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.92	2.67	2.62	3.57	3.12	3.24

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>02046000</b>	<b>02046500</b>	<b>02047000</b>	<b>02047100</b>	<b>02047500</b>	<b>02048000</b>
Count	number	1,723	226	1,864	141	1,807	1,300
Max	ft <sup>3</sup> /s	4,780	54.0	18,800	849	4,680	5,900
Min	ft <sup>3</sup> /s	11.0	0.000	201	63.0	28.0	45.0
Median	ft <sup>3</sup> /s	128	5.55	2,050	161	479	862
Arithmetic Mean	ft <sup>3</sup> /s	188	7.84	2,422	208	559	949
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	89.6	--	1,393	160	305	558
Standard Deviation	ft <sup>3</sup> /s	249	8.61	1,782	134	446	596
5th percentile	ft <sup>3</sup> /s	32.0	0.300	497	92.1	113	205
10th percentile	ft <sup>3</sup> /s	44.0	0.600	658	100	156	300
20th percentile	ft <sup>3</sup> /s	66.4	2.10	966	119	222	445
30th percentile	ft <sup>3</sup> /s	84.0	2.90	1,300	131	290	606
40th percentile	ft <sup>3</sup> /s	106	4.00	1,670	148	370	759
50th percentile	ft <sup>3</sup> /s	128	5.55	2,050	161	479	862
60th percentile	ft <sup>3</sup> /s	152	6.30	2,440	186	560	991
70th percentile	ft <sup>3</sup> /s	183	8.70	2,910	220	650	1,120
80th percentile	ft <sup>3</sup> /s	242	11.0	3,500	255	786	1,312
90th percentile	ft <sup>3</sup> /s	368	17.5	4,634	370	1,054	1,652
Drainage area	mi <sup>2</sup>	113	4.99	1441	86	290	451
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	42.3	10.8	13.0	9.87	16.1	13.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.097	0.000	0.139	0.733	0.097	0.100
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	1.11	1.42	1.87	1.65	1.91
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.67	1.57	1.68	2.42	1.93	2.10
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.793	--	0.967	1.86	1.05	1.24
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.21	1.73	1.24	1.55	1.54	1.32
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.283	0.060	0.345	1.07	0.390	0.455
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.389	0.120	0.457	1.16	0.538	0.665
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.588	0.421	0.670	1.38	0.766	0.987
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.743	0.581	0.902	1.52	1.00	1.34
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.936	0.802	1.16	1.72	1.28	1.68
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	1.11	1.42	1.87	1.65	1.91
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	1.26	1.69	2.16	1.93	2.20
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	1.74	2.02	2.56	2.24	2.48
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.14	2.20	2.43	2.97	2.71	2.91
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.26	3.51	3.22	4.30	3.63	3.66

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02046000</b>	<b>02046500</b>	<b>02047000</b>	<b>02047100</b>	<b>02047500</b>	<b>02048000</b>
Count	number	1,891	248	2,046	164	1,984	1,426
Max	ft <sup>3</sup> /s	3,700	42.0	21,700	1,160	4,680	6,900
Min	ft <sup>3</sup> /s	10.0	1.40	217	23.0	19.0	112
Median	ft <sup>3</sup> /s	130	5.95	2,150	148	483	820
Arithmetic Mean	ft <sup>3</sup> /s	210	8.72	2,687	180	623	988
Geometric Mean	ft <sup>3</sup> /s	--	6.33	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	102	4.73	1,591	108	325	647
Standard Deviation	ft <sup>3</sup> /s	272	7.69	2,118	144	517	710
5th percentile	ft <sup>3</sup> /s	39.6	1.80	653	35.5	127	275
10th percentile	ft <sup>3</sup> /s	55.0	2.17	860	52.8	187	350
20th percentile	ft <sup>3</sup> /s	73.0	3.00	1,130	80.6	263	480
30th percentile	ft <sup>3</sup> /s	89.0	4.00	1,415	108	335	602
40th percentile	ft <sup>3</sup> /s	107	4.90	1,750	131	402	720
50th percentile	ft <sup>3</sup> /s	130	5.95	2,150	148	483	820
60th percentile	ft <sup>3</sup> /s	158	7.56	2,600	168	574	960
70th percentile	ft <sup>3</sup> /s	196	9.69	3,120	195	682	1,120
80th percentile	ft <sup>3</sup> /s	260	13.0	3,860	259	899	1,390
90th percentile	ft <sup>3</sup> /s	417	19.3	5,025	342	1,240	1,755
Drainage area	mi <sup>2</sup>	113	4.99	1441	86	290	451
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	32.7	8.42	15.1	13.5	16.1	15.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.088	0.281	0.151	0.267	0.066	0.248
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	1.19	1.49	1.72	1.67	1.82
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.86	1.75	1.86	2.10	2.15	2.19
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.27	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.900	0.948	1.10	1.26	1.12	1.44
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.40	1.54	1.47	1.68	1.78	1.57
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.350	0.361	0.453	0.413	0.438	0.610
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.487	0.435	0.596	0.614	0.646	0.776
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.646	0.601	0.784	0.937	0.907	1.06
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.788	0.802	0.982	1.25	1.16	1.33
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.947	0.982	1.21	1.52	1.39	1.60
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	1.19	1.49	1.72	1.67	1.82
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	1.52	1.80	1.95	1.98	2.13
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	1.94	2.17	2.27	2.35	2.48
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.30	2.61	2.68	3.01	3.10	3.08
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.69	3.87	3.49	3.97	4.28	3.89

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02046000</b>	<b>02046500</b>	<b>02047000</b>	<b>02047100</b>	<b>02047500</b>	<b>02048000</b>
Count	number	1,830	240	1,980	180	1,920	1,380
Max	ft <sup>3</sup> /s	3,270	52.0	14,500	3,050	3,280	4,330
Min	ft <sup>3</sup> /s	13.0	0.400	253	0.800	11.0	19.0
Median	ft <sup>3</sup> /s	96.0	3.20	1,490	77.0	344	555
Arithmetic Mean	ft <sup>3</sup> /s	165	5.21	2,119	191	462	725
Geometric Mean	ft <sup>3</sup> /s	--	3.20	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	77.9	2.18	1,180	20.9	208	377
Standard Deviation	ft <sup>3</sup> /s	236	6.96	1,830	338	411	611
5th percentile	ft <sup>3</sup> /s	30.0	0.800	443	4.86	78.0	137
10th percentile	ft <sup>3</sup> /s	40.9	1.10	572	14.9	100	187
20th percentile	ft <sup>3</sup> /s	54.0	1.40	799	34.0	162	262
30th percentile	ft <sup>3</sup> /s	67.0	1.80	996	46.0	215	377
40th percentile	ft <sup>3</sup> /s	81.0	2.30	1,220	52.6	274	461
50th percentile	ft <sup>3</sup> /s	96.0	3.20	1,490	77.0	344	555
60th percentile	ft <sup>3</sup> /s	115	4.10	1,900	129	422	665
70th percentile	ft <sup>3</sup> /s	145	5.00	2,443	178	529	822
80th percentile	ft <sup>3</sup> /s	204	6.20	3,202	266	693	1,042
90th percentile	ft <sup>3</sup> /s	336	11.0	4,411	385	951	1,441
Drainage area	mi <sup>2</sup>	113	4.99	1441	86	290	451
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	28.9	10.4	10.1	35.5	11.3	9.60
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.115	0.080	0.176	0.009	0.038	0.042
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.850	0.641	1.03	0.895	1.19	1.23
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.04	1.47	2.22	1.59	1.61
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.641	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.690	0.438	0.819	0.243	0.717	0.835
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.09	1.39	1.27	3.94	1.42	1.36
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.265	0.160	0.307	0.057	0.269	0.304
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.362	0.220	0.397	0.173	0.345	0.414
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.478	0.281	0.554	0.395	0.558	0.580
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.593	0.361	0.691	0.535	0.740	0.837
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.717	0.461	0.847	0.612	0.943	1.02
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.850	0.641	1.03	0.895	1.19	1.23
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	0.822	1.32	1.50	1.46	1.47
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.00	1.70	2.07	1.82	1.82
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.81	1.24	2.22	3.09	2.39	2.31
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.98	2.20	3.06	4.48	3.28	3.20

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>02046000</b>	<b>02046500</b>	<b>02047000</b>	<b>02047100</b>	<b>02047500</b>	<b>02048000</b>
Count	number	1,891	248	2,046	186	1,984	1,426
Max	ft <sup>3</sup> /s	5,050	77.0	16,700	192	2,760	4,090
Min	ft <sup>3</sup> /s	5.00	0.000	107	0.180	1.00	4.80
Median	ft <sup>3</sup> /s	54.0	1.00	784	26.0	156	275
Arithmetic Mean	ft <sup>3</sup> /s	101	3.63	1,302	41.1	254	440
Geometric Mean	ft <sup>3</sup> /s	--	--	--	15.0	--	--
Harmonic Mean	ft <sup>3</sup> /s	42.6	--	623	2.61	59.2	123
Standard Deviation	ft <sup>3</sup> /s	218	7.46	1,653	43.1	309	496
5th percentile	ft <sup>3</sup> /s	16.0	0.000	234	0.431	16.3	29.4
10th percentile	ft <sup>3</sup> /s	22.0	0.000	304	0.830	29.0	52.5
20th percentile	ft <sup>3</sup> /s	30.0	0.100	413	1.90	54.0	97.0
30th percentile	ft <sup>3</sup> /s	37.0	0.400	526	6.45	81.9	160
40th percentile	ft <sup>3</sup> /s	44.0	0.600	641	16.0	115	210
50th percentile	ft <sup>3</sup> /s	54.0	1.00	784	26.0	156	275
60th percentile	ft <sup>3</sup> /s	66.0	1.52	966	42.0	207	370
70th percentile	ft <sup>3</sup> /s	84.0	2.68	1,250	59.0	267	498
80th percentile	ft <sup>3</sup> /s	108	4.52	1,720	80.0	367	660
90th percentile	ft <sup>3</sup> /s	180	10.0	2,660	101	568	1,030
Drainage area	mi <sup>2</sup>	113	4.99	1441	86	290	451
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	44.7	15.4	11.6	2.23	9.52	9.07
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.044	0.000	0.074	0.002	0.003	0.011
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.478	0.200	0.544	0.302	0.536	0.610
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.894	0.728	0.904	0.478	0.874	0.976
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.174	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.377	--	0.432	0.030	0.204	0.273
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.93	1.50	1.15	0.501	1.06	1.10
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.142	0.000	0.163	0.005	0.056	0.065
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.195	0.000	0.211	0.010	0.100	0.116
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.265	0.020	0.287	0.022	0.186	0.215
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.327	0.080	0.365	0.075	0.282	0.355
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.389	0.120	0.445	0.186	0.397	0.466
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.478	0.200	0.544	0.302	0.536	0.610
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.584	0.305	0.670	0.488	0.714	0.820
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.743	0.537	0.867	0.686	0.921	1.10
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.956	0.906	1.19	0.930	1.27	1.46
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.59	2.00	1.85	1.17	1.96	2.28

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	02046000	02046500	02047000	02047100	02047500	02048000
Count	number	1,819	240	1,980	180	1,920	1,380
Max	ft <sup>3</sup> /s	2,230	78.0	13,600	538	4,500	5,620
Min	ft <sup>3</sup> /s	0.940	0.000	30.0	0.000	0.000	0.100
Median	ft <sup>3</sup> /s	28.0	0.000	407	3.55	54.0	136
Arithmetic Mean	ft <sup>3</sup> /s	63.4	1.43	798	34.2	145	293
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	19.3	--	295	--	--	10.6
Standard Deviation	ft <sup>3</sup> /s	128	6.88	1,123	80.0	288	530
5th percentile	ft <sup>3</sup> /s	6.60	0.000	105	0.000	0.010	4.21
10th percentile	ft <sup>3</sup> /s	9.90	0.000	139	0.000	1.60	8.00
20th percentile	ft <sup>3</sup> /s	14.0	0.000	199	0.000	9.00	19.0
30th percentile	ft <sup>3</sup> /s	18.0	0.000	255	0.162	19.0	49.0
40th percentile	ft <sup>3</sup> /s	23.0	0.000	323	0.908	35.0	80.6
50th percentile	ft <sup>3</sup> /s	28.0	0.000	407	3.55	54.0	136
60th percentile	ft <sup>3</sup> /s	35.0	0.100	545	10.8	82.0	194
70th percentile	ft <sup>3</sup> /s	46.0	0.200	747	27.0	125	280
80th percentile	ft <sup>3</sup> /s	65.4	0.500	1,040	47.0	194	400
90th percentile	ft <sup>3</sup> /s	126	1.71	1,800	76.3	370	663
Drainage area	mi <sup>2</sup>	113	4.99	1441	86	290	451
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	19.7	15.6	9.44	6.26	15.5	12.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.008	0.000	0.021	0.000	0.000	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.248	0.000	0.282	0.041	0.186	0.300
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.561	0.287	0.553	0.398	0.499	0.649
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	--	0.205	--	--	0.023
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	1.38	0.779	0.930	0.994	1.18
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.058	0.000	0.073	0.000	0.000	0.009
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.088	0.000	0.096	0.000	0.006	0.018
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.124	0.000	0.138	0.000	0.031	0.042
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.159	0.000	0.177	0.002	0.066	0.109
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.204	0.000	0.224	0.011	0.121	0.179
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.248	0.000	0.282	0.041	0.186	0.300
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.310	0.020	0.378	0.126	0.283	0.430
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.407	0.040	0.518	0.314	0.432	0.621
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.579	0.100	0.722	0.547	0.670	0.887
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	0.343	1.25	0.887	1.28	1.47

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>02046000</b>	<b>02046500</b>	<b>02047000</b>	<b>02047100</b>	<b>02047500</b>	<b>02048000</b>
Count	number	1,879	248	2,046	186	1,988	1,426
Max	ft <sup>3</sup> /s	3,980	21.0	25,500	348	4,600	5,210
Min	ft <sup>3</sup> /s	0.040	0.000	19.0	0.000	0.000	0.050
Median	ft <sup>3</sup> /s	14.0	0.000	250	0.000	27.0	61.0
Arithmetic Mean	ft <sup>3</sup> /s	49.9	0.538	736	18.3	140	246
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	6.11	--	175	--	--	6.27
Standard Deviation	ft <sup>3</sup> /s	168	1.90	1,725	51.6	368	556
5th percentile	ft <sup>3</sup> /s	2.20	0.000	60.0	0.000	0.000	1.20
10th percentile	ft <sup>3</sup> /s	3.60	0.000	86.0	0.000	0.000	2.35
20th percentile	ft <sup>3</sup> /s	6.26	0.000	115	0.000	1.34	7.40
30th percentile	ft <sup>3</sup> /s	8.30	0.000	148	0.000	5.80	16.0
40th percentile	ft <sup>3</sup> /s	10.2	0.000	191	0.000	13.8	31.0
50th percentile	ft <sup>3</sup> /s	14.0	0.000	250	0.000	27.0	61.0
60th percentile	ft <sup>3</sup> /s	21.0	0.000	345	0.000	49.0	105
70th percentile	ft <sup>3</sup> /s	30.0	0.000	515	0.170	98.0	188
80th percentile	ft <sup>3</sup> /s	48.0	0.360	920	10.0	182	314
90th percentile	ft <sup>3</sup> /s	100	1.23	1,800	62.0	345	639
Drainage area	mi <sup>2</sup>	113	4.99	1441	86	290	451
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	35.2	4.21	17.7	4.05	15.9	11.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.000	0.013	0.000	0.000	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.124	0.000	0.173	0.000	0.093	0.135
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.442	0.108	0.511	0.213	0.484	0.546
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.054	--	0.121	--	--	0.014
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	0.380	1.20	0.600	1.27	1.23
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.019	0.000	0.042	0.000	0.000	0.003
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	0.000	0.060	0.000	0.000	0.005
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.055	0.000	0.080	0.000	0.005	0.016
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.073	0.000	0.103	0.000	0.020	0.035
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.090	0.000	0.133	0.000	0.048	0.069
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.124	0.000	0.173	0.000	0.093	0.135
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.186	0.000	0.239	0.000	0.169	0.233
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.265	0.000	0.357	0.002	0.338	0.417
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.425	0.072	0.638	0.116	0.628	0.696
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.885	0.246	1.25	0.721	1.19	1.42

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02046000</b>	<b>02046500</b>	<b>02047000</b>	<b>02047100</b>	<b>02047500</b>	<b>02048000</b>
Count	number	1,873	248	2,046	186	2,015	1,426
Max	ft <sup>3</sup> /s	4,830	111	10,300	822	5,010	3,880
Min	ft <sup>3</sup> /s	0.000	0.000	13.0	0.000	0.000	0.000
Median	ft <sup>3</sup> /s	12.0	0.000	252	2.90	34.0	69.5
Arithmetic Mean	ft <sup>3</sup> /s	49.9	2.05	653	57.9	176	267
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	--	139	--	--	--
Standard Deviation	ft <sup>3</sup> /s	189	9.39	1,119	110	395	500
5th percentile	ft <sup>3</sup> /s	0.900	0.000	43.0	0.000	0.000	0.280
10th percentile	ft <sup>3</sup> /s	1.50	0.000	57.0	0.000	0.000	1.10
20th percentile	ft <sup>3</sup> /s	2.80	0.000	83.0	0.000	0.696	5.60
30th percentile	ft <sup>3</sup> /s	5.00	0.000	119	0.000	6.80	16.0
40th percentile	ft <sup>3</sup> /s	7.90	0.000	177	0.030	18.0	31.0
50th percentile	ft <sup>3</sup> /s	12.0	0.000	252	2.90	34.0	69.5
60th percentile	ft <sup>3</sup> /s	17.0	0.000	367	17.0	68.0	132
70th percentile	ft <sup>3</sup> /s	26.0	0.000	520	47.5	115	212
80th percentile	ft <sup>3</sup> /s	41.0	0.260	818	113	210	350
90th percentile	ft <sup>3</sup> /s	85.0	1.60	1,685	197	432	721
Drainage area	mi <sup>2</sup>	113	4.99	1441	86	290	451
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	42.7	22.2	7.15	9.56	17.3	8.60
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.000	0.009	0.000	0.000	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.106	0.000	0.175	0.034	0.117	0.154
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.442	0.411	0.453	0.673	0.608	0.591
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.097	--	--	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.67	1.88	0.776	1.28	1.36	1.11
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.008	0.000	0.030	0.000	0.000	0.001
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.013	0.000	0.040	0.000	0.000	0.002
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.025	0.000	0.058	0.000	0.002	0.012
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.044	0.000	0.082	0.000	0.023	0.035
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.070	0.000	0.123	0.000	0.062	0.069
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.106	0.000	0.175	0.034	0.117	0.154
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.150	0.000	0.255	0.198	0.234	0.293
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.230	0.000	0.361	0.552	0.397	0.470
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.363	0.052	0.568	1.31	0.724	0.776
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.752	0.321	1.17	2.29	1.49	1.60



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02046000</b>	<b>02046500</b>	<b>02047000</b>	<b>02047100</b>	<b>02047500</b>	<b>02048000</b>
Count	number	1,828	240	1,987	180	1,950	1,380
Max	ft <sup>3</sup> /s	8,400	96.0	34,500	1,440	11,400	6,310
Min	ft <sup>3</sup> /s	0.100	0.000	18.0	0.000	0.000	0.000
Median	ft <sup>3</sup> /s	9.40	0.000	164	0.030	15.0	23.0
Arithmetic Mean	ft <sup>3</sup> /s	70.6	2.32	836	22.3	233	230
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1.99	--	99.7	--	--	--
Standard Deviation	ft <sup>3</sup> /s	346	9.63	2,459	149	775	674
5th percentile	ft <sup>3</sup> /s	0.420	0.000	29.0	0.000	0.000	0.090
10th percentile	ft <sup>3</sup> /s	0.900	0.000	39.0	0.000	0.000	0.595
20th percentile	ft <sup>3</sup> /s	1.80	0.000	56.2	0.000	0.028	2.70
30th percentile	ft <sup>3</sup> /s	3.90	0.000	86.0	0.000	2.20	6.97
40th percentile	ft <sup>3</sup> /s	6.00	0.000	121	0.000	6.90	14.0
50th percentile	ft <sup>3</sup> /s	9.40	0.000	164	0.030	15.0	23.0
60th percentile	ft <sup>3</sup> /s	14.0	0.000	230	0.224	28.0	40.0
70th percentile	ft <sup>3</sup> /s	21.0	0.200	343	0.620	50.0	76.0
80th percentile	ft <sup>3</sup> /s	42.0	0.900	639	1.50	134	159
90th percentile	ft <sup>3</sup> /s	105	3.61	1,800	6.05	562	550
Drainage area	mi <sup>2</sup>	113	4.99	1441	86	290	451
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	74.3	19.2	23.9	16.7	39.3	14.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.001	0.000	0.012	0.000	0.000	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.083	0.000	0.114	0.000	0.052	0.051
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.625	0.465	0.580	0.260	0.805	0.509
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.018	--	0.069	--	--	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.06	1.93	1.71	1.73	2.67	1.50
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.004	0.000	0.020	0.000	0.000	0.000
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.008	0.000	0.027	0.000	0.000	0.001
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.016	0.000	0.039	0.000	0.000	0.006
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.035	0.000	0.060	0.000	0.008	0.015
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.053	0.000	0.084	0.000	0.024	0.031
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.083	0.000	0.114	0.000	0.052	0.051
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.124	0.000	0.160	0.003	0.097	0.089
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.186	0.040	0.238	0.007	0.172	0.169
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.372	0.180	0.443	0.017	0.463	0.353
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.932	0.723	1.25	0.070	1.94	1.22

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02046000</b>	<b>02046500</b>	<b>02047000</b>	<b>02047100</b>	<b>02047500</b>	<b>02048000</b>
Count	number	1,918	248	2,077	186	2,042	1,457
Max	ft <sup>3</sup> /s	7,050	17.0	21,800	432	5,260	4,950
Min	ft <sup>3</sup> /s	0.040	0.000	9.20	0.000	0.000	0.000
Median	ft <sup>3</sup> /s	15.0	0.000	217	0.035	28.0	48.0
Arithmetic Mean	ft <sup>3</sup> /s	67.7	0.540	694	18.5	160	227
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1.84	--	101	--	--	--
Standard Deviation	ft <sup>3</sup> /s	305	1.82	1,536	48.0	396	500
5th percentile	ft <sup>3</sup> /s	0.490	0.000	26.0	0.000	0.000	0.050
10th percentile	ft <sup>3</sup> /s	1.30	0.000	40.0	0.000	0.000	0.856
20th percentile	ft <sup>3</sup> /s	3.10	0.000	61.0	0.000	0.200	3.00
30th percentile	ft <sup>3</sup> /s	5.60	0.000	96.0	0.000	3.60	8.20
40th percentile	ft <sup>3</sup> /s	10.0	0.000	149	0.000	16.0	22.0
50th percentile	ft <sup>3</sup> /s	15.0	0.000	217	0.035	28.0	48.0
60th percentile	ft <sup>3</sup> /s	22.0	0.000	321	0.380	52.6	84.0
70th percentile	ft <sup>3</sup> /s	35.0	0.100	515	4.75	104	156
80th percentile	ft <sup>3</sup> /s	55.0	0.360	826	30.0	190	280
90th percentile	ft <sup>3</sup> /s	114	1.33	1,650	55.5	414	640
Drainage area	mi <sup>2</sup>	113	4.99	1441	86	290	451
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	62.4	3.41	15.1	5.02	18.1	11.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.000	0.006	0.000	0.000	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.133	0.000	0.151	0.000	0.097	0.106
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.599	0.108	0.482	0.215	0.553	0.503
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.016	--	0.070	--	--	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.70	0.364	1.07	0.558	1.36	1.11
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.004	0.000	0.018	0.000	0.000	0.000
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.012	0.000	0.028	0.000	0.000	0.002
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.027	0.000	0.042	0.000	0.001	0.007
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.050	0.000	0.067	0.000	0.012	0.018
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.088	0.000	0.103	0.000	0.055	0.049
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.133	0.000	0.151	0.000	0.097	0.106
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.195	0.000	0.223	0.004	0.181	0.186
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.310	0.020	0.358	0.055	0.359	0.346
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.487	0.072	0.573	0.349	0.657	0.621
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	0.267	1.15	0.645	1.43	1.42

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02046000</b>	<b>02046500</b>	<b>02047000</b>	<b>02047100</b>	<b>02047500</b>	<b>02048000</b>
Count	number	1,851	240	2,005	160	1,975	1,410
Max	ft <sup>3</sup> /s	3,960	31.0	13,500	692	2,700	4,000
Min	ft <sup>3</sup> /s	0.100	0.000	29.0	0.000	0.000	0.030
Median	ft <sup>3</sup> /s	35.0	0.500	450	9.25	107	159
Arithmetic Mean	ft <sup>3</sup> /s	90.9	1.50	943	56.5	221	313
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	14.6	--	233	--	--	1.61
Standard Deviation	ft <sup>3</sup> /s	225	3.64	1,490	114	331	465
5th percentile	ft <sup>3</sup> /s	4.10	0.000	64.0	0.000	0.000	0.679
10th percentile	ft <sup>3</sup> /s	6.60	0.000	81.0	0.000	0.800	3.90
20th percentile	ft <sup>3</sup> /s	12.0	0.000	150	0.010	21.0	23.0
30th percentile	ft <sup>3</sup> /s	19.0	0.000	224	0.030	45.0	52.0
40th percentile	ft <sup>3</sup> /s	27.0	0.200	343	0.166	70.0	94.0
50th percentile	ft <sup>3</sup> /s	35.0	0.500	450	9.25	107	159
60th percentile	ft <sup>3</sup> /s	47.0	0.800	599	26.4	150	218
70th percentile	ft <sup>3</sup> /s	65.0	1.10	812	37.3	216	290
80th percentile	ft <sup>3</sup> /s	94.0	1.70	1,240	71.2	332	445
90th percentile	ft <sup>3</sup> /s	183	3.22	2,322	196	552	880
Drainage area	mi <sup>2</sup>	113	4.99	1441	86	290	451
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	35.0	6.21	9.37	8.05	9.31	8.87
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.001	0.000	0.020	0.000	0.000	0.000
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.310	0.100	0.312	0.108	0.369	0.353
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.805	0.301	0.654	0.657	0.762	0.694
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.129	--	0.162	--	--	0.004
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.99	0.730	1.03	1.32	1.14	1.03
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.036	0.000	0.044	0.000	0.000	0.002
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.058	0.000	0.056	0.000	0.003	0.009
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.106	0.000	0.104	0.000	0.072	0.051
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.168	0.000	0.156	0.000	0.155	0.115
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.239	0.040	0.238	0.002	0.241	0.208
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.310	0.100	0.312	0.108	0.369	0.353
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.416	0.160	0.416	0.307	0.517	0.483
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.575	0.220	0.563	0.434	0.745	0.643
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.832	0.341	0.861	0.828	1.15	0.987
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	0.645	1.61	2.28	1.90	1.95

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02046000</b>	<b>02046500</b>	<b>02047000</b>	<b>02047100</b>	<b>02047500</b>	<b>02048000</b>
Count	number	1,886	248	2,046	155	2,015	1,457
Max	ft <sup>3</sup> /s	1,680	40.0	8,590	566	2,580	2,950
Min	ft <sup>3</sup> /s	4.30	0.000	64.0	5.40	0.000	0.400
Median	ft <sup>3</sup> /s	61.0	1.20	924	110	229	371
Arithmetic Mean	ft <sup>3</sup> /s	109	2.97	1,387	137	326	508
Geometric Mean	ft <sup>3</sup> /s	--	--	--	97.0	--	--
Harmonic Mean	ft <sup>3</sup> /s	35.5	--	508	60.6	--	37.9
Standard Deviation	ft <sup>3</sup> /s	152	5.48	1,373	112	344	472
5th percentile	ft <sup>3</sup> /s	11.0	0.000	133	15.8	3.40	9.72
10th percentile	ft <sup>3</sup> /s	16.0	0.000	185	27.2	27.0	59.2
20th percentile	ft <sup>3</sup> /s	26.0	0.000	378	48.8	84.0	156
30th percentile	ft <sup>3</sup> /s	36.0	0.400	560	66.8	125	214
40th percentile	ft <sup>3</sup> /s	47.0	0.800	728	92.6	167	280
50th percentile	ft <sup>3</sup> /s	61.0	1.20	924	110	229	371
60th percentile	ft <sup>3</sup> /s	78.0	1.80	1,210	132	295	470
70th percentile	ft <sup>3</sup> /s	103	2.30	1,535	156	364	600
80th percentile	ft <sup>3</sup> /s	147	3.82	2,110	190	484	784
90th percentile	ft <sup>3</sup> /s	242	7.66	3,185	290	737	1,160
Drainage area	mi <sup>2</sup>	113	4.99	1441	86	290	451
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	14.9	8.02	5.96	6.58	8.90	6.54
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.038	0.000	0.044	0.063	0.000	0.001
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.540	0.240	0.641	1.28	0.790	0.823
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.965	0.596	0.963	1.59	1.13	1.13
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	1.13	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.314	--	0.352	0.704	--	0.084
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.34	1.10	0.953	1.30	1.19	1.05
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.097	0.000	0.092	0.184	0.012	0.022
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.142	0.000	0.128	0.316	0.093	0.131
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.230	0.000	0.262	0.567	0.290	0.346
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.319	0.080	0.389	0.777	0.431	0.474
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.416	0.160	0.505	1.08	0.574	0.621
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.540	0.240	0.641	1.28	0.790	0.823
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.690	0.361	0.840	1.54	1.02	1.04
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.912	0.461	1.07	1.81	1.25	1.33
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	0.766	1.46	2.21	1.67	1.74
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.14	1.54	2.21	3.38	2.54	2.57

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>02048500</b>	<b>02049000</b>	<b>02049500</b>	<b>02050500</b>	<b>02051000</b>	<b>02051500</b>
Count	number	217	93.0	1,950	403	1,860	2,449
Max	ft <sup>3</sup> /s	580	1,180	5,560	191	1,970	10,400
Min	ft <sup>3</sup> /s	26.0	28.0	4.70	2.40	2.10	30.0
Median	ft <sup>3</sup> /s	117	458	766	6.10	35.0	404
Arithmetic Mean	ft <sup>3</sup> /s	146	450	968	11.5	69.9	714
Geometric Mean	ft <sup>3</sup> /s	--	252	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	94.5	109	232	5.64	28.6	313
Standard Deviation	ft <sup>3</sup> /s	102	353	745	19.0	132	1,008
5th percentile	ft <sup>3</sup> /s	35.8	31.7	91.3	2.80	11.0	112
10th percentile	ft <sup>3</sup> /s	50.0	35.0	253	3.10	16.0	159
20th percentile	ft <sup>3</sup> /s	65.2	45.0	441	3.80	21.0	226
30th percentile	ft <sup>3</sup> /s	81.8	67.8	558	4.20	26.0	285
40th percentile	ft <sup>3</sup> /s	101	413	654	5.00	30.0	343
50th percentile	ft <sup>3</sup> /s	117	458	766	6.10	35.0	404
60th percentile	ft <sup>3</sup> /s	135	474	921	7.24	41.4	482
70th percentile	ft <sup>3</sup> /s	176	620	1,103	9.40	53.0	585
80th percentile	ft <sup>3</sup> /s	224	722	1,440	12.6	73.0	807
90th percentile	ft <sup>3</sup> /s	261	1,020	1,900	22.0	132	1,462
Drainage area	mi <sup>2</sup>	102	578	613	9.06	56	552
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	5.69	2.04	9.07	21.1	35.2	18.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.255	0.048	0.008	0.265	0.038	0.054
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	0.792	1.25	0.673	0.625	0.732
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	0.778	1.58	1.27	1.25	1.29
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.436	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.926	0.188	0.379	0.623	0.511	0.568
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.00	0.610	1.22	2.10	2.36	1.83
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.351	0.055	0.149	0.309	0.196	0.203
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.490	0.061	0.412	0.342	0.286	0.288
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.639	0.078	0.719	0.419	0.375	0.409
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.802	0.117	0.910	0.464	0.464	0.516
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.990	0.715	1.07	0.552	0.536	0.621
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	0.792	1.25	0.673	0.625	0.732
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	0.820	1.50	0.799	0.739	0.873
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	1.07	1.80	1.04	0.946	1.06
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.20	1.25	2.35	1.39	1.30	1.46
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.56	1.76	3.10	2.43	2.36	2.65

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

	units	February					
		02048500	02049000	02049500	02050500	02051000	02051500
Station Number	number						
Count	number	198	85.0	1,779	367	1,695	2,231
Max	ft <sup>3</sup> /s	778	2,500	7,150	228	2,660	12,200
Min	ft <sup>3</sup> /s	18.0	93.0	22.0	2.60	5.20	40.0
Median	ft <sup>3</sup> /s	189	620	1,010	9.60	46.0	515
Arithmetic Mean	ft <sup>3</sup> /s	209	854	1,159	18.6	85.6	812
Geometric Mean	ft <sup>3</sup> /s	--	522	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	113	298	640	8.52	37.6	414
Standard Deviation	ft <sup>3</sup> /s	140	732	786	25.1	156	1,005
5th percentile	ft <sup>3</sup> /s	43.9	99.0	292	3.30	15.8	160
10th percentile	ft <sup>3</sup> /s	52.0	113	384	4.20	20.0	210
20th percentile	ft <sup>3</sup> /s	75.0	138	519	5.90	27.0	300
30th percentile	ft <sup>3</sup> /s	118	239	640	6.70	34.0	375
40th percentile	ft <sup>3</sup> /s	162	364	787	7.80	39.0	441
50th percentile	ft <sup>3</sup> /s	189	620	1,010	9.60	46.0	515
60th percentile	ft <sup>3</sup> /s	232	910	1,210	12.0	54.0	606
70th percentile	ft <sup>3</sup> /s	262	1,210	1,436	17.0	67.0	742
80th percentile	ft <sup>3</sup> /s	318	1,576	1,680	26.0	91.0	976
90th percentile	ft <sup>3</sup> /s	370	2,014	2,100	44.0	169	1,590
Drainage area	mi <sup>2</sup>	102	578	613	9.06	56	552
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.63	4.33	11.7	25.2	47.5	22.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.176	0.161	0.036	0.287	0.093	0.072
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.85	1.07	1.65	1.06	0.821	0.933
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.05	1.48	1.89	2.05	1.53	1.47
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.902	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	0.516	1.04	0.940	0.672	0.751
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	1.27	1.28	2.77	2.79	1.82
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.430	0.171	0.476	0.364	0.282	0.290
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.510	0.196	0.626	0.464	0.357	0.380
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.735	0.239	0.847	0.651	0.482	0.543
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	0.413	1.04	0.740	0.607	0.679
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.58	0.630	1.28	0.861	0.696	0.799
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.85	1.07	1.65	1.06	0.821	0.933
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.27	1.58	1.97	1.32	0.964	1.10
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.57	2.09	2.34	1.88	1.20	1.34
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.11	2.73	2.74	2.87	1.63	1.77
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.63	3.48	3.43	4.86	3.02	2.88

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02048500</b>	<b>02049000</b>	<b>02049500</b>	<b>02050500</b>	<b>02051000</b>	<b>02051500</b>
Count	number	217	93.0	1,953	403	1,860	2,449
Max	ft <sup>3</sup> /s	614	3,380	6,550	210	2,780	13,500
Min	ft <sup>3</sup> /s	34.0	120	56.0	2.80	5.10	86.0
Median	ft <sup>3</sup> /s	149	978	995	8.80	47.0	535
Arithmetic Mean	ft <sup>3</sup> /s	179	1,299	1,222	15.6	94.3	905
Geometric Mean	ft <sup>3</sup> /s	--	967	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	125	682	714	8.80	42.6	476
Standard Deviation	ft <sup>3</sup> /s	112	923	876	20.2	188	1,212
5th percentile	ft <sup>3</sup> /s	58.0	251	292	4.60	20.0	214
10th percentile	ft <sup>3</sup> /s	66.0	321	420	5.04	23.0	266
20th percentile	ft <sup>3</sup> /s	86.0	474	568	6.20	30.0	336
30th percentile	ft <sup>3</sup> /s	104	600	689	7.00	35.0	394
40th percentile	ft <sup>3</sup> /s	129	751	826	8.00	40.0	460
50th percentile	ft <sup>3</sup> /s	149	978	995	8.80	47.0	535
60th percentile	ft <sup>3</sup> /s	171	1,306	1,180	10.0	56.0	623
70th percentile	ft <sup>3</sup> /s	221	1,926	1,400	12.0	71.0	760
80th percentile	ft <sup>3</sup> /s	273	2,214	1,700	18.0	98.2	1,034
90th percentile	ft <sup>3</sup> /s	327	2,630	2,390	34.0	181	1,800
Drainage area	mi <sup>2</sup>	102	578	613	9.06	56	552
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.02	5.85	10.7	23.2	49.6	24.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.333	0.208	0.091	0.309	0.091	0.156
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.69	1.62	0.971	0.839	0.969
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.76	2.25	1.99	1.72	1.68	1.64
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.67	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	1.18	1.17	0.972	0.760	0.862
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.60	1.43	2.23	3.36	2.20
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.569	0.434	0.476	0.508	0.357	0.388
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.647	0.556	0.686	0.556	0.411	0.482
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.843	0.820	0.927	0.684	0.536	0.609
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	1.04	1.12	0.773	0.625	0.714
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.30	1.35	0.883	0.714	0.833
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.69	1.62	0.971	0.839	0.969
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.67	2.26	1.92	1.10	1.00	1.13
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.16	3.33	2.28	1.32	1.27	1.38
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.68	3.83	2.77	1.99	1.75	1.87
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.20	4.55	3.90	3.75	3.24	3.26

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02048500</b>	<b>02049000</b>	<b>02049500</b>	<b>02050500</b>	<b>02051000</b>	<b>02051500</b>
Count	number	210	90.0	1,890	390	1,800	2,370
Max	ft <sup>3</sup> /s	420	1,990	5,610	241	2,850	18,000
Min	ft <sup>3</sup> /s	15.0	106	16.0	1.80	7.50	110
Median	ft <sup>3</sup> /s	101	804	711	8.00	37.0	437
Arithmetic Mean	ft <sup>3</sup> /s	127	835	935	15.4	75.0	747
Geometric Mean	ft <sup>3</sup> /s	--	688	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	73.8	519	427	6.69	33.1	398
Standard Deviation	ft <sup>3</sup> /s	87.7	461	781	26.2	162	1,120
5th percentile	ft <sup>3</sup> /s	20.7	149	127	2.40	14.1	178
10th percentile	ft <sup>3</sup> /s	39.9	235	212	3.60	18.0	221
20th percentile	ft <sup>3</sup> /s	60.0	471	351	4.70	22.0	274
30th percentile	ft <sup>3</sup> /s	70.0	542	472	5.57	27.0	332
40th percentile	ft <sup>3</sup> /s	88.0	640	580	6.88	32.0	381
50th percentile	ft <sup>3</sup> /s	101	804	711	8.00	37.0	437
60th percentile	ft <sup>3</sup> /s	121	952	850	9.64	44.0	507
70th percentile	ft <sup>3</sup> /s	147	1,069	1,060	12.0	54.0	620
80th percentile	ft <sup>3</sup> /s	199	1,210	1,420	15.2	72.0	823
90th percentile	ft <sup>3</sup> /s	275	1,429	2,030	31.1	128	1,380
Drainage area	mi <sup>2</sup>	102	578	613	9.06	56	552
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	4.12	3.44	9.15	26.6	50.9	32.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.147	0.183	0.026	0.199	0.134	0.199
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.990	1.39	1.16	0.883	0.661	0.792
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	1.44	1.53	1.70	1.34	1.35
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.19	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.724	0.898	0.697	0.738	0.591	0.721
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.860	0.798	1.27	2.90	2.90	2.03
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.202	0.257	0.207	0.265	0.251	0.322
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.391	0.407	0.346	0.397	0.321	0.400
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.588	0.815	0.572	0.519	0.393	0.496
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.686	0.938	0.770	0.615	0.482	0.601
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.863	1.11	0.946	0.759	0.571	0.690
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.990	1.39	1.16	0.883	0.661	0.792
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.18	1.65	1.39	1.06	0.786	0.918
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	1.85	1.73	1.32	0.964	1.12
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.95	2.09	2.32	1.68	1.29	1.49
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.70	2.47	3.31	3.43	2.29	2.50



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	02048500	02049000	02049500	02050500	02051000	02051500
Count	number	217	93.0	1,953	403	1,860	2,449
Max	ft <sup>3</sup> /s	744	732	5,370	164	2,080	14,300
Min	ft <sup>3</sup> /s	0.900	5.40	1.50	1.50	5.00	65.0
Median	ft <sup>3</sup> /s	38.0	134	366	5.00	22.0	281
Arithmetic Mean	ft <sup>3</sup> /s	63.3	218	537	9.19	46.5	465
Geometric Mean	ft <sup>3</sup> /s	--	124	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	13.1	54.8	99.3	4.57	20.2	257
Standard Deviation	ft <sup>3</sup> /s	89.6	192	614	14.0	106	759
5th percentile	ft <sup>3</sup> /s	2.59	11.7	33.0	2.00	9.31	128
10th percentile	ft <sup>3</sup> /s	6.22	24.2	59.0	2.50	11.0	146
20th percentile	ft <sup>3</sup> /s	14.2	40.8	112	3.20	14.0	176
30th percentile	ft <sup>3</sup> /s	22.0	72.0	186	3.66	16.0	206
40th percentile	ft <sup>3</sup> /s	30.0	89.4	268	4.46	19.0	241
50th percentile	ft <sup>3</sup> /s	38.0	134	366	5.00	22.0	281
60th percentile	ft <sup>3</sup> /s	52.0	271	461	5.60	27.0	330
70th percentile	ft <sup>3</sup> /s	76.0	313	607	7.20	32.0	392
80th percentile	ft <sup>3</sup> /s	86.0	405	768	10.6	42.2	490
90th percentile	ft <sup>3</sup> /s	123	503	1,230	18.0	80.1	757
Drainage area	mi <sup>2</sup>	102	578	613	9.06	56	552
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.29	1.27	8.76	18.1	37.1	25.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.009	0.009	0.002	0.166	0.089	0.118
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.373	0.232	0.597	0.552	0.393	0.509
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.620	0.377	0.877	1.01	0.830	0.842
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.214	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.129	0.095	0.162	0.504	0.360	0.465
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.878	0.332	1.00	1.55	1.89	1.38
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.025	0.020	0.054	0.221	0.166	0.231
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.061	0.042	0.096	0.276	0.196	0.264
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.139	0.071	0.183	0.353	0.250	0.318
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.216	0.125	0.303	0.404	0.286	0.373
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.294	0.155	0.437	0.492	0.339	0.437
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.373	0.232	0.597	0.552	0.393	0.509
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.510	0.469	0.752	0.618	0.482	0.597
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.745	0.542	0.991	0.795	0.571	0.709
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.843	0.700	1.25	1.17	0.754	0.888
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	0.870	2.01	1.99	1.43	1.37

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	02048500	02049000	02049500	02050500	02051000	02051500
Count	number	210	90.0	1,890	390	1,800	2,370
Max	ft <sup>3</sup> /s	854	926	6,800	167	2,420	8,720
Min	ft <sup>3</sup> /s	0.000	1.50	0.200	0.400	0.720	32.0
Median	ft <sup>3</sup> /s	9.00	13.5	155	2.70	13.0	180
Arithmetic Mean	ft <sup>3</sup> /s	37.7	152	356	5.58	27.7	326
Geometric Mean	ft <sup>3</sup> /s	--	30.3	--	2.92	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	7.22	23.2	2.22	9.72	159
Standard Deviation	ft <sup>3</sup> /s	95.1	216	578	14.7	92.5	562
5th percentile	ft <sup>3</sup> /s	0.000	2.50	5.60	0.955	4.10	72.0
10th percentile	ft <sup>3</sup> /s	0.090	2.78	10.0	1.30	5.20	88.0
20th percentile	ft <sup>3</sup> /s	0.860	3.44	25.0	1.70	7.20	112
30th percentile	ft <sup>3</sup> /s	2.74	4.14	51.0	2.00	9.00	132
40th percentile	ft <sup>3</sup> /s	6.12	7.00	92.0	2.40	11.0	152
50th percentile	ft <sup>3</sup> /s	9.00	13.5	155	2.70	13.0	180
60th percentile	ft <sup>3</sup> /s	15.0	95.4	250	3.00	15.0	213
70th percentile	ft <sup>3</sup> /s	24.0	220	377	3.40	18.0	262
80th percentile	ft <sup>3</sup> /s	40.0	288	540	4.30	24.0	350
90th percentile	ft <sup>3</sup> /s	72.8	433	859	6.73	42.0	583
Drainage area	mi <sup>2</sup>	102	578	613	9.06	56	552
Max	ft <sup>3</sup> /mi <sup>2</sup>	8.37	1.60	11.1	18.4	43.2	15.8
Min	ft <sup>3</sup> /mi <sup>2</sup>	0.000	0.003	0.000	0.044	0.013	0.058
Median	ft <sup>3</sup> /mi <sup>2</sup>	0.088	0.023	0.253	0.298	0.232	0.326
Arithmetic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.369	0.264	0.580	0.616	0.494	0.590
Geometric Mean	ft <sup>3</sup> /mi <sup>2</sup>	--	0.052	--	0.323	--	--
Harmonic Mean	ft <sup>3</sup> /mi <sup>2</sup>	--	0.012	0.038	0.245	0.173	0.289
Standard Deviation	ft <sup>3</sup> /mi <sup>2</sup>	0.932	0.373	0.942	1.63	1.65	1.02
5th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.000	0.004	0.009	0.105	0.073	0.130
10th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.001	0.005	0.016	0.143	0.093	0.159
20th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.008	0.006	0.041	0.188	0.129	0.203
30th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.027	0.007	0.083	0.221	0.161	0.239
40th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.060	0.012	0.150	0.265	0.196	0.275
50th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.088	0.023	0.253	0.298	0.232	0.326
60th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.147	0.165	0.408	0.331	0.268	0.386
70th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.235	0.381	0.615	0.375	0.321	0.475
80th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.392	0.499	0.881	0.475	0.429	0.634
90th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.714	0.749	1.40	0.743	0.750	1.06

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	02048500	02049000	02049500	02050500	02051000	02051500
Count	number	217	93.0	1,952	403	1,860	2,449
Max	ft <sup>3</sup> /s	867	1,420	5,270	94.0	1,050	12,600
Min	ft <sup>3</sup> /s	0.000	2.00	0.000	0.300	0.080	5.90
Median	ft <sup>3</sup> /s	11.0	18.0	69.0	1.70	7.90	132
Arithmetic Mean	ft <sup>3</sup> /s	84.5	150	294	3.90	20.8	308
Geometric Mean	ft <sup>3</sup> /s	--	25.6	--	1.85	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	7.57	--	1.23	4.68	100.0
Standard Deviation	ft <sup>3</sup> /s	153	305	596	9.24	60.4	802
5th percentile	ft <sup>3</sup> /s	0.000	2.00	3.40	0.500	1.90	42.0
10th percentile	ft <sup>3</sup> /s	0.000	2.60	5.20	0.600	2.69	54.0
20th percentile	ft <sup>3</sup> /s	0.700	3.68	10.0	0.700	3.80	70.6
30th percentile	ft <sup>3</sup> /s	2.10	5.00	19.0	1.06	4.80	89.0
40th percentile	ft <sup>3</sup> /s	4.62	8.64	36.0	1.30	6.30	109
50th percentile	ft <sup>3</sup> /s	11.0	18.0	69.0	1.70	7.90	132
60th percentile	ft <sup>3</sup> /s	24.0	48.4	124	2.10	9.70	165
70th percentile	ft <sup>3</sup> /s	56.8	73.2	241	2.80	12.0	210
80th percentile	ft <sup>3</sup> /s	149	181	409	3.40	17.0	293
90th percentile	ft <sup>3</sup> /s	291	454	793	6.36	32.1	533
Drainage area	mi <sup>2</sup>	102	578	613	9.06	56	552
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.50	2.46	8.60	10.4	18.8	22.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.003	0.000	0.033	0.001	0.011
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.031	0.113	0.188	0.141	0.239
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.828	0.260	0.479	0.430	0.372	0.558
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.044	--	0.204	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.013	--	0.136	0.083	0.181
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.50	0.528	0.973	1.02	1.08	1.45
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.003	0.006	0.055	0.034	0.076
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.004	0.008	0.066	0.048	0.098
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.007	0.006	0.016	0.077	0.068	0.128
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.021	0.009	0.031	0.117	0.086	0.161
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.045	0.015	0.059	0.143	0.113	0.197
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.031	0.113	0.188	0.141	0.239
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.235	0.084	0.202	0.232	0.173	0.299
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.557	0.127	0.394	0.309	0.214	0.380
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	0.313	0.667	0.375	0.304	0.530
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.85	0.785	1.29	0.702	0.573	0.966

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02048500</b>	<b>02049000</b>	<b>02049500</b>	<b>02050500</b>	<b>02051000</b>	<b>02051500</b>
Count	number	217	93.0	1,959	403	1,860	2,449
Max	ft <sup>3</sup> /s	946	708	5,420	223	2,970	35,300
Min	ft <sup>3</sup> /s	0.000	1.20	0.330	0.200	0.000	2.20
Median	ft <sup>3</sup> /s	4.40	20.0	96.0	1.50	6.05	117
Arithmetic Mean	ft <sup>3</sup> /s	72.0	95.6	385	4.55	20.7	292
Geometric Mean	ft <sup>3</sup> /s	--	22.9	--	1.61	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	7.03	10.9	0.929	--	68.9
Standard Deviation	ft <sup>3</sup> /s	159	172	707	16.0	99.8	1,242
5th percentile	ft <sup>3</sup> /s	0.000	1.50	2.10	0.300	0.800	25.0
10th percentile	ft <sup>3</sup> /s	0.000	2.00	3.50	0.400	1.40	35.0
20th percentile	ft <sup>3</sup> /s	0.000	4.50	9.20	0.600	2.40	56.0
30th percentile	ft <sup>3</sup> /s	0.600	7.60	20.0	1.10	3.30	73.0
40th percentile	ft <sup>3</sup> /s	1.68	12.0	43.2	1.20	4.70	93.0
50th percentile	ft <sup>3</sup> /s	4.40	20.0	96.0	1.50	6.05	117
60th percentile	ft <sup>3</sup> /s	14.6	28.8	197	1.80	8.00	143
70th percentile	ft <sup>3</sup> /s	42.2	60.2	314	2.40	11.0	187
80th percentile	ft <sup>3</sup> /s	87.6	147	496	3.46	15.0	262
90th percentile	ft <sup>3</sup> /s	208	215	1,052	6.58	26.0	468
Drainage area	mi <sup>2</sup>	102	578	613	9.06	56	552
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	9.27	1.22	8.84	24.6	53.0	63.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.002	0.001	0.022	0.000	0.004
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.043	0.035	0.157	0.166	0.108	0.212
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.705	0.165	0.629	0.503	0.369	0.529
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.040	--	0.178	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.012	0.018	0.103	--	0.125
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	0.298	1.15	1.77	1.78	2.25
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.003	0.003	0.033	0.014	0.045
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.003	0.006	0.044	0.025	0.063
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.008	0.015	0.066	0.043	0.101
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.006	0.013	0.033	0.121	0.059	0.132
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.016	0.021	0.070	0.132	0.084	0.168
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.043	0.035	0.157	0.166	0.108	0.212
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.143	0.050	0.321	0.199	0.143	0.259
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.414	0.104	0.512	0.265	0.196	0.339
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.859	0.254	0.809	0.382	0.268	0.475
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.04	0.372	1.72	0.726	0.464	0.849

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		September					
	units						
Station Number	number	02048500	02049000	02049500	02050500	02051000	02051500
Count	number	210	90.0	1,909	390	1,798	2,370
Max	ft <sup>3</sup> /s	1,180	254	22,000	240	4,180	15,400
Min	ft <sup>3</sup> /s	0.000	0.000	0.080	0.200	0.000	5.00
Median	ft <sup>3</sup> /s	0.200	4.80	32.0	1.75	5.20	93.0
Arithmetic Mean	ft <sup>3</sup> /s	53.7	30.0	478	5.09	30.9	301
Geometric Mean	ft <sup>3</sup> /s	--	--	--	1.78	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	--	6.57	1.03	--	53.8
Standard Deviation	ft <sup>3</sup> /s	148	51.1	1,492	17.4	189	1,053
5th percentile	ft <sup>3</sup> /s	0.000	0.000	2.00	0.300	0.440	16.0
10th percentile	ft <sup>3</sup> /s	0.000	0.190	3.00	0.400	0.950	24.0
20th percentile	ft <sup>3</sup> /s	0.000	0.580	5.90	0.980	1.80	40.0
30th percentile	ft <sup>3</sup> /s	0.000	1.00	10.4	1.20	2.70	55.0
40th percentile	ft <sup>3</sup> /s	0.000	3.00	18.0	1.40	3.70	73.0
50th percentile	ft <sup>3</sup> /s	0.200	4.80	32.0	1.75	5.20	93.0
60th percentile	ft <sup>3</sup> /s	1.60	20.4	58.0	2.00	6.92	111
70th percentile	ft <sup>3</sup> /s	15.0	26.3	152	2.40	9.39	144
80th percentile	ft <sup>3</sup> /s	58.6	42.6	407	3.22	13.0	210
90th percentile	ft <sup>3</sup> /s	112	93.0	1,292	5.92	27.0	402
Drainage area	mi <sup>2</sup>	102	578	613	9.06	56	552
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	11.6	0.439	35.9	26.5	74.6	27.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.000	0.000	0.022	0.000	0.009
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.002	0.008	0.052	0.193	0.093	0.168
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.526	0.052	0.779	0.562	0.551	0.544
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.196	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.011	0.113	--	0.098
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.45	0.088	2.43	1.92	3.38	1.91
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.000	0.003	0.033	0.008	0.029
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.000	0.005	0.044	0.017	0.043
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.001	0.010	0.108	0.032	0.072
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.002	0.017	0.132	0.048	0.100
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.005	0.029	0.155	0.066	0.132
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.002	0.008	0.052	0.193	0.093	0.168
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.016	0.035	0.095	0.221	0.124	0.201
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.147	0.046	0.247	0.265	0.168	0.261
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.575	0.074	0.664	0.355	0.232	0.380
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	0.161	2.11	0.653	0.482	0.729

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02048500</b>	<b>02049000</b>	<b>02049500</b>	<b>02050500</b>	<b>02051000</b>	<b>02051500</b>
Count	number	217	93.0	1,978	403	1,891	2,449
Max	ft <sup>3</sup> /s	177	1,150	15,800	150	6,710	19,200
Min	ft <sup>3</sup> /s	0.000	0.400	0.070	0.200	0.000	4.20
Median	ft <sup>3</sup> /s	7.10	21.0	52.0	2.00	8.60	112
Arithmetic Mean	ft <sup>3</sup> /s	27.4	165	361	4.13	32.3	304
Geometric Mean	ft <sup>3</sup> /s	--	15.9	--	2.17	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	2.08	5.49	1.49	--	62.2
Standard Deviation	ft <sup>3</sup> /s	42.5	306	982	13.1	204	996
5th percentile	ft <sup>3</sup> /s	0.000	0.470	1.30	0.600	0.688	20.0
10th percentile	ft <sup>3</sup> /s	0.000	0.620	2.40	1.00	1.80	28.0
20th percentile	ft <sup>3</sup> /s	0.200	1.00	5.40	1.30	3.20	49.0
30th percentile	ft <sup>3</sup> /s	1.30	1.60	9.31	1.50	4.90	71.0
40th percentile	ft <sup>3</sup> /s	4.28	5.80	22.0	1.80	6.60	90.0
50th percentile	ft <sup>3</sup> /s	7.10	21.0	52.0	2.00	8.60	112
60th percentile	ft <sup>3</sup> /s	12.0	58.2	108	2.40	11.0	140
70th percentile	ft <sup>3</sup> /s	28.0	78.2	232	3.00	14.0	179
80th percentile	ft <sup>3</sup> /s	41.6	106	450	3.50	20.0	273
90th percentile	ft <sup>3</sup> /s	96.4	620	911	5.00	34.0	469
Drainage area	mi <sup>2</sup>	102	578	613	9.06	56	552
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	1.74	1.99	25.8	16.6	120	34.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.001	0.000	0.022	0.000	0.008
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.070	0.036	0.085	0.221	0.154	0.203
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.269	0.286	0.590	0.456	0.577	0.552
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.027	--	0.239	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.004	0.009	0.165	--	0.113
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.417	0.530	1.60	1.45	3.64	1.80
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.001	0.002	0.066	0.012	0.036
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.001	0.004	0.110	0.032	0.051
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.002	0.002	0.009	0.143	0.057	0.089
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.013	0.003	0.015	0.166	0.088	0.129
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.042	0.010	0.036	0.199	0.118	0.163
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.070	0.036	0.085	0.221	0.154	0.203
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.118	0.101	0.176	0.265	0.196	0.254
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.275	0.135	0.378	0.331	0.250	0.324
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.408	0.183	0.734	0.386	0.357	0.495
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.945	1.07	1.49	0.552	0.607	0.849

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02048500</b>	<b>02049000</b>	<b>02049500</b>	<b>02050500</b>	<b>02051000</b>	<b>02051500</b>
Count	number	210	90.0	1,915	390	1,823	2,365
Max	ft <sup>3</sup> /s	368	444	5,320	256	2,200	14,600
Min	ft <sup>3</sup> /s	0.000	1.10	0.210	0.600	0.510	16.0
Median	ft <sup>3</sup> /s	33.5	70.0	202	3.50	15.0	172
Arithmetic Mean	ft <sup>3</sup> /s	49.5	98.5	423	7.81	46.8	391
Geometric Mean	ft <sup>3</sup> /s	--	27.3	--	4.16	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	4.06	10.9	3.26	10.3	132
Standard Deviation	ft <sup>3</sup> /s	56.2	106	645	20.1	142	852
5th percentile	ft <sup>3</sup> /s	0.455	1.20	2.58	1.60	3.50	47.0
10th percentile	ft <sup>3</sup> /s	1.40	1.30	4.50	2.20	5.32	61.0
20th percentile	ft <sup>3</sup> /s	3.98	1.40	15.0	2.50	7.00	82.8
30th percentile	ft <sup>3</sup> /s	10.3	1.77	40.0	2.80	9.56	112
40th percentile	ft <sup>3</sup> /s	26.0	55.0	104	3.10	12.0	144
50th percentile	ft <sup>3</sup> /s	33.5	70.0	202	3.50	15.0	172
60th percentile	ft <sup>3</sup> /s	42.4	85.0	305	3.80	20.0	220
70th percentile	ft <sup>3</sup> /s	50.3	150	455	4.60	26.0	293
80th percentile	ft <sup>3</sup> /s	76.8	184	650	5.80	38.0	394
90th percentile	ft <sup>3</sup> /s	144	220	1,120	11.0	78.0	713
Drainage area	mi <sup>2</sup>	102	578	613	9.06	56	552
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.61	0.768	8.68	28.3	39.3	26.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.002	0.000	0.066	0.009	0.029
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.328	0.121	0.330	0.386	0.268	0.312
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.485	0.170	0.691	0.862	0.835	0.708
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.047	--	0.460	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.007	0.018	0.360	0.184	0.239
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.551	0.183	1.05	2.22	2.53	1.54
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.004	0.002	0.004	0.177	0.063	0.085
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.014	0.002	0.007	0.243	0.095	0.111
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.039	0.002	0.024	0.276	0.125	0.150
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.101	0.003	0.065	0.309	0.171	0.203
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.255	0.095	0.170	0.342	0.214	0.261
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.328	0.121	0.330	0.386	0.268	0.312
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.416	0.147	0.497	0.419	0.357	0.399
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.493	0.260	0.742	0.508	0.464	0.531
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.753	0.318	1.06	0.640	0.679	0.714
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	0.380	1.83	1.21	1.39	1.29

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02048500</b>	<b>02049000</b>	<b>02049500</b>	<b>02050500</b>	<b>02051000</b>	<b>02051500</b>
Count	number	217	93.0	1,951	403	1,860	2,418
Max	ft <sup>3</sup> /s	633	708	3,970	242	1,730	8,900
Min	ft <sup>3</sup> /s	2.50	1.40	0.100	2.00	1.90	36.0
Median	ft <sup>3</sup> /s	76.0	50.0	489	5.00	26.0	282
Arithmetic Mean	ft <sup>3</sup> /s	87.8	187	660	12.6	53.8	485
Geometric Mean	ft <sup>3</sup> /s	--	54.0	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	20.6	10.3	34.5	5.00	18.8	211
Standard Deviation	ft <sup>3</sup> /s	82.1	229	633	26.1	118	726
5th percentile	ft <sup>3</sup> /s	3.60	1.88	15.0	2.50	7.20	73.0
10th percentile	ft <sup>3</sup> /s	4.56	2.24	50.0	2.80	9.20	97.7
20th percentile	ft <sup>3</sup> /s	24.0	9.62	172	3.20	13.0	139
30th percentile	ft <sup>3</sup> /s	42.0	25.2	264	3.80	17.0	186
40th percentile	ft <sup>3</sup> /s	66.0	45.0	363	4.20	21.0	235
50th percentile	ft <sup>3</sup> /s	76.0	50.0	489	5.00	26.0	282
60th percentile	ft <sup>3</sup> /s	83.6	71.6	616	6.10	33.0	344
70th percentile	ft <sup>3</sup> /s	96.4	221	774	7.60	41.0	428
80th percentile	ft <sup>3</sup> /s	119	444	1,010	12.0	54.0	568
90th percentile	ft <sup>3</sup> /s	192	556	1,510	25.0	97.1	917
Drainage area	mi <sup>2</sup>	102	578	613	9.06	56	552
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.21	1.22	6.48	26.7	30.9	16.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.025	0.002	0.000	0.221	0.034	0.065
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.745	0.087	0.798	0.552	0.464	0.511
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.861	0.324	1.08	1.39	0.961	0.878
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.093	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.202	0.018	0.056	0.552	0.336	0.382
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.805	0.396	1.03	2.88	2.11	1.32
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.035	0.003	0.024	0.276	0.129	0.132
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.045	0.004	0.082	0.309	0.164	0.177
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.235	0.017	0.281	0.353	0.232	0.252
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.412	0.044	0.431	0.419	0.304	0.337
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.647	0.078	0.592	0.464	0.375	0.426
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.745	0.087	0.798	0.552	0.464	0.511
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.820	0.124	1.00	0.673	0.589	0.623
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.945	0.382	1.26	0.839	0.732	0.775
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	0.768	1.65	1.32	0.964	1.03
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.88	0.963	2.46	2.76	1.73	1.66



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>02051600</b>	<b>02052000</b>	<b>02052500</b>	<b>02053000</b>	<b>02053800</b>	<b>02054500</b>
Count	number	875	1,738	1,364	310	1,457	1,984
Max	ft <sup>3</sup> /s	1,130	12,300	2,210	950	3,420	5,750
Min	ft <sup>3</sup> /s	3.30	17.0	4.20	20.0	10.0	10.0
Median	ft <sup>3</sup> /s	26.0	581	57.0	101	94.0	191
Arithmetic Mean	ft <sup>3</sup> /s	42.9	1,024	106	134	132	299
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	21.0	409	37.3	79.0	70.1	135
Standard Deviation	ft <sup>3</sup> /s	65.3	1,309	165	123	191	419
5th percentile	ft <sup>3</sup> /s	6.50	140	9.93	33.0	25.0	49.0
10th percentile	ft <sup>3</sup> /s	14.0	220	18.0	40.0	38.0	61.3
20th percentile	ft <sup>3</sup> /s	18.0	351	30.0	50.0	54.0	100
30th percentile	ft <sup>3</sup> /s	21.0	430	38.0	62.7	68.0	128
40th percentile	ft <sup>3</sup> /s	23.6	497	46.0	81.0	80.0	160
50th percentile	ft <sup>3</sup> /s	26.0	581	57.0	101	94.0	191
60th percentile	ft <sup>3</sup> /s	32.0	702	70.0	122	108	238
70th percentile	ft <sup>3</sup> /s	38.0	876	89.1	151	127	293
80th percentile	ft <sup>3</sup> /s	48.0	1,246	131	189	166	384
90th percentile	ft <sup>3</sup> /s	74.0	2,246	230	245	239	570
Drainage area	mi <sup>2</sup>	30.8	744	68.7	95.9	109	254
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	36.7	16.5	32.2	9.91	31.4	22.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.107	0.023	0.061	0.209	0.092	0.039
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.844	0.781	0.830	1.05	0.862	0.752
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	1.38	1.55	1.39	1.21	1.18
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.682	0.549	0.543	0.824	0.643	0.531
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.12	1.76	2.40	1.28	1.75	1.65
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.211	0.188	0.144	0.344	0.229	0.193
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.455	0.296	0.262	0.417	0.349	0.241
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.584	0.472	0.437	0.521	0.495	0.394
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.682	0.578	0.553	0.654	0.624	0.504
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.766	0.668	0.670	0.845	0.734	0.630
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.844	0.781	0.830	1.05	0.862	0.752
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	0.944	1.02	1.27	0.991	0.937
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.18	1.30	1.58	1.17	1.15
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.67	1.91	1.97	1.52	1.51
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.40	3.02	3.35	2.55	2.20	2.24

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>02051600</b>	<b>02052000</b>	<b>02052500</b>	<b>02053000</b>	<b>02053800</b>	<b>02054500</b>
Count	number	791	1,610	1,219	283	1,327	1,808
Max	ft <sup>3</sup> /s	1,980	16,600	3,040	1,660	3,030	7,190
Min	ft <sup>3</sup> /s	3.70	19.0	8.10	31.0	10.0	23.0
Median	ft <sup>3</sup> /s	36.0	763	77.0	150	114	260
Arithmetic Mean	ft <sup>3</sup> /s	55.1	1,183	133	208	162	385
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	30.6	595	57.8	103	92.6	190
Standard Deviation	ft <sup>3</sup> /s	102	1,405	198	209	183	470
5th percentile	ft <sup>3</sup> /s	14.0	240	19.0	41.0	41.0	67.0
10th percentile	ft <sup>3</sup> /s	18.0	307	28.0	46.0	49.6	92.0
20th percentile	ft <sup>3</sup> /s	24.0	442	45.6	59.0	68.0	136
30th percentile	ft <sup>3</sup> /s	29.0	550	56.4	80.0	80.0	170
40th percentile	ft <sup>3</sup> /s	32.0	664	66.0	116	96.0	214
50th percentile	ft <sup>3</sup> /s	36.0	763	77.0	150	114	260
60th percentile	ft <sup>3</sup> /s	40.0	899	91.0	177	133	315
70th percentile	ft <sup>3</sup> /s	48.0	1,113	122	212	162	400
80th percentile	ft <sup>3</sup> /s	61.0	1,460	167	303	208	515
90th percentile	ft <sup>3</sup> /s	90.0	2,412	277	484	300	750
Drainage area	mi <sup>2</sup>	30.8	744	68.7	95.9	109	254
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	64.3	22.3	44.3	17.3	27.8	28.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.120	0.026	0.118	0.323	0.092	0.091
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.02	1.12	1.56	1.05	1.02
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.79	1.59	1.94	2.17	1.48	1.52
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.992	0.800	0.842	1.07	0.850	0.749
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.30	1.89	2.88	2.18	1.68	1.85
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.455	0.323	0.277	0.428	0.376	0.264
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.584	0.413	0.408	0.480	0.455	0.362
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.779	0.594	0.664	0.615	0.624	0.535
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.942	0.739	0.821	0.834	0.734	0.669
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	0.892	0.961	1.21	0.881	0.843
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.02	1.12	1.56	1.05	1.02
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.21	1.32	1.85	1.22	1.24
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.50	1.78	2.21	1.49	1.57
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.98	1.96	2.43	3.16	1.90	2.03
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.92	3.24	4.04	5.05	2.76	2.95

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02051600</b>	<b>02052000</b>	<b>02052500</b>	<b>02053000</b>	<b>02053800</b>	<b>02054500</b>
Count	number	868	1,767	1,333	310	1,457	1,984
Max	ft <sup>3</sup> /s	834	15,200	2,940	1,040	3,160	6,570
Min	ft <sup>3</sup> /s	7.60	37.0	15.0	32.0	19.0	30.0
Median	ft <sup>3</sup> /s	36.0	800	82.0	123	142	314
Arithmetic Mean	ft <sup>3</sup> /s	52.9	1,318	144	185	201	451
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	31.4	682	69.7	111	116	242
Standard Deviation	ft <sup>3</sup> /s	69.8	1,584	214	166	236	510
5th percentile	ft <sup>3</sup> /s	15.0	286	28.0	48.6	49.0	91.0
10th percentile	ft <sup>3</sup> /s	18.0	375	36.0	58.8	59.0	119
20th percentile	ft <sup>3</sup> /s	23.0	471	48.0	75.8	77.2	175
30th percentile	ft <sup>3</sup> /s	27.0	569	57.0	93.0	101	224
40th percentile	ft <sup>3</sup> /s	30.0	686	68.0	107	122	264
50th percentile	ft <sup>3</sup> /s	36.0	800	82.0	123	142	314
60th percentile	ft <sup>3</sup> /s	42.0	973	98.2	143	167	372
70th percentile	ft <sup>3</sup> /s	48.9	1,200	124	178	199	440
80th percentile	ft <sup>3</sup> /s	62.0	1,630	174	245	244	570
90th percentile	ft <sup>3</sup> /s	90.0	2,690	304	450	363	840
Drainage area	mi <sup>2</sup>	30.8	744	68.7	95.9	109	254
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	27.1	20.4	42.8	10.8	29.0	25.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.247	0.050	0.218	0.334	0.174	0.118
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.08	1.19	1.28	1.30	1.24
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.72	1.77	2.10	1.93	1.84	1.77
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	0.917	1.01	1.16	1.06	0.951
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.26	2.13	3.12	1.73	2.17	2.01
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.487	0.385	0.408	0.506	0.450	0.358
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.584	0.503	0.524	0.613	0.541	0.469
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.747	0.633	0.699	0.790	0.708	0.689
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.877	0.765	0.830	0.970	0.927	0.882
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.974	0.922	0.990	1.12	1.12	1.04
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.08	1.19	1.28	1.30	1.24
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.36	1.31	1.43	1.49	1.53	1.46
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.59	1.61	1.80	1.86	1.83	1.73
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.01	2.19	2.53	2.55	2.24	2.24
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.92	3.62	4.43	4.69	3.33	3.31

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02051600</b>	<b>02052000</b>	<b>02052500</b>	<b>02053000</b>	<b>02053800</b>	<b>02054500</b>
Count	number	840	1,709	1,290	300	1,410	1,920
Max	ft <sup>3</sup> /s	2,060	19,200	3,600	1,610	3,590	8,260
Min	ft <sup>3</sup> /s	7.60	20.0	7.00	20.0	38.0	63.0
Median	ft <sup>3</sup> /s	27.0	638	54.0	81.0	117	259
Arithmetic Mean	ft <sup>3</sup> /s	40.0	1,066	95.7	132	180	406
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	24.1	534	42.6	70.5	107	228
Standard Deviation	ft <sup>3</sup> /s	81.9	1,490	172	180	263	568
5th percentile	ft <sup>3</sup> /s	12.0	240	17.0	30.0	50.0	102
10th percentile	ft <sup>3</sup> /s	14.0	296	21.9	35.9	60.0	120
20th percentile	ft <sup>3</sup> /s	16.0	388	29.0	51.0	73.0	154
30th percentile	ft <sup>3</sup> /s	20.0	461	37.0	60.0	86.0	186
40th percentile	ft <sup>3</sup> /s	23.0	544	44.0	67.0	101	219
50th percentile	ft <sup>3</sup> /s	27.0	638	54.0	81.0	117	259
60th percentile	ft <sup>3</sup> /s	32.0	740	64.0	100	138	314
70th percentile	ft <sup>3</sup> /s	37.0	919	79.0	120	169	391
80th percentile	ft <sup>3</sup> /s	46.0	1,220	106	154	218	496
90th percentile	ft <sup>3</sup> /s	67.0	2,082	178	256	303	713
Drainage area	mi <sup>2</sup>	30.8	744	68.7	95.9	109	254
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	66.9	25.8	52.4	16.8	32.9	32.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.247	0.027	0.102	0.209	0.349	0.248
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.877	0.858	0.786	0.845	1.07	1.02
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.43	1.39	1.37	1.65	1.60
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.782	0.718	0.620	0.735	0.978	0.896
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.66	2.00	2.51	1.87	2.42	2.24
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.390	0.322	0.247	0.313	0.459	0.402
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.455	0.397	0.319	0.374	0.550	0.472
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.519	0.522	0.422	0.532	0.670	0.606
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.649	0.620	0.539	0.626	0.789	0.732
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.747	0.731	0.640	0.699	0.927	0.862
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.877	0.858	0.786	0.845	1.07	1.02
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	0.995	0.932	1.04	1.27	1.24
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.24	1.15	1.25	1.55	1.54
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	1.64	1.54	1.61	2.00	1.95
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.18	2.80	2.59	2.67	2.78	2.81

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>02051600</b>	<b>02052000</b>	<b>02052500</b>	<b>02053000</b>	<b>02053800</b>	<b>02054500</b>
Count	number	899	1,762	1,333	310	1,457	1,984
Max	ft <sup>3</sup> /s	500	15,100	2,360	1,810	2,730	5,340
Min	ft <sup>3</sup> /s	3.60	16.0	2.60	9.00	30.0	57.0
Median	ft <sup>3</sup> /s	17.0	396	25.0	44.0	97.0	194
Arithmetic Mean	ft <sup>3</sup> /s	26.7	668	55.6	97.5	131	280
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	14.8	316	19.1	35.6	88.5	174
Standard Deviation	ft <sup>3</sup> /s	39.7	1,063	131	183	133	319
5th percentile	ft <sup>3</sup> /s	6.80	161	7.00	14.0	43.0	82.0
10th percentile	ft <sup>3</sup> /s	8.28	192	9.22	16.0	49.0	95.0
20th percentile	ft <sup>3</sup> /s	10.0	240	13.0	22.0	62.0	120
30th percentile	ft <sup>3</sup> /s	12.0	289	16.0	29.0	74.0	143
40th percentile	ft <sup>3</sup> /s	14.0	341	20.0	34.0	85.4	166
50th percentile	ft <sup>3</sup> /s	17.0	396	25.0	44.0	97.0	194
60th percentile	ft <sup>3</sup> /s	20.0	467	32.0	58.4	112	227
70th percentile	ft <sup>3</sup> /s	25.0	566	41.0	86.9	134	268
80th percentile	ft <sup>3</sup> /s	30.0	729	56.0	121	161	335
90th percentile	ft <sup>3</sup> /s	46.0	1,109	103	178	226	520
Drainage area	mi <sup>2</sup>	30.8	744	68.7	95.9	109	254
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	16.2	20.3	34.4	18.9	25.0	21.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.117	0.022	0.038	0.094	0.275	0.224
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.552	0.532	0.364	0.459	0.890	0.764
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.868	0.898	0.809	1.02	1.20	1.10
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.480	0.425	0.279	0.372	0.812	0.684
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.43	1.91	1.91	1.22	1.26
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.221	0.216	0.102	0.146	0.394	0.323
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.269	0.258	0.134	0.167	0.450	0.374
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.325	0.323	0.189	0.229	0.569	0.472
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.390	0.389	0.233	0.302	0.679	0.563
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.455	0.459	0.291	0.355	0.783	0.654
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.552	0.532	0.364	0.459	0.890	0.764
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.649	0.628	0.466	0.609	1.03	0.894
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.812	0.761	0.597	0.906	1.23	1.06
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.974	0.980	0.815	1.26	1.48	1.32
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	1.49	1.50	1.86	2.07	2.05

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	02051600	02052000	02052500	02053000	02053800	02054500
Count	number	870	1,710	1,290	300	1,410	1,919
Max	ft <sup>3</sup> /s	1,830	9,630	1,380	1,170	6,840	11,700
Min	ft <sup>3</sup> /s	2.00	3.60	0.040	4.00	14.0	28.0
Median	ft <sup>3</sup> /s	11.0	253	12.0	26.0	68.0	122
Arithmetic Mean	ft <sup>3</sup> /s	22.2	444	32.9	55.9	103	195
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	8.82	153	4.50	18.6	59.0	110
Standard Deviation	ft <sup>3</sup> /s	93.9	718	90.2	120	225	383
5th percentile	ft <sup>3</sup> /s	3.70	43.0	2.30	6.01	26.0	50.0
10th percentile	ft <sup>3</sup> /s	4.60	105	3.20	8.94	32.0	60.0
20th percentile	ft <sup>3</sup> /s	5.80	143	5.00	12.0	42.0	80.0
30th percentile	ft <sup>3</sup> /s	7.10	178	7.10	17.0	50.0	95.0
40th percentile	ft <sup>3</sup> /s	9.00	210	9.20	22.0	58.0	108
50th percentile	ft <sup>3</sup> /s	11.0	253	12.0	26.0	68.0	122
60th percentile	ft <sup>3</sup> /s	13.0	305	15.0	30.4	79.0	140
70th percentile	ft <sup>3</sup> /s	16.0	375	20.0	40.0	93.0	167
80th percentile	ft <sup>3</sup> /s	20.0	485	30.0	57.4	116	214
90th percentile	ft <sup>3</sup> /s	32.1	857	58.0	99.0	165	321
Drainage area	mi <sup>2</sup>	30.8	744	68.7	95.9	109	254
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	59.4	12.9	20.1	12.2	62.8	46.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.065	0.005	0.001	0.042	0.128	0.110
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.357	0.340	0.175	0.271	0.624	0.480
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.722	0.597	0.480	0.583	0.948	0.766
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.287	0.206	0.066	0.194	0.541	0.435
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.05	0.965	1.31	1.25	2.06	1.51
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.120	0.058	0.033	0.063	0.239	0.197
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.149	0.141	0.047	0.093	0.294	0.236
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.188	0.192	0.073	0.125	0.385	0.315
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.231	0.239	0.103	0.177	0.459	0.374
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.292	0.282	0.134	0.229	0.532	0.425
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.357	0.340	0.175	0.271	0.624	0.480
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.422	0.410	0.218	0.317	0.725	0.551
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.519	0.504	0.291	0.417	0.853	0.656
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.649	0.652	0.437	0.599	1.07	0.843
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	1.15	0.844	1.03	1.51	1.27

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>02051600</b>	<b>02052000</b>	<b>02052500</b>	<b>02053000</b>	<b>02053800</b>	<b>02054500</b>
Count	number	899	1,767	1,333	310	1,457	1,984
Max	ft <sup>3</sup> /s	1,440	15,500	3,230	3,260	1,060	3,060
Min	ft <sup>3</sup> /s	0.400	4.80	0.000	0.400	7.50	23.0
Median	ft <sup>3</sup> /s	8.00	168	5.50	21.0	46.0	85.0
Arithmetic Mean	ft <sup>3</sup> /s	21.6	356	23.6	81.5	61.4	119
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	4.97	103	--	6.90	40.4	77.9
Standard Deviation	ft <sup>3</sup> /s	87.4	865	123	285	69.3	158
5th percentile	ft <sup>3</sup> /s	1.70	32.0	0.157	1.87	19.0	39.0
10th percentile	ft <sup>3</sup> /s	2.30	45.6	0.412	4.00	23.0	45.3
20th percentile	ft <sup>3</sup> /s	3.50	91.0	1.30	7.36	30.2	56.0
30th percentile	ft <sup>3</sup> /s	4.80	115	2.40	11.0	36.0	66.0
40th percentile	ft <sup>3</sup> /s	6.12	138	3.80	16.0	41.0	75.0
50th percentile	ft <sup>3</sup> /s	8.00	168	5.50	21.0	46.0	85.0
60th percentile	ft <sup>3</sup> /s	10.8	204	8.00	31.4	51.0	97.0
70th percentile	ft <sup>3</sup> /s	13.0	260	11.0	52.0	59.2	111
80th percentile	ft <sup>3</sup> /s	18.0	367	17.0	89.2	71.0	135
90th percentile	ft <sup>3</sup> /s	30.0	615	35.0	132	101	200
Drainage area	mi <sup>2</sup>	30.8	744	68.7	95.9	109	254
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	46.8	20.8	47.0	34.0	9.72	12.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.013	0.006	0.000	0.004	0.069	0.091
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.260	0.226	0.080	0.219	0.422	0.335
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.701	0.479	0.344	0.850	0.563	0.470
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.161	0.138	--	0.072	0.371	0.307
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.84	1.16	1.80	2.97	0.636	0.624
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.055	0.043	0.002	0.019	0.174	0.154
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.075	0.061	0.006	0.042	0.211	0.178
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.114	0.122	0.019	0.077	0.277	0.220
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.156	0.155	0.035	0.115	0.330	0.260
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.199	0.185	0.055	0.167	0.376	0.295
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.260	0.226	0.080	0.219	0.422	0.335
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.351	0.274	0.116	0.327	0.468	0.382
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.422	0.349	0.160	0.542	0.543	0.437
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.584	0.493	0.247	0.930	0.651	0.533
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.974	0.827	0.509	1.38	0.925	0.786

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>	<b>02051600</b>	<b>02052000</b>	<b>02052500</b>	<b>02053000</b>	<b>02053800</b>	<b>02054500</b>
Station Number	number						
Count	number	899	1,767	1,333	310	1,457	1,984
Max	ft <sup>3</sup> /s	302	11,000	1,750	416	1,860	6,350
Min	ft <sup>3</sup> /s	0.300	0.900	0.000	0.400	7.00	16.0
Median	ft <sup>3</sup> /s	7.40	147	4.80	20.0	36.0	66.0
Arithmetic Mean	ft <sup>3</sup> /s	12.3	313	35.2	41.4	51.6	109
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.49	64.0	--	5.45	32.9	63.6
Standard Deviation	ft <sup>3</sup> /s	20.8	677	144	66.2	81.6	226
5th percentile	ft <sup>3</sup> /s	0.800	26.0	0.000	1.06	15.0	32.0
10th percentile	ft <sup>3</sup> /s	1.28	34.6	0.082	2.18	20.0	37.0
20th percentile	ft <sup>3</sup> /s	2.80	55.0	0.680	5.98	26.0	47.0
30th percentile	ft <sup>3</sup> /s	4.40	81.0	1.80	10.0	29.0	54.0
40th percentile	ft <sup>3</sup> /s	6.20	110	3.20	14.0	33.0	60.0
50th percentile	ft <sup>3</sup> /s	7.40	147	4.80	20.0	36.0	66.0
60th percentile	ft <sup>3</sup> /s	8.90	190	7.52	24.0	40.0	75.0
70th percentile	ft <sup>3</sup> /s	11.0	246	12.0	33.0	48.0	89.0
80th percentile	ft <sup>3</sup> /s	15.0	356	19.0	53.2	59.0	120
90th percentile	ft <sup>3</sup> /s	24.0	629	46.8	100	86.0	179
Drainage area	mi <sup>2</sup>	30.8	744	68.7	95.9	109	254
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	9.81	14.8	25.5	4.34	17.1	25.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.010	0.001	0.000	0.004	0.064	0.063
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.240	0.198	0.070	0.209	0.330	0.260
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.400	0.421	0.512	0.432	0.473	0.427
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.113	0.086	--	0.057	0.302	0.251
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.674	0.910	2.09	0.690	0.748	0.889
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.026	0.035	0.000	0.011	0.138	0.126
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.042	0.047	0.001	0.023	0.183	0.146
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.091	0.074	0.010	0.062	0.239	0.185
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.143	0.109	0.026	0.104	0.266	0.213
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.201	0.148	0.047	0.146	0.303	0.236
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.240	0.198	0.070	0.209	0.330	0.260
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.289	0.255	0.109	0.250	0.367	0.295
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.357	0.331	0.175	0.344	0.440	0.350
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.487	0.478	0.277	0.555	0.541	0.472
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.779	0.845	0.681	1.04	0.789	0.705



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02051600</b>	<b>02052000</b>	<b>02052500</b>	<b>02053000</b>	<b>02053800</b>	<b>02054500</b>
Count	number	870	1,710	1,290	300	1,410	1,920
Max	ft <sup>3</sup> /s	945	18,000	2,200	2,210	4,270	7,420
Min	ft <sup>3</sup> /s	0.200	3.50	0.000	0.100	9.00	14.0
Median	ft <sup>3</sup> /s	5.40	107	3.85	11.5	32.0	60.0
Arithmetic Mean	ft <sup>3</sup> /s	14.9	417	22.1	70.7	68.2	127
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	2.36	60.1	--	1.29	31.0	60.1
Standard Deviation	ft <sup>3</sup> /s	60.5	1,440	111	222	222	384
5th percentile	ft <sup>3</sup> /s	0.628	18.0	0.000	0.200	15.0	32.0
10th percentile	ft <sup>3</sup> /s	0.996	28.0	0.000	0.500	18.0	36.0
20th percentile	ft <sup>3</sup> /s	1.70	40.0	0.448	1.70	23.0	43.0
30th percentile	ft <sup>3</sup> /s	3.60	57.0	1.30	6.10	26.0	49.0
40th percentile	ft <sup>3</sup> /s	4.40	81.0	2.40	8.00	29.0	54.0
50th percentile	ft <sup>3</sup> /s	5.40	107	3.85	11.5	32.0	60.0
60th percentile	ft <sup>3</sup> /s	6.60	142	5.80	17.0	36.0	70.0
70th percentile	ft <sup>3</sup> /s	8.00	191	8.90	28.0	43.0	85.0
80th percentile	ft <sup>3</sup> /s	11.0	268	15.0	57.2	54.2	110
90th percentile	ft <sup>3</sup> /s	18.0	522	31.0	143	100	191
Drainage area	mi <sup>2</sup>	30.8	744	68.7	95.9	109	254
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	30.7	24.2	32.0	23.0	39.2	29.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.006	0.005	0.000	0.001	0.083	0.055
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.175	0.144	0.056	0.120	0.294	0.236
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.483	0.561	0.322	0.738	0.626	0.501
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.077	0.081	--	0.013	0.284	0.237
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.96	1.94	1.62	2.31	2.04	1.51
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.020	0.024	0.000	0.002	0.138	0.126
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	0.038	0.000	0.005	0.165	0.142
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.055	0.054	0.007	0.018	0.211	0.169
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.117	0.077	0.019	0.064	0.239	0.193
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.143	0.109	0.035	0.083	0.266	0.213
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.175	0.144	0.056	0.120	0.294	0.236
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.214	0.191	0.084	0.177	0.330	0.276
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.260	0.257	0.130	0.292	0.394	0.335
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.357	0.360	0.218	0.596	0.497	0.433
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.584	0.701	0.451	1.49	0.917	0.752

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02051600</b>	<b>02052000</b>	<b>02052500</b>	<b>02053000</b>	<b>02053800</b>	<b>02054500</b>
Count	number	899	1,767	1,364	310	1,488	2,015
Max	ft <sup>3</sup> /s	3,380	20,700	13,500	990	2,130	4,600
Min	ft <sup>3</sup> /s	0.100	3.80	0.000	0.500	12.0	25.0
Median	ft <sup>3</sup> /s	7.80	140	6.00	19.0	40.0	69.0
Arithmetic Mean	ft <sup>3</sup> /s	22.2	418	43.3	31.5	70.8	132
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.93	69.4	--	8.04	37.9	68.1
Standard Deviation	ft <sup>3</sup> /s	129	1,351	425	67.2	128	256
5th percentile	ft <sup>3</sup> /s	1.20	20.0	0.000	2.86	18.0	34.0
10th percentile	ft <sup>3</sup> /s	2.00	33.0	0.000	3.70	22.0	38.0
20th percentile	ft <sup>3</sup> /s	3.60	49.0	1.00	8.00	27.0	47.0
30th percentile	ft <sup>3</sup> /s	4.90	81.0	2.10	10.0	31.0	54.0
40th percentile	ft <sup>3</sup> /s	5.80	111	3.90	15.6	35.0	60.0
50th percentile	ft <sup>3</sup> /s	7.80	140	6.00	19.0	40.0	69.0
60th percentile	ft <sup>3</sup> /s	9.90	186	9.30	23.0	45.0	80.0
70th percentile	ft <sup>3</sup> /s	12.0	247	16.0	30.0	54.0	102
80th percentile	ft <sup>3</sup> /s	20.0	389	26.0	41.0	82.6	140
90th percentile	ft <sup>3</sup> /s	32.2	678	48.7	55.2	126	232
Drainage area	mi <sup>2</sup>	30.8	744	68.7	95.9	109	254
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	110	27.8	197	10.3	19.5	18.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.003	0.005	0.000	0.005	0.110	0.098
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.188	0.087	0.198	0.367	0.272
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.721	0.562	0.631	0.329	0.650	0.519
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.127	0.093	--	0.084	0.348	0.268
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.18	1.82	6.18	0.700	1.17	1.01
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.039	0.027	0.000	0.030	0.165	0.134
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.065	0.044	0.000	0.039	0.202	0.150
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.117	0.066	0.015	0.083	0.248	0.185
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.159	0.109	0.031	0.104	0.284	0.213
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.188	0.149	0.057	0.163	0.321	0.236
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.188	0.087	0.198	0.367	0.272
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.321	0.249	0.135	0.240	0.413	0.315
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.390	0.332	0.233	0.313	0.495	0.402
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.649	0.523	0.378	0.428	0.758	0.552
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	0.912	0.709	0.576	1.16	0.913

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02051600</b>	<b>02052000</b>	<b>02052500</b>	<b>02053000</b>	<b>02053800</b>	<b>02054500</b>
Count	number	870	1,705	1,320	300	1,435	1,944
Max	ft <sup>3</sup> /s	1,820	16,900	3,010	1,040	3,180	6,840
Min	ft <sup>3</sup> /s	2.10	8.00	0.000	5.00	20.0	28.0
Median	ft <sup>3</sup> /s	11.5	246	15.5	34.0	50.0	90.0
Arithmetic Mean	ft <sup>3</sup> /s	27.3	557	45.8	75.5	93.1	173
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	9.52	148	--	26.0	48.9	86.3
Standard Deviation	ft <sup>3</sup> /s	85.0	1,187	160	127	167	328
5th percentile	ft <sup>3</sup> /s	3.00	47.0	1.90	8.00	24.8	43.0
10th percentile	ft <sup>3</sup> /s	4.40	82.0	3.40	12.0	28.0	50.0
20th percentile	ft <sup>3</sup> /s	7.20	117	5.50	18.0	32.0	56.6
30th percentile	ft <sup>3</sup> /s	9.00	159	8.17	25.0	37.0	65.0
40th percentile	ft <sup>3</sup> /s	10.0	199	11.0	30.0	43.0	75.0
50th percentile	ft <sup>3</sup> /s	11.5	246	15.5	34.0	50.0	90.0
60th percentile	ft <sup>3</sup> /s	13.0	306	21.0	38.4	63.4	110
70th percentile	ft <sup>3</sup> /s	18.0	404	29.0	50.0	82.8	141
80th percentile	ft <sup>3</sup> /s	26.0	563	43.0	80.0	114	201
90th percentile	ft <sup>3</sup> /s	44.1	1,060	82.0	181	166	326
Drainage area	mi <sup>2</sup>	30.8	744	68.7	95.9	109	254
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	59.1	22.7	43.8	10.8	29.2	26.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.068	0.011	0.000	0.052	0.183	0.110
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.373	0.331	0.226	0.355	0.459	0.354
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.885	0.749	0.667	0.787	0.855	0.681
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.309	0.200	--	0.271	0.449	0.340
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.76	1.60	2.33	1.32	1.54	1.29
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.097	0.063	0.028	0.083	0.228	0.169
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.143	0.110	0.049	0.125	0.257	0.197
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.157	0.080	0.188	0.294	0.223
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.292	0.214	0.119	0.261	0.339	0.256
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.325	0.267	0.160	0.313	0.394	0.295
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.373	0.331	0.226	0.355	0.459	0.354
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.422	0.411	0.306	0.400	0.582	0.433
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.584	0.543	0.422	0.521	0.760	0.555
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.844	0.757	0.626	0.834	1.05	0.791
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	1.42	1.19	1.89	1.52	1.28

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02051600</b>	<b>02052000</b>	<b>02052500</b>	<b>02053000</b>	<b>02053800</b>	<b>02054500</b>
Count	number	899	1,736	1,363	310	1,457	1,984
Max	ft <sup>3</sup> /s	504	8,970	1,550	1,080	1,490	5,760
Min	ft <sup>3</sup> /s	1.90	17.0	2.00	6.00	13.0	24.0
Median	ft <sup>3</sup> /s	22.0	420	36.0	51.0	71.0	138
Arithmetic Mean	ft <sup>3</sup> /s	30.2	714	68.7	86.3	99.0	224
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	15.1	267	21.3	32.5	57.5	111
Standard Deviation	ft <sup>3</sup> /s	37.0	990	113	131	106	330
5th percentile	ft <sup>3</sup> /s	6.60	94.9	6.12	8.00	23.0	46.0
10th percentile	ft <sup>3</sup> /s	7.78	135	8.60	16.0	29.0	52.0
20th percentile	ft <sup>3</sup> /s	11.0	195	15.0	24.8	39.0	70.0
30th percentile	ft <sup>3</sup> /s	14.0	278	21.0	34.0	48.0	90.9
40th percentile	ft <sup>3</sup> /s	18.0	348	29.0	43.6	59.0	115
50th percentile	ft <sup>3</sup> /s	22.0	420	36.0	51.0	71.0	138
60th percentile	ft <sup>3</sup> /s	26.0	521	47.0	59.4	86.0	172
70th percentile	ft <sup>3</sup> /s	31.0	665	61.0	70.3	107	220
80th percentile	ft <sup>3</sup> /s	38.0	880	86.6	99.0	130	281
90th percentile	ft <sup>3</sup> /s	54.2	1,390	145	165	185	447
Drainage area	mi <sup>2</sup>	30.8	744	68.7	95.9	109	254
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	16.4	12.1	22.6	11.3	13.7	22.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.062	0.023	0.029	0.063	0.119	0.094
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.714	0.565	0.524	0.532	0.651	0.543
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.981	0.960	0.999	0.899	0.908	0.883
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.490	0.359	0.310	0.339	0.527	0.436
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.33	1.64	1.37	0.975	1.30
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.214	0.127	0.089	0.083	0.211	0.181
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.181	0.125	0.167	0.266	0.205
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.357	0.262	0.218	0.259	0.358	0.276
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.455	0.374	0.306	0.355	0.440	0.358
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.584	0.468	0.422	0.455	0.541	0.453
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.714	0.565	0.524	0.532	0.651	0.543
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.844	0.700	0.684	0.619	0.789	0.677
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	0.893	0.888	0.733	0.982	0.866
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.18	1.26	1.03	1.19	1.11
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.76	1.87	2.11	1.72	1.70	1.76

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		January					
	units						
Station Number	number	02054510	02054530	02055000	02055100	02056000	02056650
Count	number	155	496	3,332	1,581	2,511	1,023
Max	ft <sup>3</sup> /s	7,790	8,320	9,550	451	14,200	1,560
Min	ft <sup>3</sup> /s	45.0	36.0	30.0	1.30	52.0	6.40
Median	ft <sup>3</sup> /s	234	215	302	10.0	419	45.0
Arithmetic Mean	ft <sup>3</sup> /s	468	358	466	14.2	621	66.7
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	174	150	221	7.47	338	33.4
Standard Deviation	ft <sup>3</sup> /s	889	678	614	18.8	827	99.2
5th percentile	ft <sup>3</sup> /s	62.6	53.0	73.0	2.20	128	13.0
10th percentile	ft <sup>3</sup> /s	79.6	67.5	97.0	3.80	164	17.0
20th percentile	ft <sup>3</sup> /s	115	98.0	158	5.80	242	23.0
30th percentile	ft <sup>3</sup> /s	135	123	208	7.50	296	28.0
40th percentile	ft <sup>3</sup> /s	191	174	250	8.90	355	38.0
50th percentile	ft <sup>3</sup> /s	234	215	302	10.0	419	45.0
60th percentile	ft <sup>3</sup> /s	261	258	375	12.0	499	54.0
70th percentile	ft <sup>3</sup> /s	395	303	476	15.0	602	63.0
80th percentile	ft <sup>3</sup> /s	516	402	620	18.0	778	82.0
90th percentile	ft <sup>3</sup> /s	933	672	906	25.0	1,120	124
Drainage area	mi <sup>2</sup>	270	281	384	11.7	509	55.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	28.9	29.6	24.9	38.5	27.9	28.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.167	0.128	0.078	0.111	0.102	0.115
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.867	0.765	0.786	0.855	0.823	0.806
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	1.27	1.21	1.21	1.22	1.20
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.645	0.535	0.574	0.638	0.663	0.598
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.29	2.41	1.60	1.61	1.62	1.78
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.232	0.189	0.190	0.188	0.251	0.233
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	0.240	0.253	0.325	0.322	0.305
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.424	0.349	0.411	0.496	0.475	0.412
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.501	0.438	0.541	0.641	0.582	0.502
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.708	0.619	0.651	0.761	0.697	0.681
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.867	0.765	0.786	0.855	0.823	0.806
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.967	0.918	0.977	1.03	0.980	0.968
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.08	1.24	1.28	1.18	1.13
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.91	1.43	1.61	1.54	1.53	1.47
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.45	2.39	2.36	2.14	2.20	2.22

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		February					
	units	02054510	02054530	02055000	02055100	02056000	02056650
Station Number	number						
Count	number	141	452	3,066	1,440	2,288	932
Max	ft <sup>3</sup> /s	4,850	9,620	11,086	454	12,400	1,790
Min	ft <sup>3</sup> /s	77.0	48.0	27.0	1.10	63.0	8.40
Median	ft <sup>3</sup> /s	376	255	384	13.0	529	54.5
Arithmetic Mean	ft <sup>3</sup> /s	543	458	567	18.5	765	79.4
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	259	177	284	9.67	420	41.0
Standard Deviation	ft <sup>3</sup> /s	677	780	709	25.1	914	118
5th percentile	ft <sup>3</sup> /s	85.1	66.7	99.4	3.50	158	15.0
10th percentile	ft <sup>3</sup> /s	102	81.0	140	5.20	208	19.0
20th percentile	ft <sup>3</sup> /s	180	97.6	211	7.30	306	29.0
30th percentile	ft <sup>3</sup> /s	245	149	267	9.60	382	39.0
40th percentile	ft <sup>3</sup> /s	339	186	326	12.0	448	47.0
50th percentile	ft <sup>3</sup> /s	376	255	384	13.0	529	54.5
60th percentile	ft <sup>3</sup> /s	412	302	463	15.0	638	64.0
70th percentile	ft <sup>3</sup> /s	514	389	567	18.0	761	74.0
80th percentile	ft <sup>3</sup> /s	623	545	714	23.0	960	90.0
90th percentile	ft <sup>3</sup> /s	902	954	1,070	33.1	1,416	150
Drainage area	mi <sup>2</sup>	270	281	384	11.7	509	55.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	18.0	34.2	28.9	38.8	24.4	32.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.285	0.171	0.070	0.094	0.124	0.151
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	0.906	1.00	1.11	1.04	0.977
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.01	1.63	1.48	1.58	1.50	1.42
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.958	0.629	0.739	0.826	0.826	0.734
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.51	2.78	1.85	2.15	1.80	2.11
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.315	0.237	0.259	0.299	0.311	0.269
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.378	0.288	0.363	0.444	0.409	0.341
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.667	0.347	0.549	0.624	0.601	0.520
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.907	0.531	0.694	0.821	0.750	0.699
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	0.660	0.849	1.03	0.880	0.842
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	0.906	1.00	1.11	1.04	0.977
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	1.07	1.21	1.28	1.25	1.15
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.90	1.38	1.48	1.54	1.50	1.33
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.31	1.94	1.86	1.97	1.89	1.61
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.34	3.40	2.79	2.83	2.78	2.68

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

	units	March					
		02054510	02054530	02055000	02055100	02056000	02056650
Station Number	number						
Count	number	155	496	3,379	1,581	2,511	1,023
Max	ft <sup>3</sup> /s	6,740	7,800	9,200	402	12,800	1,330
Min	ft <sup>3</sup> /s	76.0	46.0	54.0	1.40	110	8.10
Median	ft <sup>3</sup> /s	316	311	462	15.0	612	67.0
Arithmetic Mean	ft <sup>3</sup> /s	454	503	673	21.7	887	103
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	270	209	367	11.9	519	53.3
Standard Deviation	ft <sup>3</sup> /s	641	774	784	27.1	1,022	130
5th percentile	ft <sup>3</sup> /s	116	80.0	145	4.40	223	23.0
10th percentile	ft <sup>3</sup> /s	147	86.0	187	6.20	268	28.0
20th percentile	ft <sup>3</sup> /s	194	113	259	9.30	363	35.0
30th percentile	ft <sup>3</sup> /s	232	201	325	11.0	451	46.0
40th percentile	ft <sup>3</sup> /s	277	261	389	13.0	536	56.0
50th percentile	ft <sup>3</sup> /s	316	311	462	15.0	612	67.0
60th percentile	ft <sup>3</sup> /s	363	367	550	18.0	713	81.2
70th percentile	ft <sup>3</sup> /s	418	433	654	22.0	874	99.0
80th percentile	ft <sup>3</sup> /s	505	562	825	28.0	1,090	129
90th percentile	ft <sup>3</sup> /s	766	973	1,270	38.0	1,650	190
Drainage area	mi <sup>2</sup>	270	281	384	11.7	509	55.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	25.0	27.8	24.0	34.4	25.1	23.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.281	0.164	0.141	0.120	0.216	0.145
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.10	1.20	1.28	1.20	1.20
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	1.79	1.75	1.86	1.74	1.84
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.00	0.742	0.957	1.02	1.02	0.956
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.37	2.76	2.04	2.32	2.01	2.33
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.431	0.285	0.378	0.376	0.437	0.412
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.544	0.306	0.486	0.530	0.527	0.502
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.720	0.402	0.673	0.795	0.713	0.627
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.859	0.715	0.846	0.940	0.886	0.824
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.929	1.01	1.11	1.05	1.00
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.10	1.20	1.28	1.20	1.20
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	1.31	1.43	1.54	1.40	1.46
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.55	1.54	1.70	1.88	1.72	1.77
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.87	2.00	2.15	2.39	2.14	2.30
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.84	3.46	3.31	3.25	3.24	3.40

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02054510</b>	<b>02054530</b>	<b>02055000</b>	<b>02055100</b>	<b>02056000</b>	<b>02056650</b>
Count	number	167	480	3,270	1,527	2,428	990
Max	ft <sup>3</sup> /s	3,140	8,380	13,800	641	18,500	2,580
Min	ft <sup>3</sup> /s	83.0	76.0	74.0	1.80	104	14.0
Median	ft <sup>3</sup> /s	214	251	375	12.0	528	61.0
Arithmetic Mean	ft <sup>3</sup> /s	295	410	579	19.4	818	106
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	191	214	333	10.00	481	50.6
Standard Deviation	ft <sup>3</sup> /s	320	671	818	30.8	1,174	199
5th percentile	ft <sup>3</sup> /s	92.8	98.0	155	4.30	237	22.0
10th percentile	ft <sup>3</sup> /s	105	107	182	5.20	274	27.0
20th percentile	ft <sup>3</sup> /s	127	128	232	6.80	333	32.0
30th percentile	ft <sup>3</sup> /s	158	170	274	8.58	389	38.0
40th percentile	ft <sup>3</sup> /s	181	214	317	10.0	450	50.0
50th percentile	ft <sup>3</sup> /s	214	251	375	12.0	528	61.0
60th percentile	ft <sup>3</sup> /s	249	307	445	16.0	628	75.0
70th percentile	ft <sup>3</sup> /s	288	402	550	20.0	765	94.3
80th percentile	ft <sup>3</sup> /s	390	508	703	25.0	979	121
90th percentile	ft <sup>3</sup> /s	513	703	1,040	35.0	1,440	171
Drainage area	mi <sup>2</sup>	270	281	384	11.7	509	55.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	11.6	29.8	35.9	54.8	36.3	46.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.307	0.270	0.193	0.154	0.204	0.251
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.793	0.893	0.977	1.03	1.04	1.09
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.46	1.51	1.66	1.61	1.89
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.708	0.762	0.868	0.855	0.945	0.907
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	2.39	2.13	2.63	2.31	3.57
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.344	0.349	0.402	0.368	0.467	0.394
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.389	0.381	0.474	0.444	0.538	0.484
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.471	0.457	0.604	0.581	0.655	0.573
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.585	0.604	0.714	0.733	0.764	0.681
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.670	0.762	0.826	0.855	0.884	0.896
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.793	0.893	0.977	1.03	1.04	1.09
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.921	1.09	1.16	1.37	1.23	1.34
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	1.43	1.43	1.71	1.50	1.69
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	1.81	1.83	2.14	1.92	2.17
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.90	2.50	2.71	2.99	2.83	3.07



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	02054510	02054530	02055000	02055100	02056000	02056650
Count	number	186	494	3,379	1,612	2,511	1,023
Max	ft <sup>3</sup> /s	907	3,190	13,597	440	12,800	1,080
Min	ft <sup>3</sup> /s	70.0	70.0	60.0	1.40	80.0	10.0
Median	ft <sup>3</sup> /s	185	186	278	8.30	402	48.0
Arithmetic Mean	ft <sup>3</sup> /s	241	286	417	12.8	562	63.7
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	171	176	246	7.06	366	38.3
Standard Deviation	ft <sup>3</sup> /s	169	316	576	19.9	645	70.0
5th percentile	ft <sup>3</sup> /s	90.4	91.0	116	3.30	187	16.0
10th percentile	ft <sup>3</sup> /s	100	100	138	4.00	212	20.0
20th percentile	ft <sup>3</sup> /s	115	116	173	4.80	258	25.0
30th percentile	ft <sup>3</sup> /s	133	132	206	5.80	300	33.0
40th percentile	ft <sup>3</sup> /s	154	156	237	6.90	352	41.0
50th percentile	ft <sup>3</sup> /s	185	186	278	8.30	402	48.0
60th percentile	ft <sup>3</sup> /s	219	229	324	10.0	466	56.0
70th percentile	ft <sup>3</sup> /s	269	283	385	12.0	541	67.0
80th percentile	ft <sup>3</sup> /s	340	366	480	16.0	658	82.0
90th percentile	ft <sup>3</sup> /s	458	549	728	24.0	976	113
Drainage area	mi <sup>2</sup>	270	281	384	11.7	509	55.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.36	11.4	35.4	37.6	25.1	19.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.259	0.249	0.156	0.120	0.157	0.179
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.685	0.660	0.724	0.709	0.790	0.860
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.894	1.02	1.08	1.09	1.10	1.14
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.633	0.625	0.642	0.603	0.719	0.687
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.626	1.13	1.50	1.70	1.27	1.25
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.335	0.324	0.302	0.282	0.368	0.287
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.370	0.357	0.359	0.342	0.417	0.358
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.426	0.413	0.449	0.410	0.507	0.448
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.491	0.469	0.536	0.496	0.589	0.591
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.570	0.555	0.617	0.590	0.692	0.735
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.685	0.660	0.724	0.709	0.790	0.860
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.811	0.814	0.844	0.855	0.916	1.00
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.994	1.01	1.00	1.03	1.06	1.20
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.30	1.25	1.37	1.29	1.47
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.69	1.96	1.90	2.05	1.92	2.03

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	02054510	02054530	02055000	02055100	02056000	02056650
Count	number	180	480	3,270	1,560	2,430	990
Max	ft <sup>3</sup> /s	2,380	8,580	15,900	696	18,000	1,490
Min	ft <sup>3</sup> /s	49.0	36.0	43.0	0.620	76.0	2.20
Median	ft <sup>3</sup> /s	149	145	186	6.00	282	33.0
Arithmetic Mean	ft <sup>3</sup> /s	233	294	311	9.64	438	56.3
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	127	122	168	4.67	270	21.9
Standard Deviation	ft <sup>3</sup> /s	284	579	544	23.2	734	107
5th percentile	ft <sup>3</sup> /s	51.1	51.0	77.0	1.80	141	6.70
10th percentile	ft <sup>3</sup> /s	54.0	57.9	90.9	2.60	160	9.98
20th percentile	ft <sup>3</sup> /s	99.0	77.8	116	3.40	197	17.0
30th percentile	ft <sup>3</sup> /s	114	99.0	137	4.20	223	22.7
40th percentile	ft <sup>3</sup> /s	132	119	160	5.00	250	27.6
50th percentile	ft <sup>3</sup> /s	149	145	186	6.00	282	33.0
60th percentile	ft <sup>3</sup> /s	174	176	220	7.00	320	39.0
70th percentile	ft <sup>3</sup> /s	222	228	269	8.30	380	47.0
80th percentile	ft <sup>3</sup> /s	285	314	360	10.0	481	60.0
90th percentile	ft <sup>3</sup> /s	472	569	568	15.0	698	96.0
Drainage area	mi <sup>2</sup>	270	281	384	11.7	509	55.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.81	30.5	41.4	59.5	35.4	26.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.128	0.112	0.053	0.149	0.039
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.550	0.516	0.484	0.513	0.554	0.591
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.863	1.05	0.809	0.824	0.860	1.01
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.471	0.435	0.438	0.399	0.530	0.392
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	2.06	1.42	1.98	1.44	1.91
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.189	0.181	0.201	0.154	0.276	0.120
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.200	0.206	0.237	0.222	0.314	0.179
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.367	0.277	0.302	0.291	0.387	0.305
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.424	0.352	0.357	0.359	0.438	0.407
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.490	0.423	0.417	0.427	0.491	0.495
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.550	0.516	0.484	0.513	0.554	0.591
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.646	0.628	0.573	0.598	0.629	0.699
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.821	0.811	0.701	0.709	0.747	0.842
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.12	0.938	0.855	0.945	1.08
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.75	2.02	1.48	1.28	1.37	1.72

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	02054510	02054530	02055000	02055100	02056000	02056650
Count	number	186	496	3,379	1,610	2,511	1,054
Max	ft <sup>3</sup> /s	525	4,000	8,170	215	6,780	771
Min	ft <sup>3</sup> /s	36.0	31.0	29.0	0.580	42.0	1.80
Median	ft <sup>3</sup> /s	93.0	103	136	4.30	220	20.0
Arithmetic Mean	ft <sup>3</sup> /s	118	152	220	6.97	300	31.2
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	89.4	93.2	123	3.46	208	13.5
Standard Deviation	ft <sup>3</sup> /s	75.1	242	350	12.2	342	53.3
5th percentile	ft <sup>3</sup> /s	41.1	40.0	55.0	1.20	111	4.60
10th percentile	ft <sup>3</sup> /s	48.0	54.0	67.0	2.00	129	5.93
20th percentile	ft <sup>3</sup> /s	71.0	69.0	86.0	2.60	151	9.80
30th percentile	ft <sup>3</sup> /s	79.0	81.0	102	3.20	175	13.0
40th percentile	ft <sup>3</sup> /s	84.0	91.0	119	3.80	200	16.0
50th percentile	ft <sup>3</sup> /s	93.0	103	136	4.30	220	20.0
60th percentile	ft <sup>3</sup> /s	109	118	160	4.90	248	23.0
70th percentile	ft <sup>3</sup> /s	126	138	197	6.00	280	28.0
80th percentile	ft <sup>3</sup> /s	149	169	253	7.82	340	36.0
90th percentile	ft <sup>3</sup> /s	207	255	400	13.0	505	56.0
Drainage area	mi <sup>2</sup>	270	281	384	11.7	509	55.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	1.94	14.2	21.3	18.4	13.3	13.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.133	0.110	0.076	0.050	0.083	0.032
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.344	0.365	0.354	0.368	0.432	0.358
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.438	0.540	0.572	0.596	0.589	0.559
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.331	0.332	0.319	0.296	0.408	0.242
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.278	0.863	0.910	1.04	0.672	0.955
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.152	0.142	0.143	0.103	0.218	0.082
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.178	0.192	0.174	0.171	0.253	0.106
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.263	0.246	0.224	0.222	0.297	0.176
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.293	0.288	0.266	0.274	0.344	0.233
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.311	0.324	0.310	0.325	0.393	0.287
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.344	0.365	0.354	0.368	0.432	0.358
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.404	0.420	0.417	0.419	0.487	0.412
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.467	0.491	0.512	0.513	0.550	0.502
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.552	0.601	0.659	0.668	0.668	0.645
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.765	0.906	1.04	1.11	0.992	1.00

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02054510</b>	<b>02054530</b>	<b>02055000</b>	<b>02055100</b>	<b>02056000</b>	<b>02056650</b>
Count	number	186	496	3,379	1,612	2,511	1,054
Max	ft <sup>3</sup> /s	2,650	2,720	18,200	200	18,200	2,050
Min	ft <sup>3</sup> /s	27.0	17.0	18.0	0.410	10.0	0.320
Median	ft <sup>3</sup> /s	74.0	76.0	114	3.80	198	14.0
Arithmetic Mean	ft <sup>3</sup> /s	139	112	219	6.40	333	26.6
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	73.2	65.7	102	2.94	188	8.75
Standard Deviation	ft <sup>3</sup> /s	286	194	623	13.7	808	79.8
5th percentile	ft <sup>3</sup> /s	33.4	28.0	45.0	1.10	98.0	2.58
10th percentile	ft <sup>3</sup> /s	45.5	34.0	56.0	1.80	114	5.19
20th percentile	ft <sup>3</sup> /s	54.0	53.0	72.0	2.30	137	8.00
30th percentile	ft <sup>3</sup> /s	61.0	61.0	85.0	2.70	158	10.0
40th percentile	ft <sup>3</sup> /s	67.0	68.0	98.0	3.20	176	12.0
50th percentile	ft <sup>3</sup> /s	74.0	76.0	114	3.80	198	14.0
60th percentile	ft <sup>3</sup> /s	87.0	86.0	135	4.50	223	17.0
70th percentile	ft <sup>3</sup> /s	110	96.5	166	5.50	260	20.0
80th percentile	ft <sup>3</sup> /s	141	120	214	6.60	324	26.0
90th percentile	ft <sup>3</sup> /s	185	173	371	10.0	499	45.0
Drainage area	mi <sup>2</sup>	270	281	384	11.7	509	55.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	9.81	9.68	47.4	17.1	35.8	36.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.100	0.060	0.047	0.035	0.020	0.006
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.274	0.270	0.297	0.325	0.389	0.251
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.513	0.400	0.569	0.547	0.654	0.476
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.271	0.234	0.265	0.251	0.369	0.157
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	0.691	1.62	1.17	1.59	1.43
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.124	0.100	0.117	0.094	0.193	0.046
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.169	0.121	0.146	0.154	0.224	0.093
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.200	0.189	0.188	0.197	0.269	0.143
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.226	0.217	0.221	0.231	0.310	0.179
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.248	0.242	0.255	0.274	0.346	0.215
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.274	0.270	0.297	0.325	0.389	0.251
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.322	0.306	0.352	0.385	0.438	0.305
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.407	0.343	0.432	0.470	0.511	0.358
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.522	0.427	0.557	0.564	0.637	0.466
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.685	0.614	0.965	0.855	0.980	0.806

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02054510</b>	<b>02054530</b>	<b>02055000</b>	<b>02055100</b>	<b>02056000</b>	<b>02056650</b>
Count	number	180	480	3,270	1,557	2,430	1,020
Max	ft <sup>3</sup> /s	6,680	10,500	12,900	577	16,800	3,950
Min	ft <sup>3</sup> /s	32.0	15.0	16.0	0.570	12.0	0.930
Median	ft <sup>3</sup> /s	64.5	70.0	98.0	3.80	179	13.0
Arithmetic Mean	ft <sup>3</sup> /s	181	174	208	7.49	331	44.9
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	68.1	65.5	93.2	3.03	169	10.2
Standard Deviation	ft <sup>3</sup> /s	569	650	563	23.4	818	205
5th percentile	ft <sup>3</sup> /s	43.0	34.0	45.0	1.20	90.0	3.80
10th percentile	ft <sup>3</sup> /s	44.0	39.0	53.0	1.60	104	5.10
20th percentile	ft <sup>3</sup> /s	47.0	46.0	64.0	2.10	125	7.00
30th percentile	ft <sup>3</sup> /s	50.0	53.7	76.0	2.60	142	9.10
40th percentile	ft <sup>3</sup> /s	56.0	62.0	86.0	3.40	159	11.0
50th percentile	ft <sup>3</sup> /s	64.5	70.0	98.0	3.80	179	13.0
60th percentile	ft <sup>3</sup> /s	69.4	80.0	115	4.50	200	15.0
70th percentile	ft <sup>3</sup> /s	86.0	93.0	141	5.30	232	21.0
80th percentile	ft <sup>3</sup> /s	131	127	200	6.70	301	34.0
90th percentile	ft <sup>3</sup> /s	308	247	340	13.0	522	64.4
Drainage area	mi <sup>2</sup>	270	281	384	11.7	509	55.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	24.7	37.4	33.6	49.3	33.0	70.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.119	0.053	0.042	0.049	0.024	0.017
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.239	0.249	0.255	0.325	0.352	0.233
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.670	0.621	0.540	0.640	0.649	0.804
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.252	0.233	0.243	0.259	0.332	0.183
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.11	2.31	1.47	2.00	1.61	3.67
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.159	0.121	0.117	0.103	0.177	0.068
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.163	0.139	0.138	0.137	0.204	0.091
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.174	0.164	0.167	0.179	0.246	0.125
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.185	0.191	0.198	0.222	0.279	0.163
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.207	0.221	0.224	0.291	0.312	0.197
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.239	0.249	0.255	0.325	0.352	0.233
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.257	0.285	0.299	0.385	0.393	0.269
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.319	0.331	0.368	0.453	0.456	0.376
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.487	0.453	0.521	0.573	0.591	0.609
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	0.879	0.886	1.11	1.03	1.15

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02054510</b>	<b>02054530</b>	<b>02055000</b>	<b>02055100</b>	<b>02056000</b>	<b>02056650</b>
Count	number	155	496	3,348	1,607	2,542	1,051
Max	ft <sup>3</sup> /s	325	805	10,200	224	14,900	1,530
Min	ft <sup>3</sup> /s	44.0	30.0	30.0	0.800	8.00	2.20
Median	ft <sup>3</sup> /s	72.0	72.0	108	4.90	181	16.0
Arithmetic Mean	ft <sup>3</sup> /s	90.2	100	226	8.15	344	33.8
Geometric Mean	ft <sup>3</sup> /s	79.3	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	71.8	70.3	103	3.98	180	12.5
Standard Deviation	ft <sup>3</sup> /s	53.9	84.5	506	14.4	727	71.5
5th percentile	ft <sup>3</sup> /s	46.8	36.0	50.0	1.70	99.0	4.20
10th percentile	ft <sup>3</sup> /s	49.0	41.0	56.0	2.10	110	5.60
20th percentile	ft <sup>3</sup> /s	50.0	51.0	70.0	2.70	130	9.30
30th percentile	ft <sup>3</sup> /s	54.0	58.5	82.0	3.30	146	11.0
40th percentile	ft <sup>3</sup> /s	65.0	66.0	92.0	4.10	160	13.0
50th percentile	ft <sup>3</sup> /s	72.0	72.0	108	4.90	181	16.0
60th percentile	ft <sup>3</sup> /s	80.0	80.0	130	5.70	210	21.0
70th percentile	ft <sup>3</sup> /s	93.0	99.0	162	6.80	258	28.0
80th percentile	ft <sup>3</sup> /s	128	136	230	9.50	351	42.0
90th percentile	ft <sup>3</sup> /s	158	192	400	15.0	557	66.0
Drainage area	mi <sup>2</sup>	270	281	384	11.7	509	55.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	2.86	26.6	19.1	29.3	27.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.163	0.107	0.078	0.068	0.016	0.039
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.267	0.256	0.281	0.419	0.356	0.287
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.334	0.357	0.589	0.697	0.675	0.605
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.294	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.266	0.250	0.268	0.340	0.354	0.223
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.199	0.301	1.32	1.23	1.43	1.28
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.173	0.128	0.130	0.145	0.194	0.075
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.146	0.146	0.179	0.216	0.100
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.185	0.181	0.182	0.231	0.255	0.167
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.200	0.208	0.214	0.282	0.287	0.197
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.241	0.235	0.240	0.350	0.314	0.233
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.267	0.256	0.281	0.419	0.356	0.287
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.296	0.285	0.339	0.487	0.413	0.376
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.344	0.352	0.422	0.581	0.507	0.502
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.474	0.484	0.598	0.812	0.689	0.753
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.585	0.681	1.04	1.28	1.09	1.18

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02054510</b>	<b>02054530</b>	<b>02055000</b>	<b>02055100</b>	<b>02056000</b>	<b>02056650</b>
Count	number	150	474	3,235	1,552	2,455	1,015
Max	ft <sup>3</sup> /s	1,430	2,460	15,000	2,560	19,700	4,000
Min	ft <sup>3</sup> /s	49.0	44.0	38.0	0.940	40.0	4.20
Median	ft <sup>3</sup> /s	80.0	81.0	134	5.70	213	24.0
Arithmetic Mean	ft <sup>3</sup> /s	135	176	249	10.8	374	49.4
Geometric Mean	ft <sup>3</sup> /s	98.2	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	84.0	88.7	125	4.45	212	19.2
Standard Deviation	ft <sup>3</sup> /s	176	253	530	66.1	694	146
5th percentile	ft <sup>3</sup> /s	51.6	47.8	60.0	1.67	109	6.66
10th percentile	ft <sup>3</sup> /s	52.9	53.0	69.0	2.10	126	9.10
20th percentile	ft <sup>3</sup> /s	61.2	58.0	84.0	3.00	148	13.0
30th percentile	ft <sup>3</sup> /s	69.0	68.0	97.0	3.80	164	16.0
40th percentile	ft <sup>3</sup> /s	72.6	73.0	113	4.70	184	20.0
50th percentile	ft <sup>3</sup> /s	80.0	81.0	134	5.70	213	24.0
60th percentile	ft <sup>3</sup> /s	91.0	97.0	164	7.00	256	31.4
70th percentile	ft <sup>3</sup> /s	109	137	207	9.00	324	42.0
80th percentile	ft <sup>3</sup> /s	126	226	301	12.0	454	58.0
90th percentile	ft <sup>3</sup> /s	261	376	464	18.0	684	86.0
Drainage area	mi <sup>2</sup>	270	281	384	11.7	509	55.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	5.30	8.75	39.1	219	38.7	71.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.157	0.099	0.080	0.079	0.075
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.296	0.288	0.349	0.487	0.418	0.430
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.500	0.628	0.649	0.926	0.735	0.886
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.364	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.311	0.316	0.326	0.380	0.417	0.344
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.653	0.900	1.38	5.65	1.36	2.62
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.191	0.170	0.156	0.142	0.214	0.119
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.196	0.189	0.180	0.179	0.248	0.163
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.227	0.206	0.219	0.256	0.291	0.233
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.256	0.242	0.253	0.325	0.322	0.287
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.269	0.260	0.294	0.402	0.361	0.358
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.296	0.288	0.349	0.487	0.418	0.430
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.337	0.345	0.427	0.598	0.503	0.563
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.405	0.486	0.539	0.769	0.637	0.753
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.467	0.804	0.784	1.03	0.892	1.04
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.967	1.34	1.21	1.54	1.34	1.54

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02054510</b>	<b>02054530</b>	<b>02055000</b>	<b>02055100</b>	<b>02056000</b>	<b>02056650</b>
Count	number	155	485	3,317	1,581	2,511	1,023
Max	ft <sup>3</sup> /s	5,680	5,850	13,570	216	17,700	605
Min	ft <sup>3</sup> /s	43.0	44.0	35.0	0.870	22.0	3.70
Median	ft <sup>3</sup> /s	94.0	127	206	7.70	318	38.0
Arithmetic Mean	ft <sup>3</sup> /s	216	229	345	10.9	472	50.0
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	92.7	113	161	5.66	265	26.3
Standard Deviation	ft <sup>3</sup> /s	523	430	591	12.2	686	53.8
5th percentile	ft <sup>3</sup> /s	47.0	52.0	67.0	1.90	120	9.40
10th percentile	ft <sup>3</sup> /s	50.0	57.0	79.0	2.80	138	14.0
20th percentile	ft <sup>3</sup> /s	60.8	70.0	102	4.00	174	18.0
30th percentile	ft <sup>3</sup> /s	71.2	84.2	132	5.20	218	22.0
40th percentile	ft <sup>3</sup> /s	84.0	103	169	6.50	263	29.0
50th percentile	ft <sup>3</sup> /s	94.0	127	206	7.70	318	38.0
60th percentile	ft <sup>3</sup> /s	110	154	258	9.50	379	45.0
70th percentile	ft <sup>3</sup> /s	142	231	319	12.0	448	55.0
80th percentile	ft <sup>3</sup> /s	265	288	417	15.0	560	67.0
90th percentile	ft <sup>3</sup> /s	416	465	661	22.0	875	94.0
Drainage area	mi <sup>2</sup>	270	281	384	11.7	509	55.8
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.0	20.8	35.3	18.5	34.8	10.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.159	0.157	0.091	0.074	0.043	0.066
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.348	0.452	0.536	0.658	0.625	0.681
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.799	0.814	0.899	0.933	0.928	0.895
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.343	0.402	0.420	0.484	0.521	0.472
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.94	1.53	1.54	1.05	1.35	0.965
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.174	0.185	0.174	0.162	0.235	0.168
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.185	0.203	0.206	0.239	0.271	0.251
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.225	0.249	0.266	0.342	0.342	0.323
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.264	0.300	0.344	0.444	0.428	0.394
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.311	0.367	0.440	0.556	0.517	0.520
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.348	0.452	0.536	0.658	0.625	0.681
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.409	0.548	0.671	0.812	0.745	0.806
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.524	0.822	0.831	1.03	0.880	0.986
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.982	1.02	1.09	1.28	1.10	1.20
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.54	1.65	1.72	1.88	1.72	1.68



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>02056900</b>	<b>02057000</b>	<b>02057500</b>	<b>02058000</b>	<b>02058400</b>	<b>02058500</b>
Count	number	961	1,178	1,178	279	1,361	1,023
Max	ft <sup>3</sup> /s	2,920	3,550	15,500	1,700	12,300	8,910
Min	ft <sup>3</sup> /s	21.0	50.0	120	26.0	85.0	120
Median	ft <sup>3</sup> /s	110	190	795	59.0	326	330
Arithmetic Mean	ft <sup>3</sup> /s	152	247	1,174	90.3	463	457
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	91.6	170	696	57.9	297	314
Standard Deviation	ft <sup>3</sup> /s	212	246	1,303	136	658	562
5th percentile	ft <sup>3</sup> /s	40.0	85.0	289	33.0	150	168
10th percentile	ft <sup>3</sup> /s	51.0	95.0	348	37.0	174	196
20th percentile	ft <sup>3</sup> /s	64.0	125	492	42.0	217	228
30th percentile	ft <sup>3</sup> /s	80.0	150	628	46.4	250	264
40th percentile	ft <sup>3</sup> /s	94.0	173	700	51.0	285	296
50th percentile	ft <sup>3</sup> /s	110	190	795	59.0	326	330
60th percentile	ft <sup>3</sup> /s	128	210	924	68.0	362	370
70th percentile	ft <sup>3</sup> /s	143	243	1,140	79.0	403	418
80th percentile	ft <sup>3</sup> /s	172	291	1,490	95.0	495	491
90th percentile	ft <sup>3</sup> /s	244	412	2,180	132	724	702
Drainage area	mi <sup>2</sup>	115	208	1017	59.6	351	382
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	25.4	17.1	15.2	28.5	35.0	23.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.183	0.240	0.118	0.436	0.242	0.314
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.957	0.913	0.781	0.990	0.929	0.864
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	1.19	1.15	1.51	1.32	1.20
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.796	0.819	0.684	0.971	0.847	0.823
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.85	1.18	1.28	2.28	1.88	1.47
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.348	0.408	0.284	0.554	0.428	0.440
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.443	0.457	0.342	0.621	0.496	0.513
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.557	0.601	0.484	0.705	0.618	0.597
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.696	0.721	0.618	0.779	0.712	0.691
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.817	0.831	0.688	0.856	0.812	0.774
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.957	0.913	0.781	0.990	0.929	0.864
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	1.01	0.909	1.14	1.03	0.969
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	1.17	1.12	1.33	1.15	1.09
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.50	1.40	1.47	1.59	1.41	1.29
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.12	1.98	2.14	2.22	2.06	1.84

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>02056900</b>	<b>02057000</b>	<b>02057500</b>	<b>02058000</b>	<b>02058400</b>	<b>02058500</b>
Count	number	875	1,073	1,073	254	1,243	932
Max	ft <sup>3</sup> /s	2,390	3,280	12,500	969	8,710	5,100
Min	ft <sup>3</sup> /s	31.0	50.0	160	38.0	114	126
Median	ft <sup>3</sup> /s	122	222	1,070	63.0	345	372
Arithmetic Mean	ft <sup>3</sup> /s	162	275	1,388	87.7	486	499
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	105	191	844	64.7	332	350
Standard Deviation	ft <sup>3</sup> /s	188	232	1,270	94.5	569	474
5th percentile	ft <sup>3</sup> /s	47.0	83.7	319	42.0	180	164
10th percentile	ft <sup>3</sup> /s	58.0	111	427	43.0	208	210
20th percentile	ft <sup>3</sup> /s	76.0	139	607	48.0	249	261
30th percentile	ft <sup>3</sup> /s	93.0	167	743	55.0	285	302
40th percentile	ft <sup>3</sup> /s	108	196	905	60.0	312	335
50th percentile	ft <sup>3</sup> /s	122	222	1,070	63.0	345	372
60th percentile	ft <sup>3</sup> /s	135	248	1,240	69.8	389	423
70th percentile	ft <sup>3</sup> /s	156	288	1,470	76.1	442	482
80th percentile	ft <sup>3</sup> /s	191	350	1,820	92.4	526	583
90th percentile	ft <sup>3</sup> /s	264	466	2,500	149	766	834
Drainage area	mi <sup>2</sup>	115	208	1017	59.6	351	382
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	20.8	15.8	12.3	16.3	24.8	13.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.270	0.240	0.157	0.638	0.325	0.330
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.07	1.05	1.06	0.983	0.974
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	1.32	1.36	1.47	1.39	1.31
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.910	0.917	0.830	1.09	0.946	0.915
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.63	1.12	1.25	1.58	1.62	1.24
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.409	0.402	0.313	0.705	0.513	0.428
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.504	0.535	0.420	0.721	0.593	0.551
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.661	0.667	0.597	0.805	0.709	0.684
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.809	0.803	0.731	0.923	0.812	0.791
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.939	0.942	0.890	1.01	0.889	0.877
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.07	1.05	1.06	0.983	0.974
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.19	1.22	1.17	1.11	1.11
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.36	1.38	1.45	1.28	1.26	1.26
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	1.68	1.79	1.55	1.50	1.53
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.30	2.24	2.46	2.50	2.18	2.18

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02056900</b>	<b>02057000</b>	<b>02057500</b>	<b>02058000</b>	<b>02058400</b>	<b>02058500</b>
Count	number	961	1,178	1,147	279	1,364	1,023
Max	ft <sup>3</sup> /s	3,580	4,630	16,200	724	11,600	5,820
Min	ft <sup>3</sup> /s	30.0	74.0	310	31.0	109	156
Median	ft <sup>3</sup> /s	152	245	1,170	60.0	365	414
Arithmetic Mean	ft <sup>3</sup> /s	210	308	1,532	78.0	574	558
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	127	223	1,052	60.6	357	409
Standard Deviation	ft <sup>3</sup> /s	257	279	1,296	75.4	822	498
5th percentile	ft <sup>3</sup> /s	55.0	117	516	38.0	196	231
10th percentile	ft <sup>3</sup> /s	67.0	132	609	41.0	224	257
20th percentile	ft <sup>3</sup> /s	87.0	158	738	48.0	257	316
30th percentile	ft <sup>3</sup> /s	110	192	900	52.0	292	349
40th percentile	ft <sup>3</sup> /s	129	219	1,020	56.0	329	385
50th percentile	ft <sup>3</sup> /s	152	245	1,170	60.0	365	414
60th percentile	ft <sup>3</sup> /s	174	274	1,326	65.0	412	451
70th percentile	ft <sup>3</sup> /s	200	311	1,570	72.0	472	520
80th percentile	ft <sup>3</sup> /s	240	384	2,000	84.0	594	627
90th percentile	ft <sup>3</sup> /s	380	507	2,800	113	917	953
Drainage area	mi <sup>2</sup>	115	208	1017	59.6	351	382
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	31.1	22.3	15.9	12.1	33.0	15.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.261	0.356	0.305	0.520	0.311	0.408
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	1.18	1.15	1.01	1.04	1.08
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.83	1.48	1.51	1.31	1.64	1.46
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.07	1.03	1.02	1.02	1.07
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.24	1.34	1.27	1.26	2.34	1.30
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.478	0.563	0.507	0.638	0.559	0.605
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.583	0.635	0.598	0.688	0.639	0.673
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.757	0.762	0.726	0.805	0.732	0.827
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.957	0.923	0.885	0.872	0.832	0.914
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	1.05	1.00	0.940	0.938	1.01
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	1.18	1.15	1.01	1.04	1.08
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.51	1.32	1.30	1.09	1.17	1.18
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.74	1.49	1.54	1.21	1.35	1.36
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.09	1.85	1.97	1.41	1.69	1.64
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.30	2.44	2.75	1.89	2.61	2.49

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02056900</b>	<b>02057000</b>	<b>02057500</b>	<b>02058000</b>	<b>02058400</b>	<b>02058500</b>
Count	number	930	1,140	1,110	270	1,320	990
Max	ft <sup>3</sup> /s	4,990	2,360	10,200	866	19,200	5,760
Min	ft <sup>3</sup> /s	39.0	87.0	272	28.0	124	192
Median	ft <sup>3</sup> /s	138	227	1,090	57.0	355	399
Arithmetic Mean	ft <sup>3</sup> /s	221	293	1,472	74.9	527	526
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	119	223	1,019	55.8	329	396
Standard Deviation	ft <sup>3</sup> /s	403	223	1,218	81.6	997	473
5th percentile	ft <sup>3</sup> /s	59.0	128	550	32.0	190	230
10th percentile	ft <sup>3</sup> /s	65.0	143	645	34.9	206	261
20th percentile	ft <sup>3</sup> /s	75.0	169	741	45.0	226	304
30th percentile	ft <sup>3</sup> /s	90.0	188	841	49.0	254	330
40th percentile	ft <sup>3</sup> /s	114	204	954	53.6	303	359
50th percentile	ft <sup>3</sup> /s	138	227	1,090	57.0	355	399
60th percentile	ft <sup>3</sup> /s	164	254	1,250	62.0	406	432
70th percentile	ft <sup>3</sup> /s	196	298	1,450	68.0	459	485
80th percentile	ft <sup>3</sup> /s	234	359	1,852	80.0	542	591
90th percentile	ft <sup>3</sup> /s	345	495	2,800	107	739	874
Drainage area	mi <sup>2</sup>	115	208	1017	59.6	351	382
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	43.4	11.3	10.0	14.5	54.7	15.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.339	0.418	0.267	0.470	0.353	0.503
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.09	1.07	0.956	1.01	1.04
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.92	1.41	1.45	1.26	1.50	1.38
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	1.07	1.00	0.936	0.939	1.04
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.51	1.07	1.20	1.37	2.84	1.24
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.513	0.615	0.541	0.537	0.541	0.602
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.565	0.688	0.634	0.586	0.587	0.683
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.652	0.813	0.729	0.755	0.644	0.796
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.783	0.902	0.827	0.822	0.724	0.864
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.988	0.981	0.938	0.899	0.863	0.940
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.09	1.07	0.956	1.01	1.04
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	1.22	1.23	1.04	1.16	1.13
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	1.43	1.43	1.14	1.31	1.27
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.04	1.73	1.82	1.34	1.54	1.55
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.00	2.38	2.75	1.80	2.10	2.29

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>02056900</b>	<b>02057000</b>	<b>02057500</b>	<b>02058000</b>	<b>02058400</b>	<b>02058500</b>
Count	number	961	1,209	1,147	279	1,364	992
Max	ft <sup>3</sup> /s	798	4,400	21,600	1,100	6,000	5,840
Min	ft <sup>3</sup> /s	26.0	56.0	227	18.0	117	139
Median	ft <sup>3</sup> /s	114	184	788	45.0	322	312
Arithmetic Mean	ft <sup>3</sup> /s	132	240	1,038	59.3	394	409
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	93.8	179	730	41.6	284	312
Standard Deviation	ft <sup>3</sup> /s	89.8	283	1,204	94.7	414	400
5th percentile	ft <sup>3</sup> /s	42.0	103	384	24.0	151	189
10th percentile	ft <sup>3</sup> /s	50.0	118	454	27.0	168	208
20th percentile	ft <sup>3</sup> /s	64.0	136	541	30.6	195	235
30th percentile	ft <sup>3</sup> /s	81.0	152	614	36.0	232	263
40th percentile	ft <sup>3</sup> /s	98.0	168	698	40.0	278	288
50th percentile	ft <sup>3</sup> /s	114	184	788	45.0	322	312
60th percentile	ft <sup>3</sup> /s	128	205	890	50.0	358	349
70th percentile	ft <sup>3</sup> /s	147	234	1,010	56.0	399	392
80th percentile	ft <sup>3</sup> /s	173	272	1,180	62.0	461	459
90th percentile	ft <sup>3</sup> /s	225	351	1,650	73.2	598	615
Drainage area	mi <sup>2</sup>	115	208	1017	59.6	351	382
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.94	21.2	21.2	18.5	17.1	15.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.226	0.269	0.223	0.302	0.333	0.364
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.991	0.885	0.775	0.755	0.917	0.817
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	1.16	1.02	0.994	1.12	1.07
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.816	0.859	0.718	0.698	0.808	0.817
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.781	1.36	1.18	1.59	1.18	1.05
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.365	0.495	0.378	0.403	0.431	0.494
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.435	0.567	0.446	0.453	0.479	0.545
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.557	0.654	0.532	0.513	0.554	0.615
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.704	0.731	0.604	0.604	0.661	0.688
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.852	0.808	0.687	0.671	0.793	0.755
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.991	0.885	0.775	0.755	0.917	0.817
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	0.986	0.875	0.839	1.02	0.914
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.13	0.993	0.940	1.14	1.03
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.50	1.31	1.16	1.04	1.31	1.20
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.96	1.69	1.62	1.23	1.70	1.61

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>02056900</b>	<b>02057000</b>	<b>02057500</b>	<b>02058000</b>	<b>02058400</b>	<b>02058500</b>
Count	number	930	1,170	1,110	270	1,347	960
Max	ft <sup>3</sup> /s	2,910	4,090	14,900	600	17,000	3,930
Min	ft <sup>3</sup> /s	7.60	41.0	148	14.0	50.0	87.0
Median	ft <sup>3</sup> /s	85.0	152	586	46.0	255	264
Arithmetic Mean	ft <sup>3</sup> /s	127	200	799	58.3	335	344
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	62.2	141	544	39.8	210	254
Standard Deviation	ft <sup>3</sup> /s	221	222	902	51.8	695	330
5th percentile	ft <sup>3</sup> /s	23.6	72.0	288	18.0	100	141
10th percentile	ft <sup>3</sup> /s	30.9	86.0	325	23.0	116	160
20th percentile	ft <sup>3</sup> /s	47.0	104	394	27.0	151	190
30th percentile	ft <sup>3</sup> /s	61.0	120	455	36.0	183	218
40th percentile	ft <sup>3</sup> /s	73.0	134	507	40.0	221	242
50th percentile	ft <sup>3</sup> /s	85.0	152	586	46.0	255	264
60th percentile	ft <sup>3</sup> /s	98.0	171	667	50.0	285	296
70th percentile	ft <sup>3</sup> /s	111	200	768	59.0	316	331
80th percentile	ft <sup>3</sup> /s	132	231	934	71.2	363	396
90th percentile	ft <sup>3</sup> /s	195	303	1,290	105	475	512
Drainage area	mi <sup>2</sup>	115	208	1017	59.6	351	382
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	25.3	19.7	14.7	10.1	48.4	10.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.066	0.197	0.146	0.235	0.142	0.228
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.739	0.731	0.576	0.772	0.726	0.691
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	0.962	0.786	0.979	0.953	0.899
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.541	0.677	0.535	0.669	0.598	0.665
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.92	1.07	0.887	0.868	1.98	0.864
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.205	0.346	0.283	0.302	0.285	0.369
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.269	0.413	0.319	0.386	0.330	0.419
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.409	0.500	0.387	0.453	0.430	0.496
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.530	0.577	0.447	0.604	0.521	0.571
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.635	0.644	0.499	0.671	0.631	0.634
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.739	0.731	0.576	0.772	0.726	0.691
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.852	0.824	0.656	0.839	0.812	0.775
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.968	0.962	0.755	0.990	0.901	0.866
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	1.11	0.919	1.19	1.03	1.04
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	1.46	1.27	1.76	1.35	1.34

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>02056900</b>	<b>02057000</b>	<b>02057500</b>	<b>02058000</b>	<b>02058400</b>	<b>02058500</b>
Count	number	961	1,209	1,147	279	1,395	992
Max	ft <sup>3</sup> /s	1,850	5,800	12,200	823	8,180	3,580
Min	ft <sup>3</sup> /s	7.60	31.0	125	10.0	35.0	66.0
Median	ft <sup>3</sup> /s	63.0	122	454	40.0	199	231
Arithmetic Mean	ft <sup>3</sup> /s	81.1	175	680	65.6	257	307
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	45.9	103	416	38.0	164	206
Standard Deviation	ft <sup>3</sup> /s	110	268	879	88.4	353	317
5th percentile	ft <sup>3</sup> /s	17.0	43.5	201	18.0	73.8	103
10th percentile	ft <sup>3</sup> /s	22.0	55.0	232	23.8	89.0	119
20th percentile	ft <sup>3</sup> /s	33.0	75.0	290	30.0	113	146
30th percentile	ft <sup>3</sup> /s	46.0	90.0	339	33.0	146	170
40th percentile	ft <sup>3</sup> /s	55.0	104	400	36.0	174	200
50th percentile	ft <sup>3</sup> /s	63.0	122	454	40.0	199	231
60th percentile	ft <sup>3</sup> /s	70.0	140	528	45.0	224	264
70th percentile	ft <sup>3</sup> /s	80.0	161	615	52.0	255	292
80th percentile	ft <sup>3</sup> /s	97.0	196	780	67.0	306	354
90th percentile	ft <sup>3</sup> /s	136	291	1,154	111	434	500
Drainage area	mi <sup>2</sup>	115	208	1017	59.6	351	382
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	16.1	27.9	12.0	13.8	23.3	9.37
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.066	0.149	0.123	0.168	0.100	0.173
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.548	0.587	0.446	0.671	0.567	0.605
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.705	0.842	0.669	1.10	0.731	0.805
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.399	0.496	0.409	0.637	0.467	0.539
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.955	1.29	0.865	1.48	1.00	0.830
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.148	0.209	0.198	0.302	0.210	0.270
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.191	0.264	0.228	0.399	0.254	0.312
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.287	0.361	0.285	0.503	0.322	0.383
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.400	0.433	0.333	0.554	0.416	0.445
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.478	0.500	0.393	0.604	0.496	0.525
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.548	0.587	0.446	0.671	0.567	0.605
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.609	0.673	0.519	0.755	0.638	0.691
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.696	0.774	0.605	0.872	0.726	0.764
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.843	0.942	0.767	1.12	0.872	0.926
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.18	1.40	1.13	1.87	1.24	1.31

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02056900</b>	<b>02057000</b>	<b>02057500</b>	<b>02058000</b>	<b>02058400</b>	<b>02058500</b>
Count	number	961	1,209	1,147	279	1,395	992
Max	ft <sup>3</sup> /s	2,770	13,400	55,500	4,180	10,600	26,200
Min	ft <sup>3</sup> /s	3.80	17.0	88.0	15.0	17.0	27.0
Median	ft <sup>3</sup> /s	47.0	104	415	40.0	168	204
Arithmetic Mean	ft <sup>3</sup> /s	68.0	209	870	88.9	238	356
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	31.8	85.2	366	38.2	129	173
Standard Deviation	ft <sup>3</sup> /s	129	666	2,529	286	504	1,181
5th percentile	ft <sup>3</sup> /s	10.0	34.0	164	19.0	56.0	74.0
10th percentile	ft <sup>3</sup> /s	15.0	45.6	198	22.0	73.0	99.0
20th percentile	ft <sup>3</sup> /s	25.0	63.0	256	26.6	95.8	131
30th percentile	ft <sup>3</sup> /s	33.0	78.0	298	31.0	116	155
40th percentile	ft <sup>3</sup> /s	40.0	90.0	348	35.0	141	180
50th percentile	ft <sup>3</sup> /s	47.0	104	415	40.0	168	204
60th percentile	ft <sup>3</sup> /s	53.0	124	492	45.0	194	230
70th percentile	ft <sup>3</sup> /s	64.0	144	591	56.0	221	264
80th percentile	ft <sup>3</sup> /s	74.0	185	821	86.4	255	330
90th percentile	ft <sup>3</sup> /s	112	312	1,400	119	347	515
Drainage area	mi <sup>2</sup>	115	208	1017	59.6	351	382
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	24.1	64.4	54.6	70.1	30.2	68.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.033	0.082	0.087	0.252	0.048	0.071
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.409	0.500	0.408	0.671	0.479	0.534
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.592	1.00	0.856	1.49	0.677	0.933
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.276	0.409	0.360	0.641	0.368	0.452
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	3.20	2.49	4.79	1.44	3.09
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.087	0.163	0.161	0.319	0.160	0.194
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.130	0.219	0.195	0.369	0.208	0.259
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.217	0.303	0.252	0.446	0.273	0.343
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.287	0.375	0.293	0.520	0.330	0.406
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.348	0.433	0.342	0.587	0.402	0.472
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.409	0.500	0.408	0.671	0.479	0.534
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.461	0.596	0.484	0.755	0.553	0.602
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.557	0.692	0.581	0.940	0.630	0.691
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.643	0.891	0.807	1.45	0.727	0.864
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.974	1.50	1.38	2.00	0.989	1.35



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02056900</b>	<b>02057000</b>	<b>02057500</b>	<b>02058000</b>	<b>02058400</b>	<b>02058500</b>
Count	number	930	1,170	1,110	270	1,350	960
Max	ft <sup>3</sup> /s	4,030	6,640	23,300	373	34,900	11,300
Min	ft <sup>3</sup> /s	8.80	13.0	62.0	15.0	32.0	30.0
Median	ft <sup>3</sup> /s	45.0	94.0	355	30.0	163	184
Arithmetic Mean	ft <sup>3</sup> /s	97.3	169	687	39.5	316	311
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	38.9	76.5	317	29.8	141	156
Standard Deviation	ft <sup>3</sup> /s	292	354	1,443	37.2	1,258	698
5th percentile	ft <sup>3</sup> /s	17.0	27.6	134	18.0	63.0	65.0
10th percentile	ft <sup>3</sup> /s	21.0	40.0	176	20.0	78.0	81.9
20th percentile	ft <sup>3</sup> /s	27.0	55.0	221	22.0	99.0	122
30th percentile	ft <sup>3</sup> /s	32.0	68.7	270	24.0	124	150
40th percentile	ft <sup>3</sup> /s	38.0	81.0	310	27.0	141	168
50th percentile	ft <sup>3</sup> /s	45.0	94.0	355	30.0	163	184
60th percentile	ft <sup>3</sup> /s	53.0	114	415	33.0	181	204
70th percentile	ft <sup>3</sup> /s	61.0	139	498	36.3	208	234
80th percentile	ft <sup>3</sup> /s	89.2	178	690	45.0	256	300
90th percentile	ft <sup>3</sup> /s	149	281	1,171	62.3	396	448
Drainage area	mi <sup>2</sup>	115	208	1017	59.6	351	382
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	35.0	31.9	22.9	6.26	99.4	29.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.077	0.063	0.061	0.252	0.091	0.079
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.391	0.452	0.349	0.503	0.464	0.480
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.846	0.813	0.675	0.663	0.901	0.813
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.338	0.368	0.312	0.499	0.402	0.409
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.54	1.70	1.42	0.624	3.58	1.83
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.148	0.132	0.132	0.302	0.179	0.170
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.183	0.192	0.173	0.336	0.222	0.214
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.235	0.264	0.217	0.369	0.282	0.319
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.278	0.330	0.265	0.403	0.353	0.393
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.330	0.389	0.305	0.453	0.402	0.440
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.391	0.452	0.349	0.503	0.464	0.480
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.461	0.548	0.408	0.554	0.517	0.534
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.530	0.670	0.490	0.609	0.593	0.613
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.776	0.856	0.678	0.755	0.729	0.786
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.35	1.15	1.05	1.13	1.17

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02056900</b>	<b>02057000</b>	<b>02057500</b>	<b>02058000</b>	<b>02058400</b>	<b>02058500</b>
Count	number	992	1,209	1,178	279	1,395	1,023
Max	ft <sup>3</sup> /s	5,000	6,150	20,500	953	15,200	11,900
Min	ft <sup>3</sup> /s	9.80	26.0	69.0	17.0	51.0	54.0
Median	ft <sup>3</sup> /s	47.0	105	382	30.0	176	198
Arithmetic Mean	ft <sup>3</sup> /s	93.3	184	755	55.8	292	328
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	43.5	94.8	369	31.1	165	178
Standard Deviation	ft <sup>3</sup> /s	217	413	1,584	106	592	765
5th percentile	ft <sup>3</sup> /s	16.0	45.0	186	19.0	79.0	79.0
10th percentile	ft <sup>3</sup> /s	24.0	53.0	203	20.0	101	93.0
20th percentile	ft <sup>3</sup> /s	33.2	66.0	261	23.0	124	137
30th percentile	ft <sup>3</sup> /s	38.0	80.0	300	25.0	139	165
40th percentile	ft <sup>3</sup> /s	43.0	92.0	340	27.0	159	180
50th percentile	ft <sup>3</sup> /s	47.0	105	382	30.0	176	198
60th percentile	ft <sup>3</sup> /s	58.0	125	460	34.0	202	222
70th percentile	ft <sup>3</sup> /s	73.0	152	596	36.0	252	252
80th percentile	ft <sup>3</sup> /s	111	188	740	47.4	314	300
90th percentile	ft <sup>3</sup> /s	163	264	1,203	93.2	453	423
Drainage area	mi <sup>2</sup>	115	208	1017	59.6	351	382
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	43.5	29.6	20.2	16.0	43.3	31.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.085	0.125	0.068	0.285	0.145	0.141
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.409	0.505	0.376	0.503	0.501	0.518
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.811	0.886	0.742	0.937	0.831	0.859
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.378	0.456	0.363	0.522	0.471	0.465
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.89	1.99	1.56	1.77	1.69	2.00
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.139	0.216	0.183	0.319	0.225	0.207
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.209	0.255	0.199	0.336	0.288	0.243
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.289	0.317	0.257	0.386	0.353	0.359
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.330	0.385	0.295	0.419	0.396	0.431
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.374	0.442	0.334	0.453	0.453	0.471
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.409	0.505	0.376	0.503	0.501	0.518
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.504	0.600	0.452	0.570	0.575	0.582
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.635	0.731	0.586	0.604	0.718	0.660
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.963	0.904	0.727	0.795	0.895	0.785
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	1.27	1.18	1.56	1.29	1.11

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02056900</b>	<b>02057000</b>	<b>02057500</b>	<b>02058000</b>	<b>02058400</b>	<b>02058500</b>
Count	number	955	1,170	1,140	270	1,344	990
Max	ft <sup>3</sup> /s	5,410	3,600	12,400	400	6,360	5,830
Min	ft <sup>3</sup> /s	19.0	26.0	145	22.0	89.0	88.0
Median	ft <sup>3</sup> /s	70.0	125	479	36.0	226	232
Arithmetic Mean	ft <sup>3</sup> /s	114	174	721	51.9	320	321
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	62.2	113	450	37.7	215	228
Standard Deviation	ft <sup>3</sup> /s	238	211	914	49.7	390	376
5th percentile	ft <sup>3</sup> /s	28.8	58.0	228	22.6	120	121
10th percentile	ft <sup>3</sup> /s	33.0	66.0	261	26.0	137	140
20th percentile	ft <sup>3</sup> /s	45.0	79.0	311	28.0	155	183
30th percentile	ft <sup>3</sup> /s	51.0	90.7	353	30.0	171	201
40th percentile	ft <sup>3</sup> /s	56.0	109	400	33.0	194	215
50th percentile	ft <sup>3</sup> /s	70.0	125	479	36.0	226	232
60th percentile	ft <sup>3</sup> /s	89.0	142	543	41.0	261	255
70th percentile	ft <sup>3</sup> /s	110	163	640	46.0	302	286
80th percentile	ft <sup>3</sup> /s	134	219	876	59.2	359	344
90th percentile	ft <sup>3</sup> /s	187	296	1,360	89.0	512	486
Drainage area	mi <sup>2</sup>	115	208	1017	59.6	351	382
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	47.0	17.3	12.2	6.71	18.1	15.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.165	0.125	0.143	0.369	0.254	0.230
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.609	0.601	0.471	0.604	0.644	0.607
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.993	0.839	0.709	0.872	0.911	0.839
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.541	0.545	0.443	0.633	0.613	0.597
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.07	1.02	0.899	0.834	1.11	0.984
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.250	0.279	0.224	0.378	0.342	0.316
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.287	0.317	0.256	0.436	0.390	0.366
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.391	0.380	0.306	0.470	0.442	0.479
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.443	0.436	0.347	0.503	0.487	0.526
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.487	0.522	0.393	0.554	0.553	0.563
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.609	0.601	0.471	0.604	0.644	0.607
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.774	0.683	0.534	0.688	0.743	0.668
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.955	0.784	0.629	0.772	0.860	0.749
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.05	0.861	0.993	1.02	0.901
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.63	1.42	1.34	1.49	1.46	1.27

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02056900</b>	<b>02057000</b>	<b>02057500</b>	<b>02058000</b>	<b>02058400</b>	<b>02058500</b>
Count	number	961	1,209	1,178	279	1,364	1,023
Max	ft <sup>3</sup> /s	1,350	4,650	26,800	514	5,840	12,000
Min	ft <sup>3</sup> /s	21.0	47.0	160	27.0	86.0	102
Median	ft <sup>3</sup> /s	99.0	162	660	43.0	270	277
Arithmetic Mean	ft <sup>3</sup> /s	116	212	969	55.3	359	393
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	77.8	140	561	44.1	254	267
Standard Deviation	ft <sup>3</sup> /s	99.5	269	1,405	46.8	368	613
5th percentile	ft <sup>3</sup> /s	34.0	70.0	265	28.0	141	147
10th percentile	ft <sup>3</sup> /s	43.0	80.0	301	30.0	156	170
20th percentile	ft <sup>3</sup> /s	54.0	97.0	353	33.0	184	195
30th percentile	ft <sup>3</sup> /s	63.0	116	468	37.0	211	228
40th percentile	ft <sup>3</sup> /s	81.0	143	556	40.0	235	252
50th percentile	ft <sup>3</sup> /s	99.0	162	660	43.0	270	277
60th percentile	ft <sup>3</sup> /s	112	185	764	47.8	302	312
70th percentile	ft <sup>3</sup> /s	128	206	861	56.6	350	357
80th percentile	ft <sup>3</sup> /s	150	244	1,080	67.0	426	414
90th percentile	ft <sup>3</sup> /s	196	321	1,692	81.2	561	555
Drainage area	mi <sup>2</sup>	115	208	1017	59.6	351	382
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	11.7	22.4	26.4	8.62	16.6	31.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.183	0.226	0.157	0.453	0.245	0.267
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.861	0.779	0.649	0.721	0.769	0.725
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.02	0.953	0.927	1.02	1.03
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.676	0.675	0.552	0.740	0.723	0.699
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.865	1.29	1.38	0.785	1.05	1.60
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.296	0.337	0.260	0.470	0.402	0.385
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.374	0.385	0.296	0.503	0.445	0.445
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.470	0.466	0.347	0.554	0.523	0.510
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.548	0.558	0.460	0.621	0.601	0.597
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.704	0.688	0.547	0.671	0.670	0.660
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.861	0.779	0.649	0.721	0.769	0.725
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.974	0.889	0.751	0.802	0.860	0.817
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	0.991	0.847	0.950	0.997	0.934
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.17	1.06	1.12	1.21	1.08
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	1.54	1.66	1.36	1.60	1.45

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		January					
	units						
Station Number	number	02059000	02059500	02060500	02061000	02061500	02062000
Count	number	155	2,387	2,387	527	2,170	217
Max	ft <sup>3</sup> /s	9,140	6,280	32,000	977	10,400	9,810
Min	ft <sup>3</sup> /s	420	20.0	89.0	27.0	57.0	70.0
Median	ft <sup>3</sup> /s	1,010	144	1,450	112	283	341
Arithmetic Mean	ft <sup>3</sup> /s	1,241	224	2,156	158	406	593
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	985	125	1,036	94.6	245	239
Standard Deviation	ft <sup>3</sup> /s	921	342	2,524	137	494	1,049
5th percentile	ft <sup>3</sup> /s	530	55.0	335	32.8	107	95.8
10th percentile	ft <sup>3</sup> /s	720	66.6	525	49.6	130	102
20th percentile	ft <sup>3</sup> /s	780	88.0	765	70.0	174	137
30th percentile	ft <sup>3</sup> /s	840	105	980	80.0	214	175
40th percentile	ft <sup>3</sup> /s	960	123	1,230	95.0	248	272
50th percentile	ft <sup>3</sup> /s	1,010	144	1,450	112	283	341
60th percentile	ft <sup>3</sup> /s	1,120	169	1,700	134	328	404
70th percentile	ft <sup>3</sup> /s	1,236	201	2,120	172	395	484
80th percentile	ft <sup>3</sup> /s	1,460	260	2,818	214	506	652
90th percentile	ft <sup>3</sup> /s	1,840	404	4,264	319	736	1,084
Drainage area	mi <sup>2</sup>	1418	188	1782	114	315	362
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.45	33.4	18.0	8.57	33.0	27.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.296	0.106	0.050	0.237	0.181	0.193
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.712	0.766	0.814	0.982	0.898	0.942
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.876	1.19	1.21	1.38	1.29	1.64
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.695	0.665	0.581	0.830	0.778	0.661
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.649	1.82	1.42	1.20	1.57	2.90
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.374	0.293	0.188	0.288	0.340	0.265
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.508	0.354	0.294	0.435	0.413	0.282
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.550	0.468	0.430	0.614	0.552	0.379
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.592	0.557	0.550	0.702	0.679	0.483
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.677	0.654	0.690	0.833	0.787	0.750
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.712	0.766	0.814	0.982	0.898	0.942
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.790	0.899	0.954	1.18	1.04	1.12
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.872	1.07	1.19	1.51	1.25	1.34
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	1.38	1.58	1.87	1.61	1.80
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	2.15	2.39	2.79	2.34	2.99

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		February					
	units						
Station Number	number	02059000	02059500	02060500	02061000	02061500	02062000
Count	number	141	2,175	2,175	481	1,977	198
Max	ft <sup>3</sup> /s	20,700	6,220	29,400	1,430	8,140	6,070
Min	ft <sup>3</sup> /s	670	30.0	87.0	32.0	78.0	80.0
Median	ft <sup>3</sup> /s	1,520	168	1,740	157	343	321
Arithmetic Mean	ft <sup>3</sup> /s	2,053	244	2,391	198	477	407
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1,410	143	1,187	131	302	207
Standard Deviation	ft <sup>3</sup> /s	2,345	332	2,481	166	518	624
5th percentile	ft <sup>3</sup> /s	780	62.0	403	61.1	145	87.0
10th percentile	ft <sup>3</sup> /s	850	78.0	546	72.0	168	94.0
20th percentile	ft <sup>3</sup> /s	1,060	103	870	88.0	210	113
30th percentile	ft <sup>3</sup> /s	1,150	124	1,152	114	257	148
40th percentile	ft <sup>3</sup> /s	1,310	146	1,410	136	300	245
50th percentile	ft <sup>3</sup> /s	1,520	168	1,740	157	343	321
60th percentile	ft <sup>3</sup> /s	1,600	192	2,100	181	397	373
70th percentile	ft <sup>3</sup> /s	1,840	226	2,530	210	478	424
80th percentile	ft <sup>3</sup> /s	2,320	286	3,210	250	600	492
90th percentile	ft <sup>3</sup> /s	3,260	426	4,810	347	824	670
Drainage area	mi <sup>2</sup>	1418	188	1782	114	315	362
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	14.6	33.1	16.5	12.5	25.8	16.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.472	0.160	0.049	0.281	0.248	0.221
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	0.894	0.976	1.38	1.09	0.887
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.45	1.30	1.34	1.73	1.51	1.12
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.995	0.761	0.666	1.15	0.960	0.572
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.65	1.77	1.39	1.45	1.64	1.72
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.550	0.330	0.226	0.536	0.460	0.240
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.599	0.415	0.306	0.632	0.532	0.260
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.748	0.548	0.488	0.772	0.667	0.312
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.811	0.661	0.646	1.00	0.816	0.409
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.924	0.777	0.791	1.19	0.952	0.677
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	0.894	0.976	1.38	1.09	0.887
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	1.02	1.18	1.59	1.26	1.03
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.20	1.42	1.84	1.52	1.17
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.64	1.52	1.80	2.19	1.90	1.36
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.30	2.27	2.70	3.04	2.62	1.85

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02059000</b>	<b>02059500</b>	<b>02060500</b>	<b>02061000</b>	<b>02061500</b>	<b>02062000</b>
Count	number	155	2,384	2,387	527	2,170	217
Max	ft <sup>3</sup> /s	11,700	5,560	37,200	3,340	10,700	8,010
Min	ft <sup>3</sup> /s	780	37.0	141	58.0	75.0	118
Median	ft <sup>3</sup> /s	1,220	184	2,000	162	374	370
Arithmetic Mean	ft <sup>3</sup> /s	1,702	280	2,801	228	524	643
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1,294	169	1,331	158	337	341
Standard Deviation	ft <sup>3</sup> /s	1,451	357	2,893	236	626	925
5th percentile	ft <sup>3</sup> /s	840	83.0	402	82.8	169	138
10th percentile	ft <sup>3</sup> /s	954	97.0	728	97.2	193	179
20th percentile	ft <sup>3</sup> /s	968	121	1,030	115	236	245
30th percentile	ft <sup>3</sup> /s	1,030	141	1,338	131	281	286
40th percentile	ft <sup>3</sup> /s	1,100	163	1,670	144	325	332
50th percentile	ft <sup>3</sup> /s	1,220	184	2,000	162	374	370
60th percentile	ft <sup>3</sup> /s	1,310	208	2,340	188	430	423
70th percentile	ft <sup>3</sup> /s	1,520	246	2,850	232	516	550
80th percentile	ft <sup>3</sup> /s	1,920	329	3,690	290	626	804
90th percentile	ft <sup>3</sup> /s	2,980	525	5,530	380	898	1,104
Drainage area	mi <sup>2</sup>	1418	188	1782	114	315	362
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.25	29.6	20.9	29.3	34.0	22.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.550	0.197	0.079	0.509	0.238	0.326
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.860	0.979	1.12	1.42	1.19	1.02
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.49	1.57	2.00	1.66	1.78
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.913	0.900	0.747	1.39	1.07	0.941
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	1.90	1.62	2.07	1.99	2.56
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.592	0.441	0.226	0.726	0.537	0.381
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.673	0.516	0.409	0.853	0.613	0.495
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.683	0.644	0.578	1.01	0.749	0.678
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.726	0.750	0.751	1.15	0.891	0.789
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.776	0.867	0.937	1.27	1.03	0.918
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.860	0.979	1.12	1.42	1.19	1.02
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.924	1.11	1.31	1.65	1.37	1.17
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	1.31	1.60	2.04	1.64	1.52
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	1.75	2.07	2.54	1.99	2.22
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.10	2.79	3.10	3.33	2.85	3.05

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02059000</b>	<b>02059500</b>	<b>02060500</b>	<b>02061000</b>	<b>02061500</b>	<b>02062000</b>
Count	number	180	2,308	2,310	510	2,130	210
Max	ft <sup>3</sup> /s	7,180	8,080	36,500	2,690	10,700	3,860
Min	ft <sup>3</sup> /s	670	46.0	133	62.0	81.0	142
Median	ft <sup>3</sup> /s	1,170	164	1,750	170	334	385
Arithmetic Mean	ft <sup>3</sup> /s	1,555	258	2,620	219	474	563
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1,212	156	1,363	160	304	370
Standard Deviation	ft <sup>3</sup> /s	1,053	395	3,053	191	612	520
5th percentile	ft <sup>3</sup> /s	760	81.0	611	84.0	158	195
10th percentile	ft <sup>3</sup> /s	819	94.0	837	93.0	183	228
20th percentile	ft <sup>3</sup> /s	880	110	1,070	117	216	265
30th percentile	ft <sup>3</sup> /s	960	129	1,280	136	247	287
40th percentile	ft <sup>3</sup> /s	1,060	147	1,500	153	288	321
50th percentile	ft <sup>3</sup> /s	1,170	164	1,750	170	334	385
60th percentile	ft <sup>3</sup> /s	1,380	186	2,050	189	393	453
70th percentile	ft <sup>3</sup> /s	1,520	220	2,490	214	464	522
80th percentile	ft <sup>3</sup> /s	2,012	287	3,190	276	566	661
90th percentile	ft <sup>3</sup> /s	2,689	457	5,091	384	810	1,126
Drainage area	mi <sup>2</sup>	1418	188	1782	114	315	362
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	5.06	43.0	20.5	23.6	34.0	10.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.472	0.245	0.075	0.544	0.257	0.392
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.825	0.872	0.982	1.49	1.06	1.06
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.37	1.47	1.92	1.50	1.56
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.855	0.828	0.765	1.40	0.964	1.02
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.743	2.10	1.71	1.67	1.94	1.44
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.536	0.431	0.343	0.737	0.500	0.537
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.578	0.500	0.470	0.816	0.581	0.630
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.621	0.585	0.600	1.03	0.685	0.733
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.677	0.686	0.718	1.19	0.784	0.793
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.748	0.782	0.842	1.34	0.914	0.887
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.825	0.872	0.982	1.49	1.06	1.06
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.973	0.989	1.15	1.66	1.25	1.25
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	1.17	1.40	1.88	1.47	1.44
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.42	1.52	1.79	2.42	1.80	1.83
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.90	2.43	2.86	3.37	2.57	3.11



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	02059000	02059500	02060500	02061000	02061500	02062000
Count	number	186	2,387	2,382	527	2,201	217
Max	ft <sup>3</sup> /s	5,620	6,600	33,200	1,680	12,400	2,220
Min	ft <sup>3</sup> /s	420	28.0	137	36.0	52.0	103
Median	ft <sup>3</sup> /s	870	132	1,470	124	265	228
Arithmetic Mean	ft <sup>3</sup> /s	1,098	194	1,962	169	366	275
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	861	122	1,319	112	235	219
Standard Deviation	ft <sup>3</sup> /s	671	298	1,942	175	463	196
5th percentile	ft <sup>3</sup> /s	465	63.0	729	52.0	113	124
10th percentile	ft <sup>3</sup> /s	570	73.0	892	66.0	136	137
20th percentile	ft <sup>3</sup> /s	645	87.2	1,060	84.0	167	164
30th percentile	ft <sup>3</sup> /s	674	101	1,200	96.0	197	180
40th percentile	ft <sup>3</sup> /s	720	116	1,310	109	226	212
50th percentile	ft <sup>3</sup> /s	870	132	1,470	124	265	228
60th percentile	ft <sup>3</sup> /s	1,030	150	1,640	138	312	260
70th percentile	ft <sup>3</sup> /s	1,290	175	1,870	160	362	293
80th percentile	ft <sup>3</sup> /s	1,450	218	2,280	201	436	326
90th percentile	ft <sup>3</sup> /s	1,840	304	3,240	291	600	430
Drainage area	mi <sup>2</sup>	1418	188	1782	114	315	362
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.96	35.1	18.6	14.7	39.4	6.13
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.296	0.149	0.077	0.316	0.165	0.285
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.614	0.702	0.825	1.09	0.841	0.630
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.774	1.03	1.10	1.49	1.16	0.760
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.607	0.648	0.740	0.986	0.746	0.604
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.473	1.58	1.09	1.53	1.47	0.542
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.328	0.335	0.409	0.456	0.359	0.342
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.402	0.388	0.501	0.579	0.432	0.377
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.455	0.464	0.595	0.737	0.530	0.452
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.475	0.537	0.673	0.842	0.625	0.497
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.508	0.617	0.735	0.954	0.717	0.586
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.614	0.702	0.825	1.09	0.841	0.630
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.726	0.798	0.920	1.21	0.990	0.717
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.910	0.931	1.05	1.40	1.15	0.809
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	1.16	1.28	1.76	1.38	0.901
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.62	1.82	2.55	1.90	1.19

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>02059000</b>	<b>02059500</b>	<b>02060500</b>	<b>02061000</b>	<b>02061500</b>	<b>02062000</b>
Count	number	180	2,310	2,310	510	2,130	210
Max	ft <sup>3</sup> /s	9,560	7,630	35,800	1,370	35,700	1,770
Min	ft <sup>3</sup> /s	260	12.0	73.0	13.0	11.0	62.0
Median	ft <sup>3</sup> /s	570	106	1,060	78.0	201	149
Arithmetic Mean	ft <sup>3</sup> /s	956	155	1,567	101	307	205
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	590	88.2	788	66.7	156	144
Standard Deviation	ft <sup>3</sup> /s	1,187	316	2,154	108	895	198
5th percentile	ft <sup>3</sup> /s	340	40.0	251	27.6	67.0	79.6
10th percentile	ft <sup>3</sup> /s	380	49.0	459	36.0	84.0	88.0
20th percentile	ft <sup>3</sup> /s	440	64.0	727	54.0	117	107
30th percentile	ft <sup>3</sup> /s	470	78.7	866	65.0	151	120
40th percentile	ft <sup>3</sup> /s	520	93.6	960	72.0	180	132
50th percentile	ft <sup>3</sup> /s	570	106	1,060	78.0	201	149
60th percentile	ft <sup>3</sup> /s	647	119	1,204	91.0	228	163
70th percentile	ft <sup>3</sup> /s	670	137	1,430	103	267	203
80th percentile	ft <sup>3</sup> /s	840	163	1,810	120	321	241
90th percentile	ft <sup>3</sup> /s	2,160	235	2,651	165	485	318
Drainage area	mi <sup>2</sup>	1418	188	1782	114	315	362
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.74	40.6	20.1	12.0	113	4.89
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.183	0.064	0.041	0.114	0.035	0.171
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.402	0.564	0.595	0.684	0.638	0.412
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.674	0.822	0.879	0.889	0.973	0.566
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.416	0.469	0.442	0.585	0.495	0.398
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.837	1.68	1.21	0.943	2.84	0.548
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.240	0.213	0.141	0.242	0.213	0.220
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.268	0.261	0.258	0.316	0.267	0.243
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.310	0.340	0.408	0.474	0.371	0.296
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.331	0.419	0.486	0.570	0.479	0.331
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.367	0.498	0.539	0.632	0.570	0.364
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.402	0.564	0.595	0.684	0.638	0.412
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.456	0.633	0.676	0.798	0.724	0.451
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.472	0.729	0.802	0.904	0.849	0.560
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.592	0.867	1.02	1.05	1.02	0.666
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.52	1.25	1.49	1.45	1.54	0.878

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	02059000	02059500	02060500	02061000	02061500	02062000
Count	number	186	2,387	2,385	527	2,196	217
Max	ft <sup>3</sup> /s	5,620	3,360	25,800	1,810	6,440	652
Min	ft <sup>3</sup> /s	200	12.0	39.0	7.50	4.20	30.0
Median	ft <sup>3</sup> /s	470	81.0	909	48.0	145	83.0
Arithmetic Mean	ft <sup>3</sup> /s	744	113	1,223	77.2	208	122
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	476	67.2	653	39.9	99.8	84.2
Standard Deviation	ft <sup>3</sup> /s	713	161	1,504	125	300	101
5th percentile	ft <sup>3</sup> /s	260	30.0	214	17.4	42.0	41.0
10th percentile	ft <sup>3</sup> /s	279	37.0	372	21.0	59.0	53.6
20th percentile	ft <sup>3</sup> /s	320	49.0	560	27.0	82.0	63.2
30th percentile	ft <sup>3</sup> /s	350	60.0	732	34.0	106	70.0
40th percentile	ft <sup>3</sup> /s	400	70.0	839	42.0	126	74.0
50th percentile	ft <sup>3</sup> /s	470	81.0	909	48.0	145	83.0
60th percentile	ft <sup>3</sup> /s	595	94.0	991	57.6	166	99.0
70th percentile	ft <sup>3</sup> /s	830	109	1,150	72.2	198	114
80th percentile	ft <sup>3</sup> /s	1,030	133	1,420	92.8	250	170
90th percentile	ft <sup>3</sup> /s	1,485	188	2,050	143	385	246
Drainage area	mi <sup>2</sup>	1418	188	1782	114	315	362
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.96	17.9	14.5	15.9	20.4	1.80
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.141	0.064	0.022	0.066	0.013	0.083
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.331	0.431	0.510	0.421	0.460	0.229
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.525	0.603	0.686	0.677	0.661	0.338
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.335	0.357	0.367	0.350	0.317	0.233
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.503	0.854	0.844	1.10	0.954	0.278
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.183	0.160	0.120	0.153	0.133	0.113
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.197	0.197	0.209	0.184	0.187	0.148
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.226	0.261	0.314	0.237	0.260	0.175
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.247	0.319	0.411	0.298	0.337	0.193
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.282	0.372	0.471	0.368	0.400	0.204
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.331	0.431	0.510	0.421	0.460	0.229
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.420	0.500	0.556	0.505	0.527	0.273
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.585	0.580	0.645	0.633	0.629	0.315
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.726	0.707	0.797	0.814	0.794	0.470
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	1.00	1.15	1.25	1.22	0.679

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02059000</b>	<b>02059500</b>	<b>02060500</b>	<b>02061000</b>	<b>02061500</b>	<b>02062000</b>
Count	number	186	2,387	2,387	527	2,201	217
Max	ft <sup>3</sup> /s	27,700	5,370	98,300	4,640	12,400	3,530
Min	ft <sup>3</sup> /s	188	6.00	55.0	7.30	0.750	11.0
Median	ft <sup>3</sup> /s	492	67.0	852	41.0	116	90.0
Arithmetic Mean	ft <sup>3</sup> /s	1,262	129	1,294	84.2	227	163
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	448	53.8	594	28.5	57.2	66.4
Standard Deviation	ft <sup>3</sup> /s	3,301	329	3,225	265	646	352
5th percentile	ft <sup>3</sup> /s	221	25.0	197	10.0	30.0	23.9
10th percentile	ft <sup>3</sup> /s	230	31.0	295	12.0	41.0	36.0
20th percentile	ft <sup>3</sup> /s	270	39.0	498	18.0	58.0	44.0
30th percentile	ft <sup>3</sup> /s	340	46.0	665	24.0	77.0	70.0
40th percentile	ft <sup>3</sup> /s	420	56.0	783	30.0	96.0	80.0
50th percentile	ft <sup>3</sup> /s	492	67.0	852	41.0	116	90.0
60th percentile	ft <sup>3</sup> /s	620	80.0	920	54.0	140	107
70th percentile	ft <sup>3</sup> /s	720	96.0	1,040	68.0	171	130
80th percentile	ft <sup>3</sup> /s	900	123	1,290	87.8	222	171
90th percentile	ft <sup>3</sup> /s	1,840	186	2,040	126	362	261
Drainage area	mi <sup>2</sup>	1418	188	1782	114	315	362
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	19.5	28.6	55.2	40.7	39.4	9.75
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.133	0.032	0.031	0.064	0.002	0.030
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.347	0.356	0.478	0.360	0.368	0.249
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.890	0.688	0.726	0.738	0.721	0.451
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.316	0.286	0.333	0.250	0.182	0.183
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.33	1.75	1.81	2.33	2.05	0.973
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.156	0.133	0.111	0.088	0.095	0.066
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.162	0.165	0.166	0.105	0.130	0.099
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.190	0.207	0.279	0.158	0.184	0.122
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.240	0.245	0.373	0.211	0.244	0.193
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.296	0.298	0.440	0.263	0.305	0.221
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.347	0.356	0.478	0.360	0.368	0.249
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.437	0.426	0.516	0.474	0.444	0.296
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.508	0.511	0.584	0.596	0.543	0.359
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.635	0.654	0.724	0.770	0.705	0.472
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	0.989	1.14	1.11	1.15	0.721

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02059000</b>	<b>02059500</b>	<b>02060500</b>	<b>02061000</b>	<b>02061500</b>	<b>02062000</b>
Count	number	180	2,310	2,310	510	2,130	210
Max	ft <sup>3</sup> /s	19,600	26,000	46,700	2,500	20,200	10,000
Min	ft <sup>3</sup> /s	158	6.00	41.0	5.90	0.640	10.0
Median	ft <sup>3</sup> /s	398	62.0	811	39.0	108	70.0
Arithmetic Mean	ft <sup>3</sup> /s	1,122	128	1,273	76.9	207	186
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	387	52.7	551	26.9	59.8	57.4
Standard Deviation	ft <sup>3</sup> /s	2,435	648	2,693	196	723	736
5th percentile	ft <sup>3</sup> /s	180	24.0	195	9.07	26.0	20.0
10th percentile	ft <sup>3</sup> /s	221	30.0	272	12.0	36.0	33.6
20th percentile	ft <sup>3</sup> /s	252	38.0	448	18.0	55.8	43.0
30th percentile	ft <sup>3</sup> /s	280	46.0	595	22.0	72.0	51.7
40th percentile	ft <sup>3</sup> /s	335	53.0	720	30.0	89.0	60.0
50th percentile	ft <sup>3</sup> /s	398	62.0	811	39.0	108	70.0
60th percentile	ft <sup>3</sup> /s	520	71.0	870	45.4	127	79.0
70th percentile	ft <sup>3</sup> /s	603	87.0	982	60.0	154	101
80th percentile	ft <sup>3</sup> /s	1,184	108	1,200	82.0	205	159
90th percentile	ft <sup>3</sup> /s	2,455	167	1,902	128	330	250
Drainage area	mi <sup>2</sup>	1418	188	1782	114	315	362
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	13.8	138	26.2	21.9	64.1	27.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.111	0.032	0.023	0.052	0.002	0.028
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.281	0.330	0.455	0.342	0.343	0.193
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.791	0.682	0.714	0.674	0.658	0.513
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.273	0.280	0.309	0.236	0.190	0.158
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.72	3.45	1.51	1.72	2.30	2.03
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.127	0.128	0.109	0.080	0.083	0.055
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.156	0.160	0.153	0.105	0.114	0.093
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.178	0.202	0.251	0.158	0.177	0.119
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.197	0.245	0.334	0.193	0.229	0.143
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.236	0.282	0.404	0.263	0.283	0.166
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.281	0.330	0.455	0.342	0.343	0.193
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.367	0.378	0.488	0.398	0.403	0.218
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.425	0.463	0.551	0.526	0.489	0.279
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.835	0.574	0.673	0.719	0.651	0.440
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	0.889	1.07	1.13	1.05	0.691

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02059000</b>	<b>02059500</b>	<b>02060500</b>	<b>02061000</b>	<b>02061500</b>	<b>02062000</b>
Count	number	155	2,418	2,418	527	2,201	217
Max	ft <sup>3</sup> /s	26,300	5,860	49,200	2,620	12,700	10,500
Min	ft <sup>3</sup> /s	280	13.0	63.0	6.70	8.40	24.0
Median	ft <sup>3</sup> /s	780	66.0	825	48.0	125	116
Arithmetic Mean	ft <sup>3</sup> /s	1,310	128	1,264	68.2	226	307
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	623	60.7	597	33.4	96.6	81.7
Standard Deviation	ft <sup>3</sup> /s	2,646	312	2,447	138	519	1,013
5th percentile	ft <sup>3</sup> /s	300	28.0	202	11.0	40.0	39.9
10th percentile	ft <sup>3</sup> /s	340	36.0	281	16.0	55.0	47.0
20th percentile	ft <sup>3</sup> /s	380	46.0	470	24.0	73.0	50.0
30th percentile	ft <sup>3</sup> /s	470	51.0	640	30.0	92.0	54.0
40th percentile	ft <sup>3</sup> /s	570	60.0	763	37.0	107	63.8
50th percentile	ft <sup>3</sup> /s	780	66.0	825	48.0	125	116
60th percentile	ft <sup>3</sup> /s	945	78.0	920	54.6	155	139
70th percentile	ft <sup>3</sup> /s	1,030	94.0	1,030	61.0	182	149
80th percentile	ft <sup>3</sup> /s	1,254	118	1,260	78.8	230	250
90th percentile	ft <sup>3</sup> /s	1,808	184	1,903	114	356	363
Drainage area	mi <sup>2</sup>	1418	188	1782	114	315	362
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	18.5	31.2	27.6	23.0	40.3	29.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.197	0.069	0.035	0.059	0.027	0.066
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.550	0.351	0.463	0.421	0.397	0.320
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.924	0.680	0.709	0.598	0.718	0.848
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.439	0.323	0.335	0.293	0.307	0.226
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.87	1.66	1.37	1.21	1.65	2.80
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.212	0.149	0.113	0.096	0.127	0.110
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.240	0.191	0.158	0.140	0.175	0.130
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.268	0.245	0.264	0.211	0.232	0.138
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.331	0.271	0.359	0.263	0.292	0.149
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.402	0.319	0.428	0.325	0.340	0.176
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.550	0.351	0.463	0.421	0.397	0.320
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.666	0.415	0.516	0.479	0.492	0.383
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.726	0.500	0.578	0.535	0.578	0.412
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.884	0.628	0.707	0.691	0.730	0.691
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	0.977	1.07	1.00	1.13	1.00

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02059000</b>	<b>02059500</b>	<b>02060500</b>	<b>02061000</b>	<b>02061500</b>	<b>02062000</b>
Count	number	150	2,335	2,335	510	2,125	210
Max	ft <sup>3</sup> /s	8,020	5,860	33,700	1,840	12,400	3,590
Min	ft <sup>3</sup> /s	300	24.0	86.0	22.0	28.0	52.0
Median	ft <sup>3</sup> /s	780	85.0	910	56.0	170	135
Arithmetic Mean	ft <sup>3</sup> /s	1,095	137	1,342	88.3	256	273
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	732	80.5	706	50.8	147	122
Standard Deviation	ft <sup>3</sup> /s	1,044	230	1,875	126	423	417
5th percentile	ft <sup>3</sup> /s	380	39.0	228	24.0	69.0	56.6
10th percentile	ft <sup>3</sup> /s	470	49.0	390	27.0	82.0	60.0
20th percentile	ft <sup>3</sup> /s	520	57.0	571	33.0	102	73.0
30th percentile	ft <sup>3</sup> /s	570	65.0	737	40.0	123	84.0
40th percentile	ft <sup>3</sup> /s	700	75.0	840	48.0	144	110
50th percentile	ft <sup>3</sup> /s	780	85.0	910	56.0	170	135
60th percentile	ft <sup>3</sup> /s	840	100	1,030	64.0	194	183
70th percentile	ft <sup>3</sup> /s	975	121	1,190	76.0	240	280
80th percentile	ft <sup>3</sup> /s	1,390	160	1,530	110	320	358
90th percentile	ft <sup>3</sup> /s	1,996	243	2,426	166	477	484
Drainage area	mi <sup>2</sup>	1418	188	1782	114	315	362
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	5.66	31.2	18.9	16.1	39.4	9.92
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.212	0.128	0.048	0.193	0.089	0.144
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.550	0.452	0.511	0.491	0.540	0.373
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.772	0.726	0.753	0.775	0.814	0.753
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.516	0.428	0.396	0.446	0.468	0.337
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.736	1.22	1.05	1.10	1.34	1.15
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.268	0.207	0.128	0.211	0.219	0.156
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.331	0.261	0.219	0.237	0.260	0.166
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.367	0.303	0.320	0.289	0.323	0.202
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.402	0.346	0.413	0.351	0.391	0.232
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.494	0.399	0.471	0.421	0.457	0.303
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.550	0.452	0.511	0.491	0.540	0.373
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.592	0.532	0.578	0.561	0.616	0.507
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.688	0.643	0.668	0.667	0.762	0.773
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.980	0.852	0.859	0.967	1.02	0.989
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	1.29	1.36	1.46	1.51	1.34

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02059000</b>	<b>02059500</b>	<b>02060500</b>	<b>02061000</b>	<b>02061500</b>	<b>02062000</b>
Count	number	155	2,387	2,387	527	2,170	217
Max	ft <sup>3</sup> /s	14,500	6,160	41,000	4,530	9,700	8,690
Min	ft <sup>3</sup> /s	440	27.0	112	16.0	42.0	59.0
Median	ft <sup>3</sup> /s	960	118	1,120	94.0	231	213
Arithmetic Mean	ft <sup>3</sup> /s	1,499	172	1,605	138	335	338
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	914	103	832	69.4	196	155
Standard Deviation	ft <sup>3</sup> /s	1,687	256	2,087	252	462	728
5th percentile	ft <sup>3</sup> /s	470	48.0	280	25.4	89.6	70.0
10th percentile	ft <sup>3</sup> /s	545	58.0	450	31.0	105	74.0
20th percentile	ft <sup>3</sup> /s	620	71.0	636	44.2	130	90.0
30th percentile	ft <sup>3</sup> /s	720	88.0	824	66.0	164	119
40th percentile	ft <sup>3</sup> /s	780	103	946	83.4	201	152
50th percentile	ft <sup>3</sup> /s	960	118	1,120	94.0	231	213
60th percentile	ft <sup>3</sup> /s	1,170	134	1,320	110	267	243
70th percentile	ft <sup>3</sup> /s	1,308	156	1,560	125	315	280
80th percentile	ft <sup>3</sup> /s	1,856	191	1,950	154	399	337
90th percentile	ft <sup>3</sup> /s	3,020	286	2,974	228	600	498
Drainage area	mi <sup>2</sup>	1418	188	1782	114	315	362
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	10.2	32.8	23.0	39.7	30.8	24.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.310	0.144	0.063	0.140	0.133	0.163
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.677	0.628	0.629	0.825	0.733	0.588
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	0.915	0.900	1.21	1.06	0.935
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.645	0.550	0.467	0.608	0.621	0.428
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	1.36	1.17	2.21	1.47	2.01
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.331	0.255	0.157	0.223	0.284	0.193
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.384	0.309	0.253	0.272	0.333	0.204
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.437	0.378	0.357	0.388	0.413	0.249
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.508	0.468	0.462	0.579	0.521	0.329
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.550	0.548	0.531	0.732	0.637	0.421
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.677	0.628	0.629	0.825	0.733	0.588
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.825	0.713	0.741	0.961	0.848	0.670
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.922	0.830	0.875	1.10	1.00	0.773
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	1.01	1.09	1.35	1.27	0.931
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.13	1.52	1.67	2.00	1.90	1.38



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>02062500</b>	<b>02063000</b>	<b>02063500</b>	<b>02064000</b>	<b>02064500</b>	<b>02065000</b>
Count	number	2,591	186	186	2,200	155	186
Max	ft <sup>3</sup> /s	42,000	36.0	364	7,570	304	5,950
Min	ft <sup>3</sup> /s	212	1.40	16.0	31.0	5.00	90.0
Median	ft <sup>3</sup> /s	2,070	2.70	28.0	130	24.0	238
Arithmetic Mean	ft <sup>3</sup> /s	2,958	3.75	40.6	199	40.0	476
Geometric Mean	ft <sup>3</sup> /s	--	2.99	32.5	--	28.0	--
Harmonic Mean	ft <sup>3</sup> /s	1,677	2.69	29.0	114	22.2	227
Standard Deviation	ft <sup>3</sup> /s	3,275	4.25	43.2	294	47.7	755
5th percentile	ft <sup>3</sup> /s	734	1.60	18.0	52.0	10.0	116
10th percentile	ft <sup>3</sup> /s	873	1.80	18.0	61.0	13.4	129
20th percentile	ft <sup>3</sup> /s	1,150	2.20	21.0	76.0	16.0	151
30th percentile	ft <sup>3</sup> /s	1,430	2.40	25.0	93.0	19.0	170
40th percentile	ft <sup>3</sup> /s	1,760	2.50	27.0	110	21.0	210
50th percentile	ft <sup>3</sup> /s	2,070	2.70	28.0	130	24.0	238
60th percentile	ft <sup>3</sup> /s	2,390	2.80	31.0	155	32.0	275
70th percentile	ft <sup>3</sup> /s	2,910	2.90	34.0	185	36.0	346
80th percentile	ft <sup>3</sup> /s	3,800	3.30	42.0	230	44.0	556
90th percentile	ft <sup>3</sup> /s	5,690	6.00	65.5	357	76.0	1,025
Drainage area	mi <sup>2</sup>	2404	3.85	49.3	165	39.2	222
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	17.5	9.35	7.38	45.9	7.76	26.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.088	0.364	0.325	0.188	0.128	0.405
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.861	0.701	0.568	0.788	0.612	1.07
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	0.975	0.823	1.20	1.02	2.14
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.778	0.660	--	0.714	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.698	0.698	0.588	0.689	0.565	1.02
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.36	1.10	0.876	1.78	1.22	3.40
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.305	0.416	0.365	0.315	0.255	0.524
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.363	0.468	0.365	0.370	0.342	0.581
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.478	0.571	0.426	0.461	0.408	0.680
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.595	0.623	0.507	0.564	0.485	0.764
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.732	0.649	0.548	0.667	0.536	0.946
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.861	0.701	0.568	0.788	0.612	1.07
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.994	0.727	0.629	0.939	0.816	1.24
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	0.753	0.690	1.12	0.918	1.56
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.58	0.857	0.852	1.39	1.12	2.50
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.37	1.56	1.33	2.16	1.94	4.62

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>02062500</b>	<b>02063000</b>	<b>02063500</b>	<b>02064000</b>	<b>02064500</b>	<b>02065000</b>
Count	number	2,353	170	170	2,005	141	170
Max	ft <sup>3</sup> /s	41,500	55.0	445	7,770	287	3,200
Min	ft <sup>3</sup> /s	250	2.10	17.0	35.0	5.00	130
Median	ft <sup>3</sup> /s	2,380	3.75	39.5	151	24.0	273
Arithmetic Mean	ft <sup>3</sup> /s	3,271	5.72	63.0	229	36.8	443
Geometric Mean	ft <sup>3</sup> /s	--	4.43	48.7	--	27.8	--
Harmonic Mean	ft <sup>3</sup> /s	1,939	3.83	41.3	136	22.8	268
Standard Deviation	ft <sup>3</sup> /s	3,303	6.41	60.7	343	37.0	459
5th percentile	ft <sup>3</sup> /s	788	2.20	23.0	62.0	11.0	149
10th percentile	ft <sup>3</sup> /s	982	2.30	25.0	76.4	13.0	160
20th percentile	ft <sup>3</sup> /s	1,380	2.70	28.8	97.0	16.0	174
30th percentile	ft <sup>3</sup> /s	1,700	3.00	32.0	115	20.0	193
40th percentile	ft <sup>3</sup> /s	2,040	3.30	34.0	132	22.0	220
50th percentile	ft <sup>3</sup> /s	2,380	3.75	39.5	151	24.0	273
60th percentile	ft <sup>3</sup> /s	2,840	4.32	48.4	176	28.0	334
70th percentile	ft <sup>3</sup> /s	3,390	5.30	62.0	212	34.0	434
80th percentile	ft <sup>3</sup> /s	4,260	6.84	82.6	263	44.0	509
90th percentile	ft <sup>3</sup> /s	6,138	10.1	114	381	70.0	1,026
Drainage area	mi <sup>2</sup>	2404	3.85	49.3	165	39.2	222
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	17.3	14.3	9.03	47.1	7.32	14.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.104	0.545	0.345	0.212	0.128	0.586
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.990	0.974	0.801	0.915	0.612	1.23
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.36	1.49	1.28	1.39	0.938	2.00
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.15	0.989	--	0.708	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.807	0.994	0.837	0.823	0.580	1.21
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	1.66	1.23	2.08	0.944	2.07
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.328	0.571	0.467	0.376	0.281	0.671
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.409	0.597	0.507	0.463	0.332	0.721
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.574	0.701	0.584	0.588	0.408	0.784
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.707	0.779	0.649	0.697	0.510	0.870
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.849	0.857	0.690	0.800	0.561	0.991
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.990	0.974	0.801	0.915	0.612	1.23
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.18	1.12	0.982	1.07	0.714	1.50
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	1.38	1.26	1.28	0.867	1.95
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.77	1.78	1.68	1.59	1.12	2.29
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.55	2.62	2.32	2.31	1.79	4.62

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02062500</b>	<b>02063000</b>	<b>02063500</b>	<b>02064000</b>	<b>02064500</b>	<b>02065000</b>
Count	number	2,581	186	186	2,201	155	186
Max	ft <sup>3</sup> /s	42,700	48.0	374	7,460	1,820	6,920
Min	ft <sup>3</sup> /s	400	1.80	22.0	40.0	12.0	133
Median	ft <sup>3</sup> /s	2,600	4.20	48.5	162	31.0	234
Arithmetic Mean	ft <sup>3</sup> /s	3,725	5.68	65.9	256	64.8	389
Geometric Mean	ft <sup>3</sup> /s	--	4.53	--	--	37.3	--
Harmonic Mean	ft <sup>3</sup> /s	2,158	3.96	46.6	146	30.0	239
Standard Deviation	ft <sup>3</sup> /s	3,908	5.91	55.1	397	159	654
5th percentile	ft <sup>3</sup> /s	888	2.24	25.4	69.0	16.8	144
10th percentile	ft <sup>3</sup> /s	1,210	2.40	27.5	83.0	19.0	154
20th percentile	ft <sup>3</sup> /s	1,540	2.70	32.0	103	20.0	166
30th percentile	ft <sup>3</sup> /s	1,900	3.10	37.5	121	23.2	180
40th percentile	ft <sup>3</sup> /s	2,230	3.80	45.0	138	26.0	206
50th percentile	ft <sup>3</sup> /s	2,600	4.20	48.5	162	31.0	234
60th percentile	ft <sup>3</sup> /s	3,040	4.70	57.0	186	34.0	270
70th percentile	ft <sup>3</sup> /s	3,670	5.60	64.5	218	40.0	337
80th percentile	ft <sup>3</sup> /s	4,660	6.40	88.0	278	56.8	436
90th percentile	ft <sup>3</sup> /s	7,140	8.85	129	430	115	612
Drainage area	mi <sup>2</sup>	2404	3.85	49.3	165	39.2	222
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	17.8	12.5	7.59	45.2	46.4	31.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.166	0.468	0.446	0.242	0.306	0.599
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.09	0.984	0.982	0.791	1.05
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.55	1.47	1.34	1.55	1.65	1.75
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.18	--	--	0.952	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.898	1.03	0.946	0.888	0.766	1.08
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.63	1.53	1.12	2.41	4.06	2.95
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.369	0.581	0.514	0.418	0.429	0.647
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.503	0.623	0.558	0.503	0.485	0.694
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.641	0.701	0.649	0.624	0.510	0.748
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.790	0.805	0.761	0.733	0.592	0.809
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.928	0.987	0.913	0.836	0.663	0.928
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.09	0.984	0.982	0.791	1.05
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.22	1.16	1.13	0.867	1.22
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	1.45	1.31	1.32	1.02	1.52
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.94	1.66	1.78	1.68	1.45	1.96
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.97	2.30	2.62	2.61	2.94	2.75

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02062500</b>	<b>02063000</b>	<b>02063500</b>	<b>02064000</b>	<b>02064500</b>	<b>02065000</b>
Count	number	2,512	180	180	2,130	150	210
Max	ft <sup>3</sup> /s	50,400	51.0	584	5,060	382	6,090
Min	ft <sup>3</sup> /s	355	2.10	23.0	48.0	16.0	115
Median	ft <sup>3</sup> /s	2,430	4.00	49.0	145	30.0	228
Arithmetic Mean	ft <sup>3</sup> /s	3,508	5.71	69.8	211	45.7	390
Geometric Mean	ft <sup>3</sup> /s	--	4.61	--	--	35.0	--
Harmonic Mean	ft <sup>3</sup> /s	2,115	4.08	47.9	131	30.2	225
Standard Deviation	ft <sup>3</sup> /s	3,944	5.58	66.3	286	50.5	576
5th percentile	ft <sup>3</sup> /s	1,027	2.41	25.0	66.0	18.0	127
10th percentile	ft <sup>3</sup> /s	1,250	2.69	30.9	74.9	20.0	137
20th percentile	ft <sup>3</sup> /s	1,540	3.10	35.0	92.0	21.0	151
30th percentile	ft <sup>3</sup> /s	1,790	3.40	37.0	106	24.0	170
40th percentile	ft <sup>3</sup> /s	2,080	3.66	42.0	123	27.0	194
50th percentile	ft <sup>3</sup> /s	2,430	4.00	49.0	145	30.0	228
60th percentile	ft <sup>3</sup> /s	2,800	4.50	55.4	167	34.0	261
70th percentile	ft <sup>3</sup> /s	3,340	5.10	67.0	193	38.3	312
80th percentile	ft <sup>3</sup> /s	4,200	5.92	88.0	234	50.0	419
90th percentile	ft <sup>3</sup> /s	6,439	12.0	120	353	86.0	697
Drainage area	mi <sup>2</sup>	2404	3.85	49.3	165	39.2	222
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.0	13.2	11.8	30.7	9.74	27.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.148	0.545	0.467	0.291	0.408	0.518
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.04	0.994	0.879	0.765	1.03
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.48	1.42	1.28	1.17	1.76
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.20	--	--	0.892	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.880	1.06	0.971	0.795	0.770	1.01
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.64	1.45	1.34	1.73	1.29	2.59
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.427	0.626	0.507	0.400	0.459	0.570
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.520	0.699	0.627	0.454	0.510	0.617
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.641	0.805	0.710	0.558	0.536	0.680
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.745	0.883	0.751	0.642	0.612	0.764
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.865	0.951	0.852	0.745	0.689	0.872
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.04	0.994	0.879	0.765	1.03
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	1.17	1.12	1.01	0.867	1.18
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	1.32	1.36	1.17	0.977	1.41
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.75	1.54	1.78	1.42	1.28	1.89
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.68	3.12	2.43	2.14	2.19	3.14

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>02062500</b>	<b>02063000</b>	<b>02063500</b>	<b>02064000</b>	<b>02064500</b>	<b>02065000</b>
Count	number	2,604	186	186	2,201	155	217
Max	ft <sup>3</sup> /s	27,200	44.0	550	6,400	173	1,090
Min	ft <sup>3</sup> /s	358	1.20	17.0	30.0	14.0	55.0
Median	ft <sup>3</sup> /s	1,990	2.40	29.0	115	23.0	149
Arithmetic Mean	ft <sup>3</sup> /s	2,580	3.98	44.0	161	32.5	165
Geometric Mean	ft <sup>3</sup> /s	--	2.90	34.3	--	26.8	--
Harmonic Mean	ft <sup>3</sup> /s	1,860	2.54	30.4	103	23.7	135
Standard Deviation	ft <sup>3</sup> /s	2,329	5.68	54.9	257	26.4	101
5th percentile	ft <sup>3</sup> /s	1,040	1.50	19.0	53.0	14.0	68.7
10th percentile	ft <sup>3</sup> /s	1,220	1.60	20.0	60.0	16.0	86.8
20th percentile	ft <sup>3</sup> /s	1,400	2.00	23.0	73.0	17.0	106
30th percentile	ft <sup>3</sup> /s	1,570	2.10	25.0	87.0	19.0	119
40th percentile	ft <sup>3</sup> /s	1,760	2.20	27.0	100	20.0	132
50th percentile	ft <sup>3</sup> /s	1,990	2.40	29.0	115	23.0	149
60th percentile	ft <sup>3</sup> /s	2,220	2.90	32.0	128	26.0	167
70th percentile	ft <sup>3</sup> /s	2,500	3.10	38.0	146	31.0	182
80th percentile	ft <sup>3</sup> /s	2,990	3.60	47.0	175	39.0	206
90th percentile	ft <sup>3</sup> /s	4,260	5.40	73.0	241	59.6	233
Drainage area	mi <sup>2</sup>	2404	3.85	49.3	165	39.2	222
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	11.3	11.4	11.2	38.8	4.41	4.91
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.149	0.312	0.345	0.182	0.357	0.248
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.828	0.623	0.588	0.697	0.587	0.671
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	1.03	0.893	0.973	0.829	0.742
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.754	0.696	--	0.685	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.774	0.660	0.617	0.624	0.605	0.607
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.969	1.48	1.11	1.56	0.672	0.453
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.433	0.390	0.385	0.321	0.357	0.309
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.507	0.416	0.406	0.364	0.408	0.391
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.582	0.519	0.467	0.442	0.434	0.478
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.653	0.545	0.507	0.527	0.485	0.536
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.732	0.571	0.548	0.606	0.510	0.596
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.828	0.623	0.588	0.697	0.587	0.671
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.923	0.753	0.649	0.776	0.663	0.752
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	0.805	0.771	0.885	0.791	0.820
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	0.935	0.953	1.06	0.995	0.928
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.77	1.40	1.48	1.46	1.52	1.05

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>02062500</b>	<b>02063000</b>	<b>02063500</b>	<b>02064000</b>	<b>02064500</b>	<b>02065000</b>
Count	number	2,520	210	180	2,130	150	210
Max	ft <sup>3</sup> /s	54,900	39.0	274	12,000	96.0	6,900
Min	ft <sup>3</sup> /s	188	0.600	9.20	8.80	5.00	53.0
Median	ft <sup>3</sup> /s	1,435	2.00	24.0	81.0	16.0	142
Arithmetic Mean	ft <sup>3</sup> /s	2,072	2.99	28.5	120	21.0	294
Geometric Mean	ft <sup>3</sup> /s	--	2.30	24.7	--	18.1	--
Harmonic Mean	ft <sup>3</sup> /s	1,227	2.00	22.3	69.0	16.2	136
Standard Deviation	ft <sup>3</sup> /s	2,882	3.97	24.0	357	14.7	684
5th percentile	ft <sup>3</sup> /s	527	1.20	12.0	33.0	10.0	60.6
10th percentile	ft <sup>3</sup> /s	710	1.30	14.0	40.9	11.0	82.9
20th percentile	ft <sup>3</sup> /s	949	1.50	16.0	52.0	12.0	101
30th percentile	ft <sup>3</sup> /s	1,110	1.80	19.7	64.0	13.0	116
40th percentile	ft <sup>3</sup> /s	1,280	1.90	22.0	73.0	14.0	127
50th percentile	ft <sup>3</sup> /s	1,435	2.00	24.0	81.0	16.0	142
60th percentile	ft <sup>3</sup> /s	1,650	2.30	27.0	92.0	18.0	162
70th percentile	ft <sup>3</sup> /s	1,900	2.63	30.0	106	21.0	185
80th percentile	ft <sup>3</sup> /s	2,340	3.12	35.0	125	26.0	227
90th percentile	ft <sup>3</sup> /s	3,381	4.51	40.0	169	37.0	471
Drainage area	mi <sup>2</sup>	2404	3.85	49.3	165	39.2	222
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	22.8	10.1	5.56	72.7	2.45	31.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.078	0.156	0.187	0.053	0.128	0.239
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.597	0.519	0.487	0.491	0.408	0.637
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.862	0.778	0.579	0.728	0.537	1.32
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.597	0.500	--	0.461	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.510	0.520	0.452	0.418	0.412	0.614
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.03	0.487	2.17	0.374	3.08
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.219	0.312	0.243	0.200	0.255	0.273
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	0.338	0.284	0.248	0.281	0.373
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.395	0.390	0.325	0.315	0.306	0.454
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.462	0.468	0.400	0.388	0.332	0.521
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.532	0.494	0.446	0.442	0.357	0.571
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.597	0.519	0.487	0.491	0.408	0.637
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.686	0.597	0.548	0.558	0.459	0.730
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.790	0.683	0.609	0.642	0.536	0.835
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.973	0.810	0.710	0.758	0.663	1.02
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	1.17	0.811	1.02	0.944	2.12

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>02062500</b>	<b>02063000</b>	<b>02063500</b>	<b>02064000</b>	<b>02064500</b>	<b>02065000</b>
Count	number	2,604	217	186	2,201	155	217
Max	ft <sup>3</sup> /s	40,000	64.0	161	5,100	184	4,310
Min	ft <sup>3</sup> /s	140	0.500	7.40	6.30	1.00	65.0
Median	ft <sup>3</sup> /s	1,180	1.60	16.5	62.0	13.0	137
Arithmetic Mean	ft <sup>3</sup> /s	1,609	2.31	19.2	90.0	16.2	275
Geometric Mean	ft <sup>3</sup> /s	--	1.70	17.1	--	12.7	--
Harmonic Mean	ft <sup>3</sup> /s	992	1.45	15.8	48.9	9.58	147
Standard Deviation	ft <sup>3</sup> /s	1,951	4.65	13.8	184	17.2	412
5th percentile	ft <sup>3</sup> /s	405	0.600	9.27	22.0	3.80	79.0
10th percentile	ft <sup>3</sup> /s	547	0.860	10.0	29.0	6.00	90.0
20th percentile	ft <sup>3</sup> /s	760	1.10	12.0	37.0	8.00	103
30th percentile	ft <sup>3</sup> /s	932	1.30	14.0	45.0	10.0	112
40th percentile	ft <sup>3</sup> /s	1,060	1.50	15.0	53.0	12.0	124
50th percentile	ft <sup>3</sup> /s	1,180	1.60	16.5	62.0	13.0	137
60th percentile	ft <sup>3</sup> /s	1,330	1.80	18.0	72.0	15.0	168
70th percentile	ft <sup>3</sup> /s	1,540	2.20	20.5	84.0	17.0	213
80th percentile	ft <sup>3</sup> /s	1,924	2.40	25.0	101	19.0	335
90th percentile	ft <sup>3</sup> /s	2,670	2.80	27.5	139	27.0	583
Drainage area	mi <sup>2</sup>	2404	3.85	49.3	165	39.2	222
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	16.6	16.6	3.27	30.9	4.69	19.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.058	0.130	0.150	0.038	0.026	0.293
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.491	0.416	0.335	0.376	0.332	0.617
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.669	0.600	0.390	0.545	0.414	1.24
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.440	0.347	--	0.324	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.413	0.376	0.320	0.296	0.244	0.664
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.811	1.21	0.280	1.11	0.438	1.86
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.169	0.156	0.188	0.133	0.097	0.356
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.227	0.223	0.203	0.176	0.153	0.405
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.316	0.286	0.243	0.224	0.204	0.464
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.388	0.338	0.284	0.273	0.255	0.505
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.441	0.390	0.304	0.321	0.306	0.559
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.491	0.416	0.335	0.376	0.332	0.617
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.553	0.468	0.365	0.436	0.383	0.757
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.641	0.571	0.416	0.509	0.434	0.959
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.800	0.623	0.507	0.612	0.485	1.51
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	0.727	0.558	0.842	0.689	2.63

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02062500</b>	<b>02063000</b>	<b>02063500</b>	<b>02064000</b>	<b>02064500</b>	<b>02065000</b>
Count	number	2,604	217	186	2,201	155	217
Max	ft <sup>3</sup> /s	113,000	96.0	710	4,640	358	13,500
Min	ft <sup>3</sup> /s	165	0.400	3.00	1.00	1.00	57.0
Median	ft <sup>3</sup> /s	1,085	1.60	15.0	53.0	12.0	104
Arithmetic Mean	ft <sup>3</sup> /s	1,745	3.09	24.7	80.1	20.4	335
Geometric Mean	ft <sup>3</sup> /s	--	1.71	16.2	--	10.8	--
Harmonic Mean	ft <sup>3</sup> /s	876	1.35	13.2	35.6	6.71	115
Standard Deviation	ft <sup>3</sup> /s	4,531	8.61	56.7	168	40.2	1,244
5th percentile	ft <sup>3</sup> /s	352	0.600	6.61	18.0	2.00	66.9
10th percentile	ft <sup>3</sup> /s	443	0.800	7.40	22.0	3.00	73.6
20th percentile	ft <sup>3</sup> /s	650	1.00	9.20	28.0	5.00	84.0
30th percentile	ft <sup>3</sup> /s	856	1.10	11.0	34.0	8.00	92.0
40th percentile	ft <sup>3</sup> /s	987	1.20	13.0	44.0	10.0	97.4
50th percentile	ft <sup>3</sup> /s	1,085	1.60	15.0	53.0	12.0	104
60th percentile	ft <sup>3</sup> /s	1,200	2.00	17.0	63.0	14.0	121
70th percentile	ft <sup>3</sup> /s	1,371	2.20	21.0	74.0	15.0	159
80th percentile	ft <sup>3</sup> /s	1,720	2.68	25.0	90.0	19.2	208
90th percentile	ft <sup>3</sup> /s	2,657	3.74	40.5	126	27.0	316
Drainage area	mi <sup>2</sup>	2404	3.85	49.3	165	39.2	222
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	47.0	24.9	14.4	28.1	9.13	60.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.069	0.104	0.061	0.006	0.026	0.257
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.451	0.416	0.304	0.321	0.306	0.468
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.726	0.803	0.501	0.486	0.521	1.51
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.443	0.329	--	0.275	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.364	0.352	0.268	0.216	0.171	0.519
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.88	2.24	1.15	1.02	1.03	5.60
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.146	0.156	0.134	0.109	0.051	0.301
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.184	0.208	0.150	0.133	0.077	0.332
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.270	0.260	0.187	0.170	0.128	0.378
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.356	0.286	0.223	0.206	0.204	0.414
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.411	0.312	0.264	0.267	0.255	0.439
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.451	0.416	0.304	0.321	0.306	0.468
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.499	0.519	0.345	0.382	0.357	0.543
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.570	0.571	0.426	0.448	0.383	0.718
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.715	0.696	0.507	0.545	0.490	0.935
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	0.971	0.822	0.764	0.689	1.42



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02062500</b>	<b>02063000</b>	<b>02063500</b>	<b>02064000</b>	<b>02064500</b>	<b>02065000</b>
Count	number	2,520	210	180	2,130	150	210
Max	ft <sup>3</sup> /s	65,600	38.0	213	20,000	180	3,900
Min	ft <sup>3</sup> /s	161	0.100	2.30	5.00	1.00	45.0
Median	ft <sup>3</sup> /s	1,000	1.60	16.0	51.0	7.00	102
Arithmetic Mean	ft <sup>3</sup> /s	1,723	2.55	22.8	123	13.3	141
Geometric Mean	ft <sup>3</sup> /s	--	1.54	17.0	--	6.54	--
Harmonic Mean	ft <sup>3</sup> /s	790	0.974	14.2	38.5	4.10	91.3
Standard Deviation	ft <sup>3</sup> /s	3,968	4.68	28.6	684	24.2	284
5th percentile	ft <sup>3</sup> /s	310	0.355	7.10	16.0	2.00	48.0
10th percentile	ft <sup>3</sup> /s	394	0.800	8.00	19.0	2.00	53.8
20th percentile	ft <sup>3</sup> /s	560	0.900	9.76	26.0	2.00	63.0
30th percentile	ft <sup>3</sup> /s	760	1.00	13.0	35.0	3.00	82.0
40th percentile	ft <sup>3</sup> /s	900	1.40	15.0	42.0	4.00	91.0
50th percentile	ft <sup>3</sup> /s	1,000	1.60	16.0	51.0	7.00	102
60th percentile	ft <sup>3</sup> /s	1,100	1.80	19.0	58.0	8.00	110
70th percentile	ft <sup>3</sup> /s	1,250	2.00	22.0	66.0	10.0	119
80th percentile	ft <sup>3</sup> /s	1,592	2.40	24.0	81.0	15.0	137
90th percentile	ft <sup>3</sup> /s	2,550	3.51	32.0	145	25.1	168
Drainage area	mi <sup>2</sup>	2404	3.85	49.3	165	39.2	222
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	27.3	9.87	4.32	121	4.59	17.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.067	0.026	0.047	0.030	0.026	0.203
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.416	0.416	0.325	0.309	0.179	0.459
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.717	0.663	0.462	0.747	0.340	0.636
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.400	0.345	--	0.167	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.329	0.253	0.287	0.233	0.105	0.411
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.65	1.22	0.581	4.15	0.618	1.28
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.129	0.092	0.144	0.097	0.051	0.216
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.164	0.208	0.162	0.115	0.051	0.242
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.233	0.234	0.198	0.158	0.051	0.284
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.316	0.260	0.264	0.212	0.077	0.369
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.374	0.364	0.304	0.255	0.102	0.410
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.416	0.416	0.325	0.309	0.179	0.459
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.458	0.468	0.385	0.352	0.204	0.495
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.520	0.519	0.446	0.400	0.255	0.536
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.662	0.623	0.487	0.491	0.383	0.617
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	0.912	0.649	0.879	0.640	0.758

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02062500</b>	<b>02063000</b>	<b>02063500</b>	<b>02064000</b>	<b>02064500</b>	<b>02065000</b>
Count	number	2,634	186	186	2,219	155	186
Max	ft <sup>3</sup> /s	51,400	30.0	136	5,320	625	4,210
Min	ft <sup>3</sup> /s	185	0.400	5.50	5.00	1.00	63.0
Median	ft <sup>3</sup> /s	1,060	1.80	17.0	58.0	8.00	101
Arithmetic Mean	ft <sup>3</sup> /s	1,718	2.21	20.0	103	18.1	183
Geometric Mean	ft <sup>3</sup> /s	--	1.77	17.4	--	6.99	--
Harmonic Mean	ft <sup>3</sup> /s	893	1.51	15.9	47.9	4.14	106
Standard Deviation	ft <sup>3</sup> /s	3,061	2.70	15.5	241	62.0	379
5th percentile	ft <sup>3</sup> /s	360	0.600	8.94	21.0	1.00	70.4
10th percentile	ft <sup>3</sup> /s	450	1.00	10.0	26.0	2.00	78.0
20th percentile	ft <sup>3</sup> /s	620	1.30	13.0	36.0	2.00	82.0
30th percentile	ft <sup>3</sup> /s	880	1.50	15.0	42.0	4.00	90.0
40th percentile	ft <sup>3</sup> /s	980	1.60	16.0	49.0	6.00	98.0
50th percentile	ft <sup>3</sup> /s	1,060	1.80	17.0	58.0	8.00	101
60th percentile	ft <sup>3</sup> /s	1,200	2.00	18.0	66.0	10.0	104
70th percentile	ft <sup>3</sup> /s	1,430	2.10	19.0	81.0	13.0	109
80th percentile	ft <sup>3</sup> /s	1,770	2.30	21.0	109	16.0	133
90th percentile	ft <sup>3</sup> /s	2,660	2.95	27.0	156	21.0	288
Drainage area	mi <sup>2</sup>	2404	3.85	49.3	165	39.2	222
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.4	7.79	2.76	32.2	15.9	19.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.077	0.104	0.112	0.030	0.026	0.284
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.441	0.468	0.345	0.352	0.204	0.455
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.715	0.574	0.405	0.624	0.461	0.826
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.459	0.354	--	0.178	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.372	0.391	0.323	0.291	0.106	0.478
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.27	0.700	0.315	1.46	1.58	1.71
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.150	0.156	0.181	0.127	0.026	0.317
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.187	0.260	0.203	0.158	0.051	0.351
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.258	0.338	0.264	0.218	0.051	0.369
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.366	0.390	0.304	0.255	0.102	0.405
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.408	0.416	0.325	0.297	0.153	0.441
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.441	0.468	0.345	0.352	0.204	0.455
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.499	0.519	0.365	0.400	0.255	0.468
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.595	0.545	0.385	0.491	0.332	0.491
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.736	0.597	0.426	0.661	0.408	0.599
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	0.766	0.548	0.947	0.536	1.30

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02062500</b>	<b>02063000</b>	<b>02063500</b>	<b>02064000</b>	<b>02064500</b>	<b>02065000</b>
Count	number	2,539	180	180	2,155	150	180
Max	ft <sup>3</sup> /s	48,200	54.0	523	6,430	242	1,100
Min	ft <sup>3</sup> /s	235	1.40	12.0	20.0	2.00	74.0
Median	ft <sup>3</sup> /s	1,230	2.25	21.0	76.0	9.00	117
Arithmetic Mean	ft <sup>3</sup> /s	1,797	4.04	35.5	128	20.2	173
Geometric Mean	ft <sup>3</sup> /s	--	2.67	25.9	--	11.5	--
Harmonic Mean	ft <sup>3</sup> /s	1,086	2.28	22.8	71.4	8.01	125
Standard Deviation	ft <sup>3</sup> /s	2,370	6.98	52.3	238	33.5	156
5th percentile	ft <sup>3</sup> /s	492	1.50	16.0	36.0	3.55	80.0
10th percentile	ft <sup>3</sup> /s	570	1.50	17.0	41.0	5.00	81.0
20th percentile	ft <sup>3</sup> /s	848	1.60	18.0	50.0	5.00	88.6
30th percentile	ft <sup>3</sup> /s	1,000	1.80	19.0	57.0	6.00	100
40th percentile	ft <sup>3</sup> /s	1,100	2.00	20.0	64.0	8.00	110
50th percentile	ft <sup>3</sup> /s	1,230	2.25	21.0	76.0	9.00	117
60th percentile	ft <sup>3</sup> /s	1,400	2.40	22.0	92.0	14.4	133
70th percentile	ft <sup>3</sup> /s	1,646	2.70	24.0	107	18.0	170
80th percentile	ft <sup>3</sup> /s	2,084	3.54	32.0	144	24.2	203
90th percentile	ft <sup>3</sup> /s	3,224	6.08	57.2	226	37.3	279
Drainage area	mi <sup>2</sup>	2404	3.85	49.3	165	39.2	222
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	20.0	14.0	10.6	39.0	6.17	4.95
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.098	0.364	0.243	0.121	0.051	0.333
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.512	0.584	0.426	0.461	0.230	0.527
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.747	1.05	0.720	0.775	0.515	0.780
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.693	0.525	--	0.294	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.452	0.591	0.463	0.433	0.204	0.565
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.986	1.81	1.06	1.44	0.855	0.704
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.205	0.390	0.325	0.218	0.091	0.360
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.237	0.390	0.345	0.248	0.128	0.365
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.353	0.416	0.365	0.303	0.128	0.399
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.416	0.468	0.385	0.345	0.153	0.450
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.458	0.519	0.406	0.388	0.204	0.495
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.512	0.584	0.426	0.461	0.230	0.527
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.582	0.623	0.446	0.558	0.367	0.597
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.685	0.701	0.487	0.648	0.459	0.766
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.867	0.919	0.649	0.873	0.617	0.914
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.34	1.58	1.16	1.37	0.952	1.26

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02062500</b>	<b>02063000</b>	<b>02063500</b>	<b>02064000</b>	<b>02064500</b>	<b>02065000</b>
Count	number	2,600	186	186	2,201	155	186
Max	ft <sup>3</sup> /s	46,900	35.0	375	5,070	452	1,380
Min	ft <sup>3</sup> /s	230	1.50	16.0	26.0	3.00	77.0
Median	ft <sup>3</sup> /s	1,570	2.70	27.0	104	17.0	140
Arithmetic Mean	ft <sup>3</sup> /s	2,246	3.71	37.7	159	30.2	183
Geometric Mean	ft <sup>3</sup> /s	--	3.08	31.0	--	17.6	--
Harmonic Mean	ft <sup>3</sup> /s	1,339	2.75	27.8	91.0	13.2	139
Standard Deviation	ft <sup>3</sup> /s	2,649	3.46	36.6	245	57.1	168
5th percentile	ft <sup>3</sup> /s	590	1.60	17.0	43.0	5.80	89.0
10th percentile	ft <sup>3</sup> /s	735	1.70	18.0	49.0	8.00	92.0
20th percentile	ft <sup>3</sup> /s	975	2.00	19.0	60.0	8.00	103
30th percentile	ft <sup>3</sup> /s	1,147	2.40	24.0	75.0	11.0	117
40th percentile	ft <sup>3</sup> /s	1,350	2.50	26.0	89.0	14.0	130
50th percentile	ft <sup>3</sup> /s	1,570	2.70	27.0	104	17.0	140
60th percentile	ft <sup>3</sup> /s	1,834	3.20	31.0	121	20.0	153
70th percentile	ft <sup>3</sup> /s	2,180	3.60	35.0	145	23.8	169
80th percentile	ft <sup>3</sup> /s	2,722	4.20	44.0	185	30.0	184
90th percentile	ft <sup>3</sup> /s	4,150	5.75	57.0	276	43.2	260
Drainage area	mi <sup>2</sup>	2404	3.85	49.3	165	39.2	222
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	19.5	9.09	7.61	30.7	11.5	6.22
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.096	0.390	0.325	0.158	0.077	0.347
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.653	0.701	0.548	0.630	0.434	0.631
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.934	0.965	0.764	0.964	0.771	0.825
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.800	0.629	--	0.450	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.557	0.714	0.564	0.551	0.337	0.626
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	0.898	0.742	1.48	1.46	0.757
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.245	0.416	0.345	0.261	0.148	0.401
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.306	0.442	0.365	0.297	0.204	0.414
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.406	0.519	0.385	0.364	0.204	0.464
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.477	0.623	0.487	0.455	0.281	0.527
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.562	0.649	0.527	0.539	0.357	0.586
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.653	0.701	0.548	0.630	0.434	0.631
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.763	0.831	0.629	0.733	0.510	0.689
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.907	0.935	0.710	0.879	0.607	0.761
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	1.09	0.892	1.12	0.765	0.829
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	1.49	1.16	1.67	1.10	1.17

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		January					
	units						
Station Number	number	02065200	02065500	02066000	02066500	02067000	02069700
Count	number	403	1,889	2,012	806	713	1,395
Max	ft <sup>3</sup> /s	15,700	5,080	44,400	2,390	49,700	1,770
Min	ft <sup>3</sup> /s	356	21.0	320	27.0	700	28.0
Median	ft <sup>3</sup> /s	2,060	87.0	2,430	85.0	2,870	110
Arithmetic Mean	ft <sup>3</sup> /s	2,933	129	3,555	139	4,397	138
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1,620	78.0	2,122	78.3	2,644	101
Standard Deviation	ft <sup>3</sup> /s	2,473	195	3,701	172	5,026	117
5th percentile	ft <sup>3</sup> /s	701	38.0	960	38.0	1,207	50.0
10th percentile	ft <sup>3</sup> /s	800	44.0	1,120	42.0	1,420	62.0
20th percentile	ft <sup>3</sup> /s	1,070	54.0	1,462	51.0	1,900	76.0
30th percentile	ft <sup>3</sup> /s	1,260	66.0	1,790	64.0	2,270	88.0
40th percentile	ft <sup>3</sup> /s	1,640	77.0	2,070	75.0	2,540	99.0
50th percentile	ft <sup>3</sup> /s	2,060	87.0	2,430	85.0	2,870	110
60th percentile	ft <sup>3</sup> /s	2,548	100	2,860	99.0	3,460	122
70th percentile	ft <sup>3</sup> /s	3,448	117	3,500	115	4,080	140
80th percentile	ft <sup>3</sup> /s	4,644	145	4,688	169	5,296	165
90th percentile	ft <sup>3</sup> /s	6,768	216	7,060	292	8,206	221
Drainage area	mi <sup>2</sup>	2682	97.6	2966	135	3227	85.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	5.85	52.0	15.0	17.7	15.4	20.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.133	0.215	0.108	0.200	0.217	0.327
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.768	0.891	0.819	0.630	0.889	1.29
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.32	1.20	1.03	1.36	1.61
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.604	0.799	0.715	0.580	0.819	1.18
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.922	2.00	1.25	1.27	1.56	1.37
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.262	0.389	0.324	0.281	0.374	0.585
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.298	0.451	0.378	0.311	0.440	0.725
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.399	0.553	0.493	0.378	0.589	0.889
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.470	0.676	0.604	0.474	0.703	1.03
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.611	0.789	0.698	0.556	0.787	1.16
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.768	0.891	0.819	0.630	0.889	1.29
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.950	1.02	0.964	0.733	1.07	1.43
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.20	1.18	0.852	1.26	1.64
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	1.49	1.58	1.25	1.64	1.93
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.52	2.22	2.38	2.16	2.54	2.59

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>02065200</b>	<b>02065500</b>	<b>02066000</b>	<b>02066500</b>	<b>02067000</b>	<b>02069700</b>
Count	number	368	1,723	1,835	735	650	1,271
Max	ft <sup>3</sup> /s	27,700	5,160	53,600	2,630	40,500	1,500
Min	ft <sup>3</sup> /s	479	31.0	525	30.0	692	41.0
Median	ft <sup>3</sup> /s	2,290	100	2,860	125	3,460	119
Arithmetic Mean	ft <sup>3</sup> /s	3,311	143	4,204	198	4,364	145
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1,992	93.0	2,530	112	2,792	111
Standard Deviation	ft <sup>3</sup> /s	2,958	206	4,533	220	3,898	114
5th percentile	ft <sup>3</sup> /s	806	45.0	1,148	52.0	1,062	60.6
10th percentile	ft <sup>3</sup> /s	1,081	54.0	1,384	60.0	1,420	71.0
20th percentile	ft <sup>3</sup> /s	1,384	68.0	1,780	75.0	2,020	84.0
30th percentile	ft <sup>3</sup> /s	1,592	79.0	2,160	90.0	2,540	98.0
40th percentile	ft <sup>3</sup> /s	1,920	88.0	2,430	105	2,990	109
50th percentile	ft <sup>3</sup> /s	2,290	100	2,860	125	3,460	119
60th percentile	ft <sup>3</sup> /s	3,018	114	3,540	155	3,970	131
70th percentile	ft <sup>3</sup> /s	3,776	134	4,280	198	4,520	148
80th percentile	ft <sup>3</sup> /s	4,632	162	5,360	258	5,590	170
90th percentile	ft <sup>3</sup> /s	6,593	236	7,792	400	7,520	219
Drainage area	mi <sup>2</sup>	2682	97.6	2966	135	3227	85.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	10.3	52.9	18.1	19.5	12.6	17.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.318	0.177	0.222	0.214	0.480
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.854	1.02	0.964	0.926	1.07	1.39
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.46	1.42	1.46	1.35	1.70
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.743	0.952	0.853	0.832	0.865	1.30
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	2.11	1.53	1.63	1.21	1.34
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.301	0.461	0.387	0.385	0.329	0.709
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.403	0.553	0.467	0.444	0.440	0.830
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.516	0.697	0.600	0.556	0.626	0.982
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.594	0.809	0.728	0.667	0.787	1.15
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.716	0.902	0.819	0.778	0.927	1.27
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.854	1.02	0.964	0.926	1.07	1.39
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	1.17	1.19	1.15	1.23	1.53
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	1.37	1.44	1.47	1.40	1.73
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	1.66	1.81	1.91	1.73	1.99
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.46	2.42	2.63	2.96	2.33	2.56

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02065200</b>	<b>02065500</b>	<b>02066000</b>	<b>02066500</b>	<b>02067000</b>	<b>02069700</b>
Count	number	403	1,891	2,015	806	713	1,395
Max	ft <sup>3</sup> /s	56,500	3,270	53,100	1,670	53,600	2,800
Min	ft <sup>3</sup> /s	561	31.0	598	38.0	1,180	41.0
Median	ft <sup>3</sup> /s	2,100	106	3,430	118	3,430	130
Arithmetic Mean	ft <sup>3</sup> /s	3,628	159	4,928	187	4,697	176
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1,875	101	2,795	114	3,336	123
Standard Deviation	ft <sup>3</sup> /s	4,966	209	5,252	196	4,102	182
5th percentile	ft <sup>3</sup> /s	788	50.0	1,190	55.0	1,814	66.0
10th percentile	ft <sup>3</sup> /s	989	59.0	1,500	66.0	2,070	76.0
20th percentile	ft <sup>3</sup> /s	1,284	73.0	1,918	79.0	2,430	91.0
30th percentile	ft <sup>3</sup> /s	1,530	87.0	2,292	90.0	2,770	102
40th percentile	ft <sup>3</sup> /s	1,818	97.0	2,810	102	3,200	116
50th percentile	ft <sup>3</sup> /s	2,100	106	3,430	118	3,430	130
60th percentile	ft <sup>3</sup> /s	2,492	118	4,024	140	3,860	148
70th percentile	ft <sup>3</sup> /s	3,258	138	4,888	178	4,530	171
80th percentile	ft <sup>3</sup> /s	4,614	174	6,184	239	5,950	207
90th percentile	ft <sup>3</sup> /s	7,284	270	9,292	368	8,632	293
Drainage area	mi <sup>2</sup>	2682	97.6	2966	135	3227	85.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.1	33.5	17.9	12.4	16.6	32.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.209	0.318	0.202	0.281	0.366	0.480
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.783	1.09	1.16	0.874	1.06	1.52
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	1.63	1.66	1.38	1.46	2.06
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.699	1.03	0.942	0.841	1.03	1.44
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.85	2.14	1.77	1.45	1.27	2.13
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.294	0.512	0.401	0.407	0.562	0.772
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.369	0.605	0.506	0.489	0.641	0.889
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.479	0.748	0.647	0.585	0.753	1.06
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.570	0.891	0.773	0.667	0.858	1.19
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.678	0.994	0.947	0.756	0.992	1.35
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.783	1.09	1.16	0.874	1.06	1.52
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.929	1.21	1.36	1.04	1.20	1.73
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.41	1.65	1.32	1.40	2.00
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.72	1.78	2.08	1.77	1.84	2.42
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.72	2.77	3.13	2.73	2.67	3.43

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02065200</b>	<b>02065500</b>	<b>02066000</b>	<b>02066500</b>	<b>02067000</b>	<b>02069700</b>
Count	number	390	1,830	1,890	780	690	1,350
Max	ft <sup>3</sup> /s	20,300	4,240	56,100	2,550	33,600	2,600
Min	ft <sup>3</sup> /s	480	34.0	631	32.0	1,090	48.0
Median	ft <sup>3</sup> /s	1,720	96.0	2,970	86.0	3,200	127
Arithmetic Mean	ft <sup>3</sup> /s	2,605	138	4,450	153	4,397	172
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1,614	89.9	2,623	84.1	3,141	120
Standard Deviation	ft <sup>3</sup> /s	2,677	183	4,975	198	3,743	189
5th percentile	ft <sup>3</sup> /s	724	46.0	1,260	40.0	1,750	64.0
10th percentile	ft <sup>3</sup> /s	935	52.0	1,480	47.9	2,020	72.0
20th percentile	ft <sup>3</sup> /s	1,220	64.0	1,780	58.8	2,336	88.0
30th percentile	ft <sup>3</sup> /s	1,357	73.0	2,047	66.0	2,600	96.0
40th percentile	ft <sup>3</sup> /s	1,516	84.0	2,460	77.0	2,870	109
50th percentile	ft <sup>3</sup> /s	1,720	96.0	2,970	86.0	3,200	127
60th percentile	ft <sup>3</sup> /s	1,920	107	3,580	99.0	3,640	149
70th percentile	ft <sup>3</sup> /s	2,383	126	4,320	127	4,190	174
80th percentile	ft <sup>3</sup> /s	3,174	152	5,590	190	5,350	208
90th percentile	ft <sup>3</sup> /s	4,815	229	8,552	325	8,004	276
Drainage area	mi <sup>2</sup>	2682	97.6	2966	135	3227	85.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.57	43.4	18.9	18.9	10.4	30.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.348	0.213	0.237	0.338	0.561
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.641	0.984	1.00	0.637	0.992	1.49
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.971	1.42	1.50	1.13	1.36	2.01
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.602	0.921	0.884	0.623	0.973	1.41
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.998	1.87	1.68	1.47	1.16	2.21
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.270	0.471	0.425	0.296	0.542	0.749
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.348	0.533	0.499	0.355	0.626	0.842
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.455	0.656	0.600	0.436	0.724	1.03
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.506	0.748	0.690	0.489	0.806	1.12
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.565	0.861	0.829	0.570	0.889	1.27
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.641	0.984	1.00	0.637	0.992	1.49
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.716	1.10	1.21	0.733	1.13	1.75
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.889	1.29	1.46	0.943	1.30	2.04
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.18	1.56	1.88	1.41	1.66	2.43
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.80	2.35	2.88	2.41	2.48	3.23



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	02065200	02065500	02066000	02066500	02067000	02069700
Count	number	403	1,891	1,953	806	713	1,395
Max	ft <sup>3</sup> /s	20,700	1,720	30,800	2,210	22,900	1,070
Min	ft <sup>3</sup> /s	431	22.0	480	12.0	915	35.0
Median	ft <sup>3</sup> /s	1,830	74.0	2,500	58.0	2,570	119
Arithmetic Mean	ft <sup>3</sup> /s	2,728	101	3,247	107	3,143	140
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1,685	67.5	2,335	53.4	2,442	106
Standard Deviation	ft <sup>3</sup> /s	2,900	125	2,921	171	2,183	94.6
5th percentile	ft <sup>3</sup> /s	706	35.0	1,327	25.0	1,330	55.8
10th percentile	ft <sup>3</sup> /s	1,070	39.0	1,480	29.0	1,560	64.0
20th percentile	ft <sup>3</sup> /s	1,370	50.0	1,760	37.0	1,844	78.0
30th percentile	ft <sup>3</sup> /s	1,480	58.0	1,950	45.0	2,070	89.0
40th percentile	ft <sup>3</sup> /s	1,600	65.0	2,210	51.0	2,320	104
50th percentile	ft <sup>3</sup> /s	1,830	74.0	2,500	58.0	2,570	119
60th percentile	ft <sup>3</sup> /s	2,040	83.0	2,780	66.0	2,870	138
70th percentile	ft <sup>3</sup> /s	2,504	94.0	3,240	81.0	3,240	156
80th percentile	ft <sup>3</sup> /s	3,196	109	3,860	113	3,750	178
90th percentile	ft <sup>3</sup> /s	4,956	158	5,236	224	5,086	222
Drainage area	mi <sup>2</sup>	2682	97.6	2966	135	3227	85.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.72	17.6	10.4	16.4	7.10	12.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.161	0.225	0.162	0.089	0.284	0.409
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.682	0.758	0.843	0.430	0.796	1.39
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	1.03	1.09	0.792	0.974	1.63
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.628	0.692	0.787	0.395	0.757	1.25
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.28	0.985	1.26	0.677	1.11
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.263	0.359	0.447	0.185	0.412	0.653
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.399	0.400	0.499	0.215	0.483	0.749
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.511	0.512	0.593	0.274	0.571	0.912
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.552	0.594	0.657	0.333	0.641	1.04
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.597	0.666	0.745	0.378	0.719	1.21
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.682	0.758	0.843	0.430	0.796	1.39
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.761	0.850	0.937	0.489	0.889	1.61
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.934	0.963	1.09	0.600	1.00	1.82
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	1.12	1.30	0.837	1.16	2.08
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.85	1.62	1.77	1.66	1.58	2.60

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	02065200	02065500	02066000	02066500	02067000	02069700
Count	number	390	1,830	1,888	780	690	1,350
Max	ft <sup>3</sup> /s	78,600	6,300	70,500	3,640	30,600	6,820
Min	ft <sup>3</sup> /s	234	7.00	284	4.00	812	18.0
Median	ft <sup>3</sup> /s	1,260	55.0	1,780	37.0	2,020	100
Arithmetic Mean	ft <sup>3</sup> /s	2,337	76.5	2,642	76.0	2,673	128
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	951	45.5	1,556	30.3	1,948	83.4
Standard Deviation	ft <sup>3</sup> /s	5,282	182	3,664	199	2,730	217
5th percentile	ft <sup>3</sup> /s	359	21.6	687	13.0	1,050	39.0
10th percentile	ft <sup>3</sup> /s	432	26.0	898	16.0	1,200	48.0
20th percentile	ft <sup>3</sup> /s	595	34.0	1,160	23.0	1,460	59.0
30th percentile	ft <sup>3</sup> /s	845	42.0	1,360	27.0	1,650	70.0
40th percentile	ft <sup>3</sup> /s	1,116	48.0	1,560	32.6	1,862	86.0
50th percentile	ft <sup>3</sup> /s	1,260	55.0	1,780	37.0	2,020	100
60th percentile	ft <sup>3</sup> /s	1,494	61.0	2,070	42.0	2,178	114
70th percentile	ft <sup>3</sup> /s	1,873	70.0	2,500	50.3	2,512	127
80th percentile	ft <sup>3</sup> /s	2,752	81.2	3,130	70.0	3,090	148
90th percentile	ft <sup>3</sup> /s	4,445	112	4,603	124	4,273	195
Drainage area	mi <sup>2</sup>	2682	97.6	2966	135	3227	85.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	29.3	64.5	23.8	27.0	9.48	79.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.087	0.072	0.096	0.030	0.252	0.211
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.470	0.564	0.600	0.274	0.626	1.17
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.871	0.784	0.891	0.563	0.828	1.50
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.354	0.466	0.524	0.225	0.604	0.976
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.97	1.86	1.24	1.48	0.846	2.54
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.134	0.221	0.232	0.096	0.325	0.456
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.161	0.266	0.303	0.119	0.372	0.561
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.222	0.348	0.391	0.170	0.452	0.690
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.315	0.430	0.459	0.200	0.511	0.819
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.416	0.492	0.526	0.241	0.577	1.01
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.470	0.564	0.600	0.274	0.626	1.17
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.557	0.625	0.698	0.311	0.675	1.33
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.698	0.717	0.843	0.373	0.778	1.49
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.832	1.06	0.519	0.958	1.73
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	1.15	1.55	0.919	1.32	2.28

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	02065200	02065500	02066000	02066500	02067000	02069700
Count	number	434	1,891	1,953	806	713	1,395
Max	ft <sup>3</sup> /s	32,800	2,060	37,100	686	34,400	1,460
Min	ft <sup>3</sup> /s	183	4.10	179	0.300	427	14.0
Median	ft <sup>3</sup> /s	1,090	42.0	1,380	28.0	1,780	83.0
Arithmetic Mean	ft <sup>3</sup> /s	1,476	58.0	1,878	45.0	2,582	105
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	800	33.3	1,237	13.7	1,557	70.1
Standard Deviation	ft <sup>3</sup> /s	2,045	92.1	2,145	71.9	3,114	105
5th percentile	ft <sup>3</sup> /s	310	15.0	571	5.30	664	33.0
10th percentile	ft <sup>3</sup> /s	382	20.0	725	8.70	835	40.0
20th percentile	ft <sup>3</sup> /s	518	25.0	965	14.0	1,100	50.0
30th percentile	ft <sup>3</sup> /s	738	31.0	1,110	18.0	1,380	60.0
40th percentile	ft <sup>3</sup> /s	954	36.0	1,260	22.0	1,600	73.0
50th percentile	ft <sup>3</sup> /s	1,090	42.0	1,380	28.0	1,780	83.0
60th percentile	ft <sup>3</sup> /s	1,250	48.0	1,560	33.0	2,070	93.0
70th percentile	ft <sup>3</sup> /s	1,540	55.0	1,790	40.0	2,438	104
80th percentile	ft <sup>3</sup> /s	1,854	65.0	2,216	50.0	3,090	124
90th percentile	ft <sup>3</sup> /s	2,527	94.0	3,148	79.0	4,520	180
Drainage area	mi <sup>2</sup>	2682	97.6	2966	135	3227	85.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	12.2	21.1	12.5	5.08	10.7	17.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.068	0.042	0.060	0.002	0.132	0.164
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.406	0.430	0.465	0.207	0.552	0.971
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.550	0.594	0.633	0.334	0.800	1.22
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.298	0.342	0.417	0.102	0.483	0.820
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.762	0.944	0.723	0.533	0.965	1.23
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.116	0.154	0.192	0.039	0.206	0.386
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.143	0.205	0.244	0.064	0.259	0.468
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.193	0.256	0.325	0.104	0.341	0.585
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.275	0.318	0.374	0.133	0.428	0.702
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.356	0.369	0.425	0.163	0.496	0.854
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.406	0.430	0.465	0.207	0.552	0.971
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.466	0.492	0.526	0.244	0.641	1.09
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.574	0.564	0.604	0.296	0.756	1.22
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.691	0.666	0.747	0.370	0.958	1.45
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.942	0.963	1.06	0.585	1.40	2.10

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02065200</b>	<b>02065500</b>	<b>02066000</b>	<b>02066500</b>	<b>02067000</b>	<b>02069700</b>
Count	number	434	1,891	1,953	806	713	1,395
Max	ft <sup>3</sup> /s	23,300	3,790	71,500	3,720	147,000	6,580
Min	ft <sup>3</sup> /s	201	0.000	231	2.80	222	8.70
Median	ft <sup>3</sup> /s	1,050	34.0	1,320	27.0	1,600	71.0
Arithmetic Mean	ft <sup>3</sup> /s	1,397	52.2	1,912	57.9	3,116	95.3
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	752	--	1,118	17.4	1,323	58.0
Standard Deviation	ft <sup>3</sup> /s	1,720	117	3,473	197	9,034	203
5th percentile	ft <sup>3</sup> /s	285	12.0	473	5.60	471	25.0
10th percentile	ft <sup>3</sup> /s	357	15.0	590	8.15	764	31.0
20th percentile	ft <sup>3</sup> /s	458	19.0	844	12.0	1,010	42.0
30th percentile	ft <sup>3</sup> /s	613	24.0	1,030	16.5	1,200	52.2
40th percentile	ft <sup>3</sup> /s	818	28.0	1,190	22.0	1,420	61.0
50th percentile	ft <sup>3</sup> /s	1,050	34.0	1,320	27.0	1,600	71.0
60th percentile	ft <sup>3</sup> /s	1,240	42.0	1,460	33.0	1,820	81.0
70th percentile	ft <sup>3</sup> /s	1,500	48.0	1,690	39.5	2,194	93.0
80th percentile	ft <sup>3</sup> /s	1,868	58.0	2,060	54.0	2,870	111
90th percentile	ft <sup>3</sup> /s	2,744	83.0	3,070	85.5	4,972	154
Drainage area	mi <sup>2</sup>	2682	97.6	2966	135	3227	85.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.69	38.8	24.1	27.6	45.6	77.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.075	0.000	0.078	0.021	0.069	0.102
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.391	0.348	0.445	0.200	0.496	0.830
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.521	0.535	0.645	0.429	0.966	1.12
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.280	--	0.377	0.129	0.410	0.678
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.641	1.20	1.17	1.46	2.80	2.38
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.106	0.123	0.160	0.041	0.146	0.292
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.133	0.154	0.199	0.060	0.237	0.363
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.171	0.195	0.284	0.089	0.313	0.491
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.229	0.246	0.347	0.122	0.372	0.611
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.305	0.287	0.401	0.163	0.440	0.713
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.391	0.348	0.445	0.200	0.496	0.830
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.462	0.430	0.492	0.244	0.564	0.947
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.559	0.492	0.570	0.293	0.680	1.09
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.696	0.594	0.695	0.400	0.889	1.30
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	0.850	1.04	0.633	1.54	1.80

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02065200</b>	<b>02065500</b>	<b>02066000</b>	<b>02066500</b>	<b>02067000</b>	<b>02069700</b>
Count	number	420	1,830	1,890	780	690	1,350
Max	ft <sup>3</sup> /s	23,100	6,920	78,700	2,310	67,600	5,750
Min	ft <sup>3</sup> /s	183	3.90	179	0.500	213	11.0
Median	ft <sup>3</sup> /s	1,030	33.0	1,210	23.0	1,330	63.0
Arithmetic Mean	ft <sup>3</sup> /s	1,300	70.5	2,146	58.1	2,599	93.0
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	690	24.9	1,030	8.41	1,109	58.7
Standard Deviation	ft <sup>3</sup> /s	1,806	289	4,745	190	5,346	198
5th percentile	ft <sup>3</sup> /s	268	8.86	414	2.10	462	33.0
10th percentile	ft <sup>3</sup> /s	331	13.0	548	3.29	636	36.0
20th percentile	ft <sup>3</sup> /s	427	18.0	778	6.98	809	42.0
30th percentile	ft <sup>3</sup> /s	556	24.0	1,000	11.7	984	49.0
40th percentile	ft <sup>3</sup> /s	813	29.0	1,110	18.0	1,130	56.0
50th percentile	ft <sup>3</sup> /s	1,030	33.0	1,210	23.0	1,330	63.0
60th percentile	ft <sup>3</sup> /s	1,184	39.0	1,304	26.0	1,550	71.0
70th percentile	ft <sup>3</sup> /s	1,363	44.0	1,520	32.0	1,956	80.0
80th percentile	ft <sup>3</sup> /s	1,496	53.0	1,910	40.0	2,492	102
90th percentile	ft <sup>3</sup> /s	2,083	87.0	3,231	74.0	4,127	144
Drainage area	mi <sup>2</sup>	2682	97.6	2966	135	3227	85.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.61	70.9	26.5	17.1	20.9	67.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.068	0.040	0.060	0.004	0.066	0.129
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.384	0.338	0.408	0.170	0.412	0.737
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.485	0.722	0.724	0.430	0.805	1.09
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.257	0.255	0.347	0.062	0.344	0.687
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.674	2.96	1.60	1.40	1.66	2.31
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.100	0.091	0.139	0.016	0.143	0.386
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.123	0.133	0.185	0.024	0.197	0.421
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.159	0.184	0.262	0.052	0.251	0.491
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.207	0.246	0.337	0.087	0.305	0.573
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.303	0.297	0.374	0.133	0.350	0.655
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.384	0.338	0.408	0.170	0.412	0.737
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.441	0.400	0.440	0.193	0.480	0.830
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.508	0.451	0.512	0.237	0.606	0.936
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.558	0.543	0.644	0.296	0.772	1.20
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.777	0.891	1.09	0.548	1.28	1.68

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02065200</b>	<b>02065500</b>	<b>02066000</b>	<b>02066500</b>	<b>02067000</b>	<b>02069700</b>
Count	number	421	1,922	2,046	806	713	1,426
Max	ft <sup>3</sup> /s	25,200	2,540	49,500	6,590	50,000	1,680
Min	ft <sup>3</sup> /s	225	2.80	282	0.270	328	22.0
Median	ft <sup>3</sup> /s	1,160	40.0	1,300	33.0	1,500	66.0
Arithmetic Mean	ft <sup>3</sup> /s	1,637	66.2	2,127	73.8	2,566	95.6
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	807	32.0	1,166	8.75	1,213	62.4
Standard Deviation	ft <sup>3</sup> /s	2,414	124	3,345	332	4,729	126
5th percentile	ft <sup>3</sup> /s	343	15.0	515	4.07	519	31.0
10th percentile	ft <sup>3</sup> /s	370	20.0	609	7.85	594	36.0
20th percentile	ft <sup>3</sup> /s	446	25.0	889	16.0	832	46.0
30th percentile	ft <sup>3</sup> /s	644	30.0	1,065	22.0	1,160	52.0
40th percentile	ft <sup>3</sup> /s	1,010	35.0	1,180	28.0	1,250	60.0
50th percentile	ft <sup>3</sup> /s	1,160	40.0	1,300	33.0	1,500	66.0
60th percentile	ft <sup>3</sup> /s	1,340	46.0	1,460	38.0	1,700	73.0
70th percentile	ft <sup>3</sup> /s	1,540	57.0	1,780	45.0	1,920	87.0
80th percentile	ft <sup>3</sup> /s	1,810	76.0	2,260	58.0	2,500	108
90th percentile	ft <sup>3</sup> /s	2,730	105	3,500	91.5	4,096	152
Drainage area	mi <sup>2</sup>	2682	97.6	2966	135	3227	85.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	9.40	26.0	16.7	48.8	15.5	19.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.084	0.029	0.095	0.002	0.102	0.257
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.433	0.410	0.438	0.244	0.465	0.772
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.610	0.678	0.717	0.547	0.795	1.12
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.301	0.328	0.393	0.065	0.376	0.730
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.900	1.27	1.13	2.46	1.47	1.47
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.128	0.154	0.174	0.030	0.161	0.363
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.138	0.205	0.205	0.058	0.184	0.421
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.166	0.256	0.300	0.119	0.258	0.538
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.240	0.307	0.359	0.163	0.359	0.608
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.377	0.359	0.398	0.207	0.387	0.702
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.433	0.410	0.438	0.244	0.465	0.772
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.500	0.471	0.492	0.281	0.527	0.854
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.574	0.584	0.600	0.333	0.595	1.02
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.675	0.779	0.762	0.430	0.775	1.26
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	1.07	1.18	0.678	1.27	1.78

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02065200</b>	<b>02065500</b>	<b>02066000</b>	<b>02066500</b>	<b>02067000</b>	<b>02069700</b>
Count	number	390	1,855	1,973	780	690	1,375
Max	ft <sup>3</sup> /s	23,800	3,400	48,400	2,790	26,000	2,910
Min	ft <sup>3</sup> /s	314	15.0	321	11.0	540	29.0
Median	ft <sup>3</sup> /s	1,185	58.0	1,500	50.0	1,775	76.0
Arithmetic Mean	ft <sup>3</sup> /s	1,791	91.1	2,242	94.6	2,471	102
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	925	51.4	1,418	43.1	1,589	73.0
Standard Deviation	ft <sup>3</sup> /s	2,318	166	2,800	196	2,453	114
5th percentile	ft <sup>3</sup> /s	384	23.0	653	19.0	724	40.0
10th percentile	ft <sup>3</sup> /s	433	30.0	788	24.0	850	44.4
20th percentile	ft <sup>3</sup> /s	561	36.0	1,090	30.0	1,130	54.0
30th percentile	ft <sup>3</sup> /s	729	42.0	1,230	35.0	1,360	61.0
40th percentile	ft <sup>3</sup> /s	1,080	49.0	1,360	40.0	1,540	66.0
50th percentile	ft <sup>3</sup> /s	1,185	58.0	1,500	50.0	1,775	76.0
60th percentile	ft <sup>3</sup> /s	1,364	67.0	1,720	57.0	2,020	89.0
70th percentile	ft <sup>3</sup> /s	1,653	78.0	2,030	67.0	2,406	102
80th percentile	ft <sup>3</sup> /s	1,990	100	2,670	90.0	3,254	128
90th percentile	ft <sup>3</sup> /s	3,191	152	4,180	177	4,621	165
Drainage area	mi <sup>2</sup>	2682	97.6	2966	135	3227	85.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.87	34.8	16.3	20.7	8.06	34.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.117	0.154	0.108	0.081	0.167	0.339
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.442	0.594	0.506	0.370	0.550	0.889
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.668	0.934	0.756	0.701	0.766	1.19
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.345	0.527	0.478	0.319	0.492	0.853
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.864	1.71	0.944	1.45	0.760	1.33
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.143	0.236	0.220	0.141	0.224	0.468
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.161	0.307	0.266	0.178	0.263	0.519
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.209	0.369	0.367	0.222	0.350	0.632
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.272	0.430	0.415	0.259	0.421	0.713
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.403	0.502	0.459	0.296	0.477	0.772
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.442	0.594	0.506	0.370	0.550	0.889
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.509	0.686	0.580	0.422	0.626	1.04
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.616	0.799	0.684	0.496	0.746	1.19
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.742	1.02	0.900	0.667	1.01	1.50
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	1.56	1.41	1.31	1.43	1.93

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02065200</b>	<b>02065500</b>	<b>02066000</b>	<b>02066500</b>	<b>02067000</b>	<b>02069700</b>
Count	number	403	1,891	2,015	806	713	1,395
Max	ft <sup>3</sup> /s	22,900	2,200	75,100	2,230	50,000	1,180
Min	ft <sup>3</sup> /s	352	20.0	441	18.0	620	30.0
Median	ft <sup>3</sup> /s	1,350	74.0	1,990	62.0	2,300	95.0
Arithmetic Mean	ft <sup>3</sup> /s	2,039	102	2,901	116	3,303	115
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1,181	65.3	1,770	58.2	1,959	88.3
Standard Deviation	ft <sup>3</sup> /s	2,296	127	3,576	193	4,563	83.6
5th percentile	ft <sup>3</sup> /s	551	32.0	827	26.0	870	46.0
10th percentile	ft <sup>3</sup> /s	648	37.0	1,020	32.0	1,042	54.0
20th percentile	ft <sup>3</sup> /s	771	45.0	1,230	41.0	1,360	66.0
30th percentile	ft <sup>3</sup> /s	942	54.0	1,420	48.0	1,770	75.0
40th percentile	ft <sup>3</sup> /s	1,128	65.0	1,690	54.0	2,020	84.0
50th percentile	ft <sup>3</sup> /s	1,350	74.0	1,990	62.0	2,300	95.0
60th percentile	ft <sup>3</sup> /s	1,572	84.0	2,300	77.0	2,600	112
70th percentile	ft <sup>3</sup> /s	1,992	97.0	2,796	91.5	2,910	125
80th percentile	ft <sup>3</sup> /s	2,540	120	3,676	122	3,530	142
90th percentile	ft <sup>3</sup> /s	4,258	166	5,320	218	5,206	181
Drainage area	mi <sup>2</sup>	2682	97.6	2966	135	3227	85.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.54	22.5	25.3	16.5	15.5	13.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.131	0.205	0.149	0.133	0.192	0.351
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.503	0.758	0.671	0.459	0.713	1.11
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.760	1.05	0.978	0.857	1.02	1.35
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.440	0.669	0.597	0.431	0.607	1.03
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.856	1.30	1.21	1.43	1.41	0.978
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.206	0.328	0.279	0.193	0.270	0.538
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.242	0.379	0.344	0.237	0.323	0.632
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.287	0.461	0.415	0.304	0.421	0.772
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.351	0.553	0.479	0.356	0.548	0.877
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.421	0.666	0.570	0.400	0.626	0.982
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.503	0.758	0.671	0.459	0.713	1.11
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.586	0.861	0.775	0.570	0.806	1.31
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.743	0.994	0.943	0.678	0.902	1.46
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.947	1.23	1.24	0.904	1.09	1.66
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.59	1.70	1.79	1.61	1.61	2.11



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>02070000</b>	<b>02071530</b>	<b>02072000</b>	<b>02072500</b>	<b>02073000</b>	<b>02073500</b>
Count	number	2,418	401	1,891	2,108	2,418	279
Max	ft <sup>3</sup> /s	2,660	478	2,120	2,910	8,780	549
Min	ft <sup>3</sup> /s	36.0	12.0	26.0	52.0	41.0	10.0
Median	ft <sup>3</sup> /s	109	47.0	204	259	390	42.0
Arithmetic Mean	ft <sup>3</sup> /s	144	56.0	280	341	519	57.5
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	103	37.2	118	193	337	38.5
Standard Deviation	ft <sup>3</sup> /s	155	53.1	247	281	493	66.8
5th percentile	ft <sup>3</sup> /s	56.0	17.0	44.0	76.5	155	19.0
10th percentile	ft <sup>3</sup> /s	65.0	19.0	45.0	84.0	190	23.0
20th percentile	ft <sup>3</sup> /s	78.0	25.0	55.0	117	242	29.0
30th percentile	ft <sup>3</sup> /s	90.0	34.0	109	163	292	33.0
40th percentile	ft <sup>3</sup> /s	99.0	41.0	175	222	340	37.0
50th percentile	ft <sup>3</sup> /s	109	47.0	204	259	390	42.0
60th percentile	ft <sup>3</sup> /s	120	52.0	260	303	462	46.0
70th percentile	ft <sup>3</sup> /s	135	58.0	341	394	550	51.6
80th percentile	ft <sup>3</sup> /s	160	68.0	471	529	698	60.4
90th percentile	ft <sup>3</sup> /s	226	91.0	667	730	934	88.0
Drainage area	mi <sup>2</sup>	108	26.3	215	259	379	68.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	24.6	18.2	9.86	11.2	23.2	8.03
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.333	0.456	0.121	0.201	0.108	0.146
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.79	0.949	0.998	1.03	0.614
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.33	2.13	1.30	1.32	1.37	0.841
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.953	1.41	0.548	0.744	0.889	0.563
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	2.02	1.15	1.08	1.30	0.977
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.519	0.646	0.205	0.295	0.409	0.278
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.602	0.722	0.209	0.324	0.501	0.336
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.722	0.951	0.256	0.452	0.640	0.424
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.833	1.29	0.507	0.629	0.770	0.482
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.917	1.56	0.814	0.857	0.897	0.541
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.79	0.949	0.998	1.03	0.614
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	1.98	1.21	1.17	1.22	0.673
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	2.21	1.59	1.52	1.45	0.754
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.48	2.59	2.19	2.04	1.84	0.883
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.09	3.46	3.10	2.82	2.46	1.29

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>02070000</b>	<b>02071530</b>	<b>02072000</b>	<b>02072500</b>	<b>02073000</b>	<b>02073500</b>
Count	number	2,202	367	1,723	1,921	2,203	254
Max	ft <sup>3</sup> /s	1,980	512	2,310	2,790	5,020	515
Min	ft <sup>3</sup> /s	41.0	18.0	25.0	56.0	33.0	15.0
Median	ft <sup>3</sup> /s	118	47.0	201	266	414	43.5
Arithmetic Mean	ft <sup>3</sup> /s	154	54.0	268	343	509	63.7
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	114	40.9	117	200	347	40.9
Standard Deviation	ft <sup>3</sup> /s	149	44.0	237	268	388	62.9
5th percentile	ft <sup>3</sup> /s	62.0	21.0	43.0	79.0	156	20.0
10th percentile	ft <sup>3</sup> /s	74.0	23.0	45.0	90.0	189	23.0
20th percentile	ft <sup>3</sup> /s	88.0	29.0	57.0	120	250	28.6
30th percentile	ft <sup>3</sup> /s	98.0	37.0	107	169	301	33.0
40th percentile	ft <sup>3</sup> /s	109	44.0	154	222	354	36.0
50th percentile	ft <sup>3</sup> /s	118	47.0	201	266	414	43.5
60th percentile	ft <sup>3</sup> /s	130	51.0	262	328	469	50.0
70th percentile	ft <sup>3</sup> /s	146	56.0	310	395	544	62.0
80th percentile	ft <sup>3</sup> /s	172	61.8	413	525	683	80.4
90th percentile	ft <sup>3</sup> /s	236	82.8	664	735	940	127
Drainage area	mi <sup>2</sup>	108	26.3	215	259	379	68.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	18.3	19.5	10.7	10.8	13.2	7.53
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.380	0.684	0.116	0.216	0.087	0.219
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.79	0.935	1.03	1.09	0.636
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	2.05	1.25	1.32	1.34	0.931
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	1.56	0.543	0.771	0.916	0.598
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	1.67	1.10	1.03	1.02	0.920
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.574	0.798	0.200	0.305	0.412	0.292
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.685	0.875	0.209	0.347	0.499	0.336
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.815	1.10	0.265	0.463	0.660	0.418
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.907	1.41	0.496	0.653	0.795	0.482
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.67	0.716	0.857	0.934	0.526
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.79	0.935	1.03	1.09	0.636
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.94	1.22	1.27	1.24	0.731
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	2.13	1.44	1.53	1.44	0.906
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.59	2.35	1.92	2.03	1.80	1.18
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.19	3.15	3.09	2.84	2.48	1.86

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02070000</b>	<b>02071530</b>	<b>02072000</b>	<b>02072500</b>	<b>02073000</b>	<b>02073500</b>
Count	number	2,418	403	1,891	2,108	2,418	279
Max	ft <sup>3</sup> /s	3,900	382	4,380	5,310	5,920	1,000
Min	ft <sup>3</sup> /s	44.0	19.0	20.0	58.0	65.0	19.0
Median	ft <sup>3</sup> /s	126	50.0	207	279	430	46.0
Arithmetic Mean	ft <sup>3</sup> /s	179	60.9	332	406	598	74.1
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	125	46.6	122	211	380	46.2
Standard Deviation	ft <sup>3</sup> /s	222	40.9	357	390	549	93.8
5th percentile	ft <sup>3</sup> /s	73.0	24.0	44.0	80.0	172	26.0
10th percentile	ft <sup>3</sup> /s	83.0	28.0	46.0	95.0	213	29.0
20th percentile	ft <sup>3</sup> /s	95.0	34.0	58.0	128	268	33.0
30th percentile	ft <sup>3</sup> /s	104	38.0	110	172	323	38.0
40th percentile	ft <sup>3</sup> /s	114	43.0	160	229	374	41.0
50th percentile	ft <sup>3</sup> /s	126	50.0	207	279	430	46.0
60th percentile	ft <sup>3</sup> /s	140	59.0	290	352	502	50.0
70th percentile	ft <sup>3</sup> /s	160	69.0	393	466	637	61.0
80th percentile	ft <sup>3</sup> /s	195	79.0	586	671	831	75.0
90th percentile	ft <sup>3</sup> /s	284	97.8	745	827	1,080	143
Drainage area	mi <sup>2</sup>	108	26.3	215	259	379	68.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	36.1	14.5	20.4	20.5	15.6	14.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.407	0.722	0.093	0.224	0.172	0.278
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.90	0.963	1.08	1.13	0.673
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	2.32	1.54	1.57	1.58	1.08
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	1.77	0.566	0.813	1.00	0.676
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.05	1.56	1.66	1.51	1.45	1.37
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.676	0.913	0.205	0.309	0.454	0.380
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.769	1.06	0.214	0.367	0.561	0.424
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.880	1.29	0.270	0.496	0.707	0.482
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.963	1.44	0.512	0.664	0.852	0.556
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.63	0.744	0.884	0.987	0.599
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.90	0.963	1.08	1.13	0.673
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	2.24	1.35	1.36	1.32	0.731
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.48	2.62	1.83	1.80	1.68	0.892
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.81	3.00	2.73	2.59	2.19	1.10
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.63	3.72	3.47	3.19	2.85	2.08

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		April					
	units						
Station Number	number	02070000	02071530	02072000	02072500	02073000	02073500
Count	number	2,340	390	1,830	2,069	2,340	270
Max	ft <sup>3</sup> /s	2,980	476	5,710	6,080	6,890	549
Min	ft <sup>3</sup> /s	39.0	23.0	29.0	57.0	40.0	25.0
Median	ft <sup>3</sup> /s	119	49.5	237	290	432	46.0
Arithmetic Mean	ft <sup>3</sup> /s	162	57.8	377	443	608	68.0
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	118	45.0	132	216	376	47.3
Standard Deviation	ft <sup>3</sup> /s	181	40.7	430	464	575	72.5
5th percentile	ft <sup>3</sup> /s	71.1	26.0	45.0	80.0	173	29.0
10th percentile	ft <sup>3</sup> /s	78.0	28.0	47.0	95.0	204	32.0
20th percentile	ft <sup>3</sup> /s	88.0	32.0	64.0	127	274	35.0
30th percentile	ft <sup>3</sup> /s	97.0	36.0	122	193	324	38.0
40th percentile	ft <sup>3</sup> /s	107	41.0	192	237	371	42.0
50th percentile	ft <sup>3</sup> /s	119	49.5	237	290	432	46.0
60th percentile	ft <sup>3</sup> /s	136	55.0	325	373	505	49.4
70th percentile	ft <sup>3</sup> /s	156	60.3	454	498	620	57.0
80th percentile	ft <sup>3</sup> /s	184	69.2	619	681	830	72.2
90th percentile	ft <sup>3</sup> /s	245	96.2	770	895	1,140	114
Drainage area	mi <sup>2</sup>	108	26.3	215	259	379	68.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	27.6	18.1	26.6	23.5	18.2	8.03
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.361	0.875	0.135	0.220	0.106	0.365
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.88	1.10	1.12	1.14	0.673
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.50	2.20	1.75	1.71	1.60	0.994
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.71	0.614	0.835	0.993	0.691
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.67	1.55	2.00	1.79	1.52	1.06
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.658	0.989	0.209	0.309	0.456	0.424
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.722	1.06	0.219	0.367	0.538	0.468
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.815	1.22	0.298	0.490	0.723	0.512
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.898	1.37	0.567	0.745	0.855	0.556
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.991	1.56	0.893	0.915	0.979	0.614
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.88	1.10	1.12	1.14	0.673
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	2.09	1.51	1.44	1.33	0.722
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	2.29	2.11	1.92	1.64	0.833
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	2.63	2.88	2.63	2.19	1.06
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.27	3.66	3.58	3.46	3.01	1.67

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>02070000</b>	<b>02071530</b>	<b>02072000</b>	<b>02072500</b>	<b>02073000</b>	<b>02073500</b>
Count	number	2,418	403	1,891	2,139	2,418	279
Max	ft <sup>3</sup> /s	1,650	224	4,500	5,500	6,100	545
Min	ft <sup>3</sup> /s	32.0	16.0	30.0	51.0	47.0	15.0
Median	ft <sup>3</sup> /s	106	40.0	247	282	388	33.0
Arithmetic Mean	ft <sup>3</sup> /s	132	44.2	306	368	502	40.4
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	101	36.4	125	198	332	31.7
Standard Deviation	ft <sup>3</sup> /s	117	23.3	282	333	409	40.2
5th percentile	ft <sup>3</sup> /s	58.0	21.0	45.0	75.0	147	19.0
10th percentile	ft <sup>3</sup> /s	65.0	23.0	47.0	91.0	181	22.0
20th percentile	ft <sup>3</sup> /s	75.0	27.0	58.0	113	240	25.0
30th percentile	ft <sup>3</sup> /s	85.0	31.0	103	166	294	28.0
40th percentile	ft <sup>3</sup> /s	94.0	36.0	192	227	341	29.2
50th percentile	ft <sup>3</sup> /s	106	40.0	247	282	388	33.0
60th percentile	ft <sup>3</sup> /s	120	44.0	300	340	454	34.8
70th percentile	ft <sup>3</sup> /s	136	48.0	364	418	542	38.0
80th percentile	ft <sup>3</sup> /s	158	54.6	504	568	700	42.4
90th percentile	ft <sup>3</sup> /s	197	73.8	688	772	940	56.2
Drainage area	mi <sup>2</sup>	108	26.3	215	259	379	68.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	15.3	8.52	20.9	21.2	16.1	7.97
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.296	0.608	0.140	0.197	0.124	0.219
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.981	1.52	1.15	1.09	1.02	0.482
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	1.68	1.43	1.42	1.33	0.590
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.935	1.39	0.582	0.764	0.877	0.463
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	0.886	1.31	1.29	1.08	0.588
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.537	0.798	0.209	0.290	0.388	0.278
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.602	0.875	0.219	0.351	0.478	0.322
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.694	1.03	0.270	0.436	0.633	0.365
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.787	1.18	0.479	0.642	0.776	0.409
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.870	1.37	0.893	0.876	0.900	0.427
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.981	1.52	1.15	1.09	1.02	0.482
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	1.67	1.40	1.31	1.20	0.509
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.83	1.69	1.61	1.43	0.556
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	2.08	2.34	2.19	1.85	0.620
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.82	2.81	3.20	2.98	2.48	0.822

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	02070000	02071530	02072000	02072500	02073000	02073500
Count	number	2,340	390	1,828	2,070	2,340	270
Max	ft <sup>3</sup> /s	5,790	312	3,780	4,820	8,720	892
Min	ft <sup>3</sup> /s	12.0	9.10	33.0	46.0	22.0	10.0
Median	ft <sup>3</sup> /s	96.0	31.0	244	279	360	22.0
Arithmetic Mean	ft <sup>3</sup> /s	124	42.0	287	337	465	39.0
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	82.9	27.4	125	187	305	21.4
Standard Deviation	ft <sup>3</sup> /s	189	41.8	312	344	438	78.2
5th percentile	ft <sup>3</sup> /s	44.0	13.0	46.0	72.0	140	12.0
10th percentile	ft <sup>3</sup> /s	51.0	15.0	48.0	84.0	178	13.9
20th percentile	ft <sup>3</sup> /s	61.0	20.0	57.0	108	228	15.0
30th percentile	ft <sup>3</sup> /s	71.0	23.0	108	164	274	16.0
40th percentile	ft <sup>3</sup> /s	86.0	27.0	204	225	320	18.0
50th percentile	ft <sup>3</sup> /s	96.0	31.0	244	279	360	22.0
60th percentile	ft <sup>3</sup> /s	106	34.0	263	305	406	26.0
70th percentile	ft <sup>3</sup> /s	119	39.0	310	358	484	30.0
80th percentile	ft <sup>3</sup> /s	136	46.0	406	456	592	38.0
90th percentile	ft <sup>3</sup> /s	183	78.0	568	630	798	55.0
Drainage area	mi <sup>2</sup>	108	26.3	215	259	379	68.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	53.6	11.9	17.6	18.6	23.0	13.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.111	0.346	0.153	0.178	0.058	0.146
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.889	1.18	1.13	1.08	0.950	0.322
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	1.60	1.34	1.30	1.23	0.570
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.768	1.04	0.581	0.721	0.804	0.313
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.75	1.59	1.45	1.33	1.16	1.14
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.407	0.494	0.214	0.278	0.369	0.175
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.472	0.570	0.223	0.324	0.469	0.203
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.565	0.760	0.265	0.417	0.602	0.219
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.657	0.875	0.502	0.632	0.723	0.234
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.796	1.03	0.949	0.867	0.844	0.263
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.889	1.18	1.13	1.08	0.950	0.322
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.985	1.29	1.22	1.18	1.07	0.380
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.48	1.44	1.38	1.28	0.439
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.75	1.89	1.76	1.56	0.556
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.69	2.97	2.64	2.43	2.11	0.804

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>02070000</b>	<b>02071530</b>	<b>02072000</b>	<b>02072500</b>	<b>02073000</b>	<b>02073500</b>
Count	number	2,418	403	1,889	2,139	2,418	279
Max	ft <sup>3</sup> /s	3,870	286	2,840	7,080	7,200	617
Min	ft <sup>3</sup> /s	9.20	6.90	34.0	45.0	27.0	3.00
Median	ft <sup>3</sup> /s	83.0	21.0	255	275	342	16.0
Arithmetic Mean	ft <sup>3</sup> /s	106	27.9	252	304	424	33.2
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	70.4	20.1	123	175	271	14.5
Standard Deviation	ft <sup>3</sup> /s	138	24.4	217	298	401	67.8
5th percentile	ft <sup>3</sup> /s	35.0	9.72	46.0	67.0	117	6.00
10th percentile	ft <sup>3</sup> /s	40.7	12.2	47.0	76.0	150	8.00
20th percentile	ft <sup>3</sup> /s	51.0	16.0	56.0	99.0	201	10.0
30th percentile	ft <sup>3</sup> /s	61.0	18.0	110	156	248	12.0
40th percentile	ft <sup>3</sup> /s	74.0	19.8	199	217	294	15.0
50th percentile	ft <sup>3</sup> /s	83.0	21.0	255	275	342	16.0
60th percentile	ft <sup>3</sup> /s	92.0	24.0	294	324	396	20.0
70th percentile	ft <sup>3</sup> /s	104	27.0	306	350	466	26.0
80th percentile	ft <sup>3</sup> /s	121	32.0	334	387	538	31.0
90th percentile	ft <sup>3</sup> /s	163	45.8	455	520	706	48.0
Drainage area	mi <sup>2</sup>	108	26.3	215	259	379	68.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	35.8	10.9	13.2	27.3	19.0	9.02
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.085	0.262	0.158	0.174	0.071	0.044
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.769	0.798	1.19	1.06	0.902	0.234
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.983	1.06	1.17	1.17	1.12	0.486
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.652	0.765	0.572	0.675	0.715	0.212
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.27	0.927	1.01	1.15	1.06	0.991
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.324	0.370	0.214	0.259	0.309	0.088
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.377	0.464	0.219	0.293	0.396	0.117
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.472	0.608	0.260	0.382	0.530	0.146
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.565	0.684	0.512	0.604	0.654	0.175
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.685	0.753	0.926	0.838	0.776	0.219
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.769	0.798	1.19	1.06	0.902	0.234
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.852	0.913	1.37	1.25	1.04	0.292
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.963	1.03	1.42	1.35	1.23	0.380
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	1.22	1.56	1.49	1.42	0.453
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.51	1.74	2.12	2.01	1.86	0.702

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02070000</b>	<b>02071530</b>	<b>02072000</b>	<b>02072500</b>	<b>02073000</b>	<b>02073500</b>
Count	number	2,418	403	1,890	2,139	2,418	279
Max	ft <sup>3</sup> /s	7,460	454	2,940	11,600	18,500	2,970
Min	ft <sup>3</sup> /s	5.90	3.80	31.0	44.0	25.0	2.00
Median	ft <sup>3</sup> /s	71.0	17.0	258	272	323	17.0
Arithmetic Mean	ft <sup>3</sup> /s	97.8	26.5	262	311	416	44.6
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	58.4	15.1	126	170	246	11.1
Standard Deviation	ft <sup>3</sup> /s	202	34.3	215	399	606	195
5th percentile	ft <sup>3</sup> /s	27.0	6.24	46.0	64.0	100.0	3.00
10th percentile	ft <sup>3</sup> /s	35.0	9.22	48.0	73.0	134	4.00
20th percentile	ft <sup>3</sup> /s	44.0	11.0	56.8	95.6	184	8.60
30th percentile	ft <sup>3</sup> /s	53.0	13.0	116	150	228	13.0
40th percentile	ft <sup>3</sup> /s	62.0	15.0	210	213	278	15.0
50th percentile	ft <sup>3</sup> /s	71.0	17.0	258	272	323	17.0
60th percentile	ft <sup>3</sup> /s	81.0	19.0	294	316	376	21.0
70th percentile	ft <sup>3</sup> /s	91.0	22.0	309	346	431	24.0
80th percentile	ft <sup>3</sup> /s	107	32.0	345	387	512	33.4
90th percentile	ft <sup>3</sup> /s	150	60.0	508	571	692	58.4
Drainage area	mi <sup>2</sup>	108	26.3	215	259	379	68.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	69.1	17.3	13.7	44.8	48.8	43.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.055	0.144	0.144	0.170	0.066	0.029
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.657	0.646	1.20	1.05	0.852	0.249
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.905	1.01	1.22	1.20	1.10	0.652
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.541	0.572	0.585	0.657	0.648	0.163
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.87	1.31	1.00	1.54	1.60	2.86
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.250	0.237	0.214	0.247	0.264	0.044
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.324	0.351	0.223	0.282	0.354	0.058
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.407	0.418	0.264	0.369	0.485	0.126
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.491	0.494	0.540	0.579	0.602	0.190
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.574	0.570	0.975	0.822	0.734	0.219
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.657	0.646	1.20	1.05	0.852	0.249
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.750	0.722	1.37	1.22	0.992	0.307
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.843	0.837	1.44	1.34	1.14	0.351
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.991	1.22	1.61	1.49	1.35	0.488
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	2.28	2.36	2.21	1.83	0.854



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02070000</b>	<b>02071530</b>	<b>02072000</b>	<b>02072500</b>	<b>02073000</b>	<b>02073500</b>
Count	number	2,340	390	1,826	2,070	2,339	270
Max	ft <sup>3</sup> /s	6,490	983	4,400	9,730	13,700	900
Min	ft <sup>3</sup> /s	8.90	4.80	34.0	47.0	25.0	1.00
Median	ft <sup>3</sup> /s	66.0	18.0	248	272	310	12.0
Arithmetic Mean	ft <sup>3</sup> /s	105	34.3	259	313	423	32.5
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	13.1
Harmonic Mean	ft <sup>3</sup> /s	58.6	18.5	124	167	235	7.06
Standard Deviation	ft <sup>3</sup> /s	278	60.3	258	412	676	90.2
5th percentile	ft <sup>3</sup> /s	27.1	9.91	45.0	63.0	96.0	2.00
10th percentile	ft <sup>3</sup> /s	34.0	12.0	48.0	71.0	130	3.00
20th percentile	ft <sup>3</sup> /s	44.0	13.0	56.0	96.0	176	6.00
30th percentile	ft <sup>3</sup> /s	53.0	14.0	123	150	218	8.00
40th percentile	ft <sup>3</sup> /s	59.0	16.0	206	220	272	10.0
50th percentile	ft <sup>3</sup> /s	66.0	18.0	248	272	310	12.0
60th percentile	ft <sup>3</sup> /s	73.0	21.0	256	283	348	15.0
70th percentile	ft <sup>3</sup> /s	83.0	34.3	266	299	390	22.0
80th percentile	ft <sup>3</sup> /s	99.0	47.0	320	361	470	28.0
90th percentile	ft <sup>3</sup> /s	143	64.1	470	552	699	41.2
Drainage area	mi <sup>2</sup>	108	26.3	215	259	379	68.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	60.1	37.4	20.5	37.6	36.1	13.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.082	0.183	0.158	0.181	0.066	0.015
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.611	0.684	1.15	1.05	0.818	0.175
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.974	1.30	1.20	1.21	1.12	0.475
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.192
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.542	0.704	0.575	0.646	0.619	0.103
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.57	2.29	1.20	1.59	1.78	1.32
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.250	0.377	0.209	0.243	0.253	0.029
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.315	0.456	0.223	0.274	0.343	0.044
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.407	0.494	0.260	0.371	0.464	0.088
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.491	0.532	0.572	0.579	0.575	0.117
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.546	0.608	0.958	0.849	0.718	0.146
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.611	0.684	1.15	1.05	0.818	0.175
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.676	0.798	1.19	1.09	0.918	0.219
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.769	1.30	1.24	1.16	1.03	0.322
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.917	1.79	1.49	1.39	1.24	0.409
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.33	2.44	2.19	2.13	1.84	0.602

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02070000</b>	<b>02071530</b>	<b>02072000</b>	<b>02072500</b>	<b>02073000</b>	<b>02073500</b>
Count	number	2,449	434	1,918	2,139	2,448	279
Max	ft <sup>3</sup> /s	6,160	358	4,120	4,480	16,200	770
Min	ft <sup>3</sup> /s	19.0	11.0	30.0	51.0	19.0	3.00
Median	ft <sup>3</sup> /s	70.0	21.0	196	222	289	24.0
Arithmetic Mean	ft <sup>3</sup> /s	110	31.5	237	273	407	36.6
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	64.3	20.8	116	160	237	14.1
Standard Deviation	ft <sup>3</sup> /s	261	31.8	251	278	660	75.5
5th percentile	ft <sup>3</sup> /s	32.0	12.0	44.0	66.0	102	5.00
10th percentile	ft <sup>3</sup> /s	40.0	12.0	47.0	72.0	134	6.00
20th percentile	ft <sup>3</sup> /s	49.0	14.0	57.0	96.0	181	8.00
30th percentile	ft <sup>3</sup> /s	55.0	15.0	111	147	216	12.0
40th percentile	ft <sup>3</sup> /s	63.0	18.0	169	187	254	15.0
50th percentile	ft <sup>3</sup> /s	70.0	21.0	196	222	289	24.0
60th percentile	ft <sup>3</sup> /s	78.0	27.0	205	234	326	26.0
70th percentile	ft <sup>3</sup> /s	90.0	37.0	226	260	369	30.0
80th percentile	ft <sup>3</sup> /s	108	43.0	314	343	450	35.0
90th percentile	ft <sup>3</sup> /s	145	54.7	502	544	708	48.2
Drainage area	mi <sup>2</sup>	108	26.3	215	259	379	68.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	57.0	13.6	19.2	17.3	42.7	11.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.176	0.418	0.140	0.197	0.050	0.044
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.648	0.798	0.912	0.857	0.763	0.351
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	1.20	1.10	1.05	1.07	0.535
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.595	0.791	0.537	0.617	0.626	0.206
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.42	1.21	1.17	1.07	1.74	1.10
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.296	0.456	0.205	0.255	0.269	0.073
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.370	0.456	0.219	0.278	0.353	0.088
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.454	0.532	0.265	0.371	0.478	0.117
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.509	0.570	0.516	0.568	0.570	0.175
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.583	0.684	0.785	0.722	0.670	0.219
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.648	0.798	0.912	0.857	0.763	0.351
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.722	1.03	0.953	0.903	0.860	0.380
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.833	1.41	1.05	1.00	0.974	0.439
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.00	1.63	1.46	1.33	1.19	0.512
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.34	2.08	2.33	2.10	1.87	0.705

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02070000</b>	<b>02071530</b>	<b>02072000</b>	<b>02072500</b>	<b>02073000</b>	<b>02073500</b>
Count	number	2,365	401	1,855	2,065	2,364	270
Max	ft <sup>3</sup> /s	3,380	340	4,550	4,840	5,070	1,040
Min	ft <sup>3</sup> /s	26.0	12.0	24.0	51.0	47.0	8.00
Median	ft <sup>3</sup> /s	80.0	26.0	184	210	294	34.0
Arithmetic Mean	ft <sup>3</sup> /s	105	35.6	230	270	389	45.9
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	76.7	24.2	108	160	255	26.9
Standard Deviation	ft <sup>3</sup> /s	127	33.6	262	279	364	74.2
5th percentile	ft <sup>3</sup> /s	44.0	12.0	43.0	68.0	116	11.0
10th percentile	ft <sup>3</sup> /s	50.0	13.0	46.0	75.0	145	14.0
20th percentile	ft <sup>3</sup> /s	59.0	16.0	55.0	101	190	17.0
30th percentile	ft <sup>3</sup> /s	66.0	20.0	98.0	134	223	25.0
40th percentile	ft <sup>3</sup> /s	73.0	24.0	142	175	260	30.6
50th percentile	ft <sup>3</sup> /s	80.0	26.0	184	210	294	34.0
60th percentile	ft <sup>3</sup> /s	89.0	30.0	204	232	335	37.0
70th percentile	ft <sup>3</sup> /s	100	40.0	238	265	387	41.3
80th percentile	ft <sup>3</sup> /s	121	45.0	306	338	494	50.2
90th percentile	ft <sup>3</sup> /s	155	63.0	509	581	744	72.0
Drainage area	mi <sup>2</sup>	108	26.3	215	259	379	68.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	31.3	12.9	21.2	18.7	13.4	15.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.241	0.456	0.112	0.197	0.124	0.117
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.741	0.989	0.856	0.811	0.776	0.497
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.977	1.35	1.07	1.04	1.03	0.671
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.710	0.922	0.503	0.618	0.674	0.393
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.28	1.22	1.08	0.960	1.08
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.407	0.456	0.200	0.263	0.306	0.161
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.463	0.494	0.214	0.290	0.383	0.205
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.546	0.608	0.256	0.390	0.501	0.249
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.611	0.760	0.456	0.517	0.588	0.365
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.676	0.913	0.660	0.676	0.686	0.447
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.741	0.989	0.856	0.811	0.776	0.497
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.824	1.14	0.949	0.896	0.884	0.541
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.926	1.52	1.11	1.02	1.02	0.604
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	1.71	1.42	1.31	1.30	0.734
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	2.40	2.37	2.24	1.96	1.05

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02070000</b>	<b>02071530</b>	<b>02072000</b>	<b>02072500</b>	<b>02073000</b>	<b>02073500</b>
Count	number	2,418	403	1,891	2,108	2,418	279
Max	ft <sup>3</sup> /s	2,100	669	3,440	4,400	7,000	511
Min	ft <sup>3</sup> /s	30.0	11.0	24.0	52.0	47.0	10.0
Median	ft <sup>3</sup> /s	96.0	37.0	199	236	340	39.0
Arithmetic Mean	ft <sup>3</sup> /s	122	44.3	252	304	439	61.6
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	91.3	29.6	114	176	295	35.6
Standard Deviation	ft <sup>3</sup> /s	118	42.4	238	274	394	72.8
5th percentile	ft <sup>3</sup> /s	52.0	14.0	44.0	73.0	142	16.0
10th percentile	ft <sup>3</sup> /s	59.7	15.0	46.0	80.0	170	18.8
20th percentile	ft <sup>3</sup> /s	68.0	20.0	53.0	113	213	25.0
30th percentile	ft <sup>3</sup> /s	76.0	23.6	105	147	255	30.0
40th percentile	ft <sup>3</sup> /s	86.0	27.0	152	194	306	35.0
50th percentile	ft <sup>3</sup> /s	96.0	37.0	199	236	340	39.0
60th percentile	ft <sup>3</sup> /s	106	46.0	229	263	382	43.0
70th percentile	ft <sup>3</sup> /s	120	54.0	274	316	459	50.0
80th percentile	ft <sup>3</sup> /s	140	61.6	401	453	600	64.8
90th percentile	ft <sup>3</sup> /s	185	72.8	616	668	803	122
Drainage area	mi <sup>2</sup>	108	26.3	215	259	379	68.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	19.4	25.4	16.0	17.0	18.5	7.47
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.278	0.418	0.112	0.201	0.124	0.146
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.889	1.41	0.926	0.911	0.897	0.570
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	1.68	1.17	1.17	1.16	0.901
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.845	1.13	0.529	0.681	0.778	0.521
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.61	1.11	1.06	1.04	1.06
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.481	0.532	0.205	0.282	0.375	0.234
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.553	0.570	0.214	0.309	0.449	0.275
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.630	0.760	0.247	0.436	0.562	0.365
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.704	0.897	0.488	0.568	0.673	0.439
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.796	1.03	0.707	0.749	0.807	0.512
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.889	1.41	0.926	0.911	0.897	0.570
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.981	1.75	1.07	1.02	1.01	0.629
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	2.05	1.27	1.22	1.21	0.731
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	2.34	1.87	1.75	1.58	0.947
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	2.77	2.87	2.58	2.12	1.78

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>02074500</b>	<b>02075000</b>	<b>02075045</b>	<b>02075500</b>	<b>02076500</b>	<b>02077000</b>
Count	number	2,418	1,891	372	1,767	1,488	2,478
Max	ft <sup>3</sup> /s	4,440	48,600	35,400	35,700	385	13,000
Min	ft <sup>3</sup> /s	20.0	469	456	585	2.20	56.0
Median	ft <sup>3</sup> /s	90.0	1,980	1,885	2,360	8.50	428
Arithmetic Mean	ft <sup>3</sup> /s	139	2,816	2,782	3,386	11.4	676
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	85.3	1,832	1,715	2,187	8.18	374
Standard Deviation	ft <sup>3</sup> /s	239	3,114	3,572	3,417	16.8	884
5th percentile	ft <sup>3</sup> /s	45.0	920	781	1,070	4.70	161
10th percentile	ft <sup>3</sup> /s	53.0	1,070	1,021	1,256	5.20	203
20th percentile	ft <sup>3</sup> /s	64.0	1,310	1,290	1,550	6.20	264
30th percentile	ft <sup>3</sup> /s	72.0	1,510	1,470	1,790	7.10	316
40th percentile	ft <sup>3</sup> /s	80.0	1,730	1,714	2,050	7.80	368
50th percentile	ft <sup>3</sup> /s	90.0	1,980	1,885	2,360	8.50	428
60th percentile	ft <sup>3</sup> /s	100	2,270	2,226	2,770	9.50	504
70th percentile	ft <sup>3</sup> /s	115	2,680	2,550	3,214	11.0	620
80th percentile	ft <sup>3</sup> /s	143	3,370	2,986	4,200	13.0	823
90th percentile	ft <sup>3</sup> /s	210	4,850	4,458	6,124	16.0	1,220
Drainage area	mi <sup>2</sup>	111	2060	2116	2587	9.18	547
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	40.0	23.6	16.7	13.8	41.9	23.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.180	0.228	0.216	0.226	0.240	0.102
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.811	0.961	0.891	0.912	0.926	0.782
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	1.37	1.31	1.31	1.24	1.24
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.768	0.890	0.811	0.845	0.892	0.683
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.15	1.51	1.69	1.32	1.83	1.62
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.405	0.447	0.369	0.414	0.512	0.294
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.477	0.519	0.483	0.486	0.566	0.371
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.577	0.636	0.610	0.599	0.675	0.483
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.649	0.733	0.695	0.692	0.773	0.578
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.721	0.840	0.810	0.792	0.850	0.673
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.811	0.961	0.891	0.912	0.926	0.782
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.901	1.10	1.05	1.07	1.03	0.921
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	1.30	1.21	1.24	1.20	1.13
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.64	1.41	1.62	1.42	1.50
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.89	2.35	2.11	2.37	1.74	2.23

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>02074500</b>	<b>02075000</b>	<b>02075045</b>	<b>02075500</b>	<b>02076500</b>	<b>02077000</b>
Count	number	2,203	1,723	339	1,610	1,356	2,259
Max	ft <sup>3</sup> /s	2,810	35,800	25,200	36,500	367	12,100
Min	ft <sup>3</sup> /s	25.0	323	516	700	1.90	70.0
Median	ft <sup>3</sup> /s	100	2,240	2,030	2,680	9.80	512
Arithmetic Mean	ft <sup>3</sup> /s	146	3,094	2,612	3,768	12.9	748
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	96.3	2,145	1,790	2,555	9.60	451
Standard Deviation	ft <sup>3</sup> /s	184	2,947	2,608	3,482	17.1	823
5th percentile	ft <sup>3</sup> /s	50.0	1,112	826	1,300	6.00	200
10th percentile	ft <sup>3</sup> /s	60.0	1,310	1,028	1,530	6.60	249
20th percentile	ft <sup>3</sup> /s	74.0	1,580	1,420	1,880	7.30	330
30th percentile	ft <sup>3</sup> /s	83.0	1,810	1,554	2,160	8.00	395
40th percentile	ft <sup>3</sup> /s	91.0	2,020	1,792	2,390	8.90	450
50th percentile	ft <sup>3</sup> /s	100	2,240	2,030	2,680	9.80	512
60th percentile	ft <sup>3</sup> /s	111	2,540	2,226	3,080	11.0	604
70th percentile	ft <sup>3</sup> /s	129	2,960	2,568	3,640	12.0	741
80th percentile	ft <sup>3</sup> /s	158	3,646	2,990	4,462	14.0	930
90th percentile	ft <sup>3</sup> /s	229	5,370	3,938	7,023	18.0	1,352
Drainage area	mi <sup>2</sup>	111	2060	2116	2587	9.18	547
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	25.3	17.4	11.9	14.1	40.0	22.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.225	0.157	0.244	0.271	0.207	0.128
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.901	1.09	0.959	1.04	1.07	0.936
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	1.50	1.23	1.46	1.41	1.37
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.868	1.04	0.846	0.988	1.05	0.824
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	1.43	1.23	1.35	1.87	1.50
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.450	0.540	0.390	0.503	0.654	0.366
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.541	0.636	0.486	0.591	0.719	0.455
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.667	0.767	0.671	0.727	0.795	0.603
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.748	0.879	0.734	0.835	0.871	0.722
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.820	0.981	0.847	0.924	0.969	0.823
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.901	1.09	0.959	1.04	1.07	0.936
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.00	1.23	1.05	1.19	1.20	1.10
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	1.44	1.21	1.41	1.31	1.35
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.42	1.77	1.41	1.72	1.53	1.70
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.07	2.61	1.86	2.71	1.96	2.47

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

	units	March					
		02074500	02075000	02075045	02075500	02076500	02077000
Station Number	number						
Count	number	2,418	1,891	372	1,767	1,488	2,480
Max	ft <sup>3</sup> /s	6,450	45,000	37,100	42,200	302	11,800
Min	ft <sup>3</sup> /s	30.0	880	522	673	1.00	70.0
Median	ft <sup>3</sup> /s	106	2,380	2,090	2,970	10.0	540
Arithmetic Mean	ft <sup>3</sup> /s	172	3,633	2,967	4,384	14.6	827
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	106	2,338	1,958	2,796	10.0	498
Standard Deviation	ft <sup>3</sup> /s	321	4,219	3,407	4,644	20.9	1,031
5th percentile	ft <sup>3</sup> /s	61.0	1,270	1,086	1,430	6.00	248
10th percentile	ft <sup>3</sup> /s	68.0	1,420	1,220	1,606	6.80	282
20th percentile	ft <sup>3</sup> /s	78.0	1,640	1,350	1,940	7.70	351
30th percentile	ft <sup>3</sup> /s	87.0	1,890	1,540	2,260	8.50	412
40th percentile	ft <sup>3</sup> /s	96.0	2,130	1,830	2,634	9.60	474
50th percentile	ft <sup>3</sup> /s	106	2,380	2,090	2,970	10.0	540
60th percentile	ft <sup>3</sup> /s	119	2,710	2,460	3,406	12.0	624
70th percentile	ft <sup>3</sup> /s	136	3,300	2,950	4,074	14.0	761
80th percentile	ft <sup>3</sup> /s	167	4,170	3,460	5,160	16.0	949
90th percentile	ft <sup>3</sup> /s	263	6,390	5,036	8,156	20.0	1,491
Drainage area	mi <sup>2</sup>	111	2060	2116	2587	9.18	547
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	58.1	21.8	17.5	16.3	32.9	21.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.270	0.427	0.247	0.260	0.109	0.128
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.950	1.16	0.988	1.15	1.09	0.987
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.55	1.76	1.40	1.69	1.59	1.51
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.952	1.13	0.925	1.08	1.09	0.910
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.89	2.05	1.61	1.80	2.27	1.88
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.550	0.617	0.513	0.553	0.654	0.453
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.613	0.689	0.577	0.621	0.741	0.515
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.703	0.796	0.638	0.750	0.839	0.642
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.784	0.917	0.728	0.874	0.926	0.753
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.865	1.03	0.865	1.02	1.05	0.867
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.950	1.16	0.988	1.15	1.09	0.987
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	1.32	1.16	1.32	1.31	1.14
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.60	1.39	1.57	1.53	1.39
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.50	2.02	1.64	1.99	1.74	1.74
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.37	3.10	2.38	3.15	2.18	2.73

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02074500</b>	<b>02075000</b>	<b>02075045</b>	<b>02075500</b>	<b>02076500</b>	<b>02077000</b>
Count	number	2,340	1,830	360	1,710	1,440	2,400
Max	ft <sup>3</sup> /s	7,490	48,700	27,500	51,100	492	14,700
Min	ft <sup>3</sup> /s	33.0	852	554	634	1.00	34.0
Median	ft <sup>3</sup> /s	97.0	2,235	2,125	2,715	9.90	455
Arithmetic Mean	ft <sup>3</sup> /s	145	3,260	2,847	3,931	13.7	715
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	95.7	2,138	1,835	2,505	9.52	417
Standard Deviation	ft <sup>3</sup> /s	266	3,670	3,363	4,272	22.1	950
5th percentile	ft <sup>3</sup> /s	56.0	1,130	870	1,290	5.90	209
10th percentile	ft <sup>3</sup> /s	62.0	1,260	1,046	1,449	6.40	239
20th percentile	ft <sup>3</sup> /s	71.0	1,490	1,288	1,720	7.10	291
30th percentile	ft <sup>3</sup> /s	80.0	1,710	1,540	1,980	7.80	345
40th percentile	ft <sup>3</sup> /s	88.0	1,986	1,856	2,330	8.60	396
50th percentile	ft <sup>3</sup> /s	97.0	2,235	2,125	2,715	9.90	455
60th percentile	ft <sup>3</sup> /s	109	2,620	2,348	3,240	11.0	526
70th percentile	ft <sup>3</sup> /s	124	3,020	2,740	3,720	13.0	623
80th percentile	ft <sup>3</sup> /s	147	3,770	3,194	4,672	15.0	840
90th percentile	ft <sup>3</sup> /s	204	5,841	4,140	7,070	19.0	1,261
Drainage area	mi <sup>2</sup>	111	2060	2116	2587	9.18	547
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	67.5	23.6	13.0	19.8	53.6	26.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.297	0.414	0.262	0.245	0.109	0.062
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.874	1.08	1.00	1.05	1.08	0.831
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	1.58	1.35	1.52	1.49	1.31
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.862	1.04	0.867	0.968	1.04	0.762
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.40	1.78	1.59	1.65	2.40	1.74
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.505	0.549	0.411	0.499	0.643	0.382
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.559	0.612	0.494	0.560	0.697	0.437
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.640	0.723	0.609	0.665	0.773	0.532
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.721	0.830	0.728	0.765	0.850	0.630
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.793	0.964	0.877	0.901	0.937	0.724
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.874	1.08	1.00	1.05	1.08	0.831
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.986	1.27	1.11	1.25	1.20	0.962
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	1.47	1.29	1.44	1.42	1.14
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	1.83	1.51	1.81	1.63	1.54
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.84	2.84	1.96	2.73	2.07	2.31



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	02074500	02075000	02075045	02075500	02076500	02077000
Count	number	2,418	1,891	372	1,767	1,488	2,480
Max	ft <sup>3</sup> /s	2,740	21,600	25,100	23,100	166	6,830
Min	ft <sup>3</sup> /s	30.0	692	575	590	3.10	22.0
Median	ft <sup>3</sup> /s	82.0	1,840	1,760	2,190	8.30	342
Arithmetic Mean	ft <sup>3</sup> /s	108	2,391	2,150	2,773	10.4	482
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	78.4	1,756	1,570	1,991	7.94	298
Standard Deviation	ft <sup>3</sup> /s	148	2,066	1,850	2,396	9.82	576
5th percentile	ft <sup>3</sup> /s	46.0	963	773	1,054	4.50	152
10th percentile	ft <sup>3</sup> /s	51.0	1,070	943	1,186	5.20	175
20th percentile	ft <sup>3</sup> /s	58.0	1,270	1,150	1,420	5.90	216
30th percentile	ft <sup>3</sup> /s	65.0	1,440	1,313	1,638	6.70	256
40th percentile	ft <sup>3</sup> /s	72.0	1,620	1,550	1,864	7.40	298
50th percentile	ft <sup>3</sup> /s	82.0	1,840	1,760	2,190	8.30	342
60th percentile	ft <sup>3</sup> /s	91.0	2,110	2,046	2,500	9.50	394
70th percentile	ft <sup>3</sup> /s	102	2,420	2,277	2,920	11.0	464
80th percentile	ft <sup>3</sup> /s	118	2,870	2,586	3,420	12.0	573
90th percentile	ft <sup>3</sup> /s	155	3,880	3,489	4,510	15.0	809
Drainage area	mi <sup>2</sup>	111	2060	2116	2587	9.18	547
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	24.7	10.5	11.9	8.93	18.1	12.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.270	0.336	0.272	0.228	0.338	0.040
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.739	0.893	0.832	0.847	0.904	0.625
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.975	1.16	1.02	1.07	1.13	0.881
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.706	0.852	0.742	0.770	0.865	0.546
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.33	1.00	0.874	0.926	1.07	1.05
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.414	0.467	0.365	0.407	0.490	0.278
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.459	0.519	0.446	0.458	0.566	0.320
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.523	0.617	0.543	0.549	0.643	0.395
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.586	0.699	0.621	0.633	0.730	0.468
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.649	0.786	0.733	0.721	0.806	0.545
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.739	0.893	0.832	0.847	0.904	0.625
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.820	1.02	0.967	0.966	1.03	0.721
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.919	1.17	1.08	1.13	1.20	0.848
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.39	1.22	1.32	1.31	1.05
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	1.88	1.65	1.74	1.63	1.48

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	02074500	02075000	02075045	02075500	02076500	02077000
Count	number	2,340	1,830	360	1,710	1,440	2,400
Max	ft <sup>3</sup> /s	7,070	57,600	17,100	63,400	378	15,000
Min	ft <sup>3</sup> /s	15.0	367	260	264	1.50	18.0
Median	ft <sup>3</sup> /s	65.0	1,560	1,475	1,790	6.90	249
Arithmetic Mean	ft <sup>3</sup> /s	89.6	2,029	2,066	2,404	8.47	384
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	60.3	1,410	1,183	1,547	6.14	207
Standard Deviation	ft <sup>3</sup> /s	197	2,584	2,327	3,056	13.1	675
5th percentile	ft <sup>3</sup> /s	32.0	716	541	756	3.00	92.0
10th percentile	ft <sup>3</sup> /s	37.0	830	654	895	3.80	115
20th percentile	ft <sup>3</sup> /s	45.0	1,000	931	1,120	4.50	154
30th percentile	ft <sup>3</sup> /s	52.0	1,190	1,057	1,320	5.50	191
40th percentile	ft <sup>3</sup> /s	59.0	1,380	1,214	1,570	6.30	224
50th percentile	ft <sup>3</sup> /s	65.0	1,560	1,475	1,790	6.90	249
60th percentile	ft <sup>3</sup> /s	72.0	1,760	1,654	2,064	7.80	285
70th percentile	ft <sup>3</sup> /s	82.0	2,000	1,923	2,340	8.80	337
80th percentile	ft <sup>3</sup> /s	94.2	2,372	2,304	2,780	10.0	430
90th percentile	ft <sup>3</sup> /s	126	3,191	3,527	3,865	12.0	679
Drainage area	mi <sup>2</sup>	111	2060	2116	2587	9.18	547
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	63.7	28.0	8.08	24.5	41.2	27.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.135	0.178	0.123	0.102	0.163	0.033
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.586	0.757	0.697	0.692	0.752	0.454
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.807	0.985	0.977	0.929	0.923	0.702
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.543	0.684	0.559	0.598	0.669	0.379
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.78	1.25	1.10	1.18	1.43	1.23
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.288	0.348	0.256	0.292	0.327	0.168
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.333	0.403	0.309	0.346	0.414	0.210
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.405	0.485	0.440	0.433	0.490	0.282
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.468	0.578	0.500	0.510	0.599	0.349
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.532	0.670	0.574	0.607	0.686	0.410
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.586	0.757	0.697	0.692	0.752	0.454
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.649	0.854	0.782	0.798	0.850	0.521
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.739	0.971	0.909	0.905	0.959	0.616
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.849	1.15	1.09	1.07	1.09	0.786
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.55	1.67	1.49	1.31	1.24

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	02074500	02075000	02075045	02075500	02076500	02077000
Count	number	2,418	1,891	372	1,767	1,488	2,480
Max	ft <sup>3</sup> /s	2,060	20,400	17,100	22,100	209	7,260
Min	ft <sup>3</sup> /s	11.0	277	170	176	1.00	15.0
Median	ft <sup>3</sup> /s	56.0	1,340	1,180	1,500	6.00	202
Arithmetic Mean	ft <sup>3</sup> /s	75.3	1,751	1,415	1,862	7.28	295
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	47.9	1,206	939	1,263	5.13	151
Standard Deviation	ft <sup>3</sup> /s	109	1,700	1,219	1,671	9.08	370
5th percentile	ft <sup>3</sup> /s	23.0	602	372	598	2.50	60.0
10th percentile	ft <sup>3</sup> /s	27.0	715	518	740	3.10	81.9
20th percentile	ft <sup>3</sup> /s	35.0	873	786	938	3.80	112
30th percentile	ft <sup>3</sup> /s	41.0	1,020	988	1,120	4.50	140
40th percentile	ft <sup>3</sup> /s	49.0	1,180	1,090	1,320	5.40	173
50th percentile	ft <sup>3</sup> /s	56.0	1,340	1,180	1,500	6.00	202
60th percentile	ft <sup>3</sup> /s	63.0	1,500	1,306	1,670	6.70	238
70th percentile	ft <sup>3</sup> /s	71.0	1,720	1,490	1,900	7.50	278
80th percentile	ft <sup>3</sup> /s	84.0	2,080	1,760	2,260	8.60	360
90th percentile	ft <sup>3</sup> /s	116	2,930	2,348	3,114	10.0	570
Drainage area	mi <sup>2</sup>	111	2060	2116	2587	9.18	547
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	18.6	9.90	8.08	8.54	22.8	13.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.099	0.134	0.080	0.068	0.109	0.027
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.505	0.650	0.558	0.580	0.654	0.369
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.679	0.850	0.669	0.720	0.793	0.539
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.432	0.585	0.444	0.488	0.559	0.277
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.984	0.825	0.576	0.646	0.989	0.676
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.207	0.292	0.176	0.231	0.272	0.110
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.243	0.347	0.245	0.286	0.338	0.150
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.315	0.424	0.371	0.363	0.414	0.205
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.369	0.495	0.467	0.433	0.490	0.256
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.441	0.573	0.515	0.510	0.588	0.316
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.505	0.650	0.558	0.580	0.654	0.369
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.568	0.728	0.617	0.646	0.730	0.435
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.640	0.835	0.704	0.734	0.817	0.508
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.757	1.01	0.832	0.874	0.937	0.659
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	1.42	1.11	1.20	1.09	1.04

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02074500</b>	<b>02075000</b>	<b>02075045</b>	<b>02075500</b>	<b>02076500</b>	<b>02077000</b>
Count	number	2,418	1,922	372	1,767	1,488	2,480
Max	ft <sup>3</sup> /s	6,780	64,800	22,300	26,600	503	30,200
Min	ft <sup>3</sup> /s	6.40	225	104	133	1.10	6.00
Median	ft <sup>3</sup> /s	48.0	1,150	1,025	1,310	5.20	180
Arithmetic Mean	ft <sup>3</sup> /s	82.2	1,655	1,479	1,759	7.12	316
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	39.8	1,075	744	1,107	4.80	114
Standard Deviation	ft <sup>3</sup> /s	288	2,827	1,827	1,957	19.0	948
5th percentile	ft <sup>3</sup> /s	18.0	570	205	554	2.70	36.0
10th percentile	ft <sup>3</sup> /s	22.7	653	424	652	3.00	58.9
20th percentile	ft <sup>3</sup> /s	29.0	786	602	828	3.60	92.0
30th percentile	ft <sup>3</sup> /s	35.0	900	746	988	4.00	114
40th percentile	ft <sup>3</sup> /s	41.0	1,020	884	1,140	4.50	147
50th percentile	ft <sup>3</sup> /s	48.0	1,150	1,025	1,310	5.20	180
60th percentile	ft <sup>3</sup> /s	54.0	1,300	1,190	1,480	5.80	209
70th percentile	ft <sup>3</sup> /s	63.0	1,480	1,450	1,752	6.49	246
80th percentile	ft <sup>3</sup> /s	75.0	1,790	1,826	2,120	7.50	311
90th percentile	ft <sup>3</sup> /s	110	2,520	2,767	3,024	9.50	538
Drainage area	mi <sup>2</sup>	111	2060	2116	2587	9.18	547
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	61.1	31.5	10.5	10.3	54.8	55.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.058	0.109	0.049	0.051	0.120	0.011
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.432	0.558	0.484	0.506	0.566	0.329
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.740	0.803	0.699	0.680	0.776	0.577
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.359	0.522	0.352	0.428	0.523	0.209
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.60	1.37	0.863	0.756	2.07	1.73
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.162	0.277	0.097	0.214	0.294	0.066
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.205	0.317	0.200	0.252	0.327	0.108
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.261	0.381	0.285	0.320	0.392	0.168
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.315	0.437	0.353	0.382	0.436	0.208
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.369	0.495	0.418	0.441	0.490	0.268
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.432	0.558	0.484	0.506	0.566	0.329
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.486	0.631	0.562	0.572	0.632	0.382
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.568	0.718	0.685	0.677	0.707	0.450
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.676	0.869	0.863	0.819	0.817	0.569
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.991	1.22	1.31	1.17	1.03	0.984

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02074500</b>	<b>02075000</b>	<b>02075045</b>	<b>02075500</b>	<b>02076500</b>	<b>02077000</b>
Count	number	2,340	1,860	360	1,710	1,440	2,395
Max	ft <sup>3</sup> /s	8,340	53,900	41,500	53,400	852	44,700
Min	ft <sup>3</sup> /s	8.00	110	171	198	1.40	7.00
Median	ft <sup>3</sup> /s	45.0	992	1,040	1,120	5.20	152
Arithmetic Mean	ft <sup>3</sup> /s	87.6	1,645	2,230	1,951	8.15	375
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	38.5	953	876	1,034	4.62	104
Standard Deviation	ft <sup>3</sup> /s	334	3,134	4,468	3,659	31.7	1,503
5th percentile	ft <sup>3</sup> /s	17.1	500	407	496	2.40	33.8
10th percentile	ft <sup>3</sup> /s	21.0	615	462	610	2.80	50.0
20th percentile	ft <sup>3</sup> /s	28.0	726	580	787	3.40	82.8
30th percentile	ft <sup>3</sup> /s	33.0	825	750	904	4.00	102
40th percentile	ft <sup>3</sup> /s	40.0	902	892	1,010	4.70	128
50th percentile	ft <sup>3</sup> /s	45.0	992	1,040	1,120	5.20	152
60th percentile	ft <sup>3</sup> /s	51.0	1,100	1,220	1,250	5.80	178
70th percentile	ft <sup>3</sup> /s	57.0	1,260	1,666	1,450	6.30	214
80th percentile	ft <sup>3</sup> /s	69.0	1,572	2,382	1,912	7.10	282
90th percentile	ft <sup>3</sup> /s	101	2,461	3,615	3,080	9.51	527
Drainage area	mi <sup>2</sup>	111	2060	2116	2587	9.18	547
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	75.1	26.2	19.6	20.6	92.8	81.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.072	0.053	0.081	0.077	0.153	0.013
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.405	0.481	0.491	0.433	0.566	0.278
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.789	0.799	1.05	0.754	0.887	0.685
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.347	0.463	0.414	0.400	0.503	0.191
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.01	1.52	2.11	1.41	3.45	2.75
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.154	0.243	0.192	0.192	0.261	0.062
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.189	0.298	0.218	0.236	0.305	0.091
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.252	0.352	0.274	0.304	0.370	0.151
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.297	0.400	0.354	0.350	0.436	0.186
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.360	0.438	0.421	0.390	0.512	0.234
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.405	0.481	0.491	0.433	0.566	0.278
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.459	0.534	0.577	0.483	0.632	0.325
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.514	0.612	0.787	0.560	0.686	0.391
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.622	0.763	1.13	0.739	0.773	0.516
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.911	1.19	1.71	1.19	1.04	0.964

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02074500</b>	<b>02075000</b>	<b>02075045</b>	<b>02075500</b>	<b>02076500</b>	<b>02077000</b>
Count	number	2,449	1,891	402	1,798	1,496	2,511
Max	ft <sup>3</sup> /s	5,080	47,200	12,700	32,400	234	9,600
Min	ft <sup>3</sup> /s	10.0	175	204	217	1.90	14.0
Median	ft <sup>3</sup> /s	50.0	1,030	1,080	1,190	6.00	186
Arithmetic Mean	ft <sup>3</sup> /s	81.9	1,804	1,415	1,981	8.28	344
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	45.3	1,022	893	1,137	5.60	132
Standard Deviation	ft <sup>3</sup> /s	188	3,287	1,225	2,911	13.6	705
5th percentile	ft <sup>3</sup> /s	20.0	576	400	571	3.09	45.0
10th percentile	ft <sup>3</sup> /s	25.0	655	451	664	3.50	76.0
20th percentile	ft <sup>3</sup> /s	36.0	750	645	830	4.30	101
30th percentile	ft <sup>3</sup> /s	41.0	836	760	970	4.80	133
40th percentile	ft <sup>3</sup> /s	46.0	925	935	1,080	5.40	160
50th percentile	ft <sup>3</sup> /s	50.0	1,030	1,080	1,190	6.00	186
60th percentile	ft <sup>3</sup> /s	55.0	1,190	1,310	1,350	6.70	215
70th percentile	ft <sup>3</sup> /s	62.0	1,360	1,627	1,660	7.40	266
80th percentile	ft <sup>3</sup> /s	81.0	1,720	1,900	2,220	8.60	345
90th percentile	ft <sup>3</sup> /s	109	2,680	2,379	3,360	11.0	562
Drainage area	mi <sup>2</sup>	111	2060	2116	2587	9.18	547
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	45.8	22.9	6.00	12.5	25.5	17.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.090	0.085	0.096	0.084	0.207	0.026
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.450	0.500	0.510	0.460	0.654	0.340
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.738	0.876	0.669	0.766	0.902	0.629
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.408	0.496	0.422	0.439	0.610	0.241
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.69	1.60	0.579	1.13	1.48	1.29
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.180	0.279	0.189	0.221	0.336	0.082
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.225	0.318	0.213	0.257	0.381	0.139
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.324	0.364	0.305	0.321	0.468	0.185
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.369	0.406	0.359	0.375	0.523	0.243
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.414	0.449	0.442	0.417	0.588	0.293
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.450	0.500	0.510	0.460	0.654	0.340
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.495	0.578	0.619	0.522	0.730	0.393
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.559	0.660	0.769	0.642	0.806	0.486
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.730	0.835	0.898	0.858	0.937	0.631
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.982	1.30	1.12	1.30	1.20	1.03

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02074500</b>	<b>02075000</b>	<b>02075045</b>	<b>02075500</b>	<b>02076500</b>	<b>02077000</b>
Count	number	2,364	1,830	385	1,735	1,440	2,424
Max	ft <sup>3</sup> /s	2,500	25,500	19,500	22,900	302	6,480
Min	ft <sup>3</sup> /s	21.0	490	342	336	2.40	15.0
Median	ft <sup>3</sup> /s	60.0	1,200	1,260	1,440	7.00	247
Arithmetic Mean	ft <sup>3</sup> /s	85.0	1,766	1,648	2,074	8.89	399
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	58.8	1,219	1,125	1,418	6.75	221
Standard Deviation	ft <sup>3</sup> /s	121	1,945	1,609	2,146	12.2	545
5th percentile	ft <sup>3</sup> /s	32.0	719	502	775	4.20	105
10th percentile	ft <sup>3</sup> /s	37.0	789	664	887	4.50	128
20th percentile	ft <sup>3</sup> /s	44.0	885	825	1,050	5.40	161
30th percentile	ft <sup>3</sup> /s	49.0	975	962	1,180	6.00	184
40th percentile	ft <sup>3</sup> /s	54.0	1,080	1,076	1,290	6.50	218
50th percentile	ft <sup>3</sup> /s	60.0	1,200	1,260	1,440	7.00	247
60th percentile	ft <sup>3</sup> /s	68.0	1,354	1,464	1,630	7.70	286
70th percentile	ft <sup>3</sup> /s	78.0	1,600	1,674	1,950	8.70	344
80th percentile	ft <sup>3</sup> /s	92.0	2,102	2,012	2,510	9.60	466
90th percentile	ft <sup>3</sup> /s	123	3,101	2,776	3,622	13.0	756
Drainage area	mi <sup>2</sup>	111	2060	2116	2587	9.18	547
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	22.5	12.4	9.22	8.85	32.9	11.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.189	0.238	0.162	0.130	0.261	0.027
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.541	0.583	0.595	0.557	0.763	0.452
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.766	0.857	0.779	0.802	0.968	0.729
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.530	0.592	0.532	0.548	0.735	0.403
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	0.944	0.760	0.830	1.33	0.996
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.288	0.349	0.237	0.300	0.458	0.192
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.333	0.383	0.314	0.343	0.490	0.234
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.396	0.430	0.390	0.406	0.588	0.294
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.441	0.473	0.455	0.456	0.654	0.336
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.486	0.524	0.509	0.499	0.708	0.399
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.541	0.583	0.595	0.557	0.763	0.452
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.613	0.657	0.692	0.630	0.839	0.523
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.703	0.777	0.791	0.754	0.948	0.629
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.829	1.02	0.951	0.970	1.05	0.853
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	1.51	1.31	1.40	1.42	1.38

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02074500</b>	<b>02075000</b>	<b>02075045</b>	<b>02075500</b>	<b>02076500</b>	<b>02077000</b>
Count	number	2,418	1,891	372	1,767	1,488	2,511
Max	ft <sup>3</sup> /s	3,200	29,500	20,700	29,000	215	10,300
Min	ft <sup>3</sup> /s	20.0	522	481	573	2.00	15.0
Median	ft <sup>3</sup> /s	76.0	1,610	1,585	2,010	7.60	344
Arithmetic Mean	ft <sup>3</sup> /s	107	2,173	2,038	2,660	9.79	503
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	71.5	1,509	1,392	1,826	7.10	290
Standard Deviation	ft <sup>3</sup> /s	158	2,197	1,783	2,415	11.6	609
5th percentile	ft <sup>3</sup> /s	39.0	825	687	950	3.90	134
10th percentile	ft <sup>3</sup> /s	44.0	894	781	1,090	4.60	162
20th percentile	ft <sup>3</sup> /s	53.0	1,060	1,002	1,250	5.50	202
30th percentile	ft <sup>3</sup> /s	61.0	1,240	1,170	1,450	6.10	247
40th percentile	ft <sup>3</sup> /s	69.0	1,420	1,310	1,720	6.80	293
50th percentile	ft <sup>3</sup> /s	76.0	1,610	1,585	2,010	7.60	344
60th percentile	ft <sup>3</sup> /s	85.0	1,840	1,970	2,320	8.60	405
70th percentile	ft <sup>3</sup> /s	96.0	2,110	2,207	2,662	9.60	476
80th percentile	ft <sup>3</sup> /s	113	2,600	2,554	3,268	11.0	614
90th percentile	ft <sup>3</sup> /s	162	3,600	3,436	4,594	14.0	916
Drainage area	mi <sup>2</sup>	111	2060	2116	2587	9.18	547
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	28.8	14.3	9.78	11.2	23.4	18.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.180	0.253	0.227	0.221	0.218	0.027
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.685	0.782	0.749	0.777	0.828	0.629
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.965	1.05	0.963	1.03	1.07	0.920
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.645	0.733	0.658	0.706	0.774	0.530
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.42	1.07	0.843	0.934	1.26	1.11
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.351	0.400	0.325	0.367	0.425	0.245
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.396	0.434	0.369	0.421	0.501	0.296
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.477	0.515	0.474	0.483	0.599	0.369
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.550	0.602	0.553	0.560	0.664	0.452
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.622	0.689	0.619	0.665	0.741	0.536
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.685	0.782	0.749	0.777	0.828	0.629
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.766	0.893	0.931	0.897	0.937	0.740
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.865	1.02	1.04	1.03	1.05	0.870
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	1.26	1.21	1.26	1.20	1.12
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.75	1.62	1.78	1.53	1.67



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>02077500</b>	<b>02078000</b>	<b>02079000</b>	<b>02079640</b>	<b>03163000</b>	<b>03164000</b>
Count	number	1,922	496	527	1,300	62.0	2,416
Max	ft <sup>3</sup> /s	5,880	8,080	103,000	1,900	2,440	57,800
Min	ft <sup>3</sup> /s	9.80	27.0	1,900	1.10	1,260	300
Median	ft <sup>3</sup> /s	177	345	7,340	30.0	1,540	1,730
Arithmetic Mean	ft <sup>3</sup> /s	423	750	11,661	72.3	1,603	2,193
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	1,587	--
Harmonic Mean	ft <sup>3</sup> /s	104	223	6,880	20.0	1,571	1,452
Standard Deviation	ft <sup>3</sup> /s	667	1,084	13,399	156	242	2,180
5th percentile	ft <sup>3</sup> /s	30.0	47.9	3,330	5.80	1,260	600
10th percentile	ft <sup>3</sup> /s	43.0	133	3,936	9.40	1,327	768
20th percentile	ft <sup>3</sup> /s	73.0	180	4,806	16.0	1,390	1,070
30th percentile	ft <sup>3</sup> /s	98.3	230	5,464	21.0	1,411	1,340
40th percentile	ft <sup>3</sup> /s	134	280	6,188	26.0	1,540	1,530
50th percentile	ft <sup>3</sup> /s	177	345	7,340	30.0	1,540	1,730
60th percentile	ft <sup>3</sup> /s	243	437	8,710	39.0	1,630	1,970
70th percentile	ft <sup>3</sup> /s	350	620	10,300	50.0	1,720	2,270
80th percentile	ft <sup>3</sup> /s	554	990	13,500	77.0	1,720	2,790
90th percentile	ft <sup>3</sup> /s	1,119	1,830	22,440	137	1,930	3,825
Drainage area	mi <sup>2</sup>	288	412	7393	53.5	1004	1141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	20.4	19.6	13.9	35.5	2.43	50.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.034	0.066	0.257	0.021	1.25	0.263
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.615	0.837	0.993	0.561	1.53	1.52
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.47	1.82	1.58	1.35	1.60	1.92
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	1.58	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.359	0.542	0.931	0.374	1.56	1.27
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.32	2.63	1.81	2.91	0.241	1.91
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.104	0.116	0.450	0.108	1.25	0.526
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.149	0.322	0.532	0.176	1.32	0.673
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.437	0.650	0.299	1.38	0.938
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.341	0.557	0.739	0.393	1.41	1.17
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.465	0.680	0.837	0.486	1.53	1.34
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.615	0.837	0.993	0.561	1.53	1.52
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.844	1.06	1.18	0.729	1.62	1.73
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	1.50	1.39	0.935	1.71	1.99
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.92	2.40	1.83	1.44	1.71	2.45
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.89	4.44	3.04	2.56	1.92	3.35

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>02077500</b>	<b>02078000</b>	<b>02079000</b>	<b>02079640</b>	<b>03163000</b>	<b>03164000</b>
Count	number	1,751	452	481	1,186	56.0	2,203
Max	ft <sup>3</sup> /s	9,260	6,530	83,500	1,650	10,400	22,500
Min	ft <sup>3</sup> /s	17.0	35.0	2,770	3.40	1,250	390
Median	ft <sup>3</sup> /s	241	392	8,890	39.0	1,540	2,050
Arithmetic Mean	ft <sup>3</sup> /s	486	738	11,770	78.7	1,869	2,541
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	1,696	--
Harmonic Mean	ft <sup>3</sup> /s	145	262	7,937	28.9	1,618	1,763
Standard Deviation	ft <sup>3</sup> /s	700	904	10,187	140	1,319	1,982
5th percentile	ft <sup>3</sup> /s	44.0	91.3	4,100	11.0	1,260	802
10th percentile	ft <sup>3</sup> /s	58.0	120	4,510	15.0	1,320	1,000
20th percentile	ft <sup>3</sup> /s	100	161	5,470	21.0	1,390	1,280
30th percentile	ft <sup>3</sup> /s	139	221	6,490	26.0	1,390	1,520
40th percentile	ft <sup>3</sup> /s	185	301	7,670	32.0	1,460	1,770
50th percentile	ft <sup>3</sup> /s	241	392	8,890	39.0	1,540	2,050
60th percentile	ft <sup>3</sup> /s	318	500	10,000	46.0	1,540	2,330
70th percentile	ft <sup>3</sup> /s	461	765	12,200	60.0	1,720	2,700
80th percentile	ft <sup>3</sup> /s	685	1,150	15,200	86.0	1,930	3,300
90th percentile	ft <sup>3</sup> /s	1,240	1,828	20,300	163	2,300	4,458
Drainage area	mi <sup>2</sup>	288	412	7393	53.5	1004	1141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	32.2	15.8	11.3	30.8	10.4	19.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.059	0.085	0.375	0.064	1.25	0.342
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.837	0.950	1.20	0.729	1.53	1.80
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.69	1.79	1.59	1.47	1.86	2.23
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	1.69	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.502	0.635	1.07	0.541	1.61	1.55
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.43	2.19	1.38	2.61	1.31	1.74
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.153	0.222	0.555	0.206	1.25	0.703
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.201	0.292	0.610	0.280	1.31	0.876
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.347	0.391	0.740	0.393	1.38	1.12
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.483	0.536	0.878	0.486	1.38	1.33
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.642	0.730	1.04	0.598	1.45	1.55
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.837	0.950	1.20	0.729	1.53	1.80
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.21	1.35	0.860	1.53	2.04
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.60	1.86	1.65	1.12	1.71	2.37
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.38	2.79	2.06	1.61	1.92	2.89
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.31	4.44	2.75	3.04	2.29	3.91

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>02077500</b>	<b>02078000</b>	<b>02079000</b>	<b>02079640</b>	<b>03163000</b>	<b>03164000</b>
Count	number	1,922	496	527	1,302	62.0	2,418
Max	ft <sup>3</sup> /s	8,370	6,950	96,200	2,600	9,060	30,600
Min	ft <sup>3</sup> /s	17.0	74.0	3,210	3.10	1,100	500
Median	ft <sup>3</sup> /s	240	326	8,160	39.0	2,170	2,210
Arithmetic Mean	ft <sup>3</sup> /s	557	617	11,334	95.3	2,777	2,845
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	2,404	--
Harmonic Mean	ft <sup>3</sup> /s	172	311	8,340	31.5	2,142	2,071
Standard Deviation	ft <sup>3</sup> /s	860	739	9,303	216	1,712	2,308
5th percentile	ft <sup>3</sup> /s	53.2	147	4,800	12.0	1,200	1,060
10th percentile	ft <sup>3</sup> /s	84.0	169	5,322	16.0	1,390	1,250
20th percentile	ft <sup>3</sup> /s	120	204	6,156	22.0	1,558	1,540
30th percentile	ft <sup>3</sup> /s	155	239	6,818	27.0	1,720	1,770
40th percentile	ft <sup>3</sup> /s	191	280	7,474	32.0	1,864	1,970
50th percentile	ft <sup>3</sup> /s	240	326	8,160	39.0	2,170	2,210
60th percentile	ft <sup>3</sup> /s	324	407	9,246	49.0	2,740	2,530
70th percentile	ft <sup>3</sup> /s	449	548	11,200	65.0	2,900	2,920
80th percentile	ft <sup>3</sup> /s	728	930	14,400	94.0	3,420	3,520
90th percentile	ft <sup>3</sup> /s	1,408	1,545	21,260	179	5,081	4,753
Drainage area	mi <sup>2</sup>	288	412	7393	53.5	1004	1141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	29.1	16.9	13.0	48.6	9.02	26.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.059	0.180	0.434	0.058	1.10	0.438
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.833	0.791	1.10	0.729	2.16	1.94
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.93	1.50	1.53	1.78	2.77	2.49
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	2.39	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.596	0.755	1.13	0.589	2.13	1.82
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.99	1.79	1.26	4.04	1.71	2.02
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.185	0.356	0.649	0.224	1.20	0.929
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.292	0.410	0.720	0.299	1.38	1.10
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.417	0.495	0.833	0.411	1.55	1.35
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.538	0.579	0.922	0.505	1.71	1.55
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.663	0.680	1.01	0.598	1.86	1.73
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.833	0.791	1.10	0.729	2.16	1.94
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	0.988	1.25	0.916	2.73	2.22
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.33	1.51	1.21	2.89	2.56
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.53	2.26	1.95	1.76	3.41	3.09
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.89	3.75	2.88	3.34	5.06	4.17

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>02077500</b>	<b>02078000</b>	<b>02079000</b>	<b>02079640</b>	<b>03163000</b>	<b>03164000</b>
Count	number	1,830	510	540	1,260	60.0	2,340
Max	ft <sup>3</sup> /s	8,760	6,110	74,700	3,700	4,540	25,400
Min	ft <sup>3</sup> /s	15.0	44.0	2,480	6.00	1,100	755
Median	ft <sup>3</sup> /s	167	244	7,565	27.0	1,665	2,090
Arithmetic Mean	ft <sup>3</sup> /s	396	538	10,595	67.3	1,912	2,627
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	1,811	--
Harmonic Mean	ft <sup>3</sup> /s	117	212	7,427	23.6	1,731	1,980
Standard Deviation	ft <sup>3</sup> /s	657	811	9,132	204	709	2,018
5th percentile	ft <sup>3</sup> /s	36.0	97.1	4,370	10.0	1,200	1,100
10th percentile	ft <sup>3</sup> /s	51.0	110	4,699	12.0	1,296	1,240
20th percentile	ft <sup>3</sup> /s	79.0	139	5,550	16.0	1,446	1,440
30th percentile	ft <sup>3</sup> /s	109	172	6,089	19.0	1,540	1,617
40th percentile	ft <sup>3</sup> /s	136	201	6,806	22.0	1,540	1,820
50th percentile	ft <sup>3</sup> /s	167	244	7,565	27.0	1,665	2,090
60th percentile	ft <sup>3</sup> /s	215	294	8,444	33.0	1,752	2,360
70th percentile	ft <sup>3</sup> /s	305	392	9,900	42.0	2,002	2,750
80th percentile	ft <sup>3</sup> /s	524	604	12,600	57.0	2,328	3,330
90th percentile	ft <sup>3</sup> /s	990	1,301	19,600	104	2,917	4,420
Drainage area	mi <sup>2</sup>	288	412	7393	53.5	1004	1141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	30.4	14.8	10.1	69.2	4.52	22.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.052	0.107	0.335	0.112	1.10	0.662
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.580	0.592	1.02	0.505	1.66	1.83
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	1.31	1.43	1.26	1.90	2.30
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	1.80	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.408	0.516	1.00	0.442	1.72	1.74
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.28	1.97	1.24	3.81	0.706	1.77
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.125	0.236	0.591	0.187	1.20	0.964
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.267	0.636	0.224	1.29	1.09
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.274	0.337	0.751	0.299	1.44	1.26
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.378	0.417	0.824	0.355	1.53	1.42
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.472	0.488	0.921	0.411	1.53	1.60
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.580	0.592	1.02	0.505	1.66	1.83
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.747	0.714	1.14	0.617	1.75	2.07
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	0.951	1.34	0.785	1.99	2.41
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.82	1.47	1.70	1.07	2.32	2.92
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.44	3.16	2.65	1.94	2.91	3.87

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>02077500</b>	<b>02078000</b>	<b>02079000</b>	<b>02079640</b>	<b>03163000</b>	<b>03164000</b>
Count	number	1,891	527	558	1,302	62.0	2,418
Max	ft <sup>3</sup> /s	5,310	3,620	52,700	3,500	4,730	29,100
Min	ft <sup>3</sup> /s	10.0	21.0	2,080	2.70	1,390	582
Median	ft <sup>3</sup> /s	80.0	129	6,000	17.0	1,825	1,760
Arithmetic Mean	ft <sup>3</sup> /s	213	256	7,633	38.1	2,036	2,091
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	1,979	--
Harmonic Mean	ft <sup>3</sup> /s	65.6	112	5,879	13.9	1,933	1,645
Standard Deviation	ft <sup>3</sup> /s	462	397	5,442	132	548	1,493
5th percentile	ft <sup>3</sup> /s	26.0	47.8	3,450	6.20	1,472	926
10th percentile	ft <sup>3</sup> /s	31.0	61.0	4,007	7.40	1,630	1,030
20th percentile	ft <sup>3</sup> /s	42.0	77.0	4,504	9.30	1,720	1,220
30th percentile	ft <sup>3</sup> /s	53.0	96.0	5,002	11.0	1,720	1,400
40th percentile	ft <sup>3</sup> /s	63.0	111	5,510	14.0	1,720	1,570
50th percentile	ft <sup>3</sup> /s	80.0	129	6,000	17.0	1,825	1,760
60th percentile	ft <sup>3</sup> /s	108	151	6,624	20.0	1,930	1,970
70th percentile	ft <sup>3</sup> /s	143	183	7,500	24.0	2,170	2,230
80th percentile	ft <sup>3</sup> /s	192	279	9,058	31.0	2,412	2,596
90th percentile	ft <sup>3</sup> /s	420	596	13,500	54.9	2,725	3,363
Drainage area	mi <sup>2</sup>	288	412	7393	53.5	1004	1141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	18.4	8.79	7.13	65.4	4.71	25.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.035	0.051	0.281	0.050	1.38	0.510
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.278	0.313	0.812	0.318	1.82	1.54
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.741	0.622	1.03	0.713	2.03	1.83
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	1.97	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.228	0.271	0.795	0.260	1.93	1.44
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.60	0.963	0.736	2.47	0.546	1.31
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.090	0.116	0.467	0.116	1.47	0.812
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.148	0.542	0.138	1.62	0.903
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.146	0.187	0.609	0.174	1.71	1.07
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.184	0.233	0.677	0.206	1.71	1.23
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.219	0.269	0.745	0.262	1.71	1.38
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.278	0.313	0.812	0.318	1.82	1.54
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.375	0.367	0.896	0.374	1.92	1.73
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.497	0.445	1.01	0.449	2.16	1.95
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.667	0.678	1.23	0.579	2.40	2.28
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.45	1.83	1.03	2.71	2.95

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>02077500</b>	<b>02078000</b>	<b>02079000</b>	<b>02079640</b>	<b>03163000</b>	<b>03164000</b>
Count	number	1,830	510	540	1,260	60.0	2,340
Max	ft <sup>3</sup> /s	4,680	4,660	58,300	905	7,350	31,000
Min	ft <sup>3</sup> /s	9.20	20.0	2,180	0.240	1,320	383
Median	ft <sup>3</sup> /s	45.0	82.0	4,995	10.0	1,720	1,390
Arithmetic Mean	ft <sup>3</sup> /s	132	248	6,428	27.2	2,106	1,701
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	1,938	--
Harmonic Mean	ft <sup>3</sup> /s	40.2	69.4	4,892	6.29	1,838	1,281
Standard Deviation	ft <sup>3</sup> /s	347	538	5,523	73.7	1,121	1,401
5th percentile	ft <sup>3</sup> /s	18.0	26.0	2,831	2.70	1,390	676
10th percentile	ft <sup>3</sup> /s	22.0	31.0	3,210	3.70	1,460	781
20th percentile	ft <sup>3</sup> /s	26.0	45.0	3,690	5.10	1,540	925
30th percentile	ft <sup>3</sup> /s	31.0	54.7	4,130	6.70	1,540	1,090
40th percentile	ft <sup>3</sup> /s	38.0	68.0	4,550	8.50	1,630	1,240
50th percentile	ft <sup>3</sup> /s	45.0	82.0	4,995	10.0	1,720	1,390
60th percentile	ft <sup>3</sup> /s	55.0	104	5,464	13.0	1,720	1,570
70th percentile	ft <sup>3</sup> /s	76.0	149	6,299	16.0	2,050	1,780
80th percentile	ft <sup>3</sup> /s	111	249	7,364	22.0	2,440	2,090
90th percentile	ft <sup>3</sup> /s	199	535	9,964	44.1	2,917	2,780
Drainage area	mi <sup>2</sup>	288	412	7393	53.5	1004	1141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	16.3	11.3	7.89	16.9	7.32	27.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	0.049	0.295	0.004	1.31	0.336
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.156	0.199	0.676	0.187	1.71	1.22
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.459	0.602	0.869	0.509	2.10	1.49
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	1.93	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.140	0.168	0.662	0.118	1.83	1.12
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.31	0.747	1.38	1.12	1.23
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.063	0.063	0.383	0.050	1.38	0.592
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.076	0.075	0.434	0.069	1.45	0.685
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.090	0.109	0.499	0.095	1.53	0.811
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.133	0.559	0.125	1.53	0.955
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.132	0.165	0.615	0.159	1.62	1.09
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.156	0.199	0.676	0.187	1.71	1.22
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.191	0.252	0.739	0.243	1.71	1.38
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.264	0.362	0.852	0.299	2.04	1.56
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.386	0.605	0.996	0.411	2.43	1.83
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.691	1.30	1.35	0.824	2.91	2.44

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>02077500</b>	<b>02078000</b>	<b>02079000</b>	<b>02079640</b>	<b>03163000</b>	<b>03164000</b>
Count	number	1,917	527	558	1,302	62.0	2,418
Max	ft <sup>3</sup> /s	10,300	7,230	64,200	1,460	3,070	21,200
Min	ft <sup>3</sup> /s	1.50	8.00	1,890	0.000	930	285
Median	ft <sup>3</sup> /s	33.0	74.0	4,740	5.45	1,395	1,160
Arithmetic Mean	ft <sup>3</sup> /s	112	272	6,844	17.5	1,543	1,377
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	1,500	--
Harmonic Mean	ft <sup>3</sup> /s	25.0	55.5	4,564	--	1,464	1,054
Standard Deviation	ft <sup>3</sup> /s	476	663	7,082	77.3	403	1,096
5th percentile	ft <sup>3</sup> /s	9.00	19.0	2,379	0.650	1,100	553
10th percentile	ft <sup>3</sup> /s	14.0	26.6	2,684	1.31	1,155	658
20th percentile	ft <sup>3</sup> /s	19.0	35.2	3,160	2.50	1,260	800
30th percentile	ft <sup>3</sup> /s	23.0	45.0	3,701	3.20	1,320	924
40th percentile	ft <sup>3</sup> /s	27.0	55.0	4,238	4.10	1,390	1,030
50th percentile	ft <sup>3</sup> /s	33.0	74.0	4,740	5.45	1,395	1,160
60th percentile	ft <sup>3</sup> /s	42.0	105	5,520	7.26	1,540	1,300
70th percentile	ft <sup>3</sup> /s	52.0	182	6,645	9.60	1,630	1,460
80th percentile	ft <sup>3</sup> /s	81.8	302	8,344	13.8	1,784	1,690
90th percentile	ft <sup>3</sup> /s	165	677	12,000	25.0	1,930	2,150
Drainage area	mi <sup>2</sup>	288	412	7393	53.5	1004	1141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	35.8	17.5	8.68	27.3	3.06	18.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.005	0.019	0.256	0.000	0.926	0.250
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.115	0.180	0.641	0.102	1.39	1.02
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.389	0.660	0.926	0.328	1.54	1.21
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	1.49	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.087	0.135	0.617	--	1.46	0.924
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.65	1.61	0.958	1.44	0.401	0.960
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.031	0.046	0.322	0.012	1.10	0.485
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.049	0.065	0.363	0.024	1.15	0.577
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.066	0.085	0.427	0.047	1.25	0.701
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.080	0.109	0.501	0.060	1.31	0.810
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.094	0.133	0.573	0.077	1.38	0.903
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.115	0.180	0.641	0.102	1.39	1.02
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.146	0.254	0.747	0.136	1.53	1.14
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.442	0.899	0.179	1.62	1.28
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.284	0.734	1.13	0.258	1.78	1.48
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.574	1.64	1.62	0.467	1.92	1.88

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>02077500</b>	<b>02078000</b>	<b>02079000</b>	<b>02079640</b>	<b>03163000</b>	<b>03164000</b>
Count	number	1,919	527	558	1,302	62.0	2,418
Max	ft <sup>3</sup> /s	5,610	9,120	267,000	768	17,300	86,200
Min	ft <sup>3</sup> /s	0.100	3.00	1,470	0.000	1,050	283
Median	ft <sup>3</sup> /s	32.0	62.0	3,960	4.10	1,390	968
Arithmetic Mean	ft <sup>3</sup> /s	114	271	7,518	14.6	2,381	1,337
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	1,829	--
Harmonic Mean	ft <sup>3</sup> /s	12.8	30.6	3,804	--	1,597	914
Standard Deviation	ft <sup>3</sup> /s	319	743	18,329	52.3	2,697	2,373
5th percentile	ft <sup>3</sup> /s	4.80	9.64	1,990	0.090	1,058	459
10th percentile	ft <sup>3</sup> /s	8.30	13.0	2,228	0.600	1,105	563
20th percentile	ft <sup>3</sup> /s	16.0	20.0	2,644	1.50	1,150	716
30th percentile	ft <sup>3</sup> /s	22.0	29.8	3,100	2.03	1,200	798
40th percentile	ft <sup>3</sup> /s	26.0	44.4	3,450	2.80	1,260	883
50th percentile	ft <sup>3</sup> /s	32.0	62.0	3,960	4.10	1,390	968
60th percentile	ft <sup>3</sup> /s	42.0	90.6	4,550	5.50	1,720	1,090
70th percentile	ft <sup>3</sup> /s	58.0	146	5,430	7.70	2,170	1,250
80th percentile	ft <sup>3</sup> /s	94.4	276	7,240	12.0	2,680	1,480
90th percentile	ft <sup>3</sup> /s	200	615	11,700	23.0	4,141	2,123
Drainage area	mi <sup>2</sup>	288	412	7393	53.5	1004	1141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	19.5	22.1	36.1	14.4	17.2	75.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.007	0.199	0.000	1.05	0.248
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.111	0.150	0.536	0.077	1.38	0.848
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.395	0.658	1.02	0.272	2.37	1.17
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	1.82	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.044	0.074	0.515	--	1.59	0.801
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	1.80	2.48	0.977	2.69	2.08
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.017	0.023	0.269	0.002	1.05	0.402
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.029	0.032	0.301	0.011	1.10	0.493
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.056	0.049	0.358	0.028	1.15	0.628
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.076	0.072	0.419	0.038	1.20	0.699
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.090	0.108	0.467	0.052	1.25	0.774
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.111	0.150	0.536	0.077	1.38	0.848
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.146	0.220	0.615	0.103	1.71	0.955
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.201	0.355	0.734	0.144	2.16	1.10
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.328	0.669	0.979	0.224	2.67	1.30
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.695	1.49	1.58	0.430	4.12	1.86



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>02077500</b>	<b>02078000</b>	<b>02079000</b>	<b>02079640</b>	<b>03163000</b>	<b>03164000</b>
Count	number	1,859	510	540	1,260	60.0	2,340
Max	ft <sup>3</sup> /s	9,240	11,700	124,000	3,630	12,200	32,100
Min	ft <sup>3</sup> /s	0.100	4.00	1,120	0.000	1,060	265
Median	ft <sup>3</sup> /s	27.0	54.0	3,255	2.60	1,995	838
Arithmetic Mean	ft <sup>3</sup> /s	129	360	6,618	21.5	2,635	1,266
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	2,070	--
Harmonic Mean	ft <sup>3</sup> /s	4.48	25.8	3,131	--	1,750	822
Standard Deviation	ft <sup>3</sup> /s	563	1,182	13,114	169	2,262	1,868
5th percentile	ft <sup>3</sup> /s	2.40	6.67	1,640	0.000	1,060	450
10th percentile	ft <sup>3</sup> /s	7.80	8.60	1,863	0.180	1,096	525
20th percentile	ft <sup>3</sup> /s	13.0	16.0	2,130	0.750	1,150	611
30th percentile	ft <sup>3</sup> /s	18.0	23.4	2,420	1.20	1,260	682
40th percentile	ft <sup>3</sup> /s	22.0	43.0	2,806	1.80	1,362	752
50th percentile	ft <sup>3</sup> /s	27.0	54.0	3,255	2.60	1,995	838
60th percentile	ft <sup>3</sup> /s	33.0	72.4	3,782	3.70	2,222	941
70th percentile	ft <sup>3</sup> /s	41.0	102	4,433	5.40	2,590	1,100
80th percentile	ft <sup>3</sup> /s	60.0	184	6,200	9.10	3,312	1,412
90th percentile	ft <sup>3</sup> /s	150	469	10,260	19.1	5,360	2,101
Drainage area	mi <sup>2</sup>	288	412	7393	53.5	1004	1141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	32.1	28.4	16.8	67.9	12.2	28.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.010	0.151	0.000	1.06	0.232
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.094	0.131	0.440	0.049	1.99	0.734
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.448	0.874	0.895	0.401	2.62	1.11
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	2.06	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.016	0.063	0.423	--	1.74	0.721
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.96	2.87	1.77	3.15	2.25	1.64
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.008	0.016	0.222	0.000	1.06	0.394
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.027	0.021	0.252	0.003	1.09	0.460
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.045	0.039	0.288	0.014	1.15	0.535
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.063	0.057	0.327	0.022	1.25	0.598
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.076	0.104	0.380	0.034	1.36	0.659
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.094	0.131	0.440	0.049	1.99	0.734
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.115	0.176	0.512	0.069	2.21	0.825
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.142	0.248	0.600	0.101	2.58	0.964
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.208	0.448	0.839	0.170	3.30	1.24
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.521	1.14	1.39	0.357	5.34	1.84

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>02077500</b>	<b>02078000</b>	<b>02079000</b>	<b>02079640</b>	<b>03163000</b>	<b>03164000</b>
Count	number	1,947	496	527	1,353	62.0	2,449
Max	ft <sup>3</sup> /s	7,490	6,600	100,000	2,920	20,200	22,000
Min	ft <sup>3</sup> /s	0.300	1.40	1,220	0.000	1,260	322
Median	ft <sup>3</sup> /s	31.0	58.0	3,400	4.70	1,875	916
Arithmetic Mean	ft <sup>3</sup> /s	120	214	5,892	25.6	2,600	1,357
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	2,085	--
Harmonic Mean	ft <sup>3</sup> /s	13.6	19.8	3,163	--	1,888	854
Standard Deviation	ft <sup>3</sup> /s	413	606	9,382	138	2,923	1,625
5th percentile	ft <sup>3</sup> /s	4.20	3.20	1,490	0.000	1,269	440
10th percentile	ft <sup>3</sup> /s	8.90	13.0	1,790	0.442	1,320	494
20th percentile	ft <sup>3</sup> /s	14.0	22.0	2,340	1.30	1,460	592
30th percentile	ft <sup>3</sup> /s	19.0	33.0	2,600	2.30	1,540	664
40th percentile	ft <sup>3</sup> /s	25.0	47.0	3,020	3.18	1,720	775
50th percentile	ft <sup>3</sup> /s	31.0	58.0	3,400	4.70	1,875	916
60th percentile	ft <sup>3</sup> /s	40.0	72.0	3,830	6.60	2,002	1,078
70th percentile	ft <sup>3</sup> /s	52.0	99.5	4,502	10.0	2,170	1,280
80th percentile	ft <sup>3</sup> /s	75.0	169	5,680	15.0	2,412	1,674
90th percentile	ft <sup>3</sup> /s	149	358	10,000	30.0	3,709	2,432
Drainage area	mi <sup>2</sup>	288	412	7393	53.5	1004	1141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	26.0	16.0	13.5	54.6	20.1	19.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.001	0.003	0.165	0.000	1.25	0.282
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.141	0.460	0.088	1.87	0.803
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.415	0.520	0.797	0.478	2.59	1.19
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	2.08	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.047	0.048	0.428	--	1.88	0.749
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	1.47	1.27	2.58	2.91	1.42
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.015	0.008	0.202	0.000	1.26	0.386
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.031	0.032	0.242	0.008	1.31	0.433
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.049	0.053	0.317	0.024	1.45	0.519
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.066	0.080	0.352	0.043	1.53	0.582
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.087	0.114	0.408	0.059	1.71	0.679
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.141	0.460	0.088	1.87	0.803
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.139	0.175	0.518	0.123	1.99	0.945
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.181	0.242	0.609	0.187	2.16	1.12
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.260	0.410	0.768	0.280	2.40	1.47
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.519	0.869	1.35	0.561	3.69	2.13

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>02077500</b>	<b>02078000</b>	<b>02079000</b>	<b>02079640</b>	<b>03163000</b>	<b>03164000</b>
Count	number	1,885	480	510	1,284	60.0	2,365
Max	ft <sup>3</sup> /s	4,230	5,080	57,200	1,380	8,620	56,800
Min	ft <sup>3</sup> /s	3.20	3.80	1,750	0.260	1,260	388
Median	ft <sup>3</sup> /s	42.0	103	4,090	9.80	1,720	1,150
Arithmetic Mean	ft <sup>3</sup> /s	161	328	6,064	36.1	2,035	1,627
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	1,881	--
Harmonic Mean	ft <sup>3</sup> /s	31.6	49.5	4,020	5.26	1,784	1,033
Standard Deviation	ft <sup>3</sup> /s	401	648	6,464	107	1,102	2,125
5th percentile	ft <sup>3</sup> /s	10.0	9.50	2,071	1.70	1,260	523
10th percentile	ft <sup>3</sup> /s	15.0	31.0	2,460	2.80	1,320	581
20th percentile	ft <sup>3</sup> /s	22.0	44.0	2,880	3.90	1,390	679
30th percentile	ft <sup>3</sup> /s	28.0	68.0	3,400	5.69	1,460	814
40th percentile	ft <sup>3</sup> /s	34.0	86.0	3,700	7.80	1,540	967
50th percentile	ft <sup>3</sup> /s	42.0	103	4,090	9.80	1,720	1,150
60th percentile	ft <sup>3</sup> /s	58.0	119	4,550	14.0	1,978	1,340
70th percentile	ft <sup>3</sup> /s	79.0	164	5,473	20.0	2,170	1,600
80th percentile	ft <sup>3</sup> /s	138	286	6,916	32.0	2,328	2,032
90th percentile	ft <sup>3</sup> /s	316	931	10,800	60.0	2,740	3,000
Drainage area	mi <sup>2</sup>	288	412	7393	53.5	1004	1141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	14.7	12.3	7.74	25.8	8.59	49.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.011	0.009	0.237	0.005	1.25	0.340
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.146	0.249	0.553	0.183	1.71	1.01
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.559	0.796	0.820	0.674	2.03	1.43
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	1.87	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.110	0.120	0.544	0.098	1.78	0.905
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	1.57	0.874	1.99	1.10	1.86
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.035	0.023	0.280	0.032	1.25	0.458
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.052	0.075	0.333	0.052	1.31	0.509
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.076	0.107	0.390	0.073	1.38	0.595
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.097	0.165	0.460	0.106	1.45	0.713
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.118	0.209	0.500	0.146	1.53	0.848
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.146	0.249	0.553	0.183	1.71	1.01
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.201	0.290	0.615	0.262	1.97	1.17
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.274	0.397	0.740	0.374	2.16	1.40
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.479	0.695	0.935	0.598	2.32	1.78
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	2.26	1.46	1.12	2.73	2.63

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>02077500</b>	<b>02078000</b>	<b>02079000</b>	<b>02079640</b>	<b>03163000</b>	<b>03164000</b>
Count	number	1,922	496	527	1,302	62.0	2,418
Max	ft <sup>3</sup> /s	5,360	5,900	76,700	1,690	2,900	22,000
Min	ft <sup>3</sup> /s	8.40	8.50	1,500	1.30	1,200	340
Median	ft <sup>3</sup> /s	94.5	172	5,400	21.0	1,500	1,440
Arithmetic Mean	ft <sup>3</sup> /s	239	380	7,688	45.9	1,618	1,807
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	1,575	--
Harmonic Mean	ft <sup>3</sup> /s	56.3	101	4,970	11.7	1,537	1,235
Standard Deviation	ft <sup>3</sup> /s	459	661	8,286	105	404	1,531
5th percentile	ft <sup>3</sup> /s	19.0	29.9	2,440	2.90	1,260	575
10th percentile	ft <sup>3</sup> /s	24.0	41.0	2,900	5.41	1,260	665
20th percentile	ft <sup>3</sup> /s	33.0	83.0	3,540	8.00	1,260	867
30th percentile	ft <sup>3</sup> /s	46.0	102	4,230	13.0	1,320	1,041
40th percentile	ft <sup>3</sup> /s	64.4	137	4,932	17.0	1,390	1,220
50th percentile	ft <sup>3</sup> /s	94.5	172	5,400	21.0	1,500	1,440
60th percentile	ft <sup>3</sup> /s	130	216	6,116	26.0	1,630	1,680
70th percentile	ft <sup>3</sup> /s	172	281	7,140	34.0	1,790	1,960
80th percentile	ft <sup>3</sup> /s	255	411	8,782	45.0	1,930	2,336
90th percentile	ft <sup>3</sup> /s	551	890	12,600	87.8	2,158	3,120
Drainage area	mi <sup>2</sup>	288	412	7393	53.5	1004	1141
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	18.6	14.3	10.4	31.6	2.89	19.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.029	0.021	0.203	0.024	1.20	0.298
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.328	0.417	0.730	0.393	1.49	1.26
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.831	0.923	1.04	0.858	1.61	1.58
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	1.57	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.196	0.245	0.672	0.219	1.53	1.08
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.59	1.60	1.12	1.97	0.402	1.34
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.066	0.072	0.330	0.054	1.25	0.504
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.083	0.100	0.392	0.101	1.25	0.583
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.115	0.201	0.479	0.150	1.25	0.760
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.160	0.248	0.572	0.243	1.31	0.912
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.224	0.333	0.667	0.318	1.38	1.07
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.328	0.417	0.730	0.393	1.49	1.26
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.451	0.524	0.827	0.486	1.62	1.47
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.596	0.681	0.966	0.636	1.78	1.72
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.885	0.998	1.19	0.841	1.92	2.05
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.91	2.16	1.70	1.64	2.15	2.73

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		January					
	units	03164500	03165000	03165500	03166000	03166800	03166880
Station Number	number						
Count	number	124	1,953	1,867	124	527	93.0
Max	ft <sup>3</sup> /s	8,540	1,490	29,900	606	89.0	5.00
Min	ft <sup>3</sup> /s	858	19.0	358	22.0	0.020	4.20
Median	ft <sup>3</sup> /s	1,840	59.0	2,050	75.5	0.280	4.40
Arithmetic Mean	ft <sup>3</sup> /s	2,308	71.1	2,455	109	0.805	4.38
Geometric Mean	ft <sup>3</sup> /s	--	--	--	81.4	0.320	4.37
Harmonic Mean	ft <sup>3</sup> /s	1,828	51.9	1,670	62.5	0.200	4.37
Standard Deviation	ft <sup>3</sup> /s	1,398	78.6	1,950	93.6	4.16	0.109
5th percentile	ft <sup>3</sup> /s	1,100	26.0	680	27.0	0.070	4.20
10th percentile	ft <sup>3</sup> /s	1,100	30.0	840	31.0	0.110	4.22
20th percentile	ft <sup>3</sup> /s	1,342	38.0	1,272	36.6	0.150	4.30
30th percentile	ft <sup>3</sup> /s	1,460	45.0	1,600	49.9	0.200	4.30
40th percentile	ft <sup>3</sup> /s	1,610	52.0	1,840	59.0	0.230	4.40
50th percentile	ft <sup>3</sup> /s	1,840	59.0	2,050	75.5	0.280	4.40
60th percentile	ft <sup>3</sup> /s	2,276	65.0	2,280	114	0.350	4.40
70th percentile	ft <sup>3</sup> /s	2,422	72.0	2,600	137	0.450	4.40
80th percentile	ft <sup>3</sup> /s	2,900	83.0	3,080	148	0.668	4.40
90th percentile	ft <sup>3</sup> /s	3,923	105	4,214	234	1.14	4.48
Drainage area	mi <sup>2</sup>	1174	39.4	1350	136	7.15	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.27	37.8	22.1	4.46	12.4	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.731	0.482	0.265	0.162	0.003	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	1.50	1.52	0.555	0.039	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.97	1.80	1.82	0.805	0.113	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.599	0.045	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.32	1.24	0.460	0.028	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	1.99	1.44	0.688	0.582	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.937	0.660	0.504	0.199	0.010	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.937	0.761	0.622	0.228	0.015	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	0.964	0.942	0.269	0.021	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	1.14	1.19	0.367	0.028	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	1.32	1.36	0.434	0.032	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	1.50	1.52	0.555	0.039	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.94	1.65	1.69	0.835	0.049	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.06	1.83	1.93	1.01	0.063	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.47	2.11	2.28	1.09	0.093	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.34	2.66	3.12	1.72	0.159	--

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>03164500</b>	<b>03165000</b>	<b>03165500</b>	<b>03166000</b>	<b>03166800</b>	<b>03166880</b>
Count	number	113	1,779	1,723	113	480	84.0
Max	ft <sup>3</sup> /s	8,100	1,100	24,600	1,140	64.0	4.70
Min	ft <sup>3</sup> /s	1,050	15.0	384	22.0	0.030	4.30
Median	ft <sup>3</sup> /s	2,060	65.0	2,370	126	0.500	4.40
Arithmetic Mean	ft <sup>3</sup> /s	2,470	80.2	2,852	162	1.36	4.40
Geometric Mean	ft <sup>3</sup> /s	--	--	--	102	0.545	4.39
Harmonic Mean	ft <sup>3</sup> /s	1,985	60.8	2,043	68.6	0.301	4.39
Standard Deviation	ft <sup>3</sup> /s	1,312	75.6	2,053	181	4.46	0.082
5th percentile	ft <sup>3</sup> /s	1,104	33.0	941	26.0	0.101	4.30
10th percentile	ft <sup>3</sup> /s	1,270	40.0	1,220	29.2	0.150	4.30
20th percentile	ft <sup>3</sup> /s	1,420	47.0	1,560	41.4	0.210	4.30
30th percentile	ft <sup>3</sup> /s	1,610	54.0	1,820	54.0	0.290	4.40
40th percentile	ft <sup>3</sup> /s	1,720	60.0	2,100	56.0	0.390	4.40
50th percentile	ft <sup>3</sup> /s	2,060	65.0	2,370	126	0.500	4.40
60th percentile	ft <sup>3</sup> /s	2,410	70.0	2,670	164	0.640	4.40
70th percentile	ft <sup>3</sup> /s	2,900	79.0	3,050	191	0.880	4.40
80th percentile	ft <sup>3</sup> /s	3,440	90.0	3,670	238	1.40	4.40
90th percentile	ft <sup>3</sup> /s	4,258	119	4,850	310	2.51	4.40
Drainage area	mi <sup>2</sup>	1174	39.4	1350	136	7.15	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.90	27.9	18.2	8.38	8.95	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.894	0.381	0.284	0.162	0.004	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.75	1.65	1.76	0.926	0.070	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.10	2.04	2.11	1.19	0.191	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.750	0.076	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.69	1.54	1.51	0.504	0.042	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	1.92	1.52	1.33	0.624	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.940	0.838	0.697	0.191	0.014	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.02	0.904	0.215	0.021	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.19	1.16	0.304	0.029	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	1.37	1.35	0.397	0.041	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.47	1.52	1.56	0.412	0.055	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.75	1.65	1.76	0.926	0.070	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.05	1.78	1.98	1.21	0.090	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.47	2.01	2.26	1.40	0.123	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.93	2.28	2.72	1.75	0.196	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.63	3.03	3.59	2.28	0.351	--

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>03164500</b>	<b>03165000</b>	<b>03165500</b>	<b>03166000</b>	<b>03166800</b>	<b>03166880</b>
Count	number	124	1,953	1,891	124	527	93.0
Max	ft <sup>3</sup> /s	12,300	1,280	31,400	890	110	5.00
Min	ft <sup>3</sup> /s	1,070	28.0	607	27.0	0.080	4.40
Median	ft <sup>3</sup> /s	2,530	70.0	2,500	143	0.650	4.70
Arithmetic Mean	ft <sup>3</sup> /s	2,750	91.8	3,122	183	2.15	4.61
Geometric Mean	ft <sup>3</sup> /s	--	--	--	139	0.708	4.61
Harmonic Mean	ft <sup>3</sup> /s	2,200	67.7	2,381	107	0.402	4.60
Standard Deviation	ft <sup>3</sup> /s	1,535	94.9	2,273	154	8.60	0.196
5th percentile	ft <sup>3</sup> /s	1,190	38.0	1,246	50.0	0.100	4.40
10th percentile	ft <sup>3</sup> /s	1,256	43.0	1,500	52.3	0.150	4.40
20th percentile	ft <sup>3</sup> /s	1,500	51.0	1,870	56.6	0.350	4.40
30th percentile	ft <sup>3</sup> /s	1,840	58.0	2,100	88.0	0.420	4.40
40th percentile	ft <sup>3</sup> /s	2,300	64.0	2,300	128	0.520	4.40
50th percentile	ft <sup>3</sup> /s	2,530	70.0	2,500	143	0.650	4.70
60th percentile	ft <sup>3</sup> /s	2,780	77.0	2,820	162	0.800	4.70
70th percentile	ft <sup>3</sup> /s	3,040	87.4	3,190	212	1.02	4.80
80th percentile	ft <sup>3</sup> /s	3,580	103	3,800	256	1.48	4.80
90th percentile	ft <sup>3</sup> /s	4,227	137	5,140	368	2.64	4.80
Drainage area	mi <sup>2</sup>	1174	39.4	1350	136	7.15	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	10.5	32.5	23.3	6.54	15.4	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.911	0.711	0.450	0.199	0.011	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.16	1.78	1.85	1.05	0.091	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.34	2.33	2.31	1.35	0.300	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	1.02	0.099	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.87	1.72	1.76	0.786	0.056	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	2.41	1.68	1.13	1.20	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	0.964	0.923	0.368	0.014	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	1.09	1.11	0.385	0.021	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.29	1.39	0.416	0.049	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	1.47	1.56	0.647	0.059	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.96	1.62	1.70	0.944	0.073	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.16	1.78	1.85	1.05	0.091	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.37	1.95	2.09	1.19	0.112	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.59	2.22	2.36	1.56	0.143	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.05	2.61	2.81	1.88	0.207	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.60	3.48	3.81	2.70	0.369	--

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>03164500</b>	<b>03165000</b>	<b>03165500</b>	<b>03166000</b>	<b>03166800</b>	<b>03166880</b>
Count	number	120	1,890	1,830	150	510	90.0
Max	ft <sup>3</sup> /s	10,800	2,050	25,200	890	82.0	5.40
Min	ft <sup>3</sup> /s	826	25.0	716	48.0	0.030	4.40
Median	ft <sup>3</sup> /s	2,120	70.0	2,380	143	0.500	4.90
Arithmetic Mean	ft <sup>3</sup> /s	2,640	88.8	2,894	188	1.78	4.90
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	0.586	4.90
Harmonic Mean	ft <sup>3</sup> /s	2,049	65.8	2,258	139	0.289	4.90
Standard Deviation	ft <sup>3</sup> /s	1,632	90.3	2,081	128	5.71	0.140
5th percentile	ft <sup>3</sup> /s	1,070	37.0	1,276	74.0	0.100	4.70
10th percentile	ft <sup>3</sup> /s	1,250	41.0	1,440	82.0	0.150	4.80
20th percentile	ft <sup>3</sup> /s	1,610	48.0	1,700	101	0.220	4.90
30th percentile	ft <sup>3</sup> /s	1,950	54.0	1,930	119	0.290	4.90
40th percentile	ft <sup>3</sup> /s	2,060	62.0	2,140	129	0.370	4.90
50th percentile	ft <sup>3</sup> /s	2,120	70.0	2,380	143	0.500	4.90
60th percentile	ft <sup>3</sup> /s	2,410	79.0	2,650	176	0.710	4.90
70th percentile	ft <sup>3</sup> /s	2,650	89.0	2,960	191	1.00	4.90
80th percentile	ft <sup>3</sup> /s	3,328	102	3,520	263	1.60	4.90
90th percentile	ft <sup>3</sup> /s	4,673	140	4,601	345	3.00	5.00
Drainage area	mi <sup>2</sup>	1174	39.4	1350	136	7.15	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	9.20	52.0	18.7	6.54	11.5	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.704	0.635	0.530	0.353	0.004	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.81	1.78	1.76	1.05	0.070	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.25	2.25	2.14	1.38	0.249	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.082	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.75	1.67	1.67	1.02	0.040	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	2.29	1.54	0.941	0.798	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.911	0.939	0.945	0.544	0.014	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.04	1.07	0.603	0.021	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	1.22	1.26	0.741	0.031	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	1.37	1.43	0.878	0.041	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.75	1.57	1.59	0.950	0.052	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.81	1.78	1.76	1.05	0.070	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.05	2.01	1.96	1.29	0.099	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.26	2.26	2.19	1.40	0.140	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.83	2.59	2.61	1.93	0.224	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.98	3.55	3.41	2.54	0.420	--



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	03164500	03165000	03165500	03166000	03166800	03166880
Count	number	124	1,953	1,891	155	558	93.0
Max	ft <sup>3</sup> /s	23,900	1,500	29,300	1,090	37.0	6.50
Min	ft <sup>3</sup> /s	1,010	21.0	672	38.0	0.040	4.80
Median	ft <sup>3</sup> /s	2,005	62.0	1,920	116	0.400	5.10
Arithmetic Mean	ft <sup>3</sup> /s	2,567	73.3	2,314	158	0.862	5.33
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	0.425	5.30
Harmonic Mean	ft <sup>3</sup> /s	1,946	57.2	1,845	107	0.267	5.28
Standard Deviation	ft <sup>3</sup> /s	2,527	62.9	1,627	131	2.30	0.537
5th percentile	ft <sup>3</sup> /s	1,170	31.7	1,050	51.6	0.090	4.90
10th percentile	ft <sup>3</sup> /s	1,262	36.0	1,170	59.8	0.120	4.90
20th percentile	ft <sup>3</sup> /s	1,412	43.0	1,420	75.6	0.170	4.90
30th percentile	ft <sup>3</sup> /s	1,709	48.0	1,590	88.0	0.220	5.00
40th percentile	ft <sup>3</sup> /s	1,840	54.0	1,750	105	0.320	5.10
50th percentile	ft <sup>3</sup> /s	2,005	62.0	1,920	116	0.400	5.10
60th percentile	ft <sup>3</sup> /s	2,180	69.0	2,160	139	0.520	5.20
70th percentile	ft <sup>3</sup> /s	2,410	77.4	2,430	166	0.699	5.20
80th percentile	ft <sup>3</sup> /s	2,900	90.0	2,840	225	0.970	5.86
90th percentile	ft <sup>3</sup> /s	4,010	113	3,780	294	1.53	6.38
Drainage area	mi <sup>2</sup>	1174	39.4	1350	136	7.15	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	20.4	38.1	21.7	8.01	5.17	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.860	0.533	0.498	0.279	0.006	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	1.57	1.42	0.853	0.056	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.19	1.86	1.71	1.16	0.121	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.059	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	1.45	1.37	0.789	0.037	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.15	1.60	1.21	0.960	0.321	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.997	0.805	0.778	0.379	0.013	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	0.914	0.867	0.440	0.017	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.09	1.05	0.556	0.024	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.22	1.18	0.647	0.031	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	1.37	1.30	0.772	0.045	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	1.57	1.42	0.853	0.056	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.86	1.75	1.60	1.03	0.073	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.05	1.96	1.80	1.22	0.098	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.47	2.28	2.10	1.65	0.136	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.42	2.87	2.80	2.16	0.214	--

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>03164500</b>	<b>03165000</b>	<b>03165500</b>	<b>03166000</b>	<b>03166800</b>	<b>03166880</b>
Count	number	120	1,888	1,830	150	540	90.0
Max	ft <sup>3</sup> /s	10,400	1,080	21,300	313	94.0	6.80
Min	ft <sup>3</sup> /s	842	14.0	224	35.0	0.020	4.70
Median	ft <sup>3</sup> /s	1,720	54.0	1,580	68.5	0.310	5.10
Arithmetic Mean	ft <sup>3</sup> /s	2,321	67.2	1,892	79.1	1.24	5.42
Geometric Mean	ft <sup>3</sup> /s	--	--	--	72.8	0.342	5.37
Harmonic Mean	ft <sup>3</sup> /s	1,670	47.9	1,409	68.4	0.203	5.33
Standard Deviation	ft <sup>3</sup> /s	1,801	78.5	1,444	40.3	6.39	0.723
5th percentile	ft <sup>3</sup> /s	893	25.0	746	46.0	0.060	4.70
10th percentile	ft <sup>3</sup> /s	1,028	28.0	847	48.9	0.120	4.70
20th percentile	ft <sup>3</sup> /s	1,130	35.0	1,020	54.0	0.180	4.80
30th percentile	ft <sup>3</sup> /s	1,264	41.0	1,200	57.0	0.220	4.80
40th percentile	ft <sup>3</sup> /s	1,500	48.0	1,370	62.0	0.270	5.00
50th percentile	ft <sup>3</sup> /s	1,720	54.0	1,580	68.5	0.310	5.10
60th percentile	ft <sup>3</sup> /s	2,180	60.0	1,800	75.4	0.390	5.10
70th percentile	ft <sup>3</sup> /s	2,650	66.0	2,033	82.3	0.460	6.30
80th percentile	ft <sup>3</sup> /s	2,900	78.0	2,390	94.4	0.580	6.40
90th percentile	ft <sup>3</sup> /s	3,580	101	3,051	110	0.900	6.41
Drainage area	mi <sup>2</sup>	1174	39.4	1350	136	7.15	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.86	27.4	15.8	2.30	13.1	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.717	0.355	0.166	0.257	0.003	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.47	1.37	1.17	0.504	0.043	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.98	1.71	1.40	0.582	0.174	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.535	0.048	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.42	1.22	1.04	0.503	0.028	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	1.99	1.07	0.296	0.893	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.761	0.635	0.553	0.338	0.008	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.876	0.711	0.627	0.360	0.017	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.963	0.888	0.756	0.397	0.025	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.04	0.889	0.419	0.031	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.22	1.01	0.456	0.038	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.47	1.37	1.17	0.504	0.043	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.86	1.52	1.33	0.554	0.055	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.26	1.68	1.51	0.605	0.064	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.47	1.98	1.77	0.694	0.081	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.05	2.56	2.26	0.812	0.126	--

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units	03164500	03165000	03165500	03166000	03166800	03166880
Station Number	number						
Count	number	124	1,953	1,891	155	558	124
Max	ft <sup>3</sup> /s	4,010	813	13,100	166	500	6.20
Min	ft <sup>3</sup> /s	336	15.0	184	22.0	0.010	4.50
Median	ft <sup>3</sup> /s	1,720	43.0	1,330	52.0	0.240	4.90
Arithmetic Mean	ft <sup>3</sup> /s	1,719	52.4	1,556	57.8	1.64	4.97
Geometric Mean	ft <sup>3</sup> /s	--	--	--	53.6	0.266	4.96
Harmonic Mean	ft <sup>3</sup> /s	1,359	40.0	1,183	50.0	0.159	4.95
Standard Deviation	ft <sup>3</sup> /s	755	42.0	1,109	24.6	21.5	0.378
5th percentile	ft <sup>3</sup> /s	646	21.0	601	29.8	0.060	4.50
10th percentile	ft <sup>3</sup> /s	716	24.0	716	34.0	0.100	4.60
20th percentile	ft <sup>3</sup> /s	1,062	30.0	885	38.0	0.130	4.60
30th percentile	ft <sup>3</sup> /s	1,268	35.0	1,050	42.0	0.160	4.80
40th percentile	ft <sup>3</sup> /s	1,500	39.0	1,180	46.0	0.190	4.80
50th percentile	ft <sup>3</sup> /s	1,720	43.0	1,330	52.0	0.240	4.90
60th percentile	ft <sup>3</sup> /s	1,840	47.0	1,500	61.0	0.300	5.10
70th percentile	ft <sup>3</sup> /s	2,060	54.0	1,690	68.0	0.360	5.10
80th percentile	ft <sup>3</sup> /s	2,300	64.0	1,960	73.0	0.520	5.20
90th percentile	ft <sup>3</sup> /s	2,650	85.0	2,420	80.0	0.823	5.20
Drainage area	mi <sup>2</sup>	1174	39.4	1350	136	7.15	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.42	20.6	9.70	1.22	69.9	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.286	0.381	0.136	0.162	0.001	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.47	1.09	0.985	0.382	0.034	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.33	1.15	0.425	0.229	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.394	0.037	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	1.01	0.876	0.368	0.022	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.643	1.07	0.822	0.181	3.00	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.550	0.533	0.445	0.219	0.008	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.610	0.609	0.530	0.250	0.014	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.905	0.761	0.656	0.279	0.018	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	0.888	0.778	0.309	0.022	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	0.990	0.874	0.338	0.027	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.47	1.09	0.985	0.382	0.034	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	1.19	1.11	0.449	0.042	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.75	1.37	1.25	0.500	0.050	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.96	1.62	1.45	0.537	0.073	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.26	2.16	1.79	0.588	0.115	--

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>03164500</b>	<b>03165000</b>	<b>03165500</b>	<b>03166000</b>	<b>03166800</b>	<b>03166880</b>
Count	number	124	1,952	1,922	155	558	124
Max	ft <sup>3</sup> /s	4,970	2,010	87,600	940	35.0	5.40
Min	ft <sup>3</sup> /s	328	12.0	213	25.0	0.020	4.30
Median	ft <sup>3</sup> /s	1,130	38.0	1,140	42.0	0.160	4.80
Arithmetic Mean	ft <sup>3</sup> /s	1,272	49.1	1,543	61.7	0.459	4.81
Geometric Mean	ft <sup>3</sup> /s	--	--	--	48.6	0.000	4.80
Harmonic Mean	ft <sup>3</sup> /s	1,030	34.9	1,026	44.2	0.127	4.79
Standard Deviation	ft <sup>3</sup> /s	648	70.9	2,640	89.6	2.08	0.304
5th percentile	ft <sup>3</sup> /s	538	18.0	512	27.8	0.040	4.40
10th percentile	ft <sup>3</sup> /s	660	21.0	615	31.4	0.070	4.40
20th percentile	ft <sup>3</sup> /s	890	26.0	779	35.0	0.100	4.40
30th percentile	ft <sup>3</sup> /s	990	30.0	898	38.0	0.120	4.60
40th percentile	ft <sup>3</sup> /s	1,050	34.0	1,010	40.0	0.140	4.70
50th percentile	ft <sup>3</sup> /s	1,130	38.0	1,140	42.0	0.160	4.80
60th percentile	ft <sup>3</sup> /s	1,226	42.0	1,270	44.4	0.190	5.00
70th percentile	ft <sup>3</sup> /s	1,350	48.0	1,500	54.8	0.250	5.10
80th percentile	ft <sup>3</sup> /s	1,500	56.0	1,800	62.0	0.350	5.10
90th percentile	ft <sup>3</sup> /s	1,994	74.0	2,500	76.2	0.570	5.10
Drainage area	mi <sup>2</sup>	1174	39.4	1350	136	7.15	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	4.23	51.0	64.9	6.91	4.90	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.279	0.305	0.158	0.184	0.003	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.963	0.964	0.844	0.309	0.022	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.25	1.14	0.454	0.064	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.357	0.000	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.878	0.887	0.760	0.325	0.018	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.552	1.80	1.96	0.659	0.291	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.458	0.457	0.379	0.204	0.006	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.562	0.533	0.456	0.231	0.010	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.758	0.660	0.577	0.257	0.014	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.843	0.761	0.665	0.279	0.017	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.894	0.863	0.748	0.294	0.020	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.963	0.964	0.844	0.309	0.022	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	1.07	0.941	0.326	0.027	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	1.22	1.11	0.403	0.035	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.42	1.33	0.456	0.049	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	1.88	1.85	0.560	0.080	--

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>03164500</b>	<b>03165000</b>	<b>03165500</b>	<b>03166000</b>	<b>03166800</b>	<b>03166880</b>
Count	number	120	1,890	1,860	150	540	120
Max	ft <sup>3</sup> /s	6,840	2,040	33,100	705	1,400	5.20
Min	ft <sup>3</sup> /s	590	12.0	220	20.0	0.020	4.20
Median	ft <sup>3</sup> /s	1,090	36.0	946	41.5	0.120	4.60
Arithmetic Mean	ft <sup>3</sup> /s	1,350	55.3	1,397	57.1	3.09	4.65
Geometric Mean	ft <sup>3</sup> /s	--	--	--	46.1	0.000	4.64
Harmonic Mean	ft <sup>3</sup> /s	1,091	34.6	884	41.7	0.110	4.63
Standard Deviation	ft <sup>3</sup> /s	888	107	1,837	69.1	60.3	0.290
5th percentile	ft <sup>3</sup> /s	660	19.0	420	26.0	0.040	4.20
10th percentile	ft <sup>3</sup> /s	730	21.0	521	27.9	0.060	4.30
20th percentile	ft <sup>3</sup> /s	826	26.0	662	32.0	0.080	4.30
30th percentile	ft <sup>3</sup> /s	930	30.0	742	35.0	0.100	4.50
40th percentile	ft <sup>3</sup> /s	1,010	33.0	838	38.0	0.120	4.60
50th percentile	ft <sup>3</sup> /s	1,090	36.0	946	41.5	0.120	4.60
60th percentile	ft <sup>3</sup> /s	1,210	39.0	1,090	45.0	0.160	4.70
70th percentile	ft <sup>3</sup> /s	1,406	45.0	1,300	50.3	0.210	4.80
80th percentile	ft <sup>3</sup> /s	1,610	55.0	1,680	61.2	0.282	4.90
90th percentile	ft <sup>3</sup> /s	1,973	84.1	2,422	80.0	0.480	5.00
Drainage area	mi <sup>2</sup>	1174	39.4	1350	136	7.15	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	5.83	51.8	24.5	5.18	196	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.503	0.305	0.163	0.147	0.003	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.928	0.914	0.701	0.305	0.017	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	1.40	1.04	0.420	0.432	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.339	0.000	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.929	0.878	0.655	0.306	0.015	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.756	2.73	1.36	0.508	8.43	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.562	0.482	0.311	0.191	0.006	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.622	0.533	0.386	0.205	0.008	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.704	0.660	0.490	0.235	0.011	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.792	0.761	0.550	0.257	0.014	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.860	0.838	0.620	0.279	0.017	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.928	0.914	0.701	0.305	0.017	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.990	0.807	0.331	0.022	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.14	0.963	0.370	0.029	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	1.40	1.24	0.450	0.039	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	2.13	1.79	0.588	0.067	--

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>03164500</b>	<b>03165000</b>	<b>03165500</b>	<b>03166000</b>	<b>03166800</b>	<b>03166880</b>
Count	number	124	1,984	1,922	124	527	93.0
Max	ft <sup>3</sup> /s	24,500	1,310	25,400	151	20.0	4.80
Min	ft <sup>3</sup> /s	512	15.0	232	25.0	0.020	4.10
Median	ft <sup>3</sup> /s	1,270	39.0	1,100	41.0	0.130	4.50
Arithmetic Mean	ft <sup>3</sup> /s	2,077	58.8	1,567	44.6	0.377	4.47
Geometric Mean	ft <sup>3</sup> /s	--	--	--	42.3	0.000	4.47
Harmonic Mean	ft <sup>3</sup> /s	1,295	37.7	972	40.6	0.096	4.46
Standard Deviation	ft <sup>3</sup> /s	2,778	89.4	1,814	17.5	1.28	0.215
5th percentile	ft <sup>3</sup> /s	706	20.0	472	26.3	0.030	4.20
10th percentile	ft <sup>3</sup> /s	813	22.0	553	29.3	0.040	4.20
20th percentile	ft <sup>3</sup> /s	990	28.0	669	33.0	0.080	4.20
30th percentile	ft <sup>3</sup> /s	1,090	31.0	785	36.0	0.090	4.20
40th percentile	ft <sup>3</sup> /s	1,190	35.0	928	39.0	0.110	4.50
50th percentile	ft <sup>3</sup> /s	1,270	39.0	1,100	41.0	0.130	4.50
60th percentile	ft <sup>3</sup> /s	1,416	44.0	1,320	43.8	0.160	4.50
70th percentile	ft <sup>3</sup> /s	1,500	50.0	1,540	48.1	0.232	4.60
80th percentile	ft <sup>3</sup> /s	1,994	65.0	1,910	52.4	0.350	4.70
90th percentile	ft <sup>3</sup> /s	4,775	96.0	2,759	58.4	0.584	4.70
Drainage area	mi <sup>2</sup>	1174	39.4	1350	136	7.15	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	20.9	33.2	18.8	1.11	2.80	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.436	0.381	0.172	0.184	0.003	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	0.990	0.815	0.301	0.018	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.77	1.49	1.16	0.328	0.053	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.311	0.000	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	0.957	0.720	0.298	0.013	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.37	2.27	1.34	0.129	0.179	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.601	0.508	0.350	0.193	0.004	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.693	0.558	0.410	0.215	0.006	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.843	0.711	0.496	0.243	0.011	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.928	0.787	0.581	0.265	0.013	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	0.888	0.687	0.287	0.015	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	0.990	0.815	0.301	0.018	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.12	0.978	0.322	0.022	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.27	1.14	0.354	0.032	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	1.65	1.41	0.385	0.049	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.07	2.44	2.04	0.429	0.082	--

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>03164500</b>	<b>03165000</b>	<b>03165500</b>	<b>03166000</b>	<b>03166800</b>	<b>03166880</b>
Count	number	120	1,915	1,854	120	510	90.0
Max	ft <sup>3</sup> /s	4,640	2,140	61,200	238	23.0	4.60
Min	ft <sup>3</sup> /s	525	19.0	238	26.0	0.020	4.20
Median	ft <sup>3</sup> /s	1,120	46.0	1,340	43.0	0.160	4.40
Arithmetic Mean	ft <sup>3</sup> /s	1,446	64.5	1,805	57.8	0.417	4.42
Geometric Mean	ft <sup>3</sup> /s	--	--	--	50.4	0.000	4.41
Harmonic Mean	ft <sup>3</sup> /s	1,219	44.1	1,165	45.8	0.123	4.41
Standard Deviation	ft <sup>3</sup> /s	707	88.8	2,298	37.5	1.52	0.163
5th percentile	ft <sup>3</sup> /s	859	25.0	567	28.0	0.036	4.20
10th percentile	ft <sup>3</sup> /s	890	27.0	650	30.0	0.070	4.20
20th percentile	ft <sup>3</sup> /s	946	32.0	794	37.8	0.090	4.20
30th percentile	ft <sup>3</sup> /s	1,010	36.0	933	40.0	0.110	4.30
40th percentile	ft <sup>3</sup> /s	1,070	40.0	1,120	42.0	0.130	4.40
50th percentile	ft <sup>3</sup> /s	1,120	46.0	1,340	43.0	0.160	4.40
60th percentile	ft <sup>3</sup> /s	1,238	52.0	1,580	48.0	0.210	4.50
70th percentile	ft <sup>3</sup> /s	1,610	60.0	1,880	51.3	0.270	4.60
80th percentile	ft <sup>3</sup> /s	2,084	73.0	2,300	75.4	0.390	4.60
90th percentile	ft <sup>3</sup> /s	2,300	108	3,280	110	0.632	4.60
Drainage area	mi <sup>2</sup>	1174	39.4	1350	136	7.15	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.95	54.3	45.3	1.75	3.22	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.447	0.482	0.176	0.191	0.003	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.954	1.17	0.993	0.316	0.022	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.64	1.34	0.425	0.058	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.371	0.000	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	1.12	0.863	0.337	0.017	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.602	2.25	1.70	0.276	0.213	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.732	0.635	0.420	0.206	0.005	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.758	0.685	0.481	0.221	0.010	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.806	0.812	0.588	0.278	0.013	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.860	0.914	0.691	0.294	0.015	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.911	1.02	0.830	0.309	0.018	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.954	1.17	0.993	0.316	0.022	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	1.32	1.17	0.353	0.029	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	1.52	1.39	0.377	0.038	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.78	1.85	1.70	0.554	0.055	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.96	2.73	2.43	0.810	0.088	--

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>03164500</b>	<b>03165000</b>	<b>03165500</b>	<b>03166000</b>	<b>03166800</b>	<b>03166880</b>
Count	number	124	1,953	1,891	124	527	93.0
Max	ft <sup>3</sup> /s	8,540	1,160	26,100	795	27.0	4.60
Min	ft <sup>3</sup> /s	410	14.0	350	23.0	0.020	4.20
Median	ft <sup>3</sup> /s	1,500	54.0	1,700	54.5	0.260	4.40
Arithmetic Mean	ft <sup>3</sup> /s	1,891	65.5	2,056	80.1	0.514	4.36
Geometric Mean	ft <sup>3</sup> /s	--	--	--	58.4	0.249	4.36
Harmonic Mean	ft <sup>3</sup> /s	1,440	49.0	1,396	49.4	0.150	4.36
Standard Deviation	ft <sup>3</sup> /s	1,157	59.0	1,744	103	1.75	0.126
5th percentile	ft <sup>3</sup> /s	858	26.0	650	26.3	0.030	4.20
10th percentile	ft <sup>3</sup> /s	902	29.0	752	30.0	0.080	4.20
20th percentile	ft <sup>3</sup> /s	970	36.0	974	35.0	0.130	4.20
30th percentile	ft <sup>3</sup> /s	1,070	42.0	1,180	38.0	0.170	4.20
40th percentile	ft <sup>3</sup> /s	1,274	49.0	1,450	43.2	0.220	4.40
50th percentile	ft <sup>3</sup> /s	1,500	54.0	1,700	54.5	0.260	4.40
60th percentile	ft <sup>3</sup> /s	1,950	61.0	1,940	62.8	0.310	4.40
70th percentile	ft <sup>3</sup> /s	2,180	68.4	2,260	71.0	0.370	4.40
80th percentile	ft <sup>3</sup> /s	2,650	79.0	2,640	84.8	0.480	4.46
90th percentile	ft <sup>3</sup> /s	3,261	99.0	3,440	114	0.650	4.50
Drainage area	mi <sup>2</sup>	1174	39.4	1350	136	7.15	--
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.27	29.4	19.3	5.85	3.78	--
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.349	0.355	0.259	0.169	0.003	--
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.37	1.26	0.401	0.036	--
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.61	1.66	1.52	0.589	0.072	--
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.429	0.035	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.24	1.03	0.363	0.021	--
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.985	1.50	1.29	0.761	0.245	--
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.731	0.660	0.481	0.193	0.004	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.768	0.736	0.557	0.221	0.011	--
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.826	0.914	0.721	0.257	0.018	--
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.911	1.07	0.874	0.279	0.024	--
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.24	1.07	0.318	0.031	--
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.37	1.26	0.401	0.036	--
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	1.55	1.44	0.462	0.043	--
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.86	1.74	1.67	0.522	0.052	--
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.26	2.01	1.96	0.624	0.067	--
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.78	2.51	2.55	0.835	0.091	--



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>03166900</b>	<b>03167000</b>	<b>03167500</b>	<b>03168000</b>	<b>03168500</b>	<b>03169500</b>
Count	number	93.0	2,728	1,984	2,418	341	248
Max	ft <sup>3</sup> /s	2.80	6,080	7,300	84,700	2,110	2,640
Min	ft <sup>3</sup> /s	1.90	22.0	75.0	500	3.00	119
Median	ft <sup>3</sup> /s	2.50	230	343	2,960	29.0	313
Arithmetic Mean	ft <sup>3</sup> /s	2.39	346	423	3,707	67.7	348
Geometric Mean	ft <sup>3</sup> /s	2.38	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	2.37	178	304	2,405	16.6	277
Standard Deviation	ft <sup>3</sup> /s	0.215	403	370	3,708	156	223
5th percentile	ft <sup>3</sup> /s	2.00	65.5	140	974	3.64	159
10th percentile	ft <sup>3</sup> /s	2.00	80.0	170	1,180	6.00	175
20th percentile	ft <sup>3</sup> /s	2.10	120	225	1,720	12.0	198
30th percentile	ft <sup>3</sup> /s	2.50	162	270	2,230	21.0	218
40th percentile	ft <sup>3</sup> /s	2.50	193	302	2,590	25.0	246
50th percentile	ft <sup>3</sup> /s	2.50	230	343	2,960	29.0	313
60th percentile	ft <sup>3</sup> /s	2.50	278	388	3,320	37.0	355
70th percentile	ft <sup>3</sup> /s	2.50	340	443	3,890	52.0	405
80th percentile	ft <sup>3</sup> /s	2.50	459	531	4,760	78.0	439
90th percentile	ft <sup>3</sup> /s	2.58	694	697	6,480	125	580
Drainage area	mi <sup>2</sup>	--	258	267	2212	60.8	250
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	23.6	27.3	38.3	34.7	10.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.085	0.281	0.226	0.049	0.476
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.891	1.28	1.34	0.477	1.25
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.34	1.58	1.68	1.11	1.39
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.689	1.14	1.09	0.273	1.11
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.56	1.38	1.68	2.56	0.891
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.254	0.524	0.440	0.060	0.636
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.310	0.637	0.533	0.099	0.699
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.465	0.843	0.778	0.197	0.790
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.628	1.01	1.01	0.345	0.872
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.748	1.13	1.17	0.411	0.986
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.891	1.28	1.34	0.477	1.25
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.08	1.45	1.50	0.609	1.42
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.32	1.66	1.76	0.855	1.62
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.78	1.99	2.15	1.28	1.76
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.69	2.61	2.93	2.06	2.32

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>03166900</b>	<b>03167000</b>	<b>03167500</b>	<b>03168000</b>	<b>03168500</b>	<b>03169500</b>
Count	number	84.0	2,486	1,808	2,203	312	226
Max	ft <sup>3</sup> /s	3.10	5,660	4,850	38,100	1,750	1,720
Min	ft <sup>3</sup> /s	2.40	28.0	100	662	5.00	135
Median	ft <sup>3</sup> /s	2.50	310	405	3,500	53.0	312
Arithmetic Mean	ft <sup>3</sup> /s	2.49	451	497	4,365	111	374
Geometric Mean	ft <sup>3</sup> /s	2.49	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	2.48	238	369	2,963	33.6	285
Standard Deviation	ft <sup>3</sup> /s	0.131	488	395	3,463	190	251
5th percentile	ft <sup>3</sup> /s	2.40	88.0	192	1,252	10.7	161
10th percentile	ft <sup>3</sup> /s	2.40	120	230	1,650	15.0	175
20th percentile	ft <sup>3</sup> /s	2.40	174	280	2,160	25.0	190
30th percentile	ft <sup>3</sup> /s	2.40	212	319	2,590	32.0	207
40th percentile	ft <sup>3</sup> /s	2.40	258	355	3,060	40.0	274
50th percentile	ft <sup>3</sup> /s	2.50	310	405	3,500	53.0	312
60th percentile	ft <sup>3</sup> /s	2.50	378	452	4,020	72.0	363
70th percentile	ft <sup>3</sup> /s	2.50	461	512	4,720	93.7	405
80th percentile	ft <sup>3</sup> /s	2.50	597	600	5,660	128	480
90th percentile	ft <sup>3</sup> /s	2.60	852	795	7,598	214	630
Drainage area	mi <sup>2</sup>	--	258	267	2212	60.8	250
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	21.9	18.2	17.2	28.8	6.88
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.109	0.375	0.299	0.082	0.540
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.20	1.52	1.58	0.872	1.25
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.75	1.86	1.97	1.83	1.50
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.923	1.38	1.34	0.553	1.14
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.89	1.48	1.57	3.13	1.00
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.341	0.718	0.566	0.175	0.643
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.465	0.861	0.746	0.247	0.700
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.674	1.05	0.976	0.411	0.760
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.820	1.19	1.17	0.526	0.828
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.00	1.33	1.38	0.658	1.10
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.20	1.52	1.58	0.872	1.25
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.47	1.69	1.82	1.18	1.45
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.78	1.92	2.13	1.54	1.62
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.31	2.25	2.56	2.11	1.92
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	3.30	2.98	3.43	3.51	2.52

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>03166900</b>	<b>03167000</b>	<b>03167500</b>	<b>03168000</b>	<b>03168500</b>	<b>03169500</b>
Count	number	93.0	2,724	1,984	2,418	341	248
Max	ft <sup>3</sup> /s	3.10	8,760	7,180	50,900	2,180	3,540
Min	ft <sup>3</sup> /s	2.40	30.0	100	939	9.00	138
Median	ft <sup>3</sup> /s	2.80	351	445	3,880	78.0	313
Arithmetic Mean	ft <sup>3</sup> /s	2.78	499	556	4,917	129	368
Geometric Mean	ft <sup>3</sup> /s	2.77	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	2.76	305	415	3,536	53.0	294
Standard Deviation	ft <sup>3</sup> /s	0.192	516	510	4,000	185	291
5th percentile	ft <sup>3</sup> /s	2.40	129	223	1,740	16.1	162
10th percentile	ft <sup>3</sup> /s	2.50	170	266	2,070	24.0	182
20th percentile	ft <sup>3</sup> /s	2.60	224	308	2,644	37.0	226
30th percentile	ft <sup>3</sup> /s	2.70	262	355	3,100	52.0	265
40th percentile	ft <sup>3</sup> /s	2.70	308	404	3,480	62.0	290
50th percentile	ft <sup>3</sup> /s	2.80	351	445	3,880	78.0	313
60th percentile	ft <sup>3</sup> /s	2.90	410	487	4,352	94.0	355
70th percentile	ft <sup>3</sup> /s	2.90	495	545	5,059	116	380
80th percentile	ft <sup>3</sup> /s	2.90	622	642	6,000	165	423
90th percentile	ft <sup>3</sup> /s	3.00	931	851	8,500	254	520
Drainage area	mi <sup>2</sup>	--	258	267	2212	60.8	250
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	34.0	26.9	23.0	35.9	14.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.116	0.375	0.425	0.148	0.552
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.36	1.67	1.75	1.28	1.25
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.93	2.08	2.22	2.12	1.47
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.18	1.56	1.60	0.871	1.18
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.00	1.91	1.81	3.05	1.16
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.500	0.835	0.787	0.265	0.648
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.659	0.996	0.936	0.395	0.727
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.867	1.15	1.20	0.609	0.902
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.02	1.33	1.40	0.855	1.06
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.19	1.51	1.57	1.02	1.16
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.36	1.67	1.75	1.28	1.25
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.59	1.82	1.97	1.55	1.42
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.92	2.04	2.29	1.91	1.52
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.41	2.40	2.71	2.71	1.69
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	3.61	3.19	3.84	4.18	2.08

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>03166900</b>	<b>03167000</b>	<b>03167500</b>	<b>03168000</b>	<b>03168500</b>	<b>03169500</b>
Count	number	90.0	2,670	1,920	2,340	330	240
Max	ft <sup>3</sup> /s	3.50	10,600	7,050	44,100	1,960	2,550
Min	ft <sup>3</sup> /s	2.70	60.0	176	1,100	16.0	137
Median	ft <sup>3</sup> /s	3.10	296	432	3,580	53.0	270
Arithmetic Mean	ft <sup>3</sup> /s	3.06	417	546	4,524	105	324
Geometric Mean	ft <sup>3</sup> /s	3.05	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.05	275	412	3,355	48.2	277
Standard Deviation	ft <sup>3</sup> /s	0.157	446	494	3,569	174	207
5th percentile	ft <sup>3</sup> /s	2.90	140	228	1,790	21.0	185
10th percentile	ft <sup>3</sup> /s	2.90	162	258	2,030	25.9	204
20th percentile	ft <sup>3</sup> /s	2.90	194	296	2,388	32.0	221
30th percentile	ft <sup>3</sup> /s	2.90	223	349	2,740	37.7	244
40th percentile	ft <sup>3</sup> /s	3.06	258	393	3,166	43.0	252
50th percentile	ft <sup>3</sup> /s	3.10	296	432	3,580	53.0	270
60th percentile	ft <sup>3</sup> /s	3.10	342	488	4,130	66.4	304
70th percentile	ft <sup>3</sup> /s	3.10	409	555	4,720	84.0	334
80th percentile	ft <sup>3</sup> /s	3.20	525	660	5,716	129	380
90th percentile	ft <sup>3</sup> /s	3.20	750	849	7,660	213	458
Drainage area	mi <sup>2</sup>	--	258	267	2212	60.8	250
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	41.1	26.4	19.9	32.2	10.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.233	0.659	0.497	0.263	0.548
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.15	1.62	1.62	0.872	1.08
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.61	2.05	2.05	1.73	1.30
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.06	1.54	1.52	0.792	1.11
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.73	1.85	1.61	2.86	0.829
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.543	0.854	0.809	0.345	0.740
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.628	0.966	0.918	0.426	0.816
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.752	1.11	1.08	0.526	0.884
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.864	1.31	1.24	0.620	0.976
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.998	1.47	1.43	0.707	1.01
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.15	1.62	1.62	0.872	1.08
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.33	1.83	1.87	1.09	1.22
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.59	2.08	2.13	1.38	1.34
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.04	2.47	2.58	2.12	1.52
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.91	3.18	3.46	3.50	1.83

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>03166900</b>	<b>03167000</b>	<b>03167500</b>	<b>03168000</b>	<b>03168500</b>	<b>03169500</b>
Count	number	93.0	2,759	1,984	2,418	341	248
Max	ft <sup>3</sup> /s	3.70	5,600	5,470	46,100	1,350	2,820
Min	ft <sup>3</sup> /s	2.90	50.0	143	997	7.00	89.0
Median	ft <sup>3</sup> /s	3.20	220	391	3,010	29.0	214
Arithmetic Mean	ft <sup>3</sup> /s	3.21	317	474	3,623	62.2	307
Geometric Mean	ft <sup>3</sup> /s	3.20	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.19	207	370	2,790	25.2	228
Standard Deviation	ft <sup>3</sup> /s	0.242	341	343	2,557	111	316
5th percentile	ft <sup>3</sup> /s	2.90	106	203	1,460	10.0	153
10th percentile	ft <sup>3</sup> /s	2.90	124	239	1,680	13.0	162
20th percentile	ft <sup>3</sup> /s	3.00	149	275	2,064	16.0	174
30th percentile	ft <sup>3</sup> /s	3.00	172	312	2,361	20.0	185
40th percentile	ft <sup>3</sup> /s	3.10	193	348	2,688	24.0	200
50th percentile	ft <sup>3</sup> /s	3.20	220	391	3,010	29.0	214
60th percentile	ft <sup>3</sup> /s	3.20	250	447	3,440	35.0	241
70th percentile	ft <sup>3</sup> /s	3.30	297	507	3,920	50.0	286
80th percentile	ft <sup>3</sup> /s	3.46	374	581	4,590	73.0	332
90th percentile	ft <sup>3</sup> /s	3.60	580	739	5,950	129	465
Drainage area	mi <sup>2</sup>	--	258	267	2212	60.8	250
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	21.7	20.5	20.8	22.2	11.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.194	0.536	0.451	0.115	0.356
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.853	1.46	1.36	0.477	0.856
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.23	1.77	1.64	1.02	1.23
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.802	1.38	1.26	0.415	0.913
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.32	1.29	1.16	1.83	1.26
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.411	0.760	0.660	0.164	0.612
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.481	0.895	0.759	0.214	0.648
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.578	1.03	0.933	0.263	0.696
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.667	1.17	1.07	0.329	0.740
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.748	1.30	1.22	0.395	0.800
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.853	1.46	1.36	0.477	0.856
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.969	1.67	1.56	0.576	0.963
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.15	1.90	1.77	0.822	1.14
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.45	2.18	2.08	1.20	1.33
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.25	2.77	2.69	2.12	1.86

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>03166900</b>	<b>03167000</b>	<b>03167500</b>	<b>03168000</b>	<b>03168500</b>	<b>03169500</b>
Count	number	90.0	2,670	1,920	2,340	330	240
Max	ft <sup>3</sup> /s	3.60	6,160	8,910	56,500	2,730	1,560
Min	ft <sup>3</sup> /s	2.70	54.0	105	627	1.80	94.0
Median	ft <sup>3</sup> /s	2.90	154	337	2,370	11.0	231
Arithmetic Mean	ft <sup>3</sup> /s	3.08	211	402	2,867	40.6	285
Geometric Mean	ft <sup>3</sup> /s	3.06	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.04	147	303	2,127	9.22	222
Standard Deviation	ft <sup>3</sup> /s	0.336	256	383	2,502	169	194
5th percentile	ft <sup>3</sup> /s	2.70	78.0	153	1,080	3.17	123
10th percentile	ft <sup>3</sup> /s	2.70	88.0	182	1,260	4.48	138
20th percentile	ft <sup>3</sup> /s	2.80	106	227	1,540	6.60	159
30th percentile	ft <sup>3</sup> /s	2.87	120	266	1,840	8.00	185
40th percentile	ft <sup>3</sup> /s	2.90	135	303	2,100	9.00	207
50th percentile	ft <sup>3</sup> /s	2.90	154	337	2,370	11.0	231
60th percentile	ft <sup>3</sup> /s	3.00	175	375	2,650	14.0	256
70th percentile	ft <sup>3</sup> /s	3.50	202	420	3,050	20.0	289
80th percentile	ft <sup>3</sup> /s	3.50	254	484	3,560	30.0	380
90th percentile	ft <sup>3</sup> /s	3.60	362	608	4,541	70.1	455
Drainage area	mi <sup>2</sup>	--	258	267	2212	60.8	250
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	23.9	33.4	25.5	44.9	6.24
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.209	0.393	0.283	0.030	0.376
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.597	1.26	1.07	0.181	0.924
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.819	1.51	1.30	0.667	1.14
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.568	1.14	0.961	0.152	0.888
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.994	1.43	1.13	2.78	0.776
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.302	0.573	0.488	0.052	0.493
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.341	0.682	0.570	0.074	0.552
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.411	0.850	0.696	0.109	0.636
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.465	0.996	0.832	0.132	0.740
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.523	1.13	0.949	0.148	0.828
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.597	1.26	1.07	0.181	0.924
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.678	1.40	1.20	0.230	1.02
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.784	1.57	1.38	0.329	1.16
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.984	1.81	1.61	0.493	1.52
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.40	2.28	2.05	1.15	1.82

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>03166900</b>	<b>03167000</b>	<b>03167500</b>	<b>03168000</b>	<b>03168500</b>	<b>03169500</b>
Count	number	124	2,759	1,984	2,413	341	248
Max	ft <sup>3</sup> /s	3.50	9,880	8,000	30,000	404	2,380
Min	ft <sup>3</sup> /s	2.60	48.0	78.0	535	1.20	89.0
Median	ft <sup>3</sup> /s	2.90	115	277	1,910	6.60	200
Arithmetic Mean	ft <sup>3</sup> /s	2.91	162	331	2,273	13.5	268
Geometric Mean	ft <sup>3</sup> /s	2.90	--	--	--	6.91	--
Harmonic Mean	ft <sup>3</sup> /s	2.89	114	250	1,761	4.68	195
Standard Deviation	ft <sup>3</sup> /s	0.287	288	294	1,719	31.1	246
5th percentile	ft <sup>3</sup> /s	2.60	68.0	127	917	1.80	108
10th percentile	ft <sup>3</sup> /s	2.60	74.0	150	1,100	2.20	119
20th percentile	ft <sup>3</sup> /s	2.70	86.0	189	1,340	2.70	140
30th percentile	ft <sup>3</sup> /s	2.70	96.0	224	1,540	3.60	152
40th percentile	ft <sup>3</sup> /s	2.70	106	250	1,720	5.00	177
50th percentile	ft <sup>3</sup> /s	2.90	115	277	1,910	6.60	200
60th percentile	ft <sup>3</sup> /s	2.90	128	309	2,142	9.00	232
70th percentile	ft <sup>3</sup> /s	2.90	144	350	2,390	11.0	270
80th percentile	ft <sup>3</sup> /s	3.30	168	401	2,800	13.0	332
90th percentile	ft <sup>3</sup> /s	3.40	235	508	3,550	23.0	458
Drainage area	mi <sup>2</sup>	--	258	267	2212	60.8	250
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	38.3	30.0	13.6	6.64	9.52
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.186	0.292	0.242	0.020	0.356
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.446	1.04	0.863	0.109	0.800
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.628	1.24	1.03	0.222	1.07
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.114	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.442	0.937	0.796	0.077	0.778
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.12	1.10	0.777	0.511	0.984
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.264	0.477	0.415	0.030	0.433
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.287	0.562	0.497	0.036	0.475
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.333	0.706	0.606	0.044	0.560
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.372	0.839	0.696	0.059	0.609
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.411	0.936	0.778	0.082	0.710
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.446	1.04	0.863	0.109	0.800
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.496	1.16	0.968	0.148	0.928
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.557	1.31	1.08	0.181	1.08
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.651	1.50	1.27	0.214	1.33
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.911	1.90	1.60	0.378	1.83

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>03166900</b>	<b>03167000</b>	<b>03167500</b>	<b>03168000</b>	<b>03168500</b>	<b>03169500</b>
Count	number	124	2,759	1,984	2,417	341	248
Max	ft <sup>3</sup> /s	3.40	2,450	12,300	95,000	734	1,340
Min	ft <sup>3</sup> /s	2.50	43.0	76.0	463	0.900	94.0
Median	ft <sup>3</sup> /s	3.15	101	234	1,650	5.00	170
Arithmetic Mean	ft <sup>3</sup> /s	3.04	140	300	2,158	14.1	225
Geometric Mean	ft <sup>3</sup> /s	3.03	--	--	--	5.90	--
Harmonic Mean	ft <sup>3</sup> /s	3.02	102	220	1,525	3.88	173
Standard Deviation	ft <sup>3</sup> /s	0.279	154	384	3,109	45.9	165
5th percentile	ft <sup>3</sup> /s	2.60	60.0	119	782	1.41	103
10th percentile	ft <sup>3</sup> /s	2.60	68.0	138	946	2.10	111
20th percentile	ft <sup>3</sup> /s	2.70	77.0	168	1,150	2.20	127
30th percentile	ft <sup>3</sup> /s	2.90	85.0	190	1,310	2.90	149
40th percentile	ft <sup>3</sup> /s	3.10	93.0	210	1,460	4.00	159
50th percentile	ft <sup>3</sup> /s	3.15	101	234	1,650	5.00	170
60th percentile	ft <sup>3</sup> /s	3.20	112	255	1,810	6.60	181
70th percentile	ft <sup>3</sup> /s	3.20	127	288	2,060	8.80	210
80th percentile	ft <sup>3</sup> /s	3.30	151	343	2,468	12.0	271
90th percentile	ft <sup>3</sup> /s	3.40	219	476	3,394	23.0	396
Drainage area	mi <sup>2</sup>	--	258	267	2212	60.8	250
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	9.50	46.1	42.9	12.1	5.36
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.167	0.285	0.209	0.015	0.376
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.391	0.876	0.746	0.082	0.678
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.543	1.12	0.976	0.231	0.900
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.097	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.396	0.824	0.689	0.064	0.693
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.597	1.44	1.41	0.755	0.659
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.233	0.446	0.353	0.023	0.414
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.264	0.518	0.427	0.035	0.443
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.298	0.629	0.520	0.036	0.509
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.329	0.712	0.592	0.048	0.596
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.360	0.787	0.660	0.066	0.636
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.391	0.876	0.746	0.082	0.678
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.434	0.954	0.818	0.109	0.725
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.492	1.08	0.931	0.145	0.840
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.585	1.28	1.12	0.197	1.08
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.850	1.78	1.53	0.378	1.58



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>03166900</b>	<b>03167000</b>	<b>03167500</b>	<b>03168000</b>	<b>03168500</b>	<b>03169500</b>
Count	number	120	2,670	1,920	2,340	330	240
Max	ft <sup>3</sup> /s	3.70	2,640	7,840	59,200	990	2,550
Min	ft <sup>3</sup> /s	2.50	41.0	84.0	446	0.800	96.0
Median	ft <sup>3</sup> /s	2.90	87.0	200	1,390	3.00	165
Arithmetic Mean	ft <sup>3</sup> /s	2.92	118	290	2,042	17.3	222
Geometric Mean	ft <sup>3</sup> /s	2.91	--	--	--	4.40	--
Harmonic Mean	ft <sup>3</sup> /s	2.89	88.9	200	1,362	2.98	168
Standard Deviation	ft <sup>3</sup> /s	0.280	141	427	2,860	74.8	224
5th percentile	ft <sup>3</sup> /s	2.50	57.0	113	738	1.40	110
10th percentile	ft <sup>3</sup> /s	2.50	63.0	132	864	1.60	114
20th percentile	ft <sup>3</sup> /s	2.60	70.0	153	1,000	2.00	123
30th percentile	ft <sup>3</sup> /s	2.70	75.0	167	1,130	2.20	137
40th percentile	ft <sup>3</sup> /s	2.80	81.0	182	1,240	2.80	152
50th percentile	ft <sup>3</sup> /s	2.90	87.0	200	1,390	3.00	165
60th percentile	ft <sup>3</sup> /s	3.00	95.0	220	1,540	3.80	187
70th percentile	ft <sup>3</sup> /s	3.10	105	250	1,813	5.00	208
80th percentile	ft <sup>3</sup> /s	3.20	122	316	2,280	6.00	240
90th percentile	ft <sup>3</sup> /s	3.30	172	450	3,362	19.2	338
Drainage area	mi <sup>2</sup>	--	258	267	2212	60.8	250
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	10.2	29.4	26.8	16.3	10.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.159	0.315	0.202	0.013	0.384
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.337	0.749	0.628	0.049	0.660
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.458	1.09	0.923	0.284	0.887
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.072	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.345	0.749	0.616	0.049	0.671
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.548	1.60	1.29	1.23	0.895
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.221	0.423	0.334	0.023	0.440
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.244	0.494	0.391	0.026	0.456
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.271	0.573	0.452	0.033	0.492
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.291	0.625	0.511	0.036	0.548
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.314	0.682	0.561	0.046	0.608
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.337	0.749	0.628	0.049	0.660
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.368	0.824	0.696	0.063	0.748
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.407	0.936	0.820	0.082	0.832
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.473	1.18	1.03	0.099	0.960
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.667	1.69	1.52	0.316	1.35

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>03166900</b>	<b>03167000</b>	<b>03167500</b>	<b>03168000</b>	<b>03168500</b>	<b>03169500</b>
Count	number	93.0	2,759	1,984	2,446	341	248
Max	ft <sup>3</sup> /s	3.30	4,650	6,380	38,300	616	2,120
Min	ft <sup>3</sup> /s	2.50	42.0	96.0	534	0.500	97.0
Median	ft <sup>3</sup> /s	2.80	89.0	212	1,510	3.30	168
Arithmetic Mean	ft <sup>3</sup> /s	2.81	139	306	2,232	11.2	255
Geometric Mean	ft <sup>3</sup> /s	2.80	--	--	--	4.25	--
Harmonic Mean	ft <sup>3</sup> /s	2.79	92.9	215	1,428	2.63	181
Standard Deviation	ft <sup>3</sup> /s	0.262	215	362	2,767	38.3	255
5th percentile	ft <sup>3</sup> /s	2.50	57.0	119	753	0.800	115
10th percentile	ft <sup>3</sup> /s	2.50	62.0	139	844	1.60	123
20th percentile	ft <sup>3</sup> /s	2.50	71.0	163	988	2.00	137
30th percentile	ft <sup>3</sup> /s	2.56	76.0	182	1,120	2.20	147
40th percentile	ft <sup>3</sup> /s	2.80	81.0	195	1,300	2.80	157
50th percentile	ft <sup>3</sup> /s	2.80	89.0	212	1,510	3.30	168
60th percentile	ft <sup>3</sup> /s	2.80	101	240	1,770	3.90	185
70th percentile	ft <sup>3</sup> /s	3.10	118	291	2,100	5.60	228
80th percentile	ft <sup>3</sup> /s	3.10	147	350	2,640	9.00	278
90th percentile	ft <sup>3</sup> /s	3.18	214	489	3,785	21.0	465
Drainage area	mi <sup>2</sup>	--	258	267	2212	60.8	250
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	18.0	23.9	17.3	10.1	8.48
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.163	0.360	0.241	0.008	0.388
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.345	0.794	0.683	0.054	0.672
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.537	1.15	1.01	0.185	1.02
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.070	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.360	0.807	0.645	0.043	0.725
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.832	1.35	1.25	0.629	1.02
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.221	0.446	0.341	0.013	0.460
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.240	0.521	0.382	0.026	0.492
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.275	0.610	0.447	0.033	0.548
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.295	0.682	0.506	0.036	0.588
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.314	0.730	0.588	0.046	0.628
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.345	0.794	0.683	0.054	0.672
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.391	0.899	0.800	0.064	0.740
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.457	1.09	0.949	0.092	0.910
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.570	1.31	1.19	0.148	1.11
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.830	1.83	1.71	0.345	1.86

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>03166900</b>	<b>03167000</b>	<b>03167500</b>	<b>03168000</b>	<b>03168500</b>	<b>03169500</b>
Count	number	90.0	2,665	1,920	2,365	330	240
Max	ft <sup>3</sup> /s	3.30	4,800	4,720	86,500	1,450	1,000
Min	ft <sup>3</sup> /s	2.40	40.0	110	608	0.800	114
Median	ft <sup>3</sup> /s	2.60	104	246	1,860	6.90	172
Arithmetic Mean	ft <sup>3</sup> /s	2.75	166	326	2,610	22.0	215
Geometric Mean	ft <sup>3</sup> /s	2.74	--	--	--	8.31	--
Harmonic Mean	ft <sup>3</sup> /s	2.72	106	249	1,705	4.78	183
Standard Deviation	ft <sup>3</sup> /s	0.268	244	283	3,192	87.1	120
5th percentile	ft <sup>3</sup> /s	2.50	63.0	147	879	1.82	119
10th percentile	ft <sup>3</sup> /s	2.50	68.0	169	986	2.00	135
20th percentile	ft <sup>3</sup> /s	2.50	75.0	183	1,140	2.80	145
30th percentile	ft <sup>3</sup> /s	2.50	82.0	201	1,360	4.10	150
40th percentile	ft <sup>3</sup> /s	2.60	92.0	223	1,600	5.20	159
50th percentile	ft <sup>3</sup> /s	2.60	104	246	1,860	6.90	172
60th percentile	ft <sup>3</sup> /s	2.70	121	284	2,190	11.0	189
70th percentile	ft <sup>3</sup> /s	3.03	149	332	2,610	15.0	218
80th percentile	ft <sup>3</sup> /s	3.10	193	395	3,332	20.0	264
90th percentile	ft <sup>3</sup> /s	3.10	290	519	4,590	33.0	332
Drainage area	mi <sup>2</sup>	--	258	267	2212	60.8	250
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	18.6	17.7	39.1	23.8	4.00
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.155	0.412	0.275	0.013	0.456
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.403	0.921	0.841	0.113	0.688
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.644	1.22	1.18	0.362	0.861
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.137	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.412	0.933	0.771	0.079	0.731
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.945	1.06	1.44	1.43	0.480
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.244	0.551	0.397	0.030	0.477
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.264	0.633	0.446	0.033	0.540
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.291	0.685	0.515	0.046	0.581
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.318	0.752	0.615	0.067	0.600
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.357	0.834	0.723	0.086	0.636
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.403	0.921	0.841	0.113	0.688
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.469	1.06	0.990	0.181	0.756
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.578	1.24	1.18	0.247	0.872
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.749	1.48	1.51	0.329	1.06
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.12	1.94	2.08	0.543	1.33

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>03166900</b>	<b>03167000</b>	<b>03167500</b>	<b>03168000</b>	<b>03168500</b>	<b>03169500</b>
Count	number	93.0	2,728	1,984	2,416	341	248
Max	ft <sup>3</sup> /s	3.20	4,910	4,110	36,200	740	2,550
Min	ft <sup>3</sup> /s	2.00	34.0	80.0	600	1.00	119
Median	ft <sup>3</sup> /s	2.50	144	312	2,375	16.0	230
Arithmetic Mean	ft <sup>3</sup> /s	2.49	242	386	2,971	36.2	304
Geometric Mean	ft <sup>3</sup> /s	2.47	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	2.45	131	282	2,032	9.59	231
Standard Deviation	ft <sup>3</sup> /s	0.310	312	346	2,550	68.7	252
5th percentile	ft <sup>3</sup> /s	2.00	64.0	145	950	3.00	137
10th percentile	ft <sup>3</sup> /s	2.02	69.0	168	1,095	3.60	150
20th percentile	ft <sup>3</sup> /s	2.22	83.0	211	1,400	6.20	165
30th percentile	ft <sup>3</sup> /s	2.50	101	242	1,700	9.00	184
40th percentile	ft <sup>3</sup> /s	2.50	120	279	2,010	12.0	200
50th percentile	ft <sup>3</sup> /s	2.50	144	312	2,375	16.0	230
60th percentile	ft <sup>3</sup> /s	2.50	180	350	2,740	19.0	274
70th percentile	ft <sup>3</sup> /s	2.50	239	396	3,225	30.0	310
80th percentile	ft <sup>3</sup> /s	2.50	315	463	3,840	43.0	388
90th percentile	ft <sup>3</sup> /s	3.10	489	611	5,140	80.0	538
Drainage area	mi <sup>2</sup>	--	258	267	2212	60.8	250
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	--	19.0	15.4	16.4	12.2	10.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.132	0.300	0.271	0.016	0.476
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.558	1.17	1.07	0.263	0.918
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.936	1.45	1.34	0.595	1.21
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.508	1.06	0.919	0.158	0.925
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.21	1.29	1.15	1.13	1.01
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.248	0.543	0.429	0.049	0.548
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.267	0.629	0.495	0.059	0.600
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.322	0.789	0.633	0.102	0.660
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.391	0.906	0.769	0.148	0.736
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.465	1.04	0.909	0.197	0.800
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.558	1.17	1.07	0.263	0.918
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.698	1.31	1.24	0.313	1.10
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.926	1.48	1.46	0.493	1.24
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.22	1.74	1.74	0.707	1.55
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.89	2.29	2.32	1.32	2.15

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>03170000</b>	<b>03171000</b>	<b>03171500</b>	<b>03172500</b>	<b>03173000</b>	<b>03175100</b>
Count	number	2,449	2,356	1,922	248	2,139	124
Max	ft <sup>3</sup> /s	9,000	74,000	40,900	4,900	10,600	38.0
Min	ft <sup>3</sup> /s	71.0	798	800	93.0	25.0	2.20
Median	ft <sup>3</sup> /s	310	3,590	3,905	402	263	5.05
Arithmetic Mean	ft <sup>3</sup> /s	400	4,373	4,826	575	432	7.11
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	5.81
Harmonic Mean	ft <sup>3</sup> /s	259	2,732	3,201	355	172	5.00
Standard Deviation	ft <sup>3</sup> /s	434	3,985	3,740	512	604	5.54
5th percentile	ft <sup>3</sup> /s	110	1,079	1,300	139	50.0	2.60
10th percentile	ft <sup>3</sup> /s	136	1,270	1,610	183	67.0	3.13
20th percentile	ft <sup>3</sup> /s	178	1,820	2,300	258	120	3.60
30th percentile	ft <sup>3</sup> /s	226	2,410	2,830	328	170	3.90
40th percentile	ft <sup>3</sup> /s	270	3,000	3,400	364	213	4.30
50th percentile	ft <sup>3</sup> /s	310	3,590	3,905	402	263	5.05
60th percentile	ft <sup>3</sup> /s	358	4,200	4,500	495	339	6.08
70th percentile	ft <sup>3</sup> /s	412	4,930	5,400	575	430	7.70
80th percentile	ft <sup>3</sup> /s	492	5,990	6,488	785	580	10.0
90th percentile	ft <sup>3</sup> /s	667	7,920	8,739	1,200	900	13.0
Drainage area	mi <sup>2</sup>	309	2767	2961	275	299	1.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	29.1	26.7	13.8	17.8	35.5	20.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.230	0.288	0.270	0.338	0.084	1.16
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.00	1.30	1.32	1.46	0.880	2.66
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.58	1.63	2.09	1.44	3.74
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	3.06
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.838	0.987	1.08	1.29	0.574	2.63
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	1.44	1.26	1.86	2.02	2.92
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.356	0.390	0.439	0.505	0.167	1.37
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.440	0.459	0.544	0.665	0.224	1.65
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.576	0.658	0.777	0.938	0.401	1.89
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.733	0.871	0.956	1.19	0.569	2.05
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.874	1.08	1.15	1.32	0.712	2.26
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.00	1.30	1.32	1.46	0.880	2.66
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	1.52	1.52	1.80	1.13	3.20
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.33	1.78	1.82	2.09	1.44	4.05
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.59	2.16	2.19	2.85	1.94	5.26
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.16	2.86	2.95	4.36	3.01	6.84

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>03170000</b>	<b>03171000</b>	<b>03171500</b>	<b>03172500</b>	<b>03173000</b>	<b>03175100</b>
Count	number	2,231	2,147	1,752	226	1,949	113
Max	ft <sup>3</sup> /s	6,300	45,300	43,700	3,800	7,610	29.0
Min	ft <sup>3</sup> /s	60.0	754	900	154	40.0	1.90
Median	ft <sup>3</sup> /s	374	4,370	4,665	429	378	4.70
Arithmetic Mean	ft <sup>3</sup> /s	471	5,291	5,557	575	580	6.41
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	5.13
Harmonic Mean	ft <sup>3</sup> /s	317	3,371	3,938	373	266	4.25
Standard Deviation	ft <sup>3</sup> /s	431	4,019	3,651	517	690	4.97
5th percentile	ft <sup>3</sup> /s	135	1,220	1,600	183	100	2.00
10th percentile	ft <sup>3</sup> /s	173	1,646	2,300	208	123	2.10
20th percentile	ft <sup>3</sup> /s	238	2,440	3,000	258	182	3.00
30th percentile	ft <sup>3</sup> /s	282	3,038	3,570	275	228	3.30
40th percentile	ft <sup>3</sup> /s	330	3,670	4,140	328	299	4.08
50th percentile	ft <sup>3</sup> /s	374	4,370	4,665	429	378	4.70
60th percentile	ft <sup>3</sup> /s	426	5,176	5,340	495	478	6.10
70th percentile	ft <sup>3</sup> /s	490	6,000	6,100	575	590	7.68
80th percentile	ft <sup>3</sup> /s	589	7,200	7,394	725	799	8.96
90th percentile	ft <sup>3</sup> /s	793	9,680	9,998	1,160	1,160	11.0
Drainage area	mi <sup>2</sup>	309	2767	2961	275	299	1.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	20.4	16.4	14.8	13.8	25.5	15.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.194	0.272	0.304	0.560	0.134	1.00
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.58	1.58	1.56	1.26	2.47
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.52	1.91	1.88	2.09	1.94	3.38
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	2.70
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	1.22	1.33	1.36	0.889	2.24
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	1.45	1.23	1.88	2.31	2.62
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.437	0.441	0.540	0.665	0.334	1.05
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.560	0.595	0.777	0.756	0.411	1.11
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.770	0.882	1.01	0.938	0.607	1.58
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.913	1.10	1.21	1.00	0.764	1.74
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	1.33	1.40	1.19	1.00	2.15
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.58	1.58	1.56	1.26	2.47
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	1.87	1.80	1.80	1.60	3.21
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.59	2.17	2.06	2.09	1.97	4.04
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.91	2.60	2.50	2.64	2.67	4.72
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.57	3.50	3.38	4.22	3.88	5.79

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>03170000</b>	<b>03171000</b>	<b>03171500</b>	<b>03172500</b>	<b>03173000</b>	<b>03175100</b>
Count	number	2,449	2,356	1,922	248	2,139	124
Max	ft <sup>3</sup> /s	6,440	57,700	43,400	9,180	11,700	35.0
Min	ft <sup>3</sup> /s	60.0	842	921	132	50.0	3.10
Median	ft <sup>3</sup> /s	417	4,890	4,860	476	450	6.00
Arithmetic Mean	ft <sup>3</sup> /s	536	5,898	5,905	698	673	7.41
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	6.46
Harmonic Mean	ft <sup>3</sup> /s	381	3,949	4,356	433	368	5.86
Standard Deviation	ft <sup>3</sup> /s	481	4,523	4,058	807	725	4.90
5th percentile	ft <sup>3</sup> /s	194	1,650	2,120	180	139	3.45
10th percentile	ft <sup>3</sup> /s	229	2,185	2,630	258	184	4.00
20th percentile	ft <sup>3</sup> /s	281	2,980	3,340	328	264	4.20
30th percentile	ft <sup>3</sup> /s	329	3,605	3,800	364	322	4.70
40th percentile	ft <sup>3</sup> /s	372	4,220	4,320	420	386	5.32
50th percentile	ft <sup>3</sup> /s	417	4,890	4,860	476	450	6.00
60th percentile	ft <sup>3</sup> /s	463	5,590	5,450	543	546	6.68
70th percentile	ft <sup>3</sup> /s	524	6,380	6,200	665	661	7.31
80th percentile	ft <sup>3</sup> /s	630	7,750	7,600	910	880	9.18
90th percentile	ft <sup>3</sup> /s	890	10,700	10,500	1,200	1,330	12.0
Drainage area	mi <sup>2</sup>	309	2767	2961	275	299	1.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	20.8	20.9	14.7	33.4	39.1	18.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.194	0.304	0.311	0.480	0.167	1.63
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	1.77	1.64	1.73	1.51	3.16
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	2.13	1.99	2.54	2.25	3.90
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	3.40
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.43	1.47	1.57	1.23	3.08
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.63	1.37	2.94	2.42	2.58
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.628	0.596	0.716	0.655	0.465	1.82
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.741	0.790	0.888	0.938	0.615	2.11
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.909	1.08	1.13	1.19	0.882	2.21
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.30	1.28	1.32	1.08	2.47
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.53	1.46	1.53	1.29	2.80
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	1.77	1.64	1.73	1.51	3.16
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.50	2.02	1.84	1.97	1.83	3.52
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	2.31	2.09	2.42	2.21	3.85
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.04	2.80	2.57	3.31	2.94	4.83
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.88	3.87	3.55	4.36	4.45	6.32

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>03170000</b>	<b>03171000</b>	<b>03171500</b>	<b>03172500</b>	<b>03173000</b>	<b>03175100</b>
Count	number	2,370	2,280	1,860	240	2,100	120
Max	ft <sup>3</sup> /s	8,090	49,600	40,900	3,100	9,000	17.0
Min	ft <sup>3</sup> /s	110	816	825	107	76.0	2.50
Median	ft <sup>3</sup> /s	384	4,380	4,380	383	368	5.00
Arithmetic Mean	ft <sup>3</sup> /s	500	5,414	5,263	508	545	5.73
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	5.27
Harmonic Mean	ft <sup>3</sup> /s	362	3,677	4,004	343	315	4.91
Standard Deviation	ft <sup>3</sup> /s	483	4,207	3,470	403	626	2.68
5th percentile	ft <sup>3</sup> /s	203	1,571	1,980	162	133	3.11
10th percentile	ft <sup>3</sup> /s	225	2,059	2,560	186	170	3.50
20th percentile	ft <sup>3</sup> /s	260	2,780	3,060	258	218	3.80
30th percentile	ft <sup>3</sup> /s	296	3,330	3,497	293	257	4.10
40th percentile	ft <sup>3</sup> /s	338	3,776	3,870	328	305	4.60
50th percentile	ft <sup>3</sup> /s	384	4,380	4,380	383	368	5.00
60th percentile	ft <sup>3</sup> /s	442	5,044	4,984	427	435	5.20
70th percentile	ft <sup>3</sup> /s	497	5,873	5,560	515	539	6.10
80th percentile	ft <sup>3</sup> /s	594	6,980	6,690	670	696	7.24
90th percentile	ft <sup>3</sup> /s	818	9,772	9,176	980	1,031	8.82
Drainage area	mi <sup>2</sup>	309	2767	2961	275	299	1.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	26.2	17.9	13.8	11.3	30.1	8.95
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.356	0.295	0.279	0.389	0.254	1.32
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	1.58	1.48	1.39	1.23	2.63
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	1.96	1.78	1.85	1.82	3.01
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	2.77
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.33	1.35	1.25	1.05	2.59
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.52	1.17	1.47	2.09	1.41
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.657	0.568	0.669	0.589	0.445	1.63
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.728	0.744	0.865	0.676	0.569	1.84
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.841	1.00	1.03	0.938	0.729	2.00
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.958	1.20	1.18	1.07	0.860	2.16
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.36	1.31	1.19	1.02	2.42
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	1.58	1.48	1.39	1.23	2.63
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	1.82	1.68	1.55	1.46	2.74
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.61	2.12	1.88	1.87	1.80	3.21
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.92	2.52	2.26	2.44	2.33	3.81
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.65	3.53	3.10	3.56	3.45	4.64



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	03170000	03171000	03171500	03172500	03173000	03175100
Count	number	2,449	2,356	1,922	248	2,170	124
Max	ft <sup>3</sup> /s	5,860	50,400	50,100	3,300	6,390	39.0
Min	ft <sup>3</sup> /s	103	873	695	61.0	61.0	2.70
Median	ft <sup>3</sup> /s	337	3,700	3,700	199	264	5.20
Arithmetic Mean	ft <sup>3</sup> /s	402	4,408	4,303	337	419	8.48
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	6.63
Harmonic Mean	ft <sup>3</sup> /s	311	3,203	3,275	181	232	5.53
Standard Deviation	ft <sup>3</sup> /s	291	3,104	2,907	425	516	6.88
5th percentile	ft <sup>3</sup> /s	172	1,510	1,670	86.9	102	3.10
10th percentile	ft <sup>3</sup> /s	192	1,860	1,982	102	123	3.40
20th percentile	ft <sup>3</sup> /s	225	2,400	2,460	122	158	3.66
30th percentile	ft <sup>3</sup> /s	260	2,800	2,860	148	191	4.00
40th percentile	ft <sup>3</sup> /s	299	3,210	3,264	176	225	4.40
50th percentile	ft <sup>3</sup> /s	337	3,700	3,700	199	264	5.20
60th percentile	ft <sup>3</sup> /s	382	4,240	4,100	224	314	7.28
70th percentile	ft <sup>3</sup> /s	432	4,830	4,637	258	384	9.61
80th percentile	ft <sup>3</sup> /s	506	5,830	5,400	364	510	12.0
90th percentile	ft <sup>3</sup> /s	634	7,530	7,120	743	838	18.7
Drainage area	mi <sup>2</sup>	309	2767	2961	275	299	1.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	19.0	18.2	16.9	12.0	21.4	20.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.333	0.316	0.235	0.222	0.204	1.42
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.34	1.25	0.724	0.883	2.74
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.59	1.45	1.23	1.40	4.46
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	3.49
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.16	1.11	0.659	0.777	2.91
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.942	1.12	0.982	1.55	1.72	3.62
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.555	0.546	0.564	0.316	0.340	1.63
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.621	0.672	0.669	0.371	0.411	1.79
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.728	0.867	0.831	0.444	0.528	1.93
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.843	1.01	0.966	0.538	0.639	2.11
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.968	1.16	1.10	0.641	0.753	2.32
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.34	1.25	0.724	0.883	2.74
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	1.53	1.38	0.815	1.05	3.83
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	1.75	1.57	0.938	1.28	5.06
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.64	2.11	1.82	1.32	1.71	6.32
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.05	2.72	2.40	2.70	2.80	9.84

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>03170000</b>	<b>03171000</b>	<b>03171500</b>	<b>03172500</b>	<b>03173000</b>	<b>03175100</b>
Count	number	2,370	2,280	1,860	240	2,100	143
Max	ft <sup>3</sup> /s	10,000	50,700	50,400	3,500	14,100	20.0
Min	ft <sup>3</sup> /s	68.0	728	661	32.0	40.0	0.490
Median	ft <sup>3</sup> /s	275	3,060	2,860	160	146	2.70
Arithmetic Mean	ft <sup>3</sup> /s	339	3,638	3,485	271	242	3.36
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	2.55
Harmonic Mean	ft <sup>3</sup> /s	244	2,544	2,577	116	133	1.87
Standard Deviation	ft <sup>3</sup> /s	358	3,029	2,829	387	454	2.76
5th percentile	ft <sup>3</sup> /s	119	1,140	1,291	44.1	62.0	0.578
10th percentile	ft <sup>3</sup> /s	140	1,400	1,520	51.0	72.0	0.728
20th percentile	ft <sup>3</sup> /s	180	1,758	1,860	72.8	91.0	1.44
30th percentile	ft <sup>3</sup> /s	211	2,167	2,180	95.0	110	2.00
40th percentile	ft <sup>3</sup> /s	246	2,600	2,530	117	125	2.50
50th percentile	ft <sup>3</sup> /s	275	3,060	2,860	160	146	2.70
60th percentile	ft <sup>3</sup> /s	309	3,510	3,260	199	172	3.10
70th percentile	ft <sup>3</sup> /s	348	4,050	3,740	258	211	3.70
80th percentile	ft <sup>3</sup> /s	408	4,720	4,410	364	280	4.50
90th percentile	ft <sup>3</sup> /s	540	6,092	5,702	535	454	6.24
Drainage area	mi <sup>2</sup>	309	2767	2961	275	299	1.9
Max	ft <sup>3</sup> /mi <sup>2</sup>	32.4	18.3	17.0	12.7	47.2	10.5
Min	ft <sup>3</sup> /mi <sup>2</sup>	0.220	0.263	0.223	0.116	0.134	0.258
Median	ft <sup>3</sup> /mi <sup>2</sup>	0.890	1.11	0.966	0.582	0.488	1.42
Arithmetic Mean	ft <sup>3</sup> /mi <sup>2</sup>	1.10	1.31	1.18	0.985	0.811	1.77
Geometric Mean	ft <sup>3</sup> /mi <sup>2</sup>	--	--	--	--	--	1.34
Harmonic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.789	0.920	0.870	0.423	0.446	0.986
Standard Deviation	ft <sup>3</sup> /mi <sup>2</sup>	1.16	1.09	0.955	1.41	1.52	1.45
5th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.385	0.412	0.436	0.160	0.207	0.304
10th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.453	0.506	0.513	0.185	0.241	0.383
20th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.583	0.635	0.628	0.265	0.304	0.758
30th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.683	0.783	0.736	0.345	0.368	1.05
40th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.796	0.940	0.854	0.425	0.418	1.32
50th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.890	1.11	0.966	0.582	0.488	1.42
60th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.00	1.27	1.10	0.724	0.575	1.63
70th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.13	1.46	1.26	0.938	0.706	1.95
80th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.32	1.71	1.49	1.32	0.936	2.37
90th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.75	2.20	1.93	1.95	1.52	3.28

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>03170000</b>	<b>03171000</b>	<b>03171500</b>	<b>03172500</b>	<b>03173000</b>	<b>03175100</b>
Count	number	2,449	2,356	1,922	248	2,170	155
Max	ft <sup>3</sup> /s	2,630	29,800	108,000	6,070	3,920	18.0
Min	ft <sup>3</sup> /s	51.0	715	635	28.0	32.0	0.330
Median	ft <sup>3</sup> /s	220	2,360	2,310	107	91.0	1.20
Arithmetic Mean	ft <sup>3</sup> /s	265	2,779	2,989	246	145	1.56
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	1.17
Harmonic Mean	ft <sup>3</sup> /s	195	2,104	2,149	83.6	87.2	0.947
Standard Deviation	ft <sup>3</sup> /s	207	1,919	3,688	569	236	2.04
5th percentile	ft <sup>3</sup> /s	94.0	1,050	1,120	32.5	44.0	0.378
10th percentile	ft <sup>3</sup> /s	110	1,210	1,300	38.7	53.0	0.434
20th percentile	ft <sup>3</sup> /s	143	1,520	1,580	46.4	63.0	0.730
30th percentile	ft <sup>3</sup> /s	174	1,790	1,820	65.3	72.0	0.960
40th percentile	ft <sup>3</sup> /s	199	2,070	2,040	86.0	82.0	1.10
50th percentile	ft <sup>3</sup> /s	220	2,360	2,310	107	91.0	1.20
60th percentile	ft <sup>3</sup> /s	248	2,670	2,630	145	102	1.30
70th percentile	ft <sup>3</sup> /s	282	3,080	3,027	174	120	1.60
80th percentile	ft <sup>3</sup> /s	328	3,620	3,560	241	151	1.80
90th percentile	ft <sup>3</sup> /s	429	4,655	4,820	438	237	2.30
Drainage area	mi <sup>2</sup>	309	2767	2961	275	299	1.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.51	10.8	36.5	22.1	13.1	9.47
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.165	0.258	0.214	0.102	0.107	0.174
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.712	0.853	0.780	0.389	0.304	0.632
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.859	1.00	1.01	0.893	0.486	0.820
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.615
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.632	0.760	0.726	0.304	0.292	0.498
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.668	0.693	1.25	2.07	0.788	1.07
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.304	0.379	0.378	0.118	0.147	0.199
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.356	0.437	0.439	0.141	0.177	0.228
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.463	0.549	0.534	0.169	0.211	0.384
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.563	0.647	0.615	0.237	0.241	0.505
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.644	0.748	0.689	0.313	0.274	0.579
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.712	0.853	0.780	0.389	0.304	0.632
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.803	0.965	0.888	0.527	0.341	0.684
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.913	1.11	1.02	0.632	0.401	0.842
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.31	1.20	0.876	0.505	0.947
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	1.68	1.63	1.59	0.793	1.21

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>03170000</b>	<b>03171000</b>	<b>03171500</b>	<b>03172500</b>	<b>03173000</b>	<b>03175100</b>
Count	number	2,449	2,356	1,922	248	2,170	155
Max	ft <sup>3</sup> /s	8,470	105,000	91,100	2,730	4,900	17.0
Min	ft <sup>3</sup> /s	31.0	550	670	26.0	26.0	0.260
Median	ft <sup>3</sup> /s	183	1,980	2,080	75.0	73.0	0.960
Arithmetic Mean	ft <sup>3</sup> /s	248	2,598	2,856	140	130	1.45
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	1.02
Harmonic Mean	ft <sup>3</sup> /s	161	1,778	1,945	68.0	71.6	0.788
Standard Deviation	ft <sup>3</sup> /s	395	3,557	3,911	267	226	1.91
5th percentile	ft <sup>3</sup> /s	78.0	915	1,000	30.0	37.6	0.290
10th percentile	ft <sup>3</sup> /s	95.0	1,020	1,141	37.7	43.0	0.340
20th percentile	ft <sup>3</sup> /s	117	1,200	1,402	46.4	50.0	0.596
30th percentile	ft <sup>3</sup> /s	142	1,450	1,640	51.1	56.0	0.750
40th percentile	ft <sup>3</sup> /s	161	1,700	1,854	61.0	64.0	0.820
50th percentile	ft <sup>3</sup> /s	183	1,980	2,080	75.0	73.0	0.960
60th percentile	ft <sup>3</sup> /s	205	2,290	2,380	93.0	84.0	1.20
70th percentile	ft <sup>3</sup> /s	232	2,640	2,780	117	100	1.50
80th percentile	ft <sup>3</sup> /s	277	3,150	3,380	143	136	1.90
90th percentile	ft <sup>3</sup> /s	375	4,140	4,809	246	233	2.66
Drainage area	mi <sup>2</sup>	309	2767	2961	275	299	1.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	27.4	37.9	30.8	9.93	16.4	8.95
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.100	0.199	0.226	0.095	0.087	0.137
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.592	0.716	0.702	0.273	0.244	0.505
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.802	0.939	0.964	0.507	0.433	0.765
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.539
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.519	0.642	0.657	0.247	0.239	0.415
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.29	1.32	0.972	0.758	1.00
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.252	0.331	0.338	0.109	0.126	0.153
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.307	0.369	0.385	0.137	0.144	0.179
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.379	0.434	0.473	0.169	0.167	0.314
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.460	0.524	0.554	0.186	0.187	0.395
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.521	0.614	0.626	0.222	0.214	0.432
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.592	0.716	0.702	0.273	0.244	0.505
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.663	0.828	0.804	0.338	0.281	0.632
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.751	0.954	0.939	0.425	0.334	0.789
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.898	1.14	1.14	0.520	0.455	1.00
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.50	1.62	0.895	0.779	1.40

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>03170000</b>	<b>03171000</b>	<b>03171500</b>	<b>03172500</b>	<b>03173000</b>	<b>03175100</b>
Count	number	2,370	2,280	1,860	240	2,100	150
Max	ft <sup>3</sup> /s	9,330	65,600	50,700	2,370	4,650	47.0
Min	ft <sup>3</sup> /s	40.0	578	635	30.0	24.0	0.310
Median	ft <sup>3</sup> /s	166	1,700	1,700	64.0	57.0	0.765
Arithmetic Mean	ft <sup>3</sup> /s	255	2,520	2,513	140	107	2.05
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	0.975
Harmonic Mean	ft <sup>3</sup> /s	154	1,658	1,686	66.8	57.7	0.758
Standard Deviation	ft <sup>3</sup> /s	481	3,134	2,841	248	242	5.32
5th percentile	ft <sup>3</sup> /s	80.0	920	899	36.1	33.0	0.356
10th percentile	ft <sup>3</sup> /s	94.0	1,020	1,069	39.0	38.0	0.467
20th percentile	ft <sup>3</sup> /s	111	1,150	1,220	47.0	42.0	0.520
30th percentile	ft <sup>3</sup> /s	128	1,300	1,360	51.0	47.0	0.570
40th percentile	ft <sup>3</sup> /s	146	1,516	1,500	58.0	51.0	0.630
50th percentile	ft <sup>3</sup> /s	166	1,700	1,700	64.0	57.0	0.765
60th percentile	ft <sup>3</sup> /s	185	1,960	1,970	75.0	64.0	1.04
70th percentile	ft <sup>3</sup> /s	210	2,343	2,373	90.9	72.0	1.20
80th percentile	ft <sup>3</sup> /s	260	3,022	2,992	136	89.0	1.40
90th percentile	ft <sup>3</sup> /s	420	4,471	4,461	262	161	2.30
Drainage area	mi <sup>2</sup>	309	2767	2961	275	299	1.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	30.2	23.7	17.1	8.62	15.6	24.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.129	0.209	0.214	0.109	0.080	0.163
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.537	0.614	0.574	0.233	0.191	0.403
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.824	0.911	0.849	0.511	0.359	1.08
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.513
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.498	0.599	0.569	0.243	0.193	0.399
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.13	0.959	0.903	0.809	2.80
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.259	0.332	0.304	0.131	0.110	0.187
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.304	0.369	0.361	0.142	0.127	0.246
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.359	0.416	0.412	0.171	0.140	0.274
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.414	0.470	0.459	0.185	0.157	0.300
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.472	0.548	0.507	0.211	0.171	0.332
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.537	0.614	0.574	0.233	0.191	0.403
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.599	0.708	0.665	0.273	0.214	0.547
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.681	0.847	0.801	0.331	0.241	0.632
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.841	1.09	1.01	0.493	0.298	0.737
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.36	1.62	1.51	0.951	0.539	1.21

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>03170000</b>	<b>03171000</b>	<b>03171500</b>	<b>03172500</b>	<b>03173000</b>	<b>03175100</b>
Count	number	2,480	2,387	1,922	248	2,170	155
Max	ft <sup>3</sup> /s	13,200	45,700	49,700	3,300	4,180	35.0
Min	ft <sup>3</sup> /s	57.0	655	662	28.0	23.0	0.340
Median	ft <sup>3</sup> /s	180	1,820	1,860	93.0	62.0	0.860
Arithmetic Mean	ft <sup>3</sup> /s	289	2,639	2,862	175	127	2.49
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	1.22
Harmonic Mean	ft <sup>3</sup> /s	172	1,733	1,816	79.6	64.1	0.817
Standard Deviation	ft <sup>3</sup> /s	547	2,851	3,705	339	232	4.48
5th percentile	ft <sup>3</sup> /s	88.0	950	994	38.5	36.0	0.368
10th percentile	ft <sup>3</sup> /s	102	1,050	1,110	43.0	40.0	0.450
20th percentile	ft <sup>3</sup> /s	126	1,160	1,262	50.0	44.0	0.480
30th percentile	ft <sup>3</sup> /s	138	1,320	1,400	58.0	48.0	0.510
40th percentile	ft <sup>3</sup> /s	158	1,570	1,620	74.4	53.0	0.732
50th percentile	ft <sup>3</sup> /s	180	1,820	1,860	93.0	62.0	0.860
60th percentile	ft <sup>3</sup> /s	204	2,160	2,210	110	74.0	1.04
70th percentile	ft <sup>3</sup> /s	246	2,570	2,720	132	96.0	2.20
80th percentile	ft <sup>3</sup> /s	330	3,248	3,360	192	138	3.30
90th percentile	ft <sup>3</sup> /s	466	4,784	4,779	310	250	5.44
Drainage area	mi <sup>2</sup>	309	2767	2961	275	299	1.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	42.7	16.5	16.8	12.0	14.0	18.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.184	0.237	0.224	0.102	0.077	0.179
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.583	0.658	0.628	0.338	0.207	0.453
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.934	0.954	0.967	0.638	0.423	1.31
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.641
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.557	0.626	0.613	0.290	0.214	0.430
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.77	1.03	1.25	1.23	0.775	2.36
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.285	0.343	0.336	0.140	0.120	0.194
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.330	0.379	0.375	0.156	0.134	0.237
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.408	0.419	0.426	0.182	0.147	0.253
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.447	0.477	0.473	0.211	0.161	0.268
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.511	0.567	0.547	0.271	0.177	0.385
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.583	0.658	0.628	0.338	0.207	0.453
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.660	0.781	0.746	0.401	0.247	0.547
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.797	0.929	0.919	0.480	0.321	1.16
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	1.17	1.13	0.698	0.462	1.74
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.51	1.73	1.61	1.13	0.836	2.86

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>03170000</b>	<b>03171000</b>	<b>03171500</b>	<b>03172500</b>	<b>03173000</b>	<b>03175100</b>
Count	number	2,395	2,305	1,860	240	2,095	150
Max	ft <sup>3</sup> /s	8,020	82,500	31,100	725	4,580	6.90
Min	ft <sup>3</sup> /s	81.0	627	657	33.0	26.0	0.480
Median	ft <sup>3</sup> /s	218	2,150	2,185	97.0	88.0	1.70
Arithmetic Mean	ft <sup>3</sup> /s	302	3,026	2,907	131	193	2.28
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	1.85
Harmonic Mean	ft <sup>3</sup> /s	208	1,962	2,054	82.4	83.8	1.47
Standard Deviation	ft <sup>3</sup> /s	352	3,294	2,464	107	321	1.50
5th percentile	ft <sup>3</sup> /s	113	1,013	1,120	37.1	41.0	0.480
10th percentile	ft <sup>3</sup> /s	129	1,100	1,220	45.0	45.0	0.659
20th percentile	ft <sup>3</sup> /s	146	1,270	1,420	51.0	51.0	1.20
30th percentile	ft <sup>3</sup> /s	167	1,520	1,630	61.0	59.0	1.40
40th percentile	ft <sup>3</sup> /s	191	1,800	1,840	77.0	69.0	1.60
50th percentile	ft <sup>3</sup> /s	218	2,150	2,185	97.0	88.0	1.70
60th percentile	ft <sup>3</sup> /s	253	2,580	2,530	120	121	2.14
70th percentile	ft <sup>3</sup> /s	303	3,278	3,026	148	162	2.70
80th percentile	ft <sup>3</sup> /s	372	4,028	3,772	182	241	3.34
90th percentile	ft <sup>3</sup> /s	502	5,580	5,211	275	421	4.71
Drainage area	mi <sup>2</sup>	309	2767	2961	275	299	1.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	26.0	29.8	10.5	2.64	15.3	3.63
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.262	0.227	0.222	0.120	0.087	0.253
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.706	0.777	0.738	0.353	0.294	0.895
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.979	1.09	0.982	0.475	0.646	1.20
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	0.972
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.674	0.709	0.694	0.300	0.280	0.773
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.19	0.832	0.389	1.07	0.788
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.366	0.366	0.378	0.135	0.137	0.253
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.417	0.398	0.412	0.164	0.151	0.347
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.472	0.459	0.480	0.185	0.171	0.632
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.541	0.549	0.550	0.222	0.197	0.737
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.618	0.651	0.621	0.280	0.231	0.842
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.706	0.777	0.738	0.353	0.294	0.895
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.819	0.932	0.854	0.436	0.405	1.13
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.981	1.18	1.02	0.538	0.542	1.42
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.46	1.27	0.661	0.807	1.76
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	2.02	1.76	1.00	1.41	2.48

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>03170000</b>	<b>03171000</b>	<b>03171500</b>	<b>03172500</b>	<b>03173000</b>	<b>03175100</b>
Count	number	2,449	2,356	1,922	248	2,139	142
Max	ft <sup>3</sup> /s	6,260	44,800	48,700	4,500	5,730	44.0
Min	ft <sup>3</sup> /s	66.0	700	692	46.0	25.0	1.20
Median	ft <sup>3</sup> /s	267	2,800	2,900	140	154	2.65
Arithmetic Mean	ft <sup>3</sup> /s	334	3,624	3,872	339	316	5.70
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	3.66
Harmonic Mean	ft <sup>3</sup> /s	231	2,324	2,568	133	117	2.77
Standard Deviation	ft <sup>3</sup> /s	357	3,008	3,433	534	466	7.18
5th percentile	ft <sup>3</sup> /s	110	1,029	1,262	58.0	44.0	1.32
10th percentile	ft <sup>3</sup> /s	128	1,150	1,400	71.4	49.0	1.60
20th percentile	ft <sup>3</sup> /s	161	1,490	1,700	84.0	67.0	1.80
30th percentile	ft <sup>3</sup> /s	198	1,900	2,110	97.0	92.0	2.00
40th percentile	ft <sup>3</sup> /s	230	2,350	2,500	112	116	2.30
50th percentile	ft <sup>3</sup> /s	267	2,800	2,900	140	154	2.65
60th percentile	ft <sup>3</sup> /s	305	3,470	3,436	203	225	3.70
70th percentile	ft <sup>3</sup> /s	351	4,175	4,100	275	308	5.67
80th percentile	ft <sup>3</sup> /s	415	5,080	5,040	438	441	8.18
90th percentile	ft <sup>3</sup> /s	542	6,650	7,120	803	714	11.9
Drainage area	mi <sup>2</sup>	309	2767	2961	275	299	1.9
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	20.3	16.2	16.4	16.4	19.2	23.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.214	0.253	0.234	0.167	0.084	0.632
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.864	1.01	0.979	0.509	0.515	1.39
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.31	1.31	1.23	1.06	3.00
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	1.93
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.747	0.840	0.867	0.485	0.390	1.46
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	1.09	1.16	1.94	1.56	3.78
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.356	0.372	0.426	0.211	0.147	0.692
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.414	0.416	0.473	0.260	0.164	0.842
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.521	0.538	0.574	0.305	0.224	0.947
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.641	0.687	0.713	0.353	0.308	1.05
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.744	0.849	0.844	0.407	0.388	1.21
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.864	1.01	0.979	0.509	0.515	1.39
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.987	1.25	1.16	0.739	0.753	1.95
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	1.51	1.38	1.00	1.03	2.98
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.34	1.84	1.70	1.59	1.48	4.31
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.75	2.40	2.40	2.92	2.39	6.26



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>03175140</b>	<b>03175500</b>	<b>03176500</b>	<b>03177700</b>	<b>03177710</b>	<b>03207500</b>
Count	number	93.0	2,356	2,480	465	620	1,085
Max	ft <sup>3</sup> /s	75.0	7,360	89,400	849	1,230	13,600
Min	ft <sup>3</sup> /s	2.00	17.0	871	6.60	3.90	5.00
Median	ft <sup>3</sup> /s	6.20	291	4,765	54.0	58.0	230
Arithmetic Mean	ft <sup>3</sup> /s	8.23	428	5,995	80.8	84.6	448
Geometric Mean	ft <sup>3</sup> /s	6.56	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	5.59	172	3,756	36.6	38.1	96.7
Standard Deviation	ft <sup>3</sup> /s	8.73	531	5,509	83.2	107	853
5th percentile	ft <sup>3</sup> /s	2.47	44.0	1,551	8.30	11.1	22.0
10th percentile	ft <sup>3</sup> /s	3.20	74.0	1,800	18.0	20.0	44.0
20th percentile	ft <sup>3</sup> /s	3.88	132	2,568	31.0	30.0	90.0
30th percentile	ft <sup>3</sup> /s	5.00	186	3,330	37.0	39.0	143
40th percentile	ft <sup>3</sup> /s	5.60	233	4,070	44.0	47.6	182
50th percentile	ft <sup>3</sup> /s	6.20	291	4,765	54.0	58.0	230
60th percentile	ft <sup>3</sup> /s	7.00	359	5,530	68.0	69.0	299
70th percentile	ft <sup>3</sup> /s	9.14	454	6,500	87.8	85.0	380
80th percentile	ft <sup>3</sup> /s	10.6	592	8,000	118	112	551
90th percentile	ft <sup>3</sup> /s	12.0	865	11,000	169	166	954
Drainage area	mi <sup>2</sup>	4.68	223	3783	39.7	44.3	239
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	16.0	33.0	23.6	21.4	27.8	56.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.427	0.076	0.230	0.166	0.088	0.021
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	1.30	1.26	1.36	1.31	0.962
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.76	1.92	1.58	2.04	1.91	1.87
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	0.771	0.993	0.923	0.860	0.404
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.87	2.38	1.46	2.10	2.42	3.57
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.528	0.197	0.410	0.209	0.249	0.092
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.684	0.332	0.476	0.453	0.451	0.184
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.829	0.592	0.679	0.781	0.677	0.377
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	0.832	0.880	0.932	0.880	0.600
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.04	1.08	1.11	1.07	0.762
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	1.30	1.26	1.36	1.31	0.962
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.50	1.61	1.46	1.71	1.56	1.25
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.95	2.03	1.72	2.21	1.92	1.59
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.26	2.65	2.11	2.97	2.53	2.30
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.56	3.88	2.91	4.25	3.75	3.99

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>03175140</b>	<b>03175500</b>	<b>03176500</b>	<b>03177700</b>	<b>03177710</b>	<b>03207500</b>
Count	number	85.0	2,146	2,260	424	564	988
Max	ft <sup>3</sup> /s	80.0	6,860	74,000	650	843	8,790
Min	ft <sup>3</sup> /s	2.50	32.0	1,000	7.60	9.00	15.0
Median	ft <sup>3</sup> /s	8.30	378	5,760	67.5	82.0	350
Arithmetic Mean	ft <sup>3</sup> /s	14.3	545	7,126	91.9	103	586
Geometric Mean	ft <sup>3</sup> /s	9.67	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	7.29	268	4,657	52.2	62.1	221
Standard Deviation	ft <sup>3</sup> /s	15.5	613	5,565	84.1	88.9	829
5th percentile	ft <sup>3</sup> /s	2.50	100	1,860	22.3	26.0	66.0
10th percentile	ft <sup>3</sup> /s	3.60	130	2,399	26.3	31.3	99.7
20th percentile	ft <sup>3</sup> /s	5.48	184	3,380	36.0	44.0	169
30th percentile	ft <sup>3</sup> /s	6.54	239	4,200	46.0	57.0	233
40th percentile	ft <sup>3</sup> /s	7.42	304	4,920	57.0	70.0	290
50th percentile	ft <sup>3</sup> /s	8.30	378	5,760	67.5	82.0	350
60th percentile	ft <sup>3</sup> /s	8.88	468	6,690	77.0	94.8	430
70th percentile	ft <sup>3</sup> /s	12.0	575	7,860	97.3	113	552
80th percentile	ft <sup>3</sup> /s	20.6	734	9,770	124	140	743
90th percentile	ft <sup>3</sup> /s	35.6	1,070	13,200	180	191	1,160
Drainage area	mi <sup>2</sup>	4.68	223	3783	39.7	44.3	239
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	17.1	30.8	19.6	16.4	19.0	36.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.534	0.143	0.264	0.191	0.203	0.063
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.77	1.70	1.52	1.70	1.85	1.46
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.05	2.45	1.88	2.32	2.34	2.45
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.07	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.20	1.23	1.31	1.40	0.925
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.31	2.75	1.47	2.12	2.01	3.47
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.534	0.448	0.492	0.560	0.587	0.276
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.769	0.583	0.634	0.662	0.707	0.417
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	0.825	0.893	0.907	0.993	0.706
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	1.07	1.11	1.16	1.29	0.975
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.59	1.36	1.30	1.44	1.58	1.21
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.77	1.70	1.52	1.70	1.85	1.46
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.90	2.10	1.77	1.94	2.14	1.80
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.56	2.58	2.08	2.45	2.55	2.31
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.40	3.29	2.58	3.13	3.16	3.11
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	7.61	4.80	3.49	4.54	4.30	4.85

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>03175140</b>	<b>03175500</b>	<b>03176500</b>	<b>03177700</b>	<b>03177710</b>	<b>03207500</b>
Count	number	93.0	2,357	2,480	465	620	1,085
Max	ft <sup>3</sup> /s	54.0	7,600	81,600	600	768	13,500
Min	ft <sup>3</sup> /s	4.00	37.0	1,210	17.0	17.0	34.0
Median	ft <sup>3</sup> /s	9.90	458	6,465	70.0	93.0	416
Arithmetic Mean	ft <sup>3</sup> /s	13.6	632	8,107	99.4	115	663
Geometric Mean	ft <sup>3</sup> /s	10.5	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	8.49	369	5,574	61.0	73.8	324
Standard Deviation	ft <sup>3</sup> /s	10.6	632	6,286	89.2	88.2	952
5th percentile	ft <sup>3</sup> /s	4.21	153	2,430	24.0	29.1	141
10th percentile	ft <sup>3</sup> /s	4.64	201	3,110	36.0	43.0	175
20th percentile	ft <sup>3</sup> /s	5.34	274	4,180	44.0	54.0	219
30th percentile	ft <sup>3</sup> /s	5.60	328	4,907	51.2	66.0	267
40th percentile	ft <sup>3</sup> /s	7.16	388	5,670	60.0	79.0	338
50th percentile	ft <sup>3</sup> /s	9.90	458	6,465	70.0	93.0	416
60th percentile	ft <sup>3</sup> /s	13.0	540	7,360	82.0	108	490
70th percentile	ft <sup>3</sup> /s	15.4	652	8,550	100	128	610
80th percentile	ft <sup>3</sup> /s	19.6	820	10,620	134	156	802
90th percentile	ft <sup>3</sup> /s	31.4	1,170	14,700	194	216	1,292
Drainage area	mi <sup>2</sup>	4.68	223	3783	39.7	44.3	239
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	11.5	34.1	21.6	15.1	17.3	56.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.855	0.166	0.320	0.428	0.384	0.142
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.12	2.05	1.71	1.76	2.10	1.74
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.90	2.83	2.14	2.50	2.60	2.77
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.25	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.81	1.66	1.47	1.54	1.66	1.36
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.26	2.84	1.66	2.25	1.99	3.98
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.900	0.685	0.642	0.605	0.656	0.588
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.991	0.901	0.822	0.907	0.971	0.734
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.23	1.10	1.11	1.22	0.916
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.47	1.30	1.29	1.49	1.12
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	1.74	1.50	1.51	1.78	1.41
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.12	2.05	1.71	1.76	2.10	1.74
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.78	2.42	1.95	2.07	2.44	2.05
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.29	2.92	2.26	2.52	2.89	2.55
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.19	3.68	2.81	3.39	3.52	3.35
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	6.71	5.25	3.89	4.88	4.88	5.41

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>03175140</b>	<b>03175500</b>	<b>03176500</b>	<b>03177700</b>	<b>03177710</b>	<b>03207500</b>
Count	number	90.0	2,310	2,400	450	597	1,050
Max	ft <sup>3</sup> /s	58.0	8,380	79,800	717	935	8,030
Min	ft <sup>3</sup> /s	3.40	76.0	1,210	16.0	22.0	24.0
Median	ft <sup>3</sup> /s	12.0	349	5,840	59.0	71.0	290
Arithmetic Mean	ft <sup>3</sup> /s	15.6	492	7,317	84.5	94.6	521
Geometric Mean	ft <sup>3</sup> /s	12.3	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	9.78	306	5,189	54.8	63.5	222
Standard Deviation	ft <sup>3</sup> /s	11.6	511	5,808	82.1	83.5	728
5th percentile	ft <sup>3</sup> /s	3.71	136	2,570	26.0	30.0	93.3
10th percentile	ft <sup>3</sup> /s	4.78	167	3,050	32.9	34.0	126
20th percentile	ft <sup>3</sup> /s	6.14	215	3,800	42.0	45.0	160
30th percentile	ft <sup>3</sup> /s	8.14	257	4,400	46.0	52.0	195
40th percentile	ft <sup>3</sup> /s	11.0	296	5,056	52.0	62.0	238
50th percentile	ft <sup>3</sup> /s	12.0	349	5,840	59.0	71.0	290
60th percentile	ft <sup>3</sup> /s	15.0	419	6,624	70.0	83.6	364
70th percentile	ft <sup>3</sup> /s	17.0	513	7,793	83.0	102	480
80th percentile	ft <sup>3</sup> /s	21.2	642	9,372	105	128	660
90th percentile	ft <sup>3</sup> /s	30.2	896	13,400	158	165	1,051
Drainage area	mi <sup>2</sup>	4.68	223	3783	39.7	44.3	239
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	12.4	37.6	21.1	18.1	21.1	33.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.726	0.341	0.320	0.403	0.497	0.100
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.56	1.57	1.54	1.49	1.60	1.21
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.34	2.20	1.93	2.13	2.14	2.18
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.63	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.09	1.37	1.37	1.38	1.43	0.928
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.48	2.29	1.54	2.07	1.88	3.04
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.793	0.608	0.679	0.655	0.677	0.390
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	0.748	0.806	0.829	0.767	0.527
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	0.964	1.00	1.06	1.02	0.668
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.74	1.15	1.16	1.16	1.17	0.816
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.35	1.33	1.34	1.31	1.40	0.996
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.56	1.57	1.54	1.49	1.60	1.21
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.21	1.88	1.75	1.76	1.89	1.52
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.63	2.30	2.06	2.09	2.30	2.01
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.53	2.88	2.48	2.63	2.89	2.76
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	6.45	4.02	3.54	3.98	3.73	4.40

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>03175140</b>	<b>03175500</b>	<b>03176500</b>	<b>03177700</b>	<b>03177710</b>	<b>03207500</b>
Count	number	93.0	2,387	2,480	465	589	1,085
Max	ft <sup>3</sup> /s	92.0	4,310	66,000	670	996	9,960
Min	ft <sup>3</sup> /s	1.90	51.0	1,100	11.0	16.0	16.0
Median	ft <sup>3</sup> /s	9.50	242	4,830	54.0	58.0	182
Arithmetic Mean	ft <sup>3</sup> /s	13.5	370	5,777	71.0	80.0	361
Geometric Mean	ft <sup>3</sup> /s	8.88	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	6.18	211	4,303	43.9	51.9	124
Standard Deviation	ft <sup>3</sup> /s	14.9	415	3,965	66.8	83.8	671
5th percentile	ft <sup>3</sup> /s	2.14	93.0	2,140	18.0	25.0	42.0
10th percentile	ft <sup>3</sup> /s	2.60	111	2,500	22.0	29.0	54.0
20th percentile	ft <sup>3</sup> /s	3.64	140	3,188	31.8	36.6	84.0
30th percentile	ft <sup>3</sup> /s	5.52	172	3,730	40.0	44.0	110
40th percentile	ft <sup>3</sup> /s	7.00	204	4,300	46.0	50.0	145
50th percentile	ft <sup>3</sup> /s	9.50	242	4,830	54.0	58.0	182
60th percentile	ft <sup>3</sup> /s	11.0	286	5,480	64.0	66.0	235
70th percentile	ft <sup>3</sup> /s	13.4	366	6,223	76.0	77.6	315
80th percentile	ft <sup>3</sup> /s	19.2	498	7,420	88.4	94.0	432
90th percentile	ft <sup>3</sup> /s	28.0	732	9,831	124	148	718
Drainage area	mi <sup>2</sup>	4.68	223	3783	39.7	44.3	239
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	19.7	19.3	17.4	16.9	22.5	41.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.406	0.229	0.291	0.277	0.361	0.067
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.03	1.09	1.28	1.36	1.31	0.762
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.88	1.66	1.53	1.79	1.80	1.51
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.90	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	0.944	1.14	1.11	1.17	0.521
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.18	1.86	1.05	1.68	1.89	2.81
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.457	0.417	0.566	0.453	0.564	0.176
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.556	0.498	0.661	0.554	0.655	0.226
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.778	0.628	0.843	0.801	0.826	0.351
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.18	0.771	0.986	1.01	0.993	0.460
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.50	0.915	1.14	1.16	1.13	0.607
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.03	1.09	1.28	1.36	1.31	0.762
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.35	1.28	1.45	1.61	1.49	0.983
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.86	1.64	1.64	1.91	1.75	1.32
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.10	2.23	1.96	2.23	2.12	1.81
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.98	3.28	2.60	3.12	3.35	3.01

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>03175140</b>	<b>03175500</b>	<b>03176500</b>	<b>03177700</b>	<b>03177710</b>	<b>03207500</b>
Count	number	90.0	2,310	2,400	450	570	1,050
Max	ft <sup>3</sup> /s	11.0	7,890	72,400	272	660	4,330
Min	ft <sup>3</sup> /s	0.700	34.0	940	8.50	7.60	2.20
Median	ft <sup>3</sup> /s	2.90	132	3,630	28.0	36.0	71.0
Arithmetic Mean	ft <sup>3</sup> /s	3.13	210	4,414	38.5	53.7	141
Geometric Mean	ft <sup>3</sup> /s	2.69	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	2.32	115	3,192	25.5	30.5	43.8
Standard Deviation	ft <sup>3</sup> /s	1.84	302	3,724	34.6	68.1	273
5th percentile	ft <sup>3</sup> /s	1.06	51.0	1,550	13.0	13.0	14.6
10th percentile	ft <sup>3</sup> /s	1.50	60.0	1,850	15.0	16.0	18.0
20th percentile	ft <sup>3</sup> /s	1.68	76.0	2,300	18.0	22.0	28.0
30th percentile	ft <sup>3</sup> /s	1.90	91.0	2,730	20.7	27.0	40.0
40th percentile	ft <sup>3</sup> /s	2.20	109	3,190	24.6	32.0	54.6
50th percentile	ft <sup>3</sup> /s	2.90	132	3,630	28.0	36.0	71.0
60th percentile	ft <sup>3</sup> /s	3.30	160	4,164	32.4	42.0	94.0
70th percentile	ft <sup>3</sup> /s	3.63	201	4,760	39.0	48.3	120
80th percentile	ft <sup>3</sup> /s	4.22	263	5,674	49.0	59.0	169
90th percentile	ft <sup>3</sup> /s	4.96	422	7,343	72.0	98.0	278
Drainage area	mi <sup>2</sup>	4.68	223	3783	39.7	44.3	239
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	2.35	35.4	19.1	6.85	14.9	18.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.150	0.152	0.248	0.214	0.172	0.009
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.620	0.592	0.960	0.705	0.813	0.297
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.669	0.943	1.17	0.971	1.21	0.591
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.575	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.496	0.514	0.844	0.643	0.688	0.183
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.393	1.35	0.984	0.872	1.54	1.14
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.225	0.229	0.410	0.327	0.293	0.061
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.321	0.269	0.489	0.378	0.361	0.075
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.359	0.341	0.608	0.453	0.497	0.117
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.406	0.408	0.722	0.521	0.609	0.167
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.470	0.489	0.843	0.620	0.722	0.228
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.620	0.592	0.960	0.705	0.813	0.297
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.705	0.717	1.10	0.816	0.948	0.393
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.776	0.901	1.26	0.982	1.09	0.502
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.902	1.18	1.50	1.23	1.33	0.708
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.89	1.94	1.81	2.21	1.16

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>03175140</b>	<b>03175500</b>	<b>03176500</b>	<b>03177700</b>	<b>03177710</b>	<b>03207500</b>
Count	number	93.0	2,397	2,480	465	589	1,085
Max	ft <sup>3</sup> /s	14.0	7,800	31,700	450	265	4,500
Min	ft <sup>3</sup> /s	0.400	24.0	787	7.00	8.40	0.300
Median	ft <sup>3</sup> /s	1.80	86.0	2,760	20.0	26.0	44.0
Arithmetic Mean	ft <sup>3</sup> /s	2.16	142	3,311	28.2	33.6	101
Geometric Mean	ft <sup>3</sup> /s	1.51	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1.13	76.7	2,523	19.3	24.6	22.2
Standard Deviation	ft <sup>3</sup> /s	2.30	289	2,494	35.1	26.9	219
5th percentile	ft <sup>3</sup> /s	0.500	35.0	1,340	11.0	12.0	8.93
10th percentile	ft <sup>3</sup> /s	0.600	43.0	1,520	13.0	15.0	12.0
20th percentile	ft <sup>3</sup> /s	0.600	53.0	1,858	15.0	18.0	18.0
30th percentile	ft <sup>3</sup> /s	0.700	63.0	2,160	16.0	20.0	24.0
40th percentile	ft <sup>3</sup> /s	1.00	74.0	2,460	18.0	23.0	33.6
50th percentile	ft <sup>3</sup> /s	1.80	86.0	2,760	20.0	26.0	44.0
60th percentile	ft <sup>3</sup> /s	2.12	100	3,084	22.0	29.0	57.0
70th percentile	ft <sup>3</sup> /s	2.34	120	3,520	25.0	35.0	80.0
80th percentile	ft <sup>3</sup> /s	2.60	153	4,080	32.2	43.4	128
90th percentile	ft <sup>3</sup> /s	4.06	229	5,331	44.0	57.0	218
Drainage area	mi <sup>2</sup>	4.68	223	3783	39.7	44.3	239
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	2.99	35.0	8.38	11.3	5.98	18.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.085	0.108	0.208	0.176	0.190	0.001
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.385	0.386	0.730	0.504	0.587	0.184
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.462	0.637	0.875	0.711	0.758	0.422
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.323	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.242	0.344	0.667	0.486	0.555	0.093
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.491	1.30	0.659	0.885	0.606	0.918
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.107	0.157	0.354	0.277	0.271	0.037
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.128	0.193	0.402	0.327	0.339	0.050
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.128	0.238	0.491	0.378	0.406	0.075
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.150	0.283	0.571	0.403	0.451	0.100
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.214	0.332	0.650	0.453	0.519	0.141
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.385	0.386	0.730	0.504	0.587	0.184
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.453	0.448	0.815	0.554	0.655	0.238
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.500	0.538	0.930	0.630	0.790	0.335
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.556	0.686	1.08	0.811	0.980	0.536
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.868	1.03	1.41	1.11	1.29	0.912

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>03175140</b>	<b>03175500</b>	<b>03176500</b>	<b>03177700</b>	<b>03177710</b>	<b>03207500</b>
Count	number	93.0	2,418	2,480	465	589	1,085
Max	ft <sup>3</sup> /s	32.0	3,720	126,000	568	399	9,600
Min	ft <sup>3</sup> /s	0.400	13.0	557	7.20	6.60	0.500
Median	ft <sup>3</sup> /s	2.00	65.0	2,400	18.0	21.0	30.0
Arithmetic Mean	ft <sup>3</sup> /s	4.83	113	3,170	24.8	27.7	92.4
Geometric Mean	ft <sup>3</sup> /s	2.37	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1.31	60.3	2,173	16.9	19.2	15.8
Standard Deviation	ft <sup>3</sup> /s	6.46	176	4,181	36.1	28.8	349
5th percentile	ft <sup>3</sup> /s	0.470	30.0	1,130	9.40	9.45	5.00
10th percentile	ft <sup>3</sup> /s	0.500	34.0	1,280	10.0	11.0	8.44
20th percentile	ft <sup>3</sup> /s	0.600	40.0	1,550	12.0	14.6	13.0
30th percentile	ft <sup>3</sup> /s	1.20	47.0	1,820	14.0	17.0	18.0
40th percentile	ft <sup>3</sup> /s	1.40	56.0	2,096	16.0	19.0	24.0
50th percentile	ft <sup>3</sup> /s	2.00	65.0	2,400	18.0	21.0	30.0
60th percentile	ft <sup>3</sup> /s	3.42	79.0	2,710	20.0	23.0	43.0
70th percentile	ft <sup>3</sup> /s	4.94	97.0	3,110	22.0	26.0	62.0
80th percentile	ft <sup>3</sup> /s	7.56	129	3,740	27.0	32.0	93.2
90th percentile	ft <sup>3</sup> /s	12.0	212	5,163	41.6	46.0	165
Drainage area	mi <sup>2</sup>	4.68	223	3783	39.7	44.3	239
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.84	16.7	33.3	14.3	9.01	40.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.085	0.058	0.147	0.181	0.149	0.002
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.427	0.291	0.634	0.453	0.474	0.126
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.507	0.838	0.625	0.626	0.386
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.507	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.280	0.270	0.574	0.424	0.434	0.066
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	0.788	1.11	0.909	0.650	1.46
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.100	0.135	0.299	0.237	0.213	0.021
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.107	0.152	0.338	0.252	0.248	0.035
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.128	0.179	0.410	0.302	0.330	0.054
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.256	0.211	0.481	0.353	0.384	0.075
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.299	0.251	0.554	0.403	0.429	0.100
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.427	0.291	0.634	0.453	0.474	0.126
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.731	0.354	0.716	0.504	0.519	0.180
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	0.435	0.822	0.554	0.587	0.259
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	0.578	0.989	0.680	0.722	0.390
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.56	0.951	1.36	1.05	1.04	0.690



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>03175140</b>	<b>03175500</b>	<b>03176500</b>	<b>03177700</b>	<b>03177710</b>	<b>03207500</b>
Count	number	90.0	2,340	2,400	450	579	1,050
Max	ft <sup>3</sup> /s	18.0	3,760	74,800	292	429	3,430
Min	ft <sup>3</sup> /s	0.400	10.0	749	6.20	5.80	0.400
Median	ft <sup>3</sup> /s	1.10	50.0	1,995	14.0	17.0	19.0
Arithmetic Mean	ft <sup>3</sup> /s	2.02	85.5	2,977	21.6	26.5	48.5
Geometric Mean	ft <sup>3</sup> /s	1.27	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	0.902	46.5	1,961	13.7	16.5	6.64
Standard Deviation	ft <sup>3</sup> /s	2.50	174	3,791	28.4	37.5	156
5th percentile	ft <sup>3</sup> /s	0.400	25.0	1,091	7.70	8.80	1.20
10th percentile	ft <sup>3</sup> /s	0.400	27.0	1,230	8.49	10.0	3.09
20th percentile	ft <sup>3</sup> /s	0.500	32.0	1,410	9.70	12.0	7.00
30th percentile	ft <sup>3</sup> /s	0.600	37.0	1,590	11.0	14.0	10.0
40th percentile	ft <sup>3</sup> /s	1.00	43.0	1,776	13.0	15.0	14.0
50th percentile	ft <sup>3</sup> /s	1.10	50.0	1,995	14.0	17.0	19.0
60th percentile	ft <sup>3</sup> /s	1.34	58.0	2,254	16.0	18.0	24.0
70th percentile	ft <sup>3</sup> /s	2.00	69.0	2,633	18.0	21.6	35.0
80th percentile	ft <sup>3</sup> /s	3.00	88.0	3,320	23.0	27.0	51.0
90th percentile	ft <sup>3</sup> /s	4.77	133	5,283	33.0	47.6	86.1
Drainage area	mi <sup>2</sup>	4.68	223	3783	39.7	44.3	239
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.85	16.9	19.8	7.36	9.68	14.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.085	0.045	0.198	0.156	0.131	0.002
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.235	0.224	0.527	0.353	0.384	0.079
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.431	0.383	0.787	0.544	0.597	0.203
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.271	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.193	0.209	0.518	0.345	0.372	0.028
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.534	0.781	1.00	0.715	0.847	0.653
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.085	0.112	0.288	0.194	0.199	0.005
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.085	0.121	0.325	0.214	0.226	0.013
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.107	0.143	0.373	0.244	0.271	0.029
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.128	0.166	0.420	0.277	0.316	0.042
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.214	0.193	0.469	0.327	0.339	0.059
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.235	0.224	0.527	0.353	0.384	0.079
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.286	0.260	0.596	0.403	0.406	0.100
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.427	0.309	0.696	0.453	0.488	0.146
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.641	0.395	0.878	0.579	0.609	0.213
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	0.596	1.40	0.831	1.07	0.360

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>03175140</b>	<b>03175500</b>	<b>03176500</b>	<b>03177700</b>	<b>03177710</b>	<b>03207500</b>
Count	number	93.0	2,387	2,511	465	651	1,085
Max	ft <sup>3</sup> /s	83.0	4,320	57,600	739	394	1,860
Min	ft <sup>3</sup> /s	0.300	18.0	676	5.20	6.10	0.300
Median	ft <sup>3</sup> /s	1.30	53.0	2,140	18.0	17.0	18.0
Arithmetic Mean	ft <sup>3</sup> /s	5.39	111	3,299	32.8	27.9	60.5
Geometric Mean	ft <sup>3</sup> /s	2.16	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1.21	51.1	2,081	14.8	17.9	6.60
Standard Deviation	ft <sup>3</sup> /s	11.0	210	3,896	53.5	33.0	155
5th percentile	ft <sup>3</sup> /s	0.400	25.0	1,150	7.10	11.0	1.60
10th percentile	ft <sup>3</sup> /s	0.420	28.0	1,250	7.80	12.0	4.50
20th percentile	ft <sup>3</sup> /s	0.900	34.0	1,410	8.76	13.0	6.96
30th percentile	ft <sup>3</sup> /s	1.10	38.0	1,590	10.0	14.0	10.0
40th percentile	ft <sup>3</sup> /s	1.30	44.0	1,820	13.6	15.0	14.0
50th percentile	ft <sup>3</sup> /s	1.30	53.0	2,140	18.0	17.0	18.0
60th percentile	ft <sup>3</sup> /s	2.08	64.0	2,540	24.0	19.0	25.0
70th percentile	ft <sup>3</sup> /s	4.40	86.0	3,130	31.0	25.0	36.0
80th percentile	ft <sup>3</sup> /s	6.70	126	4,040	42.0	35.0	59.0
90th percentile	ft <sup>3</sup> /s	11.6	219	5,990	65.2	56.0	137
Drainage area	mi <sup>2</sup>	4.68	223	3783	39.7	44.3	239
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	17.7	19.4	15.2	18.6	8.89	7.78
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.064	0.081	0.179	0.131	0.138	0.001
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.278	0.238	0.566	0.453	0.384	0.075
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	0.496	0.872	0.825	0.631	0.253
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.461	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.260	0.229	0.550	0.373	0.403	0.028
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.34	0.942	1.03	1.35	0.746	0.649
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.085	0.112	0.304	0.179	0.248	0.007
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.090	0.126	0.330	0.196	0.271	0.019
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.192	0.152	0.373	0.221	0.293	0.029
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.235	0.170	0.420	0.252	0.316	0.042
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.278	0.197	0.481	0.343	0.339	0.059
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.278	0.238	0.566	0.453	0.384	0.075
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.444	0.287	0.671	0.605	0.429	0.105
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.940	0.386	0.827	0.781	0.564	0.151
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	0.565	1.07	1.06	0.790	0.247
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.48	0.982	1.58	1.64	1.26	0.572

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>03175140</b>	<b>03175500</b>	<b>03176500</b>	<b>03177700</b>	<b>03177710</b>	<b>03207500</b>
Count	number	90.0	2,305	2,425	450	624	1,050
Max	ft <sup>3</sup> /s	63.0	7,280	75,800	615	301	4,390
Min	ft <sup>3</sup> /s	0.600	22.0	927	6.20	6.10	1.50
Median	ft <sup>3</sup> /s	1.70	82.0	2,740	25.0	23.0	55.0
Arithmetic Mean	ft <sup>3</sup> /s	7.78	175	3,846	41.2	35.4	137
Geometric Mean	ft <sup>3</sup> /s	3.18	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	1.86	70.2	2,453	19.1	21.2	22.5
Standard Deviation	ft <sup>3</sup> /s	12.6	310	4,214	54.9	33.6	279
5th percentile	ft <sup>3</sup> /s	0.855	31.0	1,240	7.60	11.0	6.50
10th percentile	ft <sup>3</sup> /s	0.990	35.0	1,360	8.60	12.0	10.9
20th percentile	ft <sup>3</sup> /s	1.10	41.8	1,580	11.0	14.0	15.0
30th percentile	ft <sup>3</sup> /s	1.30	50.0	1,880	15.0	16.0	24.0
40th percentile	ft <sup>3</sup> /s	1.46	62.0	2,276	20.0	18.0	34.0
50th percentile	ft <sup>3</sup> /s	1.70	82.0	2,740	25.0	23.0	55.0
60th percentile	ft <sup>3</sup> /s	2.50	109	3,294	30.4	28.0	80.0
70th percentile	ft <sup>3</sup> /s	8.50	150	4,000	40.0	38.0	120
80th percentile	ft <sup>3</sup> /s	12.0	229	5,100	56.2	51.0	175
90th percentile	ft <sup>3</sup> /s	19.2	430	7,208	82.1	75.0	314
Drainage area	mi <sup>2</sup>	4.68	223	3783	39.7	44.3	239
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	13.5	32.6	20.0	15.5	6.79	18.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.128	0.099	0.245	0.156	0.138	0.006
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.363	0.368	0.724	0.630	0.519	0.230
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	0.784	1.02	1.04	0.799	0.574
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.681	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.397	0.315	0.649	0.482	0.479	0.094
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.68	1.39	1.11	1.38	0.759	1.17
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.183	0.139	0.328	0.191	0.248	0.027
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.212	0.157	0.360	0.217	0.271	0.046
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.235	0.187	0.418	0.277	0.316	0.063
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.278	0.224	0.497	0.378	0.361	0.100
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.312	0.278	0.602	0.504	0.406	0.142
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.363	0.368	0.724	0.630	0.519	0.230
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.534	0.489	0.871	0.766	0.632	0.335
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.82	0.673	1.06	1.01	0.858	0.502
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.56	1.03	1.35	1.42	1.15	0.733
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.10	1.93	1.91	2.07	1.69	1.32

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>03175140</b>	<b>03175500</b>	<b>03176500</b>	<b>03177700</b>	<b>03177710</b>	<b>03207500</b>
Count	number	93.0	2,356	2,480	465	620	1,085
Max	ft <sup>3</sup> /s	27.0	5,690	59,600	558	436	6,920
Min	ft <sup>3</sup> /s	1.50	20.0	950	5.00	6.00	1.80
Median	ft <sup>3</sup> /s	6.50	164	3,630	40.0	38.0	150
Arithmetic Mean	ft <sup>3</sup> /s	7.58	307	4,654	57.6	57.3	312
Geometric Mean	ft <sup>3</sup> /s	5.47	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	3.90	108	3,020	24.8	29.8	45.8
Standard Deviation	ft <sup>3</sup> /s	6.10	416	3,950	65.9	57.8	562
5th percentile	ft <sup>3</sup> /s	1.50	35.0	1,361	7.20	12.0	11.0
10th percentile	ft <sup>3</sup> /s	1.50	43.5	1,570	9.88	14.0	16.4
20th percentile	ft <sup>3</sup> /s	2.08	66.0	1,940	16.0	19.0	36.0
30th percentile	ft <sup>3</sup> /s	3.20	90.0	2,520	24.0	25.0	59.2
40th percentile	ft <sup>3</sup> /s	4.50	118	3,020	31.6	30.0	95.0
50th percentile	ft <sup>3</sup> /s	6.50	164	3,630	40.0	38.0	150
60th percentile	ft <sup>3</sup> /s	8.02	233	4,400	49.0	48.0	210
70th percentile	ft <sup>3</sup> /s	8.78	314	5,230	60.0	63.0	285
80th percentile	ft <sup>3</sup> /s	11.0	458	6,320	78.8	82.0	406
90th percentile	ft <sup>3</sup> /s	15.6	696	8,543	119	118	711
Drainage area	mi <sup>2</sup>	4.68	223	3783	39.7	44.3	239
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	5.77	25.5	15.8	14.1	9.84	29.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.321	0.090	0.251	0.126	0.135	0.008
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	0.735	0.960	1.01	0.858	0.628
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	1.38	1.23	1.45	1.29	1.31
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.834	0.485	0.798	0.625	0.673	0.192
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.86	1.04	1.66	1.30	2.35
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.321	0.157	0.360	0.181	0.271	0.046
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.321	0.195	0.415	0.249	0.316	0.069
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.444	0.296	0.513	0.403	0.429	0.151
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.684	0.404	0.666	0.605	0.564	0.248
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.962	0.529	0.798	0.796	0.677	0.397
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	0.735	0.960	1.01	0.858	0.628
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	1.04	1.16	1.23	1.08	0.879
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.88	1.41	1.38	1.51	1.42	1.19
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.35	2.05	1.67	1.98	1.85	1.70
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.33	3.12	2.26	3.00	2.67	2.98

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		January					
	units						
Station Number	number	03207800	03208032	03208033	03208034	03208036	03208040
Count	number	1,240	31.0	31.0	62.0	62.0	62.0
Max	ft <sup>3</sup> /s	11,600	1.90	2.80	26.0	16.0	72.0
Min	ft <sup>3</sup> /s	20.0	0.280	0.380	0.620	0.290	2.80
Median	ft <sup>3</sup> /s	333	0.470	0.560	2.10	0.920	7.50
Arithmetic Mean	ft <sup>3</sup> /s	545	0.611	0.847	4.16	2.08	13.6
Geometric Mean	ft <sup>3</sup> /s	--	0.525	0.712	2.70	1.24	9.72
Harmonic Mean	ft <sup>3</sup> /s	205	0.470	0.629	2.01	0.903	7.73
Standard Deviation	ft <sup>3</sup> /s	802	0.404	0.595	5.07	2.88	14.3
5th percentile	ft <sup>3</sup> /s	61.0	0.286	0.392	0.820	0.358	3.28
10th percentile	ft <sup>3</sup> /s	90.0	0.300	0.420	1.11	0.522	4.55
20th percentile	ft <sup>3</sup> /s	155	0.350	0.450	1.40	0.622	5.72
30th percentile	ft <sup>3</sup> /s	210	0.370	0.480	1.60	0.713	6.10
40th percentile	ft <sup>3</sup> /s	262	0.400	0.510	1.80	0.804	6.64
50th percentile	ft <sup>3</sup> /s	333	0.470	0.560	2.10	0.920	7.50
60th percentile	ft <sup>3</sup> /s	415	0.510	0.740	2.62	1.10	9.32
70th percentile	ft <sup>3</sup> /s	511	0.600	0.900	4.41	1.77	13.7
80th percentile	ft <sup>3</sup> /s	719	0.750	1.10	5.60	2.66	18.0
90th percentile	ft <sup>3</sup> /s	1,130	1.20	1.60	8.18	4.68	29.4
Drainage area	mi <sup>2</sup>	297	0.57	0.87	2.82	1.24	10.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	39.1	3.33	3.22	9.22	12.9	7.06
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.067	0.491	0.437	0.220	0.234	0.275
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	0.825	0.644	0.745	0.742	0.735
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.84	1.07	0.974	1.48	1.68	1.33
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.921	0.819	0.957	1.000	0.953
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.689	0.825	0.722	0.712	0.728	0.758
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.70	0.708	0.683	1.80	2.33	1.40
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.205	0.502	0.451	0.291	0.288	0.321
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.303	0.526	0.483	0.394	0.421	0.446
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.521	0.614	0.517	0.496	0.502	0.561
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.706	0.649	0.552	0.567	0.575	0.598
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.883	0.702	0.586	0.638	0.648	0.651
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	0.825	0.644	0.745	0.742	0.735
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	0.895	0.851	0.929	0.887	0.914
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.72	1.05	1.03	1.56	1.43	1.34
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.42	1.32	1.26	1.99	2.15	1.76
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.80	2.11	1.84	2.90	3.77	2.88

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>03207800</b>	<b>03208032</b>	<b>03208033</b>	<b>03208034</b>	<b>03208036</b>	<b>03208040</b>
Count	number	1,130	28.0	28.0	56.0	56.0	56.0
Max	ft <sup>3</sup> /s	11,200	2.00	2.90	46.0	22.0	128
Min	ft <sup>3</sup> /s	60.0	0.470	0.710	1.80	0.860	7.40
Median	ft <sup>3</sup> /s	429	1.10	1.50	5.55	2.70	21.0
Arithmetic Mean	ft <sup>3</sup> /s	657	1.14	1.68	7.47	3.49	28.6
Geometric Mean	ft <sup>3</sup> /s	--	1.08	1.59	6.18	2.73	23.9
Harmonic Mean	ft <sup>3</sup> /s	324	1.02	1.51	5.44	2.32	21.1
Standard Deviation	ft <sup>3</sup> /s	798	0.381	0.558	6.69	3.54	21.9
5th percentile	ft <sup>3</sup> /s	115	0.578	0.886	2.91	1.17	13.0
10th percentile	ft <sup>3</sup> /s	152	0.727	1.17	3.65	1.40	14.0
20th percentile	ft <sup>3</sup> /s	229	0.840	1.20	4.30	1.70	16.0
30th percentile	ft <sup>3</sup> /s	300	0.845	1.40	4.75	1.90	17.0
40th percentile	ft <sup>3</sup> /s	361	1.00	1.40	5.20	2.20	19.0
50th percentile	ft <sup>3</sup> /s	429	1.10	1.50	5.55	2.70	21.0
60th percentile	ft <sup>3</sup> /s	527	1.20	1.52	6.50	3.00	23.0
70th percentile	ft <sup>3</sup> /s	651	1.29	1.97	7.25	3.40	26.0
80th percentile	ft <sup>3</sup> /s	854	1.50	2.26	7.90	3.80	34.0
90th percentile	ft <sup>3</sup> /s	1,280	1.60	2.43	12.5	5.55	52.5
Drainage area	mi <sup>2</sup>	297	0.57	0.87	2.82	1.24	10.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	37.7	3.51	3.33	16.3	17.7	12.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.202	0.825	0.816	0.638	0.694	0.725
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	1.93	1.72	1.97	2.18	2.06
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.21	2.00	1.93	2.65	2.81	2.80
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.90	1.83	2.19	2.20	2.34
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.79	1.73	1.93	1.87	2.07
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.69	0.668	0.642	2.37	2.85	2.15
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.386	1.01	1.02	1.03	0.944	1.27
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.511	1.28	1.34	1.29	1.13	1.37
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.770	1.47	1.38	1.52	1.37	1.57
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.48	1.61	1.68	1.53	1.67
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.75	1.61	1.84	1.77	1.86
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	1.93	1.72	1.97	2.18	2.06
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.77	2.11	1.75	2.30	2.42	2.25
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.19	2.26	2.26	2.57	2.74	2.55
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.88	2.63	2.60	2.80	3.06	3.33
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.31	2.81	2.79	4.43	4.48	5.15

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>03207800</b>	<b>03208032</b>	<b>03208033</b>	<b>03208034</b>	<b>03208036</b>	<b>03208040</b>
Count	number	1,235	31.0	31.0	62.0	62.0	62.0
Max	ft <sup>3</sup> /s	10,900	1.40	2.70	17.0	7.90	61.0
Min	ft <sup>3</sup> /s	70.0	0.380	0.650	1.90	0.930	7.50
Median	ft <sup>3</sup> /s	474	0.500	0.840	3.70	1.70	15.0
Arithmetic Mean	ft <sup>3</sup> /s	716	0.612	1.02	5.14	2.54	21.0
Geometric Mean	ft <sup>3</sup> /s	--	0.575	0.946	4.24	2.09	17.3
Harmonic Mean	ft <sup>3</sup> /s	395	0.549	0.893	3.60	1.77	14.7
Standard Deviation	ft <sup>3</sup> /s	844	0.252	0.498	3.44	1.72	14.0
5th percentile	ft <sup>3</sup> /s	165	0.404	0.656	1.90	0.942	7.80
10th percentile	ft <sup>3</sup> /s	215	0.430	0.670	2.10	1.00	8.50
20th percentile	ft <sup>3</sup> /s	276	0.450	0.720	2.40	1.20	9.92
30th percentile	ft <sup>3</sup> /s	334	0.470	0.730	2.60	1.33	11.0
40th percentile	ft <sup>3</sup> /s	402	0.490	0.810	2.92	1.60	12.0
50th percentile	ft <sup>3</sup> /s	474	0.500	0.840	3.70	1.70	15.0
60th percentile	ft <sup>3</sup> /s	567	0.550	0.900	5.02	2.28	19.0
70th percentile	ft <sup>3</sup> /s	709	0.620	1.00	6.47	3.10	25.7
80th percentile	ft <sup>3</sup> /s	937	0.720	1.20	7.74	4.00	33.2
90th percentile	ft <sup>3</sup> /s	1,370	0.900	1.60	10.0	5.09	41.9
Drainage area	mi <sup>2</sup>	297	0.57	0.87	2.82	1.24	10.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	36.7	2.46	3.10	6.03	6.37	5.98
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.236	0.667	0.747	0.674	0.750	0.735
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.60	0.877	0.966	1.31	1.37	1.47
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.41	1.07	1.18	1.82	2.05	2.06
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.01	1.09	1.50	1.68	1.70
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.33	0.964	1.03	1.27	1.43	1.44
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.84	0.442	0.573	1.22	1.39	1.38
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.555	0.709	0.754	0.674	0.759	0.765
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.725	0.754	0.770	0.745	0.806	0.833
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.929	0.789	0.828	0.851	0.968	0.973
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	0.825	0.839	0.922	1.07	1.08
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	0.860	0.931	1.04	1.29	1.18
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.60	0.877	0.966	1.31	1.37	1.47
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.91	0.965	1.03	1.78	1.84	1.86
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.39	1.09	1.15	2.29	2.50	2.52
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.16	1.26	1.38	2.74	3.23	3.25
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.61	1.58	1.84	3.55	4.10	4.11

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>03207800</b>	<b>03208032</b>	<b>03208033</b>	<b>03208034</b>	<b>03208036</b>	<b>03208040</b>
Count	number	1,200	30.0	30.0	60.0	60.0	60.0
Max	ft <sup>3</sup> /s	24,800	7.00	9.50	27.0	13.0	117
Min	ft <sup>3</sup> /s	88.0	0.400	0.630	0.790	0.440	3.70
Median	ft <sup>3</sup> /s	466	1.05	1.60	3.25	1.45	13.0
Arithmetic Mean	ft <sup>3</sup> /s	716	1.56	2.42	4.73	2.28	18.7
Geometric Mean	ft <sup>3</sup> /s	--	1.19	1.87	3.09	1.50	12.8
Harmonic Mean	ft <sup>3</sup> /s	380	0.987	1.55	2.14	1.08	9.57
Standard Deviation	ft <sup>3</sup> /s	1,164	1.47	2.10	4.87	2.45	20.2
5th percentile	ft <sup>3</sup> /s	153	0.455	0.702	0.864	0.472	4.02
10th percentile	ft <sup>3</sup> /s	201	0.589	0.806	0.999	0.538	4.79
20th percentile	ft <sup>3</sup> /s	260	0.706	1.18	1.10	0.608	6.06
30th percentile	ft <sup>3</sup> /s	318	0.840	1.37	1.47	0.707	6.78
40th percentile	ft <sup>3</sup> /s	386	0.870	1.46	1.96	0.964	8.72
50th percentile	ft <sup>3</sup> /s	466	1.05	1.60	3.25	1.45	13.0
60th percentile	ft <sup>3</sup> /s	550	1.10	1.90	4.68	1.90	16.4
70th percentile	ft <sup>3</sup> /s	663	1.40	2.23	5.32	2.36	18.3
80th percentile	ft <sup>3</sup> /s	809	1.92	3.10	6.86	3.40	25.0
90th percentile	ft <sup>3</sup> /s	1,221	3.38	5.17	9.19	4.90	36.9
Drainage area	mi <sup>2</sup>	297	0.57	0.87	2.82	1.24	10.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	83.5	12.3	10.9	9.57	10.5	11.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.296	0.702	0.724	0.280	0.355	0.363
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	1.83	1.84	1.15	1.17	1.27
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.41	2.75	2.78	1.68	1.84	1.83
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	2.09	2.15	1.09	1.21	1.25
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.73	1.78	0.758	0.870	0.938
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.92	2.58	2.41	1.73	1.97	1.98
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.515	0.798	0.806	0.306	0.381	0.394
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.676	1.03	0.926	0.354	0.434	0.470
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.875	1.24	1.36	0.390	0.490	0.594
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	1.47	1.57	0.521	0.570	0.665
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.53	1.68	0.695	0.777	0.855
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	1.83	1.84	1.15	1.17	1.27
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.85	1.93	2.18	1.66	1.53	1.61
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.23	2.46	2.56	1.89	1.90	1.79
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.73	3.37	3.56	2.43	2.74	2.45
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.11	5.93	5.94	3.26	3.95	3.62



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	03207800	03208032	03208033	03208034	03208036	03208040
Count	number	1,240	31.0	31.0	62.0	62.0	62.0
Max	ft <sup>3</sup> /s	16,300	2.70	4.90	15.0	5.40	39.0
Min	ft <sup>3</sup> /s	52.0	0.410	0.580	0.700	0.360	3.90
Median	ft <sup>3</sup> /s	312	0.840	1.40	3.50	1.20	11.5
Arithmetic Mean	ft <sup>3</sup> /s	508	1.07	1.76	4.30	1.76	14.0
Geometric Mean	ft <sup>3</sup> /s	--	0.947	1.54	3.26	1.38	12.0
Harmonic Mean	ft <sup>3</sup> /s	257	0.858	1.37	2.44	1.09	10.4
Standard Deviation	ft <sup>3</sup> /s	782	0.624	1.00	3.28	1.30	8.04
5th percentile	ft <sup>3</sup> /s	102	0.452	0.646	0.792	0.423	4.71
10th percentile	ft <sup>3</sup> /s	132	0.570	0.870	1.11	0.562	6.51
20th percentile	ft <sup>3</sup> /s	175	0.680	1.10	1.70	0.790	7.44
30th percentile	ft <sup>3</sup> /s	215	0.740	1.20	2.20	0.850	8.33
40th percentile	ft <sup>3</sup> /s	261	0.810	1.30	2.78	1.10	9.28
50th percentile	ft <sup>3</sup> /s	312	0.840	1.40	3.50	1.20	11.5
60th percentile	ft <sup>3</sup> /s	387	0.920	1.70	4.22	1.66	14.0
70th percentile	ft <sup>3</sup> /s	482	1.10	2.00	5.11	1.97	16.7
80th percentile	ft <sup>3</sup> /s	623	1.10	2.00	6.10	2.78	20.6
90th percentile	ft <sup>3</sup> /s	914	2.40	2.90	8.90	3.78	24.0
Drainage area	mi <sup>2</sup>	297	0.57	0.87	2.82	1.24	10.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	54.9	4.74	5.63	5.32	4.35	3.82
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.175	0.719	0.667	0.248	0.290	0.382
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	1.47	1.61	1.24	0.968	1.13
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	1.88	2.02	1.52	1.42	1.37
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.66	1.77	1.16	1.11	1.18
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.867	1.51	1.58	0.866	0.879	1.02
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.63	1.09	1.15	1.16	1.04	0.788
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.343	0.793	0.743	0.281	0.341	0.461
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.444	1.00	1.00	0.394	0.453	0.638
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.589	1.19	1.26	0.603	0.637	0.729
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.723	1.30	1.38	0.780	0.685	0.817
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.879	1.42	1.49	0.986	0.887	0.910
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	1.47	1.61	1.24	0.968	1.13
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	1.61	1.95	1.50	1.34	1.37
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	1.93	2.30	1.81	1.59	1.64
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.10	1.93	2.30	2.16	2.24	2.02
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.08	4.21	3.33	3.16	3.05	2.35

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>03207800</b>	<b>03208032</b>	<b>03208033</b>	<b>03208034</b>	<b>03208036</b>	<b>03208040</b>
Count	number	1,200	30.0	30.0	60.0	60.0	73.0
Max	ft <sup>3</sup> /s	6,990	1.10	1.40	23.0	17.0	121
Min	ft <sup>3</sup> /s	20.0	0.040	0.050	0.200	0.210	1.30
Median	ft <sup>3</sup> /s	148	0.145	0.275	1.40	0.775	5.10
Arithmetic Mean	ft <sup>3</sup> /s	287	0.232	0.351	3.41	2.51	15.2
Geometric Mean	ft <sup>3</sup> /s	--	0.164	0.268	1.68	1.10	6.82
Harmonic Mean	ft <sup>3</sup> /s	116	0.123	0.201	0.957	0.672	4.16
Standard Deviation	ft <sup>3</sup> /s	473	0.231	0.277	4.67	3.93	23.4
5th percentile	ft <sup>3</sup> /s	43.1	0.046	0.067	0.292	0.252	1.50
10th percentile	ft <sup>3</sup> /s	56.0	0.060	0.099	0.425	0.318	1.92
20th percentile	ft <sup>3</sup> /s	76.8	0.080	0.120	0.622	0.404	2.50
30th percentile	ft <sup>3</sup> /s	98.7	0.104	0.205	0.782	0.531	3.10
40th percentile	ft <sup>3</sup> /s	120	0.126	0.230	1.20	0.652	3.86
50th percentile	ft <sup>3</sup> /s	148	0.145	0.275	1.40	0.775	5.10
60th percentile	ft <sup>3</sup> /s	184	0.174	0.358	1.78	0.910	6.36
70th percentile	ft <sup>3</sup> /s	243	0.243	0.433	2.99	1.49	8.82
80th percentile	ft <sup>3</sup> /s	347	0.336	0.510	5.32	3.68	24.4
90th percentile	ft <sup>3</sup> /s	600	0.504	0.635	8.92	8.10	46.8
Drainage area	mi <sup>2</sup>	297	0.57	0.87	2.82	1.24	10.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	23.5	1.93	1.61	8.16	13.7	11.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.067	0.070	0.057	0.071	0.169	0.127
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.498	0.254	0.316	0.496	0.625	0.500
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.966	0.408	0.404	1.21	2.03	1.49
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.287	0.308	0.596	0.890	0.669
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.390	0.216	0.231	0.339	0.542	0.408
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.59	0.405	0.318	1.66	3.17	2.30
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.145	0.080	0.076	0.103	0.203	0.147
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.189	0.105	0.114	0.151	0.256	0.188
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.259	0.140	0.138	0.221	0.326	0.245
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.332	0.182	0.236	0.277	0.428	0.304
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.404	0.221	0.264	0.426	0.526	0.378
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.498	0.254	0.316	0.496	0.625	0.500
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.620	0.305	0.411	0.631	0.734	0.624
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.818	0.426	0.498	1.06	1.20	0.865
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	0.589	0.586	1.89	2.97	2.39
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.02	0.884	0.730	3.16	6.53	4.59

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	03207800	03208032	03208033	03208034	03208036	03208040
Count	number	1,240	62.0	62.0	93.0	93.0	93.0
Max	ft <sup>3</sup> /s	3,720	0.500	0.430	1.60	1.40	7.20
Min	ft <sup>3</sup> /s	8.10	0.010	0.000	0.010	0.050	0.320
Median	ft <sup>3</sup> /s	105	0.040	0.065	0.210	0.190	1.50
Arithmetic Mean	ft <sup>3</sup> /s	175	0.063	0.087	0.311	0.243	1.93
Geometric Mean	ft <sup>3</sup> /s	--	0.040	--	0.200	0.196	1.53
Harmonic Mean	ft <sup>3</sup> /s	77.4	0.028	--	0.112	0.163	1.19
Standard Deviation	ft <sup>3</sup> /s	276	0.079	0.082	0.305	0.189	1.36
5th percentile	ft <sup>3</sup> /s	29.1	0.010	0.010	0.030	0.070	0.411
10th percentile	ft <sup>3</sup> /s	39.0	0.010	0.020	0.052	0.090	0.576
20th percentile	ft <sup>3</sup> /s	56.8	0.020	0.030	0.090	0.110	0.870
30th percentile	ft <sup>3</sup> /s	70.0	0.020	0.033	0.140	0.140	1.16
40th percentile	ft <sup>3</sup> /s	86.2	0.030	0.050	0.178	0.168	1.28
50th percentile	ft <sup>3</sup> /s	105	0.040	0.065	0.210	0.190	1.50
60th percentile	ft <sup>3</sup> /s	125	0.050	0.090	0.280	0.222	1.90
70th percentile	ft <sup>3</sup> /s	157	0.060	0.100	0.344	0.280	2.34
80th percentile	ft <sup>3</sup> /s	210	0.078	0.120	0.416	0.332	2.80
90th percentile	ft <sup>3</sup> /s	331	0.130	0.188	0.656	0.424	3.70
Drainage area	mi <sup>2</sup>	297	0.57	0.87	2.82	1.24	10.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	12.5	0.877	0.494	0.567	1.13	0.706
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.027	0.018	0.000	0.004	0.040	0.031
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.354	0.070	0.075	0.074	0.153	0.147
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.588	0.110	0.100	0.110	0.196	0.189
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.070	--	0.071	0.158	0.150
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.261	0.050	--	0.040	0.131	0.117
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.928	0.138	0.095	0.108	0.153	0.133
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.098	0.018	0.011	0.011	0.056	0.040
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.131	0.018	0.023	0.018	0.073	0.056
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.191	0.035	0.034	0.032	0.089	0.085
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.236	0.035	0.038	0.050	0.113	0.114
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.290	0.053	0.057	0.063	0.135	0.125
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.354	0.070	0.075	0.074	0.153	0.147
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.422	0.088	0.103	0.099	0.179	0.186
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.530	0.105	0.115	0.122	0.226	0.229
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.707	0.137	0.138	0.148	0.268	0.275
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	0.228	0.216	0.233	0.342	0.363

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>03207800</b>	<b>03208032</b>	<b>03208033</b>	<b>03208034</b>	<b>03208036</b>	<b>03208040</b>
Count	number	1,240	62.0	62.0	93.0	93.0	93.0
Max	ft <sup>3</sup> /s	2,190	0.990	0.820	3.20	1.80	16.0
Min	ft <sup>3</sup> /s	7.50	0.000	0.000	0.010	0.040	0.170
Median	ft <sup>3</sup> /s	75.0	0.040	0.040	0.110	0.140	0.910
Arithmetic Mean	ft <sup>3</sup> /s	129	0.100	0.080	0.321	0.264	1.71
Geometric Mean	ft <sup>3</sup> /s	--	--	--	0.102	0.159	0.977
Harmonic Mean	ft <sup>3</sup> /s	59.1	--	--	0.038	0.114	0.645
Standard Deviation	ft <sup>3</sup> /s	189	0.176	0.141	0.624	0.358	2.43
5th percentile	ft <sup>3</sup> /s	24.0	0.010	0.000	0.010	0.050	0.217
10th percentile	ft <sup>3</sup> /s	30.0	0.010	0.010	0.010	0.050	0.282
20th percentile	ft <sup>3</sup> /s	41.0	0.010	0.010	0.020	0.074	0.448
30th percentile	ft <sup>3</sup> /s	51.0	0.020	0.020	0.050	0.090	0.566
40th percentile	ft <sup>3</sup> /s	62.0	0.030	0.030	0.078	0.110	0.758
50th percentile	ft <sup>3</sup> /s	75.0	0.040	0.040	0.110	0.140	0.910
60th percentile	ft <sup>3</sup> /s	92.0	0.050	0.040	0.160	0.170	1.20
70th percentile	ft <sup>3</sup> /s	119	0.067	0.050	0.200	0.230	1.50
80th percentile	ft <sup>3</sup> /s	155	0.126	0.088	0.354	0.290	1.90
90th percentile	ft <sup>3</sup> /s	245	0.255	0.202	0.778	0.528	3.86
Drainage area	mi <sup>2</sup>	297	0.57	0.87	2.82	1.24	10.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.37	1.74	0.943	1.13	1.45	1.57
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.025	0.000	0.000	0.004	0.032	0.017
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.070	0.046	0.039	0.113	0.089
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.434	0.175	0.092	0.114	0.213	0.167
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.036	0.128	0.096
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.199	--	--	0.014	0.092	0.063
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.636	0.308	0.162	0.221	0.288	0.238
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.081	0.018	0.000	0.004	0.040	0.021
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.101	0.018	0.011	0.004	0.040	0.028
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.138	0.018	0.011	0.007	0.060	0.044
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.172	0.035	0.023	0.018	0.073	0.055
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.209	0.053	0.034	0.028	0.089	0.074
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.070	0.046	0.039	0.113	0.089
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.310	0.088	0.046	0.057	0.137	0.118
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.401	0.118	0.057	0.071	0.185	0.147
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.523	0.221	0.101	0.126	0.234	0.186
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.826	0.447	0.232	0.276	0.426	0.378

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>03207800</b>	<b>03208032</b>	<b>03208033</b>	<b>03208034</b>	<b>03208036</b>	<b>03208040</b>
Count	number	1,200	60.0	60.0	90.0	90.0	90.0
Max	ft <sup>3</sup> /s	4,050	2.00	2.20	9.20	5.30	41.0
Min	ft <sup>3</sup> /s	5.60	0.000	0.000	0.010	0.020	0.130
Median	ft <sup>3</sup> /s	53.0	0.020	0.020	0.065	0.100	0.620
Arithmetic Mean	ft <sup>3</sup> /s	86.8	0.123	0.128	0.435	0.264	1.93
Geometric Mean	ft <sup>3</sup> /s	--	--	--	0.073	0.102	0.675
Harmonic Mean	ft <sup>3</sup> /s	41.8	--	--	0.024	0.056	0.366
Standard Deviation	ft <sup>3</sup> /s	155	0.294	0.326	1.22	0.637	4.87
5th percentile	ft <sup>3</sup> /s	18.1	0.010	0.000	0.010	0.020	0.146
10th percentile	ft <sup>3</sup> /s	23.0	0.010	0.000	0.010	0.020	0.150
20th percentile	ft <sup>3</sup> /s	30.0	0.010	0.000	0.010	0.030	0.170
30th percentile	ft <sup>3</sup> /s	37.0	0.010	0.010	0.010	0.040	0.270
40th percentile	ft <sup>3</sup> /s	44.6	0.010	0.010	0.026	0.076	0.368
50th percentile	ft <sup>3</sup> /s	53.0	0.020	0.020	0.065	0.100	0.620
60th percentile	ft <sup>3</sup> /s	62.0	0.054	0.054	0.128	0.140	0.896
70th percentile	ft <sup>3</sup> /s	78.0	0.080	0.083	0.230	0.190	1.33
80th percentile	ft <sup>3</sup> /s	104	0.120	0.130	0.360	0.252	2.00
90th percentile	ft <sup>3</sup> /s	166	0.264	0.261	0.801	0.442	3.35
Drainage area	mi <sup>2</sup>	297	0.57	0.87	2.82	1.24	10.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	13.6	3.51	2.53	3.26	4.27	4.02
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.019	0.000	0.000	0.004	0.016	0.013
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.178	0.035	0.023	0.023	0.081	0.061
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.292	0.216	0.147	0.154	0.213	0.189
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.026	0.082	0.066
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.141	--	--	0.009	0.045	0.036
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.523	0.516	0.374	0.434	0.514	0.477
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.061	0.018	0.000	0.004	0.016	0.014
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.077	0.018	0.000	0.004	0.016	0.015
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.101	0.018	0.000	0.004	0.024	0.017
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.125	0.018	0.011	0.004	0.032	0.026
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.150	0.018	0.011	0.009	0.061	0.036
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.178	0.035	0.023	0.023	0.081	0.061
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.209	0.095	0.062	0.045	0.113	0.088
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.263	0.140	0.095	0.082	0.153	0.130
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.351	0.211	0.149	0.128	0.203	0.196
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.559	0.463	0.300	0.284	0.356	0.328

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>03207800</b>	<b>03208032</b>	<b>03208033</b>	<b>03208034</b>	<b>03208036</b>	<b>03208040</b>
Count	number	1,271	36.0	36.0	67.0	62.0	66.0
Max	ft <sup>3</sup> /s	4,520	1.60	1.10	5.90	3.00	17.0
Min	ft <sup>3</sup> /s	5.10	0.000	0.000	0.000	0.040	0.130
Median	ft <sup>3</sup> /s	47.0	0.085	0.140	0.170	0.155	1.01
Arithmetic Mean	ft <sup>3</sup> /s	126	0.222	0.221	0.529	0.298	2.10
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	0.171	1.12
Harmonic Mean	ft <sup>3</sup> /s	39.1	--	--	--	0.121	0.667
Standard Deviation	ft <sup>3</sup> /s	305	0.337	0.261	0.969	0.468	2.95
5th percentile	ft <sup>3</sup> /s	16.0	0.000	0.000	0.004	0.050	0.191
10th percentile	ft <sup>3</sup> /s	21.0	0.010	0.000	0.036	0.060	0.305
20th percentile	ft <sup>3</sup> /s	29.0	0.030	0.040	0.050	0.070	0.410
30th percentile	ft <sup>3</sup> /s	34.0	0.045	0.040	0.068	0.093	0.520
40th percentile	ft <sup>3</sup> /s	40.0	0.070	0.110	0.120	0.120	0.800
50th percentile	ft <sup>3</sup> /s	47.0	0.085	0.140	0.170	0.155	1.01
60th percentile	ft <sup>3</sup> /s	60.0	0.120	0.190	0.346	0.196	1.50
70th percentile	ft <sup>3</sup> /s	87.0	0.230	0.235	0.486	0.270	2.10
80th percentile	ft <sup>3</sup> /s	135	0.300	0.290	0.730	0.356	3.00
90th percentile	ft <sup>3</sup> /s	249	0.520	0.515	1.04	0.538	3.90
Drainage area	mi <sup>2</sup>	297	0.57	0.87	2.82	1.24	10.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	15.2	2.81	1.26	2.09	2.42	1.67
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.017	0.000	0.000	0.000	0.032	0.013
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.158	0.149	0.161	0.060	0.125	0.099
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.425	0.389	0.254	0.188	0.240	0.205
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	0.138	0.110
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.132	--	--	--	0.098	0.065
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.592	0.300	0.344	0.377	0.289
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.054	0.000	0.000	0.001	0.040	0.019
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.071	0.018	0.000	0.013	0.048	0.030
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.098	0.053	0.046	0.018	0.056	0.040
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.114	0.079	0.046	0.024	0.075	0.051
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.135	0.123	0.126	0.043	0.097	0.078
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.158	0.149	0.161	0.060	0.125	0.099
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.202	0.211	0.218	0.123	0.158	0.147
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.293	0.404	0.270	0.172	0.218	0.206
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.455	0.526	0.333	0.259	0.287	0.294
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.838	0.912	0.592	0.369	0.434	0.382

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>03207800</b>	<b>03208032</b>	<b>03208033</b>	<b>03208034</b>	<b>03208036</b>	<b>03208040</b>
Count	number	1,225	30.0	30.0	60.0	60.0	60.0
Max	ft <sup>3</sup> /s	5,710	2.50	3.00	9.10	5.80	45.0
Min	ft <sup>3</sup> /s	8.40	0.060	0.100	0.090	0.070	0.360
Median	ft <sup>3</sup> /s	96.0	0.270	0.330	0.290	0.175	1.70
Arithmetic Mean	ft <sup>3</sup> /s	213	0.506	0.686	1.05	0.466	4.47
Geometric Mean	ft <sup>3</sup> /s	--	0.344	0.452	0.448	0.243	2.13
Harmonic Mean	ft <sup>3</sup> /s	65.3	0.238	0.321	0.252	0.169	1.30
Standard Deviation	ft <sup>3</sup> /s	413	0.520	0.709	1.64	0.846	7.30
5th percentile	ft <sup>3</sup> /s	26.0	0.060	0.100	0.100	0.080	0.454
10th percentile	ft <sup>3</sup> /s	31.0	0.161	0.183	0.119	0.080	0.580
20th percentile	ft <sup>3</sup> /s	38.0	0.210	0.266	0.138	0.100	0.708
30th percentile	ft <sup>3</sup> /s	49.0	0.240	0.304	0.170	0.120	0.994
40th percentile	ft <sup>3</sup> /s	70.0	0.240	0.326	0.206	0.140	1.26
50th percentile	ft <sup>3</sup> /s	96.0	0.270	0.330	0.290	0.175	1.70
60th percentile	ft <sup>3</sup> /s	126	0.324	0.382	0.768	0.304	3.04
70th percentile	ft <sup>3</sup> /s	189	0.595	0.632	0.900	0.343	3.40
80th percentile	ft <sup>3</sup> /s	278	0.730	1.12	1.14	0.462	4.68
90th percentile	ft <sup>3</sup> /s	477	1.11	1.63	3.21	0.974	12.2
Drainage area	mi <sup>2</sup>	297	0.57	0.87	2.82	1.24	10.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	19.2	4.39	3.45	3.23	4.68	4.41
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.028	0.105	0.115	0.032	0.056	0.035
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.323	0.474	0.379	0.103	0.141	0.167
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.716	0.888	0.788	0.372	0.376	0.438
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.603	0.519	0.159	0.196	0.209
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.220	0.417	0.369	0.089	0.136	0.128
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	0.912	0.816	0.580	0.682	0.715
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.088	0.105	0.115	0.035	0.065	0.044
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.104	0.282	0.210	0.042	0.065	0.057
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.128	0.368	0.306	0.049	0.081	0.069
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.165	0.421	0.349	0.060	0.097	0.097
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.236	0.421	0.375	0.073	0.113	0.124
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.323	0.474	0.379	0.103	0.141	0.167
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.424	0.568	0.439	0.272	0.245	0.298
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.636	1.04	0.726	0.319	0.277	0.333
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.936	1.28	1.29	0.404	0.373	0.459
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.61	1.95	1.87	1.14	0.785	1.20

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>03207800</b>	<b>03208032</b>	<b>03208033</b>	<b>03208034</b>	<b>03208036</b>	<b>03208040</b>
Count	number	1,240	31.0	31.0	62.0	62.0	62.0
Max	ft <sup>3</sup> /s	7,350	5.70	8.00	24.0	13.0	102
Min	ft <sup>3</sup> /s	7.20	0.280	0.480	0.200	0.080	0.740
Median	ft <sup>3</sup> /s	189	0.680	1.10	1.50	0.720	7.55
Arithmetic Mean	ft <sup>3</sup> /s	355	1.06	1.58	2.66	1.38	11.8
Geometric Mean	ft <sup>3</sup> /s	--	0.786	1.20	1.47	0.725	6.83
Harmonic Mean	ft <sup>3</sup> /s	112	0.646	1.01	0.823	0.395	3.76
Standard Deviation	ft <sup>3</sup> /s	544	1.11	1.56	3.54	2.01	15.6
5th percentile	ft <sup>3</sup> /s	34.1	0.310	0.516	0.225	0.102	1.00
10th percentile	ft <sup>3</sup> /s	50.0	0.360	0.560	0.291	0.151	1.31
20th percentile	ft <sup>3</sup> /s	74.0	0.420	0.680	0.462	0.214	2.08
30th percentile	ft <sup>3</sup> /s	108	0.590	0.900	0.869	0.389	4.96
40th percentile	ft <sup>3</sup> /s	142	0.620	0.960	1.18	0.624	6.84
50th percentile	ft <sup>3</sup> /s	189	0.680	1.10	1.50	0.720	7.55
60th percentile	ft <sup>3</sup> /s	263	0.780	1.20	2.48	1.10	10.0
70th percentile	ft <sup>3</sup> /s	364	0.850	1.30	3.17	1.50	12.0
80th percentile	ft <sup>3</sup> /s	495	1.40	1.70	3.98	1.70	15.0
90th percentile	ft <sup>3</sup> /s	760	2.50	3.30	5.07	2.75	20.8
Drainage area	mi <sup>2</sup>	297	0.57	0.87	2.82	1.24	10.2
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	24.7	10.0	9.20	8.51	10.5	10.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.024	0.491	0.552	0.071	0.065	0.073
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.635	1.19	1.26	0.532	0.581	0.740
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.86	1.81	0.945	1.11	1.16
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.38	1.38	0.523	0.585	0.669
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.378	1.13	1.16	0.292	0.318	0.368
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.83	1.95	1.79	1.25	1.62	1.52
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.115	0.544	0.593	0.080	0.082	0.098
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.168	0.632	0.644	0.103	0.122	0.128
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.249	0.737	0.782	0.164	0.173	0.204
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.364	1.04	1.03	0.308	0.314	0.486
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.478	1.09	1.10	0.418	0.503	0.671
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.635	1.19	1.26	0.532	0.581	0.740
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.886	1.37	1.38	0.879	0.887	0.980
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.49	1.49	1.12	1.21	1.18
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.67	2.46	1.95	1.41	1.37	1.47
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.56	4.39	3.79	1.80	2.22	2.04



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>03208100</b>	<b>03208500</b>	<b>03208700</b>	<b>03208800</b>	<b>03208850</b>	<b>03208900</b>
Count	number	62.0	2,511	806	403	403	589
Max	ft <sup>3</sup> /s	752	23,000	415	956	1,860	3,000
Min	ft <sup>3</sup> /s	23.0	5.40	0.500	0.900	2.60	3.50
Median	ft <sup>3</sup> /s	60.5	254	24.0	55.0	83.0	115
Arithmetic Mean	ft <sup>3</sup> /s	120	513	45.8	97.2	152	207
Geometric Mean	ft <sup>3</sup> /s	81.7	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	64.3	110	9.81	15.1	35.1	48.8
Standard Deviation	ft <sup>3</sup> /s	144	1,042	56.2	116	192	271
5th percentile	ft <sup>3</sup> /s	28.1	27.0	3.30	2.18	8.00	11.0
10th percentile	ft <sup>3</sup> /s	39.1	50.0	5.80	15.0	24.0	23.0
20th percentile	ft <sup>3</sup> /s	44.6	109	11.0	27.4	40.4	56.6
30th percentile	ft <sup>3</sup> /s	52.6	153	15.0	35.0	55.0	76.0
40th percentile	ft <sup>3</sup> /s	56.0	200	20.0	44.0	70.0	97.0
50th percentile	ft <sup>3</sup> /s	60.5	254	24.0	55.0	83.0	115
60th percentile	ft <sup>3</sup> /s	80.0	332	32.0	69.2	105	146
70th percentile	ft <sup>3</sup> /s	105	439	42.0	92.2	145	209
80th percentile	ft <sup>3</sup> /s	143	612	68.0	160	241	313
90th percentile	ft <sup>3</sup> /s	259	1,050	124	242	373	491
Drainage area	mi <sup>2</sup>	87.7	286	18.5	36.7	61.2	80.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.57	80.4	22.4	26.0	30.4	37.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.262	0.019	0.027	0.025	0.042	0.044
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.690	0.888	1.30	1.50	1.36	1.43
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	1.79	2.47	2.65	2.49	2.58
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.932	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.733	0.384	0.530	0.410	0.573	0.607
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.64	3.64	3.04	3.15	3.13	3.37
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.320	0.094	0.178	0.059	0.131	0.137
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.446	0.175	0.314	0.409	0.392	0.286
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.509	0.381	0.595	0.747	0.660	0.704
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.600	0.535	0.811	0.954	0.899	0.945
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.639	0.699	1.08	1.20	1.14	1.21
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.690	0.888	1.30	1.50	1.36	1.43
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.912	1.16	1.73	1.89	1.72	1.81
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.53	2.27	2.51	2.37	2.60
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.64	2.14	3.68	4.37	3.93	3.89
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.95	3.67	6.68	6.59	6.09	6.10

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>03208100</b>	<b>03208500</b>	<b>03208700</b>	<b>03208800</b>	<b>03208850</b>	<b>03208900</b>
Count	number	56.0	2,287	734	367	367	537
Max	ft <sup>3</sup> /s	1,050	15,500	524	842	1,230	1,830
Min	ft <sup>3</sup> /s	64.0	7.00	0.500	1.00	2.60	3.60
Median	ft <sup>3</sup> /s	163	359	32.0	63.0	93.0	122
Arithmetic Mean	ft <sup>3</sup> /s	218	642	50.7	92.8	146	196
Geometric Mean	ft <sup>3</sup> /s	180	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	158	195	19.4	32.3	57.8	87.4
Standard Deviation	ft <sup>3</sup> /s	180	1,064	54.2	102	163	223
5th percentile	ft <sup>3</sup> /s	90.8	60.0	7.35	11.0	21.4	29.9
10th percentile	ft <sup>3</sup> /s	103	106	11.0	21.0	36.6	57.2
20th percentile	ft <sup>3</sup> /s	120	170	17.0	37.0	60.0	76.0
30th percentile	ft <sup>3</sup> /s	125	233	22.0	44.0	71.0	95.0
40th percentile	ft <sup>3</sup> /s	134	292	26.0	54.0	83.0	110
50th percentile	ft <sup>3</sup> /s	163	359	32.0	63.0	93.0	122
60th percentile	ft <sup>3</sup> /s	194	446	40.0	72.6	111	147
70th percentile	ft <sup>3</sup> /s	207	571	53.0	86.0	143	185
80th percentile	ft <sup>3</sup> /s	252	772	72.2	121	184	255
90th percentile	ft <sup>3</sup> /s	358	1,214	113	199	310	410
Drainage area	mi <sup>2</sup>	87.7	286	18.5	36.7	61.2	80.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	12.0	54.2	28.3	22.9	20.1	22.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.730	0.024	0.027	0.027	0.042	0.045
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.85	1.26	1.73	1.72	1.52	1.52
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.48	2.24	2.74	2.53	2.39	2.44
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.05	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.80	0.681	1.05	0.881	0.944	1.09
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.05	3.72	2.93	2.77	2.66	2.77
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	0.210	0.397	0.300	0.350	0.372
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	0.371	0.595	0.572	0.598	0.711
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	0.594	0.919	1.01	0.980	0.945
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	0.814	1.19	1.20	1.16	1.18
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	1.02	1.41	1.47	1.36	1.37
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.85	1.26	1.73	1.72	1.52	1.52
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.21	1.56	2.16	1.98	1.81	1.82
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.35	2.00	2.86	2.34	2.34	2.30
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.87	2.70	3.90	3.29	3.01	3.17
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.08	4.24	6.09	5.41	5.07	5.10

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>03208100</b>	<b>03208500</b>	<b>03208700</b>	<b>03208800</b>	<b>03208850</b>	<b>03208900</b>
Count	number	62.0	2,511	806	403	403	589
Max	ft <sup>3</sup> /s	554	21,800	1,710	1,060	1,980	3,230
Min	ft <sup>3</sup> /s	53.0	35.0	1.80	12.0	20.0	25.0
Median	ft <sup>3</sup> /s	100	424	34.0	64.0	99.0	145
Arithmetic Mean	ft <sup>3</sup> /s	161	759	58.7	116	186	254
Geometric Mean	ft <sup>3</sup> /s	128	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	108	334	26.2	55.7	88.7	130
Standard Deviation	ft <sup>3</sup> /s	121	1,249	89.4	138	243	322
5th percentile	ft <sup>3</sup> /s	61.9	132	11.0	24.2	35.2	57.0
10th percentile	ft <sup>3</sup> /s	71.0	173	13.0	28.0	48.0	71.0
20th percentile	ft <sup>3</sup> /s	72.2	230	17.0	38.4	64.4	95.0
30th percentile	ft <sup>3</sup> /s	80.3	284	23.0	47.0	75.0	109
40th percentile	ft <sup>3</sup> /s	88.2	347	28.0	56.8	86.0	124
50th percentile	ft <sup>3</sup> /s	100	424	34.0	64.0	99.0	145
60th percentile	ft <sup>3</sup> /s	123	518	40.0	76.0	117	176
70th percentile	ft <sup>3</sup> /s	198	662	50.0	93.0	151	235
80th percentile	ft <sup>3</sup> /s	234	935	73.0	156	233	335
90th percentile	ft <sup>3</sup> /s	356	1,550	138	287	433	548
Drainage area	mi <sup>2</sup>	87.7	286	18.5	36.7	61.2	80.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.32	76.2	92.4	28.9	32.4	40.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.604	0.122	0.097	0.327	0.327	0.311
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.48	1.84	1.74	1.62	1.80
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.83	2.65	3.17	3.15	3.03	3.16
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.17	1.41	1.52	1.45	1.62
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	4.37	4.83	3.75	3.98	4.01
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.706	0.462	0.595	0.659	0.575	0.709
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.810	0.605	0.703	0.763	0.784	0.883
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.823	0.804	0.919	1.05	1.05	1.18
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.916	0.993	1.24	1.28	1.23	1.36
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.21	1.51	1.55	1.41	1.54
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	1.48	1.84	1.74	1.62	1.80
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	1.81	2.16	2.07	1.92	2.19
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.26	2.31	2.70	2.53	2.46	2.92
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.66	3.27	3.95	4.24	3.81	4.17
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.06	5.42	7.43	7.81	7.08	6.81

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>03208100</b>	<b>03208500</b>	<b>03208700</b>	<b>03208800</b>	<b>03208850</b>	<b>03208900</b>
Count	number	60.0	2,430	780	390	390	570
Max	ft <sup>3</sup> /s	1,090	30,600	332	1,750	4,000	5,090
Min	ft <sup>3</sup> /s	24.0	30.0	1.70	6.50	17.0	24.0
Median	ft <sup>3</sup> /s	96.0	360	14.0	42.0	70.0	111
Arithmetic Mean	ft <sup>3</sup> /s	145	614	34.8	90.1	152	198
Geometric Mean	ft <sup>3</sup> /s	91.3	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	64.6	273	9.13	36.5	63.5	94.9
Standard Deviation	ft <sup>3</sup> /s	180	1,129	53.7	136	273	319
5th percentile	ft <sup>3</sup> /s	26.1	110	3.51	14.0	25.0	39.0
10th percentile	ft <sup>3</sup> /s	30.9	137	3.90	17.9	31.0	48.0
20th percentile	ft <sup>3</sup> /s	37.0	187	4.70	24.0	42.0	64.8
30th percentile	ft <sup>3</sup> /s	46.4	238	6.40	29.0	49.7	78.0
40th percentile	ft <sup>3</sup> /s	57.2	289	9.12	34.0	58.0	92.0
50th percentile	ft <sup>3</sup> /s	96.0	360	14.0	42.0	70.0	111
60th percentile	ft <sup>3</sup> /s	126	447	20.0	57.8	97.0	135
70th percentile	ft <sup>3</sup> /s	148	552	29.0	84.3	133	170
80th percentile	ft <sup>3</sup> /s	190	710	45.2	118	187	243
90th percentile	ft <sup>3</sup> /s	279	1,120	97.1	219	371	423
Drainage area	mi <sup>2</sup>	87.7	286	18.5	36.7	61.2	80.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	12.4	107	17.9	47.7	65.4	63.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.274	0.105	0.092	0.177	0.278	0.299
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.26	0.757	1.14	1.14	1.38
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.65	2.15	1.88	2.45	2.49	2.46
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.737	0.954	0.494	0.996	1.04	1.18
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.05	3.95	2.90	3.69	4.47	3.97
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.297	0.385	0.189	0.381	0.408	0.485
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.352	0.479	0.211	0.488	0.507	0.597
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.422	0.653	0.254	0.654	0.686	0.806
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.529	0.832	0.346	0.790	0.812	0.970
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.652	1.01	0.493	0.926	0.948	1.14
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.26	0.757	1.14	1.14	1.38
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	1.56	1.08	1.57	1.58	1.68
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	1.93	1.57	2.30	2.18	2.11
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.17	2.48	2.44	3.23	3.06	3.03
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.19	3.92	5.25	5.97	6.06	5.26

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>03208100</b>	<b>03208500</b>	<b>03208700</b>	<b>03208800</b>	<b>03208850</b>	<b>03208900</b>
Count	number	62.0	2,511	806	403	403	589
Max	ft <sup>3</sup> /s	455	17,500	345	1,590	2,790	4,780
Min	ft <sup>3</sup> /s	24.0	10.0	1.80	4.70	7.20	10.0
Median	ft <sup>3</sup> /s	114	215	12.0	40.0	66.0	75.0
Arithmetic Mean	ft <sup>3</sup> /s	138	419	32.7	81.1	129	148
Geometric Mean	ft <sup>3</sup> /s	108	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	82.7	144	8.74	25.9	44.9	59.0
Standard Deviation	ft <sup>3</sup> /s	99.9	799	56.5	132	215	277
5th percentile	ft <sup>3</sup> /s	26.5	49.0	3.40	9.06	15.0	22.0
10th percentile	ft <sup>3</sup> /s	40.2	67.0	3.80	11.0	19.0	28.0
20th percentile	ft <sup>3</sup> /s	57.4	102	4.90	15.0	28.0	39.0
30th percentile	ft <sup>3</sup> /s	76.7	136	6.70	21.0	39.0	50.0
40th percentile	ft <sup>3</sup> /s	96.0	172	9.10	29.0	51.0	61.0
50th percentile	ft <sup>3</sup> /s	114	215	12.0	40.0	66.0	75.0
60th percentile	ft <sup>3</sup> /s	131	277	16.0	52.0	82.2	96.8
70th percentile	ft <sup>3</sup> /s	152	355	24.0	67.4	109	126
80th percentile	ft <sup>3</sup> /s	185	505	37.0	107	166	166
90th percentile	ft <sup>3</sup> /s	274	848	82.5	178	284	302
Drainage area	mi <sup>2</sup>	87.7	286	18.5	36.7	61.2	80.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	5.19	61.2	18.6	43.3	45.6	59.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.274	0.035	0.097	0.128	0.118	0.124
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	0.752	0.649	1.09	1.08	0.933
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	1.46	1.77	2.21	2.10	1.84
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.943	0.504	0.472	0.706	0.734	0.734
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	2.79	3.05	3.60	3.51	3.44
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.302	0.171	0.184	0.247	0.245	0.274
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.458	0.234	0.205	0.300	0.310	0.348
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.655	0.357	0.265	0.409	0.458	0.485
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.875	0.476	0.362	0.572	0.637	0.622
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	0.601	0.492	0.790	0.833	0.759
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	0.752	0.649	1.09	1.08	0.933
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	0.969	0.865	1.42	1.34	1.20
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	1.24	1.30	1.84	1.78	1.57
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.11	1.77	2.00	2.92	2.71	2.06
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.13	2.97	4.46	4.84	4.65	3.75

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>03208100</b>	<b>03208500</b>	<b>03208700</b>	<b>03208800</b>	<b>03208850</b>	<b>03208900</b>
Count	number	60.0	2,430	780	390	390	570
Max	ft <sup>3</sup> /s	484	6,040	286	618	1,130	1,550
Min	ft <sup>3</sup> /s	13.0	0.200	0.100	0.800	2.00	2.80
Median	ft <sup>3</sup> /s	50.5	96.0	4.70	13.0	28.0	38.0
Arithmetic Mean	ft <sup>3</sup> /s	91.2	204	14.4	33.2	57.1	78.9
Geometric Mean	ft <sup>3</sup> /s	58.1	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	39.5	41.3	2.83	9.52	17.5	24.3
Standard Deviation	ft <sup>3</sup> /s	97.8	381	30.4	72.3	122	151
5th percentile	ft <sup>3</sup> /s	13.1	19.0	1.10	3.80	5.61	8.01
10th percentile	ft <sup>3</sup> /s	16.8	26.0	2.40	5.50	9.18	11.9
20th percentile	ft <sup>3</sup> /s	24.0	42.0	3.10	6.88	13.0	17.0
30th percentile	ft <sup>3</sup> /s	30.7	58.0	3.60	8.20	17.0	23.0
40th percentile	ft <sup>3</sup> /s	41.2	76.0	3.90	11.0	23.0	30.0
50th percentile	ft <sup>3</sup> /s	50.5	96.0	4.70	13.0	28.0	38.0
60th percentile	ft <sup>3</sup> /s	74.6	125	6.48	18.0	35.0	47.0
70th percentile	ft <sup>3</sup> /s	102	172	8.10	23.0	43.3	65.3
80th percentile	ft <sup>3</sup> /s	127	248	15.0	32.2	59.0	93.4
90th percentile	ft <sup>3</sup> /s	207	433	30.0	58.0	100	152
Drainage area	mi <sup>2</sup>	87.7	286	18.5	36.7	61.2	80.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	5.52	21.1	15.5	16.8	18.5	19.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.148	0.001	0.005	0.022	0.033	0.035
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.576	0.336	0.254	0.354	0.458	0.473
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	0.714	0.781	0.904	0.932	0.982
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.663	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.451	0.144	0.153	0.259	0.285	0.302
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	1.33	1.64	1.97	1.99	1.88
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.149	0.066	0.059	0.104	0.092	0.100
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.192	0.091	0.130	0.150	0.150	0.148
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.274	0.147	0.168	0.187	0.212	0.211
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.350	0.203	0.195	0.223	0.278	0.286
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.470	0.266	0.211	0.300	0.376	0.373
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.576	0.336	0.254	0.354	0.458	0.473
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.851	0.438	0.350	0.490	0.572	0.585
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	0.601	0.438	0.627	0.708	0.812
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.45	0.867	0.811	0.877	0.964	1.16
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.36	1.51	1.62	1.58	1.63	1.88

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>03208100</b>	<b>03208500</b>	<b>03208700</b>	<b>03208800</b>	<b>03208850</b>	<b>03208900</b>
Count	number	93.0	2,526	806	403	403	589
Max	ft <sup>3</sup> /s	60.0	8,240	182	236	313	625
Min	ft <sup>3</sup> /s	3.30	0.900	0.100	0.500	1.30	3.00
Median	ft <sup>3</sup> /s	10.0	68.0	3.60	9.30	18.0	24.0
Arithmetic Mean	ft <sup>3</sup> /s	13.4	161	7.64	19.2	32.5	45.2
Geometric Mean	ft <sup>3</sup> /s	11.0	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	9.20	32.5	2.03	6.83	12.7	17.6
Standard Deviation	ft <sup>3</sup> /s	9.77	403	16.0	31.0	44.8	66.3
5th percentile	ft <sup>3</sup> /s	3.97	11.0	0.700	3.50	6.28	6.75
10th percentile	ft <sup>3</sup> /s	5.00	17.0	1.70	4.70	7.90	8.50
20th percentile	ft <sup>3</sup> /s	6.24	28.0	2.70	5.54	9.80	12.0
30th percentile	ft <sup>3</sup> /s	8.10	39.0	3.10	6.40	11.0	14.0
40th percentile	ft <sup>3</sup> /s	9.20	51.0	3.30	7.78	14.0	18.0
50th percentile	ft <sup>3</sup> /s	10.0	68.0	3.60	9.30	18.0	24.0
60th percentile	ft <sup>3</sup> /s	12.0	89.0	4.00	12.2	24.0	31.0
70th percentile	ft <sup>3</sup> /s	16.0	123	4.40	17.0	30.0	40.0
80th percentile	ft <sup>3</sup> /s	18.0	183	7.40	22.0	40.6	58.4
90th percentile	ft <sup>3</sup> /s	23.0	330	13.0	35.0	66.0	96.2
Drainage area	mi <sup>2</sup>	87.7	286	18.5	36.7	61.2	80.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	0.684	28.8	9.84	6.43	5.11	7.77
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.038	0.003	0.005	0.014	0.021	0.037
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.114	0.238	0.195	0.253	0.294	0.299
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.153	0.562	0.413	0.524	0.531	0.563
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.125	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.105	0.114	0.110	0.186	0.208	0.219
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.111	1.41	0.866	0.846	0.731	0.825
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.045	0.038	0.038	0.095	0.103	0.084
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.057	0.059	0.092	0.128	0.129	0.106
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.071	0.098	0.146	0.151	0.160	0.149
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.092	0.136	0.168	0.174	0.180	0.174
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.105	0.178	0.178	0.212	0.229	0.224
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.114	0.238	0.195	0.253	0.294	0.299
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.137	0.311	0.216	0.332	0.392	0.386
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.182	0.430	0.238	0.463	0.490	0.498
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.205	0.640	0.400	0.599	0.663	0.726
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.262	1.15	0.703	0.954	1.08	1.20

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>03208100</b>	<b>03208500</b>	<b>03208700</b>	<b>03208800</b>	<b>03208850</b>	<b>03208900</b>
Count	number	93.0	2,542	806	403	403	589
Max	ft <sup>3</sup> /s	238	6,850	182	398	558	673
Min	ft <sup>3</sup> /s	2.10	1.30	0.040	1.70	4.80	2.30
Median	ft <sup>3</sup> /s	6.00	49.0	3.60	11.0	21.0	25.0
Arithmetic Mean	ft <sup>3</sup> /s	12.5	122	6.62	21.1	36.6	46.3
Geometric Mean	ft <sup>3</sup> /s	7.29	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	5.59	23.9	1.56	9.60	16.9	17.9
Standard Deviation	ft <sup>3</sup> /s	26.2	285	13.8	33.0	55.8	69.2
5th percentile	ft <sup>3</sup> /s	2.44	6.00	0.800	4.40	7.04	7.30
10th percentile	ft <sup>3</sup> /s	3.10	10.0	1.30	5.00	8.50	9.40
20th percentile	ft <sup>3</sup> /s	3.70	19.0	2.50	6.34	10.0	12.0
30th percentile	ft <sup>3</sup> /s	4.50	27.3	3.00	7.36	13.0	15.0
40th percentile	ft <sup>3</sup> /s	5.18	36.0	3.20	8.98	17.0	19.0
50th percentile	ft <sup>3</sup> /s	6.00	49.0	3.60	11.0	21.0	25.0
60th percentile	ft <sup>3</sup> /s	7.64	65.0	4.10	14.0	26.0	30.0
70th percentile	ft <sup>3</sup> /s	9.04	89.7	4.50	18.0	32.0	39.0
80th percentile	ft <sup>3</sup> /s	13.0	137	5.50	25.6	44.0	59.0
90th percentile	ft <sup>3</sup> /s	25.0	260	9.40	44.8	77.8	101
Drainage area	mi <sup>2</sup>	87.7	286	18.5	36.7	61.2	80.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	2.71	24.0	9.84	10.8	9.12	8.37
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.024	0.005	0.002	0.046	0.078	0.029
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.068	0.171	0.195	0.300	0.343	0.311
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.143	0.425	0.358	0.575	0.598	0.576
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.083	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.064	0.083	0.084	0.262	0.276	0.222
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.299	0.996	0.747	0.900	0.912	0.861
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.028	0.021	0.043	0.120	0.115	0.091
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.035	0.035	0.070	0.136	0.139	0.117
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.042	0.066	0.135	0.173	0.163	0.149
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.051	0.095	0.162	0.201	0.212	0.187
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.059	0.126	0.173	0.245	0.278	0.236
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.068	0.171	0.195	0.300	0.343	0.311
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.087	0.227	0.222	0.381	0.425	0.373
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.103	0.314	0.243	0.490	0.523	0.485
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.148	0.479	0.297	0.698	0.719	0.734
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.285	0.909	0.508	1.22	1.27	1.25



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>03208100</b>	<b>03208500</b>	<b>03208700</b>	<b>03208800</b>	<b>03208850</b>	<b>03208900</b>
Count	number	90.0	2,460	780	390	390	570
Max	ft <sup>3</sup> /s	939	3,270	305	179	350	3,060
Min	ft <sup>3</sup> /s	1.20	0.500	0.040	1.80	5.30	1.70
Median	ft <sup>3</sup> /s	4.85	28.0	3.20	7.30	13.0	16.0
Arithmetic Mean	ft <sup>3</sup> /s	24.0	68.6	7.22	12.3	22.1	43.4
Geometric Mean	ft <sup>3</sup> /s	6.49	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	4.03	10.8	1.07	6.95	12.1	12.1
Standard Deviation	ft <sup>3</sup> /s	102	179	24.6	15.3	29.5	147
5th percentile	ft <sup>3</sup> /s	1.46	2.40	0.200	3.00	6.26	4.06
10th percentile	ft <sup>3</sup> /s	2.19	4.00	0.500	4.00	6.80	6.40
20th percentile	ft <sup>3</sup> /s	2.50	10.8	2.08	5.20	7.60	8.88
30th percentile	ft <sup>3</sup> /s	2.90	16.0	2.50	6.10	9.00	11.0
40th percentile	ft <sup>3</sup> /s	3.36	21.0	3.00	6.60	10.6	13.0
50th percentile	ft <sup>3</sup> /s	4.85	28.0	3.20	7.30	13.0	16.0
60th percentile	ft <sup>3</sup> /s	6.42	36.0	4.00	8.60	16.0	20.0
70th percentile	ft <sup>3</sup> /s	11.0	48.0	4.30	11.0	19.0	27.0
80th percentile	ft <sup>3</sup> /s	14.2	69.0	5.02	14.0	26.0	38.0
90th percentile	ft <sup>3</sup> /s	30.1	120	9.60	24.1	44.1	83.1
Drainage area	mi <sup>2</sup>	87.7	286	18.5	36.7	61.2	80.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	10.7	11.4	16.5	4.88	5.72	38.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.014	0.002	0.002	0.049	0.087	0.021
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.055	0.098	0.173	0.199	0.212	0.199
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.274	0.240	0.390	0.335	0.361	0.540
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.074	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.046	0.038	0.058	0.189	0.197	0.150
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	0.627	1.33	0.416	0.482	1.82
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.017	0.008	0.011	0.082	0.102	0.050
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.025	0.014	0.027	0.109	0.111	0.080
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.029	0.038	0.112	0.142	0.124	0.110
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.033	0.056	0.135	0.166	0.147	0.137
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.038	0.073	0.162	0.180	0.173	0.162
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.055	0.098	0.173	0.199	0.212	0.199
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.073	0.126	0.216	0.234	0.261	0.249
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.125	0.168	0.232	0.300	0.310	0.336
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.162	0.241	0.271	0.381	0.425	0.473
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.343	0.420	0.519	0.657	0.721	1.03

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>03208100</b>	<b>03208500</b>	<b>03208700</b>	<b>03208800</b>	<b>03208850</b>	<b>03208900</b>
Count	number	66.0	2,542	806	403	403	589
Max	ft <sup>3</sup> /s	156	6,190	228	558	870	1,310
Min	ft <sup>3</sup> /s	1.20	0.500	0.090	0.600	2.20	2.00
Median	ft <sup>3</sup> /s	8.20	28.0	11.0	17.0	26.0	28.0
Arithmetic Mean	ft <sup>3</sup> /s	17.4	90.6	15.4	32.7	49.2	59.1
Geometric Mean	ft <sup>3</sup> /s	8.89	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	5.24	9.87	2.28	8.17	16.7	15.0
Standard Deviation	ft <sup>3</sup> /s	26.7	294	22.1	55.6	88.5	109
5th percentile	ft <sup>3</sup> /s	1.40	2.00	0.500	1.52	4.42	2.50
10th percentile	ft <sup>3</sup> /s	2.30	4.00	1.40	3.54	7.32	6.40
20th percentile	ft <sup>3</sup> /s	3.20	9.70	3.20	7.80	14.0	15.0
30th percentile	ft <sup>3</sup> /s	4.15	15.0	4.40	12.0	19.0	20.0
40th percentile	ft <sup>3</sup> /s	7.60	22.0	6.40	15.0	21.8	23.2
50th percentile	ft <sup>3</sup> /s	8.20	28.0	11.0	17.0	26.0	28.0
60th percentile	ft <sup>3</sup> /s	13.0	36.0	13.0	22.0	32.0	37.8
70th percentile	ft <sup>3</sup> /s	16.0	51.0	17.0	28.0	40.0	48.0
80th percentile	ft <sup>3</sup> /s	22.0	83.0	20.0	36.0	50.0	66.4
90th percentile	ft <sup>3</sup> /s	35.0	172	30.0	61.4	88.6	122
Drainage area	mi <sup>2</sup>	87.7	286	18.5	36.7	61.2	80.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	1.78	21.6	12.3	15.2	14.2	16.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.014	0.002	0.005	0.016	0.036	0.025
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.094	0.098	0.595	0.463	0.425	0.348
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.199	0.317	0.832	0.891	0.804	0.736
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.101	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.060	0.035	0.123	0.223	0.274	0.186
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.305	1.03	1.19	1.52	1.45	1.36
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.016	0.007	0.027	0.041	0.072	0.031
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.026	0.014	0.076	0.096	0.120	0.080
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.036	0.034	0.173	0.213	0.229	0.187
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.047	0.052	0.238	0.327	0.310	0.249
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.087	0.077	0.346	0.409	0.356	0.289
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.094	0.098	0.595	0.463	0.425	0.348
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.148	0.126	0.703	0.599	0.523	0.470
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.182	0.178	0.919	0.763	0.654	0.597
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.251	0.290	1.08	0.981	0.817	0.826
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.399	0.600	1.62	1.67	1.45	1.52

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>03208100</b>	<b>03208500</b>	<b>03208700</b>	<b>03208800</b>	<b>03208850</b>	<b>03208900</b>
Count	number	60.0	2,455	780	390	390	570
Max	ft <sup>3</sup> /s	312	7,920	524	794	1,490	2,450
Min	ft <sup>3</sup> /s	2.90	1.50	0.200	1.00	2.50	3.50
Median	ft <sup>3</sup> /s	10.2	59.0	18.0	33.0	46.0	54.5
Arithmetic Mean	ft <sup>3</sup> /s	41.7	170	28.6	53.8	79.4	95.3
Geometric Mean	ft <sup>3</sup> /s	17.5	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	9.67	24.7	5.15	12.6	23.5	26.3
Standard Deviation	ft <sup>3</sup> /s	64.2	433	38.7	75.7	125	173
5th percentile	ft <sup>3</sup> /s	3.74	6.00	0.805	1.70	3.76	5.20
10th percentile	ft <sup>3</sup> /s	4.59	11.0	6.00	12.9	15.0	14.0
20th percentile	ft <sup>3</sup> /s	5.78	23.0	9.88	19.0	27.8	22.0
30th percentile	ft <sup>3</sup> /s	6.20	31.0	12.0	24.0	34.7	31.0
40th percentile	ft <sup>3</sup> /s	7.14	42.0	15.0	28.0	41.0	42.0
50th percentile	ft <sup>3</sup> /s	10.2	59.0	18.0	33.0	46.0	54.5
60th percentile	ft <sup>3</sup> /s	29.2	83.0	21.0	38.0	55.0	65.4
70th percentile	ft <sup>3</sup> /s	37.3	127	26.0	47.0	64.3	83.0
80th percentile	ft <sup>3</sup> /s	54.4	189	34.0	57.2	84.2	105
90th percentile	ft <sup>3</sup> /s	102	366	58.3	119	184	209
Drainage area	mi <sup>2</sup>	87.7	286	18.5	36.7	61.2	80.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.56	27.7	28.3	21.6	24.3	30.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.033	0.005	0.011	0.027	0.041	0.044
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.116	0.206	0.973	0.899	0.752	0.678
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.475	0.596	1.55	1.47	1.30	1.19
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.199	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.110	0.086	0.278	0.343	0.384	0.327
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.732	1.51	2.09	2.06	2.04	2.15
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.043	0.021	0.044	0.046	0.061	0.065
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.052	0.038	0.324	0.351	0.245	0.174
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.066	0.080	0.534	0.518	0.454	0.274
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.071	0.108	0.649	0.654	0.567	0.386
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.081	0.147	0.811	0.763	0.670	0.522
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.116	0.206	0.973	0.899	0.752	0.678
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.333	0.290	1.14	1.04	0.899	0.813
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.425	0.444	1.41	1.28	1.05	1.03
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.620	0.661	1.84	1.56	1.38	1.31
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.16	1.28	3.15	3.24	3.00	2.60

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>03208100</b>	<b>03208500</b>	<b>03208700</b>	<b>03208800</b>	<b>03208850</b>	<b>03208900</b>
Count	number	62.0	2,511	806	403	403	589
Max	ft <sup>3</sup> /s	749	8,800	482	902	1,770	2,670
Min	ft <sup>3</sup> /s	5.40	1.80	0.300	1.30	3.30	4.50
Median	ft <sup>3</sup> /s	52.0	144	20.0	44.0	64.0	81.0
Arithmetic Mean	ft <sup>3</sup> /s	86.9	331	35.1	76.0	118	143
Geometric Mean	ft <sup>3</sup> /s	42.7	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	21.5	50.2	6.08	13.3	24.8	32.8
Standard Deviation	ft <sup>3</sup> /s	122	690	47.7	99.7	173	225
5th percentile	ft <sup>3</sup> /s	6.65	12.0	1.50	1.92	3.84	6.80
10th percentile	ft <sup>3</sup> /s	7.60	26.0	2.90	5.92	9.44	13.0
20th percentile	ft <sup>3</sup> /s	8.52	43.0	6.60	14.8	27.0	24.0
30th percentile	ft <sup>3</sup> /s	21.0	65.0	11.0	26.0	41.6	45.0
40th percentile	ft <sup>3</sup> /s	30.4	102	15.0	34.0	52.8	64.0
50th percentile	ft <sup>3</sup> /s	52.0	144	20.0	44.0	64.0	81.0
60th percentile	ft <sup>3</sup> /s	71.8	199	25.0	55.0	82.0	103
70th percentile	ft <sup>3</sup> /s	94.4	288	32.0	75.0	108	133
80th percentile	ft <sup>3</sup> /s	113	430	48.0	106	151	181
90th percentile	ft <sup>3</sup> /s	169	716	86.0	187	268	303
Drainage area	mi <sup>2</sup>	87.7	286	18.5	36.7	61.2	80.4
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.54	30.8	26.1	24.6	28.9	33.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.062	0.006	0.016	0.035	0.054	0.056
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.593	0.503	1.08	1.20	1.05	1.01
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.991	1.16	1.90	2.07	1.93	1.78
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.487	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.245	0.175	0.329	0.362	0.405	0.407
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	2.41	2.58	2.72	2.83	2.80
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.076	0.042	0.081	0.052	0.063	0.085
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.087	0.091	0.157	0.161	0.154	0.162
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.097	0.150	0.357	0.403	0.441	0.299
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.239	0.227	0.595	0.708	0.680	0.560
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.347	0.357	0.811	0.926	0.863	0.796
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.593	0.503	1.08	1.20	1.05	1.01
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.819	0.696	1.35	1.50	1.34	1.28
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	1.01	1.73	2.04	1.76	1.66
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.50	2.59	2.89	2.47	2.26
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.92	2.50	4.65	5.09	4.38	3.77

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		January					
	units	03208950	03209000	03209200	03213577	03213590	03471500
Station Number	number						
Count	number	1,364	2,480	620	62.0	31.0	2,356
Max	ft <sup>3</sup> /s	2,630	16,100	13,100	3.30	56.0	3,780
Min	ft <sup>3</sup> /s	1.80	3.00	21.0	0.090	7.00	15.0
Median	ft <sup>3</sup> /s	70.0	222	621	0.275	20.0	103
Arithmetic Mean	ft <sup>3</sup> /s	114	427	1,173	0.401	25.2	149
Geometric Mean	ft <sup>3</sup> /s	--	--	--	0.281	21.1	--
Harmonic Mean	ft <sup>3</sup> /s	33.4	89.2	276	0.218	17.7	82.4
Standard Deviation	ft <sup>3</sup> /s	170	696	1,528	0.482	14.9	188
5th percentile	ft <sup>3</sup> /s	10.0	21.0	63.1	0.100	8.20	30.9
10th percentile	ft <sup>3</sup> /s	16.3	44.9	107	0.101	10.0	40.0
20th percentile	ft <sup>3</sup> /s	32.0	91.0	292	0.122	12.0	60.0
30th percentile	ft <sup>3</sup> /s	44.0	136	410	0.180	16.0	77.0
40th percentile	ft <sup>3</sup> /s	56.0	175	479	0.220	16.0	89.0
50th percentile	ft <sup>3</sup> /s	70.0	222	621	0.275	20.0	103
60th percentile	ft <sup>3</sup> /s	87.0	286	809	0.340	26.0	121
70th percentile	ft <sup>3</sup> /s	110	375	1,100	0.408	27.0	149
80th percentile	ft <sup>3</sup> /s	149	560	1,722	0.470	45.0	186
90th percentile	ft <sup>3</sup> /s	237	1,030	2,907	0.817	47.0	275
Drainage area	mi <sup>2</sup>	66.5	221	526	0.6	84.5	76.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	39.5	72.9	24.9	5.50	0.663	49.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.027	0.014	0.040	0.150	0.083	0.196
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	1.00	1.18	0.458	0.237	1.34
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.72	1.93	2.23	0.668	0.298	1.94
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.468	0.250	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.503	0.403	0.525	0.363	0.210	1.08
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.56	3.15	2.90	0.803	0.177	2.45
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.150	0.095	0.120	0.167	0.097	0.403
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.245	0.203	0.203	0.168	0.118	0.522
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.481	0.412	0.555	0.203	0.142	0.783
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.662	0.615	0.779	0.300	0.189	1.01
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.842	0.792	0.910	0.367	0.189	1.16
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	1.00	1.18	0.458	0.237	1.34
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	1.29	1.54	0.567	0.308	1.58
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.65	1.70	2.09	0.680	0.320	1.95
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.24	2.53	3.27	0.783	0.533	2.43
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.56	4.66	5.53	1.36	0.556	3.59

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		February					
	units						
Station Number	number	03208950	03209000	03209200	03213577	03213590	03471500
Count	number	1,243	2,260	565	56.0	28.0	2,146
Max	ft <sup>3</sup> /s	2,850	8,000	7,560	3.70	550	2,080
Min	ft <sup>3</sup> /s	1.80	5.00	40.0	0.250	35.0	29.0
Median	ft <sup>3</sup> /s	89.0	300	710	0.645	160	140
Arithmetic Mean	ft <sup>3</sup> /s	138	504	1,067	0.933	178	198
Geometric Mean	ft <sup>3</sup> /s	--	--	--	0.766	142	--
Harmonic Mean	ft <sup>3</sup> /s	63.4	136	493	0.649	111	117
Standard Deviation	ft <sup>3</sup> /s	185	695	1,060	0.656	120	201
5th percentile	ft <sup>3</sup> /s	24.0	31.0	162	0.357	39.5	50.4
10th percentile	ft <sup>3</sup> /s	35.0	73.0	290	0.385	53.5	63.0
20th percentile	ft <sup>3</sup> /s	49.0	138	425	0.420	72.8	82.0
30th percentile	ft <sup>3</sup> /s	62.0	186	520	0.490	91.0	98.0
40th percentile	ft <sup>3</sup> /s	75.0	245	615	0.580	120	118
50th percentile	ft <sup>3</sup> /s	89.0	300	710	0.645	160	140
60th percentile	ft <sup>3</sup> /s	108	369	837	0.840	200	167
70th percentile	ft <sup>3</sup> /s	135	475	1,070	1.15	218	200
80th percentile	ft <sup>3</sup> /s	173	649	1,412	1.50	280	252
90th percentile	ft <sup>3</sup> /s	268	1,090	2,272	1.70	315	385
Drainage area	mi <sup>2</sup>	66.5	221	526	0.6	84.5	76.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	42.9	36.2	14.4	6.17	6.51	27.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.027	0.023	0.076	0.417	0.414	0.379
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.34	1.36	1.35	1.08	1.89	1.83
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.08	2.28	2.03	1.55	2.11	2.58
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	1.28	1.68	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.953	0.615	0.938	1.08	1.31	1.53
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.77	3.14	2.02	1.09	1.42	2.62
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.361	0.140	0.308	0.595	0.467	0.657
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.526	0.330	0.551	0.642	0.633	0.822
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.737	0.624	0.807	0.700	0.862	1.07
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.932	0.842	0.989	0.817	1.08	1.28
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	1.11	1.17	0.967	1.42	1.54
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.34	1.36	1.35	1.08	1.89	1.83
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	1.67	1.59	1.40	2.37	2.18
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.04	2.15	2.03	1.92	2.58	2.61
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.60	2.94	2.68	2.50	3.31	3.29
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.03	4.93	4.32	2.83	3.73	5.03

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

	units	March					
		03208950	03209000	03209200	03213577	03213590	03471500
Station Number	number						
Count	number	1,364	2,480	620	62.0	31.0	2,356
Max	ft <sup>3</sup> /s	3,750	16,000	29,800	7.80	525	2,070
Min	ft <sup>3</sup> /s	13.0	9.30	124	0.200	41.0	34.0
Median	ft <sup>3</sup> /s	95.0	326	776	0.825	115	154
Arithmetic Mean	ft <sup>3</sup> /s	159	567	1,562	1.30	150	204
Geometric Mean	ft <sup>3</sup> /s	--	--	--	0.920	120	--
Harmonic Mean	ft <sup>3</sup> /s	81.9	196	675	0.681	101	135
Standard Deviation	ft <sup>3</sup> /s	245	828	2,232	1.26	115	188
5th percentile	ft <sup>3</sup> /s	34.0	58.1	288	0.245	44.0	59.0
10th percentile	ft <sup>3</sup> /s	44.0	107	354	0.380	62.0	79.0
20th percentile	ft <sup>3</sup> /s	57.0	172	440	0.440	74.0	98.0
30th percentile	ft <sup>3</sup> /s	68.0	214	539	0.529	82.0	115
40th percentile	ft <sup>3</sup> /s	81.0	265	652	0.682	94.0	132
50th percentile	ft <sup>3</sup> /s	95.0	326	776	0.825	115	154
60th percentile	ft <sup>3</sup> /s	115	405	974	1.16	120	175
70th percentile	ft <sup>3</sup> /s	143	541	1,366	1.57	146	208
80th percentile	ft <sup>3</sup> /s	189	753	2,230	1.90	208	255
90th percentile	ft <sup>3</sup> /s	295	1,220	3,924	3.11	281	365
Drainage area	mi <sup>2</sup>	66.5	221	526	0.6	84.5	76.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	56.4	72.4	56.7	13.0	6.21	27.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.195	0.042	0.236	0.333	0.485	0.444
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	1.48	1.48	1.38	1.36	2.01
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.39	2.57	2.97	2.17	1.77	2.67
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	1.53	1.43	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	0.886	1.28	1.14	1.20	1.77
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.68	3.75	4.24	2.09	1.36	2.45
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.511	0.263	0.548	0.408	0.521	0.770
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.662	0.484	0.673	0.633	0.734	1.03
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.857	0.778	0.837	0.733	0.876	1.28
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	0.968	1.03	0.882	0.970	1.50
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	1.20	1.24	1.14	1.11	1.72
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	1.48	1.48	1.38	1.36	2.01
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	1.83	1.85	1.93	1.42	2.28
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.15	2.45	2.60	2.62	1.73	2.72
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.85	3.41	4.24	3.17	2.46	3.33
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.43	5.52	7.46	5.18	3.33	4.77

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>03208950</b>	<b>03209000</b>	<b>03209200</b>	<b>03213577</b>	<b>03213590</b>	<b>03471500</b>
Count	number	1,320	2,400	600	60.0	60.0	2,280
Max	ft <sup>3</sup> /s	8,000	7,440	26,400	6.90	1,200	2,870
Min	ft <sup>3</sup> /s	15.0	9.40	111	0.110	59.0	44.0
Median	ft <sup>3</sup> /s	87.0	188	502	0.460	175	127
Arithmetic Mean	ft <sup>3</sup> /s	142	366	995	1.02	249	170
Geometric Mean	ft <sup>3</sup> /s	--	--	--	0.529	190	--
Harmonic Mean	ft <sup>3</sup> /s	73.3	103	404	0.318	152	120
Standard Deviation	ft <sup>3</sup> /s	298	581	1,733	1.36	217	159
5th percentile	ft <sup>3</sup> /s	32.0	44.0	156	0.120	63.1	62.0
10th percentile	ft <sup>3</sup> /s	38.9	48.0	191	0.140	79.0	72.0
20th percentile	ft <sup>3</sup> /s	51.0	53.0	260	0.160	102	87.0
30th percentile	ft <sup>3</sup> /s	62.0	76.7	337	0.207	121	99.0
40th percentile	ft <sup>3</sup> /s	73.0	140	410	0.324	148	112
50th percentile	ft <sup>3</sup> /s	87.0	188	502	0.460	175	127
60th percentile	ft <sup>3</sup> /s	104	248	595	0.714	217	147
70th percentile	ft <sup>3</sup> /s	125	336	781	1.06	300	174
80th percentile	ft <sup>3</sup> /s	160	488	1,142	1.64	330	214
90th percentile	ft <sup>3</sup> /s	244	811	2,410	2.50	493	288
Drainage area	mi <sup>2</sup>	66.5	221	526	0.6	84.5	76.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	120	33.7	50.2	11.5	14.2	37.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.226	0.043	0.211	0.183	0.698	0.574
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	0.848	0.953	0.767	2.07	1.65
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.13	1.66	1.89	1.71	2.95	2.22
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.882	2.25	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	0.465	0.768	0.530	1.79	1.57
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.48	2.63	3.29	2.27	2.57	2.07
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.481	0.199	0.297	0.200	0.747	0.809
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.585	0.217	0.363	0.233	0.935	0.940
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.767	0.240	0.494	0.267	1.20	1.14
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.932	0.347	0.640	0.345	1.44	1.29
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	0.633	0.779	0.540	1.76	1.46
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	0.848	0.953	0.767	2.07	1.65
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	1.12	1.13	1.19	2.56	1.92
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.88	1.52	1.48	1.77	3.55	2.28
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.41	2.21	2.17	2.73	3.90	2.79
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.67	3.67	4.58	4.17	5.83	3.76



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	03208950	03209000	03209200	03213577	03213590	03471500
Count	number	1,364	2,480	620	62.0	62.0	2,356
Max	ft <sup>3</sup> /s	3,160	7,270	8,570	3.80	698	1,770
Min	ft <sup>3</sup> /s	8.10	7.40	68.0	0.060	16.0	36.0
Median	ft <sup>3</sup> /s	57.0	161	410	0.170	54.5	104
Arithmetic Mean	ft <sup>3</sup> /s	95.8	322	767	0.394	89.7	135
Geometric Mean	ft <sup>3</sup> /s	--	--	--	0.203	62.8	--
Harmonic Mean	ft <sup>3</sup> /s	45.9	107	302	0.141	49.2	97.2
Standard Deviation	ft <sup>3</sup> /s	158	526	992	0.664	107	115
5th percentile	ft <sup>3</sup> /s	17.0	44.0	106	0.060	19.3	50.0
10th percentile	ft <sup>3</sup> /s	23.0	50.0	134	0.070	25.4	57.5
20th percentile	ft <sup>3</sup> /s	32.0	62.8	192	0.090	37.2	69.0
30th percentile	ft <sup>3</sup> /s	40.9	90.0	255	0.093	42.3	81.0
40th percentile	ft <sup>3</sup> /s	49.2	122	312	0.138	46.0	92.0
50th percentile	ft <sup>3</sup> /s	57.0	161	410	0.170	54.5	104
60th percentile	ft <sup>3</sup> /s	71.0	210	549	0.200	63.2	118
70th percentile	ft <sup>3</sup> /s	88.0	284	700	0.240	82.2	139
80th percentile	ft <sup>3</sup> /s	115	400	1,070	0.504	114	172
90th percentile	ft <sup>3</sup> /s	178	720	1,740	0.816	178	236
Drainage area	mi <sup>2</sup>	66.5	221	526	0.6	84.5	76.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	47.5	32.9	16.3	6.33	8.26	23.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.122	0.033	0.129	0.100	0.189	0.470
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.857	0.726	0.779	0.283	0.645	1.36
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	1.46	1.46	0.657	1.06	1.76
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.338	0.743	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.691	0.484	0.574	0.236	0.582	1.27
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.37	2.38	1.89	1.11	1.27	1.51
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.256	0.199	0.202	0.100	0.228	0.653
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.346	0.226	0.255	0.117	0.301	0.751
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.481	0.284	0.365	0.150	0.440	0.901
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.615	0.407	0.485	0.155	0.501	1.06
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.740	0.552	0.592	0.230	0.544	1.20
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.857	0.726	0.779	0.283	0.645	1.36
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	0.950	1.04	0.333	0.748	1.54
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.32	1.28	1.33	0.400	0.973	1.81
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	1.81	2.03	0.840	1.35	2.25
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.67	3.26	3.31	1.36	2.10	3.07

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>03208950</b>	<b>03209000</b>	<b>03209200</b>	<b>03213577</b>	<b>03213590</b>	<b>03471500</b>
Count	number	1,320	2,400	600	60.0	60.0	2,280
Max	ft <sup>3</sup> /s	1,230	3,510	5,720	9.40	2,100	3,450
Min	ft <sup>3</sup> /s	2.40	1.00	22.0	0.090	3.90	17.0
Median	ft <sup>3</sup> /s	29.0	79.0	180	0.300	18.0	66.0
Arithmetic Mean	ft <sup>3</sup> /s	54.9	166	422	0.682	122	92.7
Geometric Mean	ft <sup>3</sup> /s	--	--	--	0.336	26.1	--
Harmonic Mean	ft <sup>3</sup> /s	21.9	42.3	137	0.224	11.5	62.3
Standard Deviation	ft <sup>3</sup> /s	95.6	294	688	1.34	333	126
5th percentile	ft <sup>3</sup> /s	7.81	12.0	41.1	0.090	4.21	33.0
10th percentile	ft <sup>3</sup> /s	11.0	21.0	72.0	0.100	4.67	37.0
20th percentile	ft <sup>3</sup> /s	16.0	38.0	95.0	0.118	6.44	44.0
30th percentile	ft <sup>3</sup> /s	20.0	51.0	116	0.180	7.18	50.0
40th percentile	ft <sup>3</sup> /s	24.0	62.0	150	0.220	9.40	58.0
50th percentile	ft <sup>3</sup> /s	29.0	79.0	180	0.300	18.0	66.0
60th percentile	ft <sup>3</sup> /s	37.0	98.0	231	0.360	34.6	75.4
70th percentile	ft <sup>3</sup> /s	47.0	136	343	0.463	50.4	89.0
80th percentile	ft <sup>3</sup> /s	64.2	201	492	0.652	111	110
90th percentile	ft <sup>3</sup> /s	104	351	1,031	1.51	269	158
Drainage area	mi <sup>2</sup>	66.5	221	526	0.6	84.5	76.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	18.5	15.9	10.9	15.7	24.9	45.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.036	0.005	0.042	0.150	0.046	0.222
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.436	0.357	0.342	0.500	0.213	0.862
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.826	0.750	0.803	1.14	1.44	1.21
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.560	0.309	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.330	0.191	0.261	0.373	0.136	0.813
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	1.33	1.31	2.23	3.95	1.64
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.117	0.054	0.078	0.150	0.050	0.431
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.165	0.095	0.137	0.167	0.055	0.483
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.241	0.172	0.181	0.197	0.076	0.574
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.301	0.231	0.221	0.300	0.085	0.653
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.361	0.281	0.284	0.367	0.111	0.757
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.436	0.357	0.342	0.500	0.213	0.862
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.556	0.443	0.440	0.600	0.409	0.984
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.707	0.615	0.652	0.772	0.596	1.16
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.965	0.910	0.935	1.09	1.31	1.44
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	1.59	1.96	2.52	3.18	2.06

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units						
Station Number	number	03208950	03209000	03209200	03213577	03213590	03471500
Count	number	1,364	2,480	620	62.0	62.0	2,360
Max	ft <sup>3</sup> /s	777	8,000	3,280	1.70	311	1,820
Min	ft <sup>3</sup> /s	1.10	0.900	20.0	0.040	3.30	8.00
Median	ft <sup>3</sup> /s	21.0	63.0	127	0.100	14.5	47.0
Arithmetic Mean	ft <sup>3</sup> /s	35.0	133	225	0.151	33.7	62.3
Geometric Mean	ft <sup>3</sup> /s	--	--	--	0.111	18.0	--
Harmonic Mean	ft <sup>3</sup> /s	14.8	29.9	107	0.095	12.1	45.6
Standard Deviation	ft <sup>3</sup> /s	52.3	299	301	0.222	56.3	73.0
5th percentile	ft <sup>3</sup> /s	5.40	7.80	37.0	0.043	5.12	26.0
10th percentile	ft <sup>3</sup> /s	7.20	16.0	57.0	0.060	6.11	29.0
20th percentile	ft <sup>3</sup> /s	11.0	32.0	85.0	0.080	7.22	34.0
30th percentile	ft <sup>3</sup> /s	14.0	45.0	96.0	0.080	9.12	38.0
40th percentile	ft <sup>3</sup> /s	17.0	52.0	108	0.090	12.4	43.0
50th percentile	ft <sup>3</sup> /s	21.0	63.0	127	0.100	14.5	47.0
60th percentile	ft <sup>3</sup> /s	26.0	82.0	150	0.106	19.2	53.0
70th percentile	ft <sup>3</sup> /s	33.0	104	205	0.120	28.0	61.0
80th percentile	ft <sup>3</sup> /s	43.4	151	272	0.148	46.6	72.0
90th percentile	ft <sup>3</sup> /s	71.0	276	480	0.254	58.0	96.0
Drainage area	mi <sup>2</sup>	66.5	221	526	0.6	84.5	76.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	11.7	36.2	6.24	2.83	3.68	23.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.017	0.004	0.038	0.067	0.039	0.104
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.316	0.285	0.241	0.167	0.172	0.614
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.526	0.600	0.428	0.252	0.399	0.813
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.184	0.212	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.223	0.135	0.204	0.158	0.143	0.596
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.787	1.35	0.572	0.370	0.666	0.953
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.081	0.035	0.070	0.072	0.061	0.339
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.072	0.108	0.100	0.072	0.379
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.165	0.145	0.162	0.133	0.085	0.444
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.211	0.204	0.183	0.133	0.108	0.496
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.256	0.235	0.205	0.150	0.147	0.561
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.316	0.285	0.241	0.167	0.172	0.614
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.391	0.371	0.286	0.177	0.227	0.692
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.496	0.471	0.390	0.200	0.331	0.796
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.653	0.683	0.517	0.247	0.551	0.940
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	1.25	0.913	0.423	0.686	1.25

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>03208950</b>	<b>03209000</b>	<b>03209200</b>	<b>03213577</b>	<b>03213590</b>	<b>03471500</b>
Count	number	1,364	2,480	620	62.0	62.0	2,387
Max	ft <sup>3</sup> /s	981	2,210	2,840	4.00	1,080	1,250
Min	ft <sup>3</sup> /s	1.80	0.800	14.0	0.030	1.50	14.0
Median	ft <sup>3</sup> /s	17.0	55.0	130	0.050	17.5	39.0
Arithmetic Mean	ft <sup>3</sup> /s	31.8	101	218	0.170	50.1	55.2
Geometric Mean	ft <sup>3</sup> /s	--	--	--	0.066	14.8	--
Harmonic Mean	ft <sup>3</sup> /s	13.8	22.7	104	0.053	6.42	38.9
Standard Deviation	ft <sup>3</sup> /s	56.9	176	293	0.564	143	65.4
5th percentile	ft <sup>3</sup> /s	5.53	5.11	42.0	0.030	1.60	23.0
10th percentile	ft <sup>3</sup> /s	6.80	9.00	63.0	0.030	2.03	26.0
20th percentile	ft <sup>3</sup> /s	9.60	22.0	85.0	0.040	4.00	29.0
30th percentile	ft <sup>3</sup> /s	12.0	39.0	97.0	0.040	5.93	32.0
40th percentile	ft <sup>3</sup> /s	14.0	49.0	114	0.044	9.36	35.0
50th percentile	ft <sup>3</sup> /s	17.0	55.0	130	0.050	17.5	39.0
60th percentile	ft <sup>3</sup> /s	22.0	70.0	150	0.060	24.0	44.0
70th percentile	ft <sup>3</sup> /s	28.0	91.0	190	0.080	30.7	52.0
80th percentile	ft <sup>3</sup> /s	37.0	116	260	0.090	46.2	63.0
90th percentile	ft <sup>3</sup> /s	60.0	190	442	0.119	74.9	89.0
Drainage area	mi <sup>2</sup>	66.5	221	526	0.6	84.5	76.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	14.8	10.0	5.40	6.67	12.8	16.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.027	0.004	0.027	0.050	0.018	0.183
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.256	0.249	0.247	0.083	0.207	0.509
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.478	0.457	0.414	0.283	0.593	0.720
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.111	0.175	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.208	0.102	0.197	0.088	0.076	0.508
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.855	0.798	0.557	0.939	1.69	0.854
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.083	0.023	0.080	0.050	0.019	0.300
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.102	0.041	0.120	0.050	0.024	0.339
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.144	0.100	0.162	0.067	0.047	0.379
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.180	0.176	0.184	0.067	0.070	0.418
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.211	0.222	0.216	0.073	0.111	0.457
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.256	0.249	0.247	0.083	0.207	0.509
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.331	0.317	0.285	0.100	0.284	0.574
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.421	0.412	0.361	0.133	0.363	0.679
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.556	0.525	0.494	0.150	0.547	0.822
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.902	0.860	0.840	0.198	0.886	1.16

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>03208950</b>	<b>03209000</b>	<b>03209200</b>	<b>03213577</b>	<b>03213590</b>	<b>03471500</b>
Count	number	1,319	2,400	600	60.0	60.0	2,310
Max	ft <sup>3</sup> /s	1,410	2,710	3,800	0.490	86.0	1,940
Min	ft <sup>3</sup> /s	0.700	0.100	5.50	0.020	1.30	12.0
Median	ft <sup>3</sup> /s	12.0	47.0	103	0.040	11.0	31.0
Arithmetic Mean	ft <sup>3</sup> /s	25.0	72.3	188	0.058	15.8	45.6
Geometric Mean	ft <sup>3</sup> /s	--	--	--	0.047	10.0	--
Harmonic Mean	ft <sup>3</sup> /s	8.81	6.14	59.4	0.042	6.21	32.0
Standard Deviation	ft <sup>3</sup> /s	61.6	141	364	0.061	16.1	77.9
5th percentile	ft <sup>3</sup> /s	3.20	1.80	16.0	0.020	2.01	21.0
10th percentile	ft <sup>3</sup> /s	4.50	4.50	31.8	0.020	2.49	22.0
20th percentile	ft <sup>3</sup> /s	6.40	13.0	61.0	0.030	3.44	24.0
30th percentile	ft <sup>3</sup> /s	8.20	24.0	76.0	0.040	6.11	26.0
40th percentile	ft <sup>3</sup> /s	9.80	39.0	90.6	0.040	8.12	29.0
50th percentile	ft <sup>3</sup> /s	12.0	47.0	103	0.040	11.0	31.0
60th percentile	ft <sup>3</sup> /s	15.0	53.0	113	0.054	14.4	35.0
70th percentile	ft <sup>3</sup> /s	20.0	62.0	140	0.063	19.0	39.0
80th percentile	ft <sup>3</sup> /s	25.0	81.2	177	0.070	22.2	46.0
90th percentile	ft <sup>3</sup> /s	43.2	125	314	0.090	33.4	64.0
Drainage area	mi <sup>2</sup>	66.5	221	526	0.6	84.5	76.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.2	12.3	7.22	0.817	1.02	25.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.011	0.000	0.010	0.033	0.015	0.157
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.180	0.213	0.196	0.067	0.130	0.405
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.376	0.327	0.358	0.096	0.187	0.596
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.079	0.119	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.132	0.028	0.113	0.069	0.073	0.417
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.926	0.639	0.693	0.102	0.190	1.02
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.048	0.008	0.030	0.033	0.024	0.274
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.068	0.020	0.060	0.033	0.029	0.287
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.096	0.059	0.116	0.050	0.041	0.313
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.123	0.109	0.144	0.067	0.072	0.339
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.147	0.176	0.172	0.067	0.096	0.379
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.180	0.213	0.196	0.067	0.130	0.405
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.226	0.240	0.215	0.090	0.170	0.457
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.301	0.281	0.266	0.105	0.225	0.509
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.376	0.367	0.337	0.117	0.263	0.601
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.650	0.566	0.597	0.150	0.395	0.836

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>03208950</b>	<b>03209000</b>	<b>03209200</b>	<b>03213577</b>	<b>03213590</b>	<b>03471500</b>
Count	number	1,393	2,511	620	62.0	37.0	2,418
Max	ft <sup>3</sup> /s	1,140	5,100	5,500	0.340	42.0	1,170
Min	ft <sup>3</sup> /s	0.900	0.200	6.70	0.030	3.00	10.0
Median	ft <sup>3</sup> /s	13.0	56.0	198	0.070	6.80	33.0
Arithmetic Mean	ft <sup>3</sup> /s	28.4	150	352	0.073	9.71	48.1
Geometric Mean	ft <sup>3</sup> /s	--	--	--	0.064	7.94	--
Harmonic Mean	ft <sup>3</sup> /s	9.55	8.80	86.4	0.057	6.79	33.1
Standard Deviation	ft <sup>3</sup> /s	69.7	272	532	0.047	7.42	60.3
5th percentile	ft <sup>3</sup> /s	3.80	1.90	36.1	0.030	3.99	20.0
10th percentile	ft <sup>3</sup> /s	5.40	4.00	54.0	0.030	4.20	22.0
20th percentile	ft <sup>3</sup> /s	7.20	9.60	101	0.040	4.44	24.0
30th percentile	ft <sup>3</sup> /s	8.80	22.0	118	0.053	4.96	26.0
40th percentile	ft <sup>3</sup> /s	10.0	45.0	156	0.060	5.72	29.0
50th percentile	ft <sup>3</sup> /s	13.0	56.0	198	0.070	6.80	33.0
60th percentile	ft <sup>3</sup> /s	16.0	103	262	0.076	8.34	37.0
70th percentile	ft <sup>3</sup> /s	20.0	164	334	0.080	12.2	44.0
80th percentile	ft <sup>3</sup> /s	28.0	242	440	0.090	13.8	57.0
90th percentile	ft <sup>3</sup> /s	50.0	345	687	0.109	17.4	80.0
Drainage area	mi <sup>2</sup>	66.5	221	526	0.6	84.5	76.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	17.1	23.1	10.5	0.567	0.497	15.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.014	0.001	0.013	0.050	0.036	0.131
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.195	0.253	0.376	0.117	0.080	0.431
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.428	0.678	0.669	0.122	0.115	0.628
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.107	0.094	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.144	0.040	0.164	0.096	0.080	0.432
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	1.23	1.01	0.078	0.088	0.787
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.057	0.009	0.069	0.050	0.047	0.261
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.081	0.018	0.103	0.050	0.050	0.287
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.043	0.192	0.067	0.053	0.313
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.132	0.100	0.224	0.088	0.059	0.339
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.150	0.204	0.297	0.100	0.068	0.379
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.195	0.253	0.376	0.117	0.080	0.431
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.241	0.466	0.498	0.127	0.099	0.483
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.301	0.742	0.636	0.133	0.144	0.574
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.421	1.10	0.837	0.150	0.163	0.744
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.752	1.56	1.31	0.182	0.206	1.04

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>03208950</b>	<b>03209000</b>	<b>03209200</b>	<b>03213577</b>	<b>03213590</b>	<b>03471500</b>
Count	number	1,345	2,425	600	60.0	30.0	2,335
Max	ft <sup>3</sup> /s	1,810	4,910	8,590	2.70	298	4,040
Min	ft <sup>3</sup> /s	2.60	1.00	15.0	0.020	4.40	13.0
Median	ft <sup>3</sup> /s	19.0	150	343	0.070	8.50	44.0
Arithmetic Mean	ft <sup>3</sup> /s	45.8	227	586	0.170	38.2	70.6
Geometric Mean	ft <sup>3</sup> /s	--	--	--	0.085	17.3	--
Harmonic Mean	ft <sup>3</sup> /s	15.6	27.1	170	0.062	10.4	41.3
Standard Deviation	ft <sup>3</sup> /s	95.9	344	863	0.369	60.7	130
5th percentile	ft <sup>3</sup> /s	5.70	6.20	29.1	0.030	4.40	23.0
10th percentile	ft <sup>3</sup> /s	7.64	12.0	102	0.030	5.25	24.0
20th percentile	ft <sup>3</sup> /s	10.0	29.0	187	0.048	6.74	27.0
30th percentile	ft <sup>3</sup> /s	13.0	51.0	245	0.060	6.80	31.0
40th percentile	ft <sup>3</sup> /s	15.0	80.0	297	0.060	7.74	35.6
50th percentile	ft <sup>3</sup> /s	19.0	150	343	0.070	8.50	44.0
60th percentile	ft <sup>3</sup> /s	26.4	192	408	0.070	21.8	54.0
70th percentile	ft <sup>3</sup> /s	38.0	245	492	0.073	31.9	66.0
80th percentile	ft <sup>3</sup> /s	56.0	330	681	0.136	60.2	86.2
90th percentile	ft <sup>3</sup> /s	97.6	515	1,124	0.440	79.5	133
Drainage area	mi <sup>2</sup>	66.5	221	526	0.6	84.5	76.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	27.2	22.2	16.3	4.50	3.53	52.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.039	0.005	0.029	0.033	0.052	0.170
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.286	0.679	0.651	0.117	0.101	0.574
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.689	1.03	1.11	0.284	0.452	0.922
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.142	0.205	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.235	0.123	0.323	0.104	0.124	0.539
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	1.56	1.64	0.614	0.718	1.70
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.086	0.028	0.055	0.050	0.052	0.300
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.115	0.054	0.194	0.050	0.062	0.313
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.150	0.131	0.356	0.080	0.080	0.352
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.195	0.231	0.466	0.100	0.080	0.405
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.226	0.362	0.565	0.100	0.092	0.465
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.286	0.679	0.651	0.117	0.101	0.574
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.397	0.869	0.776	0.117	0.258	0.705
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.571	1.11	0.935	0.122	0.378	0.862
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.842	1.49	1.29	0.227	0.712	1.13
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.47	2.33	2.14	0.733	0.941	1.74

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>03208950</b>	<b>03209000</b>	<b>03209200</b>	<b>03213577</b>	<b>03213590</b>	<b>03471500</b>
Count	number	1,364	2,480	620	62.0	31.0	2,387
Max	ft <sup>3</sup> /s	2,610	6,290	8,300	2.10	44.0	1,380
Min	ft <sup>3</sup> /s	1.60	2.50	22.0	0.070	8.00	9.00
Median	ft <sup>3</sup> /s	43.0	149	389	0.190	25.0	72.0
Arithmetic Mean	ft <sup>3</sup> /s	79.8	300	753	0.262	24.9	108
Geometric Mean	ft <sup>3</sup> /s	--	--	--	0.187	22.9	--
Harmonic Mean	ft <sup>3</sup> /s	22.9	56.3	181	0.147	20.6	58.4
Standard Deviation	ft <sup>3</sup> /s	155	485	1,105	0.303	9.50	121
5th percentile	ft <sup>3</sup> /s	7.20	14.0	53.1	0.070	8.60	25.0
10th percentile	ft <sup>3</sup> /s	9.53	25.0	74.9	0.080	12.0	28.0
20th percentile	ft <sup>3</sup> /s	14.0	51.0	122	0.082	17.0	36.0
30th percentile	ft <sup>3</sup> /s	21.0	74.0	212	0.106	19.0	48.0
40th percentile	ft <sup>3</sup> /s	31.0	109	297	0.140	24.0	60.0
50th percentile	ft <sup>3</sup> /s	43.0	149	389	0.190	25.0	72.0
60th percentile	ft <sup>3</sup> /s	56.0	198	504	0.220	26.0	89.0
70th percentile	ft <sup>3</sup> /s	75.0	286	693	0.254	30.0	112
80th percentile	ft <sup>3</sup> /s	100	401	967	0.336	33.0	144
90th percentile	ft <sup>3</sup> /s	162	686	1,832	0.477	37.0	212
Drainage area	mi <sup>2</sup>	66.5	221	526	0.6	84.5	76.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	39.2	28.5	15.8	3.50	0.521	18.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.024	0.011	0.042	0.117	0.095	0.117
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.647	0.672	0.739	0.317	0.296	0.940
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	1.36	1.43	0.437	0.295	1.42
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	0.311	0.271	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.344	0.255	0.345	0.245	0.244	0.763
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.33	2.19	2.10	0.504	0.112	1.58
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.063	0.101	0.117	0.102	0.326
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.143	0.113	0.142	0.133	0.142	0.366
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.211	0.231	0.232	0.137	0.201	0.470
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.316	0.335	0.403	0.177	0.225	0.627
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.466	0.493	0.565	0.233	0.284	0.783
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.647	0.672	0.739	0.317	0.296	0.940
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.842	0.898	0.958	0.367	0.308	1.16
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	1.29	1.32	0.423	0.355	1.46
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.50	1.81	1.84	0.560	0.391	1.88
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.43	3.11	3.48	0.795	0.438	2.77



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>03472500</b>	<b>03473000</b>	<b>03473500</b>	<b>03474000</b>	<b>03474500</b>	<b>03475000</b>
Count	number	372	2,356	372	1,612	341	1,643
Max	ft <sup>3</sup> /s	3,400	11,200	181	5,020	2,540	4,130
Min	ft <sup>3</sup> /s	22.0	65.0	2.80	22.0	36.0	13.0
Median	ft <sup>3</sup> /s	89.5	467	6.95	145	174	233
Arithmetic Mean	ft <sup>3</sup> /s	160	651	10.4	222	269	334
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	71.7	352	6.25	106	146	164
Standard Deviation	ft <sup>3</sup> /s	283	707	14.9	296	292	386
5th percentile	ft <sup>3</sup> /s	30.0	124	3.10	35.0	50.1	59.0
10th percentile	ft <sup>3</sup> /s	33.0	169	3.30	45.0	72.0	75.0
20th percentile	ft <sup>3</sup> /s	45.0	253	4.20	72.0	112	112
30th percentile	ft <sup>3</sup> /s	56.3	330	5.00	98.0	130	159
40th percentile	ft <sup>3</sup> /s	71.0	400	6.00	123	150	197
50th percentile	ft <sup>3</sup> /s	89.5	467	6.95	145	174	233
60th percentile	ft <sup>3</sup> /s	113	550	8.00	174	209	278
70th percentile	ft <sup>3</sup> /s	144	662	9.50	215	271	333
80th percentile	ft <sup>3</sup> /s	176	857	12.0	290	370	442
90th percentile	ft <sup>3</sup> /s	272	1,240	17.0	441	482	670
Drainage area	mi <sup>2</sup>	55.6	303	7.4	132	153	206
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	61.2	37.0	24.5	38.0	16.6	20.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.396	0.215	0.378	0.167	0.235	0.063
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.61	1.54	0.939	1.10	1.14	1.13
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.87	2.15	1.40	1.68	1.76	1.62
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.16	0.845	0.800	0.955	0.797
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	5.09	2.33	2.02	2.24	1.91	1.87
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.540	0.409	0.419	0.265	0.327	0.286
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.594	0.556	0.446	0.341	0.471	0.364
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.809	0.835	0.568	0.545	0.732	0.544
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.09	0.676	0.742	0.850	0.772
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.32	0.811	0.932	0.980	0.956
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.61	1.54	0.939	1.10	1.14	1.13
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.03	1.82	1.08	1.32	1.37	1.35
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.59	2.18	1.28	1.63	1.77	1.62
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.17	2.83	1.62	2.20	2.42	2.15
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.89	4.09	2.30	3.34	3.15	3.25

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>03472500</b>	<b>03473000</b>	<b>03473500</b>	<b>03474000</b>	<b>03474500</b>	<b>03475000</b>
Count	number	339	2,147	340	1,469	310	1,497
Max	ft <sup>3</sup> /s	2,060	10,400	162	3,370	5,460	5,170
Min	ft <sup>3</sup> /s	45.0	86.0	3.40	30.0	34.0	27.0
Median	ft <sup>3</sup> /s	134	601	10.0	194	228	315
Arithmetic Mean	ft <sup>3</sup> /s	226	825	16.1	287	377	440
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	125	484	9.70	156	187	224
Standard Deviation	ft <sup>3</sup> /s	257	765	19.5	322	509	477
5th percentile	ft <sup>3</sup> /s	54.0	196	5.00	64.0	72.8	78.9
10th percentile	ft <sup>3</sup> /s	71.8	255	5.60	80.0	117	117
20th percentile	ft <sup>3</sup> /s	85.6	337	7.10	108	139	164
30th percentile	ft <sup>3</sup> /s	97.0	424	7.80	130	162	214
40th percentile	ft <sup>3</sup> /s	114	520	9.00	156	196	264
50th percentile	ft <sup>3</sup> /s	134	601	10.0	194	228	315
60th percentile	ft <sup>3</sup> /s	158	713	13.0	238	281	369
70th percentile	ft <sup>3</sup> /s	200	862	15.0	287	350	439
80th percentile	ft <sup>3</sup> /s	307	1,110	19.0	367	462	564
90th percentile	ft <sup>3</sup> /s	480	1,624	28.1	562	690	843
Drainage area	mi <sup>2</sup>	55.6	303	7.4	132	153	206
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	37.1	34.3	21.9	25.5	35.7	25.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.809	0.284	0.459	0.227	0.222	0.131
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.41	1.98	1.35	1.47	1.49	1.53
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	4.07	2.72	2.18	2.17	2.46	2.14
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.25	1.60	1.31	1.18	1.22	1.09
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.61	2.52	2.63	2.44	3.33	2.32
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.971	0.646	0.676	0.485	0.475	0.383
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	0.842	0.757	0.606	0.765	0.569
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.54	1.11	0.959	0.818	0.908	0.796
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.74	1.40	1.05	0.985	1.06	1.04
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.05	1.72	1.22	1.18	1.28	1.28
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.41	1.98	1.35	1.47	1.49	1.53
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.84	2.35	1.76	1.80	1.84	1.79
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.60	2.85	2.03	2.17	2.29	2.13
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.52	3.66	2.57	2.78	3.02	2.74
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	8.63	5.36	3.80	4.26	4.51	4.09

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>03472500</b>	<b>03473000</b>	<b>03473500</b>	<b>03474000</b>	<b>03474500</b>	<b>03475000</b>
Count	number	372	2,356	372	1,612	341	1,643
Max	ft <sup>3</sup> /s	2,420	7,840	114	5,720	1,930	7,040
Min	ft <sup>3</sup> /s	52.0	146	4.30	45.0	46.0	40.0
Median	ft <sup>3</sup> /s	134	655	11.0	200	225	331
Arithmetic Mean	ft <sup>3</sup> /s	190	862	14.0	301	310	444
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	131	587	10.2	183	180	292
Standard Deviation	ft <sup>3</sup> /s	201	754	12.0	349	288	402
5th percentile	ft <sup>3</sup> /s	70.7	280	4.90	82.0	64.0	130
10th percentile	ft <sup>3</sup> /s	83.0	352	5.82	103	102	170
20th percentile	ft <sup>3</sup> /s	93.0	423	8.00	130	135	217
30th percentile	ft <sup>3</sup> /s	107	492	8.80	151	163	250
40th percentile	ft <sup>3</sup> /s	119	568	9.60	173	189	288
50th percentile	ft <sup>3</sup> /s	134	655	11.0	200	225	331
60th percentile	ft <sup>3</sup> /s	155	750	12.0	240	262	389
70th percentile	ft <sup>3</sup> /s	178	900	14.0	299	310	467
80th percentile	ft <sup>3</sup> /s	216	1,110	17.8	385	436	576
90th percentile	ft <sup>3</sup> /s	340	1,495	23.0	560	565	817
Drainage area	mi <sup>2</sup>	55.6	303	7.4	132	153	206
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	43.5	25.9	15.4	43.3	12.6	34.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.935	0.482	0.581	0.341	0.301	0.194
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.41	2.16	1.49	1.52	1.47	1.61
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.42	2.84	1.90	2.28	2.02	2.16
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.35	1.94	1.38	1.39	1.18	1.42
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.61	2.49	1.62	2.64	1.88	1.95
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.27	0.924	0.662	0.621	0.418	0.631
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	1.16	0.786	0.781	0.667	0.825
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.67	1.40	1.08	0.986	0.882	1.05
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.92	1.62	1.19	1.14	1.07	1.21
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.14	1.87	1.30	1.31	1.24	1.40
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.41	2.16	1.49	1.52	1.47	1.61
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.79	2.48	1.62	1.82	1.71	1.89
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.20	2.97	1.89	2.26	2.03	2.27
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.88	3.66	2.41	2.92	2.85	2.80
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	6.11	4.93	3.11	4.24	3.69	3.97

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>03472500</b>	<b>03473000</b>	<b>03473500</b>	<b>03474000</b>	<b>03474500</b>	<b>03475000</b>
Count	number	360	2,280	360	1,560	330	1,590
Max	ft <sup>3</sup> /s	2,390	12,800	95.0	5,990	2,400	8,220
Min	ft <sup>3</sup> /s	39.0	146	4.40	59.0	57.0	47.0
Median	ft <sup>3</sup> /s	133	565	9.80	171	176	272
Arithmetic Mean	ft <sup>3</sup> /s	185	728	12.3	247	265	359
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	116	514	9.44	165	170	247
Standard Deviation	ft <sup>3</sup> /s	197	639	10.4	301	280	387
5th percentile	ft <sup>3</sup> /s	54.0	248	5.70	86.0	91.1	127
10th percentile	ft <sup>3</sup> /s	60.0	299	6.20	99.0	101	144
20th percentile	ft <sup>3</sup> /s	80.8	373	7.00	117	122	179
30th percentile	ft <sup>3</sup> /s	95.0	431	7.80	133	132	210
40th percentile	ft <sup>3</sup> /s	113	490	8.80	151	147	241
50th percentile	ft <sup>3</sup> /s	133	565	9.80	171	176	272
60th percentile	ft <sup>3</sup> /s	156	656	11.0	201	209	308
70th percentile	ft <sup>3</sup> /s	186	768	12.0	245	264	363
80th percentile	ft <sup>3</sup> /s	245	940	14.2	306	332	442
90th percentile	ft <sup>3</sup> /s	350	1,260	19.1	441	483	590
Drainage area	mi <sup>2</sup>	55.6	303	7.4	132	153	206
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	43.0	42.2	12.8	45.4	15.7	39.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.701	0.482	0.595	0.447	0.373	0.228
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.39	1.86	1.32	1.30	1.15	1.32
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.32	2.40	1.66	1.87	1.73	1.74
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.09	1.69	1.28	1.25	1.11	1.20
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.55	2.11	1.40	2.28	1.83	1.88
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.971	0.819	0.770	0.652	0.595	0.617
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	0.986	0.838	0.750	0.659	0.699
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.45	1.23	0.946	0.886	0.796	0.869
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	1.42	1.05	1.01	0.861	1.02
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.03	1.62	1.19	1.14	0.962	1.17
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.39	1.86	1.32	1.30	1.15	1.32
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.80	2.17	1.49	1.53	1.37	1.50
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.34	2.53	1.62	1.86	1.73	1.76
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.41	3.10	1.92	2.32	2.17	2.15
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	6.29	4.16	2.58	3.34	3.16	2.86

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>03472500</b>	<b>03473000</b>	<b>03473500</b>	<b>03474000</b>	<b>03474500</b>	<b>03475000</b>
Count	number	372	2,356	372	1,612	341	1,674
Max	ft <sup>3</sup> /s	862	9,400	47.0	3,610	1,500	4,100
Min	ft <sup>3</sup> /s	23.0	97.0	4.10	49.0	59.0	31.0
Median	ft <sup>3</sup> /s	83.0	431	7.70	130	180	212
Arithmetic Mean	ft <sup>3</sup> /s	118	566	9.15	196	229	288
Geometric Mean	ft <sup>3</sup> /s	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	73.7	392	7.73	124	157	187
Standard Deviation	ft <sup>3</sup> /s	110	489	5.13	220	185	278
5th percentile	ft <sup>3</sup> /s	35.0	195	4.90	64.0	72.2	90.0
10th percentile	ft <sup>3</sup> /s	41.0	224	5.20	73.0	87.0	106
20th percentile	ft <sup>3</sup> /s	49.0	278	6.12	84.0	104	130
30th percentile	ft <sup>3</sup> /s	58.3	330	6.63	98.0	131	160
40th percentile	ft <sup>3</sup> /s	69.4	380	7.20	111	153	186
50th percentile	ft <sup>3</sup> /s	83.0	431	7.70	130	180	212
60th percentile	ft <sup>3</sup> /s	97.0	498	8.30	150	211	241
70th percentile	ft <sup>3</sup> /s	123	579	9.17	183	251	288
80th percentile	ft <sup>3</sup> /s	157	711	11.0	241	310	358
90th percentile	ft <sup>3</sup> /s	238	1,030	14.9	368	395	528
Drainage area	mi <sup>2</sup>	55.6	303	7.4	132	153	206
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	15.5	31.0	6.35	27.3	9.80	19.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.414	0.320	0.554	0.371	0.386	0.150
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	1.42	1.04	0.985	1.18	1.03
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.12	1.87	1.24	1.48	1.50	1.40
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.33	1.29	1.04	0.938	1.02	0.908
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.97	1.61	0.693	1.67	1.21	1.35
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.629	0.643	0.662	0.485	0.472	0.437
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.737	0.739	0.703	0.553	0.569	0.515
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.881	0.917	0.827	0.636	0.680	0.629
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	1.09	0.896	0.742	0.856	0.777
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.25	1.25	0.973	0.841	1.00	0.903
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	1.42	1.04	0.985	1.18	1.03
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.74	1.64	1.12	1.14	1.38	1.17
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.21	1.91	1.24	1.38	1.64	1.40
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.82	2.35	1.49	1.82	2.03	1.74
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.28	3.40	2.01	2.79	2.58	2.57

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>03472500</b>	<b>03473000</b>	<b>03473500</b>	<b>03474000</b>	<b>03474500</b>	<b>03475000</b>
Count	number	360	2,280	360	1,560	330	1,620
Max	ft <sup>3</sup> /s	429	4,620	48.0	2,670	5,550	2,580
Min	ft <sup>3</sup> /s	15.0	83.0	3.50	29.0	30.0	25.0
Median	ft <sup>3</sup> /s	43.0	276	5.50	80.0	120	144
Arithmetic Mean	ft <sup>3</sup> /s	56.2	369	5.91	129	218	203
Geometric Mean	ft <sup>3</sup> /s	--	--	5.65	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	39.1	257	5.49	79.0	96.6	136
Standard Deviation	ft <sup>3</sup> /s	49.1	329	2.74	161	470	205
5th percentile	ft <sup>3</sup> /s	19.0	131	3.80	42.0	41.6	70.0
10th percentile	ft <sup>3</sup> /s	22.0	152	4.29	47.9	46.0	81.0
20th percentile	ft <sup>3</sup> /s	28.0	183	4.80	55.0	57.6	96.0
30th percentile	ft <sup>3</sup> /s	32.0	212	5.10	62.0	74.7	113
40th percentile	ft <sup>3</sup> /s	36.6	241	5.30	70.0	98.0	129
50th percentile	ft <sup>3</sup> /s	43.0	276	5.50	80.0	120	144
60th percentile	ft <sup>3</sup> /s	50.0	313	5.80	93.4	151	165
70th percentile	ft <sup>3</sup> /s	58.0	376	6.00	117	193	197
80th percentile	ft <sup>3</sup> /s	70.0	460	6.40	151	253	240
90th percentile	ft <sup>3</sup> /s	91.1	678	7.31	241	378	345
Drainage area	mi <sup>2</sup>	55.6	303	7.4	132	153	206
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.72	15.2	6.49	20.2	36.3	12.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.270	0.274	0.473	0.220	0.196	0.121
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.773	0.909	0.743	0.606	0.781	0.699
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.22	0.798	0.979	1.43	0.984
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.764	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.704	0.849	0.742	0.599	0.631	0.658
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.883	1.09	0.371	1.22	3.07	0.996
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.342	0.432	0.514	0.318	0.272	0.340
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.396	0.502	0.580	0.363	0.301	0.393
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.504	0.603	0.649	0.417	0.376	0.466
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.576	0.700	0.689	0.470	0.488	0.549
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.658	0.795	0.716	0.530	0.641	0.626
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.773	0.909	0.743	0.606	0.781	0.699
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.899	1.03	0.784	0.708	0.986	0.801
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	1.24	0.811	0.886	1.26	0.956
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.52	0.865	1.15	1.65	1.17
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.64	2.24	0.988	1.83	2.47	1.68

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>03472500</b>	<b>03473000</b>	<b>03473500</b>	<b>03474000</b>	<b>03474500</b>	<b>03475000</b>
Count	number	372	2,356	372	1,612	341	1,674
Max	ft <sup>3</sup> /s	519	5,820	119	3,700	1,660	4,880
Min	ft <sup>3</sup> /s	6.00	65.0	2.80	22.0	15.0	23.0
Median	ft <sup>3</sup> /s	30.0	219	4.80	65.0	86.0	114
Arithmetic Mean	ft <sup>3</sup> /s	50.6	295	7.82	93.6	114	157
Geometric Mean	ft <sup>3</sup> /s	--	--	5.68	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	26.4	203	5.04	62.0	70.1	111
Standard Deviation	ft <sup>3</sup> /s	68.4	341	12.2	147	137	201
5th percentile	ft <sup>3</sup> /s	13.0	105	3.27	35.0	30.2	64.0
10th percentile	ft <sup>3</sup> /s	15.0	122	3.60	38.0	38.0	72.0
20th percentile	ft <sup>3</sup> /s	18.0	147	4.02	44.0	44.0	84.0
30th percentile	ft <sup>3</sup> /s	21.3	170	4.30	51.3	66.0	94.0
40th percentile	ft <sup>3</sup> /s	26.0	193	4.50	58.0	74.0	104
50th percentile	ft <sup>3</sup> /s	30.0	219	4.80	65.0	86.0	114
60th percentile	ft <sup>3</sup> /s	36.0	249	5.10	73.0	96.0	125
70th percentile	ft <sup>3</sup> /s	42.0	284	5.70	83.0	112	141
80th percentile	ft <sup>3</sup> /s	57.6	343	6.68	101	133	171
90th percentile	ft <sup>3</sup> /s	97.0	481	10.0	141	189	236
Drainage area	mi <sup>2</sup>	55.6	303	7.4	132	153	206
Max	ft <sup>3</sup> /mi <sup>2</sup>	9.33	19.2	16.1	28.0	10.8	23.7
Min	ft <sup>3</sup> /mi <sup>2</sup>	0.108	0.215	0.378	0.167	0.098	0.112
Median	ft <sup>3</sup> /mi <sup>2</sup>	0.540	0.723	0.649	0.492	0.562	0.553
Arithmetic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.910	0.975	1.06	0.709	0.744	0.764
Geometric Mean	ft <sup>3</sup> /mi <sup>2</sup>	--	--	0.767	--	--	--
Harmonic Mean	ft <sup>3</sup> /mi <sup>2</sup>	0.474	0.669	0.681	0.470	0.458	0.539
Standard Deviation	ft <sup>3</sup> /mi <sup>2</sup>	1.23	1.13	1.65	1.11	0.895	0.975
5th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.234	0.347	0.441	0.265	0.197	0.311
10th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.270	0.403	0.486	0.288	0.248	0.350
20th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.324	0.485	0.543	0.333	0.288	0.408
30th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.383	0.561	0.581	0.389	0.431	0.456
40th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.468	0.637	0.608	0.439	0.484	0.505
50th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.540	0.723	0.649	0.492	0.562	0.553
60th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.647	0.822	0.689	0.553	0.627	0.607
70th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.755	0.937	0.770	0.629	0.732	0.684
80th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.04	1.13	0.903	0.765	0.869	0.830
90th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.74	1.59	1.35	1.07	1.24	1.15

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>03472500</b>	<b>03473000</b>	<b>03473500</b>	<b>03474000</b>	<b>03474500</b>	<b>03475000</b>
Count	number	372	2,356	372	1,612	341	1,674
Max	ft <sup>3</sup> /s	498	9,180	64.0	2,290	780	3,700
Min	ft <sup>3</sup> /s	5.60	65.0	2.50	20.0	16.0	24.0
Median	ft <sup>3</sup> /s	24.0	174	4.45	54.0	68.0	95.0
Arithmetic Mean	ft <sup>3</sup> /s	38.5	251	5.75	77.8	91.2	147
Geometric Mean	ft <sup>3</sup> /s	--	--	4.97	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	20.1	168	4.59	53.6	63.8	96.2
Standard Deviation	ft <sup>3</sup> /s	49.4	336	5.43	97.2	85.5	210
5th percentile	ft <sup>3</sup> /s	8.50	91.0	2.70	31.0	33.0	55.8
10th percentile	ft <sup>3</sup> /s	10.0	102	3.50	34.0	39.0	62.0
20th percentile	ft <sup>3</sup> /s	13.0	119	3.80	39.0	45.0	70.6
30th percentile	ft <sup>3</sup> /s	15.0	133	4.00	43.0	55.0	78.0
40th percentile	ft <sup>3</sup> /s	19.0	150	4.10	48.0	61.0	86.0
50th percentile	ft <sup>3</sup> /s	24.0	174	4.45	54.0	68.0	95.0
60th percentile	ft <sup>3</sup> /s	29.0	202	4.76	61.0	79.0	110
70th percentile	ft <sup>3</sup> /s	37.0	238	5.20	70.0	94.0	129
80th percentile	ft <sup>3</sup> /s	52.0	294	6.80	89.0	112	161
90th percentile	ft <sup>3</sup> /s	78.0	431	8.00	128	149	241
Drainage area	mi <sup>2</sup>	55.6	303	7.4	132	153	206
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.96	30.3	8.65	17.3	5.10	18.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.101	0.215	0.338	0.152	0.105	0.117
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.432	0.574	0.601	0.409	0.444	0.461
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.692	0.829	0.777	0.589	0.596	0.713
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.671	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.361	0.554	0.620	0.406	0.417	0.467
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.889	1.11	0.734	0.736	0.559	1.02
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.153	0.300	0.365	0.235	0.216	0.271
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.180	0.337	0.473	0.258	0.255	0.301
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.393	0.514	0.295	0.294	0.343
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.270	0.439	0.541	0.326	0.359	0.379
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.342	0.495	0.554	0.364	0.399	0.417
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.432	0.574	0.601	0.409	0.444	0.461
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.522	0.667	0.643	0.462	0.516	0.534
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.665	0.785	0.703	0.530	0.614	0.626
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.935	0.970	0.919	0.674	0.732	0.783
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	1.42	1.08	0.970	0.974	1.17



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>03472500</b>	<b>03473000</b>	<b>03473500</b>	<b>03474000</b>	<b>03474500</b>	<b>03475000</b>
Count	number	360	2,280	360	1,560	330	1,620
Max	ft <sup>3</sup> /s	284	6,000	138	3,130	2,990	2,380
Min	ft <sup>3</sup> /s	2.60	60.0	2.40	20.0	16.0	9.00
Median	ft <sup>3</sup> /s	14.5	129	3.90	45.0	50.0	82.0
Arithmetic Mean	ft <sup>3</sup> /s	18.8	183	5.54	65.6	91.1	100.0
Geometric Mean	ft <sup>3</sup> /s	--	--	4.63	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	12.1	129	4.27	45.8	48.6	78.2
Standard Deviation	ft <sup>3</sup> /s	20.0	241	7.87	113	214	93.5
5th percentile	ft <sup>3</sup> /s	5.80	75.0	2.60	28.0	26.6	48.0
10th percentile	ft <sup>3</sup> /s	7.00	82.0	3.50	30.0	30.0	53.0
20th percentile	ft <sup>3</sup> /s	8.50	93.8	3.60	34.0	35.0	60.0
30th percentile	ft <sup>3</sup> /s	10.0	104	3.60	38.0	42.0	67.0
40th percentile	ft <sup>3</sup> /s	12.0	115	3.80	41.0	46.0	74.0
50th percentile	ft <sup>3</sup> /s	14.5	129	3.90	45.0	50.0	82.0
60th percentile	ft <sup>3</sup> /s	18.0	148	4.20	51.0	55.0	90.0
70th percentile	ft <sup>3</sup> /s	21.0	174	4.60	59.0	61.6	102
80th percentile	ft <sup>3</sup> /s	25.0	206	6.20	71.0	79.6	117
90th percentile	ft <sup>3</sup> /s	32.2	286	8.02	96.1	126	149
Drainage area	mi <sup>2</sup>	55.6	303	7.4	132	153	206
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	5.11	19.8	18.6	23.7	19.5	11.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.047	0.198	0.324	0.152	0.105	0.044
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.261	0.426	0.527	0.341	0.327	0.398
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.338	0.603	0.748	0.497	0.595	0.485
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.625	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.217	0.425	0.577	0.347	0.317	0.380
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.359	0.794	1.06	0.855	1.40	0.454
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.104	0.248	0.351	0.212	0.174	0.233
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.126	0.271	0.473	0.227	0.196	0.257
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.153	0.310	0.486	0.258	0.229	0.291
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.180	0.343	0.486	0.288	0.275	0.325
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.216	0.380	0.514	0.311	0.301	0.359
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.261	0.426	0.527	0.341	0.327	0.398
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.324	0.490	0.568	0.386	0.359	0.437
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.378	0.574	0.622	0.447	0.403	0.495
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.450	0.680	0.838	0.538	0.520	0.568
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.579	0.944	1.08	0.728	0.824	0.724

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>03472500</b>	<b>03473000</b>	<b>03473500</b>	<b>03474000</b>	<b>03474500</b>	<b>03475000</b>
Count	number	372	2,387	372	1,674	341	1,671
Max	ft <sup>3</sup> /s	358	8,150	25.0	2,050	2,510	2,870
Min	ft <sup>3</sup> /s	5.80	59.0	2.30	21.0	24.0	8.50
Median	ft <sup>3</sup> /s	15.0	130	3.60	46.0	56.0	77.0
Arithmetic Mean	ft <sup>3</sup> /s	18.0	209	3.97	68.7	93.5	110
Geometric Mean	ft <sup>3</sup> /s	--	--	3.82	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	13.1	134	3.71	47.6	57.5	75.1
Standard Deviation	ft <sup>3</sup> /s	20.1	317	1.52	95.0	179	148
5th percentile	ft <sup>3</sup> /s	7.00	78.0	2.57	29.0	32.1	44.6
10th percentile	ft <sup>3</sup> /s	7.30	84.0	3.00	31.0	36.0	51.0
20th percentile	ft <sup>3</sup> /s	8.70	95.0	3.30	36.0	41.0	60.0
30th percentile	ft <sup>3</sup> /s	10.0	104	3.40	38.9	45.0	65.0
40th percentile	ft <sup>3</sup> /s	13.0	118	3.50	42.0	49.0	70.0
50th percentile	ft <sup>3</sup> /s	15.0	130	3.60	46.0	56.0	77.0
60th percentile	ft <sup>3</sup> /s	18.0	150	3.80	51.8	67.0	85.0
70th percentile	ft <sup>3</sup> /s	20.0	182	4.00	61.0	85.0	97.0
80th percentile	ft <sup>3</sup> /s	23.8	237	4.50	77.0	108	120
90th percentile	ft <sup>3</sup> /s	30.0	369	5.40	110	145	173
Drainage area	mi <sup>2</sup>	55.6	303	7.4	132	153	206
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.44	26.9	3.38	15.5	16.4	13.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.104	0.195	0.311	0.159	0.157	0.041
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.270	0.429	0.486	0.348	0.366	0.374
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.323	0.689	0.537	0.521	0.611	0.535
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.516	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.236	0.441	0.502	0.361	0.376	0.365
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.361	1.05	0.205	0.720	1.17	0.718
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.126	0.257	0.347	0.220	0.210	0.217
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.131	0.277	0.405	0.235	0.235	0.248
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.156	0.314	0.446	0.273	0.268	0.291
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.180	0.343	0.459	0.295	0.294	0.316
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.389	0.473	0.318	0.320	0.340
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.270	0.429	0.486	0.348	0.366	0.374
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.324	0.495	0.514	0.392	0.438	0.413
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.360	0.601	0.541	0.462	0.556	0.471
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.428	0.782	0.608	0.583	0.706	0.583
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.540	1.22	0.730	0.831	0.948	0.840

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>03472500</b>	<b>03473000</b>	<b>03473500</b>	<b>03474000</b>	<b>03474500</b>	<b>03475000</b>
Count	number	360	2,305	360	1,615	330	1,615
Max	ft <sup>3</sup> /s	527	8,340	35.0	5,480	1,660	6,410
Min	ft <sup>3</sup> /s	6.00	73.0	2.20	21.0	21.0	7.00
Median	ft <sup>3</sup> /s	25.0	191	4.00	57.0	69.5	90.0
Arithmetic Mean	ft <sup>3</sup> /s	48.7	294	4.96	99.8	121	140
Geometric Mean	ft <sup>3</sup> /s	--	--	4.37	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	23.1	174	4.06	56.5	70.1	85.2
Standard Deviation	ft <sup>3</sup> /s	68.6	393	3.66	220	149	244
5th percentile	ft <sup>3</sup> /s	9.80	87.0	2.70	31.0	37.6	46.0
10th percentile	ft <sup>3</sup> /s	12.0	96.0	2.90	34.0	42.0	54.0
20th percentile	ft <sup>3</sup> /s	15.0	112	3.20	37.0	48.8	62.0
30th percentile	ft <sup>3</sup> /s	18.0	132	3.30	42.0	51.0	68.0
40th percentile	ft <sup>3</sup> /s	21.0	155	3.50	48.0	59.0	77.0
50th percentile	ft <sup>3</sup> /s	25.0	191	4.00	57.0	69.5	90.0
60th percentile	ft <sup>3</sup> /s	34.0	234	4.50	68.0	82.2	106
70th percentile	ft <sup>3</sup> /s	43.3	292	5.10	90.0	108	131
80th percentile	ft <sup>3</sup> /s	59.0	381	5.50	115	140	165
90th percentile	ft <sup>3</sup> /s	93.0	580	7.00	191	248	247
Drainage area	mi <sup>2</sup>	55.6	303	7.4	132	153	206
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	9.48	27.5	4.73	41.5	10.8	31.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.241	0.297	0.159	0.137	0.034
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.450	0.630	0.541	0.432	0.454	0.437
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.877	0.971	0.670	0.756	0.789	0.680
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.591	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.416	0.576	0.549	0.428	0.458	0.413
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.30	0.494	1.66	0.976	1.19
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.176	0.287	0.365	0.235	0.245	0.223
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.216	0.317	0.392	0.258	0.275	0.262
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.270	0.370	0.432	0.280	0.319	0.301
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.324	0.436	0.446	0.318	0.333	0.330
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.378	0.512	0.473	0.364	0.386	0.374
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.450	0.630	0.541	0.432	0.454	0.437
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.612	0.772	0.608	0.515	0.537	0.515
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.779	0.963	0.689	0.682	0.706	0.636
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.26	0.743	0.871	0.915	0.802
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.67	1.91	0.946	1.44	1.62	1.20

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>03472500</b>	<b>03473000</b>	<b>03473500</b>	<b>03474000</b>	<b>03474500</b>	<b>03475000</b>
Count	number	372	2,356	372	1,643	341	1,643
Max	ft <sup>3</sup> /s	960	5,980	94.0	3,920	4,470	3,600
Min	ft <sup>3</sup> /s	11.0	40.0	2.10	22.0	25.0	10.0
Median	ft <sup>3</sup> /s	56.0	312	4.90	94.0	129	135
Arithmetic Mean	ft <sup>3</sup> /s	99.9	475	6.88	161	258	213
Geometric Mean	ft <sup>3</sup> /s	--	--	5.47	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	50.8	255	4.75	76.8	104	111
Standard Deviation	ft <sup>3</sup> /s	122	511	7.67	231	481	241
5th percentile	ft <sup>3</sup> /s	24.0	104	2.60	33.0	42.0	47.2
10th percentile	ft <sup>3</sup> /s	28.0	126	2.90	37.0	51.0	56.0
20th percentile	ft <sup>3</sup> /s	33.2	166	3.30	45.0	69.0	74.0
30th percentile	ft <sup>3</sup> /s	38.0	204	3.70	58.0	89.0	90.6
40th percentile	ft <sup>3</sup> /s	45.0	250	4.24	74.0	103	110
50th percentile	ft <sup>3</sup> /s	56.0	312	4.90	94.0	129	135
60th percentile	ft <sup>3</sup> /s	68.0	392	6.20	121	152	169
70th percentile	ft <sup>3</sup> /s	100	499	7.00	161	181	219
80th percentile	ft <sup>3</sup> /s	140	650	8.00	219	241	299
90th percentile	ft <sup>3</sup> /s	200	981	10.0	331	445	446
Drainage area	mi <sup>2</sup>	55.6	303	7.4	132	153	206
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	17.3	19.7	12.7	29.7	29.2	17.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.198	0.132	0.284	0.167	0.163	0.049
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.03	0.662	0.712	0.843	0.655
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.80	1.57	0.930	1.22	1.69	1.03
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.739	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.914	0.843	0.641	0.582	0.677	0.541
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.19	1.69	1.04	1.75	3.14	1.17
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.432	0.343	0.351	0.250	0.275	0.229
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.504	0.416	0.392	0.280	0.333	0.272
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.597	0.548	0.446	0.341	0.451	0.359
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.683	0.672	0.500	0.439	0.582	0.440
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.809	0.825	0.573	0.561	0.673	0.534
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.03	0.662	0.712	0.843	0.655
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	1.29	0.838	0.918	0.993	0.821
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.81	1.65	0.946	1.22	1.18	1.07
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.52	2.15	1.08	1.66	1.58	1.45
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.60	3.24	1.35	2.50	2.91	2.16

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>03477500</b>	<b>03478400</b>	<b>03487800</b>	<b>03488000</b>	<b>03488100</b>	<b>03488445</b>
Count	number	341	1,550	93.0	2,728	93.0	62.0
Max	ft <sup>3</sup> /s	187	372	260	10,300	2,450	45.0
Min	ft <sup>3</sup> /s	3.00	7.50	3.50	19.0	34.0	0.800
Median	ft <sup>3</sup> /s	13.0	35.0	25.0	281	189	7.50
Arithmetic Mean	ft <sup>3</sup> /s	18.2	40.8	40.9	459	306	10.6
Geometric Mean	ft <sup>3</sup> /s	--	--	22.4	--	168	5.55
Harmonic Mean	ft <sup>3</sup> /s	9.55	27.0	11.9	179	97.5	2.90
Standard Deviation	ft <sup>3</sup> /s	19.6	31.3	47.9	650	390	11.2
5th percentile	ft <sup>3</sup> /s	3.40	9.50	3.70	48.0	35.0	1.02
10th percentile	ft <sup>3</sup> /s	4.00	13.0	3.80	80.0	36.0	1.11
20th percentile	ft <sup>3</sup> /s	5.90	20.0	5.08	140	41.8	1.42
30th percentile	ft <sup>3</sup> /s	8.80	27.0	13.6	193	71.2	2.00
40th percentile	ft <sup>3</sup> /s	10.0	31.0	20.8	233	165	2.56
50th percentile	ft <sup>3</sup> /s	13.0	35.0	25.0	281	189	7.50
60th percentile	ft <sup>3</sup> /s	18.0	40.0	34.4	338	240	9.08
70th percentile	ft <sup>3</sup> /s	20.0	45.0	43.4	418	304	13.0
80th percentile	ft <sup>3</sup> /s	25.0	52.0	59.6	571	417	19.8
90th percentile	ft <sup>3</sup> /s	34.0	67.1	96.6	944	681	25.9
Drainage area	mi <sup>2</sup>	13.7	26.9	25.8	221	259	4.14
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	13.6	13.8	10.1	46.6	9.46	10.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.219	0.279	0.136	0.086	0.131	0.193
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.949	1.30	0.969	1.27	0.730	1.81
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.33	1.52	1.58	2.08	1.18	2.57
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.868	--	0.650	1.34
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.697	1.00	0.460	0.809	0.376	0.700
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	1.16	1.86	2.94	1.50	2.70
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.248	0.353	0.143	0.217	0.135	0.245
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.292	0.483	0.147	0.362	0.139	0.268
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.431	0.743	0.197	0.633	0.161	0.343
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.642	1.00	0.527	0.873	0.275	0.483
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.730	1.15	0.806	1.05	0.636	0.618
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.949	1.30	0.969	1.27	0.730	1.81
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	1.49	1.33	1.53	0.925	2.19
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.67	1.68	1.89	1.17	3.14
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.82	1.93	2.31	2.58	1.61	4.78
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.48	2.49	3.74	4.27	2.63	6.26

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>03477500</b>	<b>03478400</b>	<b>03487800</b>	<b>03488000</b>	<b>03488100</b>	<b>03488445</b>
Count	number	311	1,412	85.0	2,486	85.0	57.0
Max	ft <sup>3</sup> /s	200	534	744	8,160	2,780	42.0
Min	ft <sup>3</sup> /s	6.10	8.70	5.50	32.0	50.0	2.80
Median	ft <sup>3</sup> /s	21.0	44.0	22.0	359	288	10.0
Arithmetic Mean	ft <sup>3</sup> /s	26.2	52.6	55.2	558	470	12.7
Geometric Mean	ft <sup>3</sup> /s	--	--	27.5	--	313	9.74
Harmonic Mean	ft <sup>3</sup> /s	19.3	38.4	18.5	264	231	7.53
Standard Deviation	ft <sup>3</sup> /s	21.5	36.7	101	683	529	9.56
5th percentile	ft <sup>3</sup> /s	10.0	18.0	7.53	99.4	85.8	2.98
10th percentile	ft <sup>3</sup> /s	12.0	24.0	8.48	136	132	3.42
20th percentile	ft <sup>3</sup> /s	14.0	29.0	10.8	185	167	4.80
30th percentile	ft <sup>3</sup> /s	17.0	34.0	15.2	243	196	6.50
40th percentile	ft <sup>3</sup> /s	20.0	39.0	19.0	295	232	8.00
50th percentile	ft <sup>3</sup> /s	21.0	44.0	22.0	359	288	10.0
60th percentile	ft <sup>3</sup> /s	23.0	50.0	26.8	435	318	12.0
70th percentile	ft <sup>3</sup> /s	27.0	57.0	37.8	530	368	14.2
80th percentile	ft <sup>3</sup> /s	30.0	68.0	57.6	700	640	18.8
90th percentile	ft <sup>3</sup> /s	40.0	90.0	123	1,120	1,164	29.4
Drainage area	mi <sup>2</sup>	13.7	26.9	25.8	221	259	4.14
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	14.6	19.9	28.8	36.9	10.7	10.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.445	0.323	0.213	0.145	0.193	0.676
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	1.64	0.853	1.62	1.11	2.42
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.92	1.96	2.14	2.53	1.82	3.06
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	1.07	--	1.21	2.35
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.41	1.43	0.716	1.20	0.891	1.82
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	1.36	3.90	3.09	2.04	2.31
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.730	0.669	0.292	0.450	0.331	0.720
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.876	0.892	0.329	0.613	0.510	0.826
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	1.08	0.419	0.837	0.644	1.16
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	1.26	0.589	1.10	0.758	1.57
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.45	0.736	1.33	0.894	1.93
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	1.64	0.853	1.62	1.11	2.42
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	1.86	1.04	1.97	1.23	2.90
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.97	2.12	1.47	2.40	1.42	3.43
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.19	2.53	2.23	3.17	2.47	4.54
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.92	3.35	4.78	5.07	4.49	7.10

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>03477500</b>	<b>03478400</b>	<b>03487800</b>	<b>03488000</b>	<b>03488100</b>	<b>03488445</b>
Count	number	341	1,550	93.0	2,728	93.0	62.0
Max	ft <sup>3</sup> /s	134	580	803	12,700	4,010	64.0
Min	ft <sup>3</sup> /s	12.0	13.0	8.00	61.0	131	3.00
Median	ft <sup>3</sup> /s	23.0	47.0	34.0	390	426	9.05
Arithmetic Mean	ft <sup>3</sup> /s	27.2	56.7	57.5	590	680	13.1
Geometric Mean	ft <sup>3</sup> /s	--	--	35.2	--	458	9.93
Harmonic Mean	ft <sup>3</sup> /s	22.9	42.0	25.1	335	337	7.84
Standard Deviation	ft <sup>3</sup> /s	15.4	42.5	94.5	693	722	11.2
5th percentile	ft <sup>3</sup> /s	15.0	20.0	8.57	142	144	3.33
10th percentile	ft <sup>3</sup> /s	16.0	25.0	14.0	183	157	3.82
20th percentile	ft <sup>3</sup> /s	18.0	31.0	16.0	238	196	5.04
30th percentile	ft <sup>3</sup> /s	20.0	37.0	19.0	284	267	6.09
40th percentile	ft <sup>3</sup> /s	21.0	42.0	27.0	329	333	7.58
50th percentile	ft <sup>3</sup> /s	23.0	47.0	34.0	390	426	9.05
60th percentile	ft <sup>3</sup> /s	25.0	53.4	42.0	465	499	12.6
70th percentile	ft <sup>3</sup> /s	28.0	61.0	55.6	569	726	16.0
80th percentile	ft <sup>3</sup> /s	32.0	72.0	71.8	750	1,040	18.8
90th percentile	ft <sup>3</sup> /s	42.0	94.0	103	1,146	1,472	22.0
Drainage area	mi <sup>2</sup>	13.7	26.9	25.8	221	259	4.14
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	9.78	21.6	31.1	57.5	15.5	15.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.876	0.483	0.310	0.276	0.506	0.725
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	1.75	1.32	1.76	1.64	2.19
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.99	2.11	2.23	2.67	2.63	3.16
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	1.36	--	1.77	2.40
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.67	1.56	0.973	1.52	1.30	1.89
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	1.58	3.66	3.14	2.79	2.71
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	0.743	0.332	0.645	0.556	0.804
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	0.929	0.543	0.828	0.605	0.923
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	1.15	0.620	1.08	0.758	1.22
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.38	0.736	1.29	1.03	1.47
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	1.56	1.05	1.49	1.29	1.83
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	1.75	1.32	1.76	1.64	2.19
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.82	1.99	1.63	2.10	1.93	3.04
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.04	2.27	2.16	2.57	2.80	3.86
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.34	2.68	2.78	3.39	4.02	4.54
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.07	3.49	3.99	5.19	5.68	5.31

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>03477500</b>	<b>03478400</b>	<b>03487800</b>	<b>03488000</b>	<b>03488100</b>	<b>03488445</b>
Count	number	330	1,500	90.0	2,640	90.0	60.0
Max	ft <sup>3</sup> /s	102	575	332	10,900	1,900	36.0
Min	ft <sup>3</sup> /s	11.0	14.0	12.0	70.0	123	7.00
Median	ft <sup>3</sup> /s	19.0	45.0	29.5	306	371	11.0
Arithmetic Mean	ft <sup>3</sup> /s	20.9	51.9	62.5	449	537	14.0
Geometric Mean	ft <sup>3</sup> /s	--	--	37.7	--	409	12.8
Harmonic Mean	ft <sup>3</sup> /s	18.9	39.8	26.5	276	320	11.9
Standard Deviation	ft <sup>3</sup> /s	8.90	38.3	72.9	526	422	6.64
5th percentile	ft <sup>3</sup> /s	13.0	20.0	13.0	126	128	7.32
10th percentile	ft <sup>3</sup> /s	14.0	23.0	14.0	152	134	8.38
20th percentile	ft <sup>3</sup> /s	15.0	30.0	14.8	195	236	9.08
30th percentile	ft <sup>3</sup> /s	16.0	35.0	17.0	230	256	9.87
40th percentile	ft <sup>3</sup> /s	18.0	40.0	21.0	263	296	10.6
50th percentile	ft <sup>3</sup> /s	19.0	45.0	29.5	306	371	11.0
60th percentile	ft <sup>3</sup> /s	20.0	50.0	44.8	357	467	13.0
70th percentile	ft <sup>3</sup> /s	22.3	55.0	62.6	435	608	14.3
80th percentile	ft <sup>3</sup> /s	25.0	64.0	96.2	558	805	17.6
90th percentile	ft <sup>3</sup> /s	29.1	84.0	157	819	1,152	24.1
Drainage area	mi <sup>2</sup>	13.7	26.9	25.8	221	259	4.14
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.45	21.4	12.9	49.3	7.34	8.70
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.803	0.520	0.465	0.317	0.475	1.69
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	1.67	1.14	1.38	1.43	2.66
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	1.93	2.42	2.03	2.07	3.37
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	1.46	--	1.58	3.08
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	1.48	1.03	1.25	1.23	2.86
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.649	1.42	2.83	2.38	1.63	1.60
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.949	0.743	0.504	0.570	0.495	1.77
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	0.855	0.543	0.688	0.517	2.02
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.12	0.574	0.882	0.911	2.19
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.30	0.659	1.04	0.988	2.38
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	1.49	0.814	1.19	1.14	2.56
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	1.67	1.14	1.38	1.43	2.66
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.86	1.74	1.62	1.80	3.14
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.63	2.04	2.43	1.97	2.35	3.45
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.82	2.38	3.73	2.53	3.11	4.25
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.12	3.12	6.09	3.71	4.45	5.82



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>03477500</b>	<b>03478400</b>	<b>03487800</b>	<b>03488000</b>	<b>03488100</b>	<b>03488445</b>
Count	number	341	1,550	93.0	2,728	93.0	62.0
Max	ft <sup>3</sup> /s	67.0	530	594	5,660	2,750	52.0
Min	ft <sup>3</sup> /s	7.50	11.0	12.0	39.0	80.0	2.70
Median	ft <sup>3</sup> /s	14.0	34.0	38.0	235	187	9.15
Arithmetic Mean	ft <sup>3</sup> /s	17.4	39.7	65.1	360	295	12.8
Geometric Mean	ft <sup>3</sup> /s	--	--	42.0	--	209	10.0
Harmonic Mean	ft <sup>3</sup> /s	14.3	31.5	32.2	203	177	7.99
Standard Deviation	ft <sup>3</sup> /s	9.45	30.6	90.6	424	421	9.89
5th percentile	ft <sup>3</sup> /s	9.20	16.0	13.7	88.0	89.4	3.23
10th percentile	ft <sup>3</sup> /s	9.60	20.0	17.0	107	109	4.03
20th percentile	ft <sup>3</sup> /s	10.0	25.0	21.0	137	126	5.50
30th percentile	ft <sup>3</sup> /s	11.0	28.0	25.0	166	147	6.83
40th percentile	ft <sup>3</sup> /s	13.0	31.0	29.0	199	166	8.40
50th percentile	ft <sup>3</sup> /s	14.0	34.0	38.0	235	187	9.15
60th percentile	ft <sup>3</sup> /s	16.0	37.0	45.2	284	206	10.6
70th percentile	ft <sup>3</sup> /s	19.0	41.0	59.0	356	235	16.7
80th percentile	ft <sup>3</sup> /s	23.0	47.0	76.0	454	290	18.0
90th percentile	ft <sup>3</sup> /s	30.0	60.0	114	693	390	24.7
Drainage area	mi <sup>2</sup>	13.7	26.9	25.8	221	259	4.14
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	4.89	19.7	23.0	25.6	10.6	12.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.547	0.409	0.465	0.176	0.309	0.652
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	1.26	1.47	1.06	0.722	2.21
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.27	1.48	2.52	1.63	1.14	3.10
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	1.63	--	0.807	2.42
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	1.17	1.25	0.917	0.683	1.93
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.690	1.14	3.51	1.92	1.63	2.39
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.672	0.595	0.531	0.398	0.345	0.780
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.701	0.743	0.659	0.484	0.419	0.973
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.730	0.929	0.814	0.620	0.486	1.33
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.803	1.04	0.969	0.752	0.566	1.65
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.949	1.15	1.12	0.900	0.641	2.03
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	1.26	1.47	1.06	0.722	2.21
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.38	1.75	1.29	0.796	2.56
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	1.52	2.29	1.61	0.907	4.03
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	1.75	2.95	2.05	1.12	4.35
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.19	2.23	4.40	3.13	1.51	5.97

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>03477500</b>	<b>03478400</b>	<b>03487800</b>	<b>03488000</b>	<b>03488100</b>	<b>03488445</b>
Count	number	330	1,500	90.0	2,670	120	60.0
Max	ft <sup>3</sup> /s	40.0	326	331	6,480	320	33.0
Min	ft <sup>3</sup> /s	5.20	9.00	2.50	28.0	35.0	0.300
Median	ft <sup>3</sup> /s	9.60	27.0	7.80	132	99.0	2.45
Arithmetic Mean	ft <sup>3</sup> /s	11.2	31.7	21.2	227	105	6.15
Geometric Mean	ft <sup>3</sup> /s	--	--	10.1	--	96.0	2.92
Harmonic Mean	ft <sup>3</sup> /s	9.85	24.7	7.17	114	89.0	1.66
Standard Deviation	ft <sup>3</sup> /s	4.96	19.9	47.5	355	48.6	8.54
5th percentile	ft <sup>3</sup> /s	6.80	12.0	3.11	50.0	50.2	0.431
10th percentile	ft <sup>3</sup> /s	7.29	15.0	3.60	59.9	59.7	0.855
20th percentile	ft <sup>3</sup> /s	7.88	18.0	4.70	74.0	68.8	1.08
30th percentile	ft <sup>3</sup> /s	8.40	22.0	5.57	90.0	76.7	1.60
40th percentile	ft <sup>3</sup> /s	8.90	25.0	6.42	107	89.6	1.90
50th percentile	ft <sup>3</sup> /s	9.60	27.0	7.80	132	99.0	2.45
60th percentile	ft <sup>3</sup> /s	11.0	31.0	9.76	163	103	2.98
70th percentile	ft <sup>3</sup> /s	12.0	35.0	14.3	205	110	3.86
80th percentile	ft <sup>3</sup> /s	14.0	42.0	19.0	278	122	7.32
90th percentile	ft <sup>3</sup> /s	17.0	50.1	36.1	440	158	22.2
Drainage area	mi <sup>2</sup>	13.7	26.9	25.8	221	259	4.14
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	2.92	12.1	12.8	29.3	1.24	7.97
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.380	0.335	0.097	0.127	0.135	0.072
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.701	1.00	0.302	0.597	0.382	0.592
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.817	1.18	0.820	1.03	0.404	1.49
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.392	--	0.371	0.706
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.719	0.919	0.278	0.514	0.343	0.402
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.362	0.742	1.84	1.61	0.188	2.06
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.496	0.446	0.121	0.226	0.194	0.104
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.532	0.558	0.140	0.271	0.231	0.207
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.575	0.669	0.182	0.335	0.266	0.261
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.613	0.818	0.216	0.407	0.296	0.386
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.650	0.929	0.249	0.484	0.346	0.459
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.701	1.00	0.302	0.597	0.382	0.592
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.803	1.15	0.378	0.739	0.399	0.720
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.876	1.30	0.554	0.928	0.426	0.932
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	1.56	0.736	1.26	0.473	1.77
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	1.86	1.40	1.99	0.611	5.36

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>03477500</b>	<b>03478400</b>	<b>03487800</b>	<b>03488000</b>	<b>03488100</b>	<b>03488445</b>
Count	number	341	1,550	93.0	2,759	93.0	81.0
Max	ft <sup>3</sup> /s	101	500	105	6,110	330	60.0
Min	ft <sup>3</sup> /s	4.10	8.20	0.700	20.0	26.0	0.330
Median	ft <sup>3</sup> /s	8.00	22.0	3.20	87.0	70.0	4.50
Arithmetic Mean	ft <sup>3</sup> /s	10.6	25.9	6.40	134	81.4	9.04
Geometric Mean	ft <sup>3</sup> /s	--	--	3.71	--	69.3	4.56
Harmonic Mean	ft <sup>3</sup> /s	8.04	20.7	2.71	77.5	60.0	2.18
Standard Deviation	ft <sup>3</sup> /s	10.1	20.3	12.0	223	51.9	10.7
5th percentile	ft <sup>3</sup> /s	5.00	12.0	1.24	36.0	28.0	0.435
10th percentile	ft <sup>3</sup> /s	5.20	13.0	1.34	44.0	32.0	0.980
20th percentile	ft <sup>3</sup> /s	6.10	16.0	1.74	54.0	40.8	1.50
30th percentile	ft <sup>3</sup> /s	6.50	18.0	2.26	64.0	55.2	2.30
40th percentile	ft <sup>3</sup> /s	7.20	20.0	2.66	74.0	60.8	3.20
50th percentile	ft <sup>3</sup> /s	8.00	22.0	3.20	87.0	70.0	4.50
60th percentile	ft <sup>3</sup> /s	8.80	25.0	3.96	101	78.4	6.20
70th percentile	ft <sup>3</sup> /s	10.0	28.0	5.04	120	86.8	11.0
80th percentile	ft <sup>3</sup> /s	12.0	33.0	6.78	153	108	17.0
90th percentile	ft <sup>3</sup> /s	16.0	40.0	11.8	236	138	22.0
Drainage area	mi <sup>2</sup>	13.7	26.9	25.8	221	259	4.14
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.37	18.6	4.07	27.6	1.27	14.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.299	0.305	0.027	0.090	0.100	0.080
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.584	0.818	0.124	0.394	0.270	1.09
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.777	0.961	0.248	0.605	0.314	2.18
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	0.144	--	0.268	1.10
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.587	0.770	0.105	0.351	0.232	0.526
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.735	0.755	0.466	1.01	0.200	2.58
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.365	0.446	0.048	0.163	0.108	0.105
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.380	0.483	0.052	0.199	0.124	0.237
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.445	0.595	0.067	0.244	0.158	0.362
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.474	0.669	0.088	0.290	0.213	0.556
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.526	0.743	0.103	0.335	0.235	0.773
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.584	0.818	0.124	0.394	0.270	1.09
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.642	0.929	0.153	0.457	0.303	1.50
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.730	1.04	0.195	0.543	0.335	2.66
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.876	1.23	0.263	0.692	0.418	4.11
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.49	0.457	1.07	0.533	5.31

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>03477500</b>	<b>03478400</b>	<b>03487800</b>	<b>03488000</b>	<b>03488100</b>	<b>03488445</b>
Count	number	341	1,550	93.0	2,759	93.0	93.0
Max	ft <sup>3</sup> /s	48.0	328	34.0	4,420	666	14.0
Min	ft <sup>3</sup> /s	4.10	7.80	0.400	17.0	21.0	0.160
Median	ft <sup>3</sup> /s	6.40	18.0	4.70	69.0	50.0	0.750
Arithmetic Mean	ft <sup>3</sup> /s	9.24	21.4	6.13	118	67.6	1.79
Geometric Mean	ft <sup>3</sup> /s	7.98	--	3.87	--	52.9	0.899
Harmonic Mean	ft <sup>3</sup> /s	7.18	17.2	2.14	63.1	46.0	0.553
Standard Deviation	ft <sup>3</sup> /s	6.10	16.9	5.89	208	77.9	2.62
5th percentile	ft <sup>3</sup> /s	4.61	10.0	0.460	30.0	25.0	0.197
10th percentile	ft <sup>3</sup> /s	5.00	12.0	0.740	35.0	27.0	0.232
20th percentile	ft <sup>3</sup> /s	5.30	13.0	1.78	42.0	33.4	0.320
30th percentile	ft <sup>3</sup> /s	5.70	14.0	2.30	49.0	36.0	0.406
40th percentile	ft <sup>3</sup> /s	6.10	16.0	3.16	57.0	45.0	0.540
50th percentile	ft <sup>3</sup> /s	6.40	18.0	4.70	69.0	50.0	0.750
60th percentile	ft <sup>3</sup> /s	7.60	20.0	5.82	83.0	56.0	1.10
70th percentile	ft <sup>3</sup> /s	9.80	22.0	7.42	103	62.8	1.54
80th percentile	ft <sup>3</sup> /s	13.0	26.0	9.44	138	75.2	2.88
90th percentile	ft <sup>3</sup> /s	17.0	33.0	13.0	216	103	3.84
Drainage area	mi <sup>2</sup>	13.7	26.9	25.8	221	259	4.14
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.50	12.2	1.32	20.0	2.57	3.38
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.299	0.290	0.016	0.077	0.081	0.039
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.467	0.669	0.182	0.312	0.193	0.181
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.675	0.797	0.237	0.536	0.261	0.431
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.582	--	0.150	--	0.204	0.217
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.524	0.641	0.083	0.285	0.178	0.134
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.446	0.629	0.228	0.941	0.301	0.633
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.336	0.372	0.018	0.136	0.097	0.048
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.365	0.446	0.029	0.158	0.104	0.056
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.387	0.483	0.069	0.190	0.129	0.077
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.416	0.520	0.089	0.222	0.139	0.098
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.445	0.595	0.122	0.258	0.174	0.130
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.467	0.669	0.182	0.312	0.193	0.181
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.555	0.743	0.226	0.376	0.216	0.266
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.715	0.818	0.288	0.466	0.242	0.372
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.949	0.967	0.366	0.624	0.290	0.696
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	1.23	0.504	0.977	0.396	0.928

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>03477500</b>	<b>03478400</b>	<b>03487800</b>	<b>03488000</b>	<b>03488100</b>	<b>03488445</b>
Count	number	330	1,500	90.0	2,670	90.0	90.0
Max	ft <sup>3</sup> /s	31.0	474	56.0	5,390	145	22.0
Min	ft <sup>3</sup> /s	3.80	6.40	0.340	16.0	17.0	0.120
Median	ft <sup>3</sup> /s	5.40	15.0	1.25	49.0	34.5	1.60
Arithmetic Mean	ft <sup>3</sup> /s	6.94	17.5	4.24	87.1	37.4	4.02
Geometric Mean	ft <sup>3</sup> /s	6.39	--	1.72	--	34.3	1.45
Harmonic Mean	ft <sup>3</sup> /s	5.98	14.4	1.08	46.6	31.8	0.560
Standard Deviation	ft <sup>3</sup> /s	3.30	17.2	8.58	206	18.1	5.52
5th percentile	ft <sup>3</sup> /s	4.10	9.00	0.433	25.0	18.6	0.166
10th percentile	ft <sup>3</sup> /s	4.40	10.0	0.520	27.0	20.9	0.200
20th percentile	ft <sup>3</sup> /s	4.70	11.0	0.580	32.0	22.0	0.250
30th percentile	ft <sup>3</sup> /s	5.00	12.0	0.840	37.0	27.0	0.448
40th percentile	ft <sup>3</sup> /s	5.20	14.0	1.06	42.0	32.0	0.996
50th percentile	ft <sup>3</sup> /s	5.40	15.0	1.25	49.0	34.5	1.60
60th percentile	ft <sup>3</sup> /s	6.18	16.0	1.58	57.0	38.4	2.58
70th percentile	ft <sup>3</sup> /s	7.13	18.0	2.30	68.0	41.0	3.86
80th percentile	ft <sup>3</sup> /s	9.80	20.0	4.52	86.0	46.0	6.76
90th percentile	ft <sup>3</sup> /s	11.0	25.0	10.2	131	58.1	13.0
Drainage area	mi <sup>2</sup>	13.7	26.9	25.8	221	259	4.14
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	2.26	17.6	2.17	24.4	0.560	5.31
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.277	0.238	0.013	0.072	0.066	0.029
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.394	0.558	0.048	0.222	0.133	0.386
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.507	0.652	0.164	0.394	0.144	0.971
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.466	--	0.067	--	0.132	0.350
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.437	0.535	0.042	0.211	0.123	0.135
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.241	0.640	0.332	0.931	0.070	1.33
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.299	0.335	0.017	0.113	0.072	0.040
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.321	0.372	0.020	0.122	0.081	0.048
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.343	0.409	0.022	0.145	0.085	0.060
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.365	0.446	0.033	0.167	0.104	0.108
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.380	0.520	0.041	0.190	0.124	0.241
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.394	0.558	0.048	0.222	0.133	0.386
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.451	0.595	0.061	0.258	0.148	0.623
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.520	0.669	0.089	0.308	0.158	0.932
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.715	0.743	0.175	0.389	0.178	1.63
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.803	0.929	0.395	0.593	0.224	3.14

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>03477500</b>	<b>03478400</b>	<b>03487800</b>	<b>03488000</b>	<b>03488100</b>	<b>03488445</b>
Count	number	341	1,580	62.0	2,790	93.0	93.0
Max	ft <sup>3</sup> /s	23.0	343	168	7,470	660	31.0
Min	ft <sup>3</sup> /s	3.40	6.10	1.40	2.00	22.0	0.070
Median	ft <sup>3</sup> /s	5.10	14.0	7.50	49.0	41.0	1.70
Arithmetic Mean	ft <sup>3</sup> /s	5.71	17.5	12.3	112	58.0	5.18
Geometric Mean	ft <sup>3</sup> /s	5.47	--	6.60	--	44.7	1.68
Harmonic Mean	ft <sup>3</sup> /s	5.27	13.8	4.18	49.0	38.9	0.448
Standard Deviation	ft <sup>3</sup> /s	1.85	16.4	22.4	267	74.1	6.78
5th percentile	ft <sup>3</sup> /s	3.60	8.50	1.60	25.0	23.0	0.090
10th percentile	ft <sup>3</sup> /s	4.00	9.39	1.72	27.0	23.4	0.122
20th percentile	ft <sup>3</sup> /s	4.40	11.0	2.04	33.0	25.4	0.224
30th percentile	ft <sup>3</sup> /s	4.60	12.0	3.06	37.0	28.0	0.866
40th percentile	ft <sup>3</sup> /s	4.70	13.0	5.30	42.0	37.0	1.00
50th percentile	ft <sup>3</sup> /s	5.10	14.0	7.50	49.0	41.0	1.70
60th percentile	ft <sup>3</sup> /s	5.80	15.0	8.70	61.0	49.0	3.72
70th percentile	ft <sup>3</sup> /s	6.60	16.0	11.7	80.0	56.2	5.70
80th percentile	ft <sup>3</sup> /s	7.30	20.0	15.6	118	64.2	10.6
90th percentile	ft <sup>3</sup> /s	8.20	27.0	22.7	216	83.2	13.0
Drainage area	mi <sup>2</sup>	13.7	26.9	25.8	221	259	4.14
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	12.8	6.51	33.8	2.55	7.49
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.248	0.227	0.054	0.009	0.085	0.017
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.372	0.520	0.291	0.222	0.158	0.411
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.417	0.649	0.478	0.508	0.224	1.25
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.399	--	0.256	--	0.173	0.405
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.385	0.513	0.162	0.222	0.150	0.108
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.135	0.611	0.869	1.21	0.286	1.64
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.263	0.316	0.062	0.113	0.089	0.022
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.292	0.349	0.067	0.122	0.090	0.029
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.321	0.409	0.079	0.149	0.098	0.054
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.336	0.446	0.119	0.167	0.108	0.209
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.343	0.483	0.205	0.190	0.143	0.242
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.372	0.520	0.291	0.222	0.158	0.411
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.423	0.558	0.337	0.276	0.189	0.899
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.482	0.595	0.453	0.362	0.217	1.38
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.533	0.743	0.605	0.534	0.248	2.56
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.599	1.00	0.880	0.977	0.321	3.14

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>03477500</b>	<b>03478400</b>	<b>03487800</b>	<b>03488000</b>	<b>03488100</b>	<b>03488445</b>
Count	number	330	1,525	60.0	2,695	90.0	90.0
Max	ft <sup>3</sup> /s	30.0	259	199	8,480	772	53.0
Min	ft <sup>3</sup> /s	3.30	6.10	2.60	22.0	30.0	0.300
Median	ft <sup>3</sup> /s	5.10	15.0	12.5	90.0	46.5	5.35
Arithmetic Mean	ft <sup>3</sup> /s	6.03	20.1	25.2	175	82.1	8.42
Geometric Mean	ft <sup>3</sup> /s	5.64	--	12.6	--	58.3	4.07
Harmonic Mean	ft <sup>3</sup> /s	5.37	15.3	7.47	71.2	50.2	1.53
Standard Deviation	ft <sup>3</sup> /s	2.85	16.4	38.7	349	115	10.0
5th percentile	ft <sup>3</sup> /s	3.66	9.23	2.80	30.0	31.0	0.356
10th percentile	ft <sup>3</sup> /s	4.10	10.0	3.00	34.0	34.0	0.378
20th percentile	ft <sup>3</sup> /s	4.40	11.0	3.36	41.0	38.0	1.54
30th percentile	ft <sup>3</sup> /s	4.60	12.0	5.41	51.0	40.7	2.70
40th percentile	ft <sup>3</sup> /s	4.80	13.0	10.4	67.0	43.6	3.26
50th percentile	ft <sup>3</sup> /s	5.10	15.0	12.5	90.0	46.5	5.35
60th percentile	ft <sup>3</sup> /s	6.10	17.0	15.4	120	51.4	6.22
70th percentile	ft <sup>3</sup> /s	6.60	20.0	24.0	158	58.0	9.23
80th percentile	ft <sup>3</sup> /s	6.90	25.0	30.2	220	74.4	12.2
90th percentile	ft <sup>3</sup> /s	8.83	36.0	45.5	361	158	19.5
Drainage area	mi <sup>2</sup>	13.7	26.9	25.8	221	259	4.14
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	2.19	9.63	7.71	38.4	2.98	12.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.241	0.227	0.101	0.100	0.116	0.072
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.372	0.558	0.484	0.407	0.180	1.29
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.440	0.748	0.976	0.790	0.317	2.03
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.412	--	0.490	--	0.225	0.984
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.392	0.567	0.290	0.322	0.194	0.369
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.208	0.608	1.50	1.58	0.444	2.43
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.267	0.343	0.109	0.136	0.120	0.086
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.299	0.372	0.116	0.154	0.131	0.091
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.321	0.409	0.130	0.186	0.147	0.372
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.336	0.446	0.210	0.231	0.157	0.652
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.350	0.483	0.402	0.303	0.168	0.787
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.372	0.558	0.484	0.407	0.180	1.29
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.445	0.632	0.597	0.543	0.198	1.50
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.482	0.743	0.930	0.715	0.224	2.23
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.504	0.929	1.17	0.995	0.287	2.95
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.645	1.34	1.76	1.63	0.611	4.71

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>03477500</b>	<b>03478400</b>	<b>03487800</b>	<b>03488000</b>	<b>03488100</b>	<b>03488445</b>
Count	number	341	1,550	62.0	2,759	93.0	93.0
Max	ft <sup>3</sup> /s	45.0	438	205	8,130	700	30.0
Min	ft <sup>3</sup> /s	3.20	7.10	14.0	20.0	33.0	1.40
Median	ft <sup>3</sup> /s	7.60	22.0	33.5	177	76.0	6.40
Arithmetic Mean	ft <sup>3</sup> /s	10.1	31.4	46.7	324	119	7.39
Geometric Mean	ft <sup>3</sup> /s	--	--	36.3	--	86.5	5.69
Harmonic Mean	ft <sup>3</sup> /s	6.96	19.4	31.0	115	68.3	4.43
Standard Deviation	ft <sup>3</sup> /s	7.20	30.0	44.2	510	114	5.78
5th percentile	ft <sup>3</sup> /s	3.50	9.46	16.2	38.0	35.0	1.81
10th percentile	ft <sup>3</sup> /s	4.00	10.0	18.1	45.0	36.2	2.20
20th percentile	ft <sup>3</sup> /s	4.40	12.0	21.4	70.0	40.0	2.74
30th percentile	ft <sup>3</sup> /s	5.30	14.0	26.0	99.0	47.0	3.62
40th percentile	ft <sup>3</sup> /s	6.40	18.0	30.4	133	60.0	4.00
50th percentile	ft <sup>3</sup> /s	7.60	22.0	33.5	177	76.0	6.40
60th percentile	ft <sup>3</sup> /s	8.80	28.0	35.6	239	108	7.08
70th percentile	ft <sup>3</sup> /s	12.0	37.0	41.4	303	130	8.58
80th percentile	ft <sup>3</sup> /s	16.0	45.0	50.2	422	171	11.0
90th percentile	ft <sup>3</sup> /s	19.0	58.1	91.3	692	261	13.0
Drainage area	mi <sup>2</sup>	13.7	26.9	25.8	221	259	4.14
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.28	16.3	7.95	36.8	2.70	7.25
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.264	0.543	0.090	0.127	0.338
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.555	0.818	1.30	0.801	0.293	1.55
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.737	1.17	1.81	1.46	0.458	1.78
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	1.41	--	0.334	1.37
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.508	0.720	1.20	0.519	0.264	1.07
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.525	1.11	1.71	2.31	0.440	1.40
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.255	0.351	0.626	0.172	0.135	0.437
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.292	0.372	0.702	0.204	0.140	0.531
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.321	0.446	0.829	0.317	0.154	0.662
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.387	0.520	1.01	0.448	0.181	0.874
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.467	0.669	1.18	0.602	0.232	0.966
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.555	0.818	1.30	0.801	0.293	1.55
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.642	1.04	1.38	1.08	0.418	1.71
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.876	1.38	1.60	1.37	0.502	2.07
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.67	1.95	1.91	0.659	2.66
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	2.16	3.54	3.13	1.01	3.14



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>03488450</b>	<b>03488500</b>	<b>03489500</b>	<b>03489850</b>	<b>03489870</b>	<b>03489900</b>
Count	number	62.0	248	341	62.0	62.0	279
Max	ft <sup>3</sup> /s	242	15,900	8,960	227	684	2,850
Min	ft <sup>3</sup> /s	4.20	62.0	100	14.0	41.0	6.20
Median	ft <sup>3</sup> /s	30.0	441	665	28.5	74.0	94.0
Arithmetic Mean	ft <sup>3</sup> /s	51.1	832	1,076	38.1	100	160
Geometric Mean	ft <sup>3</sup> /s	25.9	--	--	31.2	84.5	--
Harmonic Mean	ft <sup>3</sup> /s	14.4	247	519	27.5	75.8	48.8
Standard Deviation	ft <sup>3</sup> /s	61.5	1,598	1,278	33.6	89.1	286
5th percentile	ft <sup>3</sup> /s	5.08	68.0	160	15.0	43.3	11.0
10th percentile	ft <sup>3</sup> /s	6.13	75.0	273	16.0	46.1	18.6
20th percentile	ft <sup>3</sup> /s	7.32	196	406	22.0	59.2	48.0
30th percentile	ft <sup>3</sup> /s	10.0	286	500	22.3	64.0	62.0
40th percentile	ft <sup>3</sup> /s	12.8	364	580	25.0	67.8	76.0
50th percentile	ft <sup>3</sup> /s	30.0	441	665	28.5	74.0	94.0
60th percentile	ft <sup>3</sup> /s	34.0	546	793	31.0	86.0	113
70th percentile	ft <sup>3</sup> /s	43.1	686	990	35.7	102	137
80th percentile	ft <sup>3</sup> /s	93.6	943	1,380	45.4	124	173
90th percentile	ft <sup>3</sup> /s	136	1,572	2,140	62.9	154	275
Drainage area	mi <sup>2</sup>	21.4	401	493	18.1	42.1	79.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	11.3	39.7	18.2	12.5	16.2	35.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.196	0.155	0.203	0.773	0.974	0.078
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	1.10	1.35	1.57	1.76	1.18
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.39	2.07	2.18	2.11	2.39	2.02
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	--	--	1.73	2.01	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.674	0.615	1.05	1.52	1.80	0.613
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.88	3.99	2.59	1.86	2.12	3.59
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.237	0.170	0.325	0.829	1.03	0.138
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.286	0.187	0.554	0.884	1.10	0.234
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.342	0.489	0.824	1.22	1.41	0.603
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.467	0.714	1.01	1.23	1.52	0.779
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.598	0.907	1.18	1.38	1.61	0.955
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	1.10	1.35	1.57	1.76	1.18
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.59	1.36	1.61	1.71	2.04	1.42
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.01	1.71	2.01	1.97	2.41	1.72
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.37	2.35	2.80	2.51	2.95	2.17
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	6.37	3.92	4.34	3.48	3.66	3.46

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>03488450</b>	<b>03488500</b>	<b>03489500</b>	<b>03489850</b>	<b>03489870</b>	<b>03489900</b>
Count	number	57.0	226	310	57.0	57.0	254
Max	ft <sup>3</sup> /s	178	10,600	18,500	170	399	2,390
Min	ft <sup>3</sup> /s	12.0	172	81.0	2.50	19.0	26.0
Median	ft <sup>3</sup> /s	46.0	681	824	16.0	48.0	131
Arithmetic Mean	ft <sup>3</sup> /s	56.4	1,136	1,358	27.8	75.0	229
Geometric Mean	ft <sup>3</sup> /s	43.8	--	--	15.8	51.0	--
Harmonic Mean	ft <sup>3</sup> /s	34.1	552	626	10.4	39.9	101
Standard Deviation	ft <sup>3</sup> /s	41.1	1,369	1,830	39.5	87.0	286
5th percentile	ft <sup>3</sup> /s	13.9	207	346	2.98	19.0	37.8
10th percentile	ft <sup>3</sup> /s	15.6	275	395	4.44	21.0	46.0
20th percentile	ft <sup>3</sup> /s	22.2	350	460	7.28	23.4	69.2
30th percentile	ft <sup>3</sup> /s	29.0	448	530	9.40	28.8	85.0
40th percentile	ft <sup>3</sup> /s	37.0	561	664	14.4	41.8	102
50th percentile	ft <sup>3</sup> /s	46.0	681	824	16.0	48.0	131
60th percentile	ft <sup>3</sup> /s	50.0	834	1,000	18.0	57.0	162
70th percentile	ft <sup>3</sup> /s	64.2	1,035	1,203	19.2	61.0	221
80th percentile	ft <sup>3</sup> /s	88.0	1,560	1,584	31.8	72.4	324
90th percentile	ft <sup>3</sup> /s	121	2,540	2,368	61.0	203	518
Drainage area	mi <sup>2</sup>	21.4	401	493	18.1	42.1	79.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.32	26.4	37.5	9.39	9.48	30.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.561	0.429	0.164	0.138	0.451	0.327
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.15	1.70	1.67	0.884	1.14	1.65
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.63	2.83	2.75	1.54	1.78	2.88
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.04	--	--	0.872	1.21	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.59	1.38	1.27	0.575	0.949	1.26
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.92	3.41	3.71	2.18	2.07	3.59
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.650	0.517	0.702	0.165	0.451	0.474
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.729	0.685	0.801	0.245	0.499	0.578
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.04	0.873	0.933	0.402	0.556	0.869
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.36	1.12	1.08	0.519	0.684	1.07
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	1.40	1.35	0.796	0.993	1.28
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.15	1.70	1.67	0.884	1.14	1.65
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.34	2.08	2.03	0.994	1.35	2.04
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.00	2.58	2.44	1.06	1.45	2.78
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.11	3.89	3.21	1.76	1.72	4.07
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.64	6.33	4.80	3.37	4.81	6.51

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>03488450</b>	<b>03488500</b>	<b>03489500</b>	<b>03489850</b>	<b>03489870</b>	<b>03489900</b>
Count	number	62.0	248	341	93.0	93.0	310
Max	ft <sup>3</sup> /s	453	7,300	7,000	264	1,510	2,700
Min	ft <sup>3</sup> /s	15.0	226	167	2.10	0.000	35.0
Median	ft <sup>3</sup> /s	38.5	791	815	20.0	46.0	146
Arithmetic Mean	ft <sup>3</sup> /s	65.3	1,239	1,102	33.6	86.9	229
Geometric Mean	ft <sup>3</sup> /s	45.6	--	--	19.6	--	--
Harmonic Mean	ft <sup>3</sup> /s	34.9	761	620	12.2	--	123
Standard Deviation	ft <sup>3</sup> /s	70.9	1,250	1,039	44.7	176	269
5th percentile	ft <sup>3</sup> /s	16.0	359	230	4.37	0.000	46.6
10th percentile	ft <sup>3</sup> /s	17.1	469	312	5.98	0.000	64.9
20th percentile	ft <sup>3</sup> /s	21.2	546	420	7.22	0.000	86.8
30th percentile	ft <sup>3</sup> /s	26.3	622	550	11.6	0.000	105
40th percentile	ft <sup>3</sup> /s	31.0	693	670	15.8	24.8	125
50th percentile	ft <sup>3</sup> /s	38.5	791	815	20.0	46.0	146
60th percentile	ft <sup>3</sup> /s	55.0	948	930	26.0	65.2	170
70th percentile	ft <sup>3</sup> /s	76.4	1,170	1,120	32.4	79.0	215
80th percentile	ft <sup>3</sup> /s	89.0	1,560	1,480	38.6	107	282
90th percentile	ft <sup>3</sup> /s	122	2,278	2,140	77.4	204	451
Drainage area	mi <sup>2</sup>	21.4	401	493	18.1	42.1	79.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.2	18.2	14.2	14.6	35.9	33.9
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.701	0.564	0.339	0.116	0.000	0.440
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.80	1.97	1.65	1.10	1.09	1.83
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.05	3.09	2.24	1.85	2.06	2.88
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.13	--	--	1.08	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.63	1.90	1.26	0.676	--	1.55
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.31	3.12	2.11	2.47	4.18	3.37
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.748	0.896	0.467	0.241	0.000	0.585
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.799	1.17	0.633	0.330	0.000	0.815
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.991	1.36	0.852	0.399	0.000	1.09
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.55	1.12	0.641	0.000	1.32
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.45	1.73	1.36	0.873	0.589	1.57
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.80	1.97	1.65	1.10	1.09	1.83
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.57	2.36	1.89	1.44	1.55	2.14
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.57	2.92	2.27	1.79	1.88	2.70
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.16	3.89	3.00	2.13	2.54	3.54
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.70	5.68	4.34	4.28	4.85	5.66

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>03488450</b>	<b>03488500</b>	<b>03489500</b>	<b>03489850</b>	<b>03489870</b>	<b>03489900</b>
Count	number	60.0	240	330	90.0	90.0	300
Max	ft <sup>3</sup> /s	189	10,800	8,120	475	1,040	2,550
Min	ft <sup>3</sup> /s	30.0	208	232	4.30	18.0	33.0
Median	ft <sup>3</sup> /s	53.0	635	597	14.5	43.5	110
Arithmetic Mean	ft <sup>3</sup> /s	69.3	969	903	30.5	78.2	172
Geometric Mean	ft <sup>3</sup> /s	60.5	--	--	18.3	53.0	--
Harmonic Mean	ft <sup>3</sup> /s	54.4	595	545	13.2	42.7	102
Standard Deviation	ft <sup>3</sup> /s	41.1	1,040	963	53.7	121	224
5th percentile	ft <sup>3</sup> /s	33.1	274	276	4.80	20.6	47.1
10th percentile	ft <sup>3</sup> /s	35.9	346	302	5.56	23.0	60.0
20th percentile	ft <sup>3</sup> /s	39.6	404	351	9.60	30.8	73.0
30th percentile	ft <sup>3</sup> /s	43.7	479	420	11.0	33.7	84.7
40th percentile	ft <sup>3</sup> /s	48.6	554	470	12.6	37.6	95.0
50th percentile	ft <sup>3</sup> /s	53.0	635	597	14.5	43.5	110
60th percentile	ft <sup>3</sup> /s	57.8	770	732	19.0	52.0	129
70th percentile	ft <sup>3</sup> /s	68.4	959	900	27.9	71.0	161
80th percentile	ft <sup>3</sup> /s	91.2	1,244	1,160	44.0	95.8	200
90th percentile	ft <sup>3</sup> /s	138	1,890	1,840	64.0	138	302
Drainage area	mi <sup>2</sup>	21.4	401	493	18.1	42.1	79.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.83	26.9	16.5	26.2	24.7	32.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	0.519	0.471	0.238	0.428	0.415
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.48	1.58	1.21	0.801	1.03	1.38
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.24	2.42	1.83	1.69	1.86	2.16
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.83	--	--	1.01	1.26	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.54	1.48	1.10	0.729	1.02	1.28
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.92	2.59	1.95	2.97	2.87	2.81
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.54	0.683	0.560	0.265	0.488	0.591
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	0.862	0.612	0.307	0.546	0.754
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.85	1.01	0.712	0.530	0.732	0.917
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.04	1.19	0.852	0.608	0.800	1.06
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.27	1.38	0.953	0.696	0.893	1.19
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.48	1.58	1.21	0.801	1.03	1.38
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.70	1.92	1.48	1.05	1.24	1.63
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.20	2.39	1.83	1.54	1.69	2.03
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.26	3.10	2.35	2.43	2.28	2.52
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	6.43	4.71	3.73	3.54	3.29	3.80

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>03488450</b>	<b>03488500</b>	<b>03489500</b>	<b>03489850</b>	<b>03489870</b>	<b>03489900</b>
Count	number	62.0	248	341	93.0	93.0	310
Max	ft <sup>3</sup> /s	308	8,220	5,140	121	395	2,820
Min	ft <sup>3</sup> /s	11.0	162	162	5.80	16.0	26.0
Median	ft <sup>3</sup> /s	35.5	375	634	15.0	48.0	77.5
Arithmetic Mean	ft <sup>3</sup> /s	58.3	665	827	22.0	69.7	139
Geometric Mean	ft <sup>3</sup> /s	41.2	--	--	17.1	53.5	--
Harmonic Mean	ft <sup>3</sup> /s	31.3	371	494	14.4	43.7	71.2
Standard Deviation	ft <sup>3</sup> /s	56.8	965	710	20.2	64.6	259
5th percentile	ft <sup>3</sup> /s	14.0	198	206	7.40	19.7	36.0
10th percentile	ft <sup>3</sup> /s	16.0	225	245	8.52	21.4	38.0
20th percentile	ft <sup>3</sup> /s	20.0	264	300	10.0	29.4	48.0
30th percentile	ft <sup>3</sup> /s	23.3	293	420	11.0	37.6	56.0
40th percentile	ft <sup>3</sup> /s	28.0	331	522	12.0	43.0	68.0
50th percentile	ft <sup>3</sup> /s	35.5	375	634	15.0	48.0	77.5
60th percentile	ft <sup>3</sup> /s	50.8	426	758	17.2	62.2	90.0
70th percentile	ft <sup>3</sup> /s	70.5	525	890	22.0	71.0	106
80th percentile	ft <sup>3</sup> /s	83.6	666	1,200	28.0	88.6	132
90th percentile	ft <sup>3</sup> /s	117	1,312	1,660	39.6	131	231
Drainage area	mi <sup>2</sup>	21.4	401	493	18.1	42.1	79.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	14.4	20.5	10.4	6.69	9.38	35.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.514	0.404	0.329	0.320	0.380	0.327
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	0.935	1.29	0.829	1.14	0.974
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.72	1.66	1.68	1.22	1.66	1.75
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.93	--	--	0.945	1.27	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	0.926	1.00	0.795	1.04	0.895
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.66	2.41	1.44	1.12	1.54	3.26
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.654	0.493	0.419	0.409	0.468	0.452
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.748	0.561	0.497	0.471	0.508	0.477
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.935	0.658	0.609	0.552	0.698	0.603
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	0.731	0.852	0.608	0.893	0.704
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.31	0.826	1.06	0.663	1.02	0.854
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	0.935	1.29	0.829	1.14	0.974
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.37	1.06	1.54	0.950	1.48	1.13
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.29	1.31	1.81	1.22	1.69	1.34
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.91	1.66	2.43	1.55	2.10	1.66
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.44	3.27	3.37	2.19	3.11	2.90

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units						
Station Number	number	03488450	03488500	03489500	03489850	03489870	03489900
Count	number	60.0	240	330	90.0	90.0	300
Max	ft <sup>3</sup> /s	187	778	14,800	196	320	641
Min	ft <sup>3</sup> /s	2.00	80.0	74.0	2.40	9.70	15.0
Median	ft <sup>3</sup> /s	7.65	196	361	5.70	19.5	36.0
Arithmetic Mean	ft <sup>3</sup> /s	28.7	231	603	10.9	31.9	45.6
Geometric Mean	ft <sup>3</sup> /s	11.5	--	--	6.37	22.8	--
Harmonic Mean	ft <sup>3</sup> /s	6.68	187	252	5.19	19.3	34.1
Standard Deviation	ft <sup>3</sup> /s	45.7	124	1,086	24.6	44.9	48.4
5th percentile	ft <sup>3</sup> /s	2.31	106	92.1	2.56	10.0	18.0
10th percentile	ft <sup>3</sup> /s	3.17	120	116	2.79	12.0	20.0
20th percentile	ft <sup>3</sup> /s	4.64	136	151	3.48	13.8	25.0
30th percentile	ft <sup>3</sup> /s	5.07	157	200	4.60	15.0	29.0
40th percentile	ft <sup>3</sup> /s	5.96	176	256	4.96	18.0	33.0
50th percentile	ft <sup>3</sup> /s	7.65	196	361	5.70	19.5	36.0
60th percentile	ft <sup>3</sup> /s	10.4	220	445	6.30	22.4	40.0
70th percentile	ft <sup>3</sup> /s	15.3	249	552	7.20	27.0	46.0
80th percentile	ft <sup>3</sup> /s	31.4	294	729	9.02	33.0	55.0
90th percentile	ft <sup>3</sup> /s	112	390	1,164	15.1	48.3	66.0
Drainage area	mi <sup>2</sup>	21.4	401	493	18.1	42.1	79.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.74	1.94	30.0	10.8	7.60	8.05
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.093	0.200	0.150	0.133	0.230	0.188
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.357	0.489	0.731	0.315	0.463	0.452
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.34	0.575	1.22	0.601	0.758	0.573
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.535	--	--	0.352	0.541	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.312	0.467	0.510	0.287	0.459	0.428
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.13	0.309	2.20	1.36	1.07	0.608
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.108	0.264	0.187	0.141	0.238	0.226
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.148	0.299	0.235	0.154	0.285	0.251
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.217	0.339	0.306	0.192	0.328	0.314
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.237	0.391	0.406	0.254	0.356	0.364
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.279	0.439	0.518	0.274	0.428	0.415
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.357	0.489	0.731	0.315	0.463	0.452
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.486	0.549	0.903	0.348	0.532	0.503
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.715	0.621	1.12	0.398	0.641	0.578
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.47	0.733	1.48	0.498	0.784	0.691
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.22	0.973	2.36	0.834	1.15	0.829

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>03488450</b>	<b>03488500</b>	<b>03489500</b>	<b>03489850</b>	<b>03489870</b>	<b>03489900</b>
Count	number	84.0	248	341	93.0	93.0	310
Max	ft <sup>3</sup> /s	377	1,520	2,050	104	1,160	609
Min	ft <sup>3</sup> /s	1.60	53.0	46.0	2.10	9.30	5.10
Median	ft <sup>3</sup> /s	11.0	130	215	4.10	17.0	26.0
Arithmetic Mean	ft <sup>3</sup> /s	34.8	206	327	7.21	42.8	44.8
Geometric Mean	ft <sup>3</sup> /s	14.7	--	--	4.58	21.1	--
Harmonic Mean	ft <sup>3</sup> /s	8.16	126	172	3.83	17.3	25.4
Standard Deviation	ft <sup>3</sup> /s	57.5	216	339	13.3	129	64.5
5th percentile	ft <sup>3</sup> /s	2.88	63.9	64.0	2.17	10.0	13.0
10th percentile	ft <sup>3</sup> /s	3.46	74.0	81.0	2.30	12.0	15.0
20th percentile	ft <sup>3</sup> /s	5.26	88.0	112	2.60	12.0	18.0
30th percentile	ft <sup>3</sup> /s	6.49	95.0	149	3.06	13.6	21.0
40th percentile	ft <sup>3</sup> /s	8.52	109	185	3.68	14.0	23.0
50th percentile	ft <sup>3</sup> /s	11.0	130	215	4.10	17.0	26.0
60th percentile	ft <sup>3</sup> /s	14.0	155	271	4.40	18.2	30.0
70th percentile	ft <sup>3</sup> /s	22.7	202	327	4.90	20.8	37.0
80th percentile	ft <sup>3</sup> /s	52.6	259	420	5.90	28.8	51.0
90th percentile	ft <sup>3</sup> /s	98.4	384	700	10.7	48.8	84.1
Drainage area	mi <sup>2</sup>	21.4	401	493	18.1	42.1	79.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	17.6	3.79	4.16	5.75	27.6	7.65
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.075	0.132	0.093	0.116	0.221	0.064
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.514	0.324	0.436	0.227	0.404	0.327
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.63	0.514	0.663	0.398	1.02	0.562
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.686	--	--	0.253	0.500	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.381	0.315	0.350	0.212	0.411	0.320
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.69	0.538	0.688	0.734	3.06	0.810
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.134	0.159	0.130	0.120	0.238	0.163
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.162	0.185	0.164	0.127	0.285	0.188
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.246	0.219	0.227	0.144	0.285	0.226
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.303	0.237	0.302	0.169	0.323	0.264
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.398	0.272	0.375	0.203	0.333	0.289
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.514	0.324	0.436	0.227	0.404	0.327
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.654	0.386	0.550	0.243	0.432	0.377
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	0.503	0.663	0.271	0.494	0.465
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.46	0.645	0.852	0.326	0.684	0.641
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.60	0.957	1.42	0.593	1.16	1.06

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>	<b>03488450</b>	<b>03488500</b>	<b>03489500</b>	<b>03489850</b>	<b>03489870</b>	<b>03489900</b>
Station Number	number						
Count	number	93.0	248	341	93.0	93.0	310
Max	ft <sup>3</sup> /s	65.0	2,240	2,780	92.0	177	416
Min	ft <sup>3</sup> /s	0.680	41.0	43.0	1.70	7.50	7.40
Median	ft <sup>3</sup> /s	3.70	83.0	188	5.20	20.0	21.0
Arithmetic Mean	ft <sup>3</sup> /s	7.92	140	270	11.5	35.3	41.4
Geometric Mean	ft <sup>3</sup> /s	4.16	--	--	6.09	24.4	--
Harmonic Mean	ft <sup>3</sup> /s	2.63	86.7	152	4.09	18.2	21.4
Standard Deviation	ft <sup>3</sup> /s	11.8	219	311	17.2	33.8	53.4
5th percentile	ft <sup>3</sup> /s	0.980	55.0	62.0	1.80	8.00	11.0
10th percentile	ft <sup>3</sup> /s	1.10	58.0	76.0	1.90	9.28	13.0
20th percentile	ft <sup>3</sup> /s	1.50	63.0	96.0	2.30	11.0	14.0
30th percentile	ft <sup>3</sup> /s	2.10	68.0	138	2.88	13.0	16.0
40th percentile	ft <sup>3</sup> /s	2.60	74.0	170	3.38	16.0	18.0
50th percentile	ft <sup>3</sup> /s	3.70	83.0	188	5.20	20.0	21.0
60th percentile	ft <sup>3</sup> /s	5.00	90.2	215	6.82	28.2	25.0
70th percentile	ft <sup>3</sup> /s	6.98	112	256	9.38	37.8	34.6
80th percentile	ft <sup>3</sup> /s	11.0	146	332	13.6	56.2	56.2
90th percentile	ft <sup>3</sup> /s	15.8	238	470	28.2	87.8	95.1
Drainage area	mi <sup>2</sup>	21.4	401	493	18.1	42.1	79.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.04	5.59	5.64	5.08	4.20	5.23
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	0.102	0.087	0.094	0.178	0.093
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.173	0.207	0.381	0.287	0.475	0.264
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.370	0.350	0.547	0.634	0.838	0.520
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.194	--	--	0.336	0.579	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.123	0.216	0.307	0.226	0.432	0.268
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.551	0.546	0.630	0.948	0.804	0.671
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.046	0.137	0.126	0.099	0.190	0.138
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.051	0.145	0.154	0.105	0.220	0.163
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.070	0.157	0.195	0.127	0.261	0.176
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.098	0.170	0.280	0.159	0.309	0.201
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.121	0.185	0.345	0.187	0.380	0.226
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.173	0.207	0.381	0.287	0.475	0.264
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.225	0.436	0.377	0.670	0.314
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.326	0.279	0.519	0.518	0.898	0.435
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.514	0.364	0.673	0.751	1.33	0.706
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.738	0.593	0.953	1.56	2.09	1.19



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>03488450</b>	<b>03488500</b>	<b>03489500</b>	<b>03489850</b>	<b>03489870</b>	<b>03489900</b>
Count	number	90.0	240	330	90.0	90.0	300
Max	ft <sup>3</sup> /s	105	1,390	7,170	123	406	527
Min	ft <sup>3</sup> /s	0.240	42.0	41.0	1.60	7.50	4.00
Median	ft <sup>3</sup> /s	5.90	58.0	124	3.20	12.5	17.0
Arithmetic Mean	ft <sup>3</sup> /s	11.3	92.8	246	7.08	29.6	28.8
Geometric Mean	ft <sup>3</sup> /s	4.33	--	--	3.93	17.9	--
Harmonic Mean	ft <sup>3</sup> /s	1.42	65.3	106	3.08	14.1	16.0
Standard Deviation	ft <sup>3</sup> /s	16.4	116	607	15.1	50.6	42.6
5th percentile	ft <sup>3</sup> /s	0.331	45.0	50.6	1.60	8.13	7.42
10th percentile	ft <sup>3</sup> /s	0.445	45.9	57.8	1.70	8.60	8.00
20th percentile	ft <sup>3</sup> /s	0.618	48.0	68.0	1.90	9.30	11.0
30th percentile	ft <sup>3</sup> /s	1.64	52.0	82.7	2.48	10.0	14.0
40th percentile	ft <sup>3</sup> /s	4.42	55.0	100	2.76	12.0	16.0
50th percentile	ft <sup>3</sup> /s	5.90	58.0	124	3.20	12.5	17.0
60th percentile	ft <sup>3</sup> /s	7.86	68.0	137	3.84	15.8	21.0
70th percentile	ft <sup>3</sup> /s	11.0	86.3	159	4.76	22.0	25.0
80th percentile	ft <sup>3</sup> /s	18.2	104	204	6.20	34.2	32.2
90th percentile	ft <sup>3</sup> /s	25.6	142	338	9.93	58.0	49.6
Drainage area	mi <sup>2</sup>	21.4	401	493	18.1	42.1	79.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	4.91	3.47	14.5	6.80	9.64	6.62
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.011	0.105	0.083	0.088	0.178	0.050
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.276	0.145	0.252	0.177	0.297	0.214
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.530	0.231	0.499	0.391	0.703	0.362
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.202	--	--	0.217	0.424	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.066	0.163	0.214	0.170	0.334	0.200
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.765	0.288	1.23	0.834	1.20	0.535
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.015	0.112	0.103	0.088	0.193	0.093
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.021	0.114	0.117	0.094	0.204	0.101
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.029	0.120	0.138	0.105	0.221	0.138
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.077	0.130	0.168	0.137	0.238	0.176
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.207	0.137	0.203	0.152	0.285	0.201
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.276	0.145	0.252	0.177	0.297	0.214
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.367	0.170	0.278	0.212	0.375	0.264
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.514	0.215	0.323	0.263	0.523	0.314
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.850	0.259	0.414	0.343	0.812	0.405
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.20	0.355	0.686	0.549	1.38	0.623

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>03488450</b>	<b>03488500</b>	<b>03489500</b>	<b>03489850</b>	<b>03489870</b>	<b>03489900</b>
Count	number	93.0	248	341	62.0	62.0	279
Max	ft <sup>3</sup> /s	90.0	1,380	3,080	212	505	610
Min	ft <sup>3</sup> /s	0.330	44.0	29.0	2.20	7.50	8.70
Median	ft <sup>3</sup> /s	5.30	71.0	125	7.70	26.0	18.0
Arithmetic Mean	ft <sup>3</sup> /s	12.8	92.8	217	18.6	46.1	30.6
Geometric Mean	ft <sup>3</sup> /s	5.92	--	--	7.58	23.3	--
Harmonic Mean	ft <sup>3</sup> /s	2.35	70.8	118	4.74	15.4	18.0
Standard Deviation	ft <sup>3</sup> /s	16.8	104	278	38.9	80.4	55.6
5th percentile	ft <sup>3</sup> /s	0.421	49.0	50.0	2.20	7.60	9.50
10th percentile	ft <sup>3</sup> /s	0.820	49.0	65.0	2.30	7.80	11.0
20th percentile	ft <sup>3</sup> /s	1.64	52.0	80.0	2.50	8.24	13.0
30th percentile	ft <sup>3</sup> /s	4.18	54.0	97.0	2.83	8.89	15.0
40th percentile	ft <sup>3</sup> /s	4.90	61.0	115	3.50	11.4	17.0
50th percentile	ft <sup>3</sup> /s	5.30	71.0	125	7.70	26.0	18.0
60th percentile	ft <sup>3</sup> /s	11.2	78.0	156	9.96	32.6	20.0
70th percentile	ft <sup>3</sup> /s	14.0	86.0	208	11.7	37.7	22.6
80th percentile	ft <sup>3</sup> /s	17.6	109	292	16.0	49.0	26.4
90th percentile	ft <sup>3</sup> /s	32.8	146	432	35.1	80.7	50.0
Drainage area	mi <sup>2</sup>	21.4	401	493	18.1	42.1	79.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	4.21	3.44	6.25	11.7	12.0	7.66
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.015	0.110	0.059	0.122	0.178	0.109
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.248	0.177	0.254	0.425	0.618	0.226
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.596	0.231	0.441	1.03	1.09	0.385
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.277	--	--	0.419	0.553	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.110	0.177	0.240	0.262	0.366	0.226
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.783	0.259	0.563	2.15	1.91	0.698
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.020	0.122	0.101	0.122	0.181	0.119
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.038	0.122	0.132	0.127	0.185	0.138
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.077	0.130	0.162	0.138	0.196	0.163
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.195	0.135	0.197	0.156	0.211	0.188
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.229	0.152	0.233	0.193	0.271	0.214
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.248	0.177	0.254	0.425	0.618	0.226
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.523	0.195	0.316	0.550	0.774	0.251
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.654	0.214	0.422	0.646	0.895	0.284
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.822	0.272	0.592	0.884	1.16	0.332
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.53	0.364	0.876	1.94	1.92	0.628

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>03488450</b>	<b>03488500</b>	<b>03489500</b>	<b>03489850</b>	<b>03489870</b>	<b>03489900</b>
Count	number	90.0	240	330	60.0	60.0	270
Max	ft <sup>3</sup> /s	211	2,830	3,940	123	183	508
Min	ft <sup>3</sup> /s	1.50	44.0	50.0	2.80	6.30	7.40
Median	ft <sup>3</sup> /s	13.5	109	232	12.5	34.0	22.0
Arithmetic Mean	ft <sup>3</sup> /s	29.4	214	375	18.4	42.8	48.9
Geometric Mean	ft <sup>3</sup> /s	14.4	--	--	11.5	28.2	--
Harmonic Mean	ft <sup>3</sup> /s	7.41	101	190	7.73	18.2	22.4
Standard Deviation	ft <sup>3</sup> /s	40.8	349	474	21.4	40.2	70.6
5th percentile	ft <sup>3</sup> /s	1.86	49.1	76.1	2.91	6.41	10.0
10th percentile	ft <sup>3</sup> /s	2.57	53.0	97.0	3.09	7.08	12.0
20th percentile	ft <sup>3</sup> /s	6.70	60.0	116	3.78	8.24	15.0
30th percentile	ft <sup>3</sup> /s	8.51	77.0	152	6.57	16.7	18.0
40th percentile	ft <sup>3</sup> /s	9.80	92.0	199	10.6	28.6	20.0
50th percentile	ft <sup>3</sup> /s	13.5	109	232	12.5	34.0	22.0
60th percentile	ft <sup>3</sup> /s	19.4	147	278	14.0	40.8	27.0
70th percentile	ft <sup>3</sup> /s	26.3	186	342	17.3	46.3	37.0
80th percentile	ft <sup>3</sup> /s	33.6	225	470	23.0	57.6	68.0
90th percentile	ft <sup>3</sup> /s	82.8	371	733	40.6	93.3	112
Drainage area	mi <sup>2</sup>	21.4	401	493	18.1	42.1	79.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	9.86	7.06	7.99	6.80	4.35	6.38
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.070	0.110	0.101	0.155	0.150	0.093
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.631	0.272	0.470	0.691	0.808	0.276
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	0.534	0.760	1.02	1.02	0.614
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.672	--	--	0.637	0.670	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.346	0.252	0.384	0.427	0.432	0.282
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.91	0.871	0.961	1.18	0.956	0.887
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.087	0.122	0.154	0.160	0.152	0.126
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.120	0.132	0.197	0.171	0.168	0.151
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.313	0.150	0.235	0.209	0.196	0.188
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.398	0.192	0.308	0.363	0.397	0.226
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.458	0.229	0.404	0.583	0.679	0.251
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.631	0.272	0.470	0.691	0.808	0.276
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.907	0.367	0.564	0.773	0.969	0.339
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	0.464	0.693	0.956	1.10	0.465
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	0.561	0.953	1.27	1.37	0.854
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.87	0.925	1.49	2.24	2.22	1.41

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>03488450</b>	<b>03488500</b>	<b>03489500</b>	<b>03489850</b>	<b>03489870</b>	<b>03489900</b>
Count	number	93.0	248	341	62.0	62.0	279
Max	ft <sup>3</sup> /s	148	4,560	17,600	286	1,020	1,400
Min	ft <sup>3</sup> /s	6.80	44.0	56.0	8.10	30.0	5.10
Median	ft <sup>3</sup> /s	17.0	211	470	25.0	62.5	66.0
Arithmetic Mean	ft <sup>3</sup> /s	23.6	512	951	45.5	119	116
Geometric Mean	ft <sup>3</sup> /s	19.2	--	--	28.2	77.8	--
Harmonic Mean	ft <sup>3</sup> /s	16.8	177	346	21.0	62.4	37.7
Standard Deviation	ft <sup>3</sup> /s	21.1	684	1,722	59.3	168	173
5th percentile	ft <sup>3</sup> /s	8.63	64.7	107	8.82	33.2	13.0
10th percentile	ft <sup>3</sup> /s	10.2	83.0	180	11.1	36.1	16.8
20th percentile	ft <sup>3</sup> /s	12.0	99.2	248	14.0	43.2	20.0
30th percentile	ft <sup>3</sup> /s	14.0	131	315	16.0	48.3	29.2
40th percentile	ft <sup>3</sup> /s	16.0	165	395	18.8	52.8	45.6
50th percentile	ft <sup>3</sup> /s	17.0	211	470	25.0	62.5	66.0
60th percentile	ft <sup>3</sup> /s	19.0	369	561	28.0	70.2	79.6
70th percentile	ft <sup>3</sup> /s	23.0	520	700	35.7	91.0	106
80th percentile	ft <sup>3</sup> /s	27.6	762	910	51.6	133	146
90th percentile	ft <sup>3</sup> /s	39.8	1,192	1,620	105	229	259
Drainage area	mi <sup>2</sup>	21.4	401	493	18.1	42.1	79.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	6.92	11.4	35.7	15.8	24.2	17.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.318	0.110	0.114	0.448	0.713	0.064
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.794	0.525	0.953	1.38	1.48	0.829
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	1.28	1.93	2.51	2.83	1.46
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.898	--	--	1.56	1.85	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.784	0.441	0.702	1.16	1.48	0.473
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.986	1.71	3.49	3.28	3.98	2.17
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.403	0.161	0.217	0.487	0.787	0.163
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.477	0.207	0.365	0.613	0.857	0.211
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.561	0.247	0.503	0.773	1.03	0.251
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.654	0.327	0.639	0.884	1.15	0.367
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.748	0.411	0.801	1.04	1.25	0.573
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.794	0.525	0.953	1.38	1.48	0.829
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.888	0.921	1.14	1.55	1.67	1.00
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	1.30	1.42	1.97	2.16	1.33
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.29	1.90	1.85	2.85	3.15	1.83
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.86	2.97	3.29	5.80	5.44	3.25

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>03490000</b>	<b>03520967</b>	<b>03521000</b>	<b>03521500</b>	<b>03522000</b>	<b>03523000</b>
Count	number	1,550	31.0	62.0	1,364	93.0	217
Max	ft <sup>3</sup> /s	26,200	90.0	4,030	7,000	1,480	2,230
Min	ft <sup>3</sup> /s	50.0	18.0	100	12.0	75.0	6.50
Median	ft <sup>3</sup> /s	908	31.0	238	172	199	51.0
Arithmetic Mean	ft <sup>3</sup> /s	1,515	36.7	397	295	274	113
Geometric Mean	ft <sup>3</sup> /s	--	33.6	276	--	207	--
Harmonic Mean	ft <sup>3</sup> /s	504	31.2	229	118	167	30.0
Standard Deviation	ft <sup>3</sup> /s	2,105	17.4	567	442	247	231
5th percentile	ft <sup>3</sup> /s	116	19.8	117	37.0	77.0	7.59
10th percentile	ft <sup>3</sup> /s	206	22.0	133	57.0	83.0	9.40
20th percentile	ft <sup>3</sup> /s	397	24.0	162	88.0	109	20.2
30th percentile	ft <sup>3</sup> /s	592	26.0	192	117	124	33.8
40th percentile	ft <sup>3</sup> /s	746	27.0	210	142	153	40.0
50th percentile	ft <sup>3</sup> /s	908	31.0	238	172	199	51.0
60th percentile	ft <sup>3</sup> /s	1,140	34.0	277	215	238	63.6
70th percentile	ft <sup>3</sup> /s	1,480	37.0	326	270	292	82.0
80th percentile	ft <sup>3</sup> /s	1,960	45.0	427	372	372	119
90th percentile	ft <sup>3</sup> /s	3,122	63.0	552	572	515	210
Drainage area	mi <sup>2</sup>	671	32	124	137	102	51.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	39.0	2.81	32.5	51.1	14.5	43.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.075	0.563	0.806	0.088	0.735	0.126
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	0.969	1.92	1.25	1.95	0.988
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.26	1.15	3.20	2.15	2.68	2.18
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.05	2.23	--	2.03	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.751	0.975	1.84	0.858	1.64	0.581
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.14	0.544	4.57	3.23	2.43	4.48
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.172	0.619	0.946	0.270	0.755	0.147
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.306	0.688	1.07	0.416	0.814	0.182
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.591	0.750	1.31	0.642	1.07	0.391
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.882	0.813	1.55	0.853	1.21	0.655
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	0.844	1.69	1.04	1.50	0.775
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	0.969	1.92	1.25	1.95	0.988
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	1.06	2.23	1.57	2.33	1.23
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.21	1.16	2.63	1.97	2.86	1.59
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.92	1.41	3.44	2.72	3.65	2.31
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.65	1.97	4.45	4.18	5.05	4.07

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>03490000</b>	<b>03520967</b>	<b>03521000</b>	<b>03521500</b>	<b>03522000</b>	<b>03523000</b>
Count	number	1,413	27.0	56.0	1,243	85.0	197
Max	ft <sup>3</sup> /s	20,400	104	2,370	3,960	1,730	1,550
Min	ft <sup>3</sup> /s	90.0	9.80	80.0	23.0	97.0	23.0
Median	ft <sup>3</sup> /s	1,160	13.0	253	240	230	106
Arithmetic Mean	ft <sup>3</sup> /s	1,783	26.1	364	363	282	188
Geometric Mean	ft <sup>3</sup> /s	--	19.1	263	--	230	--
Harmonic Mean	ft <sup>3</sup> /s	793	15.8	206	191	200	82.4
Standard Deviation	ft <sup>3</sup> /s	2,047	25.8	393	402	257	241
5th percentile	ft <sup>3</sup> /s	265	9.88	87.0	74.2	102	27.9
10th percentile	ft <sup>3</sup> /s	375	11.0	94.5	100	119	38.6
20th percentile	ft <sup>3</sup> /s	623	11.2	130	136	139	52.0
30th percentile	ft <sup>3</sup> /s	800	12.0	181	168	159	68.0
40th percentile	ft <sup>3</sup> /s	960	12.0	222	200	191	86.4
50th percentile	ft <sup>3</sup> /s	1,160	13.0	253	240	230	106
60th percentile	ft <sup>3</sup> /s	1,430	15.6	320	289	263	140
70th percentile	ft <sup>3</sup> /s	1,760	20.8	352	350	284	184
80th percentile	ft <sup>3</sup> /s	2,376	37.6	435	470	320	243
90th percentile	ft <sup>3</sup> /s	3,642	57.4	663	714	423	403
Drainage area	mi <sup>2</sup>	671	32	124	137	102	51.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	30.4	3.25	19.1	28.9	17.0	30.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.134	0.306	0.645	0.168	0.951	0.446
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	0.406	2.04	1.75	2.25	2.05
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.66	0.816	2.93	2.65	2.76	3.64
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.597	2.12	--	2.25	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.18	0.494	1.67	1.39	1.97	1.60
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.05	0.806	3.17	2.93	2.52	4.67
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.394	0.309	0.702	0.542	1.00	0.541
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.559	0.344	0.762	0.730	1.17	0.748
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.928	0.350	1.05	0.993	1.36	1.01
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.19	0.375	1.46	1.23	1.56	1.32
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	0.375	1.79	1.46	1.87	1.67
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	0.406	2.04	1.75	2.25	2.05
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.13	0.488	2.58	2.11	2.58	2.71
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.62	0.650	2.83	2.55	2.78	3.57
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.54	1.18	3.51	3.43	3.13	4.71
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.43	1.79	5.34	5.21	4.15	7.80

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>03490000</b>	<b>03520967</b>	<b>03521000</b>	<b>03521500</b>	<b>03522000</b>	<b>03523000</b>
Count	number	1,550	31.0	62.0	1,364	93.0	217
Max	ft <sup>3</sup> /s	24,100	289	1,560	5,340	1,290	1,760
Min	ft <sup>3</sup> /s	173	17.0	106	58.0	95.0	36.0
Median	ft <sup>3</sup> /s	1,285	31.0	201	244	258	102
Arithmetic Mean	ft <sup>3</sup> /s	1,969	59.8	271	376	304	176
Geometric Mean	ft <sup>3</sup> /s	--	40.0	225	--	265	--
Harmonic Mean	ft <sup>3</sup> /s	1,113	31.8	198	218	234	98.3
Standard Deviation	ft <sup>3</sup> /s	2,206	70.2	220	434	183	234
5th percentile	ft <sup>3</sup> /s	516	17.6	115	105	107	47.6
10th percentile	ft <sup>3</sup> /s	619	19.0	124	127	129	60.0
20th percentile	ft <sup>3</sup> /s	762	21.0	134	153	182	70.0
30th percentile	ft <sup>3</sup> /s	900	24.0	145	176	214	78.0
40th percentile	ft <sup>3</sup> /s	1,060	28.0	171	207	239	90.0
50th percentile	ft <sup>3</sup> /s	1,285	31.0	201	244	258	102
60th percentile	ft <sup>3</sup> /s	1,534	35.0	252	283	281	119
70th percentile	ft <sup>3</sup> /s	1,940	45.0	312	350	318	146
80th percentile	ft <sup>3</sup> /s	2,584	69.0	341	487	385	208
90th percentile	ft <sup>3</sup> /s	3,951	138	473	714	515	340
Drainage area	mi <sup>2</sup>	671	32	124	137	102	51.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	35.9	9.03	12.6	39.0	12.6	34.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.258	0.531	0.855	0.423	0.931	0.698
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.92	0.969	1.62	1.78	2.53	1.98
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.93	1.87	2.18	2.74	2.98	3.41
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.25	1.81	--	2.60	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	0.994	1.59	1.59	2.30	1.91
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	3.29	2.19	1.77	3.17	1.79	4.54
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.768	0.550	0.925	0.766	1.05	0.922
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.923	0.594	1.00	0.927	1.26	1.16
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	0.656	1.08	1.12	1.78	1.36
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.34	0.750	1.17	1.28	2.10	1.51
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.58	0.875	1.38	1.51	2.35	1.74
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.92	0.969	1.62	1.78	2.53	1.98
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.29	1.09	2.03	2.06	2.75	2.31
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.89	1.41	2.52	2.55	3.11	2.82
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.85	2.16	2.75	3.55	3.77	4.03
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.89	4.31	3.82	5.21	5.05	6.58

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>03490000</b>	<b>03520967</b>	<b>03521000</b>	<b>03521500</b>	<b>03522000</b>	<b>03523000</b>
Count	number	1,500	30.0	60.0	1,320	90.0	210
Max	ft <sup>3</sup> /s	36,700	378	395	5,250	880	1,350
Min	ft <sup>3</sup> /s	150	16.0	70.0	58.0	72.0	33.0
Median	ft <sup>3</sup> /s	958	36.0	123	185	143	74.0
Arithmetic Mean	ft <sup>3</sup> /s	1,414	65.9	140	298	192	116
Geometric Mean	ft <sup>3</sup> /s	--	44.4	132	--	159	--
Harmonic Mean	ft <sup>3</sup> /s	850	34.9	125	175	136	73.2
Standard Deviation	ft <sup>3</sup> /s	1,723	79.6	54.8	381	134	125
5th percentile	ft <sup>3</sup> /s	382	17.1	78.1	84.0	76.1	42.0
10th percentile	ft <sup>3</sup> /s	476	18.9	86.5	99.0	82.9	44.0
20th percentile	ft <sup>3</sup> /s	618	22.6	106	121	89.8	48.0
30th percentile	ft <sup>3</sup> /s	729	27.4	110	141	95.0	53.0
40th percentile	ft <sup>3</sup> /s	819	31.0	117	160	110	62.0
50th percentile	ft <sup>3</sup> /s	958	36.0	123	185	143	74.0
60th percentile	ft <sup>3</sup> /s	1,150	45.4	135	222	183	90.0
70th percentile	ft <sup>3</sup> /s	1,400	51.2	145	278	235	123
80th percentile	ft <sup>3</sup> /s	1,802	90.2	170	369	283	150
90th percentile	ft <sup>3</sup> /s	2,621	128	198	566	361	237
Drainage area	mi <sup>2</sup>	671	32	124	137	102	51.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	54.7	11.8	3.19	38.3	8.63	26.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.224	0.500	0.565	0.423	0.706	0.640
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	1.13	0.992	1.35	1.40	1.43
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.11	2.06	1.13	2.18	1.88	2.25
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	1.39	1.06	--	1.55	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.27	1.09	1.01	1.28	1.33	1.42
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.57	2.49	0.442	2.78	1.31	2.43
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.569	0.534	0.630	0.613	0.746	0.814
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.709	0.591	0.698	0.723	0.813	0.853
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.921	0.706	0.855	0.883	0.880	0.930
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	0.856	0.885	1.03	0.931	1.03
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	0.969	0.944	1.17	1.08	1.20
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.43	1.13	0.992	1.35	1.40	1.43
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	1.42	1.09	1.62	1.80	1.74
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.09	1.60	1.17	2.03	2.30	2.38
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.69	2.82	1.37	2.69	2.77	2.90
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.91	4.00	1.60	4.13	3.54	4.58



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>03490000</b>	<b>03520967</b>	<b>03521000</b>	<b>03521500</b>	<b>03522000</b>	<b>03523000</b>
Count	number	1,550	31.0	62.0	1,364	93.0	217
Max	ft <sup>3</sup> /s	16,800	145	1,510	4,360	820	2,000
Min	ft <sup>3</sup> /s	119	6.30	89.0	40.0	89.0	18.0
Median	ft <sup>3</sup> /s	633	17.0	151	145	178	41.0
Arithmetic Mean	ft <sup>3</sup> /s	998	31.9	237	231	208	101
Geometric Mean	ft <sup>3</sup> /s	--	20.6	186	--	180	--
Harmonic Mean	ft <sup>3</sup> /s	538	15.0	161	123	162	41.7
Standard Deviation	ft <sup>3</sup> /s	1,279	34.5	228	326	139	228
5th percentile	ft <sup>3</sup> /s	236	6.66	93.8	54.0	93.0	19.0
10th percentile	ft <sup>3</sup> /s	280	7.50	100	63.0	99.4	22.0
20th percentile	ft <sup>3</sup> /s	358	8.40	116	80.0	115	29.0
30th percentile	ft <sup>3</sup> /s	445	11.0	123	98.0	129	34.0
40th percentile	ft <sup>3</sup> /s	530	14.0	138	121	153	39.0
50th percentile	ft <sup>3</sup> /s	633	17.0	151	145	178	41.0
60th percentile	ft <sup>3</sup> /s	771	21.0	183	176	195	51.0
70th percentile	ft <sup>3</sup> /s	975	35.0	218	212	226	62.0
80th percentile	ft <sup>3</sup> /s	1,270	43.0	295	277	253	83.6
90th percentile	ft <sup>3</sup> /s	1,921	84.0	435	436	306	187
Drainage area	mi <sup>2</sup>	671	32	124	137	102	51.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	25.0	4.53	12.2	31.8	8.04	38.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.197	0.718	0.292	0.873	0.349
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.943	0.531	1.22	1.06	1.75	0.795
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	0.997	1.91	1.69	2.04	1.97
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.644	1.50	--	1.77	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.802	0.469	1.30	0.901	1.59	0.807
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.91	1.08	1.84	2.38	1.36	4.43
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.352	0.208	0.756	0.394	0.912	0.368
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.417	0.234	0.806	0.460	0.975	0.426
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.533	0.263	0.934	0.584	1.13	0.562
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.663	0.344	0.994	0.715	1.27	0.659
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.790	0.438	1.11	0.883	1.50	0.756
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.943	0.531	1.22	1.06	1.75	0.795
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	0.656	1.47	1.28	1.91	0.988
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.45	1.09	1.76	1.55	2.22	1.20
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.89	1.34	2.38	2.02	2.48	1.62
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.86	2.63	3.50	3.18	3.00	3.62

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>03490000</b>	<b>03520967</b>	<b>03521000</b>	<b>03521500</b>	<b>03522000</b>	<b>03523000</b>
Count	number	1,500	24.0	60.0	1,320	90.0	210
Max	ft <sup>3</sup> /s	8,190	10.0	510	1,900	243	283
Min	ft <sup>3</sup> /s	78.0	3.20	49.0	18.0	35.0	8.80
Median	ft <sup>3</sup> /s	340	5.25	119	76.0	85.0	24.0
Arithmetic Mean	ft <sup>3</sup> /s	515	5.65	149	120	90.9	35.9
Geometric Mean	ft <sup>3</sup> /s	--	5.39	127	--	83.4	27.8
Harmonic Mean	ft <sup>3</sup> /s	306	5.15	111	68.9	77.0	23.9
Standard Deviation	ft <sup>3</sup> /s	579	1.81	92.7	163	41.3	37.6
5th percentile	ft <sup>3</sup> /s	144	3.30	54.2	33.0	42.8	13.0
10th percentile	ft <sup>3</sup> /s	170	3.63	60.0	39.0	49.0	15.0
20th percentile	ft <sup>3</sup> /s	209	4.06	75.6	49.0	58.8	17.0
30th percentile	ft <sup>3</sup> /s	245	4.40	96.2	57.0	68.1	19.0
40th percentile	ft <sup>3</sup> /s	292	4.72	105	66.0	79.6	21.6
50th percentile	ft <sup>3</sup> /s	340	5.25	119	76.0	85.0	24.0
60th percentile	ft <sup>3</sup> /s	417	5.76	149	90.0	90.0	28.0
70th percentile	ft <sup>3</sup> /s	501	6.63	172	106	95.0	32.0
80th percentile	ft <sup>3</sup> /s	656	7.44	197	134	109	40.2
90th percentile	ft <sup>3</sup> /s	993	8.01	255	211	133	66.2
Drainage area	mi <sup>2</sup>	671	32	124	137	102	51.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	12.2	0.313	4.11	13.9	2.38	5.48
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.116	0.100	0.395	0.131	0.343	0.171
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.507	0.164	0.960	0.555	0.833	0.465
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.768	0.177	1.20	0.878	0.891	0.696
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.168	1.03	--	0.817	0.539
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.457	0.161	0.892	0.503	0.755	0.463
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.863	0.057	0.747	1.19	0.405	0.729
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.215	0.103	0.437	0.241	0.419	0.252
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.113	0.484	0.285	0.480	0.291
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.311	0.127	0.610	0.358	0.576	0.329
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.365	0.138	0.776	0.416	0.668	0.368
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.435	0.148	0.847	0.482	0.780	0.419
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.507	0.164	0.960	0.555	0.833	0.465
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.621	0.180	1.20	0.657	0.882	0.543
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.747	0.207	1.39	0.776	0.931	0.620
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.978	0.233	1.59	0.980	1.07	0.779
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.48	0.250	2.06	1.54	1.31	1.28

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>03490000</b>	<b>03520967</b>	<b>03521000</b>	<b>03521500</b>	<b>03522000</b>	<b>03523000</b>
Count	number	1,550	9.00	62.0	1,364	93.0	217
Max	ft <sup>3</sup> /s	7,780	18.0	172	2,590	401	298
Min	ft <sup>3</sup> /s	70.0	3.40	29.0	8.80	22.0	7.00
Median	ft <sup>3</sup> /s	270	4.90	56.0	56.0	48.0	17.0
Arithmetic Mean	ft <sup>3</sup> /s	421	6.70	61.8	84.7	62.2	26.3
Geometric Mean	ft <sup>3</sup> /s	--	5.72	57.3	--	51.3	19.5
Harmonic Mean	ft <sup>3</sup> /s	240	5.10	53.5	51.0	45.8	16.6
Standard Deviation	ft <sup>3</sup> /s	587	4.72	26.5	121	57.0	33.5
5th percentile	ft <sup>3</sup> /s	110	3.40	31.0	24.0	24.0	8.80
10th percentile	ft <sup>3</sup> /s	130	3.40	33.0	29.0	31.0	11.0
20th percentile	ft <sup>3</sup> /s	162	3.52	43.0	37.0	35.0	12.0
30th percentile	ft <sup>3</sup> /s	198	4.04	49.3	43.0	38.6	13.0
40th percentile	ft <sup>3</sup> /s	233	4.74	53.0	49.0	41.0	15.0
50th percentile	ft <sup>3</sup> /s	270	4.90	56.0	56.0	48.0	17.0
60th percentile	ft <sup>3</sup> /s	320	5.78	60.6	67.0	52.0	19.0
70th percentile	ft <sup>3</sup> /s	382	6.18	63.7	80.0	59.0	22.2
80th percentile	ft <sup>3</sup> /s	501	7.78	79.4	100	68.2	28.8
90th percentile	ft <sup>3</sup> /s	738	11.6	90.7	140	95.0	44.0
Drainage area	mi <sup>2</sup>	671	32	124	137	102	51.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	11.6	0.563	1.39	18.9	3.93	5.78
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.104	0.106	0.234	0.064	0.216	0.136
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.402	0.153	0.452	0.409	0.471	0.329
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.627	0.209	0.498	0.619	0.609	0.509
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.179	0.462	--	0.503	0.377
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.358	0.159	0.432	0.372	0.449	0.322
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.875	0.148	0.213	0.880	0.558	0.649
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.164	0.106	0.250	0.175	0.235	0.171
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.194	0.106	0.266	0.212	0.304	0.213
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.241	0.110	0.347	0.270	0.343	0.233
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	0.126	0.398	0.314	0.378	0.252
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.347	0.148	0.427	0.358	0.402	0.291
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.402	0.153	0.452	0.409	0.471	0.329
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.477	0.181	0.489	0.489	0.510	0.368
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.569	0.193	0.514	0.584	0.578	0.430
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.747	0.243	0.640	0.730	0.669	0.558
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	0.363	0.731	1.02	0.931	0.853

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>03490000</b>	<b>03520967</b>	<b>03521000</b>	<b>03521500</b>	<b>03522000</b>	<b>03523000</b>
Count	number	1,550	25.0	62.0	1,364	93.0	217
Max	ft <sup>3</sup> /s	13,900	4.30	645	2,010	1,220	411
Min	ft <sup>3</sup> /s	58.0	2.80	23.0	10.0	20.0	6.50
Median	ft <sup>3</sup> /s	216	3.40	53.5	48.0	45.0	11.0
Arithmetic Mean	ft <sup>3</sup> /s	383	3.42	68.0	77.6	71.4	24.7
Geometric Mean	ft <sup>3</sup> /s	--	3.40	51.6	--	50.1	14.4
Harmonic Mean	ft <sup>3</sup> /s	197	3.38	44.2	43.3	42.7	11.7
Standard Deviation	ft <sup>3</sup> /s	692	0.388	85.3	120	130	43.9
5th percentile	ft <sup>3</sup> /s	92.0	2.86	25.0	20.0	23.7	7.00
10th percentile	ft <sup>3</sup> /s	106	3.04	27.2	24.0	25.2	8.00
20th percentile	ft <sup>3</sup> /s	132	3.10	31.0	30.0	30.0	8.80
30th percentile	ft <sup>3</sup> /s	155	3.12	31.6	34.0	34.0	9.40
40th percentile	ft <sup>3</sup> /s	181	3.26	36.8	41.0	35.0	10.0
50th percentile	ft <sup>3</sup> /s	216	3.40	53.5	48.0	45.0	11.0
60th percentile	ft <sup>3</sup> /s	266	3.50	58.8	57.0	57.2	12.0
70th percentile	ft <sup>3</sup> /s	323	3.58	66.1	70.0	62.8	12.2
80th percentile	ft <sup>3</sup> /s	427	3.70	72.4	92.4	72.4	18.0
90th percentile	ft <sup>3</sup> /s	748	3.98	111	142	99.0	60.8
Drainage area	mi <sup>2</sup>	671	32	124	137	102	51.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	20.7	0.134	5.20	14.7	12.0	7.97
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.086	0.088	0.185	0.073	0.196	0.126
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.321	0.106	0.431	0.350	0.441	0.213
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.571	0.107	0.549	0.567	0.700	0.478
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.106	0.416	--	0.491	0.280
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.294	0.106	0.356	0.316	0.419	0.227
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.012	0.688	0.874	1.28	0.850
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.137	0.089	0.202	0.146	0.232	0.136
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.158	0.095	0.219	0.175	0.247	0.155
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.197	0.097	0.250	0.219	0.294	0.171
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.231	0.098	0.255	0.248	0.333	0.182
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.270	0.102	0.297	0.299	0.343	0.194
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.321	0.106	0.431	0.350	0.441	0.213
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.397	0.109	0.474	0.416	0.561	0.233
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.481	0.112	0.533	0.511	0.616	0.236
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.637	0.116	0.584	0.674	0.710	0.349
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.12	0.124	0.896	1.04	0.971	1.18

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>03490000</b>	<b>03520967</b>	<b>03521000</b>	<b>03521500</b>	<b>03522000</b>	<b>03523000</b>
Count	number	1,500	29.0	60.0	1,320	90.0	210
Max	ft <sup>3</sup> /s	8,100	7.70	1,290	1,630	407	169
Min	ft <sup>3</sup> /s	36.0	3.20	14.0	8.80	16.0	4.60
Median	ft <sup>3</sup> /s	152	4.00	32.5	35.0	43.5	8.00
Arithmetic Mean	ft <sup>3</sup> /s	226	4.15	77.4	56.7	53.0	15.4
Geometric Mean	ft <sup>3</sup> /s	--	4.06	40.1	--	42.8	10.8
Harmonic Mean	ft <sup>3</sup> /s	135	3.99	30.4	32.7	36.7	9.02
Standard Deviation	ft <sup>3</sup> /s	359	0.976	180	106	50.2	21.6
5th percentile	ft <sup>3</sup> /s	66.0	3.25	15.0	17.0	17.0	5.50
10th percentile	ft <sup>3</sup> /s	76.0	3.30	17.0	20.0	19.0	5.80
20th percentile	ft <sup>3</sup> /s	92.0	3.40	19.6	23.0	24.8	6.50
30th percentile	ft <sup>3</sup> /s	110	3.60	21.0	27.0	32.7	7.00
40th percentile	ft <sup>3</sup> /s	130	3.80	24.2	31.0	40.0	7.50
50th percentile	ft <sup>3</sup> /s	152	4.00	32.5	35.0	43.5	8.00
60th percentile	ft <sup>3</sup> /s	180	4.10	45.4	40.0	46.0	9.00
70th percentile	ft <sup>3</sup> /s	206	4.40	54.9	47.0	53.3	14.0
80th percentile	ft <sup>3</sup> /s	250	4.50	73.0	56.0	61.2	18.2
90th percentile	ft <sup>3</sup> /s	378	4.62	115	87.0	90.3	25.1
Drainage area	mi <sup>2</sup>	671	32	124	137	102	51.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	12.1	0.241	10.4	11.9	3.99	3.28
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.054	0.100	0.113	0.064	0.157	0.089
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.227	0.125	0.262	0.255	0.426	0.155
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.336	0.130	0.624	0.414	0.519	0.298
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.127	0.323	--	0.420	0.208
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.201	0.125	0.245	0.239	0.360	0.175
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.535	0.031	1.45	0.774	0.493	0.418
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.098	0.102	0.121	0.124	0.167	0.107
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.113	0.103	0.137	0.146	0.186	0.112
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.137	0.106	0.158	0.168	0.243	0.126
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.163	0.113	0.169	0.197	0.321	0.136
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.194	0.119	0.195	0.226	0.392	0.145
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.227	0.125	0.262	0.255	0.426	0.155
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.268	0.128	0.366	0.292	0.451	0.174
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.307	0.138	0.443	0.343	0.523	0.271
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.373	0.141	0.589	0.409	0.600	0.353
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.564	0.144	0.923	0.635	0.885	0.486

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>03490000</b>	<b>03520967</b>	<b>03521000</b>	<b>03521500</b>	<b>03522000</b>	<b>03523000</b>
Count	number	1,581	43.0	62.0	1,364	93.0	217
Max	ft <sup>3</sup> /s	10,700	165	730	3,030	314	95.0
Min	ft <sup>3</sup> /s	58.0	2.00	19.0	12.0	28.0	5.00
Median	ft <sup>3</sup> /s	141	2.70	55.5	34.0	41.0	10.0
Arithmetic Mean	ft <sup>3</sup> /s	323	12.9	71.0	69.6	45.8	12.3
Geometric Mean	ft <sup>3</sup> /s	--	5.18	56.4	--	42.4	10.5
Harmonic Mean	ft <sup>3</sup> /s	138	3.54	50.1	35.0	40.7	9.48
Standard Deviation	ft <sup>3</sup> /s	693	28.1	91.3	142	30.6	9.46
5th percentile	ft <sup>3</sup> /s	70.0	2.12	30.0	19.0	29.7	5.95
10th percentile	ft <sup>3</sup> /s	76.0	2.20	32.2	21.0	32.0	6.24
20th percentile	ft <sup>3</sup> /s	87.0	2.30	36.0	24.0	33.0	7.00
30th percentile	ft <sup>3</sup> /s	105	2.40	40.9	27.0	35.0	7.00
40th percentile	ft <sup>3</sup> /s	119	2.58	54.0	30.0	38.0	8.20
50th percentile	ft <sup>3</sup> /s	141	2.70	55.5	34.0	41.0	10.0
60th percentile	ft <sup>3</sup> /s	164	3.76	57.0	42.0	43.0	12.0
70th percentile	ft <sup>3</sup> /s	215	7.22	67.0	53.0	45.0	13.0
80th percentile	ft <sup>3</sup> /s	326	12.2	73.0	73.4	48.0	15.0
90th percentile	ft <sup>3</sup> /s	618	25.8	87.3	120	61.0	19.0
Drainage area	mi <sup>2</sup>	671	32	124	137	102	51.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	15.9	5.16	5.89	22.1	3.08	1.84
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.086	0.063	0.153	0.088	0.275	0.097
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.210	0.084	0.448	0.248	0.402	0.194
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.482	0.403	0.572	0.508	0.449	0.238
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.162	0.455	--	0.415	0.204
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.205	0.111	0.404	0.256	0.399	0.184
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	0.878	0.736	1.04	0.300	0.183
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.104	0.066	0.242	0.139	0.291	0.115
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.113	0.069	0.260	0.153	0.314	0.121
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.130	0.072	0.290	0.175	0.324	0.136
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.156	0.075	0.330	0.197	0.343	0.136
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.081	0.435	0.219	0.373	0.159
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.210	0.084	0.448	0.248	0.402	0.194
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.244	0.118	0.460	0.307	0.422	0.233
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.320	0.226	0.540	0.387	0.441	0.252
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.486	0.381	0.589	0.536	0.471	0.291
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.921	0.806	0.704	0.876	0.598	0.368

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>03490000</b>	<b>03520967</b>	<b>03521000</b>	<b>03521500</b>	<b>03522000</b>	<b>03523000</b>
Count	number	1,530	44.0	60.0	1,320	90.0	210
Max	ft <sup>3</sup> /s	14,500	107	282	3,090	517	444
Min	ft <sup>3</sup> /s	56.0	2.80	22.0	15.0	30.0	6.00
Median	ft <sup>3</sup> /s	220	16.0	57.0	60.0	70.5	13.0
Arithmetic Mean	ft <sup>3</sup> /s	446	26.5	81.7	116	103	25.8
Geometric Mean	ft <sup>3</sup> /s	--	14.0	65.4	--	78.7	15.3
Harmonic Mean	ft <sup>3</sup> /s	186	7.67	54.5	50.2	66.1	12.1
Standard Deviation	ft <sup>3</sup> /s	816	27.1	61.0	216	99.1	48.1
5th percentile	ft <sup>3</sup> /s	80.0	2.90	27.0	23.0	32.0	6.00
10th percentile	ft <sup>3</sup> /s	90.0	3.32	31.7	25.0	36.8	6.00
20th percentile	ft <sup>3</sup> /s	114	3.76	36.0	30.0	46.0	7.60
30th percentile	ft <sup>3</sup> /s	141	4.66	43.7	38.0	55.7	11.0
40th percentile	ft <sup>3</sup> /s	175	5.82	54.0	48.0	64.0	12.0
50th percentile	ft <sup>3</sup> /s	220	16.0	57.0	60.0	70.5	13.0
60th percentile	ft <sup>3</sup> /s	286	26.4	67.0	74.0	78.0	15.0
70th percentile	ft <sup>3</sup> /s	388	35.8	89.2	91.0	89.3	17.0
80th percentile	ft <sup>3</sup> /s	529	49.8	117	130	115	22.0
90th percentile	ft <sup>3</sup> /s	928	58.7	177	228	213	47.0
Drainage area	mi <sup>2</sup>	671	32	124	137	102	51.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	21.6	3.34	2.27	22.6	5.07	8.60
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.083	0.088	0.177	0.109	0.294	0.116
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.328	0.500	0.460	0.438	0.691	0.252
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.665	0.828	0.659	0.847	1.01	0.499
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.438	0.528	--	0.772	0.296
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.277	0.240	0.439	0.366	0.648	0.234
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	0.847	0.492	1.57	0.972	0.931
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.119	0.091	0.218	0.168	0.314	0.116
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.134	0.104	0.256	0.182	0.361	0.116
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.170	0.118	0.290	0.219	0.451	0.147
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.210	0.146	0.352	0.277	0.546	0.213
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.261	0.182	0.435	0.350	0.627	0.233
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.328	0.500	0.460	0.438	0.691	0.252
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.426	0.825	0.540	0.540	0.765	0.291
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.579	1.12	0.719	0.664	0.875	0.329
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.788	1.56	0.942	0.949	1.13	0.426
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	1.83	1.43	1.66	2.08	0.911

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>03490000</b>	<b>03520967</b>	<b>03521000</b>	<b>03521500</b>	<b>03522000</b>	<b>03523000</b>
Count	number	1,581	31.0	62.0	1,364	93.0	217
Max	ft <sup>3</sup> /s	23,100	21.0	1,080	3,600	1,000	580
Min	ft <sup>3</sup> /s	68.0	7.80	51.0	9.00	69.0	5.70
Median	ft <sup>3</sup> /s	534	12.0	192	120	190	24.0
Arithmetic Mean	ft <sup>3</sup> /s	935	12.7	267	200	231	60.8
Geometric Mean	ft <sup>3</sup> /s	--	12.2	204	--	187	--
Harmonic Mean	ft <sup>3</sup> /s	303	11.7	158	78.3	156	20.8
Standard Deviation	ft <sup>3</sup> /s	1,519	4.01	206	278	178	85.7
5th percentile	ft <sup>3</sup> /s	100	7.98	54.5	27.0	76.4	8.00
10th percentile	ft <sup>3</sup> /s	120	8.20	85.5	34.0	82.0	10.0
20th percentile	ft <sup>3</sup> /s	170	9.70	105	45.0	95.8	12.0
30th percentile	ft <sup>3</sup> /s	246	10.0	135	66.0	125	14.8
40th percentile	ft <sup>3</sup> /s	348	11.0	144	89.0	151	19.0
50th percentile	ft <sup>3</sup> /s	534	12.0	192	120	190	24.0
60th percentile	ft <sup>3</sup> /s	725	12.0	253	154	222	42.0
70th percentile	ft <sup>3</sup> /s	929	14.0	313	200	266	60.0
80th percentile	ft <sup>3</sup> /s	1,270	15.0	428	272	308	87.8
90th percentile	ft <sup>3</sup> /s	2,060	20.0	544	438	366	150
Drainage area	mi <sup>2</sup>	671	32	124	137	102	51.6
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	34.4	0.656	8.71	26.3	9.80	11.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.101	0.244	0.411	0.066	0.676	0.110
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.796	0.375	1.55	0.876	1.86	0.465
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.39	0.397	2.16	1.46	2.26	1.18
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.381	1.65	--	1.83	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.452	0.366	1.27	0.572	1.53	0.403
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.26	0.125	1.66	2.03	1.75	1.66
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.149	0.249	0.439	0.197	0.749	0.155
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.256	0.690	0.248	0.804	0.194
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.303	0.847	0.328	0.939	0.233
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.367	0.313	1.08	0.482	1.23	0.287
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.519	0.344	1.16	0.650	1.48	0.368
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.796	0.375	1.55	0.876	1.86	0.465
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.08	0.375	2.04	1.12	2.18	0.814
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	0.438	2.53	1.46	2.61	1.16
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.89	0.469	3.45	1.99	3.02	1.70
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.07	0.625	4.39	3.20	3.59	2.91



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>03523500</b>	<b>03524000</b>	<b>03524500</b>	<b>03524550</b>	<b>03524900</b>	<b>03525000</b>
Count	number	186	2,697	403	62.0	31.0	93.0
Max	ft <sup>3</sup> /s	230	22,200	4,000	1,810	67.0	1,330
Min	ft <sup>3</sup> /s	1.80	40.0	5.90	50.0	6.50	24.0
Median	ft <sup>3</sup> /s	12.0	704	127	217	14.0	126
Arithmetic Mean	ft <sup>3</sup> /s	24.5	1,113	244	266	19.0	201
Geometric Mean	ft <sup>3</sup> /s	12.9	--	--	212	15.4	135
Harmonic Mean	ft <sup>3</sup> /s	7.83	435	62.8	173	13.3	98.9
Standard Deviation	ft <sup>3</sup> /s	35.7	1,446	402	238	15.3	233
5th percentile	ft <sup>3</sup> /s	2.50	120	16.0	58.1	6.80	43.1
10th percentile	ft <sup>3</sup> /s	3.20	193	25.0	105	8.00	48.2
20th percentile	ft <sup>3</sup> /s	4.30	340	62.4	112	9.60	68.0
30th percentile	ft <sup>3</sup> /s	6.75	466	80.0	156	12.0	79.4
40th percentile	ft <sup>3</sup> /s	9.80	580	98.8	171	13.0	112
50th percentile	ft <sup>3</sup> /s	12.0	704	127	217	14.0	126
60th percentile	ft <sup>3</sup> /s	18.0	858	163	287	15.0	154
70th percentile	ft <sup>3</sup> /s	22.0	1,090	219	330	16.0	197
80th percentile	ft <sup>3</sup> /s	29.0	1,450	310	360	18.0	243
90th percentile	ft <sup>3</sup> /s	57.0	2,286	524	402	45.0	359
Drainage area	mi <sup>2</sup>	14.1	533	87.2	100	30.8	41.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	16.3	41.7	45.9	18.1	2.18	32.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.128	0.075	0.068	0.500	0.211	0.578
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.851	1.32	1.46	2.17	0.455	3.04
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.74	2.09	2.80	2.66	0.616	4.84
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.917	--	--	2.12	0.499	3.25
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.556	0.817	0.720	1.73	0.432	2.38
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.53	2.71	4.61	2.38	0.496	5.62
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.225	0.183	0.581	0.221	1.04
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.227	0.362	0.287	1.05	0.260	1.16
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.305	0.638	0.716	1.12	0.312	1.64
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.479	0.874	0.917	1.56	0.390	1.91
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.695	1.09	1.13	1.71	0.422	2.70
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.851	1.32	1.46	2.17	0.455	3.04
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.61	1.86	2.87	0.487	3.71
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	2.05	2.52	3.30	0.519	4.74
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.06	2.72	3.56	3.60	0.584	5.86
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.04	4.29	6.01	4.02	1.46	8.66

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>03523500</b>	<b>03524000</b>	<b>03524500</b>	<b>03524550</b>	<b>03524900</b>	<b>03525000</b>
Count	number	170	2,457	367	56.0	28.0	85.0
Max	ft <sup>3</sup> /s	236	16,000	2,300	1,200	348	1,260
Min	ft <sup>3</sup> /s	2.70	65.0	30.0	114	34.0	38.0
Median	ft <sup>3</sup> /s	17.0	909	175	285	99.5	103
Arithmetic Mean	ft <sup>3</sup> /s	32.1	1,343	299	311	111	179
Geometric Mean	ft <sup>3</sup> /s	19.8	--	--	279	95.1	121
Harmonic Mean	ft <sup>3</sup> /s	13.8	644	142	253	81.4	95.9
Standard Deviation	ft <sup>3</sup> /s	41.6	1,479	356	170	67.5	224
5th percentile	ft <sup>3</sup> /s	5.30	235	56.2	122	34.9	46.5
10th percentile	ft <sup>3</sup> /s	7.70	321	74.0	160	42.1	56.0
20th percentile	ft <sup>3</sup> /s	9.36	470	100	193	59.4	66.0
30th percentile	ft <sup>3</sup> /s	11.7	617	120	220	67.4	73.2
40th percentile	ft <sup>3</sup> /s	14.0	749	150	242	81.4	88.2
50th percentile	ft <sup>3</sup> /s	17.0	909	175	285	99.5	103
60th percentile	ft <sup>3</sup> /s	21.0	1,100	211	300	126	119
70th percentile	ft <sup>3</sup> /s	26.0	1,350	263	350	133	152
80th percentile	ft <sup>3</sup> /s	39.2	1,790	378	412	138	190
90th percentile	ft <sup>3</sup> /s	73.0	2,740	693	458	183	393
Drainage area	mi <sup>2</sup>	14.1	533	87.2	100	30.8	41.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	16.7	30.0	26.4	12.0	11.3	30.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.191	0.122	0.344	1.14	1.10	0.916
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.71	2.01	2.85	3.23	2.48
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.27	2.52	3.42	3.11	3.62	4.31
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	--	--	2.79	3.09	2.91
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.977	1.21	1.63	2.53	2.64	2.31
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.95	2.78	4.08	1.70	2.19	5.39
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.376	0.441	0.644	1.22	1.13	1.12
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.546	0.602	0.849	1.60	1.37	1.35
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.664	0.883	1.15	1.93	1.93	1.59
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.830	1.16	1.38	2.20	2.19	1.76
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.993	1.41	1.72	2.42	2.64	2.13
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.71	2.01	2.85	3.23	2.48
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	2.06	2.42	3.00	4.10	2.86
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.84	2.53	3.02	3.50	4.31	3.65
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.78	3.36	4.33	4.12	4.48	4.58
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.18	5.14	7.94	4.58	5.95	9.46

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>03523500</b>	<b>03524000</b>	<b>03524500</b>	<b>03524550</b>	<b>03524900</b>	<b>03525000</b>
Count	number	186	2,697	403	62.0	62.0	93.0
Max	ft <sup>3</sup> /s	154	20,900	2,300	1,770	734	1,170
Min	ft <sup>3</sup> /s	7.60	131	61.0	102	28.0	44.0
Median	ft <sup>3</sup> /s	23.0	950	207	247	73.5	110
Arithmetic Mean	ft <sup>3</sup> /s	30.4	1,402	304	398	102	168
Geometric Mean	ft <sup>3</sup> /s	24.0	--	--	293	78.7	129
Harmonic Mean	ft <sup>3</sup> /s	19.8	808	187	233	65.7	109
Standard Deviation	ft <sup>3</sup> /s	24.4	1,516	322	372	104	169
5th percentile	ft <sup>3</sup> /s	10.0	364	90.2	112	33.3	55.7
10th percentile	ft <sup>3</sup> /s	11.0	448	100	125	38.2	66.4
20th percentile	ft <sup>3</sup> /s	13.0	558	130	149	43.2	79.8
30th percentile	ft <sup>3</sup> /s	15.0	660	155	176	48.6	87.0
40th percentile	ft <sup>3</sup> /s	18.0	788	176	215	58.4	101
50th percentile	ft <sup>3</sup> /s	23.0	950	207	247	73.5	110
60th percentile	ft <sup>3</sup> /s	27.0	1,130	240	335	88.4	123
70th percentile	ft <sup>3</sup> /s	34.5	1,410	290	376	110	153
80th percentile	ft <sup>3</sup> /s	45.0	1,868	365	516	128	199
90th percentile	ft <sup>3</sup> /s	58.5	2,730	536	817	172	369
Drainage area	mi <sup>2</sup>	14.1	533	87.2	100	30.8	41.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	10.9	39.2	26.4	17.7	23.8	28.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.539	0.246	0.700	1.02	0.909	1.06
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.63	1.78	2.37	2.47	2.39	2.65
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.16	2.63	3.48	3.98	3.32	4.05
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	--	--	2.93	2.56	3.10
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.40	1.52	2.14	2.33	2.13	2.62
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	2.85	3.69	3.72	3.38	4.08
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.709	0.683	1.03	1.12	1.08	1.34
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.780	0.841	1.15	1.25	1.24	1.60
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.922	1.05	1.49	1.49	1.40	1.92
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.24	1.78	1.76	1.58	2.10
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.48	2.02	2.15	1.90	2.43
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.63	1.78	2.37	2.47	2.39	2.65
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.91	2.12	2.76	3.35	2.87	2.96
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.45	2.65	3.33	3.76	3.57	3.68
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.19	3.50	4.18	5.16	4.15	4.79
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.15	5.12	6.15	8.17	5.59	8.90

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>03523500</b>	<b>03524000</b>	<b>03524500</b>	<b>03524550</b>	<b>03524900</b>	<b>03525000</b>
Count	number	210	2,610	390	60.0	60.0	90.0
Max	ft <sup>3</sup> /s	131	27,800	3,460	3,500	300	509
Min	ft <sup>3</sup> /s	2.50	129	53.0	79.0	34.0	24.0
Median	ft <sup>3</sup> /s	12.0	701	148	240	80.0	54.0
Arithmetic Mean	ft <sup>3</sup> /s	15.3	1,042	215	404	99.3	98.7
Geometric Mean	ft <sup>3</sup> /s	11.7	--	--	257	86.1	69.9
Harmonic Mean	ft <sup>3</sup> /s	9.27	629	134	184	76.0	54.9
Standard Deviation	ft <sup>3</sup> /s	15.6	1,194	249	526	57.6	98.4
5th percentile	ft <sup>3</sup> /s	3.30	294	63.0	82.0	41.0	29.1
10th percentile	ft <sup>3</sup> /s	4.50	347	74.9	86.8	46.8	31.0
20th percentile	ft <sup>3</sup> /s	7.70	437	92.0	98.6	51.0	34.0
30th percentile	ft <sup>3</sup> /s	8.88	515	110	119	63.5	38.7
40th percentile	ft <sup>3</sup> /s	9.80	593	125	207	74.8	50.0
50th percentile	ft <sup>3</sup> /s	12.0	701	148	240	80.0	54.0
60th percentile	ft <sup>3</sup> /s	13.4	839	167	307	88.4	73.0
70th percentile	ft <sup>3</sup> /s	16.0	1,030	199	418	113	105
80th percentile	ft <sup>3</sup> /s	19.0	1,342	270	523	139	137
90th percentile	ft <sup>3</sup> /s	25.1	1,961	413	753	191	226
Drainage area	mi <sup>2</sup>	14.1	533	87.2	100	30.8	41.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	9.29	52.2	39.7	35.0	9.74	12.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.242	0.608	0.790	1.10	0.578
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.851	1.32	1.69	2.40	2.60	1.30
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.96	2.47	4.04	3.22	2.38
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.830	--	--	2.57	2.80	1.68
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.657	1.18	1.54	1.84	2.47	1.32
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.10	2.24	2.86	5.26	1.87	2.37
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.552	0.722	0.820	1.33	0.701
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.319	0.651	0.859	0.868	1.52	0.747
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.546	0.820	1.06	0.986	1.66	0.819
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.630	0.966	1.26	1.19	2.06	0.933
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.695	1.11	1.43	2.07	2.43	1.20
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.851	1.32	1.69	2.40	2.60	1.30
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.950	1.57	1.92	3.07	2.87	1.76
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	1.93	2.28	4.18	3.66	2.54
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	2.52	3.10	5.23	4.52	3.30
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.78	3.68	4.74	7.53	6.20	5.46

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>					
	<b>units</b>						
Station Number	number	<b>03523500</b>	<b>03524000</b>	<b>03524500</b>	<b>03524550</b>	<b>03524900</b>	<b>03525000</b>
Count	number	217	2,697	403	62.0	62.0	93.0
Max	ft <sup>3</sup> /s	60.0	13,000	1,960	1,340	350	1,280
Min	ft <sup>3</sup> /s	1.40	97.0	26.0	72.0	14.0	25.0
Median	ft <sup>3</sup> /s	7.40	520	103	188	37.0	59.0
Arithmetic Mean	ft <sup>3</sup> /s	9.14	790	176	236	58.4	109
Geometric Mean	ft <sup>3</sup> /s	7.38	--	--	190	41.8	72.4
Harmonic Mean	ft <sup>3</sup> /s	6.03	439	92.4	161	32.6	57.7
Standard Deviation	ft <sup>3</sup> /s	7.37	956	234	195	58.8	157
5th percentile	ft <sup>3</sup> /s	2.50	189	40.4	76.9	15.2	30.0
10th percentile	ft <sup>3</sup> /s	3.30	227	50.0	96.0	17.1	33.0
20th percentile	ft <sup>3</sup> /s	4.80	294	63.0	106	20.0	38.4
30th percentile	ft <sup>3</sup> /s	5.66	357	75.6	117	23.6	45.0
40th percentile	ft <sup>3</sup> /s	6.20	437	90.0	144	29.2	50.0
50th percentile	ft <sup>3</sup> /s	7.40	520	103	188	37.0	59.0
60th percentile	ft <sup>3</sup> /s	8.50	630	123	224	47.4	71.4
70th percentile	ft <sup>3</sup> /s	10.0	772	159	264	60.1	90.4
80th percentile	ft <sup>3</sup> /s	11.0	1,020	212	331	86.2	125
90th percentile	ft <sup>3</sup> /s	15.4	1,544	344	397	112	232
Drainage area	mi <sup>2</sup>	14.1	533	87.2	100	30.8	41.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	4.26	24.4	22.5	13.4	11.4	30.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.099	0.182	0.298	0.720	0.455	0.602
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.525	0.976	1.18	1.88	1.20	1.42
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.649	1.48	2.02	2.36	1.89	2.62
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.524	--	--	1.90	1.36	1.74
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.427	0.824	1.06	1.61	1.06	1.39
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.523	1.79	2.69	1.95	1.91	3.78
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.354	0.463	0.769	0.492	0.723
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.234	0.425	0.573	0.960	0.555	0.795
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.340	0.552	0.722	1.06	0.649	0.925
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.401	0.670	0.867	1.17	0.766	1.08
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.440	0.820	1.03	1.44	0.948	1.20
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.525	0.976	1.18	1.88	1.20	1.42
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.603	1.18	1.41	2.24	1.54	1.72
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.709	1.45	1.83	2.64	1.95	2.18
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.780	1.91	2.44	3.31	2.80	3.02
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	2.90	3.94	3.97	3.64	5.59

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>					
	<b>units</b>						
Station Number	number	<b>03523500</b>	<b>03524000</b>	<b>03524500</b>	<b>03524550</b>	<b>03524900</b>	<b>03525000</b>
Count	number	210	2,610	390	60.0	60.0	90.0
Max	ft <sup>3</sup> /s	125	14,400	759	847	422	482
Min	ft <sup>3</sup> /s	0.100	59.0	11.0	52.0	4.30	7.20
Median	ft <sup>3</sup> /s	3.95	297	53.0	129	13.5	31.0
Arithmetic Mean	ft <sup>3</sup> /s	7.48	499	78.0	215	38.3	56.9
Geometric Mean	ft <sup>3</sup> /s	4.66	--	--	158	18.4	32.9
Harmonic Mean	ft <sup>3</sup> /s	3.00	261	43.8	126	12.4	23.3
Standard Deviation	ft <sup>3</sup> /s	12.7	689	87.1	196	67.3	85.8
5th percentile	ft <sup>3</sup> /s	1.51	115	19.0	63.1	5.12	8.50
10th percentile	ft <sup>3</sup> /s	1.90	141	22.9	65.9	6.00	10.9
20th percentile	ft <sup>3</sup> /s	2.30	176	28.0	83.8	7.76	14.0
30th percentile	ft <sup>3</sup> /s	2.80	210	35.0	102	9.70	19.4
40th percentile	ft <sup>3</sup> /s	3.60	252	42.0	111	11.0	28.0
50th percentile	ft <sup>3</sup> /s	3.95	297	53.0	129	13.5	31.0
60th percentile	ft <sup>3</sup> /s	5.40	363	63.4	160	16.8	37.4
70th percentile	ft <sup>3</sup> /s	6.43	458	78.0	204	24.9	42.0
80th percentile	ft <sup>3</sup> /s	9.40	600	101	298	37.8	56.2
90th percentile	ft <sup>3</sup> /s	15.0	1,030	159	529	112	111
Drainage area	mi <sup>2</sup>	14.1	533	87.2	100	30.8	41.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.87	27.0	8.70	8.47	13.7	11.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.007	0.111	0.126	0.520	0.140	0.173
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.280	0.557	0.608	1.29	0.438	0.747
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.531	0.937	0.895	2.15	1.24	1.37
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.330	--	--	1.58	0.597	0.793
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.213	0.491	0.502	1.26	0.402	0.560
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.900	1.29	0.999	1.96	2.18	2.07
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.107	0.216	0.218	0.631	0.166	0.205
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.135	0.265	0.263	0.659	0.195	0.263
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.163	0.330	0.321	0.838	0.252	0.337
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.199	0.394	0.401	1.02	0.315	0.467
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.255	0.473	0.482	1.11	0.357	0.675
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.280	0.557	0.608	1.29	0.438	0.747
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.383	0.682	0.727	1.60	0.545	0.901
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.456	0.859	0.894	2.04	0.808	1.01
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.667	1.13	1.16	2.98	1.23	1.35
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.93	1.82	5.29	3.63	2.67

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>					
	<b>units</b>						
Station Number	number	<b>03523500</b>	<b>03524000</b>	<b>03524500</b>	<b>03524550</b>	<b>03524900</b>	<b>03525000</b>
Count	number	217	2,697	403	62.0	62.0	93.0
Max	ft <sup>3</sup> /s	49.0	11,100	505	131	50.0	50.0
Min	ft <sup>3</sup> /s	1.20	45.0	5.40	22.0	2.50	1.50
Median	ft <sup>3</sup> /s	3.60	230	34.0	55.0	7.15	9.50
Arithmetic Mean	ft <sup>3</sup> /s	5.12	345	57.5	57.2	10.2	10.1
Geometric Mean	ft <sup>3</sup> /s	3.82	--	--	52.1	7.96	7.94
Harmonic Mean	ft <sup>3</sup> /s	3.08	199	27.4	47.4	6.52	6.04
Standard Deviation	ft <sup>3</sup> /s	5.54	446	68.6	25.3	8.73	7.18
5th percentile	ft <sup>3</sup> /s	1.40	90.0	11.0	24.2	3.00	2.10
10th percentile	ft <sup>3</sup> /s	1.56	110	14.0	29.0	3.52	2.66
20th percentile	ft <sup>3</sup> /s	2.00	136	19.0	32.8	4.42	3.96
30th percentile	ft <sup>3</sup> /s	2.50	163	22.6	43.0	5.46	5.10
40th percentile	ft <sup>3</sup> /s	3.14	195	27.0	51.4	6.14	7.44
50th percentile	ft <sup>3</sup> /s	3.60	230	34.0	55.0	7.15	9.50
60th percentile	ft <sup>3</sup> /s	4.42	271	42.0	58.6	8.42	11.0
70th percentile	ft <sup>3</sup> /s	5.10	325	52.4	64.7	11.0	13.0
80th percentile	ft <sup>3</sup> /s	6.20	431	73.6	70.8	13.0	14.0
90th percentile	ft <sup>3</sup> /s	9.40	648	137	91.1	19.7	17.0
Drainage area	mi <sup>2</sup>	14.1	533	87.2	100	30.8	41.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.48	20.8	5.79	1.31	1.62	1.20
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.085	0.084	0.062	0.220	0.081	0.036
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.255	0.432	0.390	0.550	0.232	0.229
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.363	0.647	0.659	0.572	0.332	0.244
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.271	--	--	0.521	0.258	0.191
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.219	0.374	0.315	0.474	0.212	0.146
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.393	0.836	0.787	0.253	0.284	0.173
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.099	0.169	0.126	0.242	0.097	0.051
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.111	0.206	0.161	0.290	0.114	0.064
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.142	0.255	0.218	0.328	0.144	0.095
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.306	0.259	0.430	0.177	0.123
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.223	0.366	0.310	0.514	0.199	0.179
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.255	0.432	0.390	0.550	0.232	0.229
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.313	0.508	0.482	0.586	0.273	0.265
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.362	0.610	0.601	0.647	0.357	0.313
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.440	0.808	0.844	0.708	0.422	0.337
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.667	1.22	1.57	0.911	0.640	0.410

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>03523500</b>	<b>03524000</b>	<b>03524500</b>	<b>03524550</b>	<b>03524900</b>	<b>03525000</b>
Count	number	217	2,697	403	62.0	62.0	93.0
Max	ft <sup>3</sup> /s	227	14,400	1,360	405	67.0	27.0
Min	ft <sup>3</sup> /s	0.600	39.0	2.00	8.30	1.30	1.30
Median	ft <sup>3</sup> /s	3.90	180	19.0	23.0	5.20	4.00
Arithmetic Mean	ft <sup>3</sup> /s	9.57	319	37.9	35.7	9.00	6.30
Geometric Mean	ft <sup>3</sup> /s	4.56	--	--	25.6	6.14	4.73
Harmonic Mean	ft <sup>3</sup> /s	2.95	162	11.8	21.4	4.54	3.71
Standard Deviation	ft <sup>3</sup> /s	20.8	529	87.8	53.0	10.3	5.20
5th percentile	ft <sup>3</sup> /s	1.00	74.0	3.30	9.88	1.53	1.70
10th percentile	ft <sup>3</sup> /s	1.20	87.0	5.00	12.1	2.22	1.90
20th percentile	ft <sup>3</sup> /s	1.90	106	7.80	15.4	3.42	2.40
30th percentile	ft <sup>3</sup> /s	2.50	127	12.0	18.0	3.70	3.00
40th percentile	ft <sup>3</sup> /s	3.10	148	16.0	19.0	4.40	3.70
50th percentile	ft <sup>3</sup> /s	3.90	180	19.0	23.0	5.20	4.00
60th percentile	ft <sup>3</sup> /s	4.98	219	23.0	26.0	7.02	5.10
70th percentile	ft <sup>3</sup> /s	6.60	278	29.4	30.7	9.30	7.60
80th percentile	ft <sup>3</sup> /s	9.68	372	45.6	37.8	12.8	9.50
90th percentile	ft <sup>3</sup> /s	19.0	639	72.6	56.8	17.8	14.0
Drainage area	mi <sup>2</sup>	14.1	533	87.2	100	30.8	41.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	16.1	27.0	15.6	4.05	2.18	0.651
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.043	0.073	0.023	0.083	0.042	0.031
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.277	0.338	0.218	0.230	0.169	0.096
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.679	0.598	0.435	0.357	0.292	0.152
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.324	--	--	0.256	0.199	0.114
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.209	0.303	0.135	0.214	0.147	0.089
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.48	0.993	1.01	0.530	0.334	0.125
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.071	0.139	0.038	0.099	0.050	0.041
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.085	0.163	0.057	0.121	0.072	0.046
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.135	0.199	0.089	0.154	0.111	0.058
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.238	0.138	0.180	0.120	0.072
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.220	0.278	0.183	0.190	0.143	0.089
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.277	0.338	0.218	0.230	0.169	0.096
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.353	0.411	0.264	0.260	0.228	0.123
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.468	0.522	0.337	0.307	0.302	0.183
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.687	0.698	0.523	0.378	0.416	0.229
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	1.20	0.833	0.568	0.578	0.337



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>03523500</b>	<b>03524000</b>	<b>03524500</b>	<b>03524550</b>	<b>03524900</b>	<b>03525000</b>
Count	number	210	2,610	390	60.0	60.0	90.0
Max	ft <sup>3</sup> /s	59.0	8,740	440	69.0	49.0	137
Min	ft <sup>3</sup> /s	0.800	37.0	1.90	6.00	1.30	1.00
Median	ft <sup>3</sup> /s	3.05	127	18.0	14.0	2.95	5.00
Arithmetic Mean	ft <sup>3</sup> /s	4.28	212	26.8	18.3	5.39	9.40
Geometric Mean	ft <sup>3</sup> /s	3.09	--	--	15.2	3.62	5.41
Harmonic Mean	ft <sup>3</sup> /s	2.52	117	8.13	13.3	2.99	3.72
Standard Deviation	ft <sup>3</sup> /s	6.13	378	39.2	13.9	7.88	16.7
5th percentile	ft <sup>3</sup> /s	1.10	57.0	2.40	6.74	1.41	1.41
10th percentile	ft <sup>3</sup> /s	1.40	67.0	2.90	7.98	1.79	1.79
20th percentile	ft <sup>3</sup> /s	1.80	79.0	3.90	9.88	2.18	2.10
30th percentile	ft <sup>3</sup> /s	2.20	93.0	8.35	12.0	2.50	2.90
40th percentile	ft <sup>3</sup> /s	2.50	108	13.0	12.6	2.80	4.20
50th percentile	ft <sup>3</sup> /s	3.05	127	18.0	14.0	2.95	5.00
60th percentile	ft <sup>3</sup> /s	3.34	150	22.0	15.0	3.50	6.58
70th percentile	ft <sup>3</sup> /s	3.90	177	27.0	17.0	3.93	8.62
80th percentile	ft <sup>3</sup> /s	4.60	226	36.0	22.0	5.44	12.2
90th percentile	ft <sup>3</sup> /s	6.81	356	56.2	35.1	8.20	16.1
Drainage area	mi <sup>2</sup>	14.1	533	87.2	100	30.8	41.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	4.18	16.4	5.05	0.690	1.59	3.30
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.057	0.069	0.022	0.060	0.042	0.024
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.216	0.238	0.206	0.140	0.096	0.120
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.304	0.397	0.308	0.183	0.175	0.227
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.219	--	--	0.152	0.118	0.130
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.179	0.219	0.093	0.133	0.097	0.090
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.435	0.708	0.449	0.139	0.256	0.403
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.078	0.107	0.028	0.067	0.046	0.034
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.099	0.126	0.033	0.080	0.058	0.043
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.128	0.148	0.045	0.099	0.071	0.051
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.156	0.174	0.096	0.120	0.081	0.070
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.203	0.149	0.126	0.091	0.101
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.216	0.238	0.206	0.140	0.096	0.120
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.237	0.281	0.252	0.150	0.114	0.159
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.277	0.333	0.310	0.170	0.128	0.208
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.326	0.424	0.413	0.220	0.177	0.294
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.483	0.668	0.644	0.351	0.266	0.388

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>03523500</b>	<b>03524000</b>	<b>03524500</b>	<b>03524550</b>	<b>03524900</b>	<b>03525000</b>
Count	number	186	2,728	403	62.0	31.0	93.0
Max	ft <sup>3</sup> /s	84.0	9,990	822	450	9.70	769
Min	ft <sup>3</sup> /s	1.20	41.0	1.60	7.50	1.50	0.800
Median	ft <sup>3</sup> /s	3.00	122	12.0	25.0	3.10	5.40
Arithmetic Mean	ft <sup>3</sup> /s	6.38	259	21.0	40.2	3.66	22.6
Geometric Mean	ft <sup>3</sup> /s	4.05	--	--	24.5	3.23	6.47
Harmonic Mean	ft <sup>3</sup> /s	3.09	121	7.14	18.8	2.88	3.29
Standard Deviation	ft <sup>3</sup> /s	9.15	493	48.7	70.1	1.95	81.4
5th percentile	ft <sup>3</sup> /s	1.40	59.0	1.90	9.10	1.50	0.940
10th percentile	ft <sup>3</sup> /s	1.60	68.0	3.20	10.0	1.60	1.30
20th percentile	ft <sup>3</sup> /s	2.00	82.0	4.70	11.0	2.20	1.90
30th percentile	ft <sup>3</sup> /s	2.50	95.0	7.00	12.3	2.40	2.40
40th percentile	ft <sup>3</sup> /s	2.80	106	9.60	18.4	2.80	4.40
50th percentile	ft <sup>3</sup> /s	3.00	122	12.0	25.0	3.10	5.40
60th percentile	ft <sup>3</sup> /s	3.90	148	14.0	29.6	3.30	6.88
70th percentile	ft <sup>3</sup> /s	5.10	194	17.0	34.7	3.70	11.0
80th percentile	ft <sup>3</sup> /s	9.00	278	20.0	39.6	5.60	18.8
90th percentile	ft <sup>3</sup> /s	14.0	507	41.0	52.0	6.20	44.4
Drainage area	mi <sup>2</sup>	14.1	533	87.2	100	30.8	41.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	5.96	18.7	9.43	4.50	0.315	18.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.085	0.077	0.018	0.075	0.049	0.019
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.213	0.229	0.138	0.250	0.101	0.130
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.453	0.487	0.241	0.402	0.119	0.545
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.287	--	--	0.245	0.105	0.156
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.219	0.227	0.082	0.188	0.094	0.079
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.649	0.924	0.559	0.701	0.063	1.96
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.099	0.111	0.022	0.091	0.049	0.023
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.113	0.128	0.037	0.100	0.052	0.031
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.142	0.154	0.054	0.110	0.071	0.046
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.178	0.080	0.123	0.078	0.058
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.199	0.199	0.110	0.184	0.091	0.106
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.213	0.229	0.138	0.250	0.101	0.130
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.277	0.278	0.161	0.296	0.107	0.166
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.362	0.364	0.195	0.347	0.120	0.265
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.638	0.522	0.229	0.396	0.182	0.453
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.993	0.950	0.470	0.520	0.201	1.07

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>03523500</b>	<b>03524000</b>	<b>03524500</b>	<b>03524550</b>	<b>03524900</b>	<b>03525000</b>
Count	number	180	2,635	390	60.0	30.0	90.0
Max	ft <sup>3</sup> /s	62.0	11,400	1,070	1,040	133	313
Min	ft <sup>3</sup> /s	1.40	51.0	1.60	16.0	4.30	2.40
Median	ft <sup>3</sup> /s	3.60	203	25.5	36.5	7.20	36.0
Arithmetic Mean	ft <sup>3</sup> /s	6.12	413	71.5	119	24.9	59.1
Geometric Mean	ft <sup>3</sup> /s	4.34	--	--	61.2	12.9	37.3
Harmonic Mean	ft <sup>3</sup> /s	3.37	167	10.5	40.8	8.34	22.5
Standard Deviation	ft <sup>3</sup> /s	6.51	695	119	176	32.3	63.7
5th percentile	ft <sup>3</sup> /s	1.60	71.0	1.90	20.1	4.36	9.05
10th percentile	ft <sup>3</sup> /s	1.80	84.0	3.69	22.0	4.40	11.9
20th percentile	ft <sup>3</sup> /s	2.00	98.0	8.30	24.0	4.68	16.0
30th percentile	ft <sup>3</sup> /s	2.50	119	11.0	28.1	5.42	25.4
40th percentile	ft <sup>3</sup> /s	3.00	159	17.0	31.6	6.22	33.6
50th percentile	ft <sup>3</sup> /s	3.60	203	25.5	36.5	7.20	36.0
60th percentile	ft <sup>3</sup> /s	4.50	260	42.0	61.6	14.0	41.4
70th percentile	ft <sup>3</sup> /s	7.70	357	63.0	91.4	25.0	61.3
80th percentile	ft <sup>3</sup> /s	9.40	531	93.0	196	43.0	86.4
90th percentile	ft <sup>3</sup> /s	14.0	915	169	277	59.1	153
Drainage area	mi <sup>2</sup>	14.1	533	87.2	100	30.8	41.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	4.40	21.4	12.3	10.4	4.32	7.54
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.099	0.096	0.018	0.160	0.140	0.058
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.255	0.381	0.292	0.365	0.234	0.867
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.434	0.775	0.819	1.19	0.808	1.42
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.308	--	--	0.612	0.418	0.898
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.239	0.314	0.120	0.408	0.271	0.543
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.462	1.30	1.37	1.76	1.05	1.53
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.113	0.133	0.022	0.201	0.141	0.218
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.128	0.158	0.042	0.220	0.143	0.287
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.142	0.184	0.095	0.240	0.152	0.386
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.177	0.223	0.126	0.281	0.176	0.612
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.213	0.298	0.195	0.316	0.202	0.810
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.255	0.381	0.292	0.365	0.234	0.867
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.319	0.488	0.482	0.616	0.455	0.998
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.546	0.669	0.722	0.914	0.812	1.48
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.667	0.997	1.07	1.96	1.40	2.08
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.993	1.72	1.94	2.77	1.92	3.68

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>03523500</b>	<b>03524000</b>	<b>03524500</b>	<b>03524550</b>	<b>03524900</b>	<b>03525000</b>
Count	number	186	2,697	403	62.0	31.0	93.0
Max	ft <sup>3</sup> /s	224	18,400	2,050	2,550	47.0	1,030
Min	ft <sup>3</sup> /s	0.900	40.0	2.40	32.0	11.0	22.0
Median	ft <sup>3</sup> /s	10.3	434	73.0	104	19.0	91.0
Arithmetic Mean	ft <sup>3</sup> /s	17.4	766	165	207	21.6	145
Geometric Mean	ft <sup>3</sup> /s	8.32	--	--	122	20.0	90.6
Harmonic Mean	ft <sup>3</sup> /s	4.22	268	34.9	84.8	18.8	63.1
Standard Deviation	ft <sup>3</sup> /s	25.9	1,105	272	336	9.22	179
5th percentile	ft <sup>3</sup> /s	1.20	86.0	11.0	35.5	11.6	23.7
10th percentile	ft <sup>3</sup> /s	1.60	106	20.2	42.0	13.0	26.2
20th percentile	ft <sup>3</sup> /s	2.20	158	26.4	49.0	14.0	36.8
30th percentile	ft <sup>3</sup> /s	2.90	234	35.0	58.3	16.0	49.6
40th percentile	ft <sup>3</sup> /s	5.40	316	52.8	66.0	17.0	76.6
50th percentile	ft <sup>3</sup> /s	10.3	434	73.0	104	19.0	91.0
60th percentile	ft <sup>3</sup> /s	15.0	574	95.2	191	21.0	105
70th percentile	ft <sup>3</sup> /s	18.0	770	142	233	24.0	131
80th percentile	ft <sup>3</sup> /s	24.0	1,060	200	289	27.0	197
90th percentile	ft <sup>3</sup> /s	39.0	1,664	380	371	33.0	294
Drainage area	mi <sup>2</sup>	14.1	533	87.2	100	30.8	41.5
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	15.9	34.5	23.5	25.5	1.53	24.8
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.064	0.075	0.028	0.320	0.357	0.530
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.727	0.814	0.837	1.04	0.617	2.19
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	1.44	1.89	2.07	0.701	3.49
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.590	--	--	1.22	0.650	2.18
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.299	0.504	0.400	0.848	0.609	1.52
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.84	2.07	3.12	3.36	0.299	4.32
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.085	0.161	0.126	0.355	0.377	0.571
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.113	0.199	0.232	0.420	0.422	0.631
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.156	0.296	0.303	0.490	0.455	0.887
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.206	0.439	0.401	0.583	0.519	1.20
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.383	0.593	0.606	0.660	0.552	1.85
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.727	0.814	0.837	1.04	0.617	2.19
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	1.08	1.09	1.91	0.682	2.53
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.44	1.63	2.33	0.779	3.16
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	1.99	2.29	2.89	0.877	4.74
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.77	3.12	4.36	3.71	1.07	7.09

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>					
	<b>units</b>						
Station Number	number	<b>03525500</b>	<b>03526000</b>	<b>03527000</b>	<b>03527500</b>	<b>03529500</b>	<b>03530000</b>
Count	number	62.0	837	2,015	217	744	93.0
Max	ft <sup>3</sup> /s	9,480	2,960	42,500	723	6,330	1,430
Min	ft <sup>3</sup> /s	925	10.0	110	2.40	12.0	25.0
Median	ft <sup>3</sup> /s	2,045	137	1,650	23.0	190	95.0
Arithmetic Mean	ft <sup>3</sup> /s	2,479	217	2,617	53.8	346	194
Geometric Mean	ft <sup>3</sup> /s	2,144	--	--	24.1	--	114
Harmonic Mean	ft <sup>3</sup> /s	1,908	86.6	975	12.5	106	81.3
Standard Deviation	ft <sup>3</sup> /s	1,576	280	3,254	95.9	567	274
5th percentile	ft <sup>3</sup> /s	1,035	24.0	250	3.30	25.3	31.8
10th percentile	ft <sup>3</sup> /s	1,128	40.0	440	4.20	45.3	40.2
20th percentile	ft <sup>3</sup> /s	1,356	61.0	810	9.22	83.2	55.8
30th percentile	ft <sup>3</sup> /s	1,546	88.0	1,100	13.0	123	71.0
40th percentile	ft <sup>3</sup> /s	1,780	109	1,360	19.0	158	80.4
50th percentile	ft <sup>3</sup> /s	2,045	137	1,650	23.0	190	95.0
60th percentile	ft <sup>3</sup> /s	2,296	170	2,010	31.6	238	118
70th percentile	ft <sup>3</sup> /s	2,740	219	2,600	45.0	310	148
80th percentile	ft <sup>3</sup> /s	3,244	291	3,410	58.0	415	200
90th percentile	ft <sup>3</sup> /s	4,000	452	5,614	110	748	436
Drainage area	mi <sup>2</sup>	987	106	1123	23.1	112	39.7
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	9.60	27.9	37.8	31.3	56.5	36.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.937	0.094	0.098	0.104	0.107	0.630
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.07	1.29	1.47	0.996	1.70	2.39
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.51	2.05	2.33	2.33	3.09	4.88
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.17	--	--	1.04	--	2.86
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.93	0.817	0.869	0.540	0.946	2.05
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.60	2.64	2.90	4.15	5.06	6.90
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.05	0.226	0.222	0.143	0.225	0.801
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.14	0.377	0.392	0.182	0.404	1.01
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	0.575	0.721	0.399	0.743	1.41
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	0.830	0.980	0.563	1.10	1.79
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.80	1.03	1.21	0.823	1.41	2.03
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.07	1.29	1.47	0.996	1.70	2.39
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.33	1.60	1.79	1.37	2.13	2.98
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.78	2.07	2.32	1.95	2.77	3.72
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.29	2.75	3.04	2.51	3.71	5.04
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.05	4.27	5.00	4.78	6.67	11.0

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>					
	<b>units</b>						
Station Number	number	<b>03525500</b>	<b>03526000</b>	<b>03527000</b>	<b>03527500</b>	<b>03529500</b>	<b>03530000</b>
Count	number	57.0	769	1,836	197	677	84.0
Max	ft <sup>3</sup> /s	10,500	3,310	30,400	652	7,860	1,330
Min	ft <sup>3</sup> /s	670	21.0	126	9.70	42.0	20.0
Median	ft <sup>3</sup> /s	2,880	196	2,000	57.0	220	74.5
Arithmetic Mean	ft <sup>3</sup> /s	3,363	296	3,040	98.5	404	137
Geometric Mean	ft <sup>3</sup> /s	2,750	--	--	--	--	75.0
Harmonic Mean	ft <sup>3</sup> /s	2,225	163	1,418	41.3	183	50.2
Standard Deviation	ft <sup>3</sup> /s	2,192	319	3,352	113	647	213
5th percentile	ft <sup>3</sup> /s	827	65.0	500	13.8	77.0	22.0
10th percentile	ft <sup>3</sup> /s	1,212	88.8	758	18.0	93.0	23.0
20th percentile	ft <sup>3</sup> /s	1,660	122	1,090	25.2	122	26.0
30th percentile	ft <sup>3</sup> /s	1,910	143	1,390	39.8	150	33.8
40th percentile	ft <sup>3</sup> /s	2,412	164	1,680	47.0	181	50.8
50th percentile	ft <sup>3</sup> /s	2,880	196	2,000	57.0	220	74.5
60th percentile	ft <sup>3</sup> /s	3,244	236	2,420	66.0	263	96.2
70th percentile	ft <sup>3</sup> /s	3,720	280	3,010	92.0	332	121
80th percentile	ft <sup>3</sup> /s	4,720	388	4,010	139	472	167
90th percentile	ft <sup>3</sup> /s	6,204	616	6,370	248	800	248
Drainage area	mi <sup>2</sup>	987	106	1123	23.1	112	39.7
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	10.6	31.2	27.1	28.2	70.2	33.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.679	0.198	0.112	0.420	0.375	0.504
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.92	1.85	1.78	2.47	1.96	1.88
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.41	2.79	2.71	4.26	3.61	3.44
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.79	--	--	--	--	1.89
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.25	1.53	1.26	1.79	1.64	1.27
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.22	3.01	2.98	4.90	5.78	5.36
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.837	0.613	0.445	0.597	0.688	0.554
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.23	0.838	0.675	0.779	0.830	0.579
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	1.15	0.971	1.09	1.09	0.655
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.94	1.35	1.24	1.72	1.34	0.851
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.44	1.55	1.50	2.03	1.62	1.28
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.92	1.85	1.78	2.47	1.96	1.88
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.29	2.22	2.15	2.86	2.35	2.42
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.77	2.64	2.68	3.98	2.97	3.05
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.78	3.66	3.57	6.03	4.21	4.20
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	6.29	5.82	5.67	10.7	7.15	6.24

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>					
	<b>units</b>						
Station Number	number	<b>03525500</b>	<b>03526000</b>	<b>03527000</b>	<b>03527500</b>	<b>03529500</b>	<b>03530000</b>
Count	number	62.0	868	2,015	217	744	93.0
Max	ft <sup>3</sup> /s	9,990	4,580	43,600	542	7,280	370
Min	ft <sup>3</sup> /s	1,450	49.0	316	22.0	77.0	26.0
Median	ft <sup>3</sup> /s	3,580	193	2,120	62.0	254	71.0
Arithmetic Mean	ft <sup>3</sup> /s	3,900	288	3,220	89.7	381	91.8
Geometric Mean	ft <sup>3</sup> /s	3,507	--	--	--	--	78.3
Harmonic Mean	ft <sup>3</sup> /s	3,156	175	1,786	56.9	231	68.0
Standard Deviation	ft <sup>3</sup> /s	1,854	316	3,593	85.1	465	57.6
5th percentile	ft <sup>3</sup> /s	1,680	82.0	785	27.0	112	33.0
10th percentile	ft <sup>3</sup> /s	1,811	97.7	954	31.6	125	39.0
20th percentile	ft <sup>3</sup> /s	2,272	120	1,200	38.2	155	50.0
30th percentile	ft <sup>3</sup> /s	2,656	147	1,470	47.0	192	57.6
40th percentile	ft <sup>3</sup> /s	3,160	171	1,780	55.4	220	61.8
50th percentile	ft <sup>3</sup> /s	3,580	193	2,120	62.0	254	71.0
60th percentile	ft <sup>3</sup> /s	4,090	230	2,530	70.0	304	90.0
70th percentile	ft <sup>3</sup> /s	4,600	281	3,210	85.4	370	110
80th percentile	ft <sup>3</sup> /s	5,050	356	4,272	109	473	127
90th percentile	ft <sup>3</sup> /s	6,652	559	6,496	169	703	152
Drainage area	mi <sup>2</sup>	987	106	1123	23.1	112	39.7
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	10.1	43.2	38.8	23.5	65.0	9.32
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	1.47	0.462	0.281	0.952	0.688	0.655
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	3.63	1.82	1.89	2.68	2.26	1.79
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.95	2.72	2.87	3.88	3.40	2.31
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.55	--	--	--	--	1.97
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.20	1.65	1.59	2.46	2.06	1.71
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.88	2.98	3.20	3.68	4.15	1.45
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	0.774	0.699	1.17	1.00	0.831
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.83	0.922	0.850	1.37	1.12	0.982
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.30	1.13	1.07	1.65	1.38	1.26
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.69	1.39	1.31	2.03	1.71	1.45
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.20	1.61	1.59	2.40	1.96	1.56
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.63	1.82	1.89	2.68	2.26	1.79
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.14	2.17	2.25	3.03	2.71	2.27
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.66	2.65	2.86	3.70	3.31	2.77
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.12	3.36	3.80	4.71	4.22	3.20
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	6.74	5.28	5.78	7.31	6.27	3.84

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>					
	<b>units</b>						
Station Number	number	<b>03525500</b>	<b>03526000</b>	<b>03527000</b>	<b>03527500</b>	<b>03529500</b>	<b>03530000</b>
Count	number	60.0	840	1,950	210	720	90.0
Max	ft <sup>3</sup> /s	16,600	3,560	27,200	560	3,360	215
Min	ft <sup>3</sup> /s	595	45.0	296	16.0	79.0	23.0
Median	ft <sup>3</sup> /s	1,550	147	1,670	47.5	225	55.0
Arithmetic Mean	ft <sup>3</sup> /s	2,189	223	2,382	68.7	321	69.7
Geometric Mean	ft <sup>3</sup> /s	1,661	--	--	--	--	61.0
Harmonic Mean	ft <sup>3</sup> /s	1,401	139	1,518	43.0	212	54.0
Standard Deviation	ft <sup>3</sup> /s	2,474	275	2,197	72.4	327	39.2
5th percentile	ft <sup>3</sup> /s	674	71.0	731	21.0	107	25.6
10th percentile	ft <sup>3</sup> /s	827	83.0	874	24.0	118	31.0
20th percentile	ft <sup>3</sup> /s	993	98.0	1,090	29.0	146	40.8
30th percentile	ft <sup>3</sup> /s	1,221	112	1,270	33.0	178	48.0
40th percentile	ft <sup>3</sup> /s	1,328	128	1,440	39.6	199	53.0
50th percentile	ft <sup>3</sup> /s	1,550	147	1,670	47.5	225	55.0
60th percentile	ft <sup>3</sup> /s	1,780	171	1,984	55.0	261	61.4
70th percentile	ft <sup>3</sup> /s	2,050	211	2,420	70.0	310	78.6
80th percentile	ft <sup>3</sup> /s	2,404	273	3,160	80.0	395	95.8
90th percentile	ft <sup>3</sup> /s	3,496	400	4,690	128	575	124
Drainage area	mi <sup>2</sup>	987	106	1123	23.1	112	39.7
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	16.8	33.6	24.2	24.2	30.0	5.42
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.603	0.425	0.264	0.693	0.705	0.579
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	1.38	1.49	2.06	2.01	1.39
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.22	2.10	2.12	2.97	2.86	1.75
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.68	--	--	--	--	1.54
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.42	1.31	1.35	1.86	1.90	1.36
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.51	2.59	1.96	3.13	2.92	0.988
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.683	0.670	0.651	0.909	0.955	0.644
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.837	0.783	0.778	1.04	1.05	0.781
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	0.925	0.971	1.26	1.30	1.03
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.24	1.06	1.13	1.43	1.59	1.21
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.35	1.20	1.28	1.71	1.78	1.34
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.57	1.38	1.49	2.06	2.01	1.39
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.80	1.61	1.77	2.38	2.33	1.55
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.08	1.99	2.15	3.03	2.77	1.98
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.44	2.57	2.81	3.46	3.53	2.41
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.54	3.77	4.18	5.55	5.13	3.11



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		May					
	units						
Station Number	number	03525500	03526000	03527000	03527500	03529500	03530000
Count	number	62.0	868	2,015	186	744	93.0
Max	ft <sup>3</sup> /s	12,300	2,870	30,700	654	3,580	262
Min	ft <sup>3</sup> /s	525	40.0	178	5.40	37.0	18.0
Median	ft <sup>3</sup> /s	1,365	108	1,180	24.0	158	45.0
Arithmetic Mean	ft <sup>3</sup> /s	1,967	169	1,739	46.7	232	61.3
Geometric Mean	ft <sup>3</sup> /s	1,493	--	--	26.9	--	49.8
Harmonic Mean	ft <sup>3</sup> /s	1,258	97.7	969	19.1	138	41.7
Standard Deviation	ft <sup>3</sup> /s	2,158	249	1,993	80.1	289	43.4
5th percentile	ft <sup>3</sup> /s	595	49.0	408	6.84	61.3	22.7
10th percentile	ft <sup>3</sup> /s	750	55.0	495	8.80	76.0	25.0
20th percentile	ft <sup>3</sup> /s	835	65.0	645	13.0	102	25.0
30th percentile	ft <sup>3</sup> /s	1,044	77.0	815	16.0	118	30.2
40th percentile	ft <sup>3</sup> /s	1,310	92.0	991	20.0	132	38.6
50th percentile	ft <sup>3</sup> /s	1,365	108	1,180	24.0	158	45.0
60th percentile	ft <sup>3</sup> /s	1,504	125	1,440	28.0	182	58.6
70th percentile	ft <sup>3</sup> /s	1,877	146	1,770	36.5	220	75.8
80th percentile	ft <sup>3</sup> /s	2,244	189	2,250	55.0	279	95.0
90th percentile	ft <sup>3</sup> /s	2,866	284	3,476	99.5	420	114
Drainage area	mi <sup>2</sup>	987	106	1123	23.1	112	39.7
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	12.5	27.1	27.3	28.3	32.0	6.60
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.532	0.377	0.159	0.234	0.330	0.453
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	1.01	1.05	1.04	1.41	1.13
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.99	1.59	1.55	2.02	2.07	1.55
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.51	--	--	1.16	--	1.25
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.27	0.922	0.863	0.826	1.23	1.05
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.19	2.35	1.77	3.47	2.58	1.09
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.603	0.462	0.363	0.296	0.547	0.572
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.760	0.519	0.441	0.381	0.679	0.630
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.846	0.613	0.574	0.563	0.907	0.630
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.06	0.726	0.726	0.693	1.05	0.761
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.33	0.868	0.882	0.866	1.18	0.972
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.38	1.01	1.05	1.04	1.41	1.13
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.52	1.18	1.28	1.21	1.63	1.48
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.90	1.38	1.58	1.58	1.96	1.91
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.27	1.78	2.00	2.38	2.49	2.39
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.90	2.68	3.10	4.31	3.75	2.87

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		June					
	units	03525500	03526000	03527000	03527500	03529500	03530000
Station Number	number						
Count	number	60.0	840	1,950	180	720	90.0
Max	ft <sup>3</sup> /s	9,990	956	17,900	89.0	1,360	570
Min	ft <sup>3</sup> /s	455	26.0	142	3.00	18.0	5.20
Median	ft <sup>3</sup> /s	1,340	63.0	637	7.60	73.0	20.0
Arithmetic Mean	ft <sup>3</sup> /s	2,014	88.6	1,014	10.3	131	48.0
Geometric Mean	ft <sup>3</sup> /s	1,527	--	--	8.39	--	22.8
Harmonic Mean	ft <sup>3</sup> /s	1,227	63.4	535	7.32	65.3	15.3
Standard Deviation	ft <sup>3</sup> /s	1,801	79.5	1,243	9.74	171	90.4
5th percentile	ft <sup>3</sup> /s	548	37.0	238	3.90	29.0	6.78
10th percentile	ft <sup>3</sup> /s	679	40.0	280	4.77	34.9	7.50
20th percentile	ft <sup>3</sup> /s	755	46.0	347	5.40	44.0	8.90
30th percentile	ft <sup>3</sup> /s	924	50.7	415	6.00	53.0	12.0
40th percentile	ft <sup>3</sup> /s	1,160	57.0	513	6.70	60.0	14.6
50th percentile	ft <sup>3</sup> /s	1,340	63.0	637	7.60	73.0	20.0
60th percentile	ft <sup>3</sup> /s	1,680	71.0	772	8.80	90.0	20.0
70th percentile	ft <sup>3</sup> /s	2,131	86.0	966	10.0	116	32.2
80th percentile	ft <sup>3</sup> /s	3,020	110	1,332	13.0	163	51.6
90th percentile	ft <sup>3</sup> /s	3,594	156	2,120	17.1	266	101
Drainage area	mi <sup>2</sup>	987	106	1123	23.1	112	39.7
Max	ft <sup>3</sup> /mi <sup>2</sup>	10.1	9.02	15.9	3.85	12.1	14.4
Min	ft <sup>3</sup> /mi <sup>2</sup>	0.461	0.245	0.126	0.130	0.161	0.131
Median	ft <sup>3</sup> /mi <sup>2</sup>	1.36	0.594	0.567	0.329	0.652	0.504
Arithmetic Mean	ft <sup>3</sup> /mi <sup>2</sup>	2.04	0.836	0.903	0.446	1.17	1.21
Geometric Mean	ft <sup>3</sup> /mi <sup>2</sup>	1.55	--	--	0.363	--	0.575
Harmonic Mean	ft <sup>3</sup> /mi <sup>2</sup>	1.24	0.599	0.476	0.317	0.583	0.385
Standard Deviation	ft <sup>3</sup> /mi <sup>2</sup>	1.82	0.750	1.11	0.422	1.53	2.28
5th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.555	0.349	0.212	0.169	0.259	0.171
10th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.688	0.377	0.249	0.206	0.312	0.189
20th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.765	0.434	0.309	0.234	0.393	0.224
30th percentile	ft <sup>3</sup> /mi <sup>2</sup>	0.936	0.478	0.370	0.260	0.473	0.302
40th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.18	0.538	0.457	0.290	0.536	0.368
50th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.36	0.594	0.567	0.329	0.652	0.504
60th percentile	ft <sup>3</sup> /mi <sup>2</sup>	1.70	0.670	0.687	0.381	0.804	0.504
70th percentile	ft <sup>3</sup> /mi <sup>2</sup>	2.16	0.811	0.860	0.433	1.04	0.811
80th percentile	ft <sup>3</sup> /mi <sup>2</sup>	3.06	1.04	1.19	0.563	1.46	1.30
90th percentile	ft <sup>3</sup> /mi <sup>2</sup>	3.64	1.47	1.89	0.740	2.38	2.55

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		July					
	units	03525500	03526000	03527000	03527500	03529500	03530000
Station Number	number						
Count	number	62.0	868	2,015	186	744	93.0
Max	ft <sup>3</sup> /s	6,940	1,190	9,680	153	1,000	345
Min	ft <sup>3</sup> /s	305	15.0	103	2.10	14.0	7.00
Median	ft <sup>3</sup> /s	670	50.0	528	4.65	53.0	21.0
Arithmetic Mean	ft <sup>3</sup> /s	1,154	73.5	803	11.1	78.4	42.6
Geometric Mean	ft <sup>3</sup> /s	823	--	--	6.18	--	25.8
Harmonic Mean	ft <sup>3</sup> /s	673	49.3	431	4.51	46.9	19.2
Standard Deviation	ft <sup>3</sup> /s	1,286	91.6	939	18.0	85.5	62.3
5th percentile	ft <sup>3</sup> /s	360	28.0	184	2.30	22.0	8.70
10th percentile	ft <sup>3</sup> /s	360	32.0	218	2.30	26.0	10.0
20th percentile	ft <sup>3</sup> /s	493	37.0	280	2.80	32.0	12.4
30th percentile	ft <sup>3</sup> /s	545	40.0	348	3.10	38.0	14.0
40th percentile	ft <sup>3</sup> /s	610	44.0	433	3.70	45.0	17.0
50th percentile	ft <sup>3</sup> /s	670	50.0	528	4.65	53.0	21.0
60th percentile	ft <sup>3</sup> /s	722	58.0	650	6.00	64.0	27.2
70th percentile	ft <sup>3</sup> /s	835	65.9	800	8.45	80.0	37.4
80th percentile	ft <sup>3</sup> /s	1,634	81.0	1,040	13.0	103	45.6
90th percentile	ft <sup>3</sup> /s	2,446	121	1,606	25.5	150	88.4
Drainage area	mi <sup>2</sup>	987	106	1123	23.1	112	39.7
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	7.03	11.2	8.62	6.62	8.93	8.69
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.309	0.142	0.092	0.091	0.125	0.176
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.679	0.472	0.470	0.201	0.473	0.529
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	0.693	0.715	0.479	0.700	1.07
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.833	--	--	0.268	--	0.649
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.682	0.465	0.384	0.195	0.419	0.485
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.30	0.864	0.836	0.777	0.763	1.57
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.365	0.264	0.164	0.100	0.196	0.219
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.365	0.302	0.194	0.100	0.232	0.252
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.499	0.349	0.249	0.121	0.286	0.312
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.552	0.377	0.310	0.134	0.339	0.353
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.618	0.415	0.385	0.160	0.402	0.428
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.679	0.472	0.470	0.201	0.473	0.529
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.732	0.547	0.579	0.260	0.571	0.685
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.846	0.622	0.712	0.366	0.714	0.942
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.66	0.764	0.926	0.563	0.918	1.15
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.48	1.14	1.43	1.10	1.34	2.23

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>					
	<b>units</b>						
Station Number	number	<b>03525500</b>	<b>03526000</b>	<b>03527000</b>	<b>03527500</b>	<b>03529500</b>	<b>03530000</b>
Count	number	62.0	868	2,015	186	744	93.0
Max	ft <sup>3</sup> /s	2,880	1,190	17,900	35.0	1,860	410
Min	ft <sup>3</sup> /s	305	20.0	100	1.30	7.20	8.00
Median	ft <sup>3</sup> /s	525	42.0	388	2.60	37.0	30.0
Arithmetic Mean	ft <sup>3</sup> /s	772	58.8	700	4.63	68.2	65.6
Geometric Mean	ft <sup>3</sup> /s	628	--	--	3.40	--	35.3
Harmonic Mean	ft <sup>3</sup> /s	542	42.2	340	2.79	31.3	22.6
Standard Deviation	ft <sup>3</sup> /s	587	63.9	1,069	4.78	122	85.1
5th percentile	ft <sup>3</sup> /s	305	24.0	148	1.50	12.0	9.00
10th percentile	ft <sup>3</sup> /s	330	27.0	172	1.65	15.0	10.0
20th percentile	ft <sup>3</sup> /s	420	31.0	220	1.90	21.6	13.4
30th percentile	ft <sup>3</sup> /s	420	34.0	265	2.10	28.0	15.0
40th percentile	ft <sup>3</sup> /s	455	38.0	318	2.40	32.0	20.8
50th percentile	ft <sup>3</sup> /s	525	42.0	388	2.60	37.0	30.0
60th percentile	ft <sup>3</sup> /s	610	48.0	479	3.10	48.0	40.0
70th percentile	ft <sup>3</sup> /s	754	57.0	604	4.50	61.0	60.0
80th percentile	ft <sup>3</sup> /s	993	71.0	859	6.50	78.0	100
90th percentile	ft <sup>3</sup> /s	1,680	100	1,492	11.0	124	150
Drainage area	mi <sup>2</sup>	987	106	1123	23.1	112	39.7
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	2.92	11.2	15.9	1.52	16.6	10.3
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.309	0.189	0.089	0.056	0.064	0.202
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.532	0.396	0.346	0.113	0.330	0.756
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.782	0.555	0.623	0.200	0.609	1.65
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.637	--	--	0.147	--	0.889
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.550	0.398	0.303	0.121	0.280	0.569
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.595	0.602	0.952	0.207	1.09	2.14
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.309	0.226	0.132	0.065	0.107	0.227
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.334	0.255	0.153	0.071	0.134	0.252
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.426	0.292	0.196	0.082	0.193	0.338
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.426	0.321	0.236	0.091	0.250	0.378
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.461	0.358	0.283	0.104	0.286	0.524
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.532	0.396	0.346	0.113	0.330	0.756
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.618	0.453	0.427	0.134	0.429	1.01
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.763	0.538	0.537	0.195	0.545	1.51
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	0.670	0.765	0.281	0.696	2.52
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.70	0.943	1.33	0.476	1.11	3.78

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>					
	<b>units</b>						
Station Number	number	<b>03525500</b>	<b>03526000</b>	<b>03527000</b>	<b>03527500</b>	<b>03529500</b>	<b>03530000</b>
Count	number	60.0	840	1,963	180	720	90.0
Max	ft <sup>3</sup> /s	3,580	1,050	7,340	40.0	1,100	45.0
Min	ft <sup>3</sup> /s	178	15.0	88.0	1.10	5.00	5.20
Median	ft <sup>3</sup> /s	275	32.0	261	2.80	30.0	9.00
Arithmetic Mean	ft <sup>3</sup> /s	431	46.0	422	3.69	47.6	10.9
Geometric Mean	ft <sup>3</sup> /s	327	--	--	2.82	--	9.73
Harmonic Mean	ft <sup>3</sup> /s	294	33.1	229	2.34	21.9	8.95
Standard Deviation	ft <sup>3</sup> /s	560	55.5	599	4.03	80.1	6.73
5th percentile	ft <sup>3</sup> /s	180	20.0	106	1.20	7.81	5.51
10th percentile	ft <sup>3</sup> /s	225	22.0	120	1.30	9.00	5.98
20th percentile	ft <sup>3</sup> /s	225	24.0	150	1.50	15.0	7.00
30th percentile	ft <sup>3</sup> /s	250	28.0	178	1.70	22.0	7.35
40th percentile	ft <sup>3</sup> /s	265	31.0	220	2.10	26.0	8.00
50th percentile	ft <sup>3</sup> /s	275	32.0	261	2.80	30.0	9.00
60th percentile	ft <sup>3</sup> /s	305	36.0	310	3.30	34.0	10.0
70th percentile	ft <sup>3</sup> /s	330	42.0	369	3.93	41.0	12.0
80th percentile	ft <sup>3</sup> /s	360	49.0	484	4.50	54.0	14.0
90th percentile	ft <sup>3</sup> /s	552	65.1	793	6.00	96.1	16.1
Drainage area	mi <sup>2</sup>	987	106	1123	23.1	112	39.7
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	3.63	9.91	6.54	1.73	9.82	1.13
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.180	0.142	0.078	0.048	0.045	0.131
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.279	0.302	0.232	0.121	0.268	0.227
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.437	0.434	0.376	0.160	0.425	0.275
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.332	--	--	0.122	--	0.245
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.297	0.313	0.204	0.102	0.196	0.226
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.568	0.523	0.533	0.174	0.715	0.170
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.183	0.189	0.094	0.052	0.070	0.139
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.228	0.208	0.107	0.056	0.080	0.151
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.228	0.226	0.134	0.065	0.134	0.176
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.264	0.159	0.074	0.196	0.185
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.268	0.292	0.196	0.091	0.232	0.202
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.279	0.302	0.232	0.121	0.268	0.227
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.309	0.340	0.276	0.143	0.304	0.252
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.334	0.396	0.329	0.170	0.366	0.302
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.365	0.462	0.431	0.195	0.482	0.353
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.559	0.614	0.706	0.260	0.858	0.406

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>					
	<b>units</b>						
Station Number	number	<b>03525500</b>	<b>03526000</b>	<b>03527000</b>	<b>03527500</b>	<b>03529500</b>	<b>03530000</b>
Count	number	62.0	842	2,059	217	775	93.0
Max	ft <sup>3</sup> /s	755	1,480	12,700	24.0	1,250	50.0
Min	ft <sup>3</sup> /s	200	19.0	77.0	1.10	5.30	6.00
Median	ft <sup>3</sup> /s	305	31.0	246	2.30	25.0	10.0
Arithmetic Mean	ft <sup>3</sup> /s	360	48.7	513	3.06	41.0	12.7
Geometric Mean	ft <sup>3</sup> /s	339	--	--	2.62	--	11.3
Harmonic Mean	ft <sup>3</sup> /s	319	32.2	230	2.29	20.9	10.3
Standard Deviation	ft <sup>3</sup> /s	131	88.8	943	2.13	70.4	7.55
5th percentile	ft <sup>3</sup> /s	200	22.0	106	1.20	8.40	6.00
10th percentile	ft <sup>3</sup> /s	200	22.0	122	1.30	10.4	6.60
20th percentile	ft <sup>3</sup> /s	250	25.0	148	1.60	15.0	7.50
30th percentile	ft <sup>3</sup> /s	305	27.0	180	1.80	18.0	8.30
40th percentile	ft <sup>3</sup> /s	305	28.4	206	1.90	21.0	9.40
50th percentile	ft <sup>3</sup> /s	305	31.0	246	2.30	25.0	10.0
60th percentile	ft <sup>3</sup> /s	360	34.0	296	3.60	29.0	12.0
70th percentile	ft <sup>3</sup> /s	420	37.0	401	3.90	37.0	14.0
80th percentile	ft <sup>3</sup> /s	480	44.0	589	4.36	49.2	15.0
90th percentile	ft <sup>3</sup> /s	545	68.9	1,020	5.22	76.6	20.0
Drainage area	mi <sup>2</sup>	987	106	1123	23.1	112	39.7
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	0.765	14.0	11.3	1.04	11.2	1.26
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.203	0.179	0.069	0.048	0.047	0.151
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.309	0.292	0.219	0.100	0.223	0.252
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.365	0.459	0.457	0.133	0.366	0.321
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.343	--	--	0.113	--	0.284
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.323	0.304	0.205	0.099	0.187	0.259
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.133	0.838	0.840	0.092	0.629	0.190
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.203	0.208	0.094	0.052	0.075	0.151
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.203	0.208	0.109	0.056	0.093	0.166
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.236	0.132	0.069	0.134	0.189
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.309	0.255	0.160	0.078	0.161	0.209
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.309	0.268	0.183	0.082	0.188	0.237
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.309	0.292	0.219	0.100	0.223	0.252
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.365	0.321	0.264	0.156	0.259	0.302
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.426	0.349	0.357	0.169	0.330	0.353
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.486	0.415	0.524	0.189	0.439	0.378
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.552	0.650	0.908	0.226	0.684	0.504

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>					
	<b>units</b>						
Station Number	number	<b>03525500</b>	<b>03526000</b>	<b>03527000</b>	<b>03527500</b>	<b>03529500</b>	<b>03530000</b>
Count	number	60.0	810	1,975	210	745	90.0
Max	ft <sup>3</sup> /s	14,100	1,580	25,800	250	1,310	184
Min	ft <sup>3</sup> /s	305	14.0	101	1.50	6.00	5.00
Median	ft <sup>3</sup> /s	755	38.0	425	3.90	46.0	21.0
Arithmetic Mean	ft <sup>3</sup> /s	1,708	74.9	894	9.85	106	36.9
Geometric Mean	ft <sup>3</sup> /s	1,017	--	--	4.47	--	22.3
Harmonic Mean	ft <sup>3</sup> /s	745	40.2	328	3.24	32.7	14.4
Standard Deviation	ft <sup>3</sup> /s	2,451	119	1,505	24.3	148	37.8
5th percentile	ft <sup>3</sup> /s	308	21.0	126	1.50	10.3	5.40
10th percentile	ft <sup>3</sup> /s	360	25.0	150	1.60	15.4	6.50
20th percentile	ft <sup>3</sup> /s	480	28.0	190	1.90	21.0	8.30
30th percentile	ft <sup>3</sup> /s	591	30.0	250	2.10	25.0	9.50
40th percentile	ft <sup>3</sup> /s	680	34.0	313	3.02	30.0	12.0
50th percentile	ft <sup>3</sup> /s	755	38.0	425	3.90	46.0	21.0
60th percentile	ft <sup>3</sup> /s	992	45.0	580	4.28	71.0	29.4
70th percentile	ft <sup>3</sup> /s	1,540	61.3	810	5.40	110	44.3
80th percentile	ft <sup>3</sup> /s	2,140	86.2	1,160	7.60	170	65.0
90th percentile	ft <sup>3</sup> /s	3,400	145	1,990	15.1	252	93.0
Drainage area	mi <sup>2</sup>	987	106	1123	23.1	112	39.7
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	14.3	14.9	23.0	10.8	11.7	4.63
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.309	0.132	0.090	0.065	0.054	0.126
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.765	0.358	0.378	0.169	0.411	0.529
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	0.706	0.796	0.426	0.945	0.929
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.03	--	--	0.194	--	0.562
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.755	0.379	0.292	0.140	0.292	0.364
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.48	1.12	1.34	1.05	1.32	0.953
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.312	0.198	0.112	0.065	0.092	0.136
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.365	0.236	0.134	0.069	0.138	0.164
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.486	0.264	0.169	0.082	0.188	0.209
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.598	0.283	0.223	0.091	0.223	0.239
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.689	0.321	0.278	0.131	0.268	0.302
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.765	0.358	0.378	0.169	0.411	0.529
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	0.425	0.516	0.185	0.634	0.741
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	0.578	0.721	0.234	0.980	1.12
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.17	0.813	1.03	0.329	1.52	1.64
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.44	1.37	1.77	0.654	2.25	2.34

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued

[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>					
	<b>units</b>						
Station Number	number	<b>03525500</b>	<b>03526000</b>	<b>03527000</b>	<b>03527500</b>	<b>03529500</b>	<b>03530000</b>
Count	number	62.0	837	2,015	217	744	93.0
Max	ft <sup>3</sup> /s	9,310	2,880	32,500	500	3,620	445
Min	ft <sup>3</sup> /s	610	16.0	100	1.60	6.80	10.0
Median	ft <sup>3</sup> /s	1,600	85.0	1,060	7.20	122	50.0
Arithmetic Mean	ft <sup>3</sup> /s	2,077	151	1,805	28.9	229	82.6
Geometric Mean	ft <sup>3</sup> /s	1,688	--	--	11.6	--	51.9
Harmonic Mean	ft <sup>3</sup> /s	1,420	59.7	587	6.80	70.0	34.3
Standard Deviation	ft <sup>3</sup> /s	1,543	234	2,601	55.7	343	87.5
5th percentile	ft <sup>3</sup> /s	691	24.9	171	2.49	25.0	11.7
10th percentile	ft <sup>3</sup> /s	835	27.0	230	3.36	31.0	15.2
20th percentile	ft <sup>3</sup> /s	1,010	32.0	359	4.40	40.6	22.0
30th percentile	ft <sup>3</sup> /s	1,100	43.0	541	5.34	60.0	28.0
40th percentile	ft <sup>3</sup> /s	1,310	63.4	780	6.00	86.0	34.6
50th percentile	ft <sup>3</sup> /s	1,600	85.0	1,060	7.20	122	50.0
60th percentile	ft <sup>3</sup> /s	1,858	114	1,400	9.80	176	65.2
70th percentile	ft <sup>3</sup> /s	2,380	142	1,790	20.0	225	99.8
80th percentile	ft <sup>3</sup> /s	3,132	196	2,462	40.0	304	125
90th percentile	ft <sup>3</sup> /s	3,832	321	3,906	77.4	501	195
Drainage area	mi <sup>2</sup>	987	106	1123	23.1	112	39.7
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	9.43	27.2	28.9	21.6	32.3	11.2
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.618	0.151	0.089	0.069	0.061	0.252
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	0.802	0.944	0.312	1.09	1.26
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.10	1.43	1.61	1.25	2.04	2.08
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	--	--	0.502	--	1.31
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.44	0.563	0.522	0.295	0.625	0.864
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.56	2.21	2.32	2.41	3.06	2.20
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.700	0.235	0.152	0.108	0.223	0.295
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.846	0.255	0.205	0.145	0.277	0.383
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.02	0.302	0.320	0.190	0.363	0.554
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.11	0.406	0.482	0.231	0.536	0.705
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.33	0.598	0.695	0.260	0.768	0.872
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.62	0.802	0.944	0.312	1.09	1.26
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.88	1.07	1.25	0.424	1.57	1.64
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.41	1.34	1.59	0.866	2.01	2.51
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.17	1.85	2.19	1.73	2.71	3.14
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.88	3.03	3.48	3.35	4.48	4.90



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>January</b>		
	<b>units</b>			
Station Number	number	<b>03530500</b>	<b>03531000</b>	<b>03531500</b>
Count	number	372	341	2,356
Max	ft <sup>3</sup> /s	6,360	6,820	27,000
Min	ft <sup>3</sup> /s	3.80	40.0	30.0
Median	ft <sup>3</sup> /s	158	490	513
Arithmetic Mean	ft <sup>3</sup> /s	322	819	915
Geometric Mean	ft <sup>3</sup> /s	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	54.7	339	304
Standard Deviation	ft <sup>3</sup> /s	602	1,014	1,321
5th percentile	ft <sup>3</sup> /s	9.97	104	--
10th percentile	ft <sup>3</sup> /s	27.1	186	140
20th percentile	ft <sup>3</sup> /s	70.0	244	239
30th percentile	ft <sup>3</sup> /s	90.0	331	327
40th percentile	ft <sup>3</sup> /s	116	395	413
50th percentile	ft <sup>3</sup> /s	158	490	513
60th percentile	ft <sup>3</sup> /s	200	608	675
70th percentile	ft <sup>3</sup> /s	284	765	888
80th percentile	ft <sup>3</sup> /s	398	1,000	1,250
90th percentile	ft <sup>3</sup> /s	634	1,860	2,050
Drainage area	mi <sup>2</sup>	71.2	290	319
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	89.3	23.5	84.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.053	0.138	0.094
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.21	1.69	1.61
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	4.53	2.82	2.87
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.768	1.17	0.954
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	8.46	3.50	4.14
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.140	0.360	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.381	0.641	0.439
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.983	0.841	0.749
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.14	1.03
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.63	1.36	1.29
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.21	1.69	1.61
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.81	2.10	2.12
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.99	2.64	2.78
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.59	3.45	3.92
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	8.91	6.41	6.43

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>February</b>		
	<b>units</b>			
Station Number	number	<b>03530500</b>	<b>03531000</b>	<b>03531500</b>
Count	number	338	310	2,147
Max	ft <sup>3</sup> /s	4,450	16,700	19,300
Min	ft <sup>3</sup> /s	30.0	42.0	40.0
Median	ft <sup>3</sup> /s	145	602	640
Arithmetic Mean	ft <sup>3</sup> /s	328	1,068	1,048
Geometric Mean	ft <sup>3</sup> /s	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	117	415	449
Standard Deviation	ft <sup>3</sup> /s	578	1,693	1,380
5th percentile	ft <sup>3</sup> /s	42.0	221	--
10th percentile	ft <sup>3</sup> /s	52.0	260	230
20th percentile	ft <sup>3</sup> /s	76.0	312	321
30th percentile	ft <sup>3</sup> /s	97.2	388	424
40th percentile	ft <sup>3</sup> /s	122	490	526
50th percentile	ft <sup>3</sup> /s	145	602	640
60th percentile	ft <sup>3</sup> /s	183	710	790
70th percentile	ft <sup>3</sup> /s	251	880	1,000
80th percentile	ft <sup>3</sup> /s	360	1,160	1,330
90th percentile	ft <sup>3</sup> /s	696	2,020	2,164
Drainage area	mi <sup>2</sup>	71.2	290	319
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	62.5	57.6	60.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.421	0.145	0.125
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.04	2.07	2.01
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	4.61	3.68	3.29
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.65	1.43	1.41
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	8.11	5.84	4.33
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.589	0.761	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.730	0.897	0.720
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	1.08	1.01
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.37	1.34	1.33
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.71	1.69	1.65
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.04	2.07	2.01
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.57	2.45	2.48
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.53	3.03	3.13
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	5.06	4.00	4.17
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	9.78	6.97	6.78

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>March</b>		
	<b>units</b>			
Station Number	number	<b>03530500</b>	<b>03531000</b>	<b>03531500</b>
Count	number	372	341	2,356
Max	ft <sup>3</sup> /s	2,690	20,900	21,400
Min	ft <sup>3</sup> /s	46.0	112	82.0
Median	ft <sup>3</sup> /s	166	560	684
Arithmetic Mean	ft <sup>3</sup> /s	257	945	1,102
Geometric Mean	ft <sup>3</sup> /s	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	144	454	589
Standard Deviation	ft <sup>3</sup> /s	305	1,619	1,411
5th percentile	ft <sup>3</sup> /s	70.0	155	--
10th percentile	ft <sup>3</sup> /s	80.1	229	315
20th percentile	ft <sup>3</sup> /s	91.2	335	390
30th percentile	ft <sup>3</sup> /s	108	408	480
40th percentile	ft <sup>3</sup> /s	134	470	568
50th percentile	ft <sup>3</sup> /s	166	560	684
60th percentile	ft <sup>3</sup> /s	199	675	848
70th percentile	ft <sup>3</sup> /s	255	793	1,060
80th percentile	ft <sup>3</sup> /s	324	1,030	1,380
90th percentile	ft <sup>3</sup> /s	517	1,780	2,130
Drainage area	mi <sup>2</sup>	71.2	290	319
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	37.8	72.1	67.1
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.646	0.386	0.257
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	2.33	1.93	2.14
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	3.60	3.26	3.45
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.03	1.57	1.85
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.29	5.58	4.42
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.983	0.534	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.13	0.790	0.987
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.28	1.16	1.22
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.52	1.41	1.50
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.88	1.62	1.78
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.33	1.93	2.14
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.80	2.33	2.66
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.58	2.73	3.32
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.55	3.55	4.33
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	7.26	6.14	6.68

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>April</b>		
	<b>units</b>			
Station Number	number	<b>03530500</b>	<b>03531000</b>	<b>03531500</b>
Count	number	360	330	2,280
Max	ft <sup>3</sup> /s	2,610	7,500	35,000
Min	ft <sup>3</sup> /s	31.0	123	118
Median	ft <sup>3</sup> /s	123	452	544
Arithmetic Mean	ft <sup>3</sup> /s	179	740	836
Geometric Mean	ft <sup>3</sup> /s	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	106	415	469
Standard Deviation	ft <sup>3</sup> /s	209	818	1,191
5th percentile	ft <sup>3</sup> /s	44.0	196	--
10th percentile	ft <sup>3</sup> /s	53.9	225	248
20th percentile	ft <sup>3</sup> /s	72.0	278	322
30th percentile	ft <sup>3</sup> /s	86.0	326	396
40th percentile	ft <sup>3</sup> /s	106	388	466
50th percentile	ft <sup>3</sup> /s	123	452	544
60th percentile	ft <sup>3</sup> /s	147	549	646
70th percentile	ft <sup>3</sup> /s	180	702	815
80th percentile	ft <sup>3</sup> /s	240	1,000	1,050
90th percentile	ft <sup>3</sup> /s	336	1,552	1,540
Drainage area	mi <sup>2</sup>	71.2	290	319
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	36.7	25.9	110
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.435	0.424	0.370
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	1.56	1.71
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.52	2.55	2.62
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.48	1.43	1.47
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.94	2.82	3.73
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.618	0.676	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.757	0.776	0.777
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	0.959	1.01
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.21	1.12	1.24
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.49	1.34	1.46
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.73	1.56	1.71
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.07	1.89	2.03
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.53	2.42	2.55
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	3.37	3.45	3.29
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.71	5.35	4.83

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>May</b>		
	<b>units</b>			
Station Number	number	<b>03530500</b>	<b>03531000</b>	<b>03531500</b>
Count	number	372	341	2,356
Max	ft <sup>3</sup> /s	1,840	16,500	10,700
Min	ft <sup>3</sup> /s	11.0	110	45.0
Median	ft <sup>3</sup> /s	83.5	428	350
Arithmetic Mean	ft <sup>3</sup> /s	143	767	571
Geometric Mean	ft <sup>3</sup> /s	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	66.2	349	289
Standard Deviation	ft <sup>3</sup> /s	187	1,397	759
5th percentile	ft <sup>3</sup> /s	26.0	137	--
10th percentile	ft <sup>3</sup> /s	36.0	168	147
20th percentile	ft <sup>3</sup> /s	47.0	229	195
30th percentile	ft <sup>3</sup> /s	58.0	278	238
40th percentile	ft <sup>3</sup> /s	69.4	359	289
50th percentile	ft <sup>3</sup> /s	83.5	428	350
60th percentile	ft <sup>3</sup> /s	104	514	421
70th percentile	ft <sup>3</sup> /s	130	640	535
80th percentile	ft <sup>3</sup> /s	180	856	733
90th percentile	ft <sup>3</sup> /s	304	1,380	1,170
Drainage area	mi <sup>2</sup>	71.2	290	319
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	25.8	56.9	33.5
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.154	0.379	0.141
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.48	1.10
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.00	2.64	1.79
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.930	1.20	0.905
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.62	4.82	2.38
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.365	0.473	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.506	0.579	0.461
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.660	0.790	0.611
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.815	0.959	0.746
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.975	1.24	0.906
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.17	1.48	1.10
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.46	1.77	1.32
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.82	2.21	1.68
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.53	2.95	2.30
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.26	4.76	3.67

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>June</b>		
	<b>units</b>			
Station Number	number	<b>03530500</b>	<b>03531000</b>	<b>03531500</b>
Count	number	360	330	2,280
Max	ft <sup>3</sup> /s	1,480	10,000	7,970
Min	ft <sup>3</sup> /s	4.60	37.0	27.0
Median	ft <sup>3</sup> /s	32.0	178	189
Arithmetic Mean	ft <sup>3</sup> /s	76.4	352	327
Geometric Mean	ft <sup>3</sup> /s	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	24.0	136	160
Standard Deviation	ft <sup>3</sup> /s	147	691	476
5th percentile	ft <sup>3</sup> /s	7.10	48.0	--
10th percentile	ft <sup>3</sup> /s	12.0	59.9	83.0
20th percentile	ft <sup>3</sup> /s	17.0	88.0	105
30th percentile	ft <sup>3</sup> /s	21.0	108	129
40th percentile	ft <sup>3</sup> /s	27.0	146	157
50th percentile	ft <sup>3</sup> /s	32.0	178	189
60th percentile	ft <sup>3</sup> /s	38.0	220	233
70th percentile	ft <sup>3</sup> /s	51.3	294	302
80th percentile	ft <sup>3</sup> /s	77.6	392	402
90th percentile	ft <sup>3</sup> /s	167	771	637
Drainage area	mi <sup>2</sup>	71.2	290	319
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	20.8	34.5	25.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.065	0.128	0.085
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.449	0.614	0.592
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	1.07	1.22	1.02
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.337	0.468	0.502
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	2.06	2.38	1.49
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.100	0.166	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.169	0.207	0.260
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.239	0.303	0.329
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.295	0.371	0.404
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.379	0.503	0.492
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.449	0.614	0.592
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.534	0.759	0.730
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.721	1.01	0.945
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.09	1.35	1.26
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.35	2.66	2.00

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>July</b>		
	<b>units</b>			
Station Number	number	<b>03530500</b>	<b>03531000</b>	<b>03531500</b>
Count	number	372	341	2,356
Max	ft <sup>3</sup> /s	1,440	4,800	4,340
Min	ft <sup>3</sup> /s	2.30	21.0	28.0
Median	ft <sup>3</sup> /s	20.5	153	140
Arithmetic Mean	ft <sup>3</sup> /s	49.3	301	234
Geometric Mean	ft <sup>3</sup> /s	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	13.8	103	122
Standard Deviation	ft <sup>3</sup> /s	127	484	317
5th percentile	ft <sup>3</sup> /s	4.53	34.0	--
10th percentile	ft <sup>3</sup> /s	6.70	42.0	65.0
20th percentile	ft <sup>3</sup> /s	9.00	64.0	81.0
30th percentile	ft <sup>3</sup> /s	11.0	98.0	98.0
40th percentile	ft <sup>3</sup> /s	16.0	122	118
50th percentile	ft <sup>3</sup> /s	20.5	153	140
60th percentile	ft <sup>3</sup> /s	26.0	200	168
70th percentile	ft <sup>3</sup> /s	33.0	275	211
80th percentile	ft <sup>3</sup> /s	53.8	388	290
90th percentile	ft <sup>3</sup> /s	87.0	608	446
Drainage area	mi <sup>2</sup>	71.2	290	319
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	20.2	16.6	13.6
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.032	0.072	0.088
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.288	0.528	0.439
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.693	1.04	0.733
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.193	0.354	0.381
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.79	1.67	0.993
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.064	0.117	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.094	0.145	0.204
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.126	0.221	0.254
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.154	0.338	0.307
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.225	0.421	0.370
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.288	0.528	0.439
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.365	0.690	0.527
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.463	0.948	0.661
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.756	1.34	0.909
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	2.10	1.40

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>August</b>		
	<b>units</b>			
Station Number	number	<b>03530500</b>	<b>03531000</b>	<b>03531500</b>
Count	number	372	341	2,356
Max	ft <sup>3</sup> /s	630	4,220	6,180
Min	ft <sup>3</sup> /s	0.400	15.0	27.0
Median	ft <sup>3</sup> /s	16.0	88.0	107
Arithmetic Mean	ft <sup>3</sup> /s	38.7	192	193
Geometric Mean	ft <sup>3</sup> /s	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	6.75	61.4	94.1
Standard Deviation	ft <sup>3</sup> /s	71.7	386	307
5th percentile	ft <sup>3</sup> /s	2.00	21.0	--
10th percentile	ft <sup>3</sup> /s	2.80	25.0	48.0
20th percentile	ft <sup>3</sup> /s	5.20	38.0	63.0
30th percentile	ft <sup>3</sup> /s	8.00	50.0	75.0
40th percentile	ft <sup>3</sup> /s	12.0	66.0	89.0
50th percentile	ft <sup>3</sup> /s	16.0	88.0	107
60th percentile	ft <sup>3</sup> /s	20.0	112	132
70th percentile	ft <sup>3</sup> /s	27.7	150	167
80th percentile	ft <sup>3</sup> /s	46.8	214	232
90th percentile	ft <sup>3</sup> /s	87.0	375	391
Drainage area	mi <sup>2</sup>	71.2	290	319
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.85	14.6	19.4
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.006	0.052	0.085
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.225	0.303	0.335
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.544	0.663	0.606
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.095	0.212	0.295
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.33	0.962
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.028	0.072	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.039	0.086	0.150
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.073	0.131	0.197
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.112	0.172	0.235
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.169	0.228	0.279
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.225	0.303	0.335
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.281	0.386	0.414
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.389	0.517	0.524
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.657	0.738	0.727
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.22	1.29	1.22



**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>September</b>		
	<b>units</b>			
Station Number	number	<b>03530500</b>	<b>03531000</b>	<b>03531500</b>
Count	number	360	330	2,280
Max	ft <sup>3</sup> /s	177	4,180	3,090
Min	ft <sup>3</sup> /s	0.000	13.0	18.0
Median	ft <sup>3</sup> /s	10.0	57.0	71.0
Arithmetic Mean	ft <sup>3</sup> /s	14.9	132	121
Geometric Mean	ft <sup>3</sup> /s	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	--	44.8	63.2
Standard Deviation	ft <sup>3</sup> /s	19.3	312	199
5th percentile	ft <sup>3</sup> /s	2.00	17.0	--
10th percentile	ft <sup>3</sup> /s	2.69	20.9	33.0
20th percentile	ft <sup>3</sup> /s	4.60	28.0	44.0
30th percentile	ft <sup>3</sup> /s	6.94	38.0	52.0
40th percentile	ft <sup>3</sup> /s	8.42	47.0	60.0
50th percentile	ft <sup>3</sup> /s	10.0	57.0	71.0
60th percentile	ft <sup>3</sup> /s	12.4	70.4	86.0
70th percentile	ft <sup>3</sup> /s	15.0	93.3	105
80th percentile	ft <sup>3</sup> /s	20.0	130	139
90th percentile	ft <sup>3</sup> /s	29.0	229	214
Drainage area	mi <sup>2</sup>	71.2	290	319
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	2.49	14.4	9.69
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.000	0.045	0.056
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.140	0.197	0.223
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.210	0.456	0.379
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	0.154	0.198
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.271	1.08	0.624
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.028	0.059	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.038	0.072	0.103
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.065	0.097	0.138
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.097	0.131	0.163
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.118	0.162	0.188
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.140	0.197	0.223
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.174	0.243	0.270
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.211	0.322	0.329
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.281	0.447	0.436
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.407	0.790	0.671

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>October</b>		
	<b>units</b>			
Station Number	number	<b>03530500</b>	<b>03531000</b>	<b>03531500</b>
Count	number	372	341	2,387
Max	ft <sup>3</sup> /s	605	11,600	9,890
Min	ft <sup>3</sup> /s	0.300	11.0	18.0
Median	ft <sup>3</sup> /s	9.00	54.0	70.0
Arithmetic Mean	ft <sup>3</sup> /s	15.8	147	150
Geometric Mean	ft <sup>3</sup> /s	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	5.82	43.4	62.3
Standard Deviation	ft <sup>3</sup> /s	35.0	659	370
5th percentile	ft <sup>3</sup> /s	1.80	18.0	--
10th percentile	ft <sup>3</sup> /s	3.80	21.0	30.0
20th percentile	ft <sup>3</sup> /s	5.20	26.0	44.0
30th percentile	ft <sup>3</sup> /s	6.33	35.0	50.0
40th percentile	ft <sup>3</sup> /s	7.50	41.0	58.0
50th percentile	ft <sup>3</sup> /s	9.00	54.0	70.0
60th percentile	ft <sup>3</sup> /s	11.0	78.0	86.0
70th percentile	ft <sup>3</sup> /s	15.0	100	109
80th percentile	ft <sup>3</sup> /s	20.0	140	149
90th percentile	ft <sup>3</sup> /s	28.9	229	270
Drainage area	mi <sup>2</sup>	71.2	290	319
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	8.50	40.0	31.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.004	0.038	0.056
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.126	0.186	0.219
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.223	0.507	0.470
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.082	0.150	0.195
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	0.491	2.27	1.16
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.025	0.062	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.053	0.072	0.094
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.073	0.090	0.138
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.089	0.121	0.157
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.105	0.141	0.182
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.126	0.186	0.219
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.154	0.269	0.270
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.211	0.345	0.342
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.281	0.483	0.467
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.406	0.790	0.848

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>November</b>		
	<b>units</b>			
Station Number	number	<b>03530500</b>	<b>03531000</b>	<b>03531500</b>
Count	number	360	330	2,305
Max	ft <sup>3</sup> /s	1,330	12,400	15,300
Min	ft <sup>3</sup> /s	3.50	20.0	23.0
Median	ft <sup>3</sup> /s	32.0	155	132
Arithmetic Mean	ft <sup>3</sup> /s	69.5	433	314
Geometric Mean	ft <sup>3</sup> /s	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	18.2	86.0	92.0
Standard Deviation	ft <sup>3</sup> /s	129	1,065	646
5th percentile	ft <sup>3</sup> /s	5.50	29.0	--
10th percentile	ft <sup>3</sup> /s	6.66	34.9	41.0
20th percentile	ft <sup>3</sup> /s	12.0	46.8	52.0
30th percentile	ft <sup>3</sup> /s	14.0	62.0	69.0
40th percentile	ft <sup>3</sup> /s	22.0	105	96.0
50th percentile	ft <sup>3</sup> /s	32.0	155	132
60th percentile	ft <sup>3</sup> /s	41.4	200	181
70th percentile	ft <sup>3</sup> /s	56.3	294	256
80th percentile	ft <sup>3</sup> /s	82.0	428	385
90th percentile	ft <sup>3</sup> /s	150	880	698
Drainage area	mi <sup>2</sup>	71.2	290	319
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	18.7	42.8	48.0
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.049	0.069	0.072
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	0.449	0.534	0.414
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.977	1.49	0.984
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.256	0.297	0.289
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	1.81	3.67	2.02
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.077	0.100	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.094	0.120	0.129
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.169	0.161	0.163
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.197	0.214	0.216
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.309	0.362	0.301
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.449	0.534	0.414
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.581	0.691	0.567
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.791	1.01	0.801
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.15	1.48	1.21
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.11	3.03	2.19

**Table 2.** Monthly streamflow statistics for selected continuous-record streamgaging stations.—Continued[ft<sup>3</sup>/s, cubic feet per second; mi<sup>2</sup>, square mile; --, not determined]

		<b>December</b>		
	<b>units</b>			
Station Number	number	<b>03530500</b>	<b>03531000</b>	<b>03531500</b>
Count	number	372	341	2,356
Max	ft <sup>3</sup> /s	4,000	12,300	21,900
Min	ft <sup>3</sup> /s	5.50	26.0	25.0
Median	ft <sup>3</sup> /s	72.0	355	321
Arithmetic Mean	ft <sup>3</sup> /s	158	766	641
Geometric Mean	ft <sup>3</sup> /s	--	--	--
Harmonic Mean	ft <sup>3</sup> /s	43.8	226	176
Standard Deviation	ft <sup>3</sup> /s	320	1,443	1,114
5th percentile	ft <sup>3</sup> /s	13.0	50.2	--
10th percentile	ft <sup>3</sup> /s	18.0	134	71.0
20th percentile	ft <sup>3</sup> /s	32.0	200	112
30th percentile	ft <sup>3</sup> /s	45.3	244	161
40th percentile	ft <sup>3</sup> /s	56.4	294	229
50th percentile	ft <sup>3</sup> /s	72.0	355	321
60th percentile	ft <sup>3</sup> /s	90.0	465	440
70th percentile	ft <sup>3</sup> /s	122	565	602
80th percentile	ft <sup>3</sup> /s	190	820	845
90th percentile	ft <sup>3</sup> /s	345	1,620	1,390
Drainage area	mi <sup>2</sup>	71.2	290	319
Max	ft <sup>3</sup> /s/mi <sup>2</sup>	56.2	42.4	68.7
Min	ft <sup>3</sup> /s/mi <sup>2</sup>	0.077	0.090	0.078
Median	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.22	1.01
Arithmetic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	2.22	2.64	2.01
Geometric Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	--	--	--
Harmonic Mean	ft <sup>3</sup> /s/mi <sup>2</sup>	0.616	0.778	0.553
Standard Deviation	ft <sup>3</sup> /s/mi <sup>2</sup>	4.49	4.98	3.49
5th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.183	0.173	--
10th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.253	0.462	0.223
20th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.449	0.690	0.351
30th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.636	0.841	0.505
40th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	0.792	1.01	0.718
50th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.01	1.22	1.01
60th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.26	1.60	1.38
70th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	1.72	1.95	1.89
80th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	2.67	2.83	2.65
90th percentile	ft <sup>3</sup> /s/mi <sup>2</sup>	4.85	5.59	4.36