

## References Cited

- Adolph, B., Archer, M., Codazzi, D., el-Halawani, T., Perciot, P., Weller, G., Evans, M., Grant, J., Griffiths, R., Hartman, D., Sirkin, G., Ichikawa, M., Scott, G., Tribe, I., and White, D., 2005, No more waiting—Formation evaluation while drilling: *Oilfield Review*, Autumn 2005, p. 4–21.
- Ahlbrandt, T.S., 2002, Future petroleum energy resources of the world: *International Geology Review*, v. 44, no. 12, p. 1092–1104.
- Alam, M., Alam, M.M., Curray, J.R., Chowdhury, M., and Gani, M., 2003, An overview of the sedimentary history of the Bengal Basin in relation to the regional tectonic framework and basin fill history: *Sedimentary Geology*, v. 155, p. 179–208.
- Aldred, W., Cook, J., Bern, P., Carpenter, B., Hutchinson, M., Lovell, J., Rezmer-Cooper, I., and Leder, P.C., 1998, Using downhole annular pressure measurements to improve drilling performance: *Oilfield Review*, Winter 1998, p. 40–55.
- American Society for Testing and Materials (ASTM), 1997, Standard test method for specific gravity of soil solids by gas pycnometer D 5550–94, *in* American Society for Testing and Materials, Annual Book of ASTM Standards, v. 04.09, Soil and Rock: West Conshohocken, Penn., p. 380–383.
- Archie, G.E., 1942, The electrical resistivity log as an aid in determining some reservoir characteristics: *Journal of Petroleum Technology*, v. 5, p. 1–8.
- Balsam, W.L., and Damuth, J.E., 2000, Further investigations of shipboard vs. shore-based spectral data—Implications for interpreting Leg 164 sediment composition, *in* Paull, C.K., Matsumoto, R., Wallace, P., and Dillon, W.P., eds., Proceedings of the Ocean Drilling Program, Scientific Results, v. 164: College Station, Tex., Ocean Drilling Program, p. 313–324. [CD-ROM; available from: Ocean Drilling Program, Texas A&M University, College Station, Tex. 77845-9547, U.S.A.]
- Balsam, W.L., Damuth, J.E., and Schneider, R.R., 1997, Comparison of shipboard vs. shore-based spectral data from Amazon-Fan cores—Implications for interpreting sediment composition, *in* Flood, R.D., Piper, D.J.W., Klaus, A., and Peterson, L.C., eds., Proceedings of the Ocean Drilling Program Scientific Results, v. 155: College Station, Tex., Ocean Drilling Program, p. 193–215. [CD-ROM; available from: Ocean Drilling Program, Texas A&M University, College Station, Tex. 77845-9547, U.S.A.]
- Balsam, W.L., Deaton, B.C., and Damuth, J.E., 1998, The effects of water content on diffuse reflectance measurements of deep-sea core samples—An example from ODP Leg 164 sediments: *Marine Geology*, v. 149, p. 177–189.
- Bastia, R., 2006, An overview of Indian sedimentary basins with special focus on emerging east coast deepwater frontiers: *The Leading Edge*, v. 25, p. 818–829.
- Berger, W.H., and Jansen, E., 1994, Mid-Pleistocene climate shift—The Nansen connection, *in* Johannessen, O.M., Muensch, R.D., and Overland, J.E. eds., The role of the polar oceans in shaping the global environment: Geophysical Monograph, American Geophysical Union, v. 85, p. 295–311.
- Biksham, G., and Subrahmanyam, V., 1988, Sediment transport of the Godavari River Basin and its controlling factors: *Journal of Hydrology*, v. 101, p. 275–290.
- Bjerrum, L., 1972, Embankments on soft ground, *in* ASCE Specialty Conference on Performance of Earth and Earth-Supported Structures, Lafayette, Ind., June 11–14, 1972, Proceedings: New York, American Society of Civil Engineers, v. 2, p. 1–54. [Held at Purdue University]
- Blum, P., 1997, Physical properties handbook—A guide to the shipboard measurement of physical properties of deep-sea cores: College Station, Tex., Ocean Drilling Program Technical Note 26, accessed August 4, 2006, at <http://www-odp.tamu.edu/publications/tnotes/tn26/INDEX.HTM>.
- Bonner, S.D., Tabanou, J.R., Wu, P.T., Seydoux, J.P., Moriarty, K.A., Seal, B.K., Kwok, E.Y., and Kuchenbecker, M.W., 1995, New 2-MHz multiarray borehole-compensated resistivity tool developed for MWD in slim holes, Paper SPE 30547 *in* Society of Petroleum Engineers Annual Technical Conference and Exhibition, Dallas, October 1995, Proceedings: Richardson, Tex., Society of Petroleum Engineers.
- Bonner, S., Fredette, M., Lovell, J., Montaron, B., Rosthal, R., Tabanou, J., Wu, P., Clark, B., Mills, R., and Williams, R., 1996, Resistivity while drilling—Images from the string, *Oilfield Review*, Spring 1996, p. 4–19.
- Boswell, R., Kleinberg, R., Collett, T.S., and Frye, M., 2007, Exploration priorities for marine gas hydrate resources: Fire in the Ice Newsletter, U.S. Department of Energy Office of Fossil Energy, National Energy Technology Laboratory, Spring/Summer Issue, p. 16–18.
- Bullard, E.C., 1954, The flow of heat through the floor of the Atlantic Ocean: *Proceedings of the Royal Society A*, v. 222, p. 408–429.

- Clift, P.D., 2006, Controls on the erosion of Cenozoic Asia and the flux of clastic sediment to the ocean: *Earth and Planetary Science Letters*, v. 241, p. 571–580.
- Clift, P.D., Shimizu, N., Layne, G.D., Blusztajn, J.S., Gaedicke, C., Schluter, H.-U., Clark, M.K., and Amjad, S., 2001, Development of the Indus Fan and its significance for the erosional history of the western Himalaya and Karakoram: *Geological Society of America Bulletin*, v. 113, p. 1039–1051.
- Colin, C., Kissel, C., Blamart, D., and Turpin, L., 1998, Magnetic properties of sediments in the Bay of Bengal and the Andaman Sea—Impact of rapid North Atlantic Ocean climatic events on the strength of the Indian monsoon: *Earth and Planetary Science Letters*, v. 155, p. 623–635.
- Collett, T.S., 1993, Natural gas hydrates of the Prudhoe Bay–Kuparuk River area, North Slope, Alaska: *American Association of Petroleum Geologists Bulletin*, v. 77, p. 793–812.
- Collett, T.S., 1998a, Well log characterization of sediment porosities in gas-hydrate-bearing reservoirs, Paper SPE 49298 *in* Annual Technical Conference Exhibition Society of Petroleum Engineers, New Orleans, September 1998, Proceedings: Richardson, Tex., Society of Petroleum Engineers.
- Collett, T.S., 1998b, Well log evaluation of gas hydrate saturations, *in* Transactions of the Society of Petrophysicists and Well Log Analysts, 39th Annual Logging Symposium, Keystone, Colo., May 1998, Proceedings: Houston, Tex., Society of Petrophysicists and Well Log Analysts, p. MM.
- Collett, T.S., 2000, A review of well-log analysis techniques used to assess gas-hydrate-bearing reservoirs, *in* Paull, C.K., and Dillon, W.P., eds., Natural gas hydrates—Occurrence, distribution, and detection: *Geophysical Monographs*, American Geophysical Union, p. 189–210.
- Collett, T.S., and Ladd, J., 2000, Detection of gas hydrate with downhole logs and assessment of gas hydrate concentrations (saturations) and gas volumes on the Blake Ridge with electrical resistivity log data, *in* Paull, C.K., Matsumoto, R., Wallace, P.J., and Dillon, W.P., eds., Proceedings of the Ocean Drilling Program, Scientific Results, v. 164: College Station, Tex., Ocean Drilling Program, p. 179–191, accessed October 9, 2005 at [http://www.odp.tamu.edu/publications/164\\_SR/VOLUME/CHAPTERS/SR164\\_19.PDF](http://www.odp.tamu.edu/publications/164_SR/VOLUME/CHAPTERS/SR164_19.PDF). [CD-ROM; available from: Ocean Drilling Program, Texas A&M University, College Station, Tex. 77845-9547, U.S.A.]
- Courtillot, V., Feraud, G., Maluski, H., Vandamme, D., Moreau, M.G., and Besse, J., 1988, Deccan flood basalts and the Cretaceous-Tertiary boundary: *Nature*, v. 333, p. 843–846.
- Curry, J.R., 1991, Possible greenschist metamorphism at the base of a 22-km sedimentary section, Bay of Bengal: *Geology*, v. 19, p. 1097–1100.
- Curry, J.R., Emmel, F.J., Moore, D.G., and Raitt, R.W., 1982, Structure, Tectonics and Geological History of the North-eastern Indian Ocean, *in* Nairn, A.E.M., and Stehli, F.G., eds., *The Ocean Basins and Margins*: New York, Plenum Press, v. 6, p. 399–450.
- Davis, E.E., Hyndman, R.D., and Villinger, H., 1990, Rates of fluid expulsion across the northern Cascadia accretionary prism—Constraints from new heat flow and multichannel seismic reflection data: *Journal of Geophysical Research*, v. 95, p. 8869–8889.
- Davis, E.E., Villinger, H., MacDonald, R.D., Meldrum, R.D., and Grigel, J., 1997, A robust rapid-response probe for measuring bottom-hole temperatures in deep ocean boreholes: *Marine Geophysical Researches*, v. 19, p. 267–281.
- Deaton, B.C., and Balsam, W.L., 1991, Visible spectroscopy: a rapid method for determining hematite and goethite concentrations in geological materials: *Journal of Sedimentary Petrology*, v. 61, p. 628–632.
- Dickens, G.R., and Owen, R.M., 1999, The latest Miocene–early Pliocene biogenic bloom—A revised Indian Ocean perspective: *Marine Geology*, v. 161, p. 75–91.
- Dickens, G.R., Paull, C.K., Wallace, P., and the ODP Leg 164 Scientific Party, 1997, Direct measurement of *in situ* methane quantities in a large gas-hydrate reservoir: *Nature*, v. 385, p. 426–428.
- Dickens, G.R., Borowski, W.S., Wehner, H., Paull, C.K., and the ODP Leg 164 Scientific Party, 2000a, Data Report—Additional shipboard information for the pressure core sampler (PCS), *in* Paull, C.K., Matsumoto, R., Wallace, P.J., and Dillon, W.P., eds., Proceedings of the Ocean Drilling Program, Scientific Results, v. 164: College Station, Tex., Ocean Drilling Program, p. 439–443. [CD-ROM; available from: Ocean Drilling Program, Texas A&M University, College Station, Tex. 77845-9547, U.S.A.]
- Dickens, G.R., Schroeder, D., Hinrichs, K.-U., and the Leg 201 Scientific Party, 2003, The pressure core sampler (PCS) on Ocean Drilling Program Leg 201—General operations and gas release, *in* D'Hondt, S.L., Jørgensen, B.B., Miller, D.J., and the Shipboard Scientific Party, Proceedings of the Ocean Drilling Program, Initial Reports, v. 201: College Station, Tex., Ocean Drilling Program, p. 1–22 [CD-ROM].
- Dickens, G.R., Wallace, P.J., Paull, C.K., and Borowski, W.S., 2000b, Detection of methane gas hydrate in the pressure core sampler (PCS)—Volume-pressure-time relations during controlled degassing experiments, *in* Paull, C.K., Matsumoto, R., Wallace, P.J., and Dillon, W.P., eds., Proceedings of the Ocean Drilling Program, Scientific Results, v. 164: College Station, Tex., Ocean Drilling Program, p. 113–126. [CD-ROM; available from: Ocean Drilling Program, Texas A&M University, College Station, Tex. 77845-9547, U.S.A.]

- Droser, M.L., and Bottjer, D.J., 1986, A semiquantitative field classification of ichnofabric: *Journal of Sedimentary Petrology*, v. 56, p. 558–559.
- Duan, Z., Møller, N., Greenberg, J., and Weare, J.H., 1992, The prediction of methane solubility in natural waters to high ionic strengths from 0° to 250°C and from 0 to 1600 bar: *Geochimica et Cosmochimica Acta*, v. 56, p. 1451–1460.
- Duncan, R.A., 1990, The volcanic record of the Reunion hotspot, *Proceedings of the Ocean Drilling Program, Scientific Results*, v. 115: College Station, Tex., Ocean Drilling Program, p. 3–10. [CD-ROM; available from: Ocean Drilling Program, Texas A&M University, College Station, Tex. 77845-9547, U.S.A.]
- Duncan, R.A., and Pyle, D.G., 1988, Rapid eruption of the Deccan flood basalts at the Cretaceous/Tertiary boundary: *Nature*, v. 333, p. 841–843.
- Dunham, R.J., 1962, Classification of carbonate rocks according to depositional texture, *in* Ham, W.E., ed., *Classification of carbonate rocks*: American Association of Petroleum Geologists, p. 108–121.
- Dyment, J., 1991, Structure et évolution de la lithosphère océanique dans l'océan Indien—Apport des anomalies magnétiques: Strasbourg, France, Université Louis Pasteur de Strasbourg, Ph.D. thesis, 374 p.
- Ellis, D.V., 1987, *Well logging for earth scientists*: New York, Elsevier, 548 p.
- Embry, A.F., and Klovan, J.E., 1971, A late Devonian reef tract on northeastern Banks Island, Northwest Territories: *Bulletin of Canadian Petroleum Geology*, v. 19, p. 730–781.
- Erickson, S.N., and Jarrard, R.D., 1998, Velocity-porosity relationships for water-saturated siliciclastic sediments: *Journal of Geophysical Research*, v. 103, p. 30,385–30,406.
- Expedition 311 Scientists, 2005, Cascadia margin gas hydrates: Integrated Ocean Drilling Program Preliminary Report, v. 311: College Station, Tex., Ocean Drilling Program, doi:10.2204/iodp.pr.311.2005.
- Farrell, J.W., Raffi, I., Janecek, T.R., Murray, D.W., Levitan, M., Dadey, K.A., Emeis, K.-C., Lyle, M., Flores, J.-A., and Hovan, S., 1995, Late Neogene sedimentation patterns in the eastern equatorial Pacific, *in* Pisias, N.G., Mayer, L.A., Janecek, T.R., Palmer-Julson, A., and van Andel, T.H., eds., *Proceedings of the Ocean Drilling Program, Scientific Results*, v. 138: College Station, Tex., Ocean Drilling Program, p. 717–756. [CD-ROM; available from: Ocean Drilling Program, Texas A&M University, College Station, Tex. 77845-9547, U.S.A.]
- Federov, L.V., Ravich, M.G., and Hofmann, J., 1982, Geologic comparison of southeastern peninsular India and Sri Lanka with a part of Antarctica, *in* *Antarctic Geology and Geophysics*, Craddock, C., ed.: Madison, Wisc., University of Wisconsin Press, p. 157–171.
- Fofonoff, N.P., 1985, Physical properties of seawater: *Journal of Geophysical Research*, v. 90, no. C2, p. 3332–3342.
- Gealy, E.L., Winterer, E.L., and Moberly, R., Jr., 1971, Methods, conventions, and general observations, *in* Winterer, E.L., Riedel, W.R., Broennimann, P., Gealy, E.L., Heath, G.R., Kroenke, L.W., Martini, E., Moberly, R., Jr., Resig, J.M., and Worsley, T.R., eds., *Initial Reports of the Deep Sea Drilling Project 7, Part 2*: Washington, D.C., National Science Foundation, p. 9–26.
- Gieskes, J.M., Gamo, T., and Brumsack, H., 1991, Chemical methods for interstitial water analysis aboard JOIDES Resolution: College Station, Tex., Ocean Drilling Program, Technical Note 15, accessed August 4, 2006, at [http://www-odp.tamu.edu/publications/tnotes/tn15/f\\_chem1.htm](http://www-odp.tamu.edu/publications/tnotes/tn15/f_chem1.htm).
- Giosan, L., Flood, R.D., Grützner, J., and Mudie, P., 2002, Paleoceanographic significance of sediment color on western North Atlantic Drifts—I. Origin of color: *Marine Geology*, v. 189, p. 25–41.
- Goldberg, D., 1997, The role of downhole measurements in marine geology and geophysics: *Reviews of Geophysics*, v. 35, p. 315–342.
- Goldberg, D., Collett, T.S., and Hyndman, R.D., 2000, Ground truth—*In-situ* properties of hydrate, *in* Max, M.D., ed., *Natural gas hydrate in oceanic and permafrost environments*: Dordrecht, Netherlands, Kluwer Academic Publishers [now Berlin, Springer-Verlag], p. 295–310.
- Graber, K.K., Pollard, E., Jonasson, B., and Schulte, E., eds., 2002, Overview of Ocean Drilling Program engineering tools and hardware: College Station, Tex., Ocean Drilling Program, ODP Technical Note 31, accessed August 4, 2006, at <http://www-odp.tamu.edu/publications/tnotes/tn31/INDEX.HTM>.
- Guerin, G., and Goldberg, D., 2002, Sonic attenuation measurements in the Mallik 2L-38 gas hydrates research well, MacKenzie Delta, NWT Canada: *Journal of Geophysical Research*, v. 107, p. 10.1029/2001JB000556.
- Guerin, G., Goldberg, D., and Meltser, A., 1999, Characterization of *in situ* elastic properties of gas-hydrate bearing sediments on the Blake Ridge: *Journal of Geophysical Research*, v. 104, p. 17781–17795.
- Harrison, A.R., Randall, C.J., Aron, J.B., Morris, C.F., Wignall, A.H., Dworak, R.A., Rutledge, L.L., and Perkins, J.L., 1990, Acquisition and analysis of sonic waveforms from a borehole monopole and dipole source for the determination of compressional and shear speeds and their relation to rock mechanical properties and surface seismic data, *in* *Society of Petroleum Engineers Annual Technical Conference and Exhibition*, 65th, New Orleans, September 1990, Proceedings: Richardson, Tex., Society of Petroleum Engineers, Paper SPE 20557, no. 9, p. 267–282.

- Heeseman, M., Villinger, H., Fisher, A.T., Trehu, A.M., and Witte, S., 2006, Data report—Testing and deployment of the new APCT-3 tool to determine *in situ* temperatures while piston coring, in M. Riedel, Collett, T.S., Malone, M.J., and the Expedition 311 Scientists, Proceedings of the Integrated Ocean Drilling Program, v. 311: College Station, Tex., Ocean Drilling Program.
- Helgerud, M.B., Dvorkin, J., and Nur, A., 2000, Rock physics characterization for gas hydrate reservoirs—Elastic properties, in Holder, G.D., and Bishnoi, P.R., eds., Gas hydrates—Challenges for the future: New York, New York Academy of Sciences, Annals, v. 912, p. 116–125.
- Hermoyian, C.S., and Owen, R.M., 2001, Late Miocene–early Pliocene biogenic bloom—Evidence from low-productivity regions of the Indian and Atlantic Oceans: Paleogeography, v. 16, p. 95–100.
- Hesselbo, S.P., and Huggett, J.M., 2001, Glaucony in ocean-margin sequence stratigraphy (Oligocene-Pliocene, offshore New Jersey, U.S.A.; ODP Leg 174A): Journal of Geophysical Research, v. 71, p. 599–607.
- Holtz, R.D., and Kovacs, W.D., 1981, An introduction to geotechnical engineering: Englewood Cliffs, N.J., Prentice-Hall, Inc., 733 p.
- Horai, K., and Von Herzen, R.P., 1985, Measurement of heat flow on Leg 86 of the Deep Sea Drilling Project, in Heath, G.R., Burckle, L.H., and others., Initial Reports of the Deep Sea Drilling Project, v. 86: Washington D.C., U.S. Government Printing Office, p. 759–777.
- Hunt, J.M. 1979, Petroleum geochemistry and geology: San Francisco, W.H. Freeman, 617 p.
- Hunt, R.E., 1984, Geotechnical engineering investigation manual: New York, McGraw-Hill Book Company, 983 p.
- Kamesh Raju, K.A., Ramprasad, T., Rao, P.S., Rao, B.R., and Varghese, J., 2004, New insights into the tectonic evolution of the Andaman basin, northeast Indian Ocean: Earth and Planetary Science Letters, v. 221, p. 145–162.
- Kleinberg, R.L., Flaum, C., and Collett, T.S., 2005, Magnetic resonance log of Mallik 5L-38—Hydrate saturation, growth habit, and relative permeability, in Dallimore, S.R., and Collett, T.S., Scientific results from the Mallik 2002 Gas hydrate production research well program, Mackenzie Delta, Northwest Territories, Canada: Geological Survey of Canada, Bulletin no. 585.
- Kristiansen, J.I., 1982, The transient cylindrical probe method for determination of thermal parameters of earth materials: Aarhus, Denmark, Aarhus University, Ph.D. dissertation.
- Kudrass, H.R., Hofmann, A., Doose, H., Emeis, K. and Erlenkeuser, H., 2001, Modulation and amplification of climatic changes in the Northern Hemisphere by the Indian summer monsoon during the past 80 k.y: Geology, v. 29, p. 63–66.
- Kvenvolden, K.A., 1988, Methane hydrate—A major reservoir of carbon in the shallow geosphere?: Chemical Geology, v. 71, p. 41–51.
- Kvenvolden, K.A., and Lorenson, T.D., 2000, Methane and other hydrocarbon gases in sediment from the southeastern North American continental margin, in Paull, C.K., Matsumoto, R., Wallace, P.J., Black, N.R., Borowski, W.S., Collett, T.S., Damuth, J.E., Dickens, G.R., Egeberg, P.K., Goodman, K., Hesse, R.F., Hiroki, Y., Holbrook, W.S., Hoskins, H., Ladd, J., Lodolo, E., Lorenson, T.D., Musgrave, R.J., Naehr, T.H., Okada, H., Pierre, C., Ruppel, C.D., Satoh, M., Thiery, R., Watanabe, Y., Wehner, H., Winters, W.J., and Wood, W.T., Gas hydrate sampling on the Blake ridge and Carolina rise—covering leg 164 of the cruises of the drilling vessel JOIDES Resolution, Halifax, Nova Scotia, to Miami, Florida, sites 991–997, 31 October–19 December 1995: Proceedings of the Ocean Drilling Program, Scientific Results, v. 164: College Station, Tex., Ocean Drilling Program, p. 29–36. [CD-ROM; available from: Ocean Drilling Program, Texas A&M University, College Station, Tex. 77845-9547, U.S.A.]
- Ladd, C.C., Foote, R., Ishihara, K., Schlosser, F., and Poulos, H.G., 1977, Stress-deformation and strength characteristics, in State-of-the-Art Report, International Conference on Soil Mechanics and Foundation Engineering, 9th, Tokyo, Japan, July 1977, Proceedings: London, International Society for Soil Mechanics and Geotechnical Engineering, v. 2, p. 421–494.
- Lambe, T. W., Whitman, R.V., 1969, Soil mechanics: New York, John Wiley and Sons, 553 p.
- Lamont-Doherty Earth Observatory Borehole Research Group, 2001, ODP logging services electronic manual, Version 2.0: College Station, Tex., Ocean Drilling Program, accessed September 28, 2005, at <http://www.ldeo.columbia.edu/BRG/ODP/LOGGING/MANUAL/index.html>.
- Luthi, S. M., 2001, Geological well logs—Their use in reservoir modeling: Berlin, Springer-Verlag, 373 p.
- Manheim, F.T., and Sayles, F.L., 1974, Composition and origin of interstitial waters of marine sediments, based on deep sea drilled cores, in Goldberg, E.D., ed., The sea, v. 5—Marine chemistry—The sedimentary cycle: New York, Wiley, p. 527–568.
- Mathews, M., 1986, Logging characteristics of methane hydrate: The Log Analyst, v. 27, p. 26–63.
- Mazzullo, J., and Graham, A.G., eds., 1988, Handbook for shipboard sedimentologists: College Station, Tex., Ocean Drilling Program, ODP Technical Note 8, accessed August 4, 2006, at <http://www-odp.tamu.edu/publications/tnotes/digital/>.

- Mikada, H., Becker, K., Moore, J.C., Klaus, A., Austin, G.L., Bangs, N.L., Bourlange, S., Broilliard, J., Brückmann, W., Corn, E.R., Davis, E.E., Flemings, P.B., Goldberg, D.S., Gulick, S.S., Hansen, M.B., Hayward, N., Hills, D.J., Hunze, S., Ienaga, M., Ishiguro, H., Kinoshita, M., Macdonald, R.D., McNeill, L., Obana, S., Hong, O.S., Peacock, S., Pettigrew, T.L., Saito, S., Sawa, T., Thaiprasert, N., Tobin, H.J., and Tsurumi, H., 2002, Proceedings of the Ocean Drilling Program, Initial Reports, v. 196: College Station, Tex., Ocean Drilling Program, accessed September 28, 2005, at [http://www-odp.tamu.edu/publications/196\\_IR/196ir.htm](http://www-odp.tamu.edu/publications/196_IR/196ir.htm).
- Milkov, A.V., Dickens, G.R., Claypool, G.E., Lee, Y.-J., Borowski, W.S., Torres, M.E., Xu, W., Tomaru, H., Tréhu, A.M., and Schultheiss, P., 2004, Co-existence of gas hydrate, free gas, and brine within the regional gas hydrate stability zone at Hydrate Ridge (Oregon margin)—Evidence from prolonged degassing of a pressurized core: *Earth and Planetary Science Letters*, v. 222, 829–843.
- Mix, A.C., Tiedemann, R., Blum, P., and others, 2003, Proceedings of the Ocean Drilling Program, Initial Reports, v. 202: College Station, Tex., Ocean Drilling Program, unpagged, accessed September 28, 2005, at [http://www-odp.tamu.edu/publications/202\\_IR/202ir.htm](http://www-odp.tamu.edu/publications/202_IR/202ir.htm).
- Munsell Color Company, Inc., 1975, Munsell Soil Color Charts: Baltimore, Md., Munsell Color Company, Inc.
- Musgrave, R.J., Bangs, N.L., Larrasoana, J.C., Gracia, E., Hollamby, J., and Vega, M.E., 2006, Rise of the base of the gas hydrate zone since the last glacial recorded by rock magnetism: *Geology*, v. 34, no. 2, p. 117–120.
- Naini, B.R., and Talwani, M., 1982, Structural framework and the evolutionary history of the continental margin of western India, *in* *Studies in Continental Margin Geology*, Watkins, J.S. and Drake, C.L. eds.: American Association of Petroleum Geologists Memo 34, p. 167–190.
- Naini, B.R., and Kolla, V., 1982, Acoustic character and thickness of sediments of the Indus Fan and the continental margin of western India: *Marine Geology*, v. 47, p. 181–196.
- Ninkovich, D., Shackleton, N.J., Abdel-Monem, A.A., Obradovich, J.D., and Izett, G., 1978, K-Ar age of the late Pleistocene eruption of Toba, north Sumatra: *Nature*, v. 276, p. 574–577.
- Novosel, I., Winters, W.J., Boldina, O.M., Labails, C., and Geli, L., 2007, Thermal conductivity of sediment recovered from the IMAGES VIII/PAGE 127 Gas Hydrate and Paleoclimate Cruise on the R/V Marion Dufresne in the Gulf of Mexico, 2–18 July 2002, chap. 7 of Winters, W.J., Lorenson, T.D., and Paull, C.K., eds., Initial report of the IMAGES VIII/PAGE 127 gas hydrate and paleoclimate cruise on the RV Marion Dufresne in the Gulf of Mexico, 2–18 July 2002: U.S. Geological Survey Open-File Report 2004–1358, unpagged. (Also available at <http://woodshole.er.usgs.gov/pubs/of2004-1358/>)
- Paull, C.K., Matsumoto, R., Wallace, P.J., and others., 1996, Proceedings of the Ocean Drilling Program, Initial Reports, v.164: College Station, Tex., Ocean Drilling Program.
- Paull, C.K., and Ussler, W., III, 2000, History and significance of gas sampling during DSDP and ODP drilling associated with gas hydrates, *in* Paull, C.K., and Dillon, W.P., eds., Natural gas hydrates: Occurrence, distribution, and detection: American Geophysical Union, Geophysical Monograph Series, v. 124, p. 53–66.
- Pettigrew, T.L. 1992, The design and operation of a wireline pressure core sampler (PCS): College Station, Tex., Ocean Drilling Program, ODP Technical Note 17, accessed August 4, 2006, at <http://www-odp.tamu.edu/publications/tnotes/tn17/INDEX.HTM>.
- Pearson, C.F., Halleck, P.M., McGuire, P.L., Hermes, R., and Mathews, M., 1983, Natural gas hydrate deposits—A review of *in situ* properties: *Journal of Physical Chemistry*, v. 87, p. 4180–4185.
- Pimmel, A., and Claypool, G., 2001, Introduction to shipboard organic geochemistry on the JOIDES Resolution: College Station, Tex., Ocean Drilling Program, ODP Technical Note 30, accessed August 4, 2006, at <http://www-odp.tamu.edu/publications/tnotes/tn30/INDEX.HTM>.
- Powell, C.M., Roots, S.R., and Veevers, J.J., 1988, Pre-breakup continental extension in East Gondwanaland and the early opening of the eastern Indian Ocean: *Tectonophysics*, v. 155, p. 261–183.
- Raju, K.A., Ramprasad, T., Rao, P.S., Rao, R.R., and Varghese, J., 2004, New insights into the tectonic evolution of the Andaman basin, northeast Indian Ocean: *Earth and Planetary Science Letters*, v. 221, p. 145–163.
- Ramaswamy, V., Nair, R.R., Manganini, S., Haake, B., and Ittekkot, V., 1991, Lithonic fluxes to the deep Arabian Sea measured by sediment traps: *Deep Sea Research*, v. 38, p. 169–184.
- Rao, T.H., 2001, Gas hydrate investigations along the continental margins of India: Hyderabad, India, Osmania University, Ph.D. dissertation, 234 p.
- Ramana, M.V., Ramprasad, T., Desa, M., Sathe, A.V., and Sethi, A.K., 2006, Gas hydrate-related proxies inferred from multidisciplinary investigations in the Indian offshore areas: *Current Science*, v. 91, p. 183–189.
- Rastogi, A., Deka, B., Budhiraja, I.L., and Agarwal, G.C., 1999, Possibility of large deposits of gas hydrates in deeper water of India: *Marine Georesources and Geotechnology*, v. 17, p. 49–63.
- Reeburgh, W.S., 1976, Methane consumption in Cariaco Trench waters and sediments: *Earth and Planetary Science Letters*, v. 28, p. 337–344.
- Rider, M., 1996, The geological interpretation of well logs (2d ed.): Caithness, Scotland, Whittles Publishing, 288 p.

- Riedel, M., Collett, T.S., Malone, M.J., and the Expedition 311 Scientists, 2006, Proceedings of the Integrated Ocean Drilling Program, Expedition 311: Washington, D.C., Integrated Ocean Drilling Program Management International, Inc., doi:10.2204/iodp.proc.311.2006, 247 p.
- Rose, W.I., Chesner, C.A., 1990, Worldwide dispersal of ash and gases from Earth's largest known eruption, Toba, Sumatra 75ka: Global and Planetary Change, v. 3, p. 269–275.
- Rothwell, R.G., 1989, Minerals and mineraloids in marine sediments—An optical identification guide: Elsevier Science Publishers, 279 p.
- Sastri, V.V., Venkatachala, B.S., and Narayanan, V., 1981, The evolution of the east coast of India: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 36, p. 23–54.
- Schlager, W., and James, N.P., 1978, Low-magnesian calcite limestones forming at the deep-sea floor, Tongue of the Ocean, Bahamas: Sedimentology, v. 25, p. 675–702.
- Schlich, R., 1981, Aseismic ridges, spreading centers, and ocean basins, in The Ocean Basins and Margins, v. 6, The Indian Ocean, Nairn, A.E.M., and Stehli, F.G., eds.: New York, Plenum Press, p. 51–148.
- Schlumberger, 1989, Log Interpretation Principles/Applications: Houston, Schlumberger Educational Services, SMP-7017, unpagged.
- Schlumberger, 1989, 1994, Log Interpretation Charts: Sugarland, Tex., Schlumberger, SMP-7006, 292 p.
- Schultheiss, P.J., Francis, T.J.G., Holland, M., Roberts, J.A., Amann, H., Thjunjoto, Parkes, R. J., Martin, D., Rothfuss, M., Tyunder, F., and P.D. Jackson, 2006, Pressure coring, logging and sub-sampling with the HYACINTH system, in New ways of looking at sediment cores and core data, Rothwell R.G. ed.: Geological Society of London, Special Publications 267, p. 151–165.
- Scotese, C.R., Gahagan, L.M., and Larson, R.L., 1988, Plate tectonic reconstruction of the Cretaceous and Cenozoic ocean basins: Tectonophysics, v. 155, p. 27–48.
- Serra, O., 1984, Fundamentals of well-log interpretation—1. The acquisition of logging data: Amsterdam, Elsevier Science, 15A, 424 p. [Developments in Petroleum Science Series]
- Serra, O., 1986, Fundamentals of well-log interpretation—2. The interpretation of logging data: Amsterdam, Elsevier Science, 15B, 684 p. [Developments in Petroleum Science Series]
- Serra, O., 1989, Formation microScanner image interpretation: Houston, Tex., Schlumberger Educational Services, SMP-7028.
- Shepard, F., 1954, Nomenclature based on sand-silt-clay ratios: Journal of Sedimentary Petrology, v. 24, p. 151–158.
- Shipboard Scientific Party, 1998, Introduction, in Becker, K., Malone, M.J., and others., Proceedings of the Ocean Drilling Program, Initial Reports, v. 174B: College Station, Tex., Ocean Drilling Program, p. 3–9.
- Shipboard Scientific Party, 2003, Explanatory notes, in Tréhu, A.M., Bohrmann, G., Rack, F.R., Torres, M.E., and others., Proceedings of the Ocean Drilling Program, Initial Reports, v. 204: College Station, Tex., Ocean Drilling Program, p. 1–102 [CD-ROM]. [Available from: Ocean Drilling Program, Texas A&M University, College Station Tex. 77845-9547, USA.]
- Sloan, E.D., 1998, Clathrate hydrates of natural gases (2d ed.): New York, Marcel Dekker, 705 p.
- Smith, D.C., Spivack, A.J., Fisk, M.R., Haveman, S.A., Staudigel, H., and ODP Leg 185 Scientific Party, 2000, Methods for quantifying potential microbial contamination during deep ocean coring: College Station, Tex., Ocean Drilling Program, ODP Technical Note 28, accessed August 4, 2006, at <http://www-odp.tamu.edu/publications/tnotes/tn28/INDEX.HTM>.
- Soffientino B., Spivack A.J., Smith D.C., Roggenstein E.B., D Hondt S.J., 2006, A versatile and sensitive tritium-based radio-assay for measuring hydrogenase activity in aquatic sediments: Microbiological Methods, v. 66, no. 1, p. 136–146. [Epub December 13,2005]
- Subrahmanyam, V., Rao, D.G., Ramprasad, T., Kamesh Raju, K.A., and Gangadhura Rao, M., 1991, Gravity anomalies and crustal structure of the western continental margin off Goa and Mulki, India: Marine Geology, v. 99, p. 247–256.
- Terry, R.D., and Chilingarian, G.V., 1955, Summary of “Concerning some additional aids in studying sedimentary formations” by M.S. Shvetsov: Journal of Sedimentary Petrology, v. 25, no. 3, p. 229–234.
- Thompson, P.R., Bé, A.W.H., Duplessy, J.-C., and Shackleton, N.J., 1979, Disappearance of pink-pigmented *Globigerinoides ruber* at 120,000 yr BP in the Indian and Pacific oceans: Nature, v. 280, p. 554–558.
- Tréhu, A.M., and others, 2004, Three-dimensional distribution of gas hydrate beneath southern Hydrate Ridge—Constraints from ODP Leg 204: Earth and Planetary Science Letters, v. 222, p. 845–862.
- Tréhu, A.M., 2006, Subsurface temperatures beneath southern Hydrate Ridge, in Tréhu, A.M., Bohrmann, G., Torres, M.E., and Colwell, F.S., eds., Proceedings of the Ocean Drilling Program, Scientific Results, 204: College Station, Tex., Ocean Drilling Program, p. 1–26, doi:10.2973/odp.proc.sr.204.114.2006. [CD-ROM; available from: Ocean Drilling Program, Texas A&M University, College Station, Tex. 77845-9547, U.S.A.]

- Tréhu, A.M., Bohrmann, G., Rack, F.R., Torres, M.E., Delwiche, M.E., Dickens, G.R., Goldberg, D.S., Gracia, E., Guerin, G., Holland, M., Johnson, J.E., Lee, Y.J., Liu, C.S., Long, P.S., Milkov, A.V., Riedel, M., Schultheiss, P., Su, X., Teichert, B., Tomaru, H., Vanneste, M., Watanabe, M., and Weinberger, J.L., 2003, Proceedings of the Ocean Drilling Program, Initial Reports, v. 204: College Station, Tex., Ocean Drilling Program, 81 p. [CD-ROM; available from: Ocean Drilling Program, Texas A&M University, College Station, Tex. 77845-9547, USA.]
- UNESCO, 1981, Tenth report of the joint panel on oceanographic tables and standards: Marine Science, v. 36, 25 p. [UNESCO Technical Paper]
- Ussler, W., III, Paull, C.K., McGill, P., Schroeder, D., and Ferrell, D., 2006, A test of the temperature, pressure, and conductivity tool prototype at Hydrate Ridge, *in* Tréhu, A.M., Bohrmann, G., Torres, M.E., and Colwell, F.S., eds., Proceedings of the Ocean Drilling Program, Scientific Results, v. 204: College Station, Tex., Ocean Drilling Program, p. 1–41, doi:10.2973/odp.proc.sr.204.112.2006. [CD-ROM; available from: Ocean Drilling Program, Texas A&M University, College Station, Tex. 77845-9547, U.S.A.]
- von Herzen, R.P., and Maxwell, A.E., 1959, The measurement of thermal conductivity of deep-sea sediments by a needle-probe method: *Journal of Geophysical Research*, v. 64, p. 1557–1563.
- Wallace, P.J., Dickens, G.R., Paull, C.K., and Ussler III, W., 2000, Effects of core retrieval and degassing on the carbon isotope composition of methane in gas hydrate- and free gas-bearing sediments from the Blake Ridge, *in* Paull, C.K., Matsumoto, R., Wallace, P.J., and Dillon, W.P., eds., Proceedings of the Ocean Drilling Program, Scientific Results, v. 164: College Station, Tex., Ocean Drilling Program, p. 101–112 [CD-ROM; available from: Ocean Drilling Program, Texas A&M University, College Station, Tex. 77845-9547, U.S.A.]
- Waxman, M.H., and Smits, L. J. M., 1968, Electrical conductivities in oil-bearing shaly sands: *SPE Journal*, Jun., 107–122.
- Wentworth, C.K., 1922, A scale of grade and class terms of clastic sediments: *Journal of Geology*, v. 30, p. 377–392.
- Winters, W.J., 2000, Stress history and geotechnical properties of sediment from the Cape Fear diapir, Blake Ridge diapir, and Blake Ridge, *in* Paull, C.K., Matsumoto, R., Wallace, P.J., and Dillon, W.P., eds., Proceedings of the Ocean Drilling Program Scientific Results, v. 164: College Station, Tex., Ocean Drilling Program, p. 421–429. [CD-ROM; available from: Ocean Drilling Program, Texas A&M University, College Station, Tex. 77845-9547, U.S.A.]
- Winters, W.J., Novosel, I., Boldina, O., Waite, W.F., and Jablonski, S., 2004, Physical Properties of Sediment Obtained During the IMAGES VIII/PAGE 127 Gas Hydrate and Paleoclimate Cruise on the RV Marion Dufresne in the Gulf of Mexico, 2–18 July 2002, *in* Winters, W.J., Lorenson, T.D., Paull, C.K., eds., Initial report of the IMAGES VIII/PAGE 127 gas hydrate and paleoclimate cruise on the RV Marion Dufresne in the Gulf of Mexico, 2–18 July 2002: U.S. Geological Survey Open-File Report 2004–1358, unpagged. (Also available at <http://woodshole.er.usgs.gov/pubs/of2004-1358/>)
- Westbrook, G.K., Carson, B., Musgrave, R.J., and others., 1994, Proceedings of the Ocean Drilling Program, Initial Reports, v. 146 (pt. 1): College Station, Tex., Ocean Drilling Program.
- Westgate, J.A., Shane, P.A.R., Pearce, N.J.G., Perkins, W.T., Korisettar, R., Chesner, C.A., Williams, M.A.J., and Acharyya, S.K., 1997, All toba tephra occurrences across peninsular India belong to the 75,000 year before present eruption: *Quaternary Research*, v. 50, no. 1, p. 107–112
- Xu, W., 2002, Phase balance and dynamic equilibrium during formation and dissociation of methane gas hydrate, *in* International Conference on Gas Hydrates, 4th, Yokohama, Japan, May 2002, Proceedings: Yokohama, Japan, International Conference on Gas Hydrates, p. 195–200.
- Xu, W., 2004, Modeling dynamic marine gas hydrate systems: *American Mineralogist*, v. 89, p. 1271–1279.
- Yun, T.S., Francisca, F.M., Santamarina, J.C., and Ruppel, C., 2005, Compressional and shear wave velocities in uncemented sediment containing gas hydrate: *Geophysical Research Letters*, v. 32, no. 10, L10609, 13 p.

