

References

- Ackerman, D.J., 1987a, Generalized potentiometric surface of the aquifers in the Cockfield Formation, southeastern Arkansas, spring 1980: U.S. Geological Survey Water-Resources Investigations Report 87-4212, 1 sheet.
- Ackerman, D.J., 1987b, Generalized potentiometric surface of the aquifers in the Sparta-Memphis aquifer, eastern Arkansas, spring 1980: U.S. Geological Survey Water-Resources Investigations Report 87-4282, 1 sheet.
- Ackerman, D.J., 1989a, Hydrology of the Mississippi River Valley alluvial aquifer, South-Central United States—A preliminary assessment of the regional flow system: U.S. Geological Survey Water-Resources Investigations Report 88-4028, 74 p.
- Ackerman, D.J., 1989b, Potentiometric surfaces of the Mississippi River Valley alluvial aquifer in eastern Arkansas, spring 1972 and 1980: U.S. Geological Survey Water-Resources Investigations Report 88-4075, 1 sheet.
- Ackerman, D.J., 1990, Hydrology of the Mississippi River Valley alluvial aquifer, South-Central United States: U.S. Geological Survey Water-Resources Investigations Report 90-358, 228 p.
- Ackerman, D.J., 1996, Hydrology of the Mississippi River Valley alluvial aquifer, South-Central United States: U.S. Geological Survey Professional Paper 1416-D, 56 p.
- Adamski, J.C., 1987, The effect of agriculture on the quality of ground water in a karstified carbonate terrain, northwest Arkansas: Fayetteville, University of Arkansas, M.S. thesis, 124 p.
- Adamski, J.C., 1996, Radium and radon in ground water of the Ozark region in Arkansas, Kansas, Missouri, and Oklahoma: U.S. Geological Survey Fact Sheet 181-96, 1 sheet.
- Adamski, J.C., 1997, Nutrients and pesticides in ground water of the Ozark Plateaus in Arkansas, Kansas, Missouri, and Oklahoma: U.S. Geological Survey Water-Resources Investigations Report, 96-4313, 28 p.
- Adamski, J.C., 2000, Geochemistry of the Springfield Plateau aquifer of the Ozarks Plateaus Province in Arkansas, Kansas, Missouri, and Oklahoma, U.S.A.: *Hydrogeological Processes*, v. 14, p. 849-866.
- Adamski, J.C., Petersen, J.C., Freiwald, D.A., and Davis, J.V., 1995, Environmental and hydrologic setting of the Ozarks Plateaus study unit, Arkansas, Kansas, Missouri, and Oklahoma: U.S. Geological Survey Water-Resources Investigations Report 94-4022, 69 p.
- Agricultural Research Service, 2013, The ARS pesticide properties database: Agricultural Research Service, accessed January 17, 2013, at <http://www.ars.usda.gov/services/docs.htm?docid=14199>.
- Albin, D.R., 1960, Special ground-water report number 1, Murfreesboro area: Arkansas Geological and Conservation Commission in cooperation with the U.S. Geological Survey, 22 p.
- Albin, D.R., 1964, Geology and ground-water resources of Bradley, Calhoun, and Ouachita Counties, Arkansas: U.S. Geological Survey Water-Supply Paper 1779-G, 32 p.
- Albin, D.R., 1965, Water-resources reconnaissance of the Ouachita Mountains, Arkansas: U.S. Geological Survey Water-Supply Paper 1809-J, 14 p.
- Albin, D.R., Hines, M.S., and Stephens, J.W., 1967, Water resources of Jackson and Independence Counties, Arkansas: U.S. Geological Survey Water-Supply Paper 1839-G, 29 p.
- Albin, D.R., Stephens, J.W., and Edds, Joe, 1967, Ground-water levels in deposits of Quaternary and Tertiary age, spring 1965: Arkansas Geological Survey Water Resources Summary, no. 4, 10 p.
- Aley, T.J., 1988, Complex radial flow of ground water in flat-lying residuum-mantled limestone in the Arkansas Ozarks: Proceedings, Second Environmental Problems in Karst Terranes and Their Solutions, National Water Well Association Conference, p. 159-170.
- Aley, T.J., and Aley, Cathy, 1987, Groundwater study—Ozarks National Scenic Riverways: Ozark Underground Laboratory, Protom, Mo., National Park Service Contract CX 6000-4-0083, 222 p.
- Alley, W.M., Healy, R.W., LaBaugh, J.W., and Thomas, E.R., 2002, Flow and storage in groundwater systems: *Science*, v. 296, no. 5575, p. 1985-1990.
- Alley, W.M., Reilly, T.E., and Franke, O.L., 1999, Sustainability of ground-water resources: U.S. Geological Survey Circular 1186, 79 p.
- Androes, D., 2006, The origin and extent of quartz overgrowth cements in anomalous Eocene sandstones and siltstones within the Wilcox Group on Crowley's Ridge: Fayetteville, University of Arkansas, M.S. thesis, 148 p.
- Appelo, C.A.J., and Postma, Dieke, 1999, *Geochemistry, groundwater, and pollution*: Brookfield, Vt., A.A. Bakema Publishers, 536 p.
- Arkansas Agriculture Department, 2013, About the aquaculture division: Arkansas Agriculture Department, accessed March 11, 2013, at <http://aad.arkansas.gov/aquaculture/Pages/default.aspx>.

- Arkansas Department of Environmental Quality, 1981, Groundwater—Elements of an Arkansas State groundwater quality protection strategy: Arkansas Department of Environmental Quality Water Division, v. 1, 96 p. (Also available at http://www.adeq.state.ar.us/water/branch_planning/publications.htm.)
- Arkansas Department of Environmental Quality, 2012, Integrated water quality monitoring and assessment report (draft): Arkansas Department of Environmental Quality, Water Division, prepared pursuant to Sections 305b and 303d of the Federal Water Pollution Control Act, accessed May 10, 2013, at http://www.adeq.state.ar.us/water/reports_data.htm.
- Arkansas Department of Environmental Quality, 2013a, Remedial action trust fund, State priority list: Technical Branch, Hazardous Waste Division, accessed May 10, 2013, at http://www.adeq.state.ar.us/hazwaste/branch_tech/.
- Arkansas Department of Environmental Quality, 2013b, Arkansas Brownfield Program: Arkansas Department of Environmental Quality, accessed May 10, 2013, at <http://www.adeq.state.ar.us/hazwaste/bf/brownfield/>.
- Arkansas Department of Environmental Quality, 2013c, The Elective Sites Cleanup Program: Enforcement and Inspection Branch, Hazardous Waste Division accessed May 10, 2013, at http://www.adeq.state.ar.us/hazwaste/branch_ie/.
- Arkansas Department of Environmental Quality, 2013d, List of publications: Water Division, Water Quality Planning Branch, accessed May 3, 2013, at http://www.adeq.state.ar.us/water/branch_planning/publications.htm.
- Arkansas Department of Health, 1990, Wellhead protection program, State of Arkansas: Department of Health, Division of Engineering, September 1990.
- Arkansas Department of Health, 2009, Source water assessment and protection programs: Arkansas Department of Health, Division of Engineering, Source Water Protection Program, accessed April 3, 2013, at <http://www.healthy.arkansas.gov/programsServices/environmentalHealth/Engineering/sourceWaterProtection/Pages/default.aspx>.
- Arkansas Department of Health, 2013, Drinking water information for Arkansas: Arkansas Department of Health, accessed April 3, 2013, at <http://www.healthy.arkansas.gov/eng/autoupdates/pwslist0.htm>.
- Arkansas Game and Fish Commission, 1998, Arkansas wildlife—A history, K. Sutton, ed.: University of Arkansas Press, 328 p.
- Arkansas Geological Commission, 1980, Ground-water levels in observation wells in Arkansas, spring, 1980: Arkansas Geological Commission in cooperation with the U.S. Geological Survey Water Resources Summary, no. 15, 45 p.
- Arkansas Industrial Development Commission, 1980, Directory of manufacturers in Arkansas, 1980: Arkansas Industrial Development Commission publication, 180 p.
- Arkansas Natural Resources Commission, 1990, Water management, Arkansas water plan, available at <http://anrc.ark.org/divisions/water-resources-management/arkansas-water-plan>.
- Arkansas Natural Resources Commission, 1996, The designation of the Sparta aquifer within Bradley, Calhoun, Columbia, Ouachita, and Union Counties as a critical groundwater area: accessed May 31, 2013, at http://www.anrc.arkansas.gov/Rules%20and%20Regulations/orders/1995-1_designation_of_sparta_as%20cgwap.pdf.
- Arkansas Natural Resources Commission, 1999, Arkansas nonpoint source management plan, 1998–2001, as amended: Little Rock, Ark., Arkansas Natural Resources Commission.
- Arkansas Natural Resources Commission, 2005, Rules for the protection and management of groundwater, Title IV, effective 2005: Little Rock, Ark., Arkansas Natural Resources Commission.
- Arkansas Natural Resources Commission, 2009, Order designating the Cache critical groundwater area: Arkansas Natural Resources Commission, accessed May 31, 2013, at http://www.anrc.arkansas.gov/Rules%20and%20Regulations/orders/nea_critical_gw_designation_2009.pdf.
- Arkansas Natural Resources Commission, 2011, Water law in Arkansas: Little Rock, Ark., Arkansas Natural Resources Commission, 58 p.
- Arkansas Natural Resources Commission, 2012a, Arkansas ground-water protection and management report for 2011: Little Rock, Ark., Arkansas Natural Resources Commission, 139 p.
- Arkansas Natural Resources Commission, 2012b, Status report to the Arkansas Legislative Council on the Grand Prairie area: Demonstration Project and Bayou Meto Water Management District Irrigation Project, accessed April 2, 2013, at <http://www.arkleg.state.ar.us/assembly/2011/Meeting%20Attachments/000/I10445/Exhibit%20H.9%20-%20ANRC%20-%20Status%20Report.pdf>.
- Arkansas Natural Resources Commission, 2013a, Arkansas groundwater protection and management report for 2012, a supplement to the Little Rock, Ark., Arkansas Water Plan: Arkansas Natural Resources Commission, 57 p.
- Arkansas Natural Resources Commission, 2013b, Fact sheet on well metering law: Arkansas Natural Resources Commission, accessed November 25, 2013, at https://static.ark.org/euuploads/anrc/fact_sheet_act_1426.pdf.

- Arkansas Oil and Gas Commission, 2013, General rules and regulations, effective February 8, 2013: Little Rock, Ark., Arkansas Oil and Gas Commission, accessed April 2, 2013, at <http://www.aogc.state.ar.us>.
- Arkansas Pollution Control and Ecology Commission, 1993, Regulation no. 1—Regulation for the prevention of pollution by salt water and other oil field wastes produced by wells in all fields or pools, effective March, 16, 1993: Little Rock, Ark., Arkansas Pollution Control and Ecology Commission, accessed April 4, 2013, at <http://www.adeq.state.ar.us/regs>.
- Arkansas Pollution Control and Ecology Commission, 2002, Regulation no. 20—The Arkansas surface coal mining and reclamation code as revised, effective September 26, 2002: Little Rock, Ark., Arkansas Pollution Control and Ecology Commission, accessed April 4, 2013, at <http://www.adeq.state.ar.us/regs>.
- Arkansas Pollution Control and Ecology Commission, 2005, Regulation no. 17—Arkansas underground injection control code, effective February 14, 2005: Little Rock, Ark., Arkansas Pollution Control and Ecology Commission, accessed April 4, 2013, at <http://www.adeq.state.ar.us/regs>.
- Arkansas Pollution Control and Ecology Commission, 2006, Regulation no. 29—Brownfields redevelopment as revised, effective March 3, 2006: Little Rock, Ark., Arkansas Pollution Control and Ecology Commission, accessed April 4, 2013, at <http://www.adeq.state.ar.us/regs>.
- Arkansas Pollution Control and Ecology Commission, 2008, Regulation no. 22—Solid waste management rules, effective April 26, 2008: Little Rock, Ark., Arkansas Pollution Control and Ecology Commission, accessed April 4, 2013, at <http://www.adeq.state.ar.us/regs>.
- Arkansas Pollution Control and Ecology Commission, 2009, Regulation no. 12—Storage tank regulations as revised, effective December 28, 2009: Little Rock, Ark., Arkansas Pollution Control and Ecology Commission, accessed April 4, 2013, at <http://www.adeq.state.ar.us/regs>.
- Arkansas Pollution Control and Ecology Commission, 2011a, Regulation no. 34—State water permit regulation, effective September 26, 2011: Little Rock, Ark., Arkansas Pollution Control and Ecology Commission, accessed April 4, 2013, at <http://www.adeq.state.ar.us/regs>.
- Arkansas Pollution Control and Ecology Commission, 2011b, Regulation no. 2—Regulation establishing water quality standards for surface waters of the State of Arkansas as revised, effective September 26, 2011: Little Rock, Ark., Arkansas Pollution Control and Ecology Commission, accessed April 4, 2013, at <http://www.adeq.state.ar.us/regs>.
- Arkansas Pollution Control and Ecology Commission, 2012a, Regulation no. 23—Hazardous waste management as revised, effective August 12, 2012: Little Rock, Ark., Arkansas Pollution Control and Ecology Commission, accessed April 4, 2013, at <http://www.adeq.state.ar.us/regs>.
- Arkansas Pollution Control and Ecology Commission, 2012b, Regulation no. 5—Liquid animal waste management systems as revised, effective June 22, 2012: Little Rock, Ark., Arkansas Pollution Control and Ecology Commission, accessed April 4, 2013, at <http://www.adeq.state.ar.us/regs>.
- Arkansas Pollution Control and Ecology Commission, 2012c, Regulation no. 15—The Arkansas open-cut mining and land reclamation code as revised, effective September 15, 2012: Little Rock, Ark., Arkansas Pollution Control and Ecology Commission, accessed April 4, 2013, at <http://www.adeq.state.ar.us/regs>.
- Arkansas Pollution Control and Ecology Commission, 2012d, Regulation no. 30—Arkansas remedial action trust fund hazardous substances site priority list, effective August 12, 2012: Little Rock, Ark., Arkansas Pollution Control and Ecology Commission, accessed April 4, 2013, at <http://www.adeq.state.ar.us/regs>.
- Arkansas Soil and Water Conservation Commission, 1991, Identification of ground-water vulnerability areas in Arkansas: Little Rock, Ark., Arkansas Soil and Water Conservation Commission, 12 p.
- Arkansas State Board of Health, 2012a, Rules and regulations pertaining to public water systems as revised, effective March 23, 2012: Little Rock, Ark., Arkansas State Board of Health, accessed March 30, 2013, at <http://www.healthy.arkansas.gov/programsServices/environmentalHealth/Engineering/Pages/RulesRegulations>.
- Arkansas State Board of Health, 2012b, Rules and regulations pertaining to public water systems as revised, effective March 23, 2012: Little Rock, Ark., Arkansas State Board of Health, Department of Health Center for Local Public Health Branch, Engineering Section, accessed March 30, 2013, at <http://www.healthy.arkansas.gov/programsServices/environmentalHealth/Engineering/Pages/RulesRegulations>.
- Arkansas State Planning Board, 1939, Arkansas water resources: Little Rock, Ark., Arkansas State Planning Board, 92 p.
- Arkansas State Plant Board, 2013, Arkansas ground water, groundwater pesticide database: Arkansas State Plant Board, accessed January 17, 2013, at <http://plantboard.arkansas.gov/Pages/default.aspx>.
- Arkansas Water Study Commission, 1956, Water in Arkansas—A report on the surface water resources in Arkansas: Prepared at the Discretion of the General Assembly of Arkansas, 55 p.

- Arkansas Water Well Construction Commission, 2011, Arkansas Water Well Construction Act, chapter 50 of the Arkansas Code, Title 17: Arkansas Water Well Construction Commission, accessed on May 10, 2013, at http://www.arkansas.gov/awwcc/2011_law.pdf.
- Arthur, J.K., 2001, Hydrogeology, model description, and flow analysis of the Mississippi River alluvial aquifer in northwestern Mississippi: U.S. Geological Survey Water-Resources Investigations Report, 2001–4035, 47 p.
- Arthur, J.K., and Taylor, R.E., 1990, Definition of the geohydrologic framework and preliminary simulation of the ground-water flow in the Mississippi embayment aquifer system, Gulf Coastal Plain, United States: U.S. Geological Survey Water-Resources Investigations Report 86–4364, 97 p.
- Arthur, J.K., and Taylor, R.E., 1998, Ground-water flow analysis of the Mississippi embayment aquifer system, South-Central United States: U.S. Geological Survey Professional Paper, 1416–I, 148 p.
- Baker, N.T., 1990, Summary and analysis of water-use data collection in eastern Arkansas: U.S. Geological Survey Water-Resources Investigations Report 90–4177, 25 p.
- Baker, N.T., Manning, C.A., and Beavers, E.A., 1991, Inventory of public water supplies in Arkansas: U.S. Geological Survey Open-File Report 91–247, 157 p.
- Baker, R.C., 1955, Arkansas' ground-water resources: Arkansas Geological and Conservation Commission in cooperation with the U.S. Geological Survey Circular, no. 1, 16 p.
- Baker, R.C., Hewitt, F.A., and Billingsley, G.A., 1948, Ground-water resources of the El Dorado area, Union County, Arkansas: University of Arkansas Bulletin, v. 42, no. 12, 39 p.
- Bangladesh Agricultural Development Corporation, 1992, Final report of the Deep Tubewell II Project, v. 2.1, Natural Resources: Report prepared for the Bangladesh Agricultural Development Corporation and Overseas Development Administration (United Kingdom), Mott MacDonald Ltd. and Hunting Technical Services, 401 p.
- Barlow, P.M., and Leake, S.A., 2012, Streamflow depletion by wells—Understanding and managing the effects of groundwater pumping on streamflow: U.S. Geological Survey Circular 1376, 84 p.
- Basile-Doelsch, D.I., Meunier, J.D., and Parron, Claude, 2005, Another continental pool in the terrestrial silicon cycle: *Nature*, v. 433, no. 7024, p. 399–402.
- Bates, B.C., Kundzewicz, Z.W., Wu, Shaohong, and Palutikof, J.P., 2008, Climate change and water: Geneva, Switzerland, Technical Paper VI of the Intergovernmental Panel on Climate Change (IPCC), IPCC Secretariat, 210 p.
- Beaver Water District, 2010, Beaver Lake and its watershed: Beaver Water District, accessed October 9, 2012, at <http://www.bwdh2o.org/>.
- Bedinger, M.S., Emmett, L.F., and Jeffery, H.G., 1963, Ground-water potential of the alluvium of the Arkansas River between Little Rock and Fort Smith, Arkansas: U.S. Geological Survey, Water-Supply Paper, 1669–L, 29 p.
- Bedinger, M.S., and Jeffery, H.G., 1964, Ground water in the Lower Arkansas River Valley, Arkansas: U.S. Geological Survey Water-Supply Paper 1669–V, 17 p.
- Bedinger, M.S., and Reed, J.E., 1961, Geology and ground-water resources of Desha and Lincoln Counties, Arkansas: Arkansas Geology and Conservation Commission Water Resources Circular 6, 129 p.
- Bedinger, M.S., Stephens, J.W., and Edds, Joe, 1960, Decline of water levels in the Pine Bluff area: U.S. Geological Survey in cooperation with Arkansas Geological and Conservation Commission Special Ground-Water Report Number 2, 10 p.
- Bell, Robert, 2010, History of U.S. aquaculture has roots in Arkansas: Arkansas Business, accessed December 11, 2012, <http://www.arkansasbusiness.com/article/36243/history-of-us-aquaculture-has-roots-in-arkansas?page=all>.
- Bolyard, S.E., 2007, Migration of landfill contaminants in a tilted-block mantled-karst setting in northwestern Arkansas: Fayetteville, University of Arkansas, M.S. thesis, 69 p.
- Boswell, E.H., Cushing, E.M., Hosman, E.L., and Jeffery, H.G., 1968, Quaternary aquifers in the Mississippi embayment, with discussion on quality of the water: U.S. Geological Survey Professional Paper 448–E, 15 p.
- Boswell, E.H., Moore, G.K., MacCary, L.M., Jeffery, H.G., and others, 1965, Water resources of the Mississippi embayment—Cretaceous aquifers in the Mississippi embayment, with discussions on quality of the water: U.S. Geological Survey Professional Paper 448–C, 37 p.
- Bowman, Steve, and Wright, Steve, 1999, Arkansas Duck Hunter's Almanac: Fayetteville, Ark., Ozark Delta Press, 272 p.
- Brahana, J.V., 1982, Two-dimensional digital groundwater model of the Memphis Sand and equivalent units, Tennessee, Arkansas, Mississippi: U.S. Geological Survey Open-File Report 82–99, 55 p.

- Brahana, J.V., and Broshears, R.E., 1989, Hydrogeology and ground-water flow in the Memphis and Fort Pillow aquifers in the Memphis area, Tennessee: U.S. Geological Survey Water-Resources Investigations Report 89-4131, 56 p.
- Brahana, J.V., and Davis, R.K., 1998, Methodology for delineating ground-water recharge areas of springs in the carbonate-rock terrane of northwest Arkansas, and application to five separate spring basins within the region, *in* Davis, R.K., Brahana, J.V., and Johnston, J.S., eds., Ground water in northwest Arkansas—Minimizing nutrient contamination from non-point sources in karst terrane: Final report for tasks 94-300 and 95-300 to Arkansas Soil and Water Conservation Commission for EPA, Project #C9996103-02 and C9996102-03, 56 p.
- Brahana, J.V., Gonthier, G.J., and Remsing, L.M., 1991, Hydrogeologic data for Boone County, Arkansas: U.S. Geological Survey Open-File Report 91-518, 36 p.
- Brahana, J.V., Leidy, V.A., Lindt, J.M., and Hodge, S.A., 1993, Hydrogeologic data for Carroll County, Arkansas: U.S. Geological Survey Open-File Report 93-150, 32 p.
- Brahana, J.V., and Mesko, T.O., 1988, Hydrogeology and preliminary assessment of regional flow in the upper Cretaceous and adjacent aquifers in the northern Mississippi embayment: U.S. Geological Survey Water-Resources Investigations Report, 87-4000, 65 p.
- Brahana, J.V., Tennyson, Rodney, Terry, Jim, Hays, P.D., and Pollock, Erik, 2009, Reactivated basement faulting as a hydrogeologic control of hypogene speleogenesis in the southern Ozarks of Arkansas, U.S.A., *in* Stafford, Kevin, ed., Advances in hypogene karst studies: National Cave and Karst Research Institute Symposium 1, p. 99-110.
- Brahana, J.V., Ting, T.E., Mohammed Al-Qinna, Murdoch, J.F., Davis, R.K., Laincz, Jozef, Killingbeck, J.J., Szilvagy, Eva, Doheny-Skubic, Margaret, Chaubey, Indrajeet, Hays, P.D., and Thomas, Gregg, 2005, Quantification of hydrologic budget parameters for the vadose zone and epikarst in mantled karst, *in* Kuniansky, E.L., ed., U.S. Geological Survey Karst Interest Group, Proceedings, Rapid City, South Dakota, September 12-15, 2005: U.S. Geological Survey Scientific Investigations Report 2005-5160, p. 144-152.
- Brahana, J.V., 2011a, Karst hydrogeology of the southern Ozarks *in* Kuniansky, E.L., ed., U.S. Geological Survey Karst Interest Group, Proceedings, Fayetteville, Ark., April 26-29, 2011: U.S. Geological Survey Scientific Investigations Report 2011-5031, p. 119
- Brahana, J.V., 2011b, Ten relevant karst hydrogeologic insights gained from 15 years of in situ field studies at the Savoy Experimental Watershed *in* Kuniansky, E.L., ed., U.S. Geological Survey Karst Interest Group, Proceedings, Fayetteville, Ark., April 26-29, 2011: U.S. Geological Survey Scientific Investigations Report 2011-5031, p. 132-141
- Branner, G.C., 1937, Data on springs in Arkansas: Arkansas Geological and Conservation Commission unnumbered series, 127 p.
- Brannon, J.C., Podosek, F.A., and Cole, S.C., 1996, Radiometric dating of Mississippi Valley-type ore deposits, *in* Sangster, D.F., ed., Carbonate hosted lead-zinc deposits: Society of Economic Geologists Special Publication 4, p. 536-545.
- Broom, M.E., Kraemer, T.F., and Bush, W.V., 1984, A reconnaissance study of the saltwater contamination in the El Dorado aquifer, Union County, Arkansas: U.S. Geological Survey Water-Resources Investigations Report 84-4012, 47 p.
- Broom, M.E., and Lyford, F.P., 1981, Alluvial aquifer of the Cache and St. Francis River Basins, northeastern Arkansas: U.S. Geological Survey Open-File Report 81-476, 48 p.
- Broom, M.E., and Lyford, F.P., 1982, Alluvial aquifer of the Cache and St. Francis River Basins, northeastern Arkansas: Arkansas Geological Commission Circular No. 13, 48 p., 13 pls.
- Broom, M.E., and Reed, J.E., 1973, Hydrology of the Bayou Bartholomew alluvial aquifer-stream system, Arkansas: U.S. Geological Survey Open-File Report 73-34, 91 p.
- Bryant, C.T., Ludwig, A.H., and Morris, E.E., 1985, Ground-water problems in Arkansas: U.S. Geological Survey Water-Resources Investigations Report 85-4010, 24 p.
- Buckalew, A.R., and Buckalew, R.B., 1974, The discovery of oil in south Arkansas, 1920-1924: Arkansas Historical Quarterly, v. 32, p. 195-208.
- Caplan, W.M., 1954, Subsurface geology and related oil and gas possibilities of northeastern Arkansas: Arkansas Resources and Development Commission Bulletin 20, 124 p.
- Caplan, W.M., 1960, Subsurface geology of pre-Everton rocks in northern Arkansas: Arkansas Geological and Conservation Commission Information Circular 21, 17 p.
- Cardon, G.E., and Mortvedt, J.J., 2001, Salt affected soils: Fort Collins, Colo., Colorado State University Cooperative Extension Service, 5 p.
- Chapelle, F.H., 2001, Ground-water microbiology and geochemistry (2d ed.): New York, John Wiley and Sons, Inc., 477 p.
- Chapelle, F.H., Bradley, P.M., Thomas, M.A., and McMahon, P.B., 2009, Distinguishing iron-reducing from sulfate-reducing conditions: Ground Water, v. 47, no. 2, p. 300-305.
- Chowdhury, A.A.F., 2002, The impact of the acreage allotment program on rice farming: International Advances in Economic Research, v. 8, no. 1, p. 49-57.

- Clark, B.R., and Hart, R.M., 2009, The Mississippi Embayment Regional Aquifer Study (MERAS)—Documentation of a groundwater-flow model constructed to assess water availability in the Mississippi embayment: U.S. Geological Survey Scientific Investigations Report 2009–5172, 61 p.
- Clark, B.R., Hart, R.M., and Gurdak, J.J., 2011a, Groundwater availability of the Mississippi embayment: U.S. Geological Survey Professional Paper 1785, 62 p.
- Clark, B.R., Westerman, D.A., and Fugitt, D.T., 2011b, Simulation of the effects of groundwater withdrawals on water-level altitudes in the Sparta aquifer in the Bayou Meto-Grand Prairie area of eastern Arkansas, 2007–37: U.S. Geological Survey Scientific Investigations Report 2011–5215, 9 p.
- Clark, B.R., Westerman, D.A., and Fugitt, D.T., 2013, Enhancements to the Mississippi Embayment Regional Aquifer Study (MERAS) groundwater flow model and simulations of sustainable water-level scenarios: U.S. Geological Survey Scientific Investigations Report 2013–5161, 36 p.
- Cole, E.F., and Morris, E.E., 1986, Water resources of the Ouachita National Forest, Arkansas: U.S. Geological Survey Water-Resources Investigations Report 86–4166, 1 sheet.
- Conrad, T.A., 1856, Observations on the Eocene deposit of Jackson, Mississippi, with descriptions of thirty-four new species of shells and corals: Philadelphia Academy of Natural Sciences, Proceedings, v. 7, p. 257–258.
- Cordova, R.M., 1963, Reconnaissance of the ground-water resources of the Arkansas Valley region: U.S. Geological Survey Water-Supply Paper 1669–BB, 33 p.
- Coughlin, T.L., 1975, Geologic and environmental factors affecting groundwater chemistry in north-central Washington County, Arkansas: Fayetteville, University of Arkansas, M.S. thesis, 130 p.
- Counts, H.B., 1957, Ground-water resources of parts of Lonoke, Prairie, and White Counties, Arkansas: Arkansas Geology and Conservation Commission Water Resources Circular 5, 65 p.
- Counts, H.B., and Engler, K., 1954, Changes in water levels in deposits of Quaternary age in eastern Arkansas from 1938–1953: University of Arkansas, Agriculture Experiment Station Report Series 42, 11 p.
- Counts, H.B., Tait, D.B., Klein, H., and Billingsley, G.A., 1955, Ground-water resources in a part of southwestern Arkansas: Arkansas Geological Commission Water Resources Circular, no. 2, 35 p.
- Cox, G.D., Ogden, A.E., and Slavik, Greta, 1980, Contamination of Boone-St. Joe Limestone groundwater by septic tanks and chicken houses: Arkansas Academy of Science Proceedings, v. 34, p. 41–44.
- Cox, R.T., 2009, Ouachita, Appalachian, and ancestral Rockies deformations recorded in mesoscale structures on the foreland Ozark plateaus: Tectonophysics, v. 474, no. 3–4, p. 674–683.
- Crider, A.F., 1906, Drainage of wetlands in Arkansas by wells: U.S. Geological Survey Water-Supply Paper 160, p. 54–58.
- Crider, A.F., and Johnson, L.C., 1906, Summary of the underground-water resources of Mississippi: U.S. Geological Survey Water-Supply Paper 159, 86 p.
- Cushing, E.M., Boswell, B.H., and Hosman, R.L., 1964, General geology of the Mississippi embayment: U.S. Geological Survey Professional Paper 448–B, 28 p.
- Czarnecki, J.B., 2006a, Effects of proposed additional ground-water withdrawals from the Mississippi River Valley alluvial aquifer on water levels in Lonoke County, Arkansas: U.S. Geological Survey Scientific Investigations Report 2006–5275, 6 p.
- Czarnecki, J.B., 2006b, Simulation of various management scenarios of the Mississippi River Valley alluvial aquifer in Arkansas: U.S. Geological Survey Scientific Investigations Report 2006–5052, 14 p.
- Czarnecki, J.B., 2007, Simulated ground-water withdrawals by Cabot WaterWorks from the Mississippi River Valley alluvial aquifer, Lonoke County, Arkansas: U.S. Geological Survey Scientific Investigations Report 2007–5030, 39 p.
- Czarnecki, J.B., 2008, Evaluation of selected model constraints and variables on simulated sustainable yield from the Mississippi River Valley alluvial aquifer system in Arkansas: U.S. Geological Survey Scientific Investigations Report 2008–5138, 21 p.
- Czarnecki, J.B., 2009, Effects of potential changes in groundwater withdrawals from the Sparta aquifer on water-level altitudes in Jefferson County, Arkansas: U.S. Geological Survey Scientific Investigations Report 2009–5234, 8 p.
- Czarnecki, J.B., 2010, Groundwater-flow assessment of the Mississippi River Valley alluvial aquifer of northeastern Arkansas: U.S. Geological Survey Scientific Investigations Report 2010–5210, 33 p.
- Czarnecki, J.B., Bolyard, S.E., Hart, R.M., and Clark, J.M., 2014, Digital surfaces and thicknesses of selected hydrogeologic units within the Ozark Plateaus aquifer system, northwestern Arkansas: U.S. Geological Survey Scientific Investigations Report 2013–5208, 25 p.

- Czarnecki, J.B., Clark, B.R., and Reed, T.B., 2003, Conjunctive-use optimization model of the Mississippi River Valley alluvial aquifer of northeastern Arkansas: U.S. Geological Survey Water-Resources Investigations Report 03–4230, 29 p.
- Czarnecki, J.B., Clark, B.R., and Stanton, G.P., 2003, Conjunctive-use optimization model of the Mississippi River Valley alluvial aquifer of southeastern Arkansas: U.S. Geological Survey Water-Resources Investigations Report 03–4233, 26 p.
- Czarnecki, J.B., Gillip, J.A., Jones, P.M., and Yeatts, D.S., 2009, Groundwater-flow model of the Ozark Plateau aquifer system, northwestern Arkansas, southeastern Kansas, southwestern Missouri, and northeastern Oklahoma: U.S. Geological Survey Scientific Investigations Report 2009–5148, 62 p.
- Czarnecki, J.B., Hays, P.D., and McKee, P.W., 2012, The Mississippi River Valley alluvial aquifer in Arkansas—A sustainable water resource?: U.S. Geological Survey Fact Sheet 041–02, 4 p.
- Czarnecki, J.B., Pugh, A.L., and Blackstock, J.M., 2013, Potentiometric surface of the Ozark aquifer in northern Arkansas, 2010: U.S. Geological Survey Scientific Investigations Report 2014–5013, 16 p.
- Czarnecki, J.B., and Schrader, T.P., 2013, Effects of recent climate variability on groundwater levels in eastern Arkansas: U.S. Geological Survey Scientific Investigations Report 2012–5258, 17 p.
- Dall, W.H., 1898, A table of the North American Tertiary horizons, correlated with one another and those of Western Europe, with annotations: U.S. Geological Survey 18th Annual Report, part 2, p. 323–348.
- Dane, C.H., 1929, Upper Cretaceous formations of southwestern Arkansas: Arkansas Geological Survey Bulletin 1, 215 p.
- Davies, J., and Exley, C., 1992, Hydrochemical character of the main aquifer units of central and north-eastern Bangladesh and possible toxicity of groundwater to fish and humans, final report: British Geological Survey Technical Report WD/92/43R, 70 p.
- Davis, R.K., Brahana, J.V., and Johnston, J.S., 2000, Ground water in northwest Arkansas—Minimizing nutrient contamination from non-point sources in karst terrane: Fayetteville, Ark., University of Arkansas, Arkansas Water Resources Center, no. MSC–288, 69 p.
- Davis, R.K., Hamilton, S., and Brahana, J.V., 2005, *Escherichia coli* survival in springs and streams of mantled karst aquifers, northwest Arkansas: Journal of American Water Resources Association, v. 41, n. 6, p. 1279–1287.
- Davis, R.K., and Shephard, S., 2010, Beaver Lake and its watershed 2010, Beaver Water District, 44 p., accessed October 9, 2012, at <http://www.bwdh2o.org/wp-content/uploads/2012/03/2010-FINAL-Beaver-Lake-Watershed-Report.pdf>.
- Dintelmann, D., Gutierrez, M., and Gouzie, D., 2006, Groundwater potentiometric decline in the Springfield, Missouri area: Environmental Geology, v. 50, no. 4, p. 541–549.
- Dollof, J.H., Rozendal, R.A., Siratovich, E.N., Swain, F.M., Jr., and Woncik, J., 1967, Subsurface upper Cretaceous stratigraphy of southwestern Arkansas: Gulf Coast Association of Geological Survey Transactions, v. 17, p. 76–104.
- Drogue, C., 1980, Essai d'identification d'un type de structure de magasins carbonates fissures: Application à l'interprétation de certains aspects du fonctionnement hydrogéologique: Mém sér Soc Géol France, v. 11, p. 101–108.
- Edds, Joe, and Fitzpatrick, D.J., 1984a, Maps showing the altitude of the potentiometric surface and changes in the water levels of the alluvial aquifer in eastern Arkansas, spring 1983: U.S. Geological Survey Water-Resources Investigations Report 84–4264, 1 sheet.
- Edds, Joe, and Fitzpatrick, D.J., 1984b, Maps showing altitude of the potentiometric surface and changes in water levels of the Sparta Sand and Memphis Sand aquifers in eastern Arkansas, spring 1983: U.S. Geological Survey Water-Resources Investigations Report 84–4265, 1 sheet.
- Edds, Joe, and Fitzpatrick, D.J., 1985, Maps showing altitude of the potentiometric surface and changes in water levels of the Sparta Sand and Memphis Sand aquifers in eastern Arkansas, spring 1984: U.S. Geological Survey Water-Resources Investigations Report 85–4223, 1 sheet.
- Edds, Joe, and Fitzpatrick, D.J., 1986, Maps showing altitude of the potentiometric surface and changes in water levels of the Sparta Sand and Memphis Sand aquifers in eastern Arkansas, spring 1985: U.S. Geological Survey Water-Resources Investigations Report 86–4084, 1 sheet.
- Edds, Joe, and Fitzpatrick, D.J., 1989, Altitude of the potentiometric surface and changes in water levels in the Sparta-Memphis aquifer in eastern and southern Arkansas, spring 1986: U.S. Geological Survey Water-Resources Investigations Report 88–4042, 1 sheet.
- Edds, Joe, and Remsing, L.M., 1986, Ground-water levels in Arkansas, spring 1986: U.S. Geological Survey Open-File Report 86–406–W, 62 p.
- Emmett, L.F., Skelton, John, Luckey, R.R., and Miller, D.E., and others, 1978, Water resources and geology of the Springfield area, Missouri: Missouri Department of Natural Resources, 160 p.

- Encyclopedia of Arkansas, 2013, Lake Georgia-Pacific *in* The encyclopedia of Arkansas history and culture: Encyclopedia of Arkansas, Central Arkansas Library System, accessed September 10, 2013, at <http://www.encyclopediaofarkansas.net/encyclopedia/media-detail.aspx?mediaID=7071>.
- Engle, C.R., 2012, Aquaculture *in* The encyclopedia of Arkansas history and culture: Encyclopedia of Arkansas, Central Arkansas Library System, accessed April 13, 2013, at <http://www.encyclopediaofarkansas.net/encyclopedia/entry-detail.aspx?entryID=3640>.
- Engler, Kyle, 1958, Water levels in rice irrigation wells in the Grand Prairie region: Arkansas Farm Research, May–June 1958, v. 7, 12 p.
- Engler, Kyle, Bayley, F.H., and Sniegocki, R.T., 1963, Studies of artificial recharge in the Grand Prairie region, Arkansas environment and history: U.S. Geological Survey Water-Supply Paper 1615–A, 32 p.
- Engler, Kyle, Thompson, D.G., and Kazmann, R.G., 1945, Groundwater supplies for rice irrigation in the Grand Prairie region, Arkansas: University of Arkansas, College of Agriculture, Agricultural Experiment Station Bulletin, no. 457, 56 p.
- Fancher, G.H., and Mackay, D.K., 1946, Secondary recovery of petroleum in Arkansas: Report to the 56th General Assembly of the State of Arkansas under the auspices of the Arkansas Oil and Gas Commission, p. 245–250.
- Fenneman, N.M., 1938, Physiography of eastern United States: New York, McGraw-Hill Book Co., Inc., 714 p.
- Fetter, C.W., 1988, Applied hydrogeology (2d ed.): New York, Macmillan Publishing Company, 592 p.
- Fisk, H.N., 1944, Geological investigation of the alluvial aquifer of the lower Mississippi River: U.S. Department of the Army, Mississippi River Commission, 78 p.
- Fisk, H.N., 1947, Fine-grained alluvial deposits and their effects on Mississippi River activity: U.S. Army Corps of Engineers, Waterways Experiment Station, 82 p.
- Fitzpatrick, D.J., 1985, Occurrence of saltwater in the alluvial aquifer in the Boeuf-Tensas Basin, Arkansas: U.S. Geological Survey Water-Resources Investigations Report 85–4029, 1 sheet.
- Fitzpatrick, D.J., 1990, A preliminary assessment of the potential for artificial recharge in eastern Arkansas: U.S. Geological Survey Water-Resources Investigations Report 90–4123, 31 p.
- Fitzpatrick, D.J., Kilpatrick, J.M., and McWreath, Harry, 1990, Geohydrologic characteristics and simulated response to pumping stresses in the Sparta aquifer in east-central Arkansas: U.S. Geological Survey Water-Resources Investigations Report 88–4201, 50 p.
- Freeze, R.A., and Cherry, J.A., 1979, Groundwater: New Jersey, Prentice-Hall, 604 p.
- Freiwald, D.A., 1984, Average annual precipitation and runoff in Arkansas, 1951–80: U.S. Geological Survey Water-Resources Investigations Report 84–4363, 1 sheet.
- Freiwald, D.A., 1987, Streamflow gain and loss of selected streams in northern Arkansas: U.S. Geological Survey Water-Resources Investigations Report 86–4185, 4 sheets.
- Freiwald, D.A., and Grosz, G.D., 1988, Effects of fluctuating river-pool stages on ground-water levels in the adjacent alluvial aquifer in the lower Arkansas River, Arkansas: U.S. Geological Survey Water-Resources Investigations Report 87–4279, 14 p.
- Freiwald, D.A., and Johnson, S.F., 2007, Monitoring of Sparta aquifer recovery in southern Arkansas and northern Louisiana, 2003–07: U.S. Geological Survey Fact Sheet 2007–3102, 4 p.
- Freiwald, D.A., and Plafcan, Maria, 1987, Ground-water levels in Arkansas, spring 1987: U.S. Geological Survey Open-File Report 87–459, 66 p.
- Frezon, S.E., and Glick, E.E., 1959, Pre-Atoka rocks of northern Arkansas: U.S. Geological Survey Professional Paper 314–H, 18 p.
- Funkhouser, J.E., Little, P.R., Brahana, J.V., Kresse, T.M., Anderson, M., Formica, S., and Huetter, T., 1999, Methodology to study the effects of animal production in mantled karst aquifers of the southern Ozarks, *in* Palmer, A.N., Palmer, M.V., and Sasowsky, I.D., eds., Karst modeling: Special Publication 5, Karst Waters Institute, Charles Town, W. Va., p. 255–258.
- Gates, J.B., 2005, Groundwater irrigation in the development of the Grand Prairie rice industry, 1896–1950: Papers in the Earth and Atmospheric Sciences, paper 172, p. 394–413.
- Ghasemizadeh, Reza, Hellweger, Ferdinand, Butscher, Christoph, Padilla, Ingrid, Vesper, Dorothy, Field, Malcolm, and Alshawabkeh, Akram, 2012, Review—Groundwater flow and transport modeling of karst aquifers, with particular reference to the North Coast Limestone aquifer system of Puerto Rico: Hydrogeology Journal, v. 20, no. 8, p. 1441–1461.
- Ghil, Michael, 2002, Natural climate variability, *in* MacCracken, M.C., and Perry, J.S., eds., Encyclopedia of global environmental change—Volume 1, the Earth system—Physical and chemical dimensions of global environmental change: Chichester, John Wiley and Sons, p. 544–549.
- Gillip, J.A., 2007, The effects of land-use change on water quality and speleogenesis in Ozark cave systems—A paired cave study of Civil War and Copperhead Caves, northwestern Arkansas: Fayetteville, University of Arkansas, M.S. thesis, 77 p.

- Gillip, J.A., and Czarnecki, J.B., 2009, Validation of a groundwater flow model of the Mississippi River Valley alluvial aquifer using water-level and water-use data for 1998–2005 and evaluation of water-use scenarios: U.S. Geological Survey Scientific Investigations Report 2009–5040, 22 p.
- Gilmour, J.T., 2000, Water quality in rice production: B.R. Wells Rice Research Studies 2000, Arkansas Agricultural Experiment Station Research Series, no. 485, p. 171–177.
- Gonthier, G.M., 2003, Quality of ground water in Pleistocene and Holocene subunits of the Mississippi River Valley alluvial aquifer, 1998: U.S. Geological Survey Water-Resources Investigations Report 03–4202, 84 p.
- Gonthier, G.M., and Mahon, G.L., 1993, Thickness of the Mississippi River Valley confining unit, eastern Arkansas: U.S. Geological Survey Water-Resources Investigations Report 92–4121, 4 sheets.
- Gordon, Mackenzie, Jr., Tracey, J.I., Jr., and Ellis, M.W., 1958, Geology of the Arkansas bauxite region: U.S. Geological Survey Professional Paper 299, 268 p.
- Gott, J.D., 1975, Soil survey of Mark Twain National Forest area, Missouri: U.S. Department of Agriculture, Soil Survey Report, p. 47–50.
- Griffis, C.L., 1972, Groundwater surface-water integration study in the Grand Prairie of Arkansas: Arkansas Water Resources Research Center, no. 11, 330 p.
- Grohskopf, J.G., and McCracken, Earl, 1949, Insoluble residues of some Paleozoic formations of Missouri, their preparation, characteristics, and application: Missouri Geological Survey and Water Resources Report of Investigations, no. 10, 39 p.
- Grosz, G.D., Terry, J.E., and Hall, A.P., 1988, Hydrology of the lower Little Red River, Arkansas, and a procedure for estimating available streamflow: U.S. Geological Survey Water-Resources Investigations Report 88–4008, 106 p.
- Guccione, M.J., Prior, W.L., and Rutledge, E.M., 1986, The Tertiary and Quaternary geology of Crowley's Ridge—A guidebook: Arkansas Geological Commission Guidebook 86–4, 39 p.
- Halberg, H.N., 1972, Use of water in Arkansas, 1970: State of Arkansas Geological Commission, Water Resources Summary, no. 7, 17 p.
- Halberg, H.N., 1977, Use of water in Arkansas, 1975: State of Arkansas Geological Commission Water Resources Summary, no. 9, 28 p.
- Halberg, H.N., Bryant, C.T., and Hines, M.S., 1968, Water resources of Grant and Hot Spring Counties, Arkansas: U.S. Geological Survey Water-Supply Paper 1857, 64 p.
- Halberg, H.N., and Reed, J.E., 1964, Ground water resources of eastern Arkansas in the vicinity of U.S. Highway 70: U.S. Geological Survey Water-Supply Paper 1779–V, 38 p.
- Halberg, H.N., and Stephens, J.W., 1966, Use of water in Arkansas, 1965: State of Arkansas Geological Commission Water Resources Summary, no. 5, 12 p.
- Hale, H., 1926, City water supplies of Arkansas: Fayetteville, Ark., University of Arkansas Engineering Experiment Station Bulletin, no. 2, 100 p.
- Hale, H., Baker, R.C., Walling, I.W., Parrish, D.M., Billingsley, G.A., 1947, Public water supplies of Arkansas: Fayetteville, Ark., University of Arkansas Bulletin, Research Series, no. 11, 104 p.
- Haley, B.R., Glick, E.E., Bush, W.V., Clardy, B.F., Stone, C.G., Woodward, M.B., and Zachry, D.L., 1993, Geologic map of Arkansas: U.S. Geological Survey, 1 sheet.
- Hall, A.P., and Holland, T.W., 1984, Water use in Arkansas, 1981: U.S. Geological Survey Water Resources Investigation 84–4070, 1 sheet.
- Hanson, R.T., Newhouse, M.W., and Dettinger, M.D., 2004, A methodology to assess relations between climatic variability and variations in hydrologic time series in the southwestern United States: *Journal of Hydrology*, v. 287, no. 1–4, p. 252–269.
- Harrington, A.D., and Childers, R.A., 1985, Arkansas directory of manufacturers (1984 ed.): Arkansas Industrial Development Foundation, 324 p.
- Hart, R.M., and Clark, B.R., 2008, Geophysical log database for the Mississippi Embayment Regional Aquifer Study (MERAS): U.S. Geological Survey Scientific Investigations Report 2008–5192, 8 p.
- Hart, R.M., Clark, B.R., and Bolyard, S.E., 2008, Digital surfaces and thicknesses of selected hydrogeologic units within the Mississippi Embayment Regional Aquifer Study (MERAS): U.S. Geological Survey Scientific Investigations Report 2008–5098, 33 p.
- Harvey, E.J., 1980, Ground water in the Springfield-Salem Plateaus of southern Missouri and northern Arkansas: U.S. Geological Survey Water-Resources Investigations 80–101, 66 p.
- Hays, P.D., 1999, Sustainable yield estimation for the Sparta aquifer in Union County, Arkansas: U.S. Geological Survey Water-Resources Investigations Report 99–4274, 18 p.
- Hays, P.D., 2000, Sustainable-yield estimation for the Sparta Aquifer in Union County, Arkansas: U.S. Geological Survey Water-Resources Investigations Report 99–4274, 17 p.
- Hays, P.D., 2001, Simulated response to recharge augmentation of the Sparta aquifer in southeastern Arkansas: U.S. Geological Survey Water-Resources Investigations Report 01–4039, 14 p.

- Hays, P.D., and Fugitt, D.T., 1999, The Sparta aquifer in Arkansas' critical ground-water areas—Response of the aquifer to supplying future water needs: U.S. Geological Survey Water-Resources Investigations Report 99-4075, 6 p.
- Hays, P.D., Lovelace, J.K., and Reed, T.B., 1998, Simulated response to pumping stress in the Sparta aquifer of southeastern Arkansas and north-central Louisiana, 1998–2027: U.S. Geological Survey Water-Resources Investigations Report 98-4121, 25 p.
- Hays, P.D., and McKee, P.W., 2003, The Sparta aquifer—A sustainable regional resource?: U.S. Geological Survey Fact Sheet FS-111-02, 4 p.
- Healy, R.W., 2010, Estimating groundwater recharge: Cambridge, New York, Cambridge University Press, 256 p.
- Helsel, D.R., and Hirsch, R.M., 2002, Statistical methods in water resources: U.S. Geological Survey Techniques of Water-Resources Investigations, book 4, chap. A3, 522 pages.
- Hem, J.D., 1989, Study and interpretation of the chemical characteristics of natural water (3d ed.): U.S. Geological Survey Water-Supply Paper 2254, 263 p.
- Henry, C., Daniels, M., and Hardke, J., 2013, Water management, *in* Hardke, J.T., ed., Arkansas rice production handbook: University of Arkansas Cooperative Extension Service, Little Rock, Ark., p. 103–122.
- Hewitt, F.A., Baker, R.C., and Billingsley, G.A., 1949, Ground-water resources of Ashley County, Arkansas: Arkansas University, Institute of Science and Technology, Research Series 14, 35 p.
- Hill, R.T., 1888, The Neozoic geology of southwestern Arkansas, *in* Annual report of the Geological Survey of Arkansas: Little Rock, Ark., Press Printing Co., v. 2, p. 1–259.
- Hines, M.S., 1975, Flow-duration and low-flow frequency determinations of selected Arkansas streams: Arkansas Geological Survey, Water Resources Circular 12, 66 p.
- Hines, M.S., Plebuch, R.O., and Lamonds, A.G., 1972, Water resources of Clay, Greene, Craighead, and Poinsett Counties, Arkansas: U.S. Geological Survey Hydrologic Atlas 337, 2 maps.
- Hobza, C.M., 2005, Ground-water quality near a swine waste lagoon in a mantled karst terrane in northwestern Arkansas: Fayetteville, University of Arkansas, M.S. thesis, 76 p.
- Holland, T.W., 1981, Use of water in Arkansas, 1980: State of Arkansas Geological Commission Water Resources Summary, no. 14, 30 p.
- Holland, T.W., 1987, Use of water in Arkansas, 1985: State of Arkansas Geological Commission Water Resources Summary, no. 16, 27 p.
- Holland, T.W., 1993, Water use in Arkansas, 1990: U.S. Geological Survey Open-File Report 93-48, 9 p.
- Holland, T.W., 1999, Water use in Arkansas, 1995: U.S. Geological Survey Open-File Report 99-188, 1 sheet.
- Holland, T.W., 2004, Estimated water use in Arkansas, 2000: U.S. Geological Survey Scientific Investigations Report 2004-5230, 31 p.
- Holland, T.W., 2007, Water use in Arkansas, 2005: U.S. Geological Survey Scientific Investigations Report 2007-5241, 32 p.
- Holland, T.W., and Hall, A.P., 1986, Water use in Arkansas, 1982: U.S. Geological Survey Water-Resources Investigations Report 85-4282, 1 sheet.
- Holman, I.P., 2006, Climate change impacts on ground-water recharge—Uncertainty, shortcomings, and the way forward?: Hydrogeology Journal, v. 14, no. 5, p. 637–647.
- Hon, Rudolph, Doherty, Kevin, Davidson, Thomas, Brandon, W.C., Stein, C.L., and McTigue, D.F., 2002, Arsenic sources and pathways in the overburden of central Massachusetts: Arsenic in New England—A Multi-Discipline Scientific Conference, Manchester, N.H., May 29–31, 2002, 2 p.
- Hosman, R.L., 1964, The Carrizo Sand, a potential aquifer in south-central Arkansas: U.S. Geological Survey Professional Paper 501-D, p. 158–160.
- Hosman, R.L., 1982, Outcropping Tertiary units in southern Arkansas: U.S. Geological Survey Miscellaneous Investigations Series I-1405, 1 sheet.
- Hosman, R.L., 1988, Geohydrologic framework, Gulf Coastal Plain: U.S. Geological Survey Hydrologic Investigations Atlas HA-695, 2 sheets.
- Hosman, R.L., 1996, Regional stratigraphy and subsurface geology of Cenozoic deposits, Gulf Coastal Plain, South-Central United States: U.S. Geological Survey Professional Paper 1416-G, 35 p.
- Hosman, R.L., Long, A.T., Lambert, T.W., Jeffery, H.G., and others, 1968, Tertiary aquifers in the Mississippi embayment, with discussions of quality of the water: U.S. Geological Survey Professional Paper 448-D, 29 p.
- Hosman, R.L., and Weiss, J.S., 1991, Geohydrologic units of the Mississippi embayment and Texas coastal uplands aquifer systems, South-Central United States: U.S. Geological Survey Professional Paper 1416-B, 19 p.
- Howe, W.B., and Konig, J.W., 1961, The stratigraphic succession in Missouri: Missouri Geologic Survey and Water Resources Division, v. 40, 185 p.

- Hudson, M.R., and Cox, R.T., 2003, Late Paleozoic tectonics of the southern Ozark dome, *in* Cox, R.T., comp., Field trip guidebook for joint South-Central and Southeastern sections: Geological Society of America, Tennessee Division of Geology Report of Investigations 51, p. 15–32.
- Hudson, M.R., Mott, D.N., Turner, K.J., and Murray, K.E., 2005, Geologic controls on a transition between karst aquifers at Buffalo National River, northern Arkansas, *in* Kuniensky, E.L., 2005, U.S. Geological Survey Karst Interest Group Proceedings, Rapid City, S.D., September 12–15, 2005: U.S. Geological Survey Scientific Investigations Report 2005–5160, p. 143.
- Hudson, M.R., and Turner, K.J., 2007, Geologic map of the Boxley quadrangle, Newton and Madison Counties, Arkansas: U.S. Geological Survey Scientific Investigations Map 2991, 1:24,000 scale.
- Hudson, M.R., Turner, K.J., and Bitting, C., 2011, Geology and karst landscapes of the Buffalo National River area, northern Arkansas, *in* Kuniensky, E.L., ed., U.S. Geological Survey Karst Interest Group Proceedings, Fayetteville, Ark., April 26–29, 2011: U.S. Geological Survey Scientific Investigations Report 2011–5031, p. 191–212.
- Hudson, M.R., Turner, K.J., and Trexler, C.C., 2009, Regional joint analysis for the Buffalo National River area of northern Arkansas—Implications for tectonic history and landscape influence: Geological Society of America Abstracts with Programs, v. 41, no. 7, p. 367.
- Huetter, T.A., Van Schaik, E.J., and Kresse, T.M., 1997, Report on the third sampling of the Omaha Monitoring Area: Arkansas Department of Pollution Control and Ecology, WQ97–06–3, 44 p.
- Huff, G.F., and Bonck, J.P., 1993, Saltwater in shallow aquifers in east-central and northeastern Louisiana and southeastern Arkansas: U.S. Geological Survey Open-File Report 93–494, 29 p.
- Hunrichs, R.A., 1983, Identification and classification of perennial streams of Arkansas: U.S. Geological Survey Water-Resources Investigations Report 83–4063, 1 sheet.
- Imes, J.L., and Emmett, L.F., 1994, Geohydrology of the Ozark Plateaus aquifer system in parts of Missouri, Arkansas, Oklahoma, and Kansas: U.S. Geological Survey Professional Paper 1414–D, 127 p.
- Imes, J.L., and Fredrick, B.S., 2002, Using dye-tracing and chemical analyses to determine effects of a wastewater discharge to Jam Up Creek on water quality of Big Spring, southeastern Missouri, 2001: U.S. Geological Survey Fact Sheet 103–02, 1 sheet.
- Imes, J.L., and Kleeschulte, M.J., 1996, Seasonal ground-water level changes (1990–1993) and flow patterns in the Fristoe unit of the Mark Twain National Forest, southern Missouri: U.S. Geological Survey Water-Resources Investigations Report 95–4096, 1 sheet.
- Imes, J.L., and Smith, B.J., 1990, Areal extent, stratigraphic relation, and geohydrologic properties of regional geohydrologic units in southern Missouri: U.S. Geological Survey Hydrologic Investigations Atlas HA–711–I, 3 sheets, scale 1:750,000.
- Jagucki, M.L., Katz, B.G., Crandall, C.A., and Eberts, S.M., 2009, Assessing the vulnerability of public-supply wells to contamination—Floridian aquifer system near Tampa, Florida: U.S. Geological Survey Fact Sheet 2009–3062, 6 p.
- Johnson, Sherrel, 2004, Ouachita River alternative water supply project: Union County Water Conservation Board, accessed June 13, 2013, at <http://ucwcb.org/>.
- Joseph, R.L., 1998a, Potentiometric surface of the Sparta aquifer in eastern and south-central Arkansas, and the Memphis Aquifer in east-central Arkansas, October 1996–July 1997: U.S. Geological Survey Scientific Investigations Report 97–4282, 19 p.
- Joseph, R.L., 1998b, Potentiometric surfaces of aquifers in the Cockfield Formation in southeastern Arkansas and the Wilcox Group in southern and northeastern Arkansas, October 1996–July 1997: U.S. Geological Survey Water-Resources Investigations Report 98–4084, 19 p.
- Joseph, R.L., 1999, Status of water levels and selected water-quality conditions in the Mississippi River Valley alluvial aquifer in eastern Arkansas, 1998: U.S. Geological Survey Water-Resources Investigations Report 99–4035, 54 p.
- Joseph, R.L., 2000, Status of water levels and selected water-quality conditions in the Sparta and Memphis aquifers in eastern and south-central Arkansas, 1999: U.S. Geological Survey Scientific Investigations Report 2000–4009, 34 p.
- Kaliba, A.R., and Engle, C.R., 2006, Chicot County, Arkansas—The economic impact of the catfish industry: University of Arkansas at Pine Bluff Cooperative Extension Program ETB257, 13 p.
- Keener, R., 1972, Septic tank contamination of groundwater: University of Arkansas, Fayetteville, Ark., 23 p.
- Kenny, J.F., Barber, N.L., Hutson, S.S., Linsey, K.S., Lovelace, J.K., and Maupin, M.A., 2009, Estimated use of water in the United States in 2005: U.S. Geological Survey Circular 1344, 52 p.
- Kilpatrick, J.M., 1992, Simulated response to future pumping in the Sparta aquifer, Union County, Arkansas: U.S. Geological Survey Water-Resources Investigations Report 91–4161, 25 p.

- Kilpatrick, J.M., and Ludwig, A.H., 1990a, Ground-water resources of the Arkansas River Basin in Arkansas: U.S. Geological Survey Open-File Report 88-725, 45 p.
- Kilpatrick, J.M., and Ludwig, A.H., 1990b, Ground-water resources of the upper White River Basin in Arkansas: U.S. Geological Survey Open-File Report 88-724, 48 p.
- Kindinger, J.L., Davis, J.B., Flocks, J.G., 2000, Subsurface characterization of selected water bodies in the St. Johns River Water Management District, Northeast Florida: U.S. Geological Survey Open-File Report 2000-180, 7 p.
- Kinniburgh, D.G., and Smedley, P.L., eds., 2001, Arsenic contamination of groundwater in Bangladesh, final report: British Geological Survey, BGS Report WC-00-19, v. 2, 267 p.
- Klaer, F.H., Jr., 1940, Memphis, *in* Meinzer, O.E., Wenzel, L.K., and others, Water levels and artesian pressure in observation wells in the United States in 1940, pt. 2, southeastern States: U.S. Geological Survey Water-Supply Paper 907, p. 92-101.
- Klein, Howard, Baker, R.C., and Billingsley, G.A., 1950, Ground-water resources of Jefferson County, Arkansas: Arkansas University, Institute of Science and Technology Research Series 19, 44 p.
- Kleiss, B.A., Coupe, R.H., Gonthier, G.J., and Justus, B.J., 2000, Water quality in the Mississippi embayment, Mississippi, Louisiana, Arkansas, Missouri, Tennessee, and Kentucky, 1995-98: U.S. Geological Survey Circular 1208, 36 p., accessed June 13, 2013, at <http://pubs.water.usgs.gov/circ1208/>.
- Kline, S.W., 2003, A model for groundwater flow in the alluvial aquifer of the Arkansas River at Dardanelle, Arkansas: Arkansas Geological Commission Water Resources Circular, Issue 18, 70 p.
- Kline, S.W., Kresse, T.M., Fazio, J.A., Prior, W.L., Hanson, W.D., Miller, R.A., and Treece, T.M., 2006, The Arkansas River's alluvial aquifer in central Arkansas—Physical hydrology of the aquifer at Dardanelle [abs.]: Fayetteville, Ark., Proceedings of the Arkansas Water Resources Center Annual Conference, accessed May 13, 2013, at <http://www.uark.edu/depts/awrc/Publications/2006AWRCCConference/TrifoldLF.pdf>.
- Knierim, K.J., Pollock, E.D., and Hays, P.D., 2011, Using labeled isotopes to trace groundwater flowpaths in a northwestern Arkansas cave, *in* Kuniansky, E.L., ed., U.S. Geological Survey Karst Interest Group Proceedings, Fayetteville, Ark., April 26-29, 2011: U.S. Geological Survey Scientific Investigations Report 2011-5031, p. 67-73.
- Knierim, K.J., Pollock, E.D., and Hays, P.D., 2013, Using isotopes of dissolved inorganic carbon species and water to separate sources of recharge in a cave spring, northwestern Arkansas, USA: *Acta Carsologica*, v. 42, p. 261-276.
- Knight, R.D., 1954, The Gunter Member of the Gasconade Formation (Lower Ordovician) in southern Missouri: Missouri Geological Survey and Water Resources Report of Investigations, no. 17, p. 51-56.
- Konikow, L.F., 2013, Groundwater depletion in the United States (1900-2008): U.S. Geological Survey Scientific Investigations Report 2013-5079, 63 p., accessed June 13, 2013, at <http://pubs.usgs.gov/sir/2013/5079>.
- Kresse, T.M., 1991, A hydrogeological and geochemical site characterization of a proposed landfill site, Searcy County, Arkansas: *Groundwater Journal*, v. 29, no. 3, p. 444.
- Kresse, T.M., and Clark, B.R., 2008, Occurrence, distribution, sources, and trends of elevated chloride concentrations in the Mississippi River Valley alluvial aquifer in southeastern Arkansas: U.S. Geological Survey Scientific Investigations Report 2008-5193, 34 p.
- Kresse, T.M., and Fazio, J.A., 2002, Pesticides, water quality, and geochemical evolution of ground water in the alluvial aquifer, Bayou Bartholomew Basin, Arkansas: Arkansas Department of Environmental Quality, Water Quality Report WQ02-05-1, 111 p.
- Kresse, T.M., and Fazio, J.A., 2003, Occurrence of arsenic in ground waters of Arkansas and implications for source and release mechanisms: Arkansas Department of Pollution Control and Ecology, Water Quality Report WQ03-03-01, 35 p.
- Kresse, T.M., and Fazio, J.A., 2004, Groundwater quality and geochemistry in the Strawberry River watershed in northeast Arkansas: Arkansas Department of Environmental Quality Water Quality Report WQ04-01-1, 54 p.
- Kresse, T.M., Fazio, J.A., Hays, P.D., and Stanton, G.P., 2000, Sources of saltwater intrusion in the alluvial aquifer in parts of Chicot County, Arkansas: Proceedings of Environmental Hydrology of the Arkansas Water Resource Center Annual Conference, April 4-5, 2000, Fayetteville, Ark., p. 1-6.
- Kresse, T.M., Fazio, J.A., Miller, R.A., and Kline, S.W., 2006, The Arkansas River's alluvial aquifer in central Arkansas—Geochemistry of the aquifer at Dardanelle [abs.]: Fayetteville, Ark., Proceedings of the Arkansas Water Resources Center Annual Conference, accessed September 29, 2012, at <http://www.uark.edu/depts/awrc/Publications/2006AWRCCConference/TrifoldLF.pdf>.

- Kresse, T.M., and Hays, P.D., 2009, Geochemistry, comparative analysis, and physical and chemical characteristics of the thermal waters east of Hot Springs National Park, Arkansas, 2006–2009: U.S. Geological Survey Scientific Investigations Report 2009–5263, 48 p.
- Kresse, T.M., Hays, P.D., Hudson, M.R., and Kaufman, J.E., 2011, The influence of land use and occurrence of sinkholes on nitrogen transport in the Ozark Plateaus in Arkansas and Missouri, *in* Kuniansky, E.L., ed., U.S. Geological Survey Karst Interest Group Proceedings, Fayetteville, Ark., April 26–29, 2011: U.S. Geological Survey Scientific Investigations Report 2011–5031, 212 p.
- Kresse, T.M., and Huetter, T.A., 1999, Ground-water resources and water quality in the vicinity of Pine Bluff municipal area, Jefferson County, Arkansas: Arkansas Department of Environmental Quality, Water Quality Report WQ99–10–1, 79 p.
- Kresse, T.M., and Van Schaik, E.J., 1996, Preliminary results of pesticide investigation, Augusta, Arkansas: Arkansas Department of Pollution Control and Ecology, Water Quality Report WQ96–11–1, 44 p.
- Kresse, T.M., Van Schaik, E.J., Wise, Jim, and Huetter, T.A., 1997, Occurrence of pesticides in alluvial aquifer of eastern Arkansas: Arkansas Department of Pollution Control and Ecology, Water Quality Report WQ97–10–1, 39 p.
- Kresse, T.M., Warner, N.R., Hays, P.D., Down, Adrian, Vengosh, Avner, and Jackson, R.B., 2012, Shallow groundwater quality and geochemistry in the Fayetteville Shale gas-production area, north-central Arkansas, 2011: U.S. Geological Survey Scientific Investigations Report 2012–5273, 31 p.
- Krinitzsky, E.L., and Wire, J.C., 1964, Ground water in alluvium of Lower Mississippi Valley (upper and central areas): U.S. Army Corps of Engineers, Waterways Experiment Station Technical Report 3–658, v. 1–2, 400 p.
- Kundzewicz, Z.W., Mata, L.J., Arnell, N.W., Döll, P., Kabat, P., Jiménez, B., Miller, K.A., Oki, T., Sen, Z., and Shiklomanov, I.A., 2007, Freshwater resources and their management, *in* Parry, M.L., Canziani, O.F., Palutikof, J.P., Linden, P.J. van der, and Hanson, C.E., eds., *Climate change 2007—Impacts, adaptation and vulnerability: Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*, Cambridge University Press, Cambridge, United Kingdom, p. 173–210.
- Laincz, Jozef, 2011, Investigation of nitrate processing in the interflow zone of mantled karst, northwestern Arkansas, *in* Kuniansky, E.L., ed., U.S. Geological Survey Karst Interest Group Proceedings, Fayetteville, Ark., April 26–29, 2011: U.S. Geological Survey Scientific Investigations Report 2011–5031, p. 75–83.
- Lamonds, A.G., 1972, Water-resources reconnaissance of the Ozark plateaus province, northern Arkansas: U.S. Geological Survey Hydrologic Atlas 383, 2 sheets.
- Lamonds, A.G., Hines, M.S., and Plebuch, R.O., 1969, Water resources of Randolph and Lawrence Counties, Arkansas: U.S. Geological Survey Water-Supply Paper 1879–B, 45 p.
- Lamonds, A.G., and Stephens, J.W., 1969, Water resources data for the Ozark Plateaus Province, Arkansas: U.S. Geological Survey Unnumbered Open-File Report, 18 p.
- Lautier, Jeffrey, 1981, Geology of the subsurface Eocene Cockfield Formation in southern Allen Parish, Louisiana: Gulf Coast Association of Geological Societies Transactions, v. 31, p. 125–133.
- Leach, D.L., and Rowan, E.L., 1986, Genetic link between Ouachita foldbelt tectonism and Mississippi Valley-type lead-zinc deposits of the Ozarks: *Geology*, v. 14, p. 931–935.
- Leidy, V.A., and Morris, E.E., 1990a, Ground-water quality and preliminary assessment of the potential for contamination beneath agricultural lands in central Lonoke County, Arkansas: U.S. Geological Survey Water-Resources Investigations Report 90–4099, 31 p.
- Leidy, V.A., and Morris, E.E., 1990b, Hydrogeology and quality of ground water in the Boone Formation and Cotter Dolomite in karst terrain of northwestern Boone County, Arkansas: U.S. Geological Survey Water-Resources Investigations Report 90–4066, 57 p.
- Leidy, V.A., and Taylor, R.E., 1992, Overview of susceptibility of aquifers to contamination, Union County, Arkansas: U.S. Geological Survey Water-Resources Investigations Report 92–4094, 95 p.
- Looney, J.W., 1990, An update on Arkansas water law—Is the riparian rights doctrine dead?: *Arkansas Law Review*, v. 43, p. 643–708.
- Looney, J.W., 1995, Enhancing the role of water districts in ground water management and surface water utilization in Arkansas: *Arkansas Law Review*, v. 48, p. 573–630.
- Ludwig, A.H., 1973, Water resources of Hempstead, Lafayette, Little River, Miller, and Nevada Counties, Arkansas: U.S. Geological Survey Water-Supply Paper 1998, 41 p.
- Ludwig, A.H., 1992, Flow duration and low-flow characteristics of selected Arkansas streams: U.S. Geological Survey Water-Resources Investigations Report 92–4026, 77 p.
- Ludwig, A.H., and Terry, J.E., 1980, Methods and applications of digital-model simulation of the Red River alluvial aquifer, Shreveport to the mouth of the Black River, Louisiana: U.S. Geological Survey Water-Resources Investigations Report 79–114, 103 p.

- Macaulay, Calum, 2005, Low temperature quartz cementation of the Upper Cretaceous white sandstone of Lochaline, Argyll, Scotland: Department of Geology and Geophysics, University of Edinburgh, Departmental Publication 4, 4 p.
- MacDonald, H.C., Jeffus, H.M., Steele, K.F., Coughlin, T.L., Kerr, K.M., and Wagner, G.H., 1976, Groundwater pollution in Arkansas: University of Arkansas at Fayetteville, Arkansas Agricultural Experiment Station Special Report, no. 25, 7 p.
- MacDonald, H.C., Zachry, D.L., Jeffus, H.C., 1977, Northern Arkansas groundwater inventory: Arkansas Water Resources Center, Fayetteville, Ark., no. MSC-26, 186 p.
- Macfarlane, P.A., and Hathaway, L.R., 1987, The hydrogeology and chemical quality of groundwaters from the lower Paleozoic aquifers in the tri-State region of Kansas, Missouri, and Oklahoma: Kansas Geological Survey Groundwater Series 9, 37 p.
- Mack, L.E., 1963, Water law in Arkansas: Arkansas Industrial Development Commission and Arkansas University Industrial Research and Extension Center, 74 p.
- MacKichan, K.A., 1951, Estimated use of water in the United States, 1950, U.S. Geological Survey: U.S. Geological Survey Circular 115, 13 p.
- MacKichan, K.A., 1957, Estimated use of water in the United States, 1955, U.S. Geological Survey: U.S. Geological Survey Circular 398, 18 p.
- Mahon, G.L., and Ludwig, A.H., 1990, Simulation of ground-water flow in the Mississippi River Valley alluvial aquifer in eastern Arkansas: U.S. Geological Survey Water-Resources Investigations Report 89-4145, 26 p.
- Mahon, G.L., and Poynter, D.T., 1993, Development, calibration, and testing of ground-water flow models for the Mississippi River Valley alluvial aquifer in eastern Arkansas using one-square-mile cells: U.S. Geological Survey Water-Resources Investigations Report 92-4106, 33 p., 11 pls.
- Mahon, G.L., Terry, J.E., and Peralta, R.C., 1989, Water-resources development alternatives for the Mississippi alluvial plain in eastern Arkansas: Proceedings of the 25th Annual Conference of the American Water Resources Association (AWRA), Herndon, Va., p. 31-35.
- Mahon, J.C., 1979, The history of Riceland Foods: Craighead County Historical Quarterly, v. 17, p. 10-17.
- Manger, W.L., 1983, The geologic provinces of Arkansas: Arkansas Naturalist, v. 1, no. 7, p. 1-6.
- Marshall, A.S., 2005, Establishing a land subsidence observation network using static and kinematic GPS in the Grand Prairie region of eastern Arkansas: Fayetteville, University of Arkansas, M.S. thesis, 57 p.
- Marshall, David, Brahana, J.V., and Davis, R.K., 1998, Resuspension of viable sediment-bound enteric pathogens in shallow karst aquifers, *in* Brahana, J.V., Eckstein, Yoram, Ongley, L.K., Schneider, Robert, and Moore, J.E., eds., *Gambling with groundwater—Physical, chemical, and biological aspects of aquifer-stream relations: Las Vegas, Nevada*, International Association of Hydrogeologists/American Association of Hydrogeologists, Proceedings, p. 179-186.
- McArthur, J.M., Ravenscroft, Peter Safiullah, S., and Thirlwall, M.F., 2001, Arsenic in groundwater—Testing pollution mechanisms for sedimentary aquifers in Bangladesh: *Water Resources Research*, v. 37, no. 1, p. 109-117.
- McFarland, J.D., 2004, Stratigraphic summary of Arkansas: Arkansas Geological Commission Information Circular 36, 38 p.
- McFarland, J.D., Bush, W.V., Wise, O.A., and Holbrook, D.F., 1979, A guidebook to the Ordovician-Mississippian rocks of north-central Arkansas: Arkansas Geological Commission GB-79-1, 25 p.
- McFarland, M.L., Lemon, R.G., and Stichler, C.R., 1998, Irrigation water quality—Critical salt levels for peanuts, cotton, corn and grain sorghum: Texas Agricultural Extension Service, Texas A&M University, 4 p.
- McFarland, J.D., and Prior, William, 2005, North Arkansas ground water investigations—Cave City Graben area: Arkansas Geological Commission, Water Resources Summary 17, 17 p.
- McGee, W.J., 1888, Three formations of the Middle Atlantic Slope: *American Journal of Science*, v. 35, no. 206, p. 120-143.
- McGraw, K., Popp, J., and Miller, W., 2012, Economic contribution of agriculture to the Arkansas economy in 2010: University of Arkansas Cooperative Extension Service Research Report 991, 49 p.
- McGuinness, C.L., 1951, Water law with special reference to ground water: U.S. Geological Survey Circular 117, 30 p.
- McKee, P.W., and Clark, B.R., 2003, Development and calibration of a ground-water flow model for the Sparta aquifer of southeastern Arkansas and north-central Louisiana and simulated response to withdrawals, 1998-2027: U.S. Geological Survey Water-Resources Investigations Report 03-4132, 68 p.
- McKee, P.W., Clark, B.R., and Czarnecki, J.B., 2004, Conjunctive-use optimization and sustainable-yield estimation for the Sparta aquifer of southeastern Arkansas and north-central Louisiana: U.S. Geological Survey Water-Resources Investigations Report 03-4231, 30 p.

- McKnight, E.T., 1935, Zinc and lead deposits of northern Arkansas: U.S. Geological Survey Bulletin 853, 311 p.
- McQueen, H.S., 1931, Insoluble residues as a guide in stratigraphic studies: Missouri Bureau of Geology and Mines, 56th Biennial Report of the State Geologist, 1929–1930, app. 1, p. 102–131.
- McWreath, H.C., III, Nelson, J.D., and Fitzpatrick, D.J., 1991, Simulated response to pumping stresses in the Sparta aquifer, northern Louisiana and southern Arkansas: Louisiana Department of Transportation and Development Water Resources Technical Report No. 51, 51 p.
- Melton, R.W., 1976, The regional geohydrology of the Roubidoux and Gasconade Formations, Arkansas and Missouri: Fayetteville, University of Arkansas, M.S. thesis, 160 p.
- Merrill, R.K., Sims, J.J., Jr., Gann, D.E., and Liles, K.J., 1985, Newton County geology and mineral resources [Mississippi]: Mississippi Office of Geology Bulletin, no. 126, 108 p.
- Mesko, T.O., and Imes, J.L., 1995, Discharge of ground water along the Ozark escarpment in southeastern Missouri and northeastern Arkansas: U.S. Geological Survey Water-Resources Investigations Report 95–4103, 12 p.
- Meyer, Meyer, LeCroix, Hixson, Inc.; Lazenby and Associates; Louisiana Tech University School of Business; URS Corporation; Smoot, C.W.; and Frye-Magee, 2002, Sparta groundwater study—A study commissioned by the Sparta Groundwater Conservation District Commission, final report: Sparta Groundwater Conservation District Commission, 93 p.
- Miser, H.D., and Purdue, A.H., 1919, Gravel deposits of the De Queen and Caddo Gap quadrangles, Arkansas-Oklahoma: U.S. Geological Survey Bulletin 690-B, p. 15–30.
- Morgan, R., 2012, Water supply and source water protection issues in northwest Arkansas, *in* Annual Watershed and Research Conference, 2012, Proceedings: Arkansas Water Resources Center, accessed September 29, 2012, at <http://www.uark.edu/depts/awrc/conference.html>.
- Morris, E.E., and Bush, W.V., 1986, Extent and source of saltwater intrusion into the alluvial aquifer near Brinkley, Arkansas, 1984: U.S. Geological Survey Water-Resources Investigations Report 85–4322, 123 p.
- Mott, D.N., Hudson, M.R., and Aley, T.J., 1999, Nutrient loads traced to interbasin groundwater transport at Buffalo National River, Arkansas, *in* Harmon, D., ed., Proceedings of the 10th Conference on Research and Resource Management in Parks and Public Lands, George Wright Society, Hancock, Mich., p. 114–121.
- Mott, D.N., Hudson, M.R., and Aley, T.J., 2000, Hydrologic investigations reveal interbasin recharge contributes significantly to detrimental nutrient loads at Buffalo National River, Arkansas, *in* Proceedings of Arkansas Water Resources Center Annual Conference MSC–284, Fayetteville, Ark., p. 13–20.
- Mueller, S.H., Goldfarb, R.J., Farmer, G.L., Sanzolone, R., Adams, M., and Theodorakus, P., 2001, A seasonal study of the arsenic and groundwater geochemistry in Fairbanks, Alaska: U.S. Geological Survey Workshop on Arsenic in the Environment, Denver, Colo., February 2001, 4 p.
- Murray, K.E., and Hudson, M.R., 2002, Three-dimensional geologic framework modeling for a karst region in the Buffalo National River, Arkansas, *in* Kuniandy, E.L., ed., U.S. Geological Survey Karst Interest Group Proceedings, Atlanta, Ga., August 20–22, 2002: U.S. Geological Survey Scientific Investigations Report 02–4174, 89 p.
- Muse, P.S., 1982, Ground-water resource evaluation of southwest Washington County, Arkansas: Fayetteville, University of Arkansas, M.S. thesis, 175 p.
- National Research Council, 2002, Estimating water use in the United States—A new paradigm for the National Water-Use Information Program: The National Academies Press, Washington, D.C., 190 p., accessed May 3, 2013, at <http://www.nap.edu/catalog/10484.html>.
- National Wildlife Federation, 2014, Ecosystem services: National Wildlife Federation, accessed March 7, 2014, at <http://www.nwf.org/Wildlife/Wildlife-Conservation/Ecosystem-Services.aspx>.
- Neely, B.L., Jr., 1991, Arkansas floods and droughts *in* Paulson, R.W., Chase, E.B., Roberts, R.S., and Moody, D.W., compilers, National Water Summary 1988–89—Hydrologic events and floods and droughts: U.S. Geological Survey Water Supply Paper 2375, p. 189–195.
- Nichols, T.W., Vendrell, P.F., and Steele, K.F., 1993, Completion report, Arkansas State pesticides in ground water monitoring project: Fayetteville, Ark., Arkansas Water Resources Center, Miscellaneous Report no. 136, 50 p.
- Nichols, T.W., Vendrell, P.F., Steele, K.F., and Scott, H.D., 1996, Completion report, Arkansas State pesticides in ground water monitoring project—Phase V, vulnerable areas in Jackson, Monroe, Lawrence, and Lonoke Counties: Fayetteville, Ark., Arkansas Water Resources Center, Miscellaneous Report no. 199, 100 p.
- Nickson, R.T., McArthur, J.M., Ravenscroft, Peter, Burgess, W.G., and Ahmed, K.M., 2000, Mechanism of arsenic release to groundwater, Bangladesh and West Bengal: Applied Geochemistry, v. 15, no. 2000, p. 403–413.

- Nordstrom, D.K., Alpers, C.N., Ptacek, C.J., and Blowes, D.W., 2000, Negative pH and extremely acidic mine waters from Iron Mountain, California: *Environmental Science and Technology*, v. 34, p. 254–258.
- Nunn, J.A., and Lin, Guichang, 2002, Insulating effect of coals and organic rich shales—Implications for topography driven fluid flow, heat transport, and genesis of ore deposits in the Arkoma Basin and Ozark Plateau: *Basin Research*, v. 14, no. 2, p. 129–145.
- Nuttall, Thomas, 1821, *A journal of travels into the Arkansas Territory during the year 1819*: Philadelphia, Pennsylvania, T.H. Palmer, 296 p.
- Ogden, A.E., 1979, Hydrogeologic and geochemical investigation of the Boone-St. Joe Limestone aquifer in Benton County, Arkansas: Fayetteville, Ark., Arkansas Water Resources Center, no. PUB–0068, 133 p.
- Onellion, F.E., 1956, Geology and ground-water resources of Drew County, Arkansas: Arkansas Geology and Conservation Commission, Water Resources Circular 4, 32 p.
- Onellion, F.E., and Criner, J.H., Jr., 1955, Ground-water resources of Chicot County, Arkansas: Arkansas Geology and Conservation Commission Water Resources Circular 3, 27 p.
- Orndorff, R.C., Weary, D.J., and Harrison, R.W., 2006, The role of sandstone in the development of an Ozark karst system, south-central Missouri: *Geological Society of America Special Papers*, 404, p. 31–38.
- Ozark Mountain Regional Public Water Authority, 2013, Project history: Ozark Mountain Regional Public Water Authority, accessed March 2, 2013, at <http://www.ozarkmountainregionalpwa.org/project-history.html>.
- Palmer, A.N., 2011, Paleokarst of the U.S.A.—A brief review, in Kuniandy, E.L., ed., *U.S. Geological Survey Karst Interest Group Proceedings*, Fayetteville, Ark., April 26–29, 2011: U.S. Geological Survey Scientific Investigations Report 2011–5031, p. 7–15.
- Parker, J.S., 2001, A changing landscape—Environmental conditions and consequences of the 1920s: *Arkansas Historical Quarterly*, v. 60, no. 1, p. 30–52.
- Parr, D.L., 1987, The effect of season and rain events on the chemistry of selected spring water in limestone terrain, Washington County, Arkansas: Fayetteville, University of Arkansas, M.S. thesis, 135 p.
- Payne, J.N., 1968, Hydrologic significance of the lithofacies of the Sparta Sand in Arkansas, Louisiana, Mississippi, and Texas: U.S. Geological Survey Professional Paper 569–A, 17 p.
- Payne, J.N., 1970, Geohydrologic significance of lithofacies of the Cockfield Formation of Louisiana and Mississippi and the Yegua Formation of Texas: U.S. Geological Survey Professional Paper 569–B, 14 p.
- Payne, J.N., 1972, Hydrologic significance of lithofacies of the Cane River Formation or equivalents of Arkansas, Louisiana, Mississippi, and Texas: U.S. Geological Survey Professional Paper 569–C, 17 p.
- Payne, J.N., 1975, Geohydrologic significance of lithofacies of the Carrizo Sand of Arkansas, Louisiana, and Texas and the Meridian Sand of Mississippi: U.S. Geological Survey Professional Paper 569–D, 11 p.
- Peralta, R.C., Cantiller, R.R.A., and Mahon, G.L., 1992, Maximizing sustainable ground water withdrawals comparing accuracy and computational requirements for steady- and unsteady-state digital modeling approaches, in Subitzky, Seymour, ed., *Selected papers in the hydrologic sciences, 1988–1992*: U.S. Geological Survey Water-Supply Paper 2340, p. 63–74.
- Peralta, R.C., Cantiller, R.R.A., and Terry, J.E., 1995, Optimal large-scale conjunctive water-use planning—Case study: *Journal of Water Resources Planning and Management*, v. 121, no. 6, p. 471–478.
- Peralta, R.C., Yazdanian, A., Killian, P.J., and Shulstad, R.N., 1985, Future Quaternary groundwater accessibility in the Grand Prairie—1993: University of Arkansas, Agricultural Experiment Station Bulletin, no. 877, 37 p.
- Petersen, J.C., 1988, Statistical summary of selected water-quality data (water years 1975 through 1985) for Arkansas rivers and streams: U.S. Geological Survey Water-Resources Investigations Report 88–4112, 189 p.
- Petersen, J.C., Broom, M.E., and Bush, W.V., 1985, Geohydrologic units of the Gulf Coastal Plain in Arkansas: U.S. Geological Survey Water-Resources Investigations Report 85–4116, 20 p.
- Peterson, E.W., Davis, R.K., Brahana, J.V., and Orndorff, H.A., 2000, 17- β Estradiol as an indicator of animal waste contamination in mantled karst aquifers: *Journal of Environmental Quality*, v. 29, no. 3, p. 826–834.
- Peterson, E.W., Davis, R.K., Brahana, J.V., and Orndorff, H.A., 2002, Movement of nitrate through regolith covered karst terrane, northwest Arkansas: *Journal of Hydrology*, v. 256, p. 35–47.
- Plafcan, Maria, 1985, Ground-water levels in the alluvial aquifer in eastern Arkansas, 1984: U.S. Geological Survey Open-File Report 85–569, 26 p.
- Plafcan, Maria, 1986, Ground-water levels in the alluvial aquifer in eastern Arkansas, 1985: U.S. Geological Survey Open-File Report 86–242, 29 p.

- Plafcan, Maria, 1987, Ground-water levels in the alluvial aquifer in eastern Arkansas, 1986: U.S. Geological Survey Open-File Report 87–545, 31 p.
- Plafcan, Maria, and Edds, Joe, 1986, Water level and saturated thickness maps of the alluvial aquifer in eastern Arkansas, 1984: U.S. Geological Survey Water-Resources Investigations Report 86–4014, 1 sheet.
- Plafcan, Maria, and Fugitt, D.T., 1987, Water level maps of the alluvial aquifer in eastern Arkansas, 1985: U.S. Geological Survey Water-Resources Investigations Report 86–4178, 1 sheet.
- Plafcan, Maria, and Remsing, L.M., 1989, Water level maps of the alluvial aquifer in eastern Arkansas, 1986: U.S. Geological Survey Water-Resources Investigations Report 88–4067, 1 sheet.
- Plebuch, R.O., 1961, Fresh water aquifers of Crittenden County, Arkansas: U.S. Geological Survey Water Resources Circular, no. 8, 65 p.
- Plebuch, R.O., 1962, Changes in ground-water levels in deposits of Quaternary age in northeastern Arkansas: U.S. Geological Survey Water Resources Summary, no. 3, 10 p.
- Plebuch, R.O., and Hines, M.S., 1967, Water resources of Pulaski and Saline Counties, Arkansas: U.S. Geological Survey Water-Supply Paper 1839–B, 25 p.
- Plebuch, R.O., and Hines, M.S., 1969, Water resources of Clark, Cleveland, and Dallas Counties, Arkansas: U.S. Geological Survey Water-Supply Paper 1879–A, 32 p.
- Pollock, E.D., Knierim, K.J., Hays, P.D., 2011, Seasonal carbon dynamics in a northwestern Arkansas cave—Linking climate and cave conditions: U.S. Geological Survey Karst Interest Group, U.S. Geological Survey Scientific Investigations Report 2011–5020, p. 37–43.
- Prior, W.L., Howard, J.M., McFarland, J.D., and Hill, S.S., 1999, Roubidoux Formation and Gunter Sandstone Member of the Gasconade Formation, major aquifers in northern Arkansas: Arkansas Geological Commission, Water Resources Circular, no. 17, 45 p.
- Pugh, A.L., 1998, Potentiometric surface of the Ozark aquifer in northern Arkansas, 1995: U.S. Geological Survey Water-Resources Investigations Report 98–4000, 7 p.
- Pugh, A.L., 2008a, Summary of aquifer test data for Arkansas—1940–2006: U.S. Geological Survey Scientific Investigations Report 2008–5149, 33 p.
- Pugh, A.L., 2008b, Potentiometric surface of the Ozark aquifer in northern Arkansas, 2007: U.S. Geological Survey Scientific Investigations Report 2008–5137, 16 p.
- Pugh, A.L., 2010, Potentiometric surfaces and water-level trends in the Cockfield (upper Claiborne) and Wilcox (lower Wilcox) aquifers of southern and northeastern Arkansas, 2009: U.S. Geological Survey Scientific Investigations Report 2010–5014, 47 p.
- Pugh, A.L., Westerfield, P.W., and Poynter, D.T., 1997, Thickness of the Mississippi River Valley alluvial aquifer in eastern Arkansas: U.S. Geological Survey Water-Resources Investigations Report 97–4049, 1 sheet.
- Pugh, A.L., and Westerman, D.A., 2014, Mean annual, seasonal, and monthly precipitation and runoff in Arkansas, 1951–2011: U.S. Geological Survey Scientific Investigations Report 2014–5006, 40 p.
- Pulley, H.J., and Beyrouthy, C.A., 1996, Effect of salt type on soybean growth: Arkansas Soil Fertility Studies, Arkansas Agricultural Experiment Station Research Series, no. 45, p. 84–87.
- Purdue, A.H., 1905, Water resources of the contact region between the Paleozoic and Mississippi embayment deposits in northern Arkansas: U.S. Geological Survey Water-Supply Paper 145, p. 88–119.
- Purdue, A.H., 1910, The collecting area of the waters of the hot springs, Hot Springs, Arkansas: *Journal of Geology*, v. 18, p. 279–285.
- Purdue, A.H., and Miser, H.D., 1916, Description of Eureka Springs and Harrison quadrangles (Arkansas-Missouri): U.S. Geological Survey Geologic Atlas, Folio 202, 21 p.
- Quatrochi, P.M., 1996, Groundwater jurisdiction under the Clean Water Act—The tributary groundwater dilemma: *Boston College Environmental Affairs Law Review*, v. 23, accessed April 2, 2013, at <http://lawdigitalcommons.bc.edu/ealr/vol23/iss3/>.
- Ragsdale, J.G., 2003, Oil development in south Arkansas, 1921–2001: *South Arkansas Historical Journal*, v. 3, p. 18–24, accessed May 1, 2013, at <http://www.southark.edu/old/index.php/volumes-1-4>.
- Ravenscroft, Peter, 2003, An overview of the hydrogeology of Bangladesh, *in* Rahman, A.A., and Ravenscroft, P., eds., *Groundwater resources and development in Bangladesh—Background to the arsenic crisis, agricultural potential and the environment*: Dhaka, Bangladesh Centre for Advanced Studies, University Press Ltd., p. 43–86.
- Reed, J.E., 1972, Analog simulation of water-level declines in the Sparta Sand, Mississippi embayment: U.S. Geological Survey Hydrologic Atlas 434, map, scale 1:250,000.
- Reed, J.E., and Broom, M.E., 1979, Digital model of the Bayou Bartholomew alluvial aquifer-stream system, Arkansas: U.S. Geological Survey Open-File Report 79–685, 37 p.

- Reed, T.B., 2003, Recalibration of a ground-water flow model of the Mississippi River Valley alluvial aquifer of northeastern Arkansas, 1918–1998, with simulations of water levels caused by projected ground-water withdrawals through 2049: U.S. Geological Survey Water-Resources Investigations Report 03–4109, 58 p.
- Reed, T.B., 2004, Status of water levels and selected water-quality conditions in the Mississippi River Valley alluvial aquifer in eastern Arkansas, 2002: U.S. Geological Survey Scientific Investigations Report 2004–5129, 53 p.
- Reilly, T.E., Dennehy, K.F., Alley, W.M., and Cunningham, W.L., 2008, Ground-water availability in the United States: U.S. Geological Survey Circular 1323, 70 p.
- Renfroe, C.A., 1949, Petroleum exploration in eastern Arkansas with selected well logs: Arkansas Resources and Development Commission Bulletin 14, 159 p.
- Renken, R.A., 1998, Groundwater atlas of the United States—Segment 5, Arkansas, Louisiana, Mississippi: U.S. Geological Survey Hydrologic Atlas 730–F, 28 p.
- Richards, J.M., 2010, Groundwater-flow model and effects of projected groundwater use in the Ozark Plateaus aquifer system in the vicinity of Greene County, Missouri—1907–2030: U.S. Geological Survey Scientific Investigations Report 2010–5227, 106 p.
- Richards, J.M., and Mugel, D.N., 2008, Potentiometric surface of the Ozark aquifer near Springfield, Missouri, 2006–07: U.S. Geological Survey Scientific Investigations Map 3003, 1 sheet.
- Robinson, J.A., and Brooks, J.M., 2010, Public water-supply systems and associated water use in Tennessee, 2005: U.S. Geological Survey Open-File Report 2010–1226, 100 p.
- Rosencrantz, F.L., 1946, The rice industry in Arkansas: The Arkansas Historical Quarterly, v. 5, no. 2, p. 123–137.
- Ryals, G.N., 1980, Potentiometric maps of the Sparta Sand, northern Louisiana and southern Arkansas, 1900, 1965, 1975, and 1980: U.S. Geological Survey Open-File Report 80–1180, 1 map.
- Ryling, R.W., 1960, Ground-water potential of Mississippi County, Arkansas: U.S. Geological Survey Water Resources Circular, no. 7, 87 p.
- Sacks, L.A., 1996, Geochemical and isotopic composition of ground water with emphasis on sources of sulfate in the Upper Floridian aquifer in parts of Marion, Sumter, and Citrus Counties, Florida: U.S. Geological Survey Water-Resources Investigations Report 95–4251, 47 p.
- Saucier, R.T., 1994, Geomorphology and Quaternary geologic history of the Lower Mississippi Valley, volume I: U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, Miss., 400 p.
- Scheiderer, R.M., and Freiwald, D.A., 2006, Monitoring the recovery of the Sparta aquifer in southern Arkansas and northern Louisiana: U.S. Geological Survey Fact Sheet 2006–3090, 4 p.
- Schrader, T.P., 1998, Status of water levels in aquifers in the Nacatoch Sand and Tokio Formation of southwestern Arkansas, 1996: U.S. Geological Survey Water-Resources Investigations Report 98–4130, 22 p.
- Schrader, T.P., 1999, Status of water levels in aquifers in the Nacatoch Sand of southwestern and northeastern Arkansas and the Tokio Formation of southwestern Arkansas, 1999: U.S. Geological Survey Water-Resources Investigations Report 99–4208–A, 23 p.
- Schrader, T.P., 2001a, Potentiometric surface of the Ozark aquifer in northern Arkansas, 2001: U.S. Geological Survey Water-Resources Investigations Report 01–4233, 11 p.
- Schrader, T.P., 2001b, Status of water levels and selected water-quality conditions in the Mississippi River Valley alluvial aquifer in eastern Arkansas, 2000: U.S. Geological Survey Water-Resources Investigations Report 01–4124, 52 p.
- Schrader, T.P., 2004, Status of water levels and selected water-quality conditions in the Sparta-Memphis aquifer in Arkansas, spring–summer 2001: U.S. Geological Survey Scientific Investigations Report 2004–5055, 57 p.
- Schrader, T.P., 2005, Potentiometric surface of the Ozark aquifer in northern Arkansas, 2004: U.S. Geological Survey Water-Resources Investigations Report 2005–5208, 10 p.
- Schrader, T.P., 2006a, Status of water levels and selected water-quality conditions in the Mississippi River Valley alluvial aquifer in eastern Arkansas, 2004: U.S. Geological Survey Scientific Investigations Report 2006–5128, 82 p.
- Schrader, T.P., 2006b, Status of water levels and selected water-quality conditions in the Sparta-Memphis aquifer in Arkansas, spring–summer 2003: U.S. Geological Survey Scientific Investigations Report 2006–5021, 43 p.
- Schrader, T.P., 2007a, Potentiometric surfaces and water-level trends in the Cockfield and Wilcox aquifers of southern and northeastern Arkansas, 2006: U.S. Geological Survey Scientific Investigations Report 2007–5218, 28 p.
- Schrader, T.P., 2007b, Status of water levels in aquifers in the Nacatoch Sand of southwestern and northeastern Arkansas and the Tokio Formation of southwestern Arkansas, February 2005: U.S. Geological Survey Scientific Investigations Report 2007–5024, 22 p.
- Schrader, T.P., 2008a, Water levels and selected water-quality conditions in the Mississippi River Valley alluvial aquifer in eastern Arkansas, 2006: U.S. Geological Survey Scientific Investigations Report 2008–5092, 72 p.

- Schrader, T.P., 2008b, Potentiometric surface in the Sparta-Memphis aquifer of the Mississippi embayment, spring 2007: U.S. Geological Survey Scientific Investigations Map 3014, 1 sheet.
- Schrader, T.P., 2009, Water levels and selected water-quality conditions in the Sparta-Memphis aquifer (middle Claiborne aquifer), spring–summer 2007: U.S. Geological Survey Scientific Investigations Report 2009–5207, 24 p.
- Schrader, T.P., 2010, Water levels and selected water-quality conditions in the Mississippi River Valley alluvial aquifer in eastern Arkansas, 2008: U.S. Geological Survey Scientific Investigations Report 2010–5140, 71 p., 2 pls.
- Schrader, T.P., 2013, Water levels and water quality in the Sparta-Memphis aquifer (middle Claiborne aquifer) in Arkansas, spring–summer 2009: U.S. Geological Survey Scientific Investigations Report 2013–5100, 51 p., 2 pls, accessed September 10, 2013, at <http://pubs.usgs.gov/sir/2013/5100/>.
- Schrader, T.P., 2014, Water levels and water quality in the Sparta-Memphis aquifer (middle Claiborne aquifer) in Arkansas, spring–summer 2011: U.S. Geological Survey Scientific Investigations Report 2014–5044, 44 p., 2 pls, accessed June 25, 2014, at <http://dx.doi.org/10.3133/sir20145044>.
- Schrader, T.P., and Blackstock, J.M., 2010, Water levels in aquifers in the Nacatoch Sand of southwestern and northeastern Arkansas and the Tokio Formation of southwestern Arkansas, spring 2008: U.S. Geological Survey Scientific Investigations Report 2010–5238, 22 p.
- Schrader, T.P., and Jones, J.S., 2007, Status of water levels and selected water-quality conditions in the Sparta-Memphis aquifer in Arkansas and the status of water levels in the Sparta aquifer in Louisiana, spring 2005: U.S. Geological Survey Scientific Investigations Report 2007–5029, 50 p.
- Schrader, T.P., and Joseph, R.L., 2000, Potentiometric surface of the Cockfield aquifer in southeastern Arkansas and the Wilcox aquifers in southern and northeastern Arkansas, 2000: U.S. Geological Survey Water-Resources Investigations Report 2000–4206, 22 p.
- Schrader, T.P., and Rodgers, K.D., 2013, Water levels in aquifers in the Nacatoch Sand of southwestern and northeastern Arkansas and the Tokio Formation of southwestern Arkansas, February–March 2011: U.S. Geological Survey Scientific Investigations Report 2013–5130, 21 p.
- Schrader, T.P., and Scheiderer, R.M., 2004, Status of water levels in aquifers in the Nacatoch Sand of southwestern and northeastern Arkansas and the Tokio Formation of southwestern Arkansas, 2002: U.S. Geological Survey Water-Resources Investigations Report 2003–4284, 24 p.
- Scott, H.D., Ferguson, J.A., Hanson, Linda, Fugitt, Todd, and Smith, Earl, 1998, Agricultural water management in the Mississippi Delta Region of Arkansas: University of Arkansas, Arkansas Agricultural Experiment Station Research Bulletin, no. 959, 100 p.
- Scott, H.D., Selim, H.M., and Johnson, A.B., 2000, MLRA 134—Southern Mississippi Valley silty uplands, *in* Water and chemical transport in soils of the southern U.S.A.: Southern Cooperative Bulletin, no. 395.
- Sharif, M.U., Davis, R.K., Steele, K.F., Kim, B., Hays, P.D., Kresse, T.M., and Fazio, J.A., 2008, Distribution and variability of redox zones controlling spatial variability of arsenic in the Mississippi River Valley alluvial aquifer, southeastern Arkansas: *Journal of Contaminant Hydrology*, v. 99, p. 49–67.
- Sharif, M.U., Davis, R.K., Steele, K.F., Kim, B., Hays, P.D., Kresse, T.M., and Fazio, J.A., 2011, Surface complexation modeling for predicting solid phase arsenic concentrations in the sediments of the Mississippi River Valley alluvial aquifer, Arkansas, U.S.A.: *Applied Geochemistry*, v. 26, p. 496–504.
- Sharif, M.U., Davis, R.K., Steele, K.F., Kim, B., Kresse, T.M., and Fazio, J.A., 2008, Inverse geochemical modeling of groundwater evolution with emphasis on arsenic in the Mississippi River Valley alluvial aquifer, Arkansas, U.S.A.: *Journal of Hydrology*, v. 350, p. 41–55.
- Signor, D.C., Growitz, D.J., and Kam, W., 1970, Annotated bibliography on artificial recharge of ground water, 1955–67: U.S. Geological Survey Water-Supply Paper 1990, 141 p.
- Skinner, J.H., 1984, Clarification of the definition of aquifer in 40 CFR 260.10: Memorandum from John H. Skinner, Director, Office of Solid Waste, U.S. Environmental Protection Agency, 4 p.
- Smith, C.R., and Steele, K.F., 1990, Nitrate concentrations of ground water Benton County, Arkansas: Fayetteville, Ark., Arkansas Water Resources Center, no. MSC–073, 48 p.
- Smith, M.C., Massey, J.H., Branson, J., Epting, J.W., Pennington, D., Tacker, P.L., Thomas, J., Vories, E.D., and Wilson, C., 2007, Water use estimates for various rice production systems in Mississippi and Arkansas: *Irrigation Science*, v. 25, p. 141–147.
- Sniegocki, R.T., 1953, Plans for the first year's work on the artificial recharge project, Grand Prairie region, Arkansas: U.S. Geological Survey Open-File Report, 16 p.
- Sniegocki, R.T., 1963a, Geochemical aspects of artificial recharge in the Grand Prairie region, Arkansas: U.S. Geological Survey Water-Supply Paper 1615–E, 41 p.
- Sniegocki, R.T., 1963b, Problems in artificial recharge through wells in the Grand Prairie region, Arkansas: U.S. Geological Survey Water-Supply Paper 1615–F, 25 p.

- Sniegocki, R.T., 1964, Hydrology of a part of the Grand Prairie region, Arkansas: U.S. Geological Survey Water-Supply Paper 1615-B, 72 p.
- Sniegocki, R.T., Bayley, F.H., and Engler, K., 1963, Equipment and controls used in studies of artificial recharge in the Grand Prairie region, Arkansas: U.S. Geological Survey Water-Supply Paper 1615-C, 39 p.
- Sniegocki, R.T., Bayley, F.H., Engler, K., and Stephens, J.W., 1965, Testing procedures and results of studies of artificial recharge in the Grand Prairie region, Arkansas: U.S. Geological Survey Water-Supply Paper 1615-G, 56 p.
- Sniegocki, R.T., and Reed, J.E., 1963, Principals of siphons with respect to the artificial-recharge studies in the Grand Prairie region, Arkansas: U.S. Geological Survey Water-Supply Paper 1615-D, 19 p.
- Snyder, R.W., 1976, Stratigraphy of the Roubidoux and Gasconade Formations of northern Arkansas: Fayetteville, University of Arkansas, M.S. thesis, 65 p.
- Southwest Arkansas Water District, 2013, Our history: Southwest Arkansas Water District, accessed January 12, 2013, at <http://www.swawd.com/history>.
- Spooner, W.C., 1935, Oil and gas geology of the Gulf Coastal Plain in Arkansas: Arkansas Geological Survey, Bulletin 2, 516 p.
- Stanton, G.P., 1993, Processes and controls affecting anisotropic flow in the Boone-St. Joe aquifer in northwest Arkansas: Fayetteville, University of Arkansas, M.S. thesis, 217 p.
- Stanton, G.P., 1997, Potentiometric surface and specific conductance of the Sparta and Memphis aquifers in eastern Arkansas, 1995: U.S. Geological Survey Water-Resources Investigations Report 97-4119, 126 p.
- Stanton, G.P., and Clark, B.R., 2003, Recalibration of a ground-water flow model of the Mississippi River Valley alluvial aquifer in southeastern Arkansas, 1918-1998, with simulations of hydraulic heads caused by projected ground-water withdrawals through 2049: U.S. Geological Survey Water-Resources Investigations Report 03-4232, 48 p.
- Stanton, G.P., Joseph, R.L., and Pugh, A.L., 1998, Status of water levels and selected water-quality conditions in the Mississippi River Valley alluvial aquifer in eastern Arkansas, 1994-1996: U.S. Geological Survey Water-Resources Investigations Report 98-4131, 72 p.
- Stanton, J.S., Peterson, S.M., and Fienen, M.N., 2010, Simulation of groundwater flow and effects of groundwater irrigation on stream base flow in the Elkhorn and Loup River Basins, Nebraska, 1895-2055—Phase two: U.S. Geological Survey Scientific Investigations Report 2010-5149, 78 p., 1 app.
- State Review of Oil and Natural Gas Environmental Regulations, 2012, Arkansas hydraulic fracturing State review: Arkansas Oil and Gas Commission, accessed on April 2, 2013, at http://www.aogc.state.ar.us/notices/AR_HFR_FINAL.pdf.
- Steele, K.F., 1981, Groundwater quality and mineral deposits relationships in the Ozark Mountains: Fayetteville, Ark., Water Resources Research Center, no. PUB-077, 59 p.
- Steele, K.F., 1983, Chemistry of the springs of the Ozark Mountains, northwestern Arkansas: Fayetteville, Ark., Arkansas Water Resources Research Center, no. 98, 48 p.
- Steele, K.F., and Adamski, J.C., 1987, Land use effects on ground water quality in carbonate rock terrain: Fayetteville, Ark., Arkansas Water Resources Research Center, no. 129, 71 p.
- Steele, K.F., Clayton, W.R., Nichols, T.W., and Vendrell, P.F., 1993, Completion report, pesticide and nitrate monitoring results for Craighead, Mississippi, and Poinsett Counties, Arkansas—Phase II: Fayetteville, Ark., Arkansas Water Resources Center, no. MSC-200, 27 p.
- Steele, K.F., Hill, S.S., Nichols, T.W., Scott, H.D., Vendrell, P.F., and Lin, H.S., 1994, Completion report—Ground water monitoring project for Arkansas, phase III: Fayetteville, Ark., Arkansas Water Resources Center, no. MSC-197, 59 p.
- Steele, K.F., and McCalister, W.K., 1990, Nitrate concentrations of ground water from limestone and dolomitic aquifers in the northeastern Washington County area, Arkansas: Fayetteville, Ark., Water Resources Research Center, no. MSC-68, 33 p.
- Steele, K.F., Widmann, R.K., Wickliff, D.S., and Parr, D.L., 1985, The effect of rainstorm events on spring water chemistry in limestone terrane: Association of Ground Water Scientists and Engineers, Southern Regional Ground Water Conference, National Water Well Association, Proceedings, p. 51-65.
- Steinbrugge, G.W., Heiple, L.R., Rogers, N., and Sniegocki, R.T., 1954, Groundwater recharge by means of wells: University of Arkansas, Agricultural Experimental Station Publication, 119 p.
- Stephens, J.W., and Halberg, H.N., 1961, Use of water in Arkansas, 1960: State of Arkansas Geological and Conservation Commission Water Resources Summary, no. 4, 8 p.
- Stephenson, L.W., 1927, Notes on stratigraphy of the upper Cretaceous formations of Texas and Arkansas: Bulletin of the American Association of Petroleum Geologists, v. 11, p. 8.

- Stephenson, L.W., and Crider, A.F., 1916, Geology and ground waters of northeastern Arkansas, *with a discussion of Dole*, R.B., The chemical character of the waters: U.S. Geological Survey Water-Supply Paper 399, 315 p.
- Stoffell, Barry, Appold, M.S., Wilkinson, J.J., McClean, N.A., and Jeffries, T.E., 2008, Geochemistry and evolution of Mississippian Valley-type mineralizing brines from the tri-State and northern Arkansas districts determined by LA-ICP-MS microanalysis of fluid inclusions: *Economic Geology*, v. 103, no. 7, p. 1411–1435.
- Stone, C.G., and Bush, W.V., 1984, General geology and mineral resources of the Caddo River watershed: Arkansas Geological Commission, Information Circular 29, 32 p.
- Stone, Nathan, and Selden, George, 2006, Aquaculture alternatives in Arkansas: University of Arkansas at Pine Bluff Cooperative Extension Program FSA9055, 8 p.
- Sullivan, J.N., 1974, Drainage areas of streams in Arkansas—White River Basin: U.S. Geological Survey Unnumbered Open-File Report, 123 p.
- Sumner, D.M., and Wasson, B.E., 1990, Geohydrology and simulated effects of large ground-water withdrawals on the Mississippi River alluvial aquifer in northwestern Mississippi: U.S. Geological Survey Water-Supply Paper 2292, 60 p.
- Tacker, Phil, Langston, J., Ferguson, J., and Vories, E., 1994, Water management: Rice Production Handbook, University of Arkansas Cooperative Extension Service MP 192, p. 55–63.
- Tacker, Phil, Vories, E.D., and Carman, D., 2010, Water supply problems and solutions in the Grand Prairie region of Arkansas: American Society of Agricultural and Biological Engineers Conference Proceedings, Phoenix, Ariz., December 5–8, 2010, 8 p.
- Tait, D.B., Backer, R.C., and Billingsley, G.A., 1953, The ground-water resources of Columbia County, Arkansas—A reconnaissance: U.S. Geological Survey Circular 241, 25 p.
- Tennyson, Rodney, Terry, Jim, Brahana, J.V., Hays, P.D., and Pollock, Erik, 2008, Tectonic control of hypogene speleogenesis in the Southern Ozarks—Implications for NAWQA and beyond, *in* Kuniansky, E.L., ed., U.S. Geological Survey Karst Interest Group Proceedings, Bowling Green, Ky., May 27–29, 2008: U.S. Geological Survey Scientific Investigations Report 2008–5023, 142 p.
- Terry, J.E., Bryant, C.T., Ludwig, A.H., and Reed, J.E., 1979, Water-resources appraisal of the south Arkansas lignite area: U.S. Geological Survey Open-File Report 79–924, 162 p.
- Terry, J.E., Bryant, C.T., Ludwig, A.H., and Reed, J.E., 1986, Water-resources appraisal of the south-Arkansas lignite area: Arkansas Geological Commission Information Circular 28–D, 162 p.
- The New York Times, 1907, Roosevelt pleads for water routes: The New York Times, accessed January 17, 2013, at <http://query.nytimes.com/mem/archivefree/pdf?res=F10B14F8345417738DDDAC0894D8415B878CF1D3>.
- Thompson, D.G., 1931, Ground-water supplies for rice irrigation in the Grand Prairie region, Arkansas: U. S. Department of the Interior Press Mem. 49844, 21 p.
- Thompson, D.G., 1936, Arkansas Grand Prairie Region, *in* Metzner, O.E., and Wenzel, L.K., ed., Water levels and artesian pressure in observation wells in the United States in 1935: U.S. Geological Survey Water-Supply Paper 777, p. 5–17.
- Ting, T.E., 2005, Assessing bacterial transport, storage and viability in mantled karst of northwest Arkansas using clay and *Escherichia coli* labeled with lanthanide series metals: Ph.D. Dissertation, University of Arkansas, Fayetteville, 558 p.
- Truman, H.S., 1949, Letter to the speaker concerning irrigation in the Grand Prairie area of Arkansas *in* Peters, Gerhard, and Woolley, J.T., The American presidency project: Accessed June 2, 2013, at <http://www.presidency.ucsb.edu/ws/?pid=13275>.
- Turner, K.J., and Hudson, M.R., 2008, Improved understanding of a karst aquifer system through utilization of a 3D geologic model, Buffalo National River, Arkansas: Geological Society of America Abstracts with Programs, v. 40, no. 3, p. 36.
- Turner, K.J., Hudson, M.R., Murray, K.E., and Mott, D.N., 2007, Three-dimensional geologic framework model for a karst aquifer system, Hasty and Western Grove quadrangles, northern Arkansas: U.S. Geological Survey Scientific Investigations Report 2007–5095, 12 p., CD digital archive.
- Turner, J.P., Saunders, J.A., and Cook, R.B., 2002, Petrographic evidence for amorphous silica precursors and geomicrobiologic processes in silicified and pyritized Holocene wood: Paper 216–9, Geological Society of America Annual Meeting, 2002, Programs with Abstract, p. 493.
- Union County Water Conservation Board, 2007, Sparta aquifer recovery study Union County, Arkansas: Final Report to the EPA, 67 p.
- University of Arkansas at Little Rock Water Study Task Force, 2000, Water for our future: Overcoming regional paralysis, 114 p., accessed June 2, 2013, at <http://ualr.edu/provost/water.pdf>.
- University of Arkansas Division of Agriculture, 2013, Economic contribution of Arkansas Agriculture, 36 p., accessed June 2, 2014, at http://www.uaex.edu/division/docs/Economic_Contribution_2013.pdf.

- U.S. Army Corps of Engineers, 1977, Pine Bluff metropolitan area, Arkansas: Summary of Water Supply Studies, Interim Report, Vicksburg District, 33 p.
- U.S. Army Corps of Engineers, 2007, Grand Prairie region and Bayou Meto Basin, Arkansas: General Reevaluation Report, 118 p., accessed March 11, 2013, at <http://www.mvm.usace.army.mil/Portals/51/docs/missions/projects/Bayou%20Meto/Volume%2001.pdf>.
- U.S. Army Corps of Engineers, 2010, Reallocation of water storage at Bull Shoals Lake, Arkansas: Ozark Mountain Regional Public Water Authority and Marion County Region Water District, 362 p., accessed August 28, 2013, at http://www.swl.usace.army.mil/Portals/50/docs/planningandenvironmental/BShoals_OzarkWS_FEA_FONSI_20100817%20.pdf.
- U.S. Army Corps of Engineers, 2013a, National inventory of dams: U.S. Army Corps of Engineers, accessed May 1, 2013, at <http://geo.usace.army.mil/pgis/f?p=397:1:0>.
- U.S. Army Corps of Engineers, 2013b, Review plan for Grand Prairie Area Demonstration Project, Grand Prairie region, Arkansas P2# 109425—Implementation phase: U.S. Army Corps of Engineers, 25 p., accessed April 2, 2013, at http://www.mvm.usace.army.mil/Portals/51/docs/PPMD/Peer%20Review%20Plans/Grand_Prairie_Review_Plan.pdf.
- U.S. Department of Agriculture, 2006, USDA roles in market-based environmental stewardship: Natural Resources Conservation Service, USDA Department Regulation no. 5600–003.
- U.S. Department of Agriculture, 2010, State facts sheets—Arkansas: U.S. Department of Agriculture, accessed August 17, 2013, at <http://www.ers.usda.gov/StateFacts/AR.htm>.
- U.S. Department of Agriculture, 2011, Arkansas 2011 State agriculture overview: U.S. Department of Agriculture, accessed April 20, 2013, at http://www.nass.usda.gov/Statistics_by_State/Ag_Overview/AgOverview_AR.pdf.
- U.S. Department of Agriculture, 2012, National Agricultural Statistics Service Quick Stats: U.S. Department of Agriculture, accessed April 20, 2012, at <http://quickstats.nass.usda.gov/>.
- U.S. Environmental Protection Agency, 1984, Classification of injection wells, section 146.5 of subpart A of part 6146, underground injection control program—Criteria and standards: U.S. Code of Federal Regulations, Title 40, Part 146, July 1, 1984, p. 371–372.
- U.S. Environmental Protection Agency, 1988, 40 CFR Parts 280 and 281, Technical standards and corrective action requirements for owners and operators of underground storage tanks (UST), Federal Register, v. 53, no. 185, 165 p.
- U.S. Environmental Protection Agency, 1994a, Review, approval, and evaluation of State management plans: Office of Prevention, Pesticides, and Toxic Substances, EPA 735–B–93–005b, 42 p.
- U.S. Environmental Protection Agency, 1994b, Assessment, prevention, monitoring, and response components of State management plans: Office of Prevention, Pesticides, and Toxic Substances, EPA 735–B–93–005c, 219 p.
- U.S. Environmental Protection Agency, 2001, 40 CFR Parts 9, 141, and 142, National Primary Drinking Water Regulations—Arsenic and clarification to compliance and new source contaminants monitoring, final rule: Federal Register, v. 66, no. 14, 94 p.
- U.S. Environmental Protection Agency, 2009, 2009 Edition of the drinking water standards and health advisories: Office of Water, Washington, D.C., EPA 822–R–09–011, 12 p.
- U.S. Environmental Protection Agency, 2010, Hydraulic fracturing research study: Office of Research and Development, EPA/600/F–10/002, accessed July 30, 2013, at <http://www.epa.gov/tp/pdf/hydraulic-fracturing-fact-sheet.pdf>.
- U.S. Environmental Protection Agency, 2013, CERCLIS public access database: U.S. Environmental Protection Agency, Superfund Site Information, NPL Listing for Arkansas, accessed May 13, 2013, at <http://cfpub.epa.gov/supercpad/cursites/srchsites.cfm>.
- U.S. Geological Survey, 2013a, Changes in water-use categories: U.S. Geological Survey, accessed June 3, 2013, at <http://water.usgs.gov/watuse/WU-Category-Changes.html>.
- U.S. Geological Survey, 2013b, USGS water data for the Nation: USGS National Water Information System (NWIS), accessed August 29, 2013, at <http://waterdata.usgs.gov/nwis>.
- Van den Heuvel, P., 1979, Petrography of the Boone Formation, northwest Arkansas: Fayetteville, University of Arkansas, M.S. thesis, 92 p.
- Vandike, J.E., 1997, Guidebook to the geology and hydrology of the Current River Basin: Missouri Division of Geology and Land Survey, 27 p.
- Van Schaik, E.J., and Kresse, T.M., 1994, Report on the third sampling of the El Dorado, Pine Bluff, and Lonoke Prototypes: Arkansas Department of Pollution Control and Ecology, WQ94–10–1, 45 p.
- Van Schaik, E.J., and Kresse, T.M., 1995, Report on the third sampling of the Jonesboro Prototype: Arkansas Department of Pollution Control and Ecology, WQ95–11–1, 28 p.
- Van Schaik, E.J., and Kresse, T.M., 1996, Report on the third sampling of the Brinkley Prototype: Arkansas Department of Pollution Control and Ecology, WQ96–02–1, 40 p.

- Vardy, Renee, 2011, Characterization of urban impact on water quality of karst springs in Eureka Springs, Arkansas, *in* Kuniansky, E.L., ed., U.S. Geological Survey Karst Interest Group Proceedings, Fayetteville, Ark., April 26–29, 2011: U.S. Geological Survey Scientific Investigations Report 2011–5031, p. 44–53.
- Vaughn, T.W., 1895, The stratigraphy of northwestern Louisiana: *American Geologist*, v. 15, p. 205–229.
- Veatch, A.C., 1906, Geology and underground water resources of northern Louisiana and southern Arkansas: U.S. Geological Survey Professional Paper 46, 422 p.
- Vories, E.D., Tacker, P.L., and Hogan, Robert, 2005, Multiple inlet approach to reduce water requirements for rice production: *Applied Engineering in Agriculture*, v. 21, no. 4, p. 611–616.
- Wagner, D.M., 2007, In-situ assessment of waste storage effectiveness in karst using stable isotope biogeochemistry: Fayetteville, University of Arkansas, M.S. thesis, 58 p.
- Wagner, G.H., and Steele, K.F., 1985, Metal concentrations in the groundwater of the Ouachita Mountains, Arkansas, U.S.A.: *Water, Air, and Soil Pollution*, v. 25, p. 339–347.
- Wagner, G.H., Steele, K.F., and Zachry, D.L., 1975, Trace metal and major elements in water-soluble rocks of northwest Arkansas: Arkansas Water Resources Center, Fayetteville, Ark, no. PUB–036, 55 p.
- Warner, N.R., Kresse, T.M., Hays, P.D., Down, A., Karr, J.D., Jackson, R.D., and Vengosh, A., 2013, Geochemical and isotopic variations in shallow groundwater in areas of the Fayetteville Shale development, north-central Arkansas: *Applied Geochemistry*, v. 35, p. 207–220.
- Webb, G.E., 1994, Paleokarst, paleosol, and rocky-shore deposits at the Mississippian-Pennsylvanian unconformity, northwestern Arkansas: *Geological Society of America Bulletin*, May 1994, v. 106, no. 5, p. 634–648.
- Weeks, W.B., 1938, South Arkansas stratigraphy with emphasis on the older Coastal Plain beds: *American Association of Petroleum Geologists Bulletin*, v. 22, p. 972–978.
- Westerfield, P.W., 1989, Ground-water levels in the alluvial aquifer in eastern Arkansas, 1987: U.S. Geological Survey Open-File Report 89–64, 32 p.
- Westerfield, P.W., 1990, Water-level maps of the Mississippi River Valley alluvial aquifer in eastern Arkansas, 1987: U.S. Geological Survey Water-Resources Investigations Report 90–4089, 1 sheet.
- Westerfield, P.W., 1994, Potentiometric-surface maps of the Cockfield and lower Wilcox aquifers in Arkansas, 1991: U.S. Geological Survey Water-Resources Investigations Report 93–4137, 2 sheets.
- Westerfield, P.W., 1995, Potentiometric surface of the Sparta and Memphis aquifers in eastern Arkansas, April through July 1993, U.S. Geological Survey Scientific Investigations Report 95–4000, 1 sheet.
- Westerfield, P.W., and Baxter, C.R., 1990a, Ground-water levels in the alluvial aquifer in eastern Arkansas, 1988: U.S. Geological Survey Open-File Report 90–383, 32 p.
- Westerfield, P.W., and Baxter, C.R., 1990b, Ground-water levels in the alluvial aquifer in eastern Arkansas, 1989: U.S. Geological Survey Open-File Report 90–558, 35 p.
- Westerfield, P.W., and Baxter, C.R., 1990c, Water level maps of the Mississippi River Valley alluvial aquifer in eastern Arkansas, 1987: U.S. Geological Survey Open-File Report 90–4089, 1 sheet.
- Westerfield, P.W., and Gonthier, G.J., 1993, Water-level maps of the Mississippi River Valley alluvial aquifer in eastern Arkansas, 1989: U.S. Geological Survey Water-Resources Investigations Report 92–4120, 1 sheet.
- Westerfield, P.W., and Poynter, D.T., 1993, Ground-water levels in the alluvial aquifer in eastern Arkansas, 1992: U.S. Geological Survey Open-File Report 93–96, 25 p., 1 sheet.
- Westerfield, P.W., and Poynter, D.T., 1994, Water-level maps of the Mississippi River Valley alluvial aquifer in eastern Arkansas, spring, 1993: U.S. Geological Survey Open-File Report 93–374, 1 sheet.
- Westerfield, P.W., and Tauschner, S.T., 1991, Ground-water levels in the alluvial aquifer in eastern Arkansas, 1990: U.S. Geological Survey Open-File Report 91–248, 35 p.
- Westerfield, P.W., and Tauschner, S.T., 1992, Ground-water levels in the alluvial aquifer in eastern Arkansas, 1991: U.S. Geological Survey Open-File Report 92–46, 24 p.
- Westerfield, P.W., and Tauschner, S.T., 1993, Ground-water levels in the alluvial aquifer in eastern Arkansas, 1992: U.S. Geological Survey Open-File Report 93–96, 25 p.
- Whitfield, M.S., Jr., 1975, Geohydrology and water quality of the Mississippi River alluvial aquifer, northeastern Louisiana: Louisiana Department of Public Works Water Resources Technical Report, no. 10, 29 p.
- Wickliff, D.S., 1988, The effects of rainstorm events on the water chemistry of a river with emphasis on the heavy metal content: Fayetteville, University of Arkansas, M.S. thesis, 95 p.
- Widmann, R.K., 1982, Episodic and seasonal effects of rainfall on spring water chemistry in a limestone terrane: Fayetteville, University of Arkansas, M.S. thesis, 110 p.

- Wilbert, L.J., Jr., 1953, The Jacksonian stage in southeastern Arkansas: Arkansas Resources and Development Commission, Division of Geology Bulletin 19, 125 p.
- Williams, F.C., 2012, Agriculture: Encyclopedia of Arkansas, accessed December 4, 2012, at <http://www.encyclopediaofarkansas.net/encyclopedia/entry-detail.aspx?search=1&entryID=385>.
- Williamson, A.K., Grubb, H.F., and Weiss, J.S., 1990, Groundwater flow in the Gulf Coast aquifer systems, south-central United States—A preliminary analysis: U.S. Geological Survey Water-Resources Investigations Report 89-4071, 124 p.
- Wilson, C.E., Jr., and Branson, J.W., 2002, Trends in Arkansas rice production, *in* Rice research studies 2002: Arkansas Agricultural Experiment Station Research Series 504, p. 15-17.
- Wilson, C.E., Jr., Frizzell, D.L., Slaton, N.A., and Norman, R.J., 1997, Influence of seeding rates on rice salinity tolerance: B.R. Wells Rice Research Studies 1997, Arkansas Agricultural Experiment Station Research Series 460, p. 175-179.
- Yeatts, D.S., 2004, Potentiometric Surfaces in the Cockfield and Wilcox aquifers of southern and northeastern Arkansas, 2003: U.S. Geological Survey Scientific Investigations Report 2004-5169, 29 p.
- Zachry, D.L., Steele, K.F., Wood, L.J., and Johnston, D.H., 1986, Stratigraphy and hydrology of upper Cretaceous and Tertiary strata, Columbia and Union Counties, Arkansas: University of Arkansas, Fayetteville, Ark., 74 p.
- Zimmerman, R.K., 1992, Fractured Smackover limestone in northeast Louisiana—Implications for hydrocarbon exploitation: Gulf Coast Association of Geological Societies Transactions, v. 42, p. 401-412.