

Appendix A. Data used to calculate pressure probe transducer depths at measurement port couplings, boreholes USGS 131A and USGS 137A, Idaho National Laboratory, Idaho, 2011–13.

[**Local name** is the local well identifier used in this study. Location of boreholes is shown in figure 1. **Port No.** is the identifier used to locate port couplings. **Water depth** is the depth to water inside the multiport casing in feet below land surface (ft bls). **Atmospheric pressure** in pounds per square inch absolute (psia). **Fluid temperature** in degrees Celsius (°C). **Fluid pressure** measured inside the multiport casing in psia. **Pressure transducer depth** is the depth to the pressure transducer sensor located within the measurement port coupling in ft bls]

Boreholes						
Local name	Port No.	Water depth (ft bls)	Atmospheric pressure (psia)	Fluid temperature (°C)	Fluid pressure (psia)	Pressure transducer depth (ft bls)
USGS 131A	1	547.81	12.378	13.5	285.35	1,177.9
	2	547.84	12.376	13.4	278.19	1,161.4
	3	547.89	12.377	13.4	267.53	1,136.8
	4	547.92	12.376	13.4	260.94	1,121.6
	5	548.06	12.374	13.4	235.35	1,062.7
	6	548.31	12.373	13.4	199.81	980.9
	7	548.37	12.372	13.2	189.67	957.6
	8	548.41	12.371	13.0	177.57	929.7
	9	548.62	12.370	12.7	141.31	846.2
	10	548.68	12.366	12.4	126.39	811.8
	11	548.76	12.363	12.2	119.77	796.6
	12	548.78	12.363	12.0	92.74	734.3
	13	548.88	12.362	11.9	75.65	694.9
	14	549.07	12.361	11.6	49.99	635.9
	15	549.14	12.360	11.4	41.46	616.3
	16	549.27	12.357	11.3	18.44	563.3
USGS 137A	1	628.36	12.360	12.7	119.57	875.8
	2	628.38	12.360	12.6	115.31	866.0
	3	628.44	12.360	12.6	104.62	841.4
	4	628.58	12.360	12.7	81.63	788.4
	5	628.69	12.360	12.8	63.81	747.4
	6	628.75	12.361	12.8	52.92	722.4
	7	628.92	12.361	12.8	26.53	661.6
	8	628.97	12.360	12.9	17.75	641.4