

*(200)
T67K
70.364


~~RESTRICTED~~
~~SECURITY INFORMATION~~

~~OFFICIAL USE ONLY~~

Stratigraphic Sections of the Phosphoria Formation in Idaho, 1949, Part I

Richard
Porter
By R. P. Sheldon, ¹⁹²³ M. A. Warner, M. E. Thompson, and H. W. Peirce

~~This material contains information affecting
the national defense of the United States
within the meaning of the espionage laws,
Title 18, U.S.C., Secs. 793 and 794, the
transmission or revelation of which in any
manner to an unauthorized person is pro-
hibited by law.~~



364

Trace Elements Investigations Report 364

✓ UNITED STATES DEPARTMENT OF THE INTERIOR

U.S. GEOLOGICAL SURVEY

Declassified 3/10/69

~~OFFICIAL USE ONLY~~

~~RESTRICTED~~
~~SECURITY INFORMATION~~

*(200)
T6712
no. 364

~~RESTRICTED~~
~~SECURITY INFORMATION~~

Geology and Mineralogy

This document consists of 36 pages.
Series A

UNITED STATES DEPARTMENT OF THE INTERIOR

✓ U.S. GEOLOGICAL SURVEY

STRATIGRAPHIC SECTIONS OF THE PHOSPHORIA FORMATION

IN IDAHO, 1949, PART I*

By

R. P. Sheldon, M. A. Warner, M. E. Thompson,
and H. W. Peirce

Classification changed to OFFICIAL USE ONLY
by authority of P. L. Merritt
July 1953
by *Bernice Phillips* 4/1/54
(Signature of person making change, and date thereof)

Trace Elements Investigations Report 364

This preliminary report is distributed without editorial and technical review for conformity with official standards and nomenclature. It is not for public inspection or quotation.

~~This material contains information affecting the national defense of the United States within the meaning of the espionage laws, Title 18, U.S.C., Secs. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.~~

*This report concerns work done partly on behalf of the Division of Raw Materials of the U. S. Atomic Energy Commission.

~~RESTRICTED~~
~~SECURITY INFORMATION~~

USGS - TET-364

GEOLOGY AND MINERALOGY

<u>Distribution (Series A)</u>	<u>No. of copies</u>
American Cyanamid Company, Winchester.	1
Argonne National Laboratory.	1
Atomic Energy Commission, Washington.	1
Battelle Memorial Institute, Columbus.	1
Carbide and Carbon Chemicals Company, Y-12 Area.	1
Division of Raw Materials, Butte.	1
Division of Raw Materials, Denver.	1
Division of Raw Materials, Grants.	1
Division of Raw Materials, Hot Springs.	1
Division of Raw Materials, New York.	6
Division of Raw Materials, Richfield.	1
Division of Raw Materials, Salt Lake City.	1
Division of Raw Materials, Washington.	3
Dow Chemical Company, Pittsburgh.	1
Exploration Division, Grand Junction Operations Office.	1
Grand Junction Operations Office.	1
Technical Information Service, Oak Ridge.	6
Tennessee Valley Authority, Wilson Dam.	1
U. S. Geological Survey:	
Alaskan Geology Branch, Washington.	1
Fuels Branch, Washington.	1
Geochemistry and Petrology Branch, Washington.	1
Geophysics Branch, Washington.	1
Mineral Deposits Branch, Washington.	2
E. H. Bailey, San Francisco.	1
N. M. Denson, Denver.	1
C. E. Dutton, Madison.	1
R. P. Fischer, Grand Junction.	1
R. G. Petersen, Plant City.	1
M. R. Klepper, Washington.	1
A. H. Koschmann, Denver.	1
R. A. Laurence, Knoxville.	1
D. M. Lemmon, Washington.	1
K. L. Bick, Denver.	2
R. J. Roberts, Salt Lake City.	1
R. W. Swanson, Spokane.	2
A. E. Weissenborn, Spokane.	2
TEPCO, Washington:	
Resource Compilation Section.	2
Reports Processing Section.	2
(Including master)	

CONTENTS

	Lot no.	Page
Introduction.		4
Acknowledgments.		6
Stratigraphy of the Phosphoria formation in southeastern Idaho		7
Stratigraphic sections.		7
Literature cited.		10
Tables of stratigraphic sections, Idaho		
Timber Creek	1310	11
South Stewart Canyon	1306	15
Pole Canyon.	1303	20
Spectrographic analyses		
Lone Pine.	1298	26
Georgetown Canyon.	1320	30
Dingle	1293	31
Hot Springs.	1317	35

ILLUSTRATIONS

Figure 1. Outcrops of the Phosphoria formation in Idaho and localities sampled.	5
2. Generalized section of Phosphoria formation at Trail Canyon, Idaho, lot no. 1206	8

STRATIGRAPHIC SECTIONS OF THE PHOSPHORIA FORMATION IN IDAHO, 1949, PART I

by R. P. Sheldon, M. A. Warner, M. E. Thompson, and H. W. Peirce

INTRODUCTION

The U. S. Geological Survey has recently measured and sampled the Phosphoria formation at many localities in Idaho and other western states. These data will not be fully synthesized and analyzed for several years, but segments of the data, accompanied by little or no interpretation, are published as preliminary reports as they are assembled. This report, which contains abstracts of many of the sections measured in southeastern Idaho (fig. 1), is one of this series and is the fourth report of data gathered in Idaho; it includes about half of the data gathered in Idaho in 1949. The field and laboratory procedures adopted in these investigations are described rather fully in a previous report (McKelvey and others, 1953a).

Many people have taken part in this investigation, which was organized and supervised by V. E. McKelvey. F. J. Anderson, D. F. Davidson, R. S. Jones, R. A. Smart, R. G. Waring, and J. D. Weiser participated in the description of strata and the collection of samples referred to in this report. T. K. Rigby assisted in the preparation of trenches and the collection, crushing, and splitting of samples in the field. The laboratory preparation of samples for chemical analysis was done in Denver, Colo., under the direction of W. P. Huleatt.

The P_2O_5 and acid-insoluble analyses were made for the Survey by the U. S. Bureau of Mines at the Northwest Electrodevelopment Laboratory, Albany, Oreg., under the direction of S. M. Shelton and M. L. Wright. The Al_2O_3 ,




Figure 1. —Outcrops of the Phosphoria formation in Idaho and localities sampled.

Fe_2O_3 , and loss-on-ignition analyses were made in the Trace Elements Section laboratory of the Survey in Washington, D. C., under the direction of J. C. Rabbitt, by chemists H. Alberty, I. Barlow, A. Caemmerer, F. J. Flanagan, F. S. Grimaldi, N. Gutttag, C. Hoy, J. J. Rowe, and W. P. Tucker, and the spectrographic analyses were made in this laboratory by K. Valentine and C. L. Waring. The radioactivity analyses were made in the Trace Elements Section laboratory in Denver, Colo., under the direction of L. F. Rader, by J. N. Rosholt and in the Washington laboratory by F. J. Flanagan, B. A. McCall, and J. J. Warr, Jr. The chemical uranium analyses were made in the Denver laboratory by G. T. Burrow and W. Mountjoy and in the Washington laboratory by A. B. Caemmerer, F. J. Flanagan, F. S. Grimaldi, N. Gutttag, C. Hoy, A. C. Pietsch, and A. L. White.

The data were compiled largely by K. S. Bergman under the supervision of R. W. Swanson. Organization of the tabular data was by Anita Wise.

Acknowledgments

Special thanks are due W. W. Rubey, J. Steele Williams, and A. E. Weissenborn who have given much advice in planning and organizing the field program. The cost of both the field and laboratory investigations has been borne partly by the Division of Raw Materials of the Atomic Energy Commission. This support is gratefully acknowledged.

It is a pleasure to acknowledge the fine cooperation extended to the field parties by the local residents, property owners, and operating phosphate companies, who furnished information and services and gave access to property. A. J. Winters, Superintendent of the Montpelier Schools; E. M. Norris, C. T. Russell, and L. E. Traeger of the Anaconda Copper Mining Company; D. L. King

of the San Francisco Chemical Company; and G. A. McHugh and H. B. Fowler of the Simplot Fertilizer Company have been especially helpful in this connection.

STRATIGRAPHY OF THE PHOSPHORIA FORMATION IN SOUTHEASTERN IDAHO

At its type locality in southeastern Idaho (Richards and Mansfield, 1912), the Phosphoria formation consists of a lower member, the phosphatic shale, about 180 feet thick and an upper member, the Rex chert, about 240 feet thick; another member, a thin-bedded cherty mudstone 15 to 75 feet thick, overlies the Rex chert in most of southeastern Idaho and western Wyoming, though it is not well defined at the type locality.

The Phosphoria formation overlies the Wells formation of Pennsylvanian age and underlies the Dinwoody formation of Triassic age. The upper 50 to 75 feet of the Wells formation consists of gray fossiliferous cherty limestone and contains some thin phosphatic layers. It may be the correlative of the lowermost member (A member) of the Phosphoria formation in Montana and the lower limestone member of the Park City formation in Utah (McKelvey, 1949).

In southeastern Idaho most of the phosphatic beds are in the phosphatic shale member, and it is on this member that most of our studies have been focused. It consists of many thin layers, some of which persist over the whole area. They may be grouped into several broad units, as yet unnamed, as shown in figure 2.

STRATIGRAPHIC SECTIONS

Abstracts of stratigraphic sections measured at seven localities and the available analytical data are presented in the following pages. Their locations, as well as the locations of sections reported previously (McKelvey




Figure 2. —Generalized section of the Phosphoria formation at Trail Canyon (lot no. 1206).

and others, 1953a and b, and O'Malley and others, 1953), and of others to be reported later, are shown in figure 1.

The semiquantitative spectrographic analyses are based upon comparisons with a standard plate representing known quantities of the elements tested for and made at the same exposure. Greater sensitivities for many elements can be obtained by additional exposures. The standard sensitivities for the elements noted in this report are as follows:

Spectrographic Sensitivities

Al ...	0.0001	Gd01	Nd01	Na ...	*.1
Sb01	Ga01	Ni01	Sr01
As1	Ge001	Nb01	Ta1
Ba0001	Au01	Os1	Te1
Be0001	Hf1	Pd01	Tb01
Bi001	Ho01	P1	Tl1
B001	In001	Pt01	Th1
Cd01	Ir1	K ...	*1.0	Tm01
Ca001	Fe001	Pr01	Sn01
Ce1	La ...	0.01	Re1	Ti001
Cs ...	*1.0	Pb01	Rh01	W1
Cr001	Li ...	*.1	Rb ...	*10.0	V01
Co01	Lu01	Ru01	Yb0001
Cu0001	Mg0001	Sm1	Y001
Dy01	Mn001	Sc001	Zn01
Er01	Hg1	Si0001	Zr001
Eu01	Mo001	Ag0001		

*A greater sensitivity may be obtained by additional exposures.

LITERATURE CITED

- Clabaugh, P. S., 1946, Permian phosphate deposits of Montana, Idaho, Wyoming, and Utah: U. S. Geol. Survey, Strategic Minerals Inv. Prelim. Map 3-198.
- McKelvey, V. E., 1949, Geological studies of the western phosphate field: Am. Inst. Min. Met. Eng. Mining Trans., v. 184, p. 270-279.
- McKelvey, V. E., Davidson, D. F., O'Malley, F. W., and Smith, L. E., 1953a, Stratigraphic sections of the Phosphoria formation in Idaho, 1947-48, Part I: U. S. Geol. Survey Circ. 208.
- McKelvey, V. E., Armstrong, F. C., Campbell, R. M., and Gulbrandsen, R. A., 1953b, Stratigraphic sections of the Phosphoria formation in Idaho, 1947-48, Part II: U. S. Geol. Survey Circ. 301.
- O'Malley, F. W., Davidson, D. F., Hoppin, R. A., and Sheldon, R. P., 1953, Stratigraphic sections of the Phosphoria formation in Idaho, 1947-48, Part III: U. S. Geol. Survey Circ. 262.
- Richards, R. W., and Mansfield, G. R., 1912, The Bannock overthrust: a major fault in southeastern Idaho and northeastern Utah: Jour. Geology, v. 20, p. 684.

Timber Creek, Idaho, lot 1310

Phosphatic shale member of the Phosphoria formation sampled in bulldozer trench on east limb of Snowdrift anticline, S $\frac{1}{2}$ sec. 21, T. 8 S., R. 45 E., Caribou County, Idaho. Section measured by M. A. Warner, R. G. Waring, R. A. Smart, J. D. Weiser, and M. E. Thompson and sampled by Smart, Waring, H. W. Peirce, and Warner in August 1949. Samples analyzed for P₂O₅ and acid insoluble by U. S. Bureau of Mines laboratory, Albany, Oreg., and for other constituents by Trace Elements Section laboratory, U. S. Geological Survey, Washington, D. C.

Samples analyzed for eU and chem. U by the U. S. Geological Survey laboratory, Geochemistry and Petrology Branch.

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P ₂ O ₅ (cumulative)	Uranium content (percent)		Thickness x percent eU (cumulative)
				P ₂ O ₅	Al ₂ O ₃	Fe ₂ O ₃	Loss on ignition	Acid insoluble			eU	Chem. U	
Rex chert member of Phosphoria formation—basal bed only													
R- 11	Chert-----	4235-MAW	2.2	0.5	--	--	--	94.0	2.2	--	0.000	0.001	--
Phosphatic shale member of Phosphoria formation													
P-115	Mudstone -----	4234-MAW	1.5	1.7	--	--	--	91.0	1.5	2.55	.001	.003	.004
P-114	Mudstone and phosphate rock-----	4233-MAW	1.2	10.4	--	--	--	60.6	2.7	15.03	.005	.008	.014
P-113	Mudstone -----	4232-MAW	2.7	4.7	--	--	--	71.5	5.4	27.72	.004	.004	.025
P-112	Mudstone -----	4031-MAW	1.5	5.1	--	--	--	65.7	6.9	35.37	.005	.006	.034
P-111	Mudstone -----	4030-MAW	1.8	1.8	--	--	--	78.6	8.7	38.61	.003	.002	.038
P-110	Mudstone -----	4029-MAW	2.5	2.0	--	--	--	79.1	11.2	43.61	.003	.002	.042
P-109	Mudstone, carbonatic -----	4228-MAW	2.7	.6	--	--	--	68.8	13.9	45.23	.001	.001	.045
P-108	Mudstone -----	4227-MAW	1.3	.6	--	--	--	82.9	15.2	46.01	.004	.001	.046
P-107	Mudstone -----	4226-MAW	2.0	1.6	--	--	--	78.0	17.2	49.21	.002	.002	.051
P-106	Mudstone -----	4459-RGW	.9	1.1	--	--	--	80.5	18.1	50.20	.002	.002	.052
P-105	Mudstone -----	4458-RGW	.6	3.0	--	--	--	65.6	18.7	52.00	.004	.003	.054
P-104	Mudstone -----	4457-RGW	3.3	3.0	--	--	--	73.6	22.0	61.90	.004	.004	.067
P-103	Phosphate rock, argillaceous -----	4456-RGW	.7	28.2	--	--	--	20.2	22.7	81.64	.009	.011	.075
P-102	Mudstone -----	4455-RGW	3.0	3.8	--	--	--	71.9	25.7	93.04	.004	.004	.087
P-101	Phosphate rock-----	4454-RGW	1.7	35.7	0.86	0.35	4.75	3.4	27.4	153.73	.009	.012	.107
P-100	Phosphate rock-----	4453-RGW	1.3	36.0	.85	.33	5.55	3.2	28.7	200.53	.011	.014	.126
P- 99	Phosphate rock and mudstone -----	4452-RGW	1.2	29.6	2.98	1.05	4.50	17.5	29.9	236.05	.009	.010	.138
P- 98	Mudstone -----	4451-RGW	1.0	6.2	9.05	2.78	5.65	71.3	31.5	245.97	.004	.003	.142
P- 97	Phosphate rock, argillaceous, and phosphatic mudstone-----	4450-RGW	1.0	21.1	6.98	2.10	4.80	36.7	32.5	267.07	.007	.008	.150
P- 96	Phosphate rock-----	5209-RGW	1.0	34.4	1.34	.60	2.75	8.2	33.5	301.47	.013	.015	.165
P- 95	Phosphate rock-----	5208-RGW	1.9	32.5	1.84	.80	2.80	12.7	35.4	363.22	.013	.016	.196
P- 94	Phosphate rock, argillaceous -----	5207-RGW	.7	25.1	3.90	1.13	3.70	28.5	36.1	380.79	.010	.012	.204
P- 93	Phosphate rock, argillaceous -----	5206-RGW	.6	24.1	4.06	1.38	4.90	30.6	36.7	395.25	.008	.008	.209
P- 92	Phosphate rock, argillaceous and mudstone-----	5205-RGW	.8	15.4	6.08	1.98	6.93	46.9	37.5	407.57	.007	.008	.215
P- 91	Phosphate rock, argillaceous -----	4445-RAS	1.1	18.6	5.68	2.00	5.50	43.0	38.6	428.03	.006	.007	.223
P- 90	Phosphate rock-----	4444-RAS	1.1	30.8	2.46	.75	3.45	14.5	39.7	461.91	.014	.018	.243
P- 89	Phosphate rock-----	4443-RAS	.9	37.1	1.34	.33	3.15	3.6	40.6	495.30	.016	.019	.260
P- 88	Phosphate rock-----	4442-RAS	2.2	35.5	1.18	.55	4.88	4.0	42.8	573.40	.017	.019	.302

Timber Creek—Continued

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P ₂ O ₅ (cumulative)	Uranium content (percent)		Thickness x percent eU (cumulative)
				P ₂ O ₅	Al ₂ O ₃	Fe ₂ O ₃	Loss on ignition	Acid insoluble			eU	Chem. U	
P-87	Phosphate rock, argillaceous -----	4441- RAS	2.3	23.6	4.15	1.80	11.50	18.4	45.1	627.68	0.014	0.015	0.336
P-86	Phosphate rock -----	4440- RAS	1.9	29.1	1.94	1.33	10.95	10.3	47.0	682.97	.017	.021	.376
P-85	Phosphate rock, argillaceous -----	4439- RAS	1.9	24.9	3.35	1.78	15.00	17.6	48.9	730.28	.011	.012	.399
P-84	Phosphate rock, argillaceous -----	4438- RAS	1.2	24.5	3.60	1.23	15.70	18.7	50.1	759.68	.010	.012	.413
P-83	Phosphate rock, argillaceous -----	4437- RAS	2.3	23.7	4.10	1.35	13.50	22.3	52.4	814.19	.007	.010	.436
P-82	Mudstone, phosphatic -----	4436- RAS	1.8	12.5	--	--	--	46.8	54.2	836.69	.006	.007	.449
P-81	Mudstone, phosphatic -----	4435- RAS	1.4	8.7	--	--	--	61.6	55.6	848.87	.004	.004	.455
P-80	Carbonate rock -----	5756- JDW	.5	5.3	--	--	--	6.5	56.1	851.52	.003	.002	.456
P-79	Mudstone -----	5755- JDW	.9	2.2	--	--	--	76.7	57.0	853.50	.002	.002	.457
P-78	Mudstone, phosphatic -----	5754- JDW	.8	15.6	--	--	--	39.7	57.8	865.98	.006	.006	.462
P-77	Mudstone, phosphatic -----	5753- JDW	4.3	14.4	--	--	--	42.2	62.1	927.90	.005	.005	.484
P-76	Phosphate rock, argillaceous, and mudstone -----	5752- JDW	2.0	17.8	--	--	--	38.2	64.1	963.50	.005	.005	.494
--	Mudstone lens -----	5751- JDW	(.7)	6.15	--	--	--	67.8	--	--	.002	.002	--
P-75	Phosphate rock, argillaceous -----	5750- JDW	.7	19.7	--	--	--	35.5	64.8	977.29	.006	.005	.497
P-74	Mudstone, phosphatic -----	5749- JDW	.7	8.0	--	--	--	63.5	65.5	982.89	.005	.004	.500
P-73	Mudstone, phosphatic -----	5748- JDW	.7	15.3	--	--	--	48.3	66.2	993.60	.005	.004	.503
P-72	Mudstone, phosphatic -----	5747- JDW	.8	13.2	--	--	--	52.2	67.0	1,004.16	.004	.003	.505
P-71	Phosphate rock, argillaceous -----	5746- DFD	1.3	28.4	--	--	--	20.5	68.3	1,041.08	.006	.004	.510
P-70	Mudstone, phosphatic -----	5765-MET	.8	9.3	--	--	--	67.3	69.1	1,048.52	.004	.002	.512
P-69	Mudstone, phosphatic -----	5764-MET	1.2	15.3	--	--	--	52.8	70.3	1,066.88	.005	.004	.517
P-68	Mudstone, phosphatic -----	5763-MET	2.4	13.5	--	--	--	55.0	72.7	1,099.28	.004	.004	.526
P-67	Mudstone, phosphatic -----	5762-MET	2.0	8.2	--	--	--	69.0	74.7	1,115.68	.003	.003	.532
P-66	Mudstone, phosphatic -----	5761-MET	2.1	8.5	--	--	--	66.7	76.8	1,133.53	.003	.003	.539
P-65	Phosphate rock, argillaceous -----	5760-MET	1.2	23.0	--	--	--	29.5	78.0	1,161.13	.005	.005	.545
P-64	Phosphate rock, argillaceous and mudstone -----	5745-MET	2.4	9.2	--	--	--	61.6	80.4	1,183.21	.003	.004	.554
P-63	Mudstone -----	5744-MET	1.1	3.0	--	--	--	77.0	81.5	1,186.51	.002	.002	.556
P-62	Mudstone -----	5743-MET	.9	2.2	--	--	--	80.9	82.4	1,188.49	.002	.001	.557
P-61	Mudstone -----	5742-MET	1.2	2.8	--	--	--	78.9	83.6	1,191.85	.003	.002	.560
P-60	Mudstone -----	5741-MET	2.9	4.9	--	--	--	69.7	86.5	1,206.06	.002	.003	.568
P-59	Mudstone -----	5740-MET	.6	2.4	--	--	--	80.0	87.1	1,207.50	.002	.001	.569
P-58	Mudstone -----	5739-MET	1.1	5.5	--	--	--	72.3	88.2	1,213.55	.003	.002	.571
P-57	Phosphate rock and mudstone -----	5738-MET	1.7	8.7	--	--	--	51.2	89.9	1,228.34	.004	.004	.578
P-56	Mudstone, phosphatic -----	5737-MET	.7	9.9	--	--	--	59.5	90.6	1,235.27	.002	.002	.580
P-55	Mudstone -----	5736-MET	1.0	7.7	--	--	--	59.2	91.6	1,242.97	.004	.003	.582
P-54	Chert, phosphatic -----	5735-MET	2.4	11.0	--	--	--	62.9	94.0	1,269.37	.004	.003	.590
P-53	Mudstone -----	5734-MET	2.0	.7	--	--	--	86.7	96.0	1,270.77	.002	.001	.592
P-52	Mudstone -----	5733-MET	1.5	2.3	--	--	--	83.8	97.5	1,274.22	.003	.001	.593
P-51	Chert, phosphatic -----	5732-MET	2.4	8.9	--	--	--	68.7	99.9	1,295.58	.003	.003	.600

P-50	Mudstone -----	5731-MET	3.3	.7	--	--	--	86.2	103.2	1,297.89	.001	.001	.604
P-49	Mudstone -----	5730-MET	1.2	1.0	--	--	--	86.6	104.4	1,299.09	.003	.001	.605
P-48	Chert, phosphatic -----	5729-MET	4.9	15.5	--	--	--	50.1	109.3	1,375.04	.004	.003	.620
P-47	Mudstone, phosphatic -----	5728-MET	.9	9.7	--	--	--	59.6	110.2	1,383.77	.003	.003	.622
P-46	Mudstone -----	5727-MET	2.1	6.1	--	--	--	68.8	112.3	1,396.58	.003	.002	.626
P-45	Mudstone -----	5726-MET	2.4	6.4	--	--	--	65.6	114.7	1,411.94	.004	.003	.634
P-44	Phosphate rock, argillaceous -----	5779-JDW	1.7	23.2	--	--	--	15.2	116.4	1,451.38	.014	.016	.661
P-43	Mudstone and phosphatic mudstone -----	5778-JDW	1.9	10.4	--	--	--	51.5	118.3	1,471.14	.006	.005	.670
P-42	Mudstone, phosphatic -----	5777-JDW	4.2	14.1	--	--	--	36.6	122.5	1,530.36	.005	.005	.691
P-41	Mudstone, phosphatic -----	5776-JDW	1.9	8.4	--	--	--	60.7	124.4	1,546.32	.003	.002	.695
P-40	Carbonate rock, argillaceous -----	5759-JDW	1.7	1.0	--	--	--	29.1	126.1	1,548.02	.003	.001	.697
P-39	Carbonate rock, argillaceous -----	5758-JDW	1.2	1.1	--	--	--	43.6	127.3	1,549.34	.002	.001	.698
P-38	Mudstone -----	5757-JDW	1.2	2.5	--	--	--	78.0	128.5	1,552.34	.003	.002	.700
P-37	Mudstone, carbonatic -----	5773-MET	2.3	1.2	--	--	--	54.3	130.8	1,555.10	.002	.001	.703
P-36	Mudstone -----	5772-MET	1.3	2.7	--	--	--	64.3	132.1	1,558.61	.003	.002	.705
P-35	Mudstone -----	5771-MET	1.5	2.0	--	--	--	74.3	133.6	1,561.61	.002	.002	.708
P-34	Mudstone, cherty -----	5770-MET	.9	2.0	--	--	--	85.3	134.5	1,563.41	.002	.002	.710
P-33	Mudstone -----	5769-MET	2.0	3.5	--	--	--	72.3	136.5	1,570.41	.004	.003	.716
P-32	Mudstone -----	5768-MET	4.6	5.0	--	--	--	66.7	141.1	1,593.41	.003	.002	.725
P-31	Mudstone, phosphatic -----	5767-MET	3.2	8.7	--	--	--	57.7	144.3	1,621.25	.003	.002	.732
P-30	Mudstone, carbonatic -----	5766-MET	.7	5.7	--	--	--	52.7	145.0	1,625.24	.004	.003	.734
P-29	Phosphate rock, argillaceous -----	5725-JDW	3.5	18.2	--	--	--	31.9	148.5	1,688.94	.004	.004	.748
P-28	Mudstone, phosphatic -----	5724-JDW	1.3	10.4	--	--	--	56.1	149.8	1,702.46	.004	.002	.751
P-27	Mudstone, phosphatic -----	5723-JDW	2.7	14.8	--	--	--	42.2	152.5	1,742.42	.003	.003	.759
P-26	Mudstone, phosphatic -----	5722-JDW	3.2	14.2	--	--	--	40.1	155.7	1,787.86	.005	.003	.768
Bed P-26 is highly crumpled and weathered.													
P-25	Mudstone, phosphatic -----	5721-JDW	1.5	15.4	--	--	--	45.4	157.2	1,810.96	.007	.003	.773
P-24	Phosphate rock, argillaceous -----	5720-JDW	1.7	25.3	--	--	--	17.6	158.9	1,853.97	.005	.005	.781
P-23	Phosphate rock, argillaceous -----	5719-JDW	1.2	25.4	--	--	--	22.5	160.1	1,884.45	.010	.009	.792
P-22	Mudstone, phosphatic -----	5718-JDW	3.0	15.8	--	--	--	47.5	163.1	1,931.85	.005	.004	.804
P-21	Mudstone, phosphatic -----	5717-JDW	3.4	12.7	--	--	--	51.3	166.5	1,975.03	.006	.004	.818
P-20	Mudstone, phosphatic -----	5716-JDW	1.5	8.8	--	--	--	61.5	168.0	1,988.23	.005	.002	.821
P-19	Phosphate rock, argillaceous -----	5715-JDW	3.0	25.4	--	--	--	19.3	171.0	2,064.43	.011	.009	.848
P-18	Phosphate rock, argillaceous -----	5714-JDW	2.1	21.0	--	--	--	31.9	173.1	2,108.53	.010	.009	.866
P-17	Mudstone, phosphatic -----	5713-JDW	1.3	8.4	--	--	--	64.7	174.4	2,119.45	.006	.003	.870
P-16	Phosphate rock -----	5712-JDW	5.0	31.5	1.53	.70	7.30	8.9	179.4	2,276.95	.012	.012	.930
P-15	Phosphate rock -----	5711-JDW	1.4	29.4	2.04	.85	7.15	14.9	180.8	2,318.11	.014	.013	.949
P-14	Mudstone, phosphatic -----	5710-JDW	1.0	16.3	6.20	2.05	9.35	40.5	181.8	2,334.41	.008	.006	.955
P-13	Phosphate rock -----	5709-JDW	.9	30.4	2.30	.95	7.00	11.5	182.7	2,361.77	.012	.010	.964
P-12	Phosphate rock, argillaceous -----	5708-MAW	.7	15.9	7.32	1.95	9.20	38.7	183.4	2,372.90	.009	.005	.967
P-11	Phosphate rock, argillaceous -----	5707-MAW	2.4	27.4	3.30	1.18	6.75	16.2	185.8	2,438.66	.007	.007	.984

OFFICIAL USE ONLY

13

Timber Creek—Continued

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P ₂ O ₅ (cumulative) ⁵	Uranium content (percent)		Thickness x percent eU (cumulative)
				P ₂ O ₅	Al ₂ O ₃	Fe ₂ O ₃	Loss on ignition	Acid insoluble			eU	Chem. U	
P-10	Phosphate rock, argillaceous -----	5706-MAW	1.2	25.0	2.76	1.48	5.67	24.8	187.0	2,468.66	.003	.003	.988
P- 9	Phosphate rock, argillaceous -----	5705-MAW	2.1	22.5	4.65	2.00	7.50	24.3	189.1	2,515.91	.004	.003	.994
P- 8	Phosphate rock -----	5704-MAW	1.9	32.1	1.47	2.88	6.40	3.5	191.0	2,576.90	.009	.008	1.009
P- 7	Phosphate rock -----	5239-MAW	2.9	33.1	.70	.53	7.55	2.3	193.9	2,672.89	.024	.025	1.082
P- 6	Phosphate rock -----	5703-MAW	1.2	31.6	1.17	.68	6.20	6.0	195.1	2,710.81	.012	.013	1.097
P- 5	Mudstone -----	5702-MAW	1.2	.3	--	--	--	75.3	196.3	2,711.17	.004	.001	1.098
P- 4	Mudstone -----	5701-MAW	2.4	.4	--	--	--	71.9	198.7	2,712.13	.001	.001	1.101
P- 3	Mudstone -----	4238-MAW	1.2	.7	--	--	--	70.3	199.9	2,712.97	.002	.001	1.102
P- 2	Mudstone -----	4237-MAW	.7	7.6	--	--	--	57.0	200.6	2,718.29	.004	.002	1.103
P- 1	Phosphate rock, argillaceous -----	4236-MAW	.5	26.4	--	--	--	15.5	201.1	2,731.49	.009	.009	1.108

OFFICIAL USE ONLY

OFFICIAL USE ONLY

South Stewart Canyon, Idaho, lot 1306

Phosphatic shale member of Phosphoria formation sampled in two hand trenches on overturned east limb of the Dry Valley anticline in South Stewart Canyon, SE $\frac{1}{4}$ sec. 31, T. 8 S., R. 45 E., Caribou County, Idaho. Because of limitations of hand trenches and complicated local structure, the total thickness of the phosphatic shale member is probably in error. Section measured by R. P. Sheldon, R. G. Waring, M. A. Warner, D. F. Davidson, M. E. Thompson, J. D. Weiser, and H. W. Peirce and sampled by Waring, Warner, Peirce, and R. A. Smart in August 1949. Samples analyzed for P_2O_5 and acid insoluble by U. S. Bureau of Mines laboratory, Albany, Oreg., and for other constituents by Trace Elements Section laboratory, U. S. Geological Survey, Washington, D. C.

Samples analyzed for eU and chem. U by the U. S. Geological Survey laboratory, Geochemistry and Petrology Branch.

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P ₂ O ₅ (cumulative)	Uranium content (percent)		Thickness x percent chem. U (cumulative)
				P ₂ O ₅	Al ₂ O ₃	Fe ₂ O ₃	Loss on ignition	Acid insoluble			eU	Chem. U	
Rex chert member of Phosphoria formation—basal beds only													
R- 3	Chert -----	4193-MET	--	0.4	--	--	--	92.4	--	--	0.005	0.000-	--
R- 2	Mudstone -----	4192-MET	0.9	1.4	--	--	--	88.3	0.9	--	.001	.000	--
R- 1	Chert -----	4191-MET	.8	1.6	--	--	--	87.8	1.7	--	.002	.001	--
Phosphatic shale member of Phosphoria formation													
P-164	Mudstone -----	4190-MET	1.8	2.8	--	--	--	81.6	1.8	5.04	.003	.002	.004
P-163	Phosphate rock, argillaceous -----	4189-MET	.8	17.8	--	--	--	37.6	2.6	19.28	.008	.008	.010
P-162	Mudstone -----	4188-MET	1.2	2.2	--	--	--	72.2	3.8	21.92	.003	.002	.012
P-161	Mudstone -----	4187-MET	2.2	3.6	--	--	--	66.3	6.0	29.84	.004	.003	.019
--	Limestone concretion in bed P-160 -----	--	(.4)	--	--	--	--	--	--	--	--	--	--
P-160	Mudstone -----	4186-MET	2.9	1.2	--	--	--	77.5	8.9	33.32	.002	.001	.022
P-159	Mudstone -----	4185-MET	3.7	.5	--	--	--	68.8	12.6	35.17	.002	.001	.026
P-158	Mudstone -----	4184-MET	1.7	2.6	--	--	--	72.3	14.3	39.59	.003	.002	.029
--	Limestone concretion in bed P-157 -----	--	(.3)	--	--	--	--	--	--	--	--	--	--
P-157	Mudstone -----	4183-MET	2.5	2.8	--	--	--	71.8	16.8	46.59	.004	.002	.034
P-156	Mudstone, cherty -----	4182-MET	1.9	4.6	--	--	--	68.3	18.7	55.33	.004	.002	.038
P-155	Mudstone, phosphatic -----	4181-MET	1.5	13.7	--	--	--	56.5	20.2	75.88	.006	.004	.044
P-154	Chert -----	4180-MET	.6	2.2	--	--	--	90.7	20.8	77.20	.001	.000	.044
P-153	Phosphate rock, argillaceous -----	4179-MET	.7	19.9	--	--	--	40.2	21.5	91.13	.007	.006	.048
P-152	Mudstone -----	4178-MET	1.2	1.9	--	--	--	75.7	22.7	93.41	.003	.001	.049
P-151	Mudstone, carbonatic -----	4177-MET	1.1	.3	--	--	--	47.1	23.8	93.74	.001	.000	.049
P-150	Mudstone -----	4176-MET	1.5	2.5	--	--	--	64.6	25.3	97.49	.003	.002	.052
P-149	Phosphate rock -----	4175-MET	.7	36.4	0.93	0.52	3.99	3.2	26.0	122.97	.012	.012	.061
P-148	Phosphate rock -----	4174-MET	1.3	33.8	1.7	.79	5.19	6.9	27.3	166.91	.013	.015	.080
P-147	Phosphate rock -----	4173-MET	1.0	36.9	.76	.47	2.55	4.0	28.3	203.81	.013	.015	.095
P-146	Mudstone and argillaceous phosphate rock -----	4172-MET	1.1	6.3	--	--	--	67.9	29.4	210.74	.004	.003	.098
P-145	Mudstone -----	4171-MET	1.1	3.2	--	--	--	71.8	30.5	214.26	.003	.002	.101
P-144	Phosphate rock, argillaceous, and phosphatic mudstone -----	4138-JDW	.8	18.6	--	--	--	41.6	31.3	229.14	.008	.006	.105

OFFICIAL USE ONLY

OFFICIAL USE ONLY

South Stewart Canyon—Continued

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P ₂ O ₅ (cumulative)	Uranium content (percent)		Thickness x percent chem. U (cumulative)
				P ₂ O ₅	Al ₂ O ₃	Fe ₂ O ₃	Loss on ignition	Acid insoluble			eU	Chem. U	
P-143	Phosphate rock -----	4137- JDW	0.8	34.4	1.3	0.72	2.88	8.6	32.1	256.66	0.014	0.014	0.117
P-142	Phosphate rock, argillaceous -----	4136- JDW	.5	27.8	3.0	1.15	4.22	22.1	32.6	270.56	.011	.012	.123
P-141	Mudstone, phosphatic -----	4135- JDW	.5	10.9	7.9	3.97	5.40	56.9	33.1	276.01	.005	.006	.126
P-140	Phosphate rock -----	4134- JDW	.65	35.6	1.0	.62	3.97	4.0	33.75	299.15	.016	.021	.139
P-139	Mudstone, phosphatic -----	4133- JDW	.6	14.2	6.6	2.63	5.77	50.2	34.35	307.67	.007	.005	.142
P-138	Phosphate rock -----	4132- JDW	1.9	31.2	2.1	.79	5.67	12.2	36.25	366.95	.014	.013	.167
P-137	Mudstone, phosphatic -----	4131- JDW	1.2	9.5	3.2	2.94	6.21	63.0	37.45	378.35	.003	.003	.171
P-136	Mudstone and phosphate rock -----	4130- JDW	1.1	12.0	6.8	2.62	6.15	56.7	38.55	391.55	.005	.006	.177
P-135	Phosphate rock -----	4129- JDW	.9	33.2	1.5	.67	5.12	9.1	39.45	421.43	.012	.019	.194
P-134	Phosphate rock, argillaceous -----	4128- JDW	.65	26.9	4.3	1.80	5.75	20.7	40.10	438.92	.007	.012	.202
P-133	Phosphate rock -----	4127- JDW	2.1	36.6	.85	.45	5.13	2.3	42.20	515.78	.016	.023	.250
P-132	Phosphate rock -----	4126- JDW	4.0	26.1	2.9	1.22	13.70	14.2	46.20	620.18	.013	.016	.314
P-131	Phosphate rock, argillaceous -----	4125- JDW	5.0	24.1	3.5	1.66	14.66	18.2	51.20	740.68	.010	.012	.374
P-130	Mudstone, phosphatic and mudstone -----	4124- JDW	3.7	13.9	--	--	--	39.8	54.90	792.10	.006	.008	.404
P-129	Mudstone -----	4123- JDW	1.45	7.3	--	--	--	64.6	56.35	802.69	.003	.004	.410
P-128	Mudstone -----	4538-MET	1.1	2.8	--	--	--	76.5	57.45	805.77	.003	.002	.412
P-127	Mudstone, phosphatic -----	4537-MET	1.7	14.6	--	--	--	40.0	59.15	830.59	.007	.006	.422
P-126	Mudstone, phosphatic -----	4536-MET	1.1	14.1	--	--	--	41.2	60.25	846.10	.007	.008	.431
P-125	Mudstone, phosphatic -----	4535-MET	2.2	12.0	--	--	--	49.0	62.45	872.50	.006	.005	.442
P-124	Mudstone, phosphatic -----	4534-MET	2.3	11.3	--	--	--	56.0	64.75	898.49	.004	.004	.451
P-123	Phosphate rock and mudstone -----	4533-MET	2.3	20.9	--	--	--	37.5	67.05	946.56	.004	.006	.465
P-122	Mudstone -----	4532-MET	1.4	6.0	--	--	--	71.4	68.45	954.96	.001	.002	.468
P-121	Mudstone -----	4531-MET	1.2	5.5	--	--	--	75.0	69.65	961.56	.003	.001	.469
P-120	Mudstone, phosphatic -----	4530-MET	2.2	14.5	--	--	--	50.9	71.85	993.46	.005	.005	.480
P-119	Mudstone, phosphatic -----	4529-MET	4.2	8.0	--	--	--	68.5	76.05	1,027.06	.003	.001	.484
P-118	Mudstone -----	4528-MET	1.6	6.4	--	--	--	72.6	77.65	1,037.30	.004	.003	.489
P-117	Mudstone and phosphate rock -----	4527-MET	2.4	11.8	--	--	--	57.6	80.05	1,065.62	.005	.004	.499
P-116	Mudstone, phosphatic -----	4526-MET	2.2	9.2	--	--	--	57.1	82.25	1,085.86	.003	.002	.503
P-115	Mudstone -----	4160- RPS	1.4	4.1	--	--	--	72.9	83.65	1,091.60	.004	.002	.506
P-114	Mudstone -----	4159- RPS	.7	2.6	--	--	--	76.1	84.35	1,093.42	.002	.001	.506
P-113	Mudstone -----	4158- RPS	1.5	5.8	--	--	--	64.7	85.85	1,102.11	.004	.002	.509
P-112	Mudstone -----	4157- RPS	3.5	3.5	--	--	--	75.1	89.35	1,114.36	.003	.001	.513
P-111	Mudstone, carbonatic -----	4156- RPS	1.2	2.0	--	--	--	59.2	90.55	1,116.76	.004	.002	.515
P-110	Mudstone, phosphatic and phosphate rock -----	4155- RPS	1.0	19.9	--	--	--	29.4	91.55	1,136.66	.007	.005	.520
P-109	Mudstone, phosphatic -----	4154- RPS	1.7	8.5	--	--	--	60.5	93.25	1,151.11	.004	.003	.525

OFFICIAL USE ONLY

OFFICIAL USE ONLY

P-108	Mudstone and phosphate rock -----	4153- RPS	2.4	8.0	--	--	--	51.2	95.65	1,170.31	.004	.002	.530
P-107	Mudstone, phosphatic and mudstone -----	4152- RPS	1.8	8.1	--	--	--	56.8	97.45	1,184.89	.004	.004	.537
P-106	Phosphate rock, argillaceous, and phosphatic mudstone -----	4151- RPS	1.2	18.2	--	--	--	31.1	98.65	1,206.73	.006	.005	.543
P-105	Mudstone, phosphatic -----	4150- RPS	1.3	12.0	--	--	--	47.7	99.95	1,222.33	.004	.003	.547
P-104	Mudstone -----	4149- RPS	2.4	5.9	--	--	--	63.5	102.35	1,236.49	.002	.003	.555
P-103	Mudstone -----	4148- RPS	2.6	4.2	--	--	--	72.2	104.95	1,247.41	.003	.003	.562
P-102	Mudstone -----	4147- RPS	.6	.6	--	--	--	83.5	105.55	1,247.77	.002	.002	.564
P-101	Mudstone -----	4146- RPS	1.8	5.0	--	--	--	73.6	107.35	1,256.77	.004	.003	.569
P-100	Mudstone, phosphatic and phosphate rock -----	4145- RPS	1.6	11.5	--	--	--	45.2	108.95	1,275.17	.004	.005	.577
P- 99	Mudstone, phosphatic and phosphate rock -----	4144- RPS	1.9	21.8	--	--	--	28.4	110.85	1,316.59	.007	.006	.588
P- 98	Mudstone -----	4143- RPS	1.6	2.7	--	--	--	76.4	112.45	1,320.91	.004	.002	.592
P- 97	Mudstone and argillaceous phosphate rock -----	4142- RPS	1.4	13.5	--	--	--	41.6	113.85	1,339.81	.005	.005	.599
P- 96	Mudstone, phosphatic -----	4141- RPS	1.5	8.8	--	--	--	51.2	115.35	1,353.01	.005	.004	.605
P- 95	Phosphate rock, argillaceous, and phosphatic mudstone -----	4140- RPS	1.4	16.6	--	--	--	30.7	116.75	1,376.25	.005	.006	.613
P- 94	Mudstone -----	4120- RPS	1.2	4.2	--	--	--	69.5	117.95	1,381.29	.003	.002	.615
P- 93	Mudstone -----	5555- DFD	.9	6.5	--	--	--	60.7	118.85	1,387.14	.004	.004	.619
P- 92	Mudstone -----	5554- DFD	.7	2.4	--	--	--	78.3	119.55	1,388.82	.002	.002	.620
P- 91	Mudstone, phosphatic -----	5553- DFD	.4	13.2	--	--	--	55.2	119.95	1,394.10	.003	.002	.621
P- 90	Mudstone -----	5552- DFD	1.7	1.6	--	--	--	79.9	121.65	1,396.82	.003	.001	.623
P- 89	Mudstone -----	5551- DFD	.8	7.4	--	--	--	70.5	122.45	1,402.74	.004	.002	.624
P- 88	Mudstone -----	5550- HWP	1.4	5.3	--	--	--	76.6	123.85	1,410.16	.003	.002	.627
P- 87	Mudstone -----	5549- HWP	1.4	.5	--	--	--	87.7	125.25	1,410.86	.002	.001	.629
P- 86	Mudstone -----	5548- HWP	.5	.4	--	--	--	88.3	125.75	1,411.06	.002	.001	.629
P- 85	Phosphate rock -----	5547- HWP	1.5	29.1	--	--	--	17.3	127.25	1,454.71	.006	.006	.638
P- 84	Mudstone -----	5546- HWP	1.3	2.9	--	--	--	81.1	128.55	1,458.48	.003	.002	.641
P- 83	Mudstone -----	5545- HWP	2.5	1.1	--	--	--	84.6	131.05	1,461.23	.002	.001	.643
P- 82	Mudstone -----	5544- HWP	.8	.5	--	--	--	87.8	131.85	1,461.63	.002	.001	.644
P- 81	Mudstone -----	5543- HWP	1.6	.3	--	--	--	87.8	133.45	1,462.11	.002	.001	.646
P- 80	Mudstone -----	5542- HWP	.5	1.4	--	--	--	84.3	133.95	1,462.81	.002	.001	.646
P- 79	Phosphate rock, argillaceous -----	5541- HWP	1.5	18.6	--	--	--	41.4	135.45	1,490.71	.008	.007	.657
P- 78	Chert -----	3050- MET	3.3	.7	--	--	--	86.1	138.75	1,493.02	.003	.001	.660
P- 77	Chert -----	3049- MET	3.4	2.6	--	--	--	81.6	142.15	1,501.86	.002	.001	.663
P- 76	Mudstone -----	3048- MET	1.6	.7	--	--	--	87.1	143.75	1,502.98	.002	.001	.665
P- 75	Phosphate rock, argillaceous -----	3047- MET	.8	17.8	--	--	--	40.1	144.55	1,517.22	.005	.006	.670
P- 74	Chert, phosphatic, argillaceous -----	3046- MET	2.2	24.4	--	--	--	28.1	146.75	1,570.90	.005	.005	.681
P- 73	Mudstone, phosphatic -----	3045- MET	1.0	9.1	--	--	--	58.4	149.75	1,580.00	.005	.004	.685
P- 72	Mudstone -----	3044- MET	.8	1.2	--	--	--	84.9	148.55	1,580.96	.002	.001	.686
P- 71	Mudstone, phosphatic -----	3043- MET	2.3	9.5	--	--	--	61.8	150.85	1,602.81	.003	.004	.695
P- 70	Mudstone, phosphatic -----	3042- MET	1.1	12.6	--	--	--	53.1	151.95	1,616.67	.003	.004	.699

South Stewart Canyon—Continued

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P ₂ O ₅ (cumulative)	Uranium content (percent)		Thickness x percent chem. U (cumulative)
				P ₂ O ₅	Al ₂ O ₃	Fe ₂ O ₃	Loss on ignition	Acid insoluble			eU	Chem. U	
P-69	Mudstone -----	3041-MET	1.5	6.7	--	--	--	64.7	153.45	1,626.72	.003	.001	.701
P-68	Mudstone, phosphatic, carbonatic -----	3040-MET	1.2	8.2	--	--	--	44.9	154.65	1,636.56	.008	.006	.708
P-67	Phosphate rock, argillaceous -----	3039-MET	.9	20.4	--	--	--	26.4	155.55	1,654.92	.011	.008	.715
P-66	Mudstone and argillaceous phosphate rock -----	3038-MET	.8	7.8	--	--	--	59.6	156.35	1,661.16	.006	.005	.719
P-65	Mudstone, phosphatic -----	3037-MET	2.3	9.8	--	--	--	48.6	158.65	1,683.70	.005	.002	.724
P-64	Phosphate rock, argillaceous -----	3338-MET	1.3	14.6	--	--	--	34.3	159.95	1,702.68	.003	.002	.726
P-63	Mudstone, phosphatic -----	3337-MET	1.1	13.3	--	--	--	39.9	161.05	1,717.31	.006	.004	.731
P-62	Mudstone, phosphatic, carbonatic -----	4210-MET	3.3	8.0	--	--	--	44.2	164.35	1,743.72	.002	.002	.737
P-61	Carbonate rock, cherty -----	4209-MET	2.7	.7	--	--	--	26.1	167.05	1,745.61	.001	.002	.743
P-60	Carbonate rock -----	4208-MET	3.0	.3	--	--	--	16.3	170.05	1,746.51	.001	.001	.746
P-59	Mudstone -----	4207-MET	1.7	.9	--	--	--	85.9	171.75	1,748.04	.000	.001	.747
P-58	Chert, argillaceous -----	4206-MET	.9	1.3	--	--	--	87.8	172.65	1,749.21	.000	.002	.749
P-57	Mudstone -----	4205-MET	2.9	2.3	--	--	--	77.4	175.55	1,755.88	.004	.002	.755
P-56	Mudstone -----	4204-MET	4.9	2.4	--	--	--	80.9	180.45	1,767.64	.001	.002	.765
P-55	Mudstone -----	4203-MET	5.0	6.7	--	--	--	69.3	185.45	1,801.14	.003	.002	.774
P-54	Mudstone -----	4202-MET	1.7	.6	--	--	--	85.0	187.15	1,802.16	.002	.001	.776
P-53	Mudstone -----	4201-MET	1.4	2.7	--	--	--	80.0	188.55	1,805.94	.003	.002	.779
P-52	Mudstone -----	4200-MET	.9	1.5	--	--	--	83.7	189.45	1,807.29	.003	.002	.781
P-51	Mudstone -----	4199-MET	2.0	4.2	--	--	--	72.9	191.45	1,815.69	.003	.003	.787
P-50	Mudstone, phosphatic -----	4198-MET	2.1	14.6	--	--	--	46.7	193.55	1,846.35	.004	.004	.795
P-49	Mudstone -----	4197-MET	1.9	6.3	--	--	--	67.7	195.45	1,858.32	.004	.003	.801
P-48	Mudstone -----	4196-MET	.9	4.0	--	--	--	76.4	196.35	1,861.92	.003	.003	.804
P-47	Mudstone, phosphatic -----	4195-MET	1.3	8.4	--	--	--	54.2	197.65	1,872.84	.004	.003	.808
P-46	Mudstone, phosphatic -----	4194-MET	5.0	14.1	--	--	--	38.5	202.65	1,943.34	.005	.005	.833
P-45	Mudstone -----	4240-MET	.7	2.4	--	--	--	77.7	203.35	1,945.02	.003	.002	.834
P-44	Mudstone -----	5515-JDW	1.1	6.7	--	--	--	68.2	204.45	1,952.39	.003	.002	.836
P-43	Mudstone, phosphatic -----	5514-JDW	.8	11.8	--	--	--	53.9	205.25	1,961.83	.003	.003	.839
P-42	Phosphate rock, argillaceous -----	5513-JDW	1.5	17.0	--	--	--	33.5	206.75	1,987.33	.004	.003	.843
P-41	Phosphate rock, argillaceous -----	5512-JDW	.85	17.2	--	--	--	35.8	207.60	2,001.95	.004	.005	.848
P-40	Phosphate rock, argillaceous -----	5511-JDW	1.0	16.5	--	--	--	35.3	208.60	2,018.45	.004	.004	.852
P-39	Mudstone, phosphatic -----	5510-JDW	1.2	15.4	--	--	--	42.0	209.80	2,036.93	.004	.003	.855
P-38	Mudstone, phosphatic -----	5509-JDW	.6	12.4	--	--	--	51.1	210.40	2,044.37	.003	.002	.856
P-37	Phosphate rock, argillaceous -----	5508-JDW	2.1	18.2	--	--	--	31.5	212.50	2,082.59	.004	.005	.867
P-36	Mudstone, phosphatic -----	5507-JDW	4.8	14.4	--	--	--	43.8	217.30	2,151.71	.004	.003	.881
P-35	Phosphate rock, argillaceous -----	5506-JDW	4.5	17.1	--	--	--	32.8	221.80	2,228.66	.003	.004	.899
P-34	Mudstone, phosphatic -----	5505-JDW	.7	14.8	--	--	--	41.8	222.50	2,239.02	.005	.003	.901
P-33	Mudstone, phosphatic -----	5504-JDW	.6	14.4	--	--	--	44.0	223.10	2,247.66	.003	.003	.903
P-32	Mudstone, phosphatic -----	5503-JDW	.5	14.4	--	--	--	42.7	223.60	2,254.86	.003	.003	.905
P-31	Mudstone, phosphatic -----	5502-JDW	.9	14.4	--	--	--	43.3	224.50	2,267.82	.004	.003	.907

P-30	Phosphate rock, argillaceous-----	5501- JDW	1.4	17.6	--	--	--	34.7	225.90	2,292.46	.004	.004	.913
P-29	Phosphate rock, argillaceous-----	5500- JDW	3.5	17.6	--	--	--	36.8	229.40	2,354.06	.004	.004	.927
P-28	Phosphate rock, argillaceous-----	5525- JDW	3.8	20.6	4.8	2.09	14.34	22.8	233.20	2,432.34	.004	.005	.946
P-27	Mudstone, phosphatic-----	5524- JDW	1.5	13.2	7.4	3.13	9.59	44.9	234.70	2,452.14	.005	.004	.952
P-26	Mudstone, phosphatic-----	5523- JDW	1.5	11.2	7.2	3.22	10.11	49.9	236.20	2,468.94	.005	.006	.961
P-25	Phosphate rock-----	4122- JDW	1.5	32.9	1.3	1.19	9.10	3.4	237.70	2,518.29	.006	.009	.974
P-24	Phosphate rock-----	4121- JDW	1.0	27.4	1.7	1.17	12.04	7.3	238.70	2,545.69	.004	.005	.979
P-23	Carbonate rock, argillaceous-----	4107-MAW	.9	2.4	.91	1.18	8.24	33.6	239.60	2,547.85	.006	.009	.988
P-22	Carbonate rock, argillaceous, phosphatic--	4106-MAW	1.1	8.6	4.5	1.89	25.93	23.0	240.70	2,557.31	.003	.003	.991
P-21	Phosphate rock, argillaceous-----	4105-MAW	.6	21.2	4.4	1.98	10.19	24.4	241.30	2,570.03	.008	.009	.996
P-20	Carbonate rock, argillaceous-----	4104-MAW	.7	3.7	3.7	1.45	33.61	19.1	242.00	2,572.62	.002	.002	.998
P-19	Phosphate rock, argillaceous-----	4103-MAW	.6	26.8	2.5	1.10	8.29	16.4	242.60	2,588.70	.009	.011	1.004
P-18	Phosphate rock-----	4102-MAW	2.8	28.1	2.6	1.22	7.81	12.5	245.40	2,667.38	.012	.015	1.046
P-17	Phosphate rock, argillaceous-----	4101-MAW	3.3	20.0	4.3	1.91	9.75	30.2	248.70	2,733.38	.009	.013	1.089
P-16	Carbonate rock-----	4100-MAW	1.8	2.4	1.7	.67	37.57	13.5	250.50	2,737.70	.002	.001	1.091
P-15	Mudstone, phosphatic-----	5522- JDW	2.5	11.8	6.6	.24	9.79	45.3	253.00	2,767.20	.005	.005	1.103
P-14	Carbonate rock, argillaceous-----	5521- JDW	1.0	2.1	2.8	1.05	34.54	21.2	254.00	2,769.30	.001	.002	1.105
P-13	Phosphate rock, argillaceous-----	5520- JDW	(?)	24.6	2.5	1.04	10.26	18.0	--	--	.007	.008	--
P-12	Interval, probably small, between beds P-13 and P-12.												
P-12	Phosphate rock, argillaceous-----	4525- RGW	.8	18.5	4.3	3.34	10.29	32.7	*.8	*14.80	.010	.009	*.007
P-11	Mudstone, phosphatic-----	4524- RGW	.9	14.6	6.2	1.85	10.65	41.9	1.7	27.94	.007	.007	.014
P-10	Phosphate rock-----	4523- RGW	1.6	29.6	2.2	.68	7.82	12.5	3.3	75.30	.009	.015	.038
P-9	Phosphate rock-----	4522- RGW	1.7	30.3	1.9	.67	7.56	11.8	5.0	126.81	.009	.012	.058
P-8	Phosphate rock, argillaceous-----	4521- RGW	.7	27.4	2.7	.78	7.15	18.0	5.7	145.99	.008	.013	.067
P-7	Phosphate rock-----	4511- RGW	1.2	31.1	.92	.53	8.04	5.0	6.9	183.31	.019	.023	.095
P-6	Phosphate rock, argillaceous-----	4244-MAW	.7	24.3	2.7	1.30	8.93	19.7	7.6	200.32	.010	.012	.103
P-5	Mudstone-----	4243-MAW	.6	1.5	7.7	3.95	6.24	75.7	8.2	201.22	.002	.002	.104
P-4	Mudstone, phosphatic, carbonatic-----	4242-MAW	1.0	9.6	6.2	2.37	11.12	44.5	9.2	210.82	.004	.004	.108
P-3	Mudstone, carbonatic-----	4241-MAW	.7	2.4	5.7	2.05	19.29	45.2	9.9	212.50	.002	.002	.110
P-2													
P-2	Limestone-----	4433- DFD	3.8	3.25	--	--	--	4.0	13.7	224.85	.001	.002	.117
P-1	Phosphate rock-----	4434- DFD	1.6	35.5	--	--	--	3.3	**15.3	**281.65	.009	.012	**136

Wells formation—top bed only

Cw-1	Limestone, siliceous-----	--	(?)	--	--	--	--	--	--	--	--	--	--
------	---------------------------	----	-----	----	----	----	----	----	----	----	----	----	----

* Cumulative data incomplete because of missing information. Computations start from zero after interruption.

** Note incompleteness of cumulative data.

Pole Canyon, Idaho, lot 1303

Phosphatic shale member of the Phosphoria formation sampled in bulldozer trench on the west limb of the Boulder Creek anticline, in Pole Canyon, SW $\frac{1}{4}$ sec. 31, T. 8 S., R. 46 E., Caribou County, Idaho. Beds strike N. 10° W. and dip 20° W. Section measured and sampled by M. A. Warner, R. A. Smart, F. J. Anderson, R. S. Jones, and R. G. Waring in August 1949. Samples analyzed for P₂O₅ and acid insoluble by U. S. Bureau of Mines laboratory, Albany, Oreg., and for other constituents by Trace Elements Section laboratory, U. S. Geological Survey, Washington, D. C.

Samples analyzed for eU and chem. U by the U. S. Geological Survey laboratory, Geochemistry and Petrology Branch.

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P ₂ O ₅ (cumulative)	Uranium content (percent)		Thickness x percent eU (cumulative)
				P ₂ O ₅	Al ₂ O ₃	Fe ₂ O ₃	Loss on ignition	Acid insoluble			eU	Chem. U	
Rex chert member of Phosphoria formation—basal bed only													
R- 1	Chert -----	--	4.0	--	--	--	--	--	4.0	--	--	--	--
Phosphatic shale member of Phosphoria formation													
P-86	Phosphate rock -----	--	0.2	--	--	--	--	0.2	0.2	--	--	--	--
P-85	Mudstone -----	4225-MAW	1.8	1.9	--	--	--	77.7	2.0	3.42	0.003	--	0.005
P-84	Mudstone -----	4224-MAW	3.4	5.0	--	--	--	68.8	5.4	20.42	.008	0.002	.033
	Beds P-84, P-85, and P-86 highly weathered.												
P-83	Phosphate rock, argillaceous -----	4223-MAW	.7	21.9	--	--	--	32.8	6.1	35.75	.007	.005	.038
P-82	Phosphate rock, argillaceous -----	4222-MAW	1.4	24.2	--	--	--	27.7	7.5	69.63	.009	.008	.050
P-81	Mudstone -----	4221-MAW	1.5	5.0	--	--	--	69.2	9.0	77.13	.004	--	.056
P-80	Mudstone -----	4432- RAS	.9	2.0	--	--	--	78.1	9.9	78.93	.002	--	.058
P-79	Mudstone -----	4431- RAS	.8	6.1	--	--	--	67.6	10.7	83.81	.004	--	.061
P-78	Phosphate rock -----	4430- RAS	1.2	35.3	1.1	0.44	5.06	4.0	11.9	126.17	.011	.010	.074
P-77	Phosphate rock -----	4429- RAS	.5	37.8	.44	.16	3.60	2.3	12.4	145.07	.009	.010	.079
P-76	Phosphate rock -----	4428- RAS	.9	34.6	1.4	.67	7.04	4.4	13.3	176.21	.010	.011	.088
P-75	Phosphate rock -----	4427- RAS	1.3	33.2	1.2	.63	2.12	13.5	14.6	219.37	.012	.011	.103
P-74	Mudstone -----	4426- RAS	1.1	6.7	9.7	3.69	5.26	66.6	15.7	226.74	.004	--	.108
P-73	Phosphate rock, argillaceous -----	4425- RAS	1.1	21.7	5.1	1.93	3.72	34.8	16.8	250.61	.007	.007	.116
P-72	Phosphate rock -----	4424- RAS	2.0	34.6	1.3	.56	2.44	9.0	18.8	319.81	.014	.013	.144
P-71	Phosphate rock -----	4423- RAS	1.0	35.9	1.1	.50	3.80	4.7	19.8	355.71	.021	.022	.164
P-70	Mudstone, phosphatic -----	4422- RAS	1.3	17.2	5.6	2.37	5.44	43.6	21.1	378.07	.006	.004	.172
P-69	Phosphate rock -----	4421- RAS	1.7	35.3	1.4	.54	7.22	5.8	22.8	438.08	.017	.017	.201
P-68	Phosphate rock -----	4420- RAS	1.9	35.4	1.3	.45	5.42	4.5	24.7	505.34	.020	.018	.239
P-67	Phosphate rock, argillaceous -----	4419- RAS	1.2	26.5	3.4	1.43	13.86	15.8	25.9	537.14	.016	.017	.258
P-66	Phosphate rock -----	4418- RAS	2.0	30.3	2.0	.88	11.64	8.5	27.9	597.74	.019	.019	.296
P-65	Phosphate rock, argillaceous -----	4417- RAS	1.4	27.0	3.3	1.34	9.94	16.5	29.3	635.54	.013	.011	.315
P-64	Phosphate rock, argillaceous -----	4416- RAS	2.6	24.0	3.4	1.61	13.62	21.0	31.9	697.94	.008	.008	.335
P-63	Phosphate rock, argillaceous -----	4415- RAS	2.2	18.2	--	--	--	32.5	34.1	737.98	.009	.007	.355

P-62	Mudstone, phosphatic -----	4220-MAW	1.3	8.4	--	--	--	58.9	35.4	748.90	.004	--	.360
P-61	Mudstone -----	4219-MAW	1.4	3.0	--	--	--	63.4	36.8	753.10	.002	--	.363
P-60	Phosphate rock, argillaceous -----	4218-MAW	3.2	17.4	--	--	--	33.7	40.0	808.78	.007	.006	.386
P-59	Mudstone, phosphatic -----	4217-MAW	2.6	13.4	--	--	--	49.2	42.6	843.62	.006	.005	.401
P-58	Mudstone, phosphatic -----	4216-MAW	.9	15.8	--	--	--	42.7	43.5	857.84	.006	.004	.407
P-57	Phosphate rock, argillaceous -----	4215-MAW	2.3	18.8	--	--	--	42.7	45.8	901.08	.004	--	.416
P-56	Mudstone, phosphatic -----	4214-MAW	1.5	16.5	--	--	--	46.0	47.3	925.83	.005	.005	.423
P-55	Mudstone, phosphatic -----	4213-MAW	3.9	9.5	--	--	--	62.8	51.2	962.88	.005	.003	.443
P-54	Phosphate rock, argillaceous -----	4212-MAW	1.8	21.8	--	--	--	29.8	53.0	1,002.12	.006	.005	.454
P-53	Mudstone -----	4211-MAW	2.1	5.1	--	--	--	69.7	55.1	1,012.83	.004	--	.462
P-52	Mudstone -----	4079-MAW	1.2	7.4	--	--	--	55.2	56.3	1,021.71	.004	--	.467
P-51	Carbonate rock, argillaceous -----	4078-MAW	1.8	7.1	--	--	--	27.8	58.1	1,034.49	.005	.003	.476
P-50	Mudstone -----	4077-MAW	2.8	1.9	--	--	--	79.0	60.9	1,039.81	.003	--	.484
P-49	Phosphate rock, argillaceous -----	4076-MAW	1.9	19.2	--	--	--	33.0	62.8	1,076.29	.006	.006	.496
P-48	Mudstone, phosphatic -----	4075-MAW	2.0	9.1	--	--	--	66.4	64.8	1,094.49	.004	--	.504
P-47	Mudstone -----	5199- FJA	1.9	1.8	--	--	--	79.6	66.7	1,097.91	.003	--	.509
P-46	Phosphate rock, argillaceous -----	5198- FJA	3.0	18.8	--	--	--	41.7	69.7	1,154.31	.005	.003	.524
P-45	Mudstone, phosphatic -----	5197- FJA	1.0	9.7	--	--	--	63.4	70.7	1,164.01	.005	.003	.529
P-44	Mudstone -----	5196- FJA	2.7	5.8	--	--	--	69.7	73.4	1,179.67	.004	--	.540
P-43	Mudstone, phosphatic -----	5195- FJA	1.1	14.2	--	--	--	33.0	74.5	1,195.29	.011	.010	.552
P-42	Mudstone, phosphatic -----	5194- FJA	.7	10.0	--	--	--	56.6	75.2	1,202.29	.010	.008	.559
P-41	Mudstone, phosphatic -----	5193- FJA	2.6	13.4	--	--	--	38.4	77.8	1,237.13	.005	.004	.572
P-40	Mudstone, phosphatic -----	5192- FJA	3.6	12.1	--	--	--	50.1	81.4	1,280.69	.004	--	.587
P-39	Mudstone -----	5191- FJA	1.2	5.4	--	--	--	59.9	82.6	1,287.17	.004	--	.591
P-38	Mudstone -----	5190- FJA	2.1	2.6	--	--	--	74.0	84.7	1,292.63	.003	--	.598
P-37	Mudstone -----	5189- FJA	2.4	2.6	--	--	--	70.8	87.1	1,298.87	.001	--	.600
P-36	Mudstone -----	5188- FJA	1.1	2.4	--	--	--	78.3	88.2	1,301.51	.002	--	.602
P-35	Mudstone -----	5187- FJA	1.6	.4	--	--	--	84.7	89.8	1,302.15	.002	--	.606
P-34	Phosphate rock, argillaceous and mudstone -----	5186- FJA	2.2	10.5	--	--	--	56.3	92.0	1,325.25	.004	--	.614
P-33	Mudstone -----	5185- FJA	1.4	1.6	--	--	--	82.9	93.4	1,327.49	.003	--	.618
P-32	Mudstone, phosphatic -----	5184- FJA	3.6	9.9	--	--	--	54.4	97.0	1,363.13	.004	--	.633
P-31	Mudstone, phosphatic -----	5183- FJA	1.8	11.9	--	--	--	51.1	98.8	1,384.55	.004	--	.640
P-30	Mudstone, phosphatic -----	5182- FJA	3.9	14.8	--	--	--	38.7	102.7	1,442.27	.004	--	.656
P-29	Mudstone, phosphatic and phosphate rock -----	5181- FJA	3.7	17.9	--	--	--	33.3	106.4	1,508.50	.005	.003	.674
P-28	Phosphate rock -----	5180- FJA	2.5	28.6	--	--	--	12.1	108.9	1,580.00	.008	.006	.694
P-27	Carbonate rock -----	4414- RAS	3.0	2.4	--	--	--	12.2	111.9	1,587.20	.0005	--	.696
P-26	Mudstone, phosphatic -----	4413- RAS	1.8	13.9	--	--	--	45.3	113.7	1,612.22	.006	.004	.707
P-25	Mudstone, phosphatic -----	4412- RAS	2.2	13.4	--	--	--	46.3	115.9	1,641.70	.007	.005	.722
P-24	Mudstone, phosphatic -----	4411- RAS	1.8	11.1	--	--	--	50.3	117.7	1,661.68	.006	.004	.733
P-23	Mudstone, phosphatic -----	4410- RAS	1.9	10.1	--	--	--	55.0	119.6	1,680.87	.005	.004	.742
P-22	Carbonate rock, argillaceous -----	4409- RAS	2.0	3.1	--	--	--	28.3	121.6	1,687.07	.002	--	.746

Pole Canyon—Continued

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P ₂ O ₅ (cumulative)	Uranium content (percent)		Thickness x percent eU (cumulative)
				P ₂ O ₅	Al ₂ O ₃	Fe ₂ O ₃	Loss on ignition	Acid insoluble			eU	Chem. U	
P-21	Phosphate rock, argillaceous -----	4408- RAS	1.9	27.0	2.7	1.19	8.96	16.7	123.5	1,738.37	0.010	0.009	0.765
P-20	Phosphate rock, argillaceous -----	5166- RSJ	2.1	22.5	4.0	1.44	7.56	29.1	125.6	1,785.62	.009	.010	.784
P-19	Carbonate rock, argillaceous -----	5164- RSJ	.9	1.1	2.7	.99	32.78	21.9	126.5	1,786.61	.0005	.000	.785
P-18	Phosphate rock -----	5163- RSJ	.9	29.0	2.1	.86	8.00	12.1	127.4	1,812.71	.014	.014	.797
P-17	Phosphate rock -----	5162- RSJ	1.3	29.6	2.3	1.01	6.52	14.3	128.7	1,851.19	.011	.009	.811
P-16	Phosphate rock -----	5161- RSJ	2.6	31.4	1.7	.73	6.87	10.2	131.3	1,932.83	.013	.013	.845
P-15	Phosphate rock, argillaceous -----	5204- RGW	1.0	22.1	4.2	1.33	8.02	27.8	132.3	1,954.93	.010	.008	.855
P-14	Phosphate rock, contains carbonate rock lens	5203- RGW	1.0	26.2	3.2	1.7	7.70	17.1	133.3	1,981.13	.003	--	.858
P-13	Carbonate rock, phosphatic -----	5202- RGW	.8	8.4	1.3	.58	31.06	10.4	134.1	1,987.85	.003	--	.861
P-12	Phosphate rock, argillaceous, carbonatic --	5201- RGW	.7	16.7	4.7	1.14	16.56	21.0	134.8	1,999.54	.004	--	.863
P-11	Phosphate rock, argillaceous -----	5200- RGW	1.8	26.3	3.3	1.17	6.48	20.3	136.6	2,046.88	.006	.006	.874
P-10	Phosphate rock, argillaceous -----	5160- RGW	.6	24.4	3.5	1.77	6.32	24.5	137.2	2,061.52	.005	.003	.877
P-9	Phosphate rock -----	5159- RGW	.9	33.3	1.0	.43	5.74	4.9	138.1	2,091.49	.008	.008	.884
P-8	Phosphate rock -----	5158- RGW	.7	34.2	.67	.34	6.66	3.3	138.8	2,115.43	.008	.008	.890
P-7	Phosphate rock -----	5157- RGW	.8	32.7	1.1	.50	7.04	4.5	139.6	2,141.59	.009	.009	.897
P-6	Phosphate rock -----	5156- RGW	.9	34.3	.68	.41	5.68	2.5	140.5	2,172.46	.029	.029	.923
P-5	Phosphate rock -----	5155- RGW	.9	35.6	.55	.31	4.42	2.5	141.4	2,204.50	.014	.014	.936
P-4	Mudstone -----	5154- RGW	.7	4.2	--	--	--	66.7	142.1	2,207.44	.005	.003	.939
P-3	Mudstone, carbonatic and limestone -----	5153- RGW	2.0	.5	--	--	--	31.7	144.1	2,208.44	.001	--	.941
P-2	Carbonate rock, argillaceous -----	5152- RGW	1.1	1.2	--	--	--	39.8	145.2	2,209.76	.002	--	.944
P-1	Phosphate rock -----	5151- RGW	.3	32.0	--	--	--	5.2	145.5	2,219.36	.011	.012	.947
Wells formation—top bed only													
Cw-1	Carbonate rock -----	5150- RGW	0.8	2.1	--	--	--	4.2	0.8	--	0.002	--	--

Spectrographic Analyses—Pole Canyon, Idaho, lot 1303

Semiquantitative analyses of samples of the phosphatic shale member of the Phosphoria formation, Pole Canyon, Idaho (see immediately preceding pages for location of section, thickness and description of strata, and chemical analyses of samples), made by U. S. Geological Survey, Geochemistry and Petrology Branch, Washington, D. C. In addition to the elements listed in the table below, Sb, As, Bi, Cd, Ce, Cs, Cr, Co, Dy, Er, Eu, Gd, Ge, Au, Hf, In, Ir, Li, Lu, Hg, Nd, Os, Pd, Pt, Pr, Re, Rh, Rb, Ru, Sm, Ta, Te, Tb, Tl, Th, and W were looked for in all samples but were not detected.

Explanation of Symbols

A = more than 10 percent F = 0.001-0.001 percent
 B¹ = 1-10 percent¹ G = less than 0.001 percent
 D = 0.1-1 percent ND = not detected
 E = 0.01-0.1 percent V = vanadium²

Bed no.	Sample no.	Al	Ba	Be	B	Ca	Cr	Cu	Ga	Ho	Fe	La	Pb	Mg	Mn	Mo	Ni	Nb	P	K	Sc	Si	Ag	Na	Sr	Tm	Sn	Ti	V	Yb	Y	Zn	Zr
P-86	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
P-85	4225-MAW	A	E	ND	E	B ¹	E	E	F	F	B ¹	E	F	D	E	F	E	E	D	B ¹	F	A	G	B ¹	F	E	F	D	.03	G	E	E	E
P-84	4224-MAW	A	E	ND	E	B ¹	E	E	F	F	B ¹	E	F	D	E	F	E	E	B ¹	B ¹	F	A	G	B ¹	F	E	F	E	.03	G	E	E	E
P-83	4223-MAW	B ¹	E	G	E	A	E	E	F	F	B ¹	E	F	D	E	F	E	ND	B ¹	B ¹	F	A	G	B ¹	E	E	F	E	.03	F	E	E	E
P-82	4222-MAW	B ¹	E	G	E	A	E	E	F	F	B ¹	E	F	D	E	F	E	ND	B ¹	B ¹	F	A	G	B ¹	E	E	F	E	.04	F	E	E	E
P-81	4221-MAW	B ¹	E	G	E	B ¹	D	E	F	F	B ¹	E	F	D	E	F	D	ND	D	B ¹	F	A	G	B ¹	E	E	F	E	.06	G	E	E	E
P-80	4432- RAS	B ¹	E	G	E	B ¹	E	E	F	F	B ¹	E	F	D	E	F	E	E	D	B ¹	F	A	G	B ¹	F	E	F	D	.07	G	E	E	E
P-79	4431- RAS	B ¹	E	ND	E	B ¹	D	E	F	F	B ¹	E	ND	D	E	F	E	E	D	B ¹	F	A	G	B ¹	F	E	F	D	.06	G	E	E	F
P-78	4430- RAS	B ¹	E	ND	F	A	D	E	F	F	D	E	F	D	F	F	E	E	B ¹	D	F	B ¹	G	B ¹	F	E	F	E	.06	G	E	E	E
P-77	4429- RAS	B ¹	E	ND	F	A	E	E	F	F	D	E	F	E	F	F	E	E	B ¹	D	F	D	G	B ¹	F	E	F	E	.06	G	E	E	F
P-76	4428- RAS	B ¹	E	ND	F	A	D	E	F	F	B ¹	E	F	D	E	F	E	E	B ¹	B ¹	F	B ¹	G	B ¹	F	E	F	E	.08	G	E	E	E
P-75	4427- RAS	B ¹	E	ND	F	A	E	E	F	F	B ¹	E	F	D	E	F	E	E	D	D	F	B ¹	G	B ¹	F	E	F	E	.04	G	E	E	E
P-74	4426- RAS	B ¹	E	G	E	B ¹	E	E	F	F	B ¹	E	F	D	E	F	E	E	D	B ¹	F	A	G	B ¹	F	E	F	D	.07	G	E	E	E
P-73	4425- RAS	B ¹	E	G	E	A	E	E	F	F	B ¹	E	F	D	E	F	E	E	B ¹	B ¹	F	B ¹	G	B ¹	F	E	F	D	.08	G	E	E	E
P-72	4424- RAS	B ¹	E	ND	F	A	E	E	F	F	D	E	E	E	F	F	E	E	B ¹	B ¹	F	B ¹	G	B ¹	F	E	F	E	.04	G	E	E	E
P-71	4423- RAS	B ¹	E	ND	F	A	E	E	F	F	D	E	F	E	F	F	E	E	B ¹	B ¹	F	D	G	B ¹	F	E	F	D	.07	G	E	E	E
P-70	4422- RAS	B ¹	E	G	E	A	D	E	F	F	B ¹	E	F	D	E	F	E	E	B ¹	B ¹	F	B ¹	G	B ¹	F	E	F	D	.06	G	E	E	E
P-69	4421- RAS	B ¹	E	ND	F	A	E	E	F	F	D	F	F	D	F	F	E	ND	B ¹	D	F	B ¹	G	B ¹	F	E	F	E	.09	G	E	E	E
P-68	4420- RAS	B ¹	E	G	F	A	D	E	F	F	D	F	F	D	F	F	E	ND	B ¹	D	F	B ¹	G	B ¹	F	E	F	E	.08	G	E	E	E
P-67	4419- RAS	B ¹	E	ND	F	A	D	E	F	F	B ¹	E	F	D	E	F	D	E	B ¹	B ¹	F	B ¹	G	B ¹	F	D	F	E	.10	G	E	E	E
P-66	4418- RAS	B ¹	E	ND	F	A	D	E	F	F	B ¹	F	F	D	F	F	D	E	B ¹	B ¹	F	B ¹	G	B ¹	F	D	F	E	.20	G	E	E	E
P-65	4417- RAS	B ¹	E	ND	F	A	D	E	F	F	B ¹	F	F	D	F	F	D	E	B ¹	B ¹	F	B ¹	G	B ¹	F	D	F	E	.1	G	E	E	E
P-64	4416- RAS	B ¹	E	ND	F	A	D	E	F	F	B ¹	F	F	D	F	F	D	E	B ¹	B ¹	F	B ¹	G	B ¹	F	E	F	E	.08	G	E	E	E
P-63	4415- RAS	B ¹	E	G	E	A	D	E	F	F	B ¹	F	F	D	F	F	D	E	B ¹	B ¹	F	B ¹	G	B ¹	F	E	F	E	.09	G	E	E	F
P-62	4220-MAW	B ¹	E	G	E	B ¹	E	E	F	F	B ¹	E	F	D	E	F	D	ND	B ¹	B ¹	F	A	G	B ¹	E	E	F	E	.08	G	ND	E	E
P-61	4219-MAW	B ¹	E	G	E	B ¹	D	E	F	F	B ¹	E	F	D	E	F	D	ND	D	B ¹	F	A	G	B ¹	E	E	F	E	.09	G	E	E	E
P-60	4218-MAW	B ¹	E	G	E	A	D	E	F	F	B ¹	E	F	D	E	F	D	E	B ¹	B ¹	F	A	G	B ¹	E	E	F	E	.09	F	E	E	E
P-59	4217-MAW	B ¹	E	G	E	B ¹	D	E	F	F	B ¹	E	F	D	E	F	D	ND	B ¹	B ¹	F	A	G	B ¹	E	E	F	E	.07	G	E	E	E
P-58	4216-MAW	B ¹	E	G	E	B ¹	E	E	F	F	B ¹	E	F	D	E	F	D	E	B ¹	B ¹	F	A	G	B ¹	E	E	F	E	.06	G	E	E	E
P-57	4215-MAW	B ¹	E	G	E	B ¹	E	E	F	F	B ¹	E	F	D	E	F	D	ND	B ¹	B ¹	F	A	G	B ¹	E	E	F	E	.05	G	E	E	E
P-56	4214-MAW	A	E	ND	E	B ¹	D	E	F	F	B ¹	E	F	D	E	F	D	E	B ¹	B ¹	F	A	G	B ¹	F	E	F	E	.05	F	E	E	E

¹ B¹ is equivalent to B and C of Bureau of Mines analyses as recorded in other reports.

² Vanadium determined by a "quickie" quantitative method, accuracy estimated at $\pm 10-15$ percent of vanadium present.

Spectrographic Analyses—Pole Canyon—Continued

Bed no.	Sample no.	Al	Ba	Be	B	Ca	Cr	Cu	Ga	Ho	Fe	La	Pb	Mg	Mn	Mo	Ni	Nb	P	K	Sc	Si	Ag	Na	Sr	Tm	Sn	Ti	V	Yb	Y	Zn	Zr
P-55	4213-MAW	B'	E	G	E	B'	E	E	F	F	B'	E	F	D	E	F	E	ND	B'	B'	F	A	G	B'	E	E	F	E	.05	G	E	E	E
P-54	4212-MAW	B'	E	G	E	A	D	E	F	F	B'	E	F	D	E	F	D	E	B'	B'	F	B'	G	B'	E	E	F	E	.05	G	E	E	E
P-53	4211-MAW	B'	E	G	E	B'	D	E	F	F	B'	E	F	D	E	F	D	ND	B'	B'	F	B'	G	B'	E	E	F	E	.06	G	ND	E	E
P-52	4079-MAW	B'	E	G	E	B'	D	E	F	F	B'	E	F	D	E	F	D	E	B'	B'	F	A	G	B'	E	E	F	E	.08	G	E	E	E
P-51	4078-MAW	B'	E	G	E	B'	D	E	F	F	B'	E	F	D	E	F	D	ND	B'	B'	F	A	G	B'	E	E	F	E	.09	G	E	E	E
P-50	4077-MAW	B'	E	G	E	B'	D	E	F	F	B'	E	F	D	E	F	D	ND	D	B'	F	A	G	B'	E	E	F	E	.08	G	E	E	E
P-49	4076-MAW	B'	E	G	E	A	D	E	F	F	B'	E	F	D	E	F	D	E	B'	B'	F	B'	G	B'	E	E	F	E	.07	F	E	E	F
P-48	4075-MAW	B'	E	G	E	B'	E	E	F	F	B'	E	F	D	E	F	D	E	B'	B'	F	A	G	B'	E	E	F	E	.06	F	E	E	E
P-47	5199- FJA	B'	E	G	E	B'	D	E	F	F	B'	E	F	D	E	F	E	ND	B'	B'	F	A	G	B'	E	E	F	D	.08	G	E	E	E
P-46	5198- FJA	B'	E	G	E	B'	E	E	F	F	B'	E	F	D	E	F	E	ND	B'	B'	F	A	G	B'	E	E	F	D	.06	G	E	E	E
P-45	5197- FJA	B'	E	G	E	B'	D	E	F	F	B'	E	F	D	E	F	E	ND	B'	B'	F	A	G	B'	E	E	F	D	.04	G	E	E	E
P-44	5196- FJA	B'	E	G	E	B'	D	E	F	F	B'	E	F	D	E	F	E	ND	B'	B'	F	A	G	B'	E	E	F	D	.07	G	E	E	E
P-43	5195- FJA	B'	E	G	E	B'	D	E	F	F	B'	E	F	D	E	F	E	E	B'	B'	F	A	G	B'	E	E	F	D	.06	G	E	E	E
P-42	5194- FJA	B'	E	G	E	B'	D	E	F	F	B'	E	F	D	E	F	E	ND	B'	B'	F	A	G	B'	E	E	F	D	.05	G	E	E	E
P-41	5193- FJA	B'	E	G	E	B'	D	E	F	F	B'	E	F	D	E	F	D	E	B'	B'	F	A	G	B'	E	E	F	D	.05	G	E	E	E
P-40	5192- FJA	B'	E	G	E	B'	D	E	F	F	B'	E	F	D	E	F	D	E	B'	B'	F	A	G	B'	E	E	F	D	.05	G	E	E	E
P-39	5191- FJA	B'	E	G	E	B'	D	E	F	F	B'	E	F	D	E	F	D	E	B'	B'	F	A	G	B'	E	E	F	D	.07	G	E	E	E
P-38	5190- FJA	B'	E	G	E	B'	D	E	F	F	B'	E	F	D	E	F	D	E	D	B'	F	A	G	B'	E	E	F	D	.07	G	E	ND	E
P-37	5189- FJA	B'	E	G	E	B'	D	E	F	F	B'	E	F	D	E	F	D	E	D	B'	F	A	G	B'	E	E	F	D	.07	G	E	E	E
P-36	5188- FJA	B'	E	G	E	B'	D	E	F	F	B'	E	F	D	E	F	D	E	D	B'	F	A	G	B'	E	E	F	D	.08	G	E	E	E
P-35	5187- FJA	B'	E	G	E	B'	D	E	F	F	B'	E	F	D	E	F	E	D	B'	F	A	G	B'	E	E	E	F	D	.07	G	E	E	E
P-34	5186- FJA	B'	E	G	E	B'	D	E	F	F	B'	E	F	D	E	F	E	D	B'	B'	F	A	G	B'	E	E	F	D	.04	G	E	E	E
P-33	5185- FJA	B'	E	G	E	B'	E	E	F	F	B'	E	F	D	E	F	E	E	D	B'	F	A	G	B'	E	E	F	D	.06	G	E	E	E
P-32	5184- FJA	B'	E	G	E	B'	D	E	F	F	B'	E	F	D	E	F	E	E	B'	B'	F	A	G	B'	E	E	F	D	.05	G	E	E	E
P-31	5183- FJA	B'	E	G	E	B'	D	E	F	F	B'	E	F	D	E	F	E	E	B'	B'	F	A	G	B'	E	E	F	D	.05	G	E	E	E
P-30	5182- FJA	B'	E	G	E	A	D	E	F	F	B'	E	F	D	E	F	E	E	B'	B'	F	B'	G	B'	E	E	F	D	.06	G	E	E	E
P-29	5181- FJA	B'	E	G	E	A	D	E	F	F	B'	E	F	D	E	F	E	E	B'	B'	F	B'	G	B'	E	E	F	D	.07	G	E	E	E
P-28	5180- FJA	B'	E	G	E	A	D	E	F	F	B'	E	F	D	E	F	E	E	D	B'	F	B'	G	B'	E	E	F	D	.06	G	E	E	E
P-27	4414- RAS	B'	F	ND	F	A	E	E	F	F	D	F	F	D	E	F	E	ND	D	D	F	D	G	B'	E	E	F	D	.01	G	E	E	E
P-26	4413- RAS	B'	E	G	E	A	D	E	F	F	B'	E	F	D	E	F	D	E	B'	B'	F	B'	G	B'	E	E	F	D	.02	G	E	E	ND
P-25	4412- RAS	B'	E	G	E	A	D	E	F	F	B'	E	F	D	E	F	D	E	B'	B'	F	B'	G	B'	E	E	F	D	.02	G	E	E	E
P-24	4411- RAS	A	E	ND	F	B'	D	E	F	F	B'	E	ND	D	E	F	D	E	B'	B'	F	A	G	B'	E	E	ND	D	.02	G	E	E	E
P-23	4410- RAS	B'	E	ND	E	A	D	E	F	F	B'	E	F	D	E	F	D	E	B'	B'	F	B'	G	B'	E	E	F	D	.04	G	E	E	E
P-22	4409- RAS	B'	E	ND	F	A	E	E	F	F	B'	E	F	D	E	F	D	E	D	B'	F	B'	G	B'	E	E	F	D	.01	G	E	E	F
P-21	4408- RAS	B'	E	G	F	A	D	E	F	F	D	F	F	D	E	F	E	E	B'	B'	F	B'	G	B'	E	E	F	D	.23	G	E	E	F
P-20	5166- RSJ	B'	E	ND	F	A	E	E	F	F	B'	E	F	D	E	F	D	ND	D	B'	F	B'	G	B'	E	E	ND	D	.09	G	E	E	E
P-19	5164- RSJ	B'	E	ND	F	A	F	E	F	F	D	E	F	D	E	F	E	ND	B'	D	F	B'	G	B'	E	E	ND	D	.01	G	E	E	E
P-18	5163- RSJ	B'	E	ND	F	A	E	E	F	F	D	E	F	D	E	F	E	ND	B'	B'	F	B'	G	B'	E	E	ND	D	.09	G	E	E	E
P-17	5162- RSJ	B'	E	ND	F	A	E	E	F	F	D	E	F	D	E	F	E	ND	B'	B'	F	B'	G	B'	E	E	ND	D	.08	G	E	E	E
P-16	5161- RSJ	B'	E	ND	F	A	E	E	F	F	D	E	F	D	E	F	E	ND	B'	B'	F	B'	G	B'	E	E	ND	D	.08	G	E	E	E
P-15	5204- RGW	B'	E	G	F	A	D	E	F	F	B'	E	F	D	E	ND	E	ND	B'	B'	F	B'	G	B'	E	E	F	D	.09	G	E	E	E
P-14	5203- RGW	B'	E	G	F	A	D	E	F	F	B'	E	F	D	E	F	E	ND	B'	B'	F	B'	G	B'	E	E	F	D	.07	G	E	E	E

OFFICIAL USE ONLY

OFFICIAL USE ONLY

UNCLASSIFIED

P-13	5202-RGW	B'	E	G	F	A	E	E	F	F	D	F	F	D	E	F	E	ND	B'	D	F	B'	G	B'	F	E	F	E	.04	G	E	E	E
P-12	5201-RGW	B'	E	G	F	A	D	E	F	F	D	E	F	D	E	F	E	ND	B'	B'	F	B'	G	B'	F	E	F	E	.07	G	E	E	E
P-11	5200-RGW	B'	E	G	F	A	D	E	F	F	D	E	F	D	E	F	E	ND	B'	B'	F	B'	G	B'	F	E	F	E	.05	G	E	E	E
P-10	5160-RGW	B'	E	ND	F	A	E	E	F	F	D	E	F	D	E	F	E	ND	B'	B'	F	B'	G	B'	F	E	ND	D	.04	G	E	E	E
P- 9	5159-RGW	B'	E	ND	F	A	E	E	F	F	D	E	ND	D	E	F	E	ND	B'	D	F	B'	G	B'	F	E	ND	E	.06	G	E	E	E
P- 8	5158-RGW	B'	E	ND	F	A	D	E	F	F	D	E	ND	D	E	F	E	ND	B'	D	F	B'	G	B'	F	E	ND	E	.07	G	E	E	E
P- 7	5157-RGW	B'	E	ND	F	A	D	E	F	F	D	E	F	D	E	F	E	ND	B'	D	F	B'	G	B'	F	E	ND	E	.09	G	E	E	E
P- 6	5156-RGW	B'	E	ND	F	A	F	E	F	F	D	E	F	D	E	F	E	ND	B'	D	F	B'	G	B'	F	E	F	E	.09	G	E	E	E
P- 5	5155-RGW	B'	E	ND	F	A	F	E	F	F	D	E	F	D	E	F	E	ND	B'	D	F	B'	G	B'	F	E	F	E	.06	G	E	E	E
P- 4	5154-RGW	B'	E	ND	F	B'	E	E	F	F	D	E	F	D	E	F	E	ND	D	B'	F	A	G	B'	F	E	ND	D	.09	G	E	E	E
P- 3	5153-RGW	B'	E	ND	F	A	F	E	F	F	D	E	F	B'	E	F	E	ND	B'	B'	F	B'	G	B'	F	E	ND	E	.03	F	E	E	E
P- 2	5152-RGW	B'	E	ND	E	A	E	E	F	F	B'	E	F	B'	E	F	E	E	D	B'	F	B'	G	D	F	E	F	D	.05	G	E	E	F
P- 1	5151-RGW	B'	E	ND	F	A	E	E	F	F	D	E	F	D	E	F	E	E	B'	D	F	B'	ND	B'	F	E	F	D	.03	G	E	E	F
Cw-1	5150-RGW	D	E	G	F	A	E	E	ND	F	B'	E	F	B'	F	F	F	E	D	D	F	D	ND	D	F	E	F	E	0.01	G	E	E	E

OFFICIAL USE ONLY

OFFICIAL USE ONLY

Lone Pine, Idaho, lot 1298

Phosphatic shale member of the Phosphoria formation sampled in bulldozer trench on the west limb of the Snowdrift anticline near Lone Pine Springs, NE $\frac{1}{4}$ sec. 4, T. 9 S., R. 45 E., Caribou County, Idaho. Section measured and sampled by M. A. Warner, R. A. Smart, R. G. Waring, R. S. Jones, and R. P. Sheldon in July 1949. Samples analyzed for P₂O₅ and acid insoluble by U. S. Bureau of Mines laboratory, Albany, Oreg., and for other constituents by Trace Elements Section laboratory, U. S. Geological Survey, Washington, D. C.

Samples analyzed for eU and chem. U by the U. S. Geological Survey laboratory, Geochemistry and Petrology Branch.

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P ₂ O ₅ (cumulative)	Uranium content (percent)		Thickness x percent eU (cumulative)
				P ₂ O ₅	Al ₂ O ₃	Fe ₂ O ₃	Loss on ignition	Acid insoluble			eU	Chem. U	
Rex chert member of Phosphoria formation—basal bed only													
R- 11	Chert -----	--	1.8	--	--	--	--	--	1.8	--	--	--	--
Phosphatic shale member of Phosphoria formation													
P-115	Mudstone -----	5080-MAW	0.9	2.1	--	--	--	84.4	0.9	1.89	0.002	--	0.002
P-114	Phosphate rock, argillaceous -----	5006-MAW	.5	29.6	--	--	--	17.1	1.4	16.69	.013	0.012	.008
P-113	Mudstone -----	5007-MAW	.7	3.6	--	--	--	73.8	2.1	19.21	.004	--	.011
P-112	Mudstone -----	5008-MAW	.9	2.8	--	--	--	69.7	3.0	21.73	.003	--	.014
P-111	Mudstone -----	5009-MAW	2.0	2.0	--	--	--	75.0	5.0	25.73	.003	--	.020
P-110	Mudstone -----	5010-MAW	2.3	.9	--	--	--	79.0	7.3	27.80	.003	--	.027
P-109	Mudstone -----	5011-MAW	3.2	1.0	--	--	--	79.2	10.5	31.00	.003	--	.036
P-108	Mudstone -----	5012-MAW	1.1	.9	--	--	--	77.7	11.6	31.99	.002	--	.038
P-107	Mudstone -----	5013-MAW	3.3	3.7	--	--	--	70.3	14.9	44.20	.004	.002	.052
P-106	Phosphate rock, argillaceous -----	5014-MAW	1.0	27.8	2.8	1.24	4.08	21.1	15.9	72.00	.010	--	.062
P-105	Mudstone -----	5015-MAW	2.2	3.8	9.5	3.34	5.88	71.7	18.1	80.36	.003	--	.068
P-104	Phosphate rock -----	5016-MAW	1.5	36.9	1.2	.82	4.08	2.8	19.6	135.71	.011	.010	.085
P-103	Phosphate rock -----	5017-MAW	.9	35.7	1.5	.67	5.96	2.8	20.5	167.84	.013	.011	.096
P-102	Phosphate rock -----	5018-MAW	1.0	36.5	1.2	.50	2.56	4.9	21.5	204.34	.012	.011	.108
P-101	Mudstone -----	5019-MAW	1.5	6.6	8.8	3.23	4.94	66.7	23.0	214.24	.004	--	.114
P-100	Phosphate rock and argillaceous phosphate rock -----	5081-MAW	.7	29.6	3.2	1.32	3.56	18.0	23.7	234.96	.010	.010	.122
P- 99	Phosphate rock, argillaceous -----	5082-MAW	.4	18.3	6.0	2.10	4.84	41.8	24.1	242.28	.005	.005	.124
P- 98	Phosphate rock -----	5083-MAW	.9	31.7	2.5	1.07	3.36	13.4	25.0	270.81	.013	.012	.135
P- 97	Phosphate rock -----	5084-MAW	1.0	34.1	1.5	.59	3.22	9.6	26.0	304.91	.013	.012	.148
P- 96	Mudstone -----	5085-MAW	.6	7.1	8.5	3.29	8.32	63.7	26.6	309.17	.005	.004	.151
P- 95	Phosphate rock -----	5086-MAW	1.2	36.2	.78	.23	3.08	6.4	27.8	352.61	.019	.018	.174
P- 94	Mudstone, phosphatic -----	5087-MAW	.7	14.3	6.7	2.80	8.20	47.9	28.5	362.62	.006	.005	.178
P- 93	Phosphate rock -----	5088-MAW	.6	34.6	1.4	.38	4.26	8.0	29.1	383.38	.015	.013	.187
P- 92	Phosphate rock, argillaceous -----	5089-MAW	.5	20.3	5.6	1.30	10.06	30.3	29.6	393.53	.013	.012	.194
P- 91	Phosphate rock -----	5090-MAW	1.2	35.8	1.1	.72	2.76	6.0	30.8	436.49	.017	.017	.214
P- 90	Mudstone, phosphatic -----	5091-MAW	1.3	11.7	6.8	2.84	5.34	55.7	32.1	451.70	.004	--	.219
P- 89	Phosphate rock -----	5020- RAS	1.0	31.9	2.0	.76	1.84	13.5	33.1	483.60	.015	.010	.234
P- 88	Phosphate rock -----	5021- RAS	.9	38.5	.77	.44	2.70	1.2	34.0	518.25	.016	.016	.249

P- 87	Phosphate rock -----	5022- RAS	1.5	33.5	2.3	1.11	3.92	8.7	35.5	568.50	.016	.014	.273
P- 86	Phosphate rock -----	5023- RAS	1.2	27.4	2.9	1.96	9.82	14.8	36.7	601.38	.016	.014	.292
P- 85	Phosphate rock -----	5024- RAS	1.5	32.5	1.7	.51	8.54	6.3	38.2	650.13	.015	.015	.314
P- 84	Phosphate rock, argillaceous -----	5025- RAS	2.0	25.8	3.4	1.24	13.56	16.1	40.2	701.73	.010	.009	.334
P- 83	Phosphate rock, argillaceous -----	5026- RAS	2.2	22.6	4.0	1.34	14.36	22.2	42.4	751.45	.009	.008	.354
P- 82	Mudstone -----	5027- RAS	2.3	6.5	--	--	--	61.9	44.7	766.40	.004	.002	.363
P- 81	Mudstone, phosphatic -----	5028- RAS	2.5	15.4	--	--	--	38.0	47.2	804.90	.003	--	.371
P- 80	Mudstone, phosphatic, carbonatic -----	5029- RAS	2.0	10.7	--	--	--	37.9	49.2	826.30	.005	.003	.381
P- 79	Mudstone, phosphatic -----	5030- RAS	2.2	12.8	--	--	--	51.0	51.4	854.46	.005	.003	.392
P- 78	Phosphate rock, argillaceous -----	5031- RAS	1.3	24.2	--	--	--	29.5	52.7	885.92	.005	--	.398
P- 77	Mudstone -----	5032- RAS	.5	4.5	--	--	--	73.0	53.2	888.17	.002	--	.399
P- 76	Mudstone, phosphatic -----	5033- RAS	1.0	10.1	--	--	--	61.7	54.2	898.27	.004	--	.403
P- 75	Phosphate rock, argillaceous -----	5034- RAS	.8	20.7	--	--	--	34.1	55.0	914.83	.007	.003	.409
P- 74	Mudstone, phosphatic -----	5035- RAS	.8	12.2	--	--	--	54.2	55.8	924.59	.004	--	.412
P- 73	Mudstone -----	5036- RAS	1.6	7.5	--	--	--	66.8	57.4	936.59	.003	--	.417
P- 72	Mudstone -----	5037- RAS	1.4	6.4	--	--	--	67.3	58.8	945.55	.003	--	.421
P- 71	Mudstone, phosphatic -----	5038- RAS	1.4	8.6	--	--	--	64.2	60.2	957.59	.004	--	.427
P- 70	Phosphate rock, argillaceous -----	5039- RAS	1.5	18.4	--	--	--	40.2	61.7	985.19	.005	.005	.434
P- 69	Mudstone -----	5092- RAS	1.4	5.6	--	--	--	67.3	63.1	993.03	.004	--	.440
P- 68	Mudstone -----	5093- RAS	1.2	2.7	--	--	--	76.5	64.3	996.27	.003	--	.444
P- 67	Mudstone -----	5094- RAS	2.0	3.0	--	--	--	67.1	66.3	1,002.27	.004	--	.452
P- 66	Mudstone -----	5095- RAS	1.3	4.2	--	--	--	70.4	67.6	1,007.73	.003	--	.455
P- 65	Mudstone -----	5040- RSJ	2.0	2.8	--	--	--	75.0	69.6	1,013.33	.004	--	.463
P- 64	Mudstone -----	5041- RSJ	1.2	3.5	--	--	--	72.3	70.8	1,017.53	.002	--	.466
P- 63	Phosphate rock, argillaceous -----	5042- RSJ	.2	24.5	--	--	--	23.5	71.0	1,022.43	.007	.005	.467
P- 62	Mudstone, phosphatic -----	5043- RSJ	.7	14.3	--	--	--	61.0	71.7	1,032.44	.005	.003	.471
P- 61	Mudstone -----	5044- RSJ	2.6	7.5	--	--	--	66.0	74.3	1,051.94	.003	--	.478
P- 60	Mudstone, phosphatic -----	5045- RSJ	2.8	14.4	--	--	--	38.0	77.1	1,092.26	.006	.004	.495
P- 59	Mudstone, phosphatic -----	5046- RSJ	2.5	10.5	--	--	--	58.5	79.6	1,118.51	.004	--	.505
P- 58	Mudstone -----	5047- RSJ	.7	3.1	--	--	--	76.5	80.3	1,120.68	.002	--	.507
P- 57	Mudstone, phosphatic and mudstone -----	5048- RSJ	1.7	3.0	--	--	--	83.0	82.0	1,125.78	.003	--	.512
P- 56	Mudstone -----	5049- RSJ	1.6	.7	--	--	--	83.6	83.6	1,126.90	.002	--	.515
P- 55	Mudstone -----	5050- RSJ	1.8	7.5	--	--	--	69.8	85.4	1,140.40	.004	--	.522
P- 54	Mudstone -----	5051- RSJ	1.2	1.2	--	--	--	87.2	86.6	1,141.84	.003	--	.526
P- 53	Mudstone -----	5052- RSJ	3.0	.6	--	--	--	85.9	89.6	1,143.64	.003	--	.535
P- 52	Mudstone, phosphatic -----	5053- RSJ	.6	10.1	--	--	--	64.7	90.2	1,149.70	.004	--	.537
P- 51	Mudstone -----	5054- RSJ	1.5	.4	--	--	--	90.2	91.7	1,150.30	.002	--	.540
P- 50	Mudstone, phosphatic -----	5055- RSJ	2.0	18.2	--	--	--	45.8	93.7	1,186.70	.004	--	.548
P- 49	Mudstone, phosphatic and mudstone -----	5056- RSJ	1.5	8.6	--	--	--	64.2	95.2	1,199.60	.004	--	.554
P- 48	Mudstone -----	5057- RSJ	2.4	4.4	--	--	--	72.8	97.6	1,210.16	.004	--	.564
P- 47	Mudstone, phosphatic -----	5058- RSJ	2.4	14.4	--	--	--	38.3	100.0	1,244.72	.008	.006	.583
P- 46	Mudstone, phosphatic -----	5059- RSJ	2.3	13.0	--	--	--	42.8	102.3	1,274.62	.006	.004	.597
P- 45	Mudstone and phosphate rock -----	5060- RPS	1.7	15.9	--	--	--	40.4	104.0	1,301.65	.005	.004	.605

Lone Pine—Continued

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P ₂ O ₅ (cumulative)	Uranium content (percent)		Thickness x percent eU (cumulative)
				P ₂ O ₅	Al ₂ O ₃	Fe ₂ O ₃	Loss on ignition	Acid insoluble			eU	Chem. U	
P-44	Mudstone -----	5061- RPS	3.3	3.1	--	--	--	73.7	107.3	1,311.88	0.004	--	0.618
P-43	Mudstone -----	5062- RPS	1.1	1.4	--	--	--	81.4	108.4	1,313.42	.002	--	.621
P-42	Chert and mudstone -----	5063- RPS	1.7	1.4	--	--	--	88.9	110.1	1,315.80	.002	--	.624
P-41	Mudstone -----	5064- RPS	2.8	4.5	--	--	--	73.7	112.9	1,328.40	.004	--	.635
P-40	Mudstone -----	5065- RPS	2.0	1.8	--	--	--	84.0	114.9	1,332.00	.002	--	.639
P-39	Mudstone -----	5066- RPS	3.1	5.8	--	--	--	72.1	118.0	1,349.98	.003	--	.649
P-38	Mudstone -----	5067- RPS	2.8	4.4	--	--	--	75.2	120.8	1,362.30	.003	--	.657
P-37	Mudstone -----	5068- RPS	2.3	1.7	--	--	--	83.0	123.1	1,366.21	.003	--	.664
P-36	Mudstone and phosphatic mudstone -----	5069- RPS	1.2	10.0	--	--	--	56.7	124.3	1,378.21	.004	--	.669
P-35	Mudstone, phosphatic -----	5070- RPS	3.0	11.5	--	--	--	55.7	127.3	1,412.71	.004	--	.681
P-34	Mudstone -----	5071- RPS	1.1	5.7	--	--	--	68.2	128.4	1,418.98	.019	.004	.702
P-33	Mudstone and phosphate rock -----	5072- RPS	2.7	20.4	7.0	2.82	7.24	33.3	131.1	1,474.06	.004	--	.712
P-32	Mudstone and argillaceous phosphate rock -----	5073- RPS	3.2	16.3	8.2	3.19	7.76	43.7	134.3	1,526.22	.003	--	.722
P-31	Mudstone and phosphate rock -----	5074- RPS	2.7	20.5	7.1	2.57	7.72	32.7	137.0	1,581.57	.005	.004	.736
P-30	Mudstone, phosphatic and phosphate rock -----	5075- RPS	3.5	24.3	5.6	2.16	8.74	22.5	140.5	1,666.62	.005	.003	.753
P-29	Mudstone, phosphatic -----	5076- RPS	.5	13.8	8.6	3.36	7.56	47.3	141.0	1,673.52	.005	.003	.756
P-28	Phosphate rock -----	5077- RPS	2.0	29.5	2.9	1.79	6.16	14.0	143.0	1,732.52	.009	.008	.774
P-27	Phosphate rock, argillaceous -----	5078- RPS	1.0	26.3	3.9	1.63	6.30	22.0	144.0	1,758.82	.015	.014	.788
P-26	Phosphate rock, argillaceous -----	5096- RAS	1.3	23.0	5.1	1.86	6.48	30.8	145.3	1,788.72	.010	.008	.802
P-25	Mudstone, phosphatic -----	5097- RAS	1.1	13.2	--	--	--	52.2	146.4	1,803.24	.004	--	.806
P-24	Mudstone, phosphatic -----	5098- RAS	1.5	15.6	--	--	--	46.0	147.9	1,826.64	.005	.003	.813
P-23	Mudstone, phosphatic -----	5099- RAS	1.6	14.6	--	--	--	48.3	149.5	1,850.00	.004	.004	.820
P-22	Mudstone, phosphatic -----	5100- RAS	1.4	11.9	--	--	--	53.7	150.9	1,866.66	.005	.004	.827
P-21	Mudstone -----	5101- RAS	.9	3.1	--	--	--	74.0	151.8	1,869.45	.003	--	.830
P-20	Phosphate rock, argillaceous -----	5102- RAS	1.4	28.4	--	--	--	20.5	153.2	1,909.21	.007	.007	.839
P-19	Phosphate rock, argillaceous -----	5103- RAS	1.7	19.0	--	--	--	40.0	154.9	1,941.51	.010	.008	.856
P-18	Mudstone, phosphatic -----	5104- RAS	.8	8.3	--	--	--	62.6	155.7	1,948.15	.005	.004	.860
P-17	Phosphate rock -----	5105- RAS	2.0	31.6	2.3	1.11	5.76	13.0	157.7	2,011.35	.014	.014	.888
Samples 4501-4509-RGW and 4512-4520-RGW collected in second trench 400 feet up gulley. Beds P-4 through P-18 much crumpled and weathered. Samples 4512-RGW and 4513-RGW are equivalent to 5104-RAS and 5105-RAS, respectively.													
--	Mudstone -----	4512-RGW	(.9)	6.3	--	--	--	70.7	--	--	.004	--	--
--	Phosphate rock -----	4513-RGW	(2.6)	29.7	--	--	--	13.5	--	--	.012	.012	--
P-16	Phosphate rock -----	4514-RGW	3.3	29.2	2.1	.89	6.86	15.7	161.0	2,107.71	.007	.008	.911

P-15	Phosphate rock -----	4515-RGW	2.8	31.5	1.7	.80	7.06	10.1	163.8	2,195.91	.012	.013	.945
P-14	Phosphate rock -----	4516-RGW	1.6	32.5	2.0	.83	7.84	6.7	165.4	2,247.91	.012	.011	.964
P-13	Mudstone, phosphatic -----	4517-RGW	.7	14.1	8.2	3.01	8.18	44.1	166.1	2,257.78	.006	.004	.968
P-12	Phosphate rock -----	4518-RGW	.8	31.6	1.8	1.10	6.82	9.6	166.9	2,283.06	.005	.004	.972
P-11	Phosphate rock, argillaceous -----	4519-RGW	.9	24.6	4.8	2.26	6.80	23.4	167.8	2,305.20	.004	--	.976
P-10	Phosphate rock -----	4520-RGW	2.0	35.6	.94	.40	6.20	1.5	169.8	2,376.40	.008	.006	.992
P-9	Phosphate rock -----	4501-RGW	2.0	35.3	.77	.37	6.94	1.0	171.8	2,447.00	.007	.006	1.006
P-8	Phosphate rock -----	4502-RGW	1.0	31.6	1.3	.58	8.60	5.9	172.8	2,478.60	.011	.010	1.017
P-7	Phosphate rock -----	4503-RGW	1.2	33.6	.74	.44	6.50	3.0	174.0	2,518.92	.023	.021	1.045
P-6	Phosphate rock -----	4504-RGW	.9	31.7	1.1	.68	7.48	5.6	174.9	2,547.45	.027	.026	1.069
P-5	Phosphate rock -----	4505-RGW	.8	32.7	1.1	.46	5.68	7.2	175.7	2,573.61	.010	.009	1.077
P-4	Mudstone -----	4506-RGW	1.9	2.8	--	--	--	65.2	177.6	2,578.93	.005	.003	1.086
P-3	Carbonate rock, argillaceous -----	4507-RGW	2.7	.3	--	--	--	33.9	180.3	2,579.74	.001	--	1.089
P-2	Mudstone, carbonatic -----	4508-RGW	2.0	1.1	--	--	--	63.8	182.3	2,581.94	.003	--	1.095
P-1	Phosphate rock -----	4509-RGW	.5	34.4	--	--	--	5.0	182.8	2,599.14	.011	.011	1.101

Wells formation— top bed only

Cw-1	Carbonate rock -----	--	1.1	0.8	--	--	--	3.6	1.1	--	--	--	--
------	----------------------	----	-----	-----	----	----	----	-----	-----	----	----	----	----

Georgetown Canyon, Idaho, lot 1320

Portion of the phosphatic shale member of the Phosphoria formation sampled from diamond drill hole on east limb of the Georgetown syncline in Georgetown Canyon, NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 30, T. 10 S., R. 45 E., Bear Lake County, Idaho. Beds strike S. 10° W. and dip 70° W. Hole drilled in the summer of 1949 by Central Farmers' Fertilizer Company. Drill cores described by D. F. Davidson in September 1949. Samples analyzed by U. S. Bureau of Mines laboratory, Albany, Oreg.

Samples analyzed for eU and chem. U by the U. S. Geological Survey laboratory, Geochemistry and Petrology Branch.

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)		Cumulative thickness (feet)	Thickness x percent P ₂ O ₅ - (cumulative)	Uranium content (percent)		Thickness x percent chem. U (cumulative)
				P ₂ O ₅	Acid insoluble			eU	Chem. U	
Phosphatic shale member of Phosphoria formation										
P-15	Mudstone -----	4616-DFD	2.0	4.0	68.9	2.0	8.00	0.003	0.002	0.004
P-14	Mudstone, phosphatic, carbonatic -----	4617-DFD	.6	9.5	46.1	2.6	13.70	.003	.005	.007
P-13	Mudstone, carbonatic -----	4618-DFD	1.3	5.1	55.5	3.9	20.33	.003	.003	.011
P-12	Carbonate rock, argillaceous -----	4619-DFD	1.2	.9	32.9	5.1	21.41	.001	.001	.012
P-11	Mudstone, phosphatic, carbonatic -----	4620-DFD	1.3	8.9	45.3	6.4	32.98	.004	.005	.019
P-10	Mudstone, carbonatic -----	4621-DFD	2.5	2.5	57.1	8.9	39.23	.002	.002	.024
P- 9	Mudstone -----	4622-DFD	2.5	2.5	66.0	11.4	45.48	.003	.002	.029
P- 8	Carbonate rock, argillaceous -----	4623-DFD	5.5	1.9	29.0	16.9	55.93	.001	.001	.034
P- 7	Carbonate rock, argillaceous -----	4624-DFD	3.5	.2	17.9	20.4	56.63	.001	.001	.038
P- 6	Carbonate rock, argillaceous -----	4625-DFD	.7	.3	29.9	21.1	56.84	.001	.001	.038
P- 5	Carbonate rock, argillaceous -----	4626-DFD	3.0	.2	30.4	24.1	57.44	.001	.001	.041
P- 4	Mudstone, carbonatic -----	4627-DFD	5.0	1.4	62.0	29.1	64.44	.002	.002	.051
P- 3	Carbonate rock, argillaceous -----	4628-DFD	5.0	7.1	20.7	34.1	99.94	.003	.003	.066
P- 2	Mudstone -----	4629-DFD	2.5	22.4	27.3	36.6	155.94	.009	.010	.091
P- 1	Mudstone -----	4630-DFD	2.0	17.5	31.8	38.6	190.94	.005	.006	.103

Dingle, Idaho, lot 1293

Phosphatic shale member of the Phosphoria formation sampled in bulldozer trench on the east limb of the Hot Springs anticline, SE $\frac{1}{4}$ sec. 36, T. 14 S., R. 44 E., Bear Lake County, Idaho. Beds strike N. 10° W. and dip 60° W. Section measured by M. A. Warner, R. A. Smart, R. G. Waring, and R. P. Sheldon and sampled by Warner, Smart, and Waring in July 1949. Samples analyzed for P₂O₅ and acid insoluble by U. S. Bureau of Mines laboratory, Albany, Oreg., and for other constituents by Trace Elements Section laboratory, U. S. Geological Survey, Washington, D. C.

Samples analyzed for eU and chem. U by the U. S. Geological Survey laboratory, Geochemistry and Petrology Branch.

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P ₂ O ₅ (cumulative)	Uranium content (percent)		Thickness x percent eU (cumulative)
				P ₂ O ₅	Al ₂ O ₃	Fe ₂ O ₃	Loss on ignition	Acid insoluble			eU	Chem. U	
Rex chert member of Phosphoria formation—basal beds only													
R- 2	Chert -----	4074-MAW	1.3	---	--	--	--	--	1.3	--	--	--	--
--	Fault breccia -----	4073-MAW	(.3)	--	--	--	--	--	--	--	--	--	--
R- 1	Chert, phosphatic -----	4072-MAW	1.7	11.6	--	--	--	53.8	3.0	--	0.005	--	--
Phosphatic shale member of Phosphoria formation													
P-84	Mudstone, phosphatic -----	4071-MAW	0.5	11.2	--	--	--	42.8	0.5	5.60	0.003	--	0.002
P-83	Mudstone -----	4070-MAW	1.1	1.5	--	--	--	66.7	1.6	7.25	.002	--	.004
P-82	Mudstone, carbonatic -----	4069-MAW	1.5	.6	--	--	--	56.8	3.1	8.15	.002	--	.006
P-81	Mudstone, carbonatic -----	4068-MAW	2.7	.6	--	--	--	62.5	5.8	9.77	.002	--	.012
P-80	Mudstone, carbonatic -----	4067-MAW	1.8	.5	--	--	--	60.3	7.6	10.67	.003	--	.018
P-79	Carbonate rock, argillaceous -----	4066-MAW	.7	.8	--	--	--	25.0	8.3	11.23	.0005	--	.018
P-78	Mudstone, carbonatic -----	4065-MAW	1.1	2.5	--	--	--	51.7	9.4	13.98	.003	--	.021
P-77	Mudstone, carbonatic -----	4064-MAW	1.2	2.4	--	--	--	61.0	10.6	16.86	.002	--	.024
P-76	Mudstone, carbonatic -----	4063-MAW	1.2	4.9	--	--	--	53.7	11.8	22.74	.003	--	.027
P-75	Mudstone -----	4062-MAW	1.5	2.6	--	--	--	68.0	13.3	26.64	.005	--	.037
P-74	Mudstone -----	4061-MAW	1.8	.4	--	--	--	68.5	15.1	27.36	.001	--	.036
P-73	Mudstone -----	4060-MAW	1.2	4.5	--	--	--	65.2	16.3	32.76	.004	--	.041
P-72	Phosphate rock-----	4059-MAW	1.4	36.3	0.77	0.22	2.78	4.7	17.7	83.58	.013	--	.059
P-71	Mudstone, phosphatic, phosphate rock, and mudstone-----	4058-MAW	2.3	14.6	7.0	1.79	4.52	49.3	20.0	117.16	.013	--	.089
P-70	Phosphate rock-----	4057-MAW	1.2	34.7	.98	.31	2.56	9.5	21.2	158.80	.013	--	.105
P-69	Phosphate rock, argillaceous-----	4056-MAW	.3	20.5	6.8	1.84	4.64	34.0	21.5	164.95	.008	--	.107
P-68	Phosphate rock-----	4055-MAW	.4	35.6	.92	.21	2.64	8.0	21.9	179.19	.011	--	.112
Bed P-68 is slumped.													
P-67	Phosphate rock, argillaceous-----	4054-MAW	.9	21.0	5.8	1.61	4.78	34.8	22.8	198.09	.008	--	.119
P-66	Phosphate rock-----	4053-MAW	.6	36.2	.74	.30	2.86	6.1	23.4	219.81	.016	--	.129
P-65	Phosphate rock, argillaceous-----	4052-MAW	.6	22.9	4.6	1.08	5.30	30.2	24.0	233.55	.013	--	.136
P-64	Phosphate rock-----	4051-MAW	1.2	38.1	.56	.27	3.32	1.8	25.2	279.27	.016	--	.156
P-64	Phosphate rock-----	4051-MAW	1.2	38.1	.56	.27	3.32	1.8	25.2	279.27	.016	--	.156
P-63	Phosphate rock-----	4050-MAW	.8	36.9	1.1	.34	3.34	3.0	26.0	308.79	.019	--	.177
P-62	Phosphate rock-----	4034- RAS	.9	36.8	.94	.34	2.40	4.3	26.9	341.91	.020	--	.189

Dingle—Continued

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P_2O_5 (cumulative)	Uranium content (percent)		Thickness x percent eU (cumulative)
				P_2O_5	Al_2O_3	Fe_2O_3	Loss on ignition	Acid insoluble			eU	Chem. U	
P-61	Phosphate rock, argillaceous-----	4033- RAS	1.4	24.3	4.5	0.93	4.18	28.7	28.3	375.93	0.011	--	0.204
P-60	Phosphate rock, argillaceous-----	4032- RAS	.7	29.4	3.5	1.19	4.58	16.3	29.0	396.51	.009	--	.210
P-59	Mudstone, phosphatic-----	4031- RAS	1.0	15.6	6.5	1.98	7.82	39.3	30.0	412.11	.010	--	.220
P-58	Phosphate rock-----	4030- RAS	.5	34.1	1.9	.61	2.94	8.7	30.5	429.16	.017	--	.229
P-57	Phosphate rock-----	4029- RAS	1.1	37.8	.86	.33	2.62	2.8	31.6	470.74	.012	--	.242
P-56	Phosphate rock-----	4028- RAS	1.6	35.6	1.4	.57	2.94	6.2	33.2	527.70	.014	--	.264
P-55	Mudstone, phosphatic-----	4027- RAS	1.5	10.8	--	--	--	58.8	34.7	543.90	.006	--	.273
P-54	Mudstone-----	4026- RAS	1.6	5.3	--	--	--	69.2	36.3	552.38	.003	--	.278
P-53	Mudstone, phosphatic-----	4025- RAS	1.9	13.8	--	--	--	47.3	38.2	578.60	.004	--	.286
P-52	Mudstone and phosphate rock-----	4043- RGW	2.0	4.5	--	--	--	67.5	40.2	587.60	.003	--	.292
P-51	Mudstone and chert-----	4042- RGW	2.0	5.4	--	--	--	63.0	42.2	598.40	.003	--	.298
	Bed P-51 is slumped.												
P-50	Mudstone, carbonatic-----	4041- RPS	1.2	.8	--	--	--	48.4	43.4	599.36	.001	--	.298
P-49	Phosphate rock, argillaceous-----	4040- RPS	1.8	19.3	--	--	--	40.9	45.2	634.10	.005	--	.308
P-48	Mudstone-----	4039- RPS	1.5	1.1	--	--	--	83.8	46.7	635.75	.004	--	.314
P-47	Phosphate rock, argillaceous and mudstone-----	4038- RPS	1.6	18.3	--	--	--	35.8	48.3	665.03	.004	--	.320
P-46	Mudstone-----	4037- RPS	.6	5.4	--	--	--	65.8	48.9	668.27	.003	--	.322
P-45	Mudstone and phosphatic mudstone-----	4036- RPS	2.0	10.0	--	--	--	49.7	50.9	688.27	.005	--	.332
P-44	Mudstone, phosphatic-----	4035- RPS	3.2	10.3	--	--	--	34.3	54.1	721.23	.004	--	.345
	Beds P-44 and P-45 are highly crumpled.												
P-43	Mudstone, contains carbonate rock and chert lenses-----	4049-MAW	2.4	.6	--	--	--	12.3	56.5	722.67	.0005	--	.346
P-42	Mudstone-----	4048-MAW	.7	3.2	--	--	--	81.0	57.2	724.91	.005	0.003	.350
P-41	Mudstone-----	4047-MAW	2.5	2.0	--	--	--	75.3	59.7	729.91	.003	--	.357
P-40	Mudstone, phosphatic-----	4046-MAW	1.2	9.5	--	--	--	56.7	60.9	741.31	.003	--	.361
P-39	Mudstone-----	4045-MAW	1.7	1.6	--	--	--	77.2	62.6	744.03	.004	--	.368
P-38	Mudstone-----	4000-MAW	3.5	3.8	--	--	--	72.6	66.1	757.33	.005	--	.385
P-37	Mudstone, phosphatic-----	3999-MAW	1.7	10.2	--	--	--	49.3	67.8	774.67	.005	--	.394
P-36	Mudstone, phosphatic-----	3998-MAW	2.0	10.1	--	--	--	51.3	69.8	794.87	.003	--	.400
P-35	Carbonate rock-----	3997-MAW	1.1	1.0	--	--	--	15.7	70.9	795.97	.002	--	.402
P-34	Mudstone, phosphatic-----	3996-MAW	2.0	12.8	--	--	--	37.7	72.9	821.57	.003	--	.408
P-33	Mudstone, phosphatic-----	3995-MAW	1.5	9.7	--	--	--	47.8	74.4	836.12	.003	--	.412
P-32	Phosphate rock, argillaceous-----	3994-MAW	1.5	16.6	--	--	--	34.6	75.9	861.02	.005	--	.420

P-31	Mudstone-----	3993-MAW	1.0	6.8	--	--	--	65.2	76.9	867.82	.003	--	.423
P-30	Mudstone, phosphatic-----	3992-MAW	2.6	12.6	--	--	--	45.1	79.5	900.58	.004	--	.433
P-29	Mudstone, phosphatic-----	3991-MAW	2.3	12.9	--	--	--	52.1	81.8	930.25	.004	--	.443
P-28	Phosphate rock-----	3990-MAW	2.7	26.5	3.9	1.65	13.34	12.9	84.5	1,001.80	.004	--	.453
P-27	Mudstone, phosphatic-----	3989-MAW	1.1	13.7	7.9	3.01	8.86	46.3	85.6	1,016.87	.005	--	.459
P-26	Phosphate rock, argillaceous-----	3988-MAW	.8	22.3	5.7	2.00	9.86	26.7	86.4	1,034.71	.004	--	.462
P-25	Phosphate rock, argillaceous-----	3987-MAW	.8	18.0	6.7	2.81	11.02	34.8	87.2	1,049.11	.005	--	.466
P-24	Phosphate rock-----	4024- RAS	1.3	31.6	2.2	1.00	7.06	9.0	88.5	1,090.19	.006	--	.474
P-23	Phosphate rock-----	4023- RAS	.9	29.6	3.4	1.52	4.62	16.5	89.4	1,116.83	.011	--	.484
P-22	Phosphate rock, argillaceous-----	4022- RAS	2.4	21.6	4.4	1.83	5.34	33.0	91.8	1,168.67	.010	--	.508
P-21	Mudstone, phosphatic-----	4021- RAS	1.4	16.2	--	--	--	45.8	93.2	1,191.35	.009	--	.520
P-20	Mudstone-----	4020- RAS	1.3	7.6	--	--	--	62.8	94.5	1,201.23	.004	--	.526
P-19	Mudstone-----	4019- RAS	2.2	4.2	--	--	--	70.4	96.7	1,210.47	.005	--	.537
P-18	Mudstone, phosphatic-----	4018- RAS	.9	9.9	--	--	--	58.5	97.6	1,219.38	.004	--	.540
P-17	Phosphate rock, argillaceous-----	4017- RAS	1.9	23.4	3.7	1.04	5.46	32.5	99.5	1,263.84	.007	--	.553
P-16	Phosphate rock, argillaceous-----	4016- RAS	1.5	28.9	3.2	.60	6.66	17.8	101.0	1,307.19	.014	--	.574
P-15	Phosphate rock, argillaceous-----	4015- RAS	2.4	25.7	4.1	.70	4.30	27.2	103.4	1,368.87	.012	--	.603
P-14	Phosphate rock, argillaceous-----	4014- RAS	2.0	24.5	3.9	.94	5.54	28.3	105.4	1,417.87	.009	--	.621
P-13	Phosphate rock, argillaceous-----	4013- RAS	2.2	18.3	7.0	1.91	4.64	42.0	107.6	1,458.13	.007	--	.637
P-12	Mudstone-----	4012- RAS	.9	4.7	10.0	3.50	3.92	72.5	108.5	1,462.36	.005	--	.641
P-11	Phosphate rock, argillaceous-----	4011- RAS	2.0	26.5	3.1	1.48	3.04	26.5	110.5	1,515.36	.009	--	.659
P-10	Phosphate rock, argillaceous-----	4010- RAS	1.0	22.3	3.6	6.53	3.64	30.7	111.5	1,537.66	.004	--	.663
P- 9	Phosphate rock, argillaceous-----	4009- RAS	1.8	27.4	4.3	1.34	3.12	23.0	113.3	1,586.98	.008	--	.678
P- 8	Phosphate rock, argillaceous-----	4008- RAS	.7	22.4	3.6	1.60	2.66	35.3	114.0	1,602.66	.005	--	.681
P- 7	Phosphate rock, argillaceous-----	4007- RAS	.9	25.0	4.7	2.92	3.14	27.2	114.9	1,625.16	.005	--	.686
P- 6	Phosphate rock-----	4006- RAS	2.8	35.5	1.3	.34	3.04	4.5	117.7	1,724.56	.009	--	.711
P- 5	Phosphate rock-----	4005- RAS	1.9	35.6	1.3	.20	3.12	4.2	119.6	1,792.20	.016	--	.741
P- 4	Phosphate rock-----	4004- RAS	1.8	35.6	1.2	.34	3.48	3.8	121.4	1,856.28	.014	--	.766
P- 3	Mudstone-----	4003- RAS	2.6	2.5	9.2	2.89	3.28	77.7	124.0	1,862.78	.003	--	.774
P- 2	Mudstone-----	4002- RAS	1.7	1.2	9.9	3.12	3.14	79.0	125.7	1,864.82	.003	--	.779
P- 1	Phosphate rock-----	4001- RAS	.3	32.3	2.8	1.94	3.06	10.5	126.0	1,874.51	.009	--	.782

Wells formation—top part only

Cw-1	Chert and mudstone-----	--	94.0	--	--	--	--	--	94.0	--	--	--	--
------	-------------------------	----	------	----	----	----	----	----	------	----	----	----	----

Upper part of the phosphatic shale member of the Phosphoria formation measured and sampled in a tunnel near the bulldozer trench. Beds strike N. 15° W. and dip approximately 70° W. Section measured and sampled by D. F. Davidson and R. A. Smart in June 1949.

Rex chert member of Phosphoria formation—basal bed only

R- 1	Chert, phosphatic-----	3901- DFD	1.1	10.0	--	--	--	56.4	1.1	--	0.004	--	--
------	------------------------	-----------	-----	------	----	----	----	------	-----	----	-------	----	----

Dingle—Continued

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P ₂ O ₅ (cumulative)	Uranium content (percent)		Thickness x percent eU (cumulative)
				P ₂ O ₅	Al ₂ O ₃	Fe ₂ O ₃	Loss on ignition	Acid insoluble			eU	Chem. U	
Phosphatic shale member of Phosphoria formation													
P-33	Mudstone, phosphatic -----	3902-DFD	0.5	10.6	--	--	--	55.0	0.5	5.30	0.007	--	0.004
P-32	Mudstone -----	3903-DFD	.9	2.0	--	--	--	73.9	1.4	7.10	.002	--	.005
P-31	Mudstone -----	3904-DFD	.7	3.5	--	--	--	67.0	2.1	9.55	.004	--	.008
P-30	Mudstone, carbonatic -----	3905-DFD	2.0	.3	--	--	--	60.0	4.1	10.15	.001	--	.010
P-29	Mudstone, carbonatic -----	3906-DFD	3.4	.5	--	--	--	51.0	7.5	11.85	.003	--	.020
--	Mudstone, carbonatic lens in bed P-29----	3907-DFD	--	.2	--	--	--	60.1	--	--	.002	--	--
P-28	Mudstone, carbonatic -----	3908-RAS	2.1	1.5	--	--	--	61.3	9.6	15.00	.002	--	.024
P-27	Carbonate rock, argillaceous -----	3909-RAS	.7	.8	--	--	--	26.7	10.3	15.56	.001	--	.025
P-26	Mudstone -----	4080-RAS	2.0	6.3	--	--	--	54.3	12.3	28.16	.004	--	.033
P-25	Phosphate rock, argillaceous -----	4081-RAS	.8	17.9	--	--	--	41.8	13.1	42.48	.005	--	.037
P-24	Mudstone -----	4082-RAS	1.8	3.4	--	--	--	69.5	14.9	48.60	.004	--	.044
P-23	Mudstone -----	4083-RAS	2.4	.5	--	--	--	73.7	17.3	49.80	.002	--	.049
P-22	Phosphate rock -----	4084-RAS	1.7	33.8	1.6	0.47	2.56	9.5	19.0	107.26	.013	--	.071
P-21	Mudstone and argillaceous phosphate rock -----	4085-RAS	.8	8.7	9.1	1.63	3.86	62.4	19.8	114.22	.003	--	.074
P-20	Mudstone -----	4086-RAS	1.0	5.0	9.6	1.69	3.90	72.7	20.8	119.22	.004	--	.078
P-19	Phosphate rock -----	4087-RAS	.4	35.6	1.5	.43	2.32	6.4	21.2	133.46	.012	--	.082
P-18	Phosphate rock and phosphatic mudstone---	4088-RAS	1.0	23.5	7.0	1.22	3.80	30.3	22.2	156.96	.008	--	.090
P-17	Phosphate rock -----	4089-RAS	1.1	34.4	1.3	.34	1.96	9.4	23.3	194.80	.012	--	.104
P-16	Phosphate rock -----	4090-RAS	.7	33.3	2.8	.67	2.76	11.1	24.0	218.11	.011	--	.111
P-15	Phosphate rock, argillaceous and phosphate rock -----	4091-RAS	1.0	25.8	4.8	1.74	6.40	22.7	25.0	243.91	.010	--	.121
P-14	Phosphate rock -----	4092-RAS	.9	35.5	1.1	.64	5.28	4.3	25.9	275.86	.018	--	.138
P-13	Mudstone, phosphatic and phosphate rock --	4093-RAS	.8	26.6	4.1	1.88	6.62	20.5	26.7	297.14	.012	--	.147
P-12	Phosphate rock -----	4094-RAS	1.9	36.9	.73	.38	5.66	1.7	28.6	367.25	.014	--	.174
P-11	Phosphate rock -----	4095-RAS	2.1	35.3	1.2	.84	6.08	3.4	30.7	441.38	.019	--	.214
P-10	Phosphate rock, argillaceous -----	4096-RAS	1.5	23.8	5.8	2.43	7.88	25.0	32.2	477.08	.006	--	.223
P- 9	Phosphate rock -----	4097-RAS	1.9	36.9	1.4	.61	3.14	2.7	34.1	547.19	.018	--	.257
P- 8	Phosphate rock -----	4098-RAS	1.0	35.7	1.4	.71	3.94	3.7	35.1	582.89	.022	--	.279
P- 7	Phosphate rock, argillaceous -----	4099-RAS	1.6	24.4	4.0	1.77	11.62	19.5	36.7	621.93	.010	--	.295
P- 6	Mudstone, phosphatic -----	5000-RAS	1.2	11.7	--	--	--	52.0	37.9	635.97	.004	--	.300
P- 5	Mudstone -----	5001-RAS	1.5	5.4	--	--	--	66.1	39.4	644.07	.004	--	.306
P- 4	Mudstone -----	5002-RAS	2.6	1.7	--	--	--	80.3	42.0	648.49	.003	--	.314
P- 3	Mudstone -----	5003-RAS	2.0	4.9	--	--	--	71.8	44.0	658.29	.002	--	.318
P- 2	Phosphate rock -----	5004-RAS	.4	28.6	--	--	--	13.4	44.4	669.73	.005	--	.320
P- 1	Mudstone -----	5005-RAS	.5	5.1	--	--	--	56.0	44.9	672.28	.005	--	.322

Hot Springs, Idaho, lot 1317

Portion of the phosphatic shale member of the Phosphoria formation sampled on overturned east limb of Hot Springs anticline in the Hot Springs crosscut, sec. 13, T. 15 S., R. 44 E., Bear Lake County, Idaho. Beds strike N. 24° W. and dip 43° W. Section measured by R. G. Waring, J. D. Weiser, and H. W. Peirce and sampled by Waring and Peirce in September 1949. Samples analyzed for P₂O₅ and acid insoluble by U. S. Bureau of Mines laboratory, Albany, Oreg., and for other constituents by Trace Elements Section laboratory, U. S. Geological Survey, Washington, D. C.

Samples analyzed for eU and chem. U by the U. S. Geological Survey laboratory, Geochemistry and Petrology Branch.

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P ₂ O ₅ (cumulative)	Uranium content (percent)		Thickness x percent chem. U (cumulative)
				P ₂ O ₅	Al ₂ O ₃	Fe ₂ O ₃	Loss on ignition	Acid insoluble			eU	Chem. U	
Upper portion of phosphatic shale member of Phosphoria formation													
	Strata between bed P-36 and Rex chert member not measured because of faulting and crumpling.												
P-36	Mudstone -----	4615-JDW	1.3	2.3	--	--	--	67.2	1.3	2.99	0.002	0.002	0.003
P-35	Carbonate rock -----	4614-JDW	5.0	.4	--	--	--	16.6	6.3	4.99	.000	.001	.008
P-34	Phosphate rock, argillaceous -----	4613-JDW	.4	24.6	--	--	--	21.1	6.7	14.83	.007	.007	.010
P-33	Mudstone -----	4612-JDW	1.3	3.2	--	--	--	65.9	8.0	18.99	.004	.002	.013
P-32	Mudstone -----	4611-JDW	3.0	1.0	--	--	--	72.8	11.0	21.99	.002	.001	.016
P-31	Phosphate rock-----	4610-JDW	2.0	34.3	0.56	0.39	6.17	2.4	13.0	90.59	.011	.016	.048
P-30	Mudstone and carbonate rock -----	4609-JDW	2.0	4.1	4.96	1.75	21.63	36.4	15.0	98.79	.002	.002	.052
P-29	Phosphate rock-----	4608-JDW	.5	30.0	.90	.61	9.48	4.9	15.5	113.79	.009	.014	.059
P-28	Carbonate rock, argillaceous -----	4607-JDW	1.3	5.5	4.72	1.86	23.15	30.0	16.8	120.94	.004	.003	.063
P-27	Phosphate rock-----	4606-JDW	.8	31.2	.70	.36	6.58	3.6	17.6	145.90	.011	.015	.075
P-26	Phosphate rock-----	4605-HWP	1.3	31.0	1.62	.84	7.50	7.9	18.9	186.20	.012	.016	.096
P-25	Phosphate rock, argillaceous -----	4604-HWP	.8	22.8	4.16	1.75	7.55	26.0	19.7	204.44	.009	.012	.105
P-24	Phosphate rock-----	4603-HWP	.8	31.7	1.27	.63	7.01	7.8	20.5	229.80	.018	.022	.123
P-23	Phosphate rock, argillaceous -----	4602-HWP	.75	19.5	3.84	1.75	12.85	24.6	21.25	244.43	.007	.012	.132
P-22	Phosphate rock -----	4601-HWP	.8	33.8	1.00	.63	9.38	3.6	22.05	271.47	.017	.024	.151
P-21	Phosphate rock, argillaceous -----	4600-HWP	.8	24.1	2.78	1.26	11.42	16.9	22.85	290.75	.009	.012	.161
P-20	Phosphate rock, argillaceous -----	4599-HWP	.7	24.4	2.60	1.12	13.30	15.6	23.55	307.83	.012	.012	.169
P-19	Phosphate rock, argillaceous -----	4598-HWP	1.4	22.4	4.60	1.80	11.43	27.1	24.95	339.19	.011	.014	.189
P-18	Phosphate rock-----	4597-HWP	.8	32.4	.62	.46	8.83	2.6	25.75	365.11	.012	.014	.200
P-17	Phosphate rock-----	4596-HWP	2.1	25.4	1.10	.48	9.83	4.3	27.85	418.45	.016	.019	.240
P-16	Phosphate rock-----	4595-HWP	1.6	32.0	2.19	1.06	15.73	10.6	29.45	469.65	.014	.020	.272
P-15	Phosphate rock-----	4594-HWP	.9	30.2	1.21	.56	14.32	5.0	30.35	496.83	.011	.014	.284
P-14	Phosphate rock, argillaceous -----	4593-HWP	1.9	28.1	3.16	1.36	14.16	17.9	32.25	550.22	.009	.011	.305
P-13	Phosphate rock, argillaceous -----	4592-HWP	1.5	18.6	--	--	--	19.9	33.75	578.12	.007	.009	.319
P-12	Phosphate rock, argillaceous -----	4591-HWP	2.7	15.7	--	--	--	37.7	36.45	620.51	.006	.006	.335
P-11	Mudstone, carbonatic -----	4590-HWP	2.7	5.7	--	--	--	40.2	39.15	635.90	.002	.002	.340
P-10	Phosphate rock, argillaceous -----	4589-HWP	1.4	16.7	--	--	--	35.0	40.55	659.28	.007	.006	.349
P-9	Phosphate rock, argillaceous -----	4588-HWP	.6	16.5	--	--	--	35.4	41.15	669.18	.006	.006	.352

Hot Springs—Continued

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P ₂ O ₅ (cumulative) ⁵	Uranium content (percent)		Thickness x percent chem. U (cumulative)
				P ₂ O ₅	Al ₂ O ₃	Fe ₂ O ₃	Loss on ignition	Acid insoluble			eU	Chem. U	
P-8	Mudstone, phosphatic-----	4587-HWP	2.2	12.9	--	--	--	42.6	43.35	697.56	0.004	0.004	0.361
P-7	Mudstone, phosphatic-----	4586-HWP	1.5	13.0	--	--	--	47.6	44.85	717.06	.004	.004	.367
P-6	Mudstone-----	4585-HWP	1.4	1.7	--	--	--	72.0	46.25	719.44	.004	.001	.369
P-5	Phosphate rock, argillaceous-----	4584-HWP	.7	20.7	--	--	--	32.5	46.95	733.93	.005	.005	.372
P-4	Mudstone, phosphatic-----	4583-HWP	2.3	11.5	--	--	--	51.8	49.25	760.38	.004	.004	.381
P-3	Carbonate rock-----	4582-HWP	1.3	1.3	--	--	--	13.8	50.55	762.07	.001	.001	.383
P-2	Mudstone, phosphatic-----	4581-HWP	2.2	27.0	--	--	--	26.4	52.75	821.46	.004	.003	.389
P-1	Phosphate rock, argillaceous-----	4580-HWP	1.2	16.9	--	--	--	31.6	53.95	841.74	.005	.006	.396

A fault at base of bed P-1 causes omission of an unknown thickness of strata.

OFFICIAL USE ONLY

OFFICIAL USE ONLY