

\*(200)  
T67H  
no. 365

~~RESTRICTED~~  
~~SECURITY INFORMATION~~

declassified 3/10/69


~~OFFICIAL USE ONLY~~

# Stratigraphic Sections of the Phosphoria Formation in Idaho, 1949, Part II

By <sup>David Francis</sup> D. F. Davidson, <sup>1923</sup> R. A. Smart, H. W. Peirce, and J. D. Weiser

365

~~This material contains information affecting  
the national defense of the United States  
within the meaning of the Espionage Laws,  
Title 18, U.S.C. Secs. 793 and 794, the  
transmission or revelation of which in any  
manner to an unauthorized person is pro-  
hibited by law.~~



*Trace Elements Investigations Report 365*

UNITED STATES DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

~~OFFICIAL USE ONLY~~

~~RESTRICTED~~  
~~SECURITY INFORMATION~~

\*(200)  
T67H  
no. 365

~~OFFICIAL USE ONLY~~  
~~RESTRICTED~~  
~~SECURITY INFORMATION~~

Geology and Mineralogy

This document consists of 34  
pages.  
Series A.

UNITED STATES DEPARTMENT OF THE INTERIOR

✓ U.S. GEOLOGICAL SURVEY

STRATIGRAPHIC SECTIONS OF THE PHOSPHORIA FORMATION

IN IDAHO, 1949, PART II\*

Classification changed to OFFICIAL USE ONLY  
by authority of P. L. Harsh

By

*Bernice Phillips 4/1/54*  
~~Signature of person making change, and date~~

D. F. Davidson, R. A. Smart, H. W. Peirce,  
and J. D. Weiser

July 1953

Trace Elements Investigations Report 365

This preliminary report is distributed without editorial and technical review for conformity with official standards and nomenclature. It is not for public inspection or quotation.

~~This material contains information affecting the national defense of the United States within the meaning of the espionage laws, Title 18, U.S.C., Sec. 793 and 794, the transmission or revelation of which in any manner to an unauthorized person is prohibited by law.~~

\*This report concerns work done partly on behalf of the Division of Raw Materials of the U. S. Atomic Energy Commission.

~~OFFICIAL USE ONLY~~  
~~RESTRICTED~~  
~~SECURITY INFORMATION~~



USGS - TEI - 365

GEOLOGY AND MINERALOGY

<u>Distribution (Series A)</u>	<u>No. of copies</u>
American Cyanamid Company, Winchester . . . . .	1
Argonne National Laboratory . . . . .	1
Atomic Energy Commission, Washington . . . . .	1
Battelle Memorial Institute, Columbus . . . . .	1
Carbide and Carbon Chemicals Company, Y-12 Area . . . . .	1
Division of Raw Materials, Albuquerque . . . . .	1
Division of Raw Materials, Butte . . . . .	1
Division of Raw Materials, Denver . . . . .	1
Division of Raw Materials, Douglas . . . . .	1
Division of Raw Materials, Grants . . . . .	1
Division of Raw Materials, Hot Springs . . . . .	1
Division of Raw Materials, Ishpeming . . . . .	1
Division of Raw Materials, New York . . . . .	6
Division of Raw Materials, Phoenix . . . . .	1
Division of Raw Materials, Richfield . . . . .	1
Division of Raw Materials, Salt Lake City . . . . .	1
Division of Raw Materials, Washington . . . . .	3
Division of Research, Washington . . . . .	1
Dow Chemical Company, Pittsburgh . . . . .	1
Exploration Division, Grand Junction Operations Office . . . . .	1
Grand Junction Operations Office . . . . .	1
Technical Information Service, Oak Ridge . . . . .	6
Tennessee Valley Authority, Wilson Dam . . . . .	1
U. S. Geological Survey:	
Alaskan Geology Branch, Washington . . . . .	1
Fuels Branch, Washington . . . . .	1
Geochemistry and Petrology Branch, Washington . . . . .	1
Geophysics Branch, Washington . . . . .	1
Mineral Deposits Branch, Washington . . . . .	2
E. H. Bailey, San Francisco . . . . .	1
K. L. Buck, Denver . . . . .	2
N. M. Denson, Denver . . . . .	1
C. E. Dutton, Madison . . . . .	1
R. P. Fischer, Grand Junction . . . . .	2
M. R. Klepper, Washington . . . . .	1
A. H. Koschmann, Denver . . . . .	1
R. A. Laurence, Knoxville . . . . .	1
D. M. Lemmon, Washington . . . . .	1
J. D. Love, Laramie . . . . .	1
R. G. Petersen, Plant City . . . . .	1
R. J. Roberts, Salt Lake City . . . . .	1
R. W. Swanson, Spokane . . . . .	2
A. E. Weissenborn, Spokane . . . . .	2
TEPCO, Denver . . . . .	2
TEPCO, RPS, Washington . . . . .	2
(Including master)	63

# CONTENTS

	Lot no.	Page
Introduction . . . . .		4
Acknowledgments . . . . .		5
Stratigraphy of the Phosphoria formation in southeastern Idaho . . . . .		6
Stratigraphic sections . . . . .		6
Literature cited . . . . .		10
Tables of stratigraphic sections, Idaho		
Reservoir Mountain. . . . .	1313	11
Rocky Canyon. . . . .	1304	15
Spectrographic analyses. . . . .		19
Gravel Creek Divide . . . . .	1308	22
Corral Creek. . . . .	1315	25
Henry . . . . .	1309	26
Enoch Valley. . . . .	1314	30
Ballard Trench. . . . .	1316	34

# ILLUSTRATIONS

Figure 1. Outcrops of the Phosphoria formation in Idaho and localities sampled. . . . .	7
2. Generalized section of Phosphoria formation at Trail Canyon Idaho, lot no. 1206 . . . . .	8



STRATIGRAPHIC SECTIONS OF THE PHOSPHORIA  
FORMATION IN IDAHO, 1949, PART II

by D. F. Davidson, R. A. Smart  
H. W. Peirce, and J. D. Weiser

INTRODUCTION

The U. S. Geological Survey has recently measured and sampled the Phosphoria formation at many localities in Idaho and other western states. These data will not be fully synthesized and analyzed for several years, but segments of the data, accompanied by little or no interpretation, are published as preliminary reports as they are assembled. This is the fifth report of data containing abstracts of sections measured in southeastern Idaho; it includes about half of the data gathered in Idaho in 1949. The field and laboratory procedures adopted in these investigations are described rather fully in a previous report (McKelvey and others, 1953a).

Many people have taken part in this investigation, which was organized and supervised by V. E. McKelvey. F. J. Anderson, A. L. Bush, R. S. Jones, K. B. Krauskopf, K. Lutz, M. E. Thompson, R. G. Waring, and M. A. Warner participated in the description of strata and the collection of samples referred to in this report. T. K. Rigby assisted in the preparation of trenches and the collection, crushing, and splitting of samples in the field. The laboratory preparation of samples for chemical analysis was done in Denver, Colo., under the direction of W. P. Huleatt.

The  $P_2O_5$  and acid-insoluble analyses were made for the Survey by the U. S. Bureau of Mines at the Northwest Electrodevelopment Laboratory, Albany, Oreg., under the direction of S. M. Shelton and M. L. Wright. The  $Al_2O_3$ ,  $Fe_2O_3$ , and loss-on-ignition analyses were made in the Trace Elements

Section laboratory of the Survey in Washington, D. C., under the direction of J. C. Rabbitt, by chemists H. Alberty, I. Barlow, A. Caemmerer, N. Gutttag, C. Hoy, J. J. Rowe, and W. P. Tucker, and the spectrographic analyses were made in this laboratory by C. L. Waring and H. Worthing. The radioactivity analyses were made in the Trace Elements Section laboratory in Denver, Colo., under the direction of L. F. Rader, by J. N. Rosholt and in the Washington laboratory by B. A. McCall. The chemical uranium analyses were made in the Denver laboratory by G. W. Boyes, C. T. Burrow, E. C. Mallory, W. Mountjoy, and J. S. Wahlberg and in the Washington laboratory by A. B. Caemmerer, N. Gutttag, and C. Hoy.

The data were compiled largely by K. S. Bergman under the supervision of R. W. Swanson. Organization of the tabular data was by Anita Wise.

#### Acknowledgments

Special thanks are due W. W. Rubey, J. Steele Williams, and A. E. Weissenborn who have given much advice in planning and organizing the field program. The cost of both the field and laboratory investigations has been borne partly by the Division of Raw Materials of the Atomic Energy Commission. This support is gratefully acknowledged.

It is a pleasure to acknowledge the fine cooperation extended to the field parties by the local residents, property owners, and operating phosphate companies, who furnished information and services and gave access to property. A. J. Winters, Superintendent of the Montpelier schools; E. M. Norris, C. T. Russell, and L. E. Traeger of the Anaconda Copper Mining Company; D. L. King of the San Francisco Chemical Company; and G. A. McHugh and H. B. Fowler of the Simplot Fertilizer Company have been especially helpful in this connection.



## STRATIGRAPHY OF THE PHOSPHORIA FORMATION IN SOUTHEASTERN IDAHO

At its type locality in southeastern Idaho (Richards and Mansfield, 1912), the Phosphoria formation consists of a lower member, the phosphatic shale, about 180 feet thick and an upper member, the Rex chert, about 240 feet thick; another member, a thin-bedded cherty mudstone 15 to 75 feet thick, overlies the Rex chert in most of the southeastern Idaho and western Wyoming, though it is not well defined at the type locality.

The Phosphoria formation overlies the Wells formation of Pennsylvanian age and underlies the Dinwoody formation of Triassic age. The upper 50 to 75 feet of the Wells formation consists of gray fossiliferous cherty limestone that contains some thin phosphatic layers. It may be the correlative of the lowermost member (A member) of the Phosphoria formation in Montana and the lower limestone member of the Park City formation in Utah (McKelvey, 1949).

In southeastern Idaho most of the phosphatic beds are in the phosphatic shale member, and it is on this member that most of our studies have been focused. It consists of many thin layers, some of which persist over the whole area. They may be grouped into several broad units, as yet unnamed, as shown in figure 2.

## STRATIGRAPHIC SECTIONS

Abstracts of stratigraphic sections measured at seven localities and the available analytical data, are presented in the following pages. Their locations, as well as the locations of those reported previously (McKelvey and others, 1953a and b, O'Malley and others, 1953, and Sheldon and others, 1953), and of others to be reported later, are shown in figure 1.




Figure 1. — Outcrops of the Phosphoria formation in Idaho and localities sampled.



*Daho*

8




Figure 2. —Generalized section of the Phosphoria formation at Trail Canyon (lot no. 1206).

The semiquantitative spectrographic analyses are based upon comparisons with a standard plate representing known quantities of the elements tested for and made at the same exposure. Greater sensitivities for many elements can be obtained by additional exposures. The standard sensitivities for the elements noted in this report are as follows:

Spectrographic Sensitivities

Al ...	0.0001	Nd ...	.01
Sb ...	.01	Ni ...	.01
As ...	.1	Nb ...	.01
Ba ...	.0001	Os ...	.1
Be ...	.0001	Pd ...	.01
Bi ...	.001	P ...	.1
B ...	.001	Pt ...	.01
Cd ...	.01	*K ...	1.0
Ca ...	.001	Pr ...	.01
Ce ...	.1	Re ...	.1
*Cs ...	1.0	Rh ...	.01
Cr ...	.001	*Rb ...	10.0
Co ...	.01	Ru ...	.01
Cu ...	.0001	Sm ...	.1
Dy ...	.01	Sc ...	.001
Er ...	.01	Si ...	.0001
Eu ...	.01	Ag ...	.0001
Gd ...	.01	*Na ...	.1
Ga ...	.01	Sr ...	.01
Ge ...	.001	Ta ...	.1
Au ...	.01	Te ...	.1
Hf ...	.1	Tb ...	.01
Ho ...	.01	Tl ...	.1
In ...	.001	Th ...	.1
Ir ...	.1	Tm ...	.01
Fe ...	.001	Sn ...	.01
La ...	.01	Ti ...	.001
Pb ...	.01	W ...	.1
*Li ...	.1	V ...	.01
Lu ...	.01	Yb ...	.0001
Mg ...	.0001	Y ...	.001
Mn ...	.001	Zn ...	.01
Hg ...	.1	Zr ...	.001
Mo ...	.001		

\* Greater sensitivities may be obtained by additional exposures.



## LITERATURE CITED

- Clabaugh, P. S., 1946, Permian phosphate deposits of Montana, Idaho, Wyoming, and Utah: U. S. Geol. Survey, Strategic Minerals Inv. Prelim. Map 3-198.
- McKelvey, V. E., 1949, Geological studies of the western phosphate field: Am. Inst. Min. Met. Eng. Mining Trans., v. 184, p. 270-279.
- McKelvey, V. E., Davidson, D. F., O'Malley, F. W., and Smith, L. E., 1953a, Stratigraphic sections of the Phosphoria formation in Idaho, 1947-48, Part I: U. S. Geol. Survey Circ. 208.
- McKelvey, V. E., Armstrong, F. C., Gulbrandsen, R. A., Campbell, R. M., 1953b, Stratigraphic sections of the Phosphoria formations in Idaho, 1947-48, Part II: U. S. Geol. Survey Circ. 301.
- O'Malley, F. W., Davidson, D. F., Hoppin, R. A., and Sheldon, R. P., 1953, Stratigraphic sections of the Phosphoria formation in Idaho, 1947-48, Part III: U. S. Geol. Survey Circ. 262.
- Richards, R. W., and Mansfield, G. R., 1912, The Bannock overthrust: a major fault in southeastern Idaho and northeastern Utah: Jour. Geology, v. 20, p. 684.
- Sheldon, R. P., Warner, M. A., Thompson, M. E., and Peirce, H. W., 1953, Stratigraphic sections of the Phosphoria formation in Idaho, 1949, Part I: U. S. Geol. Survey Circ. 304.

Reservoir Mountain, Idaho, lot 1313

Phosphatic shale member of Phosphoria formation sampled in bulldozer trench on Reservoir Mountain, sec. 20, T. 5 S., R. 41 E., Caribou County, Idaho, on east limb of Reservoir syncline. Beds strike 58° NW and dip 38° W. Section measured by J. D. Weiser, M. E. Thompson, K. B. Krauskopf, H. W. Peirce, and D. F. Davidson, and sampled by R. G. Waring and Peirce in September 1949. Samples analyzed for P<sub>2</sub>O<sub>5</sub> and acid insoluble by U. S. Bureau of Mines laboratory, Albany, Oreg., and for other constituents by Trace Elements Section laboratory, U. S. Geological Survey, Washington, D. C.

Samples analyzed for eU and chem. U by the U. S. Geological Survey laboratory, Geochemistry and Petrology Branch.

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P <sub>2</sub> O <sub>5</sub> (cumulative)	Uranium content (percent)		Thickness x percent chem. U (cumulative)
				P <sub>2</sub> O <sub>5</sub>	Al <sub>2</sub> O <sub>3</sub>	Fe <sub>2</sub> O <sub>3</sub>	Loss on ignition	Acid insoluble			eU	Chem. U	
Rex chert member of Phosphoria formation—basal beds only													
R- 2	Mudstone-----	4730- JDW	4.1	0.3	--	--	--	86.4	4.1	--	0.003	0.002	--
R- 1	Chert, phosphatic-----	4706-HWP	1.0	7.1	--	--	--	60.5	5.1	--	--	--	--
Phosphatic shale member of Phosphoria formation													
P-94	Phosphate rock, argillaceous-----	4729-HWP	1.3	28.8	--	--	--	20.6	1.3	37.44	0.009	0.010	0.013
P-93	Mudstone-----	4728- JDW	.6	5.4	--	--	--	68.2	1.9	40.68	.005	.004	.015
P-92	Mudstone-----	4827- JDW	1.6	5.6	--	--	--	60.7	3.5	49.64	.006	.006	.025
P-91	Mudstone-----	4726- JDW	1.0	1.2	--	--	--	79.0	4.5	50.84	.002	.002	.027
P-90	Mudstone-----	4725- JDW	.6	.8	--	--	--	79.5	5.1	51.32	.002	.002	.028
P-89	Mudstone-----	4724- JDW	.8	.8	--	--	--	79.5	5.9	51.96	.003	.002	.030
P-88	Mudstone-----	4723- JDW	1.3	1.6	--	--	--	75.6	7.2	54.04	.003	.003	.034
P-87	Mudstone-----	4722- JDW	2.4	4.0	--	--	--	68.5	9.6	63.64	.004	.004	.043
P-86	Mudstone, phosphatic-----	4721- JDW	.5	15.2	5.80	2.78	4.10	49.5	10.1	71.24	.005	.005	.046
P-85	Phosphate rock, argillaceous-----	4720- JDW	.5	29.9	1.44	1.00	2.35	18.5	10.6	86.19	.007	.009	.050
P-84	Mudstone-----	4719- JDW	3.5	1.3	9.85	3.40	5.30	80.5	14.1	90.74	.003	.002	.057
P-83	Phosphate rock-----	4718- JDW	2.1	34.8	1.17	.60	2.75	6.8	16.2	163.82	.010	.010	.078
P-82	Phosphate rock-----	4717- JDW	.9	36.0	.95	.53	2.90	3.7	17.1	196.22	.012	.009	.086
P-81	Mudstone-----	4716- JDW	1.0	7.0	7.92	3.28	10.15	68.4	18.1	203.22	.003	.003	.089
P-80	Phosphate rock-----	4715- JDW	1.9	33.9	1.62	.88	2.95	8.0	20.0	267.63	.009	.011	.110
P-79	Mudstone and phosphate rock-----	4714- JDW	.8	21.2	4.80	2.10	4.45	34.3	20.8	284.59	.006	.006	.115
P-78	Phosphate rock-----	4713- JDW	2.0	34.5	1.34	.63	3.35	6.0	22.8	353.59	.010	.013	.141
P-77	Phosphate rock-----	4686- KBK	3.0	29.0	2.94	1.19	7.15	12.8	25.8	440.59	.012	.016	.189
	Thickness of bed P-77 uncertain because of crumpling.												
P-76	Phosphate rock, argillaceous-----	4685- KBK	5.0	22.0	1.12	1.85	9.10	28.7	30.8	550.59	.008	.008	.229
P-75	Mudstone-----	4684- KBK	1.0	7.6	--	--	--	64.2	31.8	558.19	.004	.004	.233
P-74	Mudstone-----	4683- KBK	.8	1.2	--	--	--	81.3	32.6	559.15	.003	.002	.235
P-73	Mudstone, phosphatic-----	4682- KBK	3.5	9.4	--	--	--	52.2	36.1	592.05	.004	.004	.249
P-72	Mudstone and argillaceous phosphate rock-----	4681- KBK	1.7	10.9	--	--	--	55.0	37.8	610.58	.005	.005	.257



## Reservoir Mountain—Continued

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P <sub>2</sub> O <sub>5</sub> (cumulative)	Uranium content (percent)		Thickness x percent chem. U (cumulative)
				P <sub>2</sub> O <sub>5</sub>	Al <sub>2</sub> O <sub>3</sub>	Fe <sub>2</sub> O <sub>3</sub>	Loss on ignition	Acid insoluble			eU	Chem. U	
P-70	Mudstone and phosphate rock -----	4680-KBK	3.6	10.4	--	--	--	56.2	41.4	648.02	0.005	0.005	0.275
P-70	Mudstone, phosphatic -----	4679-KBK	3.9	9.4	--	--	--	61.5	45.3	684.68	.005	.005	.295
P-69	Mudstone, phosphatic -----	4678-KBK	3.8	11.5	--	--	--	60.7	49.1	728.38	.003	.004	.310
P-68	Mudstone -----	4677-KBK	3.5	4.4	--	--	--	75.5	52.6	743.78	.003	.003	.320
P-67	Mudstone, phosphatic and phosphate rock --	4676-KBK	1.7	20.4	--	--	--	36.9	54.3	778.46	.005	.005	.329
P-66	Mudstone, phosphatic -----	4675-KBK	.8	10.2	--	--	--	62.8	55.1	786.62	.003	.003	.332
P-65	Mudstone, phosphatic -----	4674-KBK	2.5	14.2	--	--	--	52.1	57.6	822.12	.003	.004	.341
P-64	Phosphate rock, argillaceous, and phosphatic mudstone -----	4673-KBK	.7	15.6	--	--	--	42.1	58.3	833.04	.004	.006	.346
P-63	Mudstone -----	4712-KBK	.8	7.2	--	--	--	66.2	59.1	838.80	.003	.004	.349
P-62	Mudstone -----	4711-KBK	2.9	5.8	--	--	--	68.8	62.0	855.62	.003	.003	.357
P-61	Mudstone -----	4710-KBK	1.1	3.3	--	--	--	78.4	63.1	859.25	.003	.002	.360
P-60	Mudstone, phosphatic -----	4709-KBK	1.1	12.5	--	--	--	48.1	64.2	873.00	.003	.005	.365
P-59	Mudstone, phosphatic -----	4708-KBK	.5	11.3	--	--	--	55.7	64.7	878.65	.004	.003	.367
P-58	Mudstone, phosphatic -----	4707-DFD	1.2	12.8	--	--	--	44.3	65.9	894.01	.004	.005	.373
--	Covered interval -----	--	9.	--	--	--	--	--	74.9	--	--	--	--
True stratigraphic thickness and lithology unknown.													
P-57	Mudstone -----	4755-MET	3.2	6.2	--	--	--	72.1	78.1	*19.84	.004	.003	*.010
P-56	Mudstone, phosphatic -----	4754-MET	.6	13.9	--	--	--	45.7	78.7	28.18	.004	.004	.012
P-55	Mudstone -----	4753-MET	2.0	3.7	--	--	--	80.2	80.7	35.58	.003	.002	.016
P-54	Mudstone, siliceous, phosphatic -----	4752-MET	3.5	2.8	--	--	--	82.1	84.2	45.38	.002	.002	.023
P-53	Mudstone -----	4751-MET	2.5	.2	--	--	--	83.9	86.7	45.88	.002	.001	.026
P-52	Mudstone, phosphatic -----	4750-MET	1.3	14.4	--	--	--	45.4	88.0	64.60	.004	.004	.031
P-51	Mudstone -----	4749-MET	1.0	.4	--	--	--	87.8	89.0	65.00	.003	.001	.032
P-50	Mudstone, phosphatic -----	4748-MET	1.5	16.4	--	--	--	41.0	90.5	89.60	.004	.004	.038
P-49	Mudstone -----	4747-MET	2.0	1.4	--	--	--	86.2	92.5	92.40	.001	.002	.042
--	Covered interval -----	--	27.	--	--	--	--	--	119.5	--	--	--	--
Stratigraphic interval along trench not exposed. True thickness and lithology of missing rock unknown.													
P-48	Mudstone -----	4784-MET	1.6	2.7	--	--	--	85.5	121.1	*4.32	.002	.002	*.003
P-47	Mudstone -----	4783-MET	1.3	2.5	--	--	--	79.2	122.4	7.57	.003	.002	.006
P-46	Mudstone -----	4782-MET	1.7	2.7	--	--	--	73.7	124.1	12.16	.003	.003	.011
P-45	Mudstone -----	4781-MET	.7	7.5	--	--	--	69.7	124.8	17.41	.003	.003	.013
P-44	Mudstone -----	4780-MET	2.0	.9	--	--	--	89.2	126.8	19.21	.002	.002	.017
P-43	Mudstone, phosphatic -----	4779-MET	1.7	14.7	--	--	--	46.9	128.5	44.20	.003	.003	.022

OFFICIAL USE ONLY

P-42	Mudstone-----	4778-MET	1.0	4.1	--	--	--	73.8	129.5	48.30	.002	.002	.024
P-41	Mudstone-----	4760-MET	.8	6.4	--	--	--	64.8	130.3	53.42	.005	.003	.026
P-40	Mudstone-----	4759-MET	1.4	5.7	--	--	--	62.0	131.7	61.40	.005	.003	.031
P-39	Mudstone, phosphatic-----	4758-MET	2.5	9.0	--	--	--	50.2	134.2	83.90	.003	.003	.038
P-38	Mudstone, phosphatic-----	4757-MET	2.6	13.5	--	--	--	38.1	136.8	119.00	.004	.005	.051
P-37	Mudstone-----	4756-MET	1.0	5.0	--	--	--	75.3	137.8	124.00	.001	.002	.053
P-36	Phosphate rock and mudstone-----	4786-MET	3.6	20.8	6.20	2.76	5.85	34.1	141.4	198.88	.005	.005	.071
P-35	Mudstone and phosphate rock-----	4785-MET	3.3	24.4	5.34	2.48	7.40	27.3	144.7	279.40	.005	.005	.088
P-34	Carbonate rock-----	4746-MET	1.0	4.6	1.34	1.10	31.47	16.6	145.7	284.00	.004	.002	.090
P-33	Phosphate rock, argillaceous-----	4745-MET	1.4	23.6	4.76	1.70	4.50	28.9	147.1	317.04	.004	.005	.097
P-32	Mudstone, carbonatic-----	4744-MET	1.3	7.4	5.16	1.73	21.25	35.1	148.4	326.66	.002	.003	.101
P-31	Phosphate rock-----	4743-MET	1.5	31.0	2.35	.93	4.05	10.8	149.9	373.16	.004	.006	.110
P-30	Phosphate rock-----	4742-MET	1.1	33.1	1.47	1.05	3.50	6.8	151.0	409.57	.007	.012	.123
P-29	Phosphate rock, argillaceous-----	4741-MET	.8	27.2	3.28	1.75	4.21	17.9	151.8	431.33	.009	.012	.132
Thickness of bed P-29 is uncertain because of crumpling.													
P-28	Phosphate rock, argillaceous-----	4740-MET	1.8	19.3	4.76	1.83	4.92	37.8	153.6	466.07	.007	.008	.147
P-27	Carbonate rock, phosphatic-----	4739-MET	4.6	14.6	1.26	.65	24.25	11.1	158.2	533.23	.003	.004	.165
P-26	Mudstone, phosphatic-----	4738-MET	.9	12.7	5.92	2.18	9.30	45.5	159.1	544.66	.006	.007	.172
P-25	Carbonate rock-----	4737-MET	1.7	1.3	.60	.78	37.35	16.1	160.8	546.87	.003	.002	.175
P-24	Phosphate rock-----	4736-MET	1.0	34.5	4.36	.90	2.65	7.5	161.8	581.37	.008	.012	.187
P-23	Mudstone, phosphatic-----	4735-MET	2.0	14.9	2.57	1.85	8.90	40.3	163.8	611.17	.007	.006	.199
P-22	Carbonate rock, argillaceous-----	4734-MET	1.1	5.2	3.80	1.35	22.55	34.0	164.9	616.89	.004	.006	.206
P-21	Phosphate rock-----	4733-MET	2.8	30.9	1.78	.87	3.45	13.8	167.7	703.41	.013	.019	.259
P-20	Phosphate rock, argillaceous-----	4732-MET	1.6	26.6	3.06	1.10	3.75	23.4	169.3	745.97	.006	.006	.268
P-19	Phosphate rock, argillaceous-----	4731-MET	1.7	20.0	3.40	1.50	3.15	40.4	171.0	779.97	.009	.009	.284
P-18	Phosphate rock-----	4788-MET	1.9	34.9	.95	.80	1.50	6.2	172.9	846.28	.012	.016	.314
P-17	Phosphate rock-----	4787-MET	.8	30.8	2.04	1.20	2.60	14.1	173.7	870.92	.011	.014	.325
P-16	Phosphate rock-----	4777-DFD	1.3	30.0	1.11	.67	6.70	8.4	175.0	909.92	.010	.012	.341
P-15	Phosphate rock, argillaceous, carbonatic-----	4776-DFD	1.6	14.1	3.32	1.65	17.35	23.2	176.6	932.48	.006	.007	.352
--	Limestone concretion-----	4775-DFD	(.5)	--	--	--	--	--	--	--	--	--	--
P-14	Limestone, phosphatic-----	4774-DFD	2.5	8.1	1.30	.65	30.80	7.9	179.1	952.73	.003	.003	.360
P-13	Phosphate rock-----	4773-DFD	1.8	28.2	1.84	.74	6.35	10.5	180.9	1,003.49	.009	.008	.374
P-12	Phosphate rock-----	4772-DFD	1.3	28.2	2.50	.92	3.40	15.8	182.2	1,040.15	.006	.007	.383
P-11	Phosphate rock, argillaceous-----	4771-DFD	2.4	23.1	2.83	1.33	6.90	24.4	184.6	1,095.59	.004	.004	.393
Thicknesses of beds P-11 and P-10 uncertain due to crumpling and weathering.													
P-10	Phosphate rock-----	4770-DFD	1.5	33.0	.78	.37	5.50	3.4	186.1	1,145.09	.006.	.007	.403
P-9	Phosphate rock-----	4769-DFD	2.0	33.8	.67	.36	5.40	3.2	188.1	1,212.69	.010	.012	.427

\* Cumulative data incomplete due to missing information.



Reservoir Mountain—Continued

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P <sub>2</sub> O <sub>5</sub> (cumulative) <sup>5</sup>	Uranium content (percent)		Thickness x percent chem. U (cumulative)
				P <sub>2</sub> O <sub>5</sub>	Al <sub>2</sub> O <sub>3</sub>	Fe <sub>2</sub> O <sub>3</sub>	Loss on ignition	Acid insoluble			eU	Chem. U	
P- 8	Phosphate rock -----	4768-DFD	1.3	33.9	1.01	0.45	4.35	4.0	189.4	1,256.76	0.019	0.028	0.464
P- 9	Phosphate rock -----	4767-DFD	1.1	33.0	1.10	.45	2.40	7.8	190.5	1,293.06	.010	.013	.478
P- 6	Mudstone-----	4766-DFD	1.1	2.2	--	--	--	72.8	191.6	1,295.48	.005	.003	.481
P- 5	Carbonate rock, argillaceous-----	4765-DFD	1.7	.1	--	--	--	42.4	193.3	1,295.65	.002	.001	.483
P- 4	Mudstone-----	4764-DFD	.5	.3	--	--	--	67.6	193.8	1,295.80	.002	.002	.484
P- 3	Mudstone-----	4763-DFD	.7	.5	--	--	--	74.9	194.5	1,296.15	.003	.002	.485
P- 2	Mudstone, carbonatic-----	4762-DFD	1.3	.7	--	--	--	56.2	195.8	1,297.06	.002	.001	.486
P- 1	Phosphate rock -----	4761-DFD	.2	29.1	--	--	--	6.0	196.0	**1,302.88	.004	.006	** .487

\*\* Note incompleteness of cumulative data.

RESTRICTED  
OFFICIAL USE ONLY

RESTRICTED  
OFFICIAL USE ONLY

Rocky Canyon, Idaho, lot 1304

Phosphatic shale member of Phosphoria formation sampled in two adjacent bulldozer trenches on the west limb of the Rock Creek syncline, in Rocky Canyon, NE $\frac{1}{4}$  sec. 1, T. 6 S., R. 38 E., Bannock County, Idaho. Beds strike N. 40° W. and dip 20° E. Section measured by F. J. Anderson, R. A. Smart, R. S. Jones and H. W. Peirce and sampled by Smart and Peirce in August 1949. Samples analyzed for P<sub>2</sub>O<sub>5</sub> and acid insoluble by U. S. Bureau of Mines laboratory, Albany, Oreg., and for other constituents by Trace Elements Section laboratory, U. S. Geological Survey, Washington, D. C.

Samples analyzed for eU and chem. U by the U. S. Geological Survey laboratory, Geochemistry and Petrology Branch.

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P <sub>2</sub> O <sub>5</sub> (cumulative)	Uranium content (percent)		Thickness x percent eU (cumulative)
				P <sub>2</sub> O <sub>5</sub>	Al <sub>2</sub> O <sub>3</sub>	Fe <sub>2</sub> O <sub>3</sub>	Loss on ignition	Acid insoluble			eU	Chem. U	
Rex chert member of Phosphoria formation													
R- 6	Chert and cherty mudstone -----	4320- FJA	3.4	0.8	--	--	--	86.8	3.4	2.72	0.001	--	0.003
R- 5	Chert and cherty mudstone -----	4319- FJA	2.8	2.1	--	--	--	83.1	6.2	8.60	.002	--	.009
R- 4	Chert and cherty mudstone -----	4318- FJA	2.2	.5	--	--	--	86.4	8.4	9.70	.001	--	.011
R- 3	Mudstone, cherty -----	4317- FJA	.2	.4	--	--	--	86.0	8.6	9.78	.001	--	.011
R- 2	Mudstone -----	4316- FJA	2.8	.4	--	--	--	87.3	11.4	10.90	.001	--	.014
R- 1	Mudstone -----	4315- FJA	2.3	1.5	--	--	--	82.3	13.7	14.35	.002	--	.019
Phosphatic shale member of Phosphoria formation													
P-94	Phosphate rock, argillaceous and mudstone -----	4314- FJA	0.9	4.3	--	--	--	72.4	0.9	3.87	0.003	--	0.003
P-93	Mudstone -----	4313- FJA	1.4	6.5	--	--	--	68.7	2.3	12.97	.003	--	.007
P-92	Mudstone, carbonatic -----	4312- FJA	.9	.4	--	--	--	44.7	3.2	13.33	.001	--	.008
P-91	Mudstone, phosphatic -----	4311- FJA	2.5	15.1	--	--	--	42.6	5.7	51.08	.009	0.008	.030
P-90	Mudstone -----	4310- FJA	.7	1.0	--	--	--	82.4	6.4	51.78	.004	--	.033
P-89	Mudstone -----	4309- FJA	.6	1.9	--	--	--	73.0	7.0	52.92	.004	--	.036
P-88	Mudstone, carbonatic -----	4308- FJA	2.5	.8	--	--	--	47.9	9.5	54.92	.002	--	.040
	Bed P-88 is highly weathered.												
P-87	Mudstone, carbonatic -----	4307- FJA	.8	2.3	--	--	--	58.5	10.3	56.76	.004	--	.044
P-86	Mudstone, phosphatic -----	4306- FJA	.9	8.5	--	--	--	55.2	11.2	64.41	.005	.003	.048
P-85	Mudstone -----	4305- FJA	1.2	3.6	--	--	--	69.7	12.4	68.73	.007	.004	.057
P-84	Mudstone -----	4304- FJA	2.9	1.0	--	--	--	77.0	15.3	71.63	.003	--	.065
P-83	Mudstone, carbonatic -----	--	1.0	--	--	--	--	--	16.3	--	--	--	--
	Fault between beds P-82 and P-83, unexposed strata probably thin.												
P-82	Phosphate rock, argillaceous -----	4303- FJA	.7	24.7	--	--	--	25.1	17.0	*17.29	.011	.010	*.008
P-81	Mudstone, phosphatic, carbonatic -----	4302- FJA	.7	8.6	--	--	--	44.3	17.7	23.31	.005	.003	.011

\* Cumulative data incomplete because of missing information.



Rocky Canyon—Continued

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P <sub>2</sub> O <sub>5</sub> (cumulative)	Uranium content (percent)		Thickness x percent eU (cumulative)
				P <sub>2</sub> O <sub>5</sub>	Al <sub>2</sub> O <sub>3</sub>	Fe <sub>2</sub> O <sub>3</sub>	Loss on ignition	Acid insoluble			eU	Chem. U	
P-80	Phosphate rock -----	4301- FJA	1.1	35.3	--	--	--	2.9	18.8	62.14	0.011	0.010	0.023
P-79	Phosphate rock, argillaceous -----	4360- FJA	1.3	18.1	--	--	--	38.9	20.1	85.67	.007	.005	.032
P-78	Phosphate rock -----	4359- FJA	1.6	31.7	--	--	--	10.4	21.7	136.39	.008	.007	.045
P-77	Phosphate rock, argillaceous -----	4358- FJA	1.2	17.8	--	--	--	40.2	22.9	157.75	.008	.007	.055
P-76	Phosphate rock and mudstone -----	4357- FJA	1.6	15.1	--	--	--	43.7	24.5	181.91	.005	.004	.063
P-75	Mudstone, phosphatic -----	4356- FJA	1.9	14.5	--	--	--	44.9	26.4	209.46	.006	.004	.074
P-74	Phosphate rock, argillaceous -----	4355- FJA	.8	20.8	--	--	--	28.0	27.2	226.10	.008	.007	.081
P-73	Phosphate rock and phosphatic mudstone -----	4354- FJA	2.2	15.9	--	--	--	38.0	29.4	261.08	.007	.006	.096
P-72	Mudstone, phosphatic -----	4353- FJA	2.4	9.6	--	--	--	58.3	31.8	284.12	.005	.004	.108
P-71	Mudstone, phosphatic -----	4352- FJA	1.9	12.6	--	--	--	48.4	33.7	308.06	.005	.003	.118
P-70	Phosphate rock, argillaceous -----	4351- FJA	1.1	16.9	--	--	--	37.8	34.8	326.65	.006	.004	.124
P-69	Mudstone, phosphatic -----	4325- FJA	.5	11.8	--	--	--	39.9	35.3	332.55	.006	.004	.127
P-68	Phosphate rock, argillaceous -----	4324- FJA	.9	17.3	--	--	--	24.7	36.2	348.12	.009	.007	.135
P-67	Phosphate rock, argillaceous -----	4323- FJA	1.4	18.2	--	--	--	22.7	37.6	373.60	.008	.007	.146
P-66	Phosphate rock, argillaceous -----	4322- FJA	1.6	21.8	--	--	--	22.4	39.2	408.48	.010	.010	.162
P-65	Mudstone, carbonatic -----	4321- FJA	1.0	3.9	--	--	--	53.1	40.2	412.38	.003	--	.165
P-64	Mudstone -----	4350- RAS	3.0	5.4	--	--	--	68.3	43.2	428.58	.003	--	.174
There is a possible overlap between beds P-63 and P-64 due to difficult correlation across shear zone.													
P-63	Phosphate rock, argillaceous -----	4349- RAS	1.3	23.0	--	--	--	30.1	44.5	458.48	.004	--	.180
P-62	Mudstone, phosphatic, and argillaceous phosphate rock -----	4348- RAS	2.0	22.7	--	--	--	22.2	46.5	503.88	.005	.004	.190
P-61	Mudstone -----	4347- RAS	1.0	3.3	--	--	--	73.0	47.5	507.18	.003	--	.193
P-60	Mudstone, phosphatic -----	4346- RAS	1.7	9.8	--	--	--	59.2	49.2	523.84	.003	--	.198
P-59	Carbonate rock, argillaceous -----	4345- RAS	3.2	.5	--	--	--	40.2	52.4	525.44	.001	--	.201
P-58	Mudstone -----	4332- RSJ	.6	8.5	--	--	--	65.6	53.0	530.54	.004	--	.203
P-49	Mudstone -----	4332- RSJ	1.4	2.3	--	--	--	66.6	54.4	533.76	.003	--	.208
P-56	Mudstone -----	4331- RSJ	2.4	.6	--	--	--	84.6	56.8	535.20	.002	.001	.212
P-55	Phosphate rock, argillaceous -----	4330- RSJ	.4	25.4	--	--	--	27.3	57.2	545.36	.002	--	.213
P-54	Mudstone -----	4329- RSJ	2.6	3.3	--	--	--	78.6	59.8	553.94	.004	--	.224
P-53	Mudstone and phosphatic mudstone -----	4328- RSJ	1.1	7.7	--	--	--	47.5	60.9	562.41	.003	--	.227
P-52	Mudstone -----	4327- RSJ	2.6	5.1	--	--	--	72.5	63.5	575.67	.003	--	.235
P-51	Phosphate rock and mudstone -----	4326- RSJ	.2	20.8	--	--	--	28.9	63.7	579.83	.003	--	.235
P-50	Mudstone, phosphatic -----	4368- RAS	.7	9.8	--	--	--	58.4	64.4	586.69	.004	--	.238

P-49	Mudstone -----	4367- RAS	2.8	.7	--	--	--	83.5	67.2	588.65	.003	--	.246
P-48	Mudstone -----	4366- RAS	2.7	.5	--	--	--	85.6	69.9	590.00	.002	--	.252
P-47	Mudstone -----	4365- RAS	.6	7.3	--	--	--	66.3	70.5	594.38	.003	--	.254
P-46	Phosphate rock and mudstone -----	4364- RAS	1.0	3.7	--	--	--	68.6	71.5	598.08	.003	--	.257
P-45	Phosphate rock, argillaceous -----	4363- RAS	1.1	19.7	--	--	--	34.7	72.6	619.75	.006	.004	.263
P-44	Phosphate rock and mudstone -----	4362- RAS	1.7	22.9	--	--	--	27.0	74.3	658.68	.004	--	.270
P-43	Mudstone, carbonatic -----	4361- RAS	2.5	1.0	--	--	--	46.2	76.8	661.18	.003	--	.278
P-42	Mudstone -----	4344-HWP	1.4	3.7	--	--	--	71.7	78.2	666.36	.004	--	.283
P-41	Phosphate rock, argillaceous -----	4343-HWP	1.7	26.4	--	--	--	22.2	79.9	711.24	.005	--	.292
P-40	Mudstone, phosphatic -----	4342-HWP	2.0	8.1	--	--	--	67.0	81.9	727.44	.004	--	.300
P-39	Mudstone, phosphatic -----	4341-HWP	1.2	10.5	--	--	--	61.0	83.1	740.04	.003	--	.303
P-38	Mudstone -----	4340-HWP	2.0	3.8	--	--	--	77.1	85.1	747.64	.003	.002	.309
P-37	Phosphate rock -----	4339-HWP	1.0	29.4	--	--	--	16.3	86.1	777.04	.005	.005	.314
--	Mudstone -----	4338-HWP	(1.3)	2.4	--	--	--	80.9	--	--	.003	--	--
--	Phosphate rock, argillaceous -----	4337-HWP	(.7)	17.0	--	--	--	41.5	--	--	.004	--	--
--	Phosphate rock, argillaceous -----	4336-HWP	(2.6)	19.4	--	--	--	30.1	--	--	.004	--	--
--	Mudstone -----	4395-HWP	(1.5)	4.3	--	--	--	66.0	--	--	.003	--	--
--	Mudstone -----	4394-HWP	(1.2)	3.8	--	--	--	77.5	--	--	.003	--	--
--	Mudstone -----	4393-HWP	(1.6)	6.4	--	--	--	70.5	--	--	.003	--	--
--	Phosphate rock, argillaceous -----	4392-HWP	(.3)	28.1	--	--	--	18.1	--	--	.004	--	--
Correlation between trenches is uncertain but sample 4392-HWP probably equals sample 4339-HWP.													
P-36	Mudstone -----	4391-HWP	1.2	3.1	--	--	--	72.2	87.3	780.76	.003	--	.318
P-35	Phosphate rock, argillaceous -----	4390-HWP	1.3	27.0	--	--	--	17.3	88.6	815.86	.005	.004	.324
P-34	Phosphate rock, argillaceous -----	4389-HWP	2.4	22.7	--	--	--	22.4	91.0	870.34	.004	--	.334
P-33	Phosphate rock, argillaceous -----	4388-HWP	1.6	22.5	--	--	--	22.0	92.6	906.34	.005	.004	.342
P-32	Carbonate rock -----	4400- RAS	1.0	1.1	--	--	--	10.1	93.6	907.44	.0005	--	.342
P-31	Phosphate rock, argillaceous -----	4399- RAS	.7	24.4	--	--	--	16.0	94.3	924.52	.003	--	.344
P-30	Carbonate rock, argillaceous -----	4398- RAS	1.0	6.6	--	--	--	29.4	95.3	931.12	.002	--	.346
P-29	Phosphate rock, argillaceous -----	4397- RAS	1.6	22.0	--	--	--	23.1	96.9	966.32	.008	.008	.359
P-28	Phosphate rock, argillaceous -----	4396- RAS	1.7	21.0	--	--	--	24.3	98.6	1,002.02	.008	.009	.373
P-27	Phosphate rock, argillaceous -----	4379- RAS	1.2	14.7	--	--	--	35.2	99.8	1,019.66	.007	.006	.381
P-26	Mudstone -----	4377- RAS	1.4	6.7	--	--	--	58.2	101.2	1,029.04	.005	.004	.388
--	Carbonate rock concretion in bed P-26 -----	4378- RAS	(1.0)	.7	--	--	--	3.4	--	---	.0005	--	--
P-25	Mudstone, phosphatic, carbonatic -----	4376- RAS	1.2	8.6	--	--	--	44.6	102.4	1,039.36	.007	.007	.397
P-24	Mudstone -----	4375- RAS	.9	5.4	--	--	--	58.9	103.3	1,044.22	.005	.004	.401
P-23	Mudstone, phosphatic -----	4374- RAS	1.9	13.3	--	--	--	33.4	105.2	1,069.49	.006	.005	.413
P-22	Mudstone, phosphatic -----	4373- RAS	1.7	14.1	--	--	--	36.7	106.9	1,093.46	.005	.005	.421
P-21	Carbonate rock -----	4372- RAS	2.0	7.3	--	--	--	10.0	108.9	1,108.06	.001	--	.423
P-20	Phosphate rock -----	4371- RAS	.6	28.5	0.51	0.52	11.88	3.8	109.5	1,125.16	.005	.004	.426
P-19	Phosphate rock -----	4370- RAS	1.0	32.6	1.0	.50	7.34	5.1	110.5	1,157.76	.008	.007	.434
P-18	Phosphate rock, contains concretions at base -----	4369-RAS	1.3	32.6	1.0	.55	7.24	6.2	111.8	1,200.14	.010	.009	.447



Rocky Canyon—Continued

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P <sub>2</sub> O <sub>5</sub> (cumulative)	Uranium content (percent)		Thickness x percent eU (cumulative)
				P <sub>2</sub> O <sub>5</sub>	Al <sub>2</sub> O <sub>3</sub>	Fe <sub>2</sub> O <sub>3</sub>	Loss on ignition	Acid insoluble			eU	Chem. U	
P-17	Phosphate rock, argillaceous-----	4387-HWP	0.7	28.1	2.0	0.83	7.80	17.7	112.5	1,219.81	0.007	0.009	0.452
P-16	Mudstone and carbonate rock -----	4386-HWP	2.2	4.9	3.6	1.36	26.50	29.2	114.7	1,230.59	.002	.001	.456
P-15	Phosphate rock and mudstone-----	4385-HWP	1.1	26.7	2.1	.84	9.58	16.7	115.8	1,259.96	.006	.007	.463
P-14	Phosphate rock, argillaceous-----	4384-HWP	1.3	20.5	3.6	1.40	9.50	29.8	117.1	1,286.61	.007	.006	.472
P-13	Carbonate rock, argillaceous-----	4383-HWP	.7	5.3	3.1	1.24	27.80	27.6	117.8	1,290.32	.002	.002	.474
P-12	Phosphate rock, argillaceous-----	4382-HWP	1.2	17.4	5.2	2.04	9.02	39.9	119.0	1,311.20	.006	.005	.481
P-11	Phosphate rock, carbonatic -----	4381-HWP	1.3	23.8	0.32	.26	17.78	4.7	120.3	1,342.14	.004	.005	.486
P-10	Mudstone, phosphatic, and argillaceous phosphate rock -----	4380-HWP	3.0	20.3	2.4	1.50	8.24	34.3	123.3	1,403.04	.006	.006	.504
P- 9	Phosphate rock -----	4335-HWP	1.0	28.8	1.3	.55	11.34	10.3	124.3	1,431.84	.006	.006	.510
P- 8	Phosphate rock, argillaceous -----	4334-HWP	1.7	26.8	2.7	1.08	10.46	17.5	126.0	1,477.40	.009	.009	.525
P- 7	Phosphate rock, argillaceous, contains carbonate rock concretion -----	4407- RAS	2.6	19.6	3.2	1.16	14.24	31.1	128.6	1,528.36	.008	.007	.546
P- 6	Phosphate rock, argillaceous -----	4406- RAS	1.3	24.7	2.6	.87	10.12	18.6	129.9	1,560.47	.006	.006	.554
P- 5	Carbonate rock, phosphatic -----	4405- RAS	1.4	8.3	.65	.30	31.50	10.9	131.3	1,572.09	.002	.002	.557
P- 4	Phosphate rock -----	4404- RAS	2.0	33.0	.85	.50	6.40	4.5	133.3	1,638.09	.005	.005	.567
P- 3	Phosphate rock -----	4403- RAS	2.0	35.7	.35	.28	6.20	1.5	135.3	1,709.49	.010	.010	.587
P- 2	Phosphate rock, argillaceous-----	4402- RAS	1.0	20.2	3.9	1.37	8.80	29.7	136.3	1,729.69	.006	.005	.593
P- 1	Phosphate rock -----	4401- RAS	2.0	35.3	1.1	.57	4.56	4.1	138.3	1,800.29	.009	.009	.611

OFFICIAL USE ONLY

OFFICIAL USE ONLY

## Spectrographic Analyses—Rocky Canyon, Idaho, lot 1304

Semiquantitative analyses of samples of the Phosphoria formation, Rocky Canyon, Idaho (see immediately preceding pages for location of section, thickness and description of strata, and chemical analyses of samples), made by U. S. Geological Survey, Geochemistry and Petrology Branch, Washington, D. C. In addition to the elements listed in the table below, Sb, As, Bi, Ce, Cs, Eu, Ge, Au, Hf, In, Ir, Li, Hg, Os, Pd, Pt, Pr, Re, Rh, Rb, Ru, Ta, Te, Tb, Tl, Th, and W were looked for in all samples but were not detected.

## Explanation of symbols

A = more than 10 percent      F = 0.001-0.01 percent  
 B<sup>1</sup> = 1-10 percent<sup>1</sup>      G = less than 0.001 percent  
 D = 0.1-1 percent      ND = not detected  
 E = 0.01-0.1 percent      Vanadium<sup>2</sup>

Bed no.	Sample no.	Al	Ba	Be	B	Cd	Ca	Cr	Cu	Dy	Er	Gd	Ga	Ho	Fe	La	Pb	Lu	Mg	Mn	Mo	Nd	Ni	Nb	P	K	Sm	Sc	Si	Ag	Na	Sr	Tm	Sn	Ti	V	Yb	Y	Zn	Zr		
R- 6	4320- FJA	B'	E	G	E	ND	B'	E	E	ND	ND	ND	F	ND	B'	F	F	E	ND	D	E	F	ND	E	ND	D	B'	B'	ND	F	A	ND	D	E	ND	F	D	0.01	G	F	F	E
R- 5	4319- FJA	B'	E	G	E	ND	B'	E	E	ND	ND	ND	F	ND	B'	F	F	E	ND	D	E	F	ND	E	ND	D	B'	B'	ND	F	A	ND	D	E	ND	F	D	0.01	G	F	F	E
R- 4	4318- FJA	B'	E	G	E	ND	B'	E	E	ND	ND	ND	F	ND	B'	F	F	E	ND	D	E	F	ND	E	ND	D	B'	B'	ND	F	A	ND	D	E	ND	F	D	0.01	G	F	F	E
R- 3	4317- FJA	B'	E	G	E	ND	B'	E	E	ND	ND	ND	F	ND	B'	F	F	E	ND	D	E	F	ND	E	ND	D	B'	B'	ND	F	A	ND	D	E	ND	F	D	0.02	G	F	D	E
R- 2	4316- FJA	B'	E	G	E	ND	B'	E	E	E	E	E	F	F	B'	ND	F	F	D	E	F	ND	E	E	D	B'	ND	ND	F	A	ND	D	E	E	F	D	0.01	E	D	F	E	
R- 1	4315- FJA	B'	E	G	E	ND	B'	E	E	E	E	E	F	F	B'	ND	F	F	D	E	F	ND	E	E	D	B'	ND	ND	F	A	ND	D	E	E	F	D	0.02	E	D	F	E	
P-93	4314- FJA	B'	E	ND	E	ND	B'	E	E	ND	ND	ND	F	ND	B'	ND	F	ND	D	E	F	ND	E	ND	B'	B'	ND	ND	A	ND	D	E	ND	F	D	0.01	G	F	ND	E		
P-92	4313- FJA	B'	E	ND	E	ND	B'	E	E	E	E	ND	F	ND	B'	ND	F	ND	D	E	F	ND	E	ND	B'	B'	ND	ND	A	ND	D	E	ND	F	D	0.006	G	E	E	E		
P-91	4312- FJA	B'	E	ND	E	ND	B'	E	E	E	E	ND	F	ND	B'	ND	F	ND	D	E	F	ND	E	ND	B'	B'	ND	ND	A	ND	D	E	ND	F	D	0.007	E	E	E	E		
P-90	4311- FJA	B'	E	ND	E	ND	B'	E	E	E	E	E	F	F	B'	E	F	ND	D	E	F	ND	E	F	B'	B'	ND	ND	A	ND	D	E	F	F	D	0.01	F	D	E	E		
P-89	4310- FJA	A	E	G	E	ND	B'	E	E	E	E	E	F	F	B'	ND	F	ND	D	E	F	ND	E	F	D	B'	ND	ND	F	A	ND	B'	E	F	D	0.01	F	D	E	E		
P-88	4309- FJA	B'	E	G	E	ND	B'	E	E	E	E	E	F	F	B'	ND	F	F	B'	E	F	ND	E	E	D	B'	ND	F	A	ND	D	E	E	F	D	0.007	F	D	ND	E		
P-87	4308- FJA	B'	E	ND	E	ND	B'	E	E	E	E	E	F	F	B'	ND	F	ND	B'	E	F	ND	E	E	D	B'	ND	ND	A	ND	D	E	E	F	D	0.007	E	D	ND	E		
P-86	4307- FJA	B'	E	G	E	ND	B'	E	E	E	E	E	F	F	B'	ND	F	ND	B'	E	F	ND	E	E	D	B'	ND	ND	A	ND	D	E	E	F	D	0.02	F	D	E	E		
P-85	4306- FJA	B'	E	G	E	ND	B'	E	E	ND	ND	ND	F	ND	B'	ND	F	ND	B'	E	F	ND	E	ND	B'	B'	ND	F	A	ND	D	E	ND	F	D	0.02	F	E	E	E		
P-84	4305- FJA	B'	E	G	E	ND	B'	E	E	ND	ND	ND	F	ND	B'	ND	F	ND	D	F	F	ND	E	ND	B'	B'	ND	F	A	ND	D	E	ND	F	D	0.02	G	E	E	E		
P-83	4304- FJA	B'	E	G	E	ND	B'	E	E	ND	ND	ND	F	ND	B'	ND	ND	ND	B'	E	F	ND	E	F	D	B'	ND	F	A	ND	B'	E	ND	F	D	0.01	G	F	ND	E		
P-82	4303- FJA	B'	E	ND	E	ND	A	E	E	ND	ND	ND	F	ND	D	E	F	ND	D	ND	E	F	ND	E	ND	A	B'	ND	ND	A	ND	D	E	ND	F	D	0.01	F	E	ND	F	
P-81	4302- FJA	B'	E	ND	E	ND	B'	E	E	ND	ND	ND	F	ND	B'	ND	F	ND	B'	E	F	ND	E	ND	B'	B'	ND	ND	A	ND	D	E	ND	F	D	0.02	G	E	F	F		
P-80	4301- FJA	D	E	ND	E	ND	A	E	E	E	E	D	ND	E	E	F	F	F	D	E	F	ND	E	E	A	E	ND	ND	A	ND	D	E	ND	F	D	0.01	E	D	ND	F		
P-79	4360- FJA	B'	E	ND	E	ND	B'	E	E	E	E	D	F	ND	B'	E	F	ND	D	E	F	ND	E	ND	B'	B'	ND	F	A	ND	D	E	ND	F	D	0.01	F	E	E	E		
P-78	4359- FJA	B'	E	G	E	ND	A	E	E	E	ND	ND	F	ND	D	E	F	ND	D	F	F	ND	E	E	A	D	ND	F	B'	ND	B'	F	ND	F	D	0.02	F	E	E	E		
P-77	4358- FJA	B'	E	G	E	ND	B'	E	E	E	ND	ND	F	ND	B'	E	F	ND	D	F	F	ND	E	ND	B'	B'	ND	F	A	ND	B'	F	ND	F	D	0.03	F	E	E	E		
P-76	4357- FJA	B'	E	G	E	ND	B'	E	E	E	ND	ND	F	ND	B'	E	F	ND	D	E	F	ND	E	ND	B'	B'	ND	F	A	ND	B'	F	ND	F	D	0.03	F	E	E	E		
P-75	4356- FJA	B'	E	G	E	ND	B'	E	E	E	ND	ND	F	ND	B'	E	F	ND	D	E	F	ND	E	ND	B'	B'	ND	F	A	ND	B'	F	ND	F	D	0.04	F	E	E	E		
P-74	4355- FJA	B'	E	G	E	ND	A	D	E	E	ND	ND	F	ND	B'	E	F	ND	D	F	F	ND	E	ND	B'	B'	ND	F	B'	ND	B'	F	ND	F	D	0.04	F	E	E	E		
P-73	4354- FJA	B'	E	ND	E	ND	B'	D	E	E	ND	ND	F	ND	B'	E	F	ND	D	F	F	ND	E	ND	B'	B'	ND	F	A	ND	B'	F	ND	F	D	0.03	F	E	E	E		
P-72	4353- FJA	B'	E	ND	E	ND	B'	D	E	E	E	ND	ND	F	ND	B'	E	F	ND	D	E	F	ND	E	ND	B'	B'	ND	F	A	ND	B'	F	ND	F	D	0.03	F	E	E	E	
P-71	4352- FJA	B'	E	G	E	ND	B'	D	E	E	ND	ND	F	ND	B'	E	F	ND	D	E	F	ND	E	ND	B'	B'	ND	F	A	ND	B'	F	ND	F	D	0.03	F	E	E	E		
P-70	4351- FJA	B'	E	ND	E	ND	B'	D	E	E	ND	ND	F	ND	B'	E	F	ND	D	E	F	ND	E	ND	B'	B'	ND	F	A	ND	B'	F	ND	F	D	0.03	F	E	E	E		
P-69	4325- FJA	B'	E	G	E	ND	B'	D	E	F	ND	ND	F	ND	B'	E	F	ND	D	E	F	ND	E	ND	B'	B'	ND	F	A	ND	B'	F	ND	F	D	0.05	F	E	E	E		
P-68	4324- FJA	B'	E	G	E	ND	A	D	E	ND	ND	ND	F	ND	B'	E	F	ND	D	F	E	ND	E	F	B'	B'	ND	F	B'	ND	B'	F	ND	F	D	0.08	E	E	E	F		
P-67	4323- FJA	B'	E	G	E	F	A	D	E	E	ND	E	F	F	B'	E	F	ND	D	E	E	E	E	F	B'	B'	ND	F	B'	ND	B'	F	ND	F	D	0.08	E	D	E	F		
P-66	4322- FJA	B'	E	G	E	ND	A	D	E	F	ND	F	F	ND	D	E	F	ND	D	F	E	ND	E	ND	B'	B'	ND	F	B'	ND	B'	F	ND	F	D	0.05	E	E	E	F		
P-65	4321- FJA	B'	E	G	E	ND	B'	E	E	F	ND	ND	F	ND	B'	F	F	ND	B'	E	F	ND	E	F	B'	B'	ND	F	A	ND	B'	F	ND	F	D	0.05	E	E	E	E		
P-64	4350- RAS	B'	E	ND	E	ND	B'	D	E	E	ND	ND	F	ND	B'	E	F	ND	D	E	F	ND	E	ND	B'	B'	ND	F	A	ND	B'	F	ND	F	D	0.02	F	E	E	E		
P-63	4349- RAS	B'	E	ND	E	ND	A	D	E	E	ND	ND	F	ND	B'	E	F	ND	D	E	F	ND	E	E	A	B'	ND	F	B'	ND	B'	F	ND	F	D	0.02	F	E	E	E		
P-62	4348- RAS	B'	E	G	E	ND	A	D	E	F	ND	ND	F	ND	B'	E	F	ND	D	E	F	ND	E	ND	B'	B'	ND	ND	B'	ND	B'	F	ND	F	D	0.02	F	E	E	E		
P-61	4347- RAS	A	E	G	E	ND	B'	E	E	ND	ND	ND	F	ND	B'	ND	F	ND	D	E	F	ND	E	E	B'	B'	ND	ND	A	ND	B'	E	ND	F	D	0.02	F	E	E	E		
P-60	4346- RAS	B'	E	G	E	ND	B'	E	E	ND	ND	ND	F	ND	B'	ND	F	ND	D	E	F	ND	E	ND	B'	B'	ND	ND	A	ND	B'	E	ND	F	D	0.01	E	E	E	E		
P-59	4345- RAS	B'	E	ND	E	ND	B'	E	E	ND	ND	ND	F	ND	B'	ND	F	ND	B'	E	F	ND	E	ND	D	D	ND	ND	A	ND	B'	E	ND	F	D	0.005	G	F	ND	E		

<sup>1</sup> B' is equivalent to B and C of Bureau of Mines analyses as recorded in other reports.

<sup>2</sup> Vanadium determined by a "quickie" quantitative method, accuracy estimated at  $\pm 10-15$  percent of vanadium present.



## Spectrographic Analyses—Rocky Canyon—Continued

Bed no.	Sample no.	Al	Ba	Be	B	Cd	Ca	Cr	Cu	Dy	Er	Gd	Ga	Ho	Fe	La	Pb	Lu	Mg	Mn	Mo	Nd	Ni	Nb	P	K	Sm	Sc	Si	Ag	Na	Sr	Tm	Sn	Ti	V	Yb	Y	Zn	Zr		
P-58	4333-RSJ	B'	E	G	E	ND	B'	E	E	E	ND	E	F	F	B'	F	E	ND	D	E	F	E	E	F	B'	B'	ND	ND	A	G	B'	E	E	E	D	0.01	E	D	F	ND		
P-57	4332-RSJ	B'	E	G	E	ND	B'	E	E	F	ND	E	F	F	B'	F	E	ND	B'	E	F	E	E	F	D	B'	ND	ND	A	G	B'	E	E	E	D	0.008	E	E	F	ND		
P-56	4331-RSJ	A	E	G	E	ND	B'	E	E	E	ND	E	F	F	B'	F	E	ND	D	E	F	E	E	D	B'	ND	ND	A	G	B'	E	E	E	D	0.02	E	D	ND	E			
P-55	4330-RSJ	B'	E	G	E	ND	A	E	E	E	ND	E	F	F	B'	F	E	ND	D	E	F	E	E	ND	B'	ND	ND	A	G	B'	E	E	E	D	0.008	E	D	ND	E			
P-54	4329-RSJ	A	E	G	E	ND	B'	E	E	ND	ND	ND	F	ND	B'	F	E	ND	D	E	F	E	E	F	A	B'	ND	ND	A	G	B'	E	E	E	D	0.03	G	D	ND	E		
P-53	4328-RSJ	B'	E	G	E	ND	B'	D	E	F	ND	F	F	ND	B'	F	E	ND	D	F	F	E	E	F	B'	B'	ND	F	A	G	D	E	E	F	D	0.03	E	E	ND	F		
P-52	4327-RSJ	B'	E	G	E	ND	B'	D	E	F	ND	ND	F	F	B'	F	E	ND	D	E	F	E	E	ND	B'	B'	ND	F	A	G	B'	E	E	F	D	0.03	G	F	E	E		
P-51	4326-RSJ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
P-50	4368-RAS	B'	A	E	G	ND	B'	D	E	F	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	F	D	B'	ND	F	A	G	B'	F	E	F	D	0.008	F	E	E	E		
P-49	4367-RAS	A	E	G	E	ND	B'	D	E	F	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	F	D	B'	ND	F	A	G	B'	F	E	F	D	0.01	F	E	E	E		
P-48	4366-RAS	A	E	G	E	ND	B'	E	E	F	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	F	D	B'	ND	F	A	G	B'	F	E	F	D	0.008	F	E	E	E		
P-47	4365-RAS	A	E	G	E	ND	B'	E	E	F	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	F	D	B'	ND	F	A	G	B'	F	E	F	D	0.008	F	E	E	E		
P-46	4364-RAS	B'	E	G	E	ND	B'	D	E	F	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	F	D	B'	ND	F	A	G	B'	F	E	F	D	0.01	F	E	E	E		
P-45	4363-RAS	B'	E	G	E	ND	B'	E	E	E	ND	ND	F	ND	B'	E	F	ND	D	E	F	ND	E	ND	B'	B'	ND	F	A	G	B'	F	E	F	D	0.04	F	E	E	E		
P-44	4362-RAS	B'	E	G	E	ND	B'	E	E	E	ND	ND	F	ND	B'	E	F	ND	D	E	F	ND	E	ND	B'	B'	ND	F	A	G	B'	F	E	F	D	0.03	F	E	E	E		
P-43	4361-RAS	B'	E	G	E	ND	B'	F	E	E	ND	ND	F	ND	B'	ND	F	ND	D	E	F	ND	E	ND	D	B'	ND	F	A	G	B'	F	E	F	D	0.005	F	E	E	E		
P-42	4344-HWP	A	E	G	E	ND	B'	E	E	ND	ND	ND	F	ND	B'	ND	ND	D	E	F	ND	E	E	B'	B'	ND	ND	A	G	B'	E	E	ND	F	D	0.02	F	E	E	E		
P-41	4343-HWP	B'	E	G	E	ND	A	E	E	ND	ND	ND	F	ND	B'	E	F	ND	D	E	F	ND	E	ND	A	B'	ND	ND	B'	A	G	B'	E	ND	F	D	0.007	F	E	E	E	
P-40	4342-HWP	B'	E	G	E	ND	B'	E	E	ND	ND	ND	F	ND	B'	E	F	ND	D	E	F	ND	E	ND	B'	B'	ND	ND	A	G	B'	E	ND	E	D	0.01	F	E	E	E		
P-39	4341-HWP	B'	E	ND	E	ND	B'	E	E	ND	ND	ND	F	ND	B'	E	F	ND	D	E	F	ND	E	ND	B'	B'	ND	ND	A	G	B'	E	ND	F	D	0.01	F	E	E	E		
P-38	4340-HWP	A	E	G	E	ND	B'	E	E	ND	ND	ND	F	ND	B'	ND	F	ND	D	E	F	ND	E	E	B'	B'	ND	ND	A	G	B'	E	E	ND	F	D	0.01	F	E	F	E	
P-37	4339-HWP	B'	E	ND	E	ND	A	E	E	F	ND	ND	F	ND	B'	ND	F	ND	D	E	F	ND	E	ND	A	B'	ND	ND	B'	A	G	B'	E	ND	F	D	0.006	F	E	ND	E	
P-36	4338-HWP	A	E	G	E	ND	B'	E	E	ND	ND	ND	F	ND	B'	ND	F	ND	D	E	F	ND	E	E	D	B'	ND	ND	A	G	B'	E	ND	F	D	0.01	E	E	F	E		
P-35	4337-HWP	B'	E	G	E	ND	B'	D	E	ND	ND	ND	F	ND	B'	E	F	ND	D	E	F	ND	E	ND	B'	B'	ND	ND	A	G	B'	E	ND	F	D	0.02	F	E	E	E		
P-34	4336-HWP	B'	E	G	E	ND	B'	E	E	F	ND	ND	F	ND	B'	E	F	ND	D	E	F	ND	E	ND	B'	B'	ND	ND	A	G	B'	E	ND	F	D	0.02	F	E	E	E		
--	4395-HWP	B'	E	G	E	ND	B'	D	E	ND	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	F	B'	B'	ND	F	A	G	B'	F	ND	F	D	0.03	F	E	E	E		
--	4394-HWP	B'	E	ND	E	ND	B'	D	E	ND	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	F	B'	B'	ND	F	A	G	B'	F	ND	F	D	0.02	F	E	E	E		
--	4393-HWP	B'	E	ND	E	ND	B'	E	E	ND	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	F	B'	B'	ND	F	A	G	B'	F	ND	F	D	0.006	F	E	E	E		
--	4392-HWP	B'	E	ND	E	ND	A	E	E	ND	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	F	B'	B'	ND	F	B'	A	G	B'	F	ND	ND	F	D	0.005	F	E	E	E
--	4391-HWP	B'	E	ND	E	ND	B'	E	E	E	ND	ND	F	ND	B'	E	F	ND	D	E	F	ND	E	F	D	B'	ND	ND	A	G	B'	F	E	F	D	0.01	F	E	E	E		
--	4390-HWP	B'	E	G	F	ND	A	D	E	E	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	F	A	B'	ND	ND	B'	G	B'	F	E	F	D	0.02	F	E	E	F		
--	4389-HWP	B'	E	G	F	ND	A	D	E	E	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	F	B'	B'	ND	ND	B'	G	B'	F	E	F	D	0.03	F	E	E	E		
P-33	4388-HWP	B'	E	ND	E	ND	A	D	E	E	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	F	B'	B'	ND	ND	B'	G	B'	F	E	F	D	0.03	F	E	E	E		
P-32	4400-RAS	B'	E	ND	F	ND	A	E	E	ND	ND	ND	F	F	D	E	F	ND	D	E	F	ND	E	F	D	B'	ND	ND	B'	G	B'	D	E	ND	F	D	0.005	G	F	E	ND	
P-31	4399-RAS	B'	E	ND	E	ND	A	D	E	E	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	F	B'	B'	ND	ND	B'	G	B'	F	E	ND	F	D	0.03	F	E	E	E	
P-30	4398-RAS	B'	E	ND	E	ND	A	E	E	ND	ND	ND	F	F	B'	E	F	ND	B'	ND	F	ND	E	F	B'	B'	ND	ND	B'	G	B'	F	ND	F	D	0.03	F	E	E	E		
P-29	4397-RAS	B'	E	ND	E	F	A	D	E	ND	ND	ND	F	F	D	E	F	ND	D	F	F	ND	E	F	B'	B'	ND	F	B'	G	B'	F	ND	F	D	0.06	F	E	E	E		
P-28	4396-RAS	B'	E	ND	E	F	A	D	E	ND	ND	ND	F	F	D	E	F	ND	D	F	F	ND	E	F	B'	B'	ND	F	B'	G	B'	F	ND	F	D	0.06	F	E	E	E		
P-27	4379-RAS	B'	E	ND	E	F	A	D	E	E	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	F	B'	B'	ND	ND	B'	G	B'	F	E	F	D	0.20	F	E	E	E		
--	4378-RAS	D	F	ND	ND	F	A	E	E	ND	ND	ND	F	D	ND	ND	ND	D	E	F	ND	F	F	D	D	ND	ND	B'	G	D	F	E	F	E	0.03	ND	ND	F	E			
P-26	4377-RAS	B'	E	ND	E	F	B'	D	E	E	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	F	B'	B'	ND	ND	A	G	B'	F	E	F	D	0.2	F	E	E	F		
P-25	4376-RAS	B'	E	G	E	F	B'	D	E	F	ND	ND	F	ND	B'	E	F	ND	D	E	F	ND	E	F	B'	B'	ND	ND	A	G	B'	F	E	F	D	0.34	F	E	E	E		
P-24	4375-RAS	B'	E	ND	E	F	B'	D	E	F	ND	ND	F	ND	B'	E	F	ND	D	E	F	ND	E	F	B'	B'	ND	FA	A	G	B'	F	E	F	D	0.31	F	E	E	E		
P-23	4374-RAS	B'	E	ND	E	F	B'	D	E	F	ND	ND	F	ND	B'	E	F	ND	D	E	F	ND	E	F	B'	B'	ND	F	A	G	B'	F	E	F	D	0.28	F	E	E	E		
P-22	4373-RAS	B'	E	ND	E	F	B'	D	E	F	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	E	B'	B'	ND	F	A	G	B'	F	E	F	D	0.30	F	E	E	E		
P-21	4372-RAS	B'	E	ND	E	F	A	D	E	F	ND	ND	F	F	B'	ND	F	ND	B'	E	F	ND	E	F	B'	B'	ND	F	B'	G	D	F	E	F	D	0.04	F	E	E	F		
P-20	4371-RAS	B'	E	ND	E	F	A	D	E	F	ND	ND	ND	F	B'	E	F	ND	D	E	F	ND	E	F	B'	B'	ND	F	B'	G	B'	F	E	F	D	0.05	F	E	E	E		
P-19	4370-RAS	B'	E	ND	E	F	A	D	E	F	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	F	B'	B'	ND	F	B'	G	B'	F	E	F	D	0.22	F	E	E	E		
P-18	4369-RAS	B'	E	ND	E	F	A	D	E	F	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	F	B'	B'	ND	F	B'	G	B'	F	E	F	D	0.25	F	E	E	E		
P-17	4387-HWP	B'	E	ND	F	F	A	E	E	E	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	F	B'	B'	ND	ND	B'	G	B'	F	E	F	D	0.20	F	E	E	E		
P-16	4386-HWP	B'	E	ND	F	F	A	E	E	E	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	F	B'	B'	ND	ND	B'	G	B'	F	E	F	D	0.05	F	E	E	E		
P-15	4385-HWP	B'	E	ND	F	F	A	D	E	E	ND	ND	F	F	B'	E	F	ND	D	E	F	ND	E	F	D	B'	B'	ND	ND	B'	G	B'	F	E	F	D	0.05	F	E	E	E	

P-14	4384-HWP	B'	E	ND	E	F	A	D	E	E	ND	ND	F	F	B'	E	F	ND	E	F	ND	E	F	B'	B'	ND	ND	B'	G	B'	F	E	F	D	.20	F	E	E	E
P-13	4383-HWP	B'	E	ND	E	F	A	D	E	E	ND	ND	F	F	B'	E	F	ND	E	F	ND	E	F	B'	B'	ND	ND	B'	G	B'	F	E	F	D	.05	F	E	E	E
P-12	4382-HWP	B'	E	ND	E	F	A	D	E	E	ND	ND	F	F	B'	E	F	ND	E	F	ND	E	F	B'	B'	ND	ND	B'	G	B'	F	E	F	D	.20	F	E	E	E
P-11	4381-HWP	D	E	ND	F	F	A	D	E	E	ND	ND	ND	F	D	E	ND	ND	E	F	ND	E	F	B'	B'	ND	ND	D	G	B'	F	E	F	D	.05	F	E	E	E
P-10	4380-HWP	B'	E	ND	E	F	A	D	E	E	ND	ND	ND	F	D	E	ND	ND	E	F	ND	E	F	B'	B'	ND	ND	B'	G	B'	F	E	F	D	.20	F	E	E	E
P-9	4335-HWP	B'	E	ND	E	E	A	E	E	E	ND	ND	ND	ND	D	ND	F	ND	E	F	ND	E	ND	A	D	ND	ND	B'	G	D	E	ND	F	E	.06	G	E	E	F
P-8	4334-HWP	B'	E	G	E	E	A	E	E	E	ND	ND	ND	ND	D	ND	F	ND	E	F	ND	E	ND	A	D	ND	ND	B'	G	D	E	ND	F	E	.2	G	E	E	E
P-7	4407-RAS	B'	E	ND	E	F	A	D	E	E	ND	ND	ND	F	B'	E	F	ND	E	F	ND	E	F	B'	B'	ND	ND	B'	G	B'	F	ND	F	D	.05	F	E	E	E
P-6	4406-RAS	B'	E	ND	E	F	A	D	E	E	ND	ND	ND	F	B'	E	F	ND	E	F	ND	E	F	B'	B'	ND	ND	B'	G	B'	F	ND	F	D	.01	F	E	E	E
P-5	4405-RAS	D	E	ND	F	F	A	D	E	E	ND	ND	ND	F	D	E	F	ND	E	F	ND	E	F	B'	B'	ND	ND	B'	G	B'	F	ND	F	D	.01	F	E	E	E
P-4	4404-RAS	B'	E	ND	E	F	A	E	E	E	ND	ND	ND	F	B'	E	F	ND	E	F	ND	E	F	B'	B'	ND	ND	B'	G	B'	F	ND	F	D	.04	F	E	E	E
P-3	4403-RAS	D	E	ND	F	F	A	E	E	E	ND	ND	ND	F	B'	E	F	ND	E	F	ND	E	F	B'	B'	ND	ND	B'	G	B'	F	ND	F	D	.05	F	E	E	E
P-2	4402-RAS	B'	E	ND	E	F	A	E	E	E	ND	ND	ND	F	B'	E	F	ND	E	F	ND	E	F	B'	B'	ND	ND	B'	G	B'	F	ND	F	D	.06	F	E	E	E
P-1	4401-RAS	D	E	ND	E	F	A	E	E	E	ND	ND	ND	F	B'	E	F	ND	E	F	ND	E	F	B'	B'	ND	ND	B'	G	B'	F	ND	F	D	.05	F	E	E	E

OFFICIAL USE ONLY

OFFICIAL USE ONLY



Gravel Creek Divide, Idaho, lot 1308

Phosphatic shale member of Phosphoria formation measured and sampled in a trench on south limb of Gray anticline on Gravel Creek Divide, sec. 34, T. 5 S., R. 43 E., Caribou County, Idaho. Beds strike N. 50° W. and dip 45° S. Section measured by R. G. Waring, H. W. Peirce, and R. A. Smart and sampled by Peirce and M. A. Warner in August 1949. Samples analyzed for P<sub>2</sub>O<sub>5</sub> and acid insoluble by U. S. Bureau of Mines laboratory, Albany, Oreg., and for other constituents by Trace Elements Section laboratory, U. S. Geological Survey, Washington, D. C.

Samples analyzed for eU and chem. U by the U. S. Geological Survey laboratory, Geochemistry and Petrology Branch.

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P <sub>2</sub> O <sub>5</sub> (cumulative)	Uranium content (percent)		Thickness x percent chem. U (cumulative)
				P <sub>2</sub> O <sub>5</sub>	Al <sub>2</sub> O <sub>3</sub>	Fe <sub>2</sub> O <sub>3</sub>	Loss on ignition	Acid insoluble			eU	Chem. U	
Rex chert member of Phosphoria formation—basal bed only													
R- 1	Chert and mudstone	--	1.7	--	--	--	--	--	1.7	--	--	--	--
Phosphatic shale member of Phosphoria formation													
P-74	Mudstone-----	5849- RGW	1.1	2.0	--	--	--	72.7	1.1	2.20	0.004	0.002	0.002
P-73	Mudstone-----	5848- RGW	.8	1.4	--	--	--	74.4	1.9	3.32	.002	.002	.004
P-72	Mudstone-----	5847- RGW	1.8	.4	--	--	--	78.5	3.7	4.04	.002	.001	.006
P-71	Mudstone-----	5846- RGW	1.8	.1	--	--	--	81.3	5.5	4.22	.002	.001	.007
P-70	Mudstone-----	5844- RGW	2.3	2.1	--	--	--	72.1	7.8	9.05	.004	.003	.014
--	Mudstone lens in bed P-70 -----	5845- RGW	(1.3)	5.4	--	--	--	78.9	--	--	.004	.002	--
P-69	Mudstone -----	5843- RGW	1.8	5.5	--	--	--	64.6	9.6	18.95	.006	.004	.022
P-68	Mudstone -----	5842- RGW	1.2	6.5	--	--	--	59.5	10.8	26.75	.005	.004	.026
P-67	Mudstone -----	5841- RGW	1.7	1.1	--	--	--	81.4	12.5	28.62	.004	.003	.031
P-66	Mudstone -----	5840- RGW	.5	2.7	--	--	--	66.4	13.0	29.97	.004	.003	.033
P-65	Mudstone and chert -----	5839- RGW	1.1	2.2	--	--	--	84.4	14.1	32.39	.003	.003	.036
P-64	Chert -----	5838- RGW	1.3	2.1	--	--	--	89.6	15.4	35.12	.001	.002	.039
P-63	Phosphate rock, cherty -----	5837- RGW	.6	25.7	--	--	--	29.8	16.0	50.54	.006	.007	.043
P-62	Mudstone -----	5821- HWP	.9	4.7	--	--	--	72.2	16.9	54.77	.003	.002	.045
P-61	Mudstone -----	5820- HWP	1.3	1.3	--	--	--	81.6	18.2	56.46	.002	.001	.046
P-60	Mudstone -----	5819- HWP	.7	1.3	--	--	--	79.2	18.9	57.37	.003	.002	.048
P-59	Phosphate rock -----	5818- HWP	1.1	36.8	0.54	0.59	2.69	4.5	20.0	97.85	.010	.010	.058
P-58	Phosphate rock -----	5817- HWP	.8	35.2	.82	.70	2.33	8.7	20.8	126.01	.008	.012	.068
P-57	Phosphate rock -----	5816- HWP	1.0	36.6	.75	.50	3.20	4.3	21.8	162.61	.010	.014	.082
P-56	Phosphate rock -----	5815- HWP	1.3	34.0	1.2	.59	2.20	10.3	23.1	206.81	.010	.013	.099
P-55	Phosphate rock -----	5814- HWP	1.0	37.2	.76	.34	3.26	2.3	24.1	244.01	.010	.012	.111
P-54	Phosphate rock -----	5813- HWP	2.0	32.0	2.0	.80	7.48	9.0	26.1	308.01	.015	.018	.147
P-53	Phosphate rock, argillaceous -----	5812- HWP	1.5	28.2	2.6	1.52	8.27	16.7	27.6	350.31	.007	.009	.160
P-52	Mudstone, phosphatic -----	5811- HWP	1.5	9.6	--	--	--	57.7	29.1	364.71	.003	.004	.166
P-51	Carbonate rock -----	5810- HWP	1.4	.6	--	--	--	12.0	30.5	365.55	.000	.001	.168
P-50	Phosphate rock, argillaceous -----	5870- RAS	1.3	16.8	--	--	--	39.2	31.8	387.39	.004	.006	.176
P-49	Phosphate rock, argillaceous -----	5869- RAS	1.3	16.4	--	--	--	41.3	33.1	408.71	.004	.005	.182
P-48	Mudstone -----	5868- RAS	1.4	6.7	--	--	--	64.7	34.5	418.09	.004	.003	.186
P-47	Mudstone, phosphatic -----	5867- RAS	1.7	14.1	--	--	--	46.5	36.2	442.06	.004	.004	.193

P-46	Phosphate rock, argillaceous -----	5866- RAS	1.4	19.3	--	--	--	36.6	37.6	469.08	.004	.004	.199
P-45	Carbonate rock, argillaceous -----	5865- RAS	1.4	2.8	--	--	--	31.8	39.0	473.00	.001	.002	.202
P-44	Mudstone -----	5864- RAS	.9	6.4	--	--	--	71.2	39.9	478.76	.001	.002	.203
P-43	Mudstone, phosphatic -----	5863- RAS	2.1	12.1	--	--	--	54.4	42.0	504.17	.003	.003	.210
P-42	Mudstone, phosphatic -----	5862- RAS	1.0	8.9	--	--	--	64.3	43.0	513.07	.003	.003	.213
P-41	Mudstone -----	5861- RAS	1.8	--	--	--	--	--	44.8	--	.003	.003	.218
P-40	Carbonate rock, argillaceous -----	5860- RAS	.8	1.2	--	--	--	39.2	45.6	*.96	.001	.001	.219
P-39	Mudstone, phosphatic -----	5859- RAS	.9	13.3	--	--	--	41.8	46.5	12.93	.004	.004	.223
P-38	Phosphate rock, argillaceous -----	5858- RAS	1.0	17.1	--	--	--	32.5	47.5	30.03	.005	.004	.227
P-37	Mudstone, carbonatic -----	5857- RAS	.8	5.4	--	--	--	43.5	48.3	34.35	.002	.002	.228
P-36	Phosphate rock, argillaceous, carbonatic -----	5856- RAS	1.6	16.6	--	--	--	23.2	49.9	60.91	.007	.009	.243
P-35	Phosphate rock, argillaceous -----	5855- RAS	1.5	17.5	--	--	--	28.8	51.4	87.16	.004	.004	.249
P-34	Mudstone -----	5854- RAS	1.7	2.2	--	--	--	70.9	53.1	90.90	.004	.002	.252
P-33	Phosphate rock, argillaceous -----	5853- RAS	1.3	17.6	--	--	--	34.0	54.4	113.78	.004	.004	.257
P-32	Mudstone, phosphatic and phosphate rock --	5852- RAS	1.1	20.5	--	--	--	26.8	55.5	136.33	.006	.005	.263
P-31	Carbonate rock, argillaceous -----	5851- RAS	1.0	4.5	--	--	--	24.1	56.5	140.83	.003	.001	.264
P-30	Phosphate rock, argillaceous -----	5809- HWP	.9	20.5	--	--	--	22.8	57.4	159.28	.003	.003	.266
P-29	Phosphate rock, argillaceous -----	5808- HWP	.8	17.0	--	--	--	38.2	58.2	172.88	.005	.004	.270
P-28	Carbonate rock -----	5807- HWP	1.7	1.3	--	--	--	6.4	59.9	175.09	.000	.001	.271
P-27	Carbonate rock -----	5806- HWP	3.0	1.4	--	--	--	6.7	62.9	179.29	.001	.001	.274
P-26	Mudstone, phosphatic -----	5805- HWP	2.5	8.1	--	--	--	62.4	65.4	199.54	.004	.003	.282
P-25	Phosphate rock, argillaceous -----	5804- HWP	1.0	26.1	2.2	1.01	10.05	18.9	66.4	225.64	.004	.006	.288
P-24	Mudstone, carbonatic -----	5803- HWP	1.0	2.8	10.5	3.34	21.85	48.0	67.4	228.44	.001	.002	.290
P-23	Phosphate rock -----	5802- HWP	3.0	28.1	2.9	1.12	10.00	13.2	70.4	312.74	.005	.006	.308
P-22	Phosphate rock and mudstone -----	5801- HWP	1.9	18.7	3.6	1.65	14.08	29.7	72.3	348.27	.009	.012	.321
P-21	Phosphate rock -----	5836- RGW	2.0	27.1	2.2	.98	11.32	14.7	74.3	402.47	.013	.018	.367
P-20	Phosphate rock, argillaceous -----	5835- RGW	2.4	24.7	2.4	1.00	11.53	18.3	76.7	461.75	.013	.015	.403
P-19	Phosphate rock, argillaceous -----	5834- RGW	1.9	16.6	4.2	1.61	12.75	35.9	78.6	493.29	.007	.010	.422
P-18	Phosphate rock, argillaceous -----	5833- RGW	1.4	16.3	4.6	1.92	12.03	36.3	80.0	516.11	.007	.008	.433
P-17	Phosphate rock, argillaceous, carbonatic --	5832- RGW	.9	13.8	2.2	.94	23.10	17.4	80.9	528.53	.003	.005	.437
P-16	Phosphate rock, argillaceous -----	5831- RGW	2.0	16.9	4.7	1.68	10.53	37.4	82.9	562.33	.007	.009	.455
--	Carbonate rock lens in bed P-16-----	5830- RGW	(1.5)	6.4	--	--	--	10.4	--	--	.002	.002	--
P-15	Mudstone, phosphatic -----	5829- RGW	2.1	12.9	5.0	2.23	13.50	39.9	85.0	589.42	.007	.007	.470
P-14	Phosphate rock -----	5828- RGW	.8	34.9	.59	.51	7.81	2.6	85.8	617.34	.007	.010	.478
P-13	Phosphate rock, argillaceous -----	5827- RGW	1.6	27.6	2.3	1.03	9.72	15.8	87.4	661.50	.014	.017	.505
P-12	Carbonate rock, argillaceous -----	5826- RGW	2.1	2.1	2.8	1.06	34.35	22.1	89.5	665.91	.001	.002	.509
P-11	Phosphate rock, argillaceous -----	5889- HWP	2.8	19.5	3.8	1.63	9.15	32.4	92.3	720.51	.011	.014	.549
P-10	Mudstone, phosphatic -----	5888- HWP	1.2	16.8	5.1	2.09	6.50	43.2	93.5	740.67	.008	.011	.562
P-9	Carbonate rock, argillaceous -----	5887- HWP	1.6	5.8	3.2	1.11	29.22	24.2	95.1	749.95	.003	.003	.567
P-8	Phosphate rock -----	5886- HWP	3.0	28.8	2.0	1.01	8.80	12.8	98.1	836.35	.016	.022	.633
P-7	Phosphate rock -----	5885- HWP	2.4	33.6	1.0	.58	6.50	5.3	100.5	916.99	.013	.016	.671

\* Cumulative data incomplete because of missing information. Computations start from zero after interruption.



## Gravel Creek Divide—Continued

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P <sub>2</sub> O <sub>5</sub> (cumulative)	Uranium content (percent)		Thickness x percent chem. U (cumulative)
				P <sub>2</sub> O <sub>5</sub>	Al <sub>2</sub> O <sub>3</sub>	Fe <sub>2</sub> O <sub>3</sub>	Loss on ignition	Acid insoluble			eU	Chem. U	
P- 6	Phosphate rock, argillaceous -----	5881-MAW	0.7	27.7	2.2	1.32	6.93	18.2	101.2	936.38	0.005	0.005	0.675
P- 5	Phosphate rock-----	5880-MAW	1.7	35.2	.74	.48	5.96	2.1	102.9	996.22	.016	.020	.709
P- 4	Phosphate rock-----	5879-MAW	1.7	33.8	.85	.69	7.12	3.6	104.6	1,053.68	.016	.021	.744
P- 3	Phosphate rock-----	5878-MAW	2.4	30.6	1.7	1.26	6.35	10.4	107.0	1,127.12	.019	.023	.799
P- 2	Carbonate rock, argillaceous -----	5877-MAW	4.8	.80	4.0	1.80	29.80	32.8	111.8	1,130.96	.001	.001	.804
P- 1	Phosphate rock-----	5876-MAW	.4	34.5	.74	.56	4.19	4.7	112.2	1,144.76	.010	.012	.809

OFFICIAL USE ONLY

OFFICIAL USE ONLY

Corral Creek, Idaho, lot 1315

Lower part of phosphatic shale member of Phosphoria formation measured and sampled in a bulldozer trench in SE $\frac{1}{4}$  sec. 12, T. 6 S., R. 40 E., Caribou County, Idaho. Beds strike approximately north-south and dip 40° E. Section is incomplete due to faulting and weathering. Section measured by K. Lutz and A. L. Bush and sampled by H. W. Peirce and R. G. Waring in October 1949. Samples analyzed for P<sub>2</sub>O<sub>5</sub> and acid insoluble by U. S. Bureau of Mines laboratory, Albany, Oreg., and for other constituents by Trace Elements Section laboratory, U. S. Geological Survey, Washington, D. C.

Samples analyzed for eU and chem. U by the U. S. Geological Survey laboratory, Geochemistry and Petrology Branch.

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P <sub>2</sub> O <sub>5</sub> (cumulative)	Uranium content (percent)		Thickness x percent chem. U (cumulative)
				P <sub>2</sub> O <sub>5</sub>	Al <sub>2</sub> O <sub>3</sub>	Fe <sub>2</sub> O <sub>3</sub>	Loss on ignition	Acid insoluble			eU	Chem. U	
Phosphatic shale member of Phosphoria formation—lower part only													
P-7	Phosphate rock, argillaceous -----	4565- KL	0.6	23.1	6.4	2.51	6.98	25.6	0.6	13.86	0.005	0.004	0.002
P-6	Phosphate rock-----	4564- KL	1.9	34.5	1.3	.64	4.04	5.1	2.5	79.41	.007	.008	.018
P-5	Phosphate rock-----	4563- KL	.6	35.6	1.0	.61	3.91	3.4	3.1	100.77	.008	.009	.023
P-4	Phosphate rock-----	4562- KL	1.2	35.8	.91	.58	3.88	2.3	4.3	143.73	.014	.020	.047
P-3	Phosphate rock-----	4561- KL	1.8	34.3	1.5	.80	4.23	5.3	6.1	205.47	.018	.029	.099
P-2	Mudstone and carbonate rock -----	--	4.3	--	--	--	--	--	10.4	--	--	--	--
	Bed P-2 is slightly crumpled and weathered.												
P-1	Phosphate rock-----	4544-ALB	.4	31.7	.64	.37	5.10	10.7	10.8	218.15	.010	.013	.104



Henry, Idaho, lot 1309

Phosphatic shale member of Phosphoria formation measured and sampled in bulldozer trench on the east limb of the Wooley Valley anticline, SE $\frac{1}{4}$  sec. 10, T. 6 S., R. 42 E., Caribou County, Idaho. Beds strike N. 50° W. and dip 50-75° E. Section measured by M. E. Thompson, J. D. Weiser and R. A. Smart and sampled by Smart in August and September 1949. Samples analyzed for P<sub>2</sub>O<sub>5</sub> and acid insoluble by U. S. Bureau of Mines laboratory, Albany, Oreg., and for other constituents by Trace Elements Section laboratory, U. S. Geological Survey, Washington, D. C.

Samples analyzed for eU and chem. U by the U. S. Geological Survey laboratory, Geochemistry and Petrology Branch.

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P <sub>2</sub> O <sub>5</sub> (cumulative)	Uranium content (percent)		Thickness x percent chem. U (cumulative)
				P <sub>2</sub> O <sub>5</sub>	Al <sub>2</sub> O <sub>3</sub>	Fe <sub>2</sub> O <sub>3</sub>	Loss on ignition	Acid insoluble			eU	Chem. U	
Rex chert member of Phosphoria formation—basal beds only													
R- 4	Mudstone and chert -----	--	1.9	--	--	--	--	--	1.9	--	--	--	--
R- 3	Mudstone, cherty -----	--	3.7	--	--	--	--	--	5.6	--	--	--	--
R- 2	Mudstone -----	--	3.5	--	--	--	--	--	9.1	--	--	--	--
R- 1	Chert -----	--	5.0	--	--	--	--	--	14.1	--	--	--	--
Phosphatic shale member of Phosphoria formation													
P-119	Mudstone -----	4477-MET	1.6	0.80	--	--	--	84.3	1.6	1.28	.001	.001	.002
P-118	Mudstone -----	4476-MET	3.9	2.55	--	--	--	68.6	5.5	11.23	.003	.002	.009
P-117	Phosphate rock, argillaceous -----	4475-MET	1.3	21.40	--	--	--	35.9	6.8	39.05	.010	.008	.020
P-116	Mudstone -----	4474-MET	1.8	5.35	--	--	--	61.0	8.6	48.68	.006	.005	.029
P-115	Mudstone -----	4473-MET	2.0	2.00	--	--	--	72.8	10.6	52.68	.004	.002	.033
P-114	Mudstone -----	4281-JDW	4.0	1.10	--	--	--	78.6	14.6	57.08	.001	.001	.037
P-113	Mudstone -----	4280-JDW	1.6	2.20	--	--	--	83.1	16.2	60.60	.002	.001	.038
P-112	Mudstone -----	4279-JDW	.7	4.65	--	--	--	63.6	16.9	63.85	.004	.003	.040
P-111	Mudstone -----	4278-JDW	1.0	1.25	--	--	--	78.9	17.9	65.10	.002	.001	.042
P-110	Mudstone -----	4500-JDW	1.2	.45	--	--	--	80.7	19.1	65.64	.002	.003	.045
P-109	Mudstone -----	4499-JDW	3.1	5.00	--	--	--	63.0	22.2	81.14	.005	.003	.054
P-108	Mudstone -----	4498-JDW	1.3	2.60	--	--	--	72.2	23.5	84.52	.004	.002	.057
P-107	Limestone, argillaceous -----	4497-JDW	1.2	2.60	--	--	--	35.5	24.7	87.64	.001	.001	.058
P-106	Carbonate rock -----	4496-JDW	1.4	1.10	--	--	--	15.1	26.1	89.18	.001	.001	.060
P-105	Mudstone, phosphatic -----	4276-RAS	.3	14.30	--	--	--	36.3	26.4	93.47	.005	.004	.061
P-104	Mudstone -----	4275-RAS	.8	2.30	--	--	--	77.5	27.2	95.31	.002	.001	.062
P-103	Mudstone -----	4274-RAS	.7	3.60	--	--	--	64.9	27.9	97.83	.004	.003	.064
P-102	Mudstone -----	4273-RAS	3.0	1.80	--	--	--	83.5	30.9	103.23	.003	.001	.067
P-101	Phosphate rock, argillaceous -----	4272-RAS	.7	28.40	1.2	1.56	3.92	20.6	31.6	123.11	.006	.007	.072
P-100	Mudstone -----	4271-RAS	1.7	3.10	8.3	2.88	5.78	76.7	33.3	128.38	.004	.002	.075
P- 99	Mudstone -----	4270-RAS	2.0	1.40	8.8	2.80	9.15	73.4	35.3	131.18	.003	.001	.077
P- 98	Phosphate rock -----	4269-RAS	.8	34.00	.65	.31	2.15	12.3	36.1	158.38	.008	.009	.084
P- 97	Phosphate rock, contains carbonate rock lenses -----	4268-RAS	1.2	36.00	.76	.57	5.14	2.7	37.3	201.58	.010	.012	.099
P- 96	Phosphate rock -----	4267-RAS	.6	36.00	.66	.35	7.30	3.4	37.9	223.18	.011	.011	.105
P- 95	Mudstone, phosphatic -----	4266-RAS	.7	8.50	8.5	3.36	4.27	67.2	38.6	229.13	.003	.003	.107

P- 94	Phosphate rock-----	4265- RAS	1.9	34.80	.76	.50	5.88	5.0	40.5	295.25	.012	.012	.130
P- 93	Phosphate rock, argillaceous-----	4277- RAS	.7	21.9	5.6	.20	5.15	34.5	41.2	310.58	.006	.005	.134
P- 92	Phosphate rock-----	4472-MET	1.5	34.9	.81	.49	5.55	4.4	42.7	362.93	.010	.010	.149
P- 91	Phosphate rock-----	4471-MET	1.0	33.8	1.2	.56	5.95	4.9	43.7	396.73	.013	.015	.164
P- 90	Phosphate rock-----	4470-MET	1.2	29.6	2.0	.70	8.90	10.6	44.9	432.25	.015	.019	.186
--	Carbonate rock concretion in bed P-89	4469-MET	(.8)	4.05	--	--	--	2.1	--	--	.002	.002	--
P- 89	Phosphate rock-----	4468-MET	1.6	30.7	--	--	--	7.2	46.5	481.37	.014	.017	.214
P- 88	Phosphate rock, argillaceous-----	4467-MET	1.6	22.6	--	--	--	23.0	48.1	517.53	.011	.012	.233
P- 87	Phosphate rock, argillaceous-----	4466-MET	1.9	23.95	--	--	--	21.9	50.0	563.04	.007	.008	.248
P- 86	Phosphate rock, argillaceous-----	4465-MET	1.6	19.4	--	--	--	28.1	51.6	594.08	.006	.007	.259
P- 85	Mudstone, phosphatic-----	4464-MET	1.8	8.75	--	--	--	54.2	53.4	609.83	.006	.004	.266
P- 84	Limestone, argillaceous-----	4463-MET	2.3	1.9	--	--	--	25.3	55.7	614.20	.000	.001	.269
P- 83	Mudstone, phosphatic-----	4462-MET	4.2	9.3	--	--	--	52.1	59.9	653.26	.005	.004	.286
P- 82	Carbonate rock and phosphatic mudstone-----	4461-MET	1.1	5.85	--	--	--	19.5	61.0	659.69	.001	.002	.288
P- 81	Mudstone, phosphatic-----	4460-MET	2.2	15.0	--	--	--	42.7	63.2	692.69	.006	.005	.299
P- 80	Mudstone-----	4300-MET	3.0	5.2	--	--	--	67.0	66.2	708.29	.003	.002	.305
P- 79	Mudstone, phosphatic-----	4299-MET	1.9	12.2	--	--	--	48.1	68.1	731.47	.004	.004	.312
P- 78	Mudstone, phosphatic-----	4298-MET	1.1	9.1	--	--	--	58.7	69.2	741.48	.005	.003	.316
P- 77	Mudstone, phosphatic-----	4297-MET	1.1	12.9	--	--	--	49.9	70.3	755.67	.005	.005	.321
P- 76	Phosphate rock, argillaceous-----	4296-MET	2.0	21.8	--	--	--	34.2	72.3	799.27	.003	.001	.323
P- 75	Limestone, cherty-----	4495- JDW	2.1	1.2	--	--	--	42.2	74.4	801.79	.001	.003	.329
P- 74	Mudstone-----	4494- JDW	.9	4.8	--	--	--	77.0	75.3	806.11	.003	.002	.331
P- 73	Mudstone, phosphatic-----	4493- JDW	1.5	16.4	--	--	--	45.5	76.8	830.71	.005	.004	.337
P- 72	Mudstone, phosphatic-----	4492- JDW	1.5	14.6	--	--	--	45.7	78.3	852.61	.004	.004	.343
P- 71	Mudstone, phosphatic-----	4491- JDW	5.0	8.5	--	--	--	61.8	83.3	895.11	.004	.002	.353
P- 70	Phosphate rock, argillaceous-----	4490- JDW	.9	20.7	--	--	--	33.7	84.2	913.74	.004	.004	.357
P- 69	Mudstone, phosphatic-----	4489- JDW	1.0	13.3	--	--	--	50.8	85.2	927.04	.004	.004	.361
P- 68	Mudstone-----	4488- JDW	2.2	6.0	--	--	--	68.6	87.4	940.24	.003	.002	.365
P- 67	Mudstone-----	4487- JDW	5.0	4.3	--	--	--	72.0	92.4	961.74	.003	.002	.375
P- 66	Mudstone-----	4486- JDW	1.0	7.3	--	--	--	55.1	93.4	969.04	.004	.003	.378
P- 65	Phosphate rock, argillaceous-----	4485- JDW	.8	27.2	--	--	--	16.3	94.2	990.80	.007	.007	.384
P- 64	Mudstone, phosphatic-----	4484- JDW	1.0	9.2	--	--	--	60.2	95.2	1,000.00	.004	.003	.387
P- 63	Mudstone, phosphatic-----	4483- JDW	.8	13.1	--	--	--	40.9	96.0	1,010.48	.004	.005	.391
P- 62	Phosphate rock, argillaceous-----	4482- JDW	1.5	17.5	--	--	--	33.6	97.5	1,036.73	.005	.006	.400
P- 61	Mudstone, phosphatic-----	4481- JDW	1.8	8.3	--	--	--	62.5	99.3	1,051.67	.004	.003	.405
P- 60	Mudstone, phosphatic-----	4480- JDW	.5	14.2	--	--	--	49.6	99.8	1,058.77	.006	.005	.408
P- 59	Mudstone-----	4264- RAS	.5	3.6	--	--	--	82.1	100.3	1,060.57	.003	.002	.409
P- 58	Phosphate rock, contains fluorite-----	4263- RAS	.7	32.0	--	--	--	10.7	101.0	1,082.97	.005	.007	.414
P- 57	Mudstone, phosphatic-----	4262- RAS	1.7	8.65	--	--	--	64.3	102.7	1,097.68	.002	.003	.419
P- 56	Mudstone-----	4261- RAS	1.3	3.3	--	--	--	79.1	104.0	1,101.97	.003	.001	.420
P- 55	Mudstone, phosphatic-----	4260- RAS	1.2	8.4	--	--	--	60.9	105.2	1,112.05	.003	.003	.424
P- 54	Mudstone, carbonatic-----	4259- RAS	1.2	.9	--	--	--	59.0	106.4	1,113.13	.002	.001	.425
P- 53	Mudstone-----	4258- RAS	1.8	2.65	--	--	--	76.3	108.2	1,117.90	.003	.002	.428



## Henry—Continued

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P <sub>2</sub> O <sub>5</sub> (cumulative)	Uranium content (percent)		Thickness x percent chem. U (cumulative)
				P <sub>2</sub> O <sub>5</sub>	Al <sub>2</sub> O <sub>3</sub>	Fe <sub>2</sub> O <sub>3</sub>	Loss on ignition	Acid insoluble			eU	Chem. U	
P-52	Phosphate rock, argillaceous -----	4257-RAS	1.6	15.0	--	--	--	28.8	109.8	1,141.90	0.011	0.011	0.446
P-51	Mudstone, carbonatic -----	4256-RAS	1.2	5.2	--	--	--	46.6	111.0	1,148.14	.005	.005	.452
P-50	Mudstone, phosphatic -----	4255-RAS	2.0	14.8	--	--	--	37.6	113.0	1,177.74	.005	.006	.464
P-49	Phosphate rock, argillaceous -----	4665-JDW	.8	19.7	--	--	--	27.3	113.8	1,193.50	.005	.005	.468
P-48	Carbonate rock and carbonatic mudstone ---	4664-JDW	3.1	7.6	--	--	--	29.9	116.9	1,217.06	.003	.002	.474
P-47	Limestone -----	4663-JDW	5.0	.8	--	--	--	15.4	121.9	1,221.06	.001	.001	.479
P-46	Mudstone -----	4662-JDW	5.0	2.3	--	--	--	78.0	126.9	1,232.56	.005	.003	.494
P-45	Mudstone -----	4661-JDW	2.4	7.4	--	--	--	68.0	129.3	1,250.32	.004	.002	.499
P-44	Mudstone -----	4660-JDW	1.7	3.2	--	--	--	81.1	131.0	1,255.76	.002	.001	.501
P-43	Phosphate rock, argillaceous -----	4295-MET	1.8	17.6	--	--	--	39.9	132.8	1,287.44	.003	.003	.506
P-42	Mudstone -----	4294-MET	3.4	6.8	--	--	--	62.6	136.2	1,310.56	.003	.002	.513
P-41	Mudstone, phosphatic, carbonatic -----	4170-MET	2.5	11.6	2.0	0.70	8.90	36.6	138.7	1,339.56	.003	.003	.520
P-40	Mudstone, phosphatic, carbonatic -----	4169-MET	1.9	10.6	.44	.15	39.78	25.3	140.6	1,359.70	.005	.003	.526
P-39	Carbonate rock -----	4168-MET	.9	1.5	1.5	.58	9.55	1.8	141.5	1,361.05	.000	.001	.527
P-38	Mudstone and phosphate rock -----	4167-MET	1.9	11.2	3.8	1.45	11.68	40.2	143.4	1,382.33	.004	.003	.533
P-37	Phosphate rock, argillaceous -----	4166-MET	1.0	16.6	3.2	1.26	10.65	39.9	144.4	1,398.93	.006	.005	.538
P-36	Carbonate rock, argillaceous -----	4165-MET	1.6	1.0	--	--	--	18.7	146.0	1,400.53	.001	.001	.539
P-35	Mudstone, phosphatic -----	4164-MET	.7	8.2	--	--	--	54.6	146.7	1,406.27	.003	.002	.541
P-34	Phosphate rock, argillaceous -----	4163-MET	2.5	21.2	5.8	2.56	8.87	27.7	149.2	1,459.27	.005	.004	.551
P-33	Phosphate rock -----	4162-MET	1.8	26.4	3.5	1.73	9.93	13.8	151.0	1,506.79	.005	.006	.562
P-32	Phosphate rock -----	4161-MET	1.3	30.0	2.1	1.12	7.23	9.5	152.3	1,545.79	.005	.007	.571
P-31	Phosphate rock, argillaceous -----	4119-MET	1.3	24.0	3.7	1.48	10.13	20.5	153.6	1,576.99	.010	.013	.588
P-30	Phosphate rock -----	4118-MET	2.0	29.4	2.0	1.50	8.92	10.4	155.6	1,635.79	.013	.019	.626
P-29	Mudstone, phosphatic -----	4117-MET	1.3	15.4	5.3	2.00	12.90	37.4	156.9	1,655.81	.008	.012	.641
P-28	Phosphate rock, argillaceous -----	4116-MET	1.1	18.1	4.3	1.57	10.70	38.4	158.0	1,675.72	.010	.011	.653
P-27	Phosphate rock, argillaceous -----	4659-JDW	1.4	17.7	4.5	1.63	12.37	33.9	159.4	1,700.50	.007	.010	.667
P-26	Carbonate rock, phosphatic -----	4658-JDW	1.6	10.7	1.3	.34	30.70	9.3	161.0	1,717.62	.002	.004	.674
P-25	Phosphate rock, argillaceous -----	4657-JDW	2.2	22.3	2.8	1.01	10.50	24.0	163.2	1,766.68	.007	.010	.696
P-24	Mudstone -----	4656-JDW	1.2	2.05	6.9	2.43	7.25	76.0	164.4	1,769.14	.002	.002	.698
P-23	Phosphate rock -----	4655-JDW	.9	33.6	1.0	.37	7.57	5.5	165.3	1,799.38	.010	.016	.712
P-22	Phosphate rock, argillaceous -----	4654-JDW	3.6	27.2	2.8	.67	7.53	19.2	168.9	1,897.30	.011	.016	.770
P-21	Mudstone, carbonatic -----	4653-JDW	2.2	3.7	6.3	2.38	14.03	59.8	171.1	1,905.44	.004	.004	.779
P-20	Phosphate rock, argillaceous -----	4652-JDW	2.0	26.8	2.6	.96	7.65	20.6	173.1	1,959.04	.013	.019	.817
P-19	Mudstone, phosphatic -----	4651-JDW	2.3	17.0	5.0	2.44	7.20	43.9	175.4	1,998.14	.013	.018	.858
P-18	Carbonate rock, argillaceous -----	4115-MET	1.8	2.9	3.3	1.10	29.52	26.5	177.2	2,003.36	.002	.003	.864
P-17	Phosphate rock, argillaceous -----	4114-MET	2.2	27.5	2.3	1.19	7.72	18.3	179.4	2,063.86	.017	.025	.919
P-16	Phosphate rock and argillaceous phosphate rock -----	4113-MET	1.5	26.1	3.0	.93	7.85	20.9	180.9	2,103.01	.007	.009	.932

P-15	Phosphate rock-----	4112-MET	2.8	29.8	1.8	.83	6.44	13.6	183.7	2,186.45	.011	.018	.982
P-14	Phosphate rock-----	4111-MET	2.8	30.6	1.5	1.31	7.67	10.6	186.5	2,272.13	.015	.023	1.047
P-13	Mudstone, carbonatic-----	4110-MET	.7	6.0	5.9	1.99	15.85	52.2	187.2	2,276.33	.005	.004	1.050
P-12	Phosphate rock-----	4109-MET	1.3	29.2	2.2	1.13	6.50	15.8	188.5	2,314.29	.012	.017	1.072
P-11	Carbonate rock-----	4108-MET	1.1	4.6	2.1	.57	35.55	11.5	189.6	2,319.35	.002	.003	1.075
P-10	Phosphate rock-----	4254- RAS	2.5	29.3	2.4	.62	7.18	13.6	192.1	2,392.60	.010	.013	1.108
P- 9	Phosphate rock-----	4253- RAS	1.1	28.0	.71	.89	6.42	14.9	193.2	2,423.40	.004	.008	1.116
P- 8	Phosphate rock-----	4252- RAS	1.8	34.0	.78	.47	6.15	3.5	195.0	2,484.60	.009	.015	1.143
P- 7	Phosphate rock-----	4251- RAS	1.7	33.8	.90	.45	6.80	3.3	196.7	2,542.06	.008	.013	1.166
P- 6	Phosphate rock-----	4250- RAS	1.5	33.5	.75	.57	6.55	3.5	198.2	2,592.31	.027	.041	1.227
Beds P-6 through P-8 are slightly crumpled and weathered.													
P- 5	Phosphate rock-----	4249- RAS	1.0	32.4	1.2	.74	4.85	8.1	199.2	2,624.71	.012	.016	1.243
P- 4	Mudstone, phosphatic-----	4248- RAS	.8	8.1	--	--	--	52.9	200.0	2,631.19	.006	.006	1.248
P- 3	Mudstone, carbonatic-----	4247- RAS	2.6	.55	--	--	--	62.5	202.6	2,632.62	.003	.001	1.250
P- 2	Mudstone-----	4246- RAS	1.0	1.35	--	--	--	64.5	203.6	2,633.97	.003	.002	1.252
P- 1	Phosphate rock-----	4245- RAS	.3	34.5	--	--	--	4.2	203.9	2,644.32	.010	.016	1.257



Enoch Valley, Idaho, lot 1314

Phosphoria formation sampled on west limb of Snowdrift anticline on west flank of Rasmussen Ridge in Enoch Valley, sec. 16, T. 6 S., R. 43 E., Caribou County, Idaho. Beds strike N. 65° E. and dip 40° W. Section measured by J. D. Weiser, R. A. Smart, K. B. Krauskopf, M. A. Warner, H. W. Peirce, and D. F. Davidson and sampled by Peirce and R. G. Waring in August 1949. Samples analyzed for P<sub>2</sub>O<sub>5</sub> and acid insoluble by U. S. Bureau of Mines laboratory, Albany, Oreg., and for other constituents by Trace Elements Section laboratory, U. S. Geological Survey, Washington, D. C.

Samples analyzed for eU and chem. U by the U. S. Geological Survey laboratory, Geochemistry and Petrology Branch.

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P <sub>2</sub> O <sub>5</sub> (cumulative)	Uranium content (percent)		Thickness x percent chem. U (cumulative)	
				P <sub>2</sub> O <sub>5</sub>	Al <sub>2</sub> O <sub>3</sub>	Fe <sub>2</sub> O <sub>3</sub>	Loss on ignition	Acid insoluble			eU	Chem. U		
Rex chert member of Phosphoria formation—basal beds only														
R- 2	Chert -----	6050- JDW	0.4	0.2	--	--	--	90.9	0.4	--	0.002	0.002	--	
R- 1	Chert and phosphatic mudstone-----	6049- JDW	.8	8.4	--	--	--	66.1	1.2	--	.009	.009	--	
Phosphatic shale member of Phosphoria formation														
P-106	Phosphate rock and argillaceous phosphate rock-----	6048- JDW	0.7	24.3	--	--	--	25.3	0.7	17.01	0.011	0.015	0.010	
P-105	Mudstone -----	6073- RAS	1.5	1.1	--	--	--	81.3	2.2	18.66	.001	.002	.014	
P-104	Phosphate rock-----	6072- RAS	1.6	35.7	0.96	0.46	3.57	5.9	3.8	75.78	.009	.014	.036	
P-103	Phosphate rock and argillaceous phosphate rock-----	6071- RAS	1.0	29.3	2.74	1.28	4.70	16.8	4.8	105.08	.009	.010	.046	
P-102	Phosphate rock -----	6070- RAS	1.8	35.2	1.11	.76	3.05	6.9	6.6	168.44	.013	.017	.076	
P-101	Mudstone, phosphatic-----	6069- RAS	.8	16.8	--	--	--	45.7	7.4	181.88	.005	.004	.080	
P-100	Mudstone -----	4283- KBK	.9	6.5	--	--	--	60.6	8.3	187.73	.005	.006	.085	
P- 99	Mudstone -----	4282- KBK	1.8	2.7	--	--	--	67.8	10.1	192.59	.004	.004	.092	
P- 98	Mudstone -----	3919- KBK	1.1	2.6	--	--	--	71.1	11.2	195.45	.003	.002	.094	
P- 97	Mudstone -----	3918- KBK	1.6	.8	--	--	--	77.3	12.8	196.73	.003	.001	.096	
P- 96	Mudstone -----	3917- KBK	1.8	.8	--	--	--	78.1	14.6	198.17	.003	.001	.098	
P- 95	Mudstone -----	3916- KBK	1.6	.9	--	--	--	76.6	16.2	199.61	.002	.001	.100	
P- 94	Mudstone -----	3915- KBK	2.6	4.1	--	--	--	65.4	18.8	210.27	.005	.004	.110	
P- 93	Carbonate rock -----	3914- KBK	2.0	1.2	--	--	--	13.4	20.8	212.67	.000	.001	.112	
P- 92	Mudstone and phosphatic mudstone -----	3913- KBK	1.4	6.5	--	--	--	65.7	22.2	221.77	.005	.003	.116	
P- 91	Mudstone, carbonatic-----	3912- KBK	.8	1.5	--	--	--	58.5	23.0	222.97	.005	.005	.120	
P- 90	Phosphate rock, argillaceous-----	3911- KBK	1.1	20.9	--	--	--	39.6	24.1	245.96	.006	.007	.128	
P- 89	Mudstone -----	3910- KBK	1.9	1.8	--	--	--	78.1	26.0	249.38	.002	.002	.132	
P- 88	Phosphate rock -----	6068-MAW	1.9	34.7	.92	.48	3.30	4.5	27.9	315.31	.012	.013	.156	
P- 87	Phosphate rock -----	6067-MAW	1.2	32.8	1.76	.71	5.48	7.8	29.1	354.67	.012	.016	.176	
P- 86	Phosphate rock -----	6025-MAW	2.2	27.2	3.00	1.14	10.90	13.4	31.3	414.51	.014	.018	.215	
P- 85	Phosphate rock, argillaceous-----	6024-MAW	1.8	27.0	2.83	.96	9.88	15.9	33.1	463.11	.012	.012	.237	
P- 84	Phosphate rock, argillaceous-----	6023-MAW	1.9	23.6	--	--	--	23.9	35.0	507.95	.006	.009	.254	
P- 83	Mudstone, phosphatic-----	6022-MAW	1.9	9.3	--	--	--	57.1	36.9	525.62	.004	.005	.263	
P- 82	Mudstone, carbonatic-----	6021-MAW	1.7	1.8	--	--	--	49.6	38.6	528.68	.001	.001	.265	

P- 81	Mudstone, phosphatic -----	6020-MAW	2.0	12.7	--	--	--	44.9	40.6	554.08	.005	.007	.279
P- 80	Mudstone, phosphatic -----	6019-MAW	1.1	10.6	--	--	--	57.4	41.7	565.74	.004	.005	.284
P- 79	Phosphate rock, argillaceous -----	6018-MAW	1.6	16.4	--	--	--	37.7	43.3	591.98	.006	.008	.297
P- 78	Mudstone -----	6017-MAW	2.1	6.4	--	--	--	59.8	45.4	605.42	.004	.004	.306
P- 77	Mudstone, phosphatic -----	6016-MAW	2.3	15.5	--	--	--	42.1	47.7	641.07	.006	.002	.310
P- 76	Phosphate rock, argillaceous -----	6015-MAW	1.6	24.4	--	--	--	30.3	49.3	680.11	.005	.002	.314
P- 75	Mudstone, phosphatic -----	6014-MAW	1.0	9.9	--	--	--	61.9	50.3	690.01	.001	.000	.314
P- 74	Mudstone, phosphatic -----	6043- JDW	2.2	12.6	--	--	--	56.6	52.5	717.73	.004	.002	.318
P- 73	Mudstone, phosphatic -----	6042- JDW	1.7	8.7	--	--	--	64.5	54.2	732.52	.003	.001	.320
P- 72	Mudstone, phosphatic -----	6041- JDW	2.2	12.7	--	--	--	53.9	56.4	760.46	.005	.002	.324
P- 71	Mudstone -----	6040- JDW	.6	4.7	--	--	--	60.6	57.0	763.28	.002	.001	.325
P- 70	Mudstone, phosphatic -----	6039- JDW	.9	8.1	--	--	--	69.5	57.9	770.57	.003	.001	.326
P- 69	Mudstone -----	6038- JDW	.9	5.4	--	--	--	69.8	58.8	775.43	.002	.001	.326
P- 68	Mudstone -----	6037- JDW	1.4	6.9	--	--	--	66.0	60.2	785.09	.004	.001	.328
P- 67	Phosphate rock, argillaceous -----	6036- JDW	.5	23.3	--	--	--	25.6	60.7	796.74	.005	.003	.329
P- 66	Mudstone, phosphatic -----	6035- JDW	.6	10.3	--	--	--	63.9	61.3	802.92	.004	.001	.330
P- 65	Phosphate rock, argillaceous -----	6034- JDW	2.2	24.1	--	--	--	22.3	63.5	855.94	.006	.004	.339
P- 64	Phosphate rock, argillaceous -----	6033- JDW	.8	26.7	--	--	--	26.4	64.3	877.30	.006	.003	.341
P- 63	Phosphate rock -----	6032- JDW	1.2	32.9	--	--	--	12.0	65.5	916.78	.010	.010	.353
Beds P-63 and P-64 are slightly crumpled.													
P- 62	Phosphate rock, argillaceous -----	6031- JDW	.6	18.5	--	--	--	42.5	66.1	927.88	.004	.003	.355
P- 61	Mudstone -----	6030- JDW	2.0	6.6	--	--	--	71.1	68.1	941.08	.003	.001	.357
P- 60	Mudstone, phosphatic -----	6029- JDW	.5	15.7	--	--	--	41.1	68.6	948.93	.007	.005	.359
P- 59	Mudstone, phosphatic -----	6028- JDW	2.0	7.8	--	--	--	65.4	70.6	964.53	.004	.001	.361
P- 58	Phosphate rock, argillaceous -----	6027- JDW	1.1	16.5	--	--	--	37.7	71.7	982.68	.011	.012	.375
P- 57	Mudstone, phosphatic -----	6026- JDW	.5	9.0	--	--	--	62.7	72.2	987.18	.010	.006	.378
P- 56	Phosphate rock, argillaceous -----	6013-MAW	2.3	18.2	--	--	--	39.7	74.5	1,029.04	.007	.004	.387
P- 55	Mudstone, phosphatic -----	6012-MAW	3.4	14.4	--	--	--	42.8	77.9	1,078.00	.004	.003	.397
P- 54	Carbonate rock -----	6011-MAW	3.4	.6	--	--	--	11.8	81.3	1,080.04	.001	.000	.397
P- 53	Mudstone -----	6010-MAW	1.9	3.2	--	--	--	72.4	83.2	1,086.12	.003	.001	.399
P- 52	Mudstone -----	6009-MAW	1.2	1.2	--	--	--	81.6	84.4	1,087.56	.003	.001	.400
P- 51	Mudstone, phosphatic -----	6008-MAW	1.9	8.5	--	--	--	63.1	86.3	1,103.71	.003	.002	.404
P- 50	Mudstone -----	6007-MAW	.6	.8	--	--	--	87.8	86.9	1,104.19	.003	.000	.404
P- 49	Mudstone -----	6006-MAW	1.3	1.8	--	--	--	83.0	88.2	1,106.53	.002	.000	.404
P- 48	Phosphate rock, argillaceous -----	6005-MAW	2.0	17.5	--	--	--	38.5	90.2	1,141.53	.003	.002	.408
P- 47	Mudstone, phosphatic -----	6004-MAW	1.1	7.8	--	--	--	64.5	91.3	1,150.11	.003	.001	.409
P- 46	Mudstone, phosphatic -----	6003-MAW	2.3	12.6	--	--	--	49.7	93.6	1,179.09	.004	.002	.414
P- 45	Mudstone, phosphatic -----	6002-MAW	2.8	9.7	--	--	--	44.1	96.4	1,206.25	.003	.002	.419
P- 44	Mudstone, phosphatic, carbonatic -----	6001-MAW	2.5	9.4	--	--	--	30.5	98.9	1,229.75	.004	.002	.424
P- 43	Mudstone, phosphatic, carbonatic -----	6000-MAW	2.8	8.5	--	--	--	39.6	101.7	1,253.55	.004	.002	.430
P- 42	Carbonate rock, argillaceous -----	6066- RAS	2.5	1.0	--	--	--	34.2	104.2	1,256.05	.002	.000	.430
P- 41	Mudstone, phosphatic -----	6065- RAS	1.0	11.7	--	--	--	44.8	105.2	1,267.75	.003	.001	.431



Enoch Valley--Continued

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P <sub>2</sub> O <sub>5</sub> (cumulative)	Uranium content (percent)		Thickness x percent chem. U (cumulative)
				P <sub>2</sub> O <sub>5</sub>	Al <sub>2</sub> O <sub>3</sub>	Fe <sub>2</sub> O <sub>3</sub>	Loss on ignition	Acid insoluble			eU	Chem. U	
P-40	Carbonate rock-----	6064- RAS	0.5	0.8	--	--	--	3.3	105.7	1,268.15	0.000	0.000	0.431
P-39	Mudstone, phosphatic-----	6063- RAS	.9	10.6	--	--	--	46.6	106.6	1,277.69	.004	.001	.432
P-38	Carbonate rock-----	6062- RAS	.6	.2	--	--	--	13.1	107.2	1,277.81	.000	.000	.432
P-37	Phosphate rock, argillaceous-----	6061- RAS	2.3	17.3	--	--	--	31.2	109.5	1,317.60	.004	.002	.436
P-36	Phosphate rock-----	6060- RAS	1.1	30.4	--	--	--	6.8	110.6	1,351.04	.005	.002	.438
P-35	Phosphate rock-----	6059- RAS	1.3	29.5	--	--	--	14.4	111.9	1,389.39	.005	.003	.442
P-34	Phosphate rock-----	6058- RAS	2.0	28.5	--	--	--	13.2	113.9	1,446.39	.014	.013	.468
P-33	Phosphate rock, argillaceous and phosphate rock-----	6057- RAS	1.5	27.0	--	--	--	15.7	115.4	1,486.89	.008	.005	.476
P-32	Phosphate rock, argillaceous-----	6056- RAS	1.1	19.6	--	--	--	31.3	116.5	1,508.45	.013	.012	.489
P-31	Mudstone, phosphatic-----	6055- RAS	1.4	15.7	--	--	--	40.1	117.9	1,530.43	.010	.008	.500
P-30	Phosphate rock, argillaceous-----	6054- RAS	1.3	19.7	--	--	--	31.2	119.2	1,556.04	.010	.010	.513
	Beds P-30 and P-31 are slightly crumpled.												
P-29	Phosphate rock, argillaceous-----	6053- RAS	1.9	16.1	--	--	--	38.7	121.1	1,586.63	.010	.008	.528
P-28	Phosphate rock, argillaceous-----	6052- RAS	1.1	21.3	--	--	--	35.1	122.2	1,610.06	.006	.003	.532
P-27	Phosphate rock, argillaceous-----	6051- RAS	.9	22.3	--	--	--	29.8	123.1	1,630.13	.010	.006	.537
P-26	Phosphate rock-----	4692- HWP	2.7	33.2	--	--	--	7.1	125.8	1,719.77	.009	.014	.575
P-25	Phosphate rock, argillaceous-----	4691- HWP	2.0	26.9	--	--	--	19.6	127.8	1,773.57	.019	.023	.621
P-24	Mudstone-----	4690- HWP	1.5	6.4	--	--	--	69.2	129.3	1,783.17	.006	.004	.627
P-23	Mudstone, phosphatic, and argillaceous phosphate rock-----	4689- HWP	1.4	13.1	--	--	--	50.7	130.7	1,801.51	.007	.007	.637
P-22	Phosphate rock, argillaceous-----	4688- HWP	2.0	25.9	--	--	--	25.5	132.7	1,853.31	.012	.014	.684
P-21	Phosphate rock and mudstone-----	4687- HWP	1.6	18.3	--	--	--	41.6	134.3	1,882.59	.010	.012	.684
P-20	Mudstone, carbonatic-----	4666- KBK	4.4	4.5	--	--	--	41.4	138.7	1,902.39	.002	.001	.688
P-19	Phosphate rock and argillaceous phosphate rock-----	4292- KBK	1.9	27.6	--	--	--	17.7	140.6	1,954.83	.018	.021	.728
	Bed P-19 is slightly crumpled.												
P-18	Mudstone, carbonatic-----	4291- KBK	3.8	5.4	--	--	--	46.0	144.4	1,975.35	.003	.001	.732
P-17	Phosphate rock-----	4290- KBK	2.0	29.3	1.40	0.77	8.95	11.4	146.4	2,033.95	.020	.028	.788
P-16	Phosphate rock-----	4289- KBK	1.2	34.5	1.06	.68	5.45	5.6	147.6	2,075.35	.006	.006	.795
P-15	Phosphate rock-----	4288- KBK	2.6	35.4	1.01	.49	3.85	5.7	150.2	2,167.39	.015	.013	.829
P-14	Phosphate rock-----	4287- KBK	1.5	34.4	1.27	.76	4.10	7.6	151.7	2,218.99	.017	.021	.861
P-13	Phosphate rock-----	4286- KBK	2.0	29.9	2.12	1.14	5.50	16.2	153.7	2,278.79	.016	.018	.897
P-12	Carbonate rock, argillaceous-----	4672- DFD	1.4	6.4	2.44	.91	30.58	19.7	155.1	2,287.75	.003	.002	.899

32  
OFFICIAL USE ONLY

OFFICIAL USE ONLY

P-11	Phosphate rock, argillaceous -----	4671-DFD	1.4	27.0	2.50	1.03	8.98	16.3	156.5	2,325.55	.012	.013	.918
	Bed P-11 is slightly crumpled.												
P-10	Carbonate rock-----	4670-DFD	1.2	5.4	1.66	.51	34.95	8.9	157.7	2,332.03	.004	.003	.921
P-9	Phosphate rock-----	4669-DFD	2.7	28.6	1.86	.86	8.63	10.7	160.4	2,409.25	.010	.011	.951
P-8	Phosphate rock, argillaceous -----	4668-DFD	.8	28.2	1.96	1.08	6.85	16.3	161.2	2,431.81	.006	.006	.956
P-7	Phosphate rock-----	4667-DFD	1.0	33.7	.69	.41	6.18	2.4	162.2	2,465.51	.014	.017	.973
P-6	Phosphate rock-----	4285-DFD	.8	33.4	.54	.52	36.60	3.2	163.0	2,492.23	.010	.012	.982
P-5	Phosphate rock-----	4284-DFD	1.5	32.4	.75	.59	7.72	3.7	164.5	2,540.83	.011	.013	1.002
	Bed P-5 is slightly crumpled and weathered.												
P-4	Phosphate rock-----	5825-HWP	1.4	31.3	1.31	.83	5.90	7.2	165.9	2,584.65	.021	.028	1.041
P-3	Mudstone, carbonatic -----	5824-HWP	2.9	.4	5.10	1.98	23.72	44.3	168.8	2,585.81	.001	.000	1.041
P-2	Mudstone -----	5823-HWP	1.5	4.2	7.40	2.61	8.57	62.5	170.3	2,592.11	.005	.001	1.042
P-1	Phosphate rock-----	5822-HWP	.5	35.1	.62	.53	3.30	3.9	170.8	2,609.66	.009	.009	1.047



Ballard Trench, Idaho, lot 1316

Lower portion of the phosphatic shale member of the Phosphoria formation sampled in bulldozer trench on the west limb of the Wooley Valley anticline, sec. 7, T. 7 S., R. 43 E., Caribou County, Idaho. Section measured and sampled by H. W. Peirce and R. G. Waring in September 1949. Samples analyzed for  $P_2O_5$  and acid insoluble by U. S. Bureau of Mines laboratory, Albany, Oreg., and for other constituents by Trace Elements Section laboratory, U. S. Geological Survey, Washington, D. C.

Samples analyzed for eU and chem. U by the U. S. Geological Survey laboratory, Geochemistry and Petrology Branch.

Bed no.	Rock description	Sample no.	Thickness (feet)	Chemical analyses (percent)					Cumulative thickness (feet)	Thickness x percent P <sub>2</sub> O <sub>5</sub> (cumulative)	Uranium content (percent)		Thickness x percent chem. U (cumulative)
				P <sub>2</sub> O <sub>5</sub>	Al <sub>2</sub> O <sub>3</sub>	Fe <sub>2</sub> O <sub>3</sub>	Loss on ignition	Acid insoluble			eU	Chem. U	
Phosphatic shale member of Phosphoria formation													
P-18	Carbonate rock, phosphatic-----	4579-HWP	1.1	15.1	0.88	0.42	25.88	10.1	1.1	16.61	0.002	0.003	0.003
P-17	Phosphate rock-----	4578-HWP	.7	36.4	.37	.49	5.22	2.0	1.8	42.09	.009	.012	.012
P-16	Phosphate rock-----	4577-HWP	1.0	35.4	.74	.49	5.68	3.3	2.8	77.49	.014	.021	.033
P-15	Phosphate rock-----	4576-HWP	1.5	32.1	1.8	.85	5.81	9.5	4.3	125.64	.012	.016	.057
--	Carbonate rock, argillaceous, phosphatic lens-----	4775-HWP	(.7)	7.9	3.0	1.15	27.73	23.1	--	--	.002	.002	--
P-14	Phosphate rock-----	4574-HWP	.8	35.6	.78	.54	6.31	2.1	5.1	154.12	.013	.019	.072
P-13	Phosphate rock and mudstone lens-----	4573-HWP	2.7	27.3	3.0	1.21	15.38	19.9	7.8	227.83	.010	.015	.112
P-12	Phosphate rock and argillaceous carbonate rock-----	4572-HWP	1.5	16.2	2.0	.83	22.75	12.5	9.3	252.13	.006	.007	.123
P-11	Carbonate rock-----	4571-HWP	.5	2.0	2.9	.38	41.21	9.4	9.8	253.13	.001	.001	.123
P-10	Phosphate rock-----	4570-RGW	1.5	27.8	2.5	.95	8.64	13.3	11.3	294.83	.009	.009	.137
P- 9	Carbonate rock, phosphatic-----	4569-RGW	1.6	10.4	1.1	.49	30.90	12.0	12.9	311.47	.001	.002	.140
P- 8	Carbonate rock, phosphatic-----	4568-RGW	.7	12.9	1.0	.63	29.50	6.9	13.6	320.50	.003	.005	.144
P- 7	Phosphate rock-----	4567-RGW	1.6	34.7	.64	.40	6.49	2.4	15.2	376.02	.008	.009	.158
P- 6	Phosphate rock-----	4566-RGW	1.0	33.5	.94	.50	7.72	3.6	16.2	409.52	.011	.016	.174
P- 5	Phosphate rock-----	4549-RGW	1.8	32.3	.73	.48	6.98	4.8	118.0	467.66	.024	.032	.232
P- 4	Phosphate rock-----	4548-RGW	.7	31.5	1.4	.57	5.47	9.0	18.7	489.71	.010	.013	.241
P- 3	Carbonate rock, argillaceous-----	4547-RGW	2.3	.5	3.9	1.43	29.24	35.1	21.0	490.86	.001	.001	.243
P- 2	Carbonate rock, argillaceous-----	4546-RGW	1.2	.7	5.3	1.87	23.33	43.9	22.2	491.70	.001	.001	.244
P- 1	Phosphate rock-----	4545-RGW	.6	32.2	.35	.33	7.51	4.5	22.8	511.02	.006	.008	.249