

1962

PUBLICATIONS
OF THE GEOLOGICAL SURVEY

1970

1962

PUBLICATIONS OF THE GEOLOGICAL SURVEY

1970

*This catalog is a permanent supplement to
“Publications of the Geological Survey,
1879–1961”*

UNITED STATES DEPARTMENT OF THE INTERIOR

CECIL D. ANDRUS, *Secretary*

GEOLOGICAL SURVEY

H. William Menard, *Director*

First printing 1972
Second printing 1980

**For sale by the Branch of Distribution, U.S. Geological Survey,
604 South Pickett Street, Alexandria, VA 22304**

CONTENTS

	Page
Instructions for ordering publications	1
Books	1
Maps and charts	2
Books	3
Professional papers	3
Bulletins	105
Water-supply papers	136
Circulars	182
Techniques of water-resources investigations	192
Topographic instructions	193
Annual reports	193
Geophysical abstracts	194
Abstracts of North American geology	194
Reports available only through NTIS	194
Special books	195
Maps and charts	196
General information	196
Geologic maps of the United States	196
Geologic maps of North America	197
State maps distributed by the Geological Survey	197
Indexes to geologic mapping in the United States	197
Geologic quadrangle maps	199
Geophysical investigations maps	247
Miscellaneous geologic investigations maps	285
Geologic atlas of the moon	307
Mineral resource maps and charts	309
Coal investigations maps	309
Oil and gas investigations	310
Maps	310
Charts	310
Mineral investigations	311
Field studies maps	311
Resource maps	315
Special geologic maps	318
Hydrologic investigations atlases	319
State water resources investigations folders	344
Special water resources map	344
National Atlas of the United States of America	345
Topographic maps	348
National topographic map series	348
Indexes to published topographic maps	349
Shaded-relief maps	349

	Page
Maps and charts—Continued	
Topographic maps—Continued	
United States 1:250,000 scale series	349
United States 1:1,000,000 scale series	350
Alaska	350
Hawaii, American Samoa, and Guam	350
Puerto Rico	350
Virgin Islands of the United States	350
Antarctica reconnaissance series	351
Aerial photographs	351
Geodetic control diagrams	351
List of topographic maps	352
United States	352
Contour maps	352
Base maps	352
Outline maps	352
Physical divisions	352
Status maps	352
River surveys	353
State maps	353
Metropolitan area maps	355
Special topographic maps	356
Index	359
Subjects	359
Areas	415
Geological Survey Research	505
Authors	553

TABLES

	Page
TABLE 1. Reports containing records of quality of surface waters of the United States, 1958-65	174
2. Reports containing records of water levels and artesian pressure in observation wells in the United States, 1956-67	175
3. Reports containing records of streamflow in the United States, 1960-65	179
4. Compilation of records of surface waters of the United States, 1950-60	180
5. Reports on quality of surface waters for irrigation, Western United States, 1959-65	180
6. Reports containing records of magnitude and frequency of floods, 1964-68	180
7. Circulars containing index of surface water records of the United States through 1963 and 1967	181

PUBLICATIONS OF THE GEOLOGICAL SURVEY, 1962-70

This permanent catalog is a list of books and maps¹ that were published between 1962 and 1970. It supplements another permanent catalog "Publications of the Geological Survey, 1879-1961." These permanent catalogs, as well as some others, are available under the conditions indicated below from the Branch of Distribution, U.S. Geological Survey, 604 South Pickett Street, Alexandria, VA 22304, and the Branch of Distribution, U.S. Geological Survey, Box 25286, Federal Center, Denver, CO 80225. The catalogs are also available over the counter at any of the Geological Survey offices that sell books.

Permanent catalogs "Publications of the Geological Survey, 1879-1961" and "Publications of the Geological Survey, 1962-1970" may be purchased for \$2.00 per copy.

Supplements for 1971, 1972, 1973, 1974, 1975, 1976, 1977, 1978, and 1979 are available free of charge but requests should be limited only to single copies because of high production and distribution costs.

State catalogs, a catalog of "Selected Special or General Interest Publications of the Geological Survey" and a monthly catalog "New Publications of the Geological Survey" may be obtained free on request.

Those wishing to be placed on a free subscription list of the monthly catalog "New Publications of the Geological Survey" should apply in writing to the Geological Survey, 329 National Center, Reston, VA 22092.

¹Individual topographic quadrangle maps are not listed; they are shown on State indexes to topographic maps, which are free on application. These indexes also show commercial dealers in each State.

AVAILABILITY OF BOOKS AND MAPS BY MAIL

In ordering books give the series designation and number, such as Geological Survey Bulletin 738, and the full title. In ordering maps give name or series designation and number, such as Fairfax, Va., 7½-minute or GQ-851. Include your full address and zip code, plainly printed. Prepayment is required and should be made by check or money order payable to U.S. Geological Survey, except for periodicals (see below). Postage stamps are not accepted. Do not send cash. Remittances must be in United States funds.

The prices of publications listed in this catalog should be disregarded because increases in costs over the years have increased the selling prices of most publications. Additionally, because it is not feasible for the Government to correct the prices manually in all stocked publications and in previous catalogs, the prices charged on your order may differ from the prices printed in the catalogs and publications. Prices listed in the Geological Survey's monthly catalog "New Publications of the Geological Survey," as well as prices printed in publications, are subject to change without notice. Prices of new publications listed in the monthly catalog include cost of domestic surface transportation. For transmittal outside the U.S.A. (except to Canada and Mexico), a surcharge of 25 percent of the net bill should be included to cover surface transportation.

Books

Professional papers, bulletins, water-supply papers, Techniques of Water-Resources Investigations, circulars, publications of general interest (such as leaflets, pamphlets, booklets), single copies of the Earthquake Information Bulletin, and some miscellaneous reports, including some from the foregoing series that have gone out of print at the Superintendent of Documents, are obtainable by mail from

**Branch of Distribution, U.S. Geological Survey,
604 South Pickett Street,
Alexandria, VA 22304**

On orders of 100 copies or more of the same report to the same address, a 25-percent discount is allowed (limited quantities of circulars and publications of general interest are usually free of charge). Open-file reports, reports in the series Water-Resources Investigations, and reports available only through the NTIS should be ordered according to instructions under appropriate headings in this announcement.

Subscriptions to periodicals (Earthquake Information Bulletin) can be obtained ONLY from the

**Superintendent of Documents, Government Printing Office,
Washington, DC 20402.**

(Check or money order should be payable to Superintendent of Documents.)

Maps

For maps of areas east of the Mississippi River, including Minnesota, Puerto Rico, and the Virgin Islands, address mail orders to

**Branch of Distribution, U.S. Geological Survey,
1200 South Eads Street, Arlington, VA 22202.**

For maps of areas west of the Mississippi River, including Alaska, Hawaii, Louisiana, Guam, and American Samoa, address mail orders to

**Branch of Distribution, U.S. Geological Survey,
Box 25286, Federal Center, Denver, CO 80225.**

Residents of Alaska may order Alaska maps from

**Distribution Section, U.S. Geological Survey,
Federal Building—Box 12,
101 Twelfth Avenue, Fairbanks, AK 99701.**

On an order amounting to \$300 or more at the list price, a 30-percent discount is allowed; no other discount is applicable. The discount applies to all maps and charts distributed by the Geological Survey. Check or money order should be payable to U.S. Geological Survey.

AVAILABILITY OF BOOKS AND MAPS OVER THE COUNTER

Books

Book reports of the Geological Survey are available *over the counter* at the following Geological Survey offices, all of which are authorized agents of the Superintendent of Documents:

ALEXANDRIA, Virginia—604 South Pickett St. (22304)
WASHINGTON, D.C.—General Services Bldg., Rm. 1028, 19th and F Sts., NW. (20244)
DENVER, Colorado—Federal Bldg., Rm. 169, 1961 Stout St. (80294)
DALLAS, Texas—Federal Bldg., Rm. 1C45, 1100 Commerce St. (75242)
LOS ANGELES, California—Federal Bldg., Rm. 7638, 300 N. Los Angeles St. (90012)
RESTON, Virginia—302 National Center, Rm. 1C402, 12201 Sunrise Valley Dr. (22092)
MENLO PARK, California—Bldg. 3 (Stop 33), Rm. 122, 345 Middlefield Road (94025)
SALT LAKE CITY, Utah—Federal Bldg., Rm. 8105, 125 South State St. (84138)
SAN FRANCISCO, California—Customhouse, Rm. 504, 555 Battery St. (94111)
SPOKANE, Washington—U.S. Courthouse, Rm. 678, West 920 Riverside Ave. (99201)
ANCHORAGE, Alaska—Skyline Bldg., Rm. 108, 508 2d Ave. (99501)

Maps

Maps may be purchased *over the counter* at U.S. Geological Survey offices where books are sold (all addresses in above list, except Alexandria, Va.) and at the following Geological Survey offices:

ROLLA, Missouri—1400 Independence Road
DENVER, Colorado—Bldg. 41, Federal Center
MENLO PARK, California—345 Middlefield Road
FAIRBANKS, Alaska—Federal Bldg., 101 Twelfth Avenue

Survey maps are also sold by some 1,750 commercial dealers throughout the United States.

BOOKS

PROFESSIONAL PAPERS

[In the present listing, an asterisk (*) indicates that the paper is out of print. In "Publications of the Geological Survey, 1879-1961," all professional papers are out of print except 282-E, 373, and 424-D]

- *236-C. Foraminifera from the Arctic Slope of Alaska—Part 3, Cretaceous Foraminifera, by Helen Tappan. 1962. p. 91-203. (Professional Paper 236 issued only as separate chapters under the general title "Foraminifera from the Arctic Slope of Alaska.")
- 240. Foraminifera of the Lodo Formation, central California. Title page and contents for volume (issued only as separate chapters) free on application to the Geological Survey.
- *257-B. Lake Bonneville: Geology of Southern Utah Valley, Utah, by H. J. Bissell. 1963. p. 101-130.
- *257-C. Lake Bonneville: Geology of southern Cache Valley, Utah, by J. S. Williams. 1962. p. 131-152. (Professional Paper 257 issued only as separate chapters under the general title "Lake Bonneville.")
- *260-Z. Fossil algae from Eniwetok, Funafuti and Kita-Daito-Jima, by J. H. Johnson. 1961 [1962]. p. 907-950.
- *260-AA. Some physical constants for the Marshall Islands area, by J. H. Swartz. 1962. p. 953-989.
- *260-BB. Subsurface geology of Eniwetok Atoll, by S. O. Schlanger, *with sections on* Carbonate mineralogy, by D. L. Graf and J. R. Goldsmith; Petrography of the basalt beneath the limestones, by G. A. Macdonald; Dating of carbonate rocks by ionium-uranium ratios, by W. M. Sackett and H. A. Potratz. 1963. p. 991-1066.
- *260-CC-HH. Bikini and nearby atolls, Marshall Islands. 1964. p. 1067-1131.
 - CC. Planktonic Foraminifera from deep-sea cores off Eniwetok Atoll, by Ruth Todd. p. 1067-1100.
 - DD. Fossil corals from Eniwetok Atoll, by J. W. Wells. p. 1101-1111.
 - EE. Fossil Bryozoa from drill holes on Eniwetok Atoll, by D. A. Brown. p. 1113-1116.
 - FF. Brachiopods from Eniwetok and Bikini drill holes, by G. A. Cooper. p. 1117-1120.
 - GG. Fossil echinoids from the Marshall Islands, by P. M. Kier. p. 1121-1126.
 - HH. Fossil decapod crustaceans from the Marshall Islands, by H. B. Roberts. p. 1127-1131.
- 260-II. Miocene pollen and spore flora of Eniwetok Atoll, Marshall Islands, by E. B. Leopold. 1969 [1970]. p. 1133-1185. \$1. (Professional Paper 260 issued separately except as listed above under the general title "Bikini and nearby atolls, Marshall Islands.")
- *272-D. Evaporation from the 17 Western States, by J. S. Meyers, *with a section on* Evaporation rates, by T. J. Nordenson, U.S. Weather Bureau. 1962. p. 71-100.

- *272-E. A practical field technique for measuring reservoir evaporation utilizing mass-transfer theory, by G. E. Harbeck, Jr. 1962. p. 101-105.
- *272-F. Methods to compute long-wave radiation from the atmosphere and reflected solar radiation from a water surface, by G. E. Koberg. 1964. p. 107-136.
- *272-G. Evaporation study in a humid region, Lake Michie, N.C., by J. F. Turner, Jr. 1966. p. 137-150.
- *272-H. Analysis of techniques used to measure evaporation from Salton Sea, Calif., by G. H. Hughes. 1967. p. 151-176. (Professional Paper 272 issued only as separate chapters under the general title "Studies of evaporation.")
- *282-G. Factors controlling the size and shape of stream channels in coarse noncohesive sands, by M. G. Wolman and L. M. Brush, Jr. 1961 [1962]. p. 191-210. (Professional Paper 282 issued only as separate chapters under the general title "Physiographic and hydraulic studies of rivers, 1956-61.")
- *297-B. Geology of the Hugo pegmatite, Keystone, S. Dak., by J. J. Norton, L. R. Page, and D. A. Brobst. 1962. p. 49-127.
- *297-C. Exploration for beryllium at the Helen Beryl, Elkhorn, and Tin Mountain pegmatites, Custer County, S. Dak., by M. H. Staatz, L. R. Page, J. J. Norton, and V. R. Wilmarth. 1963. p. 129-197.
- *297-D. Geology and pegmatites of the Fourmile quadrangle, Black Hills, S. Dak., by J. A. Redden. 1963. p. 199-291.
- *297-E. Geology and mineral deposits of some pegmatites in the southern Black Hills, S. Dak., by J. J. Norton and others. 1964. p. 293-341.
- *297-F. Geology of the Berne quadrangle, Black Hills, S. Dak., by J. A. Redden. 1968. p. 343-408. (Professional Paper 297 issued only as separate chapters under the general title "Pegmatites and other Precambrian rocks in the southern Black Hills.")
- *302-C. Gubik Formation of Quaternary age in northern Alaska, by R. F. Black. 1964. p. 59-91.
- *302-D. Micropaleontology of the Mesozoic rocks of northern Alaska, by H. R. Bergquist. 1966. p. 93-227. (Professional Paper 302 issued only as separate chapters under the general title "Exploration of Naval Petroleum Reserve No. 4 and adjacent areas, northern Alaska, 1944-53—Part 2, Regional geology.")
- *303-E. Geology of the Chandler River region, Alaska, by R. L. Detterman, R. S. Bickel, and George Gryc. 1963. p. 223-324.
- *303-F. Geology of the Killik-Etiviluk Rivers region, Alaska, by R. M. Chapman, R. L. Detterman, and M. D. Mangus. 1964. p. 325-407.
- *303-G. Geology of the Killik-Itkillik region, Alaska, by W. W. Patton, Jr., and I. L. Tailleux. 1964. p. 409-500.
- 303-H. Geology of the Umiat-Maybe Creek region, Alaska, by W. P. Brosge and C. L. Whittington, *with* Heavy-mineral studies of the Umiat-Maybe Creek region, by R. H. Morris. 1966 [1967]. p. 501-638. \$4.75. (Professional Paper 303 issued only as separate chapters under the general title "Exploration of Naval Petroleum Reserve No. 4 and adjacent areas, northern Alaska, 1944-53—Part 3, Areal geology.")
- *304-A. Seismic and gravity surveys of Naval Petroleum Reserve No. 4 and adjoining areas, Alaska, by J. R. Woolson and others. 1962 [1963]. 25p. (Exploration of Naval Petroleum Reserve No. 4 and adjacent areas.

- northern Alaska, 1944-53—Part 4, Geophysics.) [No additional reports will be published in this volume.]
- *305—L. Core tests, Simpson area, Alaska, by F. M. Robinson, *with a section on* Temperature measurement studies, by M. C. Brewer. 1964. p. 645-730. (Professional Paper 305 issued only as separate chapters under the general title "Exploration of Naval Petroleum Reserve No. 4 and adjacent areas, northern Alaska, 1944-53—Part 5, Subsurface geology and engineering data.")
- *306—C. Geology and paleontology of Canal Zone and adjoining parts of Panama—Description of Tertiary mollusks (Gastropods: Columbelloidea to Volutidae), by W. P. Woodring. 1964. p. 241-297.
- 306—D. Geology and paleontology of Canal Zone and adjoining parts of Panama—Description of Tertiary mollusks (Gastropods: Eulimidae, Marginellidae to Helminthoglyptidae), by W. P. Woodring. 1970. p. 299-452. \$2.25. (Professional Paper 306 issued only as separate chapters.)
- *313—B. Physical stratigraphy and mineral resources of Permian rocks in western Wyoming, by R. P. Sheldon. 1963. p. 49-273.
- *313—C. Stratigraphy and petrology of the Permian rocks of southwestern Montana, by E. R. Cressman and R. W. Swanson. 1964. p. 275-569.
- 313—D. Biostratigraphy of the Phosphoria, Park City, and Shedhorn Formations, by E. L. Yochelson, *with a section on* Fish, by D. H. Van Sickle. 1968. p. 571-660. 60¢.
- 313—E. Mineral resources in Permian rocks of southwest Montana, by R. W. Swanson. 1970. p. 661-777. \$3. (Professional Paper 313 issued only as a separate chapters under the general title "Geology of Permian rocks in the western phosphate field.")
- *315—E. Petrography and environmental analysis of some Pennsylvanian limestones from central Texas, by R. T. Terriere. 1963. p. 79-126. (Professional Paper 315 issued only as separate chapters under the general title "Pennsylvanian and Lower Permian rocks of parts of west and central Texas.")
- *316—F. Regional geophysical investigations in the La Sal Mountains area, Utah and Colorado, by J. E. Case, H. R. Joesting, and P. E. Byerly. 1963. p. 91-116.
- *316—G. An aeromagnetic reconnaissance of the Cook Inlet area, Alaska, by Arthur Grantz, Isidore Zietz, and G. E. Andreasen. 1963. p. 117-134.
- *316—H. Geologic interpretation of magnetic and gravity data in the Copper River Basin, Alaska, by G. E. Andreasen, Arthur Grantz, Isidore Zietz, and D. F. Barnes. 1964. p. 135-153. (Professional Paper 316 issued only as separate chapters under the general title "Geophysical field investigations, 1956-63.")
- *323. Stratigraphy and paleontology of the uppermost Pennsylvanian and lowermost Permian rocks in Kansas, by M. R. Mudge and E. L. Yochelson, *with sections on* Paleontology, by R. C. Douglass, Helen Duncan, H. L. Strimple, Mackenzie Gordon, Jr., and D. H. Dunkle. 1962 [1963]. 213 p.
- *324. Quaternary stratigraphy of the La Sal Mountains, Utah, by G. M. Richmond. 1962. 135 p.
- *330—B. *Aechminella*, *Amphissites*, *Kirkbyella*, and related genera, by I. G. Sohn. 1961 [1962]. p. 107-160. (Professional Paper 330 issued only as

- separate chapters under the general title "Revision of some Paleozoic ostracode genera.")
- *331-B. Neogastropoda, Opisthobranchia, and Basommatophora from the Ripley, Owl Creek, and Prairie Bluff Formations, by N. F. Sohl. 1964. p. 153-344.
 - *331-C. Gastropods from the Coffee Sand (Upper Cretaceous) of Mississippi, by N. F. Sohl. 1964. p. 345-394. (Professional Paper 331 issued only as separate chapters under the general title "Late Cretaceous Gastropods in Tennessee and Mississippi.")
 - *334-H. Geology of southeastern Ventura basin, Los Angeles County, Calif., by E. L. Winterer and D. L. Durham. 1962. p. 275-366. (Professional Paper 334 issued only as separate chapters under the general title "Shorter contributions to general geology, 1958.")
 - *335. Characteristic Lower Cretaceous megafossils from northern Alaska, by R. W. Imlay. 1961 [1962]. 74 p.
 - *338. Geology and ore deposits of east Shasta copper-zinc district, Shasta County, Calif., by J. P. Albers and J. F. Robertson. 1961 [1962]. 107 p.
 - *341-A. Geology and ore deposits of the Nova Lima and Rio Acima quadrangles, Minas Gerais, Brazil, by J. E. Gair. 1962. p. A1-A67.
 - *341-B. Geology and ore deposits of the Cachoeira do Campo, Dom Bosco, and Ouro Branco quadrangles, Minas Gerais, Brazil, by R. F. Johnson. 1962. p. B1-B39.
 - *341-C. Geology and ore deposits of the Itabira District, Minas Gerais, Brazil, by J. V. N. Dorr 2d and A. L. de Miranda Barbosa. 1963. p. C1-C110.
 - 341-D. Geology and ore deposits of the Belo Horizonte, Ibirité, and Macacos quadrangles, Minas Gerais, Brazil, by J. B. Pomerene. 1964. p. D1-D84. \$5.
 - *341-E. Geology and mineral resources of the Monlevade and Rio Piracicaba quadrangles, Minas Gerais, Brazil, by R. G. Reeves. 1966. p. E1-E58.
 - *341-F. Geology and mineral resources of the Pico de Itabirito district, Minas Gerais, Brazil, by R. M. Wallace. 1965 [1966]. p. F1-F68.
 - *341-G. Geology and iron deposits of the western Serra do Curral, Minas Gerais, Brazil, by G. C. Simmons. 1968. p. G1-G57.
 - *341-H. Geology and mineral resources of the Barão de Cocais area, Minas Gerais, Brazil, by G. C. Simmons. 1968. p. H1-H46.
 - *341-I. Geology and ore deposits of the Antônio dos Santos, Gongo Sôco, and Conceição do Rio Acima quadrangles, Minas Gerais, Brazil, by S. L. Moore. 1969. p. I1-I50. (Professional Paper 341 issued only as separate chapters under the general title "Geology and mineral resources of parts of Minas Gerais, Brazil.")
 - *342. Geology and ore deposits of the Globe-Miami district, Arizona, by N. P. Peterson. 1962. 151 p.
 - *344-A. Metasomatic metamorphism in western Clearwater County, Idaho, by Anna Hietanen. 1962. p. A1-A116.
 - *344-B. Anorthosite and associated rocks in the Boehls Butte quadrangle and vicinity, Idaho, by Anna Hietanen. 1963. p. B1-B78.
 - *344-C. Metamorphism of the Belt series in the Elk River-Clarkia area, Idaho, by Anna Hietanen. 1963 [1964]. p. C1-C49.
 - *344-D. Idaho batholith near Pierce and Bungalow, Clearwater County, Idaho, by Anna Hietanen. 1963 [1964]. p. D1-D42.

- *344—E. Belt Series in the region around Snow Peak and Mallard Peak, Idaho, by Anna Hietanen. 1968. p. E1-E34. (Professional Paper 344 issued only as separate chapters under the general title "Metamorphic and igneous rocks along the northwest border zone of the Idaho batholith.")
- *345. Petrology and geochemistry of selected talc-bearing ultramafic rocks and adjacent country rocks in north-central Vermont, by A. H. Chidester. 1962. 207 p.
- *346. The Belt series in Montana, by C. P. Ross, *with a geologic map* compiled by B. A. L. Skipp, and *a section on Paleontologic criteria*, by Richard Rezak. 1963 [1964]. 122 p.
- *348. Carboniferous formations and faunas of central Montana, by W. H. Easton, 1962. 126 p.
- *349—A. Geology of the Richardson Cove and Jones Cove quadrangles, Tennessee, by Warren Hamilton. 1961 [1962]. p. A1-A55.
- *349—B. Geology of the eastern Great Smoky Mountains, N.C. and Tenn., by J. B. Hadley and Richard Goldsmith. 1963. p. B1-B118.
- *349—C. Geology of the central Great Smoky Mountains, Tenn., by P. B. King. 1964. p. 1-148.
- *349—D. Geology of the western Great Smoky Mountains, Tenn., by R. B. Neuman and W. H. Nelson. 1965. p. D1-D81. (Professional Paper 349 issued only as separate chapters under the general title "Geology of the Great Smoky Mountains, Tennessee and North Carolina." Chapter D includes title page and contents for volume.)
- *350. Environment of calcium carbonate deposition west of Andros Island, Bahamas, by P. E. Cloud, Jr., *with sections on Mechanical characteristics of the sediments*, by P. D. Blackmon; *Microbiology and biochemistry of sediments and overlying water*, by F. D. Sisler; *Chemical analyses of the water*, by Henry Kramer; *The problem of calcium determination in sea water*, by J. H. Carpenter; *Experimental consolidation of calcium carbonate sediment*, by E. C. Robertson, L. R. Sykes, and Marcia Newell. 1962. 138 p.
- *352—D. Channel widening and flood-plain construction along Cimarron River in southwestern Kansas, by S. A. Schumm and R. W. Lichty. 1963. p. 71-88.
- *352—E. Geomorphology of segmented alluvial fans in western Fresno County, Calif., by W. B. Bull. 1964. p. 89-129.
- *352—F. Clastic sedimentation in Deep Springs Valley, Calif., by L. K. Lustig. 1965. p. 131-192.
- *352—G. Channel and hillslope processes in a semiarid area, New Mexico, by L. B. Leopold, W. W. Emmett, and R. M. Myrick. 1966. p. 193-253.
- 352—H. Erosion and deposition in the loess-mantled Great Plains, Medicine Creek drainage basin, Nebraska, by J. C. Brice. 1966. p. 255-339. 55¢.
- *352—I. Rates of slope degradation as determined from botanical evidence. White Mountains, Calif., by V. C. LaMarche, Jr. 1968 [1967]. p. 341-377. (Professional Paper 352 issued only as separate chapters under the general title "Erosion and sedimentation in a semihumid environment.")
- *353. Beryl resources of New Hampshire, by J. J. Page and D. M. Larrabee. 1962. 49 p.
- *354—H. Foraminifera from Onotoa Atoll, Gilbert Islands, by Ruth Todd. 1961 [1962]. p. 171-191.

- *354-I. Occurrence and significance of marine animal remains in American coal balls, by S. H. Mamay and E. L. Yochelson. 1962. p. 193-224.
- *354-J, K. J. *Lituyapecten* (new subgenus of *Patinopecten*) from Alaska and California, by F. S. MacNeil, p. 225-239, and K, Stratigraphic occurrence of *Lituyapecten* in Alaska, by D. J. Miller, p. 241-249. 1961 [1962]. (Professional Paper 354 issued separately except as listed above under the general title "Shorter contributions to general geology, 1959.")
- *356-D. Geology of uranium in coaly carbonaceous rocks, by J. D. Vine. 1962. p. 113-170. (Professional Paper 356 issued only as separate chapters under the general title "Uranium in carbonaceous rocks." Title page and contents for volume free on application to the Geological Survey.)
- *359. Economic geology of the Central City district, Gilpin County, Colo., by P. K. Sims, A. A. Drake, Jr., and E. W. Tooker. 1963. 231 p.
- *360. Geology and quicksilver deposits of the New Almaden district, Santa Clara County, Calif., by E. H. Bailey and D. L. Everhart. 1964. 206 p.
- *361. Stratigraphy of the East Tintic Mountains, Utah, by H. T. Morris and T. S. Lovering, *with a section on* Quaternary deposits, by H. D. Goode. 1961 [1962]. 145 p.
- *362. Geology and manganese deposits of the Maple and Hovey Mountains area, Aroostook County, Maine, by Louis Pavlides, *with a section on* Lithology and mineralogy of the deposits, by Louis Pavlides and Charles Milton. 1962 [1963]. 116 p.
- *363. Geology of the Capitol Reef area, Wayne and Garfield Counties, Utah, by J. F. Smith, Jr., L. C. Huff, E. N. Hinrichs, and R. G. Luedke. 1963. 102 p.
- *364. Plant spores and other microfossils from Upper Devonian and Lower Mississippian rocks of Ohio, by M. R. Winslow. 1962. 93 p.
- *367. Landslides along the Columbia River valley, northeastern Washington, by F. O. Jones, D. R. Embury, and W. L. Peterson, *with a section on* Seismic surveys, by R. M. Hazlewood. 1961 [1962]. 98 p.
- *368. Geology and ore deposits of the Darwin quadrangle, Inyo County, Calif., by W. E. Hall and E. M. MacKevett, Jr. 1962 [1963]. 87 p.
- *369. Geology of San Nicolas Island, Calif., by J. G. Vedder and R. M. Norris. 1963. 65 p.
- *370. Geology of the Three Forks quadrangle, Montana, by G. D. Robinson, *with sections on* Petrography of igneous rocks, by H. F. Barnett. 1963. 143 p.
- *371. Geology of uranium and associated ore deposits, central part of the Front Range mineral belt, Colorado, by P. K. Sims and others. 1963. 119 p.
- *372-A. The meteorologic phenomenon of drought in the Southwest, by H. E. Thomas. 1962. p. A1-A43.
- *372-B. General effects of drought on water resources of the Southwest, by J. S. Gatewood, Alfonso Wilson, H. E. Thomas, and L. R. Kister. 1964. p. B1-B55.
- *372-C. Effects of drought in central and south Texas, by H. E. Thomas and others. 1963. p. C1-C31.
- *372-D. Effects of drought in the Rio Grande basin, by H. E. Thomas and others. 1963. p. D1-D59.
- *372-E. Effects of drought in basins of interior drainage, by H. E. Thomas and others. 1963. p. E1-E51.

- *372-F. Effects of drought in the Colorado River basin, by H. E. Thomas and others. 1963. p. F1-F51.
- *372-G. Effects of drought along Pacific Coast in California, by H. E. Thomas and others. 1963. p. G1-G25.
- *372-H. General summary of effects of the drought in the Southwest, by H. E. Thomas. 1963. p. H1-H22. (Professional Paper 372 issued only as separate chapters under the general title "Drought in the Southwest, 1942-56.")
- 373. Aerial photographs in geologic interpretation and mapping, by R. G. Ray. 1960. 230 p. \$3.
- *374-C. Jurassic (Bathonian or early Callovian ammonites from Alaska and Montana, by R. W. Imlay. 1962. p. C1-C32.
- *374-D. Late Jurassic ammonites from the western Sierra Nevada, Calif., by R. W. Imlay. 1961 [1962]. p. D1-D30.
- *374-E. Reconnaissance geology between Lake Mead and Davis Dam, Arizona-Nevada, by C. R. Longwell. 1963. p. E1-E51.
- *374-F. *Glyptagnostus* and associated trilobites in the United States, by A. R. Palmer. 1962. p. F1-F49.
- *374-G. Foraminifera from the northern Olympic Peninsula, Wash., by W. W. Rau. 1964. p. G1-G33.
- *374-I. Yampa Canyon in the Uinta Mountains, Colo., by J. D. Sears. 1962. p. I1-I33.
- *374-J. The Bannock thrust zone, southeastern Idaho, by F. C. Armstrong and E. R. Cressman. 1963. p. J1-J22. (Professional Paper 374 issued only as separate chapters under the general title "Shorter contributions to general geology, 1960." Chapter J includes title page and contents for volume.)
- *375. Paleocene flora of the Rocky Mountains and Great Plains, by R. W. Brown. 1962. 119 p.
- *376. Regional geology of the St. Lawrence County magnetite district, northwest Adirondacks, N.Y., by A. F. Buddington and B. F. Leonard. 1962 [1963]. 145 p.
- *377. Ore deposits of the St. Lawrence County magnetite district, northwest Adirondacks, N.Y., by B. F. Leonard and A. F. Buddington. 1964. 259 p.
- *378-A. Geology and ore deposits of the South Silverton mining area, San Juan County, Colo., by D. J. Varnes. 1963. p. A1-A56.
- *378-B. Analysis of plastic deformation according to Von Mises' theory, with application to the South Silverton area, San Juan County, Colo., by D. J. Varnes. 1962. p. B1-B49. (Professional Paper 378 issued only as separate chapters under the general title "South Silverton mining area, San Juan County, Colo." Title page and contents for volume free on application to the Geological Survey.)
- *379. Surficial geology and soils of the Elmira-Williamsport region, New York and Pennsylvania, by C. S. Denny and W. H. Lyford, *with a section on Forest regions and great soil groups*, by J. C. Goodlett and W. H. Lyford. 1963. 60 p.
- *380. Geology and coal resources of Belmont County, Ohio, by H. L. Berryhill, Jr. 1963. 113 p.
- *381. Water resources of the Delaware River basin, by G. G. Parker, A. G. Hely, W. B. Keighton, F. H. Olmsted, and others. 1964 [1965]. 200 p.
- *382-A. Stratigraphy and structure of the Rainier and USGS Tunnel areas,

- Nevada Test Site, by W. R. Hansen, R. W. Lemke, J. M. Cattermole, and A. B. Gibbons. 1963. p. A1-A49.
- *382-B. Geologic effects of the high-explosive tests in the USGS Tunnel area, Nevada Test Site, by J. M. Cattermole and W. R. Hansen. 1962 [1963]. p. B1-B31. (Professional Paper 382 issued only as separate chapters under the general title "Geologic investigations related to nuclear explosions." Title page and contents for volume free on application to the Geological Survey.)
- *383-A. Storage of ground water behind subsurface dams in the Columbia River basalt, Washington, Oregon, and Idaho, by R. C. Newcomb. 1961 [1962]. p. A1-A15.
- *383-B. Geologic factors that control the occurrence and availability of ground water in the Fort Rock Basin, Lake County, Oreg., by E. R. Hampton. 1964. p. B1-B29.
- 383-C. Effect of tectonic structure on the occurrence of ground water in the basalt of the Columbia River Group of The Dalles area, Oregon and Washington, by R. C. Newcomb. 1969. p. C1-C33. \$1.25. (Professional Paper 383 issued only as separate chapters under the general title "Hydrology of volcanic-rock terranes.")
- *384-A. The serpentine-group minerals, by G. T. Faust and J. J. Fahey. 1962. p. 1-92.
- *384-B. Solution studies of chrysotile, lizardite, and antigorite, by G. T. Faust and B. S. Nagy. 1967. p. 93-105. (Professional Paper 384 issued only as separate chapters under the general title "Studies of the natural phases in the system $\text{MgO-SiO}_2\text{-H}_2\text{O}$ and the systems containing the congeners of magnesium.")
- *385. Geology and mineral deposits of the Mount Morrison quadrangle, Sierra Nevada, Calif., by C. D. Rinehart and D. C. Ross, *with a section on A gravity study of Long Valley*, by L. C. Pakiser. 1964. 106 p.
- 386-B. Dispersion in ground water flowing through heterogeneous materials, by H. E. Skibitzke and G. M. Robinson. 1963. p. B1-B3. 20¢
- *386-C. Relation between dual acidity and structure of H-montmorillonite, by A. M. Pommer. 1963. p. C1-C23. (Professional Paper 386 issued only as separate chapters under the general title "Contributions to problems of radioactive waste disposal.")
- *388-A. Surficial geology and geomorphology of the Lake Tapps quadrangle, Washington, by D. R. Crandell. 1963. p. A1-A84.
- *388-B. Bedrock geology of the Lake Tapps quadrangle, Pierce County, Wash., by L. M. Gard, Jr. 1968. p. B1-B33. (Professional Paper 388 issued only as separate chapters under the general title "Geologic studies in the Puget Sound Lowland, Wash." Chapter B includes title page and contents for volume.)
- *389. Geology and coal resources of the Cedar Mountain quadrangle, Iron County, Utah, by Paul Averitt. 1962. 72 p.
- *390. Preliminary investigation of the geologic setting and chemical composition of the Pierre Shale, Great Plains region, by H. A. Tourtelot. 1962. 74 p.
- *391-C. Quantitative interpretation of mineralogical composition from X-ray and chemical data for the Pierre Shale, by L. G. Schultz. 1964. p. C1-C31. (Professional Paper 391 issued only as separate chapters under the

- general title "Analytical methods in geochemical investigations of the Pierre Shale.")
- *392-A. Stratigraphy of the Pierre Shale, Valley City and Pembina Mountain areas, North Dakota, by J. R. Gill and W. A. Cobban. 1965. p. A1-A20.
- *392-B. Mineralogy and stratigraphy of the lower part of the Pierre Shale, South Dakota and Nebraska, by L. G. Schultz. 1965. p. B1-B19. (Professional Paper 392 issued only as separate chapters under the general title "Studies of the Pierre Shale in the northern Great Plains.")
- *393-A. The Red Bird section of the Upper Cretaceous Pierre Shale in Wyoming, by J. R. Gill and W. A. Cobban, *with a section on A new echinoid from the Cretaceous Pierre Shale of eastern Wyoming*, by P. M. Kier. 1966. p. A1-A73.
- *393-B. Upper Cretaceous gastropods from the Pierre Shale at Red Bird, Wyo., by N. F. Sohl. 1967. p. B1-B46. (Professional Paper 393 issued only as separate chapter under the general title "Stratigraphy, paleontology, and sedimentation of a classic reference locality of the Pierre Shale.")
- *395. Areal geology in the vicinity of the Chariot site, Lisburne Peninsula, northwestern Alaska, by R. H. Campbell. 1967. 71 p.
- *396. Stratigraphy of some Paleozoic formations in the Independence quadrangle, Inyo County, Calif., by D. C. Ross. 1966. 64 p.
- *397. Geology of the Marquette and Sands quadrangles, Marquette County, Mich., by J. E. Gair and R. E. Thaden. 1968. 77 p.
- *398-A. Tertiary stratigraphy and paleobotany of the Cook Inlet region, Alaska, by J. A. Wolfe, D. M. Hopkins, and E. B. Leopold. 1966. p. A1-A29.
- *398-B. Tertiary plants from the Cook Inlet region, Alaska, by J. A. Wolfe. 1966. p. B1-B32. (Professional Paper 398 issued only as separate chapters under the general title "Tertiary biostratigraphy of the Cook Inlet region, Alaska." Chapter B includes title page and contents for volume.)
- *399-A. Geology of Ishigaki-shima Ryūkyū-rettō, by H. L. Foster. 1965. p. A1-A119.
- *399-B. Eocene megafossils from Ishigaki-shima, Ryūkyū-rettō, by F. S. MacNeil. 1964. p. B1-B14.
- *399-C. Eocene algae from Ishigaki-shima, Ryūkyū-rettō, by J. H. Johnson. 1964. p. C1-C13. (Professional Paper 399 issued only as separate chapters under the general title "Geology and paleontology of Ishigaki-shima, Ryūkyū-rettō." Title page and contents for volume free on application to the Geological Survey.)
- *401. Lake Lahontan: Geology of southern Carson Desert, Nev., by R. B. Morrison. 1964. 156 p.
- *402-E. Turbulence in ground-water flow, by W. O. Smith and A. N. Sayre. 1964. p. E1-E9. (Professional Paper 402 issued only as separate chapters under the general title "Infiltration and drainage in uniform sands.")
- *403-A. General geology of Guam, by J. I. Tracey, Jr., S. O. Schlanger, J. T. Stark, and others. 1964. p. A1-A104.
- *403-B. Marine geology of Guam, by K. O. Emery. 1962. p. B1-B76.
- *403-C. Petrology of the volcanic rocks of Guam, by J. T. Stark, *with a section on Trace elements in the volcanic rocks of Guam*, by J. I. Tracey, Jr., and J. T. Stark. 1963. p. C1-C32.

- *403-D. Petrology of the limestones of Guam, by S. O. Schlanger, *with a section on Petrography of the insoluble residues*, by J. C. Hathaway and Dorothy Carroll. 1964. p. D1-D52.
- *403-E. Tertiary larger Foraminifera from Guam, by W. S. Cole. 1963. p. E1-E28.
- *403-F. Mineralogy of selected soils from Guam, by Dorothy Carroll and J. C. Hathaway, *with a section on Description of soil profiles*, by C. H. Stensland. 1963. p. F1-F53.
- *403-G. Fossil and Recent calcareous algae from Guam, by J. H. Johnson. 1964. p. G1-G40.
- *403-H. Hydrology of Guam, by P. E. Ward, S. H. Hoffard, and D. A. Davis. 1965 [1966]. p. H1-H128.
- *403-I. Smaller Foraminifera from Guam, by Ruth Todd. 1966. p. I1-I41. (Professional Paper 403 issued only as separate chapters under the general title "Geology and hydrology of Guam, Mariana Islands." Chapter I includes title page and contents for volume.)
- *404. Stratigraphy and structure of the northern and western flanks of the Black Hills uplift, Wyoming, Montana, and South Dakota, by C. S. Robinson, W. J. Mapel, and M. H. Bergendahl. 1964. 134 p.
- *405. Saline minerals of the Green River formation, by J. J. Fahey, *with a section on X-ray powder data for saline minerals of the Green River formation*, by M. E. Mrose. 1962. 50 p.
- *406. The Eureka mining district, Nevada, by T. B. Nolan. 1962. 78 p.
- *407. Geology and ore deposits of the Cuyuna North range, Minnesota, by R. G. Schmidt. 1963. 96 p.
- *408. Geology of the Cerro Gordo mining district, Inyo County, Calif., by C. W. Merriam. 1963 [1964]. 83 p.
- *409. Geology and petrography of volcanic rocks of the Truk Islands, East Caroline Islands, by J. T. Stark and R. L. Hay. 1963. 41 p.
- 410. Stratigraphy and structure of part of the western Sierra Nevada metamorphic belt, California, by L. D. Clark. 1964 [1965]. 70 p. \$2.50.
- *411-C. Transverse dispersion in liquid flow through porous media, by E. S. Simpson. 1962. p. C1-C30.
- *411-D. Review of some elements of soil-moisture theory, by Irwin Remson and J. R. Randolph. 1962. p. D1-D38.
- *411-E. Multiphase fluids in porous media—A review of theories pertinent to hydrologic studies, by R. W. Stallman. 1964. p. E1-E51.
- *411-F. Extending Darcy's concept of ground-water motion, by H. E. Skibitzke. 1964. p. F1-F6.
- *411-G. The spread of a dye stream in an isotropic granular medium, by Akio Ogata. 1964. p. G1-G11.
- *411-H. Mathematics of dispersion with linear adsorption isotherm, by Akio Ogata. 1964. p. H1-H9.
- 411-I. Theory of dispersion in a granular medium, by Akio Ogata. 1970. p. I1-I34. 45¢. (Professional Paper 411 issued only as separate chapters under the general title "Fluid movement in earth materials.")
- *412. Salinity and hydrology of closed lakes, by W. B. Langbein. 1961 [1962]. 20 p.
- *413. Geology of the Funeral Peak quadrangle, California, on the east flank of Death Valley, by Harald Drewes. 1963. 78 p.

- *414-A. Interpretation of the composition and a classification of the chlorites, by M. D. Foster. 1962. p. A1-A33.
- *414-B. Mohr's theory of strength and Prandtl's compressed cell in relation to vertical tectonics, by S. P. Kanizay. 1962. p. B1-B16.
- *414-D. The Sierra Nevada batholith—A synthesis of recent work across the central part, by P. C. Bateman, L. D. Clark, N. K. Huber, J. G. Moore, and C. D. Rinehart. 1963. p. D1-D46.
- *414-E. Algebraic and graphic methods for evaluating discordant lead-isotope ages, by L. R. Stieff, T. W. Stern, and R. N. Eicher. 1963. p. E1-E27.
- *414-F. Geology of the Fort Peck area, Garfield, McCone and Valley Counties, Mont., by F. S. Jensen and H. D. Varnes. 1964. p. F1-F49.
- *414-G. Redescription of three species of corals from the Lockport Dolomite in New York, by W. A. Oliver, Jr. 1963. p. G1-G9.
- *414-H. Crystalline rocks of the Potomac River Gorge near Washington, D.C., by J. C. Reed, Jr., and Janice Jolly. 1963. p. H1-H16. (Professional Paper 414 issued only as separate chapters under the general title "Shorter contributions to general geology, 1961." Chapter H includes title page and contents for volume.)
- *415. Geology and mineral deposits of the Thomas and Dugway Ranges, Juab and Tooele Counties, Utah, by M. H. Staatz and W. J. Carr. 1964. 188 p.
- 416. Geology and ore deposits of the Dragoon quadrangle, Cochise County, Ariz., by J. R. Cooper and L. T. Silver. 1964. 196 p. \$4.25.
- *417-A. Relation between ground water and surface water in Brandywine Creek basin, Pennsylvania, by F. H. Olmsted and A. G. Hely. 1962. p. A1-A21.
- *417-B. Some relations between streamflow characteristics and the environment in the Delaware River region, by A. G. Hely and F. H. Olmsted. 1963. p. B1-B25.
- *417-C. Hydrology and hydrogeology of Navajo Lake, Kane County, Utah, by M. T. Wilson and H. E. Thomas. 1964. p. C1-C26.
- *417-D. Chemical quality of the surface waters of the Snake River basin, by L. B. Laird. 1964. p. D1-D47.
- *417-E. Natural water loss and recoverable water in mountain basins of southern California, by J. R. Crippen. 1965. p. E1-E24.
- 417-F. A water budget of the Carson Valley, Nev., by A. M. Piper. 1969. p. F1-F8. 60¢. (Professional Paper 417 issued only as separate chapters under the general title "Contributions to stream-basin hydrology.")
- *418-A. Late Bajocian ammonites from the Cook Inlet region, Alaska, by R. W. Imlay. 1962. p. A1-A15.
- *418-B. Middle Bajocian ammonites from the Cook Inlet region, Alaska, by R. W. Imlay. 1964. p. B1-B61. (Professional Paper 418 issued only as separate chapters under the general title "Jurassic ammonites from southern Alaska.")
- *419. Miocene marine mollusks from the Astoria formation in Oregon, by E. J. Moore. 1963 [1964]. 109 p.
- *420-A. Geology of the Los Angeles basin, California—An introduction, by R. F. Yerkes, T. H. McCulloh, J. E. Schoellhamer, and J. G. Vedder. 1965. p. A1-A57.
- *420-B. Geology and oil resources of the eastern Puente Hills area, southern California, by D. L. Durham and R. F. Yerkes. 1964. p. B1-B62. (Pro-

- fessional Paper 420 issued only as separate chapters under the general title "Geology of the eastern Los Angeles basin, southern California.")
- *421-A. Quaternary geology and geomorphic history of the Kassler quadrangle, Colorado, by G. R. Scott. 1963. p. 1-70.
 - *421-B. Bedrock geology of the Kassler quadrangle, Colorado, by G. R. Scott. 1963. p. 71-125. (Professional Paper 421 issued only as separate chapters under the general title "Geology of the Kassler quadrangle, Jefferson and Douglas Counties, Colo." Chapter B includes title page and contents for volume.)
 - *422-A. Morphology and hydrology of a glacial stream—White River, Mount Rainier, Wash., by R. K. Fahnestock. 1963 [1964]. p. A1-A70.
 - *422-B. Hydraulic geometry of a small tidal estuary, by R. M. Myrick and L. B. Leopold. 1963. p. B1-B18.
 - *422-C. Drainage density and streamflow, by C. W. Carlston. 1963. p. C1-C8.
 - *422-D. Channel patterns and terraces of the Loup Rivers in Nebraska, by J. C. Brice. 1964. p. D1-D41.
 - *422-E. Channel geometry of Piedmont streams as related to frequency of floods, by F. A. Kilpatrick and H. H. Barnes, Jr. 1964. p. E1-E10.
 - *422-F. Sediment yield of the Castaic watershed, western Los Angeles County, Calif.—A quantitative geomorphic approach, by L. K. Lustig. 1965. p. F1-F23.
 - *422-G. The distribution of branches in river networks, by E. V. Giusti and W. J. Schneider. 1965. p. G1-G10.
 - *422-H. River meanders—Theory of minimum variance, by W. B. Langbein and L. B. Leopold. 1966. p. H1-H15.
 - *422-I. An approach to the sediment transport problem from general physics, by R. A. Bagnold. 1966. p. I1-I37.
 - *422-J. Resistance to flow in alluvial channels, by D. B. Simons and E. V. Richardson. 1966. p. J1-J61.
 - 422-K. Erosion and deposition produced by the flood of December 1964 on Coffee Creek, Trinity County, Calif., by J. H. Stewart and V. C. LaMarche, Jr. 1967. p. K1-K22. \$1.
 - 422-L. River channel bars and dunes—Theory of kinematic waves, by W. B. Langbein and L. B. Leopold. 1968. p. L1-L20. 20¢.
 - 422-M. Flood surge on the Rubicon River, Calif.—Hydrology, hydraulics, and boulder transport, by K. M. Scott and G. C. Gravlee, Jr. 1968. p. M1-M40. 45¢. (Professional Paper 422 issued only as separate chapters under the general title "Physiographic and hydraulic studies of rivers, 1961." Chapter M includes title page and contents for volume.)
 - *423. Paleozoic rocks of Antelope Valley, Eureka and Nye Counties, Nev., by C. W. Merriam. 1963. 67 p.
 - *425. Geochemistry and petrology of the alkalic igneous complex at Magnet Cove, Ark., by R. L. Erickson and L. V. Blade. 1963. 95 p.
 - *426. Data on uranium and radium in ground water in the United States, 1954 to 1957, by R. C. Scott and F. B. Barker. 1962. 115 p.
 - *427-A. Description of physical environment and of strip-mining operations in parts of Beaver Creek basin, Kentucky, by J. J. Musser. 1963 [1964]. p. A1-A25.
 - *427-B. Influences of strip mining on the hydrologic environment of parts of Beaver Creek basin, Kentucky, 1955-59, by C. R. Collier and others. 1964. p. B1-B85.

- 427-C. Influences of strip mining on the hydrologic environment of parts of Beaver Creek basin, Kentucky, 1955-66, edited by C. R. Collier, R. J. Pickering, and J. J. Musser. 1970. p. C1-C80. \$1.50. (Professional Paper 427 issued only as separate chapters under the general title "Hydrologic influences of strip mining." Chapter C includes title page and contents for volume.)
- *428. Geology and mineral deposits of the Jefferson City quadrangle, Jefferson and Lewis and Clark Counties, Mont., by G. E. Becraft, D. M. Pinckney, and Sam Rosenblum. 1963 [1964]. 101 p.
- *429-A. Quantitative and qualitative analysis of the family Bolivinidae, by P. B. Smith. 1963. p. A1-A39.
- *429-B. Ecology of benthonic species, by P. B. Smith. 1964. p. B1-B55. (Professional Paper 429 issued only as separate chapters under the general title "Recent Foraminifera off Central America." Chapter B includes title page and contents for volume.)
- *430. Silurian corals from Maine and Quebec—Silurian corals from the Moose River synclorium, Maine, by E. C. Stumm; Silurian rugose corals from the Lake Témiscouata area, Quebec, by W. A. Oliver, Jr., and A new *Kodonophyllum* and associated rugose corals from the Lake Matapedia area, Quebec, by W. A. Oliver, Jr. 1962 [1963]. 31 p. 14 pls.
- *431. Geology and mineral deposits of the Osgood Mountains quadrangle, Humboldt County, Nev., by P. E. Hotz and Ronald Willden. 1964. 128 p.
- *432. Upper Cretaceous (Campanian and Maestrichtian) ammonites from southern Alaska, by D. L. Jones. 1963 [1964]. 53 p.
- *433-A. Uptake and transport of radionuclides by stream sediments, by W. W. Sayre, H. P. Guy, and A. R. Chamberlain. 1963. p. A1-A35.
- *433-B. Dispersion of dissolved or suspended materials in flowing streams, by R. E. Glover. 1964. p. B1-B32.
- *433-C. Transport and dispersion of labeled bed material, North Loup River, Nebr., by W. W. Sayre and D. W. Hubbell. 1965. p. C1-C48.
- *433-D. Mineralogy and cation-exchange capacity of sediments from selected streams, by V. C. Kennedy. 1965. p. D1-D28.
- 433-E. A laboratory investigation of open-channel dispersion processes for dissolved, suspended, and floating dispersants, by W. W. Sayre and F. M. Chang. 1968. p. E1-E71. 60¢.
- 433-F. Role of certain stream-sediment components in radioion sorption, by E. A. Jenne and J. S. Wahlberg. 1968. p. F1-F16. 20¢.
- 433-G. Radioactive waste dilution in the Clinch River, eastern Tennessee, by P. H. Carrigan, Jr. 1968. p. G1-G9. 25¢.
- 433-H. Distribution of radionuclides in bottom sediment of the Clinch River, eastern Tennessee, by R. J. Pickering. 1969. p. H1-H25. 40¢.
- 433-I. Inventory of radionuclides in bottom sediment of the Clinch River, eastern Tennessee, by P. H. Carrigan, Jr. 1969. p. I1-I18. 35¢.
- 433-J. Composition of water in Clinch River, Tennessee River, and Whiteoak Creek as related to disposal of low-level radioactive liquid wastes, by R. J. Pickering. 1970. p. J1-J15. 30¢.
- 433-K. Stream dispersion at selected sites, by R. G. Godfrey and B. J. Frederick. 1970. p. K1-K38. 55¢. (Professional Paper 433 issued only as separate chapters under the general title "Transport of radionuclides by streams.")

- *434-A. Probability distribution of low flows, by N. C. Matalas. 1963. p. A1-A27.
- *434-B. Autocorrelation of rainfall and streamflow minimums, by N. C. Matalas. 1963. p. B1-B10.
- *434-C. Use of correlation to improve estimates of the mean and variance, by M. B. Fiering. 1963. p. C1-C9.
- *434-D. Statistics of a runoff-precipitation relation, by N. C. Matalas. 1963. p. D1-D9.
- *434-E. A correlation procedure for augmenting hydrologic data, by N. C. Matalas and Barbara Jacobs. 1964. p. E1-E7. (Professional Paper 434 issued only as separate chapters under the general title "Statistical studies in hydrology.")
- *435. The Hebgen Lake, Mont., earthquake of August 17, 1959. 1964. 242 p.
- *436. Metamorphism in the Riggins region, western Idaho, by Warren Hamilton. 1963. 95 p.
- *437-A. Alluvial fans and near-surface subsidence in western Fresno County, Calif., by W. B. Bull. 1964. p. A1-A71.
- 437-B. Land subsidence due to ground-water withdrawal, Tulare-Wasco area, California, by B. E. Lofgren and R. L. Klausning. 1969. p. B1-B103. \$1.25. (Professional Paper 437 issued only as separate chapters under the general title "Studies of land subsidence.")
438. Structural geology and volcanism of Owens Valley region, California—A geophysical study, by L. C. Pakiser, M. F. Kane, and W. H. Jackson. 1964. 68 p. \$2.75.
- *439. Altered wallrocks in the central part of the Front Range mineral belt, Gilpin and Clear Creek Counties, Colo., by E. W. Tooker. 1963 [1964]. 102 p.
- *440-D. Composition of the earth's crust, by R. L. Parker. 1967. p. D1-D19.
- *440-F. Chemical composition of subsurface waters, by D. E. White, J. D. Hem, and G. A. Waring. 1963. p. F1-F67.
- *440-G. Chemical composition of rivers and lakes, by D. A. Livingstone. 1963. p. G1-G64. 45¢.
- *440-K. Volcanic emanations, by D. E. White and G. A. Waring. 1963. p. K1-K29.
- *440-L. Phase-equilibrium relations of the common rock-forming oxides except water, by G. W. Morey. 1964. p. L1-L159.
- *440-S. Chemical composition of sandstones, excluding carbonate and volcanic sands, by F. J. Pettijohn. 1963. p. S1-S21.
- *440-T. Nondetrital siliceous sediments, by E. R. Cressman. 1962. p. T1-T123.
- *440-W. Chemistry of the iron-rich sedimentary rocks, by H. L. James. 1966. p. W1-W61.
- *440-Y. Marine evaporites by F. H. Stewart. 1963. p. Y1-Y52. (Professional Paper 440 issued as separate chapters under the general title "Data of geochemistry, 6th ed., Michael Fleischer, tech. ed.")
- *441. Water resources of the Upper Colorado River Basin—Technical report, by W. V. Iorns, C. H. Hembree, and G. L. Oakland. 1965. 370 p.
- *442. Water resources of the Upper Colorado River basin—Basic data, by W. V. Iorns, C. H. Hembree, D. A. Phoenix, and G. L. Oakland. 1964. 1036 p.
- *443. Quaternary geology of the Kenai Lowland and glacial history of the Cook Inlet region, Alaska, by T. N. V. Karlstrom. 1964. 69 p.

- *444. Geology of Mount Rainier National Park, Wash., by R. S. Fiske, C. A. Hopson, and A. C. Waters. 1963 [1964]. 93 p.
- *445. Ore deposits of the Coeur d'Alene district, Shoshone County, Idaho, by V. C. Fryklund, Jr., *with a section on* The bleached rock in the Coeur d'Alene district, by P. L. Weis. 1964. 103 p.
- *446. Geology of the Quadalupe Mountains, N. Mex., by P. T. Hayes, 1964. 69 p.
- *447. The Comanche Series and associated rocks in the subsurface in central and south Florida, by P. L. Applin and E. R. Applin. 1965. 84 p.
- 448-A. Availability of water in the Mississippi embayment, by E. M. Cushing, E. H. Boswell, P. R. Speer, R. L. Hosman, and others. 1970. p. A1-A13. \$5.50. (Chapter A includes title page and contents for volume.)
- *448-B. General geology of the Mississippi embayment, by E. M. Cushing, E. H. Boswell, and R. L. Hosman. 1964. p. B1-B28.
- *448-C. Cretaceous aquifers in the Mississippi embayment, by E. H. Boswell, G. K. Moore, L. M. MacCary, and others, *with discussions of* Quality of the water, by H. G. Jeffery. 1965. p. C1-C37.
- 448-D. Tertiary aquifers in the Mississippi embayment, by R. L. Hosman, A. T. Long, T. W. Lambert, and others, *with discussions of* Quality of the water, by H. G. Jeffery. 1968. p. D1-D29. \$4.75.
- 448-E. Quaternary aquifers in the Mississippi embayment, by E. H. Boswell, E. M. Cushing, and R. L. Hosman, *with a discussion of* Quality of the water, by H. G. Jeffery. 1968. p. E1-E15. \$1.25.
- *448-F. Low-flow characteristics of streams in the Mississippi embayment in northern Arkansas and in Missouri, by P. R. Speer, M. S. Hines, M. E. Janson, and others, *with a section on* Quality of the water, by H. G. Jeffery. 1966. p. F1-F25.
- *448-G. Low-flow characteristics of streams in the Mississippi embayment in southern Arkansas, northern Louisiana, and northeastern Texas, by P. R. Speer, M. S. Hines, A. J. Calandro, and others, *with a section on* Quality of the water, by H. G. Jeffery. 1966. p. G1-G40.
- *448-H. Low-flow characteristics of streams in the Mississippi embayment in Tennessee, Kentucky, and Illinois, by P. R. Speer, W. J. Perry, J. A. McCabe, O. G. Lara, and others, *with a section on* Quality of the water, by H. G. Jeffery. 1965. p. H1-H36.
- *448-I. Low-flow characteristics of streams in the Mississippi embayment in Mississippi and Alabama, by P. R. Speer, H. G. Golden, J. F. Patterson, and others, *with a section on* Quality of the water, by W. J. Welborne. 1964. [1965]. p. I1-I47. (Professional Paper 448 issued only as separate chapters under the general title "Water resources of the Mississippi embayment.")
- *449. Geology of the central and northern parts of the Western Cascade Range in Oregon, by D. L. Peck, A. B. Griggs, H. G. Schlicker, F. G. Wells, and H. M. Dole. 1964. 56 p.
- *450-A. Synopsis of geologic, hydrologic, and topographic results. 1962. p. A1-A257.
- *450-B. Short papers in geology, hydrology, and topography, articles 1-59. 1962. p. B1-B145. Contains the following articles, which are not available separately:
 1. Stratigraphic and structural controls of mineralization in the Taylor mining district near Ely, Nevada, by Harald Drewes.

2. Suggestions for prospecting in the Humboldt Range and adjacent areas, Nevada, by Robert E. Wallace and Donald B. Tatlock.
3. Possible detachment faults in the Teepee Creek quadrangle, Gallatin County, Mont., by Irving J. Witkind.
4. Hydrogeologic evidence of the extension of the East Range fault, Humboldt and Pershing Counties, Nev., by Philip Cohen.
5. Old metavolcanic rocks of the Big Creek area, central Idaho, by B. F. Leonard.
6. Angular unconformity between Mesozoic and Paleozoic rocks in the northern Sierra Nevada, Calif., by L. D. Clark, R. W. Imlay, V. E. McMath, and N. J. Silberling.
7. Mesozoic age of metamorphic rocks in the Kings River area, southern Sierra Nevada, Calif., by James G. Moore and Franklin C. Dodge.
8. Red Bird Silty Member of the Pierre Shale, a new stratigraphic unit, by James R. Gill and William A. Cobban.
9. Note on post-Rustler red beds of Permian age of southeast New Mexico and west Texas, by James B. Cooper.
10. Volcanic rocks of Oligocene age in the southern part of the Madison Range, Montana and Idaho, by Warren Hamilton and Estella B. Leopold.
11. Radiocarbon dates relating to a widespread volcanic ash deposit, eastern Alaska, by Arthur T. Fernald.
12. Origin of spherulitic phosphate nodules in basal Colorado Shale, Bearpaw Mountains, Montana, by W. T. Pecora, B. C. Hearn, Jr., and Charles Milton.
13. Stream directions in the Lakota Formation (Cretaceous) in the northern Black Hills, Wyoming and South Dakota, by William J. Mapel and Charles L. Pillmore.
14. Formation and deposition of clay balls, Rio Puerco, New Mexico, by Carl F. Nordin, Jr., and William F. Curtis.
15. Estimating porosity from specific gravity, by Philip Cohen.
16. Relation of volumetric shrinkage to clay content of sediments from the San Joaquin Valley, California, by A. I. Johnson and D. A. Morris.
17. Lower Pleistocene Prairie Divide Till, Larimer County, Colo., by D. V. Harris and R. K. Fahnestock.
18. Late Pleistocene and Recent erosion and alluviation in parts of the Colorado River system, Arizona and Utah, by Maurice E. Cooley.
19. Relation of alluvial-fan size and slope to drainage-basin size and lithology in western Fresno County, Calif., by William B. Bull.
20. Recent growth of Halemaumau, Kilauea Volcano, Hawaii, by Donald H. Richter, James G. Moore, and Robert T. Haugen.
21. Marginal sea of middle Eocene age in New Jersey, by Stephen M. Herrick.
22. Recent discoveries of the Cretaceous ammonite *Haresiceras* and their stratigraphic significance, by William A. Cobban.
23. Triassic fossils from the southern Klamath Mountains, California, by N. J. Silberling and W. P. Irsin.

24. Thermal regime in the raised delta of Centrum Sø, northeast Greenland, by Daniel B. Krinsley.
25. Magnetic anomalies and ultramafic rock in northern California, by William P. Irwin and Gordon D. Bath.
26. Vanadium-rich garnet from Laguna, New Mexico, by Robert H. Moench.
27. Thorium and uranium in some alkalic igneous rocks from Virginia and Texas, by David Gottfried, Roosevelt Moore, and Alice Caemmerer.
28. Saline features of a small ice platform in Taylor Valley, Antarctica, by Warren Hamilton, Irving C. Frost, and Philip T. Hayes.
29. Index of refraction measurements of fused Hawaiian rocks, by D. B. Stewart.
30. Determination of silica in tektites and similar glasses by volatilization, by Maxwell K. Carron and Frank Cuttitta.
31. Use of La_2O_3 as a heavy absorber in the X-ray fluorescence analysis of silica rocks, by Harry J. Rose, Jr., Isidore Adler, and Francis J. Flanagan.
32. X-ray fluorescence determination of thallium in manganese ores, by Harry J. Rose, Jr., and Francis J. Flanagan.
33. Electrode determination of the carbon dioxide content of sea water and deep-sea sediment, by G. W. Moore, C. E. Robertson, and H. D. Hygren.
34. Transitory movements of the salt-water front in an extensive artesian aquifer, by Harold R. Henry.
35. Estimating the effects of stream impoundment on ground-water levels, by J. E. Reed and M. S. Bedinger.
36. Movement of ground water beneath the bed of the Mullica River in the Wharton Tract, southern New Jersey, by S. M. Lang and E. C. Rhodehamel.
37. Movement of perched ground water in alluvium near Los Alamos, New Mexico, by J. H. Abrahams, Jr., E. H. Baltz, and W. D. Purtyman.
38. Source of ground-water runoff at Champlin Creek, Long Island, New York, by E. J. Pluhowski and I. H. Kantrowitz.
39. Relation of faulting to the occurrence of ground water in the Flagstaff area, Arizona, by J. P. Akers.
40. Method for measuring upward leakage from artesian aquifers using rate of salt-crust accumulation, by J. H. Feth and R. J. Brown.
41. Seasonal temperature changes in wells as indicators of semi confining beds in valley-train aquifers, by Stanley E. Norris and Andrew M. Spieker.
42. Temperature-depth relations in wells as indicators of semi confining beds in valley-train aquifers, by Stanley E. Norris and Andrew M. Spieker.
43. Water-yielding potential of weathered crystalline rocks at the Georgia Nuclear Laboratory, by J. W. Stewart.
44. Use of inflatable packers in multiple-zone testing of water wells, by F. C. Koopman, J. H. Irwin, and E. D. Jenkins.

45. Estimating days of continuously deficient discharge, by C. H. Hardison and J. R. Crippen.
 46. Determination of tide-affected discharge of the Sacramento River at Sacramento, California, by S. E. Rantz.
 47. Points of origin of perennial flow in Georgia, by William J. Schneider.
 48. Determination of boron in waters containing fluoride, by Jack J. Rowe.
 49. Limitations of the methylene blue method for ABS determination, by Cooper H. Wayman.
 50. Hydrochemical facies in the "400-foot" and "600-foot" sands of the Baton Rouge area, Louisiana, by C. O. Morgan and M. D. Winner, Jr.
 51. Cation hydrochemical facies of ground water in the Englishtown Formation, New Jersey, by Paul R. Seaber.
 52. Use of Na/Cl ratios to distinguish oil-field from salt-spring brines in western Oklahoma, by A. R. Leonard and P. E. Ward.
 53. Relation between aluminum content and pH of water, Beaver Creek strip-mining area, Kentucky, by George W. Whetstone and John J. Musser.
 54. Chemical quality of surface waters in the Brazos River basin, Texas, by Burdge Irelan and H. B. Mendieta.
 55. Chemical quality of ground water in St. Thomas, Virgin Islands, by I. G. Grossman.
 56. A test of the direct geodetic restraint method of analytical aerotriangulation, by Robert C. Eller and Morris L. McKenzie.
 57. Research activity with the U-60 orthophotoscope, by Marvin B. Scher.
 58. Research on target design for photoidentification of control, by David Landen.
 59. New elevation meter for topographic surveys, by Julius L. Speert.
- *450-C. Short papers in geology and hydrology, articles 60-119. 1962. p. C1-C146. Contains the following articles, which are not available separately:
60. Eocene topography of the central East Tintic Mountains, Utah, by Hal T. Morris and James A. Anderson.
 61. A rare sodium niobate mineral from Colorado, by Raymond L. Parker, John W. Adams, and Fred A. Hildebrand.
 62. Localization of the Uravan mineral belt by sedimentation, by Daniel R. Shawe.
 63. Criteria for the recognition of jasperoid associated with sulfide ore, by T. G. Lovering and J. C. Hamilton.
 64. Beach placers containing radioactive minerals, Bay of Bengal, East Pakistan, by Robert G. Schmidt and S. Ali Asad.
 65. Variation in rank of Tertiary coals in the Cook inlet basin, Alaska, by F. F. Barnes.
 66. Possible engineering uses of subsidence induced by contained underground nuclear explosions, by F. N. Houser and Edwin B. Eckel.

67. A regional ultramafic sheet in eastern Klamath Mountains, California, by William P. Irwin and Peter W. Lipman.
68. Tectonic framework of an area within the Sierra Madre Oriental and adjacent Mesa Central, north-central Mexico, by Cleaves L. Rogers, Zoltan de Cserna, Jesús Ojeda Rivera, Eugenio Tavera Amezcua, and Roger van Vloten.
69. Precambrian basement structure and lithology inferred from aeromagnetic and gravity data in eastern Tennessee and southern Kentucky, by Joel S. Watkins.
70. Structural effects related to hydration of anhydrite, Copiapó area, Chile, by Kenneth Segerstrom.
71. Sedimentary rocks of Triassic age in northeastern Massachusetts, by Robert N. Oldale.
72. Subdivision of the Catskill Formation in the western part of the Anthracite region of Pennsylvania, by Harold H. Arndt, Gordon H. Wood, Jr., and J. Peter Trexler.
73. Uppermost Devonian and Lower Mississippian rocks of the western part of the Anthracite region of eastern Pennsylvania, by J. Peter Trexler, Gordon H. Wood, Jr., and Harold H. Arndt.
74. Pennsylvanian rocks of the southern part of the Anthracite region of eastern Pennsylvania, by Gordon H. Wood, Jr., J. Peter Trexler, and Harold H. Arndt.
75. Revised stratigraphic nomenclature for Upper Pennsylvanian and Lower Permian rocks, Washington County, Pennsylvania, by Henry L. Berryhill, Jr., and Vernon E. Swanson.
76. The Frozen Sandstone, a new member of the Breathitt Formation of eastern Kentucky, by Wallace R. Hansen, Edwin V. Post, and George E. Prichard.
77. The Ralston Creek(?) Formation of Late Jurassic age in the Raton Mesa region and Huerfano Park, south-central Colorado, by Ross B. Johnson.
78. Laney Shale Member and Tower Sandstone Lentil of the Green River Formation, Green River area, Wyoming, by William C. Culbertson.
79. Variable facies of the Chainman and Diamond Peak Formations in western White Pine County, Nev., by John H. Stewart.
80. Oak Spring Group of the Nevada Test Site and vicinity, Nevada, by F. G. Poole and F. A. McKeown.
81. Stratigraphy and origin of Lake Lahontan deposits of the Humboldt River valley near Winnemucca, Nevada, by Philip Cohen.
82. Subsurface stratigraphy of late Quaternary deposits, Searles Lake, California: a summary, by George I. Smith.
83. Staurolite zone near the St. Joe River, Idaho, by Anna Hietanen.
84. Zinc in magnetite from alluvium and from igneous rocks associated with ore deposits, by P. K. Theobald, Jr., and C. E. Thompson.
85. Metal content of some black shales of the Western Conterminous United States—Part 2, by D. F. Davidson and H. W. Lakin.
86. Chemical composition of Precambrian pelitic rocks, Quadrilátero Ferrífero, Minas Gerais, Brazil, by Norman Herz.

87. Age of Laramide porphyries near Leadville, Colorado, by Robert C. Pearson, Ogden Tweto, Thomas W. Stern, and Herman H. Thomas.
88. Lead-alpha ages of zircon from North and South Carolina, by W. C. Overstreet, Thomas W. Stern, Charles Annell, and Harold Westley.
89. A Miocene Pollen sequence from the Cascade Range of northern Oregon, by Jack A. Wolfe.
90. *Clioscaphtes saxitonianus* (McLearn), a discrete ammonite zone in the Niobrara Formation at Pueblo, Colorado, by Glenn R. Scott and William A. Cobban.
91. Roll in a sandstone lentil of the Green River Formation, by John R. Rapp.
92. The Carolina Bays and emergence of the coastal plain of the Carolinas and Georgia, by Eugene C. Robertson.
93. Deflated marine terrace as a source of dune chains, Atacama Province, Chile, by Kenneth Segerstrom.
94. Gravimetric determinations of ice thickness of Jarvis Glacier, Alaska, by Ned A. Ostenso and G. William Holmes.
95. Multiple tills of end moraines, by George W. White.
96. Dissolving fluorite with solutions of aluminum salts, by R. E. Stevens, C. L. Sainsbury, and A. C. Bettiga.
97. Synthesis of large crystals of swartzite, by Robert Meyrowitz.
98. Apparatus for rapid determination of foam height, by C. H. Wayman, J. B. Robertson, and H. G. Page.
99. Comparison of three methods for estimating density of *Escherichia coli* in laboratory preparations, by H. G. Page, C. H. Wayman, and J. B. Robertson.
100. A sequential heating device for FeO determinations, by Leonard Shapiro and Fred Rosenbaum.
101. Geochemical field method for beryllium prospecting, by L. E. Patten and F. N. Ward.
102. Two implements for handling small quantities of liquid, by Frank C. Calkins.
103. Using a Bruton compass and a spring wire for weighing small samples, by Lyman C. Huff.
104. Interbasin movement of ground water at the Nevada Test Site, Nevada, by Isaac J. Winograd.
105. Potential aquifers in carbonate rocks, Nevada Test Site, Nevada, by Stuart L. Schoff and Isaac J. Winograd.
106. Hydrology of radioactive-waste disposal in the MTR-ETR area, National Reactor Testing Station, Idaho, by Paul H. Jones and Eugene Shuter.
107. Artificial recharge of basalt aquifers, Walla Walla, Washington, by Arthur A. Garrett.
108. Effect of the Haiku tunnel on Kahaluu Stream, Oahu, Hawaii, by George T. Hirashima.
109. Ground-water shadows and buried topography, San Xavier Indian Reservation, Pima County, Ariz., by L. A. Heindl.
110. Water-bearing characteristics of the Lockport Dolomite near Niagara Falls, New York, by Richard H. Johnston.

111. Effect of stream infiltration on ground-water temperatures near Schenectady, New York, by John D. Winslow.
112. A relation between floods and drought flows in the Piedmont province in Virginia, by Ennio V. Giusti.
113. Effect of urban growth on sediment discharge, Northwest Branch Anacostia River basin, Maryland, by Frank J. Keller.
114. Source of sulfate in ground water of the Truckee Meadows area, Nevada, by Philip Cohen.
115. Dondip changes in chemical quality of water in the "500-foot" sand of western Tennessee, by Gerald K. Moore.
116. Estimating water quality from electrical logs, by A. N. Turcan, Jr.
117. Adsorption of anionic detergent on solid mineral surfaces, by Cooper H. Wayman.
118. Retention of water in silts and sands, by A. Nelson Sayre and W. O. Smith.
119. Vadose flow in layered and nonlayered materials, by W. N. Palmquist, Jr., and A. I. Johnson.
- *450-D. Short papers in geology, hydrology, and topography, articles 120-179. 1962. p. D1-D195. Contains the following articles, which are not available separately.
 120. Age of some copper-bearing porphyries and other igneous rocks in southeastern Arizona, by S. C. Creasey and R. W. Kistler.
 121. Thalenite from Teller County, Colo., by J. W. Adams, F. A. Hildebrand, and R. G. Havens.
 122. Alteration as a guide to uranium ore, Shirley Basin, Wyoming, by E. N. Harshman.
 123. Alunite on Aspen Mountain, southwestern Wyoming, by J. D. Love and P. D. Blackmon.
 124. Clays in the Morrison Formation and their spatial relation to the uranium deposits at Ambrosia Lake, New Mexico, by H. C. Granger.
 125. Geology of Djatiluhur damsite and vicinity, West Java, Indonesia, by H. H. Waldron.
 126. Precambrian(?) and Cambrian stratigraphy in Esmeralda County, Nevada, by J. P. Albers and J. H. Stewart.
 127. Cambrian Carrara Formation, Bonanza King Formation, and Dunderberg Shale east of Yucca Flat, Nye County, Nev., by Harley Barnes, R. L. Christiansen, and F. M. Byers, Jr.
 128. Age and sequence of metasedimentary and metavolcanic formations northwest of New Haven, Connecticut, by C. E. Fritts.
 129. Age of the Leadville Limestone in the Glenwood Canyon, western Colorado, by W. E. Hallgarth and B. A. L. Skipp.
 130. Type sections for the Morrow Series, of Pennsylvanian age, and adjacent beds, Washington County, Ark., by L. G. Henbest.
 131. New members of the Bloyd Formation of Pennsylvanian age, Washington County, Ark., by L. G. Henbest.
 132. The Eagle Valley Evaporite and its relation to the Minturn and Maroon Formations, northwest Colorado, by T. S. Lovering and W. W. Mallory.

133. Jurassic stratigraphy in the McCarthy C-5 quadrangle, Alaska, by E. M. MacKevett, Jr., and R. W. Imlay.
134. Some Late Cretaceous strand lines in southern Wyoming, by A. D. Zapp and W. A. Cobban.
135. Tertiary volcanic and related rocks of the Republic area, Ferry County, Washington, by Siegfried Muessig.
136. Geology of Tertiary rocks in Escambia and Santa Rosa Counties, western Florida, by O. T. Marsh.
137. Stratigraphy and hydrology of the Juana Díaz Formation in the Yauco area, Puerto Rico, by I. G. Grossman.
138. Pyroclastic deposits of Recent age at Mount Rainier, Washington, by D. R. Crandell, D. R. Mullineaux, R. D. Miller, and Meyer Rubin.
139. The Pine Mountain overthrust at the northeast end of the Powell Valley anticline, Virginia, by R. L. Miller.
140. Gravity and magnetic anomalies in Gem Valley, Caribou County, Idaho, by D. R. Mabey and F. C. Armstrong.
141. Gravity, volcanism, and crustal deformation in the eastern Snake River Plain, Idaho, by T. R. LaFehr and L. C. Pakiser.
142. Geohydrologic evidence of a buried fault in the Erda area, Tooele Valley, Utah, by J. S. Gates.
143. Recurrent movement on the Canyon Creek fault, Navajo County, Ariz., by T. L. Finnell.
144. Restudy of the Arrowhead fault, Muddy Mountains, Nevada, by C. R. Longwell.
145. Correlation of granitic plutons across faulted Owens Valley, Calif., by D. C. Ross.
146. Structural control of interior drainage, southern San Joaquin Valley, Calif., by G. H. Davis and J. H. Green.
147. Tertiary salt domes near San Pedro de Atacama, Chile, by R. J. Dingman.
148. Zinc occurrence in the Serpent Mound structure of southern Ohio, by A. V. Heyl and M. R. Brock.
149. Thermoluminescence investigations at Meteor Crater, Arizona, by C. H. Roach, G. R. Johnson, J. G. McGrath, and T. S. Sterrett.
150. Electrical and magnetic properties of a replacement-type magnetite deposit in San Bernardino County, Calif., by C. J. Zablocki.
151. Determination of the magnetic polarity of rock samples in the field, by R. R. Doell and Allan Cox.
152. Thermal expansion of ten minerals, by B. J. Skinner.
153. Hydrothermal alteration in drill holes GS-5 and GS-7, Steamboat Springs, Nevada, by G. E. Sigvaldason and D. E. White.
154. Precambrian gabbro in the central Front Range, Colorado, by R. B. Taylor and P. K. Sims.
155. Erosional features of snow avalanches, Middle Fork Kings River, Calif., by G. H. Davis.
156. Configuration of the bedrock beneath the channel of the lower Merrimack River, Mass., by E. A. Sammel.

157. Geology of Pleistocene deposits of Lake County, Ind., by J. S. Rosensheim.
158. Geology of the Vermilion end moraine, Nett Lake Indian Reservation, Minn., by R. F. Norvitch.
159. Three pre-Bull Lake tills in the Wind River Mountains, Wyo., by G. M. Richmond.
160. Faulted Pleistocene strata near Jackson, northwestern Wyoming, by J. D. Love and D. W. Taylor.
161. Late Cretaceous *Desmoscaphites* Range Zone in the western interior region, by W. A. Cobban.
162. The ostracode genus *Cytherelloidea*, a possible indicator of paleotemperature, by I. G. Sohn.
163. Wind directions in late Paleozoic to middle Mesozoic time on the Colorado Plateau, by F. G. Poole.
164. Laboratory studies on deformation in unconsolidated sediment, by E. D. McKee, M. A. Reynolds, and C. H. Baker, Jr.
165. Experiments on intraformational recumbent folds in crossbedded sand, by E. D. McKee, M. A. Reynolds, and C. H. Baker, Jr.
166. Edge isolation in photogrammetry and geologic photography, by A. B. Clarke.
167. Shortcut method for the preparation of shaded-relief illustrations, by J. R. Stacey.
168. Winter ground-water temperatures along the Mullica River, Wharton Tract, N.J., by E. C. Rhodehamel and S. M. Lang.
169. Relation of permeability and jointing in crystalline metamorphic rocks near Jonesboro, Georgia, by J. W. Stewart.
170. Aquifers in buried shore and glaciofluvial deposits along the Gladstone beach of glacial Lake Agassiz near Stephen, Minnesota, by R. W. Maclay and G. R. Schiner.
171. Potential yield of deep water wells in the southern part of the Jicarilla Apache Indian Reservation and vicinity, San Juan Basin, N. Mex., by E. H. Baltz, S. W. West, and J. R. Ash.
172. Compaction of the aquifer system and land subsidence in the Santa Clara Valley, Calif., by J. H. Green.
173. Use of short records of runoff to estimate a 25-year average runoff in the Potomac River basin, by W. S. Eisenlohr, Jr.
174. Use of regionalized flood-frequency curves in adjusting flow-duration curves, by G. A. Kirkpatrick and J. A. McCabe.
175. A control structure for measuring water discharge and sediment load, by E. V. Richardson and D. D. Harris.
176. Use of a radioisotope to measure water discharge, by B. J. Frederick, C. W. Reck, and R. W. Carter.
177. Solute degradation in the Potomac River basin, by H. R. Feltz and J. W. Wark.
178. Foaming characteristics of synthetic-detergent solutions, by C. H. Wayman, J. B. Robertson, and H. G. Page.
179. Surface tension of detergent solutions, by C. H. Wayman, J. B. Robertson, and H. G. Page.

*450-E. Short papers in geology, hydrology, and topography, articles 180-239. 1963. p. E1-E189. (Professional Paper 450 issued only as separate chapters under the general title "Geological Survey research 1962.")

Chapter E contains the following articles, which are not available separately:

180. Mineralization associated with a magnetic anomaly in part of the Ely quadrangle, Nevada, by A. L. Brokaw, G. B. Gott, D. R. Mabey, Howard McCarthy, and Uteana Oda.
181. Preliminary report on alkalic intrusive rocks in the northern Wet Mountains, Colo., by R. L. Parker and F. A. Hilderbrand.
182. Landslides near Gardiner, Mont., by H. A. Waldrop and H. J. Hyden.
183. The Crooked Creek disturbance, southeast Missouri, by T. H. Kiilsgaard, A. V. Heyl, and M. R. Brock.
184. Origin of the Middlesboro Basin, Ky., by K. J. Englund and J. B. Roen.
185. Thrusting developed after folding in the Valley and Ridge province, southwest Virginia, by L. D. Harris.
186. Reversal of throw along a line of low-angle thrust faulting near San Pedro de Atacama, Chile, by R. J. Dingman.
187. Gravity and magnetic anomalies in the northern Oquirrh Mountains, Utah, by D. R. Mabey, E. W. Tooker, and R. J. Roberts.
188. Comparison of Oquirrh Formation sections in the northern and central Oquirrh Mountains, Utah, by E. W. Tooker and R. J. Roberts.
189. Windy Gap Volcanic Member of the Middle Park Formation, Middle Park, Colo, by G. A. Izett, R. B. Taylor, and D. L. Hoover.
190. Shallow halite deposits in the Flowerpot Shale in southwestern Oklahoma, by P. E. Ward.
191. Crinoidal bioherms in the Fort Payne Chert (Mississippian) along the Caney Fork River, Tenn., by M. V. Marcher.
192. Mississippian-Pennsylvanian boundary in northeastern Kentucky, by R. A. Sheppard and Ernest Dobrovolsky.
193. Correlation of the Parkwood Formation and the lower members of the Pottsville Formation in Alabama, by W. C. Culbertson.
194. Pennsylvanian nomenclature in northwest Georgia, by W. C. Culbertson.
195. Pathfinder uplift of Pennsylvanian age in southern Wyoming, by W. W. Mallory.
196. Unconformity marking the Jurassic-Cretaceous boundary in the La Ligua area, Aconcagua Province, Chile, by W. D. Carter.
197. Relations of the Navajo and Carmel Formations in southwest Utah and adjoining Arizona, by J. C. Wright and D. D. Dickey.
198. Bentonite beds of unusual composition in the Carmel Formation, southwest Utah, by L. G. Schultz and J. C. Wright.
199. Sampling a zoned galena crystal for lead isotope study, by R. S. Cannon, Jr., K. L. Buck, and A. P. Pierce.
200. Epidote and related minerals in two deep geothermal drill holes, Reykjavik and Hveragerdi, Iceland, by G. E. Sigvaldason.
201. Epidote in hot-spring systems, and depth of formation of propylitic epidote in epithermal ore deposits, by D. E. White and G. E. Sigvaldason.

202. Thorium and uranium in some volcanic rocks from the circum-Pacific province, by David Gottfried, Roosevelt Moore, and Esma Campbell.
203. The quartz diorite line in northwestern North America, by J. G. Moore, Arthur Grantz, and M. C. Blake, Jr.
204. Syenite complex older than the Idaho batholith, Big Creek quadrangle, central Idaho, by B. F. Leonard.
205. Trondhjemite in the Riggins quadrangle, western Idaho, by Warren Hamilton.
206. X-ray determinative curve for olivines of composition Fo_{80-85} from stratiform and alpine-type peridotites, by P. E. Hotz and E. D. Jackson.
207. Formation of "salt cups" near San Pedro de Atacama, Chile, by R. J. Dingman.
208. Lead-alpha ages of zircon in quartz monzonite porphyry, Thiel Mountains, Antarctica—a preliminary report, by A. B. Ford, H. A. Hubbard, and T. W. Stern.
209. Evaluation of the $\text{Pa}^{231}/\text{U}-\text{Th}^{230}/\text{U}$ method for dating Pleistocene carbonate rocks, by J. N. Rosholt and P. S. Antal.
210. Relation of the pore volume of silty sediments to overburden load, particle size, and sorting, by R. H. Meade.
211. Menan Buttes, cones of glassy basalt tuff in the Snake River Plain, Idaho, by Warren Hamilton and W. B. Myers.
212. Comparison of drainage on topographic maps of the Piedmont province, by E. V. Giusti and W. J. Schneider.
213. Correlation of some glacial deposits in New Mexico, by G. M. Richmond.
214. Ion-exchange separation and spectrophotometric determination of cadmium, by Claude Huffman, Jr.
215. Effect of copper on the precipitation of tellurium with hypophosphorous acid using selenium or gold as a collector, by H. W. Lakin and C. E. Thompson.
216. Spectrophotometric determination of fluorine with thoron, by B. L. Ingram.
217. Portable surveying tower, by J. L. Buckmaster and W. D. Murphy.
218. Airborne control system, by J. L. Buckmaster, H. B. Loving, and T. O. Dando.
219. Effects of major water-table changes in Kings and Queens Counties, New York City, by N. M. Perlmutter and Julian Soren.
220. Infiltration rates in weathered crystalline rocks at the Georgia Nuclear Laboratory, Dawson County, Ga., by J. W. Stewart.
221. Evapotranspiration and the relation of ground water to surface water in the Pond Creek basin, Oklahoma, by W. E. Clark.
222. Estimating the specific capacity of a well, by A. N. Turcan, Jr.
223. Aerial observation of ice cover to locate areas of ground-water inflow to streams, by S. W. Wiitala and T. G. Newport.
224. Permeability of glacial till, by S. E. Norris.
225. Ground water in Cenozoic fill in collapse structures, southeastern Eddy County, N. Mex., by J. B. Cooper.

226. Relation of fresh water to salt water at Centre Island, Nassau County, N.Y., by John Isbister.
227. Highly productive aquifers in the Tacoma area, Washington, by K. L. Walters.
228. Long-term flood frequencies based on extremes of short-term records, by W. J. Conover and M. A. Benson.
229. Flood peaks related to hydrologic factors in the Southwest, by M. A. Benson.
230. Dissolved-salt contribution to Great Salt Lake, Utah, by A. M. Diaz.
231. Orientation of axes for calculating distribution of transmissibility from water-level altitudes, by R. W. Stallman.
232. A method of determining the storage-outflow characteristics of nonlinear reservoirs, by John Shen.
233. An analog solution of the turbulent-diffusion equation for open-channel flow, by John Shen.
234. Measurement of sediment-laden flow by means of a circular orifice, by Nobuhiro Yotsukura.
235. Use of a neutron moisture probe to determine the storage coefficient of an unconfined aquifer, by W. R. Meyer.
236. Centrifuge technique for determining time-drainage relations for a natural sand, by R. C. Prill and A. I. Johnson.
237. Behavior of detergents (ABS), bacteria, and dissolved solids in water-saturated soils, by H. G. Page, C. H. Wayman, and J. B. Robertson.
238. Adsorption of the surfactant ABS[®] on kaolinite, by C. H. Wayman, J. B. Robertson, and H. G. Page.
239. An application of the Gibbs adsorption equation to detergent solutions, by C. H. Wayman.
- *451. Geology and artesian water supply of the Grand Junction area, Colorado, by S. W. Lohman. 1965. 149 p.
- *452-A. Principles of underfit streams, by G. H. Dury. 1964. p. A1-A67.
- *452-B. Subsurface exploration and chronology of underfit streams, by G. H. Dury. 1964. p. B1-B56.
- 452-C. Theoretical implications of underfit streams, by G. H. Dury. 1965. p. C1-C43. 40¢. (Professional Paper 452 issued only as separate chapters under the general title "General theory of meandering valleys." Chapter C includes title page and contents for volume.)
- *453. Geology of the Abajo Mountains area, San Juan County, Utah, by I. J. Witkind. 1964. 110 p.
- *454-A. Petrography of some sandstones and shales of Paleozoic age from borings in Florida, by Dorothy Carroll. 1963. p. A1-A15.
- *454-B, C. B, Pillowed lavas, I: Intrusive layered lava pods and pillowed lavas, Unalaska Island, Alaska, p. B1-B23, and C, Pillowed lavas, II: A review of selected recent literature, by G. L. Snyder and G. D. Fraser, p. C1-C7. 1963.
- *454-D. Glaciation of Little Cottonwood and Bells Canyons, Wasatch Mountains, Utah, by G. M. Richmond. 1964. p. D1-D41.
- *454-E. New data on the isostatic deformation of Lake Bonneville, by M. D. Crittenden, Jr. 1963. p. E1-E31.

- *454-F. Smaller Foraminifera from the late Tertiary of southern Okinawa, by L. W. LeRoy. 1964. p. F1-F58.
- *454-G. Uranium and helium in the Panhandle gas field, Texas, and adjacent areas, by A. P. Pierce, G. B. Gott, and J. W. Mytton, *with contributions by* Henry Faul, G. E. Manger, A. B. Tanner, A. S. Rogers, Rosemary Staatz, and Betty Skipp. 1964. p. G1-G57.
- *454-H. The disparity between present rates of denudation and orogeny, by S. A. Schumm. 1963. p. H1-H13.
- *454-I. The Late Cretaceous cephalopod *Haresiceras* Reeside and its possible origin, by W. A. Cobban. 1964. p. I1-I19.
- *454-J. Geology of Bullfrog quadrangle and ore deposits related to Bullfrog Hills caldera, Nye County, Nev., and Inyo County, Calif., by H. R. Cornwall and F. J. Kleinhampl. 1964. p. J1-J25.
- *454-K. Upper Paleozoic floral zones and floral provinces of the United States, by C. B. Read and S. H. Mamay, *with a Glossary of stratigraphic terms*, by G. C. Keroher. 1964. p. K1-K35.
- *454-L. Stratigraphy of the Niobrara Formation at Pueblo, Colo., by G. R. Scott and W. A. Cobban. 1964. p. L1-L30.
- *454-M. Bedrock valleys of the New England coast as related to fluctuations of sea level, by J. E. Upson and C. W. Spencer. 1964. p. M1-M44.
- *454-N. Miocene floras from Fingerrock Wash., southwestern Nevada, by J. A. Wolfe. 1964. p. N1-N36.
- *454-O. Relationship of Precambrian quartzite-schist sequence along Coal Creek to Idaho Springs Formation, Front Range, Colo., by J. D. Wells, D. M. Sheridan, and A. L. Albee. 1964. p. O1-O25. (Professional Paper 454 issued separately except as listed above under the general title "Shorter contributions to general geology, 1962." Chapter O includes title page and contents for volume.)
- *455-A-F. Geology of uranium-bearing veins in the conterminous United States. 1963 [1964]. p. 1-120.
- A. Introduction to the geology of uranium-bearing veins in the conterminous United States, including sections on geographic distribution and classification of veins, by G. W. Walker and F. W. Osterwald. p. 1-28.
- B. Age of uranium-bearing veins in the conterminous United States, by G. W. Walker. p. 29-35.
- C. Host rocks and their alterations as related to uranium-bearing veins in the conterminous United States, by G. W. Walker. p. 37-53.
- D. Mineralogy, internal structural and textural characteristics, and paragenesis of uranium-bearing veins in the conterminous United States, by G. W. Walker and J. W. Adams. p. 55-90.
- E. Supergene alteration of uranium-bearing veins in the conterminous United States, by G. W. Walker. p. 91-103.
- F. Concepts of origin of uranium-bearing veins in the conterminous United States, by G. W. Walker and F. W. Osterwald. p. 105-120.
- *455-G. Structural control of uranium-bearing vein deposits and districts in the conterminous United States, by F. W. Osterwald. 1965. p. 121-146. (Professional Paper 455 issued separately except as listed above under the general title "Geology of uranium-bearing veins in the conterminous United States." Chapter G includes title page and contents for volume.)

- *456-A. Type section of the Beacon Sandstone of Antarctica, by Warren Hamilton and P. T. Hayes. 1963. p. A1-A18.
- *456-B. Diabase sheets of the Taylor Glacier region, Victoria Land, Antarctica, by Warren Hamilton, *with sections on Petrography*, by Warren Hamilton, P. T. Hayes, and Ronald Calvert, *and sections on Chemistry*, by Warren Hamilton, V. C. Smith, P. S. D. Elmore, P. R. Barnett, and Nancy Conklin. 1965. p. B1-B71. (Professional Paper 456 issued only as separate chapters under the general title "Contributions to the geology of Antarctica.")
- *457. Geology and volcanic petrology of the Lava Mountains, San Bernardino County, Calif., by G. I. Smith. 1964 [1965]. 97 p.
- *458-A. Regional geology of the Steamboat Springs area, Washoe County, Nev., by G. A. Thompson and D. E. White. 1964. p. A1-A52.
- *458-B. Rocks, structure, and geologic history of Steamboat Springs thermal area, Washoe County, Nev., by D. E. White, G. A. Thompson, and C. H. Sandberg. 1964. p. B1-B63.
- 458-C. Hydrology, activity, and heat flow of the Steamboat Springs thermal system, Washoe County, Nev., by D. E. White. 1968. p. C1-C109. \$1.25. (Professional Paper 458 issued only as separate chapters under the general title "Geology and geochemistry of the Steamboat Springs area, Nevada.")
- *459-A. Stratigraphy and structure of the Antler Peak quadrangle, Humboldt and Lander Counties, Nev., by R. J. Roberts. 1964 [1965]. p. A1-A93.
- *459-B. Ore deposits of the Antler Peak quadrangle, Humboldt and Lander Counties, Nev., by R. J. Roberts and D. C. Arnold. 1965. p. B1-B94. (Professional Paper 459 issued only as separate chapters under the general title "Geology of the Antler Peak quadrangle, Nevada." Chapter B includes title page and contents for volume.)
- *460. Carboniferous cephalopods of Arkansas, by Mackenzie Gordon, Jr. 1964 [1965]. 322 p.
- *461. Geology of the Klondyke quadrangle, Graham and Pinal Counties, Ariz., by F. S. Simons. 1964. 173 p.
- *462-A. Discharge of sands and mean-velocity relationships in sand-bed streams, by B. R. Colby. 1964. p. A1-A47.
- *462-B. Vertical distribution of velocity and suspended sediment, Middle Rio Grande, N. Mex., by C. F. Nordin, Jr., and G. R. Dempster, Jr. 1963. p. B1-B20.
- *462-C. A preliminary study of sediment transport parameters, Rio Puerco near Bernardo, N. Mex., by C. F. Nordin, Jr. 1963. p. C1-C21.
- *462-D. Scour and fill in sand-bed streams, by B. R. Colby. 1964. p. D1-D32.
- *462-E. An analysis of some storm-period variables affecting stream sediment transport, by H. P. Guy. 1964. p. E1-E46.
- *462-F. Sediment transport in the Rio Grande, N. Mex., by C. F. Nordin, Jr., and J. P. Beverage. 1965. p. F1-F35.
- *462-G. Effects of water temperature on the discharge of bed material, by B. R. Colby and C. H. Scott. 1965. p. G1-G25.
- *462-H. Bedload equation for ripples and dunes, by D. B. Simons, E. V. Richardson, and C. F. Nordin, Jr. 1965. p. H1-H9.
- *462-I. Summary of alluvial channel data from flume experiments, 1956-61, by H. P. Guy, D. B. Simons, and E. V. Richardson. 1966. p. I1-I96. (Pro-

fessional Paper 462 issued only as separate chapters under the general title "Sediment transport in alluvial channels, 1963-65.")

- *463. Uranium-bearing lignite and carbonaceous shale in the southwestern part of the Williston basin—A regional study, by N. M. Denson and J. R. Gill, *with a section on Heavy minerals in Cretaceous and Tertiary rocks associated with uranium occurrences*, by W. A. Chisholm. 1965. 75 p.
- *464. Devonian rocks and paleogeography of central Arizona, by Curt Teichert. 1965. 181 p.
- *465. Tectonic and igneous geology of the northern Shoshone Range, Nev., by James Gilluly and Olcott Gates, *with sections on Gravity in Crescent Valley*, by Donald Plouff and Economic geology, by K. B. Ketner. 1965. 153 p.
- *466. Alluvial fans in the Death Valley region, California and Nevada, by C. S. Denny. 1965. 62 p.
- *467. Geology of the Prescott and Paulden quadrangles, Arizona, by M. H. Krieger. 1965. 127 p.
- *468. Crystal chemistry of beryllium, by Malcolm Ross. 1964. 30 p.
- *469. Cambrian rocks of the Pioche mining district, Nevada, by C. W. Merriam, *with a section on Pioche shale faunules*, by A. R. Palmer. 1964. 59 p.
- *470. Geology and tungsten mineralization of the Bishop district, California, by P. C. Bateman, *with a section on Gravity study of Owens Valley*, by L. C. Pakiser and M. F. Kane, *and a section on Seismic profile*, by L. C. Pakiser. 1965. 208 p.
- *471. Geology of the San Manuel area, Pinal County, Ariz., by S. C. Creasey, *with a section on Ore deposits*, by J. D. Pelletier and S. C. Creasey. 1965. 64 p.
- *472. Geology of the Omaha-Council Bluffs area, Nebraska-Iowa, by R. D. Miller. 1964 [1965]. 70 p.
- *473-A. Geochemistry of ground water in mine drainage problems, by Ivan Barnes and F. E. Clarke. 1964. p. A1-A6.
- *473-B. Field investigation of mine waters in the northern anthracite field, Pennsylvania, by Ivan Barnes, W. T. Stuart, and D. W. Fisher. 1964. p. B1-B8.
- *473-C. Geologic and hydrologic studies in the Birmingham red-iron-ore district, Alabama, by T. A. Simpson. 1965. p. C1-C47. (Professional Paper 473 issued only as separate chapters under the general title "Mining hydrology.")
- *474-A. Uranium in carbonate rocks, by K. G. Bell. 1963. p. A1-A29.
- *474-B. Geology and uranium deposits of Elk Ridge and vicinity, San Juan County, Utah, by R. Q. Lewis, Sr., and R. H. Campbell. 1965. p. B1-B69.
- *474-C. Geology of Precambrian rocks, Central City district, Colorado, by P. K. Sims and D. J. Gable. 1964 [1965]. p. C1-C52.
- *474-D. The 1961 eruption of Kilauea Volcano, Hawaii, by D. H. Richter, W. U. Ault, J. P. Eaton, and J. G. Moore. 1964. p. D1-D34.
- *474-E. Uraniferous phosphatic lake beds of Eocene age in intermontane basins of Wyoming and Utah, by J. D. Love. 1964. p. E1-E66.
- *474-F. Water content of micas and chlorites, by M. D. Foster. 1964. p. F1-F15. (Professional Paper 474 issued only as separate chapters under the general title "Shorter contributions to general geology, 1963.")
- *475-A. Summary of investigations. 1963. p. A1-A300.

- *475-B. Short papers in geology and hydrology, Articles 1-59. 1963. p. B1-B219. Contains the following articles, which are not available separately:
1. Significance of O^{18}/O^{16} and C^{13}/C^{12} ratios in hydrothermally dolomitized limestones and manganese carbonate replacement ores of the Drum Mountains, Juab County, Utah, by T. S. Lovering, J. H. McCarthy, and Irving Friedman.
 2. Thortveitite associated with fluorite, Ravalli County, Mont., by R. L. Parker and R. G. Havens.
 3. Beryllium in the tin deposits of Irish Creek, Va., by F. G. Lesure, T. H. Kiilsgaard, C. E. Brown, and M. E. Mrose.
 4. Beryllium and fluorine in mineralized tuff, Spor Mountain, Juab County, Utah, by W. R. Griffiths and L. F. Rader, Jr.
 5. Beryllium and fluorine content of some silicic volcanic glasses from Western United States, by W. R. Griffiths and H. A. Powers.
 6. Some new data on the arsenic content of basalt, by A. J. Bartel, E. J. Fennelly, Claude Huffman, Jr., and L. F. Rader, Jr.
 7. Preliminary relations in the system $Na_2B_4O_7$ - $Ca_2B_6O_{11}$ - H_2O , by B. B. Hanshaw.
 8. Variation in minor-element content of desert varnish, by H. W. Lakin, C. B. Hunt, D. F. Davidson, and Uteana Oda.
 9. Relation of ion-exchange capacity to mineral composition and grain size of weathered crystalline rocks at the Georgia Nuclear Laboratory, Dawson County, Ga., by J. W. Stewart.
 10. Cordierite-bearing mineral assemblages in Precambrian rocks, Central City quadrangle, Colorado, by P. K. Sims and D. J. Gable.
 11. Bedded barite deposits of the Shoshone Range, Nev., by K. B. Ketner.
 12. Accretionary lapilli in rocks of the Carolina slate belt, Stanly County, N.C., by H. W. Sundelius.
 13. Composition and origin of siliceous mudstone in the Carlin and Pine Valley quadrangles, Nevada, by K. B. Ketner and J. F. Smith, Jr.
 14. Tuffaceous sandstones in the Triassic Chinle Formation, Colorado Plateau, by R. A. Cadigan.
 15. Petrographic characteristics of some welded tuffs of the Piapi Canyon Formation, Nevada Test Site, Nev., by J. T. O'Connor.
 16. Potassium-argon and lead-alpha ages for stratigraphically bracketed plutonic rocks in the Talkeetna Mountains, Alaska, by Arthur Grantz, Herman Thomas, T. W. Stern, and N. B. Sheffey.
 17. Radium migration and its effect on the apparent age of uranium deposits at Ambrosia Lake, N. Mex., by H. C. Granger.
 18. Gravity survey of the Gold Meadows stock, Nevada Test Site, Nye County, Nev., by D. L. Healey and C. H. Miller.
 19. Depiction of soil-covered structures by infrared aerial photography, by W. A. Fischer.
 20. Two nomographs for computation of standard equations in earth-resistivity interpretation, by J. H. Scott.

21. New Cambrian, Ordovician, and Silurian formations in the Independence quadrangle, Inyo County, Calif., by D. C. Ross.
22. The Livingston Group of south-central Montana, by A. E. Roberts.
23. Age of certain post-Madison rocks in southwestern Montana and western Wyoming, by J. T. Dutro, Jr., and W. J. Sando.
24. Emendation of the Kelvin Formation and Morrison(?) Formation near Salt Lake City, Utah, by M. D. Crittenden, Jr.
25. Apache Creek Sandstone Member of the Pierre Shale of southeastern Colorado, by G. R. Scott and W. A. Cobban.
26. Stratigraphic section at Island Beach State Park, N. J., by P. R. Seaber and John Vecchioli.
27. Aerial reconnaissance of the outer Shumagin Islands, Alaska, by Arthur Grantz.
28. Structural influence on development of linear topographic features, southern Baranof Island, southeastern Alaska, by D. A. Brew, R. A. Loney, J. S. Pomeroy, and L. J. P. Muffler.
29. Geology of the Guánica-Guayanilla Bay area, southwestern Puerto Rico, by I. G. Grossman.
30. Caradocian (Middle Ordovician) fossiliferous rocks near Ashland, Maine, by R. B. Neuman.
31. Miocene vertebrates from Middle Park, Colo., by G. A. Izett and G. E. Lewis.
32. Paleocology of the Permian Phosphoria Formation and related rocks, by E. L. Yochelson.
33. Quaternary events along the unglaciated lower Ohio River valley, by L. L. Ray.
34. Karst topography in the Gros Ventre Mountains, northwestern Wyoming, by W. R. Keefer.
35. Eruptions of water and sand resulting from an earthquake near Concepción, Chile, by Kenneth Segerstrom, Lorenzo Casertano, and Carlos Galli O.
36. Paradise debris flow at Mount Rainier, Wash., by D. R. Crandell.
37. Preliminary report on glaciology and glacial geology of the Thiel Mountains, Antarctica, by B. G. Andersen.
38. Influence of snow cover on frost penetration, by D. B. Krinsley.
39. Origin and nature of the probable skeletal fuzz on the Moon, by C. R. Warren.
40. Pillow structures of submarine basalts east of Hawaii, by J. G. Moore and R. K. Reed.
41. Estimates of world bauxite reserves and potential resources, by S. H. Patterson.
42. Lead reference sample for isotopic abundance ratios, by M. H. Delevaux.
43. Synthesis of liebigite, by Robert Meyrowitz, D. R. Ross, and A. D. Weeks.
44. Separation of tellurium from iron and gold using tributyl phosphate and ether, by C. E. Thompson and H. W. Lakin.
45. Determination of traces of boron in halite and anhydritic halite rocks, by F. S. Grimaldi and F. O. Simon.

46. Determining density and porosity of tuff containing zeolites, by D. D. Dickey and E. F. Monk.
 47. Land subsidence in the Arvin-Maricopa area, San Joaquin Valley, Calif., by B. E. Lofgren.
 48. Waterpower investigations of lakes in Alaska, by Arthur Johnson.
 49. Ground water in the Nahud outlier of the Nubian Series, Kordofan Province, Sudan, by H. G. Rodis and Wilson Iskander.
 50. Contamination of ground water by sea-water intrusion along Puget Sound, Wash., an area having abundant precipitation, by G. E. Kimmel.
 51. Influence of land-surface conditions on ground-water temperatures in southwestern Suffolk County, Long Island, N.Y., by E. J. Pluhowski and I. H. Kantrowitz.
 52. Seasonal changes in the chemical quality of shallow ground water in northwestern, Alaska, by A. J. Feulner and R. G. Schupp.
 53. Changes in ground-water movement and bank storage caused by flood waves in surface streams, by H. H. Cooper, Jr., and M. I. Rorabaugh.
 54. Preparation of type curves for calculating T/S of a wedge-shaped aquifer, by I. S. Papadopoulos.
 55. Effect of the injection scheme on the spread of tracers in ground-water reservoirs, by Akio Ogata.
 56. Effect of base-level changes on bedding development in a laboratory flume, by A. V. Jopling.
 57. Factors influencing the survival of *Escherichia coli* in detergent solutions, by C. H. Wayman, J. B. Robertson, and H. G. Page.
 58. Effect of detergents on the viscosity of water containing bacteria and clay in suspension, by C. H. Wayman, H. G. Page, and J. B. Robertson.
 59. Adsorption of the surfactant ABS[®] on montmorillonite, by C. H. Wayman, J. B. Robertson, and H. G. Page.
- *475-C. Short papers in geology and hydrology, Articles 60-121. 1963. p. C1-C233. Contains the following articles, which are not available separately:
60. Structure of Precambrian crystalline rocks in the northern part of Grand Teton National Park, Wyo., by J. C. Reed, Jr.
 61. Plutonic rocks of northern Zacatecas and adjacent areas, Mexico, by C. L. Rogers, Roger van Vloten, J. O. Rivera, E. T. Amezcua, and Zoltan de Cserna.
 62. The Ordovician-Silurian contact in Dubuque County, Iowa, by J. W. Whitlow and C. E. Brown.
 63. Spirorbal limestone in the Souris River(?) Formation of Late Devonian age at Cottonwood Canyon, Bighorn Mountains, Wyo., by C. A. Sandberg.
 64. Dark shale unit of Devonian and Mississippian age in northern Wyoming and southern Montana, by C. A. Sandberg.
 65. Nomenclature for lithologic subdivisions of the Mississippian Redwall Limestone, Arizona, by E. D. McKee.
 66. Mississippian rocks in the Laramie Range, Wyo., and adjacent areas, by E. K. Maughan.

67. Triassic uplift along the west flank of the Defiance positive element, Arizona, by E. D. McKee.
68. Revised stratigraphic nomenclature and age of the Tuxedni Group in the Cook Inlet, Alaska, by R. L. Detterman.
69. Redefinition and correlation of the Ohio Creek Formation (Paleocene) in west-central Colorado, by D. L. Gaskill and L. H. Godwin.
70. Tertiary volcanic stratigraphy in the western San Juan Mountains, Colo., by R. G. Luedke and W. S. Burbank.
71. Fenton Pass Formation (Pleistocene?), Bighorn Basin, Wyo., by W. L. Rohrer and E. B. Leopold.
72. Nussbaum Alluvium of Pleistocene(?) age at Pueblo, Colo., by G. R. Scott.
73. Age of the Murray Shale and Hesse Quartzite on Chilhowee Mountain, Blount County, Tenn., by R. A. Laurence and A. R. Palmer.
74. Conodonts from the Flynn Creek cryptoexplosive structure, Tennessee, by J. W. Huddle.
75. Middle Triassic marine ostracodes in Israel, by I. G. Sohn.
76. Occurrence of the late Cretaceous ammonite *Hoplitoplacenticer* in Wyoming, by W. A. Cobban.
77. Paleotemperature inferences from Late Miocene mollusks in the San Luis Obispo-Bakersfield area, California, by W. O. Addicott and J. G. Vedder.
78. Late Pleistocene diatoms from the Arica area, Chile, by R. J. Dingman and K. E. Lohman.
79. Possible Pleistocene-Recent boundary in the Gulf of Alaska, based on benthonic Foraminifera, by P. B. Smith.
80. Petrology of rhyolite and basalt, northwestern Yellowstone Plateau, by Warren Hamilton.
81. The Canyon Mountain Complex, Oregon, and the Alpine mafic magma stem, by T. P. Thayer.
82. Modal composition of the Idaho batholith, by C. P. Ross.
83. Solution breccias of the Minnelusa Formation in the Black Hills, S. Dak., and Wyo., by C. G. Bowles and W. A. Braddock.
84. Calcitization of dolomite by calcium sulfate solutions in the Minnelusa Formation, Black Hills, S. Dak., and Wyo., by W. A. Braddock and C. G. Bowles.
85. Apatitized wood and leucophosphite in nodules in the Moreno Formation, California, by R. A. Gulbrandsen, D. L. Jones, K. M. Tagg, and D. W. Reeser.
86. Variation in element content of American elm tissue with a pronounced change in the chemical nature of the soil, by H. T. Shacklette.
87. Ordovician age for some rocks of the Carolina slate belt in North Carolina, by A. M. White, A. A. Stromquist, T. W. Stern, and Harold Westley.
88. Gravity survey in the Rampart Range area, Colorado, by C. H. Miller.
89. Gravity survey of the island of Hawaii, by W. T. Kinoshita, H. L. Krivoy, D. R. Mabey, and R. R. MacDonald.

90. Evaluation of magnetic anomalies by electromagnetic measurements, by F. C. Frischknecht and E. B. Ekren.
91. Glaciolacustrine diamicton deposits in the Copper River Basin, Alaska, by O. J. Ferrians, Jr.
92. Competence of transport on alluvial fans, by L. K. Lustig.
93. Distribution of granules in a bolson environment, by L. K. Lustig.
94. Sediments on the continental margin off eastern United States, by Elazar Uchupi.
95. Possible wind-erosion origin of linear scarps on the Sage Plain, southwestern Colorado, by D. R. Shawe.
96. Glacial lakes near Concord, Mass., by Carl Koteff.
97. Channel changes on Sandstone Creek near Cheyenne, Okla., by D. L. Bergman and C. W. Sullivan.
98. Origin and geologic significance of buttress roots of Bristlecone pines, White Mountains, Calif., by V. C. LaMarche, Jr.
99. Bauxitization of terra rossa in the southern Appalachian region, by M. M. Knechtel.
100. An ore-bearing cylindrical collapse structure in the Ambrosia Lake uranium district, New Mexico, by H. C. Granger and E. S. Santos.
101. Formation of ridges through differential subsidence of peatlands of the Sacramento-San Joaquin Delta, Calif., by G. H. Davis.
102. Chemical preparation of samples for lead isotope analysis, by J. C. Antweiler.
103. Percent-constituent printing accessory and flow-through cell for a spectrophotometer, by Leonard Shapiro and E. L. Curtis.
104. Dissipation of heat from a thermally loaded stream, by Harry Messinger.
105. Movement of waterborne cadmium and hexavalent chromium wastes in South Farmingdale, Nassau County, Long Island, N.Y., by N. M. Perlmutter, Maxim Lieber, and H. L. Frauenthal.
106. Effect of urbanization on storm discharge and ground-water recharge in Nassau County, N.Y., by R. M. Sawyer.
107. Mapping transmissibility of alluvium in the lower Arkansas River valley, Arkansas, by M. S. Bedinger and L. F. Emmett.
108. Snowmelt hydrology of the North Yuba River basin, California, by S. E. Rantz.
109. Field verification of computation of peak discharge through culverts, by C. T. Jenkins.
110. Use of low-flow measurements to estimate flow-duration curves, by O. P. Hunt.
111. Graphical multiple-regression analysis of aquifer tests, by C. T. Jenkins.
112. Nomograph for computing effective shear on streambed sediment, by B. R. Colby.
113. Distribution of shear in rectangular channels, by Jacob Davidian and D. I. Cahal.
114. Sulfate and nitrate content of precipitation over parts of North Carolina and Virginia, by A. W. Gambell.

115. Differences between field and laboratory determinations of pH, alkalinity, and specific conductance of natural water, by C. E. Roberson, J. H. Feth, P. R. Seaber, and Peter Anderson.
 116. Increased oxidation rate of manganese ions in contact with feldspar grains, by J. D. Hem.
 117. Solution of manganese dioxide by tannic acid, by Jack Rawson.
 118. Effectiveness of common aquatic organisms in removal of dissolved lead from tap water, by E. T. Oborn.
 119. Adsorption of the surfactant ABS^{ss} on illite, by C. H. Wayman, H. G. Page, and J. B. Robertson.
 120. Biodegradation of surfactants in synthetic detergents under aerobic and anaerobic conditions at 10°C, by C. H. Wayman and J. B. Robertson.
 121. Direct measurement of shear in open-channel flow, by Jacob Davidian and D. I. Cahal.
- *475-D. Short papers in geology and hydrology, Articles 122-172. 1964. p. D1-D223. (Professional Paper 475 issued only as separate chapters under the general title "Geological Survey research 1963.") Chapter D contains the following articles, which are not available separately:
122. Comparison of late Paleozoic depositional history of northern Nevada and central Idaho, by R. J. Roberts and M. R. Thomasson. p. D1-D6.
 123. Thrust-fault relations in the northern Coast Ranges, Calif., by R. D. Brown, Jr. p. D7-D13.
 124. Upper Pliocene marine strata on the east side of the San Joaquin Valley, Calif., by R. L. Klausing and K. E. Lohman. p. D14-D17.
 125. Miocene vertebrates of the Barstow Formation in southern California, by G. E. Lewis. p. D18-D23.
 126. The Thirsty Canyon Tuff of Nye and Esmeralda Counties, Nev., by D. C. Noble, R. E. Anderson, E. B. Ekren, and J. T. O'Connor. p. D24-D27.
 127. St. Kevin Granite, Sawatch Range, Colo., by Ogden Tweto and R. C. Pearson. p. D28-D32.
 128. Reinterpretation of the late growth of the Gypsum Valley salt anticline, San Miguel County, Colo., by F. W. Carter. p. D33-D37.
 129. A Pleistocene section at Leonards Cut, Burke County, N.C., by J. C. Reed, Jr., Bruce Bryant, Jr., E. B. Leopold, and Louise Weiler. p. D38-D42.
 130. Surface and subsurface stratigraphic sequence in southeastern Mississippi, by D. H. Eargle. p. D43-D48.
 131. Magmatic differentiation in a volcanic sequence related to the Creede caldera, Colorado, by J. C. Ratté and T. A. Steven. p. D49-D53.
 132. Revised Tertiary volcanic sequence in the central San Juan Mountains, Colo., by T. A. Steven and J. C. Ratté. p. D54-D63.
 133. Valleriite and the new iron sulfide, mackinawite, by H. T. Evans, Jr., Charles Milton, E. C. T. Chao, Isidore Adler, Cynthia Mead, Blanche Ingram, and R. A. Berner. p. D64-D69.

134. Eddies as indicators of local flow direction in rhyolite, by David Cummings. p. D70-D72.
135. Cadmium in samples of the Pierre Shale and some equivalent stratigraphic units, Great Plains region, by H. A. Tourtelot, Claude Huffman, Jr., and L. F. Rader. p. D73-D78.
136. Analysis of geochemical prospecting data from the Rocky Range, Beaver County, Utah, by J. J. Connor and A. T. Miesch. p. D79-D83.
137. Investigation of sampling-error effects in geochemical prospecting, by A. T. Miesch and J. J. Connor. p. D84-D88.
138. Effect of cation exchange on the thermal behavior of heulandite and clinoptilolite, by A. O. Shepard and H. C. Starkey. p. D89-D92.
139. Determination of the ion-exchange capacity of a zeolitic tuff, by H. C. Starkey. p. D93-D95.
140. Geological and geochemical reconnaissance, southern part of the Smyrna Mills quadrangle, Aroostook County, Maine, by Louis Pavlides and F. C. Canney. p. D96-D99.
141. Age of basement rocks from the Williston basin of North Dakota and adjacent areas, by Z. E. Peterman and C. E. Hedge. p. D100-D104.
142. Isotopic ages of glaucophane schists from the area of Cazadero, Calif., by D. E. Lee, H. H. Thomas, R. F. Marvin, and R. G. Coleman. p. D105-D107.
143. Crustal structure in the vicinity of Las Vegas, Nev., from seismic and gravity observations, by J. C. Roller. p. D108-D111.
144. Hawaiian seismic events during 1962, by R. Y. Koyanagi. p. D112-D117.
145. Seismic investigations on Cape Cod, Mass., by R. N. Oldale and C. R. Tuttle. p. D118-D122.
146. Geologic setting of the Spar City district, San Juan Mountains, Colo., by T. A. Steven. p. D123-D127.
147. Thorium and uranium in monazite from Spokane County, Wash., by J. W. Hosterman, W. C. Overstreet, and J. J. Warr, Jr. p. D128-D130.
148. Rich oil shale from northern Alaska, by I. L. Tailleux. p. D131-D133.
149. Dissimilarity between spatial and velocity-weighted sediment concentrations, by H. P. Guy and D. B. Simons. p. D134-D137.
150. Temporary storage of fine sediments in islands and point bars and alluvial channels of the Rio Grande, New Mexico and Texas, by C. F. Nordin, Jr., and J. P. Beverage. p. D138-D140.
151. Fluvial sedimentation in Mammoth Cave, Ky., by C. R. Collier and R. F. Flint. p. D141-D143.
152. Quaternary mudflow deposits near Santiago, Chile, by Kenneth Segerstrom, Octavio Castillo U., and Edurado Falcón M. p. D144-D148.
153. New occurrences of the rugose coral *Rhizophyllum* in North America, by W. A. Oliver. p. D149-D158.

154. Glacial chronology of Ullsfjord, northern Norway, by G. W. Holmes and B. G. Andersen. p. D159-D163.
155. Effluent collector for gas chromatography, by D. F. Goerlitz and W. L. Lamar. p. D164-D166.
156. Use of sodium-sensitive glass electrodes for solubility determinations, by A. H. Truesdell and C. L. Christ. p. D167-D170.
157. Semimicro X-ray fluorescence analysis of tektites using 50-milligram samples, by H. J. Rose, Jr., Frank Cuttitta, M. K. Carron, and Robena Brown. p. D171-D173.
158. Determination of total iron in hematitic iron ores by X-ray fluorescence spectrometry, by W. W. Niles. p. D174-D175.
159. A gas jet for d-c arc spectroscopy, by A. W. Helz. p. D176-D178.
160. Dolomite solubility in ground water, by Ivan Barnes and William Back. p. D179-D180.
161. Effect of tree leaves on water quality in the Cacapon River, W. Va., by K. V. Slack. p. D181-D185.
162. Relation of percent sodium to source and movement of ground water. National Reactor Testing Station, Idaho, by F. H. Olmsted. p. D186-D188.
163. Relation of fluoride content to recharge and movement of ground water in Oasis Valley, southern Nevada, by G. T. Malmberg and T. E. Eakin. p. D189-D191.
164. Reservoir storage on streams having long-normal distributions of annual discharge, by C. H. Hardison. p. D192-D193.
165. Environmental factors affecting attached macro-organisms, Patuxent River estuary, Maryland, by R. L. Cory. p. D194-D197.
166. Anomalous streamflow-ground-water regimen in the Mad River basin, near Springfield, Ohio, by W. P. Cross and A. J. Feulner. p. D198-D201.
167. Height-frequency relations for New Jersey floods, by D. M. Thomas. p. D202-D203.
168. Seasonal temperature fluctuations in surficial sand near Albany, N.Y., by R. C. Heath. p. D204-D208.
169. Hydrogeology of the Santiago area, Chile, by W. W. Doyel, R. J. Dingman, and Octavio Castillo U. p. D209-D212.
170. Ground water in the Arica area, Chile, by W. W. Doyel. p. D213-D215.
171. "Lazy" thermometers and their use in measuring ground-water temperatures, by R. C. Heath. p. D216-D218.
172. Television apparatus for borehole exploration, by J. E. Eddy. p. D219-D220.
- *476-A. Geology and uranium deposits in the Cave Hills area, Harding County, S. Dak., by G. N. Pipiringos, W. A. Chisholm, and R. C. Kepferle. 1965. p. A1-A64.
- *476-B. Origin of elements associated with uranium in the Cave Hills area, Harding County, S. Dak., by G. N. Pipiringos. 1966. p. B1-B75. (Professional Paper 476 issued only as separate chapters under the general title "Uranium investigations in the Cave Hills area, Harding County, S. Dak." Chapter B includes title page and contents for volume.)

- *477. Lake Bonneville: Quaternary stratigraphy of eastern Jordan Valley, south of Salt Lake City, Utah, by R. B. Morrison. 1965. 80 p.
- *478. Geology of the Coeur d'Alene district, Shoshone County, Idaho, by S. W. Hobbs, A. B. Griggs, R. E. Wallace, and A. B. Campbell. 1965. 139 p.
- *479. Geology of the Sierra Blanca area, Hudspeth County, Tex., by C. C. Albritton, Jr., and J. F. Smith, Jr. 1965. 131 p.
- *480. Geology of the Sierra Diablo region, Texas, by P. B. King, *with special determinative studies of Permian fossils*, by L. G. Henbest, E. L. Yochelson, P. E. Cloud, Jr., Helen Duncan, R. M. Finks, and I. G. Sohn. 1965. 185 p.
- *481. Geology and petrology of the Ute Mountains area, Colorado, by E. B. Ekren and F. N. Houser. 1965. 74 p.
- *482. Physiographic divisions of Alaska, by Clyde Wahrhaftig. 1965 [1966]. 52 p.
- *483-A. California Carboniferous cephalopods, by Mackenzie Gordon, Jr. 1964. p. A1-A27.
- *483-B. The Devonian colonial coral genus *Billingsastraea* and its earliest known species, by W. A. Oliver, Jr. 1964. p. B1-B5.
- *483-C. Marine Jurassic pelecypods from central and southern Utah, by R. W. Imlay. 1964. p. C1-C42.
- *483-D. Upper Jurassic mollusks from eastern Oregon and western Idaho, by R. W. Imlay. 1964. p. D1-D21.
- *483-E. Multinodose scaphitid cephalopods from the lower part of the Pierre Shale and equivalent rocks in the conterminous United States, by W. A. Cobban and G. R. Scott. 1964. p. E1-E13.
- *483-F. An unusual Lower Cambrian trilobite fauna from Nevada, by A. R. Palmer. 1964. p. F1-F13.
- *483-G. Evolution and distribution of the genus *Mya*, and Tertiary migrations of Mollusca, by F. S. MacNeil. 1965. p. G1-G51.
- *483-H. Giant Upper Cretaceous oysters from the Gulf coast and Caribbean, by N. F. Sohl and E. G. Kauffman. 1964. p. H1-H22.
- *483-I. Correlation and Foraminifera of the Monmouth Group (Upper Cretaceous), Long Island, N.Y., by N. M. Perlmutter and Ruth Todd. 1965. p. I1-I24. (Professional Paper 483 issued only as separate chapters under the general title "Contributions to paleontology, 1963." Chapter I includes title page and contents for volume.)
- *484. Geomorphology of the Shenandoah Valley, Virginia and West Virginia, and origin of the residual ore deposits, by J. T. Hack. 1965. 84 p.
- *485-A. Botanical evidence of floods and flood-plain deposition, by R. S. Sigafos. 1964. p. A1-A35.
- *485-B. Throughfall for summer thunderstorms in a juniper and pinyon woodland, Cibecue Ridge, Ariz., by M. R. Collings. 1965 [1966]. p. B1-B13.
- 485-C. Annual growth of suppressed chestnut oak and red maple—A basis for hydrologic inference, by R. L. Phipps. 1967. p. C1-C27. 30¢
- 485-D. Plant ecology of an arid basin, Tres Alamos-Redington area, southeastern Arizona, by R. C. Zimmermann. 1969. p. D1-D51. \$1.75. (Professional Paper 485 issued only as separate chapters under the general title "Vegetation and hydrologic phenomena.")
- *486-B. Precipitation, runoff, and water loss in the lower Colorado River-Salton Sea area, by A. G. Hely and E. L. Peck. 1964. p. B1-B16.

- *486-C. Hydrologic regimen of Salton Sea, Calif., by A. G. Hely, G. H. Hughes, and Burdge Irelan. 1966. p. C1-C32.
- 486-D. Lower Colorado River water supply—Its magnitude and distribution, by A. G. Hely. 1969. p. D1-D54. 60¢.
- 486-F. Studies of consumptive use of water by phreatophytes and hydrophytes near Yuma, Ariz., by C. C. McDonald and G. H. Hughes. 1968. p. F1-F24. 35¢. (Professional Paper 486 issued only as separate chapters under the general title "Water resources of lower Colorado River-Salton Sea area.")
- *487. Geology and structural control of ore deposition in the Creede district, San Juan Mountains, Colo., by T. A. Steven and J. C. Ratté. 1965. 90 p.
- *488. Geomorphology and Quaternary geology of the Owensboro quadrangle, Indiana and Kentucky, by L. L. Ray. 1965. 72 p.
- *489. Geology and ore deposits of the Metaline zinc-lead district, Pend Oreille County, Wash., by McC. G. Dings and D. H. Whitebread. 1965. 109 p.
- *490. Geology of the Flaming Gorge area, Utah-Colorado-Wyoming, by W. R. Hansen. 1965. 196 p.
- *491-A. Introduction, spread, and areal extent of saltcedar (*Tamarix*) in the Western States, by T. W. Robinson. 1965. p. A1-A12.
- *491-B. Effects of juniper and pinyon eradication on streamflow from Corduroy Creek basin, Arizona, by M. R. Collings and R. M. Myrick. 1966. p. B1-B12.
- *491-C. Composition of saline residues on leaves and stems of saltcedar (*Tamarix pentandra* Pallas), by J. D. Hem. 1967. p. C1-C9.
- 491-D. Evapotranspiration by woody phreatophytes in the Humboldt River valley near Winnemucca, Nev., by T. W. Robinson, *with a section on* Soil-moisture determinations, by A. O. Waananen. 1970. p. D1-D41. 55¢. (Professional Paper 491 issued only as separate chapters under the general title "Studies of evapotranspiration.")
- *492. Thermal springs of the United States and other countries of the world—A summary, by G. A. Waring, *revised by* R. R. Blankenship and Ray Bentall. 1965. 383 p.
493. Trilobites of the Late Cambrian Pterocephaliid bioterm in the Great Basin, United States, by A. R. Palmer. 1965. 105 p. \$2.50.
- *494-A. Stratigraphy and structure, Death Valley, Calif., by C. B. Hunt and D. R. Mabey. 1966. p. A1-A162.
- *494-B. Hydrologic basin. Death Valley, Calif., by C. B. Hunt, T. W. Robinson, W. A. Bowles, and A. L. Washburn. 1966. p. B1-B138. (Professional Paper 494 issued only as separate chapters under the general title "General geology at Death Valley, Calif." Chapter B includes title page and contents for volume.)
- *495-A. Stratigraphy and geologic history of the uppermost Cretaceous, Paleocene, and lower Eocene rocks in the Wind River Basin, Wyo., by W. R. Keefer. 1965. p. A1-A77.
- *495-B. Paleozoic formations in the Wind River Basin, Wyo., by W. R. Keefer and J. A. Van Lieu. 1966. p. B1-B60.
- 495-C. Cenozoic geology of the Granite Mountains area, central Wyoming, by J. D. Love. 1970. p. C1-C154. \$7.25.
- *495-D. Structural geology of the Wind River Basin, Wyo., by W. R. Keefer. 1970. p. D1-D35. (Professional Paper 495 issued only as separate chap-

- ters under the general title. "Geology of the Wind River Basin, central Wyoming.")
- *496-A. Geology of Green River Formation and associated Eocene rocks in southwestern Wyoming and adjacent parts of Colorado and Utah, by W. H. Bradley. 1964 [1965]. p. A1-A86.
 - 496-B. Geochemistry and paleolimnology of the trona deposits and associated authigenic minerals of the Green River Formation of Wyoming, by W. H. Bradley and H. P. Eugster. 1969. p. B1-B71. \$1.75. (Professional Paper 496 issued only as separate chapters under the general title "The Green River and associated Tertiary formations." Chapter B includes title page and contents for volume.)
 - 497-A. Physical and hydrologic properties of water-bearing deposits in subsiding areas in central California, by A. I. Johnson, R. P. Moston, and D. A. Morris. 1968. p. A1-A71. \$4.25.
 - *497-B. Removal of water and rearrangement of particles during the compaction of clayey sediments—Review, by R. H. Meade. 1964. p. B1-B23.
 - 497-C. Petrology of sediments underlying areas of land subsidence in central California, by R. H. Meade. 1967. p. C1-C83. 65¢.
 - 497-D. Compaction of sediments underlying areas of land subsidence in central California, by R. H. Meade. 1968. p. D1-D39. 35¢.
 - 497-G. Land-surface tilting near Wheeler Ridge, southern San Joaquin Valley, Calif., by F. S. Riley. 1970. p. G1-G29. 70¢. (Professional Paper 497 issued only as separate chapters under the general title "Mechanics of aquifer systems.")
 - *498-A. Hydrochemical facies and ground-water flow patterns in northern part of Atlantic Coastal Plain, by William Back. 1966. p. A1-A42.
 - *498-B. Variations in chemical character of water in the Englishtown Formation, New Jersey, by P. R. Seaber. 1965. p. B1-B35.
 - *498-C. Relation of electrochemical potentials and iron content to ground-water flow patterns, by William Back and Ivan Barnes. 1965. p. C1-C16.
 - 498-D. Chemical properties of ground water and their corrosion and encrustation effects on wells, by Ivan Barnes and F. E. Clarke. 1969. p. D1-D58. 65¢. (Professional Paper 498 issued only as separate chapters under the general title "Hydrology of aquifer systems.")
 - 499. Interpretation of resistivity data, by R. G. Van Nostrand and K. L. Cook. 1966. 310 p. \$2.75.
 - *500-A. The concept of entropy in landscape evolution, by L. B. Leopold and W. B. Langbein. 1962. p. A1-A20.
 - *500-B. Geomorphology and general systems theory, by R. J. Chorley. 1962. p. B1-B10.
 - 500-C. Probability concepts in geomorphology, by A. E. Scheidegger and W. B. Langbein. 1966. p. C1-C14. 20¢.
 - 500-D. Trend-surface analysis of the Basin and Range province, and some geomorphic implications, by L. K. Lustig. 1969. p. D1-D70. 70¢. (Professional Paper 500 issued only as separate chapters under the general title "Theoretical papers in the hydrologic and geomorphic sciences.")
 - *501-A. Geological Survey research 1964, Chapter A. 1964. p. A1-A367.
 - *501-B. Geological Survey research 1964, Chapter B. 1964. p. B1-B191. Contains the following articles, which are not available separately:
 Interpretation of the Garden Springs area, Texas, by the "down-structure" method of tectonic analysis, by P. B. King. p. B1-B8.

- Cryptoexplosive structure near Versailles, Ky., by D. F. B. Black. p. B9-B12.
- A late Tertiary low-angle fault in western Juab County, Utah, by D. R. Shawe. p. B13-B15.
- Structure of part of the Timber Mountain dome and caldera, Nye County, Nev., by W. J. Carr. p. B16-B19.
- Diverse recurrent movement along segments of a major thrust fault in the Schell Creek Range near Ely, Nev., by Harald Drewes. p. B20-B24.
- Facies relations of exposed Rome Formation and Conasauga Group of northeastern Tennessee with equivalent rocks in the subsurface of Kentucky and Virginia, by L. D. Harris. p. B25-B29.
- Stratigraphy of the Lee Formation in the Cumberland Mountains of southeastern Kentucky, by K. J. Englund. p. B30-B38.
- The Little Stone Gap Member of the Hinton Formation (Mississippian) in southwest Virginia, by R. L. Miller. p. B39-B42.
- The Chattanooga Shale (Devonian and Mississippian) in the vicinity of Big Stone Gap, Va., by J. B. Roen, R. L. Miller, and J. W. Huddle. p. B43-B48.
- The Wildcat Valley Sandstone (Devonian) of southwest Virginia, by R. L. Miller, L. D. Harris, and J. B. Roen. p. B49-B52.
- The Goose Egg Formation in the Laramie Range and adjacent parts of southeastern Wyoming, by E. K. Maughan. p. B53-B60.
- Foraminifera from the *Exogyra ponderosa* zone of the Marshalltown Formation at Auburn, N.J., by J. F. Mellow, J. P. Minard, and J. P. Owens. p. B61-B63.
- Rare-earth silicatic apatite from the Adirondack Mountains, N.Y., by M. L. Lindberg and Blanche Ingram. p. B64-B65.
- Ferroan northupite in the Green River Formation of Wyoming, by Charles Milton and Robert Meyrowitz. p. B66-B68.
- Walsen composite dike near Walsenburg, Colo., by R. B. Johnson. p. B69-B73.
- Zonal features of an ash-flow sheet in the Piapi Canyon Formation, southern Nevada, by P. W. Lipman and R. L. Christiansen. p. B74-B78.
- A welded-tuff dike in southern Nevada, by P. W. Lipman. p. B79-B81.
- A new uranyl tricarbonate, $K_2Ca_3(UO_2)_2(CO_3)_9 \cdot 10H_2O$, by Robert Meyrowitz, D. R. Ross, and Malcolm Ross. p. B82-B83.
- Fractionation of uranium isotopes and daughter products in weathered granite and uranium-bearing sandstone, Wind River basin region, Wyoming, by J. N. Rosholt, E. L. Garner, and W. R. Shields. p. B84-B87.
- Hafnium content and Hf/Zr ratio in zircon from the southern California batholith, by David Gottfried and C. L. Waring. p. B88-B91.
- Geochemical anomalies in the lower plate of the Roberts thrust near Cortez, Nev., by R. L. Erickson, Harold Masursky, A. P. Marranzino, Uteana Oda, and W. W. Janes. p. B92-B94.
- Cesium and strontium sorption studies on glauconite, by M. M. Schnepfe, Irving May, and C. R. Naeser. p. B95-B99.
- Distribution of beryllium in igneous rocks, by D. R. Shawe and Stanley Bernold. p. B100-B104.

- T-phase of May 11, 1962, recorded in Hawaii, by H. L. Krivoy and R. A. Eppley. p. B105-B107.
- Effects of the GNOME nuclear explosion upon rock salt as measured by acoustical methods, by D. D. Dickey. p. B108-B111.
- Habit of the Rocky Valley thrust fault in the West New Market area, Mascot-Jefferson City zinc district, Tennessee, by J. G. Bumgarner, P. K. Houston, J. E. Ricketts, and Helmuth Wedow, Jr. p. B112-B115.
- Relation of economic deposits of attapulgite and fuller's earth to geologic structure in southwestern Georgia, by C. W. Sever. p. B116-B118.
- Profiles of rivers of uniform discharge, by W. B. Langbein. p. B119-B122.
- Large retrogressive landslides in north-central Puerto Rico, by W. H. Monroe. p. B123-B125.
- The zanjón, a solution feature of karst topography in Puerto Rico, by W. H. Monroe. p. B126-B129.
- The Charleston, Mo., alluvial fan, by L. L. Ray. p. B130-B134.
- Pleistocene glaciations of the southwestern Olympic Peninsula, Wash., by D. R. Crandell. p. B135-B139.
- Preliminary report on bed forms and flow phenomena in the Rio Grande near El Paso, Tex., by R. K. Fahnestock and Thomas Maddock, Jr. p. B140-B142.
- Rapid method of estimating lithology of glacial drift of the Adirondack Mountains, N.Y., by C. S. Denny and A. W. Postel. p. B143-B145.
- Determination of hafnium content and Hf/Zr ratios in zircon with the direct-reading emission spectrometer, by C. L. Waring. p. B146-B147.
- A spectrographic method for the determination of cesium, rubidium, and lithium in tektites, by Charles Annell. p. B148-B151.
- Staining of plagioclase feldspar and other minerals with F. D. and C. Red No. 2, by R. V. Laniz, R. E. Stevens, and M. B. Norman. p. B152-B153.
- Successful separation of silt-size minerals in heavy liquids, by Robert Schoen and D. E. Lee. p. B154-B157.
- Effect of seiches and setup on the elevation of Elephant Butte Reservoir, N. Mex., by G. L. Haynes, Jr. p. B158-B162.
- Flood inundation mapping, San Diego County, Calif., by L. E. Young and H. A. Ray. p. B163-B164.
- The relation of discharge to drainage area in the Rappahannock River basin, Virginia, by H. C. Riggs. p. B165-B168.
- The artesian aquifer of the Tierra del Fuego area, Chile, by W. W. Doyel and Octavio Castillo U. p. B169-B172.
- A method for evaluating oil-field-brine pollution of the Walnut River in Kansas, by R. B. Leonard. p. B173-B176.
- Computing stream-induced ground-water fluctuation, by M. S. Bedinger and J. E. Reed. p. B177-B180.
- Use of water-level recession curves to determine the hydraulic properties of glacial outwash in Portage County, Wis., by E. P. Weeks. p. B181-B184.

- Tree growth proves nonsensitive indicator of precipitation in central New York, by W. J. Schneider and W. J. Conover. p. B185-B187.
- *501-C. Geological Survey research 1964, Chapter C. 1964. p. C1-C197. Contains the following articles, which are not available separately:
- Late Mesozoic orogenies in the ultramafic belts of northwestern California and southwestern Oregon, by W. P. Irwin. p. C1-C9.
 - Westward tectonic overriding during Mesozoic time in north-central Nevada, by R. E. Wallace and N. J. Silberling. p. C10-C13.
 - Strike-slip faulting and broken basin-ranges in east-central Idaho and adjacent Montana, by E. T. Ruppel. p. C14-C18.
 - Evidence for a concealed tear fault with large displacement in the central East Tintic Mountains, Utah, by H. T. Morris and W. M. Shepard. p. C19-C21.
 - Shape and structure of a gabbro body near Lebanon, Conn., by M. F. Kane and G. L. Snyder. p. C22-C27.
 - Outline of the stratigraphic and tectonic features of northeastern Maine, by Louis Pavlides, Ely Mencher, R. S. Naylor, and A. J. Boucot. p. C28-C38.
 - Stratigraphic importance of corals in the Redwall Limestone, northern Arizona, by W. J. Sando. p. C39-C42.
 - Younger Precambrian formations and the Bolsa(?) Quartzite of Cambrian age, Papago Indian Reservation, Ariz., by L. A. Heindl and N. E. McClymonds. p. C43-C49.
 - Occurrence and paleogeographic significance of the Maywood Formation of Late Devonian age in the Gallatin Range, southwestern Montana, by C. A. Sandberg and W. J. McMannis. p. C50-C54.
 - Petrography of the basement gneiss beneath the Coastal Plain sequence, Island Beach State Park, N.J., by D. L. Southwick. p. C55-C60.
 - Offshore extension of the upper Eocene to Recent stratigraphic sequence in southeastern Georgia, by M. J. McCollum and S. M. Herrick. p. C61-C63.
 - Upper Eocene smaller Foraminifera from Shell Bluff and Griffin Landings, Burke County, Ga., by S. M. Herrick. p. C64-C65.
 - Post-Paleocene West Elk laccolithic cluster, west-central Colorado, by L. H. Godwin and D. L. Gaskill. p. C66-C68.
 - Chemistry of greenstone of the Catoctin Formation in the Blue Ridge of central Virginia, by J. C. Reed, Jr. p. C69-C73.
 - Occurrence and origin of laumontite in Cretaceous sedimentary rocks in western Alaska, by J. M. Hoare, W. H. Condon, and W. W. Patton, Jr. p. C74-C78.
 - Clay minerals from an area of land subsidence in the Houston-Galveston Bay area, Texas, by J. B. Corliss and R. H. Meade. p. C79-C81.
 - Attapulgitic from Carlsbad Caverns, N. Mex., by W. E. Davies. p. C82-C83.
 - Diagram for determining mineral composition in the system $MnCO_3$ - $CaCO_3$ - $MgCO_3$, by W. C. Prinz. p. C84-C85.
 - Lithium associated with beryllium in rhyolitic tuff at Spor Mountain, western Juab County, Utah, by D. R. Shawe, Wayne Mountjoy, and Walter Duke. p. C86-C87.

- A geochemical investigation of the High Rock quadrangle, North Carolina, by A. A. Stromquist, A. M. White, and J. B. McHugh. p. C88-C91.
- Evaluation of weathering in the Chattanooga Shale by Fischer assay, by Andrew Brown and I. A. Breger. p. C92-C95.
- Measurement of relative cationic diffusion and exchange rates of montmorillonite, by T. E. Brown. p. C96-C99.
- Preliminary structural analysis of explosion-produced fractures, HARDHAT event, Area 15, Nevada Test Site, by F. N. Houser and W. L. Emerick. p. C100-C102.
- Seismicity of the lower east rift zone of Kilauea Volcano, Hawaii, January 1962-March 1963, by R. Y. Koyanagi. p. C103-C105.
- Paleolatitudinal and paleogeographic distribution of phosphorite, by R. P. Sheldon. p. C106-C113.
- Reconnaissance of zeolite deposits in tuffaceous rocks of the western Mojave Desert and vicinity, California, by R. A. Sheppard and A. J. Gude 3d. p. C114-C116.
- Ore controls at the Kathleen-Margaret (MacLaren River) copper deposit, Alaska, by E. M. MacKevett, Jr. p. C117-C120.
- Cavities, or "tafoni", in rock faces of the Atacama Desert, Chile, by Kenneth Segerstrom and Hugo Henriquez. p. C121-C125.
- Negaunee moraine and the capture of the Yellow Dog River, Marquette County, Mich., by Kenneth Segerstrom. p. C126-C129.
- Ancient lake in western Kentucky and southern Illinois, by W. I. Finch, W. W. Olive, and E. W. Wolfe. p. C130-C133.
- Outline of Pleistocene geology of Martha's Vineyard, Mass., by C. A. Kaye. p. C134-C139.
- Illinoian and Early Wisconsin moraines of Martha's Vineyard, Mass., by C. A. Kaye. p. C140-C143.
- Glacial geology of the Mountain Iron-Virginia-Eveleth area, Mesabi iron range, Minnesota, by R. D. Cotter and J. E. Rogers. p. C144-C146.
- Recent retreat of the Teton Glacier, Grand Teton National Park, Wyo., by J. C. Reed, Jr. p. C147-C151.
- A simple oxygen sheath for flame photometry, by Irving May, J. I. Dinnin, and Fred Rosenbaum. p. C152-C153.
- Determination of iodine in vegetation, by Margaret Cuthbert and F. N. Ward. p. C154-C156.
- Judging the analytical ability of rock analysts by chi-squared, by F. J. Flanagan. p. C157-C158.
- Ultrasonic dispersion of samples of sedimentary deposits, by R. P. Moston and A. I. Johnson. p. C159-C160.
- Tritium content as an indicator of age and movement of ground water in the Rosewell basin, New Mexico, by H. O. Reeder. p. C161-C163.
- Relation of surface-water hydrology to the principal artesian aquifer in Florida and southeastern Georgia, by V. T. Stringfield. p. C164-C169.
- Contamination of ground water by detergents in a suburban environment—South Farmingdale area, Long Island, N.Y., by N. M. Perlmutter, Maxim Lieber, and H. L. Frauenthal. p. C170-C175.
- Relation of chemical quality of water to recharge to the Jordan Sand-

stone in the Minneapolis-St. Paul area, Minnesota, by M. L. Maderak. p. C176-C179.

Geohydrology of storage of radioactive waste in crystalline rocks at the AEC Savannah River Plant, S.C., by G. E. Siple. p. C180-C184.

Stream discharge regressions using precipitation, by H. C. Riggs. p. C185-C187.

Relation of annual runoff to meteorological factors, by M. W. Busby. p. C188-C189.

Photogrammetric contouring of areas covered by evergreen forests, by James Halliday. p. C190-C193.

*501-D. Geological Survey research 1964, Chapter D. 1964 [1965]. p. D1-D209. (Professional Paper 501 issued only as separate chapters under the general title "Geological Survey research 1964.") Chapter D contains the following articles, which are not available separately:

Temperatures in the crust and melt of Alae lava lake, Hawaii, after the August 1963 eruption of Kilauea Volcano—A preliminary report, by D. L. Peck, J. G. Moore, and George Kojima. p. D1-D7.

Variation in modes and norms of an "homogeneous" pluton of the Boulder batholith, Montana, by R. I. Tilling. p. D8-D13.

Mafic lavas of Dome Mountain, Timber Mountain caldera, southern Nevada, by S. J. Luft. p. D14-D21.

Preliminary report on the structure of the southeast Gros Ventre Mountains, Wyo., by W. R. Keefer. p. D22-D27.

Pre-Fall River folding in the southern part of the Black Hills, S. Dak., by G. B. Gott. p. D28-D29.

Chinle Formation and Glen Canyon Sandstone in northeastern Utah and northwestern Colorado, by F. G. Poole and J. H. Stewart. p. D30-D39.

Significance of Triassic ostracodes from Alaska and Nevada, by I. G. Sohn. p. D40-D42.

Middle Devonian plant fossils from northern Maine, by J. M. Schopf. p. D43-D49.

Radiometric ages of zircon and biotite in quartz diorite, Eight Coast, Antarctica, by A. A. Drake, Jr., T. W. Stern, and H. H. Thomas. p. D50-D53.

Qualitative X-ray emission analysis studies of enrichment of common elements in wallrock alteration in the Upper Mississippi Valley zinc-lead district, by J. W. Hosterman, A. V. Heyl, and J. L. Jolly. p. D54-D60.

Suggested exploration target in west-central Maine, by F. C. Canney and E. V. Post. p. D61-D64.

Radioactivity- and density-measuring devices for oceanographic studies, by C. M. Bunker. p. D65-D69.

Aeromagnetic interpretation of the Globe-Miami copper district, Gila and Pinal Counties, Ariz., by Anna Jespersen. p. D70-D75.

Epigenetic uranium deposits in sandstone, by W. I. Finch. p. D76-D78.

The occurrence of phosphate rock in California, by H. D. Gower and B. M. Madsen. p. D79-D85.

The distribution and quality of oil shale in the Green River Formation of the Uinta Basin, Utah-Colorado, by W. B. Cashion. p. D86-D89.

Btu values of Fruitland Formation coal deposits in Colorado and New

- Mexico, as determined from rotary-drill cuttings, by J. S. Hinds. p. D90-D94.
- Giant submarine landslides on the Hawaiian Ridge, by J. G. Moore. p. D95-D98.
- A zone of montmorillonitic weathered clay in Pleistocene deposits at Seattle, Wash., by D. R. Mullineaux, T. C. Nichols, and R. A. Speirer. p. D99-D103.
- Three pre-Bull Lake tills in the Wind River Mountains, Wyo.—A reinterpretation, by G. M. Richmond. p. D104-D109.
- Post-hypsithermal glacier advances at Mount Rainier, Wash., by D. R. Crandell and R. D. Miller. p. D110-D114.
- Occurrence of dissolved solids in surface waters in the United States, by W. B. Langbein and D. R. Dawdy. p. D115-D117.
- Statistical parameters of Cape Cod beach and eolian sands, by John Schlee, Elazar Uchupi, and J. V. A. Trumbull. p. D118-D122.
- An instrumental technique for the determination of submicrogram concentrations of mercury in soils, rocks, and gas, by W. W. Vaughn and J. H. McCarthy, Jr. p. D123-D127.
- Determination of mercury in vegetation with dithizone—A single extraction procedure, by F. N. Ward and J. B. McHugh. p. D128-D130.
- Ion-exchange separation of tin from silicate rocks, by Claude Huffman, Jr., and A. J. Bartel. p. D131-D133.
- Determination of carbonate, bicarbonate, and total CO₂ in carbonate brines, by S. L. Rettig and B. F. Jones. p. D134-D137.
- Mapmaking applications of orthophotography, by M. B. Scher. p. D138-D140.
- Ground-water conduits in the Ashland Mica Schist, northern Georgia, by C. W. Sever. p. D141-D143.
- Temperature and chemical quality of water from a well drilled through permafrost near Bethel, Alaska, by A. J. Feulner and R. G. Schupp. p. D144-D148.
- Hydrogeologic reconnaissance of the Republic of Korea, by W. W. Doyel and R. J. Dingman. p. D149-D152.
- Source of heat in a deep artesian aquifer, Bahía Blanca, Argentina, by S. L. Schoff, J. H. Salso, and José García. p. D153-D157.
- The Carrizo Sand, a potential aquifer in south-central Arkansas, by R. L. Hosman. p. D158-D160.
- Geohydrology of the Spiritwood aquifer, Stutsman and Barnes Counties, N. Dak., by T. E. Kelly. p. D161-D165.
- Variation of permeability in the Tensleep Sandstone in the Bighorn Basin, Wyo., as interpreted from core analyses and geophysical logs, by J. D. Bredehoeft. p. D166-D170.
- Uniformity of discharge of Muddy River Springs, southeastern Nevada, and relation to interbasin movement of ground water, by T. E. Eakin and D. O. Moore. p. D171-D176.
- Geologic factors affecting discharge of the Sheyenne River in southeastern North Dakota, by Q. F. Paulson. p. D177-D181.
- Magnitude and frequency of storm runoff in southeastern Louisiana and southwestern Mississippi, by V. B. Sauer. p. D182-D184.

- Correlation and analysis of water-temperature data for Oregon streams, by A. M. Moore. p. D185-D189.
- Elimination of thermal stratification by an air-bubbling technique in Lake Wohlford, Calif., by G. E. Koberg. p. D190-D192.
- Field methods for determining vertical permeability and aquifer anisotropy, by E. P. Weeks. p. D193-D198.
- Two-variable linear correlation analyses of water-level fluctuations in artesian wells in Florida, by H. G. Healy. p. D199-D202.
- A periscope for the study of borehole walls, and its use in ground-water studies in Niagara County, N.Y., by F. W. Trainer and J. E. Eddy. p. D203-D206.
- *502-A. The hydrology and mineralogy of Deep Springs Lake, Inyo County, Calif., by B. F. Jones. 1965 [1966]. p. A1-A56. (Professional Paper 502 issued only as separate chapters under the general title "Closed-basin investigations.")
- *503-A. Paleozoic Gastropoda from the Moose River synclinorium, northern Maine, by A. J. Boucot and E. L. Yochelson. 1966. p. A1-A20.
- *503-B. Some western American Cenozoic gastropods of the genus *Nassarius*, by W. O. Addicott. 1965. p. B1-B21.
- *503-C. Early Permian vertebrates from the Cutler Formation of the Placer-ville area, Colorado. by G. E. Lewis and P. P. Vaughn, *with a section on* Footprints from the Cutler Formation, by Donald Baird. 1965. p. C1-C50.
- *503-D. Marine Jurassic gastropods, central and southern Utah, by N. F. Sohl. 1965. p. D1-D29.
- *503-E. Revision of some Paleozoic coral species from the Western United States, by W. J. Sando. 1965. p. E1-E38.
- *503-F. The Lower Cretaceous (Albian) ammonite genera *Leconteites* and *Breweriaceras*, by D. L. Jones, M. A. Murphy, and E. L. Packard. 1965. p. F1-F21. (Professional Paper 503 issued only as separate chapters under the general title "Contributions to paleontology, 1964." Chapter F includes title page and contents for volume.)
- *504-A. Glacial reconnaissance of Sequoia National Park, Calif., by F. E. Matthes, prepared posthumously by Fritiof Fryxell from Matthes' notes and other sources. 1965. p. A1-A58.
- *504-B. Postglacial drainage evolution and stream geometry in the Ontonagon area, Michigan, by J. T. Hack. 1965. p. B1-B40.
- *504-C. Geology and petrogenesis of the Island Park caldera of rhyolite and basalt, eastern Idaho, by Warren Hamilton. 1965. p. C1-C37.
- *504-D, E. D, Studies of the zeolites—Composition of zeolites of the natrolite group, p. D1-D7, *and* E, Compositional relations among thomsonites, gonnardites, and natrolites, by M. D. Foster, p. E10. 1965.
- *504-F. Underground temperatures and heat flow in the East Tintic district, Utah, by T. S. Lovering and H. T. Morris. 1965 [1966]. p. F1-F28. (Professional Paper 504 issued separately except as listed above under the general title "Shorter contributions to general geology, 1964." Chapter F includes title and contents for volume.)
- *505. Philmont country, the rocks and landscape of a famous New Mexico ranch, by G. D. Robinson, A. A. Wanek, W. H. Hays, and M. E. McCallum, illustrated by J. R. Stacy. 1964. 152 p. (See also Miscellaneous Geologic Investigations Map I-425.)
- *506-A. Use of analog models in the analysis of flood runoff, by John Shen.

1965. p. A1-A24. (Professional Paper 506 issued only as separate chapters under the general title "Synthesis in hydrology.")
- *507. Geology and coal reserves of the Kermit and Varney area, Kentucky, by J. W. Huddle and K. J. Englund. 1966. 83 p.
 - *508. Geology and uranium-vanadium deposits of the La Sal quadrangle, San Juan County, Utah, and Montrose County, Colo., by W. D. Carter and J. L. Gualtieri. 1965 [1966]. 82 p.
 - *509. Plant ecology of Death Valley, Calif., by C. B. Hunt, *with a section on* Distribution of fungi and algae, by C. B. Hunt and L. W. Durrell. 1966. 68 p.
 - *510. Geology and igneous petrology of the northern Elkhorn Mountains, Jefferson and Broadwater Counties, Mont., by H. W. Smedes. 1966. 116 p.
 - 511. Geology and ground-water resources of Portage County, Ohio, by J. D. Winslow and G. W. White. 1966 [1967]. 80 p. \$2.50.
 - *512. Geology of the Iniskin-Tuxedni region, Alaska, by R. L. Detterman and J. K. Hartsock. 1966 [1967]. 78 p.
 - *513. Geology of the Menominee iron-bearing district, Dickinson County, Mich., and Florence and Marinette Counties, Wis., by R. W. Bayley, C. E. Dutton, and C. A. Lamey. 1966 [1967]. 96 p.
 - *514. Measurement of hydraulic diffusivity of wedge-shaped aquifers drained by streams, by R. W. Stallman and I. S. Papadopoulos. 1966. 50 p.
 - 515. Paleotectonic investigations of the Permian System in the United States, by E. D. McKee, S. S. Oriel, and others. 1967. 271 p. \$4. (See also Miscellaneous Geologic Investigations Map I-450.)
 - *516-A. Regional geologic implications of the gravity and magnetic fields of a part of eastern Tennessee and southern Kentucky, by J. S. Watkins. 1964. p. A1-A17.
 - *516-B. Geologic interpretation of an aeromagnetic survey of the Iron Springs district, Utah, by H. R. Blank, Jr., and J. H. Mackin. 1967. p. B1-B14.
 - *516-C. Regional geophysical investigations of the Moab-Needles area, Utah, by H. R. Joesting, J. E. Case, and Donald Plouff. 1966 [1967]. p. C1-C21.
 - 516-D. Geologic interpretation of gravity and aeromagnetic maps of Tintic Valley and adjacent areas, Tooele and Juab Counties, Utah, by D. R. Mabey and H. T. Morris. 1967. p. D1-D10. 65¢
 - 516-E. A geophysical study in Grand Teton National Park and vicinity, Teton County, Wyo., by J. C. Behrendt and B. L. Tibbetts, U.S. Geological Survey, W. E. Bonini, Princeton University, and P. M. Lavin, Pennsylvania State University, *with sections on* Stratigraphy and structure, by J. D. Love, U.S. Geological Survey, *and* Precambrian rocks, by J. C. Reed, Jr., U.S. Geological Survey. 1968. p. E1-E22. \$1.25.
 - 516-F. Airborne measurements of terrestrial radioactivity as an aid to geologic mapping, by J. A. Pitkin. 1968. p. F1-F29. 45¢. (Professional Paper 516 issued only as separate chapters under the general title "Geophysical field investigations, 1964-67." Chapter F includes title page and contents for volume.)
 - 517. Artesian water in Tertiary limestone in the southeastern States, by V. T. Stringfield. 1966 [1967]. 226 p. \$1.50.
 - *518. Lake Bonneville: Geology and hydrology of the Weber Delta district,

- including Ogden, Utah, by J. H. Feth, D. A. Barker, L. G. Moore, R. J. Brown, and C. E. Veirs. 1966 [1967]. 76 p.
- *519. Geology and uranium deposits of the Laguna district, New Mexico, by R. H. Moench and J. S. Schlee. 1967. 117 p.
- *520. Geology and uranium deposits of the Ralston Buttes district, Jefferson County, Colo., by D. M. Sheridan, C. H. Maxwell, and A. L. Albee, *with sections on Paleozoic and younger sedimentary rocks*, by Richard Van Horn. 1967. 121 p.
- 521-A. Regional hydrogeology of the Navajo and Hopi Indian Reservations, Ariz., N. Mex., and Utah, by M. E. Cooley, J. W. Harshbarger, J. P. Akers, and W. F. Hardt, *with a section on Vegetation*, by O. N. Hicks. 1969. p. A1-A61. \$7.
- 521-B. Stratigraphy of the Chinle and Moenkopi Formations, Navajo and Hopi Indian Reservations, Ariz., N. Mex., and Utah, by C. A. Repenning, M. E. Cooley, and J. P. Akers. 1969. p. B1-B34. \$1.25. (Professional Paper 521 issued only as separate chapters under the general title "Hydrogeology of the Navajo and Hopi Indian Reservations, Ariz., N. Mex., and Utah.")
- *522. Areal geology of the western Mojave Desert, Calif., by T. W. Dibblee, Jr. 1967. 153 p.
- *523-A. Late Pleistocene diatoms from the Trempealeau Valley, Wis., by G. W. Andrews. 1966. p. A1-A27.
- *523-B. Mattheva, a proposed new class of mollusks, by E. L. Yochelson. 1966. p. B1-B11.
- 523-C. Late Pleistocene marine paleoecology and zoogeography in central California, by W. O. Addicott. 1966. p. C1-C21. 35¢.
- *523-D. Some Middle Ordovician brachiopods and trilobites from the Basin Ranges, western United States, by R. J. Ross, Jr., *with stratigraphic sections A*, north of Pyramid Peak, Calif., by R. J. Ross, Jr., *and B*, in Specter Range, Nev., by Harley Barnes. 1967. p. D1-D43. (See Bulletin 1180-C also.)
- *523-E. *Tinsleya*, a new genus of seed-bearing callipterid plants from the Permian of north-central Texas, by S. H. Mamay. 1966. p. E1-E15. (Professional Paper 523 issued only as chapters under the "Contributions to paleontology, 1965." Chapter E includes title page and contents for volume.)
- *524-A. Pancho Rico Formation, Salinas Valley, Calif., by D. L. Durham and W. O. Addicott. 1965. p. A1-A22.
- *524-B. Stratigraphy and structure of the Dinkey Creek roof pendant in the central Sierra Nevada, Calif., by R. W. Kistler and P. C. Bateman. 1966. p. B1-B14.
- *524-C. Interpretation of Cumberland Escarpment and Highland Rim, south-central Tennessee and northeast Alabama, by J. T. Hack. 1966. p. C1-C16.
- *524-D. History of nomenclature and stratigraphy of rocks adjacent to the Cretaceous-Tertiary boundary, western San Juan Basin, N. Mex., by E. H. Baltz, S. R. Ash, and R. Y. Anderson. 1966. p. D1-D23.
- *524-E. Tectonics of the Keweenawan basin, western Lake Superior region, by W. S. White. 1966. p. E1-E23.
- *524-F. A compositionally zoned ash-flow sheet in southern Nevada, by P. W. Lipman, R. L. Christiansen, and J. T. O'Connor. 1966. p. F1-F47.

- *524-G. The Gulf Series in the subsurface in northern Florida and southern Georgia, by P. L. Applin and E. R. Applin. 1967. p. G1-G35.
- *524-H. Ash flows and related volcanic rocks associated with the Creede caldera, San Juan Mountains, Colo., by J. C. Ratté and T. A. Steven. 1967. p. H1-H58.
- *524-I. Bedrock geology of the Shin Pond and Stacyville quadrangles, Penobscot County, Maine, by R. B. Neuman. 1967. p. I1-I37. (Professional Paper 524 issued only as separate chapters under the general title "Shorter contributions to general geology, 1965.")
- *525-A. Geological Survey research 1965, Chapter A. 1965 [1966]. p. A1-A376.
- *525-B. Geological Survey research 1965, Chapter B. 1965. p. B1-B195. Contains the following articles, which are not available separately:
 - The basalt-eclogite transformation and crustal structure in the Western United States, by L. C. Pakiser. p. B1-B8.
 - Geophysical evidence of a caldera at Bonanza, Colo., by D. E. Karig. p. B9-B12.
 - Hawaiian seismic events during 1963, by R. Y. Koyanagi and E. T. Endo. p. B13-B16.
 - Correlation of zinc abundance with stratigraphic thickness variations in the Kingsport Formation, West New Market area, Mascot-Jefferson City mining district, Tennessee, by Helmuth Wedow, Jr., and J. R. Marie. p. B17-B22.
 - Mercury-bearing antimony deposit between Big Creek and Yellow Pine, central Idaho, by B. F. Leonard. p. B23-B28.
 - Suggestions for prospecting for evaporite deposits in southwestern Virginia, by C. F. Withington. p. B29-B33.
 - Low-volatile bituminous coal of Mississippian age on the Lisburne Peninsula, northwestern Alaska, by I. L. Tailleux. p. B34-B38.
 - Distribution of gravel in the Patuxent Formation in the Beltsville quadrangle, Prince Georges and Montgomery Counties, Md., by C. F. Withington. p. B39-B42.
 - Structure of the Timber Mountain caldera, southern Nevada, and its relation to basin-range structure, by R. L. Christiansen, P. W. Lipman, P. P. Orkild, and F. M. Byers, Jr. p. B43-B48.
 - The Clinchport thrust fault—A major structural element of the southern Appalachian Mountains, by L. D. Harris. p. B49-B53.
 - Correlation of Cretaceous and lower Tertiary rocks near Livingston, Mont., with those in other areas of Montana and Wyoming, by A. E. Roberts. p. B54-B63.
 - An Upper Cretaceous deposit in the Appalachian Mountains, by R. H. Tschudy. p. B64-B68.
 - Classification of the superfamily Healdiacea and the genus *Pseudophanasymmetria* Sohn and Berdan, 1952 (Ostracoda), by I. G. Sohn. p. B69-B72.
 - Stratigraphic distribution of the Late Cambrian mollusk *Matthevia* Walcott, 1885, by E. L. Yochelson, J. F. McAllister, and Anthony Reso. p. B73-B78.
 - A classification for quartz-rich igneous rocks based on feldspar ratios, by J. T. O'Connor. p. B79-B84.

- Gold Flat Member of the Thirsty Canyon Tuff—A pantellerite ash-flow sheet in southern Nevada, by D. C. Noble. p. B85-B90.
- Precipitation and recycling of phosphate in the Florida land-pebble phosphate deposits, by Z. S. Altschuler. p. B91-B95.
- Distribution of tantalum in some igneous rocks and coexisting minerals of the southern California batholith, by David Gottfried and J. I. Dinnin. p. B96-B100.
- Metallic copper in stony meteorites, by M. B. Duke and Robin Brett. p. B101-B103.
- K-Ar and Rb-Sr ages of biotite from the Middle Jurassic part of the Carmel Formation, Utah, by R. F. Marvin, J. C. Wright, and F. G. Walthall. p. B104-B107.
- Potassium-argon ages of some plutonic rocks, Tenakee area, Chichagof Island, southeastern Alaska, by M. A. Lanphere, R. A. Loney, and D. A. Brew. p. B109-B111.
- A large transitional rock glacier in the Johnson River area, Alaska Range, by H. L. Foster and G. W. Holmes. p. B112-B116.
- Dissected gravels of the Río Copiápó valley and adjacent coastal area, Chile, by Kenneth Segerstrom. p. B117-B121.
- Earth cracks—A cause of gullying, by William Kam. p. B122-B125.
- Glacial deposits of Nebraskan and Kansan age in northern Kentucky, by M. M. Leighton and L. L. Ray. p. B126-B131.
- Age and origin of the Puget Sound trough in western Washington, by D. R. Crandell, D. R. Mullineaux, and H. H. Waldron. p. B132-B136.
- Rate of ice movement and estimated ice thickness in part of the Teton Glacier, Grand Teton National Park, Wyo., by J. C. Reed, Jr. p. B137-B141.
- Use of magnetic susceptibility and grain density in identification of basalt flows at the Nevada Test Site, by K. A. Sargent. p. B142-B145.
- The best value of porosity of lapilli tuff from the Nevada Test Site, by G. E. Manger. p. B146-B150.
- Gamma activation device for low-level beryllium analysis, by W. W. Vaughn, W. G. Cramer, and W. N. Sharp. p. B151-B154.
- Use of X-ray fluorescence in determination of selected major constituents in silicates, by H. J. Rose, Jr., Frank Cuttitta, and R. R. Larson. p. B155-B159.
- The problem of automatic plate reading and computer interpretation for spectrochemical analysis, by A. W. Helz. p. B160-B164.
- A platinum-lined bomb for the high-temperature decomposition of refractory minerals, by Irving May, J. J. Rowe, and Raymond Letner. p. B165-B166.
- Rapid field and laboratory determination of phosphate in natural water, by M. J. Fishman and M. W. Skougstad. p. B167-B169.
- Leachable silica and alumina in streambed clays, by E. C. Mallory, Jr. p. B170-B174.
- Growth of salt cedar (*Tamarix gallica*) in the Pecos River near the New Mexico-Texas boundary, by R. U. Grozier. p. B175-B176.
- Effect of Great Swamp, N.J., on streamflow during base-flow periods, by E. G. Miller. p. B177-B179.
- Shortening and protrusion of a well casing due to compaction of sedi-

- ments in a subsiding area in California, by J. F. Poland and R. L. Ireland. p. B180-B183.
- Use of sodium iodide to trace underground water circulation in the hot springs and geysers of the Daisy geyser group, Yellowstone National Park, by J. J. Rowe, R. O. Fournier, and G. W. Morey. p. B184-B186.
- The algebra of stream-order numbers, by A. E. Scheidegger. p. B187-B189.
- Photographic copying using reflection-transmission illumination, by E. P. Krier. p. B190-B191.
- *525-C. Geological Survey research 1965, Chapter C. 1965. p. C1-C219. Contains the following articles, which are not available separately:
- Stratigraphic data bearing on inferred pull-apart origin of Gem Valley, Idaho, by S. S. Oriel, D. R. Mabey, and F. C. Armstrong. p. C1-C4.
- Structure of a ray crater at Henbury, Northern Territory, Australia, by D. J. Milton and F. C. Michel. p. C5-C11.
- Folding of the Nahant gabbro, Massachusetts, by C. A. Kaye. p. C12-C19.
- Relation of laccolithic intrusion to faulting in the northern part of the Baker quadrangle, Little Belt Mountains, Mont., by I. J. Witkind. p. C20-C24.
- Composition of jadeitic pyroxene from the California metagraywackes, by R. G. Coleman. p. C25-C34.
- X-ray determinative curve for Hawaiian olivines of composition Fo_{70-88} , by K. J. Murata, Harry Bastron, and W. W. Brannock. p. C35-C37.
- Upper Triassic undevitrified volcanic glass from Hound Island, Keku Strait, southeastern Alaska, by D. A. Brew and L. J. P. Muffler. p. C38-C43.
- Seismic-refraction measurements of crustal structure between American Falls Reservoir, Idaho, and Flaming Gorge Reservoir, Utah, by Ronald Willden. p. C44-C50.
- Seismic fluctuations in an open artesian water well, by J. D. Bredehoeft, H. H. Cooper, Jr., I. S. Papadopoulos, and R. R. Bennett. p. C51-C57.
- Fractionation of uranium isotopes in daughter products in uranium-bearing sandstone, Gas Hills, Wyo., by J. N. Rosholt, Jr., and C. P. Ferreira. p. C58-C62.
- Pliocene age of the ash-flow deposits of the San Pedro area, Chile, by R. J. Dingman. p. C63-C67.
- Jurassic age of a mafic igneous complex, Christian quadrangle, Alaska, by H. N. Reiser, M. A. Lanphere, and W. P. Brosgé. p. C68-C71.
- First occurrence of graptolites in the Klamath Mountains, Calif., by Michael Churkin, Jr. p. C72-C73.
- A proposed revision of the subalkaline intrusive series of northeastern Massachusetts, by R. O. Castle. p. C74-C80.
- Gneissic rocks in the South Groveland quadrangle, Essex County, Mass., by R. O. Castle. p. C81-C86.
- Stratigraphy of the upper part of the Yakima Basalt in Whitman

- and eastern Franklin Counties, Wash., by J. W. Bingham and K. L. Walters. p. C87-C90.
- Previously undescribed Middle(?) Ordovician, Devonian(?), and Cretaceous(?) rocks, White Mountain area, near McGrath, Alaska, by C. L. Sainsbury. p. C91-C95.
- Presence of the ostracode *Drepanellina clarki* in the type Clinton (Middle Silurian) in New York State, by J. M. Berdan and D. H. Zenger. p. C96-C100.
- Miocene macrofossils of the southeastern San Joaquin Valley, Calif., by W. O. Addicott. p. C101-C109.
- New evidence on Lake Bonneville stratigraphy and history from southern Promontory Point, Utah, by R. B. Morrison. p. C110-C119.
- Glaciation in the Nabesna River area, upper Tanana River valley, Alaska, by A. T. Fernald. p. C120-C123.
- Recent history of the upper Tanana River lowland, Alaska, by A. T. Fernald. p. C124-C127.
- Maximum extent of late Pleistocene Cordilleran glaciation in north-eastern Washington and northern Idaho, by P. L. Weis and G. M. Richmond. p. C128-C132.
- Birch Creek pingo, Alaska, by D. B. Krinsley. p. C133-C136.
- Quaternary stratigraphy of the Durango area, San Juan Mountains, Colo., by G. M. Richmond. p. C137-C143.
- Distribution of Pleistocene glaciers in the White Mountains of California and Nevada, by V. C. LaMarche, Jr. p. C144-C146.
- Landslide origin of the type Cerro Till, southwestern Colorado, by R. G. Dickinson. p. C147-C151.
- Geomorphic significance of a Cretaceous deposit in the Great Valley of southern Pennsylvania, by K. L. Pierce. p. C152-C156.
- Some potential mineral resources of the Atlantic continental margin, by K. O. Emery. p. C157-C160.
- Composition of basalts dredged from seamounts off the west coast of Central America, by C. G. Engel and T. E. Chase. p. C161-C163.
- On the statistics of the orientation of bedding planes, grain axes, and similar sedimentological data, by A. E. Scheidegger. p. C164-C167.
- A spectrophotometric method for the determination of traces of gold in geologic materials, by H. W. Lakin and H. M. Nakagawa. p. C168-C171.
- A field method for the determination of silver in soils and rocks, by H. M. Nakagawa and H. W. Lakin. p. C172-C175.
- Diurnal variations of the chemical quality of water in two prairie potholes in North Dakota, by H. T. Mitten. p. C176-C180.
- Physical and chemical hydrology of Great Salt Lake, Utah, by D. C. Hahl, M. T. Wilson, and R. H. Langford. p. C181-186.
- A comparison of the chemical composition of rainwater and ground water in western North Carolina, by R. L. Laney. p. C187-C189.
- Light-dependent quality changes in stored water samples, by K. V. Slack and D. W. Fisher. p. C190-C192.
- Patterns of dissolved oxygen in a thermally loaded reach of the Susquehanna River, Pa., by K. V. Slack and F. E. Clarke. p. C193-C195.

- Effect of land use on the low flow of streams in Rappahannock County, Va., by H. C. Riggs. p. C196-C198.
- Seasonal erasure of thermal stratification in Pretty Lake, Ind., by J. F. Ficke. p. C199-C202.
- A Miocene(?) aquifer in the Parker-Blythe-Cibola area, Arizona and California, by D. G. Metzger. p. C203-C205.
- Use of specific conductance to distinguish two base-flow components in Econfina Creek, Fla., by L. G. Toler. p. C206-C208.
- Relation between chemical quality and water discharge in Spring Creek, southwestern Georgia, by L. G. Toler. p. C209-C213.
- A portable sampler for collecting water samples from specific zones in uncased or screened wells, by R. N. Cherry. p. C214-C216.
- *525-D. Geological Survey research 1965, Chapter D. 1965. p. D1-D231. (Professional Paper 525 issued only as separate chapters under the general title "Geological Survey research 1965.") Chapter D contains the following articles, which are not available separately:
- Implications of new radiometric ages in eastern Connecticut and Massachusetts, by Robert Zartman, George Snyder, T. W. Stern, R. F. Marvin, and R. C. Bucknam. p. D1-D10.
 - Reconnaissance of mineral ages of plutons in Elko County, Nev., and vicinity, by R. R. Coats, R. F. Marvin, and T. W. Stern. p. D11-D15.
 - Jurassic plutonism in the Cook Inlet region, Alaska, by R. L. Detterman, B. L. Reed, and M. A. Lanphere. p. D16-D21.
 - Age and distribution of sedimentary zircon as a guide to provenance, by R. S. Houston and J. F. Murphy. p. D22-D26.
 - Carboniferous isotopic age of the metamorphism of the Salmon Hornblende Schist and Abrams Mica Schist, southern Klamath Mountains, Calif., by M. A. Lanphere and W. P. Irwin. p. D27-D33.
 - Radiocarbon dates from Iliamna Lake, Alaska, by R. L. Detterman, B. L. Reed, and Meyer Rubin. p. D34-D36.
 - Magnetic spherules, colored corundum, and other unusual constituents of a heavy beach sand, Martha's Vineyard, Mass., by C. A. Kaye and M. E. Mrose. p. D37-D43.
 - Zeolitic authigenesis of tuffs in the Ricardo Formation, Kern County, southern California, by R. A. Sheppard and A. J. Gude 3d. p. D44-D47.
 - Thorium-bearing microcline-rich rocks in the southern Caballo Mountains, Sierra County, N. Mex., by M. H. Staatz, J. W. Adams, and N. M. Conklin. p. D48-D51.
 - Volcanic origin of flint clay in the Fire Clay coal bed, Breathitt Formation, eastern Kentucky, by V. M. Seiders. p. D52-D54.
 - Prehnite and hydrogarnet(?) in Precambrian rocks near Boulder, Colo., by C. T. Wrucke. p. D55-D58.
 - Geochemical prospecting in the Browns Canyon fluorspar district, Chaffee County, Colo., by R. E. Van Alstine. p. D59-D64.
 - Heat and free energy of formation of herzenbergite, troilite, magnesite, and rhodochrosite calculated from equilibrium data, by R. A. Robie. p. D65-D72.
 - Extractable organic material in nonmarine and marine shales of Cretaceous age, by H. A. Tourtelot and I. C. Frost. p. D73-D81.

- Composition of magnetite as related to type of occurrence, by Michael Fleischer. p. D82-D84.
- Seismic study of crustal structure in the Southern Rocky Mountains, by W. H. Jackson and L. C. Pakiser. p. D85-D92.
- Thermal features at Mount Rainier, Wash., as revealed by infrared surveys, by R. M. Moxham, D. R. Crandell, and W. E. Marlatt. p. D93-D100.
- Seismic investigations in the Harwich and Dennis quadrangles, Cape Cod, Mass., by R. N. Oldale and C. R. Tuttle. p. D101-D105.
- Evidence of large strike-slip displacement along a fault in the southern Salinas Valley, Calif., by D. L. Durham. p. D106-D111.
- Upper Precambrian and Paleozoic stratigraphy and structure of the Neptune Range, Antarctica, by D. L. Schmidt, P. L. Williams, W. H. Nelson, and J. R. Ege. p. D112-D119.
- Occurrence and stratigraphic significance of *Oldhamia*, a Cambrian trace fossil, in east-central Alaska, by Michael Churkin, Jr., and E. E. Brabb. p. D120-D124.
- Late Devonian and Early Mississippian age of the Woodford Shale in Oklahoma, as determined from conodonts, by W. H. Hass and J. W. Huddle. p. D125-D132.
- Gray Bull and Lysite faunal zones of the Willwood Formation in the Tatman Mountain area, Bighorn Basin, Wyo., by W. L. Rohrer and C. L. Gazin. p. D133-D138.
- Tongues of the Green River and Wasatch Formations in the southeastern part of the Green River Basin, Wyo., by W. C. Culbertson. p. D139-D143.
- Possible buried mineralized areas in Nye and Esmeralda Counties, Nev., by R. E. Anderson, E. B. Ekren, and D. L. Healey. p. D144-D150.
- Outlook for resumption of diatomite mining in southern Maryland and eastern Virginia, by M. M. Knechtel and J. W. Hosterman. p. D151-D155.
- Evaluation of the Martinsburg Shale and two younger formations as sources of lightweight aggregate in the Delaware River area, Pennsylvania-New Jersey, by A. A. Drake, Jr., M. V. Denny, and H. P. Hamlin. p. D156-D162.
- Lithium-bearing bentonite deposit, Yavapai County, Ariz., by J. J. Norton. p. D163-D166.
- Subsurface stratigraphy of glacial drift at Anchorage, Alaska, by F. W. Trainer and R. M. Waller. p. D167-D174.
- Basins of the Gulf of Maine, by Elazar Uchupi. p. D175-D177.
- Automatic sample changer and controller for an X-ray quantometer, by Leonard Shapiro and Camillo Massoni. p. D178-D183.
- Selective removal of Po^{210} from aged radium standards, by K. W. Edwards. p. D184-D188.
- Use of bathocuproine in the quantitative determination of copper in soils, sediments, and rocks, by G. A. Nowlan. p. D189-D191.
- Use of arsenazo III in determination of thorium in rocks and minerals, by Irving May and L. B. Jenkins. p. D192-D195.
- Changes in character of unit hydrographs, Sharon Creek, Calif., after suburban development, by J. R. Crippen. p. D196-D198.

- A method of estimating mean runoff from ungaged basins in mountainous regions, by H. C. Riggs and D. O. Moore. p. D199–D202.
- Relation of permeability to particle size in a glacial-outwash aquifer at Piketon, Ohio, by S. E. Norris and R. E. Fidler. p. D203–D206.
- Computation of ground-water discharge to streams during floods, or to individual reaches during base flow, by use of specific conductance, by G. R. Kunkle. p. D207–D210.
- Relation of ground-water inflow and of bank and channel storage to streamflow pickup in the Santa Fe River, Fla., by W. E. Clark. p. D211–D213.
- Changes in quality of water in the Passaic River at Little Falls, N.J., as shown by long-term data, by P. W. Anderson and S. D. Faust. p. D214–D218.
- Chemical distinction between ground water of four sedimentary units on the Kitsap Peninsula and adjacent islands, Washington, by A. S. Van Denburgh. p. D219–D221.
- Multiple hydrologic-parameter recording on a digital recorder, by R. N. Cherry. p. D222–D224.
- Effects of sample and fluorometer-compartment temperatures on fluorometer readings, by Bernard Dunn and D. E. Vaupel. p. D225–D227.
- *526–A. Geology and coal resources of the Livingston coal field, Gallatin and Park Counties, Mont., by A. E. Roberts. 1966. p. A1–A56.
- *526–B. Stratigraphy of Madison Group near Livingston, Mont., and discussion of karst and solution-breccia features, by A. E. Roberts. 1966. p. B1–B23. (Professional Paper 526 issued only as separate chapters under the general title “Geology of the Livingston area, southwestern Montana.”)
527. Geological-geophysical investigations of bedrock in the Island Falls quadrangle, Aroostook and Penobscot Counties, Maine, by E. B. Ekren and F. C. Frischknecht. 1967. 36 p. \$1.
- *528–A. Mass properties of sedimentary rocks and gravimetric effects of petroleum and natural-gas reservoirs, by T. H. McCulloh. 1967. p. A1–A50. (Professional Paper 528 issued only as separate chapters under the general title “Mass properties of sedimentary rocks as related to petroleum exploration.”)
- 529–A. The Atlantic Continental Shelf and Slope of the United States—Geologic background, by K. O. Emery. 1966 [1967]. p. A1–A23. 30¢.
- 529–B. Atlantic Continental Shelf and Slope of the United States—Physiography and sediments of the deep-sea basin, by R. M. Pratt. 1968. p. B1–B44. \$1.
- 529–C. Atlantic Continental Shelf and Slope of the United States—Physiography, by Elazar Uchupi. 1968. p. C1–C30. \$2.
- 529–D. Atlantic Continental Shelf and Slope of the United States—Color of marine sediments, by D. J. Stanley. 1969. p. D1–D15. \$1.
- 529–E. Atlantic Continental Shelf and Slope of the United States—Ostracode zoogeography in the southern Nova Scotian and northern Virginian faunal provinces, by J. E. Hazel. 1970. p. E1–E21. \$3.25.
- 529–F. Atlantic Continental Shelf and Slope of the United States—Nineteenth century exploration, by T. J. M. Schopf. 1968. p. F1–F12. 30¢.
- 529–G. Atlantic Continental Shelf and Slope of the United States—Heavy

- minerals of the continental margin from southern Nova Scotia to northern New Jersey, by D. A. Ross. 1970. p. G1-G40. 50¢.
- 529-H. Atlantic Continental Shelf and Slope of the United States—Gravels of the northeastern part, by John Schlee and R. M. Pratt. 1970. p. H1-H39. \$2.
- 529-I. Atlantic Continental Shelf and Slope of the United States—Shallow structure, by Elazar Uchupi. 1970. p. I1-I44. \$1. (Professional Paper 529 issued only as separate chapters.)
530. The geologic occurrence of monazite, by W. C. Overstreet. 1967. 327 p. \$3.
- *531. Chitons and gastropods (Haliotidae through Adeorbidae) from the western Pacific Islands, by H. S. Ladd. 1966. 98 p.
534. Mississippian rugose corals, Peratrovich Formation, west coast, Prince of Wales Island, southeastern Alaska, by A. K. Armstrong. 1970. 44 p. \$1.
535. Geology and ore deposits of the Eureka and adjoining districts, San Juan Mountains, Colo., by W. S. Burbank and R. G. Luedke. 1969 [1970]. 73 p. \$3.
- 536-A. Geology of the Greenwood quadrangle, Arkansas-Oklahoma, by B. R. Haley and T. A. Hendricks. 1968 [1969]. p. A1-A15. \$1.50.
- 536-B. Geology of the Scranton and New Blaine quadrangles, Logan and Johnson Counties, Ark., by B. R. Haley. 1968 [1969]. p. B1-B10. \$1.25.
- 536-C. Geology of the Coal Hill, Hartman, and Clarksville quadrangles, Johnson County and vicinity, Arkansas, by E. A. Merewether and B. R. Haley. 1969. p. C1-C27. \$1.50. (Professional Paper 536 issued only as separate chapters under the general title "Geology of the Arkansas Valley coal field." Chapter C includes title page and contents for volume.)
- *537-A. Chemistry of the lavas of the 1959-60 eruption of Kilauea Volcano, Hawaii, by K. J. Murata and D. H. Richter. 1966. p. A1-A26.
- *537-B. Petrology of the Kilauea Iki Lava Lake, Hawaii, by D. H. Richter and J. G. Moore. 1966. p. B1-B26.
- *537-C. An acid fumarolic gas from Kilauea Iki, Hawaii, by K. J. Murata. 1966. p. C1-C6.
- 537-D. Petrography of the lavas of the 1959-60 eruption of Kilauea Volcano, Hawaii, by D. H. Richter and K. J. Murata. 1966. p. D1-D12. 20¢. (Professional Paper 537 issued only as separate chapters under the general title "The 1959-60 eruption of Kilauea Volcano, Hawaii.")
- *538. Geology of epigenetic uranium deposits in sandstone in the United States, by W. I. Finch. 1967. 121 p.
- *539. Potential effects of Project Chariot on local water supplies, northwestern Alaska, by A. M. Piper. 1966. 45 p.
540. Twin Creek Limestone (Jurassic) in the western interior of the United States, by R. W. Imlay. 1967. 105 p. \$1.25.
541. The Alaska earthquake, March 27, 1964: Field investigations and reconstruction effort, by W. R. Hansen, E. B. Eckel, W. E. Schaem, R. E. Lyle, Warren George, and Genie Chance. 1966 [1967]. 111 p. \$2.75.
- 542-A. Effects of the earthquake of March 27, 1964, at Anchorage, Alaska, by W. R. Hansen. 1965. p. A1-A68. \$2.25.
- 542-B. Effects of the earthquake of March 27, 1964, at Whittier, Alaska, by Reuben Kachadoorian. 1965 [1966]. p. B1-B21. \$1.25.

- 542-C. Effects of the earthquake of March 27, 1964, at Valdez, Alaska, by H. W. Coulter and R. R. Migliaccio. 1966. p. C1-C36. \$1.25.
- 542-D. Effects of the earthquake of March 27, 1964, in the Homer area, Alaska, by R. M. Waller, *with a section on Beach changes on Homer Spit*, by K. W. Stanley. 1966. p. D1-D28. 65¢.
- 542-E. Effects of the earthquake of March 27, 1964, at Seward, Alaska, by R. W. Lemke. 1967. p. E1-E43. \$1.25.
- *542-F. Effects of the earthquake of March 27, 1964, on the communities of Kodiak and nearby islands, by Reuben Kachadoorian and George Plafker. 1967. p. F1-F41.
- 542-G. Effects of the earthquake of March 27, 1964, on various communities, by George Plafker, Reuben Kachadoorian, E. B. Eckel, and L. R. Mayo. 1969. p. G1-G50. \$2. (Professional Paper 542 issued only as separate chapters under the general title "The Alaska earthquake March 27, 1964: Effects on communities." Chapter G includes title page and contents for volume.)
- *543-A. Slide-induced waves, seiching, and ground fracturing caused by the earthquake of March 27, 1964, at Kenai Lake, Alaska, by D. S. McCulloch. 1966. p. A1-A41.
- *543-B. Geomorphic effects of the earthquake of March 27, 1964, in the Martin-Bering Rivers area, Alaska, by S. J. Tuthill and W. M. Laird. 1966. p. B1-B29.
- *543-C. Gravity survey and regional geology of the Prince William Sound epicentral region, Alaska, by J. E. Case, D. F. Barnes, George Plafker, and S. L. Robbins. 1966. p. C1-C12.
- *543-D. Geologic effects of the March 1964 earthquake and associated seismic sea waves on Kodiak and nearby islands, Alaska, by George Plafker and Reuben Kachadoorian. 1966. p. D1-D46.
- *543-E. Effects of the earthquake of March 27, 1964, in the Copper River Basin area, Alaska, by O. J. Ferrians, Jr. 1966. p. E1-E28.
- 543-F. Ground breakage and associated effects in the Cook Inlet area, Alaska, resulting from the March 27, 1964 earthquake, by H. L. Foster and T. N. V. Karlstrom. 1967. p. F1-F28. \$1.
- *543-G. Surface faults on Montague Island associated with the 1964 Alaska earthquake, by George Plafker. 1967. p. G1-G42.
- 543-H. Erosion and deposition on a beach raised by the 1964 earthquake, Montague Island, Alaska, by M. J. Kirkby and A. V. Kirkby. 1969. p. H1-H41. 60¢.
- 543-I. Tectonics of the March 27, 1964, Alaska earthquake, by George Plafker. 1969 [1970]. p. I1-I74. \$2.50.
- 543-J. Effects of the Alaska earthquake of March 27, 1964, on shore processes and beach morphology, by K. W. Stanley. 1968. p. J1-J21. 45¢. (Professional Paper 543 issued only as separate chapters under the general title "The Alaska earthquake, March 27, 1964: Regional effects." Chapter J includes title page and contents for volume.)
- *544-A. Effects of the March 1964 Alaska earthquake on the hydrology of south-central Alaska, by R. M. Waller. 1966. p. A1-A28.
- *544-B. Effects of the March 1964 Alaska earthquake on the hydrology of the Anchorage area, Alaska, by R. M. Waller. 1966. p. B1-B18.
- *544-C. Hydrologic effects of the earthquake of March 27, 1964, outside Alaska, by R. C. Vorhis, *with sections on Hydroseismograms from the*

- Nunn-Bush Shoe Co. well, Wisconsin, by E. E. Rexin and R. C. Vorhis, and Alaska earthquake effects on ground water in Iowa, by R. W. Coble. 1967. p. C1-C54.
- *544-D. Effects of the March 1964 Alaska earthquake on glaciers, by Austin Post. 1967. p. D1-D42.
- 544-E. Seismic seiches from the March 1964 Alaska earthquake, by Arthur McGarr, Lamont Geological Observatory of Columbia University, Palisades, N.Y., and R. C. Vorhis, U.S. Geological Survey. 1968. p. E1-E43. \$1. (Professional Paper 544 issued only as separate chapters under the general title "The Alaska earthquake, March 27, 1964: Effects on the hydrologic regimen." Chapter E includes title page and contents for volume.)
- *545-A. Effect of the earthquake of March 27, 1964, on the Eklutna Hydroelectric Project, Anchorage, Alaska, by M. H. Logan, U.S. Bureau of Reclamation, *with a section on* Television examination of earthquake damage to underground communication and electrical systems in Anchorage, by L. R. Burton. 1967. p. A1-A30.
- 545-B. Effects of the earthquake of March 27, 1964, on air and water transport, communications, and utilities systems in south-central Alaska, by E. B. Eckel. 1967. p. B1-B27. 35¢.
- 545-C. Effects of the earthquake of March 27, 1964, on the Alaska highway system, by Reuben Kachadoorian. 1968. p. C1-C66. 65¢.
- 545-D. Effects of the earthquake of March 27, 1964, on the Alaska Railroad, by D. S. McCulloch and M. G. Bonilla. 1970. p. D1-D161. \$3.50. (Professional Paper 545 issued only as separate chapters under the general title "The Alaska earthquake, March 27, 1964: Effects on transportation, communications, and utilities." Chapter D includes title page and contents for volume.)
546. The Alaska earthquake, March 27, 1964: Lessons and conclusions, by E. B. Eckel. 1970. 57 p. 75¢.
547. Cretaceous ammonites from the lower part of the Matanuska Formation, southern Alaska, by D. L. Jones, *with a* Stratigraphic summary, by Arthur Grantz. 1967. 49 p. \$1.25.
- *548. Geology and fuel resources of the Green River Formation, southeastern Uinta Basin, Utah and Colorado, by W. B. Cashion. 1967. 48 p.
- 549-A. Physical and chemical description of Birch Creek—A travertine depositing stream, Inyo County, Calif., by K. V. Slack. 1967. p. A1-A19. 55¢. (Professional Paper 549 issued only as separate chapters under the general title "Limnological studies.")
- *550-A. Geological Survey research 1966, Chapter A. 1966 [1967]. p. A1-A385.
- *550-B. Geological Survey research 1966, Chapter B. 1966. p. B1-B227. Contains the following articles, which are not available separately:
- Unconformity between gneissic granodiorite and overlying Yavapai Series (older Precambrian), central Arizona, by P. M. Blacet. p. B1-B5.
- Tectonic movement in the Grapevine area, Kern County, Calif., by B. E. Lofgren. p. B6-B11.
- Cattle Creek anticline, a salt diapir near Glenwood Springs, Colo., by W. W. Mallory. p. B12-B15.

- Domes in the Atlantic Coastal Plain east of Trenton, N.J., by J. P. Minard and J. P. Owens. p. B16-B19.
- Regional unconformity in Late Cretaceous, Wyoming, by J. R. Gill and W. A. Cobban. p. B20-B27.
- Permian coleoid cephalopods from the Phosphoria Formation in Idaho and Montana, by Mackenzie Gordon, Jr. p. B28-B35.
- Devonian stratigraphy of the Confusion Range, west-central Utah, by R. K. Hose. p. B36-B41.
- Tertiary extrusive volcanic rocks in Middle Park, Grand County, Colo., by G. A. Izett. p. B42-B46.
- Oketaella earglei*, a new fusulinid species, from the Adams Branch Limestone Member of the Graford Formation of Late Pennsylvanian age, Brown County, Tex., by D. A. Myers. p. B47-B50.
- Graptolite-bearing Silurian rocks of the Houlton-Smyrna Mills area, Aroostook County, Maine, by Louis Pavlides and W. B. N. Berry. p. B51-B61.
- Stratigraphic significance of Tertiary fossils from the Orca Group in the Prince William Sound region, Alaska, by George Plafker and F. S. MacNeil. p. B62-B68.
- Stratigraphic relations of Upper Cretaceous rocks, Lamont-Baird area, south-central Wyoming, by M. W. Reynolds. p. B69-B76.
- The Milnor channel, an ice-marginal course of the Sheyenne River, N. Dak., by C. H. Baker, Jr. p. B77-B79.
- Structural control of wind gaps and water gaps and of stream capture in the Stroudsburg area, Pennsylvania and New Jersey, by J. B. Epstein. p. B80-B86.
- Sandblasted blocks on a hill in the coastal plain of New Jersey, by J. P. Minard. p. B87-B90.
- Pre-Wisconsin glacial deposits in northern Kentucky, by L. L. Ray. p. B91-B94.
- Distribution and geologic structure of Triassic rocks in the Bay of Fundy and the northeastern part of the Gulf of Maine, by A. R. Tagg and Elazar Uchupi. p. B95-B98.
- Measurement of the velocity of high-amplitude shock waves in rock materials by means of strain gages, by M. H. Carr. p. B99-B103.
- Seismic surveying with firecrackers—A modification of the sledge-hammer method, by J. H. Criner. p. B104-B107.
- Relation between Bouguer gravity anomalies and regional topography in Nevada and the eastern Snake River Plain, Idaho, by D. R. Mabey. p. B108-B110.
- Preliminary report on regional aeromagnetic anomalies in northwestern Montana, by M. R. Mudge, G. D. Robinson, and G. P. Eaton. p. B111-B114.
- Granulite and peridotite inclusions from Prindle Volcano, Yukon-Tanana Upland, Alaska, by H. L. Foster, R. B. Forbes, and D. M. Ragan. p. B115-B119.
- Occurrence and identification of jordisite at Ambrosia Lake, N. Mex., by H. C. Granger and B. L. Ingram. p. B120-B124.
- Loewite, vanthoffite, bloedite, and leonite from southeastern New Mexico, by B. M. Madsen. p. B125-B129.
- Rare-earth thorium carbonate veins of the Road Gulch area, northern

- Wet Mountains, Colo., by M. H. Staatz and N. M. Conklin. p. B130-B134.
- Field determination of nanogram quantities of mercury in soils and rocks, by Margaret Hinkle, K. W. Leong, and F. N. Ward. p. B135-B137.
- Tellurium and mercury in jasperoid samples, by T. G. Lovering, H. W. Lakin, and J. H. McCarthy. p. B138-B141.
- Uranium-lead and potassium-argon ages of parts of the Amargosa thrust complex, Death Valley, Calif., by T. W. Stern, M. F. Newell, and C. B. Hunt. p. B142-B147.
- Lava coils of some recent historic flows, Hawaii, by D. L. Peck. p. B148-B151.
- Phosphate deposits in the basal beds of the Maquoketa Shale near Dubuque, Iowa, by C. E. Brown. p. B152-B158.
- Trona in the Wilkins Peak Member of the Green River Formation, southwestern Wyoming, by W. C. Culbertson. p. B159-B164.
- Hydrothermal alteration near the Kennecott copper mines, Wrangell Mountains area, Alaska—A preliminary report, by E. M. MacKevett, Jr., and A. S. Radtke. p. B165-B168.
- Zonal distribution of elements in some uranium-vanadium roll and tabular ore bodies on the Colorado Plateau, by D. R. Shawe. p. B169-B175.
- Uranium, thorium, and radium analyses by gamma-ray spectrometry (0.184-0.352 million electron volts), by C. M. Bunker and C. A. Bush. p. B176-B181.
- Portable core drill and thin-section laboratory for field use, by G. B. Dalrymple and R. R. Doell. p. B182-B185.
- Determination of carbon dioxide in limestone and dolomite by acid-base titration, by F. S. Grimaldi, Leonard Shapiro, and Marian Schnepfe. p. B186-B188.
- Determination of silver in mineralized rocks by atomic-absorption spectrophotometry, by Claude Huffman, Jr., J. D. Mensik, and L. F. Rader. p. B189-B191.
- Observed configuration and computed roughness of the underside of river ice, St. Croix River, Wis., by K. L. Carey. p. B192-B198.
- Time-of-travel measurements on the Passaic and Pompton Rivers, N.J., by G. M. Horwitz and P. W. Anderson. p. B199-B203.
- Botanical and chemical characteristics during the fall overturn of a small eutrophic lake, Pretty Lake, Ind., by R. G. Lipscomb. p. B204-B208.
- Effect of glacial geology upon the time distribution of streamflow in eastern and southern Connecticut, by M. P. Thomas. p. B209-B212.
- Preliminary evaluation of three tracers used in hydraulic experiments on sand models, by J. M. Cahill. p. B213-B217.
- Truck-mounted hydraulic-lift surveying tower, by H. B. Loving and W. L. Sappington. p. B218-B221.
- *550-C. Geological Survey research 1966, Chapter C. 1966. p. C1-C269. Contains the following articles, which are not available separately:
- Detachment faults in the central Santa Monica Mountains, Calif., by R. H. Campbell, R. F. Yerkes, and C. M. Wentworth. p. C1-C11.

- Miocene structural movements in Thomas County, Ga., by C. W. Sever. p. C12-C16.
- Pre-Middle Devonian and post-Middle Devonian faulting and the Silurian-Devonian unconformity near Richmond, Ky., by G. C. Simmons. p. C17-C19.
- Description and relocation of part of the Ilse fault zone, Wet Mountains, Colo., by Q. D. Singewald. p. C20-C24.
- Elastic moduli of granitic rock from in situ measurements of seismic velocity, by R. D. Carroll, J. H. Scott, and D. R. Cunningham. p. C25-C28.
- Rupture phenomena in the Silver Plume Granite, Colo., by F. T. Lee and T. C. Nichols, Jr. p. C29-C33.
- Preliminary appraisal of applied rock mechanics research on Silver Plume Granite, Colo., by T. C. Nichols, Jr., and F. T. Lee. p. C34-C38.
- Stratigraphy, paleontology, and isotopic ages of upper Mesozoic rocks in the southwestern Wrangell Mountains, Alaska, by Arthur Grantz, D. L. Jones, and M. A. Lanphere. p. C39-C47.
- Algal stromatolites of the Upper Cambrian Copper Ridge Dolomite in Union and Claiborne Counties, Tenn., by L. D. Harris. p. C48-C53.
- Comparison of Ordovician eugeosynclinal and miogeosynclinal quartzites of the Cordilleran geosyncline, by K. B. Ketner. p. C54-C60.
- Eocene paleosol in the northern Great Plains, by W. A. Pettyjohn. p. C61-C65.
- Correlation of Lower Cambrian and some Precambrian strata in the southern Great Basin, California and Nevada, by J. H. Stewart. p. C66-C72.
- Local thickening of basalts and late Tertiary silicic volcanism in the Canyon City quadrangle, northeastern Oregon, by T. P. Thayer and C. E. Brown. p. C73-C78.
- Foraminifera from the Arctic Ocean off the eastern Siberian coast, by Ruth Todd and Doris Low. p. C79-C85.
- Age of the Uncompahgre uplift and Unaweep Canyon, west-central Colorado, by F. W. Cater. p. C86-C92.
- Parícutin, 1965—Aftermath of eruption, by Kenneth Segerstrom. p. C93-C101.
- Organic geochemistry of three North Pacific deep-sea sediment samples, by J. G. Palacas, V. E. Swanson, and G. W. Moore. p. C102-C107.
- Heavy minerals in stream sediments of the Connors Pass quadrangle, White Pine County, Nev., by E. J. Young. p. C108-C112.
- General features of the Bouguer gravity field in southwestern Oregon, by H. R. Blank, Jr. p. C113-C119.
- Regional gravity survey, Wind River basin, Wyoming, by J. E. Case and W. R. Keefer. p. C120-C128.
- Hawaiian seismic events during 1964, by R. Y. Koyanagi and A. T. Okamura. p. C129-C132.
- Ferroselite in a roll-type uranium deposit, Powder River basin, Wyoming, by H. C. Granger. p. C133-C137.
- Geologic and geochemical features of the Redskin Granite and associated rocks, Lake George beryllium area, Colorado, by C. C.

- Hawley, Claude Huffman, Jr., J. C. Hamilton, and L. F. Rader, Jr. p. C138-C147.
- A two-amphibole glaucophane schist in the Franciscan Formation, Cazadero area, Sonoma County, Calif., by D. E. Lee, R. G. Coleman, Harry Bastron, and V. C. Smith. p. C148-C157.
- Strontium-bearing todorokite from Soganliyuruk, Turkey, by A. S. Radtke and L. M. Jones. p. C158-C161.
- Occurrence of pyrophyllite in the Kekiktuk Conglomerate, Brooks Range, northeastern Alaska, by B. L. Reed and J. J. Hemley. p. C162-C166.
- Genetic implications of some elements associated with uranium deposits, Shirley basin, Wyoming, by E. N. Harshman. p. C167-C173.
- Metal sorption by northwest Florida humate, by V. E. Swanson, I. C. Frost, L. F. Rader, Jr., and Claude Huffman, Jr. p. C174-C177.
- New isotopic measurements of Colorado ore leads, by M. H. Delevaux, A. P. Pierce, and J. C. Antweiler. p. C178-C186.
- Anomalous metal concentrations in jasperoid from hypogene barite veins near Rabigh, Kingdom of Saudi Arabia, by D. A. Brobst. p. C187-C189.
- A geochemical investigation of the Caraiba copper deposit, Bahia, Brazil, by R. W. Lewis, Jr. p. C190-C196.
- Distribution of selected metals in the Stockton district, Utah, by W. J. Moore, G. C. Curtin, R. J. Roberts, and E. W. Tooker. p. C197-C205.
- Arizona-New Mexico and Nevada-Utah beryllium belts, by D. R. Shawe. p. C206-C213.
- Recent faulting at proposed damsites in the Eretan area, West Java, Indonesia, by R. J. Anderson. p. C214-C219.
- Determination of microquantities of mercury in sulfide ores by Penfield tube-dithizone and semiquantitative spectrographic methods, by J. I. Dinnin and H. W. Worthing. p. C220-C223.
- An improved method for recovery of bromoform used in mineral separations, by W. M. Turner. C224-C227.
- Quantitative spectrochemical determination of minor elements in apatite, by C. L. Waring and Nancy Conklin. p. C228-C230.
- Hydrologic characteristics of the alluvial fan near Salinas, Puerto Rico, by N. E. McClymonds and P. E. Ward. p. C231-C234.
- Relationships of fresh and salty ground water in the northern Atlantic coastal plain of the United States, by J. E. Upson. p. C235-C243.
- Chemical effects of irrigation-return water, North Platte River, western Nebraska, by G. V. Gordon. p. C244-C250.
- Water-quality variations in the Cuyahoga River at Cleveland, Ohio, by M. E. Schroeder and C. R. Collier. p. C251-C255.
- A hydraulic squeezer for obtaining interstitial water from consolidated and unconsolidated sediments, by F. T. Manheim. p. C256-C261.
- Automatic battery charger for field use, by T. O. Dando. p. C262-C264.
- *550-D. Geological Survey research 1966, Chapter D. 1966. p. D1-D267. (Professional Paper 550 issued only as separate chapters under the general title "Geological Survey research 1966.") Chapter D contains the following articles, which are not available separately:

- Possible window in the Elk Range thrust sheet near Aspen, Colo., by Bruce Bryant. p. D1-D8.
- Stream anticlines in central Kentucky, by G. C. Simmons. p. D9-D11.
- Exotic blocks and coarse breccias in Mesozoic volcanic rocks of southeastern Arizona, by F. S. Simons, R. B. Raup, P. T. Hayes, and Harald Drewes. p. D12-D22.
- Last Chance thrust—A major fault in the eastern part of Inyo County, Calif., by J. H. Stewart, D. C. Ross, C. A. Nelson, and B. C. Burchfiel. p. D23-D34.
- The bedrock structure of Covey Hill and vicinity, northern New York and southern Quebec, by D. R. Wiesnet and T. H. Clark. p. D35-D38.
- A possible breccia in southwestern Massachusetts and adjoining areas, and its bearing on the existence of the Taconic allochthon, by E-an Zen and N. M. Ratcliffe. p. D39-D46.
- Intertonguing relations of the Lee Formation in southwestern Virginia, by K. J. Englund and A. O. DeLaney. p. D47-D52.
- Cretaceous stratigraphy of the Kamishak Hills, Alaska Peninsula, by D. L. Jones and R. L. Detterman. p. D53-D58.
- Lithology and eastward extension of the Dalles Formation, Oregon and Washington, by R. C. Newcomb. p. D59-D63.
- Permian-Triassic boundary in eastern Uintah County, Utah, and western Moffat County, Colo., by E. M. Schell and E. L. Yochelson. p. D64-D68.
- Erect plants in the Early Silurian of Maine, by J. M. Schopf, Ely Mencher, A. J. Boucot, and H. N. Andrews. p. D69-D75.
- Associated megaspores and microspores of the Cretaceous genus *Ariadnaesporites* Potonié, 1956, emend., by R. H. Tschudy. p. D76-D82.
- An 800-year history of stream erosion as indicated by botanical evidence, by V. C. LaMarche, Jr. p. D83-D86.
- Lake Paducah, of late Pleistocene age, in western Kentucky and southern Illinois, by W. W. Olive. p. D87-D88.
- A two-till locality in northeastern Connecticut, by Fred Pessl, Jr. p. D89-D93.
- Significance of climbing-ripple structure, by E. D. McKee. p. D94-D103.
- Volcanic rocks dredged southwest of the Hawaiian Islands, by C. G. Engel and A. E. J. Engel. p. D104-D108.
- The effect of magmatic differentiation on the magnetic properties of diabase sheets of southeastern Pennsylvania, by M. E. Beck, Jr. p. D109-D116.
- Magnetization of Keweenaw gabbro in northern Wisconsin and its relation to time of intrusion, by K. G. Books, W. S. White, and M. E. Beck, Jr. p. D117-D124.
- Crustal structure determined by seismic-refraction measurements between the Nevada Test Site and Ludlow, Calif., by J. F. Gibbs and J. C. Roller. p. D125-D131.
- Seismic-refraction measurements at Sunnyside, Utah, by B. L. Tibbetts, C. R. Dunrud, and F. W. Osterwald. p. D132-D137.
- Uphole seismic measurements as an indication of stress relief in

- granitic rock tunnels, by R. D. Carroll and J. H. Scott. p. D138-D143.
- Formation of phyllonites in the Grandfather Mountain area, north-western North Carolina, by Bruce Bryant. p. D144-D150.
- "Eclogite" in Hawaiian basalts, by E. D. Jackson. p. D151-D157.
- Preliminary report on a plutonic belt in west-central Alaska, by T. P. Miller, W. W. Patton, Jr., and M. A. Lanphere. p. D158-D162.
- Rate of palagonitization of submarine basalt adjacent to Hawaii, by J. G. Moore. p. D163-D171.
- Significant changes in volcanism during the Cretaceous in north-central Puerto Rico, by A. E. Nelson. p. D172-D177.
- Solubility implications of apatite in sea water, by C. E. Robertson. p. D178-D185.
- Preliminary results of geochemical prospecting in northern Michigan, by Kenneth Segerstrom and W. H. Raymond. p. D186-D189.
- Biotite, potassium-feldspar, and whole-rock ages of adamellite, Clark Mountains, West Antarctica, by E. L. Boudette, R. F. Marvin, and C. E. Hedge. p. D190-D194.
- Potassium-argon ages of Tertiary plutons in the Prince William Sound region, Alaska, by M. A. Lanphere. p. D195-D198.
- Precambrian phosphorite in the Belt Series in Montana, by R. A. Gulbrandsen. p. D199-D202.
- A potential source of brick clay in the Beltsville area, Prince Georges and Montgomery Counties, Md., by C. F. Withington. p. D203-D208.
- Use of the scanning electron microscope in geologic studies, by E. J. Dwornik. p. D209-D213.
- Approximating steady linear flow in a confined aquifer of nonuniform thickness, by C. A. Appel. p. D214-D216.
- The White River Formation as an aquifer in southeastern Wyoming and adjacent parts of Nebraska and Colorado, by M. E. Lowry. p. D217-D222.
- Hydraulic correlation of fracture zones in buried crystalline rock at the Savannah River Plant, near Aiken, S.C., by I. W. Marine. p. D223-D227.
- Effect of sampling and testing methods on computed hydraulic properties of glacial outwash at Piketon, Ohio, by S. E. Norris and R. E. Fidler. p. D228-D230.
- Interstate correlation of aquifers, southwestern Louisiana and southeastern Texas, by A. N. Turcan, Jr., J. B. Wesselman, and Chabot Kilburn. p. D231-D236.
- Reconnaissance survey of ground-water quality in the Great Basin, by J. H. Feth. p. D237-D241.
- The winter phytoplankton, and physical and chemical characteristics of Pretty Lake, Ind., by R. G. Lipscomb. p. D242-D249.
- Distribution of radioactivity in the alluvium of a disposal area at Los Alamos, N. Mex., by W. D. Purtymun, G. L. Johnson, and E. C. John. p. D250-D252.
- Design and construction of a unique injection well on Long Island, N.Y., by Philip Cohen and C. N. Durfor. p. D253-D257.
- Fluorometric analysis of the aluminum ion in natural waters, by D. E. Donaldson. p. D258-D262.

551. General and engineering geology of the United States Air Force Academy site, Colo., by D. J. Varnes and G. R. Scott, *with a section on Ground water*, by W. D. E. Cardwell and E. D. Jenkins. 1967. 93 p. \$2.75.
552. Stratigraphy and regional tectonic implications of part of Upper Cretaceous and Tertiary rocks, east-central San Juan Basin, N. Mex., by E. H. Baltz. 1967. 101 p. \$5.25.
- *553. Cenozoic pectinids of Alaska, Iceland, and other northern regions, by F. S. MacNeil. 1967. 57 p.
- 554-A. Minor elements in alluvial magnetite from the Inner Piedmont belt, North and South Carolina, by P. K. Theobald, Jr., W. C. Overstreet, and C. E. Thompson. 1967. p. A1-A34. \$1.25.
- 554-B. Big Snowy and Amsden Groups and the Mississippian-Pennsylvanian boundary in Montana, by E. K. Maughan and A. E. Roberts. 1967. p. B1-B27. \$1.50.
- 554-C. The nature of batholiths, by Warren Hamilton and W. B. Myers. 1967. p. C1-C30. 30¢.
- 554-D. Cenozoic volcanic rocks of the Devils Postpile quadrangle, eastern Sierra Nevada, Calif., by N. K. Huber and C. D. Rinehart. 1967. p. D1-D21. 70¢.
- 554-E. Petrology and structure of Precambrian rocks, Central City quadrangle, Colorado, by P. K. Sims and D. J. Gable. 1967. p. E1-E56. \$1.
- 554-F. The internal magnetization of seamounts and its computer calculation, by B. F. Grossling. 1967. p. F1-F26. 75¢.
- 554-G. Pennsylvanian and associated rocks in Wyoming, by W. W. Mallory. 1967 [1968]. p. G1-G31. \$2. (Professional Paper 554 issued only as separate chapters under the general title "Shorter contributions to general geology, 1966." Chapter G includes title page and contents for volume.)
555. General geology of Santa Rita quadrangle, Grant County, N. Mex., by W. R. Jones, R. M. Hernon, and S. L. Moore. 1967. 144 p. \$2.25.
- *556. Petrology of the Morrison Formation in the Colorado Plateau region, by R. A. Cadigan. 1967. 113 p.
557. Geology of the Connors Pass quadrangle, Schell Creek Range, east-central Nevada, by Harald Drewes. 1967. 93 p. \$1.75.
- *558. The Ore Knob copper deposit, North Carolina, and other massive sulfide deposits of the Appalachians, by A. R. Kinkel, Jr. 1967. 58 p.
- 559-A. Stratigraphy of the Cambrian and Ordovician rocks of east-central Alaska, by E. E. Brabb. 1967. p. A1-A30. 30¢.
- 559-B. Cambrian trilobites of east-central Alaska, by A. R. Palmer. 1968. p. B1-B115. \$2. (Professional Paper 559 issued only as separate chapters under the general title "Lower Paleozoic paleontology and stratigraphy of east-central Alaska." Chapter B includes title page and contents for volume.)
- *560-B. Geology of the Arabian Peninsula—Yemen, by F. Geukens, translated from the French by S. D. Bowers. 1966. p. B1-B23.
- *560-C. Geology of the Arabian Peninsula—Aden Protectorate, by J. E. G. W. Greenwood and D. Bleackley. 1967. p. C1-C96.
- 560-D. Geology of the Arabian Peninsula—Sedimentary geology of Saudi Arabia, by R. W. Powers, L. F. Ramirez, C. D. Redmond, and E. L. Elberg, Jr. 1966. p. D1-D147. \$1.75.

- *560-E. Geology of the Arabian Peninsula—Bahrain, by R. P. Willis. 1967. p. E1-E4.
- 560-F. Geology of the Arabian Peninsula—Kuwait, by D. I. Milton. 1967. p. F1-F7. 20¢.
- *560-G. Geology of the Arabian Peninsula—Southwestern Iraq, by K. M. Al Naqib. 1967. p. G1-G54.
- *560-H. Geology of the Arabian Peninsula—Eastern Aden Protectorate and part of Dhufar, by Z. R. Beydoun. 1966. p. H1-H49. (Professional Paper 560 issued only as separate chapters.)
- *561. Chemical composition of sedimentary rocks in Colorado, Kansas, Montana, Nebraska, North Dakota, South Dakota, and Wyoming, compiled by T. P. Hill, M. A. Werner, and M. J. Horton, *with an introduction by* W. W. Rubey. 1967. 241 p.
- 562-A. Sediment transport in Cache Creek drainage basin in the Coast Ranges west of Sacramento, Calif., by L. K. Lustig and R. D. Busch. 1967. p. A1-A36. 75¢.
- 562-B. Flume experiments on the transport of a coarse sand, by G. P. Williams. 1967. p. B1-B31. 30¢.
- 562-C. The behavior of large particles falling in quiescent liquids, by G. E. Stringham, D. B. Simons, and H. P. Guy. 1969. p. C1-C36. 55¢.
- 562-D. Response of a laboratory alluvial channel to changes of hydraulic and sediment-transport variables, by R. E. Rathbun, H. P. Guy, and E. V. Richardson. 1969. p. D1-D32. 40¢.
- 562-E. Fluorescent sand as a tracer of fluvial sediment, by V. C. Kennedy and D. L. Kouba. 1970. p. E1-E13. 30¢.
- 562-G. Field measurement of the initiation of large bed particle motion in Blue Creek near Klamath, Calif., by E. J. Helley. 1969 [1970]. p. G1-G19. 35¢.
- 562-H. Flume width and water depth effects in sediment-transport experiments, by G. P. Williams. 1970. p. H1-H37. 55¢. (Professional Paper 562 issued only as separate chapters under the general title "Sediment transport in alluvial channels.")
- *563-C. Distribution of roots and rhizomes in different soil types in the Pine Barrens of New Jersey, by W. A. Laycock. 1967. p. C1-C29. (Professional Paper 563 issued only as separate chapters under the general title "Hydrology and ecology, Pine Barrens, N.J.")
- *564. Classification and distribution of the Recent Hemicytheridae and Trachyleberididae (Ostracoda) off northeastern North America, by J. E. Hazel. 1967. 49 p.
565. Subfamilies and genera of the Soricidae, by C. A. Repenning. 1967. 74 p. 50¢.
566. Younger Precambrian geology in southern Arizona, by A. F. Shride. 1967. 89 p. 65¢.
567. Dictionary of Alaska place names, by D. J. Orth. 1967. 1,084 p. \$11.25.
568. Fluvial monazite deposits in the Southeastern United States, by W. C. Overstreet, A. M. White, J. W. Whitlow, P. K. Theobald, Jr., D. W. Caldwell, and N. P. Cuppels, *with a section on* Mineral analyses, by Jerome Stone. 1968. 85 p. \$4.75.
- 569-A. Hydrologic significance of the lithofacies of the Sparta Sand in Arkansas, Louisiana, Mississippi, and Texas, by J. N. Payne. 1968. p. A1-A17. \$5.75.

- 569-B. Geohydrologic significance of lithofacies of the Cockfield Formation of Louisiana and Mississippi and of the Yegua Formation of Texas, by J. N. Payne. 1970. p. B1-B14. \$6.25. (Professional Paper 569 issued only as separate chapters under the general title "Geohydrology of the Claiborne Group.")
570. Geology and ore deposits of the Iron River-Crystal Falls district, Iron County, Mich., by H. L. James, C. E. Dutton, F. J. Pettijohn, and K. L. Wier. 1968. 134 p. \$3.25.
571. Paleogene biostratigraphy of nonmarine rocks in King County, Wash., by J. A. Wolfe. 1968. 33 p. 50¢.
572. Geology and coal resources of the Elk Valley area, Tennessee and Kentucky, by K. J. Englund. 1968. 59 p. \$5.25.
- 573-A. Recent Foraminifera from the Gulf of Alaska and southeastern Alaska, by Ruth Todd and Doris Low. 1967. p. A1-A46. 55¢.
- 573-B. The Mesozoic pelecypods *Otapiria* Marwick and *Lupherella* Imlay, new genus in the United States, by R. W. Imlay. 1967. p. B1-B11. 25¢.
- 573-C. Fusulinidae from the Graford Formation and Winchell Limestone, Canyon Group, Upper Pennsylvanian, in Brown County, Tex., by D. A. Myers. 1967. p. C1-C17. 30¢.
- 573-D. Ostracoda from the upper Tertiary Waccamaw Formation of North Carolina and South Carolina, by F. M. Swain. 1968. p. D1-D37. 55¢. (Professional Paper 573 issued only as separate chapters under the general title "Contributions to paleontology, 1966." Chapter D includes title page and contents for volume.)
- *574-A. Theory of error in geochemical data, by A. T. Miesch. 1967. p. A1-A17.
- *574-B. Methods of computation for estimating geochemical abundance, by A. T. Miesch. 1967. p. B1-B15.
- 574-C. Geochemical environments and cardiovascular mortality rates in Georgia, by H. T. Shacklette, H. I. Sauer, and A. T. Miesch. 1970. p. C1-C39. 50¢. (Professional Paper 574 issued only as separate chapters under the general title "Statistical studies in field geochemistry.")
- 575-A. Geological Survey research 1967, Chapter A. 1967. p. A1-A377. \$2.25.
- *575-B. Geological Survey research 1967, Chapter B. 1967. p. B1-B265. Contains the following articles, which are not available separately:
- Rare earths in phosphorites—Geochemistry and potential recovery, by A. S. Altschuler, Sol Berman, and Frank Cuttitta. p. B1-B9.
 - Silver and mercury geochemical anomalies in the Comstock, Tonopah, and Silver Reef districts, Nevada-Utah, by H. R. Cornwall, H. W. Lakin, H. M. Nakagawa, and H. K. Stager. p. B10-B20.
 - Mineralized veins at Black Mountain, western Seward Peninsula, Alaska, by C. L. Sainsbury and J. C. Hamilton. p. B21-B25.
 - Monograptus hercynicus nevadensis* n. subsp., from the Devonian in Nevada, by W. B. N. Berry. p. B26-B31.
 - Paleogeographic significance of two middle Miocene basalt flows, southeastern Caliente Range, Calif., by H. E. Clifton. p. B32-B39.
 - Microfossil evidence for correlation of Paleocene strata in Ballard County, Ky., with the lower part of the Porter Creek Clay, by S. M. Herrick and R. H. Tschudy. p. B40-B44.
 - Palynological evidence for Devonian age of the Nation River Forma-

- tion, east-central Alaska, by R. A. Scott and L. I. Doherty. p. B45-B49.
- Tertiary stratigraphy and geohydrology in southwestern Georgia, by C. W. Sever and S. M. Herrick. p. B50-B53.
- Fustispollenites*, a new Late Cretaceous genus from Kentucky, by R. H. Tschudy and H. M. Pakiser. p. B54-B56.
- Orientation of carbonate concretions in the Upper Devonian of New York, by G. W. Colton. p. B57-B59.
- A statistical model of sediment transport, by W. J. Conover and N. C. Matalas. p. B60-B61.
- New observations on the Sheyenne delta of glacial Lake Agassiz, by C. H. Baker, Jr. p. B62-B68.
- Gross composition of Pleistocene clays in Seattle, Wash., by D. R. Mullineaux. p. B69-B76.
- Some observations on a channel scarp in southeastern Nebraska, by J. C. Mundorff. p. B77-B79.
- Effect of landslides on the course of Whitetail Creek, Jefferson County, Mont., by H. J. Prostka. p. B80-B82.
- Varved lake beds in northern Idaho and northeastern Washington, by E. H. Walker. p. B83-B87.
- The Dalles-Umatilla syncline, Oregon and Washington, by R. C. Newcomb. p. B88-B93.
- Electron microscopy of limestones in the Franciscan Formation of California, by R. E. Garrison and E. H. Bailey. p. B94-B100.
- X-ray determinative curve for some orthopyroxenes of composition $Mg_{1-x}Fe_x$ from the Stillwater complex, Montana, by G. R. Himmelberg and E. D. Jackson. p. B101-B102.
- Serpentine-mineral analyses and physical properties, by N. J. Page and R. G. Coleman. p. B103-B107.
- A new(?) yttrium rare-earth iron arsenate mineral from Hamilton, Nev., by A. S. Radtke and C. M. Taylor. p. B108-B109.
- Hydrothermal alteration of basaltic andesite and other rocks in drill hole GS-6, Steamboat Springs, Nev., by Robert Schoen and D. E. White. p. B110-B119.
- Water and deuterium in pumice from the 1959-60 eruption of Kilauea Volcano, Hawaii, by Irving Friedman. p. B120-B127.
- Formation of crystalline hydrous aluminosilicates in aqueous solutions at room temperature, by W. L. Polzer, J. D. Hem, and H. J. Gabe. p. B128-B132.
- Reference sample for determining the isotopic composition of thorium in crustal rocks, by J. N. Rosholt, Jr., Z. E. Peterman, and A. J. Bartel. p. B133-B136.
- Geochemistry of deep-sea sediment along the 160° W. meridian in the North Pacific Ocean, by V. E. Swanson, J. G. Palacas, and A. H. Love. p. B137-B144.
- Results of some geophysical investigations in the Wood Hills area of northeastern Nevada, by C. J. Zablocki. p. B145-B154.
- Time, shadows, terrain, and photointerpretation, by R. J. Hackman. p. B155-B160.
- The photoelectric determination of lithium, by Sol Berman. p. B161-B163.

- A comparison of potassium analyses by gamma-ray spectrometry and other techniques, by C. M. Bunker and C. A. Bush. p. B164-B169.
- Isotope-dilution determination of five-elements in G-2 (granite), with a discussion of the analysis of lead, by B. R. Doe, Mitsunobu Tatsu-moto, M. H. Delevaux, and Z. E. Peterman. p. B170-B177.
- A method for the analysis of fluid inclusions by optical emission spectrography, by Joseph Haffty and D. M. Pinckney. p. B178-B180.
- Data on the rock GSP-1 (granodiorite) and the isotope-dilution method of analysis for Rb and Sr, by Z. E. Peterman, B. R. Doe, and Ardith Bartel. p. B181-B186.
- Rapid analysis of rocks and minerals by a single-solution method, by Leonard Shapiro. p. B187-B191.
- Hydrology of glaciated valleys in the Jamestown area of southwestern New York, by L. J. Crain. p. B192-B198.
- Development of a ground-water supply at Cape Lisburne, Alaska, by modification of the thermal regime of permafrost, by A. J. Feulner and J. R. Williams. p. B199-B202.
- The permeability of fractured crystalline rock at the Savannah River Plant near Aiken, S.C., by I. W. Marine. p. B203-B211.
- Effect of urban development on quality of ground water, Raleigh, N.C., by J. C. Chemerys. p. B212-B216.
- Rate and extent of migration of a "one-shot" contaminant in an alluvial aquifer in Keizer, Oreg., by Don Price. p. B217-B220.
- Relation of water quality to fish kill at Trinity River Fish Hatchery, Lewiston, Calif., by W. D. Silvey. p. B221-B224.
- Distinctive brines in Great Salt Lake, Utah, by A. H. Handy. p. B225-B227.
- Computation of transient flows in rivers and estuaries by the multiple-reach implicit method, by Chintu Lai. p. B228-B232.
- Diurnal temperature fluctuations of three Nebraska streams, by K. A. MacKichan. p. B233-B234.
- Water-quality changes in a destratified water column enclosed by polyethylene sheet, by K. V. Slack and G. G. Ehrlich. p. B235-B239.
- Hydraulic sand-model study of the cyclic flow of salt water in a coastal aquifer, by J. M. Cahill. p. B240-B244.
- Movement and dispersion of fluorescent dye in the Duwamish River estuary, Washington, by J. R. Williams. p. B245-B249.
- An instrument for measuring pH values in high-pressure environments, by J. L. Kunkler, F. C. Koopman, and F. A. Swenson. p. B250-B253.
- Use of digital recorders with pond gages for measuring storm runoff, by J. E. McCall. p. B254-B257.
- Electro-optical calibrator for camera shutters, by T. O. Dando. p. B258-B260.
- *575-C. Geological Survey research 1967, Chapter C. 1967. p. C1-C251. Contains the following articles, which are not available separately:
- Upside-down metamorphic zonation, blueschist facies, along a regional thrust in California and Oregon, by M. C. Blake, Jr., W. P. Irwin, and R. G. Coleman. p. C1-C9.
- The occurrence of green iron-rich muscovite and oxidation during

- regional metamorphism in the Grandfather Mountain window, north-western North Carolina, by Bruce Bryant. p. C10-C16.
- Tetrasilicic dioctahedral micas—celadonite from near Reno, Nev., by M. D. Foster. p. C17-C22.
- A computer-based procedure for deriving mineral formulas from mineral analyses, by E. D. Jackson, R. E. Stevens, and R. W. Bowen. p. C23-C31.
- Spheroidal weathering of thermally metamorphosed limestone and dolomite, White Mountains, Calif., by V. C. LaMarche, Jr. p. C32-C37.
- Rare-earth mineral occurrence in marine evaporites, Paradox basin, Utah, by O. B. Raup, A. J. Gude 3d, and H. L. Groves, Jr. p. C38-C41.
- Volcanism and tectonism as reflected by the distribution of nonopaque heavy minerals in some Tertiary rocks of Wyoming and adjacent States, by Yoshiaki Sato and N. M. Denson. p. C42-C54.
- Petrology of a late Quaternary potassium-rich andesite flow from Mount Adams, Washington, by R. A. Sheppard. p. C55-C59.
- Precambrian wrench fault in central Arizona, by C. A. Anderson. p. C60-C65.
- Breccia pipes in the West Tintic and Sheeprock Mountains, Utah, by H. T. Morris and R. W. Kopf. p. C66-C71.
- Description and use of an underwater television system on the Atlantic Continental Shelf, by J. E. Eddy, V. J. Henry, John Hoyt, and Edward Bradley. p. C72-C76.
- Heavy-mineral assemblages in the near shore surface sediments of the Gulf of Maine, by D. A. Ross. p. C77-C80.
- High-efficiency subbottom profiling, by G. A. Rusnak. p. C81-C91.
- Subsurface morphology of Long Island Sound, Block Island Sound, Rhode Island Sound, and Buzzards Bay, by A. R. Tagg and Elazar Uchupi. p. C92-C96.
- Origin of Redondo submarine canyon, southern California, by R. F. Yerkes, D. S. Gorsline, and G. A. Rusnak. p. C97-C105.
- Activity coefficients from emf measurements, by C. L. Christ and P. B. Hostetler. p. C106-C109.
- Possible role of sulfur-oxidizing bacteria in surficial acid alteration near hot springs, by G. G. Ehrlich and Robert Schoen. p. C110-C112.
- Spectrographic data on the composition of basaltic rocks, by T. G. Lovering, M. S. Niles, and M. L. Graves. p. C113-C115.
- Calculation of ion activity products for a brine from the Bonneville Salt Flats, Utah, by W. L. Polzer and C. E. Roberson. p. C116-C119.
- Lower Permian plants from the Arroyo Formation in Baylor County, north-central Texas, by S. H. Mamay. p. C120-C126.
- Age and regional significance of basal part of Milligen Formation, Lost River Range, Idaho, by C. A. Sandberg, W. J. Mapel, and J. W. Huddle. p. C127-C131.
- Spectrographic determination of volatile elements in silicates and carbonates of geologic interest, using an argon d-c arc, by Charles Annell. p. C132-C136.
- Determination of phosphorus in silicate rocks by neutron activation, by L. P. Greenland. p. C137-C140.

- Determination of palladium in the parts-per-billion range in rocks, by F. S. Grimaldi and M. M. Schnepfe. p. C141-C144.
- Glaciation at Wallowa Lake, Oreg., by D. R. Crandell. p. C145-C153.
- Observations on the Teton Glacier, Grand Teton National Park, Wyo., 1965 and 1966, by J. C. Reed, Jr. p. C154-C159.
- Revised correlation of the No. 4 (Dawson Springs No. 6) coal bed, Western Kentucky coal field, by T. M. Kehn, J. E. Palmer, and G. J. Franklin. p. C160-C164.
- Kaolinization of bedrock of the Boston, Mass., area, by C. A. Kaye. p. C165-C172.
- May 1963 earthquakes and deformation in the Koae fault zone, Kilauea Volcano, Hawaii, by W. T. Kinoshita. p. C173-C176.
- The great sand dunes of southern Colorado, by R. B. Johnson. p. C177-C183.
- Measurement of the abundance of fracture traces on aerial photographs, by F. W. Trainer. p. C184-C188.
- Use of an infiltration gallery to obtain fresh water at Ocean Cape, Alaska, by A. J. Feulner, H. H. Heyward, and C. G. Angelo. p. C189-C191.
- Immobility of connate water in permeable sandstone, by G. E. Manger and W. T. Wertman. p. C192-C194.
- The underside of river ice, St. Croix River, Wis., by K. L. Carey. p. C195-C199.
- Analytical approaches to computation of discharge of an ice-covered stream, by K. L. Carey. p. C200-C207.
- Two methods of estimating base flow at ungaged stream sites in Kansas and adjacent States, by L. W. Furness and M. W. Busby. p. C208-C211.
- Characteristics of summer base flow of the Potomac River, by R. L. Hanson. p. C212-C215.
- The construction and use of flow-volume curves, by E. G. Miller. p. C216-C218.
- Bed-material movement, Middle Fork Eel River, Calif., by J. R. Ritter. p. C219-C221.
- Chemical characteristics of bulk precipitation in the Mojave Desert region, California, by J. H. Feth. p. C222-C227.
- Winter loss and spring recovery of dissolved solids in two prairie-pothole ponds in North Dakota, by J. H. Ficken. p. C228-C231.
- Hydrogeologic significance of calcium-magnesium ratios in ground water from carbonate rocks in the Lancaster quadrangle, southeastern Pennsylvania, by Harold Meisler and A. E. Becher. p. C232-C235.
- Shoreline features as indicators of high lake levels, by D. D. Knochenmus. p. C236-C241.
- Magnetic tape recording of geophysical logs, by W. S. Keys. p. C242-C246.
- *575-D. Geological Survey research 1967, Chapter D. 1967. p. D1-D297. (Professional Paper 575 issued only as separate chapters under the general title "Geological Survey research 1967.") Chapter D contains the following articles, which are not available separately:
- Northwesterly extension of the Darby thrust in the Snake River

- Range, Wyoming and Idaho, by H. F. Albee, D. A. Jobin, and M. L. Schroeder. p. D1-D3.
- Stratigraphic evidence for the Late Devonian age of the Nation River Formation, east-central Alaska, by E. E. Brabb and Michael Churkin, Jr. p. D4-D15.
- Fossiliferous lower Paleozoic rocks in the Cupsuptic quadrangle, west-central Maine, by D. S. Harwood and W. B. N. Berry. p. D16-D23.
- Physical evidence for Late Cretaceous unconformity, south-central Wyoming, by M. W. Reynolds. p. D24-D28.
- Mississippian depositional provinces in the northern Cordilleran region, by W. J. Sando. p. D29-D38.
- Relation of Nussbaum Alluvium (Pleistocene) to the Ogallala Formation (Pliocene) and to the Platte-Arkansas divide, southern Denver basin, Colorado, by P. E. Soister. p. D39-D46.
- Age of volcanic activity in the San Juan Mountains, Colo., by T. A. Steven, H. H. Mehnert, and J. D. Obradovich. p. D47-D55.
- Callaghan window—A newly discovered part of the Roberts thrust, Toiyabe Range, Lander County, Nev., by J. H. Stewart and A. R. Palmer. p. D56-D63.
- Ordovician tectonism in the Ruby Mountains, Elko County, Nev., by Ronald Willden and R. W. Kistler. p. D64-D75.
- Aragonite and calcite in mollusks from the Pennsylvanian Kendrick Shale (of Jillson) in Kentucky, by E. L. Yochelson, J. S. White, Jr., and Mackenzie Gordon, Jr. p. D76-D78.
- Digital recording and processing of airborne geophysical data, by G. I. Evenden, F. C. Frischknecht, and J. L. Meuschke. p. D79-D84.
- A seismic and gravity profile across the Hueco bolson, Texas, by R. E. Mattick. p. D85-D91.
- The U.S. Geological Survey—LaCoste and Romberg precise borehole gravimeter system—Instrumentation and support equipment, by T. H. McCulloh, L. J. B. LaCoste, J. E. Schoellhamer, and E. H. Pampeyan. p. D92-D100.
- The U.S. Geological Survey—LaCoste and Romberg precise borehole gravimeter system—Test results, by T. H. McCulloh, J. E. Schoellhamer, E. H. Pampeyan, and H. B. Parks. p. D101-D112.
- Use of fan filters in computer analysis of magnetic-anomaly trends, by E. S. Robinson. p. D113-D119.
- Tectonic inclusions from a serpentinite, east-central Alaska, by R. L. Foster. p. D120-D122.
- Preliminary report on sulfide and platinum-group minerals in the chromitites of the Stillwater Complex, Montana, by N. J. Page and E. D. Jackson. p. D123-D126.
- Bismuth and tin minerals in gold- and silver-bearing sulfide ores, Ohio mining district, Marysville, Utah, by A. S. Radtke, C. M. Taylor, and J. E. Frost. p. D127-D130.
- Contraction jointing and vermiculitic alteration of an andesite flow near Lakeview, Oreg., by G. W. Walker. p. D131-D134.
- Geologic evaluation of radar imagery in southern Utah, by R. J. Hackman. p. D135-D142.
- An airborne multispectral television system, by C. J. Robinove and H. E. Skibitzke. p. D143-D146.

- Use of infrared imagery in study of the San Andreas fault system, California, by R. E. Wallace and R. M. Moxham. p. D147-D156.
- Isotopic age and geologic relationships of the Little Elk Granite, northern Black Hills, S. Dak., by R. E. Zartman and T. W. Stern. p. D157-D163.
- Estimates of the Devonian geomagnetic field intensity in Scotland, by P. J. Smith. p. D164-D168.
- Infrared radiation from Alae lava lake, Hawaii, by R. W. Decker and D. L. Peck. p. D169-D175.
- A geochemical anomaly of base metals and silver in the southern Santa Rita Mountains, Santa Cruz County, Ariz., by Harald Drewes. p. D176-D182.
- Relation of building damage to geology in Seattle, Wash., during the April 1965 earthquake, by D. R. Mullineaux, M. G. Bonilla, and Julius Schlocker. p. D183-D191.
- Bottom-water temperatures on the continental shelf off New England, by T. J. M. Schopf. p. D192-D197.
- Provenance of Recent glacial ice in lower Glacier Bay, southeastern Alaska, by A. T. Ovenshine. p. D198-D202.
- Upper Pleistocene features in the Bering Strait area, by C. L. Sainsbury. p. D203-D213.
- Evidence of secondary circulation in an alluvial channel, by J. K. Culbertson. p. D214-D216.
- Rock streams on Mount Mestas, Sangre de Cristo Mountains, southern Colorado, by R. B. Johnson. p. D217-D220.
- An interpretation of profiles of weathering of the Peorian Loess of western Kentucky, by L. L. Ray. p. D221-D227.
- Soils on Upper Quaternary deposits near Denver, Colo., by Richard Van Horn. p. D228-D232.
- A simple and rapid indirect determination of fluorine in minerals and rocks, by Leonard Shapiro. p. D233-D235.
- A spectrophotometric method for the determination of traces of platinum and palladium in geologic materials, by C. E. Thompson. p. D236-D238.
- Atomic absorption determination of bismuth in altered rocks, by F. N. Ward and H. M. Nakagawa. p. D239-D241.
- A determination of the daily mean discharge of Waiakea Pond springs, Hilo, Hawaii, by G. T. Hirashima. p. D242-D246.
- High-resolution subbottom seismic profiles of the Delaware estuary and bay mouth, by D. W. Moody and E. D. Van Reenan. p. D247-D252.
- Prediction of salt-water intrusion in the Duwamish River estuary, King County, Wash., by J. D. Stoner. p. D253-D255.
- Change in quantity of dissolved solids transported by Sharon Creek near Palo Alto, Calif., after suburban development, by J. R. Crippen. p. D256-D258.
- A preliminary study of the effect of urbanization on floods in Jackson, Miss., by K. V. Wilson. p. D259-D261.
- Effects of released reservoir water on the quality of the Lehigh River, Pa., by E. F. McCarren and W. B. Keighton. p. D262-D266.

- Transverse mixing in a sand-bed channel, by H. B. Fischer. p. D267–D272.
- Computation of transient flows in rivers and estuaries by the multiple-reach method of characteristics, by Chintu Lai. p. D273–D280.
- Mean annual precipitation-runoff relations in north coastal California, by S. E. Rantz. p. D281–D283.
- New system for viewing mapping photographs, by J. W. Knauf. p. D284–D288.
- Automatic plotter for map base preparation, by Roy Mullen. p. D289–D291.
- 576–A. Stratigraphy of Slick Rock district and vicinity, San Miguel and Dolores Counties, Colo., by D. R. Shawe, G. C. Simmons, and N. L. Archbold. 1968 [1969]. p. A1–A108. \$5.75.
- 576–B. Petrography of sedimentary rocks in the Slick Rock district, San Miguel and Dolores Counties, Colo., by D. R. Shawe. 1968. p. B1–B34. 40¢.
- 576–C. Structure of the Slick Rock district and vicinity, San Miguel and Dolores Counties, Colo., by D. R. Shawe. 1970. p. C1–C18. 35¢. (Professional Paper 576 issued only as separate chapters under the general title “Geologic investigations in Slick Rock district, San Miguel and Dolores Counties, Colo.”)
577. Mica deposits of the Blue Ridge in North Carolina, by F. G. Lesure. 1968. 124 p. \$2.50.
578. Redescription of Upper Devonian conodont genera and species proposed by Ulrich and Bassler in 1926, by J. W. Huddle. 1968. 55 p. 75¢.
579. The Parkfield–Cholame, Calif., earthquakes of June–August 1966—Surface geologic effects, water-resources aspects, and preliminary seismic data, by R. D. Brown, Jr., J. G. Vedder, R. E. Wallace, E. F. Roth, R. F. Yerkes, R. O. Castle, A. O. Waananen, R. W. Page, and J. P. Eaton. 1967. 66 p. 50¢.
580. Mineral resources of the Appalachian region, by the U.S. Geological Survey and the U.S. Bureau of Mines. 1968. 492 p. \$4.50.
- 581–A. Seismic reflection profiles along the drill holes on the continental margin off Florida, by K. O. Emery and E. F. K. Zarudzki. 1967. p. A1–A8. 20¢.
- 581–B. Calcium carbonate, organic carbon, and nitrogen in sediments from drill holes on the continental margin off Florida, by Jobst Hülsemann. 1968. p. B1–B10. 20¢.
- 581–C. Organic extracts from JOIDES cores off northeastern Florida, by E. E. Bray and E. D. Evans. 1969. p. C1–C7. 25¢.
- 581–D. Detailed stratigraphic description of the JOIDES cores on the continental margin off Florida, by W. B. Charm, W. D. Nesteroff, and Sylvia Valdes. 1969 [1970]. p. D1–D13. \$1.
- 581–E. Mineralogy and origin of sediments from drill holes on the continental margin off Florida, by J. C. Hathaway, P. F. McFarlin, and D. A. Ross. 1970. p. E1–E26. \$1. (Professional Paper 581 issued only as separate chapters under the general title “Drilling on the continental margin off Florida.”)
- 582–A. Methods for predicting dispersion coefficients in natural streams, with applications to lower reaches of the Green and Duwamish Rivers, Wash., by H. B. Fischer. 1968. p. A1–A27. 30¢. (Professional Paper 582 issued

- only as separate chapters under the general title "Dispersion in surface water.")
- 583-A. Some silicified Middle Ordovician brachiopods from Kentucky, by R. B. Neuman. 1967. p. A1-A14. 30¢.
- 583-B. Calymenid and other Ordovician trilobites from Kentucky and Ohio, by R. J. Ross, Jr. 1967. p. B1-B19. 45¢. (Professional Paper 583 issued only as separate chapters under the general title "Contributions to the Ordovician paleontology of Kentucky.")
- 584-A. Stratigraphy of the Bois Blanc Formation in New York, by W. A. Oliver, Jr. 1967. p. A1-A8. 45¢.
- 584-B. Brachiopods of the Bois Blanc Formation in New York, by A. J. Boucot and J. G. Johnson. 1968. p. B1-B27. 55¢. (Professional Paper 584 issued only as separate chapters under the general title "Stratigraphy and paleontology of the Bois Blanc Formation in New York.")
- 585-B. Evapotranspiration and the water budget of prairie potholes in North Dakota, by J. B. Shjeflo. 1968. p. B1-B49. 45¢. (Professional Paper 585 issued only as separate chapters under the general title "Hydrology of prairie potholes in North Dakota.")
586. Geology of the Hot Sulphur Springs quadrangle, Grand County, Colo., by G. A. Izett. 1968. 79 p. \$1.50.
587. Geology of the Great Smoky Mountains National Park, Tenn. and N.C., by P. B. King, R. B. Neuman, and J. B. Hadley. 1968. 23 p. \$1.
588. Geology and ore deposits of the Picher field, Oklahoma and Kansas, by E. T. McKnight and R. P. Fischer. 1970. 165 p. \$7.25.
589. Geologic studies Project Gnome, Eddy County, N. Mex., by L. M. Gard, Jr. 1968. 33 p. \$1.25.
590. A descriptive catalog of selected aerial photographs of geologic features in the United States, by C. S. Denny, C. R. Warren, D. H. Dow, and W. J. Dale. 1968. 79 p. \$2.25.
591. A descriptive catalog of selected aerial photographs of geologic features in areas outside the United States, assembled by C. R. Warren, D. L. Schmidt, C. S. Denny, and W. J. Dale. 1969. 23 p. \$1.25.
592. Stratigraphy of the Star Peak Group (Triassic) and overlying lower Mesozoic rocks, Humboldt Range, Nev., by N. J. Silberling and R. E. Wallace. 1969. 50 p. \$1.25.
- 593-A. Permian Tethyan fusulinids from California, by R. C. Douglass. 1967. p. A1-A13. 40¢.
- *593-B. Recent gastropod boreholes and Ordovician cylindrical borings, by M. R. Carriker and E. L. Yochelson. 1968. p. B1-B26.
- 593-C. Lower Jurassic (Pliensbachian and Toarcian) ammonites from eastern Oregon and California, by R. W. Imlay. 1968. p. C1-C51. 65¢.
- *593-D. Zoogeographic evidence for late Tertiary lateral slip on the San Andreas fault, California, by W. O. Addicott. 1967. p. D1-D12.
- 593-E. Late Eocene nonmarine diatoms from the Beaver Divide area, Fremont County, Wyo., by K. E. Lohman and G. W. Andrews. 1968. p. E1-E26. 40¢.
- 593-F. On the nature of *Polylophia*, by E. L. Yochelson. 1968. p. F1-F7. 20¢.
- 593-G. New Upper Cretaceous Amphineura (Mollusca), by A. G. Smith, N. F. Sohl, and E. L. Yochelson. 1968. p. G1-G9. 30¢.
- 593-H. Brachiopods from the upper part of the Garden City Formation

- (Ordovician), north-central Utah, by R. J. Ross, Jr. 1968. p. H1-H13. 35¢.
- 593-I. *Russellites*, new genus, a problematical plant from the Lower Permian of Texas, by S. H. Mamay. 1968. p. I1-I15. 35¢. (Professional Paper 593 issued only as separate chapters under the general title "Contributions to paleontology, 1967." Chapter I includes title page and contents for volume.)
- *594-A. Stratigraphy of the Wind River Formation in south-central Wind River Basin, Wyo., by P. E. Soister. 1968. p. A1-A50.
- 594-B. Translocation of silica and other elements from rock into *Equisetum* and three grasses, by T. S. Lovering and Celeste Engel. 1967. p. B1-B16. 20¢.
- *594-C. Silver-rich disseminated sulfides from a tungsten-bearing quartz lode, Big Creek district, central Idaho, by B. F. Leonard, C. W. Mead, and Nancy Conklin. 1968. p. C1-C24.
- *594-D. Correlation and nomenclature of some Triassic and Jurassic rocks in south-central Wyoming, by G. N. Pipiringos. 1968. p. D1-D26.
- 594-E. Upper Jurassic stratigraphy of some adjacent parts of Texas, Louisiana, and Arkansas, by K. A. Dickinson. 1968. p. E1-E25. 65¢.
- *594-F. Hydraulic equivalence of grains of quartz and heavier minerals, and implications for the study of placers, by H. A. Tourtelot. 1968. p. F1-F13.
- *594-G. Geology of the igneous rocks of the Spanish Peaks region, Colorado, by R. B. Johnson. 1968. p. G1-G47.
- 594-H. Diagenesis in oolitic limestones of Morrow (Early Pennsylvanian) age in northwestern Arkansas and adjacent Oklahoma, by L. G. Henbest. 1968. p. H1-H22. 30¢.
- *594-I. Critical review of the San Juan peneplain, southwestern Colorado, by T. A. Steven. 1968. p. I1-I19.
- *594-J. Geology of the Mockingbird Gap quadrangle, Lincoln and Socorro Counties, N. Mex., by G. O. Bachman. 1968. p. J1-J43.
- 594-K. Geology of the Comstock-Indian Wells area, Val Verde, Terrell, and Brewster Counties, Tex., by V. L. Freeman. 1968 [1969]. p. K1-K26. \$1.25.
- 594-L. Stratigraphic significance and petrology of phosphate nodules at base of Niobrara Formation, east flank of Black Hills, S. Dak., by H. A. Tourtelot and W. A. Cobban. 1968 [1969]. p. L1-L22. 45¢.
- 594-M. Geology of the Fort Hill quadrangle, Lincoln County, Wyo., by S. S. Oriel. 1969. p. M1-M40. \$1.75. (Professional Paper 594 issued only as separate chapters under the general title "Shorter contributions to general geology, 1967." Chapter M includes title page and contents for volume.)
595. Geology of uranium deposits in the Dripping Spring Quartzite, Gila County, Ariz., by H. C. Granger and R. B. Raup. 1969. 108 p. \$2.25.
- *596. The catastrophic late Pleistocene Bonneville Flood in the Snake River Plain, Idaho, by H. E. Malde. 1968. 52 p.
597. Distribution and genesis of authigenic silicate minerals in tuffs of Pleistocene Lake Tecopa, Inyo County, Calif., by R. A. Sheppard and A. J. Gude 3d. 1968. 38 p. 40¢.
598. River adjustment to altered hydrologic regimen—Murrumbidgee River and paleochannels, Australia, by S. A. Schumm. 1968 [1969]. 65 p. \$1.25.

- 599-A. Seismic detection of near-surface cavities, by J. S. Watkins, R. H. Godson, and Kenneth Watson. 1967. p. A1-A12. 20¢.
- 599-B. Photoclinometry from spacecraft images, by Kenneth Watson. 1968. p. B1-B10. 20¢.
- 599-C. Structural geology of the Henbury meteorite craters, Northern Territory, Australia, by D. J. Milton. 1968. p. C1-C17. \$1.
- 599-D. Detection of SH-type seismic shear waves by means of angular accelerometers, by J. H. Whitcomb. 1969. p. B1-B6. 25¢.
- 599-E. A photoelectric-photographic study of the normal albedo of the Moon, by H. A. Pohn and R. L. Wildey, *accompanied by an Albedo map of the Moon*, by H. A. Pohn, R. L. Wildey, and G. E. Sutton. 1970. p. E1-E20. \$1.
- 599-F. Summary of lunar stratigraphy—Telescopic observations, by D. E. Wilhelms. 1970. p. F1-F47. 60¢. (Professional Paper 599 issued only as separate chapters under the general title "Contributions to astrogeology.")
- 600-A. Geological Survey research 1968, Chapter A. 1968. p. A1-A371. \$3.50.
- *600-B. Geological Survey research 1968, Chapter B. 1968. p. B1-B235. Contains the following articles, which are not available separately:
- X-ray and chemical analysis of orthopyroxenes from the lower part of the Bushveld Complex, South Africa, by G. A. Desborough and H. J. Rose, Jr. p. B1-B5.
 - Occurrence and composition of biotites from the Cartridge Pass pluton of the Sierra Nevada batholith, California, by F. C. W. Dodge and J. G. Moore. p. B6-B10.
 - Phosphate nodules from the Wills Point Formation, Hopkins County, Tex., by Charles Milton and A. P. Bennison. p. B11-B15.
 - Intrusive rocks of north-central Puerto Rico, by A. E. Nelson. p. B16-B20.
 - Serpentinization in a sheared serpentinite lens, Tiburon Peninsula, Calif., by N. J. Page. p. B21-B28.
 - The source of travertine in the Creede Formation, San Juan Mountains, Colo., by T. A. Steven and Irving Friedman. p. B29-B36.
 - Laminar flowage in a Pliocene soda rhyolite ash-flow tuff, Lake and Harney Counties, Oreg., by G. W. Walker and D. A. Swanson. p. B37-B47.
 - Rhabdophane from a rare-earth occurrence, Valley County, Idaho, by J. W. Adams. p. B48-B51.
 - Precambrian rocks penetrated by the deep disposal well at the Rocky Mountain Arsenal, Adams County, Colo., by C. T. Wrucke and D. M. Sheridan. p. B52-B59.
 - Localization and control of uranium deposits in the southern San Juan basin mineral belt, New Mexico—An hypothesis, by H. C. Granger. p. B60-B70.
 - Radioelement composition of surface soil in Adams County, Colo., by C. M. Bunker and C. A. Bush. p. B71-B75.
 - Application of coincidence counting to neutron activation analysis, by L. P. Greenland. p. B76-B78.
 - Thickness of valley fill in the Jordan Valley east of the Great Salt Lake, Utah, by Ted Arnow and R. E. Mattick. p. B79-B82.
 - Seismic-refraction studies of the Loveland Basin landslide, Colorado,

- by R. D. Carroll, F. T. Lee, J. H. Scott, and C. S. Robinson. p. B83-B87.
- Gravity anomalies in the Ruby Mountains, northeastern Nevada, by J. F. Gibbs, Ronald Willden, and J. E. Carlson. p. B88-B94.
- Hawaiian seismic events during 1965, by R. Y. Koyanagi. p. B95-B98.
- Determination of palladium and platinum in rocks, by F. S. Grimaldi and M. M. Schnepfe. p. B99-B103.
- Origin of the sodium sulfate deposits of the northern Great Plains of Canada and the United States, by I. G. Grossman. p. B104-B109.
- Copper, strontium, and zinc content of U.S. Geological Survey silicate rock standards, by Claude Huffman, Jr. p. B110-B111.
- Concentration and minor element association of gold in ore-related jasperoid samples, by T. G. Lovering, H. W. Lakin, and A. E. Hubert. p. B112-B114.
- Spectrochemical analysis of stream waters in geochemical prospecting, north-central Colorado, by E. C. Mallory, Jr. p. B115-B116.
- Use of the diffracted-beam monochromator in X-ray diffraction of clay minerals, by J. W. Hosterman. p. B117-B118.
- Determination of micro amounts of cesium in geologic materials, by Wayne Mountjoy and J. S. Wahlberg. p. B119-B122.
- Atomic absorption determination of tellurium, by H. M. Nakagawa and C. E. Thompson. p. B123-B125.
- Automatic sample changer for atomic absorption spectrophotometry, by Leonard Shapiro and C. J. Massoni. p. B126-B129.
- Rapid analysis for gold in geologic materials, by C. E. Thompson, H. M. Nakagawa, and G. H. VanSickle. p. B130-B132.
- Schwagerina crassitectoria* Dunbar and Skinner, 1937, a fusulinid from the upper part of the Wichita Group, Lower Permian, Coleman County, Tex., by D. A. Myers. p. B133-B139.
- Recent fault scarps in Independence Valley near Tuscarora, Elko County, Nev., by R. R. Coats. p. B140-B143.
- Late Tertiary syncline in the southern Absaroka Mountains, Wyo., by F. S. Fisher and K. B. Ketner. p. B144-B147.
- Cypress Bayou, Grand Prairie region, Arkansas—An example of stream alienation, by M. S. Bedinger. p. B148-B150.
- Geology and radiocarbon ages of late Pleistocene lacustrine clay deposits, southern part of San Joaquin Valley, Calif., by M. G. Croft. p. B151-B156.
- Tree-throw origin of patterned ground on beaches of the ancient Champlain Sea near Plattsburgh, N.Y., by C. S. Denny and J. C. Goodlett. p. B157-B164.
- Quality control of adjustment coefficients used in sediment studies, by H. P. Guy. p. B165-B168.
- Origin of Ordovician quartzite in the Cordilleran miogeosyncline, by K. B. Ketner. p. B169-B177.
- Dark-mineral accumulations in beach and dune sands of Cape Cod and vicinity, by J. V. A. Trumbull and J. C. Hathaway. p. B178-B184.
- Sketch map series for Antarctica, by W. R. MacDonald. p. B185-B189.

- Relation between land use and chemical characteristics of lakes in southwestern Orange County, Fla., by F. L. Pfischner. p. B190-B194.
- Reservoir effects on downstream water temperatures in the upper Delaware River basin, by O. O. Williams. p. B195-B199.
- Preliminary assessment of ground water in the Green River Formation, Uinta Basin, Utah, by R. D. Feltis. p. B200-B204.
- Double-mass-curve analysis of the effects of sewerage on ground-water levels on Long Island, N.Y., by O. L. Franke. p. B205-B209.
- Temperature profiles in water wells as indicators of bedrock fractures, by F. W. Trainer. p. B210-B214.
- Relation of channel width to vertical permeability of streambed, Big Sandy Creek, Colo., by D. L. Coffin. p. B215-B218.
- Analysis of stresses causing land subsidence, by B. E. Lofgren. p. B219-B225.
- Neutron moisture measurements by continuous- and point-logging procedures, by R. C. Prill and W. R. Meyer. p. B226-B230.
- 600-C. Geological Survey research 1968, Chapter C. 1968. p. C1-C225. \$2.25.
- Contains the following articles, which are not available separately:
- Occurrence of refractory clay in Randolph County, W. Va., by K. J. Englund and H. J. Goett. p. C1-C3.
- Texture and composition of outcropping phosphorite in the Turayf region, northern Saudi Arabia, by J. B. Cathcart. p. C4-C12.
- Albite-pyroxene-glaucophane schist from Valley Ford, Calif., by T. E. C. Keith and R. G. Coleman. p. C13-C17.
- Chemistry of primary minerals and rocks from the Red Mountain-Del Puerto ultramafic mass, California, by G. R. Himmelberg and R. G. Coleman. p. C18-C26.
- Refractive index of glass beads distinguishes Tertiary basalts in the Grays River area, southwestern Washington, by E. H. McKee. p. C27-C30.
- Problems of small-particle analysis with the electron microprobe, by N. J. Page, L. C. Calk, and M. H. Carr. p. C31-C37.
- Mineralogy of a rutile- and apatite-bearing ultramafic chlorite rock, Harford County, Md., by D. L. Southwick. p. C38-C44.
- Quartz diorite-quartz monzonite and granite plutons of the Pasayten River area, Washington—Petrology, age, and emplacement, by R. W. Tabor, J. C. Engels, and M. H. Staatz. p. C45-C52.
- Permian and Pennsylvanian stratigraphy and nomenclature, Elk Mountains, Colo., by B. L. Bartleson, Bruce Bryant, and F. E. Mutschler. p. C53-C60.
- Zonal relations and paleomagnetism of the Spearhead and Rocket Wash Members of the Thirsty Canyon Tuff, southern Nevada, by D. C. Noble, G. D. Bath, R. L. Christiansen, and P. P. Orkild. p. C61-C65.
- Coincidence of fossil and lithologic zones in the lower part of Upper Cretaceous Mancos Shale, Slick Rock district, Colorado, by D. R. Shawe. p. C66-C68.
- Foraminifera from the Clayton Formation (Paleocene) in southeastern Hardeman County, Tenn., by S. M. Herrick and D. R. Rima. p. C69-C74.

- Stratigraphic paleontology of the Barstow Formation in the Alvord Mountain area, San Bernardino County, Calif., by G. E. Lewis. p. C75-C79.
- Basement-rock geochronology of the Black Canyon of the Gunnison, Colo., by W. R. Hansen and Z. E. Peterman. p. C80-C90.
- Precambrian geochronology of the northwestern Uncompahgre Plateau, Utah and Colorado, by C. E. Hedge, Z. E. Peterman, J. E. Case, and J. D. Obradovich. p. C91-C96.
- Organic geochemistry of Recent sediments in the Choctawatchee Bay area, Florida—A preliminary report, by J. G. Palacas, V. E. Swanson, and A. H. Love. p. C97-C106.
- A comparison of field and laboratory measurements of radium-equivalent uranium, thorium, and potassium by gamma-ray spectrometry, Ludlow, Calif., by C. M. Bunker, C. A. Bush, and J. T. O'Connor. p. C107-C112.
- Spectral analysis of seismic measurements from explosions in southern Mississippi, by Roger Borchardt. p. C113-C119.
- Earthquakes from common sources beneath Kilauea and Mauna Loa volcanoes in Hawaii from 1962 to 1965, by R. Y. Koyanagi. p. C120-C125.
- Recent volcanic activity on Augustine Island, Alaska, by R. L. Dettnerman. p. C126-C129.
- A postglacial mudflow of large volume in the La Paz Valley, Bolivia, by Ernest Dobrovolsky. p. C130-C134.
- The Troy Valley of southeastern Wisconsin, by J. H. Green. p. C135-C139.
- High-level Quaternary beach deposits in northwestern Puerto Rico, by W. H. Monroe. p. C140-C143.
- Geology of the Klamath River delta, California, by G. W. Moore and E. A. Silver. p. C144-C148.
- A transcurrent structure in Fayette and Greene Counties, Pa., by J. B. Roen. p. C149-C152.
- Structural controls on streamflow in the North Fork River and Bryant Creek basins, Missouri, by John Skelton and E. J. Harvey. p. C153-C157.
- Tertiary trough between the Arkansas and San Luis Valleys, Colo., by R. E. Van Alstine. p. C158-C160.
- Determination of gold, platinum, and palladium by a combined fire-assay, ion-exchange, and spectrochemical technique, by P. R. Barnett, D. L. Skinner, and Claude Huffman, Jr. p. C161-C163.
- A rapid method for measuring the Rb/Sr ratio in silicate rocks, by W. P. Doering. p. C164-C168.
- A photomosaic of western Peru from Gemini photography, by J. A. MacKallor. p. C169-C173.
- Determination of rectangular coordinates for map projections—Modification of basic formulas and application to computer plotting, by Donald Plouff. p. C174-C176.
- "Cut-and-try" method for locating distant geologic features on topographic maps, by R. L. Sutton. p. C177-C181.

- Regional draft-storage relations in west-central Alabama, by P. O. Jefferson. p. C182-C184.
- Notes on the geohydrology of the Dakota Sandstone, eastern North Dakota, by T. E. Kelly. p. C185-C191.
- Relation between aquifer constants and estimated stress on an artesian aquifer in eastern Montana, by O. J. Taylor. p. C192-C195.
- Preliminary estimates of low-flow frequency interrelations for upstate New York streams, by R. M. Beall. p. C196-C198.
- Method of volume-diversion analysis of a stream, by M. R. Collings. p. C199-C203.
- The boundary conditions in the implicit solution of river transients, by Chintu Lai. p. C204-C210.
- Freeze-drying of organic matter, clays, and other earth materials, by R. L. Malcolm. p. C211-C216.
- Hydrologic study of a waste-disposal problem in a karst area at Springfield, Mo., by E. J. Harvey and John Skelton. p. C217-C220.
- 600-D. Geological Survey research 1968, Chapter D. 1968. p. D1-D269. \$3.25. (Professional Paper 600 issued only as separate chapters under the general title "Geological Survey research 1968.") Chapter D contains the following articles, which are not available separately:
- Movement of moisture in the unsaturated zone in a dune area, southwestern Kansas, by R. C. Prill. p. D1-D9.
- A suggested method for estimating evapotranspiration by native phreatophytes, by S. E. Rantz. p. D10-D12.
- Adsorption of traces of silver on sample containers, by T. T. Chao, E. A. Jenne, and L. M. Heppting. p. D13-D15.
- Prevention of adsorption of trace amounts of gold by containers, by T. T. Chao, E. A. Jenne, and L. M. Heppting. p. D16-D19.
- Nuclear magnetic resonance studies of phosphorus(V) pesticides—III, The hydrolysis of aliphatic pesticides by aqueous solutions, by M. C. Goldberg, Harry Babad, Dennis Groothuis, and H. R. Christianson. p. D20-D23.
- Evaluation of organic color and iron in natural surface waters, by W. L. Lamar. p. D24-D29.
- Sodium as a clue to direction of ground-water movement, Nevada Test Site, by S. L. Schoff and J. E. Moore. p. D30-D33.
- December 1964, a 400-year flood in northern California, by E. J. Helley and V. C. LaMarche, Jr. p. D34-D37.
- Submergence along the Atlantic coast of Georgia, by R. L. Wait. p. D38-D41.
- Computation of reaeration coefficients for a river system in northeastern New Jersey, by T. J. Buchanan. p. D42-D44.
- Slope-discharge relations for eight rivers in the United States, by C. W. Carlston. p. D45-D47.
- The use of precipitation records for peak streamflow synthesis, by E. D. Cobb. p. D48-D51.
- Flood height-frequency relations for the plains area in Missouri, by E. E. Gann. p. D52-D53.

- An empirical formula for determining the amount of dye needed for time-of-travel measurements, by J. F. Wilson, Jr. p. D54-D56.
- Flood-flow characteristics of a rectified channel, Jackson, Miss., by K. V. Wilson. p. D57-D59.
- Temperature variations of deep flowing wells in South Dakota, by D. G. Adolphson and E. F. LeRoux. p. D60-D62.
- Thermal springs near Midway, Utah, by C. H. Baker, Jr. p. D63-D70.
- Ground-water discharge toward Great Salt Lake through valley fill in the Jordan Valley, Utah, by R. W. Mower. p. D71-D74.
- A water-balance equation for the Rathdrum Prairie ground-water reservoir, near Spokane, Wash., by E. J. Pluhowski and C. A. Thomas. p. D75-D78.
- Glacier outburst floods in the Pacific Northwest, by Donald Richardson. p. D79-D86.
- Field procedure for measuring settling characteristics of sediment samples, by G. L. Fitzpatrick and N. J. King. p. D87-D94.
- Geology of a part of north Victoria Land, Antarctica, by D. F. Crowder. p. D95-D107.
- Isoclinal folding indicated by primary sedimentary structures in western Massachusetts, by N. L. Hatch, Jr. p. D108-D114.
- Devonian paleotectonics in east-central Idaho and southwestern Montana, by W. J. Mapel and C. A. Sandberg. p. D115-D125.
- The Bouse Formation (Pliocene) of the Parker-Blythe-Cibola area, Arizona and California, by D. G. Metzger. p. D126-D136.
- Provenance of igneous rocks in Cretaceous conglomerates in northwestern Montana, by M. R. Mudge and R. A. Sheppard. p. D137-D146.
- The Kaltag fault, west-central Alaska, by W. W. Patton, Jr., and J. M. Hoare. p. D147-D153.
- Base of the John Day Formation in and near the Horse Heaven mining district, north-central Oregon, by D. A. Swanson and P. T. Robinson. p. D154-D161.
- Lithofacies of Upper Ordovician rocks exposed between Maysville and Stanford, Ky., by G. W. Weir and J. H. Peck. p. D162-D168.
- Late Pliocene lagomorphs of the San Pedro Valley, Ariz., by J. S. Downey. p. D169-D173.
- Residual enrichment and supergene migration of gold, Southeastern United States, by A. R. Kinkel, Jr., and F. G. Lesure. p. D174-D178.
- Opaque minerals in drill cuttings from Meteor Crater, Ariz., by Robin Brett. p. D179-D180.
- The updip termination of a large dike of Westerly Granite and the regional distribution of the Westerly and Narragansett Pier Granites in Rhode Island and Connecticut, by Thomas Feininger. p. D181-D185.
- Palmer Gneiss—An example of retrograde metamorphism along an unconformity, by J. E. Gair and G. C. Simmons. p. D186-D194.
- Serpentinite and rodingite in Hunting Hill quarry, Montgomery County, Md.—A summary, by D. M. Larrabee. p. D195-D196.
- Accessory zircon from granitoid rocks of the Mount Wheeler mine

- area, Nevada, by D. E. Lee, T. W. Stern, R. E. Mays, and R. E. Van Loenen. p. D197-D203.
- Solving problems in phosphate mineralogy with the electron probe, by C. W. Mead and M. E. Mrose. p. D204-D206.
- Atomic absorption determination of cadmium in geologic materials, by H. M. Nakagawa and T. F. Harms. p. D207-D209.
- Determination of rhodium in rocks, by M. M. Schnepfe and F. S. Grimaldi. p. D210-D213.
- Determination of bromine and iodine by X-ray fluorescence, by J. S. Wahlberg and A. T. Myers. p. D214-D216.
- A temperature-controlled water bath for mineral solubility studies, by P. B. Hostetler and C. L. Christ. p. D217-D221.
- Fossiliferous rocks from submarine canyons off the northeastern United States, by T. G. Gibson, J. E. Hazel, and J. F. Mello. p. D222-D230.
- Tortugas Terrace, a slip surface?, by Elazar Uchupi. p. D231-D234.
- The Carter Mountain landslide area, northwest Wyoming, by W. G. Pierce. p. D235-D241.
- Potassium-argon ages of some igneous rocks in northern Stevens County, Wash., by R. G. Yates and J. C. Engels. p. D242-D247.
- Magnetization of the lowermost Keweenawan lava flows in the Lake Superior area, by K. G. Books. p. D248-D254.
- Seismic-refraction profiles across six canyons in the Wasatch Range near Salt Lake City, Utah, by R. E. Mattick. p. D255-D257.
- The effect of current leakage and electrode spacing errors on resistivity measurements, by A. A. R. Zohdy. p. D258-D264.
601. Descriptive petrography of three large granitic bodies in the Inyo Mountains, Calif., by D. C. Ross. 1969. 47 p. \$1.75.
602. Geology of the west-central part of the Southern Anthracite field and adjoining areas, Pennsylvania, by G. H. Wood, Jr., J. P. Trexler, and T. M. Kehn. 1969. 150 p. \$2.
603. Uranium resources of northwestern New Mexico, by L. S. Hilpert. 1969. 166 p. \$2.50.
604. On batholiths and volcanoes—Intrusion and eruption of late Cenozoic magmas in the Glacier Peak area, North Cascades, Wash., by R. W. Tabor and D. F. Crowder. 1969. 67 p. \$1.75.
- 605-A. Ground-water hydrology and geology of the lower Great Miami River valley, Ohio, by A. M. Spieker. 1968. p. A1-A37. \$1.50.
- 605-C. Effect of increased pumping of ground water in the Fairfield-New Baltimore area, Ohio—A prediction by analog-model study, by A. M. Spieker. 1968. p. C1-C34. 40¢.
- 605-D. Future development of the ground-water resources in the lower Great Miami River valley, Ohio—Problems and alternative solutions, by A. M. Spieker. 1968. p. D1-D15. 20¢. (Professional Paper 605 issued as separate chapters under the general title "Ground water in the lower Great Miami River valley, Ohio.")
606. A, Introduction, by Mackenzie Gordon, Jr., p. 1-7; B, Corals, by W. J. Sando, p. 9-14; C, Pelecypods, by John Pojeta, Jr., p. 15-24; D, Gastropods, by E. L. Yochelson, p. 25-33; E, Trilobites, by Mackenzie Gordon, Jr., p. 35-39; and F, Ostracodes, by I. G. Sohn, p. 41-55. 1969.

- \$1.75. (Professional Paper 606 issued under the general title "Revision of some of Girty's invertebrate fossils from the Fayetteville Shale (Mississippian) of Arkansas and Oklahoma.")
607. The December 1965 eruption of Kilauea Volcano, Hawaii, by R. S. Fiske and R. Y. Koyanagi. 1968. 21 p. 35¢.
- 608-A. Geology and beryllium deposits of the Lake George (or Badger Flats) beryllium area, Park and Jefferson Counties, Colo., by C. C. Hawley. 1969. p. A1-A44. \$2. (Professional Paper 608 issued as separate chapters under the general title "Geology and ore deposits of the southern Tarryall region, Park and Jefferson Counties, Colo.")
609. Geology of the Tepee Creek quadrangle, Montana-Wyoming, by I. J. Witkind. 1969. 101 p. \$2.
610. Principal gold-producing districts of the United States, by A. H. Koschmann and M. H. Bergendahl. 1968. 283 p. \$4.75.
611. Foraminifera and stratigraphy of the upper part of the Pierre Shale and lower part of the Fox Hills Sandstone (Cretaceous), north-central South Dakota, by J. F. Mello. 1969. 121 p. \$2.25.
612. Geochemistry of niobium and tantalum, by R. L. Parker and Michael Fleischer. 1968. 43 p. 50¢.
- 613-A. An early *Reticuloceras* Zone fauna from the Hale Formation in northwestern Arkansas, by Mackenzie Gordon, Jr. 1968 [1969]. p. A1-A21. 45¢.
- 613-B. *Teichispira*, a new Early Ordovician gastropod genus, by E. L. Yochelson and C. R. Jones. 1968 [1969]. p. B1-B15. 45¢.
- 613-C. Early Pennsylvanian ammonoids from southern Nevada, by Mackenzie Gordon, Jr. 1969. p. C1-C13. 35¢.
- 613-D. Ferns from the Chinle Formation (Upper Triassic) in the Fort Wingate area, New Mexico, by S. R. Ash. 1969 [1970]. p. D1-D52. \$1.
- 613-E. Carboniferous megafaunal and microfaunal zonation in the northern Cordillera of the United States, by W. J. Sando, B. L. Mamet, and J. T. Dutro, Jr. 1969. p. E1-E29. 75¢.
- 613-F. Permian sphenopsids from Antarctica, by J. F. Rigby. 1969 [1970]. p. F1-F13. 45¢. (Professional Paper 613 issued only as separate chapters under the general title "Contributions to paleontology, 1968." Chapter F includes title page and contents for volume.)
- 614-A. Micromineralogy of galena ores, Burgin mine, East Tintic district, Utah, by A. S. Radtke, C. M. Taylor, and H. T. Morris. 1969. p. A1-A17. 40¢.
- 614-B. Isotopic composition of diagenetic carbonates in marine Miocene formations of California and Oregon, by K. J. Murata, Irving Friedman, and B. M. Madsen. 1969. p. B1-B24. 45¢.
- 614-C. The October 1963 eruption of Kilauea Volcano, Hawaii, by J. G. Moore and R. Y. Koyanagi. 1969. p. C1-C13. \$1.
- 614-D. Pegmatitic trachyandesite plugs and associated volcanic rocks in the Saline Range-Inyo Mountains region, California, by D. C. Ross. 1970. p. D1-D29. \$1.
- 614-E. Distribution of thorium, uranium, and potassium in igneous rocks of the Boulder batholith region, Montana, and its bearing on radiogenic heat production and heat flow, by R. I. Tilling and David Gottfried. 1969. p. E1-E29. 40¢.
- 614-F. Studies of celadonite and glauconite, by M. D. Foster. 1969. p. F1-

- F17. 40¢. (Professional Paper 614 issued only as separate chapters under the general title "Shorter contributions to general geology, 1968." Chapter F includes title page and contents for volume.)
616. Geology of the Empire quadrangle, Grand, Gilpin, and Clear Creek Counties, Colo., by W. A. Braddock. 1969. 56 p.; plates in pocket. \$1.75.
617. Quaternary geology of the Grand and Battlement Mesas area, Colorado, by W. E. Yeend. 1969. 50 p. \$1.25.
618. Mineral investigations in northeastern Thailand, by H. S. Jacobson and C. T. Pierson, U.S. Geological Survey, Thawisak Danusawad, Thawat Japakasetr, Boonmai Inthuputi, Charlie Siriratanamongkol, Saner Prapassornkul, and Narin Polphan, Royal Thai Department of Mineral Resources. 1969. 96 p. \$5.50.
619. The Late Cretaceous ammonites *Scaphites leei* Reeside and *Scaphites hippocrepis* (DeKay) in the western interior of the United States, by W. A. Cobban. 1969. 29 p. 60¢.
- *620. Upper Precambrian and lower Cambrian strata in the southern Great Basin, California and Nevada, by J. H. Stewart. 1970. 206 p.
- 622-A. The behavior of straight open channels with movable beds, by Thomas Maddock, Jr. 1969. p. A1-A70. \$1. (Professional Paper 622 issued only as separate chapters under the general title "Behavior of natural alluvial channels.")
623. Chronology of emplacement of Mesozoic batholithic complexes in California and western Nevada, by J. F. Evernden and R. W. Kistler. 1970. 42 p. \$1.25.
624. Geology and coal resources of the Cumberland, Hobart, and Maple Valley quadrangles, King County, Wash., by J. D. Vine. 1969 [1970]. 67 p. \$2.
- 625-A. Distribution of gold and other metals in the Cripple Creek district, Colorado, by G. B. Gott, J. H. McCarthy, Jr., G. H. VanSickle, and J. B. McHugh. 1969. p. A1-A17. \$1.
- 625-B. Geology and lode-gold deposits of the Nuka Bay area, Kenai Peninsula, Alaska, by D. H. Richter. 1970. p. B1-B16. \$1.
- *625-C. Sample size and meaningful gold analysis, by H. E. Clifton, R. E. Hunter, F. J. Swanson, and R. L. Phillips. 1969. p. C1-C17.
- 625-D. Lode mines and prospects in the Fairbanks district, Alaska, by R. M. Chapman and R. L. Foster. 1969. p. D1-D25. \$1. (Professional Paper 625 issued only as separate chapters under the general title "Shorter contributions to economic geology, 1968." Chapter D includes title page and contents for volume.)
626. Geology and mineral deposits of the Poncha Springs NE quadrangle, Chaffee County, Colo., by R. E. Van Alstine, with a section on Fluorspar mines and prospects, by R. E. Van Alstine and D. C. Cox. 1969 [1970]. 52 p. \$2.75.
- 627-A. The precipitation regime of Long Island, N.Y., by J. F. Miller and R. H. Frederick. 1969. p. A1-A21. \$1.
- 627-B. Effects of urban development on direct runoff to East Meadow Brook, Nassau County, Long Island, N.Y., by G. E. Seaburn. 1969 [1970]. p. B1-B14. 75¢.
- 627-C. Preliminary results of hydrologic studies at two recharge basins on Long Island, N.Y., by G. E. Seaburn. 1970. p. C1-C17. 35¢.
- 627-D. Urbanization and its effect on the temperature of the streams on Long

- Island, N.Y., by E. J. Pluhowski. 1970. p. D1-D110. \$1.25. (Professional Paper 627 issued only as separate chapters under the general title "Hydrology and some effects of urbanization on Long Island, N.Y.")
628. The tectonics of North America—A discussion to accompany the Tectonic Map of North America, scale 1:5,000,000, by P. B. King. 1969. 95 p. \$1.
- 629-A. Upper Paleozoic rocks in the Oquirrh Mountains and Bingham mining district, Utah, by E. W. Tooker and R. J. Roberts *with a section on Biostratigraphy and correlation*, by Mackenzie Gordon, Jr., and H. M. Duncan. 1970. p. A1-A76. \$1. (Professional Paper 629 issued only as separate chapters under the general title "Geologic studies of the Bingham mining district, Utah.")
630. Economic geology of the platinum metals, by J. B. Mertie, Jr. 1969. 120 p. \$1.75.
631. Analysis of a 24-year photographic record of Nisqually Glacier, Mount Rainier National Park, Wash., by F. M. Veatch. 1969 [1970]. 52 p. \$1.25.
634. Diagenesis of tuffs in the Barstow Formation, Mud Hills, San Bernardino County, Calif., by R. A. Sheppard and A. J. Gude 3d. 1969. 35 p. 50¢.
635. Uppermost Cretaceous and Tertiary stratigraphy of Fossil basin, southwestern Wyoming, by S. S. Oriel and J. I. Tracey, Jr. 1970. 53 p. 65¢.
638. Geology and magnetite deposits of the Franklin quadrangle and part of the Hamburg quadrangle, New Jersey, by D. R. Baker and A. F. Budington. 1970. 73 p. \$2.
639. Ordovician brachiopods, trilobites, and stratigraphy in eastern and central Nevada, by R. J. Ross, Jr. 1970. 103 p. \$2.75.
- 640-A. Smaller Foraminifera of late Eocene age from Eua, Tonga, by Ruth Todd. 1970. p. A1-A23. \$1.
- 640-B. Larger Foraminifera of late Eocene age from Eua, Tonga, by W. S. Cole. 1970. p. B1-B17. 55¢.
- 640-C. Eocene mollusks from Eua, Tonga, by H. S. Ladd. 1970. p. C1-C12. 55¢. (Professional Paper 640 issued only as separate chapters under the general title "Late Eocene fossils from Eua, Tonga.")
- 641-A. Physiographic, stratigraphic, and structural development of the Quadrilátero Ferrífero, Minas Gerais, Brazil, by J. V. N. Dorr 2d. 1969 [1970]. p. A1-A110. \$8.25.
- 641-B. Gneissic and igneous rocks of the Quadrilátero Ferrífero, Minas Gerais, Brazil, by Norman Herz. 1970. p. B1-B58; plate in pocket. \$1. (Professional Paper 641 issued only as separate chapters under the general title "Regional geology of the Quadrilátero Ferrífero, Minas Gerais, Brazil.")
642. Miocene gastropods and biostratigraphy of the Kern River area, California, by W. O. Addicott. 1970. 174 p. \$2.25.
- 643-A. Species of *Aquilapollenites* and *Fibulapollis* from two Upper Cretaceous localities in Alaska, by B. D. Tschudy. 1969 [1970]. p. A1-A17. \$1.
- 643-B. Nonmarine ostracodes of Early Cretaceous age from Pine Valley quadrangle, Nevada, by I. G. Sohn. 1969 [1970]. p. B1-B9. 35¢.
- 643-C. *Pseudoleperditia* Schneider, 1956 (Ostracoda, Crustacea), an Early Mississippian genus from southwestern Nevada, by I. G. Sohn. 1969. p. C1-C6. 30¢.

- 643-D. Some Jurassic ammonites from central Saudi Arabia, by R. W. Imlay. 1970. p. D1-D17. 55¢.
- 643-E. Illustrations of plant microfossils from the Yazoo Clay (Jackson Group, upper Eocene), Mississippi, by R. H. Tschudy and S. D. Van Loenen. 1970. p. E1-E5. 50¢.
- 643-F. Two new pollen genera (Late Cretaceous and Paleocene) with possible affinity to the Illiciaceae, by R. H. Tschudy. 1970. p. F1-F13. 50¢.
- 643-G. Morphologic studies of fusulinids from the Lower Permian of West Pakistan, by R. C. Douglass. 1970. p. G1-G11. 55¢.
- 643-H. *Salterella* from the Lower Cambrian of central Nevada, by E. L. Yochelson, J. W. Pierce, and M. E. Taylor. 1970. p. H1-H7. 55¢. (Professional Paper 643 issued only as separate chapters under the general title "Contributions to paleontology, 1969." Chapter H includes title page and contents for volume.)
- 644-A. Precambrian geology of the Needle Mountains, southwestern Colorado, by Fred Barker. 1969 [1970]. p. A1-A35. 55¢.
- *644-B. Hydrocarbons in thermal areas, northwestern Wyoming, by J. D. Love, U.S. Geological Survey, and J. M. Good, National Park Service. 1970. p. B1-B23.
- 644-C. Kaiser Peak quadrangle, central Sierra Nevada, California—Analytic data, by P. C. Bateman and J. P. Lockwood. 1970. p. C1-C15. 30¢.
- 644-D. Tertiary paleoclimatic trends in the San Joaquin basin, California, by W. O. Addicott. 1970. p. D1-D19. 35¢.
- 644-E. The upper part of the Upper Triassic Chinle Formation and related rocks, southeastern Utah and adjacent areas, by R. B. O'Sullivan. 1970. p. E1-E22. 40¢. (Professional Paper 644 issued only as separate chapters under the general title "Shorter contributions to general geology.")
- 646-B. Complete Bouguer gravity and general geology of the Bradley, San Miguel, Adelaida, and Paso Robles quadrangles, California, by S. H. Burch and D. L. Durham. 1970. p. B1-B14. \$1.
- 646-D. Geologic implications of aeromagnetic data in the Pend Oreille area, Idaho and Montana, by E. R. King, J. E. Harrison, A. B. Griggs. 1970. p. D1-D17. 75¢.
- 646-E. Gravity and magnetic anomalies in the Soda Springs region, southeastern Idaho, by D. R. Mabey and S. S. Oriel. 1970. p. E1-E15. \$1.25. (Professional Paper 646 issued only as separate chapters under the general title "Geophysical field investigations, 1968-70.")
- 647-A. Structural and stratigraphic significance of the *Buchia* zones in the Colyear Springs-Paskenta area, California, by D. L. Jones, E. H. Bailey, and R. W. Imlay. 1969 [1970]. p. A1-A24. 55¢.
- 647-B. Ammonites from the *Buchia* zones in northwestern California and southwestern Oregon, by R. W. Imlay and D. L. Jones. 1970. p. B1-B59. \$1.25. (Professional Paper 647 issued only as separate chapters under the general title "Jurassic (Tithonian) and Cretaceous *Buchia* zones in northwestern California and southwestern Oregon.")
648. Vegetation of Amchitka Island, Aleutian Islands, Alaska, by H. T. Shacklette and others. 1969. 66 p. \$1.
649. Mafic-ultramafic igneous rocks and associated carbonatites of the Gem Park Complex, Custer and Fremont Counties, Colo., by R. L. Parker and W. N. Sharp. 1970. 24 p. \$1.

650-A. Geological Survey research 1969, Chapter A. 1969 [1970]. p. A1-A425. \$4.

650-B. Geological Survey research 1969, Chapter B. 1969. p. B1-B203. \$2.75. Contains the following articles, which are not available separately:

Origin of some amphibolites in western North Carolina, by A. E. Nelson. p. B1-B7.

Lawsonite blueschist from north-central Oregon, by D. A. Swanson. p. B8-B11.

Oligocene rhyolite in the Denver basin, Colorado, by G. A. Izett, G. R. Scott, and J. D. Obradovich. p. B12-B14.

A historic eruption of Mount Rainier, Wash., by D. R. Mullineaux, R. S. Sigafoos, and E. L. Hendricks. p. B15-B18.

Tuffaceous epiclastic breccia and sandstone near Hahns Peak, Colo., and their genetic implications, by Kenneth Segerstrom and S. H. Kirby. p. B19-B22.

Ordovician bedded chert, argillite, and shale of the Cordilleran eugeosyncline in Nevada and Idaho, by K. B. Ketner. p. B23-B34.

Notes on the geology and paleohydrology of the Boulder City pluton, southern Nevada, by R. E. Anderson. p. B35-B40.

Accessory sphene from hybrid rocks of the Mount Wheeler mine area, Nevada, by D. E. Lee, R. E. Mays, R. E. Van Loenen, and H. J. Rose, Jr. p. B41-B46.

Microindentation hardness of members of the ludwigite-vonsenite series, by B. F. Leonard. p. B47-B52.

Larger fossil mammals and mylagaulid rodents from the Troublesome Formation (Miocene) of Colorado, by G. E. Lewis. p. B53-B56.

Age and stratigraphic relations of the Tepee Trail and Wiggins Formations, northwestern Wyoming, by W. L. Rohrer and J. D. Obradovich. p. B57-B62.

New evidence on age relationships of possible Eocene rocks in southwestern North Dakota, by N. M. Denson. p. B63-B65.

White clay deposits near Mount Holly Springs, Cumberland County, Pa., by J. W. Hosterman. p. B66-B72.

Possible exploration targets for uranium deposits, south end of the Uravan mineral belt, Colorado-Utah, by D. R. Shawe. p. B73-B76.

Hydraulic equivalence of minerals with a consideration of the re-entrainment process, by N. S. Grigg and R. E. Rathbun. p. B77-B80.

Radiocarbon dating of ash deposits on Amchitka Island, Alaska, by H. T. Shacklette and Meyer Rubin. p. B81-B83.

The ages of three uranium minerals, Mojave Desert, Calif., by D. F. Hewett, Jerome Stone, and L. R. Stieff. p. B84-B88.

The time interval between stabilization of alpine glacial deposits and establishment of tree seedlings, by R. S. Sigafoos and E. L. Hendricks. p. B89-B93.

Distribution of mercury in the Navajo Sandstone, Colorado Plateau region, by R. A. Cadigan. p. B94-B100.

Distribution of minor elements in samples of biotite from igneous rocks, by T. G. Lovering. p. B101-B106.

Subsurface deformation resulting from missile impact, by H. J. Moore. p. B107-B112.

- Hawaiian seismic events during 1966, by R. Y. Koyanagi. p. B113-B116.
- Seismic events originating at the Atomic Energy Commission's Nevada Test Site, by H. L. Krivoy and C. E. Mears. p. B117-B121.
- Seismic investigations on Cape Cod, Martha's Vineyard, and Nantucket, Mass., and a topographic map of the basement surface from Cape Cod Bay to the islands, by R. N. Oldale. p. B122-B127.
- Microanalysis with the X-ray milliprobe, by H. J. Rose, Jr., R. P. Christian, J. R. Lindsay, and R. R. Larson. p. B128-B135.
- The direct microdetermination of silicon and aluminum in silicate minerals, by Robert Meyrowitz. p. B136-B139.
- Rapid determination of powder density of rocks by a sink-float technique, by Leonard Shapiro. p. B140-B142.
- A transistorized emission regulator for gas-source mass spectrometry, by E. E. Wilson and J. S. Stacey. p. B143-B146.
- Contour finder—Inexpensive device for rapid, objective contouring, by S. P. Schweinfurth. p. B147-B148.
- Development of ground-water supplies on the Pajarito Plateau, Los Alamos County, N. Mex., by W. D. Purtymun and J. B. Cooper. p. B149-B153.
- Occurrence and movement of ground water in the Brunswick Shale at a site near Trenton, N.J., by John Vecchioli, L. D. Carswell, and H. F. Kasabach. p. B154-B157.
- Correlation of carbonate rock units in northwest Ohio by natural gamma logging, by S. E. Norris and R. E. Fidler. p. B158-B161.
- Application of Poisson distribution to flood series, by P. H. Carrigan, Jr. p. B162-B163.
- Reduction of fluorescence of two tracer dyes by contact with a fine sediment, by C. H. Scott, V. W. Norman, and F. K. Fields. p. B164-B168.
- Effects of reservoir filling on a buried aquifer of glacial origin in Campbell County, S. Dak., by N. C. Koch. p. B169-B173.
- Temperature analysis of a stream, by M. R. Collings. p. B174-B179.
- The Gibbs free energies of substances in the system $\text{Fe-O}_2\text{-H}_2\text{O-CO}_2$ at 25°C , by Donald Langmuir. p. B180-B184.
- The sources of carbon dioxide in the zone of aeration of the Bandelier Tuff, near Los Alamos, N. Mex., by J. L. Kunkler. p. B185-B188.
- Measurement of water flow and suspended-sediment load, Bolinas Lagoon, Bolinas, Calif., by J. R. Ritter. p. B189-B193.
- Soil-moisture losses in the upper three inches of soil, Cibecue Ridge, Ariz., by M. R. Collings. p. B194-B198.
- 650-C. Geological Survey research 1969, Chapter C. 1969. p. C1-C247. \$3.
- Contains the following articles, which are not available separately:
- Metamorphic changes across part of the Carolina slate belt-Charlotte belt boundary, North Carolina and Virginia, by O. T. Tobisch and Lynn Glover III. p. C1-C7.
- Possible fissure vent for a Pliocene ash-flow tuff, Buzzard Creek area, Harney County, Oreg., by G. W. Walker. p. C8-C17.
- Petrography and heavy minerals of three groups of rhyolitic lavas, Pahute Mesa, Nevada Test Site, by K. A. Sargent. p. C18-C24.

- Distribution of nonopaque heavy minerals in Miocene and Pliocene rocks of central Wyoming and parts of adjacent States, by N. M. Denson. p. C25-C32.
- Preliminary report on electron microscopic examination of surface textures of quartz sand grains from the Bering Shelf, by M. L. Silberman. p. C33-C37.
- Distribution of lanthanides in minerals, by J. W. Adams. p. C38-C44.
- Phengitic micas from the Cambrian Prospect Mountain Quartzite of eastern Nevada, by D. E. Lee and R. E. Van Loenen. p. C45-C48.
- An occurrence of Permian manganese nodules near Dillon, Mont., by R. A. Gulbrandsen and D. W. Reeser. p. C49-C57.
- Faunal evidence for an unconformity between the Paleocene Brightseat and Aquia Formations (Maryland and Virginia), by J. E. Hazel. p. C58-C65.
- Lateral migrations of the Arkansas River during the Quaternary—Fowler, Colo., to the Colorado-Kansas State line, by J. A. Sharps. p. C66-C70.
- Glacial drainage divide in the Skagit Valley, Wash., by P. L. Weis. p. C71-C74.
- Fault scarp exposures in the Saint Charles and Nortonville quadrangles, western Kentucky, by J. E. Palmer. p. C75-C78.
- Hawaiian seismic events during 1967, by R. Y. Koyanagi. p. C79-C82.
- Electrical sounding profile east of the Jordan Narrows, Utah, by A. A. R. Zohdy and D. B. Jackson. p. C83-C88.
- Infrared surveys in Iceland—Preliminary report, by J. D. Friedman, R. S. Williams, Jr., Guðmundur Pálmason, and C. D. Miller. p. C89-C105.
- Aerial infrared surveys at the Geysers geothermal steam field, California, by R. M. Moxham. p. C106-C122.
- A rapid film-density analyzer, by G. R. Boynton and R. M. Moxham. p. C123-C126.
- Some relations between stress, geological structure, and underground excavation in a metamorphic rock mass west of Denver, Colo., by F. T. Lee, T. C. Nichols, Jr., and J. F. Abel, Jr. p. C127-C132.
- $\text{Sr}^{87}/\text{Sr}^{86}$ variations within individual ash-flow sheets, by D. C. Noble and C. E. Hedge. p. C133-C139.
- Oxygen and carbon isotopic composition of ore and host rock of selected Mississippi Valley deposits, by W. E. Hall and Irving Friedman. p. C140-C148.
- Mode of occurrence of platinum, palladium, and rhodium in chromitite, by F. S. Grimaldi and N. M. Schnepfe. p. C149-C151.
- Determination of germanium in silicates by neutron activation analysis, by L. P. Greenland and J. E. McLane. p. C152-C154.
- The possibilities for using data centers in geologic mapping, by Ivo Lucchitta, J. W. M'Gonigle, and David Schleicher. p. C155-C157.
- Use of a data center in geologic mapping—A test report, by Ivo Lucchitta, J. W. M'Gonigle, David Schleicher, and M. H. Hait. p. C158-C165.
- Methods of storing and retrieving core-log data on coal-bearing rocks in southwestern Pennsylvania, by B. H. Kent. p. C166-C173.

- Ground-water inflow toward Jordan Valley through channel fill in seven canyons in the Wasatch Range near Salt Lake City, Utah, by R. W. Mower. p. C174-C176.
- Drainage density as an indicator of base flow in part of the Potomac River basin, by F. W. Trainer. p. C177-C183.
- Comparative results of sediment sampling with a surface sampler and depth-integrating samplers, by C. T. Welborn. p. C184-C187.
- An analysis of some data from natural alluvial channels, by G. H. Caddie. p. C188-C194.
- A mudflow in the Second Creek drainage, Lake Tahoe Basin, Nev., and its relation to sedimentation and urbanization, by P. A. Glancy. p. C195-C200.
- Hydrogeologic reconnaissance of the Canary Islands, Spain, by R. J. Dingman and José Núñez. p. C201-C208.
- Flow-through sampling system for small boats or ice shelter, by J. F. Ficke and R. G. Lipsecomb. p. C209-C211.
- Simplified pumping sampler for suspended sediment, by B. L. Jones. p. C212-C214.
- Carbon-14 dates of ground water from a Paleozoic carbonate aquifer, south-central Nevada, by D. B. Grove, Meyer Rubin, B. B. Hanshaw, and W. A. Beetem. p. C215-C218.
- The infiltration of aldrin through Ottawa sand columns, by J. B. Robertson and Lloyd Kahn. p. C219-C223.
- Geochemistry of iron in a coastal-plain ground water of the Camden, N.J., area, by Donald Langmuir. p. C224-C235.
- Laboratory calibration of field surveying instruments, by C. J. Fry, Jr. p. C236-C239.
- Orthophotoscope modifications, by H. M. Neyland. p. C240-C242.
- 650-D. Geological Survey research 1969, Chapter D. 1969 [1970]. D1-D299. \$3.75. (Professional Paper 650 issued only as separate chapters under the general title "Geological Survey research 1969.") Chapter D contains the following articles, which are not available separately:
- Reconnaissance geology of the Mount Edgecumbe volcanic field, Kruzof Island, southeastern Alaska, by D. A. Brew, L. J. P. Muffler, and R. A. Loney. p. D1-D18.
- Concentric structure in elongate pillows, Amador County, Calif., by W. A. Duffield. p. D19-D25.
- Airfall ash and pumice lapilli deposits from Central Pumice Cone, Newberry Caldera, Oreg., by M. W. Higgins. p. D26-D32.
- Similarity of Cenozoic igneous activity in the San Juan and Elk Mountains, Colo., and its regional significance, by P. W. Lipman, F. E. Mutschler, Bruce Bryant, and T. A. Steven. p. D33-D42.
- Ultramafic xenoliths in basalt, Nye County, Nev., by N. J. Trask. p. D43-D48.
- The Chitistone and Nizina Limestones of part of the southern Wrangell Mountains, Alaska—A preliminary report stressing carbonate petrography and depositional environments, by A. K. Armstrong, E. M. MacKevett, Jr., and N. J. Silberling. p. D49-D62.
- Pink copper-bearing prehnite from Isle Royale National Park, Mich., by N. K. Huber. p. D63-D68.

- Authigenic fluorite in Pliocene lacustrine rocks near Rome, Malheur County, Oreg., by R. A. Sheppard and A. J. Gude 3d. p. D69-D74.
- Twinning in barbosaltite from the Sapucaia pegmatite mine, Minas Gerais, Brazil, by M. L. L. Smith. p. D75-D79.
- Authigenic laumontite in arkosic rocks of Eocene age in the Spanish Peaks area, Los Animas County, Colo., by J. D. Vine. p. D80-D83.
- Mineralogy and geochemistry of fluorapatite from Cerro de Mercado, Durango, Mexico, by E. J. Young, A. T. Myers, E. L. Munson, and N. M. Conklin. p. D84-D93.
- Residual clay deposits in rocks of Early and Middle Devonian age near Kunkletown, Pa., by J. B. Epstein and J. W. Hosterman. p. D94-D105.
- The Second Lake anticline—A major structure on the northwest limb of the Boundary Mountain anticlinorium, northern New Hampshire, west-central Maine, and adjacent Quebec, by D. S. Harwood. p. D106-D115.
- The Blue Cut fault, southeastern California, by R. A. Hope. p. D116-D121.
- Basin Creek uplift and Heart Lake Conglomerate, southern Yellowstone National Park, Wyo., by J. D. Love and W. R. Keefe. p. D122-D130.
- Relationships between the Dothan and Rogue Formations, southwestern Oregon, by P. E. Hotz. p. D131-D137.
- Preliminary report on the Paleozoic and Mesozoic sedimentary sequence on St. Lawrence Island, Alaska, by W. W. Patton, Jr., and J. T. Dutro, Jr. p. D138-D143.
- A tuff clast from the Bidahochi Formation at Tonalea, Ariz., by J. C. Wright. p. D144-D147.
- New locations of Pleistocene (Kansan) molluscan and ostracode faunas, Dickinson County, Kans., by E. D. Gutentag and Carlos Galli-Olivier. p. D148-D154.
- Cythereis eaglefordensis* Alexander, 1929—A guide fossil for deposits of latest Cenomanian age in the Western Interior and Gulf Coast regions of the United States, by J. E. Hazel. p. D155-D158.
- Negative aeromagnetic anomalies over mineralized areas of the Boulder batholith, Montana, by W. F. Hanna. p. D159-D167.
- Hawaiian seismic events during 1968, by R. Y. Koyanagi. p. D168-D171.
- Simulated lunar crater fields near Flagstaff, Ariz.—Their geology, preparation, and uses, by N. G. Bailey, G. W. Colton, and Ivo Lucchitta. p. D172-D179.
- The use of spectral analysis in describing lunar surface roughness, by W. J. Rozema. p. D180-D188.
- Energy balances for transient water craters, by K. L. R. Olevson. p. D189-D194.
- Glacial erratics and the problem of glaciation in northeast Kentucky and southeast Ohio—A review and suggestion, by L. L. Ray. p. D195-D199.
- Glacial Lake Norfolk and drainage changes near Norfolk, Conn., by C. R. Warren. p. D200-D205.

- An anastomosing channel complex at the base of the Pennsylvanian System in western Kentucky, by F. R. Shawe and Benjamin Gildersleeve. p. D206-D209.
- Accuracy of streamflow characteristics, by C. H. Hardison. p. D210-D214.
- Relation of the Manning coefficient to measured bed roughness in stable natural channels, by J. T. Limerinos. p. D215-D221.
- Precipitation and base runoff, Big Pipe Creek basin, Maryland, by F. W. Trainer. p. D222-D227.
- Changes in chemical quality of ground water in three areas in the Great Basin, Utah, by A. H. Handy, R. W. Mower, and G. W. Sandberg. p. D228-D234.
- Biodegradation of dodecylguanidine acetate (dodine), by M. C. Goldberg and R. L. Wershaw. p. D235-D239.
- Effects of industrial effluent on water quality of Little Six Mile Creek near Jacksonville, Fla., by D. A. Goolsby. p. D240-D243.
- The relation of turbulence to deposition of magnetite over ripples, by R. S. McQuivey and T. N. Keefer. p. D244-D247.
- Extraction of dissolved carbonate species from natural water for carbon-isotope analysis, by J. D. Gleason, Irving Friedman, and B. B. Hanshaw. p. D248-D250.
- Determination of mercury in natural waters by collection on silver screens, by M. E. Hinkle and R. E. Learned. p. D251-D254.
- Differences in soil chemistry induced by evaporation and flow of ground water, by R. F. Miller. p. D255-D259.
- Two-dimensional dispersion in a granular-medium disk source emitting at constant rate, by Akio Ogata. p. D260-D264.
- Diffusion from a gaseous source in a porous medium—A field and theoretical comparison, by J. B. Robertson. p. D265-D273.
- Response of gas-purged manometers to water-level surges, by J. R. Beck and C. R. Goodwin. p. D274-D277.
- Automatic water sampling proportional to streamflow, by P. H. Carrigan, Jr., and W. F. Johnson. p. D278-D282.
- Measurement of atmospheric pressure and subsurface-gas pressure in the unsaturated zone of the Bandelier Tuff, Los Alamos, N. Mex., by J. L. Kunkler. p. D283-D287.
- Ash content and composition of Millipore HA filters, by D. W. Spencer and F. T. Manheim. p. D288-D290.
- Radio-controlled signal light by T. O. Dando. p. D291-D293.
653. Early Silurian graptolites from southeastern Alaska and their correlation with graptolitic sequences in North America and the Arctic, by Michael Churkin, Jr., and Claire Carter. 1970. 51 p. \$1.
- 655-A. Objectives, methods, and environment—Gila River Phreatophyte Project, Graham County, Ariz., by R. C. Culler and others. 1970. p. A1-A25. 45¢.
- 655-B. Precipitation, streamflow, and major floods at selected sites in the Gila River drainage basin above Coolidge Dam, Ariz., by D. E. Burkham. 1970. p. B1-B33. 50¢.
- 655-C. Error analysis of streamflow data for an alluvial stream, by D. E. Burkham and D. R. Dawdy. 1970. p. C1-C13. 35¢. (Professional Paper

- 655 issued only as separate chapters under the general title "Gila River Phreatophyte Project.")
- 658-A. Mesozoic stratigraphy of the Mule and Huachuca Mountains, Ariz., by P. T. Hayes. 1970. p. A1-A28. 40¢.
- 658-B. Cretaceous paleogeography of southeastern Arizona and adjacent areas, by P. T. Hayes. 1970. p. B1-B42. 50¢.
660. Geology and mineral resources of Libya—A reconnaissance, by G. H. Goudarzi. 1970. 104 p. \$6.50.
- 662-A. The hydraulics of overland flow on hillslopes, by W. W. Emmett. 1970. p. A1-A68. 75¢. (Professional Paper 662 issued only as separate chapters under the general title "Dynamic and descriptive studies of hillslopes.")
664. Carbonate facies and the lithostrotionid corals of the Mississippian Kogruk Formation, Delong Mountains, northwestern Alaska, by A. K. Armstrong. 1970. 38 p. \$1.
666. Magnetic fields for a 4×6 prismatic model, by G. E. Andreasen and Isidore Zietz. 1969 [1970]. 9 p. \$4.25.
667. Stratigraphy and nomenclature of some Upper Cretaceous and lower Tertiary rocks in south-central Wyoming, by J. R. Gill, E. A. Mere-wether, and W. A. Cobban. 1970. 53 p. 65¢.
669. A, John Wesley Powell: Pioneer statesman of Federal science, by M. C. Rabbitt, p. 1-21; B, Stratified rocks of the Grand Canyon, by E. D. McKee, p. 23-58; C, Geologic history of the Colorado River, by C. B. Hunt, p. 59-130; and D, The rapids and the pools—Grand Canyon, by L. B. Leopold, p. 131-145. 1969. \$4.25. (Professional Paper 669 issued under the general title "The Colorado River region and John Wesley Powell.")
670. John Wesley Powell and the anthropology of the Canyon Country, by D. D. Fowler, R. C. Euler, and C. S. Fowler. 1969. 30 p. 50¢.
672. Geology of the Renton, Auburn, and Black Diamond quadrangles, King County, Wash., by D. R. Mullineaux. 1970. 92 p. \$1.
674. Stratigraphy of the outcropping post-Magothy Upper Cretaceous formations in southern New Jersey and northern Delmarva Peninsula, Delaware and Maryland, by J. P. Owens, J. P. Minard, N. F. Sohl, and J. F. Mello. 1970. 60 p. 65¢.
678. Permafrost and related engineering problems in Alaska, by O. J. Ferrians, Jr., Reuben Kachadoorian, and G. W. Greene. 1969. 37 p. 55¢.
679. A, Geologic framework of the Santa Barbara Channel region, by J. G. Vedder, H. C. Wagner, and J. E. Schoellhamer, p. 1-11; B, Petroleum development in the region of the Santa Barbara Channel, by R. F. Yerkes, H. C. Wagner, and K. A. Yenne, p. 13-27; C, Geologic characteristics of the Dos Cuadras Offshore oil field, by T. H. McCulloh, p. 29-46; and D, Seismicity and associated effects, Santa Barbara region, by R. M. Hamilton, R. F. Yerkes, R. D. Brown, Jr., R. O. Burford, and J. M. DeNoyer, p. 47-68. 1969. \$2.25. (Professional Paper 679 issued under the general title "Geology, petroleum development, and seismicity of the Santa Barbara Channel region, California.")
- 680-A. Deep drilling on Midway atoll, by H. S. Ladd, J. I. Tracey, Jr., and M. G. Gross. 1970. p. A1-A22. \$1.
- 680-B. Petrology of the basalt cores from Midway atoll, by G. A. Macdonald. 1969. p. B1-B10. 25¢.

- 680-C. Larger Foraminifera from deep drill holes on Midway atoll, by W. S. Cole. 1969. p. C1-C15. 45¢.
- 680-D. Electrical resistivity measurements, Midway and Kure atolls, by G. V. Keller. 1969. p. D1-D8. 25¢.
- 680-E. Smaller Foraminifera from Midway drill holes, by Ruth Todd and Doris Low. 1970. p. E1-E49. \$1. (Professional Paper 680 issued only as separate chapters under the general title "Geology of the Midway area, Hawaiian Islands.")
681. Fish Creek Mountains Tuff and volcanic center, Lander County, Nev., by E. H. McKee. 1970. 17 p. 35¢.
- 683-A. Late Miocene nonmarine diatoms from the Kilgore area, Cherry County, Nebr., by G. W. Andrews. 1970. p. A1-A24. 50¢.
- 683-B. The Early Cambrian fossil *Salterella conulata* Clark in eastern North America, by E. L. Yochelson. 1970. p. B1-B10. 55¢. (Professional Paper 683 issued only as separate chapters under the general title "Contributions to paleontology.")
696. Ground water in the permafrost regions of Alaska, by J. R. Williams. 1970. 83 p. \$1.
- 700-A. Geological Survey research 1970, Chapter A. 1970 [1971]. p. A1-A426. \$4.
- 700-B. Geological Survey research 1970, Chapter B. 1970. p. B1-B267. \$3.25. Contains the following articles, which are not available separately:
- Copper in biotite from igneous rocks in southern Arizona as an ore indicator, by T. G. Lovering, J. R. Cooper, Harald Drewes, and G. C. Cone. p. B1-B8.
 - Relation of carbon dioxide content of apatite of the Phosphoria Formation to regional facies, by R. A. Gulbrandsen. p. B9-B13.
 - Extensive zeolitization associated with hot springs in central Colorado, by W. N. Sharp. p. B14-B20.
 - Mafic and ultramafic rocks from a layered pluton at Mount Fairweather, Alaska, by George Plafker and E. M. MacKevett, Jr. p. B21-B26.
 - Authigenic kaolinite in sand of the Wilcox Formation, Jackson Purchase region, Kentucky, by J. D. Sims. p. B27-B32.
 - Blueschist and related greenschist facies rocks of the Seward Peninsula, Alaska, by C. L. Sainsbury, R. G. Coleman, and Reuben Kachadoorian. p. B33-B42.
 - Allochthonous Paleozoic blocks in the Tertiary San Luis-Upper Arkansas graben, Colorado, by R. E. Van Alstine. p. B43-B51.
 - Calculated in situ bulk densities from subsurface gravity observations and density logs, Nevada Test Site and Hot Creek Valley, Nye County, Nev., by D. L. Healey. p. B52-B62.
 - Geologic and gravity evidence for a buried pluton, Little Belt Mountains, central Montana, by I. J. Witkind, M. D. Kleinkopf, and W. R. Keefer. p. B63-B65.
 - Magnetotectonic and gravity features of the western Franciscan and Salinian basement terranes between Cape San Martin and San Luis Obispo, Calif., by W. F. Hanna. p. B66-B77.
 - Reconnaissance geophysical studies of the Trinidad quadrangle, south-central Colorado, by M. D. Kleinkopf, D. L. Peterson, and R. B. Johnson. p. B78-B85.

- Whole-rock Rb-Sr age of the Pikes Peak batholith, Colorado, by C. E. Hedge. p. B86-B89.
- Distribution of uranium in uranium-series dated fossil shells and bones shown by fission tracks, by B. J. Szabo, J. R. Dooley, Jr., R. B. Taylor, and J. N. Rosholt. p. B90-B92.
- Iron deposits of the Estes Creek area, Lawrence County, S. Dak., by R. W. Bayley. p. B93-B101.
- High-calcium limestone deposits in Lancaster County, southeastern Pennsylvania, by A. E. Becher and Harold Meisler. p. B102-B104.
- Geology and mineral potential of the Adobe Range, Elko Hills, and adjacent areas, Elko County, Nev., by K. B. Ketner. p. B105-B108.
- Early Permian plants from the Cutler Formation in Monument Valley, Utah, by S. H. Mamay and W. J. Breed. p. B109-B117.
- Stratigraphic micropaleontology of the type locality of the White Knob Limestone (Mississippian), Custer County, Idaho, by Betty Skipp and B. L. Mamet. p. B118-B123.
- Triassic conodonts from Israel, by J. W. Huddle. p. B124-B130.
- Middle Pleistocene Leporidae from the San Pedro Valley, Ariz., by J. S. Downey. p. B131-B136.
- New discoveries of Pleistocene bisons and peccaries in Colorado, by G. E. Lewis. p. B137-B140.
- Geology of new occurrences of Pleistocene bisons and peccaries in Colorado, by G. R. Scott and R. M. Lindvall. p. B141-B149.
- Clay mineralogy of selected samples from the middle Miocene formations of southern Maryland, by Karl Stefansson and J. P. Owens. p. B150-B156.
- The Gardiners Clay of eastern Long Island, N.Y.—A reexamination, by J. E. Upson. p. B157-B160.
- Settling velocity of grains of quartz and other minerals in sea water versus pure water, by C. I. Winegard. p. B161-B166.
- The glaciated shelf off northeastern United States, by R. N. Oldale and Elazar Uchupi. p. B167-B173.
- Determination of cobalt in geologic materials by solvent extraction and atomic absorption spectrometry, by Wayne Mountjoy. p. B174-B176.
- A field method for the determination of cold-extractable nickel in stream sediments and soils, by G. A. Nowlan. p. B177-B180.
- The fluorimetric method—Its use and precision for determination of uranium in the ash of plants, by Claude Huffman, Jr., and L. B. Riley. p. B181-B183.
- Chemical extraction of an organic material from a uranium ore, by M. L. Jacobs, C. G. Warren, and H. C. Granger. p. B184-B186.
- A die for pelletizing samples for X-ray fluorescence analysis, by B. P. Fabbi. p. B187-B189.
- Transmissivity and storage coefficient of aquifers in the Fox Hills Sandstone and the Hell Creek Formation, Mercer and Oliver Counties, N. Dak., by M. G. Croft and E. A. Wesolowski. p. B190-B195.
- Preliminary analysis of rate of movement of storm runoff through the zone of aeration beneath a recharge basin on Long Island, N.Y., by G. E. Seaburn. p. B196-B198.

- Ground-water inflow toward Jordan Valley from Utah Valley through valley fill near the Jordan Narrows, Utah, by R. W. Mower. p. B199-B202.
- Waterborne styrene in a crystalline bedrock aquifer in the Gales Ferry area, Ledyard, southeastern Connecticut, by I. G. Grossman. p. B203-B209.
- Meandering of the Arkansas River since 1833 near Bent's Old Fort, Colo., by F. A. Swenson. p. B210-B213.
- Trends in runoff, by P. H. Carrigan, Jr., and E. D. Cobb. p. B214-B218.
- Ground water-surface water relation during periods of overland flow, by J. F. Daniel, L. W. Cable, and R. J. Wolf. p. B219-B223.
- The relationship between surface water and ground water in Ship Creek near Anchorage, Alaska, by J. B. Weeks. p. B224-B226.
- Prairie potholes and the water table, by C. E. Sloan. p. B227-B231.
- Hydrologic and biotic effects of grazing versus nongrazing near Grand Junction, Colo., by G. C. Lusby. p. B232-B236.
- Sandbar development and movement in an alluvial channel, Rio Grande near Bernardo, N. Mex., by J. K. Culbertson and C. H. Scott. p. B237-B241.
- Spectrochemical determination of microgram quantities of germanium in natural water containing high concentrations of heavy metals, by A. E. Dong. p. B242-B244.
- Evaluation of a method for estimating sediment yield, by L. M. Shown. p. B245-B249.
- Dosage requirements for slug injections of Rhodamine BA and WT dyes, by F. A. Kilpatrick. p. B250-B253.
- Comparison of a propeller flowmeter with a hot-film anemometer in measuring turbulence in movable-boundary open-channel flows, by J. P. Bennett and R. S. McQuivey. p. B254-B262.
- 700-C. Geological Survey research 1970, Chapter C. 1970. p. C1-C251. \$3.25.
- Contains the following articles, which are not available separately:
- Spatial relation of mineral deposits to Tertiary volcanic centers in Nevada, by J. P. Albers and F. J. Kleinhampl. p. C1-C10.
- Quaternary faulting and potential earthquakes in east-central Colorado, by G. R. Scott. p. C11-C18.
- Reconnaissance geology and economic significance of the Platoro caldera, southeastern San Juan Mountains, Colo., by P. W. Lipman and T. A. Steven. p. C19-C29.
- Gold distribution on the Carolina continental margin—A preliminary report, by O. H. Pilkey and B. D. Bornhold. p. C30-C34.
- Detrital gold and sediments in Nuka Bay, Alaska, by Erk Reimnitz, Roland von Huene, and F. F. Wright. p. C35-C42.
- Rutile in the Harford County, Md., serpentinite belt, by Norman Herz and L. B. Valentine. p. C43-C48.
- Phosphate occurrences in Nye County and adjacent areas, Nevada, by C. L. Rogers, F. J. Kleinhampl, J. I. Ziony, and Walter Danilchik. p. C49-C60.
- Phlogopite and actinolite in latitic dike rocks, Bingham mining district, Utah, by W. J. Moore. p. C61-C69.

- On-land Mesozoic oceanic crust in California Coast Ranges, by E. H. Bailey, M. C. Blake, Jr., and D. L. Jones. p. C70-C81.
- Composite dikes in the Little Belt Mountains, central Montana, by I. J. Witkind. p. C82-C88.
- Mineralogy of underclays in the Pennsylvania Anthracite region, by J. W. Hosterman, G. H. Wood, Jr., and M. J. Bergin. p. C89-C97.
- A corundum occurrence in the eastern Alaska Range, Alaska, by D. H. Richter. p. C98-C102.
- Malachite- and specularite-bearing Triassic sandstone localities near Chantilly, Va., by J. P. D'Agostino and P. M. Hanshaw. p. C103-C106.
- Application of magnetic and electrical resistivity methods to placer investigations in the Fairbanks district, Alaska, by L. A. Anderson and G. R. Johnson. p. C107-C113.
- Gravity anomalies in Cache Valley, Cache and Box Elder Counties, Utah, and Bannock and Franklin Counties, Idaho, by D. L. Peterson and S. S. Oriel. p. C114-C118.
- Thickness of unconsolidated to semiconsolidated sediments in Jordan Valley, Utah, by R. E. Mattick. p. C119-C124.
- Coprecipitation of carbonate and phosphate from sea water, by R. A. Gulbrandsen and Marcelyn Cremer. p. C125-C126.
- The mobility of gold in mull (forest humus layer), by G. C. Curtin, H. W. Lakin, and A. E. Hubert. p. C127-C129.
- Natural organic acids as agents of chemical weathering, by H. L. Ong, V. E. Swanson, and R. E. Bisque. p. C130-C137.
- Thorium- and titanium-bearing organic material in the Dakota Sandstone near Durango, Colo., by R. S. Houston and J. F. Murphy. p. C138-C144.
- K-Ar ages of lamprophyre dikes near Great Falls, Maryland-Virginia, by J. C. Reed, Jr., R. F. Marvin, and J. H. Mangum. p. C145-C149.
- K-Ar age of the lower part of the Browns Park Formation, northwestern Colorado, by G. A. Izett, N. M. Denson, and J. D. Obradovich. p. C150-C152.
- Lunar crater morphology and relative-age determination of lunar geologic units—Part 1. Classification, by H. A. Pohn and T. W. Offield. p. C153-C162.
- Lunar crater morphology and relative-age determination of lunar geologic units—Part 2. Applications, by T. W. Offield and H. A. Pohn. p. C163-C169.
- Age and stratigraphy of the Heceta Limestone in northern Sea Otter Sound, southeastern Alaska, by A. T. Ovenshine and G. D. Webster. p. C170-C174.
- The Hondo Sandstone Member of the San Andres Limestone of south-central New Mexico, by R. L. Harbour. p. C175-C182.
- A microprocedure for the determination of carbon dioxide in minerals, by Robert Meyrowitz. p. C183-C185.
- A rapid method for the determination of fluoride in rocks and soils, using an ion-selective electrode, by W. H. Ficklin. p. C186-C188.
- Effects of urbanization on the quality of selected streams in southern Nassau County, Long Island, N.Y., by Ellis Koch. p. C189-C192.
- Use of channel slope and discharge to determine reaeration co-

- efficients for the Elkhorn River in Nebraska, by K. A. Mac Kichan, N. G. Stuthmann, and Ray Bentall. p. C193-C197.
- Rock movement triggered by a water-level change in the Brunswick area, Georgia, by D. O. Gregg. p. C198-C201.
- Notes on the position of a phosphate zone and its relation to ground water in coastal Georgia, by R. L. Wait. p. C202-C205.
- Nonsteady inflow to a chamber within a thick aquitard, by W. W. Dudley, Jr. p. C206-C211.
- Determining transmissivity from water-level recovery of a step-draw-down test, by J. R. Harrill. p. C212-C213.
- A semiquantitative method for determining the source of springflow in the Missouri Ozarks, by G. L. Feder. p. C214-C217.
- Optimization of conjunctive use of water in a stream-aquifer system, using linear programming, by O. J. Taylor. p. C218-C221.
- The use of automated titrimetry for analyses of natural water, by M. J. Fishman and R. F. Pascoe. p. C222-C225.
- Automated potentiometric determination of chloride in water, by M. J. Fishman and O. J. Feist, Jr. p. C226-C228.
- Channel-scarp formation in western North Dakota, by T. M. Hamilton. p. C229-C232.
- A method of estimating annual suspended-sediment discharge, by L. M. Nelson. p. C233-C236.
- Evaluation of installation methods for neutron-meter access tubes, by W. E. Teasdale and A. I. Johnson. p. C237-C241.
- Analysis of ice movement at the Pole Station, Antarctica, by W. H. Chapman and W. J. Jones. p. C242-C246.
- 700-D. Geological Survey research 1970, Chapter D. 1970 [1971]. p. D1-D317. \$3.75 (Professional Paper 700 issued only as separate chapters under the general title "Geological Survey research 1970.") Chapter D contains the following articles, which are not available separately:
- Lateral displacement on the Garlock fault, southeastern California, suggested by offset sections of similar metasedimentary rocks, by G. I. Smith and K. B. Ketner. p. D1-D9.
- Apollo 7 photography in Antofagasta Province, Chile—An interpretation, by Kenneth Segerstrom. p. D10-D17.
- Limestone turbidite of Kinderhook age and its tectonic significance, Elko County, Nev., by K. B. Ketner. p. D18-D22.
- Stratigraphy and geochronology of Miocene volcanic rocks in northwestern Nevada, by D. C. Noble, E. H. McKee, J. G. Smith, and M. K. Korringa. p. D23-D32.
- Outlier of Caseyville Sandstone near Princeton, Ky., may be Bethel Sandstone, by J. J. Connor and R. D. Trace. p. D33-D35.
- Pleistocene stratigraphy observed in a pipeline trench in east-central Connecticut and its bearing on the two-till problem, by M. H. Pease, Jr. p. D36-D48.
- Deltaic deposits of the Borden Formation in central Kentucky, by W. L. Peterson and R. C. Kepferle. p. D49-D54.
- Local stratigraphic and tectonic significance of *Leptoceratops*, a Cretaceous dinosaur in the Pinyon Conglomerate, northwestern Wyoming, by M. C. McKenna and J. D. Love. p. D55-D61.

- Pendent didymograptids from northern Arkansas, by W. B. N. Berry. p. D62-D70.
- Occurrence of the Late Cretaceous ammonites *Didymoceras stvensoni* (Whitfield) and *Exiteloceras jenneyi* (Whitfield) in Delaware, by W. A. Cobban. p. D71-D76.
- Palynology of some upper Quaternary peat samples from the New Jersey coastal plain, by L. A. Sirkin, J. P. Owens, J. P. Minard, and Meyer Rubin. p. D77-D78.
- Source areas of Lower Mississippian red beds in eastern midcontinent, by E. G. Sable. p. D88-D91.
- Modification of potassium-argon ages by Tertiary thrusting in the Snake Range, White Pine County, Nev., by D. E. Lee, R. F. Marvin, T. W. Stern, and Z. E. Peterman. p. D92-D102.
- Gas chromatographic determination of carbonate carbon in rocks and minerals, by John Marinenko and Irving May. p. D103-D105.
- "Catoclin Schist" analysis—Its true identity, by Marjorie Hooker. p. D106-D107.
- Potassium and rubidium in granitic rocks of central California, by F. C. W. Dodge, B. P. Fabbi, and D. C. Ross. p. D108-D115.
- Changing patterns of thermal emission from Surtsey, Iceland, between 1966 and 1969, by J. D. Friedman and R. S. Williams, Jr. p. D116-D124.
- Induced polarization ... resistivity surveys on Cleary Summit, Alaska, by L. A. Anderson and G. R. Johnson. p. D125-D128.
- Geologic interpretation of a residual aeromagnetic map of the Nixon Fork district, Alaska, by L. A. Anderson, B. L. Reed, and G. R. Johnson. p. D129-D133.
- Placer gold of unique fineness in Douglas and Elbert Counties, Colo., by G. A. Desborough, W. H. Raymond, and Courtney Soule. p. D134-D139.
- Potash in halitic evaporites, Salt Range, West Pakistan, by C. L. Jones. p. D140-D145.
- Gold resource potential of the Denali bench gravels, Valdez Creek mining district, Alaska, by T. E. Smith. p. D146-D152.
- Peat resources of the unglaciated uplands along the Allegheny structural front in West Virginia, Maryland, and Pennsylvania, by C. C. Cameron. p. D153-D161.
- A sphalerite vein and associated geochemical anomalies in St. Lawrence County, N.Y., by C. E. Brown. p. D162-D168.
- Uranium-rich monazites in the United States, by W. C. Overstreet, A. M. White, and J. J. Warr, Jr. p. D169-D175.
- Calcic siliceous chabazite from the John Day Formation, Grant County, Oreg., by R. A. Sheppard and A. J. Gude 3d. p. D176-D180.
- Nonopaque heavy minerals from sandstones of Eocene age in the Washakie Basin, Wyo., by H. W. Roehler. p. D181-D187.
- Occurrence of laumontite in Tertiary sandstones of the central Coast Ranges, Calif., by B. M. Madsen and K. J. Murata. p. D188-D195.
- Biotites from hybrid granitoid rocks of the southern Snake Range, Nev., by D. E. Lee and R. E. Van Loenen. p. D196-D206.
- Influence of grain size on percentages of ThO₂ and U₃O₈ in detrital

- monazite from North Carolina and South Carolina, by W. C. Overstreet, J. J. Warr, Jr., and A. M. White. p. D207-D216.
- Determination of acid-soluble and total manganese in geological and botanical materials by atomic absorption, by M. A. Chaffee. p. D217-D221.
- Determination of lead in rocks and minerals after extraction with diethylammonium diethyldithiocarbamate, by L. B. Jenkins and Roosevelt Moore. p. D222-D224.
- A pyrocatechol violet spectrophotometric procedure for the direct microdetermination of aluminum in silicate minerals, by Robert Meyrowitz. p. D225-D229.
- Some techniques for photographing fossils, by Kenji Sakamoto. p. D230-D232.
- Bearing capacity of lunar surface materials, by G. L. Martin. p. D233-D237.
- Synthesizing hydrographs for small semiarid drainage basins, by G. S. Craig, Jr. p. D238-D243.
- Evaluation of the streamflow data program for Arkansas, by J. L. Patterson. p. D244-D256.
- The pre-Quaternary surface in the Jordan Valley, Utah, by Ted Arnow, Richard Van Horn, and Reed LaPray. p. D257-D261.
- The effect of stream discharge on streambed leakage to a glacial outwash aquifer, by S. E. Norris. p. D262-D265.
- A method for relating infiltration rates to streamflow rates in perched streams, by D. E. Burkham. p. D266-D271.
- Specific conductance as a means of estimating ionic strength, by C. J. Lind. p. D272-D280.
- Status of salt-water encroachment in 1969 in southern Nassau and southeastern Queens Counties, Long Island, N.Y., by Philip Cohen and G. E. Kimmel. p. D281-D286.
- Vertical molecular diffusion of xenon-133 gas after injection underground, by J. B. Robertson. p. D287-D300.
- Retention time and circulation study in a sewage stabilization lagoon, by W. G. Stamper. p. D301-D304.
- An evaluation of analog techniques for image registration, by R. B. McEwen. p. D305-D311.
713. Mercury in the environment. 1970. 67 p. 70¢.

BULLETINS

[In the present listing, an asterisk (*) indicates that the paper is out of print. In "Publications of the Geological Survey, 1879-1961," all bulletins are out of print except 848, \$1.25; 914; 937; and 1042-G, 35¢]

- *1028-S. Geology of Unalaska Island and adjacent insular shelf, Aleutian Islands, Alaska, by Harald Drewes, G. D. Fraser, G. L. Snyder, and H. F. Barnett, Jr. 1961 [1962]. p. 583-676. (Bulletin 1028 issued only as separate chapters under the general title "Investigations of Alaskan volcanoes.")
- *1031-B. Geologic investigations of proposed powersites at Baranof and Carbon Lakes, Baranof Island, Alaska, by K. S. Soward. 1961 [1962]. p. 25-46.
- *1031-C. Geology of waterpower sites on the Bradley River, Kenai Peninsula, Alaska, by K. S. Soward. 1962. p. 47-70.
- *1031-D. Geology of waterpower sites on Crater Lake, Long Lake, and Speel River near Juneau, Alaska, by J. C. Miller. 1962. p. 71-101.
- *1031-E. Geology of waterpower sites on Scenery, Cascade, and Delta Creeks near Petersburg, Alaska, by J. C. Miller. 1962. p. 103-125.
- *1031-F. Geologic investigations of proposed powersites at Sheep Creek, Carlson Creek, and Turner Lake, Alaska, by George Plafker. 1962. p. 127-148. (Bulletin 1031 issued only as separate chapters under the general title "Geology of waterpower sites in Alaska.")
- *1037. No additional chapters will be published in the series, "Geological investigations in the American Republics."
- *1043-E. Recognition criteria of igneous and metamorphic rocks on aerial photographs of Chichagof and Kruzof Islands, southeastern Alaska, by J. S. Pomeroy. 1964. p. 87-110. (Bulletin 1043 issued only as separate chapters under the general title "Procedures and studies in photo-geology." Chapter E includes title page and contents for volume.)
- *1047-B. Geology and coal resources of the Salyersville North quadrangle, Magoffin, Morgan, and Johnson Counties, Ky., by W. L. Adkison and J. E. Johnston. 1963. p. 25-55. (Bulletin 1047 issued only as separate chapters under the general title "Geology of the Dingus area, Kentucky." Chapter B includes title page and contents for volume.)
- *1063-B. Geology of the Dewey quadrangle, Wyoming-South Dakota, by D. A. Brobst. 1961 [1962]. p. 13-60.
- *1063-C. Geologic environment of an oxidized uranium deposit in the Black Hills, S. Dak., by N. P. Cuppels. 1962. p. 61-83.
- *1063-D. Geology of the Angostura Reservoir quadrangle, Fall River County, S. Dak., by J. J. Connor. 1963. p. 85-126.
- *1063-E. Geology of the Edgemont NE quadrangle, Fall River and Custer Counties, S. Dak., by G. B. Gott and R. W. Schnabel. 1963. p. 127-190.
- *1063-F. Geology of the Burdock quadrangle, Fall River and Custer Counties, S. Dak., by R. W. Schnabel. 1963. p. 191-215.
- *1063-G. Geology of the Jewel Cave SW quadrangle, Custer County, S. Dak., by W. A. Braddock. 1963 [1964]. p. 217-268.

- *1063-H. Geology of the Clifton quadrangle, Wyoming and South Dakota, by N. P. Cuppels. 1963. p. 271-321.
- *1063-I. Geology of the Fanny Peak quadrangle, Wyoming-South Dakota, by D. A. Brobst and J. B. Epstein. 1963 [1964]. p. 323-377.
- *1063-J. Geology of the Edgemont quadrangle, Fall River County, S. Dak., by J. D. Ryan. 1964. p. 379-426.
- *1063-K. Geology of the Hot Springs quadrangle, Fall River and Custer Counties, S. Dak., by D. E. Wolcott. 1967. p. 427-442.
- *1063-L. Geology of the Cascade Springs quadrangle, Fall River County, S. Dak., by E. V. Post. 1967. p. 443-504. (Bulletin 1063 issued only as separate chapters under the general title "Geology and uranium deposits of the southern Black Hills.")
- 1070. Investigations of western batholiths. Title page and contents for volume (issued only as separate chapters) free on application to the Geological Survey.
- 1074. Contributions to the geology of uranium, 1957. Title page and contents for volume (issued only as separate chapters) free on application to the Geological Survey.
- *1080. Review and annotated bibliography of ancient lake deposits (Precambrian to Pleistocene) in the Western States, by J. H. Feth. 1964. 119 p.
- *1082-M. Bentonite deposits of the northern Black Hills district, Wyoming, Montana, and South Dakota, by M. M. Knechtel and S. H. Patterson. 1962. p. 893-1030. (Bulletin 1082 issued only as separate chapters under the general title "Contributions to economic geology, 1968." Chapter M includes title page and contents for volume.)
- *1083-F. Geophysical methods of exploring for buried channels in the Monument Valley area, Arizona and Utah, by R. A. Black, F. C. Frischknecht, R. M. Hazlewood, and W. H. Jackson. 1962. p. 161-288. (Bulletin 1083 issued only as separate chapters under the general title "Experimental and theoretical geophysics." Chapter F includes title page and contents for volume.)
- *1085-D. Botanical prospecting for uranium on South Elk Ridge, San Juan County, Utah, by F. J. Kleinhampl. 1962. p. 105-188. (Bulletin 1085 issued only as separate chapters under the general title "Botanical prospecting for uranium on the Colorado Plateau." Chapter D includes title page and contents for volume.)
- *1087-J. Geology of the Lost Creek schroeckingerite deposits, Sweetwater County, Wyo., by D. M. Sheridan, C. H. Maxwell, and J. T. Collier. 1961 [1962]. p. 391-478. (Bulletin 1087 issued only as separate chapters under the general title "Contributions to the geology of uranium, 1958." Chapter J includes title page and contents for volume.)
- *1089-C. Geology of the Willow Springs and Rosamond quadrangles, California, by T. W. Dibblee, Jr. 1963. p. 141-253. (Bulletin 1089 issued only as separate chapters under the general title "Geologic investigations of southern California deserts." Chapter C includes title page and contents for volume.)
- 1096. Pennsylvanian and Lower Permian stratigraphy between the Brazos and Colorado Rivers, north-central Texas. Title page and contents for volume (issued only as separate chapters) free on application to the Geological Survey.

1097. Studies in geochronology. Title page and contents for volume (issued only as separate chapters) free on application to the Geological Survey.
- *1098-C. Comparison of geological, geophysical, and geochemical prospecting methods at the Malachite mine, Jefferson County, Colo., by L. C. Huff. 1963. p. 161-179. (Bulletin 1098 issued only as separate chapters under the general title "Contributions to geochemical prospecting for minerals, 1959-62." Chapter C includes title page and contents for volume.)
- *1099-A. Uranium-bearing coal in the central part of the Great Divide Basin, by G. N. Pipiringos. 1961 [1962]. p. A1-A104.
- *1099-B. Uranium-bearing coal in the eastern part of the Red Desert area, Wyoming, by Harold Masursky. 1962. p. B1-B152. (Bulletin 1099 issued only as separate chapters under the general title "Uranium-bearing coal in the Great Divide Basin, Sweetwater County, Wyo." Chapter B includes title page and contents for volume.)
- *1103. Geology and uranium-vanadium deposits of the Monument Valley area, Apache and Navajo Counties, Ariz., by I. J. Witkind and R. E. Thaden, *with sections on* Serpentine at Garnet Ridge, by H. E. Malde and R. E. Thaden, *and* Mineralogy and paragenesis of the ore deposit at the Monument No. 2 and Cato Sells mines, by D. H. Johnson. 1963. 171 p.
- *1104-C. Geology of south-central Hidalgo and northeastern México, Mexico, by Kenneth Segerstrom. 1962. p. 87-162. (Bulletin 1104 issued only as separate chapters under the general title "Geologic investigations in Mexico." Chapter C includes title page and contents for volume.)
- *1107-B. Heavy minerals as guides to uranium-vanadium ore deposits in the Slick Rock district, Colorado, by H. E. Bowers and D. R. Shawe. 1961 [1962]. p. 169-218.
- *1107-D. Uranium occurrence in sedimentary rocks of Pennsylvania, by Harry Klemic. 1962. p. 243-288.
- *1107-E. Uranium and other trace elements in Devonian and Mississippian black shales in the central midcontinent area, by E. R. Landis. 1962. p. 289-336.
- *1107-F. Distribution of elements in sedimentary rocks of the Colorado Plateau—A preliminary report, by W. L. Newman. 1962. p. 337-445.
- *1107-G. Reconnaissance geology of Hiland-Clarkson Hill area, Natrona County, Wyo., by E. I. Rich. 1962. p. 447-549.
- *1107-H. Geology and uranium deposits of the Pumpkin Buttes area of the Powder River Basin, Wyo., by W. N. Sharp, E. J. McKay, F. A. McKeown, and A. M. White. 1964. p. 541-638. (Bulletin 1107 issued only as separate chapters under the general title "Contributions to the geology of uranium, 1959-60." Chapter H includes title page and contents for volume.)
- *1108-B. Geology of the Craig quadrangle, Alaska, by W. H. Condon. 1961 [1962]. p. B1-B43.
- *1108-C. Geology of the Freshwater Bay area, Chicagof Island, Alaska, by R. A. Loney, W. H. Condon, and J. T. Dutro, Jr. 1963. p. C1-C54.
- *1108-D. Geology of the North Bradfield River iron prospect, southeastern Alaska, by E. M. MacKevett, Jr., and M. C. Blake, Jr. 1963. p. D1-D21.
- *1108-E. Geology of the Sumdum copper-zinc prospect, southeastern Alaska, by E. M. MacKevett, Jr., and M. C. Blake, Jr. 1964. p. E1-E31. (Bulletin 1108 issued only as separate chapters under the general title "Mineral resources of Alaska, 1959-63.")

- *1110-A. Lead-zinc deposits of the Boquira district, State of Bahia, Brazil, by R. F. Johnson. 1960 [1962]. p. 1-33.
- *1110-B. Geology of the lead-zinc deposits in the Município de Januária, State of Minas Gerais, Brazil, by J. F. Robertson. 1963 [1964]. p. 35-110. (Bulletin 1110 issued only as separate chapters under the general title "Contributions to Brazilian geology—Nonferrous metals.")
- 1111. Contributions to general geology, 1959. Title page and contents for volume (issued only as separate chapters) free on application to the Geological Survey.
- *1111-G. Geology of the Otter Creek quadrangle, Montana, by R. B. Colton. 1962. p. 237-288.
- *1111-H. Geologic reconnaissance of the Yukon Flats district, Alaska, by J. R. Williams. 1962 [1963]. p. 289-331.
- *1111-I. Frost heaving of piles with an example from Fairbanks, Alaska, by T. L. Péwé and R. A. Paige. 1963. p. 333-407. (Bulletin 1111 issued only as separate chapters under the general title "Contributions to general geology, 1959." Title page and contents for volume free on application to the Geological Survey.)
- *1112-D. Distribution and thickness of Devonian rocks in Williston basin and in central Montana and north-central Wyoming, by C. A. Sandberg. 1961 [1962]. p. 105-127.
- *1112-F. Geology of rocks of Pennsylvanian age in the southern half of the Tremont quadrangle, Schuylkill County, Pa., by G. H. Wood, Jr., J. P. Trexler, Andy Yelenosky, and Julian Soren. 1962 [1963]. p. 181-208.
- *1112-G. Geology and mineral deposits of the area south of Telluride, Colo., by J. S. Vhay. 1962 [1963]. p. 209-310. (Bulletin 1112 issued only as separate chapters under the general title "Contributions to economic geology, 1959.")
- *1117-B. Distribution of minor elements in coal beds of the Eastern Interior region, by Peter Zubovic, Taisia Stadnichenko, and N. B. Sheffey. 1964. p. B1-B41.
- *1117-C. Distribution of minor elements in coals of the Appalachian region, by Peter Zubovic, Taisia Stadnichenko, and N. B. Sheffey. 1966. p. C1-C37.
- *1117-D. Distribution of minor elements in some coals in the Western and Southwestern regions of the Interior coal province, by Peter Zubovic, N. B. Sheffey, and Taisia Stadnichenko. 1967. p. D1-D33. (Bulletin 1117 issued only as separate chapters under the general title "Minor elements in American coals.")
- *1118. Geology of phosphate deposits of northern peninsular Florida, by G. H. Espenshade and C. W. Spencer. 1963. 115 p.
- *1119. Geology of Portland, Oreg., and adjacent areas, by D. E. Trimble. 119 p.
- *1120. Coal reserves of eastern Kentucky, by J. W. Huddle, E. J. Lyons, H. L. Smith, and J. C. Ferm. 1963. 247 p.
- *1121-D. Geology of the Linville quadrangle, North Carolina-Tennessee—A preliminary report, by Bruce Bryant. 1962. p. D1-D30.
- *1121-E. Geology of the Nefsy Divide quadrangle, Crook County, Wyo., by C. L. Pillmore and W. J. Mapel. 1963. p. E1-E52.
- *1121-F. Geology and petrology of two stocks of layered gabbro in the Fairweather Range, Alaska, by D. L. Rossman. 1963. p. F1-F50.

- *1121-G. Geology of the American Falls quadrangle, Idaho, by W. J. Carr and D. E. Trimble. 1963. p. G1-G44.
- *1121-J. Geology of the Duck Creek Pass quadrangle, Montana, by W. H. Nelson. 1963. p. J1-J56.
- *1121-K. Geology of the eastern part of the Mount Fairweather quadrangle, Glacier Bay, Alaska, by D. L. Rossman. 1963. p. K1-K57.
- *1121-L. Geology of the Littleton quadrangle, Jefferson, Douglas, and Arapahoe Counties, Colo., by G. R. Scott. 1962. p. L1-L53.
- *1121-M. Geology of the Inyan Kara Mountain quadrangle, Crook and Weston Counties, Wyo., by W. J. Mapel and C. L. Pillmore. 1963. p. M1-M56. (Bulletin 1121 issued only as separate chapters under the general title "Contributions to general geology, 1960." Chapter M includes title page and contents for volume.)
- *1122-A. Geology of the Spruce Pine district, Avery, Mitchell, and Yancey Counties, N.C., by D. A. Brobst. 1962. p. A1-A26.
- *1122-B. Bedrock geology and asbestos deposits of the upper Missisquoi Valley and vicinity, Vermont, by W. M. Cady, A. L. Albee, and A. H. Chidester. 1963. p. B1-B78.
- *1122-C. Coal geology of the Seitz quadrangle, Breathitt, Magoffin, Morgan, and Wolfe Counties, Ky., by M. J. Bergin. 1962. p. C1-C39.
- *1122-D. Geology of the Anlauf and Drain quadrangles, Douglas and Lane Counties, Oreg., by Linn Hoover. 1963. p. D1-D62.
- *1122-E. Geology and fluorspar deposits of the Levias-Keystone and Dike-Eaton areas, Crittenden County, Ky., by R. D. Trace. 1962. p. E1-E26.
- *1122-F. Geology and refractory clay deposits of the Haldeman and Wrigley quadrangles, Kentucky, by S. H. Patterson and J. W. Hosterman, *with a section on* Coal resources, by J. W. Huddle. 1962 [1963]. p. F1-F113.
- *1122-G. Geologic setting of the Hamme tungsten district, North Carolina and Virginia, by J. M. Parker 3d. 1963. p. G1-G69. (Bulletin 1122 issued only as separate chapters under the general title "Contributions to economic geology, 1960." Chapter G includes title page and contents for volume.)
- *1123-B. Geology of the Montfort and Linden quadrangles, Wisconsin, by J. E. Carlson. 1961 [1962]. p. 95-138.
- *1123-C. Geology of the Dubuque North quadrangle, Iowa-Wisconsin-Illinois, by J. W. Whitlow and C. E. Brown. 1963. p. 139-168.
- *1123-D. Geology of the Dodgeville and Mineral Point quadrangles, Wisconsin, by J. W. Allingham. 1963. p. 169-244.
- *1123-E. Geology of the Platteville quadrangle, Wisconsin, by A. F. Agnew. 1963. p. 245-277.
- *1123-F. Geology of the Rewey and Miffin quadrangles, Wisconsin, by A. R. Taylor. 1964. p. 279-360.
- *1123-G. Geology of the Belmont and Calamine quadrangles, Wisconsin, by Harry Klemic and W. S. West. 1964. p. 361-435.
- *1123-H. Geology of the Cuba City, New Diggings, and Shullsburg quadrangles, Wisconsin and Illinois, by T. E. Mullens. 1964 [1965]. p. 437-531.
- *1123-I. Geology of the Potosi quadrangle, Grant County, Wis., and Dubuque County, Iowa, by J. W. Whitlow and W. S. West. 1966. p. 533-571. (Bulletin 1123 issued only as separate chapters under the general title

- "Geology of parts of the Upper Mississippi Valley zinc-lead district." Chapter I includes title page and contents for volume.)
- *1124. Relation of the transmissive character of the sedimentary rocks of the Colorado Plateau to the distribution of uranium deposits, by D. A. Jobin. 1962. 151 p.
 - *1125. Geology and ore deposits of the White Canyon area, San Juan and Garfield Counties, Utah, by R. E. Thaden, A. F. Trites, Jr., and T. L. Finnell. 1964 [1965]. 166 p.
 - *1126. Geology and thorium-bearing deposits of the Lemhi Pass area, Lemhi County, Idaho, and Beaverhead County, Mont., by W. N. Sharp and W. S. Cavender. 1962 [1963]. 76 p.
 - *1127. Geology and uranium deposits of the Strawberry Hill quadrangle, Crook County, Wyo., by R. E. Davis and G. A. Izett. 1962 [1963]. 87 p.
 - *1128. Economic geology of the Keysville quadrangle, Florida, by J. B. Cathcart. 1963. 82 p.
 - *1129. Geology of Lost River mine area, Alaska, by C. L. Sainsbury. 1964. 80 p.
 - *1130. Geology of the Mount Pinchot quadrangle, southern Sierra Nevada, Calif., by J. G. Moore. 1963. 152 p.
 - *1131. Geology and mineral deposits of the Turtle Lake quadrangle, Washington, by G. E. Becraft and P. L. Weis. 1963. 73 p.
 - *1132. Geology, ore deposits, and exploratory drilling in the Deer Flat area, White Canyon district, San Juan County, Utah, by T. L. Finnell, P. C. Franks, and H. A. Hubbard. 1963. 114 p.
 - *1133-B. Geology and hydrology of the site in the Hallam Nuclear Power Facility, Nebr., by C. F. Keech. 1962. p. B1-B51.
 - *1133-C. Geology and hydrology of the Elk River, Minnesota, nuclear-reactor site, by R. F. Norvitch, Robert Schneider, and R. G. Godfrey. 1963. p. C1-C25.
 - *1133-D. Infiltration and permeability of weathered crystalline rocks, Georgia Nuclear Laboratory, Dawson County, Ga., by J. W. Stewart. 1964. p. D1-D59.
 - *1133-E. Subsurface geology of the National Reactor Testing Station, Idaho, by E. H. Walker. 1964. p. E1-E22.
 - *1133-F. Geologic and hydrologic investigation at the site of the Georgia Nuclear Laboratory, Dawson County, Ga., by J. W. Stewart, J. T. Callahan, R. F. Carter, and others. 1964. p. F1-F90.
 - *1133-G. Geology and hydrology of the Hartford Research Center, CANEL site, Middletown, Conn., by J. A. Baker, S. M. Lang, and M. P. Thomas. 1965. p. G1-G42. (Bulletin 1133 issued only as separate chapters under the general title "Studies of sites for nuclear energy facilities.")
 - *1134. Ordovician graptolites of the Basin Ranges in California, Nevada, Utah, and Idaho, by R. J. Ross, Jr., and W. B. N. Berry. 1963. 177 p.
 - *1135-A. Oxidized zinc deposits of the United States—Part 1, General geology, by A. V. Heyl and C. N. Bozion. 1962. p. A1-A49.
 - *1135-B. Oxidized zinc deposits of the United States—Part 2, Utah, by A. V. Heyl. 1963. p. B1-B104.
 - *1135-C. Oxidized zinc deposits of the United States—Part 3, Colorado, by A. V. Heyl. 1964. p. C1-C98. (Bulletin 1135 issued only as separate chapters under the general title "Oxidized zinc deposits of the United States." Chapter C includes title page and contents for volume.)

- *1137. Geology of the Lees Ferry area, Coconino County, Ariz., by D. A. Phoenix. 1963. 86 p.
- *1138. Geology and uranium occurrences of the northern half of the Lehigh-ton, Pa., quadrangle and adjoining areas, by Harry Klemic, J. C. Warman, and A. R. Taylor. 1963. 97 p.
- *1140-A. Adsorption of cesium on clay minerals, by J. S. Wahlberg and M. J. Fishman. 1962 [1963]. p. A1-A30.
- *1140-B. Use of cesium-137 in the determination of cation-exchange capacity, by W. A. Beetem, V. J. Janzer, and J. S. Wahlberg. 1962. p. B1-B8.
- *1140-C. Exchange adsorption of strontium on clay minerals, by J. S. Wahlberg, J. H. Baker, R. W. Vernon, and R. S. Dewar. 1965. p. C1-C26.
- *1140-D. Comparison of distribution coefficients for strontium exchange from solutions containing one and two competing cations, by J. S. Wahlberg and R. S. Dewar. 1965. p. D1-D10. (Bulletin 1140 issued only as separate chapters under the general title "Ion exchange on mineral materials.")
- *1141-A. Ultrasonic measurement of suspended sediment, by G. H. Flammer. 1962. p. A1-A48.
- *1141-B. Surface geology of the Nash Draw quadrangle, Eddy County, N. Mex., by J. D. Vine. 1963. p. B1-B46.
- *1141-C. Geology of the Imuruk Lake area, Seward Peninsula, Alaska, by D. M. Hopkins. 1963 [1964]. p. C1-C101.
- *1141-D. General geology of the Jackson Mountains, Humboldt County, Nev., by Ronald Willden. 1963. p. D1-D65.
- *1141-E. Cenozoic geology in the Mammoth area, Pinal County, Ariz., by L. A. Heindl. 1963. p. E1-E41.
- *1141-F. Geology of the Fort Laramie area, Platte and Goshen Counties, Wyo., by L. W. McGrew. 1963. p. F1-F39.
- *1141-G. A Pleistocene ice sheet in the northern Boulder Mountains, Jefferson, Powell, and Lewis and Clark Counties, Mont., by E. T. Ruppel. 1962. p. G1-G22.
- *1141-H. Geology of the Pinal Ranch quadrangle, Arizona, by N. P. Peterson. 1963. p. H1-H18.
- *1141-I. Character and history of the upper Ohio River valley, by C. W. Carlston. 1962. p. I1-I10.
- *1141-J. Geology of the French Gulch quadrangle, Shasta and Trinity Counties, Calif., by J. P. Albers. 1964. p. J1-J70.
- *1141-K. Geology of the Clark Fork quadrangle, Idaho-Montana, by J. E. Harrison and D. A. Jobin. 1963. p. K1-K38.
- *1141-L. Columbia River Basalt in the Riggins quadrangle, western Idaho, by Warren Hamilton. 1963. p. L1-L37.
- *1141-M. Geology of the Jarbidge quadrangle, Nevada-Idaho, by R. R. Coats. 1964. p. M1-M24.
- *1141-N. Geology of the Newcastle area, Weston County, Wyo., by W. J. Mapel and C. L. Pillmore. 1963. p. N1-N85.
- *1141-O. Reconnaissance geology of northern Baranof Island, Alaska, by H. C. Berg and D. W. Hinckley. 1963. p. O1-O24.
- *1141-P. Geology of the Cleveland quadrangle, Bearpaw Mountains, Blaine County, Mont., by Robert George Schmidt, W. T. Pecora, and B. C. Hearn, Jr. 1964. p. P1-P26.

- *1141-Q. Geology of the Reliz Canyon, Thompson Canyon, and San Lucas quadrangles, Monterey County, Calif., by D. L. Durham. 1963 [1964]. p. Q1-Q41. (Bulletin 1141 issued only as separate chapters under the general title "Contributions to general geology, 1961." Chapter Q includes title page and contents for volume.)
- *1142-A. Geology and mineral deposits of the Twin Crags quadrangle, Idaho, by A. B. Campbell and S. E. Good. 1963. p. A1-A33.
- *1142-B. Geology of the Ewing quadrangle, Kentucky and Virginia, by K. J. Englund, H. L. Smith, L. D. Harris, and J. G. Stephens. 1963. p. B1-B23.
- *1142-C. A preliminary report on the Precambrian iron deposits near Atlantic City, Wyo., by R. W. Bayley. 1963. p. C1-C23.
- *1142-D. Economic geology of the Plant City quadrangle, Florida, by J. B. Cathcart. 1963. p. D1-D56.
- *1142-E. Geology of the Calamity Peak area, Custer County, S. Dak., by D. H. Kupfer. 1963. p. E1-E23.
- *1142-F. Geology of the magnesite belt of Stevens County, Wash., by Ian Campbell and J. S. Loofbourow, Jr. 1962. p. F1-F53.
- *1142-G. Geology of the Red Devil quicksilver mine, Alaska, by E. M. MacKevett, Jr., and H. C. Berg. 1963. p. G1-G16.
- *1142-H. Future petroleum producing capacity of the United States, by A. D. Zapp. 1962. p. H1-H36.
- *1142-I. Geology of some copper deposits in North Carolina, Virginia, and Alabama, by G. H. Espenshade. 1963. p. I1-I50.
- *1142-J. Geology of Glenwood Springs quadrangle and vicinity, northwestern Colorado, by N. W. Bass and S. A. Northrop. 1963. p. J1-J74.
- *1142-K. Geology of the Eureka quadrangle, Utah and Juab Counties, Utah, by H. T. Morris. 1964. p. K1-K29.
- *1142-L. Geology of the Tintic Junction quadrangle, Tooele, Juab, and Utah Counties, Utah, by H. T. Morris. 1964. p. L1-L23.
- *1142-M. Geology of the beryllium deposits in the Thomas Range, Juab County, Utah, by M. H. Staatz. 1963. p. M1-M36. (Bulletin 1142 issued only as separate chapters under the general title "Contributions to economic geology, 1961." Chapter M includes title page and contents for volume.)
- *1143-A. Coal resources of Beaver County, Pa., by E. D. Patterson. 1963 [1964]. p. A1-A33.
- *1143-B. Coal resources of Lawrence County, Pa., by J. A. Van Lieu and E. D. Patterson. 1964. p. B1-B33. (Bulletin 1143 issued only as separate chapters under the general title "Coal resources of western Pennsylvania.")
- *1144-A. Rapid analysis of silicate, carbonate, and phosphate rocks, by Leonard Shapiro and W. W. Brannock. 1962. p. A1-A56.
- *1144-B. An improved method for the determination of FeO in rocks and minerals including garnet, by L. E. Reichen and J. J. Fahey. 1962. p. B1-B5.
- *1144-C. Strontium sorption studies on crandallite, by Irving May, M. M. Schnepfe, and C. R. Naeser. 1963. p. C1-C17.
- *1144-D. Melting and transformation temperatures of mineral and allied substances, by F. C. Kracek. 1963. p. D1-D81.

- *1144-E. Porosity and bulk density of sedimentary rocks, by G. E. Manger. 1963. p. E1-E55.
- *1144-F. Distribution of thorium and uranium in three early Paleozoic plutonic series of New Hampshire, by J. B. Lyons. 1964. p. F1-F43. (Bulletin 1144 issued only as separate chapters under the general title "Contributions to geochemistry, 1961-63." Chapter F includes title page and contents for volume.)
- *1145. Bibliography of North American geology, 1959, by R. R. King and others. 1961 [1962]. 605 p. \$2.
- *1146-E. Geophysical abstracts 184-187, 1961, by J. W. Clarke, D. B. Vitaliano, V. S. Neuschel, and others. (See also under "Geophysical Abstracts.")
- 1147. Contributions to the geology of uranium, 1961-63. Title page and contents for volume (issued only as separate chapters) free on application to the Geological Survey.
- *1147-A. Reconnaissance study of uranium deposits in Arizona, by H. C. Granger and R. B. Raup. 1962. p. A1-A54.
- *1147-B. Uranium in some rocks of Pennsylvanian age in Oklahoma, Kansas, and Missouri, by H. J. Hyden and Walter Danilchik. 1962. p. B1-B82.
- *1147-C. Clay minerals in Triassic rocks of the Colorado Plateau, by L. G. Schultz. 1963. p. C1-C71.
- *1147-D. Geology and uranium deposits of the southern part of the Powder River Basin, Wyo., by W. N. Sharp and A. B. Gibbons. 1964. p. D1-D60.
- *1147-E. Distribution of elements in Colorado Plateau uranium deposits—A preliminary report, by A. T. Miesch. 1963. p. E1-E57.
- *1147-F. Geology and uranium deposits at Crooks Gap, Fremont County, Wyo., by J. G. Stephens, *with a section on* Gravity and seismic studies in the Crooks Gap area, by D. L. Healy. 1964. p. F1-F82. (Bulletin 1147 issued only as separate chapters under the general title "Contributions to the geology of uranium, 1961-63.")
- *1148. Summary of rock salt deposits in the United States as possible storage sites for radioactive waste materials, by W. G. Pierce and E. I. Rich. 1962. 91 p.
- *1149. Geology of the Winnett-Mosby area, Petroleum, Garfield, Rosebud, and Fergus Counties, Mont., by W. D. Johnson, Jr., and H. R. Smith. 1964. 91 p.
- *1150. Clay minerals in the Morrison formation of the Colorado Plateau, by W. D. Keller. 1962. 90 p.
- *1151. Geology of the Basin quadrangle, Jefferson, Lewis and Clark, and Powell Counties, Mont., by E. T. Ruppel. 1963. 121 p.
- 1152. Analytical methods used in geochemical exploration by the U.S. Geological Survey, by F. N. Ward, H. W. Lakin, F. C. Canney, and others. 1963. 100 p. 45¢.
- *1153. Geology of the Georgetown Canyon-Snowdrift Mountain area, southeastern Idaho, by E. R. Cressman. 1964. 105 p.
- *1154. Geology and ore deposits of the Bokan Mountain uranium-thorium area, southeastern Alaska, by E. M. MacKevett, Jr. 1963 [1964]. 125 p.
- *1155. Contributions to economic geology of Alaska. 1963. 93 p.
- *1156-A. Geology of Brookhaven National Laboratory and vicinity, Suffolk County, N.Y., by Wallace de Laguna. 1963. p. A1-A35.
- *1156-B. Physical properties and mineralogy of selected samples of the

- sediments from the vicinity of the Brookhaven National Laboratory, Long Island, N.Y., by G. T. Faust. 1963. p. B1-B34.
- 1156-C. Hydrology of Brookhaven National Laboratory and vicinity, Suffolk County, N.Y., by M. A. Warren, Wallace de Laguna, and N. J. Lusczynski. 1968. p. C1-C127. \$2.25. (Chapter C includes title page and contents for volume.)
- *1156-D. Chemical quality of water, Brookhaven National Laboratory and vicinity, Suffolk County, N.Y., by Wallace de Laguna. 1964. p. D1-D73.
- *1156-E. A hydrologic analysis of postulated liquid-waste releases—Brookhaven National Laboratory, Suffolk County, N.Y., by Wallace de Laguna. 1966. p. E1-E51. (Bulletin 1156 issued only as separate chapters under the general title "Studies of sites for nuclear energy facilities—Brookhaven National Laboratory.")
- *1157. Geology of the Shotgun Butte area, Fremont County, Wyo., by W. R. Keefer and M. L. Troyer. 1964. 123 p.
- *1158-A. Bedrock geology of the Coventry Center quadrangle, Rhode Island, by G. E. Moore, Jr. 1963. p. A1-A24.
- *1158-B. Bedrock geology of the Crompton quadrangle, Rhode Island, by A. W. Quinn. 1963. p. B1-B17.
- *1158-C. Bedrock geology of the Wickford quadrangle, Rhode Island, by R. B. Williams. 1964. p. C1-C15.
- *1158-D. Bedrock geology of the Tiverton quadrangle, Rhode Island—Massachusetts, by S. J. Pollock. 1964. p. D1-D16.
- *1158-E. Bedrock geology of the Kingston quadrangle, Rhode Island, by G. E. Moore, Jr. 1964. p. E1-E21. (Bulletin 1158 issued only as separate chapters under the general title "Geology of selected quadrangles in Rhode Island." Chapter E includes title page and contents for volume.)
- *1159. Geology of uranium deposits in the Front Range, Colo., by P. K. Sims and D. M. Sheridan, *with sections by* R. U. King, F. B. Moore, D. H. Richter, and J. D. Schlottmann. 1964. 116 p.
- *1160. Studies of pre-Selma Cretaceous core samples from the outcrop area in western Alabama, by W. H. Monroe, R. E. Bergenback, N. F. Sohl, E. R. Applin, E. B. Leopold, H. M. Pakiser, and L. C. Conant. 1964. 108 p.
- *1161-A. *Theriosynoecum wyomingense* (Branson, 1935), a possible guide ostracode to the Salt Wash Member of the Morrison Formation, by I. G. Sohn and R. E. Peck. 1963. p. A1-A10.
- *1161-B. Geology of the Linville Falls quadrangle, North Carolina, by J. C. Reed, Jr. 1964. p. B1-B53.
- *1161-C. Nonopaque heavy minerals in sandstone of Jurassic and Cretaceous age in the Black Hills, Wyoming and South Dakota by W. J. Mapel, W. A. Chisholm, and R. E. Bergenback. 1964. p. C1-C59.
- *1161-D. Geologic reconnaissance of the Antelope-Ashwood area, north-central Oregon, with emphasis on the John Day Formation of late Oligocene and early Miocene age, by D. L. Peck. 1964. p. D1-D26.
- *1161-E. Geology of the Christmas quadrangle, Gila and Pinal Counties, Ariz., by Ronald Willden. 1964. p. E1-E64.
- *1161-F. Geology of the Bald Knob quadrangle, Ferry and Okanogan Counties, Wash., by M. H. Staatz. 1964. p. F1-F79.
- *1161-G. Bedrock geology of the Penn Yan and Keuka Park quadrangles, New York, by M. J. Bergin. 1964. p. G1-G35.

- *1161-H. Geology of the Cosio Knob and Espinosa Canyon quadrangles, Monterey County, Calif., by D. L. Durham. 1964. p. H1-H29.
- *1161-I. Petrochemistry and bedrock geology of the Fitchville quadrangle, Connecticut, by G. L. Snyder. 1964. p. I1-I63. (Bulletin 1161 issued only as separate chapters under the general title "Contributions to general geology, 1962." Chapter I includes title page and contents for volume.)
- *1162-A. Economic geology of the Chicora quadrangle, Florida, by J. B. Cathcart. 1963. p. A1-A66.
- *1162-B. Geology of the Railroad mining district, Elko County, Nev., by K. B. Ketner and J. F. Smith, Jr. 1963. p. B1-B27.
- *1162-C. Selenium in some oxidized sandstone-type uranium deposits, by D. F. Davidson. 1963. p. C1-C33.
- *1162-D. Geology of the northern part of the Tenmile Range, Summit County, Colo., by M. H. Bergendahl. 1963. p. D1-D19.
- *1162-E. Diamond drilling exploration of the Beecher No. 3-Black Diamond pegmatite, Custer County, S. Dak., by J. A. Redden. 1963. p. E1-E11.
- *1162-F. Heavy minerals in the saprolite of the crystalline rocks in the Shelby quadrangle, North Carolina, by W. C. Overstreet, R. G. Yates, and W. R. Griffiths. 1963. p. F1-F31.
- *1162-G. Economic geology of the Lakeland quadrangle, Florida, by J. B. Cathcart. 1964. p. G1-G128. (Bulletin 1162 issued only as separate chapters under the general title "Contributions to economic geology, 1962." Chapter G includes title page and contents for volume.)
- *1163-A. Bedrock geology of the Salem quadrangle and vicinity, Massachusetts, by Priestley Toulmin 3d. 1964. p. A1-A79.
- *1163-B. Geology of the Norwood quadrangle, Norfolk and Suffolk Counties, Mass., by N. E. Chute. 1966 [1967]. p. B1-B78.
- *1163-C. Surficial geology of the Athol quadrangle. Worcester and Franklin Counties, Mass., by D. F. Eschman. 1966. p. C1-C20.
- *1163-D. Geology of the Taunton quadrangle, Bristol and Plymouth Counties, Mass., by J. H. Hartshorn. 1967. p. D1-D67. (Bulletin 1163 issued only as separate chapters under the general title "Geology of selected quadrangles in Massachusetts." Chapter D includes title page and contents for volume.)
- 1164. Tertiary geology of the Beaver Rim area, Fremont and Natrona Counties, Wyo., by F. B. Van Houten. 1964 [1965]. 99 p. \$3.
- *1165. Geology of Franklin, Webster, and Nuckolls Counties, Nebr., by R. D. Miller, Richard Van Horn, Ernest Dobrovolny, and L. P. Buck. 1964 [1965]. 91 p.
- *1166-A-E. Geophysical abstracts 188-191, 1962, by J. W. Clarke, D. B. Vitaliano, V. S. Neuschel, and others. (See also under "Geophysical Abstracts.")
- *1167. Talc resources of the United States, by A. H. Chidester, A. E. J. Engel, and L. A. Wright. 1964. 61 p.
- *1168. Stratigraphy of the Dripping Spring Quartzite, southeastern Arizona, by H. C. Granger and R. B. Raup. 1964. 119 p.
- *1169. Geology of the Curlew quadrangle, Ferry County, Wash., by R. L. Parker and J. A. Calkins. 1964 [1965]. 95 p.
- *1170. Systematic analysis of silicates, by L. C. Peck. 1964. 89 p.

- *1171. Hawaiian volcanoes during 1955, by G. A. Macdonald and J. P. Eaton. 1964. 170 p.
- *1172. Measuring geothermal gradients in drill holes less than 60 feet deep, East Tintic district, Utah, by T. S. Lovering and H. D. Goode. 1963. 48 p.
- *1173. Bedrock geology of the Evitts Creek and Pattersons Creek quadrangles, Maryland, Pennsylvania, and West Virginia, by Wallace de Witt, Jr., and G. W. Colton. 1964 [1965]. 90 p.
- *1174. Taconic stratigraphic names: Definitions and synonymies, by E-an Zen. 1964. 95 p.
- *1175. Geology of the Cortez quadrangle, Nevada, by James Gilluly and Harold Masursky, *with a section on* Gravity and aeromagnetic surveys, by D. R. Mabey. 1965. 117 p.
- 1176. Geochemistry of rocks and related soils and vegetation in the Yellow Cat area, Grand County, Utah, by H. L. Cannon. 1964. 127 p. \$1.50.
- *1177. Geology and ground water in Verde Valley—The Mogollon Rim region, Arizona, by F. R. Twenter and D. G. Metzger. 1963. 132 p.
- *1178. Stratigraphy and petrography of the Pybus-Gambier area, Admiralty Island, Alaska, by R. A. Loney. 1964 [1965]. 103 p.
- *1179. Geology of the Frenchie Creek quadrangle, north-central Nevada, by L. J. P. Muffler. 1964 [1965]. 99 p.
- *1180-A. Cretaceous stratigraphy of the McCarthy A-4 quadrangle, southern Alaska, by D. L. Jones and H. C. Berg. 1964. p. A1-A18.
- *1180-B. The Helderberg Group and the position of the Silurian-Devonian boundary in North America, by J. M. Berdan. 1964. p. B1-B19.
- *1180-C. Middle and Lower Ordovician formations in southernmost Nevada and adjacent California, by R. J. Ross, Jr., *with a section on* Paleotectonic significance of Ordovician sections south of the Las Vegas shear zone, by R. J. Ross, Jr., and C. R. Longwell. 1964. p. C1-C101. (Bulletin 1180 issued only as separate chapters under the general title "Contributions to stratigraphic paleontology, 1963-64." Chapter C includes title page and contents for volume.)
- *1181-A. Fluvial sediments—A summary of source, transportation, deposition, and measurement of sediment discharge, by B. R. Colby. 1963. p. A1-A47.
- *1181-B. Geology of the Rattlesnake quadrangle, Bearpaw Mountains, Blaine County, Mont., by B. C. Hearn, Jr., W. T. Pecora, and W. C. Swadley. 1964 [1965]. p. B1-B66.
- *1181-C. Geology of the Platte Canyon quadrangle, Colorado, by W. L. Peterson. 1964. p. C1-C23.
- *1181-D. Curecanti pluton, an unusual intrusive body in the Black Canyon of the Gunnison, Colo., by W. R. Hansen. 1964. p. D1-D15.
- *1181-E. Fossils in Ordovician tuffs, northeastern Maine, by R. B. Neuman, *with a section on* Trilobita, by H. B. Whittington. 1964. p. E1-E38.
- *1181-F. Minor elements in bedrock, soil, and vegetation at an outcrop of the Phosphoria Formation on Snowdrift Mountain, southeastern Idaho, by F. B. Lotspeich and E. L. Markward. 1963. p. F1-F42.
- *1181-G. Reconnaissance petrographic cross section of the Idaho batholith in Adams and Valley Counties, Idaho, by D. L. Schmidt. 1964. p. G1-G50.
- *1181-H. Geologic reconnaissance along the Alaska Highway, Delta River to Tok Junction, Alaska, by G. W. Holmes. 1965. p. H1-H19.

- *1181-I. Stratigraphic reconnaissance of the Matanuska Formation in the Matanuska Valley, Alaska, by Arthur Grantz. 1964. p. I1-I33.
- *1181-J. Geology of the Upton quadrangle, Crook and Weston Counties, Wyo., by W. J. Mapel and C. L. Pillmore. 1964. p. J1-J54.
- *1181-K. Surficial geology of the central Kobuk River valley, northwestern Alaska, by A. T. Fernald. 1964. p. K1-K31.
- *1181. Geology of the Ash Meadows quadrangle, Nevada-California, by C. S. Denny and Harald Drewes. 1965. p. L1-L56.
- *1181-M, N. M, Geologic sketch of northwestern Oregon, by P. D. Snively, Jr., and H. C. Wagner, p. M1-M17, and N, Geologic interpretation of reconnaissance gravity and aeromagnetic surveys in northwestern Oregon, by R. W. Bromery and P. D. Snively, Jr. p. N1-N13.
- *1181-O. Geology of the Independence quadrangle, Inyo County, Calif., by D. C. Ross. 1965. p. O1-O64.
- *1181-P. Character and distribution of nonclastic minerals in the Searles Lake evaporite deposit, California, by G. I. Smith and D. V. Haines. 1964. p. P1-P58.
- *1181-Q. Geology of the Jolon and Williams Hill quadrangles, Monterey County, Calif., by D. L. Durham. 1965. p. Q1-Q27.
- *1181-R. Reconnaissance geology of Admiralty Island, Alaska, by E. H. Lathram, J. S. Pomeroy, H. C. Berg, and R. A. Loney. 1965. p. R1-R48.
- *1181-S. Geology of the Paradise quadrangle, Cache County, Utah, by T. E. Mullens and G. A. Izett. 1964. p. S1-S32. (Bulletin 1181 issued separately except as listed above under the general title "Contributions to general geology, 1963." Chapter S includes title page and contents for volume.)
- 1182. Contributions to economic geology, 1963. Title page and contents for volume (issued only as separate chapters) free on application to the Geological Survey.
- *1182-A. Geology of Precambrian rocks, Idaho Springs district, Colorado, by R. H. Moench. 1964 [1965]. p. A1-A70.
- *1182-B. Geology and coal resources of the coal-bearing rocks of Alabama, by W. C. Culbertson. 1964. p. B1-B79.
- *1182-C. Selected bibliography of talc in the United States, by C. W. Merrill. 1963. p. C1-C26.
- *1182-D. Relation between specific gravity and iron content of rocks from the Red Mountain Formation, Ala., by R. P. Sheldon. 1964. p. D1-D17.
- *1182-E. Investigations of molybdenum deposits in the conterminous United States, 1942-60, by Harold Kirkemo, C. A. Anderson, and S. C. Creasey, *with sections by numerous authors*. 1965. p. E1-E90. (Bulletin 1182 issued only as separate chapters under the general title "Contributions to economic geology, 1963.")
- *1183. The crystalline rocks of South Carolina, by W. C. Overstreet and Henry Bell III. 1965. 126 p. (See also Miscellaneous Geologic Investigations Map I-413.)
- *1184. Geology of the Ciales quadrangle, Puerto Rico, by H. L. Berryhill, Jr. 1965. 116 p.
- *1185-A. Uranium at Morro do Vento, Serra de Jacobina, Brazil, by M. G. White. 1964. p. A1-A18.
- *1185-B. Reconnaissance for uranium in the central Tucano basin, Bahia, Brazil, by D. D. Haynes. 1964. p. B1-B16.

- *1185-C. The uraniferous zirconium deposits of the Poços de Caldas Plateau, Brazil, by G. E. Tolbert. 1966. C1-C28.
- *1185-D. The Morro do Ferro thorium and rare-earth ore deposit, Poços de Caldas district, Brazil, by Helmuth Wedow, Jr. 1967. p. D1-D34. (Bulletin 1185 issued only as separate chapters under the general title "Uranium investigations in Brazil.")
- *1186. Geology of the Cedar Mesa-Boundary Butte area, San Juan County, Utah, by R. B. O'Sullivan. 1965. 128 p.
- *1187. Quicksilver deposits of southwestern Alaska, by C. L. Sainsbury and E. M. MacKevett, Jr. 1965. 89 p.
- *1188. Geology of northwestern North Park, Colo., by W. J. Hail, Jr. 1965. 133 p.
- *1189. Geology and ground-water resources of the Pica area, Tarapaca Province, Chile, by R. J. Dingman and Carlos Galli O. 1965. 113 p.
- *1190. Geology and uranium deposits of Montezuma Canyon area, San Juan County, Utah, by L. C. Huff and F. G. Lesure. 1965. 102 p.
- *1191. The Black Canyon of the Gunnison, today and yesterday, by W. R. Hansen. 1965. 76 p.
- *1192. Geology and uranium deposits of the Temple Mountain district, Emery County, Utah, by C. C. Hawley, D. G. Wyant, and D. B. Brooks. 1965 [1966]. 154 p.
- *1193. Bibliography of reports resulting from U.S. Geological Survey participation in the United States Technical Assistance Program, 1940-65, by J. A. Heath. 1965. 51 p. (See also Bulletin 1263.)
- 1194. Contributions to stratigraphy, 1964. Title page and contents for volume (issued only as separate chapters) free on application to the Geological Survey.
- *1194-A. Changes in stratigraphic nomenclature by the U. S. Geological Survey, 1963, by G. V. Cohee and W. S. West. 1965. p. A1-A35.
- *1194-B. The Hovey Group of northeastern Maine, by Louis Pavlides. 1964. p. B1-B6.
- *1194-C. The Putnam Group of eastern Connecticut, by H. R. Dixon. 1964. p. C1-C12.
- *1194-D. Witts Springs Formation of Morrow age in the Snowball quadrangle, north-central Arkansas, by E. E. Glick, S. E. Frezon, and Mackenzie Gordon, Jr. 1964 [1965]. p. D1-D16.
- *1194-E. Upper Miocene and Pliocene marine stratigraphy in southern Salinas Valley, Calif., by D. L. Durham and W. O. Addicott. 1964 [1965]. p. E1-E7.
- *1194-F. The Matagamom Sandstone—A new Devonian formation in north-central Maine, by D. W. Rankin. 1965. p. F1-F9.
- *1194-G. Mesozoic formations in the Vekol Mountains, Papago Indian Reservation, Ariz., by L. A. Heindl. 1965. p. G1-G9.
- *1194-H. Mesozoic formations in the Comobabi and Roskrue Mountains, Papago Indian Reservation, Ariz., by L. A. Heindl. 1965. p. H1-H15.
- *1194-I. Mesozoic(?) rocks in the Baboquivari Mountains, Papago Indian Reservation, Ariz., by L. A. Heindl and C. L. Fair. 1965. p. I1-I12.
- *1194-J. Meeker and Loyd Sandstone Members of the Mancos Shale, Moffat and Rio Blanco Counties, Colo., by J. R. Dyni and H. L. Cullins. 1965. p. J1-J7.
- *1194-K. The Foote Creek and Dutton Creek Formations, two new forma-

- tions in the north part of the Laramie basin, Wyoming, by H. J. Hyden, Harry McAndrews, and R. H. Tschudy. 1965. p. K1-K12.
- *1194-L. Carbonate rocks of Cambrian and Ordovician age, Northampton and Bucks Counties, eastern Pennsylvania, and Warren and Hunterdon Counties, western New Jersey, by A. A. Drake, Jr. 1965. p. L1-L7.
- *1194-M. Lower Mesozoic extrusive rocks in southeastern Arizona—The Canelo Hills Volcanics, by P. T. Hayes, F. S. Simons, and R. B. Raup. 1965. p. M1-M9.
- *1194-N. Nomenclature and correlation of lithologic subdivisions of the Jefferson and Three Forks Formations of southern Montana and northern Wyoming, by C. A. Sandberg. 1965. p. N1-N18.
- *1194-O. Stratigraphy and chronology of late interglacial and early Vashon glacial time in the Seattle area, Washington, by D. R. Mullineaux, H. H. Waldron, and Meyer Rubin. 1965. p. O1-O10. (Bulletin 1194 issued only as separate chapters under the general title "Contributions to stratigraphy, 1964.")
- *1195. Bibliography of North American geology, 1950-1959, by R. R. King, E. S. Loud, M. C. Mead, V. M. Jussen, and G. D. Conant. 1965. Part 1, Bibliography (v. 1, p. 1-1012; v. 2, p. 1013-1790); Part 2, Index (v. 3, p. 1791-2796; v. 4, p. 2797-4025).
- *1196. Bibliography of North American geology, 1960, by J. W. Clarke, Margaret Cooper, G. D. Conant, and others. 1964. 777 p.
- *1197. Bibliography of North American geology, 1961 [by J. W. Clarke, G. D. Conant, Margaret Cooper, and others]. 1965. 663 p.
- 1198-A. Geochemical exploration near the Getchell mine, Humboldt County, Nev., by R. L. Erickson, A. P. Marranzino, Uteana Oda, and W. W. Janes. 1964. p. A1-A26. 75¢.
- *1198-B. Geochemical prospecting investigations in the Copper Belt of Vermont, by F. C. Canney. 1965. p. B1-B28.
- *1198-C. Bryophytes associated with mineral deposits and solutions in Alaska, by H. T. Shacklette. 1965. p. C1-C18.
- *1198-D. Element content of bryophytes, by H. T. Shacklette. 1965. p. D1-D21.
- *1198-E. Geochemical reconnaissance in the Pequop Mountains and Wood Hills, Elko County, Nev., by R. L. Erickson, A. P. Marranzino, Uteana Oda, and W. W. Janes. 1966. p. E1-E20.
- *1198-F. Phytocology of a greenstone habitat at Eagle, Alaska, by H. T. Shacklette. 1966. p. F1-F36.
- 1198-G. Copper mosses as indicators of metal concentrations, by H. T. Shacklette. 1967. p. G1-G18. 15¢. (Bulletin 1198 issued only as separate chapters under the general title "Contributions to geochemical prospecting for minerals." Chapter G includes title page and contents for volume.)
- *1199-A. Geology of the southeastern bauxite deposits, by E. F. Overstreet. 1964. p. A1-A19.
- *1199-B. Bauxite and kaolin deposits of Mississippi, exclusive of the Tippah-Benton district, by L. C. Conant. 1965. p. B1-B70.
- *1199-C. Bauxite deposits of the Tippah-Benton district, Mississippi, by H. A. Tourtelot. 1964 [1965]. p. C1-C31.
- *1199-D. Bauxite deposits of the Margerum district, Alabama, by H. R. Bergquist and E. F. Overstreet. 1965. p. D1-D23.

- *1199-E. Bauxite deposits of the Eufaula district, Alabama, by W. C. Warren and L. D. Clark. 1965. p. E1-E31.
- *1199-F. Bauxite deposits of the Springvale district, Georgia, by L. D. Clark. 1965. p. F1-F24.
- *1199-G. Bauxite deposits of the Andersonville district, Georgia, by A. D. Zapp. 1965. p. G1-G37.
- *1199-H. Bauxite in areas adjacent to and between the Springvale and Andersonville districts, Georgia, by A. D. Zapp and L. D. Clark. 1965. p. H1-H10.
- *1199-I. Bauxite deposits of the Warm Springs district, Meriwether County, Ga., by W. S. White. 1965. p. I1-I15.
- *1199-J. Bauxite and kaolin deposits of the Irwinton district, Georgia, by W. B. Lang, W. C. Warren, R. M. Thompson, and E. F. Overstreet. 1965. p. J1-J26.
- *1199-K. Bauxite deposits of Virginia, by W. C. Warren, Josiah Bridge, and E. F. Overstreet. 1965. p. K1-K17.
- *1199-L. Bauxite deposits of Tennessee, by J. C. Dunlap, H. R. Bergquist, L. C. Craig, and E. F. Overstreet. 1965. p. L1-L37.
- *1199-M. Bauxite deposits of northwest Georgia, by W. S. White and N. M. Denson, *with a section on the Summerville area*, by J. C. Dunlap and E. R. Overstreet. 1966. p. M1-M42.
- *1199-N. Geology and bauxite deposits of the Rock Run and Goshen Valley areas, northeast Alabama, by P. E. Cloud, Jr. 1967. p. N1-N74.
- *1199-O. Bauxite deposits of the Anniston, Fort Payne, and Ashville areas, northeast Alabama, by P. E. Cloud, Jr. 1966. p. O1-O35.
- *1199-P. Some bauxite and clay deposits in northeastern Alabama, by N. M. Denson and K. M. Waagé. 1966. p. P1-P27. (Bulletin 1199 issued only as separate chapters under the general title "Bauxite deposits of the Southeastern United States." Chapter P includes title page and contents for volume.)
- *1200. Lexicon of geologic names of the United States for 1936-60, by G. C. Keroher and others. 1966. Part 1, A-F (v. 1, p. 1-1448); Part 2, G-O (v. 2, p. 1449-2886); Part 3, P-Z (v. 3, p. 2887-4341). (See also Bulletin 1350.)
- *1201-A. Petrography of evaporites from the Wellington Formation near Hutchinson, Kans., by C. L. Jones. 1965. p. A1-A70.
- *1201-B. Quaternary geology of the Mount Chamberlin area, Brooks Range, Alaska, by G. W. Holmes and C. R. Lewis. 1965. p. B1-B32.
- *1201-C. Geology of the Wayland quadrangle, Stephens and Eastland Counties, Tex., by D. A. Myers. 1965. p. C1-C63.
- *1201-D. Chemical comparison of glassy and crystalline volcanic rocks, by P. W. Lipman. 1965. p. D1-D24.
- *1201-E. Bedrock geology of the Grand Lake area, Aroostook, Hancock, Penobscot, and Washington Counties, Maine, by D. M. Larrabee, C. W. Spencer, and D. J. P. Swift. 1965. p. E1-E38.
- *1201-F. Paleozoic stratigraphy of the southern part of the Mule Mountains, Ariz., by P. T. Hayes and E. R. Landis. 1965. p. F1-F43. (Bulletin 1201 issued only as separate chapters under the general title "Contributions to general geology, 1964." Chapter F includes title page and contents for volume. See also Miscellaneous Geologic Investigations Map I-418.)

- *1202-A. Geology of the Kayenta and Chilchinbito quadrangles, Navajo County, Ariz., by E. C. Beaumont and G. H. Dixon. 1965. p. A1-A28.
- *1202-B. Regional structure of the southeast Missouri and Illinois-Kentucky mineral districts, by A. V. Heyl, M. R. Brock, J. L. Jolly, and C. E. Wells. 1965 [1966]. p. B1-B20.
- *1202-C. Geology and coal resources of the Beluga-Yentna region, Alaska, by F. F. Barnes. 1966. p. C1-C54. (Bulletin 1202 issued only as separate chapters under the general title "Contributions to economic geology, 1964." Chapter C includes title page and contents for volume.)
- *1203-A. Measurement of the remanent magnetization of igneous rocks, by R. R. Doell and Allan Cox. 1965. p. A1-A32.
- *1203-B, C. B, Properties of thermistors used in geothermal investigations, by E. C. Robertson, Rudolph Raspet, J. H. Swartz, and M. E. Lillard, p. B1-B34, and C, Preparation of thermistor cables used in geothermal investigations, by Rudolph Raspet, J. H. Swartz, M. E. Lillard, and E. C. Robertson. p. C1-C11. 1966.
- *1203-D. Method-dependent values of bulk, grain, and pore volume as related to observed porosity, by G. E. Manger. 1966. p. D1-D20.
- *1203-E. The effect of two-dimensional topography on superficial thermal gradients, by A. H. Lachenbruch. 1969. p. E1-E86. (Bulletin 1203 issued separately except as listed above under the general title "Experimental and theoretical geophysics, 1964-68." Chapter E includes title page and contents for volume.)
- *1204. Geologic distribution and resources of thorium, by J. C. Olson and W. C. Overstreet. 1964. 61 p.
- *1205. Geology of the Garns Mountain quadrangle, Bonneville, Madison, and Teton Counties, Idaho, by M. H. Staatz and H. F. Albee. 1966. 122 p.
- *1206. Geology of the Bridgewater quadrangle, Aroostook County, Maine, by Louis Pavlides, *with a section on* Geophysical surveys, by Andrew Griscom and M. F. Kane. 1965 [1966]. 72 p.
- *1207. Economic geology of the Fort Meade quadrangle, Polk and Hardee Counties, Fla., by J. B. Cathcart. 1966. 97 p.
- *1208. Economic geology of the Idaho Springs district, Clear Creek and Gilpin Counties, Colo., by R. H. Moench and A. A. Drake, Jr. 1966. 91 p.
- *1209. Rapid modal analysis of some felsic rocks from calibrated X-ray diffraction patterns, by D. B. Tatlock. 1966. 41 p.
- 1210. A bibliographic index of North American late Paleozoic Hyolitha, Amphineura, Scaphopoda, and Gastropoda, edited by E. L. Yochelson and B. W. Saunders. 1967 [1968]. 271 p. \$1.
- *1211-A. Geologic reconnaissance of the West Creek damsite near Skagway, Alaska, by J. E. Callahan and R. G. Wayland. 1965. p. A1-A13.
- 1211-B. Geologic reconnaissance of possible powersites at Tyee, Eagle, and Spur Mountain Lakes, southeastern Alaska, by J. E. Callahan and A. A. Wanek. 1969. p. B1-B34. \$1.25.
- *1211-C. Geology of proposed powersites at Deer Lake and Kasnyku Lake, Baranof Island, southeastern Alaska, by A. A. Wanek and J. E. Callahan. 1969. p. C1-C25.
- 1211-D. Geologic reconnaissance of a possible powersite at Takatz Creek, southeastern Alaska, by J. E. Callahan. 1970. p. D1-D18. 65¢. (Bulletin 1211 issued only as separate chapters under the general title "Geology of waterpower sites in Alaska.")

1212. Boundaries of the United States and the several States, by F. K. Van Zandt. 1966. 291 p. \$1.75.
- *1213. Geology of the Ransom quadrangle, Lackawanna, Luzerne, and Wyoming Counties, Pa., by T. M. Kehn, E. E. Glick, and W. C. Culbertson. 1966. 81 p.
- *1214-A. Geochemistry of the platinum metals, by T. L. Wright and Michael Fleischer. 1965. p. A1-A24.
- *1214-B. Humate in coastal sands of northwest Florida, by V. E. Swanson and J. G. Palacas. 1965. p. B1-B29.
- *1214-C. Beryllium content of volcanic rocks, by D. R. Shawe and Stanley Bernold. 1966. p. C1-C11.
- *1214-D. The determination of sulfate and sulfide sulfur in rocks or minerals, by A. C. Vlisidis. 1966. p. D1-D5.
- *1214-E. Element distribution in some shelf and eugeosynclinal black shales, by J. D. Vine. 1966. p. E1-E31.
- 1214-F. Determination of nitrates in saline minerals, by L. E. Reichen and J. J. Fahey. 1968. p. F1-F4. 10¢.
- 1214-G. Element distribution in some Paleozoic black shales and associated rocks, by J. D. Vine. 1969. p. G1-G32. 25¢.
- 1214-H. Element distribution in some trough and platform types of black shale and associated rocks, by J. D. Vine, E. B. Tourtelot, and J. R. Keith. 1969. p. H1-H38. 30¢. (Bulletin 1214 issued only as separate chapters under the general title "Contributions to geochemistry, 1964-68." Chapter H includes title page and contents for volume.)
- *1215-A, B. A, Geology of eastern Shawnee County, Kan., and vicinity, by W. D. Johnson, Jr., and W. L. Adkinson, p. 1-123, and B, Geology of western Shawnee County, Kan., and vicinity, by W. D. Johnson, Jr., and H. C. Wagner, p. 125-254. 1967.
- *1216. Geology of the Republic quadrangle and a part of the Aeneas quadrangle, Ferry County, Wash., by Siegfried Muessig. 1967. 135 p.
- *1217. Geology of the Stewart Flat quadrangle, Caribou County, Idaho, by K. M. Montgomery and T. M. Cheney. 1967. 63 p.
1218. General geology of the Mammoth quadrangle, Pinal County, Ariz., by S. C. Creasey. 1967. 94 p. \$1.25.
- *1219. Geology and ground-water resources of the northern part of the Salar de Atacama, Antofagasta Province, Chile, by R. J. Dingman. 1967. 49 p.
- *1220. Terrestrial impact structures—A bibliography, by J. H. Freeberg. 1966. 91 p.
- 1221-A. Rockfalls and avalanches from Little Tahoma Peak on Mount Rainier, Wash., by D. R. Crandell and R. K. Fahnestock. 1965. p. A1-A30. 20¢.
- *1221-B. Geology of the Hames Valley, Wunpost, and Valleton quadrangles, Monterey County, Calif., by D. L. Durham. 1966. p. B1-B53.
- *1221-C. Geology of the Florida quadrangle, Puerto Rico, by A. E. Nelson and W. H. Monroe. 1966. p. C1-C22.
- *1221-D. Geology of the Eldorado Springs quadrangle, Boulder and Jefferson Counties, Colo., by J. D. Wells. 1967. p. D1-D85.
- 1221-E. Structure and metamorphism in the Mono Craters quadrangle, Sierra Nevada, Calif., by R. W. Kistler. 1966 [1967]. p. E1-E53. 50¢.
- *1221-F. Igneous geology of the Dry Mountain quadrangle, Jefferson County, Mont., by H. J. Prostka. 1966. p. F1-F21. (Bulletin 1221 issued

only as separate chapters under the general title "Contributions to general geology, 1965." Chapter F includes title page and contents for volume.)

- *1222-A. Geology and mineral deposits of the Mosheim and Johnson anticlines, Greene County, Tenn., by A. L. Brokaw, J. C. Dunlap, and John Rodgers. 1966. p. A1-A21.
- *1222-B. Geology of the northwest quarter of the Anaconda quadrangle, Deer Lodge County, Mont., by A. A. Wanek and C. S. V. Barclay. 1966. p. B1-B28.
- *1222-C. Geology and mineral deposits of the Powell River area, Claiborne and Union Counties, Tenn., by A. L. Brokaw, John Rodgers, D. F. Kent, R. A. Laurence, and C. H. Behre, Jr. 1966. p. C1-C56.
- *1222-D. Jasperoids of the Lake Valley mining district, New Mexico, by E. J. Young and T. G. Lovering. 1966. p. D1-D27.
- *1222-E. Geology and ore deposits of the Steeple Rock mining district, Grant County, N. Mex., by R. L. Griggs and H. C. Wagner. 1966 [1967]. p. E1-E29.
- *1222-F. Direction of movement of jasperoidizing solution, by T. S. Lovering. 1966. p. F1-F25.
- *1222-G. Coking-coal deposits of the Western United States, by Paul Averitt. 1966. p. G1-G48.
- *1222-H. Uranium deposits of the Moab, Monticello, White Canyon, and Monument Valley districts, Utah and Arizona, by H. S. Johnson, Jr., and William Thordarson. 1966 [1967]. p. H1-H53. (Bulletin 1222 issued only as separate chapters under the general title "Contributions to economic geology, 1965." Chapter H includes title page and contents for volume.)
- *1223. Nickel deposits of North America, by H. R. Cornwall. 1966. 62 p.
- *1224-A. Changes in stratigraphic nomenclature by the U.S. Geological Survey, 1964, by G. V. Cohee and W. S. West. 1965 [1966]. p. A1-A77.
- *1224-B. Clays Ferry Formation (Ordovician)—A new map unit in south-central Kentucky, by G. W. Weir and R. C. Greene. 1965. p. B1-B18.
- *1224-C. The Lexington Limestone (Middle Ordovician) of central Kentucky, by D. F. B. Black, E. R. Cressman, and W. C. MacQuown, Jr. 1965. p. C1-C29.
- *1224-D. Calloway Creek Limestone and Ashlock and Drakes Formations (Upper Ordovician) in south-central Kentucky, by G. W. Weir, R. C. Greene, and G. C. Simmons. 1965. p. D1-D36.
- *1224-E. Geyser Creek Fanglomerate (Tertiary), La Sal Mountains, eastern Utah, by W. D. Carter and J. L. Gualtieri. 1965. p. E1-E11.
- *1224-F. Borden Formation (Mississippian) in south- and southeast-central Kentucky, by G. W. Weir, J. L. Gualtieri, and S. O. Schlanger. 1966. p. F1-F38.
- *1224-G. The Yakima Basalt and Ellensburg Formation of south-central Washington, by J. W. Bingham and M. J. Grolier. 1966. p. G1-G15.
- *1224-H. Stratigraphy and regional relationships of a reference section for the Juana Lopez Member, Mancos Shale, in the San Juan Basin, N. Mex., by C. H. Dane, W. A. Cobban, and E. G. Kauffman. 1966. p. H1-H15.
- *1224-I. Harrodsburg limestone in Kentucky, by E. G. Sable, R. C. Kepferle, and W. L. Peterson. 1966. p. I1-I12.
- *1224-J. Stratigraphic names in the New London area, Connecticut, by

- Richard Goldsmith. 1966. p. J1-J9. (Bulletin 1224 issued only as separate chapters under the general title "Contributions to stratigraphy, 1965." Chapter J includes title page and contents for volume.)
- *1225. Construction of pressure-temperature diagrams for multicomponent systems after the method of Schreinemakers—A geometric approach, by E-an Zen. 1966. 56 p.
1226. Geology of the Kelso Junction quadrangle, Iron County, Mich., by K. L. Wier. 1967. 47 p. \$1.50.
1227. Geology of the Mount Wilson quadrangle, western San Juan Mountains, Colo., by C. S. Bromfield. 1967. 100 p. \$1.25.
- *1228. Bauxite reserves and potential aluminum resources of the world, by S. H. Patterson. 1967. 176 p.
- *1229. Geology of the Circle Cliffs area, Garfield and Kane Counties, Utah, by E. S. Davidson. 1967. 140 p.
- *1230-A. Mineral resources of the San Rafael primitive area, California, by H. D. Gower, J. G. Vedder, H. E. Clifton, and E. V. Post. 1966. p. A1-A-28.
- *1230-B. Mineral resources of the Spanish Peaks primitive area, Montana, by G. E. Becraft and J. A. Calkins, U.S. Geological Survey, and E. C. Pattee, R. D. Weldin, and J. M. Roche, U.S. Bureau of Mines. 1966. p. B1-B45.
- *1230-C. Mineral resources of the Flat Tops primitive area, Colorado, by W. W. Mallory, E. V. Post, P. J. Ruane, and W. L. Lehmbeck, U.S. Geological Survey, and R. B. Stotelmeyer, U.S. Bureau of Mines. 1966. p. C1-C30.
- *1230-D. Mineral resources of the Mount Jefferson primitive area, Oregon, by G. W. Walker and R. C. Greene, U.S. Geological Survey, and E. C. Pattee, U.S. Bureau of Mines. 1966. p. D1-D32.
- *1230-E. Mineral resources of the Stratified Primitive Area, Wyoming, by K. B. Ketner, W. R. Keefer, F. S. Fisher, and D. L. Smith, U.S. Geological Survey, and R. G. Raabe, U.S. Bureau of Mines. 1966. p. E1-E56.
- *1230-F. Mineral resources of the Sycamore Canyon Primitive Area, Arizona, by L. C. Huff and Elmer Santos, U.S. Geological Survey, and R. G. Raabe, U.S. Bureau of Mines. 1966. p. F1-F19.
- *1230-G. Mineral resources of the Devil Canyon-Bear Canyon primitive area, California, by D. F. Crowder. 1967. p. G1-G21.
- *1230-H. Mineral resources of the Mount Baldy primitive area, Arizona, by T. L. Finnell and C. G. Bowles, U.S. Geological Survey, and J. H. Soulé, U.S. Bureau of Mines. 1967. p. H1-H14.
- *1230-I. Mineral resources of the High Uintas primitive area, Utah, by M. D. Crittenden, Jr., and C. A. Wallace, U.S. Geological Survey, and M. J. Sheridan, U.S. Bureau of Mines. 1967. p. I1-I27.
- *1230-J. Mineral resources of the Pine Mountain primitive area, Arizona, by F. C. Canney and W. L. Lehmbeck, U.S. Geological Survey, and F. E. Williams, U.S. Bureau of Mines. 1967. p. J1-J45. (Bulletin 1230 issued only as separate chapters under the general title "Studies related to wilderness." Chapter J includes title page and contents for volume.)
1231. Geology and ore deposits of the Lawson-Dumont-Fall River district, Clear Creek County, Colo., by C. C. Hawley and F. B. Moore. 1967. 92 p. \$2.

- *1232. Bibliography of North American geology, 1962 [by J. W. Clarke, G. D. Conant, Margaret Cooper, and others]. 1966. 834 p.
1233. Bibliography of North American geology, 1963. 1968. 1105 p. \$3.25.
- *1234. Bibliography of North American geology, 1964 [by J. W. Clark, G. D. Conant, Margaret Cooper, and others]. 1966. 944 p.
1235. Bibliography of North American geology, 1965. 1969. 1144 p. \$4.75.
- *1236. Geology of the Lake Peters area, northeastern Brooks Range, Alaska, by B. L. Reed. 1968. 132 p.
1237. Geology and ore deposits of the Philipsburg district, Granite County, Mont., by W. C. Prinz. 1967. 66 p. \$4.75.
- *1238. Volcanic hazards at Mount Rainier, Wash., by D. R. Crandell and D. R. Mullineaux. 1967. 26 p.
- *1239. Geology, altered rocks, and ore deposits of the San Rafael Swell, Emery County, Utah, by C. C. Hawley, R. C. Robeck, and H. B. Dyer. 1968. 115 p.
1240. Sources of fertilizer minerals in South America—A preliminary study, by J. F. Harrington, D. E. Ward, and V. E. McKelvey. 1966. 66 p. 60¢.
- *1241-A. Geology of the Adam Weiss Peak quadrangle, Hot Springs and Park Counties, Wyo., by W. L. Rohrer. 1966. p. A1-A39.
- *1241-B. Geology of the Mount Fairplay area, Alaska, by H. L. Foster. 1967. p. B1-B18.
- *1241-C. Stratigraphy of the Keku Islets and neighboring parts of Kuiu and Kupreanof Islands, southeastern Alaska, by L. J. P. Muffer. 1967. p. C1-C52.
- *1241-D. Ternary diagrams of the quartz-feldspar content of pegmatites in Colorado, by J. J. Norton. 1966. p. D1-D16.
- *1241-E. Geology of the Hurley West quadrangle, Grant County, N. Mex., by W. P. Pratt. 1967. p. E1-E91.
- *1241-F. Geology and petrology of the Greenville quadrangle, Piscataquis and Somerset Counties, Maine, by G. H. Espenshade and E. L. Boudette. 1967. p. F1-F60.
- *1241-G. Bedrock geology of the Chepachet quadrangle, Providence County, R.I., by A. W. Quinn. 1967. p. G1-G26.
- *1241-H. Pingos in central Alaska, by G. W. Holmes, D. M. Hopkins, and H. L. Foster. 1968. p. H1-H40.
- *1241-I. Debris flow and erosion control problems caused by the ash eruptions of Irazú Volcano, Costa Rica, by H. H. Waldron. 1967. p. I1-I37. (Bulletin 1241 issued only as separate chapters under the general title "Contributions to general geology, 1966." Chapter I includes title page and contents for volume.)
- 1242-A. Aeromagnetic and tectonic analysis of the Upper Mississippi Valley zinc-lead district, by A. V. Heyl and E. R. King. 1966 [1967]. p. A1-A16. 70¢.
- *1242-B. Coal resources of Alaska, by F. F. Barnes. 1967. p. B1-B36.
- 1242-C. Geology of the Puddle Springs quadrangle, Fremont County, Wyo., by P. E. Soister. 1967. p. C1-C36. 70¢.
- *1242-D. Bituminous coal resources of Texas, by W. J. Mapel. 1967. p. D1-D28.
- 1242-E. Coal resources of the Cape Lisburne-Colville River region, Alaska, by F. F. Barnes. 1967. p. E1-E37. 60¢.
- *1242-F. Geochemical cycle of selected trace elements in the tin-tungsten-

- beryllium district, western Seward Peninsula, Alaska—A reconnaissance study, by C. L. Sainsbury, J. C. Hamilton, and Claude Huffman, Jr. 1968. p. F1–F42. (Bulletin 1242 issued only as separate chapters under the general title “Contributions to economic geology, 1966.” Chapter F includes title page and contents for volume.)
- *1243. Upper Silurian and Lower Devonian stratigraphy of northeastern Pennsylvania, New Jersey, and southeasternmost New York, by A. G. Epstein, J. B. Epstein, W. J. Spink, and D. S. Jennings. 1967. 74 p.
 - *1244–A. Changes in stratigraphic nomenclature by the U.S. Geological Survey, 1965, by G. V. Cohee and W. S. West. 1966. p. A1–A60.
 - *1244–B. Upper Ordovician formations in the Maysville area, Kentucky, by J. H. Peck. 1966. p. B1–B30.
 - *1244–C. Cretaceous and Tertiary rocks in the Corozal quadrangle, northern Puerto Rico, by A. E. Nelson. 1966. p. C1–C20.
 - *1244–D. Correlation of Upper Triassic and Triassic(?) Formations between southwestern Utah and southern Nevada, by R. F. Wilson and J. H. Stewart. 1967. p. D1–D20.
 - *1244–E. Permian rock units in the Glass Mountains, west Texas, by G. A. Cooper and R. E. Grant. 1966. p. E1–E9.
 - 1244–F. Otter Creek coral bed and its fauna, east-central Kentucky, by G. C. Simmons and W. A. Oliver, Jr. 1967. p. F1–F13. 15¢.
 - 1244–G. Cambrian and Precambrian rocks of the Groom district, Nevada, southern Great Basin, by Harley Barnes and R. L. Christiansen. 1967. p. G1–G34. 20¢.
 - *1244–H. The Martinsburg Formation (Middle and Upper Ordovician) in the Delaware Valley, Pa.–N.J., by A. A. Drake, Jr., and J. B. Epstein. 1967. p. H1–H16.
 - *1244–I. The Lincoln Creek Formation, Grays Harbor basin, southwestern Washington, by H. M. Beikman, W. W. Rau, and H. C. Wagner. 1967. p. I1–I14.
 - *1244–J. Carmel Formation of the Zion Park region, southwestern Utah—A review, by W. B. Cashion. 1967. p. J1–J9. (Bulletin 1244 issued only as separate chapters under the general title “Contributions to stratigraphy, 1966.” Chapter J includes title page and contents for volume.)
 - *1245. Delaware place names, by L. W. Heck, A. J. Wraight, D. J. Orth, J. R. Carter, L. G. VanWinkle, and Janet Hazen. Prepared by the Geological Survey, U.S. Department of Interior, and the Coast and Geodetic Survey, U.S. Department of Commerce. 1966. 124 p.
 - *1246. Metalliferous lode deposits of Alaska, by H. C. Berg and E. H. Cobb. 1967. 254 p.
 - *1247. Low-temperature reaction zones and alpine ultramafic rocks of California, Oregon, and Washington, by R. G. Coleman. 1967. 49 p.
 - *1248. Selected X-ray crystallographic data, molar volumes, and densities of minerals and related substances, by R. A. Robie, P. M. Bethke, and K. M. Beardsley. 1967. 87 p.
 - 1249. Geology of the Johnson River area, Alaska, by G. W. Holmes and H. L. Foster. 1968. 49 p. 75¢.
 - 1250. Glossary of uranium- and thorium-bearing minerals, fourth edition, by J. W. Frondel, Michael Fleischer, and R. S. Jones. 1967. 69 p. 30¢.
 - 1251–A. Mafic-ultramafic layered intrusion at Iron Mountain, Fremont

- County, Colo., by D. R. Shawe and R. L. Parker. 1967 [1968]. p. A1-A28. 50¢.
- *1251-B. Stratigraphy, age, and paleotectonic significance of the Cottonwood Canyon Member of the Madison Limestone in Wyoming and Montana, by C. A. Sandberg and Gilbert Klapper. 1967. p. B1-B70.
- *1251-C. Tertiary volcanic stratigraphy in the Powderhorn-Black Canyon region, Gunnison and Montrose Counties, Colo., by J. C. Olson, D. C. Hedlund, and W. R. Hansen. 1968. p. C1-C29.
- 1251-D. Nomenclature of formations of Claiborne Group, middle Eocene, Coastal Plain of Texas, by D. H. Eargle. 1968. p. D1-D25. 15¢.
- 1251-E. Geology of the crystalline rocks in the western part of the Morrison quadrangle, Jefferson County, Colo., by D. J. Gable. 1968. p. E1-E45. 70¢.
- 1251-F. Geology of the Ohio quadrangle, southwestern part of Adirondack Mountains, N.Y., by A. E. Nelson. 1968. p. F1-F46. \$1.
- 1251-G. Petrography and petrology of volcanic rocks in the Mount Jefferson area, High Cascade Range, Oreg., by R. C. Green. 1968. p. G1-G48. 30¢.
- 1251-H. Geology of the Magruder Mountain area, Nevada-California, by E. H. McKee. 1968 [1969]. p. H1-H40. 75¢.
- *1251-I. Devonian and Mississippian rocks and the date of the Roberts Mountains thrust in the Carlin-Pinon Range area, Nevada, by J. F. Smith, Jr., and K. B. Ketner. 1968. p. I1-I18.
- 1251-J. Upper Cretaceous and lower Tertiary rocks, Berkeley and San Leandro Hills, Calif., by J. E. Case. 1968 [1969]. p. J1-J29. 75¢. (Bulletin 1251 issued only as separate chapters under the general title "Contributions to general geology, 1967." Chapter J includes title page and contents for volume.)
1252. Contributions to economic geology, 1967. Title page and contents for volume (issued only as separate chapters) free on application to the Geological Survey.
- 1252-A. Geology of part of the Alder Creek mining district, Custer County, Idaho, by W. H. Nelson and C. P. Ross. 1968. p. A1-A30. \$1.
- 1252-B. Evaporite geology of Fifth ore zone, Carlsbad district, southeastern New Mexico, by C. L. Jones and B. M. Madsen. 1968. p. B1-B21. \$1.
- 1252-C. Stripping-coal resources of the United States, by Paul Averitt. 1968. p. C1-C20. 15¢. (See also Bulletin 1322.)
- *1252-D. Phosphate deposits, by V. E. McKelvey. 1967. p. D1-D21.
- 1252-E. Reconnaissance geology, geophysics, and geochemistry of the southeastern part of the Lewis and Clark Range, Mont., by M. R. Mudge, R. L. Erickson, and Dean Kleinkopf, *with spectrographic data by* G. C. Curtin and A. P. Marranzino, *and a section on* Isotopic composition of lead, by R. E. Zartman. 1968 [1969]. p. E1-E35. \$1.25.
- *1252-F. Mercury and other trace elements in sphalerite and wallrocks from central Kentucky, Tennessee, and Appalachian zinc districts, by J. L. Jolly and A. V. Heyl. 1968. p. F1-F29. (Bulletin 1252 issued only as separate chapters under the general title "Contributions to economic geology, 1967.")
1253. Cretaceous and lower Tertiary stratigraphy of the Naranjito and Aguas Buenas quadrangles and adjacent areas, Puerto Rico, by M. H. Pease, Jr. 1968. 57 p. 75¢.
- 1254-A. Changes in stratigraphic nomenclature by the U.S. Geological Sur-

- vey, 1966, by G. V. Cohee, W. S. West, and L. C. Wilkie. 1967. p. A1-A43. 20¢.
- *1254-B. Cretaceous and lower Tertiary stratigraphy in west-central Puerto Rico, by P. H. Mattson. 1967. p. B1-B35.
- 1254-C. Age of the Skooner Gulch Formation, Mendocino County, Calif., by W. O. Addicott. 1967. p. C1-C11. 10¢.
- 1254-D. Redefinition of the Hawley and Goshen Schists in western Massachusetts, by N. L. Hatch, Jr. 1967. p. D1-D16. 10¢.
- 1254-E. Schists of the central Alaska Range, by Clyde Wahrhaftig. 1968. p. E1-E22. 15¢.
- 1254-F. Semilla Sandstone, a new member of the Mancos Shale in the southeastern part of the San Juan Basin, N. Mex., by C. H. Dane, E. G. Kauffman, and W. A. Cobban. 1968. p. F1-F21. 15¢.
- 1254-G. Carbonate rocks of Cambrian and Ordovician age in the Lancaster quadrangle, Pennsylvania, by Harold Meisler and A. E. Becher. 1968. p. G1-G14. 10¢.
- 1254-H. Wapiti Formation and Trout Peak Trachyandesite, northwestern Wyoming, by W. H. Nelson and W. G. Pierce. 1968. p. H1-H11. 10¢.
- 1254-I. Correlation of Permian and Pennsylvanian sections between the Egan Range and Spring Mountains, Nev., by P. J. Barosh. 1968. p. I1-I8. 10¢.
- 1254-J. The Kinnikinic Quartzite of central Idaho—Redefinition and subdivision, by S. W. Hobbs, W. H. Hays, and R. J. Ross, Jr. 1968. p. J1-J22. 15¢. (Bulletin 1254 issued only as separate chapters under the general title "Contributions to stratigraphy, 1967." Chapter J includes title page and contents for volume.)
1255. Geology of the Tierra Redonda Mountain and Bradley quadrangles, Monterey and San Luis Obispo Counties, Calif., by D. L. Durham. 1968. 60 p. \$2.
1256. Geology of the Oregon Buttes area, Sweetwater, Sublette, and Fremont Counties, southwestern Wyoming, by H. D. Zeller and E. V. Stephens. 1969. 60 p. \$1.25.
1257. Geology of southwestern North Park and vicinity, Colorado, by W. J. Hail, Jr. 1968. 119 p. \$4.25.
- 1258-A. Engineering geology of the Paducah East quadrangle in Kentucky, by T. C. Nichols, Jr. 1968 [1969]. p. A1-A13. \$1.
- 1258-B. Engineering geology of the Paducah West and Metropolis quadrangles in Kentucky, by W. I. Finch. 1968. p. B1-B19. \$1.
- 1258-C. A solid-inclusion borehole probe to determine three-dimensional stress changes at a point in a rock mass, by T. C. Nichols, Jr., J. F. Abel, Jr., and F. T. Lee. 1968. p. C1-C28. 15¢.
- 1258-D. Stability of the west slope of Government Hill port area of Anchorage, Alaska, by D. J. Varnes. 1969. p. D1-D61. \$1.50 (Bulletin 1258 issued only as separate chapters under the general title "Contributions to engineering geology.")
1259. Thermodynamic properties of minerals and related substances at 298.15°K (25.0°C) and one atmosphere (1.013 bars) pressure and at high temperatures, by R. A. Robie and D. R. Waldbaum. 1968. 256 p. \$1.25.
1260. Studies related to wilderness—wildlife refuges, 1967. Title page and

contents for volume (issued only as separate chapters) free on application to the Geological Survey.

- 1260-A, B. Summary report on the geology and mineral resources of the—A, Salt Creek area, Bitter Lake National Wildlife Refuge, Chaves County, N. Mex., p. A1-A10, and B, Bosque del Apache National Wildlife Refuge, Socorro County, N. Mex., by G. O. Bachman, U.S. Geological Survey, and R. B. Stotelmeyer, U.S. Bureau of Mines, p. B1-B9. 1967. 15¢.
- 1260-C. Summary report on the geology and mineral resources of the Bear River Migratory Bird Refuge, Box Elder County, Utah, by L. S. Hilpert, U.S. Geological Survey. 1967. p. C1-C10. 15¢.
- 1260-D, E. Summary report on the geology and mineral resources of—D, Monomoy National Wildlife Refuge, Barnstable County, Mass., by Carl Koteff, p. D1-D4, and E, Great Swamp National Wildlife Refuge, N.J., by J. P. Minard, p. E1-E14. 1967. 15¢.
- 1260-F, G, H. Summary report on the geology and mineral resources of the—F, Flattery Rocks, Quillayute Needles, and Copalis National Wildlife Refuges, Wash., p. F1-F16; G, Oregon Islands National Wildlife Refuge, Oreg., p. G1-G4; and H, Three Arch Rocks National Wildlife Refuge, Oreg., by A. E. Weissenborn and P. D. Snively, Jr., p. H1-H6. 1968. 55¢.
- 1260-I, J. Summary report on the geology and mineral resources of the—I, Huron, Seney, Michigan Islands, Green Bay, and Gravel Island National Wildlife Refuges of Michigan and Wisconsin, by C. E. Dutton, p. I1-I14, and J, Charons Garden Unit, Wichita Mountains National Wildlife Refuge, Comanche County, Okla., by E. L. Johnson, p. J1-J7. 1968. 20¢.
- *1260-K. Summary report on the geology and mineral resources of the Bering Sea, Bogoslof, Simeonof, Semidi, Tuxedni, St. Lazaria, Hazy Islands, and Forrester Island National Wildlife Refuges, Alaska, by E. H. Cobb, A. A. Wanek, Arthur Grantz, and Claire Carter. 1968. p. K1-K28.
- 1260-L, M. Summary report on the geology and mineral resources of the—L, Harney Lake and Malheur Lake areas of the Malheur National Wildlife Refuge, north-central Harney County, Oreg., p. L1-L17, and M, Poker Jim Ridge and Fort Warner areas of the Hart Mountain National Antelope Refuge, Lake County, Oreg., by G. W. Walker and D. A. Swanson, p. M1-M16. 1968. 20¢.
- 1260-N, O. Summary report on the geology and mineral resources of the—N, Okefenokee National Wildlife Refuge, Ga., by J. E. Smedley, p. N1-N10, and O, Passage Key, Island Bay, Cedar Keys, and Pelican Island National Wildlife Refuges, Fla., by C. L. Perdue, Jr., p. O1-O13. 1968. 20¢.
- 1260-P. Summary report on the geology and mineral resources of the Edmunds Unit, Moosehorn National Wildlife Refuge, Washington County, Maine, by M. H. Pease, Jr. 1968. p. P1-P18. 15¢. (Bulletin 1260 issued separately except as listed above under the general title "Studies related to wilderness—wildlife refuges, 1967.")
- *1261-A. Mineral resources of the Desolation Valley primitive area of the Sierra Nevada, Calif., by F. C. W. Dodge, U.S. Geological Survey, and P. V. Fillo, U.S. Bureau of Mines. 1967. p. A1-A27.
- 1261-B. Mineral resources of the Ventana primitive area, Monterey County, Calif., by R. C. Pearson and P. T. Hayes, U.S. Geological Survey, and P. V. Fillo, U.S. Bureau of Mines. 1967. p. B1-B4. \$1.
- 1261-C. Mineral resources of the Uncompahgre primitive area, Colorado, by

- R. P. Fischer and R. G. Luedke, U.S. Geological Survey, and M. J. Sheridan and R. G. Raabe, U.S. Bureau of Mines. 1968 [1969]. p. C1-C91. \$1.75.
- 1261-D. Mineral resources of the Mission Mountains Primitive Area, Missoula and Lake Counties, Mont., by J. E. Harrison, M. W. Reynolds, and M. D. Kleinkopf, U.S. Geological Survey, and E. C. Pattee, U.S. Bureau of Mines. 1969. p. D1-D48. \$1.25.
- 1261-E. Mineral resources of the Blue Range primitive area, Greenlee County, Ariz., and Catron County, N. Mex., by J. C. Ratté, E. R. Landis, and D. L. Gaskill, U.S. Geological Survey, and R. G. Raabe, U.S. Bureau of Mines, *with a section on Aeromagnetic interpretation*, by G. P. Eaton, U.S. Geological Survey. 1969. p. E1-E91. \$1.
- 1261-F. Mineral resources of the San Juan primitive area, Colorado, by T. A. Steven and L. J. Schmitt, Jr., U.S. Geological Survey, and M. J. Sheridan and F. E. Williams, U.S. Bureau of Mines, *with a section on Iron resources in the Irving Formation*, by J. E. Gair and Harry Klemic, U.S. Geological Survey. 1969. p. F1-F187. \$1.75.
- 1261-G. Mineral resources of the Emigrant Basin primitive area, California, by E. W. Tooker, H. T. Morris, U.S. Geological Survey, and P. V. Fillo, U.S. Bureau of Mines, *with a section on Geophysical studies*, by H. W. Oliver, U.S. Geological Survey. 1970. p. G1-G70. \$1. (Bulletin 1261 issued only as separate chapters under the general title "Studies related to wilderness—Primitive areas, 1967-69." Chapter G includes title page and contents for volume.)
1262. General and engineering geology of the northern part of Pueblo, Colo., by G. R. Scott. 1969. 131 p. \$1.75.
1263. Bibliography of reports resulting from U.S. Geological Survey participation in the United States Technical Assistance Program, 1940-67, by J. A. Heath and N. B. Tabacchi. 1968. 68 p. 35¢.
1264. Stratigraphic and facies relationships of the Carys Mills Formation of Ordovician and Silurian age, northeast Maine, by Louis Pavlides. 1968. 44 p. \$1.
1265. Ancient lavas in Shenandoah National Park near Luray, Va., by J. C. Reed, Jr. 1969. 43 p. 75¢.
1266. Bibliography of North American geology, 1966. 1970. 1069 p. \$4.75.
1267. Bibliography of North American geology, 1967. 1970. 1029 p. \$4.25.
1270. Clay deposits of Spokane County, Wash., by J. W. Hosterman. 1969. 96 p. \$1.50.
- 1271-A. Middle Miocene Foraminifera and stratigraphic relations in the Adelaida quadrangle, San Luis Obispo County, Calif., by P. B. Smith and D. L. Durham. 1968. p. A1-A14. 20¢.
- 1271-B. Geology of the Hill City quadrangle, Pennington County, S. Dak.—A preliminary report, by J. C. Ratté and R. G. Wayland. 1969. p. B1-B14. \$1.
- 1271-C. Geology of the Bear Peak area, Dona Ana County, N. Mex., by G. O. Bachman and D. A. Myers. 1969. p. C1-C46. \$1.
- 1271-D. Systematic jointing in the western part of the Anthracite region of eastern Pennsylvania, by G. H. Wood, Jr., H. H. Arndt, and M. D. Carter. 1969. p. D1-D17. 50¢.
- 1271-E. Pecos National Monument, N. Mex.—Its geologic setting, by R. B. Johnson. 1969. p. E1-E11. 60¢.

- 1271-F. Geologic interpretation of reconnaissance aeromagnetic survey of northeastern Alaska, by W. P. Brosgé, E. E. Brabb, and E. R. King. 1970. p. F1-F14. \$3.25.
- 1271-G. Reconnaissance geology of the Eagle A-1 and A-2 quadrangles, Alaska, by H. L. Foster. 1969. p. G1-G30. \$1. (Bulletin 1271 issued only as separate chapters under the general title "Contributions to general geology, 1968." Chapter G includes title page and contents for volume.)
- 1272-A. Phosphate rock in Colombia—A preliminary report, by J. B. Cathcart and Francisco Zambrano O., with a section on The phosphate occurrence at Turmequé, by P. E. Mojica G. 1969. p. A1-A77. \$1.
- 1272-B. Geology of magnesite deposits in northern Okanogan County, Wash.—A preliminary report, by K. F. Fox, Jr., and C. D. Rinehart. 1968. p. B1-B15. 60¢.
- 1272-C. Fluorite deposits of the Quinn Canyon Range, Nev., by C. L. Sainsbury and F. J. Kleinhampl. 1969 [1970]. p. C1-C22. \$1.
- 1272-D. New talc deposit in St. Lawrence County, N.Y., by C. E. Brown. 1969. p. D1-D13. 65¢.
- 1272-E. Stratigraphy of the Morrison Formation and structure of the Ambrosia Lake district, New Mexico, by E. S. Santos. 1970. p. E1-E30. 75¢.
- 1272-F. Gold investigations in Precambrian clastic and pelitic rocks, southwestern Colorado and northern New Mexico, by Fred Barker. 1969. p. F1-F22. 25¢. (Bulletin 1272 issued only as separate chapters under the general title "Contributions to economic geology, 1968." Chapter F includes title page and contents for volume.)
1273. Geology and mineral deposits of the San Cristóbal district, Villa Martin Province, Potosi, Bolivia, by H. S. Jacobson, Carlos Murillo, Lorgio Ruiz, Oscar Tapia, Hugo Zapata, Hugo Alarcon, Edgar Delgadillo, and Carlos Velasco. 1969. 22 p. 50¢.
- 1274-A. Changes in stratigraphic nomenclature by the U.S. Geological Survey, 1967, by G. V. Cohee, R. G. Bates, and W. B. Wright. 1969. p. A1-A59. 40¢.
- 1274-B. Stratigraphy of the Albemarle Group of the Carolina Slate Belt in central North Carolina, by A. A. Stromquist and H. W. Sundelius. 1969. p. B1-B22. 70¢.
- 1274-C. New and revised stratigraphic names in the Santa Rita Mountains of southeastern Arizona, by Harold Drewes. 1968. p. C1-C15. 10¢.
- 1274-D. The coal-bearing group in the Nenana coal field, Alaska, by Clyde Wahrhaftig, J. A. Wolfe, E. B. Leopold, and M. A. Lanphere. 1969. p. D1-D30. 25¢.
- 1274-E. Definition of Wisconsinan Stage, by J. C. Frye, H. B. Willman, Meyer Rubin, and R. F. Black. 1968. p. E1-E22. 15¢.
- 1274-F. The Reany Creek Formation, Marquette County, Mich., by W. P. Puffett. 1969. p. F1-F25. 25¢.
- 1274-G. The Aguada Limestone of northwestern Puerto Rico, by W. H. Monroe. 1968. p. G1-G12. 10¢.
- 1274-H. Cretaceous-Tertiary boundary in New Jersey, Delaware, and eastern Maryland, by J. P. Minard, J. P. Owens, N. F. Sohl, H. E. Gill, and J. F. Mello. 1969. p. H1-H33. 25¢.
- 1274-I. Six new Paleozoic and Mesozoic formations in east-central Alaska, by E. E. Brabb. 1969. p. I1-I26. 25¢.

- 1274-J. Four new members of the Upper Cretaceous Straight Cliffs Formation in the southeastern Kaiparowits region, Kane County, Utah, by Fred Peterson. 1969. p. J1-J28. 30¢.
- 1274-K. Summary of Cretaceous stratigraphy in part of the McCarthy quadrangle, Alaska, by D. L. Jones and E. M. MacKevett, Jr. 1969. p. K1-K19. 15¢.
- 1274-L. The Quimby and Greenvale Cove Formations in western Maine, by R. H. Moench. 1969. p. L1-L17. 15¢.
- 1274-M. Paleocene and lower Eocene units in the southern part of the Piceance Creek basin, Colorado, by J. R. Donnell. 1969. p. M1-M18. 20¢.
- 1274-N. The Chinle (Upper Triassic) and Sundance (Upper Jurassic) Formations in north-central Colorado, by G. N. Pipiringos, W. J. Hail, Jr., and G. A. Izett. 1969. p. N1-N35. 25¢.
- 1274-O. Changes in stratigraphic nomenclature in the Cretaceous System, east-central Puerto Rico, by R. P. Briggs. 1969. p. O1-O31. 25¢.
- 1274-P. Stratigraphic nomenclature of volcanic rocks in the Jemez Mountains, N. Mex., by R. A. Bailey, R. L. Smith, and C. S. Ross. 1969. p. P1-P19. 15¢.
- 1274-Q. The Skolai Group in the McCarthy B-4, C-4, and C-5 quadrangles, Wrangell Mountains, Alaska, by J. G. Smith and E. M. MacKevett, Jr. 1970. p. Q1-Q26. 60¢ (Bulletin 1274 issued only as separate chapters under the general title "Contributions to stratigraphy, 1968." Chapter Q includes title page and contents for volume.)
- *1275. Coal resources of the United States, Jan. 1, 1967, by Paul Averitt. 1969. 116 p.
1276. Geology of the Sandy Hook quadrangle in Monmouth County, N.J., by J. P. Minard. 1969. 43 p. \$1.
1277. Geology of the Gardiner area, Park County, Mont., by G. D. Fraser. H. A. Waldrop, and H. J. Hyden. 1969. 118 p. \$1.25.
- 1278-A. Metal absorption by *Equisetum* (horsetail), by H. L. Cannon, H. T. Shacklette, and Harry Bastron. 1968. p. A1-A21. 15¢. (Bulletin 1278 issued only as separate chapters under the general title "Contributions to geochemical prospecting for minerals.")
1279. Use of seismic intensity data to predict the effects of earthquakes and underground nuclear explosions in various geologic settings, by P. J. Barosh. 1969. 93 p. 45¢.
1280. Pennsylvanian formations of southwest Virginia, by R. L. Miller. 1969. 62 p. 70¢.
1281. Geology along the Taylor Highway, Alaska, by H. L. Foster and T. E. C. Keith. 1969. 36 p. \$1.
1282. Stratigraphic and mineralogic relations and ceramic properties of clay deposits of Eocene age in the Jackson Purchase region, Kentucky, and in adjacent parts of Tennessee, by W. W. Olive and W. I. Finch. 1969. 35 p. 25¢.
1283. Serpentinite and rodingite in the Hunting Hill quarry, Montgomery County, Md., by D. M. Larrabee. 1969 [1970]. 34 p. \$1.
1284. Paleozoic stratigraphy in the northwest coastal area of Prince of Wales Island, southeastern Alaska, by G. D. Eberlein and Michael Churkin, Jr. 1970. 67 p. 65¢.
1285. Geology of the Sycamore Flat and Paraiso Springs quadrangles, Monterey County, Calif., by D. L. Durham. 1970. 34 p. \$2.

1286. Gold veins near Great Falls, Md., by J. C. Reed, Jr., and J. C. Reed. 1969 [1970]. 22 p. \$1.
1287. Geology and ore deposits of the Central York Mountains, western Seward Peninsula, Alaska, by C. L. Sainsbury. 1969 [1970]. 101 p. \$3.
1288. Surficial geology of Mount Rainier National Park, Wash., by D. R. Crandell. 1969 [1970]. 41 p. \$1.25.
1289. Atomic-absorption methods of analysis useful in geochemical exploration, by F. N. Ward, H. M. Nakagawa, T. F. Harms, and G. H. Van-Sickle. 1969. 45 p. 30¢.
1291. The geologic story of the Uinta Mountains, by W. R. Hansen. 1969. 144 p. \$2.
1292. The geologic story of Mount Rainier, by D. R. Crandell. 1969. 43 p. 65¢.
1293. Selected annotated bibliography of minor-element content of marine black shales and related sedimentary rocks, 1930-65, by E. B. Tourtelot. 1970. 118 p. 60¢.
- 1294-A. Changes in stratigraphic nomenclature by the U.S. Geological Survey, 1968, by G. V. Cohee, R. G. Bates, and W. B. Wright. 1970. p. A1-A55. 35¢.
- 1294-B. Probable Permian age of the Rampart Group, central Alaska, by W. P. Brosgé, M. A. Lanphere, H. N. Reiser, and R. M. Chapman. 1969 [1970]. p. B1-B18. 20¢.
- 1294-C. The Shenango Formation (Mississippian) in northwestern Pennsylvania, by G. E. Kimmel and G. R. Schiner. 1970. p. C1-C13. 15¢.
- 1294-D. Cretaceous and lower Tertiary stratigraphy in northwestern Puerto Rico, by D. H. McIntyre, J. M. Aaron, and O. T. Tobisch. 1970. p. D1-D16. 20¢.
- 1294-E. The Bates Mountain Tuff in northern Nye County, Nev., by K. A. Sargent and E. H. McKee. 1969. p. E1-E12. 10¢.
- 1294-G. Age of the Bedford Shale, Berea Sandstone, and Sunbury Shale in the Appalachian and Michigan basins, Pennsylvania, Ohio, and Michigan, by Wallace de Witt, Jr. 1970. p. G1-G11. 10¢.
- 1294-H. The *Foerstia* zone of the Ohio and Chattanooga Shales, by J. M. Schopf and J. F. Schwietering. 1970. p. H1-H15. 30¢. (Bulletin 1294 issued only as separate chapters under the general title "Contributions to stratigraphy, 1969." Chapter H includes title page and contents for volume.)
1296. Core logs of three test holes in Cenozoic lake deposits near Hector, Calif., by B. M. Madsen. 1970. 43 p. 30¢.
1300. Index of generic names of fossil plants, 1820-1965. by H. N. Andrews, Jr. 1970. 354 p.
- *1301. Tin resources of the world, by C. L. Sainsbury. 1969. 55 p.
- 1311-A. Quaternary geology of Long and Bear Valleys, west-central Idaho, by D. L. Schmidt and J. H. Mackin. 1970. p. A1-A22. \$1.
- 1311-C. Precambrian melasyenite of Ute Creek, San Juan Mountains, Colo.—Chemistry, petrology, and strontium isotopes, by Fred Barker, Z. E. Peterman, and R. F. Marvin. 1970. p. C1-C15. 20¢. (Bulletin 1311 issued only as separate chapters under the general title "Contributions to general geology, 1969.")
- 1312-A. Structure control of geochemical anomalies in the Greaterville mining district, southeast of Tucson, Ariz., by Harald Drewes. 1970. p. A1-A49. 75¢.

- 1312-B. A portable refraction seismograph survey of gold placer areas near Nome, Alaska, by H. G. Greene. 1970. p. B1-B29. 60¢.
- 1312-C. A geochemical study of alluvium-covered copper deposits in Pima County, Ariz., by L. C. Huff, *with a section on* Analytical methods, by A. P. Marranzino and H. M. Nakagawa. 1970. p. C1-C31. \$1.
- 1312-D. Lead-zinc-silver deposits related to the White Mountain Plutonic Series in New Hampshire and Maine, by D. P. Cox. 1970. p. D1-D18. 25¢.
- 1312-E. Structure and mineralization of Precambrian rocks in the Galena-Roubaix district, Black Hills, S. Dak., by R. W. Bayley. 1970. p. E1-E15. 55¢.
- 1312-F. Rutile and ilmenite placer deposits, Roseland district, Nelson and Amherst Counties, Va., by Norman Herz, L. E. Valentine, and E. R. Iberall. 1970. p. F1-F19. 55¢.
- 1312-G. Lead isotope guides for Mississippi Valley lead-zinc exploration, by R. S. Cannon, Jr., and A. P. Pierce. 1969. p. G1-G20. 20¢.
- 1312-H. Geology, mineral deposits, and geochemical and radiometric anomalies, Serpentine Hot Springs area, Seward Peninsula, Alaska, by C. L. Sainsbury, Travis Hudson, Reuben Kachadoorian, and Thomas Richards. 1970. p. H1-H19. \$1.
- 1312-I. Distribution of placer gold in the Sixes River, southwestern Oregon—A preliminary report, by Sam Boggs, Jr., and E. M. Baldwin. 1970. p. I1-I27. 25¢.
- 1312-J. Preliminary geologic investigations in the Kanuti River region, Alaska, by W. W. Patton, Jr., and T. P. Miller. 1970. p. J1-J10. 15¢.
- 1312-L. Geochemical and geophysical reconnaissance of parts of the Yakutat and Mount Saint Elias quadrangles, Alaska, by E. M. MacKevett, Jr., and George Plafker. 1970. p. L1-L12. 55¢.
- 1312-M. Geochemical and geologic reconnaissance of a part of the Fortymile area, Alaska, by H. L. Foster and S. H. B. Clark. 1970. p. M1-M29. 25¢.
- 1312-N. Some rare-element mineral deposits in mainland China, by K. Y. Lee. 1970. p. N1-N34. 25¢.
- 1312-O. Mineralogy and geochemistry of some Belt rocks, Montana and Idaho, by J. E. Harrison and D. J. Grimes. 1970. p. O1-O49. 35¢. (Bulletin 1312 issued only as separate chapters under the general title "Contributions to economic geology, 1969.")
- 1313-A. Variable azimuth Schlumberger resistivity sounding and profiling near a vertical contact, by A. A. R. Zohdy. 1970. p. A1-A22. 65¢.
- 1313-B. Geometric factors of bipole-dipole arrays, by A. A. R. Zohdy. 1970. p. B1-B26. 25¢.
- 1313-C. Electrical resistivity sounding with an L-shaped array, by A. A. R. Zohdy. 1970. p. C1-C20. 20¢. (Bulletin 1313 issued only as separate chapters under the general title "New techniques in direct-current resistivity exploration.")
- *1314-A. Geochemical investigations of some black shales and associated rocks, by J. D. Vine and E. B. Tourtelot. 1969 [1970]. p. A1-A43.
- 1314-B. Absorption of gold by plants, by H. T. Shacklette, H. W. Lakin, A. E. Hubert, and G. C. Curtin. 1970. p. B1-B23. 30¢. (Bulletin 1314 issued only as separate chapters under the general title "Contributions to geochemistry.")
1316. Bibliography on the geology and resources of vanadium to 1968, by R. P. Fischer and J. P. Ohl. 1970. 168 p. \$1.

- 1317-B. Peat deposits of southeastern New York, by C. C. Cameron. 1970. p. B1-B32. 25¢. (Bulletin 1317 issued only as separate chapters under the general title "Studies in peat.")
- 1319-A. Mineral resources of the Agua Tibia Primitive Area, California, by W. P. Irwin and R. C. Greene, U.S. Geological Survey, and H. K. Thurber, U.S. Bureau of Mines. 1970. p. A1-A19. 65¢.
- 1319-B. Mineral resources of the Jack Creek basin, Madison County, Mont., by G. E. Becraft and T. H. Kiilsgaard, U.S. Geological Survey, and R. M. Van Noy, U.S. Bureau of Mines. 1970. p. B1-B24. 65¢.
- 1319-C. Mineral resources of the Gore Range-Eagles Nest Primitive Area and vicinity, Summit and Eagle Counties, Colo., by Ogden Tweto and Bruce Bryant, U.S. Geological Survey, and F. E. Williams, U.S. Bureau of Mines. 1970. p. C1-C127. \$1.50.
- 1319-D. Mineral resources of the Sawtooth Primitive Area, Idaho, by T. H. Kiilsgaard and V. L. Freeman, U.S. Geological Survey, and J. S. Coffman, U.S. Bureau of Mines. 1970. p. D1-D174. \$1.75.
- 1319-E. Mineral resources of the Black Range Primitive Area, Grant, Sierra, and Catron Counties, N. Mex., by G. E. Ericksen, Helmuth Wedow, Jr., and G. P. Eaton, U.S. Geological Survey, and G. R. Leland, U.S. Bureau of Mines. 1970. p. E1-E162. \$2.25. (Bulletin 1319 issued only as separate chapters under the general title "Studies related to wilderness—primitive areas, 1970.")
1320. Terrestrial impact structures—A bibliography, 1965-68, by J. H. Freeberg. 1969. 39 p. 30¢.
1321. Barite: World production, reserves, and future prospects, by D. A. Brobst. 1970. 46 p. 30¢.
1322. Stripping-coal resources of the United States—Jan. 1, 1970, by Paul Averitt. 1970. 34 p. 25¢.
- 1324-A. Changes in stratigraphic nomenclature by the U.S. Geological Survey, 1969, by G. V. Cohee, R. G. Bates, and W. B. Wright. 1970. p. A1-A41. 30¢.
- 1324-B. The Russell Mountain Formation, a new stratigraphic unit in western Massachusetts, by N. L. Hatch, Jr., R. S. Stanley, and S. F. Clark, Jr. 1970. p. B1-B10. 10¢. (Bulletin 1324 issued only as separate chapters under the general title "Contributions to stratigraphy.")
1350. Lexicon of geologic names of the United States for 1961-67, by G. C. Keroher. 1970. 848 p. \$3.50.

WATER-SUPPLY PAPERS

[In the present listing, an asterisk (*) indicates that the paper is out of print. In "Publications of the Geological Survey, 1879-1961," all water-supply papers are out of print except 494, 40¢; 1473, \$2.25; and 1541-C]

- *1299. The industrial utility of public water supplies in the United States, 1952—Part 1, States east of the Mississippi River, by E. W. Lohr and S. K. Love. 1954. 639 p. (Reprinted 1964, revised only as to titles of figures 1-3.)
- *1300. The industrial utility of public water supplies in the United States, 1952—Part 2, States west of the Mississippi River, by E. W. Lohr and S. K. Love. 1954. 462 p. (Reprinted 1964, revised only as to titles of figures 1-3.)
- *1319. Compilation of records of surface waters of Hawaii through 1950. 1961 [1962]. 316 p.
- *1329-B. Waterpower resources of the Wilson River basin, Oregon, by D. W. Neal, *with a section on Geology*, by D. L. Gaskill. 1961 [1962]. p. 31-62. (Water-Supply Paper 1329 issued only as separate chapters under the general title "Waterpower resources of the United States.")
- *1330-F. Water requirements of the styrene, butadiene, and synthetic-rubber industries, by C. N. Durfor. 1963. p. 221-285.
- *1330-G. Water requirements of the petroleum refining industry, by L. E. Otts, Jr. 1963. p. 287-340.
- 1330-H. Water requirements of the iron and steel industries, by F. B. Walling and L. E. Otts, Jr. 1967. p. 341-394. 65¢. (Water-Supply Paper 1330 issued only as separate chapters under the general title "Water requirements of selected industries." Chapter H includes title page and contents for volume.)
- *1369-D. Flow through openings in width constrictions, by Jacob Davidian, P. H. Carrigan, Jr., and John Shen. 1962. p. 91-122.
- *1369-E. Stream gaging control structure for the Rio Grande conveyance channel near Bernardo, N. Mex., by D. D. Harris and E. V. Richardson. 1964. p. 123-154. (Water-Supply Paper 1369 issued only as separate chapters under the general title "River hydraulics." Chapter E includes title page and contents for volume.)
- *1419. Geologic and hydrologic features of the San Bernardino area, California—With special reference to underflow across the San Jacinto fault, by L. C. Dutcher and A. A. Garrett. 1963 [1964]. 114 p.
- *1455-B. Summary of floods in the United States during 1955. 1962. p. 69-143. (Water-Supply Paper 1455 issued only as separate chapters under the general title "Floods of 1955.")
- *1459-I. Some effects of the larger types of aquatic vegetation on iron content of water, by E. T. Oborn and J. D. Hem. 1962. p. 237-268. (Water-Supply Paper 1459 issued only as separate chapters under the general title "Chemistry of iron in natural water." Chapter I includes title page and contents for volume.)
- *1460-J. Geology and ground-water resources of the Elizabethton-Johnson

- City area, Tennessee, by R. W. Maclay. 1962 [1963]. p. 389-436. (Water-Supply Paper 1460 issued only as separate chapters under the general title "Contributions to the hydrology of the United States, 1956-59." Chapter J includes title page and contents for volume.)
- *1475-F. Ground water at Grant Village site, Yellowstone National Park, Wyo., by E. D. Gordon, R. A. McCullough, and E. P. Weeks. 1962. p. 173-200.
- *1475-G. Water-supply possibilities at Capitol Reef National Monument, Utah, by I. W. Marine. 1962. p. 201-208.
- *1475-H. Availability of additional water for Chiricahua National Monument, Cochise County, Ariz., by P. W. Johnson. 1962. p. 209-216.
- *1475-I. Hydrology of small watersheds in western States, by H. V. Peterson. 1962. p. 217-356.
- *1475-J. Ground water in the Wupatki and Sunset Crater National Monuments, Coconino County, Ariz., by O. J. Cosner. 1962. p. 357-374.
- *1475-K. Ground-water reconnaissance at Pinnacles National Monument, Calif., by R. E. Evenson. 1962. p. 375-382.
- *1475-L. Hydrology of stock-water development in the Ely Grazing District, Nev., by C. T. Snyder. 1963. p. 383-441.
- *1475-M. Ground-water resources of the Bryce Canyon National Park area, Utah, by I. W. Marine, *with a section on The drilling of a test well*. 1963. p. 441-486.
- *1475-N. Hydrology of stock-water development on the public domain of western Utah, by C. T. Snyder. 1963. p. 487-536.
- *1475-O. Hydrologic and geologic reconnaissance of Pinto Basin, Joshua Tree National Monument, Riverside County, Calif., by Fred Kunkel. 1963. p. 537-561.
- *1475-P. Hydrology of stock-water development in southeastern Idaho, by R. F. Hadley. 1963. p. 563-599.
- *1475-Q. Present and future water supply for Mammoth Cave National Park, Ky., by R. V. Cushman, R. A. Krieger, and J. A. McCabe. 1965. p. 601-647. (Water-Supply Paper 1475 issued only as separate chapters under the general title "Hydrology of the public domain." Chapter Q includes title page and contents for volume.)
- *1496-C. Flame-photometric determination of strontium in natural water, by C. A. Horr. 1962. p. 33-53.
- *1496-D. Occurrence and distribution of strontium in natural water, by M. W. Skougstad and C. A. Horr. 1963. p. 55-97. (Water-Supply Paper 1496 issued only as separate chapters under the general title "Chemistry of strontium in natural water." Chapter D includes title page and contents for volume.)
- *1498-B. Flow characteristics of Elkhorn River near Waterloo, Nebr., by E. W. Beckman and L. W. Furness. 1962. p. B1-B34.
- *1498-E. The effect of bed roughness on depth-discharge relations in alluvial channels, by D. B. Simons and E. V. Richardson. 1962. p. E1-E26.
- *1498-F. A study of fluvial characteristics and hydraulic variables, middle Rio Grande, N. Mex., by J. K. Culbertson and D. R. Dawdy. 1964. p. F1-F74.
- *1498-G. Some effects of fine sediment on flow phenomena, by D. B. Simons, E. V. Richardson, and W. L. Haushild. 1963. p. G1-G47.

- *1498-H. Aspects of flow resistance and sediment transport, Rio Grande near Bernalillo, N. Mex., by C. F. Nordin, Jr. 1964. p. H1-H41.
- *1498-I. Total bed-material discharge in alluvial channels, by F. M. Chang, D. B. Simons, and E. V. Richardson. 1965 [1966]. p. I1-I23. (Water-Supply Paper 1498 issued only as separate chapters under the general title "Studies of flow in alluvial channels." Chapter I includes title page and contents for volume.)
- *1499-B. Water resources of the Tacoma area, Washington, by W. C. Griffin, J. E. Sceva, H. A. Swenson, and M. J. Mundorff. 1962. p. B1-B101.
- *1499-C. Water resources of the Utica-Rome area, New York, by H. N. Halberg, O. P. Hunt, and F. H. Pauszek. 1962 [1963]. p. C1-C46.
- *1499-D. Water resources of the Albany-Schenectady-Troy area, New York, by H. N. Halberg, O. P. Hunt, and F. H. Pauszek. 1964. p. D1-D64.
- *1499-E. Water resources of the Flint area, Michigan, by S. W. Wiitala, K. E. Vanlier, and R. A. Krieger. 1963 [1964]. p. E1-E86.
- *1499-F. Water resources of the Baltimore area, Maryland, by E. G. Otton, R. O. R. Martin, and W. H. Durum. 1964. p. F1-F105.
- *1499-G. Water resources of the Green Bay area, Wisconsin, by D. B. Knowles, F. C. Dreher, and G. W. Whetstone. 1964. p. G1-G67.
- *1499-H. Water resources of the Hartford-New Britain area, Connecticut, by R. V. Cushman, D. Tanski, and M. P. Thomas. 1964. p. H1-H96.
- *1499-I. Water resources of the Wichita area, Kansas, by L. R. Petri, C. W. Lane, and L. W. Furness. 1964. p. I1-I69.
- *1499-J. Water resources of the Waterbury-Bristol area, Connecticut, by R. V. Cushman, F. H. Pauszek, A. D. Randall, and M. P. Thomas, 1965. (Revised by H. L. Baldwin, 1965.) p. J1-J86. (Water-Supply Paper 1499 issued only as separate chapters under the general title "Water resources of industrial areas." Chapter J includes title page and contents for volume.)
- *1525. Geology and water resources of the Santa Fe area, New Mexico, by Zane Spiegel and Brewster Baldwin, with contributions by F. E. Kottlow-ski and E. L. Barrows, and a section on Geophysics, by H. A. Winkler. 1963. 258 p.
- *1528. Geology and ground-water resources of the Scottsville area, Kentucky, by W. B. Hopkins. 1963. 333 p.
- *1529. Waterpower resources near Petersburg and Juneau, southeastern Alaska, by F. A. Johnson. 1962. 102 p.
- *1530. Summary of floods in the United States during 1956. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1964. 85 p. (Floods of 1956.)
- *1532-A. Hydrologic effects of water spreading in Box Creek basin, Wyoming, by R. F. Hadley, I. S. McQueen, and others. 1961 [1962]. p. A1-A48.
- *1532-B. Hydrologic and biotic characteristics of grazed and ungrazed water-sheds of the Badger Wash basin in western Colorado, 1953-58, by G. C. Lusby, G. T. Turner, J. R. Thompson, and V. H. Reid. 1963 [1964]. p. B1-B73.
- *1532-C. Effects of agricultural conservation practices on the hydrology of Corey Creek basin, Pennsylvania, 1954-60, by B. L. Jones. 1966. p. C1-C55. (Water-Supply Paper 1532 issued only as separate chapters under the general title "Hydrologic effects of land use.")

- *1535-F. Solutes in small streams draining single rock types, Sangre de Cristo Range, N. Mex., by J. P. Miller. 1961 [1962]. p. F1-F23.
- 1535-G. Rainwater as a chemical agent of geologic processes—A review, by Dorothy Carroll. 1962. p. G1-G18. 45¢.
- *1535-H. Field measurement of alkalinity and pH, by Ivan Barnes. 1964. p. H1-H17.
- *1535-I. Sources of mineral constituents in water from granitic rocks, Sierra Nevada, California and Nevada, by J. H. Feth, C. E. Roberson, and W. L. Polzer. 1964. p. I1-I70.
- *1535-J. Chemical composition of snow in the northern Sierra Nevada and other areas, by J. H. Feth, S. M. Rogers, and C. E. Roberson. 1964. p. J1-J39.
- 1535-K. Chemical composition of rainfall, eastern North Carolina and southeastern Virginia, by A. W. Gambell and D. W. Fisher. 1966. p. K1-K41. 65¢.
- *1535-L. Occurrence of selected minor elements in the waters of California, by W. D. Silvey. 1967. p. L1-L25.
- *1535-M. Annual variations in chemical composition of atmospheric precipitation, eastern North Carolina and southeastern Virginia, by D. W. Fisher. 1968. p. M1-M21.
- 1535-N. Occurrence and distribution of molybdenum in the surface water of Colorado, by P. T. Voegeli, Sr., and R. U. King. 1969. p. N1-N32. 65¢.
- 1535-O. Water load of uranium, radium, and gross beta activity at selected gaging stations, water year 1960-61, by E. C. Mallory, Jr., J. O. Johnson, and R. C. Scott. 1969. p. O1-O31. 65¢. (Water-Supply Paper 1535 issued only as separate chapters under the general title "Geochemistry of water.")
- *1536-D. The ground-water flow system in the Snake River Plain, Idaho—An idealized analysis, by H. E. Skibitzke and J. A. da Costa. 1962. p. 47-67.
- *1536-E. Theory of aquifer tests, by J. G. Ferris, D. B. Knowles, R. H. Brown, and R. W. Stallman. 1962. p. 69-174.
- *1536-F. A formula for computing transmissibility causing maximum possible drawdown due to pumping, by G. M. Robinson and H. E. Skibitzke. 1962. p. 175-180.
- *1536-G. Constant-head pumping test of a multiaquifer well to determine characteristics of individual aquifers, by G. D. Bennett and E. P. Patten, Jr. 1962. p. 181-203.
- *1536-H. Electric analog of three-dimensional flow to wells and its application to unconfined aquifers, by R. W. Stallman. 1963. p. 205-242.
- *1536-I. Methods of determining permeability, transmissibility, and drawdown, compiled by Ray Bentall. 1963. p. 243-341.
- *1536-J. Ground-water movements and bank storage due to flood stages in surface streams, by H. H. Cooper, Jr., and M. I. Rorabaugh. 1963. p. 343-366.
- *1538. Ground-water levels in the United States, 1956-58—Southeastern States. 1962. 202 p.
- *1539-E. Ground-water geology and hydrology of the Maynard area, Massachusetts, by N. M. Perlmutter, *with a section on* An aquifer test in deposits of glacial outwash, by N. J. Lusczynski. 1962 [1963]. p. E1-E9.

- *1539-G. Ground-water geology of Karnes County, Tex., by R. B. Anders. 1962 [1963]. p. G1-G40.
- *1539-J. Geology and ground-water resources of Yuma County, Colo., by W. G. Weist, Jr. 1964. p. J1-J56.
- *1539-K. Ground water in the Coastal Dune area near Florence, Oreg., by E. R. Hampton. 1963. p. K1-K36.
- *1539-L. Geology and ground-water resources of the Fairfax quadrangle, Virginia, by P. M. Johnston. 1962. p. L1-L61.
- *1539-M. Saline ground water in the Roswell basin, Chaves and Eddy Counties, N. Mex., 1958-59, by J. W. Hood. 1963. p. M1-M46.
- *1539-N. Ground-water resources of Hamilton County, Nebr., by C. F. Keech, *with a section on* The chemical quality of the water, by P. G. Rosene. 1962. p. N1-N64.
- *1539-O. Hydrogeologic reconnaissance of San Nicolas Island, Calif., by W. L. Burnham, Fred Kunkel, Walter Hofmann, and W. C. Peterson. 1963. p. O1-O43.
- *1539-P. Geology and ground-water resources of Dougherty County, Ga., by R. L. Wait. 1963. p. P1-P102.
- *1539-Q. Reconnaissance of the hydrology of the Little Lost River basin, Idaho, by M. J. Mundorff, H. C. Broom, and Chabot Kilburn. 1963. p. Q1-Q51.
- *1539-S. Water in the Coconino sandstone for the Snowflake-Hay Hollow area, Navajo County, Ariz., by P. W. Johnson. 1962. p. S1-S46.
- *1539-T. Geology and ground-water resources of the Lake Dakota plain area, South Dakota, by W. B. Hopkins and L. R. Petri. 1963. p. T1-T68.
- *1539-U. Geology and ground-water resources of Hale County, Tex., by J. G. Cronin and L. C. Wells. 1963. p. U1-U38.
- *1539-V. Availability of ground water in the Bear River valley, Wyoming, by C. J. Robinove and D. W. Berry, *with a section on* Chemical quality of the water, by J. G. Connor. 1963. p. V1-V44.
- *1539-W. Hydraulics of river channels as related to navigability, by W. B. Langbein. 1962. p. W1-W30.
- *1539-X. Geology and ground-water resources of Plum Island, Suffolk County, N.Y., by H. C. Crandell, Jr. 1962. p. X1-X35. (Water-Supply Paper 1539 issued only as separate chapters under the general title "Contributions to the hydrology of the United States, 1960." Chapter X includes title page and contents for volume.)
- *1540-C. Methods for analysis of selected metals in water by atomic absorption, by M. J. Fishman and S. C. Downs. 1966. p. 23-45. (Water-Supply Paper 1540 issued only as separate chapters under the general title "Spectrographic analysis of natural water.")
- 1541. Manual of hydrology: Part 1. General surface-water techniques. Title page and contents for volume (issued only as separate chapters) free on application to the Geological Survey.
- 1543. Manual of hydrology: Part 3. Flood-flow techniques. Title page and contents for volume (issued only as separate chapters) free on application to the Geological Survey.
- *1544-B. An application of thermometry to the study of ground water, by Robert Schneider. 1962. p. B1-B16.
- *1544-C. Methods of flow measurement in well bores, by E. P. Patten, Jr., and G. D. Bennett. 1962. p. C1-C28.

- *1544-D. Application of electrical and radioactive well logging to ground-water hydrology, by E. P. Patten, Jr., and G. D. Bennett. 1963. p. D1-D60.
- *1544-E. A thermal flowmeter for measuring velocity of flow in a well, by H. T. Chapman and A. E. Robinson. 1962. p. E1-E12.
- *1544-F. A field method for measurement of infiltration, by A. I. Johnson. 1963. p. F1-F27.
- *1544-G. Calculation of resistance and error in an electric analog of steady flow through nonhomogeneous aquifers, by R. W. Stallman. 1963. p. G1-G20.
- *1544-H. Methods of collecting and interpreting ground-water data, compiled by Ray Bentall. 1963. p. H1-H97.
- 1544-I. Two-well tracer test in fractured crystalline rock, by D. S. Webster, J. F. Proctor, and I. W. Marine. 1970. p. I1-I22. 25¢. (Water-Supply Paper 1544 issued only as separate chapters under the general title "General ground-water techniques." Chapter I includes title page and contents for volume.)
- *1545-C. Shortcuts and special problems in aquifer tests, compiled by Ray Bentall. 1963 [1964]. p. C1-C117. (Water-Supply Paper 1545 issued only as separate chapters under the general title "Methods of aquifer tests.")
- *1546. Annotated bibliography of hydrology and sedimentation, United States and Canada, 1955-58, compiled by H. C. Riggs. 1962. 236 p.
- *1547. Inventory of published and unpublished sediment-load data, United States and Puerto Rico, 1950-60, by K. F. Harris. 1962. 117 p.
- *1548. Geology and ground water in Russian River valley areas, and in Round, Laytonville, and Little Lake Valleys, Sonoma and Mendocino Counties, Calif., by G. T. Cardwell. 1965. 154 p.
- *1549. Ground-water levels in the United States, 1956-59—South-Central States. 1962. 192 p.
- *1550. Geology of damsites on Flathead River, mouth to Flathead Lake, Lake and Sanders Counties, Mont., by K. S. Soward. 1965 [1966]. 91 p.
- *1571. Quality of surface waters of the United States, 1958—Parts 1-4, North Atlantic slope basins to St. Lawrence River basin. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. [1962]. 773 p.
- *1572. Quality of surface waters of the United States, 1958—Parts 5 and 6, Hudson Bay and upper Mississippi River basins and Missouri River basin. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1962. 365 p.
- *1573. Quality of surface waters of the United States, 1958—Parts 7 and 8, Lower Mississippi River basin and western Gulf of Mexico basins. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1963. 588 p.
- *1574. Quality of surface waters of the United States, 1958—Parts 9-14, Colorado River basin to Pacific slope basins in Oregon and lower Columbia River basin. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1964. 487 p.
- *1576-A. Geology and promising areas for ground-water development in the Hualapai Indian Reservation, Ariz., by F. R. Twenter. 1962 [1963]. p. A1-A38.
- *1576-B. Geology and ground water of the Red Lake area, Navajo Indian

- Reservation, Ariz. and N. Mex., by J. P. Akers, N. E. McClymonds, and J. W. Harshbarger. 1962. p. B1-B12.
- *1576-D. Ground water for irrigation in part of the Fort Hall Indian Reservation, Idaho, by S. W. West and Chabot Kilburn. 1963. p. D1-D33.
- *1576-E. Availability of ground water in parts of the Acoma and Laguna Indian Reservations, N. Mex., by C. A. Dinwiddie and W. S. Motts. 1964. p. E1-E65.
- *1576-F. Geology and hydrology of the Fort Belknap Indian Reservation, Mont., by D. C. Alverson. 1965. p. F1-F59.
- *1576-G. Geology and availability of ground water on the Ute Mountain Indian Reservation, Colo. and N. Mex., by J. H. Irwin. 1966 [1967]. p. G1-G109.
- *1576-H. Ground-water resources of the southern part of Jicarilla Apache Indian Reservation and adjacent areas, New Mexico, by E. H. Baltz and S. W. West. 1967. p. H1-H89.
- 1576-I. Ground-water resources of the Wind River Indian Reservation, Wyo., by L. J. McGreevy, W. G. Hodson, and S. J. Rucker, IV. 1969. p. I1-I145. \$4.25. (Water-Supply Paper 1576 issued only as separate chapters under the general title "Water supply of Indian reservations.")
- *1577. Ground-water geology and pump irrigation in Frenchman Creek basin above Palisade, Nebr., by W. D. E. Cardwell and E. D. Jenkins, *with a section on The chemical quality of the water*, by E. R. Jochens and R. A. Krieger. 1963. 472 p.
- *1578. Geology and ground-water resources of the Bristol-Plainville-Southington area, Connecticut, by A. M. La Sala, Jr. 1964 [1965]. 70 p.
- *1579. Progress report on the ground-water resources of the Louisville area, Kentucky, 1949-55, by E. A. Bell, R. W. Kellogg, and W. K. Kulp. 1963. 47 p.
- *1580-A. Evolution of methods for evaluating the occurrence of floods, by M. A. Benson. 1962. p. A1-A29.
- *1580-B. Factors influencing the occurrence of floods in a humid region of diverse terrain, by M. A. Benson. 1962 [1963]. p. B1-B64.
- *1580-C. Effect of reservoir storage on peak flow, by W. D. Mitchell. 1962. p. C1-C25.
- *1580-D. Factors affecting the occurrence of floods in the Southwest, by M. A. Benson. 1964. p. D1-D72.
- *1580-E. A comparison of methods used in flood-frequency studies for coastal basins in California, by R. W. Cruff and S. E. Rantz. 1965. p. E1-E56. (Water-Supply Paper 1580 issued only as separate chapters under the general title "Flood hydrology." Chapter E includes title page and contents for volume.)
- *1582. Geology and ground-water resources of Winkler County, Tex., by Sergio Garza and J. B. Wesselman. 1962 [1963]. 162 p.
- *1583. Ground water in Fountain and Jimmy Camp Valleys, El Paso County, Colo., by E. D. Jenkins, *with a section on Computations of drawdowns caused by the pumping of wells in Fountain Valley*, by R. E. Glover and E. D. Jenkins. 1964. 66 p.
- *1584. Geology and ground-water resources of Uvalde County, Tex., by F. A. Welder and R. D. Reeves. 1964. 49 p.
- *1585. Effect of irrigation on ground water in southern Canyon County, Idaho, by P. R. Stevens. 1962. 74 p.

- *1586-B. Salinity of the Delaware estuary, by Bernard Cohen and L. T. McCarthy, Jr. 1962. p. B1-B47.
- *1586-C. Observations of tidal flow in the Delaware River, by E. G. Miller. 1962. p. C1-C26.
- *1586-D. An empirical method of determining momentary discharge of tide-affected streams, by S. E. Rantz. 1963. p. D1-D28.
- *1586-E. Record low tide of December 31, 1962, on the Delaware River, by A. C. Lendo. 1966. p. E1-E20.
- *1586-F. On determining pollutant distribution in tidal estuaries, by E. E. Pyatt. 1964. F1-F56.
- *1586-G. Fresh-water discharge—salinity relations in the tidal Delaware River, by W. B. Keighton. 1966. p. G1-G16.
- 1586-H. Water-discharge determinations for the tidal reach of the Willamette River from Ross Island Bridge to Mile 10.3, Portland, Oreg., by G. R. Dempster, Jr., and G. A. Lutz. 1968. p. H1-H32. 20¢.
- 1586-I. Salt-water encroachment in the South Edisto River estuary, South Carolina, by T. R. Cummings. 1968. p. I1-I19. 15¢. (Water-Supply Paper 1586 issued only as separate chapters under the general title "Hydrology of tidal streams.")
- *1588. Ground-water geology of Bexar County, Tex., by Ted Arnow. 1963. 36 p.
- *1590. Ground-water resources of the Fairbanks area, Alaska, by D. J. Cederstrom. 1963. 84 p.
- *1591-B. Effect of urban growth on streamflow regimen of Permanente Creek, Santa Clara County, Calif., by E. E. Harris and S. E. Rantz. 1964. p. B1-B18.
- 1591-C. Flood inundation and effects of urbanization in metropolitan Charlotte, N.C., by L. A. Martens. 1968 [1969]. p. C1-C60. \$1.
- 1591-D. Considerations involved in evaluating mathematical modeling of urban hydrologic systems, by D. R. Dawdy. 1969. p. D1-D18. 20¢.
- 1591-E. Sediment movement in an area of suburban highway construction, Scott Run basin, Fairfax County, Va., 1961-64, by R. B. Vice, H. P. Guy, and G. E. Ferguson. 1969. p. E1-E41. 35¢. (Water-Supply Paper 1591 issued only as separate chapters under the general title "Hydrologic effects of urban growth." Chapter E includes title page and contents for volume.)
- *1592-B. Cross-channel transfer of linear momentum in smooth rectangular channels, by R. W. Cruff. 1965. p. B1-B26.
- 1592-C, D. C, Free-surface instability correlations, and D, Roughness-concentration effects on flow over hydrodynamically rough surfaces, by H. J. Koloseus and Jacob Davidian. 1966. p. C1-C72 and D1-D21. 40¢. (Water-Supply Paper 1592 issued separately except as listed above under the general title "Laboratory studies of open-channel flow.")
- *1594-B. Experiments in water spreading at Newark, Del., by D. H. Boggess and D. R. Rima. 1962. p. B1-B15.
- *1594-C. Artificial recharge in Oregon and Washington, 1962, by Don Price, D. H. Hart, and B. L. Foxworthy. 1965. p. C1-C65.
- *1594-D. Induced recharge of an artesian glacial-drift aquifer at Kalamazoo, Mich., by J. E. Reed, Morris Deutsch, and S. W. Wiitala. 1966. p. D1-D62.
- 1594-E. Artificial recharge through a well tapping basalt aquifers at The

- Dalles, Oreg., by B. L. Foxworthy and C. T. Bryant. 1967. p. E1-E55. 55¢.
- 1594-F. Hydrologic conditions and artificial recharge through a well in the Salem Heights area of Salem, Oreg., by B. L. Foxworthy. 1970. p. F1-F56. \$1. (Water-Supply Paper 1594 issued only as separate chapters under the general title "Artificial recharge of ground water.")
- *1595. Effects of hydraulic and geologic factors on streamflow of the Yakima River basin, Washington, by H. B. Kinnison and J. E. Sceva. 1963 [1964]. 134 p.
- *1596. Geology and ground-water resources of the Greybull River-Dry Creek area, Wyoming, by C. J. Robinove and R. H. Langford. 1963. 88 p.
- *1597. Geology and ground-water resources of the upper Grande Ronde River basin, Union County, Oreg., by E. R. Hampton and S. G. Brown. 1964. 99 p.
- *1598. Geology and ground-water resources of the Ahtanum Valley, Yakima County, Wash., by B. L. Foxworthy. 1962. 100 p.
- *1599. Reconnaissance of ground-water resources in the Western Coal Field region, Kentucky, by B. W. Maxwell and R. W. Devaul. 1962. 34 p.
- *1600. Geology and ground-water conditions of Clark County, Wash., with a description of a major alluvial aquifer along the Columbia River, by M. J. Mundorff. 1964. 268 p.
- *1601. Saline-water resources of New Mexico, by J. W. Hood and L. R. Kister. 1962 [1963]. 70 p.
1603. Reconnaissance of ground-water resources in the Mississippian Plateau region, Kentucky, by R. F. Brown and T. W. Lambert. 1963. 58 p. \$2.
- *1604. Geology and ground-water resources of Fond du Lac County, Wis., by T. G. Newport. 1962. 52 p.
- *1605. Geology and hydrology of Agua Caliente Spring, Palm Springs, Calif., by L. C. Dutcher and J. S. Bader. 1963. 43 p.
- *1606. Geology and ground-water resources of Montgomery County, Ala., by D. B. Knowles, H. L. Reade, Jr., and J. C. Scott. 1963 [1964]. 76 p. (With special reference to the Montgomery area.)
- *1607. Reconnaissance of ground-water resources in the Eastern Coal Field region, Kentucky, by W. E. Price, Jr., D. S. Mull, and Chabot Kilburn. 1962. 56 p.
- *1608-B. Ground water in folded Cretaceous sandstone of the Bhachau area, Kutch, India, with reference to the Kandla Port water supply, by G. C. Taylor, Jr., M. M. Oza, A. Mitra, and B. N. Sen. 1963. p. B1-B31.
- *1608-C. Ground-water reconnaissance of American Samoa, by D. A. Davis. 1963. p. C1-C21.
- *1608-D. Artesian water in the Malabar Coastal Plain of southern Kerala, India, by G. C. Taylor, Jr., and P. K. Ghosh. 1964. p. D1-D14.
- *1608-E. Hydrogeologic reconnaissance of Poro Point and vicinity, Luzon Island, Philippines, by G. F. Worts, Jr. 1964. p. E1-E14.
- *1608-F. Cenomanian-Turonian aquifer of central Israel—Its development and possible use as a storage reservoir, by Robert Schneider. 1964. p. F1-F20.
- *1608-G. Analysis of aquifer tests in the Punjab Region of West Pakistan, by G. D. Bennett, Ata-ur-Rehman, I. A. Sheikh, and Sabir Ali. 1967. p. G1-G56.
- 1608-H. Ground-water hydrology of the Punjab, West Pakistan, with em-

- phasis on problems caused by canal irrigation, by D. W. Greenman, W. V. Swarzenski, and G. D. Bennett. 1967. p. H1-H66. \$3.25.
- 1608-I. Fresh and saline ground-water zones in the Punjab region, West Pakistan, by W. V. Swarzenski. 1968. p. I1-I24. 75¢.
- 1608-J. Electric-analog studies of brine coning beneath fresh-water wells in the Punjab Region, West Pakistan, by G. D. Bennett, M. J. Mundorff, and S. A. Hussain. 1968. p. J1-J31. 55¢.
- 1608-K. Water resources and related geology of Dera Ismāil Khān District, West Pakistan, with reference to the availability of ground water for development, by J. W. Hood, Lutfe Ali Khan, and Khalid Jawaid. 1970. p. K1-K74. \$2.
- *1608-L. Evaluation and control of corrosion and encrustation in tube wells of the Indus Plains, West Pakistan, by F. E. Clarke and Ivan Barnes. 1969. p. L1-L63.
- 1608-M. Hydrographic and sedimentation survey of Kajakai Reservoir, Afghanistan, by D. C. Perkins and J. K. Culbertson. 1970. p. M1-M43. 30¢. (Water-Supply Paper 1608 issued only as separate chapters under the general title "Contributions to the hydrology of Asia and Oceania.")
- *1609. Ground-water resources of Camas Prairie, Camas and Elmore Counties, Idaho, by W. C. Walton. 1962. 57 p.
- *1610-B. Waterpower resources in Trask River basin, Oregon, by L. L. Young, *with sections on* Geology of sites, by R. G. Wayland and D. L. Gaskill. 1963. p. B1-B44.
- *1610-C. Waterpower resources in Nehalem River basin, Oregon, by L. L. Young and J. L. Colbert, *with sections on* Geology of sites, by D. L. Gaskill and A. M. Piper. 1965. p. C1-C58.
- *1610-D. Waterpower resources and reconnaissance geology of sites in the Alsea River basin, Oregon, by L. L. Young, D. W. Neal, and D. L. Gaskill. 1966. p. D1-D45. (Water-Supply Paper 1610 issued only as separate chapters under the general title "Waterpower resources of the United States, 1960-65." Chapter D includes title page and contents for volume.)
- *1611. Salt-water encroachment, geology, and ground-water resources of Savannah area, Georgia and South Carolina, by H. B. Counts and Ellis Donsky. 1963 [1964]. 100 p.
- *1612. Geology and ground-water resources of Hays County, Tex., by K. J. DeCook. 1963. 72 p.
- *1613-A. Geology and ground-water conditions in southern Nassau and southeastern Queens Counties, Long Island, N.Y., by N. M. Perlmutter and J. J. Geraghty. 1963. p. A1-A205.
- *1613-B. Availability of fresh ground water, Montauk Point area, Suffolk County, Long Island, N.Y., by N. M. Perlmutter and F. A. DeLuca. 1963. p. B1-B39.
- *1613-C. Sea water in coastal aquifers, by H. H. Cooper, Jr., F. A. Kohout, H. R. Henry, and R. E. Glover. 1964. p. C1-C84.
- *1613-D. Relation of salt-water encroachment to the major aquifer zones, Savannah area, Georgia and South Carolina, by M. J. McCollum and H. B. Counts. 1964. p. D1-D26.
- *1613-E. Geology and the occurrence of fresh and brackish ground water in Glynn County, Ga., by R. L. Wait. 1965. p. E1-E94.
- *1613-F. Salt-water encroachment in southern Nassau and southeastern

- Queens Counties, Long Island, N.Y., by N. J. Luszczynski and W. V. Swarzenski. 1966. p. F1-F76. (Water-Supply Paper 1613 issued only as separate chapters under the general title "Relation of salt water to fresh ground water.")
- *1614. Water resources of Red River Parish, La., by Roy Newcome, Jr., and L. V. Page. 1962 [1963]. 133 p.
- *1615-A. Studies of artificial recharge in the Grand Prairie region, Arkansas; environment and history, by Kyle Engler. F. H. Bayley 3d, and R. T. Sniegocki. 1963. p. A1-A32.
- *1615-B. Hydrogeology of a part of the Grand Prairie region, Arkansas, by R. T. Sniegocki. 1964. p. B1-B72.
- *1615-C. Equipment and controls used in studies of artificial recharge in the Grand Prairie region, Arkansas, by R. T. Sniegocki, F. H. Bayley 3d, and Kyle Engler. 1963. p. C1-C39.
- *1615-D. Principles of siphons with respect to the artificial-recharge studies in the Grand Prairie region, Arkansas, by R. T. Sniegocki and J. E. Reed. 1963. p. D1-D19.
- *1615-E. Geochemical aspects of artificial recharge in the Grand Prairie region, Arkansas, by R. T. Sniegocki. 1963. p. E1-E41.
- *1615-F. Problems in artificial recharge through wells in the Grand Prairie region, Arkansas, by R. T. Sniegocki. 1963. p. F1-F25.
- *1615-G. Testing procedures and results of studies of artificial recharge in the Grand Prairie region, Arkansas, by R. T. Sniegocki, F. H. Bayley 3d, Kyle Engler, and J. W. Stephens. 1965. p. G1-G56.
- *1615-H. Laboratory study of aquifer properties and well design for an artificial-recharge site, by A. I. Johnson, R. P. Moston, and S. F. Versaw. 1966. p. H1-H42. (Water-Supply Paper 1615 issued only as separate chapters under the general title "Artificial recharge of ground water—Grand Prairie region, Arkansas." Chapter H includes title page and contents for volume.)
- *1616. Ion-exchange minerals and disposal of radioactive wastes—A survey of literature, by B. P. Robinson. 1962. 132 p.
- *1617-A. Discharge characteristics of embankment-shaped weirs, by C. E. Kindsvater. 1964. p. A1-A114. (Water-Supply Paper 1617 issued only as separate chapters under the general title "Studies of flow of water over weirs and dams.")
- *1618. Use of ground-water reservoirs for storage of surface water in the San Joaquin Valley, Calif., by G. H. Davis, B. E. Lofgren, and Seymour Mack. 1964. 125 p.
- *1619-B. Ground-water geology and hydrology of Bunker Hill Air Force Base and vicinity, Peru, Ind., by F. A. Watkins, Jr., and J. S. Rosenshein. 1963. p. B1-B32.
- *1619-C. Subsidence in the Santa Clara Valley, California—A progress report, by J. F. Poland and J. H. Green. 1962. p. C1-C16.
- *1619-D. Ground-water resources of the coastal sand-dune area north of Coos Bay, Oreg., by S. G. Brown and R. C. Newcomb. 1963. p. D1-D32.
- *1619-E. Ground-water resources of the Alma area, Michigan, by K. E. Vanlier. 1963. p. E1-E66.
- *1619-F. Geology and ground-water features of Point Arguello Naval Missile Facility, Santa Barbara County, Calif., by R. E. Evenson and G. A. Miller. 1963. p. F1-F35.

- *1619-G. Causes of depletion of the Pecos River in New Mexico, by H. E. Thomas. 1963. p. G1-G14.
- *1619-H. Reconnaissance of headwater springs in the Gila River drainage basin, Arizona, by J. H. Feth and J. D. Hem. 1963. p. H1-H54.
- *1619-I. Pumping tests in the Los Alamos Canyon well field near Los Alamos, N. Mex., by C. V. Thies and C. S. Conover. 1962. p. I1-I24.
- *1619-J. Ground-water geology of Edwards County, Tex., by A. T. Long. 1963. p. J1-J29.
- *1619-K. Hydrogeology of Middle Canyon, Oquirrh Mountains, Tooele County, Utah, by J. S. Gates. 1963. p. K1-K40.
- *1619-L. Ground water in the alluvium of Kings River Valley, Humboldt County, Nev., by C. P. Zones. 1963. p. L1-L38.
- *1619-M. Ground-water resources of Cow Valley, Malheur County, Oreg., by S. G. Brown and R. C. Newcomb. 1962. p. M1-M38.
- *1619-N. Geology and occurrence of ground water in Lyon County, Minn., by H. G. Rodis. 1963. p. N1-N41.
- *1619-O. Problems of utilizing ground water in the west-side business district of Portland, Oreg., by S. G. Brown. 1963. p. O1-O42.
- *1619-P. Ground water in the Prineville area, Crook County, Oreg., by J. W. Robinson and Don Price. 1963. p. P1-P49.
- *1619-Q. Reconnaissance study of the chemical quality of surface waters in the Sacramento River basin, California, by Robert Brennan. 1963. p. Q1-Q44.
- *1619-R. Flow of springs and small streams in the Tecolote Tunnel area of Santa Barbara County, Calif., by S. E. Rantz. 1962. p. R1-R26.
- *1619-S. Geology and ground-water appraisal of the Naval Air Missile Test Center area, Point Mugu, Calif., by R. W. Page. 1963. p. S1-S40.
- *1619-T. Beach-area water supplies between Ocean City, Md., and Rehoboth Beach, Del., by T. H. Slaughter, Geologist, Maryland Department of Geology, Mines and Water Resources. 1962. p. T1-T10.
- *1619-U. Methods of measuring soil moisture in the field, by A. I. Johnson. 1962. p. U1-U25.
- *1619-V. Alluvial aquifer in northeastern Louisiana—A large source of water, by A. N. Turcan, Jr., and R. R. Meyer. 1962. p. V1-V28.
- *1619-W. Chemical quality of surface waters in Pennsylvania, by C. N. Durfor and P. W. Anderson. 1963. p. W1-W50.
- *1619-X. Geology and ground-water resources of Rock County, Wis., by E. F. LeRoux. 1963. p. X1-X50.
- *1619-Y. Geology and hydrology of Valle Grande and Valle Toledo, Sandoval County, N. Mex., by C. S. Conover, C. V. Theis, and R. L. Griggs. 1963. p. Y1-Y37.
- *1619-Z. Water-resources reconnaissance in southeastern part of Honey Lake Valley, Lassen County, Calif., by G. S. Hilton. 1963. p. Z1-Z8.
- *1619-AA. Ground-water conditions in the Fernley-Wadsworth area, Churchill, Lyon, Storey, and Washoe Counties, Nev., by W. C. Sinclair and O. J. Loeltz. 1963. p. AA1-AA22.
- *1619-BB. Ground-water exploration and test pumping in the Halma-Lake Bronson area, Kittson County, Minn., by G. R. Schiner. 1963. p. BB1-BB38.
- *1619-CC. Ground water in the Raft River basin, Idaho, with special refer-

- ence to irrigation use, 1956-60, by M. J. Mundorff and H. G. Sisco. 1963. p. CC1-CC23.
- *1619-DD. Analysis and evaluation of available hydrologic data for San Simon basin, Cochise and Graham Counties, Ariz., by N. D. White. 1963. p. DD1-DD33. (See also Water-Supply Paper 1809-R.)
- *1619-EE. Sedimentation of Lake Pillsbury, Lake County, Calif., by G. Porterfield and C. A. Dunnam. 1964. p. EE1-EE46.
- *1619-FF. Geology and ground-water resources of Bartow County, Ga., by M. G. Croft. 1963. p. FF1-FF32.
- *1619-GG. Geology and ground-water resources of the Town of Southold, Suffolk County, N.Y., by H. C. Crandell. 1963. p. GG1-GG36. (Water-Supply Paper 1619 issued only as separate chapters under the general title "Contributions to the hydrology of the United States, 1961." Chapter GG includes title page and contents for volume.)
- *1620. Geology and ground water of the Umatilla River basin, Oregon, by G. M. Hogenson. 1964. 162 p.
- *1641. Quality of surface waters of the United States, 1959—Parts 1 and 2, North Atlantic slope basins and south Atlantic slope and eastern Gulf of Mexico basins. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1965. 460 p.
- *1642. Quality of surface waters of the United States, 1959—Parts 3 and 4, Ohio River basin and St. Lawrence River basin. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1965. 303 p.
- *1643. Quality of surface waters of the United States, 1959—Parts 5 and 6, Hudson Bay and upper Mississippi River basins and Missouri River basin. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1963. 247 p.
- *1644. Quality of surface waters of the United States, 1959—Parts 7 and 8, Lower Mississippi River basin and western Gulf of Mexico basins. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1965. 508 p.
- *1645. Quality of surface water of the United States, 1959—Parts 9-14, Colorado River basin to Pacific slope basins in Oregon and lower Columbia River basin. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1966. 524 p.
- *1646. Ground-water geology of Grayson County, Tex., by E. T. Baker, Jr. 1963. 61 p.
- *1647-A. Geology and ground-water conditions in the Gila Bend Indian Reservation, Maricopa County, Ariz., by L. A. Heindl and C. A. Armstrong. 1963. p. A1-A48. (Water-Supply Paper 1647 issued only as separate chapters under the general title "Water supply of Indian reservations—Papago tribe.")
1648. Arizona water, by J. W. Harshbarger, D. D. Lewis, H. E. Skibitzke, W. L. Heckler, and L. R. Kister. 1966. 85 p. 60¢.
- *1649. Water for Oregon, by K. N. Phillips, R. C. Newcomb, H. A. Swenson, and L. B. Laird. 1965. 150 p.
- *1650-A. Floods of December 1955-January 1956 in the Far Western States—Part 1, Description, by Walter Hofmann and S. E. Rantz. 1963. p. A1-A156.
- *1650-B. Floods of December 1955-January 1956 in the Far Western States—Part 2, Streamflow data, by Walter Hofmann and S. E. Rantz.

1963. p. B1-B580. (Water-Supply Paper 1650 issued only as separate chapters under the general title "Floods of December 1955-January 1956 in the Far Western States." Chapter B includes title page and contents for volume.)
- *1651. Chemical quality of surface waters and sedimentation in the Saline River basin, Kansas, by P. R. Jordon, B. F. Jones, and L. R. Petri. 1964. 90 p.
- *1652-A. Floods of January-February 1957 in southeastern Kentucky and adjacent areas. 1964. p. A1-A195.
- *1652-B. Floods of April-June 1957 in Texas and adjacent States, by I. D. Yost. 1963. p. B1-B321.
- *1652-C. Summary of floods in the United States during 1957. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1963. p. C1-C98. (Water-Supply Paper 1652 issued only as separate chapters under the general title "Floods of 1957." Chapter C includes title page and contents for volume.)
- *1653. Ground-water resources of the Lower Rio Grande Valley area, Texas, by R. C. Baker and O. C. Dale. 1964. 56 p.
- *1654. Ground water for irrigation in the Snake River basin in Idaho, by M. J. Mundorff, E. G. Crosthwaite, and Chabot Kilburn. 1964. 224 p.
- *1655. Ground water in the Pullman area, Whitman County, Wash., by B. L. Foxworthy and R. L. Washburn. 1963. 71 p.
- *1656. Geology and ground-water features of the Edison-Maricopa area, Kern County, Calif., by P. R. Wood and R. H. Dale. 1964. 108 p.
- *1657. Hydrogeology of northwestern Nassau and northeastern Queens Counties, Long Island, N.Y., by W. V. Swarzenski. 1963 [1964]. 90 p.
- *1658. Ground-water resources of the South Platte River basin in western Adams and southwestern Weld Counties, Colo., by R. O. Smith, P. A. Schneider, Jr., and L. R. Petri. 1964. 132 p.
- *1659. An appraisal of potential ground-water salvage along the Pecos River between Acme and Artesia, N. Mex., by R. W. Mower, J. W. Hood, R. L. Cushman, R. L. Borton, and S. E. Galloway. 1964. 98 p.
- *1660-A. Floods of April-May 1958 in Louisiana and adjacent States, by R. P. Smith. 1964. p. A1-A149.
- *1660-B. Summary of floods in the United States during 1958. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1963. p. B1-B97. (Water-Supply Paper 1660 issued only as separate chapters under the general title "Floods of 1958." Chapter B includes title page and contents for volume.)
- *1661. Geology and ground water in the Farmington-Granby area, Connecticut, by A. D. Randall. 1964. 129 p.
- *1662-A. Specific yield—Column drainage and centrifuge moisture content, by A. I. Johnson, R. C. Prill, and D. A. Morris. 1963. p. A1-A60.
- *1662-B. Specific yield—Laboratory experiments showing the effect of time on column drainage, by R. C. Prill, A. I. Johnson, and D. A. Morris. 1965. p. B1-B55.
- 1662-D. Specific yield—Compilation of specific yields for various materials, by A. I. Johnson. 1967. p. D1-D74. 30¢. (Water-Supply Paper 1662 issued only as separate chapters under the general title "Hydrologic properties of earth materials.")

- *1663-A. Ground-water provinces of Brazil, by Robert Schneider. 1963. p. A1-A14.
- *1663-B. A brief appraisal of ground-water conditions in the coastal artesian basin of British Guiana, South America, by G. F. Worts, Jr. 1963. p. B1-B44.
- 1663-C. Ground-water resources of the Acu Valley, Rio Grande do Norte, Brazil, by H. G. Rodis and J. M. de Castro Araújo. 1968. p. C1-C34. 65¢.
- *1663-D. Ground water for public supply in St. Croix, Virgin Islands, by G. E. Hendrickson. 1963. p. D1-D27.
- 1663-E. Hydrogeology of the upper Capibaribe basin, Pernambuco, Brazil—A reconnaissance in an area of crystalline rocks, by Luiz Goncalves Chada Filho, Mario Dias Pessoa, and W. C. Sinclair. 1969. p. E1-E44. 75¢.
- 1663-F. Ground-water resources of the Lambayeque Valley, Department of Lambayeque, northern Peru, by S. L. Schoff and J. L. Sayán M. 1969. p. F1-F77. \$1.25. (Water-Supply Paper 1663 issued only as separate chapters under the general title "Contributions to the hydrology of Latin America and the Antilles.")
- *1664. Geology and ground water of San Antonio Creek valley, Santa Barbara County, Calif., by K. S. Muir. 1964. 53 p.
- *1665. Geology and ground-water resources of McMullen Valley, Maricopa, Yavapai, and Yuma Counties, Ariz., by William Kam. 1964. 64 p.
- *1666. Geology and ground-water resources of Lee and Sumter Counties, southwest Georgia, by Vaux Owen, Jr. 1963. 70 p.
- *1667-A. Chemical equilibria and rates of manganese oxidation, by J. D. Hem. 1963. p. A1-A64.
- *1667-B. Deposition and solution of manganese oxides, by J. D. Hem. 1964. p. B1-B42.
- *1667-C. Intracellular and extracellular concentration of manganese and other elements by aquatic organisms, by E. T. Oborn. 1964. p. C1-C18.
- *1667-D. Reduction and complexing of manganese by gallic acids, by J. D. Hem. 1965. p. D1-D28. (Water-Supply Paper 1667 issued only as separate chapters under the general title "Chemistry of manganese in natural water." Chapter D includes title page and contents for volume.)
- 1668. Sediment transported by Georgia streams, by V. C. Kennedy. 1964. 101 p. 35¢.
- *1669-A. Geology and ground-water conditions in the southern part of the Camp Ripley Military Reservation, Morrison County, Minn., by J. R. Jones, P. D. Akin, and Robert Schneider. 1963 [1964]. p. A1-A32.
- *1669-B. Sediment characteristics of small streams in southern Wisconsin 1954-59, by C. R. Collier. 1963. p. B1-B34.
- *1669-C. Hydrology of upper Black Earth Creek basin, Wisconsin, by D. R. Cline, *with a section on* Surface water, by M. W. Busby. 1963. p. C1-C27.
- *1669-D. Hydrogeology of the Huntington-Smithtown area, Suffolk County, N.Y., by E. R. Lubke. 1964. p. D1-D68.
- *1669-E. Ground-water resources and geology of the Lyman-Mountain View area, Uinta County, Wyo., by C. J. Robinove and T. R. Cummings. 1963. p. E1-E43.
- *1669-F. Ground-water conditions in the Rainbow Valley and Waterman Wash areas, Maricopa and Pinal Counties, Ariz., by N. D. White. 1963 [1964]. p. F1-F50.

- *1669-G. Low-flow frequency curves for selected long-term stream-gaging stations in Eastern United States, by C. H. Hardison and R. O. R. Martin. 1963. p. G1-G30.
- *1669-H. Sedimentation and chemical quality of water in Salt Creek basin, Nebraska, by L. R. Kister, Jr., and J. C. Mundorff. 1963. p. H1-H47.
- *1669-I. Water regimen of the inner valley of the San Pedro River near Mammoth, Ariz., (A pilot study), by H. G. Page. 1963. p. I1-I22.
- *1669-J. Ground-water conditions in the Green Bay area, Wisconsin, 1950-60, by D. B. Knowles. 1964. J1-J37.
- *1669-K. Correlation of water-level fluctuations with climatic cycles in the Oklahoma Panhandle, by I. W. Marine. 1963. p. K1-K10.
- *1669-L. Ground-water potential of the alluvium of the Arkansas River between Little Rock and Fort Smith, Ark., by M. S. Bedinger, L. F. Emmett, and H. G. Jeffery. 1963. p. L1-L29.
- *1669-M. Specific-yield and particle-size relations of Quaternary alluvium, Humboldt River valley, Nevada, by Philip Cohen. 1963. p. M1-M24.
- *1669-N. Water-supply characteristics of streams in the Delaware River basin and in southern New Jersey, by C. H. Hardison and R. O. R. Martin. 1963. p. N1-N45.
- *1669-O. Ground-water conditions at Argonne National Laboratory, Illinois, 1948-60, by D. B. Knowles, W. J. Drescher, and E. F. LeRoux. 1963. p. O1-O40.
- *1669-P. Water in the Dakota and Purgatoire Formations in Otero County and the southern part of Crowley County, Colo., by W. G. Weist, Jr. 1963. p. P1-P17.
- *1669-Q. Ground-water conditions in the vicinity of Lake Mead Base, Las Vegas Valley, Nev., by O. J. Loeltz. 1963. p. Q1-Q17.
- *1669-R. Geology and ground-water conditions of the Redwood Falls area, Redwood County, Minn., by G. R. Schiner and Robert Schneider. 1964. p. R1-R46.
- *1669-S. Yearly variations in runoff for the conterminous United States, 1931-60, by M. W. Busby. 1963. p. S1-S49.
- *1669-T. Reconnaissance of ground-water conditions in Maine, by G. C. Prescott, Jr. 1963. p. T1-T52.
- *1669-U. Ground-water resources of Waupaca County, Wis., by C. F. Berkstresser, Jr. 1964. p. U1-U38.
- *1669-V. Ground water in the lower Arkansas River valley, Arkansas, by M. S. Bedinger and H. G. Jeffery. 1964. p. V1-V17.
- *1669-W. The yield of sedimentary aquifers of the Coastal Plain, Southeast River Basins, by J. T. Callahan. 1964. p. W1-W56.
- *1669-X. Ground-water investigations in the lower Cache la Poudre River basin, Colorado, by L. A. Hershey and P. A. Schneider, Jr. 1964. p. X1-X22.
- *1669-Y. Ground-water resources of the Lowell area, Massachusetts, by J. A. Baker. 1964. p. Y1-Y37.
- *1669-Z. Selected techniques in water resources investigations, compiled by G. N. Mesnier and K. T. Iseri. 1963. p. Z1-Z64.
- *1669-AA. Ground-water resources of the lower Mesilla Valley, Tex. and N. Mex., by E. R. Leggat, M. E. Lowry, and J. W. Hood. 1963 [1964]. p. AA1-AA49.

- *1669-BB. Reconnaissance of the ground-water resources of the Arkansas Valley region, Arkansas, by R. M. Cordova. 1963. p. BB1-BB33.
- *1669-CC. Natural sources of salinity in the Brazos River, Tex., with particular reference to the Croton and Salt Croton Creek basins, by R. C. Baker, L. S. Hughes, and I. D. Yost. 1964. p. CC1-CC81. (Water-Supply Paper 1669 issued only as separate chapters under the general title "Contributions to the hydrology of the United States, 1962." Chapter CC includes title page and contents for volume.)
- *1670. Water problems in the Springfield-Holyoke area, Massachusetts, by J. C. Kammerer and H. L. Baldwin. 1962. 68 p. (Revised 1963.)
- *1671. Magnitude and frequency of floods in the United States—Part 1-A, North Atlantic slope basins, Maine to Connecticut, by A. R. Green. 1964. 260 p.
- *1672. Magnitude and frequency of floods in the United States—Part 1-B, North Atlantic slope basins, New York to York River, by R. H. Tice. 1968. 585 p.
- *1673. Magnitude and frequency of floods in the United States—Part 2-A, South Atlantic slope basins, James River to Savannah River, by P. R. Speer and C. R. Gamble. 1964. 329 p.
- *1674. Magnitude and frequency of floods in the United States—Part 2-B, South Atlantic slope and eastern Gulf of Mexico basins, Ogeechee River to Pearl River, by H. H. Barnes, Jr., and H. G. Golden. 1966 [1967]. 409 p.
- *1675. Magnitude and frequency of floods in the United States—Part 3-A, Ohio River basin except Cumberland and Tennessee River basins, by P. R. Speer and C. R. Gamble. 1965. 630 p.
- *1676. Magnitude and frequency of floods in the United States—Part 3-B, Cumberland and Tennessee River basins, by P. R. Speer and C. R. Gamble. 1964. 340 p.
- 1677. Magnitude and frequency of floods in the United States—Part 4, St. Lawrence River basin, by S. W. Wiitala. 1965. 357 p. \$1.75.
- 1678. Magnitude and frequency of floods in the United States—Part 5, Hudson Bay and upper Mississippi River basins, by J. L. Patterson and C. R. Gamble. 1968. 546 p. \$2.50.
- *1679. Magnitude and frequency of floods in the United States—Part 6-A, Missouri River basin above Sioux City, Iowa, by J. L. Patterson. 1966. 471 p.
- 1680. Magnitude and frequency of floods in the United States—Part 6-B, Missouri River basin below Sioux City, Iowa, by H. F. Matthai. 1968. 491 p. \$2.75.
- *1681. Magnitude and frequency of floods in the United States—Part 7, Lower Mississippi River basin, by J. L. Patterson. 1964. 636 p.
- *1682. Magnitude and frequency of floods in the United States—Part 8, Western Gulf of Mexico basins, by J. L. Patterson. 1965. 506 p.
- 1683. Magnitude and frequency of floods in the United States—Part 9, Colorado River basin, by J. L. Patterson and W. P. Somers. 1966. 475 p. \$2.
- *1684. Magnitude and frequency of floods in the United States—Part 10, The Great Basin, by E. B. Butler, J. K. Reid, and V. K. Berwick. 1966. 256 p.
- *1685. Magnitude and frequency of floods in the United States—Part 11,

- Pacific slope basins in California—Volume 1, Coastal basins south of the Klamath River basin and Central Valley drainage from the west, by L. E. Young and R. W. Cruff. 1967. 272 p.
1686. Magnitude and frequency of floods in the United States—Part 11, Pacific slope basins in California— Volume 2, Klamath and Smith River basins and Central Valley drainage from the east, by L. E. Young and R. W. Cruff. 1967. 308 p. \$1.75.
- *1687. Magnitude and frequency of floods in the United States—Part 12, Pacific slope basins in Washington and upper Columbia River basin, by G. L. Bodhaine and D. M. Thomas. 1964. 337 p.
- *1688. Magnitude and frequency of floods in the United States—Part 13, Snake River basin, by C. A. Thomas, H. C. Broom, and J. E. Cummins. 1963 [1964]. 250 p.
- *1689. Magnitude and frequency of floods in the United States—Part 14, Pacific slope basins in Oregon and lower Columbia River basin, by Harry Hulsing and N. A. Kallio. 1964. 320 p.
- *1690. Bibliography and discussion of flood-routing methods and unsteady flow in channels, by V. M. Yevdjovich. 1964. 235 p.
- *1691. Ground-water contamination and legal controls in Michigan, by Morris Deutsch. 1963 [1964]. 79 p.
- *1692. Evaporation control research, 1959–60, by G. E. Koberg, R. R. Cruse, and C. L. Shrewsbury. 1963. 55 p.
- *1693. A summary of the occurrence and development of ground water in the Southern High Plains of Texas, by J. G. Cronin, *with a section on Artificial recharge studies*, by B. N. Myers. 1964. 88 p.
- *1694. Geology and ground-water conditions in the Wilmington-Reading area, Massachusetts, by J. A. Baker, H. G. Healy, and O. M. Hackett. 1964. 80 p.
- *1695. Geology and ground-water resources of southeastern New Hampshire, by Edward Bradley. 1964. 80 p.
- *1696–A. Determination of beta activity in water, by F. B. Barker and B. P. Robinson. 1963. p. A1–A32.
- *1696–B. Determination of radium in water, by F. B. Barker and J. O. Johnson. 1964. p. B1–B29.
- *1696–C. Determination of uranium in natural waters, by F. B. Barker, J. O. Johnson, K. W. Edwards, and B. P. Robinson. 1965. p. C1–C25.
- *1696–D. Quantitative determination of tritium in natural waters, by C. M. Hoffman and G. L. Stewart. 1966. p. D1–D18.
- 1696–E. Determination of strontium-90 in water, by J. O. Johnson and K. W. Edwards. 1967. p. E1–E10. 15¢.
- 1696–F. Isotopic analysis of uranium in natural waters by alpha spectrometry, by K. W. Edwards. 1968. p. F1–F26. 15¢. (Water-Supply Paper 1696 issued only as separate chapters under the general title “Radiochemical analysis of water.”)
- *1697. Geology and ground water of the Tualatin Valley, Oreg., by D. H. Hart and R. C. Newcomb. 1965. 172 p.
- *1698. Ground-water resources and geology of northern and western Crook County, Wyo., by H. A. Whitcomb and D. A. Morris, *with a section on The chemical quality of the ground water*, by R. H. Langford. 1964. 92 p.
- *1699. Quality of surface waters for irrigation, Western States, 1959. Pre-

- pared under the direction of S. K. Love, Chief, Quality of Water Branch. 1963 [1964]. 147 p.
- *1700. Geochemistry of natural waters of the Blue Grass region, Kentucky, by G. E. Hendrickson and R. A. Krieger. 1964. 135 p.
 - *1702. Surface water supply of the United States 1960—Part 1-B, North Atlantic slope basins, New York to York River. 1962. 567 p.
 - *1704. Surface water supply of the United States 1960—Part 2-B, South Atlantic slope and eastern Gulf of Mexico basins, Ogeechee River to Pearl River. 1962. 465 p.
 - *1705. Surface water supply of the United States 1960—Part 3-A, Ohio River basin except Cumberland and Tennessee River basins. 1961 [1962]. 588 p.
 - *1708. Surface water supply of the United States 1960—Part 5, Hudson Bay and upper Mississippi River basins. 1962. 588 p.
 - *1710. Surface water supply of the United States 1960—Part 6-B, Missouri River basin below Sioux City, Iowa. 1961 [1962]. 491 p.
 - *1711. Surface water supply of the United States 1960—Part 7, lower Mississippi River basin. 1962. 594 p.
 - *1712. Surface water supply of the United States 1960—Part 8, Western Gulf of Mexico basins. 1961 [1962]. 511 p.
 - *1720. Quantity and quality of surface waters of Alaska, 1960. 1962. 122 p.
 - *1721. Compilation of records of surface waters of the United States, October 1950 to September 1960—Part 1-A, North Atlantic slope basins, Maine to Connecticut. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1964. 317 p.
 - *1722. Compilation of records of surface waters of the United States, October 1950 to September 1960—Part 1-B, North Atlantic slope basins, New York to York River. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1964. 578 p.
 - *1723. Compilation of records of surface waters of the United States, October 1950 to September 1960—Part 2-A, South Atlantic slope basins, James River to Savannah River. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1964. 303 p.
 - *1724. Compilation of records of surface waters of the United States, October 1950 to September 1960—Part 2-B, South Atlantic slope and eastern Gulf of Mexico basins, Ogeechee River to Pearl River. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1963 [1964]. 458 p.
 - *1725. Compilation of records of surface waters of the United States, October 1950 to September 1960—Part 3-A, Ohio River basin except Cumberland and Tennessee River basins. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1964. 560 p.
 - *1726. Compilation of records of surface waters of the United States, October 1950 to September 1960—Part 3-B, Cumberland and Tennessee River basins. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1964. 269 p.
 - *1727. Compilation of records of surface waters of the United States, October 1950 to September 1960—Part 4, St. Lawrence River basin. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1964. 379 p.
 - *1728. Compilation of records of surface waters of the United States, October

- 1950 to September 1960—Part 5, Hudson Bay and upper Mississippi River basins. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1964. 576 p.
- *1729. Compilation of records of surface waters of the United States, October 1950 to September 1960—Part 6-A, Missouri River basin above Sioux City, Iowa. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1964. 507 p.
- *1730. Compilation of records of surface waters of the United States, October 1950 to September 1960—Part 6-B, Missouri River basin below Sioux City, Iowa. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1964. 514 p.
- *1731. Compilation of records of surface waters of the United States, October 1950 to September 1960—Part 7, Lower Mississippi River basin. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1964. 552 p.
- *1732. Compilation of records of surface waters of the United States, October 1950 to September 1960—Part 8, Western Gulf of Mexico basins. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1964. 574 p.
- *1733. Compilation of records of surface waters of the United States, October 1950 to September 1960—Part 9, Colorado River basin. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1964. 586 p.
- *1734. Compilation of records of surface waters of the United States, October 1950 to September 1960—Part 10, The Great Basin. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1963 [1964]. 318 p.
- *1735. Compilation of records of surface waters of the United States, October 1950 to September 1960—Part 11, Pacific slope basins in California. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1964. 715 p.
- *1736. Compilation of records of surface waters of the United States, October 1950 to September 1960—Part 12, Pacific slope basins in Washington and upper Columbia River basin. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1964. 415 p.
- *1737. Compilation of records of surface waters of the United States, October 1950 to September 1960—Part 13, Snake River basin. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1963 [1964]. 282 p.
- *1738. Compilation of records of surface waters of the United States, October 1950 to September 1960—Part 14, Pacific slope basins in Oregon and lower Columbia River basin. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1963 [1964]. 327 p.
- *1739. Compilation of records of surface waters of Hawaii, July 1950 to June 1960. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1964. 136 p.
- *1740. Compilation of records of surface waters of Alaska, October 1950 to September 1960. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1964. 86 p.
- *1741. Quality of surface waters of the United States, 1960—Parts 1 and 2, North Atlantic slope basins and south Atlantic slope and eastern Gulf

- of Mexico basins. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1968. 418 p.
1742. Quality of surface waters of the United States 1960—Parts 3 and 4, Ohio River basin and St. Lawrence River basin. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1968. 309 p. \$1.25.
- *1743. Quality of surface waters of the United States, 1960—Parts 5 and 6, Hudson Bay and upper Mississippi River basins and Missouri River basin. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1966. 278 p.
1744. Quality of surface waters of the United States, 1960—Parts 7 and 8, Lower Mississippi River basin and western Gulf of Mexico basins. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1968. 548 p. \$2.50.
- *1745. Quality of surface waters of the United States, 1960—Parts 9–14, Colorado River basin to Pacific slope basins in Oregon and lower Columbia River basin. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1968. 607 p.
1746. Quality of surface waters for irrigation, Western States, 1960. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1968 [1969]. 152 p. \$1.25.
- *1747. Geology and hydrology of the West Milton area, Saratoga County, N.Y., by F. K. Mack, F. H. Pauszek, and J. R. Crippen. 1964. 110 p.
1748. Apparatus and techniques for measuring bedload, by D. W. Hubbell. 1964. 74 p. 30¢.
- *1749. Geology and ground-water resources of Nobles County and part of Jackson County, Minn., by R. F. Norvitch. 1964. 70 p.
- *1750–A. Floods of January–February 1959 in Ohio and adjacent States. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1964. p. A1–A296.
- *1750–B. Summary of floods in the United States during 1959. Prepared under the direction of E. L. Hendricks, Chief, Surface Water Branch. 1964. p. B1–B101. (Water-Supply Paper 1750 issued only as separate chapters under the general title “Floods of 1959 in the United States.” Chapter B includes title page and contents for volume.)
- *1751. Surface water supply of Mariana, Caroline, and Samoa Islands through June 1960. 1962. 107 p.
- *1752. Ground-water resources of north-central Connecticut, by R. V. Cushman. 1964. 96 p.
- *1753. Geology and ground-water resources of the Los Alamos area, New Mexico, by R. L. Griggs, *with a section on* Quality of water, by J. D. Hem. 1964. 107 p.
- *1754. Preliminary results of hydrogeologic investigations in the valley of the Humboldt River near Winnemucca, Nev., by Philip Cohen. 1964. 59 p.
- *1755. Large springs of east Tennessee, by P-C. P. Sun, J. H. Criner, and J. L. Poole. 1963. 52 p.
- *1756. Ground-water resources of southern New Castle County, Del., by D. R. Rima, O. J. Coskery, and P. W. Anderson. 1964. 54 p.
- *1757–A. Ground-water exploration in Al Marj area, Cyrenaica, United Kingdom of Libya, by T. G. Newport and Yousef Haddor. 1963. p. A1–A24.

- *1757-B. Ground-water resources of the Bengási area, Cyrenaica, United Kingdom of Libya, by W. W. Doyel and F. J. Maguire. 1964. p. B1-B21.
- *1757-C. Ground water in the Sirte area, Tripolitania, United Kingdom of Libya, by William Ogilbee. 1964. p. C1-C14.
- *1757-D. Ground-water provinces of Southern Rhodesia, by P. E. Dennis and L. L. Hindson. 1964. p. D1-D15.
- 1757-E. The occurrence, chemical quality, and use of ground water in the Tabulbah area, Tunisia, by L. C. Dutcher and H. E. Thomas. 1966. p. E1-E29. \$1.25.
- 1757-F. Surface water and related climate features of the Sāhil Sūsah area, Tunisia, by L. C. Dutcher and H. E. Thomas. 1967. p. F1-F40. \$1.
- 1757-G. Regional geology and ground-water hydrology of the Sāhil Sūsah area, Tunisia, by L. C. Dutcher and H. E. Thomas. 1968. p. G1-G53. \$1.50.
- 1757-I. Ground-water hydrology of the Chad Basin in Bornu and Dikwa Emirates, northeastern Nigeria, *with special emphasis on the flow life of the artesian system*, by R. E. Miller, R. H. Johnston, J. A. I. Olowu, and J. U. Uzoma. 1968. p. I1-I48. \$2.
- 1757-J. Ground-water geology of Kordofan Province, Sudan, by H. G. Rodis, Abdulla Hassan, and Lutfi Wahadan. 1968. p. J1-J48. 60¢.
- 1757-K. A ground-water reconnaissance of the Republic of Ghana, with a description of geohydrologic provinces, by H. E. Gill. 1969 [1970]. p. K1-K38. \$1.25. (Water-Supply Paper 1757 issued only as separate chapters under the general title "Contributions to the hydrology of Africa and the Mediterranean region.")
- *1758. Surface-water hydrology of coastal basins of northern California, by S. E. Rantz. 1964. 77 p.
- *1759-A. Ground and surface water in the Mesabi and Vermilion Iron Range area, northeastern Minnesota, by R. D. Cotter, H. L. Young, L. R. Petri, and C. H. Prior. 1965. A1-A36.
- *1759-B. Water resources in the vicinity of municipalities on the western Mesabi Iron Range, northeastern Minnesota, by R. D. Cotter, H. L. Young, L. R. Petri, and C. H. Prior. 1965. p. B1-B24.
- *1759-C. Water resources in the vicinity of municipalities on the west-central Mesabi Iron Range, northeastern Minnesota, by R. D. Cotter, H. L. Young, L. R. Petri, and C. H. Prior. 1965. p. C1-C21.
- *1759-D. Water resources in the vicinity of municipalities on the central Mesabi Iron Range, northeastern Minnesota, by R. D. Cotter, H. L. Young, L. R. Petri, and C. H. Prior. 1965. p. D1-D20.
- *1759-E. Water resources in the vicinity of municipalities on the east-central Mesabi Iron Range, northeastern Minnesota, by R. D. Cotter, H. L. Young, L. R. Petri, and C. H. Prior. 1965. p. E1-E23.
- *1759-F. Water resources in the vicinity of municipalities on the eastern Mesabi Iron Range and the Vermilion Iron Range, northeastern Minnesota, by R. D. Cotter, H. L. Young, L. R. Petri, and C. H. Prior. 1965. p. F1-F27. (Water-Supply Paper 1759 issued only as separate chapters under the general title "Water resources of the Mesabi and Vermilion Iron Ranges." Chapter F includes title page and contents for volume.)
- *1760. Ground-water levels in the United States, 1956-60—Northwestern States. Prepared under the direction of O. M. Hackett, Chief, Ground Water Branch. 1963. 222 p.

- *1761. Water-supply characteristics of North Carolina streams, by G. C. Goddard, Jr. 1963. 223 p.
- *1762. Water in Georgia, by J. T. Callahan, L. E. Newcomb, and J. W. Geurin. 1965. 88 p.
- *1763. Water resources of the Pascagoula area, Mississippi, by E. J. Harvey, H. G. Golden, and H. G. Jeffery. 1965. 135 p.
- *1764. Ground-water geology of the Dickson, Lawrenceburg, and Waverly areas in the western Highland Rim, Tenn., by M. V. Marcher, R. H. Bingham, and R. E. Lounsbury. 1964. 50 p.
- 1765. Water in Alabama, by G. W. Swindel, Jr., M. R. Williams, and J. W. Geurin. 1963. 89 p. 60¢. (Revised by H. L. Baldwin, 1963.)
- *1766. The water supply of El Morro National Monument, by S. W. West and H. L. Baldwin. 1965. 32 p.
- *1767. Delaware water, by W. C. Rasmussen, J. W. Odell, and N. H. Beamer. 1966. 106 p.
- *1768. Hydrology of the Babylon-Islip area, Suffolk County, Long Island, N.Y., by E. J. Pluhowski and I. H. Kantrowitz. 1964. 119 p.
- *1769. Chemical quality of surface waters, and sedimentation in the Grand River drainage basin, North and South Dakota, by C. H. Hembree, R. A. Krieger, and P. R. Jordan. 1964. 78 p.
- *1770. Ground-water levels in the United States, 1956-60—Southwestern States. Prepared under the direction of O. M. Hackett, Chief, Ground Water Branch. 1963. 160 p.
- *1771. Geology and ground water in the central part of Apache County, Ariz., by J. P. Akers. 1964 [1965]. 107 p.
- *1772. Geology and ground-water resources of Prowers County, Colo., by P. T. Voegeli, Sr., and L. A. Hershey. 1965. 101 p.
- *1773. Geology and ground-water resources of the Anchorage area, Alaska, by D. J. Cederstrom, F. W. Trainer, and R. M. Waller. 1964. 108 p.
- *1774. Water resources of De Soto Parish, La., by L. V. Page and H. L. Pree, Jr. 1964 [1965]. 152 p.
- 1775. Hydrologic characteristics and sustained yield of principal ground-water units, Potowomut-Wickford area, Rhode Island, by J. S. Rosenshein, J. B. Gonthier, and W. B. Allen. 1968. 38 p. \$3.50.
- 1776. Geology and ground-water resources of Washington, D.C., and vicinity, by P. M. Johnston, *with a section on* Chemical quality of the water, by D. E. Weaver and Leonard Siu. 1964. 97 p. \$2.25.
- *1777. Geology and ground-water resources of Washington County, Colo., by H. E. McGovern. 1964. 46 p.
- *1778. Ground-water resources in southern Oahu, Hawaii, by F. N. Visser and J. F. Mink. 1964. 133 p.
- *1779-A. Geologic reconnaissance and test-well drilling, Cordova, Alaska, by K. L. Walters. 1963. p. A1-A11.
- *1779-B. Variations in the chemical character of the Susquehanna River at Harrisburg, Pa., by P. W. Anderson. 1963. p. B1-B17.
- *1779-C. Chemical quality of surface water in the West Branch Susquehanna River basin, Pennsylvania, by E. F. McCarren. 1964. p. C1-C40.
- *1779-D. Hydrology and the effects of increased ground-water pumping in the Anchorage area, Alaska, by R. M. Waller. 1964. p. D1-D36.
- *1779-E. Ground-water conditions in the proposed waterfowl refuge area near Chapman, Nebr., by C. F. Keech, *with a section on* Chemical quality of the water, by P. G. Rosene. 1964. p. E1-E55.

- *1779-F. Hydrologic studies of small watersheds, Honey Creek basin, Collin and Grayson Counties, Tex., 1953-59, by C. R. Gilbert, G. G. Commons, G. E. Koberg, and F. W. Kennon, 1964. p. F1-F98.
- *1779-G. Geology and ground-water resources of Bradley, Calhoun, and Ouachita Counties, Ark., by D. R. Albin. 1964. p. G1-G32.
- *1779-H. Ground water in Cedar Rapids Division of lower Platte River basin, Nebraska, by J. B. Hyland and C. F. Keech, *with a section on* Chemical quality of the water, by P. G. Rosene. 1964. p. H1-H12.
- *1779-I. Ground water in the Sandpoint region, Bonner County, Idaho, by E. H. Walker. 1964. p. I1-I29.
- *1779-J. Geology and water resources of the Bluewater Springs area, Carbon County, Mont., by E. A. Zimmerman. 1964. p. J1-J24.
- *1779-K. Chemical quality of surface waters in the Brazos River in Texas, by Burdge Irelan and H. B. Mendieta. 1964. p. K1-K70.
- *1779-L. Discharge ratings for streams at submerged section controls, by W. S. Eisenlohr, Jr. 1964. p. L1-L32.
- *1779-M. Historical floods in New England, by M. T. Thomson, W. B. Gannon, M. P. Thomas, G. S. Hayes, and others. 1964. p. M1-M105.
- *1779-N. Geology and ground-water resources in eastern Cheyenne and Kiowa Counties, Colo., by A. J. Boettcher, *with a section on* Chemical quality of the ground water, by C. A. Horr. 1964. p. N1-N32.
- *1779-O. Hydrology of aquifer systems in the Memphis area, Tennessee, by J. H. Criner, P.-C. P. Sun, and D. J. Nyman. 1964. p. O1-O54.
- *1779-P. Geology and ground water of the Luke area, Maricopa County, Ariz., by R. S. Stulik and F. R. Twenter. 1964. p. P1-P30.
- *1779-Q. Ground water in the Midvale and Council areas, upper Weiser River basin, Idaho, by E. H. Walker and H. G. Sisco. 1964. p. Q1-Q26.
- *1779-R. Snowmelt hydrology of a Sierra Nevada stream, by S. E. Rantz. 1964. p. R1-R36.
- *1779-S. Evaluation of hydrogeology and hydrogeochemistry of Truckee Meadows area, Washoe County, Nev., by Philip Cohen and O. J. Loeltz. p. S1-S63.
- *1779-T. The effect of artesian-pressure decline on confined aquifer systems and its relation to land subsidence, by J. H. Green. 1964. p. T1-T11.
- *1779-U. Geology and ground-water resources of Dane County, Wis., by D. R. Cline. 1965. p. U1-U64.
- *1779-V. Ground-water resources of eastern Arkansas in the vicinity of U.S. Highway 70, by H. N. Halberg and J. E. Reed. 1964. p. V1-V38.
- *1779-W. Geology and ground-water resources of Richardson County, Nebr., by P. A. Emery. 1964. p. W1-W29.
- *1779-X. Quality of Delaware River water at Trenton, N. J., by L. T. McCarthy, Jr., and W. B. Keighton. 1964. p. X1-X51.
- *1779-Y. A brief geologic and hydrologic reconnaissance of the Furnace Creek Wash area, Death Valley National Monument, Calif., by M. A. Pistrang and Fred Kunkel. 1964. p. Y1-Y35.
- *1779-Z. Selected bibliography on laboratory and field methods in ground-water hydrology, by A. I. Johnson. 1964. p. Z1-Z21.
- *1779-AA. Stream hydrology related to the optimum discharge for king salmon spawning in the northern California Coast Ranges, by S. E. Rantz. 1964. p. AA1-AA16.
- *1779-BB. Ground-water resources of Mirage Flats, Nebr., by C. F. Keech. 1964. p. BB1-BB36. (Water-Supply Paper 1779 issued only as separate

- chapters under the general title "Contributions to the hydrology of the United States, 1963." Chapter BB includes title page and contents for volume.)
- *1780. Available water supply of the Las Vegas ground-water basin, Nevada, by G. T. Malmberg. 1965. 116 p.
 - *1781. Ground-water levels in the United States, 1957-61—North-Central States. Prepared under the direction of O. M. Hackett, Chief, Ground Water Branch. 1964. 148 p.
 - 1782. Ground-water levels in the United States, 1958-62—Northeastern States. Prepared under the direction of O. M. Hackett, Chief, Ground Water Branch. 1965. 252 p. \$1.
 - *1783. Hydrologic conditions in the Wheatland Flats area, Platte County, Wyo., by E. P. Weeks. 1964. 79 p.
 - *1784. Quality of surface waters in the lower Columbia River basin, by J. F. Santos. 1965. 78 p.
 - *1785. An appraisal of the possibilities of artificial recharge to ground-water supplies in part of the Roswell basin, New Mexico, by W. S. Motts and R. L. Cushman. 1964. 85 p.
 - *1786. Inventory of published and unpublished chemical analyses of surface waters in the continental United States and Puerto Rico, 1961, by T. H. Woodard and S. G. Heidel. 1964. 490 p.
 - *1787. Ground-water conditions and storage in the central Sevier Valley, Utah, by R. A. Young and C. H. Carpenter. 1965. 95 p.
 - 1788. Ground-water resources and geology of Niobrara County, Wyo., by H. A. Whitcomb, *with a section on* Chemical quality of the ground water, by T. R. Cummings, 1965. 101 p. \$1.75.
 - *1789. Ground water in the upper part of the Teton Valley, Teton Counties, Idaho and Wyoming, by Chabot Kilburn. 1964 [1965]. 60 p.
 - *1790-A. Floods of March-April 1960 in eastern Nebraska and adjacent States, by H. D. Brice and R. E. West. 1965. p. A1-A144.
 - *1790-B. Summary of floods in the United States during 1960, by J. O. Rostvedt. 1965. p. B1-B147. (Water-Supply Paper 1790 issued only as separate chapters under the general title "Floods of 1960 in the United States." Chapter B includes title page and contents for volume.)
 - *1791. Hydrologic conditions near Glendo, Platte County, Wyo., by G. E. Welder and E. P. Weeks. 1965. 82 p.
 - *1792. Ground water in permafrost regions—An annotated bibliography, by J. R. Williams. 1965. 294 p.
 - *1793. Ground water in the East Portland area, Oregon, by G. M. Hogenson and B. L. Foxworthy. 1965. 78 p.
 - *1794. Ground-water resources of Pavant Valley, Utah, by R. W. Mower. 1965. 78 p.
 - *1795. Water resources of the Humboldt River valley near Winnemucca, Nev., by Philip Cohen and others. 1965 [1966]. 143 p.
 - *1796. Geology and water resources of Portage County, Wis., by C. L. R. Holt, Jr. 1965. 77 p.
 - *1797. Has the United States enough water?, by A. M. Piper. 1965 [1966]. 27 p.
 - *1798-A. Fluvial sediment in Kiowa Creek basin, Colorado, by J. C. Mundorff. 1964. p. A1-A70.
 - *1798-B. Fluvial sediment in the Little Arkansas River basin, Kansas, by C. D. Albert and G. J. Stramel. 1966. p. B1-B30.

- *1798-C. Sedimentation in Brownell Creek subwatershed No. 1, Nebraska, by J. C. Mundorff. 1966. p. C1-C49.
- 1798-D. Fluvial sediment in the drainage area of K-79 Reservoir, Kiowa Creek basin, Colorado, by J. C. Mundorff. 1968. p. D1-D26. 45¢.
- 1798-E. Sedimentation in the Piru Creek watershed, southern California, by K. M. Scott, J. R. Ritter, and J. M. Knott. 1968. p. E1-E48. 35¢.
- 1798-F. Sedimentation in upper Stony Creek basin, eastern flank of the Coast Ranges of northern California, by J. M. Knott and C. A. Dunnam. 1969. p. F1-F35. 25¢.
- 1798-G. Sedimentation in Plum Creek subwatershed No. 4, Shelby County, north-central Kentucky, by P. W. Anttila. 1970. p. G1-G54. \$1. (Water-Supply Paper 1798 issued only as separate chapters under the general title "Sedimentation in small drainage basins.")
- *1799. Geology and occurrence of ground water in Otero County and the southern part of Crowley County, Colo., by W. G. Weist, Jr., *with sections on* Hydrology of the Arkansas River valley in the project area, by W. G. Weist, Jr., and E. D. Jenkins; Hydraulic properties of the water-bearing materials, by E. D. Jenkins; *and* Quality of the ground water, by C. A. Horr. 1965. 90 p.
- *1800. The role of ground water in the national water situation, by C. L. McGuinness. 1963. 1121 p. (With State summaries based on reports by district offices of the Ground Water Branch.)
- 1801. Geology and availability of ground water in the northern part of the White Sands Missile Range and vicinity, New Mexico, by J. E. Weir, Jr. 1965. 78 p. \$1.25.
- *1802. Fluvial sediment of the Mississippi River at St. Louis, Mo., by P. R. Jordan. 1965. 89 p.
- *1803. Ground-water levels in the United States, 1959-63—Southeastern States. Prepared under the direction of O. M. Hackett, Chief, Ground Water Branch. 1965 [1966]. 265 p.
- *1804. Drought of the 1950's—With special reference to the Midcontinent, by R. L. Nace and E. J. Pluhowski. 1965. 88 p.
- *1805. Ground water in Huerfano County, Colo., by T. G. McLaughlin. 1966. 91 p.
- *1806. Ground-water resources and geology of northern and central Johnson County, Wyo., by H. A. Whitcomb, T. R. Cummings, and R. A. McCullough. 1966. 99 p.
- *1807. Ground-water resources of Sheridan County, Wyo., by M. E. Lowry and T. R. Cummings. 1966. 77 p.
- *1808. Ground-water resources of the Dayton area, Ohio, by S. E. Norris and A. M. Spieker. 1966. 167 p.
- *1809-A. Ground-water resources of the Jenkins-Whitesburg area, Kentucky, by D. S. Mull. 1965. p. A1-A36.
- *1809-B. Geology and ground-water resources of Waushara County, Wis., by W. K. Summers. 1965. p. B1-B32.
- *1809-C. Ground water in the upper Star Valley, Wyo., by E. H. Walker. 1965. p. C1-C27.
- *1809-D. An evaluation of aquifer and well characteristics of municipal well fields in Los Alamos and Guaje Canyons, near Los Alamos, N. Mex., by R. L. Cushman. 1965. p. D1-D50.
- *1809-E. Galleries and their use for development of shallow ground-water

- supplies, with special reference to Alaska, by A. J. Feulner. 1964. p. E1-E16.
- *1809-F. Geology and hydrology of the Claiborne Group in Western Tennessee, by G. K. Moore, 1965. p. F1-F44.
- *1809-G. Ground-water resources of North Park and Middle Park, Colo.—A reconnaissance, by P. T. Voegeli, Sr. 1965. p. G1-G54.
- *1809-H. Reconnaissance of the chemical quality of surface waters of the Sabine River basin, Texas and Louisiana, by L. S. Hughes and D. K. Leifeste. 1965. p. H1-H71.
- *1809-I. Ground-water pumpage and water-level changes in the Milwaukee-Waukesha area, Wisconsin, 1950-61, by J. H. Green and R. D. Hutchinson. 1965. p. I1-I19.
- *1809-J. Water-resources reconnaissance of the Ouachita Mountains, Ark., by D. R. Albin. 1965. p. J1-J14.
- *1809-K. Hydrology of melt-water channels in southwestern Minnesota. by G. L. Thompson. 1965. p. K1-K11.
- *1809-L. Reconnaissance of the ground-water resources in parts of Larimer, Logan, Morgan, Sedgwick, and Weld Counties, Colo., by W. G. Weist, Jr., *with a section on* The chemical quality of the water, by Robert Brennan. 1965. p. L1-L24.
- *1809-M. Elimination of thermal stratification in reservoirs and the resulting benefits, with special emphasis on study of Lake Wohlford, Calif., by G. E. Koberg and M. E. Ford, Jr. 1965. p. M1-M28.
- *1809-N. Effects of waste water from A.E.C. plant on the hydrology of Glowegee Creek at West Milton, N.Y., 1958-61, by F. H. Pauszek and F. H. Ruggles. 1965. p. N1-N29.
- *1809-O. Delaware River water quality, Bristol to Marcus Hook, Pa., August 1949 to December 1963, by W. B. Keighton. 1965. p. O1-O57.
- *1809-P. Water-supply potential from an asphalt-lined catchment near Holualoa, Kona, Hawaii, by S. S. W. Chinn. 1965. p. P1-P25.
- *1809-Q. Ground-water resources and geology of Seminole, Decatur, and Grady Counties, Ga., by C. W. Sever. 1965. p. Q1-Q30.
- *1809-R. Electrical-analog analysis of hydrologic data for San Simon basin, Cochise and Graham Counties, Ariz., by N. D. White and W. F. Hardt. 1965. p. R1-R30.
- *1809-S. Suitability of irrigation water and changes in ground-water quality in the Lompoc subarea of the Santa Ynez River basin, Santa Barbara County, Calif., by R. E. Evenson. 1965 [1966]. p. S1-S20.
- *1809-T. Hydrology of the alluvium of the Arkansas River, Muskogee, Okla., to Fort Smith, Ark., by H. H. Tanaka and J. R. Hollowell, *with a section on* Chemical quality of the water, by J. J. Murphy. 1966. p. T1-T42.
- *1809-U. Reconnaissance of the geology and ground-water resources in the Aurora area, St. Louis County, Minn., by R. W. Maclay. 1966. p. U1-U20. (Water-Supply Paper 1809 issued only as separate chapters under the general title "Contributions to the hydrology of the United States, 1964." Chapter U includes title page and contents for volume.)
- *1810. Summary of floods in the United States during 1961, by J. O. Rostvedt. 1965. 123 p.
- *1811. Hydrology of the Little Plover River basin, Portage County, Wis., and the effects of water-resource development, by E. P. Weeks, D. W. Ericson, and C. L. R. Holt, Jr. 1965. 78 p.

- *1812. Public water supplies of the 100 largest cities in the United States, 1962, by C. N. Durfor and Edith Becker. 1964. 364 p.
- *1813. Flood peak runoff and associated precipitation in selected drainage basins in the United States, by Tate Dalrymple. 1965. 406 p.
- *1814. Geology and water resources of Winnebago County, Wis., by P. G. Olcott. 1966. 61 p.
- 1815. Gunpowder Falls, Md.—Uses of a water resource today and tomorrow, by Deric O'Bryan and R. L. McAvoy. 1966. 90 p. 45¢.
- *1816. Water in the Humboldt River valley near Winnemucca, Nev., by Philip Cohen. 1966. 69 p.
- *1817-A. Organic acids in naturally colored surface waters, by W. L. Lamar and D. F. Goerlitz. 1966. p. A1-A17.
- *1817-B. Identification and measurement of chlorinated organic pesticides in water by electron-capture gas chromatography, by W. L. Lamar, D. F. Goerlitz, and L. M. Law. 1965. p. B1-B12.
- *1817-C. Determination of phenoxy acid herbicides in water by electron-capture and microcoulometric gas chromatography, by D. F. Goerlitz and W. L. Lamar. 1967. p. C1-C21. (Water-Supply Paper 1817 issued only as separate chapters under the general title "Organic substances in water.")
- *1818. Hydrology of the alluvial deposits in the Ohio River valley in Kentucky, by J. T. Gallaher and W. E. Price, Jr. 1966. 80 p.
- *1819-A. Utilization of ground water in the Santa Maria Valley area, California, by G. A. Miller and R. E. Evenson. 1966. p. A1-A24.
- *1819-B. Predicted hydrologic effects of pumping from the Lichterman well field in the Memphis area, Tennessee, by D. J. Nyman. 1965. p. B1-B26.
- *1819-C. Summary of hydrologic conditions of the Louisville area, Kentucky, by E. A. Bell. p. C1-C36.
- *1819-D. Water resources of Fort Huachuca Military Reservation, southeastern Arizona, by S. G. Brown, E. S. Davidson, L. R. Kister, and B. W. Thomsen. 1966. p. D1-D57.
- *1819-E. Salinity of the ground water in western Pinal County, Ariz., by L. R. Kister and W. F. Hardt, 1966. p. E1-E21.
- *1819-F. Recharge studies on the High Plains in northern Lea County, N. Mex., by J. S. Havens. 1966. p. F1-F52.
- *1819-G. Water-quality characteristics of New Jersey streams, by P. W. Anderson and J. R. George. 1966. p. G1-G48.
- *1819-H. Fluvial sediment and chemical quality of water in the Little Blue River basin, Nebraska and Kansas, by J. C. Mundorff and K. M. Waddell. 1966. p. H1-H45.
- *1819-I. Ground-water development in the High Plains of Colorado, by A. J. Boettcher, *with a section on* Chemical quality of the ground water, by Robert Brennan. 1966 [1967]. p. I1-I22.
- *1819-J. Special sediment investigations Mississippi River at St. Louis, Mo., 1961-63, by C. H. Scott and H. D. Stephens. 1966. p. J1-J35.
- *1819-K. Correlation and analysis of water-temperature data for Oregon streams, by A. M. Moore. 1967. p. K1-K53. (Water-Supply Paper 1819 issued only as separate chapters under the general title "Contributions to the hydrology of the United States, 1965." Chapter K includes title page and contents for volume.)
- *1820. Summary of floods in the United States during 1962, by J. O. Rostvedt and others. 1968. 134 p.

- *1821. Availability of ground water, upper Pawcatuck River basin, Rhode Island, by W. B. Allen, G. W. Hahn, and R. A. Brackley, 1966, 66 p.
- *1822. Selected techniques in water resources investigations, 1965, compiled by G. N. Mesnier and E. B. Chase. 1966. 117 p.
- *1823. Sedimentation and chemical quality of surface water in the Heart River drainage basin, North Dakota, by M. L. Maderak. 1966. 42 p.
- *1824. Ground-water levels in the United States, 1960-64—South-Central States. Prepared under the direction of C. L. McGuinness, Chief, Ground Water Branch. 1967. 152 p.
- *1825. Geology and hydrology of northeastern Nassau County, Long Island, N.Y., by John Isbister. 1966 [1967]. 89 p.
- *1826. Water resources of the Ipswich River basin, Massachusetts, by E. A. Sammel, J. A. Baker, and R. A. Brackley. 1966 [1967]. 83 p.
- *1827-A. Form and stability of aluminum hydroxide complexes in dilute solution, by J. D. Hem and C. E. Roberson. 1967. p. A1-A55.
- *1827-B. Graphical methods for studies of aqueous aluminum hydroxide, fluoride, and sulfate complexes, by J. D. Hem. 1968. p. B1-B33.
- 1827-C. Solubility of aluminum in the presence of hydroxide, fluoride, and sulfate, by C. E. Roberson and J. D. Hem. 1969. p. C1-C37. 30¢. (Water-Supply Paper 1827 issued only as separate chapters under the general title "Chemistry of aluminum in natural water.")
- *1828. Geology and hydrology between Lake McMillan and Carlsbad Springs, Eddy County, N. Mex., by E. R. Cox. 1967. 48 p.
- 1829. Swatara Creek basin of southeastern Pennsylvania—An evaluation of its hydrologic system, by W. T. Stuart, W. J. Schneider, and J. W. Crooks. 1967. 79 p. \$4.25.
- 1830-A. Floods of January-February 1963 in California and Nevada, by L. E. Young and E. E. Harris. 1966. p. A1-A472. \$2.
- 1830-B. Summary of floods in the United States during 1963, by J. O. Rostvedt and others. 1968 [1969]. p. B1-B120. 60¢. (Water-Supply Paper 1830 issued only as separate chapters under the general title "Floods of 1963 in the United States.")
- *1831. Hydrology of Cornfield Wash area and effects of land-treatment practices, Sandoval County, N. Mex., 1951-60, by D. E. Burkham. 1966 [1967]. 87 p.
- *1832. Hydrology of the valley-fill and carbonate-rock reservoirs, Pahrump Valley, Nev.-Calif., by G. T. Malmberg. 1967. 47 p.
- *1833. Geology and water resources in the French Prairie area, northern Willamette Valley, Oreg., by Don Price. 1967. 98 p.
- *1834. Geology and ground-water resources of Laramie County, Wyo., by M. E. Lowry and M. A. Crist, *with a section on* Chemical quality of ground water and of surface water, by J. R. Tilstra. 1967. 71 p.
- *1835. Chemical quality of surface water in the Allegheny River basin, Pennsylvania and New York, by E. F. McCarren. 1967. 74 p.
- 1836. Ground-water conditions and geologic reconnaissance of the upper Sevier River basin, Utah, by C. H. Carpenter, G. B. Robinson, Jr., and L. J. Bjorklund. 1967. 91 p. \$1.75.
- 1837. Hydrology of the cavernous limestones of the Mammoth Cave area, Kentucky, by R. F. Brown. 1966. 64 p. 35¢.
- 1838. Reservoirs in the United States, by R. O. R. Martin and R. L. Hanson, 1966. 115 p. \$1.

- 1839-A. Reconnaissance of the chemical quality of surface waters of the Neches River basin, Texas, by L. S. Hughes and D. K. Leifeste. 1967. p. A1-A63. \$1.50.
- *1839-B. Water resources of Pulaski and Saline Counties, Ark., by R. O. Plebuch and M. S. Hines. 1967. p. B1-B25.
- *1839-C. Hydrologic effects of small reservoirs in Sandstone Creek watershed, Beckham and Roger Mills Counties, western Oklahoma, by F. W. Kennon. 1966. p. C1-C39.
- *1839-D. Summary of hydrologic and physical properties of rock and soil materials, as analyzed by the Hydrologic Laboratory of the U.S. Geological Survey, 1948-60, by D. A. Morris and A. I. Johnson. 1967. p. D1-D42.
- 1839-E. Causes of fluctuations in the rate of discharge of Clear Lake Springs, Millard County, Utah, by R. W. Mower. 1967. p. E1-E31. 60¢.
- 1839-F. Availability of ground water in York County, Nebr., by C. F. Keech, V. H. Dreeszen, and P. A. Emery. 1967 [1968]. p. F1-F17. 75¢.
- 1839-G. Water resources of Jackson and Independence Counties, Ark., by D. R. Albin, M. S. Hines, and J. W. Stephens. 1967. p. G1-G29. \$1.25.
- *1839-H. Development of ground-water supplies at Mississippi Test Facility, Hancock County, Miss., by Roy Newcome, Jr. 1967. p. H1-H28.
- *1839-I. Ground-water reconnaissance in the Burnt River valley area, Oregon, by Don Price. 1967. p. I1-I27.
- 1839-J. Evaluation of seepage from Chester Morse Lake and Masonry Pool, King County, Wash., by F. T. Hidaka and A. A. Garrett. 1967. p. J1-J26. 15¢.
- 1839-K. Ground-water resources of the Pascagoula River basin, Mississippi and Alabama, by Roy Newcome, Jr. 1967. p. K1-K36. 20¢.
- 1839-L. Geology and ground-water resources of Fillmore County, Nebr., by C. F. Keech and V. H. Dreeszen, *with a section on Chemical quality of the water*, by L. R. Petri. 1968. p. L1-L27. \$1.
- *1839-M. A comparison of methods of estimating potential evapotranspiration from climatological data in arid and subhumid environments, by R. W. Cruff and T. H. Thompson. 1967. p. M1-M28.
- 1839-N. Hydrologic data for the Oak Ridge area, Tennessee, by W. M. McMaster. 1967. p. N1-N60. 25¢.
- 1839-O. A hydrogeologic study of the ground-water reservoirs contributing base runoff to Four Mile Creek, east-central Iowa, by G. R. Kunkle. 1968. p. O1-O41. 65¢. (Water-Supply Paper 1839 issued only as separate chapters under the general title "Contributions to the hydrology of the United States, 1966." Chapter O includes title page and contents for volume.)
- *1840-A. Floods of March 1964 along the Ohio River, by H. C. Beaber and J. O. Rostvedt. 1965. p. A1-A158.
- 1840-B. Floods of June 1964 in northwestern Montana, by F. C. Boner and Frank Stermitz. 1967. p. B1-B242. \$1.50.
- 1840-C. Summary of floods in the United States during 1964, by J. O. Rostvedt and others. 1970. p. C1-C124. 60¢. (Water-Supply Paper 1840 issued only as separate chapters under the general title "Floods of 1964 in the United States, 1966." Chapter O includes title page and contents for volume.)
1841. Geology and ground water of the Savannah River Plant and vicinity, South Carolina, by G. E. Siple. 1967. 113 p. \$1.75.
1842. Water resources of the Marquette Iron Range area, Michigan, by S. W. Wiitala, T. G. Newport, and E. L. Skinner. 1967. 142 p. \$1.50.

1843. Geology and ground-water resources of the Big Sandy Creek valley, Lincoln, Cheyenne, and Kiowa Counties, Colo., by D. L. Coffin, *with a section on* Chemical quality of the ground water, by C. A. Horr. 1967. 49 p. \$1.
- *1844. Geohydrology of the Souris River valley in the vicinity of Minot, N. Dak., by W. A. Pettyjohn. 1967. 53 p.
- *1845. Ground-water levels in the United States, 1961-65—Northwestern States. Prepared under the direction of C. L. McGuinness, Chief, Ground Water Branch. 1968. 199 p.
- *1846. Ground water in the vicinity of American Falls Reservoir, Idaho, by M. J. Mundorff. 1967. 55 p.
1847. Ground water in the Eola-Amity Hills area, northern Willamette Valley, Oreg., by Don Price. 1967. 66 p. 75¢.
1848. Ground-water resources of the Sevier River basin between Yuba Dam and Leamington Canyon, Utah, by L. J. Bjorklund and G. B. Robinson, Jr. 1968. 79 p. \$1.
- *1849. Roughness characteristics of natural channels, by H. H. Barnes, Jr. 1967. 213 p.
- 1850-A. Floods of March-May 1965 in the upper Mississippi River basin, by D. B. Anderson and I. L. Burmeister. 1970. p. A1-A448. \$2.25.
- 1850-B. Floods of June 1965 in South Platte River basin, Colorado, by H. F. Matthai. 1969. p. B1-B64. \$1.
- 1850-C. Floods of November 1965 to January 1966 in the Gila River basin, Arizona and New Mexico, and adjacent basins in Arizona, by B. N. Aldridge. 1970. p. C1-C176. \$2.50.
- 1850-E. Summary of floods in the United States during 1965, by J. O. Rostvedt and others. 1970. p. E1-E110. 60¢. (Water-Supply Paper 1850 issued only as separate chapters under the general title "Floods of 1965 in the United States.")
1851. Surface-water hydrology of California coastal basins between San Francisco Bay and Eel River, by S. E. Rantz and T. H. Thompson. 1967. 60 p. 75¢.
1852. Water resources of King County, Wash., by Donald Richardson, J. W. Bingham, and R. J. Madison, *with a section on* Sediment in streams, by R. C. Williams. 1968. 74 p. \$1.
1853. Flow pattern and related chemical quality of ground water in the "500-foot" sand in the Memphis area, Tennessee, by E. A. Bell and D. J. Nyman. 1968. 27 p. \$1.25.
1854. Ground-water hydrology of the Sevier Desert, Utah, by R. W. Mower and R. D. Feltis. 1968. 75 p. \$4.
- *1855. Ground-water levels in the United States, 1961-65—Southwestern States. Prepared under the direction of C. L. McGuinness, Chief, Ground Water Branch. 1968. 125 p.
1856. Water for the growing needs of Harrison County, Miss., by Roy Newcome, Jr., D. E. Shattles, and C. P. Humphreys, Jr. 1968. 106 p. \$1.50.
1857. Water resources of Grant and Hot Spring Counties, Ark., by H. N. Halberg, C. T. Bryant, and M. S. Hines. 1968. 64 p. \$4.25.
1858. Use of water by riparian vegetation, Cottonwood Wash, Ariz., by J. E. Bowie and William Kam, *with a section on* Vegetation, by F. A. Branson and R. S. Aro. 1968. 62 p. 75¢.
- 1859-A. Ground-water reconnaissance of the Santa Barbara-Montecito area, Santa Barbara County, Calif., by K. S. Muir. 1968. p. A1-A28. 70¢.

- 1859-B. Chemical quality of surface waters in Devils Lake basin, North Dakota, 1952-60, by H. T. Mitten, C. H. Scott, and P. G. Rosene. 1968. p. B1-B42. 60¢.
- 1859-C. Analysis of water quality of the Mahoning River in Ohio, by G. A. Bednar, C. R. Collier, and W. P. Cross. 1968. p. C1-C32. 65¢.
- 1859-D. Water-mineral relations of Quaternary deposits in the lower Platte River drainage area in eastern Nebraska, by Ivan Barnes and Ray Bentall. 1968. p. D1-D39. 20¢.
- 1859-E. Hydrology of Crater, East, and Davis Lakes, Oreg., by K. N. Phillips, *with a section on Chemistry of the lakes*, by A. S. Van Denburgh. 1968. p. E1-E60. 40¢.
- 1859-F. Geohydrology and water utilization in the Willcox basin, Graham and Cochise Counties, Ariz., by S. G. Brown and H. H. Schumann. 1969. p. F1-F32. \$1.50.
- 1859-G. Storage requirements for Arkansas streams, by J. L. Patterson. 1968. p. G1-G36. 75¢. (Water-Supply Paper 1859 issued only as separate chapters under the general title "Contributions to the hydrology of the United States, 1967." Chapter G includes title page and contents for volume.)
1860. Electrical analog analysis of ground-water depletion in central Arizona, by T. W. Anderson. 1968. 21 p. \$3.50.
1861. Water resources of the Sycamore Creek watershed, Maricopa County, Ariz., by B. W. Thomsen and H. H. Schumann. 1968 [1969]. 53 p. 40¢.
1862. Geology and ground-water resources of the Deer Lodge Valley, Mont., by R. L. Konizeski, R. G. McMurtrey, and Alex Brietkrietz, *with a section on Gravimetric survey*, by E. A. Cremer, III. 1968 [1969]. 55 p. \$1.25.
1863. Bibliography of hydrology of the United States, 1963, compiled by J. R. Randolph and R. G. Deike. 1966. 166 p. 55¢.
- *1864. Bibliography of hydrology of the United States and Canada, 1964, compiled by J. R. Randolph, N. M. Baker, and R. G. Deike. 1969. 232 p.
1867. Occurrence of fresh water in the Lee Formation in parts of Elliott, Johnson, Lawrence, Magoffin, and Morgan Counties, Eastern Coal Field region, Kentucky, by H. T. Hopkins. 1970. 44 p. \$1.25.
1868. Sediment transport by streams in the Walla Walla River basin, Washington and Oregon, July 1962-June 1965, by B. E. Mapes. 1969. 32 p. 60¢.
- 1869-A. Definition of stage-discharge relation in natural channels by step-backwater analysis, by J. F. Bailey and H. A. Ray. 1966 [1967]. p. A1-A24. 15¢.
- 1869-B. Effect of vertical motion on current meters, by N. A. Kallio. 1966 [1967]. p. B1-B20. 15¢.
- 1869-C. Velocity-head coefficients in open channels, by Harry Hulsing, Winchell Smith, and E. D. Cobb. 1966. p. C1-C45. 25¢.
- 1869-D. Determination of discharge during pulsating flow, by T. H. Thompson. 1968. p. D1-D22. 15¢.
- 1869-E. Response of gas-purged manometers to oscillations in water level, by J. R. Beck and C. R. Goodwin. 1970. p. E1-E24. 20¢. (Water-Supply Paper 1869 issued only as separate chapters under the general title "River hydraulics.")
- 1870-A. Floods of December 1966 in southwestern Utah, by Elmer Butler and J. C. Mundorff. 1970. p. A1-A40. \$1.
- 1870-B. Floods of April 28, 1966, in the northern part of Dallas, Tex., by W. B. Mills and E. E. Schroeder. 1969. p. B1-B37. \$1.25. (Water-Supply

- Paper 1870 issued only as separate chapters under the general title "Floods of 1966 in the United States.")
1871. Water data for metropolitan areas—A summary of data from 222 areas in the United States, compiled by W. J. Schneider. 1968. 397 p. \$1.50.
1872. Hydrogeology of the Scioto River valley near Piketon, south-central Ohio, by S. E. Norris and R. E. Fidler. 1969. 70 p. \$1.
- 1873-A. Factors initiating phytoplankton blooms and resulting effects on dissolved oxygen in Duwamish River estuary, Seattle, Wash., by E. B. Welch. 1969. p. A1-A62. 35¢.
- 1873-B. Estuarine studies in upper Grays Harbor, Wash., by J. P. Beverage and M. N. Swecker. 1969. p. B1-B90. 45¢. (Water-Supply Paper 1873 issued only as separate chapters under the general title "Environmental quality.")
1874. Water in the Kahuku area, Oahu, Hawaii, by K. J. Takasaki and Santos Valenciano. 1969. 59 p. \$1.
1875. Correlative estimates of streamflow in the upper Colorado River basin, by L. E. Carroon. 1970. 145 p. \$1.25.
1876. Geology and ground-water resources of the lower Bighorn Valley, Mont., by L. J. Hamilton and Q. F. Paulson. 1968. 39 p. 65¢.
1877. Feasibility study of the use of the acoustic velocity meter for measurement of net outflow from the Sacramento-San Joaquin delta in California, by Winchell Smith. 1969. 54 p. 40¢.
- 1879-A. Water resources of Clark, Cleveland, and Dallas Counties, Ark., by R. O. Plebuch and M. S. Hines. 1969. p. A1-A32. 75¢.
- 1879-B. Water resources of Randolph and Lawrence Counties, Ark., by A. G. Lamonds, M. S. Hines, and R. O. Plebuch. 1969. p. B1-B45. 30¢.
- 1879-D. Water resources of the Salmon Falls Creek basin, Idaho-Nevada, by E. G. Crosthwaite. 1969. p. D1-D33. 25¢.
- 1879-E. Variations in low-water streambed elevations as selected stream-gaging stations in northwestern California, by J. J. Hickey. 1969. p. E1-E33. 60¢.
- 1879-F. Hydrologic effects of the 1962-66 drought on Long Island, N.Y., by Philip Cohen, O. L. Franke, and N. E. McClymonds. 1969. p. F1-F18. 20¢.
- 1879-G. Dispersal of plating wastes and sewage contaminants in ground water and surface water, South Farmingdale-Massapequa area, Nassau County, N.Y., by N. M. Perlmutter and Maxim Lieber. 1970. p. G1-G67. \$1.75.
- 1879-H. Water quality and discharge of streams in the Lehigh River basin, Pennsylvania, by E. F. McCarren and W. B. Keighton. 1969. p. H1-H48. 35¢. (Water-Supply Paper 1879 issued only as separate chapters under the general title "Contributions to the hydrology of the United States, 1968." Chapter H includes title page and contents for volume.)
1881. Quality of surface waters of the United States, 1961—Parts 1 and 2, North Atlantic slope basins and south Atlantic slope and eastern Gulf of Mexico basins. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1967. 412 p. \$1.50.
1882. Quality of surface waters of the United States, 1961—Parts 3 and 4, Ohio River basin and St. Lawrence River basin. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1968. 312 p. \$1.50.
1883. Quality of surface waters of the United States, 1961—Parts 5 and 6, Hudson Bay and upper Mississippi River basins and Missouri River

- basin. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1966. 315 p. \$1.25.
1884. Quality of surface waters of the United States, 1961—Parts 7 and 8, Lower Mississippi River basin and western Gulf of Mexico basins. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1967. 590 p. \$2.
1885. Quality of surface waters of the United States, 1961—Parts 9–14, Colorado River basin to Pacific slope basins in Oregon and lower Columbia River basin. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1967. 677 p. \$2.25.
1886. Quality of surface waters for irrigation, Western States, 1961. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1968 [1969]. 154 p. \$1.
1888. Hydrology of the upper Malad River basin, southeastern Idaho, by E. J. Pluhowski. 1970. 89 p. 45¢.
1890. Water for Oklahoma, by T. B. Dover, A. R. Leonard, and L. L. Laine, 1968. 107 p. \$1.25.
1891. Geohydrology of Finney County, southwestern Kansas, by W. R. Meyer, E. D. Gutentag, and D. H. Lohmeyer. 1970. 117 p. \$1.50.
1892. Selected techniques in water resources investigations, 1966–67, compiled by E. B. Chase and F. N. Payne. 1968 [1969]. 164 p. \$1.
1894. Water resources of windward Oahu, Hawaii, by K. J. Takasaki, G. T. Hirashima, and E. R. Lubke. 1969. 119 p. \$2.25.
- 1898–A. Stage-discharge characteristics of a weir in a sand-channel stream, by D. D. Gonzalez, C. H. Scott, and J. K. Culbertson. 1969. p. A1–A29. 25¢.
- 1898–B. Determination of the Manning coefficient from measured bed roughness in natural channels, by J. T. Limerinos. 1970. p. B1–B47. 35¢. (Water-Supply Paper 1898 issued only as separate chapters under the general title “Studies of flow in alluvial channels.”)
- 1899–A. Ground-water resources of the Clatsop Plains sand-dune area, Clatsop County, Oreg., by F. J. Frank. 1970. p. A1–A41. \$1.
- 1899–B. Water resources of Lee County, Miss., by B. E. Wasson and F. H. Thomson. 1970. p. B1–B63. 35¢.
- 1899–C. Sediment transport by streams in the Palouse River basin, Washington and Idaho, July 1961–June 1965, by P. R. Boucher. 1970. p. C1–C37. 70¢.
- 1899–G. Measurement of mixing characteristics of the Missouri River between Sioux City, Iowa, and Plattsmouth, Nebr., by Nobuhiro Yotsukura, H. B. Fischer, and W. W. Sayre. 1970. p. G1–G29. 25¢.
- 1899–I. Streamflow from the United States into the Atlantic Ocean during 1931–60, by C. D. Bue. 1970. p. I1–I36. 25¢.
- *1899–K. A glossary of karst terminology, compiled by W. H. Monroe. 1970. p. K1–K26.
- 1899–L. A preliminary evaluation of bank storage associated with Libby Reservoir in northwestern Montana, by D. L. Coffin, 1970. p. L1–L25. 25¢. (Water-Supply Paper 1899 issued only as separate chapters under the general title “Contributions to the hydrology of the United States, 1969.”)
1901. Surface water supply of the United States, 1961–65—Part 1, North Atlantic slope basins—Volume 1, Basins from Maine to Connecticut. 1969 [1970]. 1027 p. \$4.75.

1902. Surface water supply of the United States, 1961-65—Part 1, North Atlantic slope basins—Volume 2, Basins from New York to Delaware. 1970. 924 p. \$4.25.
1903. Surface water supply of the United States, 1961-65—Part 1, North Atlantic slope basins—Volume 3, Basins from Maryland to York River. 1970. 850 p. \$4.
1904. Surface water supply of the United States, 1961-65—Part 2, South Atlantic slope and eastern Gulf of Mexico basins—Volume 1, Basins from James River to Savannah River. 1970. 942 p. \$4.25.
1916. Surface water supply of the United States, 1961-65—Part 6, Missouri River basin—Volume 1, Missouri River basin above Williston, N. Dak. 1969. 800 p. \$3.75.
1917. Surface water supply of the United States, 1961-65—Part 6, Missouri River basin—Volume 2, Missouri River basin from Williston, N. Dak., to Sioux City, Iowa. 1969. 560 p. \$3.
1918. Surface water supply of the United States, 1961-65—Part 6, Missouri River basin—Volume 3, Missouri River basin from Sioux City, Iowa, to Nebraska City, Nebr. 1969. 751 p. \$3.75.
1919. Surface water supply of the United States, 1961-65—Part 6, Missouri River basin—Volume 4, Missouri River basin below Nebraska City, Nebr. 1969. 805 p. \$3.75.
1920. Surface water supply of the United States, 1961-65—Part 7, Lower Mississippi River basin—Volume 1, Lower Mississippi River basin except Arkansas River basin. 1969. 1103 p. \$5.
1921. Surface water supply of the United States, 1961-65—Part 7, Lower Mississippi River basin—Volume 2, Arkansas River basin. 1969. 878 p. \$4.
1922. Surface water supply of the United States, 1961-65—Part 8, Western Gulf of Mexico basins—Volume 1, Basins from Mermentau River to Colorado River. 1969 [1970]. 967 p. \$4.50.
1923. Surface water supply of the United States, 1961-65—Part 8, Western Gulf of Mexico basins—Volume 2, Basins from Lavaca River to Rio Grande. 1970. 786 p. \$4.
1924. Surface water supply of the United States, 1961-65—Part 9, Colorado River basin—Volume 1, Colorado River basin above Green River. 1970. 488 p. \$2.75.
1925. Surface water supply of the United States, 1961-65—Part 9, Colorado River basin—Volume 2, Colorado River basin from Green River to Compact Point. 1970. 618 p. \$3.25.
1926. Surface water supply of the United States, 1961—Part 9, Colorado River basin—Volume 3, Lower Colorado River basin. 1970. 571 p. \$2.50.
1927. Surface water supply of the United States, 1961-65—Part 10, The Great Basin. 1970. 978 p. \$4.50.
1928. Surface water supply of the United States, 1961-65—Part 11, Pacific slope basins in California—Volume 1, Basins from Tia Juana River to Santa Maria River. 1970. 501 p. \$2.75.
1929. Surface water supply of the United States, 1961-65—Part 11, Pacific slope basins in California—Volume 2, Basins from Arroyo Grande to Oregon State line except Central Valley. 1970. 673 p. \$3.25.
1930. Surface water supply of the United States, 1961-65—Part 11, Pacific

- slope basins in California—Volume 3, Southern Central Valley basins. 1970. 655 p. \$3.25.
- 1939—B. Depletion of streamflow by infiltration in the main channels of the Tucson basin, southeastern Arizona, by D. E. Burkham. 1970. p. B1–B36. 65¢. (Water-Supply Paper 1939 issued only as separate chapters under the general title "Water resources of the Tucson basin.")
- *1941. Quality of surface waters of the United States, 1962—Parts 1 and 2, North Atlantic slope basins and south Atlantic slope and eastern Gulf of Mexico basins. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1964. 434 p.
- *1942. Quality of surface waters of the United States, 1962—Parts 3 and 4, Ohio River basin and St. Lawrence River basin. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1964. 322 p.
1943. Quality of surface waters of the United States, 1962—Parts 5 and 6, Hudson Bay and upper Mississippi River basins and Missouri River basin. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1964. 413 p. \$1.50.
- *1944. Quality of surface waters of the United States, 1962—Parts 7 and 8, Lower Mississippi River basin and western Gulf of Mexico basins. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1964. 645 p.
- *1945. Quality of surface waters of the United States, 1962—Parts 9–14, Colorado River basin to Pacific slope basins in Oregon and lower Columbia River basin. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1964. 691 p.
1946. Quality of surface waters for irrigation, Western States, 1962. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1966. 143 p. \$1.
- *1947. Quality of surface waters of the United States, 1963—Parts 1 and 2, North Atlantic slope basins and south Atlantic slope and eastern Gulf of Mexico basins. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1967. 472 p.
- *1948. Quality of surface waters of the United States, 1963—Parts 3 and 4, Ohio River basin and St. Lawrence River basin. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1965. 390 p.
1949. Quality of surface waters of the United States, 1963—Parts 5 and 6, Hudson Bay and upper Mississippi River basins and Missouri River basin. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1966. 411 p. \$1.50.
- *1950. Quality of surface waters of the United States, 1963—Parts 7 and 8, Lower Mississippi River basin and western Gulf of Mexico basins. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1966. 635 p.
- *1951. Quality of surface waters of the United States, 1963—Parts 9–14, Colorado River basin to Pacific slope basins in Oregon and lower Columbia River basin. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1966. 781 p.
- *1952. Quality of surface waters for irrigation, Western States, 1963. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1967. 148 p.

- *1953. Quality of surface waters of Alaska, 1961-63. Prepared under the direction of S. K. Love, Chief, Quality of Water Branch. 1965. 95 p.
- 1954. Quality of surface waters of the United States, 1964—Parts 1 and 2, North Atlantic slope basins and south Atlantic slope and eastern Gulf of Mexico basins. 1969. 606 p. \$2.75.
- 1955. Quality of surface waters of the United States, 1964—Parts 3 and 4, Ohio River basin and St. Lawrence River basin. 1969. 440 p. \$2.
- 1956. Quality of surface waters of the United States, 1964—Parts 5 and 6, Hudson Bay and upper Mississippi River basins, and Missouri River basin. 1969. 462 p. \$2.
- 1957. Quality of surface waters of the United States, 1964—Parts 7 and 8, Lower Mississippi River basin and western Gulf of Mexico basins. 1969. 602 p. \$2.50.
- 1958. Quality of surface waters of the United States, 1964—Parts 9-11, Colorado River basin to Pacific slope basins in California. 1969 [1970]. 615 p. \$2.75.
- 1959. Quality of surface waters of the United States, 1964—Parts 12-15, Pacific slope basins in Washington and upper Columbia River basin to Alaska. 1970. 428 p. \$2.
- 1960. Quality of surface waters for irrigation, Western States, 1964. 1969. 144 p. \$1.
- 1961. Quality of surface waters of the United States, 1965—Parts 1 and 2, North Atlantic slope basins and south Atlantic slope and eastern Gulf of Mexico basins. 1970. 779 p. \$3.25.
- 1962. Quality of surface waters of the United States, 1965—Parts 3 and 4, Ohio River basin and St. Lawrence River basin. 1970. 480 p. \$2.25.
- 1963. Quality of surface waters of the United States, 1965—Parts 5 and 6, Hudson Bay and upper Mississippi River basins and Missouri River basin. 1970. 548 p. \$2.50.
- 1964. Quality of surface waters of the United States, 1965—Parts 7 and 8, Lower Mississippi River basin and western Gulf of Mexico basins. 1970. 819 p. \$3.50.
- 1965. Quality of surface waters of the United States, 1965—Parts 9-11, Colorado River basin to Pacific slope basins in California. 1970. 678 p. \$3.
- 1966. Quality of surface waters of the United States, 1965—Parts 12-16, Pacific slope basins in Washington and upper Columbia River basin to Hawaii and other Pacific areas. 1970. 462 p. \$2.
- 1967. Quality of surface waters for irrigation, Western States, 1965. 148 p. \$1.
- 1971. Methods and applications of electrical simulation in ground-water studies in the lower Arkansas and Verdigris River valleys, Arkansas and Oklahoma, by M. S. Bedinger, J. E. Reed, C. J. Wells, and B. F. Swafford. 1970. 71 p. \$1.
- 1972. The Lake Tahoe basin, California-Nevada, by J. R. Crippen and B. R. Pavelka. 1970. 56 p. 40¢.
- 1975. Generalization of streamflow characteristics from drainage-basin characteristics, by D. M. Thomas and M. A. Benson. 1970. 55 p. 35¢.
- 1976. Ground-water levels in the United States, 1962-66—North-Central States. Prepared under the direction of C. L. McGuinness, Chief, Ground Water Branch. 1969. 117 p. 55¢.

1977. Ground-water levels in the United States, 1963-67—Northeastern States. 1970. 238 p. \$1.
1981. Electrical-analog-model study of water resources of the Columbus area, Bartholomew County, Ind., by F. A. Watkins, Jr., and J. E. Heisel. 1970. 22 p. \$1.25.
1984. Hydrologic effects of floodwater-retarding structures on Garza-Little Elm Reservoir, Tex., by C. R. Gilbert and S. P. Sauer. 1970. 95 p. \$1.75.
1990. Annotated bibliography on artificial recharge of ground water, 1955-67, by D. C. Signor, D. J. Growitz, and William Kam. 1970. 141 p. 65¢.
- 1999-E. Mean annual runoff as related to channel geometry of selected streams in California, by E. R. Hedman. 1970. p. E1-E17. 25¢. (Water-Supply Paper 1999 issued only as separate chapters under the general title "Contributions to the hydrology of the United States, 1970.")
- *2001-B. Detergents and associated contaminants in ground water at three public-supply well fields in southwestern Suffolk County, Long Island, N.Y., by N. M. Perlmutter and A. A. Guerrero. 1970. p. B1-B22.
- 2001-C. Effects of urban development on floods in northern Virginia, by D. G. Anderson. 1970. p. C1-C22. 25¢. (Water-Supply Paper 2001 issued only as separate chapters under the general title "Water in the urban environment.")
- *2002. Water in urban planning, Salt Creek basin, Illinois—Water management as related to alternative land-use practices, by A. M. Spieker. 1970. 147 p.

TABLE 1.—*Reports containing records of quality of surface waters of the United States, 1958–65*

[The area included in each part is listed below and shown on the maps, p. 176]

-2 ice	Parts 1-4		Parts 3-4		Parts 5-6		Parts 7-8		Parts 9-11		Parts 9-14		Parts 12-15		Parts 12-16	
	No.	Price	No.	Price	No.	Price	No.	Price	No.	Price	No.	Price	No.	Price	No.	Price
---	1571	\$2.50	----	----	1572	1.25	1573	2.00	----	----	1574	1.75	----	----	----	----
50	----	----	1642	1.00	1643	1.00	1644	1.75	----	----	1645	1.75	----	----	----	----
50	----	----	1742	1.25	1743	1.00	1744	1.00	----	----	1745	2.00	----	----	----	----
50	----	----	1882	1.50	1883	1.25	1884	2.00	----	----	1885	2.25	----	----	----	----
50	----	----	1942	1.25	1943	1.50	1944	2.00	----	----	1945	2.25	----	----	----	----
50	----	----	1948	1.25	1949	1.50	1950	2.00	----	----	1951	2.50	----	----	----	----
75	----	----	1955	2.00	1956	2.00	1957	2.50	1958	2.75	----	----	1959	2.00	----	----
25	----	----	1962	2.25	1963	2.50	1964	3.50	1965	3.00	----	----	----	----	1966	2.00

ta on quantity of water.

TABLE 2.—*Reports containing records of water levels and artesian pressure in observation wells in the United States, 1956–67*


[The area included in each part is listed below and shown on the map]

Report year	Part 1		Part 2		Part 3		Part 4		Part 5		Part 6	
	No.	Price	No.	Price	No.	Price	No.	Price	No.	Price	No.	Price
1956–58 ¹	----	----	1538	\$.70	----	----	----	----	----	----	----	----
1956–59	----	----	----	----	----	----	1549	.70	----	----	----	----
1956–60	----	----	----	----	----	----	----	----	1760	1.00	1770	.60
1957–61	----	----	----	----	1781	.60	----	----	----	----	----	----
1958–62	1782	1.00	----	----	----	----	----	----	----	----	----	----
1959–63	----	----	1803	1.00	----	----	----	----	----	----	----	----
1960–64	----	----	----	----	----	----	1824	.45	----	----	----	----
1961–65	----	----	----	----	----	----	----	----	1845	1.00	1855	.60
1962–66	----	----	----	----	1976	.55	----	----	----	----	----	----
1963–67	1977	1.00	----	----	----	----	----	----	----	----	----	----



¹ Records of water levels are reported in Water-Supply Papers entitled, "Ground-Water Levels in the United States," in 6 parts or geographical sections of the country. Formerly an annual series, the current publication program provides for 5 years of record in 1 volume for each geographical section. The calendar years 1956 to 1960 span a transition period whereby 4 of the volumes will not contain 5 years of record.

Part 1. Northeastern States.
 2. Southeastern States.
 3. North-Central States.

4. South-Central States.
 5. Northwestern States.
 6. Southwestern States.



Map showing areas designated by reports containing records of water levels and artesian pressure in observation wells in the United States, 1956–67.



Maps showing areas designated by parts of reports containing records of streamflow in the United States for 1960 (above) and 1961-65 (below). (See chart on facing page.)

*Areas designated by parts of reports containing records of streamflow
in the United States, 1960-65*

Letter and name	Volume and name
Part 1. North Atlantic slope basins (St. John River to York River)	
A. Maine to Connecticut.	1. Basins from Maine to Connecticut.
B. New York to York River.	2. Basins from New York to Delaware. 3. Basins from Maryland to York River.
Part 2. South Atlantic slope and eastern Gulf of Mexico basins (James River to Pearl River)	
A. James River to Savannah River.	1. Basins from James River to Savannah River.
B. Ogeechee River to Pearl River.	2. Basins from Ogeechee River to Carabelle River. 3. Basins from Apalachicola River to Pearl River.
Part 3. Ohio River basin	
A. Ohio River basin except Cumberland and Tennessee River basin.	1. Ohio River basin above Kanawha River. 2. Ohio River basin from Kanawha River to Louisville, Ky. 3. Ohio River basin from Louisville, Ky., to Wabash River.
B. Cumberland and Tennessee River basins.	4. Ohio River basin below Wabash River.
Part 4. St. Lawrence River basin	
	1. Basins of streams tributary to Lakes Superior, Michigan, and Huron. 2. St. Lawrence River basin below Lake Huron.
Part 5. Hudson Bay and upper Mississippi River basins	
	1. Hudson Bay basin. 2. Upper Mississippi River basin above Keokuk, Iowa. 3. Upper Mississippi River basin below Keokuk, Iowa.
Part 6. Missouri River basin	
A. Missouri River basin above Sioux City, Iowa.	1. Missouri River basin above Williston, N. Dak. 2. Missouri River basin from Williston, N. Dak., to Sioux City, Iowa.

Areas designated by parts of reports containing records of streamflow in the United States, 1960-65—Continued

Letter and name	Volume and name
Part 6. Missouri River basin—Continued	
B. Missouri River basin below Sioux City, Iowa.	3. Missouri River basin from Sioux City, Iowa, to Nebraska City, Nebr.
	4. Missouri River basin below Nebraska City, Nebr.
Part 7. Lower Mississippi River basin	
	1. Lower Mississippi River basin, except Arkansas River basin.
	2. Arkansas River basin.
Part 8. Western Gulf of Mexico basins	
	1. Basins from Mermentau River to Colorado River.
	2. Basins from Lavaca River to Rio Grande.
Part 9. Colorado River basin	
	1. Colorado River basin above Green River.
	2. Colorado River basin from Green River to Compact Point.
	3. Lower Colorado River basin.
Part 10. The Great Basin	
Part 11. Pacific slope basins in California	
	1. Basins from Tia Juana River to Santa Maria River.
	2. Basins from Arroyo Grande to Oregon State line except Central Valley.
	3. Southern Central Valley basins.
	4. Northern Central Valley basins.
Part 12. Pacific slope basins in Washington	
	1. Pacific slope basins in Washington except Columbia River basin.
	2. Upper Columbia River basin.
Part 13. Snake River basin	
Part 14. Pacific slope basins in Oregon and lower Columbia River basin	
Part 15. Alaska	
Part 16. Hawaii and other Pacific areas	

TABLE 4.—*Compilation of records of surface waters of the United States, 1950-60*

No.	Part	Price	No.	Part	Price	No.	Part	Price
1721	1-A	\$1.75	1728	5	2.50	1735	11	3.00
1722	1-B	4.00	1729	6-A	2.25	1736	12	2.25
1723	2-A	1.50	1730	6-B	2.50	1737	13	1.75
1724	3-A	2.50	1731	7	2.50	1738	14	2.00
1725	4	2.00	1732	8	2.50	1739	Hawaii	1.75
1726	5	2.50	1733	9	2.75	1740	Alaska	1.00
1727	6-A	2.25	1734	10	1.75			

TABLE 5.—*Reports on quality of surface waters for irrigation, Western United States, 1959-65*

Report year	No.	Price	Report year	No.	Price	Report year	No.	Price
1959-----	1699	\$.70	1962-----	1946	1.00	1965-----	1967	1.00
1960-----	1746	1.25	1963-----	1952	1.00			
1961-----	1886	1.00	1964-----	1960	1.00			

TABLE 6.—*Reports containing records of magnitude and frequency of floods, 1964-68*

[The area included in each part is shown on the maps, p. 176]

Year published	No.	Part	Price	Year published	No.	Part	Price
1964-----	1671	1-A	\$1.50	1966-----	1679	6-A	2.00
	1673	2-A	2.00		1683	9	2.00
	1676	3-B	1.50		1684	10	1.75
	1681	7	2.75	1967-----	1674	2-B	2.00
	1687	12	3.00		1685	11	2.50
	1688	13	4.25		1686	11	1.75
	1689	14	2.75	1968-----	1672	1-B	2.75
1965-----	1675	3-A	2.75		1678	5	2.50
	1677	4	1.75		1680	6-B	2.75
	1682	8	2.25				

¹ Volume 1, Coastal basins south of the Klamath River basin and Central Valley drainage from the west.

² Volume 2, Klamath and Smith River basins and Central Valley drainage from the east.

TABLE 7.—*Circulars containing index of surface water records of the United States through 1963 and 1967*

[The area included in each part is shown on the maps, p. 176. The circulars for 1963 are superseded by those for 1967]

Report year	No.	Part	Report year	No.	Part	Report year	No.	Part
1963-----	501	1	1963-Con---	512	12	1967-Con---	577	7
	502	2		513	13		578	8
	503	3		514	14		579	9
	504	4		515	Hawaii		580	10
	505	5		516	Alaska		581	11
	506	6	1967-----	571	1		582	12
	507	7		572	2		583	13
	508	8		573	3		584	14
	509	9		574	4		585	Alaska
	510	10		575	5		586	Hawaii
	511	11		576	6			

CIRCULARS

In the present listing, an asterisk (*) indicates that the paper is out of print. In "Publications of the Geological Survey, 1879-1961," all circulars are out of print except:

16	131	212	300	334	407	440
24	133	215	302	335	410	441
27	136	218	303	336	414	443
37	143	220	304	338	415	444
40	153	230	305	344	417	445
44	154	231	309	345	420	446
51	155	237	310	349	422	447
53	159	244	311	350	423	448
55	160	245	312	351	424	449
67	171	249	313	352	426	450
68	179	251	320	354	427	451
79	183	257	322	358	431	452
87	186	260	324	359	432	454
88	190	262	325	361	433	455
91	192	265	326	362	434	
95	198	266	327	363	435	
106	201	277	328	365	436	
110	205	294	330	371	437	
111	207	297	331	376	438	
128	209	298	333	398	439	

456. Estimated use of water in the United States, 1960, by K. A. MacKichan and J. C. Kammerer. 1961 [1962]. 44 p.
457. Floods in Utah, magnitude and frequency, by V. K. Berwick. 1962. 24 p.
458. Floods in Nebraska on small drainage areas, magnitude and frequency, by E. W. Beckman and N. E. Hutchison. 1962. 33 p.
459. The story of ground water in the San Joaquin Valley, Calif., by R. H. Dale, J. J. French, and H. D. Wilson, Jr. 1964. 11 p.
- 460-A. The man and the hill, by L. B. Leopold. 1962. 5 p.
- 460-B. A national network of hydrologic bench marks, by L. B. Leopold. 1962. 4 p.
- 460-C. The Vigil Network: Preservation and access of data, by W. W. Emmett and R. F. Hadley. 1968. 21 p. (Circular 460 issued only as separate chapters under the general title "Conservation networks.")
461. Explorations for water supplies on the public domain, 1960, by W. S. Eisenlohr, Jr., and others. 1962. 28 p.
462. Bibliography of maps of Civil War battlefield areas, by Irwin Gottschall. 1962. 33 p.
463. Reports and maps of the Geological Survey released only in the open files, 1961, by B. A. Weld, E. S. Asselstine, and Arthur Johnson. [1962]. 14 p.
464. Floods in New Mexico, magnitude and frequency, by L. A. Wiard. 1962. 13 p.
465. Floods of December 1961 in Mississippi and adjoining States, by J. D. Shell. 1962. 17 p.

- 466. Notes on earth fissures in southern Arizona, by G. M. Robinson and D. E. Peterson. 1962. 7 p.
- 467. Floods of February 1962 in southern Idaho and northeastern Nevada, by C. A. Thomas and R. D. Lamke. 1962. 30 p.
- *468. Ground-water studies and analog models, by C. J. Robinove. 1962 [1963]. 12 p.
- *469. Water and the Southwest—What is the future?, by H. E. Thomas. 1962. 15 p.
- 470. Sediment discharge during floods in eastern Nebraska, by J. C. Mundorff. 1962. 8 p.
- 471. Water resources and the Mississippi embayment project, by E. M. Cushing. 1963. 8 p.
- 472. Current studies of the hydrology of prairie potholes, by J. B. Shjeflo and others. 1962 [1963]. 11 p.
- 473. Reports and maps of the Geological Survey released only in the open files, 1962, by B. A. Weld, E. S. Asselstine, and Arthur Johnson. 1963. 15 p.
- 474. Automation of streamflow records, prepared by a work group composed of R. W. Carter, chairman, W. L. Anderson, W. L. Isherwood, K. W. Rolfe, C. R. Showen, and Winchell Smith. 1963. 18 p.
- *475. Mineralization associated with the magnetic anomaly in part of the Ely quadrangle, Nevada, by A. L. Brokaw, G. B. Gott, D. R. Mabey, Howard McCarthy, and Uteana Oda. 1962. 7 p.
- 476. Principal lakes of the United States, by C. D. Bue. 1963. 22 p.
- 477. A tentative classification of alluvial river channels, by S. A. Schumm. 1963. 10 p.
- 478. Floods in Wyoming, magnitude and frequency, by J. R. Carter and A. R. Green. 1963 [1964]. 27 p.
- 479. Beryllium deposits of the western Seward Peninsula, Alaska, by C. L. Sainsbury. 1963. 18 p.
- 480. Preparation of water samples for carbon-14 dating, by H. R. Feltz and B. B. Hanshaw. 1963. 3 p.
- *481. The Atlantic Continental Shelf and slope—A program for study, by K. O. Emery and J. S. Schlee. 1963. 11 p.
- 482. Development of a hand portable rainfall-simulator infiltrometer, by I. S. McQueen. 1963. 16 p.
- 483. Summary of developed and potential waterpower of the United States and other countries of the world, 1955–62, by L. L. Young. 1964. 38 p.
- 484. Exploratory laboratory study of lateral turbulent diffusion at the surface of an alluvial channel, by W. W. Sayre and A. R. Chamberlain. 1964. 18 p.
- 485. Lithologic variations in slope development theory, by A. E. Scheidegger. 1964. 8 p.
- 486. Amazon River investigations, reconnaissance measurements of July 1963, by R. E. Oltman, H. O'R. Sternberg (University of Brazil), F. C. Ames, and L. C. Davis, Jr. 1964. 15 p.
- 487. Growing importance of urban geology, by J. T. McGill. 1964. 4 p.
- 488. Reports and maps of the Geological Survey released only in the open files, 1963, by B. A. Weld, M. S. Griffin, and G. W. Brett. 1964. 13 p.
- 489. A magnetic anomaly of possible economic significance in southeastern Minnesota, by Isidore Zietz. 1964. 5 p.

490. Sedimentation in three small forested drainage basins in the Alsea River basin, Oregon, by R. C. Williams. 1964. 16 p.
- *491. Alaska's Good Friday earthquake, March 27, 1964, a preliminary geologic evaluation, by Arthur Grantz, George Plafker, and Reuben Kachadoorian. 1964. 35 p.
492. Ground-water research of the U.S. Geological Survey, by C. L. McGinness. 1964. 7 p.
493. Magnitude and frequency of floods in Alaska south of the Yukon River, by V. K. Berwick, J. M. Childers, and M. A. Kuentzel. 1964 [1965]. 15 p.
494. Ground water east of Jackson Lake, Grand Teton National Park, Wyo., by L. J. McGreevy and E. D. Gordon. 1964 [1965]. 27 p.
495. Phreatophyte research in the Western States, March 1959 to July 1964, by T. W. Robinson. 1964. 31 p.
496. Mercury—Its occurrence and economic trends, by E. H. Bailey and R. M. Smith. 1964. 11 p.
497. The Clinch River study—An investigation of the fate of radionuclides released to a surface stream, by R. J. Pickering, P. H. Carrigan, Jr., and F. L. Parker. 1965. 12 p.
498. Reports and maps of the Geological Survey released only in the open files, 1964, by B. A. Weld, M. S. Griffin, and G. W. Brett. 1965. 16 p.
499. Selected references on saline ground-water resources of the United States, by J. H. Feth. 1965. 30 p.
500. Potash feldspar of possible economic value in the Barstow Formation, San Bernardino County, Calif., by R. A. Sheppard and A. J. Gude 3d. 1965. 7 p.
- *501. Index of surface-water records to December 31, 1963—Part 1, North Atlantic slope basins, by B. A. Anderson and C. B. Ham. 1965. 73 p. (Superseded by Circular 571.)
- *502. Index of surface-water records to December 31, 1963—Part 2, South Atlantic slope and eastern Gulf of Mexico basins, by B. A. Anderson and C. B. Ham. 1965. 73 p. (Superseded by Circular 572.)
- *503. Index of surface-water records to December 31, 1963—Part 3, Ohio River basin, by B. A. Anderson and C. B. Ham. 1965. 57 p. (Superseded by Circular 573.)
- *504. Index of surface-water records to December 31, 1963—Part 4, St. Lawrence River basin, by B. A. Anderson and C. B. Ham. 1965. 34 p. (Superseded by Circular 574.)
- *505. Index of surface-water records to December 31, 1963—Part 5, Hudson Bay and upper Mississippi River basins, by H. P. Eisenhuth. 1965. 65 p. (Superseded by Circular 575.)
- *506. Index of surface-water records to December 31, 1963—Part 6, Missouri River basin, by H. P. Eisenhuth. 1965. 85 p. (Superseded by Circular 576.)
- *507. Index of surface-water records to December 31, 1963—Part 7, Lower Mississippi River basin, by H. P. Eisenhuth. 1965. 55 p. (Superseded by Circular 577.)
- *508. Index of surface-water records to December 31, 1963—Part 8, Western Gulf of Mexico basins, by H. P. Eisenhuth. 1965. 45 p. (Superseded by Circular 578.)
- *509. Index of surface-water records to December 31, 1963—Part 9, Colorado

- River basin, by H. P. Eisenhuth. 1965. 49 p. (Superseded by Circular 579.)
- *510. Index of surface-water records to December 31, 1963—Part 10, The Great Basin, by H. P. Eisenhuth. 1965. 35 p. (Superseded by Circular 580.)
- *511. Index of surface-water records to December 31, 1963—Part 11, Pacific slope basins in California, by H. P. Eisenhuth. 1965. 50 p. (Superseded by Circular 581.)
- *512. Index of surface-water records to December 31, 1963—Part 12, Pacific slope basins in Washington and upper Columbia River basin, by H. P. Eisenhuth. 1965. 39 p. (Superseded by Circular 582.)
- *513. Index of surface-water records to December 31, 1963—Part 13, Snake River basin, by H. P. Eisenhuth. 1965. 29 p. (Superseded by Circular 583.)
- *514. Index of surface-water records to December 31, 1963—Part 14, Pacific slope basins in Oregon and lower Columbia River basin, by H. P. Eisenhuth. 1965. 28 p. (Superseded by Circular 584.)
- *515. Index of surface-water records to December 31, 1963—Hawaii and other Pacific areas, by H. P. Eisenhuth. 1965. 24 p. (Superseded by Circular 586.)
- *516. Index of surface-water records to December 31, 1963—Alaska, by H. P. Eisenhuth. 1965. 17 p. (Superseded by Circular 585.)
517. Floods on small streams in North Carolina, probable magnitude and frequency, by H. G. Hinson. 1965 [1966]. 7 p.
518. Reports and maps of the Geological Survey released only in the open files, 1965, by B. A. Weld, M. S. Griffin, and G. W. Brett. 1966. 16 p.
519. Geothermal energy, by D. E. White. 1965. 17 p.
520. Tritium rainout over the United States in 1962 and 1963, by G. L. Stewart and C. M. Hoffman. 1966. 11 p.
521. Mineral resources of the Grandfather Mountain window and vicinity, North Carolina, by Bruce Bryant and J. C. Reed, Jr. 1966. 13 p.
- *522. Resources of oil, gas, and natural-gas liquids in the United States and the world, by T. A. Hendricks. 1965. 20 p.
523. Organic-rich shale of the United States and world land areas, by D. C. Duncan and V. E. Swanson. 1965. 30 p.
524. The changing pattern of ground-water development on Long Island, N.Y., by R. C. Heath, B. L. Foxworthy, and Philip Cohen. 1966. 10 p.
525. Tectonic creep in the Hayward fault zone, California, by D. H. Radbruch, M. G. Bonilla, and others. 1966. 13 p.
- *526. Stream quality in Appalachia as related to coal-mine drainage, 1965, by J. E. Biesecker and J. R. George. 1966. 27 p.
527. Ground-water research in the United States, by O. M. Hackett. 1966. 8 p.
528. Reports and maps of the Geological Survey released only in the open files, 1966, by B. A. Weld, M. S. Griffin, and G. W. Brett. 1967. 14 p.
- 529-A. Water quality of the Potomac River estuary at Washington, D.C., by W. H. Durum and W. B. Langbein. 1966. 9 p.
- 529-B. Movement of a solute in the Potomac River estuary at Washington, D.C., at low inflow conditions, by J. F. Wilson, Jr., E. D. Cobb, and Nobuhiro Yotsukura. 1969. 14 p. (Circular 529 issued only as separate chapters under the general title "Potomac River studies.")

530. Gravimetric effects of petroleum accumulations—A preliminary summary, by T. H. McCulloh. 1966. 4 p.
531. The promise of precise borehole gravimetry in petroleum exploration and exploitation, by T. H. McCulloh. 1966. 12 p.
532. The interior of the earth—An elementary description, by E. C. Robertson. 1966. 10 p.
533. Regional trends in water-well drilling in the United States, by Gerald Meyer and G. G. Wyrick. 1966. 8 p.
534. Gold geochemical anomaly in the Cortez district, Nevada, by R. L. Erickson, G. H. Van Sickle, H. M. Nakagawa, J. H. McCarthy, Jr., and K. W. Leong. 1966. 9 p.
- *535. Distribution of gold, silver, tellurium, and mercury in the Ely mining district, White Pine County, Nev., by G. B. Gott and J. H. McCarthy, Jr. 1966. 5 p., 10 maps.
536. Are we running out of water?, by R. L. Nace. 1967. 7 p.
537. Effects of the Truckee, Calif., earthquake of September 12, 1966, by Reuben Kachadoorian, R. F. Yerkes, and A. O. Waananen. 1967. 14 p.
538. Ground water of the Piedmont and Blue Ridge provinces in the Southeastern States, by H. E. LeGrand. 1967. 11 p.
539. Flood information for flood-plain planning, by C. D. Bue. 1967. 10 p.
540. A simple mercury vapor detector for geochemical prospecting, by W. W. Vaughn. 1967. 8 p.
541. Gold-bearing sedimentary rocks in northwest Wyoming—A preliminary report, by J. C. Antweiler and J. D. Love. 1967. 12 p.
542. The aeration capacity of streams, by W. B. Langbein and W. H. Durum. 1967. 6 p.
543. Distribution of gold, tellurium, silver, and mercury in part of the Cripple Creek district, Colorado, by G. B. Gott, J. H. McCarthy, Jr., G. H. VanSickle, and J. B. McHugh. 1967. 9 p.
544. Determination of gold in geologic materials by solvent extraction and atomic-absorption spectrometry, by Claude Huffman, Jr., J. D. Mensik, and L. B. Riley. 1967. 6 p.
545. Marine sediment sample preparation for analysis for low concentrations of detrital gold, by H. E. Clifton, Arthur Hubert, and R. L. Phillips. 1967. 11 p.
546. Time of travel of water in the Great Miami River, Dayton to Cleves, Ohio, by D. P. Bauer. 1968. 15 p.
547. Uranium reserves and progress in exploration and development, by A. P. Butler, Jr. 1967 [1968]. 8 p.
548. Reports and maps of the Geological Survey released only in the open files, 1967, by B. A. Weld, M. S. Griffin, and G. W. Brett. 1968. 21 p.
549. Economic significance of revised age relations of rocks in the Cornucopia mining district, Elko County, Nev., by R. R. Coats. 1967. 4 p.
550. Discharge in the lower Columbia River basin. 1928–65, by H. M. Orem. 1968. 24 p.
551. Water temperatures in the lower Columbia River, by A. M. Moore. 1968. 45 p.
552. Reconnaissance investigations of the discharge and water quality of the Amazon River, by R. E. Oltman. 1968. 16 p.
553. Silver in veins of hypogene manganese oxides, by D. F. Hewett. 1968. 9 p.

- 554. Hydrology for urban land planning—A guidebook on the hydrologic effects of urban land use, by L. B. Leopold. 1968. 18 p.
- 555. Bedded barite in East Northumberland Canyon, Nye County, Nev., by D. R. Shawe, F. G. Poole, and D. A. Brobst. 1967. 8 p.
- 556. Estimated use of water in the United States, 1965, by C. R. Murray. 1968 [1969]. 53 p.
- 557. Lead, copper, molybdenum, and zinc geochemical anomalies south of the Summitville district, Rio Grande County, Colo., by W. N. Sharp and J. L. Gualtieri. 1968. 7 p.
- 558. Generalized hydrology of prairie potholes on the Coteau du Missouri, N. Dak., by W. S. Eisenlohr, Jr., and C. E. Sloan. 1968. 12 p.
- 559. Lead, zinc, and silver deposits at Bowser Creek, McGrath A-2 quadrangle, Alaska, by B. L. Reed and R. L. Elliott. 1968. 17 p.
- 560. U.S. Geological Survey heavy metals program progress report, 1966 and 1967 [by the U.S. Geological Survey]. 1968. 24 p.
- 561. An atomic-absorption method for the determination of gold in large samples of geologic materials, by G. H. VanSickle and H. W. Lakin. 1968. 4 p.
- 562. Utilization of humus-rich forest soil (mull) in geochemical exploration for gold, by G. C. Curtin, H. W. Lakin, G. J. Neuerburg, and A. E. Hubert. 1968. 11 p.
- 563. Favorable areas for prospecting adjacent to the Roberts Mountains thrust in southern Lander County, Nev., by J. H. Stewart and E. H. McKee. 1968. 13 p.
- 564. Occurrences of gold and other metals in the Upper Chulitna district, Alaska, by C. C. Hawley and A. L. Clark. 1968. 21 p.
- *565. Cassiterite in gold placers at Humboldt Creek, Serpentine-Kougarok area, Seward Peninsula, Alaska, by C. L. Sainsbury, Reuben Kachadoorian, T. E. Smith, and W. C. Todd. 1968. 7 p.
- 566. Tertiary gold-bearing channel gravel in northern Nevada County, Calif., by D. W. Peterson, W. E. Yeend, H. W. Oliver, and R. E. Mattick. 1968. 22 p.
- 567. Rutile and topaz in Precambrian gneiss, Jefferson and Clear Creek Counties, Colo., by D. M. Sheridan, R. B. Taylor, and S. P. Marsh. 1968. 7 p.
- 568. Reports and maps of the Geological Survey released only in the open files, 1968, by B. A. Weld, M. S. Griffin, and G. W. Brett. 1969. 24 p.
- 569. Geochemical anomalies and metalliferous deposits between Windy Fork and Post River, southern Alaska Range, by B. L. Reed and R. L. Elliott. 1968. 22 p.
- 570. Suggested areas for prospecting in the central Koyukuk River region, Alaska, by T. P. Miller and O. J. Ferrians, Jr. 1968. 12 p.
- 571. Index of surface-water records to September 30, 1967—Part 1, North Atlantic slope basins, by B. A. Anderson and C. B. Ham. 1968. 87 p.
- 572. Index of surface-water records to September 30, 1967—Part 2, South Atlantic slope and eastern Gulf of Mexico basins, by B. A. Anderson and C. B. Ham. 1968. 85 p.
- 573. Index of surface-water records to September 30, 1967—Part 3, Ohio River basin, by B. A. Anderson and C. B. Ham. 1968. 66 p.
- 574. Index of surface-water records to September 30, 1967—Part 4, St. Lawrence River basin, by B. A. Anderson and C. B. Ham. 1968. 39 p.

575. Index of surface-water records to September 30, 1967—Part 5, Hudson Bay and upper Mississippi River basins, by H. P. Eisenhuth. 1968. 64 p.
576. Index of surface-water records to September 30, 1967—Part 6, Missouri River basin, by H. P. Eisenhuth. 1968. 84 p.
577. Index of surface-water records to September 30, 1967—Part 7, Lower Mississippi River basin, by H. P. Eisenhuth. 1968. 66 p.
578. Index of surface-water records to September 30, 1967—Part 8, Western Gulf of Mexico basins, by H. P. Eisenhuth. 1968 [1969]. 51 p.
579. Index of surface-water records to September 30, 1967—Part 9, Colorado River basin, by H. P. Eisenhuth. 1968. 53 p.
580. Index of surface-water records to September 30, 1967—Part 10, The Great Basin, by H. P. Eisenhuth. 1968. 37 p.
581. Index of surface-water records to September 30, 1967—Part 11, Pacific slope basins in California, by H. P. Eisenhuth. 1968. 52 p.
582. Index of surface-water records to September 30, 1967—Part 12, Pacific slope basins in Washington and upper Columbia River basin, by H. P. Eisenhuth. 1968. 39 p.
- *583. Index of surface-water records to September 30, 1967—Part 13, Snake River basin, by H. P. Eisenhuth. 1968. 29 p.
584. Index of surface-water records to September 30, 1967—Part 14, Pacific slope basins in Oregon and lower Columbia River basin, by H. P. Eisenhuth. 1968. 30 p.
585. Index of surface-water records to September 30, 1967—Alaska, by H. P. Eisenhuth. 1968. 18 p.
586. Index of surface-water records to September 30, 1967—Hawaii and other Pacific areas, by H. P. Eisenhuth. 1968. 25 p.
587. Gold distribution in surface sediments on the continental shelf off southern Oregon—A preliminary report, by H. E. Clifton. 1968. 6 p.
588. Geochemical anomalies in the Swales Mountain area, Elko County, Nev., by K. B. Ketner, J. G. Evans, and T. D. Hessin. 1968. 13 p.
- *589. Distribution of gold, silver, and other metals near Gold Acres and Tenabo, Lander County, Nev., by C. T. Wrucke, T. J. Armbrustmacher, and T. D. Hessin. 1968. 19 p.
590. Potential for lode deposits in the Livengood gold placer district, east-central Alaska, by R. L. Foster. 1968. 18 p.
591. Direct-current arc and alternating-current spark emission spectrographic field methods for the semiquantitative analysis of geologic materials, by D. J. Grimes and A. P. Marranzino. 1968. 6 p.
592. Interpreting pan-concentrate analyses of stream sediments in geochemical exploration for gold, by R. P. Fischer and F. S. Fisher. 1968. 9 p.
593. Distribution of gold and some base metals in the Slana area, eastern Alaska Range, Alaska, by D. H. Richter and N. A. Matson, Jr. 1968. 20 p.
594. The Poison Ridge volcanic center and related mineralization, Grand and Jackson Counties, Colo., by D. M. Kinney, G. A. Izett, R. U. King, and R. B. Taylor. 1968. 8 p.
595. Geochemical and geophysical anomalies in the western part of the Sheep Creek Range, Lander County, Nev., by G. B. Gott and C. J. Zablocki. 1968. 17 p.
596. Preliminary results of geological, geochemical, and geophysical studies

- in part of the Virginia City quadrangle, Nevada, by D. H. Whitebread and D. B. Hoover. 1968. 20 p.
597. Distribution of beryllium, tin, and tungsten in the Lake George area, Colorado, by C. C. Hawley and W. R. Griffiths. 1968. 18 p.
598. Establishment of gold-quartz standard GQS-1, by H. T. Millard, Jr., John Marinenko, and J. E. McLane. 1969. 6 p.
599. The determination of gold in geologic materials by neutron-activation analysis using fire assay for the radiochemical separations, by J. J. Rowe and F. O. Simon. 1968. 4 p.
- *600. Geochemical evidence for possible concealed mineral deposits near the Monticello Box, northern Sierra Cuchillo, Socorro County, N. Mex., by W. R. Griffiths and H. V. Alminas. 1968. 13 p.
- 601-A. Water for the cities—The outlook, by W. J. Schneider and A. M. Spieker. 1969 [1970]. p. A1-A6.
- 601-B. Urban sprawl and flooding in southern California, by S. E. Rantz. 1970. p. B1-B11.
- 601-C. Flood-hazard mapping in metropolitan Chicago, by J. R. Sheaffer, D. W. Ellis, and A. M. Spieker. 1970. p. C1-C14.
- 601-D. Water as an urban resource and nuisance, by H. E. Thomas and W. J. Schneider. 1970. 9 p.
- 601-E. Sediment problems in urban areas, by H. P. Guy. 1970. p. E1-E8. (Circular 601 issued only as separate chapters under the general title "Water in the urban environment.")
602. Sand and gravel on the continental shelf off the northeastern United States, by John Schlee. 1968. 9 p.
603. Gold in meteorites and in the earth's crust, by R. S. Jones. 1968. 4 p.
604. Distribution of gold, copper, and some other metals in the McCarthy B-4 and B-5 quadrangles, Alaska, by E. M. MacKevett, Jr., and J. G. Smith. 1968. 25 p.
605. Gold distribution on the sea floor off the Klamath Mountains, Calif., by G. W. Moore and E. A. Silver. 1968. 9 p.
- *606. Anomalous concentrations of gold, silver, and other metals in the Mill Canyon area, Cortez quadrangle, Eureka and Lander Counties, Nev., by J. E. Elliott and J. D. Wells. 1968. 20 p.
607. Platinum and associated elements at the New Rambler mine and vicinity, Albany and Carbon Counties, Wyo., by P. K. Theobald, Jr., and C. E. Thompson. 1968 [1969]. 14 p.
608. Scientific or rule-of-thumb techniques of ground-water management—Which will prevail?, by C. L. McGuinness. 1969. 8 p.
609. Mercury in soil gas and air—A potential tool in mineral exploration, by J. H. McCarthy, Jr., W. W. Vaughn, R. E. Learned, and J. L. Meuschke. 1969. 16 p.
610. Gold in igneous, sedimentary, and metamorphic rocks, by R. S. Jones. 1969. 28 p.
611. Asbestos occurrence in the Eagle C-4 quadrangle, Alaska, by H. L. Foster. 1969. 7 p.
612. Gold in minerals and the composition of native gold, by R. S. Jones and Michael Fleischer. 1969. 17 p.
613. Seismic activity during the 1968 test pumping at the Rocky Mountain Arsenal disposal well, by D. B. Hoover and J. A. Dietrich. 1969. 35 p.

614. Metalliferous deposits near Granite Mountain, eastern Seward Peninsula, Alaska, by T. P. Miller and R. L. Elliott. 1969. 19 p.
615. Some shorter mineral resource investigations in Alaska. 1969. 25 p.
- *616. Sensor detection capabilities study, by J. E. Wilson. 1969 [1970]. 26 p.
617. Results of geological and geochemical investigations in an area north-west of the Chulitna River, central Alaska Range, by C. C. Hawley, A. L. Clark, M. A. Herdrick, and S. H. B. Clark. 1969. 19 p.
618. Reports and maps of the Geological Survey released only in the open files, 1969, by B. A. Weld, M. S. Griffin, and G. W. Brett. 1970. 23 p.
619. Subsea mineral resources and problems related to their development, by V. E. McKelvey, J. I. Tracey, Jr., G. E. Stoertz, and J. G. Vedder. 1969. 26 p.
620. Quantitative comparison of some aesthetic factors among rivers, by L. B. Leopold. 1969. 16 p.
- *621. U.S. Geological Survey heavy metals program progress reports, 1968—Field studies [by the U.S. Geological Survey]. 1969. 35 p.
622. U.S. Geological Survey heavy metals program progress report, 1968—Topical studies [by the U.S. Geological Survey]. 1969. 19 p.
- *623. Gold-bearing jasperoid in the Drum Mountains, Juab and Millard Counties, Utah, by J. H. McCarthy, Jr., R. E. Learned, J. M. Botbol, T. G. Lovering, J. R. Watterson, and R. L. Turner. 1969. 4 p.
624. Platinum, palladium, and rhodium analyses of ultramafic and mafic rocks from the Stillwater Complex, Mont., by N. J. Page, L. B. Riley, and Joseph Haffty. 1969. 12 p.
625. Gold content of water, plants, and animals, by R. S. Jones. 1970. 15 p.
626. Reconnaissance of water resources in the Haines-Port Chilkoot area, Alaska, by J. A. McConaghy. 1970. 16 p.
627. A summary of preliminary studies of sedimentation and hydrology in Bolinas Lagoon, Marin County, Calif., by J. R. Ritter. 1970. 22 p.
628. Elemental sulfur in Eddy County, N. Mex., by J. S. Hinds and R. R. Cunningham. 1970. 13 p.
629. Water laws and concepts, by H. E. Thomas. 1970. 18 p.
630. Hydrogeologic information on the Glorieta Sandstone and the Ogallala Formation in the Oklahoma Panhandle and adjoining areas as related to underground waste disposal, by J. H. Irwin and R. B. Morton. 1969. 26 p.
631. Disposal of liquid wastes by injection underground—Neither myth nor millennium, by A. M. Piper. 1969. 15 p.
632. Some estimates of the thermal effects of a heated pipeline in permafrost, by A. H. Lachenbruch. 1970. 23 p.
633. Standards for the classification of public coal lands, by N. W. Bass, H. L. Smith, and G. H. Horn. 1970. 10 p.
634. Chemical quality of Michigan streams, by W. W. Wood. 1970. 21 p.
635. Stratigraphic sections and chemical analyses of phosphatic rocks of Permian and Mississippian age in Weber County, Utah, by E. M. Schell and K. P. Moore. 1970. 11 p.
636. A review of water resources of the Umiat area, northern Alaska, by J. R. Williams. 8 p.
- 637—A, B. A, Some effects of fresh-water inflow on the flushing of south San Francisco Bay, by D. S. McCulloch, D. H. Peterson, P. R. Carlson, and T. J. Conomos; and B, Movement of seabed drifters in the San Francisco

- Bay estuary and the adjacent Pacific Ocean, by T. J. Conomos, D. H. Peterson, P. R. Carlson, and D. S. McCulloch. 1970. p. A1-A27 and B1-B8. (Circular 637 issued under the general title "A preliminary study of the effects of water circulation in the San Francisco Bay estuary.")
639. Preliminary report on the geologic events associated with the May 31, 1970, Peru earthquake, by G. E. Ericksen and George Plafker, U.S. Geological Survey, and J. F. Concha, Lima, Peru. 1970. 25 p.
640. A strategy for the geologic exploration of the planets, by M. H. Carr, editor. 1970. 37 p.
641. Selected sources of information on United States and world energy resources—An annotated bibliography, by Paul Averitt and M. D. Carter. 1970. 21 p.

TECHNIQUES OF WATER-RESOURCES INVESTIGATIONS

[An asterisk (*) indicates that the paper is out of print]

- *TWI 3-A1. General field and office procedures for indirect discharge measurements, Chapter A1, by M. A. Benson and Tate Dalrymple. 1967. 30 p. (Book 3, Applications of hydraulics.)
- *TWI 3-A2. Measurement of peak discharge by the slope-area method, Chapter A2, by Tate Dalrymple and M. A. Benson. 1967. 12 p. (Book 3, Applications of hydraulics.)
- TWI 3-A3. Measurement of peak discharge at culverts by indirect methods, Chapter A3, by G. L. Bodhaine. 1968. 60 p. 40¢. (Book 3, Applications of hydraulics.)
- TWI 3-A4. Measurement of peak discharge at width contractions by indirect methods, Chapter A4, by H. F. Matthai. 1967. 44 p. 35¢. (Book 3, Applications of hydraulics.)
- TWI 3-A5. Measurement of peak discharge at dams by indirect methods, Chapter A5, by Harry Hulsing. 1967. 29 p. 30¢. (Book 3, Applications of hydraulics.)
- TWI 3-A6. General procedure for gaging streams, Chapter A6, by R. W. Carter and Jacob Davidian. 1968. 13 p. 20¢. (Book 3, Applications of hydraulics.)
- TWI 3-A7. Stage measurement at gaging stations, Chapter A7, by T. J. Buchanan and W. P. Somers. 1968. 28 p. 45¢ (Book 3, Applications of hydraulics.)
- TWI 3-A8. Discharge measurements at gaging stations, Chapter A8, by T. J. Buchanan and W. P. Somers. 1969. 65 p. 70¢. (Book 3, Applications of hydraulics.)
- TWI 3-A11. Measurement of discharge by the moving-boat method, Chapter A11, by G. F. Smoot and C. E. Novak. 1969. 22 p. 40¢. (Book 3, Applications of hydraulics.)
- TWI 3-A12. Fluorometric procedures for dye tracing, Chapter A12, by J. F. Wilson, Jr. 1968. 31 p. 35¢. (Book 3, Applications of hydraulics.)
- TWI 3-C1. Fluvial sediment concepts, Chapter C1, by H. P. Guy. 1970. 55 p. 65¢. (Book 3, Applications of hydraulics.)
- TWI 3-C2. Field methods for measurement of fluvial sediment, Chapter C2, by H. P. Guy and V. W. Norman. 1970. 59 p. 70¢. (Book 3, Applications of hydraulics.)
- TWI 4-A1. Some statistical tools in hydrology, Chapter A1, by H. C. Riggs. 1968. 39 p. 30¢ (Book 4, Hydrologic analysis and interpretation.)
- TWI 4-A2. Frequency curves, Chapter A2, by H. C. Riggs. 1968. 15 p. 20¢. (Book 4, Hydrologic analysis and interpretation.)
- TWI 4-D1. Computation of rate and volume of stream depletion by wells, Chapter D1, by C. T. Jenkins. 1970. 17 p. 30¢. (Book 4, Hydrologic analysis and interpretation.)
- TWI 5-A1. Methods for collection and analysis of water samples for dissolved minerals and gases, Chapter A1, by Eugene Brown, M. W.

Skougstad, and M. J. Fishman. 1970. 160 p. \$2. (Book 5, Laboratory analysis.)

TWI 5-C1. Laboratory theory and methods for sediment analysis, Chapter C1, by H. P. Guy. 1969. 58 p. 65¢. (Book 5, Laboratory analysis.)

TWI 7-C1. A digital model for aquifer evaluation, Chapter C1, by G. F. Pinder. 1970. 18 p. 35¢. (Book 7, Automated data processing and computations.)

TWI 8-A1. Methods of measuring water levels in deep wells, Chapter A1, by M. S. Garber and F. C. Koopman. 1968. 25¢. (Book 8, Instrumentation.)

TWI 8-B2. Calibration and maintenance of vertical-axis type current meters, Chapter B2, by G. F. Smoot and C. E. Novak. 1968. 15 p. 40¢. (Book 8, Instrumentation.)

TOPOGRAPHIC INSTRUCTIONS

[All the chapters listed in "Publications of the Geological Survey, 1879-1961" as being in print are now out of print]

*TI 2E1-2E5. Geological Survey Topographic Instructions. Chapter 2E1, Standards and planning for leveling; Chapter 2E2, Equipment for leveling; Chapter 2E3, Leveling operations; Chapter 2E4, Bench marks; Chapter 2E5, Leveling computations. 1966. 63 p. (Book 2, Control surveys; Part 2E, Leveling.)

*TI 3F6. Geological Survey Topographic Instructions. Chapter 3F6, ER-55 Plotter procedures. 1961 [1962]. 49 p. (Book 3, Mapping procedures; Part 3F, stereocompilation procedures.)

*TI 5B1, 5B2. Geological Survey Topographic Instructions. Chapter 5B1, Areas of quadrangles; Chapter 5B2, Instructions and tables for polyconic projections. 1964 [1965]. 142 p. (Book 5, Tables; Part 5B, Cartographic tables.)

ANNUAL REPORTS

For fiscal years 1961-63, the report of the Director of the Geological Survey was included in the annual report of the Secretary of the Interior. A limited number of copies of the annual report of the Director has been reprinted for official use and may be obtained free, as long as the supply lasts, upon application to the Director, Geological Survey, Washington, D.C. 20242. Annual reports for subsequent years are contained in the Interior Department's Conservation Yearbook series; this series includes both the annual reports and the special reports to the Nation which have been published in previous years by the Department of the Interior.

Annual report of the Director, Geological Survey, to the Secretary of the Interior, fiscal year ended June 30, 1961. [Thomas B. Nolan, Director.] 1962. p. 181-222.

Fiscal year ended June 30, 1962. 1963. p. 327-362.

Fiscal year ended June 30, 1963. 1964. p. 355-400.

GEOPHYSICAL ABSTRACTS

Abstracts of the geophysical literature have been issued in a numbered series since 1929. The Bureau of Mines published numbers 1-86 (1929-36) and 112-127 (1943-46). The Geological Survey published the abstracts in its bulletin series from July 1936 through 1942 and 1947 through 1962. Beginning in January 1963, "Geophysical Abstracts" has been published by the Geological Survey as a monthly periodical having an annual index. Abstracts published from 1961 through 1971 are listed below. [Publication of this series was terminated with the December 1971 issue.]

<i>Issue</i>	<i>Year</i>	<i>Issue</i>	<i>Year</i>	<i>Issue</i>	<i>Year</i>
184-187	1961 ¹	216-227	1965	264-275	1969
188-191	1962 ²	228-239	1966	276-287	1970
192-203	1963	240-251	1967	288-299	1971
204-215	1964	252-263	1968		

¹ Bulletin 1146.

² Bulletin 1166.

ABSTRACTS OF NORTH AMERICAN GEOLOGY

Issued monthly from January 1966, but publication discontinued with December 1971 issue.

REPORTS AVAILABLE ONLY THROUGH NTIS

The following reports, priced as indicated for hard copies and 95 cents per document for microfiche, may be obtained from the National Technical Information Service, U.S. Department of Commerce, Springfield, Va. 22151. When ordering, please use the NTIS number preceding each item.

PB1-90628. Computer contribution 5, Proceedings of the symposium on map and chart digitizing, by R. A. Huber (ed.). 1970. 81 p. \$3.

PB1-90718. Investigation of small-scale map projections for space imagery, by Nathan Resnick. 1970. 13 p. \$3.

PB1-91587. Principal facts for gravity stations in an area west of Denver, Colo., by G. L. Brinkworth. 1970. 51 p. \$3.

PB1-92041. Annual report on research and development, April 1970, by the U.S. Geological Survey. 1970. 56 p. \$3.

PB1-92863. Remote sensing bibliography for earth resources, 1966-67, by R. K. Llaverias. 1970. 135 p. \$3.

PB1-93314. An algorithm for gridding satellite photographs, by L. U. Bender. 1970. 163 p. \$3.

PB1-93512. More information relating to the high altitude use of color infrared film, by R. W. Pease. 1970. 11 p. \$3.

PB1-93666. Ground data-handling system study for the Earth Resources Observation Satellite: Phase II, user data processing requirements, by Herbert Gurk, Peter Wood, and Charles Smith. 1969 [1970]. 130 p. \$3.

PB1-93829. Ground data-handling system study for the Earth Resources Observation Satellite: Phase I, by Herbert Gurk, Peter Wood, and Charles Smith. 1968 [1970]. 99 p. \$3.

PB1-93859. Earth Resources Observation Satellite—Image utility at state level, by D. W. Jamison. 1970. 159 p. \$3.

- PB1-94570. Atlantic region semianalytical aerotriangulation program, by L. R. Mannello, M. L. McKenzie, and Robert Montgomery, Jr. 1970. 65 p. \$3.
- PB1-94810. Application of remote sensing techniques to water oriented outdoor recreation planning, by R. W. Douglass. 1970. 20 p. \$3.
- PB1-94811. The use of air photo mosaics as simulators of spacecraft photography in land use mapping, by R. D. Rudd and R. M. Highsmith, Jr. 1970. 26 p. \$3.
- PB1-95451. Remote sensing of hydrologic resources in the Great Plains, report 1, by F. A. Waltz and V. I. Myers. 1970. 107 p. \$3.
- PB1-95498. Multispectral separations from multilayer films, by R. W. Pease. 1969 [1970]. 38 p. \$3.
- PB1-95748. Remote sensing bibliography for earth resources, 1968, by R. K. Llaverias and D. G. Lowe. 1970. 260 p. \$3.
- PB1-95999. Perspective center determination, by J. D. McLaurin. 1969 [1970]. 41 p. \$3.
- PB1-96002. Satellite photography as a geographic tool for land-use mapping of the southwestern United States, by N. J. W. Thrower, L. W. Senger, R. H. Mullens 2d, and K. J. Walton. 1970. 23 p. \$3.

SPECIAL BOOKS

[The following books, which are listed in "Publications of the Geological Survey, 1879-1961" as being in print, are now out of print: "Prospecting for uranium" and "Publications of the U.S. Geological Survey relating to coal."]

- A primer on ground water, by H. L. Baldwin and C. L. McGuinness. 1963. 26 p. 50¢.
- A primer on water quality, by H. A. Swenson and H. L. Baldwin. 1965. 27 p. 30¢.
- Catalog of information on water data, prepared by the Office of Water Data Coordination. Available on application to the Geological Survey, Washington, D.C. 20242. Published periodically as separate indexes, the current edition of each being as follows:
- Index to surface water section, edition 1970. 1970. 677 p.
 - Index to water quality section, edition 1970. 1970. 443 p.
 - Index to ground water stations, edition 1968. 1969. 657 p.
 - Index to areal investigations and miscellaneous water data activities, edition 1970. 1971. 178 p.
- Long range plan for resource surveys, investigations, and research programs of the United States Geological Survey, 1964. 1964. 75 p.
- Publications of the Geological Survey, 1879-1961. 1964. 457 p.
- The National Water Resources Data Network. 1963. Available free on request to U.S. Geological Survey, Washington, D.C. 20242, or Denver, Colo. 80225. (Prepared in cooperation with State and local agencies and with other Federal agencies.)
- The river and the rocks—The geologic story of Great Falls and the Potomac River Gorge, by the U.S. Geological Survey and the National Park Service. 1970. 46 p. 40¢.

MAPS AND CHARTS

GENERAL INFORMATION

In some commonly used scales on which maps of the United States and of the several States have been published, 1 inch on the map represents the distance on the ground as given below:

<i>Scale</i>	<i>Feet</i>	<i>Scale</i>	<i>Miles</i>
1:960 -----	80	1:63,360 -----	1.000
1:1,200 -----	100	1:75,000 -----	1.184
1:2,400 -----	200	1:96,000 -----	1.515
1:3,600 -----	300	1:100,000 -----	1.578
1:4,800 -----	400	1:120,000 -----	1.894
1:6,000 -----	500	1:125,000 -----	1.973
1:9,600 -----	800	1:126,720 -----	2.000
1:12,000 -----	1,000	1:190,080 -----	3.000
1:15,000 -----	1,250	1:200,000 -----	3.157
1:15,840 -----	1,320	1:240,000 -----	3.788
1:16,000 -----	1,333	1:250,000 -----	3.946
1:18,000 -----	1,500	1:253,440 -----	4.000
1:20,000 -----	1,667	1:316,800 -----	5.000
1:23,600 -----	1,967	1:380,160 -----	6.000
1:24,000 -----	2,000	1:500,000 -----	7.891
1:25,000 -----	2,083	1:750,000 -----	11.837
1:30,000 -----	2,500	1:1,000,000 -----	15.783
1:31,250 -----	2,604	1:1,500,000 -----	23.674
1:31,680 -----	2,640	1:1,584,000 -----	25.000
1:36,000 -----	3,000	1:2,000,000 -----	31.566
1:48,000 -----	4,000	1:2,500,000 -----	39.457
1:50,000 -----	4,167	1:2,534,300 -----	39.999
1:58,000 -----	4,833	1:3,168,000 -----	50.000
1:62,500 -----	5,208	1:5,000,000 -----	78.914
		1:7,000,000 -----	110.480
		1:7,500,000 -----	118.371
		1:13,650,000 -----	215.436
		1:16,500,000 -----	260.417
		1:17,000,000 -----	268.308
		1:38,500,000 -----	607.639

Ordering instructions are given on page 2. The Geological Survey does not supply mounted maps. An asterisk (*) indicates the item is out of print.

GEOLOGIC MAPS OF THE UNITED STATES

Basement rock map of the United States (exclusive of Alaska and Hawaii), compiled by R. W. Bayley, United States Geological Survey, and W. R. Muehlberger, The University of Texas. 1968. Scale 1:2,500,000. Two sheets, each 41 by 52 inches. \$3 per set.

Bouguer gravity anomaly map of the United States (exclusive of Alaska and Hawaii), by the American Geophysical Union's Special Committee for the Geophysical and Geological Study of the Continents, G. P. Woollard, Chairman, and the U.S. Geological Survey, H. R. Joesting, Coordinator. 1964. Scale 1:2,500,000. Contour interval 10 milligals. Two sheets, each

42 by 52 inches. 75¢ per set (available on regular map paper or on translucent parchment paper).

Oil and gas fields of the United States, exclusive of Alaska and Hawaii, by S. D. Vlissides and B. A. Quirin. (Data as of October 1963.) 1964. Scale 1:2,500,000. Two sheets, each 41½ by 51 inches. \$2 per set.

Tectonic map of the United States, exclusive of Alaska and Hawaii, by the U.S. Geological Survey and the American Association of Petroleum Geologists. Prepared by a committee, G. V. Cohee, Chairman. 1961 [1962]. Scale 1:2,500,000. Two sheets, each 41 by 54 inches. \$4.50.

GEOLOGIC MAPS OF NORTH AMERICA

Basement map of North America, between latitudes 24° and 60° N., by the American Association of Petroleum Geologists and the United States Geological Survey, prepared by the Basement Rock Project Committee. 1967. Scale 1:5,000,000. 40 by 53 inches. \$1.

Geologic map of North America, by the North American Geologic Map Committee, E. N. Goddard, Chairman, and compilation assistance by D. C. Bell. 1965. Scale 1:5,000,000. Two sheets, each 39 by 56 inches. \$5 per set.

Tectonic map of North America, compiled by P. B. King. 1969. Scale 1:5,000,000. Submarine-contour interval 500 meters, with first 200-meter contour added. Structure-contour interval in platform areas 500 meters. Two sheets, each 40 by 65 inches. \$5 per set. (See also Professional Paper 628.)

STATE MAPS DISTRIBUTED BY THE GEOLOGICAL SURVEY

[State maps published and distributed by State agencies are included in a complete list, "State Geologic Maps," which can be obtained from the Geologic Inquiries Group, U.S. Geological Survey, Washington, D.C. 20242. The following map, which is listed in "Publications of the Geological Survey, 1879-1961" as being in print, is now out of print: Wyoming]

Alaska, I-357.¹

Arizona, by E. D. Wilson and R. T. Moore, 1969. Scale 1:500,000. \$2.50.

California (generalized), I-512.¹

New Mexico, by C. H. Dane and G. O. Bachman, 1965. Scale 1:500,000. Sheet 1, geologic map; sheet 2, explanation. \$2.50 per set.

North Dakota, I-331.¹

Ohio, I 327.¹

Oregon (generalized), I-595.¹

Washington (generalized), I-583.¹

¹ Listed under Miscellaneous Geologic Investigations Maps, p. 285.

INDEXES TO GEOLOGIC MAPPING IN THE UNITED STATES

Geologic map indexes outline areas covered by maps published by the Geological Survey, State and commercial organizations, universities, and professional societies. Indexes include Geological Survey open-file reports and maps but not theses or open-file material of other organizations. The map areas shown on the indexes are numbered in general chronological order by

publication date, and the numbers are keyed to the bibliographic references cited in the text. Maps outlined on indexes published after 1968 are at a scale of 1:250,000 or larger, show areal geology in as much detail or more than the State geologic maps, and are compiled on topographic index-map bases.

Indexes to geologic mapping in the United States

State and year of compilation	Year of publication	Scale	Price
Alabama, 1950	1951	1:1,000,000	\$0.40
Alaska, 1965	1967	1:2,500,000	.60
*Arizona, 1957	1958	1:1,000,000	-----
Arkansas, 1952	1952	1:500,000	.65
*California, 1951 (two sheets)	1952	1:750,000	-----
Colorado, 1954	1954	1:750,000	.50
Florida, 1952	1953	1:1,000,000	.60
Georgia, 1949	1949	1:750,000	.35
Idaho, 1957	1959	1:750,000	.60
Illinois, 1953	1954	1:750,000	.60
Indiana, 1950	1950	1:750,000	.45
Iowa, 1948	1948	1:750,000	.35
*Kansas, 1954	1954	1:750,000	-----
Kentucky, 1952	1952	1:750,000	.50
*Louisiana, 1950	1950	1:1,000,000	-----
Maine, 1958	1959	1:750,000	.60
Maryland and Delaware, 1951	1951	1:500,000	.40
Massachusetts, Rhode Island, and Connecticut, 1952	1952	1:500,000	.40
Michigan, 1953	1953	1:750,000	.60
Minnesota, 1953	1955	1:750,000	.60
Mississippi, 1950	1950	1:1,000,000	.25
Missouri, 1948	1949	1:75,000	.30
Montana, 1955	1955	1:750,000	-----
Supplement, 1955-67	1969	1:750,000	} \$0.75 per set
*Nebraska, 1947	1947	1:1,000,000	
Nevada, 1955	1955	1:750,000	.60
New Hampshire and Vermont, 1952	1952	1:500,000	.50
New Jersey, 1951	1951	1:500,000	.40
New Mexico, *Part A, 1956	1958	1:750,000	-----
Part B, 1956-68	1970	1:1,000,000	.50
New York, 1952	1952	1:750,000	.60
North Carolina, 1950	1950	1:750,000	.50
North Dakota, 1954	1954	1:750,000	.60
Ohio, 1970	1970	1:1,000,000	.50
*Oklahoma, 1953	1953	1:500,000	-----
Oregon, 1949	1949	1:750,000	.25
*Pennsylvania, 1952	1952	1:500,000	-----
South Carolina, 1950	1950	1:1,000,000	.25
South Dakota, 1957	1958	1:750,000	.60
Tennessee, 1949	1949	1:750,000	.40
Texas, 1951	1951	1:1,000,000	.60
Utah, 1954	1954	1:750,000	.60
Virginia, 1959	1959	1:750,000	.60
Washington, 1949	1949	1:750,000	.35
West Virginia, 1949	1949	1:750,000	.25
Wisconsin, 1953	1953	1:750,000	.60
Wyoming, 1955	1955	1:750,000	.60

GEOLOGIC QUADRANGLE MAPS

- GQ-147. Surficial geology of the Avon quadrangle, Connecticut, by R. W. Schnabel. 1962. Lat 41°45' to 41°52'30", long 72°45' to 72°52'30". Scale 1:24,000. Contour interval 10 feet. 30 by 50 inches. \$1.
- GQ-148. Surficial geology of the Montville quadrangle, Connecticut, by Richard Goldsmith. 1962. Lat 41°22'30" to 41°30", long 72°07'30" to 72°15'. Scale 1:24,000. 30 by 50 inches. \$1.
- GQ-149. Geology of the Altoona quadrangle, Kansas, by H. C. Wagner. 1961 [1962]. Lat 37°30' to 37°45', long 95°30' to 95°45'. Scale 1:62,500. Contour interval 20 feet. 29½ by 49 inches. \$1.
- GQ-150. Surficial geology of the Meriden quadrangle, Connecticut, by P. M. Hanshaw. 1962. Lat 41°30' to 41°37'30", long 72°45' to 72°52'30". Scale 1:24,000. Contour interval 10 feet. 29½ by 49½ inches. \$1.
- GQ-152. Geology of the Ouray quadrangle, Colorado, by R. G. Luedke and W. S. Burbank. 1962. Lat 38° to 38°07'30", long 107°37'30" to 107°45'. Scale 1:24,000. Contour interval 40 feet. 30 by 50 inches. \$1.
- GQ-153. Geology of the Delano Peak quadrangle, Utah, by Eugene Callaghan and R. L. Parker. 1962. Lat 38°15' to 38°30', long 112°15' to 112°30'. Scale 1:62,500. Contour interval 50 feet. 30 by 50 inches. \$1.
- GQ-154. Geology of the Marysvale quadrangle, Utah, by M. E. Willard and Eugene Callaghan. 1962. Lat 38°15' to 38°30', long 112° to 112°15'. Scale 1:62,500. Contour interval 50 feet. 29½ by 49½ inches. \$1.
- GQ-156. Geology of the Sevier quadrangle, Utah, by Eugene Callaghan and R. L. Parker. 1962. Lat 38°30' to 38°45', long 112°15' to 112°30'. Scale 1:62,500. Contour interval 50 feet. 30 by 50 inches. \$1.
- GQ-159. Geology of the Des Moines quadrangle, Washington, by H. H. Waldron. 1962. Lat 47°22'30" to 47°30', long 122°15' to 122°22'30". Scale 1:24,000. Contour intervals 25 feet. 29½ by 49½ inches. \$1.
- GQ-160. Pre-Quaternary geology of the Columbus quadrangle, New Jersey, by J. P. Owens and J. P. Minard. 1962. Lat 40° to 40°07'30", long 74°37'30" to 74°45'. Scale 1:24,000. Contour interval 10 feet. 30 by 50 inches. \$1.
- GQ-161. Pre-Quaternary geology of the New Egypt quadrangle, New Jersey, by J. P. Minard and J. P. Owens. 1962. Lat 40° to 40°07'30", long 74°30' to 74°37'30". Scale 1:24,000. Contour interval 10 feet. 30 by 50 inches. \$1.
- GQ-162. Geology of the Cameron quadrangle, Arizona, by J. P. Akers, J. H. Irwin, P. R. Stevens, and N. E. McClymonds, *with a section on Uranium deposits*, by W. L. Chenoweth. 1962. Lat 35°45' to 36°, long 111°15' to 111°30'. Scale 1:62,500. Contour interval 40 feet. 30 by 50 inches. \$1.
- GQ-163. Geology of the Maryville quadrangle, Tennessee, by J. M. Cattermole. 1962. Lat 35°45' to 35°52'30", long 83°52'30" to 84°. Scale 1:24,000. Contour interval 20 feet. 30 by 50 inches. \$1.
- GQ-164. Bedrock geology of the Lincoln Mountain quadrangle, Vermont, by W. M. Cady, A. L. Albee, and J. F. Murphy. 1962. Lat 44° to 44°15', long 72°45' to 73°. Scale 1:62,500. Contour interval 20 feet. 30 by 50 inches. \$1.
- GQ-165. Surficial geology of the Norwich quadrangle, Connecticut, by P. M.

- Hanshaw and G. L. Snyder. 1962. Lat 41°30' to 41°37'30", long 72° to 72°07'30". Scale 1:24,000. 26 by 50 inches. \$1.
- GQ-166. Surficial geology of the Hope Valley quadrangle, Rhode Island, by T. G. Feininger. 1962. Lat 41°30' to 41°37'30", long 71°37'30" to 71°45'. Scale 1:24,000. Contour interval 10 feet. 30 by 50 inches. \$1.
- GQ-167. Geology of the West Carlsbad quadrangle, New Mexico, by W. S. Motts. 1962. Lat 32°15' to 32°30', long 104°15' to 104°30'. Scale 1:62,500. Contour interval 50 feet. 30 by 50 inches. \$1.
- GQ-168. Surficial geology of the Reading quadrangle, Massachusetts, by R. N. Oldale. 1962 [1963]. Lat 42°30' to 42°37'30", long 71° to 71°07'30". Scale 1:24,000. Contour interval 10 feet. 30 by 49½ inches. \$1.
- GQ-171. Geology of the Ano quadrangle, Kentucky, by H. K. Stager. 1962. Lat 37° to 37°07'30", long 84°15' to 84°22'30". Scale 1:24,000. Contour interval 20 feet. 31½ by 33½ inches. \$1.
- GQ-174. Geology of the Holland quadrangle, Kentucky-Tennessee, by W. H. Nelson. 1962. Lat 36°37'30" to 36°45', long 86° to 86°07'30". Scale 1:24,000. Contour interval 20 feet. 30½ by 33 inches. \$1.
- GQ-175. Geology of the Argillite quadrangle, Kentucky, by R. A. Sheppard and J. C. Ferm. 1962. Lat 38°22'30" to 38°30', long 82°45' to 82°52'30". Scale 1:24,000. Contour interval 20 feet. 30 by 32 inches. \$1.
- GQ-176. Surficial geology of the New London quadrangle, Connecticut-New York, by Richard Goldsmith. 1962. Lat 41°15' to 41°22'30", long 72° to 72°07'30". Scale 1:24,000. Contour interval 10 feet. 25 by 28 inches. \$1.
- GQ-177. Geology of the Wolf Creek Dam quadrangle, Kentucky, by R. Q. Lewis, Sr., and R. E. Thaden. 1962. Lat 36°45' to 36°52'30", long 85°07'30" to 85°15'. Scale 1:24,000. Contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-178. Geology of the Kermit quadrangle in Kentucky, by J. W. Huddle and K. J. Englund. 1962. Lat 37°45' to 37°52'30", long 82°22'30" to 82°30'. Scale 1:24,000. Contour interval 40 feet. 33 by 33 inches. \$1.
- GQ-179. Geology of the Sawyer quadrangle, Kentucky, by W. P. Puffett. 1962. Lat 36°52'30" to 37°, long 84°15' to 84°22'30". Scale 1:24,000. Contour interval 20 feet. 29½ by 32 inches. \$1.
- GQ-180. Geology of the Varney quadrangle, Kentucky, by J. W. Huddle and K. J. Englund. 1962. Lat 37°37'30" to 37°45', long 82°22'30" to 82°30'. Scale 1:24,000. Contour interval 40 feet. 33 by 34 inches. \$1.
- GQ-181. Geology of the Lenox quadrangle, Kentucky, by J. E. Johnston. 1962. Lat 37°52'30" to 38°, long 83°07'30" to 83°15'. Scale 1:24,000. Contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-182. Geology of the Jamestown quadrangle, Kentucky, by R. E. Thaden and R. Q. Lewis, Sr. 1962. Lat 36°52'30" to 37°, long 85° to 85°07'30". Scale 1:24,000. Contour interval 20 feet. 30 by 32 inches. \$1.
- GQ-183. Geology of the Park City quadrangle, Kentucky, by D. D. Haynes. 1962. Lat 37° to 37°07'30", long 86° to 86°07'30". Scale 1:24,000. Contour interval 10 feet. 30 by 32½ inches. \$1.
- GQ-184. Geology of the Scottsville quadrangle, Kentucky, by K. B. Ketner. 1962. Lat 36°45' to 36°52'30", long 86°07'30" to 86°15'. Scale 1:24,000. Contour interval 20 feet. 30 by 32 inches. \$1.
- GQ-185. Geology of the Paradise quadrangle, Utah, by T. E. Mullens and G. A. Izett. 1963. Lat 41°30' to 41°37'30", long 111°45' to 111°52'30". Scale 1:24,000. Contour interval 40 feet. 30 by 32 inches. \$1.
- GQ-186. Geology of the Amandaville quadrangle, Kentucky, by A. R. Taylor.

1962. Lat $36^{\circ}52'30''$ to 37° , long $85^{\circ}15'$ to $85^{\circ}22'30''$. Scale 1:24,000. Contour interval 20 feet. 31 by 32 inches. \$1.
- GQ-187. Geology of the Williamson quadrangle in Kentucky, by D. C. Alvord and V. A. Trent. 1962. Lat $37^{\circ}37'30''$ to $37^{\circ}45'$, long $82^{\circ}15'$ to $82^{\circ}22'30''$. Scale 1:24,000. Contour interval 40 feet. $32\frac{1}{2}$ by 33 inches. \$1.
- GQ-188. Geology of the Coleman Gap quadrangle, Tennessee and Virginia, by L. D. Harris, J. G. Stephens, and R. L. Miller. 1962 [1963]. Lat $36^{\circ}30'$ to $36^{\circ}37'30''$, long $83^{\circ}22'30''$ to $83^{\circ}30'$. Scale 1:24,000. Contour interval 20 feet. 32 by 39 inches. \$1.
- GQ-189. Surficial geology of the Ipswich quadrangle, Massachusetts, by E. A. Sammel. 1963. Lat $42^{\circ}37'30''$ to $42^{\circ}45'$, long $70^{\circ}45'$ to $70^{\circ}52'30''$. Scale 1:24,000. Contour interval 10 feet. $28\frac{1}{2}$ by 33 inches. 75¢.
- GQ-190. Geology of the Varilla quadrangle, Kentucky-Virginia, by K. J. Englund, E. R. Landis, and H. L. Smith. 1963. Lat $36^{\circ}37'30''$ to $36^{\circ}45'$, long $83^{\circ}30'$ to $83^{\circ}37'30''$. Scale 1:24,000. Contour interval 40 feet. 33 by 37 inches. \$1.
- GQ-191. Geology of the Vega Alta quadrangle, Puerto Rico, by W. H. Monroe. 1963. Lat $18^{\circ}22'30''$ to $18^{\circ}30'$, long $66^{\circ}15'$ to $66^{\circ}22'30''$. Scale 1:20,000. Contour interval 10 meters. 34 by 45 inches. \$1.
- GQ-192. Geology of the Big Clifty quadrangle, Kentucky, by W C Swadley. 1962. Lat $37^{\circ}30'$ to $37^{\circ}37'30''$, long $86^{\circ}07'30''$ to $86^{\circ}15'$. Scale 1:24,000. Contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-193. Geology of the Lodiburg quadrangle, Kentucky, by R. K. Hose, E. G. Sable, and D. C. Hedlund. 1963. Lat $37^{\circ}52'30''$ to 38° , long $86^{\circ}22'30''$ to $86^{\circ}30'$. Scale 1:24,000. Contour interval 10 feet. 32 by 34 inches. \$1.
- GQ-194. Geology of the Polkville quadrangle, Kentucky, by Benjamin Gildersleeve. 1962. Lat $36^{\circ}52'30''$ to 37° , long $86^{\circ}15'$ to $86^{\circ}22'30''$. Scale 1:24,000. Contour interval 10 feet. 30 by 33 inches. \$1.
- GQ-195. Geology of the London SW quadrangle [Kentucky], by H. K. Stager. 1963. Lat 37° to $37^{\circ}07'30''$, long $84^{\circ}07'30''$ to $84^{\circ}15'$. Scale 1:24,000. Contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-196. Geology of the Ashland quadrangle, Kentucky-Ohio, and the Catlettsburg quadrangle in Kentucky, by E. Dobrovolny, J. A. Sharps, and J. C. Ferm. 1963. Lat $38^{\circ}22'30''$ to $38^{\circ}30'$, long $82^{\circ}35'$ to $82^{\circ}45'$. Scale 1:24,000. Contour interval 20 feet. 31 by 41 inches. \$1.
- GQ-197. Geology of the Camuy quadrangle, Puerto Rico, by W. H. Monroe. 1963. Lat $18^{\circ}22'30''$ to $18^{\circ}30'$, long $66^{\circ}45'$ to $66^{\circ}52'30''$. Scale 1:20,000. Contour interval 5 meters. 33 by 42 inches. \$1.
- GQ-198. Geology of the Lee City quadrangle, Kentucky, by E. V. Post and J. E. Johnston. 1963. Lat $37^{\circ}37'30''$ to $37^{\circ}45'$, long $83^{\circ}15'$ to $83^{\circ}22'30''$. Scale 1:24,000. Contour interval 20 feet. 30 by 34 inches. \$1.
- GQ-199. Bedrock geology of the Mount Carmel quadrangle, Connecticut, by C. E. Fritts. 1963. Lat $41^{\circ}22'30''$ to $41^{\circ}30'$, long $72^{\circ}52'30''$ to 73° . Scale 1:24,000. Contour interval 10 feet. 33 by 35 inches. \$1.
- GQ-200. Bedrock geology of the Southington quadrangle, Connecticut, by C. E. Fritts. 1963. Lat $41^{\circ}30'$ to $41^{\circ}37'30''$, long $72^{\circ}52'30''$ to 73° . Scale 1:24,000. Contour interval 10 feet. 30 by 35 inches. \$1.
- GQ-201. Geology of the Landsaw quadrangle, Kentucky, by W. R. Hansen and J. E. Johnston. 1963. Lat $37^{\circ}37'30''$ to $37^{\circ}45'$, long $82^{\circ}22'30''$ to $83^{\circ}30'$. Scale 1:24,000. Contour interval 20 feet. 34 by 34 inches. \$1.
- GQ-202. Geology of the Bernstadt quadrangle, Kentucky, by N. L. Hatch, Jr.

1963. Lat 37°07'30" to 37°15', long 84°07'30" to 84°15'. Scale 1:24,000. Contour interval 20 feet. 31 by 33 inches. \$1.
- GQ-203. Geology of the Hazel quadrangle in Kentucky by L. V. Blade. 1963. Lat 36°30' to 36°37'30", long 88°15' to 88°22'30". Scale 1:24,000. Contour interval 10 feet. 31 by 32 inches. \$1.
- GQ-204. Geology of the Creelsboro quadrangle, Kentucky, by R. E. Thaden and R. Q. Lewis, Sr. 1963. Lat 36°52'30" to 37°, long 85°07'30" to 85°15'. Scale 1:24,000. Contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-205. Geology of the Jackson quadrangle, Kentucky by G. E. Prichard and J. E. Johnston. 1963. Lat 37°30' to 37°37'30", Long 83°22'30" to 83°30'. Scale 1:24,000. Contour interval 20 feet. 32 by 34 inches. \$1.
- GQ-206. Geology of the Salem quadrangle, Kentucky, by R. D. Trace. 1962. Lat 37°15' to 37°22'30", long 88°07'30" to 88°15'. Scale 1:24,000. Contour interval 10 feet. 34 by 36 inches. \$1.
- GQ-207. Geologic map of the Seboyeta quadrangle, New Mexico, by R. H. Moench. 1963. Lat 35°07'30" to 35°15', long 107°22'30" to 107°30'. Scale 1:24,000. Contour interval 20 feet. 29 by 32 inches. \$1.
- GQ-208. Geologic map of the Laguna quadrangle, New Mexico, by R. H. Moench. 1963. Lat 35° to 35°07'30", long 107°22'30" to 107°30'. Scale 1:24,000. Contour interval 20 feet. 28 by 30 inches. \$1.
- GQ-209. Geologic map of the Moquino quadrangle, New Mexico, by J. S. Schlee and R. H. Moench. 1963. Lat 35°07'30" to 35°15', long 107°15' to 107°22'30". Scale 1:24,000. Contour interval 20 feet. 28 by 32 inches. \$1.
- GQ-210. Geologic map of the Mesita quadrangle, New Mexico, by J. S. Schlee and R. H. Moench. 1963. Lat 35° to 35°07'30", long 107°15' to 107°22'30". Scale 1:24,000. Contour interval 20 feet. 28 by 31 inches. \$1.
- GQ-211. Geologic map of the Arch Mesa quadrangle, New Mexico, by R. H. Moench and W. P. Puffett. 1963. Lat 35°07'30" to 35°15', long 107°07'30" to 107°15'. Scale 1:24,000. Contour interval 20 feet, 27 by 30 inches. \$1.
- GQ-212. Geologic map of the Mesa Gigante quadrangle, New Mexico, by R. H. Moench and W. P. Puffett. 1963. Lat 35° to 35°07'30", long 107°07'30" to 107°15'. Scale 1:24,000. Contour interval 20 feet. 27 by 29 inches. \$1.
- GQ-213. Geologic map of the Tippihah Spring quadrangle, Nye County, Nev., by P. P. Orkild. 1963. Lat 37° to 37°07'30", long 116°07'30" to 116°15'. Scale 1:24,000. Contour interval 20 feet. 32 by 33 inches. \$1.
- GQ-214. Geologic map of the Oak Spring quadrangle, Nye County, Nev., by Harley Barnes, F. N. Houser, and F. G. Poole. 1963. Lat 37°07'30" to 37°15', long 116° to 116°07'30". Scale 1:24,000. Contour interval 20 feet. 33 by 34½ inches. \$1.
- GQ-215. Geology of the Rainier Mesa quadrangle, Nye County, Nev., by A. B. Gibbons, E. N. Hinrichs, W. R. Hansen, and R. W. Lemke. 1963. Lat 37°37'30" to 37°15', long 116°07'30" to 116°15'. Scale 1:24,000. Contour interval 20 feet. 34½ by 36 inches. \$1.
- GQ-216. Geology of the Bristow quadrangle, Kentucky, by Benjamin Gildersleeve. 1963. Lat 37° to 37°07'30", long 86°15' to 86°22'30". Scale 1:24,000. Contour interval 10 feet. 30 by 34 inches. \$1.
- GQ-217. Geology of the Tracy quadrangle, Kentucky, by S. L. Moore. 1963. Lat 36°45' to 36°52'30", long 85°52'30" to 86°. Scale 1:24,000. Contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-218. Geology of the Lily quadrangle, Kentucky, by H. K. Stager. 1963. Lat 37° to 37°07'30", long 84° to 84°07'30". Scale 1:24,000. Contour interval 20 feet. 30 by 34 inches. \$1.

- GQ-219. Geology of the Rhoda quadrangle, Kentucky, by Harry Klemic. 1963. Lat 37°07'30" to 37°15', long 86°07'30" to 86°15'. Scale 1:24,000. Contour interval 20 feet. 30 by 34 inches. \$1.
- GQ-220. Geology of the Burkesville quadrangle, Kentucky, by J. M. Cattermole. 1963. Lat 36°45' to 36°52'30", long 85°15' to 85°22'30". Scale 1:24,000. Contour interval 20 feet. 31 by 34 inches. \$1.
- GQ-221. Bedrock geology of the Danforth quadrangle, Maine, by D. M. Larabee and C. W. Spencer. 1963. Lat 45°30' to 45°45', long 67°45' to 68°. Scale 1:62,500. Contour intervals 20 feet in the U.S. and 50 feet in Canada. 25 by 26 inches. \$1.
- GQ-222. Geologic map of the San Andreas quadrangle, Calaveras County, Calif., by L. D. Clark, A. A. Stromquist, and D. B. Tatlock. 1963. Lat 38° to 38°15', long 120°30' to 120°45'. Scale 1:62,500. Contour interval 50 feet. 27 by 32 inches. \$1.
- GQ-223. Geology of the Hartford North quadrangle, Connecticut, by R. V. Cushman. 1963. Lat 41°45' to 41°52'30", long 72°37'30" to 72°45'. Scale 1:24,000. Contour interval 10 feet. 28 by 30 inches. \$1.
- GQ-224. Geology of the Vox quadrangle, Kentucky, by W. P. Puffett. 1963. Lat 36°52'30" to 37°, long 84°07'30" to 84°15'. Scale 1:24,000. Contour interval 20 feet, 32 by 34 inches. \$1.
- GQ-225. Geology of the Sugar Grove quadrangle, Kentucky, by T. P. Miller. 1963. Lat 37° to 37°07'30", long 86°37'30" to 86°45'. Scale 1:24,000. Contour interval 10 feet. 30 by 34 inches. \$1.
- GQ-226. Geology of the Inez quadrangle, Kentucky, by W. F. Outerbridge. 1963. Lat 37°45' to 37°52'30", long 82°30' to 82°37'30". Scale 1:24,000. Contour interval 40 feet. 33 by 34 inches. \$1.
- GQ-227. Geology of the Thomas quadrangle, Kentucky, by C. L. Rice. 1963. Lat 37°37'30" to 37°45', long 82°30' to 82°37'30". Scale 1:24,000. Contour interval 40 feet. 31 by 33 inches. \$1.
- GQ-228. Geology of the Billows quadrangle, Kentucky, by N. L. Hatch, Jr. 1963. Lat 37°07'30" to 37°15', long 84°15' to 84°22'30". Scale 1:24,000. Contour interval 20 feet. 31 by 34 inches. \$1.
- GQ-229. Geology of the Flaherty quadrangle, Kentucky, by W C Swadley. 1963. Lat 37°45' to 37°52'30", long 86° to 86°07'30". Scale 1:24,000. Contour interval 20 feet. 32 by 33 inches.
- GQ-230. Geology of the Elva quadrangle, Kentucky, by W. W. Olive. 1963. Lat 36°52'30" to 37°, long 88°22'30" to 88°30'. Scale 1:24,000. Contour interval 10 feet. 30 by 34 inches. \$1.
- GQ-231. Geology of the Corbin quadrangle, Kentucky, by W. P. Puffett. 1963. Lat 36°52'30" to 37°, long 84° to 84°07'30". Scale 1:24,000. Contour interval 20 feet. 30 by 34 inches. \$1.
- GQ-232. Geology of the Howe Valley quadrangle, Kentucky, by R. C. Kepferle. 1963. Lat 37°37'30" to 37°45', long 86° to 86°07'30". Scale 1:24,000. Contour interval 20 feet. 33 by 34 inches. \$1.
- GQ-233. Geology of the Gradyville quadrangle, Kentucky, by A. R. Taylor. 1963. Lat 37° to 37°07'30", long 85°22'30" to 85°30'. Scale 1:24,000. Contour interval 20 feet. 29½ by 32½ inches. \$1.
- GQ-234. Geology of the Bowling Green North quadrangle, Kentucky, by F. R. Shawe. 1963. Lat 37° to 37°07'30", long 86°22'30" to 86°30'. Scale 1:24,000. Contour interval 10 feet. 31 by 34 inches. \$1.
- GQ-235. Geology of the Bowling Green South quadrangle, Kentucky, by F. R.

- Shawe. 1963. Lat 36°52'30" to 37°, long 86°22'30" to 86°30'. Scale 1:24,000. Contour interval 10 feet. 31 by 32 inches. \$1.
- GQ-236. Geology of the Parrot quadrangle, Kentucky, by D. F. Crowder. 1963. Lat 37°15' to 37°22'30", long 84° to 84°07'30". Scale 1:24,000. Contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-237. Geology of the Hadley quadrangle, Kentucky, by H. C. Rainey 3d. 1963. Lat 37° to 37°07'30", long 86°30' to 86°37'30". Scale 1:24,000. Contour interval 10 feet. 30 by 34 inches. \$1.
- GQ-238. Geology of the Stickleyville quadrangle, Virginia, by L. D. Harris and R. L. Miller. 1963. Lat 36°37'30" to 36°45', long 82°52'30" to 83°. Scale 1:24,000. Contour interval 20 feet. 33 by 37 inches. \$1.
- GQ-239. Geology of the Aspen Grove quadrangle, Utah, by A. A. Baker. 1964. Lat 40°22'30" to 40°30', long 111°30' to 111°37'30". Scale 1:24,000. Contour interval of base map 20 feet. 27 by 39 inches. Accompanied by 9-page text. \$1.
- GQ-240. Geology of the Quicksand quadrangle, Kentucky, by J. R. Donnell and J. E. Johnston. 1963. Lat 37°30' to 37°37'30", long 83°15' to 83°22'30". Scale 1:24,000. Contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-241. Geology of the Orem quadrangle, Utah, by A. A. Baker. 1964. Lat 40°15' to 40°22'30", long 111°37'30" to 111°45'. Scale 1:24,000. 26 by 34½ inches. Accompanied by 6-page text. \$1.
- GQ-242. Geology of the Lenoir quadrangle, North Carolina, by J. C. Reed, Jr. 1964. Lat 35°45' to 36°, long 81°30' to 81°45'. Scale 1:62,500. 27 by 36 inches. \$1.
- GQ-243. Geology of the Blowing Rock quadrangle, North Carolina, by Bruce Bryant. 1963. Lat 36° to 36°15', long 81°30' to 81°45'. Scale 1:62,500. Contour interval 50 feet. 25 by 40 inches. \$1.
- GQ-244. Geology of the Dexter quadrangle, Kentucky, by E. W. Wolfe. 1963. Lat 36°37'30" to 36°45', long 88°15' to 88°22'30". Scale 1:24,000. Contour interval 10 feet. 30 by 32 inches. \$1.
- GQ-245. Geology of the London quadrangle, Kentucky, by N. L. Hatch, Jr. 1963. Lat 37°07'30" to 37°15', long 84° to 84°07'30". Scale 1:24,000. Contour interval 20 feet. 30 by 33½ inches. \$1.
- GQ-246. Geology of the Kirksey quadrangle, Kentucky, by H. G. Wilshire. 1963. Lat 36°37'30" to 36°45', long 88°22'30" to 88°30'. Scale 1:24,000. Contour interval 10 feet. 30 by 33½ inches. \$1.
- GQ-247. Geology of the Tyner quadrangle, Kentucky, by G. L. Snyder. 1963. Lat 37°15' to 37°22'30", long 83°52'30" to 84°. Scale 1:24,000. Contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-248. Geology of the Manzanita Lake quadrangle, California, by G. A. Macdonald. 1963. Lat 40°30' to 40°45', long 121°30' to 121°45'. Scale 1:62,500. Contour interval 40 feet. 27 by 31 inches. \$1.
- GQ-249. Geology of the Columbia quadrangle, Kentucky, by R. Q. Lewis, Sr., and R. E. Thaden. 1963. Lat 37° to 37°07'30", long 85°15' to 85°22'30". Scale 1:24,000. Contour interval 10 feet. 30 by 32½ inches. \$1.
- GQ-250. Geology of the Paradise Peak quadrangle, Nevada, by C. J. Vitaliano and Eugene Callaghan. 1963 [1964]. Lat 38°45' to 39°, long 117°45' to 118°. Scale 1:62,500. 27 by 27 inches. \$1.
- GQ-251. Geology of the Lucas quadrangle, Kentucky, by D. D. Haynes. 1963. Lat 36°52'30" to 37°, long 86° to 86°07'30". Scale 1:24,000. Contour interval 20 feet. 30 by 33 inches. \$1.

- GQ-252. Geology of the Madisonville East quadrangle, Kentucky, by T. M. Kehn. 1963. Lat $37^{\circ}15'$ to $37^{\circ}22'30''$, long $87^{\circ}22'30''$ to $87^{\circ}30'$. Scale 1:24,000. Contour interval 10 feet. 31 by 34 inches. \$1.
- GQ-253. Geology of the Gamaliel quadrangle, Kentucky, by D. E. Trimble. 1963. Lat $36^{\circ}37'30''$ to $36^{\circ}45'$, long $85^{\circ}45'$ to $85^{\circ}52'30''$. Scale 1:24,000. Contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-254. Geology of the Fountain Run quadrangle, Kentucky-Tennessee, by Warren Hamilton. 1963. Lat $36^{\circ}37'30''$ to $36^{\circ}45'$, long $85^{\circ}52'30''$ to 86° . Scale 1:24,000. Contour interval 20 feet. 30 by 35 inches. \$1.
- GQ-255. Geology of the Eddyville quadrangle, Kentucky, by W. B. Rogers. 1963. Lat 37° to $37^{\circ}07'30''$, long 88° to $88^{\circ}07'30''$. Scale 1:24,000. Contour interval 10 feet. 31 by $33\frac{1}{2}$ inches. \$1.
- GQ-256. Geology of the Brisbin quadrangle, Montana, by A. E. Roberts. 1964. Lat $45^{\circ}30'$ to $45^{\circ}37'30''$, long $110^{\circ}30'$ to $110^{\circ}37'30''$. Scale 1:24,000. 29 by 30 inches. \$1.
- GQ-257. Geology of the Chimney Rock quadrangle, Montana, by A. E. Roberts. 1964. Lat $45^{\circ}30'$ to $45^{\circ}37'30''$, long $110^{\circ}37'30''$ to $110^{\circ}45'$. Scale 1:24,000. 29 by 31 inches. \$1.
- GQ-258. Geology of the Hoppers quadrangle, Montana, by A. E. Roberts. 1964. Lat $45^{\circ}37'30''$ to $45^{\circ}45'$, long $110^{\circ}37'30''$ to $110^{\circ}45'$. Scale 1:24,000. 26 by 28 inches. \$1.
- GQ-259. Geology of the Livingston quadrangle, Montana, by A. E. Roberts. 1964. Lat $45^{\circ}37'30''$ to $45^{\circ}45'$, long $110^{\circ}30'$ to $110^{\circ}37'30''$. Scale 1:24,000. 27 by 29 inches. \$1.
- GQ-260. Geology of the Whitley City quadrangle, Kentucky, and the Kentucky part of the Winfield quadrangle, by J. B. Pomerene. 1964. Lat about $36^{\circ}35'30''$ to $36^{\circ}45'$, long $84^{\circ}22'30''$ to $84^{\circ}30'$. Scale 1:24,000. Structure-contour interval 20 feet. 34 by 36 inches. \$1.
- GQ-261. Geology of the Big Spring quadrangle, Kentucky, by W. L. Peterson. 1964. Lat $37^{\circ}45'$ to $37^{\circ}52'30''$, long $86^{\circ}07'30''$ to $86^{\circ}15'$. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 34 inches. \$1.
- GQ-262. Pre-Quaternary geology of the Pemberton quadrangle, New Jersey, by J. P. Owens and J. P. Minard. 1964. Lat $39^{\circ}52'30''$ to 40° , long $74^{\circ}37'30''$ to $74^{\circ}45'$. Scale 1:24,000. 29 by 36 inches. \$1. . .
- GQ-263. Geology of the Cecilia quadrangle, Kentucky, by R. C. Kepferle. 1963. Lat $37^{\circ}37'30''$ to $37^{\circ}45'$, long $85^{\circ}52'30''$ to 86° . Scale 1:24,000. Contour interval 20 feet. $30\frac{1}{2}$ by 33 inches. \$1.
- GQ-264. Pre-Quaternary geology of the Browns Mills quadrangle, New Jersey, by J. P. Minard and J. P. Owens. 1963 [1964]. Lat $39^{\circ}52'30''$ to 40° , long $74^{\circ}30'$ to $74^{\circ}37'30''$. Scale 1:24,000. 28 by $40\frac{1}{2}$ inches. \$1.
- GQ-265. Geology of the Assawompset Pond quadrangle, Massachusetts, by Carl Koteff. 1964. Lat $41^{\circ}45'$ to $41^{\circ}52'30''$, long $70^{\circ}52'30''$ to 71° . Scale 1:24,000. 30 by 50 inches \$1.
- GQ-266. Geology of the Hazel Green quadrangle, Kentucky, by W. B. Cashion. 1963. Lat $37^{\circ}45'$ to $37^{\circ}52'30''$, long $83^{\circ}22'30''$ to $83^{\circ}30'$. Scale 1:24,000. Contour interval 20 feet. 31 by 35 inches. \$1.
- GQ-267. Geology of the Central City quadrangle, Colorado, by P. K. Sims. 1964. Lat $39^{\circ}45'$ to $39^{\circ}52'30''$, long $105^{\circ}30'$ to $105^{\circ}37'30''$. Scale 1:24,000. 28 by 40 inches. \$1.
- GQ-268. Geology of the Lynn Grove quadrangle in Kentucky, by W. W. Olive. 1963. Lat $36^{\circ}30'$ to $36^{\circ}37'30''$, long $88^{\circ}22'30''$ to $88^{\circ}30'$. Scale 1:24,000. Contour interval 10 feet. 30 by 32 inches. \$1.

- GQ-269. Geology of the Water Valley quadrangle in Kentucky, by W. I. Finch. 1963. Lat 36°30' to 36°37'30", long 88°45' to 88°52'30". Scale 1:24,000. Contour interval 10 feet. 30 by 33 inches. \$1.
- GQ-270. Geology of the Crutchfield quadrangle in Kentucky, by H. G. Wilshire. 1963. Lat 36°30' to 36°37'30", long 88°52'30" to 89°. Scale 1:24,000. Contour interval 10 feet. 30 by 31 inches. \$1.
- GQ-271. Surficial geology of the Salem quadrangle, Massachusetts, by R. N. Oldale. 1964. Lat 42°30' to 42°37'30", long 70°52'30" to 71°. Scale 1:24,000. 27 by 28½ inches. Accompanied by 4-page text. \$1.
- GQ-272. Pre-Quaternary geology of the Mount Holly quadrangle, New Jersey, by J. P. Minard, J. P. Owens, and T. C. Nichols. 1964. Lat 39°52'30" to 40°, long 74°45' to 74°52'30". Scale 1:24,000. 28 by 36 inches. \$1.
- GQ-273. Geology of the Cloverport quadrangle, Kentucky-Indiana, and the Kentucky part of the Cannelton quadrangle, by M. H. Bergendahl. 1965. Lat 37°45' to about 37°54'30", long 86°37'30" to 86°45'. Scale 1:24,000. Structure-contour interval 20 feet. 34 by 36 inches. \$1.
- GQ-274. Geology of the Cumberland Falls quadrangle, Kentucky, by J. H. Smith. 1963 [1964]. Lat 36°45' to 36°52'30", long 84°15' to 84°22'30". Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 33 inches. \$1.
- GQ-275. Geology of the South Union quadrangle, Kentucky, by Harry Klemic. 1963. Lat 36°52'30" to 37°, long 86°37'30" to 86°45'. Scale 1:24,000. Contour interval of topographic base map 10 feet. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-276. Geology of the Salyersville North quadrangle, Kentucky, by W. L. Adkinson and J. E. Johnston. 1964. Lat 37°45' to 37°52'30", long 83° to 83°07'30". Scale 1:24,000. 34 by 34 inches. \$1.
- GQ-277. Geology of the Drake quadrangle, Kentucky, by S. L. Moore. 1963. Lat 36°45' to 36°52'30", long 86°22'30" to 86°30'. Scale 1:24,000. Contour interval 20 feet. 30 by 32½ inches. \$1.
- GQ-278. Geology of the Clarkson quadrangle, Kentucky, by E. E. Glick. 1963. [1964]. Lat 37°22'30" to 37°30', long 86°07'30" to 86°15'. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 33 inches. \$1.
- GQ-279. Geology of the Canton quadrangle, Kentucky, by K. F. Fox, Jr., and D. A. Seeland. 1963 [1964]. Lat 36°45' to 36°52'30", long 87°52'30" to 88°. Scale 1:24,000. Structure-contour interval 40 feet. 32 by 34 inches. \$1.
- GQ-280. Geology of the Woodburn quadrangle, Kentucky, by F. R. Shawe. 1963. Lat 36°45' to 36°52'30", long 86°30' to 86°37'30". Scale 1:24,000. Contour interval 10 feet. 31½ by 33 inches. \$1.
- GQ-281. Geology of the Franklin quadrangle, Kentucky-Tennessee, by F. R. Shawe. 1963. Lat 36°37'30" to 36°45', long 86°30' to 86°37'30". Scale 1:24,000. Contour interval 10 feet. 30 by 30 inches. \$1.
- GQ-282. Geology of the Shopville quadrangle, Kentucky, by N. L. Hatch, Jr. 1964. Lat 37°07'30" to 37°15', long 84°22'30" to 84°30'. Scale 1:24,000. Structure-contour interval 20 feet. 31½ by 33½ inches. \$1.
- GQ-283. Geology of the Washington West quadrangle, Pennsylvania, by H. L. Berryhill, Jr., and V. E. Swanson. 1964. Lat 40°07'30" to 40°15', long 80°15' to 80°22'30". Scale 1:24,000. Structure-contour interval 20 feet. 31 by 34 inches. \$1.
- GQ-284. Geology of the Pellville quadrangle, Kentucky, by F. D. Spencer. 1963 [1964]. Lat 37°45' to 37°52'30", long 86°45' to 86°52'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-285. Geology of the Allen Springs quadrangle, Kentucky, by S. L. Moore.

- 1963 [1964]. Lat 36°45' to 36°52'30", long 86°15' to 86°22'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 32 inches. \$1.
- GQ-286. Geology of the Waterview quadrangle, Kentucky, by J. M. Cattermole. 1963 [1964]. Lat 36°45' to 36°52'30", long 85°22'30" to 85°30'. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-287. Geology of the Breeding quadrangle, Kentucky, by A. R. Taylor. 1964. Lat 36°52'30" to 37°, long 85°22'30" to 85°30'. Scale 1:24,000. Structure-contour interval 10 feet. 30 by 33 inches. \$1.
- GQ-288. Geology of the Meador quadrangle, Kentucky, by W. H. Nelson. 1963 [1964]. Lat 36°52'30" to 37°, long 86°07'30" to 86°15'. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-289. Geology of the Tygarts Valley quadrangle, Kentucky, by R. A. Sheppard. 1964. Lat 38°22'30" to 38°30', long 83° to 83°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 32 by 33 inches. \$1.
- GQ-290. Geology of the Dunmor quadrangle, Kentucky, by T. P. Miller. 1964. Lat 37° to 37°07'30", long 86°52'30" to 87°. Scale 1:24,000. Structure-contour intervals 10 and 20 feet. 31 by 35 inches. \$1.
- GQ-291. Geology of the Ironton quadrangle, Colorado, by W. S. Burbank and R. G. Luedke. 1964. Lat 37°52'30" to 38°, long 107°37'30" to 107°45'. Scale 1:24,000. 31½ by 35 inches. \$1.
- GQ-292. Geology of the New Madrid SE and Hubbard Lake quadrangles in Kentucky, by L. N. Baker. 1963. Lat 36°30' to 36°37'30", long 89°22'30" to 89°35'. Scale 1:24,000. Contour interval 10 feet. 30 by 34 inches. \$1.
- GQ-293. Geology of the Charters quadrangle, Kentucky, by R. H. Morris. 1965. Lat 38°30' to 38°37'30", long 83°22'30" to 83°30'. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-294. Geology of the Knifley quadrangle, Kentucky, by C. H. Maxwell. 1964. Lat 37°07'30" to 37°15', long 85°07'30" to 85°15'. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 34 inches. \$1.
- GQ-295. Geology of the Fordsville quadrangle, Kentucky, by M. H. Bergendahl and A. E. Smith. 1964. Lat 37°37'30" to 37°45', long 86°37'30" to 86°45'. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-296. Geology of the Amity quadrangle, Pennsylvania, by H. L. Berryhill, Jr. 1964. Lat 40° to 40°07'30", long 80°07'30" to 80°15'. Scale 1:24,000. Structure-contour interval 20 feet. 31½ by 34½ inches. \$1.
- GQ-297. Geology of the Philpot quadrangle, Kentucky, by R. H. Calvert. 1964. Lat 37°37'30" to 37°45', long 86°52'30" to 87°. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 33 inches. \$1.
- GQ-298. Geology of the Summit quadrangle, Kentucky, by F. B. Moore. 1964. Lat 37°30' to 37°37'30", long 86° to 86°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 32½ by 33 inches. \$1.
- GQ-299. Geology of the Adolphus quadrangle, Kentucky-Tennessee, by W. H. Nelson. 1964. Lat 36°37'30" to 36°45', long 86°15' to 86°22'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-300. Geology of the Middlesboro North quadrangle, Kentucky, by K. J. Englund, J. B. Roen, and A. O. DeLaney. 1964. Lat 36°37'30" to 36°45', long 83°37'30" to 83°45'. Scale 1:24,000. Structure-contour interval 40 feet. 32 by 41 inches. \$1.
- GQ-301. Geology of the Middlesboro South quadrangle, Tennessee-Kentucky-Virginia, by K. J. Englund. 1964. Lat 36°30' to 36°37'30", long 83°37'30"

- to 83°45'. Scale 1:24,000. Structure-contour interval 40 feet. 35 by 43½ inches. \$1.
- GQ-302. Geology of the Constantine quadrangle, Kentucky, by E. G. Sable. 1964. Lat 37°37'30" to 37°45', long 86°07'30" to 86°15'. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 34½ inches. \$1.
- GQ-303. Geology of the Tyrone quadrangle, Kentucky, by E. R. Cressman. 1964. Lat 38° to 38°07'30", long 84°45' to 84°52'30". Scale 1:24,000. Structure-contour interval 10 feet. 33 by 35 inches. \$1.
- GQ-304. Geology of the Blackwater quadrangle, Kentucky, by H. K. Stager. 1964. Lat 37° to 37°07'30", long 83°52'30" to 84°. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 34 inches. \$1.
- GQ-305. Geology of the Mont quadrangle, Kentucky, by P. L. Weis and P. K. Theobald. 1964. Lat 36°52'30" to 37°, long 88° to 88°07'30". Scale 1:24,000. Structure-contour interval 40 feet. 32 by 34 inches. \$1.
- GQ-306. Geology of the Santa Rita quadrangle, New Mexico, by R. M. Hernon, W. R. Jones, and S. L. Moore. 1964. Lat 32°45' to 32°52'30", long 108° to 108°07'30". Scale 1:24,000. 36 by 41 inches. \$1.
- GQ-307. Geology of the Kelly quadrangle, Kentucky, by T. P. Miller. 1964. Lat 36°52'30" to 37°, long 87°22'30" to 87°30'. Scale 1:24,000. Structure-contour interval 20 feet. 32 by 33 inches. \$1.
- GQ-308. Geology of the Summer Shade quadrangle, Kentucky, by W. J. Hail, Jr. 1964. Lat 36°52'30" to 37°, long 85°37'30" to 85°45'. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 30 inches. \$1.
- GQ-309. Geology of the Rockfield quadrangle, Kentucky, by H. C. Rainey III. 1964. Lat 36°52'30" to 37°, long 86°30' to 86°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 31 by 33 inches. \$1.
- GQ-310. Geology of the Sheep Mountain quadrangle, Wyoming, by W. L. Rohrer. 1964. Lat 44°15' to 44°22'30", long 108°22'30" to 108°30'. Scale 1:24,000. 30 by 32½ inches. \$1.
- GQ-311. Geology of the Tatman Mountain quadrangle, Wyoming, by W. L. Rohrer. 1964. Lat 44°15' to 44°22'30", long 108°30' to 108°37'30". Scale 1:24,000. 31 by 33 inches. \$1.
- GQ-312. Geology of the Portsmouth quadrangle, Kentucky-Ohio, and parts of the Wheelersburg and New Boston quadrangles, Kentucky, by R. A. Shepard. 1964. Lat 38°37'30" to 38°45', long 82°52'30" to 83°. Scale 1:24,000. Structure-contour interval 20 feet. 32½ by 36 inches. \$1.
- GQ-313. Geology of the New Concord quadrangle and part of the Buchanan quadrangle, Kentucky, by H. G. Wilshire. 1964. Lat 36°30' to 36°37'30", long 88°07'30" to 88°15'. Scale 1:24,000. Structure-contour interval 10 feet. 30 by 34 inches. \$1.
- GQ-314. Geology of the Barthell quadrangle and part of the Oneida North quadrangle, Kentucky, by J. B. Pomerene. 1964. Lat 36°37'30" to 36°45', long 84°30' to 84°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 33 by 36 inches. \$1.
- GQ-315. Geology of parts of the Rockport and Lewisport quadrangles, Kentucky, by F. D. Spencer. 1964. Lat 37°52'30" to 37°58'30", long 86°52'30" to 87°02'30". Scale 1:24,000. Structure-contour interval 20 feet. 26 by 35 inches. \$1.
- GQ-316. Geology of the Boltsfork quadrangle and part of the Burnaugh quadrangle, Kentucky, by F. D. Spencer. 1964. Lat 38°15' to 38°22'30", long 82°37'30" to 82°45'. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 41 inches. \$1.

- GQ-317. Geology of the Fenton quadrangle, Kentucky, by R. W. Schnabel and J. A. MacKallor. 1964. Lat 36°45' to 36°52'30", long 88° to 88°07'30". Scale 1:24,000. Structure-contour interval 40 feet. 33 by 33 inches. \$1.
- GQ-318. Geology of the Manchester quadrangle, Kentucky, by T. L. Finnell. 1964. Lat 37°07'30" to 37°15', long 83°45' to 83°52'30". Scale 1:24,000. 31½ by 33½ inches. \$1.
- GQ-319. Geology of the Hima quadrangle, Kentucky, by R. G. Reeves. 1964. Lat 37° to 37°07'30", long 83°45' to 83°52'30". Scale 1:24,000. 20½ by 34 inches. \$1.
- GQ-320. Geology of the Fairdealing quadrangle, Kentucky, by E. W. Wolfe. 1964. Lat 36°45' to 36°52'30", long 88°07'30" to 88°15'. Scale 1:24,000. Structure-contour interval 40 feet. 30 by 34 inches. \$1.
- GQ-321. Geology of the Pleasant Green Hill quadrangle, Kentucky, by W. H. Nelson. 1964. Lat 36°52'30" to 37°, long 87°30' to 87°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33½ inches. \$1.
- GQ-322. Geology of the Cuba quadrangle, Kentucky, by L. V. Blade. 1964. Lat 36°30' to 36°37'30", long 88°37'30" to 88°45'. Scale 1:24,000. 30 by 33 inches. \$1.
- GQ-323. Geology of the Sulphur Lick quadrangle, Kentucky, by L. D. Harris. 1964. Lat 36°45' to 36°52'30", long 85°37'30" to 85°45'. Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 33 inches. \$1.
- GQ-324. Geology of the Brushart quadrangle, Kentucky, by C. S. Denny. 1964. Lat 38°30' to 38°37'30", long 83° to 83°07'30". Scale 1:24,000. 30 by 33 inches. \$1.
- GQ-325. Geology of the Versailles quadrangle, Kentucky, by D. F. B. Black. 1964. Lat 38° to 38°07'30", long 84°37'30" to 84°45'. Scale 1:24,000. Structure-contour interval 10 feet. 30 by 34 inches. \$1.
- GQ-326. Geology of the Symsonia quadrangle, Kentucky, by W. I. Finch. 1964. Lat 36°52'30" to 37°, long 88°30' to 88°37'30". Scale 1:24,000. 31½ by 34 inches. \$1.
- GQ-327. Geology of the Briensburg quadrangle, Kentucky, by T. W. Lambert and L. M. MacCary. 1964. Lat 36°52'30" to 37°, long 88°15' to 88°22'30". Scale 1:24,000. 30 by 34 inches. \$1.
- GQ-328. Geology of the Grand Rivers quadrangle, Kentucky, by W. H. Hays. 1964. Lat 37° to 37°07'30", long 88°07'30" to 88°15'. Scale 1:24,000. Structure-contour interval 40 feet. 30½ by 33 inches. \$1.
- GQ-329. Surficial geology of the Niantic quadrangle, Connecticut, by Richard Goldsmith. 1964. Lat 41°15' to 41°22'30", long 72°07'30" to 72°15'. 1:24,000. 27 by 29 inches. \$1.
- GQ-330. Geology of the Greenville quadrangle, Maine, by G. H. Espenshade and E. L. Boudette. 1964. Lat 45°15' to 45°30', long 60°30' to 69°45'. Scale 1:62,500. 20½ by 25½ inches. \$1.
- GQ-331. Surficial geology of the Concord quadrangle, Massachusetts, by Carl Koteff. 1964. Lat 42°22'30" to 42°30', long 71°15' to 71°22'30". Scale 1:24,000. 26 by 28 inches. Accompanied by 4-page text. \$1.
- GQ-332. Geology of the Hico quadrangle, Kentucky, by W. W. Olive. 1965. Lat 36°37'30" to 36°45', long 88°07'30" to 88°15'. Scale 1:24,000. 30½ by 34 inches. \$1.
- GQ-333. Geology of the Ellsworth quadrangle, Pennsylvania, by H. L. Berryhill, Jr., and S. P. Schweinfurth. 1964. 40° to 40°07'30", long 80° to

- 80°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 31 by 33 inches. \$1.
- GQ-334. Geology of the Washington East quadrangle, Pennsylvania, by V. E. Swanson and H. L. Berryhill, Jr. 1964. Lat 40°07'30", to 40°15', long 80°07'30" to 80°15'. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 34 inches. \$1.
- GQ-335. Bedrock geology of the Willimantic quadrangle, Connecticut, by G. L. Snyder. 1964. Lat 41°37'30" to 41°45', long 72°07'30" to 72°15'. Scale 1:24,000. 31 by 33 inches. \$1.
- GQ-336. Geology of the French Gulch quadrangle, California, by J. P. Albers, A. R. Kinkel, Jr., A. A. Drake, and W. P. Irwin. 1964. Lat 40°30' to 40°45', long 122°30' to 122°45'. Scale 1:62,500. 24 by 25 inches. \$1.
- GQ-337. Geology of the Montpelier quadrangle, Kentucky, by R. Q. Lewis, Sr., and R. E. Thaden. 1964. Lat 37° to 37°07'30", long 85°07'30" to 85°15'. Scale 1:24,000. Structure-contour interval 10 feet. 30 by 33 inches. \$1.
- GQ-338. Geology of the Maretburg quadrangle, Kentucky, by S. O. Schlanger. 1965. Lat 37°15' to 37°22'30", long 84°22'30" to 84°30'. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 33 inches. \$1.
- GQ-339. Geology of the Glasgow North quadrangle, Kentucky, by D. D. Haynes. 1964. Lat 37° to 37°07'30", long 85°52'30" to 86°. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 33 inches. \$1.
- GQ-340. Geology of the Roosevelt quadrangle, New Jersey, by J. P. Minard. 1964. Lat 40°07'30" to 40°15', long 74°22'30" to 74°30'. Scale 1:24,000. 28½ by 35 inches. \$1.
- GQ-341. Pre-Quaternary geology of the Trenton East quadrangle, New Jersey-Pennsylvania, by J. P. Owens and J. P. Minard. 1964. Lat 40°07'30" to 40°15', long 74°37'30" to 74°45'. Scale 1:24,000. 29 by 33 inches. \$1.
- GQ-342. Pre-Quaternary geology of the Bristol quadrangle, New Jersey-Pennsylvania, by J. P. Owens and J. P. Minard. 1964. Lat 40° to 40°07'30", long 74°45' to 74°52'30". Scale 1:24,000. 29 by 34½ inches. \$1.
- GQ-343. Geology of the Hazard South quadrangle, Kentucky, by W. P. Puffett. 1964. Lat 37°07'30" to 37°15', long 83°07'30" to 83°15'. Scale 1:24,000. 32 by 34 inches. \$1.
- GQ-344. Geology of the Hazard North quadrangle, Kentucky, by V. M. Seiders. 1964. Lat 37°15' to 37°22'30", long 83°07'30" to 83°15'. Scale 1:24,000. 30½ by 33½ inches. \$1.
- GQ-345. Geology of the Prospect Peak quadrangle, California, by G. A. Macdonald. 1964. Lat 40°30' to 40°45', long 121°15' to 121°30'. Scale 1:62,500. 25 by 30 inches. \$1.
- GQ-346. Geology of the Madisonville West quadrangle, Kentucky, by T. M. Kehn. 1964. Lat 37°15' to 37°22'30", long 87°30' to 87°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 34 inches. \$1.
- GQ-347. Geology of the Lancer quadrangle, Kentucky, by C. L. Rice. 1964. Lat 37°37'30" to 37°45', long 82°37'30" to 82°45'. Scale 1:24,000. Structure-contour interval 40 feet. 31½ by 33 inches. \$1.
- GQ-348. Geology of the Offutt quadrangle, Kentucky, by W. F. Outerbridge. 1964 [1965]. Lat 37°45' to 37°52'30", long 82°37'30" to 82°45'. Scale 1:24,000. Structure-contour interval 40 feet. 31 by 34 inches. \$1.
- GQ-349. Geology of the Freedom quadrangle, Kentucky, by S. L. Moore.

1964. Lat 36°45' to 36°52'30", long 85°45' to 85°52'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-350. Geologic map of the Big Maria Mountains NE quadrangle, Riverside County, Calif., and Yuma County, Ariz., by Warren Hamilton. 1964. Lat 33°52'30" to 34°, long 114°30' to 114°37'30". Scale 1:24,000. 32½ by 35½ inches. \$1.
- GQ-351. Geology of the Mammoth Cave quadrangle, Kentucky, by D. D. Haynes. 1964. Lat 37°07'30" to 37°15', long 86° to 86°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-352. Geology of the Petroleum quadrangle, Kentucky-Tennessee, by W. B. Myers. 1964. Lat 36°37'30" to 36°45', long 86°07'30" to 86°15'. Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 33 inches. \$1.
- GQ-353. Geology of the Oldtown quadrangle, Kentucky, by C. L. Whittington and J. C. Ferm. 1965. Lat 38°22'30" to 38°30', long 82°52'30" to 83°. Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 38 inches. \$1.
- GQ-354. Geology of the Dough Mountain quadrangle, New Mexico, by R. H. Moench. 1964. Lat 34°52'30" to 35°, long 107°15' to 107°22'30". Scale 1:24,000. 27 by 28 inches. \$1.
- GQ-355. Geology of the South Butte quadrangle, Valencia County, N. Mex., by R. H. Moench. 1964. Lat 34°52'30" to 35°, long 107°22'30" to 107°30'. Scale 1:24,000. 28 by 41 inches. \$1.
- GQ-356. Geology of the Tell City quadrangle, Kentucky-Indiana, by F. D. Spencer. 1964. Lat 37°52'30" to 38°, long 86°45' to 86°52'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 34 inches. \$1.
- GQ-357. Geology of the Smiths Grove quadrangle, Kentucky, by P. W. Richards. 1964. Lat 37° to 37°07'30", long 86°07'30" to 86°15'. Scale 1:24,000. 30 by 33½ inches. \$1.
- GQ-358. Bedrock geologic map of the Big Lake quadrangle, Washington County, Maine, by D. M. Larrabee. 1964. Lat 45° to 45°15', long 67°30' to 67°45'. Scale 1:62,500. 25 by 34 inches. \$1.
- GQ-359. Geology of the Portersburg quadrangle, Kentucky, by J. B. Pomerene. 1964. Lat 37°07'30" to 37°15', long 83°52'30" to 84°. Scale 1:24,000. 30½ to 33½ inches. \$1.
- GQ-360. Geology of the Slaughters quadrangle, Kentucky, by T. M. Kehn. 1964. Lat 37°22'30" to 37°30', long 87°30' to 87°37'30". Scale 1:24,000. 31 by 34 inches. \$1.
- GQ-361. Geology of the Mattingly quadrangle, Kentucky-Indiana, by L. D. Clark and M. D. Crittenden, Jr. 1965. Lat 37°45' to 37°52'30", long 86°30' to 86°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 33 by 33½ inches. \$1.
- GQ-362. Geology of the Rome quadrangle in Kentucky, by M. D. Crittenden, Jr., and R. K. Hose. 1965. Lat 37°52'30" to 38°, long 86°30' to 86°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 34 inches. \$1.
- GQ-363. Geologic map of the Jangle Ridge quadrangle, Nye and Lincoln Counties, Nev., by Harley Barnes, R. L. Christiansen, and F. M. Byers, Jr. 1965. Lat 37°07'30" to 37°15', long 115°52'30" to 116°. Scale 1:24,000. 33 by 34 inches. \$1.
- GQ-364. Geology of the Linville quadrangle, North Carolina-Tennessee, by Bruce Bryant. 1965. Lat 36° to 36°15', long 81°45' to 82°. Scale 1:62,500. 28 by 36 inches. \$1.

- GQ-365. Geology of the Hanson quadrangle, Kentucky, by G. J. Franklin. 1965. Lat 37°22'30" to 37°30', long 87°22'30" to 87°30'. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 34 inches. \$1.
- GQ-366. Geologic map of the Mount Hayes D-3 quadrangle, Alaska, by G. W. Holmes and T. L. Péwé. 1965. Lat 63°45' to 64°, long 145° to 145°30'. Scale 1:63,360. 23 by 48 inches. \$1.
- GQ-367. Geology of the Dunnville quadrangle, Kentucky, by C. H. Maxwell. 1965. Lat 37°07'30" to 37°15', long 85° to 85°07'30". Scale 1:24,000. Structure-contour intervals 10 and 20 feet. 30 by 33 inches. \$1.
- GQ-368. Geology of the Jackass Flats quadrangle, Nye County, Nev., by E. J. McKay and W. P. Williams. 1964. Lat 36°45' to 36°52'30", long 116°15' to 116°22'30". Scale 1:24,000. 32 by 34 inches. \$1.
- GQ-369. Geology of the Cane Valley quadrangle, Kentucky, by C. H. Maxwell and W. B. Turner. 1964. Lat 37°07'30" to 37°15', long 85°15' to 85°22'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-370. Bedrock geologic map of the Tariffville quadrangle, Hartford County, Conn., and Hampden County, Mass., by R. W. Schnabel and J. H. Eric. 1965. Lat 41°52'30" to 42°, long 72°45' to 72°52'30". Scale 1:24,000. 25 by 32 inches. \$1.
- GQ-371. Geologic map of the La Gotera quadrangle, Sandoval and Valencia Counties, N. Mex., by R. H. Moench, J. S. Schlee, and W. B. Bryan. 1965. Lat 35°15' to 35°22'30", long 107°07'30" to 107°15'. Scale 1:24,000. Structure-contour interval 100 feet. 28 by 28 inches. \$1.
- GQ-372. Geology of the Mayfield quadrangle, Graves County, Ky., by W. I. Finch. 1965. Lat 36°37'30" to 36°45', long 88°37'30" to 88°45'. Scale 1:24,000. 30 by 33 inches. \$1.
- GQ-373. Geology of the Matewan quadrangle in Kentucky, by V. A. Trent. 1965. Lat 37°30' to 37°37'30", long 82°07'30" to 85°15'. Scale 1:24,000. Structure-contour interval 40 feet. 34 by 36 inches. \$1.
- GQ-374. Geology of the Montesano quadrangle, Washington, by H. D. Gower and M. H. Pease, Jr. 1965. Lat 46°45' to 47°, long 123°30' to 123°45'. Scale 1:62,500. 21 by 25½ inches. \$1.
- GQ-375. Geologic map of the Packsaddle Mountain quadrangle, Idaho, by J. E. Harrison and D. A. Jobin. 1965. Lat 48° to 48°15', long 116°15' to 116°30'. Scale 1:62,500. 20 by 29 inches. Accompanied by 4-page text. \$1.
- GQ-376. Geology of the Honey Grove quadrangle, Kentucky, by Harry Klemic. 1965. Lat 36°52'30" to 37° long 87°15' to 87°22'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-377. Geology of the Draper quadrangle, Utah, by M. D. Crittenden, Jr. 1965. Lat 40°30' to 40°37'30", long 111°45' to 111°52'30". Scale 1:24,000. 29 by 32 inches. \$1.
- GQ-378. Geology of the Dromedary Peak quadrangle, Utah, by M. D. Crittenden, Jr. 1965. Lat 40°30' to 40°37'30", long 111°37'30" to 111°45'. Scale 1:24,000. 32 by 33 inches. \$1.
- GQ-379. Geology of the Mount Aire quadrangle, Salt Lake County, Utah, by M. D. Crittenden, Jr. 1965. Lat 40°37'30" to 40°45', long 111°37'30" to 111°45'. Scale 1:24,000. 30 by 33 inches. \$1.
- GQ-380. Geology of the Sugar House quadrangle, Salt Lake County, Utah, by M. D. Crittenden, Jr. 1965. Lat 40°37'30" to 40°45', long 111°45' to 111°52'30". Scale 1:24,000. 31 by 32 inches. \$1.

- GQ-381. Bedrock geologic map of the Sawtooth Ridge quadrangle, Teton and Lewis and Clark Counties, Mont., by M. R. Mudge. 1965. Lat 47°30' to 47°37'30", long 112°37'30" to 112°45'. Scale 1:24,000. 35 by 35 inches. \$1.
- GQ-382. Geologic map of the Adam Weiss Peak quadrangle, Hot Springs and Park Counties, Wyo., by W. L. Rohrer. 1965. Lat 43°52'30" to 44°, long 108°45' to 108°52'30". Scale 1:24,000. Structure-contour interval 200 feet. 25 by 30 inches. \$1.
- GQ-383. Geology of the Russell Springs quadrangle, Kentucky, by R. Q. Lewis, Sr., and R. E. Thaden. 1965. Lat 37° to 37°07'30", long 85° to 85°07'30". Scale 1:24,000. Structure-contour interval 10 feet. 30 by 33½ inches. \$1.
- GQ-384. Geologic map of the Plutonium Valley quadrangle, Nye and Lincoln Counties, Nev., by E. N. Hinrichs and E. J. McKay. 1965. Lat 36°52'30" to 37°, long 115°52'30" to 116°. Scale 1:24,000. 30 by 32 inches. \$1.
- GQ-385. Geology of the Princeton West quadrangle, Kentucky, by R. D. Sample. 1965. Lat 37° to 37°07'30", long 87°52'30" to 88°. Scale 1:24,000. Structure-contour interval 50 feet. 29½ by 33 inches. \$1.
- GQ-386. Geology of the Cub Run quadrangle, Kentucky, by C. A. Sandberg and C. G. Bowles. 1965. Lat 37°15' to 37°22'30", long 86° to 86°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 33½ by 33½ inches. \$1.
- GQ-387. Geologic map of the Skull Mountain quadrangle, Nye County, Nev., by E. B. Ekren and K. A. Sargent. 1965. Lat 36°45' to 36°52'30", long 116°07'30" to 116°15'. Scale 1:24,000. 30½ by 37 inches. \$1.
- GQ-388. Bedrock geologic map of the Windsor Locks quadrangle, Hartford County, Conn., by R. W. Schnabel and J. H. Eric. 1964. Lat 41°52'30" to 42°, long 72°37'30" to 72°45'. Scale 1:24,000. 28 by 30½ inches. \$1.
- GQ-389. Geology of the Krypton quadrangle, Kentucky, by R. B. Mixon. 1965. Lat 37°15' to 37°22'30", long 83°15' to 83°22'30". Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 34 inches. \$1.
- GQ-390. Geologic map of the Big Judson quadrangle, Albany County, Wyo., by Harry McAndrews. 1964 [1965]. Lat 41°30' to 41°37'30", long 105°52'30" to 106°. Scale 1:24,000. 27 by 29 inches. \$1.
- GQ-391. Geologic map of the Cooper Lake South quadrangle, Albany County, Wyo., by Harry McAndrews. 1964. Lat 41°30' to 41°37'30", long 105°45' to 105°52'30". Scale 1:24,000. 26 by 28½ inches. \$1.
- GQ-392. Geologic map of the Scotland quadrangle, Connecticut, by H. R. Dixon and C. E. Shaw, Jr. 1965. Lat 41°37'30" to 41°45' long 72° to 72°07'30". Scale 1:24,000. 31½ by 34 inches. Accompanied by 3-page text. \$1.
- GQ-393. Geology of the Eli quadrangle, Kentucky, by R. E. Thaden and R. Q. Lewis, Sr. 1965. Lat 37° to 37°07'30", long 84°52'30" to 85°. Scale 1:24,000. Structure-contour interval 10 feet. 30½ by 36 inches. \$1.
- GQ-394. Geologic map of the Stricklett quadrangle, northeastern Kentucky, by R. H. Morris. 1965 [1966]. Lat 38°22'30" to 38°30', long 83°22'30" to 83°30'. Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 36 inches. \$1.
- GQ-395. Geology of the Phil quadrangle, Kentucky, by C. H. Maxwell. 1965. Lat 37°07'30" to 37°15', long 84°52'30" to 85°. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-396. Geology of the Burtonville quadrangle, Kentucky, by R. H. Morris.

1965. Lat 38°22'30" to 38°30', long 83°30' to 83°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 33 inches. \$1.
- GQ-397. Geologic map of the Fort Lupton quadrangle, Weld and Adams Counties, Colo., by P. E. Soister. 1965. Lat 40° to 40°07'30", long 104°45' to 104°52'30". Scale 1:24,000. Structure-contour interval 100 feet. 28 by 29 inches. \$1.
- GQ-398. Geologic map of the Hudson quadrangle, Weld and Adams Counties, Colo., by P. E. Soister. 1965. Lat 40° to 40°07'30", long 104°37'30" to 104°45'. Scale 1:24,000. Structure-contour interval 100 feet. 28 by 29 inches. \$1.
- GQ-399. Geologic map of the Platteville quadrangle, Weld County, Colo., by P. E. Soister. 1965. Lat 40°07'30" to 40°15', long 104°45' to 104°52'30". Scale 1:24,000. Structure-contour interval 100 feet. 26½ by 26½ inches. \$1.
- GQ-400. Geology of parts of the Shetlerville and Rosiclare quadrangles, Kentucky, by D. H. Amos. 1965. Lat 37°22'30" to 37°30', long 88°15' to 88°30'. Scale 1:24,000. Structure-contour interval 40 feet. 33 by 48 inches. \$1.
- GQ-401. Geology of the Hiseville quadrangle, Kentucky, by D. D. Haynes. 1965. Lat 37° to 37°07'30", long 85°45' to 85°52'30". Scale 1:24,000. Structure-contour interval 20 feet. 31 by 34 inches. \$1.
- GQ-402. Geology of the Temple Hill quadrangle, Barren County, Ky., by S. L. Moore and R. C. Miller. 1965. Lat 36°52'30" to 37°, long 85°45' to 85°52'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-403. Bedrock geologic map of the Ashaway quadrangle, Connecticut-Rhode Island, by Tomas Feininger. 1965. Lat 41°22'30" to 41°30', long 71°45' to 71°52'30". Scale 1:24,000. 28 by 36 inches. \$1.
- GQ-404. Geologic map of the Woodstown quadrangle, Gloucester and Salem Counties, N.J., by J. P. Minard. 1965. Lat 39°37'30" to 39°45', long 75°15' to 75°22'30". Scale 1:24,000. 29 by 35 inches. \$1.
- GQ-405. Geologic map of the Renton quadrangle, King County, Wash., by D. R. Mullineaux. 1965. Lat 47°22'30" to 47°30', long 122°07'30" to 122°15'. Scale 1:24,000. 30 by 31 inches. \$1.
- GQ-406. Geologic map of the Auburn quadrangle, King and Pierce Counties, Wash., by D. R. Mullineaux. 1965. Lat 47°15' to 47°22'30", long 122°07'30" to 122°15'. Scale 1:24,000. 31 by 31 inches. \$1.
- GQ-407. Geologic map of the Black Diamond quadrangle, King County, Wash., by D. R. Mullineaux. 1965. Lat 47°15' to 47°22'30", long 122° to 122°07'30". Scale 1:24,000. 30 by 31 inches. \$1.
- GQ-408. Geology of the Rush quadrangle, Kentucky, by J. E. Carlson. 1965. Lat 38°15' to 38°22'30", long 82°45' to 82°52'30". Scale 1:24,000. Structure-contour interval 20 feet. 32 by 34 inches. \$1.
- GQ-409. Geology of the Model quadrangle in Kentucky, by W. B. Rogers. 1965. Lat 36°37'30" to 36°45', long 87°52'30" to 88°. Scale 1:24,000. Structure-contour interval 40 feet. 32½ by 33½ inches. \$1.
- GQ-410. Surficial geologic map of the Watch Hill quadrangle, Rhode Island-Connecticut, by J. P. Schafer. 1965. Lat 41°15' to 41°22'30", long 71°45' to 71°52'30". Scale 1:24,000. 26½ by 28½ inches. \$1.
- GQ-411. Geology of the Brownsville quadrangle, Kentucky, by Benjamin

- Gildersleeve. 1965. Lat 37°07'30" to 37°15', long 86°15' to 86°22'30". Scale 1:24,000. Structure-contour interval 20 feet. 31 by 33½ inches. \$1.
- GQ-412. Geology of the Cadiz quadrangle, Trigg County, Ky., by K. F. Fox, Jr. 1965. Lat 36°45' to 36°52'30", long 87°45' to 87°52'30". Scale 1:24,000. Structure-contour interval 40 feet. 30½ by 33½ inches. \$1.
- GQ-413. Geology of the East Fork quadrangle, Kentucky, by J. M. Cattermole. 1965. Lat 37° to 37°07'30", long 85°30' to 85°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 33 inches. \$1.
- GQ-414. Geology of the Lynnville quadrangle in Kentucky, by T. W. Lambert. 1965. Lat 36°30' to 36°37'30", long 88°30' to 88°37'30". Scale 1:24,000. Contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-415. Geology of the Auburn quadrangle, Kentucky, by H. C. Rainey III. 1965. Lat 36°45' to 36°52'30", long 86°37'30" to 86°45'. Scale 1:24,000. 30 by 33½ inches. \$1.
- GQ-416. Geology of the Glasgow South quadrangle, Barren County, Ky., S. L. Moore and R. C. Miller. 1965. Lat 36°52'30" to 37°, long 85°52'30" to 86°. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-417. Geology of the Millerstown quadrangle, Kentucky, by F. B. Moore. 1965. Lat 37°22'30" to 37°30', long 86° to 86°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 31 by 34 inches. \$1.
- GQ-418. Geology of the Vicco quadrangle, Kentucky, by W. P. Puffett. 1965. Lat 37°07'30" to 37°15', long 83° to 83°07'30". Scale 1:24,000. Structure-contour interval 40 feet. 30½ by 34 inches. \$1.
- GQ-419. Geology of the Whitesville quadrangle, Kentucky, by R. H. Calvert. 1965. Lat 37°37'30" to 37°45', long 86°45' to 86°52'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33½ inches. \$1.
- GQ-420. Geology of the Hickory Flat quadrangle, Kentucky-Tennessee, by S. L. Moore. 1965. Lat 36°37'30" to 36°45', long 86°22'30" to 86°30'. Scale 1:24,000. Structure-contour interval 20 feet. 29 by 30½ inches. \$1.
- GQ-421. Geology of the Gresham quadrangle, Kentucky, by A. R. Taylor. 1965. Lat 37°07'30" to 37°15', long 85°22'30" to 85°30'. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-422. Geology of the Carrie quadrangle, Kentucky, by V. M. Seiders. 1965. Lat 37°15' to 37°22'30", long 83° to 83°07'30". Scale 1:24,000. Structure-contour interval 40 feet. 30½ by 34 inches. \$1.
- GQ-423. Geology of the Hyden East quadrangle, Kentucky, by H. J. Prostka. 1965. Lat 37°07'30" to 37°15', long 83°15' to 83°22'30". Scale 1:24,000. Structure-contour interval 40 feet. 30½ by 33½ inches. \$1.
- GQ-424. Geologic map of the Big Stone Gap quadrangle, Virginia, by R. L. Miller. 1965. Lat 36°45' to 36°52'30", long 82°45' to 82°52'30". Scale 1:24,000. 34 by 41 inches. \$1.
- GQ-425. Geologic map of the Snowball quadrangle, Newton and Searcy Counties, Ark., by E. E. Glick and S. E. Frezon. 1965. Lat 35°41' to 36°, long 92°45' to 93°. Scale 1:62,500. Structure-contour interval 100 feet. Also includes geologic map of the northwestern part of the quadrangle at a scale of 1:24,000, structure-contour interval 50 feet. 25 by 41 inches. Accompanied by 3-page text. \$1.
- GQ-426. Bedrock geologic map of the Ansonia quadrangle, Fairfield and New Haven Counties, Conn., by C. E. Fritts. 1965. Lat 41°15' to 41°22'30", long 73° to 73°07'30". Scale 1:24,000. 31 by 33 inches. \$1.

- GQ-427. Bedrock geologic map of the Milford quadrangle, Fairfield and New Haven Counties, Conn., by C. E. Fritts. 1965. Lat $41^{\circ}07'30''$ to $41^{\circ}15'$, long 73° to $73^{\circ}07'30''$. Scale 1:24,000. 29 by $30\frac{1}{2}$ inches. \$1.
- GQ-428. Geologic map of the Blackcap Mountain quadrangle, Fresno County, Calif., by P. C. Bateman. 1965. Lat 37° to $37^{\circ}15'$, long $118^{\circ}45'$ to 119° . Scale 1:62,500. 24 by $40\frac{1}{2}$ inches. \$1.
- GQ-429. Geologic map of the Mount Goddard quadrangle, Fresno and Inyo Counties, Calif., by P. C. Bateman and J. G. Moore. 1965. Lat 37° to $37^{\circ}15'$, long $118^{\circ}30'$ to $118^{\circ}45'$. Scale 1:62,500. 26 by 42 inches. \$1.
- GQ-430. Geologic map of the Cooper Lake North quadrangle, Albany County, Wyo., by Harry McAndrews. 1965. Lat $41^{\circ}37'30''$ to $41^{\circ}45'$, long $105^{\circ}45'$ to $105^{\circ}52'30''$. Scale 1:24,000. 27 by 28 inches. \$1.
- GQ-431. Geologic map of the Bull Lake East quadrangle, Fremont County, Wyo., by G. M. Richmond and J. F. Murphy. 1965. Lat $43^{\circ}07'30''$ to $43^{\circ}15'$, long 109° to $109^{\circ}07'30''$. Scale 1:24,000. 29 by 48 inches. \$1.
- GQ-432. Geologic map of the Bull Lake West quadrangle, Fremont County, Wyo., by J. F. Murphy and G. M. Richmond. 1965. Lat $43^{\circ}07'30''$ to $43^{\circ}15'$, long $109^{\circ}07'30''$ to $109^{\circ}15'$. Scale 1:24,000. $33\frac{1}{2}$ by 50 inches. \$1.
- GQ-433. Geologic map of the Manchester quadrangle, Hartford and Tolland Counties, Conn., by R. B. Colton. 1965. Lat $41^{\circ}45'$ to $41^{\circ}52'30''$, long $72^{\circ}30'$ to $72^{\circ}37'30''$. Scale 1:24,000. 31 by $31\frac{1}{2}$ inches. \$1.
- GQ-434. Geologic map of the Broad Brook quadrangle, Hartford and Tolland Counties, Conn., by R. B. Colton. 1965. Lat $41^{\circ}52'30''$ to 42° , long $72^{\circ}30'$ to $72^{\circ}37'30''$. Scale 1:24,000. $32\frac{1}{2}$ by 34 inches. \$1.
- GQ-435. Geologic map of the Wheeler quadrangle, Claiborne County, Tenn., and Lee County, Va., by L. D. Harris. 1965. Lat $36^{\circ}30'$ to $36^{\circ}37'30''$, long $83^{\circ}30'$ to $83^{\circ}37'30''$. Scale 1:24,000. $31\frac{1}{2}$ by $36\frac{1}{2}$ inches. \$1.
- GQ-436. Bedrock geologic map of the Voluntown quadrangle, New London County, Conn., and Kent and Washington Counties, R.I., by Tomas Feininger. 1965. Lat $41^{\circ}30'$ to $41^{\circ}37'30''$, long $71^{\circ}45'$ to $71^{\circ}52'30''$. Scale 1:24,000. 28 by 31 inches. \$1.
- GQ-437. Geologic map of the Devils Postpile quadrangle, Sierra Nevada, Calif., by N. K. Huber and C. D. Rinehart. 1965. Lat $37^{\circ}30'$ to $37^{\circ}45'$, long 119° to $119^{\circ}15'$. Scale 1:62,500. 28 by 41 inches. \$1. (See also Professional Paper 554-D.)
- GQ-438. Geologic map of the Aldrich Mountain quadrangle, Grant County, Oreg., by T. P. Thayer and C. E. Brown. 1966. Lat $44^{\circ}15'$ to $44^{\circ}30'$, long $119^{\circ}15'$ to $119^{\circ}30'$. Scale 1:62,500. 24 by 30 inches. Accompanied by 3-page text. \$1.
- GQ-439. Geologic map of the Topopah Spring SW quadrangle, Nye County, Nev., by P. W. Lipman and E. J. McKay. 1965. Lat $36^{\circ}45'$ to $36^{\circ}52'30''$, long $116^{\circ}22'30''$ to $116^{\circ}30'$. Scale 1:24,000. 31 by 34 inches. \$1.
- GQ-440. Geologic map of the Keene quadrangle, central Kentucky, by E. R. Cressman. 1965. Lat $37^{\circ}52'39''$ to 38° , long $84^{\circ}37'30''$ to $84^{\circ}45'$. Scale 1:24,000. Structure-contour interval 10 feet. 30 by 33 inches. \$1.
- GQ-441. Geologic map of the Harold quadrangle, Floyd County, Ky., by C. L. Rice. 1965. Lat $37^{\circ}30'$ to $37^{\circ}37'30''$, long $82^{\circ}37'30''$ to $82^{\circ}45'$. Scale 1:24,000. Structure-contour interval 40 feet. $32\frac{1}{2}$ by 34 inches. \$1.
- GQ-442. Geologic map of the Broad Bottom quadrangle, eastern Kentucky, by T. C. Alvord. 1965. Lat $37^{\circ}30'$ to $37^{\circ}37'30''$, long $82^{\circ}30'$ to $82^{\circ}37'30''$. Scale 1:24,000. Structure-contour interval 40 feet. 33 by 35 inches. \$1.

- GQ-443. Geologic map of the Harvey Mountain quadrangle, Lassen County, Calif., by G. A. Macdonald. 1965. Lat $40^{\circ}30'$ to $40^{\circ}45'$, long 121° to $121^{\circ}15'$. Scale 1:62,500. 25 by 28 inches. \$1.
- GQ-444. Geologic map of the Topopah Spring NW quadrangle, Nye County, Nev., by R. L. Christiansen and P. W. Lipman. 1965 [1966]. Lat $36^{\circ}52'30''$ to 37° , long $116^{\circ}22'30''$ to $116^{\circ}30'$. Scale 1:24,000. 33 by 35 inches. \$1.
- GQ-445. Geologic map of part of the Rushing Creek quadrangle in southwestern Kentucky, by D. A. Seeland and H. G. Wilshire. 1965. Lat $36^{\circ}37'30''$ to $36^{\circ}45'$, long 88° to $88^{\circ}07'30''$. Scale 1:24,000. Structure-contour interval 40 feet. $30\frac{1}{2}$ by $33\frac{1}{2}$ inches. \$1.
- GQ-446. Geologic map of the Allegre quadrangle, Todd County, Ky., by Harry Klemic. 1965. Lat $36^{\circ}52'30''$ to 37° , long $87^{\circ}07'30''$ to $87^{\circ}15'$. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 34 inches. \$1.
- GQ-447. Geologic map of the Haddix quadrangle, eastern Kentucky, by R. B. Mixon. 1965. Lat $37^{\circ}22'30''$ to $37^{\circ}30'$, long $83^{\circ}15'$ to $83^{\circ}22'30''$. Scale 1:24,000. Structure-contour interval 40 feet. 30 by 34 inches. \$1.
- GQ-448. Geologic map of the Campbellsville quadrangle, southern Kentucky, by A. R. Taylor. 1965. Lat $37^{\circ}15'$ to $37^{\circ}22'30''$, long $85^{\circ}15'$ to $85^{\circ}22'30''$. Scale 1:24,000. Structure-contour interval 20 feet. $30\frac{1}{2}$ by $33\frac{1}{2}$ inches. \$1.
- GQ-449. Geologic map of the Prices Mill quadrangle, Kentucky-Tennessee, by F. R. Shawe and H. C. Rainey III. 1965. Lat $36^{\circ}37'30''$ to $36^{\circ}45'$, long $86^{\circ}37'30''$ to $86^{\circ}45'$. Scale 1:24,000. 30 by 33 inches. \$1.
- GQ-450. Geologic map of the Dennis quadrangle, Logan County, Ky., by H. C. Rainey III. 1965. Lat $36^{\circ}45'$ to $36^{\circ}52'30''$, long $86^{\circ}45'$ to $86^{\circ}52'30''$. Scale 1:24,000. Structure-contour interval 20 feet. $30\frac{1}{2}$ by 33 inches. \$1.
- GQ-451. Geologic map of the Tilford quadrangle, southeastern Kentucky, by W. P. Puffet. 1965. Lat 37° to $37^{\circ}07'30''$, long 83° to $83^{\circ}07'30''$. Scale 1:24,000. Structure-contour interval 40 feet. 30 by 34 inches. \$1.
- GQ-452. Geologic map of the Kirksville quadrangle, Garrard and Madison Counties, Ky., by R. C. Greene. 1965. Lat $37^{\circ}37'30''$ to $37^{\circ}45'$, long $84^{\circ}22'30''$ to $84^{\circ}30'$. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 35 inches. \$1.
- GQ-453. Geologic map of the Patricks Basin quadrangle, Teton and Lewis and Clark Counties, Mont., by M. R. Mudge. 1966. Lat $47^{\circ}30'$ to $47^{\circ}37'30''$, long $112^{\circ}45'$ to $112^{\circ}52'30''$. Scale 1:24,000. $34\frac{1}{2}$ by 39 inches. \$1.
- GQ-454. Geologic map of the Pretty Prairie quadrangle, Lewis and Clark County, Mont., by M. R. Mudge. 1966. Lat $47^{\circ}30'$ to $47^{\circ}37'30''$, long $112^{\circ}52'30''$ to 113° . Scale 1:24,000. $31\frac{1}{2}$ by 43 inches. \$1.
- GQ-455. Geologic map of the Cane Spring quadrangle, Nye County, Nev., by F. G. Poole, D. P. Elston, and W. J. Carr. 1965 [1966]. Lat $36^{\circ}45'$ to $36^{\circ}52'30''$, long 116° to $116^{\circ}07'30''$. Scale 1:24,000. 30 by 38 inches. \$1.
- GQ-456. Geologic map of the Frenchman Flat quadrangle, Nye, Lincoln, and Clark Counties, Nev., by F. G. Poole. 1965 [1966]. Lat $36^{\circ}45'$ to $36^{\circ}52'30''$, long $115^{\circ}52'30''$ to 116° . Scale 1:24,000. Structure-contour interval 500 feet. 32 by 32 inches. \$1.
- GQ-457. Geologic map of the Hickory quadrangle, Graves County, Ky., by L. V. Blade. 1965. Lat $36^{\circ}45'$ to $36^{\circ}52'30''$, long $88^{\circ}37'30''$ to $88^{\circ}45'$. Scale

- 1:24,000. Contours on surface of rocks of Eocene age, interval 20 feet. 30 by 34 inches. \$1.
- GQ-458. Geologic map of the South Pass City quadrangle, Fremont County, Wyo., by R. W. Bayley. 1965. Lat 42°22'30" to 42°30', long 108°45' to 108°52'30". Scale 1:24,000. 25½ by 30 inches. \$1.
- GQ-459. Geologic map of the Atlantic City quadrangle, Fremont County, Wyo., by R. W. Bayley. 1965. Lat 42°22'30" to 42°30', long 108°37'30" to 108°45'. Scale 1:24,000. 23½ by 28 inches. \$1.
- GQ-460. Geologic map of the Miners Delight quadrangle, Fremont County, Wyo., by R. W. Bayley. 1965. Lat 42°30' to 42°37'30", long 108°37'30" to 108°45'. Scale 1:24,000. 28 by 30 inches. \$1.
- GQ-461. Geologic map of the Louis Lake quadrangle, Fremont County, Wyo., by R. W. Bayley. 1965. Lat 42°30' to 42°37'30", long 108°45' to 108°52'30". Scale 1:24,000. 28 by 28 inches. \$1.
- GQ-462. Geologic map of the Mono Craters quadrangle, Mono and Tuolumne Counties, Calif., by R. W. Kistler. 1966. Lat 37°45' to 38°, long 119° to 119°15'. Scale 1:62,500. 31½ by 39½ inches. \$1.
- GQ-463. Surficial geologic map of the Blue Hills quadrangle, Norfolk, Suffolk, and Plymouth Counties, Mass., by N. E. Chute. 1965. Lat 42°07'30" to 42°15', long 71° to 71°07'30". Scale 1:24,000. 25 by 28 inches. \$1.
- GQ-464. Geologic map and sections of the Doublespring quadrangle, Custer and Lemhi Counties, Idaho, by W. J. Mapel, W. H. Read, and R. K. Smith. 1965. Lat 44°15' to 44°30', long 113°45' to 114°. Scale 1:62,500. 27 by 34 inches. \$1.
- GQ-465. Geologic map of the Tazewell quadrangle, Claiborne County, Tenn., by L. D. Harris. 1965. Lat 36°22'30" to 36°30', long 83°30' to 83°37'30". Scale 1:24,000. 32½ by 38 inches. \$1.
- GQ-466. Geologic map of the Duxbury quadrangle, Plymouth County, Mass., by N. E. Chute. 1965 [1966]. Lat 42° to 42°07'30", long 70°36' to 70°45'. Scale 1:24,000. 28 by 29 inches. \$1.
- GQ-467. Geologic map of the Scituate quadrangle, Plymouth County, Mass., by N. E. Chute. 1965 [1966]. Lat 42°07'30" to 42°15', long 70°37'30" to 70°45'. Scale 1:24,000. 24 by 28½ inches. \$1.
- GQ-468. Geologic map of the Hampton quadrangle, Windham County, Conn., by H. R. Dixon and Fred Pessl, Jr. 1966. Lat 41°45' to 41°52'30", long 72° to 72°07'30". Scale 1:24,000. 31 by 34 inches. \$1.
- GQ-469. Surficial geologic map of the Voluntown quadrangle, Connecticut-Rhode Island, by Tomas Feininger. 1965 [1966]. Lat 41°30' to 41°37'30", long 71°45' to 71°52'30". Scale 1:24,000. 25 by 29 inches. Accompanied by 4-page text. \$1.
- GQ-470. Geologic map of the Valley View quadrangle, central Kentucky, by R. C. Greene. 1966. Lat 37°45' to 37°52'30", long 84°22'30" to 84°30'. Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 36½ inches. \$1.
- GQ-471. Geologic map of the Birmingham Point quadrangle, western Kentucky, by K. F. Fox, Jr., and W. W. Olive. 1966. Lat 36°52'30" to 37°, long 88°07'30" to 88°15'. Scale 1:24,000. Structure-contour interval 40 feet. 32 by 34 inches. \$1.
- GQ-472. Geologic map of the Rock River quadrangle, Albany County, Wyo., by H. J. Hyden. 1965 [1966]. Lat 41°37'30" to 41°45', long 105°52'30" to

- 106°. Scale 1:24,000. Structure-contour interval 500 feet. 31 by 32 inches \$1.
- GQ-473. Geologic map of the Glacier Peak quadrangle, Snohomish and Chelan Counties, Wash., by D. F. Crowder, R. W. Tabor, and A. B. Ford. 1966. Lat 48° to 48°15', long 121° to 121°15'. Scale 1:62,500. 32 by 49 inches. \$1.
- GQ-474. Surficial geologic map of the Greenfield quadrangle, Franklin County, Mass., by R. H. Jahns. 1966. Lat 42°30' to 42°37'30", long 72°30' to 72°37'30". Scale 1:24,000. 28½ by 32 inches. Accompanied by 4-page text. \$1.
- GQ-475. Geologic map of the Cumberland City quadrangle, southern Kentucky, by R. Q. Lewis, Sr., and R. E. Thaden. 1965 [1966]. Lat 36°45' to 36°52'30", long 85° to 85°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 31½ by 36 inches. \$1.
- GQ-476. Geologic map and sections of the Giroux Wash quadrangle, White Pine County, Nev., by A. L. Brokaw and Tom Heidrick. 1966. Lat 39°07'30" to 39°15', long 115° to 115°07'30". Scale 1:24,000. 24½ by 32 inches. \$1.
- GQ-477. Geologic map of the Clark quadrangle, Park County, Wyo., by W. G. Pierce. 1965 [1966]. Lat 44°45' to 45°, long 109° to 109°15'. Scale 1:62,500. 21 by 28 inches. \$1.
- GQ-478. Geologic map of the Deep Lake quadrangle, Park County, Wyo., by W. G. Pierce. 1965 [1966]. Lat 44°45' to 45°, long 109°15' to 109°30'. Scale 1:62,500. 24 by 30 inches. \$1.
- GQ-479. Geologic map of the Richmond South quadrangle, Madison County, Ky., by R. C. Greene. 1966. Lat 37°37'30" to 37°45', long 84°15' to 84°22'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 36 inches. \$1.
- GQ-480. Geologic map of the Pikeville quadrangle, Pike and Floyd Counties, Ky., by D. C. Alvord and C. E. Holbrook. 1965. Lat 37°22'30" to 37°30', long 82°30' to 82°37'30". Scale 1:24,000. Structure-contour interval 40 feet. 31 by 38 inches. \$1.
- GQ-481. Bedrock geologic map of the Plainfield quadrangle, Windham and New London Counties, Conn., by H. R. Dixon. 1965 [1966]. Lat 41°37'30" to 41°45', long 71°52'30" to 72°. Scale 1:24,000. 30 by 32 inches. \$1.
- GQ-482. Geologic map of the Sharon Grove quadrangle, Todd and Logan Counties, Ky., by G. E. Ulrich. 1966. Lat 36°52'30" to 37°, long 87° to 87°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33½ inches. \$1.
- GQ-483. Geologic map of the Jabez quadrangle, Russell and Wayne Counties, Ky., by R. E. Thaden and R. Q. Lewis, Sr. 1966. Lat 36°52'30" to 37°, long 84°52'30" to 85°. Scale 1:24,000. Structure-contour interval 10 feet. 31 by 35 inches. \$1.
- GQ-484. Geologic map of the Head of Grassy quadrangle, Lewis County, Ky., by R. H. Morris. 1966. Lat 38°22'30" to 38°30', long 83°15' to 83°22'30". Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 36 inches. \$1.
- GQ-485. Surficial geologic map of the Fitchville quadrangle, New London County, Conn., by Fred Pessl, Jr. 1966. Lat 41°30' to 41°37'30", long 72°07'30" to 72°15'. Scale 1:24,000. 30 by 32 inches. Accompanied by 4-page text. \$1.

- GQ-486. Geologic map of the Cerro Summit quadrangle, Montrose County, Colo., by R. G. Dickinson. 1965 [1966]. Lat $38^{\circ}22'30''$ to $38^{\circ}30'$, long $107^{\circ}37'30''$ to $107^{\circ}45'$. Scale 1:24,000. 33 by 34 inches. \$1.
- GQ-487. Geologic map of the Kieler quadrangle, Grant County, Wis., and Jo Daviess County, Ill., by J. W. Whitlow and W. S. West. 1966. Lat $42^{\circ}30'$ to $42^{\circ}37'30''$, long $90^{\circ}30'$ to $90^{\circ}37'30''$. Scale 1:24,000. Structure-contour interval 20 feet. 32 by $33\frac{1}{2}$ inches. \$1.
- GQ-488. Geologic map of the Dickeyville quadrangle, Grant County, Wis., by J. W. Whitlow and W. S. West. 1966. Lat $42^{\circ}37'30''$ to $42^{\circ}45'$, long $90^{\circ}30'$ to $90^{\circ}37'30''$. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 36 inches. \$1.
- GQ-489. Geologic map of the Thirsty Canyon SE quadrangle, Nye County, Nev., by P. W. Lipman, W. D. Quinlivan, W. J. Carr, and R. E. Anderson. 1966. Lat 37° to $37^{\circ}07'30''$, long $116^{\circ}30'$ to $116^{\circ}37'30''$. Scale 1:24,000. $33\frac{1}{2}$ by 38 inches. \$1.
- GQ-490. Geologic map of the Dalton quadrangle, western Kentucky, by J. E. Palmer. 1966. Lat $37^{\circ}15'$ to $37^{\circ}22'30''$, long $87^{\circ}45'$ to $87^{\circ}52'30''$. Scale 1:24,000. Structure-contour interval 20 feet. $32\frac{1}{2}$ by $39\frac{1}{2}$ inches. \$1.
- GQ-491. Geologic map of the Providence quadrangle, western Kentucky, by T. M. Kehn. 1966. Lat $37^{\circ}22'30''$ to $37^{\circ}30'$, long $87^{\circ}45'$ to $87^{\circ}52'30''$. Scale 1:24,000. Structure-contour interval 20 feet. 32 by 38 inches. \$1.
- GQ-492. Geologic map of the Sonora quadrangle, Hardin and Larue Counties, Ky., by F. B. Moore. 1965 [1966]. Lat $37^{\circ}30'$ to $37^{\circ}37'30''$, long $85^{\circ}52'30''$ to 86° . Scale 1:24,000. Structure-contour interval 20 feet. $30\frac{1}{2}$ by 33 inches. \$1.
- GQ-493. Geologic map of the Silent Butte quadrangle, Nye County, Nev., by E. B. Ekren, R. E. Anderson, P. P. Orkild, and E. N. Hinrichs. 1966. Lat $37^{\circ}15'$ to $37^{\circ}22'30''$, long $116^{\circ}22'30''$ to $116^{\circ}30'$. Scale 1:24,000. $28\frac{1}{2}$ by 32 inches. \$1.
- GQ-494. Bedrock geologic map of the New Britain quadrangle, Connecticut, by H. E. Simpson. 1966. Lat $41^{\circ}37'30''$ to $41^{\circ}45'$, long $72^{\circ}45'$ to $72^{\circ}52'30''$. Scale 1:24,000. $24\frac{1}{2}$ by 33 inches. \$1.
- GQ-495. Geologic map of the Paintsville quadrangle, Johnson and Floyd Counties, Ky., by W. F. Outerbridge. 1966. Lat $37^{\circ}45'$ to $37^{\circ}52'30''$, long $82^{\circ}45'$ to $82^{\circ}52'30''$. Scale 1:24,000. Structure-contour interval 40 feet. 32 by 34 inches. \$1.
- GQ-496. Geologic map of the Quarter Dome quadrangle, Nye County, Nev., by K. A. Sargent, S. J. Luft, A. B. Gibbons, and D. L. Hoover. 1966. Lat $37^{\circ}15'$ to $37^{\circ}22'30''$, long $116^{\circ}07'30''$ to $116^{\circ}15'$. Scale 1:24,000. 33 by $34\frac{1}{2}$ inches. \$1.
- GQ-497. Geologic map of the Meta quadrangle, Pike County, Ky., by D. E. Wolcott and E. C. Jenkins. 1966. Lat $37^{\circ}30'$ to $37^{\circ}37'30''$, long $82^{\circ}22'30''$ to $82^{\circ}30'$. Scale 1:24,000. Structure-contour interval 40 feet. $32\frac{1}{2}$ by 36 inches. \$1.
- GQ-498. Geologic map of parts of the Hamlin and Paris Landing quadrangles, western Kentucky, by L. V. Blade. 1966. Lat about $36^{\circ}30'$ to $36^{\circ}37'30''$, long 88° to $88^{\circ}07'30''$. Scale 1:24,000. Contours on surface of rocks of Mississippian age, interval 40 feet. 31 by 33 inches. \$1.
- GQ-499. Geologic map of the Glenn Creek quadrangle, Lewis and Clark and Teton Counties, Mont., by M. R. Mudge. 1966. Lat $47^{\circ}37'30''$ to $47^{\circ}45'$, long $112^{\circ}52'30''$ to 113° . Scale 1:24,000. 35 by $35\frac{1}{2}$ inches. \$1.

- GQ-500. Geologic map of the Ketchen quadrangle, Tennessee-Kentucky, by K. J. Englund. 1966. Lat 36°30' to 36°37'30", long 84°15' to 84°22'30". Scale 1:24,000. Structure-contour interval 20 feet. 32½ by 40 inches. \$1.
- GQ-501. Geologic map of the Isonville quadrangle, eastern Kentucky, by K. J. Englund and A. O. DeLaney. 1966. Lat 38° to 38°07'30", long 83° to 83°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 31 by 34 inches. \$1.
- GQ-502. Geologic map of the Allensville quadrangle, Kentucky-Tennessee, by Harry Klemic. 1966. Lat 36°37'30" to 36°45', long 87° to 87°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 33 inches. \$1.
- GQ-503. Geologic map of the Timber Mountain quadrangle, Nye County, Nev., by W. J. Carr and W. D. Quinlivan. 1966. Lat 37° to 37°07'30", long 116°22'30" to 116°30'. Scale 1:24,000. 33 by 36 inches. \$1.
- GQ-504. Geologic map of the Telluride quadrangle, southwestern Colorado, by W. S. Burbank and R. G. Luedke. 1966. Lat 37°52'30" to 38°, long 107°45' to 107°52'30". Scale 1:24,000. 35 by 38½ inches. \$1.
- GQ-505. Geologic map of the Howardstown quadrangle, central Kentucky, by R. C. Kepferle. 1966. Lat 37°30' to 37°37'30", long 85°30' to 85°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 33 by 36 inches. \$1.
- GQ-506. Geologic map of the New Haven quadrangle, Nelson and Larue Counties, Ky., by W. L. Peterson. 1966. Lat 37°37'30" to 37°45', long 85°30' to 85°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 31½ by 35½ inches. \$1.
- GQ-507. Geologic map of the Bashbish Falls quadrangle, Massachusetts, Connecticut, and New York, by E-an Zen and J. H. Hartshorn. 1966. Lat 42° to 42°07'30", long 73°22'30" to 73°30'. Scale 1:24,000. 31 by 36 inches. Accompanied by 5-page text. \$1.
- GQ-508. Geologic map of the Lake Ione quadrangle, Albany County, Wyo., by Harry McAndrews. 1966. Lat 41°37'30" to 41°45', long 105°37'30" to 105°45'. Scale 1:24,000. 25 by 31 inches. \$1.
- GQ-509. Geologic map of the Bosler quadrangle, Albany County, Wyo., by Harry McAndrews. 1965 [1966]. Lat 41°30' to 41°37'30", long 105°37'30" to 105°45'. Scale 1:24,000. 25 by 28 inches. \$1.
- GQ-510. Geologic map of the Pierce Reservoir quadrangle, Albany and Carbon Counties, Wyo., by H. J. Hyden. 1966. Lat 41°37'30" to 41°45', long 106° to 106°07'30". Scale 1:24,000. Structure-contour interval 500 feet. 31 by 35 inches. \$1.
- GQ-511. Geologic map of the Marcellina Mountain quadrangle, Gunnison County, Colo., by D. L. Gaskill and L. H. Godwin. 1966. Lat 38°52'30" to 39°, long 107°07'30" to 107°15'. Scale 1:24,000. 32 by 32 inches. \$1.
- GQ-512. Geologic map of the Marble quadrangle, Gunnison and Pitkin Counties, Colo., by D. L. Gaskill and L. H. Godwin. 1966. Lat 39° to 39°07'30", long 107°07'30" to 107°15'. Scale 1:24,000. 32 by 36 inches. \$1.
- GQ-513. Geologic map of the Fountain City quadrangle, Knox County, Tenn., by J. M. Cattermole. 1966. Lat 36° to 36°07'30", long 83°52'30" to 84°. Scale 1:24,000. 32½ by 34 inches. \$1.
- GQ-514. Geologic map of the John Sevier quadrangle, Knox County, Tenn., by J. M. Cattermole. 1966. Lat 36° to 36°07'30", long 83°45' to 83°52'30". Scale 1:24,000. 30½ by 36 inches. \$1.
- GQ-515. Geologic map of the Ambrosia Lake quadrangle, McKinley County, N. Mex., by E. S. Santos and R. E. Thaden. 1966. Lat 35°22'30" to 35°30',

- long 107°45' to 107°52'30". Scale 1:24,000. Structure-contour interval 100 feet. 28 by 33½ inches. \$1.
- GQ-516. Geologic map of the San Lucas Dam quadrangle, McKinley County, N. Mex., by E. S. Santos. 1966. Lat 35°22'30" to 36°30', long 107°37'30" to 107°45'. Scale 1:24,000. Structure-contour interval 100 feet. 28½ by 33 inches. \$1.
- GQ-517. Geologic map of the San Mateo quadrangle, McKinley and Valencia Counties, N. Mex., by E. S. Santos. 1966. Lat 35°15' to 35°22'30", long 107°37'30" to 107°45'. Scale 1:24,000. Structure-contour interval 100 feet. 28½ by 32½ inches. \$1.
- GQ-518. Geologic map of the Goat Mountain quadrangle, McKinley County, N. Mex., by R. E. Thaden, E. S. Santos, and E. J. Ostling. 1966. Lat 35°22'30" to 35°30', long 107°52'30" to 108°. Scale 1:24,000. Structure-contour interval 100 feet. 28 by 33½ inches. \$1.
- GQ-519. Geologic map of the Load quadrangle, Greenup County, Ky., by J. A. Sharps. 1966. Lat 38°30' to 38°37'30", long 82°52'30" to 83°. Scale 1:24,000. Structure-contour interval 20 feet. 31½ by 36 inches. \$1.
- GQ-520. Geologic map of the Reedyville quadrangle, western Kentucky, by F. R. Shawe. 1966. Lat 37°07'30" to 37°15', long 86°22'30" to 86°30'. Scale 1:24,000. Structure-contour interval 20 feet. 31½ by 34 inches. \$1.
- GQ-521. Geologic map of the Sandy Hook quadrangle, Elliott and Morgan Counties, Ky., by K. J. Englund and A. O. DeLaney. 1966. Lat 38° to 38°07'30", long 83°07'30" to 83°15'. Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 36 inches. \$1.
- GQ-522. Geologic map of the Bruin quadrangle, Elliott and Carter Counties, Ky., by K. J. Englund and A. O. DeLaney. 1966. Lat 38°07'30" to 38°15', long 83° to 83°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 36 inches. \$1.
- GQ-523. Geologic map of the Edmonton quadrangle, Metcalfe County, Ky., by J. M. Cattermole. 1966. Lat 36°52'30" to 37°, long 85°30' to 85°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 34 inches. \$1.
- GQ-524. Geologic map of the Thirsty Canyon quadrangle, Nye County, Nev., by J. T. O'Conner, R. E. Anderson, and P. W. Lipman. 1966. Lat 37°07'30" to 37°15', long 116°30' to 116°37'30". Scale 1:24,000. 32½ by 35 inches. \$1.
- GQ-525. Geologic map of parts of the Concord and Buena Vista quadrangles, Lewis County, Ky., by R. H. Morris. 1966. Lat 38°37'30" to about 38°40', long about 83°20' to 83°30'. Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 38½ inches. \$1.
- GQ-526. Geologic map of part of the Friendship quadrangle, Lewis and Greenup Counties, Ky., by R. L. Erickson. 1966. Lat 38°37'30" to 38°45', long 83° to 83°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 37½ inches. \$1.
- GQ-527. Geologic map of the Kisinger Lakes quadrangle, Fremont County, Wyo., by W. L. Rohrer. 1966. Lat 43°37'30" to 43°45', long 109°52'30" to 110°. Scale 1:24,000. 30½ by 31 inches. \$1.
- GQ-528. Geologic map of the Waucoba Mountain quadrangle, Inyo County, Calif., by C. A. Nelson. 1966. Lat 37° to 37°15', long 118° to 118°15'. Scale 1:62,500. 30 by 33½ inches. \$1.
- GQ-529. Geologic map of the Blanco Mountain quadrangle, Inyo and Mono

- Counties, Calif., by C. A. Nelson. 1966. Lat $37^{\circ}15'$ to $37^{\circ}30'$, long 118° to $118^{\circ}15'$. Scale 1:62,500. $29\frac{1}{2}$ by 33 inches. \$1.
- GQ-530. Geologic map of the Farmington quadrangle, Graves County, Ky., by W. I. Finch and J. P. Minard. 1966. Lat $36^{\circ}37'30''$ to $36^{\circ}45'$, long $88^{\circ}30'$ to $88^{\circ}37'30''$. Scale 1:24,000. Contours on surface of rocks of Eocene age, interval 20 feet. $31\frac{1}{2}$ by $31\frac{1}{2}$ inches. \$1.
- GQ-531. Geologic map of the Paducah East quadrangle in western Kentucky, by W. W. Olive. 1966. Lat 37° to $37^{\circ}07'30''$, long $88^{\circ}30'$ to $88^{\circ}37'30''$. Scale 1:24,000. Contours on erosional surface cut on rocks of Eocene, Paleocene, and Late Cretaceous age, interval 20 feet. $32\frac{1}{2}$ by 33 inches. \$1.
- GQ-532. Geologic map of parts of the Greenup and Ironton quadrangles, Greenup and Boyd Counties, Ky., by E. Dobrovolny, J. C. Ferm, and S. O. Eroskay. 1966. Lat $38^{\circ}30'$ to $38^{\circ}37'30''$, long $82^{\circ}40'$ to $82^{\circ}52'30''$. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 44 inches. \$1.
- GQ-533. Geologic map of the McFadden quadrangle, Carbon County, Wyo., by H. J. Hyden. 1966. Lat $41^{\circ}37'30''$ to $41^{\circ}45'$, long $106^{\circ}07'30''$ to $106^{\circ}15'$. Scale 1:24,000. Structure-contour interval 500 feet. 35 by 35 inches. \$1.
- GQ-534. Geologic map of the Brighton quadrangle, Utah, by A. A. Baker, F. C. Calkins, M. D. Crittenden, Jr., and C. S. Bromfield. 1966. Lat $40^{\circ}30'$ to $40^{\circ}37'30''$, long $111^{\circ}30'$ to $111^{\circ}37'30''$. Scale 1:24,000. 29 by 37 inches. \$1.
- GQ-535. Geologic map of the Park City West quadrangle, Utah, by M. D. Crittenden, Jr., F. C. Calkins, and B. J. Sharp. 1966. Lat $40^{\circ}37'30''$ to $40^{\circ}45'$, long $111^{\circ}30'$ to $111^{\circ}37'30''$. Scale 1:24,000. $24\frac{1}{2}$ by 38 inches. \$1.
- GQ-536. Geologic map of the Dolores Peak quadrangle, Dolores and San Miguel Counties, Colo., by A. L. Bush and C. S. Bromfield. 1966. Lat $37^{\circ}45'$ to $37^{\circ}52'30''$, long 108° to $108^{\circ}07'30''$. Scale 1:24,000. 32 by 37 inches. \$1.
- GQ-537. Bedrock geologic map of the West Springfield quadrangle, Massachusetts and Connecticut, by R. B. Colton and J. H. Hartshorn. 1966. Lat 42° to $42^{\circ}07'30''$, long $72^{\circ}37'30''$ to $72^{\circ}45'$. Scale 1:24,000. 24 by 30 inches. \$1.
- GQ-538. Geologic map of the Wilmont Creek quadrangle, Ferry and Stevens Counties, Wash., by G. E. Becraft. 1966. Lat 48° to $48^{\circ}15'$, long $118^{\circ}15'$ to $118^{\circ}30'$. Scale 1:62,500. $22\frac{1}{2}$ by 25 inches. \$1.
- GQ-539. Geologic map of the Guthrie quadrangle, Kentucky-Tennessee, by Harry Klemic. 1966. Lat $36^{\circ}37'30''$ to $36^{\circ}45'$, long $87^{\circ}07'30''$ to $87^{\circ}15'$. Scale 1:24,000. Structure-contour interval 20 feet. 29 by 31 inches. \$1.
- GQ-540. Geologic map of the Hammacksville quadrangle, Kentucky-Tennessee, by Harry Klemic. 1966. Lat $36^{\circ}37'30''$ to $36^{\circ}45'$, long $87^{\circ}15'$ to $87^{\circ}22'30''$. Scale 1:24,000. Structure-contour interval 20 feet. 29 by 30 inches. \$1.
- GQ-541. Geologic map of the Monument quadrangle, Grant County, Oreg., by R. E. Wilcox and R. V. Fisher. 1966. Lat $44^{\circ}45'$ to 45° , long $119^{\circ}15'$ to $119^{\circ}30'$. Scale 1:62,500. 21 by 26 inches. \$1.
- GQ-542. Geologic map of the Cody quadrangle, Park County, Wyo., by W. G. Pierce. 1966. Lat $44^{\circ}30'$ to $44^{\circ}45'$, long 109° to $109^{\circ}15'$. Scale 1:62,500. 27 by 32 inches. \$1.
- GQ-543. Geologic map of the Milo quadrangle, Kentucky-West Virginia, and the part of the Webb quadrangle in Kentucky, by E. C. Jenkins. 1966.

- Lat 37°52'30" to 38°, long about 82°25' to 82°37'30". Scale 1:24,000. Structure-contour interval 40 feet. 33 by 46 inches. \$1.
- GQ-544. Geologic map of the Chediski Peak quadrangle, Navajo County, Ariz., by T. L. Finnell. 1966. Lat 34° to 34°15', long 110°30' to 110°45'. Scale 1:62,500. Structure-contour interval 100 feet. 29 by 30 inches. \$1.
- GQ-545. Geologic map of the Cibecue quadrangle, Navajo County, Ariz., by T. L. Finnell. 1966. Lat 34° to 34°15', long 110°15' to 110°30'. Scale 1:62,500. Structure-contour interval 100 feet. 25 by 27 inches. \$1.
- GQ-546. Geologic map of the Golconda quadrangle, Kentucky-Illinois, and the part of the Brownfield quadrangle in Kentucky, by D. H. Amos. 1966. Lat 37°15' to 37°22'30", long 88°22'30" to 88°30'. Scale 1:24,000. Structure-contour interval 40 feet. 32½ by 41½ inches. \$1.
- GQ-547. Geologic map of the Marion quadrangle, Crittenden and Caldwell Counties, Ky., by R. D. Trace. 1966. Lat 37°15' to 37°22'30", long 88° to 88°07'30". Scale 1:24,000. Structure-contour interval 50 feet. 31½ by 36 inches. \$1.
- GQ-548. Geologic map of the Mount Vernon quadrangle, Grant County, Oreg., by C. E. Brown and T. P. Thayer. 1966. Lat 44°15' to 44°30', long 119° to 119°15'. Scale 1:62,500. 28 by 29 inches. Accompanied by 4-page text. \$1.
- GQ-549. Geologic map of the Homer quadrangle, Logan County, Ky., by Benjamin Gildersleeve. 1966. Lat 36°52'30" to 37°, long 86°45' to 86°52'30". Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 34½ inches. \$1.
- GQ-550. Geologic map of the Albany quadrangle, Kentucky-Tennessee, by R. Q. Lewis, Sr., and R. E. Thaden. 1966. Lat 36°37'30" to 36°45', long 85°07'30" to 85°15'. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 36 inches. \$1.
- GQ-551. Geologic map of the Tajique quadrangle, Torrance and Bernalillo Counties, N. Mex., by D. A. Myers. 1966. Lat 34°45' to 34°52'30", long 106°15' to 106°22'30". Scale 1:24,000. Structure-contour interval 100 feet. 28 by 42½ inches. \$1.
- GQ-552. Geologic map of the Buckboard Mesa quadrangle, Nye County, Nev., by F. M. Byers, Jr., C. L. Rogers, W. J. Carr, and S. J. Luft. 1966. Lat 37° to 37°07'30", long 116°15' to 116°22'30". Scale 1:24,000. 34 by 36 inches. \$1.
- GQ-553. Geologic map of the Olmstead quadrangle, Todd and Logan Counties, Ky., by G. E. Ulrich. 1966. Lat 36°45' to 36°52'30", long 87° to 87°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 34 inches. \$1.
- GQ-554. Geologic map of the Little Cypress quadrangle, Kentucky-Illinois, by D. H. Amos and E. W. Wolfe. 1966. Lat 37° to 37°07'30", long 88°22'30" to 88°30'. Scale 1:24,000. 33 by 34 inches. \$1.
- GQ-555. Geologic map of the Sulphur Well quadrangle, Metcalfe and Green Counties, Ky., by J. M. Cattermole. 1966. Lat 37° to 37°07'30", long 85°37'30" to 85°45'. Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 34½ inches. \$1.
- GQ-556. Geologic map of the Church Hill quadrangle, Christian County, Ky., by G. E. Ulrich. 1966. Lat 36°45' to 36°52'30", long 87°30' to 87°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 33 inches. \$1.
- GQ-557. Geologic map of the Paducah West and part of the Metropolis

- quadrangles, Kentucky-Illinois, by W. I. Finch. 1966. Lat 37° to about 37°08', long 88°37'30" to 88°45'. Scale 1:24,000. 33 by 42½ inches. \$1.
- GQ-558. Geologic map of the Horse Cave quadrangle, Barren and Hart Counties, Ky., by D. D. Haynes. 1966. Lat 37°07'30" to 37°15', long 85°52'30" to 86°. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 33 inches. \$1.
- GQ-559. Geologic map of the Elizabethtown quadrangle, Hardin and Larue Counties, Ky., by R. C. Kepferle. 1966. Lat 37°37'30" to 37°45', long 85°45' to 85°52'30". Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 39 inches. \$1.
- GQ-560. Geologic map of the Tonieville quadrangle, Larue and Hardin Counties, Ky., by F. B. Moore. 1966. Lat 37°30' to 37°37'30", long 85°45' to 85°52'30". Scale 1:24,000. Structure-contour interval 20 feet. 32 by 34 inches. \$1.
- GQ-561. Geologic map of the Heath quadrangle, McCracken and Ballard Counties, Ky., by W. W. Olive. 1966. Lat 37° by 37°07'30", long 88°45' to 88°52'30". Scale 1:24,000. Contours on surface of rocks of Eocene, Paleocene, and Late Cretaceous age, interval 20 feet. 30½ by 37 inches. \$1.
- GQ-562. Geologic map of the Mannsville quadrangle, south-central Kentucky, by A. R. Taylor. 1966. Lat 37°15' to 37°22'30", long 85°07'30" to 85°15'. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 35 inches. \$1.
- GQ-563. Geologic map of the Martin quadrangle, Floyd County, Ky., by C. L. Rice. 1966. Lat 37°30' to 37°37'30", long 82°45' to 82°52'30". Scale 1:24,000. Structure-contour interval 40 feet. 31 by 37 inches. \$1.
- GQ-564. Geologic map of the Nelsonville quadrangle, central Kentucky, by W. L. Peterson. 1966. Lat 37°37'30" to 37°45', long 85°37'30" to 85°45'. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 35 inches. \$1.
- GQ-565. Geologic map of the Oak Grove quadrangle, Kentucky-Tennessee, by Harry Klemic. 1966. Lat 36°37'30" to 36°45', long 87°22'30" to 87°30'. Scale 1:24,000. 29 by 30 inches. \$1.
- GQ-566. Pre-Quaternary geology of the Allentown quadrangle, New Jersey, by J. P. Owens and J. P. Minard. 1966. Lat 40°07'30" to 40°15', long 74°30' to 74°37'30". Scale 1:24,000. 28½ by 35 inches. \$1.
- GQ-567. Surficial geologic map of the Clinton quadrangle, Worcester County, Mass., by Carl Koteff. 1966. Lat 42°22'30" to 42°30', long 71°37'30" to 71°45'. Scale 1:24,000. 27 by 34 inches. Accompanied by 4-page text. \$1.
- GQ-568. Geologic map of the Dot quadrangle, Kentucky-Tennessee, by F. R. Shawe. 1966. Lat 36°37'30" to 36°45', long 86°52'30" to 87°. Scale 1:24,000. 29 by 30½ inches. \$1.
- GQ-569. Geologic map in the Adairville quadrangle, Kentucky-Tennessee, by F. R. Shawe. 1966. Lat 36°37'30" to 36°45', long 86°45' to 86°52'30". Scale 1:24,000. 30 by 33 inches. \$1.
- GQ-570. Geologic map of the Maceo quadrangle, Daviess and Hancock Counties, Ky., by R. H. Calvert. 1966. Lat 37°45' to 37°52'30", long 86°52'30" to 87°. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-571. Geologic map of the Crab Orchard quadrangle, Lincoln County, Ky., by J. L. Gualtieri. 1967. Lat 37°22'30" to 37°30', long 84°30' to 84°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 41 inches. \$1.
- GQ-572. Geologic map of the Herndon quadrangle, Kentucky-Tennessee, by Harry Klemic. 1966. Lat 36°37'30" to 36°45', long 87°30' to 87°37'30". Scale 1:24,000. Structure-contour interval 40 feet. 28 by 30 inches. \$1.

- GQ-573. Geologic map of the Dawson Springs quadrangle, western Kentucky, by T. M. Kehn. 1966. Lat $37^{\circ}07'30''$ to $37^{\circ}15'$, long $87^{\circ}37'30''$ to $87^{\circ}45'$. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 35 inches. \$1.
- GQ-574. Bedrock geologic map of the New London quadrangle in Connecticut, by Richard Goldsmith. 1967. Lat $41^{\circ}15'$ to $41^{\circ}22'30''$, long 72° to $72^{\circ}07'30''$. Scale 1:24,000. 29 by 29 inches. \$1.
- GQ-575. Bedrock geologic map of the Niantic quadrangle, New London County, Conn., by Richard Goldsmith. 1967. Lat $41^{\circ}15'$ to $41^{\circ}22'30''$, long $72^{\circ}07'30''$ to $72^{\circ}15'$. Scale 1:24,000. 33 by 35 inches. \$1.
- GQ-576. Bedrock geologic map of the Uncasville quadrangle, New London County, Conn., by Richard Goldsmith. 1967. Lat $41^{\circ}22'30''$ to $41^{\circ}30'$, long 72° to $72^{\circ}07'30''$. Scale 1:24,000. 32 by 37 inches. \$1.
- GQ-577. Geologic map of the Paiute Ridge quadrangle, Nye and Lincoln Counties, Nev., by F. M. Byers, Jr., and Harley Barnes. 1967. Lat 37° to $37^{\circ}07'30''$, long $115^{\circ}52'30''$ to 116° . Scale 1:24,000. Inferred contours on varied surface of pre-Tertiary rocks, interval 500 feet. $32\frac{1}{2}$ by $33\frac{1}{2}$ inches. \$1.
- GQ-578. Geologic map of the Oh-be-joyful quadrangle, Gunnison County, Colo., by D. L. Gaskill, L. H. Godwin, and F. E. Mutschler. 1967. Lat $38^{\circ}52'30''$ to 39° , long 107° to $107^{\circ}07'30''$. Scale 1:24,000. 31 by 33 inches. \$1.
- GQ-579. Geologic map of the Bengough Hill quadrangle, Albany and Carbon Counties, Wyo., by H. J. Hyden. 1966. Lat $41^{\circ}30'$ to $41^{\circ}37'30''$, long 106° to $106^{\circ}07'30''$. Scale 1:24,000. Structure-contour interval 500 feet. 32 by 37 inches. \$1.
- GQ-580. Geologic map of the Montauqua quadrangle, Carbon and Stillwater Counties, Mont., by E. D. Patterson. 1966. Lat $45^{\circ}30'$ to $45^{\circ}37'30''$, long $108^{\circ}52'30''$ to 109° . Scale 1:24,000. Structure-contour interval 100 feet. $22\frac{1}{2}$ by $31\frac{1}{2}$ inches. \$1.
- GQ-581. Geologic map of part of the Manchester Islands quadrangle, Lewis County, Ky., by J. H. Peck and K. L. Pierce. 1966. Lat $38^{\circ}37'30''$ to $38^{\circ}45'$, long $83^{\circ}30'$ to $83^{\circ}37'30''$. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 42 inches. \$1.
- GQ-582. Geologic map of the Yucca Flat quadrangle, Nye and Lincoln Counties, Nev., by R. B. Colton and E. J. McKay. 1966 [1967]. Lat 37° to $37^{\circ}07'30''$, long 116° to $116^{\circ}07'30''$. Scale 1:24,000. Inferred contours on varied surface of Paleozoic rocks, interval 500 feet. 32 by 33 inches. \$1.
- GQ-583. Geologic map of the Richmond North quadrangle, Madison and Fayette Counties, Ky., by G. C. Simmons. 1967. Lat $37^{\circ}45'$ to $37^{\circ}52'30''$, long $84^{\circ}15'$ to $84^{\circ}22'30''$. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 38 inches. \$1.
- GQ-584. Geologic map of the Fallsburg quadrangle, Kentucky-West Virginia, and the Prichard quadrangle in Kentucky, by J. A. Sharps. 1967. Lat $38^{\circ}07'30''$ to $38^{\circ}15'$, long $82^{\circ}35'$ to $82^{\circ}45'$. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 38 inches. \$1.
- GQ-585. Geologic map of the Union City quadrangle, Madison and Clark Counties, Ky., by G. C. Simmons. 1967. Lat $37^{\circ}45'$ to $37^{\circ}52'30''$, long $84^{\circ}07'30''$ to $84^{\circ}15'$. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 42 inches. \$1.
- GQ-586. Geologic map of the Oil Springs quadrangle, eastern Kentucky, by W. F. Outerbridge. 1967. Lat $37^{\circ}45'$ to $37^{\circ}52'30''$, long $82^{\circ}52'30''$ to 83° . Scale 1:24,000. Structure-contour interval 40 feet. 31 by 35 inches. \$1.
- GQ-587. Geologic map of the Westplains quadrangle, Graves County, Ky., by

- R. W. Swanson and H. G. Wilshire. 1967. Lat' 36°45' to 36°52'30", long 88°30' to 88°37'30". Scale 1:24,000. 31 by 36 inches. \$1.
- GQ-588. Geologic map of the Orangeburg quadrangle, northeastern Kentucky, by F. A. Schilling, Jr., and J. H. Peck. 1967. Lat 38°30' to 38°37'30", long 83°37'30" to 83°45'. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 41½ inches. \$1.
- GQ-589. Geologic map of the West Liberty quadrangle, Morgan County, Ky., by K. J. Englund, J. W. Huddle, and A. O. DeLaney. 1967. Lat 37°52'30" to 38°, long 83°15' to 83°22'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 37 inches. \$1.
- GQ-590. Geologic map of the Mesa Portales quadrangle, Sandoval County, N. Mex., by J. E. Fassett. 1966. Lat 35°52'30" to 36°, long 107° to 107°07'30". Scale 1:24,000. Structure-contour interval 100 feet. 31 by 31 inches. \$1.
- GQ-591. Geologic map of the Johnson Trading Post quadrangle, Sandoval County, N. Mex., by J. S. Hinds. 1966. Lat 35°52'30" to 36°, long 107°07'30" to 107°15'. Scale 1:24,000. Structure-contour interval 100 feet. 30 by 30 inches. \$1.
- GQ-592. Bedrock geologic map of the Columbia quadrangle, east-central Connecticut, by George Snyder. 1967. Lat 41°37'30" to 41°45', long 72°15' to 72°22'30". Scale 1:24,000. 28 by 49 inches. \$1.
- GQ-593. Geologic map of the Riegelsville quadrangle, Pennsylvania-New Jersey, by A. A. Drake, Jr., D. B. McLaughlin, and R. E. Davis. 1967. Lat 40°30' to 40°37'30", long 75°07'30" to 75°15'. Scale 1:24,000. 32 by 37 inches. \$1.
- GQ-594. Geologic map of the Easton quadrangle, New Jersey-Pennsylvania, by A. A. Drake, Jr. 1967. Lat 40°37'30" to 40°45', long 75°07'30" to 75°15'. Scale 1:24,000. 32 by 47 inches. \$1.
- GQ-595. Geologic map of the Bloomsbury quadrangle, New Jersey, by A. A. Drake, Jr. 1967. Lat 40°37'30" to 40°45', long 75° to 75°07'30". Scale 1:24,000. 32 by 40 inches. \$1.
- GQ-596. Geologic map of the Mount Tyndall quadrangle, Custer County, Colo., by M. R. Brock and Q. D. Singewald. 1968. Lat 38°07'30" to 38°15', long 105°15' to 105°22'30". Scale 1:24,000. Sheet 1, 28 by 32 inches; sheet 2, 21 by 27 inches. Accompanied by 5-page text. \$1 per set.
- GQ-597. Geologic map of the Arsenic Peak quadrangle, Teton and Lewis and Clark Counties, Mont., by M. R. Mudge. 1967. Lat 47°37'30" to 47°45', long 112°45' to 112°52'30". Scale 1:24,000. 33 by 42 inches. \$1.
- GQ-598. Geologic map of the Vanceburg quadrangle, Kentucky-Ohio, by R. H. Morris and K. L. Pierce. 1967. Lat 38°30' to 38°37'30", long 83°15' to 83°22'30". Scale 1:24,000. Structure-contour interval 20 feet. 31½ by 39 inches. \$1.
- GQ-599. Geologic map of the North Truro quadrangle, Barnstable County, Mass., by Carl Koteff, R. N. Oldale, and J. H. Hartshorn. 1967. Lat 42° to 42°07'30", long 70° to 70°07'30". Scale 1:24,000. 28 by 38 inches. \$1.
- GQ-600. Geologic map of the Lexington West quadrangle, Fayette and Scott Counties, Ky., by R. D. Miller. 1967. Lat 38° to 38°07'30", long 84°30' to 84°37'30". Scale 1:24,000. Structure-contour interval 10 feet. 30 by 37 inches. \$1.
- GQ-601. Geologic map of part of the Cayce quadrangle, Hickman and Fulton Counties, Ky., by W. W. Olive. 1967. Lat 36°30' to 36°37'30", long 89°

- to 89°07'30". Scale 1:24,000. Contours on erosional surface cut on rocks of Eocene age, interval 20 feet. 28 by 36 inches. \$1.
- GQ-602. Geologic map of the Colesburg quadrangle, Hardin and Bullitt Counties, Ky., by R. C. Kepferle. 1967. Lat 37°45' to 37°52'30", long 85°45' to 85°52'30". Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 40 inches. \$1.
- GQ-603. Geologic map of the Lebanon Junction quadrangle, central Kentucky, by W. L. Peterson. 1967. Lat 37°45' to 37°52'30", long 85°37'30" to 85°45'. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 37 inches. \$1.
- GQ-604. Geologic map of the Caledonia quadrangle, Trigg and Christian Counties, Ky., by G. E. Ulrich and Harry Klemic. 1966 [1967]. Lat 36°45' to 36°52'30", long 87°37'30" to 87°45'. Scale 1:24,000. Structure-contour interval 40 feet. 30 by 33 inches. \$1.
- GQ-605. Geologic map of the Georgetown quadrangle, Scott and Fayette Counties, Ky., by E. R. Cressman. 1967. Lat 38°07'30" to 38°15', long 84°30' to 84°37'30". Scale 1:24,000. Structure-contour interval 10 feet. 31 by 34 inches. \$1.
- GQ-606. Geologic map of the Belted Peak quadrangle, Nye County, Nev., by E. B. Ekren, C. L. Rogers, R. E. Anderson, and Theodore Botinelly. 1967. Lat 37°30' to 37°45', long 116° to 116°15'. Scale 1:62,500. 25 by 35 inches. \$1.
- GQ-607. Geologic map of the Fredonia quadrangle, western Kentucky, by W. B. Rogers and W. H. Hays. 1967. Lat 37°07'30" to 37°15', long 88° to 88°07'30". Scale 1:24,000. Structure-contour interval 50 feet. 32 by 34 inches. \$1.
- GQ-608. Geologic map of the Lamasco quadrangle, western Kentucky, by R. D. Sample. 1967. Lat 87°52'30" to 88°, long 36°52'30" to 37°. Scale 1:24,000. Structure-contour interval 50 feet. 30 by 33 inches. \$1.
- GQ-609. Bedrock geologic map of the Montville quadrangle, New London County, Conn., by Richard Goldsmith. 1967. Lat 41°22'30" to 41°30', long 72°07'30" to 72°15'. Scale 1:24,000. 31 by 35 inches. \$1.
- GQ-610. Surficial geologic map of the Sawtooth Ridge quadrangle, Teton and Lewis and Clark Counties, Mont., by Melville R. Mudge. 1967. Lat 47°30' to 47°37'30", long 112°37'30" to 112°45'. Scale 1:24,000. 28 by 42 inches. \$1.
- GQ-611. Surficial geologic map of the Roxbury quadrangle, Litchfield and New Haven Counties, Conn., by H. E. Malde. 1967. Lat 41°30' to 41°37'30", long 73°15' to 73°22'30". Scale 1:24,000. 26 by 28 inches. \$1.
- GQ-612. Geologic map of the Waucoba Wash quadrangle, Inyo County, Calif., by D. C. Ross. 1967. Lat 36°45' to 37°, long 117°45' to 118°. Scale 1:62,500. 30 by 35 inches. \$1.
- GQ-613. Geologic map of the Palmer quadrangle, east-central Kentucky, by G. C. Simmons. 1967. Lat 37°45' to 37°52'30", long 84° to 84°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 31 by 44 inches. \$1.
- GQ-614. Geologic map of the Dead Horse Flat quadrangle, Nye County, Nev., by D. C. Noble, R. D. Krushensky, E. J. McKay, and J. R. Ege. 1967. Lat 37°15' to 37°22'30", long 116°15' to 116°22'30". Scale 1:24,000. 30 by 33 inches. \$1.
- GQ-615. Geologic map of the Hollyhill quadrangle, McCreary and Whitley Counties, Ky., by R. A. Loney. 1967. Lat 36°37'30" to 36°45', long 84°15' to 84°22'30". Scale 1:24,000. Structure-contour interval 20 feet. 31 by 37 inches. \$1.

- GQ-616. Geologic map of the Williamsburg quadrangle, Whitley County, Ky., by R. W. Tabor. 1967. Lat 36°37'30" to 36°45', long 84°07'30" to 84°15'. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 39 inches. \$1.
- GQ-617. Geologic map of the Wofford quadrangle, Whitley County, Ky., by J. H. Smith. 1967. Lat 84°07'30" to 84°15', long 36°45' to 36°52'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 36 inches. \$1.
- GQ-618. Geologic map of the Condrey Mountain quadrangle, and parts of the Seiad Valley and Hornbrook quadrangles, California, by P. E. Hotz. 1967. Lat 41°45' to 42°, long 122°45' to 123°. Scale 1:62,500. 30 by 41 inches. \$1.
- GQ-619. Geologic map of the Antelope Gap quadrangle, Platte County, Wyo., by L. W. McGrew. 1967. Lat 42° to 42°07'30", long 104°45' to 104°52'30". Scale 1:24,000. 25 by 28 inches. \$1.
- GQ-620. Geologic map of the Bordeaux quadrangle, Platte County, Wyo., by L. W. McGrew. 1967. Lat 41°52'30" to 42°, long 104°45' to 104°52'30". Scale 1:24,000. 24 by 28 inches. \$1.
- GQ-621. Geologic map of the Casebier Hill quadrangle, Goshen County, Wyo., by L. W. McGrew. 1967. Lat 42°15' to 42°22'30", long 104°30' to 104°37'30". Scale 1:24,000. 28 by 30 inches. \$1.
- GQ-622. Geologic map of the Ferguson Corner quadrangle, Platte County, Wyo., by L. W. McGrew. 1967. Lat 41°52'30" to 42°, long 104°52'30" to 105°. Scale 1:24,000. 28 by 29 inches. \$1.
- GQ-623. Geologic map of the Natwick SW quadrangle, Platte County, Wyo., by L. W. McGrew. 1967. Lat 41°45' to 41°52'30", long 105°07'30" to 105°15'. Scale 1:24,000. 29 by 31 inches. \$1.
- GQ-624. Geologic map of the Natwick quadrangle, Platte County, Wyo., by L. W. McGrew. 1967. Lat 41°52'30" to 42°, long 105° to 105°07'30". Scale 1:24,000. 26 by 28 inches. \$1.
- GQ-625. Geologic map of the Richeau Hills quadrangle, Platte County, Wyo., by L. W. McGrew. 1967. Lat 41°45' to 41°52'30", long 105° to 105°07'30". Scale 1:24,000. 28 by 33 inches. \$1.
- GQ-626. Geologic map of the Squaw Rock quadrangle, Platte County, Wyo., by L. W. McGrew. 1967. Lat 41°52'30" to 42°, long 105°07'30" to 105°15'. Scale 1:24,000. 24 by 27 inches. \$1.
- GQ-627. Geologic map of the Wheatland quadrangle, Platte County, Wyo., by L. W. McGrew. 1967. Lat 42° to 42°07'30", long 104°52'30" to 105°. Scale 1:24,000. 24 by 28 inches. \$1.
- GQ-628. Geologic map of the Wheatland NE quadrangle, Platte County, Wyo., by L. W. McGrew. 1967. Lat 42°07'30" to 42°15', long 104°45' to 104°52'30". Scale 1:24,000. 28 by 28 inches. \$1.
- GQ-629. Geologic map of the Coiltown quadrangle, Hopkins County, Ky., by G. J. Franklin. 1967. Lat 37°15' to 37°22'30", long 87°37'30" to 87°45'. Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 38 inches. \$1.
- GQ-630. Geologic map of the Hackett quadrangle, Washington County, Pa., by B. H. Kent. 1967. Lat 40°07'30" to 40°15', long 80° to 80°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 31 inches. \$1.
- GQ-631. Geologic map of the Bristol Head quadrangle, Mineral and Hinsdale Counties, Colo., by T. A. Steven. 1967. Lat 37°45' to 38°, long 107° to 107°15'. Scale 1:62,500. 25 by 39 inches. \$1.
- GQ-632. Surficial geologic map of the Whitman quadrangle, Plymouth County, Mass., by R. G. Petersen and C. E. Shaw, Jr. 1967. Lat 42° to 42°07'30", long 70°52'30" to 71°. Scale 1:24,000. 28 by 29½ inches. \$1.

- GQ-633. Surficial geologic map of the Hanover quadrangle, Plymouth County, Mass., by C. E. Shaw, Jr., and R. G. Petersen. 1967. Lat 42° to 42°07'30", long 70°45' to 70°52'30". Scale 1:24,000. 29 by 34½ inches. \$1.
- GQ-634. Geologic map of the Park quadrangle, south-central Kentucky, by S. L. Moore and D. D. Haynes. 1967. Lat 37°07'30" to 37°15', long 85°45' to 85°52'30". Scale 1:24,000. Structure-contour interval 20 feet. 28½ by 30½ inches. \$1.
- GQ-635. Surficial geologic map of the Dannemora quadrangle and part of the Plattsburgh quadrangle, New York, by C. S. Denny. 1967. Lat 44°30' to 44°45', long 73°22' to 73°45'. Scale 1:62,500. 28 by 31 inches. \$1.
- GQ-636. Geologic map of the Bodie Mountain quadrangle, Ferry and Okanogan Counties, Wash., by R. C. Pearson. 1967. Lat 48°45' to 49°, long 118°45' to 119°. Scale 1:62,500. 25 by 26 inches. Accompanied by 4-page text. \$1.
- GQ-637. Geologic map of the T L Ranch quadrangle, Carbon County, Wyo., by H. J. Hyden and Harry McAndrews. 1967. Lat 41°37'30" to 41°45', long 106°15' to 106°22'30". Scale 1:24,000. 32 by 36 inches. \$1.
- GQ-638. Geologic map of the Ammonia Tanks quadrangle, Nye County, Nev., by E. N. Hinrichs, R. D. Krushensky, and S. J. Luft. 1967. Lat 37°07'30" to 37°15', long 116°15' to 116°22'30". Scale 1:24,000. 33 by 39 inches. \$1.
- GQ-639. Geologic map of the Torreon quadrangle, Torrance County, N. Mex., by D. A. Myers. 1967. Lat 34°37'30" to 34°45', long 106°15' to 106°22'30". Scale 1:24,000. Structure-contour interval 100 feet. 28 by 30 inches. \$1.
- GQ-640. Geologic map of the Grayson quadrangle, Carter County, Ky., by C. L. Whittington and J. C. Ferm. 1967. Lat 38°15' to 38°22'30", long 82°52'30" to 83°. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 40½ inches. \$1.
- GQ-641. Geologic map of the Prestonsburg quadrangle, Floyd and Johnson Counties, Ky., by C. L. Rice. 1967. Lat 37°37'30" to 37°45', long 82°45' to 82°52'30". Scale 1:24,000. Structure-contour interval 40 feet. 30½ by 34 inches. \$1.
- GQ-642. Geologic map of the Rowe quadrangle, Franklin and Berkshire Counties, Mass., and Bennington and Windham Counties, Vt., by A. H. Chidester, N. L. Hatch, Jr., P. H. Osberg, S. A. Norton, and J. H. Hartshorn. 1967. Lat 42°37'30" to 42°45', long 72°52'30" to 73°. Scale 1:24,000. 32 by 37½ inches. \$1.
- GQ-643. Geologic map of the Arlington quadrangle, Carbon County, Wyo., by H. J. Hyden, J. S. King, and R. S. Houston. 1967. Lat 41°30' to 41°37'30", long 106°07'30" to 106°15'. Scale 1:24,000. 31 by 35 inches. \$1.
- GQ-644. Geologic map of the Coletown quadrangle, east-central Kentucky, by D. F. B. Black. 1967. Lat 37°52'30" to 38°, long 84°22'30" to 84°30'. Scale 1:24,000. 30 by 39 inches. \$1.
- GQ-645. Geologic map of the Vine Grove quadrangle, Hardin and Meade Counties, Ky., by R. C. Kepferle. 1967. Lat 37°45' to 37°52'30", long 85°52'30" to 86°. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33½ inches. \$1.
- GQ-646. Geologic map of the Holden quadrangle, Snohomish and Chelan Counties, Wash., by F. W. Cater and D. F. Crowder. Lat 48° to 48°15', long 120°45' to 121°. Scale 1:62,500. 29 by 41 inches. \$1.
- GQ-647. Geologic map of the Lucerne quadrangle, Chelan County, Wash., by F. W. Cater and T. L. Wright. 1967. Lat 48° to 48°15', long 120°30' to 120°45'. Scale 1:62,500. 27 by 33 inches. \$1.
- GQ-648. Geologic map of the California quadrangle, Washington and Fayette

- Counties, Pa., by S. P. Schweinfurth. 1967. Lat 40° to 40°07'30", long 79°52'30" to 80°. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 36 inches. \$1.
- GQ-649. Geologic map of the Berea quadrangle, east-central Kentucky, by G. W. Weir. 1967. Lat 37°30' to 37°37'30", long 84°15' to 84°22'30". Scale 1:24,000. Structure-contour interval 20 feet. 31½ by 49½ inches. \$1.
- GQ-650. Geologic map of the Elkton quadrangle, Todd County, Ky., by F. R. Shawe. 1967. Lat 36°45' to 36°52'30", long 87°07'30" to 87°15'. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-651. Geologic map of the Hopkinsville quadrangle, Christian County, Ky., by Harry Klemic. 1967. Lat 36°45' to 36°52'30", long 87°22'30" to 87°30'. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 32 inches. \$1.
- GQ-652. Geologic map of part of the Joppa quadrangle, McCracken County, Ky., by W. I. Finch. 1967. Lat 37°07'30" to 37°12'30", long 88°45' to 88°52'30". Scale 1:24,000. Contour on erosional surface cut on rocks of Late Cretaceous and Paleocene age, interval 20 feet. 29 by 38 inches. \$1.
- GQ-653. Geologic map of the Centerville quadrangle, central Kentucky, by S. P. Kanizay and E. R. Cressman. 1967. Lat 38°07'30" to 38°15', long 84°22'30" to 84°30'. Scale 1:24,000. Structure-contour interval 10 feet. 30½ by 35 inches. \$1.
- GQ-654. Geologic map of the Soldier Pass quadrangle, California and Nevada, by E. H. McKee and C. A. Nelson. 1967. Lat 37°15' to 37°30', long 117°45' to 118°. Scale 1:62,500. 24½ by 31½ inches. \$1.
- GQ-655. Bedrock geologic map of the Watch Hill quadrangle, Washington County, R. I., and New London County, Conn., by G. E. Moore, Jr. 1967. Lat 41°15' to 41°22'30", long 71°45' to 71°52'30". Scale 1:24,000. 25 by 32 inches. \$1.
- GQ-656. Geologic map of the Winnemucca quadrangle, Pershing and Humboldt Counties, Nev., by James Gilluly. 1967. Lat 40°45' to 41°, long 117°30' to 117°45'. Scale 1:62,500. 26 by 36 inches. Accompanied by 4-page text. \$1.
- GQ-657. Geologic map of part of the Smithland quadrangle, Livingston County, Ky., by D. H. Amos. 1967. Lat 37°07'30" to 37°15', long 88°22'30" to 88°30'. Scale 1:24,000. Structure-contour interval 40 feet. 30 by 36 inches. \$1.
- GQ-658. Geologic map of the Roaring Spring quadrangle, Kentucky-Tennessee, by Harry Klemic and G. E. Ulrich. 1967. Lat 36°37'30" to 36°45', long 87°37'30" to 87°45'. Scale 1:24,000. Structure-contour interval 40 feet. 30 by 31 inches. \$1.
- GQ-659. Geologic map of the Millard quadrangle, Pike County, Ky., by E. C. Jenkins. 1967. Lat 37°22'30" to 37°30', long 82°22'30" to 82°30'. Scale 1:24,000. Structure-contour interval 40 feet. 31 by 39 inches. \$1.
- GQ-660. Surficial geologic map of the Danielson quadrangle, Windham County, Conn., by A. D. Randall and Fred Pessl, Jr. 1968. Lat 41°45' to 41°52'30", long 71°52'30" to 72°. Scale 1:24,000. Bedrock-contour intervals 50 and 25 feet. 34 by 35½ inches. \$1.
- GQ-661. Geologic map of the Tollesboro quadrangle, Lewis and Fleming Counties, Ky., by J. H. Peck. 1967. Lat 38°30' to 38°37'30", long 83°30' to 83°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 31 by 41½ inches. \$1.
- GQ-662. Geologic map of the Brodhead quadrangle, east-central Kentucky, by J. L. Gualtieri. 1967. Lat 37°22'30" to 37°30', long 84°22'30" to 84°30'. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 39 inches. \$1.

- GQ-663. Geologic map of the Clay City quadrangle, Powell and Estill Counties, Ky., by G. C. Simmons. 1967. Lat 37°45' to 37°52'30", long 83°52'30" to 84°. Scale 1:24,000. Structure-contour interval 20 feet. 33 by 44 inches. \$1.
- GQ-664. Geologic map of the Moberly quadrangle, Madison and Estill Counties, Ky., by R. C. Greene. 1968. Lat 37°37'30" to 37°45', long 84°07'30" to 84°15'. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 37½ inches. \$1.
- GQ-665. Geologic map of the Bangor quadrangle, Pennsylvania-New Jersey, by R. E. Davis, A. A. Drake, Jr., and J. B. Epstein. 1967. Lat 40°45' to 40°52'30", long 75°07'30" to 75°15'. Scale 1:24,000. 28 by 40 inches. \$1.
- GQ-666. Geologic map of the Imlay quadrangle, Pershing County, Nev., by N. J. Silberling and R. E. Wallace. 1967. Lat 40°30' to 40°45', long 118° to 118°15'. Scale 1:62,500. 29 by 31 inches. \$1.
- GQ-667. Geologic map of the Kilauea Crater quadrangle, Hawaii, by D. W. Peterson. 1967. Lat 19°22'30" to 19°30', long 155°15' to 155°22'30". Scale 1:24,000. 32 by 40 inches. \$1.
- GQ-668. Geologic map of the Brandenburg Mountain quadrangle, Pinal County, Ariz., by M. H. Krieger. 1968. Lat 32°52'30" to 33°, long 110°30' to 110°37'30". Scale 1:24,000. 32 by 36 inches. Accompanied by 3-page text. \$1.
- GQ-669. Geologic map of the Holy Joe Peak quadrangle, Pinal County, Ariz., by M. H. Krieger. 1968. Lat 32°45' to 32°52'30", long 110°30' to 110°37'30". Scale 1:24,000. 31 by 36 inches. Accompanied by 4-page text. \$1.
- GQ-670. Geologic map of the Lookout Mountain quadrangle, Pinal County, Ariz., by M. H. Krieger. 1968. Lat 32°45' to 32°52'30", long 110°37'30" to 110°45'. Scale 1:24,000. 28 by 32 inches. Accompanied by 2-page text. \$1.
- GQ-671. Geologic map of the Saddle Mountain quadrangle, Pinal County, Ariz., by M. H. Krieger. 1968. Lat 32°52'30" to 33°, long 110°37'30" to 110°45'. Scale 1:24,000. 32 by 34 inches. Accompanied by 3-page text. \$1.
- GQ-672. Geologic map of the Quartzite Mountain quadrangle, Nye County, Nev., by C. L. Rogers, R. E. Anderson, E. B. Ekren, and J. T. O'Connor. 1967. Lat 37°30' to 37°45', long 116°15' to 116°30'. Scale 1:62,500. 25 by 35 inches. \$1.
- GQ-673. Geologic map of the Quality quadrangle, Butler and Logan Counties, Ky., by Benjamin Gildersleeve. 1968. Lat 37° to 37°07'30", long 86°45' to 86°52'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-674. Geologic map of the Saint Charles quadrangle, Hopkins and Christian Counties, Ky., by J. E. Palmer. 1967. Lat 37°07'30" to 37°15', long 87°30' to 87°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 31 by 38 inches. \$1.
- GQ-675. Geologic map of the Frogue quadrangle, Kentucky-Tennessee, by R. Q. Lewis, Sr. 1967. Lat 36°37'30" to 36°45', long 85°15' to 85°22'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 34 inches. \$1.
- GQ-676. Geologic map of the Dubre quadrangle, southern Kentucky, by R. Q. Lewis, Sr. 1967. Lat 36°45' to 36°52'30", long 85°30' to 85°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 32 by 34 inches. \$1.
- GQ-677. Geologic map of the Rockholds quadrangle, Whitley and Knox Counties, Ky., by J. H. Smith. 1967. Lat 36°45' to 36°52'30", long 84° to 84°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 31 by 34 inches. \$1.

- GQ-678. Geologic map of the Springfield South quadrangle, Hampden County, Mass., and Hartford and Tolland Counties, Conn., by J. H. Hartshorn and Carl Koteff. 1967. Lat 42° to 42°07'30", long 72°30' to 72°37'30". Scale 1:24,000. 26 by 32 inches. Accompanied by 4-page text. \$1.
- GQ-679. Geologic map of the Bluewater quadrangle, Valencia and McKinley Counties, N. Mex., by R. E. Thaden and E. J. Ostling. 1967. Lat 35°15' to 35°22'30", long 107°52'30" to 108°. Scale 1:24,000. Structure-contour interval 100 feet. 30 by 34½ inches. \$1.
- GQ-680. Geologic map of the Dos Lomas quadrangle, Valencia and McKinley Counties, N. Mex., by R. E. Thaden, E. S. Santos, and E. J. Ostling. 1967. Lat 35°15' to 35°22'30", long 107°45' to 107°52'30". Scale 1:24,000. Structure-contour interval 100 feet. 28 by 31 inches. \$1.
- GQ-681. Geologic map of the Grants quadrangle, Valencia County, N. Mex., by R. E. Thaden, E. S. Santos, and O. B. Raup. 1967. Lat 35°07'30" to 35°15', long 107°45' to 107°52'30". Scale 1:24,000. Structure-contour interval 100 feet. 31 by 34 inches. \$1.
- GQ-682. Geologic map of the Grants SE quadrangle, Valencia County, N. Mex., by R. E. Thaden, Seymour Merrin, and O. B. Raup. 1967. Lat 35° to 35°07'30", long 107°45' to 107°52'30". Scale 1:24,000. Structure-contour interval 100 feet. 31 by 34 inches. \$1.
- GQ-683. Geologic map of the Lexington East quadrangle, Fayette and Bourbon Counties, Ky., by W. C. MacQuown, Jr., and Ernest Dobrovolny. 1968. Lat 38° to 38°07'30", long 84°22'30" to 84°30". Scale 1:24,000. Structure-contour interval 10 feet. 30½ by 35½ inches. \$1.
- GQ-684. Geologic map of the Wildie quadrangle, Garrard and Rockcastle Counties, Ky., by J. L. Gualtieri. 1968. Lat 37°22'30" to 37°30', long 84°15' to 84°22'30". Scale 1:24,000. Structure-contour interval 20 feet. 31 by 41 inches. \$1.
- GQ-685. Geologic map of the Johnetta quadrangle, Rockcastle and Jackson Counties, Ky., by J. L. Gualtieri. 1968. Lat 37°22'30" to 37°30', long 84°07'30" to 84°15'. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 42 inches. \$1.
- GQ-686. Geologic map of the Panola quadrangle, Estill and Madison Counties, Ky., by R. C. Greene. 1968. Lat 37°37'30" to 37°45', long 84° to 84°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 31 by 42½ inches. \$1.
- GQ-687. Geologic map of the Olaton quadrangle, western Kentucky, by W. D. Johnson, Jr., and A. E. Smith. 1968. Lat 37°30' to 37°37'30", long 86°37'30" to 86°45'. Scale 1:24,000. Structure-contour intervals 20 and 40 feet. 31 by 39 inches. \$1.
- GQ-688. Geologic map of the Dundee quadrangle, Ohio County, Ky., by G. H. Goudarzi and A. E. Smith. 1968. Lat 37°30' to 37°37'30", long 86°45' to 86°52'30". Scale 1:24,000. Structure-contour interval 20 feet. 31½ by 38 inches. \$1.
- GQ-689. Geologic map of the Swatara Hill quadrangle, Schuylkill and Berks Counties, Pa., by G. H. Wood, Jr., and T. M. Kehn. 1968. Lat 40°30' to 40°37'30", long 76°15' to 76°22'30". Scale 1:24,000. 28 by 48 inches. \$1.
- GQ-690. Geologic map of the Minersville quadrangle, Schuylkill County, Pa., by G. H. Wood, Jr., J. P. Trexler, and Andy Yelenosky. 1968. Lat 40°37'30" to 40°45', long 76°15' to 76°22'30". Scale 1:24,000. 28 by 46 inches. \$1.
- GQ-691. Geologic map of the Pine Grove quadrangle, Schuylkill, Lebanon, and

- Berks Counties, Pa., by G. H. Wood, Jr., and T. M. Kehn. 1968. Lat 40°30' to 40°37'30", long 76°22'30" to 76°30'. Scale 1:24,000. 28 by 46 inches. \$1.
- GQ-692. Geologic map of the Tremont quadrangle, Schuylkill and Northumberland Counties, Pa., by G. H. Wood, Jr., and J. P. Trexler. 1968. Lat 40°37'30" to 40°45', long 76°22'30" to 76°30'. Scale 1:24,000. 28 by 46 inches. \$1.
- GQ-693. Geologic map of the Center quadrangle, south-central Kentucky, by R. C. Miller and S. L. Moore. 1967. Lat 37°07'30" to 37°15', long 85°37'30" to 85°45'. Scale 1:24,000. Structure-contour interval 20 feet. 28 by 31 inches. \$1.
- GQ-694. Geologic map of the Kanarraville quadrangle, Iron County, Utah, by Paul Averitt. 1967. Lat 37°30' to 37°37'30", long 113°07'30" to 113°15'. Scale 1:24,000. 29½ by 31 inches. \$1.
- GQ-695. Geologic map of the Scrugham Peak quadrangle, Nye County, Nev., by F. M. Byers, Jr., and David Cummings. 1967. Lat 37°07'30" to 37°15', long 116°22'30" to 116°30'. Scale 1:24,000. 33 by 39 inches. \$1.
- GQ-696. Bedrock geologic map of the Danielson quadrangle, Windham County, Conn., by H. R. Dixon. 1968. Lat 41°45' to 41°52'30", long 71°52'30" to 72°. Scale 1:24,000. 30 by 32 inches. \$1.
- GQ-697. Geologic map and sections of the Ely quadrangle, White Pine County, Nev., by A. L. Brokaw. 1967. Lat 39°07'30" to 39°15', long 114°52'30" to 115°. Scale 1:24,000. 31 by 31 inches. \$1.
- GQ-698. Geologic map of the Tower City quadrangle, Schuylkill, Dauphin, and Lebanon Counties, Pa., by G. H. Wood, Jr. 1968. Lat 40°30' to 40°37'30", long 76°30' to 76°37'30". Scale 1:24,000. 28 by 48 inches. \$1.
- GQ-699. Geologic map of the Valley View quadrangle, Schuylkill and Northumberland Counties, Pa., by J. P. Trexler and G. H. Wood, Jr. 1968. Lat 40°37'30" to 40°45', long 76°30' to 76°37'30". Scale 1:24,000. 28 by 48 inches. \$1.
- GQ-700. Geologic map of the Klingerstown quadrangle, Northumberland, Schuylkill, and Dauphin Counties, Pa., by J. P. Trexler and G. H. Wood, Jr. 1968. Lat 40°37'30" to 40°45', long 76°37'30" to 76°45'. Scale 1:24,000. 28 by 48 inches. \$1.
- GQ-701. Geologic map of the Lykens quadrangle, Dauphin, Schuylkill, and Lebanon Counties, Pa., by J. P. Trexler and G. H. Wood, Jr. 1968. Lat 40°30' to 40°37'30", long 76°37'30" to 76°45'. Scale 1:24,000. 29 by 47 inches. \$1.
- GQ-702. Geologic map of the Elk Springs quadrangle, Moffat County, Colo., by J. R. Dyni. 1968. Lat 40°15' to 40°30', long 108°15' to 108°30'. Scale 1:62,500. Approximate structure-contour interval 1,000 feet. 31 by 31 inches. \$1.
- GQ-703. Geologic map of the Banty Point quadrangle, Rio Blanco County, Colo., by H. L. Cullins. 1968. Lat 40° to 40°07'30", long 108°52'30" to 109°. Scale 1:24,000. Structure-contour interval 200 feet. 33 by 33 inches. \$1.
- GQ-704. Geologic map of the Chair Mountain quadrangle, Gunnison and Pitkin Counties, Colo., by L. H. Godwin. 1968. Lat 39° to 39°07'30", long 107°15' to 107°22'30". Scale 1:24,000. Structure-contour interval 500 feet. 32 by 32 inches. \$1.
- GQ-705. Geologic map of the Munger Mountain quadrangle, Teton and Lincoln Counties, Wyo., by H. F. Albee. 1968. Lat 43°15' to 43°22'30", long 110°45' to 110°52'30". Scale 1:24,000. 29 by 33 inches. \$1.
- GQ-706. Geologic map of the Duwamish Head quadrangle, King and Kitsap

- Counties, Wash., by H. H. Waldron. 1967. Lat 47°30' to 47°37'30", long 122°22'30" to 122°30'. Scale 1:24,000. 27½ by 31½ inches. \$1.
- GQ-707. Geologic map of the Frankfort East quadrangle, Franklin and Woodford Counties, Ky., by J. S. Pomeroy. 1968. Lat 38°07'30" to 38°15', long 84°45' to 84°52'30". Scale 1:24,000. Structure-contour interval 10 feet. 31 by 38 inches. \$1.
- GQ-708. Geologic map of the Redbush quadrangle, eastern Kentucky, by C. L. Rice. 1968. Lat 37°52'30" to 38°, long 82°52'30" to 83°. Scale 1:24,000. Structure-contour interval 40 feet. 30 by 33½ inches. \$1.
- GQ-709. Geologic map of the Pembroke quadrangle, Christian and Todd Counties, Ky., by S. L. Moore. 1968. Lat 36°45' to 36°52'30", long 87°15' to 87°22'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-710. Geologic map of the Cobb quadrangle, Trigg and Caldwell Counties, Ky., by D. A. Seeland. 1968. Lat 36°52'30" to 37°, long 87°45' to 87°52'30". Scale 1:24,000. Structure-contour interval 40 feet. 31 by 32½ inches. \$1.
- GQ-711. Bedrock geologic map of the Castle Reef quadrangle, Teton and Lewis and Clark Counties, Mont., by M. R. Mudge. 1968. Lat 47°37'30" to 47°45', long 112°37'30" to 112°45'. Scale 1:24,000. 31½ by 39½ inches. \$1.
- GQ-712. Surficial geologic map of the Ashaway quadrangle, Connecticut-Rhode Island, by J. P. Schafer. 1968. Lat 41°22'30" to 41°30', long 71°45' to 71°52'30". Scale 1:24,000. 27 by 29 inches. \$1.
- GQ-713. Geologic map of the Dorton quadrangle, Pike County, Ky., by J. L. Barr and H. H. Arndt. 1968. Lat 37°15' to 37°22'30", long 82°30' to 82°37'30". Scale 1:24,000. Structure-contour interval 40 feet. 32 by 39 inches. \$1.
- GQ-714. Geologic map of the Russellville quadrangle, Logan County, Ky., by R. C. Miller. 1968. Lat 36°45' to 36°52'30", long 86°52'30" to 87°. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-715. Geologic map of the Mingus Mountain quadrangle, Yavapai County, Ariz., by C. A. Anderson and S. C. Creasey. 1967 [1968]. Lat 34°30' to 34°45', long 112° to 112°15'. Scale 1:62,500. 26 by 33 inches. \$1.
- GQ-716. Geologic map of the Lick Creek quadrangle, Pike County, Ky., by E. J. McKay and D. C. Alvord. 1969 [1970]. Lat 37°22'30" to 37°30', long 82°15' to 82°22'30". Scale 1:24,000. Structure-contour interval 40 feet. 32 by 35 inches. \$1.
- GQ-717. Geologic map of the Clintonville quadrangle, central Kentucky, by W. C. MacQuown, Jr. 1968. Lat. 38° to 38°07'30", long 84°15' to 84°22'30". Scale 1:24,000. Structure-contour interval 10 feet. 30 by 35 inches. \$1.
- GQ-718. Surficial geologic map of the Norwalk South quadrangle, Fairfield County, Conn., by H. E. Malde. 1968. Lat 41° to 41°07'30", long 73°22'30" to 73°30'. Scale 1:24,000. 29 by 31 inches. \$1.
- GQ-719. Geologic map of the Groom Mine SW quadrangle, Nye and Lincoln Counties, Nev., by R. B. Colton and D. C. Noble. 1967. Lat 37°15' to 37°22'30", long 115°52'30" to 116°. Scale 1:24,000. 27 by 28 inches. \$1.
- GQ-720. Geologic map of the David quadrangle, eastern Kentucky, by W. F. Outerbridge. 1968. Lat 37°30' to 37°37'30", long 82°52'30" to 83°. Scale 1:24,000. Structure-contour interval 40 feet. 31 by 35 inches. \$1.
- GQ-721. Geologic map of the Ezel quadrangle, Morgan and Menifee Counties, Ky., by G. N. Pipiringos, S. C. Bergman, and V. A. Trent. 1968. Lat

- 37°52'30" to 38°, long 83°22'30" to 83°30'. Scale 1:24,000. Structure-contour interval 20 feet. 33 by 36 inches. \$1.
- GQ-722. Geologic map of part of the Johnson Hollow quadrangle, Trigg County, Ky., by Harry Klemic, G. E. Ulrich, and S. L. Moore. 1968. Lat 36°37'30" to 36°45', long 87°45' to 87°52'30". Scale 1:24,000. Structure-contour interval 40 feet. 31 by 34½ inches. \$1.
- GQ-723. Geologic map of the Leatherwood quadrangle, southeastern Kentucky, by H. J. Prostka and V. M. Seiders. 1968. Lat 37° to 37°07'30", long 83°07'30" to 83°15'. Scale 1:24,000. Structure-contour interval 40 feet. 31 by 34 inches. \$1.
- GQ-724. Geologic map of the Fish Lake quadrangle, Fremont County, Wyo., by W. L. Rohrer. 1968. Lat 43°30' to 43°37'30", long 109°52'30" to 110°. Scale 1:24,000. 30½ by 33 inches. \$1.
- GQ-725. Geologic map of the Hanover NW quadrangle, El Paso County, Colo., by P. E. Soister. 1968. Lat 38°37'30" to 38°45', long 104°22'30" to 104°30'. Scale 1:24,000. 30 by 32 inches. \$1.
- GQ-726. Geologic map of the Camp Desert Rock quadrangle, Nye County, Nev., by E. N. Hinrichs. 1968. Lat 36°37'30" to 36°45', long 116° to 116°07'30". Scale 1:24,000. 34 by 34 inches. \$1.
- GQ-727. Surficial geologic map of the West Torrington quadrangle, Litchfield County, Conn., by R. B. Colton. 1968. Lat 41°45' to 41°52'30", long 73°07'30" to 73°15'. Scale 1:24,000. 28 by 29 inches. Accompanied by 3-page text. \$1.
- GQ-728. Geologic map of the Shuteye Peak quadrangle, Sierra Nevada, Calif., by N. K. Huber. 1968. Lat 37°15' to 37°30', long 119°15' to 119°30'. Scale 1:62,500. 24 by 32 inches. Accompanied by 4-page text. \$1.
- GQ-729. Geologic map of the Hatfield Mountain quadrangle, Gallatin County, Mont., by Betty Skipp and Mary-Margaret Hepp. 1968. Lat 46° to 46°07'30", long 110°52'30" to 111°. Scale 1:24,000. 30 by 33 inches. \$1.
- GQ-730. Geologic map of the Mount Callaghan quadrangle, Lander County, Nev., by J. H. Stewart and E. H. McKee. 1968. Lat 39°30' to 39°45', long 116°45' to 117°. Scale 1:62,500. 26 by 29 inches. \$1.
- GQ-731. Geologic map of the Calvert City quadrangle, Livingston and Marshall Counties, Ky., by D. H. Amos and W. I. Finch. 1968. Lat 37° to 37°07'30", long 88°15' to 88°22'30". Scale 1:24,000. Contours on erosional surface cut on rocks of Late Cretaceous, Mississippian, and Devonian age, interval 20 feet. 32 by 39 inches. \$1.
- GQ-732. Geologic map of the McDowell quadrangle, Floyd and Pike Counties, Ky., by C. L. Rice. 1968. Lat 37°22'30" to 37°30', long 82°37'30" to 82°45'. Scale 1:24,000. Structure-contour interval 40 feet. 31 by 35 inches. \$1.
- GQ-733. Geologic map of the Leadore quadrangle, Lemhi County, Idaho, by E. T. Ruppel. 1968. Lat 44°30' to 44°45', long 113°15' to 113°30'. Scale 1:62,500. 24 by 34 inches. Accompanied by 5-page text. \$1.
- GQ-734. Geologic map of the Greenacres quadrangle, Washington and Idaho, by P. L. Weis. 1968. Lat 47°30' to 47°45', long 117° to 117°15'. Scale 1:62,500. 29 by 29 inches. Accompanied by 4-page text. \$1.
- GQ-735. Geologic map of the Heath quadrangle, Massachusetts and Vermont, by N. L. Hatch, Jr., and J. H. Hartshorn. 1968. Lat 42°37'30" to 42°45', long 72°45' to 72°52'30". Scale 1:24,000. 31 by 44 inches. \$1.
- GQ-736. Geologic map of the Riverside quadrangle, Butler and Warren Counties, Ky., by F. R. Shawe. 1968. Lat 37°07'30" to 37°15', long 86°30' to

- 86°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 30½ by 35½ inches. \$1.
- GQ-737. Geologic map of the Cravens quadrangle, Bullitt and Nelson Counties, Ky., by W. L. Peterson. 1968. Lat 37°45' to 37°52'30", long 85°30' to 85°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 31½ by 36½ inches. \$1.
- GQ-738. Bedrock geologic map of the Meriden quadrangle, New Haven, Hartford, and Middlesex Counties, Conn., by P. M. Hanshaw. 1968. Lat 41°30' to 41°37'30", long 72°45' to 72°52'30". Scale 1:24,000. 25 by 33 inches. Accompanied by 4-page text. \$1.
- GQ-739. Geologic map of the Greensburg quadrangle, Green and Taylor Counties, Ky., by A. R. Taylor, S. J. Luft, and R. Q. Lewis, Sr. 1968. Lat 37°15' to 37°22'30", long 85°22'30" to 85°30'. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 33 inches. \$1.
- GQ-740. Geologic map of the Shepherdsville quadrangle, Bullitt County, Ky., by R. C. Kepferle. 1968. Lat 37°52'30" to 38°, long 85°37'30" to 85°45'. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 41 inches. \$1.
- GQ-741. Geologic map of the Hartford quadrangle, Ohio County, Ky., by G. H. Goudarzi. 1968. Lat 37°22'30" to 37°30', long 86°52'30" to 87°. Scale 1:24,000. Structure-contour interval 20 feet. 33 by 33 inches. \$1.
- GQ-742. Geologic map of the Olney quadrangle, Caldwell and Hopkins Counties, Ky., by R. D. Trace and T. M. Kehn. 1968. Lat 37°07'30" to 37°15', long 87°45' to 87°52'30". Scale 1:24,000. Structure-contour interval 20 or 40 feet. 30 by 36½ inches. \$1.
- GQ-743. Geologic map of the Monongahela quadrangle, southwestern Pennsylvania, by J. B. Roen, B. H. Kent, and S. P. Schweinfurth. 1968. Lat 40°07'30" to 40°15', long 79°52'30" to 80°. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 34 inches. \$1.
- GQ-744. Geologic map of the Oak Level quadrangle, western Kentucky, by W. W. Olive and R. W. Davis. 1968. Lat 36°45' to 36°52'30", long 88°22'30" to 88°30'. Scale 1:24,000. Contours on erosional surface cut on rocks of Eocene, Paleocene, and Late Cretaceous age, interval 20 feet. 32 by 40 inches. \$1.
- GQ-745. Geologic map of the Bramwell quadrangle, West Virginia-Virginia, by K. J. Englund. 1968. Lat 37°15' to 37°22'30", long 81°15' to 81°22'30". Scale 1:24,000. Structure-contour interval 20 feet. 31½ by 43 inches. \$1.
- GQ-746. Geologic map of the Mine Mountain quadrangle, Nye County, Nev., by P. P. Orkild. 1968. Lat 36°52'30" to 37°, long 116°07'30" to 116°15'. Scale 1:24,000. Inferred contour interval 500 feet. 32 by 33 inches. \$1.
- GQ-747. Geologic map of the Black Ridge quadrangle, Delta and Montrose Counties, Colo., by W. R. Hansen. 1968. Lat 38°37'30" to 38°45', long 107°45' to 107°52'30". Scale 1:24,000. Structure-contour interval 200 feet. 33 by 37 inches. \$1.
- GQ-748. Geologic map of parts of the Majestic-Hurley and Wharncliffe quadrangles, Pike County, Ky., by W. F. Outerbridge. 1968. Lat about 37°25' to 37°33', long 81°57'30" to 82°07'30". Scale 1:24,000. Structure-contour interval 40 feet. 30 by 35 inches. \$1.
- GQ-749. Geologic map of the Hodgenville quadrangle, Laure and Nelson Counties, Ky., by F. B. Moore. 1968. Lat 37°30' to 37°37'30", long 85°37'30" to 85°45'. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 33½ inches. \$1.
- GQ-750. Geologic map of the Wellfleet quadrangle, Barnstable County, Cape

- Cod, Mass., by R. N. Oldale. 1968. Lat $41^{\circ}52'30''$ to 42° , long $69^{\circ}57'30''$ to $70^{\circ}05'$. Scale 1:24,000. $32\frac{1}{2}$ by 38 inches. Accompanied by 4-page text. \$1.
- GQ-751. Geologic map of part of the Owensboro East quadrangle in Daviess County, Ky., by W. D. Johnson, Jr., and A. E. Smith. 1968. Lat $37^{\circ}45'$ to $37^{\circ}52'30''$, long 87° to $87^{\circ}07'30''$. Scale 1:24,000. Structure-contour interval 20 feet. 33 by 34 inches. \$1.
- GQ-752. Geologic map of the Exie quadrangle, Green County, Ky., by S. L. Moore. 1968. Lat $37^{\circ}07'30''$ to $37^{\circ}15'$, long $85^{\circ}30'$ to $85^{\circ}37'30''$. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 31 inches. \$1.
- GQ-753. Geologic map of the Gracey quadrangle, Trigg and Christian Counties, Ky., by W. H. Nelson and D. A. Seeland. 1968. Lat $36^{\circ}52'30''$ to 37° , long $87^{\circ}37'30''$ to $87^{\circ}45'$. Scale 1:24,000. Structure-contour interval 20 feet. $30\frac{1}{2}$ by $32\frac{1}{2}$ inches. \$1.
- GQ-754. Geologic map of part of the Repton quadrangle in Crittenden County, Ky., by D. A. Seeland. 1968. Lat $37^{\circ}22'30''$ to $37^{\circ}30'$, long 88° to $88^{\circ}07'30''$. Scale 1:24,000. Structure-contour interval 50 feet. $30\frac{1}{2}$ by 35 inches. \$1.
- GQ-755. Geologic map of the Pat O'Hara Mountain quadrangle, Park County, Wyo., by W. G. Pierce and W. H. Nelson. 1968. Lat $44^{\circ}30'$ to $44^{\circ}45'$, long $109^{\circ}15'$ to $109^{\circ}30'$. Scale 1:62,500. $26\frac{1}{2}$ by 33 inches. \$1.
- GQ-756. Surficial geologic map of the Durham quadrangle, Middlesex and New Haven Counties, Conn., by H. E. Simpson. 1968. Lat $41^{\circ}22'30''$ to $41^{\circ}30'$, long $72^{\circ}37'30''$ to $72^{\circ}45'$. Scale 1:24,000. 28 by 31 inches. \$1.
- GQ-757. Geologic map of the Bee Spring quadrangle, Edmonson and Grayson Counties, Ky., by Benjamin Gildersleeve. 1968. Lat $37^{\circ}15'$ to $37^{\circ}22'30''$, long $86^{\circ}15'$ to $86^{\circ}22'30''$. Scale 1:24,000. Structure-contour interval 20 feet. 31 by $33\frac{1}{2}$ inches. \$1.
- GQ-758. Geologic map of the Riepetown quadrangle, White Pine County, Nev., by A. L. Brokaw and P. J. Barosh. 1968. Lat $39^{\circ}15'$ to $39^{\circ}22'30''$, long 115° to $115^{\circ}07'30''$. Scale 1:24,000. 32 by 34 inches. \$1.
- GQ-759. Geologic map of the Hardin quadrangle, Marshall County, Ky., by G. R. Scott and L. M. MacCary. 1968. Lat $36^{\circ}45'$ to $36^{\circ}52'30''$, long $88^{\circ}15'$ to $88^{\circ}22'30''$. Scale 1:24,000. 31 by 33 inches. \$1.
- GQ-760. Geologic map of the Salvisa quadrangle, central Kentucky, by E. R. Cressman. 1968. Lat $37^{\circ}52'30''$ to 38° , long $84^{\circ}45'$ to $84^{\circ}52'30''$. Scale 1:24,000. Structure-contour interval 10 feet. 31 by $38\frac{1}{2}$ inches. \$1.
- GQ-761. Geologic map of the Ackerman Canyon quadrangle, Lander and Eureka Counties, Nev., by E. H. McKee. 1968. Lat $39^{\circ}30'$ to $39^{\circ}45'$, long $116^{\circ}30'$ to $116^{\circ}45'$. Scale 1:62,500. 23 by 26 inches. \$1.
- GQ-762. Geologic map of the Nortonville quadrangle, Hopkins and Christian Counties, Ky., by J. E. Palmer. 1968. Lat $37^{\circ}07'30''$ to $37^{\circ}15'$, long $87^{\circ}22'30''$ to $87^{\circ}30'$. Scale 1:24,000. Structure-contour interval 20 feet. $31\frac{1}{2}$ by $38\frac{1}{2}$ inches. \$1.
- GQ-763. Geologic map of the Lovelaceville quadrangle, western Kentucky, by W. I. Finch. 1968 [1969]. Lat $36^{\circ}52'30''$ to 37° , long $88^{\circ}45'$ to $88^{\circ}52'30''$. Scale 1:24,000. 31 by 40 inches. \$1.
- GQ-764. Geologic map of the Ford quadrangle, central Kentucky, by D. F. B. Black. 1968 [1969]. Lat $37^{\circ}52'30''$ to 38° , long $84^{\circ}15'$ to $84^{\circ}22'30''$. Scale 1:24,000. Structure-contour interval 10 feet. 31 by $40\frac{1}{2}$ inches. \$1.
- GQ-765. Geologic map of the Graham quadrangle, western Kentucky, by T. M. Kehn. 1968 [1969]. Lat $37^{\circ}07'30''$ to $37^{\circ}15'$, long $87^{\circ}15'$ to $87^{\circ}22'30''$. Scale 1:24,000. Structure-contour interval 20 feet. 33 by 36 inches. \$1.
- GQ-766. Geologic map of the Pleasant Ridge quadrangle, Ohio and Daviess

- Counties, Ky., by G. H. Goudarzi and A. E. Smith. 1968 [1969]. Lat 37°30' to 37°37'30", long 86°52'30" to 87°. Scale 1:24,000. Structure-contour interval 20 feet. 32 by 35 inches. \$1.
- GQ-767. Geologic map of the Nicholasville quadrangle, Jessamine and Fayette Counties, Ky., by W. C. MacQuown, Jr. 1968 [1969]. Lat 37°52'30" to 38°, long 84°30' to 84°37'30". Scale 1:24,000. Structure-contour interval 10 feet. 31 by 37 inches. \$1.
- GQ-768. Geologic map of the Adelaida quadrangle, San Luis Obispo County, Calif., by D. L. Durham. 1968. Lat 35°37'30" to 35°45', long 120°45' to 120°52'30". Scale 1:24,000. 27½ by 34 inches. \$1.
- GQ-769. Areal and engineering geology of the Oakland East quadrangle, California, by D. H. Radbruch. 1969. Lat 37°45' to 37°52'30", long 122°07'30" to 122°15'. Scale 1:24,000. 32½ by 34 inches. Accompanied by 15-page text. \$1.
- GQ-770. Geologic map of the Spencer Hot Springs quadrangle, Lander County, Nev., by E. H. McKee. 1968 [1969]. Lat 39°15' to 39°30', long 116°45' to 117°. Scale 1:62,500. 24 by 25 inches. \$1.
- GQ-771. Geologic map of the Muddy Gap quadrangle, Carbon County, Wyo., by M. W. Reynolds. 1968 [1969]. Lat 42°15' to 42°22'30", long 107°22'30" to 107°30'. Scale 1:24,000. 31 by 32½ inches. \$1.
- GQ-772. Geologic map of the Whiskey Peak quadrangle, Carbon, Fremont, and Sweetwater Counties, Wyo., by M. W. Reynolds. 1968 [1969]. Lat 42°15' to 42°22'30", long 107°30' to 107°37'30". Scale 1:24,000. 33 by 34 inches. \$1.
- GQ-773. Geologic map of the Bradley Peak quadrangle, Carbon County, Wyo., by R. W. Bayley. 1968 [1969]. Lat 42°07'30" to 42°15', long 107° to 107°07'30". Scale 1:24,000. Magnetic-contour intervals 50 and 100 gammas. 29 by 34 inches. \$1.
- GQ-774. Geologic map of the Trail Ridge quadrangle, Nye County, Nev., by R. L. Christiansen and D. C. Noble. 1968 [1969]. Lat 37°15' to 37°22'30", long 116°30' to 116°37'30". Scale 1:24,000. 31 by 35½ inches. \$1.
- GQ-775. Geologic map of part of the Jamboree quadrangle, Pike County, Ky., by W. F. Outerbridge and R. V. Vloten. 1968 [1969]. Lat 37°22'30" to 37°30', long 82°07'30" to 82°15'. Scale 1:24,000. Structure-contour interval 40 feet. 32 by 34½ inches. \$1.
- GQ-776. Geologic map of the Woodstock quadrangle, south-central Kentucky, by G. W. Weir and S. O. Schlanger. 1969. Lat 37°15' to 37°22'30", long 84°30' to 84°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 29½ by 33 inches. \$1.
- GQ-777. Geologic map of the Nebo quadrangle, Webster and Hopkins Counties, Ky., by G. J. Franklin. 1969. Lat 37°22'30" to 37°30', long 87°37'30" to 87°45'. Scale 1:24,000. Structure-contour interval 20 feet. 31½ by 39½ inches. \$1.
- GQ-778. Geologic map of the Wapiti quadrangle, Park County, Wyo., by W. B. Pierce and W. H. Nelson. 1969. Lat 44°15' to 44°30', long 109°15' to 109°30'. Scale 1:62,500. 27 by 36 inches. \$1.
- GQ-779. Geologic map of the Union quadrangle, Boone County, Ky., by W C Swadley. 1969. Lat 38°52'30" to 39°, long 84°37'30" to 84°45'. Scale 1:24,000. Structure-contour interval 10 feet. 30 by 34 inches. \$1.
- GQ-780. Geologic map of the Rock Haven quadrangle, Kentucky-Indiana, and part of the Laconia quadrangle, Kentucky, by C. F. Withington and E. G.

- Sable. 1969. Lat 37°52'30" to 38°, long 86° to 86°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 33½ by 35 inches. \$1.
- GQ-781. Geologic map of the Shenandoah quadrangle, Schuylkill County, Pa., by G. H. Wood, Jr., and H. H. Arndt. 1969. Lat 40°45' to 40°52'30", long 76°07'30" to 76°15'. Scale 1:24,000. 28 by 42 inches. \$1.
- GQ-782. Surficial geologic map of the New Preston quadrangle, Litchfield County, Conn., by R. B. Colton. 1969. Lat 41°37'30" to 41°45', long 73°15' to 73°22'30". Scale 1:24,000. 29 by 32 inches. \$1.
- GQ-783. Geologic map of the Corral Bluffs quadrangle, El Paso County, Colo., by P. E. Soister. 1968. Lat 38°45' to 38°52'30", long 104°30' to 104°37'30". Scale 1:24,000. Structure-contour interval 100 feet. 30 by 34 inches. \$1.
- GQ-784. Geologic map of the Mays Lick quadrangle, Mason County, Ky., by A. B. Gibbons. 1968 [1969]. Lat 38°30' to 38°37'30", long 83°45' to 83°52'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 35 inches. \$1.
- GQ-785. Geologic map of the Independence quadrangle, Kenton and Boone Counties, Ky., by S. J. Luft. 1969. Lat 38°52'30" to 39°, long 84°30' to 84°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 31 by 34 inches. \$1.
- GQ-786. Geologic map of the Harwich quadrangle, Barnstable County, Cape Cod, Mass., by R. N. Oldale. 1969 [1970]. Lat 41°39' to 41°47', long 70° to 70°07'30". Scale 1:24,000. 30 by 33½ inches. Accompanied by 4-page text. \$1.
- GQ-787. Geologic map of the Monomoy Point quadrangle, Barnstable County, Cape Cod, Mass., by Carl Koteff, R. N. Oldale, and J. H. Hartshorn. 1968 [1969]. Lat 41°30' to 41°37'30", long 69°57'30" to 70°05'. Scale 1:24,000. 23 by 28 inches. \$1.
- GQ-788. Geologic map of the Maroon Bells quadrangle, Pitkin and Gunnison Counties, Colo., by Bruce Bryant. 1969. Lat 39° to 39°07'30", long 106°52'30" to 107°. Scale 1:24,000. 32 by 34 inches. \$1.
- GQ-789. Geologic map of the White Rock Canyon quadrangle, Carbon County, Wyo., by H. J. Hyden, R. S. Houston, and J. S. King. 1968 [1969]. Lat 41°30' to 41°37'30", long 106°15' to 106°22'30". Scale 1:24,000. 31 by 34 inches. \$1.
- GQ-790. Geologic map of the Causey Dam quadrangle, Weber County, Utah, by T. E. Mullens. 1969. Lat 41°15' to 41°22'30", long 111°30' to 111°37'30". Scale 1:24,000. 30½ by 34 inches. \$1.
- GQ-791. Bedrock geologic and magnetic maps of the Marlborough quadrangle, east-central Connecticut, by G. L. Snyder. 1970. Lat 41°37'30" to 41°45', long 72°22'30" to 72°30'. Scale 1:24,000. Sheet 1, 28½ by 41 inches; sheet 2, 28 by 40 inches. Accompanied by 5-page text. \$1 per set.
- GQ-792. Geologic map of the Little Hickman quadrangle, central Kentucky, by D. E. Wolcott. 1969. Lat 37°45' to 37°52'30", long 84°30' to 84°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 31 by 38½ inches. \$1.
- GQ-793. Geologic map of the Teton Pass quadrangle, Teton County, Wyo., by M. L. Schroeder. 1969. Lat 43°22'30" to 43°30', long 110°52'30" to 111°. Scale 1:24,000. 34 by 34 inches. \$1.
- GQ-794. Surficial geologic map of the Shrewsbury quadrangle, Worcester County, Mass., by C. E. Shaw, Jr. 1969. Lat 42°15' to 42°22'30", long 71°37'30" to 71°45'. Scale 1:24,000. 26 by 32 inches. \$1.
- GQ-795. Geologic map of the Escabosa quadrangle, Bernalillo County, N. Mex., by D. A. Myers. 1969. Lat 34°52'30" to 35°, long 106°15' to

106°22'30". Scale 1:24,000. Structure-contour interval 100 feet. 28 by 28½ inches. \$1.

- GQ-796. Bedrock geologic map of the Blue Hills quadrangle, Norfolk, Suffolk, and Plymouth Counties, Mass., by N. E. Chute. 1969. Lat 42°07'30" to 42°15', long 71° to 71°07'30". Scale 1:24,000. 30 by 41 inches. \$1.
- GQ-797. Geologic map of the Rico quadrangles, Dolores and Montezuma Counties, Colo., by W. P. Pratt, E. T. McKnight, and R. A. DeHon. 1969. Lat 37°37'30" to 37°45', long 108° to 108°07'30". Scale 1:24,000. 33 by 34 inches. \$1.
- GQ-798. Surficial geologic map of the Tariffville quadrangle, Connecticut-Massachusetts, by A. D. Randall. 1970. Lat 41°52'30" to 42°, long 72°45' to 72°52'30". Scale 1:24,000. Bedrock-contour interval 50 feet. 28 by 42 inches. \$1.
- GQ-799. Geologic map of parts of the Bandana and Olmsted quadrangles, McCracken and Ballard Counties, Ky., by W. W. Olive. 1969. Lat 37°07'30" to about 37°12'30", long 88°52'30" to about 89°6'. Scale 1:24,000. Contours on erosional surface cut on rocks of Eocene, Paleocene, Late Cretaceous, and Paleozoic age, interval 20 feet. 33 by 51 inches. \$1.
- GQ-800. Geologic map of the Paint Lick quadrangle, east-central Kentucky, by G. W. Weir, 1969. Lat 37°30' to 37°37'30", long 84°22'30" to 84°30'. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 44 inches. \$1.
- GQ-801. Geologic map of the Ivyton quadrangle, eastern Kentucky, by C. L. Rice. 1969. Lat 37°37'30" to 37°45', long 82°52'30" to 83°. Scale 1:24,000. Structure-contour interval 40 feet. 31 by 34½ inches. \$1.
- GQ-802. Geologic map of the Faubush quadrangle, Pulaski and Russell Counties, Ky., by R. E. Thaden and R. Q. Lewis, Sr. 1969. Lat 37° to 37°07'30", long 84°45' to 84°52'30". Scale 1:24,000. Structure-contour interval 10 feet. 31½ by 36 inches. \$1.
- GQ-803. Geologic map of the Blacks Ferry quadrangle, Monroe and Cumberland Counties, Ky., by Richard Van Horn and W. R. Griffiths. 1969. Lat 36°37'30" to 36°45', long 85°22'30" to 85°30'. Scale 1:24,000. Structure-contour interval 20 feet. 32 by 34 inches. \$1.
- GQ-804. Geologic map of the Healy D-2 quadrangle, Alaska, by Clyde Wahrhaftig. 1970. Lat 63°45' to 64°, long 147°30' to 148°. Scale 1:63,360. 28 by 33 inches. \$1.
- GQ-805. Geologic map of the Healy D-3 quadrangle, Alaska, by Clyde Wahrhaftig. 1970. Lat 63°45' to 64°, long 148° to 148°30'. Scale 1:63,360. 27 by 32 inches. \$1.
- GQ-806. Geologic map of the Healy D-4 quadrangle, Alaska, by Clyde Wahrhaftig. 1970. Lat 63°45' to 64°, long 148°30' to 149°. Scale 1:63,360. Structure-contour intervals 500 and 1,000 feet. 29 by 33 inches. \$1.
- GQ-807. Geologic map of the Healy D-5 quadrangle, Alaska, by Clyde Wahrhaftig. 1970. Lat 63°45' to 64°, long 149° to 149°30'. Scale 1:63,360. Structure-contour interval 500 feet. 29½ by 30½ inches. \$1.
- GQ-808. Geologic map of the Fairbanks A-2 quadrangle, Alaska, by Clyde Wahrhaftig. 1970. Lat 64° to 64°15', long 147°30' to 148°. Scale 1:63,360. Structure-contour interval 500 feet. 24½ by 26½ inches. \$1.
- GQ-809. Geologic map of the Fairbanks A-3 quadrangle, Alaska, by Clyde Wahrhaftig. 1970. Lat 64° to 64°15', long 148° to 148°30'. Scale 1:63,360. Structure-contour interval 500 feet. 26 by 26 inches. \$1.
- GQ-810. Geologic map of the Fairbanks A-4 quadrangle, Alaska, by Clyde

- Wahrhaftig. 1970. Lat 64° to 64°15', long 148°30' to 149°. Scale 1:63,360. Structure-contour interval 500 feet. 27 by 28 inches. \$1.
- GQ-811. Geologic map of the Fairbanks A-5 quadrangle, Alaska, by Clyde Wahrhaftig. 1970. Lat 64° to 64°15', long 149° to 149°30'. Scale 1:63,360. Structure-contour interval 500 feet. 23 by 25 inches. \$1.
- GQ-812. Geologic map of the Black Cabin Gulch quadrangle, Rio Blanco County, Colo., by W. B. Cashion. 1969. Lat 39°45' to 39°52'30", long 108°30' to 108°37'30". Scale 1:24,000. Structure-contour interval 100 feet. 26 by 31 inches. \$1.
- GQ-813. Geologic map of the Cameron quadrangle, Madison County, Mont., by J. B. Hadley. 1969. Lat 45° to 45°15', long 111°30' to 111°45'. Scale 1:62,500. 25 by 25 inches. \$1.
- GQ-814. Geologic map of the Varney quadrangle, Madison County, Mont., by J. B. Hadley. 1969 [1970]. Lat 45° to 45°15', long 111°45' to 112°. Scale 1:62,500. 24 by 28 inches. \$1.
- GQ-815. Geologic map of the Equality quadrangle, western Kentucky, by G. H. Goudarzi. 1969. Lat 37°22'30" to 37°30', long 87° to 87°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 30 by 35½ inches. \$1.
- GQ-816. Geologic map of the Canmer quadrangle, Hart County, Ky., by R. C. Miller. 1969. Lat 37°15' to 37°22'30", long 85°45' to 85°52'30". Scale 1:24,000. Structure-contour interval 20 feet. 31 by 34½ inches. \$1.
- GQ-817. Geologic map of the Devils Tooth quadrangle, Park County, Wyo., by W. G. Pierce. 1970. Lat 44°15' to 44°30', long 109° to 109°15'. Scale 1:62,500. 26 by 33 inches. \$1.
- GQ-818. Geologic map of the Superior quadrangle, Pinal County, Ariz., by D. W. Peterson. 1969. Lat 33°15' to 33°22'30", long 111° to 111°07'30". Scale 1:24,000. Contour interval 40 feet. 33½ by 34½ inches. \$1.
- GQ-819. Geologic map of the Verona quadrangle, north-central Kentucky, by W C Swadley. 1969. Lat 38°45' to 38°52'30", long 84°37'30" to 84°45'. Scale 1:24,000. Structure-contour interval 10 feet. 30 by 33 inches. \$1.
- GQ-820. Geologic map of the Unionville quadrangle, Pershing County, Nev., by R. E. Wallace, D. B. Tatlock, N. J. Silberling, and W. P. Irwin. 1969 [1970]. Lat 40°15' to 40°30', long 118° to 118°15'. Scale 1:62,500. 29 by 29 inches. \$1.
- GQ-821. Geologic map of the Buffalo Mountain quadrangle, Pershing and Churchill Counties, Nev., by R. E. Wallace, N. J. Silberling, W. P. Irwin, and D. B. Tatlock. 1969 [1970]. Lat 40° to 40°15', long 118° to 118°15'. Scale 1:62,500. 27 by 30 inches. \$1.
- GQ-822. Geologic map of the Oak Spring Butte quadrangle, Nye County, Nev., by C. L. Rogers and D. C. Noble. 1969 [1970]. Lat 37°15' to 37°22'30", long 116° to 116°07'30". Scale 1:24,000. 33 by 37 inches. \$1.
- GQ-823. Geologic map of the Casa Grande quadrangle, Colfax County, N. Mex., and Las Animas County, Colo., by C. L. Pillmore. 1969 [1970]. Lat 36°45' to 37°, long 104°45' to 105°. Scale 1:62,500. Structure-contour intervals 40 and 100 feet. 26 by 38 inches. \$1.
- GQ-824. Geologic map of the Samuels quadrangle, north-central Kentucky, by R. C. Kepferle. 1969 [1970]. Lat 37°52'30" to 38°, long 85°30' to 85°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 29 by 42 inches. \$1.
- GQ-825. Geologic map of the Bardstown quadrangle, Nelson County, Ky., by W. L. Peterson. 1969. Lat 37°45' to 37°52'30", long 85°22'30" to 85°30'. Scale 1:24,000. Structure-contour interval 30 feet. 31 by 36 inches. \$1.

- GQ-826. Geologic map of the Mather quadrangle, southwestern Pennsylvania, by B. H. Kent. 1969 [1970]. Lat 39°52'30" to 40°, long 80° to 80°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 31 by 37 inches. \$1.
- GQ-827. Geologic map of the Kau Desert quadrangle, Hawaii, by G. W. Walker. 1969 [1970]. Lat 19°15' to 19°22'30", long 155°15' to 155°22'30". Scale 1:24,000. 31 by 45 inches. \$1.
- GQ-828. Geologic map of the Rapid City West quadrangle, Pennington County, S. Dak., by J. M. Cattermole. 1969 [1970]. Lat 44° to 44°07'30", long 103°15' to 103°22'30". Scale 1:24,000. 31 by 34 inches. \$1.
- GQ-829. Geologic map of the Drake quadrangle, Larimer County, Colo., by W. A. Braddock, Prinya Nutalaya, S. J. Gawarecki, and G. C. Curtin. 1970. Lat 40°22'30" to 40°30', long 105°15' to 105°22'30". Scale 1:24,000. 28½ by 33 inches. \$1.
- GQ-830. Geologic map of the Lewisburg quadrangle, Logan County, Ky., by H. C. Rainey III and R. C. Miller. 1969 [1970]. Lat 36°52'30" to 37°, long 86°52'30" to 87°. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 33 inches. \$1.
- GQ-831. Geologic map of the Central City West quadrangle, Muhlenberg and Ohio Counties, Ky., by J. E. Palmer. 1969 [1970]. Lat 37°15' to 37°22'30", long 87°07'30" to 87°15'. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 36 inches. \$1.
- GQ-832. Geologic map of the Masonville quadrangle, Larimer County, Colo., by W. A. Braddock, R. H. Calvert, S. J. Gawarecki, and Prinya Nutalaya. 1970. Lat 40°22'30" to 40°30', long 105°07'30" to 105°15'. Scale 1:24,000. 32 by 33 inches. \$1.
- GQ-833. Geologic map of the Nederland quadrangle, Boulder and Gilpin Counties, Colo., by D. J. Gable. 1969 [1970]. Lat 39°52'30" to 40°, long 105°30' to 105°37'30". Scale 1:24,000. 31 by 33 inches. \$1.
- GQ-834. Geologic map of the Hudgins quadrangle, Green and Hart Counties, Ky., by R. C. Miller and S. L. Moore. 1969 [1970]. Lat 37°15' to 37°22'30", long 85°37'30" to 85°45'. Scale 1:24,000. Structure-contour interval 20 feet. 29 by 33 inches. \$1.
- GQ-835. Geologic map of the Mellen Hill quadrangle, Rio Blanco and Moffat Counties, Colo., by H. L. Cullins. 1969 [1970]. Lat 40°07'30" to 40°15', long 108°52'30" to 109°. Scale 1:24,000. Structure-contour intervals 200 and 500 feet. 33 by 40 inches. \$1.
- GQ-836. Geologic map of the Glen Dean quadrangle, Breckinridge and Hancock Counties, Ky., by G. H. Goudarzi. 1970. Lat 37°37'30" to 37°45', long 86°30' to 86°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 29 by 35½ inches. \$1.
- GQ-837. Geologic map of the Flemingsburg quadrangle, Fleming and Mason Counties, Ky., by J. H. Peck. 1969 [1970]. Lat 38°22'30" to 38°30', long 83°37'30" to 83°45'. Scale 1:24,000. Structure-contour interval 20 feet. 28½ by 36 inches. \$1.
- GQ-838. Geologic map of the Waynesburg quadrangle, southwestern Pennsylvania, by J. B. Roen. 1970. Lat 39°52'30" to 40°, long 80°07'30" to 80°15'. Scale 1:24,000. Structure-contour interval 20 feet. 32 by 37½ inches. \$1.
- GQ-839. Geologic map of the Sutherland quadrangle, Daviess County, Ky., by W. D. Johnson, Jr., and A. E. Smith. 1969 [1970]. Lat 37°37'30" to 37°45', long 87° to 87°07'30". Scale 1:24,000. Structure-contour interval 20 feet. 31 by 35 inches. \$1.

- GQ-840. Geologic map of the upper Holter Lake quadrangle, Lewis and Clark County, Mont., by G. D. Robinson, M. E. McCallum, and W. H. Hays. 1969 [1970]. Lat $46^{\circ}45'$ to $46^{\circ}52'30''$, long $111^{\circ}52'30''$ to 112° . Scale 1:24,000. 29 by $49\frac{1}{2}$ inches. \$1.
- GQ-841. Geologic map of the Quartzsite quadrangle, Yuma County, Ariz., by F. K. Miller. 1970. Lat $33^{\circ}30'$ to $33^{\circ}45'$, long 114° to $114^{\circ}15'$. Scale 1:62,500. 25 by 36 inches. Accompanied by 3-page text. \$1.
- GQ-842. Geologic map of the Howard Quarter quadrangle, northeastern Tennessee, by L. D. Harris and R. B. Mixon. 1970. Lat $36^{\circ}22'30''$ to $36^{\circ}30'$, long $83^{\circ}22'30''$ to $83^{\circ}30'$. Scale 1:24,000. 33 by 41 inches. \$1.
- GQ-843. Geologic map of the Buckeye quadrangle, central Kentucky, by D. E. Wolcott. 1970. Lat $37^{\circ}37'30''$ to $37^{\circ}45'$, long $84^{\circ}30'$ to $84^{\circ}37'30''$. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 34 inches. \$1.
- GQ-844. Geologic map of the McCarthy C-4 quadrangle, Alaska, by E. M. MacKevett, Jr. 1970. Lat $61^{\circ}30'$ to $61^{\circ}45'$, long $142^{\circ}07'30''$ to $142^{\circ}30'$. Scale 1:63,360. 31 by 34 inches. Accompanied by 8-page text. \$1.
- GQ-845. Geologic map of parts of the Alton and Derby quadrangles, Meade and Breckinridge Counties, Ky., by D. H. Amos. 1970. Lat 38° to $38^{\circ}07'30''$, long $86^{\circ}22'30''$ to $86^{\circ}32'30''$. Scale 1:24,000. Structure-contour interval 20 feet. 32 by 40 inches. \$1.
- GQ-846. Geologic map of parts of the Patriot and Florence quadrangles, north-central Kentucky, by W C Swadley. 1969 [1970]. Lat $38^{\circ}45'$ to $38^{\circ}52'30''$, long $84^{\circ}45'$ to 85° . Scale 1:24,000. Structure-contour interval 10 feet. 29 by 49 inches. \$1.
- GQ-847. Geologic map of the Wilmore quadrangle, central Kentucky, by E. R. Cressman and S. V. Hrabar. 1970. Lat $37^{\circ}45'$ to $37^{\circ}52'30''$, long $84^{\circ}37'30''$ to $84^{\circ}45'$. Scale 1:24,000. Structure-contour interval 10 feet. 31 by $35\frac{1}{2}$ inches. \$1.
- GQ-848. Surficial geologic map of the Litchfield quadrangle, Litchfield County, Conn., by C. R. Warren. 1970. Lat $41^{\circ}37'30''$ to $41^{\circ}45'$, long $73^{\circ}07'30''$ to $73^{\circ}15'$. 29 by 36 inches. \$1.
- GQ-850. Surficial geologic map of the Georgetown quadrangle, Essex County, Mass., by N. P. Cuppels. 1969 [1970]. Lat $42^{\circ}37'30''$ to $42^{\circ}45'$, long $70^{\circ}52'30''$ to 71° . Scale 1:24,000. 28 by 38 inches. \$1.
- GQ-853. Geologic map of the Snowmass Mountain quadrangle, Pitkin and Gunnison Counties, Colo., by F. E. Mutschler. 1970. Lat 39° to $39^{\circ}07'30''$, long 107° to $107^{\circ}07'30''$. Scale 1:24,000. 33 by 45 inches. \$1.
- GQ-854. Geologic map of the Sherburne quadrangle, northeastern Kentucky by W. F. Outerbridge. 1970. Lat $38^{\circ}15'$ to $38^{\circ}22'30''$, long $83^{\circ}45'$ to $83^{\circ}52'30''$. Scale 1:24,000. Structure-contour interval 20 feet. 29 by 34 inches. \$1.
- GQ-855. Geologic map of the Jellico West quadrangle, Kentucky-Tennessee, by K. J. Englund. 1969 [1970]. Lat $36^{\circ}30'$ to $36^{\circ}37'30''$, long $84^{\circ}07'30''$ to $84^{\circ}15'$. Scale 1:24,000. Structure-contour interval 20 feet. 31 by 41 inches. \$1.
- GQ-856. Geologic map of the Midway quadrangle, central Kentucky, by J. S. Pomeroy. 1970. Lat $38^{\circ}07'30''$ to $38^{\circ}15'$, long $84^{\circ}37'30''$ to $84^{\circ}45'$. Scale 1:24,000. Structure-contour interval 10 feet. 31 by 35 inches. \$1.
- GQ-857. Geologic map of the Worthington quadrangle, Hampshire and Berkshire Counties, Mass., by N. L. Hatch, Jr. 1969 [1970]. Lat $42^{\circ}22'30''$ to $42^{\circ}30'$, long $72^{\circ}52'30''$ to 73° . Scale 1:24,000. $33\frac{1}{2}$ by 38 inches. \$1.

- GQ-859. Geologic map of the Jiggs quadrangle, Elko County, Nev., by Ronald Willden and R. W. Kistler. 1969 [1970]. Lat 40°15' to 40°30', long 115°30' to 115°45'. Scale 1:62,500. 24 by 27 inches. \$1.
- GQ-861. Geologic map of the Parnell quadrangle, Wayne County, Ky., by R. Q. Lewis, Sr., and S. J. Luft. 1970. Lat 36°45' to 36°52'30", long 84°52'30" to 85°. Scale 1:24,000. Structure contour interval 20 feet. 30½ by 35 inches. \$1.
- GQ-862. Geologic map of the De Mossville quadrangle, north-central Kentucky, by S. J. Luft. 1970. Lat 38°45' to 38°52'30", long 84°22'30" to 84°30'. Scale 1:24,000. Structure-contour interval 20 feet. 29 by 33 inches. \$1.
- GQ-863. Geologic map of the Hayden Peak quadrangle, Pitkin and Gunnison Counties, Colo., by Bruce Bryant. 1970. Lat 39° to 39°07'30", long 106°45' to 106°52'30". Scale 1:24,000. 34 by 51 inches. \$1.
- GQ-864. Geologic map of the Heber quadrangle, Wasatch and Summit Counties, Utah, by C. S. Bromfield, A. A. Baker, and M. D. Crittenden, Jr. 1970. Lat 40°30' to 40°37'30", long 111°22'30" to 111°30'. Scale 1:24,000. 33 by 34 inches. \$1.
- GQ-865. Geologic map of the Fort Bayard quadrangle, Grant County, N. Mex., by W. R. Jones, S. L. Moore, and W. P. Pratt. 1970. Lat 32°45' to 32°52'30", long 108°07'30" to 108°15'. Scale 1:24,000. 32 by 33 inches. Accompanied by 4-page text. \$1.
- GQ-868. Geologic map of the Nolansburg quadrangle, southeastern Kentucky, by Béla Csejtey, Jr. 1970. Lat 36°52'30" to 37°, long 83°07'30" to 83°15'. Scale 1:24,000. Structure-contour interval 40 feet. 33 by 41 inches. \$1.
- GQ-869. Geologic map of the Villanueva quadrangle, San Miguel County, N. Mex., by R. B. Johnson. 1970. Lat 35°15' to 35°30', long 105°15' to 105°30'. Scale 1:62,500. Structure-contour interval 100 feet. 22 by 24 inches. \$1.
- GQ-870. Geologic map of the Summersville quadrangle, Green County, Ky., by S. L. Moore. 1970. Lat 37°15' to 37°22'30", long 85°30' to 85°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 28 by 29 inches. \$1.
- GQ-871. Surficial geologic map of the Winsted quadrangle, Litchfield and Hartford Counties, Conn., by C. R. Warren. 1970. Lat 41°52'30" to 42°, long 73° to 73°07'30". Scale 1:24,000. 29 by 31 inches. Accompanied by 3-page text. \$1.
- GQ-873. Geologic map of the Blackford quadrangle, western Kentucky, by D. H. Amos. 1970. Lat 37°22'30" to 37°30', long 87°52'30" to 88°. Scale 1:24,000. Structure contours on base of No. 9 coal bed or base of Kinkaid Limestone, interval 20 and 40 feet. 31 by 39 inches. \$1.
- GQ-876. Geologic map of the Hillsboro quadrangle, Fleming and Bath Counties, Ky., by J. W. Mytton and R. C. McDowell. 1970. Lat 38°15' to 38°22'30", long 83°37'30" to 83°45'. Scale 1:24,000. Structure-contour interval 20 feet. 29 by 35 inches. \$1.
- GQ-881. Surficial geologic map of the Milford quadrangle, Hillsborough County, N.H., by Carl Koteff. 1970. Lat 42°45' to 43°, long 71°30' to 71°45'. Scale 1:62,500. 30½ by 38½ inches. \$1.
- GQ-882. Geologic map of the Striped Hills quadrangle, Nye County, Nev., by K. A. Sargent, E. J. McKay, and B. C. Burchfiel. 1970. Lat 36°37'30" to 36°45', long 116°15' to 116°22'30". Scale 1:24,000. 33½ by 34 inches. \$1.

- GQ-883. Geologic map of the Lathrop Wells quadrangle, Nye County, Nev., by E. J. McKay and K. A. Sargent. 1970. Lat $36^{\circ}37'30''$ to $36^{\circ}45'$, long $116^{\circ}22'30''$ to $116^{\circ}30'$. Scale 1:24,000. 30 by 33 inches. \$1.
- GQ-886. Geologic map of the Mount Washington quadrangle, Bernalillo and Valencia Counties, N. Mex., by D. A. Myers and E. J. McKay. 1970. Lat $34^{\circ}52'30''$ to 35° , long $106^{\circ}22'30''$ to $106^{\circ}30'$. Scale 1:24,000. 29 by 33 inches. \$1.
- GQ-896. Surficial geologic map of the Woodbury quadrangle, Litchfield and New Haven Counties, Conn., by Fred Pessl, Jr. 1970. Lat $41^{\circ}30'$ to $41^{\circ}37'30''$, long $73^{\circ}07'30''$ to $73^{\circ}15'$. Scale 1:24,000. $32\frac{1}{2}$ by 44 inches. \$1.
- GQ-899. Geologic map of the McCarthy C-5 quadrangle, Alaska, by E. M. MacKevett, Jr. 1970. Lat $61^{\circ}30'$ to $61^{\circ}45'$, long $142^{\circ}30'$ to $142^{\circ}52'30''$. Scale 1:63,360. 34 by 41 inches. \$1.
- GQ-911. Geologic map of the Chatham quadrangle, Barnstable County, Cape Cod, Mass., by R. N. Oldale and Carl Koteff. 1970. Lat $41^{\circ}37'30''$ to $41^{\circ}45'$, long $69^{\circ}52'30''$ to 70° . Scale 1:24,000. 33 by 42 inches. \$1.

GEOPHYSICAL INVESTIGATIONS MAPS

[The following geophysical investigations maps, which are listed in "Publications of the Geographical Survey, 1879-1961" as being in print, are now out of print: 17, 122, 211, 248, and 250]

- GP-199. Radioactivity and geologic map of the Tordilla Hill-Deweesville area, Karnes County, Tex., by J. A. MacKallor, R. M. Moxham, L. R. Tolozko, and Peter Popenoe. 1962 [1963]. Scale 1:6,000. 35 by 51½ inches. 50¢.
- GP-212. Geologic interpretation of the aeromagnetic map of the Lebanon quadrangle, Linn and Marion Counties, Oreg., by R. W. Bromery. 1962. Lat 44°30' to 44°45', long 122°45' to 123°. Scale 1:62,500. Contour interval 50 gammas. 22 by 24 inches. 50¢.
- GP-288. Aeromagnetic map of the Grand Lake Seboeis quadrangle, Aroostook and Penobscot Counties, Maine, by R. W. Bromery. 1962. Lat 46°15' to 46°30', long 68°30' to 68°45'. Scale 1:62,500. Contour intervals 10, 50, 100, and 200 gammas. 17½ by 23 inches. 50¢.
- GP-289. Aeromagnetic map of the Oxbow quadrangle, Aroostook and Penobscot Counties, Maine, by J. R. Balsley. 1962. Lat 46°15' to 46°30', long 68°15' to 68°30'. Scale 1:62,500. Contour intervals 10 and 50 gammas. 17½ by 23 inches. 50¢.
- GP-290. Aeromagnetic map of the Howe Brook quadrangle, Aroostook County, Maine, by J. R. Balsley. 1962. Lat 46°15' to 46°30', long 68° to 68°15'. Scale 1:62,500. Contour intervals 10 and 50 gammas. 17½ by 23 inches. 50¢.
- GP-291. Aeromagnetic map of the Bridgewater quadrangle, Aroostook County, Maine, by J. R. Henderson, Jr. 1962. Lat 46°15' to 46°30', long 67°45' to 68°. Scale 1:62,500. Contour intervals 10, 50, and 100 gammas. 17 by 22 inches. 50¢.
- GP-292. Aeromagnetic map of part of the Shin Pond quadrangle, Penobscot County, Maine, by R. W. Bromery. 1962. Lat 46° to 46°15', long 68°30' to 68°45'. Scale 1:62,500. Contour intervals 10, 50, and 200 gammas. 17½ by 23 inches. 50¢.
- GP-293. Aeromagnetic map of the Island Falls quadrangle, Aroostook and Penobscot Counties, Maine, by W. J. Dempsey. 1962. Lat 46° to 46°15', long 68°15' to 68°30'. Scale 1:62,500. Contour intervals 10 and 50 gammas. 17 by 22 inches. 50¢.
- GP-294. Aeromagnetic map of the Smyrna Mills quadrangle, Aroostook County, Maine, by W. J. Dempsey. 1962. Lat 46° to 46°15', long 68° to 68°15'. Scale 1:62,500. Contour intervals 10, 50, and 200 gammas. 17½ by 23 inches. 50¢.
- GP-295. Aeromagnetic map of the Houlton quadrangle, Aroostook County, Maine, by W. J. Dempsey. 1962. Lat 46° to 46°15', long 67°45' to 68°. Scale 1:62,500. Contour intervals 10, 50, and 200 gammas. 17½ by 23 inches. 50¢.
- GP-296. Aeromagnetic map of the Strafford quadrangle, Orange and Windsor Counties, Vt., by J. L. Meuschke, A. J. Petty, and F. P. Gilbert.

1962. Lat $43^{\circ}45'$ to 44° , long $72^{\circ}15'$ to $72^{\circ}30'$. Scale 1:62,500. Contour intervals 10 and 50 gammas. $18\frac{1}{2}$ by 23 inches. 50¢.
- GP-297. Aeromagnetic map of the Mt. Cube quadrangle and part of the Rumney quadrangle, Grafton County, N.H., and Orange and Windsor Counties, Vt., by R. W. Bromery and F. P. Gilbert. 1962. Lat $43^{\circ}45'$ to 44° , long $71^{\circ}45'$ to $72^{\circ}15'$. Scale 1:62,500. Contour intervals 10 and 50 gammas. 22 by 32 inches. 50¢.
- GP-298. Aeromagnetic map of the Hanover quadrangle, Grafton and Sullivan Counties, N.H., and Windsor County, Vt., by J. L. Meuschke, A. J. Petty, and F. P. Gilbert. 1962. Lat $43^{\circ}30'$ to $43^{\circ}45'$, long $72^{\circ}15'$ to $72^{\circ}30'$. Scale 1:62,500. Contour intervals 10 and 50 gammas. 19 by 22 inches. 50¢.
- GP-299. Aeromagnetic map of the Mascoma quadrangle and part of the Cardigan quadrangle, Grafton, Merrimack, and Sullivan Counties, N.H., and Windsor County, Vt., by J. L. Meuschke, A. J. Petty, and F. P. Gilbert. 1962. Lat $43^{\circ}30'$ to $43^{\circ}45'$, long $71^{\circ}45'$ to $72^{\circ}15'$. Scale 1:62,500. Contour intervals 10 and 50 gammas. 22 by 31 inches. 50¢.
- GP-300. Aeromagnetic map of the Claremont quadrangle, Sullivan County, N.H., and Windsor County, Vt., by J. L. Meuschke, A. J. Petty, and F. P. Gilbert. 1962. Lat $43^{\circ}15'$ to $43^{\circ}30'$, long $72^{\circ}15'$ to $72^{\circ}30'$. Scale 1:62,500. Contour intervals 10, 50, and 200 gammas. 19 by 22 inches. 50¢.
- GP-301. Aeromagnetic map of part of the Sunapee quadrangle, Merrimack and Sullivan Counties, N.H., by J. L. Meuschke, A. J. Petty, and F. P. Gilbert. 1962. Lat $43^{\circ}15'$ to $43^{\circ}30'$, long 72° to $72^{\circ}15'$. Scale 1:62,500. Contour interval 10 gammas. $18\frac{1}{2}$ by 23 inches. 50¢.
- GP-302. Aeromagnetic map of the Bellows Falls quadrangle and part of the Lovewell Mountain quadrangle, Cheshire and Sullivan Counties, N.H., and Windham and Windsor Counties, Vt., by J. L. Meuschke, A. J. Petty, and F. P. Gilbert. 1962. Lat 43° to $43^{\circ}15'$, long 72° to $72^{\circ}30'$. Scale 1:62,500. Contour interval 10 gammas. 22 by 32 inches. 50¢.
- GP-303. Aeromagnetic map of the Keene quadrangle and parts of the Brattleboro and Monadnock quadrangles, Cheshire County, N.H., and Windham County, Vt., by J. L. Meuschke, A. J. Petty, and W. E. McCaslin. 1962. Lat $42^{\circ}45'$ to 43° , long 72° to $72^{\circ}45'$. Scale 1:62,500. Contour intervals 10 and 50 gammas. 22 by 45 inches. 50¢.
- GP-304. Aeromagnetic map of the Deadwood area, Black Hills, S. Dak., by J. L. Meuschke, P. W. Philbin, and F. A. Petrafeso. 1962. Scale 1:48,000. Contour intervals 20, 100, and 500 gammas. 32 by 39 inches. 50¢.
- GP-305. Complete Bouguer anomaly map of the Death Valley region, California, by D. R. Mabey. 1963. Lat $35^{\circ}30'$ to 37° , long $116^{\circ}15'$ to 118° . Scale 1:250,000. 28 by 42 inches. 50¢.
- GP-308. Natural gamma aeroradioactivity of the Oak Ridge National Laboratory area, Tennessee and Kentucky, by R. G. Bates. 1962. Scale 1:250,000. 31 by 47 inches. 50¢.
- GP-309. Natural gamma aeroradioactivity of parts of the Los Angeles region, California, by K. G. Books. 1962. Scale 1:250,000. 31 by 34 inches. 50¢.
- GP-310. Aeromagnetic map of the Skinner and parts of the Attean and Sandy Bay quadrangles, Somerset and Franklin Counties, Maine, by R. W. Bromery and F. P. Gilbert. 1962. Lat $45^{\circ}30'$ to 46° , long $70^{\circ}15'$ to

- 70°45'. Scale 1:62,500. Contour intervals 10 and 50 gammas. 27 by 40 inches. 50¢.
- GP-311. Aeromagnetic interpretation of the geology of the Greenwood Lake and Sloatsburg quadrangles, New York and New Jersey, by Anna Jespersen and Andrew Griscom. 1963. Lat 41°07'30" to 41°15', long 74°07'30" to 74°22'30". Scale 1:31,680. Contour intervals 50 and 250 gammas. 28 by 44 inches. 75¢.
- GP-312. Geologic and aeromagnetic map of northern Maine, by A. J. Boucot, Andrew Griscom, and J. W. Allingham. 1964. Lat 45° to 47°, long 68° to 71°15'. Scale 1:250,000. Magnetic-contour intervals 20, 50, and 100 gammas. 40 by 42½ inches. Accompanied by 7-page text. 75¢.
- GP-313. Aeromagnetic map of the Phoenix quadrangle, Keweenaw County, Mich., by J. R. Balsley, J. L. Meuschke, and Jean Blanchett. 1963. Lat 47°22'30" to 47°30', long 88°15' to 88°22'30". Scale 1:24,000. Contour intervals 100 and 500 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey Map GQ-34. 50¢.
- GP-314. Aeromagnetic map of the Eagle Harbor quadrangle, Keweenaw County, Mich., by J. R. Balsley, J. L. Meuschke, and Jean Blanchett. 1962. Lat 47°22'30" to 47°30', long 88°07'30" to 88°15'. Scale 1:24,000. Contour interval 100 gammas. 21 by 28 inches. 50¢.
- GP-315. Aeromagnetic map of the Delaware quadrangle, Keweenaw County, Mich., by J. R. Balsley, J. L. Meuschke, and Jean Blanchett. 1963. Lat 47°22'30" to 47°30', long 88° to 88°07'30". Scale 1:24,000. Contour interval 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey Map GQ-51. 50¢.
- GP-316. Aeromagnetic map of the Lake Medora quadrangle, Keweenaw County, Mich., by J. R. Balsley, J. L. Meuschke, and Jean Blanchett. 1963. Lat 47°22'30" to 47°30', long 87°52'30" to 88°. Scale 1:24,000. Contour interval 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey Map GQ-52. 50¢.
- GP-317. Aeromagnetic map of the Fort Wilkins quadrangle, Keweenaw County, Mich., by J. R. Balsley, J. L. Meuschke, and Jean Blanchett. 1963. Lat 47°22'30" to 47°30', long 87°45' to 87°52'30". Scale 1:24,000. Contour interval 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey Map GQ-74. 50¢.
- GP-318. Aeromagnetic map of the Ahmeek quadrangle, Keweenaw and Houghton Counties, Mich., by J. R. Balsley, J. L. Meuschke, and Jean Blanchett. 1963. Lat 47°15' to 47°22'30", long 88°22'30" to 88°30'. Scale 1:24,000. Contour interval 100 gammas. 22 by 27 inches. Printed on transparent paper for use as an overlay on Geological Survey Map GQ-27. 50¢.
- GP-319. Aeromagnetic map of the Mohawk quadrangle, Keweenaw and Houghton Counties, Mich., by J. R. Balsley, J. L. Meuschke, and Jean Blanchett. 1963. Lat 47°15' to 47°22'30", long 88°15' to 88°22'30". Scale 1:24,000. Contour interval 100 gammas. 22 by 27 inches. Printed on transparent paper for use as an overlay on Geological Survey Map GQ-54. 50¢.
- GP-320. Aeromagnetic map of the Bruneau Creek quadrangle, Keweenaw County, Mich., by J. R. Balsley, J. L. Meuschke, and Jean Blanchett. 1963. Lat 47°15' to 47°22'30", long 88°07'30" to 88°15'. Scale 1:24,000.

- Contour interval 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey Map GQ-35. 50¢.
- GP-321. Aeromagnetic map of the Hancock quadrangle, Houghton County, Mich., by J. R. Balsley, J. L. Meuschke, and Jean Blanchett. 1963. Lat 47°07'30" to 47°15', long 88°30' to 88°37'30". Scale 1:24,000. Contour interval 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey Map MF-46. 50¢.
- GP-322. Aeromagnetic map of the Laurium quadrangle, Houghton County, Mich., by J. R. Balsley, J. L. Meuschke, and Jean Blanchett. 1963. Lat 47°07'30" to 47°15', long 88°22'30" to 88°30'. Scale 1:24,000. Contour interval 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey Map MF-47. 50¢.
- GP-323. Aeromagnetic map of the South Range quadrangle, Houghton County, Mich., by J. R. Balsley, J. L. Meuschke, and Jean Blanchett. 1963. Lat 47° to 47°07'30", long 88°37'30" to 88°45'. Scale 1:24,000. Contour interval 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey Map MF-48. 50¢.
- GP-324. Aeromagnetic map of the Chassell quadrangle, Houghton County, Mich., by J. R. Balsley, J. L. Meuschke, and Jean Blanchett. 1963. Lat 47° to 47°07'30", long 88°30' to 88°37'30". Scale 1:24,000. Contour interval 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey Map MF-43. 50¢.
- GP-325. Aeromagnetic map of Norman and part of Mahanomen Counties, Minn., by L. A. Anderson, G. L. Zandle, and others. 1962. Scale 1:63,360. Contour intervals 50, 250, and 500 gammas. 29 by 50 inches. 50¢.
- GP-326. Aeromagnetic map of parts of Clay and Becker Counties, Minn., by L. A. Anderson, G. L. Zandle, and others. 1963. Lat about 46°44' to 47°08', long about 95°55' to 96°07'. Scale 1:63,360. Contour intervals 50, 250, and 500 gammas. 36 by 50 inches. 50¢.
- GP-327. Aeromagnetic map of parts of Clay, Wilkins, and Otter Tail Counties, Minn., by L. A. Anderson, Frank Petrafeso, and others. 1962 [1963]. Scale 1:63,360. Contour intervals 50, 250, and 1,000 gammas. 35 by 48 inches. 50¢.
- GP-328. Aeromagnetic map of parts of Wilkin, Otter Tail, Grant, and Traverse Counties, Minn., by L. A. Anderson, Daniel Hawkins, and others. 1963. Lat about 95°55' to 96°35', long about 45°45' to 46°16'30". Scale 1:63,360. Contour intervals 50, 250, 1,000 and 2,000 gammas. 42 by 42 inches. 50¢.
- GP-329. Aeromagnetic map of Long Valley and Northern Owens Valley, Calif., by J. R. Henderson, B. L. White, and others. 1963. Lat 37°20' to 37°45', long 118°15' to 118°45'. Scale 1:62,500. Contour intervals 10 and 50 gammas. 33 by 44 inches. 50¢.
- GP-330. Aeromagnetic map of the Chain Lakes quadrangle, Franklin and Somerset Counties, Maine, by J. R. Henderson, F. P. Gilbert, and others. 1963. Lat 45°15' to 45°30', long 70°30' to 70°45'. Scale 1:62,500. Contour intervals 10 and 50 gammas. 18 by 22 inches. 50¢.
- GP-331. Aeromagnetic map of the Spencer Lake quadrangle, Franklin and Somerset Counties, Maine, by R. W. Bromery, Harry Soday, and others. 1963. Lat 45°15' to 45°30', long 70°15' to 70°30'. Scale 1:62,500. Contour intervals 10, 50, and 100 gammas. 18 by 23 inches. 50¢.
- GP-332. Aeromagnetic map of the Kennebago Lake quadrangle, Franklin

- County, Maine, by J. R. Henderson, F. P. Gilbert, and others. 1963. Lat 45° to 45°15', long 70°30' to 70°45'. Scale 1:62,500. Contour intervals 10 and 50 gammas. 18 by 23 inches. 50¢.
- GP-333. Aeromagnetic map of the Stratton quadrangle, Franklin and Somerset Counties, Maine, by R. W. Bromery, N. S. Tyson, and others. 1963. Lat 45° to 45°15', long 70°15' to 70°30'. Scale 1:62,500. Contour intervals 10 and 50 gammas. 18 by 22 inches. 50¢.
- GP-334. Aeromagnetic map of the Moosehead Lake quadrangle and part of the First Roach Pond quadrangle, Piscataquis and Somerset Counties, Maine, by J. R. Henderson, C. W. Smith, and others. 1963. Lat 45°30' to 45°45', long 69°25' to 69°45'. Scale 1:62,500. Contour intervals 10, 50, and 100 gammas. 23 by 23 inches. 50¢.
- GP-335. Aeromagnetic map of the Greenville quadrangle and part of the Sebec Lake quadrangle, Piscataquis and Somerset Counties, Maine, by R. W. Bromery, J. L. Vargo, and others. 1963. Lat 45°15' to 45°30', long 69°15' to 69°25'. Scale 1:62,500. Contour intervals 10 and 50 gammas. 23 by 23 inches. 50¢.
- GP-336. Aeromagnetic map of the Stacyville quadrangle and part of the Katahdin quadrangle, Penobscot and Piscataquis Counties, Maine, by R. W. Bromery, Carl Long, and others. 1963. Lat 45°45' to 46° long 68°30' to 68°52'30". Scale 1:62,500. Contour intervals 20 and 100 gammas. 22 by 23½ inches. 50¢.
- GP-337. Aeromagnetic map of part of the Cornwall quadrangle, Orange County, N.Y., by G. E. Andreasen, F. C. Smith, and others. 1962. Lat 41°22'30" to 41°30', long 74° to 74°07'30". Scale 1:31,680. Contour interval 50 gammas. 19 by 22 inches. 50¢.
- GP-338. Aeromagnetic map of the West Point quadrangle, Orange, Dutchess, and Putnam Counties, N.Y., by G. E. Andreasen, F. C. Smith, and others. 1962. Lat 41°22'30" to 41°30', long 73°52'30" to 74°. Scale 1:31,680. Contour intervals 50 and 250 gammas. 19 by 22 inches. 50¢.
- GP-339. Aeromagnetic map of parts of the Monroe and M. ybrook quadrangles, Orange County, N.Y., by J. R. Henderson, F. C. Smith, and others. 1962. Lat 41°15' to 41°25', long 74°07'30" to 74°15'. Scale 1:31,680. Contour intervals 50 and 250 gammas. 19 by 27 inches. 50¢.
- GP-340. Aeromagnetic map of the Popolopen Lake quadrangle, Orange and Rockland Counties, N.Y., by G. E. Andreasen, F. C. Smith, and others. 1962. Lat 41°15' to 41°22'30", long 74° to 74°07'30". Scale 1:31,680. Contour intervals 50 and 250 gammas. 19 by 22 inches. 50¢.
- GP-341. Aeromagnetic map of the Peekskill quadrangle, Rockland, Orange, Putnam, and Westchester Counties, N.Y., by G. E. Andreasen, J. L. Vargo, and others. 1962. Lat 41°15' to 41°22'30", long 73°52'30" to 74°. Scale 1:31,680. Contour intervals 50 and 250 gammas. 19 by 22 inches. 50¢.
- GP-342. Aeromagnetic map of the Thiells quadrangle, Rockland and Orange Counties, N.Y., by G. E. Andreasen, J. L. Vargo, and others. 1962. Lat 41°07'30" to 41°15', long 74° to 74°07'30". Scale 1:31,680. Contour intervals 50 and 250 gammas. 19 by 22 inches. 50¢.
- GP-343. Aeromagnetic map of part of the Haverstraw quadrangle, Rockland and Westchester Counties, N.Y., by G. E. Andreasen, J. L. Vargo, and others. 1962. Lat 41°07'30" to 41°15', long 73°52'30" to 74°. Scale 1:31,680. Contour intervals 50 and 250 gammas. 19 by 22 inches. 50¢.

- GP-344. Aeromagnetic map of the Ramsey quadrangle, Passaic and Bergen Counties, N.J., and Rockland County, N.Y., by J. R. Henderson, E. J. Chandler, and others. 1962. Lat 41° to $41^{\circ}07'30''$, long $74^{\circ}07'30''$ to $74^{\circ}15'$. Scale 1:31,680. Contour intervals 50 and 250 gammas. 19 by 22 inches. 50¢.
- GP-345. Aeromagnetic map of parts of the Paterson and Orange quadrangles, Essex, Passaic, and Bergen Counties, N.J., by J. R. Henderson, E. J. Chandler, and others. 1963. Lat $40^{\circ}47'30''$ to 41° , long $74^{\circ}07'30''$ to $74^{\circ}15'$. Scale 1:31,680. Contour interval 50 gammas. 19 by 34 inches. 50¢.
- GP-346. Aeromagnetic map of parts of the Tranquility and Stanhope quadrangles, Warren, Sussex, and Morris Counties, N.J., by G. E. Andreasen, J. R. Henderson, E. J. Chandler, and others. 1963. Lat $40^{\circ}52'30''$ to 41° , long $74^{\circ}43'40''$ to $74^{\circ}52'30''$. Scale 1:31,680. Contour intervals 50 and 250 gammas. 22 by 22 inches. 50¢.
- GP-347. Aeromagnetic map of the Washington quadrangle and part of the Blairstown quadrangle, Warren, Hunterdon, and Morris Counties, N.J., by G. E. Andreasen, E. J. Chandler, and others. 1963. Lat $40^{\circ}45'$ to $40^{\circ}52'30''$, long $74^{\circ}52'30''$ to 75° . Scale 1:31,680. Contour intervals 50 and 250 gammas. 19 by 34 inches. 50¢.
- GP-348. Aeromagnetic map of the Hackettstown quadrangle and part of the Chester quadrangle, Hunterdon, Morris, and Warren Counties, N.J., by G. E. Andreasen, J. R. Henderson, E. J. Chandler, and others. 1963. Lat $40^{\circ}45'$ to $40^{\circ}52'30''$, long $74^{\circ}43'40''$ to $74^{\circ}52'30''$. Scale 1:31,680. Contour intervals 50 and 250 gammas. 21 by 22 inches. 50¢.
- GP-349. Aeromagnetic map of the High Bridge quadrangle, Warren and Hunterdon Counties, N.J., by G. E. Andreasen, E. J. Chandler, and others. 1963. Lat $40^{\circ}37'30''$ to $40^{\circ}45'$, long $74^{\circ}52'30''$ to 75° . Scale 1:31,680. Contour intervals 50 and 250 gammas. 19 by 22 inches. 50¢.
- GP-350. Aeromagnetic map of the Califon quadrangle and part of the Gladstone quadrangle, Hunterdon and Morris Counties, N.J., by G. E. Andreasen, J. R. Henderson, E. J. Chandler, and others. 1963. Lat $40^{\circ}37'30''$ to $40^{\circ}45'$, long $74^{\circ}43'40''$ to $74^{\circ}52'30''$. Scale 1:31,680. Contour intervals 50 and 250 gammas. 21 by 22 inches. 50¢.
- GP-351. Natural gamma aeroradioactivity of the Georgia Nuclear Laboratory areas, Georgia, by J. A. MacKallor. 1963. Lat $33^{\circ}30'$ to 35° , long 83° to 85° . Scale 1:250,000. $33\frac{1}{2}$ by $55\frac{1}{2}$ inches. 50¢.
- GP-352. Aeromagnetic map of part of the Dillingham quadrangle, Alaska, by J. R. Henderson, J. L. Vargo, and others. 1963. Lat 59° to $59^{\circ}30'$, long 156° to $158^{\circ}30'$. Scale 1:125,000. Contour intervals 50 and 250 gammas. 21 by 47 inches. 50¢.
- GP-353. Aeromagnetic map of part of the Naknek quadrangle, Alaska, by G. E. Andreasen, W. J. Dempsey, J. L. Vargo, and others. 1963. Lat 58° to 59° , long $156^{\circ}15'$ to $157^{\circ}30'$. Scale 1:125,000. Contour interval 50 gammas. 29 by 40 inches. 50¢.
- GP-354. Aeromagnetic map of parts of the Ugashik and Karluk quadrangles, Alaska, by G. E. Andreasen, W. J. Dempsey, J. L. Vargo, and others. 1963. Lat $57^{\circ}20'$ to 58° , long 156° to $157^{\circ}30'$. Scale 1:125,000. Contour interval 50 gammas. 32 by $34\frac{1}{2}$ inches. 50¢.
- GP-355. Aeromagnetic map of parts of southern Colfax, northern Mora, and western Harding Counties, N. Mex., by W. J. Dempsey, Ernest Page,

- and others. 1963. Lat 36° to $36^{\circ}30'$, long $104^{\circ}15'$ to 105° . Scale 1:250,000. Contour intervals 10 and 50 gammas. 40 by 48 inches. 50¢.
- GP-356. Aeromagnetic map of parts of southern Mora, northern San Miguel, and western Harding Counties, N. Mex., by W. J. Dempsey, Carl Long, and others. 1963. Lat $35^{\circ}45'$ to 36° , long $104^{\circ}15'$ to $105^{\circ}05'$. Scale 1:250,000. Contour intervals 10, 50, and 100 gammas. 23 by 54 inches. 50¢.
- GP-357. Aeromagnetic map of the central part of San Miguel County, N. Mex., by W. J. Dempsey, F. A. Petrafeso, and others. 1963. Lat $35^{\circ}15'$ to $35^{\circ}45'$, long $104^{\circ}45'$ to $105^{\circ}15'$. Scale 1:62,500. Contour intervals 10 and 50 gammas. 34 by 40 inches. 50¢.
- GP-358. Aeroradioactivity map of parts of east-central New York and west-central New England, by Peter Popenoe. 1964. Lat about 42° to $43^{\circ}30'$, long about $71^{\circ}30'$ to $74^{\circ}30'$. Scale 1:250,000. $40\frac{1}{2}$ by 54 inches. 75¢.
- GP-359. Aeroradioactivity and generalized geologic maps of parts of New York, Connecticut, Rhode Island, and Massachusetts, by Peter Popenoe. 1966. Lat $40^{\circ}30'$ to 42° , long about $71^{\circ}10'$ to 74° . Scale of aeroradioactivity map 1:250,000. 39 by 53 inches. 75¢.
- GP-360. Aeromagnetic map of the northern part of Lake County, Minn., by J. L. Meuschke, N. S. Tyson, and others. 1963. Lat about $47^{\circ}43'$ to $48^{\circ}12'$, long about 91° to $91^{\circ}50'$. Scale 1:63,360. Contour intervals 100, 500, 1,000, 2,000 and 10,000 gammas. 39 by 40 inches. 50¢.
- GP-361. Aeromagnetic map of the northwestern part of Cook County, Minn., by L. A. Anderson, N. S. Tyson, and others. 1963. Lat about $90^{\circ}25'$ to $91^{\circ}12'30''$, long about $47^{\circ}52'$ to $48^{\circ}15'$. Scale 1:63,360. Contour intervals 100, 500, and 1,000 gammas. 21 by 32 inches. 50¢.
- GP-362. Aeromagnetic map of the southwestern part of Custer County, S. Dak., by J. L. Meuschke, R. W. Johnson, and J. R. Kirby. 1963. Lat $43^{\circ}30'$ to $43^{\circ}37'30''$, long $103^{\circ}17'30''$ to 104° . Scale 1:62,500. Contour intervals 20 and 100 gammas. 17 by 40 inches. 50¢.
- GP-363. Aeromagnetic map of the Wilmington, Delaware, area and adjacent parts of Pennsylvania and Maryland, by J. R. Henderson, R. W. Johnson, and F. P. Gilbert. 1963. Lat $39^{\circ}35'$ to 40° , long $75^{\circ}20'$ to $75^{\circ}55'$. Scale 1:62,500. Contour intervals 50 and 250 gammas. 34 by 37 inches. 50¢.
- GP-364. Aeromagnetic map of the Brewster quadrangle, Fairfield County, Conn., and Putnam County, N.Y., by Peter Popenoe, R. W. Bromery, and J. R. Kirby. 1962 [1963]. Lat $41^{\circ}22'30''$ to $41^{\circ}30''$, long $73^{\circ}30'$ to $73^{\circ}37'30''$. Scale 1:24,000. Contour intervals 20, 100, and 500 gammas. 24 by 28 inches. 50¢.
- GP-365. Aeromagnetic map of the Danbury quadrangle, Fairfield and Litchfield Counties, Conn., by Peter Popenoe, R. W. Bromery, and J. R. Kirby. 1962 [1963]. Lat $41^{\circ}22'30''$ to $41^{\circ}30'$, long $73^{\circ}22'30''$ to $73^{\circ}30''$. Scale 1:24,000. Contour intervals 20 and 100 gammas. 24 by 28 inches. 50¢.
- GP-366. Aeromagnetic map of the Newtown quadrangle, Fairfield, Litchfield, and New Haven Counties, Conn., by Peter Popenoe, R. W. Bromery, and J. R. Kirby. 1962 [1963]. Lat $41^{\circ}22'30''$ to $41^{\circ}30'$, long $73^{\circ}15'$ to $73^{\circ}22'30''$. Scale 1:24,000. Contour intervals 20 and 100 gammas. 24 by 28 inches. 50¢.
- GP-367. Aeromagnetic map of the Peach Lake quadrangle, Fairfield County,

- Conn., and Putnam and Westchester Counties, N.Y., by Peter Popenoe, G. E. Andreasen, and J. R. Kirby. 1962 [1963]. Lat $41^{\circ}15'$ to $41^{\circ}22'30''$, long $73^{\circ}30'$ to $73^{\circ}37'30''$. Scale 1:24,000. Contour intervals 20 and 100 gammas. 24 by 28 inches. 50¢.
- GP-368. Aeromagnetic map of the Bethel quadrangle, Fairfield County, Conn., by Peter Popenoe, G. E. Andreasen, and J. R. Kirby. 1962 [1963]. Lat $41^{\circ}15'$ to $44^{\circ}22'30''$, long $73^{\circ}22'30''$ to $73^{\circ}30'$. Scale 1:24,000. Contour intervals 20 and 100 gammas. 24 by 28 inches. 50¢.
- GP-369. Aeromagnetic map of the Botsford quadrangle, Fairfield County, Conn., by Peter Popenoe, G. E. Andreasen, and J. R. Kirby. 1962 [1963]. Lat $41^{\circ}15'$ to $41^{\circ}22'30''$, long $73^{\circ}15'$ to $73^{\circ}22'30''$. Scale 1:24,000. Contour interval 20 gammas. 24 by 28 inches. 50¢.
- GP-370. Aeromagnetic prospecting for bauxite deposits in the Mississippi embayment, Arkansas and Missouri, by Anna Jespersen. 1964. Lat $35^{\circ}15'$ to 36° , long $91^{\circ}15'$ to $91^{\circ}45'$. Scale 1:125,000. Magnetic-contour interval 10 gammas. 33 by 42 inches. 50¢.
- GP-371. Aeromagnetic map of part of the Fish River Lake quadrangle, Aroostook County, Maine, by L. A. Anderson, N. W. Natof, and others. 1963. Lat $46^{\circ}45'$ to $46^{\circ}55'$, long $68^{\circ}45'$ to 69° . Scale 1:62,500. Contour intervals 10, 50, and 100 gammas. 18 by 18 inches. 50¢.
- GP-372. Aeromagnetic map of part of the Winterville quadrangle, Aroostook County, Maine, by L. A. Anderson, N. W. Natof, and others. 1963. Lat $46^{\circ}45'$ to 47° , long $68^{\circ}30'$ to $68^{\circ}45'$. Scale 1:62,500. Contour intervals 10, 50, and 100 gammas. 19 by 23 inches. 50¢.
- GP-373. Aeromagnetic map of part of the Mooseleuk Lake quadrangle, Aroostook and Piscataquis Counties, Maine, by L. A. Anderson, N. W. Natof, and others. 1963. Lat $46^{\circ}30'$ to $46^{\circ}45'$, long $68^{\circ}45'$ to 69° . Scale 1:62,500. Contour intervals 10, 50, and 100 gammas. 18 by 22 inches. 50¢.
- GP-374. Aeromagnetic map of part of the Greenlaw quadrangle, Aroostook County, Maine, by L. A. Anderson, N. W. Natof, and others. 1963. Lat $46^{\circ}30'$ to $46^{\circ}45'$, long $68^{\circ}30'$ to $68^{\circ}45'$. Scale 1:62,500. Contour intervals 10, 50, and 100 gammas. 19 by 23 inches. 50¢.
- GP-375. Aeromagnetic map of part of the Churchill Lake quadrangle, Piscataquis County, Maine, by R. W. Bromery, E. F. McGowan, and others. 1963. Lat $46^{\circ}15'$ to $46^{\circ}30'$, long $69^{\circ}15'$ to $69^{\circ}30'$. Scale 1:62,500. Contour intervals 10 and 50 gammas. 18 by 22 inches. 50¢.
- GP-376. Aeromagnetic map of the Spider Lake quadrangle and part of Musquacook Lakes quadrangle, Piscataquis and Aroostook Counties, Maine, by L. A. Anderson, R. W. Bromery, and N. S. Tyson. 1963. Lat $46^{\circ}15'$ to $46^{\circ}40'$, long 69° to $69^{\circ}15'$. Scale 1:62,500. Contour intervals 10, 50, and 100 gammas. 18 by 34 inches. 50¢.
- GP-377. Aeromagnetic map of the Millinocket Lake quadrangle, Aroostook, Piscataquis, and Penobscot Counties, Maine, by L. A. Anderson, R. W. Bromery, and E. F. McGowan. 1963. Lat $46^{\circ}15'$ to $46^{\circ}30'$, long $68^{\circ}45'$ to 69° . Scale 1:62,500. Contour intervals 10, 50, and 100 gammas. 19 by 23 inches. 50¢.
- GP-378. Aeromagnetic map of part of the Caucomgomoc Lake quadrangle, Somersset and Piscataquis Counties, Maine, by R. W. Bromery, N. S. Tyson, and others. 1963. Lat 46° to $46^{\circ}15'$, long $69^{\circ}30'$ to $69^{\circ}45'$. Scale 1:62,500. Contour intervals 10 and 50 gammas. 18 by 22 inches. 50¢.

- GP-379. Aeromagnetic map of the Chesuncook quadrangle, Piscataquis County, Maine, by R. W. Bromery, E. F. McGowan, and others. 1963. Lat 46° to $46^{\circ}15'$, long $69^{\circ}15'$ to $69^{\circ}30'$. Scale 1:62,500. Contour intervals 10 and 50 gammas. 18 by 22 inches. 50¢.
- GP-380. Aeromagnetic map of the Telos Lake quadrangle, Piscataquis County, Maine, by R. W. Bromery, E. F. McGowan, and others. 1963. Lat 46° to $46^{\circ}15'$, long 69° to $69^{\circ}15'$. Scale 1:62,500. Contour intervals 10 and 50 gammas. 18 by 22 inches. 50¢.
- GP-381. Aeromagnetic map of part of the Traveler Mountain quadrangle, Piscataquis and Penobscot Counties, Maine, by R. W. Bromery, N. S. Tyson, and others. 1963. Lat 46° to $46^{\circ}15'$, long $68^{\circ}45'$ to 69° . Scale 1:62,500. Contour intervals 10, 50, and 100 gammas. 19 by 23 inches. 50¢.
- GP-382. Aeromagnetic map of the Yantic quadrangle, Blaine and Hill Counties, Mont., by R. W. Johnson, Jr., E. R. King, and C. L. Long. 1963. Lat $48^{\circ}30'$ to $48^{\circ}45'$, long $109^{\circ}15'$ to $109^{\circ}30'$. Scale 1:31,680. Contour interval 20 gammas. $29\frac{1}{2}$ by 40 inches. 50¢.
- GP-383. Aeromagnetic map of the Chinook quadrangle, Blaine County, Mont., by R. W. Johnson, Jr., E. R. King, and D. R. Hawkins. 1963. Lat $48^{\circ}30'$ to $48^{\circ}45'$, long 109° to $109^{\circ}15'$. Scale 1:31,680. Contour interval 20 gammas. 30 by $39\frac{1}{2}$ inches. 50¢.
- GP-384. Aeromagnetic map of part of the Lloyd quadrangle, Blaine and Hill Counties, Mont., by R. W. Johnson, Jr., E. R. King, and F. A. Petrafeso. 1963. Lat $48^{\circ}15'$ to $48^{\circ}30'$, long $109^{\circ}15'$ to $109^{\circ}30'$. Scale 1:31,680. Contour intervals 20 and 100 gammas. 30 by $39\frac{1}{2}$ inches. 50¢.
- GP-385. Aeromagnetic map of part of the Cleveland quadrangle, Blaine County, Mont., by R. W. Johnson, Jr., E. R. King, and E. E. Page. 1963. Lat $48^{\circ}15'$ to $48^{\circ}30'$, long 109° to $109^{\circ}15'$. Scale 1:31,680. Contour intervals 20, 100, and 200 gammas. 30 by $39\frac{1}{2}$ inches. 50¢.
- GP-386. Aeromagnetic map of the Lahore quadrangle, Louisa, Spotsylvania, and Orange Counties, Va., by R. W. Bromery, G. A. Galat, and F. P. Gilbert. 1963. Lat $38^{\circ}07'30''$ to $38^{\circ}15'$, long $77^{\circ}52'30''$ to 78° . Scale 1:24,000. Contour intervals 50 and 250 gammas. 24 by 28 inches. 50¢.
- GP-387. Aeromagnetic map of the Belmont quadrangle, Orange and Spotsylvania Counties, Va., by R. W. Bromery, G. A. Galat, and F. P. Gilbert. 1963. Lat $38^{\circ}07'30''$ to $38^{\circ}15'$, long $77^{\circ}45'$ to $77^{\circ}52'30''$. Scale 1:24,000. Contour interval 50 gammas. 24 by 28 inches. 50¢.
- GP-388. Aeromagnetic map of the Mineral quadrangle, Louisa, Spotsylvania, and Orange Counties, Va., by R. W. Bromery, G. A. Galat, and F. P. Gilbert. 1963. Lat 38° to $38^{\circ}07'30''$, long $77^{\circ}52'30''$ to 78° . Scale 1:24,000. Contour interval 50 gammas. 24 by 28 inches. 50¢.
- GP-389. Aeromagnetic map of the Contrary Creek quadrangle, Louisa and Spotsylvania Counties, Va., by R. W. Bromery, G. A. Galat, and F. P. Gilbert. 1963. Lat 38° to $38^{\circ}07'30''$, long $77^{\circ}45'$ to $77^{\circ}52'30''$. Scale 1:24,000. Contour interval 50 gammas. 24 by 28 inches. 50¢.
- GP-390. Aeromagnetic map of the Joplin quadrangle, Prince William and Stafford Counties, Va., by R. W. Bromery, G. A. Galat, and E. J. Chandler. 1963. Lat $38^{\circ}30'$ to $38^{\circ}37'30''$, long $77^{\circ}22'30''$ to $77^{\circ}30'$. Scale 1:24,000. Contour intervals 20 and 100 gammas. 24 by 28 inches. 50¢.
- GP-391. Aeromagnetic map of the Quantico quadrangle, Prince William and Stafford Counties, Va., by R. W. Bromery, G. A. Galat, and E. J.

- Chandler. 1963. Lat $38^{\circ}30'$ to $38^{\circ}37'30''$, long $77^{\circ}15'$ to $77^{\circ}22'30''$. Scale 1:24,000. Contour intervals 20 and 100 gammas. 24 by 28 inches. 50¢.
- GP-392. Gravity and aeromagnetic maps of the Ely area, White Pine County, Nev., by J. E. Carlson and D. R. Mabey. 1963. Map A, Bouguer gravity anomaly map; lat 39° to $39^{\circ}30'$, long $114^{\circ}30'$ to $115^{\circ}30'$; scale 1:250,000; contour interval 10 gammas; 9 by 14 inches. Map B, total intensity aeromagnetic map; lat 39° to $39^{\circ}30'$, long $114^{\circ}45'$ to $115^{\circ}15'$; scale 1:250,000; contour interval 5 mgals; 7 by 9 inches. Both maps are on one sheet. 50¢.
- *GP-393. Aeromagnetic map of south central Fremont County, Wyo., by W. J. Dempsey, D. J. Stuart, and others. 1962. Lat $42^{\circ}30'$ to 43° , long $107^{\circ}45'$ to $108^{\circ}30'$. Scale 1:125,000. Contour intervals 10 and 50 gammas. 22 by 28 inches.
- GP-394. Aeromagnetic map of the Germantown and part of the Poolesville quadrangles, Montgomery and Frederick Counties, Md., by Jean Blanchett, N. S. Tyson, and E. F. McGowan. 1963. Lat $39^{\circ}07'30''$ to $39^{\circ}15''$, long $77^{\circ}15'$ to $77^{\circ}25''$. Scale 1:24,000. Contour interval 50 gammas. 28 by 30 inches. 50¢.
- GP-395. Aeromagnetic map of the Gaithersburg and part of the Sandy Spring quadrangles, Montgomery County, Md., by Jean Blanchett, N. S. Tyson, and E. F. McGowan. 1963. Lat $39^{\circ}07'30''$ to $39^{\circ}15'$, long $77^{\circ}05'$ to $77^{\circ}15'$. Scale 1:24,000. Contour intervals 50 and 250 gammas. 28 by 30 inches. 50¢.
- GP-396. Aeromagnetic map of the Seneca and part of the Sterling quadrangles, Montgomery County, Md., and Loudoun and Fairfax Counties, Va., by Jean Blanchett, N. S. Tyson, and E. F. McGowan. 1963. Lat 39° to $39^{\circ}07'30''$, long $77^{\circ}15'$ to $77^{\circ}25'$. Scale 1:24,000. Contour interval 50 gammas. 28 by 30 inches. 50¢.
- GP-397. Aeromagnetic map of the Rockville quadrangle, Montgomery County, Md., and Fairfax County, Va., by Jean Blanchett, N. S. Tyson, and E. F. McGowan. 1963. Lat 39° to $39^{\circ}07'30''$, long $77^{\circ}07'30''$ to $77^{\circ}15'$. Scale 1:24,000. Contour intervals 50 and 250 gammas. 24 by 27 inches. 50¢.
- GP-398. Aeromagnetic map of the Kensington quadrangle, Montgomery County, Md., by R. W. Bromery, F. P. Gilbert, and others. 1963. Lat 39° to $39^{\circ}07'30''$, long 77° to $77^{\circ}07'30''$. Scale 1:24,000. Contour interval 50 gammas. 24 by 28 inches. 50¢.
- GP-399. Aeromagnetic map of the Beltsville quadrangle, Montgomery and Prince Georges Counties, Md., by R. W. Bromery, F. P. Gilbert, and others. 1963. Lat 39° to $39^{\circ}07'30''$, long $76^{\circ}52'30''$ to 77° . Scale 1:24,000. Contour interval 50 gammas, 24 by 28 inches. 50¢.
- GP-400. Aeromagnetic map of the northeastern part of the Wind River Indian Reservation, Wyo., by W. J. Dempsey, D. J. Stuart, and others. 1963. Lat $43^{\circ}15'$ to $43^{\circ}30'$, long $108^{\circ}15'$ to $108^{\circ}30'$. Scale 1:62,500. Contour interval 10 gammas. 20 by 24 inches. 50¢.
- GP-401. Aeromagnetic map of the Wausau area, Wisconsin, by J. R. Henderson, N. S. Tyson, and J. R. Page. 1963. Lat $44^{\circ}50'$ to $45^{\circ}05'$, long $89^{\circ}27'30''$ to $89^{\circ}52'30''$. Scale 1:48,000. Contour intervals 50 and 250 gammas. 28 by 33 inches. 75¢.
- *GP-402. Aeromagnetic map of central Yavapai County, Ariz., including the Jerome mining district, by W. J. Dempsey, M. E. Hill, and others. 1963.

- Lat 34°22'30" to 34°50', long 112° to 112°30'. Scale 1:62,500. Contour intervals 50, 250, and 500 gammas. 35 by 38 inches.
- *GP-403. Aeromagnetic map of part of the Toh-Atin Mesa quadrangle, Apache County, Ariz., by F. C. Frischknecht, F. A. Petrafeso, and others. 1963. Lat 36°45' to 37°, long 109°15' to 109°30'. Scale 1:62,500. Contour intervals 10 and 50 gammas. 20 by 22 inches.
- *GP-404. Aeromagnetic map of part of the Los Gigantes Buttes quadrangle, Apache County, Ariz., by F. C. Frischknecht, F. A. Petrafeso, and others. 1963. Lat 36°30' to 36°45', long 109°15' to 109°30'. Scale 1:62,500. Contour interval 10 gammas. 21 by 23 inches.
- GP-405. Aeromagnetic map of the Yellowstone Canyon quadrangle, Apache County, Ariz., by F. C. Frischknecht, F. A. Petrafeso, and others. 1963. Lat 36°15' to 36°30', long 109°15' to 109°30'. Scale 1:62,500. Contour intervals 10 and 50 gammas. 21 by 23 inches. 50¢.
- *GP-406. Aeromagnetic map of the Canyon Del Muerto quadrangle, Apache County, Ariz., by F. C. Frischknecht, F. A. Petrafeso, and others. 1963. Lat 36° to 36°15', long 109°15' to 109°30'. Scale 1:62,500. Contour intervals 10, 50, and 100 gammas. 20 by 22 inches.
- GP-407. Aeromagnetic map of the Nazlini quadrangle, Apache County, Ariz., by F. C. Frischknecht, F. A. Petrafeso, and others. 1963. Lat 35°45' to 36°, long 109°15' to 109°30'. Scale 1:62,500. Contour intervals 10 and 50 gammas. 21 by 23 inches. 50¢.
- GP-408. Airborne-radioactivity survey of the northern part of the Shelby quadrangle, Cleveland and Rutherford Counties, N.C., by W. C. Overstreet, J. L. Meuschke, and R. M. Moxham. 1962. Scale 1:62,500. Contour interval 20 feet. 18 by 27 inches. 50¢.
- GP-409. Aeromagnetic map of the Magnet Cove area, Hot Spring County, Ark., by Fred Keller, Jr., J. R. Henderson, and others. 1963. Scale 1:24,000. Contour interval 200 gammas. 23 by 24 inches. 50¢.
- GP-411. Aeromagnetic map of the Bagdad area, Yavapai County, Ariz., by W. J. Dempsey, W. D. Fackler, and others. 1963. Lat 34°30' to 34°45', long 113° to 113°16'. Scale 1:62,500. Contour interval 50 gammas. 22 by 23 inches. 50¢.
- *GP-412. Aeromagnetic map of the Dragoon quadrangle, Cochise County, Ariz., by W. J. Dempsey, W. D. Fackler, and others. 1963. Lat 32° to 32°15', long 110° to 110°15'. Scale 1:62,500. Contour intervals 10 and 50 gammas. 21 by 23 inches.
- *GP-413. Aeromagnetic map of the Cochise quadrangle, Cochise County, Ariz., by W. J. Dempsey, W. D. Fackler, and others. 1963. Lat 32° to 32°15', long 109°45' to 110°. Scale 1:62,500. Contour interval 10 gammas. 22 by 23 inches.
- GP-414. Aeromagnetic map of Staunton and vicinity, Virginia, by R. W. Johnson, Jr., and J. S. Watkins. 1963. Lat 37° to 48°30', long 78°45' to 79°15'. Scale 1:62,500. Contour intervals 10, 50, and 250 gammas. 34 by 40 inches. 50¢.
- GP-415. Gravity map of Eureka County and adjoining areas, Nevada, by D. R. Mabey. 1964. Lat 39° to 41°, long 115°30' to 117°. Scale 1:250,000. Gravity-contour interval 5 milligals. 29 by 40 inches. 50¢.
- GP-416. Aeromagnetic map of Georgetown and vicinity, east-central Texas, by G. E. Andreasen and Frank Petrafeso. 1963. Lat 30°15' to 31°, long 97°

- to 98°. Scale 1:125,000. Contour intervals 20 and 200 gammas. 31 by 35 inches. 50¢.
- GP-417. Aeromagnetic map of the Llano Uplift, Mason-Burnet area, central Texas, by G. E. Andreasen and Frank Petrafeso. 1963. Lat 30°15' to 31°, long 98° to 99°45'. Scale 1:125,000. Contour intervals 20, 100, and 200 gammas. 32 by 56 inches. 50¢.
- *GP-418. Aeromagnetic map of parts of the Willcox and Luzena quadrangles, Cochise County, Ariz., by W. J. Dempsey and M. E. Hill. 1963. Lat 32°15' to 32°25', long 109°35' to 109°55'. Scale 1:62,500. Contour intervals 10 and 50 gammas. 17 by 26 inches.
- *GP-419. Aeromagnetic map of the Mammoth quadrangle, Pinal and Pima Counties, Ariz., by W. J. Dempsey and M. E. Hill. 1963. Lat 32°30' to 32°45', long 110°30' to 110°45'. Scale 1:62,500. Contour interval 20 gammas. 22 by 23 inches.
- *GP-420. Aeromagnetic map of parts of the Phoenix, Mesa, Camelback, and New River SE quadrangles, Maricopa County, Ariz., by W. J. Dempsey and M. E. Hill. 1963. Lat 33°20' to 33°32'30", long 111°50' to 112°05'. Scale 1:62,500. Contour interval 10 gammas. 20 by 21 inches.
- GP-421. Simple Bouguer gravity map of Kentucky, by J. S. Watkins. 1963. Lat about 37°30' to 39°07', long about 82° to 89°30'. Scale 1:500,000. Contour interval 10 milligals. 30 by 55 inches. 75¢.
- GP-422. Aeromagnetic and generalized geologic map of part of north-central Utah, by D. R. Mabey, M. D. Crittenden, Jr., H. T. Morris, R. J. Roberts, and E. W. Tooker. 1964. Lat 39°30' to 41°, long 111°30' to 112°30'. Scale 1:250,000. 25 by 32 inches. 50¢.
- GP-423. Aeromagnetic interpretation and preliminary geology of the Danforth area, Maine, by Andrew Griscom and D. M. Larrabee. 1963. Lat 45°30' to 45°40', long 67°25' to 68°15'. Scale 1:62,500. Contour intervals 20, 100, and 500 gammas. 28 by 44 inches. 50¢.
- GP-424. Aeromagnetic and geologic map of part of the Silver City mining region, Grant County, N. Mex., by W. R. Jones, J. E. Case, and W. P. Pratt. 1964. Lat 32°40' to 32°52'30", long 108° to 108°15'. Scale 1:63,360. Magnetic-contour interval 100 gammas. 19 by 22 inches. Accompanied by 6-page text. 50¢.
- GP-425. Aeromagnetic map of Melbourne and vicinity, Brevard County, Fla., by W. J. Dempsey and F. P. Gilbert. 1963. Lat 28° to 28°17'30", long 80°35' to 80°47'30". Scale 1:62,500. Contour interval 10 gammas. 20 by 26 inches. 50¢.
- GP-426. Aeromagnetic map of the Twin Buttes area, Pima and Santa Cruz Counties, Ariz., by G. E. Andreasen and J. A. Pitkin. 1963. Lat 31°40' to 32°15', long 111° to 111°30'. Scale 1:62,500. Contour interval 20 and 100 gammas. 34 by 46 inches. 50¢.
- GP-427. Aeromagnetic map of part of the tri-state mining district, Kansas, Missouri, and Oklahoma, by Fred Keller, Jr., and J. R. Henderson. 1963. Lat 36°45' to 37°20', long 94°15' to 95°. Scale 1:125,000. Contour intervals 10 and 50 gammas. 24 by 26 inches. 50¢.
- GP-428. Aeromagnetic map of the east-central part of the Death Valley National Monument, Inyo County, Calif., by G. E. Andreasen and F. A. Petrafeso. 1963. Lat 36°05' to 36°30', long 116°40' to 116°55'. Scale 1:62,500. Contour interval 10 gammas. 20 by 34 inches. 50¢.
- GP-429. Aeromagnetic map of the Ashfield quadrangle, Franklin and Hampshire Counties, Mass., by J. L. Meuschke and G. L. Zandle. 1963. Lat

- 42°30' to 42°37'30", long 72°45' to 72°52'30". Scale 1:24,000. Contour interval 20 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the Ashfield quadrangle, 1955. 50¢.
- GP-430. Aeromagnetic map of the Bernardston quadrangle, Franklin County, Mass., and Windham County, Vt., by G. E. Andreassen and G. L. Zandle. 1963. Lat 42°37'30" to 42°45', long 72°30' to 72°37'30". Scale 1:24,000. Contour intervals 20 and 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the Bernardston quadrangle, 1954. 50¢.
- GP-431. Aeromagnetic map of the Colrain quadrangle, Franklin County, Mass., and Windham County, Vt., by G. E. Andreassen and G. L. Zandle. 1963. Lat 42°37'30" to 42°45', long 72°37'30" to 72°45'. Scale 1:24,000. Contour interval 20 gammas. 22 by 27 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the Colrain quadrangle, 1945. 50¢.
- GP-432. Aeromagnetic map of the Greenfield quadrangle, Franklin County, Mass., by J. L. Meuschke and G. L. Zandle. 1963. Lat 42°30' to 42°37'30", long 72°30' to 72°37'30". Scale 1:24,000. Contour intervals 20 and 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the Greenfield quadrangle, 1954. 50¢.
- GP-433. Aeromagnetic map of the Heath quadrangle, Franklin County, Mass., and Windham County, Vt., by Peter Popenoe and G. L. Zandle. 1963. Lat 42°37'30" to 42°45', long 72°45' to 72°52'30". Scale 1:24,000. Contour intervals 20 and 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the Heath quadrangle, 1950. 50¢.
- GP-434. Aeromagnetic map of the Millers Falls quadrangle, Franklin County, Mass., by Peter Popenoe and G. L. Zandle. 1963. Lat 42°30' to 42°37'30", long 72°22'30" to 72°30". Scale 1:24,000. Contour interval 20 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the Millers Falls quadrangle, 1948. 50¢.
- GP-435. Aeromagnetic map of the Northfield quadrangle, Franklin County, Mass., Windham County, Vt., and Cheshire County, N.H., by G. E. Andreassen and G. L. Zandle. 1963. Lat 42°37'30" to 42°45', long 72°22'30" to 72°30". Scale 1:24,000. Contour intervals 20 and 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the Northfield quadrangle, 1945. 50¢.
- GP-436. Aeromagnetic map of the Plainfield quadrangle, Franklin, Hampshire, and Berkshire Counties, Mass., by J. L. Meuschke and G. L. Zandle. 1963. Lat 42°30' to 42°37'30", long 72°52'30" to 73°. Scale 1:24,000. Contour intervals 20 and 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the Plainfield quadrangle, 1955. 50¢.
- GP-437. Aeromagnetic map of the Rowe quadrangle, Franklin and Berkshire Counties, Mass., and Windham and Bennington Counties, Vt., by Peter Popenoe and G. L. Zandle. 1963. Lat 42°37'30" to 42°45', long 72°52'30" to 73°. Scale 1:24,000. Contour intervals 20, 100, and 200 gammas. 22 by

- 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the Rowe quadrangle, 1960. 50¢.
- GP-438. Aeromagnetic map of the Shelburne Falls quadrangle, Franklin County, Mass., by J. L. Meuschke and G. L. Zandle. 1963. Lat $42^{\circ}30'$ to $42^{\circ}37'30''$, long $72^{\circ}37'30''$ to $72^{\circ}45'$. Scale 1:24,000. Contour intervals 20 and 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the Shelburne Falls quadrangle, 1949. 50¢.
- GP-439. Bouguer gravity, aeromagnetic, and generalized geologic map of Townsend and Duck Creek Pass quadrangles, Broadwater County, Mont., by W. T. Kinoshita, W. E. Davis, H. W. Smedes, and W. H. Nelson. 1964. Lat $46^{\circ}15'$ to $46^{\circ}30'$, long $111^{\circ}15'$ to $111^{\circ}45'$. Sheet 1, gravity and geologic map; scale 1:62,500; gravity-contour interval 5 milligals; 27 by 31 inches. Sheet 2, aeromagnetic map; scale 1:62,500; magnetic-contour intervals 20 and 100 gammas; 24 by 30 inches. \$1 per set.
- GP-440. Aeromagnetic map of the Topopah Spring quadrangle and part of the Bare Mountain quadrangle, Nye County, Nev., by G. R. Boynton and J. L. Vargo. 1963. $36^{\circ}45'$ to 37° , long $116^{\circ}15'$ to $116^{\circ}37'30''$. Scale 1:62,500. Contour interval 20 gammas. 23 by 27 inches. 50¢.
- GP-441. Aeromagnetic map of the Tippipah Spring quadrangle and parts of the Papoose Lake and Wheelbarrow Peak quadrangles, Nye County, Nev., by G. R. Boynton, J. L. Meuschke, and J. L. Vargo. 1963. Lat 37° to $37^{\circ}20'$, long $115^{\circ}55'$ to $116^{\circ}15'$. Scale 1:62,500. Contour interval 20 gammas. 26 by 29 inches. 50¢.
- GP-442. Aeromagnetic map of the Cane Spring quadrangle and parts of the Frenchman Lake, Specter Range, and Mercury quadrangles, Nye County, Nev., by G. R. Boynton and J. L. Vargo. 1963. Lat $36^{\circ}40'$ to 37° , long $115^{\circ}55'$ to $116^{\circ}15'$. Scale 1:62,500. Contour interval 20 gammas. 26 by 29 inches. 50¢.
- GP-443. Aeromagnetic map of the Timber Mountain quadrangle and part of the Silent Canyon quadrangle, Nye County, Nev., by G. R. Boynton, J. L. Meuschke, and J. L. Vargo. 1963. Lat 37° to $37^{\circ}20'$, long $116^{\circ}15'$ to $116^{\circ}30'$. Scale 1:62,500. Contour intervals 20 and 100 gammas. 21 by 29 inches. 50¢.
- GP-444. Bouguer gravity, aeromagnetic, and generalized geologic map of East Helena and Canyon Ferry quadrangles and part of the Diamond City quadrangle, Lewis and Clark, Broadwater, and Jefferson Counties, Mont., by W. E. Davis, W. T. Kinoshita, and H. W. Smedes. 1963. Sheet 1, lat $46^{\circ}30'$ to $46^{\circ}45'$, long $111^{\circ}21'$ to 112° ; scale 1:62,500; contour interval 40 feet; 30 by 34 inches. Sheet 2, overlay showing aeromagnetic data; contour intervals 20, 100, and 500 gammas; 24 by $33\frac{1}{2}$ inches. Accompanied by 6-page text. \$1 per set.
- GP-445. Aeromagnetic map of western Pennsylvania and parts of eastern Ohio, northern West Virginia, and western Maryland, by Peter Popenoe, A. J. Petty, and N. S. Tyson. 1964. Lat $39^{\circ}35'$ to $41^{\circ}25'$, long $78^{\circ}50'$ to $81^{\circ}25'$. Scale 1:250,000. Magnetic-contour interval 25 gammas. 38 by 38 inches. 50¢.
- GP-446. Natural gamma aeroradioactivity of the National Reactor Testing Station area, Idaho, by R. G. Bates. 1964. Lat 43° to $44^{\circ}30'$, long $111^{\circ}45'$ to 114° . Scale 1:250,000. 33 by 50 inches. 75¢.
- GP-447. Aeromagnetic reconnaissance of the east-central Tanana Lowland, Alaska, by G. E. Andreasen, Clyde Wahrhaftig, and Isidore Zietz. 1964.

Lat 64° to 65°, long 147°30' to 148°15'. Scale 1:125,000. Sheet 1, geologic map. Sheet 2, aeromagnetic map for overlay on sheet 1; magnetic-contour intervals 10 and 50 gammas. Each sheet 18 by 40½ inches. Accompanied by 3-page text. \$1 per set.

- GP-448. Aeromagnetic map of the Beckett quadrangle, Berkshire, Hampshire, and Hampden Counties, Mass., by Peter Popenoe, G. R. Boynton, and G. L. Zandle. 1964. Lat 42°15' to 42°22'30", long 73° to 73°07'30". Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the Beckett quadrangle, 1958. 50¢.
- GP-449. Aeromagnetic map of the Berlin quadrangle, Berkshire County, Mass., Rensselaer County, N.Y., and Bennington County, Vt., by Peter Popenoe, J. R. Boynton, and G. L. Zandle. 1964. Lat 42°37'30" to 42°45', long 73°15' to 73°22'30". Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the Berlin quadrangle, 1960. 50¢.
- GP-450. Aeromagnetic map of part of the Canaan quadrangle, Berkshire County, Mass., and Columbia and Rensselaer Counties, N.Y., by Peter Popenoe, G. R. Boynton, and G. L. Zandle. 1964. Lat 42°22'30" to 42°30', long 73°22'30" to 73°30'. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the Canaan quadrangle, 1959. 50¢.
- GP-451. Aeromagnetic map of the Cheshire quadrangle, Berkshire County, Mass., by Peter Popenoe, G. R. Boynton, and G. L. Zandle. 1964. Lat 42°30' to 42°37'30", long 73°07'30" to 73°15'. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the Cheshire quadrangle, 1959. 50¢.
- GP-452. Aeromagnetic map of the East Lee quadrangle, Berkshire County, Mass., by Peter Popenoe, G. R. Boynton, and G. L. Zandle. 1964. Lat 42°15' to 42°22'30", long 73°07'30" to 73°15'. Scale 1:24,000. Magnetic contour intervals 20 and 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the East Lee quadrangle, 1958. 50¢.
- GP-453. Aeromagnetic map of the Hancock quadrangle, Berkshire County, Mass., and Rensselaer County, N.Y., by Peter Popenoe, G. R. Boynton, and G. L. Zandle. 1964. Lat 42°30' to 42°37'30", long 73°15' to 73°22'30". Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the Hancock quadrangle, 1960. 50¢.
- GP-454. Aeromagnetic map of the North Adams quadrangle, Berkshire and Franklin Counties, Mass., and Bennington County, Vt., by Peter Popenoe, G. R. Boynton, and G. L. Zandle. 1964. Lat 42°37'30" to 42°45', long 73° to 73°07'30". Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey Map GQ-139. 50¢.
- GP-455. Aeromagnetic map of the Peru quadrangle, Berkshire and Hampshire Counties, Mass., by Peter Popenoe, G. R. Boynton, and G. L. Zandle. 1964. Lat 42°22'30" to 42°30', long 73° to 73°07'30". Scale 1:24,000. Magnetic-

- contour intervals 20 and 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of Peru quadrangle, 1959. 50¢.
- GP-456. Aeromagnetic map of the Pittsfield East quadrangle, Berkshire County, Mass., by Peter Popenoe, G. R. Boynton, and G. L. Zandle. 1964. Lat 42°22'30" to 42°30', long 73°07'30" to 73°15'. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the Pittsfield East quadrangle, 1959. 50¢.
- GP-457. Aeromagnetic map of the Pittsfield West quadrangle, Berkshire County, Mass., by Peter Popenoe, G. R. Boynton, and G. L. Zandle. 1964. Lat 42°22'30" to 42°30', long 73°15' to 73°22'30". Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the Pittsfield West quadrangle, 1959. 50¢.
- GP-458. Aeromagnetic map of the State Line quadrangle, Berkshire County, Mass., and Columbia County, N.Y., by Peter Popenoe, G. R. Boynton, and G. L. Zandle. 1964. Lat 42°15' to 42°22'30", long 73°22'30" to 73°30'. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the State Line quadrangle, 1959. 50¢.
- GP-459. Aeromagnetic map of the Stockbridge quadrangle, Berkshire County, Mass., by Peter Popenoe, G. R. Boynton, and G. L. Zandle. 1964. Lat 42°15' to 42°22'30", long 73°15' to 73°22'30". Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the Stockbridge quadrangle, 1959. 50¢.
- GP-460. Aeromagnetic map of the Williamstown quadrangle, Berkshire County, Mass., and Bennington County, Vt., by Peter Popenoe, G. R. Boynton, and G. L. Zandle. 1964. Lat 42°37'30" to 42°45', long 73°07'30" to 73°15'. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the Williamstown quadrangle, 1960. 50¢.
- GP-461. Aeromagnetic map of the Windsor quadrangle, Berkshire County, Mass., by Peter Popenoe, G. R. Boynton, and G. L. Zandle. 1964. Lat 42°30' to 42°37'30", long 73° to 73°07'30". Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 28 inches. Printed on transparent paper for use as an overlay on Geological Survey topographic map of the Windsor quadrangle, 1960. 50¢.
- GP-462. Natural gamma aeroradioactivity of the Gnome (Carlsbad) area, New Mexico and Texas, by J. A. MacKallor. 1964. Lat 31°30' to 33°, long 103° to 104°45'. Scale 1:250,000. Aeroradioactivity-contour interval 100 counts per second. 32 by 49 inches. 75¢.
- GP-463. Aeromagnetic map of Oxnard and vicinity, Ventura County, Calif., G. E. Andreasen, J. A. Pitkin, and F. A. Petrafeso. 1964. Lat 34°07'30" to 34°20', long 119° to 119°15'. Scale 1:48,000. Magnetic-contour intervals 20 and 100 gammas. 24½ by 25 inches. 50¢.
- GP-464. Aeromagnetic map of the Long Beach-Santa Ana area, Los Angeles and Orange Counties, Calif., by G. E. Andreasen, J. A. Pitkin, and F. A. Petrafeso. 1964. Lat 33°32'30" to about 33°51'30", long 117°45' to 118°25'. Scale 1:48,000. Magnetic-contour intervals 20 and 100 gammas. 34½ by 53 inches. 50¢.

- GP-465. Aeromagnetic map of eastern Los Angeles and vicinity, California, by G. E. Andreasen, J. A. Pitkin, and F. A. Petrafeso. 1964. Lat 33°52'30" to 34°13'30", long 117°45' to 118°15'. Scale 1:48,000. Magnetic-contour intervals 20 and 100 gammas. 37½ by 40 inches. 50¢.
- GP-466. Aeromagnetic map of western Los Angeles and vicinity, California, by G. E. Andreasen, J. A. Pitkin, and F. A. Petrafeso. 1964. Lat about 33°52'30" to 34°13'30", long 118°15' to 118°30'. Scale 1:48,000. Magnetic-contour intervals 20, 100, and 500 gammas. 23 by 49 inches. 50¢.
- GP-467. Aeromagnetic map of parts of Marquette, Dickinson, Baraga, Alger, and Schoolcraft Counties, Mich., and its geologic interpretation, by J. E. Case and J. E. Gair. 1965. Sheet 1, lat 46°05' to 46°37'30", long 88°10' to 88°22'30"; 41 by 43 inches. Sheet 2, lat 46°37'30" to 46°55', long 87°30' to 88°10'; 26½ by 44 inches. Sheet 3, lat 46°15' to 46°40', long 86°25' to 87°22'30"; 36 by 48 inches. Scale 1:62,500. Magnetic-contour intervals 50, 250, 1,000, and 5,000 gammas. Accompanied by 10-page text. \$1.50 per set.
- GP-468. Complete Bouguer gravity map of the northern part of the San Francisco Bay area, and its geologic interpretation, by W. G. Clement. 1965. Lat 37°50' to 38°20', long 122°12' to 123°. Scale 1:125,000. 24 by 34 inches. Accompanied by 6-page text. 50¢.
- GP-469. Aeromagnetic map of the Glencoe-Ripley area, Payne County, Okla., by G. E. Andreasen, R. W. Bromery, and F. P. Gilbert. 1964. Lat 35°59' to 36°15', long 96°45' to about 97°03'. Scale 1:62,500. 24 by 24 inches. 50¢.
- GP-470. Aeromagnetic map of the Hominy area, Osage County, Okla., by G. A. Andreasen, R. W. Bromery, and F. P. Gilbert. 1964. Lat about 36°23' to 38°37', long 96°16' to 96°38'. Scale 1:62,500. Contour interval 10 gammas. 22½ by 28 inches. 50¢.
- GP-471. Aeromagnetic and geologic map of northwestern Minnesota, by G. D. Bath, G. M. Schwartz, and F. P. Gilbert. 1964. Lat 47° to 49°, long 94° to 96°45'. Scale 1:250,000. Magnetic-contour intervals 100, 500, and 2,000 gammas. 40 by 49 inches. 75¢.
- GP-472. Aeromagnetic and geologic map of northeastern Minnesota, by G. D. Bath, G. M. Schwartz, and F. P. Gilbert. 1965. Lat 47° to 49°, long 90°45' to 94°. Scale 1:250,000. Magnetic-contour intervals 100, 500, 2,000, and 10,000 gammas. 39½ by 42 inches. 75¢.
- GP-473. Aeromagnetic and geologic map of west-central Minnesota, by G. D. Bath, G. M. Schwartz, and F. P. Gilbert. 1965. Lat 46° to 47°, long 94° to 96°45'. Scale 1:250,000. Magnetic-contour intervals 100, 500, and 2,000 gammas. 27 by 45 inches. 75¢.
- GP-474. Aeromagnetic and geologic map of east-central Minnesota, by C. D. Bath, G. M. Schwartz, and F. P. Gilbert. 1964. Lat 45°45' to 47°, long 92° to 94°. Scale 1:250,000. Magnetic-contour intervals 100 and 500 gammas. 28 by 36 inches. 75¢.
- GP-475. Natural gamma aeroradioactivity of the District of Columbia and parts of Maryland, Virginia, and West Virginia, by S. K. Neuschel. 1965. Lat 37°55' to 39°25', long 76°15' to 78°. Scale 1:250,000. 32 by 50 inches. 75¢.
- GP-476. Aeromagnetic map of central Iowa, by J. R. Henderson and J. L. Vargo. 1965. Lat 40°30' to 43°30', long 92°36' to 96°. Scale 1:316,800. Magnetic-contour intervals 20 and 100 gammas. 39 by 46 inches. 50¢.
- GP-477. Aeromagnetic map of the Cupsuptic quadrangle, Oxford and Franklin Counties, Maine, by G. R. Boynton and F. P. Gilbert. 1964. Lat 45°

- to 45°15', long 70°45' to 71°. Scale 1:62,500. Magnetic-contour intervals 10 and 50 gammas. 19 by 22½ inches. 50¢.
- GP-478. Aeromagnetic map of the Oquossoc quadrangle, Oxford and Franklin Counties, Maine, by G. R. Boynton and F. P. Gilbert. 1964. Lat 44°45' to 45°, long 70°45' to 71°. Scale 1:62,500. Magnetic-contour interval 10 gammas. 18½ by 23 inches. 50¢.
- GP-479. Aeromagnetic map of the Phillips quadrangle, Franklin County, Maine, by G. R. Boynton and F. P. Gilbert. 1964. Lat 44°45' to 45°, long 70°15' to 70°30'. Scale 1:62,500. Magnetic-contour interval 10 gammas. 19 by 22½ inches. 50¢.
- GP-480. Aeromagnetic map of the Rangeley quadrangle and part of the Kennebago Lake quadrangle, Franklin and Oxford Counties, Maine, by G. R. Boynton and F. P. Gilbert. 1964. Lat 44°45' to 45°01', long 70°30' to 70°45'. Scale 1:62,500. Magnetic-contour interval 10 gammas. 18½ by 23 inches. 50¢.
- GP-481. Aeromagnetic map of the Albany-Newport area, Oregon, and its geologic interpretation, by R. W. Bromery. 1965. Lat 44°30' to 44°45', long 123° to 124°05'. Scale 1:62,500. Magnetic-contour intervals 50, 250, and 500 gammas. Accompanied by 3-page text. 50¢.
- GP-482. Aeromagnetic map of Bel Air and vicinity, Harford, Baltimore, and Cecil Counties, Md., by R. W. Bromery, A. J. Petty, and C. W. Smith. 1964. Lat 39°22'30" to 39°43'30", long 76°02'30" to 76°35'. Scale 1:62,500. 29 by 33 inches. 50¢.
- GP-483. Natural gamma aeroradioactivity map of parts of the San Francisco region, California, by K. G. Books. 1965. Lat 37°30' to 39°, long 120°30' to 123°. Scale 1:250,000. 32 by 44 inches. 75¢.
- GP-484. Natural gamma aeroradioactivity map of Bel Air and vicinity, Harford, Baltimore, and Cecil Counties, Md., by R. W. Bromery, A. J. Petty, and F. P. Gilbert. 1964. Lat 39°22'30" to 39°43'30", long 76° to 76°35'. Scale 1:62,500. Aeroradioactivity-contour interval 50 counts per second. 30 by 35 inches. 50¢.
- GP-485. Aeromagnetic map of The Forks quadrangle, Piscataquis and Somerset Counties, Maine, by R. W. Bromery and N. W. Natof. 1964. Lat 45°15' to 45°30', long 69°45' to 70°. Scale 1:62,500. Magnetic-contour intervals 10 and 50 gammas. 18 by 23 inches. 50¢.
- GP-486. Aeromagnetic map of the Old Speck Mountain quadrangle, Franklin and Oxford Counties, Maine, by J. R. Henderson and C. W. Smith. 1964. Lat 44°30' to 44°45', long 70°45' to 71°. Scale 1:62,500. Magnetic-contour interval 10 gammas. 18 by 23 inches. 50¢.
- GP-487. Aeromagnetic map of the Amity quadrangle, Aroostook County, Maine, by J. L. Meuschke and J. L. Vargo. 1964. Lat 45°45' to 46°, long 67°45' to 68°. Scale 1:62,500. Magnetic-contour interval 20 gammas. 18 by 23 inches. 50¢.
- GP-488. Aeromagnetic map of the Georgia Nuclear Laboratory area, Georgia, by P. W. Philbin, F. A. Petrafeso, and C. L. Long. 1964. Lat vicinity 34°15', long 84°. Scale 1:250,000. Magnetic-contour intervals 20 and 100 gammas. 34 by 40 inches. 50¢.
- GP-489. Aeromagnetic map of the Savannah River Plant area, South Carolina and Georgia, by A. J. Petty, F. A. Petrafeso, and F. C. Moore, Jr. 1965. Area about 100 miles square extending along Savannah River and

- crossed at center by parallel $33^{\circ}15'$, and meridian $81^{\circ}45'$. Scale 1:250,000. Magnetic-contour intervals 20 and 100 gammas. 41 by 41 inches. 50¢.
- GP-490. Aeromagnetic map of part of the Lanes Creek quadrangle, Caribou County, Idaho, by J. L. Meuschke and C. L. Long. 1965. Lat $42^{\circ}45'$ to 43° , long $111^{\circ}15'$ to $111^{\circ}30'$. Scale 1:62,500. Magnetic-contour interval 10 gammas. 19 by 22 inches. 50¢.
- GP-491. Aeromagnetic map of the Columbus-Dayton area, Ohio and Indiana, by P. W. Philbin, C. L. Long, and F. C. Moore. 1965. Lat about $82^{\circ}15'$, to $85^{\circ}15'$, long about $39^{\circ}22\frac{1}{2}'$ to $42^{\circ}30'$. Scale 1:250,000. Magnetic-contour interval 25 gammas. 25 by 48 inches. 50¢.
- GP-492. Aeromagnetic map of parts of the Hackensack and Paterson quadrangles, Bergen and Passaic Counties, N.J., by P. W. Philbin and J. R. Kirby. 1964. Lat $40^{\circ}52'30''$ to 41° , long 74° to $74^{\circ}10'$. Scale 1:31,680. Magnetic-contour intervals 25 and 125 gammas. 23 by 24 inches. 50¢.
- GP-493. Aeromagnetic map of the Nyack quadrangle and part of the White Plains quadrangle, Bergen County, N.J., and Rockland and Westchester Counties, N.Y., by P. W. Philbin and J. R. Kirby. 1964. Lat 41° to $41^{\circ}07'30''$, long $73^{\circ}50'$ to 74° . Scale 1:31,680. Magnetic-contour intervals 25 and 125 gammas. 23 by 24 inches. 50¢.
- GP-494. Aeromagnetic map of the Park Ridge quadrangle, Bergen County, N.J., and Rockland County, N.Y., by P. W. Philbin and J. R. Kirby. 1964. Lat 41° to $41^{\circ}07'30''$, long 74° to $74^{\circ}07'30''$. Scale 1:31,680. Magnetic-contour interval 25 gammas. 20 by 23 inches. 50¢.
- GP-495. Aeromagnetic map of parts of the Yonkers and Mount Vernon quadrangles, Bergen County, N.J., and Bronx, Rockland, and Westchester Counties, N.Y., by P. W. Philbin and J. R. Kirby. 1964. Lat $40^{\circ}52'30''$ to 41° , long $73^{\circ}50'$ to 74° . Scale 1:31,680. Magnetic-contour intervals 25 and 125 gammas. 23 by 25 inches. 50¢.
- GP-496. Aeromagnetic, Bouguer gravity, and generalized geologic map of Toston and Radersburg quadrangles and part of the Devils Fence quadrangle, Gallatin, Broadwater, and Jefferson Counties, Mont., by W. T. Kinoshita, W. E. Davis, and G. D. Robinson. 1965. Lat 46° to $46^{\circ}15'$, long $111^{\circ}15'$ to 112° . Sheet 1, gravity and geologic map; scale 1:62,500; gravity-contour interval 5 milligals; 24 by 47 inches. Sheet 2, aeromagnetic map (transparent overlay); scale 1:62,500; magnetic-contour intervals 20 and 100 gammas; 24 by 46 inches. Accompanied by 6-page text. \$1 per set.
- GP-497. Bouguer gravity, aeromagnetic, and generalized geologic map of the western part of the Three Forks Basin, Jefferson, Broadwater, Madison, and Gallatin Counties, Mont., by W. E. Davis, W. T. Kinoshita, and G. D. Robinson. 1965. Lat $45^{\circ}30'$ to 46° , long $111^{\circ}30'$ to $111^{\circ}55'$. Sheet 1, gravity and geologic map; scale 1:62,500; gravity-contour interval 5 milligals; 27 by $41\frac{1}{2}$ inches. Sheet 2, aeromagnetic map (transparent overlay); scale 1:62,500; magnetic-contour intervals 20, 100, 200, and 500 gammas; 27 by 41 inches. Accompanied by 5-page text. \$1 per set.
- GP-498. Bouguer gravity, aeromagnetic, and generalized geologic map of the eastern part of the Three Forks Basin, Broadwater, Madison, and Gallatin Counties, Mont., by W. E. Davis, W. T. Kinoshita, and G. D. Robinson. 1965. Sheet 1, gravity and geologic map; lat $45^{\circ}30'$ to 46° , long $110^{\circ}55'$ to $111^{\circ}30'$; scale 1:62,500; gravity-contour interval 5 milligals; 36 by 42 inches. Sheet 2, aeromagnetic map (transparent

- overlay), lat about $45^{\circ}40'$ to 46° , long $110^{\circ}55'$ to $111^{\circ}30'$; scale 1:62,500; magnetic-contour intervals 20 and 100 gammas; 32 by 36 inches. Accompanied by 5-page text. \$1 per set.
- GP-499. Aeromagnetic and generalized geologic map of the Bingham quadrangle, Somerset County, Maine, by R. E. Mattick. 1965. Lat 45° to $45^{\circ}15'$, long $69^{\circ}45'$ to 70° . Scale 1:62,500. Magnetic-contour intervals 10 and 50 gammas. 23 by $24\frac{1}{2}$ inches. 50¢.
- GP-500. Aeromagnetic map of Findlay, Ohio, and vicinity, by R. W. Bromery and W. E. McCaslin. 1965. Lat $40^{\circ}45'$ to $41^{\circ}15'$, long $83^{\circ}15'$ to $84^{\circ}07'30''$. Scale 1:125,000. Magnetic-contour intervals 10 and 50 gammas. 23 by 30 inches. 50¢.
- GP-501. Aeromagnetic map of the Old Forge quadrangle and part of the West Canada Lakes quadrangle, Herkimer and Hamilton Counties, N.Y., by J. R. Balsley and R. W. Bromery. 1965. Lat $43^{\circ}30'$ to $43^{\circ}45'$, long $74^{\circ}40'$ to 75° . Scale 1:62,500. Magnetic-contour interval 100 gammas. 23 by 23 inches. 50¢.
- GP-502. Aeromagnetic map of the Number Four quadrangle, Herkimer and Lewis Counties, N.Y., by J. R. Balsley and R. W. Bromery. 1965. Lat $43^{\circ}45'$ to 44° , long 75° to $75^{\circ}15'$. Scale 1:62,500. Magnetic-contour interval 100 gammas. 19 by 23 inches. 50¢.
- GP-503. Aeromagnetic map of the Raquette Lake quadrangle, Hamilton County, N.Y., by J. R. Balsley and R. W. Bromery. 1965. Lat $43^{\circ}45'$ to 44° , long $74^{\circ}30'$ to $74^{\circ}45'$. Scale 1:62,500. Magnetic-contour intervals 100 and 500 gammas. 19 by 23 inches. 50¢.
- GP-504. Aeromagnetic map of the Big Moose quadrangle, Herkimer and Hamilton Counties, N.Y., by J. R. Balsley and R. W. Bromery. 1965. Lat $43^{\circ}45'$ to 44° , long $74^{\circ}45'$ to 75° . Scale 1:62,500. Magnetic-contour interval 100 gammas. 19 by 23 inches. 50¢.
- GP-505. Natural gamma aeroradioactivity map of the Denver area, Colorado, by Peter Popenoe. 1965. Lat $39^{\circ}07'30''$ to $40^{\circ}35'$, long 104° to about $105^{\circ}15'$. Scale 1:250,000. 31 by 36 inches. 50¢.
- GP-506. Aeromagnetic map of parts of the Elizabethtown and Port Henry quadrangles, Essex County, N.Y., by J. R. Balsley and R. W. Bromery. 1965. Lat 44° to $44^{\circ}15'$, long $73^{\circ}22'$ to $73^{\circ}45'$. Scale 1:62,500. Magnetic-contour interval 100 gammas. 23 by 26 inches. 50¢.
- GP-507. Aeromagnetic map of parts of the Paradox Lake and Ticonderoga quadrangles, Essex and Warren Counties, N.Y., by J. R. Balsley and R. W. Bromery. 1965. Lat $43^{\circ}45'$ to 44° , long $73^{\circ}22'$ to $73^{\circ}45'$. Scale 1:62,500. Magnetic-contour interval 100 gammas. 23 by 26 inches. 50¢.
- GP-508. Aeromagnetic map of part of the Lowville quadrangle, Lewis County, N.Y., by J. R. Balsley and R. W. Bromery. 1965. Lat $43^{\circ}45'$ to 44° , long $75^{\circ}15'$ to $75^{\circ}30'$. Scale 1:62,500. Magnetic-contour interval 100 gammas. 19 by 23 inches. 50¢.
- GP-509. Aeromagnetic map of parts of the Bolton Landing, Glens Falls, and Whitehall quadrangles, Warren and Washington Counties, N.Y., and Rutland County, Vt., by J. R. Balsley and R. W. Bromery. 1965. Lat $43^{\circ}20'$ to $43^{\circ}54'$, long $73^{\circ}30'$ to $73^{\circ}45'$. Scale 1:62,500. Magnetic-contour interval 100 gammas. 23 by 35 inches. 50¢.
- GP-510. Aeromagnetic map of the McKeever quadrangle and part of the Port Leyden quadrangle, north-central New York, by J. R. Balsley and

- R. W. Bromery. 1965. Lat 43°30' to 43°45', long 75° to 75°30'. Scale 1:62,500. Magnetic-contour interval 100 gammas. 22 by 31 inches. 50¢
- GP-511. Aeromagnetic map of the Cactus Spring quadrangle and part of the Goldfield quadrangle, Esmeralda and Nye Counties, Nev., by P. W. Philbin and B. L. White, Jr. 1965. Lat 37°30' to 37°45', long 116°45' to 117°15'. Scale 1:62,500. Magnetic-contour interval 20 gammas. 22 by 35 inches. 50¢.
- GP-512. Aeromagnetic map of the Sarcobatus Flat area, Esmeralda and Nye Counties, Nev., by P. W. Philbin and B. L. White, Jr. 1965. Lat 37° to 37°30', long 116°30' to 117°15'. Scale 1:125,000. Magnetic-contour interval 20 gammas. 22 by 24 inches. 50¢.
- GP-513. Aeromagnetic map of the Wheelbarrow Peak quadrangle and part of the Groom Mine quadrangle, Nye and Lincoln Counties, Nev., by P. W. Philbin and B. L. White, Jr. 1965. Lat 37°15' to 37°30', long 115°55' to 116°15'. Scale 1:62,500. Magnetic-contour interval 20 gammas. 22 by 26 inches. 50¢.
- GP-514. Aeromagnetic map of the Belted Peak quadrangle and part of White Blotch Springs quadrangle, Nye County, Nev., by P. W. Philbin and B. L. White, Jr. 1965. Lat 37°30' to 37°45', long 115°55' to 116°15'. Scale 1:62,500. Magnetic-contour interval 20 gammas. 22 by 26 inches. 50¢.
- GP-515. Aeromagnetic map of the Quartzite Mountain quadrangle, Nye County, Nev., by P. W. Philbin and B. L. White, Jr. 1965. Lat 37°30' to 37°45', long 116°15' to 116°30'. Scale 1:62,500. Magnetic-contour interval 20 gammas. 22 by 23 inches. 50¢.
- GP-516. Aeromagnetic map of parts of the Kawich Peak and Reveille Peak quadrangles, Nye County, Nev., by P. W. Philbin and B. L. White, Jr. 1965. Lat 37°45' to 38°, long 116° to 116°30'. Scale 1:62,500. Magnetic-contour intervals 20 and 100 gammas. 22 by 35 inches. 50¢.
- GP-517. Aeromagnetic map of parts of the Cactus Peak and Stinking Spring quadrangles, Nye County, Nev., by P. W. Philbin and B. L. White, Jr. 1965. Lat 37°45' to 38°, long 116°30' to 117°. Scale 1:62,500. Magnetic-contour interval 20 gammas. 22 by 35 inches. 50¢.
- GP-518. Aeromagnetic map of the Mellan quadrangle, Nye County, Nev., by P. W. Philbin and B. L. White, Jr. 1965. Lat 37°30' to 37°45', long 116°30' to 116°45'. Scale 1:62,500. Magnetic-contour interval 20 gammas. 22 by 23 inches. 50¢.
- GP-519. Aeromagnetic map of the Black Mountain quadrangle, Nye County, Nev., by P. W. Philbin and B. L. White, Jr. 1965. Lat 37°15' to 37°30', long 116°30' to 116°45'. Scale 1:62,500. Magnetic-contour interval 20 gammas. 22 by 23 inches. 50¢.
- GP-520. Aeromagnetic map of the Silent Canyon quadrangle, Nye County, Nev., by P. W. Philbin and B. L. White, Jr. 1965. Lat 37°15' to 37°30', long 116°15' to 116°30'. Scale 1:62,500. Magnetic-contour interval 20 gammas. 22 by 23 inches. 50¢.
- GP-521. Aeromagnetic map of the Pocatello-Soda Springs area, Bannock and Caribou Counties, Idaho, by C. M. Mitchell, F. F. Knowles, and F. A. Petrafeso. 1965. Lat 42°30' to 43°, long 111°30' to 112°36'. Scale 1:250,000. Magnetic-contour intervals 10 and 50 gammas. 22½ by 31 inches. 50¢.
- GP-522. Geophysical investigations in the Concord quadrangle, Cabarrus and Mecklenburg Counties, N.C., by R. G. Bates and Henry Bell III. 1965.

- Lat 35°15' to 35°30', long 80°30' to 80°45'. Scale 1:48,000. Magnetic-contour intervals 20, 100, and 500 gammas. 26 by 29 inches. 50¢.
- GP-523. Aeromagnetic map of northeastern Illinois and its geologic interpretation, by M. E. Beck, Jr. 1965. Lat about 40°38' to 42°30', long 87°30' to 89°15'. Scale 1:250,000. Magnetic-contour intervals 25, 125, and 250 gammas. 28 by 39 inches. Accompanied by 6-page text. 50¢.
- GP-524. Natural gamma aeroradioactivity map of central Ohio and east-central Indiana, by R. G. Bates. 1965. Lat 39°24' to 40°30', long 82°15' to 85°02'. Scale 1:250,000. 25½ by 45 inches. 50¢.
- GP-525. Natural gamma aeroradioactivity map of Puerto Rico, by J. A. MacKallor. 1965 [1966]. Scale 1:240,000. 32 by 45 inches. 50¢.
- GP-526. Aeromagnetic map of part of the Ashley Falls quadrangle, Berkshire County, Mass., and Litchfield County, Conn., by G. R. Boynton, Peter Popenoe, and G. L. Zandle. 1965. Lat 42° to 42°07'30", long 73°15' to 73°22'30". Scale 1:24,000. Magnetic-contour interval 20 gammas. 23 by 28½ inches. 50¢.
- GP-527. Aeromagnetic map of part of the Bashbish Falls quadrangle, Massachusetts, Connecticut, and New York, by G. R. Boynton, Peter Popenoe, and G. L. Zandle. 1965. Lat 42° to 42°07'30", long 73°22'30" to 73°30'. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 23 by 28½ inches. 50¢.
- GP-528. Aeromagnetic map of the Blandford quadrangle, Hampden and Hampshire Counties, Mass., by G. R. Boynton, Peter Popenoe, and G. L. Zandle. 1965. Lat 42°07'30" to 42°15', long 72°52'30" to 73°. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 23 by 28 inches. 50¢.
- GP-529. Aeromagnetic map of the Egremont quadrangle and part of the State Line quadrangle, Berkshire County, Mass., and Columbia County, N.Y., by G. R. Boynton, Peter Popenoe, and G. L. Zandle. 1965. Lat 42°07'30" to 42°15'30", long 73°22'30" to 73°30'. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 23 by 29½ inches. 50¢.
- GP-530. Aeromagnetic map of the Great Barrington quadrangle, Berkshire County, Mass., by G. R. Boynton, Peter Popenoe, and G. L. Zandle. 1965. Lat 42°07'30" to 42°15', long 73°15' to 73°22'30". Scale 1:24,000. Magnetic-contour interval 20 gammas. 23 by 27½ inches. 50¢.
- GP-531. Aeromagnetic map of the Monterery quadrangle, Berkshire County, Mass., by G. R. Boynton, Peter Popenoe, and G. L. Zandle. 1965. Lat 42°07'30" to 42°15', long 73°07'30" to 73°15'. Scale 1:24,000. Magnetic-contour interval 20 gammas. 23 by 28½ inches. 50¢.
- GP-532. Aeromagnetic map of the Otis quadrangle, Berkshire and Hampden Counties, Mass., by G. R. Boynton, Peter Popenoe, and G. L. Zandle. 1965. Lat 42°07'30" to 42°15', long 73° to 73°07'30". Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 23 by 28 inches. 50¢.
- GP-533. Aeromagnetic map of part of the South Sandisfield quadrangle, Berkshire County, Mass., and Litchfield County, Conn., by G. R. Boynton, Peter Popenoe, and G. L. Zandle. 1965. Lat 42° to 42°07'30", long 73°07'30" to 73°15'. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 23 by 28½ inches. 50¢.
- GP-534. Aeromagnetic map of part of the Southwick quadrangle, Hampden County, Mass., and Hartford County, Conn., by G. R. Boynton, Peter Popenoe, and G. L. Zandle. 1965. Lat 42° to 42°07'30", long 72°45' to

- 72°52'30". Scale 1:24,000. Magnetic-contour interval 20 gammas. 23 by 28½ inches. 50¢.
- GP-535. Aeromagnetic map of part of the Tolland Center quadrangle, Berkshire and Hampden Counties, Mass., and Hartford and Litchfield Counties, Conn., by G. R. Boynton, Peter Popenoe, and G. L. Zandle. 1965. Lat 42° to 42°07'30", long 73° to 73°07'30". Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 23 by 28 inches. 50¢.
- GP-536. Aeromagnetic map of part of the West Granville quadrangle, Hampden County, Mass., and Hartford County, Conn., by G. R. Boynton, Peter Popenoe, and G. L. Zandle. 1965. Lat 42° to 42°07'30", long 72°52'30" to 73°. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 23 by 28 inches. 50¢.
- GP-537. Aeromagnetic map of the Woronoco quadrangle, Hampden and Hampshire Counties, Mass., by G. R. Boynton, Peter Popenoe, and G. L. Zandle. 1965. Lat 42°07'30" to 42°15', long 72°45' to 72°52'30". Scale 1:24,000. Magnetic-contour interval 20 gammas. 23 by 28 inches. 50¢.
- GP-538. Aeromagnetic map of the Boulder batholith area, southwestern Montana, by R. W. Johnson, Jr., J. R. Henderson, and N. S. Tyson. 1965. Lat 45°30' to 46°45', long 111°15' to 113°30'. Scale 1:250,000. Magnetic-contour intervals 20 and 100 gammas. 27 by 34 inches. 50¢.
- GP-539. Aeromagnetic map of the Jewett City quadrangle, New London County, Conn., by G. R. Boynton and C. W. Smith. 1965 [1966]. Lat 41°30' to 41°37'30", long 71°52'30" to 72°. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 28 inches. 50¢.
- GP-540. Aeromagnetic map of the Scotland quadrangle, Windham and New London Counties, Conn., by G. R. Boynton and C. W. Smith. 1965 [1966]. Lat 41°37'30" to 41°45', long 72° to 72°07'30". Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 28 inches. 50¢.
- GP-541. Aeromagnetic map of the Plainfield quadrangle, New London and Windham Counties, Conn., by G. R. Boynton and C. W. Smith. 1965 [1966]. Lat 41°37'30" to 41°45', long 71°52'30" to 72°. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 28 inches. 50¢.
- GP-542. Aeromagnetic map of the Oneco quadrangle, Connecticut and Rhode Island, by G. R. Boynton and C. W. Smith. 1965 [1966]. Lat 41°37'30" to 41°45', long 71°45' to 71°52'30". Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 28 inches. 50¢.
- GP-543. Aeromagnetic map of the Norwich quadrangle, New London County, Conn., by G. R. Boynton and C. W. Smith. 1965 [1966]. Lat 41°30' to 41°37'30", long 72° to 72°07'30". Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 28 inches. 50¢.
- GP-544. Aeromagnetic map of the Old Mystic quadrangle and part of the Mystic quadrangle, Connecticut and Rhode Island, by G. R. Boynton and C. W. Smith. 1965 [1966]. Lat about 41°18' to 41°30', long 71°52'30" to 72°. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 41 inches. 50¢.
- GP-545. Aeromagnetic map of the Voluntown quadrangle, Connecticut and Rhode Island, by G. R. Boynton and C. W. Smith. 1965 [1966]. Lat 41°30' to 41°37'30", long 71°45' to 71°52'30". Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 27 inches. 50¢.
- GP-546. Aeromagnetic map of the Uncasville quadrangle and part of the New London quadrangle, New London County, Conn., by G. R. Boynton

- and C. W. Smith. 1965 [1966]. Lat about $41^{\circ}18'$ to $41^{\circ}30'$, long 72° to $72^{\circ}07'30''$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. $22\frac{1}{2}$ by 41 inches. 50¢.
- GP-547. Aeromagnetic map of the Ashaway quadrangle and part of the Watch Hill quadrangle, Connecticut and Rhode Island, by C. R. Boynton and C. W. Smith. 1965 [1966]. Lat about $41^{\circ}18'$ to $41^{\circ}30'$, long $71^{\circ}45'$ to $71^{\circ}52'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 41 inches. 50¢.
- GP-548. Aeromagnetic map of the Casa Grande area, Maricopa and Pinal Counties, Ariz., by C. M. Mitchell and G. L. Zandle. 1965. Lat $32^{\circ}40'$ to $33^{\circ}22'30''$, long vicinity $111^{\circ}40'$ to $112^{\circ}10'$. Scale 1:62,500. Magnetic-contour interval 20 gammas. 36 by 52 inches. 50¢.
- GP-549. Aeromagnetic map of the Bangor quadrangle, New Jersey and Pennsylvania, by G. R. Boynton, D. R. Pittillo, and G. L. Zandle. 1966. Lat $40^{\circ}45'$ to $40^{\circ}52'30''$, long $75^{\circ}07'30''$ to $75^{\circ}15'$. Scale 1:24,000. Magnetic-contour intervals 50 and 250 gammas. 23 by $27\frac{1}{2}$ inches. 50¢.
- GP-550. Aeromagnetic map of the Belvidere quadrangle, New Jersey and Pennsylvania, by G. R. Boynton, D. R. Pittillo, and G. L. Zandle. 1966. Lat $40^{\circ}45'$ to $40^{\circ}52'30''$, long 75° to $75^{\circ}07'30''$. Scale 1:24,000. Magnetic-contour intervals 50 and 250 gammas. 23 by $27\frac{1}{2}$ inches. 50¢.
- GP-551. Aeromagnetic map of the Bloomsbury and part of the Easton quadrangles, New Jersey and Pennsylvania, by G. R. Boynton, D. R. Pittillo, and G. L. Zandle. 1966. Lat $40^{\circ}37'30''$ to $40^{\circ}45'$, long 75° to about $75^{\circ}12'$. Scale 1:24,000. Magnetic-contour intervals 50 and 250 gammas. 28 by 38 inches. 50¢.
- GP-552. Aeromagnetic map of the Frenchtown and part of the Riegelsville quadrangles, New Jersey and Pennsylvania, by G. R. Boynton, D. R. Pittillo, and G. L. Zandle. 1966. Lat $40^{\circ}30'$ to $40^{\circ}37'30''$, long 75° to $75^{\circ}12'30''$. Scale 1:24,000. Magnetic-contour interval 50 gammas. 28 by 33 inches. 50¢.
- GP-553. Aeromagnetic map of parts of the Lambertville, Lumberville, and Stockton quadrangles, New Jersey and Pennsylvania, by G. R. Boynton, D. R. Pittillo, and G. L. Zandle. 1966. Lat $40^{\circ}17'30''$ to $40^{\circ}30'$, long $74^{\circ}52'30''$ to $75^{\circ}05'$. Scale 1:24,000. Magnetic-contour interval 50 gammas. 32 by 43 inches. 50¢.
- GP-554. Aeromagnetic map of the Pittstown and part of the High Bridge quadrangles, Hunterdon County, N.J., by G. R. Boynton, D. R. Pittillo, and G. L. Zandle. 1966. Lat $40^{\circ}30'$ to $40^{\circ}42'30''$, long $74^{\circ}52'30''$ to 75° . Scale 1:24,000. Magnetic-contour interval 50 gammas. $23\frac{1}{2}$ by 43 inches. 50¢.
- GP-555. Natural gamma aeroradioactivity map of the Pittsburgh area, Pennsylvania, Ohio, West Virginia, and Maryland, by R. G. Bates. 1966. Lat about $39^{\circ}45'$ to about $41^{\circ}15'$, long 79° to $81^{\circ}15'$. Scale 1:250,000. $35\frac{1}{2}$ by $41\frac{1}{2}$ inches. 50¢.
- GP-556. Regional aeromagnetic map of western Lake Superior and adjacent parts of Minnesota, Michigan, and Wisconsin, by J. R. Kirby and A. J. Petty. 1966. Lat 46° to $47^{\circ}45'$, long 90° to $92^{\circ}15'$. Scale 1:250,000. Magnetic-contour intervals 100 and 500 gammas. $30\frac{1}{2}$ by 37 inches. 50¢.
- GP-557. Aeromagnetic map of the Denver area, Colorado, by A. J. Petty, J. L. Vargo, and F. C. Smith. 1966. Vicinity of lat 40° , long $104^{\circ}30'$.

Scale 1:250,000. Magnetic-contour interval 20 gammas. 24 by 31 inches. 50¢.

- GP-558. Aeromagnetic map of the Seminoe Mountains and vicinity, Carbon County, Wyo., by P. W. Philbin and W. E. McCaslin. 1966. Lat 42°07'30" to 42°22'30", long 106°45' to 107°15'. Scale 1:48,000. Magnetic-contour intervals 10, 50, 100, and 500 gammas. 27½ by 40 inches. 50¢.
- GP-559. Aeromagnetic map of southeastern Minnesota, by P. W. Philbin and F. P. Gilbert. 1966. Lat 43°30' to 44°45', long 91°15' to 94°. Scale 1:250,000. Magnetic-contour intervals 20, 100, and 500 gammas. 27 by 38 inches. 50¢.
- GP-560. Aeromagnetic map of southwestern Minnesota, by P. W. Philbin and F. P. Gilbert. 1966. Lat 43°30' to about 44°33', long 94° to about 96°26'. Scale 1:250,000. Magnetic-contour intervals 20 and 100 gammas. 24 by 37½ inches. 50¢.
- GP-561. Aeromagnetic map of parts of the Mother Lode gold and Sierra Foothills copper mining districts, California, and its geologic interpretation, by J. R. Henderson, Jr., A. A. Stromquist, and Anna Jespersen. 1966. Lat 37°52'30" to 38°10', long 120° to 120°52'30". Scale 1:62,500. Magnetic-contour intervals 50, 250, and 500 gammas. 25½ by 58 inches. Accompanied by 4-page text. 75¢.
- GP-562. Aeromagnetic map of northern New Jersey and adjacent parts of New York and Pennsylvania, by J. R. Henderson, G. E. Andreasen, and A. J. Petty. 1966. Lat 40°30' to 41°30', long 73°50' to 75°15'. Scale 1:125,000. Magnetic-contour interval 50 gammas. 40 by 46 inches. 50¢.
- GP-563. Aeromagnetic and inferred Precambrian paleogeologic map of east-central Minnesota and part of Wisconsin, by P. K. Sims and Isidore Zietz. 1967. Lat 44°30' to 46°, long 92°30' to 94°40'. Scale 1:250,000. Magnetic-contour intervals 50, 250, and 1,000 gammas. 34½ by 42 inches. Accompanied by 6-page text. 75¢.
- GP-564. Natural gamma aeroradioactivity map of the Seneca and part of the Sterling quadrangles, Montgomery County, Md., and Loudoun and Fairfax Counties, Va., by Jean Blanchett, Andrew Griscom, and J. L. Vargo. 1966. Lat 39° to 39°07'30", long 77°15' to 77°25'. Scale 1:24,000. Aeroradioactivity contour interval 50 counts per second. 28 by 31 inches. 50¢.
- GP-565. Natural gamma aeroradioactivity map of the Rockville quadrangle, Montgomery County, Md., and Fairfax County, Va., by Jean Blanchett, Andrew Griscom, and J. L. Vargo. 1966. Lat 39° to 39°07'30", long 77°07'30" to 77°15'. Scale 1:24,000. Aeroradioactivity-contour interval 50 counts per second. 25½ by 28 inches. 50¢.
- GP-566. Natural gamma aeroradioactivity map of the Gaithersburg and part of the Sandy Spring quadrangles, Montgomery County, Md., by Jean Blanchett, Andrew Griscom, and F. C. Smith. 1966. Lat 39°07'30" to 39°15', long 77°05' to 77°15'. Scale 1:24,000. Aeroradioactivity-contour interval 50 counts per second. 28 by 31 inches. 50¢.
- GP-567. Natural gamma aeroradioactivity map of the Germantown and part of the Poolesville quadrangles, Montgomery and Frederick Counties, Md., by Jean Blanchett, Andrew Griscom, and F. C. Smith. 1966. Lat 39°07'30" to 39°15', long 77°15' to 77°25'. Scale 1:24,000. Aeroradioactivity-contour interval 50 counts per second. 28 by 31 inches. 50¢.
- GP-568. Natural gamma aeroradioactivity map of the Bangor quadrangle,

- New Jersey and Pennsylvania, by G. R. Boynton, D. R. Pittillo, and G. L. Zandle. 1966. Lat 40°45' to 40°52'30", long 75°07'30" to 75°15'. Scale 1:24,000. Aeroradioactivity-contour interval 50 counts per second. 23½ by 27½ inches. 50¢.
- GP-569. Natural gamma aeroradioactivity map of the Belvidere quadrangle, New Jersey and Pennsylvania, by G. R. Boynton, D. R. Pittillo, and G. L. Zandle. 1966. Lat 40°45' to 40°52'30", long 75° to 75°07'30". Scale 1:24,000. Aeroradioactivity-contour interval 50 counts per second. 23 by 27 inches. 50¢.
- GP-570. Natural gamma aeroradioactivity map of the Bloomsbury and part of the Easton quadrangles, New Jersey and Pennsylvania, by G. R. Boynton, D. R. Pittillo, and G. L. Zandle. 1966. Lat 40°37'30" to 40°45', long 75° to 75°15'. Scale 1:24,000. Aeroradioactivity-contour interval 50 counts per second. 28 by 37 inches. 50¢.
- GP-571. Natural gamma aeroradioactivity map of the Frenchtown and part of the Riegelsville quadrangles, New Jersey and Pennsylvania, by G. R. Boynton, D. R. Pittillo, and G. L. Zandle. 1966. Lat 40°30' to 40°37'30", long 75° to 75°12'30". Scale 1:24,000. Aeroradioactivity-contour interval 50 counts per second. 27½ by 32 inches. 50¢.
- GP-572. Natural gamma aeroradioactivity map of parts of the Lambertville, Lumberville, and Stockton quadrangles, New Jersey and Pennsylvania, by G. R. Boynton, D. R. Pittillo, and G. L. Zandle. 1966. Lat 40°17'30" to 40°30', long 74°52'30" to 75°05'. Scale 1:24,000. Aeroradioactivity-contour interval 50 counts per second. 32 by 43½ inches. 50¢.
- GP-573. Natural gamma aeroradioactivity map of the Pittstown and part of the High Bridge quadrangles, Hunterdon County, N.J., by G. R. Boynton, D. R. Pittillo, and G. L. Zandle. 1966. Lat 40°30' to 40°42'30", long 74°52'30" to 75°. Scale 1:24,000. Aeroradioactivity-contour interval 50 counts per second. 23½ by 43 inches. 50¢.
- GP-574. Aeromagnetic map of Sacramento and vicinity, California, by J. L. Meuschke, J. A. Pitkin, and C. W. Smith. 1966. Vicinity of lat 38°30', long 121°30'. Scale 1:250,000. Magnetic-contour intervals 20 and 100 gammas. 20 by 43 inches. 50¢.
- GP-575. Aeromagnetic map of Hopi Buttes and vicinity, Navajo County, Ariz., by C. M. Mitchell and J. L. Vargo. 1966. Lat 35°15' to 35°35', long 110° to 110°45'. Scale 1:125,000. Magnetic-contour intervals 20 and 100 gammas. 17 by 28 inches. 50¢.
- GP-576. Aeromagnetic map of Florence-Goodman area, Florence, Forest, and Marinette Counties, Wis., by E. R. King, J. R. Henderson, and J. L. Vargo. 1966. Lat 45°35' to 46°, long 88° to 88°45'. Scale 1:62,500. Magnetic-contour intervals 25, 50, 250, and 1,000 gammas. 35½ by 40 inches. 50¢.
- GP-577. Aeromagnetic and generalized geologic map of southeastern Pennsylvania, by R. W. Bromery and Andrew Griscom. 1967. Scale 1:125,000. Magnetic-contour interval 250 gammas. Two sheets, each 40 by 47 inches. \$1.25 per set.
- GP-578. Aeromagnetic map of parts of the Ironwood and Wakefield quadrangles, Gogebic County, Mich., and Iron and Vilas Counties, Wis., by P. W. Philbin and J. L. Vargo. 1966. Lat 46°15' to 46°30', long 89°50' to 90°15'. Scale 1:62,500. Magnetic-contour intervals 50 and 250 gammas. 23 by 29½ inches. 50¢.

- GP-579. Aeromagnetic map of parts of the Thomaston, Carp River, North Ironwood, and Little Girls Point quadrangles, Gogebic and Ontonagon Counties, Mich., and Iron County, Wis., by P. W. Philbin and J. L. Vargo. 1966. Lat $46^{\circ}30'$ to $46^{\circ}50'$, long $89^{\circ}45'$ to $90^{\circ}30'$. Scale 1:62,500. Magnetic-contour intervals 50 and 250 gammas. 29 by 39 inches. 50¢.
- GP-580. Simple Bouguer gravity map of Maine, by M. F. Kane and R. W. Bromery. 1966. Scale 1:500,000. Gravity-contour interval 2 milligals. 29 by 44 inches. 50¢.
- GP-581. Aeromagnetic map of the Mount Pleasant, Albemarle, Denton, and Salisbury quadrangles, west-central North Carolina, by J. R. Henderson and F. P. Gilbert. 1966. Lat $35^{\circ}15'$ to $35^{\circ}45'$, long 80° to $80^{\circ}30'$. Scale 1:62,500. Magnetic-contour intervals 20 and 100 gammas. 38 by 40 inches. 50¢.
- GP-582. Simple Bouguer gravity map of the Mount Pleasant, Albemarle, Denton, and Salisbury quadrangles, west-central North Carolina, by J. S. Watkins and Zvi Yuval. 1966. Lat $35^{\circ}15'$ to $35^{\circ}45'$, long 80° to $80^{\circ}30'$. Scale 1:62,500. Gravimetric-contour interval 1 milligal. 38 by 40 inches. 50¢.
- GP-583. Aeromagnetic map of the Ellsworth quadrangle, Litchfield County, Conn., by P. W. Philbin and C. W. Smith. 1966. Lat $41^{\circ}45'$ to $41^{\circ}52'30''$, long $73^{\circ}22'30''$ to $73^{\circ}30'$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 28 inches. 50¢.
- GP-584. Aeromagnetic map of the Cornwall quadrangle, Litchfield County, Conn., by P. W. Philbin and C. W. Smith. 1966. Lat $41^{\circ}45'$ to $41^{\circ}52'30''$, long $73^{\circ}15'$ to $73^{\circ}22'30''$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 28 inches. 50¢.
- GP-585. Aeromagnetic map of the Spring Hill quadrangle, Tolland and Windham Counties, Conn., by P. W. Philbin and C. W. Smith. 1966. Lat $41^{\circ}45'$ to $41^{\circ}52'30''$, long $72^{\circ}07'30''$ to $72^{\circ}15'$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 28 inches. 50¢.
- GP-586. Aeromagnetic map of the South Coventry quadrangle, Tolland County, Conn., by P. W. Philbin and C. W. Smith. 1966. Lat $41^{\circ}45'$ to $41^{\circ}52'30''$, long $72^{\circ}15'$ to $72^{\circ}22'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 28 inches. 50¢.
- GP-587. Aeromagnetic map of the Rockville quadrangle, Hartford and Tolland Counties, Conn., by P. W. Philbin and C. W. Smith. 1966. Lat $41^{\circ}45'$ to $41^{\circ}52'30''$, long $72^{\circ}22'30''$ to $72^{\circ}30'$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 28 inches. 50¢.
- GP-588. Aeromagnetic map of the Collinsville quadrangle, Litchfield and Hartford Counties, Conn., by P. W. Philbin and C. W. Smith. 1966. Lat about $41^{\circ}45'$ to $41^{\circ}52'30''$, long $72^{\circ}52'30''$ to 73° . Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by $27\frac{1}{2}$ inches. 50¢.
- GP-589. Aeromagnetic map of the Torrington quadrangle, Litchfield and Hartford Counties, Conn., by P. W. Philbin and C. W. Smith. 1966. Lat $41^{\circ}45'$ to $41^{\circ}52'30''$, long 73° to $73^{\circ}07'30''$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 28 inches. 50¢.
- GP-590. Aeromagnetic map of the West Torrington quadrangle, Litchfield County, Conn., by P. W. Philbin and C. W. Smith. 1966. Lat $41^{\circ}45'$ to $41^{\circ}52'30''$, long $73^{\circ}07'30''$ to $73^{\circ}15'$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 28 inches. 50¢.
- GP-591. Aeromagnetic map of the East Killingly quadrangle and part of

- the Oneco quadrangle, Connecticut and Rhode Island, by P. W. Philbin and C. W. Smith. 1966. Lat about $41^{\circ}45'$ to $41^{\circ}52'30''$, long $71^{\circ}45'$ to $71^{\circ}52'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 28 inches. 50¢.
- GP-592. Aeromagnetic map of the Danielson quadrangle and part of the Plainfield quadrangle, Windham County, Conn., by P. W. Philbin and C. W. Smith. 1966. Lat about $41^{\circ}45'$ to $41^{\circ}52'30''$, long $71^{\circ}52'30''$ to 72° . Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 28 inches. 50¢.
- GP-593. Aeromagnetic map of the Hampton quadrangle and part of the Scotland quadrangle, Windham County, Conn., by P. W. Philbin and C. W. Smith. 1966. Lat about $41^{\circ}45'$ to $41^{\circ}52'30''$, long 72° to $72^{\circ}07'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by $28\frac{1}{2}$ inches. 50¢.
- GP-594. Aeromagnetic map of the Avon quadrangle, Hartford County, Conn., by P. W. Philbin and C. W. Smith. 1966. Lat $41^{\circ}45'$ to $41^{\circ}52'30''$, long $72^{\circ}45'$ to $72^{\circ}52'30''$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by $28\frac{1}{2}$ inches. 50¢.
- GP-595. Aeromagnetic map of the Hartford North quadrangle, Hartford County, Conn., by P. W. Philbin and C. W. Smith. 1966. Lat $41^{\circ}45'$ to $41^{\circ}52'30''$, long $72^{\circ}37'30''$ to $72^{\circ}45'$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by $27\frac{1}{2}$ inches. 50¢.
- GP-596. Aeromagnetic map of the Manchester quadrangle, Hartford and Tolland Counties, Conn., by P. W. Philbin and C. W. Smith. 1966. Lat $41^{\circ}45'$ to $41^{\circ}52'30''$, long $72^{\circ}30'$ to $72^{\circ}37'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 28 inches. 50¢.
- GP-597. Aeromagnetic and gravity profiles of the United States along the 37th parallel—A contribution to the upper mantle project, by Isidore Zietz and J. R. Kirby. 1967. Lat 35° to 39° , long 70° to 125° . Scale 1:2,500,000. 27 by $38\frac{3}{4}$ inches. 50¢.
- GP-598. Aeromagnetic map of the San Francisco Mountains and vicinity, southwestern Utah. 1966. Lat $38^{\circ}15'$ to $38^{\circ}45'$, long 113° to $113^{\circ}30'$. Scale 1:62,500. Magnetic-contour interval 20 gammas. 34 by 40 inches. 50¢.
- GP-599. Aeromagnetic map of the Pelkie quadrangle, Baraga and Houghton Counties, Mich. 1967. Lat $46^{\circ}45'$ to 47° , long $88^{\circ}30'$ to $88^{\circ}45'$. Scale 1:62,500. Magnetic-contour interval 50 gammas. 19 by $22\frac{1}{2}$ inches. 50¢.
- GP-600. Aeromagnetic map of the Perch Lake quadrangle, Houghton, Baraga, and Iron Counties, Mich. 1967. Lat $46^{\circ}15'$ to $46^{\circ}30'$, long $88^{\circ}30'$ to $88^{\circ}45'$. Scale 1:62,500. Magnetic-contour intervals 50, 250, 500, and 1,000 gammas. 19 by 22 inches. 50¢.
- GP-601. Aeromagnetic map of the Sidnaw quadrangle, Houghton and Baraga Counties, Mich. 1967. Lat $46^{\circ}30'$ to $46^{\circ}45'$, long 88° to $88^{\circ}45'$. Scale 1:62,500. Magnetic-contour interval 50 gammas. 19 by 22 inches. 50¢.
- GP-602. Aeromagnetic map of part of the Winona quadrangle, Ontonagon and Houghton Counties, Mich. 1967. Lat $46^{\circ}45'$ to 47° , long $88^{\circ}45'$ to 89° . Scale 1:62,500. Magnetic-contour intervals 50 and 250 gammas. 19 by $22\frac{1}{2}$ inches. 50¢.
- GP-603. Aeromagnetic map of part of the Beechwood quadrangle, Michigan

- and Wisconsin. 1967. Lat 46° to $46^{\circ}15'$, long $88^{\circ}45'$ to 89° . Scale 1:62,500. Magnetic-contour interval 50 gammas. 19 by $22\frac{1}{2}$ inches. 50¢.
- GP-604. Aeromagnetic map of the Kenton quadrangle, Gogebic, Ontonagon, Iron, and Houghton Counties, Mich. 1967. Lat $46^{\circ}15'$ to $46^{\circ}30'$, long $88^{\circ}45'$ to 89° . Scale 1:62,500. Magnetic-contour interval 50 gammas. 19 by $22\frac{1}{2}$ inches. 50¢.
- GP-605. Aeromagnetic map of Iron River and vicinity, Michigan and Wisconsin. 1967. Lat 46° to $46^{\circ}15'$, long $88^{\circ}30'$ to $88^{\circ}45'$. Scale 1:62,500. Magnetic-contour intervals 50 and 250 gammas. 19 by $22\frac{1}{2}$ inches. 50¢.
- GP-606. Aeromagnetic map of the Rousseau quadrangle, Ontonagon and Houghton Counties, Mich. 1967. Lat $46^{\circ}30'$ to $46^{\circ}45'$, long $88^{\circ}45'$ to 89° . Scale 1:62,500. Magnetic-contour interval 50 gammas. 19 by $22\frac{1}{2}$ inches. 50¢.
- GP-607. Aeromagnetic map of the Crystal Falls quadrangle and part of the Florence quadrangle, Iron County, Mich. 1967. Lat 46° to $46^{\circ}15'$, long $88^{\circ}15'$ to $88^{\circ}30'$. Scale 1:62,500. Magnetic-contour intervals 50, 250, and 1,000 gammas. 19 by 27 inches. 50¢.
- GP-608. Aeromagnetic map of the Keweenaw Bay area, Michigan. 1967. Lat $46^{\circ}30'$ to 47° , long $88^{\circ}05'$ to $88^{\circ}30'$. Scale 1:62,500. Magnetic-contour intervals 50, 250, and 1,000 gammas. 23 by 40 inches. 50¢.
- GP-609. Aeromagnetic map of the Ned Lake quadrangle and part of the Witch Lake quadrangle, Iron, Baraga, and Marquette Counties, Mich. 1967. Lat $46^{\circ}15'$ to $46^{\circ}30'$, long $88^{\circ}05'$ to $88^{\circ}30'$. Scale 1:62,500. Magnetic-contour intervals 50, 250, 1,000, and 5,000 gammas. 24 by 47 inches. 50¢.
- GP-610. Aeromagnetic map of parts of the Ralph and Norway quadrangles, Dickinson County, Mich. 1967. Lat $45^{\circ}45'$ to $46^{\circ}07'30''$, long $87^{\circ}45'$ to 88° . Scale 1:62,500. Magnetic-contour intervals 50, 250, 500, 1,000, and 5,000 gammas. 19 by 33 inches. 50¢.
- GP-611. Aeromagnetic map of the Sagola quadrangle and part of the Iron Mountain quadrangle, Dickinson, Iron, and Marquette Counties, Mich. 1967. Lat $45^{\circ}45'$ to $46^{\circ}15'$, long 88° to $88^{\circ}15'$. Scale 1:62,500. Magnetic-contour intervals 50, 250, and 1,000 gammas. 15 by 40 inches. 50¢.
- GP-612. Simple Bouguer gravity map of Massachusetts, by R. W. Bromery. 1967. Lat $41^{\circ}05'$ to $42^{\circ}45'$, long 70° to 72° . Scale 1:250,000. Gravimetric-contour interval 5 milligals. 35 by 50 inches. 50¢.
- GP-613. Aeromagnetic map of Baltimore County and Baltimore City, Md., by R. W. Bromery. 1967. Lat about $39^{\circ}08'$ to $39^{\circ}44'$, long $76^{\circ}17'$ to $76^{\circ}55'$. Scale 1:62,500. Magnetic-contour intervals 25 and 125 gammas. $36\frac{1}{2}$ by 46 inches. 50¢.
- GP-614. Simple Bouguer gravity map of Baltimore County and Baltimore City, Md., by R. W. Bromery. 1967. Lat about $39^{\circ}08'$ to $39^{\circ}44'$, long $76^{\circ}17'$ to $76^{\circ}55'$. Scale 1:62,500. $36\frac{1}{2}$ by 46 inches. 50¢.
- GP-615. Bouguer gravity map of parts of Maricopa, Pima, Pinal, and Yuma Counties, Ariz., by D. L. Peterson. 1968. Vicinity of lat $32^{\circ}22'30''$ to $33^{\circ}45'$, long 111° to $113^{\circ}30'$. Scale 1:250,000. Gravity-contour interval 2 milligals. 29 by 40 inches. 50¢.
- GP-616. Aeromagnetic map of the Kabetogama Lake-Grassy Lake area, St. Louis County, Minn. 1968. Lat 48° to $48^{\circ}40'$, long 92° to 93° . Scale 1:250,000. Magnetic-contour intervals 20 and 100 gammas. 17 by 18 inches. 50¢.

- GP-617. Aeromagnetic map of the Palmer quadrangle, Hampden, Hampshire, and Worcester Counties, Mass. 1968. Lat $42^{\circ}07'30''$ to $42^{\circ}15'$, long $72^{\circ}15'$ to $72^{\circ}22'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 25 by 28 inches. 50¢.
- GP-618. Aeromagnetic map of the Springfield North quadrangle, Hampden and Hampshire Counties, Mass. 1968. Lat $42^{\circ}07'30''$ to $42^{\circ}15'$, long $72^{\circ}30'$ to $72^{\circ}37'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 25 by 28 inches. 50¢.
- GP-619. Aeromagnetic map of the Ludlow quadrangle, Hampden and Hampshire Counties, Mass. 1968. Lat $42^{\circ}07'30''$ to $42^{\circ}15'$, long $72^{\circ}22'30''$ to $72^{\circ}30'$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 25 by 28 inches. 50¢.
- GP-620. Aeromagnetic map of the Warren quadrangle, Worcester, Hampden, and Hampshire Counties, Mass. 1968. Lat $42^{\circ}07'30''$ to $42^{\circ}15'$, long $72^{\circ}07'30''$ to $72^{\circ}15'$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 25 by 28 inches. 50¢.
- GP-621. Aeromagnetic map of the East Brookfield quadrangle, Worcester County, Mass. 1968. Lat $42^{\circ}07'30''$ to $42^{\circ}15'$, long 72° to $72^{\circ}07'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 25 by 28 inches. 50¢.
- GP-622. Aeromagnetic map of the Mount Tom quadrangle and part of the Woronoco quadrangle, Hampden and Hampshire Counties, Mass. 1968. Lat $42^{\circ}07'30''$ to $42^{\circ}15'$, long $72^{\circ}37'30''$ to $72^{\circ}45'$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 25 by 28 inches. 50¢.
- GP-623. Aeromagnetic map of the Worcester South quadrangle, Worcester County, Mass. 1968. Lat $42^{\circ}07'30''$ to $42^{\circ}15'$, long $71^{\circ}45'$ to $71^{\circ}52'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 25 by 28 inches. 50¢.
- GP-624. Aeromagnetic map of the Leicester quadrangle, Worcester County, Mass. 1968. Lat $42^{\circ}07'30''$ to $42^{\circ}15'$, long $71^{\circ}52'30''$ to 72° . Scale 1:24,000. Magnetic-contour interval 20 gammas. 25 by 28 inches. 50¢.
- GP-625. Aeromagnetic map of the Chester quadrangle and parts of the Beckett and Blandford quadrangles, Berkshire, Hampden, and Hampshire Counties, Mass. 1968. Lat $42^{\circ}15'$ to $42^{\circ}22'30''$, long $72^{\circ}52'30''$ to 73° . Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 31 inches. 50¢.
- GP-626. Aeromagnetic map of the Goshen quadrangle and part of the Ashfield quadrangle, Franklin and Hampshire Counties, Mass. 1968. Lat $42^{\circ}22'30''$ to $42^{\circ}30'$, long $72^{\circ}45'$ to $72^{\circ}52'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 31 inches. 50¢.
- GP-627. Aeromagnetic map of the Worthington quadrangle and parts of the Plainfield and Peru quadrangles, Berkshire and Hampshire Counties, Mass. 1968. Lat $42^{\circ}22'30''$ to $42^{\circ}30'$, long $72^{\circ}52'30''$ to 73° . Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 31 inches. 50¢.
- GP-628. Aeromagnetic map of the Westhampton quadrangle and part of the Woronoco quadrangle, Hampshire County, Mass. 1968. Lat. $42^{\circ}15'$ to $42^{\circ}22'30''$, long $72^{\circ}45'$ to $72^{\circ}52'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 31 inches. 50¢.
- GP-629. Aeromagnetic map of the Hampden quadrangle, Hampden County, Mass., and Tolland County, Conn. 1968. Lat 42° to $42^{\circ}07'30''$, long $72^{\circ}22'30''$ to $72^{\circ}30'$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 31 inches. 50¢.

- GP-630. Aeromagnetic map of the Monson quadrangle, Hampden County, Mass., and Tolland County, Conn. 1968. Lat 42° to $42^{\circ}07'30''$, long $72^{\circ}15'$ to $72^{\circ}22'30''$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by $30\frac{1}{2}$ inches. 50¢.
- GP-631. Aeromagnetic map of the Southbridge quadrangle, Worcester County, Mass., and Windham and Tolland Counties, Conn. 1968. Lat 42° to $42^{\circ}07'30''$, long 72° to $72^{\circ}07'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 31 inches. 50¢.
- GP-632. Aeromagnetic map of the Springfield South quadrangle, Hampden County, Mass., and Hartford and Tolland Counties, Conn. 1968. Lat 42° to $42^{\circ}07'30''$, long $72^{\circ}30'$ to $72^{\circ}37'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 31 inches. 50¢.
- GP-633. Aeromagnetic map of the Wales quadrangle, Hampden and Worcester Counties, Mass., and Tolland County, Conn. 1968. Lat 42° to $42^{\circ}07'30''$, long $72^{\circ}07'30''$ to $72^{\circ}15'$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 31 inches. 50¢.
- GP-634. Aeromagnetic map of the Webster quadrangle, Worcester County, Mass., and Windham County, Conn. 1968. Lat 42° to $42^{\circ}07'30''$, long $71^{\circ}52'30''$ to 72° . Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 31 inches. 50¢.
- GP-635. Aeromagnetic map of the West Springfield quadrangle and part of the Southwick quadrangle, Hampden County, Mass., and Hartford County, Conn. 1968. Lat 42° to $42^{\circ}07'30''$, long $72^{\circ}37'30''$ to $72^{\circ}45'$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 31 inches. 50¢.
- GP-636. Aeromagnetic map of central Pine County, Minn., and adjacent parts of Wisconsin. 1968. Lat 46° to $46^{\circ}15'$, long $92^{\circ}15'$ to 93° . Scale 1:62,500. 24 by $41\frac{1}{2}$ inches. 50¢.
- GP-637. Aeromagnetic map of the Hot Creek Range region, south-central Nevada. 1968. Lat $37^{\circ}45'$ to $39^{\circ}30'$, long $115^{\circ}45'$ to 117° . Scale 1:250,000. Magnetic-contour interval 20 gammas. 24 by 35 inches. 50¢.
- GP-638. Gravity map of the Trinidad quadrangle, Colo., by D. L. Peterson, Peter Popenoe, J. R. Gaca, and D. E. Karig. 1968. Lat 37° to 38° , long 104° to 106° . Scale 1:250,000. Contour interval 5 milligals. 22 by $33\frac{1}{2}$ inches. 50¢.
- GP-639. Aeromagnetic map of the McNair-Grand Portage area, north-eastern Minnesota. 1969. Lat $47^{\circ}15'$ to 48° , long $89^{\circ}45'$ to $91^{\circ}45'$. Scale 1:125,000. Magnetic-contour intervals 100 and 500 gammas. 34 by 57 inches. 50¢.
- GP-640. Aeromagnetic map of the Sharon quadrangle and parts of the Ellsworth and Bashbush Falls quadrangles, Connecticut and New York. 1969. Lat $41^{\circ}52'$ to $42^{\circ}30'$, long $73^{\circ}22'30''$ to $73^{\circ}30'$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-641. Aeromagnetic map of the South Canaan quadrangle and parts of the Cornwall and Ashley Falls quadrangles, Litchfield County, Conn. 1969. Lat about $41^{\circ}52'$ to 42° , long $73^{\circ}15'$ to $73^{\circ}22'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-642. Aeromagnetic map of the Norfolk quadrangle and parts of the West Torrington and South Sandisfield quadrangles, Litchfield County, Conn. 1969. Lat about $41^{\circ}51'50''$ to about $42^{\circ}40'$, long $73^{\circ}07'30''$ to $73^{\circ}15'$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.

- GP-643. Aeromagnetic map of the Winsted quadrangle and parts of the Torrington and Tolland Center quadrangles, Litchfield and Hartford Counties, Conn. 1969. Lat about $41^{\circ}52'$ to about $42^{\circ}30'$, long 73° to $73^{\circ}07'30''$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-644. Aeromagnetic map of the New Hartford quadrangle and parts of the Collinsville and West Granville quadrangles, Litchfield and Hartford Counties, Conn. 1969. Lat about $41^{\circ}51'50''$ to about $42^{\circ}40'$, long $72^{\circ}52'30''$ to 73° . Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-645. Aeromagnetic map of the Tariffville quadrangle and parts of the Avon and Southwick quadrangles, Connecticut and Massachusetts. 1969. Lat about $41^{\circ}51'50''$ to about $42^{\circ}40'$, long $72^{\circ}45'$ to $72^{\circ}52'30''$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-646. Aeromagnetic map of the Windsor Locks quadrangle and part of the Hartford North quadrangle, Hartford County, Conn. 1969. Lat about $41^{\circ}52'$ to 42° , long $72^{\circ}37'30''$ to $72^{\circ}45'$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. Sheet 22 by 34 inches. 50¢.
- GP-647. Aeromagnetic map of the Broad Brook quadrangle and part of the Manchester quadrangle, Hartford and Tolland Counties, Conn. 1969. Lat about $41^{\circ}52'$ to 42° , long $72^{\circ}30'$ to $72^{\circ}37'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-648. Aeromagnetic map of the Ellington quadrangle and part of the Rockville quadrangle, Hartford and Tolland Counties, Conn. 1969. Lat about $41^{\circ}51'50''$ to about $42^{\circ}40'$, long $72^{\circ}22'30''$ to $72^{\circ}30'$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by $33\frac{1}{2}$ inches. 50¢.
- GP-649. Aeromagnetic map of the Stafford Springs quadrangle and part of the South Coventry quadrangle, Tolland County, Conn. 1969. Lat about $41^{\circ}52'$ to 42° , long $72^{\circ}15'$ to $72^{\circ}22'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-650. Aeromagnetic map of the Westford quadrangle and part of the Spring Hill quadrangle, Tolland and Windham Counties, Conn. 1969. Lat about $41^{\circ}52'$ to 42° , long $72^{\circ}07'30''$ to $72^{\circ}15'$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-651. Aeromagnetic map of the Eastford quadrangle and part of the Hampton quadrangle, Tolland and Windham Counties, Conn. 1969. Lat about $41^{\circ}51'50''$ to about $42^{\circ}40'$, long 72° to $72^{\circ}07'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-652. Aeromagnetic map of the Putnam quadrangle and part of the Danielson quadrangle, Windham County, Conn. 1969. Lat about $41^{\circ}51'50''$ to about $42^{\circ}40'$, long $71^{\circ}52'30''$ to 72° . Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-653. Aeromagnetic map of the Thompson quadrangle and part of the East Killingly quadrangle, Connecticut and Rhode Island. 1969. Lat about $41^{\circ}52'$ to 42° , long $71^{\circ}45'$ to $71^{\circ}52'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-654. Aeromagnetic map of the First Connecticut Lake and vicinity, northern New Hampshire. 1969. Lat 45° to $45^{\circ}20'$, long $71^{\circ}05'$ to $71^{\circ}30'$. Scale 1:62,500. Magnetic-contour intervals 20 and 100 gammas. 27 by 29 inches. 50¢.

- GP-655. Aeromagnetic map of the Colebrook-Umbagog Lake area, New Hampshire and Vermont. 1969. Lat $44^{\circ}45'$ to 45° , long $71^{\circ}02'30''$ to $71^{\circ}36'$. Scale 1:62,500. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-656. Aeromagnetic map of Beach Hill and vicinity, New Hampshire and Vermont. 1969. Lat $44^{\circ}25'$ to $44^{\circ}45'$, long $71^{\circ}20'$ to $71^{\circ}35'$. Scale 1:62,500. Magnetic-contour intervals 20 and 100 gammas. 20 by 28 inches. 50¢.
- GP-657. Aeromagnetic strip map across the central Sierra Nevada, Calif. 1969. Lat 37° to $37^{\circ}15'$, long 118° to 121° . Scale 1:125,000. Magnetic-contour intervals 10 and 50 gammas. 35 by 38 inches. 50¢.
- GP-658. Natural gamma aeroradioactivity map of the Minneapolis-Saint Paul area, Minnesota-Wisconsin, by S. K. Neuschel. 1969. Lat about $44^{\circ}32'30''$ to 46° , long $92^{\circ}30'$ to $94^{\circ}50'$. Scale 1:250,000. 31 by $4\frac{1}{2}$ inches. 50¢.
- GP-659. Aeromagnetic map of the Williamsburg quadrangle and part of the Shelburne Falls quadrangle, Franklin and Hampshire Counties, Mass. 1969. Lat $42^{\circ}22'30''$ to $42^{\circ}30'$, long $72^{\circ}37'30''$ to $72^{\circ}45'$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-660. Aeromagnetic map of the Mt. Toby quadrangle and part of the Greenfield quadrangle, Franklin and Hampshire Counties, Mass. 1969. Lat $42^{\circ}22'30''$ to $42^{\circ}30'$, long $72^{\circ}30'$ to $72^{\circ}37'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-661. Aeromagnetic map of the Easthampton quadrangle, Hampshire and Hampden Counties, Mass. 1969. Lat $42^{\circ}15'$ to $42^{\circ}22'30''$, long $72^{\circ}37'30''$ to $72^{\circ}45'$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-662. Aeromagnetic map of the Mt. Holyoke quadrangle, Hampshire and Hampden Counties, Mass. 1969. Lat $42^{\circ}15'$ to $42^{\circ}22'30''$, long $72^{\circ}30'$ to $72^{\circ}37'30''$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-663. Aeromagnetic map of the Belchertown quadrangle, Hampshire County, Mass. 1969. Lat $42^{\circ}15'$ to $42^{\circ}22'30''$, long $72^{\circ}22'30''$ to $72^{\circ}30'$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-664. Aeromagnetic map of the Winsor Dam quadrangle, Hampshire, Worcester, and Franklin Counties, Mass. 1969. Lat $42^{\circ}15'$ to $42^{\circ}22'30''$, long $72^{\circ}15'$ to $72^{\circ}22'30''$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-665. Aeromagnetic map of the Ware quadrangle, Worcester and Hampshire Counties, Mass. 1969. Lat $42^{\circ}15'$ to $42^{\circ}22'30''$, long $72^{\circ}07'30''$ to $72^{\circ}15'$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-666. Aeromagnetic map of the North Brookfield quadrangle, Worcester County, Mass. 1969. Lat $42^{\circ}15'$ to $42^{\circ}22'30''$, long 72° to $72^{\circ}07'30''$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-667. Aeromagnetic map of the Paxton quadrangle, Worcester County, Mass. 1969. Lat $42^{\circ}15'$ to $42^{\circ}22'30''$, long $71^{\circ}52'30''$ to 72° . Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-668. Aeromagnetic map of the Worcester North quadrangle, Worcester

- County, Mass. 1969. Lat $42^{\circ}15'$ to $42^{\circ}22'30''$, long $71^{\circ}45'$ to $71^{\circ}52'30''$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by $33\frac{1}{2}$ inches. 50¢.
- GP-669. Aeromagnetic map of the Harrisburg-Scranton area, northeastern Pennsylvania. 1969. Lat 40° to $41^{\circ}52'30''$, long $75^{\circ}22'30''$ to 77° . Scale 1:250,000. Magnetic-contour intervals 20 and 100 gammas. $24\frac{1}{2}$ by $35\frac{1}{2}$ inches. 50¢.
- GP-670. Aeromagnetic map of the Custer-Rapid City area, southwestern South Dakota. 1969. Lat $43^{\circ}37'30''$ to $44^{\circ}10'$, long $103^{\circ}15'$ to $103^{\circ}52'30''$. Scale 1:62,500. Magnetic-contour interval 20 gammas. 38 by 43 inches. 50¢.
- GP-671. Aeromagnetic map of the northern Mother Lode area, California. 1969. Lat $38^{\circ}10'$ to $38^{\circ}45'$, long $120^{\circ}30'$ to 121° . Scale 1:62,500. Magnetic-contour intervals 50 and 250 gammas. 34 by 45 inches. 50¢.
- GP-672. Aeromagnetic map of the Shrewsbury quadrangle, Worcester County, Mass. 1969. Lat $42^{\circ}15'$ to $42^{\circ}22'30''$, long $71^{\circ}37'30''$ to $71^{\circ}45'$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-673. Aeromagnetic map of the Marlboro quadrangle, Middlesex and Worcester Counties, Mass. 1969. Lat $42^{\circ}15'$ to $42^{\circ}22'30''$, long $71^{\circ}30'$ to $71^{\circ}37'30''$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-674. Aeromagnetic map of the Framingham quadrangle, Middlesex and Worcester Counties, Mass. 1969. Lat $42^{\circ}15'$ to $42^{\circ}22'30''$, long $71^{\circ}22'30''$ to $71^{\circ}30'$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-675. Aeromagnetic map of the Natick quadrangle, Middlesex and Norfolk Counties, Mass. 1969. Lat $42^{\circ}15'$ to $42^{\circ}22'30''$, long $71^{\circ}15'$ to $71^{\circ}22'30''$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-676. Aeromagnetic map of the Newton quadrangle, Middlesex, Norfolk, and Suffolk Counties, Mass. 1969. Lat $42^{\circ}15'$ to $42^{\circ}22'30''$, long $71^{\circ}07'30''$ to $71^{\circ}15'$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-677. Aeromagnetic map of the Boston South quadrangle, Middlesex, Norfolk, and Suffolk Counties, Mass. 1969. Lat $42^{\circ}15'$ to $42^{\circ}22'30''$, long 71° to $71^{\circ}07'30''$. Scale 1:24,000. Magnetic-contour intervals 20, 100, and 500 gammas. 22 by 34 inches. 50¢.
- GP-678. Aeromagnetic map of the Hull quadrangle, Suffolk, Norfolk, and Plymouth Counties, Mass. 1969. Lat $42^{\circ}15'$ to $42^{\circ}22'30''$, long $70^{\circ}52'30''$ to 71° . Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-679. Aeromagnetic map of the Nantasket quadrangle, Suffolk, Norfolk, and Plymouth Counties, Mass. 1969. Lat $42^{\circ}15'$ to $42^{\circ}22'30''$, long $70^{\circ}45'$ to $70^{\circ}52'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-680. Aeromagnetic map of parts of the Kramer and Boron quadrangles, southeastern California. 1970. Lat $34^{\circ}47'30''$ to $35^{\circ}07'30''$, long $117^{\circ}30'$ to $117^{\circ}45'$. Scale 1:62,500. Magnetic-contour intervals 10 and 50 gammas. 22 by 28 inches. 50¢.
- GP-681. Aeroradioactivity map of the Chicago area, Illinois and Indiana, by

- G. M. Flint, Jr., and J. A. Pitkin. 1970. Lat $40^{\circ}45'$ to $42^{\circ}30'$, long 87° to $89^{\circ}15'$. Scale 1:250,000. 33 by 37 inches. 50¢.
- GP-682. Aeromagnetic map of the Libby and Mt. Pend Oreille quadrangles, Lincoln and Sanders Counties, Mont., and Bonner County, Idaho. 1969. Lat 48° to $48^{\circ}30'$, long $115^{\circ}30'$ to 116° . Scale 1:62,500. Magnetic-contour intervals 20 and 100 gammas. $37\frac{1}{2}$ by 39 inches. 50¢.
- GP-683. Aeromagnetic map of the Thompson Lakes quadrangle, Lincoln, Sanders, and Flathead Counties, Mont. 1969. Lat 48° to $48^{\circ}30'$, long 115° to $115^{\circ}30'$. Scale 1:62,500. Magnetic-contour intervals 20 and 100 gammas. 31 by 40 inches. 50¢.
- GP-684. Aeromagnetic map of the McGregor Lake-Tally Lake area, Flathead and Lincoln Counties, Mont. 1969. Lat 48° to $48^{\circ}30'$, long $114^{\circ}30'$ to 115° . Scale 1:62,500. Magnetic-contour interval 20 gammas. 31 by 40 inches. 50¢.
- GP-685. Aeromagnetic map of the Trout Creek quadrangle, Sanders and Lincoln Counties, Mont., and Shoshone County, Idaho. 1969. Lat $47^{\circ}30'$ to 48° , long $115^{\circ}30'$ to 116° . Scale 1:62,500. Magnetic-contour interval 20 gammas. 31 by 40 inches. 50¢.
- GP-686. Aeromagnetic map of the Thompson Falls quadrangle, Lincoln and Sanders Counties, Mont. 1969. Lat $47^{\circ}30'$ to 48° , long 115° to $115^{\circ}30'$. Scale 1:62,500. Magnetic-contour interval 20 gammas. 31 by 40 inches. 50¢.
- GP-687. Aeromagnetic map of the Hubbard Reservoir-Hot Springs area, Sanders, Flathead, and Lake Counties, Mont. 1969. Lat $47^{\circ}30'$ to 48° , long about $114^{\circ}26'$ to 115° . Scale 1:62,500. Magnetic-contour interval 20 gammas. 31 by 40 inches. 50¢.
- GP-688. Aeromagnetic map of the Kingston, Kellogg, and part of the Fernwood quadrangles, Shoshone, Benewah, and Kootenai Counties, Idaho. 1969. Lat $47^{\circ}07'30''$ to $47^{\circ}45'$, long 116° to $116^{\circ}30'$. Scale 1:62,500. Magnetic-contour interval 20 gammas. 30 by $48\frac{1}{2}$ inches. 50¢.
- GP-689. Aeromagnetic map of part of the Avery quadrangle, Shoshone County, Idaho, and Mineral and Sanders Counties, Mont. 1969. Lat $47^{\circ}07'30''$ to $47^{\circ}30'$, long $115^{\circ}30'$ to 116° . Scale 1:62,500. Magnetic-contour interval 20 gammas. 31 by 32 inches. 50¢.
- GP-690. Aeromagnetic map of the Haugan and St. Regis quadrangles and parts of the Simmons Peak and Illinois Peak quadrangles, Shoshone County, Idaho, and Mineral and Sanders Counties, Mont. 1969. Lat 47° to $47^{\circ}30'$, long 115° to $115^{\circ}30'$. Scale 1:62,500. Magnetic-contour interval 20 gammas. 31 by 40 inches. 50¢.
- GP-691. Aeromagnetic map of the Plains, Perma, Superior, and Tarkio quadrangles, Sanders, Mineral, and Missoula Counties, Mont. 1969. Lat 47° to $47^{\circ}30'$, long $114^{\circ}30'$ to 115° . Scale 1:62,500. Magnetic-contour interval 20 gammas. 31 by 40 inches. 50¢.
- GP-692. Aeromagnetic map of a part of western Minnesota. 1970. Lat $44^{\circ}30'$ to $45^{\circ}50'$, long $94^{\circ}30'$ to 97° . Scale 1:250,000. Magnetic-contour intervals 50, 250, and 1,000 gammas. 39 by 34 inches. 50¢.
- GP-693. Gravity map of Amchitka and nearby islands, Alaska, by C. H. Miller and G. D. Bath. 1969. Lat $51^{\circ}15'$ to $52^{\circ}15'$, long 178° to 180° . Scale 1:250,000. Gravimetric-contour interval 5 milligals. 23 by $27\frac{1}{2}$ inches. 50¢.
- GP-694. Aeromagnetic and generalized geologic map of the Austin area,

- Lander County, Nev., by W. E. Davis and J. H. Stewart. 1970. Lat $39^{\circ}15'$ to $39^{\circ}45'$, long $116^{\circ}45'$ to $117^{\circ}15'$. Scale 1:125,000. Magnetic-contour interval 20 gammas. 20 by 23 inches. Accompanied by 3-page text. 50¢.
- GP-695. Aeromagnetic map of Antelope Valley and part of the Garlock fault zone, south-central California. 1970. Lat $34^{\circ}30'$ to $35^{\circ}45'$, long 116° to $118^{\circ}45'$. Scale 1:250,000. Magnetic-contour intervals 10, 20, 50, 100, and 250 gammas. 26 by 42 inches. 50¢.
- GP-696. Natural gamma aeroradioactivity map of the Fort Worth-Dallas area, Texas, by J. A. Pitkin. 1970. Lat $32^{\circ}15'$ to $33^{\circ}15'$, long $96^{\circ}45'$ to $98^{\circ}15'$. Scale 1:250,000. 26 by 42 inches. 50¢.
- GP-697. Aeromagnetic map of the Shutesbury quadrangle and part of the Millers Falls quadrangle, Franklin and Hampshire Counties, Mass. 1970. Lat $42^{\circ}22'30''$ to $42^{\circ}30'$, long $72^{\circ}22'30''$ to $72^{\circ}30'$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-698. Aeromagnetic map of the Quabbin Reservoir quadrangle, Franklin, Worcester, and Hampshire Counties, Mass. 1970. Lat $42^{\circ}22'30''$ to $42^{\circ}30'$, long $72^{\circ}15'$ to $72^{\circ}22'30''$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-699. Aeromagnetic map of the Petersham quadrangle, Worcester County, Mass. 1970. Lat $42^{\circ}22'30''$ to $42^{\circ}30'$, long $72^{\circ}07'30''$ to $72^{\circ}15'$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-700. Aeromagnetic map of the Barre quadrangle, Worcester County, Mass. 1970. Lat $42^{\circ}22'30''$ to $42^{\circ}30'$, long 72° to $72^{\circ}07'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-701. Aeromagnetic map of the Wachusett Mountain quadrangle, Worcester County, Mass. 1970. Lat $42^{\circ}22'30''$ to $42^{\circ}30'$, long $71^{\circ}52'30''$ to 72° . Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-702. Aeromagnetic map of the Sterling quadrangle, Worcester County, Mass. 1970. Lat $42^{\circ}22'30''$ to $42^{\circ}30'$, long $71^{\circ}45'$ to $71^{\circ}52'30''$. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-703. Aeromagnetic map of the Clinton quadrangle, Worcester County, Mass. 1970. Lat $42^{\circ}22'30''$ to $42^{\circ}30'$, long $71^{\circ}37'30''$ to $71^{\circ}45'$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-704. Aeromagnetic map of the Hudson quadrangle, Worcester and Middlesex Counties, Mass. 1970. Lat $42^{\circ}22'30''$ to $42^{\circ}30'$, long $71^{\circ}30'$ to $71^{\circ}37'30''$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-705. Aeromagnetic map of the Maynard quadrangle, Middlesex County, Mass. 1970. Lat $42^{\circ}22'30''$ to $42^{\circ}30'$, long $71^{\circ}22'30''$ to $71^{\circ}30'$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-706. Aeromagnetic map of the Concord quadrangle, Middlesex County, Mass. 1970. Lat $42^{\circ}22'30''$ to $42^{\circ}30'$, long $71^{\circ}15'$ to $71^{\circ}22'30''$. Scale 1:24,000. Magnetic-contour intervals 20, 100, and 200 gammas. 22 by 34 inches. 50¢.
- GP-707. Aeromagnetic map of the Lexington quadrangle, Middlesex County, Mass. 1970. Lat $42^{\circ}22'30''$ to $42^{\circ}30'$, long $71^{\circ}07'30''$ to $71^{\circ}15'$. Scale

- 1:24,000. Magnetic-contour intervals 20, 100, and 200 gammas. 22 by 34 inches. 50¢.
- GP-708. Aeromagnetic map of the Boston North quadrangle, Middlesex, Suffolk, and Essex Counties, Mass. 1970. Lat 42°22'30" to 42°30', long 71° to 71°07'30". Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-709. Aeromagnetic map of the Lynn quadrangle, Essex and Suffolk Counties, Mass. 1970. Lat 42°22'30" to 42°30', long 70°52'30" to 71°. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 21 by 53 inches. 50¢.
- GP-710. Aeromagnetic map of part of the Marblehead South quadrangle, Essex and Suffolk Counties, Mass. 1970. Lat 42°22'30" to 42°30', long 70°45' to 70°52'30". Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-711. Aeromagnetic map of the Menominee-Northland area, Dickinson, Marquette, and Menominee Counties, Mich., and Marinette County, Wis. 1970. Sheet 1, lat 45°45' to 46°16', long 87°15' to 87°45'; magnetic-contour intervals 100, 500, 1,000, 2,000, 2,500, 3,500, and 5,000 gammas; 27 by 40 inches. Sheet 2, lat 45°05' to 45°45', long 87°15' to 87°50'; magnetic-contour intervals 50, 100, and 500 gammas; 32 by 51 inches. Scale 1:62,500. \$1 per set.
- GP-712. Aeromagnetic map of part of the Salem Depot quadrangle, Rockingham County, N.H., and Essex County, Mass. 1970. Lat 42°45' to 42°52'30", long 71°07'30" to 71°15'. Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-713. Aeromagnetic map of part of the Haverhill quadrangle, Essex County, Mass., and Rockingham County, N.H. 1970. Lat 42°45' to 42°52'30", long 71° to 71°07'30". Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-714. Aeromagnetic map of part of the Newburyport West quadrangle, Essex County, Mass., and Rockingham County, N.H. 1970. Lat 42°45' to 42°52'30", long 70°52'30" to 71°. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-715. Aeromagnetic map of part of the Newburyport East quadrangle, Essex County, Mass., and Rockingham County, N.H. 1970. Lat 42°45' to 42°52'30", long 70°45' to 70°52'30". Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-716. Aeromagnetic map of the Lawrence quadrangle, Essex and Middlesex Counties, Mass., and Rockingham and Hillsborough Counties, N.H. 1970. Lat 42°37'30" to 42°45', long 71°07'30" to 71°15'. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-717. Aeromagnetic map of the South Groveland quadrangle, Essex County, Mass. 1970. Lat 42°37'30" to 42°45', long 71° to 71°07'30". Scale 1:24,000. Magnetic-contour interval 20 gammas. 22 by 34 inches. 50¢.
- GP-718. Aeromagnetic map of the Georgetown quadrangle, Essex County, Mass. 1970. Lat 42°37'30" to 42°45', long 70°52'30" to 71°. Scale 1:24,000. Magnetic-contour intervals 20, 100, and 200 gammas. 22 by 34 inches. 50¢.
- GP-719. Aeromagnetic map of part of the Ipswich quadrangle, Essex County,

- Mass. 1970. Lat $42^{\circ}37'30''$ to $42^{\circ}45'$, long $70^{\circ}45'$ to $70^{\circ}52'30''$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-720. Aeromagnetic map of the Wilmington quadrangle, Middlesex and Essex Counties, Mass. 1970. Lat $42^{\circ}30'$ to $42^{\circ}37'30''$, long $71^{\circ}07'30''$ to $71^{\circ}15'$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-721. Aeromagnetic map of the Reading quadrangle, Middlesex and Essex Counties, Mass. 1970. Lat $42^{\circ}30'$ to $42^{\circ}37'30''$, long 71° to $71^{\circ}07'30''$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-722. Aeromagnetic map of the Salem quadrangle, Essex County, Mass. 1970. Lat $42^{\circ}30'$ to $42^{\circ}37'30''$, long $70^{\circ}52'30''$ to 71° . Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-723. Aeromagnetic map of part of the Marblehead North quadrangle, Essex County, Mass. 1970. Lat $42^{\circ}30'$ to $42^{\circ}37'30''$, long $70^{\circ}45'$ to $70^{\circ}52'30''$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. 22 by 34 inches. 50¢.
- GP-724. Aeromagnetic map of parts of the Gloucester and Rockport quadrangles, Essex County, Mass. 1970. Lat $42^{\circ}33'45''$ to $42^{\circ}42'30''$, long about $70^{\circ}35'$ to $70^{\circ}45'$. Scale 1:24,000. Magnetic-contour intervals 20 and 100 gammas. $27\frac{1}{2}$ by 38 inches. 50¢.
- GP-725. Aeromagnetic map of Minnesota, by Isidore Zietz and J. R. Kirby. 1970. Lat 90° to 97° , long 44° to 49° . Scale 1:1,000,000. 25 by 31 inches. 75¢.

MISCELLANEOUS GEOLOGIC INVESTIGATIONS MAPS

[The following miscellaneous geologic investigations maps, which are listed in "Publications of the Geological Survey, 1879-1961" as being in print, are now out of print: 256, 296, 315, 323, and 351. See also Geologic Atlas of the Moon, p. 307]

- I-200 A. Geologic map of the Wadi As Sirhan quadrangle, Kingdom of Saudi Arabia, by R. A. Bramkamp, G. F. Brown, D. A. Holm, and N. M. Layne, Jr. 1963 [1964]. Lat 28° to 32° N., long 34°30' to 39° E. Scale 1:500,000. 44 by 56 inches. \$1.
- *I-200 B. Geographic map of the Wadi As Sirhan quadrangle, Kingdom of Saudi Arabia, by R. A. Bramkamp, G. F. Brown, D. A. Holm, and N. M. Layne, Jr. 1962. Lat 28° to 32°, long 34°30' to 39° E. Scale 1:500,000. 40½ by 43 inches.
- I-201 A. Geologic map of the Jawf-Sakakah quadrangle, Kingdom of Saudi Arabia, by R. A. Bramkamp, L. F. Ramirez, Max Steineke, and W. H. Reiss. 1963. Lat 28° to 42° N., long 39° E. to 42° E. Scale 1:500,000. 41 by 43 inches. \$1.
- I-202 A. Geologic map of the Darb Zubaydah quadrangle, Kingdom of Saudi Arabia, by R. A. Bramkamp and L. F. Ramirez. 1963. Lat 28° to 32° N., long 42° to 45° E. Scale 1:500,000. 41 by 41 inches. \$1.
- I-204 A. Geologic map of the northwestern Hijaz quadrangle, Kingdom of Saudi Arabia, by G. F. Brown, R. O. Jackson, R. G. Bogue and E. L. Elberg, Jr. 1963. Lat 24° to 28° N., long 35° to 39° E. Scale 1:500,000. 40½ by 51 inches. \$1.
- I-205 A. Geologic map of the northeastern Hijaz quadrangle, Kingdom of Saudi Arabia, by G. F. Brown, Newton Layne, G. H. Goudarzi, and W. H. MacLean. 1963. Lat about 24° to 28° N., long about 42° to 39° E. Scale 1:500,000. 41 by 44 inches. \$1.
- I-206 A. Geologic map of the Wadi Ar Rimah quadrangle, Kingdom of Saudi Arabia, by R. A. Bramkamp, L. F. Ramirez, G. F. Brown, and A. E. Pocock. 1963. Lat 24° to 28° N., long 42° to 45° E. Scale 1:500,000. 41 by 44 inches. \$1.
- I-210 A. Geologic map of the southern Hijaz quadrangle, Kingdom of Saudi Arabia, by G. F. Brown, R. O. Jackson, R. G. Bogue, and W. H. MacLean. 1963. Lat 20° to 24° N., long 38° E. to 42° E. Scale 1:500,000. 47 by 50 inches. \$1.
- I-211 A. Geologic map of the southern Najd quadrangle, Kingdom of Saudi Arabia, by R. O. Jackson, R. G. Bogue, G. F. Brown, and R. D. Gierhart. 1963. Lat 20° to 24° N., long 45° to 42° E. Scale 1:500,000. 41 by 45 inches. \$1.
- I-211 B. Geographic map of the southern Najd quadrangle, Kingdom of Saudi Arabia, by R. O. Jackson, R. G. Bogue, G. F. Brown, and R. D. Gierhart. 1962. Lat 20° to 24°, long 42° to 45° E. Scale 1:500,000. 34½ by 41 inches. \$1.
- I-215 A. Geologic map of the eastern Rub Al Khali quadrangle, Kingdom of Saudi Arabia, by E. L. Elberg, Jr., R. D. Gierhart, and L. F. Ramirez.

1963. Lat 20° to 24° N., long 54° to 57° E. Scale 1:500,000. 40 by 41 inches. \$1.
- I-215 B. Geographic map of the eastern Rub Al Khali quadrangle, Kingdom of Saudi Arabia, by E. L. Elberg, R. D. Gierhart, and L. F. Ramirez. 1962. Lat 20° to 24° N., long 54° to 57° E. Scale, 1:500,000. 33 by 40 inches. \$1.
- I-216 B. Geographic map of the Tihamat Ash Sham quadrangle, Kingdom of Saudi Arabia, by G. F. Brown and R. O. Jackson. 1958. Lat 16° to 20° N., long 39° to 42° E. Scale 1:500,000. 34 by 40 inches. \$1. (Revised 1968.)
- I-217 B. Geographic map of the Asir quadrangle, Kingdom of Saudi Arabia, by G. F. Brown and R. O. Jackson. 1958. Lat 16° to 20° N., long 42° to 45° E. Scale 1:500,000. 34 by 40 inches. \$1. (Revised 1968.)
- I-218 A. Geologic map of the western Rub Al Khali quadrangle, Kingdom of Saudi Arabia, by R. A. Bramkamp, R. D. Gierhart, L. D. Owens, and L. F. Ramirez. 1963 [1964]. Lat 16° to 20° N., long 45° to 48° E. Scale 1:500,000. 41 by 44 inches. \$1.
- I-218 B. Geographic map of the western Rub Al Khali quadrangle, Kingdom of Saudi Arabia, by R. A. Bramkamp, R. D. Gierhart, L. D. Owens, and L. F. Ramirez. 1962. Lat 16° to 20° N., long 45° to 48° E. Scale 1:500,000. 34½ by 41 inches. \$1.
- I-219 A. Geologic map of the south central Rub Al Khali quadrangle, Kingdom of Saudi Arabia, by L. F. Ramirez, E. L. Elberg, Jr., and H. H. Helley. 1963. Lat 16° to 20° N., long 48° to 51° E. Scale 1:500,000. 40½ by 43 inches. \$1.
- I-219 B. Geographic map of the south central Rub Al Khali quadrangle, Kingdom of Saudi Arabia, by L. F. Ramirez, E. L. Elberg, and H. H. Helley. 1962. Lat 16° to 20°, long 48° to 51° E. 34 by 41 inches. \$1.
- I-220 A. Geologic map of the southeastern Rub Al Khali quadrangle, Kingdom of Saudi Arabia, by L. F. Ramirez, E. L. Elberg, Jr., and H. H. Helley. 1963. Lat 16° to 20° N., long 51° to 54° E. Scale 1:500,000. 41 by 48 inches. \$1.
- I-220 B. Geographic map of the southeastern Rub Al Khali quadrangle, Kingdom of Saudi Arabia, by L. F. Ramirez, E. L. Elberg, and H. H. Helley. 1962. Lat 16° to 20° N., long 51° to 54° E. Scale 1:500,000. 35 by 41 inches. \$1.
- I-270 A. Geologic map of the Arabian Peninsula, compiled by the U.S. Geological Survey and the Arabian American Oil Company under the joint sponsorship of the Kingdom of Saudi Arabia, Ministry of Petroleum and Mineral Resources, and the U. S. State Department. 1963. Lat about 12° to 32½° N., long about 34° to 60° E. Scale 1:2,000,000. 50 by 72 inches. \$2.50.
- I-270 B-2. Map of the Arabian Peninsula, compiled by the U.S. Geological Survey and the Arabian American Oil Company under the joint sponsorship of the Kingdom of Saudi Arabia, Ministry of Petroleum and Mineral Resources. 1963. Lat about 12° to 32½° N., long about 34° to 60° E. Scale 1:2,000,000. 50 by 72 inches. \$1.50. (This map replaces I-270 B-1, published in 1958.)
- I-316. Glacial map of Ohio, by R. P. Goldthwait, G. W. White, and J. L. Forsyth. 1961. Scale 1:500,000. 36½ by 39 inches. 75¢. (Revised in part 1967.)
- *I-331. Preliminary glacial map of North Dakota, by R. B. Colton, R. W. Lemke, and R. M. Lindvall. 1963. Lat about 46° to 49°, long about 97° to 104°. Scale 1:500,000. 37 by 58 inches.

- I-334. Geology of the Manati quadrangle, Puerto Rico, by W. H. Monroe. 1962. Lat 18°20'30" to 18°30', long 66°22'30" to 66°30'. Scale 1:20,000. Contour intervals 1, 10, and 25 meters. 41 by 47½ inches. 75¢.
- I-336. Preliminary report of the geology of the Barranquitas quadrangle, Puerto Rico, by R. P. Briggs and P. A. Gelabert. 1962. Lat 18°07'30" to 18°15', long 66°15' to 66°22'30". Scale 1:20,000. Contour interval 10 meters. Map, 40 by 49 inches; text sheet, 25 by 35½ inches. \$1.50.
- I-338. Geology of the Boxelder quadrangle, Montana, by R. M. Lindvall. 1961 [1962]. Lat 48°15' to 48°30', long 110° to 110°15'. Scale 1:62,500. 24½ by 38 inches. 75¢.
- I-341. Reconnaissance traverse across the Eastern Chugach Mountains, Alaska, by E. E. Brabb and D. J. Miller. 1962. Lat 60°24'42" to 61°15'50", long 142°26' to 142°37'35". Scale 1:96,000. 35½ by 42 inches. 50¢.
- I-345. Geology, structure, and uranium deposits of the Shiprock quadrangle, New Mexico and Arizona, compiled by R. B. O'Sullivan and H. M. Beikman. 1963. Lat 36° to 37°, long 108° to 110°. Scale 1:250,000. Contour interval 200 feet. Sheet 1, 29 by 48 inches; sheet 2, 23 by 34 inches. \$2 per set.
- I-347. Preliminary geologic map of the Bayamon quadrangle, Puerto Rico, by W. H. Monroe and M. H. Pease, Jr. 1962. Lat 18°22'30" to 18°30', long 66°07'30" to 66°15'. Scale 1:20,000. Contour interval 5 meters. 32 by 38 inches. 50¢.
- I-348. Geology of the Albany West quadrangle, Georgia, by R. L. Wait. 1962. Lat 31°30' to 31°37'30", long 84°07'30" to 84°15'. Scale 1:24,000. Contour interval 5 feet. 36½ by 42 inches. 75¢.
- I-349. Geology of the Eagle Buttes quadrangle, Chouteau County, Montana, by R. M. Lindvall. 1962. Lat 47°45' to 48°, long 110° to 110°15'. Scale 1:62,500. 24½ by 42 inches. 50¢.
- I-350 A. Geologic map of Kingdom of Libya, compiled by L. C. Conant and G. H. Goudarzi. 1964. Lat 19°30' to 33° N., long about 19°20' to about 25° E. Scale 1:2,000,000. 41 by 50 inches. \$1.50. (See also Professional Paper 660.)
- I-350 B. Topographic map of United Kingdom of Libya. 1962. Scale 1:2,000,000. 36 by 52 inches. \$1.
- I-352. Geology of the Leupp quadrangle, Arizona, by J. H. Irwin, J. P. Akers, and M. E. Cooley. 1962. Lat 35°15' to 35°30', long 110°45' to 111°. Scale 1:62,500. Contour interval 40 feet. 26 by 36½ inches. 50¢.
- I-353. Geology of the Eskay quadrangle, Chouteau and Blaine Counties, Mont., by R. M. Lindvall. 1962. Lat 47°45' to 48°, long 109°30' to 109°45'. 1:62,500. 32½ by 37 inches. 50¢.
- I-354. Preliminary geologic map of Seattle and vicinity, Washington, by H. H. Waldron, B. A. Liesch, D. R. Mullineaux, and D. R. Crandell. 1962. Lat 47°25' to 47°45', long 122°10' to 122°27'30". Scale 1:31,680. Contour interval 25 feet. 41 by 52 inches. 50¢.
- I-355. Geologic map and sections of the Kepler region of the moon, by R. J. Hackman. 1962. Lat 0° to 16°, long 30° to 50°. Mercator projection, scale 1:1,000,000 at 11°00'45". 32 by 42 inches. \$1.
- I-356. Preliminary geologic map of the Valdez-Tiekel Belt, Alaska, by H. W. Coulter and E. B. Coulter. 1962. Scale 1:96,000. Contour interval 100 feet. 28 by 28 inches. 50¢.
- I-357. Surficial geology of Alaska, compiled by T. N. V. Karlstrom and others.

1964. Lat about 55° to 71°, long about 130° to 176°. Scale 1:1,584,000. Two sheets, each 38 by 54½ inches. \$2.50 per set.
- I-358. Preliminary geologic map of the northeastern part of New Mexico, by G. O. Bachman and C. H. Dane. 1962. Lat 34° to 37°, long 103° to 106°. Scale 1:380,160. 40 by 50 inches. \$1.25.
- I-359. Geologic map of lower Matanuska Valley, Alaska, by F. F. Barnes. 1962. Scale 1:63,360. Contour interval 100 feet. 34 by 48 inches. 50¢
- I-360. Geology, structure, and uranium deposits of the Moab quadrangle, Colorado and Utah, compiled by P. L. Williams. 1964. Lat 38° to 39°, long 108° to 110°. Scale 1:250,000. Sheet 1, geology; 32 by 57¼ inches. Sheet 2, structure and uranium deposits; structure-contour interval 250 feet; 24 by 37 inches. \$1.75 per set.
- I-361. Geologic map of the south half of the Baylor, Larslan West Fork, Police Creek, Kahle, and Lundville quadrangles, Valley, Roosevelt, and Daniels Counties, Mont., by R. B. Colton. 1964. Lat about 48°30' to 48°38'07", long 105° to 106°30'. Scale 1:62,500. 25 by 56 inches. \$1.
- I-362. Geologic map of the Brockton quadrangle, Roosevelt and Richland Counties, Mont., by R. B. Colton. 1963. Lat 48° to 48°15', long 104°45' to 105°. Scale 1:62,500. Contour interval 20 feet. 25 by 34 inches. \$1.
- I-363. Geologic map of the Chelsea quadrangle, Roosevelt and McCone Counties, Mont., by R. B. Colton. 1963. Lat 48° to 48°15', long 105°15' to 105°30'. Scale 1:62,500. Contour interval 20 feet. 29 by 33 inches. \$1.
- I-364. Geologic map of the Cuskers quadrangle, Roosevelt County, Mont., by R. B. Colton. 1963. Lat 48°15' to 48°30', long 105°15' to 105°30'. Scale 1:62,500. Contour interval 20 feet. 24 by 34 inches. \$1.
- I-365. Geologic map of the Hay Creek quadrangle, Roosevelt County, Mont., by R. B. Colton. 1963. Lat 48°15' to 48°30', long 105° to 105°15'. Scale 1:62,500. Contour interval 20 feet. 24 by 33 inches. \$1.
- I-366. Geologic map of the Oswego quadrangle, Valley, Roosevelt, and McCone Counties, Mont., by R. B. Colton. 1963. Lat 48° to 48°15', long 105°45' to 106°. Scale 1:62,500. Contour interval 20 feet. 25 by 33 inches. \$1.
- I-367. Geologic map of the Poplar quadrangle, Roosevelt, Richland, and McCone Counties, Mont., by R. B. Colton. 1963. Lat 48° to 48°15', long 105° to 105°15'. Scale 1:62,500. Contour interval 20 feet. 27 by 33 inches. \$1.
- I-368. Geologic map of the Porcupine Valley quadrangle, Valley County, Mont., by R. B. Colton. 1963. Lat 48°15' to 48°30', long 106°15' to 106°30'. Scale 1:62,500. Contour interval 20 feet, 24 by 34 inches. \$1.
- I-369. Geologic map of the Spring Creek quadrangle, Valley County, Mont., by R. B. Colton. 1963. Lat 48°15' to 48°30', long 106° to 106°15'. Scale 1:62,500. Contour interval 20 feet. 24 by 33 inches. \$1.
- I-370. Geologic map of the Todd Lakes quadrangle, Valley and Roosevelt Counties, Mont., by R. B. Colton. 1963. Lat 48°15' to 48°30', long 105°45' to 106°. Scale 1:62,500. Contour interval 20 feet. 24 by 33 inches. \$1.
- I-371. Geologic map of the Tule Valley quadrangle, Roosevelt County, Mont., by R. B. Colton. 1963. Lat 48°15' to 48°30', long 105°30' to 105°45'. Scale 1:62,500. Contour interval 20 feet. 24 by 33 inches. \$1.
- I-372. Geologic map of the Storm Hill quadrangle, Crook County, Wyo., by G. A. Izett. 1963. Lat 44°37'30" to 44°45', long 104°37'30" to 104°45'. Scale 1:24,000. Contour interval 20 feet. 29 by 42 inches. 75¢.
- I-373. Reconnaissance geologic map of west-central Snake River Plain, Idaho, by H. E. Malde, H. A. Powers, and C. H. Marshall. 1963. Lat about 42°20'

- to 43°22', long 114°15' to 116°. Scale 1:125,000. Contour interval 200 feet. 12 by 20 inches. 75¢.
- I-374. Geology of the Bear Peak NE quadrangle, Dona Ana County, N. Mex., by G. O. Bachman and D. A. Myers. 1963. Lat 32°37'30" to 32°45', long 106°30' to 106°37'30". Scale 1:31,680. Contour interval 25 feet. 30 by 50 inches. 50¢.
- I-375. Geologic map and section of the Chandalar quadrangle, Alaska, by W. P. Brosgé and H. N. Reiser. 1964. Lat 67° to 68°, long 147° to 150°. Scale 1:250,000. 32 by 41 inches. \$1.
- I-376. Geologic map and sections of the Gandy NE quadrangle, Confusion Range, Millard County, Utah, by R. K. Hose and J. I. Ziony. 1963 [1964]. Lat 39°22'30" to 39°30', long 113°45' to 113°52'30". Scale 1:24,000. 33 by 45 inches. \$1.
- I-377. Geologic map and section of the Cowboy Pass NE quadrangle, Confusion Range, Millard County, Utah, by R. K. Hose. 1963. Lat 39°22'30" to 39°30', long 113°30' to 113°37'30". Scale 1:24,000. 31 by 32 inches. 75¢.
- I-378. Geologic map and sections of the Cowboy Pass NW quadrangle, Confusion Range, Millard County, Utah, by R. K. Hose and C. A. Repenning. 1963. Lat 39°22'30" to 39°30', long 113°37'30" to 113°45'. Scale 1:24,000. Contour interval 40 feet. 32 by 42 inches. 75¢.
- I-379. Preliminary geologic map and sections of the Hogan 4 Southeast quadrangle, Lewis and Clark County, Mont., by R. G. Schmidt. 1963. Lat 47° to 47°07'30", long 112° to 112°07'30". Scale 1:24,000. Contour interval 40 feet. 37 by 51 inches. 50¢.
- I-380. The Indian Ocean, the geology of its bordering lands and the configuration of its floor, by J. F. Pepper and G. M. Everhart. 1963. Lat about 34° N. to 54° S., long about 15° E. to 155° E. Mercator projection, scale 1:13,650,000 at 15° latitude. Bathymetric contours 100, 1,000, 2,000, 2,500, and 3,000 fathoms. \$1.25.
- I-381. Geology of the northern part of the Boulder batholith and adjacent area, Montana, by Adolph Knopf. 1963. Lat 46°30' to about 46°43', long 111°52'30" to 112°20'. Scale 1:48,000. Contour interval 20 feet. 27 by 38 inches. \$1.
- I-382. Geologic map of the Malvado quadrangle, Terrell and Val Verde Counties, Tex., by J. A. Sharps. 1963. Lat 29°45' to 30°, long 101°45' to 102°. Scale 1:62,500. Contour interval 40 feet. 23 by 26 inches. \$1.
- I-383. Preliminary geologic map of the Eldorado Springs quadrangle, Boulder and Jefferson Counties, Colo., by J. D. Wells. 1963. Lat 39°52'30" to 40°, long 105°15' to 105°22'30". Scale 1:24,000. Contour interval 50 feet. 30 by 40 inches. 50¢.
- I-384. Geology of the Shelby quadrangle, North Carolina, by W. C. Overstreet, R. G. Yates, and W. R. Griffiths. 1963. Lat 35°15' to 35°30', long 81°30' to 81°45'. Scale 1:62,500. Contour interval 20 feet. 36 by 41 inches. \$1.
- I-385 (LAC-75). Geologic map and sections of the Letronne region of the moon, by C. H. Marshall. 1963. Lat 16° to 0°, long 30° to 50°. Scale 1:1,000,000. 32 by 42 inches. \$1.
- I-386. Geologic map of the Dryden Crossing quadrangle, Terrell County, Tex., by J. A. Sharps. 1964. Lat 29°45' to 30°, long 102° to 102°15'. Scale 1:62,500. Structure-contour interval 50 feet. 25 by 26 inches. \$1.
- *I-387. Fluoride content of ground water in the conterminous United States (Maximum reported value for each county), by Michael Fleischer. 1962. Scale 1:5,000,000. 28 by 41 inches.

- I-388. Reconnaissance geologic map of Chichagof Island and northwestern Baranof Island, Alaska, by R. A. Loney, H. C. Berg, J. S. Pomeroy, and D. A. Brew. 1963. Lat 57° to 58°15', long 135° to 136°30'. Scale 1:250,000. Contour intervals 200 and 1,000 feet. 31 by 46 inches. 75¢.
- I-389. Bedrock topography of the eastern and central Mesabi Range, northeastern Minnesota, by E. L. Oakes. 1964. Lat vicinity 47½°, long vicinity 92½°. Structure-contour intervals 20 feet. Sheets 1-2, 31 by 46 inches; sheet 3, 32 by 46 inches; and sheet 4, 25 by 36 inches. \$1.50 per set.
- I-390. Geologic map and sections of the Cowboy Pass SW quadrangle, Confusion Range, Millard County, Utah, by R. K. Hose and C. A. Repenning. 1964. Lat 39°15' to 39°22'30", long 113°37'30" to 113°45'. Scale 1:24,000. 32 by 41 inches. \$1.
- I-391. Geologic map and sections of the Cowboy Pass SE quadrangle, Confusion Range, Millard County, Utah, by R. K. Hose. 1963 [1964]. Lat 39°15' to 39°22'30", long 113°30' to 113°37'30". Scale 1:24,000. 31 by 36 inches. \$1.
- I-392. Provisional geologic map of Puerto Rico and adjacent islands, by R. P. Briggs. 1964. Lat about 18° to 18°30', long 65°15' to 67°15'. Scale 1:240,000. 32 by 55 inches. 50¢.
- I-393. Geologic map and sections of the Gandy SE quadrangle, Confusion Range, Millard County, Utah, by R. K. Hose and J. I. Ziony. 1964. Lat 39°15' to 39°22'30", long 113°45' to 113°52'30". Scale 1:24,000. 32 by 36 inches. \$1.
- I-394. Geology of the Mt. Hayes D-4 quadrangle, Alaska, by T. L. Péwé and G. W. Holmes. 1964. Lat 63°45' to 64°, long 145°30' to 146°. Sheet 1, map showing geology; scale 1:63,360; 37 by 40 inches. Sheet 2, text and description of geologic units; 33 by 40 inches. \$1.50 per set.
- I-395. Geologic map of the Indian Wells quadrangle, Terrell and Brewster Counties, Tex., by V. L. Freeman. 1964. Lat 29°45' to 30°, long 102°15' to 102°30'. Scale 1:62,500. Structure-contour intervals 50 and 100 feet. 22 by 23 inches. \$1.
- I-396. Geologic map of the Maxey Ridge quadrangle, Montana, by A. E. Roberts. 1964. Lat 45°30' to 45°37'30", long 110°45' to 110°52'30". Scale 1:24,000. 29 by 32 inches. \$1.
- I-397. Geologic map of the Fort Ellis quadrangle, Montana, by A. E. Roberts. 1964. Lat 45°37'30" to 45°45', long 110°52'30" to 111°. Scale 1:24,000. 28 by 31 inches. \$1.
- I-398. Geologic map of the Mystic Lake quadrangle, Montana, by A. E. Roberts. 1964. Lat 45°30' to 45°37'30", long 110°52'30" to 111°. Scale 1:24,000. 29 by 32 inches. \$1.
- I-399. Geologic map of the Bozeman Pass quadrangle, Montana, by A. E. Roberts. 1964. Lat 45°37'30" to 45°45', long 110°45' to 110°52'30". Scale 1:24,000. 28 by 29 inches. \$1.
- I-400. Geologic map and sections of the Torrance Station 4 NE quadrangle, Lincoln County, N. Mex., by W. A. Fischer and R. J. Hackman. 1964. Lat 34°07'30" to 34°15', long 105°30' to 105°37'30". Scale 1:24,000. 34 by 55 inches. 75¢.
- I-401. Contour map of the bedrock surface of the Broad Brook quadrangle, Connecticut, by R. V. Cushman and R. B. Colton. 1963. Lat 41°52'30" to 42°, long 72°32', to 72°37'30". Scale 1:24,000. Contour interval 10 feet. 23½ by 29 inches. 50¢.

- I-402. Contour map of the bedrock surface of the Manchester quadrangle, Connecticut, by R. B. Colton and R. V. Cushman. 1963. Lat $41^{\circ}45'$ to $41^{\circ}52'30''$, long $72^{\circ}30'$ to $72^{\circ}37'30''$. Scale 1:24,000. Contour interval of topographic base map, 10 feet. Contour interval of bedrock surface 100 feet. 24 by 29 inches. 50¢.
- I-403. Preliminary surficial geologic map of the Mesabi-Vermilion Iron Range area, northeastern Minnesota, by R. D. Cotter, H. L. Young, and T. C. Winter. 1964. Lat 47° to about 48° , long about $91^{\circ}54'$ to $93^{\circ}46'$. Scale 1:125,000. 40 by 41 inches. 50¢.
- I-404. Geologic map of the Grand Junction area, Colorado, by S. W. Lohman. 1963. Lat about $38^{\circ}48'$ to about $39^{\circ}12'$, long $108^{\circ}25'$ to about $108^{\circ}47'$. Scale 1:31,680. Contour interval 200 feet. 41 by 57 inches. \$1.25.
- I-405. Geology of the Paleozoic area in the Malvern quadrangle, Garland and Hot Spring Counties, Ark., by Walter Danilchik and B. R. Haley. 1964. Lat $34^{\circ}15'$ to $34^{\circ}30'$, long $92^{\circ}45'$ to 93° . Scale 1:48,000. 32 by 34 inches. \$1.
- I-406. Preliminary geologic map of the McCarthy C-5 quadrangle, Alaska, by E. M. MacKevett, Jr. 1963 [1964]. Lat $61^{\circ}30'$ to $61^{\circ}45'$, long $142^{\circ}30'$ to $142^{\circ}52'30''$. Scale 1:63,360. 24 by 30 inches. 50¢.
- I-407. Preliminary map of the geology of the Iliamna quadrangle, Alaska, by R. L. Detterman and B. L. Reed. 1964. Lat 59° to 60° , long 153° to $155^{\circ}15'$. Scale 1:250,000. 42 by $49\frac{1}{2}$ inches. 50¢.
- I-408. Geology of the northwest and northeast Pueblo quadrangles, Colorado, by G. R. Scott. 1964. Lat $38^{\circ}15'$ to $38^{\circ}22'30''$, long $104^{\circ}30'$ to $104^{\circ}45'$. Scale 1:24,000. 29 by 57 inches. 75¢.
- I-409. Preliminary geologic map and sections of the Hogan 4 Northeast quadrangle, Lewis and Clark and Cascade Counties, Mont., by R. G. Schmidt, assisted by D. A. Swanson and Peter Zubovic. 1964. Lat $47^{\circ}07'30''$ to $47^{\circ}15'$, long 112° to $112^{\circ}07'30''$. Scale 1:24,000. 37 by 43 inches. 50¢.
- I-410. Geologic map and sections of the northern part of the McCarthy A-4 quadrangle, Alaska, by D. J. Miller and R. S. MacColl. 1964. Lat $61^{\circ}05'$ to $61^{\circ}15'$, long $142^{\circ}07'30''$ to $142^{\circ}30'$. Scale 1:63,360. 21 by 29 inches. 50¢.
- I-411. Reconnaissance geologic map of Baranof and Kruzof Islands, Alaska, by R. A. Loney, J. S. Pomeroy, D. A. Brew, and L. J. P. Muffler. 1964. Lat about $56^{\circ}15'$ to $57^{\circ}30'$, long about $134^{\circ}30'$ to 136° . Scale 1:250,000. $33\frac{1}{2}$ by 40 inches. 75¢.
- I-412. Geologic map and sections of the Deep Creek area, Stevens and Pend Oreille Counties, Wash., by R. G. Yates. 1964 [1965]. Lat $48^{\circ}15'$ to 49° , long $117^{\circ}30'$ to $117^{\circ}45'$. Scale 1:31,680. $34\frac{1}{2}$ by 53 inches. \$1.
- I-413. Geologic map of the crystalline rocks of South Carolina, by W. C. Overstreet and Henry Bell III. 1965. Scale 1:250,000. $39\frac{1}{2}$ by 57 inches. \$1.25. (See also Bulletin 1183.)
- I-414. Geologic map of Indonesia, Pete Geologi Indonesia. Prepared by Direktorat Geologi Indonesia under the direction of Soetarjo Sigit, Director, and published by the U.S. Geological Survey under the auspices of Agency for International Development, U.S. Department of State. 1965 [1966]. Scale 1:2,000,000. Two sheets, each 43 by 59 inches. \$5 per set.
- I-415. Map showing extent of glaciations in Alaska, compiled by the Alaska Glacial Map Committee of the U.S. Geological Survey (H. W. Coulter, D. M. Hopkins, T. N. V. Karlstrom, T. L. Péwé, Clyde Wahrhaftig, and J. R. Williams). 1965. Scale 1:2,500,000. 36 by 52 inches. \$1.
- I-416. Pleistocene lakes in the Great Basin, by C. T. Snyder, George Hardman,

- and F. F. Zdenek. 1964. Lat 34° to 43°, long 112° to 119°. Scale 1:1,000,000. 36 by 56 inches. 50¢.
- I-417. Preliminary geologic map of the Tepee Creek quadrangle, Montana-Wyoming, by I. J. Witkind. 1964. Lat 44°45' to 45°, long 111° to 111°15'. Scale 1:48,000. 36 by 48 inches. 50¢.
- I-418. Geologic map of the southern part of the Mule Mountains, Cochise County, Ariz., by P. T. Hayes and E. R. Landis. 1964. Lat 31°20' to 31°30', long 109°45' to 110°07'30". Scale 1:48,000. 27 by 42 inches. \$1. (See also Bulletin 1201-F.)
- I-419. Geology of the Elkmont quadrangle, Alabama-Tennessee, by W. M. McMaster. 1965. Lat 34°52'30" to 35°, long 86°52'30" to 87°. Scale 1:24,000. Structure-contour interval 10 feet. 31 by 31 inches. Accompanied by 7-page text. \$1.
- I-420. Geology of the Salem quadrangle, Alabama-Tennessee, by W. M. McMaster. 1965. Lat 34°52'30" to 35°, long 87° to 87°07'30". Scale 1:24,000. Structure-contour interval 10 feet. 31 by 32 inches. Accompanied by 10-page text. \$1.
- I-421. Geologic map of the Barceloneta quadrangle, Puerto Rico, by R. P. Briggs. 1965. Lat 18°22'30" to 18°30', long 66°30' to 66°37'30". Scale 1:20,000. Structure-contour interval 20 meters. 38 by 42 inches. \$1.
- I-422. Geologic map of the Langtry quadrangle, Val Verde County, Tex., by V. L. Freeman. 1964. Lat 29°45' to 30°, long 101°30' to 101°45'. Scale 1:62,500. Structure-contour interval 50 feet. 23 by 27 inches. \$1.
- I-423. Preliminary geologic map of the McCarthy C-4 quadrangle, Alaska, by E. M. MacKevett, Jr., H. C. Berg, George Plafker, and D. L. Jones. 1964. Lat 61°30' to 61°45', long 142°07'30" to 142°30'. Scale 1:63,360. 24 by 27 inches. 50¢.
- I-424. Geologic map of the Shumla quadrangle, Val Verde County, Tex., by V. L. Freeman. 1964. Lat 29°45' to 30°, long 101°15' to 101°30'. Scale 1:62,500. Structure-contour interval 50 feet. 23 by 27 inches. \$1.
- I-425. Geologic map and sections of the Philmont Ranch region, New Mexico, by A. A. Wanek, C. B. Read, G. D. Robinson, W. H. Hays, and Malcolm McCallum. 1964. Sheet 1, geologic map; lat 36°20'30" to 36°42'30", long 104°54' to 105°12'; scale 1:48,000; 31 by 39 inches. Sheet 2, geologic sections; scale 1:48,000; 16 by 31 inches. \$1.50 per set. (See also Professional Paper 505.)
- I-426. Geologic map of the Lucerne Valley quadrangle, San Bernardino County, Calif., by T. W. Dibblee, Jr. 1964. Lat 34°15' to 34°30', long 116°45' to 117°. Scale 1:62,500. 24½ by 35 inches. Accompanied by 6-page text. 75¢.
- I-427. Geologic map of the Ord Mountains quadrangle, San Bernardino County, Calif., by T. W. Dibblee, Jr. 1964. Lat 34°30' to 34°45', long 116°45' to 117°. Scale 1:62,500. 26 by 32 inches. Accompanied by 6-page text. 75¢.
- I-428. Geology of the sedimentary rocks of the Morrison quadrangle, Colorado, by J. H. Smith. 1964. Lat 39°37'30" to 39°45', long 105°07'30" to 105°15'. Scale 1:24,000. 31 by 34 inches. Accompanied by 3-page text. 50¢.
- I-429. Aggregate and riprap resources map of the Wolf Point area, Montana, by R. B. Colton. 1964. Lat about 48° to 48°40', long 104°45' to 106°30'. Scale 1:125,000. 28½ by 33 inches. 50¢.
- I-430. Geological map of the Rodman Mountains quadrangle, San Bernardino

- County, Calif., by T. W. Dibblee, Jr. 1964. Lat 34°30' to 34°45', long 116°30' to 116°45'. Scale 1:62,500. 26 by 32 inches. Accompanied by 5-page text. 75¢.
- I-431. Geologic map of the San Geronio Mountain quadrangle, San Bernardino and Riverside Counties, Calif., by T. W. Dibblee, Jr. 1964 [1965]. Lat 34° to 34°15', long 116°45' to 117°. Scale 1:62,500. 27 by 38 inches. Accompanied by 3-page text. 75¢.
- I-432. Geologic map and section of Mount Rainier National Park, Wash., by R. S. Fiske, C. A. Hopson, and A. C. Waters. 1964. Lat about 46°44' to 47°, long 121°30' to 121°55'. Scale 1:62,500. Contour interval 100 feet. 31 by 31 inches. \$1. (See also Professional Paper 444.)
- I-433. Geologic map of the Bannack-Grayling area, Beaverhead County, Mont., by W. R. Lowell. 1965. Lat 45° to 45°15', long 112°45' to 113°. Scale 1:31,680. 38 by 47 inches. Accompanied by 6-page text. 75¢.
- I-434. Geologic map of the Bakers Crossing quadrangle, Val Verde County, Tex., by V. L. Freeman. 1965. Lat 29°45' to 30°, long 101° to 101°15'. Scale 1:62,500. Structure-contour interval 50 feet. 23 by 27 inches. \$1.
- I-435. Geologic map and sections of the Conger Range SE quadrangle and adjacent area, Confusion Range, Millard County, Utah, by R. K. Hose. 1965. Lat 39° to 39°07'30", long 113°45' to 113°56'38". Scale 1:24,000. 35½ by 37 inches. \$1.
- I-436. Geologic map and sections of the Conger Range NE quadrangle and adjacent area, Confusion Range, Millard County, Utah, by R. K. Hose. 1965. Lat 39°07'30" to 39°15', long 113°45' to vicinity 113°56'40". Scale 1:24,000. 40 by 42 inches. \$1.
- I-437. Regional geology of the Kateel River quadrangle, Alaska, by W. W. Patton, Jr. 1966. Lat 65° to 66°, long 156° to 159°. Scale 1:250,000. 30½ by 40 inches. 50¢.
- *I-438. Preliminary geologic map of the McCarthy B-5 quadrangle, Alaska, by E. M. MacKevett, Jr. 1965 [1966]. Lat 61°15' to 61°30', long 142°30' to 142°52'30". Scale 1:63,360. 24 by 26 inches.
- I-439. Geologic and biostratigraphic map of the Pierre Shale between Jarre Creek and Loveland, Colo., by G. R. Scott and W. A. Cobban. 1965. Lat 39°32'30" to 40°22'30", long 104°50' to 105°17'30". Scale 1:48,000. 41½ by 56½ inches. Accompanied by 4-page text. \$1.
- I-440. Geologic map of the Mouth of Pecos and Feely quadrangles, Val Verde County, Tex., by J. A. Sharps and V. L. Freeman. 1965. Lat 29°30' to 29°45', long 101° to 101°30'. Scale 1:62,500. Structure-contour interval 50 feet. 23 by 42 inches. \$1.
- I-441. Geologic map of the Capitol Peak NW quadrangle, Socorro County, N. Mex., by G. O. Bachman. 1965. Lat 33°22'30" to 33°30', long 106°22'30" to 106°30'. Scale 1:31,680. 26 by 40 inches. Accompanied by 5-page text. 50¢.
- I-442. Geologic map of the Duncan and Canador Peak quadrangles, Arizona and New Mexico, by R. B. Morrison. 1965 [1966]. Lat 32°30' to 32°45', long 108°45' to 109°15'. Scale 1:48,000. 27½ by 50 feet. Accompanied by 7-page text. 75¢.
- I-443. Preliminary geologic map of the Berthoud Pass quadrangle, Clear Creek and Grand Counties, Colo., by P. K. Theobald. 1965. Lat 39°45' to 39°52'30", long 105°45' to 105°52'30". Scale 1:24,000. 28 by 28 inches. 50¢.
- I-444. Preliminary geologic map of the McCarthy C-6 quadrangle, Alaska, by

- E. M. MacKevett, Jr. 1965. Lat 61°30' to 61°45', long 142°52'30" to 143°15'. Scale 1:63,360. 24 by 25 inches. 50¢.
- I-445. Permafrost map of Alaska, compiled by O. J. Ferrians, Jr. 1965. Lat about 54° to 70°, long about 130° to about 174°. Scale 1:2,500,000. 37½ by 49 inches. \$1. (See also Professional Paper 678.)
- I-446. Reconnaissance geologic map of the Adel quadrangle, Lake, Harney, and Malheur Counties, Oreg., by G. W. Walker and C. A. Repenning. 1965. Lat 42° to 43°, long 118° to 120°. Scale 1:250,000. 30½ by 48 inches. 75¢.
- I-447. Geologic map of the Canyon City quadrangle, northeastern Oregon, by C. E. Brown and T. P. Thayer. 1966. Lat 44° to 45°, long 118° to 120°. 1966. Scale 1:250,000. 40½ by 42 inches. \$1.
- I-448. Geologic and crustal cross section of the United States along the 37th parallel, a contribution to the upper mantle project, by Warren Hamilton and L. C. Pakiser. 1965. Scale 1:2,500,000. 36 by 41 inches. \$1.
- I-449. Geologic map and sections of the Ely 3 SW quadrangle, White Pine County, Nev., by A. L. Brokaw and D. R. Shawe. 1965. Lat 39° to 39°07'30", long 114°52'30" to 115°. Scale 1:24,000. 29 by 35 inches. 75¢.
- I-450. Paleotectonic maps of the Permian System, by E. D. McKee, S. S. Oriol, and others. 1967. 20 plates and text (164 pages) in paper case. \$7.50. (See also Professional Paper 515, p. 1.)
- I-451. Map showing relation of land and submarine topography, Nova Scotia to Florida, by Elazar Uchupi. 1965. Scale 1:1,000,000. Sheet 1, 33½ by 41 inches; sheet 2, 33½ by 39 inches; and sheet 3, 33½ by 41 inches. \$1.50 per set.
- I-452. Geologic map of the Maudlow quadrangle, southwestern Montana, by Betty Skipp and A. D. Peterson. 1965. Lat 46° to 46°15', long 111° to 111°15'. Scale 1:24,000. Sheet 1, geologic map; 46 by 51½ inches. Sheet 2, cross sections; 28½ by 36 inches. \$1.50 per set.
- I-453. Map of eastern Prince William Sound area, Alaska, showing fracture traces inferred from aerial photographs, by W. H. Condon. 1965. Lat 60°15' to 61°, long 145°30' to 147°. Scale 1:125,000. 29 by 33 inches. Accompanied by 4-page text. 50¢.
- I-454. Geologic map and sections of the Zuni Mountains fluorspar district, Valencia County, N. Mex., by E. N. Goddard. 1966. Scale 1:31,680. 38 by 44 inches. Accompanied by 3-page text. \$1.
- I-455. Geologic map of the Fairbanks quadrangle, Alaska, by T. L. Péwé, Clyde Wahrhaftig, and Florence Weber. 1966. Lat 64° to 65°, long 147° to 150°. Scale 1:250,000. 24 by 34 inches. Accompanied by 5-page text. 75¢.
- I-456. Bathymetric, topographic, and structural map of the south-central flank of Kilauea Volcano, Hawaii, by J. G. Moore and D. L. Peck. 1965. Lat about 19°05' to 19°25', long about 155°05' to 155°25'. Scale 1:62,500. Contour interval 25 meters. 31½ by 34 inches. 50¢.
- I-457. Reconnaissance geologic map of the west half of the Jordan Valley quadrangle, Malheur County, Oreg., by G. W. Walker and C. A. Repenning. 1966. Lat 42° to 43°, long 117° to 118°. Scale 1:250,000. 26 by 36½ inches. 75¢.
- I-458 (LAC-76). Geologic map of the Rhipaeus Mountains region of the moon, by R. E. Eggleton. 1965. Lat 0° to 16° S., long 10° to 30° W. Mercator projection. Scale 1:1,000,000 at lat 11°00'45" S. Contour interval 300 meters. 29 by 51 inches. \$1.
- I-459. Regional geologic map of the Hughes quadrangle, Alaska, by W. W.

- Patton, Jr., and T. P. Miller. Lat 66° to 67°, long 153° to 156°. Scale 1:250,000. 36 by 44 inches. 75¢.
- I-460. Map showing foundation and excavation conditions in the Burtonville quadrangle, Kentucky, by Ernest Dobrovolsky and R. H. Morris. 1965. Lat 38°22'30" to 38°30', long 83°30' to 83°37'30". Scale 1:24,000. Structure-contour interval 20 feet. 32½ by 34 inches. 75¢.
- I-461. Geologic map of the Newberry quadrangle, San Bernardino County, Calif., by T. W. Dibblee, Jr., and A. M. Bassett. 1966. Lat 34°45' to 35°, long 116°30' to 116°45'. Scale 1:62,500. 23 by 31 inches. Accompanied by 4-page text. 75¢.
- I-462 (LAC-40). Geologic map and section of the Timocharis region of the moon, by M. H. Carr. 1965. Lat 16° to 32° N., long 10° to 30° W. Scale 1:1,000,000. Contour interval 300 meters. 30 by 45 inches. \$1.
- I-463 (LAC-41). Geologic map of the Montes Apenninus region of the moon, by R. J. Hackman. 1966. Lat 16° to 32° N., long 10° E. to 10° W. Scale 1:1,000,000. Contour interval 300 meters. 31½ by 47½ inches. \$1.
- I-464. Reconnaissance geologic map of the west half of the Spokane quadrangle, Washington and Idaho, by A. B. Griggs. 1966. Lat 47° to 48°, long 117° to 118°. Scale 1:125,000. 34 by 41½ inches. 50¢.
- I-465 (LAC-39). Geologic map of the Aristarchus region of the moon, by H. J. Moore. 1965. Lat 16° to 32° N., long 30° to 50° W. Scale 1:1,000,000. Contour interval 300 meters. 32 by 48 inches. \$1.
- I-466. Map showing Precambrian geology of the Menominee iron-bearing district and vicinity, Michigan and Wisconsin, by C. E. Dutton and R. E. Linebaugh. 1967. Vicinity of lat 46°, long 88°15'. Scale 1:125,000. 31 by 44 inches. \$1.
- I-467. Geologic map of the Cady Mountains quadrangle, San Bernardino County, Calif., by T. W. Dibblee, Jr., and A. M. Bassett. 1966. Lat 34°45' to 35°, long 116°15' to 116°30'. Scale 1:62,500. 26 by 31 inches. Accompanied by 5-page text. 75¢.
- I-468. Preliminary geologic map of the Comb Rock quadrangle, Lewis and Clark County, Mont., by R. G. Schmidt. 1966. Lat 47°07'30" to 47°15', long 112°07'30" to 112°15'. Scale 1:24,000. 36 by 42 inches. 50¢.
- I-469. Geologic map of the Kwiguk and Black quadrangles, western Alaska, by J. M. Hoare and W. H. Condon. 1966. Lat 62° to 63°, long 162° to 166°. Scale 1:250,000. 23 by 45 inches. Accompanied by 7-page text. \$1.
- I-470. Geologic map of the Benson quadrangle, Cochise and Pima Counties, Ariz., by S. C. Creasey. 1967. Lat 31°45' to 32°, long 110°15' to 110°30'. Scale 1:48,000. 31 by 32 inches. Accompanied by 11-page text. \$1.
- I-471. Distribution of selected accessory minerals in the Osgood Mountains stock, Humboldt County, Nev., by G. J. Neuerburg. 1966. Lat vicinity 41°10', long vicinity 117°17'. Scale 1:24,000. 28½ by 43 inches. 50¢.
- I-472. Geologic map of the Lavic quadrangle, San Bernardino County, Calif., by T. W. Dibblee, Jr. 1966. Lat 34°30' to 34°45', long 116°15' to 116°30'. Scale 1:62,500. 26 by 31 inches. Accompanied by 5-page text. 75¢.
- I-473. Geologic map of the Corozal quadrangle, Puerto Rico, by A. E. Nelson. 1967. Lat 18°15' to 18°22'30", long 66°15' to 66°22'30". Scale 1:20,000. Structure-contour interval 20 meters. 40 by 42 inches. \$1.
- I-474. Reconnaissance geologic map of the Lathrop Wells 15-minute quadrangle, Nye County, Nev., by B. C. Burchfiel. 1966. Lat 36°30' to 36°45', long 116°15' to 116°30'. Scale 1:62,500. 19½ by 22 inches. Accompanied by 6-page text. 50¢.

- I-475. Map showing relation of land and submarine topography, De Soto Canyon to Great Bahama Bank, by Elazar Uchupi. 1966 [1967]. Lat 23° to 31°, long 79° to 89°. Scale 1:1,000,000. 41½ by 43 inches. \$1.
- I-476. Map showing distribution of ultramafic and intrusive mafic rocks from northern New Jersey to eastern Alabama, by D. M. Larrabee. 1966. Scale 1:500,000. Three sheets, each 32 by 40 inches. \$2 per set.
- I-477. Geologic map of the Ludlow quadrangle, San Bernardino County, Calif., by T. W. Dibblee, Jr. 1967. Lat 34°30' to 34°45', long 116° to 116°15'. Scale 1:62,500. 23 by 32 inches. Accompanied by 4-page text. \$1.
- I-478. Geologic map of the Broadwell Lake quadrangle, San Bernardino County, Calif., by T. W. Dibblee, Jr. 1967. Lat 34°45' to 35°, long 116° to 116°15'. Scale 1:62,500. 24 by 30 inches. Accompanied by 3-page text. \$1.
- I-479. Geologic map of the Aguas Buenas quadrangle, Puerto Rico, by M. H. Pease, Jr. 1968. Lat 18°15' to 18°22'30", long 66° to 66°07'30". Scale 1:20,000. 34 by 53½ inches. \$1.
- I-480. Geologic map of the Utuado quadrangle, Puerto Rico, by A. E. Nelson. 1967. Lat 18°15' to 18°22'30", long 66°37'30" to 66°45'. Scale 1:20,000. 37½ by 43½ inches. \$1.
- I-481. Geologic map of the Coyote Springs quadrangle, Fremont County, Wyo., by P. E. Soister. 1967. Lat 42°37'30" to 42°45', long 107°37'30" to 107°45'. Scale 1:24,000. Contours on erosion surface at base of Wind River Formation, interval 100 feet. 28 by 32 inches. \$1.
- I-482. Geologic map of the Muskrat basin quadrangle, Fremont County, Wyo., by P. E. Soister. 1966 [1967]. Lat 42°37'30" to 42°45', long 107°45' to 107°52'30". Scale 1:24,000. Contours on erosion surface at base of Wind River Formation, interval 100 feet. 28½ by 32 inches. \$1.
- I-483. Geologic map of the Rongis Reservoir SE quadrangle, Fremont County, Wyo., by P. E. Soister. 1966 [1967]. Lat 42°45' to 42°52'30", long 107°45' to 107°52'30". Scale 1:24,000. Contours on erosion surface at base of Wind River Formation, interval 50 feet. 29 by 35 inches. \$1.
- I-484. Geologic map of the Gulf of Alaska Tertiary Province, Alaska, by George Plafker. 1967. Lat 58° to 60°45', long 136° to 147°. Scale 1:500,000. 30 by 54 inches. \$1.
- I-485. (LAC-94). Geologic map of the Pitatus region of the moon, by N. J. Trask and S. R. Titley. 1966. Lat 16° to 32° S., long 10° to 30° W. Scale 1:1,000,000. Contour interval 300 meters. 30 by 50 inches. \$1.
- I-486. Geologic map of the Toston quadrangle, southwestern Montana, by G. D. Robinson. 1967. Lat 46° to 46°15', long 111°15' to 111°30'. Scale 1:24,000. Sheet 1, 40 by 50 inches; sheet 2, 33 by 38 inches. \$1.50 per set.
- I-487. Reconnaissance geologic map of the central San Rafael Mountains and vicinity, Santa Barbara County, Calif., by J. G. Vedder, H. D. Gower, H. E. Clifton, and D. L. Durham. 1967. Lat 34°37'30" to about 34°55', long 119°37'30" to 120°. Scale 1:48,000. 48½ by 42 inches. \$1.
- I-488. Geologic map of the Deadman Lake quadrangle, San Bernardino County, Calif., by T. W. Dibblee, Jr. 1967. Lat 34°15' to 34°30', long 116°15' to 116°15'. Scale 1:62,500. 23 by 30 inches. Accompanied by 3-page text. \$1.
- I-489. (LAC-42). Geologic map of the Mare Serenitatis region of the moon, by M. H. Carr. 1966. Lat 16° to 32° N., long 10° to 30° E. Scale 1:1,000,000. Contour interval 300 meters. 28½ by 48½ inches. \$1.
- I-490. Geologic map of the Emerson Lake quadrangle, San Bernardino County, Calif., by T. W. Dibblee, Jr. 1967. Lat 34°15' to 34°30', long 116°15' to 116°30'. Scale 1:62,500. 23 by 29 inches. Accompanied by 4-page text. \$1.

- I-491 (LAC-56). Geologic map of the Hevelius region of the moon, by J. F. McCauley. 1967. Lat 0° to 16° N., long 50° to 70° W. Scale 1:1,000,000. Contour interval 300 meters. 28 by 47 inches. \$1.
- I-492. Regional geologic map of the Candle quadrangle, Alaska, by W. W. Patton, Jr. 1967. Lat 65° to 66°, long 159° to 162°. Scale 1:250,000. 32 by 37 inches. \$1.
- I-493. Reconnaissance geologic map of the east half of the Crescent quadrangle, Lake, Deschutes, and Crook Counties, Oreg., by G. W. Walker, N. V. Peterson, and R. C. Greene. 1967. Lat 43° to 44°, long 120° to 121°. Scale 1:250,000. 25 by 37 inches. \$1.
- I-494. Geologic map of the south flank of the Markagunt Plateau, northwest Kane County, Utah, by W. B. Cashion. 1967. Lat 37°15' to 37°30', long 112°30' to 112°52'30". Scale 1:62,500. Structure-contour intervals 100 and 200 feet. 26 by 33 inches. \$1.
- I-495 (LAC-93). Geologic map of the Mare Humorum region of the moon, by S. R. Titley. 1967. Lat 16° to 32° S., long 30° to 50° W. Scale 1:1,000,000. Contour interval 300 meters. 29 by 47 inches. \$1.
- I-496. Distribution of selected accessory minerals in the Caribou stock, Boulder County, Colo., by G. J. Neuerburg. 1967. Vicinity of lat 40°, long 105°35'. Scale 1:12,000. 36 by 36 inches. \$1.
- *I-497. Pre-Quaternary geologic and magnetic map and sections of part of the eastern Gogebic Iron Range, Mich., by W. C. Prinz. 1967. Vicinity of lat 46°27'30", long 89°52'. Magnetic-contour interval 5,000 gammas. 27 by 40 inches.
- I-498. Geologic map of the Quebradillas quadrangle, Puerto Rico, by W. H. Monroe. 1967. Lat 18°22'30" to 18°30', long 66°52'30" to 67°. Scale 1:20,000. Structure-contour interval 10 meters. 34 by 39 inches. \$1.
- I-499. Reconnaissance geologic map of the Ash Fork quadrangle, Yavapai and Coconino Counties, Ariz., by M. H. Krieger. 1967. Lat 35° to 35°15', long 112°15' to 112°30'. Scale 1:62,500. 23 by 23 inches. 50¢.
- I-500. Reconnaissance geologic map of the Picacho Butte quadrangle, Yavapai and Coconino Counties, Ariz., by M. H. Krieger. Lat 35° to 35°15', long 112°30' to 112°45'. Scale 1:62,500. 23½ by 23½ inches. 50¢.
- I-501. Reconnaissance geologic map of the Turkey Canyon quadrangle, Yavapai County, Ariz., by M. H. Krieger. 1967. Lat 35° to 35°15', long 112°45' to 113°. Scale 1:62,500. 22 by 23 inches. 50¢.
- I-502. Reconnaissance geologic map of the Camp Wood quadrangle, Yavapai County, Ariz., by M. H. Krieger. 1967. Lat 34°45' to 35°, long 112°45' to 113°. Scale 1:62,500. 22 by 23 inches. 50¢.
- I-503. Reconnaissance geologic map of the Simmons quadrangle, Yavapai County, Ariz., by M. H. Krieger. 1967. Lat 34°45' to 35°, long 112°30' to 112°45'. Scale 1:62,500. 23 by 24 inches. 50¢.
- I-504. Reconnaissance geologic map of the Iron Springs quadrangle, Yavapai County, Ariz., by M. H. Krieger. 1967. Lat 34°30' to 34°45', long 112°30' to 112°45'. Scale 1:62,500. 23 by 24 inches. 50¢.
- I-505. Reconnaissance geologic map of the Sheridan Mountain quadrangle, Yavapai County, Ariz., by M. H. Krieger. 1967. Lat 34°30' to 34°45', long 112°45' to 113°. Scale 1:62,500. 22 by 22 inches. 50¢.
- I-506. Generalized geologic map of the Inyo Mountains Region, Calif., compiled by D. C. Ross. 1967. Lat 36°30' to 37°30', long 117°30' to 118°15'. Scale 1:125,000. 33½ by 39 inches. \$1.
- I-507. Multiple glaciation of the Yukon-Tanana Upland, Alaska, by T. L. Péwé,

- Lawrence Burbank, and L. R. Mayo. 1967. Lat 141° to 151°30', long 63° to 66°. Scale 1:500,000. 33 by 51 inches. \$1.
- I-508. Geologic map of the Naranjito quadrangle, Puerto Rico, by M. H. Pease, Jr. 1968. Lat 18°15' to 18°22'30", long 66°07'30" to 66°15'. Scale 1:20,000. 36½ by 45 inches. \$1.
- I-509. Geologic map of the Huachuca and Mustang Mountains, southeastern Arizona, by P. T. Hayes and R. B. Raup. 1968. Lat 31°20' to 31°30', long 110°07'30" to 110°30'. Scale 1:48,000. 37 by 54½ inches. \$1.
- I-510 (LAC-60). Geologic map of the Julius Caesar quadrangle of the moon, by E. C. Morris and D. E. Wilhelms. 1967. Lat 0° to 16° N., long 10° to 30° E. Scale 1:1,000,000. Contour interval 600 meters. 31 by 46 inches. \$1.
- I-511. Geologic map of the Brevard fault zone near Atlanta, Ga., by M. W. Higgins. 1968. Lat 33°30' to 34°, long 84°22'30" to 84°52'30". Scale 1:48,000. 40½ by 50 inches. \$1.
- I-512. Geologic map of California, compiled by U.S. Geological Survey and California Division of Mines and Geology. 1966. Scale 1:2,500,000. 17 by 21½ inches. 25¢.
- I-513. Geologic map of the northwest quarter of the Hatch Point quadrangle, San Juan County, Utah, by E. N. Hinrichs, W. J. Krummel, Jr., J. J. Connor, and H. J. Moore III. 1967. Lat 38°22'30" to 38°30', long 109°37'30" to 109°45'. Scale 1:24,000. Structure-contour interval 100 feet. 26 by 28 inches. \$1.
- I-514-A. Engineering geology of the Northeast Corridor, Washington, D.C., to Boston, Mass.: Bedrock geology. 1967. Scale 1:250,000. Sheets 1-5, 28 by 34 inches; sheet 6, 39 by 46 inches; and sheet 7, 25 by 26 inches. Accompanied by 9-page text. \$2.50 per set.
- I-514-B. Engineering geology of the Northeast Corridor, Washington, D.C., to Boston, Mass.: Coastal plain and surficial deposits. 1967. Sheets 1-5, scale 1:250,000. Sheets 1-3, 32 by 36 inches; sheet 4, 29 by 37 inches; sheet 5, 29 by 33 inches; sheet 6, 37 by 44 inches; sheet 7, 38 by 46 inches. Sheet 8, 26 by 26 inches. Scale 1:1,500,000. Accompanied by 9-page text. \$2.50 per set.
- I-514-C. Engineering geology of the Northeast Corridor, Washington, D.C., to Boston, Mass.: Earthquake epicenters, geothermal gradients, and excavations and borings. 1967. Scale 1:1,500,000. Sheet 1, 25 by 26 inches, sheet 2, 26 by 30 inches. \$1 per set.
- I-515 (LAC-58). Geologic map of the Copernicus quadrangle of the moon, by H. H. Schmitt, N. J. Trask, and E. M. Shoemaker. 1967. Lat 0° to 16° N., long 10° to 30° W. Scale 1:1,000,000. Contour interval 300 meters. 31 by 53 inches. \$1.
- I-516. Geologic map of the Joshua Tree quadrangle, San Bernardino and Riverside Counties, Calif., by T. W. Dibblee, Jr. 1967. Lat 34° to 34°15', long 116°15' to 116°30'. Scale 1:62,500. 23 by 33 inches. Accompanied by 3-page text. 75¢.
- I-517. Geologic map of the Morongo Valley quadrangle, San Bernardino and Riverside Counties, Calif., by T. W. Dibblee, Jr. 1967. Lat 34° to 34°15', long 116°30' to 116°45'. Scale 1:62,500. 25 by 31 inches. Accompanied by 4-page text. 75¢.
- I-518. Geologic map of the Old Woman Springs quadrangle, San Bernardino County, Calif., by T. W. Dibblee, Jr. 1967. Lat 34°15' to 34°30', long 116°30' to 116°45'. Scale 1:62,500. 22 by 34½ inches. Accompanied by 5-page text. 75¢.

- I-519. Geologic map of the Adjuntas quadrangle, Puerto Rico, by P. H. Mattson. 1968. Lat 18°07'30" to 18°15', long 66°37'30" to 66°45'. Scale 1:20,000. 36 by 51 inches. \$1.
- I-520. Geologic map of the Jayuya quadrangle, Puerto Rico, by P. H. Mattson. 1968. Lat 18°07'30" to 18°15', long 66°30' to 66°37'30". Scale 1:20,000. 38 by 50 inches. \$1.
- I-521. Map showing relation of land and submarine topography, Mississippi Delta to Bahia de Campeche, by Elazar Uchupi. 1968. Scale 1:1,000,000. Sheet 1, 32 by 39½ inches; sheet 2, 33½ by 37½ inches. \$1.50 per set.
- I-522. Approximate location of fault traces and historic surface ruptures within the Hayward fault zone between San Pablo and Warm Springs, Calif., by D. H. Radbruch. 1967. Lat 37°22'30" to 38°, long 122° to 122°30'. Scale 1:62,500. 30 by 48½ inches. \$1.
- I-523. Geologic map of the Hooper Bay quadrangle, Alaska, by J. M. Hoare and W. H. Condon. 1968. Lat 61° to 62°, long 165° to 168°. Scale 1:250,000. 23 by 28 inches. Accompanied by 4-page text. \$1.
- I-524. Engineering geologic map of the southeastern Copper River basin, Alaska, by D. R. Nichols and L. A. Yehle. 1969. Lat 61°30' to 62°15', long 144°22'30" to 145°30'. Scale 1:125,000. 34 by 45 inches. \$1.
- I-525. Geologic map of the Bayaney quadrangle, Puerto Rico, by A. E. Nelson and O. T. Tobisch. 1968. Lat 18°15' to 18°22'30", long 66°45' to 66°52'30". Scale 1:20,000. 34½ by 41 inches. \$1.
- I-526. Geologic map of the northeast quarter of the Hatch Point quadrangle, San Juan County, Utah, by E. N. Hinrichs, W. J. Krummel, Jr., H. J. Moore, 3d, and J. J. Connor. 1968. Lat 38°22'30" to 38°30', long 109°30' to 109°37'30". Scale 1:24,000. Structure-contour interval 100 feet. 28 by 29 inches. \$1.
- I-527 (LAC-38). Geologic map of the Seleucus quadrangle of the moon, by H. J. Moore. 1967. Lat 16° to 32° N., long 50° to 70° W. Scale 1:1,000,000. Contour interval 300 meters. 29½ by 47 inches. \$1.
- I-528. Geological maps of anthracite-bearing rocks in the west-central part of the southern anthracite field, Pennsylvania, eastern area, by Gordon H. Wood, Jr., J. Peter Trexler, and Thomas M. Kehn. 1968. Scale 1:12,000. Sheets 1-4, geology; contour interval 20 feet. Sheet 1, lat 40°41'15" to 40°45', long 76°15' to about 76°22'30"; 22 by 46 inches. Sheet 2, lat 40°37'30" to 40°41'15", long 76°15' to 76°22'30"; 34 by 39 inches. Sheet 3, lat 40°37'30" to 40°41'15", long 76°22'30" to 76°30'; 28 by 30 inches. Sheet 4, lat about 40°33'45" to 40°37'30", long 76°22'30" to 76°30'; 32 by 39 inches. Sheets 5-6, structure sections. Sheet 5, 37 by 45 inches. Sheet 6, 34 by 39 inches. \$2.50 per set.
- I-529. Geologic maps of anthracite-bearing rocks in the west-central part of the southern anthracite field, Pennsylvania, western area, by G. H. Wood, Jr., and J. P. Trexler. 1968. Scale 1:12,000. Sheet 1, 28 by 32 inches; sheet 2, 28 by 38 inches; sheet 3, 29 by 39 inches; and sheet 4, 39½ by 43 inches. \$2 per set.
- I-530. Regional geologic map of the Selawik and southeastern Baird Mountains quadrangle, Alaska, by W. W. Patton, Jr., and T. P. Miller. 1968. Lat 66° to 67°30', long 159° to 162°. Scale 1:250,000. 36 by 41 inches. \$1.
- I-531-A. Transcontinental geophysical survey (35°-39° N.) magnetic map from the coast of California to 133° W. longitude, by R. K. Lattimore, B. G. Bassinger, and Omar DeWald. 1968. Scale 1:1,000,000. Magnetic-contour interval 100 gammas. 25 by 51 inches. 50¢.

- I-531-B. Transcontinental geophysical survey (35°-39° N.) gravity and bathymetric map from the coast of California to 133° W. longitude, by R. K. Lattimore, S. A. Bush, and P. A. Bush. 1968. Lat 35° to 39°, long 120° to 133°. Scale 1:1,000,000. Gravity-contour interval 20 milligals. Bathymetric contour interval 200 meters. 25 by 52 inches. 50¢.
- I-532-A. Transcontinental geophysical survey (35°-39° N.) magnetic map from 112° W. longitude to the coast of California, by Isidore Zietz and J. R. Kirby. 1968. Lat 35° to 39°, long 112° to 124°. Scale 1:1,000,000. Magnetic-contour interval 100 gammas. 26 by 49½ inches. 50¢.
- I-532-B. Transcontinental geophysical survey (35°-39° N.) Bouguer gravity map from 112° W. longitude to the coast of California, compiled by the U.S. Air Force Aeronautical Chart and Information Center. 1968. Lat 35° to 39°, long 112° to 124°. Scale 1:1,000,000. Bouguer gravity-contour interval 10 milligals. 24 by 49½ inches. 50¢.
- I-532-C. Transcontinental geophysical survey (35°-39° N.) geologic map from 112° W. longitude to the coast of California, by J. E. Carlson and Ronald Willden. 1968. Lat 35° to 39°, long 112° to 124°. Scale 1:1,000,000. 28 by 55 inches. \$1.
- I-532-D. Transcontinental geophysical survey (35°-39° N.) seismic refraction profiles of the crust and upper mantle from 112° W. longitude to the coast of California, by D. H. Warren. 1968. Lat 35° to 39°, long 112° to 124°. Scale 1:1,000,000. 30 by 50 inches. Accompanied by 4-page text. 50¢.
- I-533-A. Transcontinental geophysical survey (35°-39° N.) magnetic map from 100° to 112° W. longitude, by Isidore Zietz and J. R. Kirby. 1968. Lat 35° to 39°, long 100° to 112°. Scale 1:1,000,000. Magnetic-contour interval 100 gammas. 26 by 50 inches. 50¢.
- I-533-B. Transcontinental geophysical survey (35°-39° N.) Bouguer gravity map from 100° to 112° W. longitude, compiled by the U.S. Air Force Aeronautical Chart and Information Center. 1968. Lat 35° to 39°, long 100° to 112°. Scale 1:1,000,000. Bouguer gravity-contour interval 10 milligals. 24 by 49½ inches. 50¢.
- I-533-C. Transcontinental geophysical survey (35°-39° N.) geologic map from 100° to 112° W. longitude, by J. E. Carlson and Ronald Willden. 1968. Lat 35° to 39°, long 100° to 112°. Scale 1:1,000,000. 28 by 53 inches. \$1.
- I-533-D. Transcontinental geophysical survey (35°-39° N.) seismic refraction profiles of the crust and upper mantle from 100° to 112° W. longitude, by D. H. Warren. 1968. Lat 35° to 39°, long 100° to 112°. Scale 1:1,000,000. 29 by 49½ inches. Accompanied by 4-page text. 50¢.
- I-534-A. Transcontinental geophysical survey (35°-39° N.) magnetic map from 87° to 100° W. longitude, by Isidore Zietz and J. R. Kirby. 1968. Scale 1:1,000,000. Magnetic-contour interval 100 gammas. 28 by 52½ inches. 50¢.
- I-534-B. Transcontinental geophysical survey (35°-39° N.) Bouguer gravity map from 87° to 100° W. longitude, compiled by the U.S. Air Force Aeronautical Chart and Information Center. 1968. Lat 35° to 39°, long 87° to 100°. Scale 1:1,000,000. Bouguer gravity-contour interval 10 milligals. 24 by 53 inches. 50¢.
- I-534-C. Transcontinental geophysical survey (35°-39° N.) geologic map from 87° to 100° W. longitude, by Ronald Willden and J. E. Carlson. 1968. Lat 35° to 39°, long 87° to 100°. Scale 1:1,000,000. 28 by 55 inches. \$1.
- I-534-D. Transcontinental geophysical survey (35°-39° N.) seismic refraction profiles of the crust and upper mantle from 87° to 100° W. longitude

- by D. H. Warren. 1968. Scale 1:1,000,000. 29 by 50 inches. Accompanied by 4-page text. 50¢.
- I-535-A. Transcontinental geophysical survey (35°-39° N.) magnetic and bathymetric map from 74° to 87° W. longitude, by Isidore Zietz, H. P. Stockard, J. R. Kirby. 1968. Scale 1:1,000,000. Magnetic-contour interval 100 gammas. 26½ by 51½ inches. 75¢.
- I-535-B. Transcontinental geophysical survey (35°-39° N.) Bouguer gravity map from 74° to 87° W. longitude, compiled by the U.S. Air Force Aeronautical Chart and Information Center. 1968. Lat 35° to 39°, long 74° to 87°. Scale 1:1,000,000. Bouguer gravity-contour interval 10 milligals. 24 by 52½ inches. 50¢.
- I-535-C. Transcontinental geophysical survey (35°-39° N.) geologic map from the east coast of the United States to 87° W. longitude, by Ronald Willden, J. C. Reed, Jr., and J. E. Carlson. 1968. Lat 35° to 39°, long 74° to 87°. Scale 1:1,000,000. 28 by 55 inches. \$1.
- I-535-D. Transcontinental geophysical survey (35°-39° N.) seismic refraction profiles of the crust and upper mantle from 74° to 87° W. longitude, by D. H. Warren. 1968. Lat 35° to 39°, long 74° to 87°. Scale 1:1,000,000. 26 by 49½ inches. Accompanied by 4-page text. 50¢.
- I-536. Transcontinental geophysical survey (35°-39° N.) magnetic and bathymetric map from 63° to 74° W. longitude, by Isidore Zietz, U. S. Geological Survey, H. P. Stockard, U.S. Naval Oceanographic Office, and J. R. Kirby, U.S. Geological Survey. 1968. Lat 35° to 39°, long 63° to 74°. Scale 1:1,000,000. Magnetic-contour interval 100 gammas. 25 by 44 inches. 75¢.
- I-537. Transcontinental geophysical survey (35°-39° N.) radiometric age determinations of rocks, by R. R. Marvin. 1968. Lat 35° to 39°, long 74° to 124°. Scale 1:7,500,000. 26 by 31 inches. Accompanied by 25-page text. 50¢.
- I-539. Geologic map of the Shirley basin area, Albany, Carbon, Converse, and Natrona Counties, Wyo., by E. N. Harshman. 1968. Lat 42°15' to 42°30', long 106° to 106°30'. Scale 1:48,000. Contours on pre-Wind River erosion surface, interval 100 feet. 30½ by 46 inches. \$1.
- I-540. Reconnaissance geologic map of the Eagle Rock quadrangle, Crook County, Oreg., by A. C. Waters and R. H. Vaughan. 1968. Lat 44° to 44°15', long 120°30' to 120°45'. Scale 1:62,500. 19 by 22½ inches. 75¢.
- I-541. Reconnaissance geologic map of the Ochoco Reservoir quadrangle, Crook County, Oreg., by A. C. Waters and R. H. Vaughan. 1968. Lat 44°15' to 44°30', long 120°30' to 120°45'. Scale 1:62,500. 19 by 23 inches. 75¢.
- I-542. Reconnaissance geologic map of the Post quadrangle, Crook County, Oreg., by A. C. Waters. 1968. Lat 44° to 44°15', long 120°15' to 120°30'. Scale 1:62,500. 19 by 23 inches. 75¢.
- I-543. Reconnaissance geologic map of the Lookout Mountain quadrangle, Crook and Wheeler Counties, Oreg., by C. M. Swinney, A. C. Waters, and C. P. Miller. 1968. Lat 44°15' to 44°30', long 120°15' to 120°30'. Scale 1:62,500. 19 by 23 inches. 75¢.
- I-544. Geologic map of the Zuni Salt Lake volcanic crater, Catron County, N. Mex., by David Cummings. 1968. Scale 1:6,000. 29½ by 30½ inches. 75¢.
- I-545. Geologic map of the northern half of the Black Mountain quadrangle, Nye County, Nev., by C. L. Rogers, E. B. Ekren, D. C. Noble, and J. E.

- Weir. 1968. Lat 37°22'30" to 37°30', long 116°30' to 116°45'. Scale 1:62,500. 23 by 23 inches. \$1.
- I-546 (LAC-78). Geologic map of the Theophilus quadrangle of the moon, by D. J. Milton. 1968. Lat 0° to 16° S., long 10° to 30° E. Scale 1:1,000,000. 29 by 48 inches. \$1.
- I-547. Geologic map of Fox Mountain quadrangle, Santa Barbara County, Calif., by J. G. Vedder. 1968. Lat 34°45' to 34°52'30", long 119°30' to 119°37'30". Scale 1:24,000. 39 by 50 inches. \$1.
- I-548 (LAC-59). Geologic map of the Mare Vaporum quadrangle of the moon, by D. E. Wilhelms. 1968. Lat 0° to 16° N., long 10° E. to 10° W. Scale 1:1,000,000. 33½ by 53 inches. \$1.
- I-549. Bedrock topography of eastern Morris and western Essex Counties, N.J., by W. D. Nichols. 1968. Lat 40°42'30" to 40°55', long 74°15' to 74°22'30". Scale 1:24,000. Bedrock-contour interval 20 feet. 34 by 47 inches. 75¢.
- I-550. Surficial geologic map of Yucca Flat, Nye and Lincoln Counties, Nev., by A. T. Fernald, G. S. Corchary, and W. P. Williams. 1968. Lat 36°52'30" to 37°15', long 115°52'30" to 116°15'. Scale 1:48,000. Contours on base of surficial deposits, interval 500 feet. 38½ by 45½ inches. \$1.
- I-551. Geologic map of the Arecibo quadrangle, Puerto Rico, by R. P. Briggs. 1968. Lat 18°22'30" to 18°30', long 66°37'30" to 66°45'. Scale 1:20,000. Structure-contour interval 20 meters. 31½ by 48 inches. \$1.
- I-552. Geologic map and sections of parts of the Portland and Belvidere quadrangles, New Jersey-Pennsylvania, by A. A. Drake, Jr., J. B. Epstein, and J. M. Aaron. 1969. Lat 40°45' to 41°, long 75° to 75°07'30". Scale 1:24,000. 32 by 50½ inches. \$1.
- I-553. Map showing recently active breaks along the San Andreas fault between Tejon Pass and Cajon Pass, southern California, by D. C. Ross. 1969. Scale 1:24,000. 40½ by 57½ inches. \$1.
- I-554. Regional geologic map of the Shunknak and southern part of the Ambler River quadrangles, Alaska, by W. W. Patton, Jr., T. P. Miller, and I. L. Tailleux. 1968. Lat 66° to 67°26'15", long 156° to 159°. Scale 1:250,000. 32 by 48 inches. \$1.
- I-555. Reconnaissance geologic map of the Madras quadrangle, Jefferson and Wasco Counties, Oreg., by A. C. Waters. 1968. Lat 44°30' to 45°, long 121° to 121°30'. Scale 1:125,000. 22 by 23½ inches. 75¢.
- I-556. Reconnaissance geologic map of the Dufur quadrangle, Hood River, Sherman, and Wasco Counties, Oreg., by A. C. Waters. 1968. Lat 45° to 45°30', long 121° to 121°30'. Scale 1:125,000. 23 by 23 inches. 75¢.
- I-557. Geologic map of the Soda Springs quadrangle, southeastern Idaho, by F. C. Armstrong. 1969. Lat 42°30' to 42°45', long 111°30' to 111°45'. Scale 1:48,000. Gravity-contour interval 2 milligals. Sheet 1, 28 by 54 inches; sheet 2, 32 by 38 inches. \$1.50 per set.
- I-558. Geologic map of the Trinidad quadrangle, south-central Colorado, by R. B. Johnson. 1969. Lat 37° to 38°, long 104° to 106°. Scale 1:250,000. Structure-contour intervals 200 and 500 feet. 26 by 46½ inches. \$1.
- I-559. Geochemical prospecting for copper, lead, and zinc in the west-central part of the Negaunee quadrangle, Marquette County, Mich., by Kenneth Segerstrom. 1968. Scale 1:62,500. 29 by 35½ inches. 75¢.
- I-560. Geologic and structure contour map of the La Junta quadrangle, Colorado and Kansas, by G. R. Scott. 1968 [1969]. Lat 37° to 38°, long

- 102° to 104°. Scale 1:250,000. Structure-contour intervals 100 and 200 feet. 25 by 42½ inches. \$1.
- I-561. Geologic map of the Twentynine Palms quadrangle, San Bernardino and Riverside Counties, Calif., by T. W. Dibblee, Jr. 1968. Lat 34° to 34°15', long 116° to 116°15'. Scale 1:62,500. 22 by 30 inches. Accompanied by 3-page text. 75¢.
- I-562. Geologic map of the southwest quarter of the Black Mountain quadrangle, Nye County, Nev., by D. C. Noble and R. L. Christiansen. 1968. Lat 37°15' to 37°22'30", long 116°37'30" to 116°45'. Scale 1:24,000. 29½ by 33 inches. \$1.
- I-563. Geologic map and sections of the southwest quarter of the Dillon quadrangle, Eagle and Summit Counties, Colo., by M. H. Bergendahl. 1969. Lat 39°30' to 39°37'30", long 106°07'30" to 106°15'. Scale 1:24,000. 30½ by 34 inches. \$1.
- I-564. Preliminary geologic map of the Roberts Mountain quadrangle, Lewis and Clark County, Mont., by R. G. Schmidt and C. P. Strong, Jr. 1968. Lat 47° to 47°07'30", long 112°07'30" to 112°15'. Scale 1:24,000. 33½ by 42½ inches. 50¢.
- I-565. Geologic map of the Moca and Isabela quadrangles, Puerto Rico, by W. H. Monroe. 1969. Lat 18°22'30" to 18°31'49.2", long 67° to 67°07'30". Scale 1:20,000. Structure-contour interval 20 meters. 39 by 39 inches. \$1.
- I-566. (LAC-77; RLC-13). Geologic map of the Ptolemaeus quadrangle of the moon, by K. A. Howard and Harold Masursky. 1968. Lat 0° to 16° S., long 10° E. to 10° W. Scale 1:1,000,000. 29½ by 53½ inches. \$1.
- I-567. Geologic map of the Pahute Mesa, Nevada test site and vicinity, Nye County, Nev., by P. P. Orkild, K. A. Sargent, and R. P. Snyder. 1969. Lat 37°07'30" to 37°30', long 116°15' to 116°37'30". Scale 1:48,000. 42 by 49 inches. Accompanied by 5-page text. \$1.
- I-568. Reconnaissance geologic map of the east half of the Bend quadrangle, Crook, Wheeler, Jefferson, Wasco, and Deschutes Counties, Oreg., by D. A. Swanson. 1969 [1970]. Lat 44° to 45°, long 120° to 121°. Scale 1:250,000. 30 by 40 inches. \$1.
- I-569. Geologic map of the Aguadilla quadrangle, Puerto Rico, by W. H. Monroe. 1969. Lat 18°22'30" to 18°30', long 67°07'30" to 67°15'. Scale 1:20,000. Structure-contour interval 20 meters. 36½ by 38½ inches. \$1.
- I-570. Map showing areal distribution of Tertiary rocks, Bates Hole-Shirley basin area, south-central Wyoming, by N. M. Denson and E. N. Harshman. 1969. Scale 1:125,000. Contours on pre-Wind River Formation erosion surface, interval 100 feet. 23 by 32½ inches. \$1.
- I-571. Geologic map of the Jemez Mountains, N. Mex., by R. L. Smith, R. A. Bailey, and C. S. Ross. 1970. Lat 35°15' to 36°15', long 106° to 107°. Scale 1:250,000. 39 by 50 inches. \$1.
- I-572. Geologic map of the Teller B-4 and southern part of the Teller C-4 quadrangles, western Seward Peninsula, Alaska, by C. L. Sainsbury. 1969. Lat 65°20' to 65°45', long 166°30' to 167°. Scale 1:63,360. 25½ by 31 inches. \$1.
- I-573. Geologic map of the Charley River quadrangle, east-central Alaska, by E. E. Brabb and Michael Churkin, Jr. 1969 [1970]. Lat 65° to 66°, long 141° to 144°. Scale 1:250,000. 29 by 45 inches. \$1.
- I-574. Map showing recently active breaks along the San Andreas and related faults between Cholame Valley and Tejon Pass, Calif., by J. G. Vedder

- and R. E. Wallace. 1970. Scale 1:24,000. Sheet 1, 30½ by 52 inches; sheet 2, 34½ by 52 inches. \$1 per set.
- I-575. Map showing recently active breaks along the San Andreas and related faults between the northern Gabilan Range and Cholame Valley, Calif., by R. D. Brown, Jr. 1970. Scale 1:62,500. 29½ by 51½ inches. \$1.
- I-576. Bedrock geologic map of the Marenisco-Watersmeet area, Gogebic and Ontonagon Counties, Mich., by C. E. Fritts. 1969 [1970]. Lat 46°15' to 46°30', long 89° to 89°45'. Scale 1:48,000. 35 by 57 inches. Accompanied by 5-page text. \$1.
- I-577. Geologic map of the Roaring Creek area, Randolph County, W. Va., by K. J. Englund. 1969. Vicinity of lat 38°53', long 79°58'. Scale 1:12,000. Structure-contour interval 10 feet. 41½ by 49½ inches. \$1.
- I-578. Geologic map of the Wheeler Peak and Garrison quadrangles, Nevada and Utah, by D. H. Whitebread. 1969 [1970]. Lat 38°45' to 39°, long 114° to 114°30'. Scale 1:48,000. 36 by 49 inches. Accompanied by 7-page text. \$1.
- I-579. Reconnaissance geologic map of the Riggins quadrangle, west-central Idaho, by Warren Hamilton. 1969. Lat 45° to 45°30', long 116° to 116°30'. Scale 1:125,000. 21 by 53 inches. \$1.
- I-580. Geologic map of the Mackay quadrangle, south-central Idaho, by W. H. Nelson and C. P. Ross. 1969 [1970]. Lat 43°30' to 44°, long 113°30' to 114°. Scale 1:125,000. Structure-contour interval 500 feet. 22 by 23 inches. \$1.
- I-581. Geologic map of the Four Corners quadrangle, Wyoming and South Dakota, by J. A. Van Lieu. 1969. Lat 44° to 44°15', long 104° to 104°15'. Scale 1:48,000. 24 by 28 inches. 75¢.
- I-582. Preliminary geologic map of the Columbia area, Carbon and Emery Counties, Utah, by F. W. Osterwald, C. R. Dunrud, and J. O. Maberry. 1969. Scale 1:6,000. Sheet 2, structure-contour interval 100 feet. Two sheets, each 32 by 38 inches. \$1.25 per set.
- I-583. Geologic map of Washington, compiled by A. E. Weissenborn. 1969. Lat 46° to 49°, long 118° to 124°. Scale 1:2,000,000. 11 by 29 inches. 25¢.
- I-585. Geologic map of the Wells Ranch and Elkhorn Hills quadrangles, San Luis Obispo and Kern Counties, Calif., showing juxtaposed Cenozoic rocks along the San Andreas fault, by J. G. Vedder. 1970. Sheet 1, lat 35° to 35°07'30", long 119°30' to 119°45'; scale 1:24,000; 41 by 48 inches. Sheet 2, 22 by 39 inches. \$1 per set.
- I-586 (RLC-15). Geologic map of the Alphonsus GA region of the moon, by J. F. McCauley. 1969. Lat 12°25' to 13°13' S., long 1°50' to 2°50' W. Scale 1:50,000. 29 by 45 inches. \$1.
- I-587. Tectonic structure of the main part of the basalt of the Columbia River Group, Washington, Oregon, and Idaho, by R. C. Newcomb. 1970. Lat 44° to 48°, long 116° to 122°. Scale 1:500,000. 42 by 46 inches. \$1.
- I-588. Geologic map of part of the Carmichaels quadrangle, southwestern Pennsylvania, by B. H. Kent. 1969 [1970]. Lat 39°30" to 40°, long 79°52'30" to 80°. Scale 1:24,000. Structure-contour interval 20 feet. 30 by 34 inches. \$1.
- I-590. Surficial and engineering geology of the central part of the Yukon-Koyukuk lowland, Alaska, by F. R. Weber and T. L. Péwé. 1970. Sheet 1, lat about 64°45' to 65°30', long 156° to 158°; scale 1:125,000, 35 by 48 inches. Sheet 2, 30 by 36½ inches. \$1.25 per set.

- I-592. Geologic map of the Daggett quadrangle, San Bernardino County, Calif., by T. W. Dibblee, Jr. 1970. Lat $34^{\circ}45'$ to 35° , long $116^{\circ}45'$ to 117° . Scale 1:62,500. 27 by 30 inches. Accompanied by 6-page text. \$1.
- I-593. Reconnaissance geologic map of the Tanacross quadrangle, Alaska, by H. L. Foster. 1970. Lat 63° to 64° , long 141° to 144° . Scale 1:250,000. 24 by $57\frac{1}{2}$ inches. \$1.
- I-594 (RLC-9). Geologic map of the Sabine DM region of the moon, by N. J. Trask. 1969. Lat $1^{\circ}57'$ to $2^{\circ}45'$ N., long $23^{\circ}30'$ to $24^{\circ}30'$ E. Scale 1:50,000. 25 by 43 inches. \$1.
- I-595. Geologic map of Oregon, by G. W. Walker and P. B. King. 1969. Scale 1:2,000,000. 14 by 26 inches. 25¢.
- I-596. Map showing bedrock topography and subcrop of selected beds beneath alluvial deposits of the Sutherland quadrangle, Daviess County, Ky., by A. E. Smith. 1969. Lat $37^{\circ}37'30''$ to $37^{\circ}45'$, long 87° to $87^{\circ}07'30''$. Scale 1:24,000. Topographic-contour interval 20 feet. 22 by 34 inches. 50¢.
- I-597. Geologic map of the southwest and southeast Pueblo quadrangles, Colorado, by G. R. Scott. 1969 [1970]. Lat $38^{\circ}07'30''$ to $38^{\circ}15'$, long $104^{\circ}30'$ to $104^{\circ}45'$. Scale 1:24,000. 28 by 48 inches. \$1.
- I-599 (RLC-14). Geologic map of the Alphonsus region of the moon, by M. H. Carr. 1969 [1970]. Lat $11^{\circ}30'$ to $15^{\circ}30'$ S., long 0° to 5° W. Scale 1:250,000. $26\frac{1}{2}$ by $46\frac{1}{2}$ inches. \$1.
- I-600. Geologic map of the northern part of the San Andres Mountains, central New Mexico, by G. O. Bachman and R. L. Harbour. 1970. Lat $33^{\circ}15'$ to $33^{\circ}30'$, long $106^{\circ}22'30''$ to $106^{\circ}45'$. Scale 1:62,500. 24 by 33 inches. \$1.
- I-601. Preliminary geologic map of the Black River quadrangle, east-central Alaska, compiled by E. E. Brabb. 1970. Lat 66° to 67° , long 141° to 144° . Scale 1:250,000. 23 by 38 inches. 75¢.
- I-602 (LAC-24). Geologic map of the Sinus Iridum quadrangle of the moon, by G. G. Schaber. 1969 [1970]. Lat 32° to 48° N., long 14° to 38° W. Scale 1:1,000,000. $26\frac{1}{2}$ by 46 inches. \$1.
- I-604 (LAC-11). Geologic map of the J. Herschel quadrangle of the moon, by G. E. Ulrich. 1969 [1970]. Lat 48° to 64° N., long 20° to 50° W. Scale 1:1,000,000. 32 by 49 inches. \$1.
- I-609. Map showing citrate-soluble heavy metals in stream sediments, Ossipee Lake quadrangle, Carroll County, N.H., by D. P. Cox. 1969 [1970]. Lat $43^{\circ}45'$ to 44° , long 71° to $71^{\circ}15'$. Scale 1:62,500. 23 by 24 inches. 50¢.
- I-613. Geologic map of the Sahuarita quadrangle, southeast of Tucson, Pima County, Ariz., by Harald Drewes. 1971 [1970]. Lat $31^{\circ}45'$ to 32° , long $110^{\circ}45'$ to 111° . Scale 1:48,000. $31\frac{1}{2}$ by 34 inches. \$1.
- I-616 (ORB II-2 (100)). Geologic map of the Maskelyne DA region of the moon, Lunar Orbiter site II P-2, southeastern Mare Tranquillitatis including Apollo landing site 1, by M. H. Carr. 1970. Lat about 2° to about $3^{\circ}24'$ N., long about 33° to 35° E. Scale 1:100,000. 25 by 42 inches. Accompanied by 4-page text. \$1.
- I-617 (ORB II-2(25)). Geologic map of Apollo landing site 1, part of Maskelyne DA region southeastern Mare Tranquillitatis, by D. E. Wilhelm. 1970. Lat $2^{\circ}26'$ to $2^{\circ}50'$ N., long $33^{\circ}50'$ to $34^{\circ}15'$ E. Scale 1:25,000. $25\frac{1}{2}$ by 43 inches. Accompanied by 4-page text. \$1.
- I-618 (ORB II-6 (100)). Geologic map of the Sabine D region of the moon, Lunar Orbiter site II P-6, southwestern Mare Tranquillitatis including Apollo landing site 2, by M. J. Grolier. 1970. Lat about $1^{\circ}57'$ N. to $0^{\circ}11'$

- S., long about 22°55' to 25°21' E. 29 by 46 inches. Accompanied by 4-page text. \$1.
- I-619 (ORB II-6(25)). Geologic map of Apollo landing site 2 (Apollo 11), part of Sabine D region southwestern Mare Tranquillitatis, by M. J. Grolier. 1970. Lat about 34' to about 54' N., long 23°24' to 23°54' E. Scale 1°25,000. 24 by 41 inches. Accompanied by 4-page text. \$1.
- I-622 (ORB II-13 (100)). Geologic map of the Maestlin G region of the moon, Lunar Orbiter site II P-13, Oceanus Procellarum, including Apollo landing site 5, by M. H. Carr and S. R. Titley. 1969 [1970]. Lat 0°42' to 2°41' N., long 40°36' to 42°48' W. Scale 1:100,000. 28 by 47 inches. Accompanied by 4-page text. \$1.
- I-623 (ORB II-13 (25)). Geologic map of Apollo landing site 5, part of Maestlin G region Oceanus Procellarum, by S. R. Titley and N. J. Trask. 1969 [1970]. Scale 1:25,000. 23 by 42 inches. Accompanied by 4-page text. \$1.
- I-630. Surficial geologic map of the Mooers quadrangle and part of the Rouses Point quadrangle, Clinton County, N.Y., by C. S. Denny. 1970. Lat 44°45' to 45°, long 73°20' to 73°45'. Scale 1:62,500. 29½ by 34 inches. \$1.
- I-631. Lithologic, geophysical, and mineral commodity maps of Precambrian rocks in Wisconsin, by C. E. Dutton and R. E. Bradley. 1970. Sheets 1-3, lat about 44° to about 47°, long about 87° to about 92°; scale 1:500,000; each sheet 35 by 44 inches. Sheet 1, lithologic data. Sheet 2, magnetic and Bouguer gravity contours; magnetic-contour intervals 100, 200, and 400 gammas and gravity-contour interval 10 milligals. Sheet 3, areal geology. Sheet 4, explanation; 29 by 40 inches. Sheet 5, lithologic data, areal geology, magnetic and gravity contours; lat about 43° to about 44°, long about 87° to about 91°; scale 1:500,000; magnetic-contour intervals 100, 200, and 400 gammas and gravity-contour interval 10 milligals; 19 by 34 inches. Sheet 6, northern Wisconsin and part of Michigan showing mineral commodity localities (Wisconsin only) and metamorphic zones; lat about 44° to about 47°, long 87° to about 93°; scale 1:1,000,000; 22 by 23 inches. Accompanied by 15-page text. \$2.50 per set.
- I-632. World subsea mineral resources, by V. E. McKelvey and F. F. H. Wang. 1969. Sheet 1, 24 by 28½ inches; sheets 2-4, 34 by 43 inches. Accompanied by 17-page text. \$2.75 per set. (Reprinted 1970, slightly revised.)
- I-659. Map showing landforms and sedimentary deposits of the Padre Island portion of the South Bird Island 7.5-minute quadrangle, Texas, by R. E. Hunter and K. A. Dickinson. 1970. Lat 27°22'30" to 27°30', long 97°15' to 97°22'30". Scale 1:24,000. 31 by 38 inches. \$1.
- I-666 (LAC-25). Geologic map of the Cassini quadrangle of the moon, by N. J. Page. 1970. Lat 10° E. to 14° W., long 32° N. to 48° N. Scale 1:1,000,000. 29 by 45½ inches. \$1.
- I-708. Geologic map of part of the Fra Mauro region of the moon, by T. W. Offield. Lat about 3°8' to about 3°56' S., long about 17°7' to about 17°33' W. Scale 1:25,000. Accompanied by 2-page text. Also geologic map of the Fra Mauro region of the Moon, by R. E. Eggleton. 1970. Lat about 2°30' to about 5°30' S., long about 15°30' to about 19° W. Scale 1:250,000. Accompanied by 3-page text. Each sheet 36 by 52 inches. \$1 per set.

GEOLOGIC ATLAS OF THE MOON

[Designation in parentheses refers to base maps]

- I-458 (LAC-76). Geologic map of the Rhipaeus Mountains region of the moon, by R. E. Eggleton. 1965. Lat 0° to 16° S., long 10° to 30° W. Mercator projection. Scale 1:1,000,000 at lat 11°00'45" S. Contour interval 300 meters. 29 by 51 inches. \$1.
- I-462 (LAC-40). Geologic map and section of the Timocharis region of the moon, by M. H. Carr. 1965. Lat 16° to 32° N., long 10° to 30° W. Scale 1:1,000,000. Contour interval 300 meters. 30 by 45 inches. \$1.
- I-463 (LAC-41). Geologic map of the Montes Apenninus region of the moon, by R. J. Hackman. 1966. Lat 16° to 32° N., long 10° E. to 10° S. Scale 1:1,000,000. Contour interval 300 meters. 31½ by 47½ inches. \$1.
- I-465 (LAC-39). Geologic map of the Aristarchus region of the moon, by H. J. Moore. 1965. Lat 16° to 32° N., long 30° to 50° W. Scale 1:1,000,000. Contour interval 300 meters. 32 by 48 inches. \$1.
- I-485 (LAC-94). Geologic map of the Pitatus region of the moon, by N. J. Trask and S. R. Titley. 1966. Lat 16° to 32° S., long 10° to 30° W. Scale 1:1,000,000. Contour interval 300 meters. 30 by 50 inches. \$1.
- I-489 (LAC-42). Geologic map of the Mare Serenitatis region of the moon, by M. H. Carr. 1966. Lat 16° to 32° N., long 10° to 30° E. Scale 1:1,000,000. Contour interval 300 meters. 28½ by 48½ inches. \$1.
- I-491 (LAC-56). Geologic map of the Hevelius region of the moon, by J. F. McCauley. 1967. Lat 0° to 16° N., long 50° to 70° W. Scale 1:1,000,000. Contour interval 300 meters. 28 by 47 inches. \$1.
- I-495 (LAC-93). Geologic map of the Mare Humorum region of the moon, by S. R. Titley. 1967. Lat 16° to 32° S., long 30° to 50° W. Scale 1:1,000,000. Contour interval 300 meters. 29 by 47 inches. \$1.
- I-510 (LAC-60). Geologic map of the Julius Caesar quadrangle of the moon, by E. C. Morris and D. E. Wilhelms. 1967. Lat 0° to 16° N., long 10° to 30° E. Scale 1:1,000,000. Contour interval 600 meters. 31 by 46 inches. \$1.
- I-515 (LAC-58). Geologic map of the Copernicus quadrangle of the moon, by H. H. Schmitt, N. J. Trask, and E. M. Shoemaker. 1967. Lat 0° to 16° N., long 10° to 30° W. Scale 1:1,000,000. Contour interval 300 meters. 31 by 53 inches. \$1.
- I-527 (LAC-38). Geologic map of the Seleucus quadrangle of the moon, by H. J. Moore. 1967. Lat 16° to 32° N., long 50° to 70° W. Scale 1:1,000,000. Contour interval 300 meters. 29½ by 47 inches. \$1.
- I-546 (LAC-78). Geologic map of the Theophilus quadrangle of the moon, by D. J. Milton. 1968. Lat 0° to 16° S., long 10° to 30° E. Scale 1:1,000,000. 29 by 48 inches. \$1.
- I-548 (LAC-59). Geologic map of the Mare Vaporum quadrangle of the moon, by D. E. Wilhelms. 1968. Lat 0° to 16° N., long 10° E. to 10° W. Scale 1:1,000,000. 33½ by 53 inches. \$1.
- I-566 (LAC-77; RLC-13). Geologic map of the Ptolemaeus quadrangle of the moon, by K. A. Howard and Harold Masursky. 1968. Lat 0° to 16° S., long 10° E. to 10° W. Scale 1:1,000,000. 29½ by 53½ inches. \$1.
- I-586 (RLC-15). Geologic map of the Alphonsus GA region of the moon, by J. F. McCauley. 1969. Lat 12°25' to 13°13' S., long 1°50' to 2°50' W. Scale 1:50,000. 29 by 45 inches. \$1.
- I-594 (RLC-9). Geologic map of the Sabine DM region of the moon, by N.

- J. Trask. 1969. Lat $1^{\circ}57'$ to $2^{\circ}45'$ N., long $23^{\circ}30'$ to $24^{\circ}30'$ E. Scale 1:50,000. 25 by 43 inches. \$1.
- I-599 (RLC-14). Geologic map of the Alphonsus region of the moon, by M. H. Carr. 1969 [1970]. Lat $11^{\circ}30'$ to $15^{\circ}30'$ S., long 0° to 5° W. Scale 1:250,000. $26\frac{1}{2}$ by 46 inches. \$1.
- I-602 (LAC-24). Geologic map of the Sinus Iridum quadrangle of the moon, by G. G. Schaber. 1969 [1970]. Lat 32° to 48° N., long 14° to 38° W. Scale 1:1,000,000. $26\frac{1}{2}$ by 46 inches. \$1.
- I-604 (LAC-11). Geologic map of the J. Herschel quadrangle of the moon, by G. E. Ulrich. 1969 [1970]. Lat 48° to 64° N., long 20° to 50° W. Scale 1:1,000,000. 32 by 49 inches. \$1.
- I-616 (ORB II-2(100)). Geologic map of the Maskelyne DA region of the moon, Lunar Orbiter site II P-2, southeastern Mare Tranquillitatis including Apollo landing site 1, by M. H. Carr. 1970. Lat about 2° to about $3^{\circ}24'$ N., long about 33° to 35° E. Scale 1:100,000. 25 by 42 inches. Accompanied by 4-page text. \$1.
- I-617 (ORB II-2(25)). Geologic map of Apollo landing site 1, part of Maskelyne DA region southeastern Mare Tranquillitatis, by D. E. Wilhelms. 1970. Lat $2^{\circ}26'$ to $2^{\circ}50'$ N., long $33^{\circ}50'$ to $34^{\circ}15'$ E. Scale 1:25,000. $25\frac{1}{2}$ by 43 inches. Accompanied by 4-page text. \$1.
- I-618 (ORB II-6 (100)). Geologic map of the Sabine D region of the moon, Lunar Orbiter site II P-6, southwestern Mare Tranquillitatis including Apollo landing site 2, by M. J. Grolier. 1970. Lat about $1^{\circ}57'$ N. to $0^{\circ}11'$ S., long about $22^{\circ}55'$ to $25^{\circ}21'$ E. 29 by 46 inches. Accompanied by 4-page text. \$1.
- I-619 (ORB II-6(25)). Geologic map of Apollo landing site 2 (Apollo 11), part of Sabine D region southwestern Mare Tranquillitatis, by M. J. Grolier. 1970. Lat about $34'$ to about $54'$ N., long $23^{\circ}24'$ to $23^{\circ}54'$ E. Scale 1:25,000. 24 by 41 inches. Accompanied by 4-page text. \$1.
- I-622 (ORB II-13 (100)). Geologic map of the Maestlin G region of the moon, Lunar Orbiter site II P-13, Oceanus Procellarum, including Apollo landing site 5, by M. H. Carr and S. R. Titley. 1969 [1970]. Lat $0^{\circ}42'$ to $2^{\circ}41'$ N., long $40^{\circ}36'$ to $42^{\circ}48'$ W. Scale 1:100,000. 28 by 47 inches. Accompanied by 4-page text. \$1.
- I-623 (ORB II-13 (25)). Geologic map of Apollo landing site 5, part of Maestlin G region Oceanus Procellarum, by S. R. Titley and N. J. Trask. 1969 [1970]. Scale 1:25,000. 23 by 42 inches. Accompanied by 4-page text. \$1.
- I-666 (LAC-25). Geologic map of the Cassini quadrangle of the moon, by N. J. Page. 1970. Lat 10° E. to 14° W., long 32° N. to 48° N. Scale 1:1,000,000. Sheet 29 by $45\frac{1}{2}$ inches. \$1.
- I-708. Geologic map of part of the Fra Mauro region of the moon, by T. W. Offield. Lat about $3^{\circ}8'$ to about $3^{\circ}56'$ S., long about $17^{\circ}7'$ to about $17^{\circ}33'$ W. Scale 1:25,000. Accompanied by 2-page text. Also geologic map of the Fra Mauro region of the moon, by R. E. Eggleton. 1970. Lat about $2^{\circ}30'$ to about $5^{\circ}30'$ S., long about $15^{\circ}30'$ to about 19° W. Scale 1:250,000. Accompanied by 3-page text. Each sheet 36 by 52 inches. \$1 per set.

MINERAL RESOURCE MAPS AND CHARTS

The following maps, which are listed in "Publications of the Geological Survey, 1879-1961" as being in print, are now out of print:

Listed under Missouri Basin Studies: 7 and 10.

Listed under General Mineral Resource Maps:

Geologic and structure contour map of the Cedar Creek anticline, Dawson, Prairie, Wilboux, and Fallon Counties, Mont., and Bowman County, N. Dak.

Preliminary map showing geologic structure of part of Rio Arriba County, N. Mex.

Preliminary map showing structure of Byron-Frannie area, Big Horn and Park Counties, Wyo.

Geologic map of North Dakota southwest of the Missouri River.

Interpreting geologic maps for engineering purposes—Holidaysburg quadrangle, Pennsylvania.

COAL INVESTIGATIONS MAPS

C-45. Geology and fuel resources of the southwestern part of the Raton coal field, Colfax County, N. Mex., by A. A. Wanek. 1963 [1964]. Scale 1:48,000. Structure-contour interval 100 feet. Sheet 1, 37 by 48 inches; sheet 2, 38 by 50 inches. \$1 per set.

C-46. Geology of anthracite in the eastern part of the Shamokin quadrangle, Northumberland County, Pa., by Walter Danilchik, H. H. Arndt, and G. H. Wood, Jr. 1962. Lat 40°45' to 40°50', long 76°30' to 76°33'45". Scale 1:12,000. Topographic-contour interval 20 feet, structure-contour interval 100 feet. Two sheets, each 40 by 46 inches. \$1.25 per set.

C-47. Geology of anthracite in the western part of the Shamokin quadrangle, Northumberland County, Pa., by H. H. Arndt, Walter Danilchik, and G. H. Wood, Jr. 1963. Lat 40°45' to 40°50', long 76°33'45" to 76°37'30". Scale 1:12,000. Sheet 1, coal-outcrop map and structure-contour map of the Buck Mountain coal bed; contour interval 20 feet; 38 by 46 inches. Sheet 2, cross sections and composite stratigraphic sections. \$1.25 per set.

C-48. Geology of anthracite in the southern part of the Trevorton quadrangle, Northumberland County, Pa., by H. H. Arndt, G. H. Wood, Jr., and Walter Danilchik. 1963. Lat 40°45' to 40°47'30", long 76°37'30" to 76°45'. Scale 1:12,000. Two sheets, each about 40 by 46 inches. \$1.25 per set.

C-50. Preliminary lithologic and structural map of Sunnyside No. 1 mine area, Carbon County, Utah, by F. W. Osterwald. 1962. Scale 1:6,000. Contour interval 20 feet. Sheet 1, 40 by 45½ inches; sheet 2, 40 by 41½ inches. \$1 per set.

C-51. Topographic and geologic map of the Knob Creek area of the Wishbone Hill district, Matanuska coal field, Alaska, by F. F. Barnes. 1962. Scale 1:6,000. Contour interval 20 feet. 34 by 39 inches. 50¢.

C-52. Geologic map of the Heart Butte NW quadrangle, Morton and Grant

- Counties, N. Dak., by E. V. Stephens. 1970. Lat 46°37'30" to 46°45', long 101°52'30" to 102°. Scale 1:24,000. 28 by 34 inches. 50¢.
- C-53. Geologic map of the Heart Butte quadrangle, Morton and Grant Counties, N. Dak., by E. V. Stephens. 1970. Lat 46°37'30" to 46°45', long 101°45' to 101°52'30". Scale 1:24,000. 28 by 34 inches. 50¢.

OIL AND GAS INVESTIGATIONS

MAPS

[The following oil and gas investigations maps, which are listed in "Publications of the Geological Survey, 1879-1961" as being in print, are now out of print: 13, 14, 22, 43, 49, 63, 72, 83, 101, 103, 114, 118, 134, 152, 175 and 190]

- OM-205. Geology of the Big Piney area, Sublette County, Wyo., by N. C. Privrasky. 1963. Lat 42°22'30" to 42°37'30", long 110°07'30" to 110°22'30". Sheet 1, geologic map, scale 1:31,680, structure sections, and text; 40 by 49 inches. Sheet 2, diagrammatic section, composite stratigraphic section, table showing all wells drilled in the area before 1957, and brief explanatory text; 34 by 36 inches. \$1 per set.
- OM-208. Reconnaissance geologic map of parts of Harding, San Miguel, and Mora Counties, N. Mex., by A. A. Wanek. 1962. Lat 35°30' to 36°, long 104° to 104°30'. Scale 1:96,000. 40 by 45½ inches. 75¢.
- OM-211. Geology of the Melstone-Sumatra area in central Montana, by H. R. Smith. 1962. Scale 1:63,360. 31 by 50 inches. 75¢.
- OM-212. Preliminary geologic map of the Fort Hill quadrangle, Lincoln County, Wyo., by S. S. Oriel. 1963. Lat 42° to 42°15', long 110°15' to 110°30'. Scale 1:48,000. Contour interval 50 feet. 30 by 39 inches. 50¢.
- OM-213. Geology of the east Thermopolis area, Hot Springs and Washakie Counties, Wyo., by G. H. Horn. 1963. Lat about 43°37'30" to 43°48'45", long about 107°35' to about 108°07'. Scale 1:48,000. Structure-contour interval 500 feet. 41 by 56 inches. 75¢.
- OM-214. Map of Texas showing oil and gas fields, pipelines, and areas of exposed basement rocks, by S. D. Vlisides. 1964. Scale 1:1,000,000. 42 by 52 inches. 75¢.
- OM-215. Map showing distribution and configuration of basement rocks in California, by M. B. Smith. 1964. Sheet 1, north half; lat about 37° to 42°, long about 118° to 124°. Sheet 2, south half; lat about 33° to 37°, long about 114° to 122°. Scale 1:500,000. Each sheet 44 by 63½ inches. \$1.50 per set.
- OM-216. Geologic map of the Thornburg oil and gas field and vicinity, Moffat and Rio Blanco Counties, Colo., by J. R. Dyni. 1966. Area lies in the vicinity of lat 40°15', long 107°40'. Scale 1:24,000. Structure-contour interval 250 feet in eastern two-thirds of map area, 500 feet in western one-third. 39 by 49 inches. Accompanied by 7-page text. 50¢.
- OM-217. Geologic map of the southeastern Caliente Range, San Luis Obispo County, Calif., by J. G. Vedder and C. A. Repenning. 1965. Lat 34°56'45" to 35°06'46", long 119°30' to 119°45'. Scale 1:24,000. 38 by 55½ inches. 50¢.

CHARTS

[The following oil and gas investigations charts which are listed in "Publications of the Geological Survey, 1879-1961" as being in print, are now out of print: 26 and 31]

- OC-63. Block diagram of the San Rafael Group and underlying strata in

Utah and part of Colorado, by J. C. Wright and D. D. Dickey. 1963. Lat about 37° to 42°, long 108° to 114°. Scale 1:2,534,300. 31 by 52 inches. 50¢.

OC-64. Correlation of Devonian rock units in the Appalachian Basin, by W. A. Oliver, Jr., Wallace de Witt, Jr., J. M. Dennison, D. M. Hoskins, and J. W. Huddle. 1969. 25 by 54 inches. 50¢.

MINERAL INVESTIGATIONS

FIELD STUDIES MAPS

[The following mineral investigations field studies maps, which are listed in "Publications of the Geological Survey, 1879-1961" as being in print, are now out of print: 17, 22, 31, 32, and 138]

MF-175. Red iron-ore beds of Silurian age in northeastern Alabama, northwestern Georgia, and eastern Tennessee, by J. W. Whitlow. 1962. Scale 1:250,000. Sheet 1, contour intervals 50 and 100 feet; 34 by 40 inches. Sheet 2, contour interval 100 feet; 36 by 49 inches. \$1 per set.

MF-205. Geologic reconnaissance map of part of the southeastern Mojave Desert, Calif., by D. H. Kupfer and A. M. Bassett. 1962. Most of area lies between lat 34° to 35° and long 115° to 116°30'. Scale 1:125,000. Contour interval 100 feet. 41 by 50 inches. \$1.

MF-241. Exploration for uranium-vanadium deposits by U.S. Geological Survey 1948-56 in western Disappointment Valley area, Slick Rock district, San Miguel County, Colo., by W. B. Rogers and D. R. Shawe. 1962. Scale 1:12,000. Contour interval 100 feet. Sheet 1, 31 by 45 inches; sheet 2, 25 by 44 inches; and sheet 3, 22 by 36 inches. \$1.50 per set.

MF-242. Geologic and structure map of the Minnekahta NE quadrangle, Fall River and Custer Counties, S. Dak., by D. E. Wolcott, C. G. Bowles, D. A. Brobst, and E. V. Post. 1962. Lat 43°22'30" to 43°30', long 103°30' to 103°37'30". Scale 1:24,000. Contour interval 10 feet. 25 by 27 inches. 50¢.

MF-243. Preliminary geologic map of the northern Elkhorn Mountains, Jefferson and Broadwater Counties, Mont., by H. W. Smedes. 1962. Lat 46°25'30" to 46°30', long 111°45' to 112°. Scale 1:24,000. Contour interval 40 feet. 41 by 50 inches. 50¢.

MF-244. Preliminary geologic map and sections of the Wheeler Peak quadrangle, White Pine County, Nev., by D. H. Whitebread, A. B. Griggs, W. B. Rogers, and J. W. Mytton. 1962. Lat 38°45' to 39°, long 114°15' to 114°30'. Scale 1:48,000. Contour interval 40 feet. 34 by 34½ inches. 50¢.

MF-245. Preliminary geologic map of the Unionville quadrangle, Nevada, by R. E. Wallace, D. B. Tatlock, N. J. Silberling, and W. P. Irwin. 1962. Lat 40°15' to 40°30', long 118° to 118°15'. Scale 1:48,000. Contour interval 40 feet. 29 by 42½ inches. 50¢.

MF-246. Preliminary geologic map of the Elk Park quadrangle, Jefferson and Silver Bow Counties, Mont., by H. W. Smedes, M. R. Klepper, D. M. Pinckney, G. E. Becraft, and E. T. Ruppel. 1962. Lat 46° to 46°15', long 112°15' to 112°30'. Scale 1:48,000. Contour interval 40 feet. 28 by 28 inches. 50¢.

MF-247. Preliminary geologic map of the Nome C-1 quadrangle, Seward Peninsula, Alaska, by C. H. Hummel. 1962. Lat 64°30' to 64°45', long

- 165° to 165°30'. Scale 1:63,360. Contour interval 50 feet. 24 by 31 inches. 50¢.
- MF-248. Preliminary geologic map of the Nome D-1 quadrangle, Seward Peninsula, Alaska, by C. H. Hummel. 1962. Lat 64°45' to 65°, long 165° to 165°30'. Scale 1:63,360. Contour interval 50 feet. 22 by 34 inches. 50¢.
- MF-249. Preliminary geologic map of the northeast quarter of the Shelby quadrangle, Cleveland County, N.C., by R. G. Yates and W. C. Overstreet. 1962. Lat 35°22'30" to 35°30', long 81°30' to 81°37'30". Scale 1:24,000. Contour interval 20 feet. 28 by 29 inches. 50¢.
- MF-250. Preliminary geologic map of the southeast quarter of the Shelby quadrangle, Cleveland County, N.C., by W. C. Overstreet and W. R. Griffiths. 1962. Lat 35°15' to 35°22'30", long 81°30' to 81°37'30". Scale 1:24,000. Contour interval 20 feet. 28½ by 29½ inches. 50¢.
- MF-251. Preliminary geologic map of the Panamint Butte quadrangle, Inyo County, Calif., by W. E. Hall and H. G. Stephens. 1962. Lat 36°15' to 36°30', long 117°15' to 117°30'. Scale 1:48,000. Contour interval 40 feet. 28½ by 34½ inches. 50¢.
- MF-252. Preliminary geologic map of the southwest quarter of the Shelby quadrangle, Cleveland and Rutherford Counties, N.C., by W. R. Griffiths, R. G. Yates, and W. C. Overstreet. 1962. Lat 35°15' to 35°22'30", long 81°37'30" to 81°45'. Scale 1:24,000. Contour interval 20 feet. 28½ by 30 inches. 50¢.
- MF-253. Preliminary geologic map of the western part of the Superior quadrangle, Pinal County, Ariz., by D. W. Peterson. 1962. Lat 33°15' to 33°22'30", long 111°02'30" to 111°07'30". Scale 1:12,000. Contour interval 40 feet. 42 by 50 inches. 50¢.
- MF-254. Preliminary geologic map of the Independence quadrangle, Inyo County, Calif., by D. C. Ross. 1962. Lat 36°45' to 37°, long 118° to 118°15'. Scale 1:48,000. Contour interval 80 feet. 36 by 44 inches. 50¢.
- MF-255. Cenozoic geology and sections of the Ione quadrangle, Nye County, Nev., by C. J. Vitaliano. 1963. Lat 38°45' to 39°, long 117°30' to 117°45'. Scale 1:62,500. Contour interval 40 feet. 21 by 25 inches. 50¢.
- MF-256. Preliminary geologic map of the Blanco Mountain quadrangle, Inyo and Mono Counties, Calif., by C. A. Nelson. 1963. Lat 37°15' to 37°30', long 118° to 118°15'. Scale 1:48,000. Contour interval 80 feet. 27 by 38 inches. 50¢.
- MF-257. Geologic map of the southern part of the Casar quadrangle, Cleveland, Lincoln, and Burke Counties, N.C., showing areas mined for monazite and mica, by W. C. Overstreet, J. W. Whitlow, A. M. White, and W. R. Griffiths. 1963. Lat 35°30' to 35°32'30", long 81°30' to 81°37'30". Scale 1:24,000. Contour interval 40 feet. 26 by 34 inches. 50¢.
- MF-258. Preliminary geologic map of the northwest quarter of the Shelby quadrangle, Cleveland and Rutherford Counties, N.C., by R. G. Yates. 1963. Lat 35°22'30" to 35°30', long 81°37'30" to 81°45'. Scale 1:24,000. Contour interval 100 feet. 28 by 31 inches. 50¢.
- MF-259. Preliminary geologic map of the Phillips quadrangle, Maine, by R. H. Moench. 1963. Lat 44°45' to 45°, long 70°15' to 70°30'. Scale 1:62,500. Contour interval 20 feet. 35½ by 44 inches. 50¢.
- MF-260. Reconnaissance geologic map of the eastern half of the Klamath Falls (AMS) quadrangle, Lake and Klamath Counties, Oreg., by G. W.

- Walker. 1963. Lat 42° to 43°, long 120° to 121°. Scale 1:250,000. Contour interval 200 feet. 27 by 40 inches. 50¢.
- MF-261. Structure-contour map of the Olive Hill Clay Bed in northeastern Kentucky, by J. W. Hosterman. 1963. Lat 37°52'30" to 39°52'30", long 83°15' to 83°45'. Scale 1:125,000. Contour interval 100 feet. 29 by 37 inches. 50¢.
- MF-262. Preliminary geologic map of the Garns Mountain SE quadrangle, Bonneville and Teton Counties, Idaho, by M. H. Staatz and H. F. Albee. 1963. Lat 43°30' to 43°37'30", long 111°15' to 111°22'30". Scale 1:24,000. Contour interval 50 feet. 32 by 42 inches. 50¢.
- MF-263. Geologic map of the Riddle Cut quadrangle, Carbon County, Wyo., by Harry McAndrews. 1963. Lat 42° to 42°07'30", long 107°07'30" to 107°15'. Scale 1:24,000. Contour interval 20 feet. 25 by 33 inches. 50¢.
- MF-264. Geologic map of the Castagne quadrangle, Carbon County, Mont., by H. L. Smith. 1963. Lat 45°15' to 45°22'30", long 109°15' to 109°22'30". Scale 1:24,000. Contour interval 20 feet. 26 by 28 inches. 50¢.
- MF-265. Geologic map of the Cooney Reservoir quadrangle, Carbon and Stillwater Counties, Mont., by A. A. Wanek. 1963. Lat 45°22'30" to 45°30', long 109°07'30" to 109°15'. Scale 1:24,000. Contour interval 20 feet. 32 by 32 inches. 50¢.
- MF-266. Geologic map of the Roberts quadrangle, Carbon County, Mont., by H. D. Zeller. 1963. Lat 45°15' to 45°22'30", long 109°07'30" to 109°15'. Scale 1:24,000. Contour interval 20 feet. 31 by 38 inches. 50¢.
- MF-267. Geologic map of the Roscoe NE quadrangle, Stillwater and Carbon Counties, Mont., by E. D. Patterson. 1963. Lat 45°22'30" to 45°30', long 109°15' to 109°22'30". Scale 1:24,000. Contour interval 20 feet. 28 by 29 inches. 50¢.
- MF-268. Geochemical and heavy-mineral reconnaissance of the Kannapolis quadrangle, North Carolina, by Henry Bell, III. 1963. Lat 35°22'30" to 35°30', long 80°37'30" to 85°45'. Scale 1:24,000. 30 by 40 inches. 50¢.
- MF-269. Geologic map and section of Kellyland and Vanceboro quadrangles, Maine, by D. M. Larrabee. 1963. Lat 45°15' to about 45°37', long 67°25' to 67°30'. Scale 1:48,000. Contour interval 20 feet. 34 by 41 inches. 50¢.
- MF-270. Geologic map of the Rapids quadrangle, Carbon and Stillwater Counties, Mont., by A. A. Wanek. 1963. Lat 45°30' to 45°37'30", long 109° to 109°07'30". Scale 1:24,000. Contour interval 20 feet. 30 by 32 inches. 50¢.
- MF-271. Preliminary geologic map of the Hot Sulphur Springs SE quadrangle, Grand County, Colo., by G. A. Izett and D. L. Hoover. 1963. Lat 40° to 40°07'30", long 106° to 106°07'30". Scale 1:24,000. Contour interval 80 feet. 32 by 32 inches. 50¢.
- MF-272. Geochemical and heavy-mineral reconnaissance of the Harrisburg quadrangle, North Carolina, by Henry Bell III. 1964. Lat 35°15' to 35°22'30", long 80°37'30" to 80°45'. Scale 1:24,000. 29½ by 44 inches. 50¢.
- MF-273. Preliminary geologic map of the Mount Wilson quadrangle, San Miguel County [and Dolores County], Colo., by C. S. Bromfield and A. R. Conroy. 1963 [1964]. Lat 37°45' to 37°52'30", long 107°52'30" to 108°. Scale 1:24,000. 34 by 44½ inches. 50¢.
- MF-274. Preliminary geologic map of the Garns Mountain NE quadrangle,

- Teton County, Idaho, by H. F. Albee. 1964. Lat $43^{\circ}37'30''$ to $43^{\circ}45'$, long $111^{\circ}15'$ to $111^{\circ}22'30''$. Scale 1:24,000. $33\frac{1}{2}$ by 38 inches. 50¢.
- MF-275. Preliminary geologic map of the Weaverville quadrangle, California, by W. P. Irwin. 1963 [1964]. Lat $40^{\circ}30'$ to $40^{\circ}45'$, long $122^{\circ}45'$ to 123° . Scale 1:62,500. 26 by 32 inches. 50¢.
- MF-276. Preliminary geologic map of the Hunters quadrangle, Stevens and Ferry Counties, Wash., by A. B. Campbell and O. B. Raup. 1964. Lat 48° to $48^{\circ}15'$, long 118° to $118^{\circ}15'$. Scale 1:48,000. 28 by 38 inches. 50¢.
- MF-277. Geology of the Conant Valley quadrangle, Bonneville County, Idaho, by D. A. Jobin and M. L. Schroeder. 1964. Lat $43^{\circ}22'30''$ to $43^{\circ}30'$, long $111^{\circ}22'30''$ to $111^{\circ}30'$. Scale 1:24,000. 33 by 36 inches. 50¢.
- MF-278. Heavy metals in stream sediment, west-central Maine, by E. V. Post and J. B. Hite. 1963. Lat 45° to 46° , long $68^{\circ}30'$ to $71^{\circ}15'$. Scale 1:250,000. 23 by 41 inches. 50¢. (Revised 1964.)
- MF-279. Geologic map of the Stonyford quadrangle, Glenn, Colusa, and Lake Counties, Calif., by R. D. Brown, Jr. 1964. Lat $39^{\circ}15'$ to $39^{\circ}30'$, long $122^{\circ}30'$ to $122^{\circ}45'$. Scale 1:48,000. 34 by 35 inches. Accompanied by 3-page text. 50¢.
- MF-280. Geologic map of the Husum quadrangle, Washington, by R. A. Sheppard. 1964. Lat $45^{\circ}45'$ to 46° , long $121^{\circ}15'$ to $121^{\circ}30'$. Scale 1:62,500. $25\frac{1}{2}$ by 30 inches. 50¢.
- MF-281. Preliminary geologic map of the Merced Peak quadrangle, California, by D. L. Peck. 1964. Lat $37^{\circ}30'$ to $37^{\circ}45'$, long $119^{\circ}15'$ to $119^{\circ}30'$. Scale 1:48,000. 29 by 35 inches. 50¢.
- MF-282. Reconnaissance bedrock geology of the Wabassus Lake quadrangle, Washington County, Maine, by D. M. Larrabee. 1964. Lat 45° to $45^{\circ}15'$, long $67^{\circ}45'$ to 68° . Scale 1:62,500. 25 by 30 inches. 50¢.
- MF-283. Preliminary geologic map of the Wilmont Creek quadrangle, Ferry and Stevens Counties, Wash., by G. E. Becraft. 1964. Lat 48° to $48^{\circ}15'$, long $118^{\circ}15'$ to $118^{\circ}30'$. Scale 1:48,000. 29 by 31 inches. 50¢.
- MF-284. Geologic map of the Thompson Peak quadrangle, Bonneville County, Idaho, by D. A. Jobin and P. E. Soister. 1964. Lat $43^{\circ}22'30''$ to $43^{\circ}30'$, long $111^{\circ}07'30''$ to $111^{\circ}15'$. Scale 1:24,000. 32 by 40 inches. 50¢.
- MF-285. Geology of the NE $\frac{1}{4}$ of the Essex Mountain quadrangle, Sweetwater County, Wyo., by H. D. Zeller and E. V. Stephens. 1964. Lat $42^{\circ}07'30''$ to $42^{\circ}15'$, long 109° to $109^{\circ}07'30''$. Scale 1:24,000. 32 by 34 inches. 50¢.
- MF-286. Geology of the Pinnacles NW quadrangle, Sweetwater County, Wyo., by H. D. Zeller and E. V. Stephens. 1964. Lat $42^{\circ}07'30''$ to $42^{\circ}15'$, long $108^{\circ}37'30''$ to $108^{\circ}45'$. Scale 1:24,000. $28\frac{1}{2}$ by 31 inches. 50¢.
- MF-287. Geology of the Irwin quadrangle, Bonneville County, Idaho, by D. A. Jobin and M. L. Schroeder. 1964. Lat $43^{\circ}22'30''$ to $43^{\circ}30'$, long $111^{\circ}15'$ to $111^{\circ}22'30''$. Scale 1:24,000. $30\frac{1}{2}$ by $30\frac{1}{2}$ inches. 50¢.
- MF-288. Geology of the NE $\frac{1}{4}$ of Freighter Gap quadrangle, Sweetwater County, Wyo., by H. D. Zeller and E. V. Stephens. 1964. Lat $42^{\circ}07'30''$ to $42^{\circ}15'$, long $108^{\circ}45'$ to $108^{\circ}52'30''$. Scale 1:24,000. 30 by 32 inches. 50¢.
- MF-289. Geology of the NW $\frac{1}{4}$ of Freighter Gap quadrangle, Sweetwater County, Wyo., by H. D. Zeller and E. V. Stephens. 1964. Lat $42^{\circ}07'30''$ to $42^{\circ}15'$, long $108^{\circ}52'30''$ to 109° . Scale 1:24,000. 31 by 31 inches. 50¢.
- MF-290. Geology of the Devils Slide quadrangle, Morgan and Summit Counties, Utah, by T. E. Mullens and W. H. Laraway. 1964. Lat 41° to

- 41°07'30", long 111°30' to 111°37'30". Scale 1:24,000. 29½ by 31 inches. 50¢.
- MF-291. Preliminary geologic map of the Hot Sulphur Springs SW quadrangle, Grand County, Colo., by G. A. Izett and C. S. V. Barclay. 1964. Lat 40° to 40°07'30", long 106°07'30" to 106°15'. Scale 1:24,000. 30½ by 34 inches. 50¢.
- MF-292. Geologic map of the Continental Peak quadrangle, Fremont and Sweetwater Counties, Wyo., by H. D. Zeller and E. V. Stephens. 1964. Lat 42°15' to 42°22'30", long 108°37'30" to 108°45'. Scale 1:24,000. 26 by 31 inches. 50¢.
- MF-293. Geologic map of the Dickie Springs quadrangle, Fremont and Sweetwater Counties, Wyo., by H. D. Zeller and E. V. Stephens. 1964. Lat 42°15' to 42°22'30", long 108°45' to 108°52'30". Scale 1:24,000. 27 by 32 inches. 50¢.
- MF-294. Geologic map of the Pacific Springs quadrangle, Fremont and Sweetwater Counties, Wyo., by H. D. Zeller and E. V. Stephens. 1964. Lat 42°15' to 42°22'30", long 108°52'30" to 109°. Scale 1:24,000. 26½ by 32½ inches. 50¢.
- MF-295. Geologic map of the Hay Meadow Reservoir quadrangle, Sublette, Fremont, and Sweetwater Counties, Wyo., by H. D. Zeller and E. V. Stephens. 1964. Lat 42°15' to 42°22'30", long 109° to 109°07'30". Scale 1:24,000. 27 by 31½ inches. 50¢.
- MF-296. Geologic map of the Parting of the Ways quadrangle, Sublette and Sweetwater Counties, Wyo., by H. D. Zeller and E. V. Stephens. 1964. Lat 42°15' to 42°22'30", long 109°07'30" to 109°15'. Scale 1:24,000. 27 by 32 inches. 50¢.
- MF-297. Geologic map of the Tule Butte quadrangle, Sweetwater County, Wyo., by H. D. Zeller and E. V. Stephens. 1964. Lat 42°07'30" to 42°15', long 109°07'30" to 109°15'. Scale 1:24,000. 29 by 30 inches. 50¢.
- MF-298. Preliminary geologic map of Esmeralda County, Nev., by J. P. Albers and J. H. Stewart. 1965. Scale 1:200,000. 40½ by 48 inches. 50¢.
- MF-299. Preliminary geologic map of the SW¼ of the Bancroft quadrangle, Bannock and Caribou Counties, Idaho, by S. S. Oriel. 1965. Lat 42°30' to 42°37'30", long 111°52'30" to 112°. Scale 1:24,000. 28 by 31 inches. 50¢.
- MF-300. Geologic map of the Driggs quadrangle, Bonneville and Teton Counties, Idaho, and Teton County, Wyo., by E. H. Pampeyan, M. L. Schroeder, E. M. Schell, and E. R. Cressman. 1967. Lat 43°30' to 43°45', long 111° to 111°15'. Scale 1:31,680. 41½ by 42 inches. 75¢.
- MF-301. Map of southeastern Maine showing heavy metals in stream sediments, by E. V. Post, W. L. Lehmbeck, W. H. Dennen, and G. A. Nowlan. 1967 [1968]. Lat 44° to 45°30', long 66°45' to 69°. Scale 1:250,000. 31½ by 37 inches. 50¢.
- MF-302. Geologic map of the Myrtle Point area, Coos County, Oreg., by E. M. Baldwin. 1969. Lat 43° to 43°07'30", long 124°07'30" to 124°22'30". Scale 1:48,000. 22 by 27 inches. 50¢.

RESOURCE MAPS

[The following mineral investigations resource maps, which are listed in "Publications of the Geological Survey, 1879-1961" as being in print, are now out of print: 8 and 9]

- MR-13. Copper in the United States, exclusive of Alaska and Hawaii, by A. R. Kinkel, Jr., and N. P. Peterson. 1962. Scale 1:3,168,000. 40½ by 64½ inches. 75¢.

- MR-14. Borates in the United States, exclusive of Alaska and Hawaii, by W. C. Smith. 1962. Scale 1:3,168,000. 40½ by 64½ inches. 75¢.
- MR-15. Lead in the United States, exclusive of Alaska and Hawaii, by E. T. McKnight, W. L. Newman, and A. V. Heyl, 1962. Scale 1:3,168,000. 40½ by 64 inches. 75¢.
- MR-16. Vanadium in the United States, exclusive of Alaska and Hawaii, by R. P. Fischer. 1962. Scale 1:3,168,000. 75¢.
- MR-17. Asbestos in the United States, exclusive of Alaska and Hawaii, by A. H. Chidester and A. F. Shride. 1962. Scale 1:3,168,000. 40½ by 64 inches. 75¢.
- MR-18. Pyrophyllite, and kyanite and related minerals in the United States, exclusive of Alaska and Hawaii, by G. H. Espenshade. 1962. Scale 1:3,168,000. 40½ by 64 inches. 75¢.
- MR-19. Zinc in the United States, exclusive of Alaska and Hawaii, by E. T. McKnight, W. L. Newman, and A. V. Heyl. 1962. Scale 1:3,168,000. 40½ by 64 inches. 75¢.
- MR-20. Antimony in the United States, exclusive of Alaska and Hawaii, by D. E. White. 1962. Scale 1:3,168,000. 40½ by 64 inches. 75¢.
- MR-21. Epigenetic uranium deposits in the United States, exclusive of Alaska and Hawaii, by A. P. Butler, Jr., W. I. Finch, and W. S. Twenhofel. 1962. Scale 1:3,168,000. 40½ by 64 inches. 75¢.
- MR-22. Bismuth in the United States, exclusive of Alaska and Hawaii, by J. R. Cooper. 1962. Scale 1:3,168,000. 40½ by 64 inches. 75¢.
- MR-23. Manganese in the United States, exclusive of Alaska and Hawaii, by M. D. Crittenden and Louis Pavlides. 1962. Scale 1:3,168,000. 40½ by 64 inches. 75¢.
- MR-24. Gold in the United States, exclusive of Alaska and Hawaii, by A. H. Koschmann and M. H. Bergendahl. 1962. Scale 1:3,168,000. 40½ by 64 inches. 75¢.
- MR-25. Tungsten in the United States, exclusive of Alaska and Hawaii, by D. M. Lemmon and O. L. Tweto. 1962. Scale 1:3,168,000. 40½ by 64 inches. 75¢.
- MR-26. Chromite in the United States, exclusive of Alaska and Hawaii, by T. P. Thayer and M. H. Miller. 1962. Scale 1:3,168,000. 40½ by 64 inches. 75¢.
- MR-27. Magnesite and brucite in the United States, exclusive of Alaska and Hawaii, by Benjamin Gildersleeve. 1962. Scale 1:3,168,000. 40½ by 64 inches. 75¢.
- MR-28. Thorium and rare earths in the United States, exclusive of Alaska and Hawaii, by J. C. Olson and J. W. Adams. 1962. Scale 1:3,168,000. 40½ by 64 inches. 75¢.
- MR-29. Titanium in the United States, exclusive of Alaska and Hawaii, by C. L. Rogers and M. C. Jaster. 1962. Scale 1:3,168,000. 40½ by 64 inches. 75¢.
- MR-30. Mercury in the United States, exclusive of Alaska and Hawaii, by E. H. Bailey. 1962. Scale 1:3,168,000. 40½ by 64 inches. 75¢.
- MR-31. Talc and soapstone in the United States, exclusive of Alaska and Hawaii, by A. H. Chidester and H. W. Worthington. 1962. Scale 1:3,168,000. 40½ by 64 inches. 75¢.
- MR-32. Lode gold and silver occurrences in Alaska, by E. H. Cobb. 1962. Scale 1:2,500,000. 40 by 57 inches. 75¢.

- MR-33. Gypsum and anhydrite in the United States, exclusive of Alaska and Hawaii, by C. F. Withington. 1962. Scale 1:3,168,000. 40½ by 64 inches. 75¢.
- *MR-34. Silver in the United States, exclusive of Alaska and Hawaii, by E. T. McKnight, W. L. Newman, Harry Klemic, and A. V. Heyl. 1962. Scale 1:3,168,000. 40½ by 64 inches.
- MR-35. Beryllium in the United States, exclusive of Alaska and Hawaii, by W. R. Griffiths, D. M. Larrabee, and J. J. Norton. 1962. Scale 1:3,168,000. 40½ by 64 inches. 75¢.
- MR-36. Niobium and tantalum in the United States, exclusive of Alaska and Hawaii, by R. L. Parker. 1963. Scale 1:3,168,000. 41 by 64 inches. 75¢.
- MR-37. High-alumina kaolinitic clay in the United States, exclusive of Alaska and Hawaii, by Helen Mark. 1963. Scale 1:3,168,000. 41 by 64 inches. 75¢.
- MR-38. Placer gold occurrences in Alaska, by E. H. Cobb. 1964. Scale 1:2,500,000. 38 by 46½ inches. 50¢.
- MR-39. Oxidized zinc districts in California and Nevada, by A. V. Heyl and C. N. Bozion. 1964. Sheet 1, lat 34° to 38°, long 114° to 120°; 29 by 33 inches. Sheet 2, lat 38° to 42°, long 114° to 120°; 29 by 30 inches. Scale 1:750,000. Accompanied by 6-page text. 75¢ per set.
- MR-40. Iron occurrences in Alaska, compiled by E. H. Cobb. Lat 54° to 68°, long 130° to 170°. Scale 1:250,000. 38 by 49 inches. 75¢.
- MR-41. Industrial minerals and construction materials occurrences in Alaska, by E. H. Cobb. 1964. Scale 1:2,500,000. 37½ by 49 inches. 75¢.
- MR-42. Reported occurrences of selected minerals in Wyoming, compiled by the Branch of Mineral Classification, Conservation Division. 1964. Scale 1:500,000. 41 by 53 inches. 50¢.
- MR-43. Barite in the United States, exclusive of Alaska and Hawaii, by D. A. Brobst. 1965. Scale 1:3,168,000. 41 by 64 inches. Accompanied by 10-page text. 75¢.
- MR-44. Tin in the United States, exclusive of Alaska and Hawaii, by P. L. Killeen and W. L. Newman. 1965. Scale 1:3,168,000. 41 by 64 inches. Accompanied by 9-page text. 75¢.
- MR-45. Reported occurrences of selected minerals in New Mexico (includes most metals and nonmetals; does not include mineral fuels, most sodium and potassium salts, phosphate, or sulfur), compiled by L. B. Haigler and H. L. Sutherland. 1965. Scale 1:500,000. Two sheets; north half, 33 by 46 inches; south half, 31 by 47 inches. 75¢ per set.
- MR-46. Reported occurrences of selected minerals in Arizona (includes most metals and nonmetals; does not include mineral fuels, most sodium and potassium salts, or phosphate), compiled by T. F. Stipp, L. B. Haigler, B. R. Alto, and H. L. Sutherland. 1967. Scale 1:500,000. Two sheets: north half, 32 by 43 inches; south half, 29 by 51 inches. 75¢ per set.
- MR-47. Reported occurrences of selected minerals in the northern third of California, compiled by M. B. Smith, V. L. Engler, D. I. Lee, and R. G. Wayland. 1967. Scale 1:500,000. 34 by 35 inches. Accompanied by 3-page text. 75¢.
- MR-50. Reported occurrences of selected minerals in Montana, compiled by C. B. Bentley and G. D. Mowat. 1967. Scale 1:500,000. Two sheets: east half, 41 by 46 inches; west half, 39 by 46 inches. 75¢ per set.
- MR-51. Iron in the United States, exclusive of Alaska and Hawaii, by M. S. Carr, P. W. Guild, and W. B. Wright. 1967. Scale 1:3,168,000. 40 by 63½ inches. Accompanied by 20-page text. 75¢.

- MR-52. Antimony occurrences in Alaska, compiled by E. H. Cobb. 1970. Lat about 54° to 68°, long about 130° to about 170°. Scale 1:2,500,000. 37 by 49 inches. Accompanied by 4-page text. 50¢.
- MR-53. Bismuth occurrences in Alaska, compiled by E. H. Cobb. 1970. Lat 54° to 68°, long 130° to 170°. Scale 1:2,500,000. 36½ by 49 inches. Accompanied by 2-page text. 50¢.
- MR-54. Mercury occurrences in Alaska, compiled by E. H. Cobb. 1970. Lat about 54° to 68°, long about 130° to about 170°. Scale 1:2,500,000. 37 by 49 inches. Accompanied by 2-page text. 50¢.
- MR-55. Molybdenum in the United States, exclusive of Alaska and Hawaii, by R. U. King. 1970. Scale 1:3,168,000. 40½ by 64 inches. Accompanied by 21-page text. 75¢.
- MR-56. Uranium, thorium, and rare-earth elements in Alaska, compiled by E. H. Cobb. 1970. Lat 54° to 68°, long 130° to 170°. Scale 1:2,500,000. 37 by 49 inches. Accompanied by 3-page text. 75¢.

SPECIAL GEOLOGIC MAPS

- Antarctic map 1. Reconnaissance geologic map of the Mount Rabot quadrangle, Transantarctic Mountains, Antarctica, by P. J. Barrett, J. F. Lindsay, and John Gunner. 1970. Lat 83° to 84° S., long 154° to 165° E. Scale 1:250,000. Structure-contour interval 500 meters. 30 by 34 inches. \$1.
- Geologic map of Arizona, by E. D. Wilson and R. T. Moore, Arizona Bureau of Mines, and J. R. Cooper, U.S. Geological Survey. 1969. Scale 1:500,000. 48 by 70 inches. \$2.50.
- Geologic map of New Mexico, by C. H. Dane and G. O. Bachman. Prepared with the cooperation of the New Mexico Institute of Mining and Technology, State Bureau of Mines and Minerals Resources Division, and the University of New Mexico, Department of Geology. 1965. Scale 1:500,000. Sheet 1, geologic map; 49 by 63 inches. Sheet 2, explanation; 30 by 63 inches. \$2.50 per set.

HYDROLOGIC INVESTIGATIONS ATLASES

- HA-13. Reconnaissance of ground-water resources of the Jackson Purchase region, Kentucky, by L. M. MacCary and T. W. Lambert. 1962. 9 p., 38 fig., including geologic and water availability maps at a scale of 1:250,000. \$1.50.
- HA-26. Availability of ground water in Butler and Ohio Counties, Ky., by B. W. Maxwell and R. W. Devaul. 1962. Two maps, scale 1:125,000, and generalized columnar section. Sheet 1, 22½ by 30½ inches; sheet 2, 23 by 30 inches; and sheet 3, 20 by 21 inches. \$1.25 per set.
- HA-27. Availability of ground water in Daviess and Hancock Counties, Ky., by R. W. Devaul and B. W. Maxwell. 1962. Two maps, scale 1:125,000, and generalized columnar section. Sheet 1, 21 by 27 inches; sheet 2, 30 by 27 inches; and sheet 3, 20 by 24 inches. \$1.25 per set.
- HA-28. Availability of ground water in Union and Henderson Counties, Ky., by B. W. Maxwell and R. W. Devaul. 1962. Two maps, scale 1:125,000, and generalized columnar section. Sheets 1 and 2, 22 by 27 inches; sheet 3, 20 by 27 inches. \$1.25 per set.
- HA-29. Availability of ground water in McLean and Muhlenberg Counties, Ky., by R. W. Devaul and B. W. Maxwell. 1962. Two maps, scale 1:125,000, and generalized columnar section. Sheet 1, 20 by 28 inches; sheet 2, 20 by 27 inches; and sheet 3, 20½ by 25 inches. \$1.25 per set.
- HA-30. Availability of ground water in Hopkins and Webster Counties, Ky., by B. W. Maxwell and R. W. Devaul. 1962. Two maps, scale 1:250,000, and generalized columnar section. Sheet 1, 23½ by 24 inches; sheet 2, 21 by 24 inches; and sheet 3, 20 by 27 inches. \$1.25 per set.
- HA-31. Reconnaissance of ground water in the western part of the Mojave Desert region, California, by Fred Kunkel. 1962. Scale 1:316,800. 32½ by 46 inches. 75¢.
- HA-32. Availability of ground water in Allen, Barren, Edmonson, Green, Hart, Logan, Metcalfe, Monroe, Simpson, and Warren Counties, Ky., by R. F. Brown and T. W. Lambert. 1962. Two maps, scale 1:250,000, and generalized columnar section. Sheet 1, 20 by 26½ inches; sheet 2, 20½ by 38 inches; and sheet 3, 21 by 27½ inches. \$1.25 per set.
- HA-33. Availability of ground water in Breckinridge, Grayson, Hardin, Larue, and Mead Counties, Ky., by R. F. Brown and T. W. Lambert. 1963. Two maps, scale 1:250,000, and generalized columnar section. Sheet 1, 21 by 21 inches; sheet 2, 21 by 31 inches; and sheet 3, 22 by 23 inches. \$1.25 per set.
- HA-34. Availability of ground water in Caldwell, Christian, Crittenden, Livingston, Lyon, Todd, and Trigg Counties, Ky., by T. W. Lambert and R. F. Brown. 1963. Two maps, scale 1:250,000, and generalized columnar section. Sheet 1, 22 by 25 inches; sheet 2, 22 by 36 inches; and sheet 3, 22 by 28 inches. \$1.25 per set.
- HA-35. Availability of ground water in Adair, Casey, Clinton, Cumberland, Pulaski, Russell, Taylor, and Wayne Counties, Ky., by T. W. Lambert and R. F. Brown. 1963. Two maps, scale 1:250,000, and generalized

- columnar section. Sheet 1, 22 by 23 inches; sheet 2, 23 by 32 inches; and sheet 3, 22 by 28 inches. \$1 per set.
- HA-36. Availability of ground water in Breathitt, Floyd, Harlan, Knott, Letcher, Martin, Magoffin, Perry, and Pike Counties, Ky., by W. E. Price, Jr., Chabot Kilburn, and D. S. Mull. 1962. Scale 1:250,000. Sheets 1 and 2, 28 by 35 inches; sheet 3, 25 by 28 inches. \$1.25 per set.
- HA-37. Availability of ground water in Boyd, Carter, Elliott, Greenup, Johnson, Lawrence, Lee, Menifee, Morgan, and Wolfe Counties, Ky., by W. E. Price, Jr., Chabot Kilburn, and D. S. Mull. 1962. Two maps, scale 1:250,000, and generalized columnar section. Sheet 1, 22½ by 27 inches; sheet 2, 28 by 37 inches; and sheet 3, 21½ by 27 inches. \$1.25 per set.
- HA-38. Availability of ground water in Bell, Clay, Jackson, Knox, Laurel, Leslie, McCreary, Owsley, Rockcastle, and Whitley Counties, Ky., by Chabot Kilburn, W. E. Price, Jr., and D. S. Mull. 1962. Two maps, scale 1:125,000, and generalized columnar section. Sheet 1, 22½ by 27 inches; sheet 2, 24 by 45 inches; and sheet 3, 20 by 28 inches. \$1.25 per set.
- HA-40. Floods at Mount Vernon, Ohio, by G. W. Edelen, Jr., F. H. Ruggles, Jr., and W. P. Cross. 1961. Lat 40°21'30" to 40°25'30", long 82°27' to 82°31'. Scale 1:12,000. Contour intervals 10 and 20 feet. 32 by 33½ inches. 75¢. (Revised 1964.)
- HA-41. Floods at Boulder, Colo. 1961 [1962]. Scale 1:6,000. Contour interval 5 feet. 29 by 46 inches. 50¢.
- HA-44. Floods at Newark, Ohio, by G. W. Edelen, Jr., F. H. Ruggles, Jr., and W. P. Cross. 1959. Lat 40° to 40°05'30", long 82°19'30" to 82°30'. Scale 1:24,000. Contour intervals 10 and 20 feet. 25½ by 42½ inches. 75¢. (Revised 1964.)
- HA-45. Floods at Chillicothe, Ohio, by G. W. Edelen, Jr., F. H. Ruggles, Jr., and W. P. Cross. 1964. Lat about 39°20', long about 82°57'30". Scale 1:24,000. Contour intervals 10 and 20 feet. 28 by 32 inches. 75¢.
- HA-46. Floods at Zanesville, Ohio, by G. W. Edelen, Jr., F. H. Ruggles, Jr., and W. P. Cross. 1964. Lat 39°55'30" to 39°59'30", long 82° to 82°04'. Scale 1:12,000. Contour interval 20 feet. 32 by 35 inches. 75¢.
- HA-47. Floods at Fremont, Ohio. 1962. Lat 41°15' to 41°22'30", long 83°03' to 83°11'. Scale 1:24,000. Contour interval 5 feet. 30 by 31 inches. 75¢.
- HA-48. Floods at Circleville, Ohio, by G. W. Edelen, Jr., F. H. Ruggles, Jr., and W. P. Cross. 1964. Lat 39°34'55" to 39°38'10", long 82°55' to 83°30'. Scale 1:12,000. Contour intervals 5 and 10 feet. 29 by 44 inches. 75¢.
- HA-49. Floods at Barborton, Ohio. 1962. Lat 41° to 41°07'30", long 81°30' to 81°37'30". Scale 1:24,000. Contour interval 10 feet. 30 by 31 inches. 75¢.
- HA-50. Floods at Canton, Ohio. 1962. Lat 40°45' to 40°52'30", long 81°15' to 81°22'30". Scale 1:24,000. Contour interval 10 feet. 30½ by 32 inches. 75¢.
- HA-51. Floods at Warren, Ohio, by G. W. Edelen, Jr., F. H. Ruggles, Jr., and W. P. Cross. 1963. Lat 41°10'53" to 41°17', long 80°45' to 80°53'20". Scale 1:24,000. Contour interval 10 feet. 29 by 33 inches. 75¢.
- HA-52. Floods at Columbus, Ohio. 1962. Lat 39°52'30" to 40°07'30", long 82°54'30" to 83°07'30". Scale 1:31,680. Contour interval 10 feet. 40½ by 41 inches. 75¢.
- HA-53. Floods at Des Moines, Iowa, by R. E. Myers. 1963. Lat 41°31'45" to 41°37'30", long 93°30' to 93°45'. Scale 1:24,000. Contour interval 10 feet. 37 by 48 inches. 75¢.
- HA-54. Floods at Fremont, Calif. 1962. Lat 37°30' to 37°37'30", long

- 121°57'30" to 122°10'. Scale 1:24,000. Contour intervals 5, 20, and 40 feet. 33 by 44 inches. 75¢.
- HA-55. Summary of occurrence of ground water on the Papago Indian Reservation, Ariz., by L. A. Heindl, O. J. Cosner, H. G. Page, C. A. Armstrong, and L. R. Kister. 1962. Scale 1:250,000. 30 by 40 inches. 50¢.
- HA-56. Floods on Crab Creek at Youngstown, Ohio, by G. W. Edelen, Jr., W. P. Cross, and W. P. Somers. 1963. Lat 41°05'42" to 41°07'48", long 80°37'59" to 80°38'29". Scale 1:2,400. Contour interval 2 feet. 31 by 37½ inches. 75¢.
- HA-57. Floods at Harrisburg, Pa. 1962. Lat 40°10' to 40°20'40", long 76°45' to 77°. Scale 1:31,680. Contour interval 20 feet. 31 by 40 inches. 75¢.
- HA-58. Emergency water supplies in the Wichita area, Kansas, by C. W. Lane, E. L. Reavis, and G. J. Stramel. 1962. Scale 1:250,000. 32 by 42 inches. 50¢.
- HA-59. Floods at Mount Clemens, Mich., by S. W. Wiitala and A. D. Ash. 1962 [1963]. Scale 1:18,000. Contour interval 5 feet. 31 by 36 inches. 75¢.
- HA-60. Water-table, surface-drainage, and engineering soils map of the St. Georges area, Delaware, by J. K. Adams and D. H. Boggess. 1963. Lat 39°30' to 39°37'30", long 75°34'30" to 75°47'30". Scale 1:24,000. Contour interval 10 and 20 feet. 30 by 58 inches. \$1.
- HA-61. Stream composition of the conterminous United States, by F. H. Rainwater. 1962. Sheet 1, 23 by 40 inches; sheets 2 and 3, 23 by 30 inches. \$1.50 per set.
- HA-62. Ground-water conditions in northern Lea County, N. Mex., by S. R. Ash. 1963. Sheet 1, 28 by 42 inches; sheet 2, 25 by 53 inches. \$1 per set.
- HA-63. Floods at Wichita, Kans., by D. W. Ellis and others. 1963. Lat 37°30' to 37°52'30", long 97°07'30" to 97°30'. Scale 1:24,000. Contour interval varied. Sheet 1, 22 by 30 inches; sheet 2, 22 by 46 inches; sheet 3, 29 by 40 inches; sheet 4, 28 by 40 inches; and sheet 5, 29 by 40 inches. \$2.50 per set.
- HA-64. Water-table, surface-drainage, and engineering soils map of the Newark area, Delaware, by D. H. Boggess and J. K. Adams. 1963. Lat 39°37'30" to 39°45', long 75°37'30" to 75°47'30". Scale 1:24,000. Contour intervals 10 and 20 feet. 32 by 50 inches. \$1.
- HA-65. Tidal floods, Atlantic City and vicinity, New Jersey, by D. M. Thomas and G. W. Edelen, Jr. 1962. Scale 1:12,000. Contour interval 2 feet. 31½ by 46 inches. 50¢.
- HA-66. Floods at Tampa, Fla., by R. W. Pride. 1962 [1963]. Sheet 1, lat 27°56' to 28°, long 82°26'07" to 82°30'; sheet 2, lat 28° to 28°02'30", long 82°22'30" to 82°30'. Scale 1:12,000. Contour interval 5 feet. Sheet 1, 33 by 33 inches; sheet 2, 22 by 45 inches. \$1.25 per set.
- HA-67. Floods in Arlington Heights quadrangle, Illinois, by D. W. Ellis, H. E. Allen, and A. W. Noehre. 1963. Lat 42° to 42°07'30", long 87°52'30" to 88°. Scale 1:24,000. Contour interval 5 feet. 44 by 30 inches. 75¢.
- HA-68. Floods in Elmhurst quadrangle, Illinois, by D. W. Ellis, H. E. Allen, and A. W. Noehre. 1963. Lat 41°52'30" to 42°, long 87°52'30" to 88°. Scale 1:24,000. Contour interval 5 feet. 32 by 46 inches. 75¢.
- HA-69. Floods in Highland Park quadrangle, Illinois, by D. W. Ellis, H. E. Allen, and A. W. Noehre. 1963. Lat 42°07'30" to 42°15', long 87°44' to 87°52'30". Scale 1:24,000. Contour interval 5 feet. 32 by 42 inches. 75¢.
- HA-70. Floods in Aurora North quadrangle, Illinois, by D. W. Ellis, H. E.

- Allen, and A. W. Noehre. 1963. Lat 41°45' to 41°52'30", long 88°15' to 88°22'30". Scale 1:24,000. Contour interval 10 feet. 31 by 41 inches. 75¢.
- HA-71. Floods in Wheeling quadrangle, Illinois, by D. W. Ellis, H. E. Allen, and A. W. Noehre. 1963. Lat 42°07'30" to 42°15', long 87°52'30" to 88°. Scale 1:24,000. Contour interval 5 feet. 29 by 43 inches. 75¢.
- HA-72. Geology and hydrology of alluvial deposits along the Ohio River in the Hawesville and Cloverport areas, Kentucky, by J. T. Gallaher. 1963. Scale 1:24,000. Contour interval 10 feet. 27½ by 29 inches. 75¢.
- HA-73. Geology and hydrology of alluvial deposits along the Ohio River between South Portsmouth and the Manchester Islands, Ky., by W. E. Price, Jr. 1963. Scale 1:24,000. Contour interval 20 feet. 29 by 31 inches. 75¢.
- HA-74. Geology and hydrology of alluvial deposits along the Ohio River in the Lewisport and Owensboro areas, Kentucky, by J. T. Gallaher. 1963 [1964]. Scale 1:24,000. Bedrock-contour interval 10 feet. Sheet 1, 29 by 29 inches; sheet 2, 24 by 29 inches. \$1 per set.
- HA-75. Geology and hydrology of alluvial deposits along the Ohio River between Catlettsburg and South Portsmouth, Ky., by W. E. Price, Jr. 1964. Sheet 1, map showing geology and hydrology; scale 1:24,000; bedrock-contour interval 5 feet; 29 by 32 inches. Sheet 2, sections and fence diagrams. 24½ by 28 inches. \$1 per set.
- HA-76. Geologic map of the surficial deposits of part of southwestern Maine and their water-bearing characteristics, by G. C. Prescott. 1963. Lat 40° to 43°45', long 70°15' to 71°. Scale 1:62,500. Contour interval 20 feet. 40 by 54 inches. 75¢.
- HA-77. Floods at Bayamon and Cataño, P.R., by M. A. Lopez. 1962 [1963]. Lat 18°22'30" to 18°29', long 66°06'15" to 66°11'15". Scale 1:20,000. Contour interval 5 meters. 31 by 40 inches. 75¢.
- HA-78. Floods near Fortuna, Calif., by L. E. Young. 1963. Lat 40°30' to 40°42'30", long 124°07'30" to about 124°22'30". Scale 1:24,000. Contour intervals 10 and 40 feet. 31 by 46 inches. 75¢.
- HA-79. Water-table, surface-drainage, and engineering soils map of the Wilmington area, Delaware, by J. K. Adams and D. H. Boggess. 1964. Lat 39°37'30" to 39°45', long 75°30' to 75°37'30". Scale 1:24,000. Water-table contour interval 10 feet. 28 by 41 inches. 75¢.
- HA-80. Water-table, surface-drainage, and engineering soils map of the Taylors Bridge area, Delaware, by J. K. Adams and D. H. Boggess. 1964. Lat 39°22'30" to 39°30', long 75°30' to 75°37'30". Scale 1:24,000. Water-table contour interval 10 feet. 28½ by 36 inches. 75¢.
- HA-81. Water-table, surface-drainage, and engineering soils map of the Smyrna area, Delaware, by D. H. Boggess, J. K. Adams, and C. F. Davis. 1964. Lat 39°15' to 39°22'30", long 75°22'30" to 75°37'30". Scale 1:24,000. Water-table contour interval 10 feet. 30 by 48 inches. 75¢.
- HA-82. Water-table, surface-drainage, and engineering soils map of the Middletown area, Delaware, by D. H. Boggess and J. K. Adams. 1964. Lat 39°22'30" to 39°30', long 75°37'30" to 75°46'30". Scale 1:24,000. Water-table contour interval 10 feet. 29 by 46 inches. 75¢.
- HA-83. Water-table, surface-drainage, and engineering soils map of Clayton area, Delaware, by J. K. Adams, D. H. Boggess, and O. J. Coskery. 1964. Lat 39°15' to 39°22'30", long 75°37'30" to 75°45'. Scale 1:24,000. Water-table contour interval 10 feet. 30 by 46 inches. 75¢.
- HA-84. Water-table, surface-drainage, and engineering soils map of the Sharptown area, Delaware, by J. K. Adams and D. H. Boggess. 1964. Lat

- about 38°27'30" to 38°37', long 75°37'30" to 75°62'30". Scale 1:24,000. Water-table contour interval 10 feet. 35 by 39 inches. 75¢.
- HA-85. Floods in Park Ridge quadrangle, Illinois, by D. W. Ellis, H. E. Allen, and A. W. Noehre. 1964. Lat 42° to 42°07'30", long 87°45' to 87°52'30". Scale 1:24,000. Contour interval 5 feet. 41 by 44 inches. 75¢.
- HA-86. Floods in Hinsdale quadrangle, Illinois, by D. W. Ellis, H. E. Allen, and A. W. Noehre. 1964. Lat 41°45' to 41°52'30", long 87°52'30" to 88°. Scale 1:24,000. Contour interval 5 feet. 30½ by 48 inches. 75¢.
- HA-87. Floods in Palatine quadrangle, Illinois, by H. E. Allen, D. W. Ellis, and D. E. Long. 1964. Lat 42° to 42°07'30", long 88° to 88°07'30". Scale 1:24,000. Contour interval 10 feet. 30 by 43½ inches. 75¢.
- HA-88. Floods in Libertyville quadrangle, Illinois, by A. W. Noehre, D. W. Ellis, and D. E. Long. 1964. Lat 42°15' to 42°22'30", long 87°52'30" to 88°. Scale 1:24,000. Contour interval 10 feet. 29 by 48 inches. 75¢.
- HA-89. Floods in Joliet quadrangle, Illinois, by H. E. Allen and T. A. Wyerman. 1964. Lat 41°30' to 41°37'30", long 88° to 88°07'30". Scale 1:24,000. Contour interval 10 feet. 33 by 53 inches. 75¢.
- HA-90. Floods in Harvey quadrangle, Illinois, by H. E. Allen and V. J. May. 1964. 41°30' to 41°37'30", long 87°37'30" to 87°45'. Scale 1:24,000. Contour interval 5 feet. 32½ by 53 inches. 75¢.
- HA-91. Geology and hydrology of alluvial deposits along the Ohio River in the Henderson area, Kentucky, by J. T. Gallaher. 1964 [1965]. Lat about 38°50', long about 87°40'. Sheet 1, map showing geology and hydrology; scale 1:24,000; bedrock-contour interval 10 feet; Sheet 1, 28 by 31 inches. Sheet 2, sections and fence diagrams; 24½ by 29 inches. \$1 per set.
- HA-92. Availability of ground water in the Farmington quadrangle, Kentucky, by J. H. Morgan. Lat 36°37'30" to 36°45', long 88°30' to 88°37'30". Scale 1:24,000. Water-level contour interval 10 feet. 35 by 47½ inches. 50¢.
- HA-93. Availability of ground water in the Dexter quadrangle, Kentucky, by R. W. Davis. 1964. Lat 36°37'30" to 36°45', long 88°15' to 88°22'30". Scale 1:24,000. Water-level contour interval 10 feet. 34½ by 47½ inches. 75¢.
- HA-94. Geology and hydrology of alluvial deposits along the Ohio River between the Manchester Islands and Silver Grove, Ky., by W. E. Price, Jr. 1964. Sheet 1, map showing geology and hydrology; lat vicinity 38°45', long 84°; scale 1:24,000; bedrock-contour interval 10 feet; 27½ by 31½ inches. Sheet 2, section and fence diagrams; 22½ by 27 inches. \$1 per set.
- HA-95. Geology and hydrology of alluvial deposits along the Ohio River between the Wolf Creek and West Point areas, Kentucky, by J. T. Gallaher. 1964. Lat vicinity 38°, long vicinity 86°15'. Scale 1:24,000. Bedrock-contour interval 10 feet. 29 by 37 inches. 75¢.
- HA-96. Geology and hydrology of alluvial deposits along the Ohio River in the Spottsville and Reed areas, Kentucky, by J. T. Gallaher. 1963. Sheet 1, map showing geology and hydrology; lat vicinity 37°52'30", long vicinity 87°22'30"; bedrock-contour interval 10 feet; 27 by 28 inches. Sheet 2, section and fence diagrams; 24 by 26 inches. Scale 1:24,000. \$1 per set.
- HA-97. Geology and hydrology of alluvial deposits along the Ohio River between Ethridge and the Twelve-mile Island, Ky., by W. E. Price, Jr. 1964. Sheet 1, map showing geology and hydrology; lat vicinity of 38°34', long 85°18'; scale 1:24,000; bedrock-contour interval 10 feet; 28 by 31 inches. Sheet 2, sections and fence diagrams; 20 by 25 inches. \$1 per set.

- HA-98. Geology and hydrology of alluvial deposits along the Ohio River between Newport and Warsaw, Ky., by W. E. Price, Jr. 1964. Sheet 1, map showing geology and hydrology; lat vicinity of $38^{\circ}55'$, long $84^{\circ}45'$; scale 1:24,000; bedrock-contour interval 20 feet; 28 by 31 inches. Sheet 2, sections and fence diagrams; 30 by 34 inches. \$1 per set.
- HA-99. Water-table, surface-drainage, and engineering soils map of the Greenwood quadrangle, Delaware, by D. H. Boggess and J. K. Adams. 1964. Lat $38^{\circ}45'$ to $38^{\circ}52'30''$, long $75^{\circ}30'$ to $75^{\circ}37'30''$. Scale 1:24,000. Water-table contour interval 10 feet. 31 by 38 inches. 75¢.
- HA-100. Water-table, surface-drainage, and engineering soils map of the Hickman area, Delaware, by J. K. Adams and D. H. Boggess. 1964. Lat $38^{\circ}45'$ to $38^{\circ}52'30''$, long $75^{\circ}37'30''$ to $75^{\circ}42'30''$. Scale 1:24,000. Water-table contour interval 10 feet. 31 by $34\frac{1}{2}$ inches. 75¢.
- HA-101. Water-table, surface-drainage, and engineering soils map of the Ellendale quadrangle, Delaware, by J. K. Adams and D. H. Boggess. 1964. Lat $38^{\circ}45'$ to $38^{\circ}52'30''$, long $75^{\circ}22'30''$ to $75^{\circ}30'$. Scale 1:24,000. Water-table contour interval 10 feet. 31 by 38 inches. 75¢.
- HA-102. Water-table, surface-drainage, and engineering soils map of the Milton quadrangle, Delaware, by D. H. Boggess, J. K. Adams, and O. J. Coskery. 1964. Lat $38^{\circ}45'$ to $38^{\circ}52'30''$, long $75^{\circ}15'$ to $75^{\circ}22'30''$. Scale 1:24,000. Water-table contour interval 10 feet. 31 by 38 inches. 75¢.
- HA-103. Water-table, surface-drainage, and engineering soils map of the Lewes area, Delaware, by J. K. Adams, D. H. Boggess, and C. F. Davis. 1964. Lat $38^{\circ}45'$ to $38^{\circ}52'30''$, long about $75^{\circ}05'$ to $75^{\circ}15'$. Scale 1:24,000. Water-table contour interval 10 feet. 29 by 45 inches. 75¢.
- HA-104. Floods on Raritan and Millstone Rivers in Somerset County, N.J., by D. M. Thomas and R. H. Tice. 1964. Lat $40^{\circ}22'30''$ to $40^{\circ}35'$, long $74^{\circ}30'$ to $74^{\circ}42'30''$. Scale 1:24,000. Contour interval 20 feet. 32 by 49 inches. 75¢.
- HA-105. Water-table, surface-drainage, and engineering soils map of the Seaford West area, Delaware, by D. H. Boggess and J. K. Adams. 1964. Lat $38^{\circ}37'30''$ to $38^{\circ}45'$, long $75^{\circ}37'30''$ to $75^{\circ}42'30''$. Scale 1:24,000. Water-table contour interval 10 feet. $30\frac{1}{2}$ by $34\frac{1}{2}$ inches. 75¢.
- HA-106. Water-table, surface-drainage, and engineering soils map of the Seaford East quadrangle, Delaware, by J. K. Adams, D. H. Boggess, and O. J. Coskery. 1964. Lat $38^{\circ}37'30''$ to $38^{\circ}45'$, long $75^{\circ}30'$ to $75^{\circ}37'30''$. Scale 1:24,000. Water-table contour interval 10 feet. $29\frac{1}{2}$ by $37\frac{1}{2}$ inches. 75¢.
- HA-107. Water-table, surface-drainage, and engineering soils map of the Georgetown quadrangle, Delaware, by D. H. Boggess, J. K. Adams, and C. F. Davis. 1964. Lat $38^{\circ}37'30''$ to $38^{\circ}45'$, long $75^{\circ}22'30''$ to $75^{\circ}30'$. Scale 1:24,000. Water-table contour interval 10 feet. 30 by $42\frac{1}{2}$ inches. 75¢.
- HA-108. Water-table, surface-drainage, and engineering soils map of the Harbeson quadrangle, Delaware, by J. K. Adams and D. H. Boggess. 1964. Lat $38^{\circ}37'30''$ to $38^{\circ}45'$, long $75^{\circ}15'$ to $75^{\circ}22'30''$. Scale 1:24,000. Water-table contour interval 10 feet. 29 by 39 inches. 75¢.
- HA-109. Water-table, surface-drainage, and engineering soils map of the Rehoboth Beach area, Delaware, by D. H. Boggess, J. K. Adams, and C. F. Davis. 1964. Lat $38^{\circ}37'30''$ to $38^{\circ}45'$, long about $75^{\circ}05'$ to $75^{\circ}15'$. Scale 1:24,000. Water-table contour interval 10 feet. 29 by 50 inches. 75¢.
- HA-110. Geology and hydrology of alluvial deposits along the Ohio River in the Stanley area, Kentucky, by J. T. Gallaher. 1964. Sheet 1, map showing

- geology and hydrology; lat vicinity 37°50', long 87°12'30"; scale 1:24,000; bedrock-contour interval 10 feet; 29 by 29½ inches. Sheet 2, sections and fence diagrams; 19 by 30 inches. \$1 per set.
- HA-111. Geology and hydrology of alluvial deposits along the Ohio River between southwestern Louisville and West Point, Ky., by W. E. Price, Jr. 1964. Sheet 1, map showing geology and hydrology; lat vicinity 38°10', long 85°50'; scale 1:24,000, bedrock-contour interval 10 feet; 29 by 29½ inches. Sheet 2, sections and fence diagrams; 25 by 35 inches. \$1 per set.
- HA-112. Availability of ground water in the Lynn Grove quadrangle, Kentucky-Tennessee, by R. W. Davis. 1964. Lat 36°30' to 36°37'30", long 88°22'30" to 88°30". Scale 1:24,000. Water-level contour interval 10 feet. 32½ by 47 inches. 50¢.
- HA-113. Availability of ground water in the Kirksey quadrangle, Kentucky, by J. H. Morgan. 1964. Lat 36°37'30" to 36°45', long 88°22'30" to 88°30'. Scale 1:24,000. Water-level contour interval 10 feet. 35 by 47 inches. 50¢.
- HA-114. Availability of ground water in the Briensburg quadrangle, Kentucky, by L. M. MacCary. 1964 [1965]. Lat 36°52'30" to 37°, long 88°15' to 88°22'30". Scale 1:24,000. 33½ by 47½ inches. 50¢.
- HA-115. Availability of ground water in the Hardin quadrangle, Kentucky, by L. M. MacCary. 1964 [1965]. Lat 36°45' to 36°52'30", long 88°15' to 88°22'30". Scale 1:24,000. Water-level contour interval 10 feet. 34 by 47½ inches. 50¢.
- HA-116. Availability of ground water in the Oak Level quadrangle, Kentucky, by J. H. Morgan. 1964. Lat 36°45' to 36°52'30", long 88°22'30" to 88°30'. Scale 1:24,000. Water-level contour interval 10 feet. 34 by 48 inches. 50¢.
- HA-117. Availability of ground water in the Elva quadrangle, Kentucky, by J. H. Morgan. 1964 [1965]. Lat 36°52'30" to 37°, long 88°22'30" to 88°30'. Scale 1:24,000. Water-level contour interval 10 feet. 33½ by 48 inches. 50¢.
- HA-118. Availability of ground water in the New Concord quadrangle, Kentucky, by T. W. Lambert. 1964. Lat 36°30' to 36°37'30", long 88°07'30" to 88°15'. Scale 1:24,000. Water-level contour interval 10 feet. 33 by 48 inches. 50¢.
- HA-119. Water-table, surface-drainage, and engineering soils map of the Frankford area, Delaware, by J. K. Adams, D. H. Boggess, and O. J. Coskery. 1964 [1965]. Lat 38°27'30" to 38°37'30", long 75°07'30" to 75°15'. Scale 1:24,000. Water-table contour interval 10 feet. 38 by 41 inches. 75¢.
- HA-120. Water-table, surface-drainage, and engineering soils map of the Trap Pond area, Delaware, by J. K. Adams and D. H. Boggess. 1964. Lat about 38°27'26" to 38°37'30", long 75°22'30" to 75°30'. Scale 1:24,000. Water-table contour interval 10 feet. 38 by 41 inches. 75¢.
- HA-121. Water-table, surface-drainage, and engineering soils map of the Millsboro area, Delaware, by D. H. Boggess and J. K. Adams. 1965. Lat 38°27'10" to 38°37'30", long 75°15' to 75°22'30". Scale 1:24,000. Water-table contour interval 10 feet. 38 by 41 inches. 75¢.
- HA-122. Water-table, surface-drainage, and engineering soils map of the Bethany Beach area, Delaware, by D. H. Boggess and J. K. Adams. 1964 [1965]. Lat 38°27'30" to 38°37'30", long 75° to 75°07'30". Scale 1:24,000. Water-table contour interval 10 feet. 34 by 38½ inches. 75¢.
- HA-123. Water-table, surface-drainage, and engineering soils map of the Laurel area, Delaware, by D. H. Boggess and J. K. Adams. 1964 [1965].

- Lat 38°27'30" to 38°37'30", long 75°30' to 75°37'30". Scale 1:24,000. Water-table contour interval 10 feet. 40 by 41 inches. 75¢.
- HA-124. Availability of ground water in the Hazel quadrangle, Kentucky-Tennessee, by L. M. MacCary. 1964 [1965]. Lat 36°30' to 36°37'30", long 88°15' to 88°22'30". Scale 1:24,000. Water-level contour interval 10 feet. 34 by 47½ inches. 50¢.
- HA-125. Availability of ground water in the Lynnville quadrangle, Kentucky-Tennessee, by T. W. Lambert. 1965. Lat 36°30' to 36°37'30", long 88°30' to 88°37'30". Scale 1:24,000. Water-level contour interval 10 feet. 33½ by 47 inches. 50¢.
- HA-126. Flood of 1962 near Baton Rouge, La., by J. D. Camp. 1965. Lat 30°30' to 30°37'30", long 91°04' to 91°12'30". Scale 1:24,000. Contour interval 5 feet. 30 by 40 inches. 75¢.
- HA-127. Flood on Pearl River at Jackson, Miss., in 1961, by J. D. Shell. 1964. Lat about 32°15' to 32°25', long about 90°05' to 90°12'. Scale about 3 inches=1 mile. 41 by 43½ inches. 50¢.
- HA-128. Floods at Toa Alta, Toa Baja, and Dorado, P.R., by M. A. Lopez. 1964. Lat 18°22'30" to 18°29', long 66°11'15" to 66°17'30". Scale 1:20,000. Contour intervals 10 and 25 meters. 31½ by 39½ inches. 75¢.
- HA-129. Geology and hydrology of alluvial deposits along the Ohio River between the Uniontown area and Wickliffe, Ky., by J. T. Gallaher. 1964. Sheet 1, maps showing geology and hydrology; lat vicinity 37°30', long 88°15'; scales 1:24,000, 1:63,360, and 1:250,000; bedrock-contour interval 10 feet; 30 by 32 inches. Sheet 2, sections and fence diagrams; 16 by 20 inches. \$1 per set.
- HA-130. Geology and hydrology of alluvial deposits along the Ohio River between Prospect and southwestern Louisville, Ky., by W. E. Price, Jr. 1964. Sheet 1, map showing geology and hydrology; lat vicinity 38°15', long 85°45'; scale 1:24,000; bedrock-contour interval 10 feet; 31½ by 32 inches. Sheet 2, sections and fence diagrams; 24½ by 26½ inches. \$1 per set.
- HA-131. Availability of ground water in Hall County, Nebr., by C. F. Keech and V. H. Dreeszen. 1964. Lat vicinity of 40°45', long 98°30'. Scale 1:125,000. Water-table contour interval 10 feet. 41½ by 48 inches. 50¢.
- HA-132. Water-table, surface-drainage, and engineering soils map of the Marydel area, Delaware, by C. F. Davis and D. H. Boggess. 1964 [1965]. Lat 39° to 39°07'30", long 75°37'30" to 75°45'. Scale 1:24,000. Water-table contour interval 10 feet. 29 by 50½ inches. 75¢.
- HA-133. Water-table, surface-drainage, and engineering soils map of the Milford quadrangle, Delaware, by D. H. Boggess, C. F. Davis, and O. J. Coskery. 1964 [1965]. Lat 38°52'30" to 39°, long 75°22'30" to 75°30'. Scale 1:24,000. Water-table contour interval 10 feet. 29 by 51 inches. 75¢.
- HA-134. Water-table, surface-drainage, and engineering soils map of the Little Creek quadrangle, Delaware, by D. H. Boggess and J. K. Adams. 1965. Lat 39°07'30" to 39°15', long 75°22'30" to 75°30'. Scale 1:24,000. Water-table contour interval 10 feet. 30 by 41 inches. 75¢.
- HA-135. Water-table, surface-drainage, and engineering soils map of the Burrsville area, Delaware, by D. H. Boggess, C. F. Davis, and O. J. Coskery. 1965. Lat 38°52'30" to 39°, long 75°37'30" to 75°45'. Scale 1:24,000. Water-table contour interval 10 feet. 29 by 50 inches. 75¢.
- HA-136. Water-table, surface-drainage, and engineering soils map of the Harrington quadrangle, Delaware, by C. F. Davis and D. H. Boggess. 1964

- [1965]. Lat $38^{\circ}52'30''$ to 39° , long $75^{\circ}30'$ to $75^{\circ}37'30''$. Scale 1:24,000. Water-table contour interval 10 feet. 29 by 30 inches. 75¢.
- HA-137. Water-table, surface-drainage, and engineering soils map of the Mispillion River quadrangle, Delaware, by C. F. Davis and D. H. Boggess. 1964. Lat $38^{\circ}52'30''$ to 39° , long $75^{\circ}15'$ to $75^{\circ}22'30''$. Scale 1:24,000. Water-table contour interval 10 feet. 29 by 43 inches. 75¢.
- HA-138. Water-table, surface-drainage, and engineering soils map of the Kenton area, Delaware, by D. H. Boggess and J. K. Adams. 1965. Lat $39^{\circ}07'30''$ to $39^{\circ}15'$, long $75^{\circ}37'30''$ to $75^{\circ}45'$. Scale 1:24,000. Water-table contour interval 10 feet. 30 by 44 inches. 75¢.
- HA-139. Water-table, surface-drainage, and engineering soils map of the Dover quadrangle, Delaware, by J. K. Adams, D. H. Boggess, and C. F. Davis. 1964 [1965]. Lat $39^{\circ}07'30''$ to $39^{\circ}15'$, long $75^{\circ}30'$ to $75^{\circ}37'30''$. Scale 1:24,000. Water-table contour interval 10 feet. 30 by 37 inches. 75¢.
- HA-140. Water-table, surface-drainage, and engineering soils map of the Frederica area, Delaware, by C. F. Davis, D. H. Boggess, and O. J. Coskery. 1965. Lat 39° to $39^{\circ}07'30''$, long $75^{\circ}20'$ to $75^{\circ}30'$. Scale 1:24,000. Water-table contour interval 10 feet. 30 by 57 inches. 75¢.
- HA-141. Water-table, surface-drainage, and engineering soils map of the Wyoming quadrangle, Delaware, by D. H. Boggess, C. F. Davis, and O. J. Coskery. 1965. Lat 39° to $39^{\circ}07'30''$, long $75^{\circ}30'$ to $75^{\circ}37'30''$. Scale 1:24,000. Water-table contour interval 10 feet. 30 by 50 inches. 75¢.
- HA-142. Floods in Geneva quadrangle, Illinois, by A. W. Noehre and G. L. Walter. 1965. Lat $41^{\circ}52'30''$ to 42° , long $88^{\circ}15'$ to $88^{\circ}22'30''$. Scale 1:24,000. Contour interval 10 feet. 32 by 43 inches. 75¢.
- HA-143. Floods in Lombard quadrangle, Illinois, by H. E. Allen and V. J. May. 1964. Lat $41^{\circ}52'30''$ to 42° , long 88° to $88^{\circ}07'30''$. Scale 1:24,000. Contour interval 10 feet. $30\frac{1}{2}$ by 44 inches. 75¢.
- HA-144. Floods in Wadsworth quadrangle, Illinois-Wisconsin, by A. W. Noehre. 1964 [1965]. Lat $42^{\circ}22'30''$ to $42^{\circ}30'$, long $87^{\circ}52'30''$ to 88° . Scale 1:24,000. Contour interval 10 feet. 31 by 44 inches. 75¢.
- HA-145. Floods in Palos Park quadrangle, northeastern Illinois, by A. W. Noehre and R. T. Mycyk. 1966. Lat $41^{\circ}37'30''$ to $41^{\circ}45'$, long $87^{\circ}45'$ to $87^{\circ}52'30''$. Scale 1:24,000. Contour interval 5 feet. 33 by 40 inches. 75¢.
- HA-146. Floods in Romeoville quadrangle, Illinois, by A. W. Noehre and G. L. Walter. 1965. Lat $41^{\circ}37'30''$ to $41^{\circ}45'$, long 88° to $88^{\circ}07'30''$. Scale 1:24,000. Contour interval 10 feet. $30\frac{1}{2}$ by 48 inches. 75¢.
- HA-147. Floods in Elgin quadrangle, Illinois, by V. J. May and H. E. Allen. 1965. Lat 42° to $42^{\circ}07'30''$, long $88^{\circ}15'$ to $88^{\circ}22'30''$. Scale 1:24,000. Contour interval 10 feet. 31 by $48\frac{1}{2}$ inches. 75¢.
- HA-148. Floods in Wheaton quadrangle, northeastern Illinois, by V. J. May and H. E. Allen. 1965. Lat $41^{\circ}45'$ to $41^{\circ}52'30''$, long 88° to $88^{\circ}07'30''$. Scale 1:24,000. Contour interval 10 feet. $30\frac{1}{2}$ by 48 inches. 75¢.
- HA-149. Floods in Sag Bridge quadrangle, northeastern Illinois, by A. W. Noehre and G. L. Walter. 1966. Lat $41^{\circ}37'30''$ to $41^{\circ}45'$, long $87^{\circ}52'30''$ to 88° . Scale 1:24,000. Contour interval 5 feet. 33 by 44 inches. 75¢.
- HA-150. Floods in Barrington quadrangle, northeastern Illinois, by A. W. Noehre, G. L. Walter, and H. E. Allen. 1965. Lat $42^{\circ}07'30''$ to $42^{\circ}15'$, long $88^{\circ}07'30''$ to $88^{\circ}15'$. Scale 1:24,000. Contour interval 10 feet. $31\frac{1}{2}$ by 44 inches. 75¢.
- HA-151. Floods in Fox Lake quadrangle, northeastern Illinois, by A. W.

- Noehre, V. J. May, and G. L. Walter. 1965. Lat 42°22'30" to 42°30', long 88°07'30" to 88°15'. Scale 1:24,000. Contour interval 10 feet. 32 by 40 inches. 75¢.
- HA-152. Floods in Tinley Park quadrangle, northeastern Illinois, by H. E. Allen. 1965 [1966]. Lat 41°30' to 41°37'30", long 87°45' to 87°52'30". Scale 1:24,000. Contour interval 5 feet. 33 by 44 inches. 75¢.
- HA-153. Floods in Blue Island quadrangle, northeastern Illinois, by H. E. Allen. 1966. Lat 41°37'30" to 41°45', long 87°37'30" to 87°45'. Scale 1:24,000. Contour interval 5 feet. 31 by 44 inches. 75¢.
- HA-154. Floods in Naperville quadrangle, Illinois, by H. E. Allen and V. J. May. 1965. Lat 41°45' to 41°52'30", long 88°07'30" to 88°15'. Scale 1:24,000. Contour interval 10 feet. 30½ by 44 inches. 75¢.
- HA-155. Availability of ground water in the parts of the Little C press and Calvert City quadrangles in the Jackson Purchase region, Kentucky, by J. H. Morgan. 1965. Lat 37° to about 37°04'45", long 88°15' to 88°30'. Scale 1:24,000. Water-level contour interval 10 feet. 40 by 44 inches. 50¢.
- HA-156. Availability of ground water in the Fairdealing quadrangle, Kentucky, by T. W. Lambert. 1965. Lat 36°45' to 36°52'30", long 88°07'30" to 88°15'. Scale 1:24,000. Water-level contour interval 10 feet. 35 by 48 inches. 50¢.
- HA-157. Availability of ground water in the Symsonia quadrangle, Kentucky, by R. W. Davis. 1965. Lat 36°52'30" to 37°, long 88°30' to 88°37'30". Scale 1:24,000. Water-level contour interval 10 feet. 39 by 48 inches. 50¢.
- HA-158. Availability of ground water in the Hico quadrangle, Kentucky, by J. H. Morgan. 1965. Lat 36°37'30" to 36°45', long 88°07'30" to 88°15'. Scale 1:24,000. Water-level contour interval 10 feet. 34 by 48 inches. 50¢.
- HA-159. Availability of ground water in the Birmingham Point quadrangle, Kentucky, by L. M. MacCary. 1965. Lat 36°52'30" to 37°, long 88°07'30" to 88°15'. Scale 1:24,000. 35½ by 48 inches. 50¢.
- HA-160. Availability of ground water in the Kentucky part of the Rushing Creek quadrangle, Kentucky-Tennessee, by T. W. Lambert. 1965. Lat 36°37'30" to 36°45', long 88° to 88°07'30". Scale 1:24,000. 35 by 47½ inches. 50¢.
- HA-161. Availability of ground water in the Cuba quadrangle, Kentucky-Tennessee, by J. H. Morgan. 1965. Lat 36°30' to 36°37'30", long 88°37'30" to 88°45'. Scale 1:24,000. Water-level contour interval 10 feet. 35 by 47½ inches. 50¢.
- HA-162. Availability of ground water in the Water Valley quadrangle, Kentucky-Tennessee, by T. W. Lambert. 1965. Lat 36°30' to 36°37'30", long 88°45' to 88°52'30". Scale 1:24,000. Water-level contour interval 10 feet. 36 by 47½ inches. 50¢.
- HA-163. Availability of ground water in the Hickory quadrangle, Jackson Purchase region, Kentucky, by J. H. Morgan. 1965. Lat 36°45' to 36°52'30", long 88°37'30" to 88°45'. Scale 1:24,000. Water-level contour interval 10 feet. 35 by 47½ inches. 50¢.
- HA-164. Availability of ground water in the Mayfield quadrangle, Jackson Purchase region, Kentucky, by R. W. Davis. 1965. Lat 36°37'30" to 36°45', long 88°37'30" to 88°45'. Scale 1:24,000. Water-level contour interval 10 feet. 34 by 48 inches. 50¢.

- HA-165. Availability of ground water in parts of Hamlin and Paris Landing quadrangles, Jackson Purchase region, Kentucky, by T. W. Lambert. 1966. Lat $36^{\circ}30'$ to $36^{\circ}37'30''$, long 88° to $88^{\circ}07'30''$. Scale 1:24,000. 35 by 48 inches. 50¢.
- HA-166. Availability of ground water in the Westplains quadrangle, Jackson Purchase region, Kentucky, by L. M. MacCary and R. W. Davis. 1966. Lat $36^{\circ}45'$ to $36^{\circ}52'30''$, long $88^{\circ}30'$ to $88^{\circ}37'30''$. Scale 1:24,000. Water-level contour interval 10 feet. 36 by 47 inches. 50¢.
- HA-167. Availability of ground water in the Crutchfield quadrangle, Jackson Purchase region, Kentucky-Tennessee, by A. J. Hansen, Jr. 1966. Lat $36^{\circ}30'$ to $36^{\circ}37'30''$, long $88^{\circ}52'30''$ to 89° . Scale 1:24,000. Water-level contour interval 10 feet. 39 by 48 inches. 50¢.
- HA-168. Availability of ground water in the Heath quadrangle, Jackson Purchase region, Kentucky, by T. W. Lambert. 1966. Lat 37° to $37^{\circ}07'30''$, long $88^{\circ}45'$ to $88^{\circ}52'30''$. Scale 1:24,000. Water-level contour interval 10 feet. $36\frac{1}{2}$ by 48 inches. 50¢.
- HA-169. Availability of ground water in the Fancy Farm quadrangle, Jackson Purchase region, Kentucky, by R. W. Davis. 1966. Lat $36^{\circ}45'$ to $36^{\circ}52'30''$, long $88^{\circ}45'$ to $88^{\circ}52'30''$. Scale 1:24,000. Water-level contour interval 10 feet. 37 by 44 inches. 50¢.
- HA-170. Availability of ground water in the Dublin quadrangle, Jackson Purchase region, Kentucky, by A. J. Hansen, Jr. 1966. Lat $36^{\circ}37'30''$ to $36^{\circ}45'$, long $88^{\circ}45'$ to $88^{\circ}52'30''$. Scale 1:24,000. Water-level contour interval 10 feet. $34\frac{1}{2}$ by 43 inches. 50¢.
- HA-171. Availability of ground water in the Kentucky parts of the Joppa and Metropolis quadrangles, Jackson Purchase region, Kentucky, by A. J. Hansen, Jr. 1966. Vicinity of lat $37^{\circ}10'$, long $82^{\circ}50'$. Scale 1:24,000. Water-level contour interval 10 feet. 37 by 42 inches. 75¢.
- HA-172. Availability of ground water in the Lovelaceville quadrangle, Jackson Purchase region, Kentucky, by R. W. Davis. 1966. Lat $36^{\circ}52'30''$ to 37° , long $88^{\circ}45'$ to $88^{\circ}52'30''$. Scale 1:24,000. Water-level contour interval 10 feet. 36 by 44 inches. 75¢.
- HA-173. Availability of ground water in the La Center quadrangle, Jackson Purchase region, Kentucky, by T. W. Lambert. 1966. Lat 37° to $37^{\circ}07'30''$, long $88^{\circ}52'30''$ to 89° . Scale 1:24,000. Water-level contour interval 10 feet. 35 by 48 inches. 75¢.
- HA-174. Availability of ground water in the Melber quadrangle, Jackson Purchase region, Kentucky, by R. W. Davis. 1967. Lat $36^{\circ}52'30''$ to 37° , long $88^{\circ}37'30''$ to $88^{\circ}45'$. Scale 1:24,000. Water-level contour interval 10 feet. 36 by 47 inches. 75¢.
- HA-175. Availability of ground water in the Clinton quadrangle, Jackson Purchase region, Kentucky, by A. J. Hansen, Jr. 1967. Lat $36^{\circ}37'30''$ to $36^{\circ}45'$, long $88^{\circ}52'30''$ to 89° . Scale 1:24,000. Water-level contour interval 10 feet. 32 by 37 inches. 75¢.
- HA-176. Availability of ground water in the parts of the Olmsted and Bandana quadrangles, in Jackson Purchase region, Kentucky, by A. J. Hansen, Jr. 1967. Lat $37^{\circ}07'30''$ to about $37^{\circ}12'35''$, long $88^{\circ}52'30''$ to about $89^{\circ}06'30''$. Scale 1:24,000. Water-level contour interval 10 feet. 54 by 39 inches. 75¢.
- HA-177. Availability of ground water in the Paducah West and East quadrangles, Illinois, and Jackson Purchase region, Kentucky, by T. W.

- Lambert. 1967. Lat 37° to $37^{\circ}07'30''$, long $88^{\circ}30'$ to $88^{\circ}45'$. Scale 1:24,000. Water-level contour interval 10 feet. Sheet 1, 41 by 45 inches. Sheet 2, 33 by 45 inches. \$1 per set.
- HA-178. Availability of ground water in parts of the New Madrid SE, Hubbard Lake, and Bondurant quadrangles, Jackson Purchase region, Kentucky-Tennessee, by T. W. Lambert. 1967. Sheet 1, lat $36^{\circ}30'$ to $36^{\circ}35'$, long $89^{\circ}27'30''$ to $89^{\circ}32'20''$; 35 by $42\frac{1}{2}$ inches. Sheet 2, lat $36^{\circ}30'$ to $36^{\circ}37'30''$, long $89^{\circ}15'$ to $89^{\circ}25'$; $34\frac{1}{2}$ by 40 inches. Scale 1:24,000. Water-level contour interval 10 feet. \$1 per set.
- HA-179. Availability of ground water in the Milburn quadrangle, Jackson Purchase region, Kentucky, by R. W. Davis. 1967. Lat $36^{\circ}45'$ to $36^{\circ}52'30''$, long $88^{\circ}52'30''$ to 89° . Scale 1:24,000. Water-level contour interval 10 feet. 36 by 43 inches. 75¢.
- HA-180. Availability of ground water in the Cayce quadrangle, Jackson Purchase region, Kentucky-Tennessee, by A. J. Hansen, Jr. 1967. Lat $36^{\circ}30'$ to $36^{\circ}37'30''$, long 89° to $89^{\circ}07'30''$. Scale 1:24,000. Water-level contour interval 10 feet. 34 by 42 inches. 75¢.
- HA-181. Availability of ground water in the Hickman quadrangle, Kentucky-Missouri-Tennessee, by T. W. Lambert. 1968. Lat $36^{\circ}30'$ to $36^{\circ}37'30''$, long $89^{\circ}07'30''$ to $89^{\circ}15'$. Scale 1:24,000. 39 by 45 inches. 75¢.
- HA-182. Availability of ground water in the Oakton quadrangle and part of the Wolf Island quadrangle in Jackson Purchase region, Kentucky, by A. J. Hansen, Jr. 1968. Lat $36^{\circ}37'30''$ to $36^{\circ}45'$, long 89° to $89^{\circ}12'30''$. Scale 1:24,000. Water-level contour interval 10 feet. $36\frac{1}{2}$ by 55 inches. 75¢.
- HA-183. Availability of ground water in parts of the Arlington and Wickliffe SW quadrangles in Jackson Purchase region, Kentucky, by R. W. Davis. 1968. Lat $36^{\circ}45'$ to $36^{\circ}52'30''$, long 89° to $89^{\circ}10'$. Scale 1:24,000. $40\frac{1}{2}$ by 56 inches. 75¢.
- HA-184. Availability of ground water in the Blandville quadrangle, Jackson Purchase region, Kentucky, by A. J. Hansen, Jr. 1968. Scale 1:24,000. Water-level contour interval 10 feet. 38 by 43 inches. 75¢.
- HA-185. Availability of ground water in the parts of the Wickliffe and Wickliffe NW quadrangles in Jackson Purchase region, Kentucky, by T. W. Lambert. 1968. Lat $36^{\circ}52'30''$ to 37° , long 89° to $89^{\circ}07'30''$. Scale 1:24,000. Water-level contour interval 10 feet. $39\frac{1}{2}$ by 50 inches. 75¢.
- HA-186. Availability of ground water in parts of the Cairo and Barlow quadrangles in the Jackson Purchase region, Kentucky, by A. J. Hansen, Jr. 1968. Lat 37° to $37^{\circ}07'30''$, long 89° to $89^{\circ}07'30''$. Scale 1:24,000. Water-level contour interval 10 feet. 40 by $51\frac{1}{2}$ inches. 75¢.
- HA-187. Water resources and surficial geology of the Homer area, south-central Alaska, by R. M. Waller, A. J. Feulner, and D. A. Morris. 1968. Lat $59^{\circ}35'$ to $59^{\circ}45'$, long $151^{\circ}20'$ to $151^{\circ}40'$. Scale 1:63,360. 34 by 45 inches. 75¢.
- HA-188. Flood of August 1966 in the lower Loup River basin, Nebraska, by F. B. Shaffer and K. J. Braun. 1967. Sheet 1, lat $41^{\circ}22'30''$ to $41^{\circ}30'$, long $97^{\circ}37'30''$ to 98° , sheet 2, lat $41^{\circ}22'30''$ to $41^{\circ}30'$, long $97^{\circ}15'$ to $97^{\circ}37'30''$. Scale 1:24,000. Contour intervals 5 and 10 feet. Each sheet $40\frac{1}{2}$ by 55 inches. \$1.25 per set.
- HA-189. Calcium, sodium, sulfate, and chloride in stream water of the western conterminous United States to 1957, by J. H. Feth. 1965. Four

maps, each showing concentration of a mineral constituent. Scale 1:2,500,000. Sheet 1, 38 by 45 inches; sheets 2-4, 35 by 38½ inches. \$1.50 per set.

- HA-190. Flood on Big Fossil Creek at Haltom City near Fort Worth, Tex., in 1962, by J. H. Montgomery, F. H. Ruggles, Jr., and J. L. Patterson. 1965. Lat 32°45' to 32°52'30", long 92°12'30" to 97°22'30". Scale 1:24,000. Contour interval 10 feet. 32 by 41 inches. 75¢.
- HA-191. Availability of ground water in Tularosa Basin and adjoining areas, New Mexico and Texas, by E. H. Herrick and L. V. Davis. 1965. Lat about 31°50' to 34°10', long about 105° to 107°. Scale approximately 1:750,000. 24 by 35 inches. Accompanied by 5-page text. 50¢.
- HA-192. Water resources of the Three Rivers area, Otero and Lincoln Counties, N. Mex., by J. W. Hood and E. H. Herrick. 1965. Lat vicinity of 36°22', long 106°. Scale 1:126,720. Water-table contour interval 50 feet. 75¢.
- HA-193. Ground-water resources of the northern Tularosa basin near Carrizozo, Lincoln County, N. Mex., by J. B. Cooper. 1965. Vicinity of lat 33°45', long 105°45'. Scale 1:125,000. Water-table contour interval 50 feet. 31½ by 34 inches. 75¢.
- HA-194. Generalized map showing annual runoff and productive aquifers in the conterminous United States, compiled by C. L. McGuinness. 1964. Scale 1:5,000,000. 29 by 44 inches. 75¢.
- HA-195. Hydrogeology of the glacial drift in the Skunk Creek-Lake Madison drainage basin, southeastern South Dakota, by M. J. Ellis and D. G. Adolphson. 1965. Lat 43°30' to 44°, long 97° to 97°15'. Scale 1:125,000. 35 by 52 inches. Accompanied by 7-page text. 75¢.
- HA-196. Synopsis of water resources of the Ipswich River basin, Massachusetts, by E. A. Sammel, R. A. Brackley, and W. N. Palmquist, Jr. 1964. Sheet 1, summary of hydrology; 21 by 25 inches. Sheet 2, map showing availability of ground water and locations of municipal water supplies; lat 42°30' to 42°45', long 70°45' to 71°12'30"; scale about 1:58,000; 25 by 29 inches. 75¢ per set.
- HA-197. Hydrogeologic map of Puerto Rico and adjacent islands, by R. P. Briggs and J. P. Akers. 1965. Scale 1:240,000. 35 by 54½ inches. 75¢.
- HA-198. Water resources of the Appalachian Region, Pennsylvania to Alabama, by W. J. Schneider and others. 1965. Sheet 1 describes the region, index map at scale of 1:7,000,000; sheets 2-11 show various kinds of data, maps at scale of 1:2,500,000. Each sheet 23 by 30 inches. \$3.25 per set.
- HA-199. Preliminary map of the conterminous United States showing depth to and quality of shallowest ground water containing more than 1,000 parts per million dissolved solids, by J. H. Feth and others. 1965. Scale 1:3,168,000. Two sheets, 41 by 64 inches. Accompanied by 31-page text. \$1.25 per set.
- HA-200. Chemical quality of public water supplies of the United States and Puerto Rico, 1962, shown as Statewide averages, mainly in graphic and tabular form, by C. N. Durfor and Edith Becker. 1964. 36 by 53½ inches. 50¢.
- HA-201. Water resources of the Middle River watershed, northwestern Minnesota, by R. W. Maclay, T. C. Winter, and G. M. Pike. 1965. Lat 48° to about 48°45', long 96° to about 97°. Scale 1:250,000. Sheet 1,

- ground water; 40 by 48 inches. Sheet 2, surface water; 33 by 37 inches. Sheet 3, water use, estimation of water yield, and summary of water resources; 27 by 39 inches. \$1.50 per set.
- HA-202. Floods in West Chicago quadrangle, northeastern Illinois, by H. E. Allen and V. J. May. 1965. Lat $41^{\circ}52'30''$ to 42° , long $88^{\circ}07'30''$ to $88^{\circ}15'$. Scale 1:24,000. Contour interval 10 feet. 32 by 44 inches. 75¢.
- HA-203. Floods in Streamwood quadrangle, northeastern Illinois, by V. J. May and H. E. Allen. 1965. Lat 42° to $42^{\circ}07'30''$, long $88^{\circ}07'30''$ to $88^{\circ}15'$. Scale 1:24,000. Contour interval 10 feet. 32 by 49 inches. 75¢.
- HA-204. Floods in Mokena quadrangle, northeastern Illinois, by A. W. Noehre. 1966. Lat $41^{\circ}30'$ to $41^{\circ}37'30''$, long $87^{\circ}52'30''$ to 88° . Scale 1:24,000. Contour interval 5 feet. 31 by 44 inches. 75¢.
- HA-205. Floods in Lake Calumet quadrangle, northeastern Illinois, by H. E. Allen. 1966. Lat $41^{\circ}37'30''$ to $41^{\circ}45'$, long $87^{\circ}30'$ to $87^{\circ}37'30''$. Scale 1:24,000. Contour interval 5 feet. 31 by 35 inches. 75¢.
- HA-206. Floods in River Forest quadrangle, northeastern Illinois, by V. J. May. 1966. Lat $41^{\circ}52'30''$ to 42° , long $87^{\circ}45'$ to $87^{\circ}52'30''$. Scale 1:24,000. Contour interval 5 feet. 32 by 45 inches. 75¢.
- HA-207. Floods in Wauconda quadrangle, northeastern Illinois, by H. E. Allen. 1966. Lat $42^{\circ}15'$ to $42^{\circ}22'30''$, long $80^{\circ}07'30''$ to $80^{\circ}15'$. Scale 1:24,000. Contour interval 10 feet. 31 by 48 inches. 75¢.
- HA-208. Floods in Lake Zurich quadrangle, northeastern Illinois, by A. W. Noehre and R. T. Mycyk. 1966. Lat $42^{\circ}07'30''$ to $42^{\circ}15''$, long 88° to $88^{\circ}07'30''$. Scale 1:24,000. Contour interval 10 feet. $30\frac{1}{2}$ by 53 inches. 75¢.
- HA-209. Floods in Steger quadrangle, northeastern Illinois, by H. E. Allen. 1966. Lat $41^{\circ}22'30''$ to $41^{\circ}30'$, long $87^{\circ}37'30''$ to $87^{\circ}45'$. Scale 1:24,000. Contour interval 10 feet. 35 by 53 inches. 75¢.
- HA-210. Floods in Normantown quadrangle, northeastern Illinois by V. J. May. 1966. Lat $41^{\circ}37'30''$ to $41^{\circ}45'$, long $88^{\circ}07'30''$ to $88^{\circ}15'$. Scale 1:24,000. Contour interval 5 feet. 31 by 49 inches. 75¢.
- HA-211. Floods in Manhattan quadrangle, northeastern Illinois, by H. E. Allen and R. T. Mycyk. 1966. Lat $41^{\circ}22'30''$ to $41^{\circ}30'$, long $87^{\circ}52'30''$ to 88° . Scale 1:24,000. Contour interval 10 feet. 30 by 49 inches. 75¢.
- HA-212. Annual runoff in the conterminous United States, by M. W. Busby. 1966. Scale 1:7,500,000. $30\frac{1}{2}$ by 39 inches. 75¢.
- HA-213. Water resources of the Big Stone Lake watershed, west-central Minnesota, by R. D. Cotter, L. E. Bidwell, E. L. Oakes, and G. H. Hollenstein. 1966. Lat 45° to about $45^{\circ}35'$, long about $95^{\circ}45'$ to $96^{\circ}50'$. Sheets 1-3 include maps at a scale of 1:250,000. Sheet 1, 30 by $34\frac{1}{2}$ inches; sheet 2, $29\frac{1}{2}$ by $37\frac{1}{2}$ inches; sheet 3, 27 by $32\frac{1}{2}$ inches; and sheet 4, $22\frac{1}{2}$ by $27\frac{1}{2}$ inches. \$1.50 per set.
- HA-214. Maps showing fluoride content and salinity of ground water in the Willcox basin, Graham and Cochise Counties, Ariz., by L. R. Kister, S. G. Brown, H. H. Schumann, and P. W. Johnson. 1966. Lat vicinity $32^{\circ}15'$, long vicinity 110° . Sheet 1, 34 by $38\frac{1}{2}$ inches; sheet 2, $23\frac{1}{2}$ by 34 inches. Accompanied by 6-page text. \$1 per set.
- HA-216. Geohydrology of Saline County, Nebr., by P. A. Emery. 1966. Lat about $40^{\circ}20'$ to $40^{\circ}40'$, long about $96^{\circ}55'$ to $97^{\circ}20'$. Scale of larger maps, 1:125,000. 36 by $47\frac{1}{2}$ inches. Accompanied by 5-page text. 50¢.
- HA-217. General availability of ground water and depth to water level in

- the Missouri River basin, by G. A. La Rocque, Jr. 1966. Lat 36° to 49°, long 90° to 114°. Scale 1:2,500,000. 29 by 38 inches. 75¢.
- HA-218. Fresh-water springs of Hawaii from infrared images, by W. A. Fischer, D. A. Davis, and T. M. Sousa. 1966. 33 by 53 inches. 75¢.
- HA-219. Ground-water reconnaissance of the Great Divide and Washakie basins and some adjacent areas, southwestern Wyoming, by G. E. Welder and L. J. McGreevy. 1966. Sheets 1 and 2, lat 41° to 42°21', long 107° to about 109°15'; scale 1:250,000. Sheet 1, geologic map showing generalized structure contours and geologic sections; 36½ by 45 inches. Sheet 2, hydrologic map showing generalized piezometric contours in the Great Divide basin, specific conductance of ground water, and spring and well locations; 35½ by 45 inches. Sheet 3, generalized section of the geologic formations; 14 by 28 inches. Accompanied by 10-page text. \$2 per set.
- HA-220. Water resources of the Pomme de Terre River watershed, west-central Minnesota, by R. D. Cotter and L. E. Bidwell. 1966. Lat 45° to 46°15', long 95°30' to 96°15'. Scale 1:250,000. Sheet 1, municipal supply potential and water use; 34½ by 39 inches. Sheet 2, ground water; 30½ by 36 inches. Sheet 3, surface water; 31 × 31 inches. Sheet 4, chemical quality of water; 26½ by 32½ inches. \$2 per set.
- HA-221. Map showing altitude of the base of fresh water in coastal plain aquifers of the Mississippi embayment, by E. M. Cushing. 1966. Scale 1:1,000,000. Contours on base of fresh water, interval 200 feet. 29½ by 32 inches. 50¢.
- HA-222. Hydrology and physiography of the Salton Sea, Calif., by W. M. Littlefield. 1966. Lat 33° to 33°35', long 115°30' to 116°05'. Scale 1:125,000. 27 by 42 inches. 50¢.
- HA-223. Base of fresh ground water in southern Oklahoma, by D. L. Hart, Jr. 1966 [1969]. Sheet 1, lat 34° to 35°30'08", long 98° to 110°; 33½ by 48½ inches. Sheet 2, lat about 33°45' to about 36°, long 96° to 98°; 33½ by 54½ inches. Two larger maps have scale 1:250,000 and contour interval 100 feet. \$1.25 per set.
- HA-224. Availability of ground water from the alluvium along the Missouri River in northeastern Montana, by W. B. Hopkins and J. R. Tilstra. 1966. Area in vicinity of lat 48°, long 105°. Scale 1:96,000. 32 by 45 inches. Accompanied by 13-page text. 75¢.
- HA-225. Surficial geology and availability of ground water in part of the lower Penobscot River basin, Maine, by G. C. Prescott, Jr. 1966 [1967]. Lat 44°30' to 45°, long 68°20' to 69°. Scale 1:62,500. 39 by 41 inches. Accompanied by 5-page text. \$1.
- HA-226. Floods in Antioch quadrangle, northeastern Illinois, by A. W. Noehre and G. L. Walter. 1966. Lat 42°22'30" to 42°30', long 88° to 88°07'30". Scale 1:24,000. Contour interval 10 feet. 31 by 44 inches. 75¢.
- HA-227. Floods in Sugar Grove quadrangle, northeastern Illinois, by H. E. Allen. 1966 [1967]. Lat 41°45' to 41°52'30", long 88°22'30" to 88°30". Scale 1:24,000. Contour interval 10 feet. 30 by 48 inches. 75¢.
- HA-228. Floods in Plainfield quadrangle, northeastern Illinois, by V. J. May and R. J. Schafish. 1966. Lat 41°30' to 41°37'30", long 88°07'30" to 88°15'. Scale 1:24,000. Contour interval 5 feet. Sheet 32 by 53 inches. 75¢.
- HA-229. Floods in Elburn quadrangle, northeastern Illinois, by H. E. Allen,

1966. Lat 41°52'30" to 42°, long 88°22'30" to 88°30'. Scale 1:24,000. Contour interval 10 feet. 30½ by 39 inches. 75¢.
- HA-230. Floods in Grayslake quadrangle, northeastern Illinois, by V. J. May, A. W. Noehre, and G. L. Walter. 1967. Lat 42°15' to 42°22'30", long 88° to 88°07'30". Scale 1:24,000. Contour interval 10 feet. 31 by 40 inches. 75¢.
- HA-231. Floods in Frankfort quadrangle, northeastern Illinois, by R. T. Mycyk. 1967. Lat 41°22'30" to 41°30', long 87°45' to 87°52'30". Scale 1:24,000. Contour interval 10 feet. 30 by 40 inches. 75¢.
- HA-232. Floods in Pingree Grove quadrangle, northeastern Illinois, by H. E. Allen. 1967. Lat 42° to 42°07'30", long 88°22'30" to 88°30'. Scale 1:24,000. Contour interval 10 feet. 30½ by 39 inches. 75¢.
- HA-233. Floods in Zion quadrangle, northeastern Illinois, by V. J. May and R. T. Mycyk. 1967. Lat 42°22'30" to 42°30', long 87°46' to 87°52'30". Scale 1:24,000. Contour interval 10 feet. 30 by 50 inches. 75¢.
- HA-234. Floods in Waukegan quadrangle, northeastern Illinois, by R. T. Mycyk and V. J. May. 1967. Lat 42°15' to 42°22'30", long 87°48' to 87°52'30". Scale 1:24,000. Contour interval 10 feet. 30 by 42 inches. 75¢.
- HA-235. Temperature of surface waters in the conterminous United States, by J. F. Blakey. 1966. Scale 1:5,000,000. Three sheets, each 32 by 41 inches. Accompanied by 8-page text. \$1.25 per set.
- HA-236. Ground water in Black Squirrel Creek valley, El Paso County, Colo., by H. E. McGovern and E. D. Jenkins. 1966. Vicinity of lat 38°50', long 104°25'. 34 by 43 inches. 50¢.
- HA-237. Water resources of the Two Rivers watershed, northwestern Minnesota, by R. W. Maclay, T. C. Winter, and G. M. Pike. 1967. Vicinity of lat 48°45' to 49°, long 96° to 97°. Scale 1:250,000. Sheet 1, 26 by 36½ inches; sheet 2, 38½ by 40½ inches; sheet 3, 31½ by 36 inches; and sheet 4, 29 by 36 inches. \$2 per set.
- HA-238. Floods on White Rock Creek at Dallas, Tex., in 1962 and 1964, by F. H. Ruggles, Jr., and C. R. Gilbert. 1967. Lat 32°42'30" to 33°, long 96°42'30" to 96°50'. Scale 1:24,000. Contour interval 10 feet. 37 by 51 inches. \$1.
- HA-239. Floods in Kahaluu area, Oahu, Hawaii, by M. M. Miller. 1966. Scale 1:12,000. Contour interval 40 feet. 30 by 43 inches. \$1.
- HA-240. Flood of October 8, 1962, on Bachman Branch and Joes Creek at Dallas, Tex., by F. H. Ruggles, Jr. 1966 [1967]. Lat 32°50' to 32°57', long 96°47' to 96°55'. Scale 1:24,000. Contour interval 10 feet. 30 by 43 inches. \$1.
- HA-241. Water resources of the Roseau River watershed, northwestern Minnesota, by T. C. Winter, R. W. Maclay, and G. M. Pike. 1967. Vicinity of lat 48°45', long 96°. Scale 1:250,000. Sheet 1, 36 by 36 inches; sheet 2, 36 by 39 inches; and sheet 3, 33 by 39 inches. \$1.50 per set.
- HA-242. Ground water of Baker Valley, Baker County, Oreg., by D. J. Lystrom, W. L. Nees, and E. R. Hampton. 1967. Vicinity of lat 45°, long 117°50'. Scale 1:96,000. 27 by 45 inches. 75¢.
- HA-243. Effect of drought on water resources in the Northeast, by H. C. Barksdale, Deric O'Bryan, and W. J. Schneider. 1966. 26½ by 32 inches. 50¢.
- HA-244. Water resources of the Patuxent River basin, Maryland, by J. W.

- Crooks, Deric O'Bryan, and others. 1967. Scale 1:250,000. Five sheets, each 28 by 39 inches. \$2.50 per set.
- HA-245. Floods on Millstone River and Stony Brook in vicinity of Princeton, N.J., by J. A. Bettendorf. 1967. Lat 40°17'30" to 40°25', long 74°35' to 74°45'. Scale 1:24,000. Contour interval 20 feet. 32 by 41 inches. 75¢.
- HA-246. Floods at Easton, Pa.-Phillipsburg, N.J., by G. M. Farlekas. 1967. Lat 40°35' to 40°45', long 75°07'30" to 75°15'. Scale 1:24,000. Contour interval 20 feet. 36 by 40 inches. \$1.
- HA-247. Water resources of the Parker and Rowley River basins, Massachusetts, by E. A. Sammel. 1967. Lat 42°40' to 42°50', long 70°47'30" to 71°05'. Scale 1:24,000. Contour interval 10 feet. 37 by 46 inches. 75¢.
- HA-248. Floods on Schuylkill River from Conshohocken to Philadelphia, Pa., by A. T. Alter. 1967. Lat 40° to 40°05', long 75°11' to 75°17'30". Scale 1:16,000. Contour interval 10 feet. 28 by 53 inches. \$1.
- HA-249. Ground-water favorability of the Connecticut River basin, New England States, by D. J. Cederstrom and A. L. Hodges, Jr. 1967. Sheet 1, map of the upper basin; lat 41° to 42°, long 71°45' to 73°15'; 34 by 52 inches. Sheet 2, map of the lower basin; lat 43° to 45°30', long 71° to 73°15'; 24 by 42 inches. Scale 1:250,000. \$1.25 per set.
- HA-250. Availability of ground water in Texas County, Okla., by P. R. Wood and D. L. Hart, Jr. 1967. Lat 36°30' to 37°, long 101° to 102°. Scale 1:125,000. Sheet 1, 24 by 47½ inches; sheet 2, 31 by 38 inches; and sheet 3, 24 by 48 inches. \$1.25 per set.
- HA-251. Floods in Peotone quadrangle, northeastern Illinois, by H. E. Allen. 1967. Lat 41°15' to 41°22'30", long 87°45' to 87°52'30". Scale 1:24,000. Contour interval 10 feet. 30 by 48 inches. 75¢.
- HA-252. Floods in Berwyn quadrangle, northeastern Illinois, by A. W. Noehre and G. L. Walter. 1967. Lat 41°45' to 41°52'30", long 87°45' to 87°52'30". Scale 1:24,000. Contour interval 5 feet. 31 by 44 inches. 75¢.
- HA-253. Floods in Crystal Lake quadrangle, northeastern Illinois, by V. J. May and R. T. Mycyk. 1967. Lat 42°07'30" to 42°15', long 88°15' to 88°22'30". Scale 1:24,000. Contour interval 10 feet. 33 by 48 inches. 75¢.
- HA-254. Floods in Elwood quadrangle, northeastern Illinois, by H. E. Allen and R. T. Mycyk. 1967. Lat 41°22'30" to 41°30', long 88° to 88°07'30". Scale 1:24,000. Contour interval 10 feet. 30½ by 57 inches. 75¢.
- HA-255. Floods in McHenry quadrangle, northeastern Illinois, by R. T. Mycyk and G. L. Walter. 1968. Lat 42°15' to 42°22'30", long 88°15' to 88°22'30". Scale 1:24,000. 31 by 48 inches. 75¢.
- HA-256. Floods in Woodstock quadrangle, northeastern Illinois, by H. E. Allen. 1968 [1969]. Lat 42°15' to 42°22'30", long 88°22'30" to 88°30". Scale 1:24,000. Contour interval 10 feet. 33½ by 48 inches. 75¢.
- HA-257. Floods in Beecher West quadrangle, northeastern Illinois, by H. E. Allen. 1968 [1969]. Lat 41°15' to 41°22'30", long 87°37'30" to 87°45". Scale 1:24,000. Contour-interval 10 feet. 31½ by 54 inches. 75¢.
- HA-258. Floods in Seward quadrangle, southeastern Nebraska, by F. B. Shaffer and K. J. Braun. 1967. Lat 40°52'30" to 41°, long 97° to 97°07'30". Scale 1:24,000. Contour interval 10 feet. 33 by 38 inches. 75¢.
- HA-259. Water resources and surficial geology of the Mendenhall Valley, Alaska, by W. W. Barnwell and C. W. Boning. 1968. Scales 1:31,680 and 1:63,360. 32½ by 45 inches. Accompanied by 6-page text. 75¢.

- HA-260. Time of travel of solutes in Mississippi River from Baton Rouge to New Orleans, La., by M. R. Stewart. 1967. 29½ by 49 inches. 50¢.
- HA-261. Floods in the Ponce area, Puerto Rico, by I. J. Hickenlooper and M. A. Lopez. 1967. Lat 17°57'30" to 18°02'30", long 66°35' to 66°40'. Scale 1:20,000. Contour interval 10 meters. 26 by 44 inches. 75¢.
- HA-262. Floods at Barceloneta and Manatí, P.R., by I. J. Hickenlooper. 1967. Lat 18°22'30" to 18°30', long 66°29' to 66°33'30". Scale 1:20,000. Contour intervals 5 and 10 meters. 30 by 35 inches. 50¢.
- HA-263. Floods on Delaware River in the vicinity of Belvidere, N.J., by G. M. Farlekas. 1967. Lat 40°45' to 40°52'0", long about 75°02'30" to 75°12'30". Scale 1:24,000. Contour interval 20 feet. 30 by 49 inches. \$1.
- HA-264. Water-bearing characteristics and occurrence of aquifers in Martin County, N.C., by G. G. Wyrick. 1967. Lat 35°45' to 36°, long 77° to 77°15'. Scale 1:125,000. 21 by 32 inches. 50¢.
- HA-265. Floods at Humacao, P.R., by M. A. Lopez. 1967. Lat 18°06'30" to 18°10', long 65°45' to 65°51'30". Scale 1:20,000. Contour interval 10 meters. 20 by 40 inches. 75¢.
- HA-266. Availability of water in eastern Saunders County, Nebr., by V. L. Souders. 1967. Vicinity of lat 41°15', long 96°30'. Scale 1:125,000. 36 by 52 inches. 75¢.
- HA-267. Land use and its effect on the basal water supply, Pearl Harbor area, Oahu, Hawaii, 1931-65, by R. H. Dale. 1967. Scale 1:62,500. Sheet 1, 27 by 35 inches; sheet 2, 29 by 36½ inches. \$1.25 per set.
- HA-268. Patterns of subsurface flow in the Bloomington-Colton area, Upper Santa Ana Valley, Calif., by A. W. Gosling. 1967. Lat 34° to 34°07'30", long 117°15' to 117°25'. Scale 1:24,000. Water-level contour interval 10 feet. 30 by 46 inches. 50¢.
- HA-269. Water resources of the Lac qui Parle River watershed, southwestern Minnesota, by R. D. Cotter and L. E. Bidwell. 1968. Sheets 2-4, scale 1:250,000. Sheet 1, 30 by 36 inches. Sheet 2, piezometric-contour interval 20 feet; 29 by 36 inches. Sheet 3, 29 by 36 inches. Sheet 4, 31 by 34 inches. \$1.75 per set.
- HA-270. Ground-water resources and geology of the Wind River Basin area, central Wyoming, by H. A. Whitcomb and M. E. Lowry. 1968. Scale 1:250,000. Sheet 1, 35 by 49 inches. Sheet 2, piezometric-contour interval 100 feet; 35 by 48 inches. Sheet 3, 15 by 28 inches. Accompanied by 13-page text. \$1.25 per set.
- HA-271. Floods at Arecibo, P.R., by I. J. Hickenlooper. 1968. Lat 18°22'30" to 18°30', long 66°37'30" to 66°45'. Scale 1:20,000. Contour interval 10 meters. 35 by 40 inches. 75¢.
- HA-272. Water resources of the Mustinka and Bois De Sioux Rivers watershed, west-central Minnesota, by R. W. Maclay, T. C. Winter, and L. E. Bidwell. 1968. Scale 1:250,000. Sheet 1, 38 by 47½ inches; sheet 2, 33½ by 42 inches; sheet 3, 40½ by 48 inches; sheet 4, 39½ by 40 inches. \$2 per set.
- HA-273. Travel rates of water for selected streams in the Willamette River basin, Oregon, by D. D. Harris. 1968. Lat 43°15' to 46°20', long 121°30' to 124°30'. Scale 1:500,000. Sheet 1, 36 by 41 inches; sheet 2, 31 by 32 inches. \$1 per set.
- HA-274. Patterns of runoff in the Willamette Basin, Oreg., by E. A. Oster.

1968. Lat 43°15' to 46°20', long 121°30' to 124°30'. Scale 1:500,000. 32 by 38 inches. 50¢.
- HA-277. Ground-water resources of the lower Merrimack River valley, south-central New Hampshire, by J. M. Weigle. 1968. Lat 42°42'30" to 42°57'30", long 71°05'30" to 71°45'. Scale 1:62,500. 38 by 40 inches. 50¢.
- HA-278. Water resources of the Mississippi Headwaters Watershed, north-central Minnesota, by E. L. Oakes and L. E. Bidwell. 1968 [1969]. Sheets 2-4, scale 1:250,000. Sheets 1 and 3, 41 by 48 inches; sheet 2, 41 by 47 inches; and sheet 4, 36 by 44 inches. \$2 per set.
- HA-279. Geology and ground water in Labette County, Kans., by W. L. Jungmann and C. C. Williams. 1968. Lat 37° to 37°20', long 95°10' to 95°30'. Scale 1:63,860. 37 by 49 inches. 75¢.
- HA-280. Geology and water resources of the Hibbing area, northeastern Minnesota, by G. F. Lindholm. 1968. Scale 1:24,000. Sheet 1, bedrock-contour interval 20 feet; 41 by 47 inches. Sheet 2, water-level contour interval 20 feet; 42 by 46 inches. Sheet 3, 41 by 47 inches. \$1.50 per set.
- HA-281. Hydrology and water resources of the Housatonic River basin, Massachusetts, by R. F. Norvitch, D. F. Farrell, F. H. Pauszek, and R. G. Petersen. 1968. Scale 1:125,000. Sheet 1, 29 by 34 inches; sheet 2, 30 by 37½ inches; sheet 3, 37½ by 46½ inches; sheet 4, 35½ by 43 inches. \$2 per set.
- HA-282. River discharge to the sea from the shores of the conterminous United States, Alaska, and Puerto Rico—A contribution to the International Hydrological Decade, compiled by Alfonso Wilson and K. T. Iseri. 1967. Scale 1:5,000,000. Sheet 1, 38 by 43 inches; sheet 2, 29½ by 33 inches. \$1 per set. (Revised 1969.)
- HA-283. Ground-water resources of the James, York, and Rappahannock River basins of Virginia, west of the fall line, by G. D. DeBuchanne. 1968. Lat 37° to 39°, long 77° to 81°. Scale 1:500,000. 42 by 44 inches. 50¢.
- HA-284. Ground-water resources of the Eastern Shore of Virginia and the James, York, and Rappahannock River basins of Virginia, east of the fall line, by G. D. DeBuchanne. 1968. Scale 1:500,000. Sheet 1, 24 by 43½ inches; sheet 2, 29 by 41½ inches. \$1 per set.
- HA-285. Ground-water favorability areas and surficial geology of the lower Androscoggin River basin, Maine, by G. C. Prescott, Jr. 1968. Lat 43°52' to 44°20', long 69°45' to 70°15'. Scale 1:62,500. 40½ by 52 inches. \$1.
- HA-286. Water resources of the Chippewa River watershed, west-central Minnesota, by R. D. Cotter, L. E. Bidwell, W. A. Van Voast, and R. P. Novitzki. 1968. Scale 1:250,000. Sheet 1, 31 by 39 inches; sheet 2, 31½ by 38½ inches; sheet 3, 35½ by 44 inches; and sheet 4, 33 by 43 inches. \$1.75 per set.
- HA-287. Availability of ground water in Adams County, Nebr., by C. F. Keech and V. H. Dreeszen. 1968. Scale 1:125,000. Water-level contour interval 10 feet. 37 by 52½ inches. 50¢.
- HA-288. Floods in the Mayagüez area of Puerto Rico, by I. J. Hickenlooper. 1968. Lat 18°07'30" to 18°15', long 67°07'30" to 67°12'30". Scale 1:20,000. Contour interval 5 meters. 34 by 40 inches. 75¢.
- HA-289. Floods in the area of Vega Alta and Vega Baja, P.R., by I. J.

- Hickenlooper. 1968. Lat 18°24' to 18°30', long 66°18'30" to 66°26'. Scale 1:20,000. 30½ by 39½ inches. 75¢.
- HA-290. Ground-water reconnaissance of the Green River basin, southwestern Wyoming, by G. E. Welder. 1968. Lat 41° to 45°, vicinity of long 105° to 111°. Scale 1:250,000. Structure-contour interval 500 feet. Sheet 1, 32½ by 50½ inches; sheet 2, 36 by 43 inches. Accompanied by 5-page text. \$1 per set.
- HA-291. Summary of the geology and ground-water resources of Pitt County, N.C., by C. T. Sumsion. 1968. Scale 1:125,000. 30 by 38 inches. 50¢.
- HA-292. Ground-water resources of Chowan County, N.C., by O. B. Lloyd, Jr. 1968. Scale 1:125,000. 27 by 28½ inches. 50¢.
- HA-293. Water resources of the Millers River basin, north-central Massachusetts and southwestern New Hampshire, by M. R. Collings, D. R. Wiesnet, and W. B. Fleck. 1969. Lat about 42°30' to about 42°51', long about 69°53' to about 72°33'. Sheet 1, 25½ by 31 inches; sheet 2, 34 by 39½ inches, sheet 3, 37½ by 42 inches; and sheet 4, 34½ by 39 inches. \$2 per set.
- HA-294. Flood of August 1967 at Fairbanks, Alaska, by J. M. Childers and J. P. Meckel. 1967. Vicinity of lat 64°50', long 147°45'. Scale 1:24,000. Contour interval 50 feet. 38½ by 41 inches. \$1.
- HA-295. Ground-water resources of the Appalachian Region, by G. G. Wyrick. 1968. Sheet 1, 28 by 39 inches; sheets 2-4, 26 by 37 inches. \$1.50 per set.
- HA-296. Water resources of the Otter Tail River watershed, west-central Minnesota, by T. C. Winter, L. E. Bidwell, and R. W. Maclay. 1969. Vicinity of lat 46°40', long 96°. Sheet 1, 35½ by 43 inches; sheet 2, 36½ by 45 inches; sheet 3, 37 by 46 inches; and sheet 4, 37 by 41 inches. \$2 per set.
- HA-297. Floods on Chenango River and Canasawacta Creek at Norwich, N.Y., by Stephen Hladio. 1968. Lat 42°30'30" to 42°35', long 75°30' to 75°34'. Scale 1:12,000. 36 by 36½ inches. 75¢.
- HA-298. Average annual precipitation and runoff in north coastal California, by S. E. Rantz. 1968. Lat 37°30' to 42°, long 122° to 124°. Scale 1:1,000,000. 31 by 47½ inches. Accompanied by 4-page text. 75¢.
- HA-299. Reconnaissance of the Red Lake River, Minn., by L. H. Ropes, R. F. Brown, and D. E. Wheat. 1969. Scale 1:250,000. Two sheets, each 29 by 36 inches. \$1 per set.
- HA-300. Availability of ground water in the northern part, Tenmile and Taunton River basins, southeastern Massachusetts, by J. R. Williams. 1968 [1969]. Lat 41°52'30" to 42°07'30", long 71° to 71°22'30". Scale 1:31,680. 40½ by 43 inches. 50¢.
- HA-301. Floods in Dyer quadrangle, northeastern Illinois, by H. E. Allen. 1968. Lat 41°22'30" to 41°30', long 87°30' to 87°37'30". Scale 1:24,000. 29½ by 48 inches. 75¢.
- HA-302. Floods in Beecher East quadrangle, northeastern Illinois, by H. E. Allen and A. W. Noehre. 1969. Lat 41°15' to 41°22'30", long 87°30' to 87°37'30". Scale 1:24,000. 31½ by 44 inches. 75¢.
- HA-303. Floods in Richmond quadrangle, northeastern Illinois, by R. T. Mycyk and G. L. Walter. 1969. Lat 42°22'30" to 42°30', long 88°15' to 88°22'30". Scale 1:24,000. Contour interval 10 feet. 31 by 43½ inches. 75¢.

- HA-304. Floods in Wilton Center quadrangle, northeastern Illinois, by H. E. Allen and A. W. Noehre. 1969. Lat $41^{\circ}15'$ to $42^{\circ}22'30''$, long $87^{\circ}52'30''$ to 88° . Scale 1:24,000. Contour interval 10 feet. 31 by 53 inches. 75¢.
- HA-305. Floods in Symerton quadrangle, northeastern Illinois, by H. E. Allen, A. W. Noehre, and L. D. Hauth. 1970. Lat $41^{\circ}15'$ to $41^{\circ}22'30''$, long 88° to $88^{\circ}07'30''$. Scale 1:24,000. Contour interval 10 feet. 30 by 48 inches. 75¢.
- HA-307. Water resources of the Buffalo River watershed, west-central Minnesota, by R. W. Maclay, L. E. Bidwell, and T. C. Winter. 1969. Vicinity of lat $46^{\circ}45'$, long $96^{\circ}15'$. Scale 1:250,000. Sheet 1, $37\frac{1}{2}$ by 42 inches; sheet 2, 37 by 41 inches; and sheet 3, $40\frac{1}{2}$ by 43 inches. \$1.50 per set.
- HA-308. Occurrence of ground water in the Judith River Formation, north-central Montana, by W. R. Osterkamp. 1968. Lat $47^{\circ}15'$ to 48° , long 107° to 109° . Scale 1:250,000. Structure-contour interval 100 feet. $35\frac{1}{2}$ by $44\frac{1}{2}$ inches. 75¢.
- HA-309. Geohydrology of the Coastal Plain aquifers of Arkansas, by R. L. Hosman. 1969. Scale 1:500,000. Contours on base of fresh water, interval 100 feet. 42 by 58 inches. 75¢.
- HA-310. Saline ground water in Louisiana, by A. G. Winslow, D. E. Hillier, and A. N. Turcan, Jr. 1968 [1969]. Scale 1:750,000. Sheets 1 and 2, $34\frac{1}{2}$ by $40\frac{1}{2}$ inches; sheet 3, 28 by 30 inches; and sheet 4, 28 by 29 inches. \$1.75 per set.
- HA-311. Hydrology of a part of the Big Sioux drainage basin, eastern South Dakota, by M. J. Ellis, D. G. Adolphson, and R. E. West. 1969. Scale 1:125,000. Water-level contour interval 5 feet. $41\frac{1}{2}$ by 50 inches. Accompanied by 5-page text. 75¢.
- HA-312. Water resources of the Assabet River basin, central Massachusetts, by S. J. Pollock, D. F. Farrell, and W. W. Caswell. 1969. Vicinity of lat $42^{\circ}27'$, long $71^{\circ}35'$. Scale 1:48,000. $37\frac{1}{2}$ by 38 inches. 50¢.
- HA-313. Ground-water occurrence in the Goldendale area, Klickitat County, Wash., by J. E. Luzier. 1969. Lat $45^{\circ}40'$ to about $45^{\circ}55'$, long about $120^{\circ}45'$ to $121^{\circ}10'$. Scale 1:62,500. Water-level contour interval 100 feet. 36 by 42 inches. 75¢.
- HA-314. Floods in Waimanalo area, Oahu, Hawaii, by Reuben Lee and W. C. F. Chang. 1968. Lat $21^{\circ}19'$ to $21^{\circ}22'30''$, long $157^{\circ}41'30''$ to $157^{\circ}46'30''$. Scale 1:12,000. Contour interval 40 feet. $25\frac{1}{2}$ by $46\frac{1}{2}$ inches. 75¢.
- HA-315. Reconnaissance of the ground-water resources of the Missouri River alluvium between St. Charles and Jefferson City, Mo., by L. F. Emmett and H. G. Jeffery. 1968 [1969]. Lat $38^{\circ}30'$ to 39° , long $90^{\circ}30'$ to $92^{\circ}15'$. Scale 1:125,000. Piezometric-contour interval 10 feet. $32\frac{1}{2}$ by 54 inches. 50¢.
- HA-316. Water resources of Antelope County, Nebr., by V. L. Souders and F. B. Shaffer. 1969. Lat about 42° to about $42^{\circ}15'$, long about 98° to about $98^{\circ}15'$. Water-level contour interval 20 feet. Sheet 1, $29\frac{1}{2}$ by $46\frac{1}{2}$ inches; sheet 2, 26 by $46\frac{1}{2}$ inches; and sheet 3, 30 by 47 inches. \$1.50 per set.
- HA-317. Water resources of the Belle River basin, southeastern Michigan, by R. L. Knutilla. 1969. Vicinity of lat $42^{\circ}50'$, long $82^{\circ}50'$. Scale 1:250,000. $41\frac{1}{2}$ by 47 inches. 75¢.
- HA-318. Flood of August 1966 at Carlsbad, N. Mex., by L. P. Denis. 1968. 30 by 32 inches. 50¢.

- HA-319. Hydrologic reconnaissance of the Tanana basin, central Alaska, by G. S. Anderson. 1970. Lat about 62° to 65° N., long about 141° to 152° W. Scale 1:1,000,000. Sheets 1-3, 32 by $42\frac{1}{2}$ inches; sheet 4, 36 by $40\frac{1}{2}$ inches. \$2 per set.
- HA-320. Water resources of the Yellow Medicine River watershed, southwestern Minnesota, by R. P. Novitzki, W. A. Van Voast, and L. A. Jerabek. 1969 [1970]. Sheets 2-3, scale 1:250,000; sheet 2, bedrock-contour interval 50 feet. Sheets 1-2, 38 by $40\frac{1}{2}$ inches; sheet 3, $30\frac{1}{2}$ by 38 inches. \$1.75 per set.
- HA-321. Water resources of Wisconsin-Fox-Wolf River basin, by P. G. Olcott. 1968 [1969]. Sheets 1-2, 28 by 38 inches; sheets 3-4, 29 by $38\frac{1}{2}$ inches. \$2 per set.
- HA-322. Geology and ground-water resources of the Grand Rapids area, north-central Minnesota, by E. L. Oakes. 1970. Lat $47^{\circ}07'30''$ to $47^{\circ}22'30''$, long $93^{\circ}22'30''$ to $93^{\circ}45'$. Scale 1:48,000. Sheet 1, 36 by $43\frac{1}{2}$ inches. Sheet 2, piezometric-contour interval 20 feet; 37 by $43\frac{1}{2}$ inches. \$1.50 per set.
- HA-323. Floods on Boone and Winkler Creeks at Boone, N.C., by W. J. Haire. 1968 [1969]. Vicinity of lat $36^{\circ}12'30''$, long $81^{\circ}40'$. Scale 1:4,800. Contour interval 10 feet. 30 by 44 inches. 75¢.
- HA-324. Floods at Amesville, Ohio, by R. I. Mayo and E. E. Webber. 1969. Lat $39^{\circ}22'30''$ to $39^{\circ}25'$, long $81^{\circ}52'30''$ to 82° . Scale 1:12,000. 37 by 39 inches. 75¢.
- HA-325. Floods at Jackson, Ohio, by E. E. Webber and R. I. Mayo. 1968 [1969]. Lat $39^{\circ}01'$ to $39^{\circ}06'$, long $82^{\circ}36'$ to $82^{\circ}41'$. Scale 1:12,000. Contour interval 20 feet. 36 by 50 inches. 75¢.
- HA-326. Floods on Johns and Craig Creeks in Craig County, Va., by D. H. Rapp. 1968 [1969]. Lat $37^{\circ}27'30''$ to $37^{\circ}32'30''$, long $80^{\circ}02'30''$ to $80^{\circ}10'$. Scale 1:12,000. Contour intervals 20 and 40 feet. $35\frac{1}{2}$ by 40 inches. 75¢.
- HA-327. Water resources of the Pine River basin, southeastern Michigan, by R. L. Knutilla. 1969 [1970]. Scale 1:125,000. 35 by 45 inches. 75¢.
- HA-328. Floods on Levisa Fork in vicinity of Paintsville, Ky., by C. H. Hannum. 1969. Lat $37^{\circ}46'15''$ to $37^{\circ}49'50''$, long $82^{\circ}45'$ to $82^{\circ}49'39\frac{1}{2}''$. Scale 1:12,000. Contour interval 40 feet. 34 by 36 inches. 75¢.
- HA-329. Floods on Licking River in vicinity of Salyersville, Ky., by C. H. Hannum. 1969. Lat $37^{\circ}42'30''$ to about $37^{\circ}45'$, long $83^{\circ}02'30''$ to $83^{\circ}06'30''$. Scale 1:12,000. Contour interval 20 feet. 34 by $37\frac{1}{2}$ inches. 75¢.
- HA-330. Ground water in the Ogallala Formation in the southern High Plains of Texas and New Mexico, by J. G. Cronin. 1969. Lat about $31^{\circ}42'$ to about $35^{\circ}35'$, long $100^{\circ}45'$ to about 104° . Scale 1:500,000. Sheet 1, structure-contour interval 50 feet; sheets 2-4, water-level contour interval 50 feet. Each sheet, $29\frac{1}{2}$ by 41 inches. Accompanied by 9-page text. \$1.50 per set.
- HA-331. Floods on Little Buffalo Creek at West Jefferson, N.C., by W. J. Haire. 1969. 33 by 47 inches. 50¢.
- HA-332. Travel of solutes in the lower Missouri River, by J. E. Bowie and L. R. Petrie. 1969. $37\frac{1}{2}$ by 48 inches. 50¢.
- HA-333. Reconnaissance of the Pigeon River, a cold-water river in the north-central part of Michigan's southern peninsula, by G. E. Hendrickson and C. J. Doonan. 1970. Sheet 1, 31 by 32 inches. Sheet 2, lat about

- 45°02' to 45°26', long about 84°25' to 84°37'; scale 1:62,500; 30 by 40 inches. \$1.25 per set.
- HA-334. Ground-water resources of the St. James area, south-central Minnesota, by L. H. Ropes. 1969. Scale 1:62,500. 29 by 39 inches. 50¢.
- HA-335. Water quality in the Delaware estuary for two years of drought: 1965 and 1966, from Trenton, N.J., to Reedy Island, Del., by W. B. Keighton. 1969. Scale 1:1,000,000. Two sheets, each 34 by 43 inches. \$1 per set.
- HA-336. Reconnaissance of the ground-water resources of the Missouri River alluvium between Kansas City, Mo., and the Iowa border, by L. F. Emmett and H. G. Jeffery. 1969. Scale 1:125,000. 39 by 55½ inches. 50¢.
- HA-337. Ground-water favorability areas and surficial geology of the lower Kennebec River basin, Maine, by G. C. Prescott, Jr. 1969 [1970]. Vicinity of lat 44° to 44°35', long 69°30' to 69°55'. Scale 1:62,500. 38 by 57 inches. 75¢.
- HA-338. Water resources of the Black River basins, southeastern Michigan, by R. L. Knutilla. 1970. Sheet 1, 31 by 41 inches. Sheet 2, 31 by 35 inches. Sheet 3, 32 by 33½ inches. Bedrock-contour interval 50 feet. Map scales 1:125,000; 1:250,000. Accompanied by 10-page text. \$1.75 per set.
- HA-339. Water resources of the Wild Rice River watershed, northwestern Minnesota, by T. C. Winter, L. E. Bidwell, and R. W. Maclay. 1970. Scale 1:250,000. Sheet 1, 41 by 43 inches. Sheet 2, 36 by 42 inches. Sheet 3, 35½ by 41 inches. Sheet 4, water-table contour interval 40 feet; 34 by 40 inches. \$2 per set.
- HA-340. Reconnaissance of the ground-water resources of the Missouri River alluvium between Jefferson City and Miami, Mo., by L. F. Emmett and H. G. Jeffery. 1969 [1970]. Lat 38°30' to 39°30', long 92°15' to 93°15'. Scale 1:125,000. 37 by 43 inches. 50¢.
- HA-341. Hydrogeology of the Berea and Cussewago Sandstones in northeastern Ohio, by J. L. Rau. 1969 [1970]. Sheet 1, physical setting and geological framework; sheet 2, availability and quality of water. Lat 41° to 41°45', vicinity of long 80°45' to 82°15'. Scale 1:250,000. Two sheets, each 33½ by 44 inches. \$1 per set.
- HA-342. Floods in Triplett Creek in vicinity of Morehead, Ky., by C. H. Hannum. 1969. Lat about 38°08'45" to 38°12'21", long about 83°23'40" to 83°28'. Scale 1:12,000. 29 by 40 inches. 75¢.
- HA-343. Ground-water resources of Craven County, N.C., by E. O. Floyd. 1969 [1970]. Sheet 1, piezometric-contour intervals 5 and 10 feet; 38 by 45 inches. Sheet 2, 32 by 40 inches. \$1 per set.
- HA-344. Reconnaissance of the ground-water resources of the Missouri River alluvium between Miami and Kansas City, Mo., by L. F. Emmett and H. G. Jeffery. 1970. Lat 39° to about 39°15', long 93°15' to about 94°30'. Scale 1:125,000. Piezometric-contour interval 10 feet. 39 by 44 inches. 50¢.
- HA-345. Water resources of the Redwood River watershed, southwestern Minnesota, by W. A. Van Voast, L. A. Jerabek, and R. P. Novitzki. 1970. Lat 44°15' to 44°30', long 95°15' to 96°15'. Sheet 1, 41 by 43 inches; sheet 2, 41 by 42½ inches; and sheet 3, 40½ by 43 inches. \$1.75 per set.
- HA-348. Floods on Napa River at Napa, Calif., by J. T. Limerinos. 1970.

- Lat 38°12'30" to 38°22'30", long 122°15' to 122°22'30". Scale 1:24,000. Contour interval 20 feet. 34½ by 39 inches. 75¢.
- HA-350. Floods on Susquehanna River at Oneonta, N.Y., by Stephen Hladio. 1969. Lat 75° to 75°07'30", long 42°25'30" to 42°29'. Scale 1:20,000. Contour interval 20 feet. 35 inches. 75¢.
- HA-351. Water budget of upper Klamath Lake, southwestern Oregon, by L. L. Hubbard. 1970. Scale 1:250,000. 28 by 47 inches. 50¢.
- HA-352. Flood of June 1967 at Grand Island, Nebr., by F. B. Shaffer and K. J. Braun. 1970. Lat 40°52'30" to 41°, long 98°15' to 98°30'. Scale 1:24,000. Contour interval 5 feet. 38 by 48 inches. 75¢.
- HA-359. Floods in Upper Millstone River basin in vicinity of Hightstown, N.J., by G. M. Farlekas. 1969. Lat 40°15' to 40°21', long 74°26' to 74°37'30". Scale 1:24,000. Contour interval 20 feet. 33 by 49½ inches. 75¢.
- HA-360. Water resources of Wisconsin-Rock-Fox River basin, by R. D. Cotter, R. D. Hutchinson, E. L. Skinner, and D. A. Wentz. 1969 [1970]. Scale 1:1,000,000. Sheet 3, water-level contour interval 50 feet. Four sheets, each 32 by 41 inches. \$2 per set.
- HA-365. Water resources of southern Maryland, by J. M. Weigle, W. E. Webb, and R. A. Gardner. 1970. Vicinity of lat 38° to 38°45', long 76°15' to 77°15'. Sheet 1, piezometric-contour interval 10 feet; 31 by 46 inches. Sheet 2, water-table contour interval 100 feet; 31 by 39½ inches. Sheet 3, 30½ by 39½ inches. \$1.75 per set.
- HA-366. Saline ground-water resources of Ohio, by A. C. Sedam and R. B. Stein. 1970. Sheet 1, lat about 39° to 42°, long about 81° to about 84°; scale 1:500,000; piezometric-contour interval 100 feet; 32 by 38 inches. Sheet 2, 30 by 36 inches. \$1 per set.
- HA-369. Hydrologic significance of 1966 flood levels at Lake Jackson near Tallahassee, Fla., by G. H. Hughes. 1969. Lat about 30°28'30" to 30°36', long 84°16' to about 84°22'30". 34 by 45 inches. 75¢.
- HA-371. Flood of March 1968 on the Sudbury, Assabet, and Concord Rivers, Mass., by R. G. Petersen, G. K. Wood, and R. A. Gadoury. 1970. Two sheets, each 41 by 47 inches. \$1.25 per set.
- HA-374. Flood of April 1968 at Many, La., by A. S. Lowe. 1970. Lat 31°33' to 31°36', long 93°27' to 93°30'. 29 by 37 inches. 50¢.
- HA-376. Sediment yields of Wisconsin streams, by S. M. Hindall and R. F. Flint. 1970. 35½ by 36 inches. 75¢.
- HA-378. Floods in Beden Brook basin in Somerset and Mercer Counties, N.J., by T. G. Ross. 1970. Lat 40°22'30" to 40°30', long 74°37'30" to 74°47'30". Scale 1:24,000. Contour interval 20 feet. 32 by 43 inches. 75¢.
- HA-379. Reconnaissance bathymetry of Pyramid Lake, Washoe County, Nev., by E. E. Harris. 1970. Lat 39°45' to 40°15', long 119°15' to 119°45'. Scale 1:62,500. 29½ by 40 inches. 50¢.
- HA-393. Floods on Rock River in northern Rock County, Wis., by J. O. Shearman. 1970. Lat about 42°45' to 42°50', long 89° to 89°07'30". Scale 1:16,000. Contour interval 10 feet. 39½ by 41½ inches. 75¢.
- HA-395. Hurricane Camille tidal floods of August 1969 along the gulf coast, Logtown quadrangle, Mississippi, by K. V. Wilson and J. W. Hudson. 1969. Lat 30°15' to 30°22'30", long 89°30' to 89°37'30". Scale 1:24,000. Contour interval 5 feet. 30 by 33 inches. 75¢.
- HA-396. Hurricane Camille tidal floods of August 1969 along the gulf coast,

- English Lookout quadrangle, Louisiana-Mississippi, by K. V. Wilson and J. W. Hudson. 1969. Lat 30°07'30" to 30°15', long 89°30' to 89°37'30". Scale 1:24,000. Contour interval 5 feet. 30 by 33 inches. 75¢.
- HA-397. Hurricane Camille tidal floods of August 1969 along the gulf coast, Kiln quadrangle, Mississippi, by K. V. Wilson and J. W. Hudson. 1969. Lat 30°22'30" to 30°30', long 89°22'30" to 89°30'. Scale 1:24,000. Contour interval 10 feet. 30 by 33 inches. 75¢.
- HA-398. Hurricane Camille tidal floods of August 1969 along the gulf coast, Waveland-Grand Island Pass quadrangles, Mississippi, by K. V. Wilson and J. W. Hudson. 1969. Lat 30°10' to 30°22'30", long 89°22'30" to 89°30'. Scale 1:24,000. Contour interval 5 feet. 22 by 44 inches. 75¢.
- HA-399. Hurricane Camille tidal floods of August 1969 along the gulf coast, Vidalia quadrangle, Mississippi, by K. V. Wilson and J. W. Hudson. 1969. Lat 30°22'30" to 30°30', long 89°15' to 89°22'30". Scale 1:24,000. Contour interval 10 feet. 30 by 33 inches. 75¢.
- HA-400. Hurricane Camille tidal floods of August 1969 along the gulf coast, Bay St. Louis quadrangle, Mississippi, by K. V. Wilson and J. W. Hudson. 1969. Lat 30°15' to 30°22'30", long 89°15' to 89°22'30". Scale 1:24,000. Contour interval 5 feet. 30 by 33 inches. 75¢.
- HA-401. Hurricane Camille tidal floods of August 1969 along the gulf coast, Gulfport NW quadrangle, Mississippi, by K. V. Wilson and J. W. Hudson. 1969. Lat 30°22'30" to 30°30', long 89°07'30" to 89°15'. Scale 1:24,000. Contour interval 10 feet. 30 by 33 inches. 75¢.
- HA-402. Hurricane Camille tidal floods of August 1969 along the gulf coast, Pass Christian quadrangle, Mississippi, by K. V. Wilson and J. W. Hudson. 1969. Lat 30°15' to 30°22'30", long 89°07'30" to 89°15'. Scale 1:24,000. Contour interval 5 feet. 30 by 33 inches. 75¢.
- HA-403. Hurricane Camille tidal floods of August 1969 along the gulf coast, Gulfport North-South quadrangles, Mississippi, by K. V. Wilson and J. W. Hudson. 1969. Lat 30°20' to 30°30', long 89° to 89°07'30". Scale 1:24,000. Contour interval 5 feet. 33½ by 38 inches. 75¢.
- HA-404. Hurricane Camille tidal floods of August 1969 along the gulf coast, Biloxi quadrangle, Mississippi, by K. V. Wilson and J. W. Hudson. 1969. Lat 30°22'30" to 30°30', long 88°52'30" to 89°. Contour interval 5 feet. Scale 1:24,000. 30 by 33 inches. 75¢.
- HA-405. Hurricane Camille tidal floods of August 1969 along the gulf coast, Ocean Springs-Deer Island quadrangles, Mississippi, by K. V. Wilson and J. W. Hudson. 1969. Lat 30°20' to 30°30', long 88°45' to 88°52'30". Scale 1:24,000. Contour interval 5 feet. 33 by 38 inches. 75¢.
- HA-406. Hurricane Camille tidal floods of August 1969 along the gulf coast, Pascagoula quadrangle, Mississippi, by K. V. Wilson and J. W. Hudson. 1969. Lat 30°15' to 30°30', long 88°30' to 88°45'. Scale 1:62,500. Contour interval 10 feet. 25 by 27½ inches. 75¢.
- HA-407. Hurricane Camille tidal floods of August 1969 along the gulf coast, Kreole-Grand Bay SW quadrangles, Mississippi-Alabama, by K. V. Wilson and J. W. Hudson. 1969. Lat 30°18' to 30°30', long 88°22'30" to 88°30'. Scale 1:24,000. Contour interval 5 feet. 27½ by 44 inches. 75¢.
- HA-408. Hurricane Camille tidal floods of August 1969 along the gulf coast, Grand Bay quadrangle, Alabama, by K. V. Wilson and J. W. Hudson. 1969. Lat 30°22'30" to 30°30', long 88°15' to 88°22'30". Scale 1:24,000. Contour interval 5 feet. 30 by 33 inches. 75¢.

- HA-409. Flood of August 1969, Bon Air quadrangle, Richmond, Va., by E. M. Miller. 1969. Lat $37^{\circ}30'$ to $37^{\circ}37'30''$, long $77^{\circ}30'$ to $77^{\circ}37'30''$. Scale 1:24,000. Contour interval 10 feet. 30 by 30 inches. 75¢.
- HA-410. Flood of August 1969, Richmond quadrangle, Richmond, Va., by E. M. Miller. 1969. Lat $37^{\circ}30'$ to $37^{\circ}37'30''$, long $77^{\circ}22'30''$ to $77^{\circ}30'$. Scale 1:24,000. Contour interval 10 feet. 30 by 30 inches. 75¢.
- HA-411. Flood of August 1969, Drewrys Bluff quadrangle, Richmond, Va., by E. M. Miller. 1969. Lat $37^{\circ}22'30''$ to $37^{\circ}30'$, long $77^{\circ}22'30''$ to $77^{\circ}30'$. Scale 1:24,000. Contour interval 10 feet. 30 by 30 inches. 75¢.
- HA-412. Flood of August 1969 on Maury River at Buena Vista, Va., by G. S. Runner. 1969. 21 by $27\frac{1}{2}$ inches. 50¢.
- HA-420. Water resources of the Great Smoky Mountains National Park, Tennessee and North Carolina, by W. M. McMaster and E. F. Hubbard. 1970. Lat $35^{\circ}22'30''$ to $35^{\circ}52'30''$, long 83° to 84° . Scale 1:125,000. Two sheets, each 37 by 46 inches. \$1.50 per set.
- HA-428. Ground-water resources of Nelson County, northeastern North Dakota, by J. S. Downey. 1970. Lat about $47^{\circ}50'$ to about $48^{\circ}10'$, long about 98° to $98^{\circ}30'$. Scale 1:126,720. 29 by 30 inches. \$1.

STATE WATER RESOURCES INVESTIGATIONS FOLDERS

[Free on application to the Geological Survey, Washington, D.C. 20242]

- A series of folders entitled "Water Resources Investigations in [State]" that outline the Geological Survey's water-resources program in the 50 States and Puerto Rico. Each folder has a large map that shows the location of stream-gaging stations, observation wells, quality-of-water sampling sites, and investigations in progress. Smaller maps show other significant hydrologic aspects. A brief text explains the Water Resources Division's cooperative program and the hydrologic-data network. Also given are the investigations in progress and a selected list of references.

SPECIAL WATER RESOURCES MAP

- Water resources development map, compiled under the auspices of the Water Resources Council. 1969. Scale 1:3,168,000. 48 by 65 inches. \$2.

NATIONAL ATLAS OF THE UNITED STATES OF AMERICA

The National Atlas of the United States of America. 1970. Includes 765 maps printed on 335 pages, each 14 by 19 inches in size, many with a two-page spread; plus index.

General reference maps in the introductory section include 21 sectional maps at a scale of 1:2,000,000, maps of the 27 largest cities at 1:500,000, and maps of selected outlying areas at scales of 1:1,000,000 and 1:250,000.

Special subject maps at scales 1:7,500,000, 1:17,000,000, and 1:34,000,000 occupy 281 pages of the Atlas. They depict national characteristics such as:

Physical—relief, geology, climate, water resources

Historical—discovery, exploration, territorial growth

Economic—agriculture, minerals and mining, manufacturing, trade, transportation

Sociocultural—population, income, education

Administrative—counties, standard metropolitan statistical areas, judicial districts, congressional districts

A series describing the most recent coverage by aerial photographs, maps, and charts is also included.

An index of 41,420 place names includes, where appropriate, geographical coordinates, populations, and other types of information.

A paper jacket inside the back cover contains six transparent overlays matching the special-subject-maps scales. The overlays provide county boundaries and names, names of physical features, and locations and names of populated places.

This National Atlas of the United States of America represents the combined efforts of more than 84 Federal agencies and a score of specialists and consultants. The objective was to create a reference tool of high quality for use by Congress, government agencies, business and industrial organizations, libraries, educational institutions, and scholars throughout the world who wish to become better informed about the United States.

The National Atlas may be ordered from the Washington Distribution Section, U.S. Geological Survey, 1200 South Eads Street, Arlington, Virginia 22202, for \$100 per copy, prepayment required. A 25-percent discount is allowed for an order of 25 copies or more going to a single address. The following Atlas sheets were also published separately and are available at the prices shown:

2. United States general reference. 1969. Scale, conterminous States and Hawaii, 1:7,500,000; Alaska, 1:17,000,000. 19 by 28 inches. \$1.50.
59. Physiography and physiographic divisions. 1968. Scale, conterminous States and Hawaii, 1:17,000,000; Alaska, 1:38,500,000. 19 by 28 inches. \$1.50.
61. Classes of land-surface form in the United States, compiled by E. H. Hammond, Syracuse University. 1967. Map of Alaska and text and map on classes of land-surface forms in the United States. Scale, Alaska, 1:7,500,000; conterminous States and Hawaii, 1:17,000,000. 19 by 28 inches. \$1.

- 62-63. Classes of land-surface form. 1967. Conterminous States and Hawaii. Adapted from a map of the conterminous States prepared by E. H. Hammond at the University of Wisconsin for the Association of American Geographers; map of Hawaii by E. H. Hammond, Syracuse University. Scale 1:7,500,000. 19 by 28 inches. \$1.50.
69. Tectonic features, compiled by P. B. King. 1967. Map of Alaska and text on tectonic maps of the United States. Scale 1:7,500,000. 19 by 28 inches. \$1.50.
70. Tectonic features, compiled by P. B. King, U.S. Geological Survey. 1967. Conterminous States and Hawaii. Scale 1:7,500,000. 19 by 28 inches. \$1.50. (Text and data for Alaska on sheet 69.)
- 74-75. Geology, compiled by D. M. Kinney, U.S. Geological Survey. 1967. Scale, conterminous States and Hawaii, 1:7,500,000; Alaska, 1:17,000,000. 19 by 28 inches. \$1.50.
86. Distribution of principal kinds of soils. 1969. Scale, conterminous States, 1:7,500,000; Alaska, 1:17,000,000. 19 by 28 inches. \$1.75.
89. Potential natural vegetation, by A. W. Küchler. 1967. Alaska and Hawaii. Scale 1:7,500,000. 19 by 28 inches. \$1.50.
90. Potential natural vegetation, compiled by A. W. Küchler, University of Kansas. 1967. Conterminous States. Scale 1:7,500,000. 19 by 28 inches. \$1.50.
- 94-95. Mean monthly sunshine for selected stations, prepared by the U.S. Geological Survey from Environmental Data Service, Environmental Science Services Administration records for the period 1931-1960. 1965. Scale, conterminous States and Hawaii, 1:17,000,000; Alaska, 1:38,500,000. 19 by 28 inches. \$1.
97. Annual sunshine, evaporation, and solar radiation, adapted from maps compiled by the Environmental Science Services Administration. 1967. 19 by 28 inches. \$1.
106. Monthly average temperature, compiled by the U.S. Geological Survey from data provided by Environmental Science Services Administration for the period 1931-1960. 1968. Scale, conterminous States and Hawaii, 1:17,000,000; Alaska, 1:38,500,000. 19 by 28 inches. \$1.
108. Monthly maximum temperature. 1968. Scale, conterminous States and Hawaii, 1:17,000,000; Alaska, 1:38,500,000. 19 by 28 inches. \$1.
110. Monthly minimum temperature. 1968. Scale, conterminous States and Hawaii, 1:17,000,000; Alaska, 1:38,500,000. 19 by 28 inches. \$1.
117. Surface water, compiled by the U.S. Geological Survey, 1965. 1968. Conterminous States. Scale 1:17,000,000. 19 by 28 inches. \$1.
126. Productive aquifers and withdrawals from wells, compiled by the U.S. Geological Survey, 1965. 1967. Conterminous States and Hawaii. Scale 1:7,500,000. 19 by 28 inches. \$1.50.
127. Principal uses of water, compiled by the U.S. Geological Survey, based on data for 1960. 1968. Scale, conterminous States and Hawaii, 1:7,500,000; Alaska, 1:17,000,000. 19 by 28 inches. \$1.50.
142. Territorial growth, compiled by H. G. Stoll. 1969. Sheet 19 by 28 inches. \$1.50.
182. Major forest types. 1969. Scale, conterminous States and Hawaii, 1:7,500,000; Alaska, 1:17,000,000. 19 by 28 inches. \$1.50.
- 270-271. Population distribution, urban and rural, 1960, adapted from a 1:500,000-scale map prepared by the Bureau of the Census, printed in

1963. 1967. Scale, conterminous States and Hawaii, 1:7,500,000; Alaska, 1:17,000,000. 19 by 28 inches. \$1.
272. Federal lands, compiled by the U.S. Geological Survey. 1970. Scale, conterminous States and Hawaii, 1:7,500,000; Alaska, 1:17,000,000. 19 by 28 inches. \$1.50.
309. Population trends. 1968. 19 by 28 inches. \$1.
328. Congressional districts for the 91st Congress. 1969. Scale 1:7,500,000. 19 by 28 inches. \$1. (Includes redistricting actions to August 1, 1968.)
360. Congressional districts for the 90th Congress. 1968. Scale 1:7,500,000. 19 by 28 inches. \$1.

TOPOGRAPHIC MAPS

NATIONAL TOPOGRAPHIC MAP SERIES

The National Topographic Map Series is a term used to designate collectively the several quadrangle map series of the United States, its Territories and possessions. Each individual series is intended to fulfill a specific type of map requirement and is classified generally according to its publication scale. Large-scale maps (1:20,000, 1:24,000, and 1:30,000) are especially suitable for densely settled areas and other areas where detailed map information is needed for engineering planning and similar purposes. Medium-scale maps (1:62,500 and 1:63,360) are considered adequate for general use where detailed planning is not contemplated. Small-scale maps (1:125,000, 1:250,000, and 1:1,000,000) cover large areas on a single sheet and are useful in planning statewide and nationwide projects. A few special maps are published on other scales. The contour interval differs according to the scale of the map and the relief of the country. Under the general plan adopted in 1882 for the production of a standard series of topographic maps, each map covers a quadrangle area bounded by lines of latitude and longitude, by which the location of any point on the surface of the earth is readily determined. Maps with these standard boundaries are usually referred to as quadrangle maps. These maps and their essential specifications as to size are given in the following table:

Series	Scale	1 inch equals	Quadrangle size (lat-long)	Quadrangle size (sq mi)	Paper size
United States:					
7½-minute -----	1:24,000	2,000 ft	7½' x 7½'	49-70	22 x 27
15-minute -----	1:62,500	0.98 mile	15' x 15'	197-282	23 x 27
1:63,360 (Alaska) -	1:63,360	1.00 mile	15' x 20'-30'	207-281	17 x 21
*30-minute -----	1:125,000	1.97 miles	30' x 30'	789-1,082	18 x 21
*1-degree -----	1:250,000	3.94 miles	1° x 1°	3,173-4,335	17 x 21
1:250,000 -----	1:250,000	3.94 miles	1° x 2°	6,346-8,669	22 x 29
*Reconnaissance					22 x 32
(Alaska) -----	1:250,000	3.94 miles	1° x 2°-3°	4,580-7,310	22 x 34
1:250,000 (Alaska) -----	1:250,000	3.94 miles	1° x 2°-3°	4,580-7,310	23 x 30
1:250,000 (Hawaii) -----	1:250,000	3.94 miles	1° x 1°30'-1°35'	6,730-7,104	23 x 30
1:1,000,000 -----	1:1,000,000	15.78 miles	4° x 6°	73,734-102,759	24 x 29
1:1,000,000 -----	1:1,000,000	15.78 miles	4° x 12°	78,960-122,066	27 x 27
					26 x 30
Puerto Rico:					
7½-minute -----	1:20,000	0.31 mile	7½' x 7½'	71	31 x 36
Special -----	1:30,000	0.47 mile			
Virgin Islands of the United States:					
1:24,000 -----	1:24,000	2,000 ft	7½' x 6'	56	20 x 27
7½-minute -----	1:24,000	2,000 ft	7½' x 7½'	71	23 x 27

Each quadrangle is designated by the name of a city, town, or prominent feature within it, and on the margins of the map are printed the names of adjoining quadrangle maps that have been published.

The maps are generally printed in three or more colors. The cultural features, such as roads, railroads, cities, and towns, as well as the lettering, are in black; the water features are in blue; and the features of relief, such as hills, mountains, and valleys, are shown by contour lines in brown. Additional information, such as woodland, is shown in green; highway classification, urban areas, and United States land lines are shown in red. Copies with the woodland overprint are supplied where available unless non-woodland copies are specifically requested. A booklet describing topographic maps and symbols is available on request.

INDEXES TO PUBLISHED TOPOGRAPHIC MAPS

Index maps of each State, and of Guam, American Samoa, Puerto Rico and the Virgin Islands of the United States, showing the areas covered by published topographic maps, may be obtained free on request to the Geological Survey, Washington, D.C. 20242. The text of the index map contains a brief description of the topographic quadrangle map series, special maps of areas within the State, and maps of the United States published at various scales. Also included are a list of map reference libraries where the published maps of the Geological Survey may be consulted, and a list of the local dealers from whom topographic maps may be purchased.

Further information concerning maps and related material may be obtained from the Map Information Office, Geological Survey, Washington, D.C. 20242.

SHADED-RELIEF MAPS

Certain topographic quadrangle maps showing physiographic features of special interest have been published in a shaded-relief edition. Also, selected maps of the Alaska 1:250,000 scale series, State maps, and maps of many national parks and monuments are published in a shaded-relief edition. The shading accentuates the physical features, thereby giving the map the appearance of a model of the surface. Maps for which a shaded-relief edition is available, and their prices, are listed on the indexes to topographic maps for each State. State maps and maps of national parks and monuments for which this edition has been published are listed on pages 356-358.

UNITED STATES 1:250,000 SCALE SERIES

The maps in this series are published generally in units of one degree in latitude by two to three degrees in longitude, and cover areas of from 4,580 to 8,669 square miles, depending upon the latitude of the individual areas. The contour interval ranges from 25 feet in areas where the terrain is flat to 500 feet in some mountainous areas. (The physical features are further accentuated on most of the Alaska maps in this series by the addition of shaded relief.) Copies with a woodland overprint are supplied where available unless maps without this information are specifically requested. The maps in this series are 75 cents each.

UNITED STATES 1:1,000,000 SCALE SERIES

The maps in this series are published in units of four degrees of latitude by six degrees of longitude (twelve degrees for Alaska). The area covered by each map ranges from 73,734 to 122,066 square miles, depending on the latitude.

Two editions of some of these maps are available. The initial edition of 14 maps was published as the United States contribution to the International Map of the World (IMW) and was prepared by the Geological Survey in accordance with standard specifications for that series. A second edition has been published based on a series of 1:1,000,000 scale maps compiled by the Army Map Service for military use. The maps of the second edition, distributed by the Geological Survey for civil use, usually contain more recent information than maps of the IMW series. Although they do not conform to the IMW specifications in all respects, the maps of the second edition will satisfy the same general purposes. In both editions, each map is numbered in accordance with the designation system adopted for the IMW series and is named for one of the principal localities or natural features within its area.

The maps show the principal cities and towns, railroads, and political boundaries in black; the roads in red; the water features in blue (water depths in blue on the IMW series only); and topographic features by brown contour lines and gradient tints. Contour intervals vary from 50 meters where the terrain is relatively flat to 500 meters in mountainous regions. The price of each map is \$1.

ALASKA

Areas of particular economic importance in Alaska are covered by topographic maps published at the scale of 1:63,360. Unlike the "15-minute" quadrangle series published for the other States, those of Alaska are published in units of either 15 minutes of latitude by 20 minutes of longitude, or 15 minutes of latitude by 30 minutes of longitude. These maps are 50 cents each.

HAWAII, AMERICAN SAMOA, AND GUAM

Maps at 1:24,000 scale have been published for American Samoa, Guam, and the major islands of Hawaii except for Niihau, Lanai, and Kahoolawe. One-sheet maps at 1:62,500 scale have been published for Guam and the islands of Oahu, Molokai, Maui, Kahoolawe, and Niihau.

PUERTO RICO

Puerto Rico has been completely mapped and the maps published at 1:20,000 scale, with the exception of the maps for Culebra and Vieques Islands which were published at 1:30,000 scale. One-sheet maps of Puerto Rico have been published in Spanish as follows: 1:120,000 scale, base, \$1, and contour, \$1.50; 1:240,000 scale, base, \$1, and contour and shaded relief, \$1.50 each.

VIRGIN ISLANDS OF THE UNITED STATES

The Virgin Islands of the United States have also been completely mapped and the maps have been published at 1:24,000 scale. Eight maps are required to cover the island group. The maps are 50 cents each.

ANTARCTICA RECONNAISSANCE SERIES

These are shaded-relief maps of certain areas in Antarctica, prepared from aerial photographs by the U.S. Navy. The maps, which are published at the scale of 1:250,000, carry a basic contour interval of 200 meters, and are 26 by 30 inches.

Shaded-relief maps at the scale of 1:500,000, showing coastal areas of Wilkes Land, are also available. They carry a basic contour interval of 1,000 feet, with supplemental 500-foot contours in some areas, and are 25 by 33 inches. Price of each Antarctic map is 75 cents.

AERIAL PHOTOGRAPHS

Aerial photographs are obtained by the Geological Survey in connection with its geologic and topographic mapping activities. These photographs range in scale from 1:15,000 to 1:85,000, the scale being governed by the contour interval, the nature of the terrain, and the type of stereoplotting equipment to be used.

Reproductions of these photographs at contact print size (9 x 9 inches) or enlargements up to four diameters (36 x 36 inches) are available at moderate prices. Puerto Rico, the Virgin Islands, and American Samoa have been photographed by various agencies of the Federal Government (see Status Maps, p. 352).

Aerial mosaics of some areas are prepared for special investigations. The areas for which they are available for sale to the public by various Federal agencies are shown on the status map described on p. 353.

GEODETIC CONTROL DIAGRAMS

The Geological Survey in cooperation with the National Ocean Survey is publishing a series of geodetic control diagrams on a planimetric base of the 1:250,000 scale maps. The diagrams show the location of leveling and transit-traverse lines, electronic distance measurements, and triangulation stations established by the two agencies. The work of the Geological Survey is shown in red and that of the National Ocean Survey in black. The price of each diagram is 50 cents.

LIST OF TOPOGRAPHIC MAPS

UNITED STATES

CONTOUR MAPS

Scale, 1:7,000,000. 50¢.

BASE MAPS

Scale, 1:2,500,000. 1961. 2 sheets. A new wall map showing State and county boundaries and names, State capitals and county seats in black, water features in blue. State boundaries are accentuated by green overprint. Available with or without a buff background to distinguish the conterminous United States from adjoining countries. Insets show Alaska and Hawaii, and the Canal Zone, Puerto Rico, and the Virgin Islands. \$2.00 per set.

Scale, 1:7,000,000. Shows State boundaries, principal cities, and lettering in black; water features in blue. 20 by 30 inches. 50¢.

Scale, 1:11,875,000. Shows State boundaries, principal cities, and lettering in black; water features in blue. 13 by 19 inches. 20¢.

Scale, 1:16,500,000. Shows State boundaries, principal cities, and lettering in black; water features in blue. 9½ by 13 inches. 10¢.

OUTLINE MAPS

[27 by 42 inches]

Scale, 1:5,000,000. Shows only State boundaries and names, in black. 50¢.

Scale, 1:5,000,000. Shows State boundaries and names in black; county boundaries and water features in blue. 75¢.

Scale, 1:5,000,000. State and county boundaries and names, in black; water features in blue. 75¢.

Scale, 1:5,000,000. State and county boundaries, names, and water features, in black. 75¢.

PHYSICAL DIVISIONS

Physical divisions of the United States. Scale, 1:7,000,000. 28 by 32 inches. 50¢.

STATUS MAPS

The following Geological Survey index maps, scale 1:5,000,000, are distributed without charge:

Status of topographic mapping and progress of operations in the United States (issued semiannually). Shows topographic 7½-minute and 15-minute quadrangle maps published and work underway by the Geological Survey and other Federal agencies.

Status of aerial photography in the United States (July 1970). Shows areas that have been photographed, as reported by seven Federal agencies and several commercial firms. The agencies holding the films are given only if reproductions are available for purchase. The text on back of map gives detailed explanation and the names and addresses of the reporting agencies and firms.

Status of aerial mosaics in the United States (Sept. 1970). Shows areas in the United States for which mosaics have been prepared from aerial photographs, scale of the negatives, dates of photography, and agencies from which reproductions may be obtained. The text on back of map gives detailed explanation and the names and addresses of the reporting agencies and firms.

RIVER SURVEYS

River-survey maps show course and fall of the stream, configuration of the valley floor and adjacent slopes, and location of towns, scattered houses, irrigation ditches, roads, and other cultural features.

If the valley is less than a mile wide the topography is shown to 100 feet or more above the water surface; if the valley is flat and wide, topography is shown for a strip of 1 to 2 miles. Potential reservoir sites are mapped to the probable flow line of the reservoir. The usual scale is 1:21,680 or 1:24,000, and the normal contour interval is 20 feet on land and 5 feet on the water surface. Many maps include proposed dam sites on a larger scale and a profile of the stream.

Most of the maps are printed in black and white, some show the contours in brown, and a few show the streams in blue. The standard-size sheet is 22 by 28 inches.

As these river-survey maps were prepared largely in connection with the classification of the public lands, most of them show areas in the Western States. An index of river surveys is published as Water-Supply Paper 995.

Published river-survey maps, except those out of print, are shown on the State indexes to published topographic maps. The price is 50 cents per sheet.

STATE MAPS

State maps include base, topographic, and shaded-relief editions. Small base maps at a scale of 1:1,000,000 are printed in black and white only. Larger base maps at a scale of 1:500,000 are printed in black and white except that drainage is shown in blue. Base maps show county boundaries, cities, towns, villages, most smaller settlements, railroads, and water features. Base maps do not show highways or contours. Topographic maps at a scale of 1:500,000 are overprints of base maps showing highways, contours, national parks, forests, monuments, wildlife refuges, and Indian reservations. Shaded-relief maps at scales of 1:1,000,000 and 1:500,000 are overprints of base maps showing only county boundaries, larger cities, and water features; the physical features are brought out by shaded relief in color or shades of brown on the conventional plan of assumed diagonal illumination

from the northwest. Contours are not shown on shaded-relief maps. Maps of Alaska, Connecticut, and Hawaii at other scales are listed in the notes at the end of the following table:

State maps

	Compila- tion date	Scale 1:1,000,000			Scale 1:500,000				
		Base	Shaded relief	Overall size, in inches	Base	Base with high- ways	Topo- graphic	Shaded relief	Overall size, in inches
Alabama	1964	\$0.50	----	16x24	\$1.00	----	\$2.00	\$2.00	32x46
Arizona	1955	.50	----	24x29	1.00	----	2.00	2.00	47x56
Arkansas	1965	.50	----	18x21	1.00	----	2.00	2.00	35x39
California	1968	.50	\$1.00	42x48	----	----	----	----	----
North half	1968	----	----	----	1.00	----	2.00	----	46x64
South half	1968	----	----	----	1.00	----	2.00	----	46x64
Colorado	1954	.50	----	22x28	1.00	----	2.00	2.00	42x53
Florida	1966	.50	----	23x32	1.00	----	2.00	----	44x62
Georgia	1963	.50	----	21x23	1.00	----	2.00	2.00	39x45
Idaho	1964	.50	----	----	1.00	----	2.00	2.00	44x66
Illinois	1948	.50	----	17x27	1.00	----	2.00	----	32x53
Indiana	1950	.50	----	14x21	1.00	2.00	----	----	27x42
Iowa	1965	.50	----	17x23	1.00	----	2.00	----	33x46
Kansas	1961	.50	----	17x29	1.00	----	2.00	----	32x56
Kentucky	1956	.50	----	15x30	1.00	----	2.00	2.00	27x57
Louisiana	1966	.50	----	20x22	1.00	----	2.00	----	40x44
Maine	1958	.50	----	16x22	1.00	----	2.00	2.00	30x44
Maryland, Delaware, and District of Columbia	1948	.50	----	12x19	.75	----	1.50	1.50	23x36
Massachusetts, Rhode Island, and Connecticut	1948	.50	----	13x18	.75	----	1.50	1.50	24x30
Michigan	1970	.75	----	28x34	1.00	----	2.00	----	56x64
Minnesota	1963	.50	----	25x29	1.00	----	2.00	----	49x56
Mississippi	1948	.50	----	16x25	1.00	2.00	----	----	31x52
Missouri	1950	.50	----	24x26	1.00	----	2.00	2.00	47x54
Montana	1965	.50	1.00	24x40	2.00	----	4.00	----	47x79
Nebraska	1962	.50	----	17x31	1.00	----	2.00	----	32x62
Nevada	1962	.50	----	23x34	1.00	----	2.00	2.00	45x65
New Hampshire and Vermont	1950	.50	----	12x15	.75	----	1.50	1.50	22x28
New Jersey	1948	.50	----	12x15	.75	----	1.50	1.50	23x28
New Mexico	1967	.50	----	25x29	1.00	----	2.00	2.00	49x56
New York	1953	.50	----	23x29	1.00	----	2.00	2.00	44x58
North Carolina	1957	.50	----	14x33	1.00	----	2.00	2.00	29x66
North Dakota	1961	.50	----	18x25	1.00	----	2.00	2.00	33x50
Ohio	1951	.50	----	18x20	1.00	----	2.00	2.00	34x37
Oklahoma	1948	.50	----	18x29	1.00	2.00	----	----	35x54
Oregon	1965	.50	----	22x28	1.00	----	2.00	2.00	44x56
Pennsylvania	1953	.50	----	15x23	1.00	----	2.00	2.00	29x44
South Carolina	1970	.50	----	17x21	1.00	----	2.00	----	32x40
South Dakota	1961	.50	----	20x27	1.00	----	2.00	2.00	39x53
Tennessee	1957	.50	----	11x35	1.00	----	2.00	2.00	19x66
Texas	1962	.50	1.50	42x53	2.50	----	5.00	----	82x102
Utah	1958	.50	----	20x25	1.00	----	2.00	2.00	39x48
Virginia	1955	.50	----	16x32	1.00	----	2.00	2.00	30x64

State maps—Continued

	Compi- lation date	Scale 1:1,000,000			Scale 1:500,000				
		Base	Shaded relief	Overall size, in inches	Base	Base with high- ways	Topo- graphic	Shaded relief	Overall size, in inches
Washington	1961	.50	----	19x27	1.00	----	2.00	2.00	37x52
West Virginia	1963	.50	----	18x20	1.00	----	2.00	2.00	36x40
Wisconsin	1966	.50	----	23x24	1.00	----	2.00	----	42x46
Wyoming	1964	.50	----	21x26	1.00	----	2.00	2.00	41x52

¹ Set of two maps.² Set of four maps.

Notes. —

Alaska maps.—Four, as follows:

Map A, base; scale 1:5,000,000; 15x25 inches; 50¢

Map B, scale 1:1,584,000; two sheets, each 36x51 inches. Base, \$1.50;

contour, contour interval 1,000 feet, \$3.

Map C, highways; scale 1:12,000,000; 10x15 inches. Base, 10¢.

Map E, scale 1:2,500,000; 34x48 inches. Base, \$1; shaded relief, \$2.

Connecticut maps.—Scale 1:125,000, 45x56 inches. Base, \$1; topographic, available with or without woodland, \$2 for each; shaded relief, \$2.

Hawaii maps.—In preparation.

METROPOLITAN AREA MAPS

Metropolitan area maps are composed of several quadrangle maps of the National Topographic Map Series covering selected cities and adjacent areas. Except as noted, they are published at the scale of 1:24,000. Each map is printed in five colors and shows all features that appear on the standard quadrangle maps. The date shown is the latest survey date of the quadrangles included in the area map. Indexes to topographic maps published for each State, Puerto Rico, and the Virgin Islands indicate the area included in the metropolitan maps.

The prices for metropolitan area maps listed in "Publications of the Geological Survey, 1879–1961" have been changed as follows: Maps which were 30¢ are now 50¢; \$1, now \$1.50; and \$1.50, now \$2. The following four maps, listed in the earlier "Publications" as being in print, are now out of print (also, new maps given as revised editions supersede earlier maps having the same titles):

Denver and vicinity

Los Angeles and vicinity (West)

Los Angeles and vicinity (East)

San Francisco and vicinity

Anchorage and vicinity, Alaska. 1962. 45 by 56 inches. \$2.

Baton Rouge and vicinity, Louisiana, 1963. 37 by 48 inches. \$2. (Revised edition.)

Boston and vicinity, Massachusetts. 1958. 50 by 72 inches. \$2.

Chicago and vicinity, Illinois, 1963. Sheet 1 (Evanston). 48 by 72 inches. \$2. (Revised edition.)

Chicago and vicinity, Illinois-Indiana, 1965. Sheet 2 (Chicago Loop). 48 by 72 inches. \$2. (Revised edition.)

Chicago and vicinity, Illinois-Indiana, 1965. Sheet 3 (Blue Island). 48 by 72 inches. \$2. (Revised edition.)

Cincinnati and vicinity, Ohio-Kentucky. 1961. 50 by 72 inches. \$2. (Revised edition.)

- Cleveland and vicinity, Ohio. 1963. 50 by 72 inches. \$2. (Revised edition.)
- Gary and vicinity, Indiana. 1960. 36 by 46 inches. \$1.50. (Revised edition.)
- Indianapolis and vicinity, Indiana. 1959. 45 by 70 inches. \$2. (Revised edition, covering a larger area.)
- Little Rock and vicinity, Arkansas. 1961. 42 by 52 inches. \$1.50 (Revised edition, covering a larger area.)
- Milwaukee and vicinity, Wisconsin. 1959. 44 by 68 inches. \$2.
- Pittsburgh and vicinity, Pennsylvania. 1960. 50 by 69 inches. \$2.
- Portland, Vancouver, and vicinity, Oregon-Washington. 1961. 49½ by 70 inches. \$2. (Revised edition.)
- Salt Lake City and vicinity, Utah. 1963. 39½ by 55½ inches. \$2. (Revised edition, covering a larger area.)
- San Juan and vicinity, Puerto Rico. 1964. Scale 1:20,000. 69 by 48 inches. \$2. (Revised edition, covering a larger area.)
- Spokane and vicinity, Washington. 1963. 36 by 40 inches. \$1.50. (Revised edition.)
- Tacoma and vicinity, Washington. 1961. 51 by 48 inches. \$2.
- Washington and vicinity, District of Columbia-Maryland, and Virginia. 1965. 67 by 50 inches. \$2. (Revised edition.)
- Wichita and vicinity, Kansas. 1961. 49 by 62 inches. \$1.

SPECIAL TOPOGRAPHIC MAPS

The prices for many of the special topographic maps and special sets listed in "Publications of the Geological Survey, 1879-1961" have been changed. The prices of specific maps can be obtained from the State indexes to published topographic maps. The following special maps, listed on pages 252-255 of the earlier "Publications" as being in print, are now out of print (some have been superseded by more recent publications):

Airlie	Colorado National	Joplin
Asher	Monument	Kauai
Aspen	Dahlonaga	Kern River
Bakersfield	Delaware Water Gap	Kittitas
Barnes Bridge	Denver Mountain Parks	Kotsina-Kuskulana
Big Bar	Fossil	La Barge
Bingham	Frisco	Leadville (both maps)
Bisbee	Genesee	Lincoln National Forest
Bonanza	Gilmore	Lordsburg
Breckenridge	Gold Hill	Marysville Buttes
Bridge Canyon	Goldfield	Maui
Bright Angel	Goodsprings	Mesa Verde
Butte	Grand Canyon	Mississippi River Valley
Camp Dodge	(1902 ed.)	Mono Lake
Camp Grant	Great Smoky Mountains	Mount Baker
Camp Albert L. Mills	(1949 shaded-relief ed.)	Mount Hood
Camp Taylor	Grimes Pass	Needles
Central City	Howth	Niagara (both maps)
Charlottesville	Idaho Springs	Northwest part of
Chickamauga	Independence Pass	Prague
Chisos Mountains	Indio	Omaha
Coeur d'Alene district	Iniskin-Chinitna	Parker Dam

Petrified Forest	San Antonio	Taylorsville
Picture Gorge	Seattle	Tennessee River Basin
Platinum	Sequoia and Kings	(both maps)
Platoro	Canyon	Tintic (both maps)
Ray	Shiloh	Tombstone (both maps)
Rico (both maps)	Silver Plume	Tonopah
Rock Run	Smelterville	Umiat
Rockwall	Snowmass Mountain	Yellowstone
Rocky Mountain	Sugarloaf-St. Kevin	Yosemite National Park
Sacramento Valley	Summitville	Yosemite Valley
Saguaro	Tacoma	(shaded-relief ed.)
Salton Sink	Taos	

Apollo 6 photomaps of the west-east corridor from the Pacific Ocean to northern Louisiana. 1970. Approximate scale 1:500,000. Four sheets, each 19 by 51 inches. \$1.50 per set.

Appalachian Region, as designated by the Appalachian Regional Commission. 1965. Covers most of eastern one-third of United States, showing State and county boundaries and names. State capitals and county seats in black, water features in blue. Buff overprint indicates Appalachian Region, with Region and county lines in red. Overprints show National Parks and Monuments, National Forests, National Wildlife Refuges, Indian Reservations, and major cities. Scale 1:2,500,000. 26 by 31 inches. \$1. (Revised 1967.)

Badlands National Monument and vicinity, South Dakota. 1960. Shaded-relief and contour editions. Shows the Badlands National Monument and the adjacent areas in Jackson, Pennington, Shannon, and Washabaugh Counties. Lat 43°40' to 43°56', long 101°52'30" to 102°37'30". Scale 1:62,500. Contour interval 40 feet. 24 by 48 inches. \$1.

Canyonlands National Park and vicinity, Utah. 1969. Lat 37°52'30" to 38°37'30", long 109°30' to 110°15'. Scale 1:62,500. Contour interval 80 feet, with 40-foot supplementals. Sheet 46 by 61 inches. \$1.50.

Glen Canyon Recreation Area, Utah, Arizona. 1969. Shows recreation area and three insets: Page, Wahweap, and the Rainbow Bridge National Monument areas. Scale 1:250,000. Contour interval 200 feet with 100-foot supplementals. 32 by 36 inches. \$1.

Grand Canyon National Park and vicinity, Arizona. 1962. Lat 36° to 36°28', long 111°45' to 112°45'. Scale 1:62,500. Contour interval 80 feet, with 40-foot supplementals. 60 by 38 inches. \$1.50. (Replaces 1923 1:48,000-scale maps.)

Great Smoky Mountains National Park and vicinity, Tennessee-North Carolina. 1961. Shaded-relief edition. Lat 35°15' to 35°52'30", long 83° to 83°07'30". Scale 1:125,000. Contour interval 100 feet. 28 by 38 inches. 75¢.

Guam (Island), Mariana Islands. 1953. Lat 13°13' to 13°40' N., long 144°36' to 144°58' E. Scale 1:62,500. Contour interval 20 meters with 10-meter supplementals. 29 by 35 inches. 50¢.

Isle Royale National Park, Mich. 1970. Shaded-relief and contour editions. Lat 47°47'30" to 48°17'30", long 88°15' to 89°20'. Scale 1:62,500. Contour interval 40 feet with 20-foot supplementals. 39 by 54 inches. \$1.50.

- Manua Islands, American Samoa. 1963. Lat 14°09' to 14°17'30" S., long 169°24' to 169°41'30" W. Scale 1:24,000. Contour interval 40 feet. 30 by 56 inches. 50¢.
- Maui (Island), Hawaii. 1957. Shaded-relief and contour editions. Lat 20°32'30" to 21°03', long 155°57'30" to 156°43'. Scale 1:62,500. Contour interval 80 feet, with 40-foot supplementals. 39 by 53½ inches. \$1. (Revised contour edition.)
- Mesa Verde National Park, Colo. 1967. Lat 37°09' to 37°22', long 108°16'30" to 108°36'30". Scale 1:24,000. Contour interval 40 feet. 46 by 54 inches. \$1.50.
- Nisqually Glacier, Wash. 1961. Plan of Nisqually Glacier, Mt. Rainier National Park. Scale 1:12,000. Contour intervals 20 and 40 feet. 22 by 27 inches. 30¢. (Replaces a 1946 1:9,600-scale map.)
- Nisqually Glacier, Wash. 1966. Plan of Nisqually Glacier, Mt. Rainier National Park. Scale 1:12,000. Contour interval 20 feet. 22 by 29 inches. 50¢.
- Olympic National Park and vicinity. 1957. Shaded-relief and contour editions. Lat 47°27'30" to 48°12', long 123°06' to 124°50'. Scale 1:125,000. Contour interval 200 feet. 32 by 45 inches. 75¢ per sheet.
- Petrified Forest National Park, Ariz. 1967. Lat 34°45' to 35°10'30", long 109°40' to 109°55'. Scale 1:62,500. Contour interval 25 feet. 18 by 33 inches. 50¢. (Revised edition.)
- Rocky Mountain National Park, Colo. 1961. Shaded-relief and contour editions. Lat 40°06' to 40°33', long 105°30' to 105°55'. Scale 1:62,500. Contour interval 80 feet. 28 by 39 inches. 75¢ per sheet. (Revised contour edition.)
- Sequoia and Kings Canyon National Parks and vicinity, California. 1967. Shaded-relief and contour editions. Lat 36°15' to 37°15', long 118°10' to 119°05'. Scale 1:125,000. Contour interval 200 feet. 30 by 41 inches. \$1. (Replace 1937 [1946] 1:125,000-scale maps.)
- Space photomap, Phoenix, Arizona. 1969. Experimental edition. Scale 1:250,000. 22 by 32 inches. \$1.50.
- Tutuila Island, American Samoa. 1963. Lat 14°23' to 14°13' S., long 170°32' to 170°51' W. Scale 1:24,000. Contour interval 40 feet with 20 foot supplementals. 35 by 61 inches. \$1.
- Wind Cave National Park and vicinity, South Dakota. 1957. Shaded-relief edition. Scale 1:24,000. \$1.50.
- Yellowstone National Park, Wyo., Mont., Idaho. 1960. Shaded-relief and contour editions. Scale 1:125,000. 75¢. (Revised contour edition.)
- Yosemite National Park and vicinity, California. 1958. Shaded-relief and contour editions. Lat 37°28' to 38°13', long 119° to 120°. Scale 1:125,000. Contour intervals 100 and 200 feet. 29 by 31 inches. \$1. (Replace a 1947 1:125,000-scale map.)
- Yosemite Valley, Calif. Scale 1:24,000. 1958. Shaded-relief edition. 50¢. (Revised edition.)
- Zion National Park (Kolob Section), Utah. 1957. Shaded-relief edition. Lat 37°20' to 37°31', long 113° to 113°15'. Scale 1:31,680. Contour interval 50 feet. 31 by 34 inches. \$1.
- Zion National Park (Zion Canyon Section), Utah. 1957. Shaded-relief edition. Lat 37°07'30" to 37°25', long 112°50' to 113°07'30". Scale 1:31,680. Contour interval 50 feet. 39 by 47 inches. \$1.50.

INDEX

This is not a detailed index but a general listing derived from titles and divided into several sections: subjects, areas, and authors. In addition, there is a combined subject and area index of the short articles that appeared in the publication Geological Survey Research.

ABBREVIATIONS USED

B	Bulletin	OC	Oil and Gas Chart
C	Circular	OM	Oil and Gas Map
GP	Geophysical Investigations Map	P	Professional Paper
GQ	Geologic Quadrangle Map	p.	Page number of publications having no series designation
HA	Hydrologic Investigations Atlas	PB	Report available only through the National Technical Information Service
I	Miscellaneous Geologic Investigations Map	TI	Topographic Instructions
MF	Mineral Investigations Field Studies Map	TWI	Techniques of Water Resources Investigations
MR	Mineral Investigations Resource Map	W	Water-Supply Paper
NA	National Atlas		

SUBJECTS

A

AERIAL PHOTOGRAPHY. *See also* PHOTO-GEOLOGY; SPACE PHOTOGRAPHY.
 Use air photo mosaics as simulators
 spacecraft photography in land
 use mapping PB1-94811

ALLUVIAL FANS
 California
 Deep Springs Valley P 352-F
 Fresno County
 near-surface subsidence P 437-A
 segmented P 352-E
 Nevada-California
 Ash Meadows quadrangle B 1181-L
 Death Valley region P 466

ALUMINUM
 In natural water
 form and stability aluminum hydroxide
 complexes in dilute solution ... W 1827-A
 graphical methods for studies
 aqueous aluminum hydroxide,
 fluoride, and sulfate complexes W 1827-B
 solubility in presence of hydroxide,
 fluoride, and sulfate W 1827-C

ANHYDRITE
 United States MR-33

ANTIMONY
 Alaska
 occurrences, map MR-52
 Stampede mine B 1155
 United States MR-20

ASBESTOS

Alaska, Eagle C-4 quadrangle C 611
 United States MR-17
 Vermont, upper Missisquoi
 Valley B 1122-B

ASTROGEOLOGY
 Detection SH-type seismic
 shear waves by angular
 accelerometers P 559-D
 Photoclineometry from spacecraft
 images P 599-B
 Strategy for geologic exploration
 planets C 640

AVALANCHES. *See* LANDSLIDES.

B

BARITE

Nevada, East Northumberland
 Canyon C 555
 United States, map MR-43
 World production, reserves,
 future prospects B 1321

BASALT. *See* IGNEOUS ROCKS.

BATHOLITHS. *See* INTRUSIONS.

BAUXITE

Alabama
 Anniston, Fort Payne, Ashville
 areas B 1199-0
 Eufaula district B 1199-E

BAUXITE—Continued**Alabama—Continued**

- Margerum district B 1199-D
 northeastern B 1199-P
 Rock Run and Goshen Valley
 areas B 1199-N

- Arkansas and Missouri, aeromagnetic
 prospecting, Mississippi
 embayment GP-370

Georgia

- Andersonville district B 1199-G
 Irwinton district B 1199-J
 northwest B 1199-M
 Springvale district B 1199-F
 Springvale to Andersonville
 region B 1199-H
 Warm Springs district B 1199-I
 Mississippi B 1199-B
 Tippah-Benton district B 1199-C
 Southeastern States, geology B 1199-A
 Tennessee B 1199-L
 Virginia B 1199-K
 World reserves, potential aluminum
 resources B 1228

BENTONITE

- Black Hills B 1082-M
 Wyoming, Upton quadrangle B 1181-J

BERYLLIUM**Alaska**

- Central York Mountains,
 Seward Peninsula B 1287
 Seward Peninsula B 1242-F; C 479

Colorado

- Lake George area C 597

Lake George (Badger Flats)

- area P 608-A

Crystal chemistry P 468**In volcanic rocks** B 1214-C**New Hampshire** P 353**South Dakota, Black Hills** P 297-C**United States** MR-35**Utah, Thomas Range** B 1142-M**BIBLIOGRAPHY****Artificial recharge of ground water**

- through 1954 W 1477
 1955-67 W 1990

Civil War Battlefield areas,

- maps C 462

Evaporation and transpiration W 1539-R**Flood-routing methods, unsteady**

- flow in channels W 1690

Geochemistry platinum metals B 1214-A**Geophysical Abstracts**

- 1961 B 1146-C-E
 1962 B 1166-A-D
 1963 GA 192-203
 1964 GA 204-215
 1965 GA 216-227
 1966 GA 228-239
 1967 GA 240-251
 1968 GA 252-263
 1969 GA 264-275
 1970 GA 276-287

BIBLIOGRAPHY—Continued**Ground-water**

- hydrology, laboratory and field
 methods W 1779-Z
 in permafrost regions W 1792
 1946-1955 W 1492

Hydrology

- United States, 1963 W 1863
 United States and Canada,
 1964 W 1864

Hydrology and sedimentation,

- United States and Canada,
 1955-58 W 1546

**Ion exchange minerals, radioactive
waste disposal** W 1616**Lake deposits, ancient, Western**

- States B 1080

Minor-element content marine

- black shales and related sedimentary
 rocks, 1930-65 B 1293

North American geology

- 1950-1959 B 1195
 1960 B 1196
 1961 B 1197
 1962 B 1232
 1963 B 1233
 1964 B 1234
 1965 B 1235
 1966 B 1266
 1967 B 1267
 1968 B 1268
 1969, abstracts p. 194
 1970, abstracts p. 194

North American late Paleozoic

- Hyalolitha, Amphineura, Scaphopoda,

Gastropoda B 1210**Pillowed lavas** P 454-C

- Platinum metals P 630

Remote sensing for earth resources PB1-92863,

95748

Reports resulting from U.S.

- Geological Survey participation
 in U.S. technical assistance
 program, 1940-67 B 1263

Saline ground-water resources,

- U.S. C 499

Talc, United States B 1182-C**Terrestrial impact structures** B 1220

- 1965-68 B 1320

Thermal springs P 492**United States and world energy**

- resources C 641

U.S. Geological Survey open-file**reports, list**

- 1961 C 463
 1962 C 473
 1963 C 488
 1964 C 498
 1965 C 518
 1966 C 528
 1967 C 548
 1968 C 568
 1969 C 618

BIBLIOGRAPHY—Continued

- U. S. Geological Survey publications,
1879-1961 p. 195
- Vanadium, geology and resources,
to 1968 B 1316
- BIOLOGY AND BIOCHEMISTRY**
- Microbiology and biochemistry
of sediments P 350
- Phytoecology, greenstone habitat,
Eagle, Alaska B 1198-F
- Translocation silica and other
elements from rock into *Equisetum*
and three grasses P 594-B
- Water, iron content, effects
aquatic vegetation W 1459-I
- BISMUTH**
- Alaska, occurrences, map MR-53
- United States MR-22
- BLACK SHALE**
- Minor-element content, bibliography,
1930-55 B 1293
- BORATES**
- California, western Mojave
Desert P 522
- United States MR-14
- BOTANICAL PROSPECTING**
- Alaska, phytoecology, greenstone
habitat, Eagle B 1198-F
- Bryophytes
associated with mineral deposits
and solutions, Alaska B 1198-C
- element content B 1198-D
- Copper mosses, indicators of
metal concentrations B 1198-G
- Metal absorption by *Equisetum* B 1278-A
- Uranium, Colorado Plateau B 1085-D
- Utah, Yellow Cat area B 1176
- BOUNDARIES**
- United States and individual
States B 1212
- BRECCIA**
- Solution, Madison Group,
Montana P 526-B
- BRUCITE**
- United States MR-27

C

CALCIUM

- Determination in sea water;
deposition calcium carbonate P 350

CALDERAS

- Creede, San Juan Mountains,
Colo., ash flows and related
volcanic rocks P 524-H
- Island Park, eastern Idaho,
geology, petrogenesis P 504-C

CARBONATE ROCKS

- Alaska, Mississippian Kogruk
Formation P 664
- Cambrian and Ordovician, eastern
Pennsylvania-western New
Jersey B 1194-L
- Dating by ionium-uranium ratios ... P 260-BB

CARBONATE ROCKS—Continued

- Diagenetic, isotopic composition,
in marine Miocene formations,
California and Oregon P 614-B
- Uranium-bearing P 474-A
- CARBONATITES**
- Colorado, Gem Park Complex P 649
- CARTOGRAPHY. See also GEOLOGIC
MAPPING.**
- Apollo 6 photomaps of west-east
corridor from Pacific Ocean
to northern Louisiana Spec. map p. 357
- Atlantic region semianalytical
aerotriangulation program PBI-94570
- Investigation small-scale map
projections for space imagery PBI-90718
- Map and chart digitizing PBI-90628
- Perspective center determination ... PBI-95999
- Use air photo mosaics as simulators
spacecraft photography in land
use mapping PBI-94811

CATALOGS

- Aerial photographs of geologic
features
outside the United States P 591
- United States P 590

CENOZOIC GEOLOGY

- Arizona, Mammoth area B 1141-E
- California, lake deposits near
Hector B 1296
- Nevada, Lone quadrangle MF-255
- Wyoming, Granite Mountains P 495-C

CESIUM

- Adsorption on clay minerals B 1140-A

CHLORITE

- Water content P 474-F

CHROMITE

- United States MR-26

CLAY

- Alabama, northeastern B 1199-0
- Black Hills, bentonite B 1082-M
- Colorado Plateau, Morrison
Formation B 1150
- High-alumina, United States,
map MR-37
- Kentucky, Haldeman and Wrigley
quadrangles B 1122-F
- Kentucky-Tennessee, Jackson
Purchase region, stratigraphic
and mineralogic relations and
ceramic properties B 1282
- Washington, Spokane County B 1270

CLAY MINERALS

- Adsorption cesium B 1140-A
- Colorado Plateau, Triassic
rocks B 1147-C
- Exchange adsorption of strontium ... B 1140-C
- From Wilcox, Claiborne,
and Jackson Formations,
Eocene, Kentucky and Tennessee ... B 1282
- H-montmorillonite, relation
dual acidity and structure P 386-C

COAL

- Alabama B 1182-B

COAL—Continued

Alaska	
Beluga-Yentna region	B 1202-C
Cape Lisburne-Colville River region	B 1242-E
Knob Creek area	Map C-51
resources	B 1242-B
Ruby-Anvik region	B 1155
Appalachian region, minor-element content	B 1117-C
Arkansas	
Coal Hill, Hartman, and Clarksville quadrangles	P 536-C
Greenwood quadrangle	P 536-A
Scranton and New Blaine quadrangles	P 536-B
Eastern Interior region, minor-element content	B 1117-B
Interior coal province, western and southwestern regions, minor-element content	B 1117-D
Kentucky	
Beaver Creek basin, strip-mining	P 427-A
eastern	B 1120
Ewing quadrangle	B 1142-B
Haldeman and Wrigley quadrangles	B 1122-F
Kermit and Varney area	P 507
Salysville North quadrangle	B 1047-B
Seitz quadrangle	B 1122-C
Montana, Livingston coal field	P 526-A
New Mexico, Raton field	Map C-45
Ohio, Belmont County	P 386
Oklahoma, Greenwood quadrangle	P 536-A
Pennsylvania	
Beaver County	B 1143-A
California quadrangle	GQ-648
Lawrence County	B 1143-B
Shamokin quadrangle	Map C-46, 47
Southern Anthracite field	I-529; P 602
Trevorton quadrangle	Map C-48
Tennessee-Kentucky, Elk Valley area	P 572
Texas, bituminous resources	B 1242-D
United States	
resources, Jan. 1, 1967	B 1275
stripping-coal resources	B 1252-C, 1322
western, coking-coal deposits	B 1222-G
U.S. Geological Survey, standards for classification public coal lands	C 633
Utah	
Cedar Mountain quadrangle	P 389
Sunnyside No. 1 mine, map	Map C-50
Virginia, Ewing quadrangle	B 1142-B
Washington, Cumberland, Hobart, and Maple Valley quadrangles	P 624
Wyoming, Great Divide Basin	B 1099-A, B

CONSERVATION

Conservation and water management	C 414-A, C
Vigil Network	C 460-C
Water	W 402
Water resources	C 402, 414-A, C
United States	W 1797

CONSTRUCTION MATERIALS

Alaska, occurrences	MR-41
Montana, aggregate and riprap resources map, Wolf Point area	I-429

CONTINENTAL SHELF AND SLOPE

Atlantic	
calcium carbonate, organic carbon, and nitrogen in sediments from drill holes off Florida	P 581-B
color marine sediments	P 529-D
De Soto Canyon to Great Bahama Bank, relation land and submarine topography	I-475
geologic background	P 529-A
gravels, northeastern part	P 529-H
heavy minerals, southern Nova Scotia to northern New Jersey	P 529-G
mineralogy and origin sediments off Florida	P 581-E
Nineteenth century exploration	P 529-F
Nova Scotia to Florida, relation land and submarine topography, map	I-451
organic extracts from JOIDES cores off Florida	P 581-C
ostracode zoogeography, southern Nova Scotian and northern Virginian faunal provinces	P 529-E
physiography	P 529-C
physiography and sediments	P 529-B
program for study	C 481
sand and gravel off northeastern U.S.	C 602
seismic reflection profiles along drill holes off Florida	P 581-A
shallow structure	P 529-I
stratigraphic description JOIDES cores off Florida	P 581-D
Pacific	
gold distribution in surface sediments off Oregon	C 587
on sea floor off Klamath Mountains, Calif.	C 605

COPPER

Alaska	
Chitina Valley	B 1155
Funter Bay	B 1155
McCarthy B-4 and B-5 quadrangles	C 604
Sumdum prospect, geology	B 1108-E
Arizona	
Christmas quadrangle	B 1161-E
Globe-Miami district	P 342
Pima mining district, geochemical prospecting	B 1312-C
San Manuel area	P 471
California, Shasta district	P 338
Colorado, Malachite mine, Jefferson County	B 1098-C
Connecticut, early mines, Windsor Locks quadrangle	GQ-388
North Carolina, Ore Knob deposit	P 558

COPPER—Continued

- North Carolina, Virginia,
 - Alabama B 1142-I
 - United States MR-13
 - Utah, White Canyon area B 1125, 1132
 - Vermont, geochemical prospecting,
 - Copper Belt B 1198-B

CRATERS

- New Mexico, Zuni Salt
 - Lake volcanic crater I-544

CRYSTALLOGRAPHY. *See* MINERALOGY.

D

DAMS AND DAMSITES. *See*

- RESERVOIR AND DAMSITES under
ENGINEERING GEOLOGY.

DEFORMATION

- Isostatic, Lake Bonneville,
 - Utah P 454-E
- Mohr's theory of strength and
Prandtl's compressed cell,
related to vertical tectonics P 414-B
- Plastic, analysis, Von Mises'
theory P 378-B

DESERTS

- California
 - Deep Springs Valley, clastic
sedimentation P 352-F
 - Mohave Desert, western B 1089-C
- Nevada-California
 - Ash Meadows quadrangle B 1181-I
 - Death Valley region P 466

DIABASE. *See* IGNEOUS ROCKS.

DIAGENESIS

- Tuffs, Barstow Formation,
 - Mud Hills, Calif. P 634

DICTIONARIES. *See* GLOSSARIES.

DRAINAGE CHANGES. *See*

- GEOMORPHOLOGY.

DRILL HOLES. *See* WELLS AND

- DRILL HOLES.

DROUGHT

- California, southern, coast P 372-G
- Colorado River basin P 372-F
- Effect in basins of interior
drainage P 372-E
- New York, Long Island,
 - 1962-66, hydrologic effects W 1879-F
- Northeastern States, effect
on water resources, atlas HA-243
- Rainfall and streamflow minimums,
 - autocorrelation P 434-B
 - Rio Grande basin P 372-D
 - Southwestern States P 372-A, B, H
 - Texas, central and south P 372-C
 - United States, 1950's, special
reference to Midcontinent W 1804

DUNES

- Alaska, Kobuk River valley B 1181-K
- Oregon, ground-water resources W 1619-D

E

EARTH RESOURCES OBSERVATION

- SATELLITE. *See also* AERIAL
PHOTOGRAPHY; INFRARED
METHODS; INFRARED SURVEYS;
SPACE PHOTOGRAPHY.

- Ground data-handling system
study PB1-93829

EARTHQUAKES

- Alaska
 - March 27, 1964 C 491
 - Alaska Railroad, effects P 545-D
 - Anchorage area, effects P 542-A, 544-B
 - Cook Inlet area, ground breakage
and associated effects P 543-F
 - Copper River Basin area,
 - effects P 543-E
 - effects on communities P 542-G
 - effects on highway system P 545-C
 - effects on shore processes and
beach morphology P 543-J
 - effects on transport, communications,
utilities systems P 545-B
 - Eklutna Hydroelectric Project,
 - Anchorage, effects P 545-A
 - field investigation and reconstruction
effort P 541
 - Homer area, effects P 542-D
 - hydrologic effects North America,
 - Europe, Asia, Africa,
Australia P 544-C
 - Kenai Lake, slide-induced
waves, seiching, ground
fracturing P 543-A
 - Kodiak and nearby islands,
 - effects P 542-F, 543-D
 - lessons and conclusions P 546
 - Martin-Bering Rivers area,
 - geomorphic effects P 543-B
 - Montague Island, surface faults P 543-G
 - Prince William Sound epicentral
region, gravity survey and
regional geology P 543-C
 - seismic seiches P 544-E
 - Seward, effects P 542-E
 - south-central, effects on
 - hydrology P 544-A
 - tectonics P 543-I
 - Valdez, effects P 542-C
 - Whittier, effects P 542-B
- California
 - Parkfield-Cholame, June-Aug.
 - 1966 P 579
 - Truckee, Sept. 12, 1966, effects C 537
- Colorado, Denver area, seismic
activity during 1968 test pumping,
 - Rocky Mountain Arsenal
disposal well C 613
- Montana, Hebgen Lake, Aug.
 - 1959 P 435
- Peru, May 31, 1970, geologic
events C 639
- Use of seismic intensity to
predict effects of B 1279

ECOLOGY

- Arizona, vegetation, arid basin,
Tres Alamos-Redington
area P 485-D
- California, Death Valley,
plant ecology, distribution
fungi and algae P 509
- New Jersey, distribution roots
and rhizomes in different soil
types, Pine Barrens P 563-C

ENGINEERING GEOLOGY. *See also*

EXPLOSIONS; LANDSLIDES; LIQUID

WASTE DISPOSAL; RADIOACTIVE

WASTE DISPOSAL.

- stability, Government Hill
port area B 1258-D
- effects earthquake, March 27, 1964
lessons and conclusions P 546
on Alaska Railroad P 545-D
on Anchorage area P 542-A
on communities P 542-G
on Eklutna Hydroelectric
Project, Anchorage P 545-A
on highway system P 545-C
on Homer area P 542-D
on Kodiak and nearby
islands P 542-F, 543-D
on Seward P 542-E
on transport, communications,
utilities systems, south-central P 545-B
on Valdez area P 542-C
on Whittier area P 542-B
permafrost and related problems P 678
Simpson area P 305-L
southeastern Copper River
basin, map I-524
Yukon-Koyukuk lowland I-590

California

- compaction sediments underlying
areas of land subsidence P 497-D
- land subsidence due to ground-water
withdrawal, Tulare-Wasco
area P 437-B
- Parkfield-Cholame earthquakes,
June-Aug. 1966 P 579
- petrology sediments underlying
areas of land subsidence P 497-C
- physical and hydrologic properties
water-bearing deposits in subsiding
areas P 497-A
- recently active breaks, San
Andreas fault, between Tejon
and Cajon Passes I-553
- Truckee earthquake, Sept.
12, 1966, effects C 537

Colorado

- northern part of Pueblo B 1262
- U.S. Air Force Academy site P 551

Delaware

- Bethany Beach area, hydrology,
soils HA-122
- Burrsville area, hydrology,
soils HA-135

ENGINEERING GEOLOGY—Continued

Delaware—Continued

- Clayton area, hydrology, soils HA-83
- Dover quadrangle, hydrology,
soils HA-139
- Ellendale quadrangle, hydrology,
soils HA-101
- Frankford area, hydrology, soils HA-119
- Frederica area, hydrology, soils HA-140
- Georgetown quadrangle, hydrology,
soils HA-107
- Greenwood quadrangle, hydrology,
soils HA-99
- Harbeson quadrangle, hydrology,
soils HA-108
- Harrington quadrangle, hydrology,
soils HA-136
- Hickman area, hydrology, soils HA-100
- Kenton area, hydrology, soils HA-138
- Laurel area, hydrology, soils HA-123
- Lewes area, hydrology, soils HA-103
- Little Creek quadrangle, hydrology,
soils HA-134
- Marydel area, hydrology, soils HA-132
- Middletown area, hydrology,
soils HA-82
- Milford quadrangle, hydrology,
soils HA-133
- Millsboro area, hydrology, soils HA-121
- Milton quadrangle, hydrology,
soils HA-102
- Mispillion River quadrangle,
hydrology, soils HA-137
- Newark area, hydrology, soils HA-64
- Rehoboth Beach area, hydrology,
soils HA-109
- St. Georges area, hydrology,
soils HA-60
- Seaford East quadrangle, hydrology,
soils HA-106
- Seaford West area, hydrology,
soils HA-105
- Sharptown area, hydrology, soils HA-84
- Smyrna area, hydrology, soils HA-81
- Taylors Bridge area, hydrology,
soils HA-80
- Trap Pond area, hydrology,
soils HA-120
- Wilmington area, hydrology,
soils HA-79
- Wyoming quadrangle, hydrology,
soils HA-141
- Hydrology for urban land planning C 554
- Interpreting ground conditions
from geologic maps C 46
- Iowa, Omaha-Council Bluffs
urban area P 472
- Kentucky
foundation and excavation conditions,
Burtonville quadrangle, map I-460
- Paducah East quadrangle B 1258-A
- Paducah West and Metropolis
quadrangles B 1258-B

ENGINEERING GEOLOGY—Continued

- Land subsidence
 alluvial fans and near-surface
 subsidence, Fresno County,
 Calif. P 437-A
 effect artesian-pressure decline
 on confined aquifer systems W 1779-T
 Nebraska, Omaha-Council Bluffs
 urban area P 472
 Nevada, Truckee earthquake,
 Sept. 12, 1966, effects C 537
 Northeast Corridor, Washington,
 D.C., to Boston, Mass.
 bedrock geology I-514-A
 coastal plain and surficial deposits ... I-514-B
 earthquake epicenters, geothermal
 gradients, and excavations
 and borings I-514-C
 Project Gnome, Eddy County,
 N.Mex., geologic studies P 589
 Radioactive waste materials,
 storage sites B 1148
 Reservoir and damsites
 Alaska
 Deer Lake and Kasnyku Lake,
 Baranof Island B 1211-C
 Takatz Creek B 1211-D
 Tyee, Eagle, and Spur Mountain
 Lakes, possible powersites B 1211-B
 West Creek damsite B 1211-A
 Montana, Flathead River B 1550
 Oregon
 Alsea River basin W 1610-D
 Washington
 evaluation seepage, Chester
 Morse Lake and Masonry
 Pool, Cedar River W 1839-J
 Sites for nuclear-energy facilities
 Brookhaven National Laboratory
 and vicinity, N.Y. B 1156-A, B
 Elk River, Minn., nuclear-reactor
 site B 1133-C
 Georgia Nuclear Laboratory ... B 1133-D, F
 Hartford Research Center,
 CANEL site, Middletown,
 Conn. B 1133-G
 National Reactor Testing
 Station, Idaho B 1133-E
 Solid-inclusion borehole probe
 to determine three-dimensional
 stress changes in rock mass B 1258-C
 Subsidence, California, Santa
 Clara Valley W 1619-C
 Thermal effects of heated pipeline
 in permafrost C 632
 Urban geology C 487
 Use of seismic intensity to
 predict effect earthquakes
 and underground nuclear explosions . B 1279
 Utah, Lake Bonneville, unconsolidated
 deposits P 257-B
 Virginia, sediment movement
 in area of suburban highway
 construction, Scott Run
 basin, Fairfax County W 1591-E

ENGINEERING GEOLOGY—Continued

- Water as urban resource and
 nuisance C 601-D
 Water in urban planning, Salt
 Creek basin, Illinois W 2002
 Waterpower sites
 Alaska B 1031-B-F
 Oregon, Trask River basin W 1610-B
 EROSION
 Channel and hillslope processes,
 semiarid area, New Mexico P 352-G
 Cimarron River, southwest
 Kansas P 352-D
 In Palouse River basin,
 Washington and Oregon W 1899-C
 Loess-mantled Great Plains
 Medicine Creek drainage
 basin, Nebraska P 352-H
 Of ash flows, Irazú Volcano
 slopes, Costa Rica B 1241-I
 Of beach raised by 1964 earthquake,
 Montague Island, Alaska P 543-H
 Produced by flood, 1964, Coffee
 Creek, Calif. P 422-K
 Rates slope degradation, determined
 from botanical evidence, White
 Mountains, Calif. P 352-I

EVAPORATION. *See* WATER LOSS.

EVAPORITES

- California, Searles Lake
 deposit, nonclastic minerals B 1181-P
 Kansas, Wellington Formation,
 petrography B 1201-A
 Marine, chemistry, mineralogy P 440-Y
 New Mexico, Fifth ore zone,
 Carlsbad district, geology B 1252-B

EXPLOSIONS

- Nevada Test Site P 382-A, B
 Project Gnome, Eddy County,
 N. Mex., geologic studies P 589

F

FAULTS. *See* STRUCTURAL GEOLOGY.

FELDSPAR

- Potash, in Barstow Formation,
 Calif., possible economic
 value C 500

FERTILIZER MINERALS. *See*

- INDIVIDUAL MINERALS (PHOSPHATE,
 POTASH, SULFUR, etc.)

FLOODS

- Alabama
 Hurricane Camille tidal floods,
 Aug. 1969
 Grand Bay quadrangle HA-408
 Kreole-Grand Bay SW
 quadrangles HA-407
 Alaska
 Fairbanks, Aug. 1967 HA-294
 magnitude and frequency south
 of Yukon River C 493
 Arizona, Gila River drainage
 basin P 655-B; W 1850-C

FLOODS—Continued

Arkansas, Red River, 1957	W 1652-B
Botanical evidence	P 485-A
California	
Coffee Creek, erosion and deposition, 1964	P 422-K
Fortuna region	HA-78
Fremont	HA-54
Jan.-Feb. 1963	W 1830-A
Napa River at Napa	HA-348
Pacific slope basins, magnitude and frequency	W 1685, 1686
Rubicon River	P 422-M
southern, effects urban sprawl	C 601-B
Colorado	
Boulder	HA-41
South Platte River basin, 1965	W 1850-B
Colorado River basin, magnitude and frequency	W 1683
Columbia River basin	W 1687, 1689
Cumberland River basin, Kentucky- Tennessee	W 1676
Delaware River near Belvidere, N.J.	HA-263
Flood-plain planning, flood information	C 539
Florida	
Lake Jackson near Tallahassee, 1966, hydrologic significance	HA-369
Tampa	HA-66
Frequency, relation channel geometry Piedmont streams	P 422-E
Frequency analyses	W 1543-A
Frequency studies, methods used in California	W 1580-E
Great Basin, magnitude and frequency	W 1684
Gulf of Mexico basins	W 1674, 1682
Hawaii	
Kahaluu area, Oahu	HA-239
Waimanalo area, Oahu	HA-314
Hudson Bay and upper Mississippi River basins magnitude and frequency	W 1678
Idaho, Feb. 1962	C 467
Illinois	
Antioch quadrangle	HA-226
Arlington Heights quadrangle	HA-67
Aurora North quadrangle	HA-70
Barrington quadrangle	HA-150
Beecher East quadrangle	HA-302
Beecher West quadrangle	HA-257
Berwyn quadrangle	HA-252
Blue Island quadrangle	HA-153
Chicago metropolitan area, flood-hazard mapping	C 601-C
Crystal Lake quadrangle	HA-253
Dyer quadrangle	HA-301
Elburn quadrangle	HA-229
Elgin quadrangle	HA-147
Elmhurst quadrangle	HA-68
Elwood quadrangle	HA-254
Fox Lake quadrangle	HA-151

FLOODS—Continued

Illinois—Continued	
Frankfort quadrangle	HA-231
Geneva quadrangle	HA-142
Grayslake quadrangle	HA-230
Harvey quadrangle	HA-90
Highland Park quadrangle	HA-69
Hinsdale quadrangle	HA-86
Joliet quadrangle	HA-89
Lake Calumet quadrangle	HA-205
Lake Zurich quadrangle	HA-208
Libertyville quadrangle	HA-88
Lombard quadrangle	HA-143
McHenry quadrangle	HA-255
Manhattan quadrangle	HA-211
Mokena quadrangle	HA-204
Naperville quadrangle	HA-154
Normantown quadrangle	HA-210
Palatine quadrangle	HA-87
Palos Park quadrangle	HA-145
Park Ridge quadrangle	HA-85
Peotone quadrangle	HA-251
Pingree Grove quadrangle	HA-232
Plainfield quadrangle	HA-228
Richmond quadrangle	HA-303
River Forest quadrangle	HA-206
Romeoville quadrangle	HA-146
Sag Bridge quadrangle	HA-149
Steger quadrangle	HA-209
Streamwood quadrangle	HA-203
Sugar Grove quadrangle	HA-227
Symerton quadrangle	HA-305
Tinley Park quadrangle	HA-152
Wadsworth quadrangle	HA-144
Wauconda quadrangle	HA-207
Waukegan quadrangle	HA-234
West Chicago quadrangle	HA-202
Wheaton quadrangle	HA-148
Wheeling quadrangle	HA-71
Wilton Center quadrangle	HA-304
Woodstock quadrangle	HA-256
Zion quadrangle	HA-233
In humid regions	W 1580-B
Iowa, Des Moines	HA-53
Kansas, Wichita	HA-63
Kentucky	
Levisa Fork near Paintsville	HA-328
Licking River, Salyersville area	HA-329
southeastern, 1957	W 1652-A
Triplett Creek near Morehead	HA-342
Late Pleistocene Bonneville flood, Snake River Plain, Idaho	P 596
Louisiana	
Baton Rouge area, 1962	HA-126
Hurricane Camille tidal floods, Aug. 1969, English Lookout quadrangle	HA-396
Many, April 1968	HA-374
Louisiana and adjacent States, 1958	W 1660-A
Massachusetts, Sudbury, Assabet, and Concord Rivers, March 1968	HA-371

FLOODS—Continued

- Michigan, Mount Clemens HA-59
- Mississippi
- Hurricane Camille tidal floods,
- Aug. 1969
- Bay St. Louis quadrangle HA-400
- Biloxi quadrangle HA-404
- English Lookout quadrangle HA-396
- Gulfport North-South quadrangles HA-403
- Gulfport NW quadrangle HA-401
- Kiln quadrangle HA-397
- Kreole-Grand Bay SW
- quadrangles HA-407
- Logtown quadrangle HA-395
- Ocean Springs-Deer Island
- quadrangles HA-405
- Pascagoula quadrangle HA-406
- Pass Christian quadrangle HA-402
- Vidalia quadrangle HA-399
- Waveland-Grand Island Pass
- quadrangles HA-398
- Pearl River at Jackson,
- 1961 HA-127
- Mississippi and adjoining States,
- Dec. 1961 C 465
- Mississippi embayment, Mississippi
- and Alabama P 448-I
- Mississippi River basin, March-May
- 1965 W 1850-A
- Missouri River basin, magnitude
- and frequency W 1679, 1680, 1681
- Montana, northwestern W 1840-B
- Nebraska C 458, 470
- Grand Island, June 1967 HA-352
- lower Loup River basin,
- Aug. 1966 HA-188
- Seward quadrangle HA-258
- Nebraska and adjacent States,
- 1960 W 1790-A
- Nevada
- Feb. 1962 C 467
- Jan.-Feb. 1963 W 1830-A
- New England W 1671
- to 1955 W 1779-M
- New Jersey
- Atlantic City and vicinity,
- tidal floods HA-65
- Beden Brook basin HA-378
- Millstone River and Stony
- Brook near Princeton HA-245
- New Jersey
- Phillipsburg HA-246
- Raritan and Millstone Rivers HA-104
- Upper Millstone River basin
- near Hightstown HA-359
- New Mexico C 464
- Carlsbad, Aug. 1966 HA-318
- Gila River drainage basin P 655-B;
- W1850-C
- New York
- Chenango River and Canasawacta
- Creek at Norwich HA-297
- Susquehanna River at Oneonta HA-350
- North Atlantic slope basins,
- Maine to Connecticut W 1671
- New York to York River W 1672

FLOODS—Continued

- North Carolina
- Boone and Winkler Creeks
- at Boone HA-323
- Charlotte W 1591-C
- Little Buffalo Creek at
- West Jefferson HA-331
- small streams C 517
- Occurrence, methods for evaluating . W 1580-A
- Ohio
- Amesville HA-324
- Barberton HA-49
- Canton HA-50
- Chillicothe HA-45
- Circleville HA-48
- Columbus HA-52
- Fremont HA-47
- Jackson HA-325
- Mount Vernon HA-40
- Newark HA-44
- Warren HA-51
- Youngstown, Crab Creek HA-56
- Zanesville HA-46
- Ohio and adjacent States,
- 1959 W 1750-A
- Ohio River basin
- magnitude and frequency W 1675
- March 1964 W 1840-A
- Oklahoma, Red River, 1957 W 1652-B
- Pacific slope basins, Washington-
- Oregon W 1687-1689
- Pennsylvania
- Easton HA-246
- Harrisburg HA-57
- Schuylkill River, Conshohocken
- to Philadelphia HA-248
- Puerto Rico
- Arecibo HA-271
- Barceloneta and Manatí HA-262
- Bayamon and Cataño, HA-77
- Humacao HA-265
- Mayaguez area HA-288
- Ponce area HA-261
- Toa Alta, Toa Baja, and
- Dorado HA-128
- Vega Alta and Vega Baja
- area HA-289
- Reservoir storage W 1580-C
- Routing methods, bibliography W 1690
- Runoff, use analog models in
- analysis P 506-A
- St. Lawrence River basin,
- magnitude and frequency W 1677
- Snake River basin W 1688
- South Atlantic slope basins W 1673, 1674
- Southwest W 1580-D
- Storage and flood routing W 1543-B
- Tennessee River basin W 1676
- Texas
- Bachman Branch and Joes
- Creek at Dallas, Oct.
- 1962 HA-240
- Big Fossil Creek, Haltom
- City near Fort Worth,
- 1962 HA-190

FLOODS—Continued

Texas—Continued

- Dallas, Apr. 28, 1966 W 1870-B
 Red River, 1957 W 1652-B
 White Rock Creek, Dallas,
 1962, 1964 HA-238

United States

- 1955 W 1455-B
 1956 W 1530
 1957 W 1652-C
 1958 W 1660-B
 1959 W 1750-B
 1960 W 1790-B
 1961 W 1810
 1962 W 1820
 1963 W 1830-B
 1964 W 1840-C
 1965 W 1850-E
 Utah C 457
 southwestern, Dec. 1966 W 1870-A

Virginia

- Bon Air quadrangle, Richmond,
 Aug. 1969 HA-409
 Drewrys Bluff quadrangle,
 Richmond, Aug. 1969 HA-411
 Johns and Craig Creeks,
 Craig County HA-326
 Maury River at Buena Vista,
 Aug. 1969 HA-412
 northern, effects urban
 development W 2001-C
 Richmond quadrangle, Aug.
 1969 HA-410
 Western States, 1955-56 W 1650 A, B
 Wisconsin
 Rock River HA-393
 Wadsworth quadrangle HA-144
 Wyoming, magnitude and frequency C 478

FLUORITE

- Cation exchange capacity, use
 cesium-137 B 1140-B
 Colorado, Poncha Springs
 NE quadrangle P 626
 Kentucky, Dike-Eaton area B 1122-E
 Nevada, Quinn Canyon Range B 1272-C
 New Mexico, Zuni Mountains
 district, map I-454
 Utah, Thomas Range P 415

FROST ACTION

- Heaving of piles B 1111-I
 Pingos, central Alaska B 1241-H

G

GALENA

- Micromineralogy of ores, East
 Tintic district, Utah P 614-A

GAS

- Arkansas, Coal Hill, Hartman,
 and Clarksville quadrangles P 536-C
 Colorado
 Green River Formation, Uinta
 Basin P 548
 Thornburg oil and gas field
 and vicinity, geologic map OM-216

GAS—Continued

Exploration

- mass properties sedimentary
 rocks and gravimetric effects
 oil and gas reservoirs P 528-A
 Hawaii, Kilauea Iki, acid
 fumarolic P 537-C
 Kentucky, Salyersville North
 quadrangle B 1047-B
 Montana, Winnett-Mosby area B 1149
 Resources, United States
 and world C 522
 Texas, fields, pipelines, basement
 rocks, map OM-214
 United States, oil and gas
 fields, map p. 197
 Utah, Green River Formation,
 Uinta Basin P 548
 Wyoming
 Fort Hill quadrangle P 594-M
 Shotgun Butte area B 1157
 Thermopolis area OM-213

GEMS

- United States B 1042-G

GEOCHEMICAL PROSPECTING. *See also*

BOTANICAL PROSPECTING.

Alaska

- central Koyukuk River region C 570
 Fortymile area B 1312-M
 McCarthy B-4 and B-5 quadrangles,
 gold, copper, other metals C 604
 northwest of Chulitna River,
 central Alaska Range C 617
 Sillonsina Pass area, eastern
 Alaska Range C 615
 Slana area, Alaska Range,
 gold, base metals C 593
 western Seward Peninsula,
 trace elements in tin-tungsten-beryllium
 district B 1242-F
 Windy Fork-Post River,
 Alaska Range, anomalies
 and metalliferous deposits C 569
 Yakutat and Mount Saint
 Elias quadrangles B 1312-L
 Analytical methods, exploration,
 U.S. Geological Survey B 1152

Arizona

- Greaterville mining district,
 structure control of geochemical
 anomalies B 1312-A
 Pima County, alluvium-covered
 copper deposits B 1288
 Atomic-absorption methods of
 analysis B 1289
 Colorado
 Cripple Creek district, gold
 and other metals C 543; P 625-A
 Lake George area, beryllium,
 tin, tungsten C 597
 Malachite mine B 1098-C
 Poison Ridge volcanic center
 and related mineralization C 594
 south of Summitville district,
 lead, copper, molybdenum, zinc
 anomalies C 557

GEOCHEMICAL PROSPECTING—Continued

Colorado—Continued

Gold

- interpreting pan-concentrate analyses
of stream sediments C 592
- utilization humus-rich forest
soil (mull) C 562

Maine, heavy metals in stream

- sediment MF-278 (rev.)

Mercury in soil gas and air C 609

Mercury vapor detector C 540

Michigan, Negaunee quadrangle,

- copper, lead, zinc I-559

Mississippi Valley lead-zinc

- exploration, lead isotope guides . . B 1312-G

Montana, Lewis and Clark

- Range B 1252-E

Nevada

- Cortez district, gold anomaly . . . C 534

- Ely mining district, gold, silver,
tellurium, and mercury C 535

- Getchell mine, Humboldt County . . B 1198-A

- Gold Acres and Tenabo areas,

- Lander County C 589

Mill Canyon area, Cortez

- quadrangle C 606

- Osgood Mountains stock, distribution

- accessory minerals I-471

Pequop Mountains and Wood

- Hills B 1198-E

- Sheep Creek Range C 595

Swales Mountain area, Elko

- County C 588

- Virginia City quadrangle C 596

New Mexico, Monticello Box,

- northern sierra Cuchillo C 600

North Carolina

- Harrisburg quadrangle MF-272

- Kannapolis quadrangle MF-268

- Shelby quadrangle B 1162-F

Silver in veins of hypogene

- manganese oxides C 553

Utah, Drum Mountains, gold-bearing

- jasperoid C 623

Vermont, Copper Belt B 1198-B

Wyoming

- New Rambler mine and vicinity,

- platinum and associated elements . . C 607

**GEOCHEMISTRY. See also BIOLOGY
AND BIOCHEMISTRY; BOTANICAL
PROSPECTING; GEOCHRONOLOGY.**

Absorption gold by plants B 1314-B

Acid fumarolic gas, Kilauea

- Iki, Hawaii P 537-C

Alkalic igneous complex, Magnet

- Cove, Ark. P 425

Aluminum in natural water

- form and stability aluminum

- hydroxide complexes in dilute

- solution W 1827-A

graphical methods for studies

- aqueous aluminum hydroxide,

- fluoride, and sulfate

- complexes W 1827-B

GEOCHEMISTRY—Continued

Aluminum in natural water—Continued

- solubility aluminum in presence
of hydroxide, fluoride, and
sulfate W 1827-C

Atomic-absorption method gold

- determination in large samples . . . C 561

Belt rocks, northern Idaho

- and northwestern Montana B 1312-O

Beryllium

- crystal chemistry P 468

- In volcanic rocks B 1214-C

Black shales, shelf and eugeosynclinal

- element distribution B 1214-E

Black shales and associated

- rocks B 1314-A

Calcium carbonate, organic carbon,

- nitrogen in sediments from

- drill holes, continental margin

- off Florida P 581-B

Calcium carbonate deposition,

- environment P 350

Carbon-14 dating, preparation

- of water sample C 480

Citrate-soluble heavy metals

- in stream sediments, Ossipee

- Lake quadrangle, New Hampshire . . I-609

Coal

- distribution minor elements, Eastern

- Interior region B 1117-B

- distribution minor elements, Interior

- coal province B 1117-D

Construction pressure-temperature

- diagrams for multicomponent

- systems, method Schreinemakers . . . B 1221

Crandallite strontium sorption

- studies on B 1144-C

Crater, East, and Davis

- Lakes, Oreg. W 1859-E

Deep Springs Lake, playa,

- California P 502-A

Determination gold by neutron-activation

- analysis using fire assay for

- radiochemical separation C 599

Determination nitrates in saline

- minerals B 1214-F

Diabase, Taylor Glacier

- region, Antarctica P 456-B

Distribution thorium, uranium,

- and potassium in igneous rocks

- Boulder batholith region,

- Montana; its bearing on radiogenic

- heat production and heat flow P 614-E

Earth's crust, composition P 440-D

Element distribution

- in Paleozoic black shales and

- associated rocks B 1214-G

- in trough and platform types

- of black shale and associated

- rocks B 1214-H

Establishment gold-quartz standard

- GQS-1 C 598

Evaporites, marine P 440-Y

GEOCHEMISTRY—Continued

- Geochemical environments and cardiovascular mortality rates in Georgia P 574-C
- Gold
- determination in geologic materials by solvent extraction and atomic-absorption spectrometry C 544
 - in igneous, sedimentary, and metamorphic rocks C 610
 - in minerals; composition native gold C 612
 - in water, plants, and animals C 625
- Granitic and metamorphic rocks, Kaiser Peak quadrangle, Sierra Nevada, Calif. P 644-C
- Humate in coastal sands, northwest Florida B 1214-B
- Ion-exchange minerals, radioactive waste disposal W 1616
- Ion exchange on mineral materials
- adsorption cesium on clay minerals B 1140-A
 - adsorption strontium on clay minerals B 1140-C
 - strontium exchange from solutions containing one and two competing cations, comparison distribution coefficients B 1140-D
- Iron
- in ground water P 498-C
- Iron
- in water, effects of aquatic vegetation W 1459-I
- Iron oxide determination B 1144-B
- Iron-rich sedimentary rocks P 440-W
- Isotopic composition of diagenetic carbonates in marine Miocene formations, California and Oregon P 614-B
- Lavas, Kilauea Volcano, 1959-60 eruption P 537-A
- Manganese in natural water
- chemical equilibria and rates oxidation W 1667-A
 - concentration by aquatic vegetation W 1667-C
 - deposition and solution, oxides W 1667-B
 - reduction and complexing by gallic acids W 1667-D
- Marine sediment sample preparation for analysis for low concentrations of detrital gold C 545
- Melting and transformation temperatures, mineral and allied substances B 1144-D
- Methods computation, estimating
- geochemical abundance P 574-B
 - Micas and chlorites, water content P 474-F
- Mine water, drainage problems P 473-A
- Minor elements
- in alluvial magnetite, Inner Piedmont belt, North and South Carolina P 554-A
 - in coals, Appalachian region B 1117-C

GEOCHEMISTRY—Continued

Minor elements—Continued

- in Phosphoria Formation and surficial materials, Idaho B 1181-F
 - in waters California W 1535-L
- Molybdenum in surface water, Colorado W 1535-N
- Nevada, Steamboat Springs thermal area P 458-B
- Niobium and tantalum P 612
- Nondetrital siliceous sediments P 440-T
- Organic substances in water
- determination phenoxy acid herbicides in water W 1817-C
 - organic acids in naturally colored surface waters W 1817-A
- Origin elements associated with uranium, Cave Hills area, South Dakota P 476-B
- Petrochemistry, Connecticut, Fitchville quadrangle B 1161-I
- Phase-equilibrium relations, common rock-forming oxides P 440-L
- Pierre Shale P 390, 391-C
- Platinum metals B 1214-A
- Platinum, palladium, and rhodium analyses of ultramafic and mafic rocks, Stillwater Complex, Montana C 624
- Precambrian melasyenite, Ute Creek, San Juan Mountains, Colo. B 1311-C
- Radium in water, determination W 1696-B
- Rainfall, annual variations, eastern North Carolina and southeastern Virginia W 1535-M
- Rivers and lakes, composition P 440-G
- Sandstone, composition P 440-S
- Sea water; sediments P 350
- Sedimentary rocks
- porosity, bulk density B 1144-E
- Rocky Mountains and Great Plains States P 561
- Semiquantitative analysis of geologic materials direct-current arc and alternating-current spark emission spectrographic field methods C 591
- Serpentine-group minerals P 384-A
- Silicates, systematic analysis B 1170
- Snow, northern Sierra Nevada and other areas W 1535-J
- Solutes in small streams draining single rock types, New Mexico W 1535-F
- Solution studies chrysotile, lizardite, antigorite P 384-B
- Strontium in water
- flame-photometric determination W 1496-C
 - occurrence, distribution W 1496-D
- Strontium-90 in water, determination W 1696-E
- Sulfate and sulfide sulfur in rocks and minerals, determination B 1214-D

GEOCHEMISTRY—Continued

- Theory of error, geochemical data P 574-A
- Tritium
quantitative determination in
natural waters W 1696-D
- rainout, U.S., 1962 and 1963 C 520
- Trona deposits and authigenic minerals, Green River Formation, Wyoming P 496-B
- Ultramafic rocks, talc-bearing, Vermont P 345
- Uranium and thorium in Paleozoic plutonic rocks, New Hampshire ... B 1144-F
- Uranium deposits, Colorado Plateau B 1147-E
- Uranium in natural water
determination W 1696-C
- isotopic analysis by alpha spectrometry W 1696-F
- Utah, Yellow Cat area B 1176
- Volcanic emanations, analyses P 440-K
- Water W 1473
- alkalinity and pH, field measurement W 1535-H
- analysis selected metals by atomic absorption W 1540-C
- artificial recharge effects W 1615-E
- Blue Grass region, Kentucky W 1700
- Brookhaven National Laboratory, New York B 1156-D
- mineral content Sierra Nevada ... W 1535-I
- radiochemical analysis W 1696-A
- rainfall, chemical composition, North Carolina, Virginia W 1535-K
- rainwater, agent in geologic processes W 1535-G
- relation electrochemical potentials and iron content to ground-water flow patterns P 498-C
- saline ground-water resources, U. S., bibliography C 499
- subsurface P 440-F
- Truckee Meadows, Nev. W 1779-S
- Water load of uranium, radium; and gross beta activity at selected gaging stations, 1960-61 .. W 1535-0
- Zeolites, natrolite group, composition P 504-D, E

GEOCHRONOLOGY

- Carbon-14 dating, preparation of water sample C 480
- Carbonate rocks, Eniwetok Atoll P 260-BB
- Emplacement Mesozoic batholithic complexes, California and western Nevada P 623
- Floods and flood-plain deposition, botanical evidence P 485-A
- Late interglacial and early Vashon glacial time, Seattle area, Wash. B 1194-0
- Lead-isotope ages, discordant, evaluation P 414-E

GEOCHRONOLOGY—Continued

- Transcontinental geophysical survey (35°-39°N.), coast of California to 74°W., radiometric age determinations of rocks I-537
- Uranium-bearing veins, United States P 455-B

GEOGRAPHIC NAMES. *See* NAMES, GEOGRAPHIC.

GEOLOGIC HISTORY

- Arizona, southeastern, Cretaceous ... P 658-B
- California, chronology emplacement Mesozoic batholithic complexes P 623
- Colorado, Precambrian, Needle Mountains P 644-A
- Colorado River P 669-C
- Great Falls and Potomac River Gorge, Md.-Va. p. 195
- Mount Rainier B 1292
- Nevada, chronology emplacement Mesozoic batholithic complexes P 623
- Uinta Mountains B 1291
- Wyoming
Cretaceous, Paleocene, lower Eocene Wind River Basin P 495-A
- Granite Mountains area, Cenozoic geology P 495-C

GEOLOGIC MAPPING. *See also*

CARTOGRAPHY.

- Airborne measurements of terrestrial radioactivity as aid P 516-F
- Use of aerial photographs, P 373

GEOLOGIC NAMES. *See* STRATIGRAPHY.GEOMORPHOLOGY. *See also*

ALLUVIAL FANS; EROSION; FROST ACTION; MASS MOVEMENTS.

Alaska

- effects earthquake, March 27, 1964

erosion and deposition on beach

- Montague Island P 543-H
- Homer spit, beach changes P 542-D
- Kenai Lake P 543-A
- Martin-Bering Rivers area P 543-B
- on shore processes and beach morphology P 543-J
- Johnson River area B 1249
- physiographic divisions P 482
- pingos B 1241-H

Atlantic Continental Shelf

- and Slope P 529-C
- deep-sea basin P 529-B

Basin and Range province,

- trend-surface analysis P 500-D

Buried channels, Arizona,

- Utah B 1083-F

California

- effects of flood, 1964, on Coffee Creek P 422-K
- Salton Sea HA-222

Catalog aerial photographs of

- geologic features outside the United States P 591

GEOMORPHOLOGY—Continued

- Catalog aerial photographs of
geologic features, United
States P 590
- Channel and Hillslope processes,
semiarid area New Mexico P 352-G
- Colorado
Kassler quadrangle P 421-A
San Juan peneplain P 594-I
Yampa Canyon, Uinta Mountains P 374-I
- Colorado River
geologic history P 669-C
rapids and pools P 669-D
- Cumberland Escarpment and
Highland Rim, Tennessee-Alabama P 524-C
- Disparity present rates denudation
and orogeny P 454-H
- Drainage density and streamflow P 422-C
- Drainage evolution and stream
geometry, Ontonagon area,
Mich. P 504-B
- General systems theory P 500-B
- Indiana and Kentucky, Owensboro
quadrangle P 488
- Karst terminology, glossary W 1899-K
- Lakes, closed P 412
- Landscape evolution, concept
entropy P 500-A
- Minnesota, Mesabi-Vermilion
Iron Range area, map I-403
- Montana, Pleistocene ice sheet,
Boulder Mountains B 1141-G
- Mount Rainier National Park,
Wash. B 1288
- Nebraska, erosion and deposition,
loess-mantled Great Plains
Medicine Creek drainage
basin P 352-H
- New England coast, bedrock
valleys related to sea-level
fluctuations P 454-M
- Ohio River valley, upper B 1141-I
- Probability concepts P 500-C
- River flood plains, formation P 282-C
- River meanders, theory of minimum
variance P 422-H
- River networks, distribution
branches P 422-G
- Sediment transport problem P 422-I
- Sediment yield Castaic watershed,
western Los Angeles County,
Calif. P 422-F
- Shenandoah Valley, Va.-W. Va. P 484
- Slope development theory, lithologic
variations C 485
- Stream channels
channel patterns and terraces,
Loup Rivers, Nebr. P 422-D
classification C 477
geometry Piedmont streams,
related to floods P 422-E
hydraulic geometry P 252
- Texas, Padre Island, landforms
and sedimentary deposits I-659

GEOMORPHOLOGY—Continued

- Underfit streams
principles P 452-A
subsurface exploration and
chronology P 452-B
theoretical implications P 452-C
- United States
catalog aerial photographs of
geologic features P 590
classes of land-surface forms,
map NA sheets 61-63
physiography and physiographic
divisions, map NA sheet 59
- Washington
Columbia River valley, landslides P 367
Lake Tapps quadrangle P 388-A

GEOPHYSICS. *See also* EARTHQUAKES.

See AREAS index for maps.

- Airborne measurements of terrestrial
radioactivity as aid to geologic
mapping P 516-F
- Alaska
Cook Inlet area, aeromagnetic
survey P 316-G
Copper River basin, magnetic
and gravity data P 316-H
Naval Petroleum Reserve
No. 4 region, seismic, gravity
surveys P 304-A
Nome area, portable refraction
seismograph survey of gold
placers B 1312-B
northeastern, aeromagnetic survey B 1271-F
Prince William Sound epicentral region
gravity survey P 543-C
Wiseman gold plain area, depth
to bedrock C 615
Yakutat and Mount Saint
Elias quadrangles B 1312-L
- Arizona, Blue Range primitive
area, aeromagnetic interpretation . B 1261-E
- Atlantic Continental Shelf and Slope
continental margin off Florida,
seismic reflection profiles
along drill holes P 581-A
- California
Bradley, San Miguel, Adelaida,
Paso Robles quadrangles,
Bouguer gravity P 646-B
Long Valley, gravity study P 385
Owens Valley, gravity study P 470
Owens Valley region, gravity,
seismic measurements P 438
Santa Barbara Channel region,
seismicity P 679-D
- Colorado
principal facts for gravity stations
in area west of Denver PB1-91587
seismic activity during 1968 test
pumping at Rocky Mountain
Arsenal disposal well C 613
- Detection SH-type seismic
shear waves by angular
accelerometers P 599-D

GEOPHYSICS—Continued

- Effect two-dimensional topography
on superficial thermal gradients . . . B 1203-E
- Electrical and radioactive well
logging, application to ground-water
hydrology . . . W 1544-D
- Electrical resistivity sounding
with L-shaped array . . . B 1313-C
- Geometric factors of bipole-dipole
arrays . . . B 1313-B
- Geophysical Abstracts, 1961 . . . B 1146-C-E
- 1962 . . . B 1166-A-D
- 1963 . . . GA 192-203
- 1964 . . . GA 204-215
- 1965 . . . GA 216-227
- 1966 . . . GA 228-239
- 1967 . . . GA 240-251
- 1968 . . . GA 252-263
- 1969 . . . GA 264-275
- 1970 . . . GA 276-287
- Geothermal energy . . . C 519
- Geothermal gradients in drill
holes, East Tintic district,
Utah . . . B 1172
- Gravimetric effects petroleum
accumulations . . . C 530
- Hawaii, Midway and Kure
atolls, electrical resistivity
measurements . . . P 680-D
- Idaho
 - Pend Oreille area, geologic
implications aeromagnetic data . . P 646-D
 - Soda Springs region, gravity
and magnetic anomalies . . . P 646-E
- Interior of the earth . . . C 532
- Internal magnetization seamounts,
computer calculation . . . P 554-F
- Magnetic fields for 4x6 prismatic
model . . . P 666
- Maine
 - Bridgewater quadrangle, surveys . . B 1206
 - Island Falls quadrangle, Aroostook
and Penobscot Counties . . . P 527
- Method-dependent values bulk,
grain and pore volumes as related
to porosity . . . B 1203-D
- Minnesota
 - southeastern, magnetic anomaly . . . C 489
- Montana
 - Deer Lodge Valley, gravimetric
survey . . . W 1862
 - Lewis and Clark Range . . . B 1252-E
 - Pend Oreille area, geologic
implications aeromagnetic data . . P 646-D
- Nevada
 - Cortez quadrangle, gravity and
aeromagnetic surveys . . . B 1175
 - Crescent Valley, gravity . . . P 465
 - Ely area, gravity, aeromagnetic
data . . . GP-392
 - Ely quadrangle, magnetic anomaly . . C 475
 - Sheep Creek Range . . . C 595
 - Virginia City quadrangle . . . C 596
- New Mexico, Santa Fe area . . . W 1525

GEOPHYSICS—Continued

- Oregon, northwestern, gravity,
aeromagnetic surveys . . . B 1181-N
- Precise borehole gravimetry
in petroleum exploration and
exploitation . . . C 531
- Prospecting methods, Malachite
mine, Colo. . . B 1098-C
- Remanent magnetization igneous
rocks, measurement . . . B 1203-A
- Resistivity data, interpretation;
prospecting . . . P 499
- Seismic detection near-surface
lunar cavities . . . P 599-A
- Seismic seiches from March
1964 Alaska earthquake . . . P 544-E
- Tennessee-Kentucky, gravity
and magnetic fields, geologic
implications . . . P 516-A
- Thermistors and thermistor cables,
geothermal investigations . . . B 1203-B, C
- Thermometry, application to
ground-water hydrology . . . W 1544-B
- Transcontinental geophysical
survey (35—39 N.)
bathymetric maps
long. 120°-133°W. . . I-531-B
long. 63°-74°W. . . I-536-A
geologic maps . . . I-532-C,
I-533-C, I-534-C, I-535-C
gravity maps . . . I-531-B,
I-532-B, I-533-B, I-534-B, I-535-B
magnetic maps . . . I-531-A, I-532-A,
I-533-A, I-534-A, I-535-A, I-536-A
radiometric age determinations
of rocks . . . I-537
seismic refraction
profiles I-532-D, I-533-D, I-534-D, I-535-D
- Ultrasonic measurement, suspended
sediment . . . B 1141-A
- Underground temperatures and
heat flow, East Tintic
district, Utah . . . P 504-F
- United States, geologic and
crustal cross section along
37th parallel . . . I-448
- Upper Mississippi Valley
zinc-lead district, aeromagnetic
and tectonic analysis . . . B 1242-A
- Use of seismic intensity to
predict effects earthquakes
and underground nuclear explosions . B 1279
- Utah
 - Iron Springs district, interpretation
aeromagnetic survey . . . P 516-B
 - isostatic deformation, Lake
Bonneville . . . P 454-E
 - La Sal Mountains area, aeromagnetic,
gravity surveys . . . P 316-F
 - Moab-Needles area . . . P 516-C
 - Tintic Valley and adjacent
areas, gravity and aeromagnetic
maps, interpretation . . . P 516-D
 - Utah-Arizona, buried channels,
Monument Valley . . . B 1083-F

GEOPHYSICS—Continued

- Variable azimuth Schlumberger resistivity sounding and profiling near a vertical contact B 1313-A
- Washington, Columbia River valley, seismic surveys P 367
- Wisconsin, Precambrian rocks I-631
- Wyoming
- Crooks Gap, gravity and seismic studies B 1147-F
- Grand Teton National Park and vicinity P 516-E

GEO THERMAL ENERGY

- Nevada, Steamboat Springs thermal system, hydrology, activity, heat flow P 458-C

GLACIATION

- Alaska I-357, 415
- Cook Inlet region P 443
- Kobuk River valley B 1181-K
- Mt. Hayes D-4 quadrangle, map I-394
- Yukon-Tanana Upland I-507
- California, Sequoia National Park P 504-A
- Connecticut
- Fitchville quadrangle GQ-485
- Voluntown quadrangle GQ-469
- Massachusetts
- Assawompset quadrangle GQ-265
- Clinton quadrangle GQ-567
- Concord quadrangle GQ-331
- Salem quadrangle GQ-271
- Taunton quadrangle B 1163-D
- Minnesota, Mesabi-Vermilion Iron Range area I-403
- Montana, Pleistocene ice sheet, Boulder Mountains B 1141-G
- New Hampshire, southeastern W 1695
- New York-Pennsylvania, Elmira-Williamsport region P 379
- North Dakota I-331
- Rhode Island, Voluntown quadrangle GQ-469
- Utah
- La Sal Mountains P 324
- Little Cottonwood and Bells Canyons, Wasatch Mountains P 454-D
- Wasatch Mountains, late Quaternary P 477
- Washington
- Lake Tapps quadrangle P 388-A
- Mount Rainier National Park B 1288
- GLACIERS
- Alaska I-415
- Effects March 1964 Alaska earthquake on glaciers P 544-D
- Washington
- Nisqually Glacier, Mount Rainier National Park plans p. 358
- 24-year photographic record P 631
- GLOSSARIES
- Alaska place names P 567
- Delaware place names B 1245

GLOSSARIES—Continued

- Ground water in permafrost regions W 1792
- Karst terminology W 1899-K
- Uranium- and thorium-bearing minerals B 1250
- GOLD
- Absorption by plants B 1314-B
- Alaska
- Fairbanks district P 625-D
- in mercury ores C 615
- Livengood placer district, potential for lode deposits C 590
- lode occurrences MR-32
- McCarthy B-4 and B-5 quadrangles C 604
- Nuka Bay area, Kenai Peninsula P 625-B
- placer occurrences MR-38
- portable refraction seismograph survey of placer areas near Nome B 1312-B
- Slana area, Alaska Range C 593
- upper Chultina district C 564
- Arizona, San Manuel area P 471
- California, in Tertiary channel gravel, northern Nevada County C 566
- Colorado
- Cripple Creek district P 625-A
- in Precambrian clastic and pelitic rocks B 1272-F
- Determination
- by neutron-activation analysis using fire assay for radiochemical separations C 599
- in geologic materials by solvent extraction and atomic-absorption spectrometry C 544
- in large samples, atomic-absorption method C 561
- detrital; marine sediment sample preparation for analysis for low concentrations of C 545
- In igneous, sedimentary, and metamorphic rocks C 610
- In meteorites and earth's crust C 603
- In minerals C 612
- In stream sediments; interpreting pan-concentrate analyses C 592
- In water, plants, and animals C 625
- Maryland, veins near Great Falls B 1286
- Native, composition C 612
- Nevada
- Cortez district, geochemical anomaly C 534
- Gold Acres-Tenabo areas, Lander County C 588
- Mill Canyon area, Cortez quadrangle, anomalous concentrations C 606
- New Mexico, in Precambrian clastic and pelitic rocks B 1272-F
- Oregon, placer gold, Sixes River B 1312-I
- Pacific Continental Shelf
- off Klamath Mountains, Calif. C 605
- off southern Oregon C 587

GOLD—Continued

- Sample size and meaningful analysis . . . P 625-C
- United States . . . MR-24
- principal producing districts . . . P 610
- Utah, in jasperoid, Drum Mountains . . . C 623
- Wyoming, in sedimentary rocks . . . C 541

GRAVEL

- Atlantic Continental Shelf
- and Slope, northeastern . . . C 602; P 529-H

GROUND TEMPERATURE. See under**GEOPHYSICS.****GYPSUM**

- United States . . . MR-33

H**HANDBOOKS. See MANUALS.****HANDBOOKS, LEXICONS.****HEAVY MINERALS**

- Alaska, Umiat-Maybe Creek
- region . . . P 303-H
- Associated with uranium occurrences,
- Cretaceous and Tertiary
- rocks, Williston basin . . . P 463
- Atlantic continental margin,
- southern Nova Scotia to
- northern New Jersey . . . P 529-G
- Black Hills, Jurassic and
- Cretaceous sandstone . . . B 1161-C
- Maine, in stream sediments . . . MF-301
- North Carolina
- Harrisburg quadrangle . . . MF-272
- Kannapolis quadrangle . . . MF-268
- Shelby quadrangle . . . B 1162-F
- U. S. Geological Survey heavy
- metals program
- 1966 and 1967 . . . C 560
- 1968 . . . C 621, 622

HELIUM

- Texas, Panhandle gas field . . . P 454-G

HISTORY

- John Wesley Powell . . . P 669-A, 670
- Paleobotanical investigations,
- Southwestern United States . . . P 613-D

HYDRAULICS

- Aeration capacity of streams . . . C 542
- Alluvial channels, lateral turbulent
- diffusion at surface, laboratory
- study . . . C 484
- Applications
- discharge measurements at gaging
- stations . . . TWI 3-A8
- field methods for measurement
- fluvial sediment . . . TWI 3-C2
- fluorometric procedures for dye
- tracing . . . TWI 3-A12
- fluvial sediment concepts . . . TWI 3-C1
- general procedure for gaging
- streams . . . TWI 3-A6
- measurement of discharge by moving-boat
- method . . . TWI 3-A11
- measurement peak discharge
- at culverts by indirect methods . TWI 3-A3
- at width contractions by indirect
- methods . . . TWI 3-A4

HYDRAULICS—Continued**Applications—Continued**

- measurement peak discharge—Continued
- slope-area method . . . TWI 3-A2
- stage measurement at gaging
- stations . . . TWI 3-A7
- Aquifer and well characteristics,
- Los Alamos region, N.
- Mex. . . W 1809-D
- Aquifer studies
- measurement hydraulic diffusivity
- wedge-shaped aquifers drained
- by streams . . . P 514
- tests in Punjab region, West
- Pakistan . . . W 1608-G
- Aquifer tests . . . W 1536-E, 1545-C
- Aquifers, characteristics,
- determination . . . W 1536-G
- Channel geometry Piedmont
- streams, related to flood frequency . P 422-E
- Channel patterns, Loup Rivers,
- Nebr. . . P 422-D
- Computation rate and volume
- of stream depletion by wells . . . TWI 4-D1
- Delaware River, tidal flow . . . W 1586-C
- Depth-discharge relation in
- alluvial channels, effect bed
- roughness . . . W 1498-E
- Discharge characteristics, embankment-
- shaped weirs . . . W 1617-A
- Discharge ratings for streams
- at submerged section controls . . . W 1779-L
- Electric analogs, calculation
- resistance and error . . . W 1544-G
- Ephemeral streams . . . P 282-A
- Equivalence grains quartz and
- heavier minerals, implications
- for study placers . . . P 594-F
- Flood-routing methods, unsteady
- flow in channels, bibliography . . . W 1690
- Flow measurement in well bores . . . W 1544-C
- Flow resistance in sinuous or
- irregular channels . . . P 282-D
- Flow through openings in width
- constrictions . . . W 1369-D
- Ground-water dispersion
- Extending Darcy's concept
- motion . . . P 411-F
- spread of dye stream in isotropic
- granular medium . . . P 411-G
- Ground-water flow, turbulence . . . P 402-E
- Indirect discharge measurements
- general field and office procedures TWI 3-A2
- peak discharge at dams . . . TWI 3-A5
- Laboratory studies open-channel
- flow, cross-channel transfer
- of linear momentum in smooth
- rectangular channels . . . W 1592-B
- Low-flow characteristics, streams;
- Mississippi embayment . . . P 448-H, I
- Nebraska, Elkhorn River,
- flow characteristics . . . W 1498-B
- Overland flow on hillslopes . . . P 662-A
- Permeability, transmissibility,
- and drawdown, determination . . . W 1536-I

HYDRAULICS—Continued

- Properties water-bearing materials,
Otero and Crowley Counties,
Colo. W 1799
- Rio Grande, N. Mex.
 flow resistance and sediment
 transport W 1498-H
 fluvial sediments and hydraulic
 variables W 1498-F
- River studies
 alluvial channels
 behavior large particles falling
 in quiescent liquids P 562-C
 behavior straight open channels
 with movable beds P 622-A
 data from flume experiments,
 1956-61 P 462-I
 depth-discharge relations W 1498-C
 determination Manning coefficient
 from measured bed roughness
 in natural channels W 1898-B
 error analysis P 655-C
 field measurement of initiation
 of large bed particle motion,
 Blue Creek near Klamath,
 Calif. P 562-G
 mean annual runoff as related
 to channel geometry, streams
 in California W 1999-E
 resistance to flow P 422-J
 response laboratory channel to
 changes of hydraulic and sediment-
 transport variables P 562-D
 stage-discharge characteristics
 of weir in sand-channel
 stream W 1898-A
 total bed-material discharge W 1498-I
- channel bars and dunes, theory
 kinematic waves P 422-L
- definition state-discharge relation
 in natural channels by step-backwater
 analysis W 1869-A
- determination discharge during
 pulsating flow W 1869-D
- discharge computation at contractions C 284
- distribution branches in river
 networks P 422-G
- effect vertical motion on current
 meters W 1869-B
- flood plains, formation P 282-C
- flood surge on Rubicon River,
 Calif. P 422-M
- fluvial sediment, Mississippi
 River, St. Louis, Mo. W 1802
- low-flow characteristics, streams,
 Mississippi embayment P 448-F, G
- low-flow frequency curves, Eastern
 States W 1669-G
- low flows, probability distribution .. P 434-A
- meanders, theory of minimum
 variance P 422-H
- natural channels, roughness
 characteristics W 1849
- response of gas-purged manometers
 to oscillations in water level ... W 1869-E

HYDRAULICS—Continued

- River studies—Continued
 river channels as related to
 navigability W 1539-W
- sediment investigations, Mississippi
 River at St. Louis W 1819-J
- sediment transport P 422-I
- sediment yield, Castaic watershed,
 western Los Angeles County,
 Calif. P 422-F
- storage requirements, Arkansas
 streams W 1859-G
- underfit streams, theoretical
 implications P 452-C
- velocity-head coefficients in
 open channels W-1869-C
- water-discharge determination
 for tidal reach Willamette
 River, Portland, Oreg. W 1586-H
- Stream-gaging control structure,
 Rio Grande conveyance channel,
 Bernardo, N. Mex. W 1369-E
- Thermal flowmeter W 1544-E
- Tidal estuary, hydraulic geometry .. P 422-B
- Tide-affected streams, determining
 momentary discharge W 1586-D
- Transmissibility, formula for
 computing W 1536-F
- Transport radionuclides by streams
 Clinch River, Tenn., study C 497
- dispersion dissolved or suspended
 materials P 433-B
- laboratory investigation, open-channel
 dispersion processes for dissolved,
 suspended, and floating
 dispersants P 433-E
- radioactive waste dilution, Clinch
 River, eastern Tennessee P 433-G
- role stream-sediment components
 in radion sorption P 433-F
- Washington, Yakima River
 basin W 1595
- HYDROCARBONS
 In thermal areas, northwestern
 Wyoming P 644-B
- HYDROLOGY. *See also* DROUGHT;
 FLOODS; GEOCHEMISTRY;
 HYDRAULICS; SEDIMENT;
 SPRINGS; WATER, GROUND;
 WATER QUALITY; WATER,
 SURFACE; WATER LOSS;
 WATER RESOURCES.
- Afghanistan, Kajakai Reservoir W 1608-M
- Alabama, Birmingham red-iron-ore
 district P 473-C
- Alaska
 Anchorage area W 1779-D
 effects earthquake, March 27,
 1964 P 544-B
 South-central, effects earthquake,
 March 27, 1964 P 544-A
- Tanana basin HA-319
- Analog models C 468; W 1536-H
- Analysis and interpretation
 frequency curves TWI 4-A2
 statistical tools TWI 4-A1

HYDROLOGY—Continued

- Annual growth suppressed chestnut oak and red maple P 485-C
- Aquifer evaluation, digital model for TWI 7-C1
- Aquifer properties, removal water and rearrangement particles during compaction clayey sediments P 497-B
- Aquifer systems
- chemical properties ground water, corrosion and encrustation effects on wells P 498-D
 - compaction sediments underlying areas of land subsidence, central California P 497-D
 - ground-water flow patterns, relation electrochemical potentials and iron content P 498-C
 - hydrochemical facies and ground-water flow patterns, Atlantic Coastal Plain P 498-A
 - hydrochemical maps in aquifer-evaluation studies, Englishtown Formation, New Jersey P 498-B
 - land-surface tilting near Wheeler Ridge, southern San Joaquin Valley, Calif. P 497-G
 - petrology sediments underlying areas of land subsidence, central California P 497-C
 - properties water-bearing deposits in subsiding areas, central California P 497-A
- Arizona
- depletion streamflow by infiltration, main channels Tucson basin ... W 1939-B
 - San Pedro River valley, interrelation ground and surface water W 1669-I
 - Tres Alamos-Redington area
 - plant ecology, arid basin P 485-D - Willcox basin W 1859-F
- Arkansas, Coastal Plain
- aquifers HA-309
- Arkansas River alluvium Muskogee, Okla., to Fort Smith, Ark. W 1809-T
- Artificial recharge
- Grande Prairie region, Ark. W 1615-B
 - Roswell basin, N. Mex. W 1785
- Australia, Murrumbidgee River and paleochannels, adjustment to altered hydrologic regimen P 598
- Bank storage associated with Libby Reservoir northwestern Montana, preliminary evaluation . W 1899-L
- Bibliography
- United States, 1963 W 1863
 - United States and Canada
 - 1955-58 W 1546
 - 1964 W 1864
- California
- Bolinas Lagoon, Marin County C 627
 - coastal basins, San Francisco Bay to Eel River, surface water W 1851
 - Death Valley P 494-B,509

HYDROLOGY—Continued

- California—Continued
- Deep Springs Lake P 502-A
 - effects water circulation in San Francisco Bay estuary C 637-A,B
 - northern, coastal basins W 1758
 - Salton Sea HA-222; P 486-C
 - San Bernardino area W 1419
 - southern, natural water loss and recoverable water, mountain basins P 417-E
 - Tecolote Tunnel area, streamflow and springs W 1619-R
 - valley-fill and carbonate rock reservoirs Pahrump Valley W 1832
 - variations in low-water streambed elevations, northwestern W 1879-E
- Cockfield Formation Louisiana and Mississippi P 569-B
- Colorado
- Arkansas River valley W 1799
- Colorado
- grazed and ungrazed watersheds
 - Badger Wash basin W 1532-B
- Colorado River, rapids and pools, Grand Canyon P 669-D
- Colorado River-Salton Sea area, precipitation, runoff, water loss P 486-B
- Computation rate and volume of stream depletion by wells TWI 4-D1
- Connecticut, Hartford Research Center CANEL site, Middletown .. B 1133-G
- Conservation, water management . C 414-A, C
- Conservation networks C 460-A, B
- Delaware
- Bethany Beach area, water-table, surface-drainage HA-122
 - Burrsville area, water-table, surface-drainage HA-135
 - Clayton area, water-table, surface-drainage HA-83
 - Dover quadrangle, water-table, surface-drainage HA-139
 - Ellendale quadrangle, water-table, surface-drainage HA-101
 - Frankford area, water-table, surface-drainage HA-119
 - Frederica area, water-table, surface-drainage HA-140
 - Georgetown quadrangle, water-table, surface-drainage HA-107
 - Greenwood quadrangle, water-table, surface-drainage HA-99
 - Harbeson quadrangle, water-table, surface-drainage HA-108
 - Harrington quadrangle, water-table, surface-drainage HA-136
 - Hickman area, water-table, surface-drainage HA-100
 - Kenton area, water-table, surface-drainage HA-138
 - Laurel area, water-table, surface-drainage HA-123
 - Lewes area, water-table, surface-drainage HA-103

HYDROLOGY—Continued

Delaware—Continued

- Little Creek quadrangle, water-table,
surface-drainage HA-134
- Marydel area, water-table, surface-
drainage HA-132
- Middletown area, water-table,
surface-drainage HA-82
- Milford quadrangle, water-table,
surface-drainage HA-133
- Millsboro area, water-table,
surface-drainage HA-121
- Milton quadrangle, water-table,
surface-drainage HA-102
- Mispillion River quadrangle,
water-table, surface-drainage HA-137
- Newark area, water-table,
surface-drainage HA-64
- Rehoboth Beach area, water-table,
surface-drainage HA-109
- St. Georges area, water-table,
surface-drainage HA-60
- Seaford East quadrangle, water-table,
surface-drainage HA-106
- Seaford West area, water-table,
surface-drainage HA-105
- Sharptown area, water-table,
surface-drainage HA-84
- Smyrna area, water-table,
surface-drainage HA-81
- Taylor's Bridge area, water-table,
surface-drainage HA-80
- Trap Pond area, water-table,
surface-drainage HA-120
- Wilmington area, water-table,
surface-drainage HA-79
- Wyoming quadrangle, water-table,
surface-drainage HA-141
- Delaware River, low tides W 1586-E
- Delaware River basin P 417-B; W 1669-N
- Dispersal plating wastes and
sewage contaminants in ground
and surface water, Nassau
County, N.Y. W 1879-G
- Drainage density and streamflow P 422-C
- Effect artesian-pressure decline
on confined aquifer systems W 1779-T
- Effects March 1964 Alaska
earthquake
in North America, Europe,
Asia, Africa, Australia P 544-C
- on glaciers P 544-D
- Effects of agricultural conservation
practices, Corey Creek
basin, Tioga County, Pa. W 1532-C
- Effects of pumping, Memphis
area, Tenn. W 1819-B
- Effects of small reservoirs
on surface runoff, Sandstone
Creek watershed, western
Oklahoma W 1839-C
- Effects of strip mining, Beaver
Creek basin, Kentucky,
1955-66 P 427-C

HYDROLOGY—Continued

Effects of urban growth

- direct runoff to East Meadow
Brook, Nassau County,
Long Island, N. Y. P 627-B
- evaluating mathematical modeling
of urban hydrologic systems W 1591-D
- flood inundation, Charlotte,
N.C. W 1591-C
- sediment movement in area of suburban
highway construction, Scott
Run basin, Virginia W 1591-E
- studies at two recharge basins,
Long Island, N.Y. P 627-C
- temperature of streams on Long
Island, N.Y. P 627-D
- urban sprawl and flooding, southern
California C 601-B
- Electrical-analog analysis,
data, San Simon basin,
Ariz. W 1809-R
- Estuarine studies, upper Grays
Harbor, Wash. W 1873-B
- Flood peak runoff and associated
precipitation, drainage basins,
U.S. W 1813
- Flow-duration curves W 1542-A
- Fluid movement in earth materials
liquid flow through porous media P 411-C
- mathematics dispersion with linear
adsorption isotherm P 411-H
- multiphase fluids in porous media P 411-E
- soil-moisture theory P 411-D
- theory dispersion in granular
medium P 411-I
- Georgia Nuclear Laboratory
area B 1133-D, F
- Gila River drainage basin
above Coolidge Dam, Ariz.,
precipitation, streamflow,
major floods P 655-B
- Gila River Phreatophyte
Project, Graham County,
Ariz. P 655-A
- Guam P 403-H
- Idaho
- Palouse River basin, sediment
transport by streams W 1899-C
- Snake River Plain, ground-water
flow system W 1536-D
- upper Malad River basin W 1888
- Instrumentation
calibration and maintenance vertical-axis
type current meters TWI 8-B2
- methods measuring water levels
in deep wells TWI 8-A1
- Interpretation ground conditions
from geologic maps C 46
- Israel, Cenomanian-Turonian
aquifer, development, use as
storage reservoir W 1608-F
- Kansas, Finney County W 1891
- Kentucky
- alluvial deposits, Ohio River
valley HA-74, 75, 91, 94-98,
110, 111, 129, 130; W 1818

HYDROLOGY—Continued

Kentucky—Continued

cavernous limestones, Mammoth

Cave area W 1837

influences strip mining P 427-A, B

Louisville area W 1819-C

Lakes, closed P 412

Landscape evolution, concept

entropy P 500-A

Liquid-waste releases, Brookhaven

National Laboratory, Suffolk

County, N.Y. B 1156-E

Massachusetts, Housatonic

River basin HA-281

Mine waters

Appalachia, stream quality related

to coal-mine drainage C 526

northern anthracite field,

Pennsylvania P 473-B

Minnesota

Elk River nuclear-reactor

site B 1133-C

melt-water channels,

southwestern W 1809-K

Mississippi embayment, availability

water P 448-A

Montana, effects Hebgen Lake

earthquake, 1959 P 435

Movement of solute in Potomac

River estuary at Washington,

D.C., at low inflow conditions C 529-B

Nebraska, Saline County HA-216

Nevada

Carson Valley, water budget P 417-F

Humboldt River valley near

Winnemucca W 1754

Steamboat Springs thermal

system P 458-C

Truckee Meadows area, hydrogeology,

hydrogeochemistry W 1779-S

valley-fill and carbonate rock

reservoirs Pahrump Valley W 1832

New Jersey

distribution roots and rhizomes

in different soil types, Pine

Barrens P 563-C

southern, streams, water-supply

characteristics W 1669-N

New Mexico

Cornfield Wash area; effects

land-treatment practices W 1831

Lake McMillan to Carlsbad

Springs, Eddy County W 1828

Pecos River, depletion W 1619-G

Valle Grande and Valle Toledo W 1619-Y

New York

Babylon-Islip area, Long

Island W 1768

Brookhaven, National Laboratory

and vicinity, Long Island B 1156-C

effects drought, 1962-66, on Long

Island W 1879-F

Nassau County, Long Island W 1825

precipitation regime, Long Island P 627-A

West Milton area W 1747

HYDROLOGY—Continued

North Carolina, streams, water-supply

characteristics W 1761

Oklahoma, correlation water

levels, climate W 1669-K

Oregon

Crater, East, and Davis

Lakes W 1859-E

water-temperature data, streams W 1819-K

Pennsylvania

Brandywine Creek basin, relation

to ground water P 417-A

Swatara Creek basin W 1829

Philippines, Poro Point

and vicinity, Luzon Island W 1608-E

Phreatophyte research, Western

States, 1959-1964 C 495

Phreatophytes W 1423

Pollutant distribution, tidal

estuaries W 1586-F

Prairie potholes C 472

in North Dakota C 558; P 585-B

Properties of earth materials

specific yield—column drainage

and centrifuge moisture content W 1662-A

specific yield—compilation for

various minerals W 1662-D

specific yield—laboratory experiments

showing effect time on column

drainage W 1662-B

Rainwater, chemical agent in

geologic processes W 1535-G

Reservoirs

elimination thermal stratification,

benefits W 1809-M

evaporation, measurement P 272-E

Rhode Island, Potowomut-Wickford

area W 1775

Rio Grande, N. Mex., velocity,

suspended sediment P 462-B

River discharge to sea from

shores of United States HA-282

Rock and soil materials, summary

of hydrologic and physical

properties W 1839-D

Runoff-precipitation relation,

statistics P 434-D

Salt water-fresh water relations

Georgia

Glynn County W 1613-E

Savannah area W 1611, 1613-D

Mississippi, Pascagoula area W 1763

New York, Nassau and Queens

Counties, L.I. W 1613-F

sea water in coastal aquifers W 1613-C

South Carolina, salt-water

encroachment, South Edisto

River estuary W 1586-I

United States, bibliography C 499

West Pakistan

electric-analog studies brine

beneath fresh-water wells,

Punjab region W 1608-J

fresh and saline ground-water

zones W 1608-I

HYDROLOGY—Continued

- Seismic seiches from March 1964 Alaska earthquake P 544-E
- Snowmelt runoff, Sierra Nevada stream W 1779-R
- Solutes, Mississippi River, Baton Rouge to New Orleans, time of travel HA-260
- South Dakota, Big Sioux drainage basin HA-311
- Sparta Sand, Arkansas, Louisiana, Mississippi, Texas P 569-A
- Statistical studies, data, correlation procedure for augmenting P 434-E
- Stream channels
 - classification C 477
 - in coarse noncohesive sands P 282-G
- Stream composition, United States, atlas HA-61
- Streamflow
 - characteristics from drainage-basin characteristics W 1975
 - effects of sediment on W 1498-G
 - from United States into Atlantic Ocean 1931-60 W 1899-I
 - minimums P 434-B
 - records
 - automation C 474
 - correlation P 434-C
- Streams, optimum discharge for king salmon spawning, northern California Coast Ranges W 1779-AA
- Surface water, techniques water quality W 1669-Z
- Techniques and equipment
 - bedload measurement W 1748
 - flood-flow
 - flood-frequency analyses B 1543-A
 - storage and flood routing W 1543-B
 - ground water, galleries, use for development shallow supplies W 1809-E
 - laboratory studies open-channel flow W 1592-B, C, D
 - laboratory theory and methods for sediment analysis TWI 5-C1
 - measurement of evaporation, Salton Sea, Calif. P 272-H
 - rainfall-simulator infiltrometer C 482
 - specific yield, laboratory experiments W 1662-B
 - surface water
 - analog models in analysis flood runoff P 506-A
 - double-mass curves W 1541-B
 - gaging-station records, graphical correlation W 1541-C
 - introduction, definitions W 1541-A
 - water quality W 1669-Z
 - water-supply potential from asphalt-lined catchment, Hawaii W 1809-P
- Tennessee
 - Claiborne Group W 1809-G
 - Memphis area, aquifer systems W 1779-O
 - Oak Ridge area W 1839-N

HYDROLOGY—Continued

- Texas
 - effects floodwater-retarding structures on Garza-Little Elm Reservoir W 1984
 - small watersheds, Honey Creek basin W 1779-F
 - Yegua Formation P 569-B
- Throughfall for summer thunderstorms in juniper and pinyon woodland, Arizona P 485-B
- Tidal floods, Atlantic City and vicinity, New Jersey, atlas HA-65
- Tidal streams, Delaware River, fresh-water discharge-salinity relations W 1586-C
- Tritium rainout, U.S., 1962 and 1963 C 520
- United States
 - annual runoff HA-212
 - metropolitan areas W 1871
 - runoff, yearly variations, 1931-60 W 1669-S
- Urban land planning C 554
- Utah
 - Clear Lake Springs, fluctuations in discharge W 1839-E
 - Middle Canyon, Oquirrh Mountains W 1619-K
 - Navajo Lake P 417-C
- Volcanic rock terranes P 383-A, B
 - effect tectonic structure on ground water in basalt, Columbia River Group, The Dalles area, Oregon and Washington P 383-C
- Washington
 - evaluation seepage from Chester Morse Lake and Masonry Pool W 1839-J
 - Palouse River basin, sediment transport by streams W 1899-C
- Waste water, effects on streamflow and water quality, Glowegee Creek, West Milton, N.Y., 1958-61 W 1809-N
- Water as urban resource and nuisance C 601-D
- Water in urban planning, Salt Creek basin, Illinois W 2002
- Water laws and concepts C 629
- Water-mineral relations, Quaternary deposits, lower Platte River drainage area, Nebraska W 1859-D
- West Pakistan
 - aquifer tests, Punjab region W 1608-G
 - corrosion and encrustation in tube wells, Indus Plains W 1608-L
- Western States
 - public domain, water supplies, exploration 1960 C 561
 - small watersheds, runoff, sediment data W 1475-I
- Wisconsin
 - Black Earth Creek basin W 1669-C
 - Little Plover River basin, interrelations ground and surface water W 1811

Hydrology—Continued**Wisconsin—Continued**

southern, sediment characteristics

small streams W 1669-B

Wyoming

Glendo region W 1791

Wheatland Flats area W 1783

I**IGNEOUS ROCKS. See also****INTRUSIONS; LAVA; PEGMATITE;****TUFF.****Antarctica, Taylor Glacier**

region P 456-B

Brazil, Quadrilátero Ferrífero,

Minas Gerais P 641-B

California, analytic data, granitic

rocks, Kaiser Peak quadrangle P 644-C

Colorado

mafic-ultramafic rocks and associated

carbonatites, Gem Park

Complex P 649

Spanish Peaks region P 594-G

Idaho

Belt Series P 344-E

Columbia River Basalt B 1141-L

Low-temperature reaction zones

and alpine ultramafic rocks,

California, Oregon, Washington B 1247

Montana

Dry Mountain quadrangle B 1221-F

northern Elkhorn Mountains P 510

Nevada, northern Shoshone

Range P 465

Ultramafic and intrusive mafic

rocks, New Jersey to Alabama,

map I-476

ILMENITE**Virginia, placer deposits, Roseland**

district B 1312-F

INDEXES**Aerial photographs of geologic****features**

outside the United States P 591

United States P 590

Generic names of fossil plants,

1820-1965 B 1300

Geologic maps p. 197**North American late Paleozoic**

Hyolitha, Amphineura, Scaphopoda,

Gastropoda B 1210

Water data p. 195**INDUSTRIAL MINERALS**

Alaska, occurrences, map MR-41

INFRARED METHODS

High-altitude use of color infrared

film PB1-93512

INFRARED SURVEYS

Hawaii, fresh-water springs

from infrared images HA-218

INTRUSIONS

Abajo Mountains, Utah, laccoliths,

stocks P 453

INTRUSIONS—Continued

Alaska, Fairweather Range,

stocks, layered gabbro B 1121-F

Antarctica, diabase sheets,

Taylor Glacier region P 456-B

Batholiths, nature P 554-C

Boulder batholith, Montana I-381; P 428

Caribou stock, Colorado, accessory

minerals in I-496

Chronology emplacement Mesozoic

batholithic complexes, California

and western Nevada P 623

Curecanti pluton, Black Canyon

of the Gunnison, Colo. B 1181-D

Idaho batholith

petrographic cross section,

west-central B 1181-G

petrology, northwest border

zone P 344-C, D

La Sal Mountains, Utah-Colo.,

laccoliths P 316-F, 508

Late Cenozoic magmas, Glacier

Peak area, North Cascades,

Wash. P 604

Mafic-ultramafic layered intrusion,

Iron Mountain, Fremont

County, Colo. B 1251-A

Pegmatitic trachyandesite plugs,

Saline Range-Inyo Mountains

region, California P 614-D

Precambrian melasyenite of Ute

Creek, San Juan Mountains,

Colo., chemistry, petrology,

strontium isotopes B 1311-C

Sierra Nevada batholith P 414-D, 470

Ute Mountains, Colo. P 481

IRON**Alaska**

North Bradfield River prospect B 1108-D

occurrences, map MR-40

Brazil

Belo Horizonte, Ibirité,

Macacos quadrangles, hematite ... P 341-D

Itabira District P 341-C

Minas Gerais P 341-A, B, E, F, G

Colorado, San Juan primitive

area, Irving Formation B 1261-F

In natural water, effects aquatic

vegetation W 1459-I

In sedimentary rocks, chemistry P 440-W

Michigan

eastern Gogebic Iron Range,

pre-Quaternary geologic and

magnetic map I-497

Iron River-Crystal Falls

district P 570

Menominee district P 513

Minnesota, Cuyuna North

range P 407

Nevada

Frenchie Creek quadrangle B 1179

Jackson Mountains B 1141-D

New York, St. Lawrence

County magnetite district P 376, 377

IRON—Continued

- Relation specific gravity and iron contents, rocks from Red Mountain Formation, Alabama . . . B 1182-D
- Silurian, Alabama, Georgia, Tennessee . . . MF-175
- United States deposits, location, geologic type, relative importance . . . MR-51
- Wisconsin, Menominee district . . . P 513
- Wyoming, Precambrian, Atlantic City region . . . B 1142-C

IRRIGATION

- Arizona, McMullen Valley . . . W 1665
- Arkansas River region, Muskogee Okla., to Fort Smith, Ark., alluvium, quality water . . . W 1809-T
- California, Lompoc subarea, Santa Ynez River basin, ground-water quality . . . W 1809-S
- Colorado, Frenchman Creek basin . . . W 1577
- Idaho
- Fort Hall Indian Reservation, ground-water supply . . . W 1576-D
- Raft River basin . . . W 1619-CC
- SNAKE RIVER basin, ground-water resources . . . W 1654
- SNAKE RIVER Plain . . . W 1536-D
- Nebraska, Frenchman Creek basin . . . W 1577
- West Pakistan Punjab . . . W 1608-H
- Western States, quality surface waters for
- 1960 . . . W 1746
- 1961 . . . W 1886
- 1962 . . . W 1946
- 1963 . . . W 1952
- 1964 . . . W 1960
- 1965 . . . W 1967
- Wyoming, Greybull River-Dry Creek area, potential . . . W 1596

J

JOINTS. *See* STRUCTURAL GEOLOGY.

K

KAOLIN

- Georgia, Irwinton district . . . B 1199-J
- Mississippi . . . B 1199-B

KARST

- Glossary of terminology . . . W 1899-K
- Montana, Madison Group . . . P 526-B

KYANITE

- United States . . . MR-18

L

LACCOLITHS. *See* INTRUSIONS.LAKES. *See also* PLEISTOCENE LAKES; SEDIMENT.

LAKES—Continued

Alaska

- Deer Lake and Kasnyku Lake, Baranof Island, proposed powersites . . . B 1211-C
- Tyee, Eagle, and Spur Mountain Lakes, possible powersites . . . B 1211-B

California

- Deep Springs Lake, playa, hydrology and mineralogy . . . P 502-A
- Lake Pillsbury, sedimentation . . W 1619-EE
- California-Nevada, Tahoe, geography, geology, history, hydrology . . . W 1972
- Chemical composition . . . P 440-G
- Closed, salinity, hydrology . . . P 412
- Deposits, review and bibliography . . B 1080
- Nevada, Pyramid Lake, bathymetry . . HA-379
- North Carolina, Lake Michie, evaporation study . . . P 272-G

Oregon

- Crater, East, and Davis Lakes, hydrology . . . W 1859-E
- upper Klamath Lake, water budget . . . HA-351

United States

- having usable capacity of 5,000 acre-feet or more . . . W 1838
- principal . . . C 476
- Utah, Navajo Lake, hydrology, hydrogeology . . . P 417-C

LAND SUBSIDENCE. *See* ENGINEERING GEOLOGY.

LANDSLIDES

Alaska

- Anchorage area, earthquake, March 27, 1964 . . . P 542-A
- Seward, earthquake, March 27, 1964 . . . P 542-E
- Valdez area, earthquake, March 27, 1964 . . . P 542-C
- Whittier area, earthquake, March 27, 1964 . . . P 542-B

California, Pacific Palisades

- area, Los Angeles . . . I-284
- Montana, Hebgen Lake earthquake, Aug. 1959 . . . P 435
- Washington
- Columbia River valley . . . P 367
- Little Tahoma Peak on Mt. Rainier . . . B 1221-A

LAVA

Hawaii

- Kilauea Iki Lava Lake, petrology . . . P 537-B
- Kilauea Volcano, 1959-60 eruption chemistry . . . P 537-A
- petrography . . . P 537-D

Pillowed

- Alaska . . . P 454-B
- bibliography . . . P 454-C
- Virginia, late Precambrian (?) Catoctin Formation, Shenandoah National Park . . . B 1265

LAVA—Continued

- Washington, late Cenozoic,
Glacier Peak area, North
Cascades P 604

LEAD

- Alaska, Bowser Creek, McGrath
A-2 quadrangle C 559
Arizona, San Manuel area P 471
Brazil
Boquira district B 1110-A
Minas Gerais B 1110-B
Illinois, Kieler quadrangle GQ-487
Kansas, Picher field P 588
Mississippi Valley B 1123-B, C, D, E
aeromagnetic and tectonic
analysis B 1242-A
lead isotope guides for exploration B 1312-G
New Hampshire-Maine, White
Mountain Plutonic Series B 1312-D
Oklahoma, Picher field P 588
Tennessee, Powell River
area B 1222-C
United States MR-15
Washington, Metaline district P 489
Wisconsin
Belmont and Calamine
quadrangles B 1123-G
Dickeyville quadrangle GQ-488
Kieler quadrangle GQ-487
Rewey and Miffin quadrangles B 1123-F
Wisconsin-Iowa, Potosi quadrangle B 1123-I

LEXICONS. *See* MANUALS,
HANDBOOKS, LEXICONS.

LIMNOLOGY

- Paleolimnology trona deposits and
associated authigenic minerals,
Green River Formation, Wyoming ... P 496-B
Travertine deposition, Birch
Creek, Calif. P 549-A

LIQUID WASTE DISPOSAL. *See also*

RADIOACTIVE WASTE DISPOSAL.

- By injection underground C 631
Dispersal plating wastes and
sewage contaminants in ground
and surface water, South
Farmingdale—Massapequa
area, Nassau County, N.Y. W 1879-G
In Glorieta Sandstone, Oklahoma
Panhandle, effects on Ogallala
Formation and other fresh-water
aquifers C 630

LITHOLOGY

- Manganese deposits, Maine P 362
Precambrian quartzite-schist
sequence along Coal Creek,
Front Range, Colo. P 454-O
Precambrian rocks, Central
City district, Colo. P 474-C
Wisconsin and pre-Wisconsin drift,
New York and Pennsylvania P 379

LOESS

- Alaska, Mt. Hayes D-4
quadrangle I-394

M

MAGNESITE

- United States MR-27
Washington
northern Okanogan County B 1272-B
Stevens County belt B 1142-F

MAGNETITE. *See also* IRON.

- Alluvial, minor-element content,
Inner Piedmont belt, North
and South Carolina P 554-A
New Jersey, Franklin and
Hamburg quadrangles P 638

MANGANESE

- Brazil, Pico de Itabirito
district, Minas Gerais P 341-F
In natural water
chemical equilibria and rates
oxidation W 1667-A
concentration by aquatic
vegetation W 1667-C
deposition and solution, oxides W 1667-B
reduction and complexing by gallic
acids W 1667-D
Maine, Maple and Hovey Mountains
area P 362
Minnesota, Cuyuna North
range P 407
United States MR-23

MANUALS, HANDBOOKS, LEXICONS

- Geochemical exploration, analytical
methods B 1152
Geologic names United States,
1961-67 lexicon B 1350
Techniques of water-resources
investigations
calibration and maintenance, vertical-axis
type current meters TWI 8-B2
fluorometric procedures for dye
tracing TWI 3-A12
frequency curves TWI 4-A2
measurement peak discharge at
culverts by indirect methods TWI 3-A3
methods measuring water levels
in deep wells TWI 8-A1
procedures for gaging streams TWI 3-A6
stage measurement at gaging
stations TWI 3-A7
statistical tools in hydrology TWI 4-A1

MAPS. *See* AREAS index.MARINE GEOLOGY. *See also*CONTINENTAL SHELF AND SLOPE;
SEDIMENT.

- Atlantic Continental Shelf
and Slope, physiography P 529-C
De Soto Canyon to Great
Bahama Bank, relation land
and submarine topography I-475
Guam P 403-B
Gulf of Mexico, Mississippi
Delta to Bahia de Campeche,
relation land and submarine
topography I-521

MARINE GEOLOGY—Continued

- Hawaii, Kilauea Volcano,
south-central flank, ocean-bottom
topography, inferred faults,
landslides I-456
Indian Ocean I-380
Nova Scotia to Florida,
relation land and submarine
topography I-451
Subsea mineral resources and
problems of development C 619
World subsea mineral resources,
map I-632

MASS MOVEMENTS

- Debris flow, Irazú Volcano,
Costa Rica B 1241-I

MERCURY

- Alaska
occurrences, map MR-54
Red Devil mine, Kuskokwim
region B 1142-G
southwestern B 1187
California, New Almaden
district P 360
In soil gas and air, tool in
mineral exploration C 609
In sphalerite and wallrocks,
central Kentucky, Tennessee,
Appalachian zinc districts B 1252-F
In the environment P 713
Occurrence and economic trends C 496
United States MR-30

METAMORPHIC ROCKS

- Brazil, Quadrilátero Ferrífero,
Minas Gerais P 641-B
California, analytic data Kaiser
Peak quadrangle P 644-C
Colorado, Morrison quadrangle B 1251-E
Idaho, Belt Series P 344-E
Idaho batholith, anorthosite,
metasomatic origin P 344-B
Potomac River gorge P 414-H

METAMORPHISM

- California, Mono Craters
quadrangle, Sierra Nevada B 1221-E
Idaho
Belt Series, Elk River-Clarkia
area P 344-C
Riggins region P 436
Metasomatic
Idaho batholith P 344-A
low-temperature reaction zones
and ultramafic rocks, California,
Oregon, Washington B 1247
Ultramafic rocks, talc-bearing,
Vermont P 345

METASOMATISM. *See* METAMORPHISM.

METEOR CRATERS

- Australia, Henbury, Northern
Territory P 599-C

METEOR CRATERS—Continued

- Terrestrial impact structures
bibliography B 1220
bibliography, 1965-68 B 1320

METEORITES

- Gold content C 603

MICA

- North Carolina
Blue Ridge P 577
Casar quadrangle MF-257
Water content P 474-F

MINE WATERS. *See under* HYDROLOGY.

MINERAL DEPOSITS, ORIGIN

- Altered wall rocks, Front
Range mineral belt, Colorado P 439
Coeur d'Alene district, Idaho P 445
Colorado, Creede district P 487
Hydraulic equivalence grains
quartz and heavier minerals,
implications for study of placers P 594-F
Jasperoidizing solution, direction
movement B 1222-F
Manganese and iron oxides, Shenandoah
Valley Va.-W. Va. P 484
Ore Knob copper and other
massive sulfide deposits, Appalachian
region P 558
Silver-rich disseminated sulfides
from tungsten-bearing quartz
lode, Big Creek district
Idaho P 594-C
Tin and beryllium, western Seward
Peninsula, Alaska B 1242-F
Tin and other ores, Lost River
mine area, Alaska B 1129
Uranium
epigenetic deposits in sandstone,
United States P 538
in Dripping Spring Quartzite,
Gila County, Ariz. P 595
Uranium
in lignite and carbonaceous shale P 463
structural control vein deposits,
United States P 455-G
Uranium-vanadium deposits, Monument
Valley, Ariz. B 1103

MINERAL RESOURCES (GENERAL).

- For areal papers, *see* AREAS
index. *See also* specific mineral
commodities; MINING DISTRICTS.

Subsea

- map I-632
problems related to development C 619
United States and world energy
resources, bibliography C 641

MINERALOGY. *See also* CLAY MINERALS;
GEOCHEMISTRY; names of individual
minerals.

- Authigenic silicate minerals
in tuffs Pleistocene, Lake
Tecopa, Calif. P 597

MINERALOGY—Continued

- Belt rocks, northern Idaho and northwestern Montana B 1312-O
- Beryllium minerals, crystal chemistry P 468
- Carbonate, Eniwetok Atoll P 260-BB
- Carbonatite dikes and fenite, Gem Park Complex, Colorado P 649
- Celadonite and glauconite P 614-F
- Chlorites, composition and classification P 414-A
- Deep Springs Lake, playa, California P 502-A
- Galena ores, micromineralogy, East Tintic district, Utah P 614-A
- Manganese deposits, Maine P 362
- Nonclastic minerals, Searles Lake evaporite deposit, California B 1181-P
- Nonopaque minerals B 848
- Ore minerals, microscopic determination B 914
- Pierre Shale, South Dakota and Nebraska P 392-B
- Saline minerals, Green River Formation P405
- Sediments
- Brookhaven National Laboratory, Long Island, N. Y. B 1156-B
- from drill holes on continental margin off Florida P 581-E
- Serpentine, Garnet Ridge, Ariz. B 1103
- Serpentine-group minerals P 384-A
- Serpentinite and rodingite, Hunting Hill Quarry, Montgomery County, Md. B 1283
- Silver-rich disseminated sulfides from tungsten-bearing quartz lode, Big Creek district, Idaho P 594-C
- Soils, Guam P 403-F
- Stream sediments, relation to cation-exchange capacity P 433-D
- Thermodynamic properties minerals and related substances B 1259
- Uranium- and thorium-bearing minerals, glossary B 1250
- Uranium-bearing veins P 455-D
- Uranium-vanadium deposit Monument Valley area, Ariz. B 1103
- X-ray crystallographic data, molar volumes, densities of minerals and related substances B 1248
- Zeolites
- formed during diagenesis tuffs, Barstow Formation, California P 634
- natrolite group P 504-D, E

MINING DISTRICTS

- Alaska
- Livengood gold placer district, potential for lode deposits C 590

MINING DISTRICTS—Continued

- Alaska—Continued
- metalliferous lode deposits B 1246
- Arizona
- Globe-Miami P 342
- Greaterville, structure control of geochemical anomalies B 1312-A
- Jerome, aeromagnetic map GP-402
- Pima, geochemical study alluvium-covered copper B 1312-C
- Brazil
- Boquira lead-zinc B 1110-A
- California
- Cerro Gordo P 408
- Mother Lode gold and Sierra Foothills copper mining districts, aeromagnetic map GP-561
- Shasta, copper-zinc P 338
- Colorado
- Central City P 359, 474-C
- Creede
- geology, structural control ore deposition P 487
- Cripple Creek
- distribution gold, tellurium, silver, mercury and other metals P 625-A
- Empire, utilization humus-rich forest soil in geochemical, exploration gold C 562
- Eureka and adjoining districts, geology, ore deposits P 535
- Front Range mineral belt B 1182-A; P 371, 439
- Idaho Springs district, economic geology B 1208
- Lawson-Dumont-Fall River, geology, ore deposits B 1231
- Ralston Buttes, geology, uranium P 520
- Slick Rock
- stratigraphy P 576-A
- structure P 576-C
- Uranium-vanadium B 1107-B; MF-241
- South Silverton P 378-A, B
- Summitville lead, copper, molybdenum, zinc geochemical anomalies C 557
- Idaho
- Alder Creek, geology B 1252-A
- Big Creek, silver-rich disseminated sulfides P 594-C
- Coeur d'Alene B 1142-A; P 445, 478
- Kansas-Missouri-Oklahoma, Tri-State, aeromagnetic nap GP-427
- Montana, Bannack and Blue Wing I-433
- Nevada
- Cornucopia, revised age relations rocks C 549
- Ely, gold, silver, tellurium, mercury, distribution C 535

MINING DISTRICTS—Continued

Nevada—Continued

- Eureka P 406
 Pioche, Cambrian rocks P 469
 Railroad B 1162-B

New Mexico

- Ambrosia Lake, stratigraphy,
 structure B 1272-E
 Lake Valley, jasperoids B 1222-D
 Silver City GP-424
 Steeple Rock, geology, ore
 deposits B 1222-E

North Carolina, Spruce Pine,

- pegmatite B 1122-A

South Dakota, Galena-Roubaix

- district, structure and mineralization
 Precambrian rocks B 1312-E

Southeast Missouri, Illinois-Kentucky,

- regional structure B 1202-B

Utah

- Bingham, upper Paleozoic rocks P 629-A
 East Tintic B 1172
 micromineralogy galena ores P 614-A
 Temple Mountain, geology,
 uranium B 1192

Washington

- Danville B 1169
 Metaline zinc-lead P 489
 Republic gold-silver district,
 geology B 1216

MINING HYDROLOGY. *See* HYDROLOGY.

MOLYBDENUM

- Alaska, Juneau area C 615
 Geochemical prospecting, Pima
 mining district, Ariz. B 1312-C
 In surface water, Colorado W1535-N
 United States MR-55
 geology of deposits B 1182-E

MONAZITE

- Fluvial deposits, Southeastern
 United States P 568
 Geologic occurrence P 530
 North Carolina
 Casar quadrangle MF-257
 Shelby quadrangle B 1162-F

MOON. *See also* AREAS index.

- Photoelectric-photographic study
 of normal albedo P 599-E
 Seismic detection near-surface
 cavities P 599-A
 Surface, engineer study, map I-351

N

NAMES, GEOGRAPHIC

- Delaware place names B 1245

NATIONAL PARKS AND MONUMENTS.

- Individual parks are listed under this
 heading in the AREAS index.

NICKEL

Alaska

- Funter Bay B 1155
 Livengood area C 615
 North American deposits B 1223

NIOBIUM

- Geochemistry P 612
 United States, map MR-36

O

OIL. *See* PETROLEUM.

OIL SHALE

- Green River Formation, Colorado-Utah-
 Wyoming P 496-A, 548
 Organic-rich shale, U.S. and
 world land areas C 523

ORE MINERALS. *See* MINERAL
DEPOSITS, ORIGIN; MINERALOGY.

P

PALEOBOTANY. *See* PALEONTOLOGY.

PALEOCLIMATOLOGY

- California, San Joaquin
 basin, Tertiary trends P 644-D

PALEOGEOGRAPHY

- Cretaceous, southeastern Arizona
 and adjacent areas P 658-B
 Devonian, central Arizona P 464
 Permian System, paleotectonics ... I-450; P 515
 Permian Tethyan seaway P 593-A

PALEOLIMNOLOGY. *See* LIMNOLOGY.

PALEONTOLOGY

Alaska

- Amchitka Island, vegetation P 648
 Simpson area, cores P 305-L

Algae

- Cenozoic, calcareous, Guam P 403-G
 Devonian, *Foerstia* zone, Ohio
 and Chattanooga Shales,
 Ohio B 1294-B
 Eocene, Ishigaki-shima P 399-C
 Marshall Islands P 260-Z

Ammonites

Cretaceous

- Haresiceras* Reeside, origin P 454-I
Leconteites and *Brewericeras*,
 Pacific Coast region P 503-F
 Matanuska Formation, Alaska P 547
 Pierre Shale and equivalent
 rocks P 483-E

Scaphites leei Reeside and*Scaphites hippocrepis* (DeKay).

- western interior United States ... P 619
 southern Alaska P 432

Jurassic P 374-C, D, 418-A

Alaska P 418-B

central Saudi Arabia P 643-D

PALEONTOLOGY—Continued

Ammonites—Continued

Jurassic—Continued

- eastern Oregon and California . . . P 593-C
- Oregon, Idaho . . . P 483-D

- Jurassic-Cretaceous, California-Oregon,
Buchia zones . . . P 647-B

- Pennsylvanian, early *Reticuloceras*
Zone fauna, Panno Hale-Formation,
Arkansas . . . P 613-A

- Ammonoids, Pennsylvanian, southern
Nevada . . . P 613-C

- Amphineura, Late Cretaceous . . . P 593-G
- Aquilapollenites* and *Fibulapollis*,
Cretaceous, Alaska . . . P 643-A

- Belt Series, Montana . . . P 346

Brachiopoda

- Devonian, Bois Blanc Formation,
western New York . . . P 584-B
- Eniwetok and Bikini Atolls . . . P 260-FF
- Ordovician

- Basin Ranges, Western United
States . . . P 523-D
- Garden City Formation, Utah . . . P 593-H
- Kentucky . . . P 583-A
- Nevada . . . P 639

- Bryozoa, Eniwetok Atoll . . . P 260-EE

- Buchia* zones, Jurassic-Cretaceous,
Colyear Springs-Paskenta
area, California . . . P 647-A

- Cambrian-Early Ordovician,
east-central Alaska . . . P 559-A

- Carboniferous
central Montana . . . P 348
- megafaunal and microfaunal zonation,
northern Rocky Mountain
region . . . P 613-E

Cephalopods

- Carboniferous
Arkansas . . . P 460
- California . . . P 483-A

- Chitons and gastropods, western
Pacific Islands . . . P 531

- Coal balls, marine animals in . . . P 354-I

- Conodonts, Late Devonian,
redescription . . . P 578

Corals

- Billingsastraea*, Devonian . . . P 483-B
- Eniwetok Atoll . . . P 260-DD
- Lockport Dolomite, New York . . . P 414-G

Mississippian

- Fayetteville Shale . . . P 606-A, B
- Kogruk Formation, northwestern
Alaska . . . P 664
- Prince of Wales Island,
Alaska . . . P 534

Paleozoic, Western United

- States . . . P 503-E
- Silurian, Maine and Quebec . . . P 430

PALEONTOLOGY—Continued

Cretaceous

- Alaska, megafossils . . . P 335
- pre-Selma core samples, western
Alabama . . . B 1160

- Crustaceans, Marshall Islands . . . P 260-HH

Diatoms

- Eocene, nonmarine, Beaver
Divide area, Wyoming . . . P 593-E
- Miocene, Kilgore area, Nebraska . . . P 683-A
- Pleistocene, Trempealeau Valley,
Wis. . . . P 523-A

Echinoids

- Cretaceous, Wyoming . . . P 393-A
- Eocene, Ishigaki-shima . . . P 399-B
- Marshall Islands . . . P 260-GG

Ferns, Triassic, Chinle

- Formation, Fort Wingate
area, New Mexico . . . P 613-D

Foraminifera

- Alaska . . . P 236-C
- benthonic, Central America . . . P 429-B
- Bolivinidae, Central America . . . P 429-A
- Cenozoic, Midway atoll . . . P 680-E

Cretaceous

- Monmouth Group, Long Island,
N.Y. . . . P 483-I
- Pierre Shale and Fox Hills
Sandstone, north-central
South Dakota . . . P 611
- Eocene, Eua, Tonga . . . P 640-A, B
- Gilbert Islands . . . P 354-H
- Guam . . . P 403-I

- Miocene

- Adelaida quadrangle,
California . . . B 1271-A
- Midway atoll, Hawaii . . . P 680-C

- planktonic, Eniwetok Atoll . . . P 260-CC

- Recent, Gulf of Alaska,
southeastern Alaska . . . P 573-A

Tertiary

- Guam . . . P 403-E
- Okinawa . . . P 454-F
- Olympic Peninsula, Wash. . . . P 374-G

- Fossil plants, index of generic
names, 1820-1965 . . . B 1300

Fusulinids

- Pennsylvanian, Canyon Group,
Brown County Tex. . . . P 573-C

Permian

- California . . . P 593-A
- West Pakistan . . . P 643-G

Gastropods

- Cenozoic, western North America . . . P 503-B

Cretaceous

- Pierre Shale Wyoming . . . P 393-B
- Tennessee- Mississippi . . . P 331-B, C
- Jurassic, marine, Utah . . . P 503-D

Miocene, Kern River area

- California . . . P 642

PALEONTOLOGY—Continued

Gastropods—Continued

- Mississippian, Fayetteville
Shale P 606-A, D
- Ordovician *Teiichispira* P 613-B
- Paleozoic, Moose River synclinorium,
Maine P 503-A
- Recent boreholes and Ordovician
cylindrical borings P 593-B
- Tertiary, Canal Zone and
adjoining Panama P 306-C, D
- Glyptagnostus*, other trilobites P 374-F
- Graptolites
- Early Silurian, southeastern
Alaska, correlation with
sequences in North America
and Arctic P 653
- Ordovician, Basin Ranges B 1134
- Leaves, Eocene-early Oligocene,
King County, Wash. P 571
- Lituyapecten*, Alaska-California P 354-J, K
- Mesozoic, micropaleontology,
northern Alaska P 302-D
- Miocene floras, Fingerrock
Wash, southwest Nevada P 454-N
- Mollusks
- Eocene
- Eua, Tonga P 640-C
- Ishigaki-shima P 399-B
- late Paleozoic, Hyolitha,
Amphineura Scaphopoda,
Gastropoda, bibliographic
index B 1210
- Mattheva, proposed new class P 523-B
- Miocene marine, Astoria Formation,
Oregon P 419
- Mya*, Tertiary P 483-G
- Ordovician, *Polytopia* P 593-F
- Tertiary migrations P 483-G
- Ordovician
- cylindrical borings P 593-B
- northeastern Maine B 1181-E
- southernmost Nevada-adjacent
California B 1180-C
- Ostracodes
- Cretaceous, Pine Valley
quadrangle, Nevada P 643-B
- Hemicytheridae and Trachyleberididae,
Recent, Atlantic Shelf
and Slope off northeastern
North America P 564
- Mississippian
- Fayetteville Shale P 606-A, F
- Pseudoleperditia* Schneider,
1956, southwestern Nevada P 643-C
- Paleozoic P 303-B
- Tertiary, Waccamaw Formation,
North Carolina, South
Carolina P 573-D

PALEONTOLOGY—Continued

Ostracodes—Continued

- Theriosynoecum wyomingense*,
guide fossil B 1161-A
- zoogeography, southern Nova
Scotian and northern Virginian
faunal provinces P 529-E
- Otter Creek coral bed, Ordovician,
Kentucky B 1244-F
- Oysters, Cretaceous, Gulf
Coast and Caribbean P 483-H
- Paleocene flora, Rocky Mountains
and Great Plains P 375
- Pancho Rico Formation, Pliocene,
Salinas Valley, Calif. P 524-A
- Pectinida, Cenozoic, Alaska,
Iceland, other northern regions P 553
- Pelecypods
- Jurassic marine, Utah P 483-C
- Mississippian, Fayetteville
Shale P 606-A, C
- Otapiria* Marwick and *Lupherella*
Imlay, Mesozoic, Oregon,
California, Alaska P 573-B
- Pennsylvanian and Permian rocks,
Kansas P 323
- Permian, Phosphoria, Park
City, Shedhorn Formations,
Idaho, Montana, Utah,
Wyoming P 313-D
- Pierre Shale, Cretaceous,
Wyoming P 393-A
- Pioche shale faunules, Cambrian,
Nevada P 469
- Pleistocene, paleoecology and
zoogeography, central California P 523-C
- Pollen and spores
- Eocene, Mississippi, Yazoo
Clay P 643-E
- Illiciaceae?, new, Late
Cretaceous and Paleocene P 643-F
- Miocene, Eniwetok Atoll,
Marshall Islands P 260-II
- Russellites*, problematical plant,
Early Permian, Texas P 593-I
- Salterella*, Cambrian, Nevada P 643-H
- Salterella conulata* Clark,
Cambrian, eastern North
America P 683-B
- Soricidae, subfamilies and genera P 565
- Sphenopsids, Permian, Antarctica P 613-F
- Spores and other microfossils,
Devonian and Mississippian,
Ohio P 364
- Tertiary floras, Cook Inlet,
Alaska P 398-A, B
- Tinsleya*, seed-bearing callipterid
plant, Permian, Texas P 523-E

PALEONTOLOGY—Continued

Trilobites

Cambrian

east-central Alaska P 559-B

Great Basin P 493

Nevada P 483-F

Mississippian, Fayetteville

Shale P 606-A, E

Ordovician

Basin Ranges, Western United

States P 523-D

Kentucky and Ohio P 583-B

Nevada P 639

Twin Creek Limestone, Jurassic,
western interior United States P 540

Upper Paleozoic floral zones,

floral provinces, United

States P 454-K

Vertebrates, Permian, Cutler

Formation, Colorado P 503-C

Zoogeographic evidence late

Tertiary lateral slip, San

Andreas fault, California P 593-D

PATTERNED GROUND

Salt pan, Death Valley,

Calif. P 494-B

PEAT

New York, southeastern B 1317-B

PEGMATITE

New Hampshire, beryl resources P 353

North Carolina

Blue Ridge P 577

Spruce Pine district B 1122-A

South Dakota

Berne quadrangle P 297-F

Black Hills P 297-D, E

Beecher No. 3-Black Diamond

pegmatite B 1162-E

Helen Beryl, Elkhorn, Tin

Mountain pegmatites P 297-C

Hugo pegmatite P 297-B

PERLITE

Alaska, Alaska Range B 1155

PERMAFROST

Alaska

engineering problems P 678

ground water P 696

Imuruk Lake area, Seward

Peninsula B 1141-C

map

..... I-445

Ground water, bibliography W 1792

Pingos, central Alaska B 1241-H

Thermal effects of heated pipeline C 632

PETROFABRICS

Direction movement jasperoidizing

solutions B 1222-F

PETROLEUM. *See also* OIL SHALE.

Alaska, Simpson area P 305-L

California

Puente Hills area P 420-B

PETROLEUM—Continued

California—Continued

Santa Barbara Channel region .. P 679-B, C

Colorado

Green River Formation,

Uinta Basin P 548

Thornburg oil and gas field

and vicinity, geologic map OM-216

Exploration, mass properties

sedimentary rocks and gravimetric

effects oil and gas reservoirs P 528-A

Gravimetric effects petroleum

accumulation C 530

Kentucky, Salyersville North

quadrangle B 1047-B

Montana, Winnett-Mosby area B 1149

Precise borehole gravimetry C 531

Refining industry, water

requirements W 1330-G

Resources, United States

and world C 522

Texas, oil and gas fields, pipelines,

basement rocks, map OM-214

United States,

future producing capacity B 1142-H

oil and gas fields map p. 197

Utah, Green River Formation,

Uinta Basin P 548

Wyoming

Fort Hill quadrangle P 594-M

Shotgun Butte area B 1157

Thermopolis area OM-213

Wind Creek oil field, Upton

quadrangle B 1181-J

PETROLOGY AND PETROGRAPHY.

See also DIAGENESIS.

Alaska, Pybus-Gambier area,

Admiralty Island B 1178

Alkalic igneous complex, Magnet

Cove, Ark. P 425

Ash-flow tuffs P 366

Authigenic silicate minerals

in tuffs, Pleistocene Lake

Tecopa, Calif. P 597

Basalt, Eniwetok Atoll P 260-BB

Basalt cores, Midway atoll

Hawaiian Islands P 680-B

Belt Series, Snow Peak-Mallard

Peak region, Idaho P 344-E

Bleached rock, Coeur d'Alene

district, Idaho P 445

Caribou stock, Boulder County,

Colo. I-496

Compositionally zoned ash-flow

sheet, southern Nevada P 524-F

Diabase, Taylor Glacier

region Antarctic P 456-B

Diagenesis in oolitic limestones,

Arkansas and Oklahoma P 594-H

PETROLOGY AND PETROGRAPHY—Con.

- Evaporites, Wellington Formation,
Kans. B 1201-A
- Granitic and metamorphic rocks,
Kaiser Peak quadrangle,
Sierra Nevada, California P 644-C
- Granitic bodies, Inyo Mountains,
Calif. P 601
- Idaho batholith
Belt series P 344-C
cross section B 1181-G
igneous rocks P 344-D
- Igneous
Dry Mountain quadrangle,
Montana B 1221-F
northern Elkhorn Mountains,
Montana P 510
Ute Mountains area, Colo. P 481
- Insoluble residues, limestones,
Guam P 403-D
- Island Park caldera, rhyolite
and basalt, eastern Idaho P 504-C
- Lava
Kilauea Iki Lava Lake,
Hawaii P 537-B
Kilauea Volcano, Hawaii,
1959-60 eruption P 537-D
- Layered gabbro stocks, Fairweather
Range, Alaska B 1121-F
- Limestone
Guam P 403-D
Texas P 315-E
- Mafic-ultramafic layered intrusion,
Iron Mountain, Fremont
County, Colo. B 1251-A
- Maine, Greenville quadrangle B 1241-F
- Metamorphism, metasomatic, Idaho
batholith P 344-A
- Morrison Formation, Colorado
Plateau region P 556
- Pegmatites ternary diagrams
quartz-feldspar content, Colorado B 1241-D
- Pegmatitic trachyandesite plugs
and associated volcanic rocks,
Saline Range-Inyo Mountains
region, California P 614-D
- Permian rocks, southwestern
Montana P 313-C
- Phosphate nodules, Niobrara
Formation, Black Hills,
S. Dak. P 594-L
- Precambrian melasyenite, Ute
Creek, San Juan Mountains,
Colo. B 1311-C
- Precambrian rocks, Central
City district, Colorado P 474-C, 554-E
- Rapid modal analysis, felsic
rocks B 1209
- Sandstones and shales, Paleozoic,
Florida P 454-A
- Sedimentary rocks, Slick Rock
district, Colorado P 576-B
- Sediments underlying areas of
land subsidence central California P 497-C

PETROLOGY AND PETROGRAPHY—Con.

- Serpentine and rodingite,
Hunting Hill Quarry,
Montgomery County, Md B 1283
- Sierra Nevada batholith P 414-D
- Ultramafic rocks, talc-bearing,
Vermont P 345
- Volcanic rocks
glassy and crystalline, chemical
comparison B 1201-D
- Guam P 403-C
- Lava Mountains, Calif. P 457
- Mount Jefferson area, Oregon B 1251-G
- Truk Islands P 409
- PHOSPHATE**
Colombia B 1272-A
- Deposits B 1252-D
- Florida
Chicora quadrangle B 1162-A
Fort Meade quadrangle B 1207
Lakeland quadrangle B 1162-G
Plant City quadrangle B 1142-D
uraniferous deposits B 1118, 1128
- Idaho, Georgetown Canyon-Snowdrift
Mountain area B 1153
- Montana, southwest P 313-E
- South America, sources B 1240
- Utah, phosphatic rocks, Permian
and Mississippian, Weber
County C 635
- Wyoming-Utah, uraniferous
phosphatic lake beds, Eocene P 474-E
- PHOTO GEOLOGY. See also**
INFRARED METHODS; INFRARED
SURVEYS.
Aerial photographs in geologic
interpretation and mapping P 373
- Catalog aerial photographs of
geologic features
outside the United States P 591
- United States P 590
- Recognition criteria igneous
and metamorphic rocks southeastern
Alaska B 1043-E
- PHREATOPHYTES**
Phreatophytes W 1423
- PIPELINES**
In permafrost, thermal effects
heated pipeline C 632
- PLANETARY EXPLORATION**
Strategy for geologic exploration C 640
- PLATINUM**
Geology, world deposits P 630
- Wyoming, New Rambler mine
and vicinity C 607
- PLEISTOCENE GEOLOGY. See**
QUATERNARY GEOLOGY.
- PLEISTOCENE LAKES**
Alaska, proglacial lakes, extent,
map I-415
- California, Lake Tecopa,
authigenic silicate minerals
in tufts P 597
- Deposits, review and bibliography B 1080
- Great Basin I-416

PLEISTOCENE LAKES—Continued

- Idaho, Lake Bonneville, catastrophic late Pleistocene flood, Snake River Plain P 596
- Massachusetts, Lake Nashua, Lake Assabet, Lake Leominster GQ-567
- Nevada, Lake Lahontan P 401
- Utah
 - Lake Bonneville deposits, relation to glacial deposits P 454-D
 - isostatic deformation P 454-E
 - stratigraphy, history P 477
 - unconsolidated deposits P 257-B

POPULAR GEOLOGY

- Are we running out of water? C 536
- Arizona water W 1648
- Colorado, Black Canyon of the Gunnison B 1191
- Delaware water W 1767
- El Morro National Monument, N. Mex. W 1766
- Flaming Gorge area, Utah P 490
- Great Falls and Potomac River Gorge, geologic story Misc. rept. p. 195
- Great Smoky Mountains National Park, Tenn.-N.C. P 587
- Interior of the earth C 532
- Lake Tahoe basin, California-Nevada W 1972
- Mount Rainer, geologic story B 1292
- Mount Rainier National Park, surficial geology B 1288
- Pécos National Monument, N. Mex. B 1271-E
- Philmont country, New Mexico, rocks and landscape P 505
- Red Lake River, Minn., reconnaissance HA-299
- Uinta Mountains, geologic story B 1291
- Water for Oklahoma W 1890

POTASH

- New Mexico, evaporite geology, Fifth ore zone, Carlsbad district B 1252-B
- South America, sources B 1240

PRIMITIVE AREAS. See WILDERNESS AREAS AND WILDLIFE REFUGES.

PYROPHYLLITE

- United States MR-18

Q

QUATERNARY GEOLOGY

- Alaska
 - Kenia Lowland P 443
 - Mt. Chamberlin area, Brooks Range B 1201-B
- Colorado
 - Grand and Battlement Mesas area P 617
 - Kassler quadrangle P 421-A
- Idaho, Long and Bear Valleys B 1311-A

QUATERNARY GEOLOGY—Continued

- Indiana and Kentucky, Owensboro quadrangle P 488
- Massachusetts
 - Athol quadrangle B 1163-C
 - Greenfield quadrangle GQ-474
- Utah, Lake Bonneville, eastern Jordan Valley P 477
- Washington
 - Renton, Auburn, Black Diamond quadrangles P 672
 - Seattle area B 1194-O

R

RADIATION

- From atmosphere and water surface, methods computation P 272-F

RADIOACTIVE WASTE DISPOSAL

- Alaska, potential effects Project Chariot on local water supplies P 539
- Brookhaven National Laboratory, Suffolk County, N.Y., hydrologic analysis liquid-waste releases B 1156-E
- Dispersion in ground-water flow P 386-B
- Georgia Nuclear Laboratory area B 1133-D, F
- H-montmorillonite, relation dual acidity and structure P 386-C
- Hartford Research Center, CANEL site, Middletown, Conn. B 1133-G
- Ion-exchange minerals, literature survey W 1616
- National Reactor Testing Station, Idaho, subsurface geology B 1133-E
- Rock salt deposits as storage sites B 1148
- Strontium sorption on crandallite B 1144-C
- Transport of radionuclides by streams
 - Clinch River, eastern Tennessee C 497; P 433-G
- composition of water in Clinch River, Tennessee River, and Whiteoak Creek P 433-J
- dispersion dissolved or suspended material in flowing streams P 433-B
- laboratory investigation, open-channel dispersion processes for dissolved, suspended, and floating dispersants P 433-E
- mineralogy and cation exchange capacity sediments P 433-D
- radionuclides in bottom sediments, Clinch River, eastern Tennessee P 433-H, I
- role stream-sediment components in radioion sorption P 433-F
- stream dispersion at selected sites P 433-K
- uptake and transport by stream sediments P 433-A

RADIOACTIVITY

Texas, Tordilla Hill-Deweesville
area GP-199

RADIUM

In ground water, 1954-57 United
States P 426

RARE EARTHS

Alaska, occurrences, map MR-56
Brazil, Morro do Ferro deposit B 1185-D
United States MR-28

RARE ELEMENTS

China, mainland B 1312-N

REMOTE SENSING

Application to water-oriented
outdoor recreation planning PB1-94810
Bibliography for earth resources PB1-92863,
95748
Hydrologic resources in Great
Plains PB1-95451
Multispectral separations from
multilayer films PB1-95498
Sensor detection capabilities
study C 616

RESERVOIRS. Main listings under
ENGINEERING GEOLOGY; RIVERS.

Colorado, fluvial sediment,
K-79 Reservoir, Kiowa
Creek basin W 1798-D
United States, having usable
capacity of 5,000 acre-feet
or more W 1838

RIVERS. *See also* FLOODS; GEOCHEM-
ISTRY; HYDRAULICS; HYDROLOGY;
SEDIMENTATION; WATER,
QUALITY; WATER, SURFACE.

Amazon River, discharge and
water quality C 552
Cimarron River, Kan., channel
widening and flood-plain
construction P 352-D
Clinch River, Tenn., transport
of radionuclides C 497; P 433-H, I
Colorado River
exploration, geologic history,
rapids and pools P 669
water supply—magnitude and
distribution P 486-D
Discharge to sea from conterminous
United States, Alaska,
and Puerto Rico HA-282
Duwamish River estuary, Seattle,
Wash., phytoplankton blooms,
effects on dissolved oxygen W 1873-A
Flood plains, formation P 282-C
Great Miami River, Ohio,
time of travel, water, Dayton
to Cleves C 546
Green and Duwamish Rivers,
Wash., methods predicting
dispersion coefficients P 582-A
Missouri River
measurement mixing characteristics
between Sioux City, Iowa,
and Plattsmouth, Nebr. W 1899-G
travel of solutes HA-332

RIVERS—Continued

Murrumbidgee River and paleochannels,
Australia, adjustment to
altered hydrologic regimen P 598
Pigeon River, Mich., reconnaissance .. HA-333
Quantitative comparison of aesthetic
factors C 620
Rubicon River, Calif., flood
surge P 422-M
Trask River, Oreg., waterpower
sites W 1610-B
United States, large rivers C 44
Willamette River, Oreg.,
water-discharge determinations
for tidal reach, Ross Island
Bridge to mile 10.3, Portland W 1586-H
ROCK SLIDES. *See* LANDSLIDES;
MASS MOVEMENTS.
RUTILE
In Precambrian gneiss, Colorado C 567
Virginia, placer deposits, Roseland
district B 1312-F

S

SALT

California, Death Valley P 494-B
Radioactive waste storage in B 1148

SALT STRUCTURES

Utah and Colorado
La Sal Mountains area P 316-F
La Sal quadrangle P 508

SANDSTONE. *See* SEDIMENTARY ROCKS.SATELLITE PHOTOGRAPHY. *See*
SPACE PHOTOGRAPHY.

SEAMOUNTS

Internal magnetization, computer
calculation P 554-F

SEDIMENT

Analysis, laboratory theory
and methods TWI 5-C1
Atlantic Continental Shelf
and Slope
color marine sediments P 529-D
northeastern
gravel P 529-H
sand C 602
off Florida
calcium carbonate, organic carbon,
nitrogen content P 581-B
mineralogy and origin P 581-E
organic extracts from JOIDES
cores P 581-C
Calcium carbonate P 350
California, yield Castaic
watershed, western Los Angeles
County P 422-F
Effects on flow, alluvial channels ... W 1498-G
Fluvial
K-79 Reservoir, Kiowa Creek
basin, Colorado W 1798-D
King County, Wash. W 1852
Little Blue River basin,
Nebraska-Kansas W 1819-H

SEDIMENT—Continued

Fluvial—Continued

Mississippi River at St.

Louis, Mo. W 1802, 1819-J

source, transport, deposition,

measurement of discharge B 1181-A

southern Wisconsin W 1669-B

In deep-sea basin off Atlantic

Coast P 529-B

Nondetriral siliceous, geochemistry P 440-T

Problems in urban areas C 601-E

Suspended ultrasonic

measurement B 1141-A

Transport

alluvial channels

bedload equation, ripples and

dunes P 463-H

behavior of large particles falling

in quiescent liquids P 562-C

Cache Creek drainage basin,

Coast Ranges, Calif. P 562-A

effects water temperature on discharge

bed material P 462-G

field measurement of initiation

of large bed particle motion,

Blue Creek near Klamath,

Calif. P 562-G

flume experiments, coarse sand P 562-B

flume experiments, data 1956-61 P 462-I

flume width and water depth effects

in experiments P 562-H

fluorescent sand as tracer fluvial

sediment P 562-E

response laboratory channel to

changes of hydraulic and

sediment-transport variables P 562-D

Rio Grande, N. Mex. P 462-B, F

Rio Puerco, N. Mex. P 462-C

sand-bed streams

discharge sands and mean-veloc-

ity relationships P 462-A

scour and fill P 462-D

storm-period variables affecting P 462-E

by streams in Palouse River

basin, Washington and Idaho W 1899-C

by streams in Walla Walla

River basin, Washington

and Oregon W 1868

composition water in Clinch

River, Tennessee River,

Whiteoak Creek, Tenn. P 433-J

Georgia stream W 1668

hydraulic equivalence grains quartz

and heavier minerals P 594-F

in area of suburban highway construction,

Scott Run basin, Fairfax

County, Va. W 1591-E

open-channel dispersion processes

for dissolved, suspended, and

floating dispersants P 433-E

radionuclides

Clinch River, Tenn. C 497; P 433-A, H, I

in bed material North Loup

River, Nebr. P 433-C

SEDIMENT—Continued

Transport—Continued

radionuclides—Continued

mineralogy and cation-exchange

capacity sediments in streams P 433-D

Rio Grande, N. Mex. W 1498-F, H

rivers P 422-I

role stream-sediment components

in radioion sorption P 433-F

stream dispersion at selected

sites P 433-K

Yields of Wisconsin streams HA-376

SEDIMENTARY ROCKS

Chemical composition, in Colorado,

Kansas, Montana, Nebraska,

North Dakota, South Dakota,

Wyoming P 561

Colorado, Slick Rock district,

petrography P 576-B

Iron-rich, chemistry P 440-W

Lake deposits near Hector,

Calif., core logs of test

holes B 1296

Mass properties; gravimetric

effects of petroleum and natural-gas

reservoirs P 528-A

Oolitic limestones, Pennsylvanian,

Arkansas and Oklahoma,

diagenesis P 594-H

Porosity, bulk density B 1144-E

Sandstone, chemical composition P 440-S

Saudi Arabia P 560-D

Shale, organic-rich United

States and world land areas C 523

SEDIMENTATION

Afghanistan, Kajakai Reservoir W 1608-M

Bedload measurement, apparatus

and techniques W 1748

Bibliography, United States

and Canada, 1955-58 W 1546

Calcium carbonate deposition,

Bahamas P 350

California

Bolinas Lagoon, Marin County C 627

clastic, Deep Springs Valley P 352-F

Lake Pillsbury, Lake County W 1619-EE

Channel and hillslope processes,

semiarid area, New Mexico P 352-G

Colorado, Kiowa Creek basin W 1798-A

Flood-plain deposition, botanical

evidence P 485-A

In small drainage basins

Brownell Creek subwatershed

No. 1, Nebraska W 1798-C

Little Arkansas River basin,

Kansas W 1798-B

Piru Creek watershed, southern

California W 1798-E

Plum Creek Subwatershed

No. 4, north-central Kentucky W 1798-G

upper Stony Creek basin, Coast

Ranges, Calif. W 1798-F

Kansas

Cimarron River P 352-D

Saline River basin W 1651

SEDIMENTATION—Continued**Nebraska****loess-mantled Great Plains****Medicine Creek drainage**

basin P 352-H

Salt Creek basin W 1669-H

North Dakota, Heart River

drainage basin W 1823

North Dakota-South Dakota,

Grand River drainage basin W 1769

Oregon, Alsea River basin C 490

Pennsylvania, effects agricultural**conservation practices Corey**

Creek basin, Tioga County W 1532-C

Sediment-load data, 1950-60,

U.S., Puerto Rico W 1547

Wyoming, Pierre Shale, Red

Bird P 393-B

SELENIUM

In sandstone-type uranium deposits . B 1162-C

SERPENTINE

Arizona, Garnet Ridge B 1103

**SHALE. See SEDIMENTARY
ROCKS.****SILVER****Alaska****Bowser Creek, McGrath**

A-2 quadrangle C 559

lode occurrences, map MR-32

Bolivia

San Cristóbal district B 1273

Idaho, in disseminated sulfides**from tungsten-bearing quartz**

lode, Big Creek district P 594-C

In veins of hypogene manganese

oxides C 553

Nevada, anomalous concentrations,**Mill Canyon area, Cortez**

quadrangle C 606

New Hampshire-Maine, White

Mountain Plutonic Series B 1312-D

United States

Utah, in galena ores, East

Tintic district P 614-A

SNOW

Chemical composition W 1535-J

SOIL MOISTURE

Measuring in field W 1619-U

Theory, review P 411-D

SOILS**Delaware****Bethany Beach area, engineering**

map HA-122

Burrsville area, engineering

map HA-135

Clayton area, engineering map HA-83

Dover quadrangle, engineering

map HA-139

Ellendale quadrangle, engineering

map HA-101

Frankford area, engineering

map HA-119

Frederica area, engineering,

map HA-140

Georgetown quadrangle, engineering

map HA-107

SOILS—Continued**Delaware—Continued****Greenwood quadrangle, engineering**

map HA-99

Harbeson quadrangle, engineering

map HA-108

Harrington quadrangle, engineering

map HA-136

Hickman area, engineering map

..... HA-100

Kenton area, engineering map HA-138

Laurel area, engineering map HA-123

Lewes area, engineering map HA-103

Little Creek quadrangle, engineering

map HA-134

Marydel area, engineering map HA-132

Middletown area, engineering

map HA-82

Milford quadrangle, engineering

map HA-133

Millsboro area, engineering

map HA-121

Milton quadrangle, engineering

map HA-102

Mispillion River quadrangle,

engineering map HA-137

Newark area, engineering map HA-64

Rehoboth Beach area, engineering

map HA-109

St. Georges area, engineering

map HA-60

Seaford East quadrangle, engineering

map HA-106

Seaford West area, engineering

map HA-105

Sharptown area, engineering

map HA-84

Smyrna area, engineering map

..... HA-81

Taylor's Bridge area, engineering

map HA-80

Trap Pond area, engineering

map HA-120

Wilmington area, engineering

map HA-79

Wyoming quadrangle, engineering

map HA-141

Distribution of principal types,

United States NA sheet 86

Guam, mineralogy P 403-F

New York-Pennsylvania, Elmira-

Williamsport region P 379

SPACE PHOTOGRAPHY**Algorithm for gridding satellite**

photographs PB1-93314

Apollo 6 photomaps of west-east**corridor from Pacific Ocean****to northern Louisiana Spec.**

map p. 357

As geographic tool for land-use**mapping of Southwestern United**

States PB1-96002

Earth resources observation**satellite—image utility at**

state level PB1-93859

Ground data-handling systems**for earth resources observation****satellite; user data processing**

requirements PB1-93666

SPRINGS

- Arizona, Gila River basin W 1619-H
 California, Agua Caliente
 Spring, Palm Springs,
 geology, hydrology W 1605
 Hawaii, detected by infrared
 images HA-218
 Nevada, Steamboat Springs
 thermal area P 458-A, B, C
 Tennessee, eastern W 1755
 Thermal springs, United States
 and world P 492
 Utah
 Clear Lake Springs, fluctuations
 in discharge W 1839-E
 East Tintic district, thermal
 springs P 504-F

STOCKS. *See* INTRUSIONS.

STRATIGRAPHY

- Aguada Limestone, Miocene,
 northwestern Puerto Rico B 1274-G
 Alaska
 Keku Islets and Kuiu and
 Kupreanof Islands B 1241-C
 Pybus-Gambier area, Admiralty
 Island B 1178
 Alaska Range, Birch Creek
 Schist, Kevy Peak Formation,
 Totatlanika Schist B 1254-E
 Albemarle Group, Ordovician (?),
 Carolina Slate Belt,
 North Carolina B 1274-B
 Arizona
 Grand Canyon P 669-B
 Santa Rita Mountains, new
 and revised stratigraphic names B 1274-C
 Bates Mountain Tuff, Miocene,
 Nye County, Nev. B 1294-E
 Beacon Sandstone, Antarctic P 456-A
 Bedford Shale, Berea Sandstone,
 Sunbury Shale Mississippian,
 Appalachian and Michigan
 basins B 1294-G
 Belt series, Montana P 346
 Black Hills uplift P 404
 Bois Blanc Formation, Devonian,
 New York P 584-A
 Borden Formation, Mississippian,
 Kentucky B 1224-F
 Breathitt Formation, Pennsylvanian,
 Kentucky B 1122-C
 Bridger Formation P 496-A
 California, Death Valley P 494-A
 Calloway Creek Limestone,
 Ashlock and Drakes Formations,
 Ordovician, Kentucky B 1224-D
 Cambrian
 carbonate rocks
 eastern Pennsylvania-
 western New Jersey B 1194-L
 Lancaster quadrangle,
 Pennsylvania B 1254-G
 east-central Alaska P 559-A
 Groom district, Nevada B 1244-G
 Pioche mining district, Nev. P 469
 southern Great Basin, California
 and Nevada P 620

STRATIGRAPHY—Continued

- Canelo Hills Volcanics,
 lower Mesozoic, southeastern
 Arizona B 1194-M
 Carboniferous, Montana P 348
 Carmel Formation, Jurassic,
 Zion Park region, Utah B 1244-J
 Carys Mills Formation, Ordovician
 and Silurian, northeast Maine,
 western New Brunswick B 1264
 Catoctin Formation, Upper
 Precambrian(?), Shenandoah
 National Park, Va. B 1265
 Cenozoic, Arizona, Mammoth
 area B 1141-E
 Chinle Formation, Triassic
 Arizona, New Mexico, Utah P 521-B
 north-central Colorado B 1274-N
 southeastern Utah and adjacent
 areas P 644-E
 Claiborne Group, Eocene
 Arkansas, Louisiana, Mississippi,
 Texas P 569-A
 Texas B 1251-D
 Clays Ferry Formation, Ordovician,
 Kentucky B 1224-B
 Cockfield Formation, Eocene,
 Louisiana and Mississippi,
 lithologic variations, depositional
 environment, geohydrology P 569-B
 Coffee Sand, Cretaceous,
 Mississippi P 331-C
 Colorado, Slick Rock district
 and vicinity P 576-A
 Columbia River Basalt, Idaho B 1141-L
 Comanche Series and associated
 rocks, Florida P 447
 Cottonwood Canyon Member,
 Madison Limestone, Devonian-
 Mississippian, Wyoming-
 Montana B 1251-B
 Cretaceous
 Alabama, pre-Selma core samples ... B 1160
 Alaska
 McCarthy quadrangle B 1274-K
 southern B 1180-A
 Black Hills B 1161-C
 California, Berkeley and San
 Leandro Hills B 1251-J
 New Mexico, San Juan Basin P 552
 Puerto Rico
 Naranjito and Aguas Buenas
 quadrangles B 1253
 northwestern B 1294-D
 west-central B 1254-B
 Wyoming
 Fossil basin P 635
 south-central P 667
 Cretaceous, Paleocene, lower
 Eocene, Wind River Basin,
 Wyo. P 495-A
 Cretaceous-Tertiary
 New Mexico, western San Juan
 Basin P 524-D
 Puerto Rico, Corozal quadrangle ... B 1244-C

STRATIGRAPHY—Continued

- Cretaceous-Tertiary boundary,
New Jersey, Delaware,
eastern Maryland B 1274-H
- Devonian
- Appalachian Basin, correlation
rock units OC-64
- Arizona, central P 464
- Nevada, Carlin-Pinon range
area B 1251-I
- Pennsylvania, New Jersey,
New York B 1243
- Williston Basin area B 1112-D
- Dinkey Creek roof pendant,
central Sierra Nevada,
Calif. P 524-B
- Dripping Spring Quartzite,
Precambrian, southeastern
Arizona B 1168
- Dutton Creek Formation, Paleocene,
Laramie basin, Wyo. B 1194-K
- Eocene, Washington, Kings
County, nonmarine rocks P 571
- Fayetteville Shale, Mississippian,
Arkansas and Oklahoma P 606-A
- Fish Creek Mountains Tuff,
Miocene, Lander County,
Nev. P 681
- Foranella* zone, Ohio and
Chattanooga Shales, Devonian,
Ohio B 1294-H
- Foot Creek Formation, Cretaceous
and Paleocene, Laramie
basin, Wyo. B 1194-K
- Fox Hills Sandstone, Cretaceous,
north-central South Dakota P 611
- Geyser Creek Fonglomerate,
Tertiary, Utah B 1224-E
- Goshen Formation, Silurian-Devonian,
western Massachusetts B 1254-D
- Grand Teton National Park
and vicinity, Wyoming P 516-E
- Green River Formation, Eocene,
Utah-Colorado-Wyoming P 496-A, 548
- Greenvale Cover Formation,
Upper Ordovician(?),
western Maine B 1274-L
- Gubik Formation, Quaternary,
northern Alaska P 302-C
- Gulf Series, Cretaceous,
northern Florida-southern
Georgia P 524-G
- Harrodsburg limestone, Mississippian,
Kentucky B 1224-I
- Hawley Formation, Ordovician,
western Massachusetts B 1254-D
- Hovey Group, Ordovician
or Silurian, northeastern
Maine B 1194-B
- Jefferson Formation, Devonian,
Montana-Wyoming B 1194-N
- John Day Formation, Tertiary,
Oregon B 1161-D
- Juana Lopez Member, Mancos
Shale, Cretaceous, San
Juan Basin, N. Mex. B 1224-H

STRATIGRAPHY—Continued

- Jurassic
- Black Hills B 1161-C
- Texas-Louisiana-Arkansas P 594-E
- Wyoming, south-central P 594-D
- Jurassic-Cretaceous, *Buchia*
zones, Colyear Springs-Paskenta
area, California P 647-A
- Kinnikinic Quartzite, Ordovician,
central Idaho, redefinition
and subdivision B 1254-J
- Lexicon of geologic names United
States, 1961-67 B 1350
- Lexington Limestone, Ordovician,
central Kentucky B 1224-C
- Lincoln Creek Formation,
Tertiary, Grays Harbor
basin, southwestern Washington B 1244-I
- Lunar, telescopic observations P 599-E
- Madison Group, Mississippian,
Livingston, Mont. P 526-B
- Mancos Shale, Meeker and
Lloyd Sandstone Members,
Cretaceous, Colorado B 1194-J
- Martinsburg Formation, Ordovician,
Delaware Valley, Pa.-N.J. B 1244-H
- Matagamon Sandstone, Devonian,
Maine B 1194-F
- Matanuska Formation, Cretaceous,
Alaska B 1181-I; P 547
- Mesozoic
- Alaska, east-central B 1274-I
- Arizona
- Comobabi and Roskrige Mountains,
Papago Indian Reservation B 1194-H
- Mule and Huachuca Mountains P 658-A
- Vekol Mountains, Papago
Indian Reservation B 1194-G
- Mesozoic(?), Arizona, Baboquivari
Mountains B 1194-I
- Miocene
- California
- Adelaida quadrangle B 1271-A
- Kern River area P 642
- Miocene-Pliocene, California,
Salinas Valley B 1194-E
- Mississippian, Nevada, Carlin-Pinon
range area B 1251-I
- Mississippian-Pennsylvanian
boundary, Big Snowy and
Amsden Groups, Montana P 554-B
- Moenkopi Formation, Triassic,
Arizona, New Mexico,
Utah P 521-B
- Monmouth Group, Cretaceous,
New York, Long Island P 483-I
- Morrison Formation, Jurassic
- Ambrosia Lake district,
New Mexico B 1272-E
- Salt Wash Member B 1161-A
- Nevada
- Antler Peak quadrangle P 459-A
- northern Shoshone Range P 465

STRATIGRAPHY—Continued

- Nevada Test Site P 382-A
 Niobrara Formation, Cretaceous
 Pueblo, Colo. P 454-L
 Significance phosphate nodules P 594-L
 Nomenclature
 Changes, U.S. Geological Survey
 1963 B 1194-A
 1964 B 1224-A
 1965 B 1244-A
 1966 B 1254-A
 1967 B 1274-A
 1968 B 1294-A
 1969 B 1324-A
 Cretaceous, east-central Puerto Rico B 1274-O
 lexicon geologic names U.S., 1936-1960 B 1200
 New London area, Connecticut B 1224-J
 Taconic B 1174
 Upper Tertiary and Quaternary volcanic rocks, Jemez Mountains, N. Mex. B 1274-P
 Oligocene, nonmarine rocks, King County, Wash. P 571
 Ordovician
 Alaska, east-central P 559-A
 Basin Ranges P 523-D
 Kentucky, Maysville area B 1244-B
 Nevada, eastern and central P 639
 Nevada-California B 1180-C
 Pennsylvania, Lancaster quadrangle, carbonate rocks B 1254-G
 Pennsylvania-New Jersey, carbonate rocks B 1194-L
 Utah, Garden City Formation P 593-H
 Oregon, Canyon City quadrangle I-447
 Otter Creek coral bed, Drakes Formation, Ordovician B 1244-F
 Paleocene-lower Eocene, Piceance Creek basin, Colorado B 1274-M
 Paleozoic
 Alaska
 east-central B 1274-I
 Prince of Wales Island B 1284
 Arizona, Mule Mountains B 1201-F
 California, Independence quadrangle P 396
 Florida, northern P 454-A
 Nevada, Antelope Valley P 423
 Utah, Oquirrh Mountains and Bingham mining district P 629-A
 Wyoming, Wind River Basin P 495-B
 Pancho Rico Formation, Pliocene, Salinas Valley, Calif. P 524-A
 Pennsylvania, Southern Anthracite field P 602
 Pennsylvanian
 Kansas P 323
 Nevada, sections between Egan Range and Spring Mountains ... B 1254-I
 Pennsylvania, Tremont quadrangle B 1112-F
 Texas, central P 315-E
 Virginia, southwest B 1280
 Wyoming P 554-G

STRATIGRAPHY—Continued

- Peratovich Formation, Mississippian, Prince of Wales Island, Alaska P 534
 Permian
 Kansas P 323
 Montana, southwestern P 313-C
 Nevada, sections between Egan Range and Spring Mountains ... B 1254-I
 Texas, Glass Mountains B 1244-E
 United States, paleotectonics ... I-450; P 515
 Wyoming, western P 313-B
 Phosphoria, Park City, Shoshone Formations, Permian, Idaho, Montana, Utah, Wyoming P 313-D
 Pierre Shale, Cretaceous I-439; P 390, 392-A, B, 393-A, B, 611
 Pleistocene
 Utah, Lake Bonneville P 257-B
 Washington, Seattle area, late interglacial and early Vashon glacial time B 1194-O
 Post-Magothy Upper Cretaceous formations, southern New Jersey, northern Delmarva Peninsula P 674
 Precambrian
 Arizona, southern P 566
 Brazil, Quadrilátero Ferrífero, Minas Gerais P 641-B
 California and Nevada, southern Great Basin P 620
 Colorado
 Central City district P 474-C
 Idaho Springs district B 1182-A
 Needle Mountains P 644-A
 Front Range, relation quartzite-schist sequence along Coal Creek to Idaho Springs Formation
 Front Range P 454-O
 Nevada, Groom district B 1244-G
 Putnam Group, eastern Connecticut . B 1194-C
 Quaternary
 California, nonclastic minerals, Searles Lake evaporite deposit B 1181-P
 Nevada, Carson Desert basin P 401
 New England coast, stratified drift, estuarine deposits P 454-M
 Utah, Lake Bonneville, eastern Jordan Valley P 477
 Quimby Formation, Upper Ordovician(?), western Maine B 1274-L
 Rampart Group, Permian, central Alaska B 1294-B
 Reany Creek Formation, Precambrian, Michigan B 1274-F
 Russell Mountain Formation, Silurian, Massachusetts B 1324-B
 San Rafael Group and underlying strata, Utah and Colorado OC-63
 Semilla Sandstone, Cretaceous, New Mexico B 1254-F
 Shenango Formation, Mississippian, northwestern Pennsylvania B 1294-C

STRATIGRAPHY—Continued

Sierra Nevada metamorphic belt, California	P 410
Silurian, northeastern Pennsylvania, northwestern New Jersey, southeasternmost New York	B 1243
Silurian-Denovian boundary, Helderberg Group	B 1180-B
Skolai Group, Permian(?) and Permian, Wrangell Mountains, Alaska	B 1274-Q
Skooner Gulch Formation, Miocene, California	B 1254-C
Sparta Sand, Eocene, Arkansas, Louisiana, Mississippi, Texas	P 569-A
Star Peak Group and overlying rocks, Triassic, Humboldt Range, Nev.	P 592
Straight Cliffs Formation, Upper Cretaceous, Kaiparowits region, Utah	B 1274-J
Sundance Formation, Upper Jurassic, north-central Colorado ..	B 1274-N
Tertiary	
Alaska	
coal-bearing group, Nenana coal field	B 1274-D
Cook Inlet region	P 398-A
California, Berkeley and San Leandro Hills	B 1251-J
Colorado	
Hot Sulphur Springs quadrangle ...	P 586
Powderhorn-Black Canyon region, volcanic rocks	B 1251-C
continental margin off Florida	P 581-D
New Mexico, San Juan Basin	P 552
Puerto Rico	
Naranjito and Aguas Buenas quadrangles	B 1253
northwestern	B 1294-D
west-central	B 1254-B
Washington	
Lake Tapps quadrangle	P 388-B
Olympic Peninsula	P 374-G
Wyoming	
Beaver Rim area	B 1164
Fossil basin	P 635
south-central	P 667
Three Forks Formation, Devonian, Montana-Wyoming	B 1194-N
Triassic	
Nevada-Utah, correlation	B 1244-D
Wyoming, south-central	P 594-D
Trout Peak Trachyandesite, Eocene, northwestern Wyoming ..	B 1254-H
Twin Creek Limestone, Jurassic, western interior United States	P 540
Utah	
East Tintic Mountains	P 361
L Sal Mountains	P 324
Wapiti Formation, Eocene, northwestern Wyoming	B 1254-H
Wasatch Formation	P 496-A

STRATIGRAPHY—Continued

Wind River Formation, lower Eocene, Wind River Basin, Wyo.	P 594-A
Wisconsinan Stage, definition	B 1274-E
Witts Springs Formation, Pennsylvanian, Snowball quadrangle, Arkansas	B 1194-D
Yakima Basalt and Ellensburg Formation, Miocene and Pliocene, south-central Washington	B 1224-G
Yegua Formation, Eocene, Texas, lithologic variations, depositional environment, geohydrology	P 569-B
STRIP MINING	
Kentucky, hydrologic influences ...	P 427-A, B
STRONTIUM	
In natural water	W 1496-D
flame-photometric determination ..	W 1496-C
Sorption on crandallite	B 1144-C
STRUCTURAL GEOLOGY	
Alaska	
fracture traces inferred from aerial photographs	I-453
surface faults, Montague Island, associated with 1964 earthquake ..	P 543-G
Arizona	
fissures	C 466
Greaterville mining district	B 1312-A
Atlantic Continental Shelf and Slope	P 529-I
Australia, Henbury meteorite craters, Northern Territory	P 599-C
Basalt of the Columbia River Group, Washington, Oregon, Idaho	I-587
Black Hills uplift	P 404
California	
Colyear Springs-Paskenta area, significance <i>Buchia</i> zones	P 647-A
Death Valley	P 494-A
Dinkey Creek roof pendant, central Sierra Nevada	P 524-B
Hayward fault zone	
fault traces and historic surface ruptures, San Pablo to Warm Springs	I-522
tectonic creep	C 525
late Tertiary lateral slip, San Andreas fault	P 593-D
Mono Craters quadrangle, Sierra Nevada	B 1221-E
Owens Valley region	P 438
paleotectonic significance Ordovician sections	B 1180-C
San Andreas and related faults, recently active breaks	I-553, 574, 575
Sierra Nevada metamorphic belt	P 410
Colorado	
Central City district, Precambrian rocks	P 474-C, 554-E

STRUCTURAL GEOLOGY—Continued

Colorado—Continued

Idaho Springs district, Precambrian rocks B 1182-A

La Junta quadrangle, structure contour map I-560

Slick Rock district and vicinity P 576-C

South Silverton, fault pattern P 378-B

Colorado-Utah, Moab quadrangle I-360

Connecticut, Columbia quadrangle GQ-592

Florida, central and south, Sunniland oil field P 447

Georgia, Brevard fault zone near Atlanta I-511

Hawaii, Kilauea Volcano, south-central flank, map I-456

Idaho Bannock thrust zone P 374-J

Belt Series P 344-E

Kansas, La Junta quadrangle, structure contour map I-560

Kentucky, Olive Hill Clay Bed MF-261

Missouri, Illinois-Kentucky mineral districts B 1202-B

Montana Dry Mountain quadrangle B 1221-F

East Helena and Canyon Ferry quadrangles GP-444

northern Elkhorn Mountains P 510

Townsend Valley GP-439

Nevada Antler Peak quadrangle P 459-A

date Roberts Mountains thrust, Carlin-Pinon range area B 1251-I

northern Shoshone Range P 465

paleotectonic significance Ordovician sections B 1180-C

Winnemucca quadrangle GQ-656

Nevada Test Site P 382-A

New Mexico Ambrosia Lake district B 1272-E

Cretaceous and Tertiary rocks, San Juan Basin P 552

Oregon, Aldrich Mountain quadrangle GQ-438

Pennsylvania Anthracite region, systematic jointing B 1271-D

Southern Anthracite field P 602

Potomac River gorge P 414-H

South Dakota, Galena-Roubaix district, Precambrian rocks B 1312-E

Tennessee, Mosheim and Johnson anticlines, geology and mineral deposits B 1222-A

United States, geologic and crustal cross section along 37th parallel I-448

Upper Mississippi Valley zinc-lead district aeromagnetic and tectonic analysis B 1242-A

Utah, faults, Aspen Grove quadrangle GQ-239

STRUCTURAL GEOLOGY—Continued

Wyoming

Fort Hill quadrangle P 594-M

Grand Teton National Park and vicinity P 516-E

Wind River Basin P 495-D

Wyoming-Colorado-Utah, Green River Formation and associated Eocene rocks P 496-A

SUBMARINE GEOLOGY. *See* MARINE GEOLOGY.SUBMARINE TOPOGRAPHY. *See* MARINE GEOLOGY.

SULFIDE DEPOSITS

Appalachians P 558

Idaho, silver-rich disseminated sulfides from tungsten-bearing quartz lode, Big Creek district P 594-C

SULFUR

New Mexico, Eddy County C 628

South America, sources B 1240

T

TALC

New York, St. Lawrence County B 1272-D

United States MR-31

bibliography B 1182-C

resources B 1167

Vermont P 345

TANTALUM

Geochemistry P 612

United States MR-36

TECTONICS

Alaska

earthquake, March 27, 1964 P 543-I

tectonic features, map NA sheet 69

Keweenawan basin, western Lake Superior region P 524-E

Low-temperature reaction zones and alpine ultramafic rocks, California, Oregon, Washington B 1247

Nevada, Winnemucca quadrangle GQ-656

New Mexico, Cretaceous and Tertiary rocks, San Juan Basin map, P 552

North America P 628; Spec. map p. 197

Permian System, paleotectonics ... I-450; P 515

United States

tectonic features, map NA sheet 70

tectonic map 196

Vertical, relation of Mohr's theory of strength and Prandtl's compressed cell P 414-B

Wyoming-Montana, paleotectonic significance Cottonwood Canyon Member, Madison Limestone B 1251-B

THERMAL GRADIENTS. *See*

GEOPHYSICS.

THERMAL SPRINGS. *See*

SPRINGS.

THERMODYNAMIC PROPERTIES

Minerals and related substances B 1259

THORIUM

Alaska

- Bokan Mountain area B 1154
 occurrences, map MR-56
 Brazil, Morro do Ferro deposit B 1185-D
 Geologic distribution, resources B 1204
 Glossary uranium- and thorium-bearing
 minerals B 1250
 Idaho-Montana, Lemhi Pass
 area B 1126
 New Hampshire, distribution
 in early Paleozoic plutonic
 series B 1144-F
 United States MR-28

TIN

Alaska

- Central York Mountains,
 Seward Peninsula B 1287
 in gold placers, Humboldt
 Creek, Seward Peninsula C 565
 Lost River mine area B 1129
 western Seward Peninsula,
 geochemical cycle B 1242-F
 Colorado, Lake George area C 597
 United States, map MR-44
 World resources B 1301

TITANIUM

- United States MR-29
 Virginia, rutile and ilmenite
 placer deposits, Roeland
 district B 1312-F

TOPAZ

- In Precambrian gneiss, Colorado C 567

TOPOGRAPHIC INSTRUCTIONS

- U. S. Geological Survey TI 5B1, 5B2

TRACE ELEMENTS

- In mercury ores, Alaska C 615
 In sphalerite and wallrocks,
 central Kentucky, Tennessee,
 Appalachian zinc districts B 1252-F
 TRANSPIRATION. *See* WATER LOSS.

TRAVERTINE

- Deposition in Birch Creek,
 Inyo County, Calif. P 549-A

TRONA

- In Green River Formation,
 Wyoming-Colorado-Utah P 496-A, B

TUFF

- Ash-flow P 366
 Diagenesis, in Barstow Formation,
 Mud Hills, Calif. P 634
 Nevada, Fish Creek Mountains
 Tuff and volcanic center P 681

TUNGSTEN

- Alaska, Kodiak Island B 1155
 California, Bishop district P 470
 Colorado, Lake George area C 597
 Nevada, Osgood Mountains
 quadrangle P 431
 North Carolina-Virginia,
 Hamme district B 1122-G
 United States MR-25

U

U.S. GEOLOGICAL SURVEY

- Annual report
 fiscal 1961-1963 p. 193
 research and development, Apr.
 1970 PB1-92041
 Bibliography of reports resulting
 from participation in U.S.
 technical assistance program,
 1940-67 B 1263
 Geochemical exploration, analytical
 methods B 1152
 Ground-water research C 492
 Heavy metals program
 1966-67 C 560
 1968 C 621, 622
 History, 1879-1894 P 669-A
 Long-range plan, 1964-1973 p. 195
 National water resources data
 network p. 195
 Open-file reports, list
 1961 C 463
 1962 C 473
 1963 C 488
 1964 C 498
 1965 C 518
 1966 C 528
 1967 C 548
 1968 C 568
 1969 C 618
 Publications list, 1879-1961 p. 195
 Research, summary
 1962 P 450-A
 1963 P 475-A
 1964 P 501-A
 1965 P 525-A
 1966 P 550-A
 1967 P 575-A
 1968 P 600-A
 1969 P 650-A
 1970 P 700-A
 Standards for classification
 public coal lands C 633
 Stratigraphic nomenclature,
 changes
 1963 B 1194-A
 1964 B 1224-A
 1965 B 1244-A
 1966 B 1254-A
 1967 B 1274-A
 1968 B 1294-A
 1969 B 1324-A
 Topographic instructions TI 3C3

URANIUM

Alaska

- Bokan Mountain area B 1154
 occurrences, map MR-56
 Arizona
 in Dripping Spring Quartzite,
 Gila County P 595
 Monument Valley area B 1103, 1222-H
 reconnaissance B 1147-A
 Shiprock quadrangle I-345

URANIUM—Continued

Brazil

- central Tucano basin B 1185-B
- Morro do Vento B 1185-A
- Pocos de Caldas Plateau,
uraniferous zirconium B 1185-C

Colorado

- Front Range mineral belt B 1159; P 371
- La Sal quadrangle P 508
- Moab quadrangle I-360
- Ralston Buttes district P 520
- Colorado Plateau B 1147-C
- botanical prospecting B 1085-D
- clay minerals, Morrison Formation . . B 1150
- distribution of elements in
deposits B 1147-E
- sedimentary rocks
elements in B 1107-F
- transmissive character of B 1124
- Slick Rock district
exploration, 1948-56 MF-241
- heavy minerals as ore guides B 1107-B

Epigenetic deposits in sandstone,

- United States, geology P 538

Glossary uranium- and thorium-bearing
minerals B 1250

In black shales, Midcontinent

- area B 1107-E

In carbonate rocks P 474-A

In coal, Great Divide Basin,

- Wyo. B 1099-A, B

In coaly carbonaceous rocks P 356-D

In ground water, 1954-57, United

- States P 426

In natural water, determination W 1696-C

In phosphate, Florida B 1118, 1128

In veins, United States,

- geology P 455-A-F

Montana, southwest P 313-E

New Hampshire, distribution

- in early paleozoic plutonic
series B 1144-F

New Mexico

- Ambrosia Lake district B 1272-E

- Laguna district P 519

- northwestern P 603

- Shiprock quadrangle I-345

Pennsylvania

- in sedimentary rocks B 1107-D

- Lehighon quadrangle region B 1138

Pennsylvanian rocks, Oklahoma,

- Kansas, Missouri B 1147-B

Reserves and progress in exploration

- and development C 547

Sandstone-type deposits, selenium

- content B 1162-C

Schroekingerite deposits, Lost

- Creek, Wyo. B 1087-J

South Dakota

- Black Hills B 1063-B, C, D, E, F, H, J

- Cave Hills area P 476-A, B

Structural control vein deposits,

- United States P 455-G

URANIUM—Continued

Texas

- Panhandle gas field P 454-G

Tordilla Hill-Deweeseville

- area GP-199

United States, epigenetic MR-21

Utah

- Elk Ridge and vicinity P 474-B

- La Sal quadrangle P 508

Moab, Monticello, White

- Canyon, Monument Valley
districts B 1222-H

- Moab quadrangle I-360

- Montezuma Canyon area B 1190

- San Rafael Swell B 1239

- Temple Mountain district B 1192

- Thomas Range P 415

- White Canyon area B 1125, 1132

Washington, Turtle Lake

- quadrangle B 1131

Williston basin, in lignite

- and carbonaceous shale P 463

Wyoming

Beaver Rim area, Eocene

- rocks B 1164

- Black Hills B 1063-B

- Crooks Gap B 1147-F

- Hiland-Clarkson area B 1107-G

- Powder River Basin B 1147-D

- Pumpkin Buttes area B 1107-H

- Puddle Springs quadrangle B 1242-C

- Strawberry Hill quadrangle B 1127

Wyoming-Utah

uraniferous phosphatic lake

- beds, Eocene P 474-E

URBAN GEOLOGY. *See under*
ENGINEERING GEOLOGY.

V

VANADIUM

Arizona, Monument Valley

- area B 1103

Bibliography, to 1968 B 1316

Colorado

- La Sal quadrangle P 508

Slick Rock district

- exploration, 1948-56 MF-241

- heavy minerals as ore guides B 1107-B

United States MR-16

Utah, La Sal quadrangle P 508

VEGETATION

Alaska, Amchitka Island P 648

Alaska and Hawaii, map NA sheet 89

Arizona, plant ecology arid

basin, Tres Alamos-Redington

- area P 485-D

Arizona-New Mexico-Utah,

Navajo and Hopi Indian

- Reservations P 521-A

United States, potential natural

- vegetation, map NA sheet 90

VOLCANIC ROCKS

- Beryllium content B 1214-C

VOLCANIC ROCKS—Continued

- California
Cenozoic, Devils Postpile
quadangle P 554-D
Lava Mountains P 457
- Colorado
Creede caldera, San Juan
Mountains, ash flows and
related rocks P 524-H
Tertiary, Powderhorn-Black
Canyon region B 1251-C
Glassy and crystalline, chemical
comparison B 1201-D
Guam, petrology P 403-C
Nevada, Fish Creek Mountains
Tuff and volcanic center P 681
Nevada - California, Bullfrog
Hills caldera P 454-J
Oregon, Antelope-Ashwood
area B 1161-D
Truk Islands, geology, petrography P 409
Virginia, ancient lavas, Shenadoah
National Park B 1265
- VOLCANISM. *See also* LAVA.
Acid fumarolic gas, Kilauea
Iki, Hawaii P 537-C
California, Owens Valley
region P 438
Oregon, Aldrich Mountain
quadangle GQ-438
Volcanic emanations, analyses P 440-K
- VOLCANOES. *See also* CALDERAS.
Alaska B 1028-S
Hawaii
eruptions, 1955 B 1171
Kilauea, bathymetric, topographic,
structural map, south-central
flank I-456
Kilauea eruptions
1961 P 474-D
October 1963 P 614-C
December 1965 P 607
- Washington
Glacier Peak area, North
Cascades P 604
Mount Rainier, volcanic hazards B 1238

W

WASTE DISPOSAL. *See* LIQUID-
WASTE DISPOSAL; RADIOACTIVE
WASTE DISPOSAL.

WATER, GROUND. *See also* ENGI-
NEERING GEOLOGY; GEOCHEM-
ISTRY; HYDRAULICS;
HYDROLOGY; IRRIGATION; SPRINGS.

Alabama

- Birmingham red-iron-ore district P 473-C
Montgomery County W 1606
Pascagoula River basin, resources W 1839-K

Alaska

- Anchorage area W 1773
Cordova W 1779-A

WATER, GROUND—Continued

Alaska—Continued

- Fairbanks area W 1590
Imuruk Lake area, Seward
Peninsula B 1141-C
permafrost regions P 696
shallow supplies, use of galleries
for development W 1809-E
American Samoa W 1608-C
Appalachian region HA-295
Aquifer properties, removal
water and rearrangement particles
during compaction clayey sediments P 497-B
Aquifer tests C 468;
W 1536-E, H, 1539-E, 1544-G, 1545-C
Aquifers, characteristics of
individual W 1536-G
- Arizona
Apache County W 1771
central, electric analog analysis
of depletion W 1860
Chiricahua National Monument W 1475-H
Gila Bend Indian Reservation W 1647-A
Hualapai Indian Reservation W 1576-A
Luke area W 1779-P
McMullen Valley W 1665
Navajo and Hopi Indian
Reservations P 521-A
Papago Indian Reservation HA-55
Rainbow Valley and Waterman
Wash areas W 1669-F
Red Lake area W 1576-B
San Simon basin W 1619-DD, 1809-R
Snowflake-Hay Hollow area W 1539-S
Sunset Crater National
Monument W 1475-J
Verde Valley, Mogollon Rim
region B 1177
Willcox basin W 1859-F
fluoride content and salinity HA-214
Wupatki National Monument W 1475-J
- Arkansas
Arkansas River
valley W 1669-L, V, BB
methods and applications of electrical
simulation W 1971
Bradley, Calhoun, Ouchita
Counties W 1779-G
Coastal Plain aquifers,
geohydrology HA-309
eastern, U.S. Highway 70
region W 1779-V
- Artificial recharge
bibliography, through 1954 W 1477
Grand Prairie region, Ark. W 1615-A-H
induced recharge glacial-drift
aquifer, Kalamazoo, Mich. W 1594-D
Oregon and Washington, 1962 W 1594-C
recharge studies, northern Lea
County, N. Mex. W 1819-F
- Atlantic Coastal Plain,
northern, hydrochemical facies
and ground-water flow patterns P 498-A

WATER, GROUND—Continued

Bibliography

- laboratory and field methods W 1779-Z
- 1946-1955 W 1492
- on artificial recharge, 1955-67 W 1990

Brazil

- Açu Valley, Rio Grande do Norte W 1663-C
- Capibaribe basin, Pernambuco W 1663-E
- provinces W 1663-A
- British Guiana, coastal artesian basin W 1663-B

California

- Bloomington-Colton area, patterns subsurface flow HA-268
- Edison-Maricopa area W 1656
- Furnace Creek Wash area, Death Valley National Monument W 1779-Y
- Mojave Desert region, western HA-31
- Naval Air Missile Test Center area, Point Mugu, relation salt and fresh water ... W 1619-S

- Pinnacles National Monument ... W 1475-K
- Pinto Basin, Joshua Tree National Monument W 1475-O
- Point Arguello Naval Missile Facility W 1619-F
- Russian River valley, Round, Laytonville, and Little Lake Valleys W 1548
- San Antonio Creek valley W 1664
- San Bernardino area, underflow across San Jacinto fault W 1419
- San Joaquin Valley C 459
- ground-water reservoirs for surface-water storage W 1618
- San Nicolas Island W 1539-O
- Santa Barbara-Montecito area W 1859-A
- Santa Clara Valley W 1619-C
- Santa Maria Valley, utilization ... W 1819-A

- Chemical properties, corrosion and encrustation effects on wells P 498-D

Chile

- Pica area B 1189
- Salár de Atacama B 1219

Colorado

- Big Sandy Creek valley W 1843
- Black Squirrel Creek valley HA-236
- Cache La Poudre River basin W 1669-X
- Cheyenne and Kiowa Counties ... W 1779-N
- Dakota and Purgatoire Formations W 1669-P
- Fountain and Jimmy Camp Valleys W 1583
- Frenchman Creek basin W 1577
- Grand Junction area, artesian water supply P 451
- High Plains W 1819-I
- Huerfano County W 1805

WATER, GROUND—Continued

Colorado—Continued

- Larimer, Logan, Morgan, Sedgwick, Weld Counties W 1809-L
- North Park and Middle Park W 1809-G
- Otero and Crowley Counties W 1799
- Prowers County W 1772
- South Platte River basin W 1658
- U.S. Air Force Academy site P 551
- Ute Mountain Indian Reservation W 1576-G
- Washington County W 1777
- Yuma County W 1539-J

Connecticut

- Bristol-Plainville-Southington area W 1578
- Farmington-Granby area W 1661
- north-central W 1752
- Connecticut River basin HA-249

Delaware

- artificial recharge W 1594-B
- beach-area water supplies W 1619-T
- Dispersion through heterogeneous materials P 386-B
- Estimation of supplies, methods ... W 638-C

Georgia

- Bartow County W 1619-FF
- Dougherty County W 1539-P
- Georgia Nuclear Laboratory, waste-disposal pit B 1133-D
- Blynn County, occurrence fresh and brackish water W 1613-E
- Savannah area, salt-water encroachment, geology, resources W 1611, 1613-D

- Seminole, Decatur, and Grady Counties W 1809-Q

Ghana

- W 1757-K

Hawaii

- Kahuku area, Oahu W 1874
- Pearl Harbor area, land use and effect on basal water supply ... HA-267
- southern Oahu W 1778

Idaho

- American Falls Reservoir vicinity W 1846
- Camas Prairie, resources W 1609
- Fort Hall Indian Reservation ... W 1576-D
- Midvale and Council areas, upper Weiser River basin W 1779-Q
- Raft River basin W 1619-CC
- Sandpoint region W 1779-I
- Snake River Plain, effect of irrigation W 1536-D
- Teton Valley W 1789

Illinois

- Argonne National Laboratory ... W 1669-O
- Paducah West and East quadrangles HA-177

In permafrost regions, bibliography ... W 1792

India

- artesian water, Malabar Coastal Plain W 1608-D
- Bhachau area, Kandla Port water supply W 1608-B
- Indiana, Bunker Hill Air Force Base and vicinity W 1619-B

WATER, GROUND—Continued

Iowa

- earthquake effects, Alaska earthquake,
March 27, 1964 P 544-C
reservoirs contributing base runoff
to Four Mile Creek W 1839-O

Israel, Cenomanian-Turonian

- aquifer W 1608-F

Kansas

- Finney County W 1891
Labette County HA-279
Missouri River alluvium between
Miami and Kansas City,
Mo. HA-344

Kentucky

- Adair, Casey, Clinton, Cumberland,
Pulaski, Russell, Taylor,
and Wayne Counties HA-35
Allen, Barren, Edmonson,
Green, Hart, Logan, Metcalfe,
Monroe, Simpson, and Warren
Counties HA-32
Arlington and Wickliffe SW
quadrangles, Jackson Purchase
region HA-183
Bell, Clay, Jackson, Knox,
Laurel, Leslie, McCreary,
Owsley, Rockcastle, and
Whitley Counties HA-38
Birmingham Point quadrangle HA-159
Blandville quadrangle, Jackson
Purchase region HA-184
Boyd, Carter, Elliott, Greenup,
Johnson, Lawrence, Lee,
Menifee, Morgan, and Wolfe
Counties HA-37
Breathitt, Floyd, Harlan,
Knott, Letcher, Martin,
Magoffin, Perry, and Pike
Counties HA-36
Breckinridge, Grayson, Hardin,
Larue, and Mead Counties HA-33
Briensburg quadrangle HA-114
Butler and Ohio Counties HA-26
Cairo and Barlow quadrangles,
Jackson Purchase region HA-186
Caldwell, Christian, Crittenden,
Livingston, Lyon, Todd,
and Trigg Counties HA-34
Cayce quadrangle HA-180
Clinton quadrangle, Jackson
Purchase region HA-175
Crutchfield quadrangle, Jackson
Purchase region HA-167
Cuba quadrangle HA-161
Daviss and Hancock Counties HA-27
Dexter quadrangle HA-93
Dublin quadrangle, Jackson
Purchase region HA-170
Eastern Coal Field region W 1607
Elva quadrangle HA-117
Fairdealing quadrangle HA-156
Fancy Farm quadrangle, Jackson
Purchase region HA-169

WATER, GROUND—Continued

Kentucky—Continued

- Farmington quadrangle HA-92
Hamlin and Paris Landing
quadrangles HA-165
Hargis quadrangle HA-115
Hawesville-Cloverport areas,
Ohio River HA-72
Hazel quadrangle HA-124
Heath quadrangle, Jackson
Purchase region HA-168
Hickman quadrangle, Jackson
Purchase region HA-181
Hickory quadrangle HA-163
Hico quadrangle HA-158
New Castle County, southern W 1756
Hopkins and Webster Counties HA-30
Jackson Purchase region HA-13
Jenkins-Whitesburg area W 1809-A
Joppa and Metropolis quadrangles,
Jackson Purchase region HA-171
Kirksey quadrangle HA-113
La Center quadrangle, Jackson
Purchase region HA-173
Little Cypress and Calvert
City quadrangles HA-155
Louisville area W 1579
Lovelaceville quadrangle, Jackson
Purchase region HA-172
Lynn Grove quadrangle HA-112
Lynnville quadrangle HA-125
McLean and Muhlenberg Counties HA-29
Mayfield quadrangle, Jackson
Purchase region HA-164
Melber quadrangle, Jackson
Purchase region HA-174
Milburn quadrangle HA-179
Mississippian Plateau region W 1603
New Concord quadrangle HA-118
New Madrid SE, Hubbard Lake,
Bondurant quadrangles HA-178
Oak Level quadrangle HA-116
Oakton and Wolf Island quadrangles,
Jackson Purchase region HA-182
occurrence fresh water in Lee
Formation, eastern coal field
region W 1867
Ohio River valley W 1818
Olmsted and Bandana quadrangles,
Jackson Purchase region HA-176
Paducah West and East quadrangles HA-177
Rushing Creek quadrangle HA-160
Scottsville area W 1528
South Portsmouth to Manchester
Islands, Ohio River HA-73
Symsonia quadrangle HA-157
Union and Henderson Counties HA-28
Water Valley quadrangle HA-162
Western Coal Field region W 1599
Westplains quadrangle, Jackson
Purchase region HA-166
Wickliffe and Wickliffe NW
quadrangles, Jackson Purchase
region HA-185

WATER, GROUND—Continued

- Law; contamination, Michigan W 1691
- Libya
- Cyrenaica
- Al Marj area W 1757-A
- Bengazi area W 1757-B
- Tripolitania, Sirte area W 1757-C
- Louisiana
- northeastern, alluvial aquifer W 1619-V
- Red River Parish W 1614
- saline water HA-310
- Maine W 1669-T
- lower Androscoggin River
- basin HA-285
- lower Kennebec River basin HA-337
- lower Penobscot River basin HA-225
- southwestern HA-76
- Maryland, beach-area water
- supplies W 1619-T
- Massachusetts
- Lowell area W 1669-Y
- Maynard area W 1539-E
- Tenmile and Taunton River
- basins HA-300
- Wilmington-Reading area W 1694
- Michigan, Alma area W 1619-E
- Minnesota
- Aurora area W 1809-U
- Camp Ripley Military Reservation W 1669-A
- Grand Rapids area HA-322
- Halma-Lake Bronson area W 1619-BB
- Lyon County W 1619-N
- Nobles and Jackson Counties W 1749
- Redwood Falls area W 1669-R
- St. James area HA-334
- Mississippi
- Mississippi Test Facility,
- Hancock County W 1839-H
- Pascagoula River basin, resources W 1839-K
- Mississippi embayment
- altitude of base of fresh water
- in coastal-plain aquifers HA-221
- Cretaceous aquifers P 448-C
- Quaternary aquifers P 448-E
- Tertiary aquifers P 448-D
- Missouri, Hickman quadrangle HA-181
- Missouri River alluvium
- Jefferson City to Miami,
- Mo. HA-340
- Kansas City, Mo., to Iowa
- border HA-336
- Miami to Kansas City, Mo. HA-344
- St. Charles to Jefferson
- City, Mo. HA-315
- Missouri River basin HA-217
- Montana
- Bluewater Springs area W 1779-J
- Deer Lodge Valley W 1862
- Fort Belknap Indian Reservation W 1576-F
- Judith River Formation HA-308
- lower Bighorn Valley W 1876
- Missouri River alluvium HA-224
- Movements and bank storage due
- to flood stages in surface
- streams W 1536-J

WATER, GROUND—Continued

- Nebraska
- Adams County HA-287
- Cedar Rapids Division, lower
- Platte River basin W 1779-H
- Chapman area, proposed waterfowl
- refuge area W 1779-E
- eastern Saunders County HA-266
- Fillmore County W 1839-L
- Frenchman Creek basin W 1577
- Hall County HA-131
- Hallam Nuclear Power Facility ... B 1133-B
- Hamilton County W 1539-N
- Mirage Flats W 1779-BB
- Richardson County W 1779-W
- Saline County HA-216
- Salt Creek basin, chemical
- quality W 1669-H
- York County W 1839-F
- Nevada
- Fernley-Wadsworth area W 1619-AA
- Humboldt River valley, specific
- yield determinations W 1669-M
- Kings River valley W 1619-L
- Lake Mead Base W 1669-Q
- Las Vegas ground-water basin,
- available water supply W 1780
- New Hampshire
- lower Merrimack River valley HA-277
- southeastern W 1695
- New Jersey, eastern Morris
- and western Essex Counties,
- bedrock topography I-549
- New Mexico
- Acoma and Laguna Indian
- Reservations W 1576-E
- Jicarilla Apache Indian
- Reservation and adjacent
- areas W 1576-H
- Lea County HA-62
- Los Alamos area W 1619-I, 1753
- Mesilla Valley W 1669-AA
- Navajo Indian Reservation P 521-A
- Ogallala Formation, High
- Plains HA-330
- Pecos River between Acme
- and Artesia, ground-water
- salvage; phreatophytes W 1659
- recharge studies, northern Lea
- County W 1819-F
- Red Lake area W 1576-B
- Roswell basin
- artificial recharge possibilities ... W 1785
- saline water W 1539-M
- Saline water W 1601
- Tularosa basin and adjoining
- areas HA-191, 193
- Ute Mountain Indian Reservation W 1576-G
- White Sands Missile Range
- and vicinity W 1801
- New York
- Huntington-Smithtown area W 1669-D
- Long Island C 524; W 1613-A,
- B, F, 1619-GG, 1657
- Plum Island W 1539-X

WATER, GROUND—Continued

- Nigeria, Chad Basin in Bornu
and Dikwa Emirates W 1757-I
- North Carolina
Chowan County HA-292
Craven County HA-343
Martin County, aquifers HA-264
Pitt County HA-291
- North-central States, levels,
1962-66 W 1976
- North Dakota
Nelson County HA-428
Souris River valley near Minot W 1844
- Northeastern States, levels,
1958-62, 1963-67 W 1782, 1977
- Northwestern States, levels,
1961-65 W 1845
- Ohio
Dayton area W 1808
Fairfield-New Baltimore
area, effect increased pumping ... P 605-C
hydrogeology Berea and Cossewago
Sandstones HA-341
lower Great Miami River
valley P 605-A, D
Portage County P 511
saline resources HA-366
Scioto River valley near Piketon ... W 1872
- Oklahoma
Arkansas and Verdigris River
valleys, methods and application
electrical simulation W 1971
hydrogeologic information on
Glorieta Sandstone and
Ogallala Formation as related
to underground oil-field waste
disposal C 630
southern, base of fresh-water
zone HA-223
Texas County HA-250
- Oregon
artificial recharge W 1594-C, E
Baker Valley HA-242
Burnt River valley area W 1839-I
Clatsop Plains sand-dune area ... W 1899-A
Coos Bay region, coastal sands ... W 1619-D
Cow Valley W 1619-M
East Portland area W 1793
effect tectonic structure on ground
water in basalt, Columbia
River Group, The Dalles
area P 383-C
Eola-Amity Hills area, Willamette
Valley W 1847
Florence dune area W 1539-K
Fort Rock Basin P 383-B
Grande Ronde River basin W 1597
Portland business district W 1619-O
Prineville area W 1619-P
Salem Heights area, hydrologic
conditions and artificial
recharge W 1594-F
Tualatin Valley W 1697
Umatilla River basin W 1620

WATER, GROUND—Continued

- Pennsylvania, Brandywine Creek
basin P 417-A
- Peru, Lambayeque Valley W 1663-F
- Primer on ground water ... Misc. rept., p. 195
- Puerto Rico and adjacent islands,
hydrogeologic map HA-197
- Research
United States C 527
U.S. Geological Survey C 492
- Rhode Island
Potowomut-Wickford area W 1775
upper Pawcatuck River basin W 1821
- Scientific or rule-of-thumb
techniques of management C 608
- South Carolina
Savannah area, salt-water encroachment,
geology, resources W 1611, 1613-D
Savannah River Plant and
vicinity W 1841
- South-central States, levels,
1960-64 W 1824
- South Dakota
Lake Dakota plain area W 1539-T
Skunk Creek-Lake Madison
drainage basin, hydrogeology
of glacial drift HA-195
- Southeastern States
artesian water in Tertiary limestone ... P 517
levels, 1959-63 W 1803
Piedmont and Blue Ridge
provinces C 538
- Southern Rhodesia, ground-water
provinces W 1757-D
- Southwestern States, levels,
1961-65 W 1855
- Storage behind subsurface dams,
Columbia River basalt P 383-A
- Sudan, Kordofan Province W 1757-J
- Techniques
collecting and interpreting
data W 1544-H
electrical and radioactive well
logging W 1544-D
infiltration, field method for
measurement W 1544-F
thermometry W 1544-B
- Tennessee
Bondurant quadrangle HA-178
Cayce quadrangle HA-180
Claiborne Group W 1809-F
Crutchfield quadrangle HA-167
Cuba quadrangle HA-161
Dickson, Lawrenceburg, Waverly
areas W 1764
Elizabethton-Johnson City
area W 1460-J
Hazel quadrangle HA-124
Hickman quadrangle HA-181
Lynn Grove quadrangle HA-112
Memphis area W 1779-O, 1853
Water Valley quadrangle HA-162
- Texas
Bexar County W 1588

WATER, GROUND—Continued

Texas—Continued

- Edwards County W 1619-J
- Grayson County W 1646
- Hale County W 1539-U
- Hays County W 1612
- High Plains
 - Ogallala Formation HA-330
 - southern W 1693
- Karnes County W 1539-G
- lower Rio Grande Valley
 - area W 1653
- Mesilla Valley W 1669-AA
- Tularosa Basin and adjoining
 - areas HA-191
- Uvalde County W 1584
- Winkler County, saline W 1582

Tunisia

- Sahil Susah area W 1757-G
- Tabulbah area W 1757-E

Two-well tracer test in fractured crystalline rock W 1544-I

United States

- depth and quality water containing more than 1,000 ppm dissolved solids, map HA-199
- North-central States, levels, 1957-1961 W 1781
- Northwestern States, levels, 1956-60 W 1760
- occurrence W 489
- productive aquifers HA-194
- productive aquifers and withdrawals from wells, map NA sheet 126
- role in national water situation W 1800
- saline water resources, bibliography C 499
- South-central States, levels, 1956-59 W 1549
- Southeastern States
 - levels, 1956-58 W 1538
 - sedimentary aquifers, river basins, Coastal Plain W 1669-W
- Southwestern States, levels, 1956-60 W 1770
- water-well drilling, regional trends C 533

Uranium and radium data, United States, 1954-57 P 426

Utah

- Bryce Canyon National Park
 - area, resources, test well W 1475-M
- Capitol Reef National Monument W 1475-G
- Navajo Indian Reservation P 521-A
- Pavant Valley, resources W 1794
- Sevier Desert W 1854
- Sevier River basin W 1836, 1848
- Sevier Valley W 1787
- Weber Delta district, Lake Bonneville P 518

Virgin Islands, St. Croix W 1663-D

Virginia

- Eastern Shore, James, York, and Rappahannock River
 - basins east of Fall Line HA-284
- Fairfax quadrangle W 1539-L

WATER, GROUND—Continued

Virginia—Continued

- James, York, Rappahannock River basins west of Fall Line HA-283
- Washington, D.C., and vicinity W 1776
- Washington (State)
 - Ahtanum Valley W 1598
 - artificial recharge, 1962 W 1594-C
 - Clark County W 1600
 - effect tectonic structure on ground water in basalt, Columbia River Group, The Dalles
 - area P 383-C
 - Goldendale area HA-313
 - Pullman area W 1655
- Well-drilling methods W 257
- West Pakistan
 - Cera Ismāil Khān District W 1608-K
- Punjab
 - electric-analog studies brine beneath fresh-water wells W 1608-J
 - fresh and saline zones W 1608-I

Wisconsin

- Dane County W 1779-U
- earthquake effects, Alaska
 - earthquake, March 27, 1964 P 544-C
- Fond du Lac County W 1604
- Green Bay area W 1669-J
- Milwaukee-Waukesha area, pumpage and water-level changes W 1809-I
- Rock County W 1619-X
- Waupaca County W 1669-U
- Waushara County W 1809-B

Wyoming

- Bear River valley W 1539-V
- Crook County W 1698
- Glendo region W 1791
- Grand Teton National Park, east of Jackson Lake C 494
- Great Divide and Washakie basins and adjacent areas HA-219
- Green River basin HA-290
- Greybull River-Dry Creek
 - area W 1596
- Johnson County W 1806
- Laramie County W 1834
- Lyman-Mountain View area W 1669-E
- Niobrara County W 1788
- Sheridan County W 1807
- Star Valley, upper W 1809-C
- Teton Valley W 1789
- Wheatland Flats area W 1783
- Wind River Basin area HA-270
- Wind River Indian Reservation W 1576-I
- Yellowstone National Park W 1475-F

WATER, QUALITY. See also GEOCHEMISTRY; WATER, GROUND; WATER, SURFACE.

Alaska

- potential effects Project Chariot
 - on local water supplies P 539
- surface waters, 1960, 1961-63 W 1720, 1953
- Allegheny River basin, Pennsylvania and New York surface water W 1835

WATER, QUALITY—Continued

- Appalachia, related to coal-mine drainage C 526
- Arizona
- Pinal County, salinity ground water W 1819-E
- Willcox basin, ground water, fluoride content and salinity HA-214
- Arkansas River alluvium, Muskogee, Okla., to Fort Smith, Ark. W 1809-T
- Brazil, Amazon River C 552
- California
- Lompoc subarea, Santa Ynez River basin, ground water for irrigation W 1809-S
- Sacramento River basin, surface water W 1619-Q
- Chemical characteristics, natural water W 1473
- Chemical composition, rivers, lakes P 440-G
- Colorado
- Big Sandy Creek valley W 1843
- Cheyenne and Kiowa Counties, ground water W 1779-N
- Frenchman Creek basin, ground water W 1577
- Larimer, Logan, Morgan, Sedgwick, Weld Counties, ground water W 1809-L
- Otero and Crowley Counties, ground water W 1799
- Colorado River basin to Pacific slope basins in California, surface water
- 1964 W 1958
- 1965 W 1965
- Colorado River basin to Pacific slope basins in Oregon; Columbia River basin, surface water
- 1958 W 1574
- 1959 W 1645
- 1960 W 1745
- 1961 W 1885
- 1962 W 1945
- 1963 W 1951
- Columbia River basin, surface water W 1784
- Delaware estuary, Trenton, N.J., to Reedy Island, Del., 1965-66 drought HA-335
- Delaware River
- Bristol to Marcus Hook, 1949-1963 W 1809-O
- effect low tides W 1586-E
- Determination phenoxy acid herbicides in water W 1817-C
- Hudson Bay and upper Mississippi River basins; Missouri River basin, surface water
- 1957 W 1521
- 1958 W 1572
- 1959 W 1643

WATER, QUALITY—Continued

- Hudson Bay and upper Mississippi River basins; Missouri River basin, surface water—Con.
- 1960 W 1743
- 1961 W 1883
- 1962 W 1943
- 1963 W 1949
- 1964 W 1956
- 1965 W 1963
- Index to catalog of information on water data, water-quality stations reported by Federal agencies, 1966 Misc. rept., p. 195
- Kansas
- Little Blue River basin W 1819-H
- Saline River basin, surface waters W 1651
- Kentucky, Blue Grass region W 1700
- Louisiana, Sabine River basin W 1809-H
- Michigan, chemical quality streams C 634
- Mississippi embayment P 448-C-I
- Mississippi River and western Gulf of Mexico basins, surface water
- 1958 W 1573
- 1959 W 1644
- 1960 W 1744
- 1961 W 1884
- 1962 W 1944
- 1963 W 1950
- 1964 W 1957
- 1965 W 1964
- Missouri River, lower, travel of solutes HA-332
- Nebraska
- Cedar Rapids Division, lower Platte River basin, ground water W 1779-H
- Chapman region, proposed waterfowl refuge W 1779-E
- Fillmore County W 1839-L
- Frenchman Creek basin, ground water W 1577
- Hamilton County, ground water W 1539-N
- Heart River drainage basin, surface water W 1823
- Little Blue River basin W 1819-H
- Salt Creek basin W 1669-H
- Nevada, Lake Mead Base, ground water W 1669-Q
- New Jersey
- Delaware River at Trenton W 1779-X
- Englishtown Formation, variations chemical character water P 498-B
- streams W 1819-G
- New Mexico, Los Alamos W 1753
- New York
- Brookhaven National Laboratory and vicinity B 1156-D
- detergents and associated contaminants in ground water, Suffolk County, Long Island W 2001-B

WATER, QUALITY—Continued

- North Atlantic slope, South Atlantic slope, eastern Gulf of Mexico basins, surface water
- 1959 W 1641
 1960 W 1741
 1961 W 1881
 1962 W 1941
 1963 W 1947
 1964 W 1954
 1965 W 1961
- North Atlantic slope basins to St. Lawrence River basin, surface waters, 1958 W 1571
- North Dakota
- Devils Lake basin, surface water, 1952-60 W 1859-B
 Grand River drainage basin, surface water W 1769
 Ohio, Mahoning River W 1859-C
- Ohio River basin, surface water
- 1959 W 1642
 1960 W 1742
 1961 W 1882
 1962 W 1942
 1963 W 1949
 1964 W 1955
 1965 W 1962
- Organic substances in water, chlorinated organic pesticides, identification and measurement W 1817-B
- Pacific slope basins in Washington and upper Columbia River basin to Alaska, surface water, 1964 W 1959
- Pacific slope basins in Washington and upper Columbia River basin to Hawaii and other Pacific areas, surface water, 1965 W 1966
- Pennsylvania
- Lehigh River basin W 1879-H
 surface water W 1619-W
 Susquehanna River at Harrisburg W 1779-B
 West Branch Susquehanna River basin W 1779-C
- Pollution; effect waste water
- A.E.C. plant on Glowegee Creek, West Milton, N.Y. W 1809-N
- Potomac River estuary, Washington, D.C. C 529-A
- Primer on water quality p. 195
- Puerto Rico
- chemical analyses, inventory W 1786
 public supplies HA-200
- St. Lawrence River basin, surface water
- 1959 W 1642
 1960 W 1742
 1961 W 1882
 1962 W 1942
 1963 W 1948
 1964 W 1955
 1965 W 1962

WATER, QUALITY—Continued

- Snake River basin, surface waters P 417-D
- South Dakota, Grand River drainage basin, surface waters W 1769
- Techniques; methods for collection and analysis of water samples for dissolved minerals and gases TWI 5-A1
- Tennessee, Memphis area W 1853
- Texas
- Brazos River, salinity, sources .. W 1669-CC
 Brazos River basin, surface water W 1779-K
 Neches River basin W 1839-A
 Sabine River basin W 1809-H
- United States
- chemical analyses, inventory W 1786
 depth and quality water containing more than 1,000 ppm dissolved solids, map HA-199
 public supplies HA-200
 stream composition HA-61
- Utah, Navajo Lake region P 417-C
- Washington, D.C., and vicinity, ground water W 1776
- Washington (State), Duwamish River estuary, Seattle, phytoplankton blooms, effects on dissolved oxygen W 1873-A
- Water samples, methods for collection and analysis W 1454
- Western States
- calcium, sodium, sulfate, chloride in stream water HA-189
 surface waters, for irrigation
- 1959 W 1699
 1960 W 1746
 1961 W 1886
 1962 W 1946
 1963 W 1952
 1964 W 1960
 1965 W 1967
- Wyoming
- Bear River valley W 1539-V
 Crook County W 1698
 Laramie County W 1834
 Niobrara County W 1788
- WATER, SURFACE. *See also*
- DROUGHT; FLOODS; HYDRAULICS; HYDROLOGY; LAKES; RIVERS.
- Alaska
- quantity and quality, 1960 W 1720
 records
- compilation, 1950-60 W 1740
 index through Sept. 1967 C 585
 river discharge to sea HA-282
- Arkansas, storage requirements for streams W 1859-G
- Arkansas River basin, supply, 1961-65 W 1921
- Brazil
- Amazon River discharge C 552

WATER, SURFACE—Continued

Brazil—Continued

Amazon River—Continued

investigations, measurements,

1963 C 486

California

coastal basins, San Francisco

Bay to Eel River W 1851

effect urban growth on streamflow

regimen, Permanente Creek,

Santa Clara County W 1591-B

north coastal, precipitation

and runoff HA-298

Pacific slope basins

records

compilation, 1950-60 W 1735

index through Sept. 1967 C 581

supply, 1961-65 W 1928, 1929, 1930

Sacramento-San Joaquin delta,

use acoustic velocity meter

for measurement net outflow W 1877

Colorado River basin

estimates of streamflow, 1930-65 W 1875

records

compilation, 1950-60 W 1733

index through Sept. 1967 C 579

supply, 1961-65 W 1924, 1925, 1926

Columbia River, temperatures C 551

Columbia River basin

discharge C 550

records, index through Sept.

1967 C 582, 584

Cumberland River basin, records,

compilation, 1950-60 W 1726

Delaware River, salinity W 1586-B

Discharge, characteristics broad-crested

weirs C 397

Discharge ratings, streams at

submerged section controls W 1779-L

Great Basin

records

compilation, 1950-60 W 1734

index through Sept. 1967 C 580

supply, 1961-65 W 1927

Gulf of Mexico basins

records

compilation, 1950-60 W 1724, 1732

index through Sept. 1967 C 572, 578

supply

1960 W 1704, 1712

1961-65 W 1922, 1923

Hawaii

records

compilation, 1950-60 W 1739

through June 1950 W 1319

supply, 1959-60 W 1719

Hawaii and other Pacific areas,

records, index through Sept.

1967 C 586

Hudson Bay basin

records

compilation, 1950-60 W 1728

index through Sept. 1967 C 575

supply, 1960 W 1708

WATER, SURFACE—Continued

Idaho, Snake River basin,

records, index through Sept.

1967 C 583

Index to catalog of information

on water data; surface-water

stations reported by Federal

agencies Misc. rept., p. 195

Mariana, Caroline, Samoa

Islands, supply through 1960 W 1751

Methods predicting dispersion

coefficients in streams, applications

to Green and Duwamish Rivers,

Wash. P 582-A

Michigan, Pigeon River,

reconnaissance HA-333

Mississippi embayment, low-flow

characteristics, streams P 448-F, G, H, I

Mississippi River basin

records

compilation, 1950-60 W 1728, 1731

index through Sept. 1967 C 575, 577

supply

1960 W 1708, 1711

1961-65 W 1920

Missouri River basin

records

compilation, 1950-60 W 1729, 1730

index through Sept. 1967 C 576

supply

1960 W 1710

1961-65 W 1916, 1917, 1918, 1919

North Atlantic slope basins

records

compilation, 1950-60 W 1721, 1722

index through Sept. 1967 C 571

supply

1960 W 1702

1961-65 W 1901, 1902, 1903

Ohio, time of travel, water,

Great Miami River C 546

Ohio River basin

records

compilation, 1950-60 W 1725

index through Sept. 1967 C 573

supply, 1960 W 1705

Oregon

Pacific slope basins; Columbia

River basin

records

compilation, 1950-60 W 1738

index through Sept. 1967 C 584

upper Klamath Lake, water

budget HA-351

Willamette River basin

patterns of runoff HA-274

travel rates of water for selected

streams HA-273

Organic acids in naturally colored

water W 1817-A

Pennsylvania, Lehigh River

basin, discharge of streams W 1879-H

Puerto Rico, river discharge

to sea HA-282

WATER, SURFACE—Continued

- St. Lawrence River basin
records
 compilation, 1950-60 W 1727
 index through Sept. 1967 C 574
- Snake River basin
records
 compilation, 1950-60 W 1737
 index through Sept. 1967 C 583
- South Atlantic slope basins
records
 compilation, 1950-60 W 1723, 1724
 index through Sept. 1967 C 572
- supply
 1960 W 1704
 1961-65 W 1904
- Tennessee River basin, records,
 compilation, 1950-60 W 1726
- Tunisia, Sāhil Sūsah area W 1757-F
- United States
 annual runoff HA-194
 map NA sheet 117
 river discharge to sea HA-282
 stream composition HA-61
 streamflow into Atlantic Ocean,
 1931-60 W 1899-I
 temperature HA-235
- Washington
 Pacific slope basins; Columbia
 River basin
 records
 compilation, 1950-60 W 1736, 1738
 index through Sept. 1967 C 582, 584
 Yakima River basin, streamflow W 1595

WATER LOSS

- Arizona
 composition saline residues
 on leaves and stems, saltcedar ... P 491-C
 effects juniper and pinyon eradication
 on streamflow, Corduroy Creek
 basin P 491-B
 use of water by phreatophytes
 and hydrophytes, Yuma region ... P 486-F
 use of water by riparian vegetation,
 Cottonwood Wash W 1858
- California
 measurement evaporation Salton
 Sea P 272-H
 mountain basins, southern P 417-E
 use of water by phreatophytes
 and hydrophytes P 486-F
- Colorado River basin-Salton
 Sea area P 486-B
- Evaporation and transpiration,
 bibliography W 1539-R
- Evaporation control research W 1692
- Methods estimating potential
 evapotranspiration from climatological
 data, arid and subhumid
 environments W 1839-M
- Nevada, evapotranspiration by
 woody phreatophytes, Humboldt
 River valley near Winnemucca P 491-D

WATER LOSS—Continued

- New Mexico, composition saline
 residues on leaves and stems,
 saltcedar P 491-C
- North Carolina, evaporation
 study, humid region, Lake
 Michie P 272-G
- North Dakota, evapotranspiration
 and water budget of prairie
 potholes P 585-B
- Radiation from atmosphere and
 water surface, computation P 272-F
- United States, annual sunshine,
 evaporation, solar radiation,
 map NA sheet 97
- Western States
 evaporation P 272-D
 saltcedar (*Tamarix*), introduction,
 spread, areal extent P 491-A

WATER REQUIREMENTS OF

- INDUSTRIES
 Iron and steel W 1330-H

WATER RESOURCES. *See also*

- HYDROLOGY. W 1765
- Alabama
Alaska
 Haines-Port Chilkoot area C 626
 Homer area HA-187
 Mendenhall Valley HA-259
 Umiat area C 636
- Appalachian region, Pennsylvania
 to Alabama HA-198
- Arizona
 depletion streamflow by infiltration,
 main channels Tucson basin ... W 1939-B
 Fort Huachuca Military
 Reservation W 1819-D
 Sycamore Creek watershed W 1861
- Arkansas
 Clark, Cleveland, and Dallas
 Counties W 1879-A
 Grant and Hot Spring Counties W 1857
 Jackson and Independence
 Counties W 1839-G
 Ouachita Mountains W 1809-J
 Pulaski and Saline Counties W 1839-B
 Randolph and Lawrence Counties W 1879-B
- California
 Honey Lake valley W 1619-Z
 Pahrump Valley W 1832
- Colorado River-Salton Sea area
 precipitation, runoff, water loss ... P 486-B
 water supply—magnitude and
 distribution P 486-D
- Colorado River basin
 basic data P 442
 technical report P 441
- Connecticut
 Hartford-New Britain area W 1499-H
 Waterbury-Bristol area W 1499-J
- Conservation C 414-A, C; W 402
- Delaware
 Newark area HA-64
 St. Georges area HA-60

WATER RESOURCES—Continued

- Delaware River basin P 381
 Ecological systems C 414-D
 For industrial use
 petroleum refining W 1330-G
 styrene, butadiene, synthetic
 rubber industries W 1330-F
 Georgia W 1762
 Hawaii, Oahu, windward part W 1894
 Idaho
 Little Lost River basin W 1539-Q
 Salmon Falls Creek basin W 1879-D
 southeastern, stock-water
 development W 1475-P
 In the urban environment, outlook
 for cities C 601-A
 Indiana, electrical-analog-model
 study, Columbus area W 1981
 Investigations, State map
 folders p. 344
 Kansas, Wichita area HA-58; W 1499-I
 Kentucky, Mammoth Cave National
 Park W 1475-Q
 Louisiana
 De Soto Parish W 1774
 Red River Parish W 1614
 Management, agriculture, and
 ground-water supplies C 415
 Maryland
 Baltimore area W 1499-F
 Gunpowder Falls drainage basin W 1815
 Patuxent River basin HA-244
 southern HA-365
 Massachusetts
 Assabet River basin HA-312
 Housatonic River basin HA-281
 Ipswich River basin HA-196; W 1826
 Millers River basin HA-293
 Springfield-Holyoke area,
 problems W 1670
 Michigan
 Belle River basin HA-317
 Black River basin HA-338
 Flint area W 1499-E
 Marquette Iron Range area W 1842
 Pine River basin HA-327
 Minnesota
 Big Stone Lake watershed HA-213
 Buffalo River watershed HA-307
 Chippewa River watershed HA-286
 Hibbing area HA-280
 Lac qui Parle River watershed HA-269
 Mesabi and Vermillion
 Iron Ranges W 1759-A-F
 Middle River watershed HA-201
 Mississippi headwaters watershed HA-278
 Mustinka and Bois De Sioux
 Rivers watershed HA-272
 Otter Tail River watershed HA-296
 Pomme de Terre River watershed,
 atlas HA-220
 Redwood River watershed HA-345
 Roseau River watershed HA-241
 Two Rivers watershed HA-237
 Wild Rice River watershed HA-339
 Yellow Medicine River watershed HA-320

WATER RESOURCES—Continued

- Mississippi
 Harrison County W 1856
 Lee County W 1899-B
 Pascagoula area, streamflow,
 salt-water intrusion, ground
 water W 1763
 Mississippi embayment C 471; P 448-B
 National water resources data
 network Misc. rept., p. 195
 Nebraska, Antelope County HA-316
 Nevada
 Ely Grazing District, stock-water
 development W 1475-I
 Humboldt River valley near
 Winnemucca W 1795, 1816
 Pahrump Valley W 1832
 Salmon Falls Creek basin W 1879-D
 New Hampshire, Millers River
 basin HA-293
 New Mexico
 El Morro National Monument W 1766
 saline W 1601
 Santa Fe area W 1525
 Three Rivers area HA-192
 New York
 Albany-Schenectady-Troy
 area W 1499-D
 Utica-Rome area W 1499-C
 North Carolina, Great Smoky
 Mountains National Park HA-420
 Northeastern States, effect
 of drought HA-243
 Oklahoma W 1890
 Oregon W 1649
 French Prairie area, Willamette
 Valley W 1833
 Southwestern States
 effects of drought P 372-B
 future C 469
 Techniques
 in investigations, 1965 W 1822
 methods for collection and analysis
 water samples for dissolved
 minerals and gases TWI 5-A1
 U. S. Geological Survey, 1966-67 W 1892
 Tennessee, Great Smoky Mountains
 National Park HA-420
 United States W 1797
 estimated use of water, 1960 C 456
 industrial utility public supplies,
 1952 W 1299, 1300
 100 largest cities, public water
 supplies W 1812
 water resources development map p. 344
 Utah
 Middle Canyon, Oquirrh
 Mountains W 1619-K
 western public domain, stock-water
 development W 1475-N
 Washington
 King County W 1852
 Tacoma area W 1499-B
 Water management, agriculture,
 ground-water supplies C 415

WATER RESOURCES—Continued

Water management, challenge C 414-B
Wisconsin

Fox-Wolf River basin HA-321
Green Bay area W 1499-G
Portage County W 1796
Rock-Fox River basin HA-360
Winnebago County W 1814
World resources C 536

WATER USE

United States

map NA sheet 127
1965 C 556

WATERPOWER. See also ENGINEERING GEOLOGY; RIVERS.

Alaska

Petersburg-Juneau area, resources .. W 1529
sites, geology B 1031-B-F

Oregon

Alsea River basin W 1610-D
Nehalem River basin, resources .. W 1610-C
Trask River basin W 1610-B
Wilson River basin W 1329-B

United States and world, summary,
developed and potential C 483

WELLS AND DRILL HOLES

California, core logs of test

holes in Cenozoic lake deposits
near Hector B 1296

Chemical properties of ground

water, corrosion and encrustation
effects on wells P 498-D

Continental margin off Florida

calcium carbonate, organic carbon,
and nitrogen in sediments P 581-B

organic extracts from JOIDES

holes P 581-C
seismic reflection profiles along

drill holes P 581-A

Hawaii, Midway atoll, deep

drilling P 680-A
Methods measuring water levels

in deep wells TWI 8-A1
United States, regional trends

water-well drilling C 533
West Pakistan, corrosion and

encrustation in tube wells,
Indus Plains W 1608-L

WILDERNESS AREAS AND WILD-**LIFE REFUGES**

Alaska—Bering Sea, Bogoslof,

Simeonof, Semidi, Tuxedni,
St. Lazaria, Hazy Islands,
and Forrester Island National

Wildlife Refuges, geology,
mineral resources B 1260-K

Arizona

Blue Range primitive area,
mineral resources B 1261-E

Mount Baldy primitive area,
mineral resources B 1230-H

Pine Mountain primitive area,
mineral resources B 1230-J

Sycamore Canyon primitive
area, mineral resources B 1230-F

**WILDERNESS AREAS AND WILD-
LIFE REFUGES—Continued**

California

Agua Tibia primitive area,
mineral resources B 1319-A

Desolation Valley primitive
area, Sierra Nevada, mineral
resources B 1261-A

Devil Canyon-Bear Canyon
primitive area, mineral
resources B 1230-G

Emigrant Basin primitive area,
mineral resources B 1261-G

San Rafael primitive area,
mineral resources B 1230-A

Ventana primitive area, mineral
resources B 1261-B

Colorado

Flat Tops primitive area,
mineral resources B 1230-C

Gore Range-Eagles Nest
Primitive Area and vicinity,
mineral resources B 1319-C

San Juan primitive area, mineral
resources B 1261-F

Uncompahgre primitive area,
mineral resources B 1261-C

Florida—Passage Key, Island

Bay, Cedar Keys, Pelican
Island National Wildlife

Refuges, geology, mineral
resources B 1260-O

Georgia, Okefenokee National

Wildlife Refuge, geology,
mineral resources B 1260-N

Idaho, Sawtooth Primitive

Area, mineral resources B 1319-D

Maine, Edmunds Unit, Moosehorn

National Wildlife Refuge,
geology, mineral resources B 1260-P

Massachusetts, Monomoy National

Wildlife Refuge, geology,
mineral resources B 1260-D

Michigan—Huron, Seney, Michigan

Islands National Wildlife
Refuges, geology, mineral

resources B 1260-I

Montana

Jack Creek basin B 1319-B
Mission Mountains primitive

area, mineral resources B 1261-D
Spanish Peaks primitive area,

mineral resources B 1230-B

New Jersey, Great Swamp

National Wildlife Refuge,
geology, mineral resources B 1260-E

New Mexico

Black Range Primitive Area,
mineral resources B 1319-E

Blue Range primitive area,
mineral resources B 1261-E

Bosque del Apache National
Wildlife Refuge, geology,

mineral resources B 1260-B

**WILDERNESS AREAS AND WILD-
LIFE REFUGES—Continued**
New Mexico—Continued
Salt Creek area, Bitter
Lake National Wildlife
Refuge, geology, mineral
resources B 1260-A
Oklahoma, Charons Garden
Unit, Wichita Mountains
National Wildlife Refuge,
geology, mineral resources B 1260-J
Oregon
Harney Lake and Malheur
Lake areas of Malheur National
Wildlife Refuge, geology,
mineral resources B 1260-L
Mount Jefferson primitive
area, mineral resources B 1230-D
Oregon Islands National
Wildlife Refuge, geology,
mineral resources B 1260-G
Poker Jim Ridge and Fort
Warner areas of Hart Mountain
National Antelope Refuge,
geology, mineral resources B 1260-M
Three Arch Rocks National
Wildlife Refuge, geology,
mineral resources B 1260-H
Utah
Bear River Migratory Bird
Refuge, geology, mineral
resources B 1260-C
High Uintas primitive area,
mineral resources B 1230-I
Washington—Flattery Rocks,
Quillayute Needles, and
Copalis National Wildlife
Refuges, geology, mineral
resources B 1260-F
Wisconsin, Green Bay and
Gravel Island National
Wildlife Refuges, geology,
mineral resources B 1260-I
Wyoming, Stratified primitive
area, mineral resources B 1230-E
Z
ZINC
Alaska
Bowser Creek, McGrath
A-2 quadrangle C 559
Sumdum prospect, geology B 1108-E
Arizona, San Manuel area P 471
Brazil
Boquira district B 1110-A
Minas Gerais B 1110-B
California, Shasta district P 338
California and Nevada, oxidized
deposits MR-39
Colorado, oxidized deposits B 1135-C
Illinois
Cuba City, New Diggings,
and Shullsburg quadrangles B 1123-H
Kieler quadrangle GQ-487
Iowa, Potosi quadrangle B 1123-I
Kansas, Picher field P 588
Mississippi Valley B 1123-B, C, D, E
aeromagnetic and tectonic
analysis B 1242-A
lead isotope guides for exploration B 1312-G
New Hampshire-Maine, White
Mountain Plutonic Series B 1312-D
Oklahoma, Picher field P 588
Tennessee, Powell River
area B 1222-C
United States
map MR-19
oxidized deposits B 1135-A
Utah, oxidized deposits B 1135-B
Vermont, geochemical prospecting,
Copper Belt B 1198-B
Washington, Metaline district P 489
Wisconsin
Belmont and Calamine
quadrangles B 1123-G
Cuba City, New Diggings,
and Shullsburg quadrangles B 1123-H
Dickeyville quadrangle GQ-488
Kieler quadrangle GQ-487
Potosi quadrangle B 1123-I
Rewey and Mifflin quadrangles B 1123-F

AREAS

A

AFGHANISTAN

Kajakai Reservoir, hydrographic
and sedimentation survey W 1608-M

ALABAMA

(General)

base map p. 354
geology, coal resources B 1182-B
relation specific gravity and
iron content, Red Mountain
Formation B 1182-D
Silurian iron ore MF-175
topographic map p. 354
water resources W 1765
investigations, map folder p. 34.

Barbour County

Eufaula district, bauxite B 1199-E

Calhoun County

Anniston area, bauxite B 1199-O

Nances Creek, Jacksonville,
De Armanville areas, bauxite,
clay B 1199-P

Cherokee County

Congo area, bauxite, clay B 1199-P

Rock Run and Goshen Valley
areas, geology, bauxite B 1199-N

Cleburne County

Stone Hill mine, copper B 1142-I

Colbert County

Margerum district, bauxite B 1199-D

De Kalb County

Fort Payne area B 1199-O

Henry County

Eufaula district, bauxite B 1199-E

Jefferson County

Birmingham red-iron-ore district,
geology, hydrology P 473-C

Limestone County

Elkmont quadrangle, geology I-419

Salem quadrangle, geology I-420

Mississippi embayment, low-flow

characteristics, streams P 448-I

Mobile County

Grand Bay quadrangle, Hurricane

Camille tidal floods, Aug.
1969 HA-408

Kreole-Grand Bay SW quadrangles,

Hurricane Camille tidal

floods, Aug. 1969 HA-407

Pascagoula, Miss., area, water

resources W 1763

ALABAMA—Continued

Montgomery County, geology,

ground water W 1606

Northeastern

Cumberland Escarpment and

Highland Rim, geomorphology ... P 524-C

Randolph County

Stone Hill mine, copper B 1142-I

St. Clair County

Ashville area B 1199-O

Southwestern

Pascagoula River basin, ground-water
resources W 1839-K

Talladega County

Talladega area, bauxite, clay B 1199-P

Tennessee River basin

floods W 1676

surface water records, compilation,
1950-1960 W 1726

Western, pre-Selma Cretaceous

core samples B 1160

ALASKA

(General)

antimony occurrences MR-52

base map p. 355

bismuth occurrences MR-53

bryophytes associated with mineral

deposits and solutions B 1198-C

Cenozoic pectinids P 553

coal resources B 1242-B

earthquake March 27, 1964 C 491

effects on glaciers P 544-D

field investigation, reconstruction

effort P 541

geologic map index p. 198

glaciations, extent I-415

gold and silver MR-32

industrial minerals, construction

materials MR-41

iron occurrences MR-40

Jurassic ammonites P 374-C, 418-A

Lituyapecten P 354-J, K

lode gold and silver occurrences MR-32

mercury occurrences MR-54

metalliferous lode deposit B 1246

mineral resource investigations C 615

pelecypod *Otapiria* Marwick,

Mesozoic P 573-B

permafrost and related engineering

problems P 678

permafrost map I-445

physiographic divisions P 482

ALASKA—Continued

(General)—Continued

- place names, dictionary P 567
 placer gold occurrences, map MR-38
 river discharge to sea HA-282
 shallow ground-water supplies,
 use of galleries for development W 1809-E
 surface water
 1960 W 1720
 quality, 1961-63 W 1953
 records, compilation, 1950-1960 .. W 1740
 records, index through Sept.
 1967 C 585
 surficial geology I-357
 tectonic features, map NA sheet 69
 tectonics, March 27, 1964,
 earthquake P 543-I
 uranium, thorium, rare earths,
 occurrences MR-56
 vegetation, map NA sheet 89
 water resources investigations,
 map folder p. 344

Admiralty Island

(general)

- geology B 1181-R
 Pybus-Gambier area, stratigraphy,
 petrography B 1178

Alaska Highway, Delta River

to Tok Junction, geology B 1181-H

Alaska Peninsula, Cretaceous

ammonites P 432

Alaska Range

(general)

- perlite B 1155
 schists B 1254-E
 Chulitna River area, geological
 and geochemical investigations C 617
 Slana area, distribution gold,
 base metals C 593
 Windy Fork-Post River,
 geochemical anomalies and metalliferous
 deposits C 569

Amchitka and nearby islands

gravity map GP-693

vegetation P 648

Anchorage area

effects earthquake, March 27,

- 1964 P 542-A
 on Eklutna Hydroelectric Project P 545-A
 on hydrology P 544-B
 geology, ground water W 1773
 hydrology, ground-water pumping W 1779-D
 stability, Government Hill
 port area B 1258-D
 topographic map p. 355
 Arctic slope, Cretaceous Foraminifera P 236-C
 Baird Mountains quadrangle,
 southeastern, geology I-530
 Baranof Island
 (general)
 geology B 1141-O; I-388, 411
 Baranof and Carbon Lakes,
 waterpower sites B 1031-B
 Deer Lake and Kasnyku Lake,
 geology proposed powersites B 1211-C

ALASKA—Continued

Beluga-Yentna region, geology,

coal B 1202-C

Bering Sea, Bogoslof, Simeonof,

Semidi, Tuxedni, St.

Lazaria, Hazy Islands,

and Forrester Island National

Wildlife Refuges, geology,

mineral resources B 1260-K

Black River quadrangle, geology I-601

Brooks Range

Lake Peters area, geology B 1236

Mount Chamberlin area B 1201-B

Candle quadrangle, geology I-492

Cape Lisburne-Colville River

region, coal resources B 1242-E

Carlson Creek, waterpower

site B 1031-F

Central

pingos B 1241-H

Rampart Group B 1294-B

Central and southern, floods C 493

Chandalar quadrangle, geology I-375

Chandler River region, geology P 303-E

Charley River B-1 quadrangle,

fossil pollen P 643-A

Charley River quadrangle,

geology I-573

Chichagof Island

(general)

geology I-388

photogeology B 1043-E

Freshwater Bay area, geology B 1108-C

Chitina Valley, copper B 1155

Chugach Mountains, eastern,

geologic traverse I-341

Chulitna district, gold and

other metals C 564

Cook Inlet region

aeromagnetic survey P 316-G

glacial history P 443

ground breakage and associated

effects, earthquake, March

1964 P 543-F

Jurassic ammonites P 418-A, B

Tertiary stratigraphy and

paleontology P 398-A, B

Copper River Basin

effects earthquake, March 27,

1964 P 543-E

engineering geologic map I-524

magnetic, gravity data P 316-H

Cordova, geology, ground water W 1779-A

Craig quadrangle, geology B 1108-C

Delong Mountains, carbonate

facies and lithostrotionid

corals, Mississippian Kogruk

Formation P 664

Dillingham quadrangle, aeromagnetic

map GP-352

Eagle, phytocology, greenstone

habitat B 1198-F

Eagle A-1 and A-2 quadrangles,

geology B 1271-G

Eagle C-4 quadrangle, asbestos C 611

ALASKA—Continued

- Eagle Lake
geology, possible powersite B 1211-B
- East-central
Cambrian-Ordovician stratigraphy P 559-A
Cambrian trilobites P 559-B
new Paleozoic and Mesozoic
formations B 1274-I
- Fairbanks area
flood, Aug. 1967 HA-294
frost action B 1111-I
ground water W 1590
lode mines and prospects P 625-D
- Fairbanks A-2, A-3, A-4, A-5, quadrangles,
geology GQ-808, 809, 810, 811
- Fairbanks quadrangle, geology I-455
- Fairweather Range, geology,
petrology B 1121-F
- Fortymile area, geochemical
and geologic reconnaissance B 1312-M
- Funter Bay region, nickel-copper B 1155
- Gulf of Alaska Tertiary
province, geology I-484
- Haines-Port Chilkoot area,
water resources C 626
- Healy D-2, D-3, D-4, D-5
quadrangles
geology GQ-804, 805, 806, 807
- Homer area
effects earthquake, March 27,
1964 P 542-D
water resources, surficial geology HA-187
- Hooper Bay quadrangle, geology I-523
- Hughes quadrangle, geology I-459
- Iliamna quadrangle, geology I-407
- Iniskin-Tuxedni region, geology P 512
- Johnson River area, geology B 1249
- Juneau area
(general)
waterpower resources W 1529
- Crater Lake, Long Lake,
and Speel River, waterpower
sites B 1031-D
- Kanuti River region, geology B 1312-J
- Karluk quadrangle, aeromagnetic
map GP-354
- Kateel River quadrangle, regional
geology I-437
- Keku Islets and Kulu and
Kupreanof Islands, stratigraphy B 1241-C
- Kenai Lake, effects earthquake,
March 27, 1964 P 543-A
- Kenai Lowland, Quaternary
geology P 443
- Kenai Peninsula
Bradley River, waterpower
sites B 1031-C
- Nuka Bay area, geology, lode-gold
deposits P 625-B
- Killik-Etiviluk Rivers region,
geology P 303-F
- Killik-Ikkillik region, geology P 303-G
- Kobuk River valley, surficial
geology B 1181-K
- Kodiak and nearby islands, effects
earthquake, March 27, 1964 P 542-F, 543-D

ALASKA—Continued

- Kodiak Island, tungsten B 1155
- Koyukik River region, areas
for prospecting C 570
- Kruzof Island
geology I-411
photogeology B 1043-E
- Kuskokwim region, Red Devil
quicksilver mine B 1142-G
- Kwiguk and Black quadrangles,
geology I-469
- Lisburne Peninsula, Chariot
site, geology P 395
- Livengood gold placer district,
potential for lode deposits C 590
- McCarthy A-4 quadrangle
Cretaceous stratigraphy B 1180-A
geology I-410
- McCarthy B-4 and B-5 quadrangles,
distribution gold, copper,
other metals C 604
- McCarthy B-4, C-4, and
C-5 quadrangles, Skolai
Group B 1274-Q
- McCarthy B-5 quadrangle,
geology I-438
- McCarthy C-4 quadrangle,
geology GQ-844; I-423
- McCarthy C-5 quadrangle,
geology GQ-899; I-406
- McCarthy C-6 quadrangle,
geology I-444
- McCarthy quadrangle, Cretaceous
stratigraphy B 1274-K
- McGrath A-2 quadrangle,
Bowser Creek, lead, zinc,
silver deposits C 559
- Martin-Bering Rivers area,
geomorphic effects earthquake,
March 27, 1964 P 543-B
- Matanuska coal field, Knob
Creek area, map C-51
- Matanuska Valley
geology I-359
- Matanuska Formation B 1181-I
- Matanuska Valley-Nelchina
area, Cretaceous ammonites P 432
- Mendenhall Valley, water resources,
surficial geology HA-259
- Montague Island
erosion and deposition on beach
raised by 1964 earthquake P 543-H
surface faults associated with
1964 earthquake P 543-G
- Mount Fairplay area, geology B 1241-B
- Mount Fairweather quadrangle,
Glacier Bay, geology B 1121-K
- Mount Hayes D-3, D-4 quadrangles,
geology GQ-366; I-394
- Mount Saint Elias quadrangle,
geochemical and geophysical
reconnaissance B 1312-L
- Naknek quadrangle, aeromagnetic
map GP-353

ALASKA—Continued

- Naval Petroleum Reserve
No. 4 region, geophysical
investigations P 304-A
- Nenana coal field, coal-bearing
group B 1274-D
- Nome area, portable refraction
seismograph survey of gold
placer areas B 1312-B
- Nome C-1, D-1 quadrangles,
geology MF-247, 248
- Northeastern, geologic interpretation
aeromagnetic survey B 1271-F
- Northern
- Gublik Formation P 302-C
- Lower Cretaceous megafossils
micropaleontology, Mesozoic
rocks P 302-D
- Northwestern, Project Chariot
region, potential effect Project
on local water supplies P 539
- Petersburg area
(general)
- waterpower resources W 1529
- Scenery, Cascade, and Delta
Creeks, waterpower sites B 1031-E
- Prince of Wales Island
- Bokan Mountain uranium-thorium
area B 1154
- Mississippian rugose corals,
Peratrovich Formation P 534
- Paleozoic stratigraphy B 1284
- Prince William Sound area,
fractures inferred from aerial
photographs I-453
- Ruby-Anvik region, coal B 1155
- Selawik quadrangle, geology I-530
- Seward, effects earthquake,
March 27, 1964 P 542-E
- Seward Peninsula
(general)
- beryllium C 479
- central York Mountains,
geology, ore deposits B 1287
- Granite Mountain, metalliferous
deposits C 614
- Humboldt Creek, Serpentine-Kougarok
area, cassiterite in gold placers C 565
- Imuruk Lake area, geology,
mineral resources, ground water B 1141-C
- Lost River mine area, geology,
ore deposits B 1129
- Teller B-4 and C-4 quadrangles,
geology I-572
- western, geochemical cycle trace
elements in tin-tungsten-beryllium
district B 1242-F
- Sheep Creek, waterpower site B 1031-F
- Shungnak and Ambler River
quadrangles, geology I-554
- Simpson area, core tests P 305-L
- Skagway area, West Creek
damsite, geology B 1211-A
- South-central
effects earthquake, March 27, 1964
on highway system P 545-C

ALASKA—Continued

- South-central—Continued
- effects earthquake, March 27, 1964—Con.
on Alaska Railroad P 545-D
- on hydrology P 544-A
- on transport, communications,
utilities systems P 545-B
- Southeastern
- Early Silurian graptolites P 653
- Foraminifera, Recent P 573-A
- North Bradfield River iron
prospect B 1108-D
- Sundum copper-zinc prospect B 1108-E
- Southern
- Cenozoic gastropods P 503-B
- Cretaceous ammonites, Matanuska
Formation P 547
- earthquake, March 27, 1964,
lessons and conclusions P 546
- effects earthquake, March 27, 1964
on communities P 542-G
- on shore processes and beach
morphology P 543-J
- Southwestern, quicksilver deposits B 111
- Spur Mountain Lake
geology, possible powersite B 1211-Y
- Takata Creek, possible powersite,
geology B 1211-D
- Tanacross quadrangle, geology I-593
- Tanana basin, hydrology HA-319
- Tanana Lowland, east-central,
aeromagnetic map GP-447
- Taylor Highway, geology B 1281
- Turner Lake, waterpower site B 1031-F
- Tyee Lake
geology, possible powersite B 1211-B
- Ugashik quadrangle, aeromagnetic
map GP-354
- Umiat area, water resources C 636
- Umiat quadrangle, fossil pollen P 643-A
- Umiat-Maybe Creek region,
geology, heavy minerals P 303-H
- Unalaska Island
- geology B 1028-S
- pillowed lavas P 454-B
- Valdez area, effects earthquake,
March 27, 1964 P 542-C
- Valdez-Tiekel belt, geology I-356
- Whittier area, effects earthquake,
March 27, 1964 P 542-B
- Yakutat quadrangle, geochemical
and geophysical reconnaissance B 1312-L
- Yukon Flats district, geology B 1111-H
- Yukon-Koyukuk lowland, surficial
and engineering geology I-590
- Yukon-Tanana Upland, multiple
glaciation I-507
- AMERICAN SAMOA. *See* SAMOA ISLANDS.
- ANTARCTICA
(general)
- Permian sphenopside P 613-F
- shaded relief maps p. 351
- South Victoria Land, Beacon
Sandstone P 456-A

ANTARCTICA—Continued

- Transantarctic Mountains,
Mount Rabot quadrangle,
geology Spec. map, p. 318
Victoria Land, Taylor Glacier
region, diabase sheets P 456-B

ARABIAN PENINSULA. *See also* SAUDI

ARABIA.

(General)

- geographic map I-270-B-2
geologic map I-270-A
Aden Protectorate, geology P 560-C
Bahrain, geology P 560-E
Eastern Aden Protectorate
and Dhufar, geology P 560-H
Kuwait, geology P 560-F
Southwestern Iraq, geology P 560-G
Yemen, geology P 560-B

ARIZONA

(General)

- composition saline residues
on leaves and stems, saltcedar ... P 491-C
geologic map p. 197
occurrences selected minerals MR-46
topographic map p. 354
uranium deposits, reconnaissance . B 1147-A
water resources W 1648
water resources investigations,
map folder p. 344

Apache County

- Canyon Del Muerto quadrangle,
aeromagnetic map GP-406
central, geology, ground water W 1771
Los Gigantes Buttes quadrangle,
aeromagnetic map GP-404
Monument Valley area
geology, uranium, vanadium B 1103
uranium B 1222-H
Mount Baldy primitive area,
mineral resources B 1230-H
Naslini quadrangle, aeromagnetic
map GP-407
Shiprock quadrangle, geology,
uranium I-345
Toh-Atin Mesa quadrangle,
aeromagnetic map GP-403
Yellowstone Canyon quadrangle,
aeromagnetic map GP-405

Cochise County

(general)

- Canelo Hills Volcanics B 1194-M
earth fissures C 466
Benson quadrangle, geology I-470
Chiricahua National Monument,
ground water W 1475-H
Cochise quadrangle, aeromagnetic
map GP-413
Dragoon quadrangle
aeromagnetic map GP-412
geology, ore deposits P 416
Fort Huachuca Military Reservation,
water resources W 1819-D
Huachuca and Mustang Mountains,
geology I-509
Mule and Huachuca Mountains,
Mesozoic stratigraphy P 658-A

ARIZONA—Continued

Cochise County—Continued

Mule Mountains

- geology I-418
Paleozoic stratigraphy B 1201-F

San Simon basin

- electrical-analog analysis hydrologic
data W 1809-R
ground water W 1619-DD

Tres Alamos-Redington area,

- plant ecology P 485-D

Willcox and Luzena quadrangles,

- aeromagnetic map GP-418

Willcox basin

- geohydrology and water
utilization W 1859-F
ground water—fluoride content
and salinity HA-214

Coconino County

(general)

- Devonian rocks, paleogeography ... P 464
Ash Fork quadrangle, geology I-499
Cameron quadrangle, geology GQ-162
Kaibito and Moenkopi Plateaus,
Painted Desert, geology OM-145
Lees Ferry area, geology B 1137
Leupp quadrangle, geology I-352
Paulden quadrangle, geology P 467
Picacho Butte quadrangle,
geology I-500
Sunset Crater National Monument,
ground water W 1475-J
Sycamore Canyon primitive
area, mineral resources B 1230-A
Verde Valley, Mogollon Rim
region, geology, ground water B 1177
Colorado River region
anthropology, archeology P 670
exploration, stratigraphy, geologic
history, hydrology P 669
Gila Bend Indian Reservation,
geology, ground water W 1647-A

Gila County

(general)

- Devonian rocks, paleogeography ... P 464
uranium in Dripping Spring
Quartzite P 595
Christmas quadrangle, geology ... B 1161-E
Corduoy Creek basin, effects
juniper and pinyon eradication
on streamflow P 491-B
Globe-Miami district, geology,
ore deposits P 342
Pinal Ranch quadrangle, geology . B 1141-H
Gila River drainage basin
floods, Nov. 1965-Jan. 1966 W 1850-C
Gila River Phreatophyte
Project P 655-A
precipitation, streamflow, major
floods P 655-B
springs W 1619-H
Glen Canyon Recreation Area,
map p. 357
Graham County
Duncan quadrangle, geology I-442

ARIZONA—Continued

Graham County—Continued

- Klondyke quadrangle, geology P 461
 San Simon basin
 electrical-analog analysis, data W 1809-R
 ground water W 1619-DD
 Tres Alamos-Redington area,
 plant ecology P 485-D
 Willcox basin
 geohydrology and water
 utilization W 1859-F
 ground water, fluoride content
 and salinity HA-214

Grand Canyon National Park

- and vicinity
 anthropology, archeology P 670
 exploration, stratigraphy, geologic
 history, hydrology P 669
 maps p. 357
 Blue Range primitive area,
 mineral resources B 1261-E
 Duncan quadrangle, geology I-442

Hopi Indian Reservation

- hydrogeology P 521-A
 stratigraphy Chinle and Moenkopi
 Formations P 521-B

Hualapai Indian Reservation,

- geology, ground water W 1576-A

Maricopa County

(general)

- Bouguer gravity map GP-615
 earth fissures C 466
 ground-water depletion W 1860
 Casa Grande area, aeromagnetic
 map GP-548
 Luke area, geology, ground water W 1779-P
 McMullen Valley, geology,
 ground water W 1665
 Phoenix, Mesa, Camelback,
 and New River SE quadrangles,
 aeromagnetic map GP-420
 Rainbow Valley and Waterman
 Wash areas, ground water W 1669-F
 Sycamore Creek watershed,
 water resources W 1861

Mohave County

- Cottonwood Wash, use of water
 by riparian vegetation W 1858
 Lake Mead-Davis Dam region,
 geology P 374-E

Navajo County

(general)

- Devonian rocks, paleogeography P 464
 Chediski Peak, geology GQ-544
 Cibecue quadrangle, geology GQ-545
 Cibecue Ridge, throughfall
 for summer thunderstorms P 485-B
 Corduroy Creek basin, effects
 juniper and pinyon eradication
 on streamflow P 491-B
 Hopi Buttes and vicinity,
 aeromagnetic map GP-575
 Kayenta and Chilchinbito quadrangles,
 geology B 1202-A

ARIZONA—Continued*

Navajo County—Continued

Monument Valley area

- geology, uranium, vanadium B 1103
 geophysical exploration B 1083-F
 uranium B 1222-H

Snowflake-Hay Hollow area,

- ground water W 1539-S

Navajo Indian Reservation

(general)

- hydrogeology P 521-A
 stratigraphy Chinle and Moenkopi
 Formations P 521-B
 Red Lake area, geology, ground
 water W 1576-B

Northeastern, Upper Triassic

- Chinle Formation and related
 rocks P 644-E

Papago Indian Reservation

- ground water HA-55
 Mesozoic formations B 1194-G, H

Petrified Forest National

Park area

- ferns, Chinle Formation P 613-D
 map p. 358

Pima County

(general)

- Bouguer gravity map GP-615
 earth fissures C 466
 Baboquivari Mountains, Mesozoic(?)
 rocks B 1194-I
 Benson quadrangle, geology I-470
 Comobabi and Roskrige Mountains,
 Papago Indian Reservation,
 Mesozoic formations B 1194-H
 Greaterville mining district,
 structure control of geochemical
 anomalies B 1312-A
 Mammoth quadrangle, aeromagnetic
 map GP-419
 Pima mining district near Tucson,
 geochemical study alluvium-covered
 copper deposits B 1312-C
 Sahuarita quadrangle, geology I-613
 Santa Rita Mountains, stratigraphic
 names B 1274-C
 Tres Alamos-Redington area,
 plant ecology P 485-D
 Tucson basin, depletion streamflow
 by infiltration in main channels W 1939-B
 Twin Buttes area, aeromagnetic
 map GP-426

Pinal County

(general)

- Bouguer gravity map GP-615
 earth fissures C 466
 ground-water depletion W 1860
 Brandenburg Mountain quadrangle,
 geology GQ-668
 Casa Grande area, aeromagnetic
 map GP-548
 Christmas quadrangle, geology B 1161-E
 Holy Joe Peak quadrangle,
 geology GQ-669

ARIZONA—Continued

Pinal County—Continued

- Klondyke quadrangle, geology P 461
 Lookout Mountain quadrangle,
 geology GQ-670
 Mammoth quadrangle
 aeromagnetic map GP-419
 geology B 1218
 Mammoth region
 Cenozoic geology B 1141-E
 San Pedro River water regimen . W 1669-I
 Pinal Ranch quadrangle, geology . B 1141-H
 Rainbow Valley and Waterman
 Wash areas, ground water . . . W 1669-F
 Saddle Mountain quadrangle,
 geology GQ-671
 San Manuel area, geology,
 ore deposits P 471
 Superior quadrangle, geology MF-253
 Vekol Mountains, Papago
 Indian Reservation, Mesozoic
 formations B 1194-G
 western, salinity ground water . . W 1819-E
 Santa Cruz County
 (general)
 Canelo Hills Volcanics B 1194-M
 Huachuca and Mustang Mountains,
 geology I-509
 Huachuca Mountains, Mesozoic
 stratigraphy P 658-A
 Santa Rita Mountains, stratigraphic
 names B 1274-C
 Twin Buttes area, aeromagnetic
 map GP-426
 Southeastern
 Cretaceous paleogeography P 658-B
 stratigraphy, Dripping Spring
 Quartzite B 1168
 Southern, younger Precambrian
 geology P 566
 Southwestern, lower Colorado
 River-Salton Sea area
 precipitation, runoff, water
 loss P 486-B
 Wupatki National Monument,
 ground water W 1475-J
 Yavapai County
 (general)
 Devonian rocks, paleogeography . . . P 464
 Ash Fork quadrangle, geology I-499
 Bagdad area, aeromagnetic map . . . GP-411
 Camp Wood quadrangle, geology . . . I-502
 central, aeromagnetic map GP-402
 Iron Springs quadrangle, geology . . . I-504
 Jerome mining district, aeromagnetic
 map GP-402
 McMullen Valley, geology,
 ground water W 1665
 Mingus Mountain, geology GQ-715
 Picacho butte quadrangle,
 geology I-500
 Pine Mountain primitive area,
 mineral resources B 1230-J
 Prescott and Paulden quadrangles,
 geology P 467

ARIZONA—Continued

Yavapai County—Continued

- Sheridan Mountain quadrangle,
 geology I-505
 Simmons quadrangle, geology I-503
 Sycamore Canyon primitive
 area, mineral resources B 1230-A
 Turkey Canyon quadrangle,
 geology I-501
 Verde Valley, Mogollon Rim
 region, geology, ground water . . . B 1177
 Yuma County
 (general)
 Bouguer gravity map GP-615
 Big Maria Mountains NE
 quadrangle, geology GQ-350
 McMullen Valley, geology,
 ground water W 1665
 Quartzite quadrangle, geology . . . GQ-841
 Yuma region, use water by phreatophytes
 and hydrophytes P 486-F

ARKANSAS

(General)

- base maps p. 354
 Carboniferous cephalopods P 460
 floods, 1958 W 1660-A
 relief map p. 354
 revision Girty's invertebrate
 fossils from Fayetteville
 Shale P 606-A-F
 storage requirements, streams . . . W 1859-G
 topographic map p. 354
 water resources investigations,
 map folder p. 344
 Arkansas River region
 hydrology, alluvium W 1809-T
 Arkansas River valley
 electrical simulation in ground-water
 studies W 1971
 ground water W 1669-L, BB
 Bradley and Calhoun Counties,
 geology, ground water W 1779-G
 Clark and Cleveland Counties,
 water resources W 1879-A
 Coastal Plain, geohydrology,
 aquifers HA-309
 Dallas County, water resources . . . W 1879-A
 Eastern, U.S. Highway 70
 region, ground water W 1779-V
 Franklin County
 Coal Hill quadrangle, geology . . . P 536-C
 Garland County
 Malvern quadrangle geology,
 Paleozoic area I-405
 Grand Prairie region, ground
 water, artificial recharge . . . W 1615-A-H
 Grant County, water resources . . . W 1857
 Hot Spring County
 (general)
 water resources W 1857
 Magnet Cove area
 aeromagnetic map GP-409
 igneous complex P 425
 Malvern quadrangle, geology,
 Paleozoic area I-405

ARKANSAS—Continued

- Independence County
(general)
 water resources W 1839-G
 Batesville district, geology,
 structure OM-12
Jackson County, water resources ... W 1839-G
Johnson County
 Coal Hill, Hartman, and
 Clarksville quadrangles,
 geology P 536-C
 New Blaine quadrangle, geology ... P 536-B
Lafayette County, Upper
 Jurassic stratigraphy P 594-E
Lawrence County, water resources . W 1879-B
Logan County
 Coal Hill, Hartman, and
 Clarksville quadrangles,
 geology P 536-C
 Scranton and New Blaine
 quadrangles, geology P 536-B
Miller County, Upper Jurassic
 stratigraphy P 594-E
Mississippi embayment
 aeromagnetic prospecting, bauxite .. GP-370
 low-flow characteristics, streams ... P 448-F
Newton County
 Snowball quadrangle
 geology GQ-425
 Witts Springs Formation B 1194-D
Northwestern, diagenesis oolitic
 limestones P 594-H
Ouachita County, geology,
 ground water W 1779-G
Ouachita Mountains, water
 resources W 1809-J
Pulaski County
(general)
 water resources W 1839-B
 Little Rock and vicinity,
 map p. 356
Randolph County, water resources . W 1879-B
Red River, lower, floods,
 1957 W 1652-B
Saline County, water resources W 1839-B
Searcy County
 Snowball quadrangle
 geology GQ-425
 Witts Springs Formation B 1194-D
Sebastian County
 Greenwood quadrangle, geology P 536-A
 Southern, hydrologic significance
 lithofacies Sparta Sand P 569-A
 Washington County, early *Reticuloeceras*
 zone fauna, Hale Formation P 613-A
ATLANTIC OCEAN
 Atlantic Continental Shelf and Slope
 color marine sediments P 529-D
 De Soto Canyon to Great
 Bahama Bank, relation land
 and submarine topography I-475
 geologic background P 529-A
 nineteenth century exploration P 529-F

ATLANTIC OCEAN—Continued

- Atlantic Continental Shelf and Slope—Con.
 northeastern
 gravels P 529-H
 sand and gravel C 602
Nova Scotia to Florida,
 relation land and submarine
 topography I-451
Nova Scotia to New Jersey,
 heavy minerals P 529-G
off Florida
 calcium carbonate, organic carbon,
 and nitrogen in sediments from
 drill holes P 581-B
 mineralogy and origin sediments . P 581-E
 organic extracts from JOIDES
 cores P 581-C
 seismic reflection profiles along
 drill holes P 581-A
 stratigraphic description JOIDES
 cores P 581-D
 physiography P 529-C
 program for study C 481
 shallow structure P 529-I
 southern Nova Scotian and
 northern Virginian faunal
 provinces, ostracode
 zoogeography P 529-E
North American Basin, physiography
 and sediments P 529-B
AUSTRALIA
 Murrumbidgee River and paleochannels,
 adjustment to altered hydrologic
 regimen P 598
Northern Territory, Henbury
 meteorite craters, structural
 geology P 599-C

B

BAHAMA ISLAND

- Andros Island, calcium carbonate
 deposition P 350
BIKINI ATOLL. See MARSHALL ISLANDS.
BLACK HILLS. See SOUTH DAKOTA;
 WYOMING.

BOLIVIA

- Potosi
 Villa Martin Province, San
 Cristobal district, geology,
 mineral deposits B 1273

BRAZIL

- (General)
 ground-water provinces W 1663-A
Amazon River
 discharge and water quality C 552
 investigations, measurements,
 1963 C 486
Bahia
 Boquirra district, lead-zinc
 deposits B 1110-A
 Serra de Jacobina, Morro
 do Vento, uranium B 1185-A
 Tucano basin, uranium B 1185-B

BRAZIL—Continued**Minas Gerais**

- Antônio dos Santos, Gongo Sôco, and Conceição do Rio Acima quadrangles, geology, ore deposits P 341-I
- Barão de Cocais area geology, mineral resources P 341-H
- Belo Horizonte, Ibirité, Macacos quadrangles, geology, ore deposits P 341-D
- Cachoeira do Compo, Dom Bosco, and Ouro Branco quadrangles, geology, ore deposits P 341-B
- Itabira district, geology, ore deposits P 341-C
- Monlevade and Rio Piracicaba quadrangles, geology, mineral resources P 341-E
- Município de Januária, lead, zinc B 1110-B
- Nova Lima and Rio Acima quadrangles, geology, ore deposits P 341-A
- Pico de Itabirito district, geology, mineral resources P 341-F
- Poços de Caldas district, Morro do Ferro, thorium and rare-earth ore deposit B 1185-D
- Poços de Caldas plateau, uraniferous zirconium deposits B 1185-C
- Quadrilátero Ferrífero gneissic and igneous rocks P 641-B
- physiographic, stratigraphic, and structural development ... P 641-A
- Serra do Curral, geology, iron deposits P 341-G
- Pernambuco**
- upper Capibaribe basin, hydrogeology W 1663-E
- Rio Grande do Norte**
- Acu Valley, ground water W 1663-C
- BRITISH GUIANA**
- Coastal area, ground water W 1663-B

C**CALIFORNIA****(General)**

- basement rocks OM-215
- chronology emplacement Mesozoic batholithic complexes P 623
- effects Truckee earthquake, Sept. 1966 C 537
- floods, Jan.-Feb. 1963 W 1830-A
- geologic map I-512
- isotopic composition diagenetic carbonates in marine Miocene formations P 614-B
- low-temperature reaction zones and alpine ultramafic rocks B 1247
- mean annual runoff as related to channel geometry selected streams W 1999-E
- minor elements in waters W 1535-L
- oxidized zinc occurrences MR-39

CALIFORNIA—Continued**(General)—Continued**

- pelecypod *Lopharella* Imlay, n. gen., Mesozoic P 573-B
- Pleistocene lakes I-416
- shaded-relief map p. 354
- water resources investigations, map folder p. 344
- Alameda County**
- Berkeley and San Leandro Hills, Upper Cretaceous and lower Tertiary rocks B 1251-J
- Hayward fault zone, tectonic creep C 525
- Oakland East quadrangle, geology .. GQ-769
- Alpine County**
- Lake Tahoe basin, geography, geology, history, hydrology W 1972
- Amador County**
- Jackson area, Permian Tethyan fusulinids P 593-A
- northern Mother Lode area, aeromagnetic map GP-671
- Basin Range region, graptolites B 1134
- Calaveras County**
- Jackson area, Permian Tethyan fusulinids P 593-A
- Mother Lode gold and Sierra Foothills copper mining districts, aeromagnetic map GP-561
- northern Mother Lode area, aeromagnetic map GP-671
- San Andreas quadrangle, geology ... GQ-222
- Central**
- compaction sediments underlying areas of land subsidence P 497-D
- Pleistocene paleoecology and zoogeography P 523-C
- San Joaquin and Santa Clara Valleys
- petrology sediments, areas land subsidence P 497-C
- physical and hydrologic properties of water-bearing deposits in subsiding areas P 497-A
- Colusa County**
- Cache Creek drainage basin, sediment transport P 562-A
- Stonyford quadrangle, geology MF-279
- upper Stony Creek basin, Coast Ranges, sedimentation ... W 1798-F
- Contra Costa County**
- Hayward fault zone, tectonic creep C 525
- Oakland East quadrangle, geology .. GQ-769
- Sacramento-San Joaquin delta, use acoustic velocity meter for measurement net, outflow W 1877
- Death Valley National Monument (general)**
- alluvial fans P 466
- Bouguer anomaly map GP-305
- hydrologic basin P 494-B
- plant ecology P 509
- stratigraphy, structure P 494-A
- Badwater, Mormon Point, Greenwater Valley, geology P 413

CALIFORNIA—Continued

Death Valley National Monument—Con.

- east-central, aeromagnetic map GP-428
Furnace Creek Wash area,
geology, hydrology W 1779-Y

Del Norte County

- Blue Creek, field measurement
of initiation of large bed
particle motion P 562-G

El Dorado County

- Desolation Valley primitive
area, mineral resources B 1261-A
Lake Tahoe basin, geography,
geology, history, hydrology W 1972
northern Mother Lode area,
aeromagnetic map GP-671
Rubicon River, flood surge P 422-M

Fresno County

- Bishop district, geology, tungsten P 470
Blackcap Mountain quadrangle,
geology GQ-428
Devils Postpile quadrangle
Cenozoic volcanic rocks P 554-D
geology GQ-437
Dinkey Creek roof pendant,
central Sierra Nevada,
stratigraphy, structure P 524-B
Mount Goddard quadrangle,
geology GQ-429
Mount Morrison quadrangle,
geology, mineral deposits P 385
Mount Pinchot quadrangle,
geology B 1130
Shuteye Peak quadrangle, geology... GQ-728
western
alluvial fans, geomorphology P 352-E
alluvial fans and near-surface
subsidence P 437-A

Glenn County

- Colyear Springs-Paskenta
area, structural and stratigraphic
significance *Buchia* zones P 647-A
Stonyford quadrangle, geology MF-279
upper Stony Creek basin,
Coast Ranges, sedimentation ... W 1798-F

Humboldt County

- (general)
surface-water hydrology, coastal
basins W 1851

- Blue Creek, field measurement
of initiation of large bed
particle motion P 562-G

- Fortuna region, floods HA-78

Imperial County

- lower Colorado River, use
water by phreatophytes and
hydrophytes P 486-F
Salton Sea
hydrologic regimen P 486-C
hydrology and physiography HA-222
measurement evaporation P 272-H

Inyo County

- (general)
Ordovician formations B 1180-C

CALIFORNIA—Continued

Inyo County—Continued

(general)—Continued

upper Precambrian and Lower

- Cambrian strata P 620

Amargosa Valley, alluvial

- fans P 466

Ash Meadows quadrangle, geology B 1181-L

Birch Creek, physical and

- chemical description, travertine
deposition P 549-A

Bishop district, geology, tungsten P 470

Blanco Mountain quadrangle,

- geology GQ-529; MF-256

Bullfrog quadrangle, geology,

- ore deposits P 454-J

Cerro Gordo mining district P 408

Darwin quadrangle, geology,

- ore deposits P 368

Death Valley

- alluvial fans P 466

- Bouguer anomaly map GP-305

- hydrologic basin P 494-B

- plant ecology P 509

- stratigraphy, structure P 494-A

Deep Springs Lake, hydrology,

- mineralogy P 502-A

Deep Springs Valley, clastic

- sedimentation P 352-F

Funeral Peak quadrangle, geology P 413

Furnace Creek Wash area,

- geology, hydrology W 1779-Y

Greenwater Valley, alluvial

- fans P 466

Independence quadrangle

- geology B 1181-O; MF-254

- stratigraphy, Paleozoic formations . P 396

Inyo Mountains

- geology I-506

- petrography granitic bodies P 601

Mount Goddard quadrangle,

- geology GQ-429

Mount Pinchot quadrangle,

- geology B 1130

Owens Valley

- aeromagnetic map GP-329

- gravity study P 470

- structural geology, volcanism P 438

Pahrump Valley, hydrology W 1832

Panamint Butte quadrangle,

- geology MF-251

Panamint Range, Inyo Range,

- Carboniferous cephalopods P 483-A

Pleistocene Lake Tecopa,

- authigenic silicate minerals P 597

Saline Range-Inyo Mountains

- region, pegmatitic trachyandesite
plugs and associated volcanic
rocks P 614-D

Soldier Pass quadrangle, geology ... GQ-654

Waucoba Mountain quadrangle,

- geology GQ-528

Waucoba Wash quadrangle, geology GQ-612

White Mountains, rates slope

- degradation P 352-I

CALIFORNIA—Continued

Kern County

Edison-Maricopa area, geology,
ground water W 1656

Elkhorn Hills quadrangle,
geology I-585

Kern River area, Miocene
gastropods and biostratigraphy P 642

Kramer and Boron quadrangles,
aeromagnetic map GP-680

Tulare-Wasco area, land subsidence
due to ground-water withdrawal . P 437-B

western Mojave Desert, geology P 522

Wheeler Ridge area, land-surface
tilting and compaction alluvial-fan
deposits P 497-G

Willow Springs and Rosamond
quadrangles geology, mineral
deposits B 1089-C

Kings Canyon National Park

map p. 358

shaded-relief map p. 358

Kings County

Tulare-Wasco area, land subsidence
due to ground-water withdrawal . P 437-B

Lake County

Cache Creek drainage basin,
sediment transport P 562-A

Lake Pillsbury, sedimentation .. W 1619-EE

Stonyford quadrangle, geology MF-279

upper Stony Creek basin, Coast
Ranges, sedimentation W 1798-F

Lassen County

Harvey Mountain quadrangle,
geology GQ-443

Honey Lake Valley, water
resources W 1619-Z

Prospect Peak quadrangle,
geology GQ-345

Lassen Volcanic National Park

(general)

geology GQ-248

Prospect Peak quadrangle,
geology GQ-345

Los Angeles County

Castaic watershed, sediment
yield P 422-F

Devil Canyon-Bear Canyon
primitive area, mineral
resources B 1230-G

Kramer quadrangle, aeromagnetic
map GP-680

Long Beach-Santa Ana area,
aeromagnetic map GP-464

Los Angeles basin, geology P 420-A

Los Angeles region
aeromagnetic map GP-465, 466

aeroradioactivity GP-309

Mojave Desert, western geology P 522

Pacific Palisades area, landslides I-284

Piru Creek watershed,
sedimentation W 1798-E

Puente Hills, geology, oil P 420-B

Ventura basin, southeastern,
geology P 334-H

CALIFORNIA—Continued

Los Angeles County—Continued

Willow Springs and Rosamond
quadrangles, geology, mineral
deposits B 1089-C

Madera County

Devils Postpile quadrangle
Cenozoic volcanic rocks P 554-D

geology GQ-437

Kaiser Peak quadrangle, analytic
data, granitic and metamorphic
rocks P 644-C

Merced Peak quadrangle, geology .. MF-281

Shuteye Peak quadrangle, geology .. GQ-728

Marin County

(general)

surface-water hydrology, coastal
basins W 1851

Bolinas Lagoon, sedimentation,
hydrology C 627

San Francisco North quadrangle,
geology I-272

Mariposa County

Merced Peak quadrangle, geology .. MF-281

Yosemite Valley, shaded-relief
map p. 358

Mendocino County

(general)

surface-water hydrology, coastal
basins W 1851

Point Arena area, Skooner
Gulch Formation, age B 1254-C

Round, Laytonville, and Little
Lake Valleys, geology,

ground water W 1548

Mohave Desert

southeastern, geology MF-205

western, geology B 1089-C

Mono County

Bishop district, geology, tungsten P 470

Blanco Mountain quadrangle,
geology GQ-529; MF-256

Devils Postpile quadrangle
Cenozoic volcanic rocks P 554-D

geology GQ-437

Long Valley

aeromagnetic map GP-329

gravity study P 385

Magruder Mountain area, geology B 1251-H

Mono Craters quadrangle

geology GQ-462

structure, metamorphism B 1221-E

Mount Morrison quadrangle,
geology, mineral deposits P 385

Owens Valley

gravity study P 470

structural geology, volcanism P 438

Soldier Pass quadrangle, geology GQ-654

White Mountains, rates slope
degradation P 352-I

Monterey County

Cosio Knob and Espinosa

Canyon quadrangles, geology ... B 1161-H

Hames Valley, Wunpost, and
Valleton quadrangles, geology .. B 1221-B

CALIFORNIA—Continued

- Monterey County—Continued
 Jolon and Williams Hill
 quadrangles, geology B 1181-Q
 Paraiso Springs quadrangle,
 geology B 1285
 Parkfield-Cholame area, earthquakes,
 June-Aug. 1966 P 579
 Relis Canyon, Thompson Canyon,
 and San Lucas quadrangles,
 geology B 1141-Q
 Salinas Valley
 Miocene, Pliocene marine
 stratigraphy B 1194-E
 Pancho Rico Formation P 524-A
 Sycamore Flat quadrangle,
 geology B 1285
 Tierra Redonda Mountain
 and Bradley quadrangles,
 geology B 1255
 Ventana primitive area, mineral
 resources B 1261-B
 Napa County
 Napa River at Napa, floods HA-348
 Nevada County
 northern, Tertiary gold-bearing
 channel gravel C 566
 North coastal, precipitation
 and runoff HA-298
 Northern
 Coast Ranges hydrology, salmon
 spawning W 1779-AA
 coastal basins
 flood-frequency analysis W 1580-E
 surface-water hydrology W 1768
 occurrences selected minerals MR-47
 topographic map p. 354
 Northwestern
 ammonites from *Buchia* zones P 647-B
 variations in low-water streambed
 elevations at stream-gaging
 stations W 1879-E
 Orange County
 Long Beach-Santa Ana area,
 aeromagnetic map GP-464
 Los Angeles, eastern, and
 vicinity, aeromagnetic map GP-465
 Los Angeles basin, geology P 420-A
 Puente Hills, geology, oil P 420-B
 Pacific slope basins
 floods, magnitude and
 frequency W 1685, 1686
 surface water
 quality, 1964 W 1958
 records, compilation, 1950-1960 ... W 1735
 records, index through Sept.
 1967 C 581
 supply, 1961-65 W 1928, 1929, 1930
 Placer County
 Lake Tahoe basin, geography,
 geology, history, hydrology W 1972
 Rubicon River, flood surge P 422-M
 Riverside County
 Agua Tibia primitive area,
 mineral resources B 1319-A

CALIFORNIA—Continued

- Riverside County—Continued
 Big Maria Mountains NE
 quadrangle, geology GQ-350
 Bloomington-Colton area, patterns
 subsurface flow HA-268
 Joshua Tree quadrangle, geology I-516
 Morongo Valley quadrangle,
 geology I-517
 Palm Springs, Agua Caliente
 Spring, geology, hydrology W 1605
 Pinto Basin, Joshua Tree
 National Monument, geology,
 hydrology W 1475-O
 Puente Hills, geology, oil P 420-B
 Salton Sea
 hydrologic regimen P 486-C
 hydrology and physiography HA-222
 measurement evaporation P 272-H
 San Geronio Mountain quadrangle,
 geology I-431
 Twenty-nine Palms quadrangle,
 geology I-561
 Sacramento County
 Sacramento and vicinity, aeromagnetic
 map GP-574
 Sacramento-San Joaquin delta,
 use acoustic velocity meter
 for measurement net outflow W 1877
 Sacramento River basin,
 water quality W 1619-Q
 San Benito County
 Pinnacles National Monument,
 ground water W 1475-K
 San Bernardino County
 (general)
 Ordovician formations B 1180-C
 upper Precambrian and Lower
 Cambrian strata P 620
 Bloomington-Colton area, patterns
 subsurface flow HA-268
 Broadwell Lake quadrangle,
 geology I-478
 Cady Mountains quadrangle,
 geology I-467
 Daggett quadrangle, geology I-592
 Deadman Lake quadrangle, geology I-488
 Death Valley
 Bouguer anomaly map GP-305
 hydrologic basin P 494-B
 plant ecology P 509
 stratigraphy, structure P 494-A
 Emerson Lake quadrangle, geology I-490
 Hector area, Cenozoic lake
 deposits B 1296
 Joshua Tree quadrangle, geology I-516
 Kramer and Boron quadrangles,
 aeromagnetic map GP-680
 Lava Mountains, geology, volcanic
 petrology P 457
 Lavic quadrangle, geology I-472
 Lucerne Valley quadrangle,
 geology I-426
 Ludlow quadrangle, geology I-477

CALIFORNIA—Continued

San Bernardino County—Continued

Mohave Desert

- southeastern, geology MF-205
western, geology P 522

Morongo Valley quadrangle,

- geology I-517

Mud Hills

- diagenesis tuffs, Barstow
Formation P 634
potash feldspar, Barstow Formation C 500

Newberry quadrangle, geology I-461

Old Woman Springs quadrangle,

- geology I-518

Ord Mountains quadrangle, geology I-427

Pahrump Valley, hydrology W 1832

Providence Mountains, Carboniferous

- cephalopods P 483-A

Puente Hills, geology, oil P 420-B

Rodman Mountains quadrangle,

- geology I-430

San Bernardino area, geology,

- hydrology W 1419

San Geronio Mountain quadrangle,

- geology I-431

Searles Lake, nonclastic minerals,

- evaporite deposit B 1181-P

Twenty-nine Palms quadrangle,

- geology I-561

San Diego County

Agua Tibia primitive area,

- mineral resources B 1319-A

Lake Wohlford, elimination

- thermal stratification W 1809-M

San Diego area, flood-frequency

- analysis W 1580-E

San Francisco Bay estuary,

- effects water circulation C 637-A, B

San Francisco County

San Francisco North quadrangle,

- geology I-272

San Francisco region

- Bouguer gravity map GP-468

natural gamma radioactivity

- map GP-483

San Joaquin basin, Tertiary

- paleoclimatic trends P 644-D

San Joaquin Valley

- ground water C 459

ground-water reservoirs for

- surface-water storage W 1618

San Luis Obispo County

- Adelaida quadrangle, geology GQ-768

Adelaida quadrangle, Miocene

- Foraminifera, stratigraphy B 1271-A

Caliente Range, geology OM-217

Parkfield-Cholame area, earthquakes,

- June-Aug. 1966 P 579

Salinas Valley, Miocene,

- Pliocene marine stratigraphy B 1194-E

Santa Maria Valley, ground-water

- utilization W 1819-A

Tierra Redonda Mountain

and Bradley quadrangles,

- geology B 1255

CALIFORNIA—Continued

San Luis Obispo County—Continued

Wells Ranch and Elkhorn

- Hills quadrangles, geology I-585

Santa Barbara County

central San Rafael Mountains,

- geology I-487

Fox Mountain quadrangle, geology I-547

Point Arguello Naval Missile

- Facility, geology, ground
water W 1619-F

San Antonio Creek valley,

- geology, ground water W 1664

San Rafael primitive area,

- mineral resources B 1230-A

Santa Barbara Channel region,

- geology, petroleum, seismicity P 679

Santa Barbara-Montecito

- area, ground water W 1859-A

Santa Maria Valley, ground-water

- utilization W 1819-A

Santa Ynez River basin,

- Lompoc subarea, irrigation,
ground-water quality W 1809-S

Tecolote Tunnel area, flow

- springs, small streams W 1619-R

Santa Clara County

New Almaden district, geology,

- mercury P 360

Permanent Creek, effect

- urban growth on streamflow
regimen W 1591-B

Santa Clara Valley, subsidence W 1619-C

Sequoia National Park

- glacial reconnaissance P 504-A

map p. 358

Shasta County

- French Gulch quadrangle, geology B 1141-J;

- map GQ-336

Manzanita Lake quadrangle,

- geology GQ-248

Prospect Peak quadrangle,

- geology GQ-345

Shasta copper-zinc district,

- geology and ores P 338

Weaverville quadrangle, geology MF-275

Sierra County

North Yuba River, snowmelt

- hydrology W 1779-R

Sierra Nevada

- ammonites, late Jurassic P 374-D

- batholith P 414-D

central, aeromagnetic strip

- map GP-657

metamorphic belt, stratigraphy,

- structure P 410

mineral content ground water W 1535-I

northern, snow, chemical

- composition W 1535-J

southern, geology B 1130

Siskiyou County

Condrey Mountain, Seiad

- Valley and Hornbrook quadrangles,

- geology GQ-618

CALIFORNIA—Continued

Solano County

- Sacramento-San Joaquin delta,
use acoustic velocity meter
for measurement net outflow W 1877

Sonoma County

- (general)
surface-water hydrology, coastal
basins W 1851
Russian River valley, geology,
ground water W 1548

South-central

- Antelope Valley and part of
Garlock fault zone, aeromagnetic
map GP-695

Southeastern

- lower Colorado River-Salton
sea area, precipitation,
runoff, water loss P 486-B

Southern

- Pacific Coast, drought P 372-G

- Tejon Pass to Cajon Pass,
recently active breaks, San

- Andreas fault I-553
topographic map p. 354
water loss, recoverable water P 417-E

Tehama County

- Colyear Springs-Paskenta
area, structural and stratigraphic
significance *Buchia* zones P 647-A
upper Stony Creek basin,
Coast Ranges, sedimentation ... W 1798-F

Trinity County

- Coffee Creek erosion and deposition
from flood, 1964 P 422-K
French Gulch quadrangle, geology B 1141-J;
GQ-336

- Weaverville quadrangle, geology ... MF-275

Tulare County

- Tulare-Wasco area, land subsidence
due to ground-water withdrawal . P 437-B

Tuolumne County

- Emigrant Basin primitive area,
mineral resources B 1261-B

- Mono craters quadrangle
geology GQ-462
structure, metamorphism B 1221-E

- Mother Lode gold and Sierra
Foothills copper mining districts,
aeromagnetic map GP-561

Ventura County

- Naval Air Missile Test
Center area, Point Mugu,
geology, ground water W 1619-S
Oxnard and vicinity, aeromagnetic
map GP-463
Piru Creek watershed,
sedimentation W 1798-E
San Nicolas Island
geology P 369
ground water W 1539-O

West-central, San Pablo to

- Warm Springs, fault traces
and historic surface ruptures,
Hayward fault zone I-522

CALIFORNIA—Continued

Western, recently active breaks

- along San Andreas and related
faults I-574, 575

Yolo County

- Cache Creek drainage basin,
sediment transport P 562-A
Fremont, floods, 1962 HA-54
Yosemite National Park and
vicinity, maps p. 358

CANADA

(General)

- bibliography
hydrology, 1964 W 1864
hydrology and sedimentation,
1955-58 W 1546

Quebec

- Lake Matapedia and Lake
Témiscouata areas, corals P 430

CANAL ZONE

- Tertiary gastropods, geology P 306-C, D

CARIBBEAN REGION. *See also*

PUERTO RICO.

- Cretaceous oysters P 483-H
Puerto Rico and adjacent islands,
hydrogeologic map HA-197

CAROLINE ISLANDS

Truk Island

- surface water, records, index
through Dec. 1963 C 515
volcanic rocks P 409

CENTRAL AMERICA

- Pacific Coast, Foraminifera P 429-A, B

CHILE

Antofagasta Province

- Salar de Atacama, geology,
ground water B 1219

Tarapaca Province

- Pica area, geology, ground water ... B 1189

CHINA (mainland)

- Rare-element mineral deposits B 1312-N

COLOMBIA

- Phosphate rock B 1272-A

COLORADO

(General)

- base map p. 354
Mesozoic strata OC-63
molybdenum in surface water ... W 1535-N
oxidized zinc deposits B 1135-C
sedimentary rocks, chemical
composition P 561
water resources investigations,
map folder p. 344

Adams County

- Clear Creek, fluorescent sand
as tracer fluvial sediment P 562-E
Fort Lupton quadrangle, geology ... GQ-397
Hudson quadrangle, geology GQ-398
South Platte River basin,
ground water W 1658

Arapahoe County

- Littleton quadrangle, geology B 1121-L
Black Canyon of the Gunnison
National Monument
Curecanti pluton B 1181-D

COLORADO—Continued

- Black Canyon of the Gunnison
National Monument—Continued
geology B 1191
- Boulder County
Boulder, floods HA-41
- Caribou stock, distribution
accessory minerals I-496
- Eldorado Springs quadrangle,
geology B 1221-D; I-383
- Front Range, Precambrian
quartzite-schist sequence and
Idaho Springs Formation P 454-O
- Nederland quadrangle, geology GQ-833
- Chaffee County
Poncha Springs NE quadrangle,
geology, mineral deposits P 626
- Cheyenne County
Big Sandy Creek valley,
geology, ground water B 1843
- eastern, geology, ground water ... W 1779-N
- Clear Creek County
Berthoud Pass quadrangle,
geology I-443
- Central City quadrangle
geology GQ-267
- petrology and structure, Precambrian
rocks P 554-E
- Empire district, utilization
humus-rich forest soil in geochemical
exploration gold C 562
- Empire quadrangle, geology P 616
- Front Range mineral belt,
altered wallrocks P 439
- Idaho Springs district
economic geology B 1208
- geology Precambrian rocks B 1181-A
- Lawson-Dumont-Fall River
district, geology, ore deposits B 1231
- Colorado National Monument,
map p. 356
- Costilla County
Spanish Peaks region, geology
igneous rocks P 594-G
- Crowley County
southern
geology, ground water W 1799
- ground water W 1669-P
- Custer County
(general)
mafic-ultramafic igneous rocks
and carbonatites, Gem Park
Complex P 649
- Mount Tyndall quadrangle,
geology GQ-596
- Spanish Peaks region, geology
igneous rocks P 594-G
- Delta County
Black Ridge quadrangle, geology ... GQ-747
- Grand Mesa area, Quaternary
geology P 617
- Moab quadrangle, geology, structure,
uranium I-360
- Denver area
aeromagnetic map GP-557

COLORADO—Continued

- Denver area—Continued
natural gamma radioactivity map ... GP-505
- principal facts for gravity stations
in area west of Denver PB1-91587
- seismic activity during 1968 test
pumping, Rocky Mountain
Arsenal disposal well C 613
- Dolores County
Dolores Peak quadrangle, geology ... GQ-536
- Mount Wilson quadrangle, geology B 1227;
MF-273
- Rico quadrangle, geology GQ-797
- Slick Rock district
petrography sedimentary rocks ... P 576-B
- stratigraphy P 576-A
- structure P 576-C
- Douglas County
Kassler quadrangle geology P 421-A, B
- Littleton quadrangle geology B 1121-L
- Platte Canyon Quadrangle
geology B 1181-C
- Eagle County
Dillon quadrangle, geology I-563
- Flat Tops primitive area,
mineral resources B 1230-C
- Glenwood Springs quadrangle,
geology B 1142-J
- Gore Range-Eagles Nest
Primitive Area, mineral
resources B 1319-C
- El Paso County
Black Squirrel Creek valley,
ground water HA-236
- Corral Bluffs quadrangle,
geology GQ-783
- Fountain and Jimmy Camp
Valleys, ground water W 1583
- Hanover NW quadrangle, geology ... GQ-725
- Kiowa Creek basin, fluvial
sediment W 1798-A
- Kiowa Creek basin K-79
- Reservoir, fluvial sediment ... W 1798-D
- U.S. Air Force Academy
site, geology, engineering
geology, ground water P 551
- Elbert County
Kiowa Creek basin, fluvial
sediment W 1798-A
- Fremont County
(general)
mafic-ultramafic igneous rocks
and carbonatites, Gem Park
Complex P 649
- Iron Mountain, mafic-ultramafic
layered intrusion B 1251-A
- Frenchman Creek basin, ground
water irrigation W 1577
- Front Range, uranium B 1159; P 371
- Garfield County
Battlement Mesa area, Quaternary
geology P 617
- Flat Tops primitive area,
mineral resources B 1230-C

COLORADO—Continued

Garfield County—Continued

- Glenwood Springs quadrangle,
geology B 1142-J
Piceance Creek basin, Paleocene-lower
Eocene units B 1274-M

Gilpin County

- Central City district
economic geology P 359, 371
Precambrian rocks P 474-C

Central City quadrangle

- geology GQ-267
petrology and structure, Precambrian
rocks P 554-E

Empire quadrangle, geology P 616

- Front Range mineral belt,
altered wallrocks P 439

- Idaho Springs district, economic
geology B 1208

- Nederland quadrangle, geology GQ-833

Grand County

(general)

- Chinle and Sundance
Formations B 1274-N

- Berthoud Pass quadrangle,
geology I-443

- Empire quadrangle, geology P 616

- Hot Sulphur Springs quadrangle,
geology P 586

- Hot Sulphur Springs SE
quadrangle, geology MF-271

- Hot Sulphur Springs SW
quadrangle, geology MF-291

- Middle Park, ground water W 1809-G
southwestern North Park and
vicinity, geology B 1257

Gunnison County

- Chair Mountain quadrangle,
geology GQ-704

- Hayden Peak quadrangle, geology GQ-863

- Marble quadrangle, geology GQ-512

- Marcellina Mountain quadrangle,
geology GQ-511

- Maroon Bells quadrangle,
geology GQ-788

- Oh-be-joyful quadrangle, geology GQ-578

- Powderhorn-Black Canyon
region, Tertiary volcanic
stratigraphy B 1251-C

- Quartz Creek district, pegmatites,
ternary diagrams quartz-feldspar
content B 1241-D

- Snowmass Mountain quadrangle,
geology GQ-853

- High Plains, ground water W 1819-I

Hinsdale County

- Bristol Head quadrangle, geology GQ-631

- Eureka and adjoining districts,
geology, ore deposits P 535

- Needle Mountains, gold B 1272-F

- San Juan primitive area, mineral
resources B 1261-F

- Uncompahgre primitive area,

COLORADO—Continued

Hinsdale County—Continued

- mineral resources B 1261-C

- Ute Creek, San Juan Mountains,
Precambrian melasyenite B 1311-C

Huerfano County

(general)

- ground water W 1805

- Spanish Peaks region, geology
igneous rocks P 594-G

Jackson County

- North Park, ground water W 1809-G

- North Park, southwestern,
and vicinity, geology B 1257

- North Park basin, northwestern,
geology B 1188

Jefferson County

- Clear Creek, fluorescent sand
as tracer fluvial sediment P 562-E

- Eldorado Springs quadrangle,
geology B 1221-D; I-383

- Front Range, Precambrian
quartzite-schist sequence
and Idaho Springs Formation P 454-O

- Kassler quadrangle, geology P 421-A, B
Lake George (Badger Flats)

- area, geology, beryllium P 608-A

- Littleton quadrangle, geology B 1121-L

- Malachite mine, prospecting
methods B 1098-C

- Morrison quadrangle
crystalline rocks B 1251-E

- geology I-428

- Platte Canyon quadrangle,
geology B 1181-C

- Ralston Buttes district, geology,
uranium P 520

Kiowa County

- Big Sandy Creek valley,
geology, ground water W 1843

- eastern, geology, ground water W 1779-N

La Plata County

Needle Mountains

- gold B 1272-F

- Precambrian geology P 644-A

- San Juan primitive area, mineral
resources B 1261-F

- Ute Mountain Indian Reservation,
geology, ground water W 1576-G

- La Sal Mountains area, geophysical
investigations P 316-F

Larimer County

(general)

- ground water W 1809-L

- Cache la Poudre River basin,
ground water W 1669-X

- Crystal Mountain district,
pegmatites, ternary diagrams
quartz-feldspar content B 1241-D

- Drake quadrangle, geology GQ-829

- Masonville quadrangle, geology GQ-832

Las Animas County

- Casa Grande Quadrangle,
geology GQ-823

COLORADO—Continued

Las Animas County—Continued

- Spanish Peaks regions, geology
igneous rocks P 594-G

Lincoln County

- Big Sandy Creek valley,
geology, ground water W 1843

Logan County, ground water W 1809-L

Mesa County

- Badger Wash basin hydrologic,
biotic characteristics W 1532-B

- Grand and Battlement Mesas
area, Quaternary geology P 617

- Grand Junction area
geology I-404

- geology, artesian water P 451

- Moab quadrangle, geology, structure,
uranium I-360

- Piceance Creek basin, Paleocene-lower
Eocene units B 1274-M

- Mesa Verde National Park, map .. p. 358

Mineral County

- Bristol Head quadrangle geology ... GQ-631

- Creede district, geology, ore
deposition P 487

- San Juan Mountains, Creede
caldera ash flows and related
volcanic rocks P 524-H

- San Juan primitive area, mineral
resources B 1261-F

Moffat County

(general)

- Green River Formation, associated
Eocene rocks P 496-A

- Elk Springs quadrangle,
geology GQ-702

- Flaming Gorge area, geology P 490

- Meeker region, Meeker and
Lloyd Sandstone Members,
Mancos Shale B 1194-J

- Mellen Hill quadrangle, geology ... GQ-835

- Piceance Creek basin, Paleocene-lower
Eocene units B 1274-M

- Thornburg oil and gas field
and vicinity, geologic map OM-216

- Uinta Mountains, geology B 1291

- Yampa Canyon, Uinta Mountains ... P 374-I

Montezuma County

- Rico quadrangle, geology GQ-797

- Ute Mountain Indian Reservation,
geology, ground water W 1576-G

- Ute Mountains area, geology,
petrology, mineral deposits P 481

Montrose County

- Black Canyon of the Gunnison,
Curecanti pluton B 1181-D

- Black Ridge quadrangle, geology ... GQ-747

- Cerro Summit quadrangle, geology ... GQ-486

- La Sal quadrangle, geology,
uranium-vanadium deposits P 508

- Moab quadrangle, geology, structure,
uranium I-360

- Powderhorn-Black Canyon region,
Tertiary volcanic
stratigraphy B 1251-C

COLORADO—Continued

- Morgan County, ground water W 1809-L

North-central

- Jarre Creek-Loveland area,
geology, biostratigraphy Pierre
Shale, map I-439

- Otero County, geology, ground
water W 1669-P, 1799

Ouray County

- Eureka and adjoining districts,
geology, ore deposits P 535

- Ironton quadrangle geology GQ-291

- Moab quadrangle, geology, structure,
uranium I-360

- Ouray quadrangle, geology GQ-152

- Telluride quadrangle, geology GQ-504

- Uncompahgre primitive area,
mineral resources B 1261-C

Park County

- Lake George area, distribution
beryllium, tin, tungsten C 597

- Lake George (Badger Flats)
area, geology, beryllium P 608-A

Pitkin County

- Chair Mountain quadrangle,
geology GQ-704

- Hayden Peak quadrangle, geology ... GQ-863

- Marble quadrangle, geology GQ-512

- Maroon Bells quadrangle, geology ... GQ-788

- Snowmass Mountain quadrangle,
geology GQ-853

Prowers County, geology, ground

- water W 1772

Pueblo County

- Northwest and Northeast Pueblo
quadrangles, geology I-408

Pueblo

- general and engineering geology ... B 1262

- Niobrara Formation P 454-L

- Southwest and Southeast Pueblo

- quadrangles, geology I-597

Rio Blanco County

- Banty Point quadrangle, geology ... GQ-703

- Black Cabin Gulch quadrangle,
geology GQ-812

- Flat Tops primitive area,
mineral resources B 1230-C

- Glenwood Springs quadrangle,
geology B 1142-J

- Meeker region, Meeker and
Lloyd Sandstone Members,
Mancos Shale B 1194-J

- Mellen Hill quadrangle, geology ... GQ-835

- Piceance Creek basin, Paleocene-lower
Eocene units B 1274-M

- Thornburg oil and gas field
and vicinity, geologic map OM-216

- Uinta Basin, geology, fuel
resources, Green River
Formation P 548

Rio Grande County

- Summitville district, lead,
copper, molybdenum, zinc geochemical
anomalies C 557

COLORADO—Continued

- Rocky Mountain National
Park, maps p. 357,358
- Routt County
(general)
Chinle and Sundance
Formations B 1274-N
- San Juan Mountains, Creede
caldera ash flows and related
volcanic rocks P 524-H
- San Juan County
Eureka and adjoining districts,
geology, ore deposits P 535
- Ironton quadrangle, geology GQ-291
- Needle Mountains
gold B 1272-F
- Precambrian geology P 644-A
- San Juan primitive area, mineral
resources 1261-F
- South Silverton mining area P 378-A, B
- Telluride quadrangle, geology GQ-504
- Uncompahgre primitive area,
mineral resources B 1261-C
- San Miguel County
Dolores Peak quadrangle,
geology GQ-536
- Eureka and adjoining districts,
geology, ore deposits P 535
- Ironton quadrangle, geology GQ-291
- Moab quadrangle, geology, structure,
uranium I-360
- Mount Wilson quadrangle, geology B 1227;
MF-273
- Placerville area, Early Permian
vertebrates P 503-C
- Slick Rock district
Disappointment Valley area,
uranium-vanadium exploration,
1948-1956 MF-241
- petrography sedimentary rocks P 576-B
- stratigraphy P 576-A
- structure P 576-C
- uranium-vanadium deposits B 1107-B
- Telluride quadrangle, geology GQ-504
- Telluride region, geology, mineral
deposits B 1112-G
- Uncompahgre primitive area,
mineral resources B 1261-C
- Sedgwick County, ground water W 1809-L
- South-central
Trinidad quadrangle
geologic, structure-contour map I-558
- gravity map GP-638
- South Platte River basin,
floods, 1965 W 1850-B
- Southeastern
La Junta quadrangle, geologic,
structure-contour map I-560
- Southwestern
San Juan peneplain P 594-I
- Summit County
Dillon quadrangle, geology I-563
- Gore Range-Eagles Nest
Primitive Area, mineral
resources B 1319-C

COLORADO—Continued

- Summit County—Continued
Middle Park, ground water W 1809-G
- Tenmile Range, northern, geology B 1162-D
- Teller County
Cripple Creek district
distribution gold, tellurium,
silver, mercury C 543
- gold and other metals P 625-A
- Washington County, geology,
ground water W 1777
- Weld County
(general)
ground water W 1809-L
- Cache la Poudre River basin,
ground water W 1669-X
- Fort Lupton quadrangle, geology GQ-397
- Hudson quadrangle, geology GQ-398
- Platteville quadrangle, geology GQ-399
- South Platte River basin,
ground water W 1658
- Yuma County, geology, ground
water W 1539-J

CONNECTICUT

- (General)
aeroradioactivity, geologic maps GP-359
- base map p. 354
- relief map p. 354
- topographic map p. 354
- water resources investigations,
map folder p. 344
- Fairfield County
Ansonia quadrangle, geology GQ-426
- Bethel quadrangle, aeromagnetic
map GP-368
- Botsford quadrangle, aeromagnetic
map GP-369
- Brewster quadrangle, aeromagnetic
map GP-364
- Danbury quadrangle, aeromagnetic
map GP-365
- Milford quadrangle, geology GQ-427
- Newtown quadrangle, aeromagnetic
map GP-366
- Norwalk South quadrangle,
geology GQ-718
- Peach Lake quadrangle, aeromagnetic
map GP-367
- Hartford County
Avon quadrangle
aeromagnetic map GP-594, 645
- surficial geology GQ-147
- Bristol-Plainville-Southington
area, geology, ground water W 1578
- Broad Brook quadrangle
aeromagnetic map GP-647
- contour map, bedrock surface I-401
- geology GQ-434
- Collinsville quadrangle, aeromagnetic
map GP-588
- Ellington quadrangle, aeromagnetic
map GP-648
- Farmington-Granby area, geology,
ground water W 1661

CONNECTICUT—Continued

Hartford County—Continued

Hartford-New Britain area,
water resources W 1499-H

Hartford North quadrangle
aeromagnetic maps GP-595, 646
geology GQ-223

Manchester quadrangle
aeromagnetic maps GP-596, 647
contour map, bedrock surface, I-402
geology GQ-433

Marlborough quadrangle, geologic,
magnetic maps GQ-791

Meriden quadrangle
bedrock geology GQ-738
surficial geology GQ-150

New Britain quadrangle,
geology GQ-494

New Hartford, Collinsville, and
West Granville quadrangles,
aeromagnetic map GP-644

Rockville quadrangle, aeromagnetic
map GP-587

Southington quadrangle, geology GQ-200

Southwick quadrangle, aeromagnetic
maps GP-534, 635, 645

Springfield South quadrangle
aeromagnetic map GP-632
geology GQ-678

Tariffville quadrangle
aeromagnetic map GP-645
geology GQ-370
surficial geology GQ-798

Tolland Center quadrangle,
aeromagnetic maps GP-535, 643

Torrington quadrangle, aeromagnetic
maps GP-589, 643

Waterbury-Bristol area, water
resources W 1499-J

West Granville quadrangle,
aeromagnetic map GP-536

West Springfield quadrangle
aeromagnetic map GP-635
geology GQ-537

Windsor Locks quadrangle
aeromagnetic map GP-646
geology GQ-388

Winsted quadrangle
aeromagnetic map GP-643
surficial geology GQ-871

Litchfield County

Ashley Falls quadrangle, aeromagnetic
maps GP-526, 641

Bashbish Falls quadrangle
aeromagnetic maps GP-527, 640
geology GQ-507

Collinsville quadrangle, aeromagnetic
maps GP-588, 644

Cornwall quadrangle, aeromagnetic
maps GP-584, 641

Danbury quadrangle, aeromagnetic
map GP-365

Ellsworth quadrangle, aeromagnetic
maps GP-583, 640

CONNECTICUT—Continued

Litchfield County—Continued

Litchfield quadrangle, surficial
geology GQ-848

New Hartford quadrangle aeromagnetic
map GP-644

New Preston quadrangle, surficial
geology GQ-782

Newtown quadrangle, aeromagnetic
map GP-366

Norfolk quadrangle, aeromagnetic
map GP-642

Roxbury quadrangle, surficial
geology GQ-611

Sharon quadrangle, aeromagnetic
map GP-640

South Canaan and Ashley
Falls quadrangles, aeromagnetic
map GP-641

South Sandisfield quadrangle,
aeromagnetic maps GP-533, 642

Tolland Center quadrangle,
aeromagnetic maps GP-535, 643

Torrington quadrangle, aeromagnetic
maps GP-589, 643

Waterbury-Bristol area, water
resources W 1499-J

West Torrington quadrangle
aeromagnetic maps GP-590, 642
surficial geology GQ-727

Winsted quadrangle
aeromagnetic map GP-643
surficial geology GQ-871

Woodbury quadrangle, surficial
geology GQ-896

Middlesex County

Durham quadrangle, surficial
geology GQ-756

Hartford Research Center,
CANEL site, Middletown,
geology, hydrology B 1133-G

Marlborough quadrangle, geologic,
magnetic maps GQ-791

Meriden quadrangle
bedrock geology GQ-738
surficial geology GQ-150

New Haven County

Ansonia quadrangle,
geology GQ-426

Durham quadrangle, surficial
geology GQ-756

Meriden quadrangle
bedrock geology GQ-738
surficial geology GQ-150

Milford quadrangle, geology GQ-427

Mount Carmel quadrangle, geology GQ-199

Newtown quadrangle, aeromagnetic
map GP-366

Roxbury quadrangle, surficial
geology GQ-611

Southington quadrangle, geology GQ-200

Waterbury-Bristol area, water
resources W 1499-J

Woodbury quadrangle, surficial
geology GQ-896

CONNECTICUT—Continued

New London County

- Ashaway quadrangle
 aeromagnetic map GP-547
 bedrock geology GQ-403
 surficial geology GQ-712

Columbia quadrangle, geology GQ-592

Fitchville quadrangle
 petrochemistry, geology B 1161-I

surficial geology GQ-485

Jewett City quadrangle, aeromagnetic
 map GP-539

Montville quadrangle
 bedrock geology GQ-609
 surficial geology GQ-148

New London area, stratigraphic
 names B 1224-J

New London quadrangle
 aeromagnetic map GP-546
 bedrock geology GQ-574

surficial geology GQ-176

Niantic quadrangle
 bedrock geology GQ-575
 surficial geology GQ-329

Norwich quadrangle
 aeromagnetic map GP-543
 surficial geology GQ-165

Old Mystic and Mystic quadrangles,
 aeromagnetic map GP-544

Oneco quadrangle, aeromagnetic
 maps GP-542, 591

Plainfield quadrangle
 aeromagnetic map GP-541
 bedrock geology GQ-481

Scotland quadrangle
 aeromagnetic map GP-540
 geology GQ-392

Uncasville quadrangle
 aeromagnetic map GP-546
 geology GQ-576

Voluntown quadrangle
 aeromagnetic map GP-545
 bedrock geology GQ-436

surficial geology GQ-469

Watch Hill quadrangle
 aeromagnetic map GP-547
 bedrock geology GQ-655

surficial geology GQ-410

Willimantic quadrangle, geology GQ-335

North-central, ground water W 1752

Tolland County

Broad Brook quadrangle
 aeromagnetic map GP-647

contour map bedrock surface I-401
 geology GQ-434

Columbia quadrangle, geology GQ-592

Eastford quadrangle, aeromagnetic
 map GP-651

Ellington quadrangle, aeromagnetic
 map GP-648

Hampden quadrangle, aeromagnetic
 map GP-629

Manchester quadrangle
 aeromagnetic maps GP-596, 647

CONNECTICUT—Continued

Tolland County—Continued

Manchester quadrangle—Continued

contour map, bedrock surface I-402
 geology GQ-433

Marlborough quadrangle, geologic,
 magnetic maps GQ-791

Monson quadrangle, aeromagnetic
 map GP-630

Rockville quadrangle, aeromagnetic
 maps GP-587, 648

South Coventry quadrangle,
 aeromagnetic maps GP-584, 641

Southbridge quadrangle, aeromagnetic
 map GP-631

Spring Hill quadrangle, aeromagnetic
 map GP-585, 650

Springfield South quadrangle
 aeromagnetic map GP-632
 geology GQ-678

Stafford Springs quadrangle,
 aeromagnetic map GP-649

Wales quadrangle, aeromagnetic
 map GP-633

Westford quadrangle, aeromagnetic
 map GP-650

Willimantic quadrangle, geology GQ-335

Windham County

(general)
 Putnam Group B 1194-C

Danielson quadrangle
 aeromagnetic maps GP-592, 652
 bedrock geology GQ-696

surficial geology GQ-660

East Killingly quadrangle,
 aeromagnetic maps GP-591, 653

Eastford quadrangle, aeromagnetic
 map GP-651

Hampton quadrangle
 aeromagnetic maps GP-593, 651
 geology GQ-468

Oneco quadrangle, aeromagnetic
 map GP-542, 591

Plainfield quadrangle
 aeromagnetic maps GP-541, 592
 bedrock geology GQ-481

Putnam quadrangle aeromagnetic
 map GP-652

Scotland quadrangle
 aeromagnetic maps GP-540, 593
 geology GQ-392

Southbridge quadrangle, aeromagnetic
 map GP-631

Spring Hill quadrangle, aeromagnetic
 maps GP-585, 650

Thompson quadrangle, aeromagnetic
 map GP-653

Webster quadrangle, aeromagnetic
 map GP-634

Westford quadrangle, aeromagnetic
 map GP-650

Willimantic quadrangle, geology GQ-335

COSTA RICA

Irazú Volcano, debris flow
 and erosion control problems
 caused by ash eruptions B 1241-I

D

DELAWARE

(General)

- Cretaceous-Tertiary boundary . . . B 1274-H
 place names . . . B 1245
 water resources . . . W 1767
 water resources investigations,
 map folder . . . p. 344

- Delaware River basin, water
 resources . . . P 381

Kent County

- Burrsville area, hydrology,
 soils . . . HA-135
 Dover quadrangle, hydrology,
 soils . . . HA-139
 Frederica area, hydrology, soils . . . HA-140
 Greenwood quadrangle, hydrology,
 soils . . . HA-99
 Harrington quadrangle, hydrology,
 soils . . . HA-136
 Hickman area, hydrology, soils . . . HA-100
 Little Creek quadrangle, soils . . . HA-134
 Marydel area, hydrology, soils . . . HA-132
 Milford quadrangle, hydrology,
 soils . . . HA-133
 Mispillion River quadrangle,
 hydrology, soils . . . HA-137
 Smyrna area, hydrology, soils . . . HA-81
 Wyoming quadrangle, hydrology,
 soils . . . HA-141

New Castle County

(general)

- stratigraphy post-Magothy
 Upper Cretaceous formations . . . P 674
 Clayton area, hydrology, soils . . . HA-83
 Middletown area, hydrology,
 soils . . . HA-82
 Newark area
 experiments in water spreading W 1594-B
 hydrology, soils . . . HA-64
 St. Georges area, hydrology,
 soils . . . HA-60
 Smyrna area, hydrology, soils . . . HA-81
 southern, ground water . . . W 1756
 Taylors Bridge area, hydrology,
 soils . . . HA-80
 Wilmington area, hydrology,
 soils . . . HA-79

Sussex County

- Bethany Beach area, hydrology,
 soils . . . HA-122
 Ellendale quadrangle, hydrology,
 soils . . . HA-101
 Frankford area, hydrology, soils . . . HA-119
 Georgetown quadrangle, hydrology,
 soils . . . HA-107
 Greenwood quadrangle, hydrology,
 soils . . . HA-99
 Harbeson quadrangle, hydrology,
 soils . . . HA-108
 Hickman area, hydrology, soils . . . HA-100
 Kenton area, hydrology, soils . . . HA-138
 Laurel area, hydrology, soils . . . HA-123
 Lewes area, hydrology, soils . . . HA-103

DELAWARE—Continued

Sussex County—Continued

- Milford quadrangle, hydrology,
 soils . . . HA-133
 Millsboro area, hydrology, soils . . . HA-121
 Milton quadrangle, hydrology,
 soils . . . HA-102
 Mispillion River quadrangle,
 hydrology, soils . . . HA-137
 Rehoboth Beach area, hydrology,
 soils . . . HA-109
 Rehoboth-Ocean City, Md.,
 beach-area water supplies . . . W 1619-T
 Seaford East quadrangle, hydrology,
 soils . . . HA-106
 Seaford West area, hydrology,
 soils . . . HA-105
 Sharptown area, hydrology, soils . . . HA-84
 Trap Pond area, hydrology,
 soils . . . HA-120
 Wilmington area, aeromagnetic
 map . . . GP-363

DISTRICT OF COLUMBIA

(General)

- aeroradioactivity map . . . GP-475
 geology, ground water . . . W 1776
 map . . . p. 356
 Potomac River estuary
 movement solute at low inflow
 conditions . . . C 529-B
 water quality . . . C 529-A
 Potomac River gorge crystalline
 rocks . . . P 414-H

E

ENIWETOK ATOLL. *See* MARSHALL ISLANDS.

F

FLORIDA

(General)

- base map . . . p. 354
 water resources investigations,
 map folder . . . p. 344
 Brevard County
 Melbourne and vicinity, aeromagnetic
 map . . . GP-425
 Central, Comanche Series
 and associated rocks . . . P 447
 Charlotte County
 Island Bay National Wildlife
 Refuge, geology, mineral
 resources . . . B 1260-O
 Hardee County
 Chicora quadrangle, economic
 geology . . . B 1162-A
 Fort Meade quadrangle, economic
 geology, phosphate . . . B 1207
 Hillsborough County
 Chicora quadrangle, economic
 geology . . . B 1162-
 Keyville quadrangle, economic
 geology . . . B 1128

FLORIDA—Continued

Hillsborough County—Continued

Plant City quadrangle, economic
geology B 1142-D

Tampa, floods HA-66

Indian River County

Pelican Island National
Wildlife Refuge, geology,
mineral resources B 1260-O

Leon County

Lake Jackson near Tallahassee,
floods HA-369

Levy County

Cedar Keys National Wildlife
Refuge, geology, mineral
resources B 1260-O

Manatee County

Chicora quadrangle, economic
geology B 1162-A

Passage Key National Wildlife
Refuge, geology, mineral
resources B 1260-O

Northern

Gulf Series P 524-G

petrography P 454-A

uraniferous phosphate B 1118

Northwestern, humate in coastal
sands B 1214-B

Pasco County

Plant City quadrangle, economic
geology B 1142-D

Polk County

Chicora quadrangle, economic
geology B 1162-A

Fort Meade quadrangle, economic
geology, phosphate B 1207

Keysville quadrangle, economic
geology B 1128

Lakeland quadrangle, economic
geology, phosphate B 1162-G

Plant City quadrangle, economic
geology B 1142-D

Southern, Comanche Series

and associated rocks P 447

G

GEORGIA

(General)

base maps p. 384

geochemical environments and cardio-
vascular mortality rates P 574-C

relief map p. 384

sediment transport, streams W 1668

topographic map p. 384

water resources W 1762

water resources investigations,
map folder p. 344

Bartow County

(general)

ground water W 1619-FF

Hermitage, Bobo, Cave Spring
areas, bauxite B 1199-M

Burke County

Savannah River Plant area,
aeromagnetic map GP-489

GEORGIA—Continued

Charlton County

Okefenokee National Wildlife
Refuge, geology, mineral
resources B 1260-N

Chatham County

Savannah area, salt-water encroachment,
geology, ground water W 1611, 1613-D

Clinch County

Okefenokee National Wildlife
Refuge, geology, mineral
resources B 1260-N

Decatur County, ground water,

geology W 1809-Q

Dougherty County

(general)

geology, ground water W 1639-P

Albany West quadrangle, geology I-348

Floyd County

Hermitage, Bobo, Cave Spring

areas, bauxite B 1199-M

Georgia Nuclear Laboratory area

aeromagnetic map GP-488

geology, hydrology, engineering

geology B 1133-D, F

radioactivity GP-351

Glynn County, geology, occurrence

fresh and brackish ground water W 1613-E

Grady County, ground water,

geology W 1809-Q

Lee County, geology, ground

water W 1666

Meriwether County

Warm Springs district, bauxite B 1199-I

Newton County

Yellow River basin, distribution

branches P 422-G

Northern, monasite deposits P 568

Northwestern

Atlanta region, Brevard fault

sone I-511

Silurian iron-ore beds MF-175

Polk County

Hermitage, Bobo, Cave Spring

areas, bauxite B 1199-M

Rockdale County

Yellow River basin, distribution

branches P 422-G

Seminole County, ground water,

geology W 1809-Q

Southern, Gulf Series P 524-G

Southwestern

Springvale-Andersonville districts,

bauxite B 1199-F, G, H

Sumter County, geology, ground

water W 1666

Ware County

Okefenokee National Wildlife

Refuge, geology, mineral

resources B 1260-N

Wilkinson County

Irwinton district, bauxite and

kaolin B 1199-J

GHANA

Ground-water reconnaissance W 1757-K

GILBERT ISLANDS

Onotoa Atoll, Foraminifera P 354-H

GREENLAND

Cenozoic pectinids P 553

GUAM. See MARIANA ISLANDS.

GULF OF ALASKA

Foraminifera, Recent P 573-A

GULF OF MEXICO

De Soto Canyon to Great

Bahama Bank, relation land

and submarine topography I-475

Mississippi Delta to Bahia

de Campeche, relation land

and submarine topography, map I-521

H

HAWAII

(General)

surface water

quality, 1965 W 1966

records, compilation, 1950-1960 W 1739

records, index through Sept.

1967 C 586

records through 1950 W 1319

supply, 1959-60 W 1719

vegetation, map NA sheet 89

water resources investigations,

map folder p. 344

Island of Hawaii

(general)

fresh-water springs detected from

infrared images HA-218

Kau Desert quadrangle, geology GQ-827

Kilauea Crater quadrangle,

geology GQ-667

Kilauea Iki

acid fumarolic gas P 537-C

lava lake, petrology P 537-B

Kilauea Volcano

chemistry lavas 1959-60 eruption P 537-A

eruptions, 1955, 1961, 1963, 1965 B 1171;

P 474-D, 607, 614-C

petrography lavas 1959-60

eruption P 537-D

south-central flank, bathymetric,

topographic, structural map I-456

Kona district

Holualoa, water-supply potential

from asphalt-lined catchment W 1809-P

Island of Maui, maps p. 350

Island of Oahu

Kahuku area, ground water W 1874

Kahaluu area, floods HA-239

Pearl Harbor area, land use

and effect on basal water supply HA-267

southern, ground water W 1778

Waimanalo area, floods HA-314

windward part, water resources W 1894

Kure atoll electrical resistivity

measurements P 680-D

Midway atoll

*deep drilling P 680-A

electrical resistivity measurements P 680-D

larger Foraminifera, Miocene P 680-C

HAWAII—Continued

Midway atoll—Continued

petrology basalt cores P 680-B

smaller Foraminifera P 680-E

I

ICELAND

Cenozoic pectinids P 553

IDAHO

(General)

base maps p. 354

biostratigraphy Phosphoria,

Park City, Shedhorn Formations P 313-D

ground-water storage, Columbia

River basalt p. 383-A

relief map p. 354

tectonic structure basalt Columbia

River group I-587

topographic map p. 354

water resources investigations,

map folder p. 344

Adams County

Council area, Weiser River

basin, ground water W 1779-Q

Idaho batholith, petrography B 1181-G

Long Valley Quaternary geology B 1311-A

Riggins quadrangle

Columbia River Basalt B 1141-L

geology I-579

Bannock County

American Falls Reservoir

vicinity, ground water W 1846

Bancroft quadrangle, SW¼,

geology MF-299

Fort Hall Indian Reservation,

ground water, irrigation W 1576-D

Pocatello-Soda Springs area,

aeromagnetic map GP-521

Soda Springs region, gravity

and magnetic anomalies P 646-E

upper Malad River basin,

hydrology W 1888

Basin Range region, graptolites B 1134

Bear Lake County

Georgetown Canyon-Snowdrift

Mountain area, geology B 1153

Snowdrift Mountain, minor

elements in Phosphoria Formation

and surficial materials B 1181-F

Soda Springs quadrangle,

geology I-557

Soda Springs region, gravity

and magnetic anomalies P 646-E

Benewah County

Fernwood and St. Joe quadrangles,

aeromagnetic map GP-688

Spokane quadrangle, geology I-464

Twin Crags quadrangle, geology,

mineral deposits B 1142-A

Bingham County

American Falls quadrangle,

geology B 1121-G

American Falls Reservoir

vicinity, ground water W 1846

IDAHO—Continued

Bingham County—Continued

Fort Hall Indian Reservation, ground
water, irrigation W 1576-D

Blaine County

Sawtooth Primitive Area, mineral
resources B 1319-D

Boise County

Sawtooth Primitive Area,
mineral resources B 1319-D

Bonner County

Clark Fork quadrangle, geology ... B 1141-K

Mt. Pend Oreille quadrangle,
aeromagnetic map GP-682

Packsaddle Mountain quadrangle,
geology GQ-375

Pend Oreille area, geologic
implications aeromagnetic data ... P 646-D

Sandpoint region, ground water ... W 1779-I

Spokane quadrangle, geology I-464

Bonneville County

Conant Valley quadrangle,
geology MF-277

Driggs quadrangle, geology MF-300

Garns Mountain quadrangle,
geology B 1205

Garns Mountain SE quadrangle,
geology MF-262

Irwin quadrangle, geology MF-287

National Reactor Testing
Station, geology B 1133-E

Thompson Peak quadrangle,
geology MF-284

Butte County

Little Lost River basin,
hydrology W 1539-Q

Camas County

Camas Prairie, ground water W 1609

Sawtooth Primitive Area,
mineral resources B 1319-D

Canyon County

Southern, effect irrigation
on ground water W 1585

Caribou County

Bancroft quadrangle, SW¼,
geology MF-299

Fort Hall Indian Reservation,
ground water, irrigation ... W 1576-D

Georgetown Canyon-Snowdrift
Mountain area, geology B 1153

Lanes Creek quadrangle, aeromagnetic
map GP-490

Pocatello-Soda Springs area
aeromagnetic map GP-521

Soda Springs quadrangle, geology ... I-557

Soda Springs region, gravity
and magnetic anomalies P 646-E

Stewart Flat quadrangle, geology ... B 1217

Cassia County

Raft River basin, ground water,
irrigation W 1619-CC

Clearwater County

Boehls Butte quadrangle region,
anorthosite, associated rocks ... P 344-B

IDAHO—Continued

Clearwater County—Continued

Elk River-Clarkia area,
metamorphism P 344-C

Pierce-Bungalow region, Idaho
batholith, petrology P 344-D

Snow Peak-Mallard Peak
region, Belt Series P 344-E

Western, metasomatic
metamorphism P 344-A

Custer County

(general)
Kinnikinic Quartzite, redefinition
and subdivision B 1254-J

Alder Creek mining district,
geology B 1252-A

Doublespring quadrangle, geology .. GQ-464

Mackay quadrangle, geology I-580

Sawtooth Primitive Area
mineral resources B 1319-D

Eastern, Carboniferous megafaunal

and microfaunal zonation P 613-E

Elmore County

Camas Prairie, ground water W 1609

Sawtooth Primitive Area,
mineral resources B 1319-D

Franklin County

upper Malad River basin,
hydrology W 1888

Fremont County

Hebgen Lake, Mont., region,
earthquake, 1959; geology P 435

Island Park caldera, geology,
patrogenesis P 504-C

Gem County

Long Valley, Quarternary
geology B 1311-A

Idaho County

Riggins quadrangle
Columbia River Basalt B 1141-L

geology I-579

Riggins region, metamorphism P 436

Kootenai County

Greenacres quadrangle, geology GQ-734

Kingston and St. Joe quadrangles,
aeromagnetic map GP-688

Spokane quadrangle, geology I-464

Twin Crags quadrangle, geology,
mineral deposits B 1142-A

Latah County

Spokane quadrangle, geology I-464

Lemhi County

Doublespring quadrangle, geology .. GQ-464

Leadore quadrangle, geology GQ-733

Lemhi Pass area, geology,
thorium B 1126

Madison County

Garns Mountain quadrangle,
geology B 1205

Nex Perce County, Jurassic

ammonites P 483-D

Northern

Pend Oreille area, mineralogy
and geochemistry, Belt rocks ... B 1312-O

IDAHO—Continued

- Oneida County
upper Malad River basin,
hydrology W 1888
- Owyhee County
Jarbridge quadrangle, geology B 1141-M
- Power County
American Falls quadrangle,
geology B 1121-G
American Falls Reservoir
vicinity, ground water W 1846
Fort Hall Indian Reservation,
ground water, irrigation W 1576-D
upper Malad River basin,
hydrology W 1888
- Shoshone County
Avery quadrangle, aeromagnetic
map GP-689
Boehls Butte quadrangle region,
anorthosite, associated rocks P 344-B
Clark Fork quadrangle, geology B 1141-K
Coeur d'Alene district
geology P 478
ore deposits P 445
Elk River-Clarkia area,
metamorphism P 344-C
Haugan, Simmons Peak, and
Illinois Peak quadrangles,
aeromagnetic map GP-690
Kellogg, Kingston, Calder,
St. Joe, and Fernwood
quadrangles, aeromagnetic map .. GP-688
Packsaddle Mountain quadrangle,
geology GQ-375
Pend Oreille area, geologic
implications aeromagnetic data .. P 646-D
Snow Peak-Mallard Peak
region, Belt Series P 344-E
Trout Creek quadrangle, aeromagnetic
map GP-685
Twin Crag quadrangle, geology,
mineral deposits B 1142-A
- Snake River basin
ground water, irrigation W 1654
surface water
chemical quality P 417-D
records, index, through Dec.
1963 C 513
- Snake River Plain
catastrophic late Pleistocene
Bonneville flood P 596
geology I-373
ground-water flow system W 1536-D
- Southeastern
Bannock thrust zone P 374-J
hydrology, stock-water
development W 1475-P
National Reactor Testing
Station area
aeroradioactivity map GP-446
geology B 1133-E
Southern, floods, Feb. 1962 C 467
- Teton County
Driggs quadrangle, geology MF-300

IDAHO—Continued

Teton County—Continued

- Garns Mountain NE quadrangle,
geology MF-274
Garns Mountain quadrangle,
geology B 1205
Garns Mountain SE quadrangle,
geology MF-262
Teton Valley, ground water W 1789
- Twin Falls County
Salmon Falls Creek basin,
water resources W 1879-D
- Valley County
Idaho batholith, petrography B 1181-G
Long and Bear Valleys, Quaternary
geology B 1311-A
Riggins quadrangle, geology I-579
- Washington County
(general)
Jurassic ammonites P 483-D
Midvale area, Weiser River
basin, ground water W 1779-Q
- Yellowstone National Park,
maps p. 358

ILLINOIS

(General)

- minor elements in coal beds B 1117-B
regional structure Illinois-Kentucky
mineral district B 1202-B
water resources investigations,
map folder p. 344
Wisconsinan Stage of the
Pleistocene B 1274-E
- Cook County
Arlington Heights quadrangle,
floods HA-67
Barrington quadrangle, floods HA-150
Berwyn quadrangle, flood HA-252
Blue Island quadrangle, floods HA-153
Chicago and vicinity
aeroradioactivity map GP-681
maps p. 355
Chicago metropolitan area, flood-hazard
mapping C 601-C
Dyer quadrangle, floods HA-301
Elgin quadrangle, floods HA-147
Elmhurst quadrangle, floods HA-68
Frankfort quadrangle, floods HA-231
Harvey quadrangle, floods HA-90
Highland Park quadrangle,
floods HA-69
Hinsdale quadrangle, floods HA-86
Lake Calumet quadrangle, floods HA-205
Lake Zurich quadrangle, floods HA-208
Lombard quadrangle, floods HA-143
Mokena quadrangle, floods HA-204
Palatine quadrangle, floods HA-87
Palos Park quadrangle, floods HA-145
Park Ridge quadrangle, floods HA-85
River Forest quadrangle, floods HA-206
Romeoville quadrangle, floods HA-146
Sag Bridge quadrangle, floods HA-149
Salt Creek basin, water in
urban planning W 2002
Steger quadrangle, floods HA-209

ILLINOIS—Continued

Cook County—Continued

Streamwood quadrangle, floods	HA-203
Tinley Park quadrangle, floods	HA-152
West Chicago quadrangle, floods	HA-202
Wheeling quadrangle, floods	HA-71

Du Page County

Argonne National Laboratory, ground water, geology	W 1669-O
Aurora North quadrangle, floods	HA-70
Elmhurst quadrangle, floods	HA-68
Geneva quadrangle, floods	HA-142
Hinsdale quadrangle, floods	HA-86
Lombard quadrangle, floods	HA-143
Naperville quadrangle, floods	HA-154
Normantown quadrangle, floods	HA-210
Romeoville quadrangle, floods	HA-146
Sag Bridge quadrangle, floods	HA-149
West Chicago quadrangle, floods	HA-202
Wheaton quadrangle, floods	HA-148

Jo Daviess County

Cuba City, New Diggings, Shullsburg quadrangles, geology, mineral resources	B 1123-H
Dubuque North quadrangle, geology, lead, zinc	B 1123-C
Kieler quadrangle, geology	GQ-487

Kane County

Aurora North quadrangle, floods	HA-70
Barrington quadrangle, floods	HA-150
Crystal Lake quadrangle, floods	HA-253
Elburn quadrangle, floods	HA-229
Elgin quadrangle, floods	HA-147
Geneva quadrangle, floods	HA-142
Pingree Grove quadrangle, floods	HA-232
Streamwood quadrangle, floods	HA-203
Sugar Grove quadrangle, floods	HA-227

Kankakee County

Beecher East quadrangle, floods	HA-302
Beecher West quadrangle, floods	HA-257
Peotone quadrangle, floods	HA-251
Symerton quadrangle, floods	HA-305
Wilton Center quadrangle, floods	HA-304

Lake County

Antioch quadrangle, floods	HA-226
Barrington quadrangle, floods	HA-150
Fox Lake quadrangle, floods	HA-151
Grayslake quadrangle, floods	HA-230
Highland Park quadrangle, floods	HA-69
Lake Zurich quadrangle, floods	HA-208
Libertyville quadrangle, floods	HA-88
Wadsworth quadrangle, floods	HA-144
Wauconda quadrangle, floods	HA-207
Waukegan quadrangle, floods	HA-234
Wheeling quadrangle, floods	HA-71
Zion quadrangle, floods	HA-233

McHenry County

Barrington quadrangle, floods	HA-150
Crystal Lake quadrangle, floods	HA-253
Fox Lake quadrangle, floods	HA-151
McHenry quadrangle, floods	HA-255

ILLINOIS—Continued

McHenry County—Continued

Richmond quadrangle, floods	HA-303
Wauconda quadrangle, floods	HA-207
Woodstock quadrangle, floods	HA-256

Madison County

Mississippi River, fluvial sediment	W 1802
--	--------

Massac County

Little Cypress quadrangle, geology	GQ-554
Paducah West and Metropolis quadrangles, geology	GQ-557
Paducah West and Paducah East quadrangles, ground water	HA-177

Northeastern

aeromagnetic map	GP-523
aeroradioactivity map, Chicago area	GP-681

Northwestern

Upper Mississippi zinc-lead district, aeromagnetic and tectonic analysis	B 1242-A
--	----------

Pope County

Golconda quadrangle, geology	GP-546
Little Cypress quadrangle, geology	GQ-554

St. Clair County

Mississippi River, fluvial sediment	W 1802
--	--------

Southern

Mississippi embayment, low-flow characteristics, streams	P 448-H
---	---------

Will County

Beecher East quadrangle, floods	HA-302
Beecher West quadrangle, floods	HA-257
Dyer quadrangle, floods	HA-301
Elwood quadrangle, floods	HA-254
Frankfort quadrangle, floods	HA-231
Joliet quadrangle, floods	HA-89
Manhattan quadrangle, floods	HA-211
Mokena quadrangle, floods	HA-204
Normantown quadrangle, floods	HA-210
Peotone quadrangle, floods	HA-251
Plainfield quadrangle, floods	HA-228
Romeoville quadrangle, floods	HA-146
Steger quadrangle, floods	HA-209
Symerton quadrangle, floods	HA-305
Tinley Park quadrangle, floods	HA-152
Wilton Center quadrangle, floods	HA-304

INDIA

Kerala

Malabar Coastal Plain, artesian water	W 1608-D
--	----------

Kutch

Bhachau area, ground water	W 1608-B
----------------------------	----------

INDIAN OCEAN

Bordering lands and floor, geology, configuration	I-380
--	-------

INDIANA

(General)

minor elements in coal beds	B 1117-B
-----------------------------	----------

INDIANA—Continued (General)—Continued

- water resources investigations,
map folder p. 344
- Bartholomew County
 - Columbus area, electrical-analog-model
study water resources W 1981
- East-central, natural gamma
aeroradioactivity map GP-524
- Eastern
 - Columbus-Dayton (Ohio) area,
aeromagnetic map GP-491
- Gary and vicinity, map p. 356
- Harrison County
 - Rock Haven quadrangle, geology ... GQ-780
- Indianapolis, city map p. 356
- Miami County
 - Peru, Bunker Hill Air
Force Base, ground water W 1619-B
- Northwestern
 - Chicago area, aeroradioactivity
map GP-681
- Perry County
 - Cloverport quadrangle, geology GQ-273
 - Mattingly quadrangle, geology GQ-361
 - Tell City quadrangle, geology GQ-356
- Spencer County
 - Owensboro quadrangle, geomorphology,
Quaternary geology P 488
- Tell City quadrangle, geology GQ-356
- Warrick County
 - Owensboro quadrangle, geomorphology,
Quaternary geology P 488

INDONESIA

- Geologic map I-414

IOWA

- (General)
 - base maps p. 354
 - earthquake effects on ground water,
Alaska earthquake, March
27, 1964 P 544-C
 - topographic map p. 354
 - water resources investigations,
map folder p. 344
- Central, aeromagnetic map GP-476
- Des Moines, floods HA-53
- Dubuque County
 - Dubuque North quadrangle,
geology, lead, zinc B 1123-C
- Potosi quadrangle, geology B 1123-I
- Mills County
 - Council Bluffs area, geology P 472
- Northeastern
 - Upper Mississippi zinc-lead
district, aeromagnetic and
tectonic analysis B 1242-A
- Pottawatomie County
 - Council Bluffs area, geology P 472
- Tama County
 - Four Mile Creek, hydrogeologic
study ground-water reservoirs ... W 1839-O
- Western, floods, 1960 W 1790-A

IRAQ

- Southwestern, geology P 560-G

ISHGAKI-SHIMA. See RYUKYU ISLANDS.

ISRAEL

- Central, Cenomanian-Turonian
aquifer W 1608-F

K

KANSAS

(General)

- base map p. 354
- sedimentary rocks, chemical
composition P 561
- topographic map p. 354
- water resources investigations,
map folder p. 344
- Cherokee County
 - Picher field, geology, ore deposits P 588
- Cimarron River, channel widening,
flood-plain construction P 352-D
- Finney County, geohydrology W 1891
- Hamilton County
 - La Junta quadrangle, geologic,
structure contour map I-560
- Little Arkansas River basin,
fluvial sediment W 1798-B
- Little Blue River basin,
fluvial sediment, water quality ... W 1819-H
- Morton County
 - La Junta quadrangle, geologic,
structure contour map I-560
- Northeastern
(general)
 - floods, 1960 W 1790-A
- Missouri River between Miami
and Kansas City, Mo.,
ground-water resources in
alluvium HA-344
- Missouri River region, ground-water
resources of alluvium HA-336
- Reno County
 - Hutchinson area petrography
evaporites B 1201-A
- Saline River basin, chemical
quality surface water, sedimentation W 1651
- Sedgwick County
 - Wichita area
 - emergency water supplies HA-58
 - floods HA-63
 - map p. 356
 - water resources W 1499-I
- Shawnee County, geology B 1215
- Southeastern, Pennsylvanian
rocks, uranium B 1147-B
- Stanton County
 - La Junta quadrangle, geologic,
structure-contour map I-560
- Tri-State mining district,
aeromagnetic map GP-427
- Wilson County
 - Altoona quadrangle, geology GQ-149

KENTUCKY

(General)

- gravity map GP-421
- Ordovician trilobites P 583-B
- regional structure, Illinois-Kentucky
mineral district B 1202-B

KENTUCKY—Continued

(General)—Continued

water resources investigations,
map folder p. 344

Adair County

(general)

ground water HA-35
Amandaville quadrangle, geology GQ-186
Breeding quadrangle, geology GQ-287
Campbellsville quadrangle, geology GQ-448
Cane Valley quadrangle, geology GQ-369
Columbia quadrangle, geology GQ-249
Creelsboro quadrangle, geology GQ-204
Dunnville quadrangle, geology GQ-367
East Fork quadrangle, geology GQ-413
Gradyville quadrangle, geology GQ-233
Gresham quadrangle, geology GQ-421
Knifey quadrangle, geology GQ-294
Mannsville quadrangle, geology GQ-562
Montpelier quadrangle, geology GQ-337
Russell Springs quadrangle,
geology GQ-383

Allen County

(General)

ground water HA-32
Adolphus quadrangle, geology GQ-299
Allen Springs quadrangle,
geology GQ-285
Drake quadrangle, geology GQ-277
Fountain Run quadrangle, geology GQ-264
Hickory Flat quadrangle, geology GQ-420
Holland quadrangle, geology GQ-174
Lucas quadrangle, geology GQ-261
Meador quadrangle, geology GQ-288
Petroleum quadrangle, geology GQ-352
Scottsville area, geology, ground
water W 1528
Scottsville quadrangle, geology GQ-184

Anderson County

Salvisa quadrangle, geology GQ-760
Tyrone quadrangle, geology GQ-303

Ballard County

(General)

ground water HA-13
Bandana and Olmsted quadrangles,
geology GQ-799
Blandville quadrangle, ground
water HA-184
Cairo and Barlow quadrangles,
ground water HA-186
Heath quadrangle
geology GQ-561
ground water, geology HA-168
La Center quadrangle
ground water HA-173
Lovelaceville quadrangle
geology GQ-763
ground water HA-172
Olmsted and Bandana quadrangles
ground water HA-176
Uniontown-Wickliffe, Ohio River
geology, hydrology HA-129
Wickliffe and Wickliffe NW
quadrangles, ground water HA-185

KENTUCKY—Continued

Barren County

(general)

ground water HA-32
Freedom quadrangle, geology GQ-349
Glasgow North quadrangle,
geology GQ-339
Glasgow South quadrangle,
geology GQ-416
Hiseville quadrangle, geology GQ-401
Horse Cave quadrangle, geology GQ-558
Lucas quadrangle, geology GQ-251
Mammoth Cave area, hydrology
limestones W 1837
Mammoth Cave quadrangle, geology GQ-351
Meador quadrangle, geology GQ-288
Park City quadrangle, geology GQ-183
Park quadrangle, geology GQ-634
Sulphur Lick quadrangle, geology GQ-323
Summer Shade quadrangle, geology GQ-308
Temple Hill quadrangle, geology GQ-402
Tracy quadrangle, geology GQ-217

Bath County

Hillsboro quadrangle, geology GQ-876
Sherburne quadrangle, geology GQ-854

Bell County

(general)

ground water HA-38
Ewing quadrangle, geology B 1142-B
Middlesboro North quadrangle,
geology GQ-300
Middlesboro South quadrangle,
geology GQ-301
Varilla quadrangle, geology GQ-190

Boone County

Florence quadrangle, geology GQ-846
Independence quadrangle, geology GQ-785
Newport-Warsaw, Ohio River,
geology, hydrology HA-98
Union quadrangle, geology GQ-779
Verona quadrangle, geology GQ-819

Bourbon County

Centerville quadrangle, geology GQ-653
Clintonville quadrangle, geology GQ-717
Lexington East quadrangle,
geology GQ-683

Boyd County

(general)

ground water HA-37
Argillite quadrangle, geology GQ-175
Ashland and Catlettsburg quadrangles,
geology GQ-196
Boltsfork and Burnaugh quadrangles,
geology GQ-316
Catlettsburg-South Portsmouth,
Ohio River, geology, hydrology HA-75
Fallsburg and Prichard quadrangles,
geology GQ-584
Ironton quadrangle, geology GQ-532
Rush quadrangle, geology GQ-408

Bracken County

Manchester Islands to Silver
Creek, Ohio River, geology,
hydrology HA-94

KENTUCKY—Continued

Breathitt County

- (general)
 ground water HA-36
 David quadrangle, geology GQ-720
 Haddix quadrangle, geology GQ-447
 Jackson quadrangle, geology GQ-205
 Krypton quadrangle, geology GQ-389
 Landsaw quadrangle, geology GQ-201
 Lee City quadrangle, geology GQ-198
 Quicksand quadrangle, geology GQ-240
 Seitz quadrangle, coal geology B 1122-C

Breckinridge County

- (general)
 ground water HA-33
 Alton and Derby quadrangles,
 geology GQ-845
 Big Spring quadrangle, geology GQ-261
 Cloverport area, geology, hydrology HA-72
 Cloverport quadrangle, geology GQ-273
 Constantine quadrangle, geology GQ-302
 Fordsville quadrangle, geology GQ-295
 Glen Dean quadrangle, geology GQ-836
 Lodiurg quadrangle, geology GQ-193
 Mattingly quadrangle, geology GQ-361
 Olaton quadrangle, geology GQ-687
 Rome quadrangle, geology GQ-362

Bullitt County

- Colesburg quadrangle, geology GQ-602
 Cravens quadrangle, geology GQ-737
 Lebanon Junction quadrangle,
 geology GQ-603
 Samuels quadrangle, geology GQ-824
 Shepherdsville quadrangle, geology GQ-740

Butler County

- (general)
 ground water HA-26
 Dunmor quadrangle, geology GQ-290
 Manchester Islands to Silver
 Grove, Ohio River, geology,
 hydrology HA-94
 Quality quadrangle, geology GQ-673
 Reedyville quadrangle, geology GQ-520
 Riverside quadrangle, geology GQ-736
 Sugar Grove quadrangle, geology GQ-225

Caldwell County

- (general)
 ground water HA-34
 Cobb quadrangle, geology GQ-710
 Dalton quadrangle, geology GQ-490
 Dawson Springs quadrangle,
 geology GQ-573
 Fredonia quadrangle, geology GQ-607
 Lamasco quadrangle, geology GQ-608
 Marion quadrangle, geology GQ-547
 Olney quadrangle, geology GQ-742
 Princeton West quadrangle,
 geology GQ-385

Calloway County

- (general)
 ground water HA-13
 Buchanan quadrangle, geology GQ-313
 Dexter quadrangle
 geology GQ-244
 ground water HA-93

KENTUCKY—Continued

Calloway County—Continued

- Hamlin quadrangle
 geology GQ-498
 ground water, availability HA-165
 Hazel quadrangle
 geology GQ-203
 ground water HA-124
 Hico quadrangle
 geology GQ-332
 ground water HA-158
 Kirksey quadrangle
 geology GQ-246
 ground water HA-113
 Lynn Grove quadrangle
 geology GQ-268
 ground water HA-112
 New Concord quadrangle
 geology GQ-313
 ground water HA-118
 Paris Landing quadrangle
 geology GQ-498
 ground water, availability HA-165
 Rushing Creek quadrangle
 geology GQ-445
 ground water HA-160
 Campbell County
 De Mossville quadrangle, geology GQ-862
 Manchester Islands to Silver
 Grove, Ohio River, geology,
 hydrology HA-94
 Newport-Warsaw, Ohio River,
 geology, hydrology HA-98
 Carlisle County
 (general)
 ground water HA-13
 Arlington and Wickliff SW
 quadrangles, ground water HA-183
 Blandville quadrangle, ground
 water HA-184
 Fancy Farm quadrangle, ground
 water, geology HA-169
 Lovelaceville quadrangle
 geology GQ-763
 ground water HA-172
 Milburn quadrangle
 ground water HA-179
 Wickliffe and Wickliffe NW
 quadrangles, ground water HA-185
 Carroll County
 Ethridge-Twelveville Island,
 Ohio River, geology, hydrology HA-97
 Carter County
 (general)
 ground water HA-37
 Bruin quadrangle, geology GQ-522
 Grayson quadrangle, geology GQ-640
 Haldeman quadrangle, geology,
 clay B 1122-F
 Oldtown quadrangle, geology GQ-353
 Rush quadrangle, geology GQ-408
 Tygarts Valley quadrangle,
 geology GQ-289
 Casey County
 (general)
 ground water HA-85

KENTUCKY—Continued

Casey County—Continued

- Dunnville quadrangle, geology GQ-367
 Eli quadrangle, geology GQ-393
 Mannsville quadrangle, geology GQ-562
 Phil quadrangle, geology GQ-395

Central

- Lexington Limestone B 1224-C
 mercury and trace elements in
 sphalerite and wallrocks, zinc
 district B 1252-F
 Mississippian Plateau region,
 ground water W 1603
 Ordovician brachiopods P 583-A

Christian County

- (general)
 ground water HA-34
 Caledonia quadrangle, geology GQ-604
 Church Hill quadrangle, geology GQ-556
 Dawson Springs quadrangle,
 geology GQ-573
 Gracey quadrangle, geology GQ-753
 Graham quadrangle, geology GQ-765
 Hammacksville quadrangle, geology GQ-540
 Herndon quadrangle, geology GQ-572
 Honey Grove quadrangle, geology GQ-376
 Hopkinsville quadrangle, geology GQ-651
 Kelly quadrangle, geology GQ-307
 Nortonville quadrangle, geology GQ-782
 Oak Grove quadrangle, geology GQ-565
 Pembroke quadrangle, geology GQ-709
 Pleasant Green Hill quadrangle,
 geology GQ-321
 Roaring Spring quadrangle,
 geology GQ-656
 Saint Charles quadrangle,
 geology GQ-674

Cincinnati (Ohio) and vicinity,
map

p. 355

Clark County

- (general)
 Otter Creek coral bed and
 fauna B 1244-F
 Clintonville quadrangle, geology GQ-717
 Ford quadrangle, geology GQ-764
 Palmer quadrangle, geology GQ-613
 Union City quadrangle, geology GQ-585

Clay County

- (general)
 ground water HA-38
 Blackwater quadrangle, geology GQ-304
 Hima quadrangle, geology GQ-319
 Manchester quadrangle, geology GQ-318
 Portersburg quadrangle, geology GQ-359
 Tyner quadrangle, geology GQ-247

Clinton County

- (general)
 ground water HA-35
 Albany quadrangle, geology GQ-550
 Cumberland City quadrangle,
 geology GQ-475
 Frogue quadrangle, geology GQ-675
 Wolf Creek Dam quadrangle,
 geology GQ-177

KENTUCKY—Continued

Crittenden County

- (general)
 ground water HA-34
 Blackford quadrangle, geology GQ-878
 Dalton quadrangle, geology GQ-490
 Fredonia quadrangle, geology GQ-607
 Levias-Keystone and Dike-Eator
 areas, geology, fluorspar
 deposits B 1122-E
 Marion quadrangle, geology GQ-547
 Providence quadrangle, geology GQ-491
 Repton quadrangle, geology GQ-754
 Rosiclare quadrangle, geology GQ-400
 Salem quadrangle, geology GQ-206
 Uniontown-Wickliffe, Ohio
 River, geology, hydrology HA-129

Cumberland County

- (general)
 ground water HA-35
 Amandaville quadrangle, geology GQ-186
 Blacks Ferry quadrangle, geology GQ-803
 Breeding quadrangle, geology GQ-287
 Burkesville quadrangle, geology GQ-220
 Dubre quadrangle, geology GQ-676
 Frogue quadrangle, geology GQ-675
 Waterview quadrangle, geology GQ-286
 Cumberland River basin
 floods W 1676
 surface water records, compilation,
 1950-1960 W 1726

Davies County

- (general)
 ground water HA-27
 Maceo quadrangle, geology GQ-570
 Owensboro area, Ohio River,
 geology, hydrology HA-74
 Owensboro East quadrangle,
 geology GQ-751
 Owensboro quadrangle, geomorphology,
 Quaternary geology P 488
 Pellville quadrangle, geology GQ-284
 Philpot quadrangle, geology GQ-297
 Pleasant Ridge quadrangle,
 geology GQ-766
 Rockport and Lewisport quadrangles,
 geology GQ-315
 Stanley area, Ohio River,
 geology, hydrology HA-110
 Sutherland quadrangle
 bedrock topography and subcrop
 selected beds below alluvial
 deposits I-596
 geology GQ-839
 Whitesville quadrangle, geology GQ-419
 Eastern, coal reserves B 1120
 Eastern Coal Field region,
 ground water W 1607

Edmondson County

- (general)
 ground water HA-32
 Bee Spring quadrangle, geology GQ-757
 Bristow quadrangle, geology GQ-216
 Brownsville quadrangle, geology GQ-411
 Cub Run quadrangle, geology GQ-386

KENTUCKY—Continued

Edmondson County—Continued

- Mammoth Cave area, hydrology
- limestones W 1837
- Mammoth Cave quadrangle, geology GQ-351
- Park City quadrangle, geology GQ-183
- Reedsville quadrangle, geology GQ-520
- Rhoda quadrangle, geology GQ-219
- Smiths Grove quadrangle, geology GQ-357

Elliott County

(general)

- fresh water in Lee Formation W 1867
- ground water HA-37
- Bruin quadrangle, geology GQ-522
- Haldeman and Wrigley quadrangles, geology, clay B 1122-F
- Isonville quadrangle, geology GQ-501
- Sandy Hook quadrangle, geology GQ-521

Estill County

(general)

- Otter Creek coral bed and fauna B 1244-F
- Clay City quadrangle, geology GQ-663
- Moberly quadrangle, geology GQ-664
- Palmer quadrangle, geology GQ-613
- Panola quadrangle, geology GQ-686

Fayette County

(general)

- Clays Ferry Formation B 1224-B
- Centerville quadrangle, geology GQ-653
- Clintonville quadrangle, geology GQ-717
- Coletown quadrangle, geology GQ-644
- Ford quadrangle, geology GQ-764
- Georgetown quadrangle, geology GQ-605
- Keene quadrangle, geology GQ-440
- Lexington East quadrangle, geology GQ-683
- Lexington West quadrangle, geology GQ-600
- Nicholasville quadrangle, geology GQ-767
- Richmond North quadrangle, geology GQ-583
- Valley View quadrangle, geology GQ-470
- Versailles quadrangle, geology GQ-325

Fleming County

Burtonville quadrangle

foundation and excavation

- conditions I-460
- geology GQ-396
- Flemingsburg quadrangle, geology GQ-837
- Hillsboro quadrangle, geology GQ-876
- Orangeburg quadrangle, geology GQ-588
- Sherburne quadrangle, geology GQ-854
- Stricklett quadrangle, geology GQ-394
- Tollesboro quadrangle, geology GQ-661

Floyd County

(general)

- ground water HA-36
- Broad Bottom quadrangle, geology GQ-442
- David quadrangle, geology GQ-720
- Harold quadrangle, geology GQ-441
- Ivyton quadrangle, geology GQ-801
- Lancaster quadrangle, geology GQ-347
- McDowell quadrangle, geology GQ-732
- Martin quadrangle, geology GQ-563

KENTUCKY—Continued

Floyd County—Continued

- Paintsville quadrangle, geology GQ-495
- Pikeville quadrangle, geology GQ-480
- Prestonsburg quadrangle, geology GQ-641
- Thomas quadrangle, geology GQ-227

Franklin County

Frankfort East quadrangle,

- geology GQ-707
- Midway quadrangle, geology GQ-856

Fulton County

(general)

- ground water HA-13
- Cayce quadrangle
- geology GQ-601
- ground water HA-180
- Crutchfield quadrangle
- geology GQ-270
- ground water HA-167
- Hickman quadrangle, ground water HA-181
- New Madrid SE and Hubbard
- Lake quadrangles, geology GQ-292
- New Madrid SE, Hubbard Lake, Bondurant quadrangles, ground water HA-178
- Oakton and Wolf Island quadrangles, ground water HA-182
- Water Valley quadrangle
- geology GQ-269
- ground water HA-162

Gallatin County

Ethridge-Twelvemile Island,

- Ohio River, geology, hydrology HA-97
- Newport-Warsaw, Ohio River, geology, hydrology HA-98
- Patriot and Florence quadrangles, geology GQ-846
- Verona quadrangle, geology GQ-819

Garrard County

(general)

- Calloway Creek Limestone, Ashlock and Drakes Formations B 1224-D
- Otter Creek coral bed and fauna B 1244-F
- Berea quadrangle, geology GQ-649
- Brodhead quadrangle, geology GQ-662
- Buckeye quadrangle, geology GQ-843
- Kirksville quadrangle, geology GQ-452
- Little Hickman quadrangle, geology GQ-792
- Paint Lick quadrangle, geology GQ-800
- Wildie quadrangle, geology GQ-684
- Wilmore quadrangle, geology GQ-847

Grant County

- Florence quadrangle, geology GQ-846
- Verona quadrangle, geology GQ-819

Graves County

(general)

- ground water HA-13
- Cuba quadrangle
- geology GQ-322
- ground water HA-161
- Dublin quadrangle, ground water, geology HA-170

KENTUCKY—Continued

Graves County—Continued

Elva quadrangle	
geology	GQ-230
ground water	HA-117
Fancy Farm quadrangle, ground	
water, geology	HA-169
Farmington quadrangle	
geology	GQ-530
ground water	HA-92
Hickory quadrangle	
geology	GQ-457
ground water	HA-163
Kirksey quadrangle	
geology	GQ-246
ground water	HA-113
Lovellsville quadrangle	
geology	GQ-763
ground water	HA-172
Lynn Grove quadrangle, ground	
water	HA-112
Lynnville quadrangle	
geology	GQ-414
ground water	HA-125
Mayfield quadrangle	
geology	GQ-372
ground water	HA-164
Melber quadrangle ground water	HA-174
Oak Level quadrangle	
geology	GQ-744
ground water	HA-116
Symsonia quadrangle, geology	GQ-326
Water Valley quadrangle, ground	
water	HA-162
Westplains quadrangle	
geology	GQ-587
ground water	HA-166

Grayson County

(general)

ground water	HA-33
Bee Spring quadrangle, geology	GQ-757
Big Clifty quadrangle, geology	GQ-192
Clarkson quadrangle, geology	GQ-278
Cub Run quadrangle, geology	GQ-386
Millerstown quadrangle, geology	GQ-417
Olaton quadrangle, geology	GQ-687
Summit quadrangle, geology	GQ-298

Green County

(general)

ground water	HA-32
Cane Valley quadrangle, geology	GQ-369
Center quadrangle, geology	GQ-693
East Fork quadrangle, geology	GQ-413
Exie quadrangle, geology	GQ-752
Greensburg quadrangle, geology	GQ-739
Gresham quadrangle, geology	GQ-421
Hudgins quadrangle, geology	GQ-834
Sulphur Well quadrangle, geology	GQ-555
Summersville quadrangle, geology	GQ-870

Greenup County

(general)

ground water	HA-37
Argillite quadrangle, geology	GQ-175
Ashland quadrangle, geology	GQ-196
Brushart quadrangle, geology	GQ-324

KENTUCKY—Continued

Greenup County—Continued

Catlettsburg-South Portsmouth,	
Ohio River, geology, hydrology	HA-75
Friendship quadrangle, geology	GQ-526
Greenup and Ironton quadrangles,	
geology	GQ-532
Load quadrangle, geology	GQ-519
Oldtown quadrangle, geology	GQ-353
Portsmouth, Wheelersburg,	
New Boston quadrangles,	
geology	GQ-312
South Portsmouth area, Ohio	
River, geology, hydrology	HA-73
Tygart's Valley quadrangle,	
geology	GQ-289

Grove County

Lynn Grove quadrangle, geology	GQ-268
Symsonia quadrangle, ground	
water	HA-157
Water Valley quadrangle, geology	GQ-269

Hancock County

(general)

ground water	HA-27
Cloverport and Cannelton quadrangles,	
geology	GQ-273
Fordsville quadrangle, geology	GQ-295
Glen Dean quadrangle, geology	GQ-836
Hawesville area, geology, hydrology	HA-72
Lewisport area, Ohio River,	
geology, hydrology	HA-74
Lewisport quadrangle, geology	GQ-315
Maceo quadrangle, geology	GQ-570
Pellville quadrangle, geology	GQ-284
Tell City quadrangle, geology	GQ-356
Whitesville quadrangle, geology	GQ-419

Hardin County

(general)

ground water	HA-33
Harrodsburg limestone	B 1224-I
Big Spring quadrangle, geology	GQ-261
Cecilia quadrangle, geology	GQ-263
Colesburg quadrangle, geology	GQ-602
Constantine quadrangle, geology	GQ-302
Elizabethtown quadrangle, geology	GQ-559
Flaherty quadrangle, geology	GQ-229
Howe Valley quadrangle, geology	GQ-232
Lebanon Junction quadrangle,	
geology	GQ-603
Millerstown quadrangle, geology	GQ-417
Nelsonville quadrangle, geology	GQ-564
Sonora quadrangle, geology	GQ-492
Summit quadrangle, geology	GQ-298
Tonieville quadrangle, geology	GQ-560
Vine Grove quadrangle, geology	GQ-645
West Point area, Ohio River,	
geology, hydrology	HA-111
Wolf Creek-West Point	
areas, Ohio River, geology,	
hydrology	HA-95

Harlan County

(general)

ground water	HA-36
Ewing quadrangle, geology	B 1142-B
Leatherwood quadrangle, geology	GQ-723

KENTUCKY—Continued

Harlan County—Continued

Nolansburg quadrangle, geology GQ-868

Hart County

(general)

ground water HA-32

Canmer quadrangle, geology GQ-816

Center quadrangle, geology GQ-693

Cub Run quadrangle, geology GQ-386

Horse Cave quadrangle, geology GQ-558

Hudgins quadrangle, geology GQ-834

Mammoth Cave area, hydrology

limestones W 1837

Mammoth Cave quadrangle, geology GQ-351

Millerstown quadrangle, geology ... GQ-417

Park quadrangle, geology GQ-634

Henderson County

(general)

ground water HA-28

Henderson area, Ohio River,

geology, hydrology HA-91

Spottsville and Reed areas,

Ohio River, geology, hydrology HA-96

Hickman County

(general)

ground water HA-13

Arlington quadrangle, ground

water HA-183

Cayce quadrangle

geology GQ-601

ground water HA-180

Clinton quadrangle

ground water HA-175

Crutchfield quadrangle

geology GQ-270

ground water HA-167

Dublin quadrangle, ground water,

geology HA-170

Fancy Farm quadrangle, ground

water, geology HA-169

Milburn quadrangle, ground water HA-179

Oakton and Wolf Island quadrangles,

ground water HA-182

Water Valley quadrangle

geology GQ-269

ground water HA-162

Hopkins County

(general)

ground water HA-30

Coltontown quadrangle, geology GQ-629

Dalton quadrangle, geology GQ-490

Graham quadrangle, geology GQ-765

Hanson quadrangle, geology GQ-365

Madisonville East quadrangle,

geology GQ-252

Madisonville West quadrangle,

geology GQ-346

Nebo quadrangle, geology GQ-777

Nortonville quadrangle, geology GQ-762

Olney quadrangle, geology GQ-742

Saint Charles quadrangle,

geology GQ-674

Slaughters quadrangle, geology GQ-360

Jackson County

(general)

ground water HA-38

KENTUCKY—Continued

Jackson County—Continued

Johnetta quadrangle, geology GQ-685

Parrot quadrangle, geology GQ-236

Tyner quadrangle, geology GQ-247

Jackson Purchase region, clay
deposits B 1282

Jefferson County

Ethridge-Twelvemile Island,

Ohio River, geology, hydrology HA-97

Louisville area

ground water W 1579

hydrologic conditions W 1819-C

Louisville to West Point,

Ohio River, geology, hydrology ... HA-111

Prospect-Louisville, Ohio

River, geology, hydrology HA-130

Jessamine County

Buckeye quadrangle, geology GQ-843

Coletown quadrangle, geology GQ-644

Keene quadrangle, geology GQ-440

Little Hickman quadrangle,

geology GQ-792

Nicholasville quadrangle, geology ... GQ-767

Valley View quadrangle, geology ... GQ-470

Wilmore quadrangle, geology GQ-847

Johnson County

(general)

fresh water in Lee Formation W 1867

ground water HA-37

Ivyton quadrangle, geology GQ-801

Lancer quadrangle, geology GQ-347

Levisa Fork near Paintsville,

floods HA-328

Offutt quadrangle, geology GQ-348

Oil Springs quadrangle, geology ... GQ-586

Paintsville quadrangle, geology GQ-495

Prestonsburg quadrangle, geology ... GQ-641

Redbush quadrangle, geology GQ-708

Satyersville North quadrangle,

geology, coal B 1047-B

Kenton County

De Mossville quadrangle, geology ... GQ-862

Independence quadrangle, geology ... GQ-785

Newport-Warsaw, Ohio River,

geology, hydrology HA-98

Knott County

(general)

ground water HA-36

Carrie quadrangle, geology GQ-422

Vicco quadrangle, geology GQ-418

Knox County

(general)

ground water HA-38

Blackwater quadrangle, geology ... GQ-304

Corbin quadrangle, geology GQ-231

Hima quadrangle, geology GQ-319

Rockholds quadrangle, geology ... GQ-677

Labette County, geology, ground

water HA-279

Larue County

(general)

ground water HA-33

Elizabethtown quadrangle, geology ... GQ-559

Hodgenville quadrangle, geology ... GQ-749

KENTUCKY—Continued

Larue County—Continued

- Howardstown quadrangle, geology . . . GQ-505
- Nelsonville quadrangle, geology . . . GQ-564
- New Haven quadrangle, geology . . . GQ-506
- Sonora quadrangle, geology . . . GQ-492
- Tonileville quadrangle, geology . . . GQ-560

Laurel County

(general)

- ground water HA-38
- Ano quadrangle, geology . . . GQ-171
- Bernstadt quadrangle, geology . . . GQ-202
- Billows quadrangle, geology . . . GQ-228
- Blackwater quadrangle, geology . . . GQ-304
- Corbin quadrangle, geology . . . GQ-231
- Hima quadrangle, geology . . . GQ-319
- Lily quadrangle, geology . . . GQ-218
- London quadrangle, geology . . . GQ-245
- London Southwest quadrangle,
geology GQ-195
- Parrot quadrangle, geology . . . GQ-236
- Portersburg quadrangle, geology . . . GQ-359
- Vox quadrangle, geology . . . GQ-224

Lawrence County

(general)

- fresh water in Lee Formation . . . W 1867
- ground water HA-37
- Boltsfork and Burnaugh quadrangles,
geology GQ-316
- Fallsburg and Pritchard quadrangles,
geology GQ-584
- Isonville quadrangle, geology . . . GQ-501
- Milo and Webb quadrangles,
geology GQ-543
- Redbush quadrangle, geology . . . GQ-708
- Lee County, ground water HA-137

Leslie County

(general)

- ground water HA-38
- Hazard South quadrangle, geology . . GQ-343
- Hyden East quadrangle, geology . . . GQ-423
- Krypton quadrangle, geology . . . GQ-389
- Leatherwood quadrangle, geology . . . GQ-723
- Nolansburg quadrangle, geology . . . GQ-868

Letcher County

(general)

- ground water HA-36
- Jenkins-Whitesburg area, ground
water W 1809-A
- Nolansburg quadrangle, geology . . . GQ-868
- Tilford quadrangle, geology . . . GQ-451
- Vicco quadrangle, geology . . . GQ-418

Lewis County

- Brushart quadrangle, geology . . . GQ-324
- Burtonville quadrangle
foundation and excavation
conditions I-460
- geology GQ-396
- Charters quadrangle, geology . . . GQ-293
- Concord and Buena Vista
quadrangles, geology GQ-525
- Friendship quadrangle, geology . . . GQ-526
- Head of Grassy quadrangle,
geology GQ-484

KENTUCKY—Continued

Lewistown County—Continued

- Manchester Islands quadrangle,
geology GQ-581
- Orangeburg quadrangle, geology . . . GQ-588
- South Portsmouth to Manchester
Islands, Ohio River,
geology, hydrology HA-73
- Stricklett quadrangle, geology . . . GQ-394
- Tollesboro quadrangle, geology . . . GQ-661
- Vanceburg quadrangle, geology . . . GQ-598

Lincoln County

(general)

- Calloway Creek Limestone,
Ashlock and Drakes
Formations B 1224-D
- Otter Creek coral bed and
fauna B 1244-F
- Brodhead quadrangle, geology . . . GQ-662
- Crab Orchard quadrangle, geology . . GQ-571
- Mareburg quadrangle, geology . . . GQ-338
- Paint Lick quadrangle, geology . . . GQ-800
- Woodstock quadrangle, geology . . . GQ-776

Livingston County

(general)

- ground water HA-34
- Birmingham Point quadrangle
geology GQ-471
- ground water HA-159
- Briensburg quadrangle, ground
water HA-114
- Calvert City quadrangle
geology GQ-731
- ground water HA-155
- Golconda and Brownfield quadrangles,
geology GQ-546
- Grand Rivers quadrangle, geology . . GQ-328
- Little Cypress quadrangle
geology GQ-554
- ground water HA-155
- Salem quadrangle, geology . . . GQ-206
- Shetlerville and Rosiclare
quadrangles, geology GQ-400
- Smithland quadrangle, geology . . . GQ-657
- Uniontown-Wickliffe, Ohio
River, geology, hydrology HA-129

Logan County

(general)

- ground water HA-32
- Adairville quadrangle, geology . . . GQ-569
- Allensville quadrangle, geology . . . GQ-502
- Auburn quadrangle, geology . . . GQ-415
- Dennis quadrangle, geology . . . GQ-450
- Dot quadrangle, geology . . . GQ-568
- Dunmor quadrangle, geology . . . GQ-290
- Homer quadrangle, geology . . . GQ-549
- Lewisburg quadrangle, geology . . . GQ-830
- Olmstead quadrangle, geology . . . GQ-553
- Quality quadrangle, geology . . . GQ-673
- Rockfield quadrangle, geology . . . GQ-309
- Russellville quadrangle, geology . . . GQ-714
- Sharon Grove quadrangle, geology . . GQ-482
- South Union quadrangle, geology . . GQ-275
- Sugar Grove quadrangle, geology . . GQ-225

KENTUCKY—Continued

Lyon County

(general)

ground water HA-34

Birmingham Point quadrangle

geology GQ-471

ground water HA-159

Eddyville quadrangle, geology GQ-255

Fairdealing quadrangle

geology GQ-320

ground water HA-156

Fredonia quadrangle, geology GQ-607

Grand Rivers quadrangle, geology GQ-328

Lamasco quadrangle, geology GQ-608

Mont quadrangle, geology GQ-305

Princeton West quadrangle,

geology GQ-385

McCracken County

(general)

ground water HA-13

Bandana quadrangle

geology GQ-799

ground water HA-176

Elva quadrangle

geology GQ-230

ground water HA-117

Heath quadrangle

geology GQ-561

ground water, geology HA-168

Joppa quadrangle

geology GQ-652

ground water HA-171

La Center quadrangle, ground

water HA-173

Little Cypress quadrangle

geology GQ-554

ground water HA-155

Lovelaceville quadrangle

geology GQ-763

ground water HA-172

Melber quadrangle, ground water

..... HA-174

Metropolis quadrangle

engineering geology B 1258-B

geology GQ-557

ground water HA-171

Paducah East quadrangle

engineering geology B 1258-A

geology GQ-531

ground water HA-177

Paducah West quadrangle

engineering geology B 1258-B

geology GQ-557

ground water HA-177

Symonia quadrangle

geology GQ-326

ground water HA-157

Uniontown-Wickliffe, Ohio

River, geology, hydrology HA-129

McCreary County

(general)

ground water HA-38

Barthell and Oneida North

quadrangles, geology GQ-314

Beaver Creek basin, physical

environment, strip mining,

hydrology P 427-A-C

KENTUCKY—Continued

McCreary County—Continued

Cumberland Falls quadrangle,

geology GQ-274

Elk Valley area, geology,

coal P 572

Hollyhill quadrangle, geology GQ-615

Jellico West quadrangle, geology GQ-855

Ketchen quadrangle, geology GQ-500

Whitley City and Winfield

quadrangles, geology GQ-260

McLean County

(general)

ground water HA-29

Equality quadrangle, geology GQ-815

Madison County

(general)

Calloway Creek Limestone,

Ashlock and Drakes

Formations B 1224-D

Clays Ferry Formation B 1224-B

Otter Creek coral bed and

fauna B 1244-F

Berea quadrangle, geology GQ-649

Ford quadrangle, geology GQ-764

Kirksville quadrangle, geology GQ-452

Little Hickman quadrangle,

geology GQ-792

Moberly quadrangle, geology GQ-664

Paint Lick quadrangle, geology GQ-800

Palmer quadrangle, geology GQ-613

Panola quadrangle, geology GQ-686

Richmond North quadrangle,

geology GQ-583

Richmond South quadrangle,

geology GQ-479

Union City quadrangle, geology GQ-585

Valley View quadrangle,

geology GQ-470

Magoffin County

(general)

fresh water in Lee Formation W 1867

ground water HA-36

David quadrangle, geology GQ-720

Ivyton quadrangle, geology GQ-801

Oil Springs quadrangle, geology GQ-586

Salversville area, floods on

Licking River HA-329

Salversville North quadrangle

geology GQ-276

geology, coal B 1047-B

Seitz quadrangle, coal geology B 1122-C

Mammoth Cave National Park,

water supply W 1475-Q

Marion County

Howardstown quadrangle, geology GQ-505

Marshall County

(general)

ground water HA-13

Birmingham Point quadrangle

geology GQ-471

ground water HA-159

Briensburg quadrangle

geology GQ-327

ground water HA-114

KENTUCKY—Continue 1

Marshall County—Continued

Calvert City quadrangle	
geology	GQ-731
ground water	HA-155
Elva quadrangle	
geology	GQ-230
ground water	HA-117
Fairdealing quadrangle	
geology	GQ-320
ground water	HA-156
Fenton quadrangle, geology	GQ-317
Hardin quadrangle	
geology	GQ-759
ground water	HA-115
Little Cypress quadrangle	
geology	GQ-554
ground water	HA-155
Oak Level quadrangle	
geology	GQ-744
ground water	HA-116

Martin County

(general)	
ground water	HA-36
Inez quadrangle, geology	GQ-226
Kermit quadrangle	
geology	GQ-178
geology, coal reserves	P 507
Lancer quadrangle, geology	GQ-347
Milo quadrangle, geology	GQ-543
Offutt quadrangle, geology	GQ-348
Thomas quadrangle, geology	GQ-227
Varney quadrangle	
geology	GQ-180
geology, coal reserves	P 507
Webb quadrangle, geology	GQ-543

Mason County

Flemingsburg quadrangle, geology	GQ-837
Manchester Islands to Silver Grove, Ohio River, geology, hydrology	HA-94
Mays Lick quadrangle, geology	GQ-784
Maysville area, Upper Ordovician formations	B 1244-B
Orangeburg quadrangle, geology	GQ-588

Meade County

(general)	
ground water	HA-33
Alton quadrangle, geology	GQ-845
Big Spring quadrangle, geology	GQ-261
Flaherty quadrangle, geology	GQ-229
Lodiburg quadrangle, geology	GQ-193
Rock Haven and Loconia quadrangles, geology	GQ-780
Vine Grove quadrangle, geology	GQ-645
Wolf Creek-West Point areas, Ohio River, geology, hydrology	HA-95

Menifee County

(general)	
ground water	HA-37
Ezel quadrangle, geology	GQ-721

Mercer County

Salvisa quadrangle, geology	GQ-760
Wilmore quadrangle, geology	GQ-847

KENTUCKY—Continued

Metcalfe County

(general)	
ground water	HA-32
Breeding quadrangle, geology	GQ-287
Center quadrangle, geology	GQ-693
Dubre quadrangle, geology	GQ-676
East Fork quadrangle, geology	GQ-413
Edmonton quadrangle, geology	GQ-523
Hiseville quadrangle, geology	GQ-401
Park quadrangle, geology	GQ-634
Sulphur Lick quadrangle, geology	GQ-323
Sulphur Well quadrangle, geology	GQ-555
Summer Shade quadrangle, geology	GQ-308

Monroe County

(general)	
ground water	HA-32
Blacks Ferry quadrangle, geology	GQ-803
Dubre quadrangle, geology	GQ-676
Fountain Run quadrangle, geology	GQ-254
Freedom quadrangle, geology	GQ-349
Gamaliel quadrangle, geology	GQ-253
Sulphur Lick quadrangle, geology	GQ-323
Tracy quadrangle, geology	GQ-217

Morgan County

(general)	
fresh water in Lee Formation	W 1867
ground water	HA-37
Ezel quadrangle, geology	GQ-721
Hazel Green quadrangle, geology	GQ-266
Isaonville quadrangle, geology	GQ-501
Lee City quadrangle, geology	GQ-198
Lenox quadrangle, geology	GQ-181
Redbush quadrangle, geology	GQ-708
Salyersville North quadrangle	
geology	GQ-276
geology, coal	B 1047-B
Sandy Hook quadrangle, geology	GQ-521
Seitz quadrangle, coal geology	B 1122-C
West Liberty quadrangle, geology	GQ-589
Wrigley quadrangle, geology, clay	B 1122-F

Muhlenberg County

(general)	
ground water	HA-27
Central City West quadrangle, geology	GQ-831
Dunmor quadrangle, geology	GQ-290
Equality quadrangle, geology	GQ-815
Graham quadrangle, geology	GQ-765

Nelson County

Bardstown quadrangle, geology	GQ-825
Cravens quadrangle, geology	GQ-737
Hodgenville quadrangle, geology	GQ-749
Howardstown quadrangle, geology	GQ-505
Lebanon Junction quadrangle, geology	GQ-603
Nelsonville quadrangle, geology	GQ-564
New Haven quadrangle, geology	GQ-506
Samuels quadrangle, geology	GQ-824

Nicholas County

Sherburne quadrangle, geology	GQ-854
North-central	
Blue Grass region, geochemistry waters	W 1700

KENTUCKY—Continued

Northeastern, Olive Hill Clay Bed, Structure-contour map	MF-261
Northwest-central, Harrodsburg limestone	B 1224-I
Oak Ridge National Laboratory area, aeroradioactivity map	GP-308
Ohio County (general) ground water	HA-26
Central City West quadrangle, geology	GQ-831
Dundee quadrangle, geology	GQ-688
Equality quadrangle, geology	GQ-815
Fordsville quadrangle, geology	GQ-295
Hartford quadrangle, geology	GQ-741
Olaton quadrangle, geology	GQ-687
Philpot quadrangle, geology	GQ-297
Pleasant Ridge quadrangle, geology	GQ-766
Whitesville quadrangle, geology	GQ-419
Ohio River valley, hydrology alluvial deposits	W 1818
Oldham County Ethrige-Twelvemile Island, Ohio River, geology, hydrology	HA-97
Owsley County, ground water	HA-38
Pendleton County De Mossville quadrangle, geology	GQ-862
Perry County (general) ground water	HA-36
Carrie quadrangle, geology	GQ-422
Haddix quadrangle, geology	GQ-447
Hazard North quadrangle, geology	GQ-344
Hazard South quadrangle, geology	GQ-343
Hyden East quadrangle, geology	GQ-423
Krypton quadrangle, geology	GQ-389
Leatherwood quadrangle, geology	GQ-723
Tilford quadrangle, geology	GQ-451
Vicco quadrangle, geology	GQ-418
Pike County (general) ground water	HA-36
Broad Bottom quadrangle, geology	GQ-442
Dorton quadrangle, geology	GQ-713
Jamboree quadrangle, geology	GQ-775
Jenkins-Whitesburg area, ground water	W 1809-A
Kermit and Varney area, geology, coal reserves	P 507
Lick Creek quadrangle, geology	GQ-716
McDowell quadrangle, geology	GQ-732
Majestic-Hurley and Wharncliffe quadrangles, geology	GQ-748
Matewan quadrangle, geology	GQ-373
Meta quadrangle, geology	GQ-497
Millard quadrangle, geology	GQ-659
Pikeville quadrangle, geology	GQ-480
Thomas quadrangle, geology	GQ-227
Varney quadrangle, geology	GQ-180
Williamson quadrangle, geology	GQ-187
Powell County Clay City quadrangle, geology	GQ-663

KENTUCKY—Continued

Powell County—Continued Palmer quadrangle, geology	GQ-613
Pulaski County (general) ground water	HA-35
Ano quadrangle, geology	GQ-171
Billows quadrangle, geology	GQ-228
Eli quadrangle, geology	GQ-393
Faubush quadrangle, geology	GQ-802
Maretburg quadrangle, geology	GQ-338
Phil quadrangle, geology	GQ-395
Shopville quadrangle, geology	GQ-282
Woodstock quadrangle, geology	GQ-776
Rockcastle County (general) ground water	HA-38
Berea quadrangle, geology	GQ-649
Billows quadrangle, geology	GQ-228
Brodhead quadrangle, geology	GQ-662
Johnetta quadrangle, geology	GQ-685
Maretburg quadrangle, geology	GQ-338
Shopville quadrangle, geology	GQ-282
Wildie quadrangle, geology	GQ-684
Rowan County Haldeman quadrangle geology	GQ-169
geology, clay	B 1122-F
Stricklett quadrangle, geology	GQ-394
Triplet Creek near Morehead, floods	HA-342
Wrigley quadrangle, geology, clay	B 1122-F
Russell County (general) ground water	HA-35
Creelsboro quadrangle, geology	GQ-204
Cumberland City quadrangle, geology	GQ-475
Dunnville quadrangle, geology	GQ-367
Eli quadrangle, geology	GQ-393
Faubush quadrangle, geology	GQ-802
Jabez quadrangle, geology	GQ-483
Jamestown quadrangle, geology	GQ-182
Montpelier quadrangle, geology	GQ-337
Phil quadrangle, geology	GQ-395
Russell Springs quadrangle, geology	GQ-383
Wolf Creek Dam quadrangle, geology	GQ-177
Scott County Centerville quadrangle, geology	GQ-653
Georgetown quadrangle, geology	GQ-605
Lexington West quadrangle, geology	GQ-600
Midway quadrangle, geology	GQ-856
Shelby County Plum Creek Subwatershed No. 4, sedimentation	W 1798-G
Simpson County (general) ground water	HA-32
Auburn quadrangle, geology	GQ-415
Drake quadrangle, geology	GQ-277
Franklin quadrangle, geology	GQ-281

KENTUCKY—Continued

Simpson County—Continued

- Hickory Flat quadrangle, geology . . . GQ-420
- Prices Mill quadrangle, geology . . . GQ-449
- Rockfield quadrangle, geology . . . GQ-309
- Woodburn quadrangle, geology . . . GQ-280

Southeastern, floods, 1957 W 1652-A

Southern

- Borden Formation B 1224-F
- gravity and magnetic fields P 516-A

Taylor County

(general)

- ground water HA-35
- Campbellsville quadrangle, geology . . . GQ-448
- Cane Valley quadrangle, geology . . . GQ-369
- Greensburg quadrangle, geology . . . GQ-739
- Gresham quadrangle, geology . . . GQ-421
- Mannsville quadrangle, geology . . . GQ-562

Todd County

(general)

- ground water HA-34
- Allegre quadrangle, geology GQ-446
- Allensville quadrangle, geology GQ-502
- Elkton quadrangle, geology GQ-650
- Guthrie quadrangle, geology GQ-539
- Hammacksville quadrangle, geology . . . GQ-540
- Honey Grove quadrangle, geology . . . GQ-376
- Olmstead quadrangle, geology GQ-553
- Pembroke quadrangle, geology GQ-709
- Sharon Grove quadrangle, geology . . . GQ-482

Trigg County

(general)

- ground water HA-34
- Cadiz quadrangle, geology GQ-412
- Caledonia quadrangle, geology GQ-604
- Canton quadrangle, geology GQ-279
- Cobb quadrangle, geology GQ-710
- Fairdealing quadrangle
geology GQ-320
- ground water HA-156
- Fenton quadrangle, geology GQ-317
- Gracey quadrangle, geology GQ-753
- Johnson Hollow quadrangle,
geology GQ-722
- Lamasco quadrangle, geology GQ-608
- Model quadrangle, geology GQ-409
- Mont quadrangle, geology GQ-305
- Roaring Spring quadrangle,
geology GQ-658
- Rushing Creek quadrangle
geology GQ-445
- ground water HA-160

Trimble County

- Ethridge-Twelveville Island,
Ohio River, geology, hydrology . . . HA-97

Union County

(general)

- ground water HA-28
- Blackford quadrangle, geology GQ-873
- Uniontown Wickliffe, Ohio
River, geology, hydrology HA-129

Warren County

(general)

- ground water HA-32

KENTUCKY—Continued

Warren County—Continued

- Allen Springs quadrangle,
geology GQ-285
- Bowling Green North quadrangle,
geology GQ-234
- Bowling Green South quadrangle,
geology GQ-235
- Bristow quadrangle, geology GQ-216
- Brownsville quadrangle, geology GQ-411
- Drake quadrangle, geology GQ-277
- Hadley quadrangle, geology GQ-237
- Meador quadrangle, geology GQ-288
- Polkville quadrangle, geology GQ-194
- Reedyville quadrangle, geology GQ-520
- Riverside quadrangle, geology GQ-736
- Rockfield quadrangle, geology GQ-309
- Smiths Grove quadrangle, geology . . . GQ-357
- South Union quadrangle, geology . . . GQ-275
- Sugar Grove quadrangle, geology . . . GQ-225
- Woodburn quadrangle, geology GQ-280

Wayne County

(general)

- ground water HA-35
- Cumberland City quadrangle,
geology GQ-475
- Jabez quadrangle, geology GQ-483
- Parnell quadrangle, geology GQ-861

Webster County

(general)

- ground water HA-30
- Blackford quadrangle, geology GQ-873
- Dalton quadrangle, geology GQ-490
- Hanson quadrangle, geology GQ-365
- Nebo quadrangle, geology GQ-777
- Providence quadrangle, geology GQ-491
- Slaughters quadrangle, geology GQ-360

Western

- minor elements in coal beds B 1117-B
- Mississippi embayment, low-flow
characteristics, streams P 448-H

Western Coal Field, ground

- water W 1599

Whitley County

(general)

- ground water HA-38
- Corbin quadrangle, geology GQ-231
- Cumberland Falls quadrangle,
geology GQ-274
- Elk Valley area, geology,
coal P 572
- Hollyhill quadrangle, geology GQ-615
- Jellico West quadrangle, geology . . . GQ-855
- Rockholds quadrangle, geology GQ-677
- Vox quadrangle, geology GQ-224
- Williamsburg quadrangle, geology . . . GQ-616
- Wofford quadrangle, geology GQ-617

Wolfe County

(general)

- ground water HA-37
- Hasel Green quadrangle, geology . . . GQ-266
- Landsaw quadrangle, geology GQ-201
- Lee City quadrangle, geology GQ-198
- Seitz quadrangle, coal geology B 1122-C

KENTUCKY—Continued

Woodford County

- Frankfort East quadrangle,
geology GQ-707
Keene quadrangle, geology GQ-440
Midway quadrangle, geology GQ-866
Salvisa quadrangle, geology GQ-760
Tyrone quadrangle, geology GQ-308
Versailles quadrangle, geology GQ-325

L

LIBYA

(General)

- geologic map I-350-A
geology and mineral resources P 660
topographic map I-350-B

Cyrenaica

- Al Marj area, ground water W 1757-A
Bengasi area, ground water W 1757-B

Tripolitania

- Sirte area, ground water W 1757-C

LOUISIANA

(General)

- base map p. 354
Cockfield Formation, geohydrology . P 569-B
floods, 1958 W 1660-A
hydrologic significance lithofacies
Sparta Sand P 569-A
saline ground water HA-310
water resources investigations,
map folder p. 344

Baton Rouge Parish

- Baton Rouge and vicinity,
map p. 355

Bossier and Caddo Parishes,

- Upper Jurassic stratigraphy P 594-E

De Soto Parish

- Upper Jurassic stratigraphy P 594-E
water resources W 1774

East Baton Rouge Parish

Baton Rouge area, flood, 1962 HA-126

Northeastern, alluvial aquifer W 1619-V

Northern, low-flow characteristics,
streams P 448-G

Red River Parish, water

- resources W 1614

Sabine Parish

- Many flood, April 1968 HA-374

Sabine River basin, surface

- water, quality W 1809-H

St. Tammany Parish

- English Lookout quadrangle,
Hurricane Camille tidal
floods, Aug. 1969 HA-396

West Baton Rouge Parish

- Baton Rouge area, flood, 1962 HA-126

M

MAINE

(General)

- Bouguer gravity map GP-580
ground water conditions W 1669-T
water resources investigations,
map folder p. 344

MAINE—Continued

Androscoggin County

- Androscoggin River basin,
ground water, surficial geology ... HA-285

Aroostook County

(general)

- Hovey Group B 1194-B
Ordovician fossils B 1181-E

Amity quadrangle aeromagnetic

- map GP-487

Bridgewater quadrangle

- aeromagnetic map GP-291
geology, geophysical surveys B 1206

Carys Mills Formation B 1264

Danforth area, aeromagnetic

- map, geology GP-423

Danforth quadrangle, geology GQ-221

Fish River Lake quadrangle,

- aeromagnetic map GP-371

Grand Lake area, bedrock geology . B 1201-E

Grand Lake Seboeis quadrangle,

- aeromagnetic map GP-288

Greenlaw quadrangle, aeromagnetic

- map GP-374

Houlton quadrangle, aeromagnetic

- map GP-295

Howe Brook quadrangle, aeromagnetic

- map GP-290

Island Falls quadrangle

- aeromagnetic map GP-293

geological-geophysical

- investigations P 527

Maple and Hovey Mountains

- area, geology, manganese P 362

Millinocket Lake quadrangle,

- aeromagnetic map GP-377

Moose River synclorium,

- Paleozoic gastropods P 503-A

Mooseleuk Lake quadrangle,

- aeromagnetic map GP-373

Musquacook quadrangle, aeromagnetic

- map GP-376

Oxbow quadrangle, aeromagnetic

- map GP-289

Smyrna Mills quadrangle, aeromagnetic

- map GP-294

Winterville quadrangle, aeromagnetic

- map GP-372

Cumberland County

Androscoggin River basin,

- ground water, surficial geology ... HA-285

Franklin County

Chain Lakes quadrangle, aeromagnetic

- map GP-330

Cupsuptic quadrangle, aeromagnetic

- map GP-477

Kennebago Lake quadrangle,

- aeromagnetic maps GP-332, 480

Old Speck Mountain quadrangle,

- aeromagnetic map GP-486

Oquossoc quadrangle, aeromagnetic

- map GP-478

Phillips quadrangle

- aeromagnetic map GP-479

- geology MF-259

MAINE—Continued

Franklin County—Continued

- Quimby and Greenville Formations B 1274-L
 Rangeley quadrangle, aeromagnetic
 map GP-480
 Skinner and parts Attean and
 Sandy Bay quadrangles,
 aeromagnetic map GP-310
 Spencer Lake quadrangle, aeromagnetic
 map GP-331
 Stratton quadrangle, aeromagnetic
 map GP-333

Hancock County

- Grand Lake area, bedrock geology . B 1201-E
 lower Penobscot River basin,
 surficial geology, ground water . . HA-225

Northern, geologic, aeromagnetic

- map GP-312

Oxford County

- Cupsuptic quadrangle, aeromagnetic
 map GP-477
 Old Speck Mountain quadrangle,
 aeromagnetic map GP-486
 Oquossoc quadrangle, aeromagnetic
 map GP-478
 Rangeley quadrangle, aeromagnetic
 map GP-480

Penobscot County

(general)

- Ordovician fossils B 1181-E

- Danforth area, aeromagnetic

- map, geology GP-423

- Grand Lake area, bedrock geology . B 1201-E

- Grand Lake Sebobeis quadrangle,
 aeromagnetic map GP-288

- Island Falls quadrangle

- aeromagnetic map GP-293

- geological-geophysical

- investigations P 527

- Katahdin quadrangle, aeromagnetic

- map GP-336

- Millinocket Lake quadrangle,
 aeromagnetic map GP-377

- northern, Matagamon Sandstone . B 1194-F

- Oxbow quadrangle, aeromagnetic

- map GP-289

- Penobscot River basin, lower,
 surficial geology, ground water . . HA-225

- Shin Pond quadrangle

- aeromagnetic map GP-292

- geology P 524-I

- Stacyville quadrangle

- aeromagnetic map GP-336

- geology P 524-I

- Traveler Mountain quadrangle,
 aeromagnetic map GP-381

Piscataquis County

- Caucomgomoc Lake quadrangle,
 aeromagnetic map GP-378

- Chesuncook quadrangle, aeromagnetic

- map GP-379

- Churchill Lake quadrangle,
 aeromagnetic map GP-375

- Forks quadrangle, aeromagnetic

- map GP-485

MAINE—Continued

Piscataquis County—Continued

- Greenville quadrangle

- aeromagnetic map GP-335

- geology GQ-330

- geology, petrology B 1241-F

- Katahdin quadrangle, aeromagnetic

- map GP-336

- Millinocket Lake quadrangle,
 aeromagnetic map GP-377

- Moosehead Lake and First

- Roach Pond quadrangles,
 aeromagnetic map GP-334

- Mooseleuk Lake quadrangle,
 aeromagnetic map GP-373

- Sebec Lake quadrangle, aeromagnetic

- map GP-335

- Spider Lake and Musquacook

- Lakes quadrangles, aeromagnetic

- map GP-376

- Telos Lake quadrangle, aeromagnetic

- map GP-380

- Traveler Mountain quadrangle,
 aeromagnetic map GP-381

Sagadahoc County

- Androscoogin River basin,
 ground water, surficial geology . . HA-285

Somerset County

- Bingham quadrangle, aeromagnetic,
 geologic map GP-499

- Caucomgomoc Lake quadrangle,
 aeromagnetic map GP-378

- Chain Lakes quadrangle, aeromagnetic

- map GP-330

- Forks quadrangle, aeromagnetic

- map GP-485

- Greenville quadrangle

- aeromagnetic map GP-335

- geology GQ-330

- geology, petrology B 1241-F

- Moose River synclinalorium,
 Paleozoic gastropods P 503-A

- Moosehead Lake quadrangle,
 aeromagnetic map GP-334

- Skinner and parts Attean and

- Sandy Bay quadrangles,
 aeromagnetic map GP-310

- Spencer Lake quadrangle, aeromagnetic

- map GP-331

- Stratton quadrangle, aeromagnetic

- map GP-333

Southeastern, heavy metals in

- stream sediments MF-301

Southern, lower Kennebec River

- basin, ground water, surficial

- geology HA-337

Southwestern

- lead-zinc-silver related to White

- Mountain Plutonic Series B 1312-D

- surficial deposits, ground water . . HA-76

Waldo County

- lower Penobscot River basin,
 surficial geology, ground water . . HA-225

Washington County

- Big Lake quadrangle, geology GQ-358

MAINE—Continued**Washington County—Continued**

- Danforth area, aeromagnetic
map, geology GP-423
Danforth quadrangle, geology GQ-221
Edmunds Unit, Moosehorn
National Wildlife Refuge,
geology, mineral resources B 1260-P
Grand Lake area, bedrock geology . B 1201-E
Kellyland and Vanceboro quadrangles,
geology MF-269
Wabassus Lake quadrangle,
geology MF-282
West-central, heavy metals MF-278

MANITOBA

- South-central, Pierre Shale P 392-A

MARIANA ISLANDS**(General)**

- surface-water supply through June
1960 W 1751

Guam

- Cenozoic calcareous algae P 403-G
geology P 403-A
hydrology P 403-H
marine geology P 403-B
petrology, limestones P 403-D
smaller Foraminifera P 403-I
soils, mineralogy P 403-F
surface water, records, index
through Dec. 1963 C 515
Tertiary Foraminifera P 403-E
topographic map p. 350
volcanic rock P 403-C
water resources investigations,
map folder p. 344

- Saipan, surface water, records,
index through Dec. 1963 C 515

MARSHALL ISLANDS**(General)**

- crustaceans P 260-HH
echinoids P 260-GG
physical constants P 260-AA

Bikini Atoll

- brachiopods P 260-FF

Eniwetok Atoll

- brachiopods P 260-FF
Bryozoa P 260-EE
corals P 260-DD
Foraminifera, planktonic P 260-CC
Miocene pollen and spore flora P 260-II
subsurface geology P 260-BB
Eniwetok, Funafuti, and Kito-Daito-
Jima algae P 260-Z

MARYLAND**(General)**

- water resources investigations,
map folder p. 344

Allegany County

- Evitts Creek and Patterson
Creek quadrangles, geology B 1173

Anne Arundel County

- Washington, D.C., and vicinity,
maps p. 356

Baltimore County**(general)**

- aeromagnetic map GP-613

MARYLAND—Continued**Baltimore County—Continued
(general)—Continued**

- Bouguer gravity map GP-614
Baltimore area, water resources .. W 1499-F
Bel Air and vicinity
aeromagnetic map GP-482
aeroradioactivity map GP-484
Gunpowder Falls drainage basin,
water resources W 1815
Calvert County, water resources HA-365
Cecil County

(general)

- aeromagnetic map GP-363
stratigraphy post-Magothy Upper
Cretaceous formations P 674

Bel Air and vicinity

- aeromagnetic map GP-482
aeroradioactivity map GP-484

Charles County, water resources

- Delaware River basin, water
resources P 381

Eastern, Cretaceous-Tertiary

- boundary B 1274-H

Frederick County

- Poolesville quadrangle
aeromagnetic map GP-394
aeroradioactivity map GP-567

Harford County

- Bel Air and vicinity
aeromagnetic map GP-482
aeroradioactivity map BP-484

**Kent County, stratigraphy post-Magothy
Upper Cretaceous formations**

- P 674

Montgomery County

- Beltsville quadrangle, aeromagnetic
map GP-399

Gaithersburg quadrangle

- aeromagnetic map GP-395
aeroradioactivity map GP-566

Germantown quadrangle

- aeromagnetic map GP-394
aeroradioactivity map GP-567

Great Falls area

- geologic story Misc. rept., p. 195
gold veins B 1286

**Hunting Hill quarry, serpentinite
and rodingite**

- B 1283

Kensington quadrangle,

- aeromagnetic map GP-398

Poolesville quadrangle

- aeromagnetic map GP-394
aeroradioactivity map GP-567

Potomac River flood plain,

- botanical evidence floods P 485-A

Potomac River gorge

- crystalline rocks P 414-H
geologic story Misc. rept., p. 195

Rockville quadrangle

- aeromagnetic map GP-397
aeroradioactivity map GP-565

Sandy Spring quadrangle

- aeromagnetic map GP-395
aeroradioactivity map GP-566

Seneca and Sterling quadrangles

- aeromagnetic map GP-396

MARYLAND—Continued**Montgomery County—Continued**

- aeroradioactivity map GP-564
 Washington, D.C., vicinity
 geology, ground water W 1776
 maps p. 356

Northwestern

- Pittsburgh (Pa.) area,
 aeroradioactivity map GP-555

Prince Georges County

- Beltville quadrangle, aeromagnetic
 map GP-399
 Washington, D.C., vicinity
 geology, ground water W 1776
 maps p. 356

St. Marys County, water

- resources HA-365

Southern

- Patuxent River basin, water
 resources HA-244

Western

- aeromagnetic map GP-445
 aeroradioactivity map GP-475

Worcester County

- Ocean City-Rehoboth, Del.,
 beach-area water supplies W 1619-T

MASSACHUSETTS**(General)**

- Bouguer gravity map GP-612
 topographic map p. 354
 water resources investigations,
 map folder p. 344

Barnstable County

- Chatham quadrangle, geology GQ-911
 Harwich quadrangle, geology GQ-786

Monomoy National Wildlife

- Refuge, geology, mineral
 resources B 1260-D

Monomoy Point quadrangle,

- geology GQ-787

North Truro quadrangle, geology GQ-599**Wellfleet quadrangle, geology** GQ-750**Berkshire County**

- Ashley Falls quadrangle, aeromagnetic
 map GP-526

Bashbish Falls quadrangle

- aeromagnetic map GP-527
 geology GQ-507

Beckett quadrangle, aeromagnetic

- maps GP-448, 625

Berlin quadrangle, aeromagnetic

- map GP-449

Canaan quadrangle, aeromagnetic

- map GP-450

Cheshire quadrangle aeromagnetic

- map GP-451

East Lee quadrangle, aeromagnetic

- map GP-452

Egremont quadrangle aeromagnetic

- map GP-529

Great Barrington quadrangle,

- aeromagnetic map GP-530

Hancock quadrangle, aeromagnetic

- map GP-453

MASSACHUSETTS—Continued**Berkshire County—Continued**

- Monterey quadrangle, aeromagnetic
 map GP-531

North Adams quadrangle, aeromagnetic

- map GP-454

Otis quadrangle, aeromagnetic

- map GP-532

Peru quadrangle, aeromagnetic

- maps GP-455, 627

Pittsfield East quadrangle,

- aeromagnetic map GP-456

Pittsfield West quadrangle,

- aeromagnetic map GP-457

Plainfield quadrangle, aeromagnetic

- maps GP-436, 627

Rowe quadrangle

- aeromagnetic map GP-437

geology GQ-642**South Sandisfield quadrangle,**

- aeromagnetic map GP-533

State Line quadrangle, aeromagnetic

- maps GP-458, 529

Stockbridge quadrangle, aeromagnetic

- map GP-459

Tolland Center quadrangle,

- aeromagnetic map GP-535

Williamstown quadrangle, aeromagnetic

- map GP-460

Windsor quadrangle, aeromagnetic

- map GP-461

Worthington quadrangle

- aeromagnetic map GP-627

geology GQ-857**Boston and vicinity, map** p. 355**Bristol County**

- Taunton quadrangle, geology B 1163-D

- Tiverton quadrangle, geology B 1158-D

Essex County**Boston North quadrangle, aeromagnetic**

- map GP-708

Georgetown quadrangle

- aeromagnetic map GP-718

surficial geology GQ-850**Gloucester quadrangle, aeromagnetic**

- map GP-724

Haverhill quadrangle, aeromagnetic

- map GP-713

Ipswich quadrangle

- aeromagnetic map GP-719

- surficial geology GQ-189

Ipswich River basin, water

- resources HA-196; W 1826

Lawrence quadrangle, aeromagnetic

- map GP-716

Lynn quadrangle, aeromagnetic

- map GP-709

Marblehead North quadrangle,

- aeromagnetic map GP-723

Marblehead South quadrangle,

- aeromagnetic map GP-710

Newburyport East quadrangle,

- aeromagnetic map GP-715

Newburyport West quadrangle,

- aeromagnetic map GP-714

MASSACHUSETTS—Continued**Essex County—Continued**

- Reading quadrangle
aeromagnetic map GP-721
surficial geology GQ-168
- Rockport quadrangle, aeromagnetic
map GP-724
- Salem Depot quadrangle, aeromagnetic
map GP-712
- Salem quadrangle
aeromagnetic map GP-722
geology B 1163-A; GQ-271
- South Groveland quadrangle,
aeromagnetic map GP-717
- Wilmington quadrangle, aeromagnetic
map GP-720
- Wilmington-Reading area, geology,
ground water W 1694

Franklin County

- Ashfield quadrangle, aeromagnetic
maps GP-429, 626
- Athol quadrangle, surficial
geology B 1163-C
- Bernardston quadrangle, aeromagnetic
map GP-430
- Colrain quadrangle, aeromagnetic
map GP-431
- Goshen quadrangle, aeromagnetic
map GP-626
- Greenfield quadrangle
aeromagnetic maps GP-432, 660
surficial geology GQ-474
- Heath quadrangle
aeromagnetic map GP-433
geology GQ-735
- Millers Falls quadrangle,
aeromagnetic maps GP-434, 697
- Millers River basin, water
resources HA-293
- Mt. Toby quadrangle, aeromagnetic
map GP-660
- North Adams quadrangle, aeromagnetic
map GP-454
- Northfield quadrangle, aeromagnetic
map GF-435
- Plainfield quadrangle, aeromagnetic
map GP-436
- Quabbin Reservoir quadrangle,
aeromagnetic map GP-698
- Rowe quadrangle
aeromagnetic map GP-437
geology GQ-642
- Shelburne Falls quadrangle,
aeromagnetic maps GP-438, 659
- Shutesbury quadrangle, aeromagnetic
map GP-697
- Williamsburg quadrangle, aeromagnetic
map GP-659
- Winsor Dam quadrangle, aeromagnetic
map GP-664

Hampden County**(general)**

- Russell Mountain Formation ... B 1324-B
- Beckett quadrangle, aeromagnetic
maps GP-448, 625

MASSACHUSETTS—Continued**Hampden County—Continued**

- Blandford quadrangle, aeromagnetic
maps GP-528, 625
- Chester quadrangle, aeromagnetic
map GP-625
- Easthampton quadrangle, aeromagnetic
map GP-661
- Hampden quadrangle, aeromagnetic
map GP-629
- Ludlow quadrangle, aeromagnetic
map GP-619
- Monson quadrangle, aeromagnetic
map GP-630
- Mt. Holyoke quadrangle, aeromagnetic
map GP-662
- Mount Tom quadrangle, aeromagnetic
map GP-622
- Otis quadrangle, aeromagnetic
map GP-532
- Palmer quadrangle, aeromagnetic
map GP-617
- Southwick quadrangle, aeromagnetic
maps GP-534, 635, 645
- Springfield-Holyoke area,
water problems W 1670
- Springfield North quadrangle,
aeromagnetic map GP-618
- Springfield South quadrangle,
aeromagnetic map GP-535
geology GQ-678
- Tariffville quadrangle
geology GQ-370
surficial geology GQ-798
- Tolland Center quadrangle,
aeromagnetic map GP-535
- Wales quadrangle, aeromagnetic
map GP-633
- Warren quadrangle, aeromagnetic
map GP-620
- West Granville quadrangle,
aeromagnetic map GP-536
- West Springfield quadrangle
aeromagnetic map GP-635
geology GQ-537
- Woronoco quadrangle, aeromagnetic
maps GP-537, 622
- Hampshire County**
(general)
- Russell Mountain Formation ... B 1324-B
- Ashfield quadrangle, aeromagnetic
maps GP-429, 626
- Beckett quadrangle, aeromagnetic
maps GP-448, 625
- Belchertown quadrangle, aeromagnetic
map GP-663
- Blandford quadrangle, aeromagnetic
maps GP-528, 625
- Chester quadrangle, aeromagnetic
map GP-625
- Easthampton quadrangle, aeromagnetic
map GP-661
- Goshen quadrangle, aeromagnetic
map GP-626

MASSACHUSETTS—Continued

Hampshire County—Continued

- Ludlow quadrangle, aeromagnetic map GP-619
- Mt. Holyoke quadrangle, aeromagnetic map GP-662
- Mt. Toby quadrangle, aeromagnetic map GP-660
- Mount Tom quadrangle, aeromagnetic map GP-622
- Palmer quadrangle, aeromagnetic map GP-617
- Peru quadrangle, aeromagnetic maps GP-455, 627
- Plainfield quadrangle, aeromagnetic maps GP-436, 627
- Quabbin Reservoir quadrangle, aeromagnetic map GP-698
- Shutesbury quadrangle, aeromagnetic map GP-697
- Springfield North quadrangle, aeromagnetic map GP-618
- Ware quadrangle, aeromagnetic map GP-665
- Warren quadrangle, aeromagnetic map GP-620
- Westhampton quadrangle, aeromagnetic map GP-628
- Williamsburg quadrangle, aeromagnetic map GP-659
- Winsor Dam quadrangle, aeromagnetic map GP-664
- Woronoco quadrangle, aeromagnetic maps GP-537, 622, 628
- Worthington quadrangle aeromagnetic map GP-627
- geology GQ-857

Middlesex County

- Assabet River basin, water resources HA-312
- Boston North quadrangle, aeromagnetic map GP-708
- Boston South quadrangle, aeromagnetic map GP-677
- Concord quadrangle aeromagnetic map GP-706
- surficial geology GQ-331
- Framingham quadrangle, aeromagnetic map GP-674
- Hudson quadrangle, aeromagnetic map GP-704
- Ipswich River basin, water resources HA-196; W 1826
- Lawrence quadrangle, aeromagnetic map GP-716
- Lexington quadrangle, aeromagnetic map GP-707
- Lowell area, ground water W 1669-Y
- Marlboro quadrangle, aeromagnetic map GP-673
- Maynard area, ground-water geology, hydrology W 1539-E
- Maynard quadrangle, aeromagnetic map GP-705

MASSACHUSETTS—Continued

Middlesex County—Continued

- Natick quadrangle, aeromagnetic map GP-675
- Newton quadrangle, aeromagnetic map GP-676
- Reading quadrangle aeromagnetic map GP-721
- surficial geology GQ-168
- Sudbury, Assabet, and Concord Rivers, flood, March 1968 HA-371
- Wilmington quadrangle, aeromagnetic map GP-720
- Wilmington-Reading area, geology, ground water W 1694
- Norfolk County
- Blue Hills quadrangle bedrock geology GQ-796
- surficial geology GQ-463
- Boston South quadrangle, aeromagnetic map GP-677
- Hull quadrangle, aeromagnetic map GP-678
- Nantasket quadrangle, aeromagnetic map GP-679
- Natick quadrangle, aeromagnetic map GP-675
- Newton quadrangle, aeromagnetic map GP-676
- Norwood quadrangle, geology B 1163-B
- Plymouth County
- Assawompset quadrangle, geology GQ-265
- Blue Hills quadrangle bedrock geology GQ-796
- surficial geology GQ-463
- Duxbury quadrangle, geology GQ-466
- Hanover quadrangle, surficial geology GQ-633
- Hull quadrangle, aeromagnetic map GP-678
- Nantasket quadrangle, aeromagnetic map GP-679
- Scituate quadrangle, geology GQ-467
- Taunton quadrangle, geology B 1163-D
- Whitman quadrangle, surficial geology GQ-632
- Southeastern aeroradioactivity, geologic map GP-359
- Tenmile and Taunton River basins, ground water HA-300
- Suffolk County
- Blue Hills quadrangle bedrock geology GQ-796
- surficial geology GQ-463
- Boston North quadrangle, aeromagnetic map GP-708
- Boston South quadrangle, aeromagnetic map GP-677
- Hull quadrangle, aeromagnetic map GP-678
- Lynn quadrangle, aeromagnetic map GP-709
- Marblehead South quadrangle, aeromagnetic map GP-710

MASSACHUSETTS—Continued

Suffolk County—Continued

Nantasket quadrangle, aeromagnetic
map GP-679

Newton quadrangle, aeromagnetic
map GP-676

Norwood quadrangle, geology B 1163-B
Western

Hawley and Goshen Schists,
redefinition B 1254-D

Housatonic River basin, hydrology,
water resources HA-281

Worcester County

Athol quadrangle, surficial
geology B 1163-C

Barre quadrangle, aeromagnetic
map GP-700

Clinton quadrangle
aeromagnetic map GP-703

surficial geology GQ-567

East Brookfield quadrangle,
aeromagnetic map GP-621

Framingham quadrangle, aeromagnetic
map GP-674

Hudson quadrangle, aeromagnetic
map GP-704

Leicester quadrangle, aeromagnetic
map GP-624

Marlboro quadrangle, aeromagnetic
map GP-673

Millers River basin, water
resources HA-293

North Brookfield quadrangle,
aeromagnetic map GP-666

Palmer quadrangle, aeromagnetic
map GP-617

Paxton quadrangle, aeromagnetic
map GP-667

Petersham quadrangle, aeromagnetic
map GP-699

Quabbin Reservoir quadrangle,
aeromagnetic map GP-698

Shrewsbury quadrangle
aeromagnetic map GP-672

surficial geology GQ-794

Southbridge quadrangle, aeromagnetic
map GP-631

Sterling quadrangle, aeromagnetic
map GP-702

Wales quadrangle, aeromagnetic
map GP-633

Ware quadrangle, aeromagnetic
map GP-665

Warren quadrangle, aeromagnetic
map GP-620

Wachusett Mountain quadrangle,
aeromagnetic map GP-701

Webster quadrangle, aeromagnetic
map GP-634

Winsor Dam quadrangle, aeromagnetic
map GP-664

Worcester North quadrangle,
aeromagnetic map GP-668

Worcester South quadrangle,
aeromagnetic map GP-623

MEXICO

Hidalgo, south-central, and
México, northeastern B-1104-C

Northwestern, Cenozoic gastropods P 503-B

MICHIGAN

(General)

chemical quality streams C 634

ground-water contamination,
legal controls W 1691

Michigan basin, age Bedford

Shale, Berea Sandstone,
Sunbury Shale B 1294-G

water resources investigations,
map folder p. 344

Alger County, aeromagnetic
map GP-467

Alpena County

Michigan Islands National

Wildlife Refuge, geology,
mineral resources B 1260-I

Baraga County

(general)

aeromagnetic map GP-467

Keweenaw Bay area, aeromagnetic
map GP-608

Ned Lake and Witch Lake
quadrangles, aeromagnetic map GP-609

Pelkie quadrangle, aeromagnetic
map GP-599

Perch Lake quadrangle, aeromagnetic
map GP-600

Sidnaw quadrangle, aeromagnetic
map GP-601

Charlevoix County

Michigan Islands National

Wildlife Refuge, geology,
mineral resources B 1260-I

Cheboygan County

Pigeon River, reconnaissance HA-333

Dickinson County

(general)

aeromagnetic map GP-467

Menominee iron-bearing district
geology P 513

Precambrian geology I-466

Menominee-Northland area,
aeromagnetic map GP-711

Ralph and Norway quadrangles,
aeromagnetic map GP-610

Sagola and Iron Mountain
quadrangles, aeromagnetic map GP-611

Genesee County

Flint area, water resources W 1499-E

Gogebic County

Beechwood quadrangle, aeromagnetic
map GP-603

eastern Gogebic Iron Range,
pre-Quaternary geologic and
magnetic map I-497

Ironwood and Wakefield quadrangles,
aeromagnetic map GP-578

Kenton quadrangle, aeromagnetic
map GP-604

Marenisco-Watersmeet area,
geology I-576

MICHIGAN—Continued

Gogebic County—Continued	
Thomaston, Carp River, North Ironwood, and Little Girls Point quadrangles, aeromagnetic map	GP-579
Gratiot County	
Alma area, ground water	W 1619-E
Houghton County	
Ahmeek quadrangle, aeromagnetic map	GP-318
Chassell quadrangle, aeromagnetic map	GP-324
Hancock quadrangle, aeromagnetic map	GP-321
Kenton quadrangle, aeromagnetic map	GP-604
Keweenaw Bay area, aeromagnetic map	GP-608
Laurium quadrangle, aeromagnetic map	GP-322
Mohawk quadrangle, aeromagnetic map	GP-319
Pelkie quadrangle, aeromagnetic map	GP-599
Perch Lake quadrangle, aeromagnetic map	GP-600
Rousseau quadrangle, aeromagnetic map	GP-606
Sidnaw quadrangle, aeromagnetic map	GP-601
South Range quadrangle, aeromagnetic map	GP-323
Winona quadrangle, aeromagnetic map	GP-602
Iron County	
Beechwood quadrangle, aeromagnetic map	GP-603
Crystal Falls and Florence quadrangles, aeromagnetic map ..	GP-607
Iron River and vicinity, aeromagnetic map	GP-605
Iron River-Crystal Falls district, geology, ore deposits	P 570
Kelson Junction, geology	B 1226
Kenton quadrangle, aeromagnetic map	GP-604
Menominee iron-bearing district, Precambrian geology	I-466
Ned Lake and Witch Lake quadrangles, aeromagnetic map ..	GP-609
Perch Lake quadrangle, aeromagnetic map	GP-600
Sagola and Iron Mountain quadrangles, aeromagnetic map ..	GP-611
Kalamazoo County	
Kalamazoo, induced recharge glacial-drift aquifer	W 1594-D
Keweenaw County	
Ahmeek quadrangle, aeromagnetic map	GP-318
Bruneau Creek quadrangle, aeromagnetic map	GP-320
Delaware quadrangle, aeromagnetic map	GP-315

MICHIGAN—Continued

Keweenaw County—Continued	
Eagle Harbor quadrangle, aeromagnetic map	GP-314
Fort Wilkins quadrangle, aeromagnetic map	GP-317
Isle Royale National Park,	
maps	p. 357
Lake Medora quadrangle, aeromagnetic map	GP-316
Mohawk quadrangle, aeromagnetic map	GP-319
Phoenix quadrangle, aeromagnetic map	GP-313
Lapeer County	
Belle River basin, water resources	HA-317
Macomb County	
Belle River basin, water resources ..	HA-317
Mount Clemens, floods	HA-59
Marquette County	
(general)	
aeromagnetic map	GP-467
Reany Creek Formation	B 1274-F
Huron National Wildlife Refuge, geology, mineral resources	
	B 1260-I
Marquette Iron Range area, water resources	
	W 1842
Marquette and Sands quadrangles, geology	
	P 397
Menominee-Northland area, aeromagnetic map	
	GP-711
Negaunee quadrangle, geochemical prospecting	
	I-559
Sagola quadrangle, aeromagnetic map	
	GP-611
Witch Lake quadrangle, aeromagnetic map	
	GP-609
Menominee County	
Menominee-Northland area, aeromagnetic map	
	GP-711
Northern, aeromagnetic map	
	GP-556
Ontonagon County	
Kenton quadrangle, aeromagnetic map	GP-604
Marenisco-Watersmeet area, geology	I-576
Ontonagon area, postglacial drainage evolution, stream geometry	
	P 504-B
Rousseau quadrangle, aeromagnetic map	
	GP-606
Thomaston and Carp River quadrangles, aeromagnetic map ..	
	GP-579
Winona quadrangle, aeromagnetic map	
	GP-602
Otsego County	
Pigeon River, reconnaissance	HA-333
St. Clair County	
Belle River basin, water resources ..	HA-317
Pine River basin, water resources ..	HA-327
Schoolcraft County	
(general)	
aeromagnetic map	GP-467

MICHIGAN—Continued

Schoolcraft County—Continued

Seney National Wildlife

Refuge, geology, mineral

resources B 1260-I

Southeastern

Black River basin, water resources HA-338

MINNESOTA

(General)

aeromagnetic map GP-725

base maps p. 354

topographic map p. 354

water resources investigations,

map folder p. 344

Becker County

(general)

aeromagnetic maps GP-326

Buffalo River watershed,

water resources HA-307

Clay County

(general)

aeromagnetic maps GP-326, 327

Buffalo River watershed, water

resources HA-307

Cook County

McNair-Grand Portage area,

aeromagnetic map GP-639

northwestern, aeromagnetic map GP-361

Crow Wing County

Cuyuna North range, geology,

ore deposits P 407

East-central

aeromagnetic, geologic map GP-474

aeromagnetic and inferred Precambrian

paleogeologic map GP-563

Grant County, aeromagnetic

map GP-328

Itasca County

Grand Rapids area, geology,

ground water HA-322

Mesabi and Vermilion Iron

Ranges, water resources W 1759-A-F

Jackson County, geology, ground

water W 1749

Kittson County

Halma-Lake Bronson area,

ground water W 1619-BB

Two Rivers watershed, water

resources HA-237

Lac qui Parle County

Lac qui Parle River watershed,

water resources HA-269

Lake County

Keweenaw basin, tectonics P 524-E

McNair-Grand Portage area,

aeromagnetic map GP-639

northern, aeromagnetic map GP-360

Lincoln County

Lac qui Parle River watershed,

water resources HA-269

Lyon County

geology, ground water W 1619-N

hydrology melt-water channels W 1809-K

Mahnom County, aeromagnetic

map GP-325

MINNESOTA—Continued

Minneapolis-St. Paul area,

natural gamma aeroradioactivity

map GP-658

Morrison County

Camp Ripley Military Reservation,

geology, ground water W 1669-A

Nobles County, geology, ground

water W 1749

Norman County, aeromagnetic

map GP-325

North-central

Mississippi headwaters watershed,

water resources HA-278

Northeastern

(general)

aeromagnetic map GP-556

aeromagnetic, geologic map GP-472

Mesabi-Vermilion Iron Range

area, surficial geology I-403

Northwestern

(general)

aeromagnetic, geologic map GP-471

Middle River watershed, water

resources HA-201

Roseau River watershed, water

resources HA-241

Wild Rice River watershed,

water resources HA-339

Otter Tail County

(general)

aeromagnetic maps GP-327, 328

Otter Tail River watershed,

water resources HA-296

Pine County

central, aeromagnetic map GP-636

Polk and Red Lake Counties

Red Lake River, general

description, history, geology,

hydrology, plant and animal

life, recreation HA-299

Redwood County

Redwood Falls area, geology,

ground water W 1669-R

Roseau County

Two Rivers watershed, water

resources HA-237

St. Louis County

Aurora area, geology, ground

water W 1809-U

Hibbing area, geology, water

resources HA-280

Kabetogama Lake-Grassy Lake

area, aeromagnetic map GP-616

Keweenaw basin, tectonics P 524-E

Mesabi and Vermilion Iron

Ranges, water resources W 1759-A-F

Mesabi Range, bedrock topography I-389

Sherburne County

Elk River nuclear-reactor

site, geology, hydrology B 1133-C

South-central

St. James area, ground water HA-334

Southeastern

aeromagnetic map GP-559

MINNESOTA—Continued

Southeastern—Continued

magnetic anomaly C 489

Southwestern

(general)

aeromagnetic map GP-560

floods, 1960 W 1790-A

Redwood River watershed, water

resources HA-345

Yellow Medicine River watershed,

water resources HA-320

Traverse County, aeromagnetic

map GP-328

West-central

(general)

aeromagnetic, geologic map GP-473

Big Stone Lake watershed,

water resources HA-213

Chippewa River watershed,

water resources HA-286

Mustinka and Bois De Sioux

Rivers watershed, water resources HA-272

Pomme de Terre River watershed,

water resources HA-220

Western, aeromagnetic map GP-692

Wilkin County

(general)

aeromagnetic maps GP-327, 328

Otter Tail River watershed,

water resources HA-296

Yellow Medicine County

Lac qui Parle River watershed,

water resources HA-269

MISSISSIPPI

(General)

base map p. 354

bauxite and kaolin B 1199-B

Cockfield Formation, geohydrology P 569-B

floods, Dec. 1961 C 465

hydrologic significance lithofacies

Sparta Sand P 569-A

plant microfossils, Yazoo

Clay, Eocene P 643-E

water resources investigations,

map folder p. 344

Alcorn County, gastropods,

Coffee Sand P 331-C

Benton County, bauxite deposits B 1199-C

George County

Pascagoula area, water resources ... W 1763

Hancock County

Bay St. Louis quadrangle,

Hurricane Camille tidal

floods, Aug. 1969 HA-400

English Lookout quadrangle,

Hurricane Camille tidal

floods, Aug. 1969 HA-396

Kiln quadrangle, Hurricane

Camille tidal floods, Aug.

1969 HA-397

Logtown quadrangle, Hurricane

Camille tidal floods, Aug.

1969 HA-395

Mississippi Test Facility,

ground water W 1839-H

MISSISSIPPI—Continued

Hancock County—Continued

Vidalia quadrangle, Hurricane

Camille tidal floods, Aug.

1969 HA-399

Waveland-Grand Island Pass

quadrangles, Hurricane Camille

tidal floods, Aug. 1969 HA-398

Harrison County

(general)

water resources W 1856

Bay St. Louis quadrangle,

Hurricane Camille tidal

floods, Aug. 1969 HA-400

Biloxi quadrangle, Hurricane

Camille tidal floods, Aug.

1969 HA-404

Gulfport North-South quadrangles,

Hurricane Camille tidal

floods, Aug. 1969 HA-403

Gulfport NW quadrangle, Hurricane

Camille tidal floods, Aug.

1969 HA-401

Pass Christian quadrangle,

Hurricane Camille tidal

floods, Aug. 1969 HA-402

Vidalia quadrangle, Hurricane

Camille tidal floods, Aug.

1969 HA-399

Hinds County

Pearl River at Jackson,

flood, 1961 HA-127

Jackson County

Biloxi quadrangle, Hurricane

Camille tidal floods, Aug.

1969 HA-404

Kreole-Grand Bay SW quadrangles,

Hurricane Camille tidal

floods, Aug. 1969 HA-407

Ocean Springs-Deer Island

quadrangles, Hurricane Camille

tidal floods, Aug. 1969 HA-405

Pascagoula area, water resources ... W 1763

Pascagoula quadrangle, Hurricane

Camille tidal floods, Aug.

1969 HA-406

Lee County

gastropods, Coffee Sand P 331-C

water resources W 1899-B

Mississippi embayment, low-flow

characteristics, streams P 448-I

Northeastern, Cretaceous gastropods P 331-B

Prentiss County, gastropods,

Coffee Sand P 331-C

Southeastern

Pascagoula River basin, ground

water W 1839-K

Tippah County, bauxite deposits B 1199-C

Tishomingo County, gastropods,

Coffee Sand P 331-C

MISSOURI

(General)

Pennsylvanian rocks

uranium B 1147-B

MISSOURI—Continued**(General)—Continued**

water resources investigations,
map folder p. 344

Central

Missouri River—Jefferson

City to Miami, ground-water
resources of alluvium HA-340

East-central

Missouri River—St. Charles

to Jefferson City, ground-water
resources of alluvium HA-315

McDonald County

Wyandotte quadrangle, geology P 588

Mississippi County

Hickman quadrangle, ground
water HA-181

Mississippi embayment

aeromagnetic prospecting, bauxite . GP-370

low-flow characteristics, streams ... P 448-F

Mississippi River

St. Louis area, sediment
investigations W 1819-J

Newton County

Wyandotte quadrangle, geology P 588

Northwestern

(general)
floods W 1790-A

Missouri River—Kansas City,
Mo., to Iowa border, ground-water
resources of alluvium HA-336

Missouri River—Miami to
Kansas City, ground-water
resources of alluvium HA-344

St. Louis County

Mississippi River, fluvial
sediment W 1802

Southeast, mineral district,

regional structure B 1202-B

Tri-State mining district,

aeromagnetic map GP-427

MONTANA**(General)**

base maps p. 354

Big Snowy and Amsden Groups,
Mississippian-Pennsylvanian
boundary P 554-B

biostratigraphy Phosphoria,

Park City, Shedhorn Formations . P 313-D

mineral occurrences MR-50

relief map p. 354

sedimentary rocks, chemical
composition P 561

topographic map p. 354

water resources investigations,
map folder p. 344

Beaverhead County

Bannack-Grayling area, geology I-433

Lemhi Pass area, geology,
thorium B 1126

lower Bighorn Valley, ground

water W 1876

Blaine County

Chinook quadrangle, aeromagnetic
map GP-383

MONTANA—Continued**Blaine County—Continued**

Cleveland quadrangle

aeromagnetic map GP-385

geology B 1141-P

Eskay quadrangle, geology I-353

Fort Belknap Indian Reservation,
geology, hydrology W 1576-F

Lloyd quadrangle, aeromagnetic

map GP-384

Rattlesnake quadrangle, geology .. B 1181-B

Yantic quadrangle, aeromagnetic

map GP-382

Broadwater County

Canyon Ferry quadrangle, Bouguer

gravity, aeromagnetic, geologic

map GP-444

Duck Creek Pass quadrangle,

geology B 1121-J

Elkhorn Mountains

geology MF-243

geology, igneous petrology P 510

Maudlow quadrangle, geology I-452

Three Forks Basin, Bouguer

gravity, aeromagnetic, geologic

maps GP-497, 498

Three Forks quadrangle, geology P 370

Toston, Radersburg, Devils

Fence quadrangles, aeromagnetic,

Bouguer gravity, geologic

map GP-496

Toston quadrangle, geology I-486

Townsend and Duck Creek

Pass quadrangles, gravity,

aeromagnetic, geologic map GP-439

Carbon County

Bluewater Springs area, geology,

water resources W 1779-J

Castagne quadrangle, geology MF-264

Cooney Reservoir quadrangle,

geology MF-265

Montaqua quadrangle, geology GQ-580

Rapids quadrangle, geology MF-270

Roberts quadrangle, geology MF-266

Roscoe NE quadrangle, geology MF-267

Carter County

(general)
bentonite B 1082-M

Black Hills, bentonite B 1082-M

Black Hills uplift, stratigraphy,

structure P 404

Cascade County

Hogan 4 Northeast quadrangle,

geology I-409

Central

Carboniferous formations and

fauna P 348

Devonian rocks B 1112-D

Chouteau County

Eagle Buttes quadrangle, geology I-349

Eskay quadrangle, geology I-353

Daniels County

Larslan, West Fork,

Police Creek, Kahle,

and Lundville quadrangles,

geology I-361

MONTANA—Continued

Deer Lodge County

- Anaconda quadrangle, northwest
quarter, geology B 1222-B
Deer Lodge Valley, geology,
ground water W 1862

Eastern

- Williston basin, uranium P 463

Fergus County

- Winnett-Mosby area, geology,
oil, gas B 1149

Flathead County

- Hubbart Reservoir-Hot Springs
area, aeromagnetic map GP-687
McGregor Lake-Tally Lake
area, aeromagnetic map GP-684
Thompson Lakes quadrangle,
aeromagnetic map GP-683

Gallatin County

- Bozeman Pass quadrangle,
geology I-399
Fort Ellis quadrangle, geology I-397
Hatfield Mountain quadrangle,
geology GQ-729

- Hebgen: Lake region, earthquake,
1959; geology P 435

- Livingston coal field, geology,
coal resources P 526-A

- Maudlow quadrangle, geology I-452

- Maxey Ridge quadrangle, geology I-396

- Mystic Lake quadrangle, geology I-398

- Spanish Peaks primitive area,
mineral resources B 1230-B

- Tepee Creek quadrangle, geology P 609

- Three Forks Basin, Bouguer
gravity, aeromagnetic, geologic
maps GP-497, 498

- Three Forks quadrangle, geology P 370

- Toston quadrangle
aeromagnetic, Bouguer gravity,
geologic map GP-496
geology I-486

Garfield County

- Fort Peck area, geology P-414-F
Winnett-Mosby area, geology,
oil, gas B 1149

Granite County

- Philipsburg district, geology,
ore deposits B 1237

Hill County

- Boxelder quadrangle, geology I-338
Lloyd quadrangle, aeromagnetic
map GP-384

- Yantic quadrangle, aeromagnetic
map GP-382

Jefferson County

- Basin quadrangle, geology B 1151

- Boulder batholith region, geology I-381

- Boulder Mountains, Pleistocene
ice sheet B 1141-G

- Dry Mountain quadrangle, igneous
geology B 1221-F

- East Helena quadrangle, Bouguer
gravity, aeromagnetic, geologic
map GP-444

MONTANA—Continued

Jefferson County—Continued

- Elk Park quadrangle, geology MF-246

- Elkhorn Mountains
geology MF-243
geology, igneous petrology P 510

- Jefferson City quadrangle,
geology, mineral deposits P 428

- Radersburg and Devils Fence
quadrangles, aeromagnetic,
Bouguer gravity, geologic
map GP-496

- Three Forks Basin, Bouguer
gravity, aeromagnetic, geologic
map GP-497

- Three Forks quadrangle, geology P 370

Lake County

- Flathead River, damsites,
geology B 1550

- Hubbart Reservoir-Hot Springs
area, aeromagnetic map GP-687

- Mission Mountains primitive
area, mineral resources B 1261-D

Lewis and Clark County

- Arsenic Peak quadrangle, geology GQ-597

- Basin quadrangle, geology B 1151

- Boulder batholith region, geology I-381

- Boulder Mountains, Pleistocene
ice sheet B 1141-G

- Castle Reef quadrangle, geology GQ-711

- Comb Rock quadrangle, geology I-468

- East Helena and Canyon Ferry
quadrangles, Bouguer gravity,
aeromagnetic, geologic map GP-444

- Glenn Creek quadrangle, geology GQ-499

- Hogan 4 NE quadrangle, geology I-409

- Hogan 4 SE quadrangle, geology I-379

- Holter Lake quadrangle, geology GQ-840

- Jefferson City quadrangle,
geology, mineral deposits P 428

- Lewis and Clark Range,
geology, geophysics,
geochemistry B 1252-E

- Patrick's Basin quadrangle,
geology GQ-463

- Pretty Prairie quadrangle,
geology GQ-454

- Roberts Mountain quadrangle,
geology I-564

- Sawtooth Ridge quadrangle
bedrock geology GQ-381

- surficial geology GQ-610

Lincoln County

- Clark Fork quadrangle, geology B 1141-K

- McGregor Lake-Tally Lake
area, aeromagnetic map GP-684

- Mt. Pend Oreille and Libby
quadrangles, aeromagnetic map GP-682

- Pend Oreille area, geologic
implications aeromagnetic data P 646-D

- Thompson Falls quadrangle,
aeromagnetic map GP-686

- Thompson Lakes quadrangle,
aeromagnetic map GP-683

MONTANA—Continued

Lincoln County—Continued

- Trout Creek quadrangle,
aeromagnetic map GP-685

McCone County

- Chelsea quadrangle, geology I-363
Fort Peck area, geology P 414-F
Oswego quadrangle, geology I-366
Poplar quadrangle, geology I-367

Madison County

- Cameron quadrangle, geology GQ-813
Hebgen Lake region, earthquake,
1959; geology P 435
Jack Creek basin, mineral
resources B 1819-B
Spanish Peaks primitive area,
mineral resources B 1230-B
Three Forks Basin, Bouguer
gravity, aeromagnetic, geologic
maps GP-497, 498
Three Forks quadrangle, geology P 370
Varney quadrangle, geology GQ-814

Mineral County

- Avery quadrangle, aeromagnetic
map GP-689
Haugan, St. Regis, Simmons
Peak and Illinois Peak
quadrangles, aeromagnetic map .. GP-690
Plains, Superior, and Tarkio
quadrangles, aeromagnetic map .. GP-691

Missoula County

- Lewis and Clark Range, geology,
geophysics, geochemistry B 1252-E
Mission Mountains primitive
area, mineral resources B 1261-D
Plains, Perma, Superior,
and Tarkio quadrangles, aeromagnetic
map GP-691

Musselshell County

- Melstone-Sumatra area, geology ... OM-211
North-central, ground water,
Judith River Formation HA-308

Northeastern

- Missouri River, Fort Peck
Dam to North Dakota State
line, ground water in alluvium ... HA-224
Wolf Point area, aggregate
and riprap resources map I-429

Northwestern

- (general)
floods W 1840-B
Mission Mountains Primitive
Area, mineralogy and geochemistry,
Belt rocks B 1812-O

Park County

- Bozeman Pass quadrangle, geology ... I-399
Brisbin quadrangle, geology GQ-256
Chimney Rock quadrangle, geology .. GQ-257
Gardiner area, geology B 1277
Hoppers quadrangle, geology GQ-258
Livingston area, stratigraphy
Madison Group P 526-B
Livingston coal field, geology,
coal resources P 526-A
Livingston quadrangle, geology GQ-259

MONTANA—Continued

Park County—Continued

- Maxey Ridgely quadrangle, geology ... I-396
Mystic Lake quadrangle, geology I-398

Petroleum County

- Winnett-Mosby area, geology,
oil, gas B 1149

Phillips County

- Fort Belknap Indian Reservation,
geology, hydrology W 1576-F

Powder River County

- Black Hills uplift, stratigraphy,
structure P 404

Powell County

- Basin quadrangle, geology B 1151
Boulder Mountains, Pleistocene
ice sheet B 1141-G
Deer Lodge Valley, geology,
ground water W 1862
Lewis and Clark Range, geology
geophysics, geochemistry B 1252-E

Richland County

- Brockton quadrangle, geology I-362
Poplar quadrangle, geology I-367

Roosevelt County

- Brockton quadrangle, geology I-362
Chelsea quadrangle, geology I-363
Cuskers quadrangle, geology I-364
Hay Creek quadrangle, geology I-365
Oswego quadrangle, geology I-366
Poplar quadrangle, geology I-367
Todd Lakes quadrangle, geology I-370
Tule Valley quadrangle, geology I-371
West Fork, Police Creek,
Kahle, and Lundville quadrangles,
geology I-361

Rosebud County

- Melstone-Sumatra area, geology ... OM-211
Winnett-Mosby area, geology,
oil, gas B 1149

Sanders County

- Avery quadrangle, aeromagnetic
map GP-689

- Clark Fork quadrangle, geology ... B 1141-K
Flathead River, damsites,
geology B 1550

- Haugan and St. Regis quadrangles,
aeromagnetic map GP-690

- Hubbard Reservoir-Hot Springs
area, aeromagnetic map GP-687

- Libby quadrangle, aeromagnetic
map GP-682

- Pend Oreille area, geologic
implications aeromagnetic data ... P 646-D

- Plains, Perma, and Tarkio
quadrangles, aeromagnetic map .. GP-691

- Thompson Falls quadrangle,
aeromagnetic map GP-686

- Thompson Lakes quadrangle
aeromagnetic map GP-683

- Trout Creek quadrangle, aeromagnetic
map GP-685

Sheridan County

- Otter Creek quadrangle, geology ... B 1111-G

MONTANA—Continued**Silver Bow County**

- Deer Lodge Valley, geology,
ground water W 1862
Elk Park quadrangle, geology MF-246

South-central

- Carboniferous megafaunal and
microfaunal zonation P 613-E
Cottonwood Canyon Member,
Madison Limestone, stratigraphy,
age, paleotectonic significance .. B 1251-B

Southern, Jefferson and

- Three Forks Formations B 1194-N

Southwestern**(general)**

- mineral resources P 313-E
Permian rocks, stratigraphy,
petrology P 313-C
Boulder batholith area
aeromagnetic map GP-538
distribution thorium, uranium,
potassium in igneous rocks P 614-E

Stillwater County

- Cooney Reservoir quadrangle,
geology MF-265
Montaqua quadrangle, geology GQ-580
Rapids quadrangle, geology MF-270
Roscoe NE quadrangle, geology MF-267
Stillwater Complex, platinum,
palladium, rhodium analyses
of ultramafic and mafic rocks C 624

Sweet Grass County

- Stillwater Complex, platinum,
palladium, and rhodium analyses
of ultramafic and mafic rocks C 624

Teton County

- Arsenic Peak quadrangle, geology .. GQ-597
Castle Reef quadrangle, geology ... GQ-711
Glenn Creek quadrangle, geology ... GQ-499
Lewis and Clark Range, geology,
geophysics, geochemistry B 1252-E
Patrick's Basin quadrangle,
geology GQ-453
Sawtooth Ridge quadrangle
bedrock geology GQ-381
surficial geology GQ-610

Valley County

- Baylor, Larsland, and West
Fork quadrangles, geology I-361
Fort Peck area, geology P-414-F
Oswego quadrangle, geology I-366
Porcupine Valley quadrangle,
geology I-368
Spring Creek quadrangle, geology ... I-369
Todd Lakes quadrangle, geology I-370

Western

- Belt series P 346
Jurassic ammonites P 374-C

Yellowstone County

- lower Bighorn Valley, ground
water W 1876

Yellowstone National Park

- map p. 358

MOON**(General)**

- Albedo map P 599-E

MOON—Continued**(General)—Continued**

- stratigraphy, telescopic
observations P 599-F
surface, engineer study, map I-351
Alphonsus GA region, geology I-586
Alphonsus region, geology I-589
Aristarchus region, geology I-465
Copernicus quadrangle, geology I-515
Fra Mauro region, geology I-708
Havelius region, geology I-491
J. Herschel quadrangle, geology I-604
Julius Caesar quadrangle,
geology I-510
Kepler region, geology I-355
Letronne region, geology I-385
Mare Humorum region, geology I-495
Mare Serenitatis region, geology I-489
Mare Tranquillitatis
Maskelyne DA region
Apollo landing site 1, geology I-617
Lunar Orbiter site II
P-2 (including Apollo
landing site 1), geology I-616
Sabine D region
Apollo landing site 2 (Apollo
11, geology I-619
Lunar Orbiter site II P-6
(including Apollo landing
site 2), geology I-618
Mare Vaporum quadrangle, geology I-548
Montes Apenninus region, geology I-463
Oceanus Procellarum
Maestlin G region
Apollo landing site 5, geology I-623
Lunar Orbiter site II P-13
(including Apollo landing
site 5), geology I-622
Pitatus region, geology I-485
Ptolemaeus quadrangle, geology I-566
Riphaeus Mountains region,
geology I-458
Sabine DM region, geology I-594
Seleucus quadrangle, geology I-527
Sinus Iridum quadrangle, geology I-602
Theophilus quadrangle, geology I-546
Timocharis region, geology I-462

N**NATIONAL PARKS AND MONUMENTS**

- Badlands National Monument
and vicinity, S. Dak., map p. 357
Black Canyon of the Gunnison
National Monument, Colo.
Curecanti pluton B 1181-D
geology B 1191
Bryce Canyon National Park,
Utah, ground water W 1475-M
Canyonlands National Park, Utah
(general)
map p. 357
Moab-Needles area, geophysical
investigations P 516-C
Capitol Reef National Monument,
Utah, ground water W 1475-G

NATIONAL PARKS AND MONUMENTS—

Con.

- Chiricahua National Monument,
 Ariz., ground water W 1475-H
- Colorado National Monument,
 Colo., map p. 356
- Crater Lake National Park, Oreg.
 hydrology W 1859-E
- Death Valley National Monument, Calif.
 aeromagnetic map GP-428
 Bouguer anomaly map GP-305
 geology, hydrology W 1779-Y
- El Morro National Monument,
 N. Mex., water supply, geology W 1766
- Grand Canyon National Park, Ariz.
 anthropology, archeology P 670
 exploration, stratigraphy, geologic
 history, hydrology P 669
 maps p. 357
- Grand Teton National Park, Wyo.
 geophysical study, stratigraphy,
 structure P 516-E
 ground water C 494
 map p. 357
- Great Smoky Mountains National
 Park, Tenn.-N.C.
 geology P 349-D, 587
 maps p. 357
 water resources HA-420
- Isle Royale National Park,
 Mich., map p. 357
- Joshua Tree National Monument, Calif.
 Pinto Basin, geology, hydrology .. W 1475-O
- Lassen Volcanic National Park, Calif.
 Manzanita Lake quadrangle,
 geology GQ-248
 Prospect Peak quadrangle,
 geology GQ-345
- Mammoth Cave National Park, Ky.
 hydrology cavernous limestones W 1837
 water supply W 1475-Q
- Mesa Verde National Park, Colo.,
 map p. 358
- Mount Rainier National Park, Wash.
 (general)
 geology B 1292; I-432; P 444
 surficial geology B 1288
 volcanic hazards B 1238
- Little Tahoma Peak, rockfalls
 and avalanches B 1221-A
- Nisqually Glacier
 map p. 358
 24-year photographic record P 631
- Olympic National Park, Wash.,
 maps p. 358
- Pecos National Monument,
 N. Mex., geologic setting B 1271-E
- Petrified Forest National Park, Ariz.
 ferns, Chinle Formation P 613-D
 map p. 358
- Pinnacles National Monument,
 Calif., ground water W 1475-K
- Rocky Mountain National
 Park, Colo., maps p. 358

NATIONAL PARKS AND MONUMENTS—

Con.

- Sequoia National Park, Calif.
 glacial reconnaissance P 504-A
 maps p. 358
- Shenandoah National Park, Va.
 ancient lavas B 1265
- Sunset Crater National Monument,
 Ariz., ground water W 1475-J
- Wind Cave National Park,
 S. Dak., shaded-relief map p. 358
- Wupatki National Monument,
 Ariz., ground water W 1475-J
- Yellowstone National Park,
 Wyo.-Mont.-Idaho
 (general)
 Hebgen Lake earthquake, 1959 P 435
 hydrocarbons in thermal areas ... P 644-B
 maps p. 358
- Grant Village site, ground
 water W 1475-F
- Tepee Creek quadrangle,
 geology I-417; P 609
- Yosemite National Park,
 Calif., maps p. 358
- Zion National Park, Utah
 Carmel Formation B 1244-I
 Kolob Section, map p. 358
 Zion Canyon Section, map p. 358
- NEBRASKA
 (General)
 base map p. 354
- floods
 magnitude and frequency C 458
 sediment discharge accompanying .. C 470
- sedimentary rocks, chemical
 composition P 561
- topographic map p. 354
- water resources investigations,
 map folder p. 344
- Adams County, ground water HA-287
- Antelope County, water resources ... HA-316
- Blaine County
 North Loup River, transport
 and dispersion bed material P 433-C
- Boone County
 Cedar Rapids Division, lower
 Platte River basin, ground
 water W 1779-H
- Central
 Loup Rivers, channel patterns,
 terraces P 422-D
- Cherry County
 Kilgore area, late Miocene
 nonmarine diatoms P 683-A
- Douglas County
 Elkhorn River, flow characteristics
 near Waterloo W 1498-B
- Omaha area, geology P 472
- Eastern
 (general)
 floods, 1960 W 1790-A
- lower Platte River drainage
 area, water-mineral relations
 Quaternary deposits W 1859-D

NEBRASKA—Continued

Fillmore County, geology,	
ground water	W 1839-L
Franklin County, geology	B 1165
Frenchman Creek basin, ground	
water, irrigation	W 1577
Greeley County	
Cedar Rapids Division, lower	
Platte River basin, ground	
water	W 1779-H
Hall County	
(general)	
ground water	HA-131
Grand Island, flood, June	
1967	HA-352
Hamilton County	
(general)	
ground water	W 1539-N
Chapman area, ground water,	
proposed waterfowl refuge	W 1779-E
Lancaster County	
Hallam Nuclear Power Facility	
site, geology and hydrology	B 1133-B
Merrick County	
Chapman area, ground water,	
proposed waterfowl refuge	W 1779-E
Nance County	
Cedar Rapids Division, lower	
Platte River basin, ground	
water	W 1779-H
Loup River basin, flood, Aug.	
1966	H-188
Northeastern, Pierre Shale,	
stratigraphy and mineralogy	P 392-B
Nuckolls County, geology	B 1165
Otoe County	
Brownell Creek subwatershed	
No. 1, sedimentation	W 1798-C
Platte County	
Loup River basin, flood, Aug.	
1966	HA-188
Richardson County, geology,	
ground water	W 1779-W
Saline County, geohydrology	HA-216
Sarpy County	
Omaha area, geology	P 472
Seward County	
Seward quadrangle, flouus	HA-258
Sheridan County	
Mirage Flats, ground water	W 1779-BB
South-central	
Medicine Creek drainage basin,	
erosion and deposition	P 352-H
Southeastern	
Little Blue River basin,	
fluvial sediment, water quality	W 1819-H
Missouri River region, ground-water	
resources of alluvium	HA-336
Salt Creek basin, sedimentation,	
chemical quality water	W 1669-H
Saunders County	
eastern, ground water	HA-266
Washington County	
Omaha area, geology	P 472
Webster County, geology	B 1165

NEBRASKA—Continued

Wheeler County	
Cedar Rapids Division, lower	
Platte River basin, ground	
water	W 1779-H
York County, ground water	W 1839-F
NEVADA	
(General)	
base maps	p. 354
effects Truckee, Calif.,	
earthquake, Sept. 12, 1966	C 537
floods, Jan.-Feb. 1963	W 1830-A
oxidized zinc occurrences, map	MR-39
Pleistocene lakes, map	I-416
relief map	p. 354
topographic map	p. 354
water resources investigations,	
map folder	p. 344
Basin Range region, graptolites	B 1134
Central, Ordovician brachiopods,	
trilobites, and stratigraphy	P 639
Churchill County	
Buffalo Mountain quadrangle,	
geology	GQ-821
Carson Desert, geology	P 401
Fernley-Wadsworth area, ground	
water	W 1619-AA
Clark County	
(general)	
Early Pennsylvanian ammonoids	P 613-C
<i>Pseudoleperditia</i> , Mississippian	
ostracode	P 643-C
upper Precambrian and Lower	
Cambrian strata	P 620
Frenchman Flat quadrangle,	
geology	GQ-456
Lake Mead-Davis Dam region,	
geology	P 374-E
Lake Mead Base, Las Vegas	
Valley, ground water	W 1669-Q
Las Vegas ground-water basin,	
water supply	W 1780
lower Colorado River-Salton	
Sea area, precipitation,	
runoff, water loss	P 466-B
Pahrump Valley, hydrology	W 1832
Douglas County	
Carson Valley, water budget	P 417-F
Lake Tahoe basin, geography,	
geology, history, hydrology	W 1972
Eastern	
Ordovician brachiopods, trilobites,	
and stratigraphy	P 639
Permian and Pennsylvanian	
sections between Egan Range	
and Spring Mountains	B 1254-I
Elko County	
Carlin-Pinon range area, Devonian,	
Mississippian rocks; date	
Roberts Mountains thrust	B 1251-I
Cornucopia mining district,	
revised age relations rocks	C 549
Jarbridge quadrangle, geology	B 1141-M
Jibbs quadrangle, geology	GQ-859

NEVADA—Continued

Elko County—Continued

- Pequop Mountains and Wood Hills, geochemical reconnaissance B 1198-E
- Pine Valley quadrangle, nonmarine ostracodes, Cretaceous P 643-B
- Railroad Mining district B 1162-B
- Salmon Falls Creek basin, water resources W 1879-D
- Swailes Mountain area, geochemical anomalies C 588

Esmeralda County (general)

- geologic map MF-298
- Lower Cambrian trilobite fauna P 483-F
- upper Precambrian and Lower Cambrian strata P 620
- Goldfield quadrangle, aeromagnetic map GP-511
- Magruder Mountain area, geology B 1251-H
- Sarcobatus Flat area, aeromagnetic map GP-512
- Soldier Pass quadrangle, geology ... GQ-654

Eureka County (general)

- geology MF-178
- gravity map GP-415
- Ackerman Canyon quadrangle, geology GQ-761
- Antelope Valley, Paleozoic rocks P 423
- Carlin-Pinon range area, Devonian, Mississippian rocks; date Roberts Mountains thrust B 1251-I
- Cortez district, gold geochemical anomaly C 534
- Cortez quadrangle, geology, gravity, and aeromagnetic surveys B 1175
- Eureka mining district, geology, mineral deposits P 406
- Freddie Creek quadrangle, geology B 1179
- Mill Canyon area, Cortez quadrangle, anomalous concentrations, gold, silver, metals C 606

Humboldt County

- Antler Peak quadrangle, ore deposits P 459-B
- stratigraphy, structure P 459-A
- Getchell mine area, geochemical exploration B 1198-A
- Humboldt River valley, alluvium, specific yield determinations ... W 1669-M
- Humboldt River valley near Winnemucca evapotranspiration by woody phreatophytes P 491-D
- hydrology W 1754
- water resources W 1795, 1816
- Jackson Mountains, geology, iron B 1141-D
- Kings River valley, ground water W 1619-L

NEVADA—Continued

Humboldt County—Continued

- Osgood Mountains quadrangle, geology, mineral deposits P 431
- Osgood Mountains stock, distribution accessory minerals, map I-471
- Winnemucca quadrangle, geology ... GQ-656
- Lander County
- Ackerman Canyon quadrangle, geology GQ-761
- Antler Peak quadrangle ore deposits P 459-B
- stratigraphy, structure P 459-A
- Austin area, aeromagnetic and geologic map GP-694
- Cortez district, gold geochemical anomaly C 534
- Cortez quadrangle geology, gravity, and aeromagnetic surveys B 1175
- Mill Canyon area, anomalous concentrations, gold, silver, metals C 606
- Gold Acres-Tenabo areas, gold, silver, other metals C 589
- Mount Callaghan quadrangle, geology GQ-730
- Roberts Mountains thrust area, favorable areas for prospecting C 563
- Sheep Creek Range, geochemical and geophysical anomalies C 595
- Shoshone Range, northern, tectonic, igneous geology, gravity, mineral deposits P 465
- Spencer Hot Springs quadrangle, geology GQ-770

Lincoln County

- (general)
- upper Precambrian and Lower Cambrian strata P 620
- Ely Grazing District, hydrology .. W 1475-L
- Frenchman Flat quadrangle, geology GQ-456
- Groom district, Cambrian and Precambrian rocks B 1244-G
- Groom Mine quadrangle, aeromagnetic map GP-513
- Groom Mine SW quadrangle, geology GQ-719
- Jangle Ridge quadrangle, geology .. GQ-363
- Las Vegas ground-water basin, water supply W 1780
- Paiute Ridge quadrangle, geology ... GQ-577
- Pioche mining district, Cambrian rocks P 469
- Plutonium Valley quadrangle, geology GQ-384
- Yucca Flat, surficial geology I-550
- Yucca Flat quadrangle, geology ... GQ-582

yon County

- Fernley-Wadsworth area, ground water W 1619-AA
- Virginia City quadrangle, geological, geochemical, geophysical studies C 596

NEVADA—Continued

Mineral County

Fingertrock Wash, Miocene
floras P 454-N

Northeastern, floods, Feb.
1962 C 467

Nye County

(general)

Early Pennsylvanian ammonoids . P 613-C

Pseudoleperditia, Mississippian

ostracode P 643-C

upper Precambrian and Lower

Cambrian strata P 620

Ammonia Tanks quadrangle,

geology GQ-638

Antelope Valley, Paleozoic

rocks P 423

Ash Meadows quadrangle, geology B 1181-L

Bare Mountain quadrangle

aeromagnetic map GP-440

geology GQ-157

Belted Peak quadrangle

aeromagnetic map GP-514

geology GQ-606

Black Mountain quadrangle

aeromagnetic map GP-519

geology I-545, 562

Buckboard Mesa quadrangle,

geology GQ-552

Bullfrog quadrangle, geology,

ore deposits P 454-J

Cactus Peak quadrangle, aeromagnetic

map GP-517

Cactus Spring quadrangle,

aeromagnetic map GP-511

Camp Desert Rock quadrangle,

geology GQ-726

Cane Spring quadrangle

aeromagnetic map GP-442

geology GQ-455

Dead Horse Flat quadrangle,

geology GQ-614

Death Valley region, alluvial

fans P 466

East Northumberland Canyon,

bedded barite C 555

Ely Grazing District, hydrology . W 1475-L

Frenchman Flat quadrangle,

geology GQ-456

Frenchman Lake quadrangle,

aeromagnetic map GP-442

Goldfield quadrangle, aeromagnetic

map GP-511

Groom Mine quadrangle, aeromagnetic

map GP-513

Groom Mine SW quadrangle,

geology GQ-719

Ione quadrangle, Cenozoic

geology MF-255

Jackass Flats quadrangle,

geology GQ-368

Jangle Ridge quadrangle, geology . GQ-363

Kawich Peak quadrangle, aeromagnetic

map GP-516

NEVADA—Continued

Nye County—Continued

Lathrop Wells quadrangle,

geology GQ-883; I-474

Mellan quadrangle, aeromagnetic

map GP-518

Mercury quadrangle, aeromagnetic

map GP-442

Mine Mountain quadrangle,

geology GQ-746

Nevada Test Site area

compositionally zoned ash-flow

sheet P 524-F

high-explosive tests P 382-B

stratigraphy, structure P 382-A

northern, Bates Mountain Tuff . . . B 1294-E

Oak Spring Butte quadrangle,

geology GQ-822

Oak Spring quadrangle, geology . . . GQ-214

Pahrump Valley, hydrology W 1832

Pahute Mesa, Nevada Test

Site, geology I-567

Paute Ridge quadrangle,

geology GQ-577

Papoose Lake quadrangle, aeromagnetic

map GP-441

Paradise Peak quadrangle,

geology GQ-250

Plutonium Valley quadrangle,

geology GQ-384

Quartet Dome quadrangle, geology . . . GQ-496

Quartzite Mountain quadrangle

aeromagnetic map GP 515

geology GQ-672

Quinn Canyon Range, fluorite . . . B 1272-C

Rainier Mesa quadrangle,

geology GQ-215

Reveille Peak quadrangle,

aeromagnetic map GP-516

Sarcobatus Flat area, aeromagnetic

map GP-512

Scrugham Peak quadrangle,

geology GQ-695

Silent Butte quadrangle, geology . . . GQ-493

Silent Canyon quadrangle,

aeromagnetic map GP-443, 520

Skull Mountain quadrangle,

geology GQ-387

Specter Range quadrangle,

aeromagnetic map GP-442

Stinking Spring quadrangle,

aeromagnetic map GP-517

Striped Hills quadrangle,

geology GQ-882

Thirsty Canyon quadrangle,

geology GQ-524

Thirsty Canyon SE quadrangle,

geology GQ-489

Timber Mountain quadrangle

aeromagnetic map GP-443

geology GQ-503

Tippiah Spring quadrangle

aeromagnetic map GP-441

geology GQ-213

NEVADA—Continued

Nye County—Continued

- Topopah Spring NW quadrangle,
geology GQ-444
- Topopah Spring quadrangle,
aeromagnetic map GP-440
- Topopah Spring SW quadrangle,
geology GQ-439
- Toquima Range, *Salterella* P 643-H
- Trail Ridge quadrangle, geology GQ-774
- Wheelbarrow Peak quadrangle,
aeromagnetic maps GP-441, 513
- White Blotch Spring quadrangle,
aeromagnetic maps GP-514
- Yucca Flat, surficial geology I-550
- Yucca Flat quadrangle, geology GQ-582

Ormsby County

- Lake Tahoe basin, geography,
geology, history, hydrology W 1972

Pershing County

- Buffalo Mountain quadrangle,
geology GQ-821
- Humboldt Range, stratigraphy,
Triassic P 592
- Imlay quadrangle, geology GQ-666
- Unionville quadrangle,
geology GQ-820; MF-245
- Winnemucca quadrangle, geology GQ-666

Sierra Nevada

- ground water, mineral content W 1535-I
- snow, chemical composition W 1535-J
- Snake River basin, surface
water, chemical quality P 417-D

South-central

- Hot Creek Range region,
aeromagnetic map GP-637

Southern

- Ordovician formations B 1180-C
- Triassic correlation B 1244-D

Storey County

- Fernley-Wadsworth area, ground
water W 1619-AA
- Virginia City quadrangle,
geological, geochemical, geophysical
studies C 596
- Fernley-Wadsworth area, ground
water W 1619-AA
- Lake Tahoe basin, geography,
geology, history, hydrology W 1972
- Pyramid Lake, bathymetry HA-379
- Steamboat Springs area
geology P 458-A, B
- hydrology, activity, heat flow P 458-C
- Truckee Meadows area, hydrogeology,
hydrogeochemistry W 1779-S
- Virginia City quadrangle,
geological, geochemical, geophysical
studies C 596

Western, chronology emplacement

- Mesozoic batholithic complexes P 623

White Pine County

- Connors Pass quadrangle, geology P 557
- Ely area, gravity, aeromagnetic
map GP-392
- Ely Grazing District, hydrology W 1475-I,

NEVADA—Continued

White Pine County—Continued

- Ely mining district, distribution
gold, silver, tellurium, mercury C 535
- Ely quadrangle
geology GQ-697
- mineralization, magnetic anomaly C 475
- Ely 3 SW quadrangle, geology I-449
- Garrison quadrangle, geology I-578
- Giroux Wash quadrangle, geology GQ-476
- Riepetown quadrangle, geology GQ-758
- Wheeler Peak quadrangle, geology I-578;
MF-244

NEW ENGLAND

- Floods, occurrence W 1580-B

NEW HAMPSHIRE

(General)

- beryl resources P 353
- uranium and thorium in early
Paleozoic plutonic rocks B 1144-F
- water resources investigations,
map folder p. 344

Carroll County

- Ossipee Lake quadrangle, citrate-soluble
heavy metals in stream sediments I-609

Cheshire County

- Bellows Falls and Lovewell
Mountain quadrangles, aeromagnetic
map GP-302
- Keene, Brattleboro, and Monadnock
quadrangles, aeromagnetic map GP-303
- Millers River basin, water
resources HA-293
- Northfield quadrangle, aeromagnetic
map GP-434

Coos County

- Beach Hill and vicinity, aeromagnetic
map GP-656
- Colebrook-Umbagog Lake area,
aeromagnetic map GP-655
- First Connecticut Lake and
vicinity, aeromagnetic map GP-654
- Eastern, lead-zinc-silver related
to White Mountain Plutonic
Series B 1312-D

Grafton County

- Hanover quadrangle, aeromagnetic
map GP-298
- Mascoma and Cardigan quadrangles,
aeromagnetic map GP-299
- Mt. Cube and Rumney quadrangles,
aeromagnetic map GP-297

Hillsboro County

- Lawrence quadrangle, aeromagnetic
map GP-716
- Merrimack River valley,
ground water HA-277
- Milford quadrangle, surficial
geology GQ-881

Merrimack County

- Cardigan quadrangle, aeromagnetic
map GP-299
- Sunapee quadrangle, aeromagnetic
map GP-301

NEW HAMPSHIRE—Continued

Rockingham County

(general)

geology, ground water W 1695

Haverhill quadrangle, aeromagnetic
map GP-713Lawrence quadrangle, aeromagnetic
map GP-716Merrimack River valley, ground
water HA-277Newburyport East quadrangle,
aeromagnetic map GP-715Newburyport West quadrangle,
aeromagnetic map GP-714Salem Depot quadrangle, aeromagnetic
map GP-712Strafford County, geology,
ground water W 1695

Sullivan County

Bellows Falls and Lovewell

Mountain quadrangles, aeromagnetic
map GP-302Claremont quadrangle, aeromagnetic
map GP-300Hanover quadrangle, aeromagnetic
map GP-298Mascoma and Cardigan quadrangles,
aeromagnetic map GP-299Sunapee quadrangle, aeromagnetic
map GP-301

NEW JERSEY

(General)

base map p. 354

Cretaceous-Tertiary boundary B 1274-H

Englishtown Formation, chemical

character water P 498-B

water quality, streams W 1819-G

water resources investigations,
map folder p. 344

Atlantic County

Atlantic City region, tidal

floods HA-65

Bergen County

Hackensack and Paterson quadrangles,
aeromagnetic map GP-492Nyack quadrangle, aeromagnetic
map GP-493Park Ridge quadrangle, aeromagnetic
map GP-494Paterson and Orange quadrangles,
aeromagnetic map GP-345Ramsey quadrangle, aeromagnetic
map GP-344Yonkers quadrangle, aeromagnetic
map GP-495

Burlington County

Allentown quadrangle, pre-Quaternary
geology GQ-566Bristol quadrangle, pre-Quaternary
geology GQ-342Browns Mills quadrangle, pre-Quaternary
geology GQ-264Columbus quadrangle, pre-Quaternary
geology GQ-160

Mount Holly quadrangle, geology ... GQ-272

NEW JERSEY—Continued

Burlington County—Continued

New Egypt quadrangle, pre-Quaternary

geology GQ-161

Pemberton quadrangle, geology GQ-262

Trenton East quadrangle, pre-Quaternary
geology GQ-341

Delaware River basin, water

resources P 381

Essex County

Orange quadrangle, aeromagnetic

map GP-345

western, bedrock topography I-549

Woodstown quadrangle, geology GQ-404

Hunterdon County

(general)

carbonate rocks B 1194-L

Bloomsbury quadrangle

aeromagnetic map GP-551

geology GQ-595

Califon and Gladstone quadrangles,

aeromagnetic map GQ-350

Delaware Valley, Martinsburg

Formation B 1244-H

Easton quadrangle

aeromagnetic map GP-551

geology GQ-594

Frenchtown quadrangle

aeromagnetic map GP-552

aeroradioactivity map GP-571

Hackettstown quadrangle, aeromagnetic

map GP-348

High Bridge quadrangle, aeromagnetic

map GP-349

Lambertville, Lumberville,

Stockton quadrangles

aeromagnetic map GP-553

aeroradioactivity map GP-572

Pittstown and High Bridge

quadrangles

aeromagnetic map GP-554

aeroradioactivity map GP-573

Riegelsville quadrangle

aeromagnetic map GP-552

aeroradioactivity map GP-571

geology GQ-593

Washington quadrangle, aeromagnetic

map GP-347

Mercer County

Allentown quadrangle, pre-Quaternary

geology GQ-566

Beden Brook basin, floods HA-378

Delaware River at Trenton,

water quality W 1779-X

Lambertville quadrangle

aeromagnetic map GP-553

aeroradioactivity map GP-572

Millstone River and Stony

Brook near Princeton, floods HA-245

Millstone River near Hightstown,

floods HA-359

Roosevelt quadrangle, geology GQ-340

Trenton East quadrangle, pre-Quaternary

geology GQ-341

NEW JERSEY—Continued

Monmouth County

Allentown quadrangle, pre-Quaternary
geology GQ-566

New Egypt quadrangle, pre-Quaternary
geology GQ-161

Roosevelt quadrangle, geology GQ-340

Sandy Hook quadrangle, geology B 1276

Morris County

Califon and Gladstone quadrangles,
aeromagnetic map GP-350

eastern, bedrock topography I-549

Franklin quadrangle, geology
and magnetite deposits P 638

Great Swamp National Wildlife
Refuge, geology, mineral
resources B 1260-E

Hackettstown and Chester quadrangles,
aeromagnetic map GP-348

Tranquility and Stanhope quadrangles,
aeromagnetic map GP-346

Washington quadrangle, aeromagnetic
map GP-347

Northern, aeromagnetic map GP-562

Northwestern, Silurian-Devonian
stratigraphy B 1243

Ocean County

Browns Mills quadrangle, pre-Quaternary
geology GQ-264

New Egypt quadrangle, pre-Quaternary
geology GQ-161

Roosevelt quadrangle, geology GQ-340

Passaic County

Franklin quadrangle, geology
and magnetite deposits P 638

Greenwood Lake and Sloatsburg
quadrangles, aeromagnetic map .. GP-311

Orange quadrangle, aeromagnetic
map GP-345

Paterson quadrangle, aeromagnetic
map GP-345, 492

Ramsey quadrangle, aeromagnetic
map GP-344

Salem County

Woodstown quadrangle, geology GQ-404

Somerset County

Beden Brook basin,
floods HA-378

Raritan and Millstone Rivers,
floods HA-104

Southeastern

Pine Barrens, distribution
roots and rhizomes in different
soil types P 563-C

Southern

stratigraphy post-Magothy
Upper Cretaceous formations P 674

streams, water-supply
characteristics W 1669-N

Sussex County

Franklin and Hamburg quadrangles,
geology and magnetite deposits P 638

Tranquility and Stanhope quadrangles,
aeromagnetic map GP-346

NEW JERSEY—Continued

Warren County

(general)

carbonate rocks B 1194-I

Bangor quadrangle

aeromagnetic map GP-546

aeroradioactivity map GP-568

geology GQ-665

Belvidere quadrangle

aeromagnetic map GP-550

aeroradioactivity map GP-569

geology I-552

Bloomsbury quadrangle

aeromagnetic map GP-551

aeroradioactivity map GP-570

geology GQ-595

Delaware Valley, Martinsburg

Formation B 1244-H

Easton quadrangle

aeromagnetic map GP-551

aeroradioactivity map GP-570

geology GQ-594

Hackettstown quadrangle, aeromagnetic

map GP-348

High Bridge quadrangle, aeromagnetic

map GP-349

Phillipsburg, floods HA-246

Portland quadrangle, geology I-552

Riegelsville quadrangle

aeromagnetic map GP-552

aeroradioactivity map GP-571

geology GQ-593

Tranquility quadrangle, aeromagnetic

map GP-346

Washington and Blairstown

quadrangles, aeromagnetic map .. GP-347

NEW MEXICO

(General)

base maps p. 354

composition saline residues on
leaves and stems, saltcedar P 491-C

floods, magnitude and frequency C 464

geologic map p. 318

geologic map index, Pt. B,
1956-68 p. 198

relief map p. 354

reported occurrences selected
minerals, map MR-45

saline-water resources W 1601

topographic map p. 354

water resources investigations,
map folder p. 344

Acoma and Laguna Indian

Reservations, ground water W 1576-E

Bernalillo County

Arch Mesa quadrangle, geology GQ-211

Escabosa quadrangle, geology GQ-795

Mesa Gigante quadrangle, geology .. GQ-212

Mount Washington quadrangle,
geology GQ-886

Tajique quadrangle, geology GQ-551

Catron County

Black Range Primitive Area,
mineral resources B 1319-E

NEW MEXICO—Continued

Catron County—Continued

- Blue Range primitive area,
mineral resources B 1261-E
Zuni Salt Lake volcanic
crater, geology I-544

Chaves County

- Carlsbad district, Fifth ore
zone, geology B 1252-B
Gnome (Carlsbad) area, gamma
radioactivity map GP-462
Pecos River, ground-water
salvage W 1659
Roswell basin, saline ground
water W 1539-M
Salt Creek area, Bitter
Lake National Wildlife
Refuge, geology, mineral
resources B 1260-A

Colfax County

- Casa Grande quadrangle, geology ... GQ-823
Philmont Ranch region, geology I-425; P 505
Raton coal field, geology, fuel
resources Map C-45
southern, aeromagnetic map GP-355

Dona Ana County

- Bear Peak area, geology B 1271-C
Bear Peak NE quadrangle,
geology I-374
Mesilla Valley, ground water ... W 1669-AA

Eddy County

(general)

- Project Gnome, geologic studies ... P 589
sulfur C 628
Carlsbad, flood, Aug. 1966 HA-318
Gnome (Carlsbad) area, gamma
radioactivity map GP-462
Guadalupe Mountains, geology P 446
Lake McMillan to Carlsbad
Springs, geology, hydrology W 1828
Nash Draw quadrangle, geology ... B 1141-B
Pecos River, ground-water
salvage W 1659
Roswell basin, saline ground
water W 1539-M
West Carlsbad quadrangle,
geology GQ-167

El Morro National Monument,

- water supply, geology W 1766

Gila River drainage basin

- floods, Nov. 1965-Jan. 1966 W 1850-C
precipitation, streamflow, major
floods P 655-B

Grant County

- Black Range Primitive Area,
mineral resources B 1319-E
Canador Peak quadrangle, geology ... I-442
Fort Bayard quadrangle, geology ... GQ-865
Hurley West quadrangle, geology ... B 1241-E
Santa Rita quadrangle,
geology GQ-306; P 555
Silver City mining region,
aeromagnetic, geologic map GP-424
Steeple Rock mining district,
geology, ore deposits B 1222-E

NEW MEXICO—Continued

Harding County

- (general)
reconnaissance geologic map OM-208
western, aeromagnetic map GP-355, 356

Hidalgo County

- Duncan and Canador Peak
quadrangles, geology I-442
High Plains, ground water,
Ogallala Formation HA-330

Jicarilla Apache Indian

- Reservation and adjacent
areas, ground water W 1576-H

Lea County

(general)

- ground water, atlas HA-62
Carlsbad district, Fifth ore
zone, geology B 1252-B
Gnome (Carlsbad) area, gamma
radioactivity map GP-462
northern, recharge studies W 1819-F

Lincoln County

- Mockingbird Gap quadrangle,
geology P 594-J
northern Tularosa basin near
Carrizozo, ground water HA-193
Three Rivers area, water resources ... HA-192
Torrance Station 4 NE quadrangle,
geology I-400

White Sands Missile Range

- and vicinity, geology, ground
water W 1801

Los Alamos County

- Jemez Mountains, stratigraphic
nomenclature Tertiary and
Quaternary rocks B 1274-P
Los Alamos and Guaje Canyons,
aquifer and well characteristics W 1809-D

McKinley County

- Ambrosia Lake quadrangle
geology GQ-515
stratigraphy, structure B 1272-E
Bluewater quadrangle, geology GQ-679
Dos Lomas quadrangle, geology GQ-680
Fort Wingate area, ferns,
Chinle Formation P 613-D
Goat Mountain quadrangle,
geology GQ-518
San Juan Basin, stratigraphy,
tectonics, Cretaceous and
Tertiary rocks P 552
San Lucas Dam quadrangle,
geology GQ-516
San Mateo quadrangle, geology GQ-517

Mora County

(general)

- reconnaissance geologic map OM-208
northern, aeromagnetic map GP-355
southern, aeromagnetic map GP-356

Navajo Indian Reservation

(general)

- hydrogeology P 521-A
stratigraphy Chinle and Moenkopi
Formations P 521-B

NEW MEXICO—Continued

Navajo Indian Reservation—Continued

Red Lake area, geology and
ground water W 1576-B

Northeastern, geology I-358

Northwestern, uranium P 603

Otero County

Guadalupe Mountains, geology P 446

Three Rivers area, water resources . HA-192

White Sands Missile Range
and vicinity, geology, ground
water W 1801

Pecos National Monument,
geologic setting B 1271-E

Pecos River, depletion W 1619-G

Rio Arriba County

Jemez Mountains

geology I-571

stratigraphic nomenclature Tertiary
and Quaternary rocks B 1274-P

San Juan Basin, stratigraphy,
tectonics, Cretaceous and
Tertiary rocks P 552

Tusas Mountains, gold B 1272-F

Rio Grande

fluvial characteristics and
hydraulic variables W 1498-F

sediment transport P 462-F

velocity and suspended sediment ... P 462-B

Rio Grande basin, drought P 372-D

San Juan County

San Juan Basin, history
of nomenclature, stratigraphy,
Cretaceous-Tertiary rocks P 524-D

Shiprock quadrangle, geology,
uranium I-345

San Miguel County

(general)

reconnaissance geologic map OM-208

central, aeromagnetic map GP-357

northern, aeromagnetic map GP-356

Villanueva quadrangle, geology GQ-869

Sandoval County

Arch Mesa quadrangle, geology GQ-211

Cornfield Wash area, hydrology W 1831

Jemez Mountains
geology I-571

stratigraphic nomenclature Tertiary
and Quaternary volcanic rocks B 1274-P

Johnson Trading Post quadrangle,
geology GQ-591

La Gotera quadrangle, geology GQ-371

Laguna district, geology, uranium ... P 519

Los Alamos area, geology,
ground water W 1753

Los Alamos Canyon well field,
pumping tests W 1619-I

Mesa Portales quadrangle,
geology GQ-590

northwestern, Semilla Sandstone . B 1254-F

Rio Grande near Bernalillo,
flow resistance, sediment
transport W 1498-H

San Juan Basin

Juan Lopez Member, Mancos
Shale B 1224-H

NEW MEXICO—Continued

Sandoval County—Continued

San Juan Basin—Continued

stratigraphy, tectonics, Cretaceous
and Tertiary rocks P 552

Valle Grande and Valle Toledo,
geology, hydrology W 1619-Y

Sangre de Cristo Range,
solute in small streams W 1535-F

Santa Fe County

Jemez Mountains

geology I-571

stratigraphic nomenclature Tertiary
and Quaternary volcanic rocks B 1274-P

Los Alamos and Guaje Canyons,
aquifer and well characteristics W 1809-D

Los Alamos area, geology,
ground water W 1753

San Juan Basin, Juana

Lopez Member, Macos Shale ... B 1224-H

Santa Fe area
channel and hillslope processes . P 352-G

geology, water resources W 1525

Sierra County

Black Range Primitive Area,
mineral resources B 1319-E

Lake Valley mining district,
jasperoids B 1222-D

San Andres Mountains, geology I-600

White Sands Missile Range
and vicinity, geology, ground
water W 1801

Socorro County

Bernardo region, stream-gaging
control structure, Rio Grande .. W 1369-E

Bosque del Apache National
Wildlife Refuge, geology,
mineral resources B 1260-B

Capitol Peak NW quadrangle,
geology I-441

Mockingbird Gap quadrangle,
geology P 594-J

Monticello Box, northern Sierra

Cuchillo, geochemical studies C 600

Rio Puerco near Bernardo,
sediment transport P 462-C

Socorro and San Antonio
east to Chupadera Mesa,
geology OM-121

White Sands Missile Range,
geology, ground water W 1801

South-central

Tularosa Basin region, ground
water HA-191

Southeastern

Roswell basin, artificial recharge
to ground water W 1785

Southwestern, Cretaceous

paleogeography P 658-B

Taos County

Picuris Mountains, gold B 1272-F

Torrance County

Tajique quadrangle, geology GQ-551

Torreon quadrangle, geology GQ-639

NEW MEXICO—Continued

- Ute Mountain Indian Reservation,
geology, ground water W 1576-G
- Valencia County
- Ambrosia Lake district, stratigraphy,
structure B 1272-E
- Arch Mesa quadrangle, geology GQ-211
- Bluewater quadrangle, geology GQ-679
- Dos Lomas quadrangle, geology GQ-680
- Dough Mountain quadrangle,
geology GQ-354
- Grants quadrangle, geology GQ-681
- Grants SE quadrangle, geology GQ-682
- La Gotera quadrangle, geology CQ-371
- Laguna district, geology, uranium P 519
- Laguna quadrangle, geology GQ-208
- Mesa Gigante quadrangle, geology GQ-212
- Mesita quadrangle, geology GQ-210
- Moquino quadrangle, geology GQ-209
- Mount Washington quadrangle,
geology GQ-886
- San Mateo quadrangle, geology GQ-517
- Seboyeta quadrangle, geology GQ-207
- South Butte quadrangle, geology GQ-355
- Zuni Mountains fluorspar district I-454

NEW YORK

(General)

- Helderberg Group B 1180-B
- water resources investigations,
map folder p. 344
- Albany County
- Albany-Troy area, water
resources W 1499-D
- Bronx County
- Yonkers and Mount Vernon
quadrangles, aeromagnetic map .. GP-495
- Chenago County
- Chenango River and Canasawacta
Creek at Norwich, floods HA-297
- Clinton County
- Dannemora and Plattsburgh
quadrangles, surficial geology GQ-635
- Mooers and Rouses Point
quadrangles, surficial geology I-630
- Columbia County
- Canaan quadrangle, aeromagnetic
map GP-450
- Egremont quadrangle, aeromagnetic
map GP-529
- State Line quadrangle, aeromagnetic
map GP-458, 529
- Delaware River basin, water
resources P 381
- Dutchess County
- Bashbish Falls quadrangle
aeromagnetic map GP-527, 640
- geology GQ-507
- Sharon quadrangle, aeromagnetic
map GP-640
- West Point quadrangle, aeromagnetic
map GP-338
- East-central, aeroradioactivity
map GP-358
- Eastern, Taconic stratigraphic
names B 1174

NEW YORK—Continued

Essex County

- Elizabethtown and Port Henry
quadrangles, aeromagnetic map .. GP-506
- Paradox Lake and Ticonderoga
quadrangles, aeromagnetic map .. GP-507
- Plattsburgh quadrangle, surficial
geology GQ-635

Hamilton County

- Big Moose quadrangle, aeromagnetic
map GP-504
- Ohio quadrangle, geology B 1251-F
- Old Forge and West Canada
Lakes quadrangles, aeromagnetic
map GP-501
- Raquette Lake quadrangle, -
aeromagnetic map GP-503

Herkimer County

- Big Moose quadrangle, aeromagnetic
map GP-504
- McKeever quadrangle, aeromagnetic
map GP-510
- Number Four quadrangle, aeromagnetic
map GP-502
- Ohio quadrangle, geology B 1251-F
- Old Forge quadrangle, aeromagnetic
map GP-501

Lewis County

- Lowville quadrangle, aeromagnetic
map GP-508
- McKeever and Port Leyden
quadrangles, aeromagnetic map .. GP-510
- Number Four quadrangle, aeromagnetic
map GP-502

Long Island. *See also*

- Nassau, Suffolk Counties.
- ground water C 524
- hydrologic effects 1962-66 drought W 1879-F
- hydrologic studies at recharge
areas P 627-C
- precipitation regime P 627-A
- urbanization and effect on temperature
of streams P 627-D

Nassau County

(general)

- effects urban development on direct
runoff to East Meadow Brook P 627-B
- northeastern, geology, hydrology ... W 1825
- northwestern, hydrogeology W 1657
- South Farmingdale-Massapequa
area, dispersal plating wastes
and sewage contaminants in
ground and surface water W 1879-G
- southern
geology, ground water W 1613-A
- salt-water encroachment W 1613-F

Oneida County

- McKeever and Port Leyden
quadrangles, aeromagnetic map .. GP-510
- Utica-Rome area, water resources W 1499-C

Orange County

- Cornwall quadrangle, aeromagnetic
map GP-337
- Greenwood Lake and Sloatsburg
quadrangles, aeromagnetic map .. GP-311

NEW YORK—Continued

Orange County—Continued

- Monroe and Maybrook quadrangles,
aeromagnetic map GP-339
- Peekskill quadrangle, aeromagnetic
map GP-341
- Popolopen Lake quadrangle,
aeromagnetic map GP-340
- Thiells quadrangle, aeromagnetic
map GP-342
- West Point quadrangle, aeromagnetic
map GP-338

Otsego County

- Susquehanna River at Oneonta,
floods HA-350

Putnam County

- Brewster quadrangle, aeromagnetic
map GP-364
- Peach Lake quadrangle, aeromagnetic
map GP 367
- Peekskill quadrangle, aeromagnetic
map GP-341
- West Point quadrangle, aeromagnetic
map GP-338

Queens County

- northeastern, hydrogeology W 1657
- southeastern
geology, ground water W 1613-A
salt-water encroachment W 1613-F

Rensselaer County

- Berlin quadrangle, aeromagnetic
map GP-449
- Canaan quadrangle, aeromagnetic
map GP-450
- Hancock quadrangle, aeromagnetic
map GP-453
- Troy-Albany area, water
resources W 1499-D

Rockland County

- Haverstraw quadrangle, aeromagnetic
map GP-343
- Nyack quadrangle, aeromagnetic
map GP-493
- Park Ridge quadrangle, aeromagnetic
map GP-494
- Peekskill quadrangle, aeromagnetic
map GP-341
- Popolopen Lake quadrangle,
aeromagnetic map GP-340
- Ramsey quadrangle, aeromagnetic
map GP-344
- Sloatsburg quadrangle, aeromagnetic
map GP-311
- Thiells quadrangle, aeromagnetic
map GP-342
- Yonkers quadrangle, aeromagnetic
map GP-495

St. Lawrence County

- magnetite district
geology P 376
ore deposits P 377
talc deposit B 1272-D

Saratoga County

- West Milton area, geology,
hydrology W 1747, 1809-N

NEW YORK—Continued

Schenectady County

- Schenectady area, water resources W 1499-D
- South-central

Elmira-Williamsport (Pa.)

- region, geology, soils P 379

Southeastern

- aeromagnetic map GP-562
- aeroradioactivity, geologic maps GP-359
- Silurian-Devonian stratigraphy B 1243

Southwestern

- Allegheny River basin, chemical
quality surface water W 1835

Steuben County

- Keuka Park quadrangle, geology .. B 1161-G

Suffolk County

(general)

- Monmouth Group, stratigraphy,
Foraminifera P 483-I

- Babylon-Islip area, hydrology W 1768

Brookhaven National Laboratory

area

- geology B 1156-A, B
- hydrology B 1156-C
- hydrology, liquid-waste releases B 1156-E
- quality of water B 1156-D

Huntington-Smithtown area,

- hydrogeology W 1669-D

Montauk Point area, ground

- water W 1613-B

New London quadrangle, surficial

- geology GQ-176

Plum Island, geology, ground

- water W 1539-X

- Southold, geology, ground water W 1619-GG
- southwestern, detergents and associated
contaminants in ground water .. W 2001-B

Warren County

Bolton Landing and Glens

- Falls quadrangles, aeromagnetic
map GP-509

Paradox Lake and Ticonderoga

- quadrangles, aeromagnetic map .. GP-507

Washington County

- Bolton Landing, Glens Falls,
and Whitehall quadrangles,
aeromagnetic map GP-509

Westchester County

- Haverstraw quadrangle, aeromagnetic
map GP-343

- Nyack and White Plains quadrangles,
aeromagnetic map GP-493

- Peach Lake quadrangle, aeromagnetic
map GP-367

- Peekskill quadrangle, aeromagnetic
map GP-341

- Yonkers and Mount Vernon
quadrangles, aeromagnetic map .. GP-495

Western

- brachiopods, Bois Blanc
Formation P 584-B

- stratigraphy Bois Blanc
Formation P 584-A

Yates County

- Penn Yan and Keuka Park
quadrangles, geology B 1161-G

NIGERIA

Chad Basin, ground-water hydrology W 1757-I

NORTH AMERICA

Atlantic Shelf and Slope,
recent Hemicytheridae and
Trachyleberididae (Ostracoda) P 564
Basement map, lat. 24°-60°N. p. 197
Geologic map p. 197
Tectonics P 628; Msc. map, p. 197

NORTH CAROLINA

(General)

base map p. 354
floods on small streams C 517
hydrology W 1761
relief map p. 354
topographic map p. 354
water resources investigations,
map folder p. 344

Ashe County

Little Buffalo Creek at
West Jefferson, floods HA-331
Ore Knob copper deposit P 558

Avery County

Grandfather Mountain window
and vicinity, mineral resources C 521
Linville Falls quadrangle,
geology B 1161-B
Linville quadrangle, geology B 1121-D;
GQ-364

Spruce Pine district, geology B 1122-A

Brunswick County, Ostracoda,

Waccamaw Formation P 573-D

Burke County

Casar quadrangle, geology MF-257
Grandfather Mountain window
and vicinity, mineral resources C 521
Linville Falls quadrangle,
geology B 1161-B

Cabarrus County

Concord quadrangle, geophysical
investigations, map GP-522
Harrisburg quadrangle, geochemical,
heavy-mineral reconnaissance MF-272
Kannapolis quadrangle, geochemical,
heavy-mineral reconnaissance MF-268

Caldwell County

Blowing Rock quadrangle, geology GQ-243
Grandfather Mountain window
and vicinity, mineral resources C 521
Lenoir quadrangle, geology GQ-242
Linville quadrangle, geology B 1121-D;
GQ-364

Central

Carolina Slate Belt, Albermarle
Group B 1274-B

Chowan County, ground water HA-292

Cleveland County

Casar quadrangle, geology MF-257
Shelby quadrangle
airborne-radioactivity survey GP-408
geology I-384; MF-249, 250, 252, 258
heavy minerals B 1162-F

Columbus County, Ostracoda,

Waccamaw Formation P 573-D

NORTH CAROLINA—Continued

Craven County, ground-water
resources HA-343

Durham County

Lake Michie, evaporation study P 272-G
Eastern

annual variation chemical composition
rainfall W 1535-M
chemical composition rainfall W 1535-K

Great Smoky Mountains

eastern, geology P 349-B

Great Smoky Mountains National

Park

geology P 587
maps p. 357
water resources HA-420

Lincoln County

Casar quadrangle, geology MF-257

McDowell County

Grandfather Mountain window
and vicinity, mineral resources C 521

Linville Falls quadrangle,

geology B 1161-B

Martin County, aquifers HA-264

Mecklenburg County

Charlotte, flood inundation,
effects urbanization W 1591-C

Concord quadrangle, geophysical
investigations GP-522

Harrisburg quadrangle, geochemical,
heavy-mineral reconnaissance MF-272

Mitchell County

Spruce Pine district, geology B 1122-A

Pitt County, geology, ground

water HA-291

Rutherford County

Shelby quadrangle,
airborne-radioactivity survey GP-408
geology I-384; MF-249, 250, 252, 258
heavy minerals B 1162-F

Southwestern

Inner Piedmont, minor elements
in alluvial magnetite P 554-A

Swain County

Fontana and Hazel Creek
copper deposits B 1142-I

Vance County

Hamme tungsten district B 1122-G

Watauga County

Blowing Rock quadrangle, geology GQ-243
Boone and Winkler Creeks

at Boone, floods HA-323

Grandfather Mountain window
and vicinity, mineral resources C 521

Linville quadrangle,
geology B 1121-D; GQ-364

West-central

Mount Pleasant, Albemarle,
Denton, and Salisbury
quadrangles

aerogranetic map GP-581

Bouguer gravity map GP-582

Western

(general)

monazite deposits P 568

NORTH CAROLINA—Continued

Western—Continued

- Blue Ridge, mica deposits P 577
 Wilkes County
 Blowing Rock quadrangle, geology .. GQ-243
 Yancey County
 Spruce Pine district, geology B 1122-A

NORTH DAKOTA

(General)

- base and topographic maps p. 354
 glacial map I-331
 sedimentary rocks, chemical
 composition P 561
 water resources investigations,
 map folder p. 344

Adams County

- Grand River drainage basin,
 surface-water quality,
 sedimentation W 1769

Benson County

- Devils Lake basin, surface-water
 quality, 1952-60 W 1859-B

Bowman County

- Grand River drainage basin,
 surface-water quality,
 sedimentation W 1769

Coteau du Missouri, hydrology

- of prairie potholes C 558

Grant County

- Heart Butte quadrangle, geology C-53
 Heart Butte NW quadrangle,
 geology C-52

Morton County

- Heart Butte quadrangle, geology C-53
 Heart Butte NW quadrangle,
 geology C-52

Nelson County

(general)

- ground-water resources HA-428
 Devils Lake basin, surface-water
 quality, 1952-60 W 1859-B

Northeastern

- Valley City and Pembina
 Mountain areas, Pierre
 Shale P 392-A

Ramsey County

- Devils Lake basin, surface-water
 quality, 1952-60 W 1859-B

Southwestern

- Heart River drainage basin,
 sedimentation, chemical quality
 surface water W 1823

Ward County

- Souris River valley near Minot,
 geohydrology W 1844

Williston basin

- Devonian rocks B 1112-D
 uranium P 463

O

OHIO

(General)

- Appalachian and Michigan basins,
 age Bedford Shale, Berea
 Sandstone, Sunbury Shale B 1294-G

OHIO—Continued

(General)—Continued

- base map p. 354
 geologic map index p. 198
 Ordovician trilobites P 583-B
 saline ground-water resources HA-366
 topographic and shaded-relief
 maps p. 354
 water resources investigations,
 map folder p. 344

Adams County

- Vanceburg quadrangle, geology GQ-598

Ashtabula County, *Foerhtia*

- zone, Ohio and Chattanooga

- Shales B 1294-H

Athens County

- Amesville, floods HA-324

Belmont County, geology, coal

- P 380

Butler County

Fairfield-New Baltimore

- area, effect increased pumping,
 ground water P 605-C

Great Miami River valley,

- ground water, geology P 605-A, D

Central, natural gamma aeroradioactivity

- map GP-524

Columbus, floods

- HA-52

Columbus-Dayton area, aeromagnetic

- map GP-491

Cuyahoga County

- Cleveland and vicinity, map p. 356

Eastern

(general)

- aeromagnetic map GP-445

- Pittsburgh (Pa.) area, aeroradioactivity

- map GP-555

Hamilton County

- Cincinnati and vicinity, map p. 355

Fairfield-New Baltimore

- area, effect increased pumping

- ground water P 605-C

Great Miami River valley,

- ground water, geology P 605-A, D

Jackson County

- Jackson, floods HA-325

Knox County

- Mount Vernon, floods HA-40

Lawrence County

- Ashland quadrangle, geology GQ-196

Licking County

- Newark, floods HA-44

Logan County, *Foerhtia*

- zone, Ohio and Chattanooga

- Shales B 1294-H

Mahoning County

- Youngstown, Crab Creek,
 floods HA-56

Montgomery County

- Dayton area, ground water W 1808

Great Miami River valley,

- ground water, geology P 605-A, D

Muskingum County

- Zanesville, floods HA-46

Northeastern

- Berea and Cussewago Sandstones,
 hydrogeology HA-341

OHIO—Continued

Northeastern—Continued

Mahoning River, water quality . . . W 1859-C

Northwestern

Findlay and vicinity, aeromagnetic
map . . . GP-500

Pickaway County

Circleville, floods . . . HA-48

Pike County

Scioto River valley near Piketon,
hydrogeology . . . W 1872

Portage County, geology, ground

water . . . P 511

Ross County

Chillicothe, floods . . . HA-45

Sandusky County

Fremont, floods . . . HA-47

Scioto County

Portsmouth quadrangle, geology . . . GQ-312

Vanceburg quadrangle, geology . . . GQ-598

Stark County

Canton, floods . . . HA-50

Summit County

Barberton, floods . . . HA-49

Trumbull County

Warren, floods . . . HA-51

Warren County

Great Miami River valley,
ground water, geology . . . P 605-A, D

OKINAWA. See RYUKYU ISLANDS.

OKLAHOMA

(General)

base map . . . p. 354

revision Girty's invertebrate

fossils from Fayetteville

Shale . . . P 606-A, F

water, occurrence and use . . . W 1890

water resources investigations,

map folder . . . p. 344

Arkansas River region, hydrology,

alluvium . . . W 1809-T

Beaver County, hydrogeologic

information on Glorieta Sandstone

and Ogallala Formation

as related to underground waste

disposal . . . C 630

Beckham County

Sandstone Creek watershed,

hydrologic effects small

reservoirs . . . W 1839-C

Cimarron County, hydrogeologic

information on Glorieta Sandstone

and Ogallala Formation

as related to underground waste

disposal . . . C 630

Comanche County

Charons Garden Unit, Wichita

Mountains National Wildlife

Refuge, geology, mineral

resources . . . B 1260-J

Delaware County

Wyandotte quadrangle, geology . . . P 588

Le Flore County

Greenwood quadrangle, geology . . . P 536-A

OKLAHOMA—Continued

Northeastern, diagenesis oolitic

limestones . . . P 594-H

Osage County

Hominy area, aeromagnetic

map . . . GP-470

Ottawa County

Picher field, geology, ore deposits . . . P 588

Panhandle, water-level fluctuations . W 1669-K

Payne County

Glencoe-Ripley area, aeromagnetic

map . . . GP-469

Red River, lower, floods,

1957 . . . W 1652-B

Roger Mills County

Sandstone Creek watershed,

hydrologic effects small

reservoirs . . . W 1839-C

Southeastern

Arkansas and Verdigris River

valleys, electrical simulation

in ground-water studies . . . W 1971

Southern, base of fresh ground

water . . . HA-223

Texas County

ground water . . . HA-250

hydrogeologic information on Glorieta

Sandstone and Ogallala

Formation as related to underground

waste disposal . . . C 630

Tri-State mining district,

aeromagnetic map . . . GP-427

OREGON

(General)

artificial recharge, 1962 . . . W 1594-C

base map . . . p. 354

geologic map . . . I-595

ground water storage, Columbia

River basalt . . . P 383-A

low-temperature reaction zones

and alpine ultramafic rocks . . . B 1247

mollusks, Astoria formation . . . P 419

Pleistocene lakes . . . I-416

relief map . . . p. 354

tectonic structure basalt Columbia

River Group . . . I-587

topographic map . . . p. 354

water resources . . . W 1649

water resources investigations,

map folder . . . p. 344

water-temperature data, streams . W 1819-K

Baker County

Baker Valley, ground water . . . HA-242

Burnt River valley area, ground

water . . . W 1839-I

Benton County

Albany-Newport area, aeromagnetic

map . . . GP-481

Alesia River basin, waterpower,

geology . . . W 1610-D

Cascade Range, western, geology . . . P 449

Clackamas County

East Portland area, ground

water . . . W 1793

OREGON—Continued

Clackamas County—Continued

- French Prairie area, geology,
water resources W 1833
Tualatin Valley, geology,
ground water W 1697

Clatsop County

- Clatsop Plains sand-dune area,
ground-water resources W 1899-A
Nehalem River basin, waterpower
resources W 1610-C

Columbia County

- Nehalem River basin, waterpower
resources W 1610-C
Tualatin Valley, geology,
ground water W 1697
Columbia River, water temperature C 551
Columbia River basin
discharge C 550
floods W 1689
surface water
quality
1958 W 1574
1959 W 1645
1962 W 1945
1963 W 1961
records, compilation, 1950-1960 ... W 1738
records, index through Sept.
1967 C 584

Coos County

- Coos Bay region,
ground water W 1619-D
Miocene fauna P 419
Myrtle Point area, geology MF-302

Crater Lake National Park

- hydrology W 1859-E

Crook County

- Antelope-Ashwood area, geology .. B 1161-D
Bend quadrangle, geology I-568
Crescent quadrangle, geology I-493
Eagle Rock quadrangle, geology I-540
Lookout Mountain quadrangle,
geology I-543
Ochoco Reservoir quadrangle,
geology I-541
Post quadrangle, geology I-542
Prineville area, ground water W 1619-P

Curry County

- Kerby quadrangle, aeromagnetic
map GP-197
Oregon Islands National
Wildlife Refuge, geology,
mineral resources B 1260-G
Sixes River, placer gold B 1312-I

Deschutes County

- Bend quadrangle, geology I-568
Crescent quadrangle, geology I-493
East and Davis Lakes, hydrology .. W 1859-E

Douglas County

- Anlauf and Drain quadrangles,
geology, mineral resources B 1122-D

Eastern, pelecypod *Lupherella*

- Imlay, n. gen., Mesozoic P 573-B

Grant County

- (general)
Jurassic ammonites P 483-D

OREGON—Continued

Grant County

- Aldrich Mountain quadrangle,
geology GQ-438
Monument quadrangle, geology GQ-541
Mount Vernon quadrangle, geology .. GQ-548

Harney County

- (general)
Jurassic ammonites P 483-D
Adel quadrangle, geology I-446
Harney Lake and Malheur
Lake areas of Malheur National
Wildlife Refuge, geology,
mineral resources B 1260-L

Hood River County

- Dufur quadrangle, geology I-556

Jefferson County

- Antelope-Ashwood area, geology .. B 1161-D
Bend quadrangle, geology I-568
Madras quadrangle, geology I-555
Mount Jefferson area, petrography
and petrology volcanic rocks B 1251-G
Mount Jefferson primitive area,
mineral resources B 1230-D

Josephine County

- Kerby and Grants Pass quadrangles,
aeromagnetic map GP-197

Klamath County

- Crater and Davis Lakes,
hydrology W 1859-E
Klamath Falls quadrangle,
geology MF-260
upper Klamath Lake, water
budget HA-351

Lake County

- Adel quadrangle, geology I-446
Crescent quadrangle, geology I-493
Fort Rock Basin, ground
water P 383-B
Klamath Falls quadrangle,
geology MF-260
Poker Jim Ridge and Fort
Warner areas of Hart Mountain
National Antelope Refuge,
geology, mineral resources B 1260-M

Lane County

- Alsea River basin, waterpower,
geology W 1610-D
Anlauf quadrangle, geology,
mineral resources B 1122-D
Florence area, ground water W 1539-K

Lincoln County

- Albany-Newport area, aeromagnetic
map GP-481
Alsea River basin, waterpower,
geology W 1610-D

- Yaquina Bay area, isotopic
composition diagenetic carbonates
in marine Miocene
formations P 614-B

Linn County

- Albany-Newport area, aeromagnetic
map GP-481
Lebanon quadrangle, aeromagnetic
map, geologic interpretation GP-212

OREGON—Continued

Linn County—Continued

Mount Jefferson area, petrography
and petrology volcanic rocks . . . B 1251-G

Mount Jefferson primitive
area, mineral resources . . . B 1230-D

Malheur County

Adel quadrangle, geology . . . I-446

Cow Valley, ground water . . . W 1619-M

Jordan Valley quadrangle,
geology . . . I-457

Marion County

Albany-Newport area, aeromagnetic
map . . . GP-481

French Prairie area, geology,
water resources . . . W 1833

Lebanon quadrangle, aeromagnetic
map, geologic interpretation . . GP-212

Mount Jefferson area, petrography
and petrology volcanic rocks . . B 1251-G

Mount Jefferson primitive
area, mineral resources . . . B 1230-D

Salem Heights area, hydrologic
conditions and artificial
recharge . . . W 1594-F

Multnomah County

East Portland area, ground
water . . . W 1793

Portland, Vancouver, and vicinity,
map . . . p. 356

Tualatin Valley, geology,
ground water . . . W 1697

Northeastern

Canyon City quadrangle, geology . . I-447

Northwestern

Coast Ranges, geology, gravity,
aeromagnetic surveys . . . B 1181-M, N

Pacific slope basins

floods . . . W 1689

surface water

quality

1958 . . . W 1574

1959 . . . W 1645

1960 . . . W 1745

1961 . . . W 1885

1962 . . . W 1945

1963 . . . W 1951

records, compilation 1950-1960 . . W 1738

records, index through Sept.

1967 . . . C 584

Polk County

Albany-Newport area, aeromagnetic
map . . . GP-481

Eola-Amity Hills area, ground
water . . . W 1847

Portland

geology . . . B 1119

ground water . . . W 1619-O

Sherman County

Dufur quadrangle, geology . . . I-556

Snake River basin, surface

water, chemical quality . . . P 417-D

Southwestern, ammonites from

Buchia zones . . . P 647-B

OREGON—Continued

Tillamook County

Nehalem River basin, waterpower
resources . . . W 1610-C

Three Arch Rocks National
Wildlife Refuge, geology,
mineral resources . . . B 1260-H

waterpower resources . . . W 1610-B

Umatilla County

Umatilla River basin, geology,
ground water . . . W 1620

Walla Walla River basin,
sediment transport . . . W 1868

Union County

Grande Ronde River basin,
upper, geology, ground water . . W 1597

Wallowa County

Walla Walla River basin,
sediment transport . . . W 1868

Wasco County

Antelope-Ashwood area, geology . . B 1161-D

Bend quadrangle, geology . . . I-568

Dufur quadrangle, geology . . . I-556

Madras quadrangle, geology . . . I-555

The Dalles

artificial recharge, basalt
aquifers . . . W 1594-E

effect tectonic structure on ground
water in basalt . . . P 383-C

Washington County

Nehalem River basin, waterpower
resources . . . W 1610-C

Tualatin Valley, geology,
ground water . . . W 1697

Western

Alsea River basin, sedimentation . . C 490

Willamette River basin

patterns of runoff . . . HA-274

travel rates of water for selected

streams . . . HA-273

Wheeler County

Antelope-Ashwood area, geology . . B 1161-D

Bend quadrangle, geology . . . I-568

Lookout Mountain quadrangle,
geology . . . I-543

Wilson River basin, waterpower . . W 1329-B

Yamhill County

Eola-Amity Hills area, ground
water . . . W 1847

Tualatin Valley, geology,
ground water . . . W 1697

P

PACIFIC ISLANDS

Western, chitons and gastropods . . . P 531

PACIFIC OCEAN

Pacific Continental Shelf and Slope

off Klamath Mountains, Calif.,

gold distribution on sea floor . . . C 605

off Oregon, gold distribution

in surface sediments . . . C 587

PANAMA

Canal Zone area, geology,

Tertiary gastropods . . . P 306-C, D

PENNSYLVANIA

(General)

- Appalachian basin, age Bedford Shale, Berea Sandstone, Sunbury Shale B 1294-G
relief map p. 354
surface water, chemical quality W 1619-W
uranium in sedimentary rocks B 1107-D
water resources investigations, map folder p. 344
- Allegheny County
Monongahela quadrangle, geology GQ-743
Pittsburgh area
aeroradioactivity map GP-555
map p. 356
- Allegheny River basin, chemical quality surface water W 1835
- Beaver County, coal B 1143-A
- Bedford County
Evitts Creek quadrangle, geology B 1173
- Berks County
Pine Grove quadrangle, geology GQ-691
Swatara Hill quadrangle, geology GQ-689
- Brandywine Creek basin, relation ground and surface water P 417-A
- Bucks County
(general)
carbonate rocks B 1194-L
Bristol quadrangle, pre-Quaternary geology GQ-342
- Delaware River at Trenton, N.J., water quality W 1779-X
- Frenchtown quadrangle
aeromagnetic map GP-562
aeroradioactivity map GP-571
- Lambertville, Lumberville, Stockton quadrangles
aeromagnetic map GP-553
aeroradioactivity map GP-572
- Riegelsville quadrangle
aeromagnetic map GP-562
aeroradioactivity map GP-571
geology GQ-593
- Trenton East quadrangle, pre-Quaternary geology GQ-341
- Carbon County
Lehighton quadrangle region, geology, uranium B 1138
- Chester County, aeromagnetic map GP-363
- Crawford County, Shenango Formation, Mississippian B 1294-C
- Dauphin County
Harrisburg, floods HA-57
Klingerstown quadrangle, geology GQ-700
Lykens quadrangle, geology GQ-701
Swatara Creek basin, hydrology W 1829
Tower City quadrangle, geology GQ-698
- Delaware County, aeromagnetic map GP-363
- Delaware River basin, water resources P 381
- East-central
Anthracite region, western, systematic jointing B 1271-D

PENNSYLVANIA—Continued

East-central—Continued

- Southern Anthracite field, geology P 602
- Eastern, aeromagnetic map GP-562
- Fayette County
California quadrangle, geology, mineral resources GQ-648
Carmichaels quadrangle, geology I-588
Mather quadrangle, geology GQ-826
Monongahela quadrangle, geology GQ-743
- Greene County
Amity quadrangle, geology GQ-296
Carmichaels quadrangle, geology I-588
Ellsworth quadrangle, geology GQ-333
Mather quadrangle, geology GQ-826
Waynesburg quadrangle, geology GQ-838
- Lackawanna County
Ransom quadrangle, geology B 1213
- Lancaster County
Lancaster quadrangle, carbonate rocks, Cambrian and Ordovician B 1254-G
Lawrence County, coal B 1143-B
- Lebanon County
Lancaster quadrangle, carbonate rocks, Cambrian and Ordovician B 1254-G
Lykens quadrangle, geology GQ-701
Pine Grove quadrangle, geology GQ-691
Swatara Creek basin, hydrology W 1829
Tower City quadrangle, geology GQ-698
- Lehigh County
Delaware Valley, Martinsburg Formation B 1244-H
- Lehigh River basin, water quality and discharge of streams W 1879-H
- Luzerne County
Ransom quadrangle, geology B 1213
- Mercer County, Shenango Formation, Mississippian B 1294-C
- Montgomery County
Schuylkill River, Conshohocken to Philadelphia floods HA-248
- North-central
Williamsport-Elmira (N.Y.) region, surficial geology, soils P 379
- Northampton County
(general)
carbonate rocks B 1194-L
- Bangor quadrangle
aeromagnetic map GP-549
aeroradioactivity map GP-568
geology GQ-665
- Belvidere quadrangle
aeromagnetic map GP-550
aeroradioactivity map GP-569
geology I-552
- Delaware Valley, Martinsburg Formation B 1244-H
- Easton, floods HA-246
- Easton quadrangle
aeromagnetic map GP-551
aeroradioactivity map GP-570
geology GQ-594
- Portland quadrangle, geology I-552

PENNSYLVANIA—Continued

Northampton County—Continued

Riegelsville quadrangle

aeromagnetic map GP-552

aeroradioactivity map GP-571

geology GQ-593

Northeastern

(general)

Silurian-Devonian stratigraphy ... B 1243

Harrisburg-Scranton area,

aeromagnetic map GP-669

Northern anthracite field, mine

waters P 473-B

Southern anthracite field, geologic

maps, anthracite-bearing rocks I-529

Northumberland County

Klingerstown quadrangle, geology .. GQ-700

Shamokin quadrangle, anthracite,

geology Map C-46, 47

Tremont quadrangle, geology GQ-692

Trevorton quadrangle, anthracite,

geology Map C-48

Valley View quadrangle, geology ... GQ-699

Philadelphia County

Schuylkill River, floods HA-248

Schuylkill County

Klingerstown quadrangle, geology .. GQ-700

Lykens quadrangle, geology GQ-701

Minersville quadrangle, geology ... GQ-690

Pine Grove quadrangle, geology ... GQ-691

Shenandoah quadrangle, geology ... GQ-781

Swatara Creek basin, hydrology W 1829

Swatara Hill quadrangle, geology ... GQ-689

Tower City quadrangle, geology GQ-698

Tremont quadrangle

geology GQ-692

Pennsylvanian rocks B 1112-F

Valley View quadrangle, geology ... GQ-699

Southeastern, aeromagnetic,

geologic map GP-577

Susquehanna River, water quality,

Harrisburg area W 1779-B

Tioga County

Corey Creek and Elk Run

basins, effects agricultural

conservation practices on

hydrology W 1532-C

Venango County, Shenango

Formation, Mississippian B 1294-C

Warren County, Shenango

Formation, Mississippian B 1294-C

Washington County

Amity quadrangle, geology GQ-296

California quadrangle, geology,

mineral resources GQ-648

Carmichaels quadrangle, geology I-588

Ellsworth quadrangle, geology GQ-333

Hackett quadrangle, geology,

mineral resources GQ-630

Mather quadrangle, geology GQ-826

Monongahela quadrangle, geology .. GQ-743

Washington East quadrangle,

geology GQ-334

Washington West quadrangle,

geology GQ-283

PENNSYLVANIA—Continued

Washington County—Continued

Waynesburg quadrangle, geology ... GQ-838

West Branch Susquehanna

River basin, surface water,

chemical quality W 1779-C

Western, aeromagnetic map GP-445

Wyoming County

Ransom quadrangle, geology B 1213

PERU

(General)

earthquake, May 31, 1970, geologic

events C 639

Northern

Department of Lambayeque,

Lambayeque Valley, ground

water W 1663-F

PHILIPPINES

Luzon Island

Poro Point and vicinity,

hydrogeology W 1608-E

POTOMAC RIVER. *See* DISTRICT OF COLUMBIA.

PUERTO RICO

(General)

base map p. 350

geologic map I-392

hydrogeologic map HA-197

natural gamma aeroradioactivity

map GP-525

public water supplies, chemical

quality HA-200

river discharge to sea HA-282

sediment-load data, 1950-60 W 1547

surface waters, chemical analyses .. W 1786

topographic map p. 350

water resources investigations,

map folder p. 344

Adjuntas quadrangle, geology I-519

Aguadilla quadrangle, geology I-569

Aguas Buenas quadrangle

Cretaceous and early Tertiary

stratigraphy B 1253

geology I-479

Arecibo, floods HA-271

Arecibo quadrangle, geology I-551

Barceloneta, floods HA-262

Barceloneta quadrangle, geology I-421

Barranquitas quadrangle, geology ... I-336

Bayamon and Cataño, floods HA-77

Bayamon quadrangle, geology I-347

Bayaney quadrangle, geology I-525

Camuy quadrangle, geology GQ-197

Ciales quadrangle, geology B 1184

Corozal quadrangle

Cretaceous and Tertiary rocks ... B 1244-C

geology I-473

Culebra and adjacent islands,

map p. 350

East-central, changes stratigraphic

nomenclature, Cretaceous B 1274-O

Florida quadrangle, geology B 1221-C

Humacao, floods HA-265

Jayuya quadrangle, geology I-520

Manati, floods HA-262

PUERTO RICO—Continued

- Manatí quadrangle, geology I-334
 Mayaguez area, floods HA-288
 Moca and Isabela quadrangles,
 geology I-565
 Naranjito quadrangle
 Cretaceous and early Tertiary
 stratigraphy B 1253
 geology I-508
 Northwestern
 Aguada Limestone B 1274-G
 Cretaceous, lower Tertiary
 stratigraphy B 1294-D
 Ponce area, floods HA-261
 Quebradillas quadrangle, geology I-498
 Toa Alta, Toa Baja, and
 Dorado, floods, Rio de
 la Plata HA-128
 Utuado quadrangle, geology I-480
 Vega Alta and Vega Baja
 area, floods HA-289
 Vega Alta quadrangle, geology GQ-191
 West-central, Cretaceous,
 lower Tertiary stratigraphy B 1254-B

R

RHODE ISLAND

(General)

- aeroradioactivity, geologic maps GP-359
 water resources investigations,
 map folder p. 344
 Kent County
 Coventry Center quadrangle,
 geology B 1158-A
 Crompton quadrangle, geology B 1158-B
 Hope Valley quadrangle, surficial
 geology GQ-166
 Oneco quadrangle, aeromagnetic
 maps GP-542, 591
 Voluntown quadrangle
 aeromagnetic map GP-545
 bedrock geology GQ-436
 surficial geology GQ-469
 Newport County
 Tiverton quadrangle, geology B 1158-D
 Wickford quadrangle, geology B 1158-C
 Providence County
 Chepachet quadrangle, geology B 1241-G
 Coventry Center quadrangle,
 geology B 1158-A
 Crompton quadrangle, geology B 1158-B
 East Killingly quadrangle,
 aeromagnetic maps GP-591, 653
 Oneco quadrangle, aeromagnetic
 maps GP-542, 591
 Thompson quadrangle, aeromagnetic
 map GP-653
 South-central
 Potowomut-Wickford area, hydrology,
 ground water W 1775
 Washington County
 Ashaway quadrangle
 aeromagnetic map GP-547
 bedrock geology GQ-403

RHODE ISLAND—Continued

Washington County—Continued

- surficial geology GQ-712
 Hope Valley quadrangle, surficial
 geology GQ-166
 Kingston quadrangle, geology B 1158-E
 Mystic quadrangle, aeromagnetic
 map GP-544
 Pawcatuck River basin, ground
 water W 1821
 Voluntown quadrangle
 aeromagnetic map GP-545
 bedrock geology GQ-436
 surficial geology GQ-469
 Watch Hill quadrangle
 aeromagnetic map GP-547
 bedrock geology GQ-436
 surficial geology GQ-410
 Wickford quadrangle, geology B 1158-C

RYUKYU ISLANDS

Ishigaki-shima

- Eocene algae P 399-C
 Eocene megafossils P 399-B
 geology P 399-A
 Okinawa, southern, Tertiary
 Foraminifera P 454-F

S

SAIPAN. *See* MARIANA ISLANDS.

SAMOA ISLANDS.

(General)

- ground-water reconnaissance W 1608-C
 Manua Islands, topographic map p. 357

Tutuila

- surface water, records, index
 through Dec. 1963 C 515
 topographic map p. 358

SAUDI ARABIA. *See also* ARABIAN

PENINSULA.

(General)

- sedimentary geology P 560-D
 Asir quadrangle, geographic
 map I-217-B
 Central, Jurassic ammonites P 643-D
 Darb Zubaydah quadrangle,
 geology I-202-A
 Hijaz quadrangle geology I-204-A, 205-A,
 210-A
 Jawf-Sakakah quadrangle geology I-201-A
 Najd quadrangle
 geography I-211-B
 geology I-211-A
 Rub Al Khali quadrangle
 geography I-215-B, 218-B, 219-B, 220-B
 geology I-215-A, 218-A, 219-A, 220-A
 Tihamat Ash Sham quadrangle,
 geography I-216-B
 Wadi Ar Rimah quadrangle,
 geology I-206-A
 Wadi As Sirhan quadrangle
 geography I-200-B
 geology I-200-A
 SOUTH AMERICA
 Sources fertilizer minerals B 1240

SOUTH CAROLINA

(General)

- base map p. 354
 geologic map crystalline rocks I-413
 topographic map p. 354
 water resources investigations,
 map folder p. 344

Aiken County

- Savannah River Plant area
 aeromagnetic map GP-489
 geology, ground water W 1841

Allendale County

- Savannah River Plant area,
 geology, ground water W 1841

Barnwell County

- Savannah River Plant area
 aeromagnetic map GP-489
 geology, ground water W 1841

Charleston County

- South Edisto River estuary,
 salt-water encroachment W 1586-I

Horry County, Ostracoda,

- Waccamaw Formation P 573-D

Jasper County

- Savannah area, salt-water encroachment,
 geology, ground water W 1611, 1613-D

Western

(general)

- crystalline rocks B 1183
 monazite deposits P 568
 Inner Piedmont, minor elements
 in alluvial magnetite P 554-A

SOUTH DAKOTA

(General)

- base and topographic maps p. 354
 relief map p. 354
 sedimentary rocks, chemical
 composition P 561
 water resources investigations,
 map folder p. 344

Badlands National Monument

- and vicinity, map p. 357

Brown County

- Lake Dakota plain area, geology,
 ground water W 1539-T

Butte County

(general)

- bentonite B 1082-M
 Black Hills uplift, stratigraphy,
 structure P 404
 Williston basin, uranium P 463

Corson County

(general)

- Foraminifera and stratigraphy
 Pierre Shale and Fox
 Hills Sandstone P 611
 Grand River drainage basin,
 surface water, quality, sedimenta-
 tion W 1769

Custer County

(general)

- Beecher No. 3-Black Diamond
 pegmatite B 1162-E
 heavy minerals in sandstone B 1161-C

SOUTH DAKOTA—Continued

Custer County—Continued

(general)—Continued

- Helen Beryl, Elkhorn, Tin
 Mountain pegmatites,
 beryllium P 297-C
 pegmatites, geology, mineral
 resources P 297-E
 stratigraphic significance and
 petrology, phosphate nodules,
 Niobrara Formation P 594-L
 Berne quadrangle, geology P 297-F
 Burdock quadrangle, geology,
 uranium B 1063-F
 Calamity Peak area, geology B 1142-E
 Clifton quadrangle, geology B 1063-H
 Custer-Rapid City area,
 aeromagnetic map GP-670
 Dewey quadrangle, geology B 1063-B
 Edgemont quadrangle, geology,
 uranium B 1063-E, J
 Fanny Peak quadrangle, geology .. B 1063-I
 Fourmile quadrangle, geology,
 pegmatites P 297-D
 Hot Springs quadrangle, geology .. B 1063-K
 Jewel Cave SW quadrangle,
 geology B 1063-C
 Minnekahta NE quadrangle,
 geology, structure MF-242
 southwestern, aeromagnetic map ... GP-362
 Wind Cave National Park,
 shaded-relief map p. 358

Day County

- Lake Dakota plain area, geology,
 ground water W 1539-T

Dewey County, Foraminifera

- and stratigraphy Pierre Shale
 and Fox Hills Sandstone P 611

Eastern

- Big Sioux drainage basin,
 hydrology HA-311

Fall River County

(general)

- uranium B 1063-C
 Angostura Reservoir quadrangle,
 geology, uranium B 1063-D
 Burdock quadrangle, geology,
 uranium B 1063-F
 Cascade Springs quadrangle,
 geology B 1063-L
 Edgemont quadrangle, geology,
 uranium B 1063-E, J
 Hot Springs quadrangle, geology .. B 1063-K
 Minnekahta NE quadrangle,
 geology, structure MF-242

Harding County

Cave Hills area

- geology, uranium P 476-A
 origin elements associated with
 uranium P 476-B
 Grand River drainage basin,
 surface water, quality,
 sedimentation W 1769
 Williston basin, uranium P 463

SOUTH DAKOTA—Continued

- Lake County
Skunk Creek-Lake Madison
drainage basin, hydrogeology
of glacial drift HA-195
- Lawrence County
Deadwood area, aeromagnetic
map GP-304
Four Corners quadrangle, geology I-581
Galena-Roubaix district, structure
and mineralisation Precambrian
rocks B 1312-E
- McCook County
Skunk Creek-Lake Madison
drainage basin, hydrogeology
glacial drift, atlas HA-195
- Marshall County
Lake Dakota plain area, geology,
ground water W 1539-T
- Pennington County
(general)
heavy minerals in sandstone B 1161-C
pegmatites, geology, mineral
resources P 297-E
Berne quadrangle, geology P 297-F
Custer-Rapid City area,
aeromagnetic map GP-670
Fanny Peak quadrangle, geology B 1063-I
Four Corners quadrangle, geology I-581
Hill City quadrangle, geology B 1271-B
Keystone, Hugo pegmatite P 297-B
Rapid City West quadrangle,
geology GQ-828
- Perkins County
Grand River drainage basin,
surface water, quality,
sedimentation W 1769
Williston basin uranium P 463
- Southeastern
floods, 1960 W 1790-A
Pierre Shale, stratigraphy
and mineralogy P 392-B
- Spink County
Lake Dakota plain area, geology,
ground water W 1539-T
- Ziebach County
(general)
Foraminifera and stratigraphy
Pierre Shale and Fox
Hills Sandstone P 611
Grand River drainage basin,
surface water, quality,
sedimentation W 1769
- SOUTHERN RHODESIA
Ground-water provinces W 1757-D
- SUDAN
Kordofan Province, ground-water
geology W 1757-J

T

TENNESSEE

- (General)
mercury and trace elements in
sphalerite and wallrocks, zinc
district H 1252-F

TENNESSEE—Continued

- (General)—Continued
water resources investigations,
map folder p. 344
- Anderson County
Clinch River
radioactive waste dilution P 433-G
radionuclides in bottom
sediment P 433-H, I
transport of radionuclides C 497
Oak Ridge area, hydrologic
data W 1839-N
- Blount County
Great Smoky Mountains, geology P 349-D
Marysville quadrangle, geology GQ-163
- Campbell County
Elk Valley area, geology,
coal P 572
Jellico West quadrangle, geology GQ-855
Ketchen quadrangle, geology GQ-500
- Carter County
(general)
bauxite B 1199-L
Elizabethton area, geology,
ground water W 1460-J
Linville quadrangle,
geology B 1121-D; GQ-364
Central, *Polytopia*, nature
of P 593-F
- Claiborne County
Coleman Gap quadrangle, geology GQ-188
Howard Quarter quadrangle,
geology GQ-842
Middlesboro South quadrangle,
geology GQ-301
Powell River area, geology,
mineral deposits B 1222-C
Tazewell quadrangle, geology GQ-465
Wheeler quadrangle, geology GQ-435
- Clay County
Frogue quadrangle, geology GQ-675
- Cocke County
Richardson Cove, Jones Cove
quadrangles, Great Smoky
Mountains, geology P 349-A
- Cumberland River basin
floods W 1676
surface water, records, compilation,
1950-1960 W 1726
- Dickson County
Dickson area, ground-water geology W 1764
- East-central
Clinch River, Tennessee
River, Whiteoak Creek,
composition water as related
to disposal of radioactive
liquid wastes P 433-J
- Eastern
(general)
gravity and magnetic fields P 516-A
Silurian iron-ore beds MF-175
springs W 1755
Oak Ridge National Laboratory
area, aeroradioactivity GP-308
- Giles County
Elkmont quadrangle, geology I-419

TENNESSEE—Continued
Giles County—Continued

- Salem quadrangle, geology I-420
- Grainger County
- Howard Quarter quadrangle,
 geology GQ-842
- Great Smoky Mountains
- central, geology P 349-C
- eastern, geology P 349-B
- Great Smoky Mountains National
 Park
- geology P 349-D, 587
- water resources HA-420
- Greene County
- Mosheim and Johnson anticlines,
 geology, mineral deposits B 1222-A
- Hamilton County, bauxite B 1199-L
- Hancock County
- Coleman Gap quadrangle, geology .. GQ-188
- Howard Quarter quadrangle,
 geology GQ-842
- Henry County
- Hasel quadrangle, ground water ... HA-124
- Lynn Grove quadrangle, ground
 water HA-112
- Lynnville quadrangle, ground
 water, geology HA-125
- Humphreys County
- Waverly area, ground-water
 geology W 1764
- Knox County
- Clinch River
- radioactive waste dilution P 433-G
- radionuclides in bottom
 sediment P 433-H, I
- transport of radionuclides C 497
- Fountain City quadrangle,
 geology GQ-513
- John Sevier quadrangle, geology GQ-514
- Marysville quadrangle, geology GQ-163
- Lawrence County
- Lawrenceburg area, ground-water
 geology W 1764
- McMinn County
- Athens quadrangle, geology GQ-19
- Macon County
- Holland quadrangle, geology GQ-174
- Petroleum quadrangle, geology GQ-352
- Montgomery County
- Allensville quadrangle, geology GQ-502
- Guthrie quadrangle, geology GQ-539
- Hammackville quadrangle, geology GQ-540
- Herndon quadrangle, geology GQ-572
- Oak Grove quadrangle, geology GQ-565
- Roaring Spring quadrangle,
 geology GQ-658
- Northwestern, clay deposits B 1282
- Obion County
- Bondurant quadrangle, ground
 water HA-178
- Cayce quadrangle, ground water ... HA-180
- Crutchfield quadrangle, ground
 water HA-167
- Hickman quadrangle, ground water HA-181

TENNESSEE—Continued
Obion County—Continued

- Water Valley quadrangle, ground
 water HA-162
- Pickett County
- Albany quadrangle, geology GQ-550
- Frogue quadrangle, geology GQ-675
- Roane County
- Clinch River
- radioactive waste dilution P 433-G
- radionuclides in bottom
 sediment P 433-H, I
- Clinch-Tennessee Rivers,
 transport of radionuclides C 497
- Robertson County
- Adairville quadrangle, geology GQ-569
- Allensville quadrangle, geology GQ-502
- Dot quadrangle, geology GQ-568
- Franklin quadrangle, geology GQ-281
- Prices Mill quadrangle, geology GQ-449
- Scott County
- Elk Valley area, geology, coal P 572
- Ketchen quadrangle, geology GQ-500
- Sevier County
- Great Smoky Mountains, geology ... P 349-D
- Richardson Cove, Jones Cove
 quadrangles, Great Smoky
 Mountains, geology P 349-A
- Shelby County
- Memphis area
- ground water, flow pattern, chemical
 quality W 1853
- hydrology aquifer systems W 1779-O
- Lichterman well field, effects
 pumping W 1819-B
- South-central
- Cumberland Escarpment and
 Highland Rim, geomorphology ... P 524-C
- Southwestern, Cretaceous gastropods . P 331-B
- Stewart County
- (general)
- bauxite B 1199-L
- Roaring Spring quadrangle,
 geology GQ-658
- Sumner County
- Adolphus quadrangle, geology GQ-299
- Franklin quadrangle, geology GQ-281
- Hickory Flat quadrangle, geology ... GQ-420
- Petroleum quadrangle, geology GQ-352
- Tennessee River basin
- floods W 1676
- surface water, records, compilation,
 1950-1960 W 1726
- Union County
- Powell River area, geology,
 mineral deposits B 1222-C
- Washington County
- Johnson City area, geology,
 ground water W 1460-J
- Weakley County
- Cuba quadrangle, ground water HA-161
- Lynnville quadrangle, ground
 water, geology HA-125
- Water Valley quadrangle, ground
 water HA-162

TENNESSEE—Continued

Western

- Claiborne Group, geology, hydrology W 1809-F
- Mississippi embayment, low-flow characteristics, streams P 448-H

TEXAS

(General)

- base map p. 354
- bituminous coal resources B 1242-D
- hydrologic significance lithofacies
 - Sparta Sand P 569-A
- oil and gas fields, pipelines, basement rocks, map OM-214
- relief map p. 354
- topographic map p. 354
- water resources investigations, map folder p. 344
- Yegua Formation, geohydrology P 569-B

Andrews County

- Gnome (Carlsbad) area, gamma radioactivity map GP-462

Baylor County

- Russellites*, problematical plant, Early Permian P 593-I
- Tinacaya*, seed-bearing callipterid plant, Permian P 523-E

Bexar County, ground water

- W 1588

Brasos River basin

- sources of salinity W 1669-CC

surface water, quality

- W 1779-K

Brewster County

- Comstock-Indian Wells area, geology P 594-K
- Glass Mountains, Permian rock units B 1244-E

- Indian Wells quadrangle, geology I-395

Brown County

- Fusulinidae, Canyon Group, Pennsylvanian P 573-C
- Pennsylvanian limestones P 315-E

Cameron County, ground water

- W 1653

Central drought

- P 372-C

Coastal Plain, Nomenclature,

- Claiborne Group, Eocene B 1251-D

Collin County

- Honey Creek basin, hydrology W 1779-F

Culberson County

- Gnome (Carlsbad) area, gamma radioactivity map GP-462
- Sierra Diablo region, geology P 480

Dallas County

- Bachman Branch and Joes Creek at Dallas, flood, Oct. 1962 HA-240
- Dallas, floods, Apr. 28, 1966 W 1870-B
- White Rock Creek, Dallas, floods, 1962, 1964 HA-238

East-central

- Georgetown and vicinity, aeromagnetic map GP-416

Eastern, Upper Jurassic

- stratigraphy P 594-E

Eastland County

- Wayland quadrangle, geology B 1201-C

TEXAS—Continued

- Edwards County, ground water W 1619-J

El Paso County

- Mosilla Valley, ground water ... W 1669-AA
- Tularosa Basin region, ground water HA-191

Gaines County

- Gnome (Carlsbad) area, gamma radioactivity map GP-462

Grayson County

- (general)
 - ground water W 1646

- Honey Creek basin, hydrology W 1779-F

Hale County, geology, ground

- water W 1539-U

Hays County, geology, ground

- water W 1612

Hidalgo County, ground water

- W 1653

High Plains, ground water,

- Ogallala Formation HA-330

Hudspeth County

- Sierra Blanca area, geology P 479
- Sierra Diablo region, geology P 480
- Tularosa Basin region, ground water HA-191

Karnes County

- (general)
 - ground-water geology W 1539-G

Fordilla Hill-Deweesville

- area, radioactivity, geology GP-199

Kleberg County

- Padre Island, landforms and sedimentary deposits I-659

Loving County

- Gnome (Carlsbad) area, gamma radioactivity map GP-462

Mason-Burnet area, Llano

- Uplift, aeromagnetic map GP-417

Neches River basin, chemical

- quality surface water W 1839-A

North-central

- Fort Worth-Dallas area, natural gamma aeroradioactivity map GP-696

Northeastern

- Garza-Little Elm Reservoir, hydrologic effects floodwater-retarding structures W 1984

- Mississippi embayment, low-flow characteristics, streams P 448-G

Northwestern

- Southern High Plains, ground water W 1693

Panhandle

- Panhandle gas field, uranium, helium P 454-G

- Red River, lower, floods, 1957 W 1652-B

Reeves County

- Gnome (Carlsbad) area, gamma radioactivity map GP-462

- Rio Grande basin, drought P 372-D

Sabine River basin, surface

- water quality W 1809-H

- Southern, drought P 372-C

- Starr County, ground water W 1653

TEXAS—Continued

- Stephens County
Wayland quadrangle, geology B 1201-C
- Tarrant County
Big Fossil Creek, Haltom
City near Fort Worth,
flood, 1962 HA-190
- Terrell County
Comstock-Indian Wells area,
geology P 594-K
- Dryden Crossing quadrangle,
geology I-386
- Indian Wells quadrangle, geology I-395
- Malvado quadrangle, geology I-382
- Uvalde County, geology, ground
water W 1584
- Val Verde County
Bakers Crossing quadrangle,
geologic map I-434
- Comstock-Indian Wells area,
geology P 594-K
- Langtry quadrangle, geology I-422
- Malvado quadrangle, geology I-382
- Mouth of Pecos and Feely
quadrangles, geology I-440
- Shumla quadrangle, geology I-424
- Ward County
Gnome (Carlsbad) area, gamma
radioactivity map GP-462
- Willacy County, ground water W 1653
- Winkler County
(general)
geology, ground water W 1582
- Gnome (Carlsbad) area, gamma
radioactivity map GP-462
- Yoakum County
Gnome (Carlsbad) area, gamma
radioactivity map GP-462

THAILAND

- Northeastern, mineral investigations P 618

TONGA

- Eua
Eocene mollusks P 640-C
- smaller Foraminifera, late
Eocene P 640-A, B

TRUK ISLANDS. *See* CAROLINE ISLANDS.

TUNISIA

- Sâhil Sûsah area
geology, ground water W 1757-G
- surface water, related climate
features W 1757-F
- Tabulbah area, ground water W 1757-E

TUTUILA. *See* SAMOA ISLANDS.

U

UNITED STATES

(General)

- basement rock map p. 196
- bibliography hydrology, 1964 B 1864
- Bouguer gravity anomaly map p. 196
- catalog aerial photographs of
geologic features P 590
- coal resources, Jan. 1, 1967 B 1275

UNITED STATES—Continued

(General)—Continued

- energy resources, bibliography C 641
- floods
1962 W 1820
- 1963 W 1830-B
- 1964 W 1840-C
- 1965 W 1850-E
- iron deposits MR-51
- lexicon geologic names, 1961-67 B 1350
- National Atlas p. 345
- oil and gas fields, map p. 197
- paleotectonics Permian System I-450; P 515
- principal gold-producing districts P 610
- river discharge to sea HA-282
- stripping-coal resources B 1252-C, 1322
- transcontinental geophysical survey
(35°-39°N.)
bathymetric maps I-531-B, 536-A
- geologic maps I-532-C, 533-C,
534-C, 535-C
- gravity maps I-531-B, 532-B,
533-B, 534-B, 535-B
- magnetic maps I-531-A, 532-A,
533-A, 534-A, 535-A, 536-A
- radiometric age determinations
of rocks I-537
- seismic refraction profiles I-532-D,
533-D, 534-D, 535-D
- wall map p. 352
- water data, metropolitan areas W 1871
- water-resources development, map p. 344
- water use, 1965 C 556
- Appalachian Basin, correlation
Devonian rock units OC-64
- Appalachian region
base map p. 357
- ground water HA-295
- massive sulfide deposits P 558
- mercury and trace elements in
sphalerite and wallrocks, zinc
district B 1252-F
- mineral resources P 580
- minor elements in coals B 1117-C
- stream quality related to coal-mine
drainage C 526
- ultramafic and mafic intrusive
rocks, New Jersey to Alabama I-476
- water resources HA-198
- Arkansas River basin, surface
water, supply, 1961-65 W 1921
- Atlantic Continental Shelf and Slope
calcium carbonate, organic carbon,
and nitrogen in sediments from
drill holes off Florida P 581-B
- color marine sediments P 529-D
- geologic background P 529-A
- gravels, northeastern part P 529-H
- heavy minerals, southern Nova
Scotia to northern New
Jersey P 529-G
- mineralogy and origin sediments
from drill holes off Florida P 581-E

UNITED STATES—Continued

Atlantic Continental Shelf and Slope—Con.

- nineteenth century exploration P 529-F
 organic extracts from JOIDES
 cores off northeastern Florida P 581-C
 ostracode zoogeography, southern
 Nova Scotian and northern
 Virginian faunal provinces P 529-E
 physiography P 529-C
 physiography and sediments, deep-sea
 basin P 529-B
 sand and gravel off Northeastern
 United States C 602
 shallow structure P 529-I
 stratigraphic description JOIDES
 cores off Florida P 581-D

Basin and Range province

- Middle Ordovician brachiopods,
 trilobites P 523-D
 trend-surface analysis, geomorphic
 implications P 500-D

Colorado Plateau

- clay minerals B 1147-C, 1150
 petrology Morrison Formation P 556
 uranium B 1085-D, 1124, 1147-E
 uranium and trace elements B 1107-F

Colorado River, water supply—magnitude

- and distribution P 486-D

Colorado River basin

- drought P 372-F
 floods W 1683
 surface water

- estimates of streamflow, 1930-65 . . W 1875
 quality

- 1958 W 1574
 1959 W 1645
 1960 W 1745
 1961 W 1885
 1962 W 1945
 1963 W 1951

- records, compilation, 1950-60 W 1733
 records, index through Sept.

- 1967 C 579

- supply, 1961-65 W 1924, 1925, 1926

water resources

- basic data P 442
 technical report P 441

Colorado River basin to Pacific

- slope basins in California,
 surface water, quality, 1964,
 1965 W 1958, 1965

Colorado River region

- anthropology, archeology P 670
 exploration, geologic history,
 hydrology P 669

Columbia River basin

- floods W 1687, 1689
 surface water

- quality W 1784

- 1958 W 1574
 1959 W 1645
 1960 W 1745
 1961 W 1885
 1962 W 1945

UNITED STATES—Continued

Columbia River basin—Continued

surface water—Continued

quality—Continued

- 1963 W 1951
 1964 W 1959
 1965 W 1966
 records, compilation, 1950-60 W 1736, 1738
 records, index through Sept.
 1967 C 582, 584

Delaware River

- floods, Belvidere, N.J., area HA-263
 fresh-water discharge-salinity
 relations, tidal region W 1586-G
 tidal flow W 1586-C
 water quality
 low tides W 1586-E
 1949-63 W 1809-O

Delaware River basin

- hydrology P 417-B; W 1669-N
 water resources P 381

Delaware River estuary

- salinity W 1586-B
 water quality, 1965-66 drought . . . HA-335

Eastern States

- industrial utility public water
 supplies, 1952 W 1299
 low-flow frequency curves, stream-gaging
 stations W 1669-G

Great Basin

- floods, magnitude and frequency . . W 1684
 Pleistocene lakes, map I-416
 surface water

- records, compilation, 1950-60 W 1734
 records, index through Sept. 1967 . . C 580
 supply, 1961-65 W 1927
 trilobites, Late Cambrian P 493

Great Plains, remote sensing

- of hydrologic resources PB1-95451

Gulf Coast, Cretaceous oysters P 483-H

Gulf of Mexico basins

- floods W 1674, 1682

surface water

quality

- 1958 W 1573
 1959 W 1641, 1644
 1960 W 1741, 1744
 1961 W 1881, 1884
 1962 W 1941, 1944
 1963 W 1947, 1950
 1964 W 1954, 1957
 1965 W 1961, 1964

- records, compilation, 1950-60 W 1724, 1732
 records, index through Sept.

- 1967 C 572

supply

- 1960 W 1704, 1712
 1961-65 W 1904, 1922, 1923

Hudson Bay basin

- floods, magnitude and frequency . . W 1678
 surface water

quality

- 1958 W 1572
 1959 W 1643

UNITED STATES—Continued

Hudson Bay basin—Continued

surface water—Continued

quality—Continued

1960	W 1743
1961	W 1883
1962	W 1943
1963	W 1949
1964	W 1956
1965	W 1963

records, compilation, 1950-60 W 1728

records, index through Sept.

1967 C 575

supply, 1960 W 1708

Interior coal province, western

and southwestern regions, distribution

minor elements

map B 1117-D

Lake Superior, western, aeromagnetic

map

GP-556

Midcontinent region, drought,

1950's

W 1804

Mississippi embayment

altitude of base of fresh water

in coastal plain aquifers HA-221

availability water P 448-A

Cretaceous aquifers P 448-C

geology P 448-B

low-flow characteristics,

streams P 448-F, G, H, I

Quaternary aquifers P 448-E

water resources C 471

Mississippi River basin

floods W 1678, 1681, 1850-A

surface water

quality

1958 W 1572

1959 W 1573, 1643, 1644

1960 W 1744

1961 W 1884

1962 W 1943, 1944

1963 W 1949, 1950

1964 W 1956, 1957

1965 W 1963, 1964

records, compilation, 1950-60 W 1728, 1731

records, index through Sept.

1967 C 575, 577

supply

1960 W 1708, 1711

1961-65 W 1920

Mississippi Valley, lead isotope

guides for lead-zinc exploration . . B 1312-G

Missouri River

measurement mixing characteristics,

Sioux City, Iowa, to

Plattsmouth, Nebr. W 1899-G

travel of solutes HA-332

Missouri River basin

floods W 1679, 1680

ground water HA-217

surface water

quality

1958 W 1572

1959 W 1643

1960 W 1743

1961 W 1883

UNITED STATES—Continued

Missouri River basin—Continued

surface water—Continued

quality—Continued

1962	W 1943
1963	W 1949
1964	W 1956
1965	W 1963

records, compilation, 1950-60 . . . W 1729,
1730

records, index through Sept.

1967 C 576

supply

1960 W 1710

1961-65 W 1916, 1917, 1918, 1919

New England States

(general)

floods W 1671, 1779-M

surface water, records, compilation,

1950-60 W 1721

coast, bedrock valleys, fluctuations

sea level, stratigraphy P 454-M

Connecticut River basin, ground

water HA-249

west-central, aeroradioactivity

map GP-358

western, Taconic stratigraphic

names B 1174

North Atlantic slope basins

floods, magnitude and frequency . . W 1672

surface water

quality

1959 W 1641

1960 W 1741

1961 W 1881

1962 W 1941

1963 W 1947

1964 W 1954

1965 W 1961

records, compilation, 1950-60 W 1721, 1722

records, index through Sept.

1967 C 571

supply

1960 W 1702

1961-65 W 1901, 1902, 1903

North-central States

ground-water levels

1957-61 W 1781

1962-66 W 1976

Northeast Corridor, Washington,

D.C., to Boston, Mass.,

engineering geology I-514-A, B, C

Northeastern States

effect drought on water resources . . HA-243

ground-water levels

1958-62 W 1782

1963-67 W 1977

Northwestern States

ground-water levels

1956-60 W 1760

1961-65 W 1845

Ohio River basin

floods

magnitude and frequency W 1675

March 1964 W 1840-A

UNITED STATES—Continued

Ohio River basin—Continued

surface water

quality

1959 W 1642

1960 W 1742

1961 W 1882

1962 W 1942

1964 W 1955

1965 W 1962

records, compilation, 1950-60 W 1725

records, index through Sept. 1967 C 573

supply, 1960 W 1705

Ohio River Valley, character

and history B 1141-I

Pacific Continental Shelf

off Klamath Mountains, Calif.,

gold distribution C 605

off Oregon, gold distribution C 587

St. Lawrence River basin

floods W 1677

surface water

quality

1959 W 1642

1960 W 1742

1961 W 1882

1962 W 1942

1964 W 1955

1965 W 1962

records, compilation, 1950-60 W 1727

records, index through Sept. 1967 C 574

Snake River basin

floods W 1688

surface water

records, compilation, 1950-60 W 1737

records, index through Sept. 1967 C 583

South Atlantic slope basins

floods W 1673, 1674

surface water

quality

1959 W 1641

1960 W 1741

1961 W 1881

1962 W 1941

1963 W 1947

1964 W 1954

1965 W 1961

records, compilation,

1950-60 W 1723, 1724

records, index through

Sept. 1967 C 572

supply

1960 W 1704

1961-65 W 1904

South-central States

ground-water levels

1956-59 W 1549

1960-64 W 1824

Southeastern States

artesian water in Tertiary limestone P 517

bauxite B 1199-A

channel geometry streams; floods P 422-E

UNITED STATES—Continued

Southeastern States—Continued

ground water, Piedmont and Blue

Ridge provinces C 538

ground-water levels

1956-58 W 1538

1959-63 W 1803

monazite deposits P 568

sedimentary aquifers, Coastal

Plain W 1669-W

Southwestern States

drought P 372 A-H

floods W 1580-D

ground-water levels

1956-60 W 1770

1961-65 W 1855

radiation from atmosphere and

water surface, data P 272-F

satellite photography as tool

for land-use mapping PB1-96002

water supply, future C 469

Tennessee River basin, floods W 1676

Western interior

Late Cretaceous ammonites

Scaphites leei Reesideand *Scaphites hippocrepis*

(DeKay) P 619

Twin Creek Limestone (Jurassic) P 540

Western States

ammonites, Pierre Shale P 483-E

calcium, sodium, sulfate, chloride

in stream water HA-189

Cenozoic gastropods P 503-B

cooking-coal deposits B 1222-G

floods, 1955-56 W 1650-A, B

hydrology, small watersheds W 1475-I

industrial utility public water

supplies, 1952 W 1300

Paleozoic coral species P 503-E

phreatophyte research, 1959-1964 C 495

Precambrian-Pleistocene lake

deposits, review and bibliography B 1080

saltcedar (*Tamarix*), introduction,

spread, areal extent,

evapotranspiration P491-A

surface water, quality for irrigation

1959 W 1609

1960 W 1746

1961 W 1886

1962 W 1946

1963 W 1952

1964 W 1960

1965 W 1967

UTAH

(General)

biostratigraphy Phosphoria,

Park City, Shedhorn

Formations P 313-D

floods, magnitude and frequency C 457

Mesozoic strata OC-63

oxidized zinc deposits B 1135-B

Pleistocene lakes, map I-416

water resources investigations,

map folder p. 344

UTAH—Continued

- Basin Range region, graptolites B 1134
- Beaver County
- Delano Peak quadrangle, geology ... GQ-153
- San Francisco Mountains and vicinity, aeromagnetic map GP-598
- Box Elder County
- Bear River Migratory Bird Refuge, geology, mineral resources B 1260-C
- Bryce Canyon National Park area, ground water W 1475-M
- Cache County (general)
- brachiopods, Garden City Formation P 593-H
- Cache Valley, Lake Bonneville geology P 257-C
- Paradise quadrangle, geology B 1181-S; GQ-185
- Canyonlands National Park and vicinity, map p. 357
- Capitol Reef National Monument, ground water W 1475-G
- Carbon County
- Columbia area, geology I-582
- Sunnyside No. 1 coal mine area, lithology, structure Map C-50
- Uinta Basin, geology, fuel resources, Green River Formation P 548
- Central
- Jurassic gastropods P 503-D
- Jurassic pelecypods P 483-C
- Daggett County (general)
- Green River Formation, associated Eocene rocks P 496-A
- Flaming Gorge area, geology P 490
- Flaming Gorge quadrangle, geology GQ-75
- Uinta Mountains, geology B 1291
- Davis County
- Weber Delta district, Lake Bonneville, geology, hydrology P 518
- Duchesne County
- High Uintas primitive area, mineral resources B 1230-I
- Uinta Mountains, geology B 1291
- Emery County
- Columbia area, geology I-582
- San Rafael Swell, geology, altered rocks, ore deposits B 1239
- Temple Mountain district, geology, uranium B 1192
- Garfield County
- Capitol Reef area, geology P 363
- Circle Cliffs area, geology B 1229
- Moab-Needles area, geophysical investigations P 516-C
- Moab quadrangle, geology, structure, uranium I-360
- White Canyon area, geology, ore deposits B 1125

UTAH—Continued

- Glen Canyon Recreation area, map p. 357
- Grand County
- La Sal Mountains geophysical investigations P 316-F
- Geyser Creek Fanglomerate B 1224-E
- Quaternary stratigraphy P 324
- Moab, Monticello, White Canyon, Monument Valley districts, uranium B 1222-H
- Moab-Needles area, geophysical investigations P 516-C
- Moab quadrangle, geology, structure, uranium I-360
- Uinta Basin, geology, fuel resources, Green River Formation P 548
- Yellow Cat area, geochemistry rocks, soils, vegetation B 1176
- Green and Colorado Rivers region
- anthropology, archeology P 670
- exploration, geologic history P 669-A, C
- Iron County
- Cedar Mountain quadrangle, geology, coal P 389
- Iron Springs district, aeromagnetic survey P 516-B
- Kanarraville quadrangle, geology ... GQ-694
- Juab County
- Drum Mountains, gold-bearing jasperoid C 623
- East Tintic district
- Burgin mine, micromineralogy galena ores P 614-A
- geothermal gradients B 1172
- underground temperatures, heat flow P 504-F
- Eureka quadrangle, geology, mineral resources B 1142-K
- Sevier Desert, ground water W 1854
- Sevier River basin, ground water W 1848
- Thomas and Dugway Ranges, geology, mineral deposits P 415
- Thomas Range, beryllium, geology B 1142-M
- Tintic Junction quadrangle, geology B 1142-L
- Tintic Valley region, geologic interpretation gravity and aeromagnetic maps P 516-D
- Kane County
- Circle Cliffs area, geology B 1229
- Kaiparowits region, Straight Cliffs Formation, Upper Cretaceous B 1274-J
- Markagunt Plateau, geology I-494
- Navajo Lake, hydrology, hydrogeology P 417-C
- Mesa County
- La Sal Mountains, Geyser Creek Fonglomerate B 1224-E
- Millard County
- Clear Lake Springs, fluctuations in discharge W 1839-E

UTAH—Continued

Millard County—Continued

- Conger Range NE quadrangle
and adjacent area, Confusion
Range, geology I-436
- Conger Range SE quadrangle
and adjacent area, Confusion
Range, geology I-435
- Cowboy Pass quadrangle, Confusion
Range, geology I-377, 378, 390, 391
- Drum Mountains, gold-bearing
jasperoid C 623
- Gandy quadrangle, Confusion
Range, geology I-376, 393
- Garrison quadrangle, geology I-578
- Pavant Valley, ground-water
resources W 1794
- San Francisco Mountains
and vicinity, aeromagnetic
map GP-598
- Sevier Desert, ground water W 1854
- Sevier quadrangle, geology GQ-156
- Sevier River basin, ground
water W 1848

Montrose County

- La Sal Mountains, Geyser
Creek Fonglomerate B 1224-E

Morgan County

- Devils Slide quadrangle, geology ... MF-290
- Navajo Indian Reservation
hydrogeology P 521-A
- stratigraphy Chinle and Moenkopi
Formations P 521-B

- North-central, aeromagnetic,
geologic map GP-422

Northeastern

- (general)
- Carboniferous megafaunal and
microfaunal zonation P 613-E
- Uinta basin, uraniferous phosphatic
lake beds P 474-E

Piute County

- Delano Peak quadrangle, geology ... GQ-153
- Marysville quadrangle, geology ... GQ-154
- Sevier quadrangle, geology GQ-156
- Sevier Valley, ground water W 1787

- Salt Lake City and vicinity,
map p. 356

Salt Lake County

- Brighton quadrangle, geology GQ-534
- Draper quadrangle, geology GQ-377
- Dromedary Peak quadrangle,
geology GQ-378
- Jordan Valley, Quaternary
stratigraphy P 477
- Little Cottonwood and Bells
Canyons, glaciation P 454-D
- Mount Aire quadrangle, geology ... GQ-379
- Oquirrh Mountains and Bingham
mining district, upper Paleozoic
rocks P 629-A
- Park City West quadrangle,
geology GQ-535
- Sugar House quadrangle, geology ... GQ-380

UTAH—Continued

San Juan County

- Abajo Mountains area, geology P 453
- Cedar Mesa-Boundary Butte
area, geology B 1186
- Deer Flat area, White Canyon
district, geology, ore deposits B 1132
- Elk Ridge and vicinity,
geology, uranium P 474-B
- Hatch Point quadrangle,
geology I-513, 526
- La Sal Mountains
geophysical investigations P 316-F
- Geyser Creek Fonglomerate ... B 1224-E
- Quaternary stratigraphy P 324
- La Sal quadrangle, geology,
uranium-vanadium deposits P 508
- Moab, Monticello, White
Canyon, Monument Valley
districts, uranium B 1222-H
- Moab-Needles area, geophysical
investigations P 516-C
- Moab quadrangle, geology, structure,
uranium I-360
- Montezuma Canyon area, geology,
uranium B 1190
- Monument Valley area, buried
channels, geophysical
exploration B 1083-F
- South Elk Ridge, uranium,
botanical prospecting B 1085-D
- White Canyon area, geology,
ore deposits B 1125

Sanpete County

- Sevier River basin, ground
water W 1848
- Sevier Valley, ground water W 1787

Sevier County

- Sevier quadrangle, geology GQ-156
- Sevier River basin ground,
water, geology W 1836, 1848
- Sevier Valley, ground water W 1787
- Snake River basin, surface
water, chemical quality P 417-D

Southeastern, Upper Triassic

- Chinle Formation and related
rocks P 644-E

Southern

- Jurassic gastropods P 503-D
- Jurassic pelecypods P 483-C

Southwestern

- floods, Dec. 1966 W 1870-A
- Triassic correlation B 1244-D

Summit County

(general)

- Green River Formation, associated
Eocene rocks P 496-A
- Brighton quadrangle, geology GQ-534
- Devils Slide quadrangle, geology ... MF-290
- Heber quadrangle, geology GQ-864
- High Uintas primitive area,
mineral resources B 1230-1
- Park City West quadrangle,
geology GQ-535
- Uinta Mountains, geology B 1291

UTAH—Continued

Tooele County

- Middle Canyon, Oquirrh Mountains,
hydrogeology W 1619-K
Oquirrh Mountains and Bingham
mining district, upper Paleozoic
rocks P 629-A
Sevier Desert, ground water W 1854
Thomas and Dugway Ranges,
geology, mineral deposits P 415
Tintic Junction quadrangle,
geology B 1142-L
Tintic Valley region, geologic
interpretation gravity and
aeromagnetic maps P 516-D

Uintah County

- Uinta Basin, geology, fuel
resources, Green River
Formation P 548
Uinta Mountains, geology B 1291

Utah County

- Aspen Grove quadrangle, geology ... GQ-239
Draper quadrangle, geology GQ-377
Dromedary Peak quadrangle,
geology GQ-378
East Tintic district
Burgin mine, micromineralogy
galena ores P 614-A
geothermal gradients B 1172
underground temperatures, heat
flow P 504-F
Eureka quadrangle, geology,
mineral resources B 1142-K
Oquirrh Mountains and Bingham
mining district, upper Paleozoic
rocks P 629-A
Orem quadrangle, geology GQ-241
Tintic Junction quadrangle,
geology B 1142-L
Utah Valley, southern, geology P 257-B

Wasatch County

- Aspen Grove quadrangle, geology ... GQ-239
Brighton quadrangle, geology GQ-534
Heber quadrangle, geology GQ-864

Wayne County

- Capitol Reef area, geology P 363
Moab-Needles area, geophysical
investigations P 516-C
Moab quadrangle, geology, structure,
uranium I-360

Weber County

- (general)
phosphatic rocks C 635
Causey Dam quadrangle, geology ... GQ-790
Weber Delta district, Lake
Bonneville, geology, hydrology P 518

Western

- (general)
hydrology B 1475-N
Lake Bonneville, isostatic
deformation P 454-E

Zion National Park

- (general)
Carmel Formation B 1244-J
Kolob Section, map p. 358

UTAH—Continued

Zion National Park—Continued

- Zion Canyon section, map p. 358

V

VERMONT

(General)

- water resources investigations,
map folder p. 344

Bennington County

- Berlin quadrangle, aeromagnetic
map GP-449
North Adams quadrangle, aeromagnetic
map GP-454

Rowe quadrangle

- aeromagnetic map GP-437
geology GQ-642
Williamstown quadrangle, aeromagnetic
map GP-460

Essex County

- Beach Hill and vicinity, aeromagnetic
map GP-656
Colebrook-Umbagog Lake area,
aeromagnetic map GP-655

Franklin County

- Missisquoi Valley, upper,
geology, asbestos B 1122-B

North-central

- (general)
talc-bearing ultramafic rocks,
petrology, geochemistry P 345
Lincoln Mountain quadrangle,
bedrock geology GQ-164

Orange County

- Copper Belt, geochemical
prospecting B 1198-B
Mt. Cube quadrangle, aeromagnetic
map GP-297

Rutland County

- Whitehall quadrangle, aeromagnetic
map GP-509

Windham County

- Bellows Falls quadrangle,
aeromagnetic map GP-302
Bernardston quadrangle, aeromagnetic
map GP-430
Brattleboro quadrangle, aeromagnetic
map GP-303
Colrain quadrangle, aeromagnetic
map GP-431

Heath quadrangle

- aeromagnetic map GP-433
geology GQ-735
Northfield quadrangle, aeromagnetic
map GP-435

Rowe quadrangle

- aeromagnetic map GP-437
geology GQ-642

Windsor County

- Bellows Falls quadrangle,
aeromagnetic map GP-302
Claremont quadrangle, aeromagnetic
map GP-300

VERMONT—Continued

Windsor County—Continued

- Hanover quadrangle, aeromagnetic
map GP-298
- Mt. Cube quadrangle, aeromagnetic
map GP-297

VIRGIN ISLANDS

- St. Croix, ground water W 1663-D

VIRGINIA

(General)

- bauxite B 1199-K
- maps p. 354
- water resources investigations,
map folder p. 344

Amherst County

- Roseland district, rutile and
ilmenite placer deposits B 1312-F

Arlington County

- Washington, D.C., and vicinity
geology, ground water W 1776
- topographic map p. 356

Chesterfield County

- Bon Air quadrangle, flood,
Aug. 1969 HA-409
- Drewrys Bluff quadrangle,
Richmond, flood, Aug. 1969 HA-411
- Richmond quadrangle, flood,
Aug. 1969 HA-410

Craig County

- Johns and Craig Creeks,
floods HA-326

Eastern Shore, York, James,

- and Rappahannock River
basins, east of Fall Line,
ground water HA-284

Fairfax County

(general)

- effects urban development on
floods W 2001-C

- Alexandria region, hydraulic
studies, estuary P 422-B

- Fairfax quadrangle, geology,
ground water W 1539-L

Great Falls and Potomac

- River Gorge, geologic
story Misc. rept., p. 195

- Potomac River flood plain,
botanical evidence floods P 485-A

- Potomac River Gorge, crystalline
rocks P 414-H

- Rockville quadrangle
aeromagnetic map GP-397
- aeroradioactivity map CP-565

- Scott Run basin, sediment
movement in area of suburban
highway construction W 1591-E

- Seneca quadrangle
aeromagnetic map GP-396
- aeroradioactivity map GP-564

- Sterling quadrangle, aeroradioactivity
map GP-564

- Washington, D.C., and vicinity
geology, ground water W 1776
- topographic map p. 356

VIRGINIA—Continued

Floyd County

- Toncræ mine, copper B 1142-I

Hanover County

- Richmond quadrangle, flood,
Aug. 1969 HA-410

Henrico County

- Bon Air quadrangle, flood,
Aug. 1969 HA-409

- Drewrys Bluff quadrangle,
Richmond, flood, Aug. 1969 HA-411

- Richmond quadrangle, flood,
Aug. 1969 HA-410

James, York, Rappahannock

- River basins west of Fall
Line, ground water HA-283

Lee County

- Big Stone Gap quadrangle,
geology GQ-424

- Coleman Gap quadrangle, geology GQ-188

- Duffield quadrangle, geology GQ-111

- Ewing quadrangle, geology B 1142-B

- Middlesboro South quadrangle,
geology GQ-301

- Stickleyville quadrangle,
geology GQ-238

- Varilla quadrangle, geology GQ-190

- Wheeler quadrangle, geology GQ-435

Loudoun County

- Fairfax quadrangle, geology,
ground water W 1539-L

- Seneca and Sterling quadrangles
aeromagnetic map GP-396

- aeroradioactivity map GP-564

Louisa County

- Contrary Creek quadrangle,
aeromagnetic map GP-389

- Lahore quadrangle, aeromagnetic
map GP-386

- Mineral quadrangle, aeromagnetic
map GP-388

Mecklenburg County

- Hamme tungsten district B 1122-G

Nelson County

- Roseland district, rutile and
ilmenite placers B 1312-F

Northeastern, aeroradioactivity

- map GP-475

Orange County

- Belmont quadrangle, aeromagnetic
map GP-387

- Lahore quadrangle, aeromagnetic
map GP-386

- Mineral quadrangle, aeromagnetic
map GP-388

- Patrick County, monasite deposits P 568

Prince William County

- Fairfax quadrangle, geology,
ground water W 1539-L

- Joplin quadrangle, aeromagnetic
map GP-390

- Quantico quadrangle, aeromagnetic
map GP-391

VIRGINIA—Continued

- Rockbridge County
 Maury River at Buena Vista,
 flood, Aug. 1969 HA-412
- Scott County
 Big Stone Gap quadrangle,
 geology GQ-424
 Duffield quadrangle, geology GQ-111
 Stickleyville quadrangle, geology GQ-238
- Shenandoah National Park
 ancient lavas B 1265
 Shenandoah Valley, geomorphology,
 residual ore deposits P 484
- Southeastern
 annual variation chemical composition
 rainfall W 1535-M
 chemical composition rainfall W 1535-K
 Southwestern, Pennsylvanian
 formations B 1280
- Spotsylvania County
 Belmont quadrangle, aeromagnetic
 map GP-387
 Contrary Creek quadrangle,
 aeromagnetic map GP-389
 Lahore quadrangle, aeromagnetic
 map GP-386
 Mineral quadrangle, aeromagnetic
 map GP-388
- Stafford County
 Joplin quadrangle, aeromagnetic
 map GP-390
 Quantico quadrangle, aeromagnetic
 map GP-391
- Staunton and vicinity, aeromagnetic
 map GP-414
- Tazewell County
 Bramwell quadrangle, geology GQ-745
- Wise County
 Big Stone Gap quadrangle,
 geology GQ-424

W

WASHINGTON

(General)

- artificial recharge, 1962 W 1594-C
 base maps p. 355
 Columbia River basalt, ground-water
 storage P 383-A
 geologic map I-583
 low-temperature reaction zones
 and alpine ultramafic rocks B 1247
 relief map p. 355
 tectonic structure basalt Columbia
 River Group I-587
 topographic map p. 355
 water resources investigations,
 map folder p. 344
- Adams County
 Spokane quadrangle, geology I-464
- Chelan County
 Glacier Peak areas, batholiths
 and volcanoes P 604
 Glacier Peak quadrangle, geology GQ-473

WASHINGTON—Continued

Chelan County—Continued

- Holden quadrangle, geology GQ-646
 Lucerne quadrangle, geology GQ-647

Clallam County

- Flattery Rocks, Quillayute
 Needles National Wildlife
 Refuges, geology, mineral
 resources B 1260-F
 Olympic Peninsula, northern,
 Foraminifera P 374-G

Clark County

- (general)
 ground water W 1600
 Portland, Vancouver, and vicinity,
 map p. 356

Columbia County

- Walla Walla River basin,
 sediment transport W 1868
 Columbia River, water temperature C 551

Columbia River basin

- discharge C 550
 floods W 1687, 1689
 surface water
 quality
 1958 W 1574
 1962 W 1945
 1964 W 1959
 1965 W 1966
 records, compilation, 1950-60 W 1736, 1738
 records, index through Sept.
 1967 C 582, 584

Columbia River valley, landslides P 367

Ferry County

- Bald Knob quadrangle, geology B 1161-F
 Bodie Mountain quadrangle,
 geology GQ-636
 Curlew quadrangle, geology B 1169
 Hunters quadrangle, geology MF-276
 Republic and Aeneas quadrangles,
 geology B 1216
 Wilmont Creek quadrangle,
 geology GQ-538; MF-283

Grays Harbor County

Copolis National Wildlife

- Refuge, geology, mineral
 resources B 1260-F
 Grays Harbor, estuarine studies W 1873-B
 Montesano quadrangle, geology GQ-374

King County

(general)

- paleogene biostratigraphy nonmarine
 rocks P 571
 water resources W 1852
 Auburn quadrangle, geology GQ-406; P 672
 Black Diamond quadrangle,
 geology GQ-407; P 672
 Chester Morse Lake and Masonry
 Pool, Cedar River, evaluation
 seepage W 1839-J
 Cumberland, Hobart, and Maple
 Valley quadrangles, geology,
 coal resources P 624
 Des Moines quadrangle, geology GQ-159

WASHINGTON—Continued

King County—Continued

- Duwamish Head quadrangle,
geology GQ-706
- Duwamish River estuary, Seattle,
phytoplankton blooms, effects
on dissolved oxygen W 1873-A
- Lake Tapps quadrangle, surficial
geology, geomorphology P 388-A
- lower Green and Duwamish Rivers,
methods predicting dispersion
coefficients P 582-A
- Renton quadrangle, geology . GQ-405; P 672
- Seattle area, stratigraphy,
chronology, Pleistocene B 1194-O

Kitsap County

- Duwamish quadrangle, geology GQ-706

Klickitat County

- Goldendale area, ground-water
occurrence HA-313
- Husum quadrangle, geology MF-280
- The Dalles area, effect tectonic
structure on ground water in
basalt P 383-C

Lincoln County

- Spokane quadrangle, geology I-464
- Turtle Lake quadrangle, geology,
mineral deposits B 1131

Mount Rainier National Park

- (general)
geology I-432; P 444
- surficial geology B 1258
- Little Tahoma Peak, rockfalls
and avalanches B 1221-A
- Mount Rainier
geologic story B 1292
- volcanic hazards B 1238
- Nisqually Glacier
plans p. 358
- 24-year photographic record P 631

Okanogan County

- Bald Knob quadrangle, geology ... B 1161-F
- Bodie Mountain quadrangle,
geology GQ-636
- northern, magnesite B 1272-B
- Olympic National Park, maps p. 358

Pacific County

- Montesano quadrangle, geology GQ-374

Pacific slope basins

- floods W 1687
- surface water
quality
1964 W 1959
- 1965 W 1966
- records, compilation, 1950-1960 ... W 1736
- records, index through Sept.
1967 C 582

Pend Oreille County

- Deep Creek area, geology I-412
- Metaline zinc-lead district,
geology, ore deposits P 489

Pierce County

- Auburn quadrangle, geology GQ-406

WASHINGTON—Continued

Pierce County—Continued

- Lake Tapps quadrangle
bedrock geology P 388-B
- surficial geology, geomorphology ... P 388-A
- Tacoma area, water resources W 1499-B
- Seattle and vicinity, geology I-354
- Skagit County
Glacier Peak area, batholiths
and volcanoes P 604
- Snake River basin
surface water
chemical quality P 417-D
- records, index through Sept.
1967 C 583

Snohomish County

- Glacier Peak area, batholiths
and volcanoes P 604
- Glacier Peak quadrangle, geology ... GQ-473
- Holden quadrangle, geology GQ-646
- South-central, Yakima Basalt
and Ellensburg Formation B 1224-C
- Southwestern
Grays Harbor basin, Lincoln
Creek Formation B 1244-I

Spokane County

- (general)
clay deposits B 1270
- Greenacres quadrangle, geology GQ-734
- Spokane and vicinity, map p. 356
- Spokane quadrangle, geology I-464

Stevens County

- (general)
magnesite belt, geology B 1142-F
- Deep Creek area, geology I-412
- Hunters quadrangle, geology MF-276
- Spokane quadrangle, geology I-464
- Turtle Lake quadrangle, geology,
mineral deposits B 1131
- Wilmont Creek quadrangle,
geology GQ-538; MF-283

- Tacoma and vicinity, map p. 356

Walla Walla County

- Walla Walla River basin,
sediment transport W 1868

Whitman County

- Pullman area, ground water W 1655
- Spokane quadrangle, geology I-464

Yakima County

- Ahtanum Valley, geology, ground
water W 1598
- Yakima River basin, streamflow,
geology W 1595

WEST PAKISTAN

(General)

- fusulinids, Lower Permian P 643-G
- Dera Ismā'īl Khān District,
water resources, geology W 1608-K
- Indus Plains, corrosion and
encrustation in tube wells W 1608-L
- Punjab
aquifer tests W 1608-G
- electric-analog studies brine
beneath fresh-water wells W 1608-J

WEST PAKISTAN—Continued**Punjab—Continued**

- fresh and saline ground-water
zones W 1608-I
ground-water hydrology W 1608-H

WEST VIRGINIA**(General)**

- base maps p. 355
relief map p. 355
topographic map p. 355
water resources investigations,
map folder p. 344

Berkeley County**(general)**

- aeroradioactivity map GP-475
Shenandoah Valley, geomorphology,
residual ore deposits P 484

Hampshire County

- Patterson Creek quadrangle,
geology B 1173

Jefferson County**(general)**

- aeroradioactivity map GP-475
Shenandoah Valley, geomorphology,
residual ore deposits P 484

McDowell County

- Bramwell quadrangle, geology GQ-745

Mercer County

- Bramwell quadrangle, geology GQ-745

Mineral County

- Patterson Creek quadrangle,
geology B 1173

Northern**(general)**

- aeromagnetic map GP-445
Pittsburgh (Pa.) area, aeroradioactivity
map GP-555

Randolph County

- Roaring Creek area, geology I-577

Wayne County

- Milo quadrangle, geology GQ-543
Prichard quadrangle, geology GQ-584

WISCONSIN**(General)**

- base maps p. 355
hydrologic effects Alaska earthquake,
March 27, 1964 P 544-C
Precambrian rocks, lithologic,
geophysical, mineral commodity
maps I-631
streams, sediment yield HA-376
topographic map p. 355
water resources investigations,
map folder p. 344
Wisconsinan Stage of the
Pleistocene B 1274-E

Bayfield County

- Keweenaw basin, tectonics P 524-E

Brown County

- Green Bay area
ground water W 1669-J
water resources W 1499-G

Burnett County

- western, aeromagnetic map GP-636

WISCONSIN—Continued**Dane County****(general)**

- geology, ground water W 1779-U
Black Earth Creek basin,
hydrology W 1669-B, C

Door County**Green Bay and Gravel Island**

- National Wildlife Refuges,
geology, mineral resources B 1260-I

Douglas County

- Keweenaw basin, tectonics P 524-E
western, aeromagnetic map GP-636

East-central

- Fox-Wolf River basin HA-321

Eastern, aeromagnetic and inferred

- Precambrian paleogeologic map GP-563

Florence County

- Florence-Goodman area, aeromagnetic
map GP-576

Iron River and vicinity, aeromagnetic

- map GP-605

Menominee iron-bearing district

- geology P 513
Precambrian geology I-466

Fond du Lac County, geology,

- ground water W 1604

Forest County**Beechwood quadrangle, aeromagnetic**

- map GP-603

Florence-Goodman area, aeromagnetic

- map GP-576

Iron River and vicinity, aeromagnetic

- map GP-605

Grant County**Cuba City quadrangle, geology, mineral**

- resources B 1123-H

Dickeyville quadrangle, geology GQ-488**Dubuque North quadrangle,**

- geology, lead, zinc B 1123-C

Kieler quadrangle, geology GQ-487**Platteville quadrangle, geology B 1123-E****Potosi quadrangle, geology B 1123-I****Rewey quadrangle, geology B 1123-F****Iowa County****Dodgeville and Mineral Point**

- quadrangles, geology, lead,
zinc B 1123-D

Rewey and Mifflin quadrangles,

- geology B 1123-F

Iron County**Ironwood and Wakefield quadrangles,**

- aeromagnetic map GP-578

North Ironwood and Little

- Girls Point quadrangles,
aeromagnetic map GP-579

Kenosha County

- Wadsworth quadrangle, floods HA-144

Lafayette County**Belmont and Calamine quadrangles,**

- geology B 1123-G

Cuba City, New Diggings,

- Shullsburg quadrangles, geology,
mineral resources B 1123-H

WISCONSIN—Continued

Lafayette County—Continued

- Mineral Point quadrangle,
geology, lead, zinc B 1123-D
 Platteville quadrangle, geology B 1123-E
 Rewey and Mifflin quadrangles,
geology B 1123-F

Marathon County

- Wausau area, aeromagnetic map GP-401

Marinette County

- Florence-Goodman area, aeromagnetic
map GP-576

- Menominee iron-bearing district
geology P 513

- Precambrian geology I-466

- Menominee-Northland area,
aeromagnetic map GP-711

Milwaukee County

- Milwaukee and vicinity, map p. 356

- Milwaukee-Waukesha area, ground-water
pumpage and water-level
changes W 1809-I

Mississippi Valley lead-zinc district

- Linden and Montfort quadrangles,
geology B 1123-B

- Northern, aeromagnetic map GP-556

Outagamie County

- Green Bay area

- ground water W 1669-J

- water resources W 1499-G

Portage County

(general)

- geology, water resources W 1796

- Little Plover River basin,
hydrology W 1811

Rock County

(general)

- geology, ground water W 1619-X

- Rock River, floods HA-393

Southeastern

- Rock-Fox River basin, water
resources HA-360

Southern, sediments, small streams

- W 1669-B

Southwestern

Upper Mississippi Valley

- zinc-lead district, aeromagnetic
and tectonic analysis B 1242-A

Vilas County

- Beechwood quadrangle, aeromagnetic
map GP-603

- Wakefield quadrangle, aeromagnetic
map GP-578

Waukesha County

- Milwaukee-Waukesha area, ground-water
pumpage and water-level
changes W 1809-I

Waupaca County, ground water

- W 1669-U

Wauwasha County, geology,

- ground water W 1809-B

West-central

- Minneapolis-St. Paul (Minn.)
area, natural gamma aeroradioactivity
map GP-658

- Trempealeau Valley, Pleistocene
diatoms P 523-A

WISCONSIN—Continued

- Winnebago County, geology,
water resources W 1814

WORLD

- Energy resources, bibliography C 641

WYOMING

(General)

- base maps p. 355

- biostratigraphy Phosphoria,
Park City, Shedhorn Formations . P 313-D

- floods C 478

- Green River Formation, saline

- minerals P 405

- minerals, occurrences, map MR-42

- Pennsylvanian and associated

- rocks P 554-G

- relief map p. 355

- sedimentary rocks, chemical

- composition P 561

- topographic map p. 355

- water resources investigations,

- map folder p. 514

Albany County

(general)

stratigraphy and nomenclature

Upper Cretaceous and lower

- Tertiary rocks P 667

Bengough Hill quadrangle,

- geology GQ-579

- Big Judson quadrangle, geology GQ-390

- Bosler quadrangle, geology GQ-509

- Cooper Lake North quadrangle,

- geology GQ-430

- Cooper Lake South quadrangle,

- geology GQ-391

- Lake Lone quadrangle, geology GQ-508

- New Rambler mine and vicinity,

- platinum and associated elements . C 607

- Pierce Reservoir quadrangle,

- geology GQ-510

- Rock River quadrangle, geology GQ-472

- Shirley basin area, geology I-539

Bear River Valley, ground

- water W 1539-V

Big Horn County

- Greybull River-Dry Creek

- area, geology, ground water W 1596

- Sheep Mountain quadrangle,

- geology GQ-310

- Tatman Mountain quadrangle,

- geology GQ-311

Campbell County

- Black Hills uplift, stratigraphy,

- structure P 404

Powder River Basin

- Pumpkin Buttes area, geology,

- uranium B 1107-H

- southern, geology, uranium B 1147-D

Carbon County

(general)

- Green River Formation, associated

- Eocene rocks P 496-A

- stratigraphy and nomenclature

- Upper Cretaceous and lower

- Tertiary rocks P 667

WYOMING—Continued

Carbon County—Continued
(general)—Continued

- Triassic and Jurassic rocks P 594-D
 Arlington quadrangle, geology GQ-643
 Bates Hole-Shirley basin
 area, Tertiary rocks I-570
 Bengough Hill quadrangle,
 geology GQ-579
 Bradley Peak quadrangle, geology .. GQ-773
 Granite Mountains area, Cenozoic
 geology P 495-C
 Great Divide and Washakie
 basins and adjacent areas,
 ground water HA-219
 McFadden quadrangle, geology GQ-533
 Muddy Gap quadrangle, geology GQ-771
 New Rambler mine and vicinity,
 platinum and associated elements .. C 607
 Pierce Reservoir quadrangle,
 geology GQ-510
 Riddle Cut quadrangle, geology MF-263
 Seminoe Mountains, aeromagnetic
 map GP-558
 Shirley basin area, geology I-539
 TL Ranch quadrangle, geology GQ-637
 Whiskey Peak quadrangle, geology .. GQ-772
 White Rock Canyon quadrangle,
 geology GQ-789

Central

- Wind River Basin
 geology, ground water HA-270
 Paleozoic formations P 495-B

Converse County

- Box Creek basin, hydrologic
 effects of water spreading W 1582-A
 Powder River Basin, southern,
 geology, uranium B 1147-D
 Shirley basin area, geology I-539

Crook County

- Black Hills
 bentonite B 1082-M
 heavy minerals in sandstone B 1161-C
 Black Hills uplift, stratigraphy,
 structure P 404
 Four Corners quadrangle, geology I-581
 Inyan Kara Mountain quadrangle,
 geology B 1121-M
 Nefas Divide quadrangle, geology .. B 1121-E
 northern and western, ground
 water, geology W 1698
 Storm Hill quadrangle, geology I-372
 Strawberry Hill quadrangle,
 geology, uranium B 1127
 Upton quadrangle, geology B 1181-J

Fremont County

- (general)
 aeromagnetic map GP-393
 Green River Formation, associated
 Eocene rocks P 496-A
 stratigraphy and nomenclature
 Upper Cretaceous and lower
 Tertiary rocks P 667
 Triassic and Jurassic rocks P 594-D

WYOMING—Continued

Fremont County—Continued
(general)—Continued

- uraniferous phosphatic lake
 beds P 474-E
 Atlantic City quadrangle,
 geology GQ-459
 Atlantic City region, iron B 1142-C
 Beaver Divide area, late Eocene
 nonmarine diatoms P 593-E
 Beaver Rim area, Tertiary
 geology B 1164
 Bull Lake East quadrangle,
 geology GQ-431
 Bull Lake West quadrangle,
 geology GQ-432
 Continental Peak quadrangle,
 geology MF-292
 Coyote Springs quadrangle,
 geology I-481
 Crooks Gap, geology, uranium,
 gravity and seismic studies B 1147-F
 Dickie Springs quadrangle,
 geology MF-293
 Fish Lake quadrangle, geology GQ-724
 Granite Mountains area, Cenozoic
 geology P 495-C
 Great Divide and Washakie
 basins and adjacent areas,
 ground water HA-219
 Hay Meadow Reservoir quadrangle,
 geology MF-295
 Kisinger Lakes quadrangle,
 geology GQ-527
 Louis Lake quadrangle, geology GQ-461
 Miners Delight quadrangle,
 geology GQ-460
 Muskrat basin quadrangle, geology ... I-482
 Oregon Buttes area, geology B 1256
 Pacific Springs quadrangle,
 geology MF-294
 Puddle Springs quadrangle,
 geology B 1242-C
 Rongis Reservoir SE quadrangle,
 geology I-483
 Shotgun Butte area, geology,
 oil, gas B 1157
 South Pass City quadrangle,
 geology GQ-458
 Stratified primitive area, mineral
 resources B 1230-E
 Whiskey Peak quadrangle, geology .. GQ-772
 Wind River Basin
 stratigraphy, geologic history P 495-A
 structural geology P 495-D
 Wind River Formation P 594-A
 Wind River Indian Reservation
 aeromagnetic map GP-400
 ground-water resources W 1576-I
- Goshen County
 Casebier Hill quadrangle,
 geology GQ-621
 Fort Laramie area, geology B 1141-F

WYOMING—Continued

- Grand Teton National Park
geophysical study, stratigraphy,
structure P 516-E
ground water C 494

- Green River, exploration,
geologic history P 669-A, C

Hot Springs County

(general)

- uraniferous phosphatic lake beds . P 474-E

- Adam Weiss Peak quadrangle,
geology B 1241-A; GQ-382

- Stratified primitive area,
mineral resources B 1230-E

- Thermopolis area, geology, oil,
gas OM-213

- Wind River Basin, structural
geology P 495-D

- Wind River Indian Reservation,
ground-water resources W 1576-I

Johnson County

(general)

- ground-water resources, geology .. W 1806

- Powder River Basin, southern,
geology, uranium B 1147-D

- Laramie County, geology, ground
water; chemical quality ground
and surface water W 1834

Lincoln County

(general)

- Green River Formation, associated
Eocene rocks P 496-A

- Fort Hill quadrangle,
geology OM-212; P 594-M

- Fossil basin, uppermost Cretaceous
and Tertiary stratigraphy P 635

- Green River Formation, geochemistry
and paleolimnology trona
deposits P 496-B

- Munger Mountain quadrangle,
geology GQ-705

- Star Valley, ground water W 1809-C

Natrona County

(general)

- Triassic and Jurassic rocks P 594-D

- uraniferous phosphatic lake beds . P 474-E

- Bates Hole-Shirley basin
area, Tertiary rocks I-570

- Beaver Rim area, Tertiary
geology B 1164

- Granite Mountains area, Cenozoic
geology P 495-C

- Powder River Basin, southern,
geology, uranium B 1147-D

- Shirley basin area, geology I-539

- Wind River Basin
stratigraphy, geologic history P 495-A

- structural geology P 495-D

- Wind River Formation P 594-A

Niobrara County

(general)

- ground-water resources, geology .. W 1788

- Dewey quadrangle, geology B 1063-B

WYOMING—Continued

Niobrara County—Continued

- Red Bird area, Pierre Shale,
stratigraphy, paleontology P 393-A, B

- North-central, Devonian rocks B 1112-D

Northern

(general)

Jefferson and Three Forks

- Formations B 1194-N

Northwestern

- Carboniferous megafaunal and
microfaunal zonation P 613-E

- Cottonwood Canyon Member,
Madison Limestone, stratigraphy,
age, paleotectonic significance .. B 1251-B

- gold-bearing sedimentary rocks C 541

Park County

(general)

- hydrocarbons in thermal areas ... P 644-B

- Wapiti Formation and Trout
Peak Trachyandesite B 1254-H

- Adam Weiss Peak quadrangle,
geology GQ-382; B 1241-A

- Clark quadrangle, geology GQ-477

- Cody quadrangle, geology GQ-542

- Deep Lake quadrangle, geology GQ-478

- Devils Tooth quadrangle, geology ... GQ-817

- Greybull River-Dry Creek
area, geology, ground water W 1596'

- Pat O'Hara Mountain quadrangle,
geology GQ-755

- Stratified primitive area mineral
resources B 1230-E

- Tatman Mountain quadrangle,
geology GQ-311

- Wapiti quadrangle, geology GQ-778

Platte County

- Antelope Gap quadrangle, geology .. GQ-619

- Bordeaux quadrangle, geology GQ-620

- Ferguson Corner quadrangle,
geology GQ-622

- Fort Laramie area,
geology B 1141-F

- Glendo region, hydrology W 1791

- Natwick quadrangle, geology GQ-624

- Natwick SW quadrangle geology ... GQ-623

- Richeau Hills quadrangle,
geology GQ-625

- Squaw Rock quadrangle, geology ... GQ-626

- Wheatland Flats area, hydrology ... W 1783

- Wheatland NE quadrangle, geology .. GQ-628

- Wheatland quadrangle, geology GQ-627

Sheridan County

(general)

- ground-water resources W 1807

- Snake River basin, surface
water, chemical quality P 417-D

Southeastern

- Laramie basin, Foote Creek
and Dutton Creek Formations ... B 1194-K

Southwestern

- Green River basin, ground
water HA-290

WYOMING—Continued

Sublette County

(general)

- Green River Formation, associated Eocene rocks P 496-A
- Big Piney area, geology OM-205
- Hay Meadow Reservoir quadrangle, geology MF-295
- Oregon Buttes area, geology B 1256
- Parting of the Ways quadrangle, geology MF-296

Sweetwater County

(general)

- Green River Formation, associated Eocene rocks P 496-A
- Lost Creek schroeckingerite deposits, geology B 1087-J
- stratigraphy and nomenclature Upper Cretaceous and lower Tertiary rocks P 667
- uraniferous phosphatic lake beds P 474-E
- Continental Peak quadrangle, geology MF-292
- Dickie Springs quadrangle, geology MF-293
- Essex Mountain quadrangle, NE¹/₄, geology MF-285
- Flaming Gorge quadrangle, geology GQ-75; P 490
- Freighter Gap quadrangle, NE¹/₄, NW¹/₄, geology MF-288, 289
- Granite Mountains area, Cenozoic geology P 495-C
- Great Divide and Washakie basins and adjacent areas, ground water HA-219
- Great Divide Basin, uranium-bearing coal B 1099-A, B
- Green River Formation, geochemistry and paleolimnology trona deposits P 496-B
- Hay Meadow Reservoir quadrangle, geology MF-295
- Oregon Buttes area, geology B 1256
- Pacific Springs quadrangle, geology MF-294
- Parting of the Ways quadrangle, geology MF-296
- Pinnacles NW quadrangle, geology MF-286
- Tule Butte quadrangle, geology MF-297
- Uinta Mountains, geology B 1291
- Whiskey Peak quadrangle, geology GQ-772

Teton County

- Driggs quadrangle, geology MF-300

WYOMING—Continued

Teton County—Continued

Munger Mountain quadrangle,

- geology GQ-705

- Teton Pass quadrangle, geology GQ-793

- Teton Valley, ground water W 1789

Uinta County

(general)

- Green River Formation, associated Eocene rocks P 496-A
- Green River Formation, geochemistry and paleolimnology trona deposits P 496-B
- uraniferous phosphatic lake beds P 474-E
- Fossil basin, uppermost Cretaceous and Tertiary stratigraphy P 635
- Lyman-Mountain View area, ground water, geology W 1669-E
- Uinta Mountains, geology B 1291

Washakie County

(general)

- uraniferous phosphatic lake beds P 474-E
- Thermopolis area, geology, oil, gas OM-213

Western, Permian stratigraphy,

- mineral resources P 313-B

Weston County

Black Hills

- heavy minerals in sandstone B 1161-C

Black Hills uplift, stratigraphy,

- structure P 404

- Clifton quadrangle, geology B 1063-H

- Dewey quadrangle, geology B 1063-B

- Fanny Peak quadrangle, geology B 1063-I

- Four Corners quadrangle, geology I-581

Inyan Kara Mountain quadrangle,

- geology B 1121-M

- Newcastle area, geology B 1141-N

- Upton quadrangle, geology B 1181-J

Yellowstone National Park

(general)

earthquake (Hebgen Lake, Mont.),

- 1959 P 435

- hydrocarbons in thermal areas P 644-B

- maps p. 358

Grant Village site, ground

- water W 1475-F

Tepee Creek quadrangle,

- geology I-417; P 609

Y

YEMEN

- Geology P 560-B

GEOLOGICAL SURVEY RESEARCH

[All references are to the annual four-chapter professional paper series "Geological Survey Research"]

A

ALABAMA

- Colbert County, megaspores and microspores, Cretaceous, *Ariadnaecporites* Potonie, 1956, emend. P 550-D
- Parkwood and Pottsville Formations, correlation P 450-E
- Use precipitation records for peak streamflow synthesis P 600-D
- West-central, regional draft-storage (water) relations P 600-C

ALASKA

- Alaska Peninsula, Kamishak Hills, Cretaceous stratigraphy . . . P 550-D
- Alaska Range, eastern, corundum occurrence P 700-C
- Johnson River area, rock glacier P 525-B
- Amchitka Island, radiocarbon dating ash deposits P 650-B
- Anchorage area, glacial drift, subsurface stratigraphy P 525-D
- Ship Creek, relationship between surface water and ground water P 700-B
- Augustine Island, recent volcanic activity P 600-C
- Baranof Island, southern, linear topographic features P 475-B
- Bering Shelf, electron microscopic examination of surface textures of quartz sand grains P 650-C
- Bering Strait area, upper Pleistocene features P 575-D
- Bethel region, temperature and quality water from well drilled through permafrost P 501-D
- Brooks Range, pyrophyllite in Kekiktuk Conglomerate P 550-C
- Cape Lisburne, development ground-water supply by modification thermal regime permafrost P 575-B
- Circle region, Birch Creek pingo P 525-C
- Clary Summit, induced polarization and resistivity surveys P 700-D
- Cook Inlet region, coal deposits . . . P 450-C
- Jurassic plutonism P 525-D
- Nomenclature and age, Tuxedni Group P 475-C

ALASKA—Continued

- Copper River basin, glaciolacustrine diamicton deposits P 475-C
- East-central, *Oldhamia*, Cambrian trace fossil P 525-D
- Palynological evidence for Late Devonian age, Nation River Formation P 575-B
- Stratigraphic evidence for Late Devonian age, Nation River Formation P 575-D
- Tectonic inclusions, serpentinite P 575-D
- Eastern, volcanic ash deposit P 450-B
- Fairbanks district, application magnetic and electrical resistivity methods to placer investigations . P 700-C
- Iliamna Lake, radiocarbon dates P 525-D
- Jarvis Glacier, thickness P 450-C
- McCarthy C-5 quadrangle, stratigraphy P 450-D
- MacLaren River, Kathleen-Margaret copper deposit P 501-C
- Mount Fairweather, mafic and ultramafic rocks from layered pluton P 700-B
- Nabesna River area, upper Tanana River valley glaciation P 525-C
- Nixon Fork district, geologic interpretation of residual aeromagnetic map P 700-D
- Northeastern, Christian quadrangle, Jurassic age, mafic igneous complex P 525-C
- Northern, oil shale P 475-D
- Triassic ostracodes P 501-D
- Northwestern, Lisburne Peninsula, bituminous coal P 525-B
- Seasonal changes chemical quality ground water P 475-B
- Nuka Bay, detrital gold and sediments P 700-C
- Ocean Cape, use infiltration gallery to obtain fresh water P 575-C
- Prince William Sound region, potassium-argon ages Tertiary plutons P 550-D
- Stratigraphic significance Tertiary fossils, Orca Group P 550-B

ALASKA—Continued

- Prindle Volcano, Yukon-Tanana
Upland, granulite and periodotite
inclusions P 550-B
- St. Lawrence Island, Paleozoic
and Mesozoic sedimentary
sequence P 650-D
- Seward Peninsula, Black
Mountain, mineralized veins P 575-B
Blueschist and related greenschist
facies rocks P 700-B
- Shumagin Islands, outer, aerial
reconnaissance P 475-B
- Southeastern, Hound Island,
Keku Strait, Upper Triassic
undevitrified volcanic glass P 525-C
- Lower Glacier
Bay, provenance recent glacial
ice P 575-D
- Mount Edgecumbe
volcanic field, Kruzof
Island P 650-D
- Northern Sea
Otter Sound, age and stratigraphy
Hecceta Limestone P 700-C
- Tenakee area,
Chicago Island, K-Ar
ages, plutonic rocks P 525-B
- Southern Wrangell Mountains,
Chitistone and Nizina Limestones,
carbonate petrography and depositional
environments P 650-D
- Talkeetna Mountains, potassium-argon
and lead-alpha ages, plutonic
rocks P 475-B
- Tanana River lowland, upper,
Recent history P 525-C
- Valdez Creek mining district,
gold resource potential, Denali
bench gravels P 700-D
- Waterpower investigations, lakes P 475-B
- West-central, Kaltag fault P 600-D
- Plutonic belt P 550-D
- Western, laumontite in Cretaceous
sedimentary rocks P 501-C
- White Mountain area, near
McGrath, Middle (?)
Ordovician, Devonian (?),
Cretaceous (?) rocks P 525-C
- Wrangell Mountains, hydrothermal
alteration near Kennecott
copper mines P 550-B
- Stratigraphy, paleontology,
isotopic ages upper Mesozoic
rocks P 550-C

ANTARCTICA

- Eight's Coast, radiometric
ages zircon and biotite P 501-D
- Neptune Range, upper Precambrian
and Paleozoic stratigraphy
and structure P 525-D
- North Victoria Land, geology P 600-D
- Sketch map series P 600-B
- Taylor Valley, ice platform P 450-B

ANTARCTICA—Continued

- Thiel Mountains, glaciology
and glacial geology P 475-B
- Lead-alpha ages, zircon P 450-E
- West, Clark Mountains, biotite,
potassium-feldspar, and whole-rock
ages adamellite P 550-D

APPALACHIAN MOUNTAINS

- southern, Clinchport thrust fault P 525-B

ARCTIC OCEAN, eastern Siberian coast,

- Foraminifera P 550-C

ARGENTINA, Bahía Blanca, source of heat

- in deep artesian aquifer P 501-D

ARIZONA

- Central, Precambrian wrench
fault P 575-C
- Unconformity between gneissic
granodiorite and overlying
Yavapai Series P 550-B
- Cibecue Ridge, soil-moisture
losses in upper 3 inches of
soil P 650-B
- Colorado Plateau, sedimentation P 450-D
- Colorado River system, geomor-
phology P 450-B
- Earth cracks P 525-B
- Flagstaff area, ground water P 450-B
- Simulated lunar crater fields—
geology preparation, uses P 650-D
- Gila and Pinal Counties,
Globe-Miami copper district,
aeromagnetic interpretation P 501-D
- Meteor Crater, opaque minerals
in drill cuttings P 600-D
- Thermoluminescence P 450-D
- Navajo County, fault movement P 450-D
- Northeastern, Triassic uplift,
Defiance positive element P 475-C
- Northern, nomenclature Mississippian
Redwall Limestone P 475-C
- Stratigraphic importance corals,
Redwall Limestone P 501-C
- Northwestern, Navajo and Carmel
Formations P 450-E
- Papago Indian Reservation,
Precambrian-Cambrian rocks P 501-C
- Parker-Blythe-Cibola area,
Bouse Formation (Pliocene) P 600-D
- Miocene (?) aquifer P 525-C
- Pima County, San Xavier,
ground water P 450-C
- San Pedro Valley, late Pliocene
lagomorphs P 600-D
- Santa Cruz County, southern
Santa Rita Mountains,
geochemical anomaly of base
metals and silver P 575-D
- Southeastern, age determinations P 450-D
- Beryllium belt P 550-C
- Exotic blocks and coarse breccias,
Mesozoic volcanic rocks P 550-D
- San Pedro Valley, middle
Pleistocene Leporidae P 700-B

ARIZONA—Continued

- Southern, copper in biotite
from igneous rocks as ore
indicator P 700-B
- Tonalea, tuff clast from Bidahochi
Formation P 650-D
- Yavapai County, lithium-bearing
bentonite deposit P 525-D

ARKANSAS

- Arkansas River valley, mapping
transmissibility alluvium P 475-C
- Cypress Bayou, Grand Prairie
region, stream alienation P 600-B
- Evaluation streamflow data
program P 700-D
- Northern, pendent
didymograptids P 700-D
- South-central, Carrizo Sand,
potential aquifer P 501-D
- Washington County, stratigraphy P 450-D

ASTROGEOLOGY

- Bearing capacity lunar surface
materials P 700-D
- Lunar crater morphology and
relative-age determination
lunar geologic units—
applications P 700-C
- Classification P 700-C
- Simulated lunar crater fields
near Flagstaff, Ariz.—geology,
preparation, use P 650-D
- Use of spectral analysis in
describing lunar surface
roughness P 650-D

ATLANTIC COASTAL PLAIN, northern,

- relationships fresh and salty ground
water P 550-C

ATLANTIC CONTINENTAL MARGIN,

- potential mineral resources P 525-C

ATLANTIC CONTINENTAL SHELF

- Off New England, bottom-water
temperatures P 575-D
- Off northeastern U.S., fossiliferous
rocks from submarine canyons P 600-D
- Glaciated shelf P 700-B
- Underwater television system,
description and use P 575-C

AUSTRALIA, Northern Territory, Henbury,

- structure ray crater P 525-C

B

BARITE, bedded deposits, Nevada P 475-B

BAUXITE

- Bauxitization of terra rossa,
southern Appalachians P 475-C
- World reserves, potential resources P 475-B

BAY OF FUNDY, Triassic rocks,

- distribution and structure P 550-B

BERYLLIUM, geochemical field method P 450-C

BOLIVIA, La Paz valley, postglacial
mudflow P 600-C

BRAZIL

- Bahia, geochemical investigation
Caraba copper deposit P 550-C

BRAZIL—Continued

- Minas Gerais, geochemistry P 450-C
- Twinning in barbosaltite from
Sapucaia pegmatite
mine P 650-D

C

CALIFORNIA

- Amador County, concentric
structure in elongate pillows P 650-D
- Bolinas Lagoon, measurement
water flow and suspended-sediment
load P 650-B
- Caliente Range, Miocene
basalt flows, paleogeographic
significance P 575-B
- Cape Martin to San Luis
Obispo, aeromagnetic and
gravity features of western
Franciscan and Salinian
basement terranes P 700-B
- Central, potassium and rubidium
in granitic rocks P 700-D
- Coast Ranges, laumontite in
Tertiary sandstones P 700-D
- Northern, thrust-fault relations P 475-D
- On-land Mesozoic oceanic crust P 700-C
- Upside-down metamorphic
zonation, blueschist facies,
along regional thrust P 575-C

- Death Valley, uranium-lead
and potassium-argon ages, Amargosa
thrust complex P 550-B

- Deep Springs Valley, distribution
granules in bolson environment P 475-C

- Transport on alluvial fans P 475-C

- Diablo Range, chemistry of
primary minerals and rocks,
Red Mountain-Del Puerto
ultramafic mass P 600-C

- Fresno and Merced Counties,
apatitized wood and leuchophosphate,
Moreno Formation P 475-C

- Fresno County, alluvial-fan
size and slope P 450-B

- Great Basin, correlation Lower
Cambrian and Precambrian
strata P 550-C

Inyo County, Independence

- quadrangle, Cambrian, Ordovician,
Silurian formations P 475-B
- Last Chance thrust P 550-D

- Jadeitic pyroxene from metagraywackes,
Franciscan Formation P 525-C

- Kern County, Grapevine area, tectonic
movement P 550-B

- Zeolitic authigenesis tuffs, Ricardo
Formation P 525-D

- Klamath Mountains, carboniferous
isotopic age metamorphism of
Salmon Hornblende Schist
and Abrams Mica Schist P 525-D

CALIFORNIA—Continued

Klamath Mountains—Continued

- First occurrence graptolites . . . P 525-C
- Paleontology P 450-B
- Ultramafic sheet P 450-C

Klamath River delta, geology P 600-C

Lake Wohlford, elimination
thermal stratification by air-bubbling
technique P 501-D

Lewiston, Trinity River
Fish Hatchery, relation
water quality to fish kill P 575-B

Los Banos-Kettleman City
area, shortening and protrusion
well casing due to compaction
sediments in subsiding area P 525-B

Ludlow, field and laboratory
measurements radium-equivalent
uranium, thorium, and potassium
by gamma-ray spectrometry P 600-C

Marin County, Tiburon Peninsula,
serpentinization in sheared
serpentine lens P 600-B

Middle Fork Eel River,
bed-material movement P 575-C

Mojave Desert, ages uranium
minerals P 650-B

Zeolite deposits P 501-C

Mojave Desert region, chemical
characteristics bulk precipitation P 575-C

North Yuba River basin,
snowmelt hydrology P 475-C

North-coastal, mean annual
precipitation-runoff relations P 575-D

Northern, Dec. 1964, 400-year
flood P 600-D

Magnetic anomalies P 450-B

Northwestern, late Mesozoic
orogenies, ultramafic belts P 501-C

Owens Valley, correlation
of granitic plutons P 450-D

Palo Alto area, change in
quantity dissolved solids transported
by Sharon Creek after suburban
development P 575-D

Parker-Blythe-Cibola area,
Bouse Formation (Pliocene) P 600-D

Miocene (?) aquifer P 525-C

Phosphate rock, occurrence P 501-D

Sacramento River, tide-affected
discharge P 450-B

Sacramento-San Joaquin Delta,
ridge formation through subsidence
peatlands P 475-C

Salinas Valley, large strike-slip
displacement P 525-D

San Andreas fault system,
use infrared imagery in study P 575-D

San Bernardino County, Alvord
Mountain area, stratigraphic
paleontology, Barstow Formation P 600-C

Geophysics P 450-D

San Diego County, flood-inundation
mapping P 501-B

CALIFORNIA—Continued

San Joaquin Valley, analysis
of stresses causing land
subsidence P 600-B

Arvin-Maricopa area, land
subsidence P 475-B

Interior drainage P 450-D

Sediment shrinkage P 450-B

Southeastern, Miocene macro-
fossils P 525-C

Upper Pliocene marine strata P 475-D

San Luis Obispo—Bakersfield
area, paleotemperature inferences
from late Miocene mollusks P 475-C

Santa Clara Valley, ground
water P 450-D

Santa Monica Mountains,
detachment faults P 550-C

Serales Lake, stratigraphy P 450-C

Sharon Creek near Palo Alto,
hydrologic effects urbanization P 525-D

Sierra Nevada, Kings River,
erosional features snow
avalanches P 450-D

Stratigraphy P 450-B

Sierra Nevada batholith, biotites
from Cartridge Pass pluton P 600-B

Sonoma County, Casadero,
isotopic ages glaucophane schists P 475-D

Two-amphibole glaucophane schist,
Franciscan Formation,
Casadera area P 550-C

Valley Ford, albite-pyroxene-
glaucophane schist P 600-C

Southeastern, Blue Cut fault P 650-D

Lateral displacement of Garlock
fault P 700-D

Southern, crustal structure
determined by seismic-refraction
measurements P 550-D

Hafnium content and Hf/Zr ratio
in zircon, southern California
batholith P 501-B

Miocene vertebrates, Barstow
Formation P 475-D

Redondo submarine canyon,
origin P 575-C

Southern California batholith,
distribution tantalum in igneous
rocks and minerals P 525-B

The Geysers geothermal steam
field, aerial infrared surveys P 650-C

Western, Franciscan Formation,
electron microscopy limestones P 575-B

White Mountains,
buttress roots of bristlecone
pines P 475-C

Pleistocene glaciers P 525-C

Spheroidal weathering of thermally
metamorphosed limestone
and dolomite P 575-C

CANARY ISLANDS, SPAIN, hydrogeologic
reconnaissance P 650-C

CARTOGRAPHY

Antarctica, sketch map series P 600-B

CARTOGRAPHY—Continued

- "Cut-and try" method for locating distant geologic features on topographic maps P 600-C
- Determination rectangular coordinates for map projections—modification basic formulas and application to computer plotting P 600-C
- Orthophotography mapmaking applications P 501-D

CAVES, Mammoth Cave, Kentucky, fluvial sedimentation P 475-D

CHEMISTRY

- Boron determination in waters containing fluoride P 450-B
- Ferrous iron, determinatin P 450-C
- Silica determination in tektites P 450-B
- X-ray fluorescence analysis, silicate rocks P 450-B
- Thallium in manganese ores P 450-B

CHILE

- Aconcagua Province, La Ligua area, Jurassic-Cretaceous boundary P 450-E
- Antofagasta Province, Apollo 7 photography P 700-D
- Salt domes P 450-D
- Arica area, ground water P 475-D
- Pleistocene diatoms P 475-C
- Atacama Desert, cavities in rock faces P 501-C
- Atacama Province, Copiapó area, structural geology P 450-C
- Dune chains P 450-C
- Concepción region, eruptions water and sand, from earthquake P 475-B
- Río Copiapó valley and adjacent coastal area, dissected gravels P 525-B
- San Pedro area, Pliocene age ash-flow deposits P 525-C
- San Pedro de Atacama area, formation "salt cups" P 450-E
- Thrust faulting P 450-E
- Santiago region, hydrogeology P 475-D
- Quaternary mudflow deposits P 475-D
- Tierra del Fuego area, artesian aquifer P 501-B

CLAYS, relation to uranium deposits P 450-D

COAL

- Alaska, Cook Inlet P 450-C
- Variations in rank P 450-C

COLORADO

- Adams County, Precambrian rocks penetrated by deep disposal well, Rocky Mountain Arsenal P 600-B
- Radioelement composition surface soils P 600-B
- Aspen region, window, Elk Range thrust sheet P 550-D
- Big Sandy Creek, relation channel width to vertical permeability streambed P 600-B
- Black Canyon of the Gunnison, basement-rock geochronology P 600-C

COLORADO—Continued

- Bonanza, geophysical evidence caldera P 525-B
- Boulder area, prehnite and hydrogarnet (?) in Precambrian rocks P 525-D
- Central, extensive zeolitization associated with hot springs P 700-B
- Isotopic measurements, ore leads P 550-C
- Central City quadrangle, cordierite in Precambrian rocks P 475-B
- Chaffee County, Browns Canyon fluorspar district, geochemical prospecting P 525-D
- Colorado Plateau, sedimentation P 450-D
- Denver area, soils on upper Quaternary deposits P 575-D
- Denver area and Canon City quadrangle Pleistocene bison and peccaries and stratigraphy of sites P 700-B
- Denver basin, Oligocene rhyolite P 650-B
- Relation Nussbaum Alluvium (Pleistocene) to Ogallala Formation (Pliocene) and to Platte-Arkansas divide P 575-D
- Douglas and Elbert Counties, placer gold P 700-D
- Durango area, thorium- and titanium-bearing organic material, Dakota Sandstone P 700-C
- East-central, Quaternary faulting and potential earthquakes P 700-C
- Elk Mountains, Permian and Pennsylvanian stratigraphy and nomenclature P 600-C
- Front Range, petrology P 450-D
- Front Range west of Denver, relations between stress, geologic structure, underground excavation in metamorphic rock mass P 650-C
- Gem Park, niobium mineral P 450-C
- Glenwood Canyon, stratigraphy P 450-D
- Glenwood Springs, Cattle Creek anticline, salt diapir P 550-B
- Grand County, larger mammals and mylagaulid rodents, Troublesome Formation (Miocene) P 650-B
- Tertiary extrusive volcanic rocks, Middle Park P 550-B
- Grand Junction area, hydrologic and biotic effects grazing versus nongrazing P 700-B
- Hahns Peak region, tuffaceous epiclastic breccia and sandstone, genetic implications P 650-B
- Lake George beryllium area, Redskin Granite and associated rocks, geologic and geochemical features P 550-C
- Larimer County, Prairie Divide till P 450-B
- Las Animas, ground water P 450-B

COLORADO—Continued

- Las Animas County, Spanish
Peaks area, authigenic laumontite
in arkosic rocks, Eocene P 650-D
- Leadville area, age of porphyries . . . P 450-C
- Loveland Basin landslide,
seismic-refraction studies P 600-B
- Middle Park, Miocene vertebrates . . P 475-B
- Windy Gap Volcanic Member,
Middle Park Formation P 450-E
- Moffat County, western, Permian-Triassic
boundary P 550-D
- North-central, spectrochemical
analysis stream waters P 600-B
- Northeastern, nonopaque heavy
minerals in Miocene and Pliocene
rocks P 650-C
- White River Formation
as aquifer P 550-D
- Northwestern, Chinle Formation
and Glen Canyon Sandstone P 501-D
- K-Ar age lower part Browns Park
Formation P 700-C
- Stratigraphy P 450-D
- Pikes Peak batholith, whole-rock
Rb-Sr age P 700-B
- Pueblo Nussbaum Alluvium P 475-C
- Paleontology P 450-C
- Rampart Range area, gravity
survey P 475-C
- San Juan and Elk Mountains,
similarity Cenozoic igneous
activity, regional significance P 650-D
- San Juan basin, Btu values
Fruitland Formation coal
deposits P 501-D
- San Juan Mountains, age
of volcanic activity P 575-D
- Creede caldera, magmatic differen-
tiation in volcanic sequence P 475-D
- Durango area, Quaternary
stratigraphy P 525-C
- Platoro caldera, geology and
economic significance P 700-C
- Source travertine in Creede
Formation P 600-B
- Spar City district, geology,
mineralization P 475-D
- Tertiary volcanic sequence P 475-D
- Western, Tertiary volcanic
stratigraphy P 475-C
- San Miguel County, Gypsum
Valley salt anticline P 475-D
- Sangre de Cristo Mountains,
Mount Mestas, rock streams P 575-D
- Sawatch Range, St. Kevin
Granite P 475-D
- Silver Plume Granite, rock
mechanics research P 550-C
- Rupture phenomena P 550-C
- Slick Rock district, coincidence
fossil and lithologic zones,
Upper Cretaceous Mancos
Shale P 600-C

COLORADO—Continued

- South-central, allochthonous
Paleozoic blocks in Tertiary
San Luis-upper Arkansas
graben P 700-B
- Stratigraphy P 450-C
- Tertiary trough between Arkansas
and San Luis valleys P 600-C
- Southeastern, Apache Creek
Sandstone Member, Pierre
Shale P 475-B
- Bent's Old Fort area,
meandering of Arkansas
River since 1833 P 700-B
- Lateral migrations Arkansas River
during Quaternary P 650-C
- Southern, great sand dunes P 575-C
- Southwestern, landslide origin
of type Cerro Till P 525-C
- Sage Plain, origin linear scarps . . . P 475-C
- Teller County, thalenite P 450-D
- Trinidad quadrangle, geophysical
studies P 700-B
- Uinta Basin, oil shale, Green
River Formation P 501-D
- Uncompahgre Plateau, Precambrian
geochronology P 600-C
- Uravan mineral belt, localization . . P 450-C
- Possible exploration targets,
uranium deposits P 650-B
- Walsenburg area, Walsen composite
dike P 501-B
- West-central, age Uncompahgre
uplift and Unaweep Canyon P 550-C
- Ohio Creek Formation P 475-C
- West Elk Mountains, laccolithic
cluster P 501-C
- Wet Mountains, alkaline intrusive
rocks, niobium, thorium, rare
earths P 450-E
- Ilse fault zone P 550-C
- Road Gulch area, rare-earth
thorium carbonate veins P 550-B

COLORADO PLATEAU

- Mercury in Navajo Sandstone P 650-B
- Tuffaceous sandstones, Triassic
Chinle Formation P 475-B
- Zonal distribution elements
in uranium-vanadium roll and
tabular ore bodies P 550-B

CONNECTICUT

- East-central, Pleistocene
stratigraphy in pipeline trench,
bearing on two-till problem P 700-D
- Eastern, implications new radiometric
ages P 525-D
- Eastern and southern, effect
glacial geology on time distribution
streamflow P 550-B
- Lebanon region, gabbro body P 501-C
- New Haven area, metamorphic
rocks P 450-D
- Norfolk area, glacial Lake
Norfolk and drainage changes . . . P 650-D

CONNECTICUT—Continued

- Northeastern, two-till locality P 550-D
 Northwestern, possible breccia,
 bearing on existence Taconic
 allochthon P 550-D
 Southeastern, waterborne styrene
 in crystalline bedrock aquifer,
 Gales Ferry area, Ledyard P 700-B
 Westerly and Narragansett Pier
 Granites P 600-D
 CRATERING, energy balances for
 transient water craters P 650-D
 CRYSTALLOGRAPHY. *See* MINERALOGY.

D

DEFORMATION

- By hydration of anhydrite, Copiapó
 area, Chile P 450-C
 Crustal, Snake River Plain,
 Idaho P 450-D

DELAWARE

- New Castle County, Chesapeake
 and Delaware Canal, occurrence
 Late Cretaceous ammonites
Didymoceras stevensoni
 (Whitfield) and *Exiloloceras*
jenneyi (Whitfield) P 700-D
 Potomac River basin, runoff P 450-D

- DELAWARE BAY AND ESTUARY,
 high-resolution subbottom seismic
 profiles P 575-D

- DELAWARE RIVER BASIN, upper,
 reservoir effect on downstream water
 temperatures P 600-B

- DISTRICT OF COLUMBIA, Potomac
 River basin, water quality P 450-D

E

EARTHQUAKES. *See* ENGINEERING
GEOLOGY and GEOPHYSICS.ECONOMIC GEOLOGY. *See also* individual
mineral resources.

- Alaska, mineralized veins, Black
 Mountain, Seward Peninsula P 575-B
 Nixon Fork district, geologic
 interpretation of residual
 aeromagnetic map P 700-D
 Anomalous metal concentrations
 in jasperoid from barite veins,
 Saudi Arabia P 550-C
 Atlantic continental margin,
 potential mineral resources P 525-C
 Beryllium, Arizona-New Mexico
 and Nevada-Utah belts P 550-C
 Brick clay, Beltsville area,
 Maryland P 550-D
 Clay deposits, residual, in
 rocks of Early and Middle
 Devonian age near Kunkletown,
 Pa. P 650-D
 Coal, Btu values Fruitland
 Formation deposits, Colorado
 and New Mexico P 501-D

ECONOMIC GEOLOGY—Continued

- Low-volatile bituminous, Lisburne
 Peninsula, Alaska P 525-B
 Revised correlation No. 4
 coal bed, Western Kentucky
 coal field P 575-C
 Colorado, Platoro caldera,
 southeastern San Juan Mountains P 700-C
 Spar City district, San
 Juan Mountains P 475-D
 Copper, Carafba deposit, Bahia,
 Brasil, geochemical investigation P 550-C
 Kathleen-Margaret (MacLaren
 River) deposit, Alaska P 501-C
 Diatomite, outlook for resumption
 mining, Maryland and Virginia .. P 525-D
 Evaporite deposits, Virginia,
 prospecting for P 525-B
 Florida humate, metal sorption
 by P 550-C
 Geochemical anomaly of base
 metals and silver, Santa
 Rita Mountains, Ariz. P 575-D
 Globe-Miami copper district,
 Arizona, aeromagnetic
 interpretation P 501-D
 Gold, Alaska, Nuka Bay P 700-C
 Carolina continental margin ... P 700-C
 Placer, Douglas and Elbert
 Counties, Colo P 700-D
 Residual enrichment and
 supergene migration,
 southeastern U.S. P 600-D
 Resource potential, Denali
 bench gravels, Valdes Creek
 mining district, Alaska P 700-D
 Gravel, Patuxent Formation,
 Beltsville quadrangle, Maryland . P 525-B
 Hydrothermal alteration near
 Kennecott copper mines, Wrangell
 Mountains area, Alaska P 550-B
 Iron deposits, Estes Creek
 area, Lawrence County,
 S. Dak P 700-B
 Jasperoid associated with sulfide
 ore P 450-C
 Lightweight aggregate, evaluation
 Martinsburg Shale and younger
 formations as sources, Pennsylvania-
 New Jersey P 525-D
 Limestone deposits, high-calcium,
 Lancaster County, southeastern
 Pennsylvania P 700-B
 Lithium-bearing bentonite deposit,
 Yavapai County, Ariz. P 525-D
 Mercury-bearing antimony deposit,
 central Idaho P 525-B
 Mineralization, magnetic anomaly,
 Ely quadrangle, Nevada P 450-E
 Mineralization control, Taylor
 district, Nevada P 450-B
 Monazite, thorium and uranium
 content, Washington, Spokane
 County P 475-D

ECONOMIC GEOLOGY—Continued

- Nevada, Adobe Range, Elko Hills, and adjacent areas, Elko County, geology, mineral potential P 700-B
- Possible buried mineralized areas, Nye and Esmeralda Counties P 525-D
- spatial relation mineral deposits to Tertiary volcanic centers P 700-C
- Niobium, thorium, rare earths, Wet Mountains, Colo P 450-E
- Oil shale, Green River Formation, Utah-Colorado P 501-D
- Ore controls, Tintic districts, Utah P 450-C
- Uravan mineral belt, Colorado-Utah P 450-C
- Peat, unglaciated uplands along Allegheny structural front, West Virginia, Maryland, Pennsylvania P 700-D
- Phosphate deposits, Maquoketa Shale, Dubuque area, Iowa P 550-B
- Nye County, Nev., and adjacent areas P 700-C
- Relation to ground water in coastal Georgia P 700-C
- Phosphate rock, California P 501-D
- Phosphorite, paleolatitudinal and paleogeographic distribution P 501-C
- Precambrian, Belt Series, Montana P 550-D
- Turayf region, northern Saudi Arabia P 600-C
- Placers, beach, heavy minerals in P 450-C
- Potash in halitic evaporites, Salt Range, West Pakistan P 700-D
- Prospecting, Humboldt Range, Nev P 450-B
- Rare earths in phosphorites, geochemistry, potential recovery P 575-B
- Refractory clay, Randolph County, W. Va P 600-C
- Relation attapulgite and fuller's earth to geologic structure, southwestern Georgia P 501-B
- Rutile in Harford County, Md., serpentinite belt P 700-C
- Silver and mercury geochemical anomalies, Comstock, Tonopah, Silver Reef districts, Nevada-Utah P 575-B
- Sodium sulfate deposits, northern Great Plains, Canada and U.S., origin P 600-B
- Sphalerite vein and associated geochemical anomalies in St. Lawrence County, N.Y P 700-D
- Sulfide ore, association of jasperoid P 450-C
- Tennessee, Mascot-Jefferson City zinc district, Rocky Valley thrust fault P 501-B

ECONOMIC GEOLOGY—Continued

- Trona, Green River Formation, southwestern Wyoming P 550-B
- Uranium, epigenetic deposits, in sandstone P 501-D
- Possible exploration targets, Uravan mineral belt, Colorado-Utah P 650-B
- Shirley basin, Wyoming, genetic implications, of associated elements P 550-C
- Southern San Juan basin mineral belt, New Mexico P 600-B
- Uranium-rich monazites, United States P 700-D
- Uranium-vanadium roll and tabular ore bodies, Colorado Plateau, zonal distribution elements P 550-B
- Utah, distribution selected metals, Stockton district P 550-C
- White clay deposits, Mount Holly Springs, Cumberland County, Pa P 650-B
- Zeolite deposits, Mojave Desert, Calif P 501-C
- Zinc, Kingsport Formation, West New Market area, Tennessee P 525-B

ENGINEERING GEOLOGY

- Damsites, Eretan area, West Java, Indonesia, recent faulting P 550-C
- West Java P 450-D
- Elastic moduli of granitic rocks from in situ measurements of seismic velocity P 550-C
- Land subsidence, analysis of stresses causing P 600-B
- San Joaquin Valley, Calif P 475-B
- Landslides, Gardiner, Mont P 450-E
- Massachusetts, Boston area, kaolinization of bedrock P 575-C
- Montmorillonitic weathered clay, Seattle, Wash P 501-D
- Mudflow in Second Creek drainage, Lake Tahoe basin, Nevada; its relation to sedimentation and urbanisation P 650-C
- Relations between stress, geologic structure, and underground excavation in metamorphic rock mass west of Denver, Colo P 650-C
- Ridge formation through subsidence peatlands, California P 475-C
- Rock mechanics research, Silver Plume Granite, Colo P 550-C
- Rupture phenomena, Silver Plume Granite, Colo P 550-C
- Subsidence induced by nuclear explosions P 450-C
- Subsurface deformation from missile impact P 650-B
- Texas, Houston-Galveston Bay area, land subsidence P501-C

ENGINEERING GEOLOGY—Continued

- Uphole seismic measurements as indication of stress relief, granitic rock tunnels P 550-D
- Utah, Jordan Valley, pre-Quaternary surface P 700-D
- Washington, Seattle, relation building damage to geology, April 1965 earthquake P 575-D

EROSION

- Channel-scarp formation, western North Dakota P 700-C
- Effects of grazing versus nongrazing near Grand Junction, Colo. P 700-B

F

FAULTS AND FAULTING

- California, thrust-fault relations, northern Coast Ranges P 475-D
- Detachment faults, Gallatin County, Mont. P 450-B
- Hydrologic evidence, Utah P 450-D
- Idaho and Montana, strike-slip faulting, broken basin-ranges P 501-C
- Nevada, major thrust fault, Schell Creek Range P 501-B
- Of extension, Nevada P 450-B
- Relation to ground water, Flagstaff, Ariz., area P 450-B
- Tennessee, Rocky Valley thrust fault, Mascot-Jefferson City zinc district P 501-B
- Utah, tear fault, East Tintic Mountains P 501-C
- Western Juab County, Tertiary low-angle fault P 501-B

FLOODS

- California, San Diego County, flood inundation mapping P 501-B
- Mudflow in Second Creek drainage, Lake Tahoe basin, Nevada; its relation to sedimentation and urbanization P 650-C
- New Jersey, height-frequency relations P 475-D

FLORIDA

- Choctawhatchee Bay, organic geochemistry of Recent sediments P 600-C
- Econfina Creek, use specific conductance to distinguish base-flow components P 525-C
- Jacksonville area, Little Six Mile Creek, effect industrial effluent on water quality P 650-D
- Land-pebble phosphate deposits, precipitation and recycling phosphate P 525-B
- Northern, water-level fluctuations, artesian wells P 501-D
- Northwest, metal sorption by humate P 550-C

FLORIDA—Continued

- Orange County, relation land use and chemical characteristics lakes P 600-B
- Principal artesian aquifer, relation surface-water hydrology . P 501-C
- Santa Fe River, relation ground water inflow and bank and channel storage to streamflow pickup P 525-D
- Shoreline features as indicators of high lake levels P 575-C
- Western, stratigraphy P 450-D

G

GEOCHEMICAL EXPLORATION

- Arizona, anomaly base metals and silver, Santa Rita Mountains P 575-D
- Atomic absorption determination of bismuth in altered rocks P 575-D
- Brazil, Caraiiba copper deposit, Bahia P 550-C
- Colorado, Browns Canyon fluorspar district P 525-D
- Copper in biotite from igneous rocks, southern Arizona, as ore indicator P 700-B
- Determination traces platinum and palladium in geologic materials, spectrophotometric method P 575-D
- Field method for determination cold-extractable nickel in stream sediments and soils P 700-B
- Fluorimetric method, use and precision for determination uranium in ash of plants P 700-B
- Gold, concentration and minor-element association in ore-related Jasperoid samples P 600-B
- Spectrophotometric method determination trace mounts P 525-C
- Ground water, Oasis Valley, Nev., relation fluoride content of recharge and movement P 475-D
- Relation percent sodium to source and movement, National Reactor Testing Station, Idaho P 475-D
- Maine, Smyrna Mills quadrangle ... P 475-D
- West-central P 501-D
- Michigan, northern, preliminary results P 550-D
- Nanogram quantities of mercury in soils and rocks, field determination P 550-B
- Nevada, Cortez region, arsenic-antimony-tungsten anomalies, Roberts thrust P 501-B
- North Carolina, High Rock quadrangle P 501-C
- Sampling-error effects P 475-D
- Silver, field method determination in soils and rocks P 525-C

GEOCHEMICAL EXPLORATION—Continued

- Silver and mercury anomalies,
Comstock, Tonopah, Silver
Reef districts, Nevada-Utah P 575-B
- Spectrochemical analysis stream
waters, north-central Colorado ... P 600-B
- Sphalerite vein and associated
geochemical anomalies, St.
Lawrence County, N.Y. P 700-D
- Tellurium and mercury in jasperoid
samples P 550-B
- Utah, distribution selected
metals, Stockton district P 550-C
- Rocky Range, analysis data ... P 475-D

GEOCHEMICAL PROSPECTING

- Beryllium determination P 450-C
- Weighing small samples with
Brunton compass P 450-C
- Zinc-rich magnetite in alluvium ... P 450-C

**GEOCHEMISTRY. See also WATER.
QUALITY.**

- Activity coefficients from EMF
measurements P 575-C
- Alkalic igneous rocks, thorium
and uranium in P 450-B
- Arsenic in basalt P 475-B
- Atomic-absorption determination
of cadmium in geologic materials P 600-D
- Automatic sample changer for
atomic-absorption spectro-
photometry P 600-B
- Basaltic rocks, spectrographic
data on composition P 575-C
- Basalts from seamounts off west
coast Central America P 525-C
- Beryllium, analysis, gamma activation
device P 525-B
- In igneous rocks P 501-B
- In tin deposits, Virginia P 475-B
- Beryllium and fluorine, in silice
volcanic glasses, western United
States P 475-B
- In tuff, Utah P 475-B
- Black shales, metal content
of P 450-C
- Boron, in halite and anhydritic
halite rocks, determination ... P 475-B
- Brine from Bonneville Salt
Flats, Utah, calculation
iron activity products P 575-C
- Cadmium in Pierre Shale
and equivalent units, Great
Plains P 475-D
- Carbon dioxide in limestone
and dolomite determination
by acid-base titration P 550-B
- Carbonate, bicarbonate, and
total CO₂ in carbonate brines,
determination P 501-D
- "Catoctin schist" analysis—its
true identity P 700-D
- Cesium and strontium sorption
studies on glauconite P 501-B
- Chattanooga Shale, weathering,
evaluation by Fischer assay ... P 501-C

GEOCHEMISTRY—Continued

- Chemical extraction of organic
material from uranium ore P 700-B
- Copper, in soils, sediments,
and rocks, use bathocuproine
in quantitative determination ... P 525-D
- In stony meteorites P 525-B
- Strontium, and zinc content,
U.S. Geological Survey
silicate rock standards P 600-B
- Coprecipitation carbonate and
phosphate from sea water P 700-C
- Crystalline hydrous aluminosilicates,
formation in aqueous solutions
at room temperature P 575-B
- D-C arc spectroscopy, gas
jet P 475-D
- Deep-sea sediment along 160
W. meridian, North Pacific
Ocean P 575-B
- Desert varnish, minor-element
content P 475-B
- Determination, acid-soluble
and total manganese in geological
and botanical materials by
atomic absorption P 700-D
- Bromine and iodine by X-ray
fluorescence P 600-D
- Cobalt in geologic materials by
solvent extraction and atomic-
absorption spectrometry P 700-B
- Fluorine in minerals and rocks P 575-D
- Germanium in silicates by neutron-
activation analysis P 650-C
- Gold, platinum, palladium by
fire-assay, ion-exchange and
spectrochemical technique ... P 600-C
- Hafnium content and Hf/Zr
ratios in zircon with direct-reading
emission spectrometer P 501-B
- Lead in rocks and minerals after
extraction with diethylammonium
diethyldithiocarbamate P 700-D
- Micro amounts cesium in geologic
materials P 600-B
- Palladium and platinum in
rocks P 600-B
- Palladium in the parts-per-billion
range in rocks P 575-C
- Phosphorus in silicate rocks
by neutron activation P 575-C
- Rhodium in rocks P 600-D
- Direct microdetermination of
silicon and aluminum in silicate
minerals P 650-B
- Element content, American
elm tissue P 475-C
- Epидote, in hot-spring systems,
depth formation propylitic
epidote in epithermal ore deposits P 450-E
- Related minerals, geothermal
drill holes, Iceland P 450-E
- Evaluation organic color and
iron in natural surface waters ... P 600-D

GEOCHEMISTRY—Continued

- Extractable organic material
in nonmarine and marine shales,
Cretaceous P 525-D
- Field and laboratory measurements
radium-equivalent uranium,
thorium, and potassium by gamma-ray
spectrometry, Ludlow, Calif. P 600-C
- Flame photometry, simple oxygen
sheath P 501-C
- Fluid inclusions, analysis by
optical emission spectrography .. P 575-B
- Fluorapatite, Cerro de Mercado,
Durango, Mexico P 650-D
- Fluorometric analysis aluminum
ion in natural water P 550-D
- Fractionation uranium isotopes
and daughter products, uranium-
bearing sandstone, Wyoming P 525-C
- Weathered granite and
uranium-bearing sandstone,
Wyoming P 501-B
- Gas chromatography, determination
carbonate carbon in rocks and
minerals P 700-D
- Effluent collector P 475-C
- Genetic implications, elements
associated with uranium deposits,
Shirley basin, Wyoming P 550-C
- Gold, in natural water, adsorption
of traces of gold by containers ... P 600-D
- Mobility in mull P 700-C
- Rapid analysis for, in geologic
materials P 600-B
- Greenstone, Catocin Formation,
Blue Ridge, Va P 501-C
- Hafnium content and Hf/Zr
ratio in zircon, southern California
batholith P 501-B
- Heat and free energy of formation,
herzenbergite, troilite, magnesite,
and rhodochrosite P 525-D
- Heulandite and clinoptilolite,
thermal behavior P 475-D
- Hydrothermal alteration,
Steamboat Springs, Nev. P 450-D
- Influence grain size on percentages
ThO₂ and U₃O₈ in detrital
monazite, North Carolina
and South Carolina P 700-D
- Instrument for measuring pH
values in high-pressure environ-
ments P 575-B
- Iodine in vegetation, determination P 501-C
- Ion-exchange, capacity, mineral
composition, grain size, weathered
crystalline rocks, Georgia
Nuclear Laboratory P 475-B
- Separation and spectrophotometric
determination cadmium P 450-E
- Separation tin from silicate
rocks P 501-D
- Iron in hematitic ores, determination
by X-ray fluorescence
spectrometry P 475-D

GEOCHEMISTRY—Continued

- Isotope-dilution determination
five elements in G-2 (granite);
analysis lead P 575-B
- Isotopic composition thorium
in crustal rocks, reference
sample for determining P 575-B
- Isotopic measurement, Colorado
ore leads P 550-C
- Lead, in tap water, removal
by aquatic organisms P 475-C
- Isotope analysis, chemical
preparation samples P 475-C
- Reference sample for isotopic
abundance ratios P 475-B
- Liebigite, synthesis P 475-B
- Lithium, associated with beryllium
in rhyolitic tuff, Sport
Mountain, Utah P 501-C
- Photoelectric determination ... P 575-B
- Magnetite, composition as related
to occurrence P 525-D
- Manganese dioxide, solution
by tannic acid P 475-C
- Manganese ions, oxidation rate
in contact with feldspar grains ... P 475-C
- Mercury, determination microquantities
in sulfide ores by Penfield
tube-dithizone and semiquantitative
spectrographic methods P 550-C
- In Navajo Sandstone, Colorado
Plateau region P 650-B
- In soils, rocks, and gas, submicrogram
concentrations, instrumental
technique for determination ... P 501-D
- In vegetation, determination
with dithizone P 501-D
- Metal sorption by northwest
Florida humate P 550-C
- Microanalysis with X-ray milliprobe P 650-B
- Microprocedure for determination
carbon dioxide in minerals P 700-C
- Mineral solubility studies,
temperature-controlled water
bath P 600-D
- Minor elements, in apatite,
quantitative spectrochemical
determination P 550-C
- In biotite from igneous rocks ... P 650-B
- Montmorillonite, measurement
relative cationic diffusion
and exchange rates P 501-C
- Natural organic acids as agents
chemical weathering P 700-C
- Neutron-activation analysis,
application of coincidence
counting P 600-B
- North Pacific deep-sea sediment
samples, organic geochemistry ... P 550-C
- Nuclear magnetic resonance studies
of phosphorus (V) pesticides—
hydrolysis aliphatic pesticides by
aqueous solutions P 600-D

GEOCHEMISTRY—Continued

- Organic, Recent sediments,
Choctawhatchee Bay area,
Florida P 600-C
- Oxygen and carbon isotopic composition
of ore and host rock, Mississippi
Valley deposits P 650-C
- O18/O16 and C13/C12
ratios in hydrothermally altered
and mineralized carbonate rocks,
Utah P 475-B
- Pelitic rocks, Minas Gerais,
Brazil P 450-C
- Platinum, palladium, and rhodium
in chromitite, mode of occurrence P 650-C
- Potassium analyses, comparison,
by gamma-ray spectrometry and
other techniques P 575-B
- Potassium and rubidium in granitic
rocks, central California P 700-D
- Precipitation, tellurium with
hypophosphorous acid, effect
copper P 450-E
- Primary minerals and rocks,
Red Mountain-Del Puerto
ultramafic mass, California P 600-C
- Pyrocatechol violet spectrophotometric
procedure for direct
microdetermination aluminum in
silicate minerals P 700-D
- Radioelement composition surface
soil, Adams County, Colo. P 600-B
- Radium standards, aged, selective
removal of Po²¹⁰ P 525-D
- Rapid analysis rocks and minerals by
single-solution method P 575-B
- Rapid method, determination
fluoride in rocks and soils,
using ion-selective electrode P 700-C
- Measuring Rb/Sr ratio
in silicate rocks P 600-C
- Rare earths in phosphorites P 575-B
- Redskin Granite and associated
rocks, Lake George beryllium
area, Colorado P 550-C
- Refractory minerals, platinum-lined
bomb for high-temperature de-
composition P 525-B
- Rock analysts, judging analytical
ability P 501-C
- Rock GSP-1 (granodiorite)
data, isotope-dilution method
analysis for Rb and Sr P 575-B
- Role sulfur-oxidizing bacteria
in surficial acid alteration
near hot springs P 575-C
- Saline features of ice pl⁺form,
Antarctica P 450-B
- Sampling zoned galena crystal
for lead-isotope study P 450-E
- Separation, silt-size minerals
in heavy liquids P 501-B
- Tellurium from iron, gold P 475-B
- Silver, determination in mineralized
rocks by atomic-absorption
spectrophotometry P 550-B

GEOCHEMISTRY—Continued

Silver—Continued

- In natural water, adsorption
of traces of silver on sample
containers P 600-D
- Sodium as clue to direction
ground-water movement, Nevada
Test Site P 600-D
- Sodium sulfate deposits, northern
Great Plains, Canada
and United States, origin P 600-B
- Solubility, determinations,
use sodium-sensitive glass
electrodes P 475-D
- Implications, apatite in sea
water P 550-D
- Sources carbon dioxide in zone
of aeration of Bandelier
Tuff, Los Alamos, N.
Mex. P 650-B
- Spectrochemical analysis, automatic
plate reading and computer
interpretation P 525-B
- Spectrographic determination
volatile elements in silicates
and carbonates using argon
D-C arc P 575-C
- Spectrophotometer, percent constituent
printing accessory and flow-through
cell P 475-C
- Spectrophotometric determination,
fluorine with thoron P 450-E
- Sr⁸⁷/Sr⁸⁶ variations
within individual ash-flow
sheets P 650-C
- System MnCO₃-CaCO₃,
mineral composition P 501-C
- Na₂B₄O₇-Ca₂B₆O₁₁-H₂O,
preliminary relations P 475-B
- Tantalum, distribution in igneous
rocks and minerals, southern
California batholith P 525-B
- Tektites, semimicro X-ray
fluorescence analysis P 475-D
- Spectrographic method
determination cesium, rubidium,
lithium content P 501-B
- Tellurium, atomic absorption
determination P 600-B
- Thorium- and titanium-bearing
organic material, Dakota
Sandstone near Durango,
Colo. P 700-C
- Thorium and uranium in volcanic
rocks, circum-Pacific province ... P 450-E
- Thorium in rocks and minerals,
use of arsenazo III in
determination P 525-D
- Uranium, thorium, and radium
analyses by gamma-ray
spectrometry P 550-B
- Water, automated potentiometric
determination chloride P 700-C
- Automated titrimetry for
analyses P 700-C

GEOCHEMISTRY—Continued

Water—Continued

- Carbon-14 dates from Paleozoic carbonate aquifer, south-central Nevada P 650-C
- Determination mercury in natural waters by collection on silver screens P 650-D
- Deuterium in pumice, Kilauea Volcano, Hawaii P 575-B
- Differences in soil chemistry induced by evaporation and flow of ground water P 650-D
- Dolomite solubility in P 475-D
- Effect tree leaves on quality P 475-D
- Extraction dissolved carbonate species from natural water for carbon-isotope analysis P 650-D
- Field and laboratory determinations pH, alkalinity, specific conductance P 475-C
- Gibbs free energies of substances in the system Fe-O₂-H₂O-CO₂ at 25°C P 650-B
- Infiltration aldrin through Ottawa sand columns P 650-C
- Iron in coastal-plain ground water of the Camden, N.J., area P 650-C
- Specific conductance as means of estimating ionic strength P 700-D
- Spectrochemical determination of microgram quantities of germanium in natural water containing high concentrations of heavy metals P 700-B
- Sulfate and nitrate content of precipitation, North Carolina and Virginia P 475-C
- X-ray, emission analysis, enrichment elements in wallrock alteration, Upper Mississippi Valley zinc-lead district P 501-D
- Fluorescence in determination major constituents, silicates P 525-B
- Quantometer, automatic sample changer and controller for P 525-D
- Zeolitic tuff, ion-exchange capacity P 475-D
- Zonal distribution elements in uranium-vanadium roll and tabular ore bodies, Colorado Plateau P 550-B

GEOCHRONOLOGY

- Ages uranium minerals, Mojave Desert, Calif. P 650-B
- Alaska, isotopic ages, upper Mesozoic rocks, Wrangell Mountains P 550-C
- Jurassic age mafic igneous complex, Christian quadrangle, P 525-C
- Jurassic plutonism, Cook Inlet region P 525-D
- K-Ar ages, plutonic rocks, Chichagof Island P 525-B

GEOCHRONOLOGY—Continued

Alaska, isotopic ages—Continued

- Potassium-argon ages Tertiary plutons, Prince William Sound region P 550-D
- Radiocarbon dates, Iliamna Lake P 525-D
- Antarctica, biotite, potassium-feldspar, and whole-rock ages adamellite, Clark Mountains P 550-D
- radiometric ages zircon and biotite, Eight Coast P 501-D
- Basement rock, Black Canyon of the Gunnison, Colo. P 600-C
- California, carboniferous isotopic age metamorphism of Salmon Hornblende Schist and Abrams Mica Schist, Klamath Mountains P 525-D
- Isotopic ages glaucophane schists, Casadero P 475-D
- Uranium-lead and potassium-argon ages, Amargosa thrust complex, Death Valley P 550-B
- Carbon-14 dates of ground water from Paleozoic carbonate aquifer, south-central Nevada P 650-C
- Chile, Pliocene age ash-flow deposits, San Pedro P 525-C
- Connecticut and Massachusetts, new radiometric ages P 525-D
- Copper porphyries and igneous rocks, Arizona P 450-D
- December 1964, 400-year flood, northern California P 600-D
- Distribution uranium in uranium-series dated fossil shells and bones shown by fission tracks P 700-B
- Holocene submergence, Atlantic Coast of Georgia P 600-D
- Laramide porphyries, Leadville, Colo P 450-C
- Lead-alpha ages, zircon, Thiel Mountains, Antarctica P 450-E
- Zircon, North and South Carolina P 450-C
- Little Elk Granite, isotopic age and geologic relationships, Black Hills, S. Dak. P 575-D
- Miocene volcanic rocks, northwestern Nevada P 700-D
- Modification potassium-argon ages by Tertiary thrusting, Snake Range, Nev. P 700-D
- Nevada, mineral ages plutons, Elko County and vicinity P 525-D
- Ordovician rocks, Carolina slate belt, North Carolina P 475-C
- Pikes Peak batholith, Colorado, whole-rock Rb-Sr age P 700-B
- Portable core drill and thin-section laboratory for field use P 550-B
- Potassium-argon ages, igneous rocks, Stevens County, Wash. P 600-D

GEOCHRONOLOGY—Continued

Potassium-argon ages—Continued

- Lamprophyre dikes near Great Falls, Md.-Va. P 700-C
- Lead-alpha ages, plutonic rocks, Talkeetna Mountains, Alaska P 475-B
- Lower part Browns Park Formation, northwestern Colorado P 700-C
- Precambrian, Uncompahgre Plateau, Utah and Colorado P 600-C
- Pa 231/U-Th 230/U method, dating Pleistocene carbonate rocks P 450-E
- Radiocarbon age, Alaska ash P 450-B
- Ash deposits, Amchitka Island, Alaska P 650-B
- Radium migration, effect on age uranium deposits, New Mexico P 475-B
- Sedimentary zircon, age and distribution as guide to provenance P 525-D
- Time interval between stabilization of alpine glacial deposits and establishment of tree seedlings P 650-B
- Utah, K-Ar and Rb-Sr ages biotite, Carmel Formation . . P 525-B
- Williston basin, North Dakota and adjacent areas, basement rocks P 475-D

GEOLOGIC MAPPING, use of data

- centers P 650-C

GEOMORPHOLOGY. *See also* GLACIAL GEOLOGY, AND GLACIOLOGY.

- Alluvial fan, Charleston, Mo P 501-B
- Alluviation, Colorado River system P 450-B
- Anastomosing channel complex at base of Pennsylvanian System, western Kentucky P 650-D
- Ancient lake, western Kentucky, southern Illinois P 501-C
- Birch Creek pingo, Alaska P 525-C
- Buttress roots of bristlecone pines, origin and geologic significance P 475-C
- Carolina Bays, origin P 450-C
- Cavities in rock faces, Atacama Desert, Chile P 501-C
- Channel changes, Sandstone Creek, western Oklahoma P 475-C
- Channel scarp, southeastern Nebraska P 575-B
- Channel-scarp formation, western North Dakota P 700-C
- Colorado, age Uncompahgre uplift and Unaweep Canyon P 550-C
- Dissected gravels, Río Copiapó valley and coastal area, Chile P 525-B
- Drainage on topographic maps, comparison, Piedmont province . . P 450-E
- Dune chains, source, Chile P 450-C
- Earth cracks, cause of gullying P 525-B

GEOMORPHOLOGY—Continued

- Erosion, Colorado River system P 450-B
- Erosional features of snow avalanches P 450-D
- Eruptions water and sand, from earthquake, Chile P 475-B
- Fan morphology, relation to drainage basin size and lithology . P 450-B
- Glacial Lake Norfolk and drainage changes near Norfolk, Conn. P 650-D
- Glaciated shelf off northeastern United States P 700-B
- High-level Quaternary beach deposits, northwestern Puerto Rico P 600-C
- Landslides, effect on course of Whitetail Creek, Jefferson County, Mont. P 575-B
- Origin of type Cerro Till, southwestern Colorado P 525-C
- Lateral migrations of Arkansas River during Quaternary, Colorado P 650-C
- Meandering of Arkansas River since 1833, Bent's Old Fort, Colo. P 700-B
- Mudflow, postglacial, La Paz valley, Bolivia P 600-C
- Second Creek drainage, Lake Tahoe basin, Nevada, August, 1967 P 650-C
- Negaunee moraine and capture Yellow Dog River, Mich P 501-C
- Parícutin volcano, 1965 P 550-C
- Pennsylvania, geomorphic significance Cretaceous deposit, Great Valley P 525-C
- Profiles, rivers of uniform discharge P 501-B
- Rock glacier, Johnson River area, Alaska Range P 525-B
- Rock streams, Mount Mestas, Sangre de Cristo Mountains, Colo. P 575-D
- Sand dunes, southern Colorado P 575-C
- Sandbar development and movement, alluvial channel Río Grande near Bernardo, N. Mex. P 700-B
- Sandblasted blocks, coastal plain, New Jersey P 550-B
- Stream alienation, Cypress Bayou, Grand Prairie region, Arkansas P 600-B
- Stream erosion, 800-year history indicated by botanical evidence, southwestern Utah P 550-D
- Structural controls on streamflow, North Fork River and Bryant Creek basins, Missouri . . . P 600-C
- Tree-throw origin of patterned ground on beaches of ancient Champlain Sea near Plattsburgh, N.Y. P 600-B

GEOMORPHOLOGY—Continued

- Wind gaps, water gaps, and stream capture, Stroudsburg area, Pennsylvania and New Jersey, structural control P 550-B
- Wisconsin, Troy Valley, buried preglacial valley P 600-C
- Wyoming, Carter Mountain landslide area P 600-D
- Zanjón solution feature, karst, Puerto Rico P 501-B

GEOPHYSICS. *See also* PALEOMAGNETISM.

- Aeromagnetic anomalies, regional, northwestern Montana P 550-B
- Airborne data, digital recording and processing P 575-D
- Alaska, application magnetic and electrical resistivity methods to placer investigations, Fairbanks district P 700-C
- Cleary Summit, induced polarization and resistivity surveys P 700-D
- Nixon Fork district, residual aeromagnetic map P 700-D
- Arizona, aeromagnetic interpretation, Globe-Miami copper district P 501-D
- Basalt-eclogite transformation and crustal structure, Western United States P 525-B
- Bouguer gravity field, southwestern Oregon P 550-C
- California, aerial infrared surveys, Geysers geothermal steam field P 650-C
- Aeromagnetic and gravity features of western Franciscan and Salinian basement terranes between Cape San Martin and San Luis Obispo. P 700-B
- Colorado, east-central, potential earthquakes P 700-C
- Seismic-refraction studies, Loveland Basin landslide P 600-B
- Trinidad quadrangle, geophysical studies P 700-B
- Crustal structure, seismic-refraction measurements, Nevada Test Site-Ludlow, Calif. P 550-D
- Delaware estuary and Bay mouth, high-resolution subbottom seismic profiles P 575-D
- Depiction, soil-covered structures, by infrared aerial photography ... P 475-B
- Earth-resistivity interpretation, nomographs for computation standard equations P 475-B
- Effects, Gnome nuclear explosion on rock salt P 501-B
- Magmatic differentiation on magnetic properties diabase sheets, southeastern Pennsylvania P 550-D
- Elastic moduli of granitic rock from in situ measurements of seismic velocity P 550-C

GEOPHYSICS—Continued

- Evidence caldera at Bonanza, Colo. P 525-B
- Explosion-produced fractures, HARDHAT event, Nevada Test Site P 501-C
- Georgia, rock movement triggered by water-level change, Brunswick area P 700-C
- Gravity and magnetic anomalies, Oquirrh Mountains, Utah P 450-E
- Gravity and magnetic data, Gem Valley, Idaho P 450-D
- Snake River Plain, Idaho P 450-D
- Tennessee, Kentucky P 450-C
- Gravity survey, Gold Meadows stock, Nevada Test Site P 475-B
- Island of Hawaii P 475-C
- Rampart Range, Colo. P 475-C
- Wind River basin, Wyoming ... P 550-C
- Hawaii, earthquakes from common sources beneath Kilauea and Mauna Loa Volcanoes, 1962-65 P 600-C
- Seismic events, 1962 P 475-D
- Seismic events, 1963 P 525-B
- Seismic events, 1964 P 550-C
- Seismic events, 1965 P 600-B
- Seismic events, 1966 P 650-B
- Seismic events, 1967 P 650-C
- Seismic events, 1968 P 650-D
- Iceland, infrared surveys P 650-C
- Thermal emission from Surtsey, 1966-69 P 700-D
- Karst topography, Gros Ventre Mountains, Wyo. P 475-B
- Linear scarps, southwestern Colorado, wind-erosion origin ... P 475-C
- Magnetic anomalies, evaluation by electromagnetic measurements P 475-C
- Mineralization, Ely quadrangle, Nevada P 450-E
- Northern California P 450-B
- Magnetic properties, field determination P 450-D
- Magnetic susceptibility and grain density analysis, basalt flows, Nevada Test Site P 525-B
- Magnetization Keweenaw gabbro, northern Wisconsin, relation to time of intrusion P 550-D
- Massachusetts, seismic investigations, Cape Cod P 475-D
- Seismic investigations, Cape Cod, Martha's Vineyard, Nantucket 650-B
- Measurement velocity high-amplitude shock waves in rock materials by strain gages P 550-B
- Menan Buttes, glassy basalt tuff cones, Snake River Plain, Idaho P 450-E
- Montana, geologic and gravity evidence, buried pluton, Little Belt Mountains P 700-B

GEOPHYSICS—Continued

Montana—Continued

- Negative aeromagnetic anomalies over mineralized areas, Boulder batholith P 650-D
- Nevada, calculated in situ bulk densities from subsurface gravity observations and density logs, Nevada Test Site and Hot Creek Valley P 700-B
- Crustal structure Las Vegas region, seismic and gravity observations P 475-D
- Gravity anomalies in Ruby Mountains P 600-B
- Seismic events, originating Nevada Test Site P 650-B
- Wood Hills area, investigations P 575-B
- Oceanographic studies, radioactivity- and density-measuring devices ... P 501-D
- Ohio, correlation carbonate rock units by natural gamma logging P 650-B
- Paradise debris flow, Mount Rainier, Wash. P 475-B
- Physical properties, replacement-type magnetite deposit P 450-D
- Portable core drill and thin-section laboratory for field use P 550-B
- Quaternary events, unglaciated Ohio River valley P 475-B
- Rapid film-density analyzer P 650-C
- Relation between Bouguer gravity anomalies and regional topography, Nevada, and Snake River Plain, Idaho P 550-B
- Resistivity measurements, effect current leakage and electrode spacing errors on P 600-D
- Rock mechanics research, Silver Plume Granite, Colo. P 550-C
- Rupture phenomena, Silver Plume Granite, Colo. P 550-C
- Seismic fluctuations in open artesian water well P 525-C
- Seismic-refraction measurements, crustal structure, American Falls Reservoir, Idaho-Flaming Gorge, Utah P 525-C
- Sunnyside, Utah P 550-D
- Seismic study, crustal structure, Southern Rocky Mountains P 525-D
- Harwich and Dennis quadrangles, Cape Cod, Mass P 525-D
- Seismic survey, Triassic rocks, Bay of Fundy and Gulf of Maine P 550-B
- With firecrackers P 550-B
- Seismicity, east rift zone, Kilauea, Hawaii, 1962-1963 P 501-C
- Snake River Plain, relation between Bouguer gravity anomalies and regional topography P 550-B
- Spectral analysis of seismic measurements from explosions in southern Mississippi P 600-C

GEOPHYSICS—Continued

- Texas, seismic and gravity profile, Hueco bolson P 575-D
- Thermal features, Mount Rainier, Wash., infrared surveys P 525-D
- Thermal regime, Greenland, raised delta P 450-B
- Thermoluminescence, Meteor Crater P 450-D
- T-phase of May 11, 1962, Hawaii ... P 501-B
- U.S. Geological Survey-LaCoste and Romberg precise borehole gravimeter system P 575-D
- Uphole seismic measurements as indication of stress relief, granitic rock tunnels P 550-D
- Use fan filters in computer analysis of magnetic-anomaly trends P 575-D
- Utah, electrical sounding profile east of Jordan Narrows P 650-C
- Idaho, gravity anomalies, Cache Valley P 700-C
- Seismic-refraction profiles across canyons, Wasatch Range near Salt Lake City P 600-D
- Thickness unconsolidated to micromconsolidated sediments, Jordan Valley P 700-C
- Thickness valley fill in Jordan Valley east of Great Salt Lake P 600-B

GEORGIA

- Atlantic Coast, Holocene submergence P 600-D
- Brunswick area, rock movement triggered by water-level change ... P 700-C
- Burke County, Shell Bluff and Griffin Landings, Eocene Foraminifera P 501-C
- Carolina Bays, origin P 450-C
- Coastal, position phosphate zone and relation to ground water P 700-C
- Dawson County, Georgia Nuclear Laboratory, infiltration rates in weathered crystalline rocks P 450-E
- Relation ion-exchange capacity to mineral composition and grain size, weathered crystalline rocks P 475-B
- Georgia Nuclear Laboratory, ground water P 450-B
- Jonesboro, ground water P 450-D
- Northern, ground-water conduits in Ashland Mica Schist P 501-D
- Northwest, Pennsylvanian nomenclature P 450-E
- Southeastern, offshore, Eocene to Recent stratigraphic sequence P 501-C
- Principal artesian aquifer, relation surface-water hydrology P 501-C

GEORGIA—Continued

- Southwestern, relation attapulgite and fuller's earth to geologic structure P 501-B
 Spring Creek, relation chemical quality and water discharge . P 525-C
 Tertiary stratigraphy and geohydrology P 575-B
 Thomas County, Miocene structural movements P 550-C
 Tired Creek and Yellow River basins, surface water P 450-B

GLACIAL GEOLOGY AND GLACIOLOGY.

See also QUATERNARY GEOLOGY.

- Alaska, Bering Strait area, upper Pleistocene features P 575-D
 Nabesna River area, upper Tanana River valley P 525-C
 Southeastern, provenance recent glacial ice in lower Glacier Bay P 575-D
 Antarctica, Thiel Mountains P 475-B
 Bedrock configuration beneath Merrimack River P 450-D
 California, distribution Pleistocene glaciers, White Mountains P 525-C
 Connecticut, east-central, stratigraphy in pipeline trench, bearing on two-till problem P 700-D
 Glacial Lake Norfolk and drainage changes near Norfolk P 650-D
 Northeastern, two-till locality . P 550-D
 Frost penetration, influence snow cover P 475-B
 Glacial lakes, Concord, Mass. P 475-C
 Glacier outburst floods, Pacific Northwest P 600-D
 Glacier thickness, gravimetric determinations, Jarvis Glacier, Alaska P 450-C
 Kentucky, pre-Wisconsin glacial deposits P 550-B
 Kentucky-Ohio, glacial erratics and problem glaciation P 650-D
 Late Pleistocene Cordilleran glaciation, northeastern Washington, northern Idaho P 525-C
 Massachusetts, Illinoian and early Wisconsin moraines P 501-C
 Martha's Vineyard P 501-C
 Minnesota, Mountain Iron-Virginia-Eveleth area P 501-C
 Moraines, multiple tills, Ohio P 450-C
 Negaunee moraine and capture Yellow Dog River, Mich P 501-C
 Nevada, distribution Pleistocene glaciers, White Mountains P 525-C
 New Mexico, correlation glacial deposits P 450-E
 New York, southwestern, Jamestown area P 575-B
 Norway, glacial chronology, Ullsfjord P 475-D
 Oregon, Wallowa Lake P 575-C

GLACIAL GEOLOGY AND GLACIOLOGY—Continued

- Pleistocene, deposits, Indiana P 450-D
 Wyoming P 450-D
 Prairie Divide Till, Colo P 450-B
 Teton Glacier, Grand Teton National Park, Wyo., ice movement and thickness P 525-B
 Observations, 1965, 1966 P 575-C
 Recent retreat P 501-C
 Vermillion end moraine, Minnesota . P 450-D
 Washington, glacial drainage divide, Skagit Valley P 650-C
 Southwestern Olympic Peninsula P 501-B
 GREAT BASIN, ground-water quality, reconnaissance survey P 550-D
 GREAT PLAINS
 Methods estimating base flow at ungaged stream sites. P 575-C
 Northern, Eocene paleosol P 550-C
 Origin sodium sulfate deposits . P 600-B
 Volcanism and tectonism reflected by distribution nonopaque heavy minerals, Tertiary rocks P 575-C
 GREENLAND, Centrum Ss thermal regime P 450-B
 GULF OF ALASKA, Pleistocene-Recent boundary, benthonic Foraminifera P 475-C
 GULF OF MAINE
 Basins P 525-D
 Heavy-mineral assemblages in near-shore surface sediments P 575-C
 Northeastern, Triassic rocks, distribution and structure P 550-B
 GULF OF MEXICO, Tortugas Terrace, a slip surface? P 600-D

H

HAWAII

- "Ecolite" in basalts P 550-D
 Hawaiian Ridge, giant submarine landslides P 501-D
 Hilo, determination daily mean discharge of Waiakea Pond springs P 575-D
 Island of Hawaii, gravity survey P 475-C
 Kilauea and Mauna Loa Volcanoes, earthquakes from common sources beneath, 1962-65 P 600-C
 Kilauea Volcano, Alae lava lake, infrared radiation P 575-D
 Lava coils of recent historic flows P 550-B
 May 1963 earthquakes and deformation, Koaie fault zone P 575-C
 Recent growth of Halemaumau P 450-B
 Seismicity east rift zone, 1962-63 P 501-C
 Temperatures Alae lava lake, 1963 eruption P 501-D
 Water and deuterium in pumice P 575-B
 Oahu, streamflow. P 450-C

HAWAII—Continued

- Olivines, X-ray determinative
curve P 525-C
- Pillow structures, submarine
basalts P 475-B
- Rate palagonitization submarine
basalt P 550-D
- Seismic events, 1962 P 475-D
- 1963 P 525-B
- 1964 P 550-C
- 1965 P 600-B
- 1966 P 650-B
- 1967 P 650-C
- 1968 P 650-D
- T-phase of May 11, 1962 P 501-B
- Volcanic rocks dredged to southwest P 550-D

**HYDROLOGY. See also GEOCHEMISTRY;
INSTRUMENTATION; LIMNOLOGY;
RADIOACTIVE WASTE DISPOSAL;
WATER, GROUND; WATER,
QUALITY; WATER, SURFACE**

- Alaska, relationship between
surface water and ground water
in Ship Creek near Anchorage ... P 700-B
- Algebra of stream-order numbers ... P 525-B
- Aquifer tests, graphical multiple-
regression analysis P 475-C
- California, Bolinas Lagoon,
measurement water flow and
suspended-sediment load P 650-B
- Change in quantity dissolved
solids transported by Sharon
Creek near Palo Alto
after suburban development . P 575-D
- Canary Islands, hydrogeologic
reconnaissance P 650-C
- Comparison of propeller flowmeter
with hot-film anemometer in
measuring turbulence in movable-
boundary open-channel flows P 700-B
- Dec. 1964, 400-year flood, northern
California P 600-D
- Delaware estuary and Bay
mouth, high-resolution subbottom
seismic profiles P 575-D
- Design and construction injection
well, Long Island, N.Y. P 550-D
- Detergents, ABS determination P 450-B
- ABS 35, adsorption on illite P 475-C
- ABS 35, adsorption on kaolinite P 450-E
- ABS 35, adsorption on
montmorillonite P 475-B
- Adsorption P 450-C
- Behavior, AHS bacteria, and
dissolved solids in water-saturated
soils P 450-E
- Biodegradation, AHS under
aerobic and anaerobic conditions
at 10°C P 475-C
- Effect on viscosity of water
containing bacteria and
clay P 475-B
- Foam height determination P 450-C
- Foaming characteristics P 450-D

HYDROLOGY—Continued

- Solutions, application Gibbs
adsorption equation P 450-E
- Surface tension P 450-D
- Survival, *Escherichia coli*
in solutions P 475-B
- Diffusion from gaseous source
in porous medium P 650-D
- Distribution radioactivity in
alluvium of disposal area,
Los Alamos, N. Mex. P 550-D
- Dosage requirements for slug
injections of Rhodamine BA
and WT dyes P 700-B
- Effects grazing versus nongrazing
near Grand Junction, Colo P 700-B
- Engineering problems: shortening
and protrusion well casing
due to compaction sediments
in subsiding area, California P 525-B
- Environmental factors affecting
attached macro-organisms, Patuxent
River estuary, Maryland P 475-D
- Evaluation, installation methods
for neutron-meter access tubes ... P 700-C
- Method for estimating sediment
yield P 700-B
- Evapotranspiration, native phreato-
phytes, method for estimating ... P 600-D
- Relation ground water to surface
water, Pond Creek basin,
Oklahoma P 450-E
- Field methods for determining
vertical permeability and aquifer
anisotropy P 501-D
- Flow in layered and nonlayered
materials P 450-C
- Flow-through sampling system
for small boats or ice shelter
on lakes P 650-C
- Flume experiments, effect base-level
changes on bedding development . P 475-B
- Fluorometer readings, effects
sample and fluorometer-compartment
temperatures P 525-D
- Fluorometric analysis aluminum
ion in natural waters P 550-D
- Freeze-drying of organic matter,
clays, and other earth materials . P 600-C
- Georgia, southwestern Tertiary P 575-B
- Glacier outburst floods, Pacific
Northwest P 600-D
- Great Salt Lake, Utah P 525-C
- Ground water, fluctuation, stream
induced, computing P 501-B
- Ground water-surface water
relation during periods of
overland flow P 700-B
- Movement and bank storage, changes
caused by flood waves in surface
streams P 475-B
- Hawaii, determination daily
mean discharge of Waiakea
Pond springs, Hilo P 575-D

HYDROLOGY—Continued

- Heat dissipation from thermally loaded stream P 475-C
- Hydraulic experiments on sand models, evaluation three tracers P 550-B
- Hydraulic properties glacial outwash, Portage County, Wis., determination P 501-B
- Hydraulic sand-model study of cyclic flow salt water in coastal aquifer P 575-B
- Hydraulic squeezer for obtaining interstitial water from consolidated and unconsolidated sediments P 550-C
- Ice-covered stream, computation discharge P 575-C
- Instrument for measuring pH values in high-pressure environments P 575-B
- Land subsidence, analysis of stresses causing P 600-B
- San Joaquin Valley, Calif P 475-B
- "Lazy" thermometers, use in measuring ground-water temperatures P 475-D
- Kansas, movement moisture in unsaturated zone in dune area P 600-D
- Magnetic tape recording of geophysical logs P 575-C
- Method estimating annual suspended-sediment discharge P 700-C
- Mississippi, effect urbanization on floods, Jackson P 575-D
- Missouri, waste-disposal problem in karst area, Springfield P 600-C
- Multiple hydrologic-parameter recording on digital recorder P 525-D
- Neutron moisture measurements by continuous- and point-logging procedures P 600-B
- Nonlinear reservoirs, determining storage-outflow characteristics P 450-E
- Periscope for study borehole walls, use in ground-water studies, Niagra County, N.Y. P 501-D
- Portable sampler for collecting water samples from specific zones in wells P 525-C
- Prairie potholes and the water table P 700-B
- Radioactive waste, disposal P 450-C
- Storage, AEC Savannah River Plant, S. C. P 501-C
- Relation, annual runoff to meteorological factors P 501-C
- Chemical quality and water discharge, Spring Creek, southwest Georgia P 525-C
- Manning coefficient to measure bed roughness in stable natural channels P 650-D
- Reservoir storage on streams having log-normal distributions annual discharge P 475-D

HYDROLOGY—Continued

- River ice, observed configuration and computed roughness of underside, St. Croix River, Wis. P 550-B
- Underside P 575-C
- Sandbar development and movement, alluvial channel Rio Grande near Bernardo, N. Mex P 700-B
- Sediment-laden flow, measurement P 450-E
- Seismic fluctuations in open artesian well P 525-C
- Shear, effective, on streambed sediment, nomograph for computing P 475-C
- In open-channel flow, measurement P 475-C
- In rectangular channels, distribution P 475-C
- Simplified pumping sampler for suspended sediment P 650-C
- Sodium iodide as tracer underground water circulation, hot springs and geysers, Yellowstone National Park P 525-B
- Storage coefficient of unconfined aquifer, determination P 450-E
- Storm discharge and ground water recharge, Nassau County, N.Y., effect urbanization P 475-C
- Stream discharge regressions using precipitation P 501-C
- Television apparatus for borehole exploration P 475-D
- Time-drainage relations for natural sand, determination P 450-E
- Tracers in ground-water reservoirs, effect injection scheme or spread P 475-B
- Transmissibility, calculating distribution, from water-level altitudes P 450-E
- Tree growth nonsensitive indicator precipitation, New York P 501-B
- T/S of wedge-shaped aquifer, calculating P 475-B
- Turbulent-diffusion equation for open-channel flow, analog solution P 450-E
- Two-dimensional dispersion in a granular-medium disk source emitting at constant rate P 650-D
- Two-variable linear correlation analyses water-level fluctuations, artesian wells, Florida P 501-D
- Use digital recorders with pond gages for measuring storm runoff P 575-B
- Use specific conductance to distinguish base-flow components, Econfina Creek, Fla P 525-C
- Washington, Duwamish River estuary, movement and dispersion fluorescent dye P 575-B
- Duwamish River estuary, salt-water intrusion P 575-D

HYDROLOGY—Continued

- Wastes, movement waterborne
cadmium and hexavalent chromium,
Long Island P 475-C
- Water pollution, methods of
counting bacteria P 450-C
- Water quality, estimation from
electrical logs P 450-C
- Water retention in silts and
sands P 450-C
- Waterpower investigations, lakes,
Alaska P 475-B
- Well, estimating specific capacity .. P 450-E

ICELAND

- Infrared surveys P 650-C
- Reykjavik and Hveragerdi,
epidote and related minerals P 450-E
- Surtsey, thermal emission, 1966-69 . P 700-D

IDAHO

- Big Creek area, stratigraphy P 450-B
- Cache Valley, Bannock, and
Franklin Counties, gravity
anomalies P 700-C
- Caribou County, Gem Valley, gravity
and magnetic anomalies P 450-D
- Central, Big Creek quadrangle,
syenite complex P 450-E
- Big Creek-Yellow Pine
region, mercury-bearing antimony
deposit P 525-B
- Late Paleozoic depositional
history P 475-D
- Custer County, stratigraphic
micropaleontology type locality
White Knob Limestone,
Mississippian P 700-B
- East-central, Devonian
paleotectonics P 600-D
- Strike-slip faulting, broken
basin-ranges P 501-C
- Gem Valley, inferred pull-apart
origin, stratigraphic data P 525-C
- Idaho batholith, modal composition . P 475-C
- Lost River Range, Milligen
Formation, Mississippian P 575-C
- Madison Range, stratigraphy P 450-B
- National Reactor Testing
Station, radioactive waste
disposal P 450-C
- Relation percent sodium to source
and movement ground water . P 475-D
- Northern, late Pleistocene
Cordilleran glaciation P 525-C
- Varved lake beds P 575-B
- Ordovician chert, argillite,
shale, Cordilleran eugeosyncline . P 660-B
- St. Joe River area, metamorphic
geology P 450-C
- Snake River Plain, gravity,
volcanism, deformation P 450-D
- Menan Buttes, glassy basalt
tuff cones P 450-E
- Snake River Range, Darby
thrust P 575-D

IDAHO—Continued

- Southeastern, Permian coleoid
cephalopods, Phosphoria
Formation P 550-B
- Seismic refraction measurements
of crustal structure P 525-C
- Valley County, rhabdophone
from rare-earth occurrence P 600-B
- Western, Riggins quadrangle,
trondjemite P 450-E
- Yellowstone Plateau rhyolite
and basalt P 475-C

ILLINOIS

- Northwestern, analysis enrichment
elements in wallrock alteration,
zinc-lead district P 501-D
- Southern, ancient lake P 501-C
- Lake Paducah, late Pleistocene P 550-D

IMPACT STUDIES, energy balances

- for transient water craters P 650-D

INDIANA

- LaGrange County, Pretty
Lake, thermal stratification P 525-C
- Lake County, Pleistocene
deposits P 450-D
- Pretty Lake, botanical and
chemical characteristics during
fall overturn P 550-B
- Winter phytoplankton and physical
and chemical characteristics . P 550-D

INDONESIA

- Djatiluhur dams site P 450-D
- West Java, recent faulting,
damsites, Eretan area P 550-C

INSTRUMENTATION

- Ash content and composition
of Millipor HA filters P 650-D
- Automatic water sampling proportional
to streamflow P 650-D
- Comparison of propeller flowmeter
with hot-film anemometer in
measuring turbulence in movable-
boundary open-channel flows P 700-B
- Contour finder P 650-B
- Die for pelletizing samples
for X-ray fluorescence analysis . P 700-B
- Flow-through sampling system
for small boats or ice shelter
on lakes P 650-C
- Laboratory calibration of field
surveying instruments P 650-C
- Measurement atmospheric pressure
and subsurface gas pressure
in unsaturated zone of Bandelier
Tuff, Los Alamos, N. Mex. P 650-D
- Orthophotoscope modifications P 650-C
- Response of gas-purged manometers
to water-level surges P 650-D
- Simplified pumping sampler for
suspended sediment P 650-C
- Some techniques for photographing
fossils P 700-D
- Transistorized emission regulator
for gas-source mass spectrometry P 650-B

IOWA

- Dubuque area, phosphate deposits,
Maquoketa Shale P 550-B
Dubuque County, Ordovician-Silurian
contact P 475-C
Northeastern, analysis enrichment
elements in wallrock alteration,
zinc-lead district P 501-D
IRON, in hematitic ores, determination
by X-ray fluorescence spectrometry ... P 475-D
ISRAEL

- Southern, Makhtesh Ramon,
ostracodes P 475-C
Triassic conodonts P 700-B

K

KANSAS

- Dickinson County, new locations
Pleistocene (Kansan)
molluscan and ostracode faunas ... P 650-D
Methods estimating base flow
at ungaged stream sites P 575-C
Southwestern, movement moisture,
unsaturated zone, dune area P 600-D
Walnut River, oil-field-brine
pollution P 501-B

KENTUCKY

- Ballard County, Paleocene
strata, microfossil evidence
for correlation with lower
part of Porters Creek Clay P 575-B
Beaver Creek basin, quality
of water P 450-B
Calloway County, *Fustinipollenites*,
new Late Cretaceous genus P 575-B
Central, Borden Formation,
deltaic deposits P 700-D
Facies relations Rome Formation,
Conasauga Group P 501-B
Stream anticlines P 550-D
Eastern, aragonite and calcite
in mollusks, Pennsylvanian
Kendrick Shale P 575-D
Stratigraphy P 450-C
Volcanic origin flint clay in
Fire Clay coal bed, Breathitt
Formation P 525-D
Jackson Purchase region, authigenic
kaolinite in sand of Wilcox
Formation P 700-B
Mammoth Cave, fluvial
sedimentation P 475-D
Maysville-Stanford area, lithofacies
Upper Ordovician rocks P 600-D
Middleboro Basin, origin P 450-E
Northeastern, glacial erratics
and problem glaciation P 650-D
Mississippian-Pennsylvanian
boundary P 450-E
Northern, glacial deposits,
Nebraskan and Kansan P 525-B
Pre-Wisconsin glacial deposits ... P 550-B

KENTUCKY—Continued

- Princeton area, Caseyville
Sandstone (Lower Pennsylvanian)
may be Bethel Sandstone
(Upper Mississippian) P 700-D
Richmond area, pre-Middle Devonian
and post-Middle Devonian
faulting and the Silurian-Devonian
unconformity P 550-C
Southeastern, Cumberland Mountains,
Lee Formation P 501-B
Southern, Precambrian basement
from geophysical data P 450-C
Western, anastomosing channel
complex at base of Pennsylvanian
Series P 650-D
Ancient lake P 501-C
Lake Paducah, late Pleistocene P 550-D
Profiles of weathering of Peorian
Loess P 575-D
Saint Charles and Nortonville
quadrangles, fault scrap
exposures P 650-C
Western Kentucky coal field,
revised correlation No. 4
coal bed P 575-C
Woodford County, Versailles
area, cryptoexplosive structure ... P 501-B
KOREA, hydrogeologic reconnaissance . P 501-D

L

- LAKE SUPERIOR REGION,
magnetization, lowermost
Keweenawan lava flows P 600-D
LANDSLIDES, retrogressive,
north-central Puerto Rico P 501-B
LAVA, concentric structure in elongate
pillow, Amador County, Calif P 650-D
LIMNOLOGY

- Botanical and chemical characteristics
during fall overturn, small
eutrophic lake, Pretty Lake,
Ind. P 550-B
Florida, relation land use and
chemical characteristics lakes,
Orange County P 600-B
Great Salt Lake, Utah,
distinctive brines P 575-B
Shoreline features as indicators
of high lake levels P 575-C
Thermal stratification, elimination
by air-bubbling technique,
Lake Wohlford, Calif P 501-D
Seasonal erasure, Pretty Lake,
Ind. P 525-C
Water-quality changes in destratified
water column enclosed by polyethylene
sheet P 575-B
Winter phytoplankton, and physical
and chemical characteristics
of Pretty Lake, Ind. P 550-D
LITHOLOGY, glacial drift, Adirondack
Mountains, N.Y., estimating P 501-B

LOUISIANA

- Baton Rouge, quality of water P 450-B
 Southeastern, storm runoff P 501-D
 Southwestern, correlation aquifers . P 550-D

M

MAINE

- Aroostook County, graptolite-bearing
 Silurian rocks, Houlton-Smyrna
 Mills area P 550-B
 Smyrna Mills quadrangle, geological
 and geochemical
 reconnaissance P 475-D
 Ashland area, Caradocian
 fossiliferous rocks P 475-B
 Northeastern, stratigraphic
 and tectonic features P 501-C
 Northern, erect plants, Early
 Silurian P 550-D
 Middle Devonian plant fossils . P 501-D
 West-central, fossiliferous
 lower Paleozoic rocks, Cupsuptic
 quadrangle P 575-D
 Geochemical exploration P 501-D
 Second Lake anticline P 550-D

MANITOBA, Canada, Williston basin, age

- basement rocks P 475-D

MAPPING TECHNIQUES

- Airborne control system P 450-E
 Portable surveying tower P 450-E
 Shaded relief illustrations P 450-D
 Truck-mounted hydraulic-lift
 surveying tower P 550-B

MARINE GEOLOGY

- Atlantic Continental Shelf,
 bottom-water temperatures off
 New England P 575-D
 Underwater television system . P 575-C
 Bay of Fundy and northeastern
 Gulf of Maine, Triassic
 rocks P 550-B
 Composition basalts from seamounts
 off west coast Central America . P 525-C
 Fossiliferous rocks from submarine
 canyons off northeastern U.S. . P 600-D
 Gulf of Maine, basins P 525-D
 Heavy-mineral assemblages
 in near shore surface
 sediments P 575-C
 Hawaiian Ridge, giant submarine
 landlides P 501-D
 High efficiency subbottom profiling . P 575-C
 Klamath River delta, California . P 600-C
 Long Island Sound, Block
 Island Sound, Rhode Island
 Sound, Buzzards Bay,
 subsurface morphology P 575-C
 North Pacific Ocean, geochemistry
 deep-sea sediment along 160
 degrees W. meridian P 575-B
 Organic geochemistry, North
 Pacific deep-sea sediment
 samples P 550-C

MARINE GEOLOGY—Continued

- Pillow structures, submarine
 basalts, east of Hawaii P 475-B
 Redondo submarine canyon, southern
 California, origin P 575-C
 Sediments, continental margin
 off Eastern United States P 475-C
 Tortugas Terrace (Gulf of
 Mexico), a slip surface? P 600-D
 Volcanic rocks dredged southwest
 of Hawaiian Islands P 550-D

MARYLAND

- Allegheny structural front,
 peat resources, unglaciated
 uplands P 700-D
 Anacostia River basin, sediment
 discharge P 450-C
 Big Pipe Creek basin, precipitation
 and base runoff P 550-D
 Great Falls, K-Ar ages
 lamprophyre dikes P 700-C
 Harford County, mineralogy
 rutile- and apatite-bearing
 ultramafic chlorite rock P 600-C
 Rutile in serpentinite belt . P 700-C
 Montgomery County, Hunting
 Hill quarry, serpentinite
 and rodingite P 600-D
 Patuxent River estuary, environmental
 factors affecting attached
 macro-organisms P 475-D
 Potomac River basin, runoff
 water quality P 450-D
 Prince Georges and Montgomery
 Counties, Beltsville area,
 brick clay P 550-D
 Beltsville quadrangle, gravel . P 525-B
 Southern, clay mineralogy, samples
 from middle Miocene P 700-B
 Diatomite mining, outlook for
 resumption P 525-D
 Southwestern, faunal evidence
 for unconformity between Paleocene
 Brightseat and Aquia Formations P 650-C

MASSACHUSETTS

- Boston area, kaolinization of
 bedrock P 575-C
 Cape Cod, beach and eolian
 sands, statistical parameters . P 501-D
 Harwich and Dennis quadrangles,
 seismic investigations P 525-D
 Martha's Vineyard, Nantucket,
 seismic investigations P 650-B
 Seismic investigations P 475-D
 Cape Cod and vicinity, dark-mineral
 accumulations in beach and
 dune sands P 600-B
 Concord region, glacial lakes P 475-C
 Essex County, South Groveland
 quadrangle, gneissic rocks P 525-C
 Implications new radiometric
 ages P 525-D
 Martha's Vineyard, Illinoian
 and early Wisconsinan moraines . P 501-C

MASSACHUSETTS—Continued**Martha's Vineyard—Continued**

- Magnetic spherules, colored corundum, other constituents of heavy beach sand P 525-D
- Pleistocene geology P 501-C
- Merrimack River, bedrock beneath P 450-D
- Nahant gabbro folding P 525-C
- Northeastern, proposed revision subalkaline intrusive series P 525-C
- Triassic rocks P 540-C
- Southwestern, possible breccia, bearing on existence Taconic allochthon P 550-D
- Western, isoclinal folding indicated by primary sedimentary structures P 600-D

METAMORPHISM

- Connecticut, south-central, age and sequence formations P 450-D
- Staurolite zone, Idaho P 450-C

MEXICO

- Durango, Cerro de Mercado, mineralogy and geochemistry of fluorapatite P 650-D
- Parícutin volcano, 1965 P 550-C
- Sierra Madre Oriental-Mesa Central, structural geology P 450-C
- Zacatecas, northern, plutonic rocks P 475-C

MICHIGAN

- Isle Royale National Park, pink copper-bearing prehnite P 650-D
- Marquette County, Yellow Dog River, capture P 501-C
- Marquette district, Palmer Gneiss, retrograde metamorphism along unconformity P 600-D
- Northern, geochemical prospecting P 550-D

MINERALOGY

- Albite-pyroxene-glaucophane schist, Valley Ford, Calif P 600-C
- Alunite, southwestern Wyoming P 450-D
- Apatitized wood and leucophosphite, Moreno Formation, Calif P 475-C
- Attapulgite, Carlsbad Caverns, N. Mex P 501-C
- Barbosallite, from Sapucaia pegmatite mine, Minas Gerais, Brazil, twinning in P 650-D
- Bentonite beds, Carmel Formation, southwest Utah P 450-E
- Biotites, Cartridge Pass pluton, Sierra Nevada batholith, California P 600-B
- From hybrid granitoid rocks, southern Snake Range, Nev P 700-D
- Bismuth and tin minerals in gold- and silver-bearing sulfide ores, Ohio mining district, Utah P 575-D
- Chabasite, calcic siliceous, from John Day Formation, Grant County, Oreg P 700-D

MINERALOGY—Continued

- Clay mineralogy, samples from middle Miocene, southern Maryland P 700-B
- Clay minerals, Houston-Galveston Bay area, Texas P 501-C
- Use of diffracter-beam monochromator in X-ray diffraction P 600-B
- Computer-based procedure for deriving mineral formulas from mineral analyses P 575-C
- Corundum, eastern Alaska Range, Alaska P 700-C
- Direct microdetermination of silicon and aluminum in silicate minerals P 650-B
- Ferroan northupite, Green River Formation, Wyo P 501-B
- Ferroselite in roll-type uranium deposit, Powder River basin, Wyoming P 550-C
- Fluorapatite, Cerro de Mercado, Durango, Mexico P 650-D
- Fluorite, authigenic, in Pleistocene lacustrine rocks, Rome, Oreg. P 650-D
- Dissolution by aluminum solutions P 450-C
- Garnet, vanadium-rich, Laguna, N. Mex P 450-B
- Hawaiian olivines, Fo 76-88, X-ray determination curve P 525-C
- Heavy minerals, nonopaque in Miocene and Pliocene rocks, central Wyoming, western Nebraska, northeastern Colorado . P 650-C
- Nonopaque, rhyolitic lavas, Pahute Mesa, Nevada Test Site P 650-C
- Implements for handling small quantities of liquid P 450-C
- Jadeitic pyroxene, California metagraywackes P 525-C
- Jordisite, Ambrosia Lake, N. Mex. P 550-B
- Lanthanides, distribution of minerals P 650-C
- Laumontite, authigenic, in arkosic rocks, Eocene, Spanish Peaks area, Colorado P 650-D
- In Tertiary sandstones, central Coast Ranges, Calif P 700-D
- Loewite, vanthoffite, bloedite, and leonite, southeastern New Mexico P 550-B
- Ludwigite-vonsenite series, microindentation hardness of members P 650-B
- Magnetic spherules, colored corundum, other constituents of heavy beach sand, Martha's Vineyard, Mass P 525-D
- Malachite- and specularite-bearing Triassic sandstone, Chantilly Vs P 700-C

MINERALOGY—Continued

- Microanalysis with X-ray milliprobe P 650-B
 New (?) yttrium rare-earth
 iron arsenate mineral, Hamilton,
 Nev. P 575-B
 Nonopaque heavy minerals, sandstone
 of Eocene age, Washakie
 Basin, Wyo. P 700-D
 Opaque minerals in drill cuttings,
 Meteor Crater, Ariz. P 600-D
 Orthopyroxenes, Bushveld complex,
 South Africa, X-ray and
 chemical analysis P 600-B
 Stillwater complex, Montana,
 X-ray determinative curve P 575-B
 Permian manganese nodules near
 Dillon, Mont. P 650-C
 Phengitic micas, Cambrian
 Prospect Mountain Quartzite,
 eastern Nevada P 650-C
 Phosphate, solving problems
 with electron probe P 600-D
 Phosphate nodules, Wills Point
 Formation, Tex. P 600-B
 Phosphorite, Turayf region,
 northern Saudi Arabia P 600-C
 Prehnite, pink copper-bearing,
 Isle Royale National
 Park, Mich. P 650-D
 Prehnite and hydrogarnet (?)
 in Precambrian rocks, Boulder,
 Colo. P 525-D
 Pyrophyllite, Kekiktuk Conglomerate,
 Brooks Range, Alaska P 550-C
 Quartz sand grains from Bering
 Shelf, electron-microscopic
 examination of surface textures P 650-C
 Rare-earth minerals in marine
 evaporites, Paradox basin,
 Utah P 575-C
 Silication apatite, Adirondack
 Mountains P 501-B
 Thorium carbonate veins, northern
 Wet Mountains, Colo. P 550-B
 Rhabdophane from rare-earth
 occurrence, Idaho P 600-B
 Rutile- and apatite-bearing
 ultramafic chlorite rock, Harford
 County, Md. P 600-C
 Serpentine-mineral analyses
 and physical properties P 575-B
 Serpentinite and rodingite,
 Hunting Hill quarry, Montgomery
 County, Md. P 600-D
 Small-particle analysis with
 electron microprobe P 600-C
 Sodium niobate, Gem Park,
 Colo. P 450-C
 Sulfide and platinum-group minerals
 in chromitites, Stillwater
 complex, Montana P 575-D
 Swartzite, synthesis of large
 crystals P 450-C
 Tetrasilicic dioctahedral micas—celadonite
 near Reno, Nev. P 575-C

MINERALOGY—Continued

- Thalenite, Teller County,
 Colo. P 450-D
 Thermal expansion P 450-D
 Thortveitite associated with
 fluorite, Montana P 475-B
 Todorokite, strontium-bearing
 Turkey P 550-C
 Two-amphibole glaucophane schist,
 Franciscan Formation, Cazadero
 area, California P 550-C
 Underclays, Pennsylvania Anthracite
 region P 700-C
 Uranium minerals, Mohave Desert,
 California P 650-B
 Uranyl tricarbonatate P 501-B
 Valleriite and iron sulfide
 mackinawite P 475-D
 X-ray determinative curve, olivines P 450-E
MINING DISTRICTS
 Laguna, N. Mex., garnet P 450-B
 Taylor, Nev. P 450-B
 Tintic, Utah P 450-C
 Uravan mineral belt, Colorado-Utah P 450-C
MINNESOTA
 Cuyuna Range, electromagnetic
 measurements P 475-C
 Mesabi Iron Range, Mountain
 Iron-Virginia-Eveleth
 area, glacial geology P 501-C
 Minneapolis-St. Paul area,
 relation chemical quality of
 water to recharge to Jordan
 Sandstone P 501-C
 Nett Lake Indian Reservation,
 glacial geology P 450-D
 Stephen, ground water P 450-D
MISSISSIPPI
 Jackson, effect urbanization
 on floods P 575-D
 Flood-flow characteristics,
 rectified channel P 600-D
 Southeastern stratigraphic
 sequence P 475-D
 Southern, spectral analysis
 of seismic measurements from
 explosions P 600-C
 Southwestern, storm runoff P 501-D
MISSISSIPPI VALLEY, oxygen and
 carbon isotopic composition of ore
 and host rock, selected deposits P 650-C
MISSOURI
 Charleston, alluvial fan P 501-B
 North Fork River and Bryant
 Creek basins, structural
 controls on streamflow P 600-C
 Ozarks, semiquantitative method
 for determining source of
 springflow P 700-C
 Plains area, flood height-frequency
 relations P 600-D
 Southeast, Crooked Creek
 disturbance P 450-E
 Springfield, hydrologic study
 of waste-disposal problem in
 karst area P 600-C

MONTANA

- Bearpaw Mountains, sedimentary petrology P 450-B
- Dillon area, Permian manganese nodules P 650-C
- Eastern, relation between aquifer constants and estimated stress on artesian aquifer P 600-C
- Gallatin County, Tepee Creek quadrangle P 450-B
- Gallatin Range, Maywood Formation, Late Devonian P 501-C
- Gardiner area, landslides P 450-E
- Little Belt Mountains, Barker quadrangle, relation laccolithic intrusion to faulting P 525-C
- Composite dikes P 700-C
- Geologic and gravity evidence for buried pluton P 700-B
- Livingston area, Cretaceous and lower Tertiary rocks P 525-B
- Madison Range, stratigraphy P 450-B
- Northwestern, provenance igneous rocks in Cretaceous conglomerates P 600-D
- Regional aeromagnetic anomalies P 550-B
- Ravalli County, thortveitite P 475-B
- South-central, Livingston Group P 475-B
- Southern, dark shale unit, Devonian and Mississippian P 475-C
- Southwestern, Boulder batholith, modes and norms "homogeneous" pluton P 501-D
- Devonian paleotectonics P 600-D
- Negative aeromagnetic anomalies over mineralized areas, Boulder batholith P 650-D
- Post-Madison rocks P 475-B
- Strike-slip faulting, broken basin-ranges P 501-C
- Stillwater complex, sulfide and platinum-group minerals in chromitites P 575-D
- X-ray determinative curve for orthopyroxenes P 575-B
- Western, Precambrian phosphorite, Belt Series P 550-D
- Williston basin, age basement rocks P 475-D
- Yellowstone Plateau, rhyolite and basalt P 475-C

MOON

- Crater morphology and relative-age determination lunar geologic units—applications P 700-C
- Classification P 700-C
- Skeletal fuzz, origin and nature P 475-B

N

NEBRASKA

- Elkhorn River, use channel slope and discharge to determine reaseration coefficients P 700-C

NEBRASKA—Continued

- Jefferson County, landslides, effect on course of Whitetail Creek P 575-B
- North Platte River, chemical effects irrigation-return water ... P 550-C
- Northern, diurnal temperature fluctuations, three streams P 575-B
- Southeastern, channel scarp P 575-B
- Southwestern, White River Formation as aquifer P 550-D
- Western, nonopaque heavy minerals in Miocene and Pliocene rocks P 650-C

NEVADA

- Carlin and Pine Valley quadrangles, siliceous mudstones P 475-B
- Comstock, Tonopah districts, silver and mercury geochemical anomalies P 575-B
- Cortez region, geochemical anomalies, Roberts thrust P 501-B
- Eastern, phengitic micas from Cambrian Prospect Mountain Quartzite P 650-C
- Elko County, geology and mineral potential, Adobe Range, Elko Hills, and adjacent areas P 700-B
- Limestone turbidite of Kinderhook age, tectonic significance P 700-D
- Recent fault scarps, Independence Valley P 600-B
- Ruby Mountains, Ordovician tectonism P 575-D
- Wood Hills area, geophysical investigations P 575-B
- Elko County and vicinity, mineral ages plutons P 525-D
- Ely quadrangle, mineralization, magnetic anomaly P 450-E
- Esmeralda County, stratigraphy ... P 450-D
- Great Basin, correlation Lower Cambrian and Precambrian strata P 550-C
- Hamilton, new(?) yttrium rare-earth iron arsenate mineral P 575-B
- Humboldt County, East Range fault P 450-B
- Humboldt Range, prospecting P 450-B
- Lake Lahontan, stratigraphy P 450-C
- Lake Tahoe basin, mudflow in Second Creek drainage; its relation to sedimentation and urbanization P 650-C
- Lander County, Callaghan window, Roberts thrust, Toiyabe Range P 575-D
- Las Vegas region, crustal structure, seismic and gravity observations P 475-D
- Monograptus hereynicus nevadensis* n. subsp., Devonian P 575-B
- Mount Wheeler mine area, accessory sphene from hybrid rocks P 650-B

NEVADA—Continued

Mount Wheeler mine area—Continued

- Accessory zircon from granitoid
rocks P 600-D
- Muddy Mountains, Arrowhead
fault P 450-D

Nevada Test Site, engineering

- geology P 450-C
- Explosion-produced fractures,
HARDHAT event P 501-C
- Gold Meadows stock, gravity
survey P 475-B
- Ground water P 450-C
- Magnetic susceptibility and
grain density analysis, basalt
flows P 525-B
- Pahute Mesa, petrography and
heavy minerals of rhyolitic
lavas P 650-C
- Porosity lapilli tuff P 525-B
- Seismic events P 650-B
- Sodium as clue to direction
of ground-water movement .. P 600-D
- Stratigraphy P 450-C

North-central, westward tectonic
overriding, Mesozoic P 501-CNorthern, late Paleozoic depositional,
history P 475-DNorthwestern, stratigraphy and
geochronology Miocene volcanic
rocks P 700-DNye and Esmeralda Counties,
possible buried mineralized
areas P 525-D

Thirsty Canyon Tuff P 475-D

Nye County, calculated in
situ bulk densities from subsurface
gravity observations and density
logs, Nevada Test Site
and Hot Creek Valley P 700-BAnd adjacent areas, phosphate
occurrences P 700-CNevada Test Site, welded
tuffs P 475-BTimber Mountain dome and caldera,
structure P 501-B

Ultramafic xenoliths in basalt .. P 650-D

Ordovician chert, argillite,
shale, Cordilleran eugeosyncline .. P 650-BRelation between Bouguer gravity
anomalies and regional
topography P 550-BReno area, tetrasilicic dioctahedral
micas—celadonite P 575-C

Ruby Mountains, gravity anomalies P 600-B

Schell Creek Range, Ely
region, major thrust fault P 501-B

Shoshone Range, barite deposits .. P 475-B

Triassic ostracodes P 501-D

Snake Range, biotites from
hybrid granitoid rocks P 700-DSouth-central, carbon-14 dates
of ground water from Paleozoic
carbonate aquifer P 650-C

NEVADA—Continued

Southeastern, discharge Muddy
River Springs, relation
to interbasin movement ground
water P 501-DSouthern, ash-flow sheet, Piapi
Canyon Formation P 501-BBoulder City pluton, geology,
paleohydrology P 650-BCrustal structure determined
by seismic-refraction measure-
ments P 550-D

Dome Mountain, mafic lavas ... P 501-D

Gold Flat Member, Thirsty
Canyon Tuff, pantellerite
ash-flow sheet P 525-BOasis Valley, relation fluoride
content to recharge and movement
ground water P 475-DSpearhead and Rocket Wash
Member, Thirsty Canyon
Tuff (Pliocene) P 600-CTimber Mountain caldera,
structure P 525-B

Welded-tuff dike P 501-B

Spatial relation mineral deposits
to Tertiary volcanic centers P 700-C

Steamboat Springs, geochemistry ... P 450-D

Hydrothermal alteration basaltic
andesite and other rocks, drill
hole GS-6 P 575-BRole sulfur-oxidizing bacteria
in surficial acid alteration ... P 575-C

Taylor mining district P 450-B

Truckee Meadows, ground water ... P 450-C

White Mountains, Pleistocene
glaciers P 525-CWhite Pine County, heavy
minerals in stream sediments,
Connors Pass quadrangle P 550-CSnake Range, modification
potassium-argon ages by Tertiary
thrusting P 700-D

Stratigraphy P 450-C

NEW HAMPSHIRE, northern, Second

Lake anticline P 650-D

NEW JERSEY

Auburn, Foraminifera, Marshalltown
Formation P 501-BCamden area, geochemistry iron
in coastal-plain ground water ... P 650-BCamden County, middle Eocene
sea P 450-BCoastal Plain, palynology
upper Quaternary peat samples .. P 700-DDelaware River area, Martinsburg
Shale and younger formations
as sources lightweight aggregate . P 525-DEnglishtown Formation, hydrochemical
facies P 450-B

Floods, height-frequency relations .. P 475-D

Great Swamp, effect on streamflow
Passaic River basin P 525-BIsland Beach State Park,
petrography † asement gneiss P 501-C

Stratigraphic section P 475-B

NEW JERSEY—Continued

- Mullica River, ground-water movement beneath P 450-B
- North-central, sandblasted blocks, coastal plain P 550-B
- Northeastern, computation reaseration coefficients for river system P 600-D
- Passaic and Pompton Rivers, time-of-travel measurements P 550-B
- Passaic River at Little Falls, water quality 1947-64 P 525-D
- Stroudsburg (Pa.) area, structural control wind gaps, water gaps, stream capture P 550-B
- Trenton area, domes in coastal-plain formations P 550-B
- Ground water in Brunswick Shale P 650-B

NEW MEXICO

- Ambrosia Lake, clays P 450-D
- Jordisite P 550-B
- Radium migration, effect on age uranium deposits P 475-B
- Uranium district, ore-bearing cylindrical collapse structure P 475-C
- Bernardo area, evidence secondary circulation in alluvial channel P 575-D
- Caballo Mountains, thorium-bearing microcline-rich rocks P 525-D
- Carlsbad Caverns, attapulgite P 501-C
- Colorado Plateau, sedimentation P 450-D
- Eddy County, ground water in Cenozoic fill in collapse structures P 450-E
- Elephant Butte Reservoir, Rio Grande, elevation P 501-B
- Glacial deposits, correlation P 450-E
- Laguna mining district, garnet P 450-B
- Los Alamos area, distribution radioactivity in alluvium of disposal area P 550-D
- Ground-water movement P 450-B
- Measurement atmospheric pressure and subsurface-gas pressure in unsaturated zone of Bandelier Tuff P 650-D
- Sources carbon dioxide in zone of aeration of Bandelier Tuff P 650-B
- Los Alamos County, Pajarito Plateau, ground-water supplies .. P 650-B
- Rio Grande, near Bernardo, sandbar development and movement in alluvial channel P 700-B
- Temporary storage fine sediment in islands and point bars P 475-D
- Rio Puerco, clay balls P 450-B
- Roswell basin, tritium content as indicator age and movement ground water P 501-C
- San Juan basin, Btu values
- Fruitland Formation coal deposits P 501-D
- Ground water P 450-D
- Mineral belt, uranium deposits . P 600-B

NEW MEXICO—Continued

- South-central, Hondo Sandstone Member, San Andres Limestone, Permian P 700-C
- Southeastern, loewite, vanthoffite, bloodite, and leonite P 550-B
- Stratigraphy P 450-B
- Southwestern, beryllium belt P 550-C

NEW YORK

- Adirondack Mountains, estimating lithology glacial drift P 501-B
- Rare-earth silicatian apatite ... P 501-B
- Albany region, seasonal temperature fluctuations in surficial sand P 475-D
- Central, ostracode *Drypanellina clarki* in type Clinton P 525-C
- Tree growth nonsensitive indicator precipitation P 501-B
- Eastern, possible breccia, bearing on existence Taconic allochthon . P 550-D
- Kings and Queens Counties, New York City, major water-table changes P 450-E
- Long Island, design and construction injection well P 550-D
- Double-mass-curve analysis of effects of sewerage on ground-water levels P 600-B
- Gardiners Clay, late Pliocene, reexamination P 700-B
- Ground water runoff P 450-B
- Rate movement storm runoff through zone of aeration beneath recharge basin P 700-B
- South Farmingdale area, contamination ground water by detergents P 501-C
- Nassau and Queens Counties, salt-water encroachment in 1969 P 700-D
- Nassau County, Centre Island, relation fresh to salt water P 450-E
- Effect urbanisation on storm discharge and ground-water recharge P 475-C
- Southern, effect urbanisation on quality of streams P 700-C
- Niagara County, ground-water studies, periscope for study borehole walls P 501-D
- Temperature profiles in water wells as indicators of bedrock fractures P 600-B
- Niagara Falls, ground water P 450-C
- Northern, bedrock structure Covey Hill P 550-D
- Plattsburgh area, tree-throw origin of patterned ground on beaches of ancient Champlain Sea P 600-B
- St. Lawrence County, sphalerite vein and associated geochemical anomalies P 700-D
- Schenectady, ground water P 450-C

NEW YORK—Continued

- Southwestern, Jamestown area,
hydrology glaciated valleys P 575-B
Suffolk County, land-surface
conditions and ground-water
temperatures P 475-B
Upstate, low-flow frequency
interrelations, streams P 600-C
Western, orientation carbonate
concretions, Upper Devonian P 575-B

NORTH AMERICA, northwestern, quartz diorite line P 450-E

NORTH CAROLINA

- Benson, retention time and circulation
study in sewage stabilization
lagoon P 700-D
Burke County, Leonards Cut,
Pleistocene section P 475-D
Carolina Bays, origin P 450-C
Continental margin, gold
distribution P 700-C
Eastern, sulfate and nitrate
content of precipitation P 475-C
Grandfather Mountain area,
formation phyllonites P 550-D
High Rock quadrangle, geochemical
investigation P 501-C
Influence grain size on percentages
ThO₂ and U₃O₈ in detrital
monazite P 700-D
Metamorphic changes across Carolina
slate belt-Charlotte belt
boundary P 650-C
Northwestern, Grandfather Mountain
window, occurrence green iron-rich
muscovite and oxidation during
regional metamorphism P 575-C
Piedmont, Ordovician age rocks,
Carolina slate belt P 475-C
Raleigh, effect urban development
on quality ground water P 575-B
Stanly County, Mount Pleasant
quadrangle, accretionary lapilli,
Carolina slate belt P 475-B
Western, comparison chemical
composition rainwater and ground
water P 525-C
Origin amphibolites P 650-B

NORTH DAKOTA

- Dickey and Stutsman Counties,
winter loss and spring recovery
dissolved solids in two prairie-pothole
ponds P 575-C
Dickey County, diurnal variations
chemical quality water in prairie
potholes P 525-C
Eastern, geohydrology Dakota
Sandstone P 600-C
Mercer and Oliver Counties,
transmissivity and storage
coefficient aquifers in Fox
Hills Sandstone and Hell
Creek Formation P 700-B
Southeastern, geologic factors
affecting discharge Sheyenne
River P 501-D

NORTH DAKOTA—Continued

Southeastern—Continued

- Milnor channel, ice-marginal
course of Sheyenne River P 550-B
Sheyenne delta, glacial Lake
Agassiz P 575-B
Southwestern, age relationships
possible Eocene rocks P 650-B
Stutsman and Barnes Counties,
geohydrology Spiritwood aquifer P 501-D
Western, channel-scarp formation P 700-C
Williston basin, age basement
rocks P 475-D

O

OCEANOGRAPHY

- Carbon dioxide in sea water
and deep-sea sediments P 450-B
Radioactivity- and density-measuring
devices P 501-D

OHIO

- Cuyahoga River at Cleveland,
water-quality variations P 550-C
Mad River basin, Springfield
region, streamflow-ground water
regimen P 475-D
Miami River, ground water P 450-B
Northeastern, glacial geology P 450-C
Northwest, correlation of carbonate
rock units by natural gamma
logging P 650-B
Piketon, effect sampling and
testing methods on computed
hydraulic properties glacial
outwash P 550-D
Glacial-outwash aquifer, relation
permeability to particle size P 525-D
Scioto River valley near
Piketon, effect stream discharge
on streambed leakage to glacial
outwash aquifer P 700-D
Serpent Mound, origin, and
zinc occurrence P 450-D
Southeastern, glacial erratics
and problem glaciation P 650-D
OHIO RIVER VALLEY, Quaternary events,
unglaciated section P 475-B
OIL SHALE, Alaska, northern P 475-D

OKLAHOMA

- Carter, Murray, Pontotoc,
and Pittsburg Counties,
Woodford Shale, age determined
from conodonts P 525-D
Cheyenne region, Sandstone
Creek, channel changes P 475-C
Pond Creek basin, evapo-transpiration,
relation ground water to surface
water P 450-E
Southwestern, halite deposits,
Flowerpot shale P 450-E
Western, quality of water P 450-B

OREGON

- Canyon City quadrangle, local
thickening basalts and late
Tertiary silicic volcanism P 550-C

OREGON—Continued

- Cascade Range, paleobotany P 450-C
 Central Pumice Cone, Newberry
 Caldera, airfall ash and
 pumice lapilli P 650-D
 Coast Ranges, upside-down
 metamorphic zonation, blueschist
 facies, along regional thrust P 575-C
 East-central, Canyon Mountain
 Complex P 475-C
 Grant County, calcic siliceous
 chabazite from John Day
 Formation P 700-D
 Harney County, Buzzard Creek
 area, possible fissure vent
 for Pliocene ash-flow tuff P 650-C
 Keizer, migration "one-shot"
 contaminant in alluvial
 aquifer P 575-B
 Lake and Harney Counties,
 laminar flowage in Pliocene
 soda rhyolite ash-flow tuff P 600-B
 Lakeview area, contraction jointing
 and vermiculitic alteration,
 andesite flow P 575-D
 Malheur County, authigenic
 fluorite in Pliocene lacustrine
 rocks near Rome P 650-D
 North-central, base of John
 Day Formation, Horse
 Heaven mining district P 600-D
 Lawsonite blueschist P 650-B
 Northern, Dalles Formation,
 lithology and eastward extension P 550-D
 Dalles-Umatilla syncline P 575-B
 Southwestern, Bouguer gravity
 field P 550-C
 Dothan and Rogue Formations,
 relationships P 650-D
 Late Mesozoic orogenies, ultramafic
 belts P 501-C
 Streams, water-temperature data .. P 501-D
 Wallows Lake, glaciation P 575-C

P

PACIFIC OCEAN

- Cocos Ridge, composition
 basalts from seamounts P 525-C
 North, geochemistry deep-sea
 sediment along 160° W.
 meridian P 575-B
 Organic geochemistry, deep-sea
 sediment samples P 550-C

PAKISTAN, Bay of Bengal, beach
placers

P 450-C

PALEOECOLOGY

- Paleotemperature inferences
 from late Miocene mollusks,
 California P 475-C
 Permian Phosphoria Formation
 and related rocks P 475-B
 Pleistocene-Recent boundary,
 Gulf of Alaska, benthonic
 Foraminifera P 475-C

PALEOGEOGRAPHY

- Maywood Formation, Late
 Devonian, southwestern Montana P 501-C
 Miocene basalt flows, Caliente
 Range, Calif. P 575-B

PALEOGEOMORPHOLOGY. *See* GEOMOR-
PHOLOGY.

PALEOMAGNETISM

- Devonian geomagnetic field intensity
 in Scotland, estimates P 575-D
 Lowermost Keweenawan lava
 flows, Lake Superior area P 600-D

PALEONTOLOGY

- Alaska, upper Mesozoic rocks,
 Wrangell Mountains P 550-C
 Algal stromatolites, Upper
 Cambrian Copper Ridge
 Dolomite, Tenn. P 550-C
 Ammonite, Cretaceous, *Clioscapites*
saxitonianus P 450-C
 Cretaceous, *Haresiceras* P 450-B
Demoscaphites range zone P 450-D
Didymoceras stevensoni (Whitfield)
 and *Exiteloceras jenneyi*
 (Whitfield), Late Cretaceous,
 Del. P 700-D
Hoplitoplacentceras, Cretaceous,
 Wyo. P 475-C
 Aragonite and calcite in mollusks,
 Pennsylvanian Kendrick
 Shale, Ky P 575-D
 Barstow Formation (Miocene),
 Alvord Mountain area, San
 Bernardino County, Calif P 600-C
 Bisons and peccaries, Pleistocene,
 Colo P 700-B
 Caradocian fossiliferous rocks,
 Ashland, Maine P 475-B
 Cephalopods, Permian coleoid,
 Phosphoria Formation, Idaho
 and Montana P 550-B
 Conodonts, Flynn Creek cryptoexplosive
 structure, Tennessee P 475-C
 Triassic, from Israel P 700-B
Cythereis eaglefordensis Alexander,
 1929, guide fossil for deposits
 latest Cenomanian age, western
 interior and Gulf Coast
 regions, U.S. P 650-D
Cytherelloidea, paleotemperature
 indicator P 450-D
 Diatoms, late Pleistocene,
 Chile P 475-C
 Faunal evidence for unconformity
 between Paleocene Brightseat
 and Aquia Formations, Maryland
 and Virginia P 650-C
 Foraminifera, Clayton Formation
 (Paleocene), Hardeman County,
 Tenn P 600-C
 Marshalltown Formation, N.J. . P 501-B
 Middle Eocene, N.J. P 450-B
 Upper Eocene, Burke County,
 Ga P 501-C

PALEONTOLOGY—Continued

- Foraminifera, Arctic Ocean
off eastern Siberian coast P 550-C
- Fusitipollenites*, new Late
Cretaceous genus, Kentucky P 575-B
- Graptolite-bearing Silurian
rocks, Houlton-Smyrna Mills
area, Maine P 550-B
- Graptolites, first occurrence
in Klamath Mountains, Calif P 525-C
- Gray Bull and Lysite faunal
zones, Willwood Formation,
Bighorn Basin, Wyo P 525-D
- Larger mammals and mylagaulid
rodents, Troublesome Formation
(Miocene), Colo P 550-B
- Late Pliocene lagomorphs,
San Pedro Valley, Ariz. P 600-D
- Leporidae, middle Pleistocene,
San Pedro Valley, Ariz. P 700-B
- Leptoceratops*, Cretaceous
dinosaur, Pinyon Conglomerate,
northwestern Wyoming P 700-D
- Lower Permian plants, Arroyo
Formation, north-central
Texas P 575-C
- Megaspores and microspores,
Cretaceous *Ariadnaesporites*
Potonie, 1956, emend P 550-D
- Miocene macrofossils, southeastern
San Joaquin Valley, Calif P 525-C
- Mollusk *Matthevia*, Late
Cambrian, stratigraphic
distribution P 525-B
- Monograptus hercynicus nevadensis*
n. subsp., Devonian, Nev P 575-B
- Oketaella earglei*, new fusulinid
species, Graford Formation
(Pennsylvanian), Tex P 550-B
- Oldhamia*, Cambrian trace
fossil, Alaska P 525-D
- Ostracodes, *Drepanellina clarki*
in type Clinton, New York
State P 525-C
- Indiana tennesseensis* (Reaser),
Cambrian Chilhowee Mountain,
Tenn P 475-C
- Middle Triassic marine, Israel . P 475-C
- Superfamily Healdiacea and
genus *Pseudophana-*
symmetria P 525-B
- Triassic, Alaska and Nevada . P 501-D
- Palynology upper Quaternary
peat samples, New Jersey
Coastal Plain P 700-D
- Pendent didymograptids, northern
Arkansas P 700-D
- Plants, Early Permian, Cutler
Formation, Monument Valley,
Utah P 700-B
- Erect, Early Silurian, Maine . P 550-D
- Middle Devonian, northern
Maine P 501-D
- Pleistocene (Kansan) molluscan
and ostracode faunas, Dickinson
County, Kans., new locations P 650-D

PALEONTOLOGY—Continued

- Pollen and spores, Late Cretaceous,
Chambersburg area, Pa P 525-B
- Pollen sequence, Miocene,
Oreg P 450-C
- Rugose coral *Rhizophyllum*,
new occurrences, North America . P 475-D
- Schwagerina crassitectoria*
Dunbar and Skinner, 1937,
fusulinid from Wichita Group,
Tex P 600-B
- Some techniques for photographing
fossils P 700-D
- Stratigraphic micropaleontology,
type locality White Knob
Limestone (Mississippian),
Custer County, Idaho P 700-B
- Tertiary fossils, Orca Group,
Prince William Sound
region, Alaska, stratigraphic
significance P 550-B
- Triassic, Klamath Mountains,
Calif P 450-B
- Vertebrates, Miocene, Barstow
Formation, southern California . P 475-D
- Miocene, Middle Park, Colo P 475-B

PENNSYLVANIA

- Allegheny structural front,
peat resources, unglaciated
uplands P 700-D
- Anthraxite region, mineralogy
underclays P 700-C
- Stratigraphy P 450-C
- Chambersburg area, pollen and
spores, Late Cretaceous P 525-B
- Cumberland County, white clay
deposits, Mount Holly Springs . P 650-B
- Delaware River area, Martinsburg
Shale and younger formations
as sources lightweight aggregate . P 525-D
- Fayette and Greene Counties,
transcurrent structure P 600-C
- Lancaster County, high-calcium
limestone deposits P 700-B
- Lehigh River, effects released
reservoir water on quality P 575-D
- Kunkletown area, residual clay
deposits in rocks of Early
and Middle Devonian age P 650-D
- Potomac River basin, runoff P 450-D
- Southeastern, effect magmatic
differentiation on magnetic
properties diabase sheets P 550-D
- Lancaster quadrangle, calcium-
magnesium ratios in ground water
from carbonate rocks P 575-C
- Southern, Great Valley,
geomorphic significance Cretaceous
deposit P 525-C
- Southwestern, methods of storing
and retrieving core-log data
on coal-bearing rocks P 650-C
- Stroudsburg area, structural
control wind gaps, water gaps,
and stream capture P 550-B

PENNSYLVANIA—Continued

- Susquehanna River, patterns
of dissolved oxygen in thermally
loaded reach P 525-C
Water quality P 450-D
Washington County, stratigraphy .. P 450-C

PERU, western photomosaic from Gemini
photography P 600-C

PETROLOGY AND PETROGRAPHY

- Accessory sphene from hybrid
rocks, Mount Wheeler mine
area, Nevada P 650-B
Accessory zircon from granitoid
rocks, Mount Wheeler mine
area, Nevada P 600-D
Accretionary lapilli in rocks,
Carolina slate belt P 475-B
Airfall ash and pumice lapilli
deposits from Central Pumice
Cone, Newberry Caldera,
Oreg P 650-D
Alaska, plutonic belt, west-central .. P 550-D
Albite-pyroxene-glaucophane
schist, Valley Ford, Calif P 600-C
Alkaline intrusive rocks, Wet
Mountains, Colo P 450-E
Amphibolites, western North
Carolina, origin P 650-B
Andesite flow, contraction jointing
and vermiculitic alteration,
near Lakeview, Oreg P 575-D
Ash-flow sheet, zonal features,
southern Nevada P 501-B
Authigenic kaolinite in sand
of Wilcox Formation, Jackson
Purchase region, Kentucky P 700-B
Basalt flows, identification
by magnetic susceptibility
and grain density analysis P 525-B
Basalts from seamounts off west
coast Central America P 525-C
Basement gneiss, Island Beach
State Park, N.J P 501-C
Bedded barite deposits, Nevada P 475-B
Biotites from Cartridge Pass
pluton, Sierra Nevada batholith,
California P 600-B
Blueschist facies, related greenschist
rocks, Seward Peninsula,
Alaska P 700-B
Upside-down metamorphic zonation
along regional thrust, California
and Oregon P 575-C
Boulder batholith, modes and
norms "homogeneous" pluton ... P 501-D
Boulder City pluton, southern
Nevada P 650-B
Breccia pipes, West Tintic
and Sheeprock Mountains,
Utah P 575-C
Calcitization of dolomite, Minnelusa
Formation, Black Hills P 475-C
Canyon Mountain Complex,
Oregon, and Alpine mafic
magma stem P 475-C

PETROLOGY AND PETROGRAPHY—Con.

- Chemistry of primary minerals
and rocks, Red Mountains-Del
Puerto ultramafic mass,
California P 600-C
Chittistone and Nisina Limestones,
southern Wrangell Mountains,
Alaska, carbonate petrography
and depositional environments ... P 650-D
Classification quartz-rich igneous
rocks P 525-B
Clay minerals, Houston-Galveston
Bay area, Texas P 501-C
Composite dikes, Little Belt
Mountains P 700-C
Concentric structure in elongate
pillows, Amador County,
Calif P 650-D
Copper in biotite from igneous
rocks, southern Arizona,
as ore indicator P 700-B
Cordierite in Precambrian
rocks, Colorado P 475-B
Cretaceous volcanism, north-central
Puerto Rico, significant
changes in P 550-D
"Eclogite" in Hawaiian basalts ... P 550-D
Gabbro, Front Range, Colo P 450-D
Gold Flat Member, Thirsty
Canyon Tuff, pantellerite
ash-flow sheet, Nevada P 525-B
Granulite and peridotite inclusions,
Prindle Volcano, Alaska P 550-B
Greenstone, Catoclin Formation,
Blue Ridge, Va P 501-C
Hawaiian olivines, Fo76-88.
X-ray determinative curve P 525-C
Hydrothermal alteration basaltic
andesite and other rocks, drill
hole GS-6, Steamboat Springs,
Nev P 575-B
Idaho batholith, modal composition .. P 475-C
Index of refraction, fused Hawaiian
rocks P 450-B
Intrusive rocks, north-central
Puerto Rico P 600-B
Jadeitic pyroxene, California
metagraywackes P 525-C
Laminar flowage in Pliocene
soda rhyolite ash-flow tuff,
Oregon P 600-B
Laumontite in Cretaceous sedimentary
rocks, western Alaska P 501-C
Lawsonite blueschist, north-central
Oregon P 650-B
Limestones, electron microscopy,
Franciscan Formation, Calif P 575-B
Mafic and ultramafic rocks from
layered pluton, Mount Fairweather,
Alaska P 700-B
Mafic lavas, Dome Mountain,
Nev P 501-D
Magmatic differentiation in
volcanic sequence, Creede
caldera, Colorado P 475-D

PETROLOGY AND PETROGRAPHY—Con.

- Magnetic spherules, colored corundum, other constituents of heavy beach sand, Martha's Vineyard, Mass P 525-D
- Metamorphic changes across Carolina slate belt-Charlotte belt boundary, North Carolina and Virginia P 650-C
- Mount Edgecumbe volcanic field, Kruzof Island, southeastern Alaska P 650-D
- Occurrence green iron-rich muscovite and oxidation during regional metamorphism, Grandfather Mountain window, North Carolina P 575-C
- Oligocene rhyolite, Denver basin P 650-B
- On-land Mesozoic oceanic crust, California Coast Ranges P 700-C
- Ordovician bedded chert, argillite, and shale, Cordilleran eugeosyncline, Nevada and Idaho P 650-B
- Palmer Gneiss, retrograde metamorphism along an unconformity P 600-D
- Phlogopite and actinolite in latitic dike rocks, Bingham mining district, Utah P 700-C
- Phosphate, nodules, Wills Point Formation, Tex P 600-B
- Precipitation and recycling, Florida land-pebble deposits . P 525-B
- Phyllonites, formation, Grandfather Mountain area, North Carolina . . P 550-D
- Pillow structures, submarine basalts, east of Hawaii P 475-B
- Porosity lapilli tuff, Nevada Test Site P 525-B
- Possible fissure vent for Pliocene ash-flow tuff, Buzzard Creek area, Harney County, Oreg P 650-C
- Potassium-rich andesite flow, late Quaternary, Mount Adams, Wash P 575-C
- Precambrian rocks penetrated by deep disposal well, Rocky Mountain Arsenal, Colo P 600-B
- Pumice from 19th century eruption, Mount Rainier, Wash P 650-B
- Quartz diorite line, northwestern North America P 450-E
- Quartz diorite-quartz monzonite and granite plutons, Pasayten River area, Washington P 600-C
- Rapid determination of powder density of rocks by sink-float technique P 650-B
- Rate palagonitization submarine basalt near Hawaii P 550-D
- Redskin Granite and associated rocks, Lake George beryllium area, Colorado P 550-C

PETROLOGY AND PETROGRAPHY—Con.

- Refractive index of glass beads distinguishes Tertiary basalts, Grays River area, southwest Washington P 600-C
- Relation, carbon dioxide content of apatite of Phosphoria Formation to regional facies P 700-B
- Pore volume silty sediments to overburden load, particle size, sorting P 450-E
- Rhyolite, basalt, Yellowstone Plateau P 475-C
- Eddies as indicators local flow direction P 475-D
- Lavas, Pahute Mesa, Nevada Test Site, petrography and heavy minerals P 650-C
- "Salt cups," formation, Chile P 450-E
- Serpentinite and rodingite, Hunting Hill quarry, Montgomery County, Md P 600-D
- Serpentinization in sheared serpentinite lens, Tiburon Peninsula, Calif P 600-B
- Siliceous mudstones, Nevada P 475-B
- Similarity Cenozoic igneous activity in San Juan and Elk Mountains, Colo., regional significance P 650-D
- Solution breccias, Minnelusa Formation, Black Hills P 475-C
- Source travertine in Creede Formation, San Juan Mountains, Colo. P 600-B
- Spheroidal weathering of thermally metamorphosed limestone and dolomite, White Mountains, Calif P 575-C
- Staining plagioclase feldspar and other minerals with F. D. and C. Red No. 2 P 501-B
- Syenite complex, Big Creek quadrangle, central Idaho P 450-E
- System $MnCO_3$ - $CaCO_3$ - $MgCO_3$, mineral composition P 501-C
- Tectonic inclusions, serpentinite, Alaska P 575-D
- Temperatures, Alae lava lake, Hawaii, eruption Kilauea, 1963 P 501-D
- Tertiary volcanic sequence, San Juan Mountains, Colo P 475-D
- Thorium-bearing microcline-rich rocks, Caballo Mountains, N. Mex P 525-D
- Trondjemite, Riggins quadrangle, western Idaho P 450-E
- Tuff containing zeolites, determining density and porosity P 475-B
- Tuffaceous epiclastic breccia and sandstone near Hahns Peak, Colo., genetic implications . P 650-B
- Tuffaceous sandstones, Chinle Formation, Colorado Plateau P 475-B

PETROLOGY AND PETROGRAPHY—Con.

- Two-amphibole glaucophane schist,
Franciscan Formation, Cazadero
area, Calif P 550-C
- Ultramafic xenoliths in basalt,
Nye County, Nev P 650-D
- Undevitrified volcanic glass,
Hound Island, southeastern
Alaska P 525-C
- Use scanning electron microscope
in geologic studies P 550-D
- Volcanic origin flint clay in
Fire Clay coal bed, Breathitt
Formation, Ky P 525-D
- Volcanism and tectonism reflected
by distribution nonopaque heavy
minerals, Tertiary rocks,
Wyoming and adjacent States P 575-C
- Walsen composite dike, Walsenburg,
Colo P 501-B
- Welded tuff, dike, southern
Nevada P 501-B
- Welded tuff, Nevada Test
Site P 475-B
- West Elk laccolithic cluster,
Colorado P 501-C
- Westerly and Narragansett
Pier Granites, Rhode
Island and Connecticut P 600-D
- Zeolitic authigenesis tuffs in Ricardo
Formation, Kern County,
Calif P 525-D
- Zeolitization associated with
hot springs in central Colorado .. P 700-B

PHOTOGEOLOGY

- Measurement abundance fracture
traces on aerial photographs P 575-C
- New system for viewing mapping
photographs P 575-D
- Time, shadows, terrain, and
photointerpretation P 575-B

PHOTOGRAMMETRY

- Aerotriangulation P 450-B
- Contouring areas covered by
evergreen forests P 501-C
- Edge isolation techniques P 450-D
- Orthophotoscope P 450-B

PHOTOGRAPHIC TECHNIQUES. *See also*
CARTOGRAPHY.

- Photographic copying using
reflection-transmission
illumination P 525-B

PLEISTOCENE GEOLOGY. *See*
QUATERNARY GEOLOGY.

- POTOMAC RIVER, summer base flow .. P 575-C
- POTOMAC RIVER BASIN, drainage density
as indicator of base flow P 650-C

PUERTO RICO

- Guánica-Guayanilla Bay area,
geology P 475-B
- North-central, Cretaceous
volcanism, significant changes ... P 550-D
- Intrusive rocks P 600-B
- Landslides P 501-B
- Northern, solution trenches
in karst P 501-B

PUERTO RICO—Continued

- Northwestern, high-level Quaternary
beach deposits P 600-C
- Salinas area, hydrologic characteristics
alluvial fan P 550-C
- Yauco area, stratigraphy and
hydrology P 450-D

Q

QUATERNARY GEOLOGY *See also* GLACIAL
GEOLOGY.

- Alaska, Birch Creek pingo P 525-C
- Glacial drift, Anchorage, subsurface
stratigraphy P 525-D
- Recent history, upper Tanana
River lowland P 525-C
- California, San Joaquin
Valley, geology and radiocarbon
ages, late Pleistocene lacustrine
clay deposits P 600-B
- Colorado, Denver area, soils
on upper Quaternary deposits ... P 575-D
- Durango area, San Juan Mountains,
stratigraphy P 525-C
- Connecticut, glacial Lake
Norfolk and drainage changes
near Norfolk P 650-D
- Idaho-Washington, varved lake
beds P 575-B
- Kentucky, glacial deposits,
Nebraskan and Kansan P 525-B
- Western, profiles of weathering
of Peorian Loess P 575-D
- Kentucky-Illinois, Lake
Paducah, late Pleistocene P 550-D
- Kentucky-Ohio, glacial erratics
and problem glaciation P 650-D
- Lake Bonneville stratigraphy
and history, evidence from
Promontory Point, Utah P 525-C
- North Dakota, Milnor channel,
ice-marginal course of Sheyenne
River P 550-B
- Sheyenne delta, glacial Lake
Agassiz P 575-B
- Washington, Mount Rainier,
post-hypsithermal glacier
advances P 501-D
- Pleistocene clays, Seattle P 575-B
- Puget Sound trough, age and
origin P 525-B
- Wyoming, three pre-Bull
Lake tills, Wind River
Mountains P 501-D

QUEBEC

- Southeastern, Second Lake
anticline P 650-D
- Southern, bedrock structure
Covey Hill P 550-D

R

RADIOACTIVE WASTE DISPOSAL

- Cesium and strontium sorption studies
in glauconite P 501-B

RADIOACTIVE WASTE DISPOSAL—Con.

- Distribution radioactivity in alluvium of disposal area, Los Alamos, N. Mex. P 550-D
- Hydrology, National Reactor Testing Station, Idaho P 450-C
- In crystalline rocks, AEC Savannah River Plant, South Carolina P 501-C
- Infiltration rates in weathered crystalline rocks, Georgia Nuclear Laboratory P 450-E
- Lead in tap water, removal by aquatic organisms P 475-C
- Model study P 450-C

REMOTE SENSING

- Airborne multispectral television system P 575-D
- Infrared imagery in study San Andreas fault system, California . P 575-D
- Photomosaic of western Peru from Gemini photography P 600-C
- Radar imagery, southern Utah, geologic evaluation P 575-D

RHODE ISLAND, southern, Westerly and Narragansett Pier Granites P 600-D**ROCKY MOUNTAINS**

- Mississippian depositional provinces, northern P 575-D
- Southern, seismic study crustal structure P 525-D
- Volcanism and tectonism reflected by distribution nonopaque heavy minerals, Tertiary rocks P 575-C

ROCK MECHANICS. See ENGINEERING GEOLOGY.**S****SALT**

- Anticline, Gypsum Valley, Colo P 475-D
- Diapir, Cattle Creek anticline, Glenwood Springs, Colo P 550-B
- Domes near San Pedro de Atacama, Chile P 450-D
- Halite deposits, Flowerpot Shale, southwestern Oklahoma . . P 450-E
- Rock salt, effects Gnome nuclear explosion on P 501-B
- "Salt cups," formation, San Pedro de Atacama, Chile P 450-E

SASKATCHEWAN, Williston basin, age basement rocks P 475-D**SAUDI ARABIA**

- Northern, Turayf region, phosphorite P 600-C
- Rabigh area, anomalous metal concentrations in jasperoid from barite veins P 550-C

SCOTLAND, estimates Devonian geomagnetic field intensity P 575-D**SEDIMENT PETROLOGY**

- Clay content, relation to volumetric shrinkage P 450-B

SEDIMENT PETROLOGY—Continued

- Phosphate nodules, Colorado Shale P 450-B
- Porosity, relation to specific gravity P 450-B
- Stream directions, Lakota Formation P 450-B

SEDIMENTATION

- Bed forms and flow phenomena, Rio Grande, El Paso, Tex P 501-B
- Chile, Quaternary mudflow deposits, Santiago region P 475-D
- Clay balls, Rio Puerco, N. Mex P 450-B
- Glaciolacustrine diamicton deposits, Copper River basin, Alaska P 475-C
- Granules in bolson environment, distribution P 475-C
- Lithology glacial drift, Adirondack Mountains, N.Y., estimating P 501-B
- Mammoth Cave, Ky., fluvial P 475-D
- Model studies of deformation P 450-D
- Rio Grande, temporary storage fine sediment in islands and point bars P 475-D
- Roll in sandstone lentil, Green River, Wyo P 450-C
- Sediment concentrations, dissimilarity between spatial and velocity-weighted P 475-D
- Transport on alluvial fans P 475-C
- Ultrasonic dispersion samples sedimentary deposits P 501-C
- Wind directions P 450-D

SEDIMENTOLOGY

- Cape Cod beach and eolian sands, statistical parameters P 501-D
- Carbonate concretions, orientation, Upper Devonian, N.Y. P 575-B
- Climbing-ripple structure, significance P 550-D
- Dark-mineral accumulations in beach and dune sands, Cape Cod and vicinity P 600-B
- Evaluation, method for estimating sediment yield P 700-B
- Evidence secondary circulation in alluvial channel, New Mexico P 575-D
- Field procedures for measuring settling characteristics of sediment samples P 600-D
- Heavy minerals in stream sediments, Connors Pass quadrangle, Nevada P 550-C
- Hydrologic and biotic effects of grazing versus nongrazing near Grand Junction, Colo P 700-B
- Hydraulic equivalence of minerals with consideration of reentrainment process P 650-B
- Measurement water flow and suspended-sediment load, Bolinas Lagoon, Bolinas, Calif P 650-B

SEDIMENTOLOGY—Continued

- Mudflow in Second Creek drainage, Lake Tahoe basin, Nevada; its relation to sedimentation and urbanization P 650-C
- Occurrence dissolved solids in surface waters, United States P 501-D
- Origin Ordovician quartzite, Cordilleran miogeosyncline P 600-B
- Quality control of adjustment coefficients P 600-B
- Recovery of bromoform used in mineral separations P 550-C
- Relation turbulence to deposition magnetite over ripples P 650-D
- Sandbar development and movement, alluvial channel Rio Grande near Bernardo, N. Mex P 700-B
- Sediment sampling with surface sampler and depth-integrating samplers, comparative results P 650-C
- Sediment transport, statistical model P 575-B
- Settling velocity grains quartz and other minerals in sea water versus pure water P 700-B
- Statistics of orientation of bedding planes, grain axes, and similar data P 525-C

SOILS

- Arizona, moisture losses in upper 3 inches of soil, Cibecue Ridge P 650-B
- Colorado, Adams County, radioelement content P 600-B
- On upper Quaternary deposits near Denver P 575-D
- Differences in soil chemistry induced by evaporation and flow of ground water P 650-D
- Kentucky, profiles of weathering of Peorian Loess P 575-D

SOUTH AFRICA

- Bushveld complex, X-ray and chemical analysis, orthopyroxenes P 600-B
- Temperature variations, deep flowing wells P 600-D

SOUTH CAROLINA

- Aiken area, Savannah River Plant, hydraulic correlation of fracture zones in buried crystalline rock P 550-D
- Savannah River plant, permeability fractured crystalline rock P 575-B
- Carolina Bays, origin P 450-C
- Continental margin, gold distribution P 700-C
- Influence grain size on percentages ThO₂ and U₃O₈ in detrital monazite P 700-D
- Savannah River Plant, AEC, geohydrology storage radioactive wastes in crystalline rocks P 501-C

SOUTH DAKOTA

- Black Hills, isotopic age and geologic relationships, Little Elk Granite P 575-D
- Lakota Formation P 450-B
- Minnelusa Formation, petrology P 475-C
- Southern, pre-Fall River folding P 501-D
- Campbell County, effects reservoir filling on buried aquifer of glacial origin P 650-B
- Lawrence County, iron deposits, Estes Creek area P 700-B

SPACE PHOTOGRAPHY, Apollo 7

- photography, Antofagasta Province, Chile P 700-D

STORAGE AND RETRIEVAL OF GEOLOGICAL DATA

- Core-log data on coal-bearing rocks, southwestern Pennsylvania P 650-C
- Data centers in geologic mapping .. P 650-C

STRATIGRAPHY

- Age relationships possible Eocene rocks, southwestern North Dakota P 650-B
- Alaska, White Mountain area, Middle(?) Ordovician, Devonian(?), and Cretaceous(?) rocks P 525-C
- Antarctica, north Victoria Land P 600-D
- Apache Creek Sandstone Member, Pierre Shale, Colo. P 475-B
- Barstow Formation (Miocene), Alvord Mountain area, San Bernardino County, Calif. P 600-C
- Basement gneiss, Island Beach State Park, N.J. P 501-C
- Blond Formation, Washington County, Ark P 450-D
- Borden Formation (Lower Mississippian), central Kentucky, deltaic deposits P 700-D
- Bouse Formation (Pliocene), Parker-Blythe-Cibola area, Arizona and California P 600-D
- Cambrian, central Idaho P 450-B
- Esmeralda County, Nev P 450-D
- Nevada Test Site P 450-D
- Ordovician, Silurian formations, Independence quadrangle, California P 475-B
- Cambrian(?) to Middle Devonian, northeastern Maine P 501-C
- Caseyville Sandstone (Lower Pennsylvanian) near Princeton, Ky., may be Bethel Sandstone (Upper Mississippian) P 700-D
- Catskill Formation, Pennsylvanian P 450-C
- Chainman Formation, Nevada P 450-C
- Chattanooga Shale (Devonian and Mississippian), Big Stone Gap, Va P 501-B
- Chinle Formation and Glen Canyon Sandstone, Utah-Colorado P 501-D

STRATIGRAPHY—Continued

- Clayton Formation (Paleocene),
Hardeman County, Tenn. P 600-C
- Clinton (Middle Silurian),
New York State, presence
ostracode *Drepanellina clarki* P 525-C
- Copper Ridge Dolomite, Upper
Cambrian, Tennessee P 550-C
- Cretaceous, Alaska Peninsula,
Kamishak Hills P 550-D
- Conglomerates, northwestern
Montana, provenance igneous
rocks P 600-C
- Southern Wyoming P 450-D
- Tertiary, Quaternary sediments,
New Jersey coast P 475-B
- Wyoming, Lamson-Baird area P 550-B
- Wyoming, regional unconformity P 550-B
- Cretaceous and lower Tertiary,
Montana and Wyoming P 525-B
- Crinoidal bioherms, Fort Payne
Chert, Caney Fork River,
Tenn P 450-E
- Dalles Formation, Pliocene,
lithology and eastward extension,
Oregon and Washington P 550-D
- Devonian, Confusion Range,
Utah P 550-B
- Nevada P 575-B
- Pennsylvania P 450-C
- Devonian and Mississippian
dark shale unit, Wyoming
and Montana P 475-C
- Diamond Peak Formation,
Nev P 450-C
- Dothan and Rogue Formations
(Jurassic-Cretaceous (?)),
relationships, southwestern
Oregon P 650-D
- Eagle Valley Evaporite,
northwest Colorado P 450-D
- Eocene, paleosol, northern Great
Plains P 550-C
- Upper, Burke County, Ga P 501-C
- Eocene to Recent, offshore,
southeast Georgia P 501-C
- Fenton Pass Formation, Bighorn
Basin, Wyo P 475-C
- Flowerpot Shale, halite deposits,
southwestern Oklahoma P 450-E
- Frozen Sandstone, Ky P 450-C
- Gardiners Clay, late Pleistocene,
eastern Long Island, N.Y.,
re-examination P 700-B
- Gazelle Formation, Silurian
graptolites, Klamath Mountains,
Calif P 525-C
- Glacial drift, Anchorage,
Alaska P 525-D
- Goose Egg Formation, Laramie
Range region, Wyoming P 501-B
- Gray Bull and Lysite faunal
zones, Willwood Formation,
Bighorn Basin, Wyo P 525-D

STRATIGRAPHY—Continued

- Green River and Wasatch
Formations, tongues, Green
River Basin, Wyo P 525-D
- Gulf of Maine, near-shore
surface sediments, heavy-mineral
assemblages P 575-C
- Heceta Limestone, northern
Sea Otter Sound, southeastern
Alaska P 700-C
- Hondo Sandstone Member of
San Andres Limestone,
Permian, south-central New
Mexico P 700-C
- John Day Formation, Horse
Heaven mining district, north-central
Oregon P 600-D
- Juana Diaz Formation, P.R P 450-D
- Jurassic, southeast Alaska
Jurassic-Cretaceous boundary,
unconformity, La Ligua
area, Aconcagua Province,
Chile P 450-E
- Kelvin and Morrison (?)
Formations, Salt Lake
City P 475-B
- Kentucky, pre-Middle Devonian
and post-Middle Devonian
faulting and Silurian-Devonian
unconformity near Richmond P 550-C
- Lake Bonneville, evidence
from Promontory Point,
Utah P 525-C
- Lake Lahontan deposits, Nevada P 450-C
- Laney Shale Member, Green
River Formation, Wyo P 450-C
- Late Cretaceous unconformity,
south-central Wyoming P 575-D
- Late Paleozoic depositional
history, northern Nevada,
central Idaho P 475-D
- Leadville Limestone, western
Colorado P 450-D
- Lee Formation, Cumberland
Mountains, Ky P 501-B
- Late Mississippian-Early
Pennsylvanian, intertonguing
relations, southwestern
Virginia P 550-D
- Little Stone Gap Member,
Hinton Formation, Mississippian,
Va P 501-B
- Livingston Group, south-central
Montana P 475-B
- Lower Cambrian and Precambrian,
correlation, southern Great
Basin, California-Nevada P 550-C
- Lower Paleozoic rocks, Cupsuptic
quadrangle, Maine P 575-D
- Marshalltown Formation, Cretaceous,
Auburn, N.J P 501-B
- Massachusetts, Essex County,
gneissic rocks, South Groveland
quadrangle P 525-C
- Northeastern, proposed revision
subalkaline intrusive series P 525-C

STRATIGRAPHY—Continued

- Maywood Formation, Late
Devonian, southwestern Montana P 501-C
- Mesozoic, Kings River area,
Calif P 450-B
- Mesozoic-Paleozoic unconformity,
Sierra Nevada, Calif P 450-B
- Milligen Formation, Mississippian,
Lost River Range, Idaho P 575-C
- Miocene, Barstow Formation,
southern California P 475-D
Middle, southern Maryland P 700-B
Volcanic rocks, northwestern
Nevada P 700-D
- Miocene basalt flows, Caliente
Range, Calif., paleogeographic
significance P 575-B
- Mississippi, southeastern P 475-D
- Mississippian depositional province,
northern Cordilleran region P 575-D
Lower, red beds in eastern
midcontinent source areas P 700-D
Pennsylvania P 450-C
Rocks, Laramie Range, Wyo P 475-C
- Mississippian-Pennsylvanian
boundary, northeastern Kentucky P 450-E
- Morrow Series, Washington
County, Ark P 450-D
- Murray Shale and Hesse Quartzite,
Chilhowee Mountain, Tenn P 475-C
- National River Formation,
Late Devonian, Alaska,
palynological evidence for
age P 575-B
Late Devonian, Alaska, stratigraphic
evidence for age P 575-D
- Navajo and Carmel Formations,
southwest Utah-northwest
Arizona P 450-E
- Niagara and Cayuga Groups,
Silurian, correlation carbonate
rock units, northwest Ohio,
by natural gamma logging P 650-B
- Nomenclature, age, Tuxedni
Group, Cook Inlet, Alaska P 475-C
Mississippian Redwall Limestone,
Ariz. P 475-C
- No. 4 (Dawson Springs No.
6) coal bed, Pennsylvanian,
Western Kentucky coal field,
revised correlation P 575-C
- Nuasbaum Alluvium, Pueblo,
Colo P 475-C
- Oak Spring Group, Nevada
Test Site P 450-C
- Ohio Creek Formation, redefinition
and correlation, Colorado P 475-C
- Oligocene, Madison Range,
Montana-Idaho P 450-B
Platoro caldera, San Juan
Mountains, Colo P 700-C
- Oquirrh Formation sections,
Oquirrh Mountains, Utah P 450-E

STRATIGRAPHY—Continued

- Orca Group, Prince William
Sound region, Alaska P 550-B
- Ordovician, eugeosynclinal and
miogeosynclinal quartzites,
Cordilleran geosyncline P 550-C
Upper, lithofacies, between
Maysville and Stanford,
Ky P 600-D
- Ordovician-Silurian contact,
Dubuque County, Iowa P 475-C
- Paleocene, microfossil evidence
for correlation with lower
part of Porters Creek Clay,
Ballard County P 575-B
- Paleozoic and Mesozoic sedimentary
sequence, St. Lawrence
Island, Alaska P 650-D
- Parkwood and Pottsville Formations,
correlation, Alabama P 450-E
- Pathfinder uplift, Pennsylvanian,
southern Wyoming P 450-E
Pennsylvanian, nomenclature,
northwest Georgia P 450-E
Pennsylvania P 450-C
- Permian, Pennsylvania P 450-C
Post-Rustler red beds P 450-B
- Permian and Pennsylvanian,
Elk Mountains, Colo P 600-C
- Permian-Triassic boundary,
eastern Uintah County,
Utah, and western Moffat
County, Colo P 550-D
- Pierre Shale, Red Bird
Silty Member P 450-B
- Pinyon Conglomerate, Cretaceous,
stratigraphic significance
Leptoceratops, dinosaur P 700-D
- Pleistocene, Denver area and
Canon City quadrangle P 700-B
In pipeline trench, east-central
Connecticut, bearing on two-till
problem P 700-D
Late, Arica area, Chile P 475-C
Leonards Cut, Burke County,
N.C. P 475-D
Martha's Vineyard, Mass P 501-C
Wyoming P 450-D
- Pliocene, San Joaquin Valley,
Calif P 475-D
- Post-Madison rocks, Montana
and Wyoming P 475-B
- Precambrian, central Idaho P 450-B
Esmeralda County, Nev P 450-D
- Precambrian-Cambrian, Papago
Indian Reservation, Ariz. P 501-C
- Quaternary, Durango area,
San Juan Mountains, Colo P 525-C
Nebraskan and Kansan deposits,
northern Kentucky P 525-B
- Pre-Bull Lake tills, Wind
River Mountains, Wyo P 501-D
Searles Lake, Calif P 450-C
- Ralston Creek Formation,
Colo P 450-C

STRATIGRAPHY—Continued

- Recent, eastern Alaska P 450-B
 Pyroclastic rocks, Mount Rainier,
 Wash P 450-D
 Red Bird Silty Member,
 Pierre Shale P 450-B
 Redwall Limestone, northern
 Arizona, importance corals P 501-C
 Relation Nussbaum Alluvium
 (Pleistocene) to Ogallala
 Formation (Pliocene) and
 to Platte-Arkansas divide,
 Denver basin, Colorado P 575-D
 Rome Formation and Conasauga
 Group, Tennessee, facies
 relations with equivalent rocks,
 Kentucky and Virginia P 501-B
 St. Kevin Granite, Sawatch
 Range, Colo P 475-D
 Silurian, graptolite-bearing
 rocks, Houlton-Smyrna Mills
 area, Maine P 550-B
 Spearhead and Rocket Wash
 Members, Thirsty Canyon
 Tuff (Pliocene), southern
 Nevada, zonal relations and
 paleomagnetism P 600-C
 Spirorbial limestone, Souris
 River (?) Formation,
 Bighorn Mountains, Wyo P 475-C
 Tepee Trail and Wiggins
 Formations, Eocene-Oligocene,
 northwestern Wyoming P 650-B
 Tertiary, extrusive volcanic
 rocks, Middle Park, Colo P 550-B
 Late, local thickening basalts
 and silicic volcanism, Canyon
 City quadrangle, Oregon P 550-C
 Republic area, Wash P 450-D
 Southwestern Georgia P 575-B
 Syncline, southern Absaroka
 Mountains, Wyo P 600-B
 Volcanic rocks, San Juan
 Mountains, Colo P 475-C
 Western Florida P 450-D
 Thirsty Canyon Tuff, Pliocene,
 Nev P 475-D
 Tower Sandstone Lentil,
 Green River Formation,
 Wyo P 450-C
 Triassic, Massachusetts P 450-C
 Uplift, Defiance positive
 element, Arizona P 475-C
 Tuff clast from Bidahochi
 Formation, Tonalea, Ariz P 650-D
 Unconformity between Paleocene
 Brightseat and Aquia Formations
 (Maryland and Virginia),
 faunal evidence P 650-C
 Upper Cretaceous Mancos
 Shale, Slick Rock district,
 Colorado, coincidence fossil
 and lithologic zones P 600-C
 Upper Mesozoic rocks, southwestern
 Wrangell Mountains, Alaska P 550-C

STRATIGRAPHY—Continued

- Upper Precambrian and Paleozoic
 Neptune Range, Antarctica P 525-D
 Volcanic activity, San Juan
 Mountains, Colo., age of P 575-D
 White Knob Limestone, Mississippian,
 Custer County, Idaho P 700-B
 Wildcat Valley Sandstone
 (Devonian), southwest Virginia .. P 501-B
 Windy Gap Volcanic Member,
 Middle Park Formation,
 Middle Park, Colo P 450-E
 Woodford Shale, Late Devonian
 and Early Mississippian,
 Oklahoma, determined from
 conodonts P 525-D
 Yakima Basalt, upper part,
 Washington P 525-C
 STRUCTURAL GEOLOGY. *See also* FAULTS
 AND FAULTING.
 Alaska, linear topographic features,
 Baranof Island P 475-B
 West-central, Kaltag fault P 600-D
 Antarctica, Neptune Range P 525-D
 North Victoria Land P 600-D
 Arizona, central, Precambrian
 wrench fault P 575-C
 Exotic blocks and coarse breccias,
 Mesozoic volcanic rocks P 550-D
 Unconformity between gneissic
 granodiorite and overlying
 Yavapai Series P 550-B
 Australia, ray crater, Northern
 Territory P 525-C
 Bay of Fundy and northeastern
 Gulf of Maine, Triassic
 rocks P 550-B
 California, detachment faults,
 Santa Monica Mountains P 550-C
 Large strike-slip displacement,
 Salinas Valley P 525-D
 Last Chance thrust, Inyo
 County P 550-D
 Southeastern, Blue Cut fault ... P 650-D
 Southeastern, lateral displacement
 on Garlock fault P 700-D
 Tectonic movement, Grapevine area,
 Kern County P 550-B
 California-Oregon, Coast
 Ranges, regional thrust,
 upside-down metamorphic zonation,
 blueschist facies P 575-C
 Late Mesozoic orogenies, ultramafic
 belts P 501-C
 Chile, Antofagasta Province,
 Apollo 7 photography P 700-D
 Thrust faulting, San Pedro
 de Atacama P 450-E
 Clinchport thrust fault, southern
 Appalachians P 525-B
 Colorado, allochthonous Paleozoic
 blocks, Tertiary San Luis-upper
 Arkansas graben P 700-B
 Cattle Creek anticline, salt
 diapir near Glenwood
 Springs P 550-B

STRUCTURAL GEOLOGY—Continued

Colorado—Continued

- East-central, Quaternary faulting and potential earthquakes . . . P 700-C
- Ilse fault zone, Wet Mountains . . . P 550-C
- Platoro caldera, southeastern San Juan Mountains . . . P 700-C
- Tertiary trough between Arkansas and San Luis valleys . . . P 600-C
- Window, Elk Range thrust sheet . . . P 550-D
- Connecticut, gabbro body near Lebanon . . . P 501-C
- Cryptoexplosive structure, Versailles, Ky . . . P 501-B
- Explosion-produced fractures, Nevada Test Site . . . P 501-C
- Georgia, Miocene structural movements, Thomas County . . . P 550-C
- Idaho, inferred pull-apart origin, Gem Valley, stratigraphic data . . . P 525-C
- Montana, Devonian paleotectonics . . . P 600-D
- Kentucky, fault scarp exposures, Saint Charles and Nortonville quadrangles . . . P 650-C
- Middlesboro Basin, origin . . . P 450-E
- Pre-Middle Devonian and post-Middle Devonian faulting and Silurian-Devonian unconformity near Richmond P 550-C
- Stream anticlines . . . P 550-D
- Maine, northeastern, tectonic features . . . P 501-C
- Massachusetts, folding of Nahant gabbro . . . P 525-C
- Southwestern, and adjoining areas, possible breccia, bearing on existence Taconic allochthon . . . P 550-D
- Western, isoclinal folding indicated by primary sedimentary structures . . . P 600-D
- Mexico, plutonic rocks, northern Zacatecas . . . P 475-C
- Missouri, Crooked Creek disturbance . . . P 450-E
- Structural controls on streamflow, North Fork River and Bryant Creek basins . . . P 600-C
- Montana, relation laccolithic intrusion to faulting, Little Belt Mountains . . . P 525-C
- Nevada, Callaghan window, Roberts thrust, Toiyabe Range . . . P 575-D
- Elko County, limestone turbidite of Kinderhook age, tectonic significance . . . P 700-D
- Idaho, late Paleozoic . . . P 475-D
- Ordovician tectonism, Ruby Mountains . . . P 575-D
- Recent fault scarps, Independence Valley . . . P 600-B

STRUCTURAL GEOLOGY—Continued

Nevada—Continued

- Spatial relation mineral deposits to Tertiary volcanic centers . . P 700-C
- Timber Mountain caldera . . . P 525-B
- Timber Mountain dome and caldera, Nye County . . . P 501-B
- Westward tectonic overriding, Mesozoic . . . P 501-C
- New Jersey, domes, coastal-plain formations east of Trenton . . . P 550-B
- New Hampshire-Maine-Quebec, Second Lake anticline . . . P 650-D
- New York-Quebec, bedrock structure Covey Hill . . . P 550-D
- Northern Cordilleran region, Mississippian depositional provinces . . . P 575-D
- Oregon-Washington, Dalles-Umatilla syncline . . . P 575-B
- Pennsylvania, transcurrent structure, Fayette and Greene Counties . . P 600-C
- Rock mechanics research, Silver Plume Granite, Colo . . . P 550-C
- Rupture phenomena, Silver Plume Granite, Colo . . . P 550-C
- Salt anticline, Gypsum Valley, Colo . . . P 475-D
- South Dakota, pre-Fall River folding, southern Black Hills . . P 501-D
- Texas, Garden Springs area, tectonic analysis . . . P 501-B
- Utah, Oquirrh Mountains, gravity and magnetic anomalies . P 450-E
- West Tintic and Sheepscock Mountains, breccia pipes . . . P 575-C
- Virginia, thrusting, Valley and Ridge province . . . P 450-E
- Wyoming, Grand Teton National Park, Precambrian crystalline rocks . . . P 475-C
- Idaho, Darby thrust, Snake River Range . . . P 575-D
- Late Tertiary syncline, southern Absaroka Mountains . . . P 600-B
- Northwestern, tectonic significance
- Leptoceratops*, Cretaceous dinosaur in Pinyon Conglomerate . . . P 700-D
- Pathfinder uplift, Pennsylvanian . . . P 450-E
- Southeast Gros Ventre Mountains . . . P 501-D
- Southern Yellowstone National Park, Basin Creek uplift and Heart Lake Conglomerate . . . 650-D
- SUDAN, Kordofan Province, ground water . . . P 475-B

T

TEKTITES

- Cesium, rubidium, lithium content, spectrographic method determination . . . P 501-B

TEKTITES—Continued

- Semimicro X-ray fluorescence
analysis P 475-D

TENNESSEE

- Blount County, Chilhowee
Mountain, Murray Shale
and Hesse Quartzite P 475-C
- Caney Fork River area, crinoidal
bioherms, Fort Payne Chert P 450-E
- Gainesboro region, conodonts,
Flynn Creek cryptoexplosive
structure P 475-C
- Hardeman County, Foraminifera,
Clayton Formation (Paleocene) .. P 600-C
- Mascot-Jefferson City mining
district, West New Market
area, zinc P 525-B
- Northeastern, facies relations
Rome Formation and Conasauga
Group with equivalent rocks,
Kentucky and Virginia P 501-B
- Precambrian basement from geophysical
data P 450-C
- Union and Claiborne Counties,
algal stromatolites, Upper
Cambrian Copper Ridge
Dolomite P 550-C
- West New Market area, Mascot-Jefferson
City zinc district, Rocky
Valley thrust fault P 501-B
- Western, ground water P 450-C

TEXAS

- Baylor County, Lower Permian
plants, Arroyo Formation P 575-C
- Big Bend National Park,
igneous rocks P 450-B
- Brazos River basin, quality
of water P 450-B
- Brown County, *Oketavilla*
carglei, new fusulinid species,
Graford Formation
(Pennsylvanian) P 550-B
- Coleman County, *Schwagerina*
crasmitectoria Dunbar and
Skinner, 1937, fusulinid
from Wichita Group P 600-B
- El Paso region, Rio Grande,
bed forms and flow phenomena ... P 501-B
- Garden Springs area, structures ... P 501-B
- Hopkins County, phosphate
nodules, Wills Point Formation .. P 600-B
- Houston-Galveston Bay area,
clay minerals, land subsidence ... P 501-C
- Hueco bolson, seismic and gravity
profile P 575-D
- Karnes County, immobility
connate water in permeable
sandstone P 575-C
- Pecos River near New Mexico
boundary, growth salt cedar P 525-B
- Rio Grande, temporary storage
fine sediment in islands and
point bars P 475-D
- Southeastern, correlation aquifers .. P 550-D
- Western, stratigraphy P 450-B
- THORIUM, in alkaline igneous rocks ... P 450-B

TOPOGRAPHIC MAPPING

- Elevation meter P 450-B
- Target design for photo-
identification P 450-B

TOPOGRAPHIC STUDIES. See also CARTOGRAPHY.

- Analysis ice movement at Pole
Station, Antarctica P 700-C
- Automatic battery charger for
field use P 550-C
- Automatic plotter for map base
preparation P 575-D
- Contour finder P 650-B
- Electro-optical calibrator for
camera shutters P 575-B
- Evaluation of analog techniques
for image registration P 700-D
- Laboratory calibration of field
surveying instruments P 650-C
- New system for viewing mapping
photographs P 575-D
- Orthophotoscope modifications ... P 650-C
- Radio-controlled signal light P 650-D

TURKEY, Soganliyürük, strontium-
bearing todorokite P 550-C

U

UNITED STATES

- Cordilleran geosyncline, Ordovician
eugeosynclinal and miogeosynclinal
quartzites P 550-C
- Cordilleran miogeosyncline, origin
Ordovician quartzite P 600-B
- Eastern midcontinent, source
areas Lower Mississippian
red beds P 700-D
- Slope-discharge relations for
eight rivers P 600-D
- Southeastern, residual enrichment
and supergene migration of
gold P 600-D
- Uranium-rich monazites P 700-D
- Western, basalt-eclogite transformation
and crustal structure P 525-B
- Western interior and Gulf
Coast regions, *Cythereis*
eaglefordensis Alexander,
1929, guide fossil for deposits
latest Cenomanian age P 650-D

URANIUM

- Deposit controlled by cylindrical
collapse structure, New Mexico P 475-C
- In alkaline igneous rocks P 450-B
- Ore guide, Wyoming P 450-D

UTAH

- Beaver County, Rocky Range,
geochemical prospecting data P 475-D
- Bingham mining district, phlogopite
and actinolite in latitic dike
rocks P 700-C
- Bonneville Salt Flats, calculation
ion activity for brine P 575-C
- Cache Valley, Cache and
Box Elder Counties, gravity
anomalies P 700-C

UTAH—Continued

- Colorado Plateau, sedimentation . . . P 450-D
- Colorado River system,
geomorphology P 450-B
- East Tintic Mountains, tear
fault P 501-C
- Flaming Gorge Reservoir,
seismic-refraction measurements
of crustal structure P 525-C
- Great Basin, changes in chemical
quality ground water P 650-D
- Great Salt Lake, dissolved
salt P 450-E
- Distinctive brines P 575-B
- Physical and chemical
hydrology P 525-C
- Great Salt Lake area, ground
water P 450-B
- Jordan Narrows area, ground-water
inflow toward Jordan Valley
from Utah valley through
valley fill P 700-B
- Jordan Valley, east of Great
Salt Lake, thickness of
valley fill P 600-B
- Electrical sounding profile
east of Jordan Narrows P 650-C
- Ground-water discharge toward
Great Salt Lake through
valley fill P 600-D
- Pre-Quaternary surface P 700-D
- Thickness unconsolidated to
semiconsolidated sediments . . P 700-C
- Juab County, Drum Mountains
O18/O16 and C¹³/C¹² ratios,
carbonate rocks P 475-B
- Spor Mountain, beryllium and
fluorine in tuff P 475-B
- Spor Mountain, lithium and
beryllium in rhyolitic tuff . . . P 501-C
- Western, Tertiary fault P 501-B
- Marysvale, Ohio mining district,
bismuth and tin minerals in
gold- and silver-bearing ores . . . P 575-D
- Midway area, thermal springs . . . P 600-D
- Monument Valley, Early Permian
plants, Cutler Formation P 700-B
- Northeastern, Chinle Formation
and Glen Canyon Sandstone . . . P 501-D
- Oquirrh Mountains, northern,
gravity and magnetic anomalies . P 450-E
- northern and central, Oquirrh
Formation sections P 450-E
- Paradox basin, rare-earth mineral
in marine evaporites P 575-C
- Promontory Point, evidence
on Lake Bonneville stratigraphy
and history P 525-C
- Salt Lake City area, Kelvin
and Morrison (?) Formations . . . P 475-B
- Silver Reef district, silver
and mercury geochemical
anomalies P 575-B
- Southern, geologic evaluation
radar imagery P 575-D

UTAH—Continued

- Southwestern, bentonite beds,
Carmel Formation P 450-E
- 800-year history stream erosion,
indicated by botanical
evidence P 550-D
- Navajo and Carmel
Formations P 450-E
- K-Ar and Rb-Sr ages biotite,
Carmel Formation P 525-B
- Stockton district, distribution
selected metals P 550-C
- Sunnyside, seismic-refraction
measurements P 550-D
- Tintic Mountains, Eocene
topography P 450-C
- Tooele Valley, structural
geology P 450-D
- Uinta Basin, oil shale, Green
River Formation P 501-D
- Ground water in Green River
Formation P 600-B
- Uintah County, eastern, Permian-Triassic
boundary P 550-D
- Uncompahgre Plateau, Precambrian
geochronology P 600-C
- Uruan mineral belt, possible
exploration targets, uranium
deposits P 650-B
- Wasatch Range, ground-water
inflow toward Jordan Valley
through channel fill in seven
canyons near Salt Lake
City P 650-C
- Seismic refraction profiles
across canyons P 600-D
- West-central, Devonian stratigraphy,
Confusion Range P 550-B
- West Tintic and Sheepcock
Mountains, breccia pipes P 575-C

V

VIRGINIA

- Augusta County, igneous rocks . . . P 450-B
- Blue Ridge, chemistry greenstone,
Catoctin Formation P 501-C
- Chantilly area, malachite- and
specularite-bearing Triassic
sandstone P 700-C
- Eastern, diatomite mining, outlook
for resumption P 525-D
- Great Falls, K-Ar ages
lamprophyre dikes P 700-C
- Metamorphic changes across Carolina
slate belt-Charlotte belt
boundary P 650-C
- Northeastern, faunal evidence
for unconformity between Paleocene
Brightseat and Aquia Formations . P 650-C
- Piedmont province, streamflow . . . P 450-C
- Potomac River basin, runoff P 450-D
- Water quality P 450-D
- Powell Valley, structural
geology P 450-D

VIRGINIA—Continued

- Rappahannock County, effect
land use on low flow of streams . . . P 525-C
- Rappahannock River basin,
relation discharge to drainage
area P 501-B
- Rockbridge County, Irish
Creek, beryllium in tin deposits . . P 475-B
- Southern, sulfate and nitrate
content of precipitation P 475-C
- Southwestern, Valley and Ridge
province, thrusting P 450-E
- Big Stone Gap, Chattanooga
Shale P 501-B
- Evaporite deposits, prospecting
for P 525-B
- Lee Formation, Late Mississippian-
Early Pennsylvanian, inter-
tonguing relations P 550-D
- Little Stone Gap Member,
Hinton Formation P 501-B
- Wildcat Valley Sandstone P 501-B
- Western, facies relations Rome
Formation, Conasauga Group . . . P 501-B
- VIRGIN ISLANDS, St. Thomas, quality
of water P 450-B
- VOLCANISM
- Colorado, San Juan Mountains . . . P 575-D
- Idaho, Snake River Plain P 450-D
- VOLCANOES

- Alaska, Augustine Island,
recent activity P 600-C
- Southeastern, Mount Edgecumbe
volcanic field, Krusof Island . P 650-D
- Hawaii, Kilauea, Alae lava
lake, infrared radiation P 575-D
- Kilauea, lava coils of recent
historic flows P 550-B
- Kilauea, May 1963 earthquakes
and deformation, Koae fault
zone P 575-C
- Kilauea, 1963 eruption, temperatures
Alae lava lake P 501-D
- Kilauea recent growth of
Halemaumau P 450-B
- Kilauea, seismicity east rift
zone, 1962-63 P 501-C
- Kilauea and Mauna Loa, earthquakes,
1962-65 P 600-C
- Iceland, Surtsey, thermal
emission, 1966-69 P 700-D
- Paricutin, Mexico, 1965 P 550-C
- Washington, Mount Rainer,
historic eruption P 650-B

W

WASHINGTON

- Duwamish River estuary, movement
and dispersion fluorescent
dye P 575-B
- Salt-water intrusion P 575-D
- Kitsap Peninsula and adjacent
islands, ground-water quality . . . P 525-D

WASHINGTON—Continued

- Mount Adams, petrology late
Quaternary potassium-rich
andesite flow P 575-C
- Mount Rainier, historic eruption . . P 650-B
- Paradise debris flow P 475-B
- Post-hypsithermal glacier
advances P 501-D
- Stratigraphy P 450-D
- Thermal features revealed by
infrared surveys P 525-D
- Time interval between stabilization
of alpine glacial deposits and
establishment of tree
seedlings P 650-B
- Mount Rainier National Park,
glacier outburst floods P 600-D
- Northeastern, late Pleistocene
Cordilleran glaciation P 525-C
- Varved lake beds P 575-B
- Olympic Peninsula, southwestern,
Pleistocene glaciations P 501-B
- Pasayten River area, quartz
diorite-quartz monzonite and
granite plutons P 600-C
- Puget Sound area, contamination
ground water by sea water P 475-B
- Puget Sound trough, age and
origin P 525-B
- Republic area, stratigraphy P 450-D
- Seattle, composition Pleistocene
clays P 575-B
- Montmorillonitic weathered clay,
Pleistocene P 501-D
- Relation building damage to
geology, April 1965
earthquake P 575-D
- Skagit Valley, glacial drainage
divide P 550-C
- Southern, Dalles Formation,
lithology and eastward
extension P 550-D
- Dalles-Umatilla syncline P 575-B
- Southwestern, Grays River
area, refractive index of glass
beads distinguishes Tertiary
basalts P 600-C
- Spokane area, water-balance
equation for Rathdrum Prairie
ground-water reservoir near
Spokane P 600-D
- Spokane County, thorium and
uranium in monazite P 475-D
- Stevens County, potassium-argon
ages, igneous rocks P 600-D
- Tacoma area, aquifers P 450-E
- Walla Walla, ground water P 450-C
- Whitman and eastern Franklin
Counties, stratigraphy Yakima
Basalt P 525-C

WASTE DISPOSAL

- Sewage stabilization lagoon,
retention time and circulation
study P 700-D

WASTE DISPOSAL—Continued

- Vertical molecular diffusion
xenon-133 gas after injection
underground P 700-D

WATER, GROUND. *See also*GEOCHEMISTRY; HYDROLOGY;
WATER, QUALITY.

- Alabama, west-central, regional
draft-storage relations P 600-C
- Alaska, development water supply,
Cape Lisburne by modification
thermal regime permafrost P 575-B
- Northwestern, seasonal changes
in chemical quality P 475-B
- Ocean Cape, use infiltration
gallery to obtain fresh water . P 575-C
- Temperature and quality water
from well drilled through
permafrost P 501-D
- Approximating steady linear
flow in confined aquifer of
nonuniform thickness P 550-D
- Argentina, source of heat in
deep artesian aquifer, Bahía
Blanca P 501-D
- Arizona and California, Miocene
(?) aquifer, Parker-Blythe-Cibola
area P 525-C
- Arkansas, Carrizo Sand,
potential aquifer P 501-D
- Aluminum in P 450-B
- Aquifer tests P 450-B
- Aquifers in carbonate rocks,
Nevada Test Site P 450-C
- Artesian, rate of upward leakage . P 450-B
- Artificial recharge, Washington . P 450-C
- Atlantic Coastal Plain,
northern, relationships fresh
and salty water P 550-C
- Chile, Arica area P 475-D
- Santiago area, hydrogeology . P 475-D
- Tierra del Fuego area, artesian
aquifer P 501-B
- Colorado, Big Sandy Creek,
relation channel width to vertical
permeability of streambed P 600-B
- Conjunctive use water in stream-
aquifer system using linear
programing P 700-C
- Contamination waterborne styrene
in crystalline bedrock aquifer,
Gales Ferry area, Ledyard,
Conn P 700-B
- Crystalline rocks, Georgia P 450-D
- Determining transmissivity from
water-level recovery of step-drawdown
test P 700-C
- Discharge to streams, computation . P 525-D
- Dolomite solubility in P 475-D
- Effect, stream discharge on
streambed leakage to glacial
outwash aquifer P 700-D
- Stream impoundment on levels P 450-B
- Tunnel, Hawaii P 450-C

WATER, GROUND—Continued

- Evaporation, salt-flat areas P 450-B
- Florida, relation inflow and
bank and channel storage to
streamflow pickup, Santa
Fe River P 525-D
- Florida-Georgia, principal,
artesian aquifer, relation
surface-water hydrology P 501-C
- Georgia, coastal, relation to
phosphate zone P 700-C
- Conduits in Ashland Mica
Schist P 501-D
- Georgia Nuclear Laboratory . P 450-B
- Rock movement triggered by water-level
change, Brunswick area P 700-C
- Glacial till, permeability P 450-E
- Glaciofluvial and shore deposits,
Minnesota P 450-D
- Great Basin, quality P 550-D
- Great Salt Lake, Utah,
area P 450-B
- Hydrochemical facies P 450-B
- Immobility connate water in
permeable sandstone P 575-C
- In valley trains P 450-B
- Inflow to streams, aerial observation
ice cover to locate areas P 450-E
- Influence, land-surface conditions
on ground water temperatures,
Long Island P 475-B
- Interbasin movements, Nevada . P 450-C
- Korea, hydrogeologic
reconnaissance P 501-D
- Lockport Dolomite, New York . P 450-C
- Louisiana-Texas, interstate
correlation aquifers P 550-D
- Mapping transmissibility alluvium,
Arkansas River valley P 475-C
- Method for relating infiltration
rates to streamflow rates in
perched streams P 700-D
- Missouri, Ozarks, semiquantitative
method for determining source
of springflow P 700-C
- Montana, eastern, relation between
aquifer constants and estimated
stress on artesian aquifer P 600-C
- Movement, beneath Mullica
River, N. J. P 450-B
- Near Los Alamos, N. Mex . P 450-B
- Nevada, carbon-14 dates of water
from Paleozoic carbonate
aquifer P 650-C
- Relation discharge Muddy River
Springs to interbasin movement
ground water P 501-D
- Sodium as clue to direction
of movement, Nevada Test
Site P 600-D
- New Jersey, in Brunswick
Shale near Trenton P 650-B
- New Mexico, in Cenozoic fill
in collapse structures, Eddy
County P 450-E

WATER, GROUND—Continued

New Mexico—Continued

- Pajarito Plateau, Los Alamos County P 650-B
- San Juan Basin P 450-D
- Tritium content as indicator age and movement, Roswell basin P 501-C
- New York, double-mass-curve analysis of effects of sewerage, Long Island P 600-B
- Long Island, rate movement storm runoff through zone of aeration beneath recharge basin P 700-B
- Major water-table changes, Kings and Queens Counties, New York City P 450-E
- Nonsteady inflow to chamber within thick aquitard P 700-C
- Relation, fresh to salt water, Centre Island, Nassau County P 450-E
- Southwestern, hydrology glaciated valleys, Jamestown area P 575-B
- Southern Nassau and southeastern Queens Counties, salt-water encroachment in 1969 P 700-D
- North Dakota, discharge Sheyenne River, geologic factors affecting P 501-D
- Eastern, geohydrology Dakota Sandstone P 600-C
- Spiritwood aquifer, Stutsman and Barnes Counties P 501-D
- Transmissivity and storage coefficient aquifers in Fox Hills Sandstone and Hell Creek Formation P 700-B
- Ohio, correlation carbonate rock units by natural gamma logging P 650-B
- Effect sampling and testing methods on computed hydraulic properties glacial outwash, Piketon P 550-D
- Glacial-outwash aquifer at Piketon, relation permeability to particle size P 525-D
- Mad River basin, anomalous streamflow-ground water regimen P 475-D
- Puerto Rico, hydrologic characteristics alluvial fan near Salinas P 550-C
- Yauco area P 450-D
- Relation, buried topography P 450-C
- Faulting, Flagstaff, Ariz P 450-B
- Fluoride content to recharge and movement, Oasis Valley, Nev P 475-D
- Land subsidence, Santa Clara Valley, Calif P 450-D
- Percent sodium to source and movement, National Reactor Testing Station, Idaho P 475-D
- Salt Water, movement in coastal aquifers P 450-B

WATER, GROUND—Continued

- Seasonal temperature fluctuations in surficial sand, Albany, N.Y. P 475-D
- Na/Cl ratios P 450-B
- Source of runoff, Long Island P 450-B
- South Carolina, hydraulic correlation of fracture zones in buried crystalline rock, Savannah River Plant, near Aiken P 550-D
- Permeability fracture crystalline rock, Savannah River Plant near Aiken P 575-B
- South Dakota, effects reservoir filling on buried aquifer of glacial origin, Campbell County P 650-B
- Temperature variations, deep flowing wells P 600-D
- Sudan, Nahud outlier, Nubian Series P 475-B
- Sulfate in, Nevada P 450-C
- Temperature P 450-B
- New Jersey P 450-D
- New York P 450-C
- Profiles in water wells as indicators of bedrock fractures P 600-B
- Tennessee, western P 450-C
- Utah, changes in chemical quality of ground water, Great Basin P 650-D
- Discharge toward Great Salt Lake through valley fill in Jordan Valley P 600-D
- Ground-water inflow toward Jordan Valley from Utah Valley through valley fill near Jordan Narrows P 700-B
- Inflow toward Jordan Valley through channel fill in seven canyons in Wasatch Range near Salt Lake City P 650-C
- Jordan Valley, pre-Quaternary surface P 700-D
- Thermal springs near Midway P 600-D
- Utah, Uinta basin, Green River Formation P 600-B
- Washington, Puget Sound area, contamination by sea water P 475-B
- Tacoma area, aquifers P 450-E
- Water-balance equation for Rathdrum Prairie ground-water reservoir near Spokane P 600-D
- Wyoming, permeability in Tensleep Sandstone, Bighorn Basin P 501-D
- Wyoming-Nebraska-Colorado, White River Formation as aquifer P 550-D
- WATER, QUALITY. *See also* LIMNOLOGY
- Biodegradation of dodecylguanidine acetate (dodine) P 650-D
- California, chemical characteristics bulk precipitation, Mojave Desert region P 575-C

WATER, QUALITY—Continued

- Relation to fish kill, Trinity River Fish Hatchery, Lewiston. P 575-B
- Contamination ground water by detergents, Long Island P 501-C
- Dissolved solids, occurrence in U.S. P 501-D
- Florida, Little Six Mile Creek near Jacksonville, effect industrial effluent P 650-D
- Great Basin, ground-water quality P 550-D
- Infiltration aldrin through Ottawa sand columns P 650-C
- Leachable silica and alumina in streambed clays P 525-B
- Light-dependent quality changes in stored water samples P 525-C
- Nebraska, chemical effects irrigation-return water, North Platte River . P 550-C
- Use channel slope and discharge to determine reaeration coefficients for Elkhorn River P 700-C
- New Jersey, geochemistry iron in coastal-plain ground water, Camden area P 650-C
- Passaic River, changes 1947-64 . P 525-D
- New York, Long Island, effects urbanization on streams, southern Nassau County P 700-C
- North Carolina, effect urban development on ground water, Raleigh P 575-B
- Western, chemical composition rainwater and ground water . P 525-C
- North Dakota, diurnal variations chemical quality in prairie potholes P 525-C
- Winter loss and spring recovery of dissolved solids in two prairie-pothole ponds P 575-C
- Ohio, variations in Cuyahoga River at Cleveland P 550-C
- Oil-field-brine pollution, Walnut River, Kans., evaluating P 501-B
- Oregon, migration "one-shot" contaminant in alluvial aquifer, Keizer P 575-B
- Pennsylvania, calcium-magnesium ratios in ground water from carbonate rocks, Lancaster quadrangle P 575-C
- Effects released reservoir water on quality Lehigh River P 575-D
- Susquehanna River, patterns of dissolved oxygen in thermally loaded reach P 525-C
- phosphate in natural water, rapid field and laboratory determination P 525-B
- Relation chemical quality water to recharge to Jordan Sandstone, Minneapolis-St. Paul area P 501-C

WATER, QUALITY—Continued

- Temperature analysis of a stream . P 650-B
- Utah, changes in chemical quality ground water, Great Basin P 650-D
- Great Salt Lake, physical and chemical hydrology P 525-C
- Washington, Kitsap Peninsula and adjacent islands, ground water P 525-D

WATER, SURFACE. *See also* HYDROLOGY; INSTRUMENTATION; LIMNOLOGY.

- Analysis of data from natural alluvial channels P 650-C
- Application Poisson distribution to flood series P 650-B
- Arkansas, evaluation streamflow data program P 700-D
- Boundary conditions in implicit solution of river transients P 600-C
- California, hydrologic effects urbanization Sharon Creek P 525-D
- Middle Fork Eel River, bed-material movement P 575-C
- North-coastal, mean annual precipitation-runoff relations P 575-D
- Computation, discharge ice-covered stream P 575-C
- Transient flow in rivers and estuaries by multiple-reach implicit method P 575-B
- Transient flows in rivers and estuaries by multiple-reach method of characteristics P 575-D
- Conjunctive use water in stream-aquifer system using linear programming . P 700-C
- Connecticut, effect glacial geology on time distribution streamflow P 550-B
- Colorado, Big Sandy Creek, relation channel width to vertical permeability streambed P 600-B
- Delaware River basin, upper, reservoir effect on downstream water temperatures P 600-B
- Effect, stream discharge on streambed leakage to glacial outwash aquifer P 700-D
- Tides on discharge P 450-B
- Tunnel, Hawaii P 450-C
- Urban growth, Maryland P 450-C
- Empirical formula for determining amount of dye for time-of-travel measurements P 600-D
- Estimation of deficiency P 450-B
- Evaluation organic color and iron P 600-D
- Floods, flood-frequency curves P 450-D
- Flood-inundation mapping, California P 501-B
- Frequencies, long term P 450-E
- Peaks, hydrologic factors, Southwest P 450-E

WATER, SURFACE—Continued

- Florida, streamflow pickup,
Santa Fe River, relation
ground-water inflow and bank
and channel storage P 525-D
- Flow-volume curves, construction
and use P 575-C
- Great Salt Lake, Utah,
dissolved salt P 450-E
- Ground-water discharge to streams,
computation P 525-D
- Kansas and adjacent States,
methods estimating base flow
at ungaged stream sites P 575-C
- Low-flow measurements, use to
estimate flow-duration curves P 475-C
- Maryland, Big Pipe Creek
basin, precipitation and base
runoff P 650-D
- Method, relating infiltration
rates to streamflow rates in
perched streams P 700-D
- Volume-diversion analysis of
a stream P 600-C
- Mississippi, flood-flow characteristics,
rectified channel, Jackson P 600-D
- Missouri, flood height-frequency
relations, plains area P 600-D
- Ozarks, semiquantitative method
for determining source of
springflow P 700-C
- Nebraska, diurnal temperature
fluctuation, three streams P 575-B
- Nevada, relation discharge Muddy
River Springs to interbasin
movement ground water P 501-D
- New Jersey, northeastern,
computation reaeration coefficients
for river system P 600-D
- Passaic River basin, effect
Great Swamp on streamflow . P 525-B
- Time-of-travel measurements,
Passaic and Pompton Rivers . P 550-B
- New Mexico, Elephant Butte
Reservoir, effect seiches
and setup on elevation P 501-B
- New York, low-flow frequency
interrelations upstate streams ... P 600-C
- North Dakota, discharge Sheyenne
River, geologic factors affecting . P 501-D
- Ohio, Mad River basin, anomalous
streamflow-ground-water
regimen P 475-D
- Oregon streams, water-temperature
data P 501-D
- Perennial flow P 450-B
- Peak discharge through culverts,
field verification of computation . P 475-C
- Pollution control P 450-B
- Potomac River, basin drainage
density as indicator of base
flow P 650-C
- Summer base flow P 575-C
- Quality, effect tree leaves
on P 475-D

WATER, SURFACE—Continued

- Reduction fluorescence of two
tracer dyes by contact with
fine sediment P 650-B
- Relation Manning coefficient
to measured bed roughness in
stable natural channels P 650-D
- Runoff, estimation from short
records, Potomac River
basin P 450-D
- From ungaged basins in mountainous
regions, estimating P 525-D
- Trends P 700-B
- Sediment sampling with surface
sampler and depth-integrating
samplers, comparative results ... P 650-C
- Snowmelt, North Yuba River
basin, California P 475-C
- Na/Cl ratios P 450-B
- South Dakota, effects reservoir
filling on buried aquifer of
glacial origin, Campbell
County P 650-B
- Storm runoff, magnitude and
frequency, Louisiana and
Mississippi P 501-D
- Stream channel classification P 450-B
- Streamflow, analysis P 450-B
- Characteristics and accuracy . P 650-D
- Measurement with radio
isotopes P 450-D
- Virginia P 450-C
- Structural control, San Joaquin
Valley, Calif P 450-D
- Structure for measuring streamflow
and sediment load P 450-D
- Synthesizing hydrographs for
small semiarid drainage basins . P 700-D
- Texas, Pecos River near
New Mexico boundary, growth
salt cedar P 525-B
- Transverse mixing in sand-bed
channel P 575-D
- United States, slope-discharge
relations for eight rivers P 600-D
- Use precipitation records for
peak streamflow synthesis P 600-D
- Virginia, effect land use on
low flow of streams, Rappahannock
County P 525-C
- Rappahannock River basin,
relation discharge to drainage
area P 501-B
- Wisconsin, St. Croix River,
computation discharge, ice-covered
stream P 575-C
- St. Croix River, underside
river ice P 575-C
- WEST PAKISTAN, Salt Range, potash in
halitic evaporites P 700-D
- WEST VIRGINIA
- Allegheny structural front,
peat resources, unglaciated
uplands P 700-D

WEST VIRGINIA—Continued

- Cacapon River, effect tree
leaves on water quality P 475-D
Potomac River basin, runoff P 450-D
Water quality P 450-D
Randolph County, refractory
clay P 600-C

WISCONSIN

- Gogebic Range, electromagnetic
measurements P 475-C
Grant County, Tennyson area,
element content, elm tissue P 475-C
Northern, magnetization Keweenaw
gabbro, relation to time of
intrusion P 550-D
Portage County, hydraulic
properties glacial outwash
determination P 501-B
St. Croix River, computation
discharge ice-covered streams P 575-C
Observed configuration and computed
roughness of underside of river
ice P 550-B
Underside river ice P 575-C
Southwestern, analysis enrichment
elements in wallrock alteration,
zinc-lead district P 501-D
Troy valley, buried, preglacial
valley P 600-C

WYOMING

- Absaroka Mountains, late Tertiary
syncline P 600-B
Bighorn Basin, Fenton Pass
Formation P 475-C
Permeability Tensleep
Sandstone P 501-D
Tatman Mountain area, Gray
Bull and Lysite faunal
zones, Willwood Formation .. P 525-D
Bighorn Mountains, Cottonwood
Canyon, spirorbial limestone
in Souris River (?) Formation P 475-C
Black Hills, Lakota Formation P 450-B
Minnelusa Formation,
petrology P 475-C
Carbon County, Cretaceous
ammonite *Hoplitoplacenticeras* .. P 475-C
Central, nonopaque heavy minerals
in Miocene and Pliocene
rocks P 650-C
Cretaceous and lower Tertiary
rocks, correlation with Montana . P 525-B
Gas Hills, fractionation uranium
isotopes and daughter products,
uranium-bearing sandstone P 525-C
Grand Teton National Park,
structure Precambrian crystalline
rocks P 475-C
Teton Glacier, ice movement
and thickness P 525-B
Teton Glacier, recent retreat ... P 501-C
Green River area, stratigraphy P 450-C
Green River Basin, Green
River and Wasatch Formations .. P 525-D
Green River Formation
sedimentation P 450-C

WYOMING—Continued

- Gros Ventre Mountains, karst
topography P 475-B
Southeast, structure P 501-D
Laramie Range, Mississippian
rocks P 475-C
Northern, dark shale unit, Devonian
and Mississippian P 475-C
Northwestern, Carter Valley
landslide area P 600-D
Glacial geology P 450-D
Leptoceratops, Cretaceous
dinosaur in Pinyon
Conglomerate P 700-D
Tepee Trail and Wiggins
Formations, Eocene-
Oligocene P 650-B
Powder River basin, ferroselite
in roll-type uranium deposit P 550-C
Sedimentary zircon, age and
distribution as guide to
provenance P 525-D
Shirley Basin, alterations,
guide to uranium P 450-D
Genetic implications elements
associated with uranium
deposits P 550-C
Snake River Range, Darby
thrust P 575-D
South-central, Late Cretaceous
unconformity P 575-D
Upper Cretaceous rocks, Lamont-
Baird area P 550-B
Southeastern, Laramie Range
region, Goose Egg Formation P 501-B
White River Formation as
aquifer P 550-D
Southern, Pathfinder uplift,
Pennsylvanian P 450-E
Stratigraphy P 450-D
Southwestern, economic geology ... P 450-D
Ferroan northupite, Green
River Formation P 501-B
Permian coleoid cephalopods,
Phosphoria Formation P 550-B
Seismic-refraction measurements
of crustal structure P 525-C
Trona, Green River Formation . P 550-B
Teton Glacier, Grand Teton
National Park, observations,
1965, 1966 P 575-C
Unconformity in Late Cretaceous . P 550-B
Volcanism and tectonism reflected
by distribution nonopaque heavy
minerals, Tertiary rocks P 575-C
Washakie Basin, nonopaque
heavy minerals from sandstone
of Eocene age P 700-D
Western, post-Madison rocks P 475-B
Wind River Basin region,
fractionation uranium isotopes
and daughter products, weathered
granite and sandstone P 501-B
Gravity survey P 550-C
Wind River Mountains, glacial
geology P 450-D

WYOMING—Continued		Y
Wind River Mountains—Continued		
Three pre-Bull Lake tills	P 501-D	YELLOWSTONE PLATEAU, rhyolite
Yellowstone National Park,		and basalt
sodium iodide as tracer underground		P 475-C
water circulation, hot springs		
and geysers	P 525-B	Z
Southern, Basin Creek uplift		ZINC
and Heart Lake		Geochemical prospecting
Conglomerate	P 650-D	Ocurrence in Serpent Mound,
		Ohio
		P 450-D

AUTHORS

A

Aaron, J. M	B 1294-D; I-552	Altachuler, Z. S	P 525-B, 575-B
Adams, J. K	HA-60, 64, 79, 80, 81, 82, 83, 84, 99, 100, 101, 102, 103, 105, 106, 107, 108, 109, 119, 120, 121, 122, 123, 134, 138, 139	Alverson, D. C	W 1576-F
Adams, J. W	P 450-C, 455-D, 525-D, 600-B, 650-C; MR-28	Alvord, D. C	GQ-187, 442, 480, 716
Addicott, W. O	P 475-C, 503-B, 523-C, 524-A, 525-C, 593-D, 642, 644-D; B-1194-E, 1254-C	Ames, F. C	C 486
Abel, J. F., Jr	P 650-C; B 1258-C	Amezcu, E. T	P 450-C, 475-C
Abrahams, J. H., Jr	P 450-B	Amos, D. H	GQ-400, 546, 554, 657, 731, 845, 873
Adkison, W. L	B 1047-B, 1215-A; GQ-276	Anders, R. B	W 1539-G
Adler, Isidore	P 450-B, 475-D	Andersen, B. G	P 475-B, D
Adolphson, D. G	P 600-D; HA-195, 311	Anderson, B. A	C 501, 502, 503, 504, 571, 572, 573, 574
Agnew, A. F	B 1123-E	Anderson, C. A	P 575-C; B 1182-E; GQ-715
Akers, J. P	P 450-B, 521-A, B; W 1576-B, 1771; GQ-162; HA-197; I-352	Anderson, D. B	W 1850-A
Akin, P. D	W 1669-A	Anderson, D. G	W 2001-C
Alarcon, Hugo	B 1273	Anderson, G. S	HA-319
Albee, A. L.	P 454-O, 520; B 1122-B; GQ-164	Anderson, J. A	P 450-C
Albee, H. F	P 575-D; B 1205; GQ-705; MF-262, 274	Anderson, L. A	P 700-C, D; GP-325, 326, 327, 328, 361, 371, 372, 373, 374, 376, 377
Albers, J. P	P 338, 450-D, 700-C; B 1141-J; GQ-336; MF-298	Anderson, P. W	P 525-D, 550-B; W 1619-W, 1756, 1779-B, 1819-G
Albert, C. D	W 1798-B	Anderson, Peter	P 475-C
Albin, D. R	W 1779-G, 1809-J, 1839-G	Anderson, R. E	P 450-D, 475-D, 525-D, 650-B; GQ-489, 493, 524, 606, 672
Albritton, C. C., Jr	P 479	Anderson, R. J	P 550-C
Aldridge, B. N	W 1850-C	Anderson, R. Y	P 524-D
Ali, Sabir	W 1608-G	Anderson, T. W	W 1860
Allen, H. E	HA-67, 68, 69, 70, 71, 85, 86, 87, 89, 90, 143, 147, 148, 149, 150, 152, 153, 154, 202, 203, 205, 207, 209, 211, 227, 229, 232, 251, 254, 256, 257, 301, 302, 304, 305	Anderson, W. L	C 474
Allen, W. B	W 1775, 1821	Andreasen, G. E	P 316-G, H; GP-337, 338, 340, 341, 342, 343, 346, 347, 348, 349, 350, 353, 354, 367, 368, 369, 416, 417, 426, 428, 430, 431, 435, 447, 463, 464, 465, 466, 469, 470, 562
Allingham, J. W	B 1123-D; GP-312	Andrews, G. W	P 523-A, 593-E, 683-A
Aminas, H. V	C 600	Andrews, H. N	P 550-D; B 1300
Alter, A. T	HA-248	Angeolo, C. G	P 575-C
Alto, B. R	MR-46	Annell, Charles	P 450-C, 501-B, 575-C
		Antal, P. S	P 450-E
		Anttila, P. W	W 1798-G
		Antweiler, J. C	P 475-C, 550-C; C 541
		Appel, C. A	P 550-D
		Applin, E. R	P 524-G; B 1160
		Applin, P. L	P 447, 524-G

- Arabian American Oil Co I-270 A
Araújo, J. M. de Castro W 1663-C
Archbold, N. L P 576-A
Armbrustmacher, T. J C 589
Armstrong, A. K P 534,
650-D, 664
Armstrong, C. A W 1647-A;
HA-55
Armstrong, F. C P 374-J,
450-D, 525-C; I-557
Arnold, D. C P 459-B
Arnow, Ted P 600-B,
700-D, W 1588
Arndt, H. H P 450-C;
B 1271-D; Map C-46, 47, 48; GQ-713, 781
Aro, R. S W 1858
Asad, S. Ali P 450-C
Ash, A. D HA-59
Ash, S. R P 450-D,
524-D, 613-D; HA-62
Asserline, E. S C 463,
473
Ault, W. U P 474-D
Averitt, Paul P 389;
B 1222-G, 1252-C, 1275, 1322; C 641; GQ-694
- B
- Babad, Harry P 600-D
Bachman, G. O P 594-J;
B 1260-A, B, 1271-C; I-358, 374, 441, 600; map,
p. 318
Back, William P 475-D,
498-A, C
Bader, J. S W 1605
Bagnold, R. A P 422-I
Bailey, E. H P 360,
575-B, 647-A, 700-C; C 496; MR-30
Bailey, J. F W 1869-A
Bailey, N. G P 650-D
Bailey, R. A B 1274-P;
I-571
Baird, Donald P 503-C
Baker, A. A GQ-239,
241, 534, 864
Baker, C. H., Jr P 450-D,
550-B, 575-B, 600-D
Baker, D. R P 638
Baker, E. T., Jr W 1646
Baker, J. A B 1133-G;
W 1669-Y, 1694, 1826
Baker, J. H B 1140-C
Baker, L. N GQ-292
Baker, N. M W 1864
Baker, R. C W 1663,
1669-CC
Baldwin, Brewster W 1525
Baldwin, E. M B 1312-I;
MF-302
Baldwin, H. L W 1499-J,
1765, 1766; p. 195
Baldwin, H. L., Jr W 1670
Balsley, J. R GP-313,
315, 316, 317, 318, 319, 320, 321, 322, 323, 324,
501, 502, 503, 504, 506, 507, 508, 509, 510
Balsley, J. R., Jr GP-289,
290, 314
- Baltz, E. H P 552,
524-D; W 1576-H
Baltz, E. H., Jr P 450-B, D
Barclay, C. S. V B 1222-B;
MF-291
Barker, D. A P 518
Barker, F. B P 426;
W 1696-A, B, C
Barker, Fred P 644-A;
B 1272-F, 1311-C
Barksdale, H. C HA-243
Barnes, D. F P 316-H,
543-C
Barnes, F. F P 450-C;
B 1202-C, 1242-B, E; Map C-51; I-359
Barnes, H. H., Jr P 422-E;
W 1674, 1849
Barnes, Harley P 450-D,
523-D; B 1244-G; GQ-214, 363, 577
Barnes, Ivan P 473-A, B,
475-D, 498-C, D; W 1535-H, 1608-L, 1859-D
Barnett, H. F P 370
Barnett, H. F., Jr B 1028-S
Barnett, P. R P 456-B,
600-C
Barnwell, W. W HA-259
Barosh, P. J B 1254-I,
1279; GQ-758
Barr, J. L GQ-713
Barrett, P. J spec. map, p. 318
Barrows, E. L W 1525
Bartel, A. J P 475-B,
501-D, 575-B
Bartel, Ardith P 575-B
Bartleson, B. L P 600-C
Bass, N. W B 1142-J,
C 633
Bassett, A. M I-461,
467; MF-205
Bassinger, B. G I-531-A
Bastron, Harry P 525-C,
550-C; B 1278-A
Bateman, P. C P 414-D,
470, 524-B, 644-C; GQ-428, 429
Bates, R. G B 1274-A,
1294-A, 1324-A; GP-308, 446, 522, 524, 555
Bath, G. D P 450-B,
600-C; GP-471, 472, 473, 474, 693
Bauer, D. P C 546
Bayley, F. H. 3d W 1615-A, C, G
Bayley, R. W P-513,
700-B; B 1142-C, 1312-E; GQ-458, 459, 460,
461, 773
Beaber, H. C W 1840-A
Beall, R. M P 600-C
Beamer, N. H W 1767
Beaumont, E. C B 1202-A
Beardsley, K. M B 1248
Becher, A. E P 575-C,
700-B; B 1254-G
Beck, J. R P 650-D;
W 1869-E
Beck, M. E., Jr P 550-D,
GP-523
Becker, Edith W 1812;
HA-200

- Heckman, E. W W 1498-B;
C 458
- Hecraft, G. E P 428;
B 1131, 1230-B, 1319-B; MF-246, 283
- Bedinger, M. S P 450-B,
475-C, 501-B, 600-B; W 1669-L, V, 1971
- Bednar, G. A. W 1859-C
- Beetem, W. A P 650-C;
B 1140-B
- Behre, C. H., Jr P 1222-C
- Behrendt, J. C P 516-E
- Beikman, H. M B 1244-I;
I-345
- Bell, D.C p. 197
- Bell, E. A W 1579,
1819-C, 1853
- Bell, Henry III B 1183;
GP-522; I-413; MF-268, 272
- Bell, K. G P 474-A
- Bell, M.M MF-178
- Bender, L. U PBI-93314
- Bennett, G. D W 1536-G,
1544-C, D, 1608-G, H, J
- Bennett, J. P P 700-B
- Bennett, R. R P 525-C
- Bennison, A. P P 600-B
- Benson, M. A P 450-E;
W 1580-A, B, D; W 1975; TWI 3-A1, 3-A2
- Bentall, Ray P 492,
700-C; W 1536-I, 1544-H, 1545-C, 1859-D
- Bentley, C. B MR-50
- Berdan, J. M P 525-C;
B 1180-B
- Berg, H. C B 1180-A,
1141-O, 1142-G, 1181-R, 1246; I-338, 423
- Bergenback, R. E B 1160,
1161-C
- Bergendahl, M. H P 404,
610; B 1162-D; GQ-273, 295; I-563; MR-24
- Bergin, M. J P 700-C;
B 1122-C, 1161-G
- Bergman, D. L P 475-C
- Bergman, S. C GQ-721
- Bergquist, H. R P 302-D;
B 1199-D, L
- Berkstresser, C. F., Jr W 1669-U
- Berman, Sol P 575-B
- Berner, R. A P 475-D
- Bernold, Stanley P 501-B;
B 1214-C
- Berry, D. W W 1539-V
- Berry, W. B. N P 550-B
575-B, D, 700-D; B 1134
- Berryhill, H. L., Jr P 380,
450-C; B 1184; GQ-283, 296, 333, 334
- Berwick, V. K W 1684;
C 457, 493
- Bethke, P. M B 1248
- Bettendorf, J. A HA-245
- Bettiga, A. C P 450-C
- Beverage, J. P P 462-F,
475-D; W 1873-B
- Beydoun, Z. R P 560-H
- Bickel, R. S P 303-E
- Bidwell, L. E HA-213,
220, 269, 272, 278, 286, 296, 307, 339
- Biesecker, J. E C 526
- Bingham, J. W P 525-C
B 1224-G; W 1852
- Bingham, R. H W 1764
- Bisique, R. E P 700-C
- Bissell, H. J P 257-B
- Bjorklund, L. J W 1836,
1848
- Blacet, P. M P 550-B
- Black, D. F. B P 501-B;
B 1224-C; GQ-325, 644, 764
- Black, R. A B 1083-F
- Black, R. F P 302-C;
B 1274-E
- Blackmon, P. D P 350,
450-D
- Blade, L. V P 425;
GQ-203; 322, 457, 498
- Blake, M. C B 1108-E
- Blake, M. C., Jr P 450-E,
575-C, 700-C; B 1108-D
- Blakey, J. F HA-235
- Blanchett, Jean GP-313,
314, 315, 316, 317, 318, 319, 320, 321, 322, 323,
324, 394, 395, 396, 397, 564, 565, 566, 567
- Blank, H. R., Jr P 516-B,
550-C
- Blankenship, R. R P 492
- Bleackley, D P 560-C
- Bodhaine, G. L W 1687;
TWI 3-A3
- Boettcher, A. J W 1779-N,
1819-I
- Boggess, D. H W 1594-B;
HA-60, 64, 79, 80, 81, 82, 83, 84, 99, 100,
101, 102, 103, 105, 106, 107, 108, 109, 119,
120, 121, 122, 123, 132, 133, 134, 135, 136,
137, 138, 139, 140, 141
- Boggs, Sam, Jr B 1312-I
- Boner, F. C W 1840-B
- Bonilla, M. G P 545-D,
575-D; C 525
- Boning, C. W HA-259
- Bonini, W. E P 516-E
- Books, K. G P 550-D,
600-D; GP-309, 483
- Bogue, R. G I-204 A,
210 A, 211 B
- Borcherdt, Roger P 600-C
- Bornhold, B. D P 700-C
- Borton, R. L W 1659
- Boaswell, E. H P 448-A, B, C, E
- Botdol, J. M C 623
- Botinelly, Theodore GQ-606
- Boucher, P. R W 1899-C
- Boucot, A. J P 501-C,
503-A, 550-D, 584-B; GP-312
- Boudette, E. L P 550-D;
B 1241-F; GQ-330
- Bowen, R. W P 575-C
- Bowers, H. E B 1107-B
- Bowers, S. D P 560-B
- Bowie, J. E W-1858;
HA-332
- Bowles, C. G P 475-C;
B 1230-H; GQ-386; MF-242

- Bowles, W. A P 494-B
 Boynton, G. R P 650-C;
 GP-440, 441, 442, 443, 448, 449, 450, 451, 452,
 453, 454, 455, 456, 457, 458, 459, 460, 461,
 477, 478, 479, 480, 526, 527, 528, 529, 530,
 531, 532, 533, 534, 535, 536, 537, 539, 540,
 541, 542, 543, 544, 545, 546, 547, 549, 550,
 551, 552, 553, 554, 568, 569, 570, 571, 572, 573
 Bozoin, C. N B 1135-A;
 MR-39
 Brabb, E. E P 525-C,
 559-A, 575-D; B 1271-F, I; I-341, 573, 601
 Brackley, R. A W 1821,
 1826; HA-196
 Braddock, W. A P 616,
 475-C; B 1063-C; GQ-829, 832
 Bradley, Edward P 575-C;
 W 1695
 Bradley, R. E I-631
 Bradley, W. H P 496-A, B
 Bramkamp, R. A I-200 A, B,
 201 A, 202 A, 206 A, 218 A, B
 Brannock, W. W P 525-C,
 B 1144-A
 Branson, F. A W 1858
 Braun, K. J HA-188,
 258, 352
 Bray, E. E P 581-C
 Bredehoeft, J. D P 501-D,
 525-C
 Breed, W. J P 700-B
 Breger, I. A P 501-C
 Brennan, Robert W 1809-L,
 1619-Q, 1819-I
 Brett, G. W C 488,
 498, 518, 528, 548, 568, 618
 Brett, Robin P 525-B,
 600-D
 Brew, D. A P 475-B,
 525-B, C, 650-D; I-388, 411
 Brewer, M. C P 305-L
 Brice, H. D W 1790-A
 Brice, J. C P 352-H,
 422-D
 Bridge, Josiah B 1199-K
 Brietkrietz, Alex W 1862
 Briggs, R. P B 1274-O;
 HA-197; I-336, 392, 421, 551
 Brinkworth, G. L PB1-91587
 Brobst, D. A P 297-B,
 550-C; B 1063-B, I, 1122-A; I-321; C 565;
 MF-242; MR-43
 Brock, M. R P 450-D, E;
 B 1202-B; GQ-596
 Brokaw, A. L P 450-E;
 B 1222-A, C; C 475; GQ-476, 697, 758; I-449
 Bromery, R. W B 1181-N;
 GP-212, 288, 292, 297, 310, 331, 333, 335, 336,
 364, 365, 366, 375, 376, 377, 378, 379, 380,
 381, 386, 387, 388, 389, 390, 391, 398, 399,
 469, 470, 481, 482, 484, 485, 500, 501, 502,
 503, 504, 506, 507, 508, 509, 510, 577, 580,
 612, 613, 614
 Bromfield, C. S B 1227;
 GQ-534, 536, 864; MF-273
 Brooks, D. B H 1192
 Brooks, K. G P 600-D
 Broom, H. C W 1539-Q,
 1688
 Brosgé, W. P P 303-H,
 525-C; B 1271-F, 1294-B; I-375
 Brown, Andrew P 501-C
 Brown, C. E P 475-B,
 C, 550-B, C, 700-D; B 1123-C, 1272-D; GQ-438,
 548; I-447
 Brown, D. A P 260-EE
 Brown, Eugene TW1 5-A1
 Brown, G. F I-200 A, B,
 204 A, 205 A, 206 A, 210 A, 211 A, B, 216 B,
 217 B
 Brown, R. D., Jr P 475-D,
 579, 679-D; I-575; MF-279
 Brown, R. F W 1603,
 1837; HA-32, 33, 34, 35, 299
 Brown, R. H W 1536-E
 Brown, R. J P 450-B,
 518
 Brown, R. W P 375
 Brown, Robena P 475-D
 Brown, S. G W 1579,
 1619-D, O, M, 1819-D, 1859-F; HA-214
 Brown, T. E P 501-C
 Brush, L. M., Jr P 282-G
 Bryan, W. B GQ-371
 Bryant, Bruce P 475-D,
 550-D, 575-C, 600-C, 650-D; B 1121-D, 1319-C;
 521; GQ-243, 364, 788, 863
 Bryant, C. T W 1594-E,
 1857
 Buchanan, T. J P 600-D;
 TW1 3-A7, 3-A8
 Buck, K. L P 450-E
 Buck, L. P B 1165
 Buckmaster, J. L P 450-E
 Bucknam, R. C P 525-D
 Buddington, A. F P 376,
 377, 638
 Bue, C. D W 1899-I;
 C 476, 539
 Bull, W. B P 352-E,
 437-A, 450-B
 Bumgarner, J. G P 501-B
 Bunker, C. M P 501-D,
 550-B, 575-B, 600-B, C
 Burbank, Lawrence I-507
 Burbank, W. S P 475-C,
 535; GQ-152, 291, 504
 Burch, S. H P 646-B
 Burchfiel, B. C P 550-D;
 GQ-882; I-474
 Bureau of the Census NA sheets 270-271
 Burford, R. O P 679-D
 Burkham, D. E P 655-B, C,
 700-D; W 1831, 1939-B
 Burmeister, I. L W 1850-A
 Burnham, W. L W 1539-O
 Burton, L. R P 545-A
 Busby, M. W P 501-C,
 575-C; W 1699-C, S; HA-212
 Busch, R. D P 562-A
 Bush, A. L GQ-536

- Bush, C. A P560-B
575-B, 600-B, C
- Bush, P. A I-531-B
- Bush, S. A I-531-B
- Butler, A. P., Jr C 547;
MR-21
- Butler, E. B W 1684
- Butler, Elmer W 1870-A
- Byerly, P. E P 316-F
- Byers, F. M., Jr P 450-D,
525-B; GQ-363, 552, 577, 695
- C
- Cable, L. W P 700-B
- Caddie, G. H P 650-C
- Cadigan, R. A P 475-B,
556, 650-B
- Cady, W. M B 1122-B;
GQ-164
- Caemmerer, Alice P 450-B
- Cahai, D. I P 475-C
- Cahill, J. M p 550-B,
575-B
- Calandro, A. J P 448-G
- Caldwell, D. W P 568
- California Div. Mines and Geology I-512
- Calk, L. C P 600-C
- Calkins, F. C P 450-C;
GQ-534, 535
- Calkins, J. A B 1169,
1230-B
- Callaghan, Eugene GQ-153,
154, 156, 250
- Callahan, J. E B 1211-A, B, C, D
- Callahan, J. T B 1133-F;
W 1669-W, 1762
- Calvert, R. H GQ-297,
419, 570, 832
- Calvert, Ronald P 456-B
- Cameron, C. C P 700-D;
B 1317-B
- Camp, J. D HA-126
- Campbell, A. B P 478;
B 1142-A; MF-276
- Campbell, Esma P 450-E
- Campbell, R. H P 395,
474-B, 550-C
- Canney, F. C P 475-D,
501-D; B 1198-B, 1230-J
- Cannon, H. L B 1176,
1278-A
- Cannon, R. S., Jr P 450-E;
B 1312-G
- Cardwell, G. T W 1548
- Cardwell, W. D. E P 551;
W 1577
- Carey, K. L P 550-B,
575-C
- Carlson, J. E P 600-B;
B 1123-B; GP-392; GQ-408; I-532-C, 533-C,
534-C, 535-C
- Carlson, P. R C 637-A, B
- Carlston, C. W P 422-C,
600-D; B 1141-I
- Carpenter, C. H W 1787,
1836
- Carpenter, J. H P 350
- Carr, M. H P 550-B,
600-C; I-462, 489, 599, 616, 622, C 640
- Carr, M. S MR-51
- Carr, W. J P 415,
501-B; B 1121-G; GQ-455, 489, 503, 552
- Carrigan, P. H., Jr P 433-G, I,
650-B, D., 700-B, W 1369-D; C 497
- Carriker, M. R P 598-B
- Carroll, Dorothy P 403-D, F;
W 1535-G
- Carroll, R. D P 550-C, D,
600-B
- Carron, M. K P 450-B, D
- Carroon, L. E W 1875
- Carswell, L. D P 650-B
- Carter, Claire P 653,
B 1260-K
- Carter, J. R B 1245;
C 478
- Carter, M. D B 1271-D,
C 641
- Carter, R. F B 1133-F
- Carter, R. W P 450-D;
C 474; TWI 3-A-6
- Carter, W. D P 450-E,
508; B 1224-E
- Case, J. E P 316-F,
516-C, 543-C, 550-C, 600-C; B 1251-J; GP-424,
467
- Casertano, Lorenzo P 475-B
- Cashion, W. B P 501-D,
548; B 1244-J; GQ-266, 812; I-494
- Castillo U., Octavio P 475-D,
501-B
- Castle, R. O P 525-C,
579
- Caswell, W. W HA-312
- Cater, F. W P 475-D,
550-C; GQ-646, 647
- Cathcart, J. B P 600-C;
B 1128, 1142-D; 1162-A, G, 1207, 1272-A
- Cattermole, J. M GQ-163,
220, 286, 413, 513, 514, 523, 555, 828
- Cavender, W. S B 1126
- Cederstrom, D. J W 1590,
1773; HA-249
- Chada, L. G. Filho W 1663-E
- Chaffee, M. A P 700-D
- Chamberlain, A. R P 433-A;
C 484
- Chance, Genie P 541
- Chandler, E. J GP-344,
345, 346, 347, 348, 349, 390, 391
- Chang, F. M P 433-E,
W 1498-I
- Chang, W. C. F HA-314
- Chao, E. C. T P 475-D
- Chao, T. T P 600-D
- Chapman, H. T W 1544-E
- Chapman, R. M P 303-F,
625-D; B 1294-B
- Chapman, W. H P 700-C

- Charm, W. B P 581-D
 Chase, E. B W 1822,
 1892
 Chase, T. E P 525-C
 Chenoweth, W. L GQ-162
 Cherry, R. N P 525-C, D
 Chemerys, J. C P 575-B
 Cheney, T. M B 1217
 Chidester, A. H P 345;
 B 1167, 1122-B, GQ-642, MR-17
 Childers, J. M C 493,
 HA-294
 Chinn, S. S. W W 1809-P
 Chisholm, W. A P 463,
 476-A; B 1161-C
 Christ, C. L B 475-D,
 575-C, 600-D
 Chorley, R. J P 500-B
 Christian, R. P P 650-B
 Christiansen, R. L P 450-D,
 501-B, 524-F, 525-B, 600-C; B 1244-G; GQ-363,
 444, 774; I-562
 Christianson, H. R P 600-D
 Churkin, Michael, Jr P 525 C, D,
 575-D, 693; B 1284; I-573
 Chute, N. E B 1163-B;
 GQ-463, 466, 467, 796
 Clark, A. L C 564,
 617
 Clark, L. D P 410,
 414-D, 450-D; B 1199-E, F, H; GQ-222, 361
 Clark, S. F., Jr B 1324-B
 Clark, S. H. B B 1312-M,
 C 617
 Clark, T. H P 550-D
 Clark, W. E P 450-E,
 525-D
 Clarke, A. B P 450-D
 Clarke, F. E P 473-A,
 498-D, 525-C; W 1608-L
 Clarke, J. W B 1146-C, D, E;
 1166-A, B, C, D, 1196, 1197, 1232, 1233, 1234;
 GA 264 through 275, 277 through 287
 Clifton, H. E P 575-B,
 625-C; B 1230-A; C 545, 587; I-487
 Clement, W. G GP-468
 Cline, D. R W 1669-C,
 1779-U
 Cloud, P. E., Jr P 350,
 480; B 1199-N, O
 Coats, R. R P 525-D,
 600-B; B 1141-M; C 549
 Cobb, E. D P 600-D,
 700-B, W 1869-C, C 529-B
 Cobb, E. H B 1246,
 1260-K; MR-32, 38, 40, 41, 52, 53, 54, 56
 Cobban, W. A P 392-A,
 393-A, 450-B, C, D, 454-I, L, 475-B, C, 483-E,
 550-B, 594-L, 619, 667, 700-D; B 1224-H,
 1254-F; I-439
 Coble, R. W P 544-C
 Coffin, D. L P 600-B;
 W 1843, 1899-L
 Coffman, J. S B 1819-D
 Cohee, G. V B 1194-A,
 1224-A, 1244-A, 1254-A, 1274-A, 1294-A,
 1324-A
 Cohen, Bernard W 1586-B
 Cohen, Philip P 450-B, C,
 550-D, 700-D; W 1669-M, 1754, 1779-S, 1795,
 1816, 1879-F; C 524
 Colbert, J. L W 1610-C
 Colby, B. R P 462-A, D, G,
 475-C; B 1181-A; W 1859-B
 Cole, W. S P 403-E,
 640-B, 680-C
 Coleman, R. G P 450-D,
 475-D, 525-C, 550-C, 575-B, C, 600-C, 700-B; B
 1247
 Collier, C. R P 427-B, C
 475-D, 550-C; W 1859-C
 Collier, J. T B 1087-J
 Collings, M. R P 485-B,
 491-B, 600-C, 650-B, HA-293
 Colton, G. W P 575-B,
 650-D, B 1173
 Colton, R. B B 1111-G;
 GQ-433, 434, 537, 582, 719, 727, 782; I-331, 361
 through 371, 401, 402
 Commons, G. G W 1779-F
 Conant, G. D B 1195,
 1196, 1197, 1232, 1234
 Conant, L. C B 1160,
 1199-B, I-350-A
 Concha, J. F C 639
 Condon, W. H P 501-C;
 B 1108-B, C; I-453, 469, 523
 Cone, G. C P 700-B
 Conklin, Nancy P 456-B,
 550-C, 594-C
 Conklin, N. M P 525-D,
 550-B, 650-D
 Connor, J. G W 1539-V
 Connor, J. J P 475-D,
 700-D; B 1063-D; I-513, 526
 Conomos, T. J C 637-A, B
 Conover, C. S W 1619-I, Y
 Conover, W. J P 450-E,
 501-B, 575-B
 Conroy, A. R MF-273
 Cook, K. L P 499
 Cooley, M. E P 450-B,
 521-A, B; I-352
 Cooper, G. A P 260-FF;
 B 1244-E
 Cooper, H. H., Jr P 474-B,
 525-C; W 1536-J, 1613-C
 Cooper, J. B P 450-B, E,
 650-B; HA-193
 Cooper, J. R P 416,
 700-B, MR-22; map, p. 00
 Cooper, Margaret B 1196,
 1197, 1232, 1234
 Corchary, G. S I-550
 Cordova, R. M W 1669-BB
 Corliss, J. B P 501-C
 Cornwall, H. R P 454-J,
 575-B; B-1223; GQ-157

Cory, R. L P 475-D
 Cookery, O. J W 1756;
 HA-83, 102, 106, 119, 133, 135, 140, 141
 Cosner, O. J W 1475-J;
 HA-55
 Cotter, R. D P 501-C;
 W 1759-A, B, C, D, E, F; HA-213, 220, 286,
 360, I-403
 Coulter, Elizabeth I-356
 Coulter, H. W P 542-C;
 I-356, 415
 Counts, H. B W 1611,
 1613-D
 Cox, Allan P 450-D,
 B 1203-A
 Cox, D. C P 626
 Cox, D. P B 1312-D;
 I-609
 Cox, E. R W 1828
 Craig, G. S., Jr P 700-D
 Craig, L. C B 1199-L
 Crain, L. J P 575-B
 Cramer, W. G P 525-B
 Crandell, D. R P 388-A,
 450, 475-B, 501-B, D, 525-B, D, 575-C; B
 1221-A, 1238, 1288, 1292; I-354
 Crandell, H. C W 1619-GG
 Crandell, H. C., Jr W 1529-X
 Creasey, S. C P 450-D,
 471; B 1182-E, 1218; GQ-715; I-470
 Cremer, E. A., III W 1862
 Cremer, Marcelyn P 700-C
 Cressman, E. R P 313-C,
 374-J, 440-T; B 1153, 1224-C; GQ-303, 440, 605,
 653, 760, 847; MF-300
 Criner, J. H P 550-B;
 W 1755, 1779-O
 Crippen, J. R P-417-E,
 450-B, 525-D, 575-D; W 1747, 1972
 Crist, M. A W 1834
 Crittenden, M. D., Jr P 454-E,
 475-B, B 1230-I; GQ-361, 362, 377, 378, 379,
 380, 534, 535, 864; GP-422; MR-23
 Croft, M. G P 600-B,
 700-B; W 1619-FF
 Cronin, J. G W 1539-U,
 1693; HA-330
 Crooks, J. W W 1829;
 HA-244
 Cross, W. P P 475-D;
 W 1859-C; HA-40, 44, 45, 46, 48, 51, 56
 Crosthwaite, E. G W 1654,
 1879-D
 Crowder, D. F P 600-D,
 604; B 1230-G; GQ-236, 473, 646
 Cruft, R. W W 1580-E,
 1592-B, 1685, 1686, 1839-M
 Cruse, R. R W 1692
 Csejtey, Bela, Jr GQ-468
 Caerna, Zoltan de P 450-C,
 475-C
 Culbertson, J. K P 575-D,
 700-B; W 1498-F, 1608-M, 1898-A
 Culbertson, W. C P 450-C, E,
 525-D, 550-B; B 1182-B, 1213

Culler, R. C P 655-A
 Cullins, H. L B 1194-J;
 GQ-703, 835
 Cummans, J. E W 1688
 Cummings, David P 475-D,
 GQ-695, I-544
 Cummings, T. R W 1586-I,
 1699-E, 1788, 1806, 1807
 Cunningham, D. R P 550-C
 Cunningham, R. R C 628
 Cuppels, N. P P 568;
 B 1063-C, H; GQ-850
 Curtin, G. C P 550-C,
 700-C; B 1252-E, 1314-B; C 562, GQ-829
 Curtis, E. L P 475-C
 Curtis, W. F P 450-B
 Cushing, E. M P 448-A, B, E;
 C 471; HA-221
 Cushman, R. L W 1659,
 1785, 1809-D
 Cushman, R. V W 1475-Q,
 1499-H, J, 1752; GQ-223; I-401, 402
 Cuthbert, Margaret P 501-C
 Cuttitta, Frank P 450-B,
 475-D, 525-B, 575-B

D

da Costa, J W 1536-D
 D'Agostino, J. P P 700-C
 Dale, O. C W 1653
 Dale, R. H W 1656;
 C 459; HA-267
 Dale, W. J P 590,
 591
 Dalrymple, G. B P 550-B
 Dalrymple, Tate W 1813,
 TW1 3-A1, 3-A2
 Dando, T. O P 450-E,
 550-C, 575-B, 650-D
 Dane, C. H B 1224-H,
 1254-F; I-358
 Daniel, J. F P 700-B
 Danilchik, Walter P 700-C; B,
 1147-B; Map C-46, 47, 48; I-405
 Danusawad, Thawisak P 618
 Davidian, Jacob P 475-C;
 W 1369-D; 1592-C, D; TW1 3-A6
 Davidson, D. F P 450-C,
 475-B; B 1162-C
 Davidson, E. S B 1229;
 W 1819-D
 Davies, W. E P 501-C
 Davis, C. F HA-81,
 103, 107, 109, 132, 133, 135, 136, 137, 139, 140,
 141
 Davis, D. A P 403-H;
 W 1608-C; HA-218
 Davis, G. H P 450-D,
 475-C; W 1618
 Davis, L. C., Jr C 486
 Davis, L. V HA-191
 Davis, R. E B 1127;
 GQ-593, 665

- Davis, R. W GQ-744;
 HA-93, 112, 157, 164, 166, 169, 172, 174, 179,
 183
 Davis, W. E GP-439,
 444, 496, 497, 498, 694
 Dawdy, D. R P 501-D,
 655-C; W 1498-F, 1591-D
 DeBuchananne, G. D HA-283,
 284
 Decker, R. W P 575-D
 DeCook, K. J W 1612
 DeHon, R. A GQ-797
 Deike, R. G W 1863,
 1864
 de Laguna, Wallace B 1156-A, C, D, E
 DeLaney, A. O P 550-D;
 GQ-300, 501, 521, 522, 589
 Delevaux, M. H P 475-B,
 550-C, 575-B
 Delgadillo, Edgar B 1273
 DeLuca, F. A W 1613-B
 Dempsey, W. J GP-293,
 294, 295, 353, 354, 355, 356, 357, 393, 400, 402,
 411, 412, 413, 418, 419, 420, 425
 Dempster, G. R., Jr P 462-B;
 W 1586-H
 Denis, L. P HA-318
 Dennen, W. H MF-301
 Denny, C. S P 379,
 466, 501-B, 590, 591, 600-B; B 1181-L; GQ-324,
 635; I-630
 Dennis, P. E W 1757-D
 Dennison, J. M OC-64
 Denny, M. V P 525-D
 DeNoyer, J. M P 679-D
 Denson, N. M P 463,
 575-C, 650-B, C, 700-C; B 1199-M, P; I-570
 Desborough, G. A P 600-B,
 700-D
 Detterman, R. L P 303-E, F,
 475-C, 512, 525-D, 550-D, 600-C; I-407
 Deutsch, Morris W 1594-D,
 1691
 Devaul, R. W W 1599;
 HA-26, 27, 28, 29, 30
 DeWald, Omar I-531-A
 Dewar, R. S B 1140-C, D
 de Witt, Wallace, Jr B 1173,
 1294-G; OC-64
 Diaz, A. M P 450-E
 Dibblee, T. W., Jr P 522;
 B 1089-C; I-426, 427, 430, 431, 461, 467, 472,
 477, 478, 488, 490, 516, 517, 518, 561, 592
 Dickey, D. D P 450-E,
 475-B, 501-B
 Dickinson, K. A P 594-E,
 I-659
 Dickinson, R. G P 525-C,
 GQ-486
 Dietrich, J. A C 613
 Dingman, R. J P 450-D, E,
 475-D, 501-D, 525-C, 650-C; B 1189, 1219
 Dings, McC. G P 489
 Dinnin, J. I P 501-C,
 525-B, 550-C
 Dinwiddie, G. A W 1576-E
 Dixon, G. H B 1202-A
 Dixon, H. R B 1194-C;
 GQ-392, 468, 481, 696
 Dobrovolny, Ernest P 450-E,
 600-C; B 1165; GQ-196, 532, 683; I-460
 Dodge, F. C. W P 450-B,
 600-B, 700-D; B 1261-A
 Doe, B. R P 575-B
 Doell, R. R P 450-D,
 550-B; B 1203-A
 Doering, W. P P 600-C
 Doherty, L. I P 575-B
 Dole, H. M P 449
 Donaldson, D. E P 550-D
 Donnell, J. R B 1274-M;
 GQ-240
 Dong, A. E P 700-B
 Donsky, Ellis W 1611
 Dooley, J. R., Jr P 700-B
 Doonan, C. J HA-333
 Dorr, J. V. N., 2d P 341-C,
 641-A
 Douglass, R. C P 323,
 593-A, 643-G
 Douglass, R. W PB1-94810
 Dover, T. B W 1890
 Dow, D. H P 590
 Downey, J. S P 600-D,
 700-B; HA-428
 Downs, S. C W 1540-C
 Doyel, W. W P 475-D,
 501-B, D; W 1757-B
 Drake, A. A., Jr P 359,
 501-D, 525-D; B 1194-L, 1208, 1244-H;
 GQ-336, 593, 594, 595, 665; I-552
 Dreeszen, V. H W 1839-F, L;
 HA-131, 287
 Dreher, F. C W 1499-G
 Drescher, W. J W 1669-O
 Drewes, Harald P 413,
 450-B, 501-B, 550-D, 557, 575-D, 700-B;
 B 1028-S, 1181-L, 1274-C, 1312-A; I-613
 Dudley, W. W., Jr P 700-C
 Duffield, W. A P 650-D
 Duke, M. B P 525-B
 Duke, Walter P 501-C
 Duncan, D. C C 523
 Duncan, H. M P 323,
 480, 629-A
 Dunkle, D. H P 323
 Dunlap, J. C B 1199-L, M,
 1222-A
 Dunn, Bernard P 525-D
 Dunnam, C. A W 1619-FE,
 1798-F
 Dunrud, C. R P 550-D;
 I-582
 Durfor, C. N P 550-D;
 W 1330-F, 1619-W, 1812; HA-200
 Durham, D. L P 334-H,
 420-B, 524-A, 525-D, 646-B; B 1141-Q, 1161-H,
 1181-Q, 1194-E, 1221-B, 1255, 1271-A, 1285;
 GQ-768; I-487
 Durrell, L. W P 509

Durum, W. H	W 1499-F; C 529-A, 542	Emerick, W. H	P 501-C
Dury, G. H	P 452-A, B, C	Emery, K. C	P 403-B
Dutcher, L. C	W 1419, 1605, 1757-E, F, G	Emery, K. O	P 525-C, 529-A, 581-A; C 481
Dutro, J. T., Jr	P 475-B, 613-E, 650-D; B 1108-C	Emery, P. A	W 1779-W, 1839-F; HA-216
Dutton, C. E	P 513, 570; B 1260-I, J; I-466, 631	Emmett, L. F	P 475-C; W 1699-L; HA-315, 336, 340, 344
Dwornik, E. J	P 550-D	Emmett, W. W	P 352-G, 662-A; C 460-C
Dyer, H. B	B 1239	Endo, E. T	P 525-B
Dyni, J. R	B 1194-J; GQ-702; OM-216	Engel, A. E. J	P 550-D; B 1167
E		Engel, C. G	P 525-C, 550-D
Eakin, T. E	P 475-D, 501-D	Engel, Celeste	P 594-B
Eargle, D. H	P 475-D; B 1251-D	Engels, J. C	P 600-C, D
Easton, W. H	P 348	Engler, Kyle	W 1615-G, 1616-A, C
Eaton, G. P	P 550-B; B 1261-E, 1319-E	Engler, V. L	MR-47
Eaton, J. P	P 474-D, 579; B 1171	Englund, K. J	P 450-E, 501-B, 507, 550-D, 572, 600-C; B 1142-B; GQ-178, 180, 190, 300, 301, 500, 501, 521, 522, 585, 589, 745; I-577
Eberlein, G. D	B 1284	Eppley, R. A	P 501-B
Eckel, E. B	P 450-C, 541, 542-G, 545-B, 546	Epstein, A. G	B 1243
Eddy, J. E	P 475-D; 501-D, 575-C	Epstein, J. B	P 550-B, 650-D; B 1063-I, 1243, 1244-H; GQ-665; I-552
Edelen, G. W., Jr	HA-40, 44, 45, 46, 48, 51, 56, 65	Eric, J. H	GQ-370, 388
Edwards, K. W	P 525-D; W 1696-C, E, F	Ericson, D. W	W 1811
Ege, J. R	P 525-D; GQ-614	Ericksen, G. E	B 1319-E; C 639
Eggleton, R. E	I-458, 708	Erickson, R. L	P 425, 501-B; 1198-A, E, 1252-E; C 534; GQ-526
Ehrlich, G. G	P 575-B, C	Eroskay, S. O	GQ-532
Eicher, R. N	P 414-F	Eschman, D. F	B 1163-C
Eisenhuth, H. P	C 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586	Espenshade, G. H	B 1118, 1241-F; MR-18; GQ-330
Eisenlohr, W. S., Jr	P 450-D; W 1779-L; C 461, 558	Eugster, H. P	P 496-B
Ekren, E. B	P 475-C, D, 481, 525-D, 527; GQ-387, 493, 606, 672; I-545	Euler, R. C	P 670
Elberg, E. L., Jr	P 560-D; I-204 A, 215 A, 219 A, 220 A	Evans, E. D	P 581-C
Elbert, E. L	I-215 B, 219 B, 220 B	Evans, H. T., Jr	P 475-D
Eller, R. C	P 450-B	Evans, J. G	C 588
Elliott, J. E	C 606	Evenden, G. I	P 575-D
Elliott, R. L	C 559, 569, 614	Evenson, R. E	W 1475-K, 1619-F, 1809-S, 1819-A
Ellis, D. W	C 601-C; HA-63, 67, 68, 69, 70, 71, 85, 86, 87, 88	Everhart, D. L	P 360
Ellis, M. J	HA-195, 311	Everhart, G. M	I-380
Elmore, P. S. D	P 456-B	Evernden, J. F	P 623
Elston, D. P	GQ-455	F	
Embody, D. R	P 367	Fabbi, B. P	P 700-D
		Fackler, W. D	GP-411, 412, 413
		Fahey, J. J	P 384-A, 405; B 1144-B, 1214-F
		Fahnestock, R. K	P 422-A, 450-B, 501-B; B 1221-A
		Fair, C. L	B 1194-I
		Falcon M., Eduardo	P 475-D
		Farlekaa, G. M	HA-246, 263, 359
		Farrell, D. F	HA-281, 311

Fassett, J. E	GQ-590	Fleischer, Michael	P 440-D,
Faul, Henry	P 454-G	F, G, K, L, S, T, W, Y,	525-D, 612; B 1214-A,
Faust, G. T	P 384-A,		1250; C 612; I-387
	B; B 1156-B	Flint, G. M., Jr	GP-681
Faust, S. D	P 525-D	Flint, R. F	P 475-D;
Feder, G. L	P 700-C		HA-376
Feininger, T. G	GQ-166	Floyd, E. O	HA-343
Feininger, Tomas	P 600-D;	Forbes, R. B	P 550-B
	GQ-403, 436, 469	Ford, A. B	P 450-E;
Feist, O. J., Jr	P 700-C		GQ-473
Feltis, R. D	P 600-B;	Ford, M. E., Jr	W 1809-M
	W 1854	Forsyth, J. L	I-316
Felts, H. R	P 450-D;	Foster, H. L	P 399-A,
	C 480	525-B, 543-F, 550-B; B 1241-B, H, 1249, 1271-	G, 1312-M; I-593
Fennelly, E. J	P 475-B	Foster, M. D	P 414-A,
Ferguson, G. E	W 1591-E		474-F, 504-D, E, 575-C, 614-F
Ferm, J. C	B 1120;	Foster, R. L	P 575-D;
	GQ-175, 196, 353, 532, 640		C 590, 625-D
Fernald, A. T	P 450-B,	Fournier, R. O	P 525-B
	525-C; B 1181-K; I-550	Fowler, C. S	P 670
Ferreira, C. P	P 525-C	Fowler, D. D	P 670
Ferriana, O. J., Jr	P 475-C,	Fox, K. F., Jr	B 1272-B;
	543-E, 678; C 570; I-445		GQ-279, 412, 471
Ferris, J. G	W 1536-E	Foxworthy, B. L	W 1594-C, E, F,
Feth, J. H	P 450-B,		1598, 1655, 1793; C 524
518, 550-D, 575-C; B 1080; W 1619-H; C 499;		Frank, F. J	W 1899-A
	HA-189, 199	Franke, O. L	P 600-B;
Feulner, A. J	P 475-B,		W 1879-F
D, 501-D, 575-B, C; W 1809-E; HA-187		Franklin, G. J	P 575-C;
Ficke, J. F	P 525-C,		GQ-385, 629, 777
	650-C	Franks, P. C	B 1132
Ficken, J. H	P 575-C	Fraser, G. D	P 454-B,
Ficklin, W. H	P 700-C		C; B 1028-S, 1277
Fidler, R. E	P 525-D,	Frauenthal, H. L	P 475-C, 501-C
	550-D, 650-B; W 1872	Frederick, B. J	P 433-K, 450-D
Fields, F. K	P 650-B	Frederick, R. H	P 627-A
Fiering, M. B	P 434-C	Freeberg, J. H	B 1220, 1320
Fillo, P. V	B 1261-A, B, G	Freeman, V. L	P 594-K;
Finch, W. I	P 501-C,		B 1319-D; I-395, 422, 424, 434, 440
D, 538; B 1258-B, 1282; GQ-269, 326, 372, 530,		French, J. J	C 469
557, 652, 731, 763; MR-21		Frezon, S. E	B 1194-D;
Finks, R. M	P 480		GQ-425
Finley, E. A	C 419	Friedman, Irving	P 475-B,
Finnell, T. L	P 450-D;		575-B, 600-B, 614-B, 650-C, D
B 1125, 1132, 1230-H; GQ-318, 544, 545		Friedman, J. D	P 650-C, 700-D
Fischer, H. B	P 575-D,	Frisknecht, F. C	P 475-D,
	582-A; W 1899-G	529, 575-D; B 1083-F; GP-403, 404, 405, 406,	407
Fischer, R. P	P 588;		
B 1261-C, 1316; C 592; MR-16		Fritts, C. E	P 450-D;
Fischer, W. A	P 475-B;		GQ-199, 200, 426, 427; I-576
	HA-218; I-400	Frondei, J. W	B 1256
Fisher, D. W	P 473-B,	Frost, I. C	P 450-B,
	525-C; W 1535-K, M		525-D, 550-C
Fisher, F. S	P 600-B;	Frost, J. E	P 575-D
	B 1230-E; C 592	Fry, C. J., Jr	P 650-C
Fisher, R. V	GQ-641	Frye, J. C	B 1274-E
Fishman, M. J	P 525-B,	Fryklund, V. C., Jr	P 445
700-C; B 1141-A; W 1540-C; TWI 5-A1		Fryxell, Fritiof	P 504-A
Fiske, R. S	P 444,		
	607; I-432	Furness, L. W	P 575-C;
Fitzpatrick, G. L	P 600-D		W 1498-B, 1499-I
Flammer, G. H	B 1141-A		
Flanagan, F. J	P 450-B,		
	501-C		
Fleck, W. B	HA-293		

- Gable, D. J P 474-C,
475-B, 554-E; B 1251-E, GQ-833
- Gaca, J. R GP-638
- Gadoury, R. A HA-371
- Gair, J. E P 341-A,
397, 600-D; B 1261-F; GP-467
- Galat, G. A GP-386,
387, 388, 389, 390, 391
- Gallaher, J. T W 1818;
HA-72, 74, 91, 95, 96, 110, 129
- Galli-Olivier, C P 475-B,
650-D; B 1189
- Galloway, S. E W 1659
- Gambell, A. W P 475-C;
W 1535-K
- Gamble, C. R W 1673,
1675, 1678
- Gann, E. E P 600-D
- Gannon, W. B W 1779-M
- Garber, M. S TW18-A1
- Garcia, Jose P 501-D
- Gard, L. M., Jr P 388-B, 589
- Gardner, R. A HA-365
- Garner, E. L P 501-B
- Garrett, A. A P 450-C;
W 1419, 1839-J
- Garrison, R. E P 575-B
- Garza, Sergio W 1582
- Gaskill, D. L P 501-C;
W 1329-B, 1610-B, C, D; B 1261-E; GQ-511,
512, 578
- Gates, J. S P 450-D; W 1619-K
- Gates, Olcott P 465
- Gatewood, J. S P 372-B
- Gawarecki, S. J GQ-829, 832
- Gazin, C. L P 525-D
- Gelabert, P. A I-336
- George, J. R W 1819-G; C 526
- George, Warren P 541
- Geraghty, J. J W 1613-A
- Geukens, F P 560-B
- Geurin, J. W W 1762, 1765
- Ghosh, P. K W 1608-D
- Gibbons, A. B P 382-A;
B 1147-D; GQ-215, 496, 784
- Gibbs, J. F P 550-D, 600-B
- Gibson, T. G P 600-D
- Gierhart, R. D I-211 A,
B, 215-A, B, 218 A, B
- Gilbert, C. R W 1779-F,
1984; HA-238
- Gilbert, F. P GP-195,
296, 302, 310, 330, 332, 363, 386, 387, 388, 389,
398, 399, 425, 469, 470, 471, 472, 473, 474,
478, 479, 480, 484, 559, 560, 581
- Gildersleeve, Benjamin P 650-D;
MR-27; GA-194, 216, 411, 549, 673, 757
- Gill, H. E B 1274-H; W 1757-K
- Gill, J. R P 392-A,
393-A, 450-B, 463, 550-B, 667
- Gilluly, James P 465,
B 1175; GQ-656
- Giusti, E. V P 422-G,
450-C, E
- Glancy, P. A P 650-C
- Gleason, J. D P 650-D
- Glick, E. E B 1194-D,
1213; GQ-278, 425
- Glover, Lynn, III P 650-C
- Glover, R. E P 433-B;
W 1583, 1613-C
- Goddard, E. N p. 197;
I-454
- Goddard, G. C., Jr W 1761
- Godfrey, R. G P 433-K
- Godson, R. H P 599-A
- Godwin, L. H P 475-C,
501-C; GQ-511, 512, 578, 704
- Goerlitz, D. F P 475-D;
W 1817-A, B, C
- Goett, H. H P 600-C
- Goldberg, M. C P 600-D, 650-D
- Golden, H. G P 448-I;
W 1674, W 1763
- Goldsmith, J. R P 260-BB
- Goldsmith, Richard B 1224-J;
GQ-148, 176, 329, 574, 575, 576, 609
- Goldthwait, R. P I-316
- Gonthier, J. B B 1775
- Good, S. E B 1142-A
- Goode, H. D B 1172
- Goodlett, J. C P 379, 600-B
- Goodwin, C. R P 650-D;
1869-E
- Goolsby, D. A P 650-D
- Gonzalez, D. D W 1898-A
- Gordon, E. D W 1475-F;
C 494
- Gordon, G. V P 550-C
- Gordon, Mackenzie, Jr P 323,
460, 483-A, 550-B, 575-D, 606-A, E, 613-A, C,
629-A
- Gorsline, D. S P 575-C
- Gosling, A. W HA-268
- Gott, G. B P 450-E,
454-G, 475, 501-D, 625-A; C 535, 543, 595
- Gottfried, David P 450-B,
E, 501-B, 525-B, 614-E
- Gottschall, Irwin C 462
- Goudarsi, G. H P 660;
GQ-688, 741, 766, 815, 836; I-205-A, 350-A
- Gower, H. D P 501-D;
GQ-374; B 1230-A; I-437
- Graf, D. L P 260-58
- Granger, H. C P 450-D,
475-B, C, 550-B, C, 595, 600-B, 700-B; B
1147-A, 1168
- Grant, R. E B 1244-E
- Grantz, Arthur P 316-C,
H, 450-E, 475-B, 547, 550-C; B 1181-I, 1260-K;
C 491
- Graves, M. L P 575-C
- Gravlee, G. C., Jr P 422-M
- Green, A. R W 1671,
1779-T; C 478
- Green, J. H P 450-D,
600-C; W 1619-C, 1809-I
- Greene, G. W P 678
- Greene, H. G B 1312-B
- Greene, R. C B 1224-B,
D, 1230-D, 1319-A; GQ-452, 470, 479, 664, 686;
I-493

- Greenland, L. P P 575-C;
600-B, 650-C
- Greenman, D. W W 1608-H
- Greenwood, J. E. G. W P 560-C
- Gregg, D. O P 700-C
- Griffin, M. S C 488,
498, 518, 528, 548, 568, 618
- Griffin, W. C W 1499-B
- Griffitts, W. R P 475-B;
B 1162-F; C 597, 600; GQ-803; I-384; MF-250,
252, 257; MR-35
- Grigg, N. S P 650-B
- Griggs, A. B P 449,
478, 646-D; I-464; MF-244
- Griggs, R. L B 1222-E;
W 1619-Y, 1753
- Grimaldi, F. S P 475-B
550-B, C, 600-B, D, 650-C
- Grimes, D. J B 1312-O; C 591
- Griscom, Andrew B 1206,
GP-311, 312, 564, 565, 566, 567, 577
- Grolier, M. J B 1224-G;
I-618, 619
- Groothius, Dennis P 600-D
- Gross, M. G P 680-A
- Grossling, B. F P 554-F
- Grossman, I. G P 450-B,
D, 475-B, 600-B, 700-B
- Grove, D. B P 650-C
- Groves, H. L., Jr P 575-C
- Growitz, D. J W 1990
- Grozier, R. U P 525-B
- Gryc, George P 303-E
- Gualtieri, J. L P 508;
B 1224-E, F; C 557; GQ-571, 662, 684, 685
- Gude, A. J., 3d P 501-C,
525-D, 575-C, 597, 634, 650-D, 700-D; C 500
- Guerrera, A. A W 2001-B
- Guild, P. W MR-51
- Gulbrandsen, R. A P 475-C,
550-D, 650-C, 700-B, C
- Gunner, John spec. map, p. 318
- Gurk, Herbert PB1-93666, 93829
- Gutentag, E. D P 650-D; W 1891
- Guy, H. P P 433-A,
462-A, I, 475-D, 562-C, D, 600-B; W 1591-E; C
601-E; TWI 3-C1, 3-C2, 5-C1
- H
- Hack, J. T P 484,
504-B, 524-C
- Hackett, O. M W 1694,
1760, 1770, 1781, 1782, 1803; C 527
- Hackman, R. J P 575-B,
D; I-355, 400, 463
- Haddor, Yousef W 1757-A
- Hadley, J. B P 349-B,
587; GQ-813, 814
- Hadley, R. F W 1475-P,
1532-A; C 460-C
- Haffty, Joseph P 575-B;
C 624
- Hahl, D. C P 525-C
- Hahn, G. W W 1821
- Haigler, L. B MR-45, 46
- Hail, W. J., Jr B 1188,
1257, 1274-N; GQ-308
- Haines, D. V H 1181-P
- Haire, W. J HA-323, 331
- Hait, M. H P 650-C
- Halberg, H. N W 1499-C,
D, 1779-V, 1857
- Haley, B. R P 536-A,
B, C; I-405
- Hall, W. E P 368,
650-C; MF-251
- Hallgarth, W. E P 450-D
- Halliday, James P 501-C
- Ham, C. B C 501,
502, 503, 504, 571, 572, 573, 574
- Hamilton, J. C P 450-C,
550-C, 575-B; B 1242-F
- Hamilton, L. J W 1876
- Hamilton, R. M P 679-D
- Hamilton, T. M P 700-C
- Hamilton, Warren P 349-A,
436, 450-B, E, 456-A, B, 475-C, 504-C, 554-C; B
1141-L; GQ-254, 350; I-448, 579
- Hamlin, H. P P 525-D
- Hammond, E. H NA sheets 62-63,
64-61
- Hampton, E. R P 383-B;
W 1539-K, 1597; HA-242
- Handy, A. H P 575-B, 650-D
- Hanna, W. F P 650-D, 700-B
- Hannum, D. H HA-328, 329
- Hansen, A. J., Jr HA-167,
170, 171, 175, 176, 180, 182, 184, 186
- Hansen, W. R P 382-A, B,
450-C, 490, 541, 542-A, 600-C; B 1181-D, 1191,
1251-C, 1291; GQ-201, 215, 747
- Hanshaw, B. B P 475-B,
650-C, D; C 480
- Hanshaw, P. M P 700-C;
GQ-150, 156, 738
- Hanson, R. L P 575-C; W 1838
- Harbeck, G. E., Jr P 272-E
- Harbour, R. L P 700-C; I-600
- Hardison, C. H P 450-B,
475-D, 650-D; W 1669-G, N
- Hardman, George I-416
- Hardt, W. F P 521-A;
W 1809-R, 1819-E
- Harms, T. F P 600-D; B 1289
- Harrill, J. R P 700-C
- Harrington, J. F B 1240
- Harris, D. D P 450-D;
W 1369-E; HA-273
- Harris, D. V P 450-B
- Harris, E. E W 1591-B,
1830-A; HA-379
- Harris, K. F W 1547
- Harris, L. D P 450-E,
501-B, 525-B, 550-C; B 1142-B; GQ-188, 238,
323, 435, 842
- Harrison, J. E P 646-D;
B 1141-K, 1261-D, 1312-O; GQ-375
- Harshbarger, J. W P 521-A;
W 1576-A, 1648

- Harshman, E. N P 450-D,
550-C; I-539, 570
- Hart, D. H W 1594-C, 1697
- Hart, D. L., Jr HA-223, 250
- Hartshorn, J. H B 1163-D;
GQ-507, 537, 599, 642, 678, 735, 787
- Hartssock, J. K P 512
- Harvey, E. J P 600-C; W 1763
- Harwood, D. S P 575-D, 650-D
- Hass, W. H P 525-D
- Hassan, Abdulla W 1757-J
- Hatch, N. L., Jr P 600-D;
B 1254-D, 1324-B; GQ-202, 228, 245, 282, 642,
735, 857
- Hathaway, J. C P 403-D,
F, 581-E, 600-B
- Haugen, R. T P 450-B
- Haushild, W. L W 1498-G
- Hauth, L. D HA-305
- Havens, J. S W 1819-F
- Havens, R. G P 450-D, 475-B
- Hawkins, D. R GP-383
- Hawkins, Daniel GP-328
- Hawley, C. C P 550-C,
608-A; B 1192, 1231, 1239; C 564, 597, 617
- Hay, R. L P 409
- Hayes, G. S W 1779-M
- Hayes, P. T P 446,
450-B, 456-A, B, 550-D, 658-A, B; B 1194-M,
1201-F, 1261-B; I-418, 509
- Haynes, D. D B 1185-B;
GQ-181, 251, 339, 351, 401, 558, 634
- Haynes, G. L., Jr P 501-B
- Hays, W. H P 505;
B 1254-J; GQ-328, 607, 840; I-425
- Hazel, J. E P 529-E,
564, 600-D, 650-C, D
- Hasen, Janet B 1245
- Hazelwood, R. M P 367;
B 1083-F
- Healey, D. L P 475-B,
525-D, 700-B; B 1147-F
- Healy, H. G P 501-D; W 1694
- Hearn, B. C., Jr P 450-B;
W 1141-P, 1181-B
- Heath, J. A B 1193, 1263
- Heath, R. C P 475-D; C 524
- Heck, L. W B 1245
- Heckler, W. L W 1648
- Hedge, C. E P 475-D,
550-D, 600-C, 650-C, 700-B
- Hedlund, D. C B 1251-C;
GQ-193
- Hedman, E. R W 1999-E
- Heidel, S. G W 1786
- Heidrick, Tom GQ-476
- Heindl, L. A P 450-C,
501-C; B 1141-E, 1194-G, H, I; W 1647-A;
HA-55
- Heisel, J. E W 1981
- Helley, E. J P 562-G,
600-D
- Helley, H. H I-219 A,
B, 220 A, B
- Hely, A. G P 381,
417-A, B, 486-A, B, C
- Helz, A. W P 475-D,
525-B
- Hem, J. D P 440-F,
475-D, 491-C, 575-B; W 1459-I, 1473, 1619-H,
1667-A, B, D, 1753, 1827-A, B, C
- Hembree, C. H P 441,
442; W 1769
- Hemley, J. J P 550-C
- Henbest, L. G P 450-D,
480, 594-H
- Henderson, J. R GP-329,
330, 332, 334, 345, 346, 348, 350, 352, 363, 401,
409, 427, 476, 486, 538
- Henderson, J. R., Jr GP-291,
339, 344, 561, 562, 576, 581
- Hendricks, E. L P 650-B;
W 1530, 1652-C, 1660-B, 1663-D, 1721, 1722,
1723, 1724, 1725, 1726, 1727, 1728, 1729, 1730,
1731, 1732, 1733, 1734, 1735, 1736,
1737, 1738, 1739, 1740, 1750-A, B
- Hendricks, T. A P 536-A; C 522
- Hendrickson, G. E W 1700; HA-333
- Henriques, Hugo P 501-C
- Henry, H. R P 450-B; W 1613-C
- Henry, V. J P 575-C
- Hepp, Mary-Margaret GQ-729
- Heppting, L. M P 600-D
- Herdrick, M. A C 617
- Hernon, R. M P 555;
GQ-306
- Herick, S. M P 450-B,
501-C, 600-C; HA-191
- Hershey, L. A W 1669-X, 1772
- Hertz, Norman P 450-C,
641-B, 700-C; B 1312-F
- Hessin, T. D C 588, 589
- Hewett, D. F P 650-B; C 553
- Heyl, A. V P 450-D, E,
501-D; B 1135-A, B, C, 1202-B, 1242-A, 1252-F;
MR-15, 19, 34, 39
- Heyward, H. H P 575-C
- Hickenlooper, I. J HA-261,
262, 271, 288, 289
- Hickey, J. J W 1879-E
- Hicks, O. N P 521-A
- Hidaka, F. T W 1839-J
- Hietanen, Anna P 344-A,
B, C, D, E, 450-C
- Higgins, M. W P 650-D; I-511
- Highsmith, R. M., Jr PB1-94811
- Hildebrand, F. A P 450-C, D, E
- Hill, M. E GP-402,
418, 419, 420
- Hill, T. P P 561
- Hillier, D. E HA-310
- Hilpert, L. S P 603;
B 1260-C
- Hilton, G. G W 1619-Z
- Himmelberg, G. R P 575-B, 600-C
- Hinckley, D. W B 1141-O
- Hindall, S. M HA-376
- Hinds, J. S P 501-D;
C 628; GQ-591

- Hindson, L. L. W 1757-D
Hines, M. S. P 448-F,
G; W 1839-B, G, 1857, 1879-A, B
Hinkle, M. E. P 550-B, 650-D
Hinrichs, E. N. P 363;
GQ-215, 384, 493, 638, 726; I-526
Hinson, H. G. C 517
Hirashima, G. T. P 450-C,
575-D; W 1894
Hite, J. B. MF-278
Hladio, Stephen HA-297, 350
Hoare, J. M. P 501-C,
600-D; I-469, 523
Hobbs, S. W. P 478;
B 1254-J
Hodges, A. L., Jr. HA-249
Hodson, W. G. W 1578-I
Hoffard, S. H. P 403-H
Hoffman, C. M. W 1694-D; C 520
Hoffmann, Walter W 1539-M, 1650-A, B
Hogenson, G. M. W 1620, 1793
Holbrook, C. E. GQ-480
Hollenstein, G. H. HA-213
Hollowell, J. R. W 1809-T
Holm, D. A. I-200-A, B
Holmes, G. W. P 450-C,
475-C, 525-B; B 1181-H, 1201-B, 1241-H, 1249;
GQ-366; I-394
Holt, C. L. R., Jr. W 1796, 1811
Hood, J. W. W 1539-M,
1601, 1608-K, 1659, 1669-AA; HA-192
Hooker, Marjorie P 700-D
Hoover, D. B. C 596, 613
Hoover, D. L. P 450-E;
GQ-496; MF-271
Hoover, Linn B 1122-D
Hope, R. A. P 650-D
Hopkins, D. M. P 398-A;
B 1141-C, 1241-H; I-415
Hopkins, H. T. W 1867
Hopkins, W. B. W 1528,
1539-T; HA-224
Hopson, C. A. P 444; I-432
Horn, G. H. C 633; OM-213
Horr, C. A. W 1496-C,
D, 1779-N, 1799, 1843
Horton, M. J. P 561
Horwitz, G. M. P 550-B
Hose, R. K. P 550-B;
GQ-193, 362; I-376, 377, 378, 390, 391, 393, 435,
436
Hoskins, D. M. OC-64
Hosman, R. L. P 448-A,
B, D, E, 501-D; HA-309
Hosterman, J. W. P 475-D,
501-D, 525-D, 600-B, 650-B, D, 700-C;
B 1122-F, 1270; GQ-169; MF-261
Hostetler, P. B. P 575-C, 600-D
Hots, P. E. P 431,
450-E, 650-D; GQ-618
Houser, F. N. P 450-C,
481, 501-C; GQ-214
Houston, P. K. P 501-B
Houston, R. S. P 525-D,
700-C; GQ-643, 789
Howard, K. A. I-566
Hoyt, John P 575-C
Hrabar, S. V. GQ-847
Hubbard, E. F. HA-420
Hubbard, H. A. P 450-E; B 1132
Hubbard, L. L. HA-351
Hubbell, D. W. P 433-C; W 1748
Huber, N. K. P 414-D,
554-D, 650-D; GQ-437, 728
Huber, R. A. PB1-90623
Hubert, A. E. P 600-B,
700-C; B 1314-B; C 562
Hubert, Arthur C 545
Huddle, J. W. P 475-C,
501-B, 507, 525-D, 575-C, 578, 700-B; B 1120,
1122-F; GQ-178, 180, 589; OC-64
Hudson, J. W. HA-395,
396, 397, 398, 399, 400, 401, 402, 403, 404, 405,
406, 407, 408
Hudson, Travis B 1312-H
Huene, Roland von P 700-C
Huff, L. C. P 363,
450-C; B 1098-C, 1190, 1230-F, 1312-C
Huffman, Claude, Jr. P 450-E,
475-B, D, 501-D, 550-B, C, 600-B, C, 700-B; B
1242-F; C 544
Hughes, G. H. P 272-H,
486-C, F; HA-369
Hughes, L. S. W 1669-CC,
1809-H, 1839-A
Hülsemann, Jobst P 581-B
Hulsing, Harry W 1689,
1869-C; TWI 3-A5
Hummel, C. L. MF-247, 248
Humphreys, C. P., Jr. W 1856
Hunt, C. B. P 475-B,
494-A, B, 509, 550-B, 669-C
Hunt, O. P. P 475-C;
W 1499-C, D
Hunter, R. E. P 625-C; I-659
Hussain, S. A. W 1608-J
Hutchinson, R. D. W 1809-I; HA-360
Hutchison, N.E. C 458
Hyden, H. J. P 450-E;
B 1147-B, 1194-K, 1277; GQ-472, 510, 533,
579, 637, 643, 789
Hyland, J. B. W 1779-H
- I
- Iberall, E. R. B 1312-F
Imlay, R. W. P 335,
374-C, D, 418-A, B, 450-B, 483-C, D, 540,
573-B, 593-C, 643-D, 647-A, B
Ingram, B. L. P 450-E,
475-D, 550-B
Ingram, Blanche P 475-D,
501-B
Inthuputi, Boonmai P 618
Iorns, W. V. P 441, 442
Ireland, Burdge P 450-B,
486-C; W 1779-K
Irwin, J. H. P 450-B;
W 1576-G; C 630; GQ-162; I-352

- Irwin, W. P P 450-B,
C, 501-C, 525-D, 575-C; B 1319-A; GQ-336, 820,
821; MF-245, 275
- Isabister, John P 450-E;
W 1825
- Iseri, K. T W 1669-Z;
HA-282
- Isherwood, W. L C 474
- Iskander, Wilson P 475-B
- Izett, G. A P 450-E,
475-B, 550-B, 586, 650-B, 700-C; B 1127,
1181-S, 1274-N; C 594; GQ-185; I-372; MF-
271, 291
- J
- Jackson, D. B P 650-C
- Jackson, E. D P 450-E,
550-D, 575-B, C, D
- Jackson, R. O I-204 A,
211 A, B, 216 B, 217 B
- Jackson, W. H P 438,
525-D; B 1083-F
- Jacobs, Barbara P 434-E
- Jacobs, M. L P 700-B
- Jacobson, H. S P 618;
B 1273
- Jahns, R. H GQ-474
- James, H. L P 440-W,
570
- Jamison, D. W PB1-93859
- Janes, W. W P 501-B;
B 1198-A, E
- Janson, M. E P 448-F
- Janzer, V. J B 1140-B
- Japakasetr, Thawat P 618
- Jaster, M. C MR-29
- Jawaid, Khalid W 1608-K
- Jefferson, P. O P 600-C
- Jefferey, H. G P 448-C,
E, F, G; W 1669-L, V, 1763; HA-315, 336, 340,
344
- Jenkins, C. T P 475-C;
TWI 4-D1
- Jenkins, E. C GQ-497,
543, 659
- Jenkins, E. D P 450-B,
551; W 1577, 1583, 1799; HA-236
- Jenkins, L. B P 525-D,
700-D
- Jenne, E. A P 433-F,
600-D
- Jennings, D. S B 1243
- Jensen, F. S P 414-F
- Jespersen, Anna P 501-D;
GP-311, 370, 561
- Jerabek, L. A HA-320,
345
- Jobin, D. A P 575-D;
B 1124, 1141-K; GQ-375; MF-277, 284, 287
- Jochens, E. R W 1577
- Joesting, H. R P 316-F, 516-C
- John, E. C P 550-D
- Johnson, A. I P 450-B,
C, E, 497-A, 501-C, 700-C; W 1544-F, 1615-H,
1619-U, 1662-A, B, D, 1779-Z, 1839-D
- Johnson, Arthur P 475-B;
C 463, 473
- Johnson, D. H B 1103
- Johnson, E. L B 1260-I, J
- Johnson, F. A W 1529
- Johnson, G. L P 550-D
- Johnson, G. R P 450-D,
700-C, D
- Johnson, H. S., Jr B 1222-H
- Johnson, J. F P 260-Z
- Johnson, J. G P 584-B
- Johnson, J. H P 399-C,
403-G
- Johnson, J. O W 1535-O,
1696-B, C, E
- Johnson, P. W W 1475-H,
1539-S; HA-214
- Johnson, R. B P 450-C,
501-B, 575-C, D, 594-G, 700-B; B 1271-E;
GQ-869; I-558
- Johnson, R. F P 341-B;
B 1110-A
- Johnson, R. W., Jr GP-362,
363, 382, 383, 384, 385, 414, 538
- Johnson, W. D., Jr B 1149,
1215-A, B; GQ-687, 751, 839
- Johnson, W. F P 650-D
- Johnston, J. E B 1047-B;
GQ-181, 198, 201, 205, 276
- Johnston, P. M W 1539-L, 1776
- Johnston, R. H P 450-C;
W 1757-I
- Jolly, J. L P 501-D;
B 1202-B, 1252-F
- Jolly, Janice P 414-H
- Jones, B. F P 501-D,
502-A; W 1651
- Jones, B. L P 650-C;
W 1532-C
- Jones, C. L P 700-D;
B 1201-A, 1252-B
- Jones, C. R P 613-B
- Jones, D. L P 432,
475-C, 503-F, 550-C, D, 547, 647-A, B, 700-C; B
1180-A, 1274-K; I-423
- Jones, F. O P 387
- Jones, J. R W 1669-A
- Jones, L. M P 550-C
- Jones, P. H P 450-C
- Jones, R. S B 1250;
C 603, 610, 612, 625
- Jones, W. J P 700-C
- Jones, W. R P 555;
GQ-306, 865; GP-424
- Jopling, A. V P 475-B
- Jordan, P. R W 1651,
1769, 1802
- Jungmann, W. L HA-279
- Jussen, V. M B 1195
- K
- Kachadoorian, Reuben P 542-B,
F, G, 543-D, 545-C, 678, 700-B, B 1312-H; C
491, 537, 545
- Kahn, Lloyd P 650-C

- Konizeski, R. L W 1862
 Koopman, F. C P 450-B,
 575-B; TWI 8-A1
 Kopf, R. W P 575-C
 Korringa, M. K P 700-D
 Koschmann, A. H P 610;
 MR-14
 Koteff, Carl P 475-C;
 B 1260-D; GQ-265, 331, 567, 599, 678, 787, 881,
 911
 Kottlowski, F. E W 1525
 Kouba, D. L P 562-E
 Koyanagi, R. Y P 475-D,
 501-C, 525-B, 550-C, 600-B, C, 607, 614-C,
 650-B, C, D
 Kracek, F. D B 1144-D
 Kramer, Henry P 350
 Krieger, M. H P 467
 GQ-668, 669, 670, 671, I-499, 500, 501, 502, 503,
 504, 505
 Krieger, R. A W 1475-Q,
 1499-E, 1577, 1700, 1769
 Krier, E. P P 525-B
 Krinsley, D. B P 450-B,
 475-B, 525-C
 Krivoy, H. L P 475-C,
 501-B, 650-B
 Krummel, W. J., Jr I-513,
 526
 Krushensky, R. D GQ-614,
 638
 Kuchler, A. W NA sheets 89, 90
 Kuentsel, M. A C 493
 Kulp, W. K W 1579
 Kunkel, Fred W 1475-O,
 1539-O, 1779-Y; HA-31
 Kunkle, G. R P 525-D
 W 1839-O
 Kunkler, J. L P 575-B,
 650-B, D
 Kupfer, D. H B 1142-E,
 MF-205
- L
- Lachenbruch, A. H B 1203-F;
 C 632
 LaCoste, L. J. B P 575-D
 Ladd, H. S P 531,
 640-C, 680-A
 LaFehr, T. R P 450-D
 Lai, Chintu P 575-B, D,
 600-C
 Laine, L. L W 1890
 Laird, L. B P 417-D;
 W 1649
 Laird, W. M P 543-B
 Lakin, H. W P 450-C, E,
 475-B, 550-B, 575-B, 600-B, 700-C; B 1314-B;
 C 561, 562
 Lamar, W. L P 475-D,
 600-D; W 1817-A, B, C
 LaMarche, V. C., Jr P 352-I,
 422-K, 475-C, 525-C, 550-D, 575-C, 600-D
- Lambert, T. W P 448-D;
 W 1603; GQ-327, 414; HA-13, 32, 33, 34, 35,
 118, 125, 156, 160, 162, 165, 168, 173, 177,
 178, 181, 185
 Lamey, C. A P 513
 Lamke, R. D C 467
 Lamonda, A. G W 1879-B
 Landis, E. R B 1107-E,
 1201-F, 1261-E; GQ-190; I-418
 Landen, David P 450-B
 Lane, C. W W 1499-I;
 HA-68
 Laney, R. L P 525-C
 Lang, S. M P 450-B, D;
 B 1133-G
 Lang, W. B B 1199-J
 Langbein, W. B P 412,
 422-H, L, 500-A, C, 501 B, D; W 1539-W; C
 529-A, 542
 Langford, R. H P 525-C;
 W 1596, 1698
 Langmuir, Donald P 650-B, C
 Laniz, R. V P 501-B
 Lanphere, M. A P 525-B, C, D,
 550-C, D; B 1274-D, 1294-B
 LaPray, Reed P 700-D
 Lara, O. G P 448-H
 Laraway, W. H MF-290
 Larrabee, D. M P 353;
 600-D; B 1201-E, 1283; GQ-221, 358; MF-269,
 282; GP-423; MR-35; I-476
 Larson, R. R P 525-B,
 650-B
 La Rocque, G. A., Jr HA-217
 LaSala, A. M., Jr W 1578
 Lathram, E. H B 1181-R
 Latkin, H. W P 525-C
 Lattimore, R. K I-531-A, G
 Laurence, R. A P 475-C;
 B 1222-C
 Lavin, P. M P 516-E
 Law, L. M W 1817-B
 Laycock, W. A P 563-C
 Layne, N. M., Jr I-200-A, B,
 205-A
 Learned, R. E P 650-D;
 C 609, 623
 Lee, D. E P 475-D,
 501-B, 550-C, 600-D, 650-B, 700-D
 Lee, D. I MR-47
 Lee, F. T P 550-C,
 600-B, 650-C; B 1258-C
 Lee, K. Y B 1312-N
 Lee, Reuben HA-314
 Leggat, E. R W 1669-AA
 LeGrand, H. E C 538
 Lehmbeck, W. L B 1230-C, J;
 MF-301
 Lehner, R. E MF-178
 Leifeste, D. K W 1809-H,
 1839-A
 Leighton, M. M P 525-B
 Leland, G. R B 1319-E
 Lemke, R. W P 382-A,
 542-E; GQ-215; I-331

Lemmon, D. M.	MR-25	Long, A. T.	P 448-D; W 1619-J
Lendo, A. C.	W 1586-E	Long, C. L.	GP-336,
Leonard, A. R.	P 450-B;		356, 382, 488, 490, 491
	W 1890	Long, D. E.	HA-87, 88
Leonard, B. F.	P 376,	Longwell, C. R.	P 374-E,
	377, 450-B, E, 525-B, 594-C,		450-D; B 1180-C
Leonard, R. B.	P 501-B	Loofbourow, J. S., Jr.	B 1142-F
Leong, K. W.	P 550-B;	Lopez, M. A.	HA-77, 128,
	C 534		261, 265
Leopold, E. B.	P 260-II,	Lotspeich, F. B.	B 1181-F
	398-A, 422-H, 450-B, 474-C, D; B 1160,	Loud, E. S.	B 1195
Leopold, L. B.	P 352-G;	Lounsberry, R. E.	W 1764
	422-B, H, L, 460-A, B, 500-A, 669-D; C 554, 620	Love, A. H.	P 575-B, 600-C
LeRoux, E. F.	P 600-D;	Love, J. D.	P 474-E,
	W 1619-X, 1669-O		495-C, 516 E, 644-B, 650-D, 700-D; C 541
LeRoy, L. W.	P 454-F	Love, S. K.	W 1299,
Lesure, F. G.	P 475-B,		1300, 1573, 1574, 1641-1645, 1699, 1741-1746,
	577, 600-D; B 1190		1881-1886, 1941-1953
Letner, Raymond	P 525-B	Lovering, T. G.	P 450-C, 550-B,
Lewis, C. R.	B 1201-B		575-C, 600-B, 650-B, 700-B; B 1222-D; C 623
Lewis, D. D.	W 1648	Lovering, T. S.	P 361,
Lewis, G. E.	P 475-B, D,		450-D, 475-B, 504-F, 594-B; B 1172, 1222-F
	503-C, 600-C, 650-B, 700-B	Loving, H. B.	P 450-E, 550-B
Lewis, R. Q., Sr.	P 474-B;	Low, Doris	P 550-C,
	GQ-177, 182, 204, 249, 337, 383, 393, 475, 483,		573-A, 680-E
	550, 675, 676, 739, 802, 861	Lowe, A. S.	HA-374
Lewis, R. W., Jr.	P 550-C	Lowe, D. G.	PBI-95748
Lichty, R. W.	P 352-D	Lowell, W. R.	I-433
Lieber, Maxim	P 475-C,	Lowry, M. E.	P 550-D;
	501-C; W 1879-G		W 1669-AA, 1807, 1834; HA-270
Liesch, B. A.	I-354	Lucchitta, Ivo	P 650-C, D
Lillard, M. E.	B 1203-B, C	Lubke, E. R.	W 1669-D, 1894
Limerinos, J. T.	P 650-D;	Luedke, R. G.	P 363,
	W 1898-B; HA-348		475-C, 535; B 1261-C; GQ-152, 291, 504
Lind, C. J.	P 700-D	Luft, S. J.	P 501-D;
Lindberg, M. L.	P 501-B		GQ-496, 552, 638, 739, 785, 861, 862
Lindholm, G. F.	HA-280	Lusby, G. C.	P 700-B;
Lindsay, J. F.	spec. map, p. 318		W 1532-B
Lindsay, J. R.	P 650-B	Luszczynski, N. J.	B 1156-C;
Lindvall, R. M.	P 700-B;		W 1539-E, 1613-F
	I-331, 338, 349, 353	Lustig, L. K.	P 352-F,
Linebaugh, R. E.	I-466		422-F, 475-C, 500-D, 562-A
Lipman, P. W.	P 450-C,	Lutz, G. A.	W 1586-H
	501-B, 524-F, 525-B, 650-D, 700-C; B 1201-D;	Luzier, J. E.	HA-313
	GQ-439, 444, 489, 524	Lyford, W. H.	P 379
Lipscomb, R. G.	P 550-B,	Lyle, R. E.	P 541
	D, 650-C	Lyons, E. J.	B 1120
Littlefield, W. M.	HA-222	Lyons, J. B.	B 1144-F
Livingstone, D. A.	P 440-G	Lystrom, D. J.	HA-242
Llaverias, R. K.	PBI-92863,		
	95748		
Lloyd, O. B., Jr.	HA-292		M
Lobmeyer, D. H.	W 1891		
Lockwood, J. P.	P 644-C	Maberry, J. O.	I-582
Loelts, O. J.	W 1619-AA,	Mabey, D. R.	P 450-D,
	1669-Q, 1779-S		E, 475-C, 494-A, 516-D, 525-C, 550-B, 646-D; B
Loggren, B. E.	P 437-B,		1175; C 475; GP-305, 392, 416, 422
	475-B, 550-B, 600-B; W 1618	McAllister, J. F.	P 525-B
Logan, M. H.	P 545-A	McAndrews, Harry	B 1194-K;
Lohman, K. E.	P 475-C, D,		GQ-390, 391, 430, 508, 509, 637; MF-263
	593-E	McAvoy, R. L.	W 1815
Lohman, S. W.	P 451; I-404	McCabe, J. A.	P 448-H,
Lohr, E. W.	W 1299, 1300		450-D; W 1475-Q
Loney, R. A.	P 475-B,	McCall, J. E.	P 575-B
	525-B, 650-D; B 1108-C, 1178, 1181-R; GQ-615;	McCallum, M. E.	P 505;
	I-388, 411		GQ-840; I-425

- McCarren, E. F. P 575-D; W 1779-C, 1835, 1879-H
McCarthy, J. H., Jr P 450-E, 475-B, 501-D, 550-B, 625-A; C 475, 534, 535, 543, 609, 623
McCarthy, L. T., Jr W 1586-B, 1779-X
MacCary, L. M P 448-C; GQ-327, 759; HA-13, 114, 115, 124, 159, 166
McCaslin, W. E GP-303, 500, 558
McCauley, J. F I-491, 586
McClymonds, N. E P 501-C; 550-C; W 1576-B, 1879-F; GQ-162
MacColl, R. S I-410
McCullum, M. J P 501-C; W 1613-D
McConaghy, J. A C 626
McCulloch, D. S P 543-A, 545-D, 637-A, B
McCulloh, T. H P 420-A, 528-A, 575-D, 679-C; C 530, 531
McCullough, R. A W 1475-F, 1806
McDonald, C. C P 486-F
Macdonald, G. A P 260-BB, 680-B; B 1171; GQ-248, 345, 443
MacDonald, R. R P 475-C
MacDonald, W. R P 600-B
McDowell, R. C GQ-876
McEwen, R. B P 700-D
McFarlin, P. F P 581-E
McGarr, Arthur P 544-E
McGill, J. T C 487
M'Gonigle, J. W P 650-C
McGovern, H. E W 1777; HA-236
McGowan, E. F GP-375, 377, 379, 380, 394, 395, 396, 397
McGrath, J. G P 450-D
McGreevy, L. J W 1576-I; C 494; HA-219
McGrew, L. W B 1141-F; GQ-619, 620, 621, 622, 623, 624, 625, 626, 627, 628
McGuinness, C. L W 1800, 1824; 1845, 1855, 1976; C 492, 608; P. 195; HA-194
McHugh, J. B P 501-C, D, 625-A; C 543
McIntyre, D. H B 1294-D
Mack, F. K W 1747
Mack, Seymour W 1618
MacKallor, J. A P 600-C; GQ-317; GP-199, 351, 462, 525
McKay, E. J B 1107-H; GQ-368, 384, 439, 582, 614, 716, 882, 883, 886
McKee, D. M P 450-D
McKee, E. D P 475-C, 515, 550-D, 669-B; I-450
McKee, E. H P 600-C, 681, 700-D; B 1251-H, 1294-E; C 563; GQ-654, 730, 761, 770
McKelvey, V. E B 1240, 1252-D; C 619; I-632
McKenna, M. C P 700-D
McKenzie, M. L P 450-B; PB1-94570
McKeown, F. A P 450-C; B 1107-H
MacKevett, E. M., Jr P 368, 450-D, 501-C, 550-B, 650-D, 700-B; B 1108-D, E, 1142-G, 1154, 1187, 1274-K, Q, 1312-L; C 604; GQ-844, 899; I-406, 423, 438, 444
MacKichan, K. A P 575-B, 700-C; C 456
Mackin, J. H P 516-B; B 1311-A
McKnight, E. T P 588; GQ-797; MR 15, 19, 34
McLane, J. E P 650-C; C 598
McLaughlin, D. B GQ-593
McLaughlin, T. G W 1805
McLaurin, J. D PH1-95999
Maclay, R. W P 450-D; W 1460-J, 1809-U; HA 201, 237, 241, 272, 296, 307, 339
MacLean, W. H I-205-A, 210 A
McMannis, W. J P 501-C
McMaster, W. M W 1839-N; HA 420; I-419
McMath, V. E P 450-B
McMurtrey, R. G W 1862
MacNeil, F. S P 354-J, P 399-B, 483-G, 550-B, 553
McQueen, I. S W 1532-A; C 482
McQuivey, R. S P 650-D, 700-B
MacQuown, W. C., Jr GQ-683, 717, 767
Maddock, Thomas, Jr P 501-B; 622-A
Maderak, M. L P 501-C; W 1823
Madison, R. J W 1852
Madsen, B. M P 501-D, 550-B, 614-B, 700-D; B 1252-B, 1296
Maguire, F. J W 1757-B
Malcolm, R. L P 600-C
Malde, H. E P 596; B 1103; GQ 611, 718; I-373
Mallory, E. C., Jr P 525-B, 600-B, W 1535-O
Mallory, W. W P 450-D, E, 550-B, 554-G, B 1230-C
Malmberg, G. T P 475-D; W 1780, 1832
Mamay, S. H P 354-I, 454-K, 523-E, 575-C, 593-I, 700-B
Mamet, B. L P 613-E, 700-B
Manger, G. E 454-G, 525-B, 575-C; B 1144-E, 1203-D
Mangum, J. H P 700-C
Mangus, M. D P 303-F
Manheim, F. T P 550-C, 650-D
Mannello, L. R PB1-94570
Mapel, W. J P 404, 450-B, 575-C, 600-D; B 1121-E, M, 1141-N, 1161-C, 1181-J, 1242-D; GQ-464
Mapes, B. E W 1868
Marcher, M. V P 450-E; W 1764
Marine, I. W P 550-D, 575-B, W 1475-G, M, W 1544-I, 1669-K
Marinenko, John P 700-D; C 598
Mark, Helen MR-37
Markward, E. L B 1181-F

- Mariatt, W. E P 525-D
 Marie, J. R P 525-B
 Marranzino, A. P P 501-B;
 B 1198-A, E, 1252-E, 1312-C; C 591
 Marsh, O. T. P 450-D
 Marsh, S. P C 567
 Marshall, C. H I-373, 385
 Martens, L.A W 1591-C
 Martin, G. L P 700-D
 Martin, R. O. R W 1499-F,
 1669-G, N, 1838
 Marvin, R. F P 475-D,
 525-B, D, 550-D, 700-C, D; B 1311-C; I-537
 Massoni, Camillo P 525-D, 600-B
 Masursky, Harold P 501-B;
 B 1099-B; 1175; I-566
 Matalas, N. C P 434-A, B, D, E, 575-B
 Matson, N. A., Jr C 593
 Matthai, H. F W 1680,
 1850-B, TWI 3-A4
 Matthes, F. E P 504-A
 Mattick, R. E P 575-D,
 600-B, 600-D, 700-C; C 566; GP-499
 Mattson, P. H B 1254-B;
 I-519, 520
 Maughan, E. K P 475-C,
 501-B, 554-B
 Maxwell, C. H P 520;
 B 1087-J; W 1599; GQ-294, 367, 395; HA-26-30
 May, Irving P 501-B,
 C, 525-B, 525-D, 700-D; B 1144-C
 May, V. J HA-90,
 143, 147, 148, 151, 154, 202, 203, 206, 210, 228,
 230, 233, 234, 253
 Mayo, L. R P 542-G; I-507
 Mayo, R. I HA-324, 325
 Mays, R. E P 600-D, 650-B
 Mead, C. W P 475-D,
 594-C, 600-D
 Mead, M. C B 1195
 Meade, R. H P 450-E,
 497-B, C, D, 501-C
 Mears, C. E P 650-B
 Meckel, J. P HA-294
 Mehnert, H. H P 575-D
 Meisler, Harold P 575-C;
 700-B; B 1254-G
 Mello, J. F P 501-B,
 600-D, 611, 674; B 1274-H
 Mencher, Ely P 501-C, 550-D
 Mendietta, H. B P 450-B, W 1779-K
 Mensik, J. D P 550-B; C 544
 Merewether, E. A P 536-C, 667
 Merriam, C. W P 408, 423, 469
 Merrill, C. W B 1182-C
 Merrin, Seymour GQ-682
 Mertie, J. B., Jr P 630
 Mesnier, G. N W 1669-Z, 1822
 Messinger, Harry P 475-C
 Metzger, D. G P 525-C,
 600-D; B 1177
 Meuschke, J. L P 575-D;
 C 609; GP-296, 298, 299, 300, 301, 302, 303, 304,
 313, 314, 315, 316, 317, 318, 319, 320, 321,
 322, 323, 324, 360, 362, 408, 429, 432, 436,
 438, 441, 443, 487, 490, 574
 Meyer, Gerald C 533
 Meyer, R. R W 1619-V
 Meyer, W. R P 450-E,
 600-B; W 1891
 Meyers, J. S P 272-D
 Meyrowitz, Robert P 450-C,
 475-B, 501-B, 650-B, 700-C, D
 Michel, F. C P 525-C
 Miesch, A. T P 475-D,
 574-A, B, C; B 1147-E
 Migliaccio, R. R P 542-C
 Millard, H. T., Jr C 598
 Miller, C. D P 650-C
 Miller, C. H P 475-B, C;
 GP-693
 Miller, C. P I-543
 Miller, D. J P 354-K;
 I 341, 410
 Miller, E. G P 525-B,
 575-C; W 1586-C
 Miller, E. M HA-409, 410, 411
 Miller F. K GQ-841
 Miller, G. A W 1619-F, 1819-A
 Miller, J. C B 1031-D, E
 Miller, J. F P 627-A
 Miller, J. P W 1535-F
 Miller, M. H MR-26
 Miller, M. M HA-239
 Miller, R. C GQ-402,
 416, 693, 714, 816, 830, 834
 Miller, R. D P 450-D,
 472, 501-D; B 1165; GQ-600
 Miller, R. E W 1757-I
 Miller, R. F P 650-D
 Miller, R. L P 450-D;
 501-B; B 1280; GQ 188, 424
 Miller, T. P P 550-D,
 B 1312-J; C 570, 614; GQ-225, 290, 307; I-530,
 554
 Mills, W. B W 1870-B
 Milton, Charles P 362,
 450-B, 475-D, 501-B, 600-B
 Milton, D. J P 525-C,
 560-F, 599-C; I-546
 Miltra, A W 1608-B
 Minard, J. P P 501-B,
 550-B, 674, 700-D; B 1260-E, 1274-H,
 1276; GQ-160, 161, 262, 264, 272, 340, 341,
 342, 404, 530, 566
 Mink, J. F W 1778
 Miranda Barbosa, A. L. de P 341-C
 Mitchell, C. M GP-521,
 548, 575
 Mitchell, W. D W 1580-C
 Mitten, H. T P 525-C;
 W 1859-B
 Mixon, R. B GQ-389, 447, 842
 Moench, R. H P 450-B;
 519; B 1182-A, 1208, 1274-L; GQ-207, 208, 209,
 210, 211, 212, 354, 355, 371; MF-259
 Mojica, G. P. E B 1272-A
 Monk, E. F P 475-B
 Monroe, W. H P 501-B,
 600-C; B 1160, 1221-C, 1274-G; W 1899-K;
 GQ-191, 197; I-334, 347, 498, 565, 569
 Montgomery, J. H HA-190

- Montgomery, K. M B 1217
 Montgomery, Robert, Jr PB1-94570
 Moody, D. W P 575-D
 Moore, A. M P 501-D;
 W 1819-K; C 551
 Moore, D. O P 501-D, 525-D
 Moore, E. J P 419
 Moore, F. B B 1159,
 1231; GQ-298, 417, 492, 560, 749
 Moore, F. C GP-489, 491
 Moore, G. E., Jr B 1158-A,
 E; GQ-665
 Moore, G. K P 448-C;
 450-C; W 1809-F
 Moore, G. W P 450-B,
 550-C, 600-C; C 605
 Moore, H. J P 650-B;
 I-465, 513, 526, 527
 Moore, J. E P 600-D
 Moore, J. G 414-D,
 450-B, E, 474-D, 475-B, 501-D, 537-B, 550-D,
 600-B, 614-C, B 1130; GQ-429; I-456
 Moore, K. P C 635
 Moore, L. G P 518
 Moore, R. T spec. map, p. 318
 Moore, Roosevelt P 450-B,
 E, 700-D
 Moore, S. L P 341-I,
 555; GQ-217, 277, 285, 306, 349, 402, 416, 420,
 634, 693, 709, 722, 752, 834, 865, 870
 Moore, W. J P 550-C,
 700-C
 Morey, G. W P 440-L, 525-B
 Morgan, J. H HA-117,
 155, 158, 161, 163
 Morgan, C. O P 450-B
 Morgan, J. H HA-92;
 113, 116
 Morris, D. A P 450-B
 497-A; W 1662-A, B, 1698, 1839-D; HA-187
 Morris, E. C I-510
 Morris, H. T P 361,
 450-C, 501-C, 504-F, 516-D, 575-C, 614-A; B
 1142-K, L, 1261-C; GP-422
 Morris, R. H P 303-H,
 GQ-293, 394, 396, 484, 525; I-460
 Morrison, R. B P 401,
 477, 525-C; I-442
 Morton, R. B C 630
 Moston, R. P P 497-A,
 501-C; W 1615-H
 Motta, W. S W 1576-E,
 1785; GQ-167
 Mountjoy, Wayne P 501-C,
 600-B, 700-B
 Mowat, G. D MR-50
 Mower, R. W P 600-D,
 650-C, D, 700-B; W 1659, 1794, 1839-D, 1854
 Moxham, R. M P 525-D,
 575-D, 650-C; GP-199, 408
 Mrose, M. E P 405,
 475-B, 525-D, 600-D
 Mudge, M. R P 323,
 550-B, 600-D; B 1252-E; GQ-381, 453, 454, 499,
 597, 610, 711
 Mueassig, Siegfried P 450-D; B 1216
 Muffler, L. J. P P 475-B,
 525-C, 650-D; B 1179, 1241-C; I-411
 Muir, K. S W 1664, 1859-A
 Mull, D. S W 1607,
 1809-A, HA-36-38
 Mullen, Roy P 575-D
 Mullens, R. H., 2d PB1-96002
 Mullens, T. E B 1123-H,
 1181-S; GQ 185, 790; MF-290
 Mullineaux, D. R P 450-D,
 501-D, 525-B, 575-D, 650-B, 672; B
 1194-O, 1238; GQ 405, 406, 407; I-354
 Mundorff, J. C P 575-B;
 W 1798-A, C, D, 1819-H, 1846, 1870-A; C 470
 Mundorff, M. J W 1499-B,
 1539-Q, 1600, 1608-J, 1619-CC, 1654, 1669-H
 Munson, E. L P 650-D
 Murata, K. J P 525-C,
 537-A, C, D, 614-B, 700-D
 Murillo, Carlos B 1275
 Murphy, J. F P 525-D,
 700-C; W 1809-T; GQ-164, 431, 432
 Murphy, M. A P 503-F
 Murphy, W. D P 450-E
 Murray, C. R C 556
 Musser, J. J P 427-A, C, 450-B
 Mutschler, F. E P 600-C,
 650-D; GQ-578, 853
 Myeyk, R. T HA-145,
 208, 211, 231, 233, 234, 253, 254, 255, 303
 Myers, A. T P 600-D, 650-D
 Myers, B. N W 1693
 Myers, D. A P 550-B,
 573-C, 600-B; B 1201-C, 1271-C; GQ-551, 639,
 795, 886; I-374
 Myers, R. E HA-53
 Myers, V. I PB1-96451
 Myers, W. B P 450-E,
 554-C, GQ-352
 Myrick, R. M P 352-G,
 422-B, 491-B
 Mytton, J. W P 454-G,
 GQ-876, MF-244

N

 Nace, R. L W 1804; C 536
 Naesser, C. R P 501-B;
 B 1144-C
 Nagy, B. S P 384-B
 Nakagawa, H. M P 525-C,
 575-B, C, 600-B, D; B 1239, 1312-C; C 534
 Naqib, K. M. Al P 560-G
 Natof, N. W GP-371,
 372, 373, 374, 485
 Naylor, R. S P 501-C
 Neal, D. W W 1329-B, 1610-D
 Nees, W. L HA-242
 Nelson, A. E P 550-D,
 600-B, 650-B; B 1221-C, 1244-C, 1251-F; I-473,
 480, 525

- Nelson, C. A P 550-D;
GQ-528, 529, 654; MF-256
- Nelson, L. M P 700-C
- Nelson, W. H P 349-D,
525-D; B 1121-J, 1252-A, 1254-H; GQ-174, 288,
299, 321, 753, 755; GP-439; I-580
- Nesteroff, W. D P 581-D
- Neuerburg, G. J C 562; I-471, 496
- Neuman, R. B P 349-D,
475-B, 524-I, 583-A, 587; B 1181-E
- Neuschel, S. K GP-475, 658
- Neuschel, V. S B 1146-C,
D, E; 1166-A, B, C, D, E; GA-216-227, 264-275,
277-287
- Newcomb, L. E W 1762
- Newcomb, R. C P 383-A,
C, 550-D, 575-B; W 1619-D, M, 1649, 1697;
I-587
- Newcome, Roy, Jr W 1614,
1839-H, K, 1856
- Newell, M. F P 550-B
- Newell, Marcia P 350
- Newman, W. L B 1107-F;
MR-15, 19, 34, 44
- Newport, T. G P 450-E;
W 1604, 1767-A, 1842
- Neyland, H. M P 650-C
- Nichols, D. R I-524
- Nichols, T. C P 501-D; GQ-272
- Nichols, T. C., Jr P 550-C,
650-C; B 1258-A, C
- Nichols, W. D I-549
- Niles, M. S P 575-C
- Niles, W. W P 475-D
- Noble, D. C P 475-D,
525-B, 600-C, 700-D; GQ-614, 719, 774, 822;
I-545, 562
- Noehre, A. W HA-67,
68, 69, 70, 71, 85, 86, 88, 142, 144, 145, 146, 149,
150, 151, 204, 208, 226, 230, 252, 302, 304, 305
- Nolan, T. B P 406
- Nordenson, T. J P 272-D
- Nordin, C. F., Jr P 450-B,
462-B, C, E, 475-D
- Norman, M. B P 501-B
- Norman, V. W P 650-B; TWI 3-C2
- Norris, R. M P 369
- Norris, S. E P 450-B,
E, 525-D, 550-D, 650-B, 700-D; W 1808, 1872
- Norton, J. J P 297-B,
C, E, 525-D; B 1241-D; MR-35
- Norton, S. A GQ-642
- Norvitch, R. F P 450-D;
B 1133-C; W 1749; HA-281
- Novak, C. E TWI 3-A11, 8-B2
- Novitski, R. P HA-286, 320, 345
- Nowlan, G. A P 525-D,
700-B; MF-301
- Nuñez, José P 650-C
- Nutalaya, Prinya GQ-829, 832
- Nygren, H. D P 450-B
- Nyman, D. J W 1779-O,
1819-B, 1853
- Oakes, E. L HA-213,
278, 322, 389
- Oakland, G. L P 441, 442
- Oborn, E. T P 475-C;
W 1459-I, 1667-C
- Obradovich, J. D P 575-D,
600-C, 650-B, 700-C
- O'Bryan, Deric W 1815;
HA-243, 244
- O'Connor, J. T P 475-B,
475-D, 524-F, 525-B, 600-C; GQ-524, 672
- Oda, Uteana P 450-E,
475-B, 501-B; B 1198-E; C 475
- Odell, J. W W 1767
- Offield, T. W P 700-C;
I-708
- Ogata, Akio P 411-G,
H, I, 475-B, 650-D
- Ogilbee, William W 1757-C
- Ohl, J. P B 1316
- Ojeda, J P 475-C
- Okamura, A. T P 550-C
- Olcott, P. G W 1814; HA-321
- Oldale, R. N P 450-C,
475-D, 525-D, 650-B, 700-B; GQ-168, 271, 599,
750, 786, 787, 911
- Olevson, K., L. R P 650-D
- Olive, W. W P 501-C,
550-D; B 1282; GQ 230, 332, 471, 531, 561, 601,
744, 799
- Oliver, H. W B 1261-G; C 566
- Oliver, W. A., Jr P 414-G,
430, 475-D, 483-B, 584-A; B 1244-F; OC-64
- Olmsted, F. H P 381,
417-A, B, 475-D
- Olowu, J. A. I W 1757-I
- Olson, J. C B 1204,
1251-C; MR-28
- Oltman, R. E C 486, 562
- Ong, H. L P 700-C
- Orem, H. M C 550
- Oriel, S. A OM-212
- Oriel, S. S P 515,
525-C, 594-M, 635, 646-E, 700-C; I-450; MF-299
- Orkild, P. P P 525-B,
600-C; GQ-213, 493, 746; I-567
- Orth, D. J P 567; B 1245
- Osberg, P. H GQ-642
- Ostenso, N. A P 450-C
- Oster, E. A HA-274
- Osterkamp, W. R HA-308
- Osterwald, F. W P 455-A,
F, G, 550-D; I-582; Map C-50
- Ostling, E. J GQ-518, 679, 680
- O'Sullivan, R. B P 644-E;
B 1186; I-345
- Otton, E. G W 1499-F
- Otto, L. E., Jr W 1330-G, H
- Outerbridge, W. F GQ-226,
495, 586, 720, 748, 775, 854
- Ovenshine, A. T P 575-D, 700-C

- Overstreet, E. F B 1199-A,
D, J, K, L, 1183; I-413
- Overstreet, E. R B 1199-M
- Overstreet, W. C P 450-C,
475-D, 530, 554-A, 568, 700-D, B-1162-F, 1204;
GP-408; MF-249, 250, 252, 257
- Owens, J. P P 501-B,
550-B, 674, 700-B, D; B 1274-H; GQ-160, 161,
262, 264, 272, 341, 342, 566
- Owen, Vaux, Jr W 1666
- Owens, L. D I-218 A, B
- Oza, M. M. W 1608-B
- P
- Packard, E. L P 503-F
- Page, E. E GP-355, 385
- Page, H. G P 450-C, D, E,
475-B, C; W 1669-I, HA-55
- Page, J. J P 353
- Page, J. R GP-401
- Page, L. R P 297-B, C
- Page, L. V W 1614, 1774
- Page, N. J P 575-B, D,
600-B; C 624
- Page, R. W P 579; W 1619-S
- Paige, R. A B 1111-I
- Pakiser, H. M P 575-B, B 1160
- Pakiser, L. C P 385,
438, 450-D, 470, 525-B, D; I-448
- Palacas, J. G P 550-C,
575-B, 600-C; B 1214-B
- Palmason, Gudmundur P 650-C
- Palmer, A. R P 374-F,
475-C, 483-F, 493, 559-B, 575-D
- Palmer, J. E P 575-C
650-C; GQ-490, 674, 762, 831
- Palmquist, W. N., Jr P 450-C; HA-196
- Pampeyan, E. H P 575-D;
MF-300
- Papadopoulos, I. S P 475-B,
514, 525-C
- Parker, F. L C 497
- Parker G. G P 381
- Parker, J. M B 1122-G
- Parker, R. L P 440-D,
450-C, E, 475-B, 612, 649; B 1169, 1251-A;
GQ-153, 156; MR-36
- Parks, H. B P 575-D
- Pascos, R. F P 700-C
- Pattee, E. C P 1230-B, D
1261-D
- Patten, E. P., Jr W 1536-G,
1544-C, D
- Patten, L. E P 450-C
- Patterson, E. D B 1143-A, B;
GQ-580; MF-267
- Patterson, J. F P 448-I
- Patterson, J. L P 700-D
W 1678, 1679, 1681, 1682, 1683, 1859-G; HA-190
- Patterson, S. H P 475-B;
B 1082-M; B 1122-F, 128; GQ-169
- Patton, W. W., Jr P 503-G,
501-C, 550-D, 600-D, 650-D; B 1312-J; I-437,
459, 492, 530, 554
- Paulson, Q. F P 501-D; W 1876
- Paussek, F. H W 1499-C, D, J,
1747, 1809-N; HA-281
- Pavelka, B. R W 1972
- Pavlidis, Louis P 362,
475-D, 501-C, 550-B; B 1194-B, 1206, 1264;
MR-23
- Payne, F. N W 1892
- Payne, J. N P 569-A, B
- Payne, T. G OM-126
- Pearson, R. C P 450-C,
475-D; B 1261-B; GQ-636
- Pease, M. H., Jr P 700-D;
B 1253, 1260-P; GQ-374; I-347, 479, 508
- Pease, R. W PB1-93512, 95498
- Peck, D. L P 449,
501-D, 550-B, 575-D; B 1161-D; I-456; MF-281
- Peck, E. L P 486-B
- Peck, J. H P 600-D;
B 1244-B; GQ-581, 588, 661, 837
- Peck, L. C B 1170
- Peck, R. E B 1161-A
- Pecora, W. T P 450-B,
B 1141-P, 1181-B
- Pelletier, J. D P 471
- Pepper, J. F I-380
- Perdue, C. L., Jr B 1260-N, O
- Perkins, D. C W 1608-M
- Perlmutter, N. M P 450-E,
475-C, 483-I, 501-C; W 1529-E, 1613-A, B,
1879-G, W 2001-B
- Perry, W. J P 448-H
- Peasl, Fred, Jr P 550-D;
GQ-468, 485, 660, 896
- Pessoa, M. D W 1663-E
- Peterman, Z. E P 475-D,
575-B, 600-C, 700-D; B 1311-C
- Petersen, R. G GQ-632,
633; HA-281, 371
- Peterson, A. D I-452
- Peterson, D. E C 466
- Peterson, D. H C 637-A, B
- Peterson, D. L P 700-B, C;
GP-615, 638
- Peterson, D. W C 566, 667; MF-253
- Peterson, Fred B 1274-J
- Peterson, H. V W 1475-I
- Peterson, N. P P 342;
B 1141-H; MR-13
- Peterson, N. V I-493
- Peterson, W. C W 1539-O
- Peterson, W. L P 367,
700-D; B 1181-C, 1224-I; GQ-261, 506, 564, 603,
737, 825
- Petrafeso, F. A GP-304, 327,
357, 384, 403, 404, 405, 406, 407, 416, 417, 428,
463, 464, 465, 466, 488, 489, 521
- Petri, L. R W 1499-I,
1539-T, 1651, 1658, 1759-A, B, C, D, E, F,
1839-L; HA-332
- Pettijohn, F. J P 440-S, 570

- Petty, A. J GP-298,
298-303, 445, 482, 484, 489, 556, 557, 562
- Pettyjohn, W. A P 550-C; W 1844
- Péwé, T. L B 1111-I;
GQ-366; I-394, 415, 455, 507, 590
- Pfischner, F. L P 600-B
- Philbin, P. W GP-304,
488, 491, 492, 493, 494, 495, 511, 512, 513,
514, 515, 516, 517, 518, 519, 520, 558, 559,
560, 578, 579, 583, 584, 585, 586, 587, 588,
589, 590, 591, 592, 593, 594, 595, 596
- Phillips, K. N W 1649, 1859-E
- Phillips, R. L P 625-C; C 545
- Phipps, R. L P 485-C
- Phoenix, D. A P 442; B 1137
- Pholphan, Narin P 618
- Pickering, R. J P 427-C,
P 433-H, J; C 497
- Pierce, A. P P 450-E,
454-G-550-C
- Pierce, J. W P 643-H
- Pierce, K. L P 525-C;
GQ-581, 598
- Pierce, W. B GQ-778
- Pierce, W. G P 600-D;
B 1148, 1254-H; GQ-477, 478, 542, 755, 817
- Pierson, C. T P 618
- Pike, G. M HA-201, 237, 241
- Pilkey, O. H P 700-C
- Pillmore, C. L P 450-B;
B 1121-E, M, 1141-N, 1181-J; GQ-823
- Pinckney, D. M P 428,
575-B; MF-246
- Pinder, G. F TWI 7-C1
- Piper, A. M P 539,
417-F; W 1610-C, 1797; C 631
- Pipiringos, G. N P 476-A, B,
594-D; B 1099-A, 1274-N; GQ-721
- Pistrang, M. A W 1779-Y
- Pitkin, J. A P 516-F;
GP-426, 463, 464, 465, 466, 574, 681, 696
- Pittillo, D. R GP-549,
550, 551, 552, 553, 554, 568, 569, 570, 571, 572,
573
- Plafker, George P 542-F, G
543-C, D, G, I, 550-B, 700-B; B 1031-F, 1312-L;
C 491, 631; I-423, 484
- Plebuch, R. O W 1839-B,
1879-A, B
- Plouff, Donald P 465,
516-C, 600-C
- Pluhowski, E. J P 450-B,
475-B, 600-D, 627-D; W 1768, 1804, 1888
- Pocock, A. E I-206 A
- Pohn, H. A P 599-E, 700-C
- Pojeta, John, Jr P 606-C
- Poland, J. F W 1619-C
- Pollock, S. J B 1158-D, HA-312
- Polzer, W. L P 575-B, C;
W 1535-I
- Pomerene, J. B P 341-D;
GQ-260, 314, 359
- Pomeroy, J. S P 475-B;
B 1043-E, 1181-R; GQ-707, 856; I-388, 411
- Pommer, A. M P 386-C
- Poole, F. G P 450-C, D,
501-D; C 555; GQ-214, 455, 456
- Poole, J. L W 1755
- Popenoe, Peter GP-199,
353, 359, 364, 365, 366, 367, 369, 433, 434, 437,
445, 448, 449, 450, 451, 452, 453, 454, 455,
456, 457, 458, 459, 460, 461, 505, 526, 527,
528, 529, 530, 531, 532, 533, 534, 535, 536,
537, 638
- Porterfield, G W 1619-EE
- Post, Austin P 544-D
- Post, E. V P 450-C,
501-D; B 1063-L, 1230-A, C; GQ-198; MF-242,
278, 301
- Postel, A. W P 501-B
- Potratz, H. A P 260-BB
- Powers, H. A P 475-B;
I-373
- Powers, R. W P 560-D
- Prapassornkul, Saner P 618
- Pratt, R. M P 529-B, H
- Pratt, W. P B 1241-E;
GQ 797, 865; GP-424
- Free, H. L., Jr W 1774
- Prescott, G. C., Jr W 1669-T;
HA-76, 225, 285, 337
- Price, Don P 575-B;
W 1594-C, 1619-F, 1833, 1839-I, 1847
- Price, W. E., Jr W 1607,
1818; HA-36, 37, 38, 73, 75, 94, 97, 98, 111, 130
- Prichard, G. E P 450-C
- Pride, R. W HA-66
- Prill, R. C P 450-E,
600-B, D; W 1662-A, B
- Prins, W. C P 501-C;
B 1237; I-497
- Prior, C. H W 1759-A, B, C, D, E, F
- Privratsky, N. C OM-205
- Proctor, J. F W 1544-I
- Prostka, H. J P 575-B;
B 1221-F; GQ-423, 723
- Puffett, W. P B 1274-F;
GQ-179, 211, 212, 224, 231, 343, 418, 451
- Purtymun, W. D P 450-B,
550-D, 650-B
- Pyatt, E. E W 1586-F
- Q
- Quinlivan, W. D GQ-489, 503
- Quinn, A. W B 1158-B,
1241-G
- R
- Raabe, R. G B 1230-E, F,
1261-C, E
- Rabbitt, M. C P 669-A
- Radbruch, D. H C 525;
GQ-769; I-522
- Rader, L. F., Jr P 475-B, D,
550-B, C
- Radtke, A. S P 550-B, C,
575-B, D, 614-A
- Ragan, D. M P 550-B

- Rainey, H. C., 3d GQ-237,
 309, 415, 449, 450, 830
 Rainwater, F. H HA-61
 Ramirez, L. F P 560-D;
 I-201A, 202 A, 206 A, 215 A, B, 218 A, B, 219
 A, B, 220 A, B
 Randall, A. D W 1499-J
 1661; GQ-660, 798
 Randolph, J. R P 411-D, W 1863
 Rankin, D. W B 1194-F
 Rantz, S. E P 450-B,
 475-C, 575-D, 600-D; W 1580-E, 1586-D, 1591-
 B, 1619-R, 1650-A, B, 1758, 1779-R, AA,
 1851; HA-298
 Rapp, J. R P 450-C
 Rapp, D. H HA-326
 Rasmussen, W. C W 1767
 Raspet, Rudolph B 1203-B, C
 Ratcliffe, N. M P 550-D
 Rathbun, R. E P 562-D, 650-B
 Ratté, J. C P 475-D,
 487, 524-H; B 1261-E; 1271-B
 Rau, J. L HA-341
 Rau, W. W P 374-G;
 B 1244-I
 Raup, O. B P 575-C;
 GQ-681, 682
 Raup, R. B P 560-D,
 595; B 1147-A, 1168, 1194-M; I-509
 Rawson, Jack P 475-C
 Ray, H. A P 501-B,
 W 1869-A
 Ray, L. L P 475-B,
 488, 501-B, 525-B, 550-B, 575-D, 650-D
 Ray, R. G P 373
 Raymond, W. H P 550-D, 700-D
 Read, C. B P 454-K; I-425
 Read, W. H GQ-464
 Reade, H. L., Jr W 1606
 Reavis, E. L HA-58
 Reck, C. W P 450-D
 Redden, J. A P 297-D, F;
 B 1162-F
 Redmond, C. D P 560-D
 Reed, B. L P 525-D,
 550-C, 700-D; B 1236; C 559, 569; I-407
 Reed, J. C., Jr P 414-H,
 475-C, D, 516-E, 525-B, 575-C, 700-C; B 1161-
 B, 1265, 1286; C 521; GQ-242; I 535-C
 Reed, J. E P 450-B,
 501-B; W 1594-D, 1615-D, 1779-V, 1971
 Reed, R. K P 475-B
 Reeder, H. O P 501-C
 Reeser, D. W P 475-C, 650-C
 Reeves, R. D W 1584
 Reeves, R. G P 341-E; GQ-319
 Rehman, Ata-ur W 1608-G
 Reichen, L. E B 1144-B,
 1214-F
 Reid, J. K W 1684
 Reid, V. H W 1532-B
 Reimnitz, Erk P 700-C
 Reiser, H. N P 525-C;
 B 1294-B; I-375
 Reiss, W. H I-201-A
 Remson, Irwin P 411-D
 Repenning, C. A P 521-B,
 565; I-378, 390, 446, 447; OM-217
 Resnick, Nathan PBI-90718
 Reso, Anthony P 525-B
 Rettig, S. L P 501-D
 Rexin, E. E P 544-C
 Reynolds, M. A P 450-D
 Reynolds, M. W P 550-B,
 575-D; B 1261-D; GQ 771, 772
 Rezak, Richard P 346
 Rhodehamel, E. C P 450-B, D
 Rice, C. L GQ-227,
 347, 441, 563, 641, 708, 832, 801
 Rich, Ernest I B 1107-G, 1148
 Richards, Thomas B 1312-H
 Richards, P. W GQ-357
 Richardson, Donald P 600-D;
 W 1852
 Richardson, E. V P 422-J,
 450-D, 462-H, I, 562-D; W 1369-E, 1498-G, I
 Richmond, G. M P 324,
 450-E, 464-D, 501-D, 525-C; GQ-431, 432
 Richter, D. H P 450-B,
 474-D, 537-A, B, D, 625-B, 700-C; B1159; C 593
 Ricketts, J. E P 501-B
 Rigby, J. F P 613-F
 Riggs, H. C P 501-B, C
 525-C, D; W 1546; TWI 4-A1, 4-A2
 Riley, F. S P 497-G
 Riley, L. B P 700-B;
 C 544, 624
 Rima, D. R P 600-C;
 W 1594-B, 1756
 Rinehart, C. D P 385,
 414-D, 554-D; B 1272-B; GQ-437
 Ritter, J. R P 575-C,
 650-B; W 1798-E; C 627
 Rivera, J. O P 450-C, 475-C
 Roach, C. H P 450-D
 Robbins, S. L P 543-C
 Robeck, R. C B 1239
 Roberson, C. E P 450-B,
 475-C, 550-D, 575-C; W 1535-I, 1827-A, C
 Roberts, A. E P 475-B,
 525-B, 526-A, B, 554-B; GQ-256, 257, 258, 259;
 I-396, 397, 398, 399
 Roberts, H. B P 260 HH
 Roberts, R. J P 450-E,
 459-A, B 475-D, 550-C, 629-A; GP-422; MF-178
 Robertson, E. C P 350;
 B 1203-B; C; C 532
 Robertson, J. B P 450-C, D, E,
 650-C, D, 700-D
 Robertson, J. F P 338;
 B 110-B
 Robie, R. A P 525-D;
 B 1248, 1259
 Robinove, C. J P 575-D;
 W 1539-V, 1596, 1669-E; C 468
 Robinson, A. E W 1544-E
 Robinson, B. P W 1616,
 1696-A, C
 Robinson, C. S P 404, 600-B
 Robinson, E. S P 575-D

- Robinson, F. M P 305-L
 Robinson, G. B., Jr W 1836, 1848
 Robinson, G. D P 370,
 505, 550-B; GQ-840; GP-496, 497, 498; I-425,
 486
 Robinson, G. M P 386-B,
 466; W 1536-F
 Robinson, J. W W 1619-P
 Robinson, P. T P 600-D
 Robinson, T. W P 491-A, B, D;
 C 495
 Roche, J. M B 1230-B
 Rodgers, John B 1222-A, C
 Rodis, H. G P 476-B;
 W 1619-N, 1663-C, 1757-J
 Roehler, H. W P 700-D
 Roen, J. B P 450-E,
 501-B, 600-C; GQ-743, 838
 Rogers, A. S P 454-G
 Rogers, C. L P 450-C,
 475-C, 700-C; GQ-552, 606, 672, 822; MR-29;
 I-545
 Rogers, J. E P 501-C
 Rogers, S. M W 1535-J
 Rogers, W. B GQ-255,
 409, 607; MF-241, 244
 Rohrer, W. L P 475-C,
 525-D, 650-B; GQ-310, 311, 382, 724
 Rolfe, K. W C 474
 Roller, J. C P 475-D, 550-D
 Ropes, L. H HA-299, 334
 Rorabaugh, M. I P 475-B;
 W 1536-J
 Rose, H. J., Jr P 450-B,
 475-D, 525-B, 600-B, 650-B
 Rosenbaum, Fred P 450-C, 501-C
 Rosenbein, J. S P 450-D
 Rosenblum, Sam P 428
 Rosene, P. G W 1539-M,
 1779-E, 1859-B
 Rosenshein, J. S W 1619-B, 1775
 Rosholt, J. N P 450-E,
 501-B, 525-C, 575-B, 700-B
 Ross, C. P P 346,
 475-C; B 1252-A; I-580
 Ross, C. S B 1274-P; I-571
 Ross, D. A P 529-G,
 575-C, 581-E
 Ross, D. C P 385,
 396, 450-D, 475-B, 550-D, 601, 700-D; B 1181-
 O; GQ-612; I-506
 Ross, D. R P 475-B, 501-B
 Ross, Malcolm P 468, 501-B
 Ross, R. J., Jr P 523-D,
 583-B, 593-H, 639; B 1134, 1180-C,
 1254-J
 Ross, T. G HA-378
 Rossman, D. L B 1121-F, K
 Rostvedt, J. O W 1790-B,
 1810, 1820, 1830-B, 1840-A, C, 1850-C
 Roth, E. F P 579
 Rowe, J. J P 450-B,
 525-B, C 599
 Rosema, W. J P 650-D
 Ruane, P. J B 1230-C
 Rubay, W. W P 561
 Rubin, Meyer P 450-D,
 525-D, 650-B, C, 700-D; B 1194-O, 1274-E
 Rucker, S. J., IV W 1576-I
 Rudd, R. D PB1-94811
 Ruggles, F. H., Jr W 1809-N;
 HA-40, 44, 45, 46, 48, 51, 190, 238, 240
 Ruiz, Lorgio B 1273
 Runner, G. S HA-412
 Ruppel, E. T P 501-C;
 B 1141-G, 1151; GQ-733
 Rusnak, G. A P 575-C
 Ryan, J. D B 1063-J
- S
- Sable, E. G P 700-D;
 B 1224-I; GQ-193, 302, 780
 Sainsbury, C. L P 450-C,
 525-C, 575-B, D, 700-B; B 1129, 1187, 1242-F,
 1272-C, 1287, 1301, 1312-H; C 479, 565; I-572
 Sakamoto, Kenji P 700-D
 Salso, J. H P 501-D
 Sammel, E. A P 450-D;
 W 1826; GQ-189; HA-196
 Sample, R. D GQ-385, 608
 Sandberg, C. H P 458-B,
 475-C, 501-C, 575-C, 600-D; B 1112-D, 1194-N,
 1251-B; GQ-386
 Sandberg, G. W P 650-D
 Sando, W. J P 475-B,
 501-C, 503-E, 575-D, 606-B, 613-E
 Santos, E. S P 475-C;
 B 1230-F, 1272-E; GQ-515, 516, 517, 518, 680,
 681
 Santos, J. F W 1784
 Sappington, W. L P 550-B
 Sargent, K. A P 525-B,
 650-C; B 1294-E; GQ-387, 496, 882, 883; I-567
 Sato, Yoshiaki P 575-C
 Sauer, H. I P 574-C
 Sauer, S. P W 1984
 Sauer, V. B P 501-D
 Saunders, B. W B 1210
 Sawyer, R. M P 475-C
 Sayan, M. J. L W 1663-F
 Sayre, A. N P 402-E, 450-C
 Sayre, W. W P 433-A,
 C, E; W 1899-G; C 484
 Sceva, J. E W 1499-B, 1595
 Schaber, G. G I-602
 Schaem, W. E P 541
 Schafer, J. P GQ-410, 712
 Schafish, R. J HA-228
 Scheidegger, A. E P 500-C,
 525-B, C; C 485
 Schell, E. M P 550-D;
 C 635; MF-300
 Scher, M. B P 450-B, 501-D
 Schilling, F. A., Jr GQ-588
 Schiner, G. R P 450-D;
 B 1294-C; 1619-BB, 1669-B
 Schlanger, S. O P 240-BB,
 403-A, D; B 1224-F; GQ-338, 776

- Schlee, J. S P 519;
C 481; GQ-210, 371
- Schlee, John P 501-D,
529-H; C 602
- Schleicher, David P 650-C
- Schlicker, H. G P 449
- Schlocker, Julius P 575-D
- Schlottmann, J. D B 1159
- Schmidt, D. L P 525-D,
591; B 1181-G, 1311-A
- Schmitt, L. J., Jr B 1261-F
- Schmidt, R. G P 407,
450-C; B 1141-P; I-379, 409, 468, 564
- Schmitt, H. H I-515
- Schnabel, R. W B 1063-E,
F; GQ-147, 317, 370, 388
- Schneider, P. A., Jr W 1658, 1669-X
- Schneider, Robert W 1544-B,
1608-F, 1663-A, 1669-A, R
- Schneider, W. J P 422-G,
450-B, E, 501-B; W 1829, 1871; C 601-A, D;
HA-198, 243
- Schnepfe, M. M P 501-B,
575-C, 600-B, D; B 1144-C
- Schnepfe, Marian P 550-B
- Schnepfe, N. M P 650-C
- Schoellhamer, J. E P 420-A,
575-D, 679-A
- Schoen, Robert P 501-B, 575-B, C
- Schoff, S. L P 450-C,
501-D, 600-D; W 1663-F
- Schopf, J. M P 501-D,
550-D; B 1294-H
- Schopf, T. J. M P 529-F, 575-D
- Schroeder, E. E W 1870-B
- Schroeder, M. E P 550-C
- Schroeder, M. L P 575-D;
GQ-793; MF-277, 287, 309
- Schults, L. G P 391-C,
392-B, 450-E; B 1147-C
- Schumann, H. H W 1859-F,
1861; HA-214
- Schumm, S. A P 352-D,
454-H, 598; C 477
- Schupp, R. G P 475-B, 501-D
- Schwartz, G. M GP-471,
472, 473, 474
- Schweinfurth, S. P P 650-B;
GQ-333, 648, 743
- Schwietering, J. F B 1294-H
- Scott, C. H P 462-G,
650-B, 700-B; W 1819-J, 1859-B, 1898-A
- Scott, G. R P 421-A,
B 450-BB, 454-L, 475-B, C, 483-E, 551, 650-B,
700-B, C; B 1121-L, 1262; GQ-759; I-408,
439, 560, 597
- Scott, J. C W 1606
- Scott, J. H P 475-B,
550-C, D, 600-B
- Scott, K. M P 422-M,
W 1798-E
- Scott, R. A P 575-B
- Scott, R. C P 426; W 1535-O
- Seaber, P. R P 450-B,
475-B, C, 498-B
- Seaburn, G. E P 627-B,
C, 700-B
- Sears, J. D P 374-I
- Sedam, A. C HA-366
- Seeland, D. A GQ-279,
445, 710, 753, 754
- Segerstrom, Kenneth P 450-C,
475-B, D, 501-C, 525-B, 550-C, D, 650-B, 700-D;
B 1104-C; I-559
- Seiders, V. M P 525-D;
GQ-344, 422, 723
- Sen, B. N W 1608-B
- Senger, L. W PB1-96002
- Sever, C. W P 501-B, D,
550-C, 575-B; W 1809-Q
- Shacklette, H. T P 475-C,
574-C, 648, 650-B; B 1198-C, D, F, G, 1278,
1314-B
- Shaffer, F. B HA-188,
258, 316, 352
- Shapiro, Leonard P 450-C,
475-C, 525-D, 550-B, 575-B, D, 600-B, 650-B; B
1144-A
- Sharp, B. J GQ-535
- Sharp, W. N P 475-C,
649, 700-B; B 1107-H, 1126, 1147-D; C 557
- Sharps, J. A P 650-C;
GQ-196, 519, 584; I-382, 386, 440
- Shattles, D. E W 1856
- Shaw, C. E., Jr GQ-392,
632, 633, 794
- Shawe, D. R P 450-C,
475-C, 501-B, C, 550-B, C, 576-A, B, C, 600-C,
650-B; B 1107-B, 1214-C, 1251-A; C 555;
I-449; MF-241
- Shawe, F. R P 650-D;
GQ-234, 235, 280, 281, 449, 520, 568, 569, 650,
736
- Sheaffer, J. R C 601-C
- Shearman, J. O HA-393
- Sheffey, N. B P 475-B;
B 1117-B, C, D
- Sheikh, I. A W 1608-G
- Sheldon, R. P P 313-B,
501-C; B 1182-D
- Shell, J. D C 465; HA-127
- Shen, John P 450-E, 506-A
- Shepard, A. O P 475-D
- Shepard, W. M P 501-C
- Sheppard, R. A P 450-E,
501-C, 525-D, 575-C, 597, 600-D, 634, 650-D,
700-D; C 500; GQ-175, 289, 312; MF-280
- Sheridan, D. M P 454-O,
520, 600-B; B 1087-J, 1159; C 567
- Sheridan, M. J B 1230-I,
1261-C, F
- Shields, W. R P 501-B
- Shjeflo, J. B P 585-B; C 472
- Shoemaker, E. M I-515
- Showen, C. R C 474
- Shown, L. M P 700-B
- Shrewsbury, C. L W 1692
- Shride, A. F P 566; MR-17
- Shuter, Eugene P 450-C
- Sigafoos, R. S P 485-A, 650-B

- Sigit, Soetarjo I-414
 Signor, D. C W 1990
 Sigvaldason, G. E P 450-D, E
 Silberling, N. J P 450-B,
 501-C, 592, 650-D; GQ-666, 820, 821; MF-245
 Silberman, M. L P 650-C
 Silver, E. A P 600-C; C 605
 Silver, L. T P 416
 Silvey, W. D P 575-B;
 W 1535-L
 Simmons, G. C P 341-G,
 H, 580-C, D, 576-A, 600-D; B 1224-D, 1244-F;
 GQ-538, 583, 585, 613, 663
 Simon, F. O P 475-B; C 599
 Simons, D. B P 442-J,
 462-H, I, 475-G, 562-C; W 1498-E, G, I
 Simons, F. S P 461,
 550-D; B 1194-M
 Simpson, E. S P 411-C
 Simpson, H. E GQ-494, 756
 Simpson, T. A P 473-C
 Sims, J. D P 700-B
 Sims, P. K P 359,
 371, 375-B, 450-D, 474-C, 554-E; B 1159;
 GQ-267; GP-563
 Sinclair, W. C W 1619-AA, 1663-E
 Singewald, Q. D P 550-C, GQ-596
 Siple, G. E P 501-C; W 1841
 Siriratanamongkol, Charlie P 618
 Sirkin, L. A P 700-D
 Sisaco, H. G W 1619-CC, 1779-Q
 Sisler, F. D P 350
 Siu, Leonard W 1776
 Skelton, John P 600-C
 Skibitake, H. E P 386-B,
 411-F, 575-D; W 1536-D, 1648
 Skinner, B. J P 450-D
 Skinner, D. L P 600-C
 Skinner, E. L W 1842; HA-360
 Skipp, B. A. L P 450-D 454-G
 Skipp, Betty P 700-B;
 GQ-729; I-452
 Skougstad, M. W P 525-B;
 W 1496-D; TWI 5-A1
 Slack, K. V P 475-D,
 525-C, 549-A, 575-B
 Slaughter, T. H W 1619-T
 Sloan, C. E P 585-B,
 700-B, C 558
 Smedes, H. W P 510;
 GP-439, 444; MF-243, 246
 Smedley, J. E B 1260-N, O
 Smith, A. E GQ-295,
 687, 688, 751, 766, 839; I-596
 Smith, A. G P 593-G
 Smith, C. W GP-334,
 482, 486, 539, 540, 541, 542, 543, 544, 545, 546,
 547, 574, 583, 584, 585, 586, 587, 588, 589,
 590, 591, 592, 593, 594, 595, 596
 Smith, Charles PB1-93666, 93829
 Smith, D. L B 1230-E
 Smith, F. C GP337,
 338, 339, 340, 557, 566, 567
 Smith, G. I P 450-C,
 457, 700-D; B 1181-P
 Smith, H. L B 1120,
 1142-B; C 633; GQ-190; MF-264
 Smith, H. R B 1149; OM-211
 Smith, J. F., Jr P 363,
 475-B, 479; B 1162-B, 1251-I
 Smith, J. G P 700-D;
 B 1274-Q; C 604
 Smith, J. H GQ-274,
 617, 677; I-428
 Smith, M. B MR-47; OM-215
 Smith, M. L. L P 650-D
 Smith, P. B P 429-A,
 B, 475-C; B 1271-A
 Smith, P. J P 575-D
 Smith, R. K GQ-464
 Smith, R. L B 1274-P; I-571
 Smith, R. M C 496
 Smith, R. O W 1658
 Smith, R. P W 1660-A
 Smith, T. E P 700-D; C 565
 Smith, V. C P 456-B, 550-C
 Smith, W. C MR-14
 Smith, W. O P 402-E, 450-C
 Smith, Winchell W 1869-C, 1877; C 474
 Snaveley, P. D., Jr B 1181-M,
 N, 1260-F, G, H
 Smoot, G. F TWI 3-A11, 8-B2
 Sniegocki, R. T W 1615-A,
 B, C, D, E, F, G
 Snyder, C. T W 1475-L, N; I 416
 Snyder, G. L P 454-B,
 C, 501-C; B 1028-S, 1161-I; GQ 165, 247, 335,
 791
 Snyder, George P 525-D; GQ-592
 Snyder, R. P I-567
 Soday, Harry GP-331
 Sohl, N. F P 331-B,
 393-B, C, 483-H, 503-D, 593-G, 674; B 1160,
 1274-H
 Sohn, I. G P 330-B,
 450-D, 475-C, 480, 501-D, 525-B, 643-B; B
 1161-A
 Soister, P. E P 575-D,
 594-A; B 1242-C; GQ-397, 398, 399, 725, 783;
 I-481, 482, 483; MF-284
 Somers, W. P W 1683;
 TWI 3-A7, 3-A8; HA-56
 Soren, Julian P 450-E; B 1112-F
 Souders, V. L HA-266, 316
 Soule, Courtney P 700-D
 Soulé, J. H B 1230-H
 Sousa, T. M HA-218
 Southwick, D. L P 501-C, 600-C
 Soward, K. S B 1031-B, C; W 1550
 Speer, P. R P 448-A,
 F, G, H, I; W 1673, 1675, 1676
 Speirer, R. A P 501-D
 Speert, J. L P 450-B
 Spencer, C. W P 454-M;
 B 1118, 1201-E, GQ-221
 Spencer, D. W P 650-D
 Spencer, F. D GQ-284,
 315, 316, 356
 Spiegel, Zane W 1525
 Spieker, A. M P 450-B,
 605-A, C, D; W 1808, 2002; C 601-A, C

- Spink, W. J B 1243
 Staats, M. H P 297-C,
 415, 525-D, 550-B, 600-C; B 1142-M, 1161-F,
 1205; MF-262
 Staats, Rosemary P 454-G
 Stacey, J. S P 650-B
 Stacy, J. R P 450-D, 505
 Stadnichenko, Taisia B 1117-B, C, D
 Stager, H. K P 575-B;
 GQ-171, 195, 218, 304
 Stallman, R. W P 411-E,
 450-E, 514; W 1526-H, 1536-E, 1544-G
 Stamper, W. G P 700-D
 Stanley, D. J P 529-D
 Stanley, K. W P 542-D, 543-J
 Stanley, R. S B 1324-B
 Stark, J. T P 403-A, C, 409
 Starkey, H. C P 475-D
 Stefansson, Karl P 700-B
 Stein, R. B HA-366
 Steineke, Max I-201-A
 Stensland, C. H P 403-F
 Stephens, E. V B 1256;
 C-52, 53, MF-285, 286, 288, 289, 292, 293, 294,
 295, 296, 297
 Stephens, H. D W 1819-J
 Stephens, H. G MF-251
 Stephens, J. G B 1142-B,
 1147-F; GQ-188
 Stephens, J. W W 1615-G, 1839-G
 Stermitz, Frank W 1840-B
 Stern, T. W P 414-E,
 450-C, E, 475-C, 501-D, 525-D, 550-B, 575-D,
 600-D, 700-D
 Sternberg, H. O'R C 486
 Sterrett, T. S P 450-D
 Steven, T. A P 475-D,
 487, 524-H, 575-D, 594-I, 600-B, 650-D, 700-C;
 B 1261-F; GQ-631
 Stevens, P. R W 1585; GQ-162
 Stevens, R. E P 450-C,
 501-B, 575-C
 Stewart, D. B P 450-B
 Stewart, F. H P 440-Y
 Stewart, G. L W 1696-D, C 520
 Stewart, J. H P 422-K,
 450-C, D, 501-D, 550-C, D, 575-D, 620; B
 1244-D; C 563; GQ-730; GP-694; MF-298
 Stewart, J. W P 450-B,
 D, E, 475-B; B 1133-D, F
 Stewart, M. R HA-260
 Stieff, L. R P 414-E, 650-B
 Stipp, T. F MR-46
 Stockard, H. P I-535-A, 536
 Stoertz, G. E C 619
 Stoll, H. G NA sheet 142
 Stone, Jerome P 568, 650-B
 Stoner, J. D P 575-D
 Stotelmeyer, R. B B 1230-C,
 1260-A, B
 Stramel, G. J W 1798-B,
 HA-58
 Strimple, H. L P 323
 Stringfield, V. T P 501-C, 517
 Stringham, G. E P 562-C
 Stromquist, A. A P 475-C,
 501-C; B 1274-B; GQ-222; GP-561
 Strong, C. P., Jr I-564
 Stuart, D. J GP-393, 400
 Stuart, W. T P 473-B, W 1829
 Stulik, R. S W 1779-P
 Stumm, E. C P 430
 Stuthmann, N. G P 700-C
 Sullivan, C. W P 475-C
 Summers, W. K W 1809-B
 Sumsion, C. T HA-291
 Sun, P.-C. P W 1755, 1779-O
 Sundelius, H. W P 475-B, B 1274-B
 Sutherland, H. L MR-45, 46
 Sutton, G. E P 599-E
 Sutton, R. L P 600-C
 Swadley, W. C B 1181-B;
 GQ-192, 229, 779, 819, 846
 Swafford, B. F W 1971
 Swain, F. M P 573-D
 Swanson, D. A P 600-B,
 D, 650-B; B 1260-L, M; I-409, 568
 Swanson, F. J P 625-C
 Swanson, R. W P 313-C,
 E; GQ-587
 Swanson, V. E P 450-C,
 550-C, 575-B, 600-C, 700-C; B 1214-B; C 523;
 GQ-283, 334
 Swartz, J. H P 260-AA;
 B 1203-B, C
 Swarzenski, W. V W 1608-H,
 I, 1613-F, 1657
 Swecker, M. N W 1873-B
 Swenson, F. A P 575-B, 700-B
 Swenson, H. A W 1499-B,
 1649, 1859-B; p. 195
 Swift, D. J. P B 1201-E
 Swindel, G. W., Jr W 1765
 Swinney, C. M I-543
 Sykes, L. R P 350
 Szabo, B. J P 700-B
- T
- Tabacchi, N. B B 1263
 Tabor, R. W P 600-C,
 604; GQ-473, 616
 Ta Era, E P 475-C
 Tagg, A. R P 550-B,
 575-C
 Tagg, K. M P 475-C,
 MF-178
 Tailleux, I. L P 303-G,
 475-D, 525-B; I-554
 Takasaki, K. J W 1874, 1894
 Tanaka, H. H W 1809-T
 Tanner, A. B P 454-G
 Tanski, D W 1499-H
 Tapia, Oscar B 1273
 Tappan, Helen P 236-C
 Tatlock, D. B P 450-B;
 B 1209; GQ-222, 820, 821; MF-245
 Tatsumoto, Mitsunobu P 575-B

- Taylor, A. R B 1123-F,
 1138; GQ-186, 233, 287, 421, 448, 562, 739
 Taylor, C. M P 575-B, D,
 614-A
 Taylor, D. W P 450-D
 Taylor, G. C., Jr W 1608-B, D
 Taylor, M. E P 643-H
 Taylor, O. J P 600-C, 700-C
 Taylor, R. B P 450-D, E,
 700-B; C 567, 594
 Teasdale, W. E P 700-C
 Teichert, Curt P 464
 Terriere, R. T P 315-E
 Thaden, R. E P 397,
 B 1103, 1125; GQ-177, 182, 204, 249, 337, 383,
 393, 475, 483, 515, 518, 550, 679, 680, 681,
 682, 802
 Thayer, T. P P 475-C
 550-C; GQ-438, 548; I-447; MR-26
 Theis, C. V W 1619-Y
 Theobald, P. K., Jr P 450-C,
 554-A, 568; C 607; GQ-305; I 443
 Thies, C. V W 1619-I
 Thomas, C. A P 600-D;
 W 1688; C 467
 Thomas, D. M P 475-D;
 W 1687, 1975; HA-65, 104
 Thomas, H. E P 372-A,
 B, C, D, E, F, G, H, 417-C; W 1619-G,
 1757-E, F, G; C 469, 601-D, 629
 Thomas, H. H P 450-C,
 475-D, 501-D
 Thomas, Herman P 475-B
 Thomas, M. P P 550-B,
 B 1133-G; W 1499-H, J, 1779-M
 Thomasson, M. R P 475-D
 Thompson, C. E P 450-C, E
 475-B, 554-A, 575-D, 600-B; C 607
 Thomson, F. H W 1899-B
 Thompson, G. A P 458-A, B
 Thompson, G. L W 1809-K
 Thompson, J. R W 1532-B
 Thompson, R. M B 1199-J
 Thompson, T. H W 1839-M
 1851, 1869-D
 Thomsen, B. W W 1819-D,
 1861
 Thomson, M. T W 1779-M
 Thordarson, William B 1222-H
 Thrower, N. J. W PB1-96002
 Thurber, H. K B 1319-A
 Tibbetts, B. L P 516-E,
 550-D
 Tice, R. H W 1672;
 HA-104
 Tilling, R. I P 501-D,
 614-E
 Tilstra, J. R W 1834; HA-224
 Titley, S. R I-485,
 495, 622, 523
 Tobisch, O. T P 650-C;
 B 1294-D; I-525
 Todd, Ruth P 260-CC,
 354-H, 403-I, 483-I, 550-C, 573-A, 640-A, 680-E
 Todd, W. C C 565
 Tolbert, G. E B 1185-C
 Toler, L. G P 525-C
 Tolozko, L. R GP-199
 Tooker, E. W P 359,
 439, 450-E, 550-C, 629-A; B 1261-G; GP-422
 Toulmin, Priestley, 3d B 1163-A
 Tourtelot, E. B B 1214-H,
 1293, 1314-A
 Tourtelot, H. A P 390,
 475-D, 525-D, 594-F, L; B 1199-C
 Trace, R. D P 700-D;
 B 1122-E; GQ-206, 547, 742
 Tracey, J. I., Jr P 403-A, C
 635, 680-A; C 619
 Trainer, F. W P 501-D,
 525-D, 575-C, 600-B, 650-C, D; W 1773
 Traak, N. J P 650-D,
 I-485, 515, 594, 623
 Trent, V. A GQ-187,
 373, 721
 Trexler, J. P P 450-C,
 602; B 1121-F, GQ-690, 692, 699, 700, 701; I-529
 Trimble, D. E B 1119,
 1121-G; GQ-253
 Trites, A. F., Jr B 1125
 Troyer, M. L B 1157
 Truesdell, A. H P 475-D
 Trumbull, J. V. A P 501-D,
 600-B
 Tschudy, B. D P 643-A
 Tschudy, R. H P 525-B,
 550-D, 575-B, 643-E, F; B 1194-K
 Turcan, A. N., Jr P 450-C, E
 550-D; W 1619-V; HA-310
 Turner, J. F., Jr P 272-G
 Turner, G. T W 1532-B
 Turner, R. L C 623
 Turner, W. B GQ-369
 Turner, W. M P 550-C
 Tuttle, C. R P 475-D, 525-D
 Tuthill, S. J P 543-B
 Twenhofel, W. S MR-21
 Twenter, F. R W 1576-A,
 1779-P; B 1177
 Tweto, Ogden P 450-C,
 475-D, B 1319-C; MR-25
 Tyson, N. S GP-333,
 360, 361; 376, 378, 381, 394, 395, 396, 397,
 401, 445, 538
- U
- Uchupi, Elazar P 475-C,
 501-D, 525-D, 529-C, I, 550-B, 575-C, 600-D,
 700-B; I-451, 475, 521
 Upson, J. E P 454-M,
 550-C, 700-B
 Ulrich, G. E GQ-482,
 553, 556, 604, 658, 722, I-604
 Uriz, Lorgio H 1273
 U.S. Air Force I-532-B,
 533-B, 535-B

- U.S. Geological Survey P 580;
W 1819, 1455-B, 1521, 1538, 1549, 1571, 1572,
1575, 1702, 1704, 1705, 1708, 1710, 1711, 1712,
1719, 1720, 1751.; C 560; GP 598 through 611,
616 through 637; I 270-A, 350-B, 512, 514-A,
B, C; HA-41, 44, 47, 49, 50, 52, 54, 57; N A
sheets 59, 94, 95, 106, 108, 110, 117, 126, 127,
309, 360; Tectonic map United States, p. 197
- U.S. Bureau of Mines P 580
- Usoma, J. U W 1757-I
- V
- Valdes, Sylvia P 581-D
- Valenciano, Santos W 1874
- Valentine, L. B P 700-C
- Valentine, L. E B 1312-F
- Van Alstine, R. E P 525-D,
600-C, 626, 700-B
- Van Denburgh, A. S P 525-D;
W 1859-E
- Van Horn, Richard P 520,
575-D, 700-D; B 1165; GQ-803
- Van Houten, F. B B 1164
- Vanlier, K. E W 1499-E,
1619-E
- Van Lieu, J. A P 495-B;
B 1143-B; I-581
- Van Loenen, R. E P 600-D,
650-B, C, 700-D
- Van Loenen, S. D P 643-E
- Van Nostrand, R. G P 499
- Van Noy, R. M B 1319-B
- Van Reenan, E. D P 575-D
- Van Sickle, D. H P 313-D
- Van Sickle, G. H P 600-B,
625-A; B 1289; C 534, 543-561
- van Vloten, Roger P 450-C,
475-C; GQ-775
- Vanvoast, W. A HA-286,
320, 345
- Van Winkle, L. G B 1245
- Van Zandt, F. K B 1212
- Vargo, J. L GP-335,
341, 342, 343, 352, 353, 354, 440, 441, 442, 443,
476, 487, 557, 564, 565, 575, 576, 578, 579
- Varnes, D. J P 378-A, B,
551; B 1258-D
- Varnes, H. D P 414-F
- Vaughan, R. H I-540, 541
- Vaughn, P. P P 503-C
- Vaughn, W. W P 501-D,
525-B; C 540, 609
- Vaupel, D. E P 525-D
- Veatch, F. M P 631
- Vecchioli, John P 475-B,
650-B
- Vedder, J. G P 369,
475-C, 420-A, 579, 679-A; B 1230-A; C 619;
OM-217; I-487, 547, 574, 585
- Veirs, C. E P 518
- Velasco, Carlos P 1273
- Vernon, R. W B 1140-C
- Versaw, S. F W 1615-H
- Vhay, J. S B 1112-G
- Vice, R. B W 1591-E
- Vine, J. D P 356-D,
624, 650-D; B 1141-B, 1214-G, E, 1314-A
- Visher, F. N W 1778
- Vitaliano, C. J B 1166 E;
GQ-250; MF 255
- Vitaliano, D. B B 1146-C, D, E;
1166-A, B, C, D; GA 188-287
- Vlissidis, A. C B 1214-D
- Vlissides, S. D OM-214
- Voegeli, P. T., Sr W 1535-N,
1772, 1809-G
- Vorhis, R. C P 544-C, E
- W
- Waagé, K. M B 1199-P
- Waananen, A. O P 491-D,
579; C 537
- Warr, J. J., Jr P 700-D
- Waddell, K. M W 1819-H
- Wagner, H. C P 679-A, B;
B 1181-M, 1215-B, 1222-E, 1244-I; GQ-149
- Wahadan, Lutfi W 1757-J
- Wahlberg, J. S P 433-F,
600-B, 600-D; B 1140-A, B, C, D
- Wahrhaftig, Clyde P 482;
B 1254-E, 1274-D; GQ-804, 805, 806, 807, 808,
809, 810, 811; GP-447; I-415, 455
- Wait, R. L P 600-D,
700-C; W 1539-P, 1613-E; I-348
- Waldbaum, D. R B 1259
- Waldron, H. H P 450-D
- 525-B; B 1194-O, 1241-I; GQ-159, 706; I-354
- Waldrop, H. A P 450-C;
B 1277
- Walker, E. H P 575-B;
B 1133-E; W 1779-I, Q, 1809-C
- Walker, G. W P 455-A,
B, C, D, E, F, 575-D, 600-B, 650-C; B 1230-D,
1260-L, M; GQ-827; I-446, 457, 493, 595, 632;
MF-260
- Wallace, R. E P 450-B,
478, 501-C, 575-D, 579, 592; B 1230-I; GQ-666,
820, 821; I-574; MF-245
- Wallace, R. M P 341-F,
525-D, 542-D, 544-A, B; W 1773, 1779-D;
HA-187
- Walling, F. B W 1330-H
- Walter, G. L HA-142,
146, 149, 150, 151, 226, 230, 252, 255, 303
- Walters, K. L P 450-E,
525-C; W 1779-A
- Walthall, F. G P 525-B
- Walton, W. C W 1609
- Waltz, F. A PB1-95451
- Wanek, A. A P 505;
B 1211-B, C, 1222-B, 1260-K; I-425; OM-208;
MF-265, 270; Map C-50
- Wang, F. F. H I-632
- Ward, D. E B 1240
- Ward, F. N P 450-C,
501-C, 501-D, 550-B, 575-D; B 1152, 1289
- Ward, P. E P 403-H,
450-B, E, 550-C

Waring, C. L	P 501-B, 550-C	Wells, J. D	P 454-O; B 1221-D; C 606; I-383
Waring, G. A	P 440-F, K, 492	Wells, J. W	P 260-DD
Wark, J. W	P 450-D	Wells, L. C	W 1539-U
Warman, J. C	B 1138	Wentworth, C. M	P 550-C
Warr, J. J., Jr	P 475-D	Wentz, D. A	HA-360
Warren, C. G	P 700-B	Werner, M. A	P 561
Warren, C. R	P 475-B, 590, 591, 650-D; GQ-848, 871	Wershaw, R. L	P 650-D
Warren, D. H	I-532-D, 533-D, 534-D, 535-D	Wertman, W. T	P 575-C
Warren, M. A	B 1156-C	Wesolowski, E. A	P 700-B
Warren, W. C	B 1199-E, J, K	Wesselman, J. B	P 550-D; W 1582
Washburn, A. L	B 494-B	West, R. E	W 1790-A; HA 311
Washburn, R. L	W 1655	West, S. W	P 450-D; W 1576-D, H, 1766
Wasson, B. E	W 1899-B	West, W. S	B 1123-G, I, 1194-A, 1224-A, 1244-A, 1254-A; GQ-487, 488
Waters, A. C	P 444; I-432, 540, 541, 542, 543, 555, 556	Westley, Harold	P 450-C, 475-C
Watkins, F. A., Jr	W 1619-B, 1981	Wheat, D. E	HA-299
Watkins, J. S	P 450-C, 516-A, 599-A; GP-414, 421, 582	Whetstone, G. W	P 450-B; W 1499-G
Watson, Kenneth	P 599-A, B	Whitcomb, H. A	W 1698, 1788, 1806; HA-270
Watterson, J. R	C 623	Whitcomb, J. H	P 599-D
Wayland, R. G	B 1211-A, 1271-B; W 1610-B; MR-47	White, A. M	P 475-C, 501-C, 568, 700-D; B 1107-H; MF-257
Wayman, C. H	P 450-B, C, D, E, 475-B, C	White, B. L., Jr	GP-329, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520
Weaver, D. E	W 1776	White, David, B	1294-H
Webb, W. E	HA-365	White, D. E	P 440-F, K, 450-D, E, 458-A, B, C 575-B, C 519; MR-20
Webber, E. E	HA-324, 325	White, G. W	P 450-C, 511; I-316
Weber, Florence	I-455, 590	White, J. S., Jr	P 575-D
Webster, D. S	W 1544-I	White, M. G	B 1185-A
Webster, G. D	P 700-C	White, N. D	W 1619-DD, 1669-F, 1809-R
Wedow, Helmuth, Jr	P 501-B, 525-B; B 1185-D, 1319-E	White, W. S	P 524-E, 550-D, B 1199-I, M
Weeks, A. D	P 475-B	Whitebread, D. H	P 489, C 596, I-578; MF-244
Weeks, E. P	501-B, 501-D; W 1475-F, 1783, 1791, 1811	Whittington, C. L	P 303-H, GQ-353, 640
Weeks, J. B	P 700-B	Whittington, H. B	B 1181-E
Weigle, J. M	HA-277, 365	Wiard, L. A	C-464
Weiler, Louise	P 475-D	Wier, K. L	P 570; B 1226
Weir, G. W	P 600-D; B 1224-B, D, F; GQ-649, 776, 800	Wiesnet, D. R	P 550-D; HA-293
Weir, J. E., Jr	W 1801; I-545	Wiitala, S. W	P 450-E; W 1499-E, 1594-D, 1677, 1842; HA-59
Weis, P. L	P 445, 525-C, 650-C; B 1131; GQ-305, 734	Wilcox, R. E	GQ-541
Weissenborn, A. E	B 1260-F, G, H; I-583	Wilden, Ronald	P 431; B 1141-D, 1161-E
Weist, W. G., Jr	W 1539-J, 1669-P, 1799, 1809-L	Willey, R. L	P 599-E
Welborn, C. T	P 650-C	Whitlow, J. W	P 475-C, 568; B 1123-C, I; GQ-487, 488; MF-175
Welborne, W. J	P 448-I	Wilhelms, D. E	P 599-F; I-510, I-548, I-617 (ORB II-2(25))
Welch, E. B	W 1873-A	Wilkie, L. C	B 1254-A
Weld, B. A	C 463, 473, 488, 498, 518, 528, 548, 568, 618	Willard, M. E	GQ-154
Welder, F. A	W 1584	Willden, Ronald	P 525-C, 575-D, 600-B; GQ-859; I-532-C, 533-C, 534-C, 535-C
Welder, G. E	W 1791; HA 219, 290		
Weldon, R. D	B 1230-D		
Wells, C. E	B 1202-B		
Wells, C. J	W 1971		
Wells, F. G	P 449		

585

Williams, C. C	HA-279	Wood, P. R	HA-250
Williams, F. E	B 1230-J,	Wood, Peter	PB1-93666,
	1261-F, 1319-C		93829
Williams, G. P	P 562-B, H	Wood, P. R	W 1656
Williams, J. R	P 575-B,	Wood, W. W	C 634
696; B 1111-H; W 1792; C 636; HA-300; I-415		Woodard, T. H	W 1786
Williams, J. S	P 257-C	Woodring, W. P	P 306-C, D
Williams, M. R	W 1765	Woolson, J. R	P 304-A
Williams, O. O	P 600-B	Worthing, H. W	P 550-C
Williams, P. L	P 525-D;	Worthington, H. W	MR-31
	I-360	Worts, G. F., Jr	W 1608-E,
Williams, R. B	B 1158-C		1663-B
Williams, R. C	W 1852; C 490	Wraight, A. J	B 1245
Williams, R. S., Jr	P 650-C, 700-D	Wright, J. C	P 525-B,
Williams, W. P	GQ-368;		450-E, 650-D; 700-C; DO-63
	I-550	Wright, L. A	B 1167
Willis, R. P	P 560-E	Wright, T. L	B 1214-A;
Willman, H. B	B 1274-E		GQ-647
Wilmarth, V. R	P 297-C	Wright, W. B	B 1274-A,
Wilshire, H. G	GQ-246,		1294-A, 1324-A; MR-51
	270; 313, 445, 587	Wrucke, C. T	P 525-D,
Wilson, Alfonso	P 372-B;		600-B; C 589
	HA-282	Wyant, D. G	B 1192
Wilson, E. E	P 650-B	Wyerman, T. A	HA-89
Wilson, H. D., Jr	C 459	Wyrick, G. G	C 533;
Wilson, J. E	C 616		HA-264, 295
Wilson, J. F., Jr	P 600-D;		
	C 529-B; TW1 3-A12	Y	
Wilson, K. V	P 575-D,		
600-D; HA-395, 396, 397, 398, 399, 400, 401,		Yates, R. G	P 600-D;
402, 403, 404, 405, 406, 407, 408			B 1162-F; I-384, 412; MF-249, 258
Wilson, M. T	P 417-C,	Yeend, W. E	P 617, C 566
	525-C	Yehle, L. A	I-524
Wilson, R. F	B 1244-D	Yelenoski, Andy	B 1112-F, GQ-690
Winegard, C. I	P 700-B	Yenne, K. A	P 679-B
Winkler, H. A	W 1525	Yerkes, R. F	P 420-A,
Winner, M. D., Jr	P 450-B		B, 550-C, 575-C, 579, 679-B, D; C 537
Winograd, I. J	P 450-C	Yevdjevich, V. M	W 1690
Winslow, A. G	HA-310	Yochelson, E. L	P 313-D,
Winslow, J. D	P 450-C, 511		323, 354-I, 475-B, 480, 503-A, 523-B, 525-B,
Winslow, M. R	P 364		550-D, 575-D, 593-B, F, G, 606-D, 613-B,
Winter, T. C	HA-201,		643-H, 683-B; B 1210
	237, 241, 272, 296, 307, 339; I-403	Yost, I. D	W 1652-B, 1669-CC
Winterer, E. L	P 334-H	Yotsukura, Nobuhiro	P 450-E;
Withington, C. F	P 525-B,		W 1899-G; C 529-B
	550-D; GQ-780; MR-33	Young, E. J	P 550-C,
Witkind, I. J	P 450-B,		650-D; B 1222-D
453, 525-C, 609, 700-B; B 1103; I-417; Map		Young, H. L	W 1759-A,
	C-82		B, C, D, E, F; I-403
Wolcott, D. E	B 1063-K;	Young, L. E	P 501-B;
	GQ-497, 843		W 1685, 1686, 1830-A; HA-78
Wolf, R. J	P 700-B	Young, L. L	W 1610-B,
Wolfe, E. W	GQ-244, 554		C, D; C 483
Wolcott, D. E	GQ-792,	Young, R. A	W 1787
	MF-242	Yuval, Zvi	GP-5822
Wolfe, E. W	P 501-C;		
	GQ-320	Z	
Wolfe, J. A	P 398-A, B		
	450-C, 454-N, 571; B 1274-D	Zablocki, C. J	P 450-D,
Wolman, M. G	P 282-G		575-B; C 595
Wood, G. H., Jr	P 450-C,	Zandle, G. L	GP-325,
602, 700-C; B 1112-F, 1271-D; C 46, 47, 48;			326, 429-431, 433-438, 448-461, 526-537, 548-
GQ-689, 690, 691, 692, 698, 699, 700, 701, 781;			554, 568-573
	I-529		
Wood, G. K	HA-371		

Zambrano O., Francisco	B 1272-A	Zenger, D. H	P 525-C
Zapp, A. D	P 450-D;	Ziets, Isidore	P 316 G,
	B 1142-H, 1199-G, H	H, 666; GP-447, 563, 725; C 489; I 532-A,	
Zapata, Hugo	B 1273		533-A, 534-A, 535-A, 536
Zartman, R. E	P 575-D; B 1252-E	Zimmerman, E. A	W 1779-J
Zartman, Robert	P 525-D	Zimmermann, R. C	P 485-D
Zarudski, E. F. K	P 581-A	Ziony, J. I	P 700-C;
Zeller, H. D	B 1256, MF-266		I-376, 393
Zdenek, F. F	I-416	Zohdy, A. A. R	P 600-D,
Zeller, H. D	MF-285,		650-C; B 1313-A, B, C
	286, 288, 289, 292, 293, 294, 295, 296, 297	Zones, C. P	W 1619-L
Zen, E-an	P 550-D;	Zubovic, Peter	B 1117-B,
	B 1174, 1225; GQ-507		C, D; I-409

