



U.S. DEPARTMENT OF INTERIOR

GEOLOGICAL SURVEY
BRANCH OF GEOPHYSICS

BIBLIOGRAPHY
1991, 1992, 1993

Published by Manuscript Section

TABLE OF CONTENTS

AUTHOR	REFERENCE NUMBER
Abrams, G.A.	1, 2, 3, 4, 5, 6, 7, 8, 9, 274, 404, 405
Ager, C.M.	81
Anderson, W.L.	10, 11, 12, 13, 14, 121, 351
Bankey, Viki	16, 17, 18, 19, 89, 125, 223, 224, 275, 438
Bisdorf, R.J.	28, 29, 193, 194, 195, 247, 450, 452, 453, 454, 457, 458
Blakely, R.J.	30, 31, 32, 33, 34, 35, 36, 37, 54, 72, 139, 140, 384, 393, 422
Blank, H.R., Jr.	38, 39, 40, 41, 42, 43, 44, 45, 147, 230, 369, 403
Bond, K.R.	49, 50, 51, 52, 192, 196, 197
Bowers, T.L.	55, 106
Bracken, R.E.	2, 3, 6, 17, 56, 57, 58, 131
Cady, J.W.	25, 62, 63, 64, 65, 66, 246, 270, 273, 325
Campbell, D.L.	183
Capron, D.E.	318
Castellanos, Ester	257
Clark, R.N.	67, 68, 70, 74, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 97, 216, 217, 239, 266, 430, 431
Clutsom, F.C.	301
Cordell, Lindrith	90, 91, 92, 93, 94, 103, 184, 278, 459
Crowley, J.K.	95, 96, 97, 98, 218
Daniels, D.L.	100, 101, 291, 324, 370
Duval, J.S.	326
Ellefsen, K.J	107, 108
Finn, C.A.	23, 24, 47, 48, 114, 115, 213, 283, 426
Fitterman, D.V.	59, 116, 117, 118, 281
Friedman, J.D.	119, 120
Gallagher, A.J.	76, 77, 78, 80, 81, 85, 87, 264, 430, 431
Grauch, V.J.S.	125, 126, 127, 128, 129, 130, 131, 132, 181, 388
Griscom, Andrew	20, 124, 135, 136, 137, 138, 139, 140, 141, 142, 143, 161, 192, 196, 197, 206, 209, 211, 220, 327
Grover, T.P.	144, 145, 146
Halvorson, P.F.	139, 140, 142, 257
Hamilton, W.B.	104, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158

Hanna, W.F.	110, 111, 112, 159, 160, 330, 331, 332
Hasbrouck, W.F.	162, 163
Heran, W.D.	164, 165, 166, 167, 186, 189, 248, 406
Hildenbrand, T.G.	168, 169, 170, 171, 172, 173, 214, 378, 384, 415
Hill, P.L.	174, 175, 176, 177, 178, 179, 186, 268
Hoisch, T.D.	75, 180, 279, 286, 290
Hoover, D.B.	26, 113, 127, 130, 166, 181, 182, 183, 184, 185, 186, 187, 188, 189, 253, 420, 451
Horton, R.J.	101, 102, 190, 191, 192, 193, 194, 195, 196, 197, 198, 202, 417, 418, 419
Hummer-Miller, Susanne	284, 285, 306, 307, 308, 309, 447
Jachens, R.C.	31, 32, 33, 60, 72, 134, 135, 139, 140, 204, 205, 206, 207, 208, 209, 210, 211, 257, 258, 259, 260, 373, 384, 399, 400, 435, 436, 437, 449
Kibler, J.E.	299, 301, 302
King, T.V.V.	59, 68, 69, 71, 87, 88, 118, 123,, 216, 217, 313, 431
Kingston, M.J.	218
Kipfinger, R.R.	145
Klein, D.P.	7, 221, 222, 223, 224
Kleinkopf, M.D.	5, 225, 226, 227, 228, 229, 230, 231, 232, 439
Knepper, D.H., Jr.	187, 235, 236, 237, 238, 265, 266, 270, 273, 325, 445
Krohn, M.D.	181, 239, 240, 329, 363
Kucks, R.P.	2, 3, 6, 53, 131, 170, 195, 230, 241, 242, 267, 389, 391, 434
Kulik, D.M.	109, 243, 244, 245
Labson, V.F.	61, 105, 118, 121, 193, 194, 246, 247, 248, 249, 280, 292, 345, 396, 450
Langenheim, V.E.	26, 27, 171, 172, 219, 220, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 292, 357, 362, 365, 366, 412, 413, 442
Livo, K.E.	264, 265, 266
Lucius, J.E.	133, 268, 269, 398
McCafferty, A.E.	22, 103, 271, 274, 275, 276, 277, 278, 279, 287, 288, 298, 301, 302
Mikesell, J.L.	73, 99, 215, 293, 294, 295, 337, 390
Morin, R.L.	299
Muller, D.C.	296, 297, 298, 299, 299, 300, 301, 302, 303, 304, 305, 401
Nelson, P.H.	

Olhoeft, G.R.	15, 118, 133, 268, 269, 310, 311, 312, 313, 314, 315, 316, 317, 318, 368, 398, 441
Oliver, H.W.	26, 250, 253, 254, 261, 263, 319, 320, 321, 322, 323, 410, 411, 414 105, 118, 333, 334
Pellerin, L.D.	57
Petrafeso, F.A.	93, 94, 251, 335, 336, 337, 370, 428, 429, 434
Phillips, J.D.	181, 340, 341, 342, 343, 344 345, 417, 418, 419
Pitkin, J.A.	34, 212, 346, 347, 348, 349, 350
Plesha, J.L.	233, 234, 352, 353, 354, 355
Plouff, Donald	122, 251, 252, 262, 263, 306, 307, 308, 309, 319, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 414
Pohn, H.A.	202, 367, 368
Ponce, D.A.	141, 142, 211, 372, 373 247, 425, 427
Powers, M. H.	168, 173, 199, 200, 201, 203, 289, 371, 374, 375, 376, 377, 378, 379, 380, 402, 423, 432, 433
Roberts, C.W.	55, 106, 110, 111, 112, 212, 330, 331, 332, 381, 382, 439, 447
Rodriguez, B.D.	21, 23, 99, 338, 339, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394
Rosenbaum, J.G.	246, 247, 248, 306, 307, 308, 309, 395, 396, 397 15, 133, 398
Rowan, L.C.	7, 404, 405, 406, 407
Saltus, R.W.	27, 252, 263, 319, 320, 323, 365, 408, 409, 410, 411, 412, 413, 414 237
Sampson, J.A.	102, 185, 191, 193, 194, 272, 282, 345, 416, 417, 418, 419, 420 421, 422
Sander, K.A.	35, 61, 425, 426, 427
Senterfit, R.M.	301
Sikora, R.F.	76, 77, 78, 80, 81, 83, 84, 85, 86, 87, 430, 431 23, 24, 440
Simpson, S.L.	443, 444, 445, 446, 447, 448, 445
Smith, B.D.	64, 450
Snyder, S.L.	46, 145, 146
Stanley, W.D.	424, 452, 453, 454, 455, 456, 457, 458
Stoddard, C.E.	
Swayze, G.A.	
Sweeney, R.E.	
U.S. Geological Survey	
Watson, Kenneth	
Webring, M.W.	
Wise, R.A.	
Wright, D.L.	
Zohdy, A.A.R.	

SUPPLEMENTAL TABLE OF CONTENT

AUTHOR

REFERENCE NUMBER

Blakely, R.J.	1, 2, 6
Griscom, Andrew	2
Halvorson, P.F.	2
Jachens, R.C.	1, 2, 3, 4, 5, 6, 7, 10, 11, 13
Oliver, H.W.	8, 9
Roberts, C.W.	4, 5, 7, 10, 12
Saltus, R.W.	6
Smith, B.D.	12
Sikora, R.F.	9
Snyder, S.L.	7

BRANCH OF GEOPHYSICS 1991, 1992, and 1993 BIBLIOGRAPHY

1. Abrams, G.A., 1991, Complete Bouguer gravity anomaly map of the Hailey and western part of the Idaho Falls $1^{\circ} \times 2^{\circ}$ quadrangles, Idaho: U.S. Geological Survey Miscellaneous Field Studies Map MF-2160-B, scale 1:250,000.
2. Abrams, G.A., Kucks, R.P., and Bracken, R.E., 1991, Aeromagnetic gridded data for a portion of the San Jose $1^{\circ} \times 2^{\circ}$ quadrangle, California. One 3 1/2 inch diskette, one 35 mm slide: U.S. Geological Survey Open-File Report 91-30, 5 p.
3. Abrams, G.A., Kucks, R.P., and Bracken, R.E., 1991, Aeromagnetic anomaly map of Palo Alto and vicinity, California: U.S. Geological Survey Open-File Report 91-336.
4. Abrams, G.A., 1992, Aeromagnetic map of the San Jose Area, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-2191.
5. Abrams, G.A., and Kleinkopf, M.D., 1992, Regional gravity and magnetic studies of the Standing Rock Indian Reservation, North and South Dakota: Administrative Report 41-2-1, 11 p.
6. Abrams, G.A., Kucks, R.P., and Bracken, R.E., 1992, Aeromagnetic map of Morton and vicinity, Washington: U.S. Geological Survey Open-File Report 92-251.
7. Abrams, G.A., Senterfit, R.M., and Klein, D.P., 1992, Gravity data at the western rim of the Bursum caldera, New Mexico; including principal facts, profiles and gravity contour maps: U.S. Geological Survey Open-File Report 92-503, 11 p.
8. Abrams, G.A., 1993, Complete Bouguer gravity anomaly map of the State of Colorado: U.S. Geological Survey Miscellaneous Field Studies Map MF-2236, scale 1:500,000.
9. Abrams, G.A., 1993, Principal facts for gravity stations in the Sangre de Cristo Mountains, Rio Grande and Isabel National Forests, south-central Colorado: U.S. Geological Survey Open-File Report 93-18, 4 p.
10. Anderson, W.L., 1991, Comment on *Optimized fast Hankel transform filters* (N.B. Christensen): *Geophysical Prospecting*, no. 39, p. 445-447.
11. Anderson, W.L., 1991, Approximate inversion of high-frequency EM soundings using complex image theory: *Geophysics*, v. 56, no. 7, p. 1087-1092.
12. Anderson, W.L., 1992, Inversion of plane-wave electromagnetic data for layered earth models using a graphical user interface: U.S. Geological Survey Open-File Report 92-518A, 28 p., and Open-File Diskette 92-518B.

13. Anderson, W.L., 1992, Interactive inversion of dipole loop-loop electromagnetic data for layered earth models using numerical integrating and complex image theory: U.S. Geological Survey Open-File Report 92-553A, 42 p., and Open-File Diskette 92-553B.
14. Anderson, W.L., 1993, Interactive inversion of transient electromagnetic data for a central-induction look over layered earth models: U.S. Geological Survey Open-File Report 93-234A, 33 p. with diskette 93-234B
15. Annan, A.P., Brewster, M.L., Greenhouse, J.P., Redman, J.D., Schneider, G.W., Olhoeft, G.R., and Sander, K.A., 1992, Geophysical monitoring of DNAPL migration in a sandy aquifer, in International Conference, 62nd Annual Meeting and Exposition, Abstracts and Technical Programs, October 1992: New Orleans, LA, Society of Exploration Geophysicists, p. 344-347.
16. Bankey, Viki, 1992, Complete Bouguer gravity, isostatic residual gravity, and related geophysical maps centered on the Idaho batholith and Challis volcanic field, lat. 42°-47°, long 110°-118°: U.S. Geological Survey GP-995, scale 1:1,000,000.
17. Bankey, Viki, and Bracken, R.E., 1992, Aeromagnetic flight-line data and gridded data from a survey flown over Antelope Island, Utah: U.S. Geological Survey Open-File Report 92-319-A-F, 3 p., 5 diskettes.
18. Bankey, Viki, 1993, Geophysical studies of the White River National Forest, northwestern and central Colorado: U.S. Geological Survey Bulletin 2039, p. 233-236.
19. Bankey, Viki, 1993, A new aeromagnetic compilation of Utah using new techniques to merge older data: Transactions American Geophysical Union 1993 Fall Meeting, Dec. 6-10, 1993, p. 222.
20. Bawiec, W.J., Griscom, Andrew, Krushensky, R.D., Marsh, S.P., McKelvey, G.E., and Scanlon, K.M., 1991, Mineral-resource assessment of Puerto Rico, in Good, E.E., Slack, J.F., and Kotra, R.K., eds., in V.E. McKelvey Forum on Mineral and Energy Resources, 7th Annual Meeting, Program and Abstracts, Reno, Nevada: U.S. Geological Survey Circular 1062, p. 4-5.
21. Behrendt, J.C., Duerbaum, H.J., Damaske, D., Saltus, R.W., Bosum, W., Cooper, A.K., 1991, Extensive volcanism and related tectonism beneath the western Ross Sea continental shelf, Antarctica--Interpretation of an aeromagnetic survey, in Thomson, M.R.A., Crane, J.A., and Thompson, J.W., eds., Geological evolution of Antarctica: Cambridge Univ. Press, p. 299-304.
22. Behrendt, J.C., and McCafferty, A.E., 1991, High amplitude magnetic anomaly over the Butcher Ridge igneous complex, Antarctica: EOS, v. 72, no. 44, p. 502.
23. Behrendt, J.C., Finn, C.A., Sweeney, R.E., Saltus, R.W., Blankenship, D.D., Bell, R.E., Hodge, S.M., and Brozena, J., 1992, Preliminary results of the 1991-92 CASERTZ aeromagnetic survey over the ice covered west Antarctic rift system: EOS, v. 73, no. 43, p. 131.

24. Behrendt, J.C., Finn, C.A., Blankenship, D.D., Bell, R.E., Hodge, S.M., Sweeney, R.E., and Fegley, A., 1993, Aeromagnetic survey results in the CASERTZ-ANTALITH corridor across the West Antarctic rift and the West Antarctic ice sheet: EOS, V. 74, p. 312.
25. Bell, Henry III, Bush, A.L., Turner, R.L., Cady, J.W., Brown, S.D., Hannigan, B.J., and Thompson, J.R., 1991, Mineral resources of the Paria-Hackberry Wilderness Study Area, Kane County, Utah: U.S. Geological Survey Bulletin 1748-B.
26. Bergquist, J.F., Barker, C.E., Bliss, J.D., Grow, J.A., Hoover, D.B., Keefer, W.R., Langenheim, V.E., Mast, R.F., Oliver, H.W., Peterson, J.A., Ridley, W.I., and Wohletz, K.H., 1991, Study Plan 8.3.1.9.2.1, Natural resource assessment of Yucca Mountain, Nye County, Nevada: U.S. Geological Survey Administrative Report, 56 p.
27. Biehler, Shawn, Langenheim, V.E., Sikora, R.F., Chapman, R.H., and Beyer, L.A., 1992, Complete Bouguer gravity anomaly map of the Santa Ana 1⁰ by 2⁰ quadrangle, California: U.S. Geological Survey Open-File Report 92-279, 2 p., scale 1:250,000.
28. Bisdorf, R.J., 1991, The hydrologic structure of Tule Valley, Utah inferred from Schlumberger resistivity soundings: Geological Society of America Abstracts with Programs, v. 23, no. 5, p. 123.
29. Bisdorf, R.J., 1993, Schlumberger soundings near Twentynine Palms, California: U.S. Geological Survey Open-File Report 93-279, 72 p.
30. Blakely, R.J., 1991, Estimation of Curie-temperature isotherms from aeromagnetic surveys--Magnetic anomalies on land and sea: International Association of Geomagnetism and Aeronomy Working Group V-9 Newsletter, no. 3, p. 24-26.
31. Blakely, R.J., and Jachens, R.C., 1991, Regional study of mineral resources in Nevada--Insights from three-dimensional analysis of gravity and magnetic anomalies: Geological Society of America Bulletin, v. 103, p. 795-803.
32. Blakely, R.J., and Jachens, R.C., 1991, Concealed mineral deposits of Nevada--Insights from three-dimensional analysis of gravity and magnetic anomalies, in Raines, G.L., Lisle, R.E., Schafer, R.W., and Wilkinson, W.H., eds, Geology and Ore Deposits of the Great Basin: Geological Society of Nevada Abstracts with Programs, p. 185-192.
33. Blakely, R.J., Jachens, R.C., and Sherlock, M.G., 1991, Bulk mineable precious metal deposits and regional crustal structure of Nevada--A statistical comparison, in Dean, D.A., Benedetto, K.M.F., and Durgin, D.C., ed., Southern extension of the Carlin trend, influence of structure and stratigraphy on gold deposition, Post-meeting field trip no. 4, in Great Basin Symposium: Reno, Nevada, Geological Society of Nevada, p. 30-38.
34. Blakely, R.J., and Plouff, Donald, 1991, Geophysical interpretations, in Diggles, M.F., ed., Assessment of undiscovered porphyry copper deposits within the range of the northern spotted owl, northwestern California, western Oregon, and western Washington: U.S. Geological Survey Open-File Report 91-377, p. 21-30.

35. Blakely, R.J., and Stanley, W.D., 1992, The Geysers magma chamber revisited-- Constraints from ideal-body theory and new density measurements: Transactions American Geophysical Union, v. 73, p. 348-349.
36. Blakely, R.J., Beeson, M.H., Madin, I.P., Popowski, T., Wells, R.E., and Yelin, T.S., 1993, Tectonic implications of a high-resolution aeromagnetic survey of the Portland basin, Oregon and Washington: Reno, Nevada, Society of America, 89th Cordilleran Section Annual Meeting, Abstracts with Programs, March 1993, p. 11.
37. Blakely, R.J., Yelin, T.S., Wells, R.E., Beeson, M.H., and Madin, I.P., 1993, Active high-angle faults in the Portland-Vancouver area, Oregon and Washington--A tectonic application of high-resolution aeromagnetic data: Transactions American Geophysical Union, v. 74, p. 223.
38. Blank, H.R., Jr., 1991, Geophysical applications in mineral-resource assessment, Cedar City 1° x 2° quadrangle, southwestern Utah, in Good, E.E., Slack, J.F., and Kotra, R.K., eds., in V.E. McKelvey Forum on Mineral and Energy Resources, 7th Annual Meeting, Program and Abstracts, Reno, Nevada: U.S. Geological Survey Circular 1062, 99 p.
39. Blank, H.R., Jr., 1991, Aeromagnetic and gravity data for the Lund 1° x 2° quadrangle, Nevada and Utah - An overview, in Flanigan, D.M.H., Hansen, Mike, and Flanigan, T.E., eds., Geology of White River Valley, the Grant Range, Eastern Railroad Valley and Western Egan Range, Nevada: Reno, Nevada, Petroleum Society Fieldtrip Guidebook, 1991, 74 p.
40. Blank, H.R., Jr., 1991, Megabreccia sheets derived from deroofing a monzonite intrusion in southwest Utah: San Diego, CA, Geological Society of America Abstracts with Programs, 1991, p. A450.
41. Blank, H.R., Jr., and Andreason, G.E., 1991, Compilation and interpretation of aeromagnetic data for the Precambrian Arabian Shield, Kingdom of Saudi Arabia: Saudi Arabian Directorate General of Mineral Resources Open-File Report USGS-OF-10-8, 54 p., scale 1:2,000,000.
42. Blank, H.R., Jr., 1992, Gravity and aeromagnetic interpretation of structure in Railroad Valley and the Great Range, east-central Nevada, in Carter, L.M.H., ed., U.S. Geological Survey Research on Energy Resources--1992, Programs and Abstracts: U.S. Geological Survey Circular 1074, p. 89.
43. Blank, H.R., Jr., Rowley, P.D., and Hacker, D.B., 1992, Miocene monzonitic intrusions and associated megabreccias of the iron axis region, southwestern Utah, in Wilson, J.R., ed., Field Guide to Geologic Excursions in Utah and Adjacent Areas of Nevada, Idaho, and Wyoming: Utah Geological Survey Miscellaneous Publication 92-3, 482 p.
44. Blank, H.R., Jr., 1993, Basement structure in the Railroad Valley-Grant Range region, east-central NV, from interpretation of potential-field anomalies, in Scott, R.W., Detra, P.S., and Berger, B.R., eds., Advances related to United States and international mineral resources--Developing frameworks and exploration technologies, p. 25-30: U.S. Geological Survey Bulletin 2039, 277 p.

45. Blank, H.R., Jr., 1993, Preliminary geologic map of the Enterprise quadrangle, Washington and Iron counties, Utah: U.S. Geological Survey Open-File Report 93-203, 31 p., scale 1:24,000 with text.
46. Blankenship, D.D., Hodge, S.M., Bell, R.E., Najmulski, K.A., Wright, D.L., and Behrendt, J.C., 1991, Corridor aerogeophysics of the southeastern Ross transect zone of west Antarctica (CASERTZ), 1990-1991, in Sixth International Symposium on Antarctic Earth Sciences, Abstracts, Sept, 9-13, 1991: Tokyo, Japan, National Institute of Polar Research, p. 64-65.
47. Blankenship, D.D., Bell, R.E., Hodge, S.M., Behrendt, J.C., Finn, C.A., Brozena, J.M., 1993, Corridor aerogeophysics in Antarctica, in Proceedings of the 23rd annual Arctic workshop: Byrd Polar Research Center Miscellaneous Series M-322, p. 12-13.
48. Blankenship, D.D., Bell, R.E., Hodge, S.M., Brozena, J.M., Behrendt, J.C., and Finn, C.A., 1993, Active volcanism beneath the West Antarctic ice sheet and implications for ice sheet stability: EOS, v. 74, p. 312.
49. Bond, K.R., 1993, Total-field aeromagnetic map of portions of Penobscot, Piscataquis, and Aroostook counties, Maine: U.S. Geological Survey Open-File Report 93-385, scale 1:125,000, 1 diskette.
50. Bond, K.R., 1993, Principal facts for gravity stations on Annette Island, southeast Alaska: U.S. Geological Survey Open-File Report 93-508, 12 p., 1 diskette.
51. Bond, K.R., 1993, Total-field aeromagnetic map of part of northern Maine: U.S. Geological Survey Open-File Report 93-573, scale 1:250,000. 1 diskette.
52. Bond, K.R., 1993, Gravity studies of Annette Island, in Goodwin, L.H., and Smith, B.D., eds., in special Symposium on Economic Mineral Resources of the Annette Islands Reserve, Alaska: Northwest Mining Association p. 73-76.
53. Bothner, W.A., and Kucks, R.P., 1992, Bouguer gravity anomaly maps and four derivative maps of New Hampshire, Vermont, and vicinity: U.S. Geological Survey Geophysical Investigations Map GP-1005, scales 1:250,000 and 1:500,000.
54. Bou-Rabee, F. and Blakely, R.J., 1993, Structural setting of Kuwait based on analysis of gravity and subsurface information: EOS, v. 74, p. 549.
55. Bowers, T.L., and Rowan, L.C., 1993, Spatial analysis of mineral occurrences, hydrothermally altered rocks, and linear features mapped in the Reno, Nevada - California 1° x 2° quadrangle: Reston, VA., 8th Annual Grass Users Conference, March 15-18, 1993, p. 55.
56. Bracken, R.E., 1991, Description of magnetic tapes containing gridded aeromagnetic anomaly data from north-central Minnesota: EROS data release D91-0597, 4 p.
57. Bracken, R.E., and Petrafeso, F.A., 1991, Description of magnetic tapes containing north-central Minnesota aeromagnetic flight-line data: EROS data release D91-0439, 4 p.

58. Bracken, R.E., 1992, AEROBMG - A base magnetometer program incorporating a method for tying aeromagnetic surveys to an established datum, in Roberts, C.A., ed.: Proceedings of GeoTech '92, August 29-September 1, 1992, Denver, CO, p. 119-129. Short paper.
59. Breit, G., Garcia, M., King, T.V.V., Owen, D., Smith, K., Fitterman, D.V., Gough, L.P., Langer, B., Plumlee, Geoff, and Wanty, R., 1992, Justification for an environmental geoscience program in the Geologic Division--Commitment for the Future: Administrative Report, 23 p.
60. Brew, D.A., Karl, S.M., Barnes, D.F., Jachens, R.C., Ford, A.B., and Horner, Robert, 1991, A northern Cordilleran ocean-continent transect - Sitka Sound, Alaska, to Atlin Lake, British Columbia: Canadian Journal of Earth Science, v. 28, p. 840-853.
61. Brocher, T.M., Fisher, M.A., Luzitano, R., Fuis, G.S., Nokleberg, W.J., Labson, V.F., Stanley, W.D., and Christensen, N.I., 1991, Crustal structure and evolution of the Alaska Range: Geological Society of America Abstracts with Programs, v. 23, no. 2, p. 8.
62. Cady, J.W., 1991, Aeromagnetic map of Alaska from lat. 65°-68°N., long. 141°-162°W. - Color-shaded relief: U.S. Geological Survey Geophysical Investigations Map GP-992, scale 1:500,000.
63. Cady, J.W., 1992, Digital topographic map centered on the Idaho batholith and Challis volcanic field, lat. 42°-47°N., long. 110°-118°W.: U.S. Geological Survey Geophysical Map GP-997, 3 p., scale 1:1,000,000,
64. Cady, J.W., and Wise, R.A., 1992, Gravity and magnetic studies, in U.S. Geological Survey and Servicio Geologico de Bolivia, Geology and Mineral Resources of the Altiplano and Cordillera Occidental, Bolivia, with a section on Application of economic evaluation to deposit models, by Beiwas, D.I. and Christiansen, R.G.: U.S. Geological Survey Bulletin 1975, p. 56-62.
65. Cady, J.W., 1993, Digital aeromagnetic and Bouguer gravity anomaly data from the Bolivian Altiplano and Cordillera Occidental used to create contour maps for USGS Bulletin 1975: EROS Data Center Digital Data Release, text and 4 tapes.
66. Cady, J.W., 1993, Grids of aeromagnetic survey flown in the Bolivian Altiplano and Cordillera Occidental by BGM Airborne Surveys, Inc. in 1991: U.S. Geological Survey Administrative Report to U.S. Trade and Development Agency.
67. Calvin, W.M., and Clark, R.N., 1991, Modeling the reflectance spectrum of Callisto: Icarus 89, p. 305-317.
68. Calvin, W.M., Clark, R.N., and King, T.V.V., 1991, New spectral observations of Callisto and leading/trailing hemisphere distinctions: XXII Planetary Science Conference, Abstract, Houston, TX, March 18-22, 1991, p. 171-173.
69. Calvin, W.M., and King, T.V.V., 1991, Spectral evidence for carbonates on Mars - Hydrous carbonates [ext abs.]: XXII Planetary Science Conference, Houston, Texas, March 18-22, 1991, p. 169-171.

70. Calvin, W.M., and Clark, R.N., 1993, Spectral distinctions between the leading and trailing hemispheres of Callisto--New Observations: *Icarus*, 104, p. 69-78.
71. Calvin, W.M., and King, T.V.V., 1993, Reflectance spectra of Fe-bearing phyllosilicates--Application to CM chondrites: *Meteoritics*, v. 28, no. 3, p. 334-335.
72. Calzia, J.P., Blakely, R.J., and Jachens, R.C., 1991, Miocene magmatism and extension in Ibex Pass, southern Death Valley, California: *EOS*, v. 72, p. 469.
73. Case, J.E., Morin, R.L., and Dickerson, R.P., 1992, Interpretation of geophysical anomalies of the northwestern Uncompahgre uplift and vicinity, Grand County, Utah, and Mesa County, Colorado: U.S. Geological Survey Geophysical Investigations Map GP-997, 30 p., scale 1:125,000.
74. Christensen, P.R., Anderson, D.L., Stillman, C.C., Clark, R.N., Kieffer, H.H., Malin, M.C., Pearl, J.C., Carpenter, J.C., Bandera, N.B., Brown, F.G., and Silverman, S., 1992, Thermal emission spectrometer experiment--Mars Observer Mission: *Journal of Geophysical Research* 97, p. 7719-7734.
75. Cisneros, E., Hoisch, T.D., and Wallace, J.J., 1992, Fluid interaction in calc-silicate rocks, Old Woman Mountains, southeastern California: *Geological Society of America Abstracts with Programs*, v. 24, p. 15.
76. Clark, R.N., Swayze, G.A., and Gallagher, A.J., 1991, Mapping with imaging spectrometer data using the complete band shape least-squares algorithm simultaneously fit to multiple spectral features from multiple materials, in *Proceedings of the Third Airborne Visible/Infrared Imaging Spectrometer (AVIRIS) Workshop: Jet Propulsion Laboratory Publication 91-28*, p. 2-3.
77. Clark, R.N., Swayze, G.A., and Gallagher, A.J., 1991, A Robust algorithm for mapping minerals using spectroscopy: *Bulletin of American Astronomical Society*, v. 23, p. 1199.
78. Clark, R.N., Gallagher, A.J., and Swayze, G.A., 1991, Mapping minerals with imaging spectroscopy near Canon City, Colorado, in V.E. McKelvey Forum on Mineral and Energy Resources-1991, Seventh Annual Meeting, Programs with Abstracts: U.S. Geological Survey Circular 1062, p. 8.
79. Clark, R.N., 1992, Mars - Limits on mineralogy from reflectance spectroscopy: *Bulletin of the American Astronomical Society*, v. 24, p. 986.
80. Clark, R.N., Swayze, G.A., and Gallagher, A.J., 1992, Mapping the mineralogy and lithology of canyonlands, Utah with imaging spectrometer data and the multiple spectral feature mapping algorithm, in *Summaries of the Third Annual JPL Airborne Geosciences Workshop*, v. 1, AVIRIS Workshop: Jet Propulsion Laboratory Publication 92-14, p. 11-13.
81. Clark, R.N., Swayze, G.A., Koch, C., Gallagher, A.J., and Ager, C.M., 1992, Mapping vegetation types with the multiple spectral feature mapping algorithm in both emission and absorption, in *Summaries of the Third Annual JPL Airborne Geosciences Workshop*, v. 1, AVIRIS Workshop: Jet Propulsion Laboratory Publication 92-14, p. 60-62.

82. Clark, R.N., 1993, SPECTrum Processing Routines User's Manual Version 3 (program SPECPR): U.S. Geological Survey Open File Report 93-595, 210 p.
83. Clark, R.N., Christensen, P., Barbera, P., Swayze, G.A., Moore, S., and Betts, D., 1993, Comparison of mid-infrared emission spectra with spectra computed from reflectance--Verification of Kirkoff's Law: Bulletin of the American Astronomical Society, Abstracts, v. 25, p. 1033.
84. Clark, R.N., Swayze, G.A., Boardman, J., and Kruse, F.A., 1993, Comparison of three methods for materials identification and mapping imaging spectroscopy, in Summaries of Fourth Annual JPL Airborne Geoscience Workshop, Volume 1: AVIRIS Workshop: Jet Propulsion Laboratory Publication 93-26, p. 35-36.
85. Clark, R.N., Swayze, G.A., and Gallagher, A.J., 1993, Mapping minerals with imaging spectroscopy: U.S. Geological Survey, Office of Mineral Resources Bulletin 2030, p. 141-150.
86. Clark, R.N., Swayze, G.A., Heidebrecht, K., Goetz, A.F.H., and Green, R.O., 1993, Comparison of methods for calibration AVIRIS data to ground reflectance, in Summaries of Fourth Annual JPL Airborne Geoscience, Volume 1, AVIRIS Workshop: Jet Propulsion Laboratory Publication 93-26, p. 31-34.
87. Clark, R.N., Swayze, G.A., King, T.V.V., Gallagher, A.J., and Calvin, W.M., 1993, The U.S. Geological Survey Digital Spectral Library, Version 1, in 0.2 to 3.0 μm Summaries of Fourth Annual JPL Geosciences Workshop, Volume 1, AVIRIS Workshop: Jet Propulsion Laboratory Publication 93-26, p. 37-38.
88. Claus, B.B., Fitzpatrick, J.J.V., Herzog, D.C., Hopkins, I.L., King, T.V.V., Machette, M.N., Shideler, G.L., and Stricker, V.L.J., 1992, An evaluation of the U.S. Geological Survey's Geologic Division Project Proposal System with recommendations for changes and improvements: Administrative Report, 66 p.
89. Cook, K.L., Mabey, D.R., and Bankey, Viki, 1991, The gravity map of Utah--An overview of its usefulness for geologic studies: Utah Geological Survey Notes, v. 24, no. 4, p. 12-21.
90. Cordell, Lindrith, 1991, Aeromagnetic and gravity studies of buried basement rocks, in Martin, T.A., and Pratt, W.P., eds., Geology and mineral resource assessment of the Springfield 1^o x 2^o quadrangle, Missouri, as appraised in September, 1985, p. 65-75: U.S. Geological Survey Bulletin 1492, 115 p.
91. Cordell, Lindrith, Zorin, Yu.A., and Keller, G.R., 1991, The decompensative gravity anomaly and deep structure of the Rio Grande rift: Journal of Geophysical Research, v. 96, p. 6557-6568.
92. Cordell, Lindrith, 1992, A scattered equivalent-source method for interpolation and gridding of potential-field data in three dimensions: Geophysics, v. 57, p. 629-639.

93. Cordell, Lindrith, Phillips, J.D., and Godson, R.H., 1992, U.S. Geological Survey potential-field geophysical software version 2.0: U.S. Geological Survey Open-File Report 92-18, 16 p., 6 diskettes.
94. Cordell, Lindrith, Phillips, J.D., and Godson, R.H., 1993, U.S. Geological Survey potential-field geophysical software for PC and compatible microcomputers--Version 2.0: The Leading Edge, v. 12, p. 220.
95. Crowley, J.K., 1991, Spectral reflectance analysis of playa evaporite minerals: Potential for use in playa geochemical studies and mineral resource exploration: Proceedings of the Geology and Ore Deposits of the Great Basin Symposium, April 1-5, 1990, Sparks, Nevada, v. 1, p. 255-262.
96. Crowley, J.K., 1991, Visible and near-infrared (0.4-2.5 μ m) reflectance spectra of playa evaporite minerals: Journal of Geophysical Research, v. 96, p. 16,231-16,240.
97. Crowley, J.K., and Clark, R.N., 1992, AVIRIS study of Death Valley evaporite deposits using least-squares band-fitting methods, in Summaries of the Third Annual JPL Airborne Geoscience Workshop, June 1-5, 1992, v. 1, AVIRIS Workshop: Jet Propulsion Laboratory Publication 92-14, P. 29-31.
98. Crowley, J.K., 1993, Mapping playa evaporite minerals with AVIRIS data--A first report from Death Valley, California: Remote Sensing of Environment, v. 44, p. 337-356.
99. Csejtey, Bela, Jr., Keith, W.J., Saltus, R.W., Morin, R.L., and Gray, J.E., 1993, Preassessment of the Holy Cross Quadrangle, west-central Alaska: Reno, NV, Geological Society of America, Cordilleran Rocky Mountain Sections, Abstracts with Programs, p. 25.
100. Daniels, D.L., 1992, Complete Bouguer gravity anomaly map for an area near Raleigh, North Carolina, and digital principal facts on diskette for 428 gravity stations: U.S. Geological Survey Open-File Report 92-540, 12 p., diskette.
101. Daniels, D.L., and Horton, J.W., 1993, New gamma-ray spectrometer and magnetometer maps of the Piedmont in southern Virginia: Geological Society of America Abstracts with Programs, v. 25, no. 6, p. A144.
102. Day, W.C., Klein, T.L., Horton, R.J., Clark, J.R., and Smith, B.D., 1992, Preliminary mineral resource assessment of the Red Lake Indian Reservation, northern Minnesota, in Manydeeds, S.A., ed.: U.S. Bureau of Indian Affairs Indian Minerals Conference, 1992, p. 69-72.
103. Day, W.C., Sidder, G.B., McCafferty, A.E., Cordell, L.E., Kisvarsanyi, E.B., Rye, R.O., and Nuelle, L.M., 1991, A multidisciplinary study on the origin of middle Proterozoic iron-rare earth element \pm copper \pm gold deposits in the midcontinent region, U.S.A.: U.S. Geological Survey Circular 1062, p. 16.
104. Dewey, J.F., Hamilton, W.B., and Anderson, T., 1991, Origin and evolution of low-angle normal faults and detachments: Mitt. Geol. Inst. E.T.H. Zurich, Neue Folge 239B, p. 17.

105. Doll, W.E., Nyquist, J.E., Holladay, J.S., Labson, V.F., and Pellerin, L.D., 1993, Preliminary results of a helicopter electromagnetic and magnetic survey of the preliminary results of a helicopter electromagnetic and magnetic survey of the Oak Ridge Reservation, Tennessee for environmental and geologic site characterization: SAGEEP Meeting, Proceedings, 12 p.
106. Eisworth, B.A., Bowers, T.L., Cultino, L.B., Diaz, F.F., Gumucio, H.E., Gutarra, A., Jimenez, N.C., Luis, J.L., Moscoso, R.D., Murillo, F., Quispesivana, L.Q., Rodriguez, J., Rowan, L.C., Tejada, R.G., and Vilca, C.N., 1991, Use of Landsat thematic mapper images for studying volcanic-rock-hosted precious-metal deposits in the Central Andean Region, in V.E. McKelvey Forum on Mineral and Energy Resources, 7th Annual Meeting, Programs with Abstracts, Reno, Nevada, February 1991: U.S. Geological Circular 1062, p. 21-23.
107. Ellefsen, K.J., 1993, Two-dimensional numerical simulation of elastic wave propagation for environmental and geotechnical studies: U.S. Geological Survey Open-File Report 93-714, 35 p.
108. Ellefsen, K.J., and Bochicchio, R.M., 1993, Geophysical site characterization of the Midvale Slag Site, Midvale Utah: U.S. Geological Survey Open-File Report 93-704, 134 p.
109. Elliott, J.E., Hammarstrom, J.M., Griffiths, W.R., Kulik, D.M., and Zientek, M.L., 1992, Preliminary analysis of the mineral resource potential of the Custer and Gallatin National Forests, Montana Absaroka-Beartooth study area: U.S. Geological Survey Administrative Report.
110. Elliott, J.E., Wallace, C.A., Lee, G.K., Antweiler, J.C., Lidke, D.J., Rowan, L.C., Hanna, W.F., Trautwein, C.M., Dwyer, J.L., and Moll, S.H., 1992, Maps showing mineral resource assessment for vein and replacement deposits of gold, silver, copper, lead, zinc, manganese, and tungsten in the Butte 1° x 2° quadrangle, Montana: U.S. Geological Survey Map I-2050-0, scales 1:250,000 and 1:500,000.
111. Elliott, J.E., Wallace, C.A., Lee, G.K., Antweiler, J.C., Lidke, D.J., Rowan, L.C., Hanna, W.F., Tautwein, C.M., Dwyer, J.L., and Moll, S.H., 1992, Maps showing mineral resource assessment for skarn deposits of gold, silver, copper, tungsten, and iron in the Butte 1° x 2° quadrangle, Montana: U.S. Geological Survey Map-I-2050-E, scales 1:250,000 and 1:500,000.
112. Elliott, J.E., Wallace, C.A., Lee, G.K., Antweiler, J.C., Lidke, D.J., Rowan, L.C., Hanna, W.F., Trautwein, C.M., Dwyer, J.L., and Moll, S.H., 1992, Maps showing mineral resource assessment for porphyry/stockwork deposits of copper, molybdenum, and tungsten and stockwork/disseminated deposits of gold and silver in the Butte 1° x 2° quadrangle, Montana: U.S. Geological Survey Map-I-2050-F, scales 1:250,000 and 1:500,000.
113. Erdman, J.A., Hoover, D.B., McCarthy, J.H., Jr., Ficklin, W.H., Watterson, J.R., Lovering, T.G., and Owen, R.W., 1991, Geophysical, soil gas and geochemical evidence of a concealed, mineralized fault near W- and Sb-rich hot springs, Pumpernickel Valley, Nevada [abs.]: 15th International Geochemical Exploration Symposium, Reno, NV, Apr 29-May 1, 1991, p. 26.

114. Finn, C.A., 1991, Comment on U.S. west coast revisited - An aeromagnetic perspective: *Geology Forum* section, v. 19, p. 950.
115. Finn, C.A., 1991, Aeromagnetic evidence for Kitakami granitoids offshore-- Tectonic implications for the evolution of northeastern Honshu, *in* Muroto International Conference on Accretionary Prisms, Nankai Trough, Shimanto Belt and Global comparisons: Ocean Research Institute, University of Tokyo, p. 30.
116. Fitterman, D.V., Menges, C.M., Al Kamali, A.M., and Jama, F.E., 1991, Using electromagnetic methods to map buried paleochannels in eastern Abu Dhabi Emirate, U.A.E.: *Proceedings of International Symposium on the Application of Geophysics to Water Prospecting in Arid and Semi-arid Areas*, August 22-24, 1990, Lausanne, Switzerland, p. 24-26.
117. Fitterman, D.V., Menges, C.M., Al Kamali, A.M., and Jama, F.E., 1991, Electromagnetic mapping of buried paleochannels in eastern Abu Dhabi Emirate, U.A.E.: *Exploration*, v. 27, p. 111-133.
118. Fitterman, D.V., King, T.V.V., Labson, V.F., Olhoeft, G.R., and Pellerin, L.D., 1993, DNAPL's, fractured rock, and geophysical site characterization: Department of Energy 5th National Technology Information Exchange Workshop, November 16-18, 1993, Denver.
119. Friedman, J.D., Realmuto, V.J., and Frank, David, 1991, A comparative analysis of Cordilleran volcanoes with special reference to Mt. St. Helens, WA: *Geological Society of America, Cordilleran Section, Abstracts with Programs*, San Francisco, March 26, 1991, v. 23, no. 2, p. 26.
120. Friedman, J.D., Realmuto, V.J., and Frank, David, 1991, Comparison of thermal features of cordilleran volcanoes using airborne sensing systems, with special reference to Mount St. Helens, WA [abs.], *Seismological Research Letters*, *in* *Living on the edge: Joint meeting of the Seismological Society of America and the Geological Society of America*, 86th Annual Meeting, Cordilleran Section, v. 62, no. 1, March 1991, p. 26.
121. Frischknecht, F.C., Labson, V.F., Spies, B.R., and Anderson, W.L., 1991, Profiling methods using small sources, *in* Nabighian, M.N., ed., *Electromagnetic methods in applied geophysics*, v. 2, applications: Tulsa, Oklahoma, Society of Exploration Geophysicists, p. 105-270.
122. Glen, J.M., and Ponce, D.A., 1991, Aeromagnetic map of the Beatty 1/2° x 1° quadrangle, Nevada-California: U.S. Geological Survey Open-File Report 91-105, scale 1:100,000.
123. Gough, L.P., Desborough, G.A., Fisher, F.S., Hodges, C.A., King, T.V.V., Langer, W.H., Larsen, C.E., Miller, M.L., Robinson, G.R., and Severson, R.C., 1993, Report of the OMR implementation committee--Center for Environmental Geochemistry and Geophysics: *Administrative Report*, 8 p.
124. Granata, J.S., Karlin, R.W., Sawatzky, D.L., and Griscom, Andrew, 1993, Subsurface structure of southeastern Oregon and northwestern Nevada from an analysis of complete Bouguer gravity: *Geological Society of America Abstracts with Programs*, v. 25, no. 5, p. 44.

125. Grauch, V.J.S., and Bankey, Viki, 1991, Preliminary results of aeromagnetic studies of the Getchell disseminated gold deposit trend, Osgood Mountains, north-central Nevada--Geology and Ore Deposits of the Great Basin: Reno, Nevada, Geological Society of Nevada Symposium Proceedings p. 781-792.
126. Grauch, V.J.S., 1991, Innovations in the interpretation of regional magnetic, gravity, and airborne electromagnetic data: Minnesota Geological Survey Information Circular 35, p. 32-33.
127. Grauch, V.J.S., Hoover, D.B., and Wojniak, W.S., 1991, Subsurface structure and lithology near the Getchell gold trend, Osgood Mountains, Nevada--Geophysical insights, in V.E. McKelvey Forum on Mineral and Energy Resources, 7th Annual Meeting, Programs with Abstracts, Reno, Nevada: U.S. Geological Survey Circular 1062, p. 34.
128. Grauch, V.J.S., 1992, Problems with the United States segment of the DNAG magnetic data set - limitations for digital filtering: Society of Exploration Geophysicists, Annual Meeting, Expanded Abstracts and Bibliographies, p. 561.
129. Grauch, V.J.S., 1993, Limitations on digital filtering of the DNAG magnetic data set for the conterminous U.S.: Geophysics v. 58, p. 1281-1296.
130. Grauch, V.J.S., and Hoover, D.B., 1993, Locating buried conductive material along the Getchell trend, Osgood Mountains, Nevada: Implications for gold exploration and the carbon-gold association(?): U.S. Geological Survey Bulletin 2039, p. 237-244.
131. Grauch, V.J.S., Kucks, R.P., and Bracken, R.E., 1993, Aeromagnetic data for western areas of the Pahute Mesa and Beatty 30 x 60 minutes quadrangle, Nye County, Nevada: EROS data release.
132. Grauch, V.J.S., Sawyer, D.A., Hudson, M.R., Minor, S.A., and Cole, J.C., 1993, New detailed aeromagnetic data give fresh insight to mapping covered geologic units in the southwest Nevada volcanic field: EOS, v. 74, no. 43, p. 221.
133. Greenhouse, J.P., Brewster, M.L., Schneider, G.W., Redman, D.J., Annan, A.P., Olhoeft, G.R., Lucius, J.E., Sander, K.A., and Mazzella, A.T., 1993, Geophysics and solvents--The Borden experiment: The Leading Edge, v. 12, no. 4, p. 261-267.
134. Greenwood, R.B., Morton, D.M., Jachens, R.C., and Chapman, R.H., 1991, Geology and geophysics of the Santa Ana 1:100,000 quadrangle, southern California --A progress report: Geological Society of America Abstracts with Programs, v. 23, p. 478.
135. Griscom, Andrew, and Jachens, R.C., 1991, Tectonic transect of the California coast ranges based on a new magnetic map: Geological Society of America Abstracts with Programs, v. 23, no. 2, p. 31.
136. Griscom, Andrew, and Sauer, P.E., 1991, Gravity and magnetic maps of the Santa Maria province, California: American Association of Petroleum Geologists/Society of Economic Palaeontologists and Mineralogists, Annual Meeting, Pacific Section, Bakersfield, CA, March 4-10, p. 33.

137. Griscom, Andrew, and Sauer, P.E., 1991, Tectonics of the Aleutian subduction fault in the northern Gulf of Alaska from magnetic data: Geological Society of America Abstracts with Programs, v. 23, no. 2, p. 31.
138. Griscom, Andrew, and Kitchen, N.E., 1992, Description of geophysical maps prepared for the mineral-resource assessment of Puerto Rico, p. 3 in Selected abstracts from talks and posters presented at the public meeting on mineral resource-assessment, mineral resources of Puerto Rico, San Juan, Puerto Rico, June 23-25, 1992.
139. Griscom, Andrew, Jachens, R.C., Halvorson, P.F., and Blakely, R.J., 1993, Regional geophysical setting of gold deposits in the Clear Lake region, California in Rytuba, James, ed., Active geothermal systems and gold-mercury deposits in the Sonoma-Clear Lake volcanic fields, California, p. 289-311: Society of Economic Geologists, Guidebook Series, v. 16, 361 p.
140. Griscom, Andrew, Jachens, R.C., Halvorson, P.F., and Blakely, R.J., 1993, A transverse structural belt associated with gold mineralization and geothermal systems at lat. 39° in the coast ranges of northern California: Transactions American Geophysical Union, v. 74, p. 550.
141. Griscom, Andrew, and Roberts, C.W., 1993, A conductivity and magnetic gradient investigation of near-surface unconsolidated materials in two proposed construction sites at the U.S. Geological Survey: U.S. Geological Survey Administrative Report, 5 p., 13 figures.
142. Griscom, Andrew, Roberts, C.W., and Halvorson, P.F., 1993, Tectonic significance of magnetic and gravity data across northern California (Lat. 39°N. to Lat. 41°N.): Geological Society of America Abstracts with Programs, v. 25, no. 5, p. 44.
143. Griscom, Andrew, and Sauer, P.E., 1993, Aeromagnetic studies, in Horton, R.J. ed., Project summary and mineral resource assessment, mineral project, Annette Islands Reserve, Alaska p. 21-30: U.S. Geological Survey and Bureau of Indian Affairs, BIA Administrative Report 93-84-11, 125 p.
144. Grover, T.P., 1992, Data acquisition system for magnetotellurics: U.S. Geological Survey Open-File Report 92-569, 29 p.
145. Grover, T.P., Kipfinger, R.P., and Wright, D.L., 1993, A dual drawwork controller for borehole tomography: U.S. Geological Survey Open-File Report 93-324, 37 p.
146. Grover, T.P., and Wright, D.L., 1993, Electromagnetic borehole tomography for fracture mapping crystalline rock: Geological Society of America Abstracts with Programs, p. 98.
147. Grow, J.A., Blank, H.R., Jr., Potter, C.J., and Miller, J.J., 1992, Constraints on extensional fault geometries in eastern Railroad Valley, Nevada, based on seismic reflection and gravity data: Geological Society of America, 45th Annual Rocky Mountain Section, Abstracts with Programs, May 13-14, 1992, p. 16.
148. Hamilton, W.B., 1991, On terrane analysis, in Dewey, J.F. et al., eds., Allochthonous terranes: Cambridge, Massachusetts, Cambridge University Press, p. 55-66.

149. Hamilton, W.B., 1991, Behavior of western Pacific Island areas: Geological Society of America Abstracts with Programs, v. 23, no. 5, p. A217.
150. Hamilton, W.B., and Howard, K.A., 1991, Detachment faults - Steep active sectors are bounded by migrating hinges at both tops and bottoms: Geological Society of America Abstracts with Programs, v. 23, no. 5, p. A189-A190.
151. Hamilton, W.B., 1992, Tectonics of the Death Valley region - Field trip notes, 9 p.: Yucca Mountain Project.
152. Hamilton, W.B., 1992, Evolution of convergent plates, in Bartholomew, M.J., et al., eds., Characterization and comparison of ancient and Mesozoic continental margins: Dordrecht, Kluwer, p. 3-4.
153. Hamilton, W.B., 1992, Tectonic modelling in the Yucca Mountain region,: Yucca Mountain Project, 7 p.
154. Hamilton, W.B., 1992, Venusian impact basins and cratered terrains: International Conference on Large Meteorite Impacts and Planetary Evolution, Sudbury, Ont., p. 33-35.
155. Hamilton, W.B., 1992, Behavior of western Pacific Island arcs--Volcanism associated with extension: Geological Society of London, Abstracts volume unnumbered page.
156. Hamilton, W.B., 1993, Evolution of Archean mantle and crust--The Geology of North America: Geological Society of America, v. C-2, p. 597-614 and 630-636.
157. Hamilton, W.B., 1993, The early Earth--A perspective on the Archean: Geological Society of America Abstracts with Programs, v. 25, no. 5, p. 47
158. Hamilton, W.B., 1993, The early Earth--An Archean perspective: International Association of Volcanology and Chemistry of the Earth's Interior, Abstracts, Canberra, p. 45.
159. Hanna, W.F., 1993, Magnetic studies in mineral resource assessment--An example from the Rocky Mountains, Montana and Idaho, in 3rd International Congress, Nov. 7-11, 1993, Expanded Abstracts: Rio de Janeiro, Brazilian Geophysical Society, v. 1, p. 484-486.
160. Hanna, W.F., Kaufman, H.E., Hassemer, J.H., Ruppel, B.D., Pearson, R.C., and Ruppel, E.T., 1993, Maps showing gravity and aeromagnetic anomalies in the Dillon 1° x 2° quadrangle, Idaho and Montana: U.S. Geological Survey Map I-1803-I.
161. Harwood, D.S., and Griscom, Andrew, 1993, Jurassic tectonic wedging and crustal block rotation, northern Sierra Nevada, California: Geological Society of America Abstracts with Programs, v. 25, no. 5, p. 48.
162. Hasbrouck, W.P., 1991, Four shallow-depth, shear-wave feasibility studies: Geophysics, v. 56, no. 11, 10 figs., p. 1875-1885.

163. Hasbrouck, W.P., 1993, Seismic studies in support of USGS verification equipment testing and training project: DOE Administrative Report, 126 p., 96 fig.
164. Heran, W.D., 1992, Geophysical model of Hot Springs Au-Ag, in Hoover, D.B., Heran, W.D., and Hill, P.L., eds., The Geophysical Expression of Selected Mineral Deposit Models: U.S. Geological Survey Open-File Report 92-557, p. 95-97.
165. Heran, W.D., 1992, Geophysical model of low-sulfide Au-Quartz veins, in Hoover, D.B., Heran, W.D., and Hill, P.L., eds., The Geophysical Expression of Selected Mineral Deposit Models: U.S. Geological Survey Open-File Report 92-557, p. 116-118.
166. Heran, W.D., and Hoover, D.B., 1992, Geophysical model of carbonate-hosted Au-Ag, in Hoover, D.B., Heran, W.D., and Hill, P.L., eds., The Geophysical Expression of Selected Mineral Deposit Models: U.S. Geological Survey Open-File Report 92-557, p. 107-111.
167. Heran, W.D., and Wojniak, W.S., 1992, in Hoover, D.B., Heran, W.D., and Hill, P.L., eds., The Geophysical Expression of Selected Mineral Deposit Models: U.S. Geological Survey Open-File Report 92-557, p. 126-129.
168. Hildenbrand, T.G., Rosenbaum, J.G., and Reynolds, R.L., 1991, High-resolution aeromagnetic study of the New Madrid Seismic Zone: Memphis, Tennessee, Seismologic Research Letters, Annual Meeting, Technical Program and Abstracts, p. 53.
169. Hildenbrand, T.G., and Hendricks, J.D., 1992, Geophysical setting of the Reelfoot rift and relations between rift structures and the New Madrid seismic zone: Seismological Society of America, 87th Annual Meeting, April 14-16.
170. Hildenbrand, T.G., Kucks, R.P., and Heigold, P.C., 1992, Geologic and structural evolution of the southern Illinois Basin based on potential field data: Paducah CUSMAP Public Meeting, Program and Abstracts, p. 12.
171. Hildenbrand, T.G., and Langenheim, V.E., 1992, Relations between Reelfoot rift structures and the New Madrid seismic zone based on high-resolution aeromagnetic data: American Geophysical Union, Western Meeting, Technical Program and Abstracts, p. 144.
172. Hildenbrand, T.G., Langenheim, V.E., and Stuart, W.E., 1993, Fault characteristics inferred from aeromagnetic data--Applications to the New Madrid Seismic Zone: American Geophysical Union, Western Meeting, Technical Programs and Abstracts, p. 223.
173. Hildenbrand, T.G., Rosenbaum, J.G., and Kauahikaua, J.P., 1993, Regional aeromagnetic study of the Island of Hawaii: Journal of Geophysics Research, v. 98, p. 4099-4119.
174. Hill, P.L., 1991, Bibliographies and location maps of publications on aeromagnetic and aeroradiometric surveys for the states west of approximately 104° longitude (exclusive of Hawaii and Alaska): U.S. Geological Survey Open-File Report 91-370-A, 173 p.

175. Hill, P.L., 1991, Bibliographies and location maps of publications on aeromagnetic and aeroradiometric surveys for the states west of the Mississippi River and east of approximately 104° longitude: U.S. Geological Survey Open-File Report 91-370-B, 72 p.
176. Hill, P.L., 1991, Bibliographies and location maps of publications on aeromagnetic and aeroradiometric surveys for the states east of the Mississippi River and north of the Ohio and Potomac Rivers: U.S. Geological Survey Open-File Report 91-370-C, 105 p.
177. Hill, P.L., 1991, Bibliographies and location maps of publications on aeromagnetic and aeroradiometric surveys for the states east of the Mississippi River and south of the Ohio and Potomac Rivers: U.S. Geological Survey Open-File Report 91-370-D, 68 p.
178. Hill, P.L., 1991, Bibliographies and location maps of publications on aeromagnetic and aeroradiometric surveys for Hawaii and Alaska: U.S. Geological Survey Open-File Report 91-370-E, 36 p.
179. Hill, P.L., 1991, Bibliographies and location maps of publications on aeromagnetic and aeroradiometric surveys for Puerto Rico and large areas of the conterminous United States: U.S. Geological Survey Open-File Report 91-370-F, 36 p.
180. Hoisch, T.D., and Simpson, C., 1991, Cretaceous uplift and subsequent tilting of metamorphic rocks from the lower plate of a detachment fault in the Funeral Mountains, Death Valley, California: Geological Society of America Abstracts with Programs, v. 23, p. A83.
181. Hoover, D.B., Grauch, V.J.S., Pitkin, J.A., Krohn, M.D., and Pierce, H.A., 1991, Getchell trend airborne geophysics, an integrated airborne geophysical study along the Getchell trend of gold deposits, north-central Nevada, in Raines, G.L., Liske, R.E., Schafer, R.W., and Wilkinson, W.H., eds., Geology and Ore Deposits of the Great Basin: Geological Society of Nevada, p. 739-758.
182. Hoover, D.B., 1992, Geophysical model of carbonatites, in Hoover, D.B., Heran, W.D., and Hill, P.L., eds., The Geophysical Expression of Selected Mineral Deposit Models: U.S. Geological Survey Open-File Report 92-557, 5 p.
183. Hoover, D.B., and Campbell, D.L., 1992, Geophysical model of diamond pipes, in Hoover, D.B., Heran, W.D., and Hill, P.L., eds., The Geophysical Expression of Selected Mineral Deposit Models: U.S. Geological Survey Open-File Report 92-557, 4 p.
184. Hoover, D.B., and Cordell, Lindrith, 1992, Geophysical model of Olympic Dam, in Hoover, D.B., Heran, W.D., and Hill, P.L., eds., The Geophysical Expression of Selected Mineral Deposit Models: U.S. Geological Survey Open-File Report 92-557, 4 p.
185. Hoover, D.B., Coope, J.A., Lavin, O.P., Nabighian, M.N., Sanzalone, R.F., and Smith, D.B., 1992, Studies of the CHIM electrochemical method in Arizona and Colorado [abs.]: Society of Mining, Metallurgy and Exploration 121, Annual Meeting, Phoenix, February 24-27, 1992, p. 54.

186. Hoover, D.B., Heran, W.D., and Hill, P.L., 1992, Introduction to geophysical deposit models, in Hoover, D.B., Heran, W.D., and Hill, P.L., eds., The Geophysical Expression of Selected Mineral Deposit Models: U.S. Geological Survey Open-File Report 92-557, 7 p.
187. Hoover, D.B., and Knepper, D.H., 1992, Geophysical model of tin skarn and related deposits, in Hoover, D.B., Heran, W.D., and Hill, P.L., eds., The Geophysical Expression of Selected Mineral Deposit Models: U.S. Geological Survey Open-File Report 92-557, 6 p.
188. Hoover, D.B., Leinz, R.W., Coope, J.A., Lavin, O.P., Nabighian, M.N., Sanzalone, R.F., and Smith, D.B., 1992, The CHIM electrogeochemical method--What is it, and what can it do?: Northwest Mining Association, 98th Annual Meeting, Spokane, Washington, Abstracts, p. 4.
189. Hoover, D.B., and Heran, W.D., 1993, Geophysics in gold exploration--Application to greenstone belt gold deposits: in 3rd Congress of Internacional da Sociedad Brasileira, Extended Abstracts, Rio de Janeiro, p. 451-454
190. Horton, R.J., 1991, Abandonment of Wisconsin drill holes - Mole Lake and Lac Du Flambeau Reservations: U.S. Geological Survey Administrative Report, GAT-91-1, 22 p.
191. Horton, R.J., Day, W.C., Klein, T.L., and Smith, B.D., 1991, Geophysical and geological studies of the Roseau 1⁰ x 2⁰ quadrangle, Minnesota and Ontario, in V.E. McKelvey Forum on Mineral and Energy Resources, 7th Annual Meeting, Reno, Nevada: U.S. Geological Survey Circular 1062 p. 40-41.
192. Horton, R.J., Karl, S.M., Griscom, A., Taylor, C.D., and Bond, K.R., 1991, Annette Islands Reserve Mineral Assessment Project, southeast Alaska, in Manydeeds, S.A., and Smith, B.D., eds., Mineral frontiers on Indian lands: U.S. Bureau of Indian Affairs Publication, p. 22-31.
193. Horton, R.J., Smith, B.D., Labson, V.F., and Bisdorf, R.J., 1991, Interpretation of new airborne geophysical data, Effie-Coon Lake area, Minnesota, in V.E. McKelvey Forum on Mineral and Energy Resources, 7th Annual Meeting, Reno, Nevada: U.S. Geological Circular 1062, p. 41-42.
194. Horton, R.J., Smith, B.D., Labson, V.F., and Bisdorf, R.J., 1991, Interpretation of new airborne geophysical data, Effie-Coon Lake area, Minnesota, in Geophysical Solutions to Geologic Problems of Continental Interiors--A Minnesota Workshop: Minnesota Geological Survey Information Circular 35, p. 44.
195. Horton, R.J., Bisdorf, R.J., and Kucks, R.P., 1992, Airborne geophysical survey of northwestern Wisconsin: Proceedings of Institute on Lake Superior Geology, v. 38, p. 45-47.
196. Horton, R.J., Karl, S.M., Griscom, A., Taylor, C.D., Bond, K.R., and Senterfit, R.M., 1992, Evaluation of the mineral potential of the Annette Islands Reserve, southeast Alaska, in Manydeeds, S.A., ed.: U.S. Bureau of Indian Affairs Indian Minerals Conference, 1992, p. 53-56.

197. Horton, R.J., Karl, S.M., Griscom, A., Taylor, C.D., Bond, K.R., and Senterfit, R.M., 1992, Mineral resource assessment of the Annette Islands Reserve, southeast Alaska, in Manydeeds, S.A., ed., Mineral frontiers on Indian lands: U.S. Bureau of Indian Affairs Publication G-92-2, p. 11-20.
198. Horton, R.J., 1993, Prehistoric copper mining in Lake Superior basin: Proceedings of Institute on Lake Superior Geology, Abstracts, v. 39, p. 43-44.
199. Hudson, M.R., Rosenbaum, J.G., Scott, R.B., and Rowley, P.D., 1991, Counterclockwise rotation in a broad extensional transfer zone, southeastern Nevada - Paleomagnetic evidence from the lower Miocene Hiko Tuff: Geological Society of America Abstracts with Programs, v. 23, no. 4, p. 34.
200. Hudson, M.R., and Rosenbaum, J.G., 1993, Broad transfer zones--Examples of vertical axis rotation and discontinuous faulting in the great basin: Geological Society of America Abstracts with Programs, v. 26, no. 2, p. 61.
201. Hudson, M.R., Rosenbaum, J.G., Scott, R.B., and Rowley, P.D., 1993, Paleomagnetic evidence for counterclockwise rotation in an extensional transfer zone, southeastern great basin: EOS, v. 74, p. 207-208.
202. Ibrahim, A.W., Horton, R.J., Powers, M.H., and Busby, J.W., 1991, Groundwater exploration using multi-disciplined geophysical methods at the Rocky Mountain Arsenal, Denver, Colorado: Geological Society of America, Annual Meeting, Abstracts with Programs, p. A124-125.
203. Izett, G.A., Reynolds, R.L., Rosenbaum, J.G., and Nishi, J.M., 1993, A discontinuous melt sheet in the Manson impact structure: Houston, Texas, 24th Lunar and Planetary Science Conference, Abstracts, p. 705-706.
204. Jachens, R.C., and Dixon, E.T., 1991, Aeromagnetic map of the Santa Ana 1:100,000 quadrangle, California: U.S. Geological Survey Open-File Report 91-393, 1 sheet, scale 1:100,000.
205. Jachens, R.C., and Morton, D.M., 1991, Geophysical studies in the Southern California Areal Mapping Project (SCAMP): Geological Society of America Abstracts with Programs, v. 23, p. 476.
206. Jachens, R.C., Todd, V.E., Morton, D.M., and Griscom, Andrew, 1991, Constraints on the structural evolution of the Peninsular Ranges batholith, California, from a new aeromagnetic map: Geological Society of America Abstracts with Programs, v. 23, p. 39.
207. Jachens, R.C., 1992, Aeromagnetic map of the El Cajon 1:100,000 quadrangle, California: U.S. Geological Survey Open-File Report 92-548, 1 sheet, scale 1:100,000.
208. Jachens, R.C., 1992, Aeromagnetic map of the Palm Springs 1:100,000 quadrangle, California: U.S. Geological Survey Open-File Report 92-549, 1 sheet, scale 1:100,000.

209. Jachens, R.C., Griscom, Andrew, and McLaughlin, R.J., 1992, Anatomy of the San Francisco Bay Region--An evolving 3-D crustal model based on surface geology, and gravity and magnetic anomalies: Transactions American Geophysical Union, v. 73, p. 401.
210. Jachens, R.C., and Howard, K.A., 1992, Bristol Lake Basin--A deep sedimentary basin along the Bristol-Danby trough, Mojave Desert: San Bernardino County Museum Association Special Publication 92-2, p. 57-59.
211. Jachens, R.C., Roberts, C.W., and Griscom, Andrew, 1993, Tectonic framework of California based on a merged aeromagnetic data base: Transactions American Geophysical Union, v. 74, p. 221.
212. John, D.A., Stewart, J.H., Hendricks, J.D., Rowan, L.C., and Plouff, Donald, 1992, The Conterminous United States Mineral Assessment Program--Background information to accompany folio of geologic, geochemical, geophysical, and mineral resources maps of the Reno 1° x 2° quadrangle, Nevada and California: U.S. Geological Survey Circular 1078, 16 p.
213. Karl, S.M., Goldfarb, R.J., Kelley, K.D., Sutphin, D.M., Finn, C.A., Ford, A.B., and Brew, D.A., 1991, Resource potential of the Sitka quadrangle, southeastern Alaska, in V.E. McKelvey Forum on Mineral and Energy Resources, 7th Annual Meeting, Posters Session, Feb., 14, 1991: U.S. Geological Survey Circular 1062.
214. Kauahikaua, J.P., and Hildenbrand, T.G., 1992, The density and magnetization structure of Kilauea volcano, Hawaii: American Geophysical Union, Western Meeting, Technical Program and Abstracts, p. 512.
215. Kelley, J.S., Tailleux, I.L., Morin, R.L., Reed, K.M., Harris, A.G., Schmidt, J.M., Brown, F.M., and Kurtak, J.M., 1993, Barite deposits in the Howard Pass quadrangle and possible relations to barite elsewhere in the northwestern Brooks Range, Alaska: U.S. Geological Survey Open-File Report 93-215, 13 p.
216. King, T.V.V., Clark, R.N., Calvin, W.M., Sherman, D.M., and Brown, R.H., 1991, Evidence for ammonium-bearing minerals on Ceres [extended abstract]: XXII Planetary Science Conference, Houston, Texas, March 18-22, 1991, p. 717-718.
217. King, T.V.V., Clark, R.N., Calvin, W.M., Sherman, D.M., and Brown, R.H., 1991, Evidence for ammonium-bearing minerals on Ceres: Science, 255, p. 1551-1553.
218. Kingston, M.J., and Crowley, J.K., 1992, AVIRIS as a tool for carbonatite comparison of SPAM and MBANDMAP data analysis methods in Summaries of the Third Annual JPL Airborne Geoscience Workshop June 1-5, 1992: Jet Propulsion Laboratory Publication 92-14, v. 1, p. 116-118.
219. Kirchoff-Stein, K.S., and Langenheim, V.E., 1991, Principal facts for gravity data compiled for the Fresno 1° x 2° sheet, California: U.S. Geological Survey Open-File Report 91-4, 70 p.

220. Kitchen, N.E., Langenheim, V.E., Rambo, W.L., and Griscom, Andrew, 1991, Bouguer gravity maps, rock property data, and principal facts for gravity data compiled for the island of Puerto Rico and vicinity: U.S. Geological Survey Open-File Report 91-633A, 21 p., 2 color figures, diskette.
221. Klein, D.P., 1991, Magnetotelluric measurements: U.S. Geological Survey Technical Procedure NWM-USGS-GPP-18, R1, 13 p.
222. Klein, D.P., 1991, Crustal resistivity structure from magnetotelluric soundings in the Colorado Plateau-Basin and Range provinces, central and western Arizona: *Journal of Geophysical Research* v. 96, no. B7, p. 12,313-12,331.
223. Klein, D.P., and Bankey, Viki, 1992, Composite geophysical model for continental volcanic-hosted epithermal mineralization: Cox and Singer mineral deposit models numbered 25b, 25c, 25d, and 25e: U.S. Geological Survey Open-File Report 92-389, 15 p.
224. Klein, D.P., and Bankey, Viki, 1992, Geophysical model of Creede, Comstock, Sado, Goldfield and related epithermal precious metal deposits, *in* Hoover, D.B., Heran, W.D., and Hill, P.L., eds., *The Geophysical Expression of Selected Mineral Deposit Models*: U.S. Geological Survey Open-File Report 92-557, p. 98-106.
225. Kleinkopf, M.D., 1991, Gravity and magnetic studies of the alkalic province of central Montana: *EOS*, v. 72, no. 44, p. 429.
226. Kleinkopf, M.D., 1991, Regional geophysical investigations of the central Montana alkalic province: Tobacco Root Geological Society 16th Annual Field Conference, Abstracts, August 14-17, 199, p. 131-132.
227. Kleinkopf, M.D., 1991, Trip report for fall 1989, *in* Accelerated exploration for mineral resources and modernization of the Geological Survey of Bangladesh, Phase II, Chapter E, review and recommendations by U.S. Geological Survey Experts, under Agreement III, Work Plan IV--U.S. Geological Survey Project Report: Bangladesh Investigation (IR) BG-8.
228. Kleinkopf, M.D., and Whitney, J.W., 1991, Accelerated exploration for mineral resources and modernization of the Geological Survey of Bangladesh, Phase II, Chapter F; Executive summary and recommendations by U.S. Geological Survey Project Managers under Agreement III--U.S. Geological Survey Project Report: Bangladesh Investigation (IR) BG-8, 30 p.
229. Kleinkopf, M.D., and Whitney, J.W., 1991, Project Management, *in* Accelerated exploration for mineral resources and modernization of the Geological Survey of Bangladesh, Phase II, Chapter E, review and recommendations by U.S. Geological Survey Experts, under Agreement III--Work Plan IV--U.S. Geological Survey Project Report: Bangladesh Investigation (IR) BG-8.
230. Kleinkopf, M.D., Blank, H.R., Rahman, R.A., and Kucks, R.P., 1992, New gravity and aeromagnetic anomaly maps for Bangladesh--Implications for geologic investigations and resource exploration: First South Asia Geological Congress Abstracts with Programs, Feb. 23-27, 1992.

231. Kleinkopf, M.D., 1993, Magnetic interpretation of a mineralized shear zone in the southern part of the Idaho batholith, in Scott, R.W., Detra, P.S., and Berger, B.R., eds., Advances related to United States and international mineral resources and technology--Development, framework, and exploration: U.S. Geological Survey Bulletin 2039, p. 31-33.
232. Kleinkopf, M. D., 1993, Aeromagnetic studies of the Belt basin, northern Rocky Mountains: EOS, v. 74, no. 43, p. 222.
233. Knepper, D.H., Jr., 1991, Interpreted linear features from Landsat thematic mapper images, Southern Ute Indian Reservation, Colorado: U.S. Geological Survey Administrative Report BIA 19-II-P, 30 p.
234. Knepper, D.H., Jr., 1992, Digitally processed Landsat thematic mapper images of the Standing Rock Indian Reservation, North and South Dakota: U.S. Geological Survey BIA Administrative Report 41-2-3, 8 p.
235. Knepper, D.H., Jr., and Simpson, S.L., 1992, Remote sensing, in U.S. Geological Survey and Sericio Geologico de Bolivia, Geology and mineral resources of the Altiplano and Cordillera Occidental, Bolivia, with a section on Application of economic evaluations to deposit models by Bleiwas, D.I. and Christiansen, R.R., U.S. Bureau of Mines: U.S. Geological Survey Bulletin 1975, p. 47-55.
236. Knepper, D.H., Jr., 1993, Satellite image processing for enhanced spectral discrimination and interpretability, in Scott, R.W., Jr., Detra, P.S., and Berger, B.R., Advances related to United States and international mineral resources--Developing frameworks and exploration technologies: U.S. Geological Survey Bulletin 2039, p. 151-153.
237. Kover, A.N., Schoomaker, J.W., Jr., and Pohn, H.A., 1991, The USGS Side-Looking Airborne Radar (SLAR) Program--CD-ROMS expand the potential for petroleum exploration: Dallas Texas, American Association of Petroleum Geologists, Annual Convention, Abstracts and Programs, p. 147.
238. Kover, A.N., Schoomaker, J.W., Jr., and Pohn, H.A., 1991, USGS Side-Looking Airborne Radar (SLAR) image data of the GSA northeastern/southeastern sections: Baltimore, MD, Geological Society of America, northeastern/southeastern sections, Programs with Abstracts p. 54.
239. Krohn, M.D., and Clark, R.G., 1993, Regional environmental effects in West Virginia--linking biological and geological processes through temporal satellite analysis [abs.]: American Association of Petroleum Geologists, Eastern Section Meeting, Williamsburg, VA, p. 33.
240. Krohn, M.D., Kendall, Carol, Evans, J.R., and Fries, T.L., 1993, Relations of ammonium minerals at several hydrothermal systems in the western U.S.: Journal of Volcanology and Geophysical Research, v. 56, p. 401-413.
241. Kucks, R.P., 1991, Description of magnetic tape containing northwest Wisconsin aeromagnetic flight-line data: EROS data center release.
242. Kucks, R.P., 1992, Geophysics of the Wind River Indian Reservation, Wyoming: BIA Administrative Report, 3 p.

243. Kulik, D.M., 1992, Gravity and magnetic features in the Beartooth Plateau area of southwestern Montana and northwestern Wyoming: Northwest Geology, Extended Abstracts, v. 20/21, p. 67-68.
244. Kulik, D.M., 1992, The Rocky Mountain foreland, pre-existing weaknesses, Proterozoic rifts, and crustal boundaries: Geological Society of America Abstracts with Program, v. 24, no. 6, May 1992.
245. Kulik, D.M., 1993, Geophysical interpretations, in Hammarstrom, J.M., Zientek, M.L., and Elliott, J.E., eds., Mineral resource assessment potential of the Absaroka-Beartooth study area, Custer and Gallatin National Forest, Montana: U.S. Geological Survey Open-File Report 93-207.
246. Labson, V.F., Cady, J.W., Long, C.L., Sampson, J.A., and Weber, F.R., 1991, Deep crustal geoelectric structure in the vicinity of the Tintina fault zone, north-central Alaska: Geological Society of America Abstracts with Programs, v. 23, no. 2, p. 43.
247. Labson, V.F., Rodriguez, B.D., Sampson, J.A., and Bisdorf, R.J., 1991, Electrical resistivity mapping in the southern San Francisco Bay region: Geological Society of America Abstracts with Programs, v. 23, no. 2, p. 43.
248. Labson, V.F., Sampson, J.A., and Heran, W.D., 1991, Magnetotelluric electrical resistivity profile across the Brooks Range, Alaska: EOS, v. 72, no. 44 supplement, p. 300.
249. Labson, V.F., Mazzella, A.T., and Schneider, G.J., 1993, Airborne geophysical surveys for environmental site characterization: EOS, v. 74, no. 43, p. 220.
250. Langenheim, V.E., Carle, S.F., Oliver, H.W., and Brabb, E.E., 1991, Geophysical studies of mid-San Francisco Peninsula, California: Transactions American Geophysical Union, v. 72, no. 44, p. 121-122.
251. Langenheim, V.E., Carle, S.F., Ponce, D.A., and Phillips, J.D., 1991, Revision of an aeromagnetic survey of the Lathrop Wells area, Nevada: U.S. Geological Survey Open-File Report 91-46, 17 p.
252. Langenheim, V.E., Chapman, R.H., Sikora, R.F., Ponce, D.A., and Dixon, E.T., 1991, Isostatic residual gravity map of the Santa Ana 1:100,000-scale quadrangle, California: U.S. Geological Survey Open-File Report 91-555, 1 sheet, scale 1:100,000.
253. Langenheim, V.E., Hoover, D.B., and Oliver, H.W., 1991, Geophysical characterization of mineral and energy resources at Yucca Mountain and vicinity, Nevada: U.S. Geological Survey Open-File Report 91-620, 10 p.
254. Langenheim, V.E., Mooney, W.D., Brocher, T.M., Evans, J.R., and Oliver, H.W., 1991, Geophysics section of Study Plan 8.3.1.17.4.3, Quaternary faulting within 100 km of Yucca Mountain, including the Walker Lane: U.S. Geological Survey Administrative Report, 18 p.
255. Langenheim, V.E., and Plescia, J.B., 1991, Principal facts for gravity data compiled for the Bakersfield 1° x 2° sheet, California: U.S. Geological Survey Open-File Report 91-376A, 131 p.

256. Langenheim, V.E., and Plescia, J.B., 1991, Complete Bouguer gravity anomaly and isostatic gravity maps of the Bakersfield 1° x 2° sheet, California: U.S. Geological Survey Open-File Report 91-554, 2 sheets, scale 1:250,000.
257. Langenheim, V.E., Halvorson, P.F., Castellanos, E.L., and Jachens, R.C., 1993, Aeromagnetic map of the southern California borderland east of the Patton Escarpment: U.S. Geological Survey Open-File Report 93-250, 1:500,000.
258. Langenheim, V.E., and Jachens, R.C., 1993, Nature of basement rocks under the Los Angeles basin, southern Calif., as inferred from aeromagnetic data: Geological Society of America Abstracts with Programs, v. 25, p. 66.
259. Langenheim, V.E., and Jachens, R.C., 1993, Isostatic residual gravity map of the Oceanside 1:100,000 scale quadrangle, California: U.S. Geological Survey Open-File Report 93-247.
260. Langenheim, V.E., and Jachens, R.C., 1993, Aeromagnetic map of the San Diego 1:100,000-scale quadrangle, California--Baja California Norte: U.S. Geological Survey Open-File Report 93-564.
261. Langenheim, V.E., Kirchoff-Stein, K.S., and Oliver, H.W., 1993, Magnetic investigations of buried volcanic centers near Yucca Mountain, Nevada, in International Conference on High Level Waste Management, 4th Proceedings: American Nuclear Society, v. 2, p. 1840-1846.
262. Langenheim, V.E., and Ponce, D.A., 1993, Volume of buried volcanic centers near Yucca Mountain, southwest Nevada, as calculated from aeromagnetic data: American Geophysical Union, v. 74, no. 43, p. 22.
263. Langenheim, V.E., Ponce, D.A., Oliver, H.W., and Sikora, R.F., 1993, Gravity and magnetic study of Yucca Wash, southwest Nevada: U.S. Geological Survey Open-File Report 93-586.
264. Livo, K.E., and Gallagher, A.J., 1991, REMAPP - PC Remote sensing image processing software for MS-DOS personal computers--Version 2.00: U.S. Geological Survey Open-File Report 91-449 A-G, 83 p.
265. Livo, K.E., Lee, Keenan, and Knepper, D.H., Jr., 1991, Digital image processing on a PC - USGS (public domain) software, in International Symposium on Remote Sensing of Environment, Thematic Conference on Remote Sensing of Exploration Geology, 8th Proceedings, Denver, CO., 1991: Ann Arbor, Michigan, Environmental Research Institute of Michigan, v. 1, p. 307-311
266. Livo, K.E., Clark, R.N., and Knepper, D.H., Jr., 1993, SPVIEW spectral plot program for accessing the USGS digital library database with MS-DOS personal computers--Version 1.00: U.S. Geological Survey Open-File Report 93-593 A-B, 29 p., 3 diskettes.
267. Long, Carl, and Kucks, R.P., 1991, Description of magnetic tape containing Glens Falls 1° x 2° sheet magnetic anomaly and VLF resistivity data, Vermont, New York, and New Hampshire: EROS data center release

268. Lucius, J.E., Olhoeft, G.R., Hill, P.L., and Duke, S.K., 1992, Properties and hazards of 108 selected substances--1992 edition: U.S. Geological Survey Open-File Report 92-527, 554 p.
269. Lucius, J.E., and Olhoeft, G.R., 1993, Statistical analysis of field-scale subsurface heterogeneity at the Princeton, Minn. Management System Evaluation Area using ground penetrating radar, in Proceedings of agricultural research to protect water quality conference, February 21-24, 1993, Minneapolis, MN: Journal of Soil and Water Conservation Society, p. 355-358.
270. Ludington, Steve, Cox, D.P., André-Ramos, Orlando, Escobar-Diaz, Angel, Soria-Escalante, Eduardo, Brooks, W.E., Gamble, B.M., Long, K.R., Cady, J.W., and Knepper, D.H., 1992, Undiscovered metallic deposits, in U.S. Geological Survey and Servicio Geológico de Bolivia, Geology and mineral resources of the Altiplano and Cordillera Occidental, Bolivia, with a section on Application of economic evaluations to deposit models by Bleiwas, D.I. and Christiansen, R.R., U.S. Bureau of Mines: U.S. Geological Survey Bulletin 1975, p. 220-224.18.
271. Lundstrom, S.C., McCafferty, A.E., and Coe, J.A., 1992, Photogrammetry and spacial analysis of superglacial debris, Eliot Glacier, Mount Hood, Oregon, USA: Proceedings volume, International Glaciological Society Symposium on Remote Sensing of Snow and Ice, May 1992, Boulder, Colorado.
272. Manydeeds, S.A., and Smith, B.D., 1992, Regional perspective for mineral assessments on Indian Lands in Nevada: 1992 Mineral frontiers on Indian lands: Bureau of Indian Affairs, G-92-2, p. 1-11.
273. Marsh, S.P., Knepper, D.H., Jr., Long, K.R., and Cady, J.W., 1991, Mineral-resource assessment of the Altiplano and Cordillera Occidental, Bolivia - a progress report, in Good, E.E., Slack, J.F., and Kotra, R.K., eds., USGS Research on Mineral Resources, 1991, Program and Abstracts: U.S. Geological Survey Circular 1062, p. 52.
274. McCafferty, A.E., and Abrams, G.A., 1991, Aeromagnetic map of the Hailey and western part of the Idaho Falls 1° x 2° quadrangles, Idaho: U.S. Geological Survey Miscellaneous Field Studies Map MF-2160-A, scale 1:250,000, 7 p.
275. McCafferty, A.E., and Bankey, Viki, 1991, Regional aeromagnetic and gravity data bases for studies centered on the Idaho batholith and Challis volcanics: U.S. Geological Survey Circular 1062, p. 53.
276. McCafferty, A.E., and Sawyer, D.A., 1991, Geophysical evidence of geologic structures in a complex volcanic and sedimentary terrane, southwestern Nevada: EOS, v. 72, no. 44, p. 469.
277. McCafferty, A.E., 1992, Aeromagnetic maps and terrace-magnetization map centered on the Idaho batholith and Challis volcanics, northwestern United States: U.S. Geological Survey Geophysical Investigations Map GP-994, 17 p., scale 1:1,000,000.

278. McCafferty, A.E., and Cordell, Lindrith, 1992, Geophysically inferred structural and lithologic map of Precambrian rocks of the upper crust in the Joplin 1° x 2° quadrangle, Kansas and Missouri: U.S. Geological Survey Miscellaneous Field Studies Map MF-2125-B, 17 p., scale 1:250,000.
279. McCarthy, P.T., Miller, D.M., Nakata, J.K., and Hoisch, T.D., 1993, Structures adjacent to the Purcell trench south of Sandpoint, Idaho: Reno, Nevada, Geological Society of America Abstracts with Programs, v. 25, p. A117.
280. McNeill, J.D., and Labson, V.F., 1991, Geological mapping using VLF radio fields, *in* Nabighian, M.N., ed., Electromagnetic methods in applied geophysics, v. 2, applications: Tulsa, Oklahoma, Society of Exploration Geophysicists, p. 521-640.
281. Menges, C.M., Hadley, D.G., Signor, D.S., Fitterman, D.V., Mohammed, F.A., Brown, T.M., and Brouwers, E.M., 1991, Hydrogeologic significance of electromagnetic profiles across wadis in eastern Abu Dhabi Emirate, U.A.E.: Geological Society of America Abstracts with Programs, v. 23, No. 5, p. A123.
282. Merewether, E.A., Smith, B.D., and Manydeeds, S.A., 1991, Regional data for mineral and energy resources on Indian lands: Proceedings, BIA Energy and Minerals Conference, Denver, Colorado, February 1992, 7 p.
283. Meyer, U., Damaske, D., Hoppe, H., Finn, C.A., and Jonas, M., 1992, Aerogeophysical investigations over the Bowers Mountains, North Victoria Land, Antarctica: Polarforschung, v. 60, n. 2, p. 151-157.
284. Hummer-Miller, Susanne, 1991, Remote sensing geophysics, *in* Nutt, C.J., ed., Mineral resource assessment, 1991 USGS project report, Goshute Indian Reservation, Nevada and Utah: U.S. Geological Survey Administrative Report BIA 13-V, p. 47-57, p. 65-68.
285. Hummer-Miller, Susanne, 1992, Remote sensing geophysics, *in* Nutt, C.J., and Smith, B.D., eds., Mineral resource assessment, 1992 USGS project report, Goshute Indian Reservation, Nevada and Utah: U.S. Geological Survey Administrative Report BIA 13-VII-1992, p. 48-54.
286. Miller, D.M., and Hoisch, T.D., 1991, Low-pressure Jurassic metamorphism in the Pilot Range, northeastern Great Basin, as part of regionally variable effects of magmatism-induced orogeny: Geological Society of America Abstracts with Programs, v. 23, p. A193.
287. Miranda, F.P., McCafferty, A.E., and Taranik, J.V., 1991, Reconnaissance geologic mapping of a heavily-forested shield area using digital aeromagnetic and spaceborne radar data, Guiana Shield, northwestern Brazil: U.S. Geological Survey Circular 1062, p. 56.
288. Miranda, F.P., Taranik, J., and McCafferty, A.E., 1991, Identification of terrane categories and geologic structures using SIR-B and digital aeromagnetic data in the rain forest-covered Guiana Shield, Northwestern Brazil: 24th International Symposium on Remote Sensing of the Environment, Proceedings volume, Rio de Janeiro, Brazil.

289. Mirecki, J.E., and Rosenbaum, J.G., 1993, Characterization of the 1811-1812 New Madrid earthquakes in sediments from Reelfoot Lake, Tennessee: EOS, v. 74, p. 402.
290. Mitchell, C., Hoisch, T.D., and Cisneros, E., 1991, Fluid inclusions from massive wollastonite rocks in the Big Maria Mountains, southeastern California--Evidence for water-rich infiltration during regional metamorphism: Arizona-Nevada Academy of Science Journal, v. 26, p. 52.
291. Mixon, R.B., Powers, D.S., and Daniels, D.L., 1992, Nature and timing of deformation of upper Mesozoic and Cenozoic deposits in the Inner Atlantic Coastal Plain, Virginia and Maryland, in Gohn, G.S., ed., Proceedings of the 1988 U.S. Geological Survey Workshop on the geology and geohydrology of the Atlantic Coastal Plain: U.S. Geological Survey Circular 1059.
292. Montanari, A., Deino, A., Coccioni, R., Langenheim, V.E., Capo, R., and Monechi, S., 1991, Geochronology, Sr isotope analysis, magnetostratigraphy, and plankton stratigraphy across the Oligocene-Miocene boundary in the Contessa section (Gubbio, Italy): Newsletters in Stratigraphy, v. 23, no. 3, p. 151-180.
293. Morin, R.L., 1991, Gravity and magnetic data and interpretation, in Compilation of geologic, geochemical and geophysical data for the Misheguk Mountain, Howard Pass, and western Killik River quadrangles, Alaska, with special emphasis on the southern National Petroleum Reserve in Alaska (NPRA): U.S. Geological Survey Administrative Report, p. 7-12, 3 maps.
294. Morin, R.L., 1992, Principal facts for gravity data in the vicinity of Edwards Air Force Base, California: U.S. Geological Survey Open-File Report 92-277, 23 p.
295. Morin R.L., 1993, Digital terrain in the Bethel, Russian Mission, and Goodnews Bay 1° x 3° quadrangles, Alaska, including improved terrain for parts of these quadrangles: U.S. Geological Survey Open-File Report 93-702, 9 p., and diskette.
296. Nelson, P.H., 1991, Geophysical logs from a copper oxide deposit, Santa Cruz Project, Casa Grande, Arizona: U.S. Geological Survey Open-File Report 91-357, 75 p.
297. Nelson, P.H., and Anderson, L.A., 1991, Physical properties of ash-flow tuff from Yucca Mountain: American Geophysical Union, Western Meeting, Abstracts and Posters, v. 72.
298. Nelson, P.H., Johnston, D., Kreis, H., and Mikesell, J.L., 1991, Geophysical logs in an oxide copper ore deposit, in V.E. McKelvey Forum on Mineral and Energy Resources, 7th Annual Meeting, Programs with Abstracts, Reno, Nevada: U.S. Geological Survey Circular 1062, p. 57.
299. Nelson, P.H., Muller, D.C., Schimschal, Ulrich, and Kibler, J.E., 1991, Geophysical logs and core measurements from forty boreholes at Yucca Mountain, Nevada: U.S. Geological Survey Geophysical Investigations Map GP-1001, 64 p., 40 plates.

300. Nelson, P.H., and Anderson, L.A., 1992, Physical properties of ash-flow tuff from Yucca Mountain, Nevada: *Journal of Geophysical Research*, v. 97, no. B5, p. 6823-6841.
301. Nelson, P.H., Clutson, F.G., Stoddard, C.E., Kibler, J.E., and Mikesell, J.L., 1992, Branch of Geophysics well-logging system, operating manual: U.S. Geological Survey Administrative Report, 105 p.
302. Nelson, P.H., Mikesell, J.L., and Kibler, J.E., 1992, Geophysical logging of cored section in the Long Valley Exploratory Well, Long Valley, California: U.S. Geological Survey Open-File Report 92-544, 13 p.
303. Nelson, P.H., 1993, Magnetic susceptibility logs from sedimentary and volcanic environments, paper V, *in* Transactions of 34th Annual Logging Symposium: Society of Professional Well Log Analysts, 16 p.
304. Nelson, P.H., 1993, Geological and mineralogical controls on physical properties of tuffs at Yucca Mountain: *The Log Analyst*, v. 34, no. 1, p. 58-68.
305. Nelson, P.H., and Schimschal, Ulrich, 1993, Assessment of geophysical logs from borehole USW G-2, Yucca Mountain, Nevada : U.S. Geological Survey Open-File Report 92-572, 33 p.
306. Nutt, C.J., Eppinger, R.G., Miller, S.H., Ponce, D.A., and Sampson, J.A., 1991, Mineral resource assessment study of the Goshute Reservation, Nevada and Utah, *in* Manydeeds, S.A., and Smith, B.D., eds., Mineral frontiers on Indian lands: Bureau of Indian Affairs Pub., p. 58-78.
307. Nutt, C.J., Eppinger, R.G., Miller, S.H., Ponce, D.A., and Sampson, J.A., 1991, Report on mineral resource assessment study of the Goshute Reservation, Nevada and Utah, *in* Manydeeds, S.A., and Smith, B.D., eds., Mineral frontiers on Indian lands: Bureau of Indian Affairs Publication, p. 73-76.
308. Nutt, C.J., Eppinger, R.G., Miller, S.H., Ponce, D.A., and Sampson, J.A., 1992, Geological, geochemical, and geophysical studies for the Goshute Reservation, Nevada and Utah, precious-mineral assessment projection, *in* Manydeeds, S.A., ed., Mineral frontiers on Indian lands: Bureau of Indian Affairs Publication G-92-2, p. 51-69.
309. Nutt, C.J., Eppinger, R.G., Miller, S.H., Ponce, D.A., and Sampson, J.A., 1992, Status report on precious-metal resource assessment of the Goshute Reservation, Nevada and Utah, Indian Minerals Conference Golden, Colorado, February 1992: Bureau of Indian Affairs Publication, p. 61-64.
310. Olhoeft, G.R., 1991, Quantitative statistical description of subsurface heterogeneities with ground penetrating radar at Bemidji, Minnesota, *in* U.S. Geological Survey Toxic Substance Hydrology Program, Proceedings of the Technical Meeting, Monterey, California, March 11-15, 1991: U.S. Geological Survey WRI 91-4034, p. 650-653.
311. Olhoeft, G.R., 1991, 1024 x 768 x 256 Images from 386 Protected Mode on SVGA, 8514/A and 34010 Cards: *TECH Specialist*, v. 2, no. 3, p. 37-44.

312. Olhoeft, G.R., 1991, Spatial variability, in Proceedings NSF/EPRI Workshop on Dynamic Soil Properties and Site Characterization, v. 1: Palo Alto, Electric Power Research Institute Report NP-7337, p. 5-1 to 5-20.
313. Olhoeft, G.R., and King, T.V.V., 1991, Mapping subsurface organic compounds noninvasively by their reactions with clays, in U.S. Geological Survey Substance Hydrology Program, Proceedings of the Technical Meeting, Monterey, California, March 11-15, 1991: U.S. Geological Survey WRI 91-4034, p. 552-557.
314. Olhoeft, G.R., 1992, Site characterization tools, in Subsurface Restoration Conference, Third International Conference on Ground Water Quality Research, June 21-24, 1992, Dallas Texas: Rice University, National Center for Ground Water Research, p. 29-31.
315. Olhoeft, G.R., 1992, Geophysical detection of hydrocarbon and organic chemical contamination, in Bell, R.S., ed., Proceedings on Application of Geophysics to Engineering, and Environmental Problems, Oakbrook, Illinois: Society of Engineering and Mining Exploration Geophysics, Golden, Colorado, p. 587-595.
316. Olhoeft, G.R., 1992, Geophysics advisor expert system version 2.0: U.S. Geological Survey Open-File Report 92-526, 21 p. + diskette.
317. Olhoeft, G.R., 1993, Velocity, attenuation, dispersion and diffraction hole-to-hole radar processing, in Miller, R., ed., Proceedings of the Fourth Tunnel Detection Symposium on Subsurface Exploration Technology, Colorado School of Mines, Golden, CO: U.S. Army Belvoir Research, Development and Engineering Center, p. 309-322.
318. Olhoeft, G.R., and Capron, D.E., 1993, Laboratory measurements of the radio frequency electrical and magnetic properties of soils from near Yuma, Arizona: U.S. Geological Survey Open-File Report 93-701, 214 p.
319. Oliver, H.W., Ponce, D.A., and Sikora, R.F., 1991, Major results of gravity and magnetic studies at Yucca Mountain, Nevada, Proceedings of the Second Annual International Conference on High Level Radioactive Waste Management, Las Vegas, Nevada, April 28-May 3, 1991: American Nuclear Society, v. 1, p. 787-794.
320. Oliver, H.W., Robbins, S.L., and Sikora, R.F., 1991, Economic significance of recent gravity and aeromagnetic compilations of the Winnemucca 1° x 2° quadrangle, Nevada, p. 20-23 in Thorman, C.H., ed., Some current research in eastern Nevada and western Utah by the U.S. Geological Survey: U.S. Geological Survey Open-File Report 91-386, 28 p.
321. Oliver, H.W., and Hamlin, S.N., 1992, Defining Atherton's ground water resource: Atherton Town Voice, v. 2, no. 3, p. 3-4.
322. Oliver, H.W., and Mooney, W.D., 1992, Characterizing Yucca Mountain, Nevada, by geophysical methods: American Geophysical Union, Fall Meeting, Extended Abstracts, 1992, (Supplement), p. 490, T11A-13.

323. Oliver, H.W., Sikora, R.F., and Robbins, S.L., 1993, Geologic significance of new isostatic gravity and aeromagnetic maps of the Winnemucca 1° x 2° quadrangle, Nevada: Geological Society of America, Cordilleran Section, Program with Abstracts, Reno, Nevada, #2316, p. 129.
324. Olsen, P.E., Froelich, A.J., Daniels, D.L., Smoot, J.P., and Gore, P.J.W., 1991, Chapter 9 - Rift basins of early Mesozoic age, in Horton, J.W., Jr., and Zullo, V.A., eds., The geology of the Carolinas, Carolina Geological Society 50th Anniversary Volume: Knoxville, Tennessee, University of Tennessee Press, p. 142-170.
325. Orris, G.L., Asher-Bolinder, Sigrid, André-Ramos, Orlando, Excoabar-Diaz, Angel, Soria-Escalante, Eduardo, Cady, J.W., Knepper, D.H., Cox, D.P., Long, K.R., and Ludington, Steve, 1992, Undiscovered nonmetallic deposits, in U.S. Geological Survey and Servicio Geológico de Bolivia, Geology and mineral resources of the Altiplano and Cordillera Occidental, Bolivia, with a section on Application of economic evaluations to deposit models by Bleiwas, D.I., and Christiansen, R.R., U.S. Bureau of Mines: U.S. Geological Survey Bulletin 1975, p. 225-229.
326. Otton, J.K., Asher-Bolinder, Sigrid, and Duval, J.S., 1993, Summary of progress and results of USGS investigations in support of radon potential cartography: Administrative Report to Florida Department of Health, 56 p.
327. Page, N.J., Gray, Floyd, and Griscom, Andrew, 1993, Petrology, mineralogy, and geochemistry of the Lower Coon Mountain pluton, northern California, with respect to the distribution of platinum-group elements: U.S. Geological Survey Bulletin 2014, 75 p.
328. Park, S.K., and 10 co-authors, 1992, Three-dimensional integration of diverse geophysical models using a Geographic Information System: Transactions American Geophysical Union, v. 73, p. 396.
329. Passow, Michael, Kitzmiller, David, and Krohn, M.D., 1992, Looking at the earth in new ways, in Cheek, D.W., ed., Proceedings of the Seventh Annual Technological Literacy Conference, Alexandria, VA, Feb. 6-9, 1992: Bloomington, Indiana, ERIC Clearinghouse for Social Studies/Social Science Education, p. 379-383.
330. Pearson, R.C., Trautwein, C.M., Berger, B.R., Hanna, W.F., Jenson, S.K., Loen, J.S., Moll, S.H., Purdy, T.L., Rowan, L.C., Ruppel, E.T., And Segal, D.B., 1992, Maps showing mineral resource assessment for vein and replacement deposits of base and precious metals, barite, and fluorspar, Dillon 1° x 2° quadrangle, Idaho and Montana: U.S. Geological Survey Miscellaneous Investigations Map I-1803-E.
331. Pearson, R.C., Trautwein, C.M., Moll, S.H., Berger, B.R., Hanna, W.F., Loen, J.S., Rowan, L.C., Ruppel, E.T., and Segal, D.B., 1992, Maps showing mineral resource assessment for copper and molybdenum in porphyry and stockwork deposits and for tungsten, iron, gold, copper, and silver in skarn deposits, Dillon 1° x 2° quadrangle, Idaho and Montana: U.S. Geological Survey Miscellaneous Investigations Map I-1803-G.

332. Pearson, R.C., Trautwein, C.M., Ruppel, E.T., Hanna, W.F., Rowan, L.C., Loen, J.S., and Berger, B.R., 1993, Mineral resource assessment of the Dillon 1° x 2° quadrangle, Idaho and Montana: U.S. Geological Survey Circular 1077, 15 p.
333. Pellerin, L.D., Newman, G.A., and Hohmann, G.W., 1991, Electromagnetic response of a three-dimensional Earth due to a vertical electric source, in 61st International Annual Meeting, Expanded Abstracts, Houston, Texas: Society of Exploration Geophysicists, p. 439-441.
334. Pellerin, L.D., Johnston, J.M., and Hohmann, G.W., 1992, Evaluation of electromagnetic techniques in geothermal exploration, in 62nd International Annual Meeting, Expanded Abstracts, New Orleans, Louisiana: Society of Exploration Geophysicists, p. 405-408.
335. Phillips, J.D., Reynolds, R.L., and Frey, Herbert, 1991, Crustal structure interpreted from magnetic anomalies: Reviews of Geophysics, April 1991 Supplement, U.S. National Report to International Union of Geodesy and Geophysics 1987-1990, p. 416-427.
336. Phillips, J.D., 1992, TERRACE - A terracing procedure for gridded data, with Fortran programs, and VAX command procedure, Unix C-shell and DOS batch file implementations: U.S. Geological Survey Open-File Report 92-5, 27 p., 1 diskette.
337. Phillips, J.D., and Morin, R.L., 1992, New aeromagnetic maps and interpretations for the Bethel 1° x 3° quadrangle and part of the Russian Mission 1° x 3° quadrangle, southwestern Alaska: Geological Society of America Abstracts with Programs, v. 24, no. 5, p. 58.
338. Pierce, K.L., Milbert, D.G., and Saltus, R.W., 1992, Geoid Dome culminates on Yellowstone--Yellowstone hotspot fed by a thermal plume?: EOS, v. 73, no. 14 (supplement), p. 284.
339. Pierce, K.L., Morgan, L.A., and Saltus, R.W., 1993, The Yellowstone Hot Spot--Inferred large-scale lithospheric effects: EOS (supplement) v. 74, no. 43, p. 603
340. Pitkin, J.A., 1991, Preliminary results of geochemical analyses of selected aerial gamma-ray anomalies, Getchell trend of gold deposits, Humboldt County, Nevada, in Good, E.E., and others, eds., in V.E. McKelvey Forum on Mineral and Energy Resources, 7th Annual Meeting, Programs and Abstracts, Reno, Nevada: U.S. Geological Survey Circular 1062, p. 60-61.
341. Pitkin, J.A., 1991, Aerial gamma-ray radioactivity studies, in Status of geoscience information and preliminary assessment of mineral resources of the Sandpoint 1° x 2° quadrangle, Idaho, Montana, and Washington: U.S. Geological Survey, Office of Mineral Resources Administrative Report, p. 14-19.
342. Pitkin, J.A., 1991, Radioelement data for the Getchell trend, Humboldt County, Nevada--Geologic discussion and possible significance for gold mineralization, in Raines, G.L., and others, eds., Geology and ore deposits of the Great Basin, in Symposium Proceedings: Geological Society of Nevada, v. II, p. 759-770.

343. Pitkin, J.A., 1991, Gamma-ray radioactivity, in Diggles, M.F., ed., Assessment of undiscovered porphyry copper deposits within the range of the northern spotted owl, northwestern California, western Oregon, and western Washington: U.S. Geological Survey Open-File Report 91-377, p. 30-31, plates 14-22.
344. Pitkin, J.A., 1991, Preliminary results of geochemical analyses of selected aerial gamma-ray anomalies, Getchell trend of gold deposits, Humboldt County, Nevada, in Good, E.E., and others, eds., in V.E. McKelvey Forum on Mineral and Energy Resources, 7th Annual Meeting, Programs with Abstracts, Reno, Nevada 1991: U.S. Geological Survey Circular 1063, p. 60-61.
345. Plesha, J.L., Smith, B.D., and Labson, V.L., 1993, GRASS and geophysical data analysis in the USGS, in 8th Annual GRASS Users Conference, Reston, VA. 1 p.
346. Plouff, Donald, 1992, Bouguer gravity anomaly and isostatic residual gravity maps of the Tonopah 1° x 2° quadrangle, central Nevada: U.S. Geological Survey Miscellaneous Field Studies Map MF-1877-D, 2 sheets, scale 1:250,000.
347. Plouff, Donald, 1992, Bouguer gravity anomaly and isostatic residual gravity maps of the Reno 1° x 2° quadrangle, Nevada and California: U.S. Geological Survey Miscellaneous Field Studies Map MF-2154-E, 2 figs., 2 sheets, scale 1:250,000.
348. Plouff, Donald, 1992, Aeromagnetic map of the Tonopah 1° x 2° quadrangle, central Nevada: U.S. Geological Survey Miscellaneous Field Studies Map MF-1877-C, 1 sheet, scale 1:250,000.
349. Plouff, Donald, 1993, User documentation for GVOUTERTC/1.001, Technical Contact, Donald Plouff--Report prepared for Yucca Mountain Program Software Configuration Management System: Administrative Report 18 p., 1 diskette.
350. Plouff, Donald, 1993, Software Validation Report for GVOUTERTC/1.001--Report prepared for Yucca Mountain Program Software Configuration Management System: Administrative Report, 15 p.
351. Poddar, M., and Anderson, W.L., 1992, Transient electromagnetic modeling of shallow A-type sections with 3-D inhomogeneities: Geophysics, v. 57, no. 6, p. 774-789.
352. Pohn, H.A., and Coleman, J.L., Jr., 1991, Fold patterns, lateral ramps, and seismicity in eastern Pennsylvania: Tectonics, Special volume on neotectonics, v. 186, p. 133-149.
353. Pohn, H.A., and Molnia, B.F., 1992, Structural analysis of side-looking airborne radar data for the western Brooks Range, Alaska: EOS, v. 73, p. 288.
354. Pohn, H.A., and Schaber, G.G., 1992, Indenter type deformation on Venus as evidence for large-scale tectonic slip, and multiple strike-slip events as a mechanism for producing tessellated terrain: Lunar and Planetary Science Conference XXIII, v. 3, p. 1095.

355. Pohn, H.A., and Schaber, G.G., 1993, Crater destruction on the Venusian highlands by tectonic processes: Lunar and Planetary Science Conference XXIV, v. 3, p. 1161-1162.
356. Ponce, D.A., 1991, Gravity and magnetic studies of eastern California and western Nevada and relations to a volcanic-arc terrane, *in* 15th International Geochemical Exploration Symposium Programs with Abstracts, Reno, Nevada: Association of Exploration Geochemists, p. 21.
357. Ponce, D.A., and Langenheim, V.E., 1991, Geophysical properties of the Ibapah pluton, Deep Creek Range, Nevada and Utah (abs.), *in* Thorman, C.H., ed., Some current research in eastern Nevada and western Utah by the USGS: U.S. Geological Survey Open-File Report 91-386, p. 1 23-24.
358. Ponce, D.A., 1991, Gravity and magnetic studies of the Goshute Indian Reservation, *in* Nutt, C.J., and Smith, B.D., eds., Mineral resource assessment 1991 USGS project report, Goshute Indian Reservation, Nevada and Utah: U.S. Geological Survey Administrative Report BIA 13-V, p. 37-46 and 72-77.
359. Ponce, D.A., 1992, Gravity and magnetic studies, *in* Nutt, C.J., and Smith, B.D., eds., Mineral resource assessment of 1992 USGS project report Goshute Indian Reservation, Nevada and Utah: U.S. Geological Survey Administrative Report BIA 13-VII-1992, p. 31-44, 67-68.
360. Ponce, D.A., 1992, Bouguer gravity map of Nevada, Ely sheet: Nevada Bureau of Mines and Geology Map 99, scale 1:250,000.
361. Ponce, D.A., 1992, Principal facts for about 2,800 gravity stations on the Ely 1° x 2° quadrangle, Nevada and Utah: U.S. Geological Survey Open-File Report 92-431, 44 p., diskette.
362. Ponce, D.A., and Langenheim, V.E., 1992, Isostatic residual gravity map of the Palm Springs 1:100,000-scale quadrangle, California: U.S. Geological Survey Open-File Report 92-702, 4 p., scale 1:100,000.
363. Ponce, D.A., Krohn, S.B., and Waddell, Sandra, 1992, Gravity and magnetic data of Fortymile Wash, Nevada Test Site, Nevada: U.S. Geological Survey Open-File Report 92-343, 33 p.
364. Ponce, D.A., 1993, Geophysical investigations of concealed faults near Yucca Mountain, southwest Nevada, *in* Proceedings of 4th Annual International Conference on High-level Waste Management, Las Vegas, Nevada: American Nuclear Society, no. 1, p. 168-174.
365. Ponce, D.A., Langenheim, V.E., and Sikora, R.F., 1993, Gravity and magnetic data of Midway Valley, southwest Nevada: U.S. Geological Survey Open-File Report 93-540-A, 9 p., scale 1:120,000; 93-540-B, diskette.
366. Ponce, D.A., and Langenheim, V.E., 1993, Gravity, magnetic and physical property data of the Deep Creek Range and vicinity, eastern Nevada and western Utah: U.S. Geological Survey Open-File Report 93-397-A; 93-397-B, diskette, 15 p.

367. Powers, M.H., 1992, Local geophysical surveys at Great Sand Dunes National Monument: Proceedings of Great Sand Dunes Researcher's Symposium, Nov. 4-6, 1992, Great Sand Dunes National Monument, Mosca, Colorado, 48 p.
368. Powers, M.H., Duke, S.K., Huffman, A.C., and Olhoeft, G.R., 1992, GPRMODEL - One-dimensional full waveform forward modeling of ground penetrating radar data: U.S. Geological Survey Open-File Report 92-532, 22 p.
369. Rahman, M.A., Miah, Idris, and Blank, H.R., Jr., 1992, Geophysical exploration for coal on the Rangpur platform, northwestern Bangladesh, *in* Khan, A.M., Sheikh, A.M., and Raza, S.M., compilers: First South Asia Geological Congress (GEOSAS-I) Abstracts with Programs, Islamabad, Pakistan, February 23-27, 1992, 67 p.
370. Rankin, D.W., Dillon, W.P., Black, D.F.B., Boyer, S.E., Daniels, D.L., Goldsmith, R., Grow, J.A., Horton, J.W., Jr., Hutchinson, D.R., Klitgord, K.D., McDowell, R.C., Milton, D.J., Owens, J.P., and Phillips, J.D., 1991, E4, Central Kentucky to Carolina trough: Boulder, Colorado, Geological Society of America, Centennial Continent/Ocean Transect #16, 2 sheets, scale 1:500,000, text 41 p.
371. Reynolds, R.L., Rosenbaum, J.G., and Sweetkind, D.S., 1993, Effect of sulfidization on the magnetic properties and polarity zonation of the Oligocene Creede Formation, San Juan Volcanic Field, southwest Colorado: EOS, v. 74, p. 205.
372. Roberts, C.W., 1991, Principal facts for more than 700 gravity stations in the San Francisco north and San Francisco south quadrangles, California: U.S. Geological Survey Open-File Report 91-103, 31 p.
373. Roberts, C.W., and Jachens, R.C., 1993, Draped aeromagnetic map of California--A new tool for regional structural and tectonic analysis: Transactions American Geophysical Union, v. 74, no. 16, p. 379.
374. Rodbell, D., Rosenbaum, J.G., and Reynolds, R.L., 1993, Mineral magnetic studies of MMV loess, *in* Markewich, H.W., ed., Progress report on chronostratigraphic and paleoclimatic studies, middle Mississippi Valley, eastern Arkansas and western Tennessee: U.S. Geological Survey Open-File Report 93-273, p. 23-35, and 40-60.
375. Rodbell, D., Rosenbaum, J.G., and Reynolds, R.L., 1993, Depositional and pedogenic contributions to the magnetic record of Central Mississippi Valley loess: Geological Society of America, Annual Meeting, Abstracts with Programs, p. A59.
376. Rosenbaum, J.G., Hudson, M.R., and Scott, R.B., 1991, Paleomagnetic constraints on the geometry and timing of deformation at Yucca Mountain, Nevada: Journal of Geophysical Research, v. 96, p. 1963-1979.
377. Rosenbaum, J.G., Reynolds, R.L., and Schlinger, C.M., 1991, Effects of cooling on oxide mineralogy and magnetic properties near margins of volcanic bodies: EOS, v. 72, p. 138.
378. Rosenbaum, J.G., Reynolds, R.L., and Hildenbrand, T.G., 1992, Depth-dependent magnetic properties of Hawaiian intrusions--East Rift Zone, Kilauea: EOS, v. 73, p. 147.

379. Rosenbaum, J.G., 1993, Magnetic grain-size variations through an ash-flow sheet--Influence on magnetic properties and implications for cooling history: *Journal of Geophysical Research*, v. 98, p. 11715-11727.
380. Rosenbaum, J.G., Reynolds, R.L., Adam, D.P. Sarna-Wojcicki, A.M., and Fitzmaurice, P., 1993, Magnetic and pollen records of middle Pleistocene sediment from Buck Lake, southern Oregon: *EOS*, v. 74, p. 228.
381. Rowan, L.C., Trautwein, C.M., and Purdy, T.L., 1991, Association of linear features with metallic mines and prospects in the Butte 1° x 2° quadrangle, Montana: *U.S. Geological Survey Miscellaneous Field Investigations* 2050-B.
382. Rowan, L.C., Jones, O.D., and Pawlewicz, M.J., 1992, The use of visible and near-infrared spectral reflectance for estimating the thermal maturity of organic matter in sedimentary rocks: *American Association Petroleum Geologists Bulletin*, v. 76, p. 1008-1023.
383. Saltus, R.W., 1991, Gravity and heat flow constraints on Cenozoic tectonics of the western United States Cordillera: *Stanford University Ph.D. thesis*, 245 p.
384. Saltus, R.W., Blakely, R.J., Jachens, R.C., Simpson, R.W., and Hildenbrand, T.G., 1991, Potential-field constraints on Cordilleran tectonics: *Geological Society of America Abstracts with Programs*, v. 23, no. 5, p. A22-A23.
385. Saltus, R.W., and Lachenbruch, A.H., 1991, Thermal evolution of the Sierra Nevada - Tectonic implications of new heat-flow data: *Tectonics*, v. 10, p. 325-344.
386. Saltus, R.W., Stone, D.B., Kienle, J., and Goodliffe, A.M., 1991, New gravity data at Katmai National Park, Alaska, suggest a magma body analogous to that at the Geysers-Clear Lake Region, California: *EOS*, v. 72, no. 44 (supplement), p. 429.
387. Saltus, R.W., 1992, Principal facts for 63 gravity stations in the vicinity of Katmai National Park, Alaska: *U.S. Geological Survey Open-File Report* 92-310, 13 p.
388. Saltus, R.W., and Grauch, V.J.S., 1992, Subsurface basin geometries in the Eastern Great Basin: *Geological Society of America Abstracts with Programs*, v. 24 (6), p. 59-60.
389. Saltus, R.W., and Kucks, R.P., 1992, Geomagnetic activity and its implications for the 1991-92 CASERTZ aeromagnetic survey in Antarctica: *EOS*, v. 73, no. 43 (supplement), p. 131.
390. Saltus, R.W., and Morin, R.L., 1992, Geophysics of the Holy Cross Quadrangle, Alaska, in Csejtey and Keith, eds., *Preassessment Report of the Holy Cross Quadrangle, Alaska: Administrative Report*, p. 14-20.
391. Saltus, R.W., Perasso, G., Covert, K., Hower, M., and Kucks, R.P., 1992, Principal facts for 64 gravity measurements in the vicinity of Beardmore Glacier, McMurdo Station, and CASERTZ Field Camp, Antarctica: *U.S. Geological Survey Open-File Report* 92-322, 15 p.

392. Saltus, R.W., 1993, Upper crustal structure beneath the Columbia River Basalt Group, Washington--Gravity interpretation controlled by borehole and seismic studies: Geological Society of America Bulletin, v. 105, p. 1247-1259.
393. Saltus, R.W., and Blakely, R.J., HYPERMAG, an interactive, 2 and 2 1/2-dimensional gravity and magnetic modeling program--Version 3.5: U.S. Geological Survey Open-File Report 93-287, 39 p.
394. Saltus, R.W., and Thompson, G.A., 1993, Why is it downhill from Tonopah to Las Vegas? - Geophysical constraints on isostatic support of the Great Basin: EOS, v. 74, no. 43, p. 548.
395. Sampson, J.A., 1991, Magnetotelluric and audio-magnetotelluric geophysical studies, *in* Nutt, C.J., ed., Mineral resource assessment, 1991 USGS Project Report, Goshute Indian Reservation, Nevada and Utah: U.S. Geological Survey Administrative Report BIA 13-V, p. 58-64.
396. Sampson, J.A., Labson, V.F., and Long, C.L., 1991, Electrical resistivity cross sections in east-central Alaska, *in* Bradley, D., and Ford, A., eds., Geologic Studies in Alaska by the U.S. Geological Survey, 1990: U.S. Geological Survey Bulletin 1999, p. 223-227.
397. Sampson, J.A., 1992, Magnetotelluric geophysical studies, *in* Nutt, C.J., ed., Mineral resource assessment, 1992 USGS Project Report, Goshute Indian Reservation, Nevada and Utah: U.S. Geological Survey Administrative Report BIA 13-VII-1992, p. 42-47.
398. Sander, K.A., Olhoeft, G.R., and Lucius, J.E., 1992, Surface and borehole radar monitoring of a DNAPL spill in 3 D versus frequency, look angle and time, *in* Bell, R.S., ed., Oakbrook, Illinois: Society of Engineering and Mineral Exploration Geophysics, Golden, Colorado, p. 455-469.
399. Sawlan, M.G., and Jachens, R.C., 1992, Mineral resources of the Willow Creek study area, Lassen County, California: U.S. Geological Administrative Report, GAT-92-3, 41 p.
400. Sawlan, M.G., Turner, R.L., Jachens, R.C., Peters, T.J., and Winters, R.A., 1992, Mineral resources of the Malheur River-Bluebucket Creek Wilderness study area, Harney County, Oregon: U.S. Geological Survey Bulletin 1741H.
401. Schimschal, Ulrich, and Nelson, P.H., 1991, Geophysical borehole logging in the unsaturated zone, Yucca Mountain, Nevada: Proceedings of International High-Level Radioactive Waste Conference in Las Vegas, 7 p.
402. Schlinger, C.M., Veblen, D.R., and Rosenbaum, J.G., 1991, Magnetism and magnetic mineralogy of ash-flow sheets from Yucca Mountain, Nevada: Journal of Geophysical Research, v. 96, p. 6035-6052.
403. Scott, R.B., Blank, H.R., Jr., and Page, W.R., 1991, Evidence for a precursor to the Kane Springs Wash caldera, Lincoln City, Nevada: Geological Society of America, Rocky Mountain South and South-Central Section, Abstracts with Programs, p. 91.

404. Senterfit, R.M., and Abrams, G.A., 1991, Audio-magnetotelluric investigation at Bursum Caldera, Mogollon mining district, west central New Mexico-- Location map and data report: U.S. Geological Survey Open-File Report 91-624, 30 p., 1 pl.
405. Senterfit, R.M., Abrams, G.A., and McNair, D.W., 1991, Audio-magnetotelluric survey of Nevada volcanic arc near Reno and Carson City, NV--Location and data report: U.S. Geological Survey Open-File Report 91-274, 19 p.
406. Senterfit, R.M., and Heran, W.D., 1991, Audio-magnetotelluric investigation at Turkey Creek caldera, Chiricahua Mountains, southeastern Arizona-- Location map and data report: U.S. Geological Survey Open-File Report 91-273, 20 p.
407. Senterfit, R.M., 1993, AMT survey of Annette Island, in Godwin and Smith, eds., in Special Symposium on Economic Mineral Resources of the Annette Island Reserve, Alaska 1993: Northwest Mining Association, p. 75-85.
408. Sikora, R.F., 1991, Principal facts for 133 gravity stations, with color maps of Bouguer and isostatic residual gravity anomalies on the Winnemucca 1° x 2° quadrangle, Nevada: U.S. Geological Survey Open-File Report 91-256A, 40 p.
409. Sikora, R.F., 1991, Principal facts for gravity stations on the Winnemucca 1° x 2° quadrangle, Nevada: U.S. Geological Survey Open-File Report 91-256B, 1 diskette.
410. Sikora, R.F., Moore, J.G., and Oliver, H.W., 1991, Compilation and listing of 6,454 density measurements of samples from the central part of the Sierra Nevada batholith, California: U.S. Geological Survey Open-File Report 91-0570A, 77 p.
411. Sikora, R.F., Moore, J.G., and Oliver, H.W., 1991, Principal facts for 6,454 density measurements of samples from the central part of the Sierra Nevada batholith, California: U.S. Geological Survey Open-File Report 91-0570B, 1 diskette.
412. Sikora, R.F., Langenheim, V.E., Biehler, Shawn, Beyer, L.A., and Chapman, R.H., 1993, Principal facts and base station descriptions for gravity data compiled for the Santa Ana 1° x 2° quadrangle, California: U.S. Geological Survey Open-File Report 93-217A, 64 p.
413. Sikora, R.F., Langenheim, V.E., Biehler, Shawn, Beyer, L.A., and Chapman, R.H., 1993, Principal facts for gravity data compiled for the Santa Ana 1° x 2° quadrangle, California: U.S. Geological Survey Open-File Report 93-217B, 1 diskette.
414. Sikora, R.F., Ponce, D.A., and Oliver, H.W., 1993, Status of aeromagnetic survey coverage of southwestern Nevada and southeastern California: U.S. Geological Survey Open-File Report 93-44, 18 p.
415. Sims, P.K., Peterman, Z.E., Hildenbrand, T.G., and Mahan, Shannon, 1991, Precambrian basement map of the Trans-Hudson Orogen and adjacent terranes, northern Central Plains, U.S.A.: U.S. Geological Survey Miscellaneous Investigations Series, MI-2214, scale 1:1,000,000, 53 p.

416. Smith, B.D., and Manydeeds, S.A., 1992, Utilization of regional mineral resource data, in Manydeeds, S.A., and Smith, B.D., eds., Mineral frontiers on Indian lands: Bureau of Indian Affairs, p. 10-17.
417. Smith, B.D., Sengpiel, K.P., Plesha, J.L., and Horton, R.J., 1992, Airborne electromagnetic mapping of subsurface brine, Brookhaven oil field, Mississippi, in 62nd International Annual Meeting, Expanded Abstracts: Society of Exploration Geophysicists, p. 340-343.
418. Smith, B.D., Plesha, J.L., and Horton, R.J., 1992, Geographic Information System analysis applied to mapping subsurface brine, Brookhaven oil field, Mississippi: Proceedings, 7th Annual GRASS Users Conference, Denver, CO, 1 p
419. Smith, B.D., Horton, R.J., Sengpiel, K.P., and Plesha, J.L., 1993, Helicopter electromagnetic subsurface mapping in an area of high cultural noise, in Proceedings of International Workshop on Airborne Electromagnetic Methods: University of Arizona, 2 p.
420. Smith, D.B., Hoover, D.B., and Sanzalone, R.F., 1991, Development and testing of the CHIM electrogeochemical exploration method, in V.E. McKelvey Forum on Mineral and Energy Resources, 7th Annual Meeting, Reno, Nevada: U.S. Geological Survey Circular 1062, p. 74.
421. Snyder, S.L., 1992, Aeromagnetic gridded data for New Jersey: U.S. Geological Survey Open-File Report 92-700, 11 p., 3 diskettes.
422. Snyder, S.L., Felger, T.J., Blakely, R.J., and Wells, R.E., 1993, Aeromagnetic map of the Portland-Vancouver metropolitan area, Oregon and Washington: U.S. Geological Survey Open-File Report 93-211, scale 1:100,000.
423. Spengler, R.W., and Rosenbaum, J.G., 1991, A low-angle breccia zone of hydrologic significance at Yucca Mountain, Nevada: Geological Society of America Abstracts with Programs, v. 23, no. 5, p. A119.
424. Stamos, C.L., Predmore, S.K., and Zohdy, A.A.R., 1992, Use of DC resistivity to map saline ground water: Irrigation and Drainage Session Proceedings/Water Forum '92, p. 80-85.
425. Stanley, W.D., and Rodriguez, B.D., 1991, Structural details of the Blytheville arch and Reelfoot rift, Arkansas and Missouri, from magnetotelluric surveys: Seismological Society of America, 63rd Annual Meeting, Programs and Abstracts, p. 54.
426. Stanley, W.D., Finn, C.A., Williams, J.L., and Weaver, C.S., 1992, Tectonic and seismicity of the Mount Rainier region: Transactions American Geophysical Union, Fall Meeting, p. 526.
427. Stanley, W.D., and Rodriguez, B.D., 1992, Structure of the Reelfoot rift as indicated by magnetotelluric models: Seismological Research Letters, 63, no. 3, p. 223-232.
428. Stewart, D.B., Wright, B.E., Unger, J.D., Phillips, J.D., and Hutchinson, D.R., 1991, Global geoscience transect 8, Quebec-Maine-Gulf of Maine transect, southeastern Canada, northeastern United States of America: U.S. Geological Survey Open-File Report 91-353, 34 p., 1 sheet, scale 1:1,000,000.

429. Stewart, D.B., Wright, B.E., Unger, J.D., Phillips, J.D., and Hutchinson, D.R., 1991, Global geoscience transect 8, Quebec-Maine-Gulf of Maine transect, southeastern Canada, northeastern United States of America: U.S. geological Survey Miscellaneous Investigation Series Map I-2329, 34 p., 1 sheet, scale 1:1,000,000.
430. Swayze, G.A., Clark, R.N., Kruse, F.A., Sutley, S., and Gallagher, A.J., 1992, Ground-truthing AVIRIS mineral mapping at Cuprite, Nevada, in Summaries of the Third Annual JPL Airborne Geosciences Workshop, v. 1--AVIRIS Workshop: Jet Propulsion Laboratory Publication 92-14, p. 47-49.
431. Swayze, G.A., Clark, R.N., King, T.V.V., Gallagher, A.J., and Calvin, W.M., 1993, The U.S. Geological Survey, Digital Spectral Library--Version 1, 0.2 to 3.0 μ m: American Astronomical Society Bulletin, Abstracts, v.25, p. 1033-1034.
432. Sweetkind, D.S., Reynolds, R.L., and Rosenbaum, J.G., 1991, Rock magnetic constraints on chemical conditions of hydrothermal alteration in the Bachelor caldera, San Juan Mountains, Colorado: EOS, v. 72, p. 138.
433. Sweetkind, D.S., Reynolds, R.L., Swayer, D.A., and Rosenbaum, J.G., 1993, Effects of hydrothermal alteration on magnetization of the Oligocene Carpenter Ridge Tuff, Bachelor caldera, San Juan Mountains, Colorado: Journal of Geophysical Research, v. 98, p. 6255-6266.
434. Teskey, D.J., Thomas, M.D., Gibb, R.A., Dods, S.D., Kucks, R.P., Chandler, V.W., Fadaie, K., and Phillips, J.D., 1991, High resolution aeromagnetic survey of Lake Superior: EOS, v. 72, p. 81, 85-86.
435. Todd, V.R., Girty, G.H., Shaw, S.E., and Jachens, R.C., 1991, Geochemical, geochronologic, and structural characteristics of Jurassic plutonic rocks, Peninsular Ranges, California: Geological Society of America Abstracts with Programs, v. 23, p. 249.
436. Todd, V.R., Shaw, S.E., Girty, G.H., and Jachens, R.C., 1991, A Late Jurassic plutonic arc of continental affinities in the Peninsular Ranges batholith: Tectonic implications: Geological Society of America Abstracts with Programs, v. 23, p. 104.
437. Todd, V.R., Shaw, S.E., Jachens, R.C., Kimbrough, D.L., Girty, G.H., and Hammarstrom, J.M., 1991, The El Cajon 30' x 60' quadrangle, southern California--A geologic history from early Mesozoic continental growth to modern rift-transform tectonics: Geological Society of America Abstracts with Programs, v. 23, p. 479.
438. Toth, M.I., Wilson, A.B., Cookro, T.M., Bankey, Viki, Lee, G.K., Wallace, A.R., and Case J.E., 1993, Mineral resource potential and geology of the White River National Forest and the Dillon District of the Arapaho National Forest, Central Colorado, with a section on Salable Minerals, by Dersch, J.S.: U.S. Geological Survey Bulletin 2035, 117 p.
439. Tysdal, R.G., Reynolds, M.W., Carson, R.R., Kleinkopf, M.D., and Rowan, L.C., 1991, Mineral resources of the Sleeping Giant Wilderness study area, Lewis and Clark County Montana: U.S. Geological Survey Bulletin 1724, Ch. E., p. E1-E31

440. U.S. Geological Survey, 1992, Evaluation of selected metallic and nonmetallic mineral resources, West Mojave Management Area, southern California: U.S. Geological Survey Open-File Report 92-595, 89 p. (geophysical contribution).
441. Vaniman, D., Reedy, R., Heiken, G., Olhoeft, G.R., and Mendell, W., 1991, The lunar environment, in Heiken, G., Vaniman, D., and French, B.M., eds., Lunar Sourcebook: Cambridge University Press, p. 27-60.
442. Vigliotti, L., and Langenheim, V.E., 1992, When did Sardinia stop rotating? New paleomagnetic results: Transactions American Geophysical Union, v. 73, no. 43, p. 147.
443. Watson, Kenneth, 1992, Two-temperature method for measuring emissivity: Remote Sensing of Environment, v. 42, p. 117-121.
444. Watson, Kenneth, 1992, Spectral ratio method for measuring emissivity: Remote Sensing of Environment, v. 42, p. 113-116.
445. Watson, Kenneth, Knepper, D.H., Jr., and Webring, M.W., 1992, Influence of crustal structure on the course of Arkansas River, south-central Colorado in Thorman, C.H., ed., Application of structural geology to mineral and energy resources of the central and western United States: U.S. Geological Survey Bulletin 2012, 24 p.
446. Watson, Kenneth, 1992, A 2D FFT program for image processing with examples: U.S. Geological Survey Open-File Report 92-265, 74 p.
447. Watson, Kenneth, Rowan, L.C., and Hummer-Miller, Susanne, 1992, Analysis of multispectral thermal infrared data of the alkalic igneous rock complex at Iron Hill, Colorado: New Orleans, Louisiana, Society of Exploration Geophysicists, Annual Meeting, October 25-29, p. 548-549.
448. Watson, Kenneth, 1993, Image processing using the two dimensional Fast Fourier Transform--noise reduction and other applications: Geophysics, v. 58, no. 6, p. 835-852.
449. Wentworth, C.M., Jachens, R.C., Simpson, R.W., and Michael, A.J., 1992, Structure of the Parkfield region, CA, from geology and geophysics compiled in a Geographic Information System: Transactions American Geophysical Union v. 73, p. 396.
450. Wise, R.A., Bisdorf, R.J., and Labson, V.F., 1991, VLF resistivity mapping for regional hydrological studies: Geological Society of America Abstracts with Programs, v. 123, no. 5, p. 124.
451. Wojniak, W.S., and Hoover, D.B., 1991, The Getchell gold trend, northwestern Nevada--Geologic structures delineated by further processing of electromagnetic data collected during a helicopter survey, in V.E. McKelvey Forum on Mineral and Energy Resources, 7th Annual Meeting, Reno Nevada: U.S. Geological Survey Circular 1062, p. 77.
452. Zohdy, A.A.R., and Bisdorf, R.J., 1991, Ground-water exploration with deep resistivity soundings at Edwards AFB and vicinity, California: Geological Society of America Abstracts with Programs, p. A123-A124.

- 453. Zohdy, A.A.R., and Bisdorf, R.J., 1991, Ground-water exploration using deep Schlumberger soundings at Edwards Air Force Base, California, Part II-- Rogers Lake and North of Edwards Air Force Base: U.S. Geological Survey Open-File Report 91-446, 109 p., 9 maps.
- 454. Zohdy, A.A.R., Bisdorf, R.J., and Dixon, G.L., 1992, Geoelectrical exploration for ground water in northwest Las Vegas and vicinity, Nevada: U.S. Geological Survey Open-File Report 92-264, 111 p.
- 455. Zohdy, A.A.R., 1993, Program Kolor-Map & Section Amiga version 1.0: U.S. Geological Survey Open-File Report 93-13, 85 p. + disk.
- 456. Zohdy, A.A.R., 1993, Program Kolor-Map & Section Amiga version 2.0: U.S. Geological Survey Open-File Report 93-585, 113 p. + disk.
- 457. Zohdy, A.A.R., and Bisdorf, R.J., 1993, A direct current resistivity survey near Mineral Hot Springs, San Luis Valley, Colorado: U.S. Geological Survey Open-File Report 93-282, 61 p.
- 458. Zohdy, A.A.R., Martin, Peter, and Bisdorf, R.J., 1993, A study of seawater intrusion using direct-current soundings in the southeastern part of the Oxnard plain, California: U.S. Geological Survey Open-File Report 93-524, 139 p.
- 459. Zorin, Yu.A., and Cordell, Lindrith, 1991, Crustal extension in the Baikal rift zone: Tectonophysics, v. 198, p. 117-121. [an excerpted English translation]

SUPPLEMENTAL

1. Calzia, J.P., Blakely, R.J., and Jachens, R.C., 1991, Miocene magmatism and extension in Ibex Pass, southern Death Valley, California: EOS, v. 72, p. 460.
2. Halvorson, P.F., Griscom, Andrew, Jachens, R.C., and Blakely, R.J., 1993, Regional setting of the McLaughlin gold mine and Wilbur Springs district interpreted from magnetic and gravity data: International Mining, Northwest Mining Association, 99th Convention, Spokane, Washington, 1993, Abstract Booklet, p. 3.
3. Jachens, R.C., 1993, Aeromagnetic map of the Borrego Valley 1:100,000 scale quadrangle, California: U.S. Geological Survey Open-File Report 93-283.
4. Jachens, R.C., and Roberts, C.W., 1993, Aeromagnetic map of the Palo Alto 1:100,000 quadrangle, California: U.S. Geological Survey Open-File Report 93-688.
5. Jachens, R.C., and Roberts, C.W., 1993, San Francisco Bay area magnetic field: U.S. Geological Survey Geophysical Investigations map GP-1007, scale 1:300,000 (on satellite image), with interpretive text, 16 p.
6. Jachens, R.C., Simpson, R.W., Blakely, R.J., and Saltus, R.W., 1993, Isostatic residual gravity map of part of the conterminous United States and some adjacent parts of Canada (overprinted with the geology of Precambrian rocks), plate 4, in Reed, J.C., ed., Precambrian--Conterminous U.S.: Geology of North America, v. C-2, Geological Society of America, Boulder, CO, scale 1:500,000.
7. Jachens, R.C., Snyder, S.L., and Roberts, C.W., 1993, Aeromagnetic map of the Victorville 1:100,000 scale quadrangle, California: U.S. Geological Survey Open-File Report 93-315.
8. Oliver, H.W., and Fox, K.F., 1993, Structure of Crater Flat and Yucca Mountain, southeastern Nevada, as inferred from gravity data: American Nuclear Society Proceedings of the Fourth Annual International Conference on High Level Waste Management, v. 2, p. 1812-1817.
9. Oliver, H.W., Moore, J.G. and Sikora, R.F., Internal structure of Sierra Nevada batholith based on specific gravity measurements: Geophysical Research Letters, v. 20, no. 20, p. 2179-2182.
10. Roberts, C.W., and Jachens, R.C., 1993, Aeromagnetic map of the San Jose 1:100,000 scale quadrangle, California: U.S. Geological Survey Open-File Report 93-277.
11. Roberts, C.W., and Jachens, R.C., 1993, San Francisco Bay area gravity field: U.S. Geological Survey Geophysical Investigations Map GP-1006, scale 1:300,000 (on satellite image) with interpretive text, 11 p.

12. Sawlan, M.G., Ashley, R.P., Roberts, C.W., and Smith, B.D., 1993, Regional and topical studies of potential gold deposits in northeastern California with specific reference to Indian lands, in Manydeeds, S.A., ed., 1993 Mineral frontiers on Indian lands: U.S. Bureau of Indian Affairs, Division of Energy and Mineral Resources, General Publication G-94-1, p. 61-81.
13. Ward, A.W., Dixon, G.L., and Jachens, R.C., 1993, Geologic setting of the east Antelope basin, with emphasis on fissuring on Rogers Lake, Edwards AFB, Mojave Desert, California (abs.): U.S. Geological Survey Open-File Report 93-263, 8 p.