


FC16.7

1966  
1967  
1968

FC16.7

# Water Resources Data for California

## Part 3. Ground Water Records



22. 228

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Prepared in cooperation with the California Department  
of Water Resources and with other agencies



*Recd Nov. 1970*

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY  
Water Resources Division

---

WATER RESOURCES DATA FOR CALIFORNIA, 1966-68

Part 3: Ground-Water Records

---

Prepared in cooperation with the  
California Department of Water Resources  
and with other agencies

Menlo Park, California  
1970

Water-resources records for California are contained in the following reports of the U.S. Geological Survey:

1. Water Resources Data for California  
Part 1: Surface Water Records  
Volume 1: Colorado River Basin, Southern Great Basin, and Pacific Slope Basins excluding Central Valley
2. Water Resources Data for California  
Part 1: Surface Water Records  
Volume 2: Northern Great Basin and Central Valley
3. Water Resources Data for California  
Part 2: Water Quality Records
4. Water Resources Data for California  
Part 3: Ground-Water Records

Copies of these reports may be obtained from  
District Chief, Water Resources Division  
U.S. Geological Survey  
855 Oak Grove Avenue  
Menlo Park, California 94025



Prepared in cooperation with

California Department of Water Resources  
Santa Barbara County Water Agency  
Antelope Valley-East Kern Water Agency  
National Park Service, U.S. Department of the Interior  
U.S. Air Force  
U.S. Army Corps of Engineers  
U.S. Navy

Water-level records contributed by

East Bay Municipal Utility District  
City of Oceanside  
Orange County Flood Control District  
Riverside County Flood Control and Water Conservation District  
San Bernardino County Flood Control District  
San Bernardino Valley Water Conservation District  
Santa Maria Valley Water Conservation District



## CONTENTS

---

	Page
Introduction-----	1
The well-numbering system-----	3
Ground-water level in observation wells-----	4
References-----	261
Water levels-----	261
Well data-----	261
Index-----	267
Counties-----	267
Ground-water areas or basins-----	269

## ILLUSTRATIONS

---

	Page
Figures 1-2. Maps showing--	
1. Location of observation wells in California, 1966-68-----	2
2. Areas for which well data are available-----	260



## WATER RESOURCES DATA FOR CALIFORNIA, 1966-68

### Part 3. Ground-Water Records

---

#### INTRODUCTION

Ground-water records for wells in California in which periodic measurements of water level have been made during the years 1966-68 are given in this report. The records were collected and processed by the U.S. Geological Survey, Water Resources Division, under the overall supervision of R. Stanley Lord, district chief in charge of water-resources investigations in California.

Beginning with this report, water-level data will be released in the annual Geological Survey series "Water Resources Data for California." Prior records of water level and many additional well data are contained in the reports listed in the References section of this report. (page 261)

The observation-well program in California is carried on principally in cooperation with the several agencies listed on page III. In addition, several other agencies, also listed on page III, have provided data and their cooperation is gratefully acknowledged. Figure 1 shows, insofar as the map scale permits, the location of observation wells for which data are included in this report.

The water-level records are arranged alphabetically by county, and for each county by valley or ground-water basin. Thus, each group of data pertains to a distinct ground-water area, as indicated by subheadings in the report. Under each subhead, the records are arranged numerically by well number.





FIGURE 1.--Location of observation wells in California, 1966-68.

## THE WELL-NUMBERING SYSTEM

Wells and springs in California are assigned numbers according to their location in the rectangular system for the subdivision of public land. For example, in the number 11S/17E-22A1 M, assigned to a well about a mile west of Madera, the part of the number preceding the slash indicates the township (T. 11 S.) and the number between the slash and hyphen indicates the range (R. 17 E.); the digits following the hyphen indicate the section (sec. 22); the letter following the section number indicates the 40-acre subdivision of the section, as shown in the diagram below. Within each 40-acre tract, the wells are numbered serially, as indicated by the final digit. The final letter, separated from the rest of the number by a space, indicates the base line and meridian. Base-line and meridian designations are as follows: H, Humboldt; M, Mount Diablo; S, San Bernardino.



## GROUND-WATER LEVEL IN OBSERVATION WELLS

Depths of wells given in whole feet were reported by owners, drillers, or others; depths given in feet and tenths were measured below land-surface datum (LSD) by the U.S. Geological Survey. Altitude of land-surface datum is in feet above mean sea level (MSL). Water-level measurements are in feet below or above (+) land-surface datum.

Standardized Symbols

- |  |   |
|--|---|
| A. Well being pumped.  | J. Water level below sea level.             |
| B. Well pumped recently.   | K. Measurement from recorder chart.         |
| C. Nearby well being pumped.   | M. Obstruction in well above water surface. |
| D. Nearby well pumped recently.  | N. No measurement.                          |
| E. Estimated.  | O. Discontinued.                            |
| F. Dry.  | P. Destroyed.                               |
| G. Measurement by outside agency or person.  | Q. Flowing.                                 |
| H. Tape measurement.   |   |
| I. Affected by outside influence (wind, atmospheric pressure, ocean tides, railroad trains). |   |

## DEL NORTE COUNTY

## Smith River Plain

16N/1W-2J1 H. E. C. JOHNSON. ABOUT 3.5 MILES NORTHEAST OF CRESCENT CITY ON HIGHWAY 199. DRILLED DOMESTIC WELL IN ALLUVIAL-FAN DEPOSIT, DIAMETER 6 INCHES. DEPTH 36 FT., LSD 127 FT. ABOVE MSL. MEASUREMENTS AFTER MARCH 28, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. HIGHEST WATER LEVEL 15.58 FT BELOW LSD, MAR. 28, 1966. LOWEST STATIC WATER LEVEL 25.40 FT BELOW LSD, OCT. 4, 1967. RECORDS AVAILABLE: 1953-55, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	16.08	MAR. 28, 1966	15.58	APR. 12, 1967	18.7	APR. 10, 1968	17.0
FEB. 16	15.93	OCT. 4	23.4	OCT. 4	25.4		

16N/1W-17K1 H. D. BERGQUIST. ABOUT 1.5 MILES NORTH OF CRESCENT CITY. DRILLED DOMESTIC WATER-TABLE WELL IN BATTERY FORMATION OF PLEISTOCENE AGE, DIAMETER 6 INCHES. DEPTH 40 FT., LSD 48 FT. ABOVE MSL. MEASUREMENTS AFTER MARCH 28, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. HIGHEST WATER LEVEL 10.23 FT BELOW LSD, MAR. 25, 1966. LOWEST STATIC WATER LEVEL 22.20 FT BELOW LSD, OCT. 4, 1966. RECORDS AVAILABLE: 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	13.54	MAR. 25, 1966	10.23	APR. 12, 1967	14.7	APR. 10, 1968	15.7
FEB. 16	12.49	OCT. 4	22.2	OCT. 4	21.5		



## HUMBOLDT COUNTY

5

17N/1W-2P1 H. HOMER MARTIN. ABOUT 1.6 MILES NORTH OF FORT DICK. DRILLED DOMESTIC WATER-TABLE WELL IN FLOOD PLAIN DEPOSITS; DIAMETER 8 INCHES. DEPTH 25.6 FT., LSD 31 FT. ABOVE MSL. MEASUREMENTS AFTER MARCH 28, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. HIGHEST WATER LEVEL 15.83 FT BELOW LSD, JAN. 20, 1966. LOWEST STATIC WATER LEVEL 22.20 FT BELOW LSD, OCT. 4, 1966. RECORDS AVAILABLE: 1952, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	15.83	MAR. 28, 1966	15.93	OCT. 4, 1967	22.1	APR. 10, 1968	18.2
FEB. 16	16.49	OCT. 4	22.2				

18N/1W-26P1 H. MERLIN GOODLIN. ABOUT 0.75 MILE SOUTH OF SMITH RIVER. DRILLED DOMESTIC, STOCK AND IRRIGATION WATER-TABLE WELL IN TERRACE DEPOSITS OF QUATERNARY AGE, DIAMETER 12 INCHES. DEPTH 28 FT., LSD 38 FT. ABOVE MSL. MEASUREMENTS AFTER MARCH 28, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. HIGHEST WATER LEVEL 12.70 FT BELOW LSD, APR. 10, 1968. LOWEST STATIC WATER LEVEL 16.94 FT BELOW LSD, FEB. 16, 1966. RECORDS AVAILABLE: 1952-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	15.64	MAR. 28, 1966	16.32	APR. 12, 1967	13.4	APR. 10, 1968	12.7
FEB. 16	16.94	OCT. 4	16.9	OCT. 4	16.2		

## FRESNO COUNTY

San Joaquin Valley (See p. 31)

## HUMBOLDT COUNTY

## Eureka-Fortuna Area

3N/1W-18D1 H. ORLEN CHRISTENSEN. ABOUT 0.25 MILE NORTHWEST OF LOLETA IN THE EEL RIVER VALLEY. DUG DOMESTIC AND STOCK WELL IN ALLUVIUM AND HOOKTON FORMATION, DIAMETER 6 FEET. DEPTH 24 FT., LSD 24 FT. ABOVE MSL. MEASUREMENTS AFTER MAY 6, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. HIGHEST WATER LEVEL 0.50 FT BELOW LSD, APR. 11, 1967. LOWEST STATIC WATER LEVEL 3.22 FT BELOW LSD, JAN. 20, 1966. RECORDS AVAILABLE: 1951-55, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	3.22	MAR. 29, 1966	1.82	OCT. 5, 1966	2.5	OCT. 3, 1967	2.5
FEB. 16	2.58	MAY 6	1.56	APR. 11, 1967	0.5	APR. 10, 1968	2.6

3N/1W-34J1 H. CITY OF FORTUNA. IN THE SOUTHWEST CORNER OF THE CITY OF FORTUNA IN THE EEL RIVER VALLEY. DRILLED UNUSED ARTESIAN WELL IN CARLOTTA FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 12 INCHES. DEPTH 496 FT., LSD 60 FT. ABOVE MSL. MEASUREMENTS AFTER MAY 6, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. HIGHEST WATER LEVEL 28.00 FT BELOW LSD, APR. 11, 1967. LOWEST STATIC WATER LEVEL 35.00 FT BELOW LSD, OCT. 3, 1967. RECORDS AVAILABLE: 1951-53, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	31.32	MAR. 29, 1966	30.91	OCT. 5, 1966	34.5	OCT. 3, 1967	35.0
FEB. 16	31.21	MAY 6	31.67	APR. 11, 1967	28.0	APR. 10, 1968	32.3

## GROUND-WATER RECORDS, 1966-68

3N/2W-26R1 H. WINFRED GOBLE. ABOUT 4.5 MILES WEST OF FORTUNA IN THE EEL RIVER VALLEY. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAMETER 14 INCHES. DEPTH 29.6 FT., LSD 20 FT. ABOVE MSL. MEASUREMENTS AFTER MAY 6, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.

HIGHEST WATER LEVEL 3.34 FT BELOW LSD, JAN. 20, 1966.

LOWEST STATIC WATER LEVEL 10.70 FT BELOW LSD, OCT. 5, 1966.

RECORDS AVAILABLE: 1951-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	3.34	MAR. 29, 1966	3.74	OCT. 5, 1966	10.7	OCT. 3, 1967	10.3
FEB. 16	3.64	MAY 6	5.71	APR. 11, 1967	4.0	APR. 10, 1968	6.6

6N/1E-6H1 H. HOUSE OF BLAIR, FORMERLY WASHINGTON SCHOOL. ABOUT 1 MILE SOUTH OF MCKINLEYVILLE IN THE MAD RIVER VALLEY. DRILLED DOMESTIC WELL IN HOOKTON FORMATION, DIAMETER 16 INCHES. DEPTH 27.4 FT., LSD 151 FT. ABOVE MSL. MEASUREMENTS AFTER MAY 6, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.

HIGHEST WATER LEVEL 1.99 FT BELOW LSD, MAR. 29, 1966.

LOWEST STATIC WATER LEVEL 14.70 FT BELOW LSD, OCT. 5, 1966.

RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	2.86	MAR. 29, 1966	1.99	APR. 12, 1967	7.6	APR. 10, 1968	3.5
FEB. 16	2.58	OCT. 5	14.7	OCT. 3	12.5		

6N/1E-29P1 H. GOLDEN STATE CO., LTD. IN ARCATA IN THE MAD RIVER VALLEY. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAMETER 24 INCHES. DEPTH 46.1 FT., LSD 25 FT. ABOVE MSL. MEASUREMENTS AFTER MAY 6, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.

HIGHEST WATER LEVEL 4.50 FT BELOW LSD, APR. 12, 1967.

LOWEST STATIC WATER LEVEL 12.56 FT BELOW LSD, JAN. 20, 1966.

RECORDS AVAILABLE: 1951-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	12.56	MAR. 29, 1966	6.86	APR. 12, 1967	4.5	APR. 10, 1968	6.8
FEB. 16	7.72	OCT. 5	11.0	OCT. 3	9.1		

## IMPERIAL COUNTY

## Borrego Valley Area (See p. 155)

## INYO COUNTY

## Death Valley

27N/1E-24E1 S. U.S. DEPARTMENT OF THE INTERIOR, NATIONAL PARK SERVICE (TEST WELL). ABOUT 1 1/4 MILES EAST OF FURNACE CREEK INN. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 250 FT., LSD 490 FT. ABOVE MSL.

HIGHEST WATER LEVEL 75.22 FT BELOW LSD, JAN. 6, 1966, JAN. 12, 1968.

LOWEST STATIC WATER LEVEL 75.30 FT BELOW LSD, JAN. 11, 1967.

RECORDS AVAILABLE: 1958-59, 1962, 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 6, 1966	75.22	JAN. 11, 1967	75.30	JAN. 12, 1968	75.22		

## Indian Wells Valley (See p. 9)

## KERN COUNTY

## Antelope Valley (See p. 61)

## Fremont Valley

11N/11W-8D1 S. ZEPHA THORNING. ABOUT 5 1/2 MILES EAST OF MOJAVE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 12 INCHES. DEPTH 204.0 FT PRIOR TO OCTOBER 21, 1955, 275.0 FT THEREAFTER. LSD 2,624.5 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 198.83 FT BELOW LSD, MAR. 8, 1966.  
 LOWEST STATIC WATER LEVEL 199.44 FT BELOW LSD, OCT. 10, 1967, OCT. 10, 1967.  
 RECORDS AVAILABLE: 1918, 1929-30, 1952, 1954-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	198.83	MAR. 23, 1967	199.05	MAR. 23, 1967	199.05	OCT. 10, 1967	199.440
OCT. 17	199.09	OCT. 10	199.44				

11N/12W-26J1 S. MONOLITH PORTLAND CEMENT CO. ABOUT 4 MILES SOUTHEAST OF MOJAVE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 225.0 FT., LSD 2,594.6 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 192.60 FT BELOW LSD, MAR. 8, 1966.  
 LOWEST STATIC WATER LEVEL 202.60 FT BELOW LSD, MAR. 23, 1967, MAR. 23, 1967.  
 RECORDS AVAILABLE: 1918, 1929-30, 1952, 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	192.60C	MAR. 23, 1967	202.60	MAR. 23, 1967	202.60	MAR. 21, 1968	203.68C
OCT. 17	194.87	OCT. 10	193.30	OCT. 10	193.30	OCT. 31	206.30C

29S/39E-28H1 M. OWNER UNKNOWN. ABOUT 1.4 MILES SOUTH OF GARLOCK. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 205.7 FT ON APRIL 30, 1953 AND 180.6 FT ON OCTOBER 17, 1966. LSD 2,100 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 176.32 FT BELOW LSD, MAR. 20, 1968.  
 LOWEST STATIC WATER LEVEL 181.48 FT BELOW LSD, OCT. 11, 1967.  
 RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	180	APR. 12, 1967	176.54	OCT. 11, 1967	181.48	MAR. 20, 1968	176.320
OCT. 17	176.79						

30S/37E-24J1 M. EARL BROWN. ABOUT 1 MILE EAST OF CANTIL. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 107.9 FT., LSD 1,975 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 47.22 FT BELOW LSD, MAR. 9, 1966.  
 LOWEST STATIC WATER LEVEL 57.53 FT BELOW LSD, OCT. 31, 1968.  
 RECORDS AVAILABLE: 1956, 1958, 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	47.22	APR. 12, 1967	51.46	MAR. 20, 1968	53.16	OCT. 31, 1968	57.53
OCT. 17	52.47	OCT. 11	54.95				

30S/37E-36G1 M. M. AND R. CANTIL RANCH. ABOUT 2 MILES SOUTH OF CANTIL. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 938 FT., LSD 1,981.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 52.81 FT BELOW LSD, MAR. 9, 1966.  
 LOWEST STATIC WATER LEVEL 59.90 FT BELOW LSD, OCT. 17, 1966.  
 RECORDS AVAILABLE: 1917, 1929, 1953, 1958, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	52.81	APR. 12, 1967	59.31	MAR. 20, 1968	60.49C	OCT. 31, 1968	66.84C
OCT. 17	59.90	OCT. 11	65.32C				

## 8 GROUND-WATER RECORDS, 1966-68

30S/39E-8A1 M. OWNER UNKNOWN. ABOUT 3 MILES EAST OF KOEHN LAKE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 12 INCHES. DEPTH 268.3 FT., LSD 2,050 FT. ABOVE MSL. HIGHEST WATER LEVEL 140.12 FT BELOW LSD, MAR. 9, 1966, OCT. 17, 1966. LOWEST STATIC WATER LEVEL 142.82 FT BELOW LSD, APR. 12, 1967. RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	140.12	APR. 12, 1967	142.82	OCT. 11, 1967	140.96	MAR. 20, 1968	140.14
OCT. 17	140.12						

31S/37E-8C1 M. M. AND R. CONKLIN RANCH. ABOUT 0.6 MILE SOUTH OF CINCO. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 650 FT., LSD 2,190 FT. ABOVE MSL. HIGHEST WATER LEVEL 183.27 FT BELOW LSD, MAR. 9, 1966. LOWEST STATIC WATER LEVEL 190.20 FT BELOW LSD, OCT. 31, 1968. RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	183.27	APR. 12, 1967	187.98	MAR. 20, 1968	189.40	OCT. 31, 1968	190.20
OCT. 17	187.12	OCT. 10	188.64	APR. 2	189.36		

31S/37E-13A1 M. LEWIS RYAN. ABOUT 5 MILES SOUTH OF CANTIL. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 400 FT., LSD 2,135 FT. ABOVE MSL. HIGHEST WATER LEVEL 248.86 FT BELOW LSD, MAR. 9, 1966. LOWEST STATIC WATER LEVEL 265.22 FT BELOW LSD, APR. 12, 1967. RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	248.86	APR. 12, 1967	265.22	MAR. 21, 1968	F	OCT. 31, 1968	F
OCT. 17	260.30	OCT. 11	M				

31S/37E-35N1 M. M. AND R. CONKLIN RANCH, FORMERLY JESS GOFORTH. ABOUT 4 MILES NORTH OF CALIFORNIA CITY. DRILLED UNUSED WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 16 INCHES. DEPTH 439 FT., LSD 2,320 FT. ABOVE MSL. HIGHEST WATER LEVEL 244.09 FT BELOW LSD, MAR. 9, 1966. LOWEST STATIC WATER LEVEL 249.30 FT BELOW LSD, OCT. 31, 1968. RECORDS AVAILABLE: 1953, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	244.09	JAN. 4, 1967	247.00	OCT. 11, 1967	248.12	OCT. 31, 1968	249.30
OCT. 17	246.37	APR. 12	247.33	MAR. 21, 1968	248.17		

32S/36E-35D1 M. OWNER UNKNOWN. ABOUT 6 MILES NORTHEAST OF MOJAVE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 14 INCHES. PERFORATED 340-360, 395-411, 425-466, 482-494, 522-530, 542-550, 563-570, 577-606, 611-630, AND 717-725 FEET. DEPTH 800.0 FT., LSD 2,692.0 FT. ABOVE MSL. HIGHEST WATER LEVEL 266.14 FT BELOW LSD, MAR. 8, 1966. LOWEST STATIC WATER LEVEL 267.36 FT BELOW LSD, OCT. 31, 1968. RECORDS AVAILABLE: 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	266.14	MAR. 23, 1967	266.39	MAR. 21, 1968	266.95	OCT. 31, 1968	267.36
OCT. 17	266.53	OCT. 10	266.85				

32S/37E-11N1 M. M. AND R. CONKLIN RANCH. ABOUT 2 MILES NORTH OF CALIFORNIA CITY. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 600 FT., LSD 2,375 FT. ABOVE MSL. HIGHEST WATER LEVEL 279.32 FT BELOW LSD, MAR. 9, 1966. LOWEST STATIC WATER LEVEL 280.27 FT BELOW LSD, OCT. 31, 1968. RECORDS AVAILABLE: 1953, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	279.32	JAN. 4, 1967	279.48	OCT. 11, 1967	279.70	OCT. 31, 1968	280.27
OCT. 17	279.66	APR. 12	279.48	MAR. 21, 1968	279.86		

32S/37E-22N1 M. CALIFORNIA CITY COMMUNITY SERVICE DISTRICT, FORMERLY M. AND R. CONKLIN RANCH. ONE MILE WEST OF MANDIRURU RANCH. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH FT., LSD 2,460 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 355.43 FT BELOW LSD, MAR. 9, 1966.  
 LOWEST STATIC WATER LEVEL 359.72 FT BELOW LSD, OCT. 31, 1968.  
 RECORDS AVAILABLE: 1953, 1958-59, 1961-62, 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	355.43	OCT. 11, 1967	358.03	MAR. 21, 1968	357.63	OCT. 31, 1968	359.72
OCT. 17	358.43						

## Indian Wells Valley

24S/39E-33D2 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 1/2 MILES NORTHEAST OF BROWN. DUG AND DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 42 AND 12 INCHES. DEPTH 101.6 FT., LSD 2,263 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 68.50 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 68.50 FT BELOW LSD, OCT. 22, 1966.  
 RECORDS AVAILABLE: 1952-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	68.50	NOV. 15, 1967	N	NOV. 20, 1968	N		

24S/39E-33N1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 1/2 MILES NORTHEAST OF BROWN. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 10 INCHES. DEPTH 161.9 FT., LSD 2,254.5 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 60.19 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 60.50 FT BELOW LSD, NOV. 20, 1968.  
 RECORDS AVAILABLE: 1920, 1946, 1952-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	60.19	NOV. 15, 1967	N	NOV. 20, 1968	60.50		

24S/40E-32H1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 10 1/2 MILES NORTH OF CHINA LAKE. DRILLED UNUSED WELL IN PLAYA DEPOSITS, DIAMETER 6 INCHES. DEPTH 111.5 FT., LSD 2,178.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 4.87 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 5.06 FT BELOW LSD, NOV. 16, 1967.  
 RECORDS AVAILABLE: 1953-54, 1959, 1961-62, 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	4.87	NOV. 16, 1967	5.06	NOV. 20, 1968	N		

24S/40E-33E1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 10 1/2 MILES EAST OF BROWN. DRILLED OBSERVATION WELL IN PLAYA DEPOSITS, DIAMETER 1 1/4 INCHES. DEPTH 160.8 FT., LSD 2,178.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 1.01 FT ABOVE LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 0.78 FT ABOVE LSD, NOV. 16, 1967.  
 RECORDS AVAILABLE: 1953-54, 1959, 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966 +	1.01	NOV. 16, 1967 +	0.78	NOV. 20, 1968	N		

## GROUND-WATER RECORDS, 1966-68

24S/40E-33N1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 10 MILES NORTH OF CHINA LAKE. DRILLED UNUSED WELL IN PLAYA DEPOSITS, DIAMETER 4 INCHES. DEPTH 15.9 FT., LSD 2,175.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 3.98 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 4.27 FT BELOW LSD, NOV. 16, 1967.  
 RECORDS AVAILABLE: 1953-54, 1959, 1962, 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	3.98	NOV. 16, 1967	4.27	NOV. 20, 1968	N		

24S/40E-34E1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 10 1/2 MILES NORTH OF CHINA LAKE. AUGERED OBSERVATION WELL IN PLAYA DEPOSITS, DIAMETER 1 1/4 INCHES. DEPTH 23.0 FT., LSD 2,176.7 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 4.40 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 4.47 FT BELOW LSD, NOV. 16, 1967.  
 RECORDS AVAILABLE: 1953-54, 1959, 1961-63, 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	4.40	NOV. 16, 1967	4.47	NOV. 20, 1968	N		

24S/40E-36M1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 10 MILES NORTH OF CHINA LAKE. DRILLED UNUSED WELL IN PLAYA DEPOSITS, DIAMETER 10 INCHES. DEPTH 7.5 FT., LSD 2,174.4 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 4.08 FT BELOW LSD, NOV. 15, 1967.  
 LOWEST STATIC WATER LEVEL 4.19 FT BELOW LSD, OCT. 22, 1966.  
 RECORDS AVAILABLE: 1953-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	4.19	NOV. 15, 1967	4.08	NOV. 20, 1968	N		

25S/38E-11K1 M. E. STANDARD. AT BROWN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH FT., LSD 2,400 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 195.80 FT BELOW LSD, OCT. 21, 1966.  
 LOWEST STATIC WATER LEVEL 196.33 FT BELOW LSD, NOV. 19, 1968.  
 RECORDS AVAILABLE: 1952-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	195.80	NOV. 17, 1967	196.18	NOV. 19, 1968	196.33		

25S/38E-13D1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT HALF A MILE SOUTHEAST OF BROWN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 216.0 FT., LSD 2,351.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 148.70 FT BELOW LSD, OCT. 21, 1966.  
 LOWEST STATIC WATER LEVEL 149.20 FT BELOW LSD, NOV. 19, 1968.  
 RECORDS AVAILABLE: 1946, 1953-55, 1959, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	148.70	NOV. 17, 1967	148.98	NOV. 19, 1968	149.20		

25S/38E-13K1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 1 MILE SOUTHEAST OF BROWN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 139.7 FT., LSD 2,316.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 114.34 FT BELOW LSD, OCT. 21, 1966.  
 LOWEST STATIC WATER LEVEL 114.87 FT BELOW LSD, NOV. 19, 1968.  
 RECORDS AVAILABLE: 1946, 1953-54, 1959, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	114.34	NOV. 17, 1967	114.59	NOV. 19, 1968	114.87		

25S/38E-23G1 M. M. P. SAULTER. ABOUT 1 1/2 MILES SOUTH OF BROWN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 259.0 FT., LSD 2,412.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 207.75 FT BELOW LSD, OCT. 21, 1966.  
 LOWEST STATIC WATER LEVEL 208.25 FT BELOW LSD, NOV. 17, 1967.  
 RECORDS AVAILABLE: 1921, 1946, 1953-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	207.75	NOV. 17, 1967	208.25	NOV. 19, 1968	208.57A		

25S/38E-24C1 M. MC MILLAN. ABOUT 1 1/2 MILES SOUTH OF BROWN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 135.0 FT., LSD 2,329.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 126.27 FT BELOW LSD, OCT. 21, 1966.  
 LOWEST STATIC WATER LEVEL 127.47 FT BELOW LSD, NOV. 19, 1968.  
 RECORDS AVAILABLE: 1921, 1946, 1953-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	126.27	NOV. 17, 1967	127.12	NOV. 19, 1968	127.47		

25S/38E-25L1 M. SAULSBURG. ABOUT 3 MILES SOUTH OF BROWN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 222.2 FT., LSD 2,329.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 127.50 FT BELOW LSD, OCT. 21, 1966.  
 LOWEST STATIC WATER LEVEL 128.20 FT BELOW LSD, NOV. 19, 1968.  
 RECORDS AVAILABLE: 1952-59, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	127.50	NOV. 17, 1967	127.95	NOV. 19, 1968	128.20		

25S/38E-35B1 M. OWNER UNKNOWN. ABOUT 3 1/2 MILES SOUTH OF BROWN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 288.7 FT., LSD 2,402.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 191.51 FT BELOW LSD, OCT. 21, 1966.  
 LOWEST STATIC WATER LEVEL 192.27 FT BELOW LSD, NOV. 19, 1968.  
 RECORDS AVAILABLE: 1920, 1952-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	191.51	NOV. 17, 1967	191.90	NOV. 19, 1968	192.27		

25S/39E-2E1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 5 1/2 MILES EAST OF BROWN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 210.5 FT., LSD 2,227.4 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 37.98 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 40.47 FT BELOW LSD, NOV. 20, 1968.  
 RECORDS AVAILABLE: 1912, 1920-21, 1946, 1952-59, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	37.98	NOV. 16, 1967	38.05	NOV. 20, 1968	40.47		

25S/39E-4R1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 MILES EAST OF BROWN. DRILLED BASE SUPPLY WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 200 FT., LSD 2,252.6 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 57.73 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 59.16 FT BELOW LSD, NOV. 16, 1967.  
 RECORDS AVAILABLE: 1952-53, 1955-59, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	57.73	NOV. 16, 1967	59.16	NOV. 20, 1968	58.03		

## GROUND-WATER RECORDS, 1966-68

25S/39E-11N1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 5 1/2 MILES EAST OF BROWN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 107.0 FT., LSD 2,228.1 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 35.98 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 36.23 FT BELOW LSD, NOV. 20, 1968.  
 RECORDS AVAILABLE: 1921, 1946, 1953-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	35.98	NOV. 16, 1967	36.11	NOV. 20, 1968	36.23		

25S/39E-12R1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 7 MILES EAST OF BROWN. DRILLED BASE SUPPLY WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 180.5 FT., LSD 2,200.9 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 18.06 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 18.20 FT BELOW LSD, NOV. 21, 1968.  
 RECORDS AVAILABLE: 1912, 1921, 1953-59, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	18.06	NOV. 16, 1967	18.11	NOV. 21, 1968	18.20		

25S/39E-13E1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 6 1/2 MILES EAST OF BROWN. DUG AND DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 56 AND 12 INCHES. DEPTH 185.6 FT IN 1952 AND 175.8 FT IN 1968, LSD 2,209.9 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 23.13 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 24.25 FT BELOW LSD, NOV. 16, 1967.  
 RECORDS AVAILABLE: 1912, 1946, 1952-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	23.13	NOV. 16, 1967	24.25	NOV. 21, 1968	23.22		

25S/39E-17D1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 2 1/2 MILES EAST OF BROWN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 88.0 FT., LSD 2,271.1 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 72.35 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 76.90 FT BELOW LSD, NOV. 20, 1968.  
 RECORDS AVAILABLE: 1921, 1946, 1952-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	72.35	NOV. 16, 1967	N	NOV. 20, 1968	76.90		

25S/39E-17D2 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 2 1/2 MILES EAST OF BROWN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 80.8 FT., LSD 2,271.1 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 73.02 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 73.02 FT BELOW LSD, OCT. 22, 1966.  
 RECORDS AVAILABLE: 1946, 1952-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	73.02	NOV. 16, 1967	N	NOV. 21, 1968	0		

25S/39E-18D1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 1 1/2 MILES SOUTHEAST OF BROWN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 24 INCHES. DEPTH 108.9 FT., LSD 2,295.6 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 94.90 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 95.26 FT BELOW LSD, NOV. 20, 1968.  
 RECORDS AVAILABLE: 1912, 1946, 1952-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	94.90	NOV. 16, 1967	N	NOV. 20, 1968	95.26		



25S/39E-21D1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 3 1/2 MILES SOUTHEAST OF BROWN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 24 INCHES. DEPTH 46.7 FT., LSD 2,235.2 FT. ABOVE MSL. HIGHEST WATER LEVEL 38.83 FT BELOW LSD, NOV. 20, 1968. LOWEST STATIC WATER LEVEL 39.42 FT BELOW LSD, OCT. 22, 1966. RECORDS AVAILABLE: 1921, 1946, 1952-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	39.42	NOV. 16, 1967	N	NOV. 20, 1968	38.83		

25S/39E-21M2 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 MILES SOUTHEAST OF BROWN. DUG UNUSED WELL IN ALLUVIUM, DIAMETER 48 INCHES BY 48 INCHES. DEPTH 35 FT., LSD 2,230 FT. ABOVE MSL. HIGHEST WATER LEVEL 33.50 FT BELOW LSD, OCT. 22, 1966. LOWEST STATIC WATER LEVEL 33.50 FT BELOW LSD, OCT. 22, 1966. RECORDS AVAILABLE: 1959, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	33.5	NOV. 16, 1967	N	NOV. 20, 1968	N		

25S/39E-21P1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 1/2 MILES SOUTHEAST OF BROWN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 35.8 FT., LSD 2,226.9 FT. ABOVE MSL. HIGHEST WATER LEVEL 31.71 FT BELOW LSD, OCT. 22, 1966. LOWEST STATIC WATER LEVEL 31.71 FT BELOW LSD, OCT. 22, 1966. RECORDS AVAILABLE: 1920, 1952-54, 1959-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	31.71	NOV. 16, 1967	N	NOV. 20, 1968	F		

25S/39E-22J1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 5 1/2 MILES SOUTHEAST OF BROWN. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 12 INCHES. DEPTH 144.0 FT., LSD 2,215.4 FT. ABOVE MSL. HIGHEST WATER LEVEL 24.63 FT BELOW LSD, OCT. 22, 1966. LOWEST STATIC WATER LEVEL 24.95 FT BELOW LSD, NOV. 20, 1968. RECORDS AVAILABLE: 1946, 1953-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	24.63	NOV. 16, 1967	24.77	NOV. 20, 1968	24.95		

25S/39E-26H1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 7 MILES NORTHWEST OF CHINA LAKE. DRILLED BASE SUPPLY WELL IN DUNE SAND, DIAMETER 12 INCHES. DEPTH 186 FT., LSD 2,202.8 FT. ABOVE MSL. HIGHEST WATER LEVEL 15.75 FT BELOW LSD, OCT. 23, 1966. LOWEST STATIC WATER LEVEL 15.89 FT BELOW LSD, NOV. 20, 1968. RECORDS AVAILABLE: 1952-55, 1957, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	15.75	NOV. 15, 1967	15.87	NOV. 20, 1968	15.89		

25S/39E-26N1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 7 MILES NORTHWEST OF CHINA LAKE. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 14 INCHES. DEPTH FT., LSD 2,220.6 FT. ABOVE MSL. HIGHEST WATER LEVEL 29.29 FT BELOW LSD, OCT. 22, 1966. LOWEST STATIC WATER LEVEL 29.39 FT BELOW LSD, NOV. 15, 1967. RECORDS AVAILABLE: 1946, 1952-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	29.29	NOV. 15, 1967	29.39	NOV. 20, 1968	N		

## GROUND-WATER RECORDS, 1966-68

25S/39E-28P1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 5 1/2 MILES NORTHEAST OF INYOKERN.  
 DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 160.7 FT., LSD 2,228.9 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 32.59 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 32.76 FT BELOW LSD, NOV. 16, 1967.  
 RECORDS AVAILABLE: 1921, 1946, 1952-59, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	32.59	NOV. 16, 1967	32.76	NOV. 20, 1968	N		

25S/39E-28R1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 5 1/2 MILES NORTHEAST OF INYOKERN.  
 DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 122.4 FT., LSD 2,221.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 33.01 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 33.22 FT BELOW LSD, NOV. 16, 1967.  
 RECORDS AVAILABLE: 1912, 1920, 1952-54, 1957, 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	33.01	NOV. 16, 1967	33.22	NOV. 20, 1968	N		

25S/39E-29M1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 5 1/2 MILES NORTH OF INYOKERN. DRILLED  
 UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 140.7 FT., LSD 2,232.1 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 32.73 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 33.17 FT BELOW LSD, NOV. 20, 1968.  
 RECORDS AVAILABLE: 1912, 1953-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	32.73	NOV. 16, 1967	32.91	NOV. 20, 1968	33.17		

25S/39E-31E1 M. R. F. OLSON, FORMERLY O. HARDY. ABOUT 5 MILES NORTH OF INYOKERN. DRILLED  
 UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 164 FT., LSD 2,283.7 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 78.88 FT BELOW LSD, NOV. 17, 1967.  
 LOWEST STATIC WATER LEVEL 80.20 FT BELOW LSD, NOV. 18, 1968.  
 RECORDS AVAILABLE: 1946, 1952-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	79.42	NOV. 17, 1967	78.88	NOV. 18, 1968	80.20		

25S/39E-35N1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 5 1/2 MILES NORTHEAST OF INYOKERN.  
 DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 152.0 FT., LSD 2,253.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 59.16 FT BELOW LSD, NOV. 15, 1967.  
 LOWEST STATIC WATER LEVEL 60.43 FT BELOW LSD, NOV. 20, 1968.  
 RECORDS AVAILABLE: 1921, 1952-59, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	59.59	NOV. 15, 1967	59.16	NOV. 20, 1968	60.43		

25S/40E-3N1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 9 MILES NORTH OF CHINA LAKE. DRILLED  
 UNUSED WELL IN SAND AND INTERDUNE PLAYA DEPOSITS, DIAMETER 10 INCHES. DEPTH 7.3 FT., LSD 2,177.4  
 FT. ABOVE MSL.

HIGHEST WATER LEVEL 3.60 FT BELOW LSD, NOV. 16, 1967.  
 LOWEST STATIC WATER LEVEL 3.95 FT BELOW LSD, OCT. 22, 1966.  
 RECORDS AVAILABLE: 1953-54, 1959, 1961-62, 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	3.95	NOV. 16, 1967	3.60	NOV. 20, 1968	N		

25S/40E-8A1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 9 MILES NORTH OF CHINA LAKE. DRILLED OBSERVATION WELL IN SAND AND INTERDUNE PLAYA DEPOSITS, DIAMETER 1 1/4 INCHES. DEPTH 17.4 FT., LSD 2,183.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 7.45 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 7.60 FT BELOW LSD, NOV. 16, 1967.  
 RECORDS AVAILABLE: 1953-54, 1959, 1961, 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	7.45	NOV. 16, 1967	7.60	NOV. 20, 1968	N		

25S/40E-11K1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 8 1/2 MILES NORTH OF CHINA LAKE. DRILLED UNUSED WELL IN SAND AND INTERDUNE PLAYA DEPOSITS, DIAMETER 1 1/4 INCHES. DEPTH 62.3 FT., LSD 2,166.4 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 2.86 FT ABOVE LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 1.53 FT ABOVE LSD, NOV. 21, 1968.  
 RECORDS AVAILABLE: 1952-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966 +	2.86	NOV. 16, 1967 +	2.71	NOV. 21, 1968 +	1.53		

25S/40E-14H1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 7 1/2 MILES NORTH OF CHINA LAKE. DRILLED UNUSED WELL IN PLAYA DEPOSITS, DIAMETER 4 INCHES. DEPTH 6.5 FT., LSD 2,160.5 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 3.15 FT BELOW LSD, NOV. 21, 1968.  
 LOWEST STATIC WATER LEVEL 3.83 FT BELOW LSD, NOV. 16, 1967.  
 RECORDS AVAILABLE: 1952-54, 1959, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	3.68	NOV. 16, 1967	3.83	NOV. 21, 1968	3.15		

25S/40E-18R1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 7 1/2 MILES NORTHWEST OF CHINA LAKE. DRILLED UNUSED WELL IN SAND AND INTERDUNE PLAYA DEPOSITS, DIAMETER 10 INCHES. DEPTH 31.3 FT., LSD 2,183 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 3.29 FT BELOW LSD, NOV. 16, 1967.  
 LOWEST STATIC WATER LEVEL 3.39 FT BELOW LSD, OCT. 22, 1966.  
 RECORDS AVAILABLE: 1952-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	3.39	NOV. 16, 1967	3.29	NOV. 21, 1968	3.30		

25S/40E-19L1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 7 MILES NORTHWEST OF CHINA LAKE. DRILLED UNUSED WELL IN SAND AND INTERDUNE PLAYA DEPOSITS, DIAMETER 10 INCHES. DEPTH 10.7 FT., LSD 2,188.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 9.28 FT BELOW LSD, NOV. 16, 1967.  
 LOWEST STATIC WATER LEVEL 9.38 FT BELOW LSD, NOV. 21, 1968.  
 RECORDS AVAILABLE: 1952-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	9.37	NOV. 16, 1967	9.28	NOV. 21, 1968	9.38		

25S/40E-20F1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 7 MILES NORTHWEST OF CHINA LAKE. DRILLED UNUSED WELL IN SAND AND INTERDUNE PLAYA DEPOSITS, DIAMETER 12 INCHES. DEPTH 182.6 FT., LSD 2,179.5 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 0.52 FT BELOW LSD, NOV. 16, 1967.  
 LOWEST STATIC WATER LEVEL 0.70 FT BELOW LSD, NOV. 21, 1968.  
 RECORDS AVAILABLE: 1952-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	.68	NOV. 16, 1967	.52	NOV. 21, 1968	0.70		

25S/40E-25P1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 5 1/2 MILES NORTH OF CHINA LAKE. DRILLED UNUSED WELL IN PLAYA DEPOSITS, DIAMETER 8 INCHES. DEPTH 700 FT., LSD 2,151.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 4.18 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 4.18 FT BELOW LSD, OCT. 22, 1966.  
 RECORDS AVAILABLE: 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	4.18	NOV. 16, 1967	N	NOV. 16, 1968	0		

25S/40E-27E1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 5 1/2 MILES NORTH OF CHINA LAKE. AUGERED OBSERVATION WELL IN SAND AND INTERDUNE PLAYA DEPOSITS, DIAMETER 1 1/4 INCHES. DEPTH 18.7 FT., LSD 2,168.7 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 4.32 FT BELOW LSD, OCT. 23, 1966.  
 LOWEST STATIC WATER LEVEL 4.59 FT BELOW LSD, NOV. 16, 1967.  
 RECORDS AVAILABLE: 1953-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	4.32	NOV. 16, 1967	4.59	NOV. 21, 1968	4.51		

25S/40E-33L1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 1/2 MILES NORTH OF CHINA LAKE. DRILLED OBSERVATION WELL IN SAND AND INTERDUNE PLAYA DEPOSITS, DIAMETER 6 INCHES. DEPTH 171.4 FT., LSD 2,171.1 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 2.55 FT BELOW LSD, NOV. 21, 1968.  
 LOWEST STATIC WATER LEVEL 2.86 FT BELOW LSD, OCT. 23, 1966.  
 RECORDS AVAILABLE: 1954-55, 1959, 1961-62, 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	2.86	NOV. 15, 1967	2.59	NOV. 21, 1968	2.55		

25S/40E-33L2 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 1/2 MILES NORTH OF CHINA LAKE. DRILLED OBSERVATION WELL IN SAND AND INTERDUNE PLAYA DEPOSITS, DIAMETER 8 INCHES. DEPTH 21.2 FT., LSD 2,171.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 2.43 FT BELOW LSD, OCT. 23, 1966.  
 LOWEST STATIC WATER LEVEL 2.63 FT BELOW LSD, NOV. 15, 1967.  
 RECORDS AVAILABLE: 1954-55, 1959, 1961-62, 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	2.43	NOV. 15, 1967	2.63	NOV. 21, 1968	2.53		

25S/40E-35P1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 MILES NORTH OF CHINA LAKE. AUGERED OBSERVATION WELL IN PLAYA DEPOSITS, DIAMETER 1 1/4 INCHES. DEPTH 15.4 FT., LSD 2,158.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 8.72 FT BELOW LSD, NOV. 21, 1968.  
 LOWEST STATIC WATER LEVEL 8.88 FT BELOW LSD, NOV. 16, 1967.  
 RECORDS AVAILABLE: 1953-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	8.85	NOV. 16, 1967	8.88	NOV. 21, 1968	8.72		

25S/41E-19L1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 7 MILES NORTHEAST OF CHINA LAKE. AUGERED OBSERVATION WELL IN PLAYA DEPOSITS, DIAMETER 1 1/4 INCHES. DEPTH 23.5 FT., LSD 2,157.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 4.66 FT BELOW LSD, NOV. 21, 1968.  
 LOWEST STATIC WATER LEVEL 5.19 FT BELOW LSD, NOV. 15, 1967.  
 RECORDS AVAILABLE: 1953-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	5.07	NOV. 15, 1967	5.19	NOV. 21, 1968	4.66		

25S/41E-28B1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 8 MILES NORTHEAST OF CHINA LAKE. DRILLED OBSERVATION WELL IN DUNE SAND, DIAMETER 8 INCHES. DEPTH 161.8 FT., LSD 2,238.6 FT. ABOVE MSL. HIGHEST WATER LEVEL 67.74 FT BELOW LSD, OCT. 22, 1966. LOWEST STATIC WATER LEVEL 67.80 FT BELOW LSD, NOV. 21, 1968. RECORDS AVAILABLE: 1954, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	67.74	NOV. 15, 1967	67.79	NOV. 21, 1968	67.80		

25S/41E-31C1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 6 MILES NORTHEAST OF CHINA LAKE. DRILLED UNUSED WELL IN PLAYA DEPOSITS, DIAMETER 5 INCHES. DEPTH 9.2 FT., LSD 2,153.1 FT. ABOVE MSL. HIGHEST WATER LEVEL 4.98 FT BELOW LSD, NOV. 21, 1968. LOWEST STATIC WATER LEVEL 7.35 FT BELOW LSD, NOV. 15, 1967. RECORDS AVAILABLE: 1953-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	6.89	NOV. 15, 1967	7.35	NOV. 21, 1968	4.98		

26S/38E-1R1 M. J. L. RICHARDS. ABOUT 4 1/2 MILES NORTHWEST OF INYOKERN. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH REPORTED 154 FT IN 1952, DEEPENED TO 210 FT IN 1963, LSD 2,334.9 FT. ABOVE MSL. RECORDS AVAILABLE: 1952-59, 1961-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 17, 1967	0						

26S/39E-2C1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 5 1/2 MILES NORTHEAST OF INYOKERN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 76.4 FT., LSD 2,248.3 FT. ABOVE MSL. HIGHEST WATER LEVEL 55.65 FT BELOW LSD, OCT. 23, 1966. LOWEST STATIC WATER LEVEL 55.77 FT BELOW LSD, NOV. 15, 1967. RECORDS AVAILABLE: 1946, 1952-54, 1959, 1962, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	55.65	NOV. 15, 1967	55.77	NOV. 20, 1968	N		

26S/39E-2N1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 1/2 MILES NORTHEAST OF INYOKERN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 158.5 FT., LSD 2,285.7 FT. ABOVE MSL. HIGHEST WATER LEVEL 87.76 FT BELOW LSD, OCT. 23, 1966. LOWEST STATIC WATER LEVEL 88.88 FT BELOW LSD, NOV. 20, 1968. RECORDS AVAILABLE: 1946, 1953, 1959, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	87.76	NOV. 15, 1967	88.29	NOV. 20, 1968	88.88		

26S/39E-5F1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 MILES NORTH OF INYOKERN. DRILLED BASE SUPPLY WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 200 FT., LSD 2,276.7 FT. ABOVE MSL. HIGHEST WATER LEVEL 74.20 FT BELOW LSD, NOV. 16, 1967. LOWEST STATIC WATER LEVEL 76.29 FT BELOW LSD, OCT. 22, 1966. RECORDS AVAILABLE: 1952-55, 1957-59, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	76.29	NOV. 16, 1967	74.20	NOV. 20, 1968	74.55		

26S/39E-7N1 M. F. O. HENDERSON. ABOUT 2 1/2 MILES NORTH OF INYOKERN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 368 FT., LSD 2,394.3 FT. ABOVE MSL. HIGHEST WATER LEVEL 192.82 FT BELOW LSD, OCT. 21, 1966. LOWEST STATIC WATER LEVEL 193.88 FT BELOW LSD, NOV. 19, 1968. RECORDS AVAILABLE: 1946, 1952-53, 1958, 1960-62, 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	192.82	NOV. 17, 1967	193.25	NOV. 19, 1968	193.88		

## GROUND-WATER RECORDS, 1966-68

26S/39E-8K1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 3 MILES NORTH OF INYOKERN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 180.2 FT., LSD 2,321.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 119.98 FT BELOW LSD, OCT. 23, 1966.  
 LOWEST STATIC WATER LEVEL 121.15 FT BELOW LSD, NOV. 20, 1968.  
 RECORDS AVAILABLE: 1946, 1953-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	119.98	NOV. 16, 1967	120.32	FEB. 26, 1968	120.45	NOV. 20, 1968	121.15

26S/39E-11E1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 1/2 MILES NORTHEAST OF INYOKERN. DRILLED BASE SUPPLY WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 250 FT., LSD 2,305.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 106.82 FT BELOW LSD, OCT. 23, 1966.  
 LOWEST STATIC WATER LEVEL 108.07 FT BELOW LSD, NOV. 20, 1968.  
 RECORDS AVAILABLE: 1946, 1952-59, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	106.82	NOV. 15, 1967	A	NOV. 20, 1968	108.07		

26S/39E-12G1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 5 1/2 MILES NORTHEAST OF INYOKERN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 137.0 FT., LSD 2,277.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 82.52 FT BELOW LSD, OCT. 23, 1966.  
 LOWEST STATIC WATER LEVEL 83.18 FT BELOW LSD, NOV. 20, 1968.  
 RECORDS AVAILABLE: 1946, 1953-55, 1957-59, 1961-62, 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	82.52	NOV. 15, 1967	82.82	NOV. 20, 1968	83.18		

26S/39E-14E1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 3 1/2 MILES NORTHEAST OF INYOKERN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 242.3 FT., LSD 2,334.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 137.78 FT BELOW LSD, OCT. 23, 1966.  
 LOWEST STATIC WATER LEVEL 139.48 FT BELOW LSD, NOV. 20, 1968.  
 RECORDS AVAILABLE: 1946, 1952-59, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	137.78	NOV. 15, 1967	138.62	NOV. 20, 1968	139.48		

26S/39E-15Q1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 3 MILES NORTHEAST OF INYOKERN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 272.9 FT., LSD 2,365.6 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 171.42 FT BELOW LSD, OCT. 23, 1966.  
 LOWEST STATIC WATER LEVEL 173.75 FT BELOW LSD, NOV. 20, 1968.  
 RECORDS AVAILABLE: 1920, 1952-56, 1957-58, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	171.42	NOV. 15, 1967	172.69	NOV. 20, 1968	173.75		

26S/39E-19Q1 M. U.S. DEPARTMENT OF THE NAVY. IN NORTH PART OF INYOKERN. DRILLED BASE SUPPLY WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 367.5 FT., LSD 2,418.3 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 217.37 FT BELOW LSD, APR. 25, 1967.  
 LOWEST STATIC WATER LEVEL 219.67 FT BELOW LSD, NOV. 19, 1968.  
 RECORDS AVAILABLE: 1944-45, 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	218.27	NOV. 14, 1967	218.10	FEB. 26, 1968	217.59	NOV. 19, 1968	219.67
APR. 25, 1967	217.37						

26S/39E-1902 M. U.S. DEPARTMENT OF THE NAVY. IN NORTH PART OF INYOKERN. DRILLED BASE SUPPLY WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 560 FT., LSD 2,418 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 218.45 FT BELOW LSD, NOV. 19, 1968.  
LOWEST STATIC WATER LEVEL 218.45 FT BELOW LSD, NOV. 19, 1968.  
RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 14, 1967		N NOV. 19, 1968	218.45				

26S/39E-2001 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 1 MILE NORTHEAST OF INYOKERN. DRILLED UNUSED WELL IN ALLUVIUM OF PLEISTOCENE (?) AGE, DIAMETER 12 INCHES. DEPTH 490.0 FT., LSD 2,421.8 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 221.61 FT BELOW LSD, OCT. 21, 1966.  
LOWEST STATIC WATER LEVEL 221.61 FT BELOW LSD, OCT. 21, 1966.  
RECORDS AVAILABLE: 1946, 1953-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	221.61	NOV. 14, 1967	P				

26S/39E-23E1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 3 1/2 MILES EAST OF INYOKERN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 190.0 FT., LSD 2,372.3 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 180.42 FT BELOW LSD, OCT. 23, 1966.  
LOWEST STATIC WATER LEVEL 183.20 FT BELOW LSD, NOV. 20, 1968.  
RECORDS AVAILABLE: 1920-21, 1946, 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	180.42	NOV. 15, 1967	181.92	NOV. 20, 1968	183.20		

26S/39E-23J1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 MILES EAST OF INYOKERN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 800 FT., LSD 2,361.2 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 183.29 FT BELOW LSD, MAR. 24, 1966.  
LOWEST STATIC WATER LEVEL 183.29 FT BELOW LSD, MAR. 24, 1966.  
RECORDS AVAILABLE: 1960-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 24, 1966	183.29	1966	0				

26S/39E-24K1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 5 MILES EAST OF INYOKERN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 323.1 FT., LSD 2,347.4 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 169.09 FT BELOW LSD, MAR. 24, 1966.  
LOWEST STATIC WATER LEVEL 177.56 FT BELOW LSD, NOV. 20, 1968.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 24, 1966	169.09	MAR. 8, 1967	172.17	JUNE 21, 1967	176.71	NOV. 20, 1968	177.56
OCT. 23	172.67	APR. 25	173.91	NOV. 15	175.25		

26S/39E-24M1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 MILES EAST OF INYOKERN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 800 FT., LSD 2,366.5 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 192.91 FT BELOW LSD, MAR. 24, 1966.  
LOWEST STATIC WATER LEVEL 197.85 FT BELOW LSD, NOV. 15, 1967.  
RECORDS AVAILABLE: 1960, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 24, 1966	192.91	JUNE 21, 1966	206.358	NOV. 15, 1967	197.85	NOV. 20, 1968	A

## GROUND-WATER RECORDS, 1966-68

26S/39E-2401 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 5 MILES EAST OF INYOKERN. DRILLED BASE SUPPLY WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 361 FT., LSD 2,350.4 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 175.37 FT BELOW LSD, OCT. 23, 1966.  
 LOWEST STATIC WATER LEVEL 192.33 FT BELOW LSD, NOV. 14, 1967.  
 RECORDS AVAILABLE: 1946, 1952-53, 1955-60, 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	175.37	NOV. 14, 1967	192.33	NOV. 20, 1968	180.72		

26S/39E-24R1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 5 MILES EAST OF INYOKERN. DRILLED BASE SUPPLY WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 480 FT., LSD 2,344.9 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 165.86 FT BELOW LSD, MAR. 24, 1966.  
 LOWEST STATIC WATER LEVEL 178.81 FT BELOW LSD, NOV. 14, 1967.  
 RECORDS AVAILABLE: 1945-50, 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 24, 1966	165.86	MAR. 8, 1967	169.31	FEB. 26, 1968	170.98	NOV. 20, 1968	178.74
OCT. 23	168.92	NOV. 14	178.81				

26S/39E-25D1 M. AMERICAN POTASH AND CHEMICAL CO. ABOUT 4 MILES EAST OF INYOKERN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 24 INCHES. DEPTH 272 FT., LSD 2,372.9 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 196.41 FT BELOW LSD, MAR. 24, 1966.  
 LOWEST STATIC WATER LEVEL 203.04 FT BELOW LSD, NOV. 19, 1968.  
 RECORDS AVAILABLE: 1912, 1920, 1948-50, 1952-58, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 24, 1966	196.41	MAR. 8, 1967	198.20	FEB. 26, 1968	201.35	NOV. 19, 1968	203.04
OCT. 21	198.00	NOV. 14	201.30				

26S/39E-25D2 M. AMERICAN POTASH AND CHEMICAL CO. ABOUT 4 MILES EAST OF INYOKERN. DRILLED INDUSTRIAL WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 300 FT., LSD 2,368.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 193.94 FT BELOW LSD, OCT. 21, 1966.  
 LOWEST STATIC WATER LEVEL 199.88 FT BELOW LSD, NOV. 19, 1968.  
 RECORDS AVAILABLE: 1942, 1946-50, 1952-54, 1957-58, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	193.94	NOV. 14, 1967	198.21	NOV. 19, 1968	199.88		

26S/39E-25E1 M. AMERICAN POTASH AND CHEMICAL CO. ABOUT 4 MILES EAST OF INYOKERN. DRILLED INDUSTRIAL WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 387 FT., LSD 2,372.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 201.76 FT BELOW LSD, NOV. 14, 1967.  
 LOWEST STATIC WATER LEVEL 203.54 FT BELOW LSD, NOV. 19, 1968.  
 RECORDS AVAILABLE: 1952-58, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	N	NOV. 14, 1967	201.76	NOV. 19, 1968	203.54		

26S/39E-26C1 M. MARTIN. ABOUT 3 1/2 MILES EAST OF INYOKERN. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 249 FT., LSD 2,394.9 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 215.60 FT BELOW LSD, OCT. 21, 1966, OCT. 21, 1966.  
 LOWEST STATIC WATER LEVEL 219.88 FT BELOW LSD, NOV. 19, 1968.  
 RECORDS AVAILABLE: 1952-55, 1957-58, 1960, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	215.60	OCT. 21, 1966	215.60	NOV. 14, 1967	218.95	NOV. 19, 1968	219.88



26S/39E-26E1 M. F. M. TATUM JR. ABOUT 3 1/2 MILES EAST OF INYOKERN. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 250 FT., LSD 2,402.3 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 207.66 FT BELOW LSD, NOV. 14, 1967.  
LOWEST STATIC WATER LEVEL 211.20 FT BELOW LSD, NOV. 19, 1968.  
RECORDS AVAILABLE: 1952-54, 1958, 1960, 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	209.32	NOV. 14, 1967	207.66	NOV. 19, 1968	211.20		

26S/39E-28C2 M. R. J. SPRINGER. ABOUT 1 1/2 MILES EAST OF INYOKERN. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 364 FT., LSD 2,425 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 221.60 FT BELOW LSD, NOV. 14, 1967.  
LOWEST STATIC WATER LEVEL 222.48 FT BELOW LSD, NOV. 19, 1968.  
RECORDS AVAILABLE: 1960-61, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	222.0	NOV. 14, 1967	221.60	NOV. 19, 1968	222.48		

26S/39E-30C1 M. U.S. DEPARTMENT OF THE NAVY. IN WEST SIDE OF INYOKERN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 370 FT., LSD 2,427.1 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 225.20 FT BELOW LSD, MAR. 24, 1966.  
LOWEST STATIC WATER LEVEL 240.22 FT BELOW LSD, OCT. 21, 1966.  
RECORDS AVAILABLE: 1944-47, 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 24, 1966	225.20	MAR. 8, 1967	239.72	FEB. 26, 1968	231.95	NOV. 19, 1968	228.28
OCT. 21	240.22	NOV. 14	234.51				

26S/39E-30F1 M. U.S. DEPARTMENT OF THE NAVY. IN WEST SIDE OF INYOKERN. ABANDONED SUPPLY WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 385 FT., LSD 2,433.5 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 232.23 FT BELOW LSD, MAR. 8, 1967, APR. 25, 1967.  
LOWEST STATIC WATER LEVEL 234.75 FT BELOW LSD, NOV. 19, 1968.  
RECORDS AVAILABLE: 1944, 1950, 1959, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	234.45	APR. 2, 1967	232.47	NOV. 14, 1967	247.01C	NOV. 19, 1968	234.75
MAR. 8, 1967	232.23	APR. 25	232.23	FEB. 26, 1968	233.25		

26S/39E-30F3 M. U.S. DEPARTMENT OF THE NAVY. IN WEST SIDE OF INYOKERN. DRILLED SUPPLY WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 450 FT., LSD 2,433 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 232.02 FT BELOW LSD, MAY 10, 1967.  
LOWEST STATIC WATER LEVEL 234.24 FT BELOW LSD, NOV. 19, 1968.  
RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 10, 1967	232.02	NOV. 14, 1967	A	NOV. 19, 1968	234.24		

26S/40E-1A1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 1/2 MILES NORTHEAST OF CHINA LAKE. DRILLED OBSERVATION WELL IN PLAYA DEPOSITS, DIAMETER 5 INCHES. DEPTH 15.2 FT., LSD 2,153.5 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 5.59 FT BELOW LSD, NOV. 21, 1968.  
LOWEST STATIC WATER LEVEL 7.89 FT BELOW LSD, NOV. 16, 1967.  
RECORDS AVAILABLE: 1921, 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	6.68	NOV. 16, 1967	7.89	NOV. 21, 1968	5.59		

## GROUND-WATER RECORDS, 1966-68

26S/40E-1A3 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 1/2 MILES NORTHEAST OF CHINA LAKE. AUGERED OBSERVATION WELL IN PLAYA DEPOSITS, DIAMETER 1 1/4 INCHES. DEPTH 18.5 FT., LSD 2,157.6 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 6.25 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 6.25 FT BELOW LSD, OCT. 22, 1966.  
 RECORDS AVAILABLE: 1954-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	6.25	MAR. 28, 1967	0				

26S/40E-1J1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 MILES NORTHEAST OF CHINA LAKE. AUGERED OBSERVATION WELL IN PLAYA DEPOSITS, DIAMETER 1 1/4 INCHES, DEPTH 18.3 FT., LSD 2,161.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 3.93 FT BELOW LSD, NOV. 21, 1968.  
 LOWEST STATIC WATER LEVEL 4.50 FT BELOW LSD, NOV. 15, 1967.  
 RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	4.12	NOV. 15, 1967	4.50	NOV. 21, 1968	3.93		

26S/40E-101 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 3 1/2 MILES NORTHEAST OF CHINA LAKE. DRILLED OBSERVATION WELL IN PLAYA DEPOSITS, DIAMETER 2 INCHES. DEPTH 21.8 FT., LSD 2,161.6 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 3.61 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 4.04 FT BELOW LSD, NOV. 15, 1967.  
 RECORDS AVAILABLE: 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	3.61	NOV. 15, 1967	4.04	NOV. 21, 1968	3.79		

26S/40E-102 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 3 1/2 MILES NORTHEAST OF CHINA LAKE. DRILLED OBSERVATION WELL IN PLAYA DEPOSITS, DIAMETER 2 INCHES. DEPTH 21.6 FT., LSD 2,159.7 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 4.22 FT BELOW LSD, NOV. 15, 1967.  
 LOWEST STATIC WATER LEVEL 4.89 FT BELOW LSD, OCT. 22, 1966.  
 RECORDS AVAILABLE: 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	4.89	NOV. 15, 1967	4.22	NOV. 21, 1968	4.35		

26S/40E-5F1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 1/2 MILES NORTHWEST OF CHINA LAKE. DRILLED UNUSED WELL IN SAND AND INTERDUNE PLAYA DEPOSITS, DIAMETER 6 INCHES. DEPTH 24.6 FT., LSD 2,196.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 22.68 FT BELOW LSD, OCT. 23, 1966.  
 LOWEST STATIC WATER LEVEL 22.68 FT BELOW LSD, OCT. 23, 1966.  
 RECORDS AVAILABLE: 1946, 1953-54, 1959, 1961-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	22.68	NOV. 15, 1967	F	1967	0		

26S/40E-6E1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 5 MILES NORTHWEST OF CHINA LAKE. DUG UNUSED WELL IN ALLUVIUM, DIAMETER 48 INCHES. DEPTH 45.0 FT., LSD 2,231.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 42.64 FT BELOW LSD, OCT. 23, 1966, NOV. 15, 1967.  
 LOWEST STATIC WATER LEVEL 42.73 FT BELOW LSD, NOV. 20, 1968.  
 RECORDS AVAILABLE: 1920-21, 1946, 1953-54, 1958-59, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	42.64	NOV. 15, 1967	42.64	NOV. 20, 1968	42.73		

26S/40E-6N1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 5 MILES NORTHWEST OF CHINA LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 22 INCHES. DEPTH 85.0 FT., LSD 2,249.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 57.90 FT BELOW LSD, NOV. 15, 1967.  
 LOWEST STATIC WATER LEVEL 58.63 FT BELOW LSD, OCT. 23, 1966.  
 RECORDS AVAILABLE: 1920, 1952-55, 1959, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	58.63	NOV. 15, 1967	57.90	NOV. 20, 1968	58.19		

26S/40E-10F1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 2 1/2 MILES NORTH OF CHINA LAKE. AUGERED OBSERVATION WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 38.9 FT., LSD 2,188.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 17.45 FT BELOW LSD, NOV. 21, 1968.  
 LOWEST STATIC WATER LEVEL 17.63 FT BELOW LSD, OCT. 23, 1966.  
 RECORDS AVAILABLE: 1953-59, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	17.63	NOV. 15, 1967	17.46	NOV. 21, 1968	17.45		

26S/40E-11J1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 2 1/2 MILES NORTH OF CHINA LAKE. AUGERED OBSERVATION WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 18.3 FT., LSD 2,174.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 4.39 FT BELOW LSD, NOV. 21, 1968.  
 LOWEST STATIC WATER LEVEL 4.93 FT BELOW LSD, OCT. 22, 1966.  
 RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	4.93	NOV. 15, 1967	4.52	NOV. 21, 1968	4.39		

26S/40E-12A1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 3 1/2 MILES NORTHEAST OF CHINA LAKE. DRILLED OBSERVATION WELL IN PLAYA DEPOSITS, DIAMETER 2 INCHES. DEPTH 21.4 FT., LSD 2,167.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 4.63 FT BELOW LSD, NOV. 15, 1967, NOV. 21, 1968.  
 LOWEST STATIC WATER LEVEL 5.22 FT BELOW LSD, OCT. 22, 1966.  
 RECORDS AVAILABLE: 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	5.22	NOV. 15, 1967	4.63	NOV. 21, 1968	4.63		

26S/40E-12G1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 3 MILES NORTHEAST OF CHINA LAKE. DRILLED OBSERVATION WELL IN PLAYA DEPOSITS, DIAMETER 2 INCHES. DEPTH 22.3 FT., LSD 2,170.4 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 6.56 FT BELOW LSD, NOV. 15, 1967.  
 LOWEST STATIC WATER LEVEL 7.13 FT BELOW LSD, OCT. 22, 1966.  
 RECORDS AVAILABLE: 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	7.13	NOV. 15, 1967	6.56	NOV. 21, 1968	6.76		

26S/40E-12Q1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 2 1/2 MILES NORTHEAST OF CHINA LAKE. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 2 INCHES. DEPTH 21.8 FT., LSD 2,175.7 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 1.69 FT BELOW LSD, NOV. 13, 1967.  
 LOWEST STATIC WATER LEVEL 2.09 FT BELOW LSD, OCT. 22, 1966, NOV. 21, 1968.  
 RECORDS AVAILABLE: 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	2.09	NOV. 13, 1967	1.69	NOV. 21, 1968	2.09		

## GROUND-WATER RECORDS, 1966-68

26S/40E-12R1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 3 MILES NORTHEAST OF CHINA LAKE. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 2 INCHES. DEPTH 20.9 FT., LSD 2,181.5 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 0.51 FT BELOW LSD, NOV. 13, 1967.  
 LOWEST STATIC WATER LEVEL 0.76 FT BELOW LSD, OCT. 22, 1966.  
 RECORDS AVAILABLE: 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	0.76	NOV. 13, 1967	.51	NOV. 21, 1968	.65		

26S/40E-13C1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 2 1/2 MILES NORTHEAST OF CHINA LAKE. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 2 INCHES. DEPTH 21.5 FT., LSD 2,189.1 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 6.05 FT BELOW LSD, NOV. 21, 1968.  
 LOWEST STATIC WATER LEVEL 6.64 FT BELOW LSD, OCT. 23, 1966.  
 RECORDS AVAILABLE: 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	6.64	NOV. 13, 1967	6.18	NOV. 21, 1968	6.05		

26S/40E-13M1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 2 MILES NORTHEAST OF CHINA LAKE. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 2 INCHES. DEPTH 22.2 FT., LSD 2,196.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 9.06 FT BELOW LSD, FEB. 26, 1968.  
 LOWEST STATIC WATER LEVEL 11.05 FT BELOW LSD, OCT. 22, 1966.  
 RECORDS AVAILABLE: 1956-63, 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	11.05	NOV. 13, 1967	10.41	FEB. 26, 1968	9.06	NOV. 21, 1968	10.20
MAR. 8, 1967	9.73						

26S/40E-14H1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 1 1/2 MILES NORTHEAST OF CHINA LAKE. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 2 INCHES. DEPTH 18.0 FT., LSD 2,195.4 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 8.04 FT BELOW LSD, MAR. 8, 1967.  
 LOWEST STATIC WATER LEVEL 9.98 FT BELOW LSD, OCT. 23, 1966.  
 RECORDS AVAILABLE: 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	9.98	MAR. 8, 1967	8.04	NOV. 13, 1967	8.77	NOV. 21, 1968	9.22

26S/40E-15E1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 2 MILES NORTHWEST OF CHINA LAKE. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 110.1 FT., LSD 2,223.1 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 45.59 FT BELOW LSD, NOV. 21, 1968.  
 LOWEST STATIC WATER LEVEL 45.72 FT BELOW LSD, OCT. 23, 1966.  
 RECORDS AVAILABLE: 1920-21, 1946, 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	45.72	NOV. 15, 1967	45.60	NOV. 21, 1968	45.59		

26S/40E-15E2 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 2 MILES NORTHWEST OF CHINA LAKE. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 197.8 FT., LSD 2,226.1 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 44.92 FT BELOW LSD, NOV. 15, 1967.  
 LOWEST STATIC WATER LEVEL 45.10 FT BELOW LSD, NOV. 21, 1968.  
 RECORDS AVAILABLE: 1946, 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	45.01	NOV. 15, 1967	44.92	NOV. 21, 1968	45.10		

26S/40E-15N1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 1 1/2 MILES NORTHWEST OF CHINA LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 225 FT., LSD 2,241.1 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 56.92 FT BELOW LSD, OCT. 23, 1966.  
 LOWEST STATIC WATER LEVEL 57.18 FT BELOW LSD, NOV. 21, 1968.  
 RECORDS AVAILABLE: 1921, 1946, 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	56.92	NOV. 15, 1967	57.05	NOV. 21, 1968	57.18		

26S/40E-17N1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 3 MILES NORTHWEST OF CHINA LAKE. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 13 INCHES. DEPTH 178.1 FT., LSD 2,293.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 109.45 FT BELOW LSD, OCT. 23, 1966.  
 LOWEST STATIC WATER LEVEL 113.46 FT BELOW LSD, NOV. 20, 1968.  
 RECORDS AVAILABLE: 1921, 1946, 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	109.45	NOV. 15, 1967	111.47	NOV. 20, 1968	113.46		

26S/40E-18E1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 MILES NORTHWEST OF CHINA LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 119.4 FT., LSD 2,297.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 99.66 FT BELOW LSD, OCT. 23, 1966.  
 LOWEST STATIC WATER LEVEL 100.43 FT BELOW LSD, NOV. 20, 1968.  
 RECORDS AVAILABLE: 1920-21, 1946, 1952-54, 1958-59, 1962-63, 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	99.66	NOV. 15, 1967	100.00	NOV. 20, 1968	100.43		

26S/40E-18N1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 MILES WEST OF CHINA LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 7 INCHES. DEPTH 554.7 FT., LSD 2,316.1 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 145.03 FT BELOW LSD, NOV. 20, 1968.  
 LOWEST STATIC WATER LEVEL 146.20 FT BELOW LSD, OCT. 23, 1966.  
 RECORDS AVAILABLE: 1921, 1946, 1953-59, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	146.20	NOV. 15, 1967	N	NOV. 20, 1968	145.03		

26S/40E-19N1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 3 1/2 MILES WEST OF CHINA LAKE. DRILLED BASE SUPPLY WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 306 FT., LSD 2,337.7 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 161.05 FT BELOW LSD, OCT. 23, 1966.  
 LOWEST STATIC WATER LEVEL 166.68 FT BELOW LSD, NOV. 20, 1968.  
 RECORDS AVAILABLE: 1912, 1945-50, 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	161.05	NOV. 15, 1967	164.26	NOV. 20, 1968	166.68		

26S/40E-19P1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 3 1/2 MILES WEST OF CHINA LAKE. DRILLED BASE SUPPLY WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 261.0 FT., LSD 2,336.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 158.44 FT BELOW LSD, OCT. 23, 1966.  
 LOWEST STATIC WATER LEVEL 172.70 FT BELOW LSD, NOV. 14, 1967.  
 RECORDS AVAILABLE: 1946, 1952-60, 1963, 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	158.44	NOV. 14, 1967	172.70	NOV. 20, 1968	164.09		

## GROUND-WATER RECORDS, 1966-68

26S/40E-20N1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 2 1/2 MILES WEST OF CHINA LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 190.1 FT., LSD 2,311.9 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 131.00 FT BELOW LSD, OCT. 23, 1966.  
 LOWEST STATIC WATER LEVEL 135.13 FT BELOW LSD, NOV. 20, 1968.  
 RECORDS AVAILABLE: 1945, 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	131.00	NOV. 14, 1967	133.00	NOV. 20, 1968	135.13		

26S/40E-22N1 M. U.S. DEPARTMENT OF THE NAVY. AT CHINA LAKE. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 203.2 FT., LSD 2,261.4 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 74.79 FT BELOW LSD, OCT. 20, 1966.  
 LOWEST STATIC WATER LEVEL 76.02 FT BELOW LSD, NOV. 20, 1968.  
 RECORDS AVAILABLE: 1912, 1946, 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 20, 1966	74.79	NOV. 14, 1967	74.97	NOV. 20, 1968	76.02		

26S/40E-22P1 M. U.S. DEPARTMENT OF THE NAVY. AT CHINA LAKE. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 830.0 FT., LSD 2,258.7 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 73.63 FT BELOW LSD, MAR. 24, 1966.  
 LOWEST STATIC WATER LEVEL 77.83 FT BELOW LSD, NOV. 20, 1968.  
 RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 24, 1966	73.63	MAR. 8, 1967	74.69	FEB. 26, 1968	75.80	NOV. 20, 1968	77.83
OCT. 20	74.91	NOV. 14	76.57				

26S/40E-23C1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT HALF A MILE NORTH OF CHINA LAKE. AUGERED OBSERVATION WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 40.2 FT., LSD 2,213.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 22.40 FT BELOW LSD, FEB. 26, 1968.  
 LOWEST STATIC WATER LEVEL 23.64 FT BELOW LSD, OCT. 23, 1966.  
 RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	23.64	NOV. 13, 1967	22.59	FEB. 26, 1968	22.40	NOV. 21, 1968	22.50
MAR. 8, 1967	22.65						

26S/40E-24C1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 1 1/2 MILES NORTHEAST OF CHINA LAKE. AUGERED OBSERVATION WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 45.4 FT., LSD 2,212.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 26.90 FT BELOW LSD, FEB. 26, 1968.  
 LOWEST STATIC WATER LEVEL 27.49 FT BELOW LSD, OCT. 23, 1966.  
 RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	27.49	NOV. 13, 1967	27.32	FEB. 26, 1968	26.90	NOV. 21, 1968	27.31
MAR. 8, 1967	27.18						

26S/40E-28E1 M. RIDGECREST WATER COMPANY. NORTHWESTERN PART OF RIDGECREST. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH FT., LSD 2,292.6 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 107.82 FT BELOW LSD, OCT. 23, 1966.  
 LOWEST STATIC WATER LEVEL 107.82 FT BELOW LSD, OCT. 23, 1966.  
 RECORDS AVAILABLE: 1960, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	107.82	NOV. 14, 1967	N	NOV. 21, 1968	0		

26S/40E-28J1 M. DRUMMOND MEDICAL CENTER. IN RIDGECREST. DRILLED STANDRY WELL IN ALLUVIUM OF  
PLEISTOCENE (?) AGE, DIAMETER 14 INCHES. DEPTH FT., LSD 2,288.8 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 109.43 FT BELOW LSD, NOV. 14, 1967.  
LOWEST STATIC WATER LEVEL 111.21 FT BELOW LSD, OCT. 20, 1966.  
RECORDS AVAILABLE: 1948, 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 20, 1966	111.21	NOV. 14, 1967	109.43	NOV. 19, 1968	113.67B		

26S/40E-30E2 M. AMERICAN POTASH AND CHEMICAL CO. ABOUT 2 1/2 MILES WEST OF RIDGECREST.  
DRILLED INDUSTRIAL WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 402 FT., LSD 2,342.8 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 167.99 FT BELOW LSD, OCT. 23, 1966.  
LOWEST STATIC WATER LEVEL 167.99 FT BELOW LSD, OCT. 23, 1966.  
RECORDS AVAILABLE: 1953-58, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 23, 1966	167.99	NOV. 14, 1967	A	NOV. 19, 1968	A		

26S/40E-300J1 M. OWNER UNKNOWN. ABOUT 2 1/2 MILES WEST OF RIDGECREST. DRILLED UNUSED WELL IN  
ALLUVIUM, DIAMETER 14 INCHES. DEPTH 209.2 FT., LSD 2,353.1 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 176.58 FT BELOW LSD, OCT. 21, 1966.  
LOWEST STATIC WATER LEVEL 181.60 FT BELOW LSD, NOV. 19, 1968.  
RECORDS AVAILABLE: 1953-58, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	176.58	NOV. 14, 1967	179.52	NOV. 19, 1968	181.60		

26S/40E-32D1 M. D. SANDERSON. TWO MILES WEST OF RIDGECREST. DRILLED UNUSED WELL IN ALLUVIUM,  
DIAMETER 12 INCHES. DEPTH 279 FT., LSD 2,340.9 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 165.51 FT BELOW LSD, OCT. 20, 1966.  
LOWEST STATIC WATER LEVEL 170.12 FT BELOW LSD, NOV. 19, 1968.  
RECORDS AVAILABLE: 1946, 1952-58, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 20, 1966	165.51	NOV. 14, 1967	167.92	NOV. 19, 1968	170.12		

26S/40E-32N1 M. BARNA. TWO MILES WEST OF RIDGECREST. DRILLED UNUSED WELL IN ALLUVIUM,  
DIAMETER 12 INCHES. DEPTH 391 FT., LSD 2,368.0 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 194.25 FT BELOW LSD, OCT. 21, 1966.  
LOWEST STATIC WATER LEVEL 203.05 FT BELOW LSD, NOV. 19, 1968.  
RECORDS AVAILABLE: 1950, 1952-58, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	194.25	NOV. 14, 1967	199.96	NOV. 19, 1968	203.05		

26S/40E-33P2 M. RIDGECREST COUNTY WATER DISTRICT. AT RIDGECREST. DRILLED PUBLIC SUPPLY WELL  
IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 250 FT., LSD 2,312 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 140.30 FT BELOW LSD, NOV. 18, 1968.  
LOWEST STATIC WATER LEVEL 144.02 FT BELOW LSD, OCT. 21, 1966.  
RECORDS AVAILABLE: 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	144.02	NOV. 14, 1967	143.91	NOV. 18, 1968	140.30		

## GROUND-WATER RECORDS, 1966-68

26S/40E-34N1 M. U.S. DEPARTMENT OF THE NAVY. AT RIDGECREST. DRILLED BASE SUPPLY WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 232 FT., LSD 2,290.4 FT. ABOVE MSL. MEASUREMENTS FROM 1945 THUR 1950 BY U.S. NAVY.  
 HIGHEST WATER LEVEL 112.77 FT BELOW LSD, NOV. 18, 1968.  
 LOWEST STATIC WATER LEVEL 116.48 FT BELOW LSD, OCT. 20, 1966.  
 RECORDS AVAILABLE: 1945-50, 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 24, 1966	115.88	MAR. 8, 1967	115.34	FEB. 26, 1968	113.57	NOV. 18, 1968	112.77
OCT. 20	116.48	NOV. 14	114.96				

26S/40E-36A1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 3 MILES EAST OF RIDGECREST. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 270.2 FT., LSD 2,247.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 59.89 FT BELOW LSD, NOV. 19, 1968.  
 LOWEST STATIC WATER LEVEL 60.19 FT BELOW LSD, NOV. 14, 1967.  
 RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 20, 1966	60.05	NOV. 14, 1967	60.19	NOV. 19, 1968	59.89		

26S/41E-7D1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 MILES NORTHEAST OF CHINA LAKE. DRILLED OBSERVATION WELL IN PLAYA DEPOSITS, DIAMETER 2 INCHES. DEPTH 21.2 FT., LSD 2,160.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 1.56 FT BELOW LSD, OCT. 22, 1966.  
 LOWEST STATIC WATER LEVEL 2.04 FT BELOW LSD, NOV. 15, 1967.  
 RECORDS AVAILABLE: 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	1.56	NOV. 15, 1967	2.04	NOV. 21, 1968	1.88		

26S/41E-7E1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 MILES NORTHEAST OF CHINA LAKE. AUGERED OBSERVATION WELL IN PLAYA DEPOSITS, DIAMETER 1 1/4 INCHES. DEPTH 32.4 FT., LSD 2,166.5 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 5.59 FT BELOW LSD, NOV. 21, 1968.  
 LOWEST STATIC WATER LEVEL 5.79 FT BELOW LSD, OCT. 22, 1966.  
 RECORDS AVAILABLE: 1953-62, 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	5.79	NOV. 15, 1967	5.70	NOV. 21, 1968	5.59		

26S/41E-7G1 M. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 MILES NORTHEAST OF CHINA LAKE. AUGERED OBSERVATION WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 31.3 FT., LSD 2,177.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 25.29 FT BELOW LSD, NOV. 21, 1968.  
 LOWEST STATIC WATER LEVEL 25.69 FT BELOW LSD, NOV. 15, 1967.  
 RECORDS AVAILABLE: 1953-59, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 22, 1966	25.37	NOV. 15, 1967	25.69	NOV. 21, 1968	25.29		

27S/38E-1M1 M. OWNER UNKNOWN. ABOUT 3 MILES SOUTHWEST OF INYOKERN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 305.6 FT., LSD 2,639.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 293.30 FT BELOW LSD, OCT. 20, 1966.  
 LOWEST STATIC WATER LEVEL 293.30 FT BELOW LSD, OCT. 20, 1966.  
 RECORDS AVAILABLE: 1921, 1946, 1953-54, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 20, 1966	293.30	NOV. 14, 1967	N	NOV. 19, 1968	N		



27S/39E-2B1 M. R. M. TIPTON. ABOUT 2 1/2 MILES SOUTHEAST OF INYOKERN. DRILLED DOMESTIC SUPPLY WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 288 FT., LSD 2,440 FT. ABOVE MSL. HIGHEST WATER LEVEL 248.98 FT BELOW LSD, NOV. 14, 1967. LOWEST STATIC WATER LEVEL 256.86 FT BELOW LSD, OCT. 20, 1966. RECORDS AVAILABLE: 1960, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 20, 1966	256.86	NOV. 14, 1967	248.98	NOV. 19, 1968	249.81		

27S/39E-7R1 M. U.S. DEPARTMENT OF AGRICULTURE. ABOUT 3 1/2 MILES SOUTH OF INYOKERN. DRILLED STOCK WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 377 FT., LSD 2,562.7 FT. ABOVE MSL. HIGHEST WATER LEVEL 354.36 FT BELOW LSD, OCT. 21, 1966. LOWEST STATIC WATER LEVEL 354.36 FT BELOW LSD, OCT. 21, 1966. RECORDS AVAILABLE: 1946, 1952-54, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	354.36	NOV. 14, 1967	N	NOV. 19, 1968	N		

27S/40E-1K1 M. WESTEND CHEMICAL CO. ABOUT 2 1/2 MILES EAST OF RIDGECREST. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH FT., LSD 2,318.1 FT. ABOVE MSL. HIGHEST WATER LEVEL 135.77 FT BELOW LSD, NOV. 19, 1968. LOWEST STATIC WATER LEVEL 142.92 FT BELOW LSD, NOV. 14, 1967. RECORDS AVAILABLE: 1952-58, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 20, 1966	139.83	NOV. 14, 1967	142.92	NOV. 19, 1968	135.77		

27S/40E-2J1 M. E. FOX. ABOUT 2 MILES EAST OF RIDGECREST. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 220 FT., LSD 2,300 FT. ABOVE MSL. HIGHEST WATER LEVEL 118.30 FT BELOW LSD, NOV. 19, 1968. LOWEST STATIC WATER LEVEL 119.41 FT BELOW LSD, OCT. 20, 1966. RECORDS AVAILABLE: 1958, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 20, 1966	119.41	NOV. 14, 1967	A	FEB. 26, 1968	A	NOV. 19, 1968	118.30

27S/40E-3J1 M. R. READE. ABOUT 1 MILE EAST OF RIDGECREST. DRILLED STOCK WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 150 FT., LSD 2,275 FT. ABOVE MSL. HIGHEST WATER LEVEL 83.35 FT BELOW LSD, OCT. 20, 1966. LOWEST STATIC WATER LEVEL 85.90 FT BELOW LSD, NOV. 19, 1968. RECORDS AVAILABLE: 1957, 1960, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 20, 1966	83.35	NOV. 14, 1967	85.21	NOV. 19, 1968	85.90		

27S/40E-3R1 M. CALIFORNIA DIVISION OF HIGHWAYS. ABOUT 1 MILE SOUTHEAST OF RIDGECREST. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 162.3 FT., LSD 2,287.3 FT. ABOVE MSL. HIGHEST WATER LEVEL 97.94 FT BELOW LSD, NOV. 19, 1968. LOWEST STATIC WATER LEVEL 99.99 FT BELOW LSD, OCT. 20, 1966. RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 20, 1966	99.99	NOV. 14, 1967	98.70	NOV. 19, 1968	97.94		

## GROUND-WATER RECORDS, 1966-68

27S/40E-4A1 M. WESTEND CHEMICAL CO. AT RIDGECREST. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 273 FT., LSD 2,305 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 131.37 FT BELOW LSD, NOV. 18, 1968.  
LOWEST STATIC WATER LEVEL 133.14 FT BELOW LSD, OCT. 21, 1966.  
RECORDS AVAILABLE: 1959-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	133.14	NOV. 14, 1967	133.00	NOV. 18, 1968	131.37		

27S/40E-6E1 M. J. W. TURNER. ABOUT 2 MILES WEST OF RIDGECREST. DRILLED DOMESTIC SUPPLY WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 280 FT., LSD 2,430 FT. ABOVE MSL.  
RECORDS AVAILABLE: 1959-60, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 21, 1966	N	NOV. 14, 1967	N	NOV. 19, 1968	N		

27S/40E-7M1 M. ERNEST ROSS. ABOUT 3 MILES SOUTHWEST OF RIDGECREST. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 335 FT., LSD 2,515 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 308.76 FT BELOW LSD, OCT. 20, 1966.  
LOWEST STATIC WATER LEVEL 309.70 FT BELOW LSD, NOV. 14, 1967.  
RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 20, 1966	308.76	NOV. 14, 1967	309.70	NOV. 18, 1968	N		

27S/40E-9P1 M. DESERT SAND WATER CO-OP. ABOUT 2 MILES SOUTH OF RIDGECREST. DRILLED PUBLIC SUPPLY WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 230 FT., LSD 2,368.0 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 187.95 FT BELOW LSD, OCT. 20, 1966.  
LOWEST STATIC WATER LEVEL 188.85 FT BELOW LSD, NOV. 19, 1968.  
RECORDS AVAILABLE: 1952-55, 1958, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 20, 1966	187.95	NOV. 14, 1967	188.48	NOV. 19, 1968	188.85		

27S/40E-10R1 M. W. H. STARK. ABOUT 1 1/2 MILES SOUTHEAST OF RIDGECREST. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 262.5 FT., LSD 2,380 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 197.20 FT BELOW LSD, NOV. 19, 1968.  
LOWEST STATIC WATER LEVEL 199.55 FT BELOW LSD, OCT. 20, 1966.  
RECORDS AVAILABLE: 1958, 1960-62, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 20, 1966	199.55	NOV. 14, 1967	197.85	NOV. 19, 1968	197.20		

27S/40E-15D1 M. McDONALD. ABOUT 2 MILES SOUTH OF RIDGECREST. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 240 FT., LSD 2,385 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 199.65 FT BELOW LSD, OCT. 20, 1966.  
LOWEST STATIC WATER LEVEL 199.80 FT BELOW LSD, NOV. 14, 1967.  
RECORDS AVAILABLE: 1961, 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 20, 1966	199.65	NOV. 14, 1967	199.80	NOV. 19, 1968	199.72		

27S/40E-15L1 M. A. CHRISTMAN AND OTHER. ABOUT 2 1/2 MILES SOUTH OF RIDGECREST. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 277.5 FT., LSD 2,470 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 248.00 FT BELOW LSD, OCT. 20, 1966.  
LOWEST STATIC WATER LEVEL 250.20 FT BELOW LSD, NOV. 19, 1968.  
RECORDS AVAILABLE: 1959-60, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 20, 1966	248.00	NOV. 14, 1967	249.17	NOV. 19, 1968	250.20		

## San Joaquin Valley

12S/12E-16H5 M. U.S. GEOLOGICAL SURVEY. IN SAN JOAQUIN VALLEY, ABOUT 7 MILES SOUTHWEST OF DOS PALOS. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 4 INCHES. CASED 0-712, PERFORATED 670-712 FEET. DEPTH 720 FT., LSD 165 FT. ABOVE MSL. AUTOMATIC WATER LEVEL RECORDER 1958-1962.  
HIGHEST WATER LEVEL 131.40 FT BELOW LSD, MAY 10, 1966.  
LOWEST STATIC WATER LEVEL 135.84 FT BELOW LSD, FEB. 14, 1966.  
RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 13, 1966	132.29	OCT. 25, 1966	132.86	AUG. 1, 1967	132.45	MAY 7, 1968	132.48
FEB. 14	135.84	NOV. 21	132.86	AUG. 29	132.91	JUNE 4	132.38
MAR. 15	131.61	DEC. 20	132.66	SEP. 26	133.28	JULY 1	132.22
APR. 12	131.70	JAN. 17, 1967	132.56	OCT. 23	133.35	JULY 30	132.28
MAY 10	131.40	FEB. 14	132.38	NOV. 21	133.22	AUG. 27	132.43
JUNE 7	131.61	MAR. 14	132.49	DEC. 19	133.04	SEP. 23	132.73
JULY 6	131.75	APR. 12	132.49	JAN. 16, 1968	132.97	OCT. 21	132.58
AUG. 2	131.98	MAY 9	132.40	FEB. 12	132.85	NOV. 19	132.29
AUG. 30	132.38	JUNE 5	132.30	MAR. 11	132.94	DEC. 19	131.93
SEP. 26	132.82	JULY 5	132.24	APR. 9	132.88		

14S/12E-12H1 M. U.S. BUREAU OF RECLAMATION. IN SAN JOAQUIN VALLEY, ABOUT 2 MILES SOUTH OF MENDOTA. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 6 INCHES. CASED 0-936, PERFORATED 740-936 FEET. DEPTH 936 FT., LSD 338 FT. ABOVE MSL. AUTOMATIC WATER LEVEL RECORDER 1964-  
HIGHEST WATER LEVEL 534.50 FT BELOW LSD, NOV. 19, 1968.  
LOWEST STATIC WATER LEVEL 607.80 FT BELOW LSD, MAY 10, 1966.  
RECORDS AVAILABLE: 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 13, 1966	594	OCT. 25, 1966	578.7	AUG. 1, 1967	603.1	MAY 7, 1968	569.7
FEB. 15	568.7	NOV. 21	570.8	AUG. 29	589.1	JUNE 4	565.0
MAR. 15	556.1	DEC. 20	563.9	SEP. 26	572.3	JULY 1	570.1
APR. 12	593.5	JAN. 17, 1967	579.2	OCT. 24	568.2	JULY 30	568.2
MAY 10	607.8	FEB. 14	580.2	NOV. 21	581.2	AUG. 27	554.8
JUNE 7	577.1	MAR. 14	594.2	DEC. 19	582.3	SEP. 23	542.6
JULY 6	588.7	APR. 12	566.3	JAN. 16, 1968	581.3	OCT. 21	541.1
AUG. 2	592.6	MAY 9	560.8	FEB. 12	584.6	NOV. 19	534.5
AUG. 30	586.1	JUNE 5	579.2	MAR. 11	584.5	DEC. 19	535.1
SEP. 26	570.8	JULY 5	601.7	APR. 9	567.8		

14S/14E-28E2 M. TUFTS RANCH. IN SAN JOAQUIN VALLEY, ABOUT 6 MILES SOUTHWEST OF MENDOTA. DRILLED UNUSED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. CASED 0-1233 FEET. (U.S. BUREAU OF RECLAMATION BEFORE 1961). DEPTH 437 FT., LSD 247 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 50.50 FT BELOW LSD, DEC. 20, 1968.  
LOWEST STATIC WATER LEVEL 58.50 FT BELOW LSD, AUG. 24, 1966.  
RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	56.46	OCT. 20, 1966	58.10	AUG. 24, 1967	56.30	MAY 22, 1968	53.2
FEB. 25	55.48	NOV. 23	58.05	SEP. 20	55.76	JUNE 27	53.7
MAR. 24	55.49	JAN. 20, 1967	53.11	OCT. 26	55.62	JULY 25	52.7
APR. 22	56.59	FEB. 17	54.43	NOV. 23	55.55	AUG. 29	53.0
MAY 20	57.00	MAR. 23	54.33	DEC. 29	53.90	SEP. 26	52.7
JUNE 22	57.52	APR. 21	54.67	JAN. 31, 1968	N	OCT. 18	53.0
JULY 20	58.14	JUNE 2	54.12	FEB. 22	53.7	NOV. 20	51.4
AUG. 24	58.50	JUNE 21	54.36	MAR. 21	55.0	DEC. 20	50.5
SEP. 22	58.25	JULY 21	54.76	APR. 25	53.5		

## GROUND-WATER RECORDS, 1966-68

15S/13E-11D2 M. U.S. BUREAU OF RECLAMATION. IN SAN JOAQUIN VALLEY, ABOUT 9 MILES SOUTHWEST OF MENDOTA. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 6 INCHES. CASSED 0-960, PERFORATED 900-960 FEET. DEPTH 960 FT., LSD 346 FT. ABOVE MSL. AUTOMATIC WATER LEVEL RECORDER 1964-. HIGHEST WATER LEVEL 552.20 FT BELOW LSD, DEC. 19, 1968. LOWEST STATIC WATER LEVEL 652.30 FT BELOW LSD, AUG. 2, 1966. RECORDS AVAILABLE: 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 13, 1966	575	OCT. 25, 1966	588.9	AUG. 1, 1967	638.8	MAY 7, 1968	602.1
FEB. 16	558.3	NOV. 21	602.4	AUG. 29	634.3	JUNE 4	600.9
MAR. 15	596.7	DEC. 21	597.8	SEP. 26	606.7	JULY 1	621.2
APR. 12	609.6	JAN. 17, 1967	612.1	OCT. 24	610.6	JULY 30	617.1
MAY 10	618.9	FEB. 14	618.1	NOV. 21	616.0	AUG. 27	607.3
JUNE 8	619.3	MAR. 14	622.1	DEC. 19	609.1	SEP. 23	570.8
JULY 6	639.9	APR. 12	590.4	JAN. 16, 1968	626.2	OCT. 21	580.3
AUG. 2	652.3	MAY 9	603.3	FEB. 13	633.2	NOV. 19	570.0
AUG. 30	637	JUNE 5	623.85	MAR. 11	629.3	DEC. 19	552.2
SEP. 26	617.2	JULY 6	640.1	APR. 9	610.8		

15S/14E-15E1 M. U.S. BUREAU OF RECLAMATION. (15-14-15E). IN SAN JOAQUIN VALLEY, ABOUT 9 MILES SOUTHWEST OF MENDOTA. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 230 FEET. DEPTH 801 FT., LSD 236 FT. ABOVE MSL. HIGHEST WATER LEVEL 49.60 FT BELOW LSD, MAY 22, 1968. LOWEST STATIC WATER LEVEL 55.00 FT BELOW LSD, AUG. 24, 1967, SEP. 20, 1967. RECORDS AVAILABLE: 1950-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	54.85	OCT. 20, 1966	52.70	AUG. 24, 1967	55.0	MAY 22, 1968	49.6
FEB. 25	52.52	NOV. 23	52.80	SEP. 20	55.0	JUNE 27	50.9
MAR. 24	54.52	JAN. 20, 1967	53.21	OCT. 26	N	JULY 25	52.5
APR. 22	54.42	FEB. 17	52.98	NOV. 23	N	AUG. 29	50.9
MAY 20	54.24	MAR. 23	52.82	DEC. 29	52.4	SEP. 26	50.6
JUNE 22	54.21	APR. 21	N	JAN. 31, 1968	N	OCT. 18	50.3
JULY 20	50.58	JUNE 2	52.50	FEB. 22	51.6	NOV. 20	52.8
AUG. 24	53.90	JUNE 21	52.70	MAR. 21	51.1	DEC. 20	52.6
SEP. 22	54.80	JULY 21	53.0	APR. 25	51.2		

15S/14E-15E2 M. U.S. BUREAU OF RECLAMATION. (15-14-15D). IN SAN JOAQUIN VALLEY, ABOUT 9 MILES SOUTHWEST OF MENDOTA. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 385 FEET. DEPTH 801 FT., LSD 236 FT. ABOVE MSL. HIGHEST WATER LEVEL 162.90 FT BELOW LSD, DEC. 20, 1968. LOWEST STATIC WATER LEVEL 177.70 FT BELOW LSD, AUG. 24, 1966. RECORDS AVAILABLE: 1950-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	167.16	OCT. 20, 1966	175.00	AUG. 24, 1967	173.5	MAY 22, 1968	174.7
FEB. 25	164.84	NOV. 23	175.9	SEP. 20	165.5	JUNE 27	169.1
MAR. 24	167.85	JAN. 20, 1967	169.78	OCT. 26	N	JULY 25	171.3
APR. 22	171.64	FEB. 17	168.83	NOV. 23	N	AUG. 29	170.6
MAY 20	172.15	MAR. 23	170.37	DEC. 29	169.2	SEP. 26	170.1
JUNE 22	173.79	APR. 21	N	JAN. 31, 1968	N	OCT. 18	169.9
JULY 20	169.0	JUNE 2	168.5	FEB. 20	170.9	NOV. 20	167.3
AUG. 24	177.7	JUNE 21	170.5	MAR. 21	170.8	DEC. 20	162.9
SEP. 22	177.14	JULY 21	174.5	APR. 25	171.1		

15S/14E-15E3 M. U.S. BUREAU OF RECLAMATION. (15-14-15C). IN SAN JOAQUIN VALLEY, ABOUT 9 MILES SOUTHWEST OF MENDOTA. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 575 FEET. DEPTH 801 FT., LSD 236 FT. ABOVE MSL. HIGHEST WATER LEVEL 240.80 FT BELOW LSD, MAR. 24, 1966. LOWEST STATIC WATER LEVEL 261.00 FT BELOW LSD, AUG. 24, 1967. RECORDS AVAILABLE: 1950-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	254.30	OCT. 20, 1966	251.4	AUG. 24, 1967	261.0	MAY 22, 1968	252.4
FEB. 25	248.76	NOV. 23	253.6	SEP. 20	248.0	JUNE 27	248.3
MAR. 24	240.8	JAN. 20, 1967	247.31	OCT. 26	N	JULY 25	250.9
APR. 22	248.85	FEB. 17	246.72	NOV. 23	N	AUG. 29	250.7
MAY 20	248.97	MAR. 23	247.00	DEC. 29	247.8	SEP. 26	251.0
JUNE 22	249.29	APR. 21	N	JAN. 31, 1968	N	OCT. 18	244.5
JULY 20	244.0	JUNE 2	246.0	FEB. 22	247.5	NOV. 20	249.0
AUG. 24	253.9	JUNE 21	249.0	MAR. 21	250.8	DEC. 20	243.8
SEP. 22	254.1	JULY 21	257.0	APR. 25	250.2		

15S/14E-15E4 M. U.S. BUREAU OF RECLAMATION. (15-14-15B). IN SAN JOAQUIN VALLEY, ABOUT 9 MILES SOUTHWEST OF MENDOTA. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 775 FEET. DEPTH 801 FT., LSD 236 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 391.00 FT BELOW LSD, DEC. 20, 1968.  
LOWEST STATIC WATER LEVEL 441.10 FT BELOW LSD, AUG. 24, 1966.  
RECORDS AVAILABLE: 1950-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	391.44	OCT. 20, 1966	431.7	AUG. 24, 1967		MAY 22, 1968	435.0
FEB. 25	391.40	NOV. 23	434.9	SEP. 20		JUNE 27	434.0
MAR. 24	396.7	JAN. 20, 1967	403.1	OCT. 26		JULY 25	432.8
APR. 22	418.9	FEB. 17	410.82	NOV. 23		AUG. 29	434.7
MAY 20	426.52	MAR. 23	405.0	DEC. 29	416.5	SEP. 26	423.3
JUNE 22	439.6	APR. 21		JAN. 31, 1968		OCT. 18	419.6
JULY 20	428.9	JUNE 2	423.0	FEB. 22	428.8	NOV. 20	405.0
AUG. 24	441.1	JUNE 21	436.0	MAR. 21	431.0	DEC. 20	391.0
SEP. 22	436.5	JULY 21	435.0	APR. 25	430.1		

15S/16E-17L1 M. U.S. BUREAU OF RECLAMATION. (15-16-17H). IN SAN JOAQUIN VALLEY, ABOUT 1 MILE SOUTH OF TRANQUILLITY. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 210 FEET. DEPTH 800 FT., LSD 165 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 33.50 FT BELOW LSD, AUG. 24, 1966.  
LOWEST STATIC WATER LEVEL 69.80 FT BELOW LSD, APR. 25, 1968.  
RECORDS AVAILABLE: 1950-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	35.19	OCT. 20, 1966	38.28	AUG. 24, 1967	41.06	MAY 22, 1968	43.5
FEB. 25	35.88	NOV. 23	37.65	SEP. 20	41.75	JUNE 27	43.2
MAR. 24	39.04	JAN. 20, 1967	37.87	OCT. 26	39.90	JULY 25	43.4
APR. 22	37.58	FEB. 17	38.22	NOV. 23	40.5	AUG. 29	43.8
MAY 20	37.70	MAR. 23	39.34	DEC. 29	40.7	SEP. 26	46.0
JUNE 22	37.90	APR. 21	39.00	JAN. 31, 1968	40.1	OCT. 18	45.8
JULY 20	37.99	JUNE 2	39.67	FEB. 22	40.8	NOV. 20	45.3
AUG. 24	33.50	JUNE 21	39.66	MAR. 21	40.2	DEC. 20	43.5
SEP. 22	38.66	JULY 21	40.48	APR. 25	42.6		

15S/16E-17L2 M. U.S. BUREAU OF RECLAMATION. (15-16-17G). IN SAN JOAQUIN VALLEY, ABOUT 1 MILE SOUTH OF TRANQUILLITY. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 400 FEET. DEPTH 800 FT., LSD 165 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 27.41 FT BELOW LSD, JAN. 20, 1966.  
LOWEST STATIC WATER LEVEL 34.30 FT BELOW LSD, DEC. 20, 1968.  
RECORDS AVAILABLE: 1950-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	27.41	OCT. 20, 1966	29.95	AUG. 24, 1967	31.76	MAY 22, 1968	33.3
FEB. 25	28.06	NOV. 23	29.85	SEP. 20	32.10	JUNE 27	32.2
MAR. 24	28.62	JAN. 20, 1967	29.90	OCT. 26	32.17	JULY 25	33.7
APR. 22	28.86	FEB. 17	31.82	NOV. 23	32.00	AUG. 29	34.0
MAY 20	29.12	MAR. 23	30.47	DEC. 29	32.7	SEP. 26	34.2
JUNE 22	29.34	APR. 21	30.75	JAN. 31, 1968	32.6	OCT. 18	33.7
JULY 20	29.46	JUNE 2	31.18	FEB. 22	32.9	NOV. 20	34.1
AUG. 24	29.74	JUNE 21	31.32	MAR. 21	32.9	DEC. 20	34.3
SEP. 22	29.88	JULY 21	31.40	APR. 25	33.2		

15S/16E-17L3 M. U.S. BUREAU OF RECLAMATION. (15-16-17F). IN SAN JOAQUIN VALLEY, ABOUT 1 MILE SOUTH OF TRANQUILLITY. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 710 FEET. DEPTH 800 FT., LSD 165 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 42.60 FT BELOW LSD, APR. 25, 1968.  
LOWEST STATIC WATER LEVEL 80.10 FT BELOW LSD, AUG. 29, 1968.  
RECORDS AVAILABLE: 1950-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	56.59	OCT. 20, 1966	70.02	AUG. 24, 1967	76.50	MAY 22, 1968	69.3
FEB. 24	57.61	NOV. 23	69.25	SEP. 20	79.90	JUNE 27	74.7
MAR. 24	64.81	JAN. 20, 1967	57.57	OCT. 26	70.36	JULY 25	76.1
APR. 22	66.38	FEB. 17	48.12	NOV. 23	64.5	AUG. 29	80.1
MAY 20	64.68	MAR. 23	70.83	DEC. 29	64.0	SEP. 26	44.1
JUNE 22	69.01	APR. 21	72.20	JAN. 31, 1968	67.3	OCT. 18	43.3
JULY 20	71.03	JUNE 2	66.73	FEB. 22	70.9	NOV. 20	44.2
AUG. 24	78.64	JUNE 21	69.57	APR. 25	69.8	DEC. 20	72.1
SEP. 22	75.58	JULY 21	72.68				

## GROUND-WATER RECORDS, 1966-68

15S/16E-20R1 M. TRANQUILLITY ID. IN SAN JOAQUIN VALLEY, ABOUT 1 1/2 MILES SOUTH OF TRANQUILLITY. DRILLED UNUSED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. PERFORATED 490-1203 FEET. DEPTH 1,250 FT., LSD 168 FT. ABOVE MSL. AUTOMATIC WATER LEVEL RECORDER 1952-.  
 HIGHEST WATER LEVEL 64.23 FT BELOW LSD, JAN. 13, 1966.  
 LOWEST STATIC WATER LEVEL 90.26 FT BELOW LSD, AUG. 29, 1967.  
 RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 13, 1966	64.23	OCT. 26, 1966	82.03	AUG. 1, 1967	83.41	MAY 7, 1968	80.48
FEB. 15	64.49	NOV. 22	73.55	AUG. 29	90.26	JUNE 4	81.88
MAR. 15	72.47	DEC. 20	70.02	SEP. 26	85.74	JULY 1	85.68
APR. 12	77.85	JAN. 17, 1967	69.39	OCT. 24	81.31	JULY 30	87.54
MAY 11	75.29	FEB. 14	73.35	NOV. 22	76.27	AUG. 27	88.59
JUNE 7	76.51	MAR. 14	81.19	DEC. 19	71.62	SEP. 23	88.56
JULY 6	80.25	APR. 12	77.35	JAN. 16, 1968	72.73	OCT. 21	83.01
AUG. 2	81.53	MAY 9	71.65	FEB. 13	79.18	NOV. 19	75.81
AUG. 30	84.43	JUNE 5	77.69	MAR. 21	81.88	DEC. 19	72.65
SEP. 27	83.0	JULY 6	80.84	APR. 9	79.28		

15S/16E-28A1 M. U.S. BUREAU OF RECLAMATION. (15-16-28E). IN SAN JOAQUIN VALLEY, ABOUT 2 MILES WEST OF SAN JOAQUIN. DRILLED OBSERVATION WELL IN ALLUVIUM. CASED OPEN BOTTOM, PIEZOMETER TUBE AT 75 FEET. DEPTH 800 FT., LSD 170 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 45.50 FT BELOW LSD, JULY 21, 1967.  
 LOWEST STATIC WATER LEVEL 55.20 FT BELOW LSD, DEC. 20, 1968.  
 RECORDS AVAILABLE: 1950-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	46.35	OCT. 20, 1966	48.46	AUG. 24, 1967	50.62	MAY 22, 1968	52.4
FEB. 25	46.33	NOV. 23	48.37	SEP. 20	51.00	JUNE 27	52.5
MAR. 24	46.88	JAN. 20, 1967	48.16	OCT. 26	51.20	JULY 25	52.7
APR. 22	47.00	FEB. 17	48.89	NOV. 23	51.00	AUG. 29	53.3
MAY 20	47.28	MAR. 23	49.40	DEC. 29	51.80	SEP. 26	53.0
JUNE 22	47.48	APR. 21	49.77	JAN. 31, 1968	51.4	OCT. 18	53.0
JULY 20	47.73	JUNE 2	49.83	FEB. 22	51.6	NOV. 20	53.6
AUG. 24	48.01	JUNE 21	49.99	MAR. 21	52.1	DEC. 20	55.2
SEP. 22	48.17	JULY 21	45.5	APR. 25	52.3		

15S/16E-28A2 M. U.S. BUREAU OF RECLAMATION. (15-16-28D). IN SAN JOAQUIN VALLEY, ABOUT 2 MILES WEST OF SAN JOAQUIN. DRILLED OBSERVATION WELL IN ALLUVIUM. CASED OPEN BOTTOM, PIEZOMETER TUBE AT 193 FEET. DEPTH 800 FT., LSD 170 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 48.67 FT BELOW LSD, FEB. 25, 1966.  
 LOWEST STATIC WATER LEVEL 62.00 FT BELOW LSD, SEP. 26, 1968.  
 RECORDS AVAILABLE: 1950-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	51.70	OCT. 20, 1966	55.90	AUG. 24, 1967	59.30	MAY 22, 1968	59.3
FEB. 25	48.67	NOV. 23	55.45	SEP. 20	61.50	JUNE 27	61.1
MAR. 24	54.17	JAN. 20, 1967	54.72	OCT. 26	58.60	JULY 25	61.3
APR. 22	54.47	FEB. 17	52.99	NOV. 23	58.00	AUG. 29	61.5
MAY 20	54.52	MAR. 23	55.0	DEC. 29, 1968	59.00	SEP. 26	62.0
JUNE 22	55.08	APR. 21	56.80	JAN. 31	58.8	OCT. 18	61.8
JULY 20	55.85	JUNE 2	57.45	FEB. 22	58.9	NOV. 20	59.8
AUG. 24	56.68	JUNE 21	57.39	MAR. 21	59.2	DEC. 20	59.7
SEP. 22	56.87	JULY 21	54.0	APR. 25	59.8		

15S/16E-28A3 M. U.S. BUREAU OF RECLAMATION. (15-16-28C). IN SAN JOAQUIN VALLEY, ABOUT 2 MILES WEST OF SAN JOAQUIN. DRILLED OBSERVATION WELL IN ALLUVIUM. CASED OPEN BOTTOM, PIEZOMETER TUBE AT 328 FEET. DEPTH 800 FT., LSD 170 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 57.92 FT BELOW LSD, JAN. 20, 1966.  
 LOWEST STATIC WATER LEVEL 79.60 FT BELOW LSD, SEP. 26, 1968.  
 RECORDS AVAILABLE: 1950-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	57.92	OCT. 20, 1966	72.80	AUG. 24, 1967	76.57	MAY 22, 1968	72.2
FEB. 25	58.85	NOV. 23	71.90	SEP. 20	75.50	JUNE 27	78.1
MAR. 24	67.58	JAN. 20, 1967	62.90	OCT. 26	72.00	JULY 25	77.9
APR. 22	67.52	FEB. 17	65.47	NOV. 23	61.00	AUG. 29	78.1
MAY 20	67.24	MAR. 23	71.62	DEC. 29	67.70	SEP. 26	79.6
JUNE 22	72.28	APR. 21	68.23	JAN. 31, 1968	68.6	OCT. 18	77.4
JULY 20	71.74	JUNE 2	69.70	FEB. 22	71.8	NOV. 20	60.6
AUG. 24	74.80	JUNE 21	70.64	MAR. 21	71.3	DEC. 20	68.8
SEP. 22	74.54	JULY 21	69.50	APR. 25	72.6		

15S/16E-28A4 M. U.S. BUREAU OF RECLAMATION. (15-16-28B). IN SAN JOAQUIN VALLEY, ABOUT 2 MILES WEST OF SAN JOAQUIN. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 748 FEET. DEPTH 800 FT., LSD 170 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 143.50 FT BELOW LSD, JULY 21, 1967.  
 LOWEST STATIC WATER LEVEL 193.50 FT BELOW LSD, SEP. 20, 1967.  
 RECORDS AVAILABLE: 1950-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	173.05	OCT. 20, 1966	185.35	AUG. 24, 1967	184.48	MAY 22, 1968	184.8
FEB. 25	169.84	NOV. 23	184.95	SEP. 20	193.50	JUNE 27	185.3
MAR. 24	171.77	JAN. 20, 1967	178.95	OCT. 26	186.50	JULY 25	187.2
APR. 22	173.86	FEB. 17	175.26	NOV. 23	182.50	AUG. 29	188.0
MAY 20	175.85	MAR. 23	179.36	DEC. 29	183.00	SEP. 26	188.5
JUNE 22	177.76	APR. 21	180.67	JAN. 31, 1968	181.8	OCT. 18	182.9
JULY 20	180.93	JUNE 2	181.06	FEB. 22	183.3	NOV. 20	189.3
AUG. 24	183.02	JUNE 21	179.98	MAR. 21	173.0	DEC. 20	185.9
SEP. 22	185.07	JULY 21	143.50	APR. 25	184.1		

15S/16E-31N2 M. STATE OF CALIF. IN SAN JOAQUIN VALLEY, ABOUT 5 MILES SOUTH OF TRANQUILLITY. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 7 INCHES REDUCED TO 4 INCHES AT DEPTH. CASSED 0-807, PERFORATED 667-747 FEET. DEPTH 807 FT., LSD 188 FT. ABOVE MSL. AUTOMATIC WATER LEVEL RECORDER 1967-.  
 HIGHEST WATER LEVEL 217.10 FT BELOW LSD, DEC. 19, 1968.  
 LOWEST STATIC WATER LEVEL 293.26 FT BELOW LSD, JAN. 16, 1968.  
 RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 24, 1967	258.65	AUG. 29, 1967	259.04	FEB. 13, 1968	240.48	JULY 30, 1968	237.35
APR. 13	259.72	SEP. 26	254.34	MAR. 11	242.47	AUG. 27	234.76
MAY 9	253.17	OCT. 24	253.29	APR. 9	239.74	SEP. 23	230.55
JUNE 5	251.61	NOV. 22	247.55	MAY 7	235.75	OCT. 21	228.78
JULY 6	253.25	DEC. 19	240.76	JUNE 4	236.97	NOV. 19	222.96
AUG. 1	256.38	JAN. 16, 1968	293.26	JULY 1	237.46	DEC. 19	217.10

15S/16E-31N3 M. STATE OF CALIF. IN SAN JOAQUIN VALLEY, ABOUT 5 MILES SOUTH OF TRANQUILLITY. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 7 INCHES. CASSED 0-595, PERFORATED 497-537 FEET. DEPTH 595 FT., LSD 188 FT. ABOVE MSL. AUTOMATIC WATER LEVEL RECORDER 1967-.  
 HIGHEST WATER LEVEL 114.29 FT BELOW LSD, OCT. 21, 1968.  
 LOWEST STATIC WATER LEVEL 159.34 FT BELOW LSD, AUG. 27, 1968.  
 RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 23, 1967	147.89	AUG. 29, 1967	157.24	FEB. 13, 1968	152.73	JULY 30, 1968	158.34
APR. 12	139.67	SEP. 26	152.90	MAR. 11	150.71	AUG. 27	159.34
MAY 9	128.05	OCT. 24	146.86	APR. 9	141.98	SEP. 23	153.87
JUNE 5	140.25	NOV. 21	135.70	MAY 7	144.20	OCT. 21	114.29
JULY 6	147.76	DEC. 19	125.58	JUNE 4	147.51	NOV. 19	129.42
AUG. 1	153.84	JAN. 16, 1968	136.28	JULY 1	152.40	DEC. 19	124.24

16S/15E-34N4 M. U.S. GEOLOGICAL SURVEY. IN SAN JOAQUIN VALLEY, ABOUT 11 MILES SOUTHWEST OF TRANQUILLITY. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 8 INCHES. CASSED 0-1112, PERFORATED 1052-1112 FEET. DEPTH 1,130 FT., LSD 334 FT. ABOVE MSL. AUTOMATIC WATER LEVEL RECORDER 1960-.  
 HIGHEST WATER LEVEL 547.00 FT BELOW LSD, JAN. 13, 1966.  
 LOWEST STATIC WATER LEVEL 617.70 FT BELOW LSD, AUG. 29, 1967.  
 RECORDS AVAILABLE: 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 13, 1966	547	OCT. 26, 1966	596.2	AUG. 1, 1967	612.8	MAY 7, 1968	596.2
FEB. 16	579	NOV. 21	588.7	AUG. 29	617.7	JUNE 4	597.5
MAR. 15	579.0	DEC. 20	577.2	SEP. 26	570.7	JULY 1	597.2
APR. 12	585.8	JAN. 17, 1967	580.1	OCT. 24	590.1	JULY 30	608.1
MAY 10	584.4	FEB. 14	593.9	NOV. 22	595.2	AUG. 27	599.4
JUNE 8	593.5	MAR. 14	595.1	DEC. 19	587.3	SEP. 24	563.4
JULY 6	590.1	APR. 12	565.5	JAN. 16, 1968	589.2	OCT. 21	575.1
AUG. 2	601.2	MAY 9	565.5	FEB. 13	600.3	NOV. 19	570.6
AUG. 30	599.4	JUNE 6	577.6	MAR. 11	601.4	DEC. 19	563.2
SEP. 26	565.1	JULY 6	586.4	APR. 9	587.3		

## GROUND-WATER RECORDS, 1966-68

17S/16E-24R1 M. HARNISH BROTHERS. IN SAN JOAQUIN VALLEY, ABOUT 13 1/2 MILES WEST OF LANARE. DRILLED UNUSED IRRIGATION WELL IN ALLUVIUM, DIAMETER 14 INCHES. PERFORATED 200-740 FEET. DEPTH 543 FT., LSD 233 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 160.57 FT BELOW LSD, JAN. 20, 1966.  
LOWEST STATIC WATER LEVEL 205.50 FT BELOW LSD, JULY 20, 1967.  
RECORDS AVAILABLE: 1950-56, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	160.57	OCT. 20, 1966	187.38	AUG. 24, 1967	201.0	MAY 22, 1968	195.1
FEB. 25	166.94	NOV. 23	183.20	SEP. 20	193.5	JUNE 27	201.5
MAR. 24	191.76	JAN. 20, 1967	177.12	OCT. 26	183.5	JULY 25	196.0
APR. 22	196.25	FEB. 17	178.92	NOV. 23	181.5	AUG. 29	196.5
MAY 19	198.10	MAR. 23	192.97	DEC. 29	167.3	SEP. 26	190.4
JUNE 22	200.40	APR. 21	183.29	JAN. 31, 1968	172.1	OCT. 18	193.5
JULY 20	201.24	JUNE 2	184.92	FEB. 22	196.9	NOV. 20	184.8
AUG. 24	201.50	JUNE 21	200.5	MAR. 21	196.8	DEC. 20	182.0
SEP. 22	198.00	JULY 20	205.5	APR. 25	193.7		

17S/16E-30A3 M. U.S. BUREAU OF RECLAMATION. (17-16-30D-3). IN SAN JOAQUIN VALLEY, ABOUT 19 MILES WEST OF LANARE. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 515 FEET. DEPTH 1,500 FT., LSD 292 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 59.50 FT BELOW LSD, SEP. 20, 1967.  
LOWEST STATIC WATER LEVEL 73.00 FT BELOW LSD, AUG. 24, 1967.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	65.67	OCT. 20, 1966	66.29	AUG. 24, 1967	73.0	MAY 22, 1968	69.1
FEB. 25	65.68	NOV. 23	66.05	SEP. 20	59.5	JUNE 27	66.8
MAR. 24	65.62	JAN. 20, 1967	62.90	OCT. 26	65.5	JULY 25	68.6
APR. 22	65.59	FEB. 17	66.61	NOV. 23	64.5	AUG. 29	66.7
MAY 19	65.54	MAR. 23	64.50	DEC. 29	65.9	SEP. 26	66.6
JUNE 22	65.95	APR. 21	64.10	JAN. 31, 1968	67.3	OCT. 18	67.9
JULY 20	66.01	JUNE 2	66.61	FEB. 22	67.7	NOV. 20	68.3
AUG. 24	66.00	JUNE 21	66.79	MAR. 21	66.2	DEC. 20	68.9
SEP. 22	65.75	JULY 21	71.0	APR. 25	66.3		

17S/16E-30A5 M. U.S. BUREAU OF RECLAMATION. (17-16-30D-2). IN SAN JOAQUIN VALLEY, ABOUT 19 MILES WEST OF LANARE. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 1,071 FEET. DEPTH 1,500 FT., LSD 292 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 381.10 FT BELOW LSD, FEB. 17, 1967.  
LOWEST STATIC WATER LEVEL 454.20 FT BELOW LSD, FEB. 22, 1968.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	389.9	OCT. 20, 1966	393.0	AUG. 24, 1967	395.0	MAY 22, 1968	444.0
FEB. 25	401.2	NOV. 23	389.0	SEP. 20	425.0	JUNE 27	429.0
MAR. 24	386.4	JAN. 20, 1967	386.0	OCT. 26	435.0	JULY 25	445.5
APR. 22	399.1	FEB. 17	381.1	NOV. 23	424.0	AUG. 29	436.9
MAY 19	398.2	MAR. 23	398.2	DEC. 29	423.0	SEP. 26	423.0
JUNE 22	387.0	APR. 21	404.0	JAN. 31, 1968	426.8	OCT. 18	422.5
JULY 20	388.1	JUNE 2	404.0	FEB. 22	454.2	NOV. 20	424.0
AUG. 24	402.5	JUNE 21	383.0	MAR. 21	450.5	DEC. 20	422.0
SEP. 22	399.5	JULY 21	422.0	APR. 25	439.4		

17S/16E-30A6 M. U.S. BUREAU OF RECLAMATION. (17-16-30D-1). IN SAN JOAQUIN VALLEY, ABOUT 19 MILES WEST OF LANARE. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 1,281 FEET. DEPTH 1,500 FT., LSD 292 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 474.00 FT BELOW LSD, MAR. 24, 1966.  
LOWEST STATIC WATER LEVEL 530.60 FT BELOW LSD, SEP. 26, 1968.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	474.9	OCT. 20, 1966	500.5	AUG. 24, 1967	523.5	MAY 22, 1968	518.1
FEB. 25	476.4	NOV. 23	497.5	SEP. 20	514.5	JUNE 27	516.1
MAR. 24	474.0	JAN. 20, 1967	502.5	OCT. 26	509.5	JULY 25	528.4
APR. 22	485.7	FEB. 17	498.1	NOV. 23	507.5	AUG. 29	529.4
MAY 20	488.4	MAR. 23	502.5	DEC. 29	506.3	SEP. 26	530.6
JUNE 22	493.0	APR. 21	505.5	JAN. 31, 1968	506.9	OCT. 18	521.3
JULY 20	494.5	JUNE 2	500.5	FEB. 22	514.3	NOV. 20	515.9
AUG. 24	507.5	JUNE 21	504.0	MAR. 21	514.4	DEC. 20	509.5
SEP. 21	511.0	JULY 21	504.5	APR. 25	514.8		



## KERN COUNTY

37

18S/16E-33A1 M. U.S. BUREAU OF RECLAMATION. IN SAN JOAQUIN VALLEY, ABOUT 12 MILES NORTHEAST OF COALINGA. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 8 INCHES REDUCED TO 6 INCHES THEN TO 4 INCHES. CASED 0-1070, PERFORATED 858-1,070 FEET. DEPTH 1,070 FT., LSD 320 FT. ABOVE MSL. AUTOMATIC WATER LEVEL RECORDER 1964-.  
HIGHEST WATER LEVEL 423.47 FT BELOW LSD, JAN. 12, 1966.  
LOWEST STATIC WATER LEVEL 551.12 FT BELOW LSD, JAN. 16, 1968.  
RECORDS AVAILABLE: 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1966	423.47	OCT. 26, 1966	437.0	AUG. 1, 1967	457.2	MAY 8, 1968	455.15
FEB. 16	429.5	NOV. 22	433.5	AUG. 29	460.3	JUNE 4	457.05
MAR. 15	434.2	DEC. 21	437.89	SEP. 26	453.6	JULY 2	462.08
APR. 12	438.25	JAN. 18, 1967	442.92	OCT. 24	448.6	JULY 31	466.12
MAY 10	440.59	FEB. 14	448.88	NOV. 22	445.64	AUG. 28	461.91
JUNE 7	442.32	MAR. 14	449.91	DEC. 20	453.44	SEP. 24	451.86
JULY 6	444.70	APR. 13	454.1	JAN. 16, 1968	551.12	OCT. 22	448.76
AUG. 2	448.2	MAY 10	451.01	FEB. 13	458.08	NOV. 20	448.50
AUG. 30	448.06	JUNE 6	449.03	MAR. 11	461.39	DEC. 19	444.7
SEP. 27	442.8	JULY 6	450.02	APR. 9	462.10		

18S/19E-20P1 M. STATE OF CALIF. IN SAN JOAQUIN VALLEY, ABOUT 16 MILES WEST OF HANFORD. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 7 INCHES. CASED 0-696, PERFORATED 647-696 FEET. DEPTH 696 FT., LSD 222 FT. ABOVE MSL. AUTOMATIC WATER LEVEL RECORDER 1967-.  
HIGHEST WATER LEVEL 188.22 FT BELOW LSD, JUNE 6, 1967.  
LOWEST STATIC WATER LEVEL 218.90 FT BELOW LSD, SEP. 24, 1968.  
RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 23, 1967	199.24	AUG. 30, 1967	210.82	FEB. 13, 1968	198.38	JULY 31, 1968	208.84
APR. 13	198.39	SEP. 27	213.90	MAR. 12	204.67	AUG. 28	216.28
MAY 10	195.81	OCT. 25	215.17	APR. 9	203.99	SEP. 24	218.90
JUNE 6	188.22	NOV. 22	209.29	MAY 8	204.66	OCT. 22	216.69
JULY 7	203.30	DEC. 20	204.26	JUNE 4	203.52	NOV. 19	210.02
AUG. 1	207.50	JAN. 17, 1968	198.99	JULY 2	206.82	DEC. 19	202.47

18S/19E-20P2 M. STATE OF CALIF. IN SAN JOAQUIN VALLEY, ABOUT 16 MILES WEST OF HANFORD. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 7 INCHES. CASED 0-577, PERFORATED 497-537 FEET. DEPTH 577 FT., LSD 222 FT. ABOVE MSL. AUTOMATIC WATER LEVEL RECORDER 1967-.  
HIGHEST WATER LEVEL 157.37 FT BELOW LSD, JAN. 17, 1968.  
LOWEST STATIC WATER LEVEL 226.21 FT BELOW LSD, AUG. 28, 1968.  
RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 24, 1967	204.65	AUG. 30, 1967	206.22	FEB. 13, 1968	171.89	JULY 31, 1968	216.90
APR. 13	181.04	SEP. 27	209.39	MAR. 12	197.32	AUG. 28	226.21
MAY 10	176.37	OCT. 25	197.01	APR. 9	173.94	SEP. 24	220.34
JUNE 6	194.72	NOV. 22	185.83	MAY 8	192.71	OCT. 22	205.05
JULY 7	200.37	DEC. 20	169.09	JUNE 4	191.78	NOV. 19	175.13
AUG. 1	205.11	JAN. 17, 1968	157.37	JULY 2	200.64	DEC. 19	164.91

19S/18E-27M1 M. BOSTON LAND CO. IN SAN JOAQUIN VALLEY, ABOUT 5 1/2 MILES NORTHEAST OF HURON. DRILLED UNUSED IRRIGATION WELL IN ALLUVIUM, DIAMETER 18 INCHES REDUCED TO 10 INCHES THEN TO 8 INCHES THEN TO 6 INCHES. CASED 0-2105, PERFORATED 730-2,105 FEET. DEPTH 2,105 FT., LSD 281 FT. ABOVE MSL. HIGHEST WATER LEVEL 316.60 FT BELOW LSD, FEB. 25, 1966.  
LOWEST STATIC WATER LEVEL 422.60 FT BELOW LSD, JAN. 30, 1968.  
RECORDS AVAILABLE: 1950-51, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	326.2	OCT. 19, 1966	392.6	AUG. 23, 1967	420.0	MAY 21, 1968	385.4
FEB. 25	316.6	NOV. 23	390.5	SEP. 19	380.0	JUNE 27	381.6
MAR. 24	356.0	JAN. 19, 1967	385.2	OCT. 25	385.0	JULY 24	382.7
APR. 22	372.0	FEB. 17	397.0	NOV. 23	414.0	AUG. 29	N
MAY 20	382.72	MAR. 22	414.0	DEC. 28	412.5	SEP. 26	386.3
JUNE 22	384.60	APR. 20	401.0	JAN. 30, 1968	422.6	OCT. 17	358.4
JULY 20	389.2	JUNE 1	391.0	FEB. 21	418.7	NOV. 19	384.5
AUG. 23	400.8	JUNE 20	404.0	MAR. 21	414.5	DEC. 19	330.5
SEP. 21	398.2	JULY 20	410.0	APR. 25	399.0		

## GROUND-WATER RECORDS, 1966-68

20S/15E-32A1 M. COALINGA SCHOOL. IN SAN JOAQUIN VALLEY, ABOUT 1/4 MILE NORTH OF COALINGA. DRILLED OIL WELL CONVERTED TO UNUSED IRRIGATION WELL, DIAMETER 16 INCHES. DEPTH 399.0 FT., LSD 675 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 231.00 FT BELOW LSD, AUG. 23, 1967.  
 LOWEST STATIC WATER LEVEL 335.40 FT BELOW LSD, OCT. 17, 1968.  
 RECORDS AVAILABLE: 1951, 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	231.60	OCT. 19, 1966	232.60	AUG. 23, 1967	231.0	MAY 21, 1968	233.6
FEB. 24	231.24	NOV. 22	234.89	SEP. 19	233.0	JUNE 26	233.8
MAR. 23	231.20	JAN. 19, 1967	234.17	OCT. 25	237.0	JULY 24	236.4
APR. 21	231.36	FEB. 17	233.92	NOV. 22	236.5	AUG. 28	237.1
MAY 19	231.74	MAR. 22	233.58	DEC. 28	235.8	SEP. 25	237.8
JUNE 14	232.08	APR. 20	234.42	JAN. 30, 1968	235.5	OCT. 17	335.4
JULY 20	232.80	JUNE 1	239.0	FEB. 21	236.2	NOV. 19	238.3
AUG. 23	233.53	JUNE 20	239.0	MAR. 21	234.5	DEC. 19	241.5
SEP. 21	234.10	JULY 20	233.44	APR. 25	235.3		

20S/18E-6D1 M. U.S. BUREAU OF RECLAMATION. IN SAN JOAQUIN VALLEY, ABOUT 2 1/2 MILES NORTHEAST OF HURON. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 6 INCHES REDUCED TO 4 INCHES. PERFORATED 716-736, 760-835, 851-872 FEET. DEPTH 1,007 FT., LSD 324 FT. ABOVE MSL. AUTOMATIC WATER LEVEL RECORDER 1964-.  
 HIGHEST WATER LEVEL 488.90 FT BELOW LSD, JAN. 12, 1966.  
 LOWEST STATIC WATER LEVEL 596.30 FT BELOW LSD, FEB. 13, 1968.  
 RECORDS AVAILABLE: 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1966	488.9	OCT. 26, 1966	546.3	AUG. 1, 1967	574.2	MAY 8, 1968	571.6
FEB. 16	534.2	NOV. 22	548.1	AUG. 30	577.8	JUNE 4	564.8
MAR. 15	546.1	DEC. 21	541.6	SEP. 27	567.0	JULY 2	572.7
APR. 13	548.8	JAN. 18, 1967	547.3	OCT. 25	566.0	JULY 31	572.6
MAY 11	554.7	FEB. 15	559.7	NOV. 22	576.4	AUG. 28	567.7
JUNE 8	573.7	MAR. 14	571.3	DEC. 20	571.8	SEP. 24	545.8
JULY 6	569.5	APR. 13	558.5	JAN. 16, 1968	576.4	OCT. 22	536.7
AUG. 3	565.9	MAY 10	524.5	FEB. 13	596.3	NOV. 20	518.2
AUG. 30	562.0	JUNE 6	536.2	MAR. 12	595.1	DEC. 19	519.8
SEP. 27	545.9	JULY 7	552.6	APR. 9	584.4		

20S/18E-11Q1 M. U.S. GEOLOGICAL SURVEY. IN SAN JOAQUIN VALLEY, ABOUT 7 MILES NORTHEAST OF HURON. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 4 INCHES. CASED 0-710, PERFORATED 650-710 FEET. DEPTH 710 FT., LSD 268 FT. ABOVE MSL. AUTOMATIC WATER LEVEL RECORDER 1958-.  
 HIGHEST WATER LEVEL 423.60 FT BELOW LSD, JAN. 12, 1966.  
 LOWEST STATIC WATER LEVEL 494.80 FT BELOW LSD, JULY 31, 1968.  
 RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1966	423.6	OCT. 26, 1966	473.3	AUG. 24, 1967	485.9	APR. 9, 1968	474.3
FEB. 16	439.4	NOV. 22	475.7	AUG. 30	487.1	JUNE 4	483.0
MAR. 16	436.2	DEC. 21	461.6	SEP. 27	487.7	JULY 2	490.9
APR. 13	459.3	JAN. 18, 1967	461.5	OCT. 25	485.5	JULY 31	494.8
MAY 11	452.2	FEB. 15	475.2	NOV. 22	484.8	AUG. 28	488.1
JUNE 8	449.1	MAR. 14	474.7	DEC. 20	483.8	SEP. 24	486.9
JULY 6	469.9	APR. 13	467.9	JAN. 16, 1968	477.9	OCT. 22	480.7
AUG. 3	466.2	MAY 10	442.6	FEB. 13	484.6	NOV. 20	464.0
AUG. 30	476.9	JUNE 6	449.45	MAR. 12	489.7	DEC. 19	465.2
SEP. 27	474.0	JULY 7	464.2				

20S/18E-36D1 M. N. A. WOLFSEN. IN SAN JOAQUIN VALLEY, ABOUT 4 1/2 MILES NORTHEAST OF MURRAY. DRILLED UNUSED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 1,400 FT., LSD 260 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 284.47 FT BELOW LSD, JAN. 20, 1966.  
 LOWEST STATIC WATER LEVEL 392.00 FT BELOW LSD, NOV. 22, 1967.  
 RECORDS AVAILABLE: 1947-51, 1953, 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	284.47C	OCT. 19, 1966	302.20	AUG. 23, 1967	304.0	MAY 21, 1968	308.4
FEB. 24	289.32	NOV. 23	302.00	SEP. 19	306.0	JUNE 26	311.3
MAR. 23	292.42	JAN. 19, 1967	293.78	OCT. 25	305.0	JULY 24	314.8
APR. 21	296.45	FEB. 16	295.72	NOV. 22	392.0	AUG. 29	310.7
MAY 20	297.17	MAR. 22	300.34	DEC. 28	289.8	SEP. 26	303.5
JUNE 21	299.30	APR. 20	302.86	JAN. 30, 1968	294.2	OCT. 17	299.6
JULY 20	301.71	JUNE 1	294.0	FEB. 21	304.0	NOV. 19	294.2
AUG. 23	304.00	JUNE 20	294.5	MAR. 21	322.4	DEC. 19	294.4
SEP. 21	304.07	JULY 20	301.5	APR. 25	330.3		

21S/18E-28M2 M. WESTERN STATE. IN SAN JOAQUIN VALLEY, ABOUT 2 1/2 MILES SOUTHWEST OF MURRAY. DRILLED UNUSED INDUSTRIAL WELL IN ALLUVIUM, DIAMETER 16 INCHES. PERFORATED 464-1,221 FEET. DEPTH 1,286 FT., LSD 365 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 242.52 FT BELOW LSD, FEB. 16, 1967.  
LOWEST STATIC WATER LEVEL 402.85 FT BELOW LSD, AUG. 23, 1966.  
RECORDS AVAILABLE: 1951, 1953, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 20, 1966	331.16	OCT. 19, 1966	385.25	AUG. 23, 1967	384.0	MAY 21, 1968	362.4
FEB. 24	335.00	NOV. 23	379.24	SEP. 19	353.0	JUNE 26	388.2
MAR. 23	339.16	JAN. 19, 1967	340.0	OCT. 25	346.0	JULY 24	358.4
APR. 21	362.98	FEB. 16	242.52	NOV. 22	335.0	AUG. 29	357.8
MAY 20	346.38	MAR. 22	346.01	DEC. 28	343.0	SEP. 26	350.5
JUNE 21	353.35	APR. 20	333.54	JAN. 30, 1968	351.4	OCT. 17	339.5
JULY 20	386.00	JUNE 1	342.0	FEB. 21	350.6	NOV. 19	247.4
AUG. 23	402.85	JUNE 20	345.0	MAR. 21	357.0	DEC. 19	346.8
SEP. 21	390.27	JULY 20	354.85	APR. 25	357.9		

23S/18E-29E2 M. TIDEWATER OIL. (WELL 2). IN SAN JOAQUIN VALLEY, ABOUT 8 1/2 MILES SOUTHEAST OF AVENAL. DRILLED INDUSTRIAL WELL. DEPTH 364 FT., LSD 560 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 133.40 FT BELOW LSD, SEP. 21, 1966.  
LOWEST STATIC WATER LEVEL 137.50 FT BELOW LSD, DEC. 19, 1968.  
RECORDS AVAILABLE: 1955, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	134.65	OCT. 19, 1966	134.20	AUG. 23, 1967	135.55	MAY 21, 1968	136.2
FEB. 24	134.30	NOV. 22	135.04	SEP. 19	135.44	JUNE 26	135.7
MAR. 23	134.55	JAN. 19, 1967	134.65	OCT. 25	135.71	JULY 24	135.3
APR. 21	134.53	FEB. 16	134.64	NOV. 22	135.42	AUG. 28	136.6
MAY 19	134.26	MAR. 22	134.90	DEC. 28	135.28	SEP. 25	136.2
JUNE 21	134.76	APR. 20	135.18	JAN. 29, 1968	135.8	OCT. 17	136.4
JULY 20	134.81	JUNE 1	135.23	FEB. 21	135.5	NOV. 19	136.5
AUG. 23	135.04	JUNE 20	135.09	MAR. 21	135.9	DEC. 19	137.5
SEP. 21	133.40	JULY 20	135.46	APR. 25	135.5		

23S/25E-16N3 M. U.S. GEOLOGICAL SURVEY. IN SAN JOAQUIN VALLEY, ABOUT 3 MILES SOUTH OF PIXLEY. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 8 INCHES. CASED 0-420, PERFORATED 360-420 FEET. DEPTH 430 FT., LSD 263 FT. ABOVE MSL. AUTOMATIC WATER LEVEL RECORDER 1959-.  
HIGHEST WATER LEVEL 136.02 FT BELOW LSD, JAN. 17, 1968.  
LOWEST STATIC WATER LEVEL 267.52 FT BELOW LSD, AUG. 3, 1966.  
RECORDS AVAILABLE: 1959-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 11, 1966	141.80	OCT. 27, 1966	188.65	AUG. 1, 1967	217.31	APR. 10, 1968	174.74
FEB. 17	138.81	NOV. 22	175.16	AUG. 31	210.21	MAY 8	190.86
MAR. 16	155.55	DEC. 22	158.64	SEP. 27	185.94	JUNE 5	199.80
APR. 13	200.30	JAN. 19, 1967	148.54	OCT. 26	170.02	JULY 3	234.78
MAY 12	182.97	FEB. 15	142.54	NOV. 23	153.99	AUG. 29	240.96
JUNE 9	234.73	MAR. 15	177.89	DEC. 21	142.94	SEP. 25	221.25
JULY 7	250.09	APR. 12	156.23	JAN. 17, 1968	136.02	OCT. 23	184.43
AUG. 3	267.52	MAY 11	144.21	FEB. 14	137.45	NOV. 20	164.86
AUG. 31	261.23	JUNE 7	161.13	MAR. 13	163.25	DEC. 16	154.9
SEP. 28	227.02	JULY 8	185.22				

23S/25E-16N4 M. U.S. GEOLOGICAL SURVEY. IN SAN JOAQUIN VALLEY, ABOUT 3 MILES SOUTH OF PIXLEY. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 8 INCHES. CASED 0-240, PERFORATED 200-240 FEET. DEPTH 250 FT., LSD 263 FT. ABOVE MSL. AUTOMATIC WATER LEVEL RECORDER 1959-.  
HIGHEST WATER LEVEL 80.93 FT BELOW LSD, FEB. 14, 1968.  
LOWEST STATIC WATER LEVEL 99.26 FT BELOW LSD, AUG. 31, 1966.  
RECORDS AVAILABLE: 1959-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 11, 1966	91.20	OCT. 27, 1966	94.64	AUG. 2, 1967	91.79	APR. 10, 1968	83.39
FEB. 17	89.94	NOV. 22	93.48	AUG. 31	90.36	MAY 8	84.24
MAR. 16	90.16	DEC. 22	92.45	SEP. 27	87.16	JUNE 5	86.39
APR. 13	91.42	JAN. 19, 1967	91.67	OCT. 26	84.86	JULY 3	89.80
MAY 12	90.20	FEB. 15	91.16	NOV. 23	83.16	AUG. 29	94.03
JUNE 9	93.42	MAR. 15	91.78	DEC. 21	82.33	SEP. 25	92.97
JULY 7	96.11	APR. 12	91.39	JAN. 17, 1968	81.43	OCT. 23	90.19
AUG. 3	98.14	MAY 11	90.51	FEB. 14	80.93	NOV. 20	88.74
AUG. 31	99.26	JUNE 7	90.41	MAR. 13	81.69	DEC. 17	87.90
SEP. 28	98.00	JULY 8	91.41				

## GROUND-WATER RECORDS, 1966-68

23S/25E-17Q3 M. E. THOMPSON. IN SAN JOAQUIN VALLEY, ABOUT 3 MILES SOUTH OF PIXLEY. DRILLED UNUSED IRRIGATION WELL IN ALLUVIUM. DEPTH 352 FT., LSD 269 FT. ABOVE MSL. AUTOMATIC WATER LEVEL RECORDER 1957-.

HIGHEST WATER LEVEL 86.10 FT BELOW LSD, FEB. 14, 1968.

LOWEST STATIC WATER LEVEL 104.98 FT BELOW LSD, AUG. 31, 1966.

RECORDS AVAILABLE: 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 25, 1966	97.11	AUG. 31, 1966	104.98	APR. 12, 1967	98.14	OCT. 26, 1967	89.77
FEB. 17	96.27	SEP. 28	103.53	MAY 11	97.36	NOV. 23	88.15
MAR. 16	96.14	OCT. 27	101.31	JUNE 7	97.02	DEC. 21	87.34
APR. 13	97.51	NOV. 22	100.18	JULY 8	97.00	JAN. 17, 1968	86.56
MAY 12	97.04	DEC. 22	99.30	AUG. 2	96.64	FEB. 14	86.10
JUNE 9	99.63	JAN. 19, 1967	98.38	AUG. 31	95.39	MAR. 13	87.27
JULY 7	101.34	FEB. 15	97.81	SEP. 27	92.54	APR. 10	0
AUG. 3	103.96	MAR. 15	98.66				

24S/26E-29R2 M. DIGIORGIO FRUIT, FORMERLY SIERRA VISTA. (SVR 5A). IN SAN JOAQUIN VALLEY, ABOUT 3 1/2 MILES NORTHEAST OF DELANO. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 300 FT., LSD 400 FT. ABOVE MSL.

HIGHEST WATER LEVEL 129.10 FT BELOW LSD, FEB. 20, 1968.

LOWEST STATIC WATER LEVEL 159.90 FT BELOW LSD, JUNE 20, 1966.

RECORDS AVAILABLE: 1957-59, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	131.12	OCT. 18, 1966	145.00	AUG. 22, 1967	144.90	MAY 20, 1968	143.0 C
FEB. 23	130.75	NOV. 21	140.13	SEP. 18	149.65C	JUNE 25	158.5 C
MAR. 22	134.80C	JAN. 16, 1967	135.40	OCT. 24	134.55	JULY 22	159.9 C
APR. 20	142.74C	FEB. 15	134.18	NOV. 21	132.50	AUG. 26	155.0
MAY 18	160.05C	MAR. 21	141.38	DEC. 27	134.5	SEP. 24	149.8
JUNE 20	159.90	APR. 19	142.78	JAN. 29, 1968	129.4	OCT. 16	147.1
JULY 18	163.10C	MAY 31	140.49C	FEB. 20	129.1	NOV. 18	140.6
AUG. 22	160.45C	JUNE 19	140.16	MAR. 18	129.9	DEC. 18	136.5
SEP. 20	149.40	JULY 18	144.50	APR. 24	140.6 C		

24S/26E-34F1 M. LANZA VINEYARDS. IN SAN JOAQUIN VALLEY, ABOUT 6 MILES NORTHEAST OF DELANO. DRILLED UNUSED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES REDUCED TO 12 INCHES. CASD 0-1522, PERFORATED 400-1,522 FEET. DEPTH 1,510 FT., LSD 445 FT. ABOVE MSL. AUTOMATIC WATER LEVEL RECORDER 1957-.

HIGHEST WATER LEVEL 210.34 FT BELOW LSD, FEB. 14, 1968.

LOWEST STATIC WATER LEVEL 287.82 FT BELOW LSD, AUG. 3, 1966.

RECORDS AVAILABLE: 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 27, 1966	217.95	OCT. 27, 1966	243.02	AUG. 2, 1967	243.86	APR. 10, 1968	226.27
FEB. 16	216.36	NOV. 23	235.30	AUG. 30	244.87	MAY 8	248.93
MAR. 17	216.58	DEC. 22	227.88	SEP. 28	232.84	JUNE 6	269.95
APR. 13	237.19	JAN. 18, 1967	224.32	OCT. 26	230.08	JULY 3	287.59
MAY 11	256.70	FEB. 16	219.97	NOV. 23	220.37	AUG. 29	278.84
JUNE 9	267.34	MAR. 15	227.12	DEC. 21	214.39	SEP. 25	263.31
JULY 7	279.32	APR. 11	232.98	JAN. 17, 1968	211.39	OCT. 23	247.78
AUG. 3	287.82	MAY 11	222.75	FEB. 14	210.34	NOV. 20	233.60
AUG. 31	274.12	JUNE 7	214.80	MAR. 13	211.75	DEC. 16	227.93
SEP. 28	254.84	JULY 7	232.91				

25S/19E-20Q2 M. TIDEWATER OIL, FORMERLY ASSOCIATED OIL. IN SAN JOAQUIN VALLEY, ABOUT 16 1/2 MILES NORTHWEST OF LOST HILLS. DRILLED INDUSTRIAL WELL IN ALLUVIUM, DIAMETER 10 INCHES. PERFORATED 360-370 FEET. DEPTH 400 FT., LSD 480 FT. ABOVE MSL.

HIGHEST WATER LEVEL 131.60 FT BELOW LSD, DEC. 19, 1968.

LOWEST STATIC WATER LEVEL 162.10 FT BELOW LSD, JULY 24, 1968.

RECORDS AVAILABLE: 1951, 1955, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	132.44	OCT. 19, 1966	134.14	AUG. 23, 1967	A	MAY 21, 1968	133.1
FEB. 24	133.69	NOV. 22	133.07	SEP. 19	157.92A	JUNE 26	132.1
MAR. 23	A	JAN. 19, 1967	131.92	OCT. 25	A	JULY 24	162.1
APR. 21	136.08	FEB. 16	132.18	NOV. 22	A	AUG. 28	N
MAY 19	133.62	MAR. 22	165.10A	DEC. 28	138.4	SEP. 25	137.9
JUNE 21	132.90	APR. 20	A	JAN. 30, 1968	A	OCT. 17	133.6
JULY 20	132.86	JUNE 1	A	FEB. 21	147.3	NOV. 19	132.1
AUG. 23	143.30	JUNE 20	139.85	MAR. 21	132.0	DEC. 19	131.6
SEP. 21	A	JULY 19	A	APR. 25	132.7		

## KERN COUNTY

41

25S/21E-22H1 M. JAMES B. CUTLER. IN SAN JOAQUIN VALLEY, ABOUT 8 MILES NORTH OF LOST HILLS. DRILLED UNUSED STOCK WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 300 FT., LSD 217 FT. ABOVE MSL. HIGHEST WATER LEVEL 118.02 FT BELOW LSD, MAR. 23, 1966. LOWEST STATIC WATER LEVEL 169.40 FT BELOW LSD, AUG. 28, 1968. RECORDS AVAILABLE: 1951, 1957, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	121.10	OCT. 19, 1966	130.15	AUG. 23, 1967	122.83	MAY 21, 1968	122.9
FEB. 24	118.84	NOV. 22	132.60	SEP. 19	123.55	JUNE 26	124.6
MAR. 23	118.02	JAN. 18, 1967	129.74	OCT. 25	N	JULY 24	125.3
APR. 21	118.68	FEB. 16	127.78	NOV. 22	N	AUG. 28	169.4
MAY 19	118.24	MAR. 22	127.40	DEC. 28	125.3	SEP. 25	132.4
JUNE 21	119.37	APR. 20	126.10	JAN. 30, 1968	127.0	OCT. 17	137.9
JULY 19	121.37	JUNE 1	124.36	FEB. 21	126.3	NOV. 19	138.3
AUG. 23	124.53	JUNE 20	123.54	MAR. 21	124.3	DEC. 19	137.1
SEP. 21	125.70	JULY 19	122.84	APR. 25	123.1		

25S/22E-2N2 M. NATL. ROYALTIES. FORMERLY CARLOS REY. IN SAN JOAQUIN VALLEY, ABOUT 9 MILES SOUTHWEST OF ALPAUGH. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. CASSED TO 354 FEET. PERFORATED 270-354 FEET. DEPTH 285 FT., LSD 212 FT. ABOVE MSL. HIGHEST WATER LEVEL 47.78 FT BELOW LSD, JAN. 19, 1966. LOWEST STATIC WATER LEVEL 82.19 FT BELOW LSD, NOV. 21, 1966. RECORDS AVAILABLE: 1958, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	47.78	OCT. 18, 1966	81.47	AUG. 22, 1967	80.02	MAY 20, 1968	69.5
FEB. 24	50.48	NOV. 21	82.19	SEP. 18	72.40	JUNE 25	74.05
MAR. 23	54.79	JAN. 16, 1967	77.32	OCT. 24	71.10	JULY 23	76.67
APR. 21	56.33	FEB. 15	74.17	NOV. 21	71.80	AUG. 27	79.19C
MAY 19	61.06	MAR. 21	71.20	DEC. 27	70.25	SEP. 24	80.78
JUNE 20	65.05	APR. 19	71.43	JAN. 29, 1968	69.5	OCT. 16	82.0
JULY 19	70.51C	MAY 31	73.46C	FEB. 20	68.8	NOV. 18	81.0
AUG. 22	74.25C	JUNE 19	74.84C	MAR. 19	68.5	DEC. 18	79.2
SEP. 20	78.40	JULY 18	77.40C	APR. 24	69.1		

25S/23E-28D1 M. U.S. BUREAU OF RECLAMATION. (25-23-28-3). IN SAN JOAQUIN VALLEY, ABOUT 11 MILES SOUTH OF ALPAUGH. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 210 FEET. DEPTH 800 FT., LSD 217 FT. ABOVE MSL. HIGHEST WATER LEVEL 88.30 FT BELOW LSD, FEB. 24, 1966. LOWEST STATIC WATER LEVEL 110.90 FT BELOW LSD, AUG. 22, 1966. RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	90.77	OCT. 18, 1966	110.30	AUG. 22, 1967	103.0	MAY 20, 1968	100.4
FEB. 24	88.30	NOV. 21	104.30	SEP. 18	109.00	JUNE 25	103.3
MAR. 23	92.54	JAN. 16, 1967	96.55	OCT. 24	108.0	JULY 23	107.5
APR. 21	95.36	FEB. 15	93.32	NOV. 21	102.0	AUG. 27	109.4
MAY 19	97.32	MAR. 21	97.50	DEC. 27	97.7	SEP. 24	109.5
JUNE 20	100.40	APR. 19	N	JAN. 29, 1968	93.0	OCT. 16	108.4
JULY 19	105.80	MAY 31	96.23	FEB. 20	95.2	NOV. 18	105.5
AUG. 22	110.90	JUNE 19	98.65	MAR. 19	96.3	DEC. 18	101.5
SEP. 20	110.67	JULY 18	101.0	APR. 24	97.9		

25S/23E-28D2 M. U.S. BUREAU OF RECLAMATION. (25-23-28-1). IN SAN JOAQUIN VALLEY, ABOUT 11 MILES SOUTH OF ALPAUGH. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 483 FEET. DEPTH 800 FT., LSD 217 FT. ABOVE MSL. HIGHEST WATER LEVEL 111.00 FT BELOW LSD, FEB. 24, 1966. LOWEST STATIC WATER LEVEL 179.00 FT BELOW LSD, OCT. 24, 1967. RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	113.91	OCT. 18, 1966	158.0	AUG. 22, 1967	172.0	MAY 20, 1968	133.0
FEB. 24	111.0	NOV. 21	139.0	SEP. 18	174.0	JUNE 25	150.5
MAR. 23	122.04	JAN. 16, 1967	119.76	OCT. 24	179.0	JULY 23	164.1
APR. 21	131.10	FEB. 15	114.16	NOV. 21	135.0	AUG. 27	171.0
MAY 19	131.10	MAR. 21	126.30	DEC. 27	134.6	SEP. 24	169.9
JUNE 20	138.50	APR. 19	N	JAN. 29, 1968	114.2	OCT. 16	164.4
JULY 19	149.82	MAY 31	123.16	FEB. 20	119.3	NOV. 18	135.7
AUG. 22	160.9	JUNE 19	127.12	MAR. 19	125.4	DEC. 18	137.4
SEP. 20	159.5	JULY 18	139.0	APR. 24	128.1		

## GROUND-WATER RECORDS, 1966-68

25S/23E-28D3 M. U.S. BUREAU OF RECLAMATION. (25-23-28-2). IN SAN JOAQUIN VALLEY, ABOUT 11 MILES SOUTH OF ALPAUGH. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 693 FEET. DEPTH 800 FT., LSD 217 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 150.30 FT BELOW LSD, FEB. 24, 1966.  
 LOWEST STATIC WATER LEVEL 279.20 FT BELOW LSD, AUG. 27, 1968.  
 RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	157.10	OCT. 18, 1966	247.50	AUG. 22, 1967	249.0	MAY 20, 1968	205.0
FEB. 24	150.30	NOV. 21	216.80	SEP. 18	254.0	JUNE 25	247.4
MAR. 23	176.84	JAN. 16, 1967	177.28	OCT. 24	259.0	JULY 23	269.9
APR. 21	191.13	FEB. 15	167.22	NOV. 21	207.0	AUG. 27	279.2
MAY 19	199.77	MAR. 21	194.95	DEC. 27	181.5	SEP. 24	273.6
JUNE 20	225.80	APR. 19	N	JAN. 29, 1968	171.4	OCT. 16	260.4
JULY 19	246.20	MAY 31	187.13	FEB. 20	177.6	NOV. 18	236.5
AUG. 22	261.60	JUNE 17	195.47	MAR. 19	193.5	DEC. 18	205.0
SEP. 20	251.10	JULY 18	233.0	APR. 24	197.4		

25S/24E-12A2 M. JOHN HOURIGAN. IN SAN JOAQUIN VALLEY, ABOUT 5 MILES WEST OF DELANO. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 14 INCHES. CASSED 0-504 FEET, PERFORATED 204-504 FEET. DEPTH 504 FT., LSD 253 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 73.11 FT BELOW LSD, FEB. 15, 1967.  
 LOWEST STATIC WATER LEVEL 112.30 FT BELOW LSD, AUG. 27, 1968.  
 RECORDS AVAILABLE: 1958, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	77.90	OCT. 18, 1966	92.0	AUG. 22, 1967	108.5	MAY 20, 1968	90.8
FEB. 23	79.33	NOV. 21	86.16	SEP. 18	A	JUNE 25	A
MAR. 22	A	JAN. 16, 1967	77.36	OCT. 24	107.68	JULY 23	A
APR. 20	A	FEB. 15	73.11	NOV. 21	91.55	AUG. 27	112.3
MAY 18	98.37	MAR. 21	91.33	DEC. 27	75.30	SEP. 24	98.1
JUNE 20	112.25	APR. 19	81.23	JAN. 29, 1968	76.2	OCT. 16	90.2
JULY 18	A	MAY 31	88.70	FEB. 20	A	NOV. 18	80.4
AUG. 22	111.10	JUNE 19	A	MAR. 19	87.6	DEC. 18	76.7
SEP. 20	A	JULY 18	100.2	APR. 24	87.8		

25S/24E-15H1 M. U.S. BUREAU OF RECLAMATION. (25-24-15D-3). IN SAN JOAQUIN VALLEY, ABOUT 7 MILES WEST OF DELANO. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 126 FEET. DEPTH 600 FT., LSD 247 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 80.33 FT BELOW LSD, FEB. 23, 1966.  
 LOWEST STATIC WATER LEVEL 92.90 FT BELOW LSD, JUNE 25, 1968.  
 RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	87.47	OCT. 18, 1966	89.35	AUG. 22, 1967	87.34	MAY 20, 1968	84.9
FEB. 23	80.33	NOV. 21	88.70	SEP. 18	87.27	JUNE 25	92.9
MAR. 22	87.41	JAN. 16, 1967	87.62	OCT. 24	87.5	JULY 23	85.7
APR. 20	88.06	FEB. 15	87.53	NOV. 21	86.5	AUG. 27	86.2
MAY 18	88.13	MAR. 21	87.57	DEC. 27	85.5	SEP. 24	85.7
JUNE 20	88.75	APR. 19	85.02	JAN. 29, 1968	85.8	OCT. 16	87.1
JULY 18	89.47	MAY 31	86.90	FEB. 20	86.9	NOV. 18	86.9
AUG. 22	89.60	JUNE 19	87.27	MAR. 19	85.2	DEC. 18	85.0
SEP. 20	89.70	JULY 18	87.38	APR. 24	85.1		

25S/24E-15H2 M. U.S. BUREAU OF RECLAMATION. (25-24-15D-2). IN SAN JOAQUIN VALLEY, ABOUT 7 MILES WEST OF DELANO. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 295 FEET. DEPTH 600 FT., LSD 247 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 86.00 FT BELOW LSD, DEC. 18, 1968.  
 LOWEST STATIC WATER LEVEL 163.47 FT BELOW LSD, JULY 18, 1966.  
 RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	110.67	OCT. 18, 1966	137.40	AUG. 22, 1967	159.5	MAY 20, 1968	89.7
FEB. 23	107.45	NOV. 21	125.70	SEP. 18	99.5	JUNE 25	99.2
MAR. 22	134.84	JAN. 16, 1967	114.02	OCT. 24	97.5	JULY 23	90.2
APR. 20	138.99	FEB. 15	111.30	NOV. 21	86.5	AUG. 27	89.3
MAY 18	143.40	MAR. 21	125.00	DEC. 27	87.0	SEP. 24	86.2
JUNE 20	159.05	APR. 19	123.14	JAN. 29, 1968	86.8	OCT. 16	88.0
JULY 18	163.47	MAY 31	141.00	FEB. 20	87.5	NOV. 18	88.8
AUG. 22	162.05	JUNE 19	141.80	MAR. 19	88.6	DEC. 18	86.0
SEP. 20	155.60	JULY 18	149.5	APR. 24	88.9		

25S/25E-22D1 M. U.S. BUREAU OF RECLAMATION. (25-25-22E-2). IN SAN JOAQUIN VALLEY, ABOUT 2 1/2 MILES SOUTHWEST OF DELANO. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER AT 810 FEET. DEPTH 1,350 FT., LSD 286 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 125.16 FT BELOW LSD, FEB. 23, 1966.  
LOWEST STATIC WATER LEVEL 276.90 FT BELOW LSD, AUG. 27, 1968.  
RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	136.27	OCT. 18, 1966	209.4	AUG. 22, 1967	214.5	MAY 20, 1968	175.9
FEB. 23	125.16	NOV. 21	178.55	SEP. 18	224.5	JUNE 25	213.5
MAR. 22	140.65	JAN. 16, 1967	149.20	OCT. 24	189.5	JULY 22	273.6
APR. 20	161.48	FEB. 15	142.84	NOV. 21	163.5	AUG. 27	276.9
MAY 18	172.87	MAR. 21	155.22	DEC. 27	148.0	SEP. 24	245.2
JUNE 20	193.72	APR. 19	157.23	JAN. 29, 1968	137.3	OCT. 16	225.3
JULY 18	240.74	MAY 31	154.67	FEB. 20	137.9	NOV. 18	193.1
AUG. 22	244.90	JUNE 19	161.20	MAR. 18	150.7	DEC. 18	181.1
SEP. 20	230.70	JULY 18	169.5	APR. 24	175.1		

25S/25E-22D2 M. U.S. BUREAU OF RECLAMATION. (25-25-22E-1). IN SAN JOAQUIN VALLEY, ABOUT 2 1/2 MILES SOUTHWEST OF DELANO. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 1,095 FEET. DEPTH 1,350 FT., LSD 286 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 118.10 FT BELOW LSD, FEB. 23, 1966.  
LOWEST STATIC WATER LEVEL 270.50 FT BELOW LSD, AUG. 27, 1968.  
RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	137.16	OCT. 18, 1966	209.70	AUG. 22, 1967	211.5	MAY 20, 1968	191.5
FEB. 23	118.10	NOV. 21	189.27	SEP. 18	219.5	JUNE 25	211.8
MAR. 22	143.10	JAN. 16, 1967	150.83	OCT. 24	214.5	JULY 22	268.5
APR. 20	162.22	FEB. 15	145.65	NOV. 21	161.5	AUG. 27	270.5
MAY 18	181.07	MAR. 21	154.58	DEC. 27	149.0	SEP. 24	245.4
JUNE 20	216.76	APR. 19	157.79	JAN. 29, 1968	138.7	OCT. 16	222.0
JULY 18	237.38	MAY 31	156.17	FEB. 20	140.1	NOV. 18	181.5
AUG. 22	244.40	JUNE 17	161.88	MAR. 18	150.9	DEC. 18	177.9
SEP. 20	230.90	JULY 18	169.0	APR. 24	172.9		

25S/26E-1A2 M. MID STATE HORT. IN SAN JOAQUIN VALLEY, ABOUT 7 MILES EAST OF DELANO. DRILLED UNUSED IRRIGATION WELL IN ALLUVIUM, DIAMETER 14 INCHES REDUCED TO 12 INCHES. CASSED 0-875, PERFORATED 200-600 FEET. DEPTH 852 FT., LSD 507 FT. ABOVE MSL. AUTOMATIC WATER LEVEL RECORDER 1957-  
HIGHEST WATER LEVEL 290.60 FT BELOW LSD, FEB. 14, 1968.  
LOWEST STATIC WATER LEVEL 488.50 FT BELOW LSD, JULY 7, 1966.  
RECORDS AVAILABLE: 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 27, 1966	307.0	OCT. 27, 1966	408.8	AUG. 2, 1967	319.5	APR. 10, 1968	320.1
FEB. 16	305.1	NOV. 23	382.6	AUG. 30	322.4	MAY 9	359.8
MAR. 17	315.23	DEC. 22	326.6	SEP. 28	308	JUNE 6	376.7
APR. 13	329.6	JAN. 18, 1967	316.3	OCT. 26	297.5	JULY 3	461.8
MAY 11	351.2	FEB. 16	309.5	NOV. 23	301.1	AUG. 29	411.2
JUNE 9	427.3	MAR. 15	327.9	DEC. 21	297.0	SEP. 25	374.7
JULY 7	488.5	APR. 11	334.1	JAN. 17, 1968	293.5	OCT. 23	345.1
AUG. 3	473.4	MAY 11	322.6	FEB. 14	290.6	NOV. 20	320.4
AUG. 31	459.9	JUNE 7	311.2	MAR. 13	309.5	DEC. 16	294.6
SEP. 28	394.7	JULY 7	314.6				

25S/26E-16P1 M. U.S. BUREAU OF RECLAMATION. (25-26-16C-1). IN SAN JOAQUIN VALLEY, ABOUT 3 1/2 MILES SOUTHEAST OF DELANO. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 435 FEET. DEPTH 1,270 FT., LSD 390 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 81.50 FT BELOW LSD, SEP. 18, 1967.  
LOWEST STATIC WATER LEVEL 103.40 FT BELOW LSD, MAR. 21, 1967.  
RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	103.0	OCT. 18, 1966	92.40	AUG. 22, 1967	92.70	MAY 20, 1968	88.1
FEB. 23	101.6	NOV. 21	89.10	SEP. 18	81.50	JUNE 25	86.4
MAR. 22	100.85	JAN. 16, 1967	96.02	OCT. 24	87.5	JULY 22	93.1
APR. 20	100.44	FEB. 15	96.39	NOV. 21	89.5	AUG. 26	87.3
MAY 18	98.48	MAR. 21	103.40	DEC. 27	86.9	SEP. 24	86.9
JUNE 20	96.95	APR. 19	101.86	JAN. 29, 1968	90.2	OCT. 16	86.3
JULY 18	96.20	MAY 31	99.46	FEB. 20	90.9	NOV. 18	86.0
AUG. 22	84.90	JUNE 19	102.5	MAR. 18	89.5	DEC. 18	88.9
SEP. 20	95.20	JULY 18	96.52	APR. 24	88.7		

## GROUND-WATER RECORDS, 1966-68

25S/26E-16P2 M. U.S. BUREAU OF RECLAMATION. (25-26-16C-2). IN SAN JOAQUIN VALLEY, ABOUT 3 1/2 MILES SOUTHEAST OF DELANO. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 920 FEET. DEPTH 1,270 FT., LSD 390 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 203.00 FT BELOW LSD, SEP. 18, 1967.  
LOWEST STATIC WATER LEVEL 336.10 FT BELOW LSD, AUG. 26, 1968.  
RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	211.5	OCT. 18, 1966	254.3	AUG. 22, 1967	259.0	MAY 20, 1968	257.4
FEB. 23	208.1	NOV. 21	239.36	SEP. 18	203.0	JUNE 25	303.7
MAR. 22	221.32	JAN. 16, 1967	222.40	OCT. 24	205.0	JULY 22	330.6
APR. 20	235.20	FEB. 15	213.50	NOV. 21	220.0	AUG. 26	336.1
MAY 18	254.00	MAR. 21	232.74	DEC. 27	212.0	SEP. 24	297.2
JUNE 20	263.50	APR. 19	231.60	JAN. 29, 1968	203.8	OCT. 16	275.4
JULY 18	290.2	MAY 31	226.43	FEB. 20	208.6	NOV. 18	242.2
AUG. 22	306.85	JUNE 19	205.5	MAR. 18	208.8	DEC. 18	242.6
SEP. 20	289.0	JULY 18	246.2	APR. 24	239.5		

25S/26E-28E1 M. U.S. BUREAU OF RECLAMATION. (25-26-28H). IN SAN JOAQUIN VALLEY, ABOUT 4 MILES SOUTHEAST OF DELANO. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 400 FT., LSD 394 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 136.30 FT BELOW LSD, FEB. 20, 1968.  
LOWEST STATIC WATER LEVEL 160.50 FT BELOW LSD, JULY 18, 1966.  
RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	150.69	OCT. 18, 1966	149.00	AUG. 22, 1967	148.90	MAY 20, 1968	142.0
FEB. 23	146.61	NOV. 21	147.50	SEP. 18	147.44	JUNE 25	154.8
MAR. 22	148.94	JAN. 16, 1967	144.90	OCT. 24	141.05	JULY 22	155.7
APR. 20	149.67	FEB. 15	147.60	NOV. 21	141.54	AUG. 27	158.5
MAY 18	152.18	MAR. 21	151.10	DEC. 27	139.5	SEP. 24	150.1
JUNE 20	A	APR. 19	150.15	JAN. 29, 1968	137.3	OCT. 16	145.4
JULY 18	160.50	MAY 31	148.14	FEB. 20	136.3	NOV. 18	145.8
AUG. 22	157.20	JUNE 19	151.18	MAR. 18	138.6	DEC. 18	140.7
SEP. 20	151.60	JULY 18	149.60	APR. 24	140.0		

26S/21E-14E1 M. J. J. FRANZ. IN SAN JOAQUIN VALLEY, ABOUT 3 MILES NORTH OF LOST HILLS. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 300 FT., LSD 244 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 35.50 FT BELOW LSD, DEC. 28, 1967, MAR. 21, 1968.  
LOWEST STATIC WATER LEVEL 45.60 FT BELOW LSD, JULY 24, 1968.  
RECORDS AVAILABLE: 1955, 1957, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	39.40	OCT. 19, 1966	40.19	AUG. 22, 1967	37.37	MAY 21, 1968	35.6
FEB. 24	39.36	NOV. 22	40.20	SEP. 19	36.42	JUNE 26	36.0
MAR. 23	39.68	JAN. 18, 1967	40.14	OCT. 25	36.00	JULY 24	45.6
APR. 21	39.77	FEB. 16	39.99	NOV. 22	35.75	AUG. 28	35.7
MAY 19	39.68	MAR. 22	39.82	DEC. 28	35.50	SEP. 25	35.9
JUNE 21	39.80	APR. 20	39.77	JAN. 30, 1968	35.60	OCT. 17	35.8
JULY 19	39.93	JUNE 1	39.74	FEB. 21	35.7	NOV. 19	35.8
AUG. 23	40.10	JUNE 20	39.43	MAR. 21	35.5	DEC. 19	35.9
SEP. 21	40.10	JULY 19	37.50	APR. 25	35.6		

26S/22E-10G2 M. GILBREATH BROS. IN SAN JOAQUIN VALLEY, ABOUT 7 MILES NORTHEAST OF LOST HILLS. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 310 FT., LSD 225 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 66.40 FT BELOW LSD, FEB. 20, 1968.  
LOWEST STATIC WATER LEVEL 109.70 FT BELOW LSD, NOV. 21, 1966.  
RECORDS AVAILABLE: 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	A	OCT. 18, 1966	A	AUG. 22, 1967	79.76	MAY 20, 1968	68.8
FEB. 24	73.48	NOV. 21	109.7	SEP. 18	A	JUNE 25	78.1
MAR. 23	74.60	JAN. 16, 1967	68.00	OCT. 24	86.0	JULY 23	80.8
APR. 21	76.07	FEB. 15	72.55	NOV. 21	82.95	AUG. 27	A
MAY 19	78.70	MAR. 21	72.80	DEC. 27	80.45	SEP. 24	A
JUNE 20	86.70	APR. 19	72.20	JAN. 29, 1968	67.0	OCT. 16	A
JULY 19	A	MAY 31	73.40	FEB. 20	66.4	NOV. 18	100.6
AUG. 22	A	JUNE 19	73.78	MAR. 19	69.3	DEC. 18	91.5
SEP. 20	A	JULY 18	76.67	APR. 24	68.3		



26S/24E-12R1 M. KERN LAND CO. (KCL 2C12-1). IN SAN JOAQUIN VALLEY, ABOUT 2 1/2 MILES SOUTH OF POND. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. CASSED TO 812 FEET, PERFORATED 300-811 FEET. DEPTH 825 FT., LSD 297 FT. ABOVE MSL. HIGHEST WATER LEVEL 169.00 FT BELOW LSD, JAN. 18, 1966. LOWEST STATIC WATER LEVEL 287.50 FT BELOW LSD, SEP. 20, 1966. RECORDS AVAILABLE: 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	169	OCT. 18, 1966	285.0	AUG. 22, 1967	A	MAY 20, 1968	252.5
FEB. 23	196	NOV. 21	252.5	SEP. 18	A	JUNE 25	A
MAR. 22	A	JAN. 16, 1967	235.5	OCT. 24	242.5	JULY 22	A
APR. 20	246	FEB. 15	189.5	NOV. 21	212.5	AUG. 27	A
MAY 18	A	MAR. 21	247.5	DEC. 27	187.5	SEP. 24	258.0
JUNE 20	A	APR. 19	233.5	JAN. 29, 1968	185.5	OCT. 16	257.5
JULY 18	A	MAY 31	234.5	FEB. 20	197.5	NOV. 18	225.5
AUG. 22	A	JUNE 19	A	MAR. 18	A	DEC. 18	A
SEP. 20	287.5	JULY 18	A	APR. 24	247.5		

26S/25E-201 M. DALE SHELL, FORMERLY M. ROWMAN. IN SAN JOAQUIN VALLEY, ABOUT 1 1/2 MILES WEST OF MCFARLAND. DRILLED IRRIGATION WELL IN ALLUVIUM, DEPTH 500 FT., LSD 336 FT. ABOVE MSL. HIGHEST WATER LEVEL 132.40 FT BELOW LSD, FEB. 23, 1966. LOWEST STATIC WATER LEVEL 138.27 FT BELOW LSD, JAN. 18, 1966. RECORDS AVAILABLE: 1963-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	138.27	FEB. 23, 1966	132.40				

26S/25E-15P1 M. KERN LAND CO. (KCL 2D15-4). IN SAN JOAQUIN VALLEY, ABOUT 2 1/2 MILES SOUTHWEST OF MCFARLAND. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. CASSED 914, PERFORATED 282-913 FEET. DEPTH 927 FT., LSD 348 FT. ABOVE MSL. HIGHEST WATER LEVEL 178.00 FT BELOW LSD, DEC. 27, 1967. LOWEST STATIC WATER LEVEL 291.00 FT BELOW LSD, AUG. 27, 1968. RECORDS AVAILABLE: 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	191	OCT. 18, 1966	A	AUG. 22, 1967	245	MAY 20, 1968	224
FEB. 23	188	NOV. 21	219	SEP. 18	231	JUNE 25	283
MAR. 22	208.6	JAN. 16, 1967	242	OCT. 24	209	JULY 22	A
APR. 20	257.0	FEB. 15	190	NOV. 21	197	AUG. 27	291
MAY 18	241.0	MAR. 21	217	DEC. 27	178	SEP. 24	A
JUNE 20	279.0	APR. 19	204	JAN. 29, 1968	A	OCT. 16	236
JULY 18	A	MAY 31	212	FEB. 20	A	NOV. 18	236
AUG. 22	A	JUNE 19	206	MAR. 18	189	DEC. 18	207
SEP. 20	263.0	JULY 18	244	APR. 24	A		

26S/26E-10R1 M. N. VANGELS, FORMERLY ROBERTS FARMS. IN SAN JOAQUIN VALLEY, ABOUT 4 MILES EAST OF MCFARLAND. DRILLED UNUSED WELL, DIAMETER 14 INCHES. CASSED 0-1000 FEET, PERFORATED 400-1,000 FEET. DEPTH 1,000 FT., LSD 503 FT. ABOVE MSL. HIGHEST WATER LEVEL 360.20 FT BELOW LSD, MAR. 22, 1966. LOWEST STATIC WATER LEVEL 400.00 FT BELOW LSD, MAR. 21, 1967. RECORDS AVAILABLE: 1957-60, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	374.6	OCT. 18, 1966	395.5	AUG. 22, 1967	A	MAY 20, 1968	A
FEB. 23	363.7	NOV. 21	M	SEP. 18	A	JUNE 25	A
MAR. 22	360.2	JAN. 16, 1967	399.03	OCT. 24	M	JULY 22	396.3
APR. 20	373.9	FEB. 15	392.04	NOV. 21	M	AUG. 27	399.6
MAY 18	380.6	MAR. 21	400.00	DEC. 27	375.0	SEP. 24	399.5
JUNE 20	382.7	APR. 19	M	JAN. 29, 1968	360.5	OCT. 16	394.8
JULY 18	392.0	MAY 31	A	FEB. 20	A	NOV. 18	M
AUG. 22	M	JUNE 19	A	MAR. 18	377.7	DEC. 18	385
SEP. 20	A	JULY 18	A	APR. 24	387.3		M

## GROUND-WATER RECORDS, 1966-68

26S/26F-29C1 M. HOASIENDA NURSERY, FORMERLY F. T. HASS. IN SAN JOAQUIN VALLEY, ABOUT 3 MILES NORTH OF FAMOSO. DRILLED IRRIGATION WELL IN ALLUVIUM. DEPTH 500 FT., LSD 411 FT. ABOVE MSL. HIGHEST WATER LEVEL 251.02 FT BELOW LSD, FEB. 23, 1966. LOWEST STATIC WATER LEVEL 397.60 FT BELOW LSD, AUG. 27, 1968. RECORDS AVAILABLE: 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	253.50	OCT. 18, 1966	276.5	AUG. 22, 1967	271.7	MAY 20, 1968	A
FEB. 23	251.02	NOV. 21	269.8	SEP. 18	267.5	JUNE 25	A
MAR. 22	259.63	JAN. 16, 1967	303.36	OCT. 24	271.5	JULY 22	A
APR. 21	A	FEB. 15	277.60	NOV. 21	257.5	AUG. 27	397.6
MAY 18	269.05	MAR. 21	A	DEC. 27	254.9	SEP. 24	A
JUNE 20	A	APR. 19	262.25	JAN. 29, 1968	255.2	OCT. 16	280.0
JULY 18	A	MAY 31	A	FEB. 20	254.9	NOV. 18	274.1
AUG. 22	A	JUNE 19	A	MAR. 18	255.8	DEC. 18	270.0
SEP. 20	280.20	JULY 18	279.5	APR. 24	265.0		

27S/22E-16R1 M. HOUGHIN BROS. IN SAN JOAQUIN VALLEY, ABOUT 5 MILES SOUTHEAST OF LOST HILLS. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 18 INCHES. CASSED 0-800 FEET, PERFORATED 180-800 FEET. DEPTH 808 FT., LSD 238 FT. ABOVE MSL. HIGHEST WATER LEVEL 56.40 FT BELOW LSD, DEC. 28, 1967. LOWEST STATIC WATER LEVEL 97.90 FT BELOW LSD, JUNE 21, 1966. RECORDS AVAILABLE: 1951, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	57.50	OCT. 19, 1966	73.16	AUG. 23, 1967	63.85	MAY 21, 1968	67.4
FEB. 24	A	NOV. 22	74.48	SEP. 19	62.67	JUNE 26	69.8
MAR. 23	A	JAN. 18, 1967	71.02	OCT. 25	59.93	JULY 24	68.3
APR. 21	92.98	FEB. 16	59.24	NOV. 22	58.50	AUG. 28	76.3
MAY 19	A	MAR. 22	65.05	DEC. 28	56.40	SEP. 25	74.2
JUNE 21	97.90	APR. 20	60.50	JAN. 30, 1968	70.4	OCT. 17	61.4
JULY 19	77.08	JUNE 1	60.81	FEB. 21	71.8	NOV. 19	61.6
AUG. 23	A	JUNE 20	63.35	MAR. 21	56.5	DEC. 19	57.6
SEP. 21	87.40	JULY 19	68.23	APR. 25	66.1		

27S/22E-32H1 M. HOUGHIN BROS. IN SAN JOAQUIN VALLEY, ABOUT 6 1/2 MILES SOUTHEAST OF LOST HILLS. DRILLED UNUSED IRRIGATION WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 468 FT., LSD 240 FT. ABOVE MSL. HIGHEST WATER LEVEL 103.48 FT BELOW LSD, FEB. 24, 1966. LOWEST STATIC WATER LEVEL 141.40 FT BELOW LSD, SEP. 21, 1966. RECORDS AVAILABLE: 1951, 1957, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	105.46	OCT. 19, 1966	128.26	AUG. 23, 1967	129.90	MAY 21, 1968	125.4
FEB. 24	103.48	NOV. 22	122.57	SEP. 19	125.43	JUNE 26	127.1
MAR. 23	115.39	JAN. 18, 1967	114.35	OCT. 25	124.6	JULY 24	132.5
APR. 21	122.51	FEB. 16	112.56	NOV. 22	122.5	AUG. 28	135.5
MAY 19	120.21	MAR. 22	115.34	DEC. 28	106.8	SEP. 25	135.7
JUNE 21	121.23	APR. 20	116.70	JAN. 30, 1968	116.6	OCT. 17	134.4
JULY 19	123.08	JUNE 1	112.88	FEB. 21	116.3	NOV. 19	130.7
AUG. 23	134.30	JUNE 20	114.58	MAR. 21	117.3	DEC. 19	129.4
SEP. 21	141.40	JULY 19	127.75	APR. 25	121.0		

27S/23E-1R1 M. U.S. BUREAU OF RECLAMATION. (27-23-1A-2). IN SAN JOAQUIN VALLEY, ABOUT 6 MILES WEST OF WASCO. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 210 FEET. DEPTH 1,160-FT., LSD 267 FT. ABOVE MSL. HIGHEST WATER LEVEL 64.50 FT BELOW LSD, SEP. 18, 1967. LOWEST STATIC WATER LEVEL 111.90 FT BELOW LSD, FEB. 23, 1966. RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	107.46	OCT. 18, 1966	105.5	AUG. 22, 1967	101.50C	MAY 20, 1968	96.3
FEB. 23	111.9	NOV. 21	105.5	SEP. 18	64.5	JUNE 25	97.6
MAR. 22	100.2 C	JAN. 16, 1967	101.70	OCT. 24	69.5	JULY 23	98.3 C
APR. 20	107.99C	FEB. 15	100.70	NOV. 21	95.5	AUG. 27	98.4 C
MAY 18	108.68C	MAR. 21	96.80C	DEC. 27	95.9	SEP. 24	98.0
JUNE 20	109.20	APR. 19	75.40	JAN. 29, 1968	96.7	OCT. 16	98.6
JULY 19	101.5	MAY 31	78.90	JAN. 20	92.9	NOV. 18	98.8
AUG. 22	108.35	JUNE 19	94.37	MAR. 19	95.4	DEC. 18	99.1
SEP. 20	107.5	JULY 18	96.00	APR. 24	95.5 C		

27S/23E-1R3 M. U.S. BUREAU OF RECLAMATION. (27-27-1A-3). IN SAN JOAQUIN VALLEY, ABOUT 6 MILES WEST OF WASCO. DRILLED OBSERVATION WELL IN ALLUVIUM. CASED OPEN BOTTOM, PIEZOMETER TUBE AT 450 FEET. DEPTH 1,160 FT., LSD 267 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 99.50 FT BELOW LSD, SEP. 18, 1967.  
LOWEST STATIC WATER LEVEL 277.50 FT BELOW LSD, AUG. 22, 1966.  
RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	176.20	OCT. 18, 1966	238.0	AUG. 22, 1967	159.5 C	MAY 20, 1968	247.1
FEB. 23	180.60	NOV. 21	214.30	SEP. 18	99.5	JUNE 25	276.3
MAR. 22	223.5 C	JAN. 16, 1967	183.10	OCT. 24	179.5	JULY 23	292.1 C
APR. 20	237.5 C	FEB. 15	189.27	NOV. 21	212.5	AUG. 23	289.2 C
MAY 18	235.1 C	MAR. 21	233.43C	DEC. 27	193.7	SEP. 24	258.5
JUNE 20	256.9	APR. 19	207.64	JAN. 29, 1968	198.7	OCT. 16	246.3
JULY 19	265.0	MAY 31	169.0	FEB. 20	218.5 C	NOV. 18	219.3
AUG. 22	277.5	JUNE 19	249.5	MAR. 19	231.0	DEC. 18	210.3
SEP. 20	259.1	JULY 18	269.5	APR. 24	242.2 C		

27S/23E-1R4 M. U.S. BUREAU OF RECLAMATION. (27-23-1A-4). IN SAN JOAQUIN VALLEY, ABOUT 6 MILES WEST OF WASCO. DRILLED OBSERVATION WELL IN ALLUVIUM. CASED OPEN BOTTOM, PIEZOMETER TUBE AT 710 FEET. DEPTH 1,160 FT., LSD 267 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 176.02 FT BELOW LSD, JAN. 18, 1966.  
LOWEST STATIC WATER LEVEL 277.90 FT BELOW LSD, AUG. 22, 1966.  
RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	176.02	OCT. 18, 1966	236.5	AUG. 22, 1967	251.5 C	MAY 20, 1968	240.9
FEB. 23	178.24	NOV. 21	213.65	SEP. 18	264.5	JUNE 25	268.7
MAR. 22	223.5 C	JAN. 16, 1967	195.19	OCT. 24	241.5	JULY 23	292.9 C
APR. 20	221.6 C	FEB. 15	195.7	NOV. 21	210.5	AUG. 27	290.2 C
MAY 18	238.19C	MAR. 21	229.70C	DEC. 27	194.2	SEP. 24	257.3
JUNE 20	258.6	APR. 19	205.12	JAN. 29, 1968	198.4	OCT. 16	248.1
JULY 19	263.5	MAY 31	228.5	FEB. 20	219.0 C	NOV. 18	221.2
AUG. 22	277.9	JUNE 19	241.0	MAR. 19	229.9	DEC. 18	210.0
SEP. 20	265.5	JULY 18	264.5	APR. 24	237.0 C		

27S/23E-1R5 M. U.S. BUREAU OF RECLAMATION. (27-23-1A-1). IN SAN JOAQUIN VALLEY, ABOUT 6 MILES WEST OF WASCO. DRILLED OBSERVATION WELL IN ALLUVIUM. CASED OPEN BOTTOM, PIEZOMETER TUBE AT 1,008 FEET. DEPTH 1,160 FT., LSD 267 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 175.60 FT BELOW LSD, JAN. 18, 1966.  
LOWEST STATIC WATER LEVEL 275.50 FT BELOW LSD, SEP. 18, 1967.  
RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	175.6	OCT. 18, 1966	234.8	AUG. 22, 1967	274.5 C	MAY 20, 1968	234.1
FEB. 23	175.71	NOV. 21	212.75	SEP. 18	275.5	JUNE 25	265.5
MAR. 22	207.7 C	JAN. 16, 1967	192.75	OCT. 24	244.5	JULY 23	282.3 C
APR. 20	227.27C	FEB. 15	193.5	NOV. 21	211.5	AUG. 27	280.7 C
MAY 18	223.2 C	MAR. 21	225.35C	DEC. 27	193.5	SEP. 24	256.0
JUNE 20	254.3	APR. 19	204.20	JAN. 29, 1968	198.9	OCT. 16	248.9
JULY 19	257.6	MAY 31	229.5	FEB. 20	220.0 C	NOV. 18	222.9
AUG. 22	269.5	JUNE 19	241.5	MAR. 19	216.5	DEC. 18	209.5
SEP. 20	268.5	JULY 18	259.5	APR. 24	230.3 C		

27S/24E-1L2 M. U.S. BUREAU OF RECLAMATION. (27-24-1G-3). IN SAN JOAQUIN VALLEY, ABOUT 1 MILE NORTHWEST OF WASCO. DRILLED OBSERVATION WELL IN ALLUVIUM. CASED OPEN BOTTOM, PIEZOMETER TUBE AT 400 FEET. DEPTH 1,126 FT., LSD 323 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 187.12 FT BELOW LSD, JAN. 18, 1966.  
LOWEST STATIC WATER LEVEL 354.00 FT BELOW LSD, OCT. 16, 1968.  
RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	187.12	OCT. 18, 1966	247.0	AUG. 22, 1967	294.5	MAY 20, 1968	254.1
FEB. 23	191.5	NOV. 21	229.5	SEP. 18	273.5	JUNE 25	283.4
MAR. 22	232.10	JAN. 16, 1967	217.04	OCT. 24	254.5	JULY 23	301.8
APR. 20	248.45	FEB. 15	202.23	NOV. 21	217.5	AUG. 27	400.3 C
MAY 18	251.30	MAR. 21	239.95	DEC. 27	203.0	SEP. 24	374.2 C
JUNE 20	281.6	APR. 18	226.00	JAN. 29, 1968	205.0	OCT. 16	353.5
JULY 18	277.8	MAY 31	242.5	FEB. 20	209.3	NOV. 18	224.1
AUG. 22	299.5	JUNE 19	251.5	MAR. 19	239.4	DEC. 18	215.9
SEP. 20	267.5	JULY 18	284.5	APR. 24	252.3		

## GROUND-WATER RECORDS, 1966-68

27S/24E-1L3 M. U.S. BUREAU OF RECLAMATION. (27-24-1G-1). IN SAN JOAQUIN VALLEY, ABOUT 1 MILE NORTHWEST OF WASCO. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 695 FEET. DEPTH 1,126 FT., LSD 323 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 189.58 FT BELOW LSD, FEB. 23, 1966.  
LOWEST STATIC WATER LEVEL 324.59 FT BELOW LSD, NOV. 21, 1966.  
RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	193.8	OCT. 18, 1966	252.1	AUG. 22, 1967	295.5	MAY 20, 1968	252.2
FEB. 23	189.58	NOV. 21	324.59	SEP. 18	283.5	JUNE 25	283.1
MAR. 22	227.10	JAN. 16, 1967	206.33	OCT. 24	251.5	JULY 23	307.6
APR. 20	246.63	FEB. 15	202.66	NOV. 21	221.5	AUG. 27	305.4 C
MAY 18	247.89	MAR. 21	238.84	DEC. 27	205.3	SEP. 24	281.3 C
JUNE 20	272.06	APR. 19	224.57	JAN. 29, 1968	204.8	OCT. 16	264.9
JULY 18	279.3	MAY 31	240.5	FEB. 20	208.2	NOV. 18	234.1
AUG. 22	290.3	JUNE 19	251.0	MAR. 19	239.1	DEC. 18	220.3
SEP. 20	274.8	JULY 18	281.5	APR. 24	250.4		

27S/24E-1L4 M. U.S. BUREAU OF RECLAMATION. (27-24-1G-2). IN SAN JOAQUIN VALLEY, ABOUT 1 MILE NORTHWEST OF WASCO. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 1,008 FEET. DEPTH 1,126 FT., LSD 323 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 190.93 FT BELOW LSD, FEB. 23, 1966.  
LOWEST STATIC WATER LEVEL 300.30 FT BELOW LSD, JULY 23, 1968.  
RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	192.30	OCT. 18, 1966	253.8	AUG. 22, 1967	255.5	MAY 20, 1968	251.1
FEB. 23	190.93	NOV. 21	230.5	SEP. 18	253.5	JUNE 25	283.3
MAR. 22	227.92	JAN. 16, 1967	208.06	OCT. 24	244.5	JULY 23	300.3
APR. 20	240.20	FEB. 15	203.80	NOV. 21	223.5	AUG. 27	299.2 C
MAY 18	244.12	MAR. 21	239.00	DEC. 27	206.0	SEP. 24	277.1 C
JUNE 20	274.7	APR. 19	214.50	JAN. 29, 1968	205.1	OCT. 16	260.9
JULY 18	278.3	MAY 31	237.5	FEB. 20	209.3	NOV. 18	233.6
AUG. 22	294.5	JUNE 19	245.5	MAR. 19	217.4	DEC. 18	221.1
SEP. 20	273.5	JULY 18	279.5	APR. 24	246.4		

27S/25E-1N1 M. U.S. BUREAU OF RECLAMATION. (27-25-1A-1). IN SAN JOAQUIN VALLEY, ABOUT 2 MILES WEST OF FAMOSO. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 401 FEET. DEPTH 1,460 FT., LSD 394 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 97.80 FT BELOW LSD, DEC. 27, 1967.  
LOWEST STATIC WATER LEVEL 149.80 FT BELOW LSD, JAN. 16, 1967.  
RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	132.70	OCT. 18, 1966	144.90	AUG. 22, 1967	113.0	MAY 20, 1968	103.4
FEB. 23	131.83	NOV. 21	147.80	SEP. 18	124.0	JUNE 25	107.9
MAR. 22	124.0	JAN. 16, 1967	149.80	OCT. 24	120.0	JULY 23	113.8
APR. 20	132.16	FEB. 15	146.63	NOV. 21	100.0	AUG. 27	116.2
MAY 18	133.58	MAR. 21	144.90	DEC. 27	97.8	SEP. 24	118.0
JUNE 20	142.80	APR. 19	140.68	JAN. 29, 1968	98.0	OCT. 16	117.4
JULY 19	139.49	MAY 31	126.0	FEB. 20	99.4	NOV. 18	119.8
AUG. 22	142.70	JUNE 19	124.0	MAR. 19	102.2	DEC. 18	121.5
SEP. 20	144.80	JULY 18	119.0	APR. 24	101.6		

27S/25E-1N3 M. U.S. BUREAU OF RECLAMATION. (27-25-1A-2). IN SAN JOAQUIN VALLEY, ABOUT 2 MILES WEST OF FAMOSO. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 947 FEET. DEPTH 1,460 FT., LSD 394 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 237.89 FT BELOW LSD, FEB. 23, 1966.  
LOWEST STATIC WATER LEVEL 330.70 FT BELOW LSD, AUG. 22, 1966.  
RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	242.18	OCT. 18, 1966	295.5	AUG. 22, 1967	290.0	MAY 20, 1968	269.4
FEB. 23	237.89	NOV. 21	277.17	SEP. 18	287.0	JUNE 25	304.8
MAR. 22	247.9	JAN. 16, 1967	270.36	OCT. 24	275.0	JULY 23	322.9
APR. 20	275.88	FEB. 15	250.21	NOV. 21	260.0	AUG. 27	328.8
MAY 18	273.79	MAR. 21	268.85	DEC. 27	249.0	SEP. 24	318.6
JUNE 20	294.08	APR. 19	260.75	JAN. 29, 1968	245.0	OCT. 16	308.5
JULY 19	319.72	MAY 31	258.0	FEB. 20	249.6	NOV. 18	274.2
AUG. 22	330.70	JUNE 19	264.0	MAR. 19	261.2	DEC. 18	264.6
SEP. 20	315.40	JULY 18	274.0	APR. 24	266.3		

27S/25E-28A1 M. ROLF JACOBSEN. IN SAN JOAQUIN VALLEY, ABOUT 3 1/2 MILES SOUTHEAST OF WASCO. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 12 INCHES. CASSED 0-475 FEET, PERFORATED 116-470 FEET. DEPTH 477 FT., LSD 375 FT. ABOVE MSL. HIGHEST WATER LEVEL 218.64 FT BELOW LSD, JAN. 18, 1966. LOWEST STATIC WATER LEVEL 305.00 FT BELOW LSD, AUG. 22, 1967. RECORDS AVAILABLE: 1952, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	218.64	OCT. 18, 1966	233.3	AUG. 22, 1967	305.0	MAY 20, 1968	A
FEB. 23	220.14	NOV. 21	233.20	SEP. 18	272.0	JUNE 25	278.0
MAR. 22	A	JAN. 16, 1967	223.10	OCT. 24	235.0	JULY 23	A
APR. 20	A	FEB. 15	223.70	NOV. 21	234.0	AUG. 27	281.5
MAY 18	A	MAR. 21	233.23	DEC. 27	245.6	SEP. 24	268.9
JUNE 20	A	APR. 19	233.25	JAN. 29, 1968	228.4	OCT. 16	255.4
JULY 19	A	MAY 31	251.0	FEB. 20	A	NOV. 18	230.0
AUG. 22	234.4	JUNE 19	A	MAR. 19	251.0	DEC. 18	237.5
SEP. 20	222.4	JULY 18	A	APR. 24	A		

27S/26E-20D1 M. KERN LAND CO. (KCL CO 3E20-4). IN SAN JOAQUIN VALLEY, ABOUT 2 MILES SOUTH OF FAMOSO. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. CASSED 0-812 FEET, PERFORATED 238-790 FEET. DEPTH 812 FT., LSD 436 FT. ABOVE MSL. HIGHEST WATER LEVEL 284.50 FT BELOW LSD, MAY 18, 1966. LOWEST STATIC WATER LEVEL 342.50 FT BELOW LSD, SEP. 24, 1968. RECORDS AVAILABLE: 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	299.75	OCT. 18, 1966	A	AUG. 22, 1967	A	MAY 20, 1968	A
FEB. 23	290.20	NOV. 21	317.5	SEP. 18	A	JUNE 25	A
MAR. 22	A	JAN. 16, 1967	292.1	OCT. 24	312.5	JULY 23	A
APR. 20	A	FEB. 15	A	NOV. 21	305.5	AUG. 27	339.8
MAY 18	284.5	MAR. 21	322.5	DEC. 27	299.5	SEP. 24	342.5
JUNE 20	A	APR. 19	314.5	JAN. 29, 1968	A	OCT. 16	324.5
JULY 19	308.0	MAY 31	309.5	FEB. 20	A	NOV. 18	314.5
AUG. 22	A	JUNE 19	315.5	MAR. 19	326.5	DEC. 18	311.5
SEP. 20	A	JULY 18	A	APR. 24	A		-

28S/22E-9D1 M. U.S. BUREAU OF RECLAMATION. (28-22-9B-2). IN SAN JOAQUIN VALLEY, ABOUT 8 MILES SOUTHEAST OF LOST HILLS. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 380 FEET. DEPTH 1,300 FT., LSD 240 FT. ABOVE MSL. HIGHEST WATER LEVEL 12.05 FT BELOW LSD, DEC. 28, 1967. LOWEST STATIC WATER LEVEL 24.80 FT BELOW LSD, AUG. 23, 1966. RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	18.36	OCT. 19, 1966	22.60	AUG. 23, 1967	13.59	MAY 21, 1968	15.3
FEB. 24	18.46	NOV. 22	23.18	SEP. 19	12.92	JUNE 26	15.1
MAR. 23	19.80	JAN. 18, 1967	20.81	OCT. 25	12.42	JULY 24	15.2
APR. 21	20.75	FEB. 16	20.11	NOV. 22	12.15	AUG. 28	14.3
MAY 19	21.41	MAR. 22	18.32	DEC. 28	12.05	SEP. 25	13.7
JUNE 21	21.50	APR. 20	17.62	JAN. 30, 1968	12.7	OCT. 17	13.9
JULY 19	18.85	JUNE 1	17.20	FEB. 21	14.0	NOV. 19	14.2
AUG. 23	24.80	JUNE 20	18.40	MAR. 20	12.5	DEC. 19	14.1
SEP. 21	22.30	JULY 19	16.10	APR. 25	14.2		

28S/22E-9D2 M. U.S. BUREAU OF RECLAMATION. (28-22-9B1). IN SAN JOAQUIN VALLEY, ABOUT 8 MILES SOUTHEAST OF LOST HILLS. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 842 FEET. DEPTH 1,300 FT., LSD 240 FT. ABOVE MSL. HIGHEST WATER LEVEL 11.94 FT BELOW LSD, NOV. 22, 1967. LOWEST STATIC WATER LEVEL 22.10 FT BELOW LSD, AUG. 23, 1966. RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	18.29	OCT. 19, 1966	21.10	AUG. 23, 1967	13.35	MAY 21, 1968	14.6
FEB. 24	18.45	NOV. 22	21.40	SEP. 19	12.71	JUNE 26	14.5
MAR. 23	19.51	JAN. 18, 1967	20.38	OCT. 25	12.45	JULY 24	14.7
APR. 21	20.08	FEB. 16	19.25	NOV. 22	11.94	AUG. 28	14.0
MAY 19	20.78	MAR. 22	17.65	DEC. 28	12.00	SEP. 25	13.7
JUNE 21	21.01	APR. 20	17.37	JAN. 30, 1968	12.6	OCT. 17	14.0
JULY 19	18.40	JUNE 1	16.95	FEB. 21	13.1	NOV. 19	14.2
AUG. 23	22.10	JUNE 20	17.20	MAR. 20	12.2	DEC. 19	14.2
SEP. 21	20.70	JULY 19	15.20	APR. 25	15.1		

## GROUND-WATER RECORDS, 1966-68

28S/24E-23D1 M. U.S. BUREAU OF RECLAMATION. (28-24-23-3). IN SAN JOAQUIN VALLEY, ABOUT 5 1/2 MILES SOUTHWEST OF SHAFTER. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 296 FEET. DEPTH 700 FT., LSD 310 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 187.90 FT BELOW LSD, FEB. 23, 1966.  
 LOWEST STATIC WATER LEVEL 220.60 FT BELOW LSD, JULY 23, 1968.  
 RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	190.5	OCT. 18, 1966	204.0	AUG. 22, 1967	211.0	MAY 20, 1968	205.6
FEB. 23	187.9	NOV. 21	201.14	SEP. 18	205.0	JUNE 25	215.7
MAR. 22	189.87	JAN. 17, 1967	194.65	OCT. 24	210.0	JULY 23	220.6
APR. 20	198.98	FEB. 15	196.48	NOV. 21	205.0	AUG. 27	216.4
MAY 18	196.54	MAR. 21	202.04	DEC. 27	202.5	SEP. 24	214.6
JUNE 20	200.10	APR. 19	198.28	JAN. 29, 1968	204.6	OCT. 16	216.7
JULY 19	199.40	MAY 31	191.0	FEB. 20	202.7	NOV. 18	212.6
AUG. 22	207.6	JUNE 19	204.0	MAR. 19	205.7	DEC. 18	207.4
SEP. 20	205.50	JULY 18	205.0	APR. 24	205.0		

28S/24E-23D2 M. U.S. BUREAU OF RECLAMATION. (28-24-23-2). IN SAN JOAQUIN VALLEY, ABOUT 5 1/2 MILES SOUTHWEST OF SHAFTER. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 506 FEET. DEPTH 700 FT., LSD 310 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 107.20 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 281.00 FT BELOW LSD, AUG. 22, 1967.  
 RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	187.00	OCT. 18, 1966	203.0	AUG. 22, 1967	281.0	MAY 20, 1968	109.4
FEB. 23	182.15	NOV. 21	200.3	SEP. 18	206.0	JUNE 25	122.0
MAR. 22	196.00	JAN. 17, 1967	198.33	OCT. 24	211.0	JULY 23	213.9
APR. 20	200.19	FEB. 15	195.78	NOV. 21	201.5	AUG. 27	219.6
MAY 18	200.40	MAR. 21	204.58	DEC. 27	198.0	SEP. 24	215.6
JUNE 20	203.50	APR. 19	197.40	JAN. 29, 1968	199.3	OCT. 16	217.8
JULY 19	209.82	MAY 31	183.0	FEB. 20	200.4	NOV. 18	210.6
AUG. 22	212.40	JUNE 19	211.0	MAR. 19	107.2	DEC. 18	205.8
SEP. 20	208.70	JULY 18	207.0	APR. 24	108.3		

28S/24E-23D3 M. U.S. BUREAU OF RECLAMATION. (28-24-23-1). IN SAN JOAQUIN VALLEY, ABOUT 5 1/2 MILES SOUTHWEST OF SHAFTER. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 653 FEET. DEPTH 700 FT., LSD 310 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 176.57 FT BELOW LSD, FEB. 23, 1966.  
 LOWEST STATIC WATER LEVEL 235.00 FT BELOW LSD, SEP. 18, 1967.  
 RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	185.70	OCT. 18, 1966	204.0	AUG. 22, 1967	231.0	MAY 20, 1968	209.4
FEB. 23	176.57	NOV. 21	198.6	SEP. 18	235.0	JUNE 25	218.2
MAR. 22	194.91	JAN. 17, 1967	196.25	OCT. 24	226.0	JULY 23	221.5
APR. 20	199.23	FEB. 15	194.40	NOV. 21	201.0	AUG. 27	220.5
MAY 18	199.85	MAR. 21	203.66	DEC. 27	197.5	SEP. 24	215.8
JUNE 20	204.20	APR. 19	197.00	JAN. 29, 1968	199.4	OCT. 16	216.6
JULY 19	209.56	MAY 31	194.0	FEB. 20	200.8	NOV. 18	209.7
AUG. 22	213.40	JUNE 19	212.5	MAR. 19	203.9	DEC. 18	204.6
SEP. 20	208.10	JULY 18	214.0	APR. 24	205.0		

28S/25E-16P1 M. C. DUERKSEN. IN SAN JOAQUIN VALLEY, ABOUT 1 1/2 MILES SOUTHWEST OF SHAFTER. DRILLED DOMESTIC AND IRRIGATION WELL IN ALLUVIUM, DIAMETER 12 INCHES. PERFORATED 202-262 FEET. DEPTH 264 FT., LSD 329 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 174.41 FT BELOW LSD, JAN. 18, 1966.  
 LOWEST STATIC WATER LEVEL 217.50 FT BELOW LSD, AUG. 22, 1966.  
 RECORDS AVAILABLE: 1952, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	174.41	OCT. 18, 1966	190.67	AUG. 22, 1967	208.0	MAY 20, 1968	193.2
FEB. 23	175.00	NOV. 21	195.54	SEP. 18	204.0	JUNE 25	202.0
MAR. 22	186.55	JAN. 17, 1967	192.56	OCT. 24	205.0	JULY 23	206.9
APR. 20	185.90	FEB. 15	183.31	NOV. 21	194.0	AUG. 27	202.9
MAY 18	189.45	MAR. 21	192.85	DEC. 27	185.7	SEP. 24	199.6
JUNE 20	202.45	APR. 19	185.30	JAN. 29, 1968	185.6	OCT. 16	197.8
JULY 19	197.80	MAY 31	191.25	FEB. 20	184.7	NOV. 18	198.6
AUG. 22	217.50	JUNE 19	191.5	MAR. 19	188.4	DEC. 18	197.7
SEP. 20	192.0	JULY 18	200.0	APR. 24	190.0		

28S/26E-21H1 M. U.S. BUREAU OF RECLAMATION. (28-26-21A-2). IN SAN JOAQUIN VALLEY, ABOUT 5 1/2 MILES EAST OF SHAFTER. DRILLED OBSERVATION WELL IN ALLUVIUM. CASED OPEN BOTTOM, PIEZOMETER TUBE AT 250 FEET. DEPTH 900 FT., LSD 390 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 154.50 FT BELOW LSD, NOV. 21, 1967.  
LOWEST STATIC WATER LEVEL 203.50 FT BELOW LSD, JULY 18, 1967.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	172.70	OCT. 18, 1966	184.50	AUG. 22, 1967	198.5	MAY 20, 1968	160.5
FEB. 23	172.48	NOV. 21	185.00	SEP. 18	164.5	JUNE 25	164.5
MAR. 22	173.07	JAN. 17, 1967	186.70	OCT. 24	162.0	JULY 23	168.9
APR. 20	173.60	FEB. 15	183.52	NOV. 21	154.5	AUG. 27	173.4
MAY 18	175.90	MAR. 21	182.50	DEC. 27	156.3	SEP. 24	175.5
JUNE 20	176.90	APR. 19	178.69	JAN. 29, 1968	156.7	OCT. 16	178.4
JULY 19	179.30	MAY 31	162.5	FEB. 20	154.6	NOV. 18	177.1
AUG. 22	182.50	JUNE 19	172.5	MAR. 19	156.8	DEC. 18	165.3
SEP. 20	179.30	JULY 18	203.5	APR. 24	158.5		

28S/26E-21H2 M. U.S. BUREAU OF RECLAMATION. (28-26-21A-3). IN SAN JOAQUIN VALLEY, ABOUT 5 1/2 MILES EAST OF SHAFTER. DRILLED OBSERVATION WELL IN ALLUVIUM. CASED OPEN BOTTOM, PIEZOMETER TUBE AT 655 FEET. DEPTH 900 FT., LSD 390 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 182.50 FT BELOW LSD, MAY 31, 1967.  
LOWEST STATIC WATER LEVEL 251.70 FT BELOW LSD, JULY 23, 1968.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	189.30	OCT. 18, 1966	220.0	AUG. 22, 1967	241.5	MAY 20, 1968	218.0
FEB. 23	192.70	NOV. 21	212.02	SEP. 18	224.5	JUNE 25	244.1
MAR. 22	214.86	JAN. 17, 1967	200.51	OCT. 24	207.5	JULY 23	251.7
APR. 20	223.29	FEB. 15	198.48	NOV. 21	195.5	AUG. 27	244.5
MAY 18	225.89	MAR. 21	225.79	DEC. 27	190.9	SEP. 24	237.5
JUNE 20	235.80	APR. 19	206.17	JAN. 29, 1968	191.1	OCT. 16	225.9
JULY 19	244.74	MAY 31	182.5	FEB. 20	193.6	NOV. 18	209.8
AUG. 22	245.70	JUNE 19	213.5	MAR. 19	223.7	DEC. 18	209.1
SEP. 20	235.70	JULY 18	242.5	APR. 24	215.9		

28S/26E-21H3 M. U.S. BUREAU OF RECLAMATION. (28-26-21A-1). IN SAN JOAQUIN VALLEY, ABOUT 5 1/2 MILES EAST OF SHAFTER. DRILLED OBSERVATION WELL IN ALLUVIUM. CASED OPEN BOTTOM, PIEZOMETER TUBE AT 800 FEET. DEPTH 900 FT., LSD 390 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 209.50 FT BELOW LSD, MAY 31, 1967.  
LOWEST STATIC WATER LEVEL 289.50 FT BELOW LSD, AUG. 22, 1967.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	212.70	OCT. 18, 1966	254.00	AUG. 22, 1967	289.5	MAY 20, 1968	250.9
FEB. 23	213.90	NOV. 21	242.18	SEP. 18	269.5	JUNE 25	256.5
MAR. 22	231.12	JAN. 17, 1967	224.40	OCT. 24	260.5	JULY 23	276.3
APR. 20	245.39	FEB. 15	223.50	NOV. 21	231.5	AUG. 27	281.0
MAY 18	244.33	MAR. 21	247.66	DEC. 27	218.5	SEP. 24	265.0
JUNE 20	258.60	APR. 19	232.65	JAN. 29, 1968	216.8	OCT. 16	262.9
JULY 19	271.00	MAY 31	209.5	FEB. 20	219.7	NOV. 18	241.1
AUG. 22	276.90	JUNE 19	244.5	MAR. 19	238.9	DEC. 18	233.5
SEP. 20	265.40	JULY 18	259.5	APR. 24	245.2		

29S/23E-27M1 M. F. GHILARDUCCI. IN SAN JOAQUIN VALLEY, ABOUT 8 MILES NORTHEAST OF MCKITTRICK. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. PERFORATED 108-300 FEET. DEPTH 300 FT., LSD 270 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 37.90 FT BELOW LSD, DEC. 28, 1967.  
LOWEST STATIC WATER LEVEL 54.90 FT BELOW LSD, MAR. 23, 1966.  
RECORDS AVAILABLE: 1953, 1955, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	46.91	OCT. 19, 1966	50.02	AUG. 23, 1967	42.78	MAY 21, 1968	42.8
FEB. 24	50.04	NOV. 22	50.27	SEP. 19	40.82	JUNE 26	42.9
MAR. 23	54.90	JAN. 18, 1967	47.08	OCT. 25	40.20	JULY 24	49.0
APR. 21	50.60	FEB. 16	A	NOV. 22	39.16	AUG. 28	48.9
MAY 19	49.21	MAR. 22	47.80	DEC. 28	37.90	SEP. 25	45.9
JUNE 21	51.81	APR. 20	46.88	JAN. 30, 1968	38.1	OCT. 17	41.6
JULY 20	53.57	JUNE 1	46.42	FEB. 21	44.1	NOV. 19	44.0
AUG. 23	A	JUNE 20	46.01	MAR. 20	A	DEC. 19	A
SEP. 21	54.16	JULY 19	44.72	APR. 25	42.5		

## GROUND-WATER RECORDS, 1966-68

29S/25E-12M3 M. U.S. BUREAU OF RECLAMATION. (29-25-12D-2). IN SAN JOAQUIN VALLEY, ABOUT 6 MILES SOUTH OF SHAFTER. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 525 FEET. DEPTH 1,250 FT., LSD 330 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 104.50 FT BELOW LSD, SEP. 18, 1967.  
LOWEST STATIC WATER LEVEL 173.50 FT BELOW LSD, AUG. 23, 1968.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	149.50	OCT. 18, 1966	160.33	AUG. 22, 1967	170.5	MAY 20, 1968	165.1
FEB. 23	150.39	NOV. 21	158.00	SEP. 18	104.5	JUNE 25	170.8
MAR. 22	152.05	JAN. 17, 1967	156.25	OCT. 24	164.5	JULY 23	172.8
APR. 20	154.39	FEB. 15	155.25	NOV. 21	161.5	AUG. 23	173.5
MAY 18	156.08	MAR. 21	158.63	DEC. 27	160.3	SEP. 24	161.5
JUNE 20	159.16	APR. 19	155.80	JAN. 29, 1968	159.3	OCT. 16	163.7
JULY 19	161.47	MAY 31	159.5	FEB. 20	152.0	NOV. 18	164.8
AUG. 22	164.50	JUNE 19	162.5	MAR. 19	158.3	DEC. 18	162.7
SEP. 20	162.60	JULY 18	169.5	APR. 24	161.0		

29S/25E-12M4 M. U.S. BUREAU OF RECLAMATION. (29-25-12D-1). IN SAN JOAQUIN VALLEY, ABOUT 6 MILES SOUTH OF SHAFTER. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 903 FEET. DEPTH 1,250 FT., LSD 330 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 142.50 FT BELOW LSD, SEP. 18, 1967.  
LOWEST STATIC WATER LEVEL 179.50 FT BELOW LSD, AUG. 22, 1967.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	145.11	OCT. 18, 1966	159.93	AUG. 22, 1967	179.5	MAY 20, 1968	154.1
FEB. 23	144.00	NOV. 21	157.41	SEP. 18	142.5	JUNE 25	157.8
MAR. 22	144.70	JAN. 17, 1967	152.80	OCT. 24	159.5	JULY 23	162.0
APR. 20	147.58	FEB. 15	151.72	NOV. 21	163.5	AUG. 27	166.2
MAY 18	150.25	MAR. 21	153.78	DEC. 27	153.0	SEP. 24	166.3
JUNE 20	152.80	APR. 21	153.17	JAN. 29, 1968	151.9	OCT. 16	165.9
JULY 19	156.48	MAY 31	154.04	FEB. 20	155.9	NOV. 18	162.1
AUG. 22	160.20	JUNE 19	155.0	MAR. 19	161.1	DEC. 18	160.9
SEP. 20	159.30	JULY 18	159.5	APR. 24	153.2		

29S/27E-33D1 M. U.S. BUREAU OF RECLAMATION. (29-27-33B). IN SAN JOAQUIN VALLEY, ABOUT 3 MILES WEST OF BAKERSFIELD. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. PERFORATED 70-100 FEET. DEPTH 100 FT., LSD 385 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 66.00 FT BELOW LSD, NOV. 21, 1967.  
LOWEST STATIC WATER LEVEL 121.40 FT BELOW LSD, SEP. 20, 1966.  
RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	103.58	OCT. 18, 1966	118.39	AUG. 22, 1966	86.05	MAY 20, 1968	81.4
FEB. 23	106.10	NOV. 21	116.80	SEP. 18, 1967	80.00	JUNE 26	92.94
MAR. 22	109.60	JAN. 17, 1967	112.94	OCT. 24	68.08	JULY 23	95.9
APR. 20	110.45	FEB. 16	107.72	NOV. 21	66.0	AUG. 27	97.4
MAY 18	109.20	MAR. 21	107.67	DEC. 27	72.8	SEP. 25	97.8
JUNE 20	114.50	APR. 19	101.17	JAN. 29, 1968	73.4	OCT. 16	98.8
JULY 19	116.74	MAY 31	97.47	FEB. 29	74.3	NOV. 18	98.9
AUG. 22	119.35	JUNE 19	94.94	MAR. 19	80.3 C	DEC. 18	99.8
SEP. 20	121.40	JULY 18	97.26	APR. 24	85.3		

29S/27E-34N1 M. U.S. BUREAU OF RECLAMATION. (29-27-34-1). IN SAN JOAQUIN VALLEY, ABOUT 1 MILE WEST OF BAKERSFIELD. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 212 FEET. DEPTH 800 FT., LSD 385 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 111.97 FT BELOW LSD, JAN. 19, 1966.  
LOWEST STATIC WATER LEVEL 129.90 FT BELOW LSD, AUG. 22, 1966.  
RECORDS AVAILABLE: 1952-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	111.97	JUNE 20, 1966	118.20	OCT. 18, 1966	128.5	MAR. 21, 1967	127.86
FEB. 23	113.60	JULY 19	120.44	NOV. 21	127.8	APR. 19	128.05
MAR. 22	112.82	AUG. 22	129.90	JAN. 17, 1967	N	MAY 31	127.86
APR. 20	114.20	SEP. 20	127.7	FEB. 16	115.7	JUNE	0
MAY 18	116.20						



29S/27E-34N2 M. U.S. BUREAU OF RECLAMATION. (29-27-34-3). IN SAN JOAQUIN VALLEY, ABOUT 1 MILE WEST OF BAKERSFIELD. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 401 FEET. DEPTH 800 FT., LSD 385 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 128.20 FT BELOW LSD, JAN. 19, 1966.  
 LOWEST STATIC WATER LEVEL 159.60 FT BELOW LSD, AUG. 22, 1966.  
 RECORDS AVAILABLE: 1952-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	128.20	JUNE 20, 1966	152.70	OCT. 18, 1966	152.1	MAR. 21, 1967	142.91
FEB. 23	130.6	JULY 19	154.99	NOV. 21	146.93	APR. 19	139.10
MAR. 22	135.05	AUG. 22	159.60	JAN. 17, 1967	N	MAY 31	145.64
APR. 20	141.60	SEP. 20	157.50	FEB. 16	138.08	JUNE	0
MAY 18	146.93						

29S/27E-34N3 M. U.S. BUREAU OF RECLAMATION. (29-27-34-4). IN SAN JOAQUIN VALLEY, ABOUT 1 MILE WEST OF BAKERSFIELD. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 632 FEET. DEPTH 800 FT., LSD 385 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 115.74 FT BELOW LSD, JAN. 19, 1966.  
 LOWEST STATIC WATER LEVEL 140.20 FT BELOW LSD, AUG. 22, 1966.  
 RECORDS AVAILABLE: 1952-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	115.74	JUNE 20, 1966	136.80	OCT. 18, 1966	134.10	MAR. 21, 1967	134.04
FEB. 23	117.81	JULY 19	137.97	NOV. 21	132.33	APR. 19	126.13
MAR. 22	122.49	AUG. 22	140.20	JAN. 17, 1967	N	MAY 31	135.07
APR. 20	122.60	SEP. 20	137.10	FEB. 16	129.20	JUNE	0
MAY 18	130.23						

30S/24E-4C1 M. U.S. BUREAU OF RECLAMATION. (30-24-4C-4). IN SAN JOAQUIN VALLEY, ABOUT 5 MILES NORTHWEST OF TUPMAN. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 296 FEET. DEPTH 800 FT., LSD 283 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 44.50 FT BELOW LSD, SEP. 19, 1967.  
 LOWEST STATIC WATER LEVEL 101.60 FT BELOW LSD, JUNE 21, 1966.  
 RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	70.86	OCT. 19, 1966	74.60	AUG. 23, 1967	72.42	MAY 21, 1968	71.9
FEB. 24	86.74	NOV. 22	82.30	SEP. 19	44.5	JUNE 26	79.7
MAR. 23	89.32	JAN. 18, 1967	73.49	OCT. 25	67.50	JULY 24	90.1
APR. 21	81.11	FEB. 16	72.40	NOV. 22	62.5	AUG. 28	90.1
MAY 19	80.44	MAR. 22	79.75	DEC. 28	62.9	SEP. 25	75.7
JUNE 21	101.60	APR. 20	71.23	JAN. 30, 1968	80.5	OCT. 17	74.1
JULY 19	90.46	JUNE 1	71.64	FEB. 21	75.9	NOV. 19	70.9
AUG. 23	93.75	JUNE 20	72.90	MAR. 20	77.1	DEC. 19	81.7
SEP. 21	71.50	JULY 19	72.70	APR. 25	76.3		

30S/24E-4C4 M. U.S. BUREAU OF RECLAMATION. (30-24-4C-3). IN SAN JOAQUIN VALLEY, ABOUT 5 MILES NORTHWEST OF TUPMAN. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 401 FEET. DEPTH 800 FT., LSD 283 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 71.10 FT BELOW LSD, DEC. 28, 1967.  
 LOWEST STATIC WATER LEVEL 106.60 FT BELOW LSD, JUNE 21, 1966.  
 RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	73.62	OCT. 19, 1966	80.32	AUG. 23, 1967	79.60	MAY 21, 1968	80.9
FEB. 24	86.50	NOV. 22	83.50	SEP. 19	74.5	JUNE 26	88.8
MAR. 23	96.05	JAN. 18, 1967	77.66	OCT. 25	73.44	JULY 24	91.7
APR. 21	82.90	FEB. 16	85.48	NOV. 22	71.5	AUG. 28	97.8
MAY 19	85.84	MAR. 22	81.03	DEC. 28	71.1	SEP. 25	83.3
JUNE 21	106.60	APR. 20	75.74	JAN. 30, 1968	83.5	OCT. 17	79.1
JULY 19	92.28	JUNE 1	76.93	FEB. 21	92.1	NOV. 19	73.7
AUG. 23	99.70	JUNE 20	79.0	MAR. 20	80.8	DEC. 19	87.3
SEP. 21	72.10	JULY 19	78.92	APR. 25	79.1		

## GROUND-WATER RECORDS, 1966-68

30S/24E-4C5 M. U.S. BUREAU OF RECLAMATION. (30-24-4C-2). IN SAN JOAQUIN VALLEY, ABOUT 5 MILES NORTHWEST OF TUPMAN. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 611 FEET. DEPTH 800 FT., LSD 283 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 74.90 FT BELOW LSD, MAY 21, 1968.  
 LOWEST STATIC WATER LEVEL 115.15 FT BELOW LSD, JUNE 21, 1966.  
 RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	89.92	OCT. 19, 1966	101.53	AUG. 23, 1967	105.5	MAY 21, 1968	74.9
FEB. 24	93.11	NOV. 22	97.55	SEP. 19	102.5	JUNE 26	84.3
MAR. 23	108.72	JAN. 18, 1967	97.48	OCT. 25	95.96	JULY 24	96.8
APR. 21	98.90	FEB. 16	97.07	NOV. 22	94.50	AUG. 28	112.0
MAY 19	100.38	MAR. 22	100.29	DEC. 28	93.0	SEP. 25	105.0
JUNE 21	115.15	APR. 20	95.74	JAN. 30, 1968	96.2	OCT. 17	104.1
JULY 19	107.80	JUNE 1	99.50	FEB. 21	97.8	NOV. 19	102.0
AUG. 23	109.60	JUNE 20	101.98	MAR. 20	78.1	DEC. 19	98.0
SEP. 21	102.17	JULY 19	102.92	APR. 25	76.3		

30S/24E-4C6 M. U.S. BUREAU OF RECLAMATION. (30-24-4C-1). IN SAN JOAQUIN VALLEY, ABOUT 5 MILES NORTHWEST OF TUPMAN. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 758 FEET. DEPTH 800 FT., LSD 283 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 54.50 FT BELOW LSD, SEP. 19, 1967.  
 LOWEST STATIC WATER LEVEL 119.65 FT BELOW LSD, AUG. 23, 1966.  
 RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	94.80	OCT. 19, 1966	109.3	AUG. 23, 1967	72.97	MAY 21, 1968	75.8
FEB. 24	96.60	NOV. 22	103.95	SEP. 19	54.50	JUNE 26	76.9
MAR. 23	112.23	JAN. 18, 1967	73.82	OCT. 25	68.05	JULY 24	91.2
APR. 21	104.35	FEB. 16	72.92	NOV. 22	68.50	AUG. 28	91.3
MAY 19	107.55	MAR. 22	80.38	DEC. 28	65.3	SEP. 25	79.5
JUNE 21	118.25	APR. 20	71.58	JAN. 30, 1968	72.9	OCT. 17	80.0
JULY 19	115.64	JUNE 1	72.18	FEB. 21	87.0	NOV. 19	79.1
AUG. 23	119.65	JUNE 20	73.45	MAR. 20	77.0	DEC. 19	86.5
SEP. 21	108.5	JULY 19	76.36	APR. 25	76.9		

30S/26E-22P1 M. U.S. BUREAU OF RECLAMATION. (30-26-22-3). IN SAN JOAQUIN VALLEY, ABOUT 9 MILES SOUTHWEST OF BAKERSFIELD. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 275 FEET. DEPTH 794 FT., LSD 340 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 78.10 FT BELOW LSD, DEC. 27, 1967.  
 LOWEST STATIC WATER LEVEL 101.10 FT BELOW LSD, SEP. 25, 1968.  
 RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	79.63	OCT. 18, 1966	92.5	AUG. 22, 1967	97.75	MAY 20, 1968	N
FEB. 23	79.46	NOV. 18	92.1	SEP. 18	91.95	JUNE 25	89.7
MAR. 22	85.42	JAN. 17, 1967	91.0	OCT. 24	88.5	JULY 23	90.0
APR. 20	88.96	FEB. 15	87.22	NOV. 21	78.5	AUG. 27	93.7
MAY 18	87.10	MAR. 21	95.39	DEC. 27	78.1	SEP. 25	101.1
JUNE 20	94.10	APR. 19	87.51	JAN. 29, 1968	79.7	OCT. 16	88.9
JULY 19	N	MAY 31	80.5	FEB. 20	80.3	NOV. 18	84.7
AUG. 22	99.95	JUNE 19	94.58	MAR. 19	79.4	DEC. 18	86.3
SEP. 20	94.0	JULY 18	95.15	APR. 24	82.6		

30S/26E-22P2 M. U.S. BUREAU OF RECLAMATION. (30-26-22-2). IN SAN JOAQUIN VALLEY, ABOUT 9 MILES SOUTHWEST OF BAKERSFIELD. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 548 FEET. DEPTH 794 FT., LSD 340 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 78.20 FT BELOW LSD, DEC. 27, 1967.  
 LOWEST STATIC WATER LEVEL 108.10 FT BELOW LSD, AUG. 22, 1966.  
 RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	80.55	OCT. 18, 1966	95.2	AUG. 22, 1967	104.90	MAY 20, 1968	N
FEB. 23	80.82	NOV. 21	94.75	SEP. 18	97.05	JUNE 25	100.4
MAR. 22	87.63	JAN. 17, 1967	93.34	OCT. 24	100.5	JULY 23	100.4
APR. 20	91.26	FEB. 15	96.40	NOV. 21	103.5	AUG. 27	100.7
MAY 18	89.24	MAR. 21	101.02	DEC. 27	78.2	SEP. 25	98.7
JUNE 20	102.20	APR. 19	88.86	JAN. 29, 1968	83.5	OCT. 16	92.2
JULY 19	N	MAY 31	92.79	FEB. 20	84.4	NOV. 18	88.3
AUG. 22	108.10	JUNE 19	100.86	MAR. 19	85.3	DEC. 18	87.6
SEP. 20	99.4	JULY 18	101.55	APR. 24	91.1		

30S/26E-22P3 M. U.S. BUREAU OF RECLAMATION. (30-26-22-1). IN SAN JOAQUIN VALLEY, ABOUT 9 MILES SOUTHWEST OF BAKERSFIELD. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 716 FEET. DEPTH 794 FT., LSD 340 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 67.30 FT BELOW LSD, DEC. 27, 1967.  
LOWEST STATIC WATER LEVEL 113.20 FT BELOW LSD, AUG. 22, 1966.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	86.25	OCT. 18, 1966	99.0	AUG. 22, 1967	108.07	MAY 20, 1968	N
FEB. 23	89.66	NOV. 21	95.5	SEP. 18	103.85	JUNE 25	100.5
MAR. 22	87.56	JAN. 17, 1967	95.35	OCT. 24	101.5	JULY 23	100.9
APR. 20	90.18	FEB. 15	91.25	NOV. 21	100.5	AUG. 27	102.0
MAY 18	91.28	MAR. 21	104.02	DEC. 27	67.3	SEP. 25	105.1
JUNE 20	111.43	APR. 19	92.02	JAN. 29, 1968	82.9	OCT. 16	94.0
JULY 19	N	MAY 31	94.76	FEB. 20	84.1	NOV. 18	89.4
AUG. 22	113.20	JUNE 19	104.60	MAR. 19	90.6	DEC. 18	87.5
SEP. 20	103.40	JULY 18	102.80	APR. 24	87.6		

30S/28E-10N1 M. U.S. BUREAU OF RECLAMATION. (30-28-10-3). IN SAN JOAQUIN VALLEY, ABOUT 3 1/2 MILES SOUTHEAST OF BAKERSFIELD. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 212 FEET. DEPTH 1,199 FT., LSD 374 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 45.10 FT BELOW LSD, OCT. 18, 1966.  
LOWEST STATIC WATER LEVEL 54.10 FT BELOW LSD, OCT. 16, 1968.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	45.36	OCT. 18, 1966	45.10	AUG. 22, 1967	46.0	MAY 20, 1968	50.2
FEB. 24	45.59	NOV. 21	45.70	SEP. 18	51.0	JUNE 25	52.0
MAR. 22	45.34	JAN. 17, 1967	47.08	OCT. 24	48.0	JULY 23	52.0
APR. 20	45.45	FEB. 16	48.6	NOV. 21	46.5	AUG. 28	52.3
MAY 19	45.75	MAR. 21	49.34	DEC. 27	47.8	SEP. 25	52.2
JUNE 20	46.70	APR. 19	50.15	JAN. 29, 1968	49.6	OCT. 16	54.1
JULY 19	47.16	JUNE 1	50.36	FEB. 20	52.5	NOV. 18	53.8
AUG. 22	48.10	JUNE 19	50.60	MAR. 20	53.4	DEC. 18	53.0
SEP. 20	45.90	JULY 18	45.50	APR. 24	47.9		

30S/28E-10N2 M. U.S. BUREAU OF RECLAMATION. (30-28-10-2). IN SAN JOAQUIN VALLEY, ABOUT 3 1/2 MILES SOUTHEAST OF BAKERSFIELD. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 422 FEET. DEPTH 1,199 FT., LSD 374 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 148.15 FT BELOW LSD, FEB. 24, 1966.  
LOWEST STATIC WATER LEVEL 201.00 FT BELOW LSD, AUG. 28, 1968.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	148.87	OCT. 18, 1966	165.90	AUG. 22, 1967	195.5	MAY 20, 1968	187.9
FEB. 24	148.15	NOV. 21	162.92	SEP. 18	151.5	JUNE 25	191.2
MAR. 22	157.50	JAN. 17, 1967	158.13	OCT. 24	174.5	JULY 23	192.5
APR. 20	172.09	FEB. 16	158.54	NOV. 21	169.5	AUG. 28	201.0
MAY 19	164.90	MAR. 21	169.50	DEC. 27	163.3	SEP. 25	170.6
JUNE 20	179.58	APR. 19	158.56	JAN. 29, 1968	163.0	OCT. 16	171.9
JULY 19	182.31	JUNE 1	169.5	FEB. 20	162.9	NOV. 18	175.0
AUG. 22	189.50	JUNE 19	181.0	MAR. 20	163.1	DEC. 18	172.0
SEP. 20	171.50	JULY 18	172.5	APR. 24	185.9		

30S/28E-10N3 M. U.S. BUREAU OF RECLAMATION. (30-28-10-1). IN SAN JOAQUIN VALLEY, ABOUT 3 1/2 MILES SOUTHEAST OF BAKERSFIELD. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 737 FEET. DEPTH 1,199 FT., LSD 374 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 139.20 FT BELOW LSD, FEB. 24, 1966.  
LOWEST STATIC WATER LEVEL 182.30 FT BELOW LSD, JULY 23, 1968.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	139.73	OCT. 18, 1966	157.40	AUG. 22, 1967	175.5	MAY 20, 1968	176.3
FEB. 24	139.20	NOV. 21	156.40	SEP. 18	175.10	JUNE 25	175.8
MAR. 22	144.15	JAN. 17, 1967	150.46	OCT. 24	171.5	JULY 23	182.3
APR. 20	153.05	FEB. 16	149.72	NOV. 21	169.5	AUG. 28	176.9
MAY 19	153.74	MAR. 21	160.67	DEC. 27	153.0	SEP. 25	172.7
JUNE 20	164.30	APR. 19	150.77	JAN. 29, 1968	154.1	OCT. 16	172.1
JULY 19	168.55	JUNE 1	158.5	FEB. 20	153.8	NOV. 18	169.1
AUG. 22	173.90	JUNE 19	170.3	MAR. 20	154.0	DEC. 18	163.7
SEP. 20	162.50	JULY 18	170.5	APR. 24	172.8		

## GROUND-WATER RECORDS, 1966-68

30S/28E-10N4 M. U.S. BUREAU OF RECLAMATION. (30-28-10-4). IN SAN JOAQUIN VALLEY, ABOUT 3 1/2 MILES SOUTHEAST OF BAKERSFIELD. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TURE AT 1,073 FEET. DEPTH 1,199 FT., LSD 374 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 142.50 FT BELOW LSD, SEP. 18, 1967.  
LOWEST STATIC WATER LEVEL 203.50 FT BELOW LSD, AUG. 22, 1967.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	159.42	OCT. 18, 1966	175.70	AUG. 22, 1967	203.5	MAY 20, 1968	179.9
FEB. 24	159.85	NOV. 21	171.87	SEP. 18	142.5	JUNE 25	186.8
MAR. 22	161.52	JAN. 17, 1967	168.4	OCT. 24	179.5	JULY 23	188.6
APR. 20	168.49	FEB. 16	167.1	NOV. 21	160.5	AUG. 28	189.9
MAY 19	171.48	MAR. 21	172.54	DEC. 27	172.0	SEP. 25	187.7
JUNE 20	177.11	APR. 19	169.00	JAN. 29, 1968	172.9	OCT. 16	185.9
JULY 19	180.25	JUNE 1	175.0	FEB. 20	173.1	NOV. 18	183.5
AUG. 22	183.90	JUNF 19	176.5	MAR. 20	168.6	DEC. 18	178.9
SEP. 20	179.95	JULY 18	173.5	APR. 24	178.0		

30S/28E-34R2 M. TURNBOW RANCH. IN SAN JOAQUIN VALLEY, ABOUT 2 MILES WEST OF LAMONT. DRILLED UNUSED IRRIGATION AND STOCK WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 200 FT., LSD 359 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 94.33 FT BELOW LSD, FER. 16, 1967.  
LOWEST STATIC WATER LEVEL 148.80 FT BELOW LSD, JULY 19, 1966.  
RECORDS AVAILABLE: 1957, 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	130.49	OCT. 18, 1966	104.88	AUG. 22, 1967	104.14	MAY 20, 1968	100.5
FEB. 24	131.36	NOV. 21	97.00	SEP. 18	101.35	JUNE 25	101.2
MAR. 22	145.17	JAN. 17, 1967	95.34	OCT. 24	99.0	JULY 23	103.1
APR. 20	142.75	FEB. 16	94.33	NOV. 21	97.0	AUG. 28	102.5
MAY 19	143.60	MAR. 22	101.39	DEC. 28	99.7	SEP. 25	100.8
JUNE 21	147.76	APR. 19	96.00	JAN. 29, 1968	98.8	OCT. 16	99.2
JULY 19	148.80	JUNE 1	108.18	FEB. 20	97.6	NOV. 18	96.7
AUG. 22	103.80	JUNE 19	104.33	MAR. 20	100.1	DEC. 19	96.0
SEP. 20	100.75	JULY 18	102.75	APR. 24	99.6		

31S/25E-27F1 M. U.S. BUREAU OF RECLAMATION. (31-25-27-4). IN SAN JOAQUIN VALLEY, ABOUT 8 MILES SOUTHEAST OF TUPMAN. DRILLED OBSERVATION WELL. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 212 FEET. DEPTH 1,000 FT., LSD 283 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 17.40 FT BELOW LSD, JAN. 30, 1968.  
LOWEST STATIC WATER LEVEL 58.70 FT BELOW LSD, NOV. 22, 1966.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	25.56	OCT. 19, 1966	57.40	AUG. 23, 1967	22.75	MAY 21, 1968	22.8
FEB. 25	N	NOV. 22	58.70	SEP. 19	22.86	JUNE 26	39.6
MAR. 23	24.73	JAN. 17, 1967	N	OCT. 25	22.24	JULY 24	48.7
APR. 21	38.52	FEB. 16	30.3	NOV. 22	N	AUG. 28	48.1
MAY 19	38.50	MAR. 22	27.54	DEC. 28	18.20	SEP. 25	50.0
JUNE 21	36.43	APR. 20	26.50	JAN. 30, 1968	17.4	OCT. 17	N
JULY 19	35.80	JUNE 1	23.58	FEB. 21	18.6	NOV. 19	40.9
AUG. 23	33.35	JUNE 20	23.42	MAR. 20	18.5	DEC. 19	39.0
SEP. 21	51.10	JULY 19	22.86	APR. 25	21.6		

31S/25E-27F2 M. U.S. BUREAU OF RECLAMATION. (31-25-27-3). IN SAN JOAQUIN VALLEY, ABOUT 8 MILES SOUTHEAST OF TUPMAN. DRILLED OBSERVATION WELL. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 401 FEET. DEPTH 1,000 FT., LSD 283 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 34.70 FT BELOW LSD, JAN. 30, 1968.  
LOWEST STATIC WATER LEVEL 119.60 FT BELOW LSD, OCT. 19, 1966.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	44.63	OCT. 19, 1966	119.60	AUG. 23, 1967	45.20	MAY 21, 1968	44.2
FEB. 24	N	NOV. 22	105.10	SEP. 19	44.10	JUNE 26	82.3
MAR. 23	44.22	JAN. 17, 1967	N	OCT. 25	44.34	JULY 24	98.0
APR. 21	85.58	FEB. 16	54.85	NOV. 22	N	AUG. 28	92.3
MAY 19	78.70	MAR. 22	52.07	DEC. 28	36.20	SEP. 25	96.8
JUNE 21	69.95	APR. 20	49.30	JAN. 30, 1968	34.7	OCT. 17	N
JULY 19	67.27	JUNE 1	44.57	FEB. 21	38.5	NOV. 19	93.1
AUG. 23	66.54	JUNE 20	44.95	MAR. 20	37.6	DEC. 19	76.7
SEP. 21	101.5	JULY 19, 1966	44.80	APR. 25	43.3		

## KERN COUNTY

57

31S/25E-27F3 M. U.S. BUREAU OF RECLAMATION. (31-25-27-2). IN SAN JOAQUIN VALLEY, ABOUT 8 MILES SOUTHEAST OF TUPMAN. DRILLED OBSERVATION WELL. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 674 FEET. DEPTH 1,000 FT., LSD 283 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 33.50 FT BELOW LSD, JAN. 30, 1968.  
LOWEST STATIC WATER LEVEL 124.66 FT BELOW LSD, OCT. 19, 1966.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	44.01	OCT. 19, 1966	124.66	AUG. 23, 1967	43.21	MAY 21, 1968	42.5
FEB. 24	N	NOV. 22	120.10	SEP. 19	42.43	JUNE 26	87.2
MAR. 23	43.50	JAN. 17, 1967	N	OCT. 25	42.31	JULY 24	100.4
APR. 21	88.50	FEB. 16	54.28	NOV. 22	N	AUG. 28	89.8
MAY 19	80.65	MAR. 22	50.37	DEC. 28	34.70	SEP. 25	95.2
JUNE 21	68.13	APR. 20	47.60	JAN. 30, 1968	33.5	OCT. 17	N
JULY 19	64.66	JUNE 1	42.98	FEB. 21	35.4	NOV. 19	91.9
AUG. 23	65.60	JUNE 20	43.00	MAR. 20	35.9	DEC. 19	88.3
SEP. 21	104.8	JULY 19	42.98	APR. 25	40.4		

31S/25E-27F4 M. U.S. BUREAU OF RECLAMATION. (31-25-27-1). IN SAN JOAQUIN VALLEY, ABOUT 8 MILES SOUTHEAST OF TUPMAN. DRILLED OBSERVATION WELL. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 947 FEET. DEPTH 1,000 FT., LSD 283 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 27.60 FT BELOW LSD, JAN. 30, 1968.  
LOWEST STATIC WATER LEVEL 114.76 FT BELOW LSD, OCT. 19, 1966.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	37.61	OCT. 19, 1966	114.76	AUG. 23, 1967	36.02	MAY 21, 1968	35.8
FEB. 24	N	NOV. 22	101.60	SEP. 19	32.96	JUNE 26	77.8
MAR. 23	37.62	JAN. 17, 1967	N	OCT. 25	34.44	JULY 24	87.6
APR. 21	76.93	FEB. 16	45.08	NOV. 22	N	AUG. 28	69.0
MAY 19	64.20	MAR. 22	42.57	DEC. 28	28.85	SEP. 25	85.9
JUNE 21	57.20	APR. 20	40.10	JAN. 30, 1968	27.6	OCT. 17	N
JULY 19	55.54	JUNE 1	37.04	FEB. 21	29.0	NOV. 19	64.2
AUG. 23	54.56	JUNE 20	36.90	MAR. 20	28.6	DEC. 19	66.1
SEP. 21	102.00	JULY 19	36.29	APR. 25	32.9		

32S/28E-30D2 M. U.S. BUREAU OF RECLAMATION. (32-28-30-3). IN SAN JOAQUIN VALLEY, ABOUT 18 MILES SOUTH OF BAKERSFIELD. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 611 FEET. DEPTH 1,460 FT., LSD 297 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 181.55 FT BELOW LSD, JAN. 19, 1966.  
LOWEST STATIC WATER LEVEL 274.00 FT BELOW LSD, OCT. 25, 1967.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	181.55	OCT. 19, 1966	233.50	AUG. 23, 1967	251.0	MAY 21, 1968	215.4
FEB. 24	182.70	NOV. 22	205.6	SEP. 19	256.0	JUNE 26	223.6
MAR. 23	188.90	JAN. 17, 1967	197.36	OCT. 25	274.0	JULY 23	232.1
APR. 21	195.17	FEB. 16	N	NOV. 22	N	AUG. 28	236.2
MAY 19	197.88	MAR. 22	N	DEC. 28	266.4	SEP. 25	234.2
JUNE 21	210.10	APR. 20	203.80	JAN. 30, 1968	196.4	OCT. 17	235.0
JULY 19	223.70	JUNE 1	209.0	FEB. 21	199.2	NOV. 19	211.4
AUG. 22	231.40	JUNE 20	215.0	MAR. 20	211.2	DEC. 19	205.5
SEP. 21	N	JULY 18	221.0	APR. 25	212.0		

32S/28E-30D3 M. U.S. BUREAU OF RECLAMATION. (32-28-30-2). IN SAN JOAQUIN VALLEY, ABOUT 18 MILES SOUTH OF BAKERSFIELD. DRILLED OBSERVATION WELL IN ALLUVIUM. CASSED OPEN BOTTOM, PIEZOMETER TUBE AT 905 FEET. DEPTH 1,460 FT., LSD 297 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 173.60 FT BELOW LSD, APR. 20, 1967.  
LOWEST STATIC WATER LEVEL 226.00 FT BELOW LSD, AUG. 23, 1967.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	177.45	OCT. 19, 1966	203.70	AUG. 23, 1967	226.0	MAY 21, 1968	196.4
FEB. 24	173.8	NOV. 22	197.18	SEP. 19	191.0	JUNE 26	201.0
MAR. 23	176.30	JAN. 17, 1967	189.84	OCT. 25	202.0	JULY 23	205.2
APR. 21	180.97	FEB. 16	N	NOV. 22	N	AUG. 28	209.7
MAY 19	185.44	MAR. 22	N	DEC. 28	195.8	SEP. 25	208.0
JUNE 21	192.60	APR. 20	173.60	JAN. 30, 1968	188.3	OCT. 17	210.4
JULY 19	197.60	JUNE 1	193.0	FEB. 21	194.4	NOV. 19	201.5
AUG. 22	203.45	JUNE 20	192.0	MAR. 20	191.2	DEC. 19	198.6
SEP. 21	N	JULY 18	193.0	APR. 25	193.9		

## GROUND-WATER RECORDS, 1966-68

32S/28E-30D4 M. U.S. BUREAU OF RECLAMATION. (32-28-30-1). IN SAN JOAQUIN VALLEY, ABOUT 18 MILES SOUTH OF BAKERSFIELD. DRILLED OBSERVATION WELL IN ALLUVIUM. CASED OPEN BOTTOM, PIEZOMETER TUBE AT 1,220 FEET. DEPTH 1,460 FT., LSD 297 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 221.86 FT BELOW LSD, FEB. 24, 1966.  
LOWEST STATIC WATER LEVEL 357.00 FT BELOW LSD, OCT. 25, 1967.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	222.34	OCT. 19, 1966	276.0	AUG. 23, 1967	316.0	MAY 21, 1968	274.8
FEB. 24	221.86	NOV. 22	259.0	SEP. 19	356.0	JUNE 26	294.2
MAR. 23	240.45	JAN. 17, 1967	243.2	OCT. 25	357.0	JULY 23	298.5
APR. 21	253.24	FEB. 16	N	NOV. 22	N	AUG. 28	307.0
MAY 19	260.00	MAR. 22	N	DEC. 28	347.7	SEP. 25	275.1
JUNE 21	275.09	APR. 20	245.72	JAN. 30, 1968	245.5	OCT. 17	276.4
JULY 19	290.13	JUNE 1	260.0	FEB. 21	250.6	NOV. 19	262.5
AUG. 22	301.30	JUNE 20	254.0	MAR. 20	264.2	DEC. 19	254.5
SEP. 21	N	JULY 18	285.0	APR. 25	269.9		

32S/29E-19H2 M. U.S. BUREAU OF RECLAMATION. (32-29-19A-3). IN SAN JOAQUIN VALLEY, ABOUT 7 MILES SOUTH OF WEEDPATCH. DRILLED OBSERVATION WELL IN ALLUVIUM. CASED OPEN BOTTOM, PIEZOMETER TUBE AT 296 FEET. DEPTH 1,000 FT., LSD 420 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 193.00 FT BELOW LSD, OCT. 17, 1968.  
LOWEST STATIC WATER LEVEL 209.00 FT BELOW LSD, OCT. 25, 1967.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	193.4	OCT. 19, 1966	202.5	AUG. 23, 1967	204.0	MAY 21, 1968	205.8
FEB. 24	201.5	NOV. 22	201.7	SEP. 19	207.0	JUNE 26	203.6
MAR. 23	199.60	JAN. 17, 1967	207.6	OCT. 25	209.0	JULY 23	203.3
APR. 21	195.60	FEB. 16	202.3	NOV. 22	207.0	AUG. 28	203.4
MAY 19	201.230	MAR. 22	203.05	DEC. 28	203.6	SEP. 25	203.5
JUNE 21	201.68	APR. 20	202.26	JAN. 30, 1968	203.2	OCT. 17	193.0
JULY 19	N	JUNE 1	203.0	FEB. 21	203.5	NOV. 19	203.0
AUG. 22	202.2	JUNE 20	203.5 C	MAR. 20	204.5 C	DEC. 19	203.5
SEP. 21	202.0	JULY 18	200.0	APR. 24	205.0 C		

32S/29E-19H3 M. U.S. BUREAU OF RECLAMATION. (32-29-19A-2). IN SAN JOAQUIN VALLEY, ABOUT 7 MILES SOUTH OF WEEDPATCH. DRILLED OBSERVATION WELL IN ALLUVIUM. CASED OPEN BOTTOM, PIEZOMETER TUBE AT 611 FEET. DEPTH 1,000 FT., LSD 420 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 284.30 FT BELOW LSD, JAN. 19, 1966.  
LOWEST STATIC WATER LEVEL 403.50 FT BELOW LSD, AUG. 23, 1967.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	284.3	OCT. 19, 1966	336.0	AUG. 23, 1967	403.5	MAY 21, 1968	364.2
FEB. 24	298.23	NOV. 22	324.25	SEP. 19	369.5	JUNE 26	380.1
MAR. 23	324.60	JAN. 17, 1967	323.32	OCT. 25	364.5	JULY 23	370.2
APR. 21	350.13	FEB. 16	318.90	NOV. 22	327.5	AUG. 28	373.0
MAY 19	358.94	MAR. 22	347.34	DEC. 28	311.0	SEP. 25	346.3
JUNE 21	371.47	APR. 20	321.72	JAN. 30, 1968	315.3	OCT. 17	336.0
JULY 19	N	JUNE 1	355.5	FEB. 21	319.4	NOV. 19	320.5
AUG. 22	385.10	JUNE 20	361.5 C	MAR. 20	350.2 C	DEC. 19	324.3
SEP. 21	350.0	JULY 18	382.5	APR. 24	361.6 C		

32S/29E-19H4 M. U.S. BUREAU OF RECLAMATION. (32-29-19A-1). IN SAN JOAQUIN VALLEY, ABOUT 7 MILES SOUTH OF WEEDPATCH. DRILLED OBSERVATION WELL IN ALLUVIUM. CASED OPEN BOTTOM, PIEZOMETER TUBE AT 863 FEET. DEPTH 340.8 FT., LSD 420 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 298.30 FT BELOW LSD, JAN. 19, 1966.  
LOWEST STATIC WATER LEVEL 344.50 FT BELOW LSD, MAR. 22, 1967.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	298.3	OCT. 19, 1966	F	AUG. 23, 1967	F	MAY 21, 1968	342.3
FEB. 24	306.05	NOV. 22	F	SEP. 19	F	JUNE 26	342.5
MAR. 23	341.35	JAN. 17, 1967	N	OCT. 25	F	JULY 23	F
APR. 21	F	FEB. 16	322.97	NOV. 22	F	AUG. 28	F
MAY 19	F	MAR. 22	344.50	DEC. 28	311.5	SEP. 25	F
JUNE 21	341.75	APR. 20	323.73	JAN. 30, 1968	316.9	OCT. 17	F
JULY 19	N	JUNE 1	F	FEB. 21	321.1	NOV. 19	321.0
AUG. 22	F	JUNE 20	F	MAR. 20	337.8 C	DEC. 19	325.1
SEP. 21	F	JULY 18	F	APR. 24	341.1 C		

## KINGS COUNTY

59

32S/29E-21P1 M. HERMETTE BROS., FORMERLY R. L. STOCKTON. IN SAN JOAQUIN VALLEY, ABOUT 8 MILES SOUTHEAST OF WEEDPATCH. DRILLED UNUSED WELL, DIAMETER 14 INCHES. DEPTH 340 FT., LSD 473 FT. ABOVE MSL.

HIGHEST WATER LEVEL 192.50 FT BELOW LSD, DEC. 19, 1968.

LOWEST STATIC WATER LEVEL 216.80 FT BELOW LSD, DEC. 28, 1967.

RECORDS AVAILABLE: 1945-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	208.90	OCT. 19, 1966	209.13	AUG. 23, 1967	208.5	MAY 21, 1968	210.4
FEB. 24	207.60	NOV. 21	209.15	SEP. 19	215.0	JUNE 26	201.2
MAR. 23	209.82	JAN. 17, 1967	208.68	OCT. 25	209.85	JULY 23	201.0
APR. 21	210.24	FEB. 16	208.78	NOV. 22	210.0	AUG. 28	198.7
MAY 19	208.08	MAR. 22	208.16	DEC. 28	216.8	SEP. 25	196.3
JUNE 21	208.75	APR. 20	208.58	JAN. 30, 1968	212.4	OCT. 17	196.2
JULY 19	200.50	JUNE 1	208.75	FEB. 20	204.2	NOV. 19	195.4
AUG. 23	208.60	JUNE 20	208.0	MAR. 20	208.2	DEC. 19	192.5
SEP. 21	205.55	JULY 18	209.02	APR. 24	209.1		

11N/19W-7R3 S. U.S. BUREAU OF RECLAMATION. (11-19-7E-3). IN SAN JOAQUIN VALLEY, ABOUT 4 MILES NORTH OF WHEELER RIDGE. DRILLED OBSERVATION WELL. CASED OPEN BOTTOM, PIEZOMETER TUBE AT 737 FEET. DEPTH 1,100 FT., LSD 675 FT. ABOVE MSL.

HIGHEST WATER LEVEL 474.26 FT BELOW LSD, FEB. 24, 1966.

LOWEST STATIC WATER LEVEL 538.50 FT BELOW LSD, SEP. 19, 1967.

RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	474.5	OCT. 19, 1966	486.5	AUG. 23, 1967	517.5	MAY 21, 1968	496.9
FEB. 24	474.26	NOV. 22	485.1	SEP. 19	538.5	JUNE 26	505.8
MAR. 23	476.6	JAN. 17, 1967	501.6	OCT. 25	490.5	JULY 23	511.2
APR. 21	486.1	FEB. 16	500.3	NOV. 22	493.5	AUG. 28	511.7
MAY 19	487.62	MAR. 22	504.5	DEC. 28	493.2	SEP. 25	506.7
JUNE 21	489.50	APR. 20	504.5	JAN. 30, 1968	494.1	OCT. 17	507.3
JULY 19	483.8	JUNE 1	500.0	FEB. 21	503.1	NOV. 19	504.0
AUG. 22	492.0	JUNE 20	504.5	MAR. 20	500.6	DEC. 19	505.0
SEP. 21	502.0	JULY 18	485.5	APR. 24	494.6 C		

11N/19W-7R4 S. U.S. BUREAU OF RECLAMATION. (11-19-7E-2). IN SAN JOAQUIN VALLEY, ABOUT 4 MILES NORTH OF WHEELER RIDGE. DRILLED OBSERVATION WELL. CASED OPEN BOTTOM, PIEZOMETER TUBE AT 926 FEET. DEPTH 1,100 FT., LSD 675 FT. ABOVE MSL.

HIGHEST WATER LEVEL 361.10 FT BELOW LSD, APR. 24, 1968.

LOWEST STATIC WATER LEVEL 532.50 FT BELOW LSD, AUG. 23, 1967.

RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	473.5	OCT. 19, 1966	486.5	AUG. 23, 1967	532.5	MAY 21, 1968	502.9
FEB. 24	472.3	NOV. 22	485.9	SEP. 19	532.5 F	JUNE 26	516.1
MAR. 23	476.5	JAN. 17, 1967	499.7	OCT. 25	495.5	JULY 23	510.9
APR. 21	485.94	FEB. 16	492.5	NOV. 22	492.5	AUG. 28	513.1
MAY 19	484.7	MAR. 22	503.5	DEC. 28	494.3	SEP. 25	506.4
JUNE 21	489.0	APR. 20	503.5	JAN. 30, 1968	494.5	OCT. 17	507.9
JULY 19	484.5	JUNE 1	498.5	FEB. 21	500.5	NOV. 19	504.0
AUG. 22	492.5	JUNE 20	504.0			DEC. 19	504.5
SEP. 21	487.0	JULY 18	481.0				

## KINGS COUNTY

San Joaquin Valley (See p.31)

## LAKE COUNTY

## Lower Lake-Middletown Area

10N/7W-3A2 M. LAKE COUNTY. AT MIDDLETOWN IN COLLAGYOMI VALLEY. DRILLED PUBLIC SERVICE WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 108 FT., LSD 1,105 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 27, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.

HIGHEST WATER LEVEL 10.70 FT BELOW LSD, MAR. 20, 1968.

LOWEST STATIC WATER LEVEL 28.80 FT BELOW LSD, OCT. 18, 1966.

RECORDS AVAILABLE: 1959-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1966	13.60	AUG. 18, 1966	28.2 A	MAR. 17, 1967	13.0	MAR. 20, 1968	10.7
FEB. 23	12.76	SEP. 20	28.0	APR. 26	11.7	APR. 12	13.7
MAR. 22	13.34	OCT. 18	28.8	MAY 18	13.4	MAY 14	14.6
APR. 26	13.68	NOV. 17	15.4	AUG. 17	20.5	SEP. 19	26.3
MAY 19	14.1	DEC. 15	11.9	SEP. 8	25.5	OCT. 15	20.7
JUNE 15	16.6	JAN. 19, 1967	13.8	OCT. 16	19.3	NOV. 19	N
JULY 20	20.9	FEB. 16	13.0	NOV. 15	18.5	DEC. 12	13.2

11N/6W-19G1 M. ROY TRIMBLE, FORMERLY E. NEVINE. ABOUT 4 MILES NORTHEAST OF MIDDLETOWN IN COYOTE VALLEY. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAMETER 8 INCHES. DEPTH 50 FT., LSD 960 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 27, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.

HIGHEST WATER LEVEL 10.10 FT BELOW LSD, APR. 26, 1967.

LOWEST STATIC WATER LEVEL 15.90 FT BELOW LSD, AUG. 18, 1966, SEP. 20, 1966.

RECORDS AVAILABLE: 1950-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1966	10.40	AUG. 18, 1966	15.9	MAR. 17, 1967	10.7	MAR. 20, 1968	10.6
FEB. 23	11.08	SEP. 20	15.9	APR. 26	10.1	APR. 12	12.0
MAR. 22	11.85	OCT. 18	15.8	MAY 18	11.4 B	MAY 14	13.8
APR. 26	12.89	NOV. 17	14.5	AUG. 17	14.6	SEP. 19	15.7
MAY 19	13.3	DEC. 15	10.5	SEP. 8	14.6	OCT. 15	15.2
JUNE 15	13.8	JAN. 19, 1967	12.7	OCT. 16	13.8	NOV. 19	13.9
JULY 20	14.0	FEB. 16	10.6	NOV. 15	13.4	DEC. 12	12.2

12N/7W-13N1 M. M. RENNAIS. ABOUT 2.0 MILES SOUTH OF LOWER LAKE IN EXCELSIOR VALLEY. DUG DOMESTIC WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 33 FT., LSD 1,360 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 27, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.

HIGHEST WATER LEVEL 9.40 FT BELOW LSD, APR. 26, 1967.

LOWEST STATIC WATER LEVEL 19.10 FT BELOW LSD, OCT. 18, 1966.

RECORDS AVAILABLE: 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1966	13.51	JULY 20, 1966	17.1	JAN. 19, 1967	18.5 A	SEP. 8, 1967	17.6
FEB. 23	12.00	AUG. 18	17.9	FEB. 16	12.8	OCT. 16	17.9
MAR. 22	13.48	SEP. 20	19.0	MAR. 17	12.8	NOV. 15	17.8
APR. 26	14.13	OCT. 18	19.1	APR. 26	9.4	MAR. 20, 1968	11.9
MAY 19	14.6	NOV. 17	19.0	MAY 18	12.9	APR. 12	13.4
JUNE 15	15.5	DEC. 15	15.3	AUG. 17	17.1	MAY 14	17.3 A

13N/7W-15Q1 M. F. BARTRUM. ABOUT 1.5 MILES NORTHEAST OF CLEARLAKE HIGHLANDS IN BURNS VALLEY. DRILLED UNUSED WATER-TABLE WELL IN CACHE FORMATION, DIAMETER 12 INCHES. DEPTH 172 FT., LSD 1,385 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 27, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.

HIGHEST WATER LEVEL 0.90 FT BELOW LSD, APR. 26, 1967, MAY 18, 1967.

LOWEST STATIC WATER LEVEL 8.50 FT BELOW LSD, SEP. 20, 1966.

RECORDS AVAILABLE: 1949-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1966	3.97	JULY 20, 1966	7.5	JAN. 19, 1967	4.7	SEP. 8, 1967	7.8
FEB. 23	1.91	AUG. 18	8.0 A	FEB. 16	2.2	OCT. 17	7.8
MAR. 23	1.57	SEP. 20	8.5	MAR. 17	1.0	NOV. 15	7.4
APR. 26	2.80	OCT. 18	8.4	APR. 26	0.9	MAR. 20, 1968	1.4
MAY 19	2.7	NOV. 17	8.2	MAY 18	0.9	APR. 12	1.3
JUNE 15	4.3	DEC. 15	5.9	AUG. 17	7.4	MAY 14	1.2



## LOS ANGELES COUNTY

61

14N/7W-19M2 M. O. BAILEY. ABOUT 2 MILES NORTH OF CLEARLAKE OAKS IN HIGH VALLEY. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 102 FT., LSD 1,730 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 27, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 50.20 FT BELOW LSD, MAY 14, 1968.  
 LOWEST STATIC WATER LEVEL 72.40 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1959-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1966	57.69	JULY 20, 1966	63.8	JAN. 19, 1967	65.8	SEP. 8, 1967	63.2
FEB. 23	54.98	AUG. 19	69.6	FEB. 16	61.0	OCT. 17	63.1
MAR. 22	53.30	SEP. 20	71.5	MAR. 17	61.0	NOV. 15	61.2
APR. 27	52.40	OCT. 18	72.4	APR. 26	53.7	MAR. 20, 1968	51.6
MAY 19	55.7	NOV. 17	71.4	MAY 18	52.2 B	APR. 12	N
JUNE 15	59.6	DEC. 15	68.5	AUG. 17	60.5	MAY 14	50.2

## LOS ANGELES COUNTY

## Antelope Valley

5N/9W-20K1 S. DEPTH REPORTED 286 FT IN 1964. ALTITUDE ABOUT 3178 FT.  
 HIGHEST WATER LEVEL 187.40 FT BELOW LSD, NOV. 1, 1967.  
 LOWEST STATIC WATER LEVEL 195.88 FT BELOW LSD, MAR. 14, 1967.  
 RECORDS AVAILABLE: 1957-62, 1964, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1967	195.88	NOV. 1, 1967	187.4	MAR. 11, 1968	187.74		

5N/10W-3L1 S. ALTITUDE ABOUT 2802 FT.  
 HIGHEST WATER LEVEL 93.64 FT BELOW LSD, MAR. 11, 1968.  
 LOWEST STATIC WATER LEVEL 93.64 FT BELOW LSD, MAR. 11, 1968.  
 RECORDS AVAILABLE: 1961, 1963, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 2, 1967	A	MAR. 11, 1968	93.64				

5N/10W-6N1 S. LITTLE ROCK IRRIGATION DISTRICT. NEAR LITTLE ROCK. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 14 INCHES. RECORDS FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT. DEPTH 250 FT., LSD 2,777.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 114.30 FT BELOW LSD, MAR. 12, 1968, APR. 8, 1968.  
 LOWEST STATIC WATER LEVEL 125.00 FT BELOW LSD, AUG. 1, 1966.  
 RECORDS AVAILABLE: 1938, 1940-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	122.9	OCT. 3, 1966	123.1	AUG. 1, 1967	120.7	MAY 14, 1968	114.6
FEB. 24	124.6	NOV. 27	120.3	SEP. 11	118.0	JUNE 13	115.2
MAR. 7	122.2	JAN. 9, 1967	119.2	OCT. 9	117.5	JULY 9	116.8
APR. 12	121.7	FEB. 14	119.8	NOV. 15	116.0	AUG. 6	119.8
MAY 9	120.3	MAR. 6	118.8	JAN. 9, 1968	114.9	SEP. 3	118.1
JUNE 14	124.2	APR. 10	117.7	FEB. 19	114.4	OCT. 8	123.5
JULY 12	124.4	MAY 8	117.7	MAR. 12	114.3	NOV. 4	118.9
AUG. 1	125.0	JUNE 6	118.4	APR. 8	114.3	DEC. 3	117.4
SEP. 7	124.2	JULY 11	119.9				

5N/10W-16P1 S. ALTITUDE ABOUT 3023 FT.  
 HIGHEST WATER LEVEL 253.00 FT BELOW LSD, NOV. 1, 1967.  
 LOWEST STATIC WATER LEVEL 258.02 FT BELOW LSD, MAR. 11, 1968.  
 RECORDS AVAILABLE: 1964, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1967	254.34	NOV. 1, 1967	253.0	MAR. 11, 1968	258.02		

## GROUND-WATER RECORDS, 1966-68

5N/11W-1M1 S. DEPTH REPORTED 414 FT IN 1955 AND 396.3 FT IN 1967. PERFORATED 100-364 FT. ALTITUDE IS 2738.5 FT.  
 HIGHEST WATER LEVEL 80.55 FT BELOW LSD, NOV. 1, 1967.  
 LOWEST STATIC WATER LEVEL 85.56 FT BELOW LSD, MAR. 11, 1968.  
 RECORDS AVAILABLE: 1955, 1963, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1967	80.64	NOV. 1, 1967	80.55	MAR. 11, 1968	85.56		

5N/11W-4R2 S. FORMERLY OWNED BY HOMER ADAMS. DEPTH REPORTED 300 FT IN 1949. PERFORATED 140-280 FT. ALTITUDE ABOUT 2755 FT.  
 HIGHEST WATER LEVEL 174.28 FT BELOW LSD, MAR. 11, 1968.  
 LOWEST STATIC WATER LEVEL 175.30 FT BELOW LSD, NOV. 1, 1967.  
 RECORDS AVAILABLE: 1949, 1951-52, 1963, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1967	175.29	NOV. 1, 1967	175.3	MAR. 11, 1968	174.28		

6N/8W-30H1 S. ALTITUDE ABOUT 2848 FT.  
 HIGHEST WATER LEVEL 209.44 FT BELOW LSD, MAR. 11, 1968.  
 LOWEST STATIC WATER LEVEL 211.31 FT BELOW LSD, MAR. 14, 1967.  
 RECORDS AVAILABLE: 1964, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1967	211.31	NOV. 2, 1967	211.3	MAR. 11, 1968	209.44		

6N/9W-4H2 S. DEPTH REPORTED 336 FT IN 1949. ALTITUDE ABOUT 2595 FT.  
 HIGHEST WATER LEVEL 164.50 FT BELOW LSD, MAR. 11, 1968.  
 LOWEST STATIC WATER LEVEL 168.70 FT BELOW LSD, NOV. 2, 1967.  
 RECORDS AVAILABLE: 1949-62, 1964, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1967	166.42	NOV. 2, 1967	168.7	MAR. 11, 1968	164.5		

6N/9W-11N1 S. DEPTH REPORTED 295 FT IN 1964. ALTITUDE ABOUT 2666 FT.  
 HIGHEST WATER LEVEL 165.61 FT BELOW LSD, MAR. 14, 1967.  
 LOWEST STATIC WATER LEVEL 168.65 FT BELOW LSD, MAR. 11, 1968.  
 RECORDS AVAILABLE: 1951-62, 1964, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1967	165.61	NOV. 2, 1967	166.9	MAR. 11, 1968	168.65		

6N/9W-30F1 S. DEPTH REPORTED 312 FT IN 1922 AND 92.3 FT IN 1964. ALTITUDE ABOUT 2758 FT.  
 HIGHEST WATER LEVEL 35.60 FT BELOW LSD, NOV. 2, 1967.  
 LOWEST STATIC WATER LEVEL 42.32 FT BELOW LSD, DEC. 20, 1966.  
 RECORDS AVAILABLE: 1951, 1954-62, 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 20, 1966	42.32	NOV. 2, 1967	35.6	MAR. 11, 1968	40.55		

6N/10W-1801 S. H. NANHEIM.  
 HIGHEST WATER LEVEL 201.96 FT BELOW LSD, MAR. 12, 1968.  
 LOWEST STATIC WATER LEVEL 208.98 FT BELOW LSD, MAR. 17, 1966.  
 RECORDS AVAILABLE: 1953, 1955, 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1966	208.98	MAR. 16, 1967	207.68	NOV. 2, 1967	205.6	MAR. 12, 1968	201.96

6N/10W-22D1 S. DEPTH REPORTED 200 FT IN 1949. PERFORATED 100-200 FT. ALTITUDE ABOUT 2645 FT.  
 HIGHEST WATER LEVEL 169.62 FT BELOW LSD, MAR. 12, 1968.  
 LOWEST STATIC WATER LEVEL 169.67 FT BELOW LSD, MAR. 16, 1967.  
 RECORDS AVAILABLE: 1951, 1957, 1964, 1967-68.

DATE	WATER LEVFL	DATE	WATER LEVFL	DATE	WATER LEVFL	DATE	WATER LEVEL
MAR. 16, 1967	169.67	NOV. 2, 1967	169.64	MAR. 12, 1968	169.62		

6N/10W-34D1 S. DEPTH REPORTED 300 FT IN 1954. ALTITUDE ABOUT 2706 FT.  
 HIGHEST WATER LEVEL 127.40 FT BELOW LSD, NOV. 2, 1967.  
 LOWEST STATIC WATER LEVEL 131.36 FT BELOW LSD, MAR. 14, 1967.  
 RECORDS AVAILABLE: 1957-60, 1964, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1967	131.36	NOV. 2, 1967	127.4	MAR. 11, 1968	127.48		

6N/10W-36N1 S. DEPTH REPORTED 210 FT IN 1954. PERFORATED 180-205 FT. ALTITUDE IS 2772.5 FT.  
 HIGHEST WATER LEVEL 57.80 FT BELOW LSD, NOV. 2, 1967.  
 LOWEST STATIC WATER LEVEL 62.86 FT BELOW LSD, MAR. 11, 1968.  
 RECORDS AVAILABLE: 1954, 1956, 1964, 1967-68.

DATE	WATER LEVFL	DATE	WATER LEVEL	DATE	WATER LEVFL	DATE	WATER LEVEL
MAR. 14, 1967	58.97	NOV. 2, 1967	57.8	MAR. 11, 1968	62.86		

6N/11W-3F1 S. ALTITUDE ABOUT 2491 FT.  
 HIGHEST WATER LEVEL 306.64 FT BELOW LSD, MAR. 12, 1968.  
 LOWEST STATIC WATER LEVEL 306.81 FT BELOW LSD, MAR. 15, 1967.  
 RECORDS AVAILABLE: 1954-63, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1967	306.81	MAR. 12, 1968	306.64				

6N/11W-16J1 S. DEPTH REPORTED 630 FT IN 1964. PERFORATED 322-630 FT. ALTITUDE ABOUT 2547 FT.  
 RECORDS AVAILABLE: 1964, 1968.

DATE	WATER LEVFL	DATE	WATER LEVFL	DATE	WATER LEVFL	DATE	WATER LEVEL
MAR. 27, 1968	A						

6N/12W-15F1 S. DEPTH REPORTED 652 FT. PERFORATED 472-652 FT. ALTITUDE ABOUT 2643 FT.  
 HIGHEST WATER LEVEL 397.91 FT BELOW LSD, MAR. 21, 1967, MAR. 21, 1967.  
 LOWEST STATIC WATER LEVEL 397.91 FT BELOW LSD, MAR. 21, 1967, MAR. 21, 1967.  
 RECORDS AVAILABLE: 1956, 1963, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVFL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1967	397.91	MAR. 21, 1967	397.91	MAR. 11, 1968	A	APR. 14, 1968	A

6N/12W-24F1 S. DEPTH REPORTED 610 FT IN 1957. PERFORATED 228-610 FT. ALTITUDE ABOUT 2587 FT.  
 HIGHEST WATER LEVEL 364.63 FT BELOW LSD, MAR. 16, 1967.  
 LOWEST STATIC WATER LEVEL 364.63 FT BELOW LSD, MAR. 16, 1967.  
 RECORDS AVAILABLE: 1957-63, 1967.

DATE	WATER LEVFL	DATE	WATER LEVFL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1967	364.630	NOV. 1, 1967	P	MAR. 11, 1968	N		

## GROUND-WATER RECORDS, 1966-68

7N/9W-17N2 S. W. H. BROWN. ABOUT 15 MILES EAST OF LANCASTER. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 303.0 FT., LSD 2,492 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 224.25 FT BELOW LSD, MAR. 11, 1966.  
LOWEST STATIC WATER LEVEL 255.70 FT BELOW LSD, NOV. 3, 1967.  
RECORDS AVAILABLE: 1959-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 11, 1966	224.25	MAR. 16, 1967	231.32	NOV. 3, 1967	255.7 G	MAR. 13, 1968	242.48
OCT. 27	250.3	OCT. 25	262.3 C				

7N/10W-2E1 S. H & H RANCH. FORMERLY OWNED BY M. J. HUGHES. ABOUT 12 MILES EAST OF LANCASTER. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 403 FT., LSD 2,412 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 228.70 FT BELOW LSD, MAR. 12, 1966.  
LOWEST STATIC WATER LEVEL 241.90 FT BELOW LSD, NOV. 2, 1967.  
RECORDS AVAILABLE: 1951-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	228.70	MAR. 15, 1967	237.5	NOV. 2, 1967	241.9 G	MAR. 13, 1968	237.78
OCT. 27	235.60	OCT. 25	239.98				

7N/10W-5E1 S. DEPTH REPORTED 601 FT IN 1924. PERFORATED 120-400 FT. ALTITUDE ABOUT 2391 FT.  
HIGHEST WATER LEVEL 193.73 FT BELOW LSD, MAR. 20, 1967.  
LOWEST STATIC WATER LEVEL 194.62 FT BELOW LSD, MAR. 13, 1968.  
RECORDS AVAILABLE: 1951-53, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 20, 1967	193.73	MAR. 13, 1968	194.62				

7N/10W-5E1 S. E. RAY, FORMERLY R. S. MILLER. ABOUT 10 MILES NORTHEAST OF LANCASTER. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 384 FT., LSD 2,392 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 190.25 FT BELOW LSD, MAR. 12, 1966.  
LOWEST STATIC WATER LEVEL 196.05 FT BELOW LSD, OCT. 27, 1966.  
RECORDS AVAILABLE: 1956-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	190.25	OCT. 27, 1966	196.05D				

7N/10W-5N3 S. WATSON. FORMERLY OWNED BY W. E. HENNEMAN. ABOUT 10 MILES NORTHEAST OF LANCASTER. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 980 FT., LSD 2,398 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 288.10 FT BELOW LSD, OCT. 25, 1967.  
LOWEST STATIC WATER LEVEL 292.22 FT BELOW LSD, OCT. 27, 1966.  
RECORDS AVAILABLE: 1945-49, 1951-53, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	A	OCT. 27, 1966	292.22	OCT. 25, 1967	288.10	MAR. 13, 1968	A

7N/10W-10N1 S. DEPTH REPORTED 300 FT IN 1951. ALTITUDE ABOUT 2437 FT.  
HIGHEST WATER LEVEL 269.80 FT BELOW LSD, MAR. 16, 1966.  
LOWEST STATIC WATER LEVEL 329.30 FT BELOW LSD, MAR. 13, 1968.  
RECORDS AVAILABLE: 1951, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	269.80	NOV. 2, 1967	324.0	JAN. 10, 1968	299.7	MAR. 13, 1968	329.3

7N/10W-14Q1 S. E. HECHT. ABOUT 10 MILES EAST OF LANCASTER. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 350 FT., LSD 2,464 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 310.50 FT BELOW LSD, MAR. 11, 1966.  
 LOWEST STATIC WATER LEVEL 348.60 FT BELOW LSD, OCT. 27, 1966.  
 RECORDS AVAILABLE: 1950, 1959-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 11, 1966	310.50	MAR. 16, 1967	339.76	OCT. 25, 1967	N	JAN. 10, 1968	P
OCT. 27	348.6						

7N/10W-14R3 S. FORMERLY OWNED BY E. HECHT. DEPTH REPORTED 480 FT IN 1950. ALTITUDE ABOUT 2466 FT.  
 HIGHEST WATER LEVEL 338.56 FT BELOW LSD, MAR. 16, 1967.  
 LOWEST STATIC WATER LEVEL 351.53 FT BELOW LSD, JAN. 10, 1968.  
 RECORDS AVAILABLE: 1951-52, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1967	338.56	JAN. 10, 1968	351.53	MAR. 13, 1968	347.25		

7N/10W-19D1 S. FORMERLY OWNED BY H. FLORY. DEPTH REPORTED 333 FT IN 1951. ALTITUDE ABOUT 2466 FT.  
 HIGHEST WATER LEVEL 263.32 FT BELOW LSD, MAY 17, 1966.  
 LOWEST STATIC WATER LEVEL 268.39 FT BELOW LSD, MAR. 13, 1968.  
 RECORDS AVAILABLE: 1951, 1956-57, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 17, 1966	263.32	MAR. 20, 1967	265.07	NOV. 3, 1967	268.3	MAR. 13, 1968	268.39

7N/10W-31M1 S. G. JANSSEN. FORMERLY OWNED BY G. J. STODDARD. ABOUT 9 MILES SOUTHEAST OF LANCASTER. DRILLED IRRIGATION WELL IN DUNE SAND, DIAMETER 12 INCHES. DEPTH 365 FT., LSD 2,505.3 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 331.41 FT BELOW LSD, MAR. 11, 1966.  
 LOWEST STATIC WATER LEVEL 345.20 FT BELOW LSD, MAR. 27, 1968.  
 RECORDS AVAILABLE: 1940-41, 1943, 1945-48, 1951, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 11, 1966	331.41	APR. 1967	338.35	MAR. 12, 1968	N	MAR. 27, 1968	345.20
OCT. 27	N	OCT. 25	N				

7N/10W-33J2 S. DEPTH REPORTED 425 FT IN 1951. ALTITUDE ABOUT 2523 FT.  
 HIGHEST WATER LEVEL 332.72 FT BELOW LSD, MAR. 16, 1966.  
 LOWEST STATIC WATER LEVEL 343.24 FT BELOW LSD, APR. 13, 1967.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	332.72	APR. 13, 1967	343.24	MAR. 12, 1968	338.40		

7N/11W-101 S. H. L. GORDON. ABOUT 8 MILES NORTHEAST OF LANCASTER. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 350 FT., LSD 2,385 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 210.07 FT BELOW LSD, MAR. 13, 1968.  
 LOWEST STATIC WATER LEVEL 215.39 FT BELOW LSD, OCT. 27, 1966.  
 RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	A	OCT. 27, 1966	215.39	OCT. 25, 1967	215.22	MAR. 13, 1968	210.07

## GROUND-WATER RECORDS, 1966-68

7N/11W-6A1 S. R. OWENS. ABOUT 4 MILES NORTHEAST OF LANCASTER. DRILLED DOMESTIC WELL IN DUNE SAND, DIAMETER 8 INCHES. DEPTH 130 FT., LSD 2,351 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 92.95 FT BELOW LSD, MAR. 12, 1966.  
 LOWEST STATIC WATER LEVEL 92.95 FT BELOW LSD, MAR. 12, 1966.  
 RECORDS AVAILABLE: 1951-53, 1956-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	92.95	OCT. 27, 1966	M	MAR. 11, 1967	0		

7N/11W-10N3 S. DEPTH REPORTED 505 FT IN 1961. PERFORATED 225-505 FT. ALTITUDE ABOUT 2394 FT.  
 HIGHEST WATER LEVEL 205.55 FT BELOW LSD, MAR. 20, 1967.  
 LOWEST STATIC WATER LEVEL 214.35 FT BELOW LSD, MAR. 13, 1968.  
 RECORDS AVAILABLE: 1963, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 20, 1967	205.55	NOV. 3, 1967	211.5	MAR. 13, 1968	214.35		

7N/11W-13Q1 S. PERRY HANKINS. ABOUT 8 MILES EAST OF LANCASTER. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 570 FT., LSD 2,434 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 266.60 FT BELOW LSD, MAR. 11, 1966.  
 LOWEST STATIC WATER LEVEL 292.00 FT BELOW LSD, OCT. 23, 1967.  
 RECORDS AVAILABLE: 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 11, 1966	266.6	OCT. 27, 1966	A	OCT. 23, 1967	292	MAR. 13, 1968	A

7N/11W-17E1 S. MERT LEWIS. ABOUT 3 MILES EAST OF LANCASTER. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 510 FT., LSD 2,396 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 198.00 FT BELOW LSD, MAR. 12, 1966.  
 LOWEST STATIC WATER LEVEL 223.02 FT BELOW LSD, MAR. 13, 1968.  
 RECORDS AVAILABLE: 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	198.0	MAR. 1967	A	OCT. 24, 1967	N	MAR. 13, 1968	223.02
OCT. 27	203.33						

7N/11W-19Q1 S. LA BONITA DAIRY. FORMERLY OWNED BY L. A. HARTER. ABOUT 3 MILES SOUTHEAST OF LANCASTER. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 13 INCHES. DEPTH 401 FT., LSD 2,418 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 211.17 FT BELOW LSD, MAR. 11, 1966.  
 LOWEST STATIC WATER LEVEL 217.67 FT BELOW LSD, MAR. 13, 1968.  
 RECORDS AVAILABLE: 1951-52, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 11, 1966	211.17	OCT. 27, 1966	216.04C	OCT. 26, 1967	219.18C	MAR. 13, 1968	217.67

7N/11W-21E1 S. ALTITUDE ABOUT 2422 FT.  
 HIGHEST WATER LEVEL 102.76 FT BELOW LSD, MAR. 20, 1967.  
 LOWEST STATIC WATER LEVEL 105.85 FT BELOW LSD, MAR. 13, 1968.  
 RECORDS AVAILABLE: 1963, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 20, 1967	102.76	NOV. 3, 1967	104.6	MAR. 13, 1968	105.85		

7N/11W-28L1 S. DEPTH REPORTED 178 FT IN 1955. ALTITUDE ABOUT 2448 FT.  
 HIGHEST WATER LEVEL 134.29 FT BELOW LSD, MAR. 15, 1967.  
 LOWEST STATIC WATER LEVEL 137.34 FT BELOW LSD, MAR. 12, 1968.  
 RECORDS AVAILABLE: 1937-52, 1955-61, 1963, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1967	134.29	MAR. 12, 1968	137.34				

7N/11W-33N1 S. LANCASTER MILLING CO. ABOUT 5 MILES SOUTHEAST OF LANCASTER. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 20 INCHES. DEPTH FT., LSD 2,473 FT. ABOVE MSL. HIGHEST WATER LEVEL 294.59 FT BELOW LSD, MAR. , 1967. LOWEST STATIC WATER LEVEL 303.08 FT BELOW LSD, MAR. 12, 1968. RECORDS AVAILABLE: 1951, 1954, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 27, 1966	N	MAR. 1967	294.59	OCT. 26, 1967	301.21	MAR. 12, 1968	303.08

7N/12W-13F1 S. R. COERRER. FORMERLY OWNED BY A. M. KLINGELE. ABOUT 1 MILE EAST OF LANCASTER. DRILLED STOCK WELL IN ALLUVIUM, DIAMETER 12 INCHES. PERFORATED 175-552 FEET. DEPTH 552 FT., LSD 2,382 FT. ABOVE MSL. HIGHEST WATER LEVEL 159.14 FT BELOW LSD, MAR. 12, 1966. LOWEST STATIC WATER LEVEL 168.15 FT BELOW LSD, OCT. 26, 1967. RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	159.14	MAR. 1967	163.01	OCT. 26, 1967	168.15	MAR. 27, 1968	165.44
OCT. 27	163.91						

7N/12W-13H2 S. DEPTH REPORTED 218 FT IN 1963. ALTITUDE ABOUT 2385 FT. HIGHEST WATER LEVEL 118.63 FT BELOW LSD, MAR. 20, 1967. LOWEST STATIC WATER LEVEL 120.60 FT BELOW LSD, NOV. 3, 1967. RECORDS AVAILABLE: 1963, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 20, 1967	118.63	NOV. 3, 1967	120.6	MAR. 13, 1968	120.37		

7N/12W-15F1 S. ALTITUDE ABOUT 2348 FT. HIGHEST WATER LEVEL 129.03 FT BELOW LSD, FEB. 15, 1966. LOWEST STATIC WATER LEVEL 153.35 FT BELOW LSD, JUNE 6, 1966. RECORDS AVAILABLE: 1924, 1934, 1942-63, 1965-66, 1968-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 6, 1966	139.71	MAR. 15, 1966	133.13	MAY 17, 1966	148.30	MAR. 27, 1968	142.18
FEB. 15	129.03	APR. 5	145.98	JUNE 6	153.35		

7N/12W-15F2 S. LOS ANGELES COUNTY WATER DISTRICT WELL 4. TENTH AND DATE STREETS, LANCASTER. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 16 INCHES TO 244 FEET, AND 12 INCHES TO 372 FEET. PERFORATED 190-524 FEET. DEPTH 600 FT., LSD 2,355 FT. ABOVE MSL. HIGHEST WATER LEVEL 134.93 FT BELOW LSD, MAR. 7, 1966. LOWEST STATIC WATER LEVEL 157.97 FT BELOW LSD, OCT. 27, 1967. RECORDS AVAILABLE: 1943-45, 1947-54, 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	134.93	MAR. 16, 1967	145.22	MAR. 12, 1968	N	MAR. 27, 1968	149.41
OCT. 28	154.84	OCT. 27	157.97				

7N/12W-18R2 S. FORMERLY OWNED BY BREEDLOVE. DEPTH REPORTED 149 FT IN 1951. PERFORATED 69-149 FT. ALTITUDE ABOUT 2337 FT. HIGHEST WATER LEVEL 49.28 FT BELOW LSD, MAR. 15, 1967. LOWEST STATIC WATER LEVEL 50.87 FT BELOW LSD, MAR. 12, 1968. RECORDS AVAILABLE: 1963, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1967	49.28	MAR. 12, 1968	50.87				

## GROUND-WATER RECORDS, 1966-68

7N/12W-19R1 S. DEPTH REPORTED 400 FT IN 1947. PERFORATED 100-400 FT. ALTITUDE ABOUT 2386 FT.  
 HIGHEST WATER LEVEL 167.73 FT BELOW LSD, MAR. 15, 1967.  
 LOWEST STATIC WATER LEVEL 171.20 FT BELOW LSD, MAR. 12, 1968.  
 RECORDS AVAILABLE: 1940, 1951, 1953, 1961-64, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1967	167.73	MAR. 12, 1968	171.20				

7N/12W-22K1 S. FORMERLY OWNED BY SHAFFER. DEPTH REPORTED 400 FT IN 1961. ALTITUDE ABOUT 2407 FT.  
 HIGHEST WATER LEVEL 190.61 FT BELOW LSD, FEB. 15, 1966.  
 LOWEST STATIC WATER LEVEL 200.57 FT BELOW LSD, MAR. 27, 1968.  
 RECORDS AVAILABLE: 1961, 1963-66, 1968-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 6, 1966	191.82	MAR. 15, 1966	192.90	MAY 17, 1966	196.68	MAR. 27, 1968	200.57
FEB. 15	190.61	APR. 5	194.31	JUNE 6	198.39		

7N/12W-25M1 S. OWNER UNKNOWN. ABOUT 2 MILES SOUTHEAST OF LANCASTER. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 320 FT. IN 1951 AND 236.5 FT. IN 1963. LSD 2,455 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 237.32 FT BELOW LSD, MAR. 11, 1966.  
 LOWEST STATIC WATER LEVEL 246.85 FT BELOW LSD, OCT. 26, 1967.  
 RECORDS AVAILABLE: 1951-52, 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 11, 1966	237.32	MAR. 16, 1967	242.34	OCT. 26, 1967	246.85	MAR. 12, 1968	246.37
OCT. 27	242.26						

7N/12W-28P1 S. W. S. BARCOCK. ABOUT 2 MILES SOUTH OF LANCASTER. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 407 FT., LSD 2,447 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 222.95 FT BELOW LSD, MAR. 11, 1966.  
 LOWEST STATIC WATER LEVEL 245.68 FT BELOW LSD, MAR. 16, 1967.  
 RECORDS AVAILABLE: 1947, 1951, 1953-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 11, 1966	222.95	MAR. 16, 1967	245.68	OCT. 27, 1967	241.35	MAR. 12, 1968	238.14
OCT. 27	236.93						

7N/12W-29F2 S. FORMERLY OWNED BY E. POST. DEPTH REPORTED 464 FT IN 1956. PERFORATED 278-464 FT. ALTITUDE ABOUT 2415 FT.  
 HIGHEST WATER LEVEL 196.80 FT BELOW LSD, MAR. 11, 1966.  
 LOWEST STATIC WATER LEVEL 207.08 FT BELOW LSD, MAR. 27, 1968.  
 RECORDS AVAILABLE: 1963, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 11, 1966	196.80	MAR. 20, 1967	202.23	MAR. 27, 1968	207.08		

7N/12W-34N1 S. DEPTH REPORTED 400 FT IN 1957. ALTITUDE ABOUT 2523 FT.  
 HIGHEST WATER LEVEL 298.34 FT BELOW LSD, MAR. 15, 1967.  
 LOWEST STATIC WATER LEVEL 303.27 FT BELOW LSD, MAR. 12, 1968.  
 RECORDS AVAILABLE: 1957, 1963, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1967	298.34	MAR. 12, 1968	303.27				



7N/13W-3E1 S. DEPTH REPORTED 400 FT IN 1918. PERFORATED 69-400 FT. ALTITUDE ABOUT 2381 FT.  
 HIGHEST WATER LEVEL 198.89 FT BELOW LSD, MAR. 17, 1967.  
 LOWEST STATIC WATER LEVEL 201.15 FT BELOW LSD, MAR. 15, 1968.  
 RECORDS AVAILABLE: 1920, 1963, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1967	198.89	NOV. 3, 1967	200.00	MAR. 15, 1968	201.15		

7N/13W-6A6 S. DEPTH REPORTED 249 FT IN 1942 AND 236.0 FT IN 1967. PERFORATED 149-249 FT.  
 ALTITUDE ABOUT 2433 FT.  
 HIGHEST WATER LEVEL 167.70 FT BELOW LSD, MAR. 14, 1968.  
 LOWEST STATIC WATER LEVEL 169.80 FT BELOW LSD, MAR. 17, 1967.  
 RECORDS AVAILABLE: 1963, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1967	169.80	NOV. 3, 1967	169.40	MAR. 14, 1968	167.7		

7N/13W-16A3 S. DEPTH REPORTED 608 FT IN 1952. ALTITUDE ABOUT 2367 FT.  
 HIGHEST WATER LEVEL 185.12 FT BELOW LSD, DEC. 27, 1967.  
 LOWEST STATIC WATER LEVEL 209.70 FT BELOW LSD, NOV. 2, 1967.  
 RECORDS AVAILABLE: 1963, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1967	195.84	NOV. 2, 1967	209.7	DEC. 27, 1967	185.12	MAR. 12, 1968	M

7N/13W-21A1 S. DEPTH REPORTED 70 FT IN 1963. ALTITUDE ABOUT 2360 FT.  
 HIGHEST WATER LEVEL 40.19 FT BELOW LSD, MAR. 15, 1967.  
 LOWEST STATIC WATER LEVEL 40.74 FT BELOW LSD, MAR. 12, 1968.  
 RECORDS AVAILABLE: 1963, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1967	40.19	NOV. 3, 1967	40.70	MAR. 12, 1968	40.74		

7N/13W-34B1 S. FORMERLY OWNED BY H. COGERTY. DEPTH REPORTED 485 FT IN 1958. PERFORATED  
 250-475 FT. ALTITUDE ABOUT 2433 FT.  
 HIGHEST WATER LEVEL 343.36 FT BELOW LSD, MAR. 15, 1967.  
 LOWEST STATIC WATER LEVEL 346.97 FT BELOW LSD, MAR. 12, 1968.  
 RECORDS AVAILABLE: 1963, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1967	343.36	MAR. 12, 1968	346.97				

7N/14W-10F1 S. FORMER OWNERS H. HANSEN AND F. ULLMAN. DEPTH REPORTED 250 FT IN 1927 AND 365  
 FT IN 1962. ALTITUDE ABOUT 2557 FT.  
 HIGHEST WATER LEVEL 310.83 FT BELOW LSD, MAR. 17, 1967.  
 LOWEST STATIC WATER LEVEL 316.08 FT BELOW LSD, MAR. 12, 1968.  
 RECORDS AVAILABLE: 1942-43, 1945-63, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1967	310.83	MAR. 12, 1968	316.08				

7N/14W-13A1 S. DEPTH REPORTED 519 FT IN 1952. PERFORATED 249-519 FT. ALTITUDE ABOUT 2467 FT.  
 HIGHEST WATER LEVEL 287.74 FT BELOW LSD, DEC. 27, 1967.  
 LOWEST STATIC WATER LEVEL 287.74 FT BELOW LSD, DEC. 27, 1967.  
 RECORDS AVAILABLE: 1953, 1955-57, 1959-60, 1962-63, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 27, 1967	287.74	MAR. 12, 1968	289.24B				

## GROUND-WATER RECORDS, 1966-68

8N/9W-6D1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 1 MILE SOUTH OF THE SOUTH END OF ROGERS LAKE. DRILLED BASE SUPPLY WELL IN DUNE SAND, DIAMETER 8 INCHES. DEPTH 200 FT., LSD 2,293 FT. ABOVE MSL.

HIGHEST WATER LEVEL 35.44 FT BELOW LSD, MAR. 10, 1966.

LOWEST STATIC WATER LEVEL 36.94 FT BELOW LSD, MAR. 15, 1967.

RECORDS AVAILABLE: 1959-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1966	35.44	MAR. 15, 1967	36.94	MAR. 6, 1968	36.33		

8N/9W-6F1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 1 MILE SOUTH OF THE SOUTH END OF ROGERS LAKE. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 12 INCHES. DEPTH 27 FT., LSD 2,293.5 FT. ABOVE MSL.

HIGHEST WATER LEVEL 12.15 FT BELOW LSD, MAR. 10, 1966.

LOWEST STATIC WATER LEVEL 18.55 FT BELOW LSD, MAR. 15, 1967.

RECORDS AVAILABLE: 1941, 1950-52, 1959-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1966	12.15	MAR. 15, 1967	18.55				

8N/10W-1C1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 1 MILE SOUTH OF THE SOUTH EDGE OF ROGERS LAKE. DRILLED BASE SUPPLY WELL IN DUNE SAND, DIAMETER 24 INCHES. DEPTH 500 FT., LSD 2,300 FT. ABOVE MSL.

HIGHEST WATER LEVEL 81.55 FT BELOW LSD, MAR. 10, 1966.

LOWEST STATIC WATER LEVEL 93.56 FT BELOW LSD, OCT. 25, 1966.

RECORDS AVAILABLE: 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1966	81.55	MAR. 15, 1967	90.22	MAR. 6, 1968	92.56	OCT. 15, 1968	0
OCT. 25	93.56	OCT. 24	92.0				

8N/10W-1F1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 1 MILE SOUTH OF THE SOUTH END OF ROGERS LAKE. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 6 INCHES. DEPTH 144 FT., LSD 2,303 FT. ABOVE MSL.

HIGHEST WATER LEVEL 20.93 FT BELOW LSD, MAR. 10, 1966.

LOWEST STATIC WATER LEVEL 22.36 FT BELOW LSD, MAR. 6, 1968.

RECORDS AVAILABLE: 1951-52, 1959, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1966	20.93	MAR. 15, 1967	21.70	MAR. 6, 1968	22.36		

8N/10W-2N2 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT .25 MILE EAST OF 120TH STREET EAST AND 175 FT NORTH OF AVENUE "R". DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 10 INCHES. PERFORATED 200-400 FEET. DEPTH 400 FT., LSD 2,310 FT. ABOVE MSL.

HIGHEST WATER LEVEL 45.95 FT BELOW LSD, MAR. 15, 1967.

LOWEST STATIC WATER LEVEL 47.60 FT BELOW LSD, MAR. 6, 1968.

RECORDS AVAILABLE: 1957, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1967	45.95	MAR. 6, 1968	47.60				

8N/10W-2P1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 2 MILES SOUTHWEST OF THE SOUTH END OF ROGERS LAKE. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 10 INCHES. DEPTH 234.9 FT., LSD 2,310 FT. ABOVE MSL.

HIGHEST WATER LEVEL 64.90 FT BELOW LSD, MAR. 10, 1966.

LOWEST STATIC WATER LEVEL 66.81 FT BELOW LSD, OCT. 25, 1966.

RECORDS AVAILABLE: 1941-54, 1956-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1966	64.90	OCT. 25, 1966	66.81	MAR. 15, 1967	65.78		

8N/10W-8J1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 4 1/2 MILES EAST OF ROSAMOND LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 565.5 FT., LSD 2,315 FT. ABOVE MSL. HIGHEST WATER LEVEL 104.55 FT BELOW LSD, MAR. 10, 1966. LOWEST STATIC WATER LEVEL 114.72 FT BELOW LSD, MAR. 14, 1967. RECORDS AVAILABLE: 1951-52, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1966	104.55	OCT. 27, 1966	N	MAR. 14, 1967	114.72	MAR. 6, 1968	0

8N/10W-8R3 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 4 MILES EAST OF ROSAMOND LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 230 FT., LSD 2,318 FT. ABOVE MSL. HIGHEST WATER LEVEL 63.78 FT BELOW LSD, JAN. 10, 1966. LOWEST STATIC WATER LEVEL 69.14 FT BELOW LSD, OCT. 15, 1968. RECORDS AVAILABLE: 1947-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 10, 1966	63.78	MAY 26, 1966	64.72	MAY 10, 1967	66.10	JAN. 30, 1968	66.85
FEB. 16	64.07	OCT. 26	65.34	JULY 31	68.51	JAN. 30	66.85
MAR. 10	64.04	DEC. 29	65.36	OCT. 24	66.86	MAR. 6	67.11
MAY 10	64.64	MAR. 14, 1967	65.73	DEC. 7	66.71	OCT. 15	69.14

8N/10W-9P1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 4 1/2 MILES EAST OF ROSAMOND LAKE. DRILLED (UNUSED) WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 250 FT., LSD 2,321 FT. ABOVE MSL. HIGHEST WATER LEVEL 60.80 FT BELOW LSD, MAR. 10, 1966. LOWEST STATIC WATER LEVEL 63.84 FT BELOW LSD, MAR. 6, 1968. RECORDS AVAILABLE: 1951-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1966	60.80	OCT. 27, 1966	61.92	MAR. 14, 1967	62.40	MAR. 6, 1968	63.840

8N/10W-19N4 S. G. L. PROTHRO. ABOUT 4 MILES SOUTHEAST OF ROSAMOND LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 198.4 FT., LSD 2,338 FT. ABOVE MSL. HIGHEST WATER LEVEL 114.88 FT BELOW LSD, MAR. 6, 1968. LOWEST STATIC WATER LEVEL 120.35 FT BELOW LSD, MAR. 12, 1966. RECORDS AVAILABLE: 1951-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	120.35	MAR. 16, 1967	118.35	MAR. 6, 1968	114.88	OCT. 15, 1968	115.350
OCT. 27	115.00	OCT. 25	116.90				

8N/10W-19Q1 S. UNION TRUST AND SAVINGS BANK. EAST OF REDMAN SCHOOL, ABOUT 4 MILES SOUTHEAST OF ROSAMOND LAKE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 690 FT., LSD 2,342 FT. ABOVE MSL. HIGHEST WATER LEVEL 103.84 FT BELOW LSD, MAR. 12, 1966. LOWEST STATIC WATER LEVEL 112.24 FT BELOW LSD, OCT. 25, 1967. RECORDS AVAILABLE: 1939-48, 1950-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	103.84	OCT. 27, 1966	110.00	MAR. 16, 1967	106.76	OCT. 25, 1967	112.240

8N/10W-23F1 S. FREY. ABOUT 4 1/2 MILES SOUTHWEST OF ROGERS LAKE. DRILLED IRRIGATION WELL IN DUNE SAND, DIAMETER 10 INCHES. DEPTH 250 FT., LSD 2,350 FT. ABOVE MSL. HIGHEST WATER LEVEL 100.86 FT BELOW LSD, MAR. 10, 1966. LOWEST STATIC WATER LEVEL 105.99 FT BELOW LSD, OCT. 25, 1967. RECORDS AVAILABLE: 1951-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1966	100.86	MAR. 15, 1967	104.00	MAR. 6, 1968	M	MAR. 1968	0
OCT. 27	102.99	OCT. 25	105.99				

## GROUND-WATER RECORDS, 1966-68

RN/10W-23F2 S. FREY. ABOUT 4 1/2 MILES SOUTHWEST OF ROGERS LAKE. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 10 INCHES. DEPTH 250 FT., LSD 2,350 FT. ABOVE MSL. THIS WELL REPLACED WELL NO. RN/10W-23F1 S.  
 HIGHEST WATER LEVEL 108.10 FT BELOW LSD, MAR. 6, 1968.  
 LOWEST STATIC WATER LEVEL 108.10 FT BELOW LSD, MAR. 6, 1968.  
 RECORDS AVAILABLE: 1968-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 6, 1968	108.10						

RN/10W-28R1 S. P. PERRY. FORMERLY OWNED BY PEGLESDOTO. ABOUT 6 MILES SOUTHEAST OF ROSAMOND LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 215.0 FT. IN 1952. LSD 2,358 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 126.50 FT BELOW LSD, MAR. 10, 1966.  
 LOWEST STATIC WATER LEVEL 134.44 FT BELOW LSD, OCT. 25, 1967.  
 RECORDS AVAILABLE: 1951-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1966	126.50	MAR. 16, 1967	131.55	OCT. 25, 1967	134.44	MAR. 12, 1968	134.23
OCT. 27	130.82						

RN/11W-14N1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 2 MILES SOUTHEAST OF ROSAMOND LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 5 INCHES. DEPTH 77.0 FT., LSD 2,312 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 71.52 FT BELOW LSD, MAR. 10, 1966.  
 LOWEST STATIC WATER LEVEL 71.52 FT BELOW LSD, MAR. 10, 1966.  
 RECORDS AVAILABLE: 1951-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1966	71.52	OCT. 27, 1966	M	OCT. 1968	0		

RN/11W-14R1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 2 1/2 MILES SOUTHEAST OF ROSAMOND LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 186 FT. IN 1951 AND 168.5 FT. IN 1960. LSD 2,317 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 93.75 FT BELOW LSD, OCT. 27, 1966.  
 LOWEST STATIC WATER LEVEL 99.47 FT BELOW LSD, OCT. 15, 1968.  
 RECORDS AVAILABLE: 1951, 1954, 1960, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 27, 1966	93.75	OCT. 25, 1967	94.15	MAR. 7, 1968	94.55	OCT. 15, 1968	99.47
MAR. 16, 1967	95.00						

RN/11W-14R2 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 2 1/2 MILES SOUTHEAST OF ROSAMOND LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 205 FT., LSD 2,317 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 98.92 FT BELOW LSD, MAR. 10, 1966.  
 LOWEST STATIC WATER LEVEL 98.92 FT BELOW LSD, MAR. 10, 1966.  
 RECORDS AVAILABLE: 1952-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1966	98.92	OCT. 27, 1966	M	OCT. 1968	0		

RN/11W-15Q1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 1 1/2 MILES SOUTH OF THE SOUTHEAST EDGE OF ROSAMOND LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 179.2 FT., LSD 2,307 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 88.45 FT BELOW LSD, MAR. 7, 1968.  
 LOWEST STATIC WATER LEVEL 90.10 FT BELOW LSD, OCT. 15, 1968.  
 RECORDS AVAILABLE: 1952, 1954, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1966	88.84	MAR. 16, 1967	89.00	MAR. 7, 1968	88.45	OCT. 15, 1968	90.10
OCT. 27	88.89	OCT. 25	89.66				

8N/11W-18L1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 1 MILE SOUTH OF ROSAMOND LAKE. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 7 INCHES. DEPTH 192.7 FT., LSD 2,297 FT. ABOVE MSL. HIGHEST WATER LEVEL 8.24 FT BELOW LSD, MAR. 10, 1966. LOWEST STATIC WATER LEVEL 9.25 FT BELOW LSD, MAR. 7, 1968. RECORDS AVAILABLE: 1951-53, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1966	8.24	MAR. 16, 1967	9.05	MAR. 7, 1968	9.250		

8N/11W-18Q1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 1 1/2 MILES SOUTH OF ROSAMOND LAKE. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 7 INCHES. DEPTH 286.7 FT., LSD 2,298 FT. ABOVE MSL. HIGHEST WATER LEVEL 19.10 FT BELOW LSD, MAR. 7, 1968. LOWEST STATIC WATER LEVEL 22.10 FT BELOW LSD, MAR. 10, 1966. RECORDS AVAILABLE: 1951-52, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1966	22.10	MAR. 16, 1967	19.82	MAR. 7, 1968	19.100		

8N/11W-22P1 S. HAROLD ANDERSON. ABOUT 2 1/2 MILES SOUTH OF THE SOUTHEAST EDGE OF ROSAMOND LAKE. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 202.0 FT., LSD 2,317 FT. ABOVE MSL. HIGHEST WATER LEVEL 102.73 FT BELOW LSD, MAR. 7, 1968. LOWEST STATIC WATER LEVEL 103.70 FT BELOW LSD, OCT. 15, 1968. RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	103.26	MAR. 16, 1967	103.11	MAR. 7, 1968	102.73	OCT. 15, 1968	103.700
OCT. 27	103.55	OCT. 25	103.59				

8N/11W-23R1 S. JOSEPH FIRSICK. ABOUT 3 MILES SOUTHEAST OF ROSAMOND LAKE. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 192.5 FT., LSD 2,332 FT. ABOVE MSL. HIGHEST WATER LEVEL 121.30 FT BELOW LSD, OCT. 27, 1966. LOWEST STATIC WATER LEVEL 128.90 FT BELOW LSD, MAR. 16, 1967. RECORDS AVAILABLE: 1959-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	121.5	MAR. 16, 1967	128.9	MAR. 6, 1968	125.4	OCT. 15, 1968	127.930
OCT. 27	121.30	OCT. 25	123.11				

8N/11W-27R2 S. R. OWEN. FORMERLY OWNED BY ROBERT WILSON. ABOUT 4 MILES SOUTH OF ROSAMOND LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 330.5 FT., LSD 2,341 FT. ABOVE MSL. HIGHEST WATER LEVEL 158.20 FT BELOW LSD, NOV. 3, 1967. LOWEST STATIC WATER LEVEL 162.84 FT BELOW LSD, OCT. 27, 1966. RECORDS AVAILABLE: 1951, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	165.40C	MAR. 16, 1967	172.38C	NOV. 3, 1967	158.2 G	MAR. 13, 1968	169.56C
OCT. 27	162.84	OCT. 25	161.85C				

8N/11W-32E1 S. E. H. BOHAMMON. ABOUT 4 MILES SOUTH OF ROSAMOND LAKE. DRILLED DOMESTIC WELL IN DUNE SAND, DIAMETER 14 INCHES. DEPTH 200 FT., LSD 2,340 FT. ABOVE MSL. HIGHEST WATER LEVEL 89.50 FT BELOW LSD, MAR. 12, 1966. LOWEST STATIC WATER LEVEL 91.35 FT BELOW LSD, MAR. 13, 1968. RECORDS AVAILABLE: 1951-52, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	89.50	MAR. 16, 1967	90.60	OCT. 26, 1967	A	MAR. 13, 1968	91.35
OCT. 27	90.55						

## GROUND-WATER RECORDS, 1966-68

8N/11W-34D2 S. L. DODDS. FORMERLY OWNED BY J. B. YOUNG. ABOUT 4 MILES SOUTH OF ROSAMOND LAKE. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 250.5 FT., LSD 2,340 FT. ABOVE MSL. HIGHEST WATER LEVEL 147.44 FT BELOW LSD, MAR. 13, 1968. LOWEST STATIC WATER LEVEL 152.50 FT BELOW LSD, NOV. 2, 1967. RECORDS AVAILABLE: 1951-53, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	151.9 C	MAR. 16, 1967	148.48	NOV. 2, 1967	152.5	MAR. 13, 1968	147.44
OCT. 27	151.12A	OCT. 25	151.19A				

8N/11W-34R2 S. OWNER UNKNOWN. ABOUT 5 MILES SOUTH OF ROSAMOND LAKE. DRILLED IRRIGATION WELL IN ALLUVIUM. DEPTH FT., LSD 2,358 FT. ABOVE MSL. HIGHEST WATER LEVEL 171.16 FT BELOW LSD, OCT. 25, 1967. LOWEST STATIC WATER LEVEL 189.75 FT BELOW LSD, OCT. 27, 1966. RECORDS AVAILABLE: 1951-52, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	187.8	MAR. 16, 1967	181.90	OCT. 25, 1967	171.16	MAR. 13, 1968	178.85C
OCT. 27	189.75						

8N/12W-201 S. U.S. DEPARTMENT OF THE AIR FORCE. AT WEST EDGE OF ROSAMOND LAKE. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 7 INCHES. DEPTH 260 FT. IN 1951 AND 226.4 FT IN 1965. LSD 2,283 FT. ABOVE MSL. HIGHEST WATER LEVEL 30.69 FT BELOW LSD, MAR. 12, 1966. LOWEST STATIC WATER LEVEL 41.72 FT BELOW LSD, OCT. 14, 1968. RECORDS AVAILABLE: 1951-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	30.69	MAR. 16, 1967	34.30	MAR. 7, 1968	35.97	OCT. 14, 1968	41.72
OCT. 28	38.75	OCT. 26	40.42				

8N/12W-14R1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 1 1/2 MILES SOUTHWEST OF ROSAMOND LAKE. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 12 INCHES. PERFORATED 254-404 FEET. DEPTH 404 FT. IN 1949 AND 187.7 FT. IN 1958. LSD 2,291 FT. ABOVE MSL. HIGHEST WATER LEVEL 51.67 FT BELOW LSD, MAR. 12, 1966. LOWEST STATIC WATER LEVEL 56.63 FT BELOW LSD, MAR. 7, 1968. RECORDS AVAILABLE: 1951-52, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	51.67	MAR. 16, 1967	54.16	MAR. 7, 1968	56.63		

8N/12W-20R2 S. OWNER UNKNOWN. ABOUT 4 MILES SOUTHWEST OF ROSAMOND LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 287.2 FT., LSD 2,317.5 FT. ABOVE MSL. HIGHEST WATER LEVEL 61.78 FT BELOW LSD, MAR. 12, 1966. LOWEST STATIC WATER LEVEL 79.50 FT BELOW LSD, OCT. 14, 1968. RECORDS AVAILABLE: 1941-44, 1951-53, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	61.78	MAR. 16, 1967	65.68	MAR. 7, 1968	67.35	OCT. 14, 1968	79.5 0
OCT. 27	77.35	OCT. 26	68.85				

8N/12W-22M1 S. C. H. LIPPINCOTT. ABOUT 3 MILES SOUTHWEST OF ROSAMOND LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 298.5 FT., LSD 2,302 FT. ABOVE MSL. HIGHEST WATER LEVEL 39.01 FT BELOW LSD, MAR. 12, 1966. LOWEST STATIC WATER LEVEL 61.49 FT BELOW LSD, OCT. 26, 1967. RECORDS AVAILABLE: 1943-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	39.01	MAR. 16, 1967	42.51	MAR. 7, 1968	44.16	OCT. 14, 1968	60.960
OCT. 28	59.00	OCT. 26	61.49				

8N/12W-30K1 S. OWNER UNKNOWN. ABOUT 4 MILES NORTHWEST OF LANCASTER. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 170.9 FT., LSD 2,324 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 85.73 FT BELOW LSD, MAR. 12, 1966.  
 LOWEST STATIC WATER LEVEL 101.12 FT BELOW LSD, OCT. 26, 1967.  
 RECORDS AVAILABLE: 1951, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	85.73	MAR. 17, 1967	89.34	MAR. 13, 1968	N	MAR. 27, 1968	93.59
OCT. 27	99.52	OCT. 26	101.12				

8N/12W-31Q2 S. ALTITUDE ABOUT 2322 FT.  
 HIGHEST WATER LEVEL 42.80 FT BELOW LSD, NOV. 2, 1967.  
 LOWEST STATIC WATER LEVEL 52.07 FT BELOW LSD, MAR. 14, 1968.  
 RECORDS AVAILABLE: 1963, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1967	50.30	NOV. 2, 1967	42.8	MAR. 14, 1968	52.07		

8N/13W-5E1 S. FORMERLY OWNED BY ALLEN RANCH. DEPTH REPORTED 552 FT IN 1963. ALTITUDE ABOUT 2440 FT.  
 HIGHEST WATER LEVEL 266.17 FT BELOW LSD, MAR. 22, 1967.  
 LOWEST STATIC WATER LEVEL 322.60 FT BELOW LSD, NOV. 1, 1967.  
 RECORDS AVAILABLE: 1945, 1957-63, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 22, 1967	266.17	NOV. 1, 1967	322.6	DEC. 26, 1967	269.38	MAR. 14, 1968	270.52

8N/13W-9K1 S. ALTITUDE ABOUT 2412 FT.  
 HIGHEST WATER LEVEL 216.10 FT BELOW LSD, APR. 18, 1967.  
 LOWEST STATIC WATER LEVEL 221.40 FT BELOW LSD, NOV. 31, 1967.  
 RECORDS AVAILABLE: 1957-63, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 18, 1967	216.1	NOV. 31, 1967	221.4	MAR. 14, 1968	220.17		

8N/13W-14J1 S. ALTITUDE ABOUT 2370 FT.  
 HIGHEST WATER LEVEL 135.80 FT BELOW LSD, MAR. 21, 1967.  
 LOWEST STATIC WATER LEVEL 139.76 FT BELOW LSD, MAR. 27, 1968.  
 RECORDS AVAILABLE: 1963, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1967	135.80	NOV. 1, 1967	139.4	MAR. 27, 1968	139.76		

8N/13W-20B1 S. DEPTH REPORTED 610 FT IN 1953. PERFORATED 232-610 FT. ALTITUDE ABOUT 2430 FT.  
 HIGHEST WATER LEVEL 267.14 FT BELOW LSD, MAR. 21, 1967.  
 LOWEST STATIC WATER LEVEL 267.14 FT BELOW LSD, MAR. 21, 1967.  
 RECORDS AVAILABLE: 1952-59, 1961-63, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1967	267.14	NOV. 1, 1967	A	MAR. 14, 1968	A		

8N/13W-23M2 S. DEPTH 114.5 FT IN 1963. ALTITUDE ABOUT 2376 FT.  
 HIGHEST WATER LEVEL 77.09 FT BELOW LSD, MAR. 27, 1968.  
 LOWEST STATIC WATER LEVEL 81.81 FT BELOW LSD, MAR. 21, 1967.  
 RECORDS AVAILABLE: 1963, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1967	81.81	NOV. 1, 1967	77.3	MAR. 27, 1968	77.09		

## GROUND-WATER RECORDS, 1966-68

8N/13W-34P3 S. FORMERLY OWNED BY FRANCHONKEELE. DEPTH REPORTED 200 FT IN 1963. ALTITUDE ABOUT 2365 FT.  
 HIGHEST WATER LEVEL 74.75 FT BELOW LSD, MAR. 17, 1967.  
 LOWEST STATIC WATER LEVEL 75.10 FT BELOW LSD, NOV. 2, 1967.  
 RECORDS AVAILABLE: 1963, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1967	74.75	NOV. 2, 1967	75.10	MAR. 18, 1968	A	MAR. 14, 1968	A

8N/13W-36L1 S. DEPTH REPORTED 1200 FT IN 1958. PERFORATED 117-1100 FT. ALTITUDE ABOUT 2340 FT.  
 HIGHEST WATER LEVEL 126.60 FT BELOW LSD, NOV. 2, 1967.  
 LOWEST STATIC WATER LEVEL 130.51 FT BELOW LSD, MAR. 27, 1968.  
 RECORDS AVAILABLE: 1958-63, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1967	130.28	NOV. 2, 1967	126.6	MAR. 27, 1968	130.51		

8N/14W-15G1 S. DEPTH REPORTED 469 FT IN 1953. PERFORATED 228-469 FT. ALTITUDE 2525 FT.  
 HIGHEST WATER LEVEL 262.10 FT BELOW LSD, DEC. 27, 1967.  
 LOWEST STATIC WATER LEVEL 265.94 FT BELOW LSD, MAR. 21, 1967.  
 RECORDS AVAILABLE: 1954, 1956-63, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1967	265.94	DEC. 27, 1967	262.10	MAR. 27, 1968	A		

8N/14W-18N1 S. DEPTH REPORTED 865 FT IN 1954. PERFORATED 250-865 FT. ALTITUDE ABOUT 2642 FT.  
 HIGHEST WATER LEVEL 141.11 FT BELOW LSD, MAR. 21, 1967.  
 LOWEST STATIC WATER LEVEL 149.90 FT BELOW LSD, MAR. 27, 1968.  
 RECORDS AVAILABLE: 1954-55, 1958, 1960, 1962, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1967	141.11	NOV. 3, 1967	146.5	DEC. 27, 1967	144.80	MAR. 27, 1968	149.90

8N/14W-36F1 S. ALTITUDE ABOUT 2488 FT.  
 HIGHEST WATER LEVEL 191.82 FT BELOW LSD, DEC. 26, 1967.  
 LOWEST STATIC WATER LEVEL 292.90 FT BELOW LSD, APR. 19, 1967.  
 RECORDS AVAILABLE: 1956-63, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 19, 1967	292.9	DEC. 26, 1967	191.82	MAR. 14, 1968	291.73		

8N/15W-10P1 S. DEPTH REPORTED 203 FT IN 1962. ALTITUDE ABOUT 2712 FT.  
 HIGHEST WATER LEVEL 151.41 FT BELOW LSD, MAR. 21, 1967.  
 LOWEST STATIC WATER LEVEL 152.86 FT BELOW LSD, MAR. 27, 1968.  
 RECORDS AVAILABLE: 1945-48, 1950, 1953, 1955-63, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1967	151.41	NOV. 3, 1967	174.9 A	NOV. 14, 1967	A	MAR. 27, 1968	152.86

8N/15W-18H1 S. DEPTH 289 FT IN 1965. PERFORATED 283-289 FT.  
 HIGHEST WATER LEVEL 196.43 FT BELOW LSD, MAR. 21, 1967.  
 LOWEST STATIC WATER LEVEL 197.91 FT BELOW LSD, MAR. 14, 1968.  
 RECORDS AVAILABLE: 1965, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1967	196.43	NOV. 14, 1967	197.86	MAR. 14, 1968	197.91		



8N/15W-22N2 S. FORMERLY OWNED BY SPENCE RANCH. DEPTH REPORTED 400 FT IN 1962. DESTROYED IN 1968. ALTITUDE ABOUT 2817 FT.  
 HIGHEST WATER LEVEL 208.20 FT BELOW LSD, NOV. 3, 1967.  
 LOWEST STATIC WATER LEVEL 209.40 FT BELOW LSD, APR. 21, 1967.  
 RECORDS AVAILABLE: 1956-58, 1960-63, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 21, 1967	209.4	NOV. 3, 1967	208.2	MAR. 27, 1968	P		

8N/15W-33G1 S. FORMERLY OWNED BY FAIRMONT FARMS. DEPTH 281.5 FT IN 1955. ALTITUDE ABOUT 2930 FT.  
 HIGHEST WATER LEVEL 239.10 FT BELOW LSD, MAR. 27, 1968.  
 LOWEST STATIC WATER LEVEL 245.20 FT BELOW LSD, APR. 21, 1967.  
 RECORDS AVAILABLE: 1946-50, 1953-63, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 21, 1967	245.2	MAR. 27, 1968	239.10				

8N/16W-3F1 S. DEPTH 325 FT IN 1965. PERFORATED 317-326 FT. ALTITUDE ABOUT 2860 FT.  
 HIGHEST WATER LEVEL 195.07 FT BELOW LSD, MAR. 21, 1967.  
 LOWEST STATIC WATER LEVEL 196.76 FT BELOW LSD, MAR. 27, 1968.  
 RECORDS AVAILABLE: 1965, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1967	195.07	NOV. 14, 1967	196.37	MAR. 27, 1968	196.76		

8N/16W-16A1 S. DEPTH 302 FT IN 1965. PERFORATED 294-305 FT. ALTITUDE ABOUT 2925 FT.  
 HIGHEST WATER LEVEL 293.70 FT BELOW LSD, MAR. 21, 1967.  
 LOWEST STATIC WATER LEVEL 297.69 FT BELOW LSD, NOV. 14, 1967.  
 RECORDS AVAILABLE: 1965, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1967	293.7	NOV. 14, 1967	297.69	MAR. 14, 1968	296.28		

8N/16W-18F1 S. DEPTH REPORTED 540 FT IN 1948. PERFORATED 240-540 FT. ALTITUDE ABOUT 3029 FT.  
 HIGHEST WATER LEVEL 357.28 FT BELOW LSD, MAR. 14, 1968.  
 LOWEST STATIC WATER LEVEL 397.78 FT BELOW LSD, NOV. 14, 1967.  
 RECORDS AVAILABLE: 1953-54, 1962, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1967	378.08	NOV. 14, 1967	397.78	MAR. 14, 1968	357.28		

8N/17W-1N1 S. DEPTH REPORTED 787 FT IN 1946. ALTITUDE IS 2955.5 FT.  
 HIGHEST WATER LEVEL 267.46 FT BELOW LSD, NOV. 14, 1967.  
 LOWEST STATIC WATER LEVEL 315.91 FT BELOW LSD, MAR. 21, 1967.  
 RECORDS AVAILABLE: 1945, 1953-54, 1962, 1964, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1967	315.91	NOV. 14, 1967	267.46	MAR. 14, 1968	267.69		

9N/RW-6H1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 2 MILES EAST OF ROGERS LAKE. DRILLED BASE SUPPLY WELL IN ALLUVIUM, DIAMETER 12 INCHES. PERFORATED 138-402 FEET. DEPTH 467 FT., LSD 2,387 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 149.70 FT BELOW LSD, MAR. 15, 1967.  
 LOWEST STATIC WATER LEVEL 151.55 FT BELOW LSD, OCT. 25, 1967.  
 RECORDS AVAILABLE: 1951-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	A	MAR. 15, 1967	149.7	MAR. 6, 1968	150.51	OCT. 15, 1968	160.88A
OCT. 27	N	OCT. 25	151.55				

## GROUND-WATER RECORDS, 1966-68

9N/RW-6H2 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 2 MILES EAST OF ROGERS LAKE. DRILLED BASE SUPPLY WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 354 FT., LSD 2,395 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 159.45 FT BELOW LSD, OCT. 26, 1966.  
 LOWEST STATIC WATER LEVEL 162.07 FT BELOW LSD, MAR. 6, 1968.  
 RECORDS AVAILABLE: 1951, 1953, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 26, 1966	159.45	OCT. 25, 1967	166.65A	OCT. 15, 1968	167.28A	OCT. 16, 1968	0
MAR. 15, 1967	160.36	MAR. 6, 1968	162.07				

9N/RW-6J1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 2 MILES EAST OF ROGERS LAKE. DRILLED BASE SUPPLY WELL IN ALLUVIUM. DIAMETER 24 INCHES. PERFORATED 147-363 FEET. DEPTH 381 FT., LSD 2,300 ABOVE MSL.  
 HIGHEST WATER LEVEL 164.95 FT BELOW LSD, MAR. 15, 1967.  
 LOWEST STATIC WATER LEVEL 167.48 FT BELOW LSD, OCT. 15, 1968.  
 RECORDS AVAILABLE: 1961, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 26, 1966	167.36B	OCT. 25, 1967	165.84	MAR. 6, 1968	166.65	OCT. 15, 1968	167.48D
MAR. 15, 1967	164.95						

9N/RW-18F1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 2 1/2 MILES EAST OF ROGERS LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 419.4 FT., LSD 2,397.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 152.04 FT BELOW LSD, MAR. 7, 1966.  
 LOWEST STATIC WATER LEVEL 154.60 FT BELOW LSD, MAR. 15, 1967.  
 RECORDS AVAILABLE: 1948, 1951-53, 1958-61, 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	152.04	MAR. 15, 1967	154.60	MAR. 6, 1968	N		

9N/RW-201 S. U.S. DEPARTMENT OF THE AIR FORCE. AT THE EAST EDGE OF ROGERS LAKE. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 8 INCHES. DEPTH 122.8 FT., LSD 2,274.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 37.87 FT BELOW LSD, MAR. 7, 1966.  
 LOWEST STATIC WATER LEVEL 42.70 FT BELOW LSD, MAR. 6, 1968.  
 RECORDS AVAILABLE: 1948, 1951-53, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	37.87	OCT. 27, 1966	N	MAR. 15, 1967	40.38	MAR. 6, 1968	42.70D

9N/RW-3F1 S. U.S. DEPARTMENT OF THE AIR FORCE. (R-9). ABOUT 3 MILES EAST OF SOUTH BASE, EDWARDS AIR FORCE BASE. BORED OBSERVATION WATER-TABLE WELL IN PLAYA DEPOSITS, DIAMETER 2 INCHES. DEPTH 70 FT., LSD 2,270.85 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 47.57 FT BELOW LSD, MAR. 5, 1966.  
 LOWEST STATIC WATER LEVEL 50.00 FT BELOW LSD, NOV. 21, 1968.  
 RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 5, 1966	47.57	NOV. 1967	49.05G	JUNE 4, 1968	49.44G	SEP. 4, 1968	49.66G
JULY 1967	48.84G	APR. 11, 1968	49.32G	JULY 24	49.63G	OCT. 25	49.95G
AUG.	48.75G	MAY 6	49.27G	AUG. 19	49.62G	NOV. 21	50.00G
OCT.	49.13G						

9N/RW-4F1 S. U.S. DEPARTMENT OF THE AIR FORCE. (R-8). ABOUT 1 1/2 MILES EAST OF SOUTH BASE, EDWARDS AIR FORCE BASE. BORED OBSERVATION WATER-TABLE WELL IN PLAYA DEPOSITS, DIAMETER 2 INCHES. DEPTH 50 FT., LSD 2,272.61 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 32.46 FT BELOW LSD, MAR. 8, 1966.  
 LOWEST STATIC WATER LEVEL 35.01 FT BELOW LSD, NOV. 21, 1968.  
 RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	32.46	OCT. 1967	34.14G	JUNE 4, 1968	34.58G	SEP. 4, 1968	34.85G
OCT. 27	N	NOV.	34.07G	JULY 24	34.72G	OCT. 25	34.96G
JULY 1967	33.78G	APR. 11, 1968	34.40G	AUG. 19	34.75G	NOV. 21	35.01G
AUG.	33.62G	MAY 6	34.56G				

9N/9W-6F1 S. U.S. DEPARTMENT OF THE AIR FORCE. ON THE WEST SIDE OF SOUTH BASE OF EDWARDS AIR FORCE BASE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 14 INCHES. PERFORATED 35-96 FEET. DEPTH 112 FT. IN 1942 AND 103.7 FT. IN 1951. LSD 2,290.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 44.99 FT BELOW LSD, MAR. 9, 1966.  
 LOWEST STATIC WATER LEVEL 46.46 FT BELOW LSD, OCT. 15, 1968.  
 RECORDS AVAILABLE: 1948, 1951-53, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	44.99	MAR. 14, 1967	45.69	MAR. 5, 1968	46.13	OCT. 15, 1968	46.46
OCT. 26	45.49						

9N/9W-10R1 S. U.S. DEPARTMENT OF THE AIR FORCE. AT THE EAST EDGE OF ROGERS LAKE. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 9 INCHES. DEPTH 106.0 FT., LSD 2,280 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 46.59 FT BELOW LSD, MAR. 7, 1966.  
 LOWEST STATIC WATER LEVEL 52.90 FT BELOW LSD, MAY 8, 1968.  
 RECORDS AVAILABLE: 1951-53, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	46.59	MAR. 15, 1967	49.36	MAR. 5, 1968	N	MAY 8, 1968	52.90

9N/9W-12F1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 1 1/2 MILES EAST OF ROGERS LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH FT., LSD 2,288.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 48.41 FT BELOW LSD, MAR. 7, 1966.  
 LOWEST STATIC WATER LEVEL 50.93 FT BELOW LSD, MAR. 15, 1967.  
 RECORDS AVAILABLE: 1951-53, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	48.41	MAR. 15, 1967	50.93	MAR. 5, 1968	0		

9N/9W-13N1 S. NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. ABOUT 2 MILES EAST OF ROGERS LAKE. DRILLED BASE SUPPLY WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 555 FT., LSD 2,350.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 114.60 FT BELOW LSD, OCT. 26, 1966.  
 LOWEST STATIC WATER LEVEL 114.60 FT BELOW LSD, OCT. 26, 1966.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	116.10A	MAR. 1967	N	MAR. 6, 1968	118.02B	MAR. 7, 1968	0
OCT. 26	114.6						

9N/9W-14P2 S. NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. ABOUT 1 MILE EAST OF ROGERS LAKE. DRILLED BASE SUPPLY WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 500 FT., LSD 2,283.5 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 63.90 FT BELOW LSD, OCT. 26, 1966.  
 LOWEST STATIC WATER LEVEL 66.55 FT BELOW LSD, MAR. 6, 1968.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	64.54A	OCT. 26, 1966	63.9 B	MAR. 1967	N	MAR. 6, 1968	66.550

9N/9W-15J1 S. NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. ABOUT 1 MILE EAST OF ROGERS LAKE. DRILLED BASE SUPPLY WELL IN DUNE SAND, DIAMETER 14 INCHES. DEPTH 534 FT., LSD 2,297.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 51.70 FT BELOW LSD, OCT. 26, 1966.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	52.45A	MAR. 1967	N	MAR. 6, 1968	58.2 A	MAR. 7, 1968	0
OCT. 26	51.7 B						

## GROUND-WATER RECORDS, 1966-68

9N/9W-18C1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 1 1/2 MILES SOUTH OF SOUTH BASE OF EDWARDS AIR FORCE BASE. DRILLED BASE SUPPLY WELL IN DUNE SAND, DIAMETER 14 INCHES. PERFORATED 250-310 FEET. DEPTH 360 FT., LSD 2,280.3 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 58.60 FT BELOW LSD, MAR. 14, 1967.  
 LOWEST STATIC WATER LEVEL 65.68 FT BELOW LSD, OCT. 15, 1968.  
 RECORDS AVAILABLE: 1948, 1952, 1956-58, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	89.42A	MAR. 14, 1967	58.6	MAR. 5, 1968	193.6 A	OCT. 15, 1968	65.68
OCT. 25	89.6 A	OCT. 24	A				

9N/9W-20A1 S. U.S. DEPARTMENT OF THE AIR FORCE. (R-7). ABOUT 3 MILES SOUTHEAST OF SOUTH BASE, EDWARDS AIR FORCE BASE. BORED OBSERVATION WATER-TABLE WELL IN PLAYA DEPOSITS, DIAMETER 2 INCHES. DEPTH 302 FT., LSD 2,269.00 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 1.00 FT BELOW LSD, APR. 10, 1968.  
 LOWEST STATIC WATER LEVEL 50.75 FT BELOW LSD, SEP. 4, 1968.  
 RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	N	NOV. 1967	46.10G	JUNE 3, 1968	49.34G	SEP. 4, 1968	50.75G
JULY 1967	44.60G	APR. 10, 1968	1.00G	JULY 23	50.51G	OCT. 25	50.50G
AUG.	44.55G	MAY 6	1.73G	AUG. 19	50.50G	NOV. 21	50.13G
OCT.	46.12G						

9N/9W-23R1 S. NATIONAL AERONAUTICS AND SPACE ADMINISTRATION. ABOUT 1 1/2 MILES EAST OF ROGERS LAKE. DRILLED BASE SUPPLY WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 557 FT., LSD 2,319.9 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 86.70 FT BELOW LSD, OCT. 26, 1966.  
 LOWEST STATIC WATER LEVEL 91.39 FT BELOW LSD, MAR. 6, 1968.  
 RECORDS AVAILABLE: 1962-64, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	87.45A	OCT. 26, 1966	86.7 B	MAR. 1967	N	MAR. 6, 1968	91.390

9N/9W-27H2 S. U.S. DEPARTMENT OF THE AIR FORCE. ON THE EAST EDGE OF ROGERS LAKE. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 8 INCHES. PERFORATED 100-200 FEET. DEPTH 200 FT., LSD 2,280 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 42.96 FT BELOW LSD, MAR. 7, 1966.  
 LOWEST STATIC WATER LEVEL 48.37 FT BELOW LSD, MAR. 6, 1968.  
 RECORDS AVAILABLE: 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	42.96	OCT. 26, 1966	45.34	MAR. 15, 1967	45.98	MAR. 6, 1968	48.37

9N/9W-29M1 S. U.S. DEPARTMENT OF THE AIR FORCE. (R-5). ABOUT 4 MILES SOUTH OF SOUTH BASE, EDWARDS AIR FORCE BASE. BORED OBSERVATION WATER-TABLE WELL IN PLAYA DEPOSITS, DIAMETER 2 INCHES. DEPTH 86 FT., LSD 2,269.18 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 43.73 FT BELOW LSD, AUG. 1967.  
 LOWEST STATIC WATER LEVEL 49.85 FT BELOW LSD, OCT. 25, 1968.  
 RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	N	NOV. 1967	45.03G	JUNE 3, 1968	48.86G	SEP. 4, 1968	49.22G
JULY 1967	43.98G	APR. 10, 1968	47.60G	JULY 23	49.08G	OCT. 25	49.85G
AUG.	43.73G	MAY 6	48.82G	AUG. 19	49.07G	NOV. 21	49.31G
OCT.	44.96G						

9N/10W-RP1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 5 1/2 MILES WEST OF ROGERS LAKE. DRILLED BASE SUPPLY WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 137.1 FT., LSD 2,372 FT. ABOVE MSL. HIGHEST WATER LEVEL 84.37 FT BELOW LSD, OCT. 24, 1967, MAR. 5, 1968. LOWEST STATIC WATER LEVEL 85.70 FT BELOW LSD, MAR. 14, 1967. RECORDS AVAILABLE: 1951-52, 1954, 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	85.15	MAR. 14, 1967	85.70	MAR. 5, 1968	84.37	OCT. 14, 1968	84.440
OCT. 26	84.95	OCT. 24	84.37				

9N/10W-12R1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 1 1/2 MILES SOUTHWEST OF THE SOUTH BASE OF EDWARDS AIR FORCE BASE. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 16 INCHES. DEPTH 186.6 FT., LSD 2,280 FT. ABOVE MSL. HIGHEST WATER LEVEL 54.46 FT BELOW LSD, FEB. 16, 1966. LOWEST STATIC WATER LEVEL 64.81 FT BELOW LSD, OCT. 15, 1968. RECORDS AVAILABLE: 1948, 1951-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 10, 1966	54.93	DEC. 29, 1966	57.59	JULY 31, 1967	63.48	JAN. 30, 1968	60.62
FEB. 16	54.46	MAR. 14, 1967	57.42	OCT. 24	63.67	MAR. 5	60.88
MAR. 9	55.45	MAY 10	60.29	DEC. 8	61.94	OCT. 15	64.81
OCT. 25	60.58						

9N/10W-16C1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 3 MILES NORTHWEST OF THE SOUTHWEST CORNER OF ROGERS LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 147.9 FT., LSD 2,333 FT. ABOVE MSL. HIGHEST WATER LEVEL 69.25 FT BELOW LSD, MAR. 9, 1966. LOWEST STATIC WATER LEVEL 71.98 FT BELOW LSD, MAR. 5, 1968. RECORDS AVAILABLE: 1952-54, 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	69.25	OCT. 26, 1966	70.22	OCT. 24, 1967	71.44	MAR. 5, 1968	71.980

9N/10W-16C2 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 3 MILES NORTHWEST OF THE SOUTHWEST CORNER OF ROGERS LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 216 FT., LSD 2,328 FT. ABOVE MSL. HIGHEST WATER LEVEL 95.05 FT BELOW LSD, MAR. 14, 1967. LOWEST STATIC WATER LEVEL 101.95 FT BELOW LSD, MAR. 5, 1968. RECORDS AVAILABLE: 1951-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	97.55	MAR. 14, 1967	95.05	OCT. 24, 1967	100.15	MAR. 5, 1968	101.950
OCT. 25	96.15						

9N/10W-16M1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 2 1/2 MILES NORTHWEST OF THE SOUTHWEST CORNER OF ROGERS LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 140.7 FT., LSD 2,325 FT. ABOVE MSL. HIGHEST WATER LEVEL 90.07 FT BELOW LSD, MAR. 9, 1966. LOWEST STATIC WATER LEVEL 90.52 FT BELOW LSD, OCT. 24, 1967. RECORDS AVAILABLE: 1951-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	90.07	OCT. 26, 1966	90.22	OCT. 24, 1967	90.52	MAR. 5, 1968	90.420

9N/10W-16P1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 2 1/2 MILES NORTHWEST OF THE SOUTHWEST CORNER OF ROGERS LAKE. DRILLED STOCK WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 532 FT., LSD 2,322 FT. ABOVE MSL. HIGHEST WATER LEVEL 83.98 FT BELOW LSD, MAR. 9, 1966. LOWEST STATIC WATER LEVEL 85.82 FT BELOW LSD, OCT. 14, 1968. RECORDS AVAILABLE: 1952-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	83.98	MAR. 14, 1967	85.16	MAR. 5, 1968	85.48	OCT. 14, 1968	85.820
OCT. 26		OCT. 24	85.67				

## GROUND-WATER RECORDS, 1966-68

9N/10W-22J2 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 1/2 MILE NORTHWEST OF THE SOUTHWEST CORNER OF ROGERS LAKE. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 8 INCHES. DEPTH 107.1 FT., LSD 2,285 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 67.66 FT BELOW LSD, MAR. 9, 1966.  
 LOWEST STATIC WATER LEVEL 76.00 FT BELOW LSD, MAR. 5, 1968.  
 RECORDS AVAILABLE: 1959-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	67.66	OCT. 27, 1966	71.80	MAR. 14, 1967	72.40	MAR. 5, 1968	76.000

9N/10W-24C1 S. U.S. DEPARTMENT OF THE AIR FORCE. AT THE WEST EDGE OF ROGERS LAKE. DRILLED BASE SUPPLY WELL IN DUNE SAND, DIAMETER 14 INCHES. PERFORATED 156-750 FEET. DEPTH 750 FT., LSD 2,285 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 89.75 FT BELOW LSD, OCT. 15, 1968.  
 LOWEST STATIC WATER LEVEL 109.60 FT BELOW LSD, MAR. 14, 1967.  
 RECORDS AVAILABLE: 1952-53, 1958, 1960, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	189.3 A	MAR. 14, 1967	109.6	MAR. 5, 1968	181.0 A	OCT. 15, 1968	89.75
OCT. 25	168.4 A	OCT. 24	202.8 A				

9N/10W-24F1 S. U.S. DEPARTMENT OF THE AIR FORCE. AT THE WEST EDGE OF ROGERS LAKE. DRILLED BASE SUPPLY WELL IN DUNE SAND, DIAMETER 16 INCHES. DEPTH 700.0 FT., LSD 2,280 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 75.34 FT BELOW LSD, MAR. 9, 1966.  
 LOWEST STATIC WATER LEVEL 92.05 FT BELOW LSD, MAR. 14, 1967.  
 RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	75.34	MAR. 14, 1967	92.05	MAR. 5, 1968	A	OCT. 15, 1968	86.790
OCT. 25	212.0 A	OCT. 24	A				

9N/10W-24F1 S. U.S. DEPARTMENT OF THE AIR FORCE. AT THE WEST EDGE OF ROGERS LAKE. DRILLED BASE SUPPLY WELL IN DUNE SAND, DIAMETER 12 INCHES. PERFORATED 70-400 FEET. DEPTH 430 FT., LSD 2,281.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 78.80 FT BELOW LSD, MAR. 14, 1967.  
 LOWEST STATIC WATER LEVEL 86.11 FT BELOW LSD, OCT. 15, 1968.  
 RECORDS AVAILABLE: 1948, 1951-52, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	A	MAR. 14, 1967	78.80	MAR. 5, 1968	A	OCT. 15, 1968	86.110
OCT. 25	A	OCT. 24	85.07				

9N/10W-24G1 S. U.S. DEPARTMENT OF THE AIR FORCE. AT THE WEST EDGE OF ROGERS LAKE. DRILLED BASE SUPPLY WELL IN DUNE SAND, DIAMETER 14 INCHES. DEPTH 750 FT., LSD 2,280 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 72.19 FT BELOW LSD, MAR. 14, 1967.  
 LOWEST STATIC WATER LEVEL 78.28 FT BELOW LSD, OCT. 15, 1968.  
 RECORDS AVAILABLE: 1951-52, 1956-59, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	143.80A	MAR. 14, 1967	72.19	MAR. 5, 1968	154.5 A	OCT. 15, 1968	78.280
OCT. 25	75.14	OCT. 24	135.1 A				

9N/10W-24N1 S. U.S. DEPARTMENT OF THE AIR FORCE. AT THE WEST EDGE OF ROGERS LAKE. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 7 INCHES. DEPTH 127.4 FT., LSD 2,273 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 56.50 FT BELOW LSD, MAR. 9, 1966.  
 LOWEST STATIC WATER LEVEL 65.20 FT BELOW LSD, OCT. 26, 1966.  
 RECORDS AVAILABLE: 1951-52, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 9, 1966	56.5	OCT. 26, 1966	65.2	MAR. 14, 1967	62.8	MAR. 5, 1968	65.1 0

9N/10W-25M1 S. U.S. DEPARTMENT OF THE AIR FORCE. (R-4). IN SOUTHWEST CORNER OF ROGERS LAKE. BORED OBSERVATION WATER-TABLE WELL IN PLAYA DEPOSITS, DIAMETER 2 INCHES. DEPTH 24 FT., LSD 2,269.41 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 12.07 FT BELOW LSD, APR. 10, 1968.  
LOWEST STATIC WATER LEVEL 15.40 FT BELOW LSD, OCT. , 1967.  
RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	N	OCT. 1967	15.40G	JUNE 3, 1968	12.47G	AUG. 19, 1968	13.20G
JULY 1967	14.70G	APR. 10, 1968	12.07G	JULY 23	12.87G	SEP. 4	13.00G
AUG.	14.52G	MAY 6	12.33G				

9N/10W-28F2 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 2 MILES WEST OF THE SOUTHWEST CORNER OF ROGERS LAKE. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 10 INCHES. DEPTH 140.3 FT., LSD 2,290 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 60.37 FT BELOW LSD, MAR. 10, 1966.  
LOWEST STATIC WATER LEVEL 63.39 FT BELOW LSD, MAR. 5, 1968.  
RECORDS AVAILABLE: 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1966	60.37	MAR. 14, 1967	61.94	MAR. 5, 1968	63.39		

9N/10W-34D1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 1 MILE SOUTHWEST OF THE SOUTHWEST CORNER OF ROGERS LAKE. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 6 INCHES. DEPTH 268 FT., LSD 2,285 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 68.49 FT BELOW LSD, MAR. 10, 1966.  
LOWEST STATIC WATER LEVEL 77.76 FT BELOW LSD, MAR. 5, 1968.  
RECORDS AVAILABLE: 1952, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1966	68.49	MAR. 14, 1967	75.05	MAR. 5, 1968	77.76G		

9N/10W-34H1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 1 MILE SOUTHWEST OF THE SOUTHWEST CORNER OF ROGERS LAKE. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 16 INCHES. DEPTH 185 FT., LSD 2,285 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 49.36 FT BELOW LSD, MAR. 9, 1966.  
LOWEST STATIC WATER LEVEL 67.34 FT BELOW LSD, OCT. 15, 1968.  
RECORDS AVAILABLE: 1951-52, 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 10, 1966	51.52	MAY 26, 1966	55.51	MAY 10, 1967	58.36	JAN. 30, 1968	58.13
FEB. 16	49.64	OCT. 26	61.04	JULY 31	62.81	MAR. 5	58.67
MAR. 9	49.36	DEC. 28	57.05	OCT. 24	63.66	OCT. 15	67.34
MAY 10	54.13	MAR. 14, 1967	57.50	DEC. 8	61.15		

9N/11W-21N1 S. U.S. DEPARTMENT OF THE AIR FORCE. (R-1). NEAR NORTHEAST EDGE OF ROSAMOND LAKE. BORED OBSERVATION WATER-TABLE WELL IN PLAYA DEPOSITS, DIAMETER 2 INCHES. DEPTH 62 FT., LSD 2,274.47 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 4.95 FT BELOW LSD, APR. 1, 1968.  
LOWEST STATIC WATER LEVEL 8.90 FT BELOW LSD, OCT. , 1967.  
RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	N	NOV. 1967	8.78G	JUNE 3, 1968	5.34G	SEP. 4, 1968	5.64G
JULY 1967	8.44G	APR. 1, 1968	4.95G	JULY 23	5.51G	OCT. 8	5.74G
AUG.	8.40G	MAY 6	5.18G	AUG. 16	5.59G	NOV. 7	5.83G
OCT.	8.90G						

## GROUND-WATER RECORDS, 1966-68

9N/11W-36L1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 1 MILE EAST OF ROSAMOND LAKE. DRILLED UNUSED WELL IN PLAYA DEPOSITS, DIAMETER 12 INCHES. DEPTH 187 FT., LSD 2,290 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 68.63 FT BELOW LSD, MAR. 10, 1966.  
 LOWEST STATIC WATER LEVEL 72.28 FT BELOW LSD, MAR. 14, 1967.  
 RECORDS AVAILABLE: 1951-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 10, 1966	68.63	MAR. 14, 1967	72.28	MAR. 6, 1968	71.1		

9N/12W-18N2 S. RUEL WILLIAMS. ABOUT 2 MILES WEST OF ROSAMOND. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 187 FT., LSD 2,390 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 157.50 FT BELOW LSD, MAR. 12, 1966.  
 LOWEST STATIC WATER LEVEL 157.50 FT BELOW LSD, MAR. 12, 1966.  
 RECORDS AVAILABLE: 1951, 1961-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	157.50						

9N/12W-21D3 S. T. R. LOMMIS. AT ROSAMOND. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 9 INCHES. DEPTH 107.2 FT., LSD 2,350 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 88.65 FT BELOW LSD, MAR. 12, 1966.  
 LOWEST STATIC WATER LEVEL 97.31 FT BELOW LSD, OCT. 26, 1967.  
 RECORDS AVAILABLE: 1951-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	88.65	MAR. 16, 1967	91.32	OCT. 26, 1967	97.31	MAR. 21, 1968	95.04
OCT. 27	92.15						

9N/12W-23N1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 2 MILES SOUTHEAST OF ROSAMOND. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 266.7 FT., LSD 2,294 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 41.57 FT BELOW LSD, MAR. 12, 1966.  
 LOWEST STATIC WATER LEVEL 49.34 FT BELOW LSD, OCT. 14, 1968.  
 RECORDS AVAILABLE: 1951-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	41.57	MAR. 16, 1967	43.78	MAR. 7, 1968	46.25	OCT. 14, 1968	49.340
OCT. 28	44.79	OCT. 26	47.15				

9N/12W-27J1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 2 1/2 MILES SOUTHEAST OF ROSAMOND. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 13 INCHES. DEPTH 150 FT., LSD 2,298 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 34.46 FT BELOW LSD, MAR. 12, 1966.  
 LOWEST STATIC WATER LEVEL 34.46 FT BELOW LSD, MAR. 12, 1966.  
 RECORDS AVAILABLE: 1951, 1958-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	34.46	OCT. 28, 1966	0				

9N/12W-31N1 S. DEPTH REPORTED 300 FT IN 1951. ALTITUDE IS 2347.2 FT.  
 HIGHEST WATER LEVEL 111.29 FT BELOW LSD, MAR. 12, 1966.  
 LOWEST STATIC WATER LEVEL 125.73 FT BELOW LSD, MAR. 22, 1967.  
 RECORDS AVAILABLE: 1951-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	111.29	FEB. 17, 1967	N	OCT. 27, 1967	124.5	MAR. 27, 1968	115.21
OCT. 28	124.23	MAR. 22	125.73	NOV. 14	124.05		



9N/12W-35N1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 3 1/2 MILES SOUTHEAST OF ROSAMOND.  
 DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 10 INCHES. DEPTH 171.5 FT., LSD 2,295 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 30.61 FT BELOW LSD, MAR. 12, 1966.  
 LOWEST STATIC WATER LEVEL 34.82 FT BELOW LSD, OCT. 14, 1968.  
 RECORDS AVAILABLE: 1954, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 12, 1966	30.61	MAR. 16, 1967	32.49	MAR. 7, 1968	33.52	OCT. 14, 1968	34.82
OCT. 28	33.75	OCT. 26	33.49				

9N/13W-4A1 S. GRANT. FORMERLY OWNED BY J. S. HATCHER. ABOUT 3 MILES NORTHEAST OF WILLOW SPRINGS. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 282 FT., LSD 2,636.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 94.81 FT BELOW LSD, MAR. 8, 1966.  
 LOWEST STATIC WATER LEVEL 107.34 FT BELOW LSD, MAR. 27, 1968.  
 RECORDS AVAILABLE: 1929, 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	94.81	MAR. 22, 1967	98.31	NOV. 1, 1967	100.2	OCT. 31, 1968	117.93
OCT. 18	108.11	OCT. 10	103.45	MAR. 27, 1968	107.34		

9N/13W-7Q3 S. WILLOW SPRINGS CO. AT WILLOW SPRINGS. DRILLED PUBLIC-SUPPLY WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 185 FT., LSD 2,605 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 57.20 FT BELOW LSD, MAR. 8, 1966.  
 LOWEST STATIC WATER LEVEL 82.54 FT BELOW LSD, OCT. 31, 1968.  
 RECORDS AVAILABLE: 1929, 1956, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	57.20	MAR. 22, 1967	60.86	MAR. 27, 1968	69.47	OCT. 31, 1968	82.54
OCT. 18	81.47	OCT. 10	82.10				

9N/13W-14Q1 S. ALTITUDE ABOUT 2442 FT.  
 HIGHEST WATER LEVEL 187.36 FT BELOW LSD, NOV. 15, 1967.  
 LOWEST STATIC WATER LEVEL 188.42 FT BELOW LSD, MAR. 27, 1968.  
 RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 15, 1967	187.36	MAR. 27, 1968	188.42				

9N/13W-17R1 S. ALTITUDE ABOUT 2470 FT.  
 HIGHEST WATER LEVEL 160.60 FT BELOW LSD, MAR. 14, 1968.  
 LOWEST STATIC WATER LEVEL 169.80 FT BELOW LSD, NOV. 1, 1967.  
 RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 19, 1967	160.80	NOV. 1, 1967	169.8	MAR. 14, 1968	160.60		

9N/14W-1H1 S. DEPTH REPORTED 945 FT IN 1950 AND 760.5 FT IN 1956. ALTITUDE ABOUT 2700 FT.  
 HIGHEST WATER LEVEL 140.89 FT BELOW LSD, MAR. 22, 1967.  
 LOWEST STATIC WATER LEVEL 148.58 FT BELOW LSD, APR. 2, 1968.  
 RECORDS AVAILABLE: 1956, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 22, 1967	140.89	OCT. 31, 1967	147.4	APR. 2, 1968	148.58		

## GROUND-WATER RECORDS, 1966-68

9N/14W-2J1 S. S. L. HENSON. ABOUT 2 1/2 MILES NORTHWEST OF WILLOW SPRINGS. DRILLED DOMESTIC AND STOCK WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 250 FT., LSD 2,735 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 140.60 FT BELOW LSD, MAR. 22, 1967.  
 LOWEST STATIC WATER LEVEL 150.32 FT BELOW LSD, OCT. 31, 1968.  
 RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	143.38	MAR. 22, 1967	140.60	MAR. 27, 1968	148.37	OCT. 31, 1968	150.32
OCT. 18	145.63	OCT. 10	147.80				

9N/14W-15M1 S. DEPTH REPORTED 700 FT IN 1957. PERFORATED 340-700 FT. ALTITUDE IS 2594.2 FT.  
 HIGHEST WATER LEVEL 339.30 FT BELOW LSD, APR. 19, 1967.  
 LOWEST STATIC WATER LEVEL 347.60 FT BELOW LSD, OCT. 31, 1967.  
 RECORDS AVAILABLE: 1960-63, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 19, 1967	339.3	OCT. 31, 1967	347.6	MAR. 14, 1968	342.30		

9N/14W-20R1 S. FORMERLY OWNED BY MERLE FURHER. DEPTH REPORTED 540 FT IN 1955. PERFORATED 290-540 FT. ALTITUDE IS 2656.4 FT.  
 HIGHEST WATER LEVEL 306.09 FT BELOW LSD, MAR. 22, 1967.  
 LOWEST STATIC WATER LEVEL 309.72 FT BELOW LSD, MAR. 14, 1968.  
 RECORDS AVAILABLE: 1955, 1960-63, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 22, 1967	306.09	OCT. 31, 1967	307.4	MAR. 14, 1968	309.72		

9N/14W-27R1 S. DEPTH REPORTED 400 FT IN 1946. ALTITUDE IS 2522.9 FT.  
 HIGHEST WATER LEVEL 303.12 FT BELOW LSD, MAR. 22, 1967.  
 LOWEST STATIC WATER LEVEL 310.33 FT BELOW LSD, MAR. 27, 1968.  
 RECORDS AVAILABLE: 1957-63, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 22, 1967	303.12	OCT. 31, 1967	309.6	MAR. 27, 1968	310.33		

9N/14W-31K2 S. DEPTH REPORTED 600 FT IN 1960. PERFORATED 300-600 FT. ALTITUDE IS 2604.0 FT.  
 HIGHEST WATER LEVEL 227.58 FT BELOW LSD, OCT. 31, 1967.  
 LOWEST STATIC WATER LEVEL 258.96 FT BELOW LSD, MAR. 21, 1967.  
 RECORDS AVAILABLE: 1962-63, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1967	258.96	OCT. 31, 1967	227.58G	MAR. 14, 1968	276.41C		

9N/15W-11A1 S. DEPTH REPORTED 760 FT IN 1959. PERFORATED 600-760 FT. ALTITUDE IS 2953.4 FT.  
 HIGHEST WATER LEVEL 81.45 FT BELOW LSD, MAR. 22, 1967.  
 LOWEST STATIC WATER LEVEL 91.80 FT BELOW LSD, OCT. 31, 1967.  
 RECORDS AVAILABLE: 1959, 1962, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 22, 1967	81.45	OCT. 31, 1967	91.8 G	MAR. 27, 1968	83.38		

9N/15W-12M1 S. FORMERLY OWNED BY C. TAYLOR. DEPTH REPORTED 697 FT IN 1952. ALTITUDE IS 2899.1 FT.  
 HIGHEST WATER LEVEL 479.84 FT BELOW LSD, MAR. 22, 1967.  
 LOWEST STATIC WATER LEVEL 486.40 FT BELOW LSD, OCT. 31, 1967.  
 RECORDS AVAILABLE: 1952, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 22, 1967	479.84	OCT. 31, 1967	486.4	MAR. 27, 1968	483.91		

9N/15W-32R1 S. DEPTH 402 FT IN 1965. PERFORATED 398-408 FT. ALTITUDE ABOUT 2825 FT.  
 HIGHEST WATER LEVEL 316.66 FT BELOW LSD, MAR. 21, 1967.  
 LOWEST STATIC WATER LEVEL 320.32 FT BELOW LSD, MAR. 27, 1968.  
 RECORDS AVAILABLE: 1965, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1967	316.66	MAR. 27, 1968	320.32				

9N/16W-36C1 S. DEPTH REPORTED 1099 FT IN 1956. PERFORATED 346-1020 FT. ALTITUDE ABOUT 2925 FT.  
 HIGHEST WATER LEVEL 273.18 FT BELOW LSD, MAR. 21, 1967.  
 LOWEST STATIC WATER LEVEL 274.67 FT BELOW LSD, MAR. 27, 1968.  
 RECORDS AVAILABLE: 1956-57, 1959-63, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1967	273.18	MAR. 27, 1968	274.67				

10N/9W-401 S. U.S. DEPARTMENT OF THE AIR FORCE. AT THE NORTH END OF ROGERS LAKE. DRILLED  
 UNUSED WELL IN LAKESHORE DEPOSITS, DIAMETER 12 INCHES. PERFORATED 144-195 FEET AND 200-433 FEET.  
 DEPTH 502 FT., LSD 2,304 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 104.70 FT BELOW LSD, MAR. 13, 1967.  
 LOWEST STATIC WATER LEVEL 110.97 FT BELOW LSD, JULY 31, 1967.  
 RECORDS AVAILABLE: 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 10, 1966	105.99C	OCT. 24, 1966	107.90C	MAR. 13, 1967	104.71	DEC. 7, 1967	106.94
FEB. 16	105.61	OCT. 25	108.04C	MAY 10	107.33	JAN. 29, 1968	106.62
MAR. 8	105.64C	DEC. 29	106.53C	JULY 31	110.97	MAR. 4	108.73C
MAY 10	105.89	DEC. 29	106.54C	JULY 31	110.94	APR. 18	107.12
MAY 26	107.85C	MAR. 13, 1967	104.70	OCT. 23	110.19C	OCT. 14	114.33C

10N/9W-402 S. U.S. DEPARTMENT OF THE AIR FORCE. AT NORTH END OF ROGERS LAKE. DRILLED BASE  
 SUPPLY WELL IN ALLUVIUM, DIAMETER 14 INCHES. PERFORATED 150-500 FEET. DEPTH 500 FT., LSD 2,306.9  
 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 107.90 FT BELOW LSD, MAR. 8, 1966.  
 LOWEST STATIC WATER LEVEL 118.20 FT BELOW LSD, APR. 15, 1968.  
 RECORDS AVAILABLE: 1957, 1960, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	107.90	OCT. 23, 1967	123.7 A	MAR. 6, 1968	110.72	OCT. 14, 1968	127.82A
OCT. 25	A	MAR. 4, 1968	127.3 A	APR. 15	118.20	OCT. 15	0

10N/9W-5R1 S. U.S. DEPARTMENT OF THE AIR FORCE. AT NORTH END OF ROGERS LAKE. DRILLED BASE  
 SUPPLY WELL IN ALLUVIUM, DIAMETER 16-INCHES. PERFORATED 100-500 FEET. DEPTH 500 FT., LSD 2,290  
 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 79.71 FT BELOW LSD, MAR. 13, 1966.  
 LOWEST STATIC WATER LEVEL 91.23 FT BELOW LSD, OCT. 14, 1968.  
 RECORDS AVAILABLE: 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	107.0 A	OCT. 23, 1967	84.63	MAR. 4, 1968	111.8 A	OCT. 14, 1968	91.23D
MAR. 13	79.71	APR. 24	A	MAR. 6	81.75		

10N/9W-5R1 S. U.S. DEPARTMENT OF THE AIR FORCE. (R-11). ABOUT 1 MILE EAST OF NORTH BASE,  
 EDWARDS AIR FORCE BASE. BORED OBSERVATION WATER-TABLE WELL IN PLAYA DEPOSITS, DIAMETER 2 INCHES.  
 DEPTH 80 FT., LSD 2,272.65 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 68.90 FT BELOW LSD, MAR. 8, 1966.  
 LOWEST STATIC WATER LEVEL 74.44 FT BELOW LSD, OCT. 25, 1968.  
 RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	68.90	NOV. 1967	72.03G	JUNE 4, 1968	72.39G	SEP. 4, 1968	73.84G
JULY 1967	70.74G	APR. 11, 1968	71.74G	JULY 24	73.12G	OCT. 25	74.44G
AUG.	70.56G	MAY 8	71.91G	AUG. 19	73.62G	NOV. 21	74.41G
OCT.	72.30G						

## GROUND-WATER RECORDS, 1966-68

10N/9W-7A2 S. U.S. DEPARTMENT OF THE AIR FORCE. AT NORTH BASE OF EDWARDS AIR FORCE BASE. DRILLED BASE SUPPLY WELL IN ALLUVIUM. DIAMETER 10 INCHES. DEPTH 200 FT., LSD 2,276.9 FT. ABOVE MSL. HIGHEST WATER LEVEL 71.13 FT BELOW LSD, MAR. 8, 1966. LOWEST STATIC WATER LEVEL 73.46 FT BELOW LSD, MAR. 4, 1968. RECORDS AVAILABLE: 1948, 1951-52, 1956-68.

DATE	WATER LEVFL	DATE	WATER LEVEL	DATE	WATER LEVFL	DATE	WATER LEVEL
MAR. 8, 1966	71.13	MAR. 13, 1967	72.32	MAR. 4, 1968	73.46	APR. 15, 1968	73.430
OCT. 24	72.19	OCT. 23	73.24				

10N/9W-16P1 S. U.S. DEPARTMENT OF THE AIR FORCE. (R-13). ABOUT 2 1/2 MILES SOUTHEAST OF NORTH BASE, EDWARDS AIR FORCE BASE. BORED OBSERVATION WATER-TABLE WELL IN PLAYA DEPOSITS, DIAMETER 2 INCHES. DEPTH 66 FT., LSD 2,270.6 FT. ABOVE MSL. HIGHEST WATER LEVEL 57.12 FT BELOW LSD, MAR. 8, 1966. LOWEST STATIC WATER LEVEL 57.12 FT BELOW LSD, MAR. 8, 1966. RECORDS AVAILABLE: 1965-67.

DATE	WATER LEVFL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	57.12	JULY 1967		M AUG. 1967		M OCT. 1967	

10N/9W-20E1 S. U.S. DEPARTMENT OF THE AIR FORCE. (R-12). ABOUT 2 1/2 MILES SOUTH OF NORTH BASE, EDWARDS AIR FORCE BASE. BORED OBSERVATION WATER-TABLE WELL IN PLAYA DEPOSITS, DIAMETER 2 INCHES. DEPTH 47 FT., LSD 2,271.28 FT. ABOVE MSL. HIGHEST WATER LEVEL 46.77 FT BELOW LSD, MAR. 8, 1966. LOWEST STATIC WATER LEVEL 48.25 FT BELOW LSD, JULY 1967. RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVFL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	46.77	NOV. 1967	48.16G	JUNE 4, 1968	47.36G	SEP. 4, 1968	47.48G
JULY 1967	48.25G	APR. 11, 1968	47.33G	JULY 24	47.45G	OCT. 25	47.56G
AUG. 1967	47.17G	MAY 8	47.36G	AUG. 19	47.99G	NOV. 21	47.55G
OCT. 1967	47.28G						

10N/9W-24A2 S. U.S. DEPARTMENT OF THE AIR FORCE. ON THE EAST EDGE OF ROGERS LAKE. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 14 INCHES. DEPTH 281.0 FT., LSD 2,287 FT. ABOVE MSL. HIGHEST WATER LEVEL 74.54 FT BELOW LSD, MAR. 8, 1966. LOWEST STATIC WATER LEVEL 75.46 FT BELOW LSD, MAR. 4, 1968. RECORDS AVAILABLE: 1954, 1956-68.

DATE	WATER LEVFL	DATE	WATER LEVEL	DATE	WATER LEVFL	DATE	WATER LEVEL
MAR. 8, 1966	74.54	MAR. 13, 1967	74.95	OCT. 23, 1967	75.30	MAR. 4, 1968	75.46
OCT. 24	74.78						

10N/9W-28K1 S. U.S. DEPARTMENT OF THE AIR FORCE. (R-10). ABOUT 3 MILES NORTHEAST OF SOUTH BASE, EDWARDS AIR FORCE BASE. BORED OBSERVATION WATER-TABLE WELL IN PLAYA DEPOSITS, DIAMETER 2 INCHES. DEPTH 60 FT., LSD 2,271.82 FT. ABOVE MSL. HIGHEST WATER LEVEL 49.31 FT BELOW LSD, MAR. 8, 1966. LOWEST STATIC WATER LEVEL 49.31 FT BELOW LSD, MAR. 8, 1966. RECORDS AVAILABLE: 1965-67.

DATE	WATER LEVFL	DATE	WATER LEVEL	DATE	WATER LEVFL	DATE	WATER LEVEL
MAR. 8, 1966	49.31	JULY 1967		M AUG. 1967		M OCT. 1967	

10N/9W-31C1 S. U.S. DEPARTMENT OF THE AIR FORCE. AT MAIN BASE OF EDWARDS AIR FORCE BASE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 146.8 FT., LSD 2,280 FT. ABOVE MSL. HIGHEST WATER LEVEL 38.16 FT BELOW LSD, MAR. 5, 1968. LOWEST STATIC WATER LEVEL 38.90 FT BELOW LSD, MAR. 8, 1966. RECORDS AVAILABLE: 1951-52, 1957-68.

DATE	WATER LEVFL	DATE	WATER LEVFL	DATE	WATER LEVFL	DATE	WATER LEVEL
MAR. 8, 1966	38.90	MAR. 14, 1967	38.60	OCT. 24, 1967	38.46	MAR. 5, 1968	38.160
OCT. 24	38.75						

10N/9W-36G1 S. U.S. DEPARTMENT OF THE AIR FORCE. AT THE EAST EDGE OF ROGERS LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 93.5 FT., LSD 2,282.4 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 47.03 FT BELOW LSD, MAR. 7, 1966.  
LOWEST STATIC WATER LEVEL 49.83 FT BELOW LSD, MAR. 6, 1968.  
RECORDS AVAILABLE: 1948, 1951-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	47.03	OCT. 26, 1966	47.96	MAR. 15, 1967	48.45	MAR. 6, 1968	49.830

10N/12W-2H1 S. C. W. ROBERTS. DEPTH REPORTED 215 FT IN 1955. ALTITUDE IS 2575.1 FT.  
HIGHEST WATER LEVEL 145.14 FT BELOW LSD, APR. 13, 1967.  
LOWEST STATIC WATER LEVEL 148.13 FT BELOW LSD, APR. 2, 1968.  
RECORDS AVAILABLE: 1955, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 13, 1967	146.388	APR. 13, 1967	145.14	APR. 2, 1968	148.13		

10N/12W-9A1 S. D. MCALLISTER. DEPTH REPORTED 208 FT IN 1951. PERFORATED 158-208 FT.  
ALTITUDE ABOUT 2594 FT.  
HIGHEST WATER LEVEL 152.11 FT BELOW LSD, APR. 13, 1967.  
LOWEST STATIC WATER LEVEL 153.35 FT BELOW LSD, APR. 2, 1968.  
RECORDS AVAILABLE: 1952-53, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 13, 1967	152.11	APR. 2, 1968	153.35				

10N/12W-13H1 S. DEPTH 185 FT IN 1956. PERFORATED 75-147 FT. ALTITUDE ABOUT 2505 FT.  
HIGHEST WATER LEVEL 55.76 FT BELOW LSD, APR. 13, 1967.  
LOWEST STATIC WATER LEVEL 56.86 FT BELOW LSD, APR. 2, 1968.  
RECORDS AVAILABLE: 1956, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 13, 1967	55.76	APR. 2, 1968	56.86				

10N/12W-20C5 S. W. WHITNEY, FORMERLY D. J. BACKUS. ABOUT 7 MILES SOUTH OF MOJAVE. DRILLED IRRIGATION WELL IN ALLUVIUM OF PLISTOCENE AGE, DIAMETER 10 INCHES. DEPTH 600 FT., LSD 2,665 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 107.80 FT BELOW LSD, APR. 13, 1967.  
LOWEST STATIC WATER LEVEL 113.15 FT BELOW LSD, OCT. 18, 1966.  
RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	108.25	MAR. 22, 1967	A	OCT. 10, 1967	A	OCT. 31, 1968	A
OCT. 18	113.15	APR. 13	107.80	MAR. 21, 1968	109.91		

10N/12W-22J1 S. DEPTH REPORTED 242 FT IN 1956. PERFORATED 130-230 FT. ALTITUDE ABOUT 2530 FT.  
HIGHEST WATER LEVEL 37.27 FT BELOW LSD, APR. 13, 1967.  
LOWEST STATIC WATER LEVEL 37.84 FT BELOW LSD, APR. 2, 1968.  
RECORDS AVAILABLE: 1956, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 13, 1967	37.27	APR. 2, 1968	37.84				

## GROUND-WATER RECORDS, 1966-68

10N/13W-19M1 S. DEWEY BUTLER. ABOUT 4 1/2 MILES NORTH OF WILLOW SPRINGS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 16 INCHES. DEPTH 770 FT., LSD 2,905 FT. ABOVE MSL.

HIGHEST WATER LEVEL 316.85 FT BELOW LSD, MAR. 8, 1966.  
LOWEST STATIC WATER LEVEL 319.13 FT BELOW LSD, OCT. 31, 1968.  
RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	316.85	MAR. 22, 1967	317.65	NOV. 1, 1967	318.55	OCT. 31, 1968	319.13
OCT. 18	318.08	OCT. 10	318.51	APR. 2, 1968	318.38		

10N/13W-22C1 S. DEPTH REPORTED 400 FT IN 1967. ALTITUDE ABOUT 2878 FT.

HIGHEST WATER LEVEL 302.12 FT BELOW LSD, APR. 13, 1967.  
LOWEST STATIC WATER LEVEL 328.60 FT BELOW LSD, NOV. 1, 1967.  
RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 13, 1967	302.12	NOV. 1, 1967	328.6	APR. 2, 1968	304.05		

10N/13W-32M1 S. LOMBARDI AND FREW. ABOUT 2 1/2 MILES NORTH OF WILLOW SPRINGS. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH FT., LSD 2,740 FT. ABOVE MSL.

HIGHEST WATER LEVEL 229.38 FT BELOW LSD, OCT. 18, 1966.  
LOWEST STATIC WATER LEVEL 229.38 FT BELOW LSD, OCT. 18, 1966.  
RECORDS AVAILABLE: 1953-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	N	OCT. 18, 1966	229.38	OCT. 10, 1967	0		

11N/RW-20H1 S. D. W. SWANSON. ABOUT 5 1/2 MILES NORTHWEST OF BORON. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 223.5 FT., LSD 2,379.09 FT. ABOVE MSL.

HIGHEST WATER LEVEL 170.89 FT BELOW LSD, MAR. 8, 1966.  
LOWEST STATIC WATER LEVEL 172.87 FT BELOW LSD, MAR. 4, 1968.  
RECORDS AVAILABLE: 1951-53, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	170.89	MAR. 13, 1967	171.92	MAR. 4, 1968	172.870		

11N/RW-29K1 S. U.S. BORAX AND CHEMICAL CORP. ABOUT 5 1/2 MILES WEST OF BORON. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 13 INCHES. DEPTH 495 FT., LSD 2,351.8 FT. ABOVE MSL.

HIGHEST WATER LEVEL 146.63 FT BELOW LSD, MAR. 8, 1966.  
LOWEST STATIC WATER LEVEL 150.07 FT BELOW LSD, MAR. 4, 1968.  
RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	146.63	MAR. 13, 1967	148.32	MAR. 4, 1968	150.070		

11N/RW-32G1 S. OWNER UNKNOWN. ABOUT 5 MILES WEST OF BORON. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 156.0 FT., LSD 2,342.1 FT. ABOVE MSL.

HIGHEST WATER LEVEL 128.62 FT BELOW LSD, MAR. 13, 1967.  
LOWEST STATIC WATER LEVEL 135.50 FT BELOW LSD, OCT. 14, 1968.  
RECORDS AVAILABLE: 1951-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	132.56	MAR. 13, 1967	128.62	MAR. 4, 1968	134.68	OCT. 14, 1968	135.500
OCT. 25	133.33	OCT. 23	134.37				

11N/8W-35D1 S. H. B. HAYS, DESERT LAKE, FORMERLY U.S. BORAX AND CHEMICAL CORP. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 13 INCHES. DEPTH 606 FT., LSD 2,382.0 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 191.10 FT BELOW LSD, MAR. 13, 1967.  
LOWEST STATIC WATER LEVEL 191.10 FT BELOW LSD, MAR. 13, 1967.  
RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	N	MAR. 13, 1967	191.1	MAR. 4, 1968	247.3 A	MAR. 5, 1968	0

11N/9W-17N1 S. OWNER UNKNOWN. ABOUT 3 MILES NORTHEAST OF MURDO JUNCTION. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 184.6 FT., LSD 2,319.9 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 135.60 FT BELOW LSD, MAR. 8, 1966.  
LOWEST STATIC WATER LEVEL 137.65 FT BELOW LSD, OCT. 14, 1968.  
RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	135.60	MAR. 13, 1967	136.40	MAR. 4, 1968	137.19	OCT. 14, 1968	137.650
OCT. 25	136.06	OCT. 23	136.85				

11N/9W-24A1 S. U.S. BORAX. ABOUT 6 MILES WEST OF BOREN AND 3 MILES NORTH OF HIGHWAY 466. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. PERFORATED 200-870 FEET. DEPTH 900 FT., LSD 2,348.8 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 147.20 FT BELOW LSD, MAR. 18, 1967.  
LOWEST STATIC WATER LEVEL 149.22 FT BELOW LSD, OCT. 14, 1968.  
RECORDS AVAILABLE: 1958, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 18, 1967	147.2	MAR. 4, 1968	148.50	OCT. 14, 1968	149.220		

11N/9W-24R1 S. U.S. BORAX AND CHEMICAL CORP. ABOUT 8 MILES NORTHWEST OF BOREN. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 8 INCHES. DEPTH 154.3 FT., LSD 2,345.1 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 146.12 FT BELOW LSD, MAR. 8, 1966.  
LOWEST STATIC WATER LEVEL 146.12 FT BELOW LSD, MAR. 8, 1966.  
RECORDS AVAILABLE: 1952-53, 1958-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	146.120						

11N/9W-30H1 S. W. MACCLANAGHAN. ABOUT 2 MILES NORTHEAST OF MURDO JUNCTION. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 270 FT., LSD 2,298.3 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 98.25 FT BELOW LSD, MAR. 8, 1966.  
LOWEST STATIC WATER LEVEL 100.28 FT BELOW LSD, MAR. 4, 1968.  
RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	98.25	MAR. 13, 1967	99.34	MAR. 4, 1968	100.280		

11N/9W-30N1 S. FLOURR. ABOUT HALF A MILE NORTHEAST OF MURDO JUNCTION. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 200 FT., LSD 2,328 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 120.74 FT BELOW LSD, MAR. 8, 1966.  
LOWEST STATIC WATER LEVEL 126.70 FT BELOW LSD, APR. 18, 1968.  
RECORDS AVAILABLE: 1951-52, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	120.74	MAR. 13, 1967	123.95	MAR. 4, 1968	124.51	OCT. 14, 1968	123.670
OCT. 25	121.41	OCT. 23	122.59	APR. 18	126.70		

## GROUND-WATER RECORDS, 1966-68

11N/9W-3201 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 5 MILES WEST OF BORON. DRILLED BASE SUPPLY WELL IN ALLUVIUM, DIAMETER 16 INCHES. PERFORATED 234-450 FEET. DEPTH 450 FT., LSD 2,302.5 FT. ABOVE MSL.

HIGHEST WATER LEVEL 106.00 FT BELOW LSD, MAR. 8, 1966.

LOWEST STATIC WATER LEVEL 108.65 FT BELOW LSD, MAR. 6, 1968.

RECORDS AVAILABLE: 1957, 1959-60, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	106.0	OCT. 23, 1967	132.8 A	MAR. 6, 1968	108.65	OCT. 15, 1968	110.588
OCT. 25	110.588	MAR. 4, 1968	134.97A	OCT. 14	135.47A		

11N/9W-36A1 S. U.S. BORAX AND CHEMICAL CORP. ABOUT 7 MILES WEST OF BORON. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 610 FT., LSD 2,323.8 FT. ABOVE MSL.

HIGHEST WATER LEVEL 120.39 FT BELOW LSD, MAR. 8, 1966.

LOWEST STATIC WATER LEVEL 122.87 FT BELOW LSD, MAR. 4, 1968.

RECORDS AVAILABLE: 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	120.39	MAR. 13, 1967	121.79	MAR. 4, 1968	122.870		

11N/9W-36R1 S. U.S. DEPARTMENT OF THE AIR FORCE, FORMERLY ATCHISON TOPEKA AND SANTA FE RAILWAY. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 10 INCHES. DEPTH 258.0 FT., LSD 2,312.5 FT. ABOVE MSL.

HIGHEST WATER LEVEL 101.63 FT BELOW LSD, MAR. 8, 1966.

LOWEST STATIC WATER LEVEL 103.03 FT BELOW LSD, MAR. 4, 1968.

RECORDS AVAILABLE: 1954, 1956, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	101.63	MAR. 13, 1967	102.28	MAR. 4, 1968	103.030		

11N/11W-7A1 S. DEPTH 414 FT IN 1952. PERFORATED 305-356 FT. ALTITUDE IS 2627.9 FT.

HIGHEST WATER LEVEL 202.69 FT BELOW LSD, MAR. 23, 1967.

LOWEST STATIC WATER LEVEL 203.03 FT BELOW LSD, MAR. 21, 1968.

RECORDS AVAILABLE: 1957-58, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 23, 1967	202.69	MAR. 21, 1968	203.03				

11N/11W-9A1 S. DEPTH 422.0 FT. PERFORATED 262-295 AND 352-362 FT. ALTITUDE IS 2549.6 FT.

HIGHEST WATER LEVEL 125.63 FT BELOW LSD, MAR. 23, 1967.

LOWEST STATIC WATER LEVEL 125.95 FT BELOW LSD, MAR. 21, 1968.

RECORDS AVAILABLE: 1956-58, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 23, 1967	125.63	MAR. 21, 1968	125.95				

11N/12W-12M1 S. DEPTH 318.5 FT. ALTITUDE ABOUT 2695 FT.

HIGHEST WATER LEVEL 268.88 FT BELOW LSD, MAR. 23, 1967.

LOWEST STATIC WATER LEVEL 269.24 FT BELOW LSD, MAR. 21, 1968.

RECORDS AVAILABLE: 1929-30, 1952, 1955, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 23, 1967	268.88	MAR. 21, 1968	269.24				



11N/12W-26J1 S. MONOLITH PORTLAND CEMENT CO. ABOUT 4 MILES SOUTHEAST OF MOJAVE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 225.0 FT., LSD 2,594.6 FT. ABOVE MSL. HIGHEST WATER LEVEL 192.60 FT BELOW LSD, MAR. 8, 1966. LOWEST STATIC WATER LEVEL 202.60 FT BELOW LSD, MAR. 23, 1967, MAR. 23, 1967. RECORDS AVAILABLE: 1918, 1929-30, 1952, 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1966	192.60	MAR. 23, 1967	202.60	MAR. 23, 1967	202.60	MAR. 21, 1968	203.68
OCT. 17	194.87	OCT. 10	193.30	OCT. 10	193.30	OCT. 31	206.30

11N/13W-36K1 S. DEPTH REPORTED 630 FT IN 1954. PERFORATED 380-630 FT. ALTITUDE ABOUT 2888 FT. HIGHEST WATER LEVEL 282.98 FT BELOW LSD, APR. 13, 1967. LOWEST STATIC WATER LEVEL 283.25 FT BELOW LSD, APR. 2, 1968. RECORDS AVAILABLE: 1955, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 13, 1967	282.98	APR. 2, 1968	283.25				

12N/12W-35R1 S. DEPTH REPORTED 640 FT IN 1957. PERFORATED 375-380, 396-402, 422-434, 452-472, 482-514, AND 546-560 FT. ALTITUDE IS 2743.3 FT. HIGHEST WATER LEVEL 317.59 FT BELOW LSD, MAR. 23, 1967. LOWEST STATIC WATER LEVEL 318.11 FT BELOW LSD, MAR. 21, 1968. RECORDS AVAILABLE: 1957-58, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 23, 1967	317.59	MAR. 21, 1968	318.11				

## Coastal Plain

1S/10W-7R2 S. KEY WELL U.S. 75 AT BALDWIN PARK. DRILLED WATER-TABLE OBSERVATION WELL, TAPPING FINE SAND TO COARSE GRAVEL IN ALLUVIAL DEPOSITS. DIAMETER 16 INCHES, PERFORATIONS 74-174, 181-196. FEET. WATER-STAGE RECORDER OPERATED ON WELL SINCE 1932. DEPTH 200 FT., LSD 387.7 FT. ABOVE MSL. HIGHEST WATER LEVEL 99.54 FT BELOW LSD, JUNE 20, 1967. LOWEST STATIC WATER LEVEL 156.39 FT BELOW LSD, NOV. 10, 1966. RECORDS AVAILABLE: 1903-68.

DAY	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEP.	OCT.	NOV.	DEC.
1966												
5	153.84	135.51	135.10	133.24	135.41	139.11	142.85	147.80	151.97	154.57	156.33	156.06
10	151.92	135.19	134.85	133.74	136.06	139.38	143.67	148.55	152.45	154.82	156.39	155.98
15	148.10	135.33	134.14	134.29	136.68	139.93	144.49	149.24	152.95	154.98	156.29	155.43
20	143.77	135.42	133.44	134.51	137.47	140.60	145.34	150.02	153.52	155.32	156.28	152.87
25	140.00	135.44	133.09	134.55	138.20	141.35	146.18	150.68	153.94	155.65	156.26	147.38
EOM	136.75	135.33	132.94	134.78	138.79	142.08	147.09	151.45	154.32	156.00	156.15	141.47
1967												
5	139.33	135.88	127.42	120.48	111.45	102.27	100.08	103.08	107.68	111.17	112.31	112.86
10	139.15	132.20	127.11	118.77	109.60	101.18	100.48	103.59	108.37	111.68	112.32	112.53
15	139.47	129.92	126.81	117.34	107.87	100.09	100.97	104.22	109.08	112.22	113.53	111.99
20	139.79	128.70	126.31	115.94	106.47	99.54	101.40	104.98	109.68	112.67	112.74	111.49
25	139.72	128.06	124.99	114.14	105.13	99.55	101.91	105.85	110.23	112.75	112.77	111.00
EOM	138.68	127.78	122.46	113.20	103.43	99.77	102.56	106.93	110.00	112.43	112.84	110.73
1968												
5	110.76	111.28	112.17	112.65	114.34	116.93	120.10	123.71	126.84	129.34	130.81	131.34
10	110.73	111.38	112.42	112.73	114.68	117.28	120.71	124.26	127.34	129.52	130.99	131.42
15	110.70	111.49	112.60	113.02	115.01	117.84	121.38	124.71	127.87	129.74	131.19	131.37
20	110.87	111.58	112.80	113.25	115.48	118.43	122.03	125.18	128.27	130.04	131.25	131.21
25	110.93	111.76	112.79	113.60	115.89	119.07	122.65	125.71	128.68	130.36	131.32	131.13
EOM	111.23	111.93	112.69	113.99	116.50	119.57	123.25	126.42	128.14	130.70	131.32	131.12

## GROUND-WATER RECORDS, 1966-68

3S/12W-8L3 S. LOS ANGELES COUNTY FARM. NEAR DOWNEY. DRILLED UNUSED ARTESIAN WELL IN GASPUR WATER-BEARING ZONE OF RECENT AGE AND UNDERLYING DEPOSITS OF PLEISTOCENE AGE, DIAMETER 8 INCHES. RECORDS FURNISHED BY SAN GABRIEL VALLEY PROTECTIVE ASSOCIATION. DEPTH 248 FT., LSD 92 FT. ABOVE MSL.

HIGHEST WATER LEVEL 69.60 FT BELOW LSD, DEC. 2, 1968.

LOWEST STATIC WATER LEVEL 77.30 FT BELOW LSD, JUNE 6, 1966.

RECORDS AVAILABLE: 1930-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 3, 1966	75.4	OCT. 3, 1966	76.1	JULY 3, 1967	72.6	APR. 1, 1968	69.7
FEB. 7	74.6	NOV. 7	74.8	AUG. 7	73.6	MAY 6	70.0
MAR. 7	75.8	DEC. 5	73.4	SEP. 4	74.8	JUNE 10	71.3
APR. 4	74.9	JAN. 2, 1967	74.0	OCT. 2	72.2	JULY 1	71.1
MAY 2	75.2	FEB. 6	73.2	NOV. 6	72.1	AUG. 5	71.6
JUNE 6	77.3	MAR. 6	72.6	DEC. 4	71.1	SEP. 2	71.0
JULY 4	76.0	APR. 3	71.7	JAN. 1, 1968	70.6	OCT. 7	70.1
AUG. 1	76.0	MAY 1	71.2	FEB. 5	70.1	NOV. 4	69.9
SEP. 19	76.1	JUNE 5	72.6	MAR. 4	70.1	DEC. 2	69.6

3S/14W-21B1 S. SOUTHERN CALIFORNIA WATER CO., ROSECRANS PLANT WELL 2. NEAR HAWTHORNE. DRILLED PUBLIC-SUPPLY ARTESIAN WELL IN SAND AND GRAVEL DEPOSITS OF PLEISTOCENE AGE, DIAMETER 16 INCHES. RECORDS FURNISHED BY SOUTHERN CALIFORNIA WATER CO. DEPTH 500 FT., LSD 63 FT. ABOVE MSL. HIGHEST WATER LEVEL 114.00 FT BELOW LSD, JAN. 7, 1966, FEB. 7, 1966.

LOWEST STATIC WATER LEVEL 116.00 FT BELOW LSD, MAY 7, 1966.

RECORDS AVAILABLE: 1931-37, 1939-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 7, 1966	114.0 J	APR. 7, 1966	115.0 J	JULY 7, 1966	N	DEC. 7, 1967	N
FEB. 7	114.0 J	MAY 7	116.0 J	AUG. 7	N	JAN. 16, 1968	0
MAR. 7	N	JULY 7	N				

4S/13W-14L1 S. SOUTHERN CALIFORNIA EDISON CO., LTD. IN LONG BEACH. DRILLED UNUSED ARTESIAN WELL IN THE GASPUR-WATER-BEARING ZONE OF RECENT AGE, DIAMETER 10 INCHES. RECORDS FURNISHED BY CITY OF LONG BEACH. DEPTH 114 FT., LSD 28.55 FT. ABOVE MSL.

HIGHEST WATER LEVEL 61.74 FT BELOW LSD, JAN. 31, 1966.

LOWEST STATIC WATER LEVEL 67.61 FT BELOW LSD, MAR. 27, 1967.

RECORDS AVAILABLE: 1930-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 31, 1966	61.74J	OCT. 24, 1966	62.39J	JULY 24, 1967	63.19J	APR. 22, 1968	64.04J
FEB. 28	61.89J	NOV. 28	62.45J	AUG. 28	63.34J	MAY 20	64.17J
MAR. 28	61.89J	DEC. 26	62.41J	SEP. 25	63.49J	JUNE 24	64.34J
APR. 25	62.01J	JAN. 23, 1967	62.54J	OCT. 30	63.69J	JULY 22	64.24J
MAY 30	62.09J	FEB. 20	62.64J	NOV. 27	63.69J	AUG. 19	64.14J
JUNE 30	62.14J	MAR. 27	67.61J	DEC. 26	63.84J	SEP. 23	64.79J
JULY 25	62.24J	APR. 24	62.85J	JAN. 22, 1968	63.84J	OCT. 21	64.54J
AUG. 22	62.21J	MAY 29	62.94J	FEB. 19	63.94J	NOV. 25	64.64J
SEP. 26	62.24J	JUNE 26	63.14J	MAR. 25	63.89J	DEC. 16	64.59J

4S/13W-23G2 S. CITY OF LONG BEACH. NEAR LONG BEACH. DRILLED UNUSED ARTESIAN WELL IN GRAVEL IN UPPERMOST PART OF SILVERADO WATER-BEARING ZONE OF PLEISTOCENE AGE, DIAMETER 26 TO 16 INCHES. RECORDS FURNISHED BY CITY OF LONG BEACH. DEPTH 1,074 FT., LSD 23.23 FT. ABOVE MSL.

HIGHEST WATER LEVEL 113.85 FT BELOW LSD, JUNE 30, 1966.

LOWEST STATIC WATER LEVEL 126.25 FT BELOW LSD, JUNE 24, 1968.

RECORDS AVAILABLE: 1932-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 31, 1966	114.70J	OCT. 24, 1966	119.50J	JULY 24, 1967	119.70J	APR. 22, 1968	119.65J
FEB. 28	115.35J	NOV. 28	116.80J	AUG. 28	121.90J	MAY 20	121.40J
MAR. 28	J	DEC. 26	118.10J	SEP. 25	118.60J	JUNE 24	126.25J
APR. 25	118.87J	JAN. 23, 1967	117.50J	OCT. 30	118.00J	JULY 22	125.25J
MAY 30	117.05J	FEB. 20	116.00J	NOV. 27	119.85J	AUG. 19	124.90J
JUNE 30	113.85J	MAR. 27	119.10J	DEC. 26	120.80J	SEP. 23	121.00J
JULY 25	118.76J	APR. 24	120.53J	JAN. 22, 1968	120.30J	OCT. 21	118.35J
AUG. 22	118.80J	MAY 29	120.30J	FEB. 19	115.35J	NOV. 25	117.00J
SEP. 26	118.75J	JUNE 26	119.15J	MAR. 25	115.15J	DEC. 16	119.90J

## MENDOCINO COUNTY

## Laytonville Valley

21N/14W-30M1 M. M. F. TRACY. ABOUT 2 MILES SOUTH OF LAYTONVILLE. DUG DOMESTIC AND IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 5 X 5 FEET. DEPTH 29 FT., LSD 1,688 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 18, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 4.01 FT BELOW LSD, FEB. 23, 1966.  
 LOWEST STATIC WATER LEVEL 18.80 FT BELOW LSD, OCT. 5, 1966.  
 RECORDS AVAILABLE: 1952-55, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	4.99	APR. 5, 1966	4.87	OCT. 5, 1966	18.8	OCT. 3, 1967	17.2
FEB. 23	4.01	APR. 18	4.11	APR. 11, 1967	7.1	APR. 9, 1968	5.6

21N/15W-12M2 M. VELMA POWELL. AT LAYTONVILLE. DUG DOMESTIC WELL IN TERRACE DEPOSITS, DIAMETER 20 INCHES. DEPTH 50 FT., LSD 1,545 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 18, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 4.63 FT BELOW LSD, FEB. 23, 1966.  
 LOWEST STATIC WATER LEVEL 17.20 FT BELOW LSD, OCT. 5, 1966.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	8.51	APR. 5, 1966	7.20A	OCT. 5, 1966	17.2	OCT. 3, 1967	16.3
FEB. 23	4.63	APR. 18	6.94A	APR. 11, 1967	7.8	APR. 9, 1968	6.9

21N/15W-24A1 M. M. F. WINTERS, FORMERLY RAY EVANS. ABOUT 1 MILE SOUTH OF LAYTONVILLE. DUG UNUSED WELL IN ALLUVIUM, DIAMETER 4 X 4 FEET. DEPTH 28.5 FT., LSD 1,653 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 18, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 1.16 FT BELOW LSD, FEB. 23, 1966.  
 LOWEST STATIC WATER LEVEL 13.50 FT BELOW LSD, OCT. 5, 1966.  
 RECORDS AVAILABLE: 1952-55, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	2.60	APR. 5, 1966	2.80	OCT. 5, 1966	13.5	OCT. 3, 1967	12.1
FEB. 23	1.16	APR. 18	1.83	APR. 11, 1967	6.5	APR. 9, 1968	3.5

## Little Lake Valley

18N/13W-8L1 M. LUTHER SHERRURN. ABOUT 1.5 MILES NORTHEAST OF WILLITS. DUG DOMESTIC WELL IN ALLUVIUM, DIAMETER 4 X 4 FEET. DEPTH 18.5 FT., LSD 1,340 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 20, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 0.46 FT BELOW LSD, FEB. 23, 1966.  
 LOWEST STATIC WATER LEVEL 10.30 FT BELOW LSD, OCT. 6, 1966.  
 RECORDS AVAILABLE: 1953-56, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	1.10	MAR. 23, 1966	.79	OCT. 6, 1966	10.3	OCT. 3, 1967	8.5
FEB. 23	.46	APR. 20	1.85	APR. 10, 1967	2.7	APR. 8, 1968	2.2

## GROUND-WATER RECORDS, 1966-68

18N/13W-17J1 M. MUNZ. ABOUT 2 MILES EAST OF WILLITS. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 40 FT., LSD 1,350 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 20, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
HIGHEST WATER LEVEL 5.85 FT BELOW LSD, MAR. 23, 1966.  
LOWEST STATIC WATER LEVEL 23.40 FT BELOW LSD, OCT. 6, 1966.  
RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	9.10	MAR. 23, 1966	5.85	OCT. 6, 1966	23.4	OCT. 3, 1967	20.7
FEB. 23	6.58	APR. 20	6.20	APR. 10, 1967	7.6	APR. 8, 1968	14.4

18N/13W-18F1 M. NORTHWESTERN PACIFIC RAILROAD. AT WILLITS. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM OF RECENT AGE AND CONTINENTAL DEPOSITS OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 12 INCHES. DEPTH 493 FT., LSD 1,350 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 20, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
HIGHEST WATER LEVEL 20.70 FT BELOW LSD, APR. 10, 1967.  
LOWEST STATIC WATER LEVEL 28.60 FT BELOW LSD, OCT. 6, 1966.  
RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	22.74	MAR. 23, 1966	24.24	OCT. 6, 1966	28.6	OCT. 2, 1967	26.2
FEB. 23	25.67	APR. 20	24.14	APR. 10, 1967	20.7	APR. 8, 1968	25.3

## Potter Valley

17N/11W-18J1 M. CARSON, FORMERLY J. PHILLIPS. ABOUT 2.5 MILES SOUTHEAST OF POTTER VALLEY. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 35.6 FT., LSD 955 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 19, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
HIGHEST WATER LEVEL 1.33 FT ABOVE LSD, MAR. 22, 1966.  
LOWEST STATIC WATER LEVEL 0.23 FT ABOVE LSD, JAN. 18, 1966.  
RECORDS AVAILABLE: 1951-55, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966 +	0.23	MAR. 22, 1966 +	1.33	MAR. 22, 1967 +	.8	APR. 11, 1968 +	.5
FEB. 23	.70	APR. 19	1.11				

17N/11W-32J1 M. E. FOSTER. ABOUT 0.5 MILE NORTH OF POTTER VALLEY. DUG DOMESTIC WELL IN ALLUVIUM, DIAMETER 3 FEET. DEPTH 11.6 FT., LSD 895 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 19, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
HIGHEST WATER LEVEL 0.10 FT BELOW LSD, MAR. 22, 1967.  
LOWEST STATIC WATER LEVEL 2.00 FT BELOW LSD, APR. 19, 1966.  
RECORDS AVAILABLE: 1951-55, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	0.88	MAR. 22, 1966	1.17	MAR. 22, 1967 -	.1	APR. 11, 1968	1.8
FEB. 23	.70	APR. 19	2.00				

## Round Valley

22N/12W-4R1 M. C. ROHN. FORMERLY JOHN PERALTA. ABOUT 2.5 MILES EAST OF COVELO. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 12 INCHES. DEPTH 200 FT., LSD 1,351 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 21, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
HIGHEST WATER LEVEL 4.40 FT BELOW LSD, APR. 11, 1967.  
LOWEST STATIC WATER LEVEL 15.00 FT BELOW LSD, OCT. 5, 1966.  
RECORDS AVAILABLE: 1951-55, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	5.66	APR. 6, 1966	6.16	OCT. 5, 1966	15.0	OCT. 2, 1967	13.8
FEB. 23	5.74	APR. 20	6.28	APR. 11, 1967	4.4	APR. 9, 1968	6.3

22N/12W-6L3 M. W. R. MOOY. ABOUT HALF A MILE EAST OF COVELO. DRILLED TEST WELL IN ALLUVIUM, DIAMETER 4 INCHES. MEASUREMENTS FROM AUG. 24, 1960 THROUGH AUG. 26, 1964 BY U.S. BUREAU OF RECLAMATION. DEPTH 660 FT., LSD 1,369.7 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 21, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 11.00 FT ABOVE LSD, MAR. 1, 1966.  
 LOWEST STATIC WATER LEVEL 11.50 FT BELOW LSD, APR. 9, 1968.  
 RECORDS AVAILABLE: 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966 +	10.40	APR. 6, 1966 +	7.85	OCT. 5, 1966	5.6	OCT. 2, 1967	2.6
FEB. 23	0	APR. 20	+ 10.75	APR. 11, 1967	0	APR. 9, 1968 -	11.5
MAR. 1	+ 11.00						

22N/13W-12R1 M. PHILO SHORT. ABOUT 1.5 MILES SOUTH OF COVELO. DRILLED TEST WELL IN ALLUVIUM, DIAMETER 4 INCHES. DEPTH 321 FT., LSD 1,400 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 21, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 4.64 FT BELOW LSD, JAN. 19, 1966.  
 LOWEST STATIC WATER LEVEL 30.40 FT BELOW LSD, OCT. 5, 1966.  
 RECORDS AVAILABLE: 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	4.64	APR. 5, 1966	5.19	OCT. 5, 1966	30.4	OCT. 2, 1967	24.3
FEB. 23	4.84	APR. 20	6.30	APR. 11, 1967	7.2	APR. 9, 1968	5.9

23N/12W-31N1 M. GEORGE GRAVIER. ABOUT 0.6 MILE NORTH OF COVELO. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 200 FT., LSD 1,388.5 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 21, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 9.20 FT ABOVE LSD, APR. 6, 1966.  
 LOWEST STATIC WATER LEVEL 9.70 FT BELOW LSD, OCT. 5, 1966.  
 RECORDS AVAILABLE: 1951-55, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966 +	9.10	APR. 6, 1966 +	9.20	OCT. 5, 1966	9.7	OCT. 2, 1967	7.9
FEB. 23	0	APR. 21	+ 8.50	APR. 11, 1967	0	APR. 9, 1968 -	9.0

23N/13W-36C3 M. O'FERREL. ABOUT 2 MILES NORTHWEST OF COVELO. DRILLED TEST WELL IN ALLUVIUM, DIAMETER 4 INCHES. DEPTH 289 FT., LSD 1,409.5 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 21, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 7.49 FT BELOW LSD, JAN. 19, 1966.  
 LOWEST STATIC WATER LEVEL 29.20 FT BELOW LSD, OCT. 5, 1966.  
 RECORDS AVAILABLE: 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	7.49	APR. 6, 1966	9.14	OCT. 5, 1966	29.2	OCT. 2, 1967	27.2
FEB. 23	8.61	APR. 21	8.67	APR. 11, 1967	7.7	APR. 9, 1968	9.0

23N/13W-36Q1 M. BAUER. ABOUT 1 MILE NORTHWEST OF COVELO. DRILLED TEST WELL IN ALLUVIUM, DIAMETER 4 INCHES. DEPTH 300 FT., LSD 1,403 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 21, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 0.77 FT ABOVE LSD, JAN. 19, 1966.  
 LOWEST STATIC WATER LEVEL 20.60 FT BELOW LSD, OCT. 5, 1966.  
 RECORDS AVAILABLE: 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966 +	0.77	APR. 6, 1966	1.08	OCT. 5, 1966	20.6	OCT. 2, 1967	18.6
FEB. 23	0.37	APR. 21	1.93	APR. 11, 1967	4.9	APR. 9, 1968	1.1

## GROUND-WATER RECORDS, 1966-68

## Sanel Valley

13N/11W-18E1 M. A. DAMIANO. ABOUT 1.75 MILES NORTH OF HOPLAND. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 52 FT., LSD 490 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 21, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.

HIGHEST WATER LEVEL 7.60 FT BELOW LSD, MAR. 22, 1967.

LOWEST STATIC WATER LEVEL 9.77 FT BELOW LSD, FEB. 23, 1966.

RECORDS AVAILABLE: 1953-55, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	8.93	MAR. 24, 1966	9.66A	MAR. 22, 1967	7.6 A	APR. 10, 1968	11.3 A
FEB. 23	9.77	APR. 21	A				

13N/11W-19P1 M. CHARLES ASHURST. ABOUT 0.4 MILE SOUTH OF HOPLAND. DUG AND DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 4 X 5 FEET. DEPTH 44 FT., LSD 488 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 21, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.

HIGHEST WATER LEVEL 8.15 FT BELOW LSD, JAN. 18, 1966.

LOWEST STATIC WATER LEVEL 10.28 FT BELOW LSD, APR. 21, 1966.

RECORDS AVAILABLE: 1953-55, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	8.15	MAR. 24, 1966	9.39	MAR. 22, 1967	8.2	APR. 10, 1968	10.2
FEB. 23	9.02	APR. 21	10.28				

13N/11W-20G1 M. I. BLISS. ABOUT 0.5 MILE EAST OF EAST HOPLAND. DRILLED DOMESTIC WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 6 INCHES. DEPTH 135 FT., LSD 515 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 21, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.

HIGHEST WATER LEVEL 4.20 FT BELOW LSD, MAR. 22, 1967.

LOWEST STATIC WATER LEVEL 4.99 FT BELOW LSD, APR. 21, 1966.

RECORDS AVAILABLE: 1953-55, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	4.55	MAR. 24, 1966	4.71	MAR. 22, 1967	4.2	APR. 10, 1968	4.8
FEB. 23	4.58	APR. 21	4.99				

## Ukiah Valley

15N/12W-8L1 M. ARNOLD ROGNER. ABOUT 1 MILE NORTH OF UKIAH. DRILLED DOMESTIC WATER-TABLE WELL IN TERRACE DEPOSITS OF RECENT AGE, DIAMETER 12 INCHES. DEPTH 62 FT., LSD 665 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 21, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.

HIGHEST WATER LEVEL 16.14 FT BELOW LSD, JAN. 18, 1966.

LOWEST STATIC WATER LEVEL 19.15 FT BELOW LSD, APR. 21, 1966.

RECORDS AVAILABLE: 1951-55, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	16.14	MAR. 24, 1966	17.63	MAR. 22, 1967	16.3	APR. 10, 1968	18.0
FEB. 23	16.98	APR. 21	19.15				

# NAPA COUNTY

99

15N/12W-35M1 M. C. E. WEGNER. ABOUT 3 MILES SOUTHEAST OF UKIAH. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 129 FT., LSD 600 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 21, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
HIGHEST WATER LEVEL 3.32 FT BELOW LSD, FEB. 23, 1966.  
LOWEST STATIC WATER LEVEL 3.93 FT BELOW LSD, JAN. 18, 1966.  
RECORDS AVAILABLE: 1951-55, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	3.93	MAR. 24, 1966	4.35R	MAR. 22, 1967	3.4	APR. 10, 1968	5.4 A
FEB. 23	3.32	APR. 21	5.05R				

# NAPA COUNTY

## Napa Valley

5N/4W-11M1 M. DEWITT MACHINE SHOP IN NAPA. DRILLED WATER-TABLE WELL (OCCASIONALLY USED TO TEST PUMPS) IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 77 FT., LSD 13 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 18, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. WATER LEVELS JAN. 13, 1951, TO NOV. 21, 1951, SELECTED HIGHEST DAILY READINGS FROM RECORDER CHARTS.  
HIGHEST WATER LEVEL 3.70 FT BELOW LSD, APR. 24, 1967.  
LOWEST STATIC WATER LEVEL 8.90 FT BELOW LSD, AUG. 17, 1966.  
RECORDS AVAILABLE: 1950-52, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1966	5.17	AUG. 17, 1966	8.9	MAR. 20, 1967	4.3	MAR. 19, 1968	4.7
FEB. 23	4.32	SEP. 19	8.5	APR. 24	3.7	APR. 15	6.9
MAR. 15	5.93	OCT. 17	8.7	MAY 17	6.0	MAY 14	7.6
APR. 18	6.78	NOV. 16	7.1	AUG. 15	7.0	SEP. 19	8.6
MAY 17	7.8	DEC. 14	4.7	SEP. 19	8.2	OCT. 15	8.6
JUNE 15	8.1	JAN. 18, 1967	7.1	OCT. 18	8.0	NOV. 19	7.3
JULY 20	8.1	FEB. 15	5.2	NOV. 15	7.7	DEC. 12	7.1

6N/4W-17A1 M. R. OHLANDT. ABOUT 4 MILES NORTH OF NAPA. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 250 FT., LSD 67 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 18, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
HIGHEST WATER LEVEL 1.70 FT BELOW LSD, APR. 24, 1967.  
LOWEST STATIC WATER LEVEL 18.80 FT BELOW LSD, SEP. 19, 1966.  
RECORDS AVAILABLE: 1949-52, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1966	5.97	AUG. 18, 1966	A	MAR. 20, 1967	2.5	MAR. 19, 1968	4.8
FEB. 23	5.63	SEP. 19	18.8	APR. 24	1.7	APR. 15	5.2
MAR. 15	5.52	OCT. 17	18.7	MAY 17	3.2	MAY 14	8.5
APR. 18	7.19	NOV. 16	17.1	AUG. 15	12.0	SEP. 19	16.1
MAY 17	12.2	DEC. 14	9.4	SEP. 19	12.0	OCT. 15	16.2
JUNE 15	18.3	JAN. 18, 1967	9.9	OCT. 18	12.0	NOV. 19	14.6
JULY 20	16.1	FEB. 15	2.6	NOV. 15	11.5	DEC. 12	14.2

7N/5W-16B2 M. W. E. LAWSON. ABOUT 0.25 MILE NORTHEAST OF RUTHERFORD. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 232 FT., LSD 155 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 18, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
HIGHEST WATER LEVEL 5.60 FT BELOW LSD, MAR. 20, 1967.  
LOWEST STATIC WATER LEVEL 18.70 FT BELOW LSD, OCT. 17, 1966.  
RECORDS AVAILABLE: 1949-53, 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1966	8.27	AUG. 18, 1966	13.4	MAR. 20, 1967	5.6	MAR. 19, 1968	7.2
FEB. 23	7.74	SEP. 19	16.6	APR. 24	6.5	APR. 15	8.2
MAR. 15	8.11	OCT. 17	18.7	MAY 17	8.2	MAY 14	9.9
APR. 18	9.17	NOV. 16	16.7	AUG. 15	10.7	SEP. 19	16.5
MAY 19	10.9	DEC. 14	10.7	SEP. 19	13.6	OCT. 15	16.8
JUNE 15	13.0	JAN. 18, 1967	9.9	OCT. 18	14.7	NOV. 19	16.5
JULY 20	14.1	FEB. 15	6.2	NOV. 15	15.1	DEC. 12	15.0

## GROUND-WATER RECORDS, 1966-68

8N/6W-1001 M. MAROLF BROS. ABOUT 3.5 MILES SOUTHEAST OF CALISTOGA. DRILLED STOCK AND IRRIGATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 183.5 FT., LSD 290 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 18, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 0.10 FT BELOW LSD, MAR. 20, 1967.  
 LOWEST STATIC WATER LEVEL 16.50 FT BELOW LSD, SEP. 19, 1968.  
 RECORDS AVAILABLE: 1949-52, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1966	1.68	AUG. 18, 1966	7.8	MAR. 20, 1967	.1	MAR. 19, 1968	1.1
FEB. 23	1.20	SEP. 19	8.7	APR. 24	1.0	APR. 15	1.7
MAR. 15	1.27	OCT. 17	9.6	MAY 17	1.6	MAY 14	2.5
APR. 18	1.56	NOV. 16	9.5	AUG. 22	4.0	SEP. 19	16.5
MAY 19	3.4	DEC. 14	1.5	SEP. 19	13.0 B	OCT. 15	7.9
JUNE 15	4.3	JAN. 18, 1967	1.9	OCT. 18	5.2	NOV. 19	6.6
JULY 20	6.1	FEB. 15	1.4	NOV. 15	4.9	DEC. 12	5.8

## ORANGE COUNTY

## Coastal Plain

3S/11W-32R6 S. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM, DIAMETER 8 INCHES. MEASURED BY ORANGE COUNTY FLOOD CONTROL DISTRICT. DEPTH FT., LSD 46 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 38.80 FT BELOW LSD, JAN. 8, 1968.  
 LOWEST STATIC WATER LEVEL 76.30 FT BELOW LSD, JULY 26, 1966.  
 RECORDS AVAILABLE: 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 13, 1966	56.76J	OCT. 26, 1966	72.4 J	JULY 20, 1967	65.0 J	MAR. 7, 1968	53.0 J
FEB. 21	55.45J	NOV. 25	56.4 J	AUG. 30	69.5 J	APR. 17	55.1 J
MAR. 22	60.19J	DEC. 28	56.2 J	SEP. 14	69.1 J	MAY 6	56.9 J
APR. 27	67.55J	JAN. 26, 1967	51.6 J	OCT. 24	71.0 J	JUNE 17	62.9 J
MAY 24	66.3 J	FEB. 23	53.8 J	NOV. 14	60.1 J	JULY 19	64.6 J
JUNE 16	68.4 J	MAR. 28	J	DEC. 14	42.0	SEP. 12	68.1 J
JULY 26	76.3 J	APR. 24	49.4 J	JAN. 8, 1968	38.8	NOV. 1	55.6 J
AUG. 31	76.1 J	MAY 25	61.1 J	FEB. 8	50.1 J	DEC. 6	54.1 J
OCT. 3	70.3 J	JUNE 27	63.0 J				

4S/10W-27C2 S. CITY OF ANAHEIM. NEAR DISNEYLAND. DRILLED UNUSED WATER-TABLE WELL IN SAND AND GRAVEL OF PLEISTOCENE AGE, DIAMETER 16 INCHES, PERFORATED 140-163, AND 178-190 FEET. MEASUREMENTS BY ORANGE COUNTY FLOOD CONTROL DISTRICT. DEPTH 226 FT., LSD 129 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 80.50 FT BELOW LSD, FEB. 6, 1968.  
 LOWEST STATIC WATER LEVEL 90.40 FT BELOW LSD, NOV. 3, 1966.  
 RECORDS AVAILABLE: 1932-33, 1936-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	84.78	OCT. 18, 1966	80.4 N	JULY 17, 1967	80.8	APR. 8, 1968	81.5
FEB. 9	86.19	NOV. 3	90.4	AUG. 4	81.2	MAY 2	82.3
MAR. 8	85.65	DEC. 1	88.5	SEP. 11	82.0	JUNE 11	83.2
APR. 14	85.74	JAN. 9, 1967	87.1	OCT. 4	83.4	JULY 8	82.5
MAY 6	86.63	FEB. 9	85.8	NOV. 8	82.7	AUG. 8	84.5
JUNE 8	87.0	MAR. 6	84.7	DEC. 6	82.3	SEP. 5	85.4
JULY 11	87.6	APR. 6	83.3	JAN. 3, 1968	81.8	OCT. 8	86.6
AUG. 8	88.0	MAY 1	81.1	FEB. 6	80.5	NOV. 5	86.7
SEP. 15	88.9	JUNE 5	81.4	MAR. 5	81.4	DEC. 4	87.2



# ORANGE COUNTY

101

4S/11W-19K1 S. LOS ALAMITOS SUGAR CO. NEAR LOS ALAMITOS. DRILLED UNUSED ARTESIAN WELL IN DEPOSITS OF PLEISTOCENE AGE, DIAMETER 12 INCHES. MEASUREMENTS BY CITY OF LONG BEACH. DEPTH 448 FT., LSD 28.50 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 23.58 FT BELOW LSD, APR. 24, 1967.  
LOWEST STATIC WATER LEVEL 48.44 FT BELOW LSD, JULY 25, 1966.  
RECORDS AVAILABLE: 1901, 1903, 1929-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 31, 1966	26.63	OCT. 24, 1966	40.13J	JULY 24, 1967	37.43J	APR. 22, 1968	33.98J
FEB. 28	26.14	NOV. 28	31.73J	AUG. 28	40.58J	MAY 20	35.88J
MAR. 28	27.83	DEC. 26	26.69	SEP. 25	40.98J	JUNE 24	47.63J
APR. 25	37.46J	JAN. 23, 1967	24.45	OCT. 30	37.33J	JULY 22	44.68J
MAY 30	42.58J	FEB. 20	24.96	NOV. 27	32.08J	AUG. 19	44.98J
JUNE 30	43.56J	MAR. 27	25.83	DEC. 26	26.48	SEP. 23	44.48J
JULY 25	48.44J	APR. 24	23.58	JAN. 22, 1968	26.48	OCT. 14	41.18J
AUG. 22	46.96J	MAY 29	30.76J	FEB. 19	26.33	NOV. 25	31.43J
SEP. 29	44.28J	JUNE 26	33.33J	MAR. 25	27.78	DEC. 16	30.38J

5S/9W-29M1 S. 5S/9W-29M1, FORMERLY I-9F1. THE IRVINE CO. (PLANT NO. 91). NEAR SANTA ANA. DRILLED IRRIGATION ARTESIAN WELL IN DEPOSITS OF PLEISTOCENE AGE, DIAMETER 20 TO 10 INCHES. RECORDS FURNISHED BY ORANGE COUNTY FLOOD CONTROL DISTRICT. DEPTH 1,208 FT., LSD 51.5 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 26.48 FT BELOW LSD, JAN. 25, 1966.  
LOWEST STATIC WATER LEVEL 47.20 FT BELOW LSD, AUG. 11, 1966.  
RECORDS AVAILABLE: 1932-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 25, 1966	26.48	APR. 20, 1966	32.41	SEP. 20, 1966	46.0	NOV. 14, 1966	42.9
FEB. 15	28.57	MAY 10	39.39	OCT. 19	46.7	DEC. 16	34.9 0
MAR. 10	31.32	AUG. 11	47.2				

6S/11W-13F2 S. MILLS LAND AND WATER CO. HUNTINGTON BEACH UNUSED WELL 7 INCHES CSG. MEASURED BY ORANGE COUNTY FLOOD CONTROL DISTRICT. DEPTH 110.6 FT., LSD 2.7 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 1.57 FT ABOVE LSD, FEB. 15, 1966.  
LOWEST STATIC WATER LEVEL 2.20 FT BELOW LSD, OCT. 28, 1968.  
RECORDS AVAILABLE: 1933, 1939-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	+ 1.52	OCT. 19, 1966	+ .6	JULY 18, 1967	+ 1.1	MAR. 12, 1968	.1
FEB. 15	+ 1.57	NOV. 4	+ .7	AUG. 9	+ 0.9	APR. 10	+ .9
MAR. 9	+ 1.52	DEC. 2	+ 1.1	SEP. 13	+ .8	JUNE 13	+ .8
APR. 19	+ 1.19	JAN. 12, 1967	+ 1.2	OCT. 5	+ 1.0	JULY 16	+ .8
MAY 10	+ 1.12	FEB. 20	+ 1.3	NOV. 13	+ 1.1	AUG. 9	2.0
JUNE 10	+ 1.1	MAR. 14	+ 1.2	DEC. 8	+ 1.1	SEP. 5	1.9
JULY 12	+ .9	APR. 14	+ 1.2	JAN. 5, 1968	+ 1.1	OCT. 28	2.2
AUG. 8	+ 0.7	MAY 19	+ 1.2	FEB. 7	+ 1.0	NOV. 25	2.0
SEP. 15	+ .5	JUNE 16	+ 1.2				

## RIVERSIDE COUNTY

## Chuckwalla Valley

4S/16E-29R1 S. OWNER UNKNOWN. ABOUT 7 MILES NORTHEAST OF DESERT CENTER. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 109.7 FT IN 1961, 107 FT MARCH 16, 1967, LSD 540 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 78.76 FT BELOW LSD, OCT. 26, 1967.  
 LOWEST STATIC WATER LEVEL 79.10 FT BELOW LSD, OCT. 28, 1966.  
 RECORDS AVAILABLE: 1961-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	N	OCT. 28, 1966	79.10	MAR. 16, 1967	78.93	OCT. 26, 1967	78.760

4S/16E-32D1 S. WALTER PALLADINE. ABOUT 6 1/2 MILES NORTHEAST OF DESERT CENTER. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 610 FT., LSD 560 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 81.67 FT BELOW LSD, MAR. 2, 1966.  
 LOWEST STATIC WATER LEVEL 87.84 FT BELOW LSD, OCT. 26, 1967.  
 RECORDS AVAILABLE: 1953-55, 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	81.67	MAR. 16, 1967	83.44	APR. 8, 1968	85.89	NOV. 7, 1968	86.41
OCT. 28	86.33	OCT. 26	87.84				

4S/17E-6C1 S. HAROLD STARK. ABOUT 13 1/2 MILES NORTHEAST OF DESERT CENTER. DRILLED DOMESTIC AND IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 501 FT., LSD 500 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 22.50 FT BELOW LSD, MAR. 3, 1966.  
 LOWEST STATIC WATER LEVEL 22.95 FT BELOW LSD, OCT. 26, 1967.  
 RECORDS AVAILABLE: 1932, 1952, 1954-57, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	22.50	MAR. 16, 1967	22.55	APR. 8, 1968	22.80	NOV. 7, 1968	22.71
OCT. 28	22.74	OCT. 26	22.95				

5S/16E-7M2 S. H. C. BROWN. ABOUT 3 1/2 MILES NORTHEAST OF DESERT CENTER. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 789 FT., LSD 610 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 123.62 FT BELOW LSD, MAR. 2, 1966.  
 LOWEST STATIC WATER LEVEL 126.86 FT BELOW LSD, NOV. 7, 1968.  
 RECORDS AVAILABLE: 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	123.62	MAR. 16, 1967	125.10	APR. 8, 1968	126.83	NOV. 7, 1968	126.86
OCT. 28	126.84	OCT. 26	126.43				

5S/16E-8K1 S. COUNTY OF RIVERSIDE (DESERT CENTER AIRPORT). ABOUT 4 1/2 MILES NORTHEAST OF DESERT CENTER. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 212 FT., LSD 550 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 80.36 FT BELOW LSD, MAR. 16, 1967.  
 LOWEST STATIC WATER LEVEL 87.26 FT BELOW LSD, APR. 8, 1968.  
 RECORDS AVAILABLE: 1942, 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	81.10	MAR. 16, 1967	80.36	APR. 8, 1968	87.26	NOV. 7, 1968	80.81
OCT. 28	80.85	OCT. 26	80.53				

5S/16E-22N1 S. U.S. GOVERNMENT. ABOUT 5 1/2 MILES EAST OF DESERT CENTER. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 515.7 FT., LSD 665 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 189.34 FT BELOW LSD, MAR. 2, 1966.  
 LOWEST STATIC WATER LEVEL 189.81 FT BELOW LSD, NOV. 7, 1968.  
 RECORDS AVAILABLE: 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	189.34	MAR. 16, 1967	189.72	APR. 8, 1968	N	NOV. 7, 1968	189.81
OCT. 27	189.65	OCT. 25	189.72				

7S/20E-4R1 S. VADA MCBRIDE. ABOUT 30 MILES EAST OF DESERT CENTER. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 315.7 FT IN 1961, 310 FT MARCH 16, 1967, LSD 418 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 150.66 FT BELOW LSD, MAR. 2, 1966.  
 LOWEST STATIC WATER LEVEL 150.92 FT BELOW LSD, MAR. 16, 1967.  
 RECORDS AVAILABLE: 1961-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	150.66	OCT. 27, 1966	150.89	MAR. 16, 1967	150.92	OCT. 25, 1967	150.86

### Joshua Tree National Monument

1S/7F-27R1 S. NATIONAL PARK SERVICE (WILLETTS WELL). IN QUAIL WASH SOUTH OF JOSHUA TREE (VILLAGE) AND WEST OF LOST HORSE VALLEY. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 5 INCHES. DEPTH 182.0 FT IN 1966 AND 139.8 FT IN 1968, LSD 3,770 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 129.75 FT BELOW LSD, MAR. 1, 1966.  
 LOWEST STATIC WATER LEVEL 136.83 FT BELOW LSD, MAR. 15, 1967.  
 RECORDS AVAILABLE: 1958, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	129.75	MAR. 15, 1967	136.83	APR. 4, 1968	M	OCT. 29, 1968	M
OCT. 26	134.70	OCT. 25	M				

2S/8E-3C1 S. NATIONAL PARK SERVICE (QUEEN WELL). SOUTH OF THE WONDERLAND OF ROCKS AND ABOUT 2 MILES NORTH OF SHEEP PASS. DRILLED UNUSED WATER-TABLE WELL IN RESIDUUM, DIAMETER 8 INCHES. DEPTH 108 FT., LSD 4,300 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 91.99 FT BELOW LSD, OCT. 25, 1967.  
 LOWEST STATIC WATER LEVEL 95.74 FT BELOW LSD, MAR. 1, 1966.  
 RECORDS AVAILABLE: 1961, 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	95.74	MAR. 15, 1967	92.06	APR. 5, 1968	94.60	OCT. 30, 1968	92.17
OCT. 26	93.25	OCT. 25	91.99				

2S/8F-7K1 S. NATIONAL PARK SERVICE (STOKES NO. 2). IN NARROW VALLEY EAST OF HIDDEN VALLEY AT WEST SIDE OF LOST HORSE VALLEY. DRILLED UNUSED WELL IN RESIDUUM, DIAMETER 8 INCHES. DEPTH 290 FT., LSD 4,100 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 213.69 FT BELOW LSD, MAR. 1, 1966.  
 LOWEST STATIC WATER LEVEL 216.15 FT BELOW LSD, OCT. 29, 1968.  
 RECORDS AVAILABLE: 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	213.69	MAR. 15, 1967	214.93	APR. 4, 1968	215.81	OCT. 29, 1968	216.15
OCT. 26	214.50	OCT. 25	215.46				

## GROUND-WATER RECORDS, 1966-68

2S/8E-21G2 S. NATIONAL PARK SERVICE (LOST HORSE NO. 2). EAST OF LOST HORSE VALLEY NEAR RYAN CAMPGROUND. DUG PUBLIC SUPPLY WELL IN RESIDUUM, DIAMETER 48 INCHES. DEPTH 43.0 FT., LSD 4,480 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 36.04 FT BELOW LSD, OCT. 26, 1966.  
 LOWEST STATIC WATER LEVEL 41.00 FT BELOW LSD, APR. 4, 1968.  
 RECORDS AVAILABLE: 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	38.71	MAR. 15, 1967	39.72	APR. 4, 1968	41.00	OCT. 29, 1968	39.14
OCT. 26	36.04	OCT. 25	38.32B				

2S/12E-35F1 S. U.S. PARK SERVICE. IN PINTO BASIN ON EAST SIDE OF GOLD CROWN ROAD. DRILLED UNUSED WELL IN ALLUVIUM. DEPTH FT., LSD 1,408.6 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 427.00 FT BELOW LSD, MAR. 3, 1966.  
 LOWEST STATIC WATER LEVEL 427.00 FT BELOW LSD, MAR. 3, 1966.  
 RECORDS AVAILABLE: 1956, 1961, 1966-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	427	OCT. 28, 1966	0				

2S/12E-36F1 S. NATIONAL PARK SERVICE (DALE HOLMES WELL, GOLD ROSE WELL). IN PINTO BASIN, 1 MILE EAST OF GOLD CROWN ROAD AT MISSION WELL. DRILLED DOMESTIC WELL IN ALLUVIUM. DEPTH 444 FT., LSD 1,347 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 400.37 FT BELOW LSD, OCT. 26, 1967.  
 LOWEST STATIC WATER LEVEL 400.91 FT BELOW LSD, MAR. 3, 1966.  
 RECORDS AVAILABLE: 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	400.91	MAR. 17, 1967	400.51	APR. 5, 1968	400.61	NOV. 7, 1968	N
OCT. 28	400.51	OCT. 26	400.37				

3S/15E-4J1 S. NATIONAL PARK SERVICE (KAISER NO. 2). AT EAST END OF PINTO BASIN NEAR KAISER STEEL COMPANY'S EAGLE MOUNTAIN WELLS. DRILLED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 575.0 FT., LSD 1,080.6 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 161.95 FT BELOW LSD, MAR. 2, 1966.  
 RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	161.95C	MAR. 17, 1967	163.38C	APR. 8, 1968	A	NOV. 7, 1968	N
OCT. 27	162.94C	OCT. 26	163.78C				

4S/11E-27Q1 S. NATIONAL PARK SERVICE (COTTONWOOD WELL). IN SMOKETREE WASH 3 1/2 MILES NORTH OF COTTONWOOD SPRING. DRILLED PUBLIC SUPPLY WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 403 FT., LSD 2,975 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 179.44 FT BELOW LSD, MAR. 3, 1966.  
 LOWEST STATIC WATER LEVEL 183.04 FT BELOW LSD, APR. 5, 1968.  
 RECORDS AVAILABLE: 1958-61, 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	179.44	MAR. 17, 1967	180.59	APR. 5, 1968	183.04	NOV. 7, 1968	182.22
OCT. 28	179.49	OCT. 26	181.84				

## Mission Creek Area

2S/3E-12L1 S. BUREAU OF INDIAN AFFAIRS. MISSION CREEK INDIAN RESERVATION. CABLE TOOL HOLE IN STREAM CHANNEL DEPOSITS. DIAMETER 8-INCHES, PERFORATED 90-100, 140-150, 165-175 FEET. DEPTH 175.9 FT., LSD 2,363 FT. ABOVE MSL.

HIGHEST WATER LEVEL 35.20 FT BELOW LSD, MAR. 30, 1966.

LOWEST STATIC WATER LEVEL 101.89 FT BELOW LSD, DEC. 11, 1968.

RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 25, 1966	95.76	JUNE 15, 1966	53.87	NOV. 16, 1967	66.72	JUNE 19, 1968	87.38
FEB. 28	65.58	JUNE 28	56.18	JAN. 2, 1968	61.04	SEP. 6	98.27
MAR. 30	35.20	JULY 22	59.18	FEB. 7	61.48	OCT. 2	99.85
APR. 5	37.24	AUG. 23	62.39	APR. 22	72.10	OCT. 31	101.19
APR. 27	44.95	NOV. 18	75.40	MAY 21	80.16	DEC. 11	101.89
MAY 31	53.65	DEC. 22	71.5 G				

2S/3E-12L3 S. BUREAU OF INDIAN AFFAIRS. MISSION CREEK INDIAN RESERVATION. AUGER HOLE IN ALLUVIUM. DIAMETER 2 1/2 INCHES, PERFORATED 4 1/2 - 7 FEET. DEPTH 7.15 FT., LSD 2,365 FT. ABOVE MSL.

HIGHEST WATER LEVEL 0.11 FT ABOVE LSD, JAN. 2, 1968.

LOWEST STATIC WATER LEVEL 1.10 FT BELOW LSD, JUNE 15, 1966.

RECORDS AVAILABLE: 1966, 1968.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JUNE 15, 1966	1.10	JUNE 17, 1966	1.09	JULY 22, 1966	0.98	JAN. 2, 1968 +	.11
JUNE 16	1.04	JUNE 28	1.07	AUG. 23	.80	FEB. 7 +	.060

## Rice Valley

1S/21E-32B1 S. J. H. ROBERTS. ABOUT 1 MILE SOUTHEAST OF RICE AIR BASE (ABANDONED), AND 4 MILES SOUTHEAST OF RICE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH REPORTED 175 FT IN 1962 AND MEASURED 153.5 FT IN 1967, LSD 740 FT. ABOVE MSL.

HIGHEST WATER LEVEL 150.66 FT BELOW LSD, OCT. 25, 1967.

LOWEST STATIC WATER LEVEL 150.88 FT BELOW LSD, MAR. 2, 1966.

RECORDS AVAILABLE: 1962-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	150.88	OCT. 27, 1966	150.76	MAR. 16, 1967	150.76	OCT. 25, 1967	150.66

## San Jacinto Basin

4S/3W-32E1 S. JAMES MALCOLM. ON SOUTHEAST CORNER OF FOURTH AND F STREETS IN PERRIS. DRILLED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 16 INCHES. RECORDS FURNISHED BY RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT. DEPTH FT., AND LSD 1,433 FT. ABOVE MSL.

HIGHEST WATER LEVEL 75.70 FT BELOW LSD, MAR. 7, 1966, MAY 2, 1967.

LOWEST STATIC WATER LEVEL 76.30 FT BELOW LSD, FEB. 3, 1967.

RECORDS AVAILABLE: 1929-43, 1945-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1966	75.8	JULY 7, 1966	76.2	OFC. 13, 1966	75.9	MAR. 27, 1967	F
FEB. 3	76.1	AUG. 5	76.0	JAN. 11, 1967	76.0	MAY 2	75.7
MAR. 7	75.7	SEP. 6	76.1	FEB. 3	76.3	JUNE 5	F
APR. 20	N	OCT. 6	76.0	MAR. 3	N	JULY 5	0
MAY 25	75.8	OCT. 25	76.0				

## GROUND-WATER RECORDS, 1966-68

5S/2W-27E2 S. FRED HARVEY. IN WINCHESTER. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM, DIAMETER 9 INCHES. RECORDS FURNISHED BY RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT. DEPTH 68 FT., LSD 1,477 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 61.40 FT BELOW LSD, MAR. 7, 1966.  
 LOWEST STATIC WATER LEVEL 64.10 FT BELOW LSD, OCT. 9, 1968.  
 RECORDS AVAILABLE: 1930-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1966	62.2	OCT. 26, 1966	62.4	AUG. 8, 1967	62.2	MAY 15, 1968	62.2
FEB. 3	61.7	DEC. 16	62.4	SEP. 8	62.4	JUNE 12	62.4
MAR. 7	61.4	JAN. 11, 1967	62.3	OCT. 26	62.4	JULY 10	62.5
APR. 22	62.2	FEB. 3	62.2	DEC. 7	62.5	AUG. 7	62.6
MAY 27	62.3	MAR. 8	62.0	JAN. 5, 1968	62.3	SEP. 12	62.6
JULY 7	62.5	MAR. 28	62.1	FEB. 8	62.2	OCT. 9	64.1
AUG. 6	62.8	MAY 2	61.8	MAR. 7	62.2	NOV. 12	62.8
SEP. 6	62.8	JUNE 6	62.1	MAR. 29	62.2	DEC. 13	62.8
OCT. 7	63.4	JULY 11	62.0				

6S/3W-3H2 S. JAMES MINER. IN MENIFEE VALLEY, ONE MILE EAST OF MENIFEE SCHOOL. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM. RECORDS FURNISHED BY RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT. DEPTH FT., LSD 1,428 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 149.77 FT BELOW LSD, FEB. 2, 1966.  
 LOWEST STATIC WATER LEVEL 186.90 FT BELOW LSD, OCT. 3, 1968.  
 RECORDS AVAILABLE: 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 11, 1966	160.57	OCT. 6, 1966	A	JULY 7, 1967	A	MAY 8, 1968	A
FEB. 2	149.77	OCT. 25	A	AUG. 7	186.3 C	JUNE 11	188.0 B
MAR. 9	158.09	DEC. 15	163.3	SEP. 7	182.8 C	JULY 9	A
MAR. 9	158.65	JAN. 10, 1967	161.7	OCT. 26	176.8 C	AUG. 6	A
APR. 22	A	FEB. 6	160.3	DEC. 8	165.9 C	SEP. 5	A
MAY 26	A	MAR. 6	161.3	JAN. 8, 1968	164.2 C	OCT. 3	186.9
JULY 7	A	MAR. 28	A	FEB. 7	A	NOV. 12	171.6
AUG. 5	A	MAY 4	A	MAR. 5	A	DEC. 13	171.4
SEP. 7	A	JUNE 2	A	MAR. 29	A		

## Upper Santa Margarita River Valley

6S/4W-27N1 S. JOHN CACIA. 150 FEET SOUTHWEST OF PALOMAR STREET AND 150 FEET SOUTH OF HOUSE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 144 FT., LSD 1,290 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 117.40 FT BELOW LSD, MAR. 28, 1967.  
 LOWEST STATIC WATER LEVEL 125.30 FT BELOW LSD, OCT. 12, 1967.  
 RECORDS AVAILABLE: 1959, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 2, 1966	125.21	MAR. 28, 1967	117.4	OCT. 12, 1967	125.30	MAR. 19, 1968	F
OCT. 4	122.38						

6S/4W-35C1 S. 1/2 MILE NORTHEAST OF WILDOMAR. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 130 FT., LSD 1,299 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 92.70 FT BELOW LSD, APR. 2, 1966.  
 LOWEST STATIC WATER LEVEL 101.20 FT BELOW LSD, OCT. 12, 1967.  
 RECORDS AVAILABLE: 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 2, 1966	92.7	MAR. 28, 1967	96.51	OCT. 12, 1967	101.20	MAR. 20, 1968	99.65
OCT. 5	97.78						

6S/4W-35M4 S. BETTY TURNER. AT TURNER'S REALTY OFFICE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 60.7 FT., LSD 1,255 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 47.87 FT BELOW LSD, MAR. 20, 1968.  
 LOWEST STATIC WATER LEVEL 48.83 FT BELOW LSD, JAN. 24, 1966.  
 RECORDS AVAILABLE: 1945, 1953, 1959, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	48.83	MAR. 24, 1966	48.59	MAR. 28, 1967	48.30	MAR. 11, 1968	47.99
FEB. 24	48.65	SEP. 30	48.56	OCT. 12	47.99	MAR. 20	47.87

7S/2W-20L1 S. SERAPHINA NICOLAS. IN SANTA GERTRUDIS CREEK ABOUT 500 FEET NORTHWEST OF WINDMILL AND HOUSES. DRILLED IRRIGATION WELL IN ALLUVIUM, 12 INCH CASING. DEPTH 615 FT., LSD 1,160 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 72.87 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 79.50 FT BELOW LSD, MAR. 29, 1966.  
 RECORDS AVAILABLE: 1962, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 29, 1966	79.5	MAR. 29, 1967	74.74	JAN. 4, 1968	77.29	MAR. 19, 1968	72.87
SEP. 27	76.91	OCT. 11	73.73				

7S/2W-21E1 S. LEO RORIPAUGH. IN SANTA GERTRUDIS CREEK ABOUT 0.8 MILE SOUTHEAST OF SKUNK HOLLOW. DRILLED STOCK WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 110 FT., LSD 1,215 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 57.18 FT BELOW LSD, JAN. 4, 1968.  
 LOWEST STATIC WATER LEVEL 77.47 FT BELOW LSD, OCT. 11, 1967.  
 RECORDS AVAILABLE: 1959, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 29, 1966	61.7	MAR. 29, 1967	N	JAN. 4, 1968	57.18	MAR. 19, 1968	67.10
SEP. 29	81.6 A	OCT. 11	77.47				

7S/2W-21F2 S. LEO RORIPAUGH. IN SANTA GERTRUDIS CREEK ABOUT 0.8 MILE SOUTHEAST OF SKUNK HOLLOW. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 293.6 FT., LSD 1,200 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 54.17 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 55.05 FT BELOW LSD, MAR. 29, 1966.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 29, 1966	55.05	MAR. 29, 1967	54.75	JAN. 4, 1968	54.32	MAR. 19, 1968	54.17
SEP. 29	54.98	OCT. 11	54.38				

7S/2W-24F1 S. RANCHO CALIF., FORMERLY VAIL CO., NEAR INTERSECTION OF LONG VALLEY AND BUCK MESA ROADS ON BANK OF SANTA GERTRUDIS CREEK. DEPTH 5 FT., LSD 1,435 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 1.05 FT BELOW LSD, OCT. 11, 1967.  
 LOWEST STATIC WATER LEVEL 3.91 FT BELOW LSD, SEP. 28, 1966.  
 RECORDS AVAILABLE: 1953, 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 27, 1966	N	MAR. 29, 1967	N	OCT. 19, 1967	1.46	MAR. 19, 1968	N
SEP. 28	3.91	OCT. 11	1.05				

7S/2W-25C1 S. RANCHO CALIF., FORMERLY VAIL CO. (OWNER'S NO. 6). IN BUCK MESA ABOUT 1/2 MILE EAST OF RM 1488. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES, PERFORATED 450-580, 581-660, 662-800, 802-839, 840-900, 902-950, AND 952-1040 FEET. DEPTH 1,066 FT., LSD 1,478 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 67.39 FT BELOW LSD, MAR. 26, 1968.  
 LOWEST STATIC WATER LEVEL 69.07 FT BELOW LSD, MAR. 27, 1966.  
 RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 27, 1966	69.07	MAR. 29, 1967	67.40	OCT. 11, 1967	N	MAR. 26, 1968	67.39
SEP. 28	68.21						

## GROUND-WATER RECORDS, 1966-68

7S/2W-25H1 S. RANCHO CALIF., FORMERLY VAIL CO. (ADORE WINDMILL). IN LONG VALLEY, SOUTHEAST OF BUCK MESA. DRILLED STOCK WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 147 FT., LSD 1,440 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 17.57 FT BELOW LSD, MAR. 28, 1966.  
 LOWEST STATIC WATER LEVEL 20.12 FT BELOW LSD, OCT. 11, 1967.  
 RECORDS AVAILABLE: 1953-54, 1959, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 28, 1966	18.56A	MAR. 28, 1967	N	NOV. 13, 1967	20.53B	MAR. 19, 1968	19.94B
MAR. 28	17.57B	OCT. 11	20.12				

7S/2W-26G1 S. RANCHO CALIF., FORMERLY VAIL CO. (OWNER'S NO. 4). IN BUCK MESA ABOUT 0.2 MILE SOUTHWEST OF RM 1448 AND 2.50 MILES NORTHWEST OF LONG VALLEY ROAD. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 14 INCHES, PERFORATED 470-920 FEET. DEPTH 1,020 FT., LSD 1,440 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 209.10 FT BELOW LSD, MAR. 27, 1966.  
 LOWEST STATIC WATER LEVEL 289.07 FT BELOW LSD, NOV. 13, 1967.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 27, 1966	209.1	DEC. 1966	257.4 G	MAR. 29, 1967	249.5	NOV. 13, 1967	289.07
SEP. 28	A	JAN. 1967	250.0 G	OCT. 11	A	MAR. 19, 1968	A
NOV.	272	G FEB.	250.0				

7S/2W-26N1 S. RANCHO CALIF., FORMERLY VAIL CO. (LONG VALLEY-YODER). IN LONG VALLEY AT YODER CAMP. DRILLED DOMESTIC WELL IN ALLUVIUM. MEASUREMENTS FURNISHED BY OWNER. DEPTH 187 FT., LSD 1,308.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 165.45 FT BELOW LSD, MAR. 29, 1967.  
 LOWEST STATIC WATER LEVEL 167.68 FT BELOW LSD, MAR. 19, 1968.  
 RECORDS AVAILABLE: 1925-27, 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	N	MAR. 24, 1966	N	MAR. 29, 1967	165.45	MAR. 19, 1968	167.68
FEB. 24	N	SEP. 28	N	OCT. 11	166.67		

7S/2W-27J1 S. RANCHO CALIF., FORMERLY VAIL CO. (OWNER'S NO. 1). IN LONG VALLEY ABOUT 0.2 MILE NORTHEAST OF LONG VALLEY WINDMILL. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES, PERFORATED 410-1005 FEET. DEPTH 1,015 FT., LSD 1,300 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 115.00 FT BELOW LSD, JULY, 1966.  
 LOWEST STATIC WATER LEVEL 211.17 FT BELOW LSD, OCT. 11, 1967.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 27, 1966	160.6	SEP. 1966	179 G	JAN. 1967	179.5 G	OCT. 11, 1967	211.17
JULY	115 G	OCT.	181 G	FEB.	177.0 G	JAN. 16, 1968	202.95
AUG.	174 G	NOV.	181.6 G	MAR. 29	176.49	MAR. 26	194.13
SEP. 28	187.9	DEC.	178.5 G	MAR.	177.6 G		

7S/2W-27R1 S. RANCHO CALIF., FORMERLY VAIL CO. (LONG VALLEY). ACROSS ROAD FROM YODER CAMP. DRILLED STOCK WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 301.9 FT., LSD 1,300 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 164.40 FT BELOW LSD, MAR. 24, 1966.  
 LOWEST STATIC WATER LEVEL 178.80 FT BELOW LSD, OCT. 19, 1967.  
 RECORDS AVAILABLE: 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	164.76A	MAR. 24, 1966	164.4 A	MAR. 29, 1967	172.48	OCT. 19, 1967	178.80
FEB. 24	164.69A	SEP. 28	167.92	OCT. 11	177.83	MAR. 19, 1968	175.15



7S/2W-28J1 S. RANCHO CALIF., FORMERLY VAIL CO. (OWNER'S NO. 9). IN BUCK MESA ABOUT 2 MILES SOUTHWEST OF RM 1448 AND 0.5 MILE NORTH OF LONG VALLEY ROAD. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 845 FT., LSD 1,370 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 243.20 FT BELOW LSD, MAR. 29, 1967.  
 LOWEST STATIC WATER LEVEL 246.07 FT BELOW LSD, NOV. 15, 1967.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 29, 1966	245.41	MAR. 29, 1967	243.20	NOV. 15, 1967	246.07	MAR. 26, 1968	246.04
OCT. 5	244.30	OCT. 11	245.37				

7S/2W-30D2 S. LEO RORIPAUGH. IN SANTA GERTRUDIS CREEK ABOUT 200 FEET SOUTH OF NICOLAS ROAD AND 0.5 MILE SOUTHEAST OF INTERSECTION OF NICOLAS AND WINCHESTER ROADS. DRILLED UNUSED WELL IN ALLUVIUM. DEPTH FT., LSD 1,108 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 56.79 FT BELOW LSD, MAR. 29, 1966.  
 LOWEST STATIC WATER LEVEL 65.80 FT BELOW LSD, JAN. 12, 1967.  
 RECORDS AVAILABLE: 1959, 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 29, 1966	56.79	SEP. 29, 1966	60.51	MAR. 29, 1967	57.31	JAN. 4, 1968	60.12
APR. 21	65.27G	JAN. 12, 1967	65.80G	OCT. 11	63.56	MAR. 19	58.72

7S/2W-30D3 S. RANCHO CALIF., FORMERLY VAIL CO. IN SANTA GERTRUDIS CREEK ABOUT 200 FEET SOUTH OF NICOLAS ROAD AND 0.55 MILE SOUTHEAST OF INTERSECTION OF NICOLAS AND WINCHESTER ROADS. DRILLED STOCK WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH FT., LSD 1,108 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 63.66 FT BELOW LSD, MAR. 29, 1966.  
 LOWEST STATIC WATER LEVEL 68.00 FT BELOW LSD, JAN. 4, 1968.  
 RECORDS AVAILABLE: 1954, 1958-59, 1966, 1968.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 29, 1966	63.66	JAN. 4, 1968	68.00				

7S/2W-33F1 S. RANCHO CALIF., FORMERLY VAIL CO. (LONG CANYON). WINDMILL ON NORTH SIDE OF ROAD IN LONG CANYON. DRILLED STOCK WELL IN ALLUVIUM, DIAMETER 24 INCHES. DEPTH FT., LSD 1,229 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 85.10 FT BELOW LSD, MAR. 29, 1967.  
 LOWEST STATIC WATER LEVEL 89.55 FT BELOW LSD, OCT. 11, 1967.  
 RECORDS AVAILABLE: 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	87.95A	MAR. 24, 1966	85.20	MAR. 29, 1967	85.1 B	OCT. 19, 1967	94.07H
FEB. 24	86.0 A	SEP. 28	89.09	OCT. 11	89.55	MAR. 19, 1968	N

7S/2W-34N1 S. RANCHO CALIF., FORMERLY VAIL CO. (NEW SCHRÖDF), ABOUT 0.8 MILE SOUTH OF LONG VALLEY ROAD AND 1.75 MILE SOUTHWEST OF RM 1317. DRILLED STOCK WELL IN ALLUVIUM, DIAMETER 7 INCHES. DEPTH 184 FT., LSD 1,280 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 162.85 FT BELOW LSD, MAR. 27, 1966.  
 LOWEST STATIC WATER LEVEL 166.32 FT BELOW LSD, OCT. 11, 1967.  
 RECORDS AVAILABLE: 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 27, 1966	162.85	MAR. 29, 1967	163.4 B	OCT. 11, 1967	166.32	MAR. 19, 1968	165.14
SEP. 28	163.1 B						

## GROUND-WATER RECORDS, 1966-68

7S/2W-36J1 S. RANCHO CALIF., FORMERLY VAIL CO. (OWNER'S NO. 2). IN CANYON TRIBUTARY TO TEMECULA CREEK AND ABOUT ONE MILE EAST OF RM 1317. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES, PERFORATED 360-890 FEET. DEPTH 936 FT., LSD 1,490 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 345.32 FT BELOW LSD, MAR. 26, 1966.  
LOWEST STATIC WATER LEVEL 403.20 FT BELOW LSD, OCT. 11, 1967.  
RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 26, 1966	345.32	MAR. 29, 1967	362.95	OCT. 11, 1967	403.2	MAR. 19, 1968	366.07
SEP. 28	N						

7S/3W-5L2 S. JULIUS HORENSTEIN. ABOUT ONE MILE SOUTHEAST OF OAK SPRINGS RANCH. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 105 FT., LSD 1,275 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 18.07 FT BELOW LSD, APR. 2, 1966.  
LOWEST STATIC WATER LEVEL 19.40 FT BELOW LSD, OCT. 11, 1967, JAN. 24, 1968.  
RECORDS AVAILABLE: 1959, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 2, 1966	18.07	MAR. 30, 1967	18.88	JAN. 24, 1968	19.40	MAR. 20, 1968	19.29
OCT. 4	18.98	OCT. 11	19.40				

7S/3W-5P1 S. HARVEY BLACKMORE. ABOUT 1 1/2 MILES SOUTHEAST OF OAK SPRINGS RANCH. DRILLED STOCK WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 80 FT., LSD 1,250 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 22.90 FT BELOW LSD, APR. 2, 1966.  
LOWEST STATIC WATER LEVEL 22.90 FT BELOW LSD, APR. 2, 1966.  
RECORDS AVAILABLE: 1953, 1958-59, 1966-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 2, 1966	22.90	OCT. 4, 1966	M	MAR. 30, 1967	M	OCT. 12, 1967	O

7S/3W-7L1 S. ALEX WEINSTEIN, FORMERLY C. H. BAILEY. ABOUT 100 FEET NORTHEAST OF WASHINGTON AVENUE AND 0.2 MILE SOUTHEAST OF RM 1148. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 240 FT., LSD 1,144.7 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 177.04 FT BELOW LSD, MAR. 20, 1968.  
LOWEST STATIC WATER LEVEL 189.10 FT BELOW LSD, SEP. 30, 1966.  
RECORDS AVAILABLE: 1952-54, 1958-60, 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 1, 1966	186.15	MAR. 28, 1967	180.86	JAN. 30, 1968	179.28	MAR. 20, 1968	177.04
SEP. 30	189.10	OCT. 12	182.40				

7S/3W-7R1 S. R. KIDDER RANCH, FORMERLY S. TERMINI. ABOUT ONE MILE NORTHWEST OF MURRIETA. DRILLED IRRIGATION WELL IN ALLUVIUM. DEPTH 285 FT., LSD 1,165.8 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 197.10 FT BELOW LSD, MAR. 20, 1968.  
LOWEST STATIC WATER LEVEL 206.91 FT BELOW LSD, MAR. 28, 1967.  
RECORDS AVAILABLE: 1946, 1952-54, 1958, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 1, 1966	206.4	OCT. 12, 1967	205.44	FEB. 9, 1968	198.66	MAR. 20, 1968	197.10
MAR. 28, 1967	206.91						

7S/3W-8J1 S. HARVEY BLACKMORE. ABOUT ONE MILE NORTHEAST OF MURRIETA. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 235 FT., LSD 1,175 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 41.35 FT BELOW LSD, APR. 2, 1966.  
LOWEST STATIC WATER LEVEL 43.19 FT BELOW LSD, OCT. 12, 1967.  
RECORDS AVAILABLE: 1959, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 2, 1966	41.35	OCT. 12, 1967	43.19	JAN. 31, 1968	49.74A	MAR. 20, 1968	N
MAR. 30, 1967	42.65						

7S/3W-8M1 S. DR. WILLIAM HUNTLEY, FORMERLY HARVEY BLACKMORE. NEAR MURRIETA, ABOUT 1.2 MILES NORTH OF INTERSECTION OF LEMON ST AND ADAMS AVE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES, PERFORATED 60-207 FEET. DEPTH 195.6 FT., LSD 1,190 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 31.39 FT BELOW LSD, APR. 2, 1966.  
LOWEST STATIC WATER LEVEL 35.65 FT BELOW LSD, MAR. 20, 1968.  
RECORDS AVAILABLE: 1959, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 2, 1966	31.39	MAR. 30, 1967	33.56	JAN. 31, 1968	35.45	MAR. 20, 1968	35.65
OCT. 4	32.72	OCT. 12	34.62				

7S/3W-9M1 S. HARVEY BLACKMORE. NEAR MURRIETA. ABOUT 350 FEET WEST OF ANTELOPE ROAD AND 1.1 MILES NORTHEAST OF INTERSECTION OF KALMIA STREET AND JEFFERSON AVE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 92 FT., LSD 1,260 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 72.80 FT BELOW LSD, MAR. 30, 1967.  
LOWEST STATIC WATER LEVEL 73.41 FT BELOW LSD, OCT. 4, 1966.  
RECORDS AVAILABLE: 1953-54, 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 2, 1966	73.35	MAR. 30, 1967	72.80	JAN. 31, 1968	73.25	MAR. 20, 1968	73.10
OCT. 4	73.41	OCT. 12	73.08				

7S/3W-10H1 S. DONALD RATES, FORMERLY W. R. COLEMAN. 0.57 MILE NORTHEAST OF HIGHWAY 395 AND 150 FEET NORTHWEST OF ALAMOS ROAD. DRILLED DOMESTIC WELL IN ALLUVIUM AND WEATHERED CONSOLIDATED ROCKS, DIAMETER 8 INCHES. DEPTH 87 FT., LSD 1,280 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 31.47 FT BELOW LSD, MAR. 30, 1967.  
LOWEST STATIC WATER LEVEL 38.96 FT BELOW LSD, OCT. 11, 1967.  
RECORDS AVAILABLE: 1950, 1953, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 2, 1966	38.03	OCT. 11, 1967	38.96	JAN. 24, 1968	33.40	MAR. 20, 1968	32.96
MAR. 30, 1967	31.47						

7S/3W-1501 S. M. J. YODER. ABOUT 0.5 MILE WEST OF TEMECULA HOT SPRINGS. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 180 FT., LSD 1,165.1 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 120.40 FT BELOW LSD, APR. 2, 1966.  
LOWEST STATIC WATER LEVEL 129.53 FT BELOW LSD, SEP. 29, 1966.  
RECORDS AVAILABLE: 1959, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 2, 1966	120.40	MAR. 29, 1967	122.20	FEB. 6, 1968	124.22	MAR. 26, 1968	124.94
SEP. 29	129.53	OCT. 12	127.53				

7S/3W-1503 S. M. J. YODER. ABOUT 0.5 MILE WEST OF TEMECULA HOT SPRINGS. DRILLED HOT WATER WELL IN ALLUVIUM, PERFORATED 149-151 FEET. DEPTH 286 FT., LSD 1,173.7 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 20.28 FT BELOW LSD, SEP. 29, 1966.  
LOWEST STATIC WATER LEVEL 24.20 FT BELOW LSD, APR. 2, 1966.  
RECORDS AVAILABLE: 1953-54, 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 2, 1966	24.2	MAR. 29, 1967	56.5 A	OCT. 11, 1967	21.50	MAR. 26, 1968	21.1
SEP. 29	20.28						

7S/3W-16G1 S. C. F. YODER. ABOUT 0.8 MILE NORTHEAST OF INTERSECTION OF JEFFERSON AVE AND IVY STREET AND 50 FEET NORTH OF LOS ALAMOS ROAD. DRILLED STOCK WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 168 FT., LSD 1,150 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 33.85 FT BELOW LSD, MAR. 26, 1968.  
LOWEST STATIC WATER LEVEL 53.60 FT BELOW LSD, OCT. 12, 1967.  
RECORDS AVAILABLE: 1951, 1953-54, 1958, 1959, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 2, 1966	38.90	MAR. 30, 1967	35.9	FEB. 8, 1968	35.04	MAR. 26, 1968	33.85
OCT. 5	N	OCT. 12	53.6				

## GROUND-WATER RECORDS, 1966-68

7S/3W-17F5 S. MELISSA LE FEVRE. NEAR MURRIETA AT INTERSECTION OF WASHINGTON AVE AND LEMON ST. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 120 FT., LSD 1,122 FT. ABOVE MSL. HIGHEST WATER LEVEL 89.00 FT BELOW LSD, APR. 1, 1966. LOWEST STATIC WATER LEVEL 94.93 FT BELOW LSD, MAR. 20, 1968. RECORDS AVAILABLE: 1964, 1966-68.

DATE	WATER LEVFL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 1, 1966	89.00	MAR. 28, 1967	91.82	FEB. 14, 1968	94.91	MAR. 20, 1968	94.93
SEP. 30	91.79	OCT. 12	93.66R				

7S/3W-17G3 S. R. O. FREEMAN, FORMERLY NORA BRYANT. NEAR MURRIETA ABOUT 300 FEET NORTHWEST OF KALMIA STREET AND JEFFERSON AVE. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 119 FT., LSD 1,124.4 FT. ABOVE MSL. HIGHEST WATER LEVEL 64.49 FT BELOW LSD, MAR. 28, 1967. LOWEST STATIC WATER LEVEL 65.31 FT BELOW LSD, MAR. 20, 1968. RECORDS AVAILABLE: 1956, 1959, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 29, 1966	65.06	MAR. 28, 1967	64.49	FEB. 15, 1968	65.24	MAR. 20, 1968	65.31
SEP. 30	65.11	OCT. 12	65.02				

7S/3W-18R1 S. KIDDER RANCH. NEAR MURRIETA. ABOUT 100 FEET NORTHEAST OF WASHINGTON AVENUE AND 0.5 MILE NORTHWEST OF INTERSECTION OF WASHINGTON AVE AND LEMON ST. DRILLED IRRIGATION WELL IN ALLUVIUM. DEPTH 456 FT., LSD 1,150 FT. ABOVE MSL. HIGHEST WATER LEVEL 181.96 FT BELOW LSD, MAR. 20, 1968. LOWEST STATIC WATER LEVEL 197.60 FT BELOW LSD, SEP. 30, 1966. RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 1, 1966	191.50	MAR. 28, 1967	185.15	FEB. 9, 1968	183.64	MAR. 20, 1968	181.96
SEP. 30	197.60	OCT. 12	196.25				

7S/3W-18Q2 S. DR. G. J. MURPHY, FORMERLY A. SHANDR. SOUTH OF INTERSECTION AT TENAJA ROAD AND HAYES AVE. DRILLED DOMESTIC AND IRRIGATION WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 150 FT., LSD 1,110 FT. ABOVE MSL. HIGHEST WATER LEVEL 37.30 FT BELOW LSD, FEB. 24, 1966. LOWEST STATIC WATER LEVEL 41.40 FT BELOW LSD, JAN. 24, 1966. RECORDS AVAILABLE: 1959, 1964-66.

DATE	WATER LEVFL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	41.4	FEB. 24, 1966	37.3	MAR. 24, 1966	37.8	SEP. 30, 1966	A

7S/3W-18Q5 S. ATLANTIC-RICHFIELD OIL CO. NEAR MURRIETA, ABOUT 100 FEET WEST OF INTERSECTION OF HAYES AVE AND TENAJA ROAD. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 18 INCHES. DEPTH 445.4 FT., LSD 1,108 FT. ABOVE MSL. HIGHEST WATER LEVEL 55.85 FT BELOW LSD, MAR. 28, 1967. LOWEST STATIC WATER LEVEL 75.00 FT BELOW LSD, JAN. 16, 1966. RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVFL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 16, 1966	75 G	APR. 1, 1966	61.75	MAR. 28, 1967	55.85	FEB. 29, 1968	60.59
FEB. 24	60.21	SEP. 30	114.30C	OCT. 12	92.75C		

7S/3W-20A4 S. WESLEY HARTING, FORMERLY V. M. COLTON, FORMERLY ELSENPETER. ABOUT HALF A MILE SOUTHEAST OF MURRIETA. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 52 FT., LSD 1,087.8 ABOVE MSL. HIGHEST WATER LEVEL 49.33 FT BELOW LSD, MAR. 28, 1967. LOWEST STATIC WATER LEVEL 58.15 FT BELOW LSD, JAN. 24, 1966. RECORDS AVAILABLE: 1953-54, 1956, 1959, 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	58.15	MAR. 24, 1966	53.34	MAR. 28, 1967	49.33A	MAR. 6, 1968	0
FEB. 24	54.24	SEP. 30	50.53	OCT. 12	51.25		

7S/3W-20G3 S. G. D. HOUSE. ABOUT HALF A MILE SOUTHEAST OF MURRIETA. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8-INCHES. DEPTH 285.0 FT., LSD 1,085 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 114.84 FT BELOW LSD, MAR. 13, 1968.  
 LOWEST STATIC WATER LEVEL 114.84 FT BELOW LSD, MAR. 13, 1968.  
 RECORDS AVAILABLE: 1959, 1968-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 13, 1968	114.84						

7S/3W-20L3 S. R. J. RIDDER. NEAR MURRIETA, ABOUT 100 FEET SOUTH OF INTERSECTION OF IVY ST AND HAYES AVE. DRILLED IRRIGATION WELL IN ALLUVIUM. DEPTH FT., LSD 1,100 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 68.64 FT BELOW LSD, MAR. 28, 1967.  
 LOWEST STATIC WATER LEVEL 142.60 FT BELOW LSD, SEP. 30, 1966.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 29, 1966	71.01	OCT. 30, 1966	138.62	OCT. 12, 1967	98.58	MAR. 14, 1968	70.90
SEP. 30	142.6	MAR. 28, 1967	68.64				

7S/3W-20N1 S. E. L. SMALL. NEAR MURRIETA, ABOUT 50 FEET SOUTHEAST OF IVY ST NEAR LAUREL CEMETERY. DRILLED IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 172.0 FT., LSD 1,160 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 117.91 FT BELOW LSD, MAR. 28, 1967.  
 LOWEST STATIC WATER LEVEL 140.48 FT BELOW LSD, OCT. 12, 1967.  
 RECORDS AVAILABLE: 1958-59, 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 29, 1966	118.41	MAR. 28, 1967	117.91	OCT. 12, 1967	140.48	MAR. 14, 1968	118.31
SEP. 30	150.21C						

7S/3W-21K4 S. DR. R. J. MORTON, FORMERLY W. JORDAN. NEAR MURRIETA, ABOUT 50 FEET SOUTHEAST OF INTERSECTION OF GUAVA ST AND ADAMS AVE. DRILLED IRRIGATION WELL IN ALLUVIUM. DEPTH 412 FT., LSD 1,050 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 65.08 FT BELOW LSD, APR. 1, 1966.  
 LOWEST STATIC WATER LEVEL 67.10 FT BELOW LSD, MAR. 30, 1967.  
 RECORDS AVAILABLE: 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 1, 1966	65.08	MAR. 30, 1967	67.10	OCT. 12, 1967	A	MAR. 26, 1968	65.29

7S/3W-21P1 S. DR. R. J. MORTON, FORMERLY D. E. OWEN. ABOUT 100 FEET EAST OF INTERSECTION OF WASHINGTON AVE AND GUAVA ST. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES, PERFORATED 28-55, 90-96, 207-215, 219-231, 235-289 FEET. DEPTH 252 FT., LSD 1,054.6 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 34.98 FT BELOW LSD, MAR. 28, 1967.  
 LOWEST STATIC WATER LEVEL 51.87 FT BELOW LSD, JAN. 24, 1966.  
 RECORDS AVAILABLE: 1953-54, 1958-59, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	51.87	SEP. 30, 1966	46.60C	MAR. 28, 1967	34.98	OCT. 12, 1967	37.34
FEB. 24	42.16	OCT. 30	46.96	AUG. 17	35.09	MAR. 20, 1968	37.89
MAR. 24	39.32C						

7S/3W-22H1 S. W. C. JONES. ABOUT 0.5 MILE SOUTHWEST OF TEMECULA HOT SPRINGS. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 225 FT., LSD 1,078 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 33.82 FT BELOW LSD, MAR. 29, 1967.  
 LOWEST STATIC WATER LEVEL 45.59 FT BELOW LSD, OCT. 11, 1967.  
 RECORDS AVAILABLE: 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 2, 1966	34.71	MAR. 29, 1967	33.82	FEB. 7, 1968	35.98	MAR. 20, 1968	34.86
OCT. 5	43.62	OCT. 11	45.59				

## GROUND-WATER RECORDS, 1966-68

7S/3W-22K1 S. L. S. BROWN. ABOUT 0.7 MILE SOUTHWEST OF TEMECULA HOT SPRINGS. DRILLED DOMESTIC WELL IN ALLUVIUM. DEPTH 135 FT., LSD 1,095 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 47.58 FT BELOW LSD, APR. 2, 1966.  
 LOWEST STATIC WATER LEVEL 53.56 FT BELOW LSD, OCT. 11, 1967.  
 RECORDS AVAILABLE: 1957, 1959, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 2, 1966	47.58	MAR. 29, 1967	48.41	FEB. 7, 1968	50.56	MAR. 20, 1968	52.09
OCT. 5	51.42	OCT. 11	53.56				

7S/3W-23A3 S. H. GUENTHER. MURRIETA HOT SPRINGS. ABOUT 1/3 MILE SOUTHEAST OF RESORT. DRILLED PUBLIC SUPPLY WELL IN ALLUVIUM. DEPTH 475 FT., LSD 1,135 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 78.93 FT BELOW LSD, FEB. 24, 1966.  
 LOWEST STATIC WATER LEVEL 106.15 FT BELOW LSD, APR. 22, 1966.  
 RECORDS AVAILABLE: 1957, 1959, 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	79.68	APR. 22, 1966	106.15G	MAR. 29, 1967	82.89	FEB. 1, 1968	82.83C
FEB. 24	78.93	SEP. 27	92.31	OCT. 11	96.26	MAR. 19	81.38
MAR. 24	82.63	JAN. 10, 1967	81.45G				

7S/3W-23D4 S. R. A. COOK. AT TEMECULA HOT SPRINGS. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 295 FT., LSD 1,086 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 44.78 FT BELOW LSD, MAR. 29, 1967.  
 LOWEST STATIC WATER LEVEL 63.90 FT BELOW LSD, OCT. 11, 1967.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 2, 1966	45.65	MAR. 29, 1967	44.78	FEB. 2, 1968	47.86	MAR. 20, 1968	46.12
SEP. 29	59.30	OCT. 11	63.90				

7S/3W-23K1 S. LEO RORIPAUGH. WINDMILL ON LOW KNOLL IN LARGE GRAINFIELD. DRILLED STOCK WELL IN ALLUVIUM, DIAMETER 9 INCHES. DEPTH 415.3 FT., LSD 1,118 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 80.30 FT BELOW LSD, FEB. 24, 1966.  
 LOWEST STATIC WATER LEVEL 107.16 FT BELOW LSD, OCT. 11, 1967.  
 RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	82.6	APR. 22, 1966	92.05G	MAR. 24, 1967	82.94	FEB. 1, 1968	84.28
FEB. 24	80.3	SEP. 29	102.75	OCT. 11	107.16	MAR. 20	83.60
MAR. 24	87.20	JAN. 10, 1967	90.75G				

7S/3W-24A1 S. MRS. A. N. CEAS. ABOUT 300 FEET SOUTHEAST OF INTERSECTION OF WEBSTER AVE AND WINCHESTER ROAD. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 165 FT., LSD 1,105 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 53.83 FT BELOW LSD, FEB. 24, 1966.  
 LOWEST STATIC WATER LEVEL 83.98 FT BELOW LSD, SEP. 18, 1967.  
 RECORDS AVAILABLE: 1953-54, 1958-59, 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 3, 1966	57.07G	JUNE 8, 1966	64.74G	NOV. 21, 1966	62.61G	AUG. 9, 1967	73.85G
JAN. 24	55.91	JULY 5	71.69G	FEB. 15, 1967	64.25G	SEP. 18	83.98G
FEB. 24	53.83	AUG. 23	80.27G	MAR. 29	68.25	OCT. 11	89.318
MAR. 24	56.16	SEP. 23	81.64G	MAY 3	56.95G	OCT. 13	83.75G
APR. 19	57.32G	SEP. 29	78.53	JUNE 7	65.25G	FEB. 7, 1968	70.09
MAY 19	64.92G	OCT. 25	71.40G	JULY 7	77.80G		

7S/3W-24A2 S. E. NICASTRO, FORMERLY SHAMEL. ABOUT 0.2 MILE EAST OF INTERSECTION OF WEBSTER AVE AND WINCHESTER ROAD. DRILLED IRRIGATION WELL IN ALLUVIUM. DEPTH 258 FT., LSD 1,100 FT. ABOVE MSL.

HIGHEST WATER LEVEL 45.43 FT BELOW LSD, FEB. 1, 1968.  
 LOWEST STATIC WATER LEVEL 53.70 FT BELOW LSD, APR. 21, 1966.  
 RECORDS AVAILABLE: 1959, 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 21, 1966	53.70G	NOV. 6, 1966	49.36	MAR. 29, 1967	N	FEB. 1, 1968	45.43
SEP. 29	76.1 A	JAN. 12, 1967	47.62G	OCT. 11	N		

7S/3W-24R1 S. MRS. A. N. CEAS. ABOUT 100 FEET EAST OF CONFLUENCE OF SANTA GERTRUDIS CREEK AND TUCALOTA CREEK. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 138 FT., LSD 1,100 FT. ABOVE MSL.

HIGHEST WATER LEVEL 56.44 FT BELOW LSD, FEB. 24, 1966.  
 LOWEST STATIC WATER LEVEL 73.31 FT BELOW LSD, OCT. 11, 1967.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	58.84	MAR. 24, 1966	57.25	MAR. 29, 1967	57.47	JAN. 4, 1968	62.73
FEB. 24	56.44	SEP. 29	67.88	OCT. 11	73.31	MAR. 26	58.49

7S/3W-25F1 S. LEO RORIPAUGH. (OWNER'S NO. 6). IN SANTA GERTRUDIS CREEK, ABOUT ONE MILE NORTHEAST OF INTERSECTION OF BANANA AVE AND HIGHWAY 395 AND 0.1 MILE NORTHWEST OF BANANA AVE. DRILLED IRRIGATION WELL IN ALLUVIUM. DEPTH FT., LSD 1,072 FT. ABOVE MSL.

HIGHEST WATER LEVEL 43.39 FT BELOW LSD, APR. 23, 1968.  
 LOWEST STATIC WATER LEVEL 68.34 FT BELOW LSD, APR. 22, 1966.  
 RECORDS AVAILABLE: 1958-59, 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 22, 1966	68.34G	MAR. 29, 1967	N	OCT. 11, 1967	63.50	APR. 23, 1968	43.39
SEP. 29	81.1 A						

7S/3W-25M1 S. J. R. SHAMEL. ON HILLSIDE WEST OF WINCHESTER ROAD AND ABOUT 1 MILE NORTH OF INTERSECTION WITH HIGHWAY 395. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH FT., LSD 1,105 FT. ABOVE MSL.

HIGHEST WATER LEVEL 65.50 FT BELOW LSD, JAN. 24, 1966.  
 LOWEST STATIC WATER LEVEL 68.85 FT BELOW LSD, SEP. 18, 1967.  
 RECORDS AVAILABLE: 1935, 1939, 1953-54, 1958-59, 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	65.5	AUG. 23, 1966	67.15G	JAN. 12, 1967	68.63G	JULY 7, 1967	68.35G
FEB. 24	65.7	SEP. 23	67.99G	FEB. 15	68.63G	AUG. 9	68.60G
MAR. 24	65.9	SEP. 29	67.2	MAR. 16	68.58G	SEP. 18	68.85G
APR. 19	66.75G	OCT. 25	68.64G	MAR. 29	67.6	OCT. 11	66.65
MAY 19	67.08G	NOV. 6	68.27	MAY 3	67.85G	OCT. 13	67.45G
JUNE 8	68.05G	NOV. 21	68.75G	JUNE 7	68.40G	MAR. 19, 1968	66.80
JULY 5	67.90G						

7S/3W-25R1 S. RANCHO CALIF., FORMERLY VAIL CO. ABOUT 1.5 MILE NORTHEAST OF INTERSECTION OF BANANA AVE AND HIGHWAY 395. DRILLED STOCK WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 130 FT., LSD 1,105 FT. ABOVE MSL.

HIGHEST WATER LEVEL 69.37 FT BELOW LSD, APR. 1, 1966.  
 LOWEST STATIC WATER LEVEL 76.09 FT BELOW LSD, SEP. 29, 1966.  
 RECORDS AVAILABLE: 1958-59, 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 1, 1966	69.37	JAN. 12, 1967	73.28G	OCT. 11, 1967	90.59B	MAR. 20, 1968	72.45
SEP. 29	76.09	MAR. 29	80.54B	FEB. 7, 1968	73.08		

## GROUND-WATER RECORDS, 1966-68

7S/3W-2601 S. LEO RORIPAUGH. IN SANTA GERTRUDIS CREEK, ABOUT 0.3 MILE NORTHEAST OF INTERSECTION OF HIGHWAY 395 AND BANANA ROAD. DRILLED IRRIGATION WELL IN ALLUVIUM. DEPTH 450 FT., LSD 1,050 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 18.92 FT BELOW LSD, APR. 22, 1966.  
 LOWEST STATIC WATER LEVEL 38.69 FT BELOW LSD, OCT. 11, 1967.  
 RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 29, 1966	21.18	SEP. 29, 1966	38.06G	MAR. 29, 1967	19.95	FEB. 7, 1968	20.77
APR. 22	18.92G	JAN. 12, 1967	31.05G	OCT. 11	38.69		

7S/3W-27L2 S. O. A. USSERY. ABOUT 150 FEET SOUTHWEST OF ADAMS AVENUE, IN BARNYARD RESIDE HOUSE. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 4 INCHES. DEPTH 25 FT., LSD 1,030 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 6.19 FT BELOW LSD, JAN. 24, 1966.  
 LOWEST STATIC WATER LEVEL 12.09 FT BELOW LSD, APR. 16, 1968.  
 RECORDS AVAILABLE: 1959, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	6.19	MAR. 24, 1966	7.13	MAR. 28, 1967	8.42	MAR. 20, 1968	11.87
FEB. 24	6.84	SEP. 30	10.00	OCT. 12	10.85	APR. 16	12.09

7S/3W-27M1 S. CHARLES KING, FORMERLY JACK KLURNIKIN, ON EAST BANK OF MURRIETA CREEK AND 100 FEET NORTH OF ELM ST. DRILLED DOMESTIC AND IRRIGATION WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 112 FT., LSD 1,036.3 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 29.55 FT BELOW LSD, MAR. 28, 1967.  
 LOWEST STATIC WATER LEVEL 48.82 FT BELOW LSD, OCT. 11, 1967.  
 RECORDS AVAILABLE: 1951, 1953-54, 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1966	45.86	OCT. 11, 1967	48.82	MAR. 20, 1968	31.97	APR. 17, 1968	34.70
MAR. 28, 1967	29.55						

7S/3W-34R1 S. C. C. DUTTON. ABOUT 200 FEET NORTH OF INTERSECTION OF ADAMS AVE AND CHERRY ST. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH FT., LSD 1,028 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 18.04 FT BELOW LSD, MAR. 20, 1968.  
 LOWEST STATIC WATER LEVEL 32.75 FT BELOW LSD, SEP. 30, 1966.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 29, 1966	20.80	MAR. 28, 1967	18.34	OCT. 12, 1967	31.70	MAR. 20, 1968	18.04
SEP. 30	32.75						

7S/3W-34G1 S. LEO RORIPAUGH. (OWNER'S NO. 2). ABOUT 0.3 MILE SOUTHWEST OF INTERSECTION OF CHERRY STREET AND ADAMS AVE. (MEASURED ALONG CHERRY STREET). DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 62 FT., LSD 1,025 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 19.37 FT BELOW LSD, MAR. 20, 1968.  
 LOWEST STATIC WATER LEVEL 29.28 FT BELOW LSD, OCT. 12, 1967.  
 RECORDS AVAILABLE: 1959, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 29, 1966	20.05	DEC. 1, 1966	62.1 A	OCT. 12, 1967	29.28	APR. 17, 1968	21.67C
SEP. 30	62.1 A	MAR. 28, 1967	23.06	MAR. 20, 1968	19.37		

7S/3W-35A1 S. RANCHO CALIF., FORMERLY VAIL CO. (OWNER'S NO. 5). ABOUT 0.5 MILE EAST OF INTERSECTION OF HIGHWAY 395 AND BANANA AVE. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 17 INCHES. DEPTH 1,000 FT., LSD 1,060 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 30.50 FT BELOW LSD, APR. 2, 1966.  
 LOWEST STATIC WATER LEVEL 48.45 FT BELOW LSD, SEP. 29, 1966.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 2, 1966	30.50	NOV. 1966	39.0 G	FEB. 1967	34.5 G	OCT. 12, 1967	N
SEP. 29	48.45	DEC. 1966	34.0 G	MAR. 1967	32.1 G	FEB. 7, 1968	32.65
OCT. 1966	46.4 G	JAN. 1967	34.8	MAR. 29	30.81	MAR. 26	31.45



7S/3W-35C1 S. LEO RORIPAUGH. (OWNER'S NO. 4). ABOUT 100 FEET WEST OF INTERSECTION OF HIGHWAY 395 AND BANANA AVE. DRILLED IRRIGATIONAL WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 500 FT., LSD 1,048 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 16.32 FT BELOW LSD, MAR. 28, 1967.  
 LOWEST STATIC WATER LEVEL 31.07 FT BELOW LSD, JAN. 12, 1967.  
 RECORDS AVAILABLE: 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 29, 1966	16.90	SEP. 29, 1966	N	MAR. 28, 1967	16.32	MAR. 20, 1968	A
APR. 22	17.13G	JAN. 12, 1967	31.07G	OCT. 11	N		

7S/3W-35P1 S. RANCHO CALIF., FORMERLY VAIL CO. (HUTCH WELL). IN NORTH CORNER OF FIELD ON NORTHEAST BANK OF MURRIETA CREEK. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 20 INCHES. MEASUREMENTS FURNISHED BY OWNER. DEPTH 216.9 FT., LSD 1,016.5 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 12.23 FT BELOW LSD, MAR. 28, 1967.  
 LOWEST STATIC WATER LEVEL 19.15 FT BELOW LSD, SEP. 27, 1966.  
 RECORDS AVAILABLE: 1925-27, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	13.52	MAR. 24, 1966	12.48	MAR. 28, 1967	12.23	OCT. 11, 1967	18.48
FEB. 24	12.48	SEP. 27	19.15	AUG. 17	14.68	MAR. 20, 1968	13.18

7S/3W-35P2 S. RANCHO CALIF., FORMERLY VAIL CO. IN NORTH CORNER OF FIELD ON SOUTHWEST SIDE OF MURRIETA CREEK. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 20 INCHES. MEASUREMENTS FURNISHED BY OWNER. DEPTH 356.0 FT., LSD 1,011 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 18.37 FT BELOW LSD, MAR. 20, 1968.  
 LOWEST STATIC WATER LEVEL 26.98 FT BELOW LSD, SEP. 27, 1966.  
 RECORDS AVAILABLE: 1926-27, 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 29, 1966	22.94	MAR. 28, 1967	19.92	SEP. 11, 1967	24.93	MAR. 20, 1968	18.37
SEP. 27	26.98						

7S/4W-1A1 S. DR. C. W. TURNER. FORMERLY F. W. BENNETT, WEST SIDE OF WASH ABOUT 0.3 MILE NORTHWEST OF OAK SPRINGS RANCH. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 190.4 FT., LSD 1,298 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 65.91 FT BELOW LSD, MAR. 30, 1967.  
 LOWEST STATIC WATER LEVEL 78.40 FT BELOW LSD, MAR. 19, 1968.  
 RECORDS AVAILABLE: 1949, 1952-54, 1958-59, 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 2, 1966	77.77	OCT. 11, 1967	N	MAR. 19, 1968	78.40	MAR. 28, 1968	78.18
MAR. 30, 1967	65.91						

7S/4W-2F3 S. D. A. BROWN. NEAR WILDOMAR, IN FIELD ABOUT 150 FEET SOUTHWEST OF INTERSECTION OF MCVICKAR STREET AND GRAND AVE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 200 FT., LSD 1,237 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 32.36 FT BELOW LSD, OCT. 12, 1967.  
 LOWEST STATIC WATER LEVEL 39.39 FT BELOW LSD, APR. 2, 1966.  
 RECORDS AVAILABLE: 1960, 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 2, 1966	39.39	MAR. 28, 1967	34.58	MAR. 20, 1968	32.54	APR. 5, 1968	32.57
OCT. 4	38.21	OCT. 12	32.36				

7S/4W-2H2 S. ATLANTIC-RICHFIELD OIL CO., FORMERLY A. L. LOVEADY. AT SOUTHEAST SIDE OF HOUSE. DRILLED DOMESTIC WELL IN ALLUVIUM. DEPTH 75 FT., LSD 1,205 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 35.38 FT BELOW LSD, MAR. 28, 1967.  
 LOWEST STATIC WATER LEVEL 37.78 FT BELOW LSD, OCT. 11, 1967.  
 RECORDS AVAILABLE: 1959, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	36.58C	MAR. 24, 1966	36.49	MAR. 28, 1967	35.38	MAR. 20, 1968	35.39
FEB. 24	36.29	SEP. 30	N	OCT. 11	37.78		

## GROUND-WATER RECORDS, 1966-68

7S/4W-12H1 S. VERNA FREEMAN. UNDER WOOD HEADFRAME AT NORTHEAST END OF GARAGE. DUG DOMESTIC WELL IN ALLUVIUM, DIAMETER OF INSTALLED CASING 7 INCHES. DEPTH 70 FT., LSD 1,176 FT. ABOVE MSL. HIGHEST WATER LEVEL 36.25 FT BELOW LSD, MAR. 28, 1967. LOWEST STATIC WATER LEVEL 39.30 FT BELOW LSD, MAR. 20, 1968. RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	38.87	MAR. 24, 1966	37.43	MAR. 28, 1967	36.25	MAR. 20, 1968	39.30
FEB. 24	38.31	SEP. 30	37.68	OCT. 12	43.53B	APR. 2	37.32

8S/1W-6P1 S. RANCHO CALIF., FORMERLY VAIL CO. IN UPPER PAURA VALLEY IN FIELD NORTH OF TEMECULA CREEK. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES, PERFORATED 320-880 FEET. DEPTH 1,015 FT., LSD 1,237 FT. ABOVE MSL. HIGHEST WATER LEVEL 102.05 FT BELOW LSD, MAR. 26, 1966. LOWEST STATIC WATER LEVEL 235.50 FT BELOW LSD, OCT. 10, 1967. RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 26, 1966	102.05	SEP. 27, 1966	188.89	DEC. 1966	141.4 G	MAR. 1967	127.5 G
JUNE	179 G	SEP.	196 G	JAN. 1967	130.2 G	OCT. 10	A
JULY	252 A	OCT.	235.5 G	FEB.	123.9 G	NOV. 14	167.73
AUG.	250 A	NOV.	150.8 G	MAR. 29	130.17	MAR. 26, 1968	131.95

8S/2W-7A1 S. RANCHO CALIF., FORMERLY VAIL CO. (SCHRODE WELL). WINDMILL IN SMALL VALLEY NEAR AQUIFUCT. DRILLED STOCK WELL IN ALLUVIUM, DIAMETER 12 INCHES. MEASUREMENTS FURNISHED BY OWNER. DEPTH 604 FT., LSD 1,143 FT. ABOVE MSL. HIGHEST WATER LEVEL 93.17 FT BELOW LSD, MAR. 28, 1967. LOWEST STATIC WATER LEVEL 107.49 FT BELOW LSD, OCT. 12, 1967. RECORDS AVAILABLE: 1926-27, 1953, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	100.89A	MAR. 24, 1966	94.35A	MAR. 28, 1967	93.17	MAR. 19, 1968	94.42
FEB. 24	93.38A	SEP. 28	99.49	OCT. 12	107.49		

8S/2W-11J2 S. RANCHO CALIF., FORMERLY VAIL CO. (OWNER'S NO. 30A). IN TEMECULA VALLEY. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES, PERFORATED 36-38, 42-46, 70-72, 87-90 FEET. MEASUREMENTS FURNISHED BY OWNER. DEPTH 91.3 FT., LSD 1,182.3 FT. ABOVE MSL. HIGHEST WATER LEVEL 60.75 FT BELOW LSD, MAR. 26, 1966. LOWEST STATIC WATER LEVEL 67.03 FT BELOW LSD, OCT. 10, 1967. RECORDS AVAILABLE: 1925-37, 1939, 1948, 1953, 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 26, 1966	60.75	SEP. 27, 1966	65.04	DEC. 1966	62.5 G	OCT. 10, 1967	67.03
JUNE	64.9 G	SEP.	65.1 G	JAN. 1967	62.1 G	OCT. 17	66.91
JULY	66.3 G	OCT.	63.3 G	MAR. 29	62.32	MAR. 19, 1968	64.67
AUG.	66.2 G	NOV.	63.0 G	MAR.	62.0 G		

8S/2W-11L1 S. RANCHO CALIF., FORMERLY VAIL CO. (OWNER'S NO. 40). IN TEMECULA VALLEY. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. MEASUREMENTS FURNISHED BY OWNER. DEPTH 298 FT., LSD 1,163 FT. ABOVE MSL. HIGHEST WATER LEVEL 47.60 FT BELOW LSD, MAR. 26, 1966. LOWEST STATIC WATER LEVEL 54.02 FT BELOW LSD, OCT. 10, 1967. RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 26, 1966	47.60	MAR. 29, 1967	48.85	OCT. 10, 1967	54.02	MAR. 19, 1968	50.93
SEP. 27	53.09						

8S/2W-12H1 S. RANCHO CALIF., FORMERLY VAIL CO. (THE WINDMILL). IN TEMECULA VALLEY. DRILLED STOCK WELL IN ALLUVIUM, DIAMETER 12 INCHES. MEASUREMENTS FURNISHED BY OWNER. DEPTH 515 FT., LSD 1,216 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 85.40 FT BELOW LSD, MAR. 26, 1966.  
 LOWEST STATIC WATER LEVEL 95.81 FT BELOW LSD, OCT. 18, 1967.  
 RECORDS AVAILABLE: 1920-27, 1941-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 26, 1966	85.4 A	MAR. 29, 1967	90.47	OCT. 18, 1967	95.81	MAR. 19, 1968	93.18
SEP. 27	94.2 A	OCT. 10	95.64A				

8S/2W-12J1 S. RANCHO CALIF., FORMERLY VAIL CO. (NEW J. K. WELL OR NO. 10). IN UPPER PAUBA VALLEY. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 317 FT., LSD 1,209 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 87.50 FT BELOW LSD, MAR. , 1967.  
 LOWEST STATIC WATER LEVEL 92.80 FT BELOW LSD, SEP. , 1966.  
 RECORDS AVAILABLE: 1957-59, 1963, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 1966	92.8 G	DEC. 1966	88.0 G	MAR. 29, 1967	87.51	OCT. 10, 1967	92.69
SEP. 27	90.68	JAN. 1967	87.7 G	MAR.	87.5	MAR. 19, 1968	90.94
NOV.	88.6 G	FEB.	88.0 G				

8S/2W-12K1 S. RANCHO CALIF., FORMERLY VAIL CO. (OLD J. K. WELL). IN TEMECULA VALLEY. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 20 INCHES. MEASUREMENTS FURNISHED BY OWNER. DEPTH 155 FT., LSD 1,207 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 85.58 FT BELOW LSD, MAR. 29, 1967.  
 LOWEST STATIC WATER LEVEL 90.74 FT BELOW LSD, OCT. 18, 1967.  
 RECORDS AVAILABLE: 1929-59, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 27, 1966	107.5 A	OCT. 10, 1967	90.72	OCT. 18, 1967	90.74	MAR. 19, 1968	88.50
MAR. 29, 1967	85.58						

8S/2W-14H1 S. RANCHO CALIF., FORMERLY VAIL CO. (OWNER'S NO. 7). IN PAUBA VALLEY, IN WASH SOUTH OF TEMECULA RIVER AND 0.2 MILE SOUTHWEST OF HIGHWAY 71. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. PERFORATED 400-970 FEET. DEPTH 970 FT., LSD 1,190 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 60.85 FT BELOW LSD, MAR. 26, 1966.  
 LOWEST STATIC WATER LEVEL 103.00 FT BELOW LSD, FEB. 12, 1966.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 12, 1966	103 G	SEP. 27, 1966	98.77	OCT. 10, 1967	N	MAR. 19, 1968	77.00
MAR. 26	60.85	MAR. 28, 1967	70.98	OCT. 18	99.13		

8S/2W-15C1 S. RANCHO CALIF., FORMERLY VAIL CO. (CHINA GARDEN ARTESIAN). ABOUT 1 1/2 MILES NORTHEAST OF PAUBA RANCH. DRILLED STOCK ARTESIAN WELL IN ALLUVIUM, DIAMETER 12 INCHES. MEASUREMENTS FURNISHED BY OWNER. DEPTH 540 FT., LSD 1,117 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 1.99 FT BELOW LSD, MAR. 28, 1967.  
 LOWEST STATIC WATER LEVEL 12.89 FT BELOW LSD, NOV. 1, 1967.  
 RECORDS AVAILABLE: 1926-27, 1954, 1959-61, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 26, 1966	0	MAR. 28, 1967	1.99	NOV. 1, 1967	12.89	MAR. 19, 1968	8.93
SEP. 27	5.53	OCT. 10	N				

## GROUND-WATER RECORDS, 1966-68

RS/2W-15D1 S. RANCHO CALIF., FORMERLY VAIL CO. (OWNER'S NO. 50). IN TEMECULA VALLEY. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. MEASUREMENTS FURNISHED BY OWNER. DEPTH 250 FT., LSD 1,092 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 12.10 FT BELOW LSD, MAR. 26, 1966.  
 LOWEST STATIC WATER LEVEL 14.76 FT BELOW LSD, SEP. 27, 1966.  
 RECORDS AVAILABLE: 1953-54, 1958-59, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 26, 1966	12.1	MAR. 28, 1967	12.84	OCT. 10, 1967	14.40	MAR. 19, 1968	13.65
SEP. 27	14.76						

RS/2W-17M1 S. RANCHO CALIF., FORMERLY VAIL CO. (NAVY WELL OR PAUBA EXPLORATORY WELL). AT MOUTH OF PAUBA VALLEY. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. MEASUREMENTS FURNISHED BY OWNER. DEPTH 2,478 FT., LSD 1,050 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 18.50 FT ABOVE LSD, MAR. , 1967.  
 LOWEST STATIC WATER LEVEL 11.27 FT BELOW LSD, SEP. 27, 1966.  
 RECORDS AVAILABLE: 1951, 1953, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	0	SEP. 27, 1966	11.27	JAN. 1967 +	15.2 G	OCT. 10, 1967	0
FEB. 24	N	OCT.	42.6 A	MAR. 28	0	MAR. 19, 1968	0
MAR. 24	40.9 A	DEC.	+ 12.0 G	MAR.	+ 18.5 G		

RS/2W-19J2 S. FRANK QUERRY. IN WHITE PUMPHOUSE AT ROAD JUNCTION IN WOLF VALLEY. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 14 INCHES. MEASUREMENTS FURNISHED BY OWNER. DEPTH 207.5 FT., LSD 1,035 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 23.36 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 25.52 FT BELOW LSD, OCT. 10, 1967.  
 RECORDS AVAILABLE: 1958-59, 1961, 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	23.49	MAR. 24, 1966	24.33	MAR. 28, 1967	23.94	OCT. 10, 1967	25.52
FEB. 24	N	SEP. 27	24.41	SEP. 13	23.50	MAR. 19, 1968	23.36

RS/2W-20B2 S. RANCHO CALIF., FORMERLY VAIL CO. (PIT WELL). ABOUT 3/4 MILE SOUTHWEST OF PAUBA RANCH. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. MEASUREMENTS FURNISHED BY OWNER. DEPTH 207.5 FT., LSD 1,035 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 2.68 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 9.89 FT BELOW LSD, SEP. 27, 1966.  
 RECORDS AVAILABLE: 1919, 1951, 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	3.43	MAR. 24, 1966	3.82	MAR. 28, 1967	3.59	OCT. 17, 1967	3.42
FEB. 24	3.78	SEP. 27	9.89	OCT. 11	3.38	MAR. 19, 1968	2.68

RS/2W-20C1 S. RANCHO CALIF., FORMERLY VAIL CO. (CAT WELL). ABOUT 3/4 MILE SOUTHWEST OF PAUBA RANCH. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 254 FT., LSD 1,030 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 8.10 FT BELOW LSD, MAR. , 1967.  
 LOWEST STATIC WATER LEVEL 10.80 FT BELOW LSD, OCT. , 1966.  
 RECORDS AVAILABLE: 1956, 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 27, 1966	8.22	DEC. 1966	9.4 G	MAR. 28, 1967	8.58	OCT. 17, 1967	8.90
OCT.	10.8 G	JAN. 1967	9.0 G	MAR.	8.1 G	MAR. 19, 1968	A
NOV.	10.0 G	FEB.	8.8 G	OCT. 10	8.98		

RS/2W-20C1 S. RANCHO CALIF., FORMERLY VAIL CO. (PEN WELL). IN WOLF VALLEY, ABOUT 1/2 MILE SOUTH OF PIT WELLS. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. MEASUREMENTS FURNISHED BY OWNER. DEPTH 188.5 FT., LSD 1,052 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 38.80 FT BELOW LSD, OCT. 17, 1967.  
 LOWEST STATIC WATER LEVEL 49.70 FT BELOW LSD, MAR. 28, 1967.  
 RECORDS AVAILABLE: 1930-44, 1951, 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	39.12	MAR. 24, 1966	39.60	MAR. 28, 1967	49.70	OCT. 17, 1967	38.80
FEB. 24	38.94	SEP. 27	40.50	OCT. 10	39.04	MAR. 19, 1968	39.99

RS/2W-28C1 S. RANCHO CALIF., FORMERLY VAIL CO. (LUDY WELL). IN WOLF VALLEY UNDER LARGE TREE IN FIELD. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. MEASUREMENTS FURNISHED BY OWNER. DEPTH 223.0 FT., LSD 1,129 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 94.80 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 104.23 FT BELOW LSD, JAN. 24, 1966.  
 RECORDS AVAILABLE: 1925-28, 1931-44, 1948-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	104.23	MAR. 24, 1966	103.40	MAR. 28, 1967	100.37	OCT. 16, 1967	96.68
FEB. 24	103.58	SEP. 27	102.99	OCT. 10	96.74	MAR. 19, 1968	94.80

RS/2W-28M1 S. F. S. GARDNER. IN PUMP SHELTER IN PECHANGA CREEK IN WOLF VALLEY, BETWEEN GARDNER'S HOUSE AND HIGHWAY. DRILLED DOMESTIC WELL IN ALLUVIUM. DEPTH 269.5 FT., LSD 1,126 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 62.12 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 93.69 FT BELOW LSD, SEP. 27, 1966.  
 RECORDS AVAILABLE: 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	76.5 A	MAR. 24, 1966	80.73	MAR. 29, 1967	66.95	MAR. 19, 1968	62.12
FEB. 24	85.5 A	SEP. 27	93.69	SEP. 14	84.46		

RS/2W-29C1 S. FRANK QUERRY. IN ALFALFA FIELD ON QUERRY RANCH, BETWEEN LOW GENTLE HILLS. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. MEASUREMENTS FURNISHED BY OWNER. DEPTH 488.0 FT., LSD 1,070.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 1.84 FT BELOW LSD, OCT. 10, 1967.  
 LOWEST STATIC WATER LEVEL 7.98 FT BELOW LSD, JAN. 24, 1966.  
 RECORDS AVAILABLE: 1918, 1951, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	7.98	MAR. 24, 1966	5.90	MAR. 28, 1967	1.98	OCT. 10, 1967	1.84
FEB. 24	6.25	SEP. 27	6.82	SEP. 13	1.86	MAR. 19, 1968	1.89

RS/2W-29G1 S. U.S. GOVERNMENT. (PECHANGA INDIAN RESERVATION). ABOUT 3 1/2 MILES SOUTHWEST OF TEMECULA. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. MEASUREMENTS FURNISHED BY OWNER. DEPTH 170 FT., LSD 1,091.1 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 33.56 FT BELOW LSD, OCT. 10, 1967.  
 LOWEST STATIC WATER LEVEL 44.64 FT BELOW LSD, JAN. 24, 1966.  
 RECORDS AVAILABLE: 1925-28, 1934-37, 1940, 1951-54, 1956, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 24, 1966	44.64	MAR. 24, 1966	43.44	MAR. 28, 1967	37.59	OCT. 10, 1967	33.56
FEB. 24	43.76	SEP. 27	43.82	SEP. 13	33.57	MAR. 9, 1968	33.75

## GROUND-WATER RECORDS, 1966-68

RS/3W-1P2 S. RANCHO CALIF., FORMERLY VAIL CO. (CANTARINI WELL). NEAR MOUTH OF LONG CANYON. DRILLED STOCK WELL IN ALLUVIUM. DIAMETER 16 INCHES 0-106 FT, 12 INCHES 106-236 FT, 10 INCHES 236-822 FT. PERFORATED 106-822 FEET. MEASUREMENTS FURNISHED BY OWNER. DEPTH 822 FT., LSD 1,066 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 34.73 FT BELOW LSD, MAR. 27, 1966.  
 LOWEST STATIC WATER LEVEL 40.93 FT BELOW LSD, MAR. 26, 1968.  
 RECORDS AVAILABLE: 1954, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 27, 1966	34.73	MAR. 28, 1967	38.32	OCT. 11, 1967	A	MAR. 26, 1968	40.93
SEP. 29	A						

RS/3W-12C1 S. RANCHO CALIF., FORMERLY VAIL CO. (OWNER'S MV 98). ABOUT 0.44 MILE EAST OF HIGHWAY 395. (MEASURED ALONG LONG VALLEY ROAD), AND 30 FEET NORTH OF LONG VALLEY ROAD. DRILLED DOMESTIC WELL IN ALLUVIUM. MEASUREMENTS FURNISHED BY OWNER. DEPTH 53.0 FT., LSD 1,060 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 37.61 FT BELOW LSD, MAR. 29, 1967.  
 LOWEST STATIC WATER LEVEL 43.86 FT BELOW LSD, OCT. 20, 1967.  
 RECORDS AVAILABLE: 1925-27, 1953-54, 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 27, 1966	38.1	MAR. 29, 1967	37.61	OCT. 20, 1967	43.86	MAR. 19, 1968	38.59
SEP. 29	42.96	OCT. 11	43.46				

RS/3W-1202 S. TEMECULA CEMETERY, FORMERLY H. MIDGLY. NEAR TEMECULA, IN NORTH CORNER OF CEMETERY IN WOOD PUMP HOUSE. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 275 FT., LSD 1,067 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 77.05 FT BELOW LSD, MAR. 28, 1967.  
 LOWEST STATIC WATER LEVEL 78.75 FT BELOW LSD, OCT. 13, 1967.  
 RECORDS AVAILABLE: 1950, 1953-54, 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 27, 1966	77.8	SEP. 30, 1966	78.29	OCT. 13, 1967	78.75	MAR. 20, 1968	A
SEP. 27	91.8 A	MAR. 28, 1967	77.05R				

RS/3W-13K2 S. D. EVANS. ABOUT ONE MILE SOUTH OF TEMECULA ON EAST SIDE OF MURRIETA CREEK. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 76 FT., LSD 993 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 13.20 FT BELOW LSD, JAN. 11, 1966, FEB. 2, 1966, DEC. 15, 1966, FEB. 6, 1967.  
 LOWEST STATIC WATER LEVEL 14.47 FT BELOW LSD, OCT. 11, 1967.  
 RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 11, 1966	13.2 G	JULY 8, 1966	13.8 G	DEC. 15, 1966	13.2 R	MAY 4, 1967	13.4 G
FEB. 2	13.2 G	AUG. 5	13.9 A	JAN. 10, 1967	13.5 G	JUNE 1	13.5 G
MAR. 9	13.5 G	SEP. 7	13.9 G	FEB. 6	13.2 R	SEP. 14	13.99
MAR. 27	13.39	SEP. 27	13.71	MAR. 3	13.4 G	OCT. 11	14.47
APR. 27	13.5 G	OCT. 6	13.8 R	MAR. 28	13.36	MAR. 26, 1968	13.59
MAY 26	13.7 G	NOV. 2	13.6 G	APR. 3	13.4 G		

## SAN BERNARDINO COUNTY

## Coyote Lake Valley

11N/2E-8K1 S. JOHNSON. ABOUT 11 MILES NORTH OF YERMO. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 45.1 FT., LSD 1,720 FT. ABOVE MSL.  
 RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	Q	OCT. 18, 1966	Q	MAR. 14, 1967	Q	NOV. 13, 1968	Q

11N/2E-22N1 S. OWNER UNKNOWN. ABOUT 9 MILES NORTHEAST OF YERMO. DUG UNUSED WELL IN ALLUVIUM, DIAMETER 30 INCHES. DEPTH 19 FT., LSD 1,740 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 10.56 FT BELOW LSD, MAR. 15, 1966.  
 LOWEST STATIC WATER LEVEL 13.90 FT BELOW LSD, NOV. 13, 1968.  
 RECORDS AVAILABLE: 1917-18, 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	10.56	OCT. 18, 1966	11.97	MAR. 14, 1967	11.63	NOV. 13, 1968	13.90

11N/3E-8N1 S. R. A. EDWARDS. ABOUT 12 1/2 MILES NORTHEAST OF YERMO. DUG UNUSED WELL IN ALLUVIUM, DIAMETER 48 INCHES. DEPTH 16.5 FT., LSD 1,725 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 5.52 FT BELOW LSD, MAR. 15, 1966.  
 LOWEST STATIC WATER LEVEL 6.73 FT BELOW LSD, NOV. 13, 1968.  
 RECORDS AVAILABLE: 1941, 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	5.52	OCT. 18, 1966	6.15	MAR. 14, 1967	6.15	NOV. 13, 1968	6.73

11N/3E-20R1 S. OWNER UNKNOWN. ABOUT 11 1/2 MILES NORTHEAST OF YERMO. DRILLED UNUSED WELL IN DUNE SAND, DIAMETER 10 INCHES. DEPTH 92.0 FT., LSD 1,780 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 52.79 FT BELOW LSD, MAR. 15, 1966.  
 LOWEST STATIC WATER LEVEL 57.42 FT BELOW LSD, NOV. 13, 1968.  
 RECORDS AVAILABLE: 1954, 1956, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	52.79	OCT. 18, 1966	54.04	MAR. 14, 1967	54.63	NOV. 13, 1968	57.42

11N/3E-30J2 S. C. E. CURTIS. ABOUT 10 MILES NORTHEAST OF YERMO. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 130.0 FT., LSD 1,775 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 56.87 FT BELOW LSD, MAR. 15, 1966.  
 LOWEST STATIC WATER LEVEL 60.59 FT BELOW LSD, NOV. 12, 1968.  
 RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	56.87	OCT. 18, 1966	58.35	MAR. 14, 1967	57.40	NOV. 12, 1968	60.59

12N/2E-28D1 S. OWNER UNKNOWN. ABOUT 1 MILE NORTHWEST OF THE NORTH EDGE OF COYOTE LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 49.2 FT., LSD 1,775 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 36.17 FT BELOW LSD, MAR. 15, 1966.  
 LOWEST STATIC WATER LEVEL 36.37 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	36.17	OCT. 18, 1966	36.37	MAR. 14, 1967	36.33	NOV. 13, 1968	0

12N/2E-31A1 S. U.S. DEPARTMENT OF THE ARMY, FORT IRWIN. ABOUT 1 1/2 MILES WEST OF NORTHWEST CORNER OF COYOTE LAKE. DRILLED TEST WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 14 INCHES. DEPTH 584.0 FT., LSD 1,789.5 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 56.08 FT BELOW LSD, MAR. 15, 1966.  
 LOWEST STATIC WATER LEVEL 56.30 FT BELOW LSD, NOV. 13, 1968.  
 RECORDS AVAILABLE: 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	56.08	OCT. 18, 1966	56.21	MAR. 14, 1967	56.13	NOV. 13, 1968	56.30

## GROUND-WATER RECORDS, 1966-68

12N/2E-32K1 S. RIBLET AND ALEXANDER. ABOUT HALF A MILE WEST OF THE NORTHWEST CORNER OF COYOTE LAKE. DRILLED DOMESTIC ARTESIAN WELL IN ALLUVIUM, DIAMETER 5 INCHES. DEPTH FT., LSD 1,730 FT. ABOVE MSL.  
RECORDS AVAILABLE: 1941, 1943, 1951, 1954, 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	Q	OCT. 18, 1966	Q	MAR. 14, 1967	N	NOV. 13, 1968	Q

## Cronise Valley

12N/7E-18R1 S. OWNER UNKNOWN. SOUTH EDGE OF EAST CRONISE LAKE, ABOUT 14 1/2 MILES SOUTHWEST OF BAKER. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 12 INCHES. DEPTH 137.5 FT., LSD 1,075 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 21.15 FT BELOW LSD, OCT. 18, 1966.  
LOWEST STATIC WATER LEVEL 21.80 FT BELOW LSD, NOV. 13, 1968.  
RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	N	OCT. 18, 1966	21.15	MAR. 14, 1967	N	NOV. 13, 1968	21.80

12N/7E-18R2 S. OWNER UNKNOWN. SOUTH EDGE OF EAST CRONISE LAKE, ABOUT 14 1/2 MILES SOUTHEAST OF BAKER. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 51.5 FT., LSD 1,075 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 18.41 FT BELOW LSD, OCT. 18, 1966.  
LOWEST STATIC WATER LEVEL 19.01 FT BELOW LSD, NOV. 13, 1968.  
RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	N	OCT. 18, 1966	18.41	MAR. 14, 1967	N	NOV. 13, 1968	19.01

12N/7E-30J1 S. J. A. PROCTOR. ABOUT 16 MILES SOUTHWEST OF BAKER. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 81.5 FT., LSD 1,100 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 50.35 FT BELOW LSD, MAR. 14, 1967.  
LOWEST STATIC WATER LEVEL 52.69 FT BELOW LSD, OCT. 18, 1966.  
RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	50.40	OCT. 18, 1966	52.69	MAR. 14, 1967	50.35	NOV. 13, 1968	52.65

## Cuddeback Valley

30S/42E-10L1 M. OWNER UNKNOWN. ABOUT 10 MILES EAST OF JOHANNESBURG. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 236.5 FT., LSD 2,530 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 70.81 FT BELOW LSD, MAR. 13, 1967.  
LOWEST STATIC WATER LEVEL 71.13 FT BELOW LSD, OCT. 17, 1966.  
RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1966	71.08	MAR. 13, 1967	70.81	AUG. 1, 1968	71.04	NOV. 12, 1968	71.03
OCT. 17	71.13						



30S/42E-18R1 M. ROYER AND SAMPSON. ABOUT 8 MILES SOUTHEAST OF JOHANNESBURG. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 160 FT., LSD 2,635 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 98.62 FT BELOW LSD, JULY 31, 1968.  
LOWEST STATIC WATER LEVEL 103.70 FT BELOW LSD, NOV. 12, 1968.  
RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1966	98.71	MAR. 13, 1967	98.84	JULY 31, 1968	98.62	NOV. 12, 1968	103.70
OCT. 17	98.99						

30S/42E-20D1 M. OWNER UNKNOWN. WEST EDGE OF CUDDERBACK LAKE ABOUT 8 1/2 MILES SOUTHEAST OF JOHANNESBURG. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 12 INCHES. DEPTH FT., LSD 2,600 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 89.74 FT BELOW LSD, JULY 31, 1968.  
LOWEST STATIC WATER LEVEL 93.18 FT BELOW LSD, NOV. 12, 1968.  
RECORDS AVAILABLE: 1953, 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1966	90.04	MAR. 13, 1967	90.54	JULY 31, 1968	89.74	NOV. 12, 1968	93.18
OCT. 17	90.04						

30S/42E-24L1 M. QUARTER CIRCLE 5 RANCH. ABOUT 12 1/2 MILES SOUTHEAST OF JOHANNESBURG. DRILLED DOMESTIC AND STOCK WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH FT., LSD 2,656 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 147.84 FT BELOW LSD, OCT. 17, 1966.  
LOWEST STATIC WATER LEVEL 149.51 FT BELOW LSD, MAR. 13, 1967.  
RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1966	149.00A	MAR. 13, 1967	149.51	AUG. 1, 1968	149.5	NOV. 13, 1968	150.43A
OCT. 17	147.84A						

### Dale Valley

1N/10E-36P1 S. R. T. MOLINEAUX. ABOUT 9 1/2 MILES EAST OF TWENTYNINE PALMS. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 379.7 FT., LSD 1,560 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 332.90 FT BELOW LSD, MAR. 1, 1966.  
LOWEST STATIC WATER LEVEL 333.33 FT BELOW LSD, MAR. 15, 1967.  
RECORDS AVAILABLE: 1959-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	332.90	OCT. 26, 1966	333.11	MAR. 15, 1967	333.33	OCT. 25, 1967	333.29

1N/11E-21C1 S. LITTLE. ABOUT 12 1/2 MILES EAST OF TWENTYNINE PALMS. DRILLED DOMESTIC WELL IN DUNE SAND, DIAMETER 6 INCHES. DEPTH REPORTED 175 FT IN 1959 AND 167 FT IN 1967, LSD 1,340 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 124.50 FT BELOW LSD, OCT. 27, 1966, MAR. 15, 1967.  
LOWEST STATIC WATER LEVEL 126.30 FT BELOW LSD, MAR. 1, 1966.  
RECORDS AVAILABLE: 1959-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	126.30	OCT. 27, 1966	124.50	MAR. 15, 1967	124.50	OCT. 25, 1967	124.52

## GROUND-WATER RECORDS, 1966-68

1N/12E-20D1 S. DALE CHEMICAL INDUSTRIES. ON AMBOY ROAD ABOUT 1 1/2 MILES NORTHWEST OF NORTHWEST CORNER OF DALE LAKE. DRILLED INDUSTRIAL WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 12 INCHES. DEPTH 260 FT., LSD 1,211.3 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 27.03 FT BELOW LSD, MAR. 15, 1967.  
 LOWEST STATIC WATER LEVEL 30.23 FT BELOW LSD, MAR. 1, 1966.  
 RECORDS AVAILABLE: 1948, 1950-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	30.23	OCT. 27, 1966	27.23	MAR. 15, 1967	27.03	OCT. 25, 1967	27.20

1N/12E-20D4 S. DALE CHEMICAL INDUSTRIES. NEAR AMBOY ROAD ABOUT 1 1/2 MILES NORTHWEST OF NORTHWEST CORNER OF DALE LAKE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 1,190 FT., LSD 1,212.4 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 27.53 FT BELOW LSD, MAR. 1, 1966.  
 LOWEST STATIC WATER LEVEL 27.90 FT BELOW LSD, OCT. 25, 1967.  
 RECORDS AVAILABLE: 1954, 1959-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	27.53	OCT. 27, 1966	27.80	MAR. 15, 1967	27.64	OCT. 25, 1967	27.90

## Harper Valley

10N/4W-10D1 S. OWNER UNKNOWN. ABOUT 6 MILES NORTHWEST OF HINKLEY. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 400 FT., LSD 2,135 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 174.21 FT BELOW LSD, MAR. 16, 1966.  
 LOWEST STATIC WATER LEVEL 187.02 FT BELOW LSD, NOV. 14, 1968.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	174.21	MAR. 15, 1967	178.34	APR. 11, 1968	183.76	NOV. 14, 1968	187.02
OCT. 19	180.38	OCT. 23	184.05				

10N/5W-3J1 S. OWNER UNKNOWN. ABOUT 9 MILES EAST OF BEECHER'S CORNER. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 350 FT., LSD 2,245 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 226.88 FT BELOW LSD, MAR. 16, 1966.  
 LOWEST STATIC WATER LEVEL 227.79 FT BELOW LSD, NOV. 14, 1968.  
 RECORDS AVAILABLE: 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	226.88	MAR. 15, 1967	227.60	APR. 11, 1968	227.65	NOV. 14, 1968	227.79
OCT. 19	227.17	OCT. 23	227.52				

10N/6W-5E3 S. JULIEN, FORMERLY ROBERT CAILLIFR. AT BEECHER'S CORNER. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 440 FT., LSD 2,970.5 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 204.78 FT BELOW LSD, APR. 10, 1968.  
 LOWEST STATIC WATER LEVEL 207.42 FT BELOW LSD, OCT. 23, 1967.  
 RECORDS AVAILABLE: 1952, 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1966	A	MAR. 13, 1967	N	APR. 10, 1968	204.78	NOV. 12, 1968	A
OCT. 17	N	OCT. 23	207.42				

11N/3W-701 S. OWNER UNKNOWN. ABOUT 1 1/2 MILES NORTHEAST OF THE NORTHEAST EDGE OF HARPER LAKE AND ABOUT 9 MILES NORTH OF HINKLEY. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 12 INCHES. DEPTH 123.1 FT., LSD 2,065 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 63.37 FT BELOW LSD, MAR. 16, 1966.  
LOWEST STATIC WATER LEVEL 65.26 FT BELOW LSD, NOV. 14, 1968.  
RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	63.37	MAR. 15, 1967	64.55	APR. 11, 1968	64.82	NOV. 14, 1968	65.26
OCT. 19	63.73	OCT. 23	64.50	JULY 10	64.88		

11N/3W-28R2 S. OWNER UNKNOWN. ABOUT 3 MILES EAST OF THE EAST EDGE OF HARPER LAKE AND ABOUT 5 MILES NORTH OF HINKLEY. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 243 FT., LSD 2,075 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 37.55 FT BELOW LSD, NOV. 14, 1968.  
LOWEST STATIC WATER LEVEL 39.85 FT BELOW LSD, APR. 11, 1968.  
RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	38.00	MAR. 15, 1967	39.70	APR. 11, 1968	39.85	NOV. 14, 1968	37.55
OCT. 19	38.51	OCT. 23	38.84				

11N/3W-30A1 S. BLACK'S RANCH. ABOUT HALF A MILE EAST OF THE EAST EDGE OF HARPER LAKE AND ABOUT 6 MILES NORTH OF HINKLEY. DRILLED UNUSED WELL IN SAND DUNES, DIAMETER 6 INCHES. DEPTH 4.4 FT., LSD 2,030.8 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 1.51 FT BELOW LSD, MAR. 16, 1966.  
LOWEST STATIC WATER LEVEL 3.12 FT BELOW LSD, NOV. 14, 1968.  
RECORDS AVAILABLE: 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	1.51	MAR. 15, 1967	2.01	APR. 11, 1968	2.05	NOV. 14, 1968	3.12
OCT. 19	2.33	OCT. 23	2.65	JULY 18	1.84		

11N/3W-30A2 S. BLACK'S RANCH. ABOUT HALF A MILE EAST OF THE EAST EDGE OF HARPER LAKE AND ABOUT 6 MILES NORTH OF HINKLEY. DRILLED UNUSED WELL IN SAND DUNES, DIAMETER 8 INCHES. DEPTH 13.0 FT., LSD 2,033.0 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 0.60 FT BELOW LSD, MAR. 16, 1966.  
LOWEST STATIC WATER LEVEL 2.20 FT BELOW LSD, JULY 18, 1968.  
RECORDS AVAILABLE: 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	0.60	MAR. 15, 1967	1.78	APR. 11, 1968	1.65	NOV. 14, 1968	2.08
OCT. 19	1.20	OCT. 23	2.06	JULY 18	2.20		

11N/4W-4R1 S. OWNER UNKNOWN. NEAR THE NORTH EDGE OF HARPER LAKE ABOUT 11 MILES NORTHWEST OF HARPER LAKE ABOUT 11 MILES NORTHWEST OF HINKLEY. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 37.8 FT., LSD 2,036 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 37.64 FT BELOW LSD, MAR. 16, 1966.  
LOWEST STATIC WATER LEVEL 41.53 FT BELOW LSD, APR. 11, 1968.  
RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	37.64	MAR. 15, 1967	37.87	APR. 11, 1968	41.53	NOV. 14, 1968	F
OCT. 19	38.30	OCT. 23	38.45	JULY 3	38.10		

11N/4W-6M1 S. OWNER UNKNOWN. NEAR NORTHWEST CORNER OF HARPER LAKE ABOUT 13 MILES NORTHWEST OF HINKLEY. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 106 FT IN 1953 AND 68.0 FT IN 1968, LSD 2,060.6 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 58.81 FT BELOW LSD, MAR. 16, 1966.  
LOWEST STATIC WATER LEVEL 67.98 FT BELOW LSD, APR. 11, 1968.  
RECORDS AVAILABLE: 1954-60, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	58.81	MAR. 15, 1967	61.34	APR. 11, 1968	67.98	NOV. 14, 1968	67.87
OCT. 19	63.10	OCT. 23	65.39	JULY 17	66.20		

## GROUND-WATER RECORDS, 1966-68

11N/4W-19L1 S. LOCKHART RANCH. ABOUT 1 MILE SOUTHWEST OF SOUTHWEST EDGE OF HARPER LAKE AND ABOUT 10 1/2 MILES NORTHWEST OF HINKLEY. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 350 FT., LSD 2,055 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 134.61 FT BELOW LSD, MAR. 16, 1966.  
LOWEST STATIC WATER LEVEL 160.38 FT BELOW LSD, NOV. 14, 1968.  
RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	134.61	MAR. 15, 1967	146.09	APR. 11, 1968	155.90	NOV. 14, 1968	160.38
OCT. 19	158.70A	OCT. 23	162.60A				

11N/4W-29R1 S. LOCKHART RANCH. ABOUT HALF A MILE SOUTHWEST OF SOUTHWEST EDGE OF HARPER LAKE AND ABOUT 8 1/2 MILES NORTHWEST OF HINKLEY. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE. DEPTH REPORTED 500 FT IN 1953 AND 303.0 FT IN 1968, LSD 2,045 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 104.65 FT BELOW LSD, MAR. 16, 1966.  
LOWEST STATIC WATER LEVEL 133.56 FT BELOW LSD, JULY 11, 1968.  
RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	104.65	MAR. 15, 1967	108.18	APR. 11, 1968	126.65	NOV. 14, 1968	119.02
OCT. 19	113.93	OCT. 23	115.87	JULY 11	133.56		

11N/4W-30P1 S. LOCKHART RANCH. ABOUT 2 1/2 MILES SOUTHWEST OF SOUTHWEST EDGE OF HARPER LAKE AND ABOUT 9 1/2 MILES NORTHWEST OF HINKLEY. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 20 INCHES. DEPTH 415 FT., LSD 2,095 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 147.21 FT BELOW LSD, MAR. 16, 1966.  
LOWEST STATIC WATER LEVEL 172.54 FT BELOW LSD, JULY 17, 1968.  
RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	147.21	MAR. 15, 1967	157.15	APR. 11, 1968	166.59	NOV. 14, 1968	171.85
OCT. 19	158.10	OCT. 23	170.89	JULY 12	172.54		

## Indian Wells Valley (See p. 9 )

## Johnson Valley

4N/3E-24Q1 S. OWNER UNKNOWN. ABOUT 5 1/2 MILES NORTHEAST OF OLD WOMAN SPRINGS. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 12 INCHES. DEPTH 241.8 FT., LSD 2,833 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 55.42 FT BELOW LSD, MAR. 14, 1967.  
LOWEST STATIC WATER LEVEL 55.82 FT BELOW LSD, NOV. 5, 1968.  
RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	55.51	MAR. 14, 1967	55.42	APR. 4, 1968	55.50	NOV. 5, 1968	55.82
OCT. 24	55.74	OCT. 24	55.65				

4N/4E-19C1 S. CLARENCE ROATH. ABOUT 6 1/2 MILES NORTHEAST OF OLD WOMAN SPRINGS. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 86 FT., LSD 2,775 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 43.23 FT BELOW LSD, MAR. 14, 1967.  
LOWEST STATIC WATER LEVEL 49.68 FT BELOW LSD, APR. 6, 1966.  
RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	49.68	MAR. 14, 1967	43.23	APR. 4, 1968	43.81	NOV. 5, 1968	44.16
OCT. 24	43.60	OCT. 24	43.44				

## Joshua Tree National Monument (See p. 103)

## Lucerne Valley

4N/1E-5H1 S. SMITH-STITES. ABOUT 3 1/2 MILES NORTHEAST OF LUCERNE VALLEY (VILLAGE). DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 221.5 FT., LSD 2,905 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 115.93 FT BELOW LSD, APR. 6, 1966.  
 LOWEST STATIC WATER LEVEL 126.99 FT BELOW LSD, NOV. 5, 1968.  
 RECORDS AVAILABLE: 1947, 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	115.93	MAR. 14, 1967	118.92	APR. 3, 1968	120.90	NOV. 5, 1968	126.99
OCT. 24	120.13	OCT. 24	124.49				

4N/1E-6L1 S. M. B. BURKE. ABOUT 2 MILES NORTHEAST OF LUCERNE VALLEY (VILLAGE). DRILLED IRRIGATION WELL IN ALLUVIUM. DEPTH FT., LSD 2,855 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 100.71 FT BELOW LSD, APR. 6, 1966.  
 LOWEST STATIC WATER LEVEL 113.10 FT BELOW LSD, MAR. 13, 1967.  
 RECORDS AVAILABLE: 1954, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	100.71	MAR. 13, 1967	113.1	APR. 3, 1968	115.9 A	NOV. 5, 1968	A
OCT. 18	119.0 A	OCT. 23	119.5 A				

4N/1E-7R1 S. OWNER UNKNOWN. ABOUT 2 MILES EAST OF LUCERNE VALLEY (VILLAGE). DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 145 FT., LSD 2,945 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 101.47 FT BELOW LSD, OCT. 20, 1966.  
 LOWEST STATIC WATER LEVEL 109.11 FT BELOW LSD, NOV. 5, 1968.  
 RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	103.93	MAR. 13, 1967	104.98	APR. 2, 1968	108.34	NOV. 5, 1968	109.11
OCT. 20	101.47	OCT. 23	105.57				

4N/1E-10G2 S. T. N. STINNETT. ABOUT 5 MILES EAST OF LUCERNE VALLEY (VILLAGE). DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 275 FT., LSD 2,960 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 144.31 FT BELOW LSD, APR. 6, 1966.  
 LOWEST STATIC WATER LEVEL 149.31 FT BELOW LSD, NOV. 5, 1968.  
 RECORDS AVAILABLE: 1930, 1954, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	144.31	MAR. 14, 1967	146	APR. 4, 1968	148.78	NOV. 5, 1968	149.31
OCT. 24	145.54	OCT. 24	149.20C				

4N/1E-13M1 S. DAVE RUSS, FORMER OWNERS WATSON AND E. A. TAYLOR. ABOUT 6 1/2 MILES EAST OF LUCERNE VALLEY (VILLAGE). DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 12 INCHES. DEPTH 270 FT., LSD 3,020 FT., ABOVE MSL.  
 HIGHEST WATER LEVEL 112.30 FT BELOW LSD, APR. 4, 1968.  
 LOWEST STATIC WATER LEVEL 174.03 FT BELOW LSD, APR. 6, 1966.  
 RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	174.03	MAR. 14, 1967	174.6 B	APR. 4, 1968	112.3	NOV. 5, 1968	A
OCT. 24	173.85	OCT. 24	171.9 A				

## GROUND-WATER RECORDS, 1966-68

4N/1F-17Q2 S. DONALD HENDERSON. ABOUT 2 MILES EAST OF LUCERNE IN LUCERNE VALLEY. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 4 INCHES. THIS WELL REPLACES 4N/1E-17K1. DEPTH 265 FT., LSD 3,015 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 126.53 FT BELOW LSD, OCT. 24, 1966.  
 LOWEST STATIC WATER LEVEL 127.24 FT BELOW LSD, OCT. 23, 1967.  
 RECORDS AVAILABLE: 1954, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 24, 1966	126.53	OCT. 23, 1967	127.24	APR. 2, 1968	126.93	NOV. 5, 1968	127.01
MAR. 14, 1967	126.8						

4N/1W-11Q1 S. SANDBAR CAFE. IN LUCERNE VALLEY (VILLAGE). DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 85 FT., LSD 2,933.3 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 60.20 FT BELOW LSD, MAR. 13, 1967.  
 LOWEST STATIC WATER LEVEL 62.21 FT BELOW LSD, NOV. 5, 1968.  
 RECORDS AVAILABLE: 1950, 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	60.23	MAR. 13, 1967	60.2	APR. 3, 1968	61.10	NOV. 5, 1968	62.21
OCT. 18	61.15R	OCT. 23	62.03				

4N/1W-12F1 S. DR. KENNETH SMITH. ABOUT 1 MILE NORTHEAST OF LUCERNE VALLEY (VILLAGE). DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 542 FT., LSD 2,915 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 139.80 FT BELOW LSD, APR. 6, 1966.  
 LOWEST STATIC WATER LEVEL 154.35 FT BELOW LSD, APR. 3, 1968.  
 RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	139.8	MAR. 13, 1967	146.57	APR. 3, 1968	154.35	NOV. 5, 1968	142.54
OCT. 18	145.3R	OCT. 23	145.65				

4N/1W-12M3 S. OWNER UNKNOWN. ABOUT HALF A MILE NORTHEAST OF LUCERNE VALLEY (VILLAGE). DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH FT., LSD 2,930 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 70.93 FT BELOW LSD, APR. 6, 1966.  
 LOWEST STATIC WATER LEVEL 74.56 FT BELOW LSD, OCT. 23, 1967.  
 RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	70.93	MAR. 13, 1967	73.69	APR. 3, 1968	M	NOV. 5, 1968	M
OCT. 18	73.80	OCT. 23	74.56				

4N/1W-14R1 S. JAMES GOULDING. IN LUCERNE VALLEY (VILLAGE). DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 201 FT., LSD 2,945 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 0.48 FT BELOW LSD, APR. 6, 1966.  
 LOWEST STATIC WATER LEVEL 3.81 FT BELOW LSD, NOV. 5, 1968.  
 RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	0.48	MAR. 13, 1967	1.99	APR. 3, 1968	2.76	NOV. 5, 1968	3.81
OCT. 18	3.73	OCT. 23	3.35				

4N/1W-14P1 S. A. L. PADRICK. ABOUT 1 MILE SOUTH OF LUCERNE VALLEY (VILLAGE). DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 3,025 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 32.39 FT BELOW LSD, APR. 6, 1966.  
 LOWEST STATIC WATER LEVEL 36.24 FT BELOW LSD, OCT. 23, 1967.  
 RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	32.39	MAR. 13, 1967	33.96	APR. 3, 1968	35.32	NOV. 5, 1968	35.41
OCT. 18	34.49	OCT. 23	36.24				

4N/1W-21E2 S. R. HITCHCOCK. ABOUT 3 MILES SOUTHWEST OF LUCERNE VALLEY (VILLAGE). DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 200 FT., LSD 3,090 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 145.73 FT BELOW LSD, APR. 6, 1966.  
LOWEST STATIC WATER LEVEL 145.73 FT BELOW LSD, APR. 6, 1966.  
RECORDS AVAILABLE: 1954, 1957-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	145.73	OCT. 14, 1966	M	NOV. 1966	0		

5N/1E-10H2 S. OWNER UNKNOWN. ABOUT 8 1/2 MILES NORTHEAST OF LUCERNE VALLEY (VILLAGE). DRILLED DOMESTIC WELL IN ALLUVIUM. DEPTH FT., LSD 3,032 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 210.76 FT BELOW LSD, APR. 6, 1966.  
LOWEST STATIC WATER LEVEL 210.76 FT BELOW LSD, APR. 6, 1966.  
RECORDS AVAILABLE: 1954, 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	210.76	MAR. 13, 1967	N	APR. 3, 1968	N	NOV. 5, 1968	N
OCT. 20	N	OCT. 23	N				

5N/1E-17D1 S. F. GIOVANNOLI. ABOUT 6 1/2 MILES NORTHEAST OF LUCERNE VALLEY (VILLAGE). DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 265 FT., LSD 2,880 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 92.16 FT BELOW LSD, APR. 6, 1966.  
LOWEST STATIC WATER LEVEL 99.53 FT BELOW LSD, OCT. 23, 1967.  
RECORDS AVAILABLE: 1954-55, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	92.16	MAR. 13, 1967	96.10	APR. 3, 1968	98.95	NOV. 5, 1968	99.21
OCT. 20	95.56	OCT. 23	99.53				

5N/1E-20F1 S. HARVEY LASCHANZKY. ABOUT 5 1/2 MILES NORTHEAST OF LUCERNE VALLEY (VILLAGE). DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH REPORTED 272 FT IN 1954 AND 79.5 FT IN 1967, LSD 2,860 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 73.88 FT BELOW LSD, APR. 6, 1966.  
LOWEST STATIC WATER LEVEL 77.17 FT BELOW LSD, OCT. 20, 1966.  
RECORDS AVAILABLE: 1948, 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	73.88	MAR. 13, 1967	F	APR. 3, 1968	F	NOV. 5, 1968	F
OCT. 20	77.17	OCT. 23	F				

5N/1E-27H1 S. LETHBRIDGE. ABOUT 6 1/2 MILES NORTHEAST OF LUCERNE VALLEY (VILLAGE). DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH FT., LSD 2,930 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 100.61 FT BELOW LSD, APR. 6, 1966.  
LOWEST STATIC WATER LEVEL 102.41 FT BELOW LSD, NOV. 5, 1968.  
RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	100.61	MAR. 13, 1967	101.24	APR. 3, 1968	102.05	NOV. 5, 1968	102.41
OCT. 20	100.97	OCT. 23	101.73				

5N/1E-32C1 S. H. BLONSTEIN. ABOUT 4 MILES NORTHEAST OF LUCERNE VALLEY (VILLAGE). DRILLED PUBLIC-SUPPLY WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 346 FT., LSD 2,869 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 86.64 FT BELOW LSD, APR. 6, 1966.  
LOWEST STATIC WATER LEVEL 99.31 FT BELOW LSD, NOV. 5, 1968.  
RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	86.64	MAR. 13, 1967	92.34	APR. 3, 1968	96.70	NOV. 5, 1968	99.31
OCT. 20	93.60	OCT. 23	100.32C				

## GROUND-WATER RECORDS, 1966-68

5N/1W-1R3 S. HARDS. ABOUT 7 MILES NORTH OF LUCERNE VALLEY (VILLAGE). DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 12 INCHES. DEPTH 165 FT., LSD 2,890 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 103.81 FT BELOW LSD, APR. 6, 1966.  
 LOWEST STATIC WATER LEVEL 113.81 FT BELOW LSD, NOV. 5, 1968.  
 RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	103.81	MAR. 13, 1967	110.37	APR. 3, 1968	113.34	NOV. 5, 1968	113.81
OCT. 20	109.988	OCT. 23	113.79				

5N/1W-22M1 S. W. SNYDER. NEAR NORTHWEST EDGE OF LUCERNE LAKE AND ABOUT 4 1/2 MILES NORTHWEST OF LUCERNE VALLEY (VILLAGE). DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH REPORTED 190 FT IN 1954 AND 62 FT IN 1968, LSD 2,850 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 59.16 FT BELOW LSD, OCT. 18, 1966.  
 LOWEST STATIC WATER LEVEL 59.16 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1919, 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	M	MAR. 13, 1967	F	OCT. 23, 1967	F	APR. 3, 1968	O
OCT. 18	59.16						

5N/1W-25G1 S. GUTHRO. ABOUT 3 1/2 MILES NORTH OF LUCERNE VALLEY (VILLAGE). DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 202 FT., LSD 2,850 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 69.79 FT BELOW LSD, APR. 6, 1966.  
 LOWEST STATIC WATER LEVEL 77.70 FT BELOW LSD, APR. 3, 1968.  
 RECORDS AVAILABLE: 1951-52, 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	69.79	MAR. 13, 1967	71.48	APR. 3, 1968	77.70	NOV. 5, 1968	76.35
OCT. 20	72.92	OCT. 23	75.26				

5N/1W-35Q1 S. OWNER UNKNOWN. ABOUT 2 MILES NORTH OF LUCERNE VALLEY (VILLAGE). DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 12 INCHES. DEPTH 300 FT., LSD 2,855 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 48.74 FT BELOW LSD, APR. 6, 1966.  
 LOWEST STATIC WATER LEVEL 59.73 FT BELOW LSD, NOV. 5, 1968.  
 RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	48.74	MAR. 13, 1967	53.46	APR. 3, 1968	56.8	NOV. 5, 1968	59.73
OCT. 18	55.00	OCT. 23	51.13				

6N/1W-27B1 S. DES-MO-LAND CO., WELL SITE NO. 1. IN NORTH LUCERNE VALLEY AND ABOUT 9 1/2 MILES NORTH OF LUCERNE VALLEY (VILLAGE). DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 288.0 FT., LSD 3,040 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 151.16 FT BELOW LSD, APR. 6, 1966.  
 LOWEST STATIC WATER LEVEL 152.53 FT BELOW LSD, NOV. 5, 1968.  
 RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	151.16	MAR. 13, 1967	152.25	APR. 3, 1968	152.47	NOV. 5, 1968	152.53
OCT. 20	152.26	OCT. 23	152.33				

6N/1W-35A1 S. OSBORNE. IN NORTH LUCERNE VALLEY (VILLAGE). DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 270.0 FT., LSD 2,970 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 190.03 FT BELOW LSD, APR. 6, 1966.  
 LOWEST STATIC WATER LEVEL 198.15 FT BELOW LSD, NOV. 5, 1968.  
 RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 6, 1966	190.03	MAR. 13, 1967	192.86	APR. 3, 1968	197.67	NOV. 5, 1968	198.15
OCT. 27	192.44	OCT. 23	197.43				



## Lower Mojave River Valley

8N/4E-7E1 S. L. BODINE. ABOUT 5 MILES EAST OF NEWBERRY. DUG AND DRILLED DOMESTIC AND STOCK WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 300 FT., LSD 1,803.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 27.21 FT BELOW LSD, NOV. 14, 1968.  
 LOWEST STATIC WATER LEVEL 29.22 FT BELOW LSD, MAR. 15, 1967.  
 RECORDS AVAILABLE: 1919, 1922, 1930-32, 1938-48, 1950, 1952-53, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	27.69	MAR. 15, 1967	29.22	APR. 10, 1968	40.45A	NOV. 14, 1968	27.21
OCT. 19	27.40	OCT. 24	27.44				

8N/4E-12L1 S. L. A. SHEPHERD, FORMERLY MOJAVE CAMP SERVICE STATION. ABOUT 10 MILES EAST OF NEWBERRY. DRILLED PUBLIC SUPPLY AND DOMESTIC WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 205 FT., LSD 1,809.9 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 31.84 FT BELOW LSD, MAR. 15, 1966.  
 LOWEST STATIC WATER LEVEL 35.14 FT BELOW LSD, OCT. 19, 1966.  
 RECORDS AVAILABLE: 1930, 1932, 1935-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	31.84	MAR. 15, 1967	N	OCT. 24, 1967	33.11	NOV. 14, 1968	34.35
OCT. 19	35.14						

9N/1E-13E2 S. CALIFORNIA ELECTRIC POWER CO., COOLWATER RANCH, FORMERLY GETZ. ABOUT 3 MILES EAST OF DAGGETT. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 170.2 FT., LSD 1,949.6 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 94.96 FT BELOW LSD, MAR. 16, 1966.  
 LOWEST STATIC WATER LEVEL 99.49 FT BELOW LSD, OCT. 22, 1968.  
 RECORDS AVAILABLE: 1925-27, 1930-33, 1935-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	94.96	MAR. 15, 1967	95.72	MAR. 11, 1968	97.77	OCT. 22, 1968	99.49
OCT. 19	96.61	OCT. 24	97.70	JUNE 18	98.66		

9N/2E-20Q1 S. SAN BERNARDINO COUNTY, DAGGETT AIRPORT. ABOUT 5 1/2 MILES EAST OF DAGGETT. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 120 FT., LSD 1,921.4 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 70.67 FT BELOW LSD, MAR. 16, 1966.  
 LOWEST STATIC WATER LEVEL 74.64 FT BELOW LSD, NOV. 14, 1968.  
 RECORDS AVAILABLE: 1932, 1941-48, 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	70.67	MAR. 15, 1967	72.19	MAR. 14, 1968	73.46	NOV. 14, 1968	74.64
OCT. 19	72.12	OCT. 24	73.63				

9N/3E-3D2 S. CLINTON AND ERNEST BAILEY. ABOUT 5 1/2 MILES NORTH OF NEWBERRY. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 300 FT., LSD 1,818 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 53.27 FT BELOW LSD, MAR. 15, 1966.  
 LOWEST STATIC WATER LEVEL 60.69 FT BELOW LSD, NOV. 14, 1968.  
 RECORDS AVAILABLE: 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	53.27	MAR. 14, 1967	54.62	APR. 10, 1968	55.89	NOV. 14, 1968	60.69
OCT. 18	55.05	OCT. 24	55.38				

## GROUND-WATER RECORDS, 1966-68

9N/3E-12D1 S. H. M. ROUSE. ABOUT 6 MILES NORTHEAST OF NEWBERRY. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 444 FT., LSD 1,810 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 44.75 FT BELOW LSD, MAR. 15, 1966.  
 LOWEST STATIC WATER LEVEL 47.33 FT BELOW LSD, APR. 10, 1968.  
 RECORDS AVAILABLE: 1959, 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	44.75	MAR. 14, 1967	45.18	APR. 10, 1968	47.33	NOV. 14, 1968	46.60
OCT. 18	46.85	OCT. 24	45.98				

9N/3E-19P1 S. J. G. FREY. ABOUT 2 MILES NORTHWEST OF NEWBERRY. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 151 FT., LSD 1,856.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 15.15 FT BELOW LSD, OCT. 18, 1966.  
 LOWEST STATIC WATER LEVEL 19.25 FT BELOW LSD, APR. 10, 1968.  
 RECORDS AVAILABLE: 1919, 1922, 1930-35, 1938-48, 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	16.23	MAR. 14, 1967	16.29	MAR. 14, 1968	18.29	NOV. 14, 1968	17.89
OCT. 18	15.15	OCT. 24	18.24	APR. 10	19.25		

9N/3E-29A1 S. D. S. PURDY. ABOUT 1 1/2 MILES NORTH OF NEWBERRY. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 90 FT., LSD 1,846.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 70.18 FT BELOW LSD, MAR. 15, 1966.  
 LOWEST STATIC WATER LEVEL 77.21 FT BELOW LSD, NOV. 14, 1968.  
 RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	70.18	MAR. 14, 1967	71.15	MAR. 14, 1968	77.00	NOV. 14, 1968	77.21
OCT. 18	71.59	OCT. 24	76.14	APR. 10	A		

9N/4E-31K2 S. C. L. HINES. ABOUT 5 MILES EAST OF NEWBERRY. UNUSED WELL IN DUNE SAND, DIAMETER 12 INCHES. DEPTH 39.5 FT., LSD 1,787 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 17.92 FT BELOW LSD, APR. 10, 1968.  
 LOWEST STATIC WATER LEVEL 18.09 FT BELOW LSD, NOV. 14, 1968.  
 RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 24, 1967	17.98	APR. 10, 1968	17.92	NOV. 14, 1968	18.09		

10N/3E-21A1 S. FORMERLY 10N/3E-22D1. G. F. GETTY. AT HARVARD RAILROAD STATION. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 134.3 FT., LSD 1,817 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 114.53 FT BELOW LSD, MAR. 15, 1966.  
 LOWEST STATIC WATER LEVEL 120.76 FT BELOW LSD, OCT. 23, 1967.  
 RECORDS AVAILABLE: 1919, 1922, 1930, 1933-35, 1938-40, 1950, 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	114.53	MAR. 14, 1967	117.15	APR. 10, 1968	117.97	NOV. 14, 1968	119.24
OCT. 18	119.67	OCT. 23	120.76				

11N/5E-16J1 S. SOUTHERN CALIFORNIA MINERAL CO. ABOUT 1 1/2 MILES NORTHEAST OF MIDWAY. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 219 FT., LSD 1,638.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 153.00 FT BELOW LSD, APR. 10, 1968.  
 LOWEST STATIC WATER LEVEL 187.20 FT BELOW LSD, MAR. 14, 1967.  
 RECORDS AVAILABLE: 1950, 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	187.1 A	MAR. 14, 1967	187.2	APR. 10, 1968	153.0	NOV. 13, 1968	185.00
OCT. 18	187.4 B	OCT. 24	N				

## Middle Mojave River Valley

6N/4W-6E6 S. R. D. WORKMAN. SOUTH OF LADELTA. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 104 FT., LSD 2,580 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 42.82 FT BELOW LSD, MAR. 16, 1967.  
 LOWEST STATIC WATER LEVEL 47.79 FT BELOW LSD, OCT. 20, 1966.  
 RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1966	43.20	MAR. 16, 1967	42.82	APR. 11, 1968	44.20	NOV. 15, 1968	46.74
OCT. 20	47.79	OCT. 25	45.10				

6N/4W-18P2 S. RIVERSIDE CEMENT CO. ABOUT HALF A MILE NORTHWEST OF ORO GRANDE. DRILLED INDUSTRIAL WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 77 FT., LSD 2,610 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 10.33 FT BELOW LSD, APR. 11, 1968.  
 LOWEST STATIC WATER LEVEL 11.18 FT BELOW LSD, MAR. 16, 1967.  
 RECORDS AVAILABLE: 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1966	21.97A	MAR. 16, 1967	11.18	APR. 11, 1968	10.33	NOV. 15, 1968	11.01
OCT. 20	24.00A	OCT. 25	11.17				

6N/4W-32G4 S. R. H. CLARK. ABOUT 2 1/2 MILES SOUTHEAST OF ORO GRANDE. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH FT., LSD 2,750 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 45.10 FT BELOW LSD, OCT. 25, 1967.  
 LOWEST STATIC WATER LEVEL 47.15 FT BELOW LSD, NOV. 15, 1968.  
 RECORDS AVAILABLE: 1957, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1966	46.23	MAR. 16, 1967	46.63	APR. 11, 1968	46.36	NOV. 15, 1968	47.15
OCT. 20	46.31	OCT. 25	45.10				

6N/5W-RF1 S. LOCKWOOD, FORMERLY LINGREN. ABOUT 3 MILES NORTH OF ADELANTO. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 90 FT., LSD 2,780 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 78.05 FT BELOW LSD, OCT. 23, 1967.  
 LOWEST STATIC WATER LEVEL 83.07 FT BELOW LSD, NOV. 12, 1968.  
 RECORDS AVAILABLE: 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1966	78.85	MAR. 13, 1967	83.05	APR. 10, 1968	80.85	NOV. 12, 1968	83.07
OCT. 17	79.37A	OCT. 23	78.05				

6N/5W-9B1 S. L. L. SHELTON. ABOUT 3 MILES NORTH OF ADELANTO. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 133 FT., LSD 2,780 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 96.53 FT BELOW LSD, MAR. 14, 1966.  
 LOWEST STATIC WATER LEVEL 101.59 FT BELOW LSD, MAR. 13, 1967.  
 RECORDS AVAILABLE: 1958, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1966	96.53	MAR. 13, 1967	101.59	APR. 10, 1968	98.50	NOV. 12, 1968	100.18
OCT. 17	96.69	OCT. 23	96.70				

## GROUND-WATER RECORDS, 1966-68

6N/5W-19C1 S. FOREST MAYS. ABOUT 2 1/2 MILFS NORTHWEST OF ADELANTO. DOMESTIC WELL IN ALLUVIUM, DIAMETER 36 INCHES. DEPTH REPORTED 89 FT IN 1958 AND 77.5 FT IN 1967, LSD 2,820 FT. ABOVE MSL.

HIGHEST WATER LEVEL 64.88 FT BELOW LSD, APR. 10, 1968.  
 LOWEST STATIC WATER LEVEL 65.15 FT BELOW LSD, MAR. 14, 1966.  
 RECORDS AVAILABLE: 1947-50, 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1966	65.15	MAR. 13, 1967	64.97	APR. 10, 1968	64.88	DEC. 1968	0
OCT. 17	65.02	OCT. 23	64.99	NOV. 12	M		

6N/5W-19C3 S. FOREST MAYS. ABOUT 2 1/2 MILES NORTHWEST OF ADELANTO. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 200 FT., LSD 2,820 FT. ABOVE MSL.

HIGHEST WATER LEVEL 65.39 FT BELOW LSD, NOV. 12, 1968.  
 LOWEST STATIC WATER LEVEL 65.39 FT BELOW LSD, NOV. 12, 1968.  
 RECORDS AVAILABLE: 1958, 1968-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 12, 1968	65.39						

6N/5W-29H1 S. ADELANTO COMMUNITY SERVICE DISTRICT. WEST OF ADELANTO. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 190 FT., LSD 2,880 FT. ABOVE MSL.

HIGHEST WATER LEVEL 104.04 FT BELOW LSD, NOV. 12, 1968.  
 LOWEST STATIC WATER LEVEL 109.56 FT BELOW LSD, MAR. 13, 1967.  
 RECORDS AVAILABLE: 1944-48, 1951, 1954-56, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1966	105.69	MAR. 13, 1967	109.56	APR. 10, 1968	104.30	NOV. 12, 1968	104.04
OCT. 17	105.74	OCT. 23	104.45				

6N/5W-30R1 S. A. L. STONE. ABOUT 1 1/2 MILES WEST OF ADELANTO. DRILLED DOMESTIC AND STOCK WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 140 FT., LSD 2,880 FT. ABOVE MSL.

HIGHEST WATER LEVEL 106.28 FT BELOW LSD, NOV. 12, 1968.  
 LOWEST STATIC WATER LEVEL 106.60 FT BELOW LSD, MAR. 14, 1966.  
 RECORDS AVAILABLE: 1917, 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1966	106.60	MAR. 13, 1967	106.50	APR. 10, 1968	106.30	NOV. 12, 1968	106.28
OCT. 17	106.55	OCT. 23	106.47				

7N/4W-18D1 S. J. M. HARRIS. ABOUT 3 1/2 MILES SOUTH OF HELENDALE. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 40 FT., LSD 2,475 FT. ABOVE MSL.

HIGHEST WATER LEVEL 9.91 FT BELOW LSD, MAR. 17, 1966.  
 LOWEST STATIC WATER LEVEL 15.61 FT BELOW LSD, NOV. 15, 1968.  
 RECORDS AVAILABLE: 1958, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1966	9.91	MAR. 16, 1967	11.03	APR. 11, 1968	12.03	NOV. 15, 1968	15.61
OCT. 20	15.22	OCT. 25	14.56				

7N/4W-30C1 S. OWNER UNKNOWN. ABOUT 5 MILES SOUTH OF HELENDALE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 119.9 FT., LSD 2,561.5 FT. ABOVE MSL.

HIGHEST WATER LEVEL 59.37 FT BELOW LSD, MAR. 17, 1966.  
 LOWEST STATIC WATER LEVEL 61.28 FT BELOW LSD, OCT. 20, 1966.  
 RECORDS AVAILABLE: 1917, 1930-32, 1935-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1966	59.37	MAR. 16, 1967	60.03	APR. 11, 1968	59.43	NOV. 15, 1968	60.87
OCT. 20	61.28	OCT. 25	60.96				

7N/5W-7N1 S. ROBERT JOHNSON, BOB'S SMOKE SHOP. ABOUT 9 MILES NORTH OF ADELANTO. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 6 INCHES. DEPTH REPORTED 178 FT IN 1958 AND 160.0 FT IN 1965, LSD 2,780 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 145.81 FT BELOW LSD, APR. 10, 1968.  
LOWEST STATIC WATER LEVEL 149.11 FT BELOW LSD, MAR. 14, 1966.  
RECORDS AVAILABLE: 1950, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1966	149.11	MAR. 13, 1967	N	APR. 10, 1968	145.81	NOV. 12, 1968	N
OCT. 17	147.99	OCT. 23	146.35				

7N/5W-15P1 S. OWNER UNKNOWN. ABOUT 6 1/2 MILES NORTH OF GEORGE AIR FORCE BASE. DUG UNUSED WELL IN ALLUVIUM, DIAMETER 36 INCHES. DEPTH FT., LSD 2,705 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 132.09 FT BELOW LSD, OCT. 23, 1967.  
LOWEST STATIC WATER LEVEL 134.69 FT BELOW LSD, MAR. 13, 1967.  
RECORDS AVAILABLE: 1919, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1966	132.39	MAR. 13, 1967	134.69	APR. 10, 1968	F	NOV. 12, 1968	0
OCT. 17	132.10	OCT. 23	132.09				

7N/5W-22N2 S. OWNER UNKNOWN. ABOUT 5 1/2 MILES NORTH OF GEORGE AIR FORCE BASE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH FT., LSD 2,715 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 88.42 FT BELOW LSD, NOV. 12, 1968.  
LOWEST STATIC WATER LEVEL 88.99 FT BELOW LSD, OCT. 17, 1966.  
RECORDS AVAILABLE: 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1966	88.88	MAR. 13, 1967	88.77	APR. 10, 1968	88.64	NOV. 12, 1968	88.42
OCT. 17	88.99	OCT. 23	88.79				

8N/4W-12Q1 S. JOSEPH TAYLOR, FORMERLY HOLCOMB BROS. NEAR WILD CROSSING. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 48 INCHES, CASSED WITH BRICK. DEPTH FT., LSD 2,329 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 15.68 FT BELOW LSD, APR. 11, 1968.  
LOWEST STATIC WATER LEVEL 28.60 FT BELOW LSD, MAR. 16, 1966.  
RECORDS AVAILABLE: 1931-32, 1935-37, 1939-41, 1943-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	28.6	MAR. 15, 1967	18.61	APR. 11, 1968	15.68	NOV. 15, 1968	19.9
OCT. 19	19.34	OCT. 25	N				

8N/4W-21F2 S. JOHN OWENS. ABOUT 2 MILES NORTHEAST OF HELENDALE. DRILLED UNUSED WELL IN RIVER ALLUVIUM, DIAMETER 14 INCHES. DEPTH 50 FT., LSD 2,385 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 6.81 FT BELOW LSD, MAR. 15, 1967.  
LOWEST STATIC WATER LEVEL 9.92 FT BELOW LSD, NOV. 13, 1968.  
RECORDS AVAILABLE: 1958, 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	6.87	MAR. 15, 1967	6.81	APR. 11, 1968	7.71	NOV. 13, 1968	9.92
OCT. 19	8.62	OCT. 25	7.53				

8N/4W-31R1 S. FRED OREBAUGH. ABOUT 1 MILE SOUTHWEST OF HELENDALE. DUG AND DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 60 FT., LSD 2,449 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 21.32 FT BELOW LSD, MAR. 17, 1966.  
LOWEST STATIC WATER LEVEL 29.43 FT BELOW LSD, NOV. 15, 1968.  
RECORDS AVAILABLE: 1930-32, 1934-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1966	21.32B	MAR. 16, 1967	22.57	APR. 11, 1968	23.94	NOV. 15, 1968	29.43
OCT. 20	28.85	OCT. 25	28.70				

9N/1W-5D1 S. T. BERNETT. AT EAST END OF BARSTOW. DRILLED INDUSTRIAL WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 60 FT., LSD 2,115 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 42.26 FT BELOW LSD, MAR. 14, 1966.  
 LOWEST STATIC WATER LEVEL 42.26 FT BELOW LSD, MAR. 14, 1966.  
 RECORDS AVAILABLE: 1958-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1966	42.26	OCT. 17, 1966	P				

9N/3W-13R1 S. W. F. JASKA, FORMERLY PALAMAR. ABOUT 2 MILES SOUTHWEST OF LENWOOD. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 212 FT., LSD 2,245 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 84.80 FT BELOW LSD, MAR. 17, 1966.  
 LOWEST STATIC WATER LEVEL 89.14 FT BELOW LSD, NOV. 14, 1968.  
 RECORDS AVAILABLE: 1954, 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1966	84.80	MAR. 15, 1967	87.57	APR. 11, 1968	87.70	NOV. 14, 1968	89.14
OCT. 19	86.99	OCT. 25	88.55				

9N/3W-27L2 S. I. F. MATHEWS. ABOUT 0.7 MILE NORTH OF JOHNSTON'S CORNER. DUG UNUSED WELL IN RIVER ALLUVIUM, DIAMETER 14 INCHES. DEPTH FT., LSD 2,250 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 14.76 FT BELOW LSD, MAR. 16, 1966.  
 LOWEST STATIC WATER LEVEL 19.38 FT BELOW LSD, OCT. 19, 1966.  
 RECORDS AVAILABLE: 1958-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	14.76	OCT. 19, 1966	19.38	MAR. 15, 1967	15.00	OCT. 25, 1967	0

9N/3W-27L4 S. OWNER UNKNOWN. ABOUT 0.7 MILE NORTH OF JOHNSTON'S CORNER. ABOUT 10 MILES SOUTHWEST OF BARSTOW. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH FT., LSD 2,260 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 11.60 FT BELOW LSD, OCT. 25, 1967.  
 LOWEST STATIC WATER LEVEL 15.90 FT BELOW LSD, NOV. 14, 1968.  
 RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 25, 1967	11.60	APR. 10, 1968	13.60	NOV. 14, 1968	15.90		

10N/3W-10R1 S. VERNON WALLACE. ABOUT 3 MILES NORTHWEST OF HINKLEY. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 180 FT., LSD 2,135 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 59.45 FT BELOW LSD, MAR. 15, 1967.  
 LOWEST STATIC WATER LEVEL 66.22 FT BELOW LSD, OCT. 19, 1966.  
 RECORDS AVAILABLE: 1953, 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	89.70A	MAR. 15, 1967	59.45	APR. 11, 1968	65.38	NOV. 14, 1968	61.79
OCT. 19	66.22	OCT. 23	64.62				

10N/3W-33J1 S. D. A. HAMOND. ABOUT 2 MILES SOUTH OF HINKLEY. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 150 FT., LSD 2,230 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 86.93 FT BELOW LSD, OCT. 23, 1967.  
 LOWEST STATIC WATER LEVEL 87.70 FT BELOW LSD, OCT. 19, 1966.  
 RECORDS AVAILABLE: 1958, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	86.99	MAR. 15, 1967	M	APR. 11, 1968	87.20	NOV. 14, 1968	87.08
OCT. 19	87.70	OCT. 23	86.93				

10N/3W-35N1 S. EDWARD HORTON. ABOUT 2 1/2 MILES SOUTHEAST OF HINKLEY. DUG AND DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 144 FT., LSD 2,212.0 FT. ABOVE MSL. HIGHEST WATER LEVEL 103.15 FT BELOW LSD, MAR. 16, 1966. LOWEST STATIC WATER LEVEL 104.73 FT BELOW LSD, APR. 11, 1968. RECORDS AVAILABLE: 1930-32, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1966	103.15	MAR. 15, 1967	104.39	APR. 11, 1968	104.73	NOV. 14, 1968	104.29
OCT. 19	104.12	OCT. 23	104.68				

## Upper Mojave River Valley

3N/3W-6E2 S. MCBAIN. NEAR THE MOJAVE RIVER ABOUT 4 1/2 MILES SOUTHEAST OF HESPERIA. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 61 FT., LSD 2,940 FT. ABOVE MSL. HIGHEST WATER LEVEL 4.37 FT BELOW LSD, MAR. 22, 1967. LOWEST STATIC WATER LEVEL 37.38 FT BELOW LSD, OCT. 18, 1966. RECORDS AVAILABLE: 1948-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	5.32	MAR. 22, 1967	4.37	APR. 10, 1968	5.03	NOV. 5, 1968	36.38
OCT. 18	37.38	OCT. 26	22.70				

4N/2W-10D1 S. A. MENDEL. ABOUT 12 1/2 MILES SOUTHEAST OF VICTORVILLE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 224.3 FT., LSD 3,073.2 FT. ABOVE MSL. HIGHEST WATER LEVEL 206.98 FT BELOW LSD, APR. 5, 1966. LOWEST STATIC WATER LEVEL 208.61 FT BELOW LSD, NOV. 5, 1968. RECORDS AVAILABLE: 1917, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	206.98	MAR. 22, 1967	207.90	APR. 10, 1968	208.22	NOV. 5, 1968	208.61
OCT. 18	207.70	OCT. 26	208.13				

4N/3W-10R1 S. RALPH KINCHEN. ABOUT 9 MILES SOUTHEAST OF VICTORVILLE. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 385 FT., LSD 3,090.0 FT. ABOVE MSL. HIGHEST WATER LEVEL 271.05 FT BELOW LSD, NOV. 5, 1968. LOWEST STATIC WATER LEVEL 275.40 FT BELOW LSD, APR. 5, 1966. RECORDS AVAILABLE: 1917, 1930-32, 1956, 1959-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	275.4	MAR. 22, 1967	272.36	APR. 10, 1968	271.27	NOV. 5, 1968	271.05
OCT. 18	272.41	OCT. 26	272.73				

4N/3W-18E1 S. CLYDE HILLS. NEAR THE MOJAVE RIVER ABOUT 4 MILES EAST OF HESPERIA. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 100 FT., LSD 2,866.6 FT. ABOVE MSL. HIGHEST WATER LEVEL 39.12 FT BELOW LSD, MAR. 22, 1967. LOWEST STATIC WATER LEVEL 53.38 FT BELOW LSD, NOV. 5, 1968. RECORDS AVAILABLE: 1930-32, 1935, 1938-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	50.32	MAR. 22, 1967	39.12	APR. 10, 1968	44.41	NOV. 5, 1968	53.38
OCT. 18	50.62	OCT. 26	40.34				

## GROUND-WATER RECORDS, 1966-68

4N/4W-1D2 S. HIGRADE MATERIALS. (GRAVEL CO). ABOUT 4 1/2 MILES SOUTHEAST OF VICTORVILLE. DRILLED INDUSTRIAL WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 50 FT., LSD 2,827 FT. ABOVE MSL. HIGHEST WATER LEVEL 19.97 FT BELOW LSD, APR. 10, 1968. LOWEST STATIC WATER LEVEL 23.45 FT BELOW LSD, NOV. 5, 1968. RECORDS AVAILABLE: 1957, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 26, 1967	21.72C	APR. 10, 1968	19.97	NOV. 5, 1968	23.45		

4N/4W-8G1 S. HESPERIA LAND DEVELOPMENT CO. ABOUT 2 1/2 MILES NORTHWEST OF HESPERIA. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 610 FT., LSD 3,165 FT. ABOVE MSL. HIGHEST WATER LEVEL 346.25 FT BELOW LSD, APR. 5, 1966. LOWEST STATIC WATER LEVEL 347.89 FT BELOW LSD, OCT. 17, 1966. RECORDS AVAILABLE: 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	346.25	APR. 21, 1967	347.52	APR. 9, 1968	N	NOV. 5, 1968	N
OCT. 17	347.89	OCT. 25	N				

4N/5W-22H1 S. OWNER UNKNOWN. ABOUT 4 1/2 MILES WEST OF HESPERIA. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 802 FT., LSD 3,551.9 FT. ABOVE MSL. HIGHEST WATER LEVEL 675.58 FT BELOW LSD, MAR. 21, 1967. LOWEST STATIC WATER LEVEL 679.29 FT BELOW LSD, OCT. 17, 1966. RECORDS AVAILABLE: 1917, 1957, 1959-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	N	MAR. 21, 1967	675.58	APR. 9, 1968	N	NOV. 4, 1968	N
OCT. 17	679.29	NOV. 17	679.5 E				

5N/3W-14G1 S. OWNER UNKNOWN. ABOUT 1 1/2 MILES NORTHEAST OF APPLE VALLEY VILLAGE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH FT., LSD 2,916 FT. ABOVE MSL. HIGHEST WATER LEVEL 92.09 FT BELOW LSD, OCT. 18, 1966. LOWEST STATIC WATER LEVEL 96.04 FT BELOW LSD, APR. 5, 1966. RECORDS AVAILABLE: 1957, 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	96.04	MAR. 21, 1967	92.28	APR. 9, 1968	93.15	NOV. 5, 1968	93.61
OCT. 18	92.09	OCT. 26	93.10				

5N/3W-19E1 S. RUSSEL WOOD, FORMERLY SPOTTS. ABOUT 3 MILES SOUTHEAST OF VICTORVILLE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 155.8 FT., LSD 2,875 FT. ABOVE MSL. HIGHEST WATER LEVEL 100.47 FT BELOW LSD, MAR. 22, 1967. LOWEST STATIC WATER LEVEL 102.90 FT BELOW LSD, OCT. 18, 1966. RECORDS AVAILABLE: 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	100.99	MAR. 22, 1967	100.47	APR. 10, 1968	100.70	NOV. 5, 1968	101.13
OCT. 18	102.90	OCT. 26	100.99				

5N/3W-27F1 S. DOROTHY PETTY. AT APPLE VALLEY VILLAGE AND ABOUT 6 1/2 MILES SOUTHEAST OF VICTORVILLE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 156.7 FT., LSD 2,955 FT. ABOVE MSL. HIGHEST WATER LEVEL 135.64 FT BELOW LSD, APR. 5, 1966. LOWEST STATIC WATER LEVEL 137.59 FT BELOW LSD, OCT. 18, 1966. RECORDS AVAILABLE: 1956-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	135.64	OCT. 18, 1966	137.59	MAR. 1967	0		



5N/4W-403 S. L. LUKE. AT VICTORVILLE AT MACHINE SHOP AT FREEWAY OVERPASS. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 48 FT., LSD 2,708 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 6.72 FT BELOW LSD, APR. 9, 1968.  
 LOWEST STATIC WATER LEVEL 9.04 FT BELOW LSD, APR. 5, 1966.  
 RECORDS AVAILABLE: 1917, 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	9.04	MAR. 21, 1967	7.07	APR. 9, 1968	6.72	NOV. 4, 1968	7.11
OCT. 18	7.61	OCT. 25	7.34				

5N/4W-11P1 S. A. PRATT. ABOUT 1 1/2 MILES SOUTHEAST OF VICTORVILLE. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 65 FT., LSD 2,788.3 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 55.81 FT BELOW LSD, MAR. 21, 1967.  
 LOWEST STATIC WATER LEVEL 59.90 FT BELOW LSD, APR. 5, 1966.  
 RECORDS AVAILABLE: 1931-32, 1935, 1937-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	59.9	MAR. 21, 1967	55.81	APR. 9, 1968	57.30B	NOV. 5, 1968	58.51
OCT. 18	58.55	OCT. 25	57.58B				

5N/4W-21E1 S. C. AUSTIN. ABOUT 2 MILES SOUTHWEST OF VICTORVILLE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 126 FT., LSD 2,890 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 112.12 FT BELOW LSD, APR. 5, 1966.  
 LOWEST STATIC WATER LEVEL 124.10 FT BELOW LSD, OCT. 17, 1966.  
 RECORDS AVAILABLE: 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	112.12	MAR. 21, 1967	116.03	APR. 9, 1968	M	NOV. 4, 1968	0
OCT. 17	124.10	OCT. 25	115.43				

5N/4W-36N1 S. KALIN CO. WELL. NEAR MOJAVE RIVER ABOUT 4 1/2 MILES SOUTHEAST OF VICTORVILLE. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 306 FT., LSD 2,827.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 22.29 FT BELOW LSD, MAR. 22, 1967.  
 LOWEST STATIC WATER LEVEL 31.46 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1917, 1930-45, 1947-57, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 18, 1966	31.46	OCT. 26, 1967	N	APR. 10, 1968	23.87	NOV. 5, 1968	A
MAR. 22, 1967	22.29						

5N/4W-36N4 S. KALIN CO. WELL NO. 2. NEAR MOJAVE RIVER ABOUT 4 1/2 MILES SOUTHEAST OF VICTORVILLE. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 270 FT., LSD 2,824.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 29.30 FT BELOW LSD, APR. 5, 1966.  
 LOWEST STATIC WATER LEVEL 29.30 FT BELOW LSD, APR. 5, 1966.  
 RECORDS AVAILABLE: 1917, 1956, 1958-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	29.30						

5N/5W-4C1 S. MCCURDY. ABOUT 1 1/2 MILES SOUTH OF ADELANTO. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 150.3 FT., LSD 2,945 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 132.86 FT BELOW LSD, APR. 5, 1966.  
 LOWEST STATIC WATER LEVEL 134.79 FT BELOW LSD, OCT. 17, 1966.  
 RECORDS AVAILABLE: 1948-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	132.86	APR. 21, 1967	132.90	APR. 9, 1968	133.21	NOV. 4, 1968	133.82
OCT. 17	134.79	OCT. 25	133.83				

## GROUND-WATER RECORDS, 1966-68

5N/5W-22E2 S. HARRIS. AT INTERSECTION OF HIGHWAY 395 AND PALMDALE-VICTORVILLE ROAD AND ABOUT 6 1/2 MILES SOUTHWEST OF VICTORVILLE. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 510 FT., LSD 3,121 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 313.60 FT BELOW LSD, MAR. 21, 1967.  
 LOWEST STATIC WATER LEVEL 316.40 FT BELOW LSD, OCT. 25, 1967.  
 RECORDS AVAILABLE: 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	315.45	MAR. 21, 1967	313.6	APR. 9, 1968	313.76	NOV. 4, 1968	314.11
OCT. 17	314.06	OCT. 25	316.4				

5N/6W-12N1 S. OWNER UNKNOWN. ABOUT 5 MILES SOUTHWEST OF ADELANTO. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH FT., LSD 3,100 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 182.55 FT BELOW LSD, MAR. 21, 1967.  
 LOWEST STATIC WATER LEVEL 184.02 FT BELOW LSD, APR. 5, 1966.  
 RECORDS AVAILABLE: 1917, 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	184.02	MAR. 21, 1967	182.55	APR. 9, 1968	182.63	NOV. 4, 1968	183.32
OCT. 17	182.79	OCT. 25	182.80				

5N/7W-9H1 S. JOHNSON. ABOUT 8 MILES NORTHWEST OF PHELAN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 350 FT., LSD 3,211.1 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 284.26 FT BELOW LSD, MAR. 21, 1967.  
 LOWEST STATIC WATER LEVEL 286.43 FT BELOW LSD, APR. 5, 1966.  
 RECORDS AVAILABLE: 1917, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	286.43	MAR. 21, 1967	284.26	APR. 9, 1968	284.58	NOV. 4, 1968	284.41
OCT. 17	284.42	OCT. 25	284.52				

6N/3W-28R1 S. IRENE MCCARTHY. ABOUT 5 MILES NORTH OF APPLE VALLEY VILLAGE. DRILLED DOMESTIC AND IRRIGATION WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 172 FT., LSD 2,968.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 165.09 FT BELOW LSD, APR. 5, 1966.  
 LOWEST STATIC WATER LEVEL 175.41 FT BELOW LSD, NOV. 5, 1968.  
 RECORDS AVAILABLE: 1917, 1946, 1948-54, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	165.09	MAR. 21, 1967	169.88	APR. 9, 1968	173.29	NOV. 5, 1968	175.41
OCT. 18	173.19	OCT. 26	175.05				

6N/6W-14P3 S. OWNER UNKNOWN. ABOUT 4 1/2 MILES NORTHWEST OF ADELANTO. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 238.2 FT., LSD 2,835 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 45.69 FT BELOW LSD, OCT. 25, 1967.  
 LOWEST STATIC WATER LEVEL 46.98 FT BELOW LSD, OCT. 17, 1966.  
 RECORDS AVAILABLE: 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	46.18	MAR. 21, 1967	46.29	APR. 9, 1968	46.30	NOV. 5, 1968	46.61
OCT. 17	46.98	OCT. 25	45.69				

6N/6W-32K1 S. F. REINKE. IN EL MIRAGE VALLEY ABOUT 7 MILES WEST OF ADELANTO. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 226 FT., LSD 3,047.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 155.91 FT BELOW LSD, APR. 5, 1966.  
 LOWEST STATIC WATER LEVEL 155.91 FT BELOW LSD, APR. 5, 1966.  
 RECORDS AVAILABLE: 1918, 1947, 1949-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	155.91	OCT. 17, 1966	M	APR. 1967	O		

6N/7W-12N2 S. OWNER UNKNOWN. NEAR SOUTH EDGE OF EL MIRAGE LAKE ABOUT 10 MILES NORTHWEST OF ADELANTO. DUG UNUSED WELL IN DUNE SAND, DIAMETER 48 INCHES. DEPTH 26.2 FT., LSD 2,860 FT. ABOVE MSL.

HIGHEST WATER LEVEL 11.37 FT BELOW LSD, OCT. 17, 1966.

LOWEST STATIC WATER LEVEL 15.67 FT BELOW LSD, APR. 5, 1966.

RECORDS AVAILABLE: 1956, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	15.67	MAR. 21, 1967	13.50	APR. 9, 1968	14.03	NOV. 4, 1968	13.92
OCT. 17	11.37	OCT. 25	13.24				

7N/7W-27L1 S. ALBRIGHT. NEAR NORTH END OF EL MIRAGE LAKE AND ABOUT 12 1/2 MILES NORTHWEST OF ADELANTO. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 18 INCHES. DEPTH 231.7 FT., LSD 2,835 FT. ABOVE MSL.

HIGHEST WATER LEVEL 49.66 FT BELOW LSD, APR. 5, 1966.

LOWEST STATIC WATER LEVEL 67.81 FT BELOW LSD, NOV. 4, 1968.

RECORDS AVAILABLE: 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	49.66	APR. 21, 1967	60.74	APR. 9, 1968	66.13	NOV. 4, 1968	67.81
OCT. 17	58.88	OCT. 25	63.86				

### Morongo Valley

1S/4E-12O1 S. F. A. HICKS. ABOUT 5 MILES NORTHEAST OF MORONGO VALLEY (VILLAGE). DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 220 FT., LSD 2,740 FT. ABOVE MSL.

HIGHEST WATER LEVEL 163.33 FT BELOW LSD, FEB. 28, 1966.

LOWEST STATIC WATER LEVEL 164.28 FT BELOW LSD, NOV. 5, 1968.

RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	163.33	MAR. 14, 1967	164.05	APR. 4, 1968	164.19	NOV. 5, 1968	164.28
OCT. 25	163.85	OCT. 23	164.07				

1S/4E-22J1 S. C. V. LIVINGSTONE. ABOUT 2 1/2 MILES NORTHEAST OF MORONGO VALLEY (VILLAGE). DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 8 INCHES. DEPTH 235 FT., LSD 2,750 FT. ABOVE MSL.

HIGHEST WATER LEVEL 172.09 FT BELOW LSD, FEB. 28, 1966.

LOWEST STATIC WATER LEVEL 189.20 FT BELOW LSD, APR. 20, 1967, DEC. 4, 1968.

RECORDS AVAILABLE: 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	172.09	NOV. 14, 1966	172.7 G	OCT. 24, 1967	173.85	MAY 8, 1968	173.4 G
APR. 20	174.2 G	MAR. 14, 1967	173.12	JAN. 11, 1968	172.8 G	NOV. 5	173.26
OCT. 25	172.78	APR. 20	189.2 G	APR. 4	172.80	DEC. 4	189.2 G

1S/4E-32G1 S. F. GRAHAM. ABOUT 7 MILES NORTHWEST OF DESERT HOT SPRINGS. IN MORONGO VALLEY. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. THIS WELL REPLACES 1S/4E-32H1. DEPTH 100 FT., LSD 2,600 FT. ABOVE MSL.

HIGHEST WATER LEVEL 60.42 FT BELOW LSD, OCT. 25, 1966.

LOWEST STATIC WATER LEVEL 62.43 FT BELOW LSD, NOV. 5, 1968.

RECORDS AVAILABLE: 1946-58, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 25, 1966	60.42	OCT. 24, 1967	61.98	APR. 4, 1968	62.03	NOV. 5, 1968	62.43
MAR. 14, 1967	61.52						

## GROUND-WATER RECORDS, 1966-68

1S/4E-32H1 S. LEWIS ROMER. AT SOUTH SIDE OF MORONGO VALLEY. DRILLED WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 250 FT., LSD 2,560 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 53.65 FT BELOW LSD, FEB. 28, 1966.  
 LOWEST STATIC WATER LEVEL 53.65 FT BELOW LSD, FEB. 28, 1966.  
 RECORDS AVAILABLE: 1958-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	53.65	OCT. 25, 1966	0				

## Silver Lake Valley

15N/RE-22R1 S. DEATH VALLEY PANAMINT MINING CO. NORTHEAST EDGE OF SILVER LAKE ABOUT 7 1/2 MILES NORTH OF BAKER. DRILLED DOMESTIC AND INDUSTRIAL WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 12 INCHES. DEPTH REPORTED 120 FT IN 1954, MEASURED 55.5 FT IN 1965, AND DESTROYED IN 1968, LSD 909 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 56.58 FT BELOW LSD, MAR. 15, 1966.  
 LOWEST STATIC WATER LEVEL 56.58 FT BELOW LSD, MAR. 15, 1966.  
 RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	56.58	OCT. 18, 1966	M	NOV. 13, 1968	P		

## Soda Lake Valley

12N/RE-27N2 S. RAZOR STATION. ABOUT 12 1/2 MILES SOUTHWEST OF BAKER. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 11 INCHES. DEPTH 27 FT., LSD 965 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 20.16 FT BELOW LSD, MAR. 15, 1966.  
 LOWEST STATIC WATER LEVEL 20.93 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	20.16	OCT. 18, 1966	20.93	MAR. 14, 1967	20.61	NOV. 13, 1968	22.37A

12N/RE-35A1 S. MILTON CULVER. ABOUT 12 1/2 MILES SOUTH OF BAKER. DUG STOCK WELL IN ALLUVIUM, DIAMETER 6 X 7 FEET. DEPTH 10.0 FT MAY 26, 1954, 20.0 FT JUNE 9, 1965, LSD 951 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 8.03 FT BELOW LSD, OCT. 18, 1966.  
 LOWEST STATIC WATER LEVEL 8.03 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1954-55, 1957, 1961-62, 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 18, 1966	8.03	NOV. 13, 1968	8.57A				

13N/RE-1H1 S. J. D. HEITSCHUSSEN. ABOUT 1 1/2 MILES SOUTH OF BAKER. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 134.5 FT JUNE 8, 1965, LSD 922 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 23.04 FT BELOW LSD, OCT. 18, 1966.  
 LOWEST STATIC WATER LEVEL 25.06 FT BELOW LSD, MAR. 15, 1966.  
 RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	25.06	OCT. 18, 1966	23.04	MAR. 14, 1967	24.82	NOV. 13, 1968	24.70

13N/9E-20J1 S. FRED TWISSELMAN. EAST EDGE OF SODA LAKE ABOUT 5 MILES SOUTHEAST OF BAKER. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF PLISTOCENE AGE, DIAMETER 16 INCHES. DEPTH 400 FT., LSD 980 FT. ABOVE MSL. HIGHEST WATER LEVEL 65.52 FT BELOW LSD, MAR. 15, 1966. LOWEST STATIC WATER LEVEL 65.84 FT BELOW LSD, NOV. 13, 1968. RECORDS AVAILABLE: 1954-56, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	65.52	OCT. 18, 1966	65.72	MAR. 14, 1967	65.81	NOV. 13, 1968	65.84

14N/9E-30K1 S. STATE HIGHWAY DEPT., FORMERLY E. KOLSTAD. ABOUT 1 MILE NORTHEAST OF BAKER. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 95.3 FT JUNE 23, 1965, LSD 965 FT. ABOVE MSL. HIGHEST WATER LEVEL 75.73 FT BELOW LSD, MAR. 15, 1966. LOWEST STATIC WATER LEVEL 76.39 FT BELOW LSD, NOV. 13, 1968. RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1966	75.73	OCT. 18, 1966	76.35	MAR. 14, 1967	75.91	NOV. 13, 1968	76.39

### Superior Valley

31S/45E-1C1 M. OWNER UNKNOWN. ABOUT 1 1/2 MILES NORTH OF THE NORTHWEST CORNER OF SUPERIOR LAKE AND ABOUT 26 MILES NORTH OF BARSTOW. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 150.0 FT IN 1954 AND 142.0 FT IN 1968, LSD 3,040 FT. ABOVE MSL. HIGHEST WATER LEVEL 117.56 FT BELOW LSD, MAR. 14, 1966. LOWEST STATIC WATER LEVEL 117.65 FT BELOW LSD, OCT. 17, 1966. RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1966	117.56	OCT. 17, 1966	117.65	MAR. 13, 1967	117.60	AUG. 15, 1968	117.61

31S/45E-24O1 M. OWNER UNKNOWN. ABOUT 1 MILE SOUTH OF SOUTHEAST EDGE OF SUPERIOR LAKE AND ABOUT 22 MILES NORTH OF BARSTOW. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 106.0 FT IN 1968, LSD 3,026 FT. ABOVE MSL. HIGHEST WATER LEVEL 105.95 FT BELOW LSD, MAR. 14, 1966. LOWEST STATIC WATER LEVEL 106.48 FT BELOW LSD, MAR. 13, 1967. RECORDS AVAILABLE: 1953, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1966	105.95	OCT. 17, 1966	106.00	MAR. 13, 1967	106.48	AUG. 21, 1968	F

31S/46E-2M1 M. OWNER UNKNOWN. ABOUT HALF A MILE NORTH OF THE NORTHEAST CORNER OF SUPERIOR DRY LAKE AND ABOUT 24 MILES NORTH OF BARSTOW. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 117.0 FT IN 1954 AND 102.0 FT IN 1968, LSD 3,020 FT. ABOVE MSL. HIGHEST WATER LEVEL 99.69 FT BELOW LSD, MAR. 14, 1966. LOWEST STATIC WATER LEVEL 102.43 FT BELOW LSD, MAR. 13, 1967. RECORDS AVAILABLE: 1920, 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1966	99.69	OCT. 17, 1966	100.41	MAR. 13, 1967	102.43	AUG. 22, 1968	100.39

## GROUND-WATER RECORDS, 1966-68

31S/46E-16J1 M. OWNER UNKNOWN. ABOUT HALF A MILE SOUTH OF THE SOUTH EDGE OF SUPERIOR LAKE AND 21 MILES NORTH OF BARSTOW. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 245.5 FT IN 1954 AND 227.5 FT IN 1968, LSD 3,011 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 93.12 FT BELOW LSD, MAR. 14, 1966.  
 LOWEST STATIC WATER LEVEL 94.05 FT BELOW LSD, OCT. 17, 1966.  
 RECORDS AVAILABLE: 1954, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1966	93.12	OCT. 17, 1966	94.05	MAR. 13, 1967	93.43	AUG. 21, 1968	93.27

## Upper Santa Ana Valley

1S/5W-22E1 S. CITIZENS LAND AND WATER CO. BLOOMINGTON. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 14 INCHES. RECORDS FURNISHED BY SAN BERNARDINO COUNTY FLOOD CONTROL DISTRICT. DEPTH 620 FT., LSD 1,107.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 291.00 FT BELOW LSD, JAN. 31, 1966, MAR. 3, 1966.  
 LOWEST STATIC WATER LEVEL 295.80 FT BELOW LSD, JAN. 25, 1968.  
 RECORDS AVAILABLE: 1927-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 4, 1966	291.1	AUG. 29, 1966	292.8	MAY 5, 1967	292.8	JAN. 25, 1968	295.8
JAN. 31	291.0	OCT. 6	292.6	JUNE 14	292.9	MAR. 6	295.7
MAR. 3	291.0	NOV. 3	293.0	JULY 13	292.7	APR. 24	292.4
APR. 1	291.1	DEC. 2	293.0	AUG. 2	293.4	JUNE 13	293.7
MAY 5	291.4	DEC. 15	293.0	SEP. 14	293.7	JULY 10	295.3
JUNE 2	291.5	JAN. 12, 1967	292.5	OCT. 5	293.6	AUG. 6	293.5
JUNE 29	291.9	MAR. 9	292.8	NOV. 14	293.4	SEP. 4	294.6
AUG. 4	292.7	APR. 14	292.5				

1N/4W-32N1 S. CITY OF SAN BERNARDINO, BASE LINE WELL. NORTHWEST OF SAN BERNARDINO. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 20 INCHES. RECORDS FURNISHED BY SAN BERNARDINO MUNICIPAL WATER DEPARTMENT. DEPTH 581 FT., LSD 1,184 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 210.60 FT BELOW LSD, FEB. 9, 1966.  
 LOWEST STATIC WATER LEVEL 247.10 FT BELOW LSD, AUG. 27, 1968.  
 RECORDS AVAILABLE: 1946-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 9, 1966	210.6	MAR. 14, 1967	214.2	NOV. 30, 1967	221.8	JUNE 13, 1968	222.6
APR. 12	212.0	APR. 26	214.7	JAN. 16, 1968	219.5	AUG. 27	247.1
JULY 12	215.7	MAY 26	216.3	FEB. 16	218.7	OCT. 24	228.7
SEP. 27	218.2	OCT. 26	240.5 A	MAR. 28	219.9	OCT. 24	246.5
DEC. 9	219.2	OCT. 26	219.9	APR. 18	218.3	DEC. 5	225.3
JAN. 9, 1967	218.2						

1S/3W-17C3 S. HAROLD DANIELS. NEAR SANTA ANA RIVER NORTHWEST OF REDLANDS. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 8 INCHES. RECORDS FURNISHED BY GAGE CANAL CO. DEPTH 296 FT., LSD 1,175.83 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 176.85 FT BELOW LSD, AUG. 7, 1967.  
 LOWEST STATIC WATER LEVEL 203.05 FT BELOW LSD, DEC. 5, 1966.  
 RECORDS AVAILABLE: 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 3, 1966	196.25	OCT. 3, 1966	201.45	JULY 3, 1967	177.40	APR. 1, 1968	188.70
FEB. 14	189.55	NOV. 7	202.80	AUG. 7	176.85	MAY 6	189.00
MAR. 7	187.90	DEC. 5	203.05	SEP. 3	182.80	JUNE 3	188.95
APR. 4	188.60	JAN. 2, 1967	200.35	OCT. 1	187.50	JULY 1	189.55
MAY 2	190.15	FEB. 6	196.45	NOV. 6	188.55	AUG. 5	191.10
JUNE 6	192.35	MAR. 6	194.25	DEC. 4	188.00	SEP. 2	193.30
JULY 4	194.70	APR. 3	194.55	JAN. 1, 1968	188.25	OCT. 7	194.80
AUG. 1	197.25	MAY 1	195.15	FEB. 5	187.40	NOV. 4	196.10
SEP. 5	190.45	JUNE 4	191.50	MAR. 4	188.25	DEC. 2	197.40

1S/3W-3201 S. HINCKLEY. WINDMILL WELL. NEAR SAN TIMOTED CANYON WEST OF REDLANDS. DRILLED UNUSED WELL IN ALLUVIUM OF PLIOCENE (?) AND PLEISTOCENE AGE, DIAMETER 10 INCHES. RECORDS FURNISHED BY SAN BERNARDINO VALLEY WATER CONSERVATION DISTRICT. DEPTH 720 FT., LSD 1,206.8 FT. ABOVE MSL. HIGHEST WATER LEVEL 207.30 FT BELOW LSD, FEB. 25, 1966. LOWEST STATIC WATER LEVEL 227.10 FT BELOW LSD, SEP. 27, 1966. RECORDS AVAILABLE: 1900, 1904-07, 1910-60, 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 19, 1966	210.4	AUG. 31, 1966	224.8	OCT. 21, 1967	225.4	APR. 10, 1968	210.2
FEB. 25	207.3	SEP. 27	227.1	NOV. 18	224.1	MAY 4	213.3
APR. 7	211.8	DEC. 13	225.8	DEC. 2	221.6	JUNE 19	214.9
JUNE 11	214.5	JAN. 11, 1967	224.7	JAN. 4, 1968	216.6	JULY 24	217.9
JULY 1	217.5	APR. 28	211.9	FEB. 7	212.5	AUG. 21	226.9
AUG. 2	223.4	JUNE 1	213.1	MAR. 9	212.5		

1S/4W-1A6 S. RIVERSIDE WATER CO., MCCRARY TRACT WELL 4. EAST OF SAN BERNARDINO. DRILLED PUBLIC SUPPLY WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 10 INCHES. RECORDS FURNISHED BY OWNER. DEPTH 648 FT., LSD 1,096.0 FT. ABOVE MSL. HIGHEST WATER LEVEL 115.55 FT BELOW LSD, JAN. 7, 1966. LOWEST STATIC WATER LEVEL 148.75 FT BELOW LSD, NOV. 30, 1967. RECORDS AVAILABLE: 1915-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 7, 1966	115.55	OCT. 5, 1966	123.35	JUNE 8, 1967	133.35	MAR. 7, 1968	147.35
FEB. 3	118.05	NOV. 3	123.45	JULY 9	130.75	APR. 12	146.55
MAR. 3	117.55	DEC. 2	123.75	AUG. 4	127.15	JUNE 6	138.85
APR. 11	118.95	DEC. 11	121.45	SEP. 7	138.35	JULY 10	127.65
MAY 23	119.85	JAN. 6, 1967	124.15	OCT. 12	144.35	AUG. 30	130.55
JUNE 9	120.15	FEB. 10	125.15	NOV. 9	147.25	SEP. 5	131.35
JULY 11	127.15	MAR. 15	129.95	NOV. 30	148.75	NOV. 29	132.65
AUG. 11	121.85	APR. 6	135.85	JAN. 5, 1968	147.55	DEC. 27	133.75
SEP. 8	130.55	APR. 27	131.55	FEB. 15	147.65		

1S/4W-29H2 S. RIVERSIDE WATER CO., FLUME 1, SOUTH OF COLTON. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AND RECENT AGE, DIAMETER 20 INCHES. RECORDS FURNISHED BY OWNER. DEPTH 189 FT., LSD 934 FT. ABOVE MSL. HIGHEST WATER LEVEL 69.10 FT BELOW LSD, MAY 5, 1967. LOWEST STATIC WATER LEVEL 112.10 FT BELOW LSD, AUG. 2, 1968. RECORDS AVAILABLE: 1928-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 7, 1966	106.30	OCT. 7, 1966	101.00	JULY 7, 1967	72.90	APR. 5, 1968	75.20
FEB. 4	101.80	NOV. 3	103.20	AUG. 5	80.50	MAY 3	81.10
MAR. 4	94.80	DEC. 2	97.10	SEP. 1	83.10	JUNE 7	78.90
APR. 1	93.00	JAN. 6, 1967	88.20	OCT. 6	87.20	JULY 5	87.10
MAY 6	88.50	FEB. 3	79.30	NOV. 3	89.70	AUG. 2	112.10
JUNE 4	90.60	MAR. 3	78.40	DEC. 1	87.30	SEP. 6	100.00
JULY 3	94.20	APR. 7	76.20	JAN. 5, 1968	80.40	OCT. 4	101.30
AUG. 5	95.40	MAY 5	69.10	FEB. 2	76.90	NOV. 1	101.10
SEP. 2	97.10	JUNE 2	69.70	MAR. 1	75.10	DEC. 6	101.40

### Vidal Valley

1N/23E-8D1 S. METROPOLITAN WATER DISTRICT OF SOUTHERN CALIF. ABOUT 1 1/2 MILES WEST OF VIDAL JUNCTION. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 503.9 FT., LSD 960 FT. ABOVE MSL. HIGHEST WATER LEVEL 267.41 FT BELOW LSD, MAR. 2, 1966. LOWEST STATIC WATER LEVEL 267.84 FT BELOW LSD, MAR. 16, 1967. RECORDS AVAILABLE: 1962-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	267.41	OCT. 27, 1966	267.68	MAR. 16, 1967	267.84	OCT. 25, 1967	267.79

## GROUND-WATER RECORDS, 1966-68

1S/23F-1A2 S. ATCHESON, TOPEKA, AND SANTA FE RAILWAY (WELL 1). AT VIDAL. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 348.5 FT IN 1962 AND 248.6 FT IN 1967, LSD 627 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 241.65 FT BELOW LSD, OCT. 27, 1966.  
 LOWEST STATIC WATER LEVEL 251.94 FT BELOW LSD, MAR. 2, 1966.  
 RECORDS AVAILABLE: 1961-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	251.94	OCT. 27, 1966	241.65	MAR. 16, 1967	241.72	OCT. 25, 1967	F

## Yucca Valley-Twenty-nine Palms Area

1N/5F-2N1 S. JOHN GREENWOOD. "THE WINDMILL." ABOUT 5 1/2 MILES NORTH OF YUCCA VALLEY. DRILLED UNUSED WELL IN THE ALLUVIUM UNDERLYING PIPES WASH, DIAMETER 8 INCHES. DEPTH FT., LSD 3,519 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 77.94 FT BELOW LSD, FEB. 28, 1966.  
 LOWEST STATIC WATER LEVEL 80.17 FT BELOW LSD, APR. 4, 1968.  
 RECORDS AVAILABLE: 1952-53, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	77.94	MAR. 14, 1967	78.45	APR. 4, 1968	80.17	NOV. 5, 1968	79.88
OCT. 25	78.35	OCT. 23	77.99				

1N/5F-36K1 S. YUCCA VALLEY CO. WATER DISTRICT, FORMERLY JOSHUA FOREST WATER CO. ABOUT 2 MILES NORTHEAST OF YUCCA VALLEY. DRILLED PUBLIC-SUPPLY WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 333 FT., LSD 3,230 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 160.89 FT BELOW LSD, OCT. 24, 1967.  
 LOWEST STATIC WATER LEVEL 178.80 FT BELOW LSD, APR. 4, 1968.  
 RECORDS AVAILABLE: 1947, 1951, 1955, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	A	MAR. 14, 1967	A	APR. 4, 1968	178.80	NOV. 5, 1968	N
OCT. 25	A	OCT. 24	160.89				

1N/6F-29R2 S. LAFFERTY. ABOUT 3 1/2 MILES WEST OF JOSHUA TREE (VILLAGE). DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 307.6 FT., LSD 3,150 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 265.33 FT BELOW LSD, OCT. 25, 1966.  
 LOWEST STATIC WATER LEVEL 268.86 FT BELOW LSD, FEB. 28, 1966.  
 RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	268.86	MAR. 14, 1967	266.01	APR. 4, 1968	N	NOV. 6, 1968	267.83
OCT. 25	265.33	OCT. 24	266.71				

1N/7F-26D1 S. L. V. EVANS. ABOUT 5 MILES EAST OF JOSHUA TREE (VILLAGE). DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 250 FT., LSD 2,385 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 211.58 FT BELOW LSD, OCT. 26, 1966.  
 LOWEST STATIC WATER LEVEL 213.48 FT BELOW LSD, FEB. 28, 1966.  
 RECORDS AVAILABLE: 1946-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	213.48	MAR. 15, 1967	211.72	APR. 4, 1968	211.70	NOV. 6, 1968	211.64
OCT. 26	211.58	OCT. 24	211.60				



1N/7F-26N1 S. CLYDE ROLLARD. NEAR SOUTH END OF COPPER MOUNTAIN AND ABOUT 5 MILES EAST OF JOSHUA TREE (VILLAGE). DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 8 INCHES. DEPTH 208 FT., LSD 2,475 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 169.04 FT BELOW LSD, MAR. 15, 1967.  
LOWEST STATIC WATER LEVEL 171.00 FT BELOW LSD, FEB. 28, 1966.  
RECORDS AVAILABLE: 1946-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	171	OCT. 26, 1966	170.2	MAR. 15, 1967	169.040		

1N/7F-32C1 S. E. A. THURLOW. ABOUT 2 MILES EAST OF JOSHUA TREE (VILLAGE). DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 392 FT., LSD 2,620 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 305.30 FT BELOW LSD, OCT. 25, 1966.  
LOWEST STATIC WATER LEVEL 315.84 FT BELOW LSD, FEB. 28, 1966.  
RECORDS AVAILABLE: 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	315.84	MAR. 15, 1967	305.5	APR. 4, 1968		NOV. 6, 1968	305.90
OCT. 25	305.3	OCT. 24	305.37				

1N/7F-35D1 S. I. LACHMAN, FORMERLY R. E. STURDEVANT. ABOUT 9 MILES WEST OF TWENTYNINE PALMS. DRILLED PUBLIC SUPPLY WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 256 FT., LSD 2,485 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 181.49 FT BELOW LSD, MAR. 15, 1967.  
LOWEST STATIC WATER LEVEL 181.49 FT BELOW LSD, MAR. 15, 1967.  
RECORDS AVAILABLE: 1951, 1958, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1967	181.49	OCT. 24, 1967	181.768	APR. 4, 1968	181.898	NOV. 6, 1968	A

1N/8E-181 S. ROYER. ABOUT 5 1/2 MILES NORTHWEST OF THE FOUR CORNERS IN TWENTYNINE PALMS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 200 FT., LSD 1,890 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 125.62 FT BELOW LSD, FEB. 28, 1966.  
LOWEST STATIC WATER LEVEL 125.88 FT BELOW LSD, NOV. 17, 1966.  
RECORDS AVAILABLE: 1952-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	125.62	NOV. 17, 1966	125.88	MAR. 15, 1967	125.83	DEC. 20, 1967	125.86

1N/8E-1111 S. G. C. GOEMANS. ABOUT 5 MILES NORTHWEST OF TWENTYNINE PALMS. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 460 FT., LSD 2,180 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 367.80 FT BELOW LSD, OCT. 26, 1966.  
LOWEST STATIC WATER LEVEL 369.40 FT BELOW LSD, MAR. 1, 1966.  
RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	369.4	MAR. 15, 1967	368.0	APR. 4, 1968	368.0	NOV. 6, 1968	367.9
OCT. 26	367.8	OCT. 24	N				

1N/8E-12G1 S. WILLIAM HOCKETT. ABOUT 4 1/4 MILES NORTHWEST OF THE FOUR CORNERS IN TWENTYNINE PALMS. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 420 FT., LSD 1,972.7 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 197.80 FT BELOW LSD, DEC. 20, 1967.  
LOWEST STATIC WATER LEVEL 199.10 FT BELOW LSD, FEB. 28, 1966.  
RECORDS AVAILABLE: 1940-42, 1946-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	199.1	NOV. 17, 1966	197.81	MAR. 15, 1967		DEC. 20, 1967	197.8

## GROUND-WATER RECORDS, 1966-68

1N/9E-33R1 S. SILAS STANLEY. ABOUT 5 1/2 MILES WEST OF TWENTYNINE PALMS. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 550 FT., LSD 2,677 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 327.78 FT BELOW LSD, OCT. 24, 1967.  
 LOWEST STATIC WATER LEVEL 330.93 FT BELOW LSD, FEB. 28, 1966.  
 RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	330.93	MAR. 14, 1967	328.78	APR. 4, 1968	328.76	NOV. 6, 1968	328.54
OCT. 24	328.33	OCT. 24	327.78				

1N/9E-4N3 S. U.S. DEPARTMENT OF THE NAVY. ABOUT 4 MILES NORTH OF THE FOUR CORNERS IN TWENTYNINE PALMS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 500 FT., LSD 1,786.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 13.63 FT BELOW LSD, MAR. 1, 1966.  
 LOWEST STATIC WATER LEVEL 13.96 FT BELOW LSD, NOV. 17, 1966, DEC. 18, 1967.  
 RECORDS AVAILABLE: 1946, 1952-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	13.63	NOV. 17, 1966	13.96	MAR. 15, 1967	13.88	DEC. 18, 1967	13.96

1N/9E-5G1 S. U.S. DEPARTMENT OF THE NAVY. SOUTH EDGE OF MESQUITE DRY LAKE AND ABOUT 4 1/2 MILES NORTH OF TWENTYNINE PALMS. DRILLED PUBLIC-SUPPLY WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 14 INCHES. DEPTH 500 FT., LSD 1,779.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 6.50 FT BELOW LSD, FEB. 28, 1966.  
 LOWEST STATIC WATER LEVEL 6.80 FT BELOW LSD, MAR. 15, 1967.  
 RECORDS AVAILABLE: 1952-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	6.50	NOV. 17, 1966	6.79	MAR. 15, 1967	6.80	DEC. 18, 1967	N

1N/9E-5Q2 S. FRANK RHODE. ABOUT 4 MILES NORTH OF THE FOUR CORNERS IN TWENTYNINE PALMS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 110 FT., LSD 1,800 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 29.46 FT BELOW LSD, MAR. 15, 1967.  
 LOWEST STATIC WATER LEVEL 30.05 FT BELOW LSD, DEC. 18, 1967.  
 RECORDS AVAILABLE: 1952-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	29.47	NOV. 17, 1966	29.95	MAR. 15, 1967	29.46	DEC. 18, 1967	30.05

1N/9E-7H1 S. F. PANKRATZ, FORMERLY P. H. CARSON. ABOUT 4 MILES NORTHWEST OF THE FOUR CORNERS IN TWENTYNINE PALMS. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 110 FT., LSD 1,843.5 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 70.38 FT BELOW LSD, NOV. 17, 1966, DEC. 18, 1967.  
 LOWEST STATIC WATER LEVEL 70.38 FT BELOW LSD, NOV. 17, 1966, DEC. 18, 1967.  
 RECORDS AVAILABLE: 1940, 1946-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	A	NOV. 17, 1966	70.38	MAR. 15, 1967	N	DEC. 18, 1967	70.38

1N/9E-9M2 S. HEAD, FORMERLY ORIN TAYLOR. ABOUT 3 1/2 MILES NORTH OF THE FOUR CORNERS IN TWENTYNINE PALMS. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 64.3 FT., LSD 1,810 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 38.93 FT BELOW LSD, MAR. 1, 1966.  
 LOWEST STATIC WATER LEVEL 39.52 FT BELOW LSD, NOV. 17, 1966.  
 RECORDS AVAILABLE: 1946-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	38.93	NOV. 17, 1966	39.52	MAR. 15, 1967	39.27	DEC. 18, 1967	39.42

## SAN BERNARDINO COUNTY

151

1N/9F-14D1 S. R. S. LANDRY, FORMERLY F. A. KAVANAUGH. ABOUT 4 MILES NORTHEAST OF TWENTYNINE PALMS. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 312 FT., LSD 1,805 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 254.00 FT BELOW LSD, APR. 4, 1968.  
 LOWEST STATIC WATER LEVEL 254.76 FT BELOW LSD, MAR. 15, 1967.  
 RECORDS AVAILABLE: 1948-53, 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	M	MAR. 15, 1967	254.76	APR. 4, 1968	254.00	NOV. 6, 1968	254.6
OCT. 26	254.75	OCT. 24	254.06				

1N/9F-16D1 S. R-B RANCH, WHITED. ABOUT 3 MILES NORTH OF THE FOUR CORNERS IN TWENTYNINE PALMS. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES IN 60-INCH PIT. DEPTH 96 FT., LSD 1,815 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 41.43 FT BELOW LSD, MAR. 15, 1967.  
 LOWEST STATIC WATER LEVEL 41.98 FT BELOW LSD, NOV. 17, 1966.  
 RECORDS AVAILABLE: 1952-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	41.76	NOV. 17, 1966	41.98	MAR. 15, 1967	41.43	DEC. 18, 1967	41.50

1N/9F-16G1 S. H. A. FARRINGTON, FORMERLY GEORGE MICHELLS. ABOUT 2 1/2 MILES NORTHEAST OF THE FOUR CORNERS IN TWENTYNINE PALMS. DRILLED UNUSED WELL IN INTERDUNE PLAYA DEPOSITS, DIAMETER 12 INCHES. DEPTH 153.9 FT IN 1948 AND 156.0 FT IN 1958, LSD 1,800 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 11.71 FT BELOW LSD, DEC. 18, 1967.  
 LOWEST STATIC WATER LEVEL 14.09 FT BELOW LSD, MAR. 15, 1967.  
 RECORDS AVAILABLE: 1948-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	12.00	NOV. 17, 1966	13.06	MAR. 15, 1967	14.09	DEC. 18, 1967	11.71

1N/9F-17F1 S. OWNER UNKNOWN, FORMERLY BARRY. ABOUT 3 MILES NORTHWEST OF THE FOUR CORNERS IN TWENTYNINE PALMS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 130 FT., LSD 1,870 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 108.75 FT BELOW LSD, MAR. 1, 1966.  
 LOWEST STATIC WATER LEVEL 109.12 FT BELOW LSD, DEC. 18, 1967.  
 RECORDS AVAILABLE: 1946-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	108.75	NOV. 17, 1966	109.06	MAR. 15, 1967	108.99	DEC. 18, 1967	109.12

1N/9F-27M1 S. H. W. MILLS. ABOUT 1 1/2 MILES NORTHEAST OF TWENTYNINE PALMS. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 300 FT., LSD 1,900 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 116.04 FT BELOW LSD, FEB. 28, 1966.  
 LOWEST STATIC WATER LEVEL 116.94 FT BELOW LSD, OCT. 24, 1967.  
 RECORDS AVAILABLE: 1950-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	116.04	MAR. 15, 1967	116.66	APR. 4, 1968	116.63	NOV. 6, 1968	116.78
OCT. 26	116.69	OCT. 24	116.94				

1N/9F-30D1 S. J. RENFRO, FORMERLY MATHIAS LAUFER (MISSION INN). ABOUT 1 1/2 MILES WEST OF TWENTYNINE PALMS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 8 INCHES. DEPTH 143.5 FT., LSD 2,091.6 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 110.99 FT BELOW LSD, FEB. 28, 1966.  
 LOWEST STATIC WATER LEVEL 112.63 FT BELOW LSD, OCT. 24, 1967.  
 RECORDS AVAILABLE: 1946-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	110.99	MAR. 15, 1967	112.02	APR. 4, 1968	M	NOV. 6, 1968	F
OCT. 26	111.65	OCT. 24	112.63				

## GROUND-WATER RECORDS, 1966-68

2N/5F-1A1 S. WALTER RECHE. ABOUT 12 MILES NORTH OF YUCCA VALLEY. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 18 INCHES. DEPTH 89.3 FT., LSD 2,980 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 60.34 FT BELOW LSD, FEB. 28, 1966.  
 LOWEST STATIC WATER LEVEL 61.10 FT BELOW LSD, NOV. 5, 1968.  
 RECORDS AVAILABLE: 1958, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	60.34	MAR. 14, 1967	60.62	APR. 4, 1968	60.99	NOV. 5, 1968	61.10
OCT. 25	60.50	OCT. 24	60.85				

2N/5F-25.11 S. MOORE O'DAY. ABOUT 4 1/2 MILES NORTHEAST OF YUCCA VALLEY. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 700 FT., LSD 3,385 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 372.50 FT BELOW LSD, FEB. 28, 1966.  
 LOWEST STATIC WATER LEVEL 372.50 FT BELOW LSD, FEB. 28, 1966.  
 RECORDS AVAILABLE: 1958-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	372.50	OCT. 25, 1966	0				

2N/6F-3011 S. W. J. MCFARLAND. ABOUT 20 MILES NORTHWEST OF TWENTYNINE PALMS. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 377 FT., LSD 3,328 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 322.30 FT BELOW LSD, OCT. 25, 1966.  
 LOWEST STATIC WATER LEVEL 328.50 FT BELOW LSD, OCT. 24, 1967.  
 RECORDS AVAILABLE: 1958, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 25, 1966	322.30	OCT. 24, 1967	328.5	APR. 4, 1968	344.80B	NOV. 5, 1968	341.91A
MAR. 14, 1967	327.10A						

2N/7F-2C1 S. U.S. DEPARTMENT OF THE NAVY. ABOUT 10 1/2 MILES NORTHWEST OF THE MARINE CORPS BASE HEADQUARTERS. DRILLED TEST WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 398.0 FT., LSD 2,300 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 70.79 FT BELOW LSD, MAR. 2, 1966.  
 LOWEST STATIC WATER LEVEL 75.05 FT BELOW LSD, MAR. 15, 1967.  
 RECORDS AVAILABLE: 1952-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	70.79	NOV. 18, 1966	85.43D	MAR. 15, 1967	75.05	DEC. 21, 1967	100.54C

2N/7F-3A1 S. U.S. DEPARTMENT OF THE NAVY. ABOUT 10 1/2 MILES NORTHWEST OF THE MARINE CORPS BASE HEADQUARTERS. DRILLED BASE SUPPLY WATER-TABLE WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 560 FT., LSD 2,300.9 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 109.89 FT BELOW LSD, MAR. 15, 1967.  
 LOWEST STATIC WATER LEVEL 118.38 FT BELOW LSD, DEC. 19, 1967.  
 RECORDS AVAILABLE: 1953-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	111.8	NOV. 17, 1966	113.80	MAR. 15, 1967	109.89	DEC. 19, 1967	118.38

2N/7F-3B1 S. U.S. DEPARTMENT OF THE NAVY. ABOUT 11 MILES NORTHWEST OF THE MARINE CORPS BASE HEADQUARTERS. DRILLED BASE SUPPLY WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 700 FT., LSD 2,355.3 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 119.01 FT BELOW LSD, MAR. 2, 1966.  
 LOWEST STATIC WATER LEVEL 122.57 FT BELOW LSD, DEC. 19, 1967.  
 RECORDS AVAILABLE: 1953-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	119.01	APR. 19, 1966	120.33B	NOV. 18, 1966	124.80B	DEC. 19, 1967	122.57
APR. 5	119.40B	JUNE 28	120.38	MAR. 15, 1967	120.82C		

2N/7F-4H1 S. U.S. DEPARTMENT OF THE NAVY. ABOUT 11 1/2 MILES NORTHWEST OF THE MARINE CORPS BASE HEADQUARTERS. DRILLED TEST WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 500 FT., LSD 2,442.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 194.62 FT BELOW LSD, MAR. 1, 1966.  
 LOWEST STATIC WATER LEVEL 198.65 FT BELOW LSD, SEP. 20, 1968.  
 RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	194.62	MAR. 15, 1967	196.29	DEC. 22, 1967	197.16	SEP. 20, 1968	198.65
NOV. 17	195.10						

2N/7F-14K1 S. U.S. DEPARTMENT OF THE NAVY. ABOUT 9 MILES WEST OF THE MARINE CORPS BASE HEADQUARTERS. DRILLED TEST WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 644 FT., LSD 2,532.1 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 336.80 FT BELOW LSD, DEC. 19, 1967.  
 LOWEST STATIC WATER LEVEL 337.01 FT BELOW LSD, NOV. 17, 1966.  
 RECORDS AVAILABLE: 1952-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 17, 1966	337.01	DEC. 19, 1967	336.80				

2N/8F-26J1 S. C. R. CHENEY, FORMERLY R. STUBBS. ABOUT 7 MILES NORTHWEST OF THE FOUR CORNERS IN TWENTYNINE PALMS. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 185 FT., LSD 1,950 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 155.80 FT BELOW LSD, DEC. 20, 1967.  
 LOWEST STATIC WATER LEVEL 155.80 FT BELOW LSD, DEC. 20, 1967.  
 RECORDS AVAILABLE: 1946-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	162.8 A	NOV. 17, 1966	N	MAR. 15, 1967	158.02B	DEC. 20, 1967	155.80

2N/9F-19M1 S. GRACE MACDOWELL, FORMERLY STRICKLER. ABOUT 7 1/2 MILES NORTH OF THE FOUR CORNERS AT TWENTYNINE PALMS. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 88 FT., LSD 1,834.0 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 68.91 FT BELOW LSD, DEC. 22, 1967.  
 LOWEST STATIC WATER LEVEL 71.44 FT BELOW LSD, MAR. 15, 1967.  
 RECORDS AVAILABLE: 1940-42, 1946-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	69.46	NOV. 17, 1966	69.37	MAR. 15, 1967	71.44	DEC. 22, 1967	68.91

2N/9F-30P2 S. EMERY HALL, FORMERLY ELMA CAMP. ABOUT 6 1/2 MILES NORTH OF FOUR CORNERS IN TWENTYNINE PALMS. DUG UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 58.5 FT., LSD 1,790 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 28.66 FT BELOW LSD, FEB. 28, 1966.  
 LOWEST STATIC WATER LEVEL 29.27 FT BELOW LSD, NOV. 17, 1966.  
 RECORDS AVAILABLE: 1952-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	28.66	NOV. 17, 1966	29.27	MAR. 15, 1967	28.69	DEC. 20, 1967	29.20

3N/7F-18D1 S. U.S. DEPARTMENT OF THE NAVY. ABOUT 16 MILES NORTHWEST OF THE MARINE CORPS BASE HEADQUARTERS. DRILLED TEST WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 450.0 FT IN 1952 AND 384.5 FT IN 1960, LSD 2,403.7 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 147.57 FT BELOW LSD, NOV. 17, 1966.  
 LOWEST STATIC WATER LEVEL 147.65 FT BELOW LSD, DEC. 19, 1967.  
 RECORDS AVAILABLE: 1952-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 17, 1966	147.57	DEC. 19, 1967	147.65				

## GROUND-WATER RECORDS, 1966-68

3N/7F-31F1 S. U.S. DEPARTMENT OF THE NAVY. ABOUT 14 1/2 MILES NORTHWEST OF THE MARINE CORPS BASE HEADQUARTERS. DRILLED TEST WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 430 FT., LSD 2,514.3 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 249.40 FT BELOW LSD, NOV. 17, 1966.  
 LOWEST STATIC WATER LEVEL 249.88 FT BELOW LSD, DEC. 19, 1967.  
 RECORDS AVAILABLE: 1952-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 17, 1966	249.40	DEC. 19, 1967	249.88				

3N/7F-35P2 S. U.S. DEPARTMENT OF THE NAVY. ABOUT 10 1/2 MILES NORTHWEST OF THE MARINE CORPS BASE HEADQUARTERS. DRILLED BASE SUPPLY WATER-TABLE WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 604.5 FT., LSD 2,270.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 69.66 FT BELOW LSD, MAR. 2, 1966.  
 LOWEST STATIC WATER LEVEL 76.76 FT BELOW LSD, MAR. 15, 1967.  
 RECORDS AVAILABLE: 1961-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	69.66	NOV. 18, 1966	85.75B	MAR. 15, 1967	76.76	DEC. 21, 1967	105.0 A

3N/8F-17L1 S. U.S. DEPARTMENT OF THE NAVY. ABOUT 10 MILES NORTHWEST OF THE MARINE CORPS BASE HEADQUARTERS. DRILLED TEST WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 512 FT., LSD 1,850.4 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 47.87 FT BELOW LSD, DEC. 19, 1967.  
 LOWEST STATIC WATER LEVEL 48.00 FT BELOW LSD, NOV. 17, 1966.  
 RECORDS AVAILABLE: 1952-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 17, 1966	48.00	DEC. 19, 1967	47.87				

3N/8F-29C1 S. U.S. DEPARTMENT OF THE NAVY. ABOUT 9 MILES NORTHWEST OF THE MARINE CORPS BASE HEADQUARTERS. DRILLED TEST WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 800 FT., LSD 1,890.9 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 87.96 FT BELOW LSD, NOV. 17, 1966.  
 LOWEST STATIC WATER LEVEL 88.57 FT BELOW LSD, DEC. 19, 1967.  
 RECORDS AVAILABLE: 1952-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	88.40	NOV. 17, 1966	87.96	MAR. 15, 1967	88.54	DEC. 19, 1967	88.57

3N/8F-29L1 S. U.S. DEPARTMENT OF THE NAVY. ABOUT 8 1/2 MILES NORTHWEST OF THE MARINE CORPS BASE HEADQUARTERS. DRILLED BASE SUPPLY WATER-TABLE WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 600.0 FT., LSD 1,905.7 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 103.05 FT BELOW LSD, MAR. 15, 1967.  
 LOWEST STATIC WATER LEVEL 103.10 FT BELOW LSD, NOV. 17, 1966, DEC. 19, 1967.  
 RECORDS AVAILABLE: 1952-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	114.4 A	NOV. 17, 1966	103.10	MAR. 15, 1967	103.05	DEC. 19, 1967	103.10

3N/8F-33R1 S. U.S. DEPARTMENT OF THE NAVY. ABOUT 7 MILES NORTHWEST OF THE MARINE CORPS BASE HEADQUARTERS. DRILLED TEST WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 526 FT., LSD 1,845.7 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 43.85 FT BELOW LSD, MAR. 2, 1966.  
 LOWEST STATIC WATER LEVEL 44.97 FT BELOW LSD, DEC. 19, 1967.  
 RECORDS AVAILABLE: 1952-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	43.85	NOV. 17, 1966	43.98	MAR. 15, 1967	43.91	DEC. 19, 1967	44.97

## SAN DIEGO COUNTY

155

3N/8F-34D1 S. U.S. DEPARTMENT OF THE NAVY. ABOUT 7 MILES NORTHWEST OF THE MARINE CORPS BASE HEADQUARTERS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 400 FT., LSD 1,823.9 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 24.02 FT BELOW LSD, MAR. 2, 1966.  
 LOWEST STATIC WATER LEVEL 25.25 FT BELOW LSD, NOV. 17, 1966.  
 RECORDS AVAILABLE: 1952, 1960, 1962-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	24.02	NOV. 17, 1966	25.25	MAR. 15, 1967	24.19	DEC. 19, 1967	24.20

1S/5F-2B1 S. CHARLES BUTTERBAUGH. ABOUT HALF A MILE EAST OF YUCCA VALLEY. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 8 INCHES. DEPTH 240 FT., LSD 3,285 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 190.00 FT BELOW LSD, FEB. 28, 1966.  
 LOWEST STATIC WATER LEVEL 196.40 FT BELOW LSD, APR. 4, 1968.  
 RECORDS AVAILABLE: 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	190.00	MAR. 14, 1967	192.33	APR. 4, 1968	196.40	NOV. 5, 1968	195.98
OCT. 25	191.55	OCT. 24	193.61				

## SAN DIEGO COUNTY

## Borrego Valley Area

9S/6E-36A1 S. E. DICKERSON. IN CLARK VALLEY. ABOUT 8 MILES NORTHEAST OF BORREGO SPRINGS. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 207 FT., LSD 570 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 16.83 FT BELOW LSD, MAR. 3, 1966.  
 LOWEST STATIC WATER LEVEL 16.94 FT BELOW LSD, MAR. 13, 1968.  
 RECORDS AVAILABLE: 1953-54, 1957-58, 1960, 1962, 1964, 1966, 1968.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	16.83	MAR. 13, 1968	16.94				

10S/6E-8B1 S. MYRON SMITH, FORMERLY BUERKLE BROS. IN BORREGO VALLEY. ABOUT 5 MILES NORTH OF BORREGO SPRINGS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 690 FT., LSD 760 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 278.06 FT BELOW LSD, MAR. 13, 1968.  
 LOWEST STATIC WATER LEVEL 278.91 FT BELOW LSD, NOV. 8, 1968.  
 RECORDS AVAILABLE: 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	278.21	MAR. 23, 1967	278.68	MAR. 13, 1968	278.06	NOV. 8, 1968	278.91
OCT. 26	278.90	OCT. 24	278.87				

10S/6E-21A1 S. DI GIORGIO FRUIT CORP. IN BORREGO VALLEY. ABOUT 3 1/2 MILES NORTHEAST OF BORREGO SPRINGS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 12 INCHES. DEPTH 322.0 FT., LSD 640 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 166.02 FT BELOW LSD, MAR. 13, 1968.  
 LOWEST STATIC WATER LEVEL 176.51 FT BELOW LSD, JUNE 2, 1966.  
 RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 4, 1966	170.35	JULY 6, 1966	172.60	JAN. 13, 1967	168.00	JUNE 6, 1967	170.88
FEB. 1	170.37	AUG. 1	171.44	FEB. 13	167.61	JUNE 22	171.34
MAR. 3	170.59	SEP. 7	170.96	MAR. 7	167.91	SEP. 8	167.95
APR. 5	172.60	OCT. 7	169.76	MAR. 23	167.50	OCT. 13	167.76
MAY 3	172.36	OCT. 26	169.35	APR. 11	167.30	MAR. 13, 1968	166.02
JUNE 2	176.51	DEC. 9	169.06	MAY 4	167.35	NOV. 8	166.61

## GROUND-WATER RECORDS, 1966-68

10S/6E-29N1 S. WICK HAUSER. IN BORREGO VALLEY. ABOUT 1 1/4 MILES NORTH OF BORREGO SPRINGS. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES DEPTH 385 FT., LSD 595 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 122.95 FT BELOW LSD, MAR. 3, 1966.  
LOWEST STATIC WATER LEVEL 123.78 FT BELOW LSD, OCT. 24, 1967.  
RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	122.95	MAR. 23, 1967	123.34	MAR. 13, 1968	123.73	NOV. 8, 1968	123.75
OCT. 26	123.68	OCT. 24	123.78				

10S/6E-35N1 S. SAN DIEGO COUNTY, BORREGO VALLEY AIRPORT. IN BORREGO VALLEY. ABOUT 3 MILES EAST OF BORREGO SPRINGS. DRILLED DOMESTIC WELL IN ALLUVIUM. DEPTH 325 FT., LSD 520 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 42.58 FT BELOW LSD, AUG. 1, 1966.  
LOWEST STATIC WATER LEVEL 63.71 FT BELOW LSD, NOV. 8, 1968.  
RECORDS AVAILABLE: 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 10, 1966	49.38	MAY 3, 1966	A	OCT. 26, 1966	62.31	OCT. 24, 1967	93.82A
FEB. 1	43.20	JUNE 3	A	JAN. 13, 1967	44.0	MAR. 13, 1968	A
MAR. 4	44.57	JULY 6	43.85	MAR. 23	54.88B	NOV. 8	63.71
APR. 5	A	AUG. 1	42.58				

10S/6E-36Q1 S. J. E. JONES. IN BORREGO VALLEY. ABOUT 4 1/2 MILES EAST OF BORREGO SPRINGS. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 356 FT., LSD 525 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 61.46 FT BELOW LSD, JAN. 10, 1966.  
LOWEST STATIC WATER LEVEL 66.00 FT BELOW LSD, AUG. 1, 1966.  
RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 10, 1966	61.46	MAY 3, 1966	63.94	OCT. 26, 1966	63.10	OCT. 24, 1967	62.31
FEB. 1	61.49	JUNE 2	64.38	JAN. 13, 1967	61.93	MAR. 13, 1968	61.56
MAR. 4	62.22	JULY 6	65.74	MAR. 23	61.60	NOV. 8	62.19
APR. 5	63.01	AUG. 1	66.00				

10S/7E-19M1 S. J. A. MAROVICH. IN BORREGO VALLEY. ABOUT 5 1/2 MILES NORTHEAST OF BORREGO SPRINGS. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 418 FT., LSD 600 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 96.61 FT BELOW LSD, MAR. 3, 1966.  
LOWEST STATIC WATER LEVEL 98.58 FT BELOW LSD, NOV. 8, 1968.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	96.61	MAR. 23, 1967	97.62	MAR. 13, 1968	98.40	NOV. 8, 1968	98.58
OCT. 26	97.17	OCT. 24	98.17				

11S/6E-5P1 S. MONTGOMERY SCHINDLER. IN BORREGO VALLEY. ABOUT 1 MILE SOUTH OF BORREGO SPRINGS. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 180.9 FT., LSD 600 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 140.62 FT BELOW LSD, MAR. 3, 1966.  
LOWEST STATIC WATER LEVEL 142.56 FT BELOW LSD, NOV. 8, 1968.  
RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	140.62	MAR. 23, 1967	141.64	MAR. 13, 1968	142.48	NOV. 8, 1968	142.56
OCT. 26	141.47	OCT. 24	142.39				

11S/6E-10N1 S. BORREGO VILLAGE RESORT. ABOUT 2 1/2 MILES SOUTHEAST OF BORREGO SPRINGS. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 387 FT., LSD 522 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 66.72 FT BELOW LSD, MAR. 23, 1967.  
LOWEST STATIC WATER LEVEL 68.86 FT BELOW LSD, OCT. 24, 1967.  
RECORDS AVAILABLE: 1953, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	67.51	MAR. 23, 1967	66.72	MAR. 12, 1968	67.74	NOV. 8, 1968	68.54
OCT. 26	68.64	OCT. 24	68.86				



11S/6E-11D2 S. LOU BURKE, FORMERLY KOSKY AND HAGENBUCH. IN BORREGO VALLEY. ABOUT 3 MILES SOUTHEAST OF BORREGO SPRINGS. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 14 INCHES. DEPTH 218.0 FT., LSD 500 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 32.62 FT BELOW LSD, MAR. 13, 1968.  
 LOWEST STATIC WATER LEVEL 51.90 FT BELOW LSD, FEB. 1, 1966.  
 RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 10, 1966	A	MAY 3, 1966	57.92C	OCT. 27, 1966	33.88	SEP. 26, 1967	33.74
FEB. 1	51.90	JUNE 2	59.50C	JAN. 13, 1967	32.87	OCT. 24	33.97
MAR. 4	59.26A	JULY 6	61.34C	MAR. 23	32.74	MAR. 13, 1968	32.62
APR. 5	51.61C	AUG. 1	A	JUNE 22	33.93	NOV. 8	33.77

11S/6E-11M1 S. W. S. CAMPBELL. IN BORREGO VALLEY. ABOUT 3 MILES SOUTHEAST OF BORREGO SPRINGS. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 3 INCHES. DEPTH 105.0 FT., LSD 487 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 24.76 FT BELOW LSD, MAR. 23, 1967.  
 LOWEST STATIC WATER LEVEL 27.69 FT BELOW LSD, OCT. 24, 1967.  
 RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 4, 1966	24.99	MAR. 23, 1967	24.76	MAR. 13, 1968	25.98	NOV. 8, 1968	N
OCT. 27	26.00	OCT. 24	27.69				

11S/6E-12G1 S. R. HATCH. IN BORREGO VALLEY. ABOUT 5 MILES SOUTHEAST OF BORREGO SPRINGS. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 3 1/2 INCHES. DEPTH 88.0 FT., LSD 475 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 33.13 FT BELOW LSD, MAR. 13, 1968.  
 LOWEST STATIC WATER LEVEL 33.13 FT BELOW LSD, MAR. 13, 1968.  
 RECORDS AVAILABLE: 1965, 1968.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 13, 1968	33.13	NOV. 8, 1968	N				

11S/6E-22A1 S. NORRIS BACCO. AT BORREGO, ACROSS STREET FROM CHEVRON STATION. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH REPORTED 116 FT IN 1948 AND MEASURED 126.0 FT IN 1965, LSD 540 FT. ABOVE MSL. NEW OWNER -1966- MUTUAL WATER CO.  
 HIGHEST WATER LEVEL 61.86 FT BELOW LSD, MAR. 3, 1966.  
 LOWEST STATIC WATER LEVEL 65.01 FT BELOW LSD, NOV. 8, 1968.  
 RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 10, 1966	62.38	MAY 3, 1966	63.12	OCT. 26, 1966	63.18	SEP. 26, 1967	64.97
FEB. 1	62.50	JUNE 2	63.28	JAN. 13, 1967	63.00	OCT. 24	64.91
MAR. 3	61.86	JULY 6	62.89	MAR. 23	62.93	MAR. 12, 1968	64.16
MAR. 10	62.62	AUG. 1	63.05	JUNE 22	63.55	NOV. 8	65.01
APR. 5	62.75						

11S/7E-20P1 S. RICHARD WEAR. EAST OF BORREGO VALLEY. ABOUT 3 1/2 MILES EAST OF BORREGO. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 368 FT., LSD 595 FT. ABOVE MSL. NEW OWNER -1966- RING CROSBY AND HELEN ALVAREZ.  
 HIGHEST WATER LEVEL 71.05 FT BELOW LSD, OCT. 26, 1966.  
 LOWEST STATIC WATER LEVEL 71.67 FT BELOW LSD, MAR. 4, 1966.  
 RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 4, 1966	71.67	MAR. 23, 1967	71.12	MAR. 12, 1968	71.36	NOV. 8, 1968	71.43
OCT. 26	71.05	OCT. 24	71.36				

## GROUND-WATER RECORDS, 1966-68

12S/4E-24K1 S. E. SAWDAY, FORMERLY ORVILLE CUMMINGS. SAN FELIPE RANCH. IN SAN FELIPE VALLEY. ABOUT 5 1/2 MILES NORTHEAST OF JULIAN. DRILLED STOCK WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 12 INCHES. DEPTH 97.0 FT IN 1953 AND 58.0 FT IN 1965, LSD 2,440 FT. ABOVE MSL. HIGHEST WATER LEVEL 33.45 FT BELOW LSD, MAR. 3, 1966. LOWEST STATIC WATER LEVEL 37.28 FT BELOW LSD, NOV. 8, 1968. RECORDS AVAILABLE: 1953, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	33.45A	MAR. 23, 1967	35.71	MAR. 12, 1968	36.68	NOV. 8, 1968	37.28
OCT. 27	36.30	OCT. 24	37.23				

12S/5E-34J1 S. JACK NAPERKIE, FORMERLY CLEAVES. IN EARTHQUAKE VALLEY. ABOUT 9 1/2 MILES EAST OF JULIAN. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH FT., LSD 2,280 FT. ABOVE MSL. HIGHEST WATER LEVEL 62.52 FT BELOW LSD, MAR. 3, 1966. LOWEST STATIC WATER LEVEL 64.90 FT BELOW LSD, OCT. 24, 1967. RECORDS AVAILABLE: 1953, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	62.52	MAR. 23, 1967	63.30	MAR. 12, 1968	63.02	NOV. 8, 1968	63.31
OCT. 27	63.29	OCT. 24	64.90				

12S/8E-22E1 S. C. F. MORROW, FORMERLY A. F. DEMES. IN LOWER BORRERO VALLEY. ABOUT 2 1/2 MILES SOUTH OF OCOTILLO WELLS. DRILLED DOMESTIC AND IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE, DIAMETER 16 INCHES. DEPTH 226 FT., LSD 110 FT. ABOVE MSL. HIGHEST WATER LEVEL 107.73 FT BELOW LSD, MAR. 23, 1967. LOWEST STATIC WATER LEVEL 110.15 FT BELOW LSD, MAR. 12, 1968. RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 4, 1966	109.04	MAR. 23, 1967	107.73	MAR. 12, 1968	110.15J	NOV. 8, 1968	109.81
OCT. 26	108.98	OCT. 24	108.61				

12S/9E-22A2 S. T. M. JACOBS. IN LOWER BORRERO VALLEY. ABOUT 7 MILES SOUTHEAST OF OCOTILLO WELLS. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 667 FT., LSD -10 FT. BELOW MSL. HIGHEST WATER LEVEL 100.15 FT BELOW LSD, MAR. 4, 1966. LOWEST STATIC WATER LEVEL 100.15 FT BELOW LSD, MAR. 4, 1966. RECORDS AVAILABLE: 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 4, 1966	100.15J	MAR. 23, 1967	115.94A	MAR. 12, 1968	N	NOV. 8, 1968	M
OCT. 26	115.02A	OCT. 24	A				

12S/9E-23D1 S. T. M. JACOBS. ABOUT 7 1/2 MILES SOUTHEAST OF OCOTILLO WELLS. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 445 FT., LSD -15 FT. BELOW MSL. HIGHEST WATER LEVEL 109.27 FT BELOW LSD, MAR. 4, 1966. RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 4, 1966	109.27C	MAR. 23, 1967	111.38C	MAR. 12, 1968	114.39C	NOV. 8, 1968	114.81C
OCT. 26	109.65C	OCT. 24	112.29C				

14S/5E-2G1 S. MAUER, FORMERLY STRAHLMANN-MAYER RANCHO. IN MASON VALLEY. ABOUT 12 MILES SOUTHEAST OF JULIAN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 10 INCHES. FORMERLY WELL NUMBER 14S/5E-2X1. DEPTH 174.0 FT., LSD 2,060 FT. ABOVE MSL. HIGHEST WATER LEVEL 86.63 FT BELOW LSD, MAR. 3, 1966. LOWEST STATIC WATER LEVEL 88.50 FT BELOW LSD, MAR. 12, 1968. RECORDS AVAILABLE: 1953, 1956-58, 1960, 1962, 1964, 1966, 1968.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	86.63	MAR. 12, 1968	88.50				

14S/6E-8F3 S. OWNER UNKNOWN. IN VALLECITO VALLEY. ABOUT 15 MILES SOUTHEAST OF JULIAN. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. FORMERLY WELL NUMBER 14S/6E-8X4. DEPTH 1,645 FT., LSD 110 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 69.22 FT BELOW LSD, MAR. 3, 1966.  
 LOWEST STATIC WATER LEVEL 70.89 FT BELOW LSD, MAR. 12, 1968.  
 RECORDS AVAILABLE: 1962, 1964, 1966, 1968.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	69.22	MAR. 12, 1968	70.89				

15S/8E-17C1 S. W. E. MARTIN, FORMERLY STUBB RANCH. IN CARRIZO VALLEY. ABOUT 5 1/2 MILES WEST OF OLD CARRIZO STAGE STATION. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 10 INCHES. FORMERLY WELL NUMBER 15S/8E-8N1. DEPTH 128 FT., LSD 610 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 63.89 FT BELOW LSD, MAR. 3, 1966.  
 LOWEST STATIC WATER LEVEL 71.55 FT BELOW LSD, MAR. 12, 1968.  
 RECORDS AVAILABLE: 1953-54, 1956-58, 1960, 1962, 1964, 1966, 1968.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	63.89	MAY 5, 1966	64.02	MAR. 12, 1968	71.55		

### Otay Valley

18S/2W-22F1 S. (FORMERLY 18/2W-22) WESTERN AIRE MOTEL. (FORMERLY G. W. ST. CLAIR) NEAR OTAY. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 10 INCHES. DEPTH 150 FT., LSD 40 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 27.88 FT BELOW LSD, MAR. 14, 1968.  
 LOWEST STATIC WATER LEVEL 31.30 FT BELOW LSD, OCT. 27, 1966.  
 RECORDS AVAILABLE: 1916-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	30.24	OCT. 27, 1966	31.30	MAR. 24, 1967	30.24	MAR. 14, 1968	27.88
MAY 10	30.46	JAN. 18, 1967	30.33	OCT. 25	30.38	OCT. 28	28.07
AUG. 12	30.27						

### San Diego River Valley

15S/1E-17H6 S. LA MESA, LEMON GROVE, AND SPRING VALLEY IRRIGATION DISTRICT. NEAR LAKESIDE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 14 INCHES. DEPTH 60.9 FT., LSD 434.4 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 52.32 FT BELOW LSD, JAN. 18, 1967.  
 LOWEST STATIC WATER LEVEL 53.84 FT BELOW LSD, OCT. 27, 1966.  
 RECORDS AVAILABLE: 1929-32, 1934-59, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	53.65	OCT. 27, 1966	53.84	MAR. 24, 1967	52.34	MAR. 14, 1968	52.54
MAY 10	53.58	JAN. 18, 1967	52.32	OCT. 25	52.43	OCT. 28	52.86
AUG. 12	53.78						

16S/2W-19D1 S. WOODWARD SAND CO. IN MISSION VALLEY. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 6 INCHES. DEPTH 57.6 FT IN 1953, DESTROYED IN 1968, LSD 47.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 15.15 FT BELOW LSD, MAR. 7, 1966.  
 LOWEST STATIC WATER LEVEL 18.24 FT BELOW LSD, OCT. 25, 1967.  
 RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	15.15	OCT. 27, 1966	18.18	OCT. 25, 1967	18.24	OCT. 28, 1968	17.88
MAY 10	15.83	JAN. 18, 1967	15.67	MAR. 14, 1968	15.48	DEC. 4	P
AUG. 12	17.53	MAR. 24	16.36				

## San Dieguito Valley

13S/3W-33M1 S. GRISET BROS. NEAR RANCHO SANTA FE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 12 INCHES. DEPTH 90.2 FT., LSD 35 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 75.36 FT BELOW LSD, OCT. 28, 1968.  
 LOWEST STATIC WATER LEVEL 79.38 FT BELOW LSD, MAY 11, 1966.  
 RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	79.29J	OCT. 26, 1966	79.28J	MAR. 24, 1967	79.17J	MAR. 14, 1968	77.68J
MAY 11	79.38J	JAN. 18, 1967	79.07J	OCT. 25	78.45J	OCT. 28	75.36J
AUG. 12	79.34J						

## San Luis Rey Valley

9S/2W-2501 S. AGUA TIBIA RANCH. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 16 INCHES. LSD 495 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 18.23 FT BELOW LSD, MAR. 7, 1966.  
 LOWEST STATIC WATER LEVEL 26.22 FT BELOW LSD, SEP. 29, 1966, SEP. 29, 1966.  
 RECORDS AVAILABLE: 1964, 1966.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 11, 1966	34.36A	FEB. 7, 1966	18.57	APR. 12, 1966	20.06	AUG. 11, 1966	34.36A
SEP. 29	26.22	MAR. 7	18.23	MAY 11	20.79	SEP. 29	26.22D
JAN. 12	18.79						

9S/2W-26M1 S. MISSION INDIANS. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 148 FT., LSD 425 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 46.14 FT BELOW LSD, MAY 15, 1967.  
 LOWEST STATIC WATER LEVEL 60.22 FT BELOW LSD, SEP. 29, 1966.  
 RECORDS AVAILABLE: 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1966	58.78	APR. 12, 1966	57.35	SEP. 29, 1966	60.22	MAY 15, 1967	46.14B
FEB. 7	58.20	MAY 11	58.76	NOV. 14	59.48	OCT. 18	52.00
MAR. 7	57.11	AUG. 11	60.07	FEB. 10, 1967	51.21	OCT. 31, 1968	55.10

9S/2W-28K1 S. B. L. LAVENDER. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH FT., LSD 357 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 10.66 FT BELOW LSD, FEB. 15, 1967.  
 LOWEST STATIC WATER LEVEL 18.47 FT BELOW LSD, NOV. 14, 1966.  
 RECORDS AVAILABLE: 1941, 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1966	15.87	MAY 11, 1966	17.57C	NOV. 14, 1966	18.47	MAY 15, 1967	12.21C
FEB. 7	15.29	AUG. 11	21.41C	FEB. 10, 1967	13.72	OCT. 18	15.81C
MAR. 7	14.77C	SEP. 29	20.40C	FEB. 15	10.66	OCT. 31, 1968	16.97
APR. 12	16.68C						

9S/2W-36H1 S. W. C. MEYERS. ABOUT 2 1/2 MILES SOUTHEAST OF PALA. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM. DIAMETER 12 INCHES. DEPTH 75 FT., LSD 520 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 16.11 FT BELOW LSD, FEB. 10, 1967.  
 LOWEST STATIC WATER LEVEL 25.56 FT BELOW LSD, OCT. 31, 1968.  
 RECORDS AVAILABLE: 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1966	16.60	FEB. 10, 1967	16.11	OCT. 18, 1967	29.99A	OCT. 31, 1968	25.561
MAR. 7	17.09	MAY 15	16.29				

## SAN DIEGO COUNTY

161

10S/1W-5L1 S. J. ADAMS. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM. DIAMETER 12 INCHES.  
 DEPTH 200 FT., LSD 706 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 41.02 FT BELOW LSD, MAY 15, 1967.  
 LOWEST STATIC WATER LEVEL 72.90 FT BELOW LSD, AUG. 11, 1966.  
 RECORDS AVAILABLE: 1955, 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1966	55.81	APR. 12, 1966	51.75	NOV. 14, 1966	68.24	OCT. 18, 1967	477.4 A
FEB. 7	52.71	MAY 11	61.3 A	FEB. 10, 1967	50.14	OCT. 31, 1968	A
MAR. 7	47.98	AUG. 11	72.9	MAY 15	41.02		

10S/1W-8P1 S. H. N. BERGER. PAUMA VALLEY. DRILLED UNUSED WELL IN ALLUVIUM. DIAMETER 14 INCHES. DEPTH 179.6 FT., LSD 725 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 37.69 FT BELOW LSD, MAR. 8, 1967.  
 LOWEST STATIC WATER LEVEL 45.94 FT BELOW LSD, OCT. 18, 1967.  
 RECORDS AVAILABLE: 1954-64, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 8, 1967	37.69	MAY 15, 1967	A	OCT. 18, 1967	45.94	OCT. 31, 1968	P

10S/1W-8P2 S. PAUMA VALLEY. DRILLED IRRIGATION WELL IN ALLUVIUM. DIAMETER 12 INCHES. DEPTH FT., LSD 725 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 32.96 FT BELOW LSD, FEB. 10, 1967.  
 LOWEST STATIC WATER LEVEL 67.50 FT BELOW LSD, NOV. 14, 1966.  
 RECORDS AVAILABLE: 1964-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1966	43.50	MAR. 7, 1966	39.91	SEP. 29, 1966	62.0	FEB. 10, 1967	32.96
FEB. 7	41.61	MAY 11	50.8 A	NOV. 14	67.5	MAR. 8	33.13

10S/1W-9A1 S. VAUGHN MAYNARD. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 405 FT REPORTED IN 1953, AND 312.0 FT IN 1967. LSD 1,070 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 72.73 FT BELOW LSD, MAY 19, 1967.  
 LOWEST STATIC WATER LEVEL 113.66 FT BELOW LSD, NOV. 14, 1966.  
 RECORDS AVAILABLE: 1953, 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1966	94.47	APR. 12, 1966	88.16	SEP. 30, 1966	113.35	MAY 19, 1967	72.73
FEB. 7	89.61	MAY 11	87.72	NOV. 14	113.66	OCT. 18	93.92
MAR. 7	86.76	AUG. 11	101.20	FEB. 10, 1967	75.37	OCT. 31, 1968	101.50

10S/1W-9R1 S. VAUGHN MAYNARD. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAMETER 12 INCHES. DEPTH 100 FT., LSD 970 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 36.00 FT BELOW LSD, MAR. 7, 1966.  
 LOWEST STATIC WATER LEVEL 52.35 FT BELOW LSD, JAN. 12, 1966.  
 RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1966	52.35	APR. 12, 1966	54.0 C	AUG. 11, 1966	68.36C	OCT. 18, 1967	63.09C
FEB. 7	41.78	MAY 11	59.0 C	MAY 19, 1967	42.13C	OCT. 31, 1968	67.27C
MAR. 7	36.00						

10S/1W-15P1 S. RANCHO PAUMA. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 184 FT., LSD 835 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 131.33 FT BELOW LSD, MAY 19, 1967.  
 LOWEST STATIC WATER LEVEL 141.39 FT BELOW LSD, NOV. 14, 1966.  
 RECORDS AVAILABLE: 1958, 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1966	138.79	MAY 11, 1966	136.09	NOV. 14, 1966	141.39	MAY 19, 1967	131.33
FEB. 7	136.94	AUG. 11	138.96	FEB. 10, 1967	136.91	OCT. 18	137.13
MAR. 7	135.84	SEP. 30	140.81	MAR. 2	135.61	OCT. 31, 1968	137.16
APR. 12	135.44						

## GROUND-WATER RECORDS, 1966-68

10S/1W-16R2 S. A. O. LYALL. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 317 FT., LSD 899 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 230.30 FT BELOW LSD, MAY 19, 1967.  
 LOWEST STATIC WATER LEVEL 240.30 FT BELOW LSD, JAN. 12, 1966.  
 RECORDS AVAILABLE: 1948, 1964-67, 1969-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1966	240.3	MAY 11, 1966	258.9 C	NOV. 14, 1966	267.6 C	MAY 19, 1967	230.3 C
FEB. 7	235.2 C	AUG. 11	267.3 C	FEB. 10, 1967	238.3	OCT. 18	238.2
MAR. 7	239.6 C	SEP. 30	266.8 C	MAR. 22	233.7 C	OCT. 31, 1968	N
APR. 12	261.1 C						

10S/1W-22K1 S. PAIUMA VALLEY COMMUNITY ASSN. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 105 FT., LSD 835 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 83.59 FT BELOW LSD, MAR. 22, 1967.  
 LOWEST STATIC WATER LEVEL 108.33 FT BELOW LSD, SEP. 30, 1966.  
 RECORDS AVAILABLE: 1958, 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1966	88.52	MAY 11, 1966	91.59	NOV. 14, 1966	107.44	MAY 19, 1967	83.77
FEB. 7	86.69	AUG. 11	103.50	FEB. 10, 1967	83.70	OCT. 18	98.71
MAR. 7	87.01	SEP. 30	108.33	MAR. 22	83.59	OCT. 13, 1968	93.66
APR. 12	89.13						

10S/1W-22Q1 S. MRS. MCCORMICK. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. PERFORATED 110-228 FEET. DEPTH 265 FT., LSD 853 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 90.43 FT BELOW LSD, FEB. 10, 1967.  
 LOWEST STATIC WATER LEVEL 107.12 FT BELOW LSD, SEP. 30, 1966.  
 RECORDS AVAILABLE: 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1966	95.93	MAY 11, 1966	100.60	SEP. 30, 1966	107.12	MAY 19, 1967	93.19
FEB. 7	95.53	MAY 11	100.60	NOV. 14	106.10	OCT. 18	102.8 A
MAR. 7	96.61	AUG. 11	105.64	FEB. 10, 1967	90.43	OCT. 31, 1968	101.33
APR. 12	98.79						

10S/1W-23N3 S. PALOMAR MUTUAL WATER CO. AT RINCON SPRINGS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 244.0 FT., LSD 1,015 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 215.74 FT BELOW LSD, JAN. 12, 1966.  
 LOWEST STATIC WATER LEVEL 219.48 FT BELOW LSD, OCT. 31, 1968.  
 RECORDS AVAILABLE: 1946, 1958-60, 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1966	215.74	APR. 12, 1966	216.51	SEP. 30, 1966	218.78	MAY 19, 1967	218.33
FEB. 7	215.89	MAY 11	216.68	NOV. 14	218.78	OCT. 18	218.96
MAR. 7	216.27	AUG. 11	217.59	FEB. 10, 1967	219.16	OCT. 31, 1968	219.48

10S/1W-35B1 S. U.S. BUREAU OF INDIAN AFFAIRS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 160 FT., LSD 858 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 33.80 FT BELOW LSD, OCT. 18, 1967.  
 LOWEST STATIC WATER LEVEL 59.43 FT BELOW LSD, JAN. 12, 1966.  
 RECORDS AVAILABLE: 1960, 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1966	59.43	APR. 12, 1966	56.12	SEP. 30, 1966	51.33	MAY 19, 1967	43.92
FEB. 7	59.19	MAY 11	55.20	NOV. 14	54.09	OCT. 18	33.80
MAR. 7	57.88	AUG. 11	52.21	FEB. 10, 1967	48.89	OCT. 31, 1968	P

10S/2W-6F1 S. DEPTH 102 FT IN 1936, 94.0 IN 1953, AND 28.4 IN 1967. ALTITUDE 280.9 FT.  
 HIGHEST WATER LEVEL 17.12 FT BELOW LSD, FEB. 14, 1967.  
 LOWEST STATIC WATER LEVEL 17.12 FT BELOW LSD, FEB. 14, 1967.  
 RECORDS AVAILABLE: 1937-53, 1967.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 14, 1967	17.12						

10S/2W-6F2 S. (FORMERLY 10/3W-1A). SAN LUIS REY RANCH. IN MONSERATE NARROWS, NEAR GAGING STATION. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 12 INCHES. DEPTH 106. FT., LSD 282.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 14.01 FT BELOW LSD, MAY 15, 1967.  
 LOWEST STATIC WATER LEVEL 38.76 FT BELOW LSD, JAN. 12, 1966.  
 RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1966	38.76	APR. 12, 1966	31.84	OCT. 5, 1966	33.02	MAY 15, 1967	14.01
FEB. 7	36.44	MAY 11	45.8 A	NOV. 14	30.17	OCT. 28	16.70
MAR. 7	34.16	AUG. 11	M	FEB. 10, 1967	19.12	OCT. 31, 1968	16.20

10S/3W-30K1 S. (FORMERLY 10/3W-30). FALLBROOK PUBLIC UTILITY DISTRICT. NEAR BONSALE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 8 INCHES. DEPTH 76.6 FT., LSD 149.8 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 8.55 FT BELOW LSD, FEB. 10, 1967.  
 LOWEST STATIC WATER LEVEL 13.19 FT BELOW LSD, NOV. 14, 1966.  
 RECORDS AVAILABLE: 1939-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 12, 1966	10.23	MAY 11, 1966	10.47	NOV. 14, 1966	13.19	MAY 15, 1967	10.10
FEB. 7	10.01	AUG. 11	11.95	DEC. 23	9.06	OCT. 18	11.36
MAR. 7	10.20	OCT. 5	12.89	FEB. 10, 1967	8.55	OCT. 31, 1968	12.45
APR. 12	9.99	OCT. 14	12.98				

11S/4W-9F1 S. CITY OF OCEANSIDE. NEAR SAN LUIS REY. DRILLED OBSERVATION WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 4 INCHES. RECORDS FURNISHED BY CITY OF OCEANSIDE. DEPTH 99.6 FT., LSD 64.16 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 42.68 FT BELOW LSD, DEC. 2, 1968.  
 LOWEST STATIC WATER LEVEL 59.35 FT BELOW LSD, JAN. 3, 1966.  
 RECORDS AVAILABLE: 1940-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 3, 1966	59.35	OCT. 3, 1966	57.27	AUG. 7, 1967	47.85	MAY 6, 1968	46.77
FEB. 7	57.43	NOV. 7	56.6	SEP. 5	48.02	JUNE 3	47.52
MAR. 7	57.52	DEC. 5	56.02	OCT. 3	47.60	JULY 1	47.77
APR. 4	56.85	JAN. 3, 1967	52.60	NOV. 7	47.18	AUG. 6	48.85
MAY 2	57.10	FEB. 6	50.71	DEC. 4	47.43	SEP. 3	43.35
JUNE 6	56.68	MAR. 6	50.10	JAN. 2, 1968	45.18	OCT. 7	43.68
JULY 5	56.02	APR. 3	49.35	FEB. 5	44.43	NOV. 4	46.18
AUG. 1	56.43	MAY 1	48.02	MAR. 5	44.93	DEC. 2	42.68
SEP. 6	57.35	JULY 3	47.10	APR. 1	47.43		

11S/5W-13N1 S. FORMERLY 11S/5W-14. CITY OF OCEANSIDE. NEAR AIRPORT. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 14 INCHES. RECORDS FURNISHED BY CITY OF OCEANSIDE. DEPTH 157 FT., LSD 16.26 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 2.75 FT BELOW LSD, JAN. 2, 1968.  
 LOWEST STATIC WATER LEVEL 6.83 FT BELOW LSD, NOV. 7, 1966.  
 RECORDS AVAILABLE: 1923, 1939-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 3, 1966	5.08	OCT. 3, 1966	6.75	AUG. 7, 1967	4.33	MAY 6, 1968	3.42
FEB. 7	4.83	NOV. 7	6.83	SEP. 5	4.50	JUNE 3	3.5
MAR. 7	5.25	DEC. 5	6.5	OCT. 3	4.67	JULY 1	3.75
APR. 4	4.5	JAN. 3, 1967	3.67	NOV. 7	4.58	AUG. 6	3.75
MAY 2	5.25	FEB. 6	3.58	DEC. 4	4.67	SEP. 3	3.75
JUNE 6	5.67	MAR. 6	4.08	JAN. 2, 1968	2.75	OCT. 7	3.50
JULY 5	5.83	APR. 3	3.58	FEB. 5	3.92	NOV. 4	3.50
AUG. 1	6.23	MAY 1	3.25	MAR. 5	3.5	DEC. 2	3.50
SEP. 6	6.58	JULY 3	4.17	APR. 1	5.33		

## San Pasqual Valley

12S/1W-31H2 S. CITY OF SAN DIEGO. IN SAN PASQUAL VALLEY. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 46.1 FT IN 1945, DEEPENED TO 85 FT IN 1965, LSD 357.4 FT. ABOVE MSL.

HIGHEST WATER LEVEL 30.25 FT BELOW LSD, MAR. 24, 1967.

LOWEST STATIC WATER LEVEL 50.17 FT BELOW LSD, OCT. 28, 1968.

RECORDS AVAILABLE: 1929-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	34.02	OCT. 27, 1966	48.00A	MAR. 24, 1967	30.25A	MAR. 14, 1968	36.73
MAY 11	37.41	JAN. 18, 1967	32.97A	OCT. 25	37.05	OCT. 28	50.17
AUG. 12	44.13A						

13S/1W-6M1 S. (FORMERLY 13S/2W-1J1, 13S/2W-6M1). OWNER UNKNOWN. AT LAKE HODGES NEAR GAGING STATION. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE. DIAMETER 14 INCHES. DEPTH 85.5 FT., LSD 335 FT. ABOVE MSL.

HIGHEST WATER LEVEL 30.78 FT BELOW LSD, MAR. 14, 1968.

LOWEST STATIC WATER LEVEL 53.54 FT BELOW LSD, OCT. 27, 1966.

RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	41.82	OCT. 27, 1966	53.54	MAR. 24, 1967	31.64	MAR. 14, 1968	30.78
MAY 11	42.19	JAN. 18, 1967	34.95	OCT. 25	32.65	OCT. 28	34.79
AUG. 12	53.07						

## Sweetwater Valley

17S/2W-35E1 S. OWNER UNKNOWN. NEAR CHULA VISTA. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 12 INCHES. DEPTH 57.7 FT., LSD 35 FT. ABOVE MSL.

HIGHEST WATER LEVEL 9.84 FT BELOW LSD, MAR. 7, 1966.

LOWEST STATIC WATER LEVEL 14.38 FT BELOW LSD, OCT. 27, 1966.

RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	9.84	OCT. 27, 1966	14.38	MAR. 24, 1967	10.14	MAR. 14, 1968	10.26
MAY 10	10.71	JAN. 18, 1967	10.26	OCT. 25	13.82	OCT. 28	14.11
AUG. 12	13.25						

## Tia Juana Basin

19S/2W-1N1 S. STATE OF CALIFORNIA. NEAR SAN YSIDRO. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 8 INCHES. DEPTH 68 FT., LSD 50 FT. ABOVE MSL.

HIGHEST WATER LEVEL 35.95 FT BELOW LSD, MAR. 24, 1967.

LOWEST STATIC WATER LEVEL 44.20 FT BELOW LSD, MAR. 7, 1966.

RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	44.20	OCT. 27, 1966	41.88C	MAR. 24, 1967	35.95	MAR. 14, 1968	36.12
MAY 10	41.17	JAN. 18, 1967	38.62	OCT. 25	37.54	OCT. 28	36.04
AUG. 12	43.68						



# SAN JOAQUIN COUNTY

165

19S/2W-4A6 S. CALIFORNIA WATER AND TELEPHONE CO. NEAR NESTOR. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 12 INCHES. DEPTH 90 FT., LSD 25 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 22.13 FT BELOW LSD, MAR. 14, 1968.  
LOWEST STATIC WATER LEVEL 26.34 FT BELOW LSD, AUG. 12, 1966.  
RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 7, 1966	24.24	OCT. 27, 1966	29.10C	MAR. 24, 1967	22.78	MAR. 14, 1968	22.13
MAY 10	24.64	JAN. 16, 1967	23.62C	OCT. 25	24.17	OCT. 28	26.22J
AUG. 12	26.34J						

# SAN JOAQUIN COUNTY

## Mokelumne River Area

3N/6E-3K11 M. F. R. MILLS ESTATE. ABOUT 1.8 MILES WEST OF LODI. DRILLED IRRIGATION WATER-TABLE WELL IN VICTOR FORMATION OF PLEISTOCENE AGE, DIAMETER 12 INCHES. MEASURED BY EAST BAY MUNICIPAL UTILITY DISTRICT. DEPTH 120 FT., LSD 41.03 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 26.67 FT BELOW LSD, MAY 3, 1967.  
LOWEST STATIC WATER LEVEL 31.31 FT BELOW LSD, SEP. 1, 1966.  
RECORDS AVAILABLE: 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 3, 1966	27.21	OCT. 3, 1966	28.29	JULY 3, 1967	27.62	APR. 2, 1968	27.05
FEB. 1	27.48	NOV. 1	28.69	AUG. 1	N	MAY 1	28.51
MAR. 1	26.76	DEC. 1	28.57	SEP. 1	30.43	JUNE 3	29.23
APR. 1	29.69	JAN. 3, 1967	28.78	OCT. 2	28.68	JULY 1	29.28
MAY 2	A	FEB. 1	29.16	NOV. 1	27.22	AUG. 1	A
JUNE 1	30.80	MAR. 1	28.09	DEC. 1	27.29	SEP. 3	28.65
JULY 5	A	APR. 5	27.53	JAN. 2, 1968	27.77	OCT. 1	28.60
AUG. 1	A	MAY 3	26.67	FEB. 1	28.79	NOV. 1	27.66
SEP. 1	31.31	JUNE 1	27.04	MAR. 1	28.08	DEC. 2	28.31

3N/6E-17D11 M. ARTHUR RIPKEN, FORMERLY A. DELU. ABOUT 4.5 MILES SOUTHWEST OF LODI. DRILLED IRRIGATION WATER-TABLE WELL IN VICTOR FORMATION OF PLEISTOCENE AGE, DIAMETER 12 INCHES. MEASURED BY EAST BAY MUNICIPAL UTILITY DISTRICT. DEPTH 49.3 FT., LSD 23.9 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 33.56 FT BELOW LSD, MAY 3, 1967.  
LOWEST STATIC WATER LEVEL 45.45 FT BELOW LSD, SEP. 1, 1966.  
RECORDS AVAILABLE: 1949-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 3, 1966	38.28	OCT. 3, 1966	43.86	JULY 3, 1967	N	APR. 2, 1968	37.88
FEB. 1	37.68	NOV. 1	42.28	AUG. 1	N	MAY 7	A
MAR. 1	36.98	DEC. 1	41.01	SEP. 1	41.69	JUNE 3	40.72
APR. 1	37.28	JAN. 3, 1967	39.66	OCT. 2	40.87	JULY 1	43.99
MAY 2	39.00	FEB. 1	39.27	NOV. 1	39.50	AUG. 1	N
JUNE 1	39.77	MAR. 1	37.43	DEC. 1	39.08	SEP. 3	45.16
JULY 5	A	APR. 5	35.28	JAN. 2, 1968	41.08	OCT. 1	44.65
AUG. 1	A	MAY 3	33.56	FEB. 1	37.28	NOV. 1	43.11
SEP. 1	45.45	JUNE 1	35.79	MAR. 1	37.34	DEC. 2	41.86

## GROUND-WATER RECORDS, 1966-68

3N/6E-36R2 M. L. W. BUNCH. ABOUT 5.5 MILES SOUTH OF LODI. DRILLED DOMESTIC WATER-TABLE WELL IN VICTOR FORMATION OF PLEISTOCENE AGE, DIAMETER 8 INCHES. MEASURED BY EAST BAY MUNICIPAL UTILITY DISTRICT. DEPTH 85 FT., LSD 37.97 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 22.63 FT BELOW LSD, SEP. 1, 1967.  
 LOWEST STATIC WATER LEVEL 51.15 FT BELOW LSD, SEP. 1, 1966.  
 RECORDS AVAILABLE: 1926-29, 1935-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1966	50.99	OCT. 4, 1966	49.61	JULY 3, 1967	45.20	APR. 2, 1968	42.28
FEB. 1	48.00	NOV. 1	48.05	AUG. 1	45.40	MAY 1	43.56
MAR. 1	47.51	DEC. 1	46.93	SEP. 1	22.63	JUNE 3	44.06
APR. 1	47.47	JAN. 5, 1967	46.08	OCT. 4	44.64	JULY 1	44.42
MAY 2	41.67	FEB. 1	45.69	NOV. 1	43.46	AUG. 1	45.54
JUNE 1	50.09	MAR. 1	45.00	DEC. 1	42.92	SEP. 3	45.14
JULY 5	50.75	APR. 5	43.99	JAN. 3, 1968	42.75	OCT. 2	43.82
AUG. 1	50.75	MAY 3	42.39	FEB. 1	42.70	NOV. 1	42.15
SEP. 1	51.15	JUNE 1	44.33	MAR. 1	42.10	DEC. 2	41.86

3N/7E-3C1 M. JACOB KNOLL. ABOUT 4.0 MILES EAST OF LODI. DRILLED OBSERVATION WATER-TABLE WELL IN VICTOR FORMATION OF PLEISTOCENE AGE, DIAMETER 8 INCHES. MEASURED BY EAST BAY MUNICIPAL UTILITY DISTRICT. DEPTH 46.6 FT., LSD 80.45 FT. ABOVE MSL.  
 RECORDS AVAILABLE: 1935-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 6, 1966	F	MAY 2, 1966	F	SEP. 1, 1966	F	JAN. 6, 1967	F
FEB. 1	F	JUNE 1	F	OCT. 5	F	OCT. 5	F
MAR. 1	F	JULY 5	F	NOV. 1	F	JAN. 5, 1968	F
APR. 1	F	AUG. 1	F	DEC. 1	F	OCT. 3	F

3N/7E-7M1 M. DOUGLAS OIL CO., FORMERLY J. AND RACHEL K. GOETKEN. EAST OF CHEROKEE LANE, LODI. DRILLED IRRIGATION WATER-TABLE WELL IN VICTOR FORMATION OF PLEISTOCENE AGE, DIAMETER 10 INCHES. MEASURED BY EAST RAY MUNICIPAL UTILITY DISTRICT. DEPTH 87 FT., LSD 52.63 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 45.21 FT BELOW LSD, MAR. 1, 1966.  
 LOWEST STATIC WATER LEVEL 54.48 FT BELOW LSD, AUG. 1, 1968.  
 RECORDS AVAILABLE: 1935-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 4, 1966	46.16	OCT. 4, 1966	52.17	JULY 3, 1967	48.41	APR. 2, 1968	45.90
FEB. 1	45.67	NOV. 1	51.00	AUG. 1	49.86	MAY 1	49.56
MAR. 1	45.21	DEC. 1	49.60	SEP. 1	50.65	JUNE 3	51.49
APR. 1	47.21	JAN. 4, 1967	48.54	OCT. 4	49.48	JULY 1	52.53
MAY 2	51.06	FEB. 1	47.84	NOV. 1	48.53	AUG. 1	54.48
JUNE 1	52.54	MAR. 1	46.92	DEC. 1	47.37	SEP. 3	53.56
JULY 5	52.95	APR. 5	46.60	JAN. 3, 1968	46.19	OCT. 2	53.05
AUG. 1	53.42	MAY 3	45.78	FEB. 1	45.53	NOV. 1	51.12
SEP. 1	53.18	JUNE 1	46.68	MAR. 1	45.38	DEC. 2	49.72

3N/7E-10L4 M. ALFRED PRESZLER, FORMERLY EDWARD PRESZLER. ABOUT 4.0 MILES EAST OF LODI. DRILLED OBSERVATION WATER-TABLE WELL IN VICTOR FORMATION OF PLEISTOCENE AGE, ARROYO SECO GRAVEL OF PLEISTOCENE AGE, AND LAGUNA FORMATION OF PLEISTOCENE (?) AGE, DIAMETER 12 TO 10 INCHES. MEASURED BY EAST RAY MUNICIPAL UTILITY DISTRICT. DEPTH 183 FT., LSD 72.37 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 66.79 FT BELOW LSD, MAR. 1, 1968.  
 LOWEST STATIC WATER LEVEL 81.27 FT BELOW LSD, AUG. 1, 1966.  
 RECORDS AVAILABLE: 1935-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 6, 1966	69.33	OCT. 5, 1966	76.14	JULY 3, 1967	74.73	APR. 2, 1968	68.14
FEB. 1	68.33	NOV. 1	A	AUG. 1	78.78	MAY 1	74.72
MAR. 1	67.57	DEC. 1	72.70	SEP. 1	80.33	JUNE 3	76.15
APR. 1	70.82	JAN. 6, 1967	71.43	OCT. 5	73.32	JULY 1	A
MAY 2	A	FEB. 1	70.56	NOV. 1	71.54	AUG. 1	80.61
JUNE 1	78.11	MAR. 1	69.47	DEC. 1	69.85	SEP. 3	76.98
JULY 5	80.52	APR. 5	68.85	JAN. 4, 1968	68.66	OCT. 3	75.62
AUG. 1	81.27	MAY 4	67.75	FEB. 1	67.91	NOV. 1	69.14
SEP. 1	78.72	JUNE 1	69.13	MAR. 1	66.79	DEC. 2	71.42

3N/7E-18N12 M. J. GARNERO. ABOUT 2.5 MILES SOUTH OF LODI. DRILLED DOMESTIC WATER-TABLE WELL IN VICTOR FORMATION OF PLEISTOCENE AGE, DIAMETER 6 INCHES. MEASURED BY EAST BAY MUNICIPAL UTILITY DISTRICT. DEPTH 78 FT., LSD 47.44 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 46.74 FT BELOW LSD, MAR. 1, 1968.  
 LOWEST STATIC WATER LEVEL 59.92 FT BELOW LSD, JUNE 1, 1966.  
 RECORDS AVAILABLE: 1946-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 5, 1966	49.06	OCT. 4, 1966	54.49	JULY 3, 1967	54.01	APR. 2, 1968	46.93
FEB. 1	48.35	NOV. 1	52.89	AUG. 1	59.23	MAY 1	51.03
MAR. 1	47.81	DEC. 1	51.61	SEP. 1	59.90	JUNE 3	55.89
APR. 1	51.42	JAN. 5, 1967	50.86	OCT. 4	53.48	JULY 1	59.05
MAY 2	57.64	FEB. 1	49.89	NOV. 1	51.30	AUG. 1	F
JUNE 1	59.92	MAR. 1	48.75	DEC. 1	49.60	SEP. 3	57.88
JULY 5	F	APR. 5	48.34	JAN. 3, 1968	48.24	OCT. 2	55.56
AUG. 1	F	MAY 3	48.06	FEB. 1	47.39	NOV. 1	53.32
SEP. 1	F	JUNE 1	48.95	MAR. 1	46.74	DEC. 2	51.68

3N/7E-22C11 M. JOHN NIETSCHKE. ABOUT 4.6 MILES SOUTHEAST OF LODI. DRILLED DOMESTIC WATER-TABLE WELL IN VICTOR FORMATION OF PLEISTOCENE AGE AND PROBABLY ARROYO SECO GRAVEL OF PLEISTOCENE AGE AND LAGUNA FORMATION OF PLIOCENE (?) AGE, DIAMETER 8 INCHES. MEASURED BY EAST BAY MUNICIPAL UTILITY DISTRICT. DEPTH 135.3 FT., LSD 66.43 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 70.10 FT BELOW LSD, MAR. 1, 1968.  
 LOWEST STATIC WATER LEVEL 86.18 FT BELOW LSD, JULY 5, 1966.  
 RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 6, 1966	74.63	OCT. 5, 1966	82.56	JULY 3, 1967	77.25	APR. 2, 1968	74.23
FEB. 1	73.40	NOV. 1	79.78	AUG. 1	80.20	MAY 1	74.78
MAR. 1	72.24	DEC. 1	77.53	SEP. 1	81.41	JUNE 3	75.65
APR. 1	76.17	JAN. 6, 1967	75.42	OCT. 5	76.52	JULY 1	A
MAY 2	80.19	FEB. 1	74.46	NOV. 1	77.43	AUG. 1	81.39
JUNE 1	80.43	MAR. 1	73.25	DEC. 1	73.53	SEP. 3	83.83
JULY 5	86.18	APR. 5	72.29	JAN. 4, 1968	72.00	OCT. 3	77.73
AUG. 1	A	MAY 4	71.27	FEB. 1	71.12	NOV. 1	75.84
SEP. 1	85.94	JUNE 1	73.85	MAR. 1	70.10	DEC. 2	74.50

4N/6E-12R11 M. FRED FROMM, FORMERLY A. T. CARLSON. ABOUT 4.5 MILES NORTH OF LODI. DRILLED DOMESTIC AND IRRIGATION WATER-TABLE WELL IN VICTOR, ARROYO SECO, AND LAGUNA FORMATIONS, DIAMETER 8 INCHES. MEASURED BY EAST BAY MUNICIPAL UTILITY DISTRICT. DEPTH 150 FT., LSD 57.95 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 62.48 FT BELOW LSD, APR. 2, 1968.  
 LOWEST STATIC WATER LEVEL 77.37 FT BELOW LSD, SEP. 1, 1966.  
 RECORDS AVAILABLE: 1948-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 4, 1966	66.11	OCT. 4, 1966	73.80	JULY 3, 1967	69.64	APR. 2, 1968	62.48
FEB. 1	64.80	NOV. 1	72.04	AUG. 1	70.48	MAY 1	67.38
MAR. 1	63.49	DEC. 1	70.32	SEP. 1	75.16	JUNE 3	70.30
APR. 1	62.70	JAN. 4, 1967	68.72	OCT. 18	74.37	JULY 1	72.69
MAY 2	A	FEB. 1	67.66	NOV. 1	74.13	AUG. 1	75.03
JUNE 1	70.86	MAR. 1	68.03	DEC. 1	69.22	SEP. 3	75.10
JULY 5	74.21	APR. 5	64.74	JAN. 3, 1968	66.72	OCT. 2	71.46
AUG. 1	76.65	MAY 3	63.20	FEB. 1	65.14	NOV. 1	71.40
SEP. 1	77.37	JUNE 1	68.02	MAR. 1	63.56	DEC. 2	69.61

4N/6E-36D2 M. S. WORTLEY. ABOUT 1.6 MILES NORTH OF LODI. DRILLED IRRIGATION WATER-TABLE WELL IN VICTOR FORMATION OF PLEISTOCENE AGE, DIAMETER 10 INCHES. MEASURED BY EAST BAY MUNICIPAL UTILITY DISTRICT. DEPTH 51.7 FT., LSD 49.11 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 27.81 FT BELOW LSD, MAY 3, 1967.  
 LOWEST STATIC WATER LEVEL 34.64 FT BELOW LSD, AUG. 1, 1968.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 4, 1966	29.16	OCT. 4, 1966	30.56	JULY 3, 1967	N	APR. 2, 1968	28.66
FEB. 1	29.13	NOV. 1	30.44	AUG. 1	30.99	MAY 1	31.88
MAR. 1	28.90	DEC. 1	31.31	SEP. 1	30.50	JUNE 3	32.38
APR. 1	29.22	JAN. 4, 1967	31.51	OCT. 3	28.41	JULY 1	A
MAY 2	A	FEB. 1	31.30	NOV. 1	27.96	AUG. 1	34.64
JUNE 1	33.67	MAR. 1	31.00	DEC. 1	29.54	SEP. 3	31.82
JULY 5	32.99	APR. 5	28.30	JAN. 3, 1968	30.10	OCT. 2	31.05
AUG. 1	A	MAY 3	27.81	FEB. 1	30.16	NOV. 1	30.58
SEP. 1	31.08	JUNE 1	29.11	MAR. 1	29.78	DEC. 2	31.13

## GROUND-WATER RECORDS, 1966-68

4N/7E-2205 M. ADOLPHUS EDDLEMON. ABOUT 4.9 MILES NORTHEAST OF LODI. DRILLED OBSERVATION ARTESIAN WELL IN VICTOR, ARROYO SEC0, AND LAGUNA FORMATIONS, DIAMETER 10 INCHES. MEASURED BY EAST BAY MUNICIPAL UTILITY DISTRICT. DEPTH 130 FT., LSD 83.83 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 68.10 FT BELOW LSD, MAR. 1, 1966.  
LOWEST STATIC WATER LEVEL 84.54 FT BELOW LSD, AUG. 1, 1968.  
RECORDS AVAILABLE: 1935-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 6, 1966	71.95	OCT. 6, 1966	78.26	JULY 3, 1967	75.33	APR. 2, 1968	68.87
FEB. 1	68.65	NOV. 1	76.89	AUG. 2	81.49	MAY 1	75.74
MAR. 1	68.10	DEC. 1	75.04	SEP. 5	81.15	JUNE 3	77.74
APR. 1	69.26	JAN. 6, 1967	73.66	OCT. 5	76.28	JULY 1	80.88
MAY 3	73.19	FEB. 1	72.69	NOV. 2	74.70	AUG. 1	84.54
JUNE 1	77.96	MAR. 1	71.86	DEC. 1	73.19	SEP. 3	80.10
JULY 5	81.05	APR. 5	70.62	JAN. 5, 1968	71.60	OCT. 4	78.84
AUG. 1	83.18	MAY 4	69.29	FEB. 1	70.65	NOV. 1	77.03
SEP. 1	80.27	JUNE 1	70.22	MAR. 1	69.62	DEC. 2	75.59

4N/7E-27P1 M. FRANK H. AND LEONARD W. RUCK. ABOUT 4.4 MILES NORTHEAST OF LODI. DRILLED OBSERVATION WATER-TABLE WELL IN VICTOR FORMATION OF PLEISTOCENE AGE, DIAMETER 10 INCHES. MEASURED BY EAST BAY MUNICIPAL UTILITY DISTRICT. DEPTH 48.1 FT., LSD 81.20 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 36.18 FT BELOW LSD, JUNE 1, 1967.  
LOWEST STATIC WATER LEVEL 42.92 FT BELOW LSD, DEC. 2, 1968.  
RECORDS AVAILABLE: 1935-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 6, 1966	39.09	OCT. 6, 1966	42.43	JULY 3, 1967	37.09	APR. 2, 1968	40.80
FEB. 1	39.49	NOV. 1	42.56	AUG. 2	38.58	MAY 1	41.05
MAR. 1	39.64	DEC. 1	42.50	SEP. 5	39.28	JUNE 3	41.59
APR. 1	39.82	JAN. 6, 1967	42.78	OCT. 5	39.20	JULY 1	41.69
MAY 3	40.73	FEB. 1	42.42	NOV. 2	38.71	AUG. 1	42.08
JUNE 1	40.88	MAR. 1	42.71	DEC. 1	39.95	SEP. 3	42.79
JULY 5	41.34	APR. 5	42.77	JAN. 5, 1968	41.28	OCT. 4	42.57
AUG. 1	41.64	MAY 4	40.65	FEB. 1	41.60	NOV. 1	42.74
SEP. 1	41.97	JUNE 1	36.18	MAR. 1	41.48	DEC. 2	42.92

4N/7E-30E4 M. CHARLES WEBER. ABOUT 2.5 MILES NORTH OF LODI. DRILLED UNUSED WATER-TABLE WELL IN VICTOR FORMATION OF PLEISTOCENE AGE, DIAMETER 6 INCHES. MEASURED BY EAST BAY MUNICIPAL UTILITY DISTRICT. DEPTH 76 FT., LSD 57.18 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 44.23 FT BELOW LSD, JUNE 1, 1967.  
LOWEST STATIC WATER LEVEL 55.74 FT BELOW LSD, AUG. 1, 1966.  
RECORDS AVAILABLE: 1941-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 4, 1966	45.70	OCT. 4, 1966	51.10	JULY 3, 1967	46.54	APR. 2, 1968	44.32
FEB. 1	45.26	NOV. 1	50.03	AUG. 1	49.30	MAY 1	48.77
MAR. 1	45.10	DEC. 1	49.34	SEP. 1	49.88	JUNE 3	49.61
APR. 1	44.99	JAN. 4, 1967	48.14	OCT. 4	49.20	JULY 1	53.22
MAY 2	49.20	FEB. 1	N	NOV. 1	46.92	AUG. 1	55.07
JUNE 1	50.09	MAR. 1	46.80	DEC. 1	46.37	SEP. 3	53.48
JULY 5	53.02	APR. 5	46.12	JAN. 3, 1968	46.35	OCT. 2	52.06
AUG. 1	55.74	MAY 3	44.93	FEB. 1	45.44	NOV. 1	51.22
SEP. 1	52.89	JUNE 1	44.23	MAR. 1	44.55	DEC. 2	49.38

4N/7E-34F11 M. J. J. SCHMIEDT. ABOUT 4.2 MILES EAST OF LODI. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 4 INCHES. MEASURED BY EAST BAY MUNICIPAL UTILITY DISTRICT. DEPTH 22.9 FT., LSD 61.76 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 12.35 FT BELOW LSD, JUNE 1, 1967.  
LOWEST STATIC WATER LEVEL 20.33 FT BELOW LSD, DEC. 2, 1968.  
RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 6, 1966	16.93	OCT. 6, 1966	19.59	JULY 3, 1967	14.48	APR. 2, 1968	18.30
FEB. 1	16.90	NOV. 1	19.74	AUG. 2	15.33	MAY 5	19.02
MAR. 1	16.37	DEC. 1	20.24	SEP. 5	16.14	JUNE 3	19.38
APR. 1	17.85	JAN. 6, 1967	20.23	OCT. 5	15.68	JULY 1	18.41
MAY 2	19.15	FEB. 1	19.81	NOV. 1	15.17	AUG. 1	18.49
JUNE 1	17.57	MAR. 1	20.09	DEC. 1	17.86	SEP. 3	19.06
JULY 5	18.91	APR. 5	19.54	JAN. 5, 1968	19.09	OCT. 3	19.76
AUG. 1	18.37	MAY 4	15.05	FEB. 1	19.15	NOV. 1	19.99
SEP. 1	19.23	JUNE 1	12.35	MAR. 1	18.07	DEC. 2	20.33

## SAN LUIS OBISPO COUNTY

Cuyama Valley (See p. 173)

Santa Maria Valley (See p. 188)

## SANTA BARBARA COUNTY

## Carpinteria Basin

4N/25W-19F4 S. M. F. LEWIS. DRILLED UNUSED WATER-TABLE WELL IN CASITAS FORMATION, DIAMETER 8 INCHES. DEPTH 250 FT., LSD 106 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 69.30 FT BELOW LSD, MAR. 27, 1967.  
 LOWEST STATIC WATER LEVEL 96.02 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1941-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	84.15	APR. 25, 1966	85.78	MAR. 27, 1967	69.30	MAR. 19, 1968	76.72
MAR. 28	83.00	OCT. 18	96.02	OCT. 16	79.35	OCT. 7	84.38

4N/25W-19J5 S. LYMAN AND YOUNG. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 100 FT., LSD 55 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 36.79 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 61.27 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1941-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	53.06	APR. 25, 1966	52.55	MAR. 27, 1967	41.82	MAR. 19, 1968	36.79
MAR. 28	51.95	OCT. 18	61.27	OCT. 16	43.48	OCT. 7	47.16

4N/25W-20L4 S. CARPINTERIA COUNTY WATER DIST. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM AND CASITAS FORMATION, DIAMETER 10 INCHES. DEPTH 264 FT., LSD 111 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 82.15 FT BELOW LSD, MAR. 28, 1968.  
 LOWEST STATIC WATER LEVEL 125.55 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1949-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	108.28	JAN. 30, 1967	98.17	SEP. 28, 1967	97.40	MAY 28, 1968	91.26
MAR. 28	105.58	FEB. 24	90.63	OCT. 16	100.10	JUNE 25	94.52
APR. 25	116.25C	MAR. 27	88.60	NOV. 27	97.72	JULY 25	109.77
JULY 26	122.13	APR. 28	88.09	DEC. 27	92.24	AUG. 28	107.72C
AUG. 25	118.03	MAY 25	86.30	JAN. 26, 1968	88.35	SEP. 25	111.65C
SEP. 26	122.03	JUNE 23	93.63C	FEB. 27	84.26	OCT. 30	103.25
OCT. 18	125.55	JULY 31	96.45C	MAR. 28	82.15	NOV. 26	106.40
NOV. 23	117.32	AUG. 25	99.00	APR. 25	88.08	DEC. 27	102.02
DEC. 27	107.07						

4N/25W-21N3 S. E. BONEBAKKER. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM AND CASITAS FORMATION, DIAMETER 12 INCHES. DEPTH 305 FT., LSD 59 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 32.38 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 67.45 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1941, 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	56.16	APR. 25, 1966	55.85	MAR. 27, 1967	48.11	MAR. 19, 1968	32.38
MAR. 28	58.62C	OCT. 18	67.45	OCT. 16	43.30	OCT. 8	39.58

## GROUND-WATER RECORDS, 1966-68

4N/25W-21R1 S. B. MOORE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM AND CASITAS FORMATION, DIAMETER 12 INCHES. DEPTH 468 FT., LSD 127 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 78.39 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 108.57 FT BELOW LSD, FEB. 21, 1966.  
 RECORDS AVAILABLE: 1941-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	108.57	APR. 25, 1966	103.70	MAR. 27, 1967	95.85	MAR. 19, 1968	78.39
MAR. 28	105.00	OCT. 18	102.55	OCT. 17	83.66	OCT. 8	80.50

4N/25W-22R1 S. A. E. PRUNER. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 130 FT., LSD 211 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 26.23 FT BELOW LSD, MAR. 27, 1967.  
 LOWEST STATIC WATER LEVEL 88.47 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1941, 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	65.20	APR. 25, 1966	N	MAR. 27, 1967	26.23	MAR. 19, 1968	32.80
MAR. 28	65.97	OCT. 18	88.47	OCT. 17	52.50	OCT. 8	57.19

4N/25W-25L1 S. SOLARI AND SCHWEIZER. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 123.5 FT., LSD 227 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 10.26 FT BELOW LSD, APR. 25, 1966.  
 LOWEST STATIC WATER LEVEL 25.78 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1941, 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	12.76	APR. 25, 1966	10.26	MAR. 29, 1967	11.25	MAR. 19, 1968	10.60
MAR. 28	12.66	OCT. 18	25.78	OCT. 17	12.42	OCT. 8	20.37

4N/25W-26A1 S. MOSES MESA ASSOC. CO. DRILLED UNUSED WATER-TABLE WELL IN CASITAS FORMATION, DIAMETER 10 INCHES. DEPTH 480 FT., LSD 420 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 236.36 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 273.05 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1946-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	267.60	APR. 25, 1966	265.95	MAR. 27, 1967	249.05	MAR. 19, 1968	236.36
MAR. 28	265.95	OCT. 18	273.05	OCT. 17	240.35	OCT. 8	245.40

4N/25W-26C2 S. SHEPARD MESA WATER ASSN. DRILLED UNUSED WATER-TABLE WELL IN CASITAS FORMATION, DIAMETER 10 INCHES. DEPTH 450 FT., LSD 432 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 240.40 FT BELOW LSD, MAR. 27, 1967.  
 LOWEST STATIC WATER LEVEL 276.60 FT BELOW LSD, OCT. 8, 1968.  
 RECORDS AVAILABLE: 1946-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	261.05	APR. 25, 1966	259.00	MAR. 27, 1967	240.40	MAR. 18, 1968	262.36
MAR. 28	258.50	OCT. 18	269.86	OCT. 17	251.15	OCT. 8	276.60

4N/25W-27Q2 S. A. F. HEIMLICH. DRILLED UNUSED ARTESIAN WELL IN CASITAS FORMATION, DIAMETER 10 INCHES. DEPTH 198 FT., LSD 127 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 97.25 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 103.16 FT BELOW LSD, OCT. 8, 1968.  
 RECORDS AVAILABLE: 1941-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	N	APR. 25, 1966	M	MAR. 27, 1967	101.87	MAR. 19, 1968	97.25
MAR. 28	N	OCT. 18	101.46	OCT. 17	100.47	OCT. 8	103.16

## SANTA BARBARA COUNTY

171

4N/25W-27R2 S. A. M. BARNARD, FORMERLY W. H. YULE. DRILLED IRRIGATION ARTESIAN WELL IN CASITAS FORMATION, DIAMETER 12 INCHES. PERFORATED 295-310 FT, 350-378 FT, AND 392-420 FEET. DEPTH 421 FT., LSD 132 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 115.70 FT BELOW LSD, APR. 25, 1968.  
 LOWEST STATIC WATER LEVEL 153.67 FT BELOW LSD, NOV. 23, 1966.  
 RECORDS AVAILABLE: 1941-56, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	146.51	JAN. 30, 1967	141.02	SEP. 28, 1967	126.98	MAY 28, 1968	A
MAR. 28	143.60	FEB. 24	135.80	OCT. 17	126.92	JUNE 25	123.45
APR. 25	A	MAR. 29	131.70	NOV. 27	128.50	JULY 25	A
JULY 26	A	APR. 28	127.80	DEC. 27	123.74	AUG. 28	A
AUG. 26	151.07	MAY 25	124.50	JAN. 26, 1968	121.15	SEP. 25	M
SEP. 26	151.43	JUNE 23	133.47	FEB. 27	119.35	OCT. 30	121.78
OCT. 18	151.57	JULY 31	A	MAR. 28	M	NOV. 26	120.43
NOV. 23	153.67	AUG. 25	129.16	APR. 25	115.70	DEC. 27	121.67
DEC. 27	147.05						

4N/25W-28J1 S. W. C. AND C. A. CATLIN. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 175 FT., LSD 89 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 67.96 FT BELOW LSD, APR. 25, 1968.  
 LOWEST STATIC WATER LEVEL 111.65 FT BELOW LSD, NOV. 23, 1966.  
 RECORDS AVAILABLE: 1919, 1930, 1937-38, 1940-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	98.30	JAN. 30, 1967	92.19	SEP. 28, 1967	77.35	MAY 28, 1968	71.32
MAR. 28	94.80	FEB. 24	88.68	OCT. 16	77.95	JUNE 25	A
APR. 25	A	MAR. 27	84.00	NOV. 27	77.00	JULY 25	76.75
JULY 26	A	APR. 28	79.54	DEC. 27	74.30	AUG. 28	79.70
AUG. 23	103.17	MAY 25	76.56	JAN. 26, 1968	72.46	SEP. 25	A
SEP. 26	A	JUNE 23	A	FEB. 27	71.00	OCT. 30	77.10
OCT. 18	103.92	JULY 31	77.87	MAR. 28	69.32	NOV. 26	75.58
NOV. 23	111.65	AUG. 25	A	APR. 25	67.96	DEC. 27	75.40
DEC. 27	96.80						

4N/25W-28M1 S. METHODIST CHURCH, FORMERLY MRS. A. BAYLOR. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 96 FT., LSD 57 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 34.73 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 67.84 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1941-58, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	60.74	APR. 25, 1966	65.91	MAR. 27, 1967	47.68	MAR. 19, 1968	34.73
MAR. 28	57.71	OCT. 18	67.84	OCT. 16	45.51	OCT. 8	45.73

4N/25W-29D1 S. H. W. STURMER. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM, DIAMETER 10 INCHES. NEW OWNER: EUGENE H. WILLIAMS. DEPTH 147 FT., LSD 17 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 0.20 FT ABOVE LSD, JUNE 23, 1967.  
 LOWEST STATIC WATER LEVEL 24.60 FT BELOW LSD, SEP. 26, 1966.  
 RECORDS AVAILABLE: 1928-29, 1938, 1941-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	15.51	JAN. 30, 1967	12.96	SEP. 28, 1967	5.60	MAY 28, 1968	Q
MAR. 28	14.09	FEB. 24	7.31	OCT. 18	6.40	JUNE 25	5.35
APR. 25	15.47	MAR. 29	3.00	NOV. 27	6.48	JULY 25	6.10
JULY 26	21.02J	APR. 28	0.53	DEC. 27	3.65	AUG. 28	9.40
AUG. 25	21.84J	MAY 23	Q	JAN. 26, 1968	2.46	SEP. 26	9.41
SEP. 26	24.60J	MAY 25	Q	FEB. 27	.37	OCT. 30	9.24
OCT. 18	22.98J	JUNE 23	+ 0.20	MAR. 28	Q	NOV. 26	8.48
NOV. 23	22.20J	JULY 31	1.80	APR. 25	Q	DEC. 27	8.55
DEC. 27	20.67J	AUG. 25	6.44				

## GROUND-WATER RECORDS, 1966-68

4N/25W-29L1 S. A. P. SALZGEBER. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM, DIAMETER 2 INCHES. DEPTH 110 FT., LSD 18 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 1.60 FT ABOVE LSD, MAR. 29, 1967, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 15.59 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1950-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	7.54	APR. 25, 1966	7.82	MAR. 29, 1967 +	1.60	MAR. 19, 1968 +	1.60
MAR. 28	6.55	OCT. 18	15.59	OCT. 18	.10	OCT. 8	2.32

4N/25W-29R1 S. CARP. UNION HIGH SCHOOL. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 167 FT., LSD 32 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 32.91 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 58.61 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1941-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	36.63	APR. 25, 1966	45.03	MAR. 29, 1967	39.66	MAR. 19, 1968	32.91J
MAR. 28	36.91	OCT. 18	58.61	OCT. 17	40.30	OCT. 8	34.60J

4N/25W-30D1 S. SANDYLAND BEACH CLUB. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 210 FT., LSD 7.45 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 1.16 FT ABOVE LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 8.72 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1938, 1941, 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	1.58	APR. 25, 1966	1.82	MAR. 29, 1967 +	0.75	MAR. 19, 1968 +	1.16
MAR. 28	.56	OCT. 18	8.72	OCT. 18	+ .50	OCT. 8	+ .10

4N/25W-35A3 S. E. H. BATES. DRILLED UNUSED WATER-TABLE WELL IN CASITAS FORMATION, DIAMETER 10 INCHES. DEPTH 145.8 FT., LSD 147 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 26.74 FT BELOW LSD, MAR. 29, 1967.  
 LOWEST STATIC WATER LEVEL 46.29 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1941, 1945, 1949-50, 1955-56, 1959-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	36.38	APR. 25, 1966	38.38	MAR. 29, 1967	26.74	MAR. 19, 1968	30.34
MAR. 28	35.40	OCT. 18	46.29	OCT. 17	34.35	OCT. 8	40.69

4N/25W-35M5 S. R. H. JESSEN, FORMERLY JACK ROSE. DRILLED DOMESTIC, IRRIGATION WATER-TABLE WELL IN CASITAS FORMATION, DIAMETER 10 INCHES. DEPTH 542 FT., LSD 215 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 162.67 FT BELOW LSD, OCT. 17, 1967.  
 LOWEST STATIC WATER LEVEL 175.47 FT BELOW LSD, FEB. 21, 1966.  
 RECORDS AVAILABLE: 1949-50, 1954-56, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	175.47	APR. 25, 1966	174.35	MAR. 29, 1967	N	MAR. 19, 1968	N
MAR. 28	174.65	OCT. 18	N	OCT. 17	162.67	OCT. 8	N

4N/26W-23A2 S. FRANK WYMOND. DRILLED UNUSED ARTESIAN WELL IN CASITAS FORMATION, DIAMETER 10 INCHES. DEPTH 330 FT., LSD 63 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 45.64 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 53.15 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1941, 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	48.52	APR. 25, 1966	49.60	MAR. 27, 1967	46.65	MAR. 19, 1968	45.64
MAR. 28	49.05	OCT. 18	53.15	OCT. 16	48.77	OCT. 7	49.92



## Cuyama Valley

7N/24W-13C2 S. VENTURA COUNTY APACHE SCHOOL. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH REPORTED 165 FT IN 1950. LSD 3,418 FT ABOVE MSL.  
 HIGHEST WATER LEVEL 18.12 FT BELOW LSD, MAR. 28, 1967.  
 LOWEST STATIC WATER LEVEL 29.20 FT BELOW LSD, DEC. 9, 1968.  
 RECORDS AVAILABLE: 1950-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	18.45	MAY 10, 1966	19.15	MAR. 28, 1967	18.12	OCT. 7, 1968	27.30
MAR. 23	18.59	OCT. 24	25.09	OCT. 30	25.47A	DEC. 9	29.20
APR. 26	18.90	DEC. 8	20.08	MAR. 7, 1968	21.68		

8N/24W-8L1 S. DANIEL CAMPBELL. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM AND OLDER CONTINENTAL DEPOSITS, DIAMETER 12 INCHES. DEPTH REPORTED 290 FT IN 1950. LSD 3,050 FT ABOVE MSL.  
 HIGHEST WATER LEVEL 119.17 FT BELOW LSD, MAR. 27, 1968.  
 LOWEST STATIC WATER LEVEL 148.16 FT BELOW LSD, MAR. 23, 1966.  
 RECORDS AVAILABLE: 1950-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 31, 1966	146.10	NOV. 28, 1966	147.40	JULY 27, 1967	123.78	APR. 24, 1968	119.33
FEB. 24	146.89	DEC. 8	147.70	AUG. 24	122.30	MAY 27	119.68
MAR. 23	148.16	DEC. 29	146.35	SEP. 26	121.32	JUNE 24	120.11
APR. 26	144.07	JAN. 25, 1967	145.15	OCT. 30	120.95	JULY 24	120.85
MAY 27	144.35	FEB. 24	143.96	NOV. 28	120.47	AUG. 26	121.87
JUNE 29	144.92	MAR. 28	143.05	DEC. 26	120.20	SEP. 23	122.70
JULY 27	145.38	APR. 26	141.70	JAN. 25, 1968	119.27	OCT. 28	123.94
AUG. 24	145.93	MAY 23	133.24	FEB. 26	119.30	NOV. 25	124.85
SEP. 28	146.50	JUNE 26	126.75	MAR. 27	119.17	DEC. 19	125.52
OCT. 24	146.92						

9N/24W-33M1 S. HOLMES, FORMERLY WALTER C. BARNES. DRILLED UNUSED WATER-TABLE WELL IN OLDER CONTINENTAL DEPOSITS, DIAMETER 12 INCHES. DEPTH 233 FT IN 1950, LSD 3,049 FT ABOVE MSL.  
 HIGHEST WATER LEVEL 185.60 FT BELOW LSD, OCT. 7, 1968.  
 LOWEST STATIC WATER LEVEL 194.30 FT BELOW LSD, OCT. 26, 1966.  
 RECORDS AVAILABLE: 1950-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	188.79	OCT. 26, 1966	194.30	OCT. 30, 1967	189.60	OCT. 7, 1968	185.60
MAR. 23	188.89	MAR. 28, 1967	191.85	MAR. 7, 1968	185.82	DEC. 10	188.10
APR. 26	189.23						

9N/25W-13B1 S. WILLIAM FARRY. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 121 FT IN 1946 AND 175 FT IN 1964, LSD 2,681 FT ABOVE MSL.  
 HIGHEST WATER LEVEL 104.83 FT BELOW LSD, MAR. 28, 1967.  
 LOWEST STATIC WATER LEVEL 109.10 FT BELOW LSD, OCT. 7, 1968.  
 RECORDS AVAILABLE: 1946, 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	A	OCT. 26, 1966	A	OCT. 30, 1967	105.81	OCT. 7, 1968	109.10
MAR. 23	104.95B	MAR. 28, 1967	104.83	MAR. 7, 1968	105.70	DEC. 10	108.90
APR. 26	A						

9N/26W-1F2 S. M. L. MOORE. DRILLED DOMESTIC ARTESIAN WELL IN OLDER CONTINENTAL DEPOSITS, DIAMETER 8 INCHES. DEPTH 322 FT IN 1965, LSD 2,603 FT ABOVE MSL.  
 HIGHEST WATER LEVEL 291.85 FT BELOW LSD, NOV. 3, 1967.  
 LOWEST STATIC WATER LEVEL 296.28 FT BELOW LSD, MAY 10, 1966.  
 RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	N	MAY 10, 1966	296.28	MAR. 28, 1967	N	MAR. 7, 1968	M
MAR. 23	N	OCT. 26	N	NOV. 3	291.85	OCT. 7	292.25
APR. 27	N						

## GROUND-WATER RECORDS, 1966-68

9N/26W-4J1 S. J. JAMES. DRILLED UNUSED ARTESIAN WELL IN OLDER CONTINENTAL DEPOSITS, DIAMETER 6 INCHES. PERFORATED 57-327 FEET. DEPTH 327 FT IN 1942, LSD 2,575 FT ABOVE MSL.  
 HIGHEST WATER LEVEL 297.13 FT BELOW LSD, APR. 27, 1966.  
 LOWEST STATIC WATER LEVEL 303.50 FT BELOW LSD, MAR. 28, 1967.  
 RECORDS AVAILABLE: 1946, 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	297.15	OCT. 26, 1966	297.38	NOV. 3, 1967	300.53	OCT. 7, 1968	298.9
MAR. 23	N	MAR. 28, 1967	303.50	MAR. 18, 1968	302.30	OCT. 9	297.89
APR. 27	297.13						

10N/25W-8P1 S. RUSSELL RANCH. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 95 FT IN 1961, LSD 2,293 FT ABOVE MSL.  
 HIGHEST WATER LEVEL 86.36 FT BELOW LSD, MAR. 7, 1968.  
 LOWEST STATIC WATER LEVEL 92.98 FT BELOW LSD, OCT. 26, 1966.  
 RECORDS AVAILABLE: 1942, 1955, 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 15, 1966	91.35	APR. 26, 1966	92.73	MAR. 28, 1967	91.75	MAR. 7, 1968	86.36
MAR. 23	91.15	OCT. 26	92.98	NOV. 2	89.55	OCT. 7	90.73

10N/25W-24E1 S. E. METTLER. NO. 17. DRILLED UNUSED WATER-TABLE WELL IN OLDER CONTINENTAL DEPOSITS, DIAMETER 16 INCHES. DEPTH 592 FT IN 1952 AND 419 FT IN 1966, LSD 2,475 FT ABOVE MSL.  
 HIGHEST WATER LEVEL 279.88 FT BELOW LSD, MAR. 23, 1966.  
 LOWEST STATIC WATER LEVEL 312.78 FT BELOW LSD, AUG. 24, 1966.  
 RECORDS AVAILABLE: 1950, 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	289.05	JAN. 24, 1967	292.00	NOV. 2, 1967	297.20	JUNE 24, 1968	294.80
MAR. 23	279.88	FEB. 24	298.45	NOV. 28	304.12	JULY 24	303.85
APR. 26	280.69	MAR. 28	297.70	DEC. 26	298.36	AUG. 26	296.35
JULY 27	282.50	APR. 26	286.87	JAN. 25, 1968	297.45	SEP. 23	297.50
AUG. 24	312.78	MAY 23	289.45	FEB. 26	292.68	OCT. 28	308.30
SEP. 28	283.9	JUNE 26	297.10	MAR. 27	293.60	NOV. 25	299.25
OCT. 26	284.08	JULY 27	296.60	APR. 24	294.90	DEC. 9	299.57
NOV. 28	297.47	AUG. 24	294.55	MAY 27	294.50	DEC. 19	299.52
DEC. 29	285.40	SEP. 26	301.67				

10N/25W-30P1 S. KIRSCHENMANN. TWO MILES SOUTHEAST OF CUYAMA. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM AND OLDER CONTINENTAL DEPOSITS, DIAMETER 16 INCHES. DEPTH 400 FT, LSD 2,340 FT ABOVE MSL.  
 HIGHEST WATER LEVEL 152.24 FT BELOW LSD, DEC. 10, 1968.  
 LOWEST STATIC WATER LEVEL 165.10 FT BELOW LSD, MAR. 23, 1966, NOV. 2, 1967.  
 RECORDS AVAILABLE: 1944, 1947-48, 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	153.5	OCT. 26, 1966	154.6	NOV. 2, 1967	165.1	OCT. 7, 1968	155.8 C
MAR. 23	165.1	MAR. 28, 1967	163.7	MAR. 7, 1968	164.3 C	DEC. 10	152.24
APR. 27	159.7						

10N/26W-4R1 S. RUSSELL RANCH. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 238 FT IN 1947, LSD 2,110 FT ABOVE MSL.  
 HIGHEST WATER LEVEL 34.54 FT BELOW LSD, FEB. 24, 1966.  
 LOWEST STATIC WATER LEVEL 47.75 FT BELOW LSD, NOV. 3, 1967.  
 RECORDS AVAILABLE: 1947, 1955, 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	34.54	OCT. 26, 1966	A	MAR. 28, 1967	43.59	MAR. 18, 1968	44.37
MAR. 23	41.05C	DEC. 17	38.58	NOV. 3	47.75	OCT. 7	48.02C
APR. 26	A						

10N/26W-1601 S. RUSSELL RANCH. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM AND OLDER CONTINENTAL DEPOSITS, DIAMETER 14 INCHES. PERFORATIONS 166-238, 262-286, 310-382, 412-526, 544-550, 568-574, AND 592-640 FEET. DEPTH 734 FT IN 1949, LSD 2,205 FT ABOVE MSL.  
 HIGHEST WATER LEVEL 58.11 FT BELOW LSD, FEB. 24, 1966.  
 LOWEST STATIC WATER LEVEL 76.35 FT BELOW LSD, OCT. 7, 1968.  
 RECORDS AVAILABLE: 1950-51, 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	58.11	OCT. 26, 1966	67.27	NOV. 3, 1967	70.60	OCT. 7, 1968	76.35
MAR. 23	60.34	MAR. 28, 1967	63.05	MAR. 18, 1968	68.09	DEC. 9	70.40
APR. 27	63.52						

10N/26W-22A1 S. WILLIAM RAMELLI. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM AND OLDER CONTINENTAL DEPOSITS, DIAMETER 12 INCHES. PERFORATIONS 103-115, 124-145, 176-187, 208-237, 250-305, 327-343, AND 402-423 FEET. DEPTH 423 FT IN 1941 AND 240 FT IN 1966, LSD 2,219 FT ABOVE MSL.  
 HIGHEST WATER LEVEL 45.54 FT BELOW LSD, FEB. 24, 1966.  
 LOWEST STATIC WATER LEVEL 63.62 FT BELOW LSD, OCT. 7, 1968.  
 RECORDS AVAILABLE: 1941-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	45.54	MAY 4, 1966	51.90	NOV. 3, 1967	56.48	OCT. 7, 1968	63.62
MAR. 23	47.12	OCT. 26	54.35	MAR. 18, 1968	56.82	DEC. 9	57.50
APR. 27	52.37	MAR. 28, 1967	57.20				

10N/26W-27N1 S. RAY CALHOON. DRILLED DOMESTIC AND STOCK ARTESIAN WELL IN ALLUVIUM AND OLDER CONTINENTAL DEPOSITS, DIAMETER 8 INCHES. DEPTH 350 FT, LSD 2,362 FT ABOVE MSL.  
 HIGHEST WATER LEVEL 148.64 FT BELOW LSD, MAR. 23, 1966.  
 LOWEST STATIC WATER LEVEL 158.53 FT BELOW LSD, OCT. 7, 1968.  
 RECORDS AVAILABLE: 1955, 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	154.44	APR. 21, 1966	149.63	MAR. 28, 1967	153.95	MAR. 7, 1968	154.3
MAR. 23	148.64	OCT. 26	N	NOV. 3	156.35	OCT. 7	158.53

10N/27W-11A3 S. R. C. SHIREY. FORMERLY OWNED BY T. BRIERLEY. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 115 FT, LSD 1,978 FT ABOVE MSL.  
 HIGHEST WATER LEVEL 30.56 FT BELOW LSD, JAN. 25, 1967.  
 LOWEST STATIC WATER LEVEL 56.89 FT BELOW LSD, AUG. 24, 1967.  
 RECORDS AVAILABLE: 1955-60, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 23, 1966	51.67	DEC. 29, 1966	32.09	SEP. 26, 1967	55.25C	JUNE 24, 1968	55.74C
APR. 19	39.33	JAN. 25, 1967	30.56	NOV. 3	54.04C	JULY 24	55.85C
APR. 27	36.50	FEB. 24	31.10	NOV. 28	35.70	AUG. 26	56.90C
MAY 31	37.63	MAR. 28	51.72	DEC. 26	32.90	SEP. 23	57.93C
JUNE 29	53.72C	APR. 26	30.90	JAN. 25, 1968	31.11	OCT. 28	45.54
JULY 27	51.02C	MAY 24	47.71C	FEB. 26	51.03C	NOV. 25	40.78
AUG. 24	46.10	JUNE 26	52.51C	MAR. 27	53.88C	DEC. 10	40.00
OCT. 24	39.43	JULY 27	54.52	APR. 23	56.30C	DEC. 19	38.65
NOV. 28	34.92	AUG. 24	56.89	MAY 27	40.45		

10N/27W-11C1 S. T. BRIERLEY. DRILLED DOMESTIC AND IRRIGATION WATER-TABLE WELL IN ALLUVIUM AND OLDER CONTINENTAL DEPOSITS, DIAMETER 14 INCHES. PERFORATIONS 36-117 FEET. DEPTH 378 FT, LSD 1,963 FT ABOVE MSL.  
 HIGHEST WATER LEVEL 27.54 FT BELOW LSD, FEB. 24, 1966.  
 LOWEST STATIC WATER LEVEL 37.10 FT BELOW LSD, MAR. 18, 1968.  
 RECORDS AVAILABLE: 1942, 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	27.54	OCT. 24, 1966	32.75	NOV. 3, 1967	A	OCT. 7, 1968	A
MAR. 23	A	MAR. 28, 1967	33.85	MAR. 18, 1968	37.10	DEC. 10	31.36
APR. 27	31.98						

## GROUND-WATER RECORDS, 1966-68

10N/27W-12R1 S. WILLIAM KIRSCHENMANN ESTATE. DRILLED DOMESTIC AND IRRIGATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. NEW OWNER, A. KISSEE. PERFORATIONS 53-128 FEET. DEPTH REPORTED 131 FT IN 1941 AND 110.0 FT IN 1966, LSD 2,045 FT ABOVE MSL.  
 HIGHEST WATER LEVEL 77.00 FT BELOW LSD, MAR. 18, 1968.  
 LOWEST STATIC WATER LEVEL 91.60 FT BELOW LSD, OCT. 7, 1968.  
 RECORDS AVAILABLE: 1941-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	81.56	OCT. 26, 1966	84.31	NOV. 3, 1967	M	OCT. 7, 1968	91.60
MAR. 23	78.60	MAR. 28, 1967	77.86	MAR. 18, 1968	77.00	DEC. 10	87.36
APR. 27	A						

## Ellwood-Gaviota Area

4N/30W-1B2 S. DOTY. LAS VARAS CANYON. 0.4 MILE NORTH OF U.S. HIGHWAY 101. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM OF RECENT AGE AND VAQUEROS SANDSTONE OF MIOCENE AGE, DIAMETER 8 INCHES. DEPTH 300 FT., LSD 230 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 65.60 FT BELOW LSD, APR. 23, 1968.  
 LOWEST STATIC WATER LEVEL 91.70 FT BELOW LSD, AUG. 28, 1967.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	67.60	JAN. 30, 1967	69.00	SEP. 28, 1967	78.23C	MAY 28, 1968	81.82C
MAR. 29	71.01	FEB. 24	68.06	OCT. 20	72.43	JUNE 25	69.44
APR. 26	83.28C	MAR. 29	66.93	NOV. 29	70.74	JULY 25	84.80C
JULY 28	74.76	APR. 25	66.43	DEC. 27	68.96	AUG. 28	68.68
AUG. 23	74.55	MAY 26	75.00C	JAN. 29, 1968	67.77	SEP. 26	88.95C
SEP. 23	82.55	JUNE 28	77.86	FEB. 27	67.10	OCT. 30	78.17
OCT. 20	90.40	JULY 28	69.94	MAR. 28	66.06	NOV. 26	68.06
NOV. 23	77.14	AUG. 28	91.70	APR. 23	65.60	DEC. 27	70.22
DEC. 27	69.80						

5N/29W-31C1 S. MONROE RUTHERFORD. LAS VARAS CANYON. 1.8 MILES NORTH OF U.S. HIGHWAY 101. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM OF RECENT AGE AND SESPE FORMATION OF OLIGOCENE AGE, DIAMETER 8 INCHES. DEPTH 1,510 FT., LSD 400 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 53.08 FT BELOW LSD, OCT. 7, 1968.  
 LOWEST STATIC WATER LEVEL 60.32 FT BELOW LSD, FEB. 25, 1966.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	60.32	APR. 26, 1966	59.93	MAR. 29, 1967	56.68	MAR. 18, 1968	54.30
MAR. 29	59.93	OCT. 20	58.55	OCT. 20	55.28	OCT. 7	53.08

5N/30W-19E1 S. CHARLES DAL POZZO. CANADA DEL REFUGIO. 2.6 MILES NORTH OF U.S. HIGHWAY 101. DRILLED DOMESTIC AND IRRIGATION ARTESIAN WELL IN SESPE FORMATION OF OLIGOCENE AGE, DIAMETER 12 INCHES. DEPTH 505 FT., LSD 330 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 7.90 FT BELOW LSD, MAR. 29, 1967.  
 LOWEST STATIC WATER LEVEL 66.20 FT BELOW LSD, OCT. 7, 1968.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	8.00	APR. 26, 1966	44.05C	MAR. 29, 1967	7.90	MAR. 18, 1968	8.56
MAR. 29	46.15C	OCT. 20	55.95	OCT. 20	55.35	OCT. 7	66.20

5N/30W-28R1 S. STATE OF CALIF. CANADA DEL CAPITAN. 1.2 MILES NORTH OF U.S. HIGHWAY 101. DRILLED PUBLIC SUPPLY ARTESIAN WELL IN VAQUEROS SANDSTONE OF MIOCENE AGE, DIAMETER 8 INCHES. DEPTH 198 FT., LSD 350 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 23.02 FT BELOW LSD, MAR. 29, 1967.  
 LOWEST STATIC WATER LEVEL 39.87 FT BELOW LSD, OCT. 20, 1966.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	A	APR. 26, 1966	35.96	MAR. 29, 1967	23.02	MAR. 18, 1968	28.74
MAR. 29	30.88	OCT. 20	39.87	OCT. 20	30.90	OCT. 7	34.10

5N/30W-30N2 S. STEWART ABERCROMBIE. CANADA DEL REFUGIO. 1.1 MILES NORTH OF U.S. HIGHWAY 101. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 10 INCHES. DEPTH 93 FT., LSD 85 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 12.65 FT BELOW LSD, FEB. 25, 1966.  
 LOWEST STATIC WATER LEVEL 29.68 FT BELOW LSD, OCT. 7, 1968.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	12.65	APR. 26, 1966	A	MAR. 29, 1967	13.51	MAR. 18, 1968	14.37
MAR. 29	13.17	OCT. 20	A	OCT. 20	21.10	OCT. 7	29.68

5N/31W-26G1 S. STEWART ABERCROMBIE. 1.7 MILES NORTHEAST OF TAJIGUAS. DRILLED DOMESTIC AND IRRIGATION ARTESIAN WELL IN ALLUVIUM OF RECENT AGE, AND VAQUEROS SANDSTONE OF MIOCENE AGE, DIAMETER 12 INCHES. DEPTH 320 FT., LSD 170 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 33.40 FT BELOW LSD, MAR. 29, 1966.  
 LOWEST STATIC WATER LEVEL 57.30 FT BELOW LSD, APR. 26, 1966.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	34.99	APR. 26, 1966	57.30	MAR. 29, 1967	34.50	MAR. 18, 1968	37.07
MAR. 29	33.40	OCT. 20	A	OCT. 20	A	OCT. 7	A

5N/31W-35B1 S. STEWART ABERCROMBIE. 1 MILE NORTHEAST OF TAJIGUAS. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 12 INCHES. DEPTH 76 FT., LSD 80 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 7.14 FT BELOW LSD, FEB. 25, 1966.  
 LOWEST STATIC WATER LEVEL 9.46 FT BELOW LSD, OCT. 20, 1966.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	7.14	APR. 26, 1966	A	MAR. 29, 1967	7.40	MAR. 18, 1968	7.29
MAR. 29	7.32	OCT. 20	9.46	OCT. 20	8.30	OCT. 7	8.15

5N/31W-36K1 S. J. L. FREEMAN. 0.7 MILE NORTHWEST OF REFUGIO BEACH STATE PARK. DRILLED DOMESTIC AND STOCK ARTESIAN WELL IN MONTEREY SHALE OF MIOCENE AGE, DIAMETER 8 INCHES. DEPTH 250 FT., LSD 250 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 60.51 FT BELOW LSD, OCT. 7, 1968.  
 LOWEST STATIC WATER LEVEL 118.50 FT BELOW LSD, MAR. 29, 1967.  
 RECORDS AVAILABLE: 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	86.16	APR. 26, 1966	86.81	MAR. 29, 1967	118.50	MAR. 18, 1968	64.25
MAR. 29	84.68	OCT. 20	A	OCT. 20	65.53	OCT. 7	60.51

5N/32W-34H1 S. FOSTER. NEAR GAVIOTA. DRILLED RESTAURANT SUPPLY AND DOMESTIC WELL IN ALLUVIUM OF HOLOCENE AGE AND RINGON FORMATION OF MIOCENE AGE. REPLACEMENT FOR WELL 5N/32W-35E1 S. DEPTH FT., LSD 115 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 27.55 FT BELOW LSD, APR. 26, 1968.  
 LOWEST STATIC WATER LEVEL 53.46 FT BELOW LSD, MAY 28, 1968.  
 RECORDS AVAILABLE: 1968-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 29, 1968	35.45	APR. 26, 1968	27.55	JULY 25, 1968	37.40	OCT. 30, 1968	35.00
FEB. 27	27.80	MAY 28	53.46	AUG. 28	36.30	NOV. 26	33.82
MAR. 28	27.70	JUNE 25	41.10	SEP. 26	35.16	DEC. 27	33.60

## GROUND-WATER RECORDS, 1966-68

5N/32W-35F1 S. STANDARD OIL CO. 0.4 MILE NORTHEAST OF GAVIOTA. DRILLED UNUSED ARTESIAN WELL IN RINCON SHALE AND VAQUEROS SANDSTONE OF MIOCENE AGE, DIAMETER 10 INCHES. DEPTH 402 FT., LSD 110 FT. ABOVE MSL.

HIGHEST WATER LEVEL 30.36 FT BELOW LSD, JULY 28, 1966.

LOWEST STATIC WATER LEVEL 35.74 FT BELOW LSD, MAR. 29, 1967.

RECORDS AVAILABLE: 1962-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	32.07	OCT. 20, 1966	32.82	MAR. 29, 1967	35.74	AUG. 28, 1967	N
MAR. 29	31.10	NOV. 23	33.45	APR. 25	34.85	SEP. 28	N
APR. 26	30.83	DEC. 27	33.72	MAY 26	33.28	OCT. 20	M
JULY 28	30.36	JAN. 30, 1967	31.90	JUNE 28	34.23	NOV. 29	N
AUG. 23	31.88	FEB. 24	35.28	JULY 28	M	DEC. 27	O
SEP. 23	32.40						

5N/32W-35F1 S. ASSOCIATED OIL. 0.7 MILE EAST-NORTHEAST OF GAVIOTA. DRILLED PUBLIC SUPPLY ARTESIAN WELL IN RINCON SHALE AND VAQUEROS SANDSTONE OF MIOCENE AGE, DIAMETER 8 INCHES. DEPTH 1,300 FT., LSD 118 FT. ABOVE MSL.

HIGHEST WATER LEVEL 78.20 FT BELOW LSD, FEB. 25, 1966.

LOWEST STATIC WATER LEVEL 78.20 FT BELOW LSD, FEB. 25, 1966.

RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	78.20	APR. 26, 1966	A	MAR. 29, 1967	A	MAR. 18, 1968	A
MAR. 29	A	OCT. 20	A	OCT. 20	118.3 A	OCT. 7	A

## Goleta Basin

4N/27W-24D2 S. CITY OF SANTA BARBARA. 1.5 MILES EAST OF CITY HALL. DRILLED PUBLIC SUPPLY ARTESIAN WELL IN ALLUVIUM OF RECENT AGE AND SANTA BARBARA FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 10 INCHES, PERFORATED INTERVAL 120-460 FEET. DEPTH 540 FT., LSD 12 FT. ABOVE MSL.

HIGHEST WATER LEVEL 37.62 FT BELOW LSD, OCT. 19, 1966.

LOWEST STATIC WATER LEVEL 44.84 FT BELOW LSD, OCT. 7, 1968.

RECORDS AVAILABLE: 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 19, 1966	37.62	OCT. 16, 1967	A	MAR. 19, 1968	43.08J	OCT. 7, 1968	44.84J
MAR. 27, 1967	40.88						

4N/27W-60D9 S. D. J. DAVIS. DRILLED UNUSED WATER-TABLE WELL IN SANTA BARBARA FORMATION, DIAMETER 8 INCHES. DEPTH 270 FT., LSD 320 FT. ABOVE MSL.

HIGHEST WATER LEVEL 209.11 FT BELOW LSD, MAR. 20, 1968.

LOWEST STATIC WATER LEVEL 217.90 FT BELOW LSD, MAR. 29, 1966.

RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	213.20	APR. 26, 1966	213.10	APR. 3, 1967	211.25	MAR. 20, 1968	209.11
MAR. 29	217.90	OCT. 21	212.30	OCT. 20	211.60	OCT. 10	209.13

4N/27W-8E2 S. HUGH LINDSEY. DRILLED IRRIGATION ARTESIAN WELL IN SANTA BARBARA FORMATION, DIAMETER 8 INCHES. DEPTH 146 FT., LSD 250 FT. ABOVE MSL.

HIGHEST WATER LEVEL 122.19 FT BELOW LSD, OCT. 10, 1968.

LOWEST STATIC WATER LEVEL 135.92 FT BELOW LSD, OCT. 21, 1966.

RECORDS AVAILABLE: 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	128.11	APR. 26, 1966	127.75	APR. 3, 1967	133.47	MAR. 20, 1968	123.96
MAR. 29	135.60	OCT. 21	135.92	OCT. 20	126.38	OCT. 10	122.19

4N/27W-18R2 S. HILLSIDE HOUSE FOUNDATION. DRILLED UNUSED WATER-TABLE WELL IN SANTA BARBARA FORMATION, DIAMETER 12 INCHES. DEPTH 215 FT., LSD 110 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 34.18 FT BELOW LSD, FEB. 21, 1966.  
 LOWEST STATIC WATER LEVEL 34.18 FT BELOW LSD, FEB. 21, 1966.  
 RECORDS AVAILABLE: 1956-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	34.18	MAR. 29, 1966		M APR. 25, 1966	0		

4N/28W-2N2 S. COUNTY OF SANTA BARBARA. DRILLED UNUSED WATER-TABLE WELL IN SANTA BARBARA FORMATION, DIAMETER 6 INCHES. DEPTH 100 FT., LSD 177.6 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 34.14 FT BELOW LSD, MAR. 20, 1968.  
 LOWEST STATIC WATER LEVEL 64.39 FT BELOW LSD, OCT. 21, 1966.  
 RECORDS AVAILABLE: 1943-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	58.51	APR. 26, 1966	53.98	APR. 3, 1967	48.22	MAR. 20, 1968	34.14
MAR. 29	46.60	OCT. 21	64.39	OCT. 19	40.64	OCT. 10	42.80

4N/28W-2P3 S. MARLB PENNELL. 250 FT NORTH OF CATHEDRAL OAKS ROAD, EAST OF TUCKERS GROVE PARK. DRILLED IRRIGATION WATER-TABLE WELL IN FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 8 INCHES. PERFORATED INTERVALS IS 40-297 FEET. DEPTH 271.4 FT., LSD 170 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 36.10 FT BELOW LSD, APR. 3, 1967.  
 LOWEST STATIC WATER LEVEL 73.38 FT BELOW LSD, OCT. 10, 1968.  
 RECORDS AVAILABLE: 1948, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 3, 1967	36.10	MAR. 20, 1968		A APR. 8, 1968	44.82	OCT. 10, 1968	73.38
OCT. 19	48.10						

4N/28W-3E2 S. PETER CAVALETTO. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 75 FT., LSD 116.7 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 15.48 FT BELOW LSD, MAR. 25, 1967.  
 LOWEST STATIC WATER LEVEL 16.88 FT BELOW LSD, OCT. 21, 1966.  
 RECORDS AVAILABLE: 1941-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	16.00	APR. 26, 1966	16.54	MAR. 25, 1967	15.48	OCT. 19, 1967	
MAR. 29	16.21	OCT. 21	16.88				P

4N/28W-3M3 S. L. W. FOWLER. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 171 FT., LSD 118.4 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 74.06 FT BELOW LSD, MAR. 20, 1968.  
 LOWEST STATIC WATER LEVEL 100.96 FT BELOW LSD, FEB. 24, 1966.  
 RECORDS AVAILABLE: 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	100.96	APR. 26, 1966	100.25	APR. 3, 1967	98.40	MAR. 20, 1968	74.06
MAR. 29	100.60	OCT. 21	99.26	OCT. 19	94.87	OCT. 10	88.21

4N/28W-3R7 S. V. BATIE. DRILLED UNUSED ARTESIAN WELL IN SANTA BARBARA FORMATION, DIAMETER 12 INCHES. DEPTH 470 FT., LSD 128 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 93.82 FT BELOW LSD, OCT. 10, 1968.  
 LOWEST STATIC WATER LEVEL 112.39 FT BELOW LSD, FEB. 24, 1966.  
 RECORDS AVAILABLE: 1954-56, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	112.39	APR. 26, 1966	111.33	APR. 3, 1967	103.90	MAR. 20, 1968	95.38
MAR. 29	111.65	OCT. 21	108.55	OCT. 19	98.00	OCT. 10	93.82

## GROUND-WATER RECORDS, 1966-68

4N/28W-5N3 S. SELLAR HULLARD. DRILLED UNUSED ARTESIAN WELL IN SANTA BARBARA FORMATION, DIAMETER 10 INCHES. DEPTH 278 FT., LSD 83.40 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 19.57 FT BELOW LSD, OCT. 10, 1968.  
 LOWEST STATIC WATER LEVEL 22.53 FT BELOW LSD, APR. 26, 1966.  
 RECORDS AVAILABLE: 1941, 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	21.58	APR. 26, 1966	22.53	MAR. 25, 1967	19.98	MAR. 20, 1968	19.64
MAR. 29	22.22	OCT. 21	21.92	OCT. 19	20.75	OCT. 10	19.57

4N/28W-5R4 S. F. J. EWING. DRILLED IRRIGATION ARTESIAN WELL IN SANTA BARBARA FORMATION, DIAMETER 12 INCHES. DEPTH 154 FT., LSD 57.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 24.35 FT BELOW LSD, OCT. 10, 1968.  
 LOWEST STATIC WATER LEVEL 35.00 FT BELOW LSD, MAR. 29, 1966.  
 RECORDS AVAILABLE: 1937-38, 1941, 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	34.10	APR. 26, 1966	33.58	MAR. 25, 1967	30.00	MAR. 20, 1968	26.12
MAR. 29	35.00	OCT. 21	32.60	OCT. 19	26.73	OCT. 10	24.35

4N/28W-8N3 S. SHRODE-NELSON PRODUCE CO. DRILLED UNUSED ARTESIAN WELL IN SANTA BARBARA FORMATION, DIAMETER 6 INCHES. DEPTH FT., LSD 28 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 11.06 FT BELOW LSD, MAR. 20, 1968.  
 LOWEST STATIC WATER LEVEL 19.22 FT BELOW LSD, FEB. 24, 1966.  
 RECORDS AVAILABLE: 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	19.22	APR. 25, 1966	18.76	MAR. 21, 1967	14.92	MAR. 20, 1968	11.06
MAR. 29	18.82	OCT. 20	18.50	OCT. 19	13.57	OCT. 8	12.38

4N/28W-9A3 S. L. M. CAVALETTI. DRILLED UNUSED WATER-TABLE WELL IN SANTA BARBARA FORMATION, DIAMETER 12 INCHES. DEPTH 125 FT., LSD 84.1 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 41.60 FT BELOW LSD, MAR. 20, 1968.  
 LOWEST STATIC WATER LEVEL 51.22 FT BELOW LSD, OCT. 10, 1968.  
 RECORDS AVAILABLE: 1941-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	46.32	APR. 26, 1966	45.25	APR. 3, 1967	42.03	MAR. 20, 1968	41.60
MAR. 29	45.37	OCT. 21	47.50	OCT. 19	42.65	OCT. 10	51.22

4N/28W-9L2 S. ADAMS-CAPITAL ROOFING. DRILLED IRRIGATION ARTESIAN WELL IN SANTA BARBARA FORMATION OF EARLY PLEISTOCENE AGE, DIAMETER 12 INCHES. DEPTH 164 FT., LSD 53 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 38.32 FT BELOW LSD, OCT. 19, 1967.  
 LOWEST STATIC WATER LEVEL 46.32 FT BELOW LSD, FEB. 24, 1966.  
 RECORDS AVAILABLE: 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	46.32	APR. 26, 1966	N	MAR. 25, 1967	45.68	MAR. 20, 1968	39.82
MAR. 29	45.40	OCT. 21	44.45	OCT. 19	38.32	OCT. 10	P

4N/28W-10F1 S. J. S. EDWARDS. PATTERSON AVENUE AND MARIA YGNACIO CREEK. DRILLED UNUSED ARTESIAN WELL IN SANTA BARBARA FORMATION OF EARLY PLEISTOCENE AGE, DIAMETER 12 INCHES. DEPTH 459 FT., LSD 79.9 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 68.70 FT BELOW LSD, MAR. 29, 1966.  
 LOWEST STATIC WATER LEVEL 71.03 FT BELOW LSD, APR. 26, 1966.  
 RECORDS AVAILABLE: 1932-33, 1937-38, 1941-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	69.50	MAR. 29, 1966	68.70	APR. 26, 1966	71.03	OCT. 21, 1966	P



4N/28W-11K4 S. CALIF. DIVISION OF HIGHWAYS. DRILLED UNUSED ARTESIAN WELL IN SANTA BARBARA FORMATION, DIAMETER 12 INCHES. DEPTH 297 FT., LSD 67 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 81.00 FT BELOW LSD, OCT. 10, 1968.  
 LOWEST STATIC WATER LEVEL 88.73 FT BELOW LSD, FEB. 24, 1966.  
 RECORDS AVAILABLE: 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	88.73	APR. 26, 1966	88.47	APR. 3, 1967	86.50	MAR. 20, 1968	82.50
MAR. 29	88.68	OCT. 21	87.50	OCT. 19	83.55	OCT. 10	81.00

4N/28W-12R1 S. ST. VINCENT'S SCHOOL. DRILLED UNUSED ARTESIAN WELL IN SANTA BARBARA FORMATION, DIAMETER 10 INCHES. DEPTH 189 FT., LSD 203 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 97.51 FT BELOW LSD, MAR. 20, 1968.  
 LOWEST STATIC WATER LEVEL 100.94 FT BELOW LSD, OCT. 19, 1967.  
 RECORDS AVAILABLE: 1941-42, 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	99.13	APR. 26, 1966	98.99	APR. 3, 1967	97.68	MAR. 20, 1968	97.51
MAR. 29	98.67	OCT. 21	98.35	OCT. 19	100.94	OCT. 10	100.13

4N/28W-12P5 S. LA CUMBRE MUTUAL WATER CO. DRILLED UNUSED ARTESIAN WELL IN SANTA BARBARA FORMATION, DIAMETER 16 INCHES. DEPTH 355 FT., LSD 100 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 139.60 FT BELOW LSD, APR. 25, 1967.  
 LOWEST STATIC WATER LEVEL 164.00 FT BELOW LSD, OCT. 19, 1967.  
 RECORDS AVAILABLE: 1956, 1959-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	145.67	JAN. 30, 1967	145.52	SEP. 27, 1967	154.23	MAY 28, 1968	149.75J
MAR. 28	154.77	FEB. 24	144.33	OCT. 19	164.00	JUNE 25	151.05J
APR. 25	144.35	MAR. 21	140.65	NOV. 29	157.50	JULY 25	159.54J
JULY 26	141.68	APR. 25	139.60	DEC. 27	157.07	AUG. 28	157.62J
AUG. 23	141.03	MAY 29	142.08	JAN. 26, 1968	150.73J	SEP. 26	159.20J
SEP. 23	145.05	JUNE 28	148.10	FEB. 27	146.02J	OCT. 30	156.37J
OCT. 19	143.64	JULY 28	155.62	MAR. 28	145.52J	NOV. 26	153.90J
NOV. 23	142.53	AUG. 28	153.16	APR. 23	145.80J	DEC. 27	152.95J
DEC. 27	154.98						

4N/28W-14C1 S. LA CUMBRE MUTUAL WATER CO. DRILLED UNUSED ARTESIAN WELL IN SANTA BARBARA FORMATION, DIAMETER 16 INCHES. DEPTH 524 FT., LSD 40 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 47.11 FT BELOW LSD, OCT. 8, 1968.  
 LOWEST STATIC WATER LEVEL 53.24 FT BELOW LSD, FEB. 21, 1966.  
 RECORDS AVAILABLE: 1944, 1951, 1956-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	53.24	APR. 25, 1966	51.87	MAR. 21, 1967	49.64	MAR. 20, 1968	48.09J
MAR. 28	51.90	OCT. 19	51.34	OCT. 19	48.90	OCT. 8	47.11J

4N/28W-16J2 S. J. CIAMPI AND SONS. DRILLED IRRIGATION ARTESIAN WELL IN SANTA BARBARA FORMATION, DIAMETER 10 INCHES. DEPTH 458 FT., LSD 26 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 58.99 FT BELOW LSD, MAR. 21, 1967.  
 LOWEST STATIC WATER LEVEL 87.66 FT BELOW LSD, OCT. 8, 1968.  
 RECORDS AVAILABLE: 1946, 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	M	APR. 25, 1966	A	MAR. 21, 1967	58.99	MAR. 20, 1968	61.13J
MAR. 29	M	OCT. 19	66.15	OCT. 19	62.17	OCT. 8	87.66J

## GROUND-WATER RECORDS, 1966-68

4N/28W-16J5 S. J. CIAMPI AND SONS. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 20.2 FT., LSD 25 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 4.18 FT BELOW LSD, FEB. 21, 1966.  
 LOWEST STATIC WATER LEVEL 6.99 FT BELOW LSD, OCT. 8, 1968.  
 RECORDS AVAILABLE: 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	4.18	APR. 25, 1966	4.98C	MAR. 21, 1967	4.76	MAR. 20, 1968	5.56
MAR. 29	4.99	OCT. 19	6.80	OCT. 19	6.90	OCT. 8	6.99

4N/28W-16L1 S. OAKLEY-RONNETTI. DRILLED UNUSED ARTESIAN WELL IN SANTA BARBARA FORMATION, DIAMETER 12 INCHES. DEPTH 276 FT., LSD 22 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 32.74 FT BELOW LSD, APR. 23, 1968.  
 LOWEST STATIC WATER LEVEL 49.55 FT BELOW LSD, SEP. 23, 1966.  
 RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	37.17	JAN. 30, 1967	35.28	SEP. 28, 1967	43.65	MAY 28, 1968	39.86J
MAR. 29	36.38	FEB. 24	35.17	OCT. 19	39.01	JUNE 25	42.67J
APR. 25	42.42	MAR. 21	34.64	NOV. 29	39.12	JULY 25	43.89J
JULY 26	48.90	APR. 25	34.09	DEC. 27	34.70	AUG. 28	44.52J
AUG. 23	49.27	MAY 29	36.15	JAN. 29, 1968	33.80J	SEP. 26	48.95J
SEP. 23	49.55	JUNE 28	39.83	FEB. 27	33.35J	OCT. 30	39.86J
NOV. 23	49.00	JULY 28	44.87	MAR. 28	32.87J	NOV. 26	38.30J
DEC. 27	37.18	AUG. 28	46.70	APR. 23	32.74J	DEC. 27	35.83J

4N/28W-17R1 S. USGS, PACIFIC LIGHTING GAS SUPPLY. DRILLED OBSERVATION ARTESIAN WELL IN ALLUVIUM, DIAMETER 4 INCHES. DEPTH 158 FT., LSD 4.9 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 2.27 FT BELOW LSD, MAR. 20, 1968.  
 LOWEST STATIC WATER LEVEL 6.24 FT BELOW LSD, FEB. 24, 1966.  
 RECORDS AVAILABLE: 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	6.24	APR. 25, 1966	5.42	MAR. 21, 1967	4.42	MAR. 20, 1968	2.27
MAR. 29	4.99	OCT. 19	5.21	OCT. 19	3.75	OCT. 8	5.69

4N/28W-17R2 S. USGS, PACIFIC LIGHTING GAS SUPPLY. DRILLED OBSERVATION ARTESIAN WELL IN ALLUVIUM, DIAMETER 4 INCHES. DEPTH 155 FT., LSD 7.9 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 13.98 FT BELOW LSD, MAR. 20, 1968.  
 LOWEST STATIC WATER LEVEL 20.40 FT BELOW LSD, OCT. 19, 1966.  
 RECORDS AVAILABLE: 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	N	APR. 25, 1966	18.38	MAR. 21, 1967	17.33	MAR. 20, 1968	13.98J
MAR. 29	17.11	OCT. 19	20.40	OCT. 19	16.80	OCT. 8	19.11J

4N/28W-18F2 S. T. B. BISHOP CO. 400 FEET NORTH OF HOLLISTER AVE AND NORTHWEST OF SANTA BARBARA AIRPORT. DRILLED UNUSED ARTESIAN WELL IN SANTA BARBARA FORMATION OF PLIOCENE AND PLISTOCENE AGE, DIAMETER 12 INCHES, PERFORATED INTERVAL 67-406 FEET. DEPTH 412 FT., LSD 90 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 6.00 FT ABOVE LSD, MAR. 24, 1969.  
 LOWEST STATIC WATER LEVEL 3.00 FT ABOVE LSD, MAR. 21, 1967.  
 RECORDS AVAILABLE: 1946, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1967 +	3.00	MAR. 20, 1968 +	5.0				
OCT. 19	+ 5.00	OCT. 8	+ 5.0				

4N/28W-18G2 S. T. B. BISHOP CO. DRILLED UNUSED ARTESIAN WELL IN SANTA BARBARA FORMATION, DIAMETER 16 INCHES. DEPTH 395 FT., LSD 7 FT. ABOVE MSL.  
 RECORDS AVAILABLE: 1941-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	0	APR. 25, 1966	0	OCT. 20, 1966	0	MAR. 21, 1967	0
MAR. 29	0						

4N/29W-1E1 S. L. D. CAVALETTO. GLEN ANNIE CANYON, 1.5 MILE NORTH OF HIGHWAY 101. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 110 FT., LSD 180 FT. ABOVE MSL. HIGHEST WATER LEVEL 2.13 FT BELOW LSD, FEB. 24, 1966. LOWEST STATIC WATER LEVEL 5.88 FT BELOW LSD, OCT. 19, 1967. RECORDS AVAILABLE: 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	2.13	APR. 25, 1966	3.55	MAR. 25, 1967	3.08	MAR. 20, 1968	5.50
MAR. 29	2.96	OCT. 20	5.28	OCT. 19	5.88	OCT. 8	N

4N/29W-12D3 S. JOSEPH POMATTO. GLEN ANNIE CANYON, 1.0 MILE NORTH OF HIGHWAY 101. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 110 FT., LSD 100 FT. ABOVE MSL. HIGHEST WATER LEVEL 13.72 FT BELOW LSD, FEB. 24, 1966. LOWEST STATIC WATER LEVEL 19.30 FT BELOW LSD, OCT. 8, 1968. RECORDS AVAILABLE: 1954-57, 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	13.72	APR. 25, 1966	14.34	MAR. 25, 1967	14.85	MAR. 20, 1968	14.82
MAR. 29	14.07	OCT. 20	15.68	OCT. 19	16.22	OCT. 8	19.30

4N/29W-13G3 S. T. B. BISHOP CO. SOUTHWEST CORNER OF HOLLISTER AVE AND STORKE ROAD. DRILLED UNUSED ARTESIAN WELL IN SANTA BARBARA FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 12 INCHES, PERFORATED INTERVAL 164-189 FEET. DEPTH 189 FT., LSD 41 FT. ABOVE MSL. HIGHEST WATER LEVEL 23.31 FT BELOW LSD, OCT. 8, 1968. LOWEST STATIC WATER LEVEL 25.93 FT BELOW LSD, MAR. 21, 1967. RECORDS AVAILABLE: 1951-57, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1967	25.93	OCT. 19, 1967	25.00	MAR. 20, 1968	24.22	OCT. 8, 1968	23.31

4N/29W-13K2 S. T. B. BISHOP CO. DRILLED UNUSED ARTESIAN WELL IN SANTA BARBARA FORMATION, DIAMETER 12 INCHES. DEPTH 378 FT., LSD 24 FT. ABOVE MSL. HIGHEST WATER LEVEL 9.35 FT BELOW LSD, OCT. 20, 1966. LOWEST STATIC WATER LEVEL 10.18 FT BELOW LSD, FEB. 24, 1966. RECORDS AVAILABLE: 1941-45, 1954-55, 1957-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	10.18	APR. 25, 1966	10.06	OCT. 20, 1966	9.35	MAR. 21, 1967	0
MAR. 29	10.09						

4N/29W-14A3 S. STATE OF CALIFORNIA. GLEN ANNIE RD., AND SOUTHERN PACIFIC R.R. DRILLED UNUSED WATER-TABLE WELL IN SANTA BARBARA FORMATION OF EARLY PLEISTOCENE AGE, DIAMETER 12 INCHES. DEPTH 160 FT., LSD 51 FT. ABOVE MSL. HIGHEST WATER LEVEL 35.58 FT BELOW LSD, OCT. 8, 1968. LOWEST STATIC WATER LEVEL 39.61 FT BELOW LSD, FEB. 24, 1966. RECORDS AVAILABLE: 1941-58, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	39.61	APR. 25, 1966	39.26	MAR. 21, 1967	37.53	MAR. 20, 1968	36.32
MAR. 29	39.36	OCT. 20	38.45	OCT. 19	37.10	OCT. 8	35.58

## San Antonio Creek Valley

8N/32W-30H7 S. LOS ALAMOS COMMUNITY SERVICE DISTRICT. ABOUT 200 FEET NORTHWEST OF LOS ALAMOS FIRE STATION. DRILLED ARTESIAN WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 12.75 INCHES. DEPTH 310 FT., LSD 563 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 24.10 FT BELOW LSD, MAR. 25, 1966.  
 LOWEST STATIC WATER LEVEL 35.44 FT BELOW LSD, OCT. 17, 1968.  
 RECORDS AVAILABLE: 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	25.79	MAY 2, 1966	34.65	MAR. 20, 1967	25.57	MAR. 20, 1968	24.16
MAR. 25	24.10	OCT. 20	33.35	NOV. 16	30.29B	OCT. 17	35.44

8N/32W-35Q1 S. FRANK F. BARHAM. DRILLED STOCK ARTESIAN WELL IN PASO ROBLES FORMATION, DIAMETER 12 INCHES. DEPTH 250 FT., LSD 745 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 135.38 FT BELOW LSD, FEB. 25, 1966.  
 LOWEST STATIC WATER LEVEL 177.04 FT BELOW LSD, OCT. 20, 1966.  
 RECORDS AVAILABLE: 1943, 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	135.38	MAY 2, 1966	165.01	MAR. 20, 1967	151.73	MAR. 20, 1968	169.25
MAR. 24	153.70	OCT. 20	177.04	NOV. 16	169.94	OCT. 17	173.31

8N/33W-20Q1 S. VIRGINIA BARCA ESTATE. DRILLED UNUSED ARTESIAN WELL IN PASO ROBLES FORMATION, DIAMETER 12 INCHES. DEPTH 351 FT., LSD 408 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 30.44 FT BELOW LSD, JAN. 26, 1967.  
 LOWEST STATIC WATER LEVEL 53.85 FT BELOW LSD, AUG. 29, 1968.  
 RECORDS AVAILABLE: 1943-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	32.57	JAN. 26, 1967	30.44	SEP. 29, 1967	N	MAY 28, 1968	37.99C
MAR. 25	33.24	FEB. 27	33.20	NOV. 16	35.04	JUNE 26	38.00
MAY 2	34.82	MAR. 20	33.13	NOV. 29	32.10	JULY 26	36.90
JULY 29	38.08	APR. 25	33.68	DEC. 27	32.31	AUG. 29	53.85
AUG. 22	34.26	MAY 24	38.74C	JAN. 29, 1968	32.72	SEP. 27	35.4
SEP. 26	31.64	JUNE 23	N	FEB. 28	32.74	OCT. 30	32.9
OCT. 20	34.20	JULY 23	N	MAR. 29	33.01	NOV. 26	33.7
NOV. 29	31.39	AUG. 30	N	APR. 29	36.17	DEC. 26	33.6
DEC. 27	31.30						

8N/33W-20R1 S. VIRGINIA BARCA ESTATE. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 75 FT., LSD 408 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 30.00 FT BELOW LSD, OCT. 17, 1968.  
 LOWEST STATIC WATER LEVEL 34.91 FT BELOW LSD, MAR. 20, 1968.  
 RECORDS AVAILABLE: 1943-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	32.24A	MAY 2, 1966	44.25A	MAR. 20, 1967	30.88	MAR. 20, 1968	34.91
MAR. 25	31.86	OCT. 20	34.50	NOV. 18	N	OCT. 17	30.00

8N/34W-4N1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT 1.5 MILES NORTH OF BARKA SLOUGH IN SAN ANTONIO VALLEY. DRILLED STOCK WELL IN ALLUVIUM, DIAMETER 6 INCHES, PERFORATED 168-176 FT., DEPTH 180 FT., LSD 460 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 127.50 FT BELOW LSD, DEC. 1, 1966.  
 LOWEST STATIC WATER LEVEL 139.96 FT BELOW LSD, APR. 28, 1966.  
 RECORDS AVAILABLE: 1950, 1952, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 28, 1966	139.96	APR. 6, 1967	138.4	MAR. 20, 1968	138.26	NOV. 13, 1968	138.90
DEC. 1	127.5	NOV. 7	138.05				

8N/34W-701 S. U.S. DEPARTMENT OF THE AIR FORCE. IN SAN ANTONIO VALLEY ABOUT ONE MILE NORTHWEST OF BARKA SLOUGH. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 41.2 FT., LSD 280 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 3.03 FT BELOW LSD, APR. 28, 1966.  
 LOWEST STATIC WATER LEVEL 3.94 FT BELOW LSD, NOV. 13, 1968.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 28, 1966	3.03	APR. 6, 1967	3.10	MAR. 20, 1968	3.36	NOV. 13, 1968	3.94
DEC. 1	3.54	NOV. 7	3.77				

8N/34W-16G1 S. U.S. DEPARTMENT OF THE AIR FORCE. IN SAN ANTONIO VALLEY ON NORTH EDGE OF BARKA SLOUGH. DRILLED SUPPLY WELL IN CAREAGA SAND, DIAMETER 14 INCHES, PERFORATED 159-469, 529-667 FT., DEPTH 687 FT., LSD 291 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 3.97 FT ABOVE LSD, MAR. 20, 1968.  
 LOWEST STATIC WATER LEVEL 0.07 FT BELOW LSD, NOV. 7, 1967.  
 RECORDS AVAILABLE: 1958-61, 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC. 1, 1966	0	JUNE 8, 1967 +	.24C	MAR. 20, 1968 +	3.97	NOV. 12, 1968 +	1.67
APR. 6, 1967 +	0.55C	NOV. 7	.07				

8N/34W-16G2 S. U.S. DEPARTMENT OF THE AIR FORCE. IN SAN ANTONIO VALLEY ON NORTH EDGE OF BARKA SLOUGH. DRILLED SUPPLY WELL IN CAREAGA SAND, DIAMETER 14 INCHES, PERFORATED 52-680 FT., DEPTH 700 FT., LSD 320 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 14.67 FT BELOW LSD, DEC. 1, 1966.  
 LOWEST STATIC WATER LEVEL 20.41 FT BELOW LSD, NOV. 7, 1967.  
 RECORDS AVAILABLE: 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 29, 1966	18.39	APR. 6, 1967	A	NOV. 7, 1967	20.41	NOV. 13, 1968	16.62
DEC. 1	14.67	JUNE 8	A	MAR. 20, 1968	15.37		

8N/34W-16J1 S. U.S. DEPARTMENT OF THE AIR FORCE. IN SAN ANTONIO VALLEY ON NORTH EDGE OF BARKA SLOUGH. DRILLED SUPPLY WELL IN CAREAGA SAND, DIAMETER 14 INCHES, PERFORATED 256-558 FT., DEPTH 578 FT., LSD 320 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 6.56 FT BELOW LSD, APR. 29, 1966.  
 LOWEST STATIC WATER LEVEL 9.60 FT BELOW LSD, NOV. 13, 1968.  
 RECORDS AVAILABLE: 1961, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 29, 1966	6.56	APR. 6, 1967	A	NOV. 7, 1967	15.41B	NOV. 13, 1968	9.60
DEC. 1	7.83	JUNE 8	A	MAR. 20, 1968	8.76		

8N/34W-17K1 S. U.S. DEPARTMENT OF THE AIR FORCE. IN SAN ANTONIO VALLEY ON SOUTH EDGE OF BARKA SLOUGH. DRILLED IN UNUSED WELL IN CAREAGA SAND, DIAMETER 6 INCHES. DEPTH FT., LSD 273 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 1.10 FT ABOVE LSD, APR. 30, 1966.  
 LOWEST STATIC WATER LEVEL 1.10 FT ABOVE LSD, APR. 30, 1966.  
 RECORDS AVAILABLE: 1958-61, 1966-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 30, 1966 +	1.10	DEC. 1, 1966	M	APR. 6, 1967	N	NOV. 7, 1967	0

8N/34W-23B1 S. JOSEPHINE HARRIS ESTATE. NEAR LOS ALAMOS. HARRIS-LOS ALAMOS ROAD AND STATE HIGHWAY 1. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 150 FT., LSD 315 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 21.65 FT BELOW LSD, FEB. 25, 1966.  
 LOWEST STATIC WATER LEVEL 27.51 FT BELOW LSD, MAR. 20, 1968.  
 RECORDS AVAILABLE: 1943-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	21.65	MAY 2, 1966	24.60	MAR. 20, 1967	24.45	MAR. 20, 1968	27.51
MAR. 25	21.77	OCT. 20	24.09	NOV. 16	25.50	OCT. 17	27.25

## GROUND-WATER RECORDS, 1966-68

8N/35W-10J1 S. USGS, VANDENBERG AFB PROPERTY. LOMPOC-CASMALIA-SAN ANTONIO ROAD INTERSECTION. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 1 1/2 INCHES. DEPTH 42 FT., LSD 118 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 8.75 FT. BELOW LSD, FEB. 25, 1966.  
 LOWEST STATIC WATER LEVEL 10.22 FT. BELOW LSD, DEC. 1, 1966.  
 RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	8.75	MAY 2, 1966	9.05	APR. 6, 1967	9.32	MAR. 20, 1968	9.41
MAR. 25	8.85	DEC. 1	10.22	NOV. 7	9.63	NOV. 13	10.18

8N/35W-16E1 S. USGS, VANDENBERG AFB PROPERTY. RANCHO ROAD, SAN ANTONIO CREEK. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAMETER 1 1/2 INCHES. DEPTH 44 FT., LSD 50 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 2.05 FT. BELOW LSD, MAY 2, 1966.  
 LOWEST STATIC WATER LEVEL 3.79 FT. BELOW LSD, NOV. 7, 1967.  
 RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	2.13	MAY 2, 1966	2.05	APR. 6, 1967	2.31	MAR. 20, 1968	2.43
MAR. 25	2.40	DEC. 1	3.26	NOV. 7	3.79	NOV. 13	3.67

9N/34W-32P1 S. U.S. DEPARTMENT OF THE AIR FORCE. ABOUT TWO MILES NORTH OF SAN ANTONIO VALLEY. DRILLED STOCK WELL IN ALLUVIUM, DIAMETER 9 INCHES. DEPTH 77.9 FT., LSD 480 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 15.91 FT. BELOW LSD, APR. 28, 1966.  
 LOWEST STATIC WATER LEVEL 26.90 FT. BELOW LSD, NOV. 13, 1968.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 28, 1966	15.91	APR. 6, 1967	26.2 A	MAR. 20, 1968	24.45A	NOV. 13, 1968	26.90
DEC. 1	19.50	NOV. 7	19.75				

9N/35W-18L1 S. U.S. DEPARTMENT OF THE AIR FORCE. ON TERRACE ABOUT ONE MILE NORTH OF SCHUMANN. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES, PERFORATED 79-94 FT., DEPTH 96.6 FT., LSD 80 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 72.12 FT. BELOW LSD, NOV. 13, 1968.  
 LOWEST STATIC WATER LEVEL 73.09 FT. BELOW LSD, MAR. 20, 1968.  
 RECORDS AVAILABLE: 1961, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 28, 1966	73.01	APR. 6, 1967	72.79	MAR. 20, 1968	73.09	NOV. 13, 1968	72.12
DEC. 2	72.20	NOV. 8	72.27				

9N/35W-20J1 S. U.S. DEPARTMENT OF THE AIR FORCE. IN MOUTH OF SCHUMANN CANYON ABOUT 1.5 MILES FROM OCEAN. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 6 INCHES, PERFORATED 5-30 FT. DEPTH 68 FT., LSD 100 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 12.75 FT. BELOW LSD, APR. 28, 1966.  
 LOWEST STATIC WATER LEVEL 14.19 FT. BELOW LSD, DEC. 2, 1966.  
 RECORDS AVAILABLE: 1960, 1966-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 28, 1966	12.75	APR. 6, 1967	13.15	JULY 8, 1967	A	NOV. 8, 1967	0
DEC. 2	14.19						

9N/35W-20J2 S. U.S. DEPARTMENT OF THE AIR FORCE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 42.7 FT., LSD 95 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 12.98 FT. BELOW LSD, MAR. 20, 1968.  
 LOWEST STATIC WATER LEVEL 14.24 FT. BELOW LSD, NOV. 13, 1968.  
 RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 8, 1967	13.09	MAR. 20, 1968	12.98	NOV. 13, 1968	14.24		

## Santa Barbara-Montecito Area

4N/26W-8P3 S. MONTECITO COUNTY WATER DISTRICT. DRILLED PUBLIC SUPPLY ARTESIAN WELL IN SANTA BARBARA FORMATION, DIAMETER 10 INCHES. DEPTH 404 FT., LSD 210 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 11.01 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 23.90 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	11.47	APR. 25, 1966	16.60	MAR. 27, 1967	12.50	MAR. 19, 1968	11.01
MAR. 28	14.11	OCT. 18	23.90	OCT. 17	17.80	OCT. 7	19.93

4N/26W-16P1 S. SANTA BARBARA FOUNDATION. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 153 FT., LSD 45 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 20.59 FT BELOW LSD, FEB. 21, 1966.  
 LOWEST STATIC WATER LEVEL 21.99 FT BELOW LSD, MAR. 28, 1966.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	20.59	APR. 25, 1966	21.92	MAR. 27, 1967	N	MAR. 19, 1968	N
MAR. 28	21.99	OCT. 18	N	OCT. 17	N	OCT. 7	N

4N/26W-17N1 S. MONTECITO COUNTY WATER DISTRICT. DRILLED PUBLIC SUPPLY WATER-TABLE WELL IN SANTA BARBARA FORMATION, DIAMETER 10 INCHES. DEPTH 684 FT., LSD 75 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 74.59 FT BELOW LSD, MAR. 18, 1968.  
 LOWEST STATIC WATER LEVEL 93.13 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 21, 1966	82.28	APR. 25, 1966	81.12	MAR. 27, 1967	78.37	MAR. 18, 1968	74.59
MAR. 28	81.50	OCT. 18	93.13	OCT. 17	88.48	OCT. 7	77.60J

4N/27W-13R1 S. SANTA BARBARA CEMETERY ASSOCIATION. SOUTH OF INTERSECTION OF HOT SPRINGS ROAD AND SOUTHERN PACIFIC RAILROAD. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM OF RECENT AGE, CASSITAS FORMATION OF PLEISTOCENE AGE, AND SANTA BARBARA FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 12 INCHES, PERFORATED INTERVAL 255-540 FEET. DEPTH 540 FT., LSD 35 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 37.16 FT BELOW LSD, MAR. 27, 1967.  
 LOWEST STATIC WATER LEVEL 46.26 FT BELOW LSD, OCT. 19, 1966.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 19, 1966	46.26	OCT. 17, 1967	41.96	MAR. 18, 1968	38.17J	OCT. 7, 1968	41.64J
MAR. 27, 1967	37.16						

4N/27W-14Q1 S. CITY OF SANTA BARBARA. DRILLED UNUSED ARTESIAN WELL IN SANTA BARBARA FORMATION, DIAMETER 10 INCHES. DEPTH 713 FT., LSD 30 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 59.99 FT BELOW LSD, FEB. 24, 1966.  
 LOWEST STATIC WATER LEVEL 59.99 FT BELOW LSD, FEB. 24, 1966.  
 RECORDS AVAILABLE: 1948-55, 1959, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	59.99	APR. 25, 1966	A	MAR. 27, 1967	N	MAR. 18, 1968	A
MAR. 28	A	OCT. 19	A	OCT. 17	A	OCT. 7	A

## GROUND-WATER RECORDS, 1966-68

4N/27W-21B1 S. CITY OF SANTA BARBARA. DRILLED UNUSED ARTESIAN WELL IN SANTA BARBARA FORMATION, DIAMETER 10 INCHES. DEPTH 454 FT., LSD 68 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 69.98 FT BELOW LSD, MAR. 18, 1968.  
 LOWEST STATIC WATER LEVEL 82.03 FT BELOW LSD, OCT. 19, 1966.  
 RECORDS AVAILABLE: 1931, 1948-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FER. 21, 1966	76.79J	APR. 25, 1966	75.20J	MAR. 27, 1967	78.74J	MAR. 18, 1968	69.98J
MAR. 28	71.45J	OCT. 19	82.03J	OCT. 17	80.55J	OCT. 7	75.53J

## Santa Maria Valley

9N/32W-6D1 S. OWNER UNKNOWN. SANTA MARIA MESA ROAD. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 14 INCHES. DEPTH FT., LSD 433 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 78.70 FT BELOW LSD, MAR. 18, 1968.  
 LOWEST STATIC WATER LEVEL 113.50 FT BELOW LSD, SEP. 30, 1966.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1966	113.50	OCT. 27, 1967	80.65	MAR. 18, 1968	78.70	OCT. 11, 1968	89.74
MAR. 15, 1967	100.96						

9N/32W-6G1 S. HANCOCK. SANTA MARIA MESA ROAD. DRILLED DOMESTIC WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 16 INCHES. DEPTH FT., LSD 505 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 171.40 FT BELOW LSD, MAR. 18, 1968.  
 LOWEST STATIC WATER LEVEL 185.45 FT BELOW LSD, SEP. 30, 1966.  
 RECORDS AVAILABLE: 1950-53, 1955, 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1966	185.45	MAR. 15, 1967	183.48	OCT. 27, 1967	177.89	MAR. 18, 1968	171.40

9N/32W-6G2 S. LA BREA SECURITY CO. NEAR GAREY, CALIF. DRILLED DOMESTIC WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 14 INCHES. (REPLACES 9N/32W-6G1). DEPTH 350 FT., LSD 505 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 168.50 FT BELOW LSD, APR. 26, 1968.  
 LOWEST STATIC WATER LEVEL 172.50 FT BELOW LSD, OCT. 11, 1968.  
 RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 26, 1968	168.5	OCT. 11, 1968	172.5				

9N/32W-7A1 S. ELLIOTT. SANTA MARIA MESA ROAD. DRILLED UNUSED WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE, DIAMETER 16 INCHES, PERFORATED INTERVAL 107-115, 154-189, 235-238, 282-290, 410-416, 428-436 FEET. DEPTH 452 FT., LSD 470 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 118.10 FT BELOW LSD, OCT. 27, 1967.  
 LOWEST STATIC WATER LEVEL 153.25 FT BELOW LSD, SEP. 30, 1966.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1966	153.25	OCT. 27, 1967	118.10	MAR. 18, 1968	120.0	OCT. 11, 1968	128.84
MAR. 15, 1967	N						



9N/32W-7N1 S. VALERIO TOGNAZZINI. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION, DIAMETER 16 INCHES. DEPTH 204 FT., LSD 422 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 72.70 FT BELOW LSD, OCT. 1, 1967.  
 LOWEST STATIC WATER LEVEL 125.60 FT BELOW LSD, OCT. 1, 1966.  
 RECORDS AVAILABLE: 1924, 1930, 1932-33, 1938-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	124.4 G	JULY 1, 1966	123.7 G	APR. 1, 1967	104.3 G	MAR. 13, 1968	76.40
FEB. 24	119.48	OCT. 1	125.6 G	JULY 1	74.0 G	APR. 1	73.2 G
MAR. 24	120.07	OCT. 18	A	OCT. 1	72.7 G	JULY 1	75.8 G
APR. 1	120.9 G	JAN. 1, 1967	118.8 G	OCT. 26	76.97	OCT. 1	82.1 G
APR. 28	A	MAR. 15	121.12	JAN. 1, 1968	73.4 G	OCT. 11	82.42

9N/32W-7O1 S. FRANK TIBONI. 0.5 MILES EAST OF SISQUOC. DRILLED IRRIGATION, DOMESTIC AND STOCK WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLISTOCENE AGE, DIAMETER 10 INCHES. DEPTH FT., LSD 421 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 47.80 FT BELOW LSD, OCT. 26, 1967.  
 LOWEST STATIC WATER LEVEL 99.40 FT BELOW LSD, SEP. 29, 1966.  
 RECORDS AVAILABLE: 1935, 1940-42, 1947, 1950, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 29, 1966	99.40	OCT. 26, 1967	47.80	MAR. 13, 1968	50.54	OCT. 11, 1968	57.678
MAR. 15, 1967	68.40						

9N/32W-8G1 S. J. C. TRAVIS. 1.5 MILES NORTHEAST OF SISQUOC. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLISTOCENE AGE, DIAMETER 16 INCHES, PERFORATED INTERVAL 84-244 FEET. DEPTH 245 FT., LSD 525 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 136.55 FT BELOW LSD, OCT. 27, 1967.  
 LOWEST STATIC WATER LEVEL 166.30 FT BELOW LSD, SEP. 30, 1966.  
 RECORDS AVAILABLE: 1958, 1959, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1966	166.30	OCT. 27, 1967	136.55	MAR. 18, 1968	140.64	OCT. 11, 1968	148.64
MAR. 15, 1967	150.82						

9N/32W-8N1 S. LUCY DAVIS. ONE MILE EAST OF SISQUOC. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLISTOCENE AGE. DEPTH FT., LSD 420 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 36.48 FT BELOW LSD, OCT. 26, 1967.  
 LOWEST STATIC WATER LEVEL 60.33 FT BELOW LSD, SEP. 30, 1966.  
 RECORDS AVAILABLE: 1958, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1966	60.33	OCT. 26, 1967	36.48	MAR. 13, 1968	44.27	OCT. 11, 1968	51.59
MAR. 15, 1967	41.42						

9N/32W-9P3 S. ELLIS FESLER. NEAR JUNCTION OF TEPUSQUET ROAD AND SANTA MARIA MESA ROAD. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 6 INCHES. DEPTH FT., LSD 500 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 52.84 FT BELOW LSD, MAR. 12, 1968.  
 LOWEST STATIC WATER LEVEL 63.94 FT BELOW LSD, AUG. 2, 1966.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 2, 1966	63.94	OCT. 27, 1967	52.90	MAR. 12, 1968	52.84	OCT. 11, 1968	61.98
MAR. 20, 1967	54.97						

## GROUND-WATER RECORDS, 1966-68

9N/32W-16L1 S. JONES. 2.5 MILES EAST OF SISQUOC. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 16 INCHES. DEPTH 110 FT., LSD 468 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 19.47 FT BELOW LSD, MAR. 15, 1967.  
 LOWEST STATIC WATER LEVEL 33.76 FT BELOW LSD, OCT. 11, 1968.  
 RECORDS AVAILABLE: 1938, 1942, 1945, 1947, 1950, 1953, 1959, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1966	33.00	OCT. 27, 1967	A	MAR. 13, 1968	22.79	OCT. 11, 1968	33.76
MAR. 15, 1967	19.47						

9N/32W-17G1 S. J. A. WAUGH. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM AND PASO ROBLES FORMATION, DIAMETER 6 INCHES. DEPTH 107 FT., LSD 447 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 34.90 FT BELOW LSD, OCT. 27, 1967.  
 LOWEST STATIC WATER LEVEL 51.50 FT BELOW LSD, FEB. 24, 1966.  
 RECORDS AVAILABLE: 1941-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	51.50	APR. 28, 1966	46.65	MAR. 14, 1967	37.43	MAR. 13, 1968	36.04
MAR. 24	46.25	OCT. 18	49.64	OCT. 27	34.90	OCT. 11	45.48

9N/32W-18H1 S. M. L. GRACIA. ONE MILE SOUTHEAST OF SISQUOC. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 16 INCHES. DEPTH 456 FT., LSD 443 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 48.32 FT BELOW LSD, MAR. 13, 1968.  
 LOWEST STATIC WATER LEVEL 70.75 FT BELOW LSD, SEP. 30, 1966.  
 RECORDS AVAILABLE: 1950, 1953, 1955, 1960, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1966	70.75	OCT. 26, 1967	A	MAR. 13, 1968	48.32	OCT. 11, 1968	51.89
MAR. 14, 1967	60.72						

9N/32W-19A1 S. R. G. RUSSEL. 1.3 MILES SOUTHEAST OF SISQUOC. DRILLED DOMESTIC ARTESIAN WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 3 3/8 INCHES, PERFORATED INTERVAL 500-530, 548-578 FEET. DEPTH 700+ FT., LSD 728 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 356.88 FT BELOW LSD, MAR. 13, 1968.  
 LOWEST STATIC WATER LEVEL 367.90 FT BELOW LSD, SEP. 30, 1966.  
 RECORDS AVAILABLE: 1961, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1966	367.90	OCT. 26, 1967	A	MAR. 13, 1968	356.88	OCT. 11, 1968	358.36
MAR. 20, 1967	366.96						

9N/32W-20E1 S. C. M. NIELSON. 1.8 MILES SOUTHEAST OF SISQUOC. DRILLED UNUSED WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 6 INCHES. DEPTH FT., LSD 638 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 249.95 FT BELOW LSD, MAR. 13, 1968.  
 LOWEST STATIC WATER LEVEL 251.97 FT BELOW LSD, MAR. 20, 1967.  
 RECORDS AVAILABLE: 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1966	250.90	OCT. 26, 1967	250.35	MAR. 13, 1968	249.95	OCT. 11, 1968	250.20
MAR. 20, 1967	251.97						

9N/32W-22D1 S. L. BOGNUMA. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 219 FT., LSD 490 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 13.10 FT BELOW LSD, MAR. 14, 1967.  
 LOWEST STATIC WATER LEVEL 28.73 FT BELOW LSD, OCT. 11, 1968.  
 RECORDS AVAILABLE: 1950, 1958, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	15.68	APR. 28, 1966	14.56	MAR. 14, 1967	13.10	MAR. 13, 1968	19.06
MAR. 24	13.95	OCT. 18	24.00	OCT. 27	15.15	OCT. 11	28.73

9N/32W-23K1 S. RANCHO SISOUOC. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 75 FT., LSD 532 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 7.98 FT BELOW LSD, MAR. 24, 1966.  
 LOWEST STATIC WATER LEVEL 17.93 FT BELOW LSD, MAR. 13, 1968.  
 RECORDS AVAILABLE: 1943, 1950, 1958, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FER. 24, 1966	9.97	APR. 28, 1966	9.66	OCT. 27, 1967	13.52	OCT. 11, 1968	23.74C
MAR. 24	7.98	MAR. 14, 1967	9.20	MAR. 13, 1968	17.93		

9N/32W-32K1 S. ALFRED JACOBSEN. CAT CANYON ROAD. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND CAREAGA SAND OF PLIOCENE AGE, DIAMETER 8 INCHES. (THIS WELL IS AN ALTERNATE TO 9N/32W-33M1). DEPTH FT., LSD 725 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 57.05 FT BELOW LSD, MAR. 14, 1968.  
 LOWEST STATIC WATER LEVEL 58.24 FT BELOW LSD, OCT. 17, 1968.  
 RECORDS AVAILABLE: 1961, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1966	57.32	NOV. 14, 1967	57.32	MAR. 14, 1968	57.05	OCT. 17, 1968	58.24
MAR. 14, 1967	N						

9N/32W-32K2 S. ALFRED JACOBSEN. CAT CANYON ROAD. DRILLED STOCK WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND CAREAGA SAND OF PLIOCENE AGE, DIAMETER 6 INCHES. DEPTH FT., LSD 720 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 36.41 FT BELOW LSD, MAR. 14, 1967.  
 LOWEST STATIC WATER LEVEL 37.60 FT BELOW LSD, MAR. 14, 1968.  
 RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 14, 1967	36.41	NOV. 13, 1967	A	MAR. 14, 1968	37.60	OCT. 17, 1968	36.64

9N/32W-33M1 S. OWNER UNKNOWN. CAT CANYON ROAD. DRILLED STOCK WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND CAREAGA SAND OF PLIOCENE AGE, DIAMETER 10 INCHES. DEPTH 99 FT., LSD 745 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 63.91 FT BELOW LSD, MAR. 14, 1968.  
 LOWEST STATIC WATER LEVEL 64.46 FT BELOW LSD, OCT. 17, 1968.  
 RECORDS AVAILABLE: 1961, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1966	64.10	NOV. 14, 1967	64.04	MAR. 14, 1968	63.91	OCT. 17, 1968	64.46
MAR. 14, 1967	64.10						

9N/33W-2A1 S. FRANCIS J. CALDERONE. GAREY. WICKS AND ANDREWS AVENUES. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM AND PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE (?) AGE, DIAMETER 12 INCHES. DEPTH 220 FT., LSD 378.72 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 73.20 FT BELOW LSD, JULY 1, 1967.  
 LOWEST STATIC WATER LEVEL 121.43 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1930-33, 1936, 1938-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	111.5 G	APR. 28, 1966	107.48	JAN. 1, 1967	117.8 G	JULY 1, 1967	73.2 G
FER. 24	105.68	JULY 1	114.3 G	MAR. 15	105.58	OCT. 1	78.7 G
MAR. 24	105.35	OCT. 1	119.5 G	APR. 1	103.5 G	NOV. 14	0
APR. 1	107.9 G	OCT. 18	121.43				

9N/33W-2H9 S. F. J. CALDERONE. GAREY. WICKS AND ANDREWS AVENUES. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM AND PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE (?) AGE, DIAMETER 12 INCHES. (ALTERNATE FOR 9N/33W-2A1). DEPTH 200 FT., LSD 380 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 68.30 FT BELOW LSD, APR. 1, 1968.  
 LOWEST STATIC WATER LEVEL 81.20 FT BELOW LSD, OCT. 11, 1968.  
 RECORDS AVAILABLE: 1968-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1968	71.8 G	MAR. 13, 1968	70.58	JULY 1, 1968	74.8 G	OCT. 11, 1968	81.20
FER. 26	73.50	APR. 1	68.3 G				

## GROUND-WATER RECORDS, 1966-68

9N/33W-5A1 S. SINTON AND BROWN. 2 MILES NORTH OF INTERSECTION OF CLARK AVENUE AND TELEPHONE ROAD. DRILLED IRRIGATION ARTESIAN WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 16 INCHES, PERFORATED INTERVAL 340-375, 430-480, 515-575, 615-750, 790-810, 860-900, 925-980 FEET. DEPTH 980 FT., LSD 436 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 302.40 FT BELOW LSD, MAR. 15, 1967.  
LOWEST STATIC WATER LEVEL 309.20 FT BELOW LSD, SEP. 22, 1966.  
RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 22, 1966	309.2	NOV. 14, 1967	N	MAR. 14, 1968	M	OCT. 16, 1968	M
MAR. 15, 1967	302.4	NOV. 16	N				

9N/33W-5D1 S. FORTUNE OIL COMPANY. TELEPHONE ROAD. DRILLED INDUSTRIAL WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 8 INCHES, PERFORATED INTERVAL 250-270, 290-390, 410-430 FEET. DEPTH 447 FT., LSD 450 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 345.60 FT BELOW LSD, MAR. 14, 1967.  
LOWEST STATIC WATER LEVEL 345.60 FT BELOW LSD, MAR. 14, 1967.  
RECORDS AVAILABLE: 1964, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 22, 1966	A	MAR. 14, 1967	345.6	NOV. 16, 1967	A	MAR. 14, 1968	O

9N/33W-6G1 S. SINTON AND BROWN. WEST OF TELEGRAPH ROAD. DRILLED IRRIGATION ARTESIAN WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 16 INCHES, PERFORATED INTERVAL 424-448, 532-640, 676-820, 856-964, 980-1000 FEET. DEPTH 1,000 FT., LSD 445 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 347.12 FT BELOW LSD, MAR. 14, 1968.  
LOWEST STATIC WATER LEVEL 347.12 FT BELOW LSD, MAR. 14, 1968.  
RECORDS AVAILABLE: 1963, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 22, 1966	A	NOV. 12, 1967	N	MAR. 14, 1968	347.12	OCT. 16, 1968	M
MAR. 14, 1967	A						

9N/33W-8A1 S. J. H. GILLILAND. DRILLED UNUSED ARTESIAN WELL IN PASO ROBLES FORMATION, DIAMETER 14 INCHES. DEPTH 3,499 FT., LSD 725 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 513.20 FT BELOW LSD, MAR. 19, 1968.  
LOWEST STATIC WATER LEVEL 548.20 FT BELOW LSD, OCT. 18, 1966.  
RECORDS AVAILABLE: 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	526.6	OCT. 18, 1966	548.2	NOV. 14, 1967	N	MAR. 19, 1968	513.2
MAR. 24	526.3	MAR. 14, 1967	527.1	NOV. 16	531.9	OCT. 16	525.8
APR. 29	526.2						

9N/33W-8L1 S. J. H. GILLILAND. NORTH OF CLARK AVENUE. DRILLED IRRIGATION AND DOMESTIC ARTESIAN WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 16 INCHES TO 644 FEET AND 12 INCHES FROM 644 TO 1051 FEET, PERFORATED INTERVAL 650-703, 730-760, 775-780, 803-807, 820-830, 853-858, 965-977 FEET. DEPTH 1,051 FT., LSD 700 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 567.90 FT BELOW LSD, MAR. 14, 1967.  
LOWEST STATIC WATER LEVEL 580.70 FT BELOW LSD, NOV. 16, 1967.  
RECORDS AVAILABLE: 1961, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 22, 1966	A	NOV. 14, 1967	N	MAR. 19, 1968	571.7	OCT. 16, 1968	N
MAR. 14, 1967	567.9	NOV. 16	580.7				

9N/33W-12C1 S. COLMAN TRAVIS. 1 MILE NORTHWEST OF SISQUOC. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 12 INCHES. DEPTH FT., LSD 399 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 87.78 FT BELOW LSD, OCT. 11, 1968.  
LOWEST STATIC WATER LEVEL 147.70 FT BELOW LSD, SEP. 29, 1966.  
RECORDS AVAILABLE: 1948, 1950, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 29, 1966	147.70	OCT. 26, 1967	A	MAR. 13, 1968	111.00	OCT. 11, 1968	87.78
MAR. 15, 1967	127.15						

9N/33W-15D2 S. J. SANTOS. DRILLED DOMESTIC ARTESIAN WELL IN PASO ROBLES FORMATION, DIAMETER 10 INCHES. DEPTH 433 FT., LSD 597 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 411.00 FT BELOW LSD, MAR. 24, 1966.  
 LOWEST STATIC WATER LEVEL 411.60 FT BELOW LSD, FEB. 25, 1966.  
 RECORDS AVAILABLE: 1957, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	411.6	APR. 29, 1966		M MAR. 14, 1967		F MAR. 14, 1968	F
MAR. 24	411.0	OCT. 18		F NOV. 14		F OCT. 17	F

9N/33W-18C1 S. STATE OF CALIFORNIA. DRILLED DOMESTIC ARTESIAN WELL IN PASO ROBLES FORMATION, DIAMETER 12 INCHES. DEPTH 570 FT., LSD 600 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 500.40 FT BELOW LSD, APR. 29, 1966.  
 LOWEST STATIC WATER LEVEL 537.70 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1956, 1958-59, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	532.1	OCT. 18, 1966	537.7	NOV. 14, 1967		N MAR. 19, 1968	N
MAR. 24	532.3	MAR. 14, 1967	536.1	NOV. 15		N OCT. 16	M
APR. 29	500.4						

9N/33W-18D2 S. V. L. SIMAS. 2 MILES EAST OF ORCUTT. DRILLED UNUSED WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 6 INCHES. DEPTH 507 FT., LSD 530 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 341.10 FT BELOW LSD, SEP. 16, 1966.  
 LOWEST STATIC WATER LEVEL 341.10 FT BELOW LSD, SEP. 16, 1966.  
 RECORDS AVAILABLE: 1956, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 16, 1966	341.1	NOV. 15, 1967		N MAR. 11, 1968		M OCT. 16, 1968	M
MAR. 17, 1967	N						

9N/33W-24L1 S. UNION OIL COMPANY OF CALIFORNIA. CAT CANYON ROAD AND PALMER ROAD. DRILLED INDUSTRIAL ARTESIAN WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 12 INCHES, PERFORATED INTERVAL 432-600 FEET. DEPTH 622 FT., LSD 531 FT. ABOVE MSL.  
 RECORDS AVAILABLE: 1951, 1953-57, 1961, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1966	A	NOV. 14, 1967	A	MAR. 14, 1968	A	OCT. 17, 1968	A
MAR. 13, 1967	A						

9N/33W-28M1 S. STATE OF CALIFORNIA. U.S. HWY. 101 AND SOLOMON GRADE. DRILLED STOCK WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 8 5/8 INCHES, PERFORATED INTERVAL 188-205, 250-318 FEET. DEPTH 385 FT., LSD 903 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 203.60 FT BELOW LSD, APR. 25, 1967.  
 LOWEST STATIC WATER LEVEL 271.40 FT BELOW LSD, MAR. 13, 1968.  
 RECORDS AVAILABLE: 1961, 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 30, 1966	204.90	NOV. 15, 1967	268.6	MAR. 13, 1968	271.4	OCT. 17, 1968	271.2
APR. 25, 1967	203.60						

9N/34W-241 S. R. C. SMITH. 2 MILES NORTHEAST OF ORCUTT. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 8 INCHES. DEPTH 229 FT., LSD 320 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 220.26 FT BELOW LSD, OCT. 8, 1968.  
 LOWEST STATIC WATER LEVEL 230.75 FT BELOW LSD, SEP. 16, 1966.  
 RECORDS AVAILABLE: 1955, 1958, 1959, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 16, 1966	230.75	NOV. 1, 1967	224.11	MAR. 12, 1968	225.36	OCT. 8, 1968	220.26
MAR. 20, 1967	228.60						

## GROUND-WATER RECORDS, 1966-68

9N/34W-3A2 S. CITY OF SANTA MARIA. SANTA MARIA AIRPORT. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 16 INCHES, PERFORATED INTERVAL 247-251, 258-271, 284-331 FEET. DEPTH 350 FT., LSD 270 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 222.30 FT BELOW LSD, MAR. 22, 1967.  
LOWEST STATIC WATER LEVEL 235.00 FT BELOW LSD, OCT. 8, 1968.  
RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 22, 1967	222.30	NOV. 1, 1967	225.97B	MAR. 12, 1968	229.41	OCT. 8, 1968	235.00

9N/34W-3F1 S. CITY OF SANTA MARIA. SANTA MARIA AIRPORT. DRILLED UNUSED WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 16 INCHES, PERFORATED INTERVAL 321-327, 345-358, 368-376, 382-392, 419-449 FEET. DEPTH 461 FT., LSD 265 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 220.35 FT BELOW LSD, MAR. 20, 1967.  
LOWEST STATIC WATER LEVEL 226.00 FT BELOW LSD, NOV. 1, 1967.  
RECORDS AVAILABLE: 1942, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 16, 1966	222.75	NOV. 1, 1967	226.00	MAR. 12, 1968	A	OCT. 8, 1968	A
MAR. 20, 1967	220.35						

9N/34W-3N1 S. CITY OF SANTA MARIA. NEAR ORCUTT. DRILLED UNUSED ARTESIAN WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE (?) AGE, DIAMETER 16 INCHES. DEPTH 232 FT., LSD 258 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 184.46 FT BELOW LSD, NOV. 1, 1967.  
LOWEST STATIC WATER LEVEL 187.90 FT BELOW LSD, MAR. 20, 1967.  
RECORDS AVAILABLE: 1932-34, 1937-41, 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	186.82	MAY 2, 1966	187.00	MAR. 20, 1967	187.90	MAR. 12, 1968	184.89
MAR. 25	186.79	OCT. 20	187.80	NOV. 1	184.46	OCT. 8	185.10

9N/34W-4M1 S. C. MUSCIG. WEST SIDE OF SANTA MARIA AIRPORT. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 166 FT., LSD 218 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 148.83 FT BELOW LSD, SEP. 16, 1966.  
LOWEST STATIC WATER LEVEL 149.19 FT BELOW LSD, MAR. 20, 1967.  
RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 16, 1966	148.83	NOV. 1, 1967	N	MAR. 12, 1968	M	OCT. 8, 1968	M
MAR. 20, 1967	149.19						

9N/34W-6C1 S. LAGUNA COUNTY SANITARY DISTRICT. 2 MILES SOUTHEAST OF BETTERAVIA. DRILLED DOMESTIC AND INDUSTRIAL WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 10 INCHES. DEPTH 300 FT., LSD 132 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 92.15 FT BELOW LSD, MAR. 20, 1967.  
LOWEST STATIC WATER LEVEL 110.95 FT BELOW LSD, AUG. 2, 1966.  
RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 2, 1966	110.95	NOV. 1, 1967	99.12	MAR. 11, 1968	92.34	OCT. 8, 1968	97.63
MAR. 20, 1967	92.15						

9N/34W-6K2 S. ASSOCIATED OIL CO. DRILLED UNUSED WATER-TABLE WELL IN ORCUTT FORMATION, DIAMETER 12 INCHES. DEPTH 139 FT., LSD 161 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 94.95 FT BELOW LSD, FEB. 25, 1966.  
LOWEST STATIC WATER LEVEL 99.67 FT BELOW LSD, OCT. 8, 1968.  
RECORDS AVAILABLE: 1942, 1950-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	94.95C	MAY 2, 1966	96.30C	MAR. 20, 1967	96.80C	MAR. 11, 1968	98.31
MAR. 25	95.17C	OCT. 20	96.99C	NOV. 1	98.67C	OCT. 8	99.67

9N/34W-8H1 S. RICHFIELD OIL CO. DRILLED DOMESTIC ARTESIAN WELL IN PASO ROBLES FORMATION, DIAMETER 12 INCHES. DEPTH 200 FT., LSD 222 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 148.73 FT BELOW LSD, MAR. 25, 1966.  
 LOWEST STATIC WATER LEVEL 153.25 FT BELOW LSD, OCT. 20, 1966.  
 RECORDS AVAILABLE: 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	148.87	MAY 2, 1966		M MAR. 20, 1967	150.22	MAR. 11, 1968	151.24
MAR. 25	148.73	OCT. 20	153.25	NOV. 1	151.82	OCT. 8	150.90

9N/34W-9R1 S. UNION OIL COMPANY OF CALIFORNIA. 0.50 MILE NORTHWEST OF ORCUTT. DRILLED INDUSTRIAL ARTESIAN WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 12 INCHES, PERFORATED INTERVAL 362-382, 418-458 FEET. DEPTH 510 FT., LSD 275 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 211.75 FT BELOW LSD, MAR. 20, 1967.  
 LOWEST STATIC WATER LEVEL 217.18 FT BELOW LSD, NOV. 1, 1967.  
 RECORDS AVAILABLE: 1956, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 16, 1966	A	NOV. 1, 1967	217.18	MAR. 11, 1968	A	OCT. 8, 1968	217.98B
MAR. 20, 1967	211.75						

9N/34W-14H1 S. WREATH. 1 MILE EAST OF ORCUTT. DRILLED DOMESTIC WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 8 5/8 INCHES, PERFORATED INTERVAL 345-360 FEET. DEPTH 372 FT., LSD 425 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 320.96 FT BELOW LSD, OCT. 16, 197 .  
 LOWEST STATIC WATER LEVEL 321.30 FT. BELOW LSD, MAR. 21, 1967.  
 RECORDS AVAILABLE: 1955, 1958, 1964, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 21, 1966	N	OCT. 16, 197	320.96	MAR. 11, 1968	M	OCT. 16, 1968	M
MAR. 21, 1967	321.3	1					

9N/34W-1501 S. ELKHORN GOLF COURSE. 0.5 MILE SOUTH OF ORCUTT. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 12 INCHES, PERFORATED INTERVAL 385-412, 423-435 FEET. DEPTH 512 FT., LSD 430 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 359.00 FT BELOW LSD, MAR. 21, 1967.  
 LOWEST STATIC WATER LEVEL 366.39 FT BELOW LSD, OCT. 16, 1968.  
 RECORDS AVAILABLE: 1961, 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 21, 1966	361.3	NOV. 1, 1967	365.00	MAR. 11, 1968	359.5	OCT. 16, 1968	366.39
MAR. 21, 1967	359.0						

10N/32W-19E1 S. NEWHALL LAND COMPANY. 3 MILES DOWNSTREAM FROM TWITCHELL DAM. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 18 INCHES. DEPTH FT., LSD 380 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 6.35 FT BELOW LSD, MAR. 18, 1968.  
 LOWEST STATIC WATER LEVEL 7.47 FT BELOW LSD, MAR. 15, 1967.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 2, 1966	A	NOV. 6, 1967	N	MAR. 18, 1968	6.35	OCT. 10, 1968	A
MAR. 15, 1967	7.47						

10N/32W-19E2 S. NEWHALL LAND COMPANY. 3 MILES DOWNSTREAM FROM TWITCHELL DAM. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 18 INCHES. DEPTH 78 FT., LSD 380 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 7.72 FT BELOW LSD, NOV. 6, 1967.  
 LOWEST STATIC WATER LEVEL 8.90 FT BELOW LSD, MAR. 18, 1968.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 2, 1966	17.97C	NOV. 6, 1967	7.72	MAR. 18, 1968	8.90	OCT. 10, 1968	18.04C
MAR. 15, 1967	7.97						

## GROUND-WATER RECORDS, 1966-68

10N/32W-19M1 S. NEWHALL LAND COMPANY. 3.5 MILES DOWNSTREAM FROM TWITCHELL DAM. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 18 INCHES. DEPTH FT., LSD 380 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 5.70 FT BELOW LSD, NOV. 6, 1967.  
 LOWEST STATIC WATER LEVEL 10.24 FT BELOW LSD, OCT. 10, 1968.  
 RECORDS AVAILABLE: 1958, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 2, 1966	A	NOV. 6, 1967	5.70	MAR. 18, 1968	6.20	OCT. 10, 1968	10.24
MAR. 15, 1967	7.42						

10N/33W-7M1 S. JOHN GUGGIA. 1 MILE EAST OF SANTA MARIA. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 16 INCHES, PERFORATED INTERVAL 130-146, 186-214, 218-226, 220-238 FEET. DEPTH 253 FT., LSD 255 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 77.14 FT BELOW LSD, MAR. 12, 1968.  
 LOWEST STATIC WATER LEVEL 132.42 FT BELOW LSD, MAR. 20, 1967.  
 RECORDS AVAILABLE: 1938, 1947, 1949, 1955, 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 22, 1966	A	OCT. 26, 1967	A	MAR. 12, 1968	77.14	OCT. 10, 1968	A
MAR. 20, 1967	132.42						

10N/33W-7P1 S. P. T. BONETTI. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM AND PASO ROBLES FORMATION, DIAMETER 16 INCHES. DEPTH 365 FT., LSD 260 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 77.70 FT BELOW LSD, MAR. 12, 1968.  
 LOWEST STATIC WATER LEVEL 139.02 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	133.61	APR. 28, 1966	132.59	MAR. 20, 1967	130.21	MAR. 12, 1968	77.70
MAR. 24	133.59	OCT. 18	139.02	OCT. 26	100.42	OCT. 10	98.85

10N/33W-7R1 S. G. DE BERNARDI. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 200 FT., LSD 270 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 53.66 FT BELOW LSD, MAR. 12, 1968.  
 LOWEST STATIC WATER LEVEL 127.40 FT BELOW LSD, FEB. 24, 1966.  
 RECORDS AVAILABLE: 1942, 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	127.40	APR. 28, 1966	A	MAR. 20, 1967	118.62	MAR. 12, 1968	53.66
MAR. 24	A	OCT. 18	A	OCT. 26	79.40	OCT. 10	87.64

10N/33W-16N1 S. SANTA MARIA BERRY FARMS. 3 MILES EAST OF SANTA MARIA. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE. (THIS WELL IS AN ALTERNATE TO 10N/33W-16N1). DEPTH FT., LSD 292 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL -17.72 FT BELOW LSD, MAR. 12, 1968.  
 LOWEST STATIC WATER LEVEL 17.72 FT BELOW LSD, MAR. 12, 1968.  
 RECORDS AVAILABLE: 1952, 1955, 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 22, 1966	A	MAR. 20, 1967	N	MAR. 12, 1968	17.72	OCT. 10, 1968	A

10N/33W-16N2 S. SANTA MARIA BERRY FARMS. 3 MILES EAST OF SANTA MARIA. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 14 INCHES. DEPTH 240 FT., LSD 292 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 19.64 FT BELOW LSD, MAR. 12, 1968.  
 LOWEST STATIC WATER LEVEL 75.72 FT BELOW LSD, MAR. 20, 1967.  
 RECORDS AVAILABLE: 1952, 1955, 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 22, 1966	A	NOV. 6, 1967	36.45	MAR. 12, 1968	19.64	OCT. 10, 1968	55.29C
MAR. 20, 1967	75.72						



10N/33W-17J2 S. SHECHY. 3 MILES EAST OF SANTA MARIA. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE. DEPTH FT., LSD 287 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 19.13 FT BELOW LSD, MAR. 12, 1968.  
 LOWEST STATIC WATER LEVEL 86.46 FT BELOW LSD, MAR. 20, 1967.  
 RECORDS AVAILABLE: 1952, 1955, 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 26, 1966	A	NOV. 6, 1967	39.22	MAR. 12, 1968	19.13	OCT. 10, 1968	A
MAR. 20, 1967	86.46						

10N/33W-18G1 S. LA BREA SECURITIES CO. DRILLED IRRIGATION AND WATER-TABLE WELL IN ALLUVIUM AND PASO ROBLES FORMATION, DIAMETER 16 INCHES. DEPTH 436 FT., LSD 273 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 70.10 FT BELOW LSD, APR. 1, 1968.  
 LOWEST STATIC WATER LEVEL 135.10 FT BELOW LSD, OCT. 1, 1966.  
 RECORDS AVAILABLE: 1939-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	127.8 G	OCT. 1, 1966	135.1 G	JULY 1, 1967	113.5 G	APR. 1, 1968	70.1 G
APR. 1	128.2 G	JAN. 1, 1967	128.8 G	OCT. 1	93.6 G	JULY 1	77.7 G
JULY 1	129.7 G	APR. 1	127.1 G	JAN. 1, 1968	80.0 G	OCT. 1	85.1 G

10N/33W-18B1 S. OWEN T. RICE. NEAR SANTA MARIA, BATTLES AND EAST STOWELL ROADS. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM AND PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE (?) AGE, DIAMETER 16 INCHES. DEPTH 307 FT., LSD 275 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 88.00 FT BELOW LSD, APR. 1, 1968.  
 LOWEST STATIC WATER LEVEL 188.40 FT BELOW LSD, OCT. 1, 1966.  
 RECORDS AVAILABLE: 1927, 1929-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	177.2 G	JULY 1, 1966	185.4 G	APR. 1, 1967	176.2 G	MAR. 13, 1968	90.3
FEB. 24	177.3	OCT. 1	188.4 G	JULY 1	168.0 G	APR. 1	88.0 G
MAR. 24	174.9	OCT. 18	187.8	OCT. 1	156.5 G	OCT. 1	91.2 G
APR. 1	178.4 G	JAN. 1, 1967	181.9 G	NOV. 7	114.5	OCT. 16	91.2
APR. 28	171.0	MAR. 20	176.5	JAN. 1, 1968	104.8 G		

10N/33W-19K1 S. MARY ENOS. 3 MILES SOUTHEAST OF SANTA MARIA. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 14 INCHES, PERFORATED INTERVAL 262-295, 305-417 FEET. DEPTH 292 FT., LSD 280 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 140.92 FT BELOW LSD, OCT. 16, 1968.  
 LOWEST STATIC WATER LEVEL 183.60 FT BELOW LSD, SEP. 29, 1966.  
 RECORDS AVAILABLE: 1950, 1953, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 29, 1966	183.60	NOV. 7, 1967	157.15	MAR. 13, 1968	155.16	OCT. 16, 1968	140.92
MAR. 20, 1967	163.78						

10N/33W-20H1 S. M. J. SANTOS. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 251 FT., LSD 300 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 63.42 FT BELOW LSD, MAR. 12, 1968.  
 LOWEST STATIC WATER LEVEL 123.98 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1929-40, 1942, 1950, 1955, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	120.60	APR. 28, 1966	A	MAR. 20, 1967	112.79	MAR. 12, 1968	63.42
MAR. 24	A	OCT. 18	123.98	NOV. 7	78.17	OCT. 10	69.99

## GROUND-WATER RECORDS, 1966-68

10N/33W-20L1 S. F. J. CALDERONE. 2.5 MILES SOUTHEAST OF SANTA MARIA. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE (?) AGE, DIAMETER 16 INCHES. DEPTH 300 FT., LSD 294 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 80.70 FT BELOW LSD, MAY 28, 1968.  
LOWEST STATIC WATER LEVEL 164.43 FT BELOW LSD, JULY 28, 1966.  
RECORDS AVAILABLE: 1942, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	155.48	NOV. 29, 1966	159.38	AUG. 30, 1967	154.02	MAY 28, 1968	80.70
MAR. 23	155.70	DEC. 27	158.49	SEP. 29	150.32	JUNE 24	81.92
APR. 28	159.10C	JAN. 25, 1967	157.65	NOV. 7	140.6	JULY 26	84.23
MAY 27	159.67	FEB. 27	156.77	NOV. 30	133.3	AUG. 28	86.37
JUNE 27	163.29	MAR. 22	156.02	DEC. 26	122.0	SEP. 27	87.45
JULY 28	164.43	APR. 25	155.86	JAN. 26, 1968	106.6	OCT. 31	88.87
AUG. 24	162.40	MAY 24	155.36	FEB. 26	95.1	NOV. 27	90.13
SEP. 23	161.75	JUNE 23	159.03	MAR. 27	86.20	DEC. 27	91.65
OCT. 24	160.83	JULY 26	155.40	APR. 26	82.16		

10N/33W-21F4 S. FRANK DONOVAN. 4 MILES SOUTHEAST OF SANTA MARIA. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 12 INCHES. DEPTH 312 FT., LSD 308 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 39.29 FT BELOW LSD, MAR. 12, 1968.  
LOWEST STATIC WATER LEVEL 109.15 FT BELOW LSD, SEP. 22, 1966.  
RECORDS AVAILABLE: 1955, 1959, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 22, 1966	109.15	NOV. 6, 1967	56.50	MAR. 12, 1968	39.29	OCT. 10, 1968	59.69
MAR. 20, 1967	90.65						

10N/33W-21F5 S. FRANK DONOVAN. 4 MILES SOUTHEAST OF SANTA MARIA. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 12 INCHES, PERFORATED 122-132, 205-229, 233-260. (THIS WELL IS ALTERNATE TO 10N/33W-21F4). DEPTH 262 FT., LSD 312 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 44.30 FT BELOW LSD, MAR. 12, 1968.  
LOWEST STATIC WATER LEVEL 112.70 FT BELOW LSD, SEP. 22, 1966.  
RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 22, 1966	112.70	NOV. 6, 1967	62.31	MAR. 12, 1968	44.30	OCT. 10, 1968	M
MAR. 20, 1967	N						

10N/33W-21R1 S. L. H. ADAM. 5 MILES SOUTHEAST OF SANTA MARIA. DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 16 INCHES, PERFORATED INTERVAL 95-104, 116-150 FEET. DEPTH 240 FT., LSD 319 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 37.30 FT BELOW LSD, NOV. 6, 1967.  
LOWEST STATIC WATER LEVEL 99.45 FT BELOW LSD, SEP. 29, 1966.  
RECORDS AVAILABLE: 1942, 1950, 1955, 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 29, 1966	99.45	NOV. 6, 1967	37.30A	MAR. 12, 1968	A	OCT. 10, 1968	A
MAR. 16, 1967	77.43						

10N/33W-27G1 S. L. H. ADAM. DRILLED STOCK AND IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION, DIAMETER 16 INCHES. DEPTH 272 FT., LSD 338 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 33.60 FT BELOW LSD, OCT. 1, 1967.  
LOWEST STATIC WATER LEVEL 106.60 FT BELOW LSD, JAN. 1, 1966.  
RECORDS AVAILABLE: 1923, 1929-33, 1936, 1938-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	106.6 G	OCT. 1, 1966	93.9 G	JULY 1, 1967	79.7 G	APR. 1, 1968	43.2 G
APR. 1	103.8 G	JAN. 1, 1967	91.7 G	OCT. 1	33.6 G	JULY 1	54.9 G
JULY 1	102.7 G	APR. 1	96.5 G	JAN. 1, 1968	44.1 G	OCT. 1	63.1 G

## SANTA BARBARA COUNTY

199

10N/33W-27K2 S. NEWHALL LAND CO. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 255 FT., LSD 344 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 58.29 FT BELOW LSD, OCT. 10, 1968.  
 LOWEST STATIC WATER LEVEL 116.17 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1941, 1950, 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	A	APR. 28, 1966	A	MAR. 15, 1967	92.98	MAR. 19, 1968	A
MAR. 24	A	OCT. 18	116.17	NOV. 6	A	OCT. 10	58.29

10N/33W-27R1 S. NEWHALL LAND COMPANY. NEAR FUGLER POINT. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 16 INCHES, PERFORATED INTERVAL 130-224 FEET. DEPTH 255 FT., LSD 352 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 47.46 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 104.20 FT BELOW LSD, MAR. 15, 1967.  
 RECORDS AVAILABLE: 1939, 1942-43, 1947, 1949-50, 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 29, 1966	102.50	NOV. 6, 1967	49.67	MAR. 19, 1968	47.46	OCT. 10, 1968	A
MAR. 15, 1967	104.20						

10N/33W-28A1 S. J. SOARES. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION, DIAMETER 18 INCHES. DEPTH 374 FT., LSD 325 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 33.59 FT BELOW LSD, FEB. 26, 1968.  
 LOWEST STATIC WATER LEVEL 99.80 FT BELOW LSD, JAN. 1, 1966.  
 RECORDS AVAILABLE: 1929-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	99.8 G	DEC. 27, 1966	95.24	AUG. 30, 1967	59.28	APR. 26, 1968	37.90C
FEB. 24	95.25	JAN. 1, 1967	96.7 G	SEP. 29	52.05C	MAY 28	41.30C
MAR. 24	94.90C	JAN. 25	92.17	OCT. 1	49.3 G	JUNE 24	42.45
APR. 1	92.8 G	FEB. 27	89.75	NOV. 6	46.20	JULY 1	46.9 G
APR. 28	92.43C	MAR. 16	88.07	NOV. 28	43.17	JULY 26	50.55C
JULY 1	89.4 G	APR. 1	89.1 G	DEC. 26	38.57	AUG. 28	54.60C
JULY 28	93.64C	APR. 25	82.96	JAN. 1, 1968	41.2 G	SEP. 27	56.57C
AUG. 24	96.25C	MAY 24	82.30C	JAN. 26	38.46C	OCT. 1	54.2 G
SEP. 26	98.48C	JUNE 23	74.14	FEB. 26	33.59	OCT. 31	55.90
OCT. 1	94.8 G	JULY 1	73.5 G	MAR. 27	35.99C	NOV. 27	61.22C
OCT. 18	96.60C	JULY 26	68.30	APR. 1	33.7 G	DEC. 27	59.58
NOV. 29	96.24C						

10N/33W-28F1 S. L. P. HASLAM. 2.5 MILES NORTHWEST OF FUGLER POINT. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 16 INCHES, PERFORATED INTERVAL 149-154, 170-175, 196-216, 238-248, 291-311, 320-326, 342-348 FEET. DEPTH 450 FT., LSD 316 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 113.30 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 197.90 FT BELOW LSD, SEP. 29, 1966.  
 RECORDS AVAILABLE: 1933, 1936-37, 1942, 1947, 1949-50, 1955, 1958, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 29, 1966	197.90	NOV. 7, 1967	155.22	MAR. 19, 1968	113.3	OCT. 10, 1968	133.0
MAR. 20, 1967	184.88						

10N/33W-29F1 S. OWEN RICE. PRELL AND TELEPHONE ROADS. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE. DEPTH FT., LSD 315 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 208.70 FT BELOW LSD, NOV. 7, 1967.  
 LOWEST STATIC WATER LEVEL 216.95 FT BELOW LSD, SEP. 29, 1966.  
 RECORDS AVAILABLE: 1958, 1959, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 29, 1966	216.95	NOV. 7, 1967	208.70	MAR. 19, 1968	210.56	OCT. 16, 1968	A
MAR. 20, 1967	210.25						

## GROUND-WATER RECORDS, 1966-68

10N/33W-30G1 S. LILLIAN COOK NO. 1. DRILLED PUBLIC-SUPPLY WATER-TABLE WELL IN PASO ROBLES FORMATION, DIAMETER 16 INCHES. DEPTH 676 FT., LSD 320 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 110.20 FT BELOW LSD, APR. 1, 1968.  
 LOWEST STATIC WATER LEVEL 240.00 FT BELOW LSD, JULY 1, 1966.  
 RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	216.6 G	OCT. 1, 1966	233.7 G	JULY 1, 1967	234.8 G	APR. 1, 1968	110.2 G
APR. 1	223.8 G	JAN. 1, 1967	225.7 G	OCT. 1	232.0 G	JULY 1	217.3 G
JULY 1	240.0 G	APR. 1	223.5 G	JAN. 1, 1968	216.5 G	OCT. 1	221.5 G

10N/33W-30H1 S. LILLIAN COOK NO. 2. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION, DIAMETER 22 INCHES. DEPTH 758 FT., LSD 310 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 197.50 FT BELOW LSD, APR. 1, 1968.  
 LOWEST STATIC WATER LEVEL 229.50 FT BELOW LSD, JULY 1, 1966.  
 RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	208.0 G	OCT. 1, 1966	224.0 G	JULY 1, 1967	218.6 G	APR. 1, 1968	197.5 G
APR. 1	214.2 G	JAN. 1, 1967	214.0 G	OCT. 1	219.0 G	JULY 1	203.8 G
JULY 1	229.5 G	APR. 1	212.0 G	JAN. 1, 1968	206.1 G	OCT. 1	198.8 G

10N/33W-30M1 S. HANCOCK OIL CO. DRILLED INDUSTRIAL ARTESIAN WELL IN PASO ROBLES FORMATION, DIAMETER 16 INCHES. DEPTH 500 FT., LSD 310 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 213.10 FT BELOW LSD, APR. 1, 1968.  
 LOWEST STATIC WATER LEVEL 241.30 FT BELOW LSD, JULY 1, 1966.  
 RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	222.0 G	OCT. 1, 1966	238.0 G	JULY 1, 1967	238.5 G	APR. 1, 1968	213.1 G
APR. 1	226.6 G	JAN. 1, 1967	228.0 G	OCT. 1	N	JULY 1	N
JULY 1	241.3 G	APR. 1	226.2 G	JAN. 1, 1968	220.3 G	OCT. 1	223.7 G

10N/33W-30R1 S. SHEEHY BROS. DRILLED IRRIGATION WATER-TABLE WELL IN ORCUTT AND PASO ROBLES FORMATIONS, DIAMETER 16 1/2 - 14 1/2 INCHES. DEPTH 544 FT., LSD 335 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 200.20 FT BELOW LSD, APR. 1, 1968.  
 LOWEST STATIC WATER LEVEL 224.00 FT BELOW LSD, OCT. 1, 1966.  
 RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	209.0 G	OCT. 1, 1966	224.0 G	JULY 1, 1967	219.0 G	APR. 1, 1968	200.2 G
APR. 1	213.4 G	JAN. 1, 1967	215.0 G	OCT. 1	218.8 G	JULY 1	200.3 G
JULY 1	218.8 G	APR. 1	214.4 G	JAN. 1, 1968	207.9 G	OCT. 1	207.8 G

10N/33-33H1 S. F. J. CALDERONE. DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN PASO ROBLES FORMATION, DIAMETER 16 INCHES. DEPTH 290 FT., LSD 402 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 253.17 FT BELOW LSD, FEB. 25, 1966.  
 LOWEST STATIC WATER LEVEL 262.33 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	253.17	APR. 28, 1966	254.50	MAR. 15, 1967	256.90	MAR. 19, 1968	257.66
MAR. 24	253.20	OCT. 18	262.33	NOV. 6	261.40	OCT. 10	257.70

10N/33W-35C1 S. NEWHALL LAND COMPANY. FUGLER POINT. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND CAREAGA SAND (?) OF PLIOCENE, DIAMETER 20 INCHES. DEPTH FT., LSD FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 35.50 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 73.40 FT BELOW LSD, SEP. 29, 1966.  
 RECORDS AVAILABLE: 1947, 1955, 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 29, 1966	73.40	NOV. 6, 1967	A	MAR. 19, 1968	35.5	OCT. 10, 1968	55.37
MAR. 15, 1967	70.22						

10N/33W-36A1 S. LA BREA SECURITIES COMPANY. 3 MILES NORTH OF SISQUOC. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 16 INCHES, PERFORATED INTERVAL 30-76 FEET. DEPTH 162 FT., LSD 372 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 11.88 FT BELOW LSD, NOV. 6, 1967.  
 LOWEST STATIC WATER LEVEL 25.31 FT BELOW LSD, MAR. 15, 1967.  
 RECORDS AVAILABLE: 1940, 1951-53, 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 2, 1966	23.83	NOV. 6, 1967	11.88	MAR. 18, 1968	12.72	OCT. 10, 1968	19.70
MAR. 15, 1967	25.31						

10N/34W-2R1 S. GRACIO APPALATEQUI. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM AND PASO ROBLES FORMATION, DIAMETER 14 INCHES. DEPTH 294 FT., LSD 230 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 88.52 FT BELOW LSD, OCT. 26, 1967.  
 LOWEST STATIC WATER LEVEL 140.80 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1929-30, 1933, 1938-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	131.6 G	JULY 1, 1966	134.6 G	APR. 1, 1967	123.8 G	MAR. 12, 1968	105.91
FEB. 24	132.10	OCT. 1	136.1 G	JULY 1	106.9 G	APR. 1	101.6 G
MAR. 24	135.76	OCT. 18	140.80	OCT. 1	89.3 G	JULY 1	107.9 G
APR. 1	130.1 G	JAN. 1, 1967	129.2 G	OCT. 26	88.52	OCT. 1	116.7 G
APR. 28	135.80	MAR. 21	132.22	JAN. 1, 1968	94.9 G	OCT. 10	117.19

10N/34W-4R1 S. GERALD DONOVAN. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM AND PASO ROBLES FORMATION, DIAMETER 16 INCHES. DEPTH 186 FT., LSD 192 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 126.53 FT BELOW LSD, MAR. 12, 1968.  
 LOWEST STATIC WATER LEVEL 152.20 FT BELOW LSD, MAR. 21, 1967.  
 RECORDS AVAILABLE: 1930, 1942, 1945-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	A	APR. 28, 1966	A	MAR. 21, 1967	152.20	MAR. 12, 1968	126.53
MAR. 24	A	OCT. 18	A	NOV. 2	141.80	OCT. 10	A

10N/34W-6N1 S. GRISINGHER & SIGNORELLI. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 190 FT., LSD 152 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 109.60 FT BELOW LSD, JAN. 1, 1966.  
 LOWEST STATIC WATER LEVEL 122.50 FT BELOW LSD, OCT. 1, 1967.  
 RECORDS AVAILABLE: 1930, 1934, 1936-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	109.6 G	JULY 1, 1966	116.3 G	APR. 1, 1967	117.3 G	MAR. 11, 1968	A
FEB. 25	112.02	OCT. 1	119.3 G	JULY 1	117.5 G	APR. 1	111.3 G
MAR. 24	A	OCT. 19	118.95	OCT. 1	122.5 G	JULY 1	116.3 G
APR. 1	111.9 G	JAN. 1, 1967	119.3 G	NOV. 1	122.888	OCT. 1	112.2 G
APR. 29	N	MAR. 21	116.55	JAN. 1, 1968	116.0 G	OCT. 8	A

10N/34W-9L2 S. MRS. ANNIE E. PREISKER. DRILLED WATER-TABLE WELL IN ALLUVIUM AND PASO ROBLES FORMATION, DIAMETER 16 INCHES. DEPTH 232 FT., LSD 189 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 139.50 FT BELOW LSD, APR. 1, 1968, JULY 1, 1968.  
 LOWEST STATIC WATER LEVEL 153.50 FT BELOW LSD, OCT. 1, 1966.  
 RECORDS AVAILABLE: 1942, 1950, 1955, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	145.9 G	OCT. 1, 1966	153.5 G	JULY 1, 1967	148.9 G	APR. 1, 1968	139.5 G
APR. 1	145.7 G	JAN. 1, 1967	151.5 G	OCT. 1	151.3 G	JULY 1	139.5 G
JULY 1	149.2 G	APR. 1	149.8 G	JAN. 1, 1968	144.7 G	OCT. 1	141.8 G

## GROUND-WATER RECORDS, 1966-68

10N/34W-12P1 S. A. L. NICHOLSEN. EAST MAIN STREET AND SUEY ROAD. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 16 INCHES, PERFORATED INTERVAL 124-326 FEET. DEPTH 351 FT., LSD 244 FT. ABOVE MSL. HIGHEST WATER LEVEL 118.22 FT BELOW LSD, OCT. 26, 1967. LOWEST STATIC WATER LEVEL 157.16 FT BELOW LSD, MAR. 22, 1967. RECORDS AVAILABLE: 1933, 1944-45, 1950, 1958, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 2, 1966	A	OCT. 26, 1967	118.22	MAR. 12, 1968	118.82	OCT. 10, 1968	118.40
MAR. 22, 1967	157.16						

10N/34W-12P2 S. T. A. COSSA. 0.5 MILE EAST OF SANTA MARIA. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 14 INCHES. DEPTH 420 FT., LSD 245 FT. ABOVE MSL. HIGHEST WATER LEVEL 107.70 FT BELOW LSD, MAR. 12, 1968. LOWEST STATIC WATER LEVEL 155.10 FT BELOW LSD, MAR. 22, 1967. RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 2, 1966	A	OCT. 26, 1967	A	MAR. 12, 1968	107.70	OCT. 10, 1968	116.50
MAR. 22, 1967	155.10						

10N/34W-13C1 S. LA BREA SECURITIES COMPANY. 0.5 MILE EAST OF SANTA MARIA. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 16 INCHES, PERFORATED INTERVAL 125-175, 182-204 FEET. DEPTH 209 FT., LSD 249 FT. ABOVE MSL. HIGHEST WATER LEVEL 125.00 FT BELOW LSD, OCT. 27, 1967. LOWEST STATIC WATER LEVEL 157.33 FT BELOW LSD, MAR. 22, 1967. RECORDS AVAILABLE: 1941, 1950, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 2, 1966	A	OCT. 27, 1967	125.00	MAR. 12, 1968	125.60	OCT. 16, 1968	135.56
MAR. 22, 1967	157.33						

10N/34W-13G1 S. LA BREA SECURITIES COMPANY. ROSEMARY ROAD AND SANTA MARIA VALLEY RAILROAD. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 16 INCHES, PERFORATED INTERVAL 136-160, 165-170, 344-360, 363-373, 390-395 FEET. DEPTH 450 FT., LSD 253 FT. ABOVE MSL. HIGHEST WATER LEVEL 109.97 FT BELOW LSD, MAR. 12, 1968. LOWEST STATIC WATER LEVEL 157.58 FT BELOW LSD, MAR. 22, 1967. RECORDS AVAILABLE: 1934-35, 1940-41, 1953, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 2, 1966	A	OCT. 27, 1967	124.95	MAR. 12, 1968	109.97	OCT. 16, 1968	114.62
MAR. 22, 1967	157.58						

10N/34W-13J1 S. LA BREA SECURITIES COMPANY. 2 MILES SOUTHEAST OF SANTA MARIA. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 16 INCHES. DEPTH 308 FT., LSD 260 FT. ABOVE MSL. HIGHEST WATER LEVEL 104.32 FT BELOW LSD, MAR. 13, 1968. LOWEST STATIC WATER LEVEL 156.43 FT BELOW LSD, MAR. 22, 1967. RECORDS AVAILABLE: 1948-52, 1955, 1959, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 2, 1966	A	OCT. 27, 1967	A	MAR. 13, 1968	104.32	OCT. 16, 1968	108.77
MAR. 22, 1967	156.43						

10N/34W-14E5 S. CITY OF SANTA MARIA NO. 4. INTERSECTION OF BOONE & MCCLELLAND STREETS, SANTA MARIA. DRILLED PUBLIC SUPPLY WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE & PLEISTOCENE (?) AGE, DIAMETER 16 INCHES. DEPTH 500 FT., LSD 221 FT. ABOVE MSL. HIGHEST WATER LEVEL 148.86 FT BELOW LSD, JUNE 24, 1968. LOWEST STATIC WATER LEVEL 177.25 FT BELOW LSD, OCT. 24, 1966. RECORDS AVAILABLE: 1951, 1955, 1957, 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 26, 1966	170.36	OCT. 24, 1966	177.25	JULY 26, 1967	174.02	APR. 24, 1968	150.69
FEB. 28	169.80	NOV. 29	176.32	AUG. 30	172.82	MAY 27	150.03
MAR. 24	171.20	DEC. 27	175.83	SEP. 29	169.75	JUNE 24	148.86
APR. 28	171.80	JAN. 25, 1967	176.50	OCT. 26	168.60	JULY 24	150.10
MAY 27	172.50	FEB. 27	A	NOV. 28	164.86	AUG. 26	150.79
JUNE 27	171.23	MAR. 22	174.69	DEC. 26	160.18	SEP. 24	153.54
JULY 28	174.34	APR. 25	173.75	JAN. 26, 1968	156.48	OCT. 28	149.86
AUG. 24	175.17	MAY 24	174.06	FEB. 26	153.28	NOV. 25	149.61
SEP. 23	177.12	JUNE 23	174.35	MAR. 27	150.84	DEC. 23	149.54

10N/34W-20H1 S. LEO TOGNAZZINI. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM AND PASO ROBLES FORMATION, DIAMETER 16 INCHES. DEPTH 142 FT., LSD 182 FT. ABOVE MSL. HIGHEST WATER LEVEL 132.48 FT BELOW LSD, FEB. 25, 1966. LOWEST STATIC WATER LEVEL 144.16 FT BELOW LSD, NOV. 2, 1967. RECORDS AVAILABLE: 1930, 1942, 1944-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	132.48	APR. 29, 1966	136.25	MAR. 21, 1967	N	MAR. 12, 1968	142.02
MAR. 24	133.28	OCT. 18	N	NOV. 2	144.16	OCT. 10	140.14

10N/34W-20H3 S. LEO TOGNAZZINI. 2 MILES SOUTHWEST OF SANTA MARIA. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 16 INCHES, PERFORATED INTERVAL 134-172, 182-234 FEET. DEPTH 252 FT., LSD 182 FT. ABOVE MSL. HIGHEST WATER LEVEL 137.80 FT BELOW LSD, MAR. 21, 1967. LOWEST STATIC WATER LEVEL 143.62 FT BELOW LSD, NOV. 2, 1967. RECORDS AVAILABLE: 1957, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 18, 1966	A	NOV. 2, 1967	143.62	MAR. 12, 1968	141.82	OCT. 10, 1968	138.49
MAR. 21, 1967	137.80						

10N/34W-22R1 S. GEORGE J. WHEAT. DRILLED INDUSTRIAL WATER-TABLE WELL IN ALLUVIUM AND PASO ROBLES FORMATION, DIAMETER 16 INCHES. DEPTH 252 FT., LSD 217 FT. ABOVE MSL. HIGHEST WATER LEVEL 163.00 FT BELOW LSD, OCT. 1, 1968. LOWEST STATIC WATER LEVEL 175.70 FT BELOW LSD, OCT. 1, 1967. RECORDS AVAILABLE: 1931, 1934, 1938-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	167.5 G	OCT. 1, 1966	174.2 G	JULY 1, 1967	172.2 G	APR. 1, 1968	165.8 G
APR. 1	167.5 G	JAN. 1, 1967	172.8 G	OCT. 1	175.7 G	JULY 1	166.1 G
JULY 1	170.9 G	APR. 1	171.5 G	JAN. 1, 1968	171.8 G	OCT. 1	163.0 G

10N/34W-23H1 S. MARION B. RICE. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM AND PASO ROBLES FORMATION, DIAMETER 18 INCHES. DEPTH 218 FT., LSD 242 FT. ABOVE MSL. HIGHEST WATER LEVEL 162.63 FT BELOW LSD, OCT. 17, 1968. LOWEST STATIC WATER LEVEL 185.70 FT BELOW LSD, APR. 28, 1966. RECORDS AVAILABLE: 1929-30, 1933, 1938-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	171.5 G	JULY 1, 1966	184.3 G	APR. 1, 1967	177.0 G	MAR. 19, 1968	165.45
FEB. 24	171.29	OCT. 1	183.4 G	JULY 1	183.0 G	APR. 1	164.0 G
MAR. 24	173.40	OCT. 18	182.10	OCT. 1	180.5 G	JULY 1	174.1 G
APR. 1	174.4 G	JAN. 1, 1967	178.0 G	OCT. 27	A	OCT. 1	165.9 G
APR. 28	185.70	MAR. 27	185.17	JAN. 1, 1968	171.2 G	OCT. 17	162.63

## GROUND-WATER RECORDS, 1966-68

10N/34W-24K2 S. UNION OIL BATTLES NO. 2. DRILLED INDUSTRIAL ARTESIAN WELL IN PASO ROBLES FORMATION, DIAMETER 16 INCHES. DEPTH 760 FT., LSD 244 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 154.30 FT BELOW LSD, APR. 1, 1968.  
 LOWEST STATIC WATER LEVEL 188.10 FT BELOW LSD, JULY 1, 1966.  
 RECORDS AVAILABLE: 1946, 1948-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	162.2 G	OCT. 1, 1966	187.0 G	JULY 1, 1967	180.0 G	APR. 1, 1968	154.3 G
APR. 1	172.6 G	JAN. 1, 1967	176.7 G	OCT. 1	176.5 G	JULY 1	176.2 G
JULY 1	188.1 G	APR. 1	170.5 G	JAN. 1, 1968	162.8 G	OCT. 1	169.7 G

10N/34W-24K3 S. UNION OIL BATTLES NO. 3. DRILLED INDUSTRIAL ARTESIAN WELL IN PASO ROBLES FORMATION, DIAMETER 16 INCHES. DEPTH 792 FT., LSD 245 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 143.80 FT BELOW LSD, APR. 1, 1968.  
 LOWEST STATIC WATER LEVEL 188.00 FT BELOW LSD, OCT. 1, 1966.  
 RECORDS AVAILABLE: 1947-52, 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	154.4 G	OCT. 1, 1966	188.0 G	JULY 1, 1967	170.2 G	APR. 1, 1968	143.8 G
APR. 1	162.0 G	JAN. 1, 1967	179.0 G	OCT. 1	178.3 G	JULY 1	167.4 G
JULY 1	179.5 G	APR. 1	162.4 G	JAN. 1, 1968	154.5 G	OCT. 1	153.2 G

10N/34W-26H2 S. BRADLEY LAND COMPANY. INTERSECTION OF PRELL AND BRADLEY ROADS. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE. DEPTH FT., LSD 260 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 210.25 FT BELOW LSD, SEP. 21, 1966.  
 LOWEST STATIC WATER LEVEL 212.00 FT BELOW LSD, MAR. 22, 1967.  
 RECORDS AVAILABLE: 1958-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 21, 1966	210.25	NOV. 2, 1967	A	MAR. 13, 1968	211.8	OCT. 17, 1968	A
MAR. 22, 1967	212.00						

10N/34W-31D1 S. UNION SUGAR COMPANY. 0.5 MILE SOUTHEAST OF BETTERAVIA. DRILLED INDUSTRIAL WATER-TABLE WELL IN ORCUTT FORMATION OF PLEISTOCENE AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 16 INCHES, PERFORATED INTERVAL 120-160 FEET. DEPTH 175 FT., LSD 184 FT.  
 HIGHEST WATER LEVEL 138.70 FT BELOW LSD, MAR. 20, 1967.  
 LOWEST STATIC WATER LEVEL 138.70 FT BELOW LSD, MAR. 20, 1967.  
 RECORDS AVAILABLE: 1942, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 3, 1966	A	NOV. 2, 1967	N	MAR. 11, 1968	M	OCT. 8, 1968	A
MAR. 20, 1967	138.70						

10N/34W-31F2 S. UNION SUGAR COMPANY. 1 MILE SOUTHEAST OF BETTERAVIA. DRILLED IRRIGATION WATER-TABLE WELL IN ORCUTT FORMATION OF PLEISTOCENE AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 10 INCHES. DEPTH FT., LSD 182 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 136.36 FT BELOW LSD, MAR. 20, 1967.  
 LOWEST STATIC WATER LEVEL 140.96 FT BELOW LSD, MAR. 11, 1968.  
 RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 20, 1967	136.36	NOV. 2, 1967	145.888	MAR. 11, 1968	140.96	OCT. 8, 1968	A

10N/34W-31L2 S. UNION SUGAR COMPANY. 1.5 MILES SOUTHEAST OF BETTERAVIA. DRILLED DOMESTIC WATER-TABLE WELL IN ORCUTT FORMATION OF PLEISTOCENE AGE, DIAMETER 8 INCHES, PERFORATED INTERVAL 120-140 FEET. DEPTH 140 FT., LSD 175 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 127.90 FT BELOW LSD, AUG. 3, 1966.  
 LOWEST STATIC WATER LEVEL 139.22 FT BELOW LSD, OCT. 8, 1968.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 3, 1966	127.90	NOV. 2, 1967	130.90	MAR. 11, 1968	131.10	OCT. 8, 1968	139.22
MAR. 20, 1967	129.45						



10N/34W-34G2 S. COUNTY OF SANTA BARBARA. WALLER COUNTY PARK. DRILLED PUBLIC SUPPLY AND IRRIGATION WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 14 1/2 INCHES, PERFORATED INTERVAL 250-325, 390-465, 610-700 FEET. DEPTH 700 FT., LSD 263 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 202.70 FT BELOW LSD, MAR. 21, 1967.  
LOWEST STATIC WATER LEVEL 214.80 FT BELOW LSD, OCT. 8, 1968.  
RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1967	202.7	NOV. 2, 1967	212.70	MAR. 12, 1968	204.8	OCT. 8, 1968	214.8

10N/35W-6A1 S. USGS, UNION OIL CO. DRILLED OBSERVATION WATER-TABLE WELL IN DUNE SAND, DIAMETER 1 1/4 INCHES. DEPTH 33.5 FT., LSD 72 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 14.00 FT BELOW LSD, MAR. 17, 1967.  
LOWEST STATIC WATER LEVEL 15.47 FT BELOW LSD, OCT. 10, 1968.  
RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	14.72	APR. 29, 1966	14.63	MAR. 17, 1967	14.00	MAR. 12, 1968	14.38
MAR. 25	14.62	OCT. 24	15.00	NOV. 8	15.00	OCT. 10	15.47

10N/35W-6A2 S. USGS, UNION OIL CO. DRILLED OBSERVATION WATER-TABLE WELL IN DUNE SAND, DIAMETER 1 1/4 INCHES. DEPTH 20 FT., LSD 72 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 14.26 FT BELOW LSD, MAR. 17, 1967.  
LOWEST STATIC WATER LEVEL 15.71 FT BELOW LSD, OCT. 10, 1968.  
RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	14.93	APR. 29, 1966	14.92	MAR. 17, 1967	14.26	MAR. 12, 1968	14.64
MAR. 25	14.90	OCT. 24	15.22	NOV. 8	15.24	OCT. 10	15.71

10N/35W-6A3 S. USGS, UNION OIL CO. DRILLED OBSERVATION WATER-TABLE WELL IN DUNE SAND, DIAMETER 1 1/4 INCHES. DEPTH 117.6 FT., LSD 72 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 31.00 FT BELOW LSD, FEB. 25, 1966.  
LOWEST STATIC WATER LEVEL 41.59 FT BELOW LSD, OCT. 24, 1966.  
RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	31.00	APR. 29, 1966	40.55	MAR. 17, 1967	31.60	MAR. 12, 1968	31.83
MAR. 25	36.88	OCT. 24	41.59	NOV. 8	40.80	OCT. 10	40.55

10N/35W-7F1 S. M. J. ELLIS. NEAR GUADALUPE. DRILLED DOMESTIC AND IRRIGATION ARTESIAN WELL IN ALLUVIUM AND PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE (?) AGE, DIAMETER 12 INCHES. DEPTH 249 FT., LSD 48 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 19.40 FT BELOW LSD, JAN. 1, 1966.  
LOWEST STATIC WATER LEVEL 33.30 FT BELOW LSD, JULY 1, 1966.  
RECORDS AVAILABLE: 1929-36, 1938-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	19.4 G	JULY 1, 1966	33.3 G	APR. 1, 1967	23.9 G	MAR. 11, 1968	21.39
FEB. 25	22.41	OCT. 1	32.4 G	JULY 1	25.5 G	APR. 1	23.2 G
MAR. 24	25.81	OCT. 19	32.47	OCT. 1	31.2 G	JULY 1	31.9 G
APR. 1	27.4 G	JAN. 1, 1967	24.2 G	NOV. 2	30.87	OCT. 1	31.8 G
MAY 2	30.20	MAR. 17	21.20	JAN. 1, 1968	22.5 G	OCT. 7	31.42

10N/35W-7G3 S. JOHN JENKINS. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM AND PASO ROBLES FORMATION, DIAMETER 16 INCHES. DEPTH 286 FT., LSD 53 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 32.25 FT BELOW LSD, MAR. 21, 1967.  
LOWEST STATIC WATER LEVEL 43.88 FT BELOW LSD, OCT. 19, 1966.  
RECORDS AVAILABLE: 1942-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	32.45	MAY 2, 1966	40.87	MAR. 21, 1967	32.25	MAR. 11, 1968	N
MAR. 24	35.91	OCT. 19	43.88	NOV. 2	42.98C	OCT. 7	42.40

## GROUND-WATER RECORDS, 1966-68

10N/35W-9F1 S. WALLER FLOWER SEED CO. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 198 FT., LSD 88 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 52.30 FT BELOW LSD, JAN. 1, 1966.  
 LOWEST STATIC WATER LEVEL 70.40 FT BELOW LSD, OCT. 1, 1968.  
 RECORDS AVAILABLE: 1930, 1933, 1935-36, 1938-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	52.3 G	JULY 1, 1966	69.0 G	APR. 1, 1967	60.1 G	MAR. 11, 1968	55.05
FEB. 25	57.11	OCT. 1	66.3 G	JULY 1	68.1 G	APR. 1	56.5 G
MAR. 24	62.07	OCT. 19	69.37	OCT. 1	67.4 G	JULY 1	61.3 G
APR. 1	63.4 G	JAN. 1, 1967	60.0 G	NOV. 2	68.91	OCT. 1	70.4 G
APR. 29	A	MAR. 17	55.44	JAN. 1, 1968	57.0 G	OCT. 7	68.04

10N/35W-9N1 S. AGNES F. KING. DRILLED IRRIGATION ARTESIAN WELL IN PASO ROBLES FORMATION, DIAMETER 16 INCHES. DEPTH 285 FT., LSD 87 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 48.10 FT BELOW LSD, JAN. 1, 1966.  
 LOWEST STATIC WATER LEVEL 66.30 FT BELOW LSD, OCT. 1, 1968.  
 RECORDS AVAILABLE: 1930, 1938-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	48.1 G	OCT. 1, 1966	62.1 G	JULY 1, 1967	64.3 G	APR. 1, 1968	51.7 G
APR. 1	52.2 G	JAN. 1, 1967	54.3 G	OCT. 1	62.3 G	JULY 1	64.7 G
JULY 1	64.6 G	APR. 1	55.0 G	JAN. 1, 1968	51.5 G	OCT. 1	66.3 G

10N/35W-9N3 S. USGS, UNION SUGAR CO. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 26 FT., LSD 87 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 14.86 FT BELOW LSD, MAR. 25, 1966.  
 LOWEST STATIC WATER LEVEL 18.10 FT BELOW LSD, OCT. 7, 1968.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	15.73C	MAY 2, 1966	16.25C	MAR. 17, 1967	15.06	MAR. 8, 1968	17.20C
MAR. 25	14.86C	OCT. 19	15.38C	NOV. 2	16.24	OCT. 7	18.10

10N/35W-9N4 S. USGS, UNION SUGAR CO. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 67 FT., LSD 87 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 36.82 FT BELOW LSD, MAR. 15, 1967.  
 LOWEST STATIC WATER LEVEL 46.24 FT BELOW LSD, OCT. 7, 1968.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	37.50C	MAY 2, 1966	44.15	MAR. 15, 1967	36.82	MAR. 8, 1968	38.14C
MAR. 25	41.36C	OCT. 19	43.86C	NOV. 2	44.02	OCT. 7	46.24

10N/35W-11E2 S. MARIA ESTACIA. 0.2 MILE EAST OF GUADALUPE. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM OF RECENT AGE. DEPTH 203 FT., LSD 122 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 98.58 FT BELOW LSD, NOV. 2, 1967.  
 LOWEST STATIC WATER LEVEL 106.38 FT BELOW LSD, OCT. 9, 1968.  
 RECORDS AVAILABLE: 1937, 1942, 1949-50, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 21, 1967	99.49	NOV. 2, 1967	98.58	MAR. 11, 1968	99.66	OCT. 9, 1968	106.38

10N/35W-12M1 S. E. AND G. LEROY. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 210 FT., LSD 138 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 59.88 FT BELOW LSD, MAY 2, 1966.  
 LOWEST STATIC WATER LEVEL 111.40 FT BELOW LSD, OCT. 1, 1967.  
 RECORDS AVAILABLE: 1924, 1927, 1930-32, 1935, 1938-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	97.1 G	OCT. 1, 1966	108.9 G	JULY 1, 1967	105.6 G	APR. 1, 1968	99.0 G
APR. 1	101.2 G	JAN. 1, 1967	104.4 G	OCT. 1	111.4 G	JULY 1	102.2 G
MAY 2	59.88	APR. 1	102.1 G	JAN. 1, 1968	101.4 G	OCT. 1	105.0 G
JULY 1	108.2 G						

10N/35W-14L1 S. UNION SUGAR COMPANY. 2 MILES SOUTHEAST OF GUADALUPE. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 12 INCHES, PERFORATED INTERVAL 89-109, 123-129, 148-163, 178-191, 208-222 FEET. DEPTH 224 FT., LSD 102 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 44.84 FT BELOW LSD, MAR. 17, 1967.  
 LOWEST STATIC WATER LEVEL 48.86 FT BELOW LSD, OCT. 9, 1968.  
 RECORDS AVAILABLE: 1936, 1942, 1950, 1952, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 15, 1966.	A	NOV. 14, 1967	47.70	MAR. 12, 1968	A	OCT. 9, 1968	48.86
MAR. 17, 1967	44.84						

10N/35W-18F1 S. UNION SUGAR COMPANY. 2 MILES SOUTHWEST OF GUALALUPE. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 16 INCHES. DEPTH 187 FT., LSD 49 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 18.70 FT BELOW LSD, MAR. 21, 1967.  
 LOWEST STATIC WATER LEVEL 29.10 FT BELOW LSD, OCT. 7, 1968.  
 RECORDS AVAILABLE: 1927, 1940, 1942, 1950, 1958-59, 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 15, 1966	27.98	NOV. 2, 1967	A	MAR. 11, 1968	19.95	OCT. 7, 1968	29.10
MAR. 21, 1967	18.70						

10N/35W-18F2 S. UNION SUGAR CO. DEPTH FT., LSD 49 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 29.13 FT BELOW LSD, OCT. 7, 1968.  
 LOWEST STATIC WATER LEVEL 29.13 FT BELOW LSD, OCT. 7, 1968.  
 RECORDS AVAILABLE: 1968.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 7, 1968	29.13						

10N/35W-21B1 S. THOMAS J. BRUCKER. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 310 FT., LSD 94 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 46.90 FT BELOW LSD, JAN. 1, 1966.  
 LOWEST STATIC WATER LEVEL 68.75 FT BELOW LSD, SEP. 27, 1968.  
 RECORDS AVAILABLE: 1938-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	46.9 G	NOV. 29, 1966	51.59	AUG. 30, 1967	A	APR. 29, 1968	A
FEB. 26	53.15A	DEC. 27	51.25	SEP. 29	A	MAY 28	A
MAR. 25	A	JAN. 1, 1967	58.3 G	OCT. 1	65.1 G	JUNE 26	68.39
APR. 1	56.9 G	FEB. 27	52.30	NOV. 2	68.67B	JULY 1	55.6 G
MAY 2	59.88	MAR. 17	48.77	NOV. 29	53.17	JULY 24	A
JULY 1	60.8 G	APR. 1	56.4 G	DEC. 27	54.51	AUG. 29	A
JULY 28	65.83	APR. 27	47.10	JAN. 1, 1968	51.3 G	SEP. 27	68.75
AUG. 24	65.76	MAY 24	A	JAN. 29	58.27	OCT. 1	54.9 G
SEP. 26	62.22	JUNE 23	A	FEB. 28	50.84	OCT. 30	56.33
OCT. 1	60.3 G	JULY 1	58.8 G	MAR. 29	A	NOV. 26	A
OCT. 19	A	JULY 26	67.70	APR. 1	51.4 G	DEC. 27	63.58

10N/35W-23M2 S. FERRINNI ESTATE. NEAR BETTERAVIA JUNCTION. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM OF RECENT AGE AND ORCUTT FORMATION (?) OF PLEISTOCENE, DIAMETER 16 INCHES. DEPTH 180 FT., LSD 120 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 84.17 FT BELOW LSD, MAR. 12, 1968.  
 LOWEST STATIC WATER LEVEL 98.00 FT BELOW LSD, SEP. 15, 1966.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 15, 1966	98.00	NOV. 14, 1967	89.28	MAR. 12, 1968	84.17	OCT. 9, 1968	91.10
MAR. 17, 1967	88.67						

## GROUND-WATER RECORDS, 1966-68

10N/35W-24B1 S. USGS, UNION SUGAR CO. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM AND PASO ROBLES FORMATION, DIAMETER 16 INCHES. DEPTH 290 FT., LSD 144 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 102.60 FT BELOW LSD, JAN. 1, 1966.  
 LOWEST STATIC WATER LEVEL 127.83 FT BELOW LSD, OCT. 18, 1966.  
 RECORDS AVAILABLE: 1938-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	102.6 G	JULY 1, 1966	N	APR. 1, 1967	106.9 G	MAR. 12, 1968	105.80
FEB. 25	A	OCT. 1	N	JULY 1	113.8 G	APR. 1	106.5 G
MAR. 25	A	OCT. 18	127.83	OCT. 1	124.6 G	JULY 1	114.0 G
APR. 1	107.0 G	JAN. 1, 1967	110.3 G	NOV. 14	A	OCT. 1	116.2 G
MAY 2	115.20	MAR. 17	106.60	JAN. 1, 1968	109.4 G	OCT. 9	A

10N/35W-25M1 S. UNION SUGAR COMPANY. NEAR BETTERAVIA. DRILLED INDUSTRIAL AND IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, ORCUTT FORMATION (?) OF PLEISTOCENE, AND PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 16 INCHES, PERFORATED INTERVAL 74-85, 100-114, 180-207, 268-274 FEET. DEPTH 315 FT., LSD 98 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 67.55 FT BELOW LSD, MAR. 17, 1967.  
 LOWEST STATIC WATER LEVEL 78.78 FT BELOW LSD, OCT. 9, 1968.  
 RECORDS AVAILABLE: 1937, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 15, 1966	76.60	NOV. 14, 1967	N	MAR. 12, 1968	N	OCT. 9, 1968	78.78
MAR. 17, 1967	67.55						

10N/36W-1H1 S. UNION OIL COMPANY OF CALIFORNIA. IN GUADALUPE OIL FIELD. DRILLED INDUSTRIAL ARTESIAN WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 8 INCHES, PERFORATED INTERVAL 265-305, 348-352, 360-370, FEET. DEPTH 370 FT., LSD 150 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 116.30 FT BELOW LSD, MAR. 17, 1967.  
 LOWEST STATIC WATER LEVEL 122.17 FT BELOW LSD, OCT. 10, 1968.  
 RECORDS AVAILABLE: 1961, 1964, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 17, 1967	116.30	NOV. 8, 1967	A	MAR. 12, 1968	A	OCT. 10, 1968	122.17

10N/36W-2G1 S. USGS, SUGAR CO. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 152 FT., LSD 15 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 4.59 FT BELOW LSD, FEB. 28, 1968.  
 LOWEST STATIC WATER LEVEL 11.97 FT BELOW LSD, JULY 26, 1968.  
 RECORDS AVAILABLE: 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	5.36	OCT. 24, 1966	10.01	JULY 26, 1967	11.09	APR. 29, 1968	9.95
MAR. 25	7.85	NOV. 29	8.00	AUG. 30	10.90	MAY 28	11.01
APR. 29	10.24	DEC. 27	6.44	SEP. 29	10.16	JUNE 27	11.33
MAY 27	10.50	JAN. 26, 1967	6.16	NOV. 8	9.45	JULY 26	11.97
JUNE 27	10.59	FEB. 27	6.32	NOV. 29	6.82	AUG. 29	11.56
JULY 20	N	MAR. 22	6.15	DEC. 27	5.84	SEP. 27	10.88
AUG. 10	10.67	APR. 25	5.15	JAN. 29, 1968	5.40	OCT. 30	8.29
AUG. 24	10.49	MAY 24	8.74	FEB. 28	4.59	NOV. 27	7.06
SEP. 23	10.88	JUNE 23	9.35	MAR. 29	6.90	DEC. 26	5.87

10N/36W-2G2 S. USGS, UNION OIL CO. DRILLED OBSERVATION WATER-TABLE WELL IN DUNE SAND, DIAMETER 1 1/4 INCHES. DEPTH 30 FT., LSD 15 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 10.04 FT BELOW LSD, SEP. 23, 1966.  
 LOWEST STATIC WATER LEVEL 11.63 FT BELOW LSD, SEP. 27, 1968.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	10.30	DEC. 27, 1966	11.00	SEP. 29, 1967	11.30	MAY 28, 1968	11.04
MAR. 25	10.46	JAN. 26, 1967	10.77	NOV. 8	11.33	JUNE 27	11.24
APR. 29	10.67	FEB. 27	10.73	NOV. 29	11.10	JULY 26	11.38
JULY 28	N	MAR. 22	10.58	DEC. 27	10.82	AUG. 29	11.59
AUG. 10	N	APR. 25	10.25	JAN. 29, 1968	10.78	SEP. 27	11.63
AUG. 23	11.44	MAY 24	10.40	FEB. 28	10.71	OCT. 30	11.40
SEP. 23	10.04	JUNE 23	10.66	MAR. 29	10.62	NOV. 27	11.27
OCT. 24	11.45	JULY 26	10.94	APR. 29	10.82	DEC. 26	11.09
NOV. 29	11.35	AUG. 30	11.20				

10N/36W-12K2 S. USGS, UNION SUGAR CO. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 53 FT., LSD 30 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 1.33 FT BELOW LSD, MAR. 24, 1966.  
 LOWEST STATIC WATER LEVEL 2.58 FT BELOW LSD, FEB. 25, 1966.  
 RECORDS AVAILABLE: 1962-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	2.58	MAY 2, 1966	1.75	MAR. 17, 1967	1.60	NOV. 13, 1967	0
MAR. 24	1.33	OCT. 19	2.30				

10N/36W-12K3 S. USGS, UNION SUGAR CO. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 28.4 FT., LSD 30 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 2.30 FT BELOW LSD, MAR. 24, 1966.  
 LOWEST STATIC WATER LEVEL 3.08 FT BELOW LSD, OCT. 19, 1966.  
 RECORDS AVAILABLE: 1962-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	2.64	MAY 2, 1966	2.48	MAR. 17, 1967	2.64	NOV. 13, 1967	0
MAR. 24	2.30	OCT. 19	3.08				

10N/36W-12P1 S. USGS, UNION SUGAR CO. DRILLED DOMESTIC AND STOCK ARTESIAN WELL IN ALLUVIUM, DIAMETER 4 INCHES. DEPTH 172 FT., LSD 28 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 2.58 FT BELOW LSD, MAR. 17, 1967.  
 LOWEST STATIC WATER LEVEL 7.50 FT BELOW LSD, OCT. 9, 1968.  
 RECORDS AVAILABLE: 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	N	MAY 2, 1966	A	MAR. 17, 1967	2.58	MAR. 12, 1968	3.20
MAR. 24	3.55	OCT. 19	N	NOV. 13	6.30	OCT. 9	7.50

10N/36W-14H1 S. UNION OIL COMPANY OF CALIFORNIA. 3.5 MILES WEST OF GUADALUPE. DRILLED ABANDONED WATER-TABLE WELL IN ORCUTT FORMATION OF PLEISTOCENE AGE, DIAMETER 12 INCHES, PERFORATED INTERVAL IS 240-267 FEET. DEPTH 275 FT., LSD 160 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 104.65 FT BELOW LSD, MAR. 16, 1967.  
 LOWEST STATIC WATER LEVEL 110.08 FT BELOW LSD, OCT. 9, 1968.  
 RECORDS AVAILABLE: 1951, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 16, 1967	104.65	NOV. 13, 1967	108.18	MAR. 12, 1968	104.80	OCT. 9, 1968	110.08

11N/34W-17N3 S. J. R. DRUM. 1 MILE SOUTHWEST OF NIPOMO. DRILLED DOMESTIC WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE. DEPTH FT., LSD 370 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 156.70 FT BELOW LSD, MAR. 13, 1967.  
 LOWEST STATIC WATER LEVEL 159.90 FT BELOW LSD, AUG. 16, 1966.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 16, 1966	159.9	NOV. 8, 1967	159.60	MAR. 11, 1968	156.8	OCT. 10, 1968	156.8
MAR. 13, 1967	156.7						

11N/34W-18K2 S. CHARLES SHAW. 1 MILE SOUTHWEST OF NIPOMO. DRILLED DOMESTIC WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 6 INCHES, PERFORATED INTERVAL 262-270, 272-276, 281-290 FEET. DEPTH 290 FT., LSD 360 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 267.20 FT BELOW LSD, SEP. 9, 1966.  
 LOWEST STATIC WATER LEVEL 279.90 FT BELOW LSD, OCT. 10, 1968.  
 RECORDS AVAILABLE: 1957, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 9, 1966	267.20	NOV. 8, 1967	277.30	MAR. 11, 1968	279.65	OCT. 10, 1968	279.90
MAR. 13, 1967	277.10						

## GROUND-WATER RECORDS, 1966-68

11N/34W-19Q1 S. FRANK SILVA. DRILLED DOMESTIC WATER-TABLE WELL IN ORCUTT AND PASO ROBLES FORMATIONS, DIAMETER 6 INCHES. DEPTH 315 FT., LSD 305 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 265.05 FT BELOW LSD, MAR. 11, 1968.  
 LOWEST STATIC WATER LEVEL 281.53 FT BELOW LSD, MAR. 13, 1967.  
 RECORDS AVAILABLE: 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	265.35	APR. 29, 1966	270.95	MAR. 13, 1967	281.53	MAR. 11, 1968	265.05
MAR. 24	266.78	OCT. 19	276.95	NOV. 8	273.80	OCT. 9	275.10

11N/34W-21R1 S. FILIPPONI. 2 MILES SOUTHEAST OF NIPOMO. DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN ORCUTT FORMATION OF PLEISTOCENE AGE, DIAMETER 6 INCHES. DEPTH 122 FT., LSD 300 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 103.00 FT BELOW LSD, AUG. 16, 1966.  
 LOWEST STATIC WATER LEVEL 103.00 FT BELOW LSD, AUG. 16, 1966.  
 RECORDS AVAILABLE: 1960, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 16, 1966	103.00	NOV. 8, 1967	N	MAR. 11, 1968	N	OCT. 10, 1968	N
MAR. 17, 1967	N						

11N/34W-27D1 S. PACIFIC GAS AND ELECTRIC COMPANY. 3 MILES SOUTHEAST OF NIPOMO. DRILLED UNUSED WATER-TABLE WELL IN ORCUTT FORMATION OF PLEISTOCENE AGE, DIAMETER 8 INCHES. DEPTH 166 FT., LSD FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 122.37 FT BELOW LSD, NOV. 7, 1967.  
 LOWEST STATIC WATER LEVEL 140.55 FT BELOW LSD, AUG. 16, 1966.  
 RECORDS AVAILABLE: 1960, 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 16, 1966	140.55	NOV. 7, 1967	122.37	MAR. 11, 1968	132.07	OCT. 10, 1968	122.65
MAR. 13, 1967	122.73						

11N/34W-27G2 S. J. MOSS. 3 MILES SOUTHEAST OF NIPOMO. DRILLED DOMESTIC WATER-TABLE WELL IN ORCUTT FORMATION OF PLEISTOCENE AGE, DIAMETER 8 INCHES. DEPTH 148 FT., LSD 255 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 81.40 FT BELOW LSD, NOV. 8, 1967.  
 LOWEST STATIC WATER LEVEL 95.75 FT BELOW LSD, OCT. 10, 1968.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 9, 1966	86.25	NOV. 8, 1967	81.40	MAR. 11, 1968	88.46	OCT. 10, 1968	95.75
MAR. 13, 1967	84.32						

11N/34W-27P1 S. COMMERCIAL DEVELOPEMENT COMPANY. 3.5 MILES SOUTHEAST OF NIPOMO. DRILLED PUBLIC SUPPLY WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLEISTOCENE AGE, DIAMETER 8 INCHES. DEPTH 185 FT., LSD 287 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 137.45 FT BELOW LSD, MAR. 13, 1967.  
 LOWEST STATIC WATER LEVEL 155.56 FT BELOW LSD, MAR. 11, 1968.  
 RECORDS AVAILABLE: 1960, 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 12, 1966	138.77	NOV. 7, 1967	142.88	MAR. 11, 1968	155.56	OCT. 10, 1968	143.15
MAR. 13, 1967	137.45						

11N/34W-28F1 S. DONOVAN. 2.5 MILES SOUTH OF NIPOMO. DRILLED ABANDONED WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLEISTOCENE AGE. DEPTH 250 FT., LSD 316 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 211.70 FT BELOW LSD, MAR. 11, 1968.  
 LOWEST STATIC WATER LEVEL 218.84 FT BELOW LSD, OCT. 10, 1968.  
 RECORDS AVAILABLE: 1960, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 12, 1966	217.32	NOV. 7, 1967	213.52	MAR. 11, 1968	211.70	OCT. 10, 1968	218.84
MAR. 13, 1967	217.55						

## SANTA BARBARA COUNTY

211

11N/34W-29R1 S. S. M. JACKSON. 3 MILES SOUTH OF NIPOMO. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 16 INCHES, PERFORATED INTERVAL 112-120, 144-163 FEET. DEPTH 250 FT., LSD 171 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 108.80 FT BELOW LSD, MAR. 11, 1968.  
LOWEST STATIC WATER LEVEL 119.90 FT BELOW LSD, SEP. 14, 1966.  
RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 14, 1966	119.90	NOV. 8, 1967	111.84C	MAR. 11, 1968	108.80	OCT. 9, 1968	A
MAR. 21, 1967	119.25						

11N/34W-30D2 S. O. FERRARI. 2.5 MILES SOUTHWEST OF NIPOMO. DRILLED DOMESTIC WATER-TABLE WELL IN ORCUTT FORMATION OF PLEISTOCENE AGE, DIAMETER 6 INCHES. DEPTH FT., LSD 145 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 111.87 FT BELOW LSD, MAR. 23, 1967.  
LOWEST STATIC WATER LEVEL 120.20 FT BELOW LSD, SEP. 14, 1966.  
RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 14, 1966	120.20	NOV. 8, 1967	117.54	MAR. 11, 1968	115.72	OCT. 9, 1968	119.64
MAR. 23, 1967	111.87						

11N/34W-30Q1 S. MARY BOLTON. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 180 FT., LSD 148 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 106.80 FT BELOW LSD, APR. 1, 1968.  
LOWEST STATIC WATER LEVEL 117.10 FT BELOW LSD, OCT. 1, 1968.  
RECORDS AVAILABLE: 1930, 1933, 1936, 1938-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 1, 1966	109.7 G	JAN. 1, 1967	113.0 G	OCT. 1, 1967	112.0 G	JULY 1, 1968	109.5 G
JULY 1	112.8 G	APR. 1	110.9 G	JAN. 1, 1968	110.2 G	OCT. 1	117.1 G
OCT. 1	114.9 G	JULY 1	109.9 G	APR. 1	106.8 G		

11N/34W-34J2 S. L. O. FOX. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 214 FT., LSD 210 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 59.00 FT BELOW LSD, NOV. 7, 1967.  
LOWEST STATIC WATER LEVEL 107.78 FT BELOW LSD, OCT. 18, 1966.  
RECORDS AVAILABLE: 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 24, 1966	105.89	APR. 28, 1966	107.72	MAR. 13, 1967	101.43	MAR. 11, 1968	73.50
MAR. 23	106.50	OCT. 18	107.78	NOV. 7	59.00	OCT. 10	P

11N/35W-5G1 S. H. F. LIVINGSTON. ON NIPOMO MESA, 3 MILES SOUTH EAST OF OCEANO. STOCK WATER TABLE WELL IN TERRACE DEPOSITS OF PLEISTOCENE AGE, DIAMETER 12 INCHES. PERFORATION FROM 250-265 FEET. DEPTH 265 FT., LSD 210 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 116.30 FT BELOW LSD, MAR. 11, 1968.  
LOWEST STATIC WATER LEVEL 162.50 FT BELOW LSD, OCT. 10, 1968.  
RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 13, 1967	119.20	MAR. 11, 1968	116.30	OCT. 10, 1968	162.50		

11N/35W-7R1 S. UNION OIL COMPANY OF CALIFORNIA. 6.5 MILES WEST OF NIPOMO. DRILLED INDUSTRIAL WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 16 INCHES TO 104 FEET AND 14 INCHES FROM 104 TO 807, PERFORATED INTERVAL 280-290, 395-420, 426-438, 495-529, 694-725, 774-800 FEET. DEPTH 807 FT., LSD 100 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 84.30 FT BELOW LSD, OCT. 10, 1968.  
LOWEST STATIC WATER LEVEL 87.32 FT BELOW LSD, MAR. 13, 1967.  
RECORDS AVAILABLE: 1953, 1960, 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 12, 1966	A	NOV. 12, 1967	165.0 A	MAR. 11, 1968	88.2 A	OCT. 10, 1968	84.3
MAR. 13, 1967	87.32						

## GROUND-WATER RECORDS, 1966-68

11N/35W-9G1 S. SUNKIST. 5 MILES WEST OF NIPOMO. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 12 INCHES. DEPTH 530 FT., LSD 200 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 222.45 FT BELOW LSD, MAR. 13, 1967.  
 LOWEST STATIC WATER LEVEL 228.20 FT BELOW LSD, MAR. 12, 1968.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 12, 1966	A	NOV. 12, 1967	A	MAR. 12, 1968	228.20	OCT. 10, 1968	223.60
MAR. 13, 1967	222.45						

11N/35W-9K4 S. CASANO. 5 MILES WEST OF NIPOMO. DRILLED UNUSED WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 8 INCHES. DEPTH 274 FT., LSD 182 ABOVE MSL.  
 HIGHEST WATER LEVEL 140.49 FT BELOW LSD, MAR. 13, 1967.  
 LOWEST STATIC WATER LEVEL 157.22 FT BELOW LSD, SEP. 12, 1966.  
 RECORDS AVAILABLE: 1960, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 12, 1966	157.22	NOV. 14, 1967	152.15	MAR. 12, 1968	142.50	OCT. 10, 1968	N
MAR. 13, 1967	140.49						

11N/35W-9P1 S. COMMUNITY. 5 MILES WEST OF NIPOMO. DRILLED DOMESTIC WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 8 INCHES. DEPTH FT., LSD 165 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 130.65 FT BELOW LSD, MAR. 13, 1967.  
 LOWEST STATIC WATER LEVEL 155.47 FT BELOW LSD, SEP. 12, 1966.  
 RECORDS AVAILABLE: 1960, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 12, 1966	155.47	NOV. 13, 1967	149.34	MAR. 12, 1968	A	OCT. 10, 1968	A
MAR. 13, 1967	130.65						

11N/35W-10G1 S. BLACK LAKE GOLF CLUB. 4 MILES WEST OF NIPOMO. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE. DEPTH FT., LSD 325 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 302.40 FT BELOW LSD, MAR. 13, 1967.  
 LOWEST STATIC WATER LEVEL 302.40 FT BELOW LSD, MAR. 13, 1967.  
 RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 13, 1967	302.4	NOV. 9, 1967	N	MAR. 12, 1968	N	OCT. 10, 1968	A

11N/35W-10R1 S. R. L. ANDREWS. 3.5 MILES WEST OF NIPOMO. DRILLED DOMESTIC WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 8 INCHES, PERFORATED INTERVAL 295-297, 314-317, 348-353 FEET. DEPTH 353 FT., LSD 277 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 176.35 FT BELOW LSD, NOV. 9, 1967.  
 LOWEST STATIC WATER LEVEL 179.28 FT BELOW LSD, MAR. 12, 1968.  
 RECORDS AVAILABLE: 1960, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 12, 1966	179.00	NOV. 9, 1967	176.35	MAR. 12, 1968	179.28	OCT. 10, 1968	A
MAR. 16, 1967	177.75						

11N/35W-11B1 S. A. FRATELLO. FOUR MILES WEST OF NIPOMO ON ROAD TO OCEANO. DRILLED IRRIGATION WATER-TABLE WELL IN ORCUTT FORMATION (?) OF PLEISTOCENE AGE, DIAMETER 8 INCHES. PERFORATIONS UNKNOWN. DEPTH 360 FT., LSD 385 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 318.00 FT BELOW LSD, MAR. 12, 1968.  
 LOWEST STATIC WATER LEVEL 320.90 FT BELOW LSD, OCT. 10, 1968.  
 RECORDS AVAILABLE: 1960, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1967	N	NOV. 9, 1967	318.6	MAR. 12, 1968	318.0	OCT. 10, 1968	320.9



11N/35W-11C1 S. ANDI FRATELLO. 3 MILES WEST OF NIPOMO. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 10 INCHES, PERFORATED INTERVAL 210-235, 320-324 FEET. DEPTH 365 FT., LSD 267 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 194.85 FT BELOW LSD, AUG. 19, 1966.  
LOWEST STATIC WATER LEVEL 216.50 FT BELOW LSD, OCT. 10, 1968.  
RECORDS AVAILABLE: 1960, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 19, 1966	194.85	NOV. 9, 1967	198.51	MAR. 12, 1968	196.90	OCT. 10, 1968	216.50
MAR. 15, 1967	199.90						

11N/35W-11J1 S. F. G. CAMACHO. 2.5 MILES WEST OF NIPOMO. DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 8 INCHES, PERFORATED INTERVAL 257-267, 287-297, 303-313 FEET. DEPTH 313 FT., LSD 352 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 257.85 FT BELOW LSD, NOV. 9, 1967.  
LOWEST STATIC WATER LEVEL 281.70 FT BELOW LSD, AUG. 19, 1966.  
RECORDS AVAILABLE: 1960, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 19, 1966	281.70	NOV. 9, 1967	257.85	MAR. 12, 1968	260.95	OCT. 10, 1968	A
MAR. 15, 1967	N						

11N/35W-12E1 S. N. A. DAVIES. 2 MILES WEST OF NIPOMO. DRILLED DOMESTIC WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 8 INCHES, PERFORATED INTERVAL 210-235, 320-324 FEET. DEPTH 375 FT., LSD 377 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 267.10 FT BELOW LSD, MAR. 22, 1967.  
LOWEST STATIC WATER LEVEL 267.00 FT BELOW LSD, AUG. 19, 1966.  
RECORDS AVAILABLE: 1960, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 19, 1966	267.00	NOV. 9, 1967	M	MAR. 12, 1968	M	OCT. 10, 1968	A
MAR. 22, 1967	262.10						

11N/35W-13C1 S. COMMUNITY. 2 MILES WEST OF NIPOMO. DRILLED DOMESTIC WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DEPTH 500 FT., LSD 345 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 267.05 FT BELOW LSD, MAR. 15, 1967.  
LOWEST STATIC WATER LEVEL 275.68 FT BELOW LSD, OCT. 10, 1968.  
RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 17, 1966	286.00R	NOV. 9, 1967	271.15	MAR. 12, 1968	273.40	OCT. 10, 1968	275.68
MAR. 15, 1967	267.05						

11N/35W-13D1 S. J. KAMINAKA. 2.5 MILES WEST OF NIPOMO. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 10 INCHES, PERFORATED INTERVAL 306-307, 373-378, 380-385, 422-426 FEET. DEPTH 430 FT., LSD 325 FT. ABOVE MSL.  
RECORDS AVAILABLE: 1960, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 17, 1966	A	NOV. 9, 1967	A	MAR. 12, 1968	M	OCT. 10, 1968	A
MAR. 15, 1967	A						

11N/35W-13E1 S. J. KAMINAKA. 2.5 MILES WEST OF NIPOMO. DRILLED UNUSED WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE. DEPTH FT., LSD 349 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 298.35 FT BELOW LSD, SEP. 9, 1966.  
LOWEST STATIC WATER LEVEL 298.35 FT BELOW LSD, SEP. 9, 1966.  
RECORDS AVAILABLE: 1960, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 9, 1966	298.35	NOV. 9, 1967	F	MAR. 12, 1968	N	OCT. 10, 1968	N
MAR. 15, 1967	N						

## GROUND-WATER RECORDS, 1966-68

11N/35W-13E2 S. J. KAMINAKA. 2.5 MILES SOUTHWEST OF NIPOMO. DRILLED DOMESTIC WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE. DEPTH FT., LSD 305 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 235.05 FT BELOW LSD, MAR. 15, 1967.  
 LOWEST STATIC WATER LEVEL 257.70 FT BELOW LSD, AUG. 17, 1966.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 17, 1966	257.70	NOV. 9, 1967	248.12C	MAR. 12, 1968	248.55	OCT. 10, 1968	253.26C
MAR. 15, 1967	235.05						

11N/35W-13E3 S. J. KAMINAKA. 2.5 MILES SOUTHWEST OF NIPOMO. DRILLED DOMESTIC WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE. DEPTH FT., LSD 305 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 231.90 FT BELOW LSD, MAR. 15, 1967.  
 LOWEST STATIC WATER LEVEL 247.85 FT BELOW LSD, MAR. 12, 1968.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
AUG. 17, 1966	241.90	NOV. 9, 1967	237.80C	MAR. 12, 1968	247.85	OCT. 10, 1968	249.00E
MAR. 15, 1967	231.90						

11N/35W-18M1 S. UNION SUGAR COMPANY. 4.5 MILES NORTHWEST OF GUADALUPE. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 6 INCHES. DEPTH 200 FT., LSD 24 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 11.88 FT BELOW LSD, MAR. 11, 1968.  
 LOWEST STATIC WATER LEVEL 21.35 FT BELOW LSD, SEP. 14, 1966.  
 RECORDS AVAILABLE: 1942, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 14, 1966	21.35	NOV. 13, 1967	16.02	MAR. 11, 1968	11.88	OCT. 9, 1968	26.70A
MAR. 15, 1967	12.07						

11N/35W-19C1 S. UNION SUGAR COMPANY. 4 MILES NORTHWEST OF GUADALUPE. DRILLED ABANDONED ARTESIAN WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 14 INCHES. DEPTH FT., LSD 37 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 14.01 FT BELOW LSD, MAR. 15, 1967.  
 LOWEST STATIC WATER LEVEL 23.22 FT BELOW LSD, OCT. 9, 1968.  
 RECORDS AVAILABLE: 1950-51, 1955, 1958-59, 1964, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 15, 1967	14.01	NOV. 8, 1967	20.28	MAR. 11, 1968	14.99	OCT. 9, 1968	23.22

11N/35W-19C2 S. USGS, COUNTY RIGHT-OF-WAY. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 62 FT., LSD 37 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 8.46 FT BELOW LSD, NOV. 8, 1967.  
 LOWEST STATIC WATER LEVEL 9.40 FT BELOW LSD, FEB. 25, 1966.  
 RECORDS AVAILABLE: 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	9.40	APR. 29, 1966	8.90	NOV. 8, 1967	8.46	OCT. 9, 1968	8.50
MAR. 24	9.20	OCT. 19	8.80	MAR. 11, 1968	8.76		

11N/35W-20E1 S. USGS, UNION SUGAR CO., F-3. DRILLED IRRIGATION ARTESIAN WELL IN PASO ROBLES FORMATION, DIAMETER 18 INCHES. DEPTH 525 FT., LSD 49 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 20.17 FT BELOW LSD, FEB. 27, 1967.  
 LOWEST STATIC WATER LEVEL 36.88 FT BELOW LSD, SEP. 26, 1966.  
 RECORDS AVAILABLE: 1938-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	21.4 G	DEC. 27, 1966	N	AUG. 30, 1967	33.80	APR. 29, 1968	29.18
FEB. 25	20.48	JAN. 1, 1967	23.5 G	SEP. 29	29.83	MAY 28	A
MAR. 24	25.24	JAN. 26	22.80	OCT. 1	32.0 G	JUNE 27	A
APR. 1	31.9 G	FEB. 27	20.17	NOV. 8	28.50	JULY 1	35.0 G
APR. 29	29.00	MAR. 15	22.40	NOV. 29	24.60	JULY 26	A
JULY 1	33.6 G	APR. 1	22.7 G	DEC. 27	22.79	AUG. 29	34.34
JULY 27	A	APR. 25	20.36	JAN. 1, 1968	23.0 G	SEP. 27	32.07
AUG. 24	31.34	MAY 24	27.42	JAN. 29	22.67	OCT. 1	31.0 G
SEP. 26	36.88	JUNE 23	A	FEB. 28	20.95	OCT. 30	26.12
OCT. 1	29.9 G	JULY 1	35.0 G	MAR. 29	23.19	NOV. 27	22.95
OCT. 19	29.96	JULY 26	35.32	APR. 1	24.1 G	DEC. 26	21.99
NOV. 29	23.75						

11N/35W-20K3 S. USGS, SOUTHERN PACIFIC R.R. PROPERTY. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 40 FT., LSD 53 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 4.66 FT BELOW LSD, FEB. 25, 1966.  
 LOWEST STATIC WATER LEVEL 6.79 FT BELOW LSD, NOV. 8, 1967.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	4.66	APR. 29, 1966	N	MAR. 15, 1967	6.20	MAR. 11, 1968	5.45
MAR. 24	5.11	OCT. 19	6.48	NOV. 8	6.79	OCT. 9	5.90

11N/35W-21K1 S. PETER TOGNAZZINI. 3.5 MILES NORTH OF GUADALUPE. DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 11 INCHES, PERFORATED INTERVAL 38-44, 50-55 FEET. DEPTH 129 FT., LSD 80 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 45.17 FT BELOW LSD, MAR. 13, 1967.  
 LOWEST STATIC WATER LEVEL 45.17 FT BELOW LSD, MAR. 13, 1967.  
 RECORDS AVAILABLE: 1929, 1958-59, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 13, 1967	45.17	NOV. 9, 1967	A	MAR. 11, 1968	A	OCT. 9, 1968	A

11N/35W-22C1 S. PETER TOGNAZZINI. 4 MILES NORTH OF GUADALUPE. DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN ORCUTT FORMATION (?) OF PLEISTOCENE AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 8 INCHES. DEPTH FT., LSD 238 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 211.10 FT BELOW LSD, MAR. 12, 1968.  
 LOWEST STATIC WATER LEVEL 223.05 FT BELOW LSD, OCT. 10, 1968.  
 RECORDS AVAILABLE: 1960, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 14, 1966	A	NOV. 13, 1967	N	MAR. 12, 1968	211.10	OCT. 10, 1968	223.05
MAR. 13, 1967	222.40						

11N/35W-23B1 S. EATINGTON. 3 MILES SOUTHWEST OF NIPOMO. DRILLED IRRIGATION WATER-WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE. DEPTH FT., LSD 275 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 253.50 FT BELOW LSD, MAR. 12, 1968.  
 LOWEST STATIC WATER LEVEL 265.00 FT BELOW LSD, NOV. 9, 1967.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 14, 1966	A	NOV. 9, 1967	265.0	MAR. 12, 1968	253.5	OCT. 10, 1968	A
MAR. 15, 1967	254.1						

## GROUND-WATER RECORDS, 1966-68

11N/35W-24D1 S. CECILIO YRVEGAS. 2.5 MILES SOUTHWEST OF NIPOMO. DRILLED DOMESTIC WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 8 INCHES TO 305 FEET AND 6 INCHES TO 369 FEET, PERFORATED INTERVAL 343-348, 357-368 FEET. DEPTH 369 FT., LSD 321 FT. ABOVE MSL.

HIGHEST WATER LEVEL 205.00 FT BELOW LSD, SEP. 14, 1966.  
 LOWEST STATIC WATER LEVEL 205.00 FT BELOW LSD, SEP. 14, 1966.  
 RECORDS AVAILABLE: 1960, 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 14, 1966	205.00	MAR. 15, 1967	N	NOV. 9, 1967	N	OCT. 10, 1968	N

11N/35W-25H1 S. M. J. MENDOZA. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 129 FT., LSD 135 FT. ABOVE MSL.

HIGHEST WATER LEVEL 72.90 FT BELOW LSD, OCT. 9, 1968.  
 LOWEST STATIC WATER LEVEL 80.00 FT BELOW LSD, AUG. 24, 1967.  
 RECORDS AVAILABLE: 1942, 1944-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	73.82	OCT. 19, 1966	74.05	AUG. 24, 1967	80.00	MAR. 11, 1968	73.07
MAR. 24	73.86	MAR. 13, 1967	74.47	NOV. 8	74.55	OCT. 9	72.90
APR. 29	N						

11N/35W-26M2 S. ELMER AND HAROLD TOGNAZZINI. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM AND PASO ROBLES FORMATION, DIAMETER 14 INCHES. DEPTH 324 FT., LSD 106 FT. ABOVE MSL.

HIGHEST WATER LEVEL 73.38 FT BELOW LSD, MAR. 11, 1968.  
 LOWEST STATIC WATER LEVEL 101.70 FT BELOW LSD, AUG. 22, 1967.  
 RECORDS AVAILABLE: 1930, 1944-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	84.08C	OCT. 19, 1966	96.55C	AUG. 22, 1967	101.70	MAR. 11, 1968	73.38
MAR. 24	86.94C	MAR. 17, 1967	77.50	NOV. 8	95.65C	OCT. 9	84.95
APR. 29	90.70C						

11N/35W-28F2 S. USGS, UNION SUGAR CO. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 48 FT., LSD 80 FT. ABOVE MSL.

HIGHEST WATER LEVEL 26.40 FT BELOW LSD, MAR. 11, 1968.  
 LOWEST STATIC WATER LEVEL 30.91 FT BELOW LSD, OCT. 19, 1966.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	28.17	APR. 29, 1966	30.18	MAR. 13, 1967	28.65	MAR. 11, 1968	26.40
MAR. 24	29.20	OCT. 19	30.91	NOV. 8	27.15	OCT. 9	29.71

11N/35W-28M1 S. USGS, UNION SUGAR CO. FLUME NO. 2. DRILLED IRRIGATION ARTESIAN WELL IN PASO ROBLES FORMATION, DIAMETER 16 INCHES. DEPTH 376 FT., LSD 77 FT. ABOVE MSL.

HIGHEST WATER LEVEL 45.20 FT BELOW LSD, JAN. 1, 1966.  
 LOWEST STATIC WATER LEVEL 64.00 FT BELOW LSD, JULY 1, 1968.  
 RECORDS AVAILABLE: 1934, 1938-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	45.2 G	OCT. 11, 1966	61.6 G	JULY 1, 1967	63.3 G	APR. 1, 1968	49.3 G
APR. 1	57.0 G	JAN. 1, 1967	52.3 G	OCT. 1	63.5 G	JULY 1	64.0 G
JULY 1	63.8 G	APR. 1	50.6 G	JAN. 1, 1968	50.2 G	OCT. 1	63.4 G

11N/35W-29D1 P. PEZZONI. 2.5 MILES NORTHWEST OF GUADALUPE. DRILLED IRRIGATION ARTESIAN WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE. DEPTH 239 FT., LSD 60 FT. ABOVE MSL.

HIGHEST WATER LEVEL 43.22 FT BELOW LSD, MAR. 11, 1968.  
 LOWEST STATIC WATER LEVEL 50.02 FT BELOW LSD, NOV. 8, 1967.  
 RECORDS AVAILABLE: 1942, 1950, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 14, 1966	A	NOV. 8, 1967	50.02	MAR. 11, 1968	43.22	OCT. 9, 1968	49.13
MAR. 21, 1967	43.63						

11N/35W-33C4 S. USGS, UNION SUGAR CO. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 19.5 FT., LSD 80 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 19.17 FT BELOW LSD, FEB. 25, 1966.  
 LOWEST STATIC WATER LEVEL 19.70 FT BELOW LSD, APR. 29, 1966.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	19.17	APR. 29, 1966	19.70	MAR. 13, 1967	F	MAR. 11, 1968	F
MAR. 24	19.18	OCT. 19	F	NOV. 8	F	OCT. 9	F

11N/35W-33G1 S. H. E. PEZZONI. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 141 FT., LSD 91 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 56.50 FT BELOW LSD, JAN. 1, 1966.  
 LOWEST STATIC WATER LEVEL 79.40 FT BELOW LSD, OCT. 1, 1967.  
 RECORDS AVAILABLE: 1930, 1933-34, 1938-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	56.5 G	JULY 1, 1966	70.5 G	APR. 1, 1967	61.6 G	MAR. 11, 1968	57.57
FEB. 25	57.63	OCT. 1	68.4 G	JULY 1	68.0 G	APR. 1	59.0 G
MAR. 24	63.33	NOV. 19	A	OCT. 1	79.4 G	JULY 1	69.9 G
APR. 1	65.3 G	JAN. 1, 1967	66.9 G	NOV. 8	69.33	OCT. 1	66.0 G
APR. 30	A	MAR. 13	59.65	JAN. 1, 1968	61.1 G	OCT. 9	67.49

11N/35W-35A1 S. ELMER A. RUNELS. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 195 FT., LSD 123 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 85.50 FT BELOW LSD, APR. 1, 1968.  
 LOWEST STATIC WATER LEVEL 95.50 FT BELOW LSD, OCT. 1, 1966.  
 RECORDS AVAILABLE: 1925, 1930, 1938-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 1, 1966	86.1 G	OCT. 1, 1966	95.5 G	JULY 1, 1967	90.2 G	APR. 1, 1968	85.5 G
APR. 1	86.6 G	JAN. 1, 1967	91.1 G	OCT. 1	94.5 G	JULY 1	91.0 G
JULY 1	91.9 G	APR. 1	88.4 G	JAN. 1, 1968	89.3 G	OCT. 1	93.1 G

11N/36W-13K2 S. STATE OF CALIFORNIA, UNION OIL COMPANY. NEAR OSO FLACO LAKE. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 2 INCHES, PERFORATED INTERVAL 30-45 FEET. DEPTH 45 FT., LSD 25 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 19.23 FT BELOW LSD, APR. 25, 1967.  
 LOWEST STATIC WATER LEVEL 20.55 FT BELOW LSD, SEP. 26, 1966.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 26, 1966	20.55	APR. 25, 1967	19.23	NOV. 29, 1967	19.72	JUNE 27, 1968	20.05
OCT. 19	20.41	MAY 23	20.08	DEC. 27	19.85	JULY 26	20.25
NOV. 29	N	JUNE 23	20.14	JAN. 29, 1968	19.89	AUG. 29	20.07
DEC. 27	19.98	JULY 26	19.91	FEB. 28	19.98	SEP. 27	19.99
JAN. 26, 1967	20.02	AUG. 30	19.96	MAR. 29	20.11	OCT. 30	20.03
FEB. 27	N	SEP. 29	19.97	APR. 29	20.25	NOV. 27	20.04
MAR. 16	19.83	NOV. 8	20.23	MAY 28	20.29	DEC. 26	20.01

11N/36W-13K3 S. STATE OF CALIFORNIA, UNION OIL COMPANY. NEAR OSO FLACO LAKE. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 2 INCHES, PERFORATED INTERVAL 70-90 FEET. DEPTH 90 FT., LSD 25 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 19.91 FT BELOW LSD, APR. 25, 1967.  
 LOWEST STATIC WATER LEVEL 20.84 FT BELOW LSD, SEP. 26, 1966.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 26, 1966	20.84	APR. 25, 1967	19.91	NOV. 29, 1967	20.06	JUNE 27, 1968	20.44
OCT. 19	20.53	MAY 23	20.35	DEC. 27	20.13	JULY 26	20.61
NOV. 29	N	JUNE 23	20.45	JAN. 29, 1968	20.15	AUG. 29	20.49
DEC. 27	20.23	JULY 26	20.21	FEB. 28	20.20	SEP. 27	20.39
JAN. 26, 1967	20.28	AUG. 30	20.36	MAR. 29	20.33	OCT. 30	20.34
FEB. 27	N	SEP. 29	20.32	APR. 29	20.55	NOV. 27	20.27
MAR. 16	20.13	NOV. 8	20.48	MAY 28	20.63	DEC. 26	20.27

## GROUND-WATER RECORDS, 1966-68

11N/36W-13K4 S. STATE OF CALIFORNIA, UNION OIL COMPANY. NEAR OSO FLACO LAKE. DRILLED OBSERVATION WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 2 INCHES, PERFORATED INTERVAL 120-203 FEET. DEPTH 203 FT., LSD 25 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 18.68 FT BELOW LSD, OCT. 30, 1968.  
 LOWEST STATIC WATER LEVEL 22.00 FT BELOW LSD, JULY 26, 1968.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 26, 1966	21.80	APR. 25, 1967	20.56	NOV. 29, 1967	20.86	JUNE 27, 1968	21.79
OCT. 19	21.19	MAY 23	21.15	DEC. 27	20.66	JULY 26	22.00
NOV. 29	N	JUNE 23	21.50	JAN. 29, 1968	20.70	AUG. 29	21.97
DEC. 27	20.77	JULY 26	18.71	FEB. 28	20.53	SEP. 27	21.70
JAN. 26, 1967	20.68	AUG. 30	21.71	MAR. 29	20.86	OCT. 30	18.68
FEB. 27	N	SEP. 29	21.46	APR. 29	21.53	NOV. 27	20.56
MAR. 16	20.89	NOV. 8	21.24	MAY 28	21.74	DEC. 26	20.23

11N/36W-13K5 S. STATE OF CALIFORNIA, UNION OIL COMPANY. NEAR OSO FLACO LAKE. DRILLED OBSERVATION WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 2 INCHES, PERFORATED INTERVAL 230-270 FEET. DEPTH 273 FT., LSD 25 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 17.41 FT BELOW LSD, APR. 25, 1967.  
 LOWEST STATIC WATER LEVEL 25.90 FT BELOW LSD, SEP. 26, 1966.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 26, 1966	25.90	APR. 25, 1967	17.41	NOV. 29, 1967	20.60	JUNE 27, 1968	24.51
OCT. 19	25.19	MAY 23	20.22	DEC. 27	19.46	JULY 26	25.49
NOV. 29	24.00	JUNE 23	22.61	JAN. 29, 1968	19.14	AUG. 29	25.75
DEC. 27	22.76	JULY 26	23.71	FEB. 28	18.23	SEP. 27	24.21
JAN. 26, 1967	21.97	AUG. 30	23.06	MAR. 29	19.40	OCT. 30	21.00
FEB. 27	21.22	SEP. 29	21.81	APR. 29	22.91	NOV. 27	19.16
MAR. 16	19.16	NOV. 8	22.54	MAY 28	24.17	DEC. 26	18.42

11N/36W-13K6 S. STATE OF CALIFORNIA, UNION OIL COMPANY. NEAR OSO FLACO LAKE. DRILLED OBSERVATION WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 2 INCHES, PERFORATED INTERVAL 320-400 FEET. DEPTH 403 FT., LSD 25 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 18.18 FT BELOW LSD, FEB. 27, 1967.  
 LOWEST STATIC WATER LEVEL 26.22 FT BELOW LSD, AUG. 29, 1968.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
SEP. 26, 1966	23.87	APR. 25, 1967	18.68	NOV. 29, 1967	20.75	JUNE 27, 1968	24.83
OCT. 19	23.19	MAY 23	22.52	DEC. 27	19.80	JULY 26	25.93
NOV. 29	19.93	JUNE 23	24.21	JAN. 29, 1968	20.43	AUG. 29	26.22
DEC. 27	18.48	JULY 26	25.64	FEB. 28	18.62	SEP. 27	25.10
JAN. 26, 1967	18.31	AUG. 30	25.09	MAR. 29	20.15	OCT. 30	21.65
FEB. 27	18.18	SEP. 29	23.66	APR. 29	23.37	NOV. 27	20.00
MAR. 16	19.78	NOV. 8	22.76	MAY 28	24.66	DEC. 26	19.13

## Santa Ynez River Valley

6N/29W-5A1 S. RICHARD PHILLIPS. 3 MILES NORTHEAST OF CACHUMA DAM. DRILLED STOCK WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE. DEPTH 93 FT., LSD 1,190 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 19.23 FT BELOW LSD, MAR. 20, 1968.  
 LOWEST STATIC WATER LEVEL 23.95 FT BELOW LSD, OCT. 19, 1967.  
 RECORDS AVAILABLE: 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 10, 1966	20.07	OCT. 19, 1967	23.95	MAR. 20, 1968	19.23	OCT. 15, 1968	22.24
MAR. 24, 1967	21.00A						

6N/29W-6F1 S. ROBERT ELLIOTT. HAPPY CANYON. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 10 INCHES, PERFORATED INTERVAL 35-53 FEET. DEPTH 75 FT., LSD 840 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 12.12 FT BELOW LSD, MAR. 18, 1968.  
 LOWEST STATIC WATER LEVEL 20.72 FT BELOW LSD, MAR. 23, 1967.  
 RECORDS AVAILABLE: 1952, 1954-59, 1963-64, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 7, 1966	30.44A	OCT. 19, 1967	18.60	MAR. 18, 1968	12.12	OCT. 14, 1968	16.70
MAR. 23, 1967	20.72						

6N/29W-6G1 S. W. W. SHANNON. HAPPY CANYON. DRILLED STOCK WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLISTOCENE AGE, DIAMETER 10 INCHES, PERFORATED INTERVAL 57-96 FEET. DEPTH 102 FT., LSD 875 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 47.25 FT BELOW LSD, MAR. 23, 1967.  
 LOWEST STATIC WATER LEVEL 53.80 FT BELOW LSD, OCT. 14, 1968.  
 RECORDS AVAILABLE: 1954, 1957-58, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 7, 1966	54.00C	OCT. 19, 1967	50.95	MAR. 18, 1968	47.93	OCT. 14, 1968	53.80
MAR. 23, 1967	47.25						

6N/29W-7L1 S. WALTER THOMAS. 1.5 MILES NORTH OF CACHUMA DAM. DRILLED UNUSED WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLISTOCENE AGE, DIAMETER 8 INCHES. DEPTH 430 FT., LSD 868 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 209.20 FT BELOW LSD, MAR. 20, 1968.  
 LOWEST STATIC WATER LEVEL 212.10 FT BELOW LSD, OCT. 10, 1966.  
 RECORDS AVAILABLE: 1960, 1963-64, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 10, 1966	212.10	OCT. 19, 1967	209.91	MAR. 20, 1968	209.20	OCT. 15, 1968	211.25
MAR. 24, 1967	210.08						

6N/29W-8P1 S. RICHARD PHILLIPS. 1.75 MILES NORTHEAST OF CACHUMA DAM. DRILLED ABANDONED WATER-TABLE WELL IN PASO ROBLES FORMATION, DIAMETER 10 INCHES, PERFORATED 210-237 FEET. DEPTH 252 FT., LSD 910 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 236.94 FT BELOW LSD, OCT. 19, 1967.  
 LOWEST STATIC WATER LEVEL 252.60 FT BELOW LSD, OCT. 10, 1966.  
 RECORDS AVAILABLE: 1934, 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 10, 1966	252.60	OCT. 19, 1967	236.94	MAR. 20, 1968	238.44	OCT. 15, 1968	237.10C
MAR. 24, 1967	247.95						

6N/29W-8P2 S. RICHARD PHILLIPS. 1.75 MILES NORTHEAST OF CACHUMA DAM. DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLISTOCENE AGE. DEPTH FT., LSD 910 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 226.44 FT BELOW LSD, MAR. 24, 1967.  
 LOWEST STATIC WATER LEVEL 227.73 FT BELOW LSD, OCT. 19, 1967.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 10, 1966	227.00	OCT. 19, 1967	227.73	MAR. 20, 1968	227.20	OCT. 15, 1968	261.89A
MAR. 24, 1967	226.44						

6N/29W-9J1 S. F. JANEWAY. CACHUMA CREEK. DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLISTOCENE AGE, DIAMETER 8 INCHES. DEPTH 200+ FT., LSD 803 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 12.46 FT BELOW LSD, MAR. 20, 1968.  
 LOWEST STATIC WATER LEVEL 15.33 FT BELOW LSD, OCT. 10, 1966.  
 RECORDS AVAILABLE: 1963-64, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 10, 1966	15.33	OCT. 19, 1967	40.51B	MAR. 20, 1968	12.46	OCT. 15, 1968	14.16
MAR. 24, 1967	38.05B						

## GROUND-WATER RECORDS, 1966-68

6N/30W-1R3 S. VIOLA SCHLEYHANSEN. HAPPY CANYON. DRILLED UNUSED WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 12 INCHES, PERFORATED INTERVAL 28-110, 210-240 FEET. DEPTH 400 FT., LSD 760 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 16.48 FT BELOW LSD, MAR. 18, 1968.  
 LOWEST STATIC WATER LEVEL 27.05 FT BELOW LSD, OCT. 14, 1968.  
 RECORDS AVAILABLE: 1949, 1954-59, 1963-64, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 7, 1966	20.83	OCT. 19, 1967	18.45	MAR. 18, 1968	16.48	OCT. 14, 1968	27.05
MAR. 23, 1967	19.20						

6N/30W-2M1 S. FLETCHER JONES. DRILLED IRRIGATION ARTESIAN WELL IN PASO ROBLES FORMATION. DEPTH 610 FT., LSD 695 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 115.55 FT BELOW LSD, MAR. 18, 1968.  
 LOWEST STATIC WATER LEVEL 131.73 FT BELOW LSD, OCT. 15, 1968.  
 RECORDS AVAILABLE: 1952, 1968-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 18, 1968	115.55	OCT. 15, 1968	131.73				

6N/30W-3A1 S. ELLA ROWE (L. HOURIHAN). DRILLED IRRIGATION ARTESIAN WELL IN PASO ROBLES FORMATION, DIAMETER 12 INCHES. DEPTH 407 FT., LSD 720 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 125.14 FT BELOW LSD, JAN. 26, 1968.  
 LOWEST STATIC WATER LEVEL 165.35 FT BELOW LSD, OCT. 10, 1966.  
 RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FER. 23, 1966	135.69	JAN. 27, 1967	137.60	SEP. 29, 1967	142.62	MAY 27, 1968	138.48
MAR. 25	144.60C	FER. 27	136.25	OCT. 20	136.33	JUNE 24	150.43A
APR. 27	138.45	MAR. 24	135.25	NOV. 27	140.44	JULY 30	151.06
JULY 29	A	APR. 25	133.60	DEC. 26	133.15	AUG. 26	152.40A
AUG. 22	151.23	MAY 24	134.62	JAN. 26, 1968	125.14	SEP. 27	150.10
SEP. 26	147.46	JUNE 23	A	FER. 26	138.20	OCT. 28	147.28
OCT. 10	165.35	JULY 26	137.40	MAR. 27	135.04	NOV. 25	146.20
NOV. 22	162.42	AUG. 30	A	APR. 25	135.62	DEC.	N
DEC. 28	139.36						

6N/30W-6A1 S. JACOBSEN, FORMERLY S. TORRENCE. DRILLED IRRIGATION ARTESIAN WELL IN TERRACE DEPOSITS AND PASO ROBLES FORMATION, DIAMETER 16 INCHES. DEPTH 400 FT., LSD 665.29 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 109.32 FT BELOW LSD, FEB. 21, 1966.  
 LOWEST STATIC WATER LEVEL 139.86 FT BELOW LSD, JULY 29, 1966.  
 RECORDS AVAILABLE: 1942-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FER. 21, 1966	109.32	JAN. 27, 1967	114.41	SEP. 29, 1967	130.02C	MAY 27, 1968	126.76C
MAR. 25	A	FER. 27	113.95	OCT. 20	118.58	JUNE 24	129.94A
APR. 27	122.46	MAR. 23	112.40	NOV. 27	118.50	JULY 30	139.50A
JULY 29	139.86	APR. 25	111.21	DEC. 26	116.03	AUG. 26	132.20A
AUG. 22	A	MAY 24	115.75	JAN. 26, 1968	114.00	SEP. 27	129.59
SEP. 26	113.90	JUNE 23	126.80	FER. 26	112.69	OCT. 28	122.28
OCT. 10	A	JULY 26	A	MAR. 27	112.54	NOV. 25	122.20
NOV. 22	N	AUG. 30	A	APR. 25	116.73	DEC.	N
DEC. 28	116.0						

6N/30W-7G5 S. SANTA YNEZ RIVER VALLEY WATER CONSERVATION DISTRICT. DRILLED PUBLIC SUPPLY WATER-TABLE WELL IN TERRACE DEPOSITS, DIAMETER 8 INCHES. DEPTH 158.0 FT., LSD 600 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 50.06 FT BELOW LSD, MAR. 25, 1966.  
 LOWEST STATIC WATER LEVEL 54.63 FT BELOW LSD, OCT. 20, 1967.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FER. 23, 1966	51.13	APR. 27, 1966	50.70	MAR. 23, 1967	51.68	MAR. 21, 1968	51.79
MAR. 25	50.06	OCT. 11	54.27	OCT. 20	54.63	OCT. 14	56.15C



6N/30W-7G6 S. SYRV WATER CONSERVATION DISTRICT. DRILLED PUBLIC SUPPLY ARTESIAN WELL IN PASO ROBLES FORMATION, DIAMETER 16 INCHES. DEPTH 564 FT., LSD 600 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 49.08 FT BELOW LSD, MAR. 25, 1966.  
 LOWEST STATIC WATER LEVEL 55.20 FT BELOW LSD, OCT. 20, 1967.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 23, 1966	49.33	APR. 27, 1966	49.57	MAR. 23, 1967	50.64	MAR. 21, 1968	50.60
MAR. 25	49.08	OCT. 11	53.10	OCT. 20	55.20	OCT. 15	66.13B

6N/30W-9N1 S. SAN LUCAS RANCH. NEAR SANTA YNEZ. DRILLED STOCK WATER-TABLE WELL IN PASO ROBLES (?) FORMATION OF PLIOCENE AND PLEISTOCENE (?) AGE, DIAMETER 8 INCHES. DEPTH 160.0 FT., LSD 660.01 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 35.40 FT BELOW LSD, MAR. 18, 1968.  
 LOWEST STATIC WATER LEVEL 39.89 FT BELOW LSD, OCT. 14, 1968.  
 RECORDS AVAILABLE: 1941-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 23, 1966	A	APR. 27, 1966	39.05	MAR. 30, 1967	40.00A	MAR. 18, 1968	35.40
MAR. 25	39.33B	OCT. 11	A	OCT. 20	39.73	OCT. 14	39.89

6N/30W-11K1 S. RANCHO PINCHA. HAPPY CANYON. DRILLED STOCK WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE. DEPTH FT., LSD 652 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 35.20 FT BELOW LSD, MAR. 23, 1967.  
 LOWEST STATIC WATER LEVEL 49.74 FT BELOW LSD, OCT. 19, 1967.  
 RECORDS AVAILABLE: 1955-59, 1963-64, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 7, 1966	36.71	OCT. 19, 1967	49.74	MAR. 20, 1968	49.64	OCT. 15, 1968	45.45
MAR. 23, 1967	35.20						

6N/30W-21B2 S. BRYANT MYERS. DRILLED IRRIGATION WATER-TABLE WELL IN RIVER-CHANNEL DEPOSITS, DIAMETER 16 INCHES. DEPTH 70 FT., LSD 498.75 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 13.47 FT BELOW LSD, MAR. 25, 1966.  
 LOWEST STATIC WATER LEVEL 13.59 FT BELOW LSD, FEB. 23, 1966.  
 RECORDS AVAILABLE: 1952-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 23, 1966	13.59	MAR. 25, 1966	13.47	APR. 27, 1966	A	OCT. 13, 1966	0

6N/30W-29D3 S. USGS, RANCHO JUAN Y LOLITA. DRILLED OBSERVATION WATER-TABLE WELL IN RIVER-CHANNEL DEPOSITS, DIAMETER 4 INCHES. DEPTH 40 FT., LSD 457.65 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 6.91 FT BELOW LSD, APR. 27, 1966.  
 LOWEST STATIC WATER LEVEL 9.24 FT BELOW LSD, MAR. 25, 1966.  
 RECORDS AVAILABLE: 1954-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 23, 1966	8.64	MAR. 25, 1966	9.24	APR. 27, 1966	6.91	OCT. 13, 1966	0

6N/30W-29E1 S. RANCHO JUAN Y LOLITA. NEAR SANTA YNEZ. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 52 FT., LSD 465.02 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 12.81 FT BELOW LSD, APR. 27, 1966.  
 LOWEST STATIC WATER LEVEL 16.45 FT BELOW LSD, FEB. 23, 1966.  
 RECORDS AVAILABLE: 1933-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 23, 1966	16.45	MAR. 25, 1966	14.96	APR. 27, 1966	12.81	OCT. 13, 1966	0

## GROUND-WATER RECORDS, 1966-68

6N/31W-1P2 S. F. LLOYD. 1 MILE NORTHWEST OF SANTA YNEZ. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE. DEPTH 350 FT., LSD 620 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 51.80 FT BELOW LSD, MAR. 30, 1967.  
 LOWEST STATIC WATER LEVEL 64.85 FT BELOW LSD, OCT. 14, 1968.  
 RECORDS AVAILABLE: 1956-58, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 13, 1966	64.15R	OCT. 23, 1967	57.12	MAR. 21, 1968	51.88	OCT. 14, 1968	64.85
MAR. 30, 1967	51.80						

6N/31W-1P3 S. SANTA YNEZ RIVER VALLEY WATER CONSERVATION DISTRICT. 1 MILE NORTHWEST OF SANTA YNEZ. DRILLED PUBLIC SUPPLY ARTESIAN WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 16 INCHES, PERFORATED INTERVAL 195-360, 410-490 FEET. DEPTH 1,006 FT., LSD 640 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 80.85 FT BELOW LSD, MAR. 21, 1968.  
 LOWEST STATIC WATER LEVEL 85.93 FT BELOW LSD, OCT. 23, 1967.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 13, 1966	A	MAR. 30, 1967	A	MAR. 21, 1968	80.85	OCT. 15, 1968	90.60C
MAR. 15, 1967	81.67J	OCT. 23	85.93				

6N/31W-2K1 S. SAM DE LA CUESTA. DRILLED DOMESTIC, IRRIGATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 75 FT., LSD 627 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 45.87 FT BELOW LSD, MAR. 18, 1968.  
 LOWEST STATIC WATER LEVEL 58.90 FT BELOW LSD, OCT. 11, 1968.  
 RECORDS AVAILABLE: 1942, 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 23, 1966	49.47	APR. 27, 1966	50.54	MAR. 30, 1967	49.38	MAR. 18, 1968	45.87
MAR. 25	49.47	OCT. 12	50.52	OCT. 23	50.10	OCT. 11	58.90

6N/31W-3A1 S. RANCHO SANTA YNEZ. 0.75 MILE SOUTHWEST OF BALLARD. DRILLED UNUSED WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 12 INCHES. DEPTH 196 FT., LSD 760 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 153.40 FT BELOW LSD, OCT. 11, 1968.  
 LOWEST STATIC WATER LEVEL 174.30 FT BELOW LSD, MAR. 30, 1967.  
 RECORDS AVAILABLE: 1963-64, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 12, 1966	162.8 A	OCT. 25, 1967	156.88	MAR. 18, 1968	156.02	OCT. 11, 1968	153.40
MAR. 30, 1967	174.3						

6N/31W-4A1 S. OWNER UNKNOWN. 2.5 MILES NORTH OF SOLVANG. DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND CAREAGA SAND OF PLIOCENE AGE, DIAMETER 7 INCHES. DEPTH FT., LSD 615 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 83.08 FT BELOW LSD, MAR. 24, 1967.  
 LOWEST STATIC WATER LEVEL 85.38 FT BELOW LSD, OCT. 11, 1968.  
 RECORDS AVAILABLE: 1956-58, 1963-64, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 12, 1966	83.24	OCT. 23, 1967	83.21	MAR. 19, 1968	83.16	OCT. 11, 1968	85.38
MAR. 24, 1967	83.08						

6N/31W-6F1 S. ODIN BUELL. 1 MILE NORTH OF BUELLTON. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 8 INCHES. DEPTH FT., LSD 425 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 86.57 FT BELOW LSD, MAR. 14, 1968.  
 LOWEST STATIC WATER LEVEL 99.35 FT BELOW LSD, OCT. 12, 1966.  
 RECORDS AVAILABLE: 1956, 1958, 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 12, 1966	99.35	OCT. 24, 1967	89.66	MAR. 14, 1968	86.57	OCT. 11, 1968	97.26
APR. 3, 1967	88.62						

6N/31W-7M1 S. BUELLTON COMMUNITY SERVICES DISTRICT. BUELLTON. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 8 INCHES, PERFORATED INTERVAL 41-49, 57-63 FEET. DEPTH 71 FT., LSD 351.9 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 35.32 FT BELOW LSD, MAR. 24, 1967.  
 LOWEST STATIC WATER LEVEL 39.19 FT BELOW LSD, OCT. 11, 1968.  
 RECORDS AVAILABLE: 1963, 1949-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 12, 1966	37.75	OCT. 24, 1967	36.74	MAR. 19, 1968	36.49	OCT. 11, 1968	39.19
MAR. 24, 1967	35.32						

6N/31W-10E1 S. L. R. HOFF. 1.5 MILES NORTH OF SOLVANG. DRILLED IRRIGATION AND DOMESTIC WATER-TABLE WELL IN CAREAGA SAND OF PLIOCENE AGE, DIAMETER 8 INCHES. DEPTH 265 FT., LSD 540 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 67.72 FT BELOW LSD, OCT. 23, 1967.  
 LOWEST STATIC WATER LEVEL 74.90 FT BELOW LSD, OCT. 12, 1966.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 12, 1966	74.90	OCT. 23, 1967	67.72	MAR. 14, 1968	67.78	OCT. 11, 1968	68.50
MAR. 3, 1967	A						

6N/31W-11D4 S. DONALD SOKOL. 2.0 MILES WEST OF SANTA YNEZ. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 12 INCHES, PERFORATED INTERVAL 93-102, 131-147, 197-205, 227-447 FEET. DEPTH 452 FT., LSD 558.5 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 45.92 FT BELOW LSD, MAR. 30, 1967.  
 LOWEST STATIC WATER LEVEL 53.18 FT BELOW LSD, OCT. 23, 1967.  
 RECORDS AVAILABLE: 1955-59, 1963-64, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 12, 1966	47.02	OCT. 23, 1967	53.18	MAR. 18, 1968	46.00	OCT. 11, 1968	50.54
MAR. 30, 1967	45.92						

6N/31W-13D1 S. S. MICHAELIS. DRILLED DOMESTIC WATER-TABLE WELL IN PASO ROBLES FORMATION, DIAMETER 10 INCHES. DEPTH 170 FT., LSD 608 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 116.69 FT BELOW LSD, MAR. 25, 1966.  
 LOWEST STATIC WATER LEVEL 119.57 FT BELOW LSD, OCT. 14, 1968.  
 RECORDS AVAILABLE: 1941-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 23, 1966	117.84	APR. 27, 1966	117.28	MAR. 30, 1967	117.26	MAR. 21, 1968	118.90
MAR. 25	116.69	OCT. 13	119.00	OCT. 23	118.90	OCT. 14	119.57

6N/31W-15A5 S. LOUIS JAMIN. DRILLED IRRIGATION WELL IN ALLUVIUM AND PASO ROBLES FORMATION, DIAMETER 10 INCHES. DEPTH 160 FT., LSD 502 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 12.52 FT BELOW LSD, MAR. 25, 1966.  
 LOWEST STATIC WATER LEVEL 14.58 FT BELOW LSD, OCT. 11, 1968.  
 RECORDS AVAILABLE: 1950-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 23, 1966	12.60	APR. 27, 1966	N	MAR. 30, 1967	13.10	MAR. 18, 1968	13.10
MAR. 25	12.52	OCT. 12	13.86	OCT. 23	13.39	OCT. 11	14.58

6N/31W-16N2 S. R. G. PETERSON. DRILLED INDUSTRIAL WELL IN RIVER-CHANNEL DEPOSITS, DIAMETER 16 INCHES. DEPTH 47 FT., LSD 366.29 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 12.09 FT BELOW LSD, MAR. 24, 1967.  
 LOWEST STATIC WATER LEVEL 26.10 FT BELOW LSD, OCT. 11, 1968.  
 RECORDS AVAILABLE: 1941, 1945, 1949-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	14.21	APR. 27, 1966	14.13	MAR. 24, 1967	12.09	MAR. 14, 1968	14.66
MAR. 25	14.17	OCT. 21	24.40	OCT. 23	20.60	OCT. 11	26.10

## GROUND-WATER RECORDS, 1966-68

6N/31W-17F1 S. JOHN ORTON. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 43 FT., LSD 362.90 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 24.10 FT BELOW LSD, MAR. 24, 1967.  
 LOWEST STATIC WATER LEVEL 38.14 FT BELOW LSD, OCT. 11, 1968.  
 RECORDS AVAILABLE: 1931-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	27.48	APR. 27, 1966	27.48A	MAR. 24, 1967	24.10	MAR. 14, 1968	26.05
MAR. 25	A	OCT. 21	32.85	OCT. 23	28.03	OCT. 11	38.14

6N/32W-201 S. WALLACE DINE. DRILLED UNUSED WELL IN ALLUVIUM AND PASO ROBLES FORMATION, DIAMETER 8 INCHES. DEPTH 108 FT., LSD 359.46 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 58.34 FT BELOW LSD, APR. 27, 1966.  
 LOWEST STATIC WATER LEVEL 63.28 FT BELOW LSD, OCT. 11, 1968.  
 RECORDS AVAILABLE: 1949-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	58.45	APR. 27, 1966	58.34	MAR. 24, 1967	58.39	MAR. 14, 1968	59.24
MAR. 30	58.50	OCT. 25	59.10	OCT. 24	58.78	OCT. 11	63.28

6N/32W-6K1 S. ROSE COSTA. DRILLED DOMESTIC WELL IN ALLUVIUM AND PASO ROBLES FORMATION, DIAMETER 12 INCHES. DEPTH 74 FT., LSD 383.55 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 23.40 FT BELOW LSD, MAR. 30, 1966.  
 LOWEST STATIC WATER LEVEL 24.98 FT BELOW LSD, OCT. 10, 1968.  
 RECORDS AVAILABLE: 1932-34, 1941-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	A	APR. 27, 1966	24.35A	APR. 3, 1967	24.31	MAR. 14, 1968	24.68
MAR. 30	23.40	OCT. 25	24.22	OCT. 24	24.74	OCT. 10	24.98

6N/32W-9A2 S. E. F. AIREY. NEAR BUELLTON, DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 72 FT., LSD 308.03 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 33.72 FT BELOW LSD, APR. 3, 1967.  
 LOWEST STATIC WATER LEVEL 42.00 FT BELOW LSD, OCT. 10, 1968.  
 RECORDS AVAILABLE: 1945, 1950-58, 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	N	APR. 27, 1966	36.60	APR. 3, 1967	33.72	MAR. 14, 1968	35.03
MAR. 30	A	OCT. 25	38.70	OCT. 24	38.40	OCT. 10	42.00

6N/32W-11G3 S. USGS, W. H. MERCER. DRILLED OBSERVATION WELL IN RIVER CHANNEL DEPOSITS, DIAMETER 4 INCHES. DEPTH 28 FT., LSD 301.06 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 6.19 FT BELOW LSD, MAR. 22, 1967.  
 LOWEST STATIC WATER LEVEL 10.77 FT BELOW LSD, OCT. 7, 1968.  
 RECORDS AVAILABLE: 1954-60, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 26, 1966	6.56	MAY 3, 1966	7.09	MAR. 22, 1967	6.19	MAR. 12, 1968	8.32
MAR. 2	6.59	MAY 25	7.27	OCT. 26	8.75	OCT. 7	10.77
APR. 1	6.72						

6N/32W-11N1 S. C. H. DOTY AND H. W. MERCER. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 50 FT., LSD 332.74 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 31.83 FT BELOW LSD, MAR. 1, 1966.  
 LOWEST STATIC WATER LEVEL 36.03 FT BELOW LSD, APR. 26, 1966.  
 RECORDS AVAILABLE: 1932, 1941, 1949-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	31.83	APR. 1, 1966	33.93	APR. 26, 1966	36.03	OCT. 21, 1966	P

6N/32W-16P3 S. CHANNING PEAK. DRILLED DOMESTIC STOCK WELL IN ALLUVIUM, DIAMETER 16 INCHES.  
 DEPTH 70 FT., LSD 293.18 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 43.36 FT BELOW LSD, MAR. 22, 1967.  
 LOWEST STATIC WATER LEVEL 52.37 FT BELOW LSD, OCT. 26, 1967.  
 RECORDS AVAILABLE: 1941-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	44.38	APR. 26, 1966	A	MAR. 22, 1967	43.36	MAR. 12, 1968	44.50
APR. 1	A	OCT. 21	A	OCT. 26	52.37	OCT. 7	52.30C

6N/32W-18H1 S. T. J. DONOVAN. DRILLED DOMESTIC STOCK WELL IN ALLUVIUM, DIAMETER 8 INCHES.  
 DEPTH 50 FT., LSD 267.09 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 33.63 FT BELOW LSD, MAR. 22, 1967.  
 LOWEST STATIC WATER LEVEL 40.35 FT BELOW LSD, OCT. 7, 1968.  
 RECORDS AVAILABLE: 1941, 1949-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	34.00	APR. 26, 1966	A	MAR. 22, 1967	33.63	MAR. 12, 1968	35.94
APR. 1	A	OCT. 21	37.70	OCT. 26	38.35	OCT. 7	40.35

6N/33W-8J1 S. HOLLISTER ESTATE. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 62 FT., LSD 200.57 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 40.70 FT BELOW LSD, MAR. 22, 1967.  
 LOWEST STATIC WATER LEVEL 46.64 FT BELOW LSD, OCT. 21, 1966.  
 RECORDS AVAILABLE: 1941, 1949-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	42.75	APR. 26, 1966	43.25	MAR. 22, 1967	40.70	MAR. 12, 1968	42.17
APR. 1	43.22	OCT. 21	46.64	OCT. 26	44.48	OCT. 7	46.14

6N/33W-9P1 S. HOLLISTER ESTATE. NEAR LOMPOC. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 83 FT., LSD 203.03 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 39.19 FT BELOW LSD, APR. 27, 1967.  
 LOWEST STATIC WATER LEVEL 47.69 FT BELOW LSD, AUG. 23, 1966.  
 RECORDS AVAILABLE: 1932-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	42.00	JAN. 27, 1967	44.20	SEP. 27, 1967	42.75	MAY 27, 1968	43.24
APR. 1	43.77C	FEB. 24	39.91	OCT. 26	41.96	JUNE 24	45.28
APR. 26	46.00	MAR. 22	41.45C	NOV. 30	41.63	JULY 30	45.20
AUG. 23	47.69	APR. 27	39.19	DEC. 26	41.00	AUG. 26	46.25
SEP. 23	45.28	MAY 26	40.20	JAN. 26, 1968	40.08	SEP. 27	45.58
OCT. 21	45.15	JUNE 28	41.32	FEB. 26	41.05C	OCT. 28	44.49
NOV. 22	44.35	JULY 28	42.71	MAR. 27	41.95C	NOV. 25	43.80
DEC. 28	42.61	AUG. 28	44.02	APR. 25	44.20C	DEC.	N

6N/33W-11M1 S. WILLIAM RENNIE. DRILLED IRRIGATION WELL IN ALLUVIUM AND RIVER CHANNEL DEPOSITS, DIAMETER 14 INCHES. DEPTH 65 FT., LSD 203.82 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 6.36 FT BELOW LSD, MAR. 22, 1967.  
 LOWEST STATIC WATER LEVEL 12.63 FT BELOW LSD, OCT. 7, 1968.  
 RECORDS AVAILABLE: 1947, 1949-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	7.40	APR. 26, 1966	7.83	MAR. 22, 1967	6.36	MAR. 12, 1968	8.93A
APR. 1	A	OCT. 21	11.41	OCT. 26	10.28	OCT. 7	12.63

6N/34W-1P1 S. HOLLISTER ESTATE. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 164 FT., LSD 150.37 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 34.47 FT BELOW LSD, MAR. 22, 1967.  
 LOWEST STATIC WATER LEVEL 41.68 FT BELOW LSD, OCT. 7, 1968.  
 RECORDS AVAILABLE: 1949-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	35.47	APR. 26, 1966	37.96	MAR. 22, 1967	34.47	MAR. 12, 1968	38.07
APR. 1	A	OCT. 21	40.25	OCT. 26	36.82	OCT. 7	41.68

## GROUND-WATER RECORDS, 1966-68

6N/34W-4G3 S. CITY OF LOMPOC. AT CORNER OF "D" AND CYPRESS STREETS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DEPTH 81 FT., LSD 100 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 54.05 FT BELOW LSD, MAR. 7, 1968.  
 LOWEST STATIC WATER LEVEL 57.45 FT BELOW LSD, MAY 3, 1966.  
 RECORDS AVAILABLE: 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	56.85	MAY 3, 1966	57.45	MAR. 27, 1967	56.08	MAR. 7, 1968	54.05
MAR. 30	56.74	OCT. 25	57.13	OCT. 25	N	OCT. 7	55.46

6N/34W-6C2 S. BANK OF AMERICA. DRILLED DOMESTIC, STOCK ARTESIAN WELL IN CAREAGA SAND, DIAMETER 12 INCHES. DEPTH 185 FT., LSD 99.80 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 62.57 FT BELOW LSD, MAR. 11, 1968.  
 LOWEST STATIC WATER LEVEL 69.47 FT BELOW LSD, MAY 3, 1966.  
 RECORDS AVAILABLE: 1930-39, 1943-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	63.10	MAY 3, 1966	69.47	MAR. 22, 1967	63.85	MAR. 11, 1968	62.57
MAR. 30	66.43	OCT. 25	65.53	OCT. 25	63.46	OCT. 7	66.18

6N/35W-2D1 S. U.S. DEPARTMENT OF THE AIR FORCE, TEST WELL 10. DRILLED TEST WELL IN CAREAGA SAND, DIAMETER 8 INCHES. DEPTH 443.6 FT., LSD 289 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 212.80 FT BELOW LSD, APR. 4, 1967.  
 LOWEST STATIC WATER LEVEL 213.20 FT BELOW LSD, NOV. 12, 1968.  
 RECORDS AVAILABLE: 1958-60, 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 1, 1966	M	JULY 7, 1966	212.82	APR. 4, 1967	212.80	MAR. 20, 1968	213.16
APR. 27	N	NOV. 18	213.08	NOV. 7	213.12	NOV. 12	213.20

7N/29W-28D1 S. R. L. BEAUDETTE. HAPPY CANYON. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 12 INCHES. DEPTH 73 FT., LSD 1,130 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 28.63 FT BELOW LSD, MAR. 23, 1967.  
 LOWEST STATIC WATER LEVEL 60.44 FT BELOW LSD, OCT. 10, 1966.  
 RECORDS AVAILABLE: 1941-43, 1954-59, 1963-64, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 10, 1966	60.44	OCT. 19, 1967	56.77	MAR. 18, 1968	44.98	OCT. 14, 1968	59.08
MAR. 23, 1967	28.63						

7N/29W-29R1 S. RUNNING SPRINGS RANCH. HAPPY CANYON. DRILLED IRRIGATION ARTESIAN WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE. DEPTH FT., LSD 1,050 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 37.44 FT BELOW LSD, MAR. 23, 1967.  
 LOWEST STATIC WATER LEVEL 70.83 FT BELOW LSD, OCT. 14, 1968.  
 RECORDS AVAILABLE: 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 7, 1966	58.60	OCT. 19, 1967	A	MAR. 18, 1968	49.20	OCT. 14, 1968	70.83
MAR. 23, 1967	37.44						

7N/29W-29R2 S. RUNNING SPRINGS RANCH. HAPPY CANYON. DRILLED IRRIGATION ARTESIAN WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE. DEPTH FT., LSD 1,050 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 36.30 FT BELOW LSD, MAR. 23, 1967.  
 LOWEST STATIC WATER LEVEL 58.30 FT BELOW LSD, OCT. 7, 1966.  
 RECORDS AVAILABLE: 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 7, 1966	58.30	OCT. 19, 1967	38.59	MAR. 18, 1968	51.26A	OCT. 14, 1968	53.20
MAR. 23, 1967	36.30						

7N/30W-16R1 S. E. S. PILLSBURG II. 4 MILES NORTHEAST OF LOS OLIVOS. DRILLED UNUSED WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 14 INCHES. DEPTH 150 FT., LSD 1,077 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 22.99 FT BELOW LSD, OCT. 16, 1968.  
 LOWEST STATIC WATER LEVEL 35.27 FT BELOW LSD, OCT. 10, 1966.  
 RECORDS AVAILABLE: 1950, 1954-59, 1963-64, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 10, 1966	35.27	OCT. 20, 1967	28.73	MAR. 20, 1968	23.60	OCT. 16, 1968	22.99
MAR. 23, 1967	32.70						

7N/30W-19H1 S. RADE KANGERA. 2.5 MILES EAST OF LOS OLIVOS. DRILLED STOCK WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 8 INCHES. DEPTH FT., LSD 1,120 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 188.40 FT BELOW LSD, OCT. 16, 1968.  
 LOWEST STATIC WATER LEVEL 190.64 FT BELOW LSD, MAR. 30, 1967.  
 RECORDS AVAILABLE: 1954-59, 1963-64, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 12, 1966	190.6	OCT. 20, 1967	189.10	MAR. 21, 1968	189.30	OCT. 16, 1968	188.40
MAR. 30, 1967	190.64						

7N/30W-19P1 S. RADE KANGERA. 1.7 MILES EAST OF LOS OLIVOS. DRILLED STOCK WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 8 INCHES. DEPTH FT., LSD 920 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 81.80 FT BELOW LSD, MAR. 21, 1968.  
 LOWEST STATIC WATER LEVEL 83.50 FT BELOW LSD, OCT. 20, 1967.  
 RECORDS AVAILABLE: 1954-59, 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 13, 1966	83.15	OCT. 20, 1967	83.50	MAR. 21, 1968	81.80	OCT. 16, 1968	82.64
MAR. 30, 1967	82.64						

7N/30W-22E1 S. GREGG ORTON ESTATE. 4.5 MILES EAST OF LOS OLIVOS. DRILLED DOMESTIC WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 12 INCHES. DEPTH 229 FT., LSD 920 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 6.70 FT BELOW LSD, MAR. 23, 1967.  
 LOWEST STATIC WATER LEVEL 7.16 FT BELOW LSD, OCT. 11, 1966.  
 RECORDS AVAILABLE: 1948, 1954-59, 1963-64, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 11, 1966	7.16	OCT. 20, 1967	A	MAR. 20, 1968	9.07A	OCT. 16, 1968	7.12
MAR. 23, 1967	6.70						

7N/30W-24O1 S. C. C. JOHNSON. MARRE CANYON. DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 8 INCHES. DEPTH 45 FT., LSD 1,190 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 49.00 FT BELOW LSD, OCT. 14, 1968.  
 LOWEST STATIC WATER LEVEL 54.45 FT BELOW LSD, OCT. 10, 1966.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 10, 1966	54.45	OCT. 19, 1967	51.20	MAR. 18, 1968	49.50	OCT. 14, 1968	49.00
MAR. 23, 1967	52.30						

7N/30W-27H1 S. GREGG ORTON ESTATE. 5 MILES EAST OF LOS OLIVOS. DRILLED STOCK WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 10 INCHES, PERFORATED INTERVAL 145-171 FEET. DEPTH 188 FT., LSD 852 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 14.50 FT BELOW LSD, OCT. 15, 1968.  
 LOWEST STATIC WATER LEVEL 22.60 FT BELOW LSD, OCT. 11, 1966.  
 RECORDS AVAILABLE: 1942, 1954-59, 1963, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 11, 1966	22.60	OCT. 20, 1967	N	MAR. 20, 1968	N	OCT. 15, 1968	14.50

## GROUND-WATER RECORDS, 1966-68

7N/30W-27001 S. LAWRENCE HOURIHAN. 4 MILES NORTHEAST OF SANTA YNEZ. DRILLED STOCK WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 12 INCHES. DEPTH 38 FT., LSD 789 FT. ABOVE MSL.

HIGHEST WATER LEVEL 30.14 FT BELOW LSD, MAR. 23, 1967.  
LOWEST STATIC WATER LEVEL 41.15 FT BELOW LSD, OCT. 11, 1966.  
RECORDS AVAILABLE: 1942, 1954-59, 1963-64, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 11, 1966	41.15	OCT. 20, 1967	35.10	MAR. 20, 1968	34.80	OCT. 15, 1968	40.80
MAR. 23, 1967	30.14						

7N/30W-2901 S. RADE KANGERA. 2.5 MILES EAST OF LOS OLIVOS. DRILLED STOCK WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 6 INCHES. DEPTH 290 FT., LSD 910 FT. ABOVE MSL.

HIGHEST WATER LEVEL 46.52 FT BELOW LSD, APR. 1, 1968.  
LOWEST STATIC WATER LEVEL 110.60 FT BELOW LSD, OCT. 16, 1968.  
RECORDS AVAILABLE: 1941, 1957-59, 1963-64, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 13, 1966	108.90	OCT. 20, 1967	104.20	OCT. 16, 1968	110.60	APR. 1, 1968	46.52
MAR. 30, 1967	108.65	MAR. 21, 1968	95.12				

7N/30W-29N2 S. FRAZIER. 2.5 MILES SOUTHEAST OF LOS OLIVOS. DRILLED IRRIGATION AND DOMESTIC WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE. DEPTH 485 FT., LSD 820.3 FT. ABOVE MSL.

HIGHEST WATER LEVEL 261.15 FT BELOW LSD, MAR. 23, 1967.  
LOWEST STATIC WATER LEVEL 280.59 FT BELOW LSD, MAR. 21, 1968.  
RECORDS AVAILABLE: 1954-59, 1963-64, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 11, 1966	271.10	OCT. 20, 1967	278.55	MAR. 21, 1968	280.59	OCT. 16, 1968	271.32
MAR. 23, 1967	261.15						

7N/30W-30M1 S. RADE KANGERA. 1.5 MILES SOUTHEAST OF LOS OLIVOS. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 12 INCHES. DEPTH 200 FT., LSD 795 FT. ABOVE MSL.

HIGHEST WATER LEVEL 171.80 FT BELOW LSD, MAR. 21, 1968.  
LOWEST STATIC WATER LEVEL 178.73 FT BELOW LSD, OCT. 20, 1967.  
RECORDS AVAILABLE: 1939, 1956-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 13, 1966	177.55	OCT. 20, 1967	178.73	MAR. 21, 1968	171.80	OCT. 16, 1968	A
MAR. 30, 1967	175.72						

7N/30W-33M2 S. PHILIP JACOBS (J. R. KELLY). DRILLED UNUSED ARTESIAN WELL IN PASO ROBLES FORMATION, DIAMETER 10 INCHES. DEPTH 318 FT., LSD 746.35 FT. ABOVE MSL.

HIGHEST WATER LEVEL 189.77 FT BELOW LSD, MAR. 25, 1966.  
LOWEST STATIC WATER LEVEL 210.35 FT BELOW LSD, OCT. 11, 1966.  
RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 23, 1966	N	APR. 27, 1966	A	MAR. 23, 1967	N	MAR. 19, 1968	207.11
MAR. 25	189.77	OCT. 11	210.35	OCT. 20	201.27	OCT. 16	204.80

7N/30W-35R1 S. R. CLARK. 6 MILES EAST OF BALLARD. DRILLED STOCK WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 10 INCHES, PERFORATED INTERVAL 201-203, 223-242, 264-268, 283-288 FEET. DEPTH 300 FT., LSD 880 FT. ABOVE MSL.

HIGHEST WATER LEVEL 222.15 FT BELOW LSD, OCT. 10, 1966.  
LOWEST STATIC WATER LEVEL 227.90 FT BELOW LSD, OCT. 14, 1968.  
RECORDS AVAILABLE: 1952, 1956-59, 1963-64, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 10, 1966	222.15	OCT. 19, 1967	223.78	MAR. 18, 1968	223.53	OCT. 14, 1968	227.90
MAR. 23, 1967	222.20						



7N/31W-22A3 S. CHARLES STORKE. 1 MILE NORTHWEST OF LOS OLIVOS. DRILLED DOMESTIC WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 8 INCHES, PERFORATED INTERVAL 95-105, 110-135, 140-150, 182-188, 210-218 FEET. DEPTH 224 FT., LSD 865 FT. ABOVE MSL. HIGHEST WATER LEVEL 57.95 FT BELOW LSD, MAR. 18, 1968. LOWEST STATIC WATER LEVEL 66.12 FT BELOW LSD, OCT. 12, 1966. RECORDS AVAILABLE: 1958-59, 1963-64, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 12, 1966	66.12	OCT. 23, 1967	63.26	MAR. 18, 1968	57.95	OCT. 11, 1968	64.39
MAR. 30, 1967	66.00						

7N/31W-23P1 S. F. L. MATTEI. DRILLED DOMESTIC, IRRIGATION WELL IN PASO ROBLES FORMATION, DIAMETER 8 INCHES. DEPTH 414 FT., LSD 821.86 FT. ABOVE MSL. HIGHEST WATER LEVEL 44.84 FT BELOW LSD, MAY 27, 1968. LOWEST STATIC WATER LEVEL 109.08 FT BELOW LSD, AUG. 22, 1966. RECORDS AVAILABLE: 1942-57, 1959-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 23, 1966	85.00	JAN. 27, 1967	79.47	SEP. 29, 1967	72.90	MAY 27, 1968	44.84
MAR. 25	82.06	FEB. 27	73.57	OCT. 20	69.98	JUNE 24	48.04
APR. 27	83.47	MAR. 30	72.62	NOV. 27	64.50	JULY 30	53.10
JULY 29	95.07	APR. 25	72.02	DEC. 26	59.70	AUG. 26	52.90
AUG. 22	105.08	MAY 24	76.46	JAN. 26, 1968	61.60	SEP. 27	54.02
SEP. 26	82.90	JUNE 23	72.80	FEB. 26	51.70	OCT. 28	54.10
OCT. 12	91.68	JULY 26	74.08	MAR. 27	51.45	NOV. 25	57.59
NOV. 22	79.26	AUG. 30	74.78	APR. 25	45.94	DEC.	N
DEC. 27	76.72						

7N/31W-25L1 S. RICHTER AND LEF. DRILLED DOMESTIC WELL IN PASO ROBLES FORMATION, DIAMETER 12 INCHES. DEPTH 300 FT., LSD 806 FT. ABOVE MSL. HIGHEST WATER LEVEL 157.24 FT BELOW LSD, OCT. 11, 1968. LOWEST STATIC WATER LEVEL 174.40 FT BELOW LSD, APR. 27, 1966. RECORDS AVAILABLE: 1942-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 23, 1966	159.5	APR. 27, 1966	174.4	MAR. 30, 1967	161.7	MAR. 18, 1968	160.83
MAR. 25	162.7	OCT. 20	168.5	OCT. 23	168.50	OCT. 11	157.24

7N/31W-26G5 S. ROBERT STEVENS. 0.5 MILE SOUTH OF LOS OLIVOS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 12 INCHES. DEPTH 140 FT., LSD 788 FT. ABOVE MSL. HIGHEST WATER LEVEL 45.50 FT BELOW LSD, OCT. 11, 1968. LOWEST STATIC WATER LEVEL 70.04 FT BELOW LSD, OCT. 12, 1966. RECORDS AVAILABLE: 1957-59, 1963-64, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 12, 1966	70.04	OCT. 20, 1967	59.83	MAR. 18, 1968	47.54	OCT. 11, 1968	45.50
MAR. 30, 1967	62.73						

7N/31W-26P1 S. PHILIP LEIGHTON. 1 MILE SOUTH OF LOS OLIVOS. DRILLED IRRIGATION AND DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 10 INCHES, PERFORATED INTERVAL 52-62 FEET. DEPTH 90 FT., LSD 743 FT. ABOVE MSL. HIGHEST WATER LEVEL 23.63 FT BELOW LSD, MAR. 18, 1968. LOWEST STATIC WATER LEVEL 35.90 FT BELOW LSD, OCT. 12, 1966. RECORDS AVAILABLE: 1952, 1954-59, 1963-64, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 12, 1966	35.90	OCT. 20, 1967	30.94	MAR. 18, 1968	23.63	OCT. 11, 1968	24.80
MAR. 30, 1967	28.00						

## GROUND-WATER RECORDS, 1966-68

7N/31W-34M1 S. ALBERT GREGGERSEN. 3 MILES NORTH OF SOLVANG. DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN CARFAGA SAND OF PLIOCENE AGE. DEPTH FT., LSD 650 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 126.88 FT BELOW LSD, APR. 3, 1967.  
 LOWEST STATIC WATER LEVEL 136.03 FT BELOW LSD, OCT. 23, 1967.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 12, 1966	134.15	OCT. 23, 1967	136.03	MAR. 19, 1968	143.50A	OCT. 11, 1968	135.00
APR. 3, 1967	126.88						

7N/31W-35K1 S. HUTCHINSON. NEAR BALLARD. DRILLED IRRIGATION AND STOCK WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE. DEPTH 149 FT., LSD 683 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 81.40 FT BELOW LSD, MAR. 18, 1968.  
 LOWEST STATIC WATER LEVEL 100.54 FT BELOW LSD, OCT. 23, 1967.  
 RECORDS AVAILABLE: 1942, 1957-59, 1963-64, 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 30, 1967	84.58	OCT. 23, 1967	100.54	MAR. 18, 1968	81.40	OCT. 11, 1968	94.50

7N/31W-36L2 S. D. B. KILBOURNE. NEAR BALLARD. BASELINE AND GRAND (REFUGIO) AVES. DRILLED DOMESTIC AND IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION, DIAMETER 12 INCHES. DEPTH 230 FT., LSD 720.62 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 100.36 FT BELOW LSD, FEB. 23, 1966.  
 LOWEST STATIC WATER LEVEL 128.20 FT BELOW LSD, OCT. 14, 1968.  
 RECORDS AVAILABLE: 1942-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 23, 1966	100.36	OCT. 13, 1966	126.86	MAR. 30, 1967	107.31	MAR. 21, 1968	108.87
MAR. 25	101.63	OCT. 21	124.55	OCT. 23	127.25	OCT. 14	128.20
APR. 27	106.68						

7N/32W-7R1 S. UNION OIL COMPANY OF CALIFORNIA. 7.5 MILES NORTHWEST OF BUELLTON. DRILLED STOCK WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND SISQUOC FORMATION OF PLIOCENE AGE, DIAMETER 16 INCHES. DEPTH 77 FT., LSD 1,030 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 48.76 FT BELOW LSD, OCT. 24, 1967.  
 LOWEST STATIC WATER LEVEL 50.50 FT BELOW LSD, OCT. 10, 1968.  
 RECORDS AVAILABLE: 1941, 1945, 1954-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 4, 1966	50.07	OCT. 24, 1967	48.76	MAR. 19, 1968	49.81	OCT. 10, 1968	50.50
APR. 3, 1967	49.00						

7N/32W-18C2 S. S. G. SILVFIRA. 7 MILES NORTHWEST OF BUELLTON. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND SISQUOC FORMATION OF PLIOCENE AGE, DIAMETER 6 INCHES. DEPTH 70 FT., LSD 850 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 58.20 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 63.28 FT BELOW LSD, OCT. 10, 1968.  
 RECORDS AVAILABLE: 1941, 1945, 1954-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 4, 1966	A	OCT. 24, 1967	58.88	MAR. 19, 1968	58.20	OCT. 10, 1968	63.28
APR. 3, 1967	A						

7N/32W-31M1 S. HUNT. 6 MILES WEST OF BUELLTON. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE. DEPTH FT., LSD 450 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 59.70 FT BELOW LSD, APR. 3, 1967.  
 LOWEST STATIC WATER LEVEL 71.63 FT BELOW LSD, OCT. 10, 1968.  
 RECORDS AVAILABLE: 1954-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 4, 1966	65.35	OCT. 24, 1967	61.42	MAR. 14, 1968	86.20A	OCT. 10, 1968	71.63
APR. 3, 1967	59.70						

7N/33W-13E1 S. UNION OIL COMPANY OF CALIFORNIA. 8 MILES NORTHEAST OF LOMPOC. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE AND SISQUOC FORMATION OF PLIOCENE AGE, DIAMETER 8 INCHES. DEPTH 99 FT., LSD 838 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 86.19 FT BELOW LSD, NOV. 4, 1966.  
 LOWEST STATIC WATER LEVEL 89.22 FT BELOW LSD, MAR. 19, 1968.  
 RECORDS AVAILABLE: 1941, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 4, 1966	86.19	OCT. 24, 1967	86.46	MAR. 19, 1968	89.22	OCT. 10, 1968	88.69
APR. 3, 1967	86.29						

7N/33W-17N2 S. OWNER UNKNOWN. 4.5 MILES NORTHEAST OF LOMPOC. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE. DEPTH FT., LSD 360 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 262.98 FT BELOW LSD, MAR. 30, 1967.  
 LOWEST STATIC WATER LEVEL 270.02 FT BELOW LSD, OCT. 24, 1967.  
 RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 4, 1966	269.65	OCT. 24, 1967	270.02	MAR. 19, 1968	269.47	OCT. 10, 1968	265.59
MAR. 30, 1967	262.98						

7N/33W-19D1 S. LEVY-WFEL COMPANY. 3.5 MILES NORTHEAST OF LOMPOC. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 14 INCHES, PERFORATED INTERVAL 228-264, 300-552 FEET. DEPTH 552 FT., LSD 275 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 186.30 FT BELOW LSD, MAR. 30, 1967.  
 LOWEST STATIC WATER LEVEL 200.68 FT BELOW LSD, OCT. 24, 1967.  
 RECORDS AVAILABLE: 1958, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 4, 1966	190.20	OCT. 24, 1967	200.68	MAR. 19, 1968	199.86	OCT. 10, 1968	187.96
MAR. 30, 1967	186.30						

7N/33W-21C1 S. J. MACHADO. 6 MILES NORTHEAST OF LOMPOC. DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 8 INCHES. DEPTH 500 FT., LSD 453 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 381.40 FT BELOW LSD, OCT. 24, 1967.  
 LOWEST STATIC WATER LEVEL 388.18 FT BELOW LSD, OCT. 10, 1968.  
 RECORDS AVAILABLE: 1942, 1954-56, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 4, 1966	386.00	OCT. 24, 1967	381.40	MAR. 19, 1968	384.59	OCT. 10, 1968	388.18
APR. 3, 1967	N						

7N/33W-21N1 S. OWNER UNKNOWN. 5 MILES NORTHEAST OF LOMPOC. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE. DEPTH FT., LSD 360 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 279.68 FT BELOW LSD, MAR. 19, 1968.  
 LOWEST STATIC WATER LEVEL 285.65 FT BELOW LSD, OCT. 24, 1967.  
 RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 30, 1967	280.49	OCT. 24, 1967	285.65	MAR. 19, 1968	279.68	OCT. 10, 1968	280.39

7N/33W-27D1 S. OWNER UNKNOWN. 6 MILES EAST OF LOMPOC. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE. DEPTH FT., LSD 400 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 320.00 FT BELOW LSD, MAR. 30, 1967.  
 LOWEST STATIC WATER LEVEL 320.00 FT BELOW LSD, MAR. 30, 1967.  
 RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 30, 1967	320.00	OCT. 24, 1967	A	MAR. 19, 1968	A	OCT. 10, 1968	A

## GROUND-WATER RECORDS, 1966-68

7N/33W-27G1 S. OWNER: FRANK AKIN. LOMPOC. 8 MILES EAST OF LOMPOC. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 14 INCHES, PERFORATION FROM 435-735 FEET. DEPTH 750 FT., LSD 450 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 353.80 FT BELOW LSD, OCT. 24, 1967.  
LOWEST STATIC WATER LEVEL 353.80 FT BELOW LSD, OCT. 24, 1967.  
RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 24, 1967	353.80	MAR. 19, 1968	A	OCT. 10, 1968	A		

7N/33W-27J1 S. F. D. SILVA. 6.5 MILES EAST OF LOMPOC. DUG UNUSED WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 20 INCHES. DEPTH 52 FT., LSD 458.2 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 21.49 FT BELOW LSD, MAR. 19, 1968.  
LOWEST STATIC WATER LEVEL 22.14 FT BELOW LSD, NOV. 4, 1966.  
RECORDS AVAILABLE: 1941, 1945, 1955-58, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 4, 1966	22.14	OCT. 24, 1967	21.63	MAR. 19, 1968	21.49	OCT. 10, 1968	22.06
MAR. 30, 1967	21.65						

7N/33W-27L1 S. OWNER UNKNOWN. 8 MILES EAST OF LOMPOC. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE. DEPTH FT., LSD 445 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 304.10 FT BELOW LSD, NOV. 4, 1966.  
LOWEST STATIC WATER LEVEL 311.50 FT BELOW LSD, MAR. 30, 1967.  
RECORDS AVAILABLE: 1953, 1955-59, 1966-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 4, 1966	304.10	MAR. 30, 1967	311.500				

7N/33W-30C1 S. JOHN VALLA. DRILLED UNUSED WELL IN PASO ROBLES FORMATION, DIAMETER 8 INCHES. DEPTH 183 FT., LSD 235.24 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 163.07 FT BELOW LSD, FEB. 25, 1966.  
LOWEST STATIC WATER LEVEL 165.60 FT BELOW LSD, OCT. 10, 1968.  
RECORDS AVAILABLE: 1941-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 25, 1966	163.07	APR. 27, 1966	163.24	MAR. 30, 1967	163.94	MAR. 7, 1968	165.00
MAR. 30	163.17	OCT. 25	163.70	OCT. 27	164.87	OCT. 10	165.60

7N/33W-36J1 S. J. D. VIEIRA. 6 MILES WEST OF RUELLTON. DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 8 INCHES, PERFORATED INTERVAL 125-190 FEET. DEPTH 190 FT., LSD 495 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 133.30 FT BELOW LSD, NOV. 4, 1966.  
LOWEST STATIC WATER LEVEL 145.16 FT BELOW LSD, OCT. 24, 1967.  
RECORDS AVAILABLE: 1941, 1945, 1955-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 4, 1966	133.30C	OCT. 24, 1967	145.16	MAR. 14, 1968	143.74	OCT. 10, 1968	141.87
APR. 3, 1967	137.85						

7N/33W-36J2 S. J. C. SANTOS. 6 MILES WEST OF RUELLTON. DRILLED UNUSED WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLEISTOCENE AGE, DIAMETER 8 INCHES. DEPTH 119 FT., LSD 478 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 66.14 FT BELOW LSD, APR. 3, 1967.  
LOWEST STATIC WATER LEVEL 68.35 FT BELOW LSD, OCT. 10, 1968.  
RECORDS AVAILABLE: 1941, 1954, 1957, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 4, 1966	66.23C	OCT. 24, 1967	66.42	MAR. 14, 1968	67.42	OCT. 10, 1968	68.35
APR. 3, 1967	66.14						

7N/33W-36J3 S. J. C. SANTOS. 6 MILES WEST OF BUFLTON. DRILLED IRRIGATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 10 INCHES. DEPTH 196 FT., LSD 490 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 129.46 FT BELOW LSD, MAR. 14, 1968.  
 LOWEST STATIC WATER LEVEL 133.80 FT BELOW LSD, OCT. 10, 1968.  
 RECORDS AVAILABLE: 1954-59, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV. 4, 1966	A	OCT. 24, 1967	132.70	MAR. 14, 1968	129.46	OCT. 10, 1968	133.80
APR. 3, 1967	130.13						

7N/34W-9H5 S. VANDENBERG UTILITY CO., NO. 2. DRILLED UNUSED ARTESIAN WELL IN PASO ROBLES FORMATION AND CAREAGA SAND, DIAMETER 12 INCHES. DEPTH 960 FT., LSD 300 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 242.47 FT BELOW LSD, MAR. 29, 1967.  
 LOWEST STATIC WATER LEVEL 284.70 FT BELOW LSD, MAR. 3, 1966.  
 RECORDS AVAILABLE: 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	284.7	MAY 4, 1966	244.8	MAR. 29, 1967	242.47	MAR. 7, 1968	244.30
APR. 7	A	OCT. 23	245.4	OCT. 27	245.80	OCT. 9	247.10

7N/34W-9H6 S. VANDENBERG UTILITY COMPANY. 4 MILES NORTH OF LOMPOC. DRILLED PUBLIC SUPPLY ARTESIAN WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE AND CAREAGA SAND OF PLIOCENE AGE. DEPTH FT., LSD 300 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 245.17 FT BELOW LSD, MAR. 29, 1967.  
 LOWEST STATIC WATER LEVEL 248.40 FT BELOW LSD, OCT. 9, 1968.  
 RECORDS AVAILABLE: 1967-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 29, 1967	245.17	OCT. 27, 1967	246.28	MAR. 7, 1968	245.90	OCT. 9, 1968	248.40

7N/34W-12E1 S. U.S. DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY, UNION OIL CO., PURISIMA LEASE. NEAR LOMPOC. DRILLED OBSERVATION ARTESIAN WELL IN CAREAGA SAND, DIAMETER 8 TO 16 INCHES. DEPTH 385 FT., LSD 385.83 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 311.00 FT BELOW LSD, MAR. 30, 1966.  
 LOWEST STATIC WATER LEVEL 312.00 FT BELOW LSD, OCT. 25, 1966.  
 RECORDS AVAILABLE: 1949-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	N	MAY 4, 1966	311.30	MAR. 29, 1967	F	MAR. 7, 1968	O
MAR. 30	311.00	OCT. 25	312.00	OCT. 27	F		

7N/34W-14F3 S. MISSION HILLS WATER CO. DRILLED PUBLIC SUPPLY WELL IN PASO ROBLES FORMATION, DIAMETER 12 INCHES. DEPTH 397 FT., LSD 268 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 208.40 FT BELOW LSD, MAR. 29, 1967.  
 LOWEST STATIC WATER LEVEL 210.31 FT BELOW LSD, OCT. 9, 1968.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	N	MAY 4, 1966	209.15	MAR. 29, 1967	208.4	MAR. 7, 1968	A
MAR. 30	N	OCT. 25	A	OCT. 27	A	OCT. 9	210.31

7N/34W-15D1 S. VANDENBERG UTILITY CO., NO. 1. DRILLED PUBLIC SUPPLY WELL IN PASO ROBLES FORMATION, DIAMETER 12 INCHES. DEPTH 790 FT., LSD 190 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 119.32 FT BELOW LSD, MAR. 7, 1968.  
 LOWEST STATIC WATER LEVEL 122.05 FT BELOW LSD, OCT. 9, 1968.  
 RECORDS AVAILABLE: 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	N	MAY 5, 1966	M	MAR. 29, 1967	M	MAR. 7, 1968	119.32
APR. 7	A	OCT. 25	A	OCT. 27	120.66	OCT. 9	122.05

## GROUND-WATER RECORDS, 1966-68

7N/34W-15F1 S. VANDENBERG UTILITY COMPANY. 3 MILES NORTH OF LOMPOC. DRILLED PUBLIC SUPPLY ARTESIAN WELL IN CARFAGE SAND OF PLIOCENE AGE, DIAMETER 18 INCHES, PERFORATED INTERVAL 511-725 FEET. DEPTH 770 FT., LSD 190 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 122.06 FT BELOW LSD, MAR. 7, 1968.  
 LOWEST STATIC WATER LEVEL 125.99 FT BELOW LSD, OCT. 25, 1966.  
 RECORDS AVAILABLE: 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 25, 1966	125.99	OCT. 27, 1967	123.45	MAR. 7, 1968	122.06	OCT. 9, 1968	125.30
MAR. 29, 1967	122.62						

7N/34W-19J3 S. FEDERAL CORRECTIONAL INSTITUTE. SUPPLY WELL 10. DRILLED SUPPLY WELL IN ALLUVIUM ON LOMPOC PLAIN, DIAMETER 14 INCHES. DEPTH 161 FT., LSD 60 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 31.09 FT BELOW LSD, NOV. 7, 1967.  
 LOWEST STATIC WATER LEVEL 38.45 FT BELOW LSD, NOV. 13, 1968.  
 RECORDS AVAILABLE: 1959, 1962, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 26, 1966	79.0 A	NOV. 7, 1967	31.09	MAR. 21, 1968	35.11	NOV. 13, 1968	38.45

7N/34W-20K4 S. FEDERAL CORRECTIONAL INSTITUTE. IN SANTA YNEZ VALLEY. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 18 INCHES, PERFORATED 90-174 FT., DEPTH 144.5 FT., LSD 75 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 29.93 FT BELOW LSD, APR. 6, 1967.  
 LOWEST STATIC WATER LEVEL 34.58 FT BELOW LSD, MAR. 21, 1968.  
 RECORDS AVAILABLE: 1941, 1955, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 20, 1966	51.29C	APR. 6, 1967	29.93	MAR. 21, 1968	34.58	NOV. 13, 1968	33.40
DEC. 1	44.74C	NOV. 7	33.94				

7N/34W-20M2 S. FEDERAL CORRECTIONAL INSTITUTE. SUPPLY WELL 4. DRILLED SUPPLY WELL IN ALLUVIUM ON LOMPOC PLAIN, DIAMETER 18 INCHES. DEPTH 192 FT., LSD 70 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 36.28 FT BELOW LSD, NOV. 9, 1967.  
 LOWEST STATIC WATER LEVEL 36.60 FT BELOW LSD, APR. 4, 1967.  
 RECORDS AVAILABLE: 1941-42, 1955-56, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 4, 1966	93.9 A	NOV. 9, 1967	36.28	MAR. 21, 1968	36.54	NOV. 13, 1968	A
APR. 4, 1967	36.6						

7N/34W-20N2 S. U. S. GEOLOGICAL SURVEY. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 39.7 FT., LSD 50 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 12.00 FT BELOW LSD, MAR. 29, 1967.  
 LOWEST STATIC WATER LEVEL 14.97 FT BELOW LSD, OCT. 25, 1966.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	13.38	MAY 3, 1966	14.64	MAR. 29, 1967	12.00	MAR. 7, 1968	13.34
APR. 4	14.11	OCT. 25	14.97	OCT. 26	13.54	OCT. 8	12.77

7N/34W-20N3 S. U.S. GEOLOGICAL SURVEY, FCI PROPERTY. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 38.7 FT., LSD 62 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 19.62 FT BELOW LSD, MAR. 29, 1967.  
 LOWEST STATIC WATER LEVEL 24.40 FT BELOW LSD, OCT. 25, 1966.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	22.26	MAY 3, 1966	23.30	MAR. 29, 1967	19.62	MAR. 7, 1968	20.99
APR. 4	22.52	OCT. 25	24.40	OCT. 26	21.36	OCT. 9	21.44

7N/34W-21E1 S. FEDERAL CORRECTIONAL INSTITUTE. IN SANTA YNEZ VALLEY. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 8 INCHES, PERFORATED 73-93 FEET. DEPTH 119.5 FT., LSD 82 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 25.53 FT BELOW LSD, APR. 4, 1967.  
 LOWEST STATIC WATER LEVEL 32.62 FT BELOW LSD, OCT. 25, 1966.  
 RECORDS AVAILABLE: 1948-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 20, 1966	30.22	JAN. 27, 1967	30.92K	OCT. 26, 1967	29.95	MAY 27, 1968	29.28
MAY 3	M	FEB. 27	30.20	NOV. 7	30.13	JUNE 24	29.90
JULY 7	31.88	APR. 4	25.53	NOV. 30	29.63	JULY 30	30.77
JULY 28	32.10	APR. 27	27.87	DEC. 26	28.84	AUG. 26	31.23
AUG. 23	32.41	MAY 26	28.00	JAN. 26, 1968	28.80	SEP. 27	31.54
SEP. 23	32.60	JUNE 28	28.32	FEB. 26	28.52	OCT. 28	31.46
OCT. 25	32.62	JULY 28	29.23	MAR. 27	28.35	NOV. 25	30.80
NOV. 22	31.39	AUG. 28	29.77	APR. 25	28.53	DEC.	N
DEC. 28	31.67	SEP. 28	29.95				

7N/34W-22J6 S. RODGER SEED CO. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 135 FT., LSD 90 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 37.22 FT BELOW LSD, OCT. 27, 1967.  
 LOWEST STATIC WATER LEVEL 38.76 FT BELOW LSD, MAY 4, 1966.  
 RECORDS AVAILABLE: 1949-59, 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	59.80C	MAY 4, 1966	38.76	MAR. 29, 1967	38.48	MAR. 11, 1968	37.40
APR. 7	58.76C	OCT. 25	37.25	OCT. 27	37.22	OCT. 9	38.67

7N/34W-22Q4 S. USGS, A. SCOLARI PROPERTY. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 2 INCHES. DEPTH 24 FT., LSD 82.72 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 19.76 FT BELOW LSD, MAR. 11, 1968.  
 LOWEST STATIC WATER LEVEL 19.91 FT BELOW LSD, OCT. 25, 1966, MAR. 20, 1967.  
 RECORDS AVAILABLE: 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	19.86	MAY 4, 1966	19.81	MAR. 20, 1967	19.91	MAR. 11, 1968	19.76
APR. 7	19.85	OCT. 25	19.91	OCT. 27	N	OCT. 9	19.82

7N/34W-24N1 S. LA PURISIMA MISSION STATE PARK. DRILLED IRRIGATION WELL IN PASO ROBLES FORMATION, DIAMETER 16 INCHES. DEPTH 183 FT., LSD 130.4 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 66.50 FT BELOW LSD, MAR. 29, 1967.  
 LOWEST STATIC WATER LEVEL 69.73 FT BELOW LSD, OCT. 9, 1968.  
 RECORDS AVAILABLE: 1924, 1930-35, 1949, 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	66.53	APR. 27, 1966	A	MAR. 29, 1967	66.50	MAR. 7, 1968	67.07B
MAR. 30	A	OCT. 25	A	OCT. 27	68.78B	OCT. 9	69.73

7N/34W-26H3 S. R. C. LILLEY. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 43 FT., LSD 112.92 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 49.70 FT BELOW LSD, MAR. 11, 1968.  
 LOWEST STATIC WATER LEVEL 53.28 FT BELOW LSD, OCT. 9, 1968.  
 RECORDS AVAILABLE: 1950-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	50.23	APR. 27, 1966	50.72	MAR. 30, 1967	50.68	MAR. 11, 1968	49.70
MAR. 30	50.11	OCT. 25	F	OCT. 27	51.20	OCT. 9	53.28

## GROUND-WATER RECORDS, 1966-68

7N/34W-27A6 S. USGS, ON SANTA BARBARA COUNTY RIGHT-OF-WAY. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 1 1/2 INCHES. DEPTH 37 FT., LSD 80 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 10.85 FT BELOW LSD, MAR. 30, 1967.  
 LOWEST STATIC WATER LEVEL 17.73 FT BELOW LSD, OCT. 25, 1966.  
 RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	11.75	MAY 4, 1966	12.42	MAR. 30, 1967	10.85	MAR. 11, 1968	12.35
APR. 7	12.11	OCT. 25	17.73	OCT. 27	14.30	OCT. 9	15.52

7N/34W-27F4 S. J. MAXWELL WILSON. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 178 FT., LSD 96.79 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 41.67 FT BELOW LSD, MAR. 11, 1968.  
 LOWEST STATIC WATER LEVEL 50.74 FT BELOW LSD, OCT. 25, 1966.  
 RECORDS AVAILABLE: 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	42.59	MAY 4, 1966	45.35	MAR. 30, 1967	41.93	MAR. 11, 1968	41.67
APR. 7	44.59	OCT. 25	50.74	OCT. 27	A	OCT. 9	47.24

7N/34W-28R3 S. A. ZVOLANEK. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 180 FT., LSD 85 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 40.89 FT BELOW LSD, MAR. 2, 1966.  
 LOWEST STATIC WATER LEVEL 42.89 FT BELOW LSD, APR. 4, 1966.  
 RECORDS AVAILABLE: 1955-58, 1960-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	40.89	APR. 4, 1966	42.89	MAY 4, 1966	P		

7N/34W-29E4 S. W. H. SANOR. NEAR LOMPOC. CENTRAL AND FLORADALE AVES. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 176 FT., LSD 67.71 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 32.01 FT BELOW LSD, MAR. 2, 1966.  
 LOWEST STATIC WATER LEVEL 37.82 FT BELOW LSD, MAY 3, 1966.  
 RECORDS AVAILABLE: 1945-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	32.01	MAY 3, 1966	37.82	MAR. 29, 1967	33.17	MAR. 7, 1968	32.60
APR. 4	A	OCT. 25	36.65	OCT. 26	33.78	OCT. 8	33.62

7N/34W-29E5 S. USGS, W. H. SANOR. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 2 INCHES. DEPTH 27 FT., LSD 67.74 FT. ABOVE MSL.  
 RECORDS AVAILABLE: 1945-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	F	MAY 3, 1966	F	MAR. 29, 1967	F	MAR. 7, 1968	F
APR. 4	F	OCT. 25	F	OCT. 26	F	OCT. 8	F

7N/34W-29E6 S. USGS, W. H. SANOR. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 62.2 FT., LSD 65 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 29.02 FT BELOW LSD, OCT. 26, 1967.  
 LOWEST STATIC WATER LEVEL 36.12 FT BELOW LSD, APR. 4, 1966.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	30.26	MAY 3, 1966	35.44	MAR. 29, 1967	30.39	MAR. 7, 1968	29.92
APR. 4	36.12	OCT. 25	34.20	OCT. 26	29.02	OCT. 8	30.48



7N/34W-29H1 S. USGS, LOMPOC CITY PROPERTY NEAR ELECTRIC FENCE LOMPOC OLD SEWER PLANT. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAMETER 1 1/2 INCHES. DEPTH 73 FT., LSD 78 FT. ABOVE MSL.

HIGHEST WATER LEVEL 29.52 FT BELOW LSD, OCT. 26, 1967.

LOWEST STATIC WATER LEVEL 36.46 FT BELOW LSD, APR. 4, 1966.

RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	30.45	MAY 4, 1966	33.60	MAR. 29, 1967	32.25	MAR. 7, 1968	31.08
APR. 4	36.46	OCT. 25	34.70	OCT. 26	29.52	OCT. 8	33.54

7N/34W-29R1 S. J. CANTLEY. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 180 FT., LSD 77 FT. ABOVE MSL.

HIGHEST WATER LEVEL 34.91 FT BELOW LSD, MAR. 2, 1966.

LOWEST STATIC WATER LEVEL 38.86 FT BELOW LSD, MAY 5, 1966.

RECORDS AVAILABLE: 1950-58, 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	34.91	MAY 5, 1966	38.86	MAR. 29, 1967	37.66	MAR. 7, 1968	35.50
APR. 4		M OCT. 25	38.01	OCT. 26	34.98	OCT. 9	37.00

7N/34W-30L3 S. USGS, UNION SUGAR CO. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 2 INCHES. DEPTH 27 FT., LSD 58.79 FT. ABOVE MSL.

HIGHEST WATER LEVEL 23.86 FT BELOW LSD, MAR. 11, 1968.

LOWEST STATIC WATER LEVEL 26.39 FT BELOW LSD, MAR. 29, 1967.

RECORDS AVAILABLE: 1945-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	F	MAY 3, 1966	F	MAR. 29, 1967	26.39	MAR. 11, 1968	23.86
MAR. 30	F	OCT. 23	F	OCT. 26	25.07	OCT. 8	F

7N/34W-30L4 S. USGS, UNION SUGAR CO. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 190 FT., LSD 59 FT. ABOVE MSL.

HIGHEST WATER LEVEL 20.67 FT BELOW LSD, MAR. 11, 1968.

LOWEST STATIC WATER LEVEL 37.80 FT BELOW LSD, MAR. 30, 1966.

RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	29.70	MAY 3, 1966	33.60	MAR. 29, 1967	34.69	MAR. 11, 1968	20.67
MAR. 30	37.80	OCT. 25	30.08	OCT. 26	24.16	OCT. 8	27.44

7N/34W-30L8 S. USGS, UNION SUGAR CO. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 38 FT., LSD 59 FT. ABOVE MSL.

HIGHEST WATER LEVEL 24.22 FT BELOW LSD, MAR. 11, 1968.

LOWEST STATIC WATER LEVEL 27.97 FT BELOW LSD, MAY 3, 1966.

RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	26.20	MAY 3, 1966	27.97	MAR. 29, 1967	25.82	MAR. 11, 1968	24.22
MAR. 30	26.78	OCT. 25	27.90	OCT. 26	24.84	OCT. 8	27.53

7N/34W-31C2 S. USGS, UNION SUGAR CO. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 64.72 FT. ABOVE MSL.

HIGHEST WATER LEVEL 27.56 FT BELOW LSD, OCT. 25, 1967.

LOWEST STATIC WATER LEVEL 32.47 FT BELOW LSD, OCT. 7, 1968.

RECORDS AVAILABLE: 1941, 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	28.78	MAY 3, 1966	35.18B	MAR. 22, 1967	30.54	MAR. 11, 1968	31.96
MAR. 30	A	OCT. 25	30.64	OCT. 25	27.56	OCT. 7	32.47

## GROUND-WATER RECORDS, 1966-68

7N/34W-31C3 S. USGS, UNION SUGAR CO. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 2 INCHES. DEPTH 17.3 FT., LSD 64.68 FT. ABOVE MSL.  
RECORDS AVAILABLE: 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	F	MAY 3, 1966	F	MAR. 22, 1967	F	MAR. 11, 1968	F
MAR. 30	F	OCT. 25	F	OCT. 25	F	OCT. 7	F

7N/34W-31C4 S. USGS, UNION SUGAR CO. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 61.4 FT., LSD 64.6 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 20.35 FT BELOW LSD, MAY 3, 1966.  
LOWEST STATIC WATER LEVEL 24.53 FT BELOW LSD, MAR. 22, 1967.  
RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	23.90	MAY 3, 1966	20.35	MAR. 22, 1967	24.53	MAR. 11, 1968	22.84
MAR. 30	24.45C	OCT. 25	24.42	OCT. 25	23.42	OCT. 7	23.27

7N/34W-31P3 S. USGS, SANTA BARRARA COUNTY RIGHT-OF-WAY. SW CORNER LEEGE AND HWY 246. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAMETER 1 1/2 INCHES. DEPTH 72 FT., LSD 70 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 38.68 FT BELOW LSD, MAR. 1, 1966.  
LOWEST STATIC WATER LEVEL 43.15 FT BELOW LSD, MAY 3, 1966.  
RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	38.68	MAY 3, 1966	43.15	MAR. 22, 1967	40.91	MAR. 11, 1968	39.34
MAR. 30	43.12	OCT. 25	42.33	OCT. 25	40.20	OCT. 7	40.17

7N/34W-32Q1 S. USGS, COUNTY OF SANTA BARBARA RIGHT-OF-WAY. NE CORNER HWY 246 AND BAILEY. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 1 1/2 INCHES. DEPTH 66 FT., LSD 80 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 36.76 FT BELOW LSD, MAR. 11, 1968.  
LOWEST STATIC WATER LEVEL 45.94 FT BELOW LSD, MAY 3, 1966.  
RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	38.38	MAY 3, 1966	45.94	MAR. 22, 1967	37.80	MAR. 11, 1968	36.76
MAR. 30	45.73	OCT. 25	41.52	OCT. 25	39.26	OCT. 7	41.50

7N/34W-35F2 S. VALLA BROTHERS. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 102 FT., LSD 100.33 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 23.75 FT BELOW LSD, MAR. 30, 1966, MAY 4, 1966.  
LOWEST STATIC WATER LEVEL 37.48 FT BELOW LSD, OCT. 25, 1966.  
RECORDS AVAILABLE: 1930-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 2, 1966	31.80	MAY 4, 1966	23.75	MAR. 30, 1967	33.62	MAR. 11, 1968	24.50
MAR. 30	23.75	OCT. 25	37.48	OCT. 27	27.57	OCT. 9	32.44

7N/34W-35F16 S. M. SCHUYLER. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 173 FT., LSD 119.50 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 43.21 FT BELOW LSD, APR. 27, 1967.  
 LOWEST STATIC WATER LEVEL 58.85 FT BELOW LSD, NOV. 22, 1966.  
 RECORDS AVAILABLE: 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	N	JAN. 27, 1967	43.93	SEP. 28, 1967	49.18	MAY 27, 1968	47.23
APR. 7	A	FEB. 24	45.10	OCT. 26	51.35C	JUNE 24	50.15
MAY 4	46.00	APR. 3	44.45	NOV. 28	52.18	JULY 31	61.60A
JULY 27	N	APR. 27	43.21	DEC. 26	51.63	AUG. 26	55.03
AUG. 23	N	MAY 26	44.29	JAN. 26, 1968	47.08	SEP. 27	56.15
SEP. 23	56.69	JUNE 28	44.67	FEB. 26	45.20	OCT. 28	56.58
OCT. 21	56.39	JULY 28	A	MAR. 27	45.14	NOV. 25	56.81
NOV. 22	58.85	AUG. 28	47.09	APR. 25	45.87	DEC.	N
DEC. 28	48.90						

7N/34W-35F20 S. USGS, SCHUYLER PROPERTY. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 1 1/2 INCHES. DEPTH 93 FT., LSD 119.50 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 28.28 FT BELOW LSD, OCT. 26, 1967.  
 LOWEST STATIC WATER LEVEL 56.70 FT BELOW LSD, OCT. 21, 1966.  
 RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	44.38	MAY 5, 1966	45.68	MAR. 30, 1967	42.82	MAR. 11, 1968	31.79
APR. 7	48.23C	OCT. 21	56.70	OCT. 26	28.28	OCT. 9	54.50

7N/35W-17K1 S. USGS, VANDENBERG AFB PROPERTY. IN OPEN, WEST OF SURF BRIDGE, SOUTH OF LAGOON. DRILLED OBSERVATION ARTESIAN WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 190 FT., LSD 10 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 0.02 FT BELOW LSD, APR. 5, 1967.  
 LOWEST STATIC WATER LEVEL 2.67 FT BELOW LSD, NOV. 30, 1966.  
 RECORDS AVAILABLE: 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	1.65	JULY 7, 1966	2.28	APR. 5, 1967	0.02	NOV. 6, 1967	1.91
APR. 1	.64	OCT. 24	2.17	JUNE 8	2.60	MAR. 11, 1968	.90
MAY 3	N	NOV. 30	2.67	OCT. 25	2.07	OCT. 7	2.24

7N/35W-17M1 S. USGS, VANDENBERG AFB PROPERTY. ON EAST SIDE OF ROAD BETWEEN HIGHWAY AND SURF PARK. DRILLED ARTESIAN WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 169 FT., LSD 9.74 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 1.68 FT BELOW LSD, JAN. 26, 1968.  
 LOWEST STATIC WATER LEVEL 4.58 FT BELOW LSD, AUG. 28, 1967.  
 RECORDS AVAILABLE: 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 26, 1966	3.14	SEP. 23, 1966	2.88	JUNE 28, 1967	4.33	MAR. 27, 1968	3.15
FEB. 28	3.19	OCT. 24	2.84	JULY 28	4.51	APR. 25	2.15
APR. 1	2.72	NOV. 22	2.38	AUG. 28	4.58	MAY 27	2.38
APR. 20	3.22	DEC. 28	2.62	SEP. 29	3.63	JUNE 24	2.57
MAY 4	3.17	JAN. 27, 1967	2.23	OCT. 25	2.73	JULY 31	2.79
MAY 25	3.17	FEB. 27	3.27	NOV. 7	2.49	AUG. 26	2.87
JUNE 8	3.15	MAR. 29	3.67	NOV. 28	2.16	SEP. 27	2.92
JUNE 27	3.14	APR. 5	3.58	DEC. 26	1.98	OCT. 28	2.51
JULY 7	2.98	APR. 27	3.34	JAN. 26, 1968	1.68	NOV. 25	2.00
JULY 28	3.00	MAY 26	4.03	FEB. 26	1.76	DEC.	N
AUG. 23	2.91	JUNE 8	4.19				

7N/35W-18H1 S. USGS, VANDENBERG AFB PROPERTY. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 111.5 FT., LSD 5.87 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 0.82 FT BELOW LSD, JULY 7, 1966.  
 LOWEST STATIC WATER LEVEL 2.60 FT BELOW LSD, APR. 5, 1967.  
 RECORDS AVAILABLE: 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	N	OCT. 24, 1966	1.41	OCT. 25, 1967	1.44	MAR. 11, 1968	0.90
APR. 1	1.10	NOV. 30	N	NOV. 7	N	OCT. 7	1.27
JULY 7	0.82	APR. 5, 1967	2.60				

## GROUND-WATER RECORDS, 1966-68

7N/35W-18H2 S. USGS, SANTA BARRARA COUNTY PROPERTY. AT THE ENTRANCE OF PARKING AREA AT OCEAN PARK, SURF. DRILLED ARTESIAN WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 192 FT., LSD 7.23 FT. ABOVE MSL.

HIGHEST WATER LEVEL 0.02 FT BELOW LSD, NOV. 28, 1967.

LOWEST STATIC WATER LEVEL 4.43 FT BELOW LSD, JUNE 28, 1967.

RECORDS AVAILABLE: 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 26, 1966	2.65	SEP. 23, 1966	2.81	JUNE 28, 1967	4.43	MAR. 27, 1968	2.86
FEB. 28	3.63	OCT. 24	2.66	JULY 28	4.37	APR. 25	2.01
APR. 1	3.13	NOV. 22	2.35	AUG. 28	4.42	MAY 27	2.30
APR. 21	3.07	DEC. 28	2.31	SEP. 28	3.32	JUNE 24	2.49
MAY 4	3.16	JAN. 27, 1967	2.29	OCT. 25	2.40	JULY 30	2.60
MAY 25	3.13	FEB. 27	3.51	NOV. 7	2.19	AUG. 26	2.70
JUNE 27	2.88	MAR. 29	4.05	NOV. 28	.02	SEP. 27	2.66
JULY 7	2.81	APR. 5	3.98	DEC. 26	1.66	OCT. 28	2.19
JULY 29	3.04	APR. 27	3.89	JAN. 26, 1968	1.25	NOV. 25	1.73
AUG. 23	2.98	MAY 26	4.16	FEB. 26	1.47	DEC.	N

7N/35W-18J2 S. USGS, SANTA BARRARA COUNTY PROPERTY. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 133 FT., LSD 7.38 FT. ABOVE MSL.

HIGHEST WATER LEVEL 2.98 FT BELOW LSD, MAR. 11, 1968.

LOWEST STATIC WATER LEVEL 4.76 FT BELOW LSD, APR. 5, 1967.

RECORDS AVAILABLE: 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 26, 1966	3.56	MAY 5, 1966	3.94	MAR. 29, 1967	3.85	NOV. 7, 1967	3.29
FEB. 28	4.20	JULY 7	3.78	APR. 5	4.76	MAR. 11, 1968	2.98
APR. 1	3.66	OCT. 24	3.78	OCT. 25	3.44	OCT. 7	3.72
APR. 21	3.86						

7N/35W-20J1 S. U.S. DEPARTMENT OF THE AIR FORCE. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 108 FT., LSD 19.07 FT. ABOVE MSL.

HIGHEST WATER LEVEL 5.43 FT BELOW LSD, FEB. 28, 1966.

LOWEST STATIC WATER LEVEL 8.39 FT BELOW LSD, NOV. 12, 1968.

RECORDS AVAILABLE: 1930-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	5.43	JULY 7, 1966	7.29	APR. 5, 1967	5.48	MAR. 19, 1968	6.33
APR. 1	5.79	AUG. 23	7.46	NOV. 6	7.75	NOV. 12	8.39
APR. 28	6.26	NOV. 30	7.45				

7N/35W-21L4 S. U.S. DEPARTMENT OF THE AIR FORCE. DRILLED ARTESIAN WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 181 FT., LSD 20 FT. ABOVE MSL.

HIGHEST WATER LEVEL 5.10 FT BELOW LSD, APR. 5, 1967.

LOWEST STATIC WATER LEVEL 11.90 FT BELOW LSD, NOV. 12, 1968.

RECORDS AVAILABLE: 1954-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	9.65	JULY 7, 1966	8.98	APR. 5, 1967	5.10	MAR. 19, 1968	5.80
APR. 1	9.80	AUG. 23	8.87	NOV. 6	7.46	NOV. 12	11.90
APR. 22	10.45	NOV. 30	7.40				

7N/35W-22F3 S. U.S. DEPARTMENT OF THE AIR FORCE. IN SANTA YNEZ VALLEY. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES, PERFORATED 152-185 FT., DEPTH 183.7 FT., LSD 20 FT. ABOVE MSL.

HIGHEST WATER LEVEL 8.77 FT BELOW LSD, MAR. 20, 1968.

LOWEST STATIC WATER LEVEL 10.58 FT BELOW LSD, NOV. 12, 1968.

RECORDS AVAILABLE: 1954-55, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 26, 1966	10.47	APR. 6, 1967	N	MAR. 20, 1968	8.77	NOV. 12, 1968	10.58
NOV. 30	9.98	NOV. 7	9.66				

# SANTA BARBARA COUNTY

241

7N/35W-22J1 S. USGS, UNION SUGAR CO. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 185 FT., LSD 31.76 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 8.42 FT BELOW LSD, MAR. 1, 1966.  
LOWEST STATIC WATER LEVEL 15.93 FT BELOW LSD, MAY 3, 1966.  
RECORDS AVAILABLE: 1930-35, 1941-42, 1945-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	8.42	MAY 3, 1966	15.93	MAR. 22, 1967	9.07	MAR. 11, 1968	11.05
APR. 4	A	OCT. 25	11.77	OCT. 25	10.06	OCT. 8	11.97

7N/35W-22L1 S. U.S. DEPARTMENT OF THE AIR FORCE. IN SANTA YNEZ VALLEY. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 12 INCHES, PERFORATED 172-189 FT., DEPTH 219 FT., LSD 30 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 10.70 FT BELOW LSD, APR. 5, 1967.  
LOWEST STATIC WATER LEVEL 14.42 FT BELOW LSD, APR. 25, 1966.  
RECORDS AVAILABLE: 1934, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 25, 1966	14.42	APR. 5, 1967	10.70	MAR. 20, 1968	12.25	NOV. 12, 1968	14.06
NOV. 30	13.18	NOV. 7	12.52				

7N/35W-22M1 S. U.S. DEPARTMENT OF THE AIR FORCE. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 180 FT., LSD 28.84 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 4.40 FT BELOW LSD, MAR. 1, 1966.  
LOWEST STATIC WATER LEVEL 7.28 FT BELOW LSD, JULY 7, 1966.  
RECORDS AVAILABLE: 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	4.40	JULY 7, 1966	7.28	APR. 5, 1967	4.45	MAR. 20, 1968	6.14
APR. 1	6.42	AUG. 23	6.84	NOV. 7	5.60	NOV. 12	6.46
APR. 25	6.27	NOV. 30	6.25				

7N/35W-22N2 S. U.S. DEPARTMENT OF THE AIR FORCE, TEST WELL NO. 11. DRILLED ARTESIAN WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 183.6 FT., LSD 24 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 4.12 FT BELOW LSD, APR. 5, 1967.  
LOWEST STATIC WATER LEVEL 60.50 FT BELOW LSD, NOV. 17, 1966.  
RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	4.42	JULY 7, 1966	6.75	APR. 5, 1967	4.12	MAR. 19, 1968	5.59
APR. 1	6.25	NOV. 17	60.5	NOV. 7	5.37	NOV. 12	6.15
APR. 25	5.79	MAR. 9, 1967	4.24				

7N/35W-23E2 S. USGS, UNION SUGAR CO. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 212 FT., LSD 36.11 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 10.96 FT BELOW LSD, MAR. 22, 1967.  
LOWEST STATIC WATER LEVEL 17.93 FT BELOW LSD, OCT. 8, 1968.  
RECORDS AVAILABLE: 1930-35, 1941-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	11.05	MAY 3, 1966	N	MAR. 22, 1967	10.96	MAR. 11, 1968	A
APR. 4	A	OCT. 21	13.87	OCT. 25	12.76	OCT. 8	17.93

7N/35W-23F4 S. U.S. DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. UNION SUGAR CO. PROPERTY. NEAR LOMPOC. OCFAN AND UNION SUGAR CO. AVENUES. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 2 INCHES. DEPTH 28 FT., LSD 36.90 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 14.95 FT BELOW LSD, OCT. 8, 1968.  
LOWEST STATIC WATER LEVEL 16.52 FT BELOW LSD, MAR. 1, 1966.  
RECORDS AVAILABLE: 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	16.52	MAY 3, 1966	N	MAR. 22, 1967	15.95	MAR. 11, 1968	15.30
APR. 4	16.50	OCT. 21	16.40	OCT. 25	15.57	OCT. 8	14.95

## GROUND-WATER RECORDS, 1966-68

7N/35W-23J2 S. USGS, UNION SUGAR CO. NEAR LOMPOC. CENTRAL AND ARTESIA AVENUES. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 158 FT., LSD 43.6 FT. ABOVE MSL. HIGHEST WATER LEVEL 21.30 FT BELOW LSD, MAR. 1, 1966. LOWEST STATIC WATER LEVEL 21.30 FT BELOW LSD, MAR. 1, 1966. RECORDS AVAILABLE: 1947-66.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	21.30	MAR. 30, 1966		M MAY 3, 1966		M OCT. 25, 1966	P

7N/35W-23J5 S. UNION SUGAR CO. 3 MILES EAST OF SURF. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM OF RECENT AGE. DEPTH FT., LSD 43 FT. ABOVE MSL. HIGHEST WATER LEVEL 14.49 FT BELOW LSD, OCT. 26, 1967. LOWEST STATIC WATER LEVEL 22.77 FT BELOW LSD, OCT. 8, 1968. RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 25, 1966	16.88	OCT. 26, 1967	14.49	MAR. 11, 1968		A OCT. 8, 1968	22.77
MAR. 22, 1967	15.60						

7N/35W-24H1 S. FEDERAL CORRECTIONAL INSTITUTE. IN SANTA YNEZ VALLEY. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES, PERFORATED 129-175 FT., DEPTH 182 FT., LSD 48.01 FT. ABOVE MSL. HIGHEST WATER LEVEL 17.08 FT BELOW LSD, NOV. 7, 1967. LOWEST STATIC WATER LEVEL 22.27 FT BELOW LSD, APR. 25, 1966. RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 25, 1966	22.27	NOV. 7, 1967	17.08	MAR. 21, 1968	19.35	NOV. 13, 1968	19.44
OFC. 1	19.66						

7N/35W-24J1 S. T. M. PARKS. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 158 FT., LSD 59.40 FT. ABOVE MSL. HIGHEST WATER LEVEL 25.64 FT BELOW LSD, MAR. 11, 1968. LOWEST STATIC WATER LEVEL 29.71 FT BELOW LSD, MAY 3, 1966. RECORDS AVAILABLE: 1941-43, 1947-50, 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	29.05	MAY 3, 1966	29.71	MAR. 29, 1967	27.41	MAR. 11, 1968	25.64
MAR. 30	28.99	OCT. 25	31.37C	OCT. 26	27.48	OCT. 8	40.44C

7N/35W-24K2 S. A. B. HENNING. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 180 FT., LSD 51 FT. ABOVE MSL. HIGHEST WATER LEVEL 20.55 FT BELOW LSD, MAR. 1, 1966. LOWEST STATIC WATER LEVEL 30.20 FT BELOW LSD, MAY 3, 1966. RECORDS AVAILABLE: 1941-47, 1955-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	20.55	MAY 3, 1966	30.20	MAR. 22, 1967	26.84	MAR. 11, 1968	22.30
MAR. 30		A OCT. 21	29.18	OCT. 26	21.98	OCT. 8	33.10A

7N/35W-24K4 S. A. B. HENNING. DRILLED DOMESTIC ARTESIAN WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 179 FT., LSD 51.11 FT. ABOVE MSL. HIGHEST WATER LEVEL 19.15 FT BELOW LSD, MAR. 1, 1966. LOWEST STATIC WATER LEVEL 25.52 FT BELOW LSD, OCT. 21, 1966. RECORDS AVAILABLE: 1953-56, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	19.15	MAY 3, 1966	22.60	MAR. 22, 1967	21.07	MAR. 11, 1968	23.29
MAR. 30	32.40C	OCT. 21	25.52	OCT. 26	20.82	OCT. 8	32.10C

7N/35W-25F5 S. USGS, UNION SUGAR CO. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 180 FT., LSD 46.94 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 15.70 FT BELOW LSD, OCT. 26, 1967.  
 LOWEST STATIC WATER LEVEL 25.20 FT BELOW LSD, MAR. 11, 1968.  
 RECORDS AVAILABLE: 1945-50, 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	17.23	MAY 3, 1966	22.80	MAR. 22, 1967	23.93	MAR. 11, 1968	25.20
MAR. 30	A	OCT. 25	20.25	OCT. 26	15.70	OCT. 8	19.68

7N/35W-25F6 S. USGS, UNION SUGAR CO. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 2 INCHES. DEPTH 19 FT., LSD 47.70 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 7.90 FT BELOW LSD, MAR. 30, 1966.  
 LOWEST STATIC WATER LEVEL 15.00 FT BELOW LSD, OCT. 25, 1966.  
 RECORDS AVAILABLE: 1945-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	13.31	MAY 3, 1966	11.03	MAR. 22, 1967	14.82	MAR. 11, 1968	12.02
MAR. 30	7.90	OCT. 25	15.00	OCT. 26	12.64	OCT. 8	13.62

7N/35W-25F7 S. USGS, UNION SUGAR CO. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 1 1/4 INCHES. DEPTH 29.5 FT., LSD 46.9 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 7.75 FT BELOW LSD, MAR. 30, 1966.  
 LOWEST STATIC WATER LEVEL 14.55 FT BELOW LSD, MAR. 22, 1967.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 3, 1966	12.84	MAY 3, 1966	10.55	MAR. 22, 1967	14.55	MAR. 11, 1968	11.52
MAR. 30	7.75C	OCT. 25	14.30	OCT. 26	12.56	OCT. 8	13.90

7N/35W-26F1 S. USGS, UNION SUGAR CO. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 186 FT., LSD 36.84 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 7.76 FT BELOW LSD, MAR. 1, 1966.  
 LOWEST STATIC WATER LEVEL 18.16 FT BELOW LSD, APR. 4, 1966.  
 RECORDS AVAILABLE: 1941, 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	7.76	MAY 3, 1966	13.00	MAR. 22, 1967	11.20	MAR. 11, 1968	13.10D
APR. 4	18.16	OCT. 25	11.28	OCT. 26	9.70	OCT. 8	12.34

7N/35W-26J4 S. COUNTY OF SANTA BARBARA, ARTESIAN SCHOOL DISTRICT. NEAR LOMPOC. ARTESIA AND CENTRAL AVENUES. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 141 FT., LSD 40.86 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 6.37 FT BELOW LSD, JAN. 26, 1968.  
 LOWEST STATIC WATER LEVEL 27.63 FT BELOW LSD, JULY 24, 1968.  
 RECORDS AVAILABLE: 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAY 25, 1966	17.40	JAN. 26, 1967	9.72	SEP. 28, 1967	11.55	MAY 27, 1968	14.48
JUNE 27	16.15	FEB. 27	11.12	OCT. 26	11.60	JUNE 24	16.55
JULY 28	20.56	MAR. 29	26.78C	NOV. 28	9.82	JULY 24	27.63
AUG. 23	16.40	APR. 27	7.66	DEC. 26	8.78	AUG. 26	16.74
SEP. 23	15.52	MAY 24	10.88	JAN. 26, 1968	6.37	SEP. 24	15.85
OCT. 25	14.18	JUNE 28	11.32	FEB. 26	11.33	OCT. 28	13.35
NOV. 22	13.46	JULY 26	20.80	MAR. 27	34.12C	NOV. 25	12.19
DEC. 28	11.47	AUG. 28	14.13	APR. 24	19.10	DEC. 23	11.77

## GROUND-WATER RECORDS, 1966-68

7N/35W-27C3 S. COUNTY NATIONAL BANK & TRUST CO. DRILLED ARTESIAN WELL IN ORCUTT (?) FORMATION, DIAMETER 12 INCHES. DEPTH 158 FT., LSD 28.43 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 4.83 FT BELOW LSD, MAR. 22, 1967.  
 LOWEST STATIC WATER LEVEL 4.12 FT BELOW LSD, MAY 3, 1966.  
 RECORDS AVAILABLE: 1932-34, 1939-42, 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	5.51	MAY 3, 1966	9.12	MAR. 22, 1967	4.83	NOV. 7, 1967	6.55
APR. 1	7.05	OCT. 25	6.63	APR. 5	5.50	MAR. 11, 1968	6.81
APR. 25	6.74	NOV. 18	7.08	OCT. 25	6.64	OCT. 8	7.78

7N/35W-27F1 S. U.S. DEPARTMENT OF THE AIR FORCE. DRILLED ARTESIAN WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 123 FT., LSD 27.63 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 5.49 FT BELOW LSD, APR. 26, 1966.  
 LOWEST STATIC WATER LEVEL 8.49 FT BELOW LSD, JULY 7, 1966.  
 RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	6.06	JULY 7, 1966	8.49	APR. 4, 1967	6.25	MAR. 19, 1968	7.40
APR. 1	7.46	NOV. 18	7.83	NOV. 7	7.19	NOV. 12	7.97
APR. 26	5.49	MAR. 9, 1967	6.03				

7N/35W-27H1 S. U.S. DEPARTMENT OF THE AIR FORCE. IN SANTA YNEZ VALLEY. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 16 INCHES, PERFORATED 80-124 FT. DEPTH 142 FT., LSD 27 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 5.77 FT BELOW LSD, APR. 4, 1967.  
 LOWEST STATIC WATER LEVEL 6.67 FT BELOW LSD, NOV. 12, 1968.  
 RECORDS AVAILABLE: 1935-42, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 26, 1966	6.11	APR. 4, 1967	5.77	MAR. 19, 1968	6.11	NOV. 12, 1968	6.67
NOV. 18	6.55	NOV. 7	5.83				

7N/35W-27P1 S. U.S. DEPARTMENT OF THE AIR FORCE, TEST WELL NO. 3-62. DRILLED ARTESIAN WELL IN CARPAGA SAND, DIAMETER 6 INCHES. DEPTH 677 FT., LSD 260 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 222.32 FT BELOW LSD, FEB. 28, 1966.  
 LOWEST STATIC WATER LEVEL 223.87 FT BELOW LSD, JULY 7, 1966.  
 RECORDS AVAILABLE: 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	222.32	JULY 7, 1966	223.87	APR. 4, 1967	222.77	MAR. 19, 1968	223.57
APR. 1	222.48	NOV. 18	223.43	NOV. 6	223.59	NOV. 12	223.00
APR. 27	222.76	MAR. 9, 1967	222.88				

7N/35W-28K2 S. U.S. DEPARTMENT OF THE AIR FORCE, TEST WELL NO. 3. DRILLED ARTESIAN WELL IN CARPAGA SAND, DIAMETER 8 INCHES. DEPTH 315 FT., LSD 89 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 16.94 FT BELOW LSD, FEB. 28, 1966.  
 LOWEST STATIC WATER LEVEL 19.74 FT BELOW LSD, APR. 4, 1967.  
 RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	16.94	JULY 7, 1966	17.55	APR. 4, 1967	19.74	MAR. 19, 1968	18.24
APR. 1	17.05	NOV. 18	17.83	JUNE 5	17.83	NOV. 12	18.76
APR. 27	17.16	MAR. 9, 1967	17.66	NOV. 6	18.15		



7N/35W-28R1 S. U.S. DEPARTMENT OF THE AIR FORCE. DRILLED TEST ARTESIAN WELL IN CAREAGA SAND, DIAMETER 6 INCHES. DEPTH FT., LSD 120 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 60.30 FT BELOW LSD, JAN. 26, 1966.  
 LOWEST STATIC WATER LEVEL 64.95 FT BELOW LSD, MAY 27, 1968.  
 RECORDS AVAILABLE: 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 26, 1966	60.30	MAR. 9, 1967	61.18	SEP. 27, 1967	61.02	MAY 27, 1968	64.95
FEB. 28	60.33	MAR. 29	61.31	NOV. 6	62.07	JUNE 24	62.59
APR. 1	62.30	APR. 5	61.34	NOV. 28	62.05	JULY 30	61.70
APR. 27	60.55	APR. 27	61.23	DEC. 26	61.92	AUG. 26	62.85
JULY 7	61.35	MAY 26	61.43	JAN. 26, 1968	61.79	SEP. 27	62.78
NOV. 18	61.44	JUNE 28	61.65	FEB. 26	61.65	OCT. 28	62.90
JAN. 27, 1967	61.10	JULY 28	61.86	MAR. 27	62.66	NOV. 25	62.75
FEB. 28	61.31	AUG. 28	61.99	APR. 25	62.10	DEC.	N
MAR. 9	61.24						

7N/35W-30G1 S. U.S. DEPARTMENT OF THE AIR FORCE. TEST WELL NO. 1. DRILLED WATER-TABLE WELL IN ORCUTT SAND (?) AND SISQUOC FORMATION, DIAMETER 8 INCHES. DEPTH 277 FT., LSD 130 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 97.24 FT BELOW LSD, APR. 1, 1966, APR. 27, 1966.  
 LOWEST STATIC WATER LEVEL 97.45 FT BELOW LSD, NOV. 12, 1968.  
 RECORDS AVAILABLE: 1958-61, 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 1, 1966	97.24	NOV. 18, 1966	97.33	JUNE 6, 1967	97.30	MAR. 19, 1968	97.39
APR. 27	97.24	APR. 5, 1967	97.30	NOV. 6	97.41	NOV. 12	97.45
JULY 7	97.30						

7N/35W-33J1 S. U.S. DEPARTMENT OF THE AIR FORCE. DRILLED ARTESIAN WELL IN CAREAGA SAND, DIAMETER 8 INCHES. DEPTH 380 FT., LSD 177 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 121.61 FT BELOW LSD, JAN. 26, 1966.  
 LOWEST STATIC WATER LEVEL 128.60 FT BELOW LSD, JULY 7, 1966.  
 RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 26, 1966	121.61	JULY 7, 1966	128.60	MAR. 9, 1967	124.57	NOV. 6, 1967	128.96C
FEB. 28	121.70	NOV. 18	124.52	APR. 5	124.15	MAR. 19, 1968	126.51C
APR. 1	123.36	MAR. 9, 1967	124.04	JUNE 5	127.29B	NOV. 12	127.14
APR. 27	126.60						

7N/35W-33J2 S. U.S. DEPARTMENT OF THE AIR FORCE. DRILLED ARTESIAN WELL IN CAREAGA SAND, DIAMETER 14 INCHES. DEPTH 462 FT., LSD 177 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 129.30 FT BELOW LSD, MAR. 9, 1967.  
 LOWEST STATIC WATER LEVEL 134.85 FT BELOW LSD, NOV. 18, 1966.  
 RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	M	JULY 7, 1966	A	MAR. 9, 1967	129.3	MAR. 19, 1968	170.3 A
APR. 1	M	NOV. 18	134.85	APR. 5	136.3 C	NOV. 12	M
APR. 27	177.8 A	MAR. 9, 1967	129.7	NOV. 6	176.4 A		

7N/35W-33J3 S. U.S. DEPARTMENT OF THE AIR FORCE. DRILLED ARTESIAN WELL IN CAREAGA SAND, DIAMETER 14 INCHES. DEPTH 518 FT., LSD 220 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 147.45 FT BELOW LSD, MAR. 9, 1967.  
 LOWEST STATIC WATER LEVEL 176.30 FT BELOW LSD, APR. 27, 1966.  
 RECORDS AVAILABLE: 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	A	JULY 7, 1966	167.82	MAR. 9, 1967	148.69C	NOV. 6, 1967	344.8 C
APR. 1	A	NOV. 18	168.75	MAR. 9	153.79C	MAR. 19, 1968	148.94C
APR. 27	176.3	MAR. 9, 1967	147.45	MAR. 9	156.58C	NOV. 12	159.39

## GROUND-WATER RECORDS, 1966-68

7N/35W-33R1 S. U.S. DEPARTMENT OF THE AIR FORCE. DRILLED ARTESIAN WELL IN CAREAGA SAND, DIAMETER 8 INCHES. DEPTH 432 FT., LSD 216 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 113.80 FT BELOW LSD, FEB. 26, 1968.  
LOWEST STATIC WATER LEVEL 124.98 FT BELOW LSD, FEB. 28, 1966.  
RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
FEB. 28, 1966	124.98	MAR. 9, 1967	115.75	NOV. 6, 1967	117.22	JUNE 24, 1968	118.44
APR. 1	113.92	APR. 5	115.66	NOV. 28	116.42	JULY 30	118.55
APR. 27	115.51	APR. 27	115.28	DEC. 26	115.16	AUG. 26	118.94
JULY 7	117.42	MAY 26	116.23	JAN. 26, 1968	114.79	SEP. 27	118.56
NOV. 18	116.51	JUNE 28	117.41	FEB. 26	113.80	OCT. 28	117.70
JAN. 27, 1967	114.96	JULY 28	117.67	MAR. 28	114.82	NOV. 25	116.77
FEB. 28	115.66	AUG. 28	117.89	APR. 25	115.40	DEC.	N
MAR. 9	115.77	SEP. 27	117.37	MAY 27	116.80		

7N/35W-35A3 S. G. AQUISTAPACE. DRILLED IRRIGATION ARTESIAN WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 100 FT., LSD 45.7 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 12.34 FT BELOW LSD, MAR. 1, 1966.  
LOWEST STATIC WATER LEVEL 18.64 FT BELOW LSD, MAY 3, 1966.  
RECORDS AVAILABLE: 1947-55, 1957-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	12.34	MAY 3, 1966	18.64	MAR. 22, 1967	A	MAR. 11, 1968	A
MAR. 30	A	OCT. 25	18.30	OCT. 25	17.54	OCT. 7	17.50

7N/35W-35A4 S. USGS, G. AQUISTAPACE. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 2 INCHES. DEPTH 23 FT., LSD 45.9 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 9.40 FT BELOW LSD, MAR. 1, 1966.  
LOWEST STATIC WATER LEVEL 14.98 FT BELOW LSD, OCT. 25, 1966.  
RECORDS AVAILABLE: 1947-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	9.40	MAY 3, 1966	12.77	MAR. 22, 1967	12.20C	MAR. 11, 1968	N
MAR. 30	11.45C	OCT. 25	14.98	OCT. 25	N	OCT. 7	N

7N/35W-35D2 S. U.S. DEPARTMENT OF THE AIR FORCE. DRILLED ARTESIAN WELL IN CAREAGA SAND AND ALLUVIUM, DIAMETER 6 INCHES. DEPTH 190 FT., LSD 70 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 14.72 FT BELOW LSD, MAR. 1, 1966.  
LOWEST STATIC WATER LEVEL 16.76 FT BELOW LSD, JULY 7, 1966.  
RECORDS AVAILABLE: 1963-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	14.72	JULY 7, 1966	16.76	APR. 4, 1967	15.42	MAR. 20, 1968	15.67
APR. 1	15.76	AUG. 23	16.69	NOV. 7	16.17	NOV. 12	16.38
APR. 27	16.24	NOV. 18	16.23				

7N/35W-36J3 S. T. HOLDEN. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 102 FT., LSD 58.8 FT. ABOVE MSL.  
HIGHEST WATER LEVEL 23.52 FT BELOW LSD, DEC. 26, 1967.  
LOWEST STATIC WATER LEVEL 33.15 FT BELOW LSD, JULY 28, 1967.  
RECORDS AVAILABLE: 1930-42, 1952-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
MAR. 1, 1966	24.48	NOV. 22, 1966	27.96	AUG. 28, 1967	26.57	MAY 27, 1968	26.47
MAR. 30	27.84	DEC. 28	25.78	SEP. 28	25.23	JUNE 24	27.10
MAY 3	28.36	JAN. 27, 1967	25.00	OCT. 25	24.78	JULY 30	31.00
MAY 25	26.79	FEB. 28	24.93	NOV. 28	24.67	AUG. 26	28.14
JUNE 27	29.22	MAR. 29	30.44	DEC. 26	23.52	SEP. 27	27.20
JULY 28	30.17	APR. 27	24.22	JAN. 26, 1968	24.26	OCT. 28	25.55
AUG. 23	27.80	MAY 26	24.64	FEB. 26	23.74	NOV. 25	26.27
SEP. 23	27.20	JUNE 28	24.07	MAR. 27	28.90	DEC.	N
OCT. 24	26.65	JULY 28	33.15	APR. 25	28.24		

8N/30W-30F1 S. R. E. EASTON. 6 MILES NORTH OF LOS OLIVOS. DRILLED UNUSED WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 8 INCHES. DEPTH 210 FT., LSD 1,380 FT. ABOVE MSL.

HIGHEST WATER LEVEL 17.30 FT BELOW LSD, OCT. 23, 1967.

LOWEST STATIC WATER LEVEL 24.82 FT BELOW LSD, OCT. 13, 1966.

RECORDS AVAILABLE: 1964, 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 13, 1966	24.82	OCT. 23, 1967	17.30	MAR. 21, 1968	19.20	OCT. 16, 1968	17.78
MAR. 30, 1967	22.42						

8N/31W-25Q1 S. R. E. EASTON. 5 MILES NORTH OF LOS OLIVOS. DRILLED DOMESTIC AND STOCK WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLIOCENE AND PLIESTOCENE AGE, DIAMETER 12 INCHES. DEPTH 190 FT., LSD 1,220 FT. ABOVE MSL.

HIGHEST WATER LEVEL 40.18 FT BELOW LSD, OCT. 23, 1967.

LOWEST STATIC WATER LEVEL 48.38 FT BELOW LSD, MAR. 21, 1968.

RECORDS AVAILABLE: 1966-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT. 13, 1966	A	OCT. 23, 1967	40.18	MAR. 21, 1968	48.38	OCT. 16, 1968	65.70A
MAR. 30, 1967	47.05						

## SANTA CLARA COUNTY

## Santa Clara Valley

6S/1W-23E1 M. AGNEW STATE HOSPITAL. ON HOSPITAL GROUNDS WEST AREA, 0.62 MILE NORTHEAST OF SANTA CLARA-ALVISO ROAD AND 0.24 MILE NORTHWEST DEMONTAGUE ROAD. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 14 INCHES. DEPTH 425 FT., LSD 21 FT. ABOVE MSL.

HIGHEST WATER LEVEL 68.18 FT BELOW LSD, MAR. 10, 1968.

LOWEST STATIC WATER LEVEL 161.08 FT BELOW LSD, MAY 9, 1966.

RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 14, 1966	99.25	OCT. 24, 1966	131.44	JULY 31, 1967	151.85	APR. 8, 1968	68.73
FEB. 14	93.14	NOV. 20	119.57	AUG. 28	132.23	MAY 6	131.15
MAR. 14	89.75	DEC. 19	111.02	SEP. 25	144.80	JUNE 3	100.7
APR. 11	99.74	JAN. 16, 1967	107.04	OCT. 23	128.34	JULY 29	136.07
MAY 9	161.08	FEB. 13	100.87	NOV. 20	101.90	AUG. 26	119.46
JUNE 6	140.80	MAR. 13	99.03	DEC. 18	88.97	SEP. 26	133.14
JULY 5	134.10	APR. 11	92.00	JAN. 15, 1968	81.49	OCT. 23	104.31
AUG. 1	132.52	MAY 8	88.55	FEB. 12	74.52	NOV. 18	87.76
AUG. 29	136.76	JUNE 5	107.87	MAR. 10	70.18	DEC. 18	77.29
SEP. 25	151.84	JULY 5	131.27				

7S/1E-9D2 M. SAN JOSE WATER WORKS, 17TH STREET STATION. ABOUT 435 FEET NORTH OF SANTA CLARA AVE. AND 175 FEET EAST OF 17TH STREET. DRILLED OBSERVATION WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 605 FT., LSD 95 FT. ABOVE MSL.

HIGHEST WATER LEVEL 131.20 FT BELOW LSD, APR. 8, 1968.

LOWEST STATIC WATER LEVEL 200.70 FT BELOW LSD, AUG. 29, 1966.

RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 14, 1966	161.28	OCT. 24, 1966	197.61	JULY 31, 1967	187.95	APR. 8, 1968	131.20
FEB. 14	155.2	NOV. 20	186.62	AUG. 28	184.62	MAY 6	144.34
MAR. 14	153.88	DEC. 19	181.4	SEP. 25	181.79	JUNE 3	147.35
APR. 11	158.18	JAN. 16, 1967	174.87	OCT. 23	171.64	JULY 29	167.25
MAY 9	173.9	FEB. 13	167.98	NOV. 20	157.95	AUG. 26	166.10
JUNE 6	177.71	MAR. 13	162.26	DEC. 18	147.57	SEP. 26	172.29
JULY 5	188.1	APR. 11	158.71	JAN. 15, 1968	141.07	OCT. 23	157.23
AUG. 1	192.30	MAY 8	155.45	FEB. 12	139.60	NOV. 18	146.27
AUG. 29	200.70	JUNE 5	159.12	MAR. 10	131.24	DEC. 18	139.83
SEP. 25	199.1	JULY 5	170.76				

## GROUND-WATER RECORDS, 1966-68

7S/1F-16C5 M. SAN JOSE WATER WORKS, 12TH STREET STATION. ABOUT 50 FEET EAST OF 12TH STREET AND 360 FEET SOUTH OF VIRGINIA STREET. OBSERVATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. DEPTH 917 FT., LSD 105 FT. ABOVE MSL.

HIGHEST WATER LEVEL 159.84 FT BELOW LSD, MAR. 10, 1968.

LOWEST STATIC WATER LEVEL 269.21 FT BELOW LSD, AUG. 29, 1966.

RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 14, 1966	194.94	OCT. 24, 1966	247.44	JULY 31, 1967	237.55	APR. 8, 1968	162.42
FEB. 14	175.45	NOV. 20	224.39	AUG. 28	252.53	MAY 6	186.64
MAR. 14	177.49	DEC. 19	211.81	SEP. 25	248.79	JUNE 3	192.91
APR. 11	193.18	JAN. 16, 1967	212.42	OCT. 23	234.67	JULY 29	228.01
MAY 9	210.43	FEB. 13	205.91	NOV. 20	198.85	AUG. 26	220.48
JUNE 6	221.09	MAR. 13	204.16	DEC. 18	185.87	SEP. 26	241.37
JULY 5	243.29	APR. 11	191.48	JAN. 15, 1968	173.72	OCT. 23	205.60
AUG. 1	245.43	MAY 8	195.41	FEB. 12	165.23	NOV. 18	177.06
AUG. 29	269.21	JUNE 5	194.03	MAR. 10	159.84	DEC. 18	180.75
SEP. 25	254.82	JULY 5	228.84				

## SISKIYOU COUNTY

## Butte Valley

46N/1E-6N1 M. LEO LUZZI. ABOUT 4 MILES WEST-NORTHWEST OF MACDOEL. DRILLED IRRIGATION WATER-TABLE WELL IN LAKE DEPOSITS, DIAMETER 18 INCHES. MEASUREMENTS AFTER MARCH 3, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. DEPTH 200 FT., LSD 4,242.4 FT. ABOVE MSL.

HIGHEST WATER LEVEL 19.20 FT BELOW LSD, APR. 4, 1966, APR. 12, 1968.

LOWEST STATIC WATER LEVEL 25.50 FT BELOW LSD, OCT. 3, 1966.

RECORDS AVAILABLE: 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 11, 1966	19.99	APR. 4, 1966	19.2	APR. 13, 1967	20.5	APR. 12, 1968	19.2
FEB. 4	20.25	OCT. 3	25.5	OCT. 5	22.9	OCT. 1	24.7
MAR. 3	19.53						

46N/2W-25R2 M. BRISS. ABOUT 2.5 MILES SOUTH OF MACDOEL. DRILLED IRRIGATION WELL IN LAKE DEPOSITS. MEASUREMENTS AFTER MARCH 3, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. DEPTH 116 FT., LSD 4,256.2 FT. ABOVE MSL.

HIGHEST WATER LEVEL 24.60 FT BELOW LSD, APR. 12, 1968.

LOWEST STATIC WATER LEVEL 37.00 FT BELOW LSD, OCT. 3, 1966.

RECORDS AVAILABLE: 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 11, 1966	26.75	APR. 4, 1966	26.1	APR. 13, 1967	24.8	APR. 12, 1968	24.6
FEB. 4	26.83	OCT. 3	37.0	OCT. 5	30.0	OCT. 1	35.4
MAR. 3	26.66						

47N/1W-14B1 M. U.S. DEPARTMENT OF INTERIOR, BUREAU OF RECLAMATION. ABOUT 3.4 MILES SOUTHWEST OF DORRIS. DRILLED OBSERVATION WATER-TABLE WELL IN LAKE DEPOSITS, DIAMETER 2 INCHES. MEASUREMENTS AFTER MARCH 3, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. DEPTH 50 FT., LSD 4,233.7 FT. ABOVE MSL.

HIGHEST WATER LEVEL 9.70 FT BELOW LSD, APR. 13, 1967.

LOWEST STATIC WATER LEVEL 11.30 FT BELOW LSD, OCT. 3, 1966.

RECORDS AVAILABLE: 1951-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 11, 1966	10.30	APR. 4, 1966	10.6	APR. 13, 1967	9.7	APR. 12, 1968	10.5
FEB. 4	10.72	OCT. 3	11.3	OCT. 5	10.2	OCT. 1	10.9
MAR. 3	10.31						

47N/1W-27B1 M. U.S. BUREAU OF RECLAMATION. ABOUT 5.6 MILES SOUTHWEST OF DORRIS. DRILLED OBSERVATION WELL IN LAKE DEPOSITS, DIAMETER 2 INCHES. MEASUREMENTS AFTER MARCH 3, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. DEPTH 40 FT., LSD 4,233.5 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 6.60 FT BELOW LSD, APR. 13, 1967.  
 LOWEST STATIC WATER LEVEL 10.00 FT BELOW LSD, OCT. 3, 1966, OCT. 1, 1968.  
 RECORDS AVAILABLE: 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 11, 1966	8.30	APR. 4, 1966	8.4	DEC. 14, 1966	F	APR. 12, 1968	8.8
FEB. 4	8.31	OCT. 3	10.0	APR. 13, 1967	6.6	OCT. 1	10.0
MAR. 3	7.94	NOV. 7	A	OCT. 5	8.6		

48N/1W-26N1 M. FAIRLESS. ABOUT 2 MILES WEST OF DORRIS. DRILLED DOMESTIC WATER-TABLE WELL IN LAKE DEPOSITS, DIAMETER 10 INCHES. MEASUREMENTS AFTER MARCH 3, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. DEPTH 375 FT., LSD 4,244.2 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 14.20 FT BELOW LSD, APR. 13, 1967.  
 LOWEST STATIC WATER LEVEL 22.60 FT BELOW LSD, OCT. 5, 1967.  
 RECORDS AVAILABLE: 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 11, 1966	17.47	MAR. 3, 1966	18.93	APR. 13, 1967	14.2	APR. 12, 1968	19.4
FEB. 4	17.73	OCT. 3	22.2	OCT. 5	22.6	OCT. 1	A

### Scott River Valley

42N/9W-RC3 M. C. W. HILLARD, FORMERLY ELEANOR SMITH. ABOUT 4 MILES NORTH OF ETNA. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. MEASUREMENTS AFTER MARCH 4, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. DEPTH 66 FT., LSD 2,836 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 41.10 FT BELOW LSD, APR. 13, 1967.  
 LOWEST STATIC WATER LEVEL 51.50 FT BELOW LSD, JAN. 10, 1966.  
 RECORDS AVAILABLE: 1953-54, 1958-67.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 10, 1966	51.50	MAR. 4, 1966	45.09	OCT. 4, 1966	50.7	OCT. 4, 1967	0
FEB. 3	46.84	APR. 5	42.15	APR. 13, 1967	41.1		

42N/9W-27N1 M. J. STARR. ABOUT 1 MILE EAST OF ETNA. DUG UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, MEASUREMENTS AFTER MARCH 4, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. DEPTH 19 FT., LSD 2,930 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 1.27 FT BELOW LSD, JAN. 10, 1966.  
 LOWEST STATIC WATER LEVEL 8.40 FT BELOW LSD, SEP. 30, 1968.  
 RECORDS AVAILABLE: 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 10, 1966	1.27	APR. 5, 1966	2.7	APR. 13, 1967	3.3	APR. 11, 1968	4.7
FEB. 3	2.44	OCT. 4	7.3	OCT. 4	6.7	SEP. 30	8.4
MAR. 4	2.94						

43N/9W-24F1 M. LEWIS LUKES. ABOUT 3.5 MILES EAST OF GREENVIEW. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 16 INCHES. MEASUREMENTS AFTER MARCH 4, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. DEPTH 205 FT., LSD 2,735 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 6.92 FT BELOW LSD, JAN. 10, 1966.  
 LOWEST STATIC WATER LEVEL 13.10 FT BELOW LSD, SEP. 30, 1968.  
 RECORDS AVAILABLE: 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 10, 1966	6.92	APR. 5, 1966	9.6	APR. 13, 1967	9.7	APR. 11, 1968	10.9
FEB. 3	8.02	OCT. 4	12.2	OCT. 4	11.0	SEP. 30	13.1
MAR. 4	9.33						

## GROUND-WATER RECORDS, 1966-68

44N/9W-28P1 M. R. H. DILLEY, FORMERLY F. R. SIMPSON. ABOUT 3 MILES NORTHEAST OF FORT JONES. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE, DIAMETER 8 INCHES. MEASUREMENTS AFTER MARCH 4, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. DEPTH 65 FT., LSD 2,711 FT. ABOVE MSL.

HIGHEST WATER LEVEL 8.42 FT BELOW LSD, APR. 5, 1966.  
 LOWEST STATIC WATER LEVEL 22.00 FT BELOW LSD, SEP. 30, 1968.  
 RECORDS AVAILABLE: 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 10, 1966	19.97	APR. 5, 1966	8.42	APR. 13, 1967	11.0	APR. 11, 1968	10.0
FEB. 3	14.85	OCT. 4	15.2	OCT. 4	18.4	SEP. 30	22.0
MAR. 4	9.32						

## Shasta Valley

42N/5W-20J1 M. ERNEST SPADA. ABOUT 4 MILES NORTHWEST OF WEED. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. MEASUREMENTS AFTER MARCH 4, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. DEPTH 40 FT., LSD 2,882 FT. ABOVE MSL.

HIGHEST WATER LEVEL 2.90 FT BELOW LSD, SEP. 30, 1968.  
 LOWEST STATIC WATER LEVEL 5.86 FT BELOW LSD, MAR. 4, 1966.  
 RECORDS AVAILABLE: 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 10, 1966	4.25	APR. 5, 1966	4.0	APR. 13, 1967	5.0	APR. 11, 1968	4.5
JAN. 31	4.97	OCT. 3	5.0	OCT. 4	3.0	SEP. 30	2.9
MAR. 4	5.86						

42N/6W-10J1 M. G. G. MAXWELL. ABOUT 8 MILES NORTHWEST OF WEED. DRILLED DOMESTIC WATER-TABLE WELL IN PYROCLASTICS, DIAMETER 6 INCHES. MEASUREMENTS AFTER MARCH 4, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. DEPTH 110 FT., LSD 2,835 FT. ABOVE MSL.

HIGHEST WATER LEVEL 6.30 FT BELOW LSD, APR. 11, 1968.  
 LOWEST STATIC WATER LEVEL 15.70 FT BELOW LSD, SEP. 30, 1968.  
 RECORDS AVAILABLE: 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 10, 1966	7.80	APR. 5, 1966	8.0	APR. 13, 1967	12.1	APR. 11, 1968	6.3
JAN. 31	7.74	OCT. 3	13.4	OCT. 4	13.5	SEP. 30	15.7
MAR. 4	8.32						

43N/6W-22A1 M. ARNEILL RANCHES. FORMERLY DR. PRICE. ABOUT 5.5 MILES SOUTH OF GRENADA. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 16 INCHES. MEASUREMENTS AFTER MARCH 4, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. DEPTH 100 FT., LSD 2,665 FT. ABOVE MSL.

HIGHEST WATER LEVEL 5.46 FT BELOW LSD, MAR. 4, 1966.  
 LOWEST STATIC WATER LEVEL 16.10 FT BELOW LSD, OCT. 3, 1966.  
 RECORDS AVAILABLE: 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 10, 1966	A	MAR. 4, 1966	5.46	APR. 13, 1967	11.5	APR. 11, 1968	A
FEB. 4	A	OCT. 3	16.1	OCT. 4	10.1	SEP. 30	0

44N/5W-34H1 M. HENRY SILVA. ABOUT 1.75 MILES NORTH OF BIG SPRINGS. DRILLED IRRIGATION WATER-TABLE WELL IN PLUTOS CAVE BASALT OF RECENT AGE, DIAMETER 16 INCHES. MEASUREMENTS AFTER MARCH 4, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. DEPTH 96 FT., LSD 2,637 FT. ABOVE MSL.

HIGHEST WATER LEVEL 24.40 FT BELOW LSD, OCT. 4, 1966.  
 LOWEST STATIC WATER LEVEL 30.40 FT BELOW LSD, APR. 12, 1967.  
 RECORDS AVAILABLE: 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 10, 1966	27.28	APR. 4, 1966	29.4	APR. 12, 1967	30.4	APR. 11, 1968	29.2
FEB. 3	27.82	OCT. 4	24.4	OCT. 4	25.6	OCT. 1	24.7
MAR. 3	28.17						

44N/6W-10E1 M. MAZZUCHI. ABOUT 2.3 MILES NORTH OF HWY 99-97 CUT OFF AT GRENADA. DRILLED DOMESTIC AND STOCK WELL, DIAMETER 8 INCHES. DEPTH 113 FT., LSD 2,537 FT. ABOVE MSL. HIGHEST WATER LEVEL 14.30 FT BELOW LSD, APR. 12, 1967. LOWEST STATIC WATER LEVEL 27.80 FT BELOW LSD, APR. 11, 1968. RECORDS AVAILABLE: 1953-54, 1965-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
APR. 5, 1966	16.9	APR. 12, 1967	14.3	APR. 11, 1968	27.8	SEP. 30, 1968	18.0
OCT. 4	18.0	OCT. 4	16.3				

45N/5W-29E1 M. DON ALLEN, FORMERLY PAUL KARNEY. ABOUT 4 MILES EAST OF MONTAGUE. DUG DOMESTIC WELL IN ALLUVIUM, DIAMETER 5 FEET. MEASUREMENTS AFTER MARCH 4, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. DEPTH 23 FT., LSD 2,635 FT. ABOVE MSL. HIGHEST WATER LEVEL 17.30 FT BELOW LSD, OCT. 4, 1967. LOWEST STATIC WATER LEVEL 21.80 FT BELOW LSD, APR. 11, 1968. RECORDS AVAILABLE: 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 10, 1966	20.36	MAR. 4, 1966	21.69	APR. 12, 1967	18.2	APR. 11, 1968	21.8
JAN. 31	20.84	OCT. 4	18.3	OCT. 4	17.3	OCT. 1	18.3

45N/6W-19E1 M. GEORGE WELDON. ABOUT 3 MILES EAST OF YREKA. DRILLED DOMESTIC WATER-TABLE WELL IN CHICO FORMATION OF LATE CRETACEOUS AGE. DIAMETER 16 INCHES. MEASUREMENTS AFTER MARCH 4, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. DEPTH 425 FT., LSD 2,538 FT. ABOVE MSL. HIGHEST WATER LEVEL 16.70 FT BELOW LSD, APR. 12, 1967. LOWEST STATIC WATER LEVEL 21.90 FT BELOW LSD, OCT. 1, 1968. RECORDS AVAILABLE: 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 10, 1966	19.03	APR. 6, 1966	18.5	APR. 12, 1967	16.7	APR. 11, 1968	18.0
JAN. 31	18.34	OCT. 4	20.8	OCT. 4	19.8	OCT. 1	21.9
MAR. 4	18.96						

## SOLANO COUNTY

## Putah-Fairfield Area

5N/2W-27J2 M. CADENASSO WINERY. ABOUT 250 FEET WEST OF FAIRFIELD CITY LIMITS. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. MEASUREMENTS AFTER APRIL 21, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. DEPTH 60 FT., LSD 24 FT. ABOVE MSL. HIGHEST WATER LEVEL 5.70 FT BELOW LSD, MAY 13, 1968, DEC. 13, 1968. LOWEST STATIC WATER LEVEL 9.40 FT BELOW LSD, AUG. 22, 1966. RECORDS AVAILABLE: 1960-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1966	6.53	AUG. 22, 1966	9.4	MAR. 15, 1967	29.6 C	MAR. 18, 1968	28.7 C
FEB. 17	12.36A	SEP. 19	8.0	APR. 26	24.7 C	APR. 16	5.8
MAR. 18	6.44	OCT. 17	8.0	MAY 17	7.7	MAY 13	5.7
APR. 21	5.96	NOV. 18	6.1	AUG. 19	10.2 C	SEP. 17	8.0
MAY 17	7.0	DEC. 16	9.0	SEP. 12	6.7	OCT. 16	6.6
JUNE 16	6.7	JAN. 20, 1967	6.6	OCT. 20	11.2 C	NOV. 20	7.0
JULY 19	6.8	FEB. 17	6.8	NOV. 16	6.3	DEC. 13	5.7

## GROUND-WATER RECORDS, 1966-68

5N/2W-30J1 M. R. P. ROBBINS. ABOUT 3 MILES WEST OF FAIRFIELD. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 12 INCHES. MEASUREMENTS AFTER APRIL 21, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. DEPTH 220 FT., LSD 65 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 14.70 FT BELOW LSD, APR. 26, 1967.  
 LOWEST STATIC WATER LEVEL 24.10 FT BELOW LSD, DEC. 13, 1968.  
 RECORDS AVAILABLE: 1959-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1966	20.45	AUG. 22, 1966	19.8	MAR. 15, 1967	17.0	MAR. 18, 1968	21.9
FEB. 17	20.28	SEP. 19	20.7	APR. 26	14.7	APR. 16	22.1
MAR. 18	21.44	OCT. 17	21.9	MAY 17	17.0	MAY 13	18.8
APR. 21	21.78	NOV. 18	22.5	AUG. 19	18.3	SEP. 17	19.6
MAY 17	19.3	DEC. 16	19.9	SEP. 12	18.6	OCT. 16	21.2
JUNE 16	16.5	JAN. 20, 1967	21.2	OCT. 20	21.0	NOV. 21	23.1
JULY 19	18.7	FEB. 17	14.9	NOV. 16	22.0	DEC. 13	24.1

7N/1E-33R1 M. DANA. ABOUT 3 MILES SOUTHWEST OF DIXON. DRILLED STOCK WELL IN ALLUVIUM, DIAMETER 6 INCHES. MEASUREMENTS AFTER APRIL 21, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. DEPTH 85.6 FT., LSD 60 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 1.60 FT BELOW LSD, APR. 27, 1967.  
 LOWEST STATIC WATER LEVEL 10.20 FT BELOW LSD, DEC. 13, 1968.  
 RECORDS AVAILABLE: 1946-49, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1966	5.09	AUG. 16, 1966	4.8	MAR. 15, 1967	2.8	MAR. 21, 1968	6.4
FEB. 17	5.21	SEP. 21	6.6	APR. 27	1.6	APR. 16	6.5
MAR. 18	6.28	OCT. 20	7.1	MAY 19	3.7	MAY 16	5.9
APR. 21	6.60	NOV. 18	8.4	AUG. 18	6.2	SEP. 18	8.7
MAY 20	4.9	DEC. 16	3.7	SEP. 12	6.4	OCT. 16	9.3
JUNE 16	5.7	JAN. 20, 1967	5.1	OCT. 23	7.7	NOV. 20	7.5
JULY 19	5.1	FEB. 17	2.1	NOV. 17	8.4	DEC. 13	10.2

8N/1E-15B1 M. F. E. RUSSELL. ABOUT 6 MILES WEST OF DAVIS. DRILLED STOCK WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE, DIAMETER 10 INCHES. MEASUREMENTS AFTER APRIL 21, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. DEPTH 115.7 FT., LSD 83.48 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 18.60 FT BELOW LSD, AUG. 31, 1967.  
 LOWEST STATIC WATER LEVEL 32.60 FT BELOW LSD, NOV. 29, 1966.  
 RECORDS AVAILABLE: 1931-42, 1948-51, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1966	31.38	OCT. 27, 1966	32.1	JULY 28, 1967	19.7	APR. 30, 1968	24.9
FEB. 17	30.96	NOV. 29	32.6	AUG. 31	18.6	MAY 29	24.2
MAR. 18	30.51	DEC. 31	31.8	SEP. 28	19.6	JUNE 28	22.9
APR. 21	30.64	JAN. 30, 1967	30.7	OCT. 27	21.4	JULY 30	23.1
MAY 31	32.3	FEB. 28	28.4	NOV. 30	22.9	AUG. 30	23.7
JUNE 24	32.1	MAR. 30	27.1	DEC. 29	23.8	SEP. 27	25.7
JULY 27	32.5	APR. 28	25.8	JAN. 30, 1968	24.5	OCT. 31	27.0
AUG. 29	32.5	MAY 27	25.3	FEB. 29	24.9	NOV. 29	27.6
SEP. 29	31.8	JUNE 29	22.6	MAR. 26	25.2	DEC. 27	28.2

8N/1E-33Q2 M. A. KILKENNY. ABOUT 5.5 MILES SOUTHEAST OF WINTERS. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. MEASUREMENTS AFTER APRIL 21, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. DEPTH 83.2 FT., LSD 86 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 22.30 FT BELOW LSD, AUG. 18, 1967.  
 LOWEST STATIC WATER LEVEL 34.50 FT BELOW LSD, FEB. 17, 1966.  
 RECORDS AVAILABLE: 1959-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1966	30.50	AUG. 16, 1966	24.7	MAR. 15, 1967	28.2	MAR. 21, 1968	26.6
FEB. 17	34.50	SEP. 21	27.3	APR. 28	28.1	APR. 16	25.1
MAR. 18	31.31	OCT. 20	27.7	MAY 19	26.2	MAY 16	24.8
APR. 21	28.47	NOV. 18	28.5	AUG. 18	22.3	SEP. 18	25.3
MAY 20	26.6	DEC. 16	29.2	SEP. 12	22.7	OCT. 15	26.1
JUNE 16	27.7	JAN. 20, 1967	29.0	OCT. 20	23.7	NOV. 20	27.4
JULY 19	26.3	FEB. 17	28.0	NOV. 17	24.6	DEC. 12	28.0



## SONOMA COUNTY

## Alexander Valley

10N/9W-18B1 M. JOHN FAY. ABOUT 4 MILES NORTH OF HEALDSBURG. DRILLED IRRIGATION WELL IN ALLUVIUM AND TERRACE DEPOSITS, DIAMETER 10 INCHES, DEPTH 180 FT., LSD 230 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 20, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 12.00 FT BELOW LSD, MAR. 22, 1967.  
 LOWEST STATIC WATER LEVEL 17.15 FT BELOW LSD, APR. 20, 1966.  
 RECORDS AVAILABLE: 1950-55, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	14.59	MAR. 31, 1966	16.51	MAR. 22, 1967	12.0	APR. 10, 1968	15.4
FEB. 24	14.79	APR. 20	17.15				

10N/9W-26L2 M. DANA. ABOUT 5 MILES NORTHEAST OF HEALDSBURG. DRILLED DOMESTIC AND STOCK WELL IN ALLUVIUM AND GLEN ELLEN FORMATION, DIAMETER 6 INCHES. DEPTH 40 FT., LSD 205 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 20, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 0.90 FT BELOW LSD, MAR. 22, 1967.  
 LOWEST STATIC WATER LEVEL 6.26 FT BELOW LSD, FEB. 24, 1966.  
 RECORDS AVAILABLE: 1950-55, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	2.54	MAR. 31, 1966	2.05	MAR. 22, 1967	.9	APR. 10, 1968	1.9
FEB. 24	6.26	APR. 20	2.60				

10N/9W-33B1 M. A. G. ANDERSON. ABOUT 7.5 MILES NORTH-NORTHWEST OF HEALDSBURG. BORED UNUSED WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 20.3 FT., LSD 180 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 20, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 1.90 FT ABOVE LSD, JAN. 18, 1966.  
 LOWEST STATIC WATER LEVEL 15.56 FT BELOW LSD, APR. 20, 1966.  
 RECORDS AVAILABLE: 1950-55, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966 +	1.90	MAR. 31, 1966	14.55	MAR. 22, 1967	1.5	APR. 10, 1968	5.6
FEB. 24	3.80	APR. 20	15.56				

## Cloverdale Area

11N/10W-8P1 M. R. SEGHESSIO. ABOUT 1 MILE EAST OF CLOVERDALE. DRILLED DOMESTIC AND IRRIGATION WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 31.5 FT., LSD 305 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 20, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 5.45 FT BELOW LSD, JAN. 18, 1966.  
 LOWEST STATIC WATER LEVEL 10.23 FT BELOW LSD, APR. 20, 1966.  
 RECORDS AVAILABLE: 1951-55, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	5.45	MAR. 31, 1966	9.26	MAR. 22, 1967	6.5	APR. 10, 1968	9.6
MAR. 1	7.85B	APR. 20	10.23				

11N/10W-17P2 M. GLEN WHITE, FORMERLY HOWARD FRENCH. ABOUT 1 MILE SOUTHEAST OF CLOVERDALE. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 36 FT., LSD 292 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 20, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 5.30 FT BELOW LSD, MAR. 22, 1967.  
 LOWEST STATIC WATER LEVEL 8.68 FT BELOW LSD, APR. 20, 1966.  
 RECORDS AVAILABLE: 1953-55, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	6.10	MAR. 31, 1966	7.87	MAR. 22, 1967	5.3	APR. 10, 1968	8.2
MAR. 1	6.90	APR. 20	8.68				

## GROUND-WATER RECORDS, 1966-68

11N/10W-19F2 M. CALIFORNIA DIVISION OF FORESTRY. ABOUT 1 MILE SOUTH OF CLOVERDALE. DRILLED UNUSED ARTESIAN WELL IN FRANCISCAN FORMATION OF LATE JURASSIC TO LATE CRETACEOUS AGE, AND KNOXVILLE FORMATION OF LATE JURASSIC AGE, DIAMETER 8 INCHES. DEPTH 160 FT., LSD 346 FT. ABOVE MSL.

MEASUREMENTS AFTER APRIL 20, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.

HIGHEST WATER LEVEL 3.10 FT BELOW LSD, MAR. 22, 1967.

LOWEST STATIC WATER LEVEL 4.22 FT BELOW LSD, APR. 20, 1966.

RECORDS AVAILABLE: 1952-55, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	3.45	MAR. 31, 1966	3.90	MAR. 22, 1967	3.1	APR. 10, 1968	4.1
MAR. 1	3.39	APR. 20	4.22				

## Healdsburg Area

8N/9W-3P1 M. J. PRESTON. ABOUT 3 MILES SOUTH OF HEALDSBURG. DRILLED DOMESTIC AND STOCK WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 110 FT., LSD 77 FT. ABOVE MSL.

HIGHEST WATER LEVEL 0.81 FT ABOVE LSD, MAR. 13, 1967.

LOWEST STATIC WATER LEVEL 19.98 FT BELOW LSD, APR. 15, 1968.

RECORDS AVAILABLE: 1950, 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1966	A	OCT. 14, 1966	7.67B	JULY 15, 1967	6.51	APR. 15, 1968	19.98
FEB. 11	N	NOV. 18	2.911	AUG. 16	5.85	MAY 17	4.99
MAR. 14	8.80	DEC. 16	5.52	SEP. 11	1.10	JUNE 14	7.20
APR. 15	A	JAN. 17, 1967	7.08	OCT. 18	0.30A	JULY 15	7.80
MAY 16	5.12	FEB. 13	2.63	NOV. 17	7.91	AUG. 15	8.37
JUNE 20	5.83	MAR. 13	0.81	DEC. 13	6.75	SEP. 17	8.25
JULY 15	6.58C	APR. 24	3.55A	JAN. 16, 1968	N	OCT. 16	33.08A
AUG. 22	7.02	MAY 12	5.07	FEB. 15	14.47	NOV. 18	26.30A
SEP. 15	7.33	JUNE 14	5.45	MAR. 15	17.07	DEC. 16	23.62A

8N/9W-22L1 M. CHISHOLM. ABOUT 6 MILES SOUTH OF HEALDSBURG. DRILLED DOMESTIC WELL IN ALLUVIUM AND GLEN ELLIEN FORMATION, DIAMETER 6 INCHES. DEPTH 44.2 FT., LSD 67 FT. ABOVE MSL.

HIGHEST WATER LEVEL 22.49 FT BELOW LSD, JAN. 15, 1966.

LOWEST STATIC WATER LEVEL 37.30 FT BELOW LSD, OCT. 18, 1967.

RECORDS AVAILABLE: 1951, 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1966	22.49	OCT. 14, 1966	30.29A	JULY 15, 1967	30.81	APR. 15, 1968	26.92
FEB. 11	25.20	NOV. 18	29.29	AUG. 16	N	MAY 17	28.66
MAR. 14	28.70A	DEC. 16	25.21	SEP. 12	30.32	JUNE 14	37.14
APR. 15	27.23	JAN. 17, 1967	28.28	OCT. 18	37.30	JULY 15	31.51
MAY 16	26.98	FEB. 13	26.43A	NOV. 17	29.77	AUG. 15	32.90
JUNE 20	33.54	MAR. 13	26.10	DEC. 13	28.70	SEP. 17	31.82
JULY 15	33.14A	APR. 24	24.20	JAN. 16, 1968	27.80	OCT. 16	31.91
AUG. 22	29.97	MAY 12	26.85	FEB. 15	31.79	NOV. 18	30.76
SEP. 15	30.01B	JUNE 14	31.19A	MAR. 15	25.92	DEC. 16	29.28

9N/9W-20E2 M. PIPI. FORMERLY RAYMOND FOPPIANO. ABOUT THREE-FOURTHS A MILE WEST OF HEALDSBURG. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 30 FT., LSD 100 FT. ABOVE MSL.

HIGHEST WATER LEVEL 10.98 FT BELOW LSD, NOV. 17, 1967.

LOWEST STATIC WATER LEVEL 20.78 FT BELOW LSD, AUG. 15, 1968.

RECORDS AVAILABLE: 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1966	13.63	OCT. 14, 1966	16.59	JULY 15, 1967	16.09	APR. 15, 1968	15.44
FEB. 11	13.41	NOV. 18	15.07	AUG. 16	16.48	MAY 17	16.52
MAR. 14	13.77	DEC. 16	14.49	SEP. 11	14.45	JUNE 14	17.56
APR. 15	14.68	JAN. 17, 1967	15.78A	OCT. 18	16.44	JULY 15	17.03
MAY 16	15.37	FEB. 13	14.53	NOV. 17	10.98	AUG. 15	20.78
JUNE 20	15.71	MAR. 13	13.75	DEC. 13	15.55	SEP. 17	18.25
JULY 15	15.86	APR. 24	12.88	JAN. 16, 1968	12.40	OCT. 16	17.54
AUG. 22	16.09	MAY 12	14.90	FEB. 15	15.18	NOV. 18	16.38
SEP. 15	16.17	JUNE 14	15.70	MAR. 15	14.00	DEC. 16	12.96

9N/9W-20K4 M. E. NORTON. AT HEALDSBURG. DRILLED IRRIGATION WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH FT., LSD 95 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 0.19 FT BELOW LSD, MAR. 15, 1968.  
 LOWEST STATIC WATER LEVEL 7.26 FT BELOW LSD, OCT. 16, 1968.  
 RECORDS AVAILABLE: 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1966	1.77	OCT. 14, 1966	14.30A	JULY 15, 1967	4.72	APR. 15, 1968	3.87
FEB. 11	1.50	NOV. 18	6.10	AUG. 16	5.45	MAY 17	4.07
MAR. 14	1.92	DEC. 16	2.04	SEP. 11	5.42	JUNE 14	5.49
APR. 15	2.86	JAN. 17, 1967	3.27	OCT. 18	6.10	JULY 15	6.06
MAY 16	3.97	FEB. 13	1.83	NOV. 17	5.58	AUG. 15	6.30
JUNE 20	5.38	MAR. 13	1.91	DEC. 13	4.97	SEP. 17	6.90
JULY 15	5.57	APR. 24	.42	JAN. 16, 1968	2.23	OCT. 16	7.26
AUG. 22	6.24	MAY 12	2.07	FEB. 15	2.29	NOV. 18	6.04
SEP. 15	6.76	JUNE 14	3.30	MAR. 15	.19	DEC. 16	3.52

9N/9W-28N1 M. G. P. BROWN. ABOUT 1 MILE SOUTH OF HEALDSBURG. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 53 FT., LSD 90 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 10.80 FT BELOW LSD, DEC. 16, 1968.  
 LOWEST STATIC WATER LEVEL 24.70 FT BELOW LSD, SEP. 17, 1968.  
 RECORDS AVAILABLE: 1953-54, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1966	13.93	OCT. 14, 1966	24.50	JULY 15, 1967	17.88	APR. 15, 1968	17.27
FEB. 11	13.66	NOV. 18	18.19	AUG. 16	19.60	MAY 17	18.87
MAR. 14	14.52	DEC. 16	14.85	SEP. 11	22.10	JUNE 14	18.38
APR. 15	15.49	JAN. 17, 1967	16.58	OCT. 18	22.06	JULY 15	21.76
MAY 16	16.24	FEB. 13	15.59	NOV. 17	18.29	AUG. 15	23.70
JUNE 20	16.78	MAR. 13	14.26	DEC. 13	17.20	SEP. 17	24.70
JULY 15	19.24	APR. 24	14.33	JAN. 16, 1968	14.28	OCT. 16	24.30
AUG. 22	22.14	MAY 12	16.50	FEB. 15	16.50	NOV. 18	17.65
SEP. 15	23.05	JUNE 14	17.42	MAR. 15	15.29	DEC. 16	10.80

9N/10W-12C1 M. KRECK. ABOUT 4 MILES NORTHWEST OF HEALDSBURG. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH FT., LSD 120 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 9.43 FT BELOW LSD, APR. 24, 1967.  
 LOWEST STATIC WATER LEVEL 20.70 FT BELOW LSD, APR. 15, 1968.  
 RECORDS AVAILABLE: 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1966	11.17	OCT. 14, 1966	13.29C	JULY 15, 1967	12.99	APR. 15, 1968	20.70
FEB. 11	10.77	NOV. 18	13.67C	AUG. 16	13.23	MAY 17	14.41
MAR. 14	16.87A	DEC. 16	10.84	SEP. 11	14.10	JUNE 14	14.68
APR. 15	N	JAN. 17, 1967	11.84	OCT. 18	13.88	JULY 15	15.04
APR. 28	12.33	FEB. 13	11.48	NOV. 17	14.38	AUG. 15	15.17
MAY 16	12.67	MAR. 13	10.24	DEC. 13	13.55	SEP. 17	15.12
JUNE 20	17.08	APR. 24	9.43	JAN. 16, 1968	14.17	OCT. 16	15.01
JULY 15	17.13C	MAY 12	11.82	FEB. 15	12.82	NOV. 18	14.50
AUG. 22	13.09	JUNE 14	12.54	MAR. 15	11.61	DEC. 16	10.95
SEP. 15	13.12						

10N/10W-22D1 M. CHARLES WAGELF. ABOUT 8 MILES NORTHWEST OF HEALDSBURG IN DRY CREEK VALLEY. DUG IRRIGATION WELL IN ALLUVIUM, DIAMETER 24 INCHES. DEPTH 15 FT., LSD 180 FT. ABOVE MSL.  
 HIGHEST WATER LEVEL 6.97 FT BELOW LSD, APR. 24, 1967, JAN. 16, 1968.  
 LOWEST STATIC WATER LEVEL 13.36 FT BELOW LSD, MAY 17, 1968.  
 RECORDS AVAILABLE: 1954, 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1966	7.91	OCT. 14, 1966	11.79R	JULY 15, 1967	10.49	APR. 15, 1968	9.52
FEB. 11	7.54	NOV. 18	9.90	AUG. 16	10.87	MAY 17	13.36
MAR. 14	7.47	DEC. 16	8.36	SEP. 11	13.32	JUNE 14	10.62
APR. 15	9.60	JAN. 17, 1967	10.00	OCT. 18	10.52	JULY 15	10.98A
MAY 16	10.02	FEB. 13	8.45	NOV. 17	10.48	AUG. 15	11.18
JUNE 20	10.51	MAR. 13	8.06	DEC. 13	10.00	SEP. 17	11.20
JULY 15	12.09A	APR. 24	6.97	JAN. 16, 1968	6.97	OCT. 16	11.71
AUG. 22	13.60A	MAY 12	9.19	FEB. 15	8.79	NOV. 18	10.14
SEP. 15	11.31A	JUNE 14	10.19A	MAR. 15	7.61	DEC. 16	6.98

## GROUND-WATER RECORDS, 1966-68

10N/10W-26M1 M. HAROLD MCPHERSON. ABOUT 6 MILES NORTHWEST OF HEALDSBURG IN DRY CREEK VALLEY. DRUG IRRIGATION WELL IN ALLUVIUM, DIAMETER 36 INCHES. DEPTH 18.5 FT., LSD 161 FT. ABOVE MSL. HIGHEST WATER LEVEL 6.70 FT BELOW LSD, FEB. 11, 1966. LOWEST STATIC WATER LEVEL 15.24 FT BELOW LSD, MAY 17, 1968. RECORDS AVAILABLE: 1954, 1964-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1966	7.02	OCT. 14, 1966	11.78	JULY 15, 1967	16.15A	APR. 15, 1968	10.35
FEB. 11	6.70	NOV. 18	10.39	AUG. 16	11.80	MAY 17	15.24
MAR. 14	7.10	DEC. 16	9.01	SEP. 11	12.03	JUNE 14	11.26
APR. 15	8.75	JAN. 17, 1967	10.62	OCT. 18	11.58	JULY 15	11.78
MAY 16	9.42	FEB. 13	8.91	NOV. 17	10.92	AUG. 15	12.90
JUNF 20	9.75	MAR. 13	8.83	DEC. 13	10.60	SEP. 17	12.45
JULY 15	9.04	APR. 24	8.02	JAN. 16, 1968	7.50	OCT. 16	12.07
AUG. 22	10.89	MAY 12	10.17	FEB. 15	9.80	NOV. 18	10.96
SEP. 15	11.74	JUNF 14	10.69	MAR. 15	8.58	DEC. 16	7.83

10N/10W-35Q1 M. PAUL LERARON. ABOUT 4.5 MILES NORTHWEST OF HEALDSBURG IN DRY CREEK VALLEY. DRILLED UNUSED WELL IN ALLUVIUM, TERRACE DEPOSITS, AND GLEN ELLEN FORMATION (?), DIAMETER 12 INCHES. DEPTH 285 FT., LSD 142 FT. ABOVE MSL. HIGHEST WATER LEVEL 0.02 FT ABOVE LSD, APR. 24, 1967. LOWEST STATIC WATER LEVEL 5.89 FT BELOW LSD, NOV. 18, 1968. RECORDS AVAILABLE: 1954-55, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 15, 1966	0.54	OCT. 14, 1966	5.87	JULY 15, 1967	2.73	APR. 15, 1968	1.83
FEB. 11	.54	NOV. 18	5.56	AUG. 16	3.90	MAY 17	2.44
MAR. 14	.54	DEC. 16	.54	SEP. 11	4.77	JUNE 14	3.02
APR. 15	1.45	JAN. 17, 1967	1.46	OCT. 18	5.44	JULY 15	4.30
MAY 16	2.29	FEB. 13	0.57	NOV. 17	5.66	AUG. 15	5.16
JUNE 20	3.24	MAR. 13	0.16	DEC. 13	5.77	SEP. 17	5.72
JULY 15	3.90	APR. 24	.02	JAN. 16, 1968	1.04	OCT. 16	5.68
AUG. 22	5.03	MAY 12	0.74	FEB. 15	1.02	NOV. 18	5.89
SEP. 15	5.47	JUNF 14	1.55	MAR. 15	.90	DEC. 16	1.89

## Lower Russian River Area

7N/10W-7D1 M. CITIZENS UTILITY CO. OF CALIFORNIA. ABOUT 2.5 MILES SOUTHWEST OF GURNEVILLE. DRILLED PUBLIC SUPPLY WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 120 FT., LSD 25 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 20, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. HIGHEST WATER LEVEL 14.40 FT BELOW LSD, APR. 25, 1967. LOWEST STATIC WATER LEVEL 20.20 FT BELOW LSD, APR. 10, 1968. RECORDS AVAILABLE: 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	N	MAR. 30, 1966	19.20	MAR. 21, 1967	N	APR. 10, 1968	20.2
FEB. 24	17.80	APR. 20	19.69	APR. 25	14.4		

7N/11W-14E1 M. MAYORS INN, FORMERLY MORRILL. ABOUT 5 MILES SOUTHWEST OF GURNEVILLE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 47 FT., LSD 25 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 20, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. HIGHEST WATER LEVEL 14.00 FT BELOW LSD, MAR. 21, 1967. LOWEST STATIC WATER LEVEL 19.10 FT BELOW LSD, APR. 10, 1968. RECORDS AVAILABLE: 1951, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	17.20	MAR. 30, 1966	17.99	MAR. 21, 1967	14.0	APR. 10, 1968	19.1
FEB. 24	17.10	APR. 20	17.64				

8N/10W-29D2 M. SONOMA COUNTY ROAD DEPARTMENT. ABOUT 1 MILE NORTH OF GUERNEVILLE. DUG UNUSED WELL IN ALLUVIUM, DIAMETER 36 INCHES. DEPTH 15 FT., LSD 50 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 20, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 2.20 FT BELOW LSD, MAR. 21, 1967.  
 LOWEST STATIC WATER LEVEL 3.99 FT BELOW LSD, APR. 20, 1966.  
 RECORDS AVAILABLE: 1961-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	3.37	MAR. 30, 1966	3.72	MAR. 21, 1967	2.2	APR. 10, 1968	3.5
FEB. 24	3.11	APR. 20	3.99				

## Santa Rosa-Petaluma Area

5N/7W-20R2 M. W. BRODY. AT 226 CORONA ROAD, PETALUMA. DRILLED STOCK WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 158 FT., LSD 41 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 20, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 47.70 FT BELOW LSD, APR. 8, 1968.  
 LOWEST STATIC WATER LEVEL 74.70 FT BELOW LSD, AUG. 17, 1966.  
 RECORDS AVAILABLE: 1953-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	54.08	AUG. 17, 1966	74.7	MAR. 20, 1967	50.9	MAR. 19, 1968	47.8
FEB. 23	51.80	SEP. 19	70.2	APR. 24	51.5	APR. 8	47.7
MAR. 30	52.00	OCT. 17	64.0	MAY 17	57.2	MAY 13	61.3
APR. 19	55.09	NOV. 16	61.1	AUG. 15	63.5	SEP. 19	68.8
MAY 17	56.7	DEC. 14	57.0	SEP. 19	65.3	OCT. 14	62.6
JUNE 17	67.3	JAN. 18, 1967	56.1	OCT. 23	65.0	NOV. 19	54.5
JULY 21	63.6	FEB. 15	54.6	NOV. 16	61.7	DEC. 12	51.5

5N/7W-21H1 M. E. CURTIS. ABOUT 2 MILES NORTH OF PETALUMA. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 92 FT., LSD 65 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 20, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 26.10 FT BELOW LSD, MAY 17, 1967.  
 LOWEST STATIC WATER LEVEL 46.70 FT BELOW LSD, NOV. 16, 1966.  
 RECORDS AVAILABLE: 1959-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	42.24	AUG. 17, 1966	47.2 A	MAR. 20, 1967	29.9	MAR. 19, 1968	28.2
FEB. 23	34.86	SEP. 19	44.5	APR. 24	26.2	APR. 8	27.3
MAR. 30	32.20	OCT. 17	45.9	MAY 17	26.1	MAY 13	28.2
APR. 19	32.88	NOV. 16	46.7	AUG. 15	34.5 A	SEP. 19	40.2
MAY 17	35.2	DEC. 14	42.3	SEP. 19	35.5	OCT. 14	41.5
JUNE 17	43.6	JAN. 18, 1967	39.6	OCT. 23	38.7	NOV. 19	43.0
JULY 21	40.7	FEB. 15	30.5	NOV. 16	41.1	DEC. 12	43.5

5N/7W-26R1 M. R. H. SARTORI. ABOUT 2 MILES EAST OF PETALUMA. DRILLED PUBLIC SUPPLY WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 428 FT., LSD 54 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 20, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 15.80 FT BELOW LSD, MAY 17, 1967.  
 LOWEST STATIC WATER LEVEL 29.10 FT BELOW LSD, SEP. 19, 1966.  
 RECORDS AVAILABLE: 1950-52, 1959-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	24.07	AUG. 17, 1966	30.5 A	MAR. 20, 1967	19.0	MAR. 19, 1968	18.5
FEB. 23	21.56	SEP. 19	29.1	APR. 24	16.1	APR. 8	17.6
MAR. 30	21.14	OCT. 17	33.6 A	MAY 17	15.8	MAY 13	18.0
APR. 19	20.44	NOV. 16	30.9 B	AUG. 15	19.8	SEP. 19	25.6
MAY 17	25.2	DEC. 14	29.0 B	SEP. 19	21.8	OCT. 14	26.6
JUNE 17	23.2	JAN. 18, 1967	27.1	OCT. 23	24.0	NOV. 19	27.0
JULY 21	30.2 A	FEB. 15	21.5	NOV. 16	24.2	DEC. 12	25.8

## GROUND-WATER RECORDS, 1966-68

6N/8W-7P2 M. JOSEPH KARDOHELY. ABOUT 5 MILES SOUTHWEST OF SANTA ROSA. DRILLED DOMESTIC AND IRRIGATION WATER-TABLE WELL IN MERCED FORMATION OF PLIOCENE AND PLISTOCENE (?) AGE, DIAMETER 8 INCHES. DEPTH 120 FT., LSD 95 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 20, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 11.96 FT BELOW LSD, FEB. 24, 1966.  
 LOWEST STATIC WATER LEVEL 16.37 FT BELOW LSD, JAN. 18, 1966.  
 RECORDS AVAILABLE: 1945, 1949-51, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	16.37	MAR. 30, 1966	13.73	MAR. 21, 1967	14.7	APR. 9, 1968	15.0
FEB. 24	11.96	APR. 20	14.58				

6N/8W-13R1 M. ROHNERT SEED CO. ABOUT 9 MILES NORTH-NORTHWEST OF PETALUMA. DRILLED DOMESTIC WELL IN ALLUVIUM AND GLEN ELLEN FORMATION. PLUG SET AT 250 FT. DEPTH 675 FT., LSD 115 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 20, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 14.00 FT BELOW LSD, MAR. 30, 1966.  
 LOWEST STATIC WATER LEVEL 17.70 FT BELOW LSD, JAN. 18, 1966.  
 RECORDS AVAILABLE: 1950-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	17.70	MAR. 30, 1966	14.00	MAR. 21, 1967	15.6	APR. 9, 1968	14.8
FEB. 23	15.20	APR. 19	14.97				

8N/9W-36N1 M. P. W. RUSSMAN. ABOUT 6 MILES NORTH OF SEBASTOPOL. DRILLED UNUSED WELL IN ALLUVIUM, DIAMETER 12 INCHES. DEPTH 89 FT., LSD 90 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 20, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 5.37 FT BELOW LSD, MAR. 30, 1966.  
 LOWEST STATIC WATER LEVEL 6.15 FT BELOW LSD, APR. 20, 1966.  
 RECORDS AVAILABLE: 1949-50, 1958-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 18, 1966	N	MAR. 30, 1966	5.37	MAR. 21, 1967	N	APR. 9, 1968	5.4
FEB. 24	N	APR. 20	6.15				

## Sonoma Valley

5N/5W-17C1 M. L. MCNIEL. ABOUT HALF A MILE NORTH OF VINEBURG. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAMETER 6 INCHES. DEPTH 64 FT., LSD 85 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 19, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 14.98 FT BELOW LSD, FEB. 23, 1966.  
 LOWEST STATIC WATER LEVEL 28.00 FT BELOW LSD, OCT. 23, 1967.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1966	15.74	AUG. 17, 1966	21.8	MAR. 20, 1967	21.9	MAR. 19, 1968	18.6
FEB. 23	14.98	SEP. 19	21.2	APR. 24	16.5	APR. 15	19.3
MAR. 30	16.07	OCT. 17	29.4 C	MAY 17	18.8	MAY 14	18.5
APR. 19	17.07	NOV. 16	26.7	AUG. 15	22.0	SEP. 19	25.7
MAY 17	17.1	DEC. 14	22.2	SEP. 19	22.8	OCT. 14	25.9
JUNE 17	18.7	JAN. 18, 1967	20.3	OCT. 23	28.0	NOV. 19	22.0
JULY 21	20.5	FEB. 15	19.8	NOV. 16	25.5	DEC. 12	22.7

## YOLO COUNTY

259

5N/5W-29N1 M. P. SWARTZ, FORMERLY MOLL. ABOUT 2.75 MILES SOUTH OF SONOMA. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM, DIAMETER 10 INCHES. DEPTH 100 FT., LSD 16 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 19, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 1.00 FT BELOW LSD, APR. 24, 1967.  
 LOWEST STATIC WATER LEVEL 12.20 FT BELOW LSD, AUG. 17, 1966, OCT. 17, 1966.  
 RECORDS AVAILABLE: 1951-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1966	6.37	AUG. 17, 1966	12.2	MAR. 20, 1967	2.7	MAR. 19, 1968	4.4
FEB. 23	5.24	SEP. 19	11.6	APR. 24	1.0	APR. 15	7.0
MAR. 30	6.40	OCT. 17	12.2	MAY 17	5.0	MAY 14	7.6
APR. 19	7.14	NOV. 16	11.9	AUG. 15	9.5	SEP. 19	11.5
MAY 17	7.8	DEC. 14	8.3	SEP. 19	9.7	OCT. 14	11.8
JUNE 17	9.3	JAN. 18, 1967	8.9	OCT. 23	11.2	NOV. 19	10.8
JULY 21	10.4	FEB. 15	3.3	NOV. 16	11.0	DEC. 12	11.0

5N/5W-30J3 M. P. SWARTZ. ABOUT 2.75 MILES SOUTH OF SONOMA. DRILLED DOMESTIC WELL IN ALLUVIUM, DIAMETER 8 INCHES. DEPTH 80 FT., LSD 16 FT. ABOVE MSL. MEASUREMENTS AFTER APRIL 19, 1966, BY CALIFORNIA DEPARTMENT OF WATER RESOURCES.  
 HIGHEST WATER LEVEL 4.00 FT BELOW LSD, MAR. 20, 1967, APR. 24, 1967.  
 LOWEST STATIC WATER LEVEL 15.10 FT BELOW LSD, OCT. 17, 1966.  
 RECORDS AVAILABLE: 1962-68.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
JAN. 17, 1966	8.25	AUG. 17, 1966	26.9 B	MAR. 20, 1967	4.0	MAR. 19, 1968	5.6
FEB. 23	6.44	SEP. 19	14.8	APR. 24	4.0	APR. 15	7.2
MAR. 30	7.66	OCT. 17	15.1	MAY 17	6.6	MAY 14	17.5 A
APR. 19	7.79	NOV. 16	14.5	AUG. 15	13.5	SEP. 19	14.5
MAY 17	10.2	DEC. 14	10.0	SEP. 19	13.8	OCT. 14	13.7
JUNE 17	12.8	JAN. 18, 1967	9.8	OCT. 23	12.5	NOV. 19	12.5
JULY 21	21.5 A	FEB. 15	5.1	NOV. 16	12.0	DEC. 12	14.8 B

## TULARE COUNTY

San Joaquin Valley (See p. 31)


## VENTURA COUNTY

Carpinteria Basin (See p. 169)

Cuyama Valley (See p. 173)

## YOLO COUNTY

Putah-Fairfield Area (See p. 251)





## REFERENCES

Water Levels

California Department of Water Resources, 1958-64, Water-supply conditions in southern California: Bull. 39, ann. recs. for years 1956-62.

\_\_\_\_ 1959-64, Ground-water conditions in central and northern California Bull. 77, ann. recs. for years 1953-62.

\_\_\_\_ Hydrologic data: Bull. 130 (published annually, 1963 to present).

Ebert, F. C., 1921, Records of water levels in wells in southern California: U.S. Geol. Survey Water-Supply Paper 468, 156 p.

U.S. Geological Survey, 1935-68, Ground-water levels in the United States, Southwestern States: Water-Supply Papers 777, p. 18-34; 817, p. 6-22; 840, p. 23-49; 845, p. 12-47; 886, p. 17-55; 911, p. 104-135; 941, p. 86-168; 949, p. 60-238; 991, p. 72-183; 1021, p. 67-163; 1028, p. 63-175; 1076, p. 94-184; 1101, p. 73-160; 1131, p. 63-139; 1161, p. 64-134; 1170, p. 44-97; 1196, p. 41-98; 1226, p. 43-111; 1270, p. 42-112; 1326, p. 44-116; 1409, p. 62-125; 1770, p. 26-75; 1855, p. 19-60.

Well Data<sup>1</sup>

BACK, WILLIAM, 1957, GEOLOGY AND GROUND-WATER FEATURES OF THE  
1 SMITH RIVER PLAIN, DEL NORTE COUNTY, CALIFORNIA: U.S. GEOL.  
SURVEY WATER-SUPPLY PAPER 1254, 76 P.

BADER, J. S., AND MOYLE, W.R., JR., 1958, DATA ON WATER WELLS  
2 AND SPRINGS IN MORONGO VALLEY AND VICINITY, SAN BERNARDINO  
AND RIVERSIDE COUNTIES, CALIFORNIA: U.S. GEOL. SURVEY  
OPEN-FILE REPT., 31 P.

BADER, J. S., AND MOYLE, W. R., JR., 1960, DATA ON WATER WELLS  
3 AND SPRINGS IN THE YUCCA VALLEY-TWENTYNINE PALMS AREA,  
SAN BERNARDINO AND RIVERSIDE COUNTIES, CALIFORNIA:  
CALIFORNIA DEPT. WATER RESOURCES BULL. 91-2, 163 P.

---

<sup>1</sup>For location of project areas see figure 2.

- 4 BADER, J. S., PAGE, R. W., AND DUTCHER, L.C., 1958, DATA ON WATER WELLS IN THE UPPER MOJAVE VALLEY AREA, SAN BERNARDINO COUNTY, CALIFORNIA: U.S. GEOL. SURVEY OPEN-FILE REPT., 238 P.
- 5 CARDWELL, G. T., 1958, DATA FOR WELLS AND STREAMS IN THE RUSSIAN AND UPPER EEL RIVER VALLEYS, SONOMA AND MENDOCINO COUNTIES, CALIFORNIA: U.S. GEOL. SURVEY OPEN-FILE REPT., 198 P.
- 6 CARDWELL, G. T., 1958, GEOLOGY AND GROUND WATER IN THE SANTA ROSA AND PETALUMA VALLEY AREAS, SONOMA COUNTY, CALIFORNIA: U.S. GEOL. SURVEY WATER-SUPPLY PAPER 1427, 273 P.
- 7 CRAWFORD, C. B., JR., PAGE, R. W., AND LEBLANC, R. A., 1965, DATA FOR WELLS IN THE FRESNO AREA, SAN JOAQUIN VALLEY, CALIFORNIA: U.S. GEOL. SURVEY OPEN-FILE REPT., 263 P.
- 8 DALE, R. H., GORDON, G. V., AND FRENCH, J. J., 1962, DATA FOR WELLS, SPRINGS, AND STREAMS IN THE KERN RIVER FAN AREA, KERN COUNTY, CALIFORNIA: U.S. GEOL. SURVEY OPEN-FILE REPT., 165 P.
- 9 DAVIS, G. H., AND POLAND, J. F., 1957, GROUND-WATER CONDITIONS IN THE MENDOTA-HURON AREA, FRESNO AND KINGS COUNTIES, CALIFORNIA: U.S. GEOL. SURVEY WATER-SUPPLY PAPER 1360-G, P. 409-588.
- 10 DUTCHER, L. C., BADER, J. S., HILTGEN, W. J., AND OTHERS, 1962, DATA ON WELLS IN THE EDWARDS AIR FORCE BASE AREA, CALIFORNIA: CALIFORNIA DEPT. WATER RESOURCES BULL. 91-6, 209 P.
- 11 DYER, H. B., BADER, J. S., GIESSNER, F. W., AND OTHERS, 1963, WELLS AND SPRINGS IN THE LOWER MOJAVE VALLEY AREA, SAN BERNARDINO COUNTY, CALIFORNIA: CALIFORNIA DEPT. WATER RESOURCES BULL. 91-10, 19 P., 4 APP.
- 12 EVENSON, R. E., 1959, GEOLOGY AND GROUND-WATER FEATURES OF THE EUREKA AREA, HUMBOLDT COUNTY, CALIFORNIA: U.S. GEOL. SURVEY WATER-SUPPLY PAPER 1470, 80 P.
- 13 EVENSON, R. E., AND MILLER, G. A., 1963, GEOLOGY AND GROUND-WATER FEATURES OF POINT ARGUELLO NAVAL MISSILE FACILITY, SANTA BARBARA COUNTY, CALIFORNIA: U.S. GEOL. SURVEY WATER-SUPPLY PAPER 1619-F, 35 P.
- 14 GARRETT, A. A., AND DUTCHER, L. C., 1954, TABLES OF BASIC DATA FOR THE SAN BERNARDINO AREA, CALIFORNIA: U.S. GEOL. SURVEY OPEN-FILE REPT., 170 P.

- 15 GIESSNER, F. W., 1963, DATA ON WATER WELLS AND SPRINGS IN THE CHUCKWALLA VALLEY AREA, RIVERSIDE COUNTY, CALIFORNIA: CALIFORNIA DEPT. WATER RESOURCES BULL. 91-7, 77 P.
- 16 GIESSNER, F. W., 1963, DATA ON WATER WELLS AND SPRINGS IN THE RICE AND VIDAL VALLEY AREAS, RIVERSIDE AND SAN BERNARDINO COUNTIES, CALIFORNIA: CALIFORNIA DEPT. WATER RESOURCES BULL. 91-8, 35 P.
- 17 GORDON, G. V., AND CROFT, M. G., 1964, DATA FOR WELLS AND STREAMS IN THE HANFORD-VISALIA AREA, SAN JOAQUIN VALLEY, CALIFORNIA: U.S. GEOL. SURVEY OPEN-FILE REPT., 432 P.
- 18 HELLEY, E. J., 1967, DATA FOR OBSERVATION WELLS IN SAN BENITO COUNTY, CALIFORNIA: U.S. GEOL. SURVEY OPEN-FILE REPT., 36P.
- 19 HICKEY, J. J., 1968, HYDROGEOLOGIC STUDY OF THE SOQUEL-APTOS AREA, SANTA CRUZ COUNTY, CALIFORNIA: U.S. GEOL. SURVEY OPEN-FILE REPT., 48 P.
- 20 HILTON, G. S., KLAUSING, R. L., AND MCCLELLAND, E. J., 1960, DATA FOR WELLS, SPRINGS, AND STREAMS IN THE TERRA BELLA-LOST HILLS AREA, KINGS, KERN, AND TULARE COUNTIES, CALIFORNIA: U.S. GEOL. SURVEY OPEN-FILE REPT., 535 P.
- 21 HOTCHKISS, W. R. 1968, A GEOLOGIC AND HYDROLOGIC RECONNAISSANCE OF LAVA BEDS NATIONAL MONUMENT AND VICINITY, CALIFORNIA: U.S. GEOL. SURVEY OPEN-FILE REPT., 30 P.
- 22 IRELAND, R. L., 1963, DESCRIPTION OF WELLS IN THE LOS BANOS-KETTLEMAN CITY AREA, MERCED, FRESNO, AND KINGS COUNTIES, CALIFORNIA: U.S. GEOL. SURVEY OPEN-FILE REPT., 519 P.
- 23 KOEHLER, J. H., 1966, DATA ON WATER WELLS IN THE EASTERN PART OF THE ANTELOPE VALLEY AREA, LOS ANGELES COUNTY, CALIFORNIA: CALIFORNIA DEPT. WATER RESOURCES BULL. 91-12, 17 P., 6 APP.
- 24 KUNKEL, FRED, 1956, DATA ON WATER WELLS IN CUDDEBACK, SUPERIOR, AND HARPER VALLEYS, SAN BERNARDINO COUNTY, CALIFORNIA: U.S. GEOL. SURVEY OPEN-FILE REPT., 73 P.
- 25 KUNKEL, FRED, AND DUTCHER, L. C., 1960, DATA ON WATER WELLS IN THE WILLOW SPRINGS, GLOSTER, AND CHAFFEE AREAS, KERN COUNTY, CALIFORNIA: CALIFORNIA DEPT. WATER RESOURCES BULL. 91-4 85 P.
- 26 KUNKEL, FRED, GIESSNER, F. W., BADER, J. S., AND MOYLE, W. R., JR., 1961, DATA ON WATER WELLS IN THE UPPER PART OF THE SANTA MARGARITA RIVER VALLEY, CALIFORNIA: U.S. GEOL. SURVEY OPEN-FILE REPT., 32 P.

- 27 KUNKEL, FRED, AND UPSON, J. E., 1960, GEOLOGY AND GROUND WATER IN NAPA AND SONOMA VALLEYS, NAPA AND SONOMA COUNTIES, CALIFORNIA: U.S. GEOL. SURVEY WATER-SUPPLY PAPER 1495, 252 P.
- 28 LA ROCQUE, G. A., JR., AND OTHERS, 1950, WELLS AND WATER LEVELS IN PRINCIPAL GROUND-WATER BASINS IN SANTA BARBARA COUNTY, CALIFORNIA. U.S. GEOL. SURVEY WATER-SUPPLY PAPER 1068, 459 P.
- 29 MACK, SEYMOUR, 1958, GEOLOGY AND GROUND-WATER FEATURES OF SCOTT VALLEY, SISKIYOU COUNTY, CALIFORNIA: U.S. GEOL. SURVEY WATER-SUPPLY PAPER 1462, 98 P.
- 30 MACK, SEYMOUR, 1960, GEOLOGY AND GROUND-WATER FEATURES OF SHASTA VALLEY, SISKIYOU COUNTY, CALIFORNIA: U.S. GEOL. SURVEY WATER-SUPPLY PAPER 1484, 115 P.
- 31 MOYLE, W. R., JR., 1961, DATA ON WATER WELLS IN THE DALE VALLEY AREA, SAN BERNARDINO AND RIVERSIDE COUNTIES, CALIFORNIA: CALIFORNIA DEPT. WATER RESOURCES BULL. 91-5, 55 P.
- 32 MOYLE, W. R., JR., 1963, DATA ON WATER WELLS IN INDIAN WELLS VALLEY AREA, INYO, KERN, AND SAN BERNARDINO COUNTIES, CALIFORNIA: CALIFORNIA DEPT. WATER RESOURCES BULL. 91-9, 243 P.
- 33 MOYLE, W. R., JR., 1965, WATER WELLS IN THE WESTERN PART OF THE ANTELOPE VALLEY AREA, LOS ANGELES AND KERN COUNTIES, CALIFORNIA: CALIFORNIA DEPT. WATER RESOURCES BULL. 91-11, 16 P., 6 APP.
- 34 MOYLE, W. R., JR., 1967, WATER WELLS AND SPRINGS IN SODA, SILVER, AND CRONISE VALLEYS, SAN BERNARDINO COUNTY, CALIFORNIA: CALIFORNIA DEPT. WATER RESOURCES BULL. 91-13, 16 P., 5 APP.
- 35 MOYLE, W. R., JR., 1967, WATER WELLS AND SPRINGS IN BRISTOL, BROADWELL, CADIZ, DANBY, AND LAVIC VALLEYS AND VICINITY, SAN BERNARDINO AND RIVERSIDE COUNTIES, CALIFORNIA: CALIFORNIA DEPT. WATER RESOURCES BULL. 91-14, 17 P., 5 APP.
- 36 MOYLE, W. R., JR., 1968, WATER WELLS AND SPRINGS IN BORREGO, CARRIZO, AND SAN FELIPE VALLEY AREAS, SAN DIEGO AND IMPERIAL COUNTIES, CALIFORNIA: CALIFORNIA DEPT. WATER RESOURCES BULL. 91-15, 16 P., 5 APP.
- 37 MOYLE, W. R. JR., 1969, WATER WELLS AND SPRINGS IN THE FREMONT VALLEY AREA, KERN COUNTY, CALIFORNIA: CALIFORNIA DEPT. WATER RESOURCES BULL. 91-16.

- 38 MOYLE, W. R., JR., 1969, WATER WELLS AND SPRINGS IN PANAMINT, SEARLES, AND KNOB VALLEYS, SAN BERNARDINO AND INYO COUNTIES, CALIFORNIA: CALIFORNIA DEPT. WATER RESOURCES BULL. 91-17.
- 39 MUIR, K. S., 1964, GEOLOGY AND GROUND WATER OF SAN ANTONIO CREEK VALLEY, SANTA BARBARA COUNTY, CALIFORNIA: U.S. GEOL. SURVEY WATER-SUPPLY PAPER 1664, 53 P.
- 40 PAGE, R. W., BERTOLDI, G. L., TYLEY, S. J., AND MITTEN, H. T., 1967, DATA FOR WELLS IN THE MADERA AREA, SAN JOAQUIN VALLEY, CALIFORNIA: U.S. GEOL. SURVEY OPEN-FILE REPT., 142 P.
- 41 PAGE, R. W., AND KUNKEL, FRED, 1960, DATA ON WATER WELLS, NAVAL AIR MISSILE TEST CENTER, POINT MUGU, CALIFORNIA: U.S. GEOL. SURVEY OPEN-FILE REPT., 98 P.
- 42 PAGE, R. W., AND MOYLE, W. R., JR., 1960, DATA ON WATER WELLS IN THE EASTERN PART OF THE MIDDLE MOJAVE VALLEY AREA, SAN BERNARDINO COUNTY, CALIFORNIA: CALIFORNIA DEPT. WATER RESOURCES, BULL. 91-3, 223 P.
- 43 PAGE, R.W., MOYLE, W. R., JR., AND DUTCHER, L. C., 1960, DATA ON WELLS IN THE WEST PART OF THE MIDDLE MOJAVE VALLEY AREA, SAN BERNARDINO COUNTY, CALIFORNIA: CALIFORNIA DEPT. WATER RESOURCES BULL. 91-1, 126 P.
- 44 PISTRANG, M. A., AND KUNKEL, FRED, 1964, A BRIEF GEOLOGIC AND HYDROLOGIC RECONNAISSANCE OF THE FURNACE CREEK WASH AREA, DEATH VALLEY NATIONAL MONUMENT, CALIFORNIA: U.S. GEOL. SURVEY WATER-SUPPLY PAPER 1779-Y, 35 P.
- 45 RILEY, F. S., 1956, DATA ON WATER WELLS IN LUCERNE, JOHNSON, FRY, AND MEANS VALLEYS, SAN BERNARDINO COUNTY, CALIFORNIA: U.S. GEOL. SURVEY OPEN-FILE REPT., 150 P.
- 46 RILEY, F. S., AND BADER, J. S., 1961, DATA ON WATER WELLS ON MARINE CORPS BASE, TWENTYNINE PALMS, CALIFORNIA: U.S. GEOL. SURVEY OPEN-FILE REPT., 72 P.
- 47 ROBSON, S. G., 1968, DATA ON WELLS AND SPRINGS ON VANDERBERG AIR FORCE BASE AND VICINITY, SANTA BARBARA COUNTY, CALIFORNIA: U.S. GEOL. SURVEY OPEN-FILE REPT., 132 P.
- 48 THOMASSON, H. G., 1961, GROUND-WATER INVESTIGATION ALONG THE RIO HONDO AND LOWER LOS ANGELES RIVER, LOS ANGELES COUNTY, CALIFORNIA, APPENDIX A, BASIC DATA: U.S. GEOL. SURVEY OPEN-FILE REPT., 134 P.
- 49 THOMASSON, H. G., OLMSTED, F. H., AND LEROUX, E. F., 1960, GEOLOGY, WATER RESOURCES, AND USABLE GROUND-WATER STORAGE CAPACITY OF PART OF SOLANO COUNTY, CALIFORNIA: U.S. GEOL. SURVEY WATER-SUPPLY PAPER 1464, 693 P.

- UPSON, J. E., 1951, GEOLOGY AND GROUND-WATER RESOURCES OF THE SOUTH-COAST BASINS OF SANTA BARBARA COUNTY, CALIFORNIA, WITH A SECTION ON SURFACE-WATER RESOURCES BY H. G. THOMASSON, JR.: U.S. GEOL. SURVEY WATER-SUPPLY PAPER 1108, 144 P.
- 50
- UPSON, J. E., AND KUNKEL, FRED, 1955, GROUND WATER OF THE LOWER LAKE-MIDDLETOWN AREA, LAKE COUNTY, CALIFORNIA: U.S. GEOL. SURVEY WATER-SUPPLY PAPER 1297, 83 P.
- 51
- UPSON, J. E., AND THOMASSON, H. G., JR., 1951, GEOLOGY AND WATER RESOURCES OF THE SANTA YNEZ RIVER BASIN, SANTA BARBARA COUNTY, CALIFORNIA: U.S. GEOL. SURVEY WATER-SUPPLY PAPER 1107, 194 P.
- 52
- UPSON, J. E., AND WORTS, G. F., JR., 1951, GROUND WATER IN THE CUYAMA VALLEY, CALIFORNIA: U.S. GEOL. SURVEY WATER-SUPPLY PAPER 1110-B, P. 21-81.
- 53
- WEIR, J. E., JR., AND BADER, J. S., 1963, GROUND WATER AND RELATED GEOLOGY OF JOSHUA TREE NATIONAL MONUMENT CALIFORNIA: U.S. GEOL. SURVEY OPEN-FILE REPT., 123 P.
- 54
- WILSON, H. D., JR., 1959, GROUND-WATER APPRAISAL OF SANTA YNEZ RIVER BASIN, SANTA BARBARA COUNTY, CALIFORNIA, 1945-52: U.S. GEOL. SURVEY WATER-SUPPLY PAPER 1467, 119 P.
- 55
- WOOD, P. R., 1960, GEOLOGY AND GROUND-WATER FEATURES OF THE BUTTE VALLEY REGION, SISKIYOU COUNTY, CALIFORNIA: U.S. GEOL. SURVEY WATER-SUPPLY PAPER 1491, 150 P.
- 56
- WOOD, P. R., AND DALE, R. H., 1959, DATA FOR WELLS, SPRINGS, AND STREAMS IN THE EDISON-MARICOPA AREA, KERN COUNTY, CALIFORNIA: U.S. GEOL. SURVEY OPEN-FILE REPT., 245 P.
- 57
- WOOD, P. R., AND DAVIS, G. H., 1960, GROUND-WATER CONDITIONS IN THE AVENAL-MCKITTRICK AREA, KINGS AND KERN COUNTIES, CALIFORNIA: U.S. GEOL. SURVEY WATER-SUPPLY PAPER 1457, 141 P.
- 58
- WORTS, G. F., JR., 1951, GEOLOGY AND GROUND-WATER RESOURCES OF THE SANTA MARIA VALLEY AREA, CALIFORNIA, WITH A SECTION ON SURFACE-WATER RESOURCES BY H. G. THOMASSON, JR.: U.S. GEOL. SURVEY WATER-SUPPLY PAPER 1000, 169 P.
- 59
- WORTS, G. F., JR., AND OTHERS, 1953, TABLES OF BASIC DATA FOR WELLS ON CAMP PENDLETON, CALIFORNIA: U.S. GEOL. SURVEY BASIC-DATA COMP., 175 P.
- 60

# INDEX

## Counties

	Page
Del Norte	
Smith River plain-----	4
Fresno	
San Joaquin Valley. ( <i>See</i> Kern.)	
Humboldt	
Eureka-Fortuna area-----	5
Imperial	
Borrego Valley area. ( <i>See</i> San Diego.)	
Inyo	
Death Valley-----	6
Indian Wells Valley. ( <i>See</i> Kern.)	
Kern	
Antelope Valley. ( <i>See</i> Los Angeles.)	
Fremont Valley-----	7
Indian Wells Valley-----	9
San Joaquin Valley-----	31
Kings	
San Joaquin Valley. ( <i>See</i> Kern.)	
Lake	
Lower Lake-Middletown area-----	60
Los Angeles	
Antelope Valley-----	61
Coastal plain-----	93
Mendocino	
Laytonville Valley-----	95
Little Lake Valley-----	95
Potter Valley-----	96
Round Valley-----	96
Sanel Valley-----	98
Ukiah Valley-----	98
Napa	
Napa Valley-----	99
Orange	
Coastal plain-----	100

	Page
Riverside	
Chuckwalla Valley-----	102
Joshua Tree National Monument-----	103
Mission Creek area-----	105
Rice Valley-----	105
San Jacinto basin-----	105
Upper Santa Margarita River valley-----	106
San Bernardino	
Coyote Lake Valley-----	122
Cronise Valley-----	124
Cuddeback Valley-----	124
Dale Valley-----	125
Harper Valley-----	126
Indian Wells Valley. (See Kern.)	
Johnson Valley-----	128
Joshua Tree National Monument. (See Riverside.)	
Lucerne Valley-----	129
Mojave River valley	
Lower-----	133
Middle-----	135
Upper-----	139
Morongo Valley-----	143
Silver Lake valley-----	144
Soda Lake valley-----	144
Superior Valley-----	145
Upper Santa Ana Valley-----	146
Vidal Valley-----	147
Yucca Valley-Twenty-nine Palms area-----	148
San Diego	
Borrego Valley area-----	155
Otay Valley-----	159
San Diego River valley-----	159
San Dieguito Valley-----	160
San Luis Rey Valley-----	160
San Pasqual Valley-----	164
Sweetwater Valley-----	164
Tia Juana basin-----	164
San Joaquin	
Mokelumne River area-----	165
San Luis Obispo	
Cuyama Valley. (See Santa Barbara.)	
Santa Maria Valley. (See Santa Barbara.)	
Santa Barbara	
Carpinteria basin-----	169
Cuyama Valley-----	173
Ellwood-Gaviota area-----	176
Goleta basin-----	178
San Antonio Creek valley-----	184
Santa Barbara-Montecito area-----	187



	Page
Santa Barbara--Continued	
Santa Maria Valley-----	188
Santa Ynez River valley-----	218
Santa Clara	
Santa Clara Valley-----	247
Siskiyou	
Butte Valley-----	248
Scott River valley-----	249
Shasta Valley-----	250
Solano	
Putah-Fairfield area-----	251
Sonoma	
Alexander Valley-----	253
Cloverdale area-----	253
Healdsburg area-----	254
Lower Russian River area-----	256
Santa Rosa-Petaluma area-----	257
Sonoma Valley-----	258
Tulare	
San Joaquin Valley. (See Kern.)	
Ventura	
Carpinteria basin. (See Santa Barbara.)	
Cuyama Valley. (See Santa Barbara.)	
Yolo	
Putah-Fairfield area. (See Solano.)	

Ground-Water Areas or Basins

	Page
Alexander Valley-----	253
Antelope Valley-----	61
Borrego Valley area-----	155
Butte Valley-----	248
Carpinteria basin-----	169
Chuckwalla Valley-----	102
Cloverdale area-----	253
Coastal plain	
Los Angeles County-----	93
Orange County-----	100
Coyote Lake Valley-----	122
Cronise Valley-----	124
Cuddeback Valley-----	124
Cuyama Valley-----	173
Dale Valley-----	125
Death Valley-----	6
Ellwood-Gaviota area-----	176
Eureka-Fortuna area-----	5

	Page
Fairfield area, Putah-----	251
Fortuna area, Eureka-----	5
Fremont Valley-----	7
Gaviota area, Ellwood-----	176
Goleta basin-----	178
Harper Valley-----	126
Healdsburg area-----	254
Indian Wells Valley-----	9
Johnson Valley-----	128
Joshua Tree National Monument-----	103
Laytonville Valley-----	95
Little Lake Valley-----	95
Los Angeles County coastal plain-----	93
Lower Lake-Middletown area-----	60
Lower Mojave River valley-----	133
Lower Russian River area-----	256
Lucerne Valley-----	129
Middle Mojave River valley-----	135
Middletown area, Lower Lake-----	60
Mission Creek area-----	105
Mojave River valley	
Lower-----	133
Middle-----	135
Upper-----	139
Mokelumne River area-----	165
Montecito area, Santa Barbara-----	187
Morongo Valley-----	143
Napa Valley-----	99
Orange County coastal plain-----	100
Otay Valley-----	159
Petaluma area, Santa Rosa-----	257
Potter Valley-----	96
Putah-Fairfield area-----	251
Rice Valley-----	105
Round Valley-----	96
Russian River area, Lower-----	256
San Antonio Creek valley-----	184
San Diego River valley-----	159
San Dieguito Valley-----	160
Sanel Valley-----	98
San Jacinto basin-----	105
San Joaquin Valley-----	31
San Luis Rey Valley-----	160
San Pasqual Valley-----	164
Santa Ana Valley, Upper-----	146
Santa Barbara-Montecito area-----	187
Santa Clara Valley-----	247
Santa Margarita River valley, Upper-----	106
Santa Maria Valley-----	188

	Page
Santa Rosa-Petaluma area-----	257
Santa Ynez River valley-----	218
Scott River valley-----	249
Shasta Valley-----	250
Silver Lake valley-----	144
Smith River plain-----	4
Soda Lake valley-----	144
Sonoma Valley-----	258
Superior Valley-----	145
Sweetwater Valley-----	164
Tia Juana basin-----	164
Twentynine Palms area, Yucca Valley-----	148
Ukiah Valley-----	98
Upper Mojave River valley-----	139
Upper Santa Ana Valley-----	146
Upper Santa Margarita River valley-----	106
Vidal Valley-----	147
Yucca Valley-Twentynine Palms area-----	148

