


1974

R
(200)
Ga 3
Pennsylvania
1974
pt. 2

Water Resources Data for Pennsylvania

Part 2. Water Quality Records



**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

Prepared in cooperation with the Pennsylvania Department of Environmental Resources, the Philadelphia Water Department, and with other State, municipal, and Federal agencies

CALENDAR FOR WATER YEAR 1974

1973

OCTOBER

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| | 1 | 2 | 3 | 4 | 5 | 6 |
| 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| 21 | 22 | 23 | 24 | 25 | 26 | 27 |
| 28 | 29 | 30 | 31 | | | |

NOVEMBER

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| | | | | 1 | 2 | 3 |
| 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 |
| 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | |

DECEMBER

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| | | | | | | 1 |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| 23 | 24 | 25 | 26 | 27 | 28 | 29 |
| 30 | 31 | | | | | |

1974

JANUARY

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| | | 1 | 2 | 3 | 4 | 5 |
| 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| 20 | 21 | 22 | 23 | 24 | 25 | 26 |
| 27 | 28 | 29 | 30 | 31 | | |

FEBRUARY

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| | | | | | 1 | 2 |
| 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 24 | 25 | 26 | 27 | 28 | | |

MARCH

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| | | | | | 1 | 2 |
| 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| 31 | | | | | | |

APRIL

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| | 1 | 2 | 3 | 4 | 5 | 6 |
| 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| 21 | 22 | 23 | 24 | 25 | 26 | 27 |
| 28 | 29 | 30 | | | | |

MAY

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| | | | 1 | 2 | 3 | 4 |
| 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 12 | 13 | 14 | 15 | 16 | 17 | 18 |
| 19 | 20 | 21 | 22 | 23 | 24 | 25 |
| 26 | 27 | 28 | 29 | 30 | 31 | |

JUNE

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| | | | | | | 1 |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| 23 | 24 | 25 | 26 | 27 | 28 | 29 |
| 30 | | | | | | |

JULY

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| | 1 | 2 | 3 | 4 | 5 | 6 |
| 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| 21 | 22 | 23 | 24 | 25 | 26 | 27 |
| 28 | 29 | 30 | 31 | | | |

AUGUST

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| | | | | 1 | 2 | 3 |
| 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 |
| 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | 31 |

SEPTEMBER

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| 15 | 16 | 17 | 18 | 19 | 20 | 21 |
| 22 | 23 | 24 | 25 | 26 | 27 | 28 |
| 29 | 30 | | | | | |

1974

Water Resources Data for Pennsylvania

Part 2. Water Quality Records



**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

**Prepared in cooperation with the Pennsylvania Department of
Environmental Resources the Philadelphia Water Department,
and with other State, municipal, and Federal agencies**

Prepared in cooperation with

Pennsylvania Department of Environmental Resources
Pennsylvania Department of Transportation
Susquehanna River Basin Commission
Delaware River Basin Commission
Chester County Water Resources Authority
City of Easton
City of Philadelphia
Delaware Geological Survey
Corps of Engineers, U.S. Army
U.S. Environmental Protection Agency

Water resources records, 1974, for Pennsylvania are in the following reports of the U.S. Geological Survey:

1. Water Resources Data for Pennsylvania
Part 1: Surface Water Records
2. Water Resources Data for Pennsylvania
Part 2: Water Quality Records

Copies of this report may be obtained from
District Chief, Water Resources Division
U.S. Geological Survey
Federal Building
P.O. Box 1107
Harrisburg, Pennsylvania 17108

CONTENTS



| | Page |
|---|------|
| List of water-quality stations, in downstream order, for which records are published..... | VI |
| Introduction..... | 1 |
| Cooperation..... | 1 |
| Definition of terms..... | 2 |
| Special networks and programs..... | 12 |
| Downstream order and station number..... | 14 |
| Collection and examination of data..... | 15 |
| Solutes..... | 16 |
| Temperature..... | 17 |
| Sediment..... | 17 |
| Water-supply papers..... | 18 |
| Selected references..... | 19 |
| Water quality chemical records..... | 23 |
| Water quality sediment records..... | 365 |
| Index..... | 461 |

ILLUSTRATIONS


| | Page |
|--|------|
| Figure 1. Photograph showing U.S. Geological Survey water-quality monitor which continuously measures selected water-quality parameters..... | V |
| 2-6. Double mass accumulation of annual suspended sediment discharge versus annual water discharge, | |
| 2. Schuylkill River at Berne..... | 376 |
| 3. Schuylkill River at Manayunk, Philadelphia..... | 383 |
| 4. Brandywine Creek at Chadds Ford..... | 387 |
| 5. Brandywine Creek at Wilmington, Del..... | 391 |
| 6. Juniata River at Newport..... | 421 |
| 7. Map of lower Delaware River basin showing locations of water-quality stations..... | 465 |
| 8. Map Susquehanna and Potomac River basins showing locations of water-quality stations..... | 466 |
| 9. Map of Ohio River basin showing locations of water-quality stations..... | 467 |

TABLES

| | Page |
|---|------|
| Table 1. Factors for conversion of chemical constituents in milligrams or micrograms per litre to milliequivalents per litre..... | 6 |
| 2. Factors for conversion of sediment concentration in milligrams per litre to parts per million..... | 8 |
| 3. Degrees Celsius (°C) to degrees Fahrenheit (°F)..... | 16 |
| 4. Water-supply paper numbers and parts, water years 1944-71..... | 18 |
| 5. Factors for converting English units to International System (SI) units..... | 22 |
| 6-10. Suspended sediment concentration-duration table, | |
| 6. Schuylkill River at Berne..... | 376 |
| 7. Schuylkill River at Manayunk, Philadelphia..... | 383 |
| 8. Brandywine Creek at Chadds Ford..... | 387 |
| 9. Brandywine Creek at Wilmington, Del..... | 391 |
| 10. Juniata River at Newport..... | 421 |



Front view of USGS water-quality monitor and sampling chamber which contains probes as shown below. Water is pumped continuously through sampling chamber allowing probes to immediately sense water-quality changes.



Top view of sampling chamber containing probes for measuring dissolved oxygen, specific conductance, pH, and water temperature.

Figure 1.--U.S. Geological Survey water-quality monitor which continuously measures selected water-quality parameters.

WATER-QUALITY STATIONS, IN DOWNSTREAM ORDER,
FOR WHICH RECORDS ARE PUBLISHED

*(Letters after station name designate type of data: (c) chemical,
(b) biological, (t) water temperature, (s) sediment)*

| | Page |
|--|----------|
| <u>DELAWARE RIVER BASIN</u> | |
| Delaware Bay at Ship John Shoal Lighthouse, N.J. (ct)..... | 25 |
| East Branch Delaware River at Hancock, N.Y. (cb)..... | 29 |
| Delaware River: | |
| Callicoon Creek at Callicoon, N.Y. (c)..... | 32 |
| Delaware River at Narrowsburg, N.Y. (c)..... | 34 |
| Delaware River at Barryville, N.Y. (c)..... | 43 |
| Mongaup River near Mongaup, N.Y. (c)..... | 45 |
| Lackawaxen River at Hawley (cb)..... | 36 |
| Wallenpaupack Creek at Ledgesdale (c)..... | 39 |
| Lackawaxen River at mouth at Lackawaxen (c)..... | 41 |
| Delaware River near East Stroudsburg (ct)..... | 47 |
| Delaware River at Dunnfield, N.J. (ct,s)..... | 56, 367 |
| Delaware River near Martins Creek (c)..... | 58 |
| Delaware River at Easton (ct)..... | 60 |
| Lehigh River: | |
| Pohopoco Creek at Kresgeville (t)..... | 65 |
| Pohopoco Creek below Beltzville Dam near Parryville (t)..... | 67 |
| Jordan Creek near Pleasant Corners (c,s)..... | 69, 393 |
| Switzer Creek near Pleasant Corners (c,s)..... | 70, 393 |
| Lyon Creek at Lyon Valley (c,s)..... | 72, 393 |
| Mill Creek near Schnecksville (c,s)..... | 73, 393 |
| Jordan Creek near Schnecksville (c,s)..... | 74, 394 |
| Lehigh River at Easton (ct)..... | 76 |
| Delaware River at Riegelsville, N.J. (c)..... | 83 |
| Delaware River at Trenton, N.J. (ct,s)..... | 84, 370 |
| Delaware River at Marine Terminal, Trenton, N.J. (ct)..... | 95 |
| Delaware River at Bristol, Pa.-Burlington, N.J. Bridge (ct)..... | 99 |
| Delaware River at Torresdale Intake, at Philadelphia (ct)..... | 107 |
| Delaware River at Lehigh Avenue, Philadelphia (c)..... | 115 |
| Delaware River at Benjamin Franklin Bridge, Philadelphia (ct)..... | 116 |
| Delaware River at Wharton Street, Philadelphia (c)..... | 124 |
| Delaware River at League Island, Philadelphia (c)..... | 125 |
| Schuylkill River at Berne (ct,s)..... | 126, 373 |
| Tulpehocken Creek at Bernville (c,s)..... | 128, 394 |
| Northkill Creek at Bernville (c,s)..... | 130, 394 |
| Tulpehocken Creek at Blue Marsh Damsite near Reading (ct,s)..... | 132, 377 |
| Schuylkill River at Manayunk, Philadelphia (s)..... | 380 |
| Schuylkill River at Philadelphia (ct)..... | 136 |
| Delaware River at Fort Mifflin (t)..... | 143 |
| Delaware River at Eddystone (c)..... | 145 |
| Delaware River at Chester (ct)..... | 146 |
| Delaware River at Marcus Hook (c)..... | 153 |

DELAWARE RIVER BASIN--Continued

Delaware River:

Christiana River:

| | |
|--|------|
| | Page |
| West Branch Brandywine Creek at Modena (ct)..... | 155 |

East Branch:

| | |
|---------------------------------------|-----|
| Marsh Creek near Downingtown (t)..... | 162 |
|---------------------------------------|-----|

| | |
|--|-----|
| East Branch Brandywine Creek below Downingtown (ct)..... | 205 |
|--|-----|

| | |
|---|---------|
| Brandywine Creek at Chadds Ford (ct,s)..... | 171,384 |
|---|---------|

| | |
|---|---------|
| Brandywine Creek at Wilmington, Del. (c,s)..... | 179,388 |
|---|---------|

Delaware River at Delaware Memorial Bridge, near

| | |
|----------------------------|-----|
| Wilmington, Del. (ct)..... | 180 |
|----------------------------|-----|

| | |
|--|-----|
| Delaware River at Reedy Island Jetty, Del. (ct)..... | 187 |
|--|-----|

SUSQUEHANNA RIVER BASIN

| | |
|--|-----|
| Susquehanna River near Great Bend (c)..... | 216 |
|--|-----|

| | |
|---------------------------------------|---------|
| Tioga River at Lambs Creek (c,s)..... | 217,445 |
|---------------------------------------|---------|

| | |
|----------------------------------|---------|
| Mill Creek near Tioga (c,s)..... | 219,445 |
|----------------------------------|---------|

| | |
|---------------------------------|---------|
| Tioga River at Tioga (c,s)..... | 221,446 |
|---------------------------------|---------|

| | |
|---|---------|
| Crooked Creek at Middlebury Center (c,s)..... | 223,446 |
|---|---------|

| | |
|-----------------------------------|---------|
| Crooked Creek at Tioga (c,s)..... | 225,447 |
|-----------------------------------|---------|

| | |
|--|---------|
| Tioga River at Tioga Junction (c,s)..... | 227,447 |
|--|---------|

| | |
|--|---------|
| Cowanesque River at Westfield (c,s)..... | 229,448 |
|--|---------|

| | |
|------------------------------------|---------|
| Mill Creek at Westfield (c,s)..... | 231,448 |
|------------------------------------|---------|

| | |
|---|---------|
| Cowanesque River at Cowanesque (c,s)..... | 233,449 |
|---|---------|

| | |
|--------------------------------------|---------|
| Troups Creek at Knoxville (c,s)..... | 235,449 |
|--------------------------------------|---------|

| | |
|---------------------------------------|---------|
| Cowanesque River at Nelson (c,s)..... | 237,450 |
|---------------------------------------|---------|

| | |
|---|---------|
| Cowanesque River near Lawrenceville (ct,s)..... | 239,450 |
|---|---------|

| | |
|--|---------|
| Tioga River at Lindley, N.Y. (ct,s)..... | 242,395 |
|--|---------|

| | |
|---|---------|
| Susquehanna River near Hunlock Creek (c,s)..... | 245,451 |
|---|---------|

Fishing Creek:

| | |
|---|---------|
| Applemans Run above Light Street (c,s)..... | 248,397 |
|---|---------|

| | |
|---|---------|
| Applemans Run below Light Street (c,s)..... | 249,399 |
|---|---------|

| | |
|--|---------|
| Susquehanna River at Danville (c,s)..... | 250,401 |
|--|---------|

| | |
|---|-----|
| West Branch Susquehanna River at Renovo (ct)..... | 253 |
|---|-----|

| | |
|---|---------|
| Young Womans Creek near Renovo (c,s)..... | 258,453 |
|---|---------|

| | |
|--|-----|
| Bald Eagle Creek near Milesburg (t)..... | 261 |
|--|-----|

| | |
|--|-----|
| Bald Eagle Creek at Blanchard (t)..... | 263 |
|--|-----|

| | |
|-----------------------------------|-----|
| Beech Creek at Monument (ct)..... | 265 |
|-----------------------------------|-----|

Pine Creek:

Little Pine Creek:

Blockhouse Creek:

| | |
|---|---------|
| Blockhouse Creek tributary at Liberty (ct,s)..... | 272,403 |
|---|---------|

| | |
|--|---------|
| Blockhouse Creek at Buttonwood (ct,s)..... | 275,406 |
|--|---------|

| | |
|--|---------|
| Steam Valley Run at Buttonwood (ct,s)..... | 278,409 |
|--|---------|

| | |
|--|---------|
| Blockhouse Creek near English Center (ct,s)..... | 281,412 |
|--|---------|

| | |
|--|---------|
| West Branch Susquehanna River at Watsontown (c,s)..... | 284,415 |
|--|---------|

| | |
|---|-----|
| West Branch Susquehanna River at Lewisburg (c)..... | 285 |
|---|-----|

| | |
|---|---------|
| Susquehanna River at Sunbury (c,s)..... | 286,453 |
|---|---------|

Juniata River:

| | |
|--|-----|
| Raystown Branch Juniata River at Saxton (c)..... | 289 |
|--|-----|

VIII

WATER-QUALITY STATIONS IN DOWNSTREAM ORDER

SUSQUEHANNA RIVER BASIN--Continued

Susquehanna River:

Juniata River:

Raystown Branch:

| | Page |
|--|---------|
| Raystown Lake near Entriken (c)..... | 290 |
| Raystown Lake near Marklesburg (c)..... | 291 |
| Raystown Lake near Hesstown (c)..... | 292 |
| Raystown Lake near Huntingdon (c)..... | 293 |
| Raystown Branch Juniata River at Ardenheim (c,s)..... | 295,454 |
| Juniata River at Newport (ct,s)..... | 296,418 |
| Stony Creek above pump storage reservoir site near Dauphin (ct)... | 298 |
| Stony Creek below pump storage reservoir site near Dauphin (ct)... | 300 |
| Conodoguinet Creek at Willow Mill Bridge near Hogestown (ct,s).... | 302,422 |
| Conodoguinet Creek tributary No. 1 near Enola (c,s)..... | 304,424 |
| Conodoguinet Creek tributary No. 2 near Enola (c,s)..... | 306,427 |
| Conodoguinet Creek tributary No. 2A near Enola (c,s)..... | 308,430 |
| Conodoguinet Creek tributary No. 2B near Enola (c,s)..... | 310,433 |
| Conodoguinet Creek tributary No. 3 near Enola (c,s)..... | 312,436 |
| Susquehanna River at Harrisburg (cbt,s)..... | 314,439 |
| Conestoga River at Lancaster (ct,s)..... | 326,443 |

OHIO RIVER BASIN

Allegheny River:

Clarion River:

| | |
|---|---------|
| Toby Creek near Clarion (c)..... | 339 |
| Redbank Creek at St. Charles (c)..... | 340 |
| Allegheny River at New Kensington (c)..... | 341 |
| Monongahela River at lock and dam 8, at Point Marion (c)..... | 342 |
| Monongahela River at Braddock (cbt,s)..... | 343,455 |
| Ohio River at Sewickley (c)..... | 349 |
| Analyses of samples collected at water-quality partial-record stations in Delaware River basin (c,s)..... | 194,392 |
| Analyses of samples collected at water-quality partial-record stations in Susquehanna River basin (c,s)..... | 328,445 |
| Analyses of samples collected at water-quality partial-record stations in Potomac River basin (c)..... | 338 |
| Analyses of samples collected at water-quality partial-record stations in Ohio River basin (c,s)..... | 350,459 |

WATER RESOURCES DATA FOR PENNSYLVANIA, 1974

Part 2. Water Quality Records

INTRODUCTION

Water resources data for the 1974 water year for Pennsylvania include records of data for the chemical and physical characteristics of surface water. Data on the quality of surface water (chemical, temperature, and sediment) were collected from designated sampling sites at predetermined intervals such as once daily, weekly, monthly or less frequently, and at some sites data were recorded on punched paper tape at 15-, 30-, or 60-minute intervals. A few pertinent stations in bordering States are also included. The records were collected by the Water Resources Division of the U.S. Geological Survey under the direction of Norman H. Beamer, district chief. These data represent that portion of the National Water Data System collected by the U.S. Geological Survey and cooperating State and Federal agencies in Pennsylvania.

The Geological Survey has published records of chemical quality, water temperatures, and sediment since 1941 in an annual series of water-supply papers entitled, "Quality of Surface Waters of the United States." Beginning with the 1964 water year, water-quality records have been released by the Geological Survey in annual reports on a State-boundary basis. These reports are for limited distribution and are designed primarily for rapid release of data shortly after the end of the water year. These records will be published later in Geological Survey water-supply papers.

COOPERATION

This report was prepared by the U.S. Geological Survey under cooperative agreement with the following organizations:

- State Department of Environmental Resources, M. K. Goddard, secretary, through the following: Office of Engineering and Construction, C. H. McConnell, deputy secretary. State Soil and Water Conservation Commission, W. N. Peechatka, executive secretary. Office of Environmental Protection and Regulation, W. E. Gilbertson, deputy secretary.
- State Department of Transportation, J. G. Kassab, secretary, through the Bureau of Materials, Testing, and Research, L. D. Sandvig, director.

Susquehanna River Basin Commission, R. J. Bielo, executive director.

Delaware River Basin Commission, J. F. Wright, executive director.

Chester County Water Resources Authority, D. C. Yaeck, executive director.

City of Easton, F. L. Ashton, Jr., mayor.

City of Philadelphia, Water Department, C. F. Guarino, water commissioner.

Delaware Geological Survey, R. R. Jordan, state geologist.

Assistance in the form of funds or services was given by the Corps of Engineers, U.S. Army, Baltimore and Philadelphia Districts, and the U.S. Environmental Protection Agency.

DEFINITION OF TERMS

Terms related to water-quality and hydrologic data as used in the report are defined below. See also table for converting English units to International System of units (SI) on page 22.

Acre-foot (AC-FT, ac-ft) is a quantity of water required to cover 1 acre to a depth of 1 foot and is equivalent to 43,560 cubic feet or about 326,000 gallons or 1,233 cubic metres.

Algae are mostly aquatic single-celled, colonial, or multi-celled plants, containing chlorophyll and lacking roots, stems, and leaves.

Bacteria are microscopic unicellular organisms, typically spherical, rod-like, or spiral and threadlike in shape, often clumped into colonies. Some bacteria cause disease, others perform an essential role in nature in the recycling of materials; for example, by decomposing organic matter into a form available for reuse by plants.

Total coliform bacteria are a particular group of bacteria that are used as indicators of possible sewage pollution. They are characterized as aerobic or facultative anaerobic, gram-negative, nonspore-forming, rod-shaped bacteria which ferment lactose with gas formation within 48 hours at 35°C. In the laboratory these bacteria are defined as all the organisms which produce colonies with a golden-green metallic sheen within 24 hours when incubated at 35°C \pm 1.0°C on M-Endo medium (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 ml of sample.

Fecal coliform bacteria are bacteria that are present in the intestine or feces of warmblooded animals. They are often used as indicators of the sanitary quality of the water. In the laboratory they are defined as all organisms which produce blue colonies within 24 hours when incubated at $44.5^{\circ}\text{C} \pm 0.2^{\circ}\text{C}$ on M-FC medium (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 ml of sample.

Fecal streptococcal bacteria are bacteria found also in the intestine of warmblooded animals. Their presence in water is considered to verify fecal pollution. They are characterized as gram-positive, cocci bacteria which are capable of growth in brain-heart infusion broth. In the laboratory they are defined as all the organisms which produce red or pink colonies within 48 hours at $35^{\circ}\text{C} \pm 1.0^{\circ}\text{C}$ on M-enterococcus medium (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 ml of sample.

Bed material is the shifting portion of fragmented alluvial material of which the streambed is composed.

Benthic organisms (invertebrates) are animals inhabiting the bottom of an aquatic environment. They include a number of different types of organisms, such as bacteria, fungi, insect larvae and nymphs, snails, clams, and crayfish. They are frequently used as indicators of environmental quality because many have restricted mobility during their aquatic life phase, as well as a relatively long lifespan which allows for response to prevailing and changing water-quality conditions. Many benthic organisms inhabit specific types of environments which, if changed, result in changes in the composition of the benthic community.

Biochemical oxygen demand (BOD) is the amount of oxygen required by bacteria while stabilizing decomposable organic matter under aerobic conditions.

Biomass is the amount of living matter present at any given time, expressed as the weight per unit area or volume of habitat.

Ash weight is the weight or amount of residue present after the residue from the dry weight determination has been ashed in a muffle furnace at a temperature of 500°C for 1 hour. The ash weight values of zooplankton and phytoplankton are expressed in g/m^3 (grams per cubic metre), and periphyton and benthic organisms in g/m^2 (grams per square metre).

Dry weight refers to the weight of residue present after drying in an oven at 60°C for zooplankton and 105°C for periphyton, until the weight remains unchanged. This weight represents the total organic matter, ash and sediment, in the sample. Dry weight values are expressed in the same units as ash weight.

Organic weight or volatile weight of the living substance is the difference between the dry weight and the ash weight, and represents the actual weight of the living matter. The organic weight is expressed in the same units as for ash and dry weights.

Wet weight is the weight of living matter plus contained water.

Cfs-day is the volume of water represented by a flow of 1 cubic foot per second for 24 hours. It is equivalent to 86,400 cubic feet, approximately 1.9835 acre-feet, or about 646,000 gallons, or 2,445 cubic metres. It represents a runoff of approximately 0.0372 inches from 1 square mile or 0.3468 millimetre from 1 square kilometre.

Chemical oxygen demand (COD) indicates the quantity of oxidizable compounds in water and varies with water composition(s), temperature, period of contact, and other factors.

Chlorophyll refers to the green pigments of plants. Chlorophyll a and b are the two most common green pigments in plants.

Coliform organisms are a group of bacteria used as an indicator of the sanitary quality of the water. The number of coliform colonies per 100 milliliters is determined by the immediate incubation membrane filter method.

Continuing record station is a specified site which meets one or all conditions listed: (1) When chemical samples are collected daily or monthly for 10 or more months during the water year. (2) When water temperature records include observations taken once or more times daily. (3) When sediment discharge records include those periods for which sediment loads are computed and are considered to be representative of the runoff for the water year.

Cubic foot per second (CFS, cfs) is the rate of discharge representing a volume of 1 cubic foot passing a given point during 1 second and is equivalent to 7.48 gallons per second or 448.8 gallons per minute or 0.02832 cubic metres per second.

Discharge is the volume of water (or more broadly, total fluids), that passes a given point within a given period of time.

Mean discharge is the arithmetic mean of individual daily mean discharges during a specific period.

Instantaneous discharge is the discharge at a particular instant of time.

Diversity index is a numerical rating of the variety of the aquatic organisms. The greater the number of different types of organisms, the greater the diversity. The formula for diversity index is

$$d = -\sum \frac{n_i}{n} \log_2 \frac{n_i}{n},$$

where n_i is the number of individuals per taxon, and n is the total number of individuals.

Drainage area of a stream at a specified location is that area, measured in horizontal plane, enclosed by a topographic divide from which direct surface runoff from precipitation normally drains by gravity into the stream above the specified point.

Drainage basin is a part of the surface of the earth that is occupied by a drainage system, which consists of a surface stream or body of impounded surface water together with all tributary surface stream and bodies of impounded surface water.

Gaging station is a particular site on a stream, canal, lake, or reservoir where systematic observations of gage height or discharge are obtained. When used in connection with a discharge record, the term is applied only to those gaging stations where a continuous record of discharge is computed.

Hardness of water is a physical-chemical characteristic that is commonly recognized by the increased quantity of soap required to produce lather. It is attributable to the presence of alkaline earths (principally calcium and magnesium) and is expressed as equivalent calcium carbonate (CaCO_3).

Macrophytes are large macroscopic plants in the aquatic environment. The most commonly occurring macrophytes are the rooted vascular plants that are usually arranged in zones and delineated by the extent of illumination and sedimentation. The dominant plant forms in these environmental gradients are (1) submersed rooted aquatics, (2) floating leaved, rooted aquatics, (3) emergent rooted aquatics, and (4) marginal mats. Growth of aquatic macrophytes depends on the availability of nutrients. In some waters nutrient enrichment results in excessive growth of macrophytes, and this accelerated productivity often results in a major nuisance condition and an important water-quality problem.

Methylene blue active substance (MBAS) is a measure of apparent detergents. This determination depends on the formation of a blue color when methylene blue dye reacts with synthetic detergent compounds.

Micrograms per litre ($\mu\text{G/L}$, $\mu\text{g/l}$) is a unit expressing the concentration of chemical constituents in solution as weight (micrograms) of solute per unit volume (litre) of water. One thousand micrograms per litre is equivalent to one milligram per litre.

Milligrams per litre (MG/L, mg/l) is a unit for expressing the concentration of chemical constituents in solution. Milligrams per litre represents the weight of solute per unit volume of water. Milligrams or micrograms per litre may be converted to milliequivalents (one thousandth of a gram-equivalent weight of a constituent) per litre by multiplying by the factors in table 1. Concentration of suspended sediment also is expressed in mg/l, and is based on the weight of sediment per litre of water-sediment mixture. Sediment concentrations are converted to parts per million by using the factors in table 2, page 8.

Table 1.--Factors for conversion of chemical constituents in milligrams or micrograms per litre to milliequivalents per litre

| <u>Ion</u> | <u>Multi- ply by</u> | <u>Ion</u> | <u>Multi- ply by</u> |
|---------------------------------|--------------------------|-------------------------------|--------------------------|
| Aluminum (Al^{+3})*..... | 0.11119 | Iodide (I^{-1})..... | 0.00788 |
| Ammonia as NH_4^{+1} | .05544 | Iron (Fe^{+3})*..... | .05372 |
| Barium (Ba^{+2})..... | .01456 | Lead (Pb^{+2})*..... | .00965 |
| Bicarbonate (HCO_3^{-1})... | .01639 | Lithium (Li^{+1})*..... | .14411 |
| Bromide (Br^{-1})..... | .01251 | Magnesium (Mg^{+2})..... | .08226 |
| Calcium (Ca^{+2})..... | .04990 | Manganese (Mn^{+2})*.... | .03640 |
| Carbonate (CO_3^{-2})..... | .03333 | Nickel (Ni^{+2})*..... | .03406 |
| Chloride (Cl^{-1})..... | .02821 | Nitrate (NO_3^{-1})..... | .01613 |
| Chromium (Cr^{+6})*..... | .11539 | Nitrite (NO_2^{-1})..... | .02174 |
| Cobalt (Co^{+2})*..... | .03394 | Phosphate (PO_4^{-3}).... | .03159 |
| Copper (Cu^{+2})*..... | .03148 | Potassium (K^{+1})..... | .02557 |
| Cyanide (CN^{-1})..... | .03844 | Sodium (Na^{+1})..... | .04350 |
| Fluoride (F^{-1})..... | .05264 | Strontium (Sr^{+2})*.... | .02283 |
| Hydrogen (H^{+1})..... | .99209 | Sulfate (SO_4^{-2})..... | .02082 |
| Hydroxide (OH^{-1})..... | .05880 | Zinc (Zn^{+2})*..... | .03060 |

*Constituent reported in micrograms per litre; multiply by factor and divide results by 1,000.

Metamorphic stage refers to the stage of development that an organism exhibits during its transformation from an immature form to an adult. This developmental process exists for most insects, and the degree of difference from the immature stage to the adult form varies from relatively slight to pronounced, with many intermediates. Examples of metamorphic stages of insects are egg-larva-pupa-adult or egg-nymph-adult.

Nekton are the consumers of the aquatic environment consisting of large free-swimming organisms that are capable of sustained, directed mobility. The nekton community consists primarily of fish. In most lakes and streams fish are at the upper end of the food chain, and are often the most economically important organisms to man. Because they are dependent upon the life forms below them for food, the well-being of a fish population often is used as an index to water quality, and to the well-being of other aquatic organisms.

Organism is any living entity, such as an insect, phytoplankter, or zooplankter.

Cells/volume refers to the number of cells of any organism which is counted by using a microscope and grid or counting cell. Many planktonic organisms are multi-celled and are counted according to the number of contained cells per sample volume, usually millilitres (ml) or litres (l).

Organism count/area refers to the number of organisms collected and enumerated in a sample and adjusted to the number per area habitat, usually square metres (m^2), acres, or hectares. Periphyton, benthic organisms, and macrophytes are expressed in these terms.

Organism count/volume refers to the number of organisms collected and enumerated in a sample and adjusted to the number per sample volume, usually millilitres (ml) or litres (l). Numbers of planktonic organisms can be expressed in these terms.

Total organism count is the total number of organisms collected and enumerated in any particular sample.

Partial-record station is a particular site where limited streamflow or water-quality data are collected systematically over a period of years for use in hydrologic analyses.

Particle size is the diameter, in millimetres (mm), of suspended sediment or bed material determined either by sieve or sedimentation methods. Sedimentation methods (pipet, bottom-withdrawal tube, visual-accumulation tube) determine fall diameter of particles in either distilled water (chemically dispersed) or in native water (the river water at the time and point of sampling).

Particle-size classification used in this report agrees with recommendations made by the American Geophysical Union Subcommittee on Sediment Terminology. The classification is as follows:

| Classification | Size (mm) | Method of analysis |
|----------------|-----------------|-------------------------|
| Clay..... | 0.00024 - 0.004 | Sedimentation. |
| Silt..... | .004 - .062 | Sedimentation. |
| Sand..... | .062 - 2.0 | Sedimentation or sieve. |
| Gravel..... | 2.0 - 64.0 | Sieve. |

The particle-size distributions given in this report are not necessarily representative of all particles in transport in the stream. Most of the organic material is removed and the sample is subjected to mechanical and chemical dispersion before analysis in distilled water. Chemical dispersion is not used for native-water analysis (Guy, 1969).

Table 2.--Factors for conversion of sediment concentration
in milligrams per litre to parts per million*
(All values calculated to three significant figures)

| Range of concentration in 1000 mg/l | Di- vide by | Range of concentration in 1000 mg/l | Di- vide by | Range of concentration in 1000 mg/l | Di- vide by |
|--|-------------------|--|-------------------|--|-------------------|
| 0 - 8 | 1.00 | 266 - 280 | 1.17 | 540 - 554 | 1.34 |
| 8.05 - 24 | 1.01 | 282 - 297 | 1.18 | 556 - 570 | 1.35 |
| 24.2 - 40 | 1.02 | 299 - 313 | 1.19 | 572 - 585 | 1.36 |
| 40.5 - 56 | 1.03 | 315 - 329 | 1.20 | 587 - 602 | 1.37 |
| 56.5 - 72 | 1.04 | 331 - 345 | 1.21 | 604 - 617 | 1.38 |
| 72.5 - 88 | 1.05 | 347 - 361 | 1.22 | 619 - 634 | 1.39 |
| 88.5 - 104 | 1.06 | 363 - 378 | 1.23 | 636 - 650 | 1.40 |
| 105 - 120 | 1.07 | 380 - 393 | 1.24 | 652 - 666 | 1.41 |
| 121 - 136 | 1.08 | 395 - 409 | 1.25 | 668 - 682 | 1.42 |
| 137 - 152 | 1.09 | 411 - 424 | 1.26 | 684 - 698 | 1.43 |
| 153 - 169 | 1.10 | 427 - 440 | 1.27 | 700 - 715 | 1.44 |
| 170 - 185 | 1.11 | 443 - 457 | 1.28 | 717 - 730 | 1.45 |
| 186 - 200 | 1.12 | 460 - 473 | 1.29 | 732 - 747 | 1.46 |
| 201 - 217 | 1.13 | 476 - 489 | 1.30 | 749 - 762 | 1.47 |
| 218 - 232 | 1.14 | 492 - 506 | 1.31 | 765 - 780 | 1.48 |
| 234 - 248 | 1.15 | 508 - 522 | 1.32 | 782 - 796 | 1.49 |
| 250 - 264 | 1.16 | 524 - 538 | 1.33 | 798 - 810 | 1.50 |

*Based on water density of 1.000 g/ml and a specific gravity of sediment of 2.65.

Percent composition is a unit for expressing the ratio of a particular part of a sample or population to the total sample or population, in terms of types, numbers, weight, or volume.

Periphyton is the assemblage of microorganisms attached to and growing upon solid surfaces. While primarily consisting of algae, they also include bacteria, fungi, protozoa, rotifers, and other small organisms. Periphyton is a useful indicator of water quality.

Plankton is the floating (or weakly swimming) animal or plant life in a body of water consisting chiefly of minute plants (as diatoms and blue-green algae) and of minute animals (as protozoans, entomostracans, and various larvae).

Phytoplankton is the plant part of the plankton. They are usually microscopic and their movement is subject to the water currents. Phytoplankton growth is dependent upon solar radiation and nutrient substances. Because they are able to incorporate as well as release materials to the surrounding water, the phytoplankton have a profound effect upon the quality of the water. They are the primary food producers in the aquatic environment, and are commonly known as algae.

Blue-green algae are a group of phytoplankton organisms having a blue pigment, in addition to the green pigment called chlorophyll. Blue-green algae often cause nuisance conditions in water.

Diatoms are the unicellular or colonial algae having a siliceous shell. Their concentrations are expressed as number of cells per millilitre (cells/ml) of sample.

Green algae have chlorophyll pigments similar in color to those of higher green plants. Some forms produce algal mats or floating "moss" in lakes. Their concentrations are expressed as number of cells per 100 ml of sample.

Zooplankton is the animal part of the plankton. Zooplankton are capable of extensive movements within the water column, and are often large enough to be seen with the unaided eye. Zooplankton are secondary consumers feeding upon bacteria, phytoplankton, and detritus. Because they are the grazers in the aquatic environment, the zooplankton are a vital part of the aquatic food web. The zooplankton community is dominated by small crustaceans and rotifers.

Sediment is solid material that originates mostly from disintegrated rocks and is transported by, suspended in, or deposited from water; it includes chemical and biochemical precipitates and decomposed organic material such as humus. The quantity, characteristics, and cause of the occurrence of sediment in streams are influenced by environmental factors. Some major factors are degree of slope, length of slope, soil characteristics, land usage, and quantity and intensity of precipitation.

Suspended sediment is the sediment that at any given time is maintained in suspension by the upward components of turbulent currents or that exists in suspension as a colloid.

Suspended-sediment discharge is the rate at which dry weight of sediment passes a section of a stream or is the quantity of sediment, as measured by dry weight, or by volume, that is discharged in a given time. It is computed by multiplying discharge times mg/l times 0.0027.

Total sediment discharge or total sediment load is the sum of the suspended-sediment discharge and the bedload discharge. It is the total quantity of sediment, as measured by dry weight or volume, that is discharged during a given time.

Mean concentration is the time-weighted concentration of suspended sediment passing a stream section during a 24-hour day.

Suspended-sediment concentration is the velocity-weighted concentration of suspended sediment in the sampled zone (from the water surface to a point approximately 0.3 ft above the bed) expressed as milligrams of dry sediment per liter of water-sediment mixture (mg/l).

Sediment trend curve or double mass curve as used in this report is a plot of the cumulative sediment discharge against cumulative water discharge for the period of record. A straight line relation is indicative of a constancy in proportionality between the two variables. A change in the slope of the relation is indicative of a change of proportionality of the variables. Because water discharge is considered the independent variable, an increase in slope from the previous slope indicates an increase in sediment discharge while a decrease in slope indicates a decrease in sediment discharge.

Suspended sediment concentration-duration table is a cumulative frequency table that shows the percentage of time that specified suspended sediment concentrations are equaled or exceeded.

Solute is any substance derived from the atmosphere, vegetation, soil, or rocks that is dissolved in water.

Specific conductance is a measure of the ability of a water to conduct an electrical current and is expressed in micromhos per centimetre at 25°C. Because the specific conductance is related to the number and specific

chemical types of ions in solution, it can be used for approximating the dissolved-solids content in the water. Commonly, the amount of dissolved solids (in milligrams per litre) is about 65 percent of the specific conductance (in micromhos per cm at 25°C). This relation is not constant from stream to stream or from well to well, and it may even vary in the same source with changes in the composition of the water.

Streamflow is the discharge that occurs in a natural channel. Although the term "discharge" can be applied to the flow of a canal, the word "streamflow" uniquely describes the discharge in a surface stream course. The term "streamflow" is more general than "runoff." Streamflow may be applied to discharge whether or not it is affected by diversion or regulation.

Substrate is the physical surface upon which an organism lives.

Natural substrates refers to any naturally occurring emerged or submersed solid surface, such as rock or tree, upon which an organism lives.

Artificial substrate is a device which is purposely placed in a stream or lake for colonization of organisms. The use of artificial substrates simplifies the community structure by standardizing the substrate from which each sample is taken. Examples of artificial substrates are basket samplers (made of wire cages filled with clean streamside rocks) and multi-plate samplers (made of hardboard) for benthic organism collection, and plexiglass strips for periphyton collection.

Seston is the total suspended particulate matter in water. The concentration of particulate matter has a profound effect upon the optical properties of the water, and upon the concentration of dissolved materials in the water. Their concentrations are expressed in milligrams per litre (mg/l).

Taxonomy is the division of biology concerned with the classification and naming of organisms. The classification of organisms is based upon a hierarchial scheme beginning with Kingdom and ending with Species at the base. The higher the classification level, the fewer features the organisms have in common. For example, the taxonomy of a particular may fly, Hexagenia limbata, is the following:

Kingdom.....Animal
Phylum.....Arthropoda
Class.....Insecta
Order.....Ephemeroptera
Family.....Ephemeridae
Genus..... Hexagenia
Species..... Hexagenia limbata

Thermograph is a thermometer that continuously and automatically records, on a chart, the water temperature of a stream. "Temperature recorder" is the term used to indicate the presence of the thermograph or a digital mechanism that automatically records water temperature on paper tape.

Time-weighted average is computed by multiplying the number of days in the sampling period by the concentrations of individual constituents for the corresponding period and dividing the sum of the products by the total number of days. A time-weighted average represents the composition of water that would be contained in a vessel or reservoir that had received equal quantities of water from the stream each day for the water year.

Tons per acre-foot indicates the dry weight of dissolved solids in 1 acre-foot of water. It is computed by multiplying the concentration in milligrams per liter by 0.00136.

Tons per day is the quantity of a substance in solution or suspension that passes a stream section during a 24-hour day.

Weighted average is used in this report to indicate discharge-weighted average. It is computed by multiplying the discharge for a sampling period by the concentrations of individual constituents for the corresponding period and dividing the sum of the products by the sum of the discharges. A discharge-weighted average approximates the composition of water that would be found in a reservoir containing all the water passing a given location during the water year after thorough mixing in the reservoir. See also table for converting English Units to International Units (SI) on page 22.

SPECIAL NETWORKS AND PROGRAMS

Some of the stations for which data are published in this report are included in special networks and programs. These stations are identified by their title, set in parentheses, under the station name.

Hydrologic bench-mark station is one that provides hydrologic data for a basin in which the hydrologic regimen will likely be governed solely by natural conditions. Data collected at a bench-mark station may be used to separate effects of natural from man-made changes in other basins which have been developed and in which the physiography, climate, and geology are similar to those in the undeveloped bench-mark basin.

International Hydrological Decade (IHD) River Stations provide a general index of runoff and materials in the water balance (discharge of water, and dissolved and transported solids) of the world. In the United States, IHD Stations provide indices of runoff and the general distribution of water in the principal river basins of the conterminous United States and Alaska.

National stream-quality accounting network is an accounting network designed by the U.S. Geological Survey to meet many of the information demands of agencies or groups involved in national or regional water-quality planning and management. Both accounting and broad-scale monitoring objectives have been incorporated in the network design. Areal configuration of the network is based on river-basin accounting units designated by the Office of Water Data Coordination in consultation with the Water Resources Council. Primary objectives of the network are (1) to depict areal variability of water-quality conditions nationwide on a year-to-year basis and (2) to detect and assess long-term changes in stream quality.

Pesticide program is a network of regularly sampled water-quality stations where additional monthly samples are collected to determine the concentration and distribution of pesticides in streams whose waters are used for irrigation or in streams in areas where potential contamination could result from the application of the commonly used insecticides and herbicides.

Pesticides are chemical compounds used to control the growth of undesirable plants and animals. Major categories of pesticides include insecticides, miticides, fungicides, herbicides, and rodenticides. Since the first application of DDT as an insecticide in the early 1930's, there have been almost 60,000 pesticide formulations registered, each containing at least one of the approximately 800 different basic pesticide compounds (Goerlitz and Brown, 1972, p. 24). The United States annually produces about 1 billion pounds of these compounds. Although efforts are being made to substitute many of the chlorinated hydrocarbon pesticides with more specific, fast-acting, and easily degradable compounds, chlorinated hydrocarbon pesticides are still commonly used in many areas of the country.

Radiochemical program is a network of regularly sampled water-quality stations where additional samples are collected monthly or twice a year (at high and low flow) to be analyzed for radioisotopes. The streams that are sampled represent major drainage basins in the conterminous United States.

Radioisotopes are isotope forms of an element that exhibit radioactivity. Isotopes are varieties of a chemical element that differ in atomic weight, but are very nearly alike in chemical properties. The difference arises because the atoms of the isotopic forms of an element differ in the number of neutrons in the nucleus. For example: Ordinary chlorine is a mixture of isotopes having atomic weights 35 and 37, with the natural mixture having atomic weight about 35.453. Many of the elements similarly exist as mixtures of isotopes, and a great many new isotopes have been produced in the operation of nuclear devices such as the cyclotron (Rose, 1966). There are 275 isotopes of the 81 stable elements in addition to over 800 radioactive isotopes.

Radioisotopes that are determined in this program are natural uranium in $\mu\text{g/l}$ (micrograms per litre), radium as radium-226 in PC/L, (pCi/l, picocuries per litre), gross beta radiation as equivalent strontium/yttrium-90 or cesium-137 in PC/L, and gross alpha radiation as micrograms of uranium equivalent per litre ($\mu\text{g/l}$). Gross alpha and beta radioactivity associated with the fine grained (silt and clay sized sediments in the samples are also determined.

A picocurie (PC, pCi) is one trillionth (1×10^{-12}) of the amount of radioactivity represented by a curie (Ci). A curie is the amount of radioactivity that yields 3.7×10^{10} radioactive disintegrations per second. A picocurie yields 2.22 dpm (disintegrations per minute).

DOWNSTREAM ORDER AND STATION NUMBER

Stations are listed in downstream direction along the main stream, and stations on tributaries are listed between stations on the main stream in the order in which those tributaries enter the main stream. Stations on tributaries entering above all mainstream stations are listed before the first mainstream station. Stations on tributaries to tributaries are listed in a similar manner. In the list of water-quality stations in the front of this report the rank of tributaries is indicated by indentation, each indentation representing one rank.

As an added means of identification, each water-quality station, gaging station, and partial-record station has been assigned a station number. These are in the same downstream order used in this report. In assigning station numbers, no distinction is made between partial-record, miscellaneous, and continuous-record stations; therefore, the station number indicates downstream order position in a list made up of all types of stations. Water-quality stations located at or near gaging stations have the same number as the gaging station. Gaps are left in the numbers to allow for new stations that may be established; hence the numbers are not consecutive. The complete 8-digit number for each station, such as 01570500 which appears just to left of the station name includes the 2-digit part number "01" plus the 6-digit downstream order number "570500." In this report, the records are listed in downstream order by parts. The part number refers to an area whose boundaries coincide with certain natural drainage lines. Records in this report are in Part 1 (North Atlantic Slope basin) and Part 3 (Ohio River basin). All records for a drainage basin encompassing more than one State could be arranged in downstream order by assembling pages from the various State reports by station number to include all records in the basin.

Downstream order station numbers are not assigned to sites where only random water-quality samples are taken. These sites are classified as water-quality miscellaneous sites and as a means of location and identification a 15-digit number consisting of the latitude and longitude coordinates to the nearest second for each site plus a 2-digit sequential number as assigned. For example, the station number for a water-quality miscellaneous site with lat 42°28'47", long 071°41'04", would be 422847071410401.

COLLECTION AND EXAMINATION OF DATA

Water samples for analyses usually are collected at or near gaging stations. The discharge records at these stations are used in conjunction with the computations of the chemical constituents and sediment loads. Discharge records for streams in Pennsylvania have been released in the report, "Water Resources Data for Pennsylvania, 1973, Part 1. Surface Water Records."

The data in this report include a description of the sampling station and tabulations of the samples analyzed. The description of the sampling station gives the location, drainage area, periods of record for the various water-quality data, extremes of the pertinent data, and general remarks, in a format similar to that used for streamflow gaging stations.

Water-quality information is presented for chemical quality, biological, microbiological, water temperature, and fluvial sediment. Chemical quality includes concentrations of individual dissolved constituents and certain properties or characteristics such as hardness, specific conductance, and pH. The biological information includes qualitative and quantitative analyses of plankton, bottom organisms, and particulate inorganic and amorphous matter present. Microbiological information includes quantitative identification of certain bacteriological indicator organisms. Water-temperature data represent once-daily observations except for stations where a continuous temperature recorder furnished information from which daily minimums and maximums are obtained. Fluvial-sediment information is given for suspended-sediment discharges and concentrations and for particle-size distribution of suspended sediment and bed material.

Prior to the 1968 water year, data for chemical constituents and concentrations of suspended sediment were reported in parts per million (ppm) and water temperature was reported in degrees Fahrenheit (°F).

In October 1967, the U.S. Geological Survey began reporting data for chemical constituents and concentrations of suspended sediment in milligrams per litre (mg/l) and water temperatures in degrees Celsius (centigrade, °C). In waters with a density of 1.000 g/ml (grams per millilitre),

parts per millions and milligrams per litre can be considered equal. In waters with a density greater than 1.000 g/ml, values in parts per million should be multiplied by the density to convert to milligrams per litre. Temperatures reported in degrees Celsius may be converted to degrees Fahrenheit by using the table below.

In October 1968, the Geological Survey began reporting many of the chemical constituents as well as the minor elements in micrograms per litre. (See "Definition of Terms," page 5, and table for converting English units to SI units, page 19.)

Table 3.--Degrees Celsius (°C) to degrees Fahrenheit (°F)*
(Temperature reported to nearest 0.5°C)

| °C | °F | °C | °F | °C | °F | °C | °F | °C | °F |
|-----|----|------|----|------|----|------|-----|------|-----|
| 0.0 | 32 | 10.0 | 50 | 20.0 | 68 | 30.0 | 86 | 40.0 | 104 |
| .5 | 33 | 10.5 | 51 | 20.5 | 69 | 30.5 | 87 | 40.5 | 105 |
| 1.0 | 34 | 11.0 | 52 | 21.0 | 70 | 31.0 | 88 | 41.0 | 106 |
| 1.5 | 35 | 11.5 | 53 | 21.5 | 71 | 31.5 | 89 | 41.5 | 107 |
| 2.0 | 36 | 12.0 | 54 | 22.0 | 72 | 32.0 | 90 | 42.0 | 108 |
| 2.5 | 36 | 12.5 | 54 | 22.5 | 72 | 32.5 | 90 | 42.5 | 108 |
| 3.0 | 37 | 13.0 | 55 | 23.0 | 73 | 33.0 | 91 | 43.0 | 109 |
| 3.5 | 38 | 13.5 | 56 | 23.5 | 74 | 33.5 | 92 | 43.5 | 110 |
| 4.0 | 39 | 14.0 | 57 | 24.0 | 75 | 34.0 | 93 | 44.0 | 111 |
| 4.5 | 40 | 14.5 | 58 | 24.5 | 76 | 34.5 | 94 | 44.5 | 112 |
| 5.0 | 41 | 15.0 | 59 | 25.0 | 77 | 35.0 | 95 | 45.0 | 113 |
| 5.5 | 42 | 15.5 | 60 | 25.5 | 78 | 35.5 | 96 | 45.5 | 114 |
| 6.0 | 43 | 16.0 | 61 | 26.0 | 79 | 36.0 | 97 | 46.0 | 115 |
| 6.5 | 44 | 16.5 | 62 | 26.5 | 80 | 36.5 | 98 | 46.5 | 116 |
| 7.0 | 45 | 17.0 | 63 | 27.0 | 81 | 37.0 | 99 | 47.0 | 117 |
| 7.5 | 45 | 17.5 | 63 | 27.5 | 81 | 37.5 | 99 | 47.5 | 117 |
| 8.0 | 46 | 18.0 | 64 | 28.0 | 82 | 38.0 | 100 | 48.0 | 118 |
| 8.5 | 47 | 18.5 | 65 | 28.5 | 83 | 38.5 | 101 | 48.5 | 119 |
| 9.0 | 48 | 19.0 | 66 | 29.0 | 84 | 39.0 | 102 | 49.0 | 120 |
| 9.5 | 49 | 19.5 | 67 | 29.5 | 85 | 39.5 | 103 | 49.5 | 121 |

*C = 5/9 (°F - 32) or °F = 9/5 (°C) + 32.

Solutes

Most methods for collecting and analyzing water samples to determine the kinds and concentrations of solutes are described by Brown, Skougstad, and Fishman. The method for determining elemental constituents by emission spectrographic techniques is described by Barnett and Mallory. Analysis of pesticides, herbicides, and organic substances in water are described by Goerlitz and Lamar, Lamar, Goerlitz, and Law, and Goerlitz and Brown. The collection and analysis of aquatic, biological and microbiological samples are described by Slack and others.

One sample can define adequately the water quality at a given time if the mixture of solutes throughout the stream cross section is homogeneous. However, the concentration of solutes at different locations in the cross section may vary widely with different rates of water discharge, depending on the source of material and the turbulence and mixing of the stream. Some streams must be sampled through several vertical sections to obtain a representative sample needed for an accurate mean concentration and for use in calculating load.

Chemical-quality data published in this report are considered to be the most representative values available for the stations listed. The values reported represent water-quality conditions at the time of sampling as much as possible, consistent with available sampling techniques and methods of analysis. In the rare case where an apparent inconsistency exists between the reported pH value and the relative abundance of carbon dioxide species (carbonate and bicarbonate), the inconsistency is the result of a slight uptake of carbon dioxide from the air by the sample between measurement of pH in the field and determinations of carbonate and bicarbonate in the laboratory.

For chemical quality stations equipped with continuous digital monitors, the records consist of daily maximum, minimum, and mean values for each constituent measured, and are based upon 15-minute punches beginning at 0015 hours and ending at 2400 hours for the day of record. More detailed records (hourly values) may be obtained from the district office of the U.S. Geological Survey at the address given on the back of the title page of this report.

Temperature

Water temperatures are measured at most of the water-quality stations. For daily stations, the water temperatures are taken at about the same time each day when sample is collected. Large streams have a small diurnal temperature change; shallow streams may have a daily range of several degrees and may follow closely the changes in air temperature. Some streams may be affected by waste-heat discharges.

At stations where continuously recording thermographs are present, the records consist of maximum and minimum temperatures for each day and the monthly averages.

Sediment

Suspended-sediment concentrations are determined from samples collected by using depth-integrating samplers. Samples usually are obtained at several verticals in the cross-section, or a single sample may be obtained at a fixed point and a coefficient applied to determine the mean concentration in the cross sections.

During periods of rapidly changing flow or rapidly changing concentration, samples may have been collected more frequently (twice daily or, in some instances, hourly). The published sediment discharges for days of rapidly changing flow or concentration were computed by the sub-divided day method (time-discharge weighted average). Therefore, for those days when the published sediment discharge value differs from the value computed as the product of discharge times mean concentration times 0.0027, the reader can assume that the sediment discharge for that day was computed by the sub-divided day method. For periods when no samples were collected, daily loads of suspended sediment were estimated on the basis of water discharge, sediment concentrations observed immediately before and after the periods, and suspended-sediment loads for other periods of similar discharge.

At other stations, suspended-sediment samples were collected periodically at many verticals in the stream cross section. Although data collected periodically may represent conditions only at the time of observations, such data are useful in establishing seasonal relations between quality and streamflow in predicting long-term sediment-discharge characteristics of the stream.

In addition to the records of the quantities of suspended sediment, records of the periodic measurements of the particle-size distribution of the suspended sediment and bed material are included.

WATER-SUPPLY PAPERS

The annual series of water-supply papers that give information on quality of surface waters in Pennsylvania are shown in the following table. Data for the North Atlantic Slope basins are given in part 1, and for the Ohio River basin, in part 3.

Table 4.--Water-supply paper numbers and parts, water years 1944-71

| Year | Parts 1-4 | Year | Parts 1-2 | Parts 3-4 | Part 1 | Part 2 | Part 3 |
|------|--------------|------|--------------|--------------|-----------|-----------|-----------|
| 1944 | A1022 | 1959 | 1641 | 1642 | ---- | ---- | ---- |
| 1945 | A1030 | 1960 | 1741 | 1742 | ---- | ---- | ---- |
| 1946 | A1050 | 1961 | 1881 | 1882 | ---- | ---- | ---- |
| 1947 | A1102 | 1962 | 1941 | 1942 | ---- | ---- | ---- |
| 1948 | B1132 | 1963 | 1947 | 1948 | ---- | ---- | ---- |
| 1949 | B1162 | 1964 | 1954 | 1955 | ---- | ---- | ---- |
| 1950 | 1186 | 1965 | 1961 | 1962 | ---- | ---- | ---- |
| 1951 | 1197 | 1966 | 1991 | 1992 | ---- | ---- | ---- |
| 1952 | 1250 | 1967 | 2011 | 2012 | ---- | ---- | ---- |
| 1953 | 1290 | 1968 | ---- | ---- | 2091 | C2092 | C2093 |
| 1954 | 1350 | 1969 | ---- | ---- | C2141 | C2142 | C2143 |
| 1955 | 1400 | 1970 | ---- | ---- | C2151 | C2152 | C2153 |
| 1956 | 1450 | 1971 | ---- | ---- | C2161 | C2162 | C2163 |
| 1957 | 1520 | | | | | | |
| 1958 | 1571 | | | | | | |

A Parts 1-14; B Parts 1-6; C In press.

SELECTED REFERENCES

- American Public Health Association, and others, 1971, Standard methods for the examination of water and wastewater, 13th ed.: Am. Public Health Assoc., New York, 874 p.
- American Society for Testing and Materials, 1971, Annual book of standards, part 23, water; atmospheric analysis: Am. Soc. for Testing and Materials, Philadelphia, Pa., 936 p.
- Barker, F. B., and Johnson, J. O., 1964, Determination of radium in water: U.S. Geol. Survey Water-Supply Paper 1696-B, 29 p.
- Barker, F. B., and others, 1965, Determination of uranium in natural water: U.S. Geol. Survey Water-Supply Paper 1696-C, 25 p.
- Barker, F. B., and Robinson, B. P., 1963, Determination of beta activity in water: U.S. Geol. Survey Water-Supply Paper 1696-A, 32 p.
- Barnett, P. R., and Mallory, Jr., E. C., 1971, Determination of minor elements in water by emission spectroscopy: U.S. Geol. Survey Techniques Water Resources Inv., book 5, chap. A2, 31 p.
- Brown, Eugene, Skougstad, M. W., and Fishman, M. J., 1970, Methods for collection and analysis of water samples for dissolved minerals and gases: U.S. Geol. Survey Techniques of Water-Resources Inv., book 5, chap. A1, 160 p.
- Colby, B. R., 1963, Fluvial sediments--a summary of source, transportation, deposition, and measurement of sediment discharge: U.S. Geol. Survey Bull. 1181-A, 47 p.
- Colby, B. R., and Hembree, C. H., 1955, Computations of total sediment discharge, Niobrara River near Cody, Nebraska: U.S. Geol. Survey Water-Supply Paper 1357, 187 p.
- Colby, B. R., and Hubbell, D. W., 1961, Simplified methods for computing total sediment discharge with the modified Einstein procedure: U.S. Geol. Survey Water-Supply Paper 1593, 17 p.
- Goerlitz, D. F., and Brown, Eugene, 1972, Methods for analysis of organic substances in water: U.S. Geol. Survey Techniques of Water-Resources Inv., book 5, chap. A3, 40 p.
- Goerlitz, D. F., and Lamar, W. L., 1967, Determination of phenoxy acid herbicides in water by electron-capture and microcoulometric gas chromatography: U.S. Geol. Survey Water-Supply Paper 1817-C, 21 p.

Guy, H. P., 1970, Fluvial sediment concepts: U.S. Geol. Survey Techniques of Water-Resources Inv., book 3, chap. C1, 55 p.

_____, 1969, Laboratory theory and methods for sediment analysis: U.S. Geol. Survey techniques of Water-Resources Inv., book 5, chap. C1, 58 p.

_____, 1970, Fluvial sediment concepts: U.S. Geol. Survey Techniques Water Resources Inv., book 3, chap. C1, 55 p.

Guy, H. P., and Norman, V. W., 1970, Field methods for measurement of fluvial sediment: U.S. Geol. Survey Techniques of Water-Resources Inv., book 3, chap. C2, 59 p.

Hem, J. D., 1970, Study and interpretation of the chemical characteristics of natural water, second edition: U.S. Geol. Survey Water-Supply Paper 1473, 363 p.

Lamar, W. L., Goerlitz, D. F., and Law, L. M., 1965, Identification and measurement of chlorinated organic pesticides in water by electron-capture gas chromatography: U.S. Geol. Survey Water-Supply Paper 1817-B, 12 p.

Land, E. W., and others, 1947, Report of Subcommittee on sediment terminology: Am. Geophys. Union Trans., v. 28, no. 6, p. 936-939.

Langbein, W. B., and Iseri, K. T., 1960, General introduction and hydrologic definitions: U.S. Geol. Survey Water-Supply Paper 1541-A, 29 p.

Lohman, S. W., and others, 1972, Definitions of selected ground-water terms--revisions and conceptual refinements: U.S. Geol. Survey Water-Supply Paper 1988, p. 2.

Porterfield, George, 1972, Computations of fluvial-sediment discharge: U.S. Geol. Survey Techniques of Water Resources Inv., book 3, chap. C3, 66 p.

Ritter, J. R., and Helley, E. J., 1969, Optical method for determining particle sizes of coarse sediment: U.S. Geol. Survey Techniques of Water-Resources Inv., book 5, chap. C3, 33 p. (open file).

Rose, Arthur and Elizabeth, 1966, The condensed chemical dictionary: Reinhold Pub. Corp., New York, 7th ed., p. 257.

Slack, K. V., and others, 1973, Methods for collection and analysis of aquatic, biological and microbiological samples: U.S. Geol. Survey Techniques Water Resources Inv., book 5, chap. A4, 165 p.

U.S. Inter-Agency Committee on Water Resources, Subcommittee on Sedimentation, A study of methods used in measurement and analysis of sediment loads in streams. Published by the St. Anthony Falls Hydraulic Laboratory, Minneapolis, Minn.

____1941, Methods of analyzing sediment samples: Rept. 4.

____1953, Accuracy of sediment size analyses made by the bottom-withdrawal-tube method: Rept. 10

____1957, The development and calibration of visual accumulation tube: Rept. 11.

____1957, Some fundamentals of particle size analysis: Rept. 12.

____1959, Federal Inter-agency sedimentation instruments and reports: Rept. AA.

____1961, The single stage sampler for suspended sediment: Rept. 13.

____1963, Determinations of fluvial sediment discharge: Rept. 14.

____1963, A summary of the work of the Inter-agency sedimentation project: Rept. S.

Table 5.--Factors for converting English units to International System (SI) units

The following factors may be used to convert English units published herein to the International System of Units (SI). Subsequent reports will contain both the English and SI unit equivalents in the station manuscript descriptions until such time that all data will be published in SI units.

| Multiply English units | By | To obtain SI units |
|--|------------------------|--|
| Length | | |
| inches (in) | 25.4 | millimetres (mm) |
| feet (ft) | .3048 | metres (m) |
| miles (mi) | 1.609 | kilometres (km) |
| Area | | |
| acres | 4,047 | square metres (m ²) |
| | .4047 | *hectares (ha) |
| | .4047 | square hectometre (hm ²) |
| | .004047 | square kilometres (km ²) |
| square miles (mi ²) | 2.590 | square kilometres (km ²) |
| Volume | | |
| gallons (gal) | 3.785 | **litres (l) |
| | 3.785 | cubic decimetres (dm ³) |
| | 3.785x10 ⁻³ | cubic metres (m ³) |
| million gallons (10 ⁶ gal) | 3,785 | cubic metres (m ³) |
| | 3.785x10 ⁻³ | cubic hectometres (hm ³) |
| cubic feet (ft ³) | 28.32 | cubic decimetres (dm ³) |
| | .02832 | cubic metres (m ³) |
| cfs-day (ft ³ /s-day) | 2,447 | cubic metres (m ³) |
| | 2.447x10 ⁻³ | cubic hectometres (hm ³) |
| acre-feet (acre-ft) | 1,233 | cubic metres (m ³) |
| | 1.233x10 ⁻³ | cubic hectometres (hm ³) |
| | 1.233.10 ⁻⁶ | cubic kilometres (km ³) |
| Flow | | |
| cubic feet per second (ft ³ /s) | 28.32 | litres per second (l/s) |
| | 28.32 | cubic decimetres per second (dm ³ /s) |
| | .02832 | cubic metres per second (m ³ /s) |
| gallons per minute (gpm) | .06309 | litres per second (l/s) |
| | .06309 | cubic decimetres per second (dm ³ /s) |
| | 6.309x10 ⁻⁵ | cubic metres per second (m ³ /s) |
| million gallons per day (mgd) | 43.81 | cubic decimetres per second (dm ³ /s) |
| | .04381 | cubic metres per second (m ³ /s) |
| Mass | | |
| ton (short) | .9072 | tonne (t) |

*The unit hectare is approved for use with the International System (SI) for a limited time. See NBS Special Bulletin 330, p. 15, 1972 edition.

**The unit litre is accepted for use with the International System (SI). See NBS Special Bulletin 330, p. 13, 1972 edition.

SECTION A
CHEMICAL RECORDS

WATER QUALITY RECORDS

25

DELAWARE BAY

01412350 DELAWARE BAY AT SHIP JOHN SHOAL LIGHTHOUSE, N.J.

LOCATION.--Lat 39°18'19", long 75°22'37", Cumberland County, water-quality recorder on lightship in bay opposite Bombay Hook Island, Del., and 3 mi (4.8 km) south southwest of mouth of Cohansey River, N.J.

PERIOD OF RECORD.--Chemical analyses: April 1969 to September 1974.

Water temperatures: February 1970 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum, 30,010 micromhos July 17; minimum, 3,500 micromhos Dec. 30.

Water temperatures: Maximum, 28.0°C Aug. 28 to Sept. 1; minimum, 2.0°C Feb. 12.

Period of record:

Specific conductance (1968-74): Maximum, 52,800 micromhos Feb. 10, 1970; minimum, 1,500 micromhos Mar. 4, 1971.

Water temperatures: Maximum, 30.0°C Aug. 1, 1970; minimum, 0.5°C Feb. 9, 15, 1970.

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-------|-------|----------|-------|-------|----------|-------|-------|---------|-------|-------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 24920 | 17360 | --- | 23080 | 15640 | 20550 | 25080 | 16130 | 21200 | 12300 | 5090 | 9100 |
| 2 | --- | --- | --- | 20690 | 14680 | 18360 | 26710 | 19430 | 22770 | 12680 | 5550 | 9430 |
| 3 | --- | --- | --- | 20920 | 15080 | 18600 | 26540 | 17990 | 22760 | 15710 | 5020 | 10490 |
| 4 | --- | --- | --- | 22480 | 16360 | 19360 | 26200 | 18980 | 22920 | 14560 | 7400 | 11900 |
| 5 | --- | --- | --- | 22840 | 15220 | 20060 | 26710 | 22360 | 24670 | 17630 | 8700 | 14190 |
| 6 | --- | --- | --- | 24460 | 14320 | 22100 | 25400 | 19700 | 23280 | 19250 | 11150 | 15790 |
| 7 | --- | --- | --- | 23900 | 18710 | 22260 | 24040 | 18710 | 22570 | 20580 | 12620 | 17150 |
| 8 | --- | --- | --- | 26370 | 20470 | 23800 | 26540 | 19610 | 23780 | 18980 | 12300 | 15390 |
| 9 | --- | --- | --- | 26540 | 22000 | 23950 | 29420 | 20800 | 24970 | 20250 | 12920 | 16330 |
| 10 | --- | --- | --- | 26370 | 21160 | 23550 | 24760 | 18080 | 21830 | 20470 | 12860 | 16720 |
| 11 | --- | --- | --- | 27220 | 22240 | 24540 | 25240 | 17270 | 20890 | 20250 | 12920 | 16940 |
| 12 | --- | --- | --- | 27220 | 21760 | 24930 | 23760 | 16520 | 20320 | 17810 | 12050 | 15270 |
| 13 | --- | --- | --- | 26880 | 21520 | 24500 | 24460 | 16760 | 20570 | 17090 | 9120 | 13960 |
| 14 | --- | --- | --- | 27050 | 20360 | 23850 | 22720 | 16060 | 19690 | 17810 | 11060 | 14840 |
| 15 | --- | --- | --- | 27220 | 20690 | --- | 20360 | 13500 | 17720 | 16060 | 10220 | 13520 |
| 16 | 26880 | 22360 | --- | 25080 | 19520 | 22590 | 19810 | 14260 | 17750 | 16760 | 8520 | 13330 |
| 17 | 26540 | 22000 | 24090 | 24760 | 18530 | 22260 | 23080 | 11720 | 19760 | 18530 | 12400 | 15490 |
| 18 | 26540 | 21520 | 24180 | 25400 | 18440 | 22780 | 19700 | 13900 | 17590 | 19070 | 12250 | 15840 |
| 19 | 27390 | 20470 | 24350 | 24760 | 20470 | 23030 | 21400 | 14740 | 18460 | 19520 | 8670 | 15740 |
| 20 | 26040 | 21760 | 24410 | 27050 | 21160 | 24560 | 23340 | 16360 | 20220 | 19250 | 12400 | --- |
| 21 | 26710 | 22000 | 24470 | 27730 | 22240 | 25500 | 23200 | 13040 | 18580 | 20920 | 14620 | 18020 |
| 22 | 26540 | 22960 | 24760 | 27050 | 22600 | 25210 | 15010 | 6350 | 11130 | 19700 | 14140 | 17270 |
| 23 | 26710 | 22000 | 24470 | 27390 | 22240 | 25190 | 13450 | 5520 | 9890 | 19160 | 14380 | 16990 |
| 24 | 26710 | 22720 | 24600 | 27900 | 22120 | 25400 | 13960 | 5520 | 9700 | 19520 | 13150 | 16580 |
| 25 | 28280 | 23200 | 25560 | 27050 | 21280 | 24510 | 13600 | 6040 | 10290 | 18440 | 12860 | 16010 |
| 26 | 29610 | 24760 | 26930 | 28280 | 22120 | 24790 | 14680 | 6960 | 10800 | 17360 | 11680 | 15160 |
| 27 | 26880 | 22840 | 25300 | 27900 | 21640 | 25590 | 12920 | 5520 | 9380 | 16760 | 10460 | 13740 |
| 28 | 28280 | 23620 | 25900 | 27050 | 21760 | 24810 | 13200 | 5330 | 9400 | 16130 | 9420 | 13680 |
| 29 | 29800 | 25400 | 27230 | 24760 | 18350 | --- | 13350 | 4870 | 8770 | 15430 | 8390 | 13000 |
| 30 | 26040 | 20250 | 23800 | 23200 | 16130 | 21190 | 10540 | 3500 | 7550 | 23480 | 8700 | 13550 |
| 31 | 24760 | 18890 | 22440 | --- | --- | --- | 11760 | 4680 | 8160 | 16360 | 8800 | 12810 |
| MONTH | --- | --- | --- | 28280 | 14320 | 23140 | 29420 | 3500 | 17330 | 23480 | 5020 | 14610 |

DELAWARE BAY

01412350 DELAWARE BAY AT SHIP JOHN SHOAL LIGHTHOUSE, N.J.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-------|-------|-------|-------|-------|--------|-------|-------|-----------|-------|-------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 14380 | 7800 | 10530 | 17810 | 13150 | 15560 | 15290 | 7140 | 11810 | 17810 | 12740 | 15960 |
| 2 | 15500 | 6040 | 12170 | 19250 | 11960 | 16200 | 16760 | 10580 | 13610 | 19160 | 12620 | 16630 |
| 3 | 19250 | 11150 | 15190 | 19920 | 10940 | 16940 | 16060 | 10220 | 13720 | 19160 | 13720 | 16760 |
| 4 | 18980 | 12860 | 16770 | 20690 | 13300 | 17360 | 15780 | 9290 | 13240 | 20140 | 13100 | 16030 |
| 5 | 20250 | 14320 | 17000 | 17720 | 12560 | 15660 | 13500 | 7530 | 11040 | 20470 | 13250 | 16970 |
| 6 | 22120 | 14320 | 18120 | 18800 | 12450 | 15890 | 13350 | 5740 | 9590 | 20580 | 14800 | 17800 |
| 7 | 22000 | 15640 | 18520 | 20250 | 10780 | 16680 | 13500 | 5590 | 8910 | 19920 | 13100 | 16800 |
| 8 | 22600 | 15780 | 19200 | 18890 | 10940 | 15910 | 10740 | 4730 | 7550 | 19920 | 14260 | 17060 |
| 9 | 23200 | 14260 | 19080 | 19430 | 12860 | 16620 | 12050 | 5170 | 8860 | 20800 | 14320 | 17140 |
| 10 | 20690 | 14320 | 18220 | 19810 | 12500 | 15710 | 9920 | 3930 | 7320 | 18620 | 12680 | 16090 |
| 11 | 21160 | 11760 | 16870 | 18620 | 11060 | 15200 | 11250 | 4870 | 7770 | 17360 | 11500 | 15190 |
| 12 | 19520 | 11300 | 16190 | 19160 | 11100 | 15220 | 10900 | 4680 | 8100 | 19160 | 13150 | 16160 |
| 13 | 19520 | 12400 | 16910 | 16920 | 8770 | 14220 | 11500 | 4350 | 8510 | 17270 | 11020 | 14020 |
| 14 | 19700 | 13040 | 16630 | 17090 | 9670 | 13320 | 11550 | 6350 | 9030 | 16200 | 9060 | 13200 |
| 15 | 20140 | 13600 | 17460 | 19520 | 11020 | 14720 | 11640 | 5850 | 8310 | 14680 | 8330 | 12210 |
| 16 | 19520 | 11840 | 16780 | 18620 | 12450 | 15580 | 13550 | 4430 | 8470 | 14940 | 7880 | 11910 |
| 17 | 22360 | 14440 | 18490 | 17990 | 11960 | 14710 | 15290 | 5040 | 10070 | 15500 | 7610 | 12320 |
| 18 | 22960 | 15990 | 20120 | 15990 | 9250 | 12570 | 16200 | 7990 | 12590 | 17000 | 9190 | 12950 |
| 19 | 23340 | 17540 | 20950 | 19520 | 8890 | 14950 | 18980 | 10740 | 14740 | 17630 | 9960 | 13990 |
| 20 | 22840 | 19520 | 21160 | 19920 | 14380 | 17080 | 18260 | 13040 | 15860 | 18890 | 11720 | 14590 |
| 21 | 23080 | 18080 | 20710 | 21640 | 15290 | 17850 | 16920 | 11600 | 14730 | 18710 | 12800 | 14900 |
| 22 | 23620 | 18710 | 20830 | 18620 | 11300 | 15620 | 16060 | 10300 | 12870 | 19340 | 12680 | 15250 |
| 23 | 20920 | 13780 | 16770 | 18890 | 12980 | 16120 | 16200 | 10740 | 13000 | 20470 | 12680 | 15890 |
| 24 | 19250 | 14200 | 16510 | 18530 | 12980 | 16290 | 17540 | 10380 | 13480 | 19520 | 10940 | 16270 |
| 25 | 19810 | 13960 | 17570 | 17810 | 11400 | 15170 | 18980 | 10780 | 15180 | 19700 | 10940 | 16460 |
| 26 | 19520 | 13450 | 16870 | 17810 | 11200 | 15130 | 20250 | 12620 | 16640 | 21040 | 12150 | 16610 |
| 27 | 20030 | 12920 | 17070 | 16840 | 10620 | 14080 | 19520 | 12300 | 16460 | 21160 | 10940 | 17660 |
| 28 | 19430 | 12680 | 16420 | 17090 | 9880 | 14020 | 18710 | 11550 | 15810 | 20360 | 13600 | 18010 |
| 29 | --- | --- | --- | 18260 | 12920 | 15920 | 17270 | 11840 | 15340 | 20470 | 12500 | 17250 |
| 30 | --- | --- | --- | 19920 | 14940 | 17490 | 17990 | 12500 | 15380 | 21040 | 14080 | 17940 |
| 31 | --- | --- | --- | 18710 | 8990 | 14270 | --- | --- | --- | 22000 | 14680 | 17990 |
| MONTH | 23620 | 6040 | 17470 | 21640 | 8770 | 15550 | 20250 | 3930 | 11930 | 22000 | 7610 | 15740 |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 20140 | 13500 | 17650 | 23900 | 19340 | 21660 | 26880 | 24180 | --- | 27390 | 22000 | 24370 |
| 2 | 21520 | 14620 | 17660 | 23760 | 17450 | 21600 | --- | --- | --- | 27390 | 22000 | 24300 |
| 3 | 21160 | 14380 | 18110 | 23340 | 18890 | 21190 | --- | --- | --- | 26880 | 21280 | 24750 |
| 4 | 21520 | 14740 | 17850 | 23620 | 17990 | 21040 | --- | --- | --- | 24760 | 20250 | 23000 |
| 5 | 20030 | 14440 | 17520 | 23480 | 17900 | 21020 | 25880 | 21520 | --- | 25560 | 20920 | 23700 |
| 6 | 20580 | 13040 | 17250 | 23480 | 19340 | 21350 | 26880 | 22120 | 24570 | 26040 | 21400 | 24290 |
| 7 | 20580 | 16680 | 18520 | 23480 | 18530 | 21390 | 26370 | 21040 | 24030 | 26200 | 19920 | 23690 |
| 8 | 22240 | 15220 | 18900 | 23620 | 18440 | 21430 | 25720 | 21640 | 23790 | 25080 | 16280 | 22190 |
| 9 | 21760 | 13250 | 18440 | 23900 | 18710 | 21670 | 28850 | 22960 | 25470 | 25400 | 17180 | 21500 |
| 10 | 20800 | 14140 | 18220 | 24180 | 18440 | 21780 | 28090 | 23480 | 25930 | 24760 | 15990 | 21240 |
| 11 | 21640 | 16360 | 19220 | 24040 | 20920 | 22670 | 26880 | 22120 | --- | 24920 | 15430 | 21400 |
| 12 | 22360 | 17810 | 19670 | 24920 | 21280 | 23450 | 26880 | 20920 | --- | 25560 | 17000 | 22270 |
| 13 | 22240 | 17360 | 20010 | 26540 | 19920 | 23770 | 27730 | 21040 | 24920 | 25720 | 19160 | 22420 |
| 14 | 23620 | 17900 | 21390 | 27730 | 21040 | 24710 | 28470 | 22480 | 25620 | 26040 | 18800 | 22450 |
| 15 | 24760 | 19340 | 22070 | 28090 | 22600 | 25520 | 29420 | 23080 | 26010 | 26880 | 19520 | 23440 |
| 16 | 24040 | 19610 | 21900 | 28850 | 23080 | 25810 | 29420 | 23620 | 26460 | 26040 | 18800 | 22690 |
| 17 | 23760 | 19610 | 21600 | 30010 | 24600 | 26960 | 28470 | 20470 | 25870 | 26200 | 19250 | 22720 |
| 18 | 24320 | 19250 | 21460 | 28850 | 23760 | 26590 | 28660 | 23200 | 26090 | 25560 | 19340 | 22670 |
| 19 | 23900 | 18620 | 21300 | 28090 | 23340 | 25820 | 29230 | 22840 | 26190 | 25560 | 19340 | 22670 |
| 20 | 23200 | 18260 | 20630 | 28280 | 23620 | 26090 | 29230 | 22960 | 26150 | 25080 | 17630 | 22210 |
| 21 | 22840 | 17270 | 20320 | 29610 | 24040 | 27090 | 29040 | 23900 | 26500 | 24040 | 18170 | 21410 |
| 22 | 23080 | 17990 | 20650 | 29610 | 24180 | 26860 | 29040 | 23620 | 26340 | 24180 | 16840 | 20240 |
| 23 | 24040 | 18890 | 21460 | 28850 | 24180 | 26710 | 27560 | 22120 | 25130 | 23760 | 16200 | 20960 |
| 24 | 25080 | 19810 | 22550 | 28470 | 24320 | 26590 | 25880 | 20580 | 23790 | 26540 | 18170 | 21980 |
| 25 | 25560 | 20030 | 22940 | 28660 | 24320 | 26270 | 26710 | 20580 | 23740 | 27560 | 18890 | 23060 |
| 26 | 24460 | 20030 | 22820 | 28280 | 24180 | 26410 | 27220 | 20140 | 23940 | 27050 | 18800 | 23150 |
| 27 | 24320 | 16680 | 21470 | 27730 | 23760 | 25800 | 26370 | 21040 | 23830 | 27220 | 21040 | 24260 |
| 28 | 24920 | 20920 | 22820 | 27900 | 22960 | 25600 | 25240 | 19430 | 23150 | 28280 | 21640 | 24960 |
| 29 | 23900 | 18620 | 21940 | 28470 | 22600 | 25760 | 25720 | 19520 | 23200 | 26710 | 20470 | 24600 |
| 30 | 23620 | 18170 | 21330 | 27900 | 23480 | 25880 | 25880 | 20690 | 23180 | 24040 | 18890 | 22100 |
| 31 | --- | --- | --- | 27730 | 22840 | 25580 | 26540 | 21400 | 23950 | --- | --- | --- |
| MONTH | 25560 | 13040 | 20250 | 30010 | 17450 | 24320 | 29420 | 19430 | --- | 28280 | 15430 | 22820 |

DELAWARE BAY

27

01412350 DELAWARE BAY AT SHIP JOHN SHOAL LIGHTHOUSE, N.J.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|------|------|----------|------|------|----------|------|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 23.0 | 21.0 | 21.5 | 15.5 | 15.0 | 15.0 | 10.5 | 9.5 | 10.0 | 5.0 | 4.5 | 4.5 |
| 2 | --- | --- | --- | 15.5 | 14.5 | 15.0 | 9.5 | 8.5 | 9.0 | 4.5 | 4.0 | 4.5 |
| 3 | --- | --- | --- | 15.0 | 14.5 | 15.0 | 9.5 | 8.5 | 9.0 | 4.5 | 4.0 | 4.0 |
| 4 | --- | --- | --- | 14.5 | 14.0 | 14.5 | 9.5 | 9.0 | 9.5 | 4.5 | 4.0 | 4.5 |
| 5 | --- | --- | --- | 14.5 | 13.5 | 14.0 | 10.0 | 9.5 | 10.0 | 4.5 | 4.0 | 4.0 |
| 6 | --- | --- | --- | 13.5 | 13.0 | --- | 10.0 | 9.5 | 10.0 | 4.5 | 4.0 | 4.0 |
| 7 | --- | --- | --- | 13.0 | 12.0 | --- | 10.0 | 9.5 | 9.5 | 4.5 | 4.0 | 4.5 |
| 8 | --- | --- | --- | 13.0 | 12.0 | 12.5 | 9.5 | 9.0 | 9.5 | 4.5 | 4.0 | 4.0 |
| 9 | --- | --- | --- | 12.0 | 11.5 | --- | 9.5 | 8.5 | 9.0 | 4.5 | 4.0 | 4.0 |
| 10 | --- | --- | --- | 11.5 | 10.5 | 11.0 | 9.0 | 8.5 | 9.0 | 4.5 | 4.0 | 4.0 |
| 11 | --- | --- | --- | 11.0 | 10.0 | 10.0 | 8.5 | 8.0 | 8.0 | 4.5 | 4.0 | 4.0 |
| 12 | --- | --- | --- | 10.5 | 9.5 | 10.0 | 8.0 | 8.0 | 8.0 | 4.0 | 3.5 | 3.5 |
| 13 | --- | --- | --- | 10.0 | 9.5 | --- | 8.0 | 8.0 | 8.0 | 3.5 | 3.0 | 3.0 |
| 14 | --- | --- | --- | 10.0 | 9.5 | 10.0 | 8.0 | 8.0 | 8.0 | 3.0 | 3.0 | 3.0 |
| 15 | --- | --- | --- | 10.5 | 10.0 | --- | 8.0 | 7.0 | 7.5 | 3.0 | 3.0 | 3.0 |
| 16 | 20.0 | 19.5 | --- | 10.5 | 10.0 | 10.0 | 8.0 | 6.5 | 7.0 | 3.5 | 3.0 | 3.0 |
| 17 | 19.0 | 17.0 | 18.5 | 10.0 | 9.5 | 9.5 | 6.5 | 5.0 | 6.0 | 3.5 | 3.0 | 3.0 |
| 18 | 18.5 | 18.0 | 18.0 | 9.5 | 9.0 | --- | 5.5 | 4.5 | 5.0 | 3.0 | 3.0 | 3.0 |
| 19 | 18.0 | 17.0 | 17.5 | 10.0 | 9.5 | 9.5 | 5.0 | 4.0 | 4.5 | 3.0 | 3.0 | 3.0 |
| 20 | 17.0 | 16.5 | 17.0 | 10.0 | 9.5 | 9.5 | 5.0 | 4.5 | 4.5 | 3.0 | 3.0 | 3.0 |
| 21 | 17.0 | 16.5 | 17.0 | 9.5 | 9.5 | --- | 5.0 | 4.5 | 5.0 | 3.5 | 3.0 | 3.0 |
| 22 | 17.0 | 16.5 | 17.0 | 10.0 | 9.5 | --- | 4.5 | 4.5 | 4.5 | 4.0 | 3.0 | 3.5 |
| 23 | 17.0 | 16.5 | 17.0 | 10.0 | 10.0 | --- | 4.5 | 4.0 | 4.5 | 4.0 | 3.0 | 3.5 |
| 24 | 18.0 | 16.5 | 17.0 | 10.0 | 10.0 | --- | 4.5 | 4.0 | 4.5 | 4.0 | 4.0 | 4.0 |
| 25 | 17.0 | 16.5 | 17.0 | 10.5 | 10.0 | --- | 4.5 | 4.0 | 4.0 | 4.5 | 4.0 | 4.0 |
| 26 | 17.0 | 16.5 | 17.0 | 11.0 | 10.5 | --- | 4.5 | 4.0 | 4.5 | 4.5 | 4.0 | 4.0 |
| 27 | 17.0 | 16.5 | 16.5 | 11.0 | 10.5 | --- | 5.0 | 4.5 | 4.5 | 5.5 | 4.5 | 5.0 |
| 28 | 16.5 | 16.0 | 16.5 | 11.5 | 11.0 | --- | 5.5 | 4.5 | 5.0 | 5.0 | 5.0 | 5.0 |
| 29 | 16.5 | 16.0 | 16.5 | 11.5 | 10.5 | 11.0 | 5.0 | 4.5 | 5.0 | 5.5 | 5.0 | 5.0 |
| 30 | 16.5 | 15.5 | 15.5 | 10.5 | 10.0 | --- | 5.0 | 4.5 | 5.0 | 6.0 | 5.0 | 5.0 |
| 31 | 15.5 | 15.0 | 15.5 | --- | --- | --- | 5.0 | 4.5 | 4.5 | 6.0 | 5.5 | 5.5 |
| MONTH | --- | --- | --- | 15.5 | 9.0 | --- | 10.5 | 4.0 | 7.0 | 6.0 | 3.0 | 4.0 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6.0 | 5.5 | 6.0 | --- | --- | --- | 15.0 | 11.5 | 12.5 | 16.5 | 15.0 | 15.5 |
| 2 | 6.5 | 6.0 | 6.0 | --- | --- | --- | 14.0 | 10.0 | 12.5 | 16.0 | 15.5 | 15.5 |
| 3 | 8.0 | 6.5 | 7.5 | --- | --- | --- | 12.0 | 8.5 | 10.0 | 15.5 | 15.5 | 15.5 |
| 4 | 8.5 | 8.0 | 8.0 | --- | --- | --- | 9.5 | 8.5 | 8.5 | 16.0 | 15.0 | 15.5 |
| 5 | 8.0 | 6.5 | 7.5 | --- | --- | --- | 9.5 | 9.0 | 9.5 | 16.0 | 15.0 | 15.5 |
| 6 | 6.5 | 4.5 | 5.5 | --- | --- | --- | 9.5 | 9.0 | 9.5 | 15.5 | 15.0 | 15.0 |
| 7 | 5.0 | 4.0 | 4.5 | --- | --- | --- | 10.0 | 9.0 | 9.5 | 15.5 | 15.0 | 15.0 |
| 8 | 4.0 | 3.0 | 3.5 | --- | --- | --- | 10.0 | 9.5 | 9.5 | 15.5 | 15.0 | 15.0 |
| 9 | 3.0 | 3.0 | 3.0 | --- | --- | --- | 10.5 | 9.5 | 10.0 | 15.5 | 15.0 | 15.0 |
| 10 | 3.0 | 3.0 | 3.0 | --- | --- | --- | 13.0 | 10.5 | 12.0 | 16.5 | 15.0 | 15.5 |
| 11 | 3.0 | 3.0 | 3.0 | --- | --- | --- | 11.5 | 9.5 | 10.5 | 16.5 | 15.5 | 15.5 |
| 12 | 3.0 | 2.0 | 3.0 | --- | --- | --- | 11.0 | 10.0 | 10.5 | 16.5 | 15.5 | 16.0 |
| 13 | 3.0 | 3.0 | 3.0 | 8.0 | 6.5 | --- | 11.5 | 10.0 | 10.5 | 16.5 | 16.0 | 16.0 |
| 14 | 3.0 | 3.0 | 3.0 | 6.5 | 6.0 | 6.5 | 11.5 | 10.5 | 11.0 | 18.0 | 16.0 | 16.5 |
| 15 | 3.0 | 3.0 | 3.0 | 8.0 | 6.0 | 6.5 | 12.0 | 11.0 | 11.5 | 18.0 | 16.5 | 17.5 |
| 16 | 3.0 | 3.0 | 3.0 | 8.0 | 6.5 | 7.0 | 12.0 | 11.0 | 11.5 | 19.0 | 17.0 | 18.0 |
| 17 | 3.0 | 3.0 | 3.0 | 7.0 | 6.5 | 6.5 | 13.0 | 11.5 | 12.5 | 19.5 | 17.0 | 18.5 |
| 18 | 3.0 | 3.0 | 3.0 | 8.0 | 6.0 | 6.5 | 13.5 | 12.0 | 12.5 | 19.5 | 19.0 | 19.5 |
| 19 | 3.5 | 3.0 | 3.0 | 8.5 | 6.5 | --- | 13.0 | 12.0 | 12.0 | 20.0 | 18.5 | 19.5 |
| 20 | 3.5 | 3.0 | 3.5 | 9.0 | 8.0 | --- | 13.5 | 11.5 | 12.0 | 19.5 | 18.5 | 19.0 |
| 21 | 4.0 | 3.5 | 3.5 | 8.0 | 8.0 | 8.0 | 13.0 | 12.0 | 12.5 | 20.0 | 18.5 | 19.0 |
| 22 | 4.5 | 3.0 | 4.0 | 8.0 | 7.0 | 8.0 | 13.5 | 13.0 | 13.0 | 20.5 | 19.0 | 19.5 |
| 23 | 5.0 | 4.5 | 4.5 | 9.5 | 8.0 | 8.0 | 14.0 | 13.5 | 13.5 | 20.0 | 19.0 | 19.5 |
| 24 | 8.0 | 4.5 | 6.0 | 12.0 | 8.5 | 9.5 | 14.0 | 13.0 | 13.5 | 20.0 | 19.0 | 19.5 |
| 25 | --- | --- | --- | 8.5 | 8.0 | 8.0 | 13.5 | 13.0 | 13.0 | 20.0 | 19.5 | 19.5 |
| 26 | --- | --- | --- | 8.0 | 7.0 | 8.0 | 14.0 | 13.0 | 13.5 | 20.0 | 19.0 | 19.5 |
| 27 | --- | --- | --- | 8.0 | 7.0 | 8.0 | 14.5 | 13.0 | 14.0 | 19.5 | 19.0 | 19.0 |
| 28 | --- | --- | --- | 8.0 | 8.0 | 8.0 | 15.0 | 13.5 | 14.0 | 19.5 | 18.5 | 19.0 |
| 29 | --- | --- | --- | 8.0 | 8.0 | 8.0 | 15.5 | 14.5 | 15.0 | 19.0 | 18.5 | 19.0 |
| 30 | --- | --- | --- | 8.0 | 8.0 | 8.0 | 16.5 | 15.0 | 15.5 | 19.5 | 18.5 | 19.0 |
| 31 | --- | --- | --- | 12.0 | 8.0 | 8.5 | --- | --- | --- | 19.5 | 18.5 | 19.0 |
| MONTH | 8.5 | 2.0 | 4.5 | --- | --- | --- | 16.5 | 8.5 | 12.0 | 20.5 | 15.0 | 17.5 |

DELAWARE BAY

01412350 DELAWARE BAY AT SHIP JOHN SHOAL LIGHTHOUSE, N.J.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 19.5 | 19.0 | 19.0 | 23.0 | 21.5 | 22.0 | 26.5 | 25.5 | 25.5 | 28.0 | 27.0 | 27.0 |
| 2 | 19.5 | 18.5 | 19.0 | 23.5 | 22.0 | 22.5 | 26.0 | 25.5 | --- | 27.0 | 27.0 | 27.0 |
| 3 | 19.5 | 18.5 | 19.0 | 24.0 | 23.0 | 23.0 | --- | --- | --- | 27.0 | 26.5 | 26.5 |
| 4 | 19.5 | 19.0 | 19.0 | 24.5 | 23.5 | 23.5 | --- | --- | --- | 26.5 | 24.5 | 26.0 |
| 5 | 20.0 | 19.0 | 19.5 | 24.5 | 24.0 | 24.0 | 26.5 | 26.5 | --- | 26.0 | 25.0 | 25.5 |
| 6 | 20.5 | 19.5 | 19.5 | 25.0 | 24.0 | 24.0 | 26.0 | 24.5 | 26.0 | 25.0 | 24.0 | 24.5 |
| 7 | 20.0 | 19.5 | 19.5 | 25.5 | 24.0 | 24.5 | 26.0 | 25.5 | 26.0 | 24.0 | 23.5 | 24.0 |
| 8 | 20.5 | 19.5 | 20.0 | 26.5 | 24.5 | 25.0 | 26.0 | 25.5 | 25.5 | 24.0 | 23.0 | 23.5 |
| 9 | 22.0 | 19.5 | 20.5 | 26.5 | 25.0 | 25.5 | 25.5 | 25.0 | 25.5 | 24.0 | 23.0 | 23.5 |
| 10 | 23.0 | 20.5 | 21.0 | 26.0 | 25.5 | 26.0 | 25.5 | 24.5 | 25.0 | 24.0 | 23.5 | 23.5 |
| 11 | 22.0 | 21.0 | 21.5 | 26.0 | 25.5 | 26.0 | 25.0 | 24.0 | --- | 24.0 | 24.0 | 24.0 |
| 12 | 22.0 | 21.5 | 21.5 | 25.5 | 24.5 | 25.0 | 26.0 | 25.0 | --- | 24.5 | 24.0 | 24.0 |
| 13 | 23.0 | 21.0 | 21.5 | 25.5 | 24.5 | 25.0 | 26.5 | 25.0 | 25.5 | 25.0 | 24.0 | 24.5 |
| 14 | 23.0 | 21.5 | 21.5 | 26.0 | 24.5 | 25.0 | 26.0 | 25.0 | 25.5 | 24.5 | 24.0 | 24.5 |
| 15 | 23.0 | 21.5 | 22.0 | 26.0 | 25.0 | 25.5 | 26.0 | 25.5 | 26.0 | 24.5 | 24.0 | 24.0 |
| 16 | 23.0 | 22.0 | 22.0 | 26.0 | 25.0 | 25.5 | 26.0 | 26.0 | 26.0 | 24.0 | 23.5 | 23.5 |
| 17 | 23.5 | 22.0 | 22.5 | 25.5 | 24.5 | 25.0 | 26.0 | 26.0 | 26.0 | 24.0 | 23.5 | 23.5 |
| 18 | 23.5 | 22.0 | 23.0 | 25.5 | 25.0 | 25.0 | 26.0 | 26.0 | 26.0 | 24.0 | 23.5 | 23.5 |
| 19 | 23.5 | 23.0 | 23.0 | 26.0 | 25.0 | 25.0 | 26.0 | 26.0 | 26.0 | 24.0 | 23.5 | 23.5 |
| 20 | 24.0 | 23.0 | 23.0 | 25.5 | 25.0 | 25.0 | 26.5 | 24.5 | 26.0 | 24.0 | 23.5 | 23.5 |
| 21 | 24.0 | 23.5 | 23.5 | 25.5 | 24.5 | 24.5 | 26.5 | 26.0 | 26.0 | 24.0 | 23.5 | 23.5 |
| 22 | 24.5 | 23.5 | 24.0 | 25.0 | 24.5 | 24.5 | 26.5 | 26.0 | 26.0 | 23.5 | 23.0 | 23.0 |
| 23 | 24.0 | 23.5 | 23.5 | 25.0 | 24.5 | 24.5 | 26.5 | 24.5 | 26.0 | 23.0 | 21.5 | 22.0 |
| 24 | 23.5 | 23.0 | 23.5 | 24.5 | 24.0 | 24.0 | 27.0 | 24.5 | 26.5 | 21.5 | 20.5 | 21.0 |
| 25 | 23.0 | 23.0 | 23.0 | 24.5 | 24.0 | 24.0 | 26.5 | 24.5 | 26.5 | 21.0 | 20.0 | 20.5 |
| 26 | 23.0 | 22.0 | 22.5 | 24.5 | 24.0 | 24.0 | 26.5 | 24.5 | 26.5 | 21.0 | 20.0 | 20.5 |
| 27 | 23.0 | 22.0 | 22.0 | 24.0 | 24.0 | 24.0 | 26.5 | 24.5 | 26.5 | 21.0 | 20.5 | 20.5 |
| 28 | 21.5 | 21.0 | 21.5 | 25.0 | 24.0 | 24.0 | 28.0 | 26.5 | 26.5 | 21.0 | 21.0 | 21.0 |
| 29 | 21.5 | 21.0 | 21.0 | 25.5 | 24.5 | 24.5 | 28.0 | 26.5 | 27.0 | 21.0 | 21.0 | 21.0 |
| 30 | 23.0 | 21.0 | 21.5 | 25.5 | 24.5 | 25.0 | 28.0 | 27.0 | 27.0 | 21.0 | 20.5 | 20.5 |
| 31 | --- | --- | --- | 26.0 | 25.0 | 25.5 | 28.0 | 26.5 | 27.0 | --- | --- | --- |
| MONTH | 24.5 | 18.5 | 21.5 | 26.5 | 21.5 | 24.5 | 28.0 | 24.0 | 26.0 | 28.0 | 20.0 | 23.5 |

DELAWARE RIVER BASIN

01421500 EAST BRANCH DELAWARE RIVER AT HANCOCK, N.Y.

LOCATION.--Lat 41°57'10", long 75°16'37", Delaware County, at former gaging station on bridge on State Highway 97 in Hancock and 1.2 mi (1.9 km) upstream from confluence with West Branch.

DRAINAGE AREA.--838 mi² (2,170 km²).

PERIOD OF RECORD.--Chemical analyses: May 1973 to September 1974.
Biological analyses: May 1973 to September 1974.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | TOTAL CALCIUM (CA) (MG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | TOTAL MAGNE-SIUM (MG) | DIS-SOLVED MAGNE-SIUM (MG/L) | BICAR-BONATE (HCO3) (MG/L) | CAR-BONATE (CO3) (MG/L) | ALKA-LINITY AS CAC03 (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) |
|-------|------|--------------------------------|---------------------------|--------------------------------|-----------------------|------------------------------|----------------------------|-------------------------|-----------------------------|--------------------------|--------------------------|
| OCT. | | | | | | | | | | | |
| 18... | 1645 | 155 | -- | 7.5 | -- | 1.7 | 20 | 0 | 16 | .04 | .00 |
| NOV. | | | | | | | | | | | |
| 28... | 1125 | 1490 | -- | 5.7 | -- | 1.5 | 11 | 0 | 9 | .40 | .00 |
| DEC. | | | | | | | | | | | |
| 19... | 1340 | 790 | -- | 5.4 | -- | .9 | 8 | 0 | 7 | .53 | .00 |
| JAN. | | | | | | | | | | | |
| 23... | 1315 | 1440 | -- | 5.2 | -- | 1.0 | 8 | 0 | 7 | .44 | .00 |
| FEB. | | | | | | | | | | | |
| 27... | 0925 | 1650 | -- | -- | -- | -- | 5 | 0 | 4 | .44 | .01 |
| APR. | | | | | | | | | | | |
| 03... | 1045 | 2750 | -- | 5.0 | -- | 1.1 | 8 | 0 | 7 | .32 | .01 |
| 24... | 1055 | 1770 | 4.3 | -- | 1.0 | -- | 10 | 0 | 8 | .31 | .00 |
| MAY | | | | | | | | | | | |
| 23... | 0900 | 1200 | 5.4 | -- | 1.1 | -- | 11 | 0 | 9 | .23 | .01 |
| JUNE | | | | | | | | | | | |
| 19... | 1710 | 850 | 10 | -- | 1.0 | -- | 10 | 0 | 8 | .14 | .01 |
| AUG. | | | | | | | | | | | |
| 01... | 1230 | 600 | 9.4 | -- | 1.0 | -- | 11 | 0 | 9 | .21 | .01 |
| 28... | 1220 | 280 | 6.7 | -- | 1.1 | -- | 14 | 0 | 11 | .07 | .00 |
| SEP. | | | | | | | | | | | |
| 19... | 0845 | 400 | 7.4 | -- | 1.6 | -- | 14 | 0 | 11 | .04 | .00 |

| DATE | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO-GEN (N) (MG/L) | TOTAL ORGANIC NITRO-GEN (N) (MG/L) | TOTAL KJEL-DAHL NITRO-GEN (N) (MG/L) | TOTAL NITRO-GEN (N) (MG/L) | TOTAL PHOS-PHORUS (P) (MG/L) | TOTAL ORTHO PHOS-PHORUS (P) (MG/L) | DIS-SOLVED ORTHO. PHOS-PHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTI-TUENTS) (MG/L) | TOTAL NON-FILT-RABLE RESIDUE (MG/L) | TOTAL RESI-DUE (MG/L) |
|-------|---------------------------------------|------------------------------|------------------------------------|--------------------------------------|----------------------------|------------------------------|------------------------------------|--|---|-------------------------------------|-----------------------|
| OCT. | | | | | | | | | | | |
| 18... | .04 | .01 | .10 | .11 | .15 | .00 | -- | .00 | 38 | -- | 45 |
| NOV. | | | | | | | | | | | |
| 28... | .40 | .10 | .14 | .24 | .64 | .00 | -- | .00 | -- | 6 | 54 |
| DEC. | | | | | | | | | | | |
| 19... | .53 | .02 | -- | .01 | .54 | .00 | -- | .00 | -- | 7 | 34 |
| JAN. | | | | | | | | | | | |
| 23... | .44 | .03 | .04 | .07 | .51 | .01 | -- | .00 | 30 | 8 | 16 |
| FEB. | | | | | | | | | | | |
| 27... | .45 | .03 | .04 | .07 | .52 | .01 | -- | .00 | -- | 0 | 31 |
| APR. | | | | | | | | | | | |
| 03... | .33 | .01 | .04 | .05 | .38 | .01 | -- | .01 | -- | 5 | 20 |
| 24... | .31 | .05 | .05 | .10 | .41 | .01 | .00 | -- | -- | 5 | 27 |
| MAY | | | | | | | | | | | |
| 23... | .24 | .03 | .10 | .13 | .37 | .01 | .00 | -- | -- | 4 | 47 |
| JUNE | | | | | | | | | | | |
| 19... | .15 | .17 | .02 | .19 | .34 | .01 | .00 | -- | -- | 2 | 33 |
| AUG. | | | | | | | | | | | |
| 01... | .22 | .07 | .06 | .13 | .35 | .02 | .01 | -- | -- | 11 | 47 |
| 28... | .07 | .08 | .06 | .14 | .21 | .01 | .01 | -- | -- | 1 | 46 |
| SEP. | | | | | | | | | | | |
| 19... | .04 | .04 | .06 | .10 | .14 | .00 | .01 | -- | -- | 1 | 42 |

DELAWARE RIVER BASIN

01421500 EAST BRANCH DELAWARE RIVER AT HANCOCK, N.Y.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | HARD- NESS (CA, MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | PER- CENT SATUR- ATION | BIO- CHEM- ICAL OXYGEN DEMAND 5 DAY (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | TOTAL PHYTO- PLANK- TON (CELLS PER ML) | FECAL COLI- FORM (COL. PER 100 ML) |
|---------------|-------------------------------------|---|--|---------------|-----------------------------|------------------------------------|---------------------------------|--|--------------------------------------|--|---|
| OCT. 18... | 26 | 9 | 93 | 6.8 | 10.0 | 10.4 | 93 | 1.1 | 5.1 | 210 | E10000 |
| NOV. 28... | 20 | 11 | 57 | 7.0 | 7.0 | 10.1 | 84 | 2.3 | 1.8 | 130 | E71 |
| DEC. 19... | 17 | 11 | 58 | 6.3 | .0 | 13.9 | 97 | 3.0 | 6.4 | 62 | E 2 |
| JAN. 23... | 17 | 11 | 66 | 6.0 | 1.0 | 11.5 | 81 | 2.2 | 13 | 270 | E15 |
| FEB. 27... | -- | -- | 39 | 5.9 | .0 | 12.2 | 85 | .4 | 10 | 250 | 22 |
| APR. 03... | 17 | 10 | 52 | 6.8 | 5.0 | 12.0 | 95 | 1.8 | 2.0 | 2300 | E3 |
| 24... | -- | -- | 47 | 6.5 | 7.0 | 13.5 | 113 | -- | 5.1 | 1100 | E5 |
| MAY 23... | -- | -- | 51 | 6.8 | 18.0 | 8.7 | 94 | 1.2 | 2.8 | 2600 | E27 |
| JUNE 19... | -- | -- | 50 | 7.7 | 21.0 | 9.9 | 110 | .6 | .3 | 1200 | -- |
| AUG. 01... | -- | -- | 57 | 7.1 | 24.0 | 9.1 | 107 | .8 | 1.4 | 1800 | E40 |
| 28... | -- | -- | 67 | 7.5 | 21.0 | 9.0 | 100 | 1.3 | .7 | 1000 | 60 |
| SEP. 19... | -- | -- | 66 | 7.4 | 16.0 | 9.2 | 94 | .8 | .9 | 620 | 100 |

| DATE | TIME | DIS- SOLVED SILICA (SI02) (MG/L) | TOTAL SODIUM (NA) (MG/L) | DIS- SOLVED SODIUM (NA) (MG/L) | TOTAL PO- TAS- SIUM (K) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL FLUO- RIDE (F) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) |
|---------------|------|--|-----------------------------------|--|---|--|--|---|---|--|
| OCT. 18... | 1645 | 1.2 | -- | 2.2 | -- | .7 | 9.0 | 5.5 | -- | .3 |
| JAN. 23... | 1315 | 2.4 | -- | 3.3 | -- | .5 | 7.8 | 5.7 | -- | .1 |
| APR. 24... | 1055 | -- | 1.3 | -- | .6 | -- | 8.8 | 2.4 | .2 | -- |
| AUG. 01... | 1230 | 2.6 | 2.0 | -- | .8 | -- | 10 | 2.7 | .3 | -- |

DELAWARE RIVER BASIN

31

01421500 EAST BRANCH DELAWARE RIVER AT HANCOCK, N.Y.--Continued

BIOLOGICAL ANALYSES, MAY 1973 TO SEPTEMBER 1974

OCCURRENCE OF PHYTOPLANKTON

| Date of sample collection | 5-16-73 | 6-12-73 | 7-10-73 | 8-15-73 | 9-12-73 | 10-8-73 | 11-28-73 | 12-19-73 | 1-23-74 |
|---------------------------|---------|---------|---------|---------|---------|---------|----------|----------|---------|
| Total count (cells/ml) | 1600 | 160 | 200 | 330 | 720 | 210 | 130 | 62 | 270 |

Phytoplankton taxa

Percent of total

CHLOROPHYTA

| | | | | | | | | | |
|------------------------------|----|----|----|----|----|----|----|----|----|
| .Chlorophyceae (green algae) | | | | | | | | | |
|Chlamydomonas | -- | -- | -- | -- | -- | -- | -- | -- | 82 |
|Scenedesmus | -- | -- | -- | 58 | 54 | -- | -- | -- | -- |
|Sphaerocystis | -- | -- | -- | -- | -- | 16 | -- | -- | -- |
|Ulothrix | -- | -- | -- | -- | -- | -- | -- | -- | -- |

CHRYSOPHYTA

| | | | | | | | | | |
|------------------------------|----|----|----|----|----|----|----|----|----|
| .Bacillariophyceae (diatoms) | | | | | | | | | |
|Achnanthes | -- | -- | -- | -- | -- | -- | 20 | -- | -- |
|Asterionella | 87 | -- | -- | -- | -- | -- | -- | -- | -- |
|Cymbella | -- | 26 | -- | -- | -- | -- | 17 | -- | -- |
|Navicula | -- | -- | -- | -- | -- | -- | -- | 16 | -- |
|Nitzschia | -- | -- | 16 | -- | -- | -- | 30 | -- | -- |

CYANOPHYTA

| | | | | | | | | | |
|---------------------------------|----|----|----|----|----|----|----|----|----|
| .Myxophyceae (blue-green algae) | | | | | | | | | |
|Anacystis | -- | -- | -- | -- | -- | -- | -- | -- | -- |

| Date of sample collection | 2-27-74 | 4-3-74 | 4-24-74 | 5-23-74 | 6-19-74 | 8-1-74 | 8-28-74 | 9-19-74 |
|---------------------------|---------|--------|---------|---------|---------|--------|---------|---------|
| Total count (cells/ml) | 250 | 2300 | 1080 | 2600 | 1200 | 1800 | 1000 | 620 |

Phytoplankton taxa

Percent of total

CHLOROPHYTA

| | | | | | | | | |
|------------------------------|----|----|----|----|----|----|----|----|
| .Chlorophyceae (green algae) | | | | | | | | |
|Chlamydomonas | -- | -- | -- | -- | -- | -- | -- | -- |
|Scenedesmus | -- | -- | -- | -- | 21 | -- | 26 | 13 |
|Sphaerocystis | -- | -- | -- | -- | -- | -- | -- | -- |
|Ulothrix | -- | 30 | -- | -- | -- | -- | -- | -- |

CHRYSOPHYTA

| | | | | | | | | |
|------------------------------|----|----|----|----|----|----|----|----|
| .Bacillariophyceae (diatoms) | | | | | | | | |
|Achnanthes | 16 | -- | 18 | -- | 30 | 38 | 55 | 63 |
|Asterionella | -- | -- | 16 | 16 | -- | -- | -- | -- |
|Cymbella | -- | -- | -- | 28 | 18 | 8 | -- | 6 |
|Navicula | -- | -- | -- | 14 | 4 | 6 | -- | -- |
|Nitzschia | -- | -- | -- | -- | -- | -- | 3 | 6 |

CYANOPHYTA

| | | | | | | | | |
|---------------------------------|----|----|----|---|---|----|----|----|
| .Myxophyceae (blue-green algae) | | | | | | | | |
|Anacystis | -- | -- | -- | 2 | 4 | -- | -- | -- |

PHYLUM

.Class
..Order
...Family
....Genus

DELAWARE RIVER BASIN

01427500 CALLICOON CREEK AT CALLICOON, N.Y.

LOCATION.--Lat 41°45'39", long 75°02'55", Sullivan County, at gaging station, 0.7 mi (1.1 km) southeast of Callicoon, 0.9 mi (1.4 km) upstream from mouth, and 1.0 mi (1.6 km) southwest of Hortonville.

DRAINAGE AREA.--111 mi² (287 km²).

PERIOD OF RECORD.--Chemical analyses: May 1973 to September 1974.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | TOTAL CALCIUM (CA) (MG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | TOTAL MAGNE-SIUM (MG) | DIS-SOLVED MAGNE-SIUM (MG/L) | BICARBONATE (HCO ₃) (MG/L) | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CaCO ₃ (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) |
|-------|------|--------------------------------|---------------------------|--------------------------------|-----------------------|------------------------------|--|-------------------------------------|--|--------------------------|--------------------------|---------------------------------------|
| OCT. | | | | | | | | | | | | |
| 17... | 0815 | 33 | -- | 10 | -- | 2.1 | 26 | 0 | 21 | .69 | .00 | .69 |
| NOV. | | | | | | | | | | | | |
| 29... | 0955 | 446 | -- | 7.5 | -- | 2.1 | 15 | 0 | 12 | .74 | .01 | .75 |
| DEC. | | | | | | | | | | | | |
| 19... | 1630 | 173 | -- | 7.8 | -- | 1.5 | 12 | 0 | 10 | 1.3 | .00 | 1.3 |
| JAN. | | | | | | | | | | | | |
| 24... | 1630 | 334 | -- | 7.5 | -- | 1.5 | 11 | 0 | 9 | .94 | .00 | .94 |
| FEB. | | | | | | | | | | | | |
| 27... | 1210 | 158 | -- | 7.0 | -- | 1.3 | 10 | 0 | 8 | 1.1 | .01 | 1.1 |
| APR. | | | | | | | | | | | | |
| 04... | 1630 | 520 | -- | 6.7 | -- | 1.4 | 10 | 0 | 8 | .74 | .01 | .75 |
| 18... | 1640 | 286 | -- | 6.6 | -- | 1.3 | 11 | 0 | 9 | .81 | .01 | .82 |
| MAY | | | | | | | | | | | | |
| 23... | 1310 | 130 | 9.8 | -- | 1.5 | -- | 19 | 0 | 16 | .70 | .01 | .71 |
| JUNE | | | | | | | | | | | | |
| 20... | 1045 | 92 | 7.6 | -- | 1.4 | -- | 19 | 0 | 16 | .67 | .01 | .68 |
| AUG. | | | | | | | | | | | | |
| 01... | 1000 | 103 | 9.5 | -- | 1.4 | -- | 17 | 0 | 14 | .51 | .01 | .52 |
| 15... | 1835 | 28 | 17 | -- | 1.8 | -- | 22 | -- | -- | .50 | .02 | .52 |
| SEP. | | | | | | | | | | | | |
| 19... | 1215 | 55 | 11 | -- | 1.8 | -- | 22 | 0 | 18 | .71 | .00 | .71 |

| DATE | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) | TOTAL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | DIS-SOLVED ORTHO PHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | TOTAL NON-FILTERABLE RESIDUE (MG/L) | TOTAL RESIDUE (MG/L) | HARDNESS (CA+MG) (MG/L) |
|-------|-----------------------------|-----------------------------------|------------------------------------|---------------------------|-----------------------------|-----------------------------------|--|--|-------------------------------------|----------------------|-------------------------|
| OCT. | | | | | | | | | | | |
| 17... | .01 | .18 | .19 | .88 | .02 | -- | .00 | 48 | 8 | 73 | 34 |
| NOV. | | | | | | | | | | | |
| 29... | .12 | .21 | .33 | 1.1 | .05 | -- | .02 | -- | -- | 86 | 27 |
| DEC. | | | | | | | | | | | |
| 19... | .03 | .22 | .25 | 1.5 | .03 | -- | .01 | -- | 20 | 71 | 26 |
| JAN. | | | | | | | | | | | |
| 24... | .09 | .42 | .51 | 1.4 | .04 | -- | .01 | 41 | 13 | 34 | 25 |
| FEB. | | | | | | | | | | | |
| 27... | .11 | .20 | .31 | 1.4 | .02 | -- | .01 | -- | 2 | 53 | 23 |
| APR. | | | | | | | | | | | |
| 04... | .21 | .06 | .27 | 1.0 | .05 | -- | .03 | -- | 54 | 83 | 22 |
| 18... | -- | -- | -- | -- | .03 | -- | .02 | 34 | 16 | 61 | 22 |
| MAY | | | | | | | | | | | |
| 23... | .03 | .16 | .19 | .90 | .02 | .01 | -- | -- | 2 | 69 | -- |
| JUNE | | | | | | | | | | | |
| 20... | .07 | .28 | .35 | 1.0 | .04 | .02 | -- | -- | 0 | 78 | -- |
| AUG. | | | | | | | | | | | |
| 01... | .20 | .31 | .51 | 1.0 | .04 | .01 | -- | -- | 14 | 67 | -- |
| 15... | .19 | .03 | .22 | .74 | .02 | .02 | -- | -- | 2 | 67 | -- |
| SEP. | | | | | | | | | | | |
| 19... | .09 | .12 | .21 | .92 | .02 | .01 | -- | -- | 2 | 65 | -- |

DELAWARE RIVER BASIN

33

01427500 CALLICOON CREEK AT CALLICOON, N.Y.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICRO-MHOS) | PH (UNITS) | TEMPERATURE (DEG C) | DISSOLVED OXYGEN (MG/L) | PERCENT SATURATION | BIO-CHEMICAL OXYGEN DEMAND 5 DAY (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | CHLOROPHYLL A (UG/L) | CHLOROPHYLL B (UG/L) | FECAL COLIFORM (COL. PER 100 ML) |
|------------|-------------------------------|-----------------------------------|------------|---------------------|-------------------------|--------------------|---|-----------------------------|----------------------|----------------------|----------------------------------|
| OCT. 17... | 12 | 87 | 7.2 | 8.0 | 10.2 | 91 | 3.4 | 2.6 | 2.8 | -- | 27 |
| NOV. 29... | 15 | 81 | 7.1 | 6.0 | 11.2 | 91 | .7 | 1.9 | 1.6 | -- | E270 |
| DEC. 19... | 16 | 98 | 6.5 | .0 | 13.5 | 94 | 1.4 | 6.1 | 1.9 | -- | E52 |
| JAN. 24... | 16 | 82 | 6.2 | 2.0 | 13.8 | 99 | .6 | 11 | 1.8 | -- | E54 |
| FEB. 27... | 15 | 80 | 6.1 | 1.0 | 13.6 | 97 | 1.0 | 13 | 3.3 | -- | 14 |
| APR. 04... | 14 | 64 | 6.0 | 9.0 | 11.1 | 96 | .5 | 16 | 2.4 | -- | E13 |
| 18... | 13 | 67 | 7.5 | 11.0 | 11.0 | 99 | .0 | .6 | .0 | -- | E7 |
| MAY 23... | -- | 62 | 7.5 | 18.0 | 9.8 | 103 | 1.2 | 1.0 | 5.0 | 12 | E156 |
| JUNE 20... | -- | 78 | 7.5 | 20.0 | 9.6 | 104 | .8 | 1.0 | 1.3 | 5.0 | 136 |
| AUG. 01... | -- | 76 | 7.4 | 18.0 | 9.8 | 103 | 2.4 | 1.1 | 16 | 3.2 | 120 |
| 15... | -- | 100 | 9.2 | 26.0 | 9.2 | 110 | 1.5 | .0 | .4 | 1.2 | 64 |
| SEP. 19... | -- | 99 | 7.6 | 15.0 | 10.8 | 108 | 1.0 | .9 | 5.5 | 2.0 | 140 |

| DATE | TIME | DISSOLVED SILICA (SiO2) (MG/L) | TOTAL SODIUM (NA) (MG/L) | DISSOLVED SODIUM (NA) (MG/L) | TOTAL POTASSIUM (K) (MG/L) | DISSOLVED POTASSIUM (K) (MG/L) | DISSOLVED SULFATE (SO4) (MG/L) | DISSOLVED CHLORIDE (CL) (MG/L) | TOTAL FLUORIDE (F) (MG/L) | DISSOLVED FLUORIDE (F) (MG/L) |
|------------|------|--------------------------------|--------------------------|------------------------------|----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|-------------------------------|
| OCT. 17... | 0815 | 2.0 | -- | 3.2 | -- | 1.6 | 10 | 6.0 | -- | .3 |
| JAN. 24... | 1630 | 3.2 | -- | 3.7 | -- | 1.4 | 12 | 6.1 | -- | .1 |
| APR. 18... | 1640 | 2.1 | -- | 2.4 | -- | 1.2 | 11 | 4.1 | -- | .1 |
| AUG. 01... | 1000 | 2.6 | 3.3 | -- | 1.4 | -- | 12 | 4.6 | .2 | -- |

DELAWARE RIVER BASIN

01427750 DELAWARE RIVER AT NARROWSBURG, N.Y.

LOCATION.--Lat 41°36'34", long 75°03'44", Sullivan County, N.Y.-Wayne County, Pa., at bridge on U.S. Highway 106 in Narrowsburg, 0.1 mi (0.2 km) downstream from Feagles Lake Outlet.

DRAINAGE AREA.--1,913 mi² (4,955 km²).

PERIOD OF RECORD.--Chemical analyses: May 1973 to September 1974.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | TOTAL CALCIUM (CA) (MG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | TOTAL MAGNE-SIUM (MG) | DIS-SOLVED MAGNE-SIUM (MG) | BICARBONATE (HCO ₃) (MG/L) | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CaCO ₃ (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) |
|-------|------|--------------------------------|---------------------------|--------------------------------|-----------------------|----------------------------|--|-------------------------------------|--|--------------------------|--------------------------|---------------------------------------|
| OCT. | | | | | | | | | | | | |
| 16... | 1600 | E1350 | -- | 7.2 | -- | 1.8 | 18 | 0 | 15 | .45 | .00 | .46 |
| NOV. | | | | | | | | | | | | |
| 15... | 1005 | E1610 | -- | 7.0 | -- | 1.8 | 19 | 0 | 16 | .34 | .00 | .34 |
| DEC. | | | | | | | | | | | | |
| 12... | 1540 | E5430 | -- | 6.0 | -- | 1.1 | 8 | 0 | 7 | .49 | .00 | .49 |
| JAN. | | | | | | | | | | | | |
| 18... | 1000 | E1260 | -- | 6.0 | -- | 1.5 | 11 | 0 | 9 | .59 | .01 | .60 |
| FEB. | | | | | | | | | | | | |
| 27... | 1410 | E4580 | -- | -- | -- | -- | 10 | 0 | 8 | .59 | .01 | .60 |
| APR. | | | | | | | | | | | | |
| 04... | 1445 | E10400 | -- | 5.0 | -- | 1.2 | 8 | 0 | 7 | .37 | .00 | .37 |
| 18... | 1450 | 4130 | -- | 5.2 | -- | 1.3 | 10 | 0 | 8 | .38 | .01 | .39 |
| MAY | | | | | | | | | | | | |
| 23... | 1440 | E2650 | 5.8 | -- | 1.4 | -- | 12 | 0 | 10 | .30 | .01 | .31 |
| JUNE | | | | | | | | | | | | |
| 20... | 1140 | 1140 | 5.7 | -- | 1.1 | -- | 14 | 0 | 11 | .18 | .01 | .19 |
| JULY | | | | | | | | | | | | |
| 31... | 1930 | E2040 | 7.9 | -- | 2.0 | -- | 14 | 0 | 11 | .28 | .01 | .29 |
| AUG. | | | | | | | | | | | | |
| 15... | 1605 | E860 | 22 | -- | 1.9 | -- | 16 | -- | -- | .17 | .01 | .18 |
| SEP. | | | | | | | | | | | | |
| 19... | 1420 | E560 | 9.1 | -- | 1.8 | -- | 17 | 0 | 14 | .04 | .00 | .04 |

| DATE | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KjELDAHL NITROGEN (N) (MG/L) | TOTAL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | DIS-SOLVED ORTHO. PHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | TOTAL NON-FILTERABLE RESIDUE (MG/L) | TOTAL RESIDUE (MG/L) | HARDNESS (CA+MG) (MG/L) |
|-------|-----------------------------|-----------------------------------|------------------------------------|---------------------------|-----------------------------|-----------------------------------|---|--|-------------------------------------|----------------------|-------------------------|
| OCT. | | | | | | | | | | | |
| 16... | .00 | .15 | .15 | .61 | .00 | -- | .00 | 37 | 0 | 42 | 25 |
| NOV. | | | | | | | | | | | |
| 15... | .12 | .03 | .15 | .49 | .00 | -- | .00 | -- | 6 | 62 | 25 |
| DEC. | | | | | | | | | | | |
| 12... | .11 | .08 | .19 | .68 | .01 | -- | .00 | -- | 6 | 36 | 20 |
| JAN. | | | | | | | | | | | |
| 18... | .01 | .12 | .13 | .73 | .02 | -- | .00 | 33 | 13 | 63 | 21 |
| FEB. | | | | | | | | | | | |
| 27... | .02 | .11 | .13 | .73 | .01 | -- | .00 | -- | 2 | 36 | -- |
| APR. | | | | | | | | | | | |
| 04... | .08 | .16 | .24 | .61 | .03 | -- | .01 | -- | 15 | 47 | 17 |
| 18... | -- | -- | -- | -- | .02 | -- | .00 | 28 | 6 | 59 | 18 |
| MAY | | | | | | | | | | | |
| 23... | .06 | .13 | .19 | .50 | .02 | .00 | -- | -- | 4 | 59 | -- |
| JUNE | | | | | | | | | | | |
| 20... | .09 | .18 | .27 | .46 | .01 | .00 | -- | -- | 0 | 48 | -- |
| JULY | | | | | | | | | | | |
| 31... | .09 | .13 | .22 | .51 | .02 | .01 | -- | -- | 9 | 53 | -- |
| AUG. | | | | | | | | | | | |
| 15... | .18 | .06 | .24 | .42 | .01 | .01 | -- | -- | 1 | 46 | -- |
| SEP. | | | | | | | | | | | |
| 19... | .08 | .13 | .21 | .25 | .02 | .01 | -- | -- | 2 | 45 | -- |

DELAWARE RIVER BASIN

35

01427750 DELAWARE RIVER AT NARROWSBURG, N.Y.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICROMHOS) | PH (UNITS) | TEMPERATURE (DEG C) | DISSOLVED OXYGEN (MG/L) | PERCENT SATURATION | BIO-CHEMICAL OXYGEN DEMAND 5 DAY (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | CHLOROPHYLL A (UG/L) | CHLOROPHYLL B (UG/L) | FECAL COLIFORM (COL. PER 100 ML) |
|------------|-------------------------------|----------------------------------|------------|---------------------|-------------------------|--------------------|---|-----------------------------|----------------------|----------------------|----------------------------------|
| OCT. 16... | 11 | 75 | 6.9 | 11.0 | 10.2 | 93 | 2.7 | 3.6 | 2.0 | -- | E7 |
| NOV. 15... | 9 | 73 | 6.3 | 9.0 | 11.0 | 96 | 4.5 | 15 | .5 | -- | 15 |
| DEC. 12... | 13 | 55 | 6.9 | 3.0 | 12.6 | 95 | 1.6 | 1.6 | 1.0 | -- | 66 |
| JAN. 18... | 12 | 68 | 6.2 | .0 | -- | -- | -- | 11 | 7.7 | -- | E9 |
| FEB. 27... | -- | 65 | 6.1 | 2.0 | 15.1 | 110 | 1.3 | 13 | 2.6 | -- | E1 |
| APR. 04... | 11 | 52 | 6.2 | 9.0 | 12.0 | 104 | 2.0 | 8.1 | 7.3 | -- | 39 |
| 18... | 10 | 55 | 7.7 | 9.0 | 11.9 | 102 | .0 | .3 | 10 | -- | E2 |
| MAY 23... | -- | 52 | 7.4 | 19.0 | 10.0 | 108 | 1.6 | .8 | .7 | 9.0 | 18 |
| JUNE 20... | -- | 53 | 7.5 | 22.0 | 9.0 | 100 | 1.1 | .7 | 2.1 | 4.0 | E16 |
| JULY 31... | -- | 68 | 7.3 | 24.0 | 9.2 | 108 | 1.4 | 1.1 | 4.0 | 3.0 | E80 |
| AUG. 15... | -- | 73 | 8.5 | 25.0 | 9.0 | 107 | 1.0 | .1 | .5 | 1.0 | E16 |
| SEP. 19... | -- | 75 | 7.4 | 19.0 | 9.2 | 100 | .8 | 1.1 | 2.8 | 3.0 | 25 |

| DATE | TIME | DISSOLVED SILICA (SI02) (MG/L) | TOTAL SODIUM (NA) (MG/L) | DISSOLVED SODIUM (NA) (MG/L) | TOTAL POTASSIUM (K) (MG/L) | DISSOLVED POTASSIUM (K) (MG/L) | DISSOLVED SULFATE (SO4) (MG/L) | DISSOLVED CHLORIDE (CL) (MG/L) | TOTAL FLUORIDE (F) (MG/L) | DISSOLVED FLUORIDE (F) (MG/L) |
|------------|------|--------------------------------|--------------------------|------------------------------|----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|-------------------------------|
| OCT. 16... | 1600 | 1.7 | -- | 1.7 | -- | 1.0 | 9.6 | 4.5 | -- | .3 |
| JAN. 18... | 1000 | 2.7 | -- | 2.6 | -- | .7 | 9.2 | 4.5 | -- | .2 |
| APR. 18... | 1450 | 1.8 | -- | 1.6 | -- | .8 | 9.2 | 2.7 | -- | .1 |
| JULY 31... | 1930 | 1.9 | 2.5 | -- | 1.0 | -- | 11 | 3.7 | .3 | -- |

DELAWARE RIVER BASIN

01431500 LACKAWAXEN RIVER AT HAWLEY, PA.

LOCATION.--Lat 41°28'34", long 75°10'21", Wayne County, at gaging station at Church Street Bridge in Hawley, 700 ft (213 m) upstream from Wallenpaupack Creek, and 3,000 ft (914 m) downstream from Middle Creek.

DRAINAGE AREA.--290 mi² (751 km²).

PERIOD OF RECORD.--Chemical analyses: May 1973 to September 1974.

Biological analyses: June 1973 to September 1974.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | TOTAL CALCIUM (CA) (MG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | TOTAL MAGNESIUM (MG) | DIS-SOLVED MAGNESIUM (MG) | BICARBONATE (HCO ₃) (MG/L) | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CaCO ₃ (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) |
|------------|------|--------------------------------|---------------------------|--------------------------------|----------------------|---------------------------|--|-------------------------------------|--|--------------------------|--------------------------|---------------------------------------|
| OCT. 16... | 0800 | 99 | -- | 12 | -- | 1.7 | 31 | 0 | 25 | .15 | .00 | .15 |
| NOV. 14... | 1705 | 123 | -- | 10 | -- | 1.5 | 24 | 0 | 20 | .27 | .00 | .28 |
| DEC. 12... | 0610 | 1330 | -- | 9.0 | -- | 1.1 | 13 | 0 | 11 | .40 | .00 | .40 |
| JAN. 17... | 0745 | E320 | -- | 9.0 | -- | 1.2 | 16 | 0 | 13 | .51 | .05 | .56 |
| FEB. 21... | 1545 | E260 | -- | 9.4 | -- | 1.0 | 16 | 0 | 13 | .56 | .01 | .57 |
| MAR. 21... | 1315 | 842 | -- | 7.7 | -- | 1.0 | 12 | 0 | 10 | .38 | .01 | .39 |
| APR. 18... | 0900 | 1020 | -- | 7.0 | -- | 1.0 | 14 | 0 | 11 | .26 | .01 | .27 |
| MAY 16... | 1145 | 958 | 8.5 | -- | 1.0 | -- | 15 | 0 | 12 | .14 | .01 | .15 |
| JUNE 13... | 1315 | 143 | 11 | -- | 1.3 | -- | 21 | -- | -- | .26 | .01 | .27 |
| JULY 18... | 1205 | 82 | 11 | -- | 1.3 | -- | 26 | 0 | 21 | .08 | .01 | .09 |
| AUG. 14... | 1815 | 77 | 10 | -- | 1.4 | -- | 28 | -- | -- | .01 | .01 | .02 |
| SEP. 10... | 1315 | 224 | 9.9 | -- | 1.6 | -- | 7 | 0 | 6 | .13 | .00 | .13 |

| DATE | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) | TOTAL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | DIS-SOLVED ORTHO PHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | TOTAL NON-FILTERABLE RESIDUE (MG/L) | TOTAL RESIDUE (MG/L) | HARDNESS (CA+MG) (MG/L) |
|------------|-----------------------------|-----------------------------------|------------------------------------|---------------------------|-----------------------------|-----------------------------------|--|--|-------------------------------------|----------------------|-------------------------|
| OCT. 16... | .02 | .23 | .25 | .40 | .04 | -- | .03 | 51 | 0 | 57 | 37 |
| NOV. 14... | .11 | .05 | .16 | .44 | .05 | -- | .03 | -- | 4 | 73 | 31 |
| DEC. 12... | .14 | .04 | .18 | .58 | .04 | -- | .01 | -- | 7 | 56 | 27 |
| JAN. 17... | .07 | .17 | .24 | .80 | .04 | -- | .02 | 42 | 2 | 65 | 27 |
| FEB. 21... | .06 | .17 | .23 | .80 | .03 | -- | .02 | -- | 9 | 60 | 28 |
| MAR. 21... | .23 | .04 | .27 | .66 | .07 | -- | .04 | -- | 17 | 97 | 23 |
| APR. 18... | -- | -- | -- | -- | .03 | -- | .01 | 33 | 13 | -- | 22 |
| MAY 16... | .04 | .16 | .20 | .35 | .04 | .01 | -- | -- | 8 | 58 | -- |
| JUNE 13... | .05 | .24 | .29 | .56 | .06 | .05 | -- | -- | 0 | 50 | -- |
| JULY 18... | .22 | .04 | .26 | .35 | .06 | .05 | -- | -- | 2 | 60 | -- |
| AUG. 14... | .27 | .11 | .38 | .40 | .10 | .08 | -- | -- | 1 | 74 | -- |
| SEP. 10... | .18 | .14 | .32 | .45 | .05 | .02 | -- | -- | 4 | 50 | -- |

DELAWARE RIVER BASIN

37

01431500 LACKAWAXEN RIVER AT HAWLEY, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICRO-MHOS) | PH (UNITS) | TEMPERATURE (DEG C) | DISSOLVED OXYGEN (MG/L) | PERCENT SATURATION | BIO-CHEMICAL OXYGEN DEMAND 5 DAY (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | TOTAL PHYTOPLANKTON (CELLS PER ML) | CHLOROPHYLL A (UG/L) | FECAL COLIFORM (COL. PER 100 ML) |
|------------|-------------------------------|-----------------------------------|------------|---------------------|-------------------------|--------------------|---|-----------------------------|------------------------------------|----------------------|----------------------------------|
| OCT. 16... | 12 | 102 | 6.9 | 12.0 | 8.4 | 77 | 1.5 | 6.2 | 6400 | -- | 23 |
| NOV. 14... | 11 | 102 | 7.0 | 10.0 | 11.4 | 102 | 3.1 | 3.8 | 290 | -- | 10 |
| DEC. 12... | 16 | 70 | 6.8 | 2.0 | 12.7 | 92 | 1.3 | 3.3 | 270 | -- | E600 |
| JAN. 17... | 14 | 88 | 5.9 | .0 | 12.4 | 86 | -- | 32 | 190 | -- | E440 |
| FEB. 21... | 14 | 90 | 6.5 | 3.0 | 12.0 | 90 | 2.7 | 8.1 | 520 | -- | 84 |
| MAR. 21... | 14 | 62 | 6.3 | 3.0 | 12.8 | 96 | 1.6 | 9.6 | 860 | -- | 180 |
| APR. 18... | 10 | 60 | 6.4 | 9.0 | 10.8 | 93 | .0 | 8.9 | 460 | .0 | 120 |
| MAY 16... | -- | 58 | 6.4 | 18.0 | 9.4 | 99 | .1 | 9.6 | 1900 | -- | 210 |
| JUNE 13... | -- | 90 | 8.5 | 22.0 | 10.4 | 118 | .2 | .1 | 3100 | -- | 29 |
| JULY 18... | -- | 98 | 8.2 | 23.0 | 10.1 | 116 | 2.0 | .3 | 2500 | -- | 14 |
| AUG. 14... | -- | 102 | 9.4 | 26.0 | 10.2 | 124 | 1.0 | .0 | 3600 | -- | E 12 |
| SEP. 10... | -- | 84 | 7.1 | 19.0 | 9.6 | 103 | 1.7 | .9 | 4000 | -- | 90 |

| DATE | TIME | DISSOLVED SILICA (SI02) (MG/L) | TOTAL SODIUM (NA) (MG/L) | DISSOLVED SODIUM (NA) (MG/L) | TOTAL POTASSIUM (K) (MG/L) | DISSOLVED POTASSIUM (K) (MG/L) | DISSOLVED SULFATE (SO4) (MG/L) | DISSOLVED CHLORIDE (CL) (MG/L) | TOTAL FLUORIDE (F) (MG/L) | DISSOLVED FLUORIDE (F) (MG/L) |
|------------|------|--------------------------------|--------------------------|------------------------------|----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|-------------------------------|
| OCT. 16... | 0800 | 1.5 | -- | 2.2 | -- | 1.4 | 11 | 5.5 | -- | .4 |
| JAN. 17... | 0745 | 3.7 | -- | 3.0 | -- | .8 | 11 | 5.6 | -- | .1 |
| APR. 18... | 0900 | 2.1 | -- | 1.5 | -- | 1.0 | 11 | 2.7 | -- | .1 |
| JULY 18... | 1205 | 1.9 | 3.3 | -- | 1.1 | -- | 12 | 4.7 | .1 | -- |

DELAWARE RIVER BASIN

01431500 LACKAWAXEN RIVER AT HAWLEY, PA.--Continued

BIOLOGICAL ANALYSES, JUNE 1973 TO SEPTEMBER 1974

OCCURRENCE OF PHYTOPLANKTON

| Date of sample collection | 6-20-73 | 7-24-73 | 8-21-73 | 11-14-73 | 12-12-73 | 1-17-74 | 2-21-74 |
|---------------------------------|------------------|---------|---------|----------|----------|---------|---------|
| Total count (cells/ml) | 280 | 1400 | 590 | 290 | 270 | 190 | 520 |
| Phytoplankton taxa | Percent of total | | | | | | |
| CHLOROPHYTA | | | | | | | |
| .Chlorophyceae (green algae) | | | | | | | |
|Actinastrum | -- | -- | -- | -- | -- | -- | -- |
|Ankistrodesmus | -- | -- | -- | -- | -- | -- | -- |
|Kirchneriella | -- | -- | -- | -- | -- | -- | -- |
|Scenedesmus | -- | 40 | -- | -- | -- | -- | -- |
| CHRYSTOPHYTA | | | | | | | |
| .Bacillariophyceae (diatoms) | | | | | | | |
|Achnanthes | -- | -- | -- | -- | -- | 38 | -- |
|Cymbella | 30 | -- | -- | -- | -- | -- | -- |
|Fragilaria | -- | -- | -- | -- | -- | -- | 46 |
|Navicula | -- | -- | 23 | 16 | 18 | 25 | -- |
|Nitschia | -- | -- | -- | 15 | -- | -- | -- |
| CYANOPHYTA | | | | | | | |
| .Myxophyceae (blue-green algae) | | | | | | | |
|Agmenellum | -- | -- | -- | -- | -- | -- | -- |
|Anabaena | -- | -- | 38 | -- | -- | -- | -- |
|Anacystis | -- | -- | -- | -- | -- | -- | -- |

| Date of sample collection | 3-21-74 | 4-18-74 | 5-16-74 | 6-13-74 | 7-18-74 | 8-14-74 | 9-10-74 |
|---------------------------------|------------------|---------|---------|---------|---------|---------|---------|
| Total count (cells/ml) | 860 | 460 | 1900 | 3100 | 2500 | 3600 | 4000 |
| Phytoplankton taxa | Percent of total | | | | | | |
| CHLOROPHYTA | | | | | | | |
| .Chlorophyceae (green algae) | | | | | | | |
|Actinastrum | -- | -- | -- | 27 | -- | -- | -- |
|Ankistrodesmus | -- | -- | 2 | 3 | 1 | 2 | -- |
|Kirchneriella | -- | -- | -- | 2 | 1 | 1 | -- |
|Scenedesmus | -- | -- | 14 | 14 | 15 | 26 | 5 |
| CHRYSTOPHYTA | | | | | | | |
| .Bacillariophyceae (diatoms) | | | | | | | |
|Achnanthes | -- | 13 | 3 | 6 | 6 | 2 | 2 |
|Cymbella | 15 | 17 | 14 | 4 | 2 | -- | -- |
|Fragilaria | 33 | 13 | -- | -- | -- | -- | -- |
|Navicula | 15 | 17 | 26 | 12 | 14 | 6 | 3 |
|Nitschia | -- | -- | 5 | -- | 8 | 2 | 3 |
| CYANOPHYTA | | | | | | | |
| .Myxophyceae (blue-green algae) | | | | | | | |
|Agmenellum | -- | -- | -- | -- | -- | 19 | -- |
|Anabaena | -- | -- | -- | -- | -- | 15 | -- |
|Anacystis | -- | -- | 3 | -- | -- | 3 | 11 |

PHYLUM
 .Class
 ..Order
 ...Family
Genus

DELAWARE RIVER BASIN

39

01431670 WALLENPAUPACK CREEK AT LEDGEDALE, PA.

LOCATION.--Lat 41°22'04", long 75°19'10", Pike County, at roadside park 0.9 mi (1.4 km) southeast of Ledgesdale and 2.6 mi (4.2 km) downstream from the confluence of East and West Branches.

DRAINAGE AREA.--151 mi² (391 km²).

PERIOD OF RECORD.--Chemical analyses: June 1973 to September 1974.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | TOTAL CALCIUM (CA) (MG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | TOTAL MAGNE-SIUM (MG) | DIS-SOLVED MAGNE-SIUM (MG) | BICARBONATE (HCO ₃) (MG/L) | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CaCO ₃ (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) |
|-------|------|--------------------------------|---------------------------|--------------------------------|-----------------------|----------------------------|--|-------------------------------------|--|--------------------------|--------------------------|---------------------------------------|
| OCT. | | | | | | | | | | | | |
| 15... | 1700 | E52 | -- | 9.2 | -- | 1.4 | 24 | 0 | 20 | .03 | .00 | .03 |
| NOV. | | | | | | | | | | | | |
| 14... | 1505 | E98 | -- | 8.0 | -- | 1.2 | 18 | 0 | 15 | .18 | .00 | .18 |
| DEC. | | | | | | | | | | | | |
| 11... | 1600 | E796 | -- | 7.0 | -- | .9 | 7 | 0 | 6 | .33 | .00 | .33 |
| JAN. | | | | | | | | | | | | |
| 17... | 0950 | E296 | -- | 7.4 | -- | 1.1 | 11 | 0 | 9 | .38 | .01 | .39 |
| FEB. | | | | | | | | | | | | |
| 21... | 1315 | E229 | -- | 7.7 | -- | .7 | 11 | 0 | 9 | .47 | .00 | .47 |
| MAR. | | | | | | | | | | | | |
| 21... | 1130 | E380 | -- | 7.4 | -- | 1.1 | 11 | 0 | 9 | .33 | .00 | .33 |
| APR. | | | | | | | | | | | | |
| 17... | 1810 | E530 | -- | 6.3 | -- | .9 | 10 | 0 | 8 | .23 | .01 | .24 |
| MAY | | | | | | | | | | | | |
| 16... | 0900 | E480 | 29 | -- | 1.0 | -- | 10 | 0 | 8 | .15 | .01 | .16 |
| JUNE | | | | | | | | | | | | |
| 13... | 1345 | 84 | 21 | -- | 1.3 | -- | 15 | 0 | 12 | .18 | .01 | .19 |
| JULY | | | | | | | | | | | | |
| 18... | 0950 | 47 | 8.6 | -- | 1.0 | -- | 14 | 0 | 11 | .03 | .01 | .04 |
| AUG. | | | | | | | | | | | | |
| 15... | 0945 | 49 | 7.2 | -- | 1.3 | -- | 14 | 0 | 11 | .00 | .01 | .01 |
| SEP. | | | | | | | | | | | | |
| 10... | 1115 | 230 | 10 | -- | 1.2 | -- | 8 | 0 | 7 | .01 | .00 | .01 |

| DATE | AMMONIA NITRO-GEN (N) (MG/L) | TOTAL ORGANIC NITRO-GEN (N) (MG/L) | TOTAL KJEL-DAHL NITRO-GEN (N) (MG/L) | TOTAL NITRO-GEN (N) (MG/L) | TOTAL PHOS-PHORUS (P) (MG/L) | TOTAL ORTHO PHOS-PHORUS (P) (MG/L) | DIS-SOLVED ORTHO. PHOS-PHORUS (P) (MG/L) | DIS-SOLVED SOLIUS (SUM OF CONSTI-TUENTS) (MG/L) | TOTAL NON-FILT-RABLE RESIDUE (MG/L) | TOTAL RESI-DUE (MG/L) | HARD-NESS (CA+MG) (MG/L) |
|-------|------------------------------|------------------------------------|--------------------------------------|----------------------------|------------------------------|------------------------------------|--|---|-------------------------------------|-----------------------|--------------------------|
| OCT. | | | | | | | | | | | |
| 15... | .05 | .14 | .19 | .22 | .02 | -- | .00 | 41 | 8 | 59 | 29 |
| NOV. | | | | | | | | | | | |
| 14... | .05 | .06 | .11 | .29 | .00 | -- | .00 | -- | 6 | 61 | 25 |
| DEC. | | | | | | | | | | | |
| 11... | .14 | .03 | .17 | .50 | .02 | -- | .00 | -- | 8 | 49 | 21 |
| JAN. | | | | | | | | | | | |
| 17... | .06 | .05 | .11 | .50 | .01 | -- | .00 | 35 | 2 | 55 | 23 |
| FEB. | | | | | | | | | | | |
| 21... | .07 | .18 | .25 | .72 | .01 | -- | .01 | -- | 6 | 58 | 22 |
| MAR. | | | | | | | | | | | |
| 21... | .10 | .00 | .10 | .43 | .01 | -- | .01 | -- | 18 | 54 | 23 |
| APR. | | | | | | | | | | | |
| 17... | -- | -- | -- | -- | .01 | -- | .01 | 30 | 3 | 46 | 19 |
| MAY | | | | | | | | | | | |
| 16... | .04 | .14 | .18 | .34 | .02 | .01 | -- | -- | 4 | 45 | -- |
| JUNE | | | | | | | | | | | |
| 13... | .07 | .24 | .31 | .50 | .01 | .00 | -- | -- | 0 | 47 | -- |
| JULY | | | | | | | | | | | |
| 18... | .15 | .15 | .30 | .34 | .01 | .01 | -- | -- | 2 | 48 | -- |
| AUG. | | | | | | | | | | | |
| 15... | .14 | .11 | .25 | .26 | .01 | .01 | -- | -- | 2 | 57 | -- |
| SEP. | | | | | | | | | | | |
| 10... | .16 | .23 | .39 | .40 | .02 | .01 | -- | -- | 1 | 36 | -- |

DELAWARE RIVER BASIN

01431670 WALLENPAUPACK CREEK AT LEDGEDALE, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICROMHOS) | PH (UNITS) | TEMPERATURE (DEG C) | DISSOLVED OXYGEN (MG/L) | PERCENT SATURATION | BIO-CHEMICAL OXYGEN DEMAND 5 DAY (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | CHLORO-PHYLL A (UG/L) | CHLORO-PHYLL B (UG/L) | FECAL COLIFORM (COL. PER 100 ML) |
|------------|-------------------------------|----------------------------------|------------|---------------------|-------------------------|--------------------|---|-----------------------------|-----------------------|-----------------------|----------------------------------|
| OCT. 15... | 9 | 85 | 7.2 | 15.0 | 9.4 | 94 | -- | 2.4 | 2.1 | -- | E2 |
| NOV. 14... | 10 | 74 | 7.0 | 7.0 | 12.0 | 100 | 1.7 | 2.9 | .3 | -- | E2 |
| DEC. 11... | 15 | 59 | 6.6 | 3.0 | 12.5 | 94 | 3.5 | 2.8 | .0 | -- | E7b |
| JAN. 17... | 14 | 71 | 6.2 | .0 | 14.2 | 98 | -- | 11 | 2.2 | -- | 10 |
| FEB. 21... | 13 | 71 | 6.6 | .0 | 12.5 | 87 | 1.2 | 4.4 | 3.9 | -- | 13 |
| MAR. 21... | 14 | 64 | 6.3 | 3.0 | 9.2 | 92 | 9.7 | 8.8 | 2.3 | -- | E10 |
| APR. 17... | 11 | 53 | 6.3 | 8.0 | 11.5 | 96 | .0 | 8.0 | .0 | -- | E3 |
| MAY 16... | -- | 52 | 6.1 | 17.0 | 9.3 | 96 | 1.1 | 13 | .4 | .5 | 35 |
| JUNE 13... | -- | 72 | 7.5 | 20.0 | 8.8 | 96 | .8 | .8 | .4 | 1.4 | <1 |
| JULY 18... | -- | 73 | 7.2 | 24.0 | 9.0 | 106 | 1.6 | 1.4 | 6.4 | 12 | 140 |
| AUG. 15... | -- | 67 | 7.1 | 22.0 | 8.7 | 99 | 2.0 | 1.8 | 3.2 | 5.2 | E7 |
| SEP. 10... | -- | 65 | 7.1 | 21.0 | 9.9 | 110 | 2.3 | 1.0 | 11 | .0 | 14 |

| DATE | TIME | DISSOLVED SILICA (SiO2) (MG/L) | TOTAL SODIUM (NA) (MG/L) | DISSOLVED SODIUM (NA) (MG/L) | TOTAL POTASSIUM (K) (MG/L) | DISSOLVED POTASSIUM (K) (MG/L) | DISSOLVED SULFATE (SO4) (MG/L) | DISSOLVED CHLORIDE (CL) (MG/L) | TOTAL FLUORIDE (F) (MG/L) | DISSOLVED FLUORIDE (F) (MG/L) |
|------------|------|--------------------------------|--------------------------|------------------------------|----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|-------------------------------|
| OCT. 15... | 1700 | 2.0 | -- | 2.0 | -- | .8 | 9.0 | 4.1 | -- | .3 |
| JAN. 17... | 0950 | 3.3 | -- | 2.1 | -- | .5 | 11 | 4.3 | -- | .0 |
| APR. 17... | 1810 | 1.9 | -- | 1.5 | -- | .6 | 11 | 3.1 | -- | .1 |
| JULY 18... | 0950 | 1.4 | 2.4 | -- | .7 | -- | 11 | 4.0 | .1 | -- |

DELAWARE RIVER BASIN

41

01432119 LACKAWAXEN RIVER AT MOUTH AT LACKAWAXEN, PA.

LOCATION.--Lat 41°29'12", long 74°59'31", Pike County, at highway bridge in Lackawaxen, 0.3 mi (0.5 km) upstream from mouth.

DRAINAGE AREA.--597 mi² (1,550 km²).

PERIOD OF RECORD.--Chemical analyses: May 1973 to September 1974.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | TOTAL CAL- CIUM (CA) (MG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | TOTAL MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) | ALKA- LINITY AS CACO ₃ (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) |
|-------|------|---|---|--|--|---|---|--|--|-----------------------------------|-----------------------------------|--|
| OCT. | | | | | | | | | | | | |
| 16... | 1200 | 151 | -- | 9.0 | -- | 1.5 | 23 | 0 | 19 | .07 | .00 | .07 |
| NOV. | | | | | | | | | | | | |
| 15... | 0800 | 206 | -- | 8.0 | -- | 1.4 | 19 | 0 | 16 | .11 | .00 | .12 |
| DEC. | | | | | | | | | | | | |
| 12... | 1205 | 1540 | -- | 7.5 | -- | 1.1 | 11 | 0 | 9 | .29 | .00 | .29 |
| JAN. | | | | | | | | | | | | |
| 24... | 1245 | 3420 | -- | 7.0 | -- | 1.0 | 10 | 0 | 8 | .26 | .00 | .26 |
| FEB. | | | | | | | | | | | | |
| 21... | 1710 | 2010 | -- | 6.6 | -- | 1.0 | 10 | 0 | 8 | .27 | .00 | .27 |
| MAR. | | | | | | | | | | | | |
| 21... | 1510 | 3270 | -- | 6.0 | -- | .9 | 11 | 0 | 9 | .24 | .00 | .24 |
| APR. | | | | | | | | | | | | |
| 18... | 1100 | 3500 | -- | 6.1 | -- | 1.0 | 11 | 0 | 9 | .18 | .00 | .18 |
| MAY | | | | | | | | | | | | |
| 16... | 1345 | 1200 | 12 | -- | 1.1 | -- | 12 | 0 | 10 | .13 | .01 | .14 |
| JUNE | | | | | | | | | | | | |
| 13... | 1710 | 270 | 8.7 | -- | 1.2 | -- | 15 | -- | -- | .12 | .00 | .12 |
| JULY | | | | | | | | | | | | |
| 18... | 1440 | 200 | 7.4 | -- | 1.3 | -- | 20 | 0 | 16 | .05 | .01 | .06 |
| AUG. | | | | | | | | | | | | |
| 15... | 1230 | 190 | 7.9 | -- | 1.1 | -- | 12 | 0 | 10 | .06 | .01 | .07 |
| SEP. | | | | | | | | | | | | |
| 10... | 1430 | 2100 | 7.5 | -- | 1.3 | -- | 17 | 0 | 14 | .05 | .00 | .05 |

| DATE | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | DIS- SOLVED ORTHO. PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L) | TOTAL NON- FILT- RABLE RESIDUE (MG/L) | TOTAL RESI- DUE (MG/L) | HARD- NESS (CA+MG) (MG/L) |
|-------|---|--|--|---|---|--|--|---|--|---------------------------------|------------------------------------|
| OCT. | | | | | | | | | | | |
| 16... | .01 | .16 | .17 | .24 | .01 | -- | .00 | 41 | 0 | 55 | 29 |
| NOV. | | | | | | | | | | | |
| 15... | .08 | .11 | .19 | .31 | .01 | -- | .01 | -- | 6 | 66 | 26 |
| DEC. | | | | | | | | | | | |
| 12... | .12 | .00 | .12 | .41 | .03 | -- | .01 | -- | 7 | 53 | 23 |
| JAN. | | | | | | | | | | | |
| 24... | .07 | .46 | .53 | .79 | .02 | -- | .00 | 33 | 13 | 28 | 22 |
| FEB. | | | | | | | | | | | |
| 21... | .07 | .09 | .16 | .43 | .01 | -- | .00 | -- | 4 | 46 | 21 |
| MAR. | | | | | | | | | | | |
| 21... | .10 | .10 | .20 | .44 | .02 | -- | .01 | -- | 7 | 45 | 19 |
| APR. | | | | | | | | | | | |
| 18... | -- | -- | -- | -- | .02 | -- | .01 | 31 | 14 | 62 | 19 |
| MAY | | | | | | | | | | | |
| 16... | .04 | .11 | .15 | .29 | .04 | .01 | -- | -- | 4 | 51 | -- |
| JUNE | | | | | | | | | | | |
| 13... | .04 | .25 | .29 | .41 | .03 | .02 | -- | -- | 1 | 50 | -- |
| JULY | | | | | | | | | | | |
| 18... | .14 | .09 | .23 | .29 | .02 | .02 | -- | -- | 2 | 52 | -- |
| AUG. | | | | | | | | | | | |
| 15... | .15 | .07 | .22 | .29 | .02 | .01 | -- | -- | 1 | 47 | -- |
| SEP. | | | | | | | | | | | |
| 10... | .17 | .13 | .30 | .35 | .03 | .01 | -- | -- | 3 | 33 | -- |

DELAWARE RIVER BASIN

01432119 LACKAWAXEN RIVER AT MOUTH AT LACKAWAXEN, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICRO-MHOS) | PH (UNITS) | TEMPERATURE (DEG C) | DISSOLVED OXYGEN (MG/L) | PERCENT SATURATION | BIO-CHEMICAL OXYGEN DEMAND 5 DAY (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | CHLORO-PHYLL A (UG/L) | CHLORO-PHYLL B (UG/L) | FECAL COLIFORM (COL. PER 100 ML) |
|------------|-------------------------------|-----------------------------------|------------|---------------------|-------------------------|--------------------|---|-----------------------------|-----------------------|-----------------------|----------------------------------|
| OCT. 16... | 10 | 79 | 7.1 | 12.0 | 9.8 | 91 | 2.8 | 2.9 | 4.1 | -- | E4 |
| NOV. 15... | 10 | 76 | 7.1 | 8.0 | 11.1 | 95 | 5.1 | 2.4 | .9 | -- | E3 |
| DEC. 12... | 14 | 62 | 6.8 | 3.0 | 12.7 | 96 | 2.5 | 2.8 | 1.1 | -- | E190 |
| JAN. 24... | 13 | 64 | 6.8 | 1.0 | 19.1 | 99 | .7 | 2.5 | 5.7 | -- | E82 |
| FEB. 21... | 12 | 60 | 6.9 | 1.0 | 12.4 | 95 | 2.9 | 2.0 | 4.3 | -- | <1 |
| MAR. 21... | 10 | 57 | 6.7 | 3.0 | 11.8 | 89 | 2.4 | 3.5 | 5.7 | -- | E40 |
| APR. 18... | 10 | 56 | 6.4 | 9.0 | 12.0 | 103 | .0 | 7.0 | .8 | -- | 65 |
| MAY 16... | -- | 54 | 6.4 | 18.0 | 10.3 | 106 | 1.1 | 7.6 | 3.0 | 5.0 | 48 |
| JUNE 13... | -- | 86 | 8.6 | 23.0 | 9.1 | 88 | .9 | .1 | 1.4 | 3.0 | E19 |
| JULY 18... | -- | 86 | 7.4 | 24.0 | 8.3 | 95 | .7 | 1.3 | 3.2 | 4.0 | 20 |
| AUG. 15... | -- | 66 | 7.0 | 22.0 | 9.4 | 107 | .8 | 1.9 | 2.0 | 1.2 | E7 |
| SEP. 10... | -- | 65 | 7.4 | 20.0 | 8.5 | 92 | 1.5 | 1.1 | 3.6 | .8 | E8 |

| DATE | TIME | DISSOLVED SILICA (SiO2) (MG/L) | TOTAL SODIUM (NA) (MG/L) | DISSOLVED SODIUM (NA) (MG/L) | TOTAL PHOSPHATE (K) (MG/L) | DISSOLVED PHOSPHATE (K) (MG/L) | DISSOLVED SULFATE (SO4) (MG/L) | DISSOLVED CHLORIDE (CL) (MG/L) | TOTAL FLUORIDE (F) (MG/L) | DISSOLVED FLUORIDE (F) (MG/L) |
|------------|------|--------------------------------|--------------------------|------------------------------|----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|-------------------------------|
| OCT. 16... | 1200 | 1.4 | -- | 2.0 | -- | 1.0 | 9.5 | 4.5 | -- | .5 |
| JAN. 24... | 1245 | 2.8 | -- | 2.3 | -- | .9 | 10 | 3.9 | -- | .0 |
| APR. 18... | 1100 | 2.2 | -- | 1.6 | -- | .8 | 11 | 3.1 | -- | .1 |
| JULY 18... | 1440 | 2.3 | 3.0 | -- | .9 | -- | 11 | 4.2 | .1 | -- |

DELAWARE RIVER BASIN

43

01432160 DELAWARE RIVER AT BARRYVILLE, N.Y.

LOCATION.--Lat 41°28'31", long 74°54'46", Sullivan County, at Shohola-Barryville Bridge at Barryville, just upstream from Halfway Brook and 1,000 ft (305 m) upstream of Shohola Brook.

DRAINAGE AREA.--2,692 mi² (6,972 km²).

PERIOD OF RECORD.--Chemical quality: October 1957 to September 1958, May 1973 to September 1974.
Water temperatures: October 1967 to September 1973.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS- CHARGE (CFS) | TOTAL CAL- CIUM (CA) (MG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | TOTAL MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) | ALKA- LINITY AS CACO ₃ (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) |
|-------|------|--|---|--|--|---|---|--|--|-----------------------------------|-----------------------------------|--|
| OCT. | | | | | | | | | | | | |
| 16... | 1410 | E1820 | -- | 7.2 | -- | 1.8 | 18 | 0 | 15 | .39 | .00 | .39 |
| NOV. | | | | | | | | | | | | |
| 15... | 1345 | E2080 | -- | 7.0 | -- | 1.7 | 19 | 0 | 16 | .28 | .00 | .28 |
| DEC. | | | | | | | | | | | | |
| 12... | 1405 | E7760 | -- | 6.5 | -- | 1.1 | 9 | 0 | 7 | .39 | .00 | .39 |
| JAN. | | | | | | | | | | | | |
| 17... | 1530 | E4280 | -- | 6.1 | -- | 1.2 | 11 | 0 | 9 | .36 | .01 | .37 |
| FEB. | | | | | | | | | | | | |
| 20... | 1415 | E3820 | -- | 6.2 | -- | 1.2 | 10 | 0 | 8 | .38 | .00 | .38 |
| MAR. | | | | | | | | | | | | |
| 21... | 1600 | E7300 | -- | 6.0 | -- | 1.1 | 10 | 0 | 8 | .28 | .00 | .28 |
| APR. | | | | | | | | | | | | |
| 18... | 1300 | E11800 | -- | 5.9 | -- | 1.2 | 10 | 0 | 8 | .28 | .01 | .29 |
| MAY | | | | | | | | | | | | |
| 16... | 1535 | E8670 | 5.9 | -- | 1.2 | -- | 11 | 0 | 9 | .25 | .01 | .26 |
| JUNE | | | | | | | | | | | | |
| 12... | 0830 | 1360 | 10 | -- | 1.7 | -- | 13 | 0 | 11 | .14 | .01 | .15 |
| JULY | | | | | | | | | | | | |
| 18... | 1550 | E1430 | 6.1 | -- | 1.6 | -- | 15 | 0 | 12 | .26 | .01 | .27 |
| AUG. | | | | | | | | | | | | |
| 15... | 1200 | 1200 | 7.8 | -- | 1.6 | -- | 17 | 0 | 14 | .13 | .01 | .14 |
| SEP. | | | | | | | | | | | | |
| 10... | 1530 | E3030 | 13 | -- | 1.8 | -- | 16 | 0 | 13 | .10 | .00 | .10 |

| DATE | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | DIS- SOLVED ORTHO PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | TOTAL NON- FIL- TABLE RESIDUE (MG/L) | TOTAL RESI- DUE (MG/L) | HAZU- NESS (CA+MG) (MG/L) |
|-------|---|--|--|---|---|--|---|--|---|---------------------------------|------------------------------------|
| OCT. | | | | | | | | | | | |
| 16... | .02 | .12 | .14 | .53 | .00 | -- | .00 | 37 | 20 | 50 | 25 |
| NOV. | | | | | | | | | | | |
| 15... | .08 | .08 | .16 | .44 | .00 | -- | .00 | -- | 4 | 62 | 24 |
| DEC. | | | | | | | | | | | |
| 12... | .13 | .07 | .20 | .59 | .02 | -- | .00 | -- | 6 | 40 | 21 |
| JAN. | | | | | | | | | | | |
| 17... | .04 | .05 | .09 | .46 | .02 | -- | .00 | 33 | 0 | 50 | 20 |
| FEB. | | | | | | | | | | | |
| 20... | .03 | .18 | .21 | .59 | .01 | -- | .00 | -- | 0 | 41 | 20 |
| MAR. | | | | | | | | | | | |
| 21... | .08 | .14 | .22 | .50 | .02 | -- | .00 | -- | 8 | 30 | 20 |
| APR. | | | | | | | | | | | |
| 18... | -- | -- | -- | -- | .02 | -- | .01 | 29 | 12 | 42 | 20 |
| MAY | | | | | | | | | | | |
| 16... | .04 | .09 | .13 | .39 | .03 | .01 | -- | -- | 7 | 45 | -- |
| JUNE | | | | | | | | | | | |
| 12... | .04 | .18 | .22 | .37 | .01 | .01 | -- | -- | 0 | 37 | -- |
| JULY | | | | | | | | | | | |
| 18... | .16 | .08 | .24 | .51 | .01 | .01 | -- | -- | 1 | 56 | -- |
| AUG. | | | | | | | | | | | |
| 15... | .15 | .09 | .24 | .38 | .01 | .01 | -- | -- | 1 | 62 | -- |
| SEP. | | | | | | | | | | | |
| 10... | .11 | .00 | .11 | .21 | .02 | .01 | -- | -- | 1 | 39 | -- |

DELAWARE RIVER BASIN

01432160 DELAWARE RIVER AT BARRYVILLE, N.Y.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICRO-MHOS) | PH (UNITS) | TEMPERATURE (DEG C) | DIS-SOLVED OXYGEN (MG/L) | PER-CENT SATURATION | BIO-CHEMICAL OXYGEN DEMAND 5 DAY (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | CHLOROPHYLL A (UG/L) | CHLOROPHYLL B (UG/L) | FECAL COLIFORM (COL. PER 100 ML) |
|------------|-------------------------------|-----------------------------------|------------|---------------------|--------------------------|---------------------|---|-----------------------------|----------------------|----------------------|----------------------------------|
| OCT. 16... | 11 | 77 | 6.9 | 12.0 | 10.4 | 97 | 2.3 | 3.6 | 1.3 | -- | E4 |
| NOV. 15... | 9 | 72 | 6.9 | 10.0 | 11.9 | 106 | 1.6 | 3.8 | .3 | -- | E2 |
| DEC. 12... | 13 | 64 | 6.5 | 3.0 | 12.5 | 94 | 1.4 | 4.6 | 1.5 | -- | E120 |
| JAN. 17... | 11 | 73 | 6.5 | .0 | 14.0 | 97 | -- | 5.6 | 2.3 | -- | 13 |
| FEB. 20... | 12 | 57 | 6.8 | 2.0 | 14.1 | 103 | 2.1 | 2.5 | 2.0 | -- | E6 |
| MAR. 21... | 11 | 58 | 7.1 | 3.0 | 13.9 | 104 | 1.8 | 1.3 | 5.2 | -- | E31 |
| APR. 18... | 11 | 55 | 6.2 | 8.0 | 11.4 | 96 | 2.4 | 10 | .0 | -- | 22 |
| MAY 16... | -- | 52 | 6.5 | 17.0 | 10.0 | 101 | .0 | 5.6 | .1 | 3.6 | 30 |
| JUNE 12... | -- | 66 | 7.1 | 19.0 | 9.4 | 99 | 2.5 | 1.7 | .5 | 1.2 | 22 |
| JULY 18... | -- | 78 | 7.7 | 25.0 | 9.2 | 112 | .4 | .5 | .8 | 1.2 | 11 |
| AUG. 15... | -- | 72 | 7.4 | 25.0 | 8.8 | 103 | .8 | 1.1 | .0 | -1.2 | E13 |
| SEP. 10... | -- | 63 | 7.4 | 20.0 | 9.4 | 102 | 1.3 | 1.0 | 2.4 | .0 | 12 |

| DATE | TIME | DIS-SOLVED SILICA (SIO2) (MG/L) | TOTAL SODIUM (NA) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | TOTAL POTASSIUM (K) (MG/L) | DIS-SOLVED POTASSIUM (K) (MG/L) | DIS-SOLVED SULFATE (SO4) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | TOTAL FLUORIDE (F) (MG/L) | DIS-SOLVED FLUORIDE (F) (MG/L) |
|------------|------|---------------------------------|--------------------------|-------------------------------|----------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------|--------------------------------|
| OCT. 16... | 1410 | 1.5 | -- | 2.0 | -- | 1.0 | 9.5 | 4.4 | -- | .3 |
| JAN. 17... | 1530 | 2.6 | -- | 2.4 | -- | .7 | 10 | 4.3 | -- | .1 |
| APR. 18... | 1300 | 1.9 | -- | 1.6 | -- | .8 | 9.8 | 3.0 | -- | .1 |
| JULY 18... | 1550 | 1.8 | 2.9 | -- | .8 | -- | 10 | 3.9 | .1 | -- |

DELAWARE RIVER BASIN

45

01433500 MONGAUP RIVER NEAR MONGAUP, N.Y.

LOCATION.--Lat 41°27'41", long 74°45'33", Sullivan County, at gaging station 300 ft (91 m) downstream from Rio hydroelectric plant of Orange and Rockland Utilities, Inc., 0.5 mi (0.8 km) downstream from Bush Kill, and 2.8 mi (4.5 km) upstream from mouth and Mongaup.

DRAINAGE AREA.--202 mi² (523 km²).

PERIOD OF RECORD.--Chemical analyses: May 1973 to September 1974.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | TOTAL CALCIUM (CA) (MG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | TOTAL MAGNESIUM (MG) | DIS-SOLVED MAGNESIUM (MG) | BICARBONATE (HCO ₃) (MG/L) | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CaCO ₃ (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) |
|------------|------|--------------------------------|---------------------------|--------------------------------|----------------------|---------------------------|--|-------------------------------------|--|--------------------------|--------------------------|---------------------------------------|
| OCT. 18... | 1400 | 29 | -- | 5.3 | -- | 1.3 | 12 | 0 | 10 | .22 | .00 | .22 |
| NOV. 16... | 0900 | 29 | -- | 5.0 | -- | 1.2 | 11 | 0 | 9 | .17 | .00 | .17 |
| DEC. 13... | 0805 | 727 | -- | 5.5 | -- | 1.2 | 8 | 0 | 7 | .18 | .00 | .19 |
| JAN. 16... | 1100 | 664 | -- | 4.5 | -- | 1.1 | 6 | 0 | 5 | .41 | .01 | .42 |
| FEB. 20... | 1315 | 724 | -- | 5.0 | -- | 1.3 | 5 | 0 | 4 | .50 | .01 | .51 |
| MAR. 20... | 1120 | 395 | -- | 5.0 | -- | 1.2 | 8 | 0 | 7 | .43 | .00 | .43 |
| APR. 17... | 0855 | 724 | -- | 4.9 | -- | 1.1 | 7 | 0 | 6 | .38 | .01 | .39 |
| MAY 15... | 1040 | 736 | 11 | -- | 1.2 | -- | 7 | 0 | 6 | .31 | .01 | .32 |
| JUNE 12... | 1740 | 716 | 5.8 | -- | 1.1 | -- | 7 | 0 | 6 | .24 | .01 | .25 |
| JULY 17... | 1245 | 28 | 5.7 | -- | 1.1 | -- | 10 | 0 | 8 | .26 | .01 | .27 |
| AUG. 14... | 1210 | 716 | 4.3 | -- | 1.2 | -- | 10 | 0 | 8 | .23 | .01 | .24 |
| SEP. 11... | 0815 | 728 | 5.5 | -- | 1.7 | -- | 6 | 0 | 5 | .19 | .01 | .20 |

| DATE | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) | TOTAL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | DIS-SOLVED ORTHO PHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | TOTAL NON-FILTRABLE RESIDUE (MG/L) | TOTAL RESIDUE (MG/L) | HARDNESS (Ca+Mg) (MG/L) |
|------------|-----------------------------|-----------------------------------|------------------------------------|---------------------------|-----------------------------|-----------------------------------|--|--|------------------------------------|----------------------|-------------------------|
| OCT. 18... | .02 | .25 | .27 | .49 | .02 | -- | .00 | 31 | 8 | 40 | 19 |
| NOV. 16... | .12 | .07 | .19 | .36 | .01 | -- | .00 | -- | 3 | 56 | 17 |
| DEC. 13... | .18 | .07 | .25 | .44 | .01 | -- | .00 | -- | 0 | 39 | 19 |
| JAN. 16... | .12 | .10 | .22 | .64 | .04 | -- | .01 | 32 | 1 | 53 | 16 |
| FEB. 20... | .14 | .25 | .39 | .90 | .02 | -- | .01 | -- | 5 | 38 | 18 |
| MAR. 20... | .22 | .05 | .27 | .70 | .02 | -- | .01 | -- | 4 | 43 | 17 |
| APR. 17... | -- | -- | -- | -- | .02 | -- | .01 | 35 | 4 | 47 | 17 |
| MAY 15... | .07 | .12 | .19 | .51 | .02 | .00 | -- | -- | 1 | 46 | -- |
| JUNE 12... | .10 | .24 | .34 | .59 | .02 | .01 | -- | -- | 2 | 47 | -- |
| JULY 17... | .12 | .04 | .16 | .43 | .02 | .01 | -- | -- | 2 | 49 | -- |
| AUG. 14... | .18 | .07 | .25 | .49 | .02 | .01 | -- | -- | 1 | 60 | -- |
| SEP. 11... | .26 | .06 | .32 | .52 | .04 | .01 | -- | -- | 2 | 36 | -- |

DELAWARE RIVER BASIN

01433500 MONGAUP RIVER NEAR MONGAUP, N.Y.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICRO-MHOS) | PH (UNITS) | TEMPERATURE (DEG C) | DISSOLVED OXYGEN (MG/L) | PERCENT SATURATION | BIO-CHEMICAL OXYGEN DEMAND 5 DAY (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | CHLORO-PHYLL A (UG/L) | CHLORO-PHYLL B (UG/L) | FECAL COLIFORM (COL. PER 100 ML) |
|------------|-------------------------------|-----------------------------------|------------|---------------------|-------------------------|--------------------|---|-----------------------------|-----------------------|-----------------------|----------------------------------|
| OCT. 18... | 9 | 61 | 6.5 | 15.0 | 9.5 | 95 | .0 | 6.1 | 9.5 | -- | E4 |
| NOV. 16... | 8 | 61 | 6.6 | 10.0 | 9.8 | 92 | 1.9 | 4.4 | .8 | -- | <1 |
| DEC. 13... | 12 | 62 | 6.4 | 5.0 | 10.6 | 84 | 2.6 | 5.1 | 2.5 | -- | E5 |
| JAN. 16... | 11 | 69 | 6.2 | 2.0 | 13.1 | 96 | 1.8 | 6.1 | 2.2 | -- | <1 |
| FEB. 20... | 14 | 73 | 6.6 | 2.0 | 12.9 | 94 | 2.3 | 2.0 | 3.1 | -- | <1 |
| MAR. 20... | 11 | 68 | 7.3 | 3.0 | 12.4 | 93 | 1.2 | .6 | 4.0 | -- | <1 |
| APR. 17... | 11 | 66 | 6.1 | 6.0 | 12.7 | 103 | 2.0 | 8.9 | 1.7 | -- | <1 |
| MAY 15... | -- | 66 | 6.1 | 12.0 | 10.3 | 95 | 1.8 | 8.9 | 5.0 | 12 | E5 |
| JUNE 12... | -- | 65 | 7.2 | 16.0 | 8.1 | 82 | 1.2 | .7 | 2.4 | 2.3 | E3 |
| JULY 17... | -- | 75 | 6.9 | 19.0 | 8.6 | 93 | 3.0 | 2.0 | 1.5 | 2.5 | 5 |
| AUG. 14... | -- | 66 | 6.9 | 21.0 | 5.0 | 56 | -- | 2.0 | .0 | 1.0 | 2 |
| SEP. 11... | -- | 66 | 7.2 | 19.0 | 7.0 | 75 | 1.3 | .6 | 6.0 | .4 | 4 |

| DATE | TIME | DISSOLVED SILICA (SI02) (MG/L) | TOTAL SODIUM (NA) (MG/L) | DISSOLVED SODIUM (NA) (MG/L) | TOTAL POTASSIUM (K) (MG/L) | DISSOLVED POTASSIUM (K) (MG/L) | DISSOLVED SULFATE (SO4) (MG/L) | DISSOLVED CHLORIDE (CL) (MG/L) | TOTAL FLUORIDE (F) (MG/L) | DISSOLVED FLUORIDE (F) (MG/L) |
|------------|------|--------------------------------|--------------------------|------------------------------|----------------------------|--------------------------------|--------------------------------|--------------------------------|---------------------------|-------------------------------|
| OCT. 18... | 1400 | 1.4 | -- | 2.0 | -- | 1.0 | 9.1 | 4.5 | -- | .4 |
| JAN. 16... | 1100 | 2.5 | -- | 3.9 | -- | 1.0 | 10 | 6.4 | -- | .1 |
| APR. 17... | 0855 | 2.6 | -- | 4.2 | -- | 1.0 | 10 | 7.5 | -- | .0 |
| JULY 17... | 1245 | 1.9 | 4.0 | -- | .8 | -- | 11 | 5.9 | .1 | -- |

DELAWARE RIVER BASIN

47

01440090 DELAWARE RIVER NEAR EAST STROUDSBURG, PA. (NEAR TOCKS ISLAND DAMSITE)

LOCATION.--Lat 41°02'40", long 75°01'42", Monroe County, water-quality recorder on right bank opposite Foxono Island, 0.1 mi (0.2 km) upstream from mouth of Vancampens Brook, and 4.4 mi (7.0 km) northeast of East Stroudsburg.

DRAINAGE AREA.--3,830 mi² (9,920 km²), approximately.

PERIOD OF RECORD.--Chemical analyses: October 1966 to May 1973, October 1973 to September 1974.
Water temperatures: October 1966 to May 1973, October 1973 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum, 99 micromhos Aug. 16; minimum, 54 micromhos Dec. 22.
Dissolved oxygen: Maximum, 18.3 mg/l Mar. 30; minimum, 6.0 mg/l Aug. 24.
pH: Maximum, 8.7 Oct. 22; minimum, 6.0 Dec. 21-23.
Water temperatures: Maximum, 25.0°C Aug. 15; minimum, 0.5°C on many days during December to February.

Period of record:

Specific conductance: Maximum, 150 micromhos Mar. 21, 1969; minimum, 44 micromhos Dec. 9, 1969 and Jan. 6, 1970.
Dissolved oxygen: Maximum, 18.4 mg/l Feb. 28, 1973; minimum, 6.0 mg/l Sept. 22, 1967, Aug. 15, 1971, and Aug. 24, 1974.
pH (1972-74): Maximum, 8.7 Oct. 22, 1973; minimum, 6.0 Dec. 21-23, 1973.
Water temperatures: Maximum, 29.0°C July 17, 18, 1968; minimum, freezing point on many days during winter period.

REMARKS.--No records available for period May to October 1973.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | DIS-SOLVED NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO-GEN (N) (MG/L) | TOTAL ORGANIC NITRO-GEN (N) (MG/L) | TOTAL KJEL-DAHL NITRO-GEN (N) (MG/L) | TOTAL NITRO-GEN (N) (MG/L) |
|-------|------|--------------------------------|--------------------------|--------------------------|-------------------------------|---------------------------------------|------------------------------|------------------------------------|--------------------------------------|----------------------------|
| JAN. | | | | | | | | | | |
| 30... | 1240 | 23500 | .50 | -- | -- | .50 | .13 | .27 | .40 | .90 |
| FEB. | | | | | | | | | | |
| 13... | 1320 | 6320 | .50 | -- | -- | .50 | .10 | .29 | .39 | .89 |
| 20... | 1215 | 6480 | .50 | -- | -- | .50 | .10 | .93 | 1.0 | 1.5 |
| MAR. | | | | | | | | | | |
| 06... | 1445 | 11800 | .41 | .01 | -- | .42 | .06 | -- | .01 | .43 |
| 27... | 1245 | 12200 | .20 | -- | -- | .20 | .19 | .24 | .43 | .63 |
| APR. | | | | | | | | | | |
| 10... | 1455 | 20600 | .33 | -- | .00 | .33 | .08 | .03 | .11 | .44 |
| 24... | 1530 | -- | -- | -- | -- | .30 | .08 | .11 | .19 | .49 |
| 30... | 1350 | 4320 | -- | -- | -- | .25 | .11 | .14 | .25 | .50 |
| MAY | | | | | | | | | | |
| 15... | 1330 | 17600 | -- | -- | -- | .28 | .18 | .51 | .69 | .97 |
| 29... | 1415 | 3830 | -- | -- | -- | .24 | .03 | .12 | .15 | .39 |
| JUNE | | | | | | | | | | |
| 05... | 1500 | 6240 | -- | -- | -- | .20 | .01 | .10 | .11 | .31 |
| 19... | 1200 | 6860 | -- | -- | -- | .27 | .06 | .37 | .43 | .70 |
| JULY | | | | | | | | | | |
| 02... | 1700 | 2720 | -- | -- | -- | .11 | .10 | .14 | .24 | .35 |
| 08... | 1400 | 2720 | -- | -- | -- | .06 | .11 | .27 | .38 | .44 |
| 23... | 1530 | 2090 | -- | -- | -- | .13 | .13 | .17 | .30 | .43 |
| AUG. | | | | | | | | | | |
| 06... | 1430 | 3620 | -- | -- | -- | .16 | .22 | .14 | .36 | .52 |
| 14... | 1445 | 1930 | -- | -- | -- | .02 | .19 | .08 | .27 | .29 |
| 28... | 1320 | 2120 | -- | -- | -- | .23 | .12 | .07 | .19 | .42 |
| SEP. | | | | | | | | | | |
| 11... | 1430 | 5930 | -- | -- | -- | .13 | .11 | .04 | .15 | .28 |
| 18... | 1240 | 3110 | -- | -- | -- | .06 | .09 | .07 | .16 | .22 |

DELAWARE RIVER BASIN

01440090 DELAWARE RIVER NEAR EAST STROUDSBURG, PA. (NEAR TOCKS ISLAND DAMSITE)--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | SUS- PENDE SOLIDS (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | TUR- BID- ITY (JTU) |
|-------|---|--|--|--|-----------------------------------|--|---------------|-----------------------------|------------------------------|
| JAN. | | | | | | | | | |
| 30... | .06 | .01 | 33 | -- | 20 | 70 | 6.6 | 2.5 | 7 |
| FEB. | | | | | | | | | |
| 13... | .01 | -- | 27 | -- | 5 | 85 | 7.1 | 1.0 | 2 |
| 20... | .02 | -- | 45 | -- | 3 | 85 | -- | 3.0 | 2 |
| MAR. | | | | | | | | | |
| 06... | .71 | -- | 42 | 32 | 16 | 58 | 6.8 | 5.5 | 3 |
| 27... | .02 | -- | 41 | -- | -- | 55 | 6.4 | 4.5 | -- |
| APR. | | | | | | | | | |
| 10... | .01 | -- | 36 | -- | -- | 80 | 6.6 | 11.5 | 3 |
| 24... | .02 | -- | 32 | -- | -- | 64 | 7.3 | 11.5 | 2 |
| 30... | .01 | -- | 47 | -- | -- | 67 | -- | -- | 2 |
| MAY | | | | | | | | | |
| 15... | .04 | -- | 57 | -- | -- | 60 | 7.0 | 14.5 | 6 |
| 29... | .02 | -- | 48 | -- | 3 | 90 | 7.7 | 16.0 | 3 |
| JUNE | | | | | | | | | |
| 05... | .03 | -- | 38 | -- | -- | 78 | 7.1 | 20.0 | 3 |
| 19... | .05 | -- | 48 | -- | -- | 80 | -- | 21.0 | 4 |
| JULY | | | | | | | | | |
| 02... | .03 | -- | 51 | -- | -- | 95 | -- | 23.0 | 2 |
| 08... | .03 | -- | 49 | -- | -- | 85 | -- | 26.5 | 2 |
| 23... | .05 | -- | 43 | -- | -- | 85 | 7.8 | 23.5 | 2 |
| AUG. | | | | | | | | | |
| 06... | .04 | -- | 59 | -- | -- | 85 | 7.3 | 23.3 | 2 |
| 14... | .03 | -- | 73 | -- | -- | 95 | 8.5 | 24.5 | 2 |
| 28... | .02 | -- | 74 | -- | -- | 85 | 7.4 | 23.5 | 1 |
| SEP. | | | | | | | | | |
| 11... | .03 | -- | 46 | -- | -- | 79 | 6.4 | 19.0 | 3 |
| 18... | .01 | -- | 49 | -- | -- | 90 | -- | 19.0 | 1 |

| DATE | DIS- SOLVED OXYGEN (MG/L) | CHEM- ICAL OXYGEN DEMAND (LOW LEVEL) (MG/L) | CHEM- ICAL OXYGEN DEMAND (HIGH LEVEL) (MG/L) | BIO- CHEM- ICAL OXYGEN DEMAND 5 DAY (MG/L) | CHLORO- PHYLL A (UG/L) | CHLORO- PHYLL B (UG/L) | FECAL COLI- FORM (COL. PER 100 ML) | STREP- TOCOCCI (COL- ONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|-------|------------------------------------|---|--|--|------------------------------|------------------------------|---|---|---|
| JAN. | | | | | | | | | |
| 30... | 13.7 | 36 | -- | .8 | .3 | -- | 200 | 180 | 4.0 |
| FEB. | | | | | | | | | |
| 13... | 14.5 | 16 | -- | -- | .2 | -- | -- | 300 | .0 |
| 20... | 14.5 | 240 | -- | -- | .3 | -- | 50 | 1000 | 1.0 |
| MAR. | | | | | | | | | |
| 06... | 12.7 | 7 | -- | -- | 1.7 | -- | -- | -- | 1.5 |
| 27... | 13.6 | 56 | -- | .6 | 1.4 | -- | 0 | 7 | 4.0 |
| APR. | | | | | | | | | |
| 10... | 12.3 | -- | 14 | 1.4 | 1.3 | -- | E6 | -- | 3.0 |
| 24... | 10.6 | 8 | -- | 1.5 | .7 | 1.3 | 13 | -- | 6.0 |
| 30... | -- | 10 | -- | -- | 1.8 | 4.2 | -- | -- | 8.0 |
| MAY | | | | | | | | | |
| 15... | 10.2 | 25 | -- | 1.0 | 21 | 4.7 | 76 | 13 | 4.0 |
| 29... | 9.0 | 6 | -- | 1.0 | 1.0 | 1.0 | 8 | 16 | 2.4 |
| JUNE | | | | | | | | | |
| 05... | 9.0 | 9 | -- | .8 | 1.5 | 3.1 | 22 | 14 | 3.2 |
| 19... | 8.4 | 11 | -- | 1.6 | 2.0 | 20 | -- | 100 | 3.4 |
| JULY | | | | | | | | | |
| 02... | 8.2 | 3 | -- | 1.0 | 4.0 | 8.0 | E42 | -- | 2.2 |
| 08... | 7.4 | 10 | -- | 1.2 | 2.1 | 5.3 | E820 | -- | 7.0 |
| 23... | 8.9 | 9 | -- | 1.2 | 16 | 1.0 | -- | -- | 1.9 |
| AUG. | | | | | | | | | |
| 06... | 8.2 | 10 | -- | .2 | -- | -- | -- | -- | 3.7 |
| 14... | 8.6 | 9 | -- | 1.8 | -- | -- | 210 | 1200 | 2.5 |
| 28... | 8.0 | 6 | -- | 1.0 | 1.3 | .3 | E60 | E13 | -- |
| SEP. | | | | | | | | | |
| 11... | 8.8 | 10 | -- | 5.0 | -- | -- | -- | -- | 5.1 |
| 18... | 9.3 | 8 | -- | 1.2 | 2.0 | 1.0 | 570 | E64 | 3.9 |

DELAWARE RIVER BASIN

49

01440090 DELAWARE RIVER NEAR EAST STROUDSBURG, PA. (NEAR TOCKS ISLAND DAMSITE)--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | TOTAL CAL- CIUM (CA) (MG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | TOTAL MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | TOTAL SODIUM (NA) (MG/L) | DIS- SOLVED SODIUM (NA) (MG/L) | TOTAL PO- TAS- SIUM (K) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HCO3) (MG/L) |
|---------------|------|---|--|--|---|-----------------------------------|--|---|--|--------------------------------------|
| MAR. 06... | 1445 | -- | 5.9 | -- | 1.3 | -- | 2.3 | -- | 1.0 | 12 |
| JUNE 05... | 1500 | 6.4 | -- | 1.2 | -- | 2.5 | -- | .6 | -- | 16 |

| DATE | CAR- BONATE (CO3) (MG/L) | ALKA- LITY AS CACO3 (MG/L) | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NON- FILT- RABLE RESIDUE (MG/L) | HARD- NESS (CA+MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | CARBON DIOXIDE (CO2) (MG/L) |
|---------------|-----------------------------------|--|--|---|--|--|------------------------------------|---|--------------------------------------|
| MAR. 06... | 0 | 10 | 11 | 4.3 | .1 | -- | 20 | 10 | 2.7 |
| JUNE 05... | 0 | 13 | 8.5 | 3.4 | -- | 5 | -- | -- | 2.0 |

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 89 | 70 | 80 | 75 | 72 | 74 | 75 | 73 | 74 |
| 2 | --- | --- | --- | 77 | 70 | 73 | 72 | 70 | 71 | 76 | 74 | 75 |
| 3 | --- | --- | --- | 80 | 72 | 77 | 71 | 69 | 70 | 78 | 75 | 77 |
| 4 | --- | --- | --- | 81 | 77 | 79 | 72 | 70 | 71 | 80 | 78 | 79 |
| 5 | --- | --- | --- | 83 | 72 | 78 | 72 | 70 | 71 | 84 | 79 | 81 |
| 6 | --- | --- | --- | 86 | 71 | 81 | 71 | 68 | 70 | 85 | 80 | 82 |
| 7 | --- | --- | --- | 86 | 78 | 82 | 72 | 67 | 69 | 84 | 82 | 83 |
| 8 | --- | --- | --- | 85 | 81 | 83 | 70 | 64 | 67 | 84 | 84 | 84 |
| 9 | --- | --- | --- | 85 | 81 | 82 | 64 | 62 | 63 | 86 | 84 | 85 |
| 10 | --- | --- | --- | 81 | 80 | 81 | 64 | 60 | 62 | 88 | 85 | 86 |
| 11 | --- | --- | --- | 81 | 80 | 80 | 61 | 58 | 59 | 85 | 82 | 84 |
| 12 | --- | --- | --- | 81 | 80 | 81 | 59 | 57 | 58 | 84 | 83 | 84 |
| 13 | --- | --- | --- | 81 | 70 | 78 | 61 | 58 | 60 | 93 | 84 | 86 |
| 14 | --- | --- | --- | 77 | 70 | 74 | 63 | 60 | 62 | 91 | 87 | 89 |
| 15 | --- | --- | --- | 77 | 70 | 73 | 63 | 61 | 62 | 91 | 85 | 89 |
| 16 | --- | --- | --- | 76 | 69 | 73 | 64 | 62 | 63 | 85 | 81 | 83 |
| 17 | --- | --- | --- | 75 | 69 | 72 | 63 | 62 | 62 | 93 | 81 | 87 |
| 18 | --- | --- | --- | 76 | 68 | 72 | 65 | 62 | 64 | 93 | 89 | 91 |
| 19 | 87 | 87 | --- | 79 | 69 | 74 | 68 | 65 | 67 | 94 | 90 | 92 |
| 20 | 87 | 84 | 86 | 77 | 71 | 74 | 69 | 67 | 68 | 94 | 91 | 92 |
| 21 | 86 | 84 | 85 | 76 | 71 | 74 | 67 | 58 | 63 | 93 | 89 | 91 |
| 22 | 86 | 85 | 86 | 82 | 75 | 77 | 59 | 54 | 56 | 92 | 87 | 90 |
| 23 | 86 | 79 | 85 | 86 | 71 | 77 | 64 | 57 | 61 | 89 | 85 | 87 |
| 24 | 86 | 82 | 84 | 78 | 72 | 75 | 67 | 64 | 66 | 87 | 85 | 86 |
| 25 | 83 | 82 | 83 | 82 | 71 | 78 | 70 | 67 | 69 | 86 | 84 | 85 |
| 26 | 83 | 82 | 83 | 88 | 76 | 81 | 72 | 70 | 71 | 83 | 82 | 83 |
| 27 | 85 | 83 | 84 | 87 | 77 | 80 | 74 | 71 | 72 | 84 | 81 | 83 |
| 28 | 85 | 85 | 85 | 81 | 79 | 80 | 71 | 63 | 67 | 82 | 77 | 79 |
| 29 | 85 | 80 | 84 | 80 | 75 | 77 | 66 | 63 | 65 | 76 | 72 | 74 |
| 30 | 84 | 75 | 79 | 76 | 74 | 75 | 72 | 65 | 68 | 73 | 71 | 72 |
| 31 | 87 | 68 | 77 | --- | --- | --- | 72 | 67 | 69 | 73 | 71 | 72 |
| MONTH | --- | --- | --- | 89 | 68 | 77 | 75 | 54 | 66 | 94 | 71 | 83 |

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

[illegible]

01440090 DELAWARE RIVER NEAR EAST STROUDSBURG, PA. (NEAR TOCKS ISLAND DAMSITE)--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|------|------|----------|------|------|----------|------|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 12.4 | 11.8 | 12.1 | 13.5 | 13.1 | --- | 9.9 | 9.4 | 9.7 |
| 2 | --- | --- | --- | 12.8 | 12.2 | 12.5 | --- | --- | --- | 11.0 | 9.6 | 10.4 |
| 3 | --- | --- | --- | 13.1 | 12.2 | 12.7 | --- | --- | --- | 11.6 | 10.7 | 11.2 |
| 4 | 10.9 | 10.4 | --- | --- | --- | --- | --- | --- | --- | 12.4 | 11.4 | 11.7 |
| 5 | 11.3 | 10.3 | 10.9 | --- | --- | --- | 14.0 | 12.4 | --- | 14.1 | 11.7 | 13.2 |
| 6 | 11.9 | 11.2 | 11.5 | --- | --- | --- | 12.3 | 11.8 | 12.0 | 13.9 | 12.6 | 13.2 |
| 7 | 12.6 | 11.6 | 12.0 | --- | --- | --- | 12.5 | 11.9 | 12.1 | 12.7 | 11.6 | 12.1 |
| 8 | 12.4 | 11.3 | 11.9 | --- | --- | --- | 14.0 | 12.3 | 13.2 | 14.3 | 12.2 | 13.4 |
| 9 | 11.9 | 10.5 | 11.1 | 13.3 | 13.2 | --- | 14.9 | 14.1 | 14.6 | 14.7 | 13.6 | 14.1 |
| 10 | 11.1 | 10.5 | 10.8 | 14.7 | 13.3 | 14.0 | 14.6 | 10.7 | 13.3 | 14.6 | 13.5 | --- |
| 11 | 11.2 | 10.6 | --- | 15.9 | 15.0 | 15.4 | 11.0 | 10.1 | 10.4 | --- | --- | --- |
| 12 | --- | --- | --- | 16.4 | 15.4 | 16.1 | 11.4 | 10.3 | 10.8 | --- | --- | --- |
| 13 | --- | --- | --- | 16.0 | 13.0 | 14.7 | 12.6 | 11.2 | 12.0 | --- | --- | --- |
| 14 | --- | --- | --- | 12.9 | 11.0 | 12.0 | 12.4 | 10.8 | 11.7 | --- | --- | --- |
| 15 | --- | --- | --- | 11.0 | 9.6 | 10.6 | 12.1 | 11.1 | 11.5 | --- | --- | --- |
| 16 | --- | --- | --- | 9.8 | 9.4 | 9.6 | 12.8 | 11.8 | --- | --- | --- | --- |
| 17 | --- | --- | --- | 11.0 | 9.7 | 10.4 | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | 12.5 | 10.9 | 11.9 | --- | --- | --- | --- | --- | --- |
| 19 | 12.5 | 12.1 | --- | 13.0 | 12.3 | 12.6 | --- | --- | --- | --- | --- | --- |
| 20 | 12.4 | 11.6 | 12.0 | 13.3 | 12.6 | 13.0 | --- | --- | --- | --- | --- | --- |
| 21 | 12.8 | 11.8 | 12.2 | 14.3 | 13.1 | 13.7 | 16.5 | 14.5 | --- | --- | --- | --- |
| 22 | 12.6 | 12.0 | 12.3 | 13.8 | 13.0 | 13.5 | 16.3 | 13.9 | 15.3 | --- | --- | --- |
| 23 | 12.7 | 12.0 | 12.3 | 13.5 | 12.9 | 13.3 | 14.1 | 12.4 | 13.4 | --- | --- | --- |
| 24 | 12.3 | 11.5 | 12.0 | 13.1 | 12.1 | 12.7 | 13.5 | 12.5 | 13.0 | --- | --- | --- |
| 25 | 12.1 | 11.1 | 11.6 | 12.2 | 11.3 | 11.9 | 15.1 | 13.2 | 14.6 | --- | --- | --- |
| 26 | 12.1 | 10.7 | 11.3 | 12.2 | 11.3 | 11.7 | 14.7 | 11.7 | 13.2 | --- | --- | --- |
| 27 | 12.1 | 10.6 | 11.4 | 12.2 | 11.6 | 11.9 | 11.3 | 10.1 | 10.7 | --- | --- | --- |
| 28 | 13.0 | 11.4 | 12.0 | 11.9 | 11.2 | 11.6 | 10.3 | 8.8 | 9.6 | --- | --- | --- |
| 29 | 12.9 | 11.6 | 12.1 | 12.0 | 11.2 | 11.5 | 9.6 | 9.0 | 9.2 | --- | --- | --- |
| 30 | 12.6 | 11.7 | 12.1 | 13.2 | 12.0 | 12.6 | 9.1 | 8.3 | 8.8 | --- | --- | --- |
| 31 | 12.6 | 12.0 | 12.2 | --- | --- | --- | 9.8 | 9.0 | 9.4 | --- | --- | --- |
| MONTH | --- | --- | --- | 16.4 | 9.4 | 12.6 | --- | --- | --- | --- | --- | --- |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | 14.7 | 12.7 | 13.7 | 9.8 | 8.9 | 9.3 |
| 2 | --- | --- | --- | --- | --- | --- | 12.8 | 11.3 | 12.0 | 9.1 | 8.3 | 8.7 |
| 3 | --- | --- | --- | --- | --- | --- | 11.8 | 10.6 | 11.2 | 9.9 | 7.6 | 9.1 |
| 4 | --- | --- | --- | --- | --- | --- | 10.6 | 8.6 | 9.5 | 10.5 | 9.8 | 10.2 |
| 5 | --- | --- | --- | --- | --- | --- | 8.6 | 8.2 | 8.3 | 10.9 | 10.2 | 10.6 |
| 6 | 14.6 | 14.2 | --- | 12.7 | 12.4 | --- | 9.5 | 8.4 | 8.7 | 10.6 | 10.1 | 10.3 |
| 7 | 14.4 | 13.6 | 14.1 | 12.5 | 10.8 | 11.9 | 10.6 | 9.6 | 10.3 | 10.9 | 10.1 | 10.6 |
| 8 | 14.5 | 14.1 | 14.3 | 12.1 | 11.5 | 11.9 | 10.8 | 10.5 | 10.6 | 10.9 | 10.2 | 10.6 |
| 9 | 14.6 | 14.0 | 14.3 | 12.8 | 11.9 | 12.5 | 11.5 | 10.9 | 11.2 | 10.3 | 9.9 | 10.1 |
| 10 | 14.6 | 14.0 | 14.3 | 13.4 | 12.3 | 12.9 | 12.7 | 11.7 | 12.2 | 9.9 | 9.6 | 9.8 |
| 11 | 14.6 | 14.1 | 14.4 | 13.6 | 12.6 | 13.1 | 13.4 | 11.8 | 12.5 | 10.2 | 9.8 | 10.0 |
| 12 | 14.5 | 13.9 | 14.2 | 13.3 | 11.9 | 12.7 | 12.0 | 10.9 | 11.4 | 9.9 | 9.4 | 9.6 |
| 13 | 14.5 | 13.7 | --- | 14.2 | 12.2 | 13.4 | 11.0 | 10.2 | 10.6 | 10.1 | 9.5 | 9.7 |
| 14 | --- | --- | --- | 16.0 | 14.4 | 15.1 | 10.7 | 10.3 | 10.5 | 10.7 | 10.2 | 10.5 |
| 15 | --- | --- | --- | 15.9 | 13.8 | 14.8 | 10.4 | 10.0 | 10.2 | 10.6 | 9.8 | 10.2 |
| 16 | --- | --- | --- | 13.9 | 12.8 | 13.3 | 11.1 | 10.2 | 10.6 | 9.8 | 9.1 | 9.5 |
| 17 | --- | --- | --- | 13.0 | 12.2 | 12.6 | 11.9 | 11.3 | 11.6 | 9.1 | 8.7 | 8.9 |
| 18 | --- | --- | --- | 14.0 | 12.3 | 13.1 | 11.7 | 10.8 | 11.3 | 8.9 | 8.7 | 8.8 |
| 19 | --- | --- | --- | 13.5 | 12.0 | 13.0 | 11.1 | 10.7 | 10.9 | 8.9 | 8.6 | 8.7 |
| 20 | --- | --- | --- | 12.7 | 11.4 | 12.1 | 11.6 | 11.0 | 11.3 | 9.0 | 8.6 | 8.8 |
| 21 | --- | --- | --- | 12.1 | 11.7 | 11.9 | 11.4 | 10.5 | 11.0 | 9.5 | 8.6 | 9.1 |
| 22 | --- | --- | --- | 13.4 | 12.3 | 12.8 | 10.6 | 9.9 | 10.3 | 9.3 | 8.8 | 9.0 |
| 23 | --- | --- | --- | 13.7 | 12.0 | 12.8 | 10.0 | 9.7 | 9.8 | 8.8 | 8.1 | 8.4 |
| 24 | --- | --- | --- | 12.1 | 10.7 | 11.3 | 10.6 | 9.8 | 10.1 | 8.6 | 7.8 | 8.3 |
| 25 | --- | --- | --- | 12.3 | 11.1 | 11.8 | 11.5 | 10.7 | 11.2 | 8.7 | 8.0 | 8.3 |
| 26 | --- | --- | --- | 13.5 | 12.6 | 13.0 | 11.8 | 11.5 | 11.6 | 9.0 | 8.4 | 8.7 |
| 27 | --- | --- | --- | 13.8 | 12.5 | 13.2 | 11.9 | 11.3 | 11.7 | 9.4 | 8.7 | 9.0 |
| 28 | --- | --- | --- | 12.8 | 11.5 | 12.2 | 11.5 | 10.7 | 11.3 | 9.6 | 9.0 | 9.3 |
| 29 | --- | --- | --- | 15.4 | 11.6 | 12.9 | 10.8 | 9.9 | 10.4 | 9.2 | 8.6 | 8.9 |
| 30 | --- | --- | --- | 18.3 | 15.5 | 17.5 | 10.0 | 9.3 | 9.8 | 9.3 | 8.8 | 9.0 |
| 31 | --- | --- | --- | 17.7 | 14.7 | 16.4 | --- | --- | --- | 9.0 | 8.5 | 8.8 |
| MONTH | --- | --- | --- | 18.3 | 10.7 | 13.1 | 14.7 | 8.2 | 10.9 | 10.9 | 7.6 | 9.4 |

DELAWARE RIVER BASIN

01440090 DELAWARE RIVER NEAR EAST STROUDSBURG, PA. (NEAR TOCKS ISLAND DAMSITE)--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 9.1 | 8.4 | 8.7 | --- | --- | --- | --- | --- | --- | 8.0 | 7.3 | 7.6 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.5 | 7.2 | 7.3 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.8 | 7.2 | 7.6 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.4 | 7.9 | 8.1 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.8 | 8.4 | 8.6 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.1 | 8.7 | 9.0 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.1 | 9.0 | 9.0 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.0 | 8.7 | 8.9 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.7 | 8.5 | 8.6 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.6 | 8.4 | 8.5 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.0 | 8.2 | 8.5 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.8 | 8.0 | 8.4 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.7 | 7.8 | 8.1 |
| 14 | --- | --- | --- | --- | --- | --- | 8.5 | 8.1 | --- | --- | --- | --- |
| 15 | --- | --- | --- | --- | --- | --- | 9.1 | 7.8 | 8.4 | --- | --- | --- |
| 16 | --- | --- | --- | --- | --- | --- | 8.9 | 7.8 | 8.3 | --- | --- | --- |
| 17 | --- | --- | --- | --- | --- | --- | 8.4 | 7.7 | 7.9 | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | 8.4 | 7.6 | 8.0 | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | 8.2 | 7.5 | 7.8 | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | 8.0 | 7.1 | 7.5 | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | 7.8 | 6.8 | 7.3 | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | 7.0 | 6.5 | 6.7 | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | 7.0 | 6.2 | 6.5 | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | 6.9 | 6.0 | 6.5 | --- | --- | --- |
| 25 | --- | --- | --- | --- | --- | --- | 7.6 | 6.3 | 7.0 | --- | --- | --- |
| 26 | --- | --- | --- | --- | --- | --- | 7.5 | 6.9 | 7.2 | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | 8.0 | 7.1 | 7.5 | --- | --- | --- |
| 28 | --- | --- | --- | --- | --- | --- | 8.3 | 7.4 | 7.7 | --- | --- | --- |
| 29 | --- | --- | --- | --- | --- | --- | 8.2 | 7.3 | 7.7 | --- | --- | --- |
| 30 | --- | --- | --- | --- | --- | --- | 7.8 | 7.3 | 7.5 | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | 7.7 | 7.3 | 7.5 | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 7.1 | 6.9 | 7.1 | 6.9 | 6.8 | 6.9 | 6.4 | 6.4 | 6.4 |
| 2 | --- | --- | --- | 7.2 | 6.9 | 7.0 | 7.0 | 6.8 | 6.9 | 6.5 | 6.4 | 6.4 |
| 3 | --- | --- | --- | 7.3 | 7.0 | 7.1 | 7.0 | 6.8 | 6.9 | 6.5 | 6.5 | 6.5 |
| 4 | 7.8 | 6.6 | --- | 7.4 | 7.1 | 7.2 | 7.1 | 6.8 | 6.9 | 6.6 | 6.5 | 6.5 |
| 5 | 7.8 | 6.5 | 7.1 | 7.5 | 7.1 | 7.3 | 7.3 | 6.8 | 7.1 | 6.7 | 6.5 | 6.6 |
| 6 | 7.6 | 6.9 | 7.2 | 7.6 | 7.1 | 7.3 | 7.3 | 7.1 | 7.2 | 6.6 | 6.6 | 6.6 |
| 7 | 7.9 | 6.8 | 7.2 | 7.9 | 7.2 | 7.4 | 7.2 | 7.1 | 7.1 | 6.6 | 6.6 | 6.6 |
| 8 | 8.3 | 6.8 | 7.5 | 7.8 | 7.2 | 7.4 | 7.1 | 7.1 | 7.1 | 6.7 | 6.6 | 6.7 |
| 9 | 7.9 | 6.8 | 7.3 | 7.8 | 7.3 | 7.5 | 7.1 | 7.0 | 7.1 | 6.7 | 6.6 | 6.7 |
| 10 | 8.0 | 7.0 | 7.3 | 7.8 | 7.3 | 7.5 | 7.1 | 6.9 | 7.0 | 6.8 | 6.6 | 6.7 |
| 11 | 7.4 | 7.0 | --- | 8.2 | 7.3 | 7.6 | 6.9 | 6.9 | 6.9 | 6.6 | 6.6 | 6.6 |
| 12 | --- | --- | --- | 7.8 | 7.2 | 7.5 | 7.0 | 6.9 | 7.0 | 6.6 | 6.6 | 6.6 |
| 13 | --- | --- | --- | 7.6 | 7.1 | 7.4 | 7.0 | 7.0 | 7.0 | 6.8 | 6.6 | 6.7 |
| 14 | --- | --- | --- | 7.6 | 7.1 | 7.3 | 7.0 | 6.9 | 7.0 | 6.7 | 6.6 | 6.7 |
| 15 | --- | --- | --- | 7.8 | 7.1 | 7.3 | 6.9 | 6.8 | 6.9 | 6.7 | 6.6 | 6.7 |
| 16 | --- | --- | --- | 7.4 | 7.1 | 7.2 | 6.9 | 6.8 | 6.9 | 6.7 | 6.6 | 6.7 |
| 17 | --- | --- | --- | 7.9 | 7.1 | 7.3 | 6.8 | 6.7 | 6.8 | 6.8 | 6.7 | 6.7 |
| 18 | --- | --- | --- | 7.8 | 7.2 | 7.4 | 6.7 | 6.6 | 6.7 | 6.8 | 6.7 | 6.7 |
| 19 | 8.2 | 7.5 | --- | 7.9 | 7.2 | 7.4 | 6.6 | 6.5 | 6.6 | 6.7 | 6.7 | 6.7 |
| 20 | 8.3 | 7.3 | 7.7 | 8.0 | 7.2 | 7.5 | 6.5 | 6.4 | 6.5 | 6.7 | 6.7 | 6.7 |
| 21 | 8.4 | 7.3 | 7.8 | 7.5 | 7.0 | 7.3 | 6.4 | 6.0 | 6.3 | 6.7 | 6.7 | 6.7 |
| 22 | 8.7 | 7.6 | 8.1 | 7.8 | 7.0 | 7.3 | 6.6 | 6.0 | 6.2 | 6.7 | 6.7 | 6.7 |
| 23 | 8.6 | 7.7 | 8.1 | 8.2 | 6.9 | 7.4 | 6.3 | 6.0 | 6.1 | 6.7 | 6.7 | 6.7 |
| 24 | 8.6 | 7.8 | 8.1 | 7.9 | 7.0 | 7.3 | 6.3 | 6.1 | 6.2 | 6.7 | 6.6 | 6.7 |
| 25 | 8.4 | 7.4 | 7.9 | 7.2 | 6.9 | 7.1 | 6.4 | 6.2 | 6.2 | 6.6 | 6.6 | 6.6 |
| 26 | 8.6 | 7.3 | 7.8 | 7.3 | 6.9 | 7.0 | 6.3 | 6.2 | 6.3 | 6.6 | 6.6 | 6.6 |
| 27 | 8.5 | 7.3 | 7.8 | 7.1 | 6.8 | 6.9 | 6.4 | 6.2 | 6.3 | 6.7 | 6.6 | 6.6 |
| 28 | 8.5 | 7.4 | 7.9 | 6.9 | 6.8 | 6.8 | 6.4 | 6.2 | 6.3 | 6.7 | 6.6 | 6.6 |
| 29 | 7.6 | 7.3 | 7.5 | 6.8 | 6.7 | 6.8 | 6.3 | 6.3 | 6.3 | 6.6 | 6.5 | 6.5 |
| 30 | 7.3 | 7.0 | 7.1 | 6.9 | 6.7 | 6.8 | 6.4 | 6.2 | 6.3 | 6.5 | 6.4 | 6.5 |
| 31 | 7.2 | 7.0 | 7.1 | --- | --- | --- | 6.4 | 6.3 | 6.4 | 6.5 | 6.4 | 6.5 |
| MONTH | --- | --- | --- | 8.2 | 6.7 | 7.2 | 7.3 | 6.0 | 6.7 | 6.8 | 6.4 | 6.6 |

53

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

[illegible]

DELAWARE RIVER BASIN

01440090 DELAWARE RIVER NEAR EAST STROUDSBURG, PA. (NEAR TOCKS ISLAND DAMSITE)--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|------|------|----------|------|------|----------|------|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 11.0 | 10.0 | 10.5 | 6.5 | 6.0 | 6.5 | 3.0 | 3.0 | 3.0 |
| 2 | --- | --- | --- | 10.5 | 9.5 | 10.0 | 6.0 | 5.0 | 5.5 | 3.0 | 2.0 | 2.0 |
| 3 | --- | --- | --- | 10.5 | 10.0 | 10.0 | 5.0 | 4.5 | 4.5 | 2.0 | 1.5 | 2.0 |
| 4 | 19.0 | 18.5 | --- | 9.5 | 8.5 | 9.0 | 5.0 | 4.0 | 4.5 | 2.0 | 1.5 | 1.5 |
| 5 | 19.5 | 18.0 | 18.5 | 8.5 | 8.0 | 8.5 | 7.0 | 5.0 | 6.0 | 1.5 | 1.0 | 1.0 |
| 6 | 18.5 | 17.0 | 17.5 | 8.0 | 6.0 | 6.5 | 8.0 | 7.0 | 7.0 | 1.0 | 1.0 | 1.0 |
| 7 | 17.0 | 16.0 | 16.5 | 6.5 | 5.5 | 6.0 | 7.0 | 6.5 | 6.5 | 1.5 | 1.0 | 1.5 |
| 8 | 18.0 | 16.0 | 16.5 | 5.5 | 5.0 | 5.5 | 6.5 | 5.5 | 6.0 | 1.5 | 0.5 | 1.0 |
| 9 | 17.0 | 16.0 | 16.5 | 5.5 | 4.5 | 5.0 | 5.5 | 5.0 | 5.0 | 1.0 | 0.5 | 0.5 |
| 10 | 18.0 | 16.0 | 16.5 | 4.5 | 4.0 | 4.5 | 5.5 | 5.0 | 5.0 | 1.0 | 0.5 | 0.5 |
| 11 | 16.5 | 16.0 | --- | 4.5 | 3.5 | 4.0 | 5.0 | 5.0 | 5.0 | 1.0 | 0.5 | 0.5 |
| 12 | --- | --- | --- | 4.0 | 3.5 | 3.5 | 5.0 | 4.0 | 4.5 | 1.0 | 0.5 | 0.5 |
| 13 | --- | --- | --- | 5.0 | 3.5 | 4.5 | 4.0 | 3.5 | 3.5 | 1.0 | 0.5 | 1.0 |
| 14 | --- | --- | --- | 7.0 | 5.0 | 6.0 | 4.0 | 3.5 | 4.0 | 1.0 | 0.5 | 0.5 |
| 15 | --- | --- | --- | 9.0 | 7.0 | 8.0 | 4.0 | 3.5 | 4.0 | 0.5 | 0.5 | 0.5 |
| 16 | --- | --- | --- | 9.5 | 9.0 | 9.0 | 3.5 | 0.5 | 3.0 | 1.0 | 0.5 | 0.5 |
| 17 | --- | --- | --- | 9.0 | 7.0 | 8.5 | 2.0 | 0.5 | 1.0 | 1.0 | 0.5 | 0.5 |
| 18 | --- | --- | --- | 7.0 | 6.0 | 6.5 | 1.0 | 0.5 | 0.5 | 1.0 | 1.0 | 1.0 |
| 19 | 11.5 | 10.5 | --- | 6.5 | 6.0 | 6.0 | 1.0 | 0.5 | 0.5 | 1.0 | 0.5 | 0.5 |
| 20 | 11.5 | 10.5 | 11.0 | 6.5 | 6.0 | 6.0 | 1.0 | 0.5 | 0.5 | 1.0 | 0.5 | 0.5 |
| 21 | 11.5 | 10.5 | 11.0 | 6.5 | 5.5 | 6.0 | 1.5 | 0.5 | 1.0 | 1.0 | 0.5 | 0.5 |
| 22 | 12.0 | 10.5 | 11.0 | 8.0 | 6.0 | 6.5 | 1.0 | 0.5 | 1.0 | 1.0 | 0.5 | 1.0 |
| 23 | 11.5 | 10.5 | 11.0 | 8.0 | 6.5 | 7.0 | 1.5 | 1.0 | 1.0 | 1.5 | 1.0 | 1.0 |
| 24 | 12.0 | 11.0 | 11.5 | 8.0 | 7.0 | 7.5 | 1.5 | 1.0 | 1.5 | 1.5 | 1.0 | 1.0 |
| 25 | 13.0 | 11.5 | 12.0 | 8.5 | 8.0 | 8.0 | 1.0 | 1.0 | 1.0 | 2.0 | 1.5 | 1.5 |
| 26 | 13.5 | 12.0 | 12.5 | 8.5 | 8.0 | 8.5 | 2.0 | 1.0 | 1.5 | 2.0 | 1.5 | 1.5 |
| 27 | 13.5 | 12.0 | 12.5 | 8.5 | 8.0 | 8.0 | 3.0 | 0.5 | 2.5 | 4.0 | 2.0 | 3.0 |
| 28 | 11.5 | 11.0 | 11.5 | 8.5 | 8.0 | 8.0 | 3.5 | 0.5 | 3.5 | 4.0 | 2.0 | 3.0 |
| 29 | 11.0 | 10.5 | 10.5 | 8.5 | 8.0 | 8.5 | 3.5 | 3.5 | 3.5 | 3.5 | 2.0 | 3.0 |
| 30 | 10.5 | 10.0 | 10.0 | 8.0 | 6.5 | 7.0 | 4.0 | 3.5 | 3.5 | 4.0 | 3.0 | 3.5 |
| 31 | 11.0 | 10.0 | 10.0 | --- | --- | --- | 3.5 | 3.0 | 3.0 | 4.0 | 3.5 | 3.5 |
| MONTH | --- | --- | --- | 11.0 | 3.5 | 7.0 | 8.0 | 0.5 | 3.5 | 4.0 | 0.5 | 1.5 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 4.0 | 3.5 | 3.5 | 4.0 | 3.5 | 3.5 | 4.5 | 3.5 | 4.0 | 17.0 | 15.5 | 16.0 |
| 2 | 3.0 | 1.5 | 2.5 | 3.5 | 3.5 | 3.5 | 5.5 | 4.5 | 4.5 | 16.0 | 15.0 | 15.5 |
| 3 | 1.5 | 0.5 | 1.0 | 3.5 | 3.5 | 3.5 | 6.5 | 5.0 | 5.5 | 14.5 | 13.0 | 13.5 |
| 4 | 1.0 | 0.5 | 0.5 | 5.0 | 3.5 | 4.0 | 9.0 | 6.5 | 7.5 | 13.5 | 11.5 | 12.5 |
| 5 | 1.0 | 0.5 | 0.5 | 5.5 | 5.0 | 5.0 | 9.5 | 9.0 | 9.0 | 13.0 | 11.5 | 12.0 |
| 6 | 1.0 | 0.5 | 0.5 | 5.5 | 5.0 | 5.5 | 9.0 | 7.0 | 8.0 | 11.5 | 10.5 | 11.5 |
| 7 | 1.0 | 0.5 | 0.5 | 6.5 | 5.0 | 5.5 | 7.0 | 6.0 | 6.5 | 10.5 | 10.0 | 10.5 |
| 8 | 0.5 | 0.5 | 0.5 | 6.0 | 5.5 | 5.5 | 6.5 | 6.0 | 6.0 | 11.0 | 9.5 | 10.5 |
| 9 | 0.5 | 0.5 | 0.5 | 5.5 | 4.5 | 5.0 | 6.0 | 5.0 | 5.5 | 11.5 | 10.5 | 11.0 |
| 10 | 0.5 | 0.5 | 0.5 | 5.0 | 4.0 | 4.5 | 5.0 | 4.5 | 4.5 | 11.5 | 11.0 | 11.0 |
| 11 | 0.5 | 0.5 | 0.5 | 4.5 | 4.0 | 4.5 | 6.0 | 4.5 | 5.0 | 13.0 | 10.5 | 11.5 |
| 12 | 1.0 | 0.5 | 0.5 | 5.0 | 4.0 | 4.5 | 8.0 | 6.0 | 6.5 | 13.5 | 13.0 | 13.0 |
| 13 | 1.0 | 0.5 | 0.5 | 4.5 | 3.5 | 4.0 | 9.0 | 8.0 | 8.5 | 13.0 | 11.5 | 12.0 |
| 14 | 2.0 | 1.0 | 1.5 | 3.5 | 3.0 | 3.0 | 9.5 | 8.5 | 9.0 | 13.0 | 10.5 | 11.5 |
| 15 | 2.0 | 1.5 | 1.5 | 4.0 | 3.0 | 3.5 | 10.0 | 9.5 | 10.0 | 15.0 | 12.0 | 13.5 |
| 16 | 1.0 | 0.5 | 1.0 | 4.0 | 4.0 | 4.0 | 10.0 | 9.0 | 9.5 | 17.0 | 15.0 | 16.0 |
| 17 | 1.5 | 0.5 | 1.0 | 4.0 | 4.0 | 4.0 | 9.0 | 8.0 | 8.5 | 18.5 | 16.5 | 17.0 |
| 18 | 2.0 | 1.0 | 1.5 | 4.0 | 3.0 | 3.5 | 9.5 | 8.5 | 9.0 | 19.0 | 17.0 | 18.0 |
| 19 | 2.0 | 1.5 | 1.5 | 4.5 | 3.5 | 4.0 | 9.5 | 9.0 | 9.0 | 19.0 | 17.0 | 18.0 |
| 20 | 3.0 | 1.5 | 2.0 | 5.0 | 4.0 | 4.5 | 9.5 | 8.5 | 9.0 | 18.5 | 17.0 | 18.0 |
| 21 | 3.0 | 1.5 | 2.5 | 5.0 | 4.0 | 4.5 | 10.5 | 9.0 | 9.5 | 18.5 | 16.5 | 17.5 |
| 22 | 4.5 | 3.0 | 3.5 | 4.0 | 3.5 | 4.0 | 11.5 | 10.5 | 11.0 | 19.0 | 16.5 | 18.0 |
| 23 | 4.0 | 2.0 | 3.5 | 4.5 | 3.5 | 4.0 | 13.0 | 11.5 | 12.0 | 19.5 | 18.5 | 19.0 |
| 24 | 2.0 | 0.5 | 1.0 | 5.5 | 4.5 | 5.0 | 12.0 | 10.5 | 11.5 | 19.5 | 18.5 | 18.5 |
| 25 | 2.0 | 1.5 | 1.5 | 5.0 | 4.5 | 4.5 | 10.5 | 10.0 | 10.5 | 19.0 | 17.0 | 18.0 |
| 26 | 1.5 | 1.0 | 1.5 | 4.5 | 4.0 | 4.0 | 11.0 | 10.0 | 10.5 | 17.0 | 16.0 | 16.5 |
| 27 | 2.0 | 1.0 | 1.5 | 4.5 | 4.0 | 4.0 | 11.5 | 9.5 | 10.5 | 16.0 | 15.5 | 15.5 |
| 28 | 3.5 | 1.5 | 2.5 | 5.5 | 4.0 | 5.0 | 13.0 | 11.0 | 12.0 | 16.0 | 14.5 | 15.5 |
| 29 | --- | --- | --- | 5.0 | 2.0 | 4.0 | 15.5 | 13.0 | 14.0 | 15.5 | 15.0 | 15.5 |
| 30 | --- | --- | --- | 2.0 | 1.5 | 1.5 | 16.5 | 15.0 | 15.5 | 17.0 | 15.5 | 16.0 |
| 31 | --- | --- | --- | 3.5 | 1.5 | 2.5 | --- | --- | --- | 18.0 | 16.5 | 17.0 |
| MONTH | 4.5 | 0.5 | 1.5 | 6.5 | 1.5 | 4.0 | 16.5 | 3.5 | 8.5 | 19.5 | 9.5 | 15.0 |

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

[illegible]

DELAWARE RIVER BASIN

01442750 DELAWARE RIVER AT DUNNFIELD, N.J. (DELAWARE WATER GAP, PA.)

LOCATION.--Lat 41°58'40", long 75°08'10", Warren County, at bridge on Interstate Highway 80, and 4.0 mi (6.4 km) downstream from gaging station, in Dunnfield.

DRAINAGE AREA.--4,150 mi² (10,749 km²), approximately.

PERIOD OF RECORD.--Chemical analyses: Water years 1965-72 (partial-record station), October 1972 to September 1974.

Water temperatures: October 1966 to September 1974.

Sediment records: July 1964 to September 1974.

EXTREMES.--1973-74

Water temperatures: Maximum daily, 26.0°C Aug. 4-6, 8, 13, 15, 20, 21, 26; minimum daily, freezing point Jan. 8, 10, 24, 26, 29, Feb. 3, 5, 7, 15.

Period of record:

Water temperatures: Maximum daily, 28.0°C July 28, 1968; minimum daily, freezing point on many days during winter period.

REMARKS.--Sediment data for this station on page 367. Records of discharge are given for 01440200 Delaware River below Tocks Island damsite near Delaware Water Gap, Pa.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | BIO- CHEM- ICAL OXYGEN DEMAND 5 DAY (MG/L) | IMME- DIATE COLI- FORM (COL. PER 100 ML) | FECAL COLI- FORM (COL. PER 100 ML) | STREP- TOCOCCI (COL- ONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|---------------|------|--|---------------|-----------------------------|------------------------------------|--|--|---|---|---|
| DEC. 04... | 1030 | 66 | 6.7 | 4.0 | 13.4 | 1.1 | 0 | 5 | 1 | -- |
| FEB. 12... | 1400 | 65 | 7.1 | .1 | 14.8 | .3 | 2 | 0 | 2 | 2.0 |
| APR. 18... | 0945 | 55 | 7.0 | 8.9 | 11.4 | .5 | 60 | 40 | 14 | -- |
| MAY 21... | 1430 | 68 | 8.0 | 18.3 | 10.1 | 1.3 | 0 | 50 | 6 | -- |
| JUNE 27... | 1415 | 76 | 8.2 | -- | 10.0 | 1.6 | 0 | 170 | 200 | -- |
| JULY 17... | 1115 | 94 | 9.6 | 24.4 | 9.2 | 1.0 | 10 | 92 | 28 | -- |
| AUG. 21... | 1700 | 71 | 8.9 | 26.5 | 11.6 | 2.4 | 24 | 16 | 472 | 4.0 |
| SEP. 13... | 1230 | 67 | 8.3 | 22.5 | 10.4 | 1.0 | 24 | -- | 32 | -- |

| DATE | TIME | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | DIS- SOLVED ORTHO. PHOS- PHORUS (P) (MG/L) |
|---------------|------|-----------------------------------|-----------------------------------|---|--|--|---|---|--|--|
| DEC. 04... | 1030 | .29 | .00 | .03 | .08 | .11 | .41 | .01 | .00 | .00 |
| FEB. 12... | 1400 | .39 | .00 | .05 | .10 | .15 | .54 | .01 | .01 | .01 |
| MAY 21... | 1430 | .20 | .01 | .04 | .15 | .19 | .40 | .04 | .02 | -- |

| DATE | TIME | DIS- SOLVED SILICA (SiO2) (MG/L) | TOTAL IRON (FE) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | BICAR- BONATE (HCO3) (MG/L) | CAR- BONATE (CO3) (MG/L) | ALKA- LITY AS CACO3 (MG/L) |
|---------------|------|--|---------------------------------|---|--------------------------------------|-----------------------------------|--|
| AUG. 21... | 1700 | 2.0 | 150 | 70 | 17 | 0 | 14 |

| DATE | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL FLUO- RIDE (F) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | COLOR (PLAT- INUM- COBALT UNITS) | TUR- BID- ITY (JTU) | CARBON DIOXIDE (CO2) (MG/L) |
|---------------|--|---|---|--|--|------------------------------|--------------------------------------|
| AUG. 21... | 10 | 4.5 | .2 | 49 | 4 | 2 | .0 |

DELAWARE RIVER BASIN

57

01442750 DELAWARE RIVER AT DUNNFIELD, N.J. (DELAWARE WATER GAP, PA.)--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
(ONCE DAILY AM MEASUREMENTS)

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|------|------|-----|-----|-----|-----|------|------|------|------|------|------|
| 1 | 19.0 | --- | 8.0 | 1.0 | --- | 4.0 | 4.0 | 14.0 | --- | 22.0 | --- | --- |
| 2 | --- | 9.0 | --- | --- | --- | 3.0 | 5.0 | --- | 16.0 | --- | 24.0 | --- |
| 3 | 17.0 | --- | --- | 1.0 | 0.0 | --- | --- | 15.0 | --- | 23.0 | --- | 25.0 |
| 4 | --- | 11.0 | 7.0 | --- | --- | 4.0 | 8.0 | --- | --- | --- | 26.0 | --- |
| 5 | 17.0 | --- | 6.0 | 1.0 | 0.0 | --- | 9.0 | 12.0 | 17.0 | --- | 26.0 | --- |
| 6 | 16.0 | 10.0 | --- | --- | --- | 3.0 | 10.0 | --- | --- | 24.0 | 26.0 | --- |
| 7 | --- | --- | --- | --- | 0.0 | --- | 6.0 | --- | --- | --- | 25.0 | --- |
| 8 | 17.0 | 8.0 | 6.0 | 0.0 | --- | 2.0 | 5.0 | 15.0 | --- | 22.0 | 26.0 | --- |
| 9 | --- | --- | 5.0 | --- | --- | --- | 5.0 | 11.0 | --- | --- | 25.0 | --- |
| 10 | 14.0 | 11.0 | --- | 0.0 | --- | 4.0 | --- | 11.0 | 17.0 | 24.0 | 25.0 | --- |
| 11 | --- | --- | 4.0 | 1.0 | --- | --- | 11.0 | --- | --- | --- | 25.0 | --- |
| 12 | 12.0 | --- | --- | --- | 2.0 | 4.0 | 9.0 | --- | 17.0 | --- | --- | --- |
| 13 | --- | 10.0 | 4.0 | --- | --- | --- | --- | 15.0 | --- | 25.0 | 26.0 | --- |
| 14 | 14.0 | --- | 7.0 | --- | --- | 4.0 | 10.0 | --- | --- | --- | --- | --- |
| 15 | --- | 8.0 | 6.0 | --- | 0.0 | --- | 13.0 | 15.0 | 19.0 | --- | 26.0 | --- |
| 16 | 14.0 | --- | --- | --- | --- | 5.0 | --- | --- | --- | --- | 25.0 | --- |
| 17 | 10.0 | 7.0 | 5.0 | --- | 1.0 | --- | 12.0 | --- | --- | 24.0 | 25.0 | --- |
| 18 | --- | --- | 5.0 | --- | --- | 4.0 | --- | 15.0 | 18.0 | --- | --- | --- |
| 19 | 10.0 | 6.0 | 6.0 | --- | 1.0 | --- | 12.0 | --- | --- | --- | 25.0 | --- |
| 20 | --- | --- | --- | --- | 3.0 | 5.0 | --- | 16.0 | 19.0 | --- | 26.0 | --- |
| 21 | --- | 8.0 | 4.0 | --- | --- | 5.0 | --- | 16.0 | --- | --- | 26.0 | --- |
| 22 | 14.0 | --- | 2.0 | --- | 1.0 | 4.0 | 9.0 | 16.0 | 20.0 | 24.0 | --- | --- |
| 23 | --- | 6.0 | 3.0 | 1.0 | 4.0 | --- | --- | 16.0 | --- | --- | 25.0 | --- |
| 24 | 15.0 | --- | 4.0 | 0.0 | --- | 5.0 | 11.0 | 16.0 | 20.0 | 24.0 | 24.0 | --- |
| 25 | --- | 8.0 | --- | 1.0 | 2.0 | --- | --- | --- | 20.0 | 24.0 | 25.0 | --- |
| 26 | 14.0 | 7.0 | 2.0 | 0.0 | --- | 4.0 | --- | 18.0 | --- | 24.0 | 26.0 | --- |
| 27 | --- | 7.0 | --- | 3.0 | 2.0 | --- | 10.0 | --- | 20.0 | 25.0 | 25.0 | --- |
| 28 | 12.0 | 6.0 | --- | 1.0 | --- | 4.0 | --- | 17.0 | --- | --- | --- | --- |
| 29 | 12.0 | 7.0 | 1.0 | 0.0 | --- | 4.0 | 11.0 | --- | 21.0 | 25.0 | --- | --- |
| 30 | 10.0 | 7.0 | 1.0 | --- | --- | 4.0 | --- | --- | --- | 25.0 | --- | --- |
| 31 | 10.0 | --- | --- | 4.0 | --- | 4.0 | --- | --- | --- | 25.0 | --- | --- |

DELAWARE RIVER BASIN

01446550 DELAWARE RIVER NEAR MARTINS CREEK, PA. (ROXBURG, N.J.)

LOCATION.--Lat 40°47'20", long 75°06'59", Northampton County, at Pennsylvania Railroad crossing 900 ft (274 m) upstream from Oughoughton Creek, 4.7 mi (7.5 km) east of Martins Creek.

DRAINAGE AREA.--4,546 mi² (11,774 km²), approximately.

PERIOD OF RECORD.--Chemical analyses: July 1969 to September 1974.

REMARKS.--Operated as part of the USGS-EPA surveillance network. Records of discharge are given for 01446500 Delaware River at Belvidere, N.J.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL NITRO- GEN (N) (MG/L) |
|-------|------|---|-----------------------------------|-----------------------------------|--|---|--|--|---|
| JAN. | | | | | | | | | |
| 30... | 1045 | 29800 | .30 | -- | .30 | .31 | .64 | .95 | 1.2 |
| FEB. | | | | | | | | | |
| 13... | 1130 | 7460 | .60 | -- | .60 | .20 | .46 | .66 | 1.3 |
| 20... | 1020 | 8220 | .60 | -- | .60 | .23 | 1.0 | 1.2 | 1.8 |
| MAR. | | | | | | | | | |
| 06... | 1215 | 13400 | .41 | .01 | .42 | .12 | .02 | .14 | .56 |
| 27... | 1025 | 14200 | .00 | -- | .00 | .18 | .28 | .46 | .46 |
| APR. | | | | | | | | | |
| 10... | 1300 | 26500 | .35 | .01 | .36 | .09 | .05 | .14 | .50 |
| 24... | 1100 | 10300 | -- | -- | .37 | .15 | .17 | .32 | .69 |
| 30... | 1155 | 6180 | -- | -- | .32 | .30 | .67 | .97 | 1.3 |
| MAY | | | | | | | | | |
| 15... | 1045 | 22300 | -- | -- | .27 | .11 | .50 | .61 | .88 |
| 29... | 1150 | 4740 | -- | -- | .30 | .02 | .21 | .23 | .53 |
| JUNE | | | | | | | | | |
| 05... | 1045 | 6240 | -- | -- | .20 | .01 | .25 | .26 | .46 |
| 19... | 0930 | 6450 | -- | -- | .26 | .05 | .43 | .48 | .74 |
| JULY | | | | | | | | | |
| 02... | 1500 | 5400 | -- | -- | .15 | .09 | .15 | .24 | .39 |
| 08... | 1130 | 2700 | -- | -- | .13 | .26 | .71 | .97 | 1.1 |
| 23... | 1330 | 2280 | -- | -- | .19 | .30 | .24 | .54 | .73 |
| AUG. | | | | | | | | | |
| 06... | 1725 | 3320 | -- | -- | .17 | .37 | .22 | .59 | .76 |
| 14... | 1220 | 2060 | -- | -- | .09 | .42 | .88 | 1.3 | 1.4 |
| 28... | 1010 | 2460 | -- | -- | .18 | .31 | .37 | .68 | .86 |
| SEP. | | | | | | | | | |
| 11... | 1200 | 5790 | -- | -- | .23 | .34 | .57 | .91 | 1.1 |
| 18... | 0710 | 3760 | -- | -- | .13 | .32 | .27 | .59 | .72 |

| DATE | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L) | SUS- PENDED SOLIDS (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | TUR- BID- ITY (JTU) |
|-------|---|--|--|---|------------------------------------|--|---------------|-----------------------------|------------------------------|
| JAN. | | | | | | | | | |
| 30... | .10 | .02 | 43 | -- | 36 | 95 | 6.6 | 2.5 | 15 |
| FEB. | | | | | | | | | |
| 13... | .03 | -- | 60 | -- | 4 | 110 | -- | 1.5 | 2 |
| 20... | .09 | -- | 72 | -- | 12 | 135 | -- | 3.5 | 3 |
| MAR. | | | | | | | | | |
| 06... | .57 | -- | 49 | 39 | 14 | 76 | 6.9 | 5.5 | 1 |
| 27... | .03 | -- | 53 | -- | 7 | 75 | 6.4 | 4.0 | 3 |
| APR. | | | | | | | | | |
| 10... | .02 | -- | 61 | -- | 15 | 95 | -- | 5.5 | 2 |
| 24... | .03 | -- | 60 | -- | 7 | 109 | 6.6 | 12.0 | 1 |
| 30... | .04 | -- | 95 | -- | 5 | 136 | -- | -- | 3 |
| MAY | | | | | | | | | |
| 15... | .04 | -- | 40 | -- | 41 | 95 | -- | 16.5 | 7 |
| 29... | .03 | -- | 65 | -- | -- | 110 | -- | 20.0 | 3 |
| JUNE | | | | | | | | | |
| 05... | .03 | -- | 56 | -- | 7 | 80 | 7.2 | 20.5 | 4 |
| 19... | .09 | -- | 66 | -- | 12 | 100 | -- | 23.0 | 5 |
| JULY | | | | | | | | | |
| 02... | .03 | -- | 69 | -- | 24 | 120 | -- | 23.5 | 3 |
| 08... | .03 | -- | 72 | -- | 6 | 135 | -- | 35.0 | 3 |
| 23... | .03 | -- | 69 | -- | 2 | 120 | 7.8 | 28.0 | 1 |
| AUG. | | | | | | | | | |
| 06... | .03 | -- | 84 | -- | 1 | 130 | 7.2 | 27.8 | 2 |
| 14... | .03 | -- | 63 | -- | 2 | 120 | 8.2 | 30.0 | 2 |
| 28... | .05 | -- | 89 | -- | 60 | 130 | 6.8 | 33.0 | 8 |
| SEP. | | | | | | | | | |
| 11... | .03 | -- | 79 | -- | 6 | 120 | 7.8 | 21.0 | 3 |
| 18... | .02 | -- | 78 | -- | 13 | 130 | -- | 19.0 | 2 |

DELAWARE RIVER BASIN

01446550 DELAWARE RIVER NEAR MARTINS CREEK, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | DIS- SOLVED OXYGEN (MG/L) | CHEM- ICAL OXYGEN DEMAND (LOW LEVEL) (MG/L) | BIO- CHEM- ICAL OXYGEN DEMAND 5 DAY (MG/L) | CHLORO- PHYLL A (UG/L) | CHLORO- PHYLL B (UG/L) | FECAL COLI- FORM (COL. PER 100 ML) | STREP- TOCOCCI (COL- ONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|---------------|------------------------------------|---|--|------------------------------|------------------------------|---|---|---|
| JAN. 30... | 14.2 | 78 | .8 | .6 | -- | 110 | 380 | 23 |
| FEB. 13... | 15.0 | 28 | -- | .2 | -- | -- | 100 | 4.0 |
| 20... | 14.0 | 200 | -- | .5 | -- | 440 | 1500 | 2.5 |
| MAR. 06... | 13.0 | 8 | -- | 1.1 | -- | -- | -- | 3.0 |
| 27... | 13.2 | 56 | .8 | 1.5 | -- | 25 | 7 | 5.0 |
| APR. 10... | 12.2 | 14 | 2.8 | 5.6 | -- | E19 | -- | 6.5 |
| 24... | 10.6 | 18 | 2.8 | .9 | 1.8 | 74 | -- | 14 |
| 30... | 10.0 | 15 | 3.0 | 1.7 | 4.3 | 8 | -- | 10 |
| MAY 15... | 9.6 | 16 | .8 | 18 | 4.1 | 91 | 84 | 6.0 |
| 29... | 8.4 | 9 | -- | 1.1 | 19 | 24 | 94 | -- |
| JUNE 05... | 8.8 | 25 | 3.0 | 2.4 | 4.3 | 44 | 44 | 2.9 |
| 19... | 8.6 | 16 | 4.0 | 23 | 2.6 | -- | 56 | 4.6 |
| JULY 02... | 8.0 | 3 | 3.0 | 4.5 | 9.2 | 2200 | -- | 7.4 |
| 08... | 6.9 | 15 | 4.8 | .8 | 5.3 | <2 | -- | -- |
| 23... | 7.8 | 9 | 3.8 | 20 | 6.0 | -- | -- | 1.7 |
| AUG. 06... | 8.3 | 13 | 2.0 | -- | -- | 150 | -- | 4.7 |
| 14... | 7.4 | 14 | 5.6 | .2 | 1.0 | E35 | E1000 | 5.6 |
| 28... | 6.4 | 14 | 2.0 | 3.0 | .4 | E100 | -- | -- |
| SEP. 11... | 7.7 | 18 | 6.3 | -- | -- | -- | -- | 7.8 |
| 18... | 8.5 | 11 | 3.0 | 2.4 | 1.0 | E2000 | 180 | 5.2 |

| DATE | TIME | TOTAL CAL- CIUM (CA) (MG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | TOTAL MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | TOTAL SODIUM (NA) (MG/L) | DIS- SOLVED SODIUM (NA) (MG/L) | TOTAL PO- TAS- SIUM (K) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HCO3) (MG/L) |
|---------------|------|---|--|--|---|-----------------------------------|--|---|--|--------------------------------------|
| MAR. 06... | 1215 | -- | 7.0 | -- | 1.7 | -- | 3.0 | -- | 1.2 | 17 |
| JUNE 05... | 1045 | 9.5 | -- | 2.6 | -- | 4.1 | -- | 1.0 | -- | 28 |

| DATE | CAR- BONATE (CO3) (MG/L) | ALKA- LINITY AS CACO3 (MG/L) | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NON- FILT- RABLE RESIDUE (MG/L) | HARD- NESS (CA,MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | CARBON DIOXIDE (CO2) (MG/L) |
|---------------|-----------------------------------|--|--|---|--|--|------------------------------------|---|--------------------------------------|
| MAR. 06... | 0 | 14 | 12 | 5.3 | .1 | -- | 24 | 11 | 3.0 |
| JUNE 05... | 0 | 23 | 12 | 5.8 | -- | 10 | -- | -- | 2.8 |

DELAWARE RIVER BASIN

01446700 DELAWARE RIVER AT EASTON, PA.

LOCATION.--Lat 40°42'43", long 75°11'48", Northampton County, at gaging station on right bank 200 ft (61 m) from city of Easton pumping station, 1.2 mi (1.9 km) upstream from Bushkill Creek in Easton.

DRAINAGE AREA.--4,640 mi² (12,000 km²).

PERIOD OF RECORD.--Chemical analyses: October 1947 to September 1951, October 1957 to September 1958, November 1967 to September 1974.

Water temperatures: October 1947 to September 1949, October 1957 to September 1958, October 1963 to September 1964, November 1967 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum, 198 micromhos Dec. 10; minimum, 98 micromhos Sept. 5.

Dissolved oxygen: Maximum, 14.5 mg/l Nov. 21; minimum, 6.1 mg/l Aug. 27.

pH: Maximum, 9.7 Nov. 15; minimum, 6.5 Aug. 25-27.

Water temperatures: Maximum, 28.0°C Aug. 29; minimum, 5.0°C Dec. 4.

Period of record:

Specific conductance (1967-74): Maximum, 499 micromhos Nov. 26, 1970; minimum, 40 micromhos Apr. 6, 1970.

Dissolved oxygen (1967-74): Maximum, 15.8 mg/l Mar. 8, 1968; minimum, 5.7 mg/l July 19-20, 24, 1968.

pH (1967-74): Maximum, 9.8 May 16, 1970; minimum, 5.7 May 24, 1970.

Water temperatures: Maximum, 30.0°C July 18, 1968, July 28-29, 1970; minimum, freezing point on many days during winter periods.

REMARKS.--No records available January to August 1974.

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 160 | 150 | 157 | 120 | 115 | 116 | --- | --- | --- |
| 2 | --- | --- | --- | 160 | 158 | 159 | 120 | 115 | 116 | --- | --- | --- |
| 3 | --- | --- | --- | 160 | 159 | 159 | 130 | 120 | 123 | --- | --- | --- |
| 4 | --- | --- | --- | 160 | 159 | 160 | 135 | 125 | 129 | --- | --- | --- |
| 5 | --- | --- | --- | 160 | 160 | 160 | 135 | 120 | 129 | --- | --- | --- |
| 6 | --- | --- | --- | 160 | 160 | 160 | 130 | 125 | 129 | --- | --- | --- |
| 7 | --- | --- | --- | 167 | 160 | 162 | 189 | 125 | 144 | --- | --- | --- |
| 8 | --- | --- | --- | 170 | 163 | 166 | 190 | 149 | 167 | --- | --- | --- |
| 9 | 150 | 146 | --- | 170 | 169 | 170 | 189 | 159 | 168 | --- | --- | --- |
| 10 | 150 | 145 | --- | 169 | 163 | 167 | 198 | 188 | --- | --- | --- | --- |
| 11 | --- | --- | --- | 163 | 153 | 159 | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | 157 | 145 | 151 | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | 146 | 141 | 144 | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | 141 | 132 | 137 | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | 138 | 130 | 134 | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | 138 | 135 | 137 | --- | --- | --- | --- | --- | --- |
| 17 | 144 | 140 | --- | 137 | 135 | 136 | --- | --- | --- | --- | --- | --- |
| 18 | 155 | 145 | 151 | 137 | 135 | 135 | --- | --- | --- | --- | --- | --- |
| 19 | 156 | 154 | --- | 137 | 135 | 137 | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | 140 | 137 | 138 | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | 141 | 130 | 134 | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | 135 | 130 | 131 | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | 135 | 131 | 133 | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | 139 | 132 | 137 | --- | --- | --- | --- | --- | --- |
| 25 | 149 | 149 | --- | 141 | 135 | 139 | --- | --- | --- | --- | --- | --- |
| 26 | 149 | 145 | 148 | 140 | 131 | 135 | --- | --- | --- | --- | --- | --- |
| 27 | 149 | 149 | 149 | 135 | 120 | 126 | --- | --- | --- | --- | --- | --- |
| 28 | 150 | 149 | 149 | 125 | 120 | 123 | --- | --- | --- | --- | --- | --- |
| 29 | 160 | 150 | 150 | 120 | 115 | 119 | --- | --- | --- | --- | --- | --- |
| 30 | 160 | 160 | 160 | 120 | 115 | 118 | --- | --- | --- | --- | --- | --- |
| 31 | 160 | 160 | 160 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | 170 | 115 | 144 | --- | --- | --- | --- | --- | --- |

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

[illegible]

DELAWARE RIVER BASIN

01446700 DELAWARE RIVER AT EASTON, PA.--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.3 | 7.4 | 7.8 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.8 | 7.5 | 7.7 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.1 | 7.4 | 7.8 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.0 | 7.5 | --- |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.0 | 8.9 | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.1 | 8.9 | 9.0 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.0 | 8.8 | 8.9 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.8 | 8.5 | 8.7 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.7 | 8.3 | 8.5 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.7 | 8.0 | 8.4 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.2 | 7.7 | 8.0 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.3 | 7.5 | 7.8 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.4 | 7.3 | 7.8 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.9 | 7.7 | 8.2 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.4 | 7.9 | 8.6 |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.9 | 8.0 | 8.8 |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.0 | 8.3 | 9.0 |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.2 | 8.2 | 9.0 |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.9 | 8.1 | 8.8 |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.5 | 8.0 | 8.6 |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.3 | 8.2 | 9.2 |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.8 | 8.6 | 9.7 |
| 24 | --- | --- | --- | --- | --- | --- | 9.1 | 7.5 | --- | 11.3 | 9.4 | 10.2 |
| 25 | --- | --- | --- | --- | --- | --- | 8.8 | 6.3 | 7.7 | 10.6 | 9.3 | 10.0 |
| 26 | --- | --- | --- | --- | --- | --- | 8.0 | 6.8 | 7.4 | 10.6 | 9.1 | 9.7 |
| 27 | --- | --- | --- | --- | --- | --- | 8.2 | 6.1 | 7.2 | 10.7 | 8.9 | 9.7 |
| 28 | --- | --- | --- | --- | --- | --- | 7.8 | 6.3 | 7.1 | 9.2 | 8.4 | 8.7 |
| 29 | --- | --- | --- | --- | --- | --- | 7.7 | 6.5 | 6.8 | 8.8 | 8.0 | 8.5 |
| 30 | --- | --- | --- | --- | --- | --- | 7.6 | 6.7 | 7.3 | 8.9 | 8.6 | --- |
| 31 | --- | --- | --- | --- | --- | --- | 7.9 | 7.0 | 7.4 | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.3 | 7.3 | 8.7 |

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 7.4 | 7.0 | 7.2 | 7.7 | 7.4 | 7.5 | --- | --- | --- |
| 2 | --- | --- | --- | 7.7 | 7.1 | 7.3 | 7.9 | 7.4 | 7.6 | --- | --- | --- |
| 3 | --- | --- | --- | 7.7 | 7.1 | 7.4 | 8.1 | 7.5 | 7.7 | --- | --- | --- |
| 4 | --- | --- | --- | 7.6 | 7.0 | 7.3 | 8.4 | 7.5 | 7.9 | --- | --- | --- |
| 5 | --- | --- | --- | 7.6 | 7.2 | 7.3 | 7.6 | 7.4 | 7.5 | --- | --- | --- |
| 6 | --- | --- | --- | 7.9 | 7.2 | 7.4 | 7.9 | 7.6 | 7.7 | --- | --- | --- |
| 7 | --- | --- | --- | 8.0 | 7.4 | 7.6 | 7.8 | 7.5 | 7.6 | --- | --- | --- |
| 8 | --- | --- | --- | 8.1 | 7.3 | 7.6 | 7.7 | 7.6 | 7.6 | --- | --- | --- |
| 9 | 9.2 | 7.9 | --- | 8.0 | 7.3 | 7.7 | 7.6 | 7.5 | 7.5 | --- | --- | --- |
| 10 | 7.9 | 7.5 | --- | 8.2 | 7.3 | 7.7 | 7.7 | 7.6 | --- | --- | --- | --- |
| 11 | --- | --- | --- | 8.4 | 7.5 | 7.9 | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | 8.7 | 7.5 | 8.0 | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | 8.8 | 7.7 | 8.1 | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | 9.3 | 7.4 | 8.2 | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | 9.7 | 7.3 | 8.4 | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | 8.4 | 7.5 | 8.0 | --- | --- | --- | --- | --- | --- |
| 17 | 8.9 | 7.7 | --- | 8.9 | 7.7 | 8.2 | --- | --- | --- | --- | --- | --- |
| 18 | 8.3 | 7.3 | 7.8 | 8.8 | 7.7 | 8.1 | --- | --- | --- | --- | --- | --- |
| 19 | 8.8 | 7.3 | --- | 9.0 | 7.5 | 8.1 | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | 9.0 | 7.6 | 8.1 | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | 8.8 | 7.4 | 7.9 | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | 9.5 | 7.4 | 8.1 | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | 9.3 | 7.4 | 8.1 | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | 8.8 | 7.4 | 7.9 | --- | --- | --- | --- | --- | --- |
| 25 | 9.0 | 7.5 | --- | 8.4 | 7.5 | 7.7 | --- | --- | --- | --- | --- | --- |
| 26 | 9.1 | 7.2 | 8.0 | 8.5 | 7.5 | 7.9 | --- | --- | --- | --- | --- | --- |
| 27 | 9.0 | 7.1 | 8.0 | 7.6 | 7.4 | 7.6 | --- | --- | --- | --- | --- | --- |
| 28 | 8.9 | 7.2 | 8.0 | 7.7 | 7.4 | 7.5 | --- | --- | --- | --- | --- | --- |
| 29 | 7.5 | 7.0 | 7.2 | 7.8 | 7.6 | 7.7 | --- | --- | --- | --- | --- | --- |
| 30 | 7.2 | 6.9 | 7.1 | 7.8 | 7.5 | 7.6 | --- | --- | --- | --- | --- | --- |
| 31 | 7.3 | 6.9 | 7.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | 9.7 | 7.0 | 7.8 | --- | --- | --- | --- | --- | --- |

DELAWARE RIVER BASIN

63

01446700 DELAWARE RIVER AT EASTON, PA.--Continued

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.9 | 6.7 | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.0 | 6.8 | 6.9 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.0 | 6.8 | 6.9 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.0 | 6.8 | 6.9 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.1 | 6.8 | 6.9 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.2 | 6.8 | 7.0 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.3 | 6.8 | 7.0 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.6 | 6.8 | 7.1 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.6 | 6.8 | 7.2 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.8 | 6.9 | 7.3 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.9 | 7.0 | 7.4 |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.9 | 7.0 | 7.4 |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.0 | 7.0 | 7.5 |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.1 | 7.0 | 7.5 |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.0 | 7.1 | 7.5 |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.8 | 7.0 | 7.3 |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.0 | 7.0 | 7.5 |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.1 | 7.1 | 7.5 |
| 24 | --- | --- | --- | --- | --- | --- | 7.6 | 6.9 | --- | 8.0 | 7.1 | 7.6 |
| 25 | --- | --- | --- | --- | --- | --- | 7.5 | 6.5 | 7.1 | 8.4 | 7.0 | 7.7 |
| 26 | --- | --- | --- | --- | --- | --- | 7.0 | 6.5 | 6.8 | 8.5 | 7.4 | 7.9 |
| 27 | --- | --- | --- | --- | --- | --- | 7.3 | 6.5 | 6.8 | 8.5 | 7.4 | 8.0 |
| 28 | --- | --- | --- | --- | --- | --- | 7.8 | 6.8 | 7.3 | 7.7 | 7.2 | 7.5 |
| 29 | --- | --- | --- | --- | --- | --- | 7.6 | 7.1 | --- | 7.4 | 7.2 | 7.3 |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.2 | 7.0 | 7.1 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.5 | 6.7 | 7.3 |

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|------|------|----------|------|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 12.0 | 11.5 | 11.5 | 7.0 | 6.5 | 7.0 | --- | --- | --- |
| 2 | --- | --- | --- | 11.5 | 11.0 | 11.0 | 6.5 | 5.5 | 6.0 | --- | --- | --- |
| 3 | --- | --- | --- | 11.5 | 11.0 | 11.5 | 6.0 | 5.5 | 5.5 | --- | --- | --- |
| 4 | --- | --- | --- | 11.5 | 10.5 | 11.0 | 6.0 | 5.0 | 5.5 | --- | --- | --- |
| 5 | --- | --- | --- | 11.0 | 10.0 | 10.5 | 8.5 | 6.0 | 7.0 | --- | --- | --- |
| 6 | --- | --- | --- | 10.0 | 8.5 | 9.5 | 9.0 | 8.0 | 8.5 | --- | --- | --- |
| 7 | --- | --- | --- | 9.5 | 8.5 | 8.5 | 8.0 | 7.0 | 7.0 | --- | --- | --- |
| 8 | --- | --- | --- | 8.5 | 8.0 | 8.5 | 7.0 | 6.5 | 7.0 | --- | --- | --- |
| 9 | 19.5 | 19.0 | --- | 8.5 | 7.0 | 8.0 | 7.0 | 6.5 | 6.5 | --- | --- | --- |
| 10 | 21.0 | 18.5 | --- | 7.0 | 6.5 | 6.5 | 7.0 | 7.0 | --- | --- | --- | --- |
| 11 | --- | --- | --- | 6.5 | 5.5 | 6.0 | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | 6.5 | 5.5 | 6.0 | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | 8.0 | 6.5 | 7.0 | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | 8.5 | 7.0 | 7.5 | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | 9.5 | 8.0 | 8.5 | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | 10.0 | 9.5 | 9.5 | --- | --- | --- | --- | --- | --- |
| 17 | 16.0 | 14.5 | --- | 9.0 | 8.5 | 9.0 | --- | --- | --- | --- | --- | --- |
| 18 | 14.5 | 13.5 | 14.0 | 8.5 | 8.0 | 8.0 | --- | --- | --- | --- | --- | --- |
| 19 | 14.0 | 12.0 | --- | 8.5 | 8.0 | 8.0 | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | 8.5 | 7.0 | 8.0 | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | 8.0 | 7.0 | 7.0 | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | 8.5 | 8.0 | 8.0 | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | 8.5 | 7.0 | 8.0 | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | 9.0 | 8.5 | 8.5 | --- | --- | --- | --- | --- | --- |
| 25 | 14.0 | 13.5 | --- | 9.5 | 9.0 | 9.5 | --- | --- | --- | --- | --- | --- |
| 26 | 14.5 | 13.5 | 14.0 | 9.5 | 9.0 | 9.0 | --- | --- | --- | --- | --- | --- |
| 27 | 15.5 | 14.0 | 14.5 | 9.0 | 9.0 | 9.0 | --- | --- | --- | --- | --- | --- |
| 28 | 14.5 | 14.0 | 14.0 | 10.0 | 9.0 | 9.0 | --- | --- | --- | --- | --- | --- |
| 29 | 14.0 | 13.5 | 13.5 | 9.5 | 8.5 | 9.0 | --- | --- | --- | --- | --- | --- |
| 30 | 13.5 | 11.5 | 12.0 | 8.5 | 7.0 | 8.0 | --- | --- | --- | --- | --- | --- |
| 31 | 12.0 | 11.0 | 11.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | 12.0 | 5.5 | 8.5 | --- | --- | --- | --- | --- | --- |

DELAWARE RIVER BASIN

01446700 DELAWARE RIVER AT EASTON, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 23.5 | 21.0 | 22.5 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 22.0 | 19.0 | 20.5 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.0 | 16.5 | 17.5 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.5 | 18.0 | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.0 | 17.0 | 17.5 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.0 | 18.0 | 18.5 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.5 | 19.5 | 20.0 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 23.0 | 20.5 | 21.5 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 22.0 | 20.5 | 21.0 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 23.0 | 20.0 | 21.5 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 24.5 | 21.5 | 23.0 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 23.5 | 22.0 | 23.0 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.5 | 20.0 | 21.0 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.0 | 19.0 | 20.0 |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.0 | 18.0 | 19.0 |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.0 | 19.0 | 20.0 |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.5 | 19.5 | 20.5 |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.5 | 20.0 | 21.0 |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.0 | 19.5 | 20.5 |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.5 | 18.0 | 19.0 |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.0 | 15.0 | 16.5 |
| 24 | --- | --- | --- | --- | --- | --- | 26.5 | 25.0 | --- | 15.5 | 13.5 | 14.5 |
| 25 | --- | --- | --- | --- | --- | --- | 26.5 | 24.0 | 25.0 | 16.5 | 13.5 | 15.0 |
| 26 | --- | --- | --- | --- | --- | --- | 24.5 | 23.5 | 24.0 | 18.0 | 15.0 | 16.5 |
| 27 | --- | --- | --- | --- | --- | --- | 26.0 | 24.0 | 24.5 | 19.0 | 15.5 | 17.0 |
| 28 | --- | --- | --- | --- | --- | --- | 26.0 | 24.5 | 25.0 | 18.5 | 18.0 | 18.0 |
| 29 | --- | --- | --- | --- | --- | --- | 28.0 | 23.5 | 25.0 | 18.5 | 17.0 | 18.0 |
| 30 | --- | --- | --- | --- | --- | --- | 27.0 | 24.0 | 25.5 | 17.0 | 16.0 | 16.0 |
| 31 | --- | --- | --- | --- | --- | --- | 24.0 | 21.5 | 23.0 | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | 24.5 | 13.5 | 19.0 |

DELAWARE RIVER BASIN

65

01449360 POHOPOCO CREEK AT KRESGEVILLE, PA.

LOCATION.--Lat 40°53'51", long 75°30'10", Monroe County, temperature recorder at gaging station on right bank 20 ft (6 m) downstream from bridge on U.S. Route 209 at Kresgeville, 0.2 mi (0.3 km) downstream from Middle Creek, and 13 mi (21 km) northeast of Lehighton.

DRAINAGE AREA.--49.9 mi² (129 km²).

PERIOD OF RECORD.--Water temperatures: October 1968 to September 1970, May 1971 to September 1974.

EXTREMES.--1973-74:

Water temperatures: Maximum, 23.5°C July 9; minimum, freezing point Jan. 14.

Period of record:

Water temperatures (1968-74): Maximum, 31.5°C July 25, 1970; minimum, freezing point Feb. 20, 21, 23, 1972, Jan. 14, 1974.

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|------|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 13.5 | 11.5 | 12.5 | 11.5 | 9.5 | 11.0 | 6.5 | 4.0 | 5.5 | 5.5 | 5.0 | 5.5 |
| 2 | 14.0 | 13.0 | 13.5 | 11.0 | 9.0 | 10.0 | 4.0 | 2.5 | 3.5 | 5.0 | 3.5 | 4.0 |
| 3 | 16.0 | 14.5 | 15.0 | 11.0 | 9.5 | 10.5 | 4.5 | 2.0 | 3.5 | 4.0 | 2.5 | 3.5 |
| 4 | 16.0 | 14.0 | 15.0 | 9.5 | 8.0 | 8.5 | 7.0 | 4.0 | 5.5 | 6.0 | 2.5 | 4.0 |
| 5 | 16.5 | 14.5 | 15.5 | 9.0 | 7.5 | 8.0 | 10.0 | 7.0 | 8.5 | 4.0 | 2.5 | 3.5 |
| 6 | 14.5 | 12.5 | 13.5 | 8.0 | 6.5 | 7.0 | 9.0 | 7.0 | 8.5 | 4.5 | 3.5 | 4.0 |
| 7 | 13.0 | 11.0 | 12.5 | 7.5 | 6.0 | 6.5 | 7.0 | 6.0 | 6.5 | 4.5 | 4.0 | 4.5 |
| 8 | 14.5 | 12.5 | 13.5 | 7.5 | 5.0 | 6.5 | 6.0 | 5.0 | 5.5 | 4.0 | 2.5 | 3.0 |
| 9 | 14.5 | 12.5 | 13.5 | 7.5 | 6.0 | 7.0 | 7.0 | 5.0 | 6.0 | 2.0 | 1.5 | 1.5 |
| 10 | 15.0 | 13.0 | 14.0 | 6.0 | 4.5 | 5.0 | 7.0 | 6.5 | 6.5 | 2.5 | 1.5 | 2.0 |
| 11 | 14.0 | 12.5 | 13.0 | 5.5 | 3.5 | 4.5 | 6.5 | 5.5 | 6.0 | 4.0 | 2.5 | 3.5 |
| 12 | 13.5 | 11.0 | 12.5 | 6.5 | 4.5 | 5.5 | 6.0 | 4.5 | 5.0 | 3.5 | 2.0 | 2.5 |
| 13 | 14.5 | 12.0 | 13.5 | 9.0 | 6.0 | 7.5 | 5.5 | 3.5 | 4.5 | 1.5 | 0.5 | 1.0 |
| 14 | 14.5 | 12.5 | 14.0 | 10.0 | 8.5 | 9.5 | 6.5 | 5.0 | 6.0 | 1.5 | 0.0 | 0.5 |
| 15 | 13.5 | 10.5 | 12.0 | 11.5 | 9.0 | 10.0 | 5.0 | 4.5 | 5.0 | 4.0 | 1.5 | 2.5 |
| 16 | 13.0 | 11.0 | 12.0 | 11.5 | 8.0 | 10.0 | 4.5 | 2.0 | 3.5 | 5.5 | 4.0 | 4.5 |
| 17 | 11.0 | 9.0 | 10.0 | 8.0 | 5.5 | 6.5 | 2.0 | 1.0 | 1.5 | 5.0 | 2.5 | 4.5 |
| 18 | 9.5 | 8.5 | 9.0 | 6.0 | 4.5 | 5.5 | 1.5 | 0.5 | 1.0 | 2.5 | 0.5 | 1.0 |
| 19 | 10.0 | 7.5 | 9.0 | 7.5 | 6.0 | 7.0 | 2.0 | 1.0 | 1.5 | 3.5 | 0.5 | 2.0 |
| 20 | 11.5 | 9.0 | 10.0 | 6.5 | 4.5 | 5.5 | 4.5 | 2.0 | 2.5 | 3.0 | 1.5 | 2.0 |
| 21 | 11.0 | 9.0 | 10.0 | 7.0 | 4.5 | 5.5 | 4.0 | 2.5 | 3.5 | 4.0 | 2.5 | 3.0 |
| 22 | 11.0 | 8.0 | 9.5 | 9.5 | 7.0 | 8.0 | 3.5 | 2.0 | 2.5 | 4.5 | 3.5 | 4.0 |
| 23 | 11.0 | 8.5 | 9.5 | 8.0 | 6.0 | 7.0 | 5.0 | 3.5 | 4.0 | 5.0 | 3.5 | 4.5 |
| 24 | 11.5 | 9.0 | 10.0 | 8.0 | 6.5 | 7.0 | 5.0 | 3.5 | 4.5 | 5.0 | 4.0 | 4.5 |
| 25 | 11.5 | 8.5 | 10.0 | 9.0 | 8.0 | 9.0 | 4.5 | 3.5 | 3.5 | 5.5 | 4.0 | 4.5 |
| 26 | 12.0 | 9.5 | 10.5 | 9.0 | 7.5 | 8.0 | 5.5 | 4.5 | 5.0 | 5.0 | 3.0 | 4.0 |
| 27 | 12.0 | 9.5 | 11.0 | 9.0 | 7.5 | 8.5 | 7.0 | 5.0 | 6.0 | 7.0 | 5.0 | 6.0 |
| 28 | 10.0 | 9.0 | 9.5 | 10.5 | 9.0 | 9.5 | 7.0 | 6.0 | 6.5 | 6.5 | 5.0 | 5.5 |
| 29 | 11.0 | 9.0 | 10.0 | 9.5 | 7.0 | 8.0 | 6.5 | 5.5 | 6.0 | 6.5 | 5.5 | 6.0 |
| 30 | 11.5 | 10.5 | 11.0 | 7.0 | 5.0 | 6.0 | 6.5 | 5.0 | 5.5 | 7.0 | 5.0 | 6.0 |
| 31 | 11.5 | 9.5 | 10.5 | --- | --- | --- | 5.0 | 5.0 | 5.0 | 7.0 | 4.5 | 5.5 |
| MONTH | 16.5 | 7.5 | 12.0 | 11.5 | 3.5 | 7.5 | 10.0 | 0.5 | 5.0 | 7.0 | 0.0 | 3.5 |

DELAWARE RIVER BASIN

01449360 POHOPOCO CREEK AT KRESGEVILLE, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|------|------|-------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6.5 | 5.0 | 5.5 | 6.5 | 5.5 | 6.0 | 7.0 | 4.5 | 5.5 | 16.5 | 12.5 | 14.0 |
| 2 | 5.0 | 3.5 | 4.5 | 6.0 | 5.0 | 5.5 | 8.0 | 5.5 | 6.5 | 13.5 | 9.0 | 11.5 |
| 3 | 3.5 | 3.0 | 3.0 | 6.5 | 6.0 | 6.5 | 11.0 | 5.5 | 8.0 | 12.0 | 9.0 | 10.0 |
| 4 | 3.5 | 2.5 | 3.0 | 9.0 | 6.0 | 7.0 | 12.0 | 9.0 | 10.5 | 13.5 | 8.5 | 11.0 |
| 5 | 2.5 | 1.0 | 2.0 | 10.5 | 9.0 | 9.5 | 11.0 | 9.0 | 10.0 | 11.0 | 7.5 | 9.5 |
| 6 | 3.0 | 1.5 | 2.0 | 9.0 | 6.0 | 7.0 | 8.5 | 6.5 | 7.5 | 9.5 | 8.5 | 9.0 |
| 7 | 4.0 | 3.0 | 3.5 | 9.0 | 7.0 | 8.0 | 9.5 | 5.0 | 7.5 | 9.5 | 7.0 | 8.0 |
| 8 | 3.0 | 2.5 | 2.5 | 8.5 | 6.0 | 7.0 | 8.5 | 6.5 | 7.5 | 12.0 | 6.5 | 9.0 |
| 9 | 2.5 | 1.0 | 2.0 | 6.0 | 5.0 | 5.0 | 6.5 | 5.5 | 6.0 | 10.5 | 9.5 | 10.0 |
| 10 | 2.5 | 0.5 | 1.5 | 7.0 | 5.0 | 6.0 | 8.0 | 4.5 | 6.5 | 13.0 | 10.5 | 11.5 |
| 11 | 3.5 | 2.0 | 2.5 | 6.0 | 3.5 | 5.0 | 9.5 | 5.5 | 7.5 | 14.5 | 9.0 | 12.0 |
| 12 | 4.0 | 1.5 | 2.5 | 7.0 | 4.5 | 5.5 | 10.5 | 7.0 | 9.0 | 13.5 | 11.0 | 12.0 |
| 13 | 5.5 | 2.5 | 4.0 | 4.5 | 2.0 | 3.5 | 11.5 | 9.0 | 10.0 | 12.0 | 10.5 | 11.0 |
| 14 | 5.5 | 3.5 | 4.5 | 5.5 | 2.0 | 3.5 | 10.5 | 9.0 | 10.0 | 15.5 | 9.5 | 12.5 |
| 15 | 4.0 | 2.5 | 3.0 | 6.0 | 2.5 | 4.5 | 9.5 | 9.0 | 9.5 | 17.5 | 12.0 | 15.0 |
| 16 | 3.5 | 1.0 | 2.0 | 6.0 | 5.0 | 5.5 | 12.0 | 7.5 | 9.5 | 17.0 | 13.0 | 15.0 |
| 17 | 5.0 | 3.0 | 4.0 | 5.5 | 4.5 | 5.0 | 12.5 | 7.0 | 10.0 | 17.0 | 14.0 | 15.5 |
| 18 | 4.0 | 2.5 | 3.0 | 6.5 | 2.5 | 4.5 | 13.0 | 8.0 | 10.5 | 17.5 | 14.0 | 16.0 |
| 19 | 4.0 | 3.0 | 3.5 | 7.0 | 4.0 | 5.5 | 11.0 | 8.5 | 9.5 | 16.5 | 13.0 | 15.0 |
| 20 | 4.5 | 2.5 | 3.5 | 7.5 | 4.5 | 6.0 | 12.5 | 7.0 | 9.5 | 15.5 | 11.5 | 14.0 |
| 21 | 5.0 | 1.5 | 3.5 | 6.0 | 4.5 | 5.0 | 13.0 | 7.5 | 10.5 | 16.0 | 11.5 | 14.0 |
| 22 | 6.0 | 4.5 | 5.0 | 6.5 | 3.5 | 5.0 | 13.0 | 11.0 | 12.0 | 17.5 | 13.0 | 15.5 |
| 23 | 5.5 | 4.0 | 5.0 | 8.0 | 3.5 | 6.0 | 14.5 | 11.0 | 12.5 | 16.5 | 15.0 | 15.5 |
| 24 | 5.0 | 3.0 | 4.0 | 8.0 | 5.5 | 7.0 | 10.5 | 8.5 | 9.5 | 16.0 | 13.0 | 14.5 |
| 25 | 5.0 | 3.5 | 4.0 | 6.5 | 2.5 | 4.5 | 11.5 | 7.5 | 9.5 | 15.0 | 12.5 | 13.5 |
| 26 | 3.5 | 1.5 | 2.5 | 6.5 | 2.5 | 4.5 | 12.0 | 7.5 | 10.0 | 13.5 | 11.5 | 12.5 |
| 27 | 4.0 | 1.5 | 2.5 | 7.0 | 3.5 | 5.5 | 13.5 | 7.5 | 10.5 | 13.0 | 11.0 | 12.0 |
| 28 | 5.5 | 2.0 | 3.5 | 7.5 | 5.0 | 6.5 | 14.5 | 8.5 | 11.5 | 14.5 | 11.0 | 12.5 |
| 29 | --- | --- | --- | 6.5 | 0.5 | 3.0 | 16.5 | 11.5 | 14.0 | 13.5 | 12.5 | 13.0 |
| 30 | --- | --- | --- | 3.5 | 1.0 | 2.5 | 15.5 | 13.0 | 14.5 | 16.0 | 13.0 | 14.5 |
| 31 | --- | --- | --- | 5.0 | 3.5 | 4.5 | --- | --- | --- | 15.5 | 14.0 | 14.5 |
| MONTH | 6.5 | 0.5 | 3.5 | 10.5 | 0.5 | 5.5 | 16.5 | 4.5 | 9.5 | 17.5 | 6.5 | 12.5 |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 15.5 | 13.5 | 14.5 | 19.0 | 16.5 | 17.5 | 19.5 | 16.5 | 18.0 | --- | --- | --- |
| 2 | 15.0 | 13.5 | 13.5 | 20.5 | 16.5 | 18.5 | 20.0 | 17.5 | 18.5 | --- | --- | --- |
| 3 | 16.5 | 12.0 | 14.0 | 20.5 | 18.0 | 19.5 | 20.0 | 18.0 | 18.5 | --- | --- | --- |
| 4 | 16.5 | 13.5 | 15.0 | 22.5 | 19.0 | 20.5 | 20.0 | 18.0 | 19.0 | --- | --- | --- |
| 5 | 18.0 | 14.0 | 16.0 | 21.5 | 20.0 | 20.5 | --- | --- | --- | --- | --- | --- |
| 6 | 17.5 | 14.0 | 16.0 | 22.0 | 18.5 | 20.0 | --- | --- | --- | --- | --- | --- |
| 7 | 16.5 | 15.0 | 15.5 | 22.0 | 18.0 | 20.0 | --- | --- | --- | --- | --- | --- |
| 8 | 16.5 | 14.5 | 15.0 | 23.0 | 19.5 | 21.0 | --- | --- | --- | --- | --- | --- |
| 9 | 18.5 | 15.0 | 16.5 | 23.5 | 20.0 | 22.0 | --- | --- | --- | --- | --- | --- |
| 10 | 21.0 | 16.5 | 19.0 | 22.5 | 21.5 | 22.0 | --- | --- | --- | --- | --- | --- |
| 11 | 21.0 | 18.0 | 19.5 | 21.5 | 18.0 | 20.0 | --- | --- | --- | --- | --- | --- |
| 12 | 18.0 | 15.5 | 16.5 | 20.5 | 17.0 | 18.5 | --- | --- | --- | --- | --- | --- |
| 13 | 17.0 | 13.5 | 15.5 | 20.5 | 17.0 | 18.5 | --- | --- | --- | --- | --- | --- |
| 14 | 16.5 | 14.0 | 15.5 | 22.0 | 18.0 | 20.0 | --- | --- | --- | 17.5 | 15.0 | 16.5 |
| 15 | 17.5 | 14.0 | 16.0 | 23.0 | 21.0 | 22.0 | --- | --- | --- | 15.0 | 13.0 | 14.0 |
| 16 | 17.0 | 16.0 | 16.5 | 22.5 | 20.0 | 21.5 | --- | --- | --- | 15.0 | 13.0 | 14.5 |
| 17 | 19.0 | 15.5 | 17.5 | 21.0 | 17.5 | 19.0 | --- | --- | --- | 15.0 | 13.0 | 14.0 |
| 18 | 18.0 | 15.0 | 16.5 | 20.5 | 17.5 | 19.0 | --- | --- | --- | 15.5 | 14.0 | 15.0 |
| 19 | 18.0 | 14.5 | 16.5 | 22.0 | 19.5 | 20.5 | --- | --- | --- | 15.5 | 13.5 | 14.5 |
| 20 | 19.0 | 16.5 | 18.0 | 20.5 | 18.0 | 19.0 | --- | --- | --- | 16.0 | 14.5 | 15.5 |
| 21 | 18.0 | 17.0 | 17.5 | 19.0 | 16.0 | 17.5 | --- | --- | --- | 16.0 | 14.5 | 15.5 |
| 22 | 20.0 | 16.5 | 18.0 | 18.5 | 15.5 | 17.0 | --- | --- | --- | 14.5 | 12.5 | 13.5 |
| 23 | 18.5 | 15.5 | 17.0 | 18.0 | 16.5 | 17.5 | --- | --- | --- | 13.0 | 11.0 | 12.0 |
| 24 | 17.5 | 14.5 | 16.0 | 17.5 | 16.0 | 16.5 | --- | --- | --- | 11.0 | 9.0 | 10.0 |
| 25 | 16.5 | 15.0 | 15.5 | 17.5 | 15.5 | 16.5 | --- | --- | --- | 11.5 | 9.0 | 10.0 |
| 26 | 16.0 | 14.0 | 15.0 | 17.0 | 16.0 | 16.5 | --- | --- | --- | 12.5 | 10.0 | 11.5 |
| 27 | 17.5 | 15.0 | 16.0 | 19.5 | 16.5 | 17.5 | --- | --- | --- | 13.5 | 10.5 | 12.0 |
| 28 | 16.5 | 15.0 | 16.0 | 21.0 | 18.0 | 19.5 | --- | --- | --- | 14.5 | 12.5 | 13.5 |
| 29 | 17.0 | 15.0 | 16.0 | 21.0 | 18.5 | 20.0 | --- | --- | --- | 15.5 | 14.5 | 15.0 |
| 30 | 18.0 | 15.0 | 16.5 | 20.0 | 17.5 | 19.0 | --- | --- | --- | 14.5 | 12.5 | 13.5 |
| 31 | --- | --- | --- | 19.5 | 17.0 | 18.5 | --- | --- | --- | --- | --- | --- |
| MONTH | 21.0 | 12.0 | 16.0 | 23.5 | 15.5 | 19.0 | --- | --- | --- | --- | --- | --- |

DELAWARE RIVER BASIN

67

01449800 POHOPOCO CREEK BELOW BELTZVILLE DAM NEAR PARRYVILLE, PA.

LOCATION.--Lat 40°50'44", long 75°38'46", Carbon County, temperature recorder at gaging station on right bank
0.1 mi (0.2 km) upstream from Sawmill Run, 0.4 mi (0.7 km) downstream from Beltzville Dam, 1.3 mi (2.1 km)
upstream from Bull Run, and 2.3 mi (3.7 km) northeast of Parryville.

DRAINAGE AREA.--96.4 mi² (250 km²).

PERIOD OF RECORD.--Water temperatures: October 1968 to September 1974.

EXTREMES.--1973-74:

Water temperatures: Maximum, 19.0°C Oct. 1; minimum, 2.0°C on several days during January and February.

Period of record:

Water temperatures: Maximum, 26.5°C on several days during July, August 1970; minimum, freezing point
Dec. 9, 1969.

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|------|------|----------|------|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 19.0 | 15.0 | 16.0 | 13.5 | 13.0 | 13.5 | 8.5 | 8.5 | 8.5 | --- | --- | 3.5 |
| 2 | 15.5 | 15.5 | 15.5 | 13.5 | 13.0 | 13.5 | 8.5 | 8.5 | 8.5 | --- | --- | 3.5 |
| 3 | 16.5 | 16.0 | 16.0 | 13.5 | 13.0 | 13.0 | 8.5 | 8.0 | 8.5 | --- | --- | 3.5 |
| 4 | 18.0 | 16.5 | 17.5 | 13.0 | 12.5 | 13.0 | 8.5 | 8.0 | 8.5 | --- | --- | 3.0 |
| 5 | 18.0 | 17.5 | 17.5 | 12.5 | 12.0 | 12.5 | 8.5 | 8.5 | 8.5 | 3.5 | 3.0 | 3.0 |
| 6 | 18.0 | 17.5 | 17.5 | 12.0 | 12.0 | 12.0 | 8.5 | 8.0 | 8.0 | 3.5 | 3.0 | 3.5 |
| 7 | 18.0 | 17.5 | 17.5 | 12.0 | 11.5 | 12.0 | 8.0 | 8.0 | 8.0 | 3.5 | 3.5 | 3.5 |
| 8 | 18.0 | 17.5 | 17.5 | 11.5 | 11.5 | 11.5 | 8.0 | 8.0 | 8.0 | 3.5 | 3.0 | 3.0 |
| 9 | 18.0 | 17.5 | 17.5 | 11.5 | 11.0 | 11.5 | 8.0 | 7.5 | 7.5 | 3.0 | 2.5 | 3.0 |
| 10 | 18.0 | 17.0 | 17.5 | 11.0 | 10.5 | 11.0 | 8.0 | 7.5 | 8.0 | 2.5 | 2.0 | 2.5 |
| 11 | 17.5 | 17.0 | 17.0 | 10.5 | 10.5 | 10.5 | 8.0 | 7.0 | 7.5 | 3.0 | 2.5 | 2.5 |
| 12 | 18.0 | 17.0 | 17.0 | 10.5 | 10.0 | 10.0 | 7.5 | 7.0 | 7.0 | 3.0 | 2.5 | 3.0 |
| 13 | 17.5 | 17.0 | 17.0 | 10.5 | 10.0 | 10.5 | 7.0 | 7.0 | 7.0 | 3.0 | 2.5 | 2.5 |
| 14 | 17.0 | 16.5 | 17.0 | 10.5 | 10.0 | 10.5 | 7.0 | 7.0 | 7.0 | 3.0 | 2.5 | 2.5 |
| 15 | 17.5 | 16.5 | 17.0 | 11.0 | 10.5 | 10.5 | 7.0 | 6.5 | 6.5 | 3.0 | 2.5 | 3.0 |
| 16 | 17.0 | 16.5 | 16.5 | 10.5 | 10.0 | 10.0 | 6.5 | 6.5 | 6.5 | 3.0 | 3.0 | 3.0 |
| 17 | 16.5 | 16.0 | 16.0 | 10.0 | 9.5 | 10.0 | 6.5 | 6.0 | 6.0 | 3.0 | 3.0 | 3.0 |
| 18 | 16.5 | 16.0 | 16.0 | 10.0 | 9.5 | 10.0 | 6.0 | 6.0 | 6.0 | 3.0 | 2.5 | 2.5 |
| 19 | 16.5 | 15.5 | 16.0 | 10.0 | 9.5 | 9.5 | 6.0 | 5.5 | 6.0 | 3.0 | 2.5 | 2.5 |
| 20 | 16.5 | 15.5 | 15.5 | 10.0 | 9.0 | 9.5 | 5.5 | 5.0 | 5.5 | 3.0 | 2.5 | 3.0 |
| 21 | 16.0 | 15.5 | 15.5 | 9.5 | 9.0 | 9.5 | 5.5 | 4.5 | 5.0 | 2.5 | 2.5 | 2.5 |
| 22 | 16.0 | 15.5 | 15.5 | 10.0 | 9.0 | 9.5 | 5.0 | 4.5 | 4.5 | 3.0 | 2.5 | 3.0 |
| 23 | 15.5 | 15.0 | 15.5 | 9.5 | 9.0 | 9.5 | 4.5 | 4.5 | 4.5 | 3.0 | 3.0 | 3.0 |
| 24 | 15.5 | 15.0 | 15.0 | 9.5 | 9.0 | 9.5 | 4.5 | 4.5 | 4.5 | 3.5 | 3.0 | 3.0 |
| 25 | 15.5 | 15.0 | 15.0 | 9.5 | 9.5 | 9.5 | 4.0 | 4.0 | 4.5 | 3.5 | 3.0 | 3.5 |
| 26 | 15.5 | 15.0 | 15.0 | 9.5 | 9.0 | 9.0 | 4.0 | 4.0 | 4.0 | 3.5 | 3.5 | 3.5 |
| 27 | 15.5 | 15.0 | 15.0 | 9.5 | 9.0 | 9.0 | 4.0 | 4.0 | 4.0 | 3.5 | 3.5 | 3.5 |
| 28 | 15.0 | 14.5 | 14.5 | 9.5 | 9.0 | 9.0 | 4.0 | 4.0 | 4.0 | 3.5 | 3.5 | 3.5 |
| 29 | 14.5 | 14.0 | 14.0 | 9.0 | 8.5 | 9.0 | --- | --- | 4.0 | 4.0 | 3.5 | 3.5 |
| 30 | 14.0 | 14.0 | 14.0 | 9.0 | 8.5 | 8.5 | --- | --- | 4.0 | 4.0 | 3.5 | 4.0 |
| 31 | 14.5 | 13.5 | 14.0 | --- | --- | --- | --- | --- | 3.5 | 4.0 | 4.0 | 4.0 |
| MONTH | 19.0 | 13.5 | 16.0 | 13.5 | 8.5 | 10.5 | 8.5 | 4.0 | 6.0 | 4.0 | 2.0 | 3.0 |

DELAWARE RIVER BASIN

01449800 POHOPOCO CREEK BELOW BELTZVILLE DAM NEAR PARRYVILLE, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|------|------|-------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 4.0 | 3.5 | 3.5 | 3.0 | 3.0 | 3.0 | 4.5 | 4.0 | 4.0 | 10.0 | 9.0 | 9.5 |
| 2 | 3.5 | 3.0 | 3.0 | 3.0 | 2.5 | 3.0 | 4.5 | 4.0 | 4.0 | 11.0 | 9.5 | 10.0 |
| 3 | 3.0 | 2.5 | 2.5 | 3.0 | 2.5 | 3.0 | 5.0 | 4.5 | 4.5 | 10.0 | 9.5 | 10.0 |
| 4 | 3.0 | 2.5 | 2.5 | 3.0 | 3.0 | 3.0 | 5.0 | 4.5 | 4.5 | 11.0 | 9.5 | 10.0 |
| 5 | 3.0 | 2.5 | 3.0 | 3.5 | 3.0 | 3.0 | 5.0 | 5.0 | 5.0 | 10.5 | 9.5 | 10.0 |
| 6 | 2.5 | 2.5 | 2.5 | 3.5 | 3.0 | 3.0 | 5.0 | 5.0 | 5.0 | 10.0 | 9.5 | 9.5 |
| 7 | 2.5 | 2.0 | 2.0 | 3.5 | 3.5 | 3.5 | 5.5 | 5.0 | 5.0 | 10.0 | 9.0 | 9.5 |
| 8 | 2.0 | 2.0 | 2.0 | 3.5 | 3.5 | 3.5 | 6.0 | 5.5 | 5.5 | 10.5 | 9.5 | 9.5 |
| 9 | 2.0 | 2.0 | 2.0 | 3.5 | 3.5 | 3.5 | 6.0 | 6.0 | 6.0 | 10.0 | 9.5 | 9.5 |
| 10 | 2.5 | 2.0 | 2.0 | 3.5 | 3.5 | 3.5 | 6.0 | 6.0 | 6.0 | 11.0 | 10.0 | 10.0 |
| 11 | 2.5 | 2.0 | 2.5 | 3.5 | 3.5 | 3.5 | 6.5 | 6.0 | 6.0 | 11.0 | 9.5 | 10.5 |
| 12 | 3.0 | 2.0 | 2.5 | 3.5 | 3.5 | 3.5 | 6.5 | 6.0 | 6.0 | 11.0 | 9.5 | 10.0 |
| 13 | 3.0 | 2.5 | 2.5 | 3.5 | 3.5 | 3.5 | 7.0 | 6.5 | 6.5 | 10.0 | 9.5 | 9.5 |
| 14 | 3.0 | 2.5 | 2.5 | 3.5 | 3.5 | 3.5 | 7.0 | 6.5 | 6.5 | 11.0 | 10.0 | 10.0 |
| 15 | 3.0 | 2.5 | 2.5 | 3.5 | 3.5 | 3.5 | 7.0 | 6.5 | 6.5 | 11.0 | 10.0 | 10.5 |
| 16 | 3.0 | 2.5 | 2.5 | 3.5 | 3.5 | 3.5 | 7.0 | 6.5 | 6.5 | 11.5 | 10.5 | 11.0 |
| 17 | 3.0 | 2.5 | 3.0 | 3.5 | 3.5 | 3.5 | 7.0 | 7.0 | 7.0 | 11.5 | 10.5 | 11.0 |
| 18 | 3.0 | 2.5 | 2.5 | 4.0 | 3.5 | 3.5 | 7.5 | 7.0 | 7.0 | 12.0 | 11.5 | 11.5 |
| 19 | 3.0 | 2.5 | 3.0 | 4.0 | 3.5 | 3.5 | 8.0 | 7.0 | 7.0 | 13.0 | 12.0 | 12.0 |
| 20 | 3.0 | 2.5 | 3.0 | 4.0 | 3.5 | 3.5 | 8.0 | 7.0 | 7.0 | 12.5 | 11.5 | 12.0 |
| 21 | 3.5 | 2.5 | 3.0 | 4.0 | 3.5 | 3.5 | 8.0 | 7.5 | 7.5 | 12.5 | 11.0 | 12.0 |
| 22 | 3.5 | 3.0 | 3.0 | 4.0 | 4.0 | 4.0 | 8.5 | 7.5 | 7.5 | 12.5 | 11.5 | 12.0 |
| 23 | 3.0 | 2.5 | 3.0 | 4.0 | 4.0 | 4.0 | 8.5 | 7.0 | 7.5 | 12.5 | 12.5 | 12.5 |
| 24 | 3.0 | 2.5 | 3.0 | 4.5 | 4.0 | 4.0 | 8.5 | 7.0 | 8.0 | 13.0 | 11.5 | 12.5 |
| 25 | 3.0 | 2.5 | 2.5 | 4.5 | 4.0 | 4.0 | 9.0 | 8.0 | 8.5 | 13.0 | 12.5 | 12.5 |
| 26 | 3.0 | 2.5 | 2.5 | 4.5 | 4.0 | 4.0 | 9.0 | 8.5 | 8.5 | 13.0 | 12.0 | 12.5 |
| 27 | 3.0 | 2.5 | 2.5 | 4.5 | 4.0 | 4.0 | 9.0 | 8.5 | 8.5 | 13.5 | 12.5 | 13.0 |
| 28 | 3.0 | 2.5 | 3.0 | 4.5 | 4.0 | 4.5 | 9.0 | 8.5 | 9.0 | 13.5 | 12.5 | 12.5 |
| 29 | --- | --- | --- | 4.5 | 4.0 | 4.0 | 9.5 | 8.0 | 8.5 | 13.0 | 12.5 | 12.5 |
| 30 | --- | --- | --- | 4.0 | 4.0 | 4.0 | 10.0 | 8.5 | 9.5 | 13.0 | 12.5 | 12.5 |
| 31 | --- | --- | --- | 4.0 | 4.0 | 4.0 | --- | --- | --- | 13.5 | 13.0 | 13.0 |
| MONTH | 4.0 | 2.0 | 2.5 | 4.5 | 2.5 | 3.5 | 10.0 | 4.0 | 6.5 | 13.5 | 9.0 | 11.0 |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 13.5 | 13.0 | 13.0 | 14.5 | 13.0 | 13.5 | 13.5 | 12.5 | 13.0 | 15.5 | 15.0 | 15.5 |
| 2 | 13.5 | 13.0 | 13.0 | 14.5 | 13.0 | 13.5 | 13.5 | 12.5 | 12.5 | 15.5 | 15.5 | 15.5 |
| 3 | 13.5 | 13.0 | 13.0 | 14.5 | 13.0 | 13.5 | 13.5 | 12.0 | 12.5 | 16.0 | 15.0 | 15.5 |
| 4 | 13.0 | 12.5 | 13.0 | 14.5 | 13.0 | 13.5 | 13.5 | 12.5 | 12.5 | 15.5 | 15.0 | 15.5 |
| 5 | 13.5 | 12.5 | 13.0 | 14.5 | 13.0 | 13.5 | 14.0 | 12.5 | 13.0 | 15.5 | 15.0 | 15.5 |
| 6 | 13.5 | 13.0 | 13.0 | 14.5 | 13.0 | 14.0 | 13.5 | 12.5 | 12.5 | 15.5 | 15.0 | 15.5 |
| 7 | 14.0 | 13.5 | 13.5 | 14.5 | 13.0 | 13.5 | 13.0 | 12.0 | 12.5 | 15.5 | 15.0 | 15.5 |
| 8 | 14.0 | 13.0 | 13.5 | 14.5 | 13.0 | 14.0 | 13.5 | 12.0 | 12.5 | 15.5 | 15.0 | 15.0 |
| 9 | 14.0 | 12.5 | 13.0 | 14.5 | 13.0 | 14.0 | 13.5 | 12.0 | 12.5 | 15.5 | 15.0 | 15.0 |
| 10 | 14.0 | 12.5 | 13.0 | 14.5 | 13.0 | 13.5 | 14.5 | 12.0 | 13.0 | 15.5 | 15.0 | 15.0 |
| 11 | 13.5 | 12.5 | 13.0 | 14.0 | 12.5 | 13.0 | 15.0 | 12.0 | 13.5 | 15.5 | 15.0 | 15.0 |
| 12 | 13.5 | 12.5 | 13.0 | 14.0 | 12.5 | 13.0 | 14.5 | 13.0 | 14.0 | 15.5 | 15.0 | 15.5 |
| 13 | 14.0 | 12.5 | 13.0 | 14.0 | 12.5 | 13.0 | 14.5 | 13.5 | 14.0 | 15.5 | 15.0 | 15.5 |
| 14 | 14.0 | 13.0 | 13.0 | 14.0 | 12.5 | 13.0 | 15.0 | 13.5 | 14.0 | 16.0 | 15.5 | 15.5 |
| 15 | 14.0 | 13.0 | 13.5 | 14.0 | 12.0 | 12.5 | 15.0 | 13.5 | 14.0 | 15.5 | 15.0 | 15.5 |
| 16 | 13.5 | 13.0 | 13.0 | 14.0 | 11.5 | 12.5 | 14.5 | 13.5 | 14.0 | 17.0 | 15.5 | 15.5 |
| 17 | 14.5 | 13.0 | 13.0 | 13.5 | 11.5 | 12.5 | 14.5 | 13.5 | 14.0 | 16.0 | 15.0 | 15.5 |
| 18 | 14.0 | 13.0 | 13.5 | 13.0 | 11.5 | 12.5 | 15.0 | 13.5 | 14.0 | 16.0 | 15.5 | 15.5 |
| 19 | 14.0 | 13.0 | 13.5 | 13.5 | 12.0 | 12.5 | 15.0 | 14.5 | 14.5 | 16.0 | 15.5 | 15.5 |
| 20 | 14.5 | 13.0 | 13.5 | 13.0 | 11.5 | 12.0 | 15.5 | 14.5 | 14.5 | 15.5 | 15.0 | 15.5 |
| 21 | 13.5 | 13.0 | 13.0 | 13.5 | 11.5 | 12.0 | 15.5 | 14.5 | 14.5 | 16.0 | 15.0 | 15.5 |
| 22 | 14.5 | 13.0 | 13.5 | 13.5 | 11.5 | 12.5 | 16.0 | 14.5 | 15.5 | 16.0 | 15.0 | 15.5 |
| 23 | 13.5 | 13.0 | 13.5 | 13.0 | 12.0 | 12.5 | 16.5 | 14.5 | 15.5 | 15.5 | 15.0 | 15.0 |
| 24 | 13.5 | 13.0 | 13.5 | 12.5 | 12.0 | 12.0 | 15.5 | 14.5 | 15.0 | 15.5 | 14.5 | 15.0 |
| 25 | 14.0 | 13.0 | 13.5 | 13.5 | 12.0 | 12.5 | 15.5 | 14.5 | 15.0 | 15.5 | 14.5 | 15.0 |
| 26 | 14.0 | 13.0 | 13.5 | 13.0 | 12.0 | 12.5 | 15.0 | 14.5 | 15.0 | 15.5 | 14.5 | 15.0 |
| 27 | 14.5 | 13.0 | 13.5 | 13.0 | 12.0 | 12.5 | 15.5 | 14.5 | 15.0 | 15.5 | 14.5 | 15.0 |
| 28 | 14.0 | 13.0 | 13.5 | 13.5 | 12.5 | 12.5 | 15.5 | 14.5 | 15.0 | 15.0 | 14.5 | 15.0 |
| 29 | 13.5 | 13.0 | 13.5 | 13.5 | 12.5 | 12.5 | 15.5 | 15.0 | 15.0 | 15.5 | 14.5 | 15.0 |
| 30 | 14.0 | 13.0 | 13.5 | 14.0 | 12.5 | 13.0 | 15.5 | 15.0 | 15.0 | 15.5 | 14.5 | 15.0 |
| 31 | --- | --- | --- | 14.0 | 12.5 | 13.0 | 15.5 | 15.0 | 15.0 | --- | --- | --- |
| MONTH | 14.5 | 12.5 | 13.5 | 14.5 | 11.5 | 13.0 | 16.5 | 12.0 | 14.0 | 17.0 | 14.5 | 15.5 |

01451695 JORDAN CREEK NEAR PLEASANT CORNERS, PA.

LOCATION.--Lat 40°39'55", long 75°41'19", Lehigh County, at double-span concrete bridge 1.3 mi (2.1 km) south of Pleasant Corners.

DRAINAGE AREA.--14.3 mi² (37.0 km²).

PERIOD OF RECORD.--Chemical analyses: June 1972 to June 1974.

Sediment records: August 1972 to February 1974 (partial-record station).

REMARKS.--Miscellaneous sediment data for this station on page 393.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DISCHARGE (CFS) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | ORGANIC NITROGEN (N) (MG/L) | TOTAL KJEL-DAHL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHO PHOSPHORUS (P) (MG/L) |
|------------|------|-------------------------------|--------------------------|-----------------------------|-----------------------------|-------------------------------------|-----------------------------|-----------------------------------|
| OCT. 29... | 1200 | 8.0 | 1.9 | .07 | .46 | .53 | .02 | .00 |
| NOV. 14... | 0920 | 10 | 2.9 | .02 | .29 | .31 | .02 | .00 |
| DEC. 05... | 1130 | 19 | 2.3 | .11 | .73 | .84 | .02 | .02 |
| JAN. 22... | 1130 | 60 | 1.0 | .07 | .61 | .68 | .08 | .03 |
| FEB. 20... | 0945 | 33 | 3.8 | .08 | .77 | .85 | .10 | .02 |
| MAR. 20... | 1025 | 27 | 3.6 | .06 | .33 | .39 | .02 | .01 |
| APR. 16... | 1115 | 59 | 3.3 | .07 | 1.1 | 1.2 | .04 | .02 |
| MAY 08... | 1430 | 9.7 | 2.5 | .08 | .29 | .37 | .01 | .01 |
| JUNE 19... | 0915 | 3.0 | 2.7 | .13 | .52 | .65 | .06 | .02 |

| DATE | SPECIFIC CONDUCTANCE (MICRO-MHOS) | PH (UNITS) | TEMPERATURE (DEG C) | DISSOLVED OXYGEN (MG/L) | IMMEDIATE COLIFORM (COL. PER 100 ML) | FECAL COLIFORM (COL. PER 100 ML) | STREPTOCOCCI (COLONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|------------|-----------------------------------|------------|---------------------|-------------------------|--------------------------------------|----------------------------------|------------------------------------|---------------------------------|
| OCT. 29... | 170 | 6.7 | 9.5 | 11.0 | 1400 | 470 | 1300 | -- |
| NOV. 14... | 160 | 7.0 | 9.0 | 12.0 | 430 | 130 | 250 | 5.0 |
| DEC. 05... | 160 | 6.6 | 10.0 | 11.0 | 5600 | 600 | 1700 | 1.0 |
| JAN. 22... | 162 | 7.7 | 4.0 | 13.0 | 8000 | 430 | 1100 | 5.0 |
| FEB. 20... | 160 | 6.8 | 3.0 | 13.6 | 1300 | 520 | 3100 | 2.5 |
| MAR. 20... | 160 | 7.3 | 4.5 | 13.8 | 140 | F15 | 120 | 1.2 |
| APR. 16... | 150 | 6.2 | 10.5 | 11.4 | 2100 | 810 | 780 | 2.0 |
| MAY 08... | 130 | 8.3 | 14.5 | 11.4 | 290 | 83 | 150 | 1.0 |
| JUNE 19... | 161 | 6.8 | 16.5 | 10.6 | 3200 | 700 | 1200 | 2.5 |

| DATE | TIME | TOTAL IRON IN BOTTOM DE-POSITS (UG/G) | TOTAL MANGANESE IN BOTTOM DE-POSITS (UG/G) | TOTAL NITRITE PLUS NITRATE IN BOT. DEP. (MG/KG) | TOTAL AMMONIA NITROGEN IN BOTTOM DEP. (MG/KG) | TOTAL KJEL. NITROGEN IN BOTTOM DEP. (MG/KG) | TOTAL NITROGEN IN BOTTOM DEPOSITS (N) (MG/KG) | TOTAL PHOSPHORUS IN BOTTOM DE-POSITS (MG/KG) | LOSS ON IGNITION IN BOTTOM DE-POSITS (MG/KG) | ORGANIC CARBON IN BED MATERIAL (C) (G/KG) | IN-ORGANIC CARBON IN BED MATERIAL (G/KG) |
|------------|------|---------------------------------------|--|---|---|---|---|--|--|---|--|
| JUNE 19... | 0915 | 3000 | 800 | 22 | 5.0 | 515 | 537 | 120 | 300 | 8.0 | .5 |

| DATE | TOTAL ARSENIC IN BOTTOM DE-POSITS (UG/G) | TOTAL CADMIUM IN BOTTOM DE-POSITS (UG/G) | TOTAL CHROMIUM IN BOTTOM DE-POSITS (UG/G) | TOTAL COBALT IN BOTTOM DE-POSITS (UG/G) | TOTAL COPPER IN BOTTOM DE-POSITS (UG/G) | TOTAL LEAD IN BOTTOM DE-POSITS (UG/G) | TOTAL MERCURY IN BOTTOM DE-POSITS (UG/G) | TOTAL NICKEL IN BOTTOM DE-POSITS (UG/G) | TOTAL SELENIUM IN BOTTOM DE-POSITS (UG/G) | TOTAL ZINC IN BOTTOM DE-POSITS (UG/G) |
|------------|--|--|---|---|---|---------------------------------------|--|---|---|---------------------------------------|
| JUNE 19... | 4 | 1 | 0 | 5 | 8 | 27 | .1 | 4 | 0 | 342 |

DELAWARE RIVER BASIN

01451700 SWITZER CREEK NEAR PLEASANT CORNERS, PA.

LOCATION.--Lat 40°39'34", long 75°41'33", Lehigh County, at wooden bridge on dirt road 1.7 mi (2.7 km) south of Pleasant Corners, and 0.2 mi (0.3 km) above mouth.

DRAINAGE AREA.--8.43 mi² (21.8 km²).

PERIOD OF RECORD.--Chemical analyses: June 1972 to June 1974.

Sediment records: August 1972 to February 1974 (partial-record station).

REMARKS.--Miscellaneous sediment data for this station on page 393.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS- CHARGE (CFS) | ALKA- LINITY AS CACO ₃ (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) |
|---------------|------|--|--|-----------------------------------|---|---|--|---|--|
| OCT. 29... | 1130 | 3.0 | -- | 2.5 | .07 | .50 | .57 | .04 | .01 |
| NOV. 14... | 0900 | 2.0 | -- | 4.7 | .01 | .32 | .33 | .15 | .14 |
| DEC. 05... | 1115 | 13 | -- | 2.7 | .10 | .76 | .86 | .03 | .02 |
| JAN. 22... | 1100 | 55 | -- | 1.4 | .09 | .61 | .70 | .13 | .03 |
| FEB. 20... | 0930 | 12 | -- | 5.4 | .18 | .84 | 1.0 | .08 | -- |
| MAR. 20... | 1000 | 19 | -- | 4.5 | .04 | .30 | .34 | .02 | .01 |
| APR. 16... | 1100 | 42 | -- | 2.9 | .05 | .73 | .78 | .03 | .01 |
| MAY 08... | 1420 | 3.0 | -- | 3.2 | .10 | .34 | .44 | .01 | .00 |
| JUNE 19... | 0845 | 2.0 | 64 | 2.3 | .11 | .58 | .69 | .04 | .02 |

| DATE | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | IMME- DIATE COLI- FORM (COL. PER 100 ML) | FECAL COLI- FORM (COL. PER 100 ML) | STREP- TOCOCCI (COL- ONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|---------------|--|---------------|-----------------------------|------------------------------------|--|---|---|---|
| OCT. 29... | 185 | 6.4 | 10.0 | 10.4 | 170 | 54 | 800 | -- |
| NOV. 14... | 205 | 6.7 | 9.0 | 1.2 | 330 | 120 | 180 | 5.0 |
| DEC. 05... | 180 | 6.5 | 9.5 | 10.4 | 4200 | 130 | 820 | 1.5 |
| JAN. 22... | 195 | 7.5 | 4.0 | 12.6 | 1100 | 360 | 800 | 1.5 |
| FEB. 20... | 190 | 6.8 | 3.0 | 12.8 | 1700 | 650 | 1400 | 2.0 |
| MAR. 20... | 175 | 7.5 | 5.0 | 13.4 | 250 | 28 | 150 | 2.6 |
| APR. 16... | 155 | 6.2 | 9.0 | 12.2 | 590 | 150 | 170 | 3.5 |
| MAY 08... | 180 | 8.4 | 15.0 | 11.8 | 280 | 20 | 36 | 1.1 |
| JUNE 19... | 200 | 6.6 | 17.0 | 9.4 | 1800 | 390 | 1100 | -- |

DELAWARE RIVER BASIN

71

01451700 SWITZER CREEK NEAR PLEASANT CORNERS, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | TOTAL IRON IN BOTTOM DE- POSITS (UG/G) | TOTAL MANGA- NESE IN BOTTOM DE- POSITS (UG/G) | TOTAL NITRITE PLUS NITRATE IN BOT. DEP. (MG/KG) | TOTAL AMMONIA NITRO- GEN IN BOTTOM DEP. (MG/KG) | TOTAL KJEL. NITRO- GEN IN BOTTOM DEP. (MG/KG) | TOTAL NITRO- GEN IN BOTTOM DEPOS- ITS (N) (MG/KG) | TOTAL PHOS- PHORUS IN BOT- TOM DE- POSITS (MG/KG) | LOSS ON IGNI- TION IN DE- POSITS (MG/KG) | ORGANIC CARBON IN BED MA- TERIAL (C) (G/KG) | IN- ORGANIC CARBON IN BED MA- TERIAL (G/KG) |
|---------------|------|--|---|---|---|---|---|---|---|---|---|
| JUNE 19... | 0845 | 14000 | 1700 | 7.0 | 28 | 2770 | 2780 | 220 | 900 | 24 | .5 |

| DATE | ALDRIN IN BOTTOM DE- POSITS (UG/KG) | CHLOR- DANE IN BOTTOM DE- POSITS (UG/KG) | DDD IN BOTTOM DE- POSITS (UG/KG) | DDE IN BOTTOM DE- POSITS (UG/KG) | DDT IN BOTTOM DE- POSITS (UG/KG) | DI- ELDRIN IN BOTTOM DE- POSITS (UG/KG) | ENDRIN IN BOTTOM DE- POSITS (UG/KG) | HEPTA- CHLOR IN BOTTOM DE- POSITS (UG/KG) | HEPTA- CHLOR EPOXIDE IN BOT- TOM DE- POSITS (UG/KG) | LINDANE IN BOTTOM DE- POSITS (UG/KG) | PCB IN BOTTOM DE- POSITS (UG/KG) |
|---------------|--|--|---|---|---|---|--|---|---|---|---|
| JUNE 19... | .0 | 47 | 1.2 | .8 | .7 | 1.5 | .0 | .0 | .0 | .0 | 16. |

| DATE | TOX- APHENE IN BOTTOM DE- POSITS (UG/KG) | TOTAL ARSENIC IN BOTTOM DE- POSITS (UG/G) | TOTAL CADMIUM IN BOTTOM DE- POSITS (UG/G) | TOTAL CHRO- MIUM IN BOTTOM DE- POSITS (UG/G) | TOTAL COBALT IN BOTTOM DE- POSITS (UG/G) | TOTAL COPPER IN BOTTOM DE- POSITS (UG/G) | TOTAL LEAD IN BOTTOM DE- POSITS (UG/G) | TOTAL MERCURY IN BOTTOM DE- POSITS (UG/G) | TOTAL NICKEL IN BOTTOM DE- POSITS (UG/G) | TOTAL SELE- NIUM IN BOTTOM DE- POSITS (UG/G) | TOTAL ZINC IN BOTTOM DE- POSITS (UG/G) |
|---------------|--|---|---|--|--|--|--|---|--|--|--|
| JUNE 19... | 0 | 3 | 1 | 7 | 10 | 17 | 39 | 56 | 11 | 0 | 74 |

DELAWARE RIVER BASIN

01451738 LYON CREEK AT LYON VALLEY, PA.

LOCATION.--Lat 40°37'30", long 75°40'27", Lehigh County, at single span concrete bridge on country road 0.4 mi (0.6 km) southwest of Lyon Valley and 2.3 mi (3.7 km) from mouth.

DRAINAGE AREA.--7.52 mi² (19.5 km²).

PERIOD OF RECORD.--Chemical analyses: June 1972 to June 1974.

Sediment records: August 1972 to February 1974 (partial-record station).

REMARKS.--Miscellaneous sediment data for this station on page 393.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DISCHARGE (CFS) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | ORGANIC NITROGEN (N) (MG/L) | TOTAL KJEL-DAHL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHO PHOSPHORUS (P) (MG/L) |
|------------|------|-------------------------------|--------------------------|-----------------------------|-----------------------------|-------------------------------------|-----------------------------|-----------------------------------|
| OCT. 29... | 1425 | 14 | 2.5 | .08 | 1.1 | 1.2 | .22 | .01 |
| NOV. 14... | 1050 | 6.0 | 4.1 | .03 | .57 | .60 | .02 | .00 |
| DEC. 05... | 1330 | 37 | 2.7 | .33 | 1.4 | 1.7 | .17 | .14 |
| JAN. 22... | 1400 | 45 | 1.5 | .20 | .61 | .81 | .14 | .04 |
| FEB. 20... | 1130 | 10 | 5.9 | .08 | .72 | .80 | .09 | .01 |
| MAR. 20... | 1230 | 24 | 5.0 | .04 | .32 | .36 | .03 | .01 |
| APR. 16... | 1430 | 19 | 4.2 | .08 | .52 | .60 | .02 | .01 |
| MAY 08... | 1610 | 6.0 | 3.2 | .18 | .38 | .56 | .01 | .00 |
| JUNE 19... | 1120 | 4.0 | 2.7 | .15 | .67 | .82 | .05 | .02 |

| DATE | SPECIFIC CONDUCTANCE (MICRO-MHOS) | PH (UNITS) | TEMPERATURE (DEG C) | DISSOLVED OXYGEN (MG/L) | IMMEDIATE COLIFORM (COL. PER 100 ML) | FECAL COLIFORM (COL. PER 100 ML) | STREPTOCOCCI (COL. PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|------------|-----------------------------------|------------|---------------------|-------------------------|--------------------------------------|----------------------------------|--------------------------------|---------------------------------|
| OCT. 29... | 210 | 7.0 | 10.0 | 10.4 | 57000 | 33000 | 50000 | -- |
| NOV. 14... | 210 | 6.8 | 10.0 | 12.0 | E1400 | 1400 | 840 | 3.5 |
| DEC. 05... | 175 | 6.8 | 10.5 | 10.0 | 45000 | 20000 | 70000 | 8.0 |
| JAN. 22... | 195 | 7.2 | 7.0 | 12.4 | E600 | E270 | 1500 | 3.0 |
| FEB. 20... | 190 | 7.6 | 4.0 | 13.0 | 3900 | 170 | 2200 | 2.0 |
| MAR. 20... | 190 | 7.0 | 7.0 | 13.0 | <25 | <10 | E80 | .8 |
| APR. 16... | 200 | 6.2 | 15.0 | 10.6 | 180 | E60 | 180 | 2.0 |
| MAY 08... | 200 | 8.2 | 16.5 | 11.8 | 55 | 27 | 53 | 1.3 |
| JUNE 19... | 200 | 6.4 | 19.0 | 9.6 | E13000 | E6200 | 2700 | 2.0 |

| DATE | TIME | TOTAL IRON IN BOTTOM DEPOSIT (UG/G) | TOTAL MANGANESE IN BOTTOM DEPOSIT (UG/G) | TOTAL NITRITE PLUS NITRATE IN BOT. DEP. (MG/KG) | TOTAL AMMONIA NITROGEN IN BOT. DEP. (MG/KG) | TOTAL KJEL. NITROGEN IN BOTTOM DEP. (MG/KG) | TOTAL NITROGEN IN BOTTOM DEPOSITS (N) (MG/KG) | TOTAL PHOSPHORUS IN BOTTOM DEPOSIT (MG/KG) | LOSS ON IGNITION IN BOTTOM DEPOSIT (MG/KG) | ORGANIC CARBON IN BED MATERIAL (C) (G/KG) | IN-ORGANIC CARBON IN BED MATERIAL (G/KG) |
|------------|------|-------------------------------------|--|---|---|---|---|--|--|---|--|
| JUNE 19... | 1120 | 5700 | 820 | 7.0 | 18 | 492 | 499 | 280 | 59500 | 5.0 | .0 |

| DATE | TOTAL ARSENIC IN BOTTOM DEPOSIT (UG/G) | TOTAL CADMIUM IN BOTTOM DEPOSIT (UG/G) | TOTAL CHROMIUM IN BOTTOM DEPOSIT (UG/G) | TOTAL COBALT IN BOTTOM DEPOSIT (UG/G) | TOTAL COPPER IN BOTTOM DEPOSIT (UG/G) | TOTAL LEAD IN BOTTOM DEPOSIT (UG/G) | TOTAL MERCURY IN BOTTOM DEPOSIT (UG/G) | TOTAL NICKEL IN BOTTOM DEPOSIT (UG/G) | TOTAL SELENIUM IN BOTTOM DEPOSIT (UG/G) | TOTAL ZINC IN BOTTOM DEPOSIT (UG/G) |
|------------|--|--|---|---------------------------------------|---------------------------------------|-------------------------------------|--|---------------------------------------|---|-------------------------------------|
| JUNE 19... | 3 | 0 | 3 | 7 | 11 | 27 | .0 | 5 | 0 | 45 |

DELAWARE RIVER BASIN

73

01451770 MILL CREEK NEAR SCHNECKSVILLE, PA.

LOCATION.--Lat 40°40'35", long 75°38'25", Lehigh County, at concrete bridge on Pennsylvania Route 309, 2.0 mi (3.2 km) west of Schnecksville.

DRAINAGE AREA.--5.19 mi² (13.4 km²).

PERIOD OF RECORD.--Chemical analyses: June 1972 to June 1974.

Sediment records: August 1972 to January 1974 (partial-record station).

REMARKS.--Miscellaneous sediment data for this station on page 393.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DISCHARGE (CFS) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | ORGANIC NITROGEN (N) (MG/L) | TOTAL KJEL-DAHL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHO PHOSPHORUS (P) (MG/L) |
|------------|------|-------------------------------|--------------------------|-----------------------------|-----------------------------|-------------------------------------|-----------------------------|-----------------------------------|
| OCT. 29... | 1310 | 2.0 | 2.5 | .09 | .69 | .78 | .32 | .26 |
| NOV. 14... | 1000 | 1.0 | 3.4 | .07 | .35 | .42 | .27 | .26 |
| DEC. 05... | 1245 | 30 | 1.9 | .23 | 2.5 | 2.7 | .30 | .25 |
| JAN. 22... | 1245 | 24 | 1.4 | .08 | .64 | .72 | .16 | .06 |
| FEB. 20... | 1015 | 3.5 | 6.3 | .10 | .81 | .91 | .13 | .07 |
| MAR. 20... | 1130 | 7.5 | 5.2 | .03 | .28 | .31 | .06 | .04 |
| APR. 16... | 1300 | 25 | 4.3 | .03 | .75 | .78 | .06 | .02 |
| MAY 08... | 1450 | 1.0 | 3.6 | .12 | .31 | .43 | .11 | .09 |
| JUNE 19... | 1000 | 1.0 | 3.2 | .16 | .63 | .79 | .27 | .22 |

| DATE | TIME | SPECIFIC CONDUCTANCE (MICROMHOS) | PH (UNITS) | TEMPERATURE (DEG C) | DIS-SOLVED OXYGEN (MG/L) | IMMEDIATE COLIFORM (COL. PER 100 ML) | FECAL COLIFORM (COL. PER 100 ML) | STREPTOCOCCI (COLONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|------------|------|----------------------------------|------------|---------------------|--------------------------|--------------------------------------|----------------------------------|------------------------------------|---------------------------------|
| OCT. 29... | 245 | 6.6 | 9.5 | 10.0 | 3400 | 530 | 4400 | -- | |
| NOV. 14... | 240 | 7.2 | 8.5 | 11.4 | 250 | 50 | 360 | 6.0 | |
| DEC. 05... | 190 | 6.7 | 11.0 | 10.0 | E300000 | 1600 | 21000 | 22 | |
| JAN. 22... | 210 | 7.2 | 5.0 | 13.0 | 15000 | 470 | 1000 | .5 | |
| FEB. 20... | 230 | 7.4 | 4.0 | 13.6 | 3800 | 390 | 960 | .5 | |
| MAR. 20... | 200 | 7.3 | 5.5 | 13.2 | 500 | 73 | 68 | 1.1 | |
| APR. 16... | 190 | 6.2 | 13.0 | 10.8 | 680 | E40 | 480 | 2.0 | |
| MAY 08... | 210 | 8.3 | 13.0 | 12.4 | 140 | 20 | 49 | 1.2 | |
| JUNE 19... | 240 | 6.7 | 16.0 | 9.7 | E11000 | E1800 | E3000 | 2.3 | |

| DATE | TIME | TOTAL IRON IN BOTTOM DE-POSITS (UG/G) | TOTAL MANGANESE IN BOTTOM DE-POSITS (UG/G) | TOTAL NITRITE PLUS NITRATE IN BOT. DEP. (MG/KG) | TOTAL AMMONIA NITROGEN IN BOTTOM DEP. (MG/KG) | TOTAL KJEL. NITROGEN IN BOTTOM DEP. (MG/KG) | TOTAL NITROGEN IN BOTTOM DEPOSITS (N) (MG/KG) | TOTAL PHOSPHORUS IN BOTTOM DE-POSITS (MG/KG) | LOSS ON IGNITION IN BOTTOM DE-POSITS (MG/KG) | ORGANIC CARBON IN BED MATERIAL (C) (G/KG) | IN-ORGANIC CARBON IN BED MATERIAL (G/KG) |
|------------|------|---------------------------------------|--|---|---|---|---|--|--|---|--|
| JUNE 19... | 1000 | 4200 | 560 | 25 | 23 | 2860 | 2890 | 291 | 58400 | 19 | .5 |

| DATE | TIME | TOTAL ARSENIC IN BOTTOM DE-POSITS (UG/G) | TOTAL CADMIUM IN BOTTOM DE-POSITS (UG/G) | TOTAL CHROMIUM IN BOTTOM DE-POSITS (UG/G) | TOTAL COBALT IN BOTTOM DE-POSITS (UG/G) | TOTAL COPPER IN BOTTOM DE-POSITS (UG/G) | TOTAL LEAD IN BOTTOM DE-POSITS (UG/G) | TOTAL MERCURY IN BOTTOM DE-POSITS (UG/G) | TOTAL NICKEL IN BOTTOM DE-POSITS (UG/G) | TOTAL SELENIUM IN BOTTOM DE-POSITS (UG/G) | TOTAL ZINC IN BOTTOM DE-POSITS (UG/G) |
|------------|------|--|--|---|---|---|---------------------------------------|--|---|---|---------------------------------------|
| JUNE 19... | | 3 | 1 | 4 | 5 | 18 | 34 | 70 | 5 | 0 | 84 |

DELAWARE RIVER BASIN

01451800 JORDAN CREEK NEAR SCHNECKSVILLE, PA.

LOCATION.--Lat 40°39'42", long 75°37'38", Lehigh County, on upstream side of wooden covered bridge at Trexler-Lehigh County Game Preserve, 1.0 mi (1.6 km) downstream from Mill Creek, and 1.1 mi (1.8 km) southwest of Schnecksville.

DRAINAGE AREA.--53.0 mi² (137 km²).

PERIOD OF RECORD.--Chemical analyses: June 1972 to September 1974.
Sediment records: August 1972 to April 1974 (partial-record station).

REMARKS.--Miscellaneous sediment data for this station on page 394.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS- CHARGE (CFS) | ALKALINITY AS CaCO ₃ (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL- NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) |
|-------|------|--|---|-----------------------------------|---|---|---|---|--|
| OCT. | | | | | | | | | |
| 29... | 1345 | 19 | -- | 2.3 | .06 | .61 | .67 | .07 | .02 |
| NOV. | | | | | | | | | |
| 14... | 1020 | 80 | -- | 3.8 | .08 | .43 | .51 | .04 | .00 |
| DEC. | | | | | | | | | |
| 05... | 1300 | 105 | -- | 2.7 | .11 | .90 | 1.0 | .04 | .02 |
| JAN. | | | | | | | | | |
| 22... | 1310 | 246 | -- | 1.1 | .12 | .48 | .60 | .15 | .03 |
| FEB. | | | | | | | | | |
| 20... | 1030 | -- | -- | 4.5 | .17 | 1.0 | 1.2 | .13 | .04 |
| MAR. | | | | | | | | | |
| 20... | 1145 | -- | -- | 1.8 | .05 | .04 | .09 | .03 | .01 |
| APR. | | | | | | | | | |
| 16... | 1330 | -- | 80 | 4.2 | .17 | .72 | .89 | .04 | .01 |
| MAY | | | | | | | | | |
| 08... | 1500 | -- | -- | 2.3 | .15 | .31 | .46 | .01 | .00 |
| JUNE | | | | | | | | | |
| 19... | 1030 | -- | 58 | 2.7 | .22 | .74 | .96 | .07 | .03 |
| SEP. | | | | | | | | | |
| 12... | 0930 | 5.6 | 66 | 1.3 | .03 | .24 | .27 | .03 | .03 |

| DATE | SPECIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | IMME- DIATE COLI- FORM (COL. PER 100 ML) | FECAL COLI- FORM (COL. PER 100 ML) | STREP- TOCOCCI (COL- ONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|-------|---|---------------|-----------------------------|------------------------------------|--|---|---|---|
| OCT. | | | | | | | | |
| 29... | 240 | 7.0 | 10.0 | 11.2 | 1800 | 340 | 2100 | -- |
| NOV. | | | | | | | | |
| 14... | 210 | 7.3 | 9.5 | 13.2 | E47 | 220 | E44 | 6.0 |
| DEC. | | | | | | | | |
| 05... | 175 | 6.8 | 9.0 | 11.2 | 4600 | 390 | 7200 | 2.0 |
| JAN. | | | | | | | | |
| 22... | 165 | 7.3 | 5.0 | 13.2 | 3500 | 230 | 800 | 1.0 |
| FEB. | | | | | | | | |
| 20... | 180 | 7.4 | 4.0 | 13.2 | 2700 | 830 | 11000 | 2.0 |
| MAR. | | | | | | | | |
| 20... | 175 | 7.2 | 5.5 | 13.6 | E53 | E13 | E35 | -- |
| APR. | | | | | | | | |
| 16... | 175 | 6.4 | 11.0 | 11.6 | 260 | 260 | 540 | .5 |
| MAY | | | | | | | | |
| 08... | 175 | 8.7 | 15.5 | 14.0 | E6 | E3 | E7 | 1.4 |
| JUNE | | | | | | | | |
| 19... | 195 | 6.3 | 19.0 | 10.4 | E1300 | E1100 | 760 | -- |
| SEP. | | | | | | | | |
| 12... | 200 | 7.5 | 17.5 | 10.0 | 5300 | 160 | 200 | -- |

DELAWARE RIVER BASIN

75

01451800 JORDAN CREEK NEAR SCHNECKSVILLE, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | TOTAL IRON IN BOTTOM DE- POSITS (UG/G) | TOTAL MANGA- NESE IN BOTTOM DE- POSITS (UG/G) | TOTAL NITRITE PLUS NITRATE IN BOT. DEP. (MG/KG) | TOTAL AMMONIA NITRO- GEN IN BOTTOM DEP. (MG/KG) | TOTAL KJEL. NITRO- GEN IN BOTTOM DEP. (MG/KG) | TOTAL NITRO- GEN IN BOTTOM DEPOS- ITS (N) (MG/KG) | TOTAL PHOS- PHORUS IN BOT- TOM DE- POSITS (MG/KG) | LOSS ON IGNI- TION IN BOTTOM DE- POSITS (MG/KG) | ORGANIC CARBON IN RED MA- TERIAL (G/KG) | IN- ORGANIC CARBON IN RED MA- TERIAL (G/KG) |
|---------------|------|--|---|---|---|---|---|---|---|--|---|
| JUNE 19... | 1030 | 4900 | 670 | 11 | 38 | 3480 | 3490 | 302 | 531000 | 4.7 | .6 |
| SEP. 12... | 0930 | 15000 | 520 | -- | -- | -- | -- | -- | -- | -- | -- |

| DATE | ALDRIN IN BOTTOM DE- POSITS (UG/KG) | CHLOR- DANE IN BOTTOM DE- POSITS (UG/KG) | DDD IN BOTTOM DE- POSITS (UG/KG) | DDE IN BOTTOM DE- POSITS (UG/KG) | DDT IN BOTTOM DE- POSITS (UG/KG) | DI- ELDRIN IN BOTTOM DE- POSITS (UG/KG) | ENDRIN IN BOTTOM DE- POSITS (UG/KG) | HEPTA- CHLOR IN BOTTOM DE- POSITS (UG/KG) | HEPTA- CHLOR EPOXIDE IN BOT- TOM DE- POSITS (UG/KG) | LINDANE IN BOTTOM DE- POSITS (UG/KG) | PCB IN BOTTOM DE- POSITS (UG/KG) |
|---------------|--|--|---|---|---|---|--|---|---|---|---|
| JUNE 19... | 3.4 | 30 | 15 | 37 | 14 | 4.7 | .0 | .0 | .0 | .0 | 0 |
| SEP. 12... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

| DATE | TOX- APHENE IN BOTTOM DE- POSITS (UG/KG) | TOTAL ARSENIC IN BOTTOM DE- POSITS (UG/G) | TOTAL CADMIUM IN BOTTOM DE- POSITS (UG/G) | TOTAL CHRO- MIUM IN BOTTOM DE- POSITS (UG/G) | TOTAL COBALT IN BOTTOM DE- POSITS (UG/G) | TOTAL COPPER IN BOTTOM DE- POSITS (UG/G) | TOTAL LEAD IN BOTTOM DE- POSITS (UG/G) | TOTAL MERCURY IN BOTTOM DE- POSITS (UG/G) | TOTAL NICKEL IN BOTTOM DE- POSITS (UG/G) | TOTAL SELE- NIUM IN BOTTOM DE- POSITS (UG/G) | TOTAL ZINC IN BOTTOM DE- POSITS (UG/G) |
|---------------|--|---|---|--|--|--|--|---|--|--|--|
| JUNE 19... | 0 | 7 | 1 | 4 | 8 | 20 | 45 | 33 | 8 | 0 | 134 |
| SEP. 12... | -- | 7 | 1 | 7 | 9 | 12 | 20 | .0 | 10 | -- | 62 |

DELAWARE RIVER BASIN

01454720 LEHIGH RIVER AT EASTON, PA.

LOCATION.--Lat 40°41'12", long 75°12'32", Northampton County, at Third Street Bridge, Easton, U.S. Highway 611.

DRAINAGE AREA.--1,360 mi² (3,530 km²).

PERIOD OF RECORD.--Chemical analyses: October 1961 to September 1974.

Water temperatures: October 1961 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum, 411 micromhos July 19; minimum, 120 micromhos Dec. 10-12.

Dissolved oxygen: Maximum, 14.0 mg/l Mar. 10-12; minimum, 2.0 mg/l Aug. 17.

pH: Maximum, 7.9 Apr. 4; minimum, 6.2 Sept. 6.

Water temperatures: Maximum, 28.5°C July 9, 10; minimum, 0.5°C Dec. 18, 19, Feb. 6.

Period of record:

Specific conductance: Maximum, 581 micromhos Aug. 19, 1963; minimum, 70 micromhos Nov. 14, 1970.

Dissolved oxygen (1966-74): Maximum, 15.0 mg/l Feb. 22, 23, 1971; minimum, 0.0 mg/l Aug. 4, 1966.

pH (1972-74): Maximum, 8.1 Apr. 25, 1973; minimum, 6.2 Sept. 6, 1974.

Water temperatures: Maximum, 30.5°C July 29, 1970; minimum, freezing point on many days during winter periods.

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 260 | 235 | 247 | 170 | 158 | 161 | 210 | 200 | 205 | 208 | 195 | 201 |
| 2 | 270 | 209 | 240 | 181 | 170 | 177 | 220 | 205 | 214 | 209 | 200 | 204 |
| 3 | 215 | 190 | 203 | 194 | 181 | 188 | 225 | 210 | 220 | 228 | 199 | 207 |
| 4 | 202 | 189 | 197 | 199 | 187 | 193 | 240 | 225 | 233 | 299 | 238 | 258 |
| 5 | 245 | 200 | 219 | 200 | 188 | 191 | 250 | 218 | 231 | 300 | 268 | 280 |
| 6 | 270 | 240 | 255 | 214 | 190 | 207 | 220 | 145 | 172 | 298 | 281 | 289 |
| 7 | 280 | 260 | 267 | 229 | 204 | 217 | 153 | 138 | 145 | 300 | 292 | 298 |
| 8 | 280 | 260 | 269 | 229 | 203 | 218 | 162 | 147 | 155 | 310 | 230 | 274 |
| 9 | 311 | 262 | 290 | 220 | 201 | 210 | 168 | 140 | 157 | 230 | 219 | 223 |
| 10 | 312 | 290 | 305 | 218 | 200 | 209 | 143 | 120 | 127 | 230 | 200 | 214 |
| 11 | 313 | 300 | 309 | 220 | 202 | 210 | 125 | 120 | 121 | 310 | 230 | 258 |
| 12 | 320 | 302 | 311 | 213 | 204 | 209 | 130 | 120 | 124 | 320 | 270 | 298 |
| 13 | 340 | 309 | 318 | 262 | 210 | 232 | 140 | 130 | 138 | 270 | 252 | 264 |
| 14 | 320 | 309 | 313 | 271 | 250 | 260 | 149 | 140 | 146 | 262 | 250 | 253 |
| 15 | 320 | 308 | 311 | 282 | 250 | 262 | 155 | 145 | 149 | 270 | 250 | 263 |
| 16 | 340 | 308 | 319 | 261 | 250 | 255 | 145 | 135 | 140 | 290 | 260 | 272 |
| 17 | 350 | 330 | 339 | 262 | 245 | 253 | 168 | 142 | 151 | 290 | 270 | 283 |
| 18 | 355 | 339 | 346 | 260 | 250 | 253 | 178 | 164 | 170 | 280 | 260 | 272 |
| 19 | 341 | 321 | 335 | 259 | 248 | 252 | 180 | 170 | 175 | 315 | 268 | 290 |
| 20 | 340 | 340 | --- | 261 | 244 | 254 | 219 | 160 | 175 | 335 | 280 | 307 |
| 21 | --- | --- | --- | 281 | 257 | 270 | 280 | 155 | 209 | 350 | 268 | 288 |
| 22 | --- | --- | --- | 300 | 280 | 289 | 270 | 180 | 206 | 370 | 258 | 289 |
| 23 | --- | --- | --- | 298 | 260 | 275 | 205 | 190 | 199 | 262 | 215 | 240 |
| 24 | --- | --- | --- | 291 | 260 | 276 | 217 | 160 | 192 | 220 | 210 | 216 |
| 25 | 368 | 343 | --- | 281 | 268 | 274 | 180 | 162 | 174 | 215 | 210 | 213 |
| 26 | 378 | 360 | 369 | 287 | 269 | 277 | 209 | 162 | 180 | 210 | 200 | 206 |
| 27 | 376 | 360 | 366 | 280 | 265 | 272 | 220 | 180 | 202 | 210 | 200 | 204 |
| 28 | 369 | 350 | 360 | 270 | 255 | 266 | 230 | 205 | 219 | 200 | 190 | 195 |
| 29 | 359 | 310 | 336 | 270 | 235 | 258 | 210 | 200 | 205 | 198 | 170 | 183 |
| 30 | 310 | 182 | 260 | 235 | 200 | 221 | 208 | 192 | 201 | 180 | 170 | 172 |
| 31 | 181 | 154 | 166 | --- | --- | --- | 199 | 184 | 191 | 180 | 170 | 178 |
| MONTH | 378 | 154 | 290 | 300 | 158 | 236 | 280 | 120 | 178 | 370 | 170 | 245 |

DELAWARE RIVER BASIN

77

01454720 LEHIGH RIVER AT EASTON, PA.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 190 | 180 | 184 | 230 | 220 | 227 | 225 | 209 | 216 | 308 | 289 | 298 |
| 2 | 200 | 190 | 193 | 230 | 216 | 221 | 230 | 212 | 221 | 302 | 285 | 294 |
| 3 | 215 | 198 | 207 | 230 | 220 | 227 | 218 | 190 | 204 | 298 | 278 | 287 |
| 4 | 220 | 200 | 204 | 230 | 217 | 221 | 197 | 160 | 172 | 299 | 278 | 288 |
| 5 | 240 | 210 | 226 | 238 | 222 | 231 | 160 | 143 | 150 | 310 | 275 | 293 |
| 6 | 240 | 220 | 233 | 240 | 228 | 232 | 150 | 138 | 144 | 310 | 299 | 305 |
| 7 | 268 | 240 | 253 | 236 | 229 | 231 | 156 | 143 | 150 | 320 | 305 | 316 |
| 8 | 288 | 250 | 267 | 249 | 229 | 234 | 170 | 154 | 162 | 320 | 279 | 297 |
| 9 | 275 | 250 | 261 | 250 | 220 | 235 | 170 | 159 | 165 | 299 | 278 | 288 |
| 10 | 308 | 258 | 285 | 229 | 192 | 209 | 170 | 160 | 164 | 298 | 280 | 289 |
| 11 | 270 | 255 | 263 | 191 | 182 | 187 | 197 | 174 | 185 | 293 | 277 | 286 |
| 12 | 278 | 258 | 267 | 190 | 181 | 186 | 199 | 199 | --- | 282 | 249 | 271 |
| 13 | 280 | 270 | 278 | 200 | 189 | 194 | --- | --- | --- | 250 | 167 | 198 |
| 14 | 292 | 270 | 285 | 219 | 200 | 210 | --- | --- | --- | 168 | 150 | 158 |
| 15 | 290 | 278 | 283 | 223 | 218 | 220 | --- | --- | --- | 172 | 158 | 167 |
| 16 | 287 | 270 | 277 | 225 | 217 | 220 | --- | --- | --- | 199 | 173 | 188 |
| 17 | 298 | 272 | 283 | 222 | 191 | 210 | --- | --- | --- | 207 | 192 | 200 |
| 18 | 290 | 275 | 281 | 191 | 174 | 188 | 221 | 211 | --- | 219 | 200 | 206 |
| 19 | 318 | 279 | 294 | 210 | 191 | 199 | 235 | 220 | 226 | 219 | 205 | 213 |
| 20 | 330 | 270 | 305 | 218 | 202 | 210 | 238 | 215 | 226 | 222 | 210 | 217 |
| 21 | 274 | 265 | 270 | 216 | 208 | 211 | 229 | 218 | 223 | 240 | 219 | 229 |
| 22 | 281 | 265 | 274 | 211 | 177 | 189 | 230 | 219 | 226 | 240 | 228 | 235 |
| 23 | 270 | 180 | 201 | 188 | 170 | 177 | 249 | 229 | 239 | 256 | 229 | 245 |
| 24 | 185 | 150 | 163 | 181 | 178 | 180 | 270 | 240 | 258 | 258 | 240 | 249 |
| 25 | 199 | 150 | 170 | 199 | 180 | 186 | 270 | 250 | 261 | 261 | 242 | 255 |
| 26 | 200 | 190 | 196 | 219 | 202 | 211 | 271 | 250 | 261 | 269 | 250 | 259 |
| 27 | 215 | 198 | 205 | 220 | 210 | 218 | 270 | 259 | 265 | 260 | 247 | 255 |
| 28 | 230 | 216 | 224 | 228 | 218 | 221 | 278 | 260 | 270 | 269 | 245 | 254 |
| 29 | --- | --- | --- | 239 | 228 | 235 | 282 | 260 | 274 | 280 | 249 | 266 |
| 30 | --- | --- | --- | 276 | 239 | 257 | 299 | 265 | 287 | 300 | 270 | 287 |
| 31 | --- | --- | --- | 264 | 225 | 238 | --- | --- | --- | 310 | 290 | 301 |
| MONTH | 330 | 150 | 244 | 276 | 170 | 213 | 299 | 138 | --- | 320 | 150 | 255 |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 310 | 290 | 300 | 289 | 258 | 277 | 322 | 300 | 313 | 187 | 160 | 177 |
| 2 | 293 | 259 | 279 | 257 | 229 | 243 | 310 | 284 | 300 | 172 | 159 | 164 |
| 3 | 260 | 239 | 254 | 235 | 225 | 230 | 320 | 289 | 302 | 170 | 145 | 158 |
| 4 | 268 | 245 | 257 | 239 | 227 | 234 | 290 | 269 | 281 | 160 | 150 | 157 |
| 5 | 280 | 258 | 272 | 269 | 236 | 254 | 285 | 249 | 264 | 160 | 149 | 154 |
| 6 | 296 | 269 | 284 | 287 | 262 | 277 | 288 | 250 | 271 | 175 | 150 | 164 |
| 7 | 312 | 290 | 302 | 300 | 280 | 292 | 290 | 268 | 279 | 190 | 174 | 183 |
| 8 | 318 | 297 | 308 | 306 | 290 | 297 | 300 | 281 | 294 | 190 | 182 | 186 |
| 9 | 321 | 307 | 314 | 312 | 298 | 306 | 319 | 291 | 304 | 200 | 187 | 192 |
| 10 | 320 | 310 | 315 | 327 | 312 | 318 | 320 | 275 | 291 | 213 | 200 | 208 |
| 11 | 340 | 310 | 324 | 340 | 320 | 329 | 300 | 287 | 295 | 232 | 216 | 228 |
| 12 | 350 | 337 | 343 | 358 | 320 | 340 | 320 | 298 | 312 | 240 | 230 | 237 |
| 13 | 361 | 330 | 340 | 350 | 329 | 341 | 330 | 310 | 322 | 249 | 218 | 242 |
| 14 | 349 | 330 | 337 | 360 | 325 | 346 | 341 | 320 | 331 | 229 | 213 | 222 |
| 15 | 350 | 330 | 338 | 358 | 330 | 344 | 359 | 332 | 344 | --- | --- | --- |
| 16 | 359 | 282 | 333 | 360 | 330 | 345 | 370 | 355 | 365 | --- | --- | --- |
| 17 | 300 | 275 | 286 | 389 | 348 | 370 | 380 | 250 | 336 | 239 | 234 | --- |
| 18 | 299 | 280 | 290 | 400 | 364 | 384 | 279 | 230 | 254 | 250 | 240 | 248 |
| 19 | 309 | 281 | 298 | 411 | 379 | 394 | 310 | 279 | 296 | 265 | 250 | 260 |
| 20 | 321 | 304 | 312 | 410 | 380 | 398 | 350 | 310 | 331 | 265 | 260 | 262 |
| 21 | 347 | 326 | 333 | 400 | 360 | 390 | 359 | 350 | 352 | 267 | 260 | 264 |
| 22 | 346 | 328 | 334 | 389 | 359 | 375 | 352 | 345 | 349 | 260 | 237 | 251 |
| 23 | 339 | 278 | 317 | 379 | 349 | 364 | 352 | 325 | 344 | 235 | 230 | 233 |
| 24 | 280 | 260 | 273 | 392 | 348 | 368 | 322 | 307 | 311 | 260 | 235 | 248 |
| 25 | 285 | 270 | 278 | 390 | 359 | 376 | 327 | 304 | 312 | 263 | 253 | 257 |
| 26 | 311 | 280 | 296 | 380 | 349 | 365 | 330 | 320 | 328 | 269 | 250 | 260 |
| 27 | 319 | 299 | 311 | 382 | 350 | 369 | 350 | 327 | 335 | 279 | 258 | 268 |
| 28 | 320 | 305 | 312 | 399 | 362 | 383 | 331 | 326 | --- | 283 | 252 | 272 |
| 29 | 318 | 298 | 306 | 383 | 342 | 372 | 332 | 298 | 319 | 255 | 220 | 227 |
| 30 | 299 | 270 | 288 | 380 | 339 | 358 | 293 | 239 | 280 | 220 | 199 | 211 |
| 31 | --- | --- | --- | 370 | 310 | 343 | 238 | 183 | 205 | --- | --- | --- |
| MONTH | 361 | 239 | 304 | 411 | 225 | 335 | 380 | 183 | 307 | 283 | 145 | 220 |

DELAWARE RIVER BASIN

01454720 LEHIGH RIVER AT EASTON, PA.--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|------|------|----------|------|------|----------|------|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 9.2 | 8.7 | 8.9 | 12.2 | 11.9 | 12.0 | 11.5 | 11.3 | 11.4 | --- | --- | --- |
| 2 | 9.7 | 8.8 | 9.2 | 12.1 | 12.0 | 12.1 | 11.9 | 11.5 | 11.6 | --- | --- | --- |
| 3 | 9.6 | 9.1 | 9.3 | 12.0 | 11.6 | 11.8 | 12.0 | 11.8 | 11.9 | --- | --- | --- |
| 4 | 9.2 | 8.8 | 9.0 | 12.0 | 11.7 | 11.9 | 11.8 | 11.6 | 11.7 | --- | --- | --- |
| 5 | 8.8 | 7.7 | 8.1 | 12.1 | 11.8 | 12.0 | 11.6 | 9.9 | 10.6 | --- | --- | --- |
| 6 | 8.3 | 7.7 | 8.0 | 12.2 | 11.7 | 11.9 | 10.9 | 9.8 | 10.6 | --- | --- | --- |
| 7 | 8.5 | 8.0 | 8.3 | 12.3 | 11.9 | 12.1 | 11.8 | 11.0 | 11.5 | --- | --- | --- |
| 8 | 8.9 | 8.3 | 8.6 | 12.3 | 12.0 | 12.2 | --- | --- | --- | --- | --- | --- |
| 9 | 8.8 | 7.7 | 8.3 | 12.3 | 11.2 | 11.6 | --- | --- | --- | --- | --- | --- |
| 10 | 8.6 | 7.7 | 8.3 | 11.6 | 11.2 | 11.3 | --- | --- | --- | --- | --- | --- |
| 11 | 8.8 | 7.8 | 8.2 | 11.6 | 11.4 | 11.5 | --- | --- | --- | --- | --- | --- |
| 12 | 9.2 | 8.1 | 8.6 | 11.6 | 11.1 | 11.3 | --- | --- | --- | --- | --- | --- |
| 13 | 9.0 | 7.9 | 8.4 | 11.1 | 9.9 | 10.5 | --- | --- | --- | --- | --- | --- |
| 14 | 9.3 | 7.8 | 8.4 | 9.9 | 8.8 | 9.4 | --- | --- | --- | --- | --- | --- |
| 15 | 9.5 | 7.7 | 8.5 | 9.4 | 8.5 | 9.0 | --- | --- | --- | --- | --- | --- |
| 16 | 8.9 | 7.3 | 8.1 | 8.9 | 8.4 | 8.6 | --- | --- | --- | --- | --- | --- |
| 17 | 9.9 | 7.3 | 8.5 | 9.6 | 8.7 | 9.2 | --- | --- | --- | --- | --- | --- |
| 18 | 9.5 | 8.5 | 9.0 | 10.3 | 9.7 | 10.1 | --- | --- | --- | --- | --- | --- |
| 19 | 10.5 | 9.0 | 9.6 | 10.9 | 10.4 | 10.6 | --- | --- | --- | --- | --- | --- |
| 20 | 9.8 | 9.8 | --- | 10.9 | 10.6 | 10.7 | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | 10.9 | 10.6 | 10.8 | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | 10.8 | 10.3 | 10.6 | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | 10.8 | 10.3 | 10.5 | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | 10.5 | 10.2 | 10.4 | --- | --- | --- | --- | --- | --- |
| 25 | 10.3 | 8.4 | --- | 10.1 | 9.7 | 9.9 | --- | --- | --- | --- | --- | --- |
| 26 | 10.1 | 8.0 | 8.7 | 10.2 | 9.7 | 10.0 | --- | --- | --- | --- | --- | --- |
| 27 | 10.0 | 7.6 | 8.6 | 10.6 | 10.1 | 10.3 | --- | --- | --- | --- | --- | --- |
| 28 | 10.0 | 7.9 | 8.7 | 10.2 | 9.8 | 10.0 | --- | --- | --- | --- | --- | --- |
| 29 | 9.6 | 8.8 | 9.2 | 10.8 | 9.6 | 10.2 | --- | --- | --- | --- | --- | --- |
| 30 | 12.3 | 9.3 | 10.7 | 11.5 | 10.9 | 11.1 | --- | --- | --- | --- | --- | --- |
| 31 | 12.5 | 12.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 12.5 | 7.3 | --- | 12.3 | 8.4 | 10.8 | --- | --- | --- | --- | --- | --- |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 13.1 | 12.9 | --- | 12.5 | 12.1 | 12.4 | 9.3 | 6.9 | 7.9 |
| 2 | --- | --- | --- | 13.0 | 12.8 | 12.9 | 12.1 | 11.7 | 11.8 | 10.1 | 7.6 | 8.6 |
| 3 | --- | --- | --- | 13.1 | 12.7 | 12.9 | 11.7 | 11.4 | 11.6 | 8.7 | 8.2 | 8.4 |
| 4 | --- | --- | --- | 13.1 | 12.6 | 12.9 | 11.3 | 10.1 | 10.4 | 10.3 | 8.5 | 9.3 |
| 5 | --- | --- | --- | 12.5 | 11.6 | 11.9 | 10.7 | 10.2 | 10.4 | 10.9 | 9.3 | 9.9 |
| 6 | --- | --- | --- | 12.6 | 11.6 | 12.1 | 11.8 | 10.8 | 11.2 | 10.1 | 9.0 | 9.5 |
| 7 | --- | --- | --- | 12.6 | 12.3 | 12.4 | 12.2 | 11.8 | 12.1 | 9.7 | 8.8 | 9.2 |
| 8 | --- | --- | --- | 12.4 | 11.8 | 12.2 | 11.9 | 11.4 | 11.5 | 10.2 | 8.9 | 9.5 |
| 9 | --- | --- | --- | 13.2 | 12.1 | 12.5 | 12.1 | 11.6 | 11.9 | 9.0 | 8.1 | 8.6 |
| 10 | --- | --- | --- | 14.0 | 13.3 | 13.7 | 12.5 | 12.1 | 12.3 | 8.4 | 7.8 | 8.1 |
| 11 | --- | --- | --- | 14.0 | 13.7 | 13.9 | 12.3 | 11.9 | 12.0 | 9.0 | 7.8 | 8.3 |
| 12 | --- | --- | --- | 14.0 | 13.8 | 13.9 | 11.8 | 11.5 | --- | 8.2 | 7.5 | 7.8 |
| 13 | --- | --- | --- | 13.9 | 13.1 | 13.5 | --- | --- | --- | 9.6 | 7.8 | 8.8 |
| 14 | --- | --- | --- | 13.6 | 13.2 | 13.4 | --- | --- | --- | 10.1 | 9.3 | 9.8 |
| 15 | --- | --- | --- | 13.4 | 13.0 | 13.2 | --- | --- | --- | 9.4 | 8.6 | 9.1 |
| 16 | --- | --- | --- | 13.0 | 12.0 | 12.4 | --- | --- | --- | 8.5 | 7.6 | 8.1 |
| 17 | --- | --- | --- | 12.5 | 11.8 | 12.2 | --- | --- | --- | 7.5 | 6.8 | 7.1 |
| 18 | --- | --- | --- | 13.1 | 12.5 | 12.8 | 10.2 | 9.9 | --- | 6.9 | 6.1 | 6.6 |
| 19 | --- | --- | --- | 13.1 | 12.4 | 12.7 | 9.9 | 9.4 | 9.7 | 7.4 | 6.3 | 6.8 |
| 20 | --- | --- | --- | 12.3 | 12.0 | 12.2 | 10.5 | 9.9 | 10.3 | 7.8 | 6.8 | 7.3 |
| 21 | --- | --- | --- | 12.2 | 11.5 | 11.8 | 10.4 | 9.9 | 10.2 | 8.5 | 7.3 | 7.9 |
| 22 | --- | --- | --- | 12.9 | 11.7 | 12.5 | 9.8 | 9.2 | 9.4 | 8.1 | 7.0 | 7.6 |
| 23 | --- | --- | --- | 12.8 | 12.6 | 12.7 | 9.1 | 8.5 | 8.7 | 7.1 | 5.7 | 6.2 |
| 24 | --- | --- | --- | 12.6 | 11.9 | 12.1 | 9.4 | 8.6 | 8.9 | 6.9 | 5.5 | 6.0 |
| 25 | --- | --- | --- | 12.8 | 11.9 | 12.3 | 10.2 | 9.4 | 9.8 | 6.3 | 5.1 | 5.8 |
| 26 | --- | --- | --- | 12.8 | 12.5 | 12.6 | 10.0 | 9.5 | 9.8 | 6.8 | 5.6 | 6.2 |
| 27 | --- | --- | --- | 12.5 | 12.2 | 12.3 | 9.9 | 9.1 | 9.5 | 7.2 | 6.4 | 6.8 |
| 28 | --- | --- | --- | 12.2 | 11.5 | 11.8 | 9.9 | 8.7 | 9.2 | 7.5 | 6.5 | 7.0 |
| 29 | --- | --- | --- | 11.6 | 11.2 | 11.4 | 9.7 | 8.2 | 8.8 | 7.7 | 7.4 | --- |
| 30 | --- | --- | --- | 12.3 | 11.7 | 12.0 | 9.6 | 7.5 | 8.6 | --- | --- | --- |
| 31 | --- | --- | --- | 12.5 | 12.3 | 12.4 | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | 14.0 | 11.2 | 12.6 | 12.5 | 7.5 | --- | 10.9 | 5.1 | 7.9 |

DELAWARE RIVER BASIN

79

01454720 LEHIGH RIVER AT EASTON, PA.--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 7.5 | 7.1 | 7.3 | 7.0 | 5.2 | 5.9 | --- | --- | --- |
| 2 | --- | --- | --- | 8.0 | 6.9 | 7.4 | 7.0 | 4.0 | 5.3 | --- | --- | --- |
| 3 | --- | --- | --- | 7.5 | 6.9 | 7.2 | 4.9 | 4.2 | 4.6 | --- | --- | --- |
| 4 | --- | --- | --- | 7.6 | 6.3 | 7.0 | 5.9 | 4.2 | 5.1 | --- | --- | --- |
| 5 | 8.0 | 6.7 | --- | 6.6 | 5.7 | 6.1 | 5.7 | 4.8 | 5.2 | --- | --- | --- |
| 6 | 7.6 | 6.1 | 7.0 | 7.1 | 5.5 | 6.1 | 5.6 | 4.6 | 5.2 | 9.2 | 9.1 | --- |
| 7 | 7.0 | 5.9 | 6.5 | 7.5 | 5.7 | 6.3 | 5.7 | 4.8 | 5.3 | 9.4 | 9.1 | 9.2 |
| 8 | 7.0 | 5.9 | 6.4 | 7.5 | 5.5 | 6.3 | 5.9 | 4.3 | 5.1 | 9.3 | 8.5 | 8.9 |
| 9 | 7.3 | 5.7 | 6.3 | 7.6 | 4.7 | 5.9 | 6.1 | 4.2 | 4.9 | 8.4 | 7.9 | 8.2 |
| 10 | 6.8 | 4.8 | 5.8 | 8.0 | 3.9 | 5.6 | 5.3 | 4.8 | 5.1 | 7.9 | 7.3 | 7.6 |
| 11 | 5.8 | 3.4 | 4.7 | 8.5 | 3.4 | 5.7 | 7.2 | 5.2 | 6.4 | 7.7 | 6.7 | 7.2 |
| 12 | --- | --- | --- | 8.6 | 3.8 | 6.0 | 7.8 | 5.9 | 6.8 | 7.6 | 6.9 | 7.2 |
| 13 | 7.8 | 5.4 | --- | 8.8 | 4.1 | 6.2 | 6.9 | 5.9 | 6.3 | 6.9 | 6.1 | 6.6 |
| 14 | 8.4 | 5.3 | 6.7 | 9.1 | 3.8 | 6.1 | 7.3 | 4.8 | 5.8 | 6.8 | 6.2 | 6.5 |
| 15 | 7.9 | 5.6 | 6.7 | 7.8 | 3.0 | 5.1 | 6.4 | 4.0 | 5.3 | --- | --- | --- |
| 16 | 7.1 | 5.4 | 6.3 | 3.7 | 2.1 | --- | 5.9 | 2.6 | 4.0 | --- | --- | --- |
| 17 | 7.2 | 6.7 | 6.9 | 11.5 | 4.1 | --- | 5.2 | 2.0 | 3.2 | 7.4 | 7.2 | --- |
| 18 | 7.0 | 6.5 | 6.9 | 9.8 | 3.6 | 6.2 | 5.6 | 5.1 | 5.5 | 7.4 | 6.6 | 7.1 |
| 19 | 6.7 | 5.8 | 6.4 | 8.9 | 3.1 | 5.8 | 5.5 | 4.2 | 4.9 | 7.0 | 6.2 | 6.7 |
| 20 | 7.2 | 5.5 | 6.2 | 9.3 | 3.4 | 5.8 | 4.2 | 2.6 | 3.5 | 6.8 | 6.0 | 6.6 |
| 21 | 6.6 | 5.2 | 5.9 | 8.9 | 3.8 | 6.1 | 3.8 | 2.4 | 3.1 | 6.5 | 5.9 | 6.2 |
| 22 | 7.7 | 5.0 | 6.3 | 8.9 | 4.2 | 6.1 | 3.0 | 2.3 | --- | 7.1 | 6.2 | 6.7 |
| 23 | 7.6 | 5.6 | 6.6 | 6.9 | 4.2 | 5.3 | --- | --- | --- | 8.2 | 7.2 | 7.7 |
| 24 | 9.0 | 7.4 | 8.2 | 4.7 | 3.1 | 3.9 | --- | --- | --- | 8.6 | 7.6 | 8.1 |
| 25 | 8.6 | 8.1 | 8.3 | 5.4 | 3.7 | 4.4 | --- | --- | --- | 9.0 | 8.0 | 8.5 |
| 26 | 8.5 | 7.1 | 8.0 | 6.1 | 4.0 | 5.0 | --- | --- | --- | 8.9 | 7.8 | 8.4 |
| 27 | 8.1 | 6.7 | 7.4 | 6.5 | 3.9 | 4.9 | --- | --- | --- | 8.6 | 7.2 | 7.9 |
| 28 | 8.2 | 6.7 | 7.4 | 6.3 | 3.9 | 4.9 | --- | --- | --- | 7.2 | 6.7 | 7.0 |
| 29 | 8.4 | 7.1 | 7.8 | 7.3 | 3.9 | 5.4 | --- | --- | --- | 7.8 | 7.1 | 7.4 |
| 30 | 8.7 | 7.4 | 7.9 | 6.5 | 3.9 | 5.2 | --- | --- | --- | 8.5 | 7.7 | 8.1 |
| 31 | --- | --- | --- | 7.0 | 3.7 | 5.5 | --- | --- | --- | --- | --- | --- |
| MONTH | 9.0 | 3.4 | --- | 11.5 | 2.1 | 5.8 | --- | --- | --- | --- | --- | --- |

PH (UNITS), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 7.2 | 7.1 | 7.2 | 6.8 | 6.7 | 6.8 | 7.2 | 7.2 | 7.2 | --- | --- | --- |
| 2 | 7.2 | 7.1 | 7.1 | 6.8 | 6.7 | 6.8 | 7.3 | 7.2 | 7.2 | --- | --- | --- |
| 3 | 7.1 | 7.0 | 7.1 | 6.8 | 6.8 | 6.8 | 7.3 | 7.2 | 7.3 | --- | --- | --- |
| 4 | 7.1 | 7.0 | 7.1 | 6.8 | 6.8 | 6.8 | 7.3 | 7.2 | 7.3 | --- | --- | --- |
| 5 | 7.1 | 7.0 | 7.1 | 6.8 | 6.8 | 6.8 | 7.3 | 7.2 | 7.2 | --- | --- | --- |
| 6 | 7.2 | 7.1 | 7.2 | 6.9 | 6.7 | 6.8 | 7.9 | 7.1 | 7.3 | --- | --- | --- |
| 7 | 7.2 | 7.2 | 7.2 | 6.9 | 6.9 | 6.9 | 7.6 | 7.6 | --- | --- | --- | --- |
| 8 | 7.3 | 7.2 | 7.2 | 6.9 | 6.8 | 6.9 | --- | --- | --- | --- | --- | --- |
| 9 | 7.2 | 7.1 | 7.2 | 6.9 | 6.8 | 6.8 | --- | --- | --- | --- | --- | --- |
| 10 | 7.2 | 7.1 | 7.2 | 6.8 | 6.8 | 6.8 | --- | --- | --- | --- | --- | --- |
| 11 | 7.2 | 7.1 | 7.2 | 6.8 | 6.8 | 6.8 | --- | --- | --- | --- | --- | --- |
| 12 | 7.3 | 7.2 | 7.2 | 6.8 | 6.7 | 6.8 | --- | --- | --- | --- | --- | --- |
| 13 | 7.3 | 7.2 | 7.2 | 6.8 | 6.7 | 6.7 | --- | --- | --- | --- | --- | --- |
| 14 | 7.3 | 7.2 | 7.3 | 6.7 | 6.7 | 6.7 | --- | --- | --- | --- | --- | --- |
| 15 | 7.4 | 7.2 | 7.3 | 7.3 | 6.6 | 7.0 | --- | --- | --- | --- | --- | --- |
| 16 | 7.3 | 7.2 | 7.3 | 7.2 | 7.2 | 7.2 | --- | --- | --- | --- | --- | --- |
| 17 | 7.3 | 7.2 | 7.3 | 7.3 | 7.2 | 7.2 | --- | --- | --- | --- | --- | --- |
| 18 | 7.3 | 7.2 | 7.3 | 7.3 | 7.3 | 7.3 | --- | --- | --- | --- | --- | --- |
| 19 | 7.3 | 7.2 | 7.2 | 7.4 | 7.3 | 7.3 | --- | --- | --- | --- | --- | --- |
| 20 | 7.6 | 7.2 | 7.5 | 7.3 | 7.3 | 7.3 | --- | --- | --- | --- | --- | --- |
| 21 | 7.6 | 7.5 | 7.6 | 7.4 | 7.3 | 7.3 | --- | --- | --- | --- | --- | --- |
| 22 | 7.6 | 7.5 | 7.6 | 7.3 | 7.3 | 7.3 | --- | --- | --- | --- | --- | --- |
| 23 | 7.6 | 7.5 | 7.6 | 7.3 | 7.3 | 7.3 | --- | --- | --- | --- | --- | --- |
| 24 | 7.7 | 7.4 | 7.5 | 7.3 | 7.2 | 7.3 | --- | --- | --- | --- | --- | --- |
| 25 | 7.6 | 7.2 | 7.4 | 7.4 | 7.2 | 7.3 | --- | --- | --- | --- | --- | --- |
| 26 | 7.3 | 7.2 | 7.3 | 7.4 | 7.2 | 7.3 | --- | --- | --- | --- | --- | --- |
| 27 | 7.3 | 7.2 | 7.2 | 7.4 | 6.9 | 7.2 | --- | --- | --- | --- | --- | --- |
| 28 | 7.2 | 7.1 | 7.2 | 7.3 | 7.1 | 7.3 | --- | --- | --- | --- | --- | --- |
| 29 | 7.2 | 7.1 | 7.2 | 7.2 | 7.1 | 7.2 | --- | --- | --- | --- | --- | --- |
| 30 | 7.2 | 6.9 | 7.0 | 7.2 | 7.2 | 7.2 | --- | --- | --- | --- | --- | --- |
| 31 | 6.9 | 6.7 | 6.8 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 7.7 | 6.7 | 7.3 | 7.4 | 6.6 | 7.0 | --- | --- | --- | --- | --- | --- |

DELAWARE RIVER BASIN

01454720 LEHIGH RIVER AT EASTON, PA.--Continued

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

[illegible]

01454720 LEHIGH RIVER AT EASTON, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|------|------|----------|------|------|----------|------|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 18.5 | 17.0 | 18.0 | 11.5 | 11.0 | 11.5 | 9.0 | 8.0 | 8.5 | 5.0 | 4.5 | 4.5 |
| 2 | 18.5 | 17.0 | 17.5 | 11.5 | 10.5 | 11.0 | 8.0 | 6.5 | 7.0 | 4.5 | 4.0 | 4.0 |
| 3 | 18.5 | 17.0 | 17.5 | 11.5 | 11.0 | 11.0 | 6.5 | 6.0 | 6.5 | 4.0 | 3.5 | 3.5 |
| 4 | 19.5 | 18.0 | 18.5 | 11.0 | 10.0 | 10.5 | 7.0 | 6.5 | 6.5 | 4.0 | 3.5 | 3.5 |
| 5 | 20.0 | 19.0 | 19.5 | 10.5 | 9.5 | 10.0 | 10.5 | 8.0 | 9.0 | 4.0 | 3.5 | 3.5 |
| 6 | 19.5 | 18.5 | 19.0 | 9.5 | 8.5 | 9.0 | 10.5 | 9.5 | 10.0 | 4.0 | 3.5 | 3.5 |
| 7 | 19.0 | 18.0 | 18.5 | 9.0 | 8.0 | 8.5 | 9.5 | 7.0 | 8.0 | 4.5 | 4.0 | 4.0 |
| 8 | 18.5 | 17.0 | 18.0 | 8.5 | 7.0 | 8.0 | 7.0 | 6.5 | 6.5 | 4.0 | 3.0 | 3.5 |
| 9 | 18.5 | 18.0 | 18.5 | 8.5 | 8.0 | 8.0 | 6.5 | 6.0 | 6.0 | 2.0 | 1.0 | 1.0 |
| 10 | 19.5 | 18.5 | 19.0 | 8.0 | 6.5 | 7.0 | 7.0 | 6.0 | 6.5 | 1.5 | 1.0 | 1.0 |
| 11 | 19.0 | 18.0 | 18.5 | 7.0 | 6.0 | 6.5 | 6.5 | 6.0 | 6.5 | 3.0 | 1.5 | 2.5 |
| 12 | 18.5 | 17.0 | 17.5 | 7.0 | 6.0 | 6.5 | 5.5 | 5.0 | 5.5 | 3.5 | 3.0 | 3.0 |
| 13 | 18.5 | 17.0 | 18.0 | 9.0 | 7.0 | 8.0 | 5.0 | 5.0 | 5.0 | 3.0 | 2.0 | 2.5 |
| 14 | 18.5 | 18.0 | 18.0 | 10.5 | 9.0 | 10.0 | 5.5 | 5.0 | 5.5 | 2.0 | 1.0 | 1.0 |
| 15 | 18.0 | 16.5 | 17.0 | 12.0 | 10.5 | 11.0 | 5.5 | 5.5 | 5.5 | 3.0 | 1.5 | 2.0 |
| 16 | 18.0 | 16.5 | 17.0 | 13.0 | 11.5 | 12.5 | 5.0 | 4.0 | 4.5 | 4.0 | 3.0 | 3.5 |
| 17 | 16.5 | 15.5 | 15.5 | 11.5 | 10.0 | 10.5 | 3.5 | 1.5 | 2.5 | 4.5 | 4.0 | 4.0 |
| 18 | 15.5 | 14.5 | 14.5 | 10.0 | 9.0 | 9.0 | 1.5 | 0.5 | 0.5 | 4.0 | 3.0 | 3.5 |
| 19 | 14.5 | 13.5 | 14.0 | 9.0 | 8.5 | 9.0 | 1.5 | 0.5 | 1.0 | 3.5 | 3.0 | 3.0 |
| 20 | 15.0 | 13.5 | 14.5 | 9.0 | 8.0 | 8.5 | 3.5 | 1.5 | 2.0 | 3.0 | 3.0 | 3.0 |
| 21 | 15.5 | 14.0 | 14.5 | 9.0 | 8.5 | 8.5 | 5.5 | 4.0 | 4.0 | 4.0 | 3.0 | 3.5 |
| 22 | 16.0 | 14.0 | 15.0 | 11.0 | 9.0 | 10.0 | 5.5 | 3.5 | 3.5 | 4.5 | 3.5 | 4.0 |
| 23 | 16.0 | 14.5 | 15.0 | 10.5 | 10.0 | 10.0 | 4.5 | 3.5 | 4.0 | 5.0 | 4.5 | 4.5 |
| 24 | 16.5 | 14.5 | 15.5 | 10.5 | 9.5 | 10.0 | 5.5 | 4.0 | 4.5 | 5.0 | 5.0 | 5.0 |
| 25 | 16.0 | 14.5 | 15.5 | 11.5 | 10.5 | 11.0 | 3.5 | 3.5 | 3.5 | 5.5 | 5.0 | 5.0 |
| 26 | 16.5 | 15.0 | 15.5 | 11.5 | 10.5 | 11.0 | 5.0 | 3.5 | 4.0 | 5.0 | 5.0 | 5.0 |
| 27 | 16.5 | 15.5 | 16.0 | 11.5 | 10.5 | 11.0 | 6.0 | 5.0 | 5.5 | 6.5 | 5.0 | 5.5 |
| 28 | 15.5 | 14.5 | 15.0 | 12.0 | 11.5 | 11.5 | 6.0 | 6.0 | 6.0 | 7.0 | 6.5 | 6.5 |
| 29 | 14.5 | 13.5 | 14.0 | 12.0 | 10.0 | 11.0 | 5.5 | 5.0 | 5.5 | 6.5 | 6.0 | 6.5 |
| 30 | 14.0 | 11.5 | 12.5 | 10.0 | 9.0 | 9.5 | 5.5 | 5.5 | 5.5 | 6.5 | 6.0 | 6.5 |
| 31 | 11.5 | 11.0 | 11.0 | --- | --- | --- | 5.0 | 4.5 | 4.5 | 6.5 | 6.0 | 6.5 |
| MONTH | 20.0 | 11.0 | 16.5 | 13.0 | 6.0 | 9.5 | 10.5 | 0.5 | 5.5 | 7.0 | 1.0 | 4.0 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6.0 | 5.5 | 5.5 | 6.0 | 5.5 | 5.5 | 6.0 | 4.5 | 5.0 | 19.5 | 19.0 | 19.0 |
| 2 | 5.5 | 3.5 | 4.5 | 6.0 | 5.5 | 6.0 | 8.0 | 6.0 | 6.5 | 18.5 | 17.0 | 18.0 |
| 3 | 3.5 | 2.0 | 2.5 | 6.0 | 5.5 | 5.5 | 9.5 | 7.0 | 8.0 | 16.5 | 14.5 | 15.5 |
| 4 | 3.0 | 2.0 | 2.0 | 8.0 | 6.0 | 6.5 | 11.5 | 9.5 | 11.0 | 15.0 | 14.0 | 14.5 |
| 5 | 2.0 | 1.5 | 1.5 | 9.5 | 8.0 | 9.0 | 11.5 | 10.5 | 11.0 | 14.5 | 14.0 | 14.5 |
| 6 | 1.5 | 0.5 | 1.0 | 9.5 | 8.5 | 9.0 | 10.5 | 8.0 | 9.5 | 14.0 | 14.0 | 14.0 |
| 7 | 3.0 | 1.5 | 2.0 | 10.0 | 9.0 | 9.5 | 8.5 | 7.0 | 8.0 | 13.5 | 13.0 | 13.5 |
| 8 | 3.0 | 2.0 | 2.0 | 10.0 | 9.0 | 9.5 | 9.0 | 8.5 | 8.5 | 13.5 | 13.0 | 13.0 |
| 9 | 2.0 | 1.5 | 1.5 | 9.0 | 6.5 | 8.0 | 8.5 | 6.5 | 7.0 | 14.0 | 13.5 | 14.0 |
| 10 | 2.0 | 1.5 | 2.0 | 6.5 | 6.0 | 6.5 | 7.0 | 5.5 | 6.5 | 14.5 | 14.0 | 14.0 |
| 11 | 3.0 | 2.0 | 2.5 | 6.5 | 6.0 | 6.5 | 9.0 | 6.5 | 7.5 | 15.5 | 14.0 | 14.5 |
| 12 | 3.5 | 2.0 | 3.0 | 6.5 | 5.5 | 6.0 | 9.0 | 9.0 | --- | 16.0 | 15.5 | 15.5 |
| 13 | 4.5 | 3.5 | 4.0 | 6.0 | 5.0 | 5.5 | --- | --- | --- | 15.5 | 13.5 | 14.0 |
| 14 | 5.5 | 4.5 | 5.0 | 5.0 | 4.0 | 4.5 | --- | --- | --- | 15.0 | 12.0 | 13.5 |
| 15 | 5.5 | 4.5 | 5.0 | 6.0 | 4.5 | 5.0 | --- | --- | --- | 18.5 | 15.0 | 16.0 |
| 16 | 4.5 | 4.0 | 4.5 | 6.5 | 6.0 | 6.0 | --- | --- | --- | 19.5 | 18.0 | 18.5 |
| 17 | 4.5 | 4.0 | 4.0 | 6.5 | 5.5 | 6.0 | --- | --- | --- | 20.5 | 19.0 | 19.5 |
| 18 | 4.5 | 4.0 | 4.0 | 5.5 | 4.5 | 5.0 | 13.5 | 11.5 | --- | 20.5 | 19.5 | 20.0 |
| 19 | 5.0 | 4.0 | 4.5 | 6.5 | 5.0 | 5.5 | 13.5 | 12.0 | 12.5 | 20.5 | 19.5 | 19.5 |
| 20 | 5.5 | 5.0 | 5.5 | 7.0 | 6.0 | 6.5 | 12.0 | 11.0 | 11.5 | 19.5 | 18.5 | 19.0 |
| 21 | 5.5 | 4.5 | 5.0 | 7.0 | 6.5 | 6.5 | 13.5 | 11.0 | 12.0 | 19.0 | 18.5 | 18.5 |
| 22 | 8.0 | 5.5 | 6.5 | 6.5 | 5.0 | 5.5 | 14.5 | 13.5 | 14.0 | 19.5 | 19.0 | 19.0 |
| 23 | 8.0 | 5.5 | 6.0 | 7.0 | 5.5 | 6.0 | 15.5 | 14.5 | 15.0 | 20.5 | 20.0 | 20.5 |
| 24 | 5.0 | 4.0 | 4.0 | 8.5 | 6.5 | 7.5 | 15.0 | 13.0 | 14.0 | 20.5 | 20.0 | 20.0 |
| 25 | 4.5 | 4.0 | 4.0 | 8.0 | 6.5 | 6.5 | 13.0 | 11.5 | 12.0 | 20.0 | 19.5 | 19.5 |
| 26 | 4.0 | 3.5 | 4.0 | 6.5 | 5.5 | 6.0 | 13.5 | 11.5 | 12.5 | 19.0 | 18.5 | 18.5 |
| 27 | 4.0 | 3.5 | 4.0 | 7.0 | 6.0 | 6.5 | 14.5 | 13.5 | 14.0 | 18.5 | 16.5 | 17.5 |
| 28 | 5.5 | 4.0 | 4.5 | 8.0 | 6.5 | 7.0 | 15.5 | 14.5 | 15.0 | 16.5 | 16.0 | 16.5 |
| 29 | --- | --- | --- | 8.0 | 5.5 | 6.5 | 17.0 | 15.5 | 16.5 | 17.0 | 16.5 | 17.0 |
| 30 | --- | --- | --- | 5.5 | 4.5 | 5.0 | 19.0 | 18.0 | 18.5 | 19.0 | 17.0 | 18.0 |
| 31 | --- | --- | --- | 4.5 | 4.0 | 4.0 | --- | --- | --- | 19.5 | 18.5 | 19.0 |
| MONTH | 8.0 | 0.5 | 3.5 | 10.0 | 4.0 | 6.5 | 19.0 | 4.5 | --- | 20.5 | 12.0 | 17.0 |

DELAWARE RIVER BASIN

01454720 LEHIGH RIVER AT EASTON, PA.--Continued

TEMPERATURE (DEG. C) OF WATER , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 19.5 | 19.0 | 19.0 | 23.0 | 20.5 | 22.0 | 26.0 | 24.5 | 25.0 | 22.0 | 21.5 | 21.5 |
| 2 | 19.5 | 18.5 | 19.0 | 23.5 | 22.0 | 23.0 | 26.0 | 24.5 | 25.0 | 22.0 | 21.0 | 21.5 |
| 3 | 19.0 | 18.0 | 18.5 | 24.0 | 23.5 | 23.5 | 25.5 | 24.5 | 25.0 | 22.0 | 20.5 | 21.0 |
| 4 | 20.0 | 19.0 | 19.5 | 25.5 | 23.5 | 24.5 | 26.0 | 24.5 | 25.0 | 19.5 | 17.0 | 18.5 |
| 5 | 21.5 | 20.0 | 20.5 | 26.0 | 25.0 | 25.5 | 25.5 | 24.0 | 24.5 | 18.0 | 17.0 | 17.5 |
| 6 | 23.0 | 21.0 | 22.0 | 25.5 | 24.5 | 25.0 | 24.5 | 24.0 | 24.5 | 17.0 | 17.0 | 17.0 |
| 7 | 22.0 | 20.5 | 21.5 | 26.5 | 24.5 | 25.5 | 24.5 | 24.0 | 24.0 | 16.5 | 16.0 | 16.5 |
| 8 | 21.0 | 20.0 | 20.5 | 27.0 | 25.0 | 26.0 | 24.5 | 23.5 | 24.0 | 18.5 | 16.5 | 17.5 |
| 9 | 22.0 | 20.0 | 21.0 | 28.5 | 25.5 | 27.0 | 24.5 | 23.5 | 24.0 | 19.0 | 18.5 | 18.5 |
| 10 | 24.5 | 21.0 | 23.0 | 28.5 | 26.5 | 27.5 | 24.0 | 23.0 | 23.5 | 19.5 | 19.0 | 19.0 |
| 11 | 25.5 | 23.5 | 24.5 | 27.0 | 26.0 | 26.5 | 24.5 | 23.0 | 23.5 | 20.0 | 19.5 | 19.5 |
| 12 | 25.0 | 23.5 | 24.5 | 26.5 | 24.5 | 25.5 | 25.0 | 23.0 | 24.0 | 21.0 | 20.0 | 20.5 |
| 13 | 24.5 | 23.0 | 23.5 | 26.0 | 24.0 | 25.0 | 25.0 | 23.0 | 24.0 | 22.0 | 21.0 | 21.5 |
| 14 | 24.0 | 21.5 | 22.5 | 26.5 | 24.0 | 25.0 | 25.5 | 23.5 | 24.5 | 21.5 | 21.0 | 21.5 |
| 15 | 24.0 | 21.5 | 22.5 | 27.0 | 25.0 | 26.0 | 26.0 | 24.0 | 25.0 | --- | --- | --- |
| 16 | 23.0 | 21.0 | 21.5 | 28.0 | 25.5 | 26.5 | 26.5 | 24.5 | 25.5 | --- | --- | --- |
| 17 | 22.0 | 21.0 | 21.5 | 27.0 | 25.0 | 26.0 | 25.5 | 23.5 | 24.5 | 19.0 | 19.0 | --- |
| 18 | 23.0 | 21.5 | 22.0 | 26.5 | 25.0 | 25.5 | 23.5 | 23.0 | 23.0 | 19.5 | 19.0 | 19.5 |
| 19 | 23.5 | 21.5 | 22.5 | 26.5 | 25.5 | 26.0 | 24.5 | 23.5 | 24.0 | 20.0 | 19.5 | 19.5 |
| 20 | 24.5 | 22.0 | 23.5 | 26.0 | 25.0 | 25.5 | 25.5 | 24.0 | 24.5 | 20.5 | 19.5 | 20.0 |
| 21 | 24.5 | 23.5 | 24.0 | 26.0 | 24.5 | 25.0 | 26.0 | 24.0 | 25.0 | 20.5 | 20.0 | 20.0 |
| 22 | 25.0 | 23.0 | 24.0 | 25.5 | 24.0 | 25.0 | 25.0 | 21.0 | 23.0 | 19.5 | 18.5 | 19.0 |
| 23 | 24.0 | 21.5 | 23.0 | 25.0 | 23.5 | 24.0 | 22.0 | 21.0 | 21.5 | 18.5 | 16.5 | 17.5 |
| 24 | 21.5 | 20.5 | 21.0 | 24.5 | 23.0 | 23.5 | 22.0 | 21.0 | 21.5 | 16.5 | 15.5 | 16.0 |
| 25 | 21.0 | 20.0 | 20.5 | 23.0 | 22.0 | 22.5 | 23.0 | 21.0 | 22.0 | 15.5 | 15.0 | 15.0 |
| 26 | 20.5 | 19.5 | 20.0 | 23.0 | 21.5 | 22.0 | 21.5 | 21.0 | 21.0 | 16.0 | 15.0 | 15.5 |
| 27 | 21.5 | 20.0 | 20.5 | 24.0 | 22.0 | 23.0 | 23.0 | 20.5 | 21.0 | 17.0 | 15.5 | 16.5 |
| 28 | 20.5 | 19.5 | 20.0 | 25.0 | 23.5 | 24.0 | 25.0 | 22.0 | 24.0 | 18.0 | 16.5 | 17.0 |
| 29 | 20.0 | 19.5 | 19.5 | 26.0 | 24.0 | 25.0 | 24.5 | 24.0 | 24.0 | 18.0 | 17.0 | 17.5 |
| 30 | 21.5 | 20.0 | 20.5 | 26.5 | 24.5 | 25.5 | 25.0 | 24.0 | 24.5 | 17.0 | 16.0 | 16.5 |
| 31 | --- | --- | --- | 25.5 | 25.0 | 25.0 | 24.0 | 22.0 | 23.0 | --- | --- | --- |
| MONTH | 25.5 | 18.0 | 21.5 | 28.5 | 20.5 | 25.0 | 26.5 | 20.5 | 24.0 | 22.0 | 15.0 | 18.5 |

DELAWARE RIVER BASIN

83

01457500 DELAWARE RIVER AT RIEGELSVILLE, N.J. (RIEGELSVILLE, PA.)

LOCATION.--Lat 40°35'38", long 75°11'28", Warren County, at partial-record gaging station on left bank at suspension bridge 600 ft (183 m) upstream from Musconetcong River at Riegelsville.

DRAINAGE AREA.--6,328 mi² (16,390 km²), including that of Musconetcong River.

PERIOD OF RECORD.--Chemical analyses: July 1969 to December 1973.

REMARKS.--Operated as part of the USGS-EPA surveillance network. Discharge records include flow of Musconetcong River. Water-quality records at periods of base flow probably are influenced by inflow from Musconetcong River.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | SUS- PENDE D SOLIDS (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICHO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | TUR- BID- ITY (JTU) | DIS- SOLVED OXYGEN (MG/L) | BIO- CHEM- ICAL OXYGEN 5 DAY (MG/L) | IMME- DIATE COLI- FORM (COL. PER 100 ML) | FECAL COLI- FORM (COL. PER 100 ML) |
|---------------|------|--|-------------------------------------|--|---------------|-----------------------------|------------------------------|------------------------------------|--|--|---|
| OCT. 25... | 1000 | 117 | 2 | 195 | 7.5 | 13.0 | 2 | 9.0 | 1.6 | 3100 | 400 |
| NOV. 29... | 1210 | 103 | 17 | 165 | 6.8 | 9.5 | -- | 10.2 | 2.4 | 8200 | 1000 |
| DEC. 27... | 1430 | 82 | 21 | 110 | 7.5 | 4.5 | 11 | 15.2 | .6 | 4300 | 630 |

| DATE | TIME | TOTAL IRON (FE) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | BICAR- BONATE (HCO3) (MG/L) | ALKA- LINITY AS CAC03 (MG/L) | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) |
|---------------|------|---------------------------------|---|--------------------------------------|--|--|--|-----------------------------------|
| DEC. 27... | 1430 | 630 | 130 | 22 | 18 | 17 | .1 | .70 |

| DATE | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | HARD- NESS (CA+MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | TOTAL ACIDITY AS CAC03 (MG/L) |
|---------------|---|--|--|---|--|------------------------------------|---|--|---|
| DEC. 27... | .12 | .29 | .41 | .07 | .04 | 40 | 22 | .1 | 5.0 |

| DATE | CARBON DIOXIDE (CO2) (MG/L) | TOTAL ORGANIC CARBON (C) (MG/L) | CYANIDE (CN) (MG/L) | TOTAL ARSENIC (AS) (UG/L) | TOTAL CAD- MIUM (CD) (UG/L) | HEXA- VALENT CHRO- MIUM (CR6) (UG/L) | TOTAL COPPER (CU) (UG/L) | TOTAL LEAD (PB) (UG/L) |
|---------------|--------------------------------------|---|---------------------------|------------------------------------|---|---|-----------------------------------|---------------------------------|
| DEC. 27... | 1.1 | 3.0 | .00 | 0 | 1 | 0 | 8 | 6 |

DELAWARE RIVER BASIN

01463500 DELAWARE RIVER AT TRENTON, N.J. (MORRISVILLE, PA.)
(International Hydrological Decade River and radiochemical station)

LOCATION.--Lat 40°13'18", long 74°46'42", Mercer County, at gaging station. Water-quality recorder located at raw-water intake of the Trenton Water Department about 600 ft (183 m) upstream from bridge on Calhoun Street in Trenton.

DRAINAGE AREA.--6,780 mi² (17,560 km²).

PERIOD OF RECORD.--Chemical analyses: October 1944 to September 1974.

Water temperatures: October 1944 to September 1974.

Sediment records: September 1949 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum, 223 micromhos Aug. 17; minimum, 89 micromhos Dec. 22, 23.

Dissolved oxygen: Maximum, 17.3 mg/l July 9; minimum, 5.3 mg/l July 19.

pH: Maximum, 10.2 June 14, 15; minimum, 5.5 Jan. 27.

Water temperatures: Maximum, 32.0°C July 9, 10; minimum, freezing point Dec. 19, Feb. 6.

Period of record:

Specific conductance (1963-74): Maximum, 301 Aug. 24, 1967; minimum, 65 Mar. 12, 1964.

Dissolved oxygen (1962-74): Maximum, 17.3 mg/l July 9, 1971; minimum, 4.1 mg/l Sept. 12, 1971.

pH (1968-74): Maximum, 10.2 July 5, 6, 1971, June 14, 15, 1974; minimum, 5.3 June 22, 1972.

Water temperatures: Maximum, 34.0°C June 18, 1957; minimum, freezing point on many days during winter periods.

REMARKS.--Sediment data for this station on page 370. Operated as part of the USGS-EPA surveillance network. Further information on this station is given in U.S. Geological Survey Water-Supply Paper 1779-X.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS- CHARGE (CFS) | DEPTH (FT) | PER- CENT OF TOTAL DEPTH | DIS- SOLVED SILICA (SiO ₂) (MG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) |
|-------|------|--|---------------|--------------------------------------|---|--|---|--|--|---|--|
| OCT. | | | | | | | | | | | |
| 31... | 1130 | 14920 | 3.0 | 50 | 3.5 | 16 | 6.2 | 6.2 | 3.5 | 45 | 0 |
| NOV. | | | | | | | | | | | |
| 27... | 1310 | 5540 | 3.0 | 50 | 1.2 | 17 | 6.6 | 7.6 | 2.3 | 53 | 0 |
| MAR. | | | | | | | | | | | |
| 25... | 1000 | 22980 | 7.0 | 50 | 3.6 | 11 | 3.3 | 4.3 | 1.0 | 24 | 0 |
| APR. | | | | | | | | | | | |
| 19... | 0900 | 24980 | 7.0 | 50 | 3.0 | 14 | 3.6 | 3.5 | 1.2 | 27 | 0 |
| MAY | | | | | | | | | | | |
| 16... | 1030 | 25880 | 4.0 | 50 | 3.5 | 11 | 3.0 | 4.1 | 1.0 | 31 | 0 |
| JUNE | | | | | | | | | | | |
| 26... | 1100 | 6850 | 3.0 | 50 | 4.2 | 18 | 5.9 | 6.5 | 1.6 | 46 | 0 |
| JULY | | | | | | | | | | | |
| 29... | 1000 | 4012 | -- | -- | 2.7 | 20 | 6.2 | 8.0 | 1.9 | 52 | 0 |
| AUG. | | | | | | | | | | | |
| 28... | 1000 | 4272 | -- | -- | 3.6 | 21 | 8.6 | 6.5 | 2.2 | 54 | 8 |
| SEP. | | | | | | | | | | | |
| 03... | 1030 | 184000 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| 26... | 1100 | E6590 | -- | -- | 2.1 | 18 | 6.0 | 7.0 | 1.8 | 46 | -- |

| DATE | ALKA- LINITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL FLUO- RIDE (F) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | DIS- SOLVED NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | DIS- SOLVED NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | DIS- SOLVED NITRITE PLUS NITRATE (N) (MG/L) |
|-------|--|---|---|---|--|-----------------------------------|--|-----------------------------------|--|--|---|
| OCT. | | | | | | | | | | | |
| 31... | 37 | 27 | 10 | -- | .3 | 1.5 | -- | .00 | -- | 1.5 | -- |
| NOV. | | | | | | | | | | | |
| 27... | 43 | 25 | 11 | -- | .3 | 1.2 | -- | .04 | -- | 1.2 | -- |
| MAR. | | | | | | | | | | | |
| 25... | 20 | 16 | 6.7 | -- | .1 | .71 | -- | .02 | -- | .73 | -- |
| APR. | | | | | | | | | | | |
| 19... | 22 | 19 | 6.9 | -- | .3 | .62 | -- | .01 | -- | .63 | -- |
| MAY | | | | | | | | | | | |
| 16... | 25 | 15 | 5.8 | -- | .1 | .56 | -- | .03 | -- | .59 | -- |
| JUNE | | | | | | | | | | | |
| 26... | 38 | 24 | 9.0 | -- | .2 | -- | 2.1 | -- | .07 | -- | 2.2 |
| JULY | | | | | | | | | | | |
| 29... | 43 | 28 | 11 | -- | .1 | .91 | -- | .05 | -- | .96 | -- |
| AUG. | | | | | | | | | | | |
| 28... | 58 | 30 | 11 | .2 | .1 | 1.2 | -- | .04 | -- | 1.2 | -- |
| SEP. | | | | | | | | | | | |
| 03... | -- | -- | -- | -- | -- | .74 | .74 | .02 | .04 | .76 | .78 |
| 26... | 38 | 22 | 9.1 | -- | .2 | .71 | -- | .03 | -- | .74 | -- |

DELAWARE RIVER BASIN

85

01463500 DELAWARE RIVER AT TRENTON, N.J.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | AMMONIA NITRO- GEN (N) (MG/L) | DIS- SOLVED AMMONIA GEN (N) (MG/L) | TOTAL ORGANIC GEN (N) (MG/L) | DIS- SOLVED ORGANIC GEN (N) (MG/L) | TOTAL KJEL- DAHL- GEN (N) (MG/L) | DIS- SOLVED KJEL- GEN (N) (MG/L) | TOTAL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | DIS- SOL- VED- PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO- PHOS- PHORUS (P) (MG/L) | DIS- SOLVED ORTHO- PHOS- PHORUS (P) (MG/L) |
|-------|---|---|--|---|---|---|---|---|--|---|--|
| OCT. | | | | | | | | | | | |
| 31... | .09 | -- | -- | -- | -- | -- | -- | .17 | -- | -- | -- |
| NOV. | | | | | | | | | | | |
| 27... | .22 | -- | -- | -- | -- | -- | -- | .12 | -- | -- | .10 |
| MAR. | | | | | | | | | | | |
| 25... | -- | -- | -- | -- | .64 | -- | 1.4 | .05 | -- | -- | -- |
| APR. | | | | | | | | | | | |
| 19... | .11 | -- | .16 | -- | .27 | -- | .90 | .06 | -- | .03 | -- |
| MAY | | | | | | | | | | | |
| 16... | .12 | -- | .34 | -- | .46 | -- | 1.1 | .08 | -- | .03 | -- |
| JUNE | | | | | | | | | | | |
| 26... | .01 | .03 | -- | .28 | -- | .31 | -- | .12 | .08 | .07 | .07 |
| JULY | | | | | | | | | | | |
| 29... | .07 | -- | .20 | -- | .27 | -- | 1.2 | .14 | -- | .10 | -- |
| AUG. | | | | | | | | | | | |
| 28... | .10 | -- | .33 | -- | .43 | -- | 1.6 | .11 | -- | .08 | -- |
| SEP. | | | | | | | | | | | |
| 03... | .24 | .20 | .57 | .18 | .81 | .38 | 1.6 | .28 | .08 | .06 | .06 |
| 26... | .15 | -- | .18 | -- | .33 | -- | 1.1 | .09 | -- | .06 | -- |

| DATE | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L) | HARD- NESS (CA,MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | COLOR (PLAT- INUM- COBALT UNITS) | TUR- BID- ITY (JTU) | DIS- SOLVED OXYGEN (MG/L) |
|-------|--|---|------------------------------------|---|--|---------------|-----------------------------|--|------------------------------|------------------------------------|
| OCT. | | | | | | | | | | |
| 31... | -- | 95 | 65 | 29 | 181 | 9.0 | 12.0 | -- | 6 | 9.3 |
| NOV. | | | | | | | | | | |
| 27... | 117 | 98 | 70 | 26 | 189 | 7.1 | 9.9 | -- | 2 | 12.2 |
| MAR. | | | | | | | | | | |
| 25... | 69 | 58 | 41 | 21 | 110 | 7.6 | 4.6 | -- | -- | 11.2 |
| APR. | | | | | | | | | | |
| 19... | 69 | 65 | 50 | 28 | 110 | 7.5 | 11.6 | 7 | 5 | 10.6 |
| MAY | | | | | | | | | | |
| 16... | 66 | 59 | 40 | 14 | 102 | 7.0 | 20.0 | 4 | 7 | 9.4 |
| JUNE | | | | | | | | | | |
| 26... | 109 | 102 | 69 | 32 | 175 | 9.1 | 20.5 | 3 | 3 | 8.8 |
| JULY | | | | | | | | | | |
| 29... | 117 | 104 | 75 | 33 | 194 | 9.2 | 25.5 | -- | 3 | 8.6 |
| AUG. | | | | | | | | | | |
| 28... | 144 | 118 | 88 | 30 | 210 | 8.2 | 25.8 | 1 | 3 | 8.4 |
| SEP. | | | | | | | | | | |
| 03... | -- | -- | -- | -- | 151 | 7.7 | 19.0 | -- | -- | -- |
| 26... | 101 | 89 | 70 | 32 | 172 | 8.5 | 17.5 | -- | 2 | 10.2 |

| DATE | BIO- CHEM- ICAL OXYGEN DEMAND 5 DAY (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | TOTAL PHYTO- PLANK- TON (CELLS PER ML) | CHLORO- PHYLL A (UG/L) | CHLORO- PHYLL B (UG/L) | IMME- DIATE COLI- FORM (COL. PER 100 ML) | FECAL COLI- FORM (COL. PER 100 ML) | STREP- TOCOCCI (COL- ONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) | DIS- SOL- VED ORGANIC CARBON (C) (MG/L) |
|-------|--|--------------------------------------|--|------------------------------|------------------------------|--|---|---|---|---|
| OCT. | | | | | | | | | | |
| 31... | 2.4 | .1 | 900 | -- | -- | 10400 | 5000 | 9000 | 5.0 | -- |
| NOV. | | | | | | | | | | |
| 27... | 2.6 | 6.7 | 4000 | 5.6 | -- | 1410 | 196 | 204 | -- | -- |
| MAR. | | | | | | | | | | |
| 25... | 1.4 | 1.0 | -- | 3.3 | -- | 488 | 80 | 148 | 6.0 | -- |
| APR. | | | | | | | | | | |
| 19... | 1.0 | 1.4 | 1300 | .0 | .0 | 900 | 1000 | 32 | -- | -- |
| MAY | | | | | | | | | | |
| 16... | 4.8 | 5.0 | 2200 | 3.7 | 8.0 | 1180 | 380 | 28 | 28 | -- |
| JUNE | | | | | | | | | | |
| 26... | 1.5 | .1 | 15000 | 44 | 8.6 | 600 | 120 | 128 | 5.7 | -- |
| JULY | | | | | | | | | | |
| 29... | 2.5 | .1 | 11000 | -- | -- | 1060 | 10 | 440 | 6.9 | -- |
| AUG. | | | | | | | | | | |
| 28... | 1.8 | .7 | 27000 | -- | -- | 100 | 40 | 515 | 3.3 | -- |
| SEP. | | | | | | | | | | |
| 03... | -- | -- | -- | -- | -- | -- | -- | -- | 16 | 7.2 |
| 26... | 2.0 | .2 | 4100 | -- | -- | 800 | 484 | 250 | 5.6 | -- |

DELAWARE RIVER BASIN

01463500 DELAWARE RIVER AT TRENTON, N.J.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | TOTAL IRON (FE) (UG/L) | DIS- SOLVED IRON (FE) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | SUS- PENDED MAN- GANESE (MN) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | TOTAL ARSENIC (AS) (UG/L) | SUS- PENDED ARSENIC (AS) (UG/L) | DIS- SOLVED ARSENIC (AS) (UG/L) | TOTAL CAD- MIUM (CD) (UG/L) | SUS- PENDED CAD- MIUM (CD) (UG/L) | DIS- SOLVED CAD- MIUM (CD) (UG/L) |
|-------|------|---------------------------------|--|---|--|--|------------------------------------|---|---|---|--|--|
| OCT. | | | | | | | | | | | | |
| 31... | 1130 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| NOV. | | | | | | | | | | | | |
| 27... | 1310 | 250 | 70 | 50 | -- | 30 | 1 | -- | 1 | 1 | -- | 1 |
| MAR. | | | | | | | | | | | | |
| 25... | 1000 | 290 | 60 | 50 | -- | 30 | 2 | -- | -- | 2 | -- | 0 |
| APR. | | | | | | | | | | | | |
| 19... | 0900 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MAY | | | | | | | | | | | | |
| 16... | 1030 | 230 | 60 | 60 | 50 | 10 | 4 | 2 | 2 | 1 | 1 | 0 |
| JUNE | | | | | | | | | | | | |
| 26... | 1100 | 410 | 50 | 70 | 60 | 10 | <1 | <0 | <1 | 0 | 0 | 0 |
| AUG. | | | | | | | | | | | | |
| 28... | 1000 | 200 | 100 | 40 | 20 | 20 | 1 | 1 | 0 | 0 | 0 | 0 |
| SEP. | | | | | | | | | | | | |
| 03... | 1030 | -- | -- | -- | -- | -- | 3 | -- | 2 | 2 | -- | 0 |
| 26... | 1100 | 350 | 50 | 60 | 50 | 10 | <1 | 0 | 2 | 1 | 0 | <1 |

| DATE | TOTAL CHRO- MIUM (CR) (UG/L) | SUS- PENDED CHRO- MIUM (CR) (UG/L) | DIS- SOLVED CHRO- MIUM (CR) (UG/L) | TOTAL COBALT (CO) (UG/L) | SUS- PENDED COBALT (CO) (UG/L) | DIS- SOLVED COBALT (CO) (UG/L) | TOTAL COPPER (CU) (UG/L) | SUS- PENDED COPPER (CU) (UG/L) | DIS- SOLVED COPPER (CU) (UG/L) | TOTAL LEAD (PB) (UG/L) | SUS- PENDED LEAD (PB) (UG/L) | DIS- SOLVED LEAD (PB) (UG/L) |
|-------|--|---|---|-----------------------------------|--|--|-----------------------------------|--|--|---------------------------------|--|--|
| OCT. | | | | | | | | | | | | |
| 31... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 0 |
| NOV. | | | | | | | | | | | | |
| 27... | <10 | -- | <10 | 3 | -- | 2 | 10 | -- | 0 | 5 | -- | 1 |
| MAR. | | | | | | | | | | | | |
| 25... | 10 | -- | 0 | 2 | -- | 0 | 10 | -- | 0 | 3 | -- | 2 |
| APR. | | | | | | | | | | | | |
| 19... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 5 |
| MAY | | | | | | | | | | | | |
| 16... | <10 | <0 | <10 | 3 | 2 | 1 | 10 | 0 | 10 | 6 | 1 | 5 |
| JUNE | | | | | | | | | | | | |
| 26... | <10 | <10 | 0 | 0 | 0 | 0 | 80 | 60 | 20 | 26 | 26 | 0 |
| AUG. | | | | | | | | | | | | |
| 28... | <10 | <10 | 0 | 0 | 0 | 0 | 20 | 10 | 10 | 11 | 8 | 3 |
| SEP. | | | | | | | | | | | | |
| 03... | <10 | -- | 0 | 3 | -- | 0 | 20 | -- | 20 | 43 | -- | 2 |
| 26... | 0 | 0 | -- | 2 | 2 | 0 | 40 | 0 | 10 | 15 | 9 | 3 |

| DATE | TOTAL MERCURY (HG) (UG/L) | SUS- PENDED MERCURY (HG) (UG/L) | DIS- SOLVED MERCURY (HG) (UG/L) | TOTAL NICKEL (NI) (UG/L) | DIS- SOLVED NICKEL (NI) (UG/L) | TOTAL SELE- NIUM (SE) (UG/L) | SUS- PENDED SELE- NIUM (SE) (UG/L) | DIS- SOLVED SELE- NIUM (SE) (UG/L) | TOTAL ZINC (ZN) (UG/L) | SUS- PENDED ZINC (ZN) (UG/L) | DIS- SOLVED ZINC (ZN) (UG/L) |
|-------|------------------------------------|---|---|-----------------------------------|--|--|---|---|---------------------------------|--|--|
| OCT. | | | | | | | | | | | |
| 31... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| NOV. | | | | | | | | | | | |
| 27... | <.5 | -- | <.5 | -- | -- | -- | -- | -- | 110 | -- | 40 |
| MAR. | | | | | | | | | | | |
| 25... | <.5 | -- | <.5 | -- | -- | 2 | -- | -- | 60 | -- | 60 |
| APR. | | | | | | | | | | | |
| 19... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MAY | | | | | | | | | | | |
| 16... | <.5 | <.0 | <.5 | -- | -- | 0 | 0 | 0 | 40 | 20 | 20 |
| JUNE | | | | | | | | | | | |
| 26... | <.5 | <.0 | <.5 | -- | -- | 2 | 1 | 1 | 70 | 50 | 20 |
| AUG. | | | | | | | | | | | |
| 28... | <.5 | .0 | <.5 | -- | -- | <2 | 0 | <2 | 50 | 20 | 30 |
| SEP. | | | | | | | | | | | |
| 03... | 1.0 | -- | <.5 | 11 | 5 | -- | -- | -- | 190 | -- | 20 |
| 26... | .5 | .0 | <.5 | -- | 5 | 4 | 1 | 3 | 70 | 50 | 20 |

DELAWARE RIVER BASIN

87

01463500 DELAWARE RIVER AT TRENTON, N.J.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS-SOLVED ALUM- INUM (AL) (UG/L) | DIS-SOLVED BARIUM (BA) (UG/L) | DIS-SOLVED BERYL- LIUM (BE) (UG/L) | DIS-SOLVED BISMUTH (BI) (UG/L) | DIS-SOLVED BORON (B) (UG/L) | DIS-SOLVED GALLIUM (GA) (UG/L) | DIS-SOLVED GER- MANIUM (GE) (UG/L) |
|---------------|------|---|--|--|---|--------------------------------------|---|--|
| SEP. 26... | 1100 | 60 | 27 | 0 | 0 | 20 | 0 | 0 |

| DATE | TIME | DIS-SOLVED LITHIUM (LI) (UG/L) | DIS-SOLVED MOLYB- DENUM (MO) (UG/L) | DIS-SOLVED SILVER (AG) (UG/L) | DIS-SOLVED STRON- TIUM (SR) (UG/L) | DIS-SOLVED TIN (SN) (UG/L) | DIS-SOLVED TANIUM (TI) (UG/L) | DIS-SOLVED VANA- DIUM (V) (UG/L) | DIS-SOLVED ZIR- CONIUM (ZR) (UG/L) |
|---------------|------|---|---|--|--|-------------------------------------|--|--|--|
| SEP. 26... | 2 | 0 | 0 | 78 | 0 | 2 | <.7 | <1 | |

| DATE | TIME | TOTAL NITRITE PLUS NITRATE IN BOT. DEP. (MG/KG) | TOTAL AMMONIA NITRO- GEN IN BOTTOM DEP. (MG/KG) | TOTAL KJEL. NITRO- GEN IN BOTTOM DEP. (MG/KG) | TOTAL PHOS- PHORUS IN BOT- TOM DE- POSITS (MG/KG) | ORGANIC CARBON IN BED MA- TERIAL (C) (G/KG) | IN- ORGANIC CARBON IN BED MA- TERIAL (G/KG) |
|---------------|------|---|---|---|---|---|---|
| JUNE 26... | 1100 | 2.0 | 19 | 125 | 250 | 12 | .4 |
| 26... | 1200 | .8 | 23 | 249 | 250 | 11 | .4 |

| DATE | TIME | ALDRIN IN BOTTOM DE- POSITS (UG/L) | ALDRIN IN BOTTOM DE- POSITS (UG/KG) | CHLOR- DANE IN BOTTOM DE- POSITS (UG/L) | CHLOR- DANE IN BOTTOM DE- POSITS (UG/KG) | DDD IN BOTTOM DE- POSITS (UG/L) | DDD IN BOTTOM DE- POSITS (UG/KG) | DDE IN BOTTOM DE- POSITS (UG/L) | DDE IN BOTTOM DE- POSITS (UG/KG) | DDT IN BOTTOM DE- POSITS (UG/L) | DDT IN BOTTOM DE- POSITS (UG/KG) | UI- AZINON (UG/L) |
|--------------|------|---|--|---|--|--|---|--|---|--|---|-------------------------|
| MAY 16... | 1030 | .00 | .0 | .0 | 0 | .00 | .4 | .00 | .1 | .00 | .6 | .00 |

| DATE | DI- ELDRIN (UG/L) | DI- ELDRIN IN BOTTOM DE- POSITS (UG/KG) | ENDRIN IN BOTTOM DE- POSITS (UG/KG) | ETHION (UG/L) | HEPTA- CHLOR (UG/L) | HEPTA- CHLOR IN BOTTOM DE- POSITS (UG/KG) | HEPTA- CHLOR EPOXIDE (UG/L) | HEPTA- CHLOR EPOXIDE IN BOT- TOM DE- POSITS (UG/KG) | LINDANE (UG/L) | LINDANE IN BOTTOM DE- POSITS (UG/KG) | MALA- THION (UG/L) |
|--------------|-------------------------|---|--|------------------|---------------------------|---|--------------------------------------|---|-------------------|---|--------------------------|
| MAY 16... | .00 | .0 | .0 | .00 | .00 | .0 | .00 | .0 | .00 | .0 | .00 |

| DATE | METHYL PARA- THION (UG/L) | METHYL TRI- THION (UG/L) | PARA- THION (UG/L) | PCB (UG/L) | PCB IN BOTTOM DE- POSITS (UG/KG) | TOX- APHENE (UG/L) | TOX- APHENE IN BOTTOM DE- POSITS (UG/KG) | TRI- THION (UG/L) | 2,4-D (UG/L) | 2,4,5-T (UG/L) | SILVEX (UG/L) |
|--------------|------------------------------------|-----------------------------------|--------------------------|---------------|---|--------------------------|--|-------------------------|-----------------|-------------------|------------------|
| MAY 16... | .00 | .00 | .00 | .0 | 0 | 0 | 0 | .00 | .01 | .00 | .00 |

DELAWARE RIVER BASIN

01463500 DELAWARE RIVER AT TRENTON, N.J.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | TOTAL NON- FILT- RABLE RESIDUE (MG/L) | DIS- SOLVED GROSS ALPHA AS U-NAT. (UG/L) | SUS- PENDED GROSS ALPHA AS U-NAT. (UG/L) | DIS- SOLVED GROSS BETA AS CS-137 (PC/L) | SUS- PENDED GROSS BETA AS CS-137 (PC/L) | DIS- SOLVED GROSS BETA AS SR90 /Y90 (PC/L) | SUS- PENDED GROSS BETA AS SR90 /Y90 (PC/L) | DIS- SOLVED KA-226 (RADON METHOD) (PC/L) |
|---------------|------|--|--|--|---|---|--|--|---|
| MAR. 25... | 1000 | 10 | .7 | .5 | 2.7 | 1.0 | 2.2 | .9 | .03 |
| AUG. 28... | 1000 | 9 | 2.2 | <.4 | 3.9 | .8 | 3.1 | .7 | .03 |

| DATE | PERI- PHYTON BIOMASS ASH WEIGHT G/SQ M | UNCOR- RECTED PERI- PHYTON CHLORO- PHYLL A MG/SQ M |
|---------------|---|--|
| MAY 23-31 | 2.3 | 3.8 |
| JUNE 01-30 | 2.3 | 3.8 |
| JULY 01-05 | 2.3 | 3.8 |

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

[illegible]

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| FEBRUARY | | | | MARCH | | | APRIL | | | MAY | | |
|----------|-----|-----|------|-------|-----|------|--------|-----|------|-----------|-----|------|
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 111 | 108 | 109 | 130 | 123 | 128 | 144 | 141 | 143 | 172 | 160 | 166 |
| 2 | 116 | 110 | 113 | 138 | 128 | 133 | 141 | 130 | 138 | 172 | 157 | 168 |
| 3 | 123 | 115 | 118 | 136 | 131 | 133 | 141 | 120 | 130 | 174 | 152 | 162 |
| 4 | 126 | 120 | 123 | 135 | 128 | 133 | 125 | 112 | 121 | 159 | 152 | 155 |
| 5 | 132 | 127 | 128 | 138 | 131 | 134 | 124 | 111 | 117 | 161 | 138 | 150 |
| 6 | 137 | 132 | 134 | 137 | 103 | 129 | 112 | 101 | 108 | 168 | 144 | 151 |
| 7 | 147 | 135 | 142 | 135 | 112 | 122 | 101 | 97 | 99 | --- | --- | --- |
| 8 | 151 | 143 | 148 | 114 | 111 | 112 | 103 | 99 | 101 | --- | --- | --- |
| 9 | 154 | 146 | 148 | 124 | 107 | 116 | 114 | 103 | 108 | --- | --- | --- |
| 10 | 157 | 149 | 154 | 123 | 119 | 120 | 115 | 111 | 113 | 145 | 136 | --- |
| 11 | 162 | 156 | 158 | 123 | 117 | 121 | 116 | 107 | 112 | 154 | 139 | 145 |
| 12 | 166 | 153 | 159 | 125 | 114 | 119 | 122 | 112 | 118 | 149 | 138 | 146 |
| 13 | 161 | 151 | 158 | 127 | 115 | 121 | 122 | 108 | 117 | 143 | 106 | 127 |
| 14 | 163 | 157 | 160 | 126 | 119 | 124 | 129 | 117 | 122 | 133 | 93 | 109 |
| 15 | 165 | 154 | 161 | 131 | 126 | 129 | 122 | 113 | 118 | 96 | 92 | 93 |
| 16 | 161 | 150 | 156 | 140 | 129 | 135 | 123 | 105 | 113 | 101 | 96 | 99 |
| 17 | 160 | 155 | 157 | 140 | 135 | 138 | 106 | 103 | 104 | 110 | 101 | 106 |
| 18 | 163 | 158 | 160 | 140 | 121 | 133 | 111 | 104 | 107 | 117 | 110 | 113 |
| 19 | 166 | 160 | 162 | 120 | 110 | 119 | 118 | 99 | 112 | 119 | 112 | 116 |
| 20 | 169 | 163 | 166 | 122 | 111 | 120 | 122 | 109 | 117 | 123 | 115 | 120 |
| 21 | 168 | 162 | 165 | 125 | 114 | 120 | 124 | 107 | 118 | 131 | 110 | 122 |
| 22 | 162 | 159 | 161 | 133 | 114 | 125 | 131 | 117 | 121 | 138 | 122 | 129 |
| 23 | 164 | 158 | 160 | 127 | 113 | 119 | 133 | 118 | 124 | 140 | 123 | 133 |
| 24 | 152 | 104 | 123 | 117 | 106 | 113 | 142 | 124 | 138 | 146 | 130 | 142 |
| 25 | 106 | 101 | 103 | 118 | 108 | 115 | 148 | 142 | 145 | 148 | 136 | 144 |
| 26 | 113 | 107 | 110 | 127 | 112 | 117 | 148 | 147 | 148 | 148 | 146 | 147 |
| 27 | 118 | 111 | 114 | 121 | 107 | 115 | 150 | 147 | 149 | 151 | 142 | 147 |
| 28 | 123 | 117 | 119 | 127 | 117 | 123 | 153 | 145 | 150 | 155 | 142 | 149 |
| 29 | --- | --- | --- | 126 | 108 | 120 | 156 | 151 | 153 | 159 | 136 | 147 |
| 30 | --- | --- | --- | 145 | 120 | 129 | 158 | 156 | 158 | 165 | 158 | 160 |
| 31 | --- | --- | --- | 143 | 127 | 135 | --- | --- | --- | 162 | 145 | --- |
| MONTH | 169 | 101 | 142 | 145 | 103 | 124 | 158 | 97 | 124 | 174 | 92 | 136 |
| | | | | | | | | | | | | |
| JUNE | | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 144 | 134 | --- | 180 | 159 | 171 | --- | --- | --- | --- | --- | --- |
| 2 | 186 | 135 | --- | 170 | 160 | 164 | --- | --- | --- | --- | --- | --- |
| 3 | 181 | 130 | 156 | --- | --- | --- | --- | --- | --- | 152 | 151 | --- |
| 4 | 133 | 122 | 126 | --- | --- | --- | --- | --- | --- | 152 | 150 | 150 |
| 5 | 126 | 120 | --- | --- | --- | --- | --- | --- | --- | 151 | 151 | 151 |
| 6 | 135 | 121 | --- | 173 | 154 | 162 | --- | --- | --- | --- | --- | --- |
| 7 | 139 | 121 | --- | 177 | 160 | 171 | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | 179 | 172 | 176 | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | 189 | 178 | 182 | --- | --- | --- | --- | --- | --- |
| 10 | --- | --- | --- | 190 | 185 | --- | --- | --- | --- | --- | --- | --- |
| 11 | 174 | 153 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | 175 | 163 | 170 | 185 | 131 | 158 | --- | --- | --- | --- | --- | --- |
| 13 | 171 | 163 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | 177 | 167 | 172 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | 183 | 173 | 178 | --- | --- | --- | 222 | 213 | 219 | --- | --- | --- |
| 16 | 183 | 172 | --- | --- | --- | --- | 222 | 220 | 221 | --- | --- | --- |
| 17 | 189 | 171 | --- | --- | --- | --- | 223 | 217 | 221 | --- | --- | --- |
| 18 | 181 | 163 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 177 | 174 | 176 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 179 | 176 | 177 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | 187 | 180 | 184 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | 189 | 186 | 187 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | 188 | 178 | 185 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

DELAWARE RIVER BASIN

01463500 DELAWARE RIVER AT TRENTON, N.J.--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|------|------|----------|------|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 10.3 | 7.5 | 8.7 | --- | --- | --- | 10.4 | 9.4 | 9.9 | --- | --- | --- |
| 2 | 9.6 | 7.6 | 8.4 | --- | --- | --- | 11.4 | 10.1 | 10.7 | --- | --- | --- |
| 3 | 9.3 | 7.0 | 8.0 | --- | --- | --- | 12.0 | 10.8 | 11.3 | --- | --- | --- |
| 4 | 10.2 | 7.7 | 8.9 | --- | --- | --- | 12.1 | 10.9 | 11.4 | --- | --- | --- |
| 5 | 9.9 | 7.2 | 8.3 | --- | --- | --- | 11.1 | 10.2 | 10.7 | --- | --- | --- |
| 6 | 11.1 | 7.4 | 9.0 | --- | --- | --- | 12.9 | 10.1 | 10.9 | --- | --- | --- |
| 7 | 10.2 | 7.9 | 8.9 | --- | --- | --- | 12.3 | 10.0 | 10.5 | --- | --- | --- |
| 8 | 11.4 | 7.8 | 9.4 | 12.1 | 10.9 | 11.4 | 10.6 | 9.9 | 10.2 | --- | --- | --- |
| 9 | 12.2 | 7.9 | 9.7 | 12.0 | 10.8 | 11.2 | 10.4 | 9.8 | 10.1 | --- | --- | --- |
| 10 | 11.6 | 7.9 | 9.5 | 12.5 | 11.0 | 11.6 | 10.8 | 9.6 | 10.3 | --- | --- | --- |
| 11 | 11.5 | 7.7 | 9.3 | 12.9 | 11.5 | 12.0 | 12.8 | 10.9 | 11.8 | --- | --- | --- |
| 12 | 11.4 | 7.8 | 9.4 | 13.0 | 11.6 | 12.2 | 13.1 | 11.8 | 12.6 | --- | --- | --- |
| 13 | 11.6 | 7.7 | 9.3 | 13.1 | 11.7 | 12.2 | 13.8 | 12.7 | 13.0 | --- | --- | --- |
| 14 | 11.3 | 7.5 | 9.2 | 13.0 | 11.2 | 11.9 | 14.7 | 12.2 | 13.3 | --- | --- | --- |
| 15 | 11.0 | 7.8 | 9.0 | 13.1 | 10.8 | 11.7 | 13.9 | 12.8 | 13.3 | --- | --- | --- |
| 16 | --- | --- | --- | 11.7 | 10.3 | 10.8 | --- | --- | --- | --- | --- | --- |
| 17 | --- | --- | --- | 12.6 | 10.2 | 11.3 | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | 13.2 | 11.0 | 11.9 | 15.2 | 14.0 | 14.6 | 14.4 | 14.2 | --- |
| 19 | --- | --- | --- | 13.5 | 11.0 | 12.0 | 15.4 | 15.0 | 15.2 | 14.6 | 14.5 | 14.5 |
| 20 | --- | --- | --- | 13.9 | 11.4 | 12.5 | 15.2 | 14.5 | 15.0 | 14.5 | 14.4 | 14.5 |
| 21 | --- | --- | --- | 14.0 | 11.7 | 12.5 | 14.7 | 13.0 | 14.3 | 14.4 | 14.2 | 14.3 |
| 22 | --- | --- | --- | 14.5 | 10.9 | 12.3 | 15.4 | 14.3 | 14.9 | 14.4 | 14.0 | 14.2 |
| 23 | --- | --- | --- | 14.6 | 10.8 | 12.2 | 15.4 | 15.2 | 15.3 | 14.3 | 14.0 | 14.2 |
| 24 | --- | --- | --- | 13.8 | 10.4 | 11.7 | 15.3 | 15.2 | 15.2 | 14.2 | 13.3 | 13.6 |
| 25 | --- | --- | --- | 14.2 | 9.8 | 11.4 | 15.5 | 15.3 | 15.4 | 13.6 | 13.4 | 13.5 |
| 26 | --- | --- | --- | 12.3 | 9.6 | 10.6 | 15.5 | 15.5 | --- | 13.5 | 13.0 | 13.3 |
| 27 | --- | --- | --- | 10.6 | 9.3 | 9.9 | --- | --- | --- | 13.0 | 11.8 | 12.5 |
| 28 | --- | --- | --- | 10.5 | 8.9 | 9.5 | --- | --- | --- | 13.2 | 12.4 | 12.8 |
| 29 | --- | --- | --- | 10.2 | 8.7 | 9.3 | --- | --- | --- | 13.3 | 12.9 | 13.0 |
| 30 | --- | --- | --- | 9.9 | 9.0 | 9.4 | --- | --- | --- | 13.5 | 12.9 | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|------|------|-------|------|------|-------|------|------|------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 13.3 | 12.9 | 13.1 | 12.9 | 11.7 | 12.2 | 12.9 | 8.2 | 10.3 |
| 2 | --- | --- | --- | 13.2 | 12.7 | 13.0 | 13.0 | 12.0 | 12.5 | 13.1 | 7.2 | 9.9 |
| 3 | --- | --- | --- | 13.2 | 12.6 | 12.9 | 13.1 | 11.9 | 12.5 | 10.2 | 8.8 | 9.3 |
| 4 | --- | --- | --- | 13.5 | 12.6 | 13.0 | 12.8 | 11.0 | 11.7 | 12.4 | 8.6 | 10.5 |
| 5 | --- | --- | --- | 13.0 | 11.1 | 12.2 | 11.2 | 10.7 | 10.9 | 12.7 | 9.4 | 11.0 |
| 6 | --- | --- | --- | 12.6 | 11.2 | 11.9 | 11.1 | 10.7 | 10.9 | 11.6 | 9.7 | 10.5 |
| 7 | --- | --- | --- | 13.0 | 11.7 | 12.2 | 11.5 | 10.6 | 11.2 | 13.5 | 9.6 | 11.2 |
| 8 | --- | --- | --- | 12.9 | 11.9 | 12.2 | 11.9 | 11.1 | 11.6 | 14.5 | 10.7 | 12.5 |
| 9 | --- | --- | --- | 12.9 | 12.1 | 12.4 | 11.7 | 11.2 | 11.6 | 13.7 | 10.4 | 12.3 |
| 10 | --- | --- | --- | 13.0 | 12.4 | 12.6 | 12.3 | 11.1 | 11.8 | 11.6 | 10.6 | 11.2 |
| 11 | --- | --- | --- | 13.4 | 12.8 | 13.0 | 12.8 | 12.1 | 12.5 | 13.0 | 10.9 | 11.8 |
| 12 | --- | --- | --- | 13.8 | 12.4 | 13.0 | 12.7 | 11.9 | 12.4 | 12.3 | 10.6 | 11.3 |
| 13 | --- | --- | --- | 14.5 | 13.0 | 13.7 | 12.1 | 11.6 | 11.9 | 10.7 | 9.9 | 10.3 |
| 14 | --- | --- | --- | 14.2 | 12.9 | 13.5 | 11.8 | 11.3 | 11.6 | 11.8 | 9.5 | 10.6 |
| 15 | --- | --- | --- | 14.4 | 12.6 | 13.6 | 12.0 | 11.1 | 11.5 | 10.3 | 9.7 | 10.0 |
| 16 | --- | --- | --- | 13.3 | 12.2 | 12.8 | 12.0 | 11.5 | 11.8 | 10.0 | 8.9 | 9.6 |
| 17 | --- | --- | --- | 13.2 | 12.2 | 12.7 | 12.1 | 11.7 | 11.9 | 9.4 | 8.7 | 9.0 |
| 18 | --- | --- | --- | 13.4 | 12.3 | 12.7 | 12.2 | 11.5 | 11.9 | 9.2 | 8.2 | 8.6 |
| 19 | --- | --- | --- | 13.3 | 12.4 | 12.7 | 11.7 | 11.1 | 11.4 | 9.1 | 8.2 | 8.7 |
| 20 | --- | --- | --- | 13.2 | 12.2 | 12.7 | 12.1 | 11.1 | 11.6 | 9.8 | 8.4 | 9.1 |
| 21 | --- | --- | --- | 13.4 | 11.4 | 12.2 | 12.1 | 11.1 | 11.6 | 10.0 | 8.8 | 9.3 |
| 22 | 12.9 | 12.4 | --- | 12.2 | 11.6 | 11.9 | 11.5 | 10.7 | 11.1 | 10.6 | 8.0 | 9.5 |
| 23 | 12.4 | 12.1 | 12.3 | 13.7 | 11.9 | 13.0 | 10.8 | 9.7 | 10.2 | 9.9 | 8.4 | 9.1 |
| 24 | 13.5 | 12.0 | 12.8 | 13.2 | 12.3 | 12.8 | 10.3 | 9.3 | 9.8 | 10.0 | 8.3 | 9.0 |
| 25 | 14.1 | 13.0 | 13.4 | 14.0 | 13.1 | 13.5 | 12.0 | 9.5 | 10.9 | 9.7 | 7.8 | 8.8 |
| 26 | 14.3 | 12.8 | 13.6 | 13.6 | 11.9 | 12.9 | 12.8 | 11.2 | 11.9 | 9.0 | 6.9 | 8.2 |
| 27 | 14.4 | 13.2 | 13.7 | 12.0 | 11.4 | 11.7 | 13.3 | 10.8 | 12.0 | 9.1 | 6.7 | 7.9 |
| 28 | 13.8 | 13.4 | 13.6 | 12.6 | 11.4 | 12.0 | 13.1 | 10.6 | 11.7 | 10.8 | 8.4 | 9.6 |
| 29 | --- | --- | --- | 12.2 | 11.2 | 11.6 | 12.7 | 10.1 | 11.3 | 10.3 | 9.0 | 9.5 |
| 30 | --- | --- | --- | 12.5 | 11.2 | 11.9 | 12.5 | 9.3 | 10.5 | 11.5 | 8.9 | 10.0 |
| 31 | --- | --- | --- | 12.5 | 11.6 | 12.2 | --- | --- | --- | 11.2 | 8.7 | 9.8 |
| MONTH | --- | --- | --- | 14.5 | 11.1 | 12.6 | 13.3 | 9.3 | 11.5 | 14.5 | 6.7 | 9.9 |

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|------|------|------|------|------|--------|-----|------|-----------|------|------|
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 10.5 | 8.3 | 9.3 | 11.3 | 8.4 | 9.7 | 11.6 | 7.1 | 9.1 | --- | --- | --- |
| 2 | 8.8 | 7.6 | 8.4 | 11.8 | 9.5 | 10.4 | 12.0 | 8.6 | 10.1 | --- | --- | --- |
| 3 | 9.5 | 7.6 | 8.5 | 12.9 | 8.8 | 10.8 | 10.7 | 9.0 | 9.8 | --- | --- | --- |
| 4 | 10.0 | 8.0 | 8.8 | 13.6 | 8.9 | 11.1 | 12.9 | 8.9 | 10.5 | --- | --- | --- |
| 5 | 10.4 | 6.8 | 8.7 | 12.4 | 7.1 | 9.9 | 13.4 | 9.2 | 11.1 | --- | --- | --- |
| 6 | 11.1 | 7.3 | 9.1 | 12.6 | 6.4 | 9.4 | 11.5 | 8.1 | 10.0 | --- | --- | --- |
| 7 | 8.4 | 6.8 | 7.5 | 15.7 | 9.9 | 12.6 | 9.1 | 6.4 | 7.7 | --- | --- | --- |
| 8 | --- | --- | --- | 16.2 | 10.5 | 13.4 | 11.8 | 6.8 | 9.2 | --- | --- | --- |
| 9 | --- | --- | --- | 17.3 | 10.8 | 13.8 | 12.6 | 7.0 | 8.9 | --- | --- | --- |
| 10 | 15.0 | 10.6 | 13.4 | 16.1 | 11.0 | 13.4 | 13.1 | 6.5 | 9.3 | --- | --- | --- |
| 11 | 15.2 | 8.4 | 11.5 | 13.9 | 10.2 | --- | 10.9 | 7.4 | 8.4 | --- | --- | --- |
| 12 | 12.4 | 8.1 | 10.1 | 12.4 | 7.2 | 9.9 | --- | --- | --- | --- | --- | --- |
| 13 | 14.3 | 8.2 | 11.0 | 13.4 | 7.4 | 9.9 | 11.7 | 7.7 | 10.2 | --- | --- | --- |
| 14 | 15.4 | 8.5 | 12.0 | 13.8 | 6.3 | 9.6 | 12.6 | 8.1 | 10.0 | --- | --- | --- |
| 15 | 15.7 | 9.0 | 12.3 | --- | --- | --- | 13.6 | 8.3 | --- | --- | --- | --- |
| 16 | 13.8 | 8.9 | 11.0 | 13.7 | 10.1 | 12.7 | 11.2 | 8.2 | --- | --- | --- | --- |
| 17 | 9.8 | 6.5 | 8.5 | 14.2 | 7.6 | 10.7 | --- | --- | --- | --- | --- | --- |
| 18 | 7.0 | 6.0 | 6.5 | 13.3 | 7.4 | 9.8 | --- | --- | --- | --- | --- | --- |
| 19 | 7.0 | 5.9 | 6.5 | 13.5 | 5.3 | 8.9 | --- | --- | --- | --- | --- | --- |
| 20 | 7.2 | 6.3 | 6.8 | 12.5 | 7.2 | 9.7 | --- | --- | --- | 12.3 | 9.2 | --- |
| 21 | 8.7 | 7.1 | 7.7 | 13.7 | 7.5 | 10.4 | --- | --- | --- | 11.3 | 8.6 | 9.1 |
| 22 | 10.0 | 7.7 | 8.7 | 12.7 | 8.1 | 10.4 | --- | --- | --- | 12.2 | 9.0 | 10.5 |
| 23 | 8.9 | 8.1 | 8.4 | 9.4 | 5.4 | 7.7 | --- | --- | --- | 12.9 | 9.7 | 11.1 |
| 24 | 9.6 | 8.6 | --- | 7.1 | 5.8 | 6.1 | --- | --- | --- | 13.3 | 10.6 | 11.7 |
| 25 | --- | --- | --- | 8.6 | 5.6 | 7.0 | --- | --- | --- | 12.9 | 10.7 | 11.7 |
| 26 | 11.5 | 8.1 | --- | 8.3 | 5.4 | 6.8 | --- | --- | --- | 13.3 | 11.0 | 11.8 |
| 27 | 11.1 | 6.7 | 9.4 | 8.3 | 5.5 | 6.6 | --- | --- | --- | 13.4 | 10.5 | 11.9 |
| 28 | 8.5 | 7.0 | 7.7 | 8.4 | 5.5 | 6.7 | --- | --- | --- | 13.3 | 10.8 | 11.9 |
| 29 | 9.9 | 7.7 | 8.7 | 9.8 | 6.0 | 7.5 | --- | --- | --- | 10.7 | 9.6 | 10.1 |
| 30 | 10.1 | 8.1 | 8.9 | 11.8 | 6.8 | 8.9 | --- | --- | --- | 10.5 | 9.6 | 10.0 |
| 31 | --- | --- | --- | 9.8 | 7.3 | 7.7 | --- | --- | --- | --- | --- | --- |
| MONTH | 15.7 | 5.9 | 9.2 | 17.3 | 5.3 | 9.7 | --- | --- | --- | --- | --- | --- |

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

[illegible]

DELAWARE RIVER BASIN

01463500 DELAWARE RIVER AT TRENTON, N.J.--Continued

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|-------|-----|------|-----|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 7.4 | 7.2 | 7.4 | 7.4 | 7.2 | 7.3 | 7.4 | 7.1 | 7.2 | 9.8 | 7.1 | 8.8 |
| 2 | 7.4 | 7.2 | 7.4 | 7.4 | 7.2 | 7.3 | 7.2 | 7.0 | 7.1 | 9.9 | 8.7 | 9.4 |
| 3 | 7.3 | 7.2 | 7.2 | 7.3 | 7.0 | 7.2 | 7.1 | 7.0 | --- | 9.2 | 7.6 | 8.3 |
| 4 | 7.3 | 7.2 | 7.3 | 7.2 | 6.7 | 7.0 | --- | --- | --- | 9.7 | 7.5 | 8.7 |
| 5 | 7.5 | 7.3 | 7.4 | 8.3 | 6.7 | --- | --- | --- | --- | 9.7 | 8.2 | 9.0 |
| 6 | 7.4 | 7.3 | 7.4 | --- | --- | --- | --- | --- | --- | 9.2 | 8.0 | 8.7 |
| 7 | 7.4 | 7.3 | 7.3 | --- | --- | --- | 7.5 | 6.7 | 7.1 | 8.7 | 7.8 | 8.3 |
| 8 | 7.4 | 7.3 | 7.4 | --- | --- | --- | 7.4 | 7.1 | 7.2 | 8.9 | 7.4 | 8.2 |
| 9 | 7.5 | 7.3 | 7.4 | --- | --- | --- | 7.4 | 7.2 | 7.3 | 8.7 | 6.6 | 7.9 |
| 10 | 7.6 | 7.4 | 7.5 | --- | --- | --- | 7.5 | 7.3 | 7.4 | 6.7 | 6.1 | 6.3 |
| 11 | 7.6 | 7.5 | 7.5 | --- | --- | --- | 7.8 | 7.4 | 7.6 | 7.8 | 6.8 | 7.3 |
| 12 | 7.6 | 7.5 | 7.5 | --- | --- | --- | 7.7 | 7.1 | --- | 7.2 | 6.6 | 6.9 |
| 13 | 7.6 | 7.4 | 7.5 | 7.7 | 7.5 | --- | --- | --- | --- | 6.9 | 6.5 | 6.7 |
| 14 | 7.6 | 7.4 | 7.5 | 7.7 | 7.4 | 7.6 | --- | --- | --- | 6.9 | 6.3 | 6.6 |
| 15 | 7.8 | 7.5 | 7.6 | 7.8 | 7.4 | 7.6 | --- | --- | --- | 6.6 | 5.8 | 6.3 |
| 16 | 7.7 | 7.6 | 7.7 | 7.6 | 7.0 | 7.3 | 7.9 | 7.5 | 7.8 | 7.3 | 5.8 | 6.7 |
| 17 | 7.8 | 7.6 | 7.7 | 7.6 | 7.0 | 7.3 | 7.9 | 7.6 | 7.8 | 7.5 | 5.7 | 6.8 |
| 18 | 7.8 | 7.7 | 7.8 | 7.6 | 7.4 | 7.5 | 8.2 | 7.6 | 7.9 | 7.3 | 5.8 | 6.8 |
| 19 | 7.7 | 7.3 | 7.6 | 7.6 | 7.3 | 7.4 | 8.0 | 7.7 | 7.9 | 7.1 | 6.6 | 6.9 |
| 20 | 7.6 | 7.1 | 7.3 | 7.6 | 7.2 | 7.4 | 8.1 | 7.6 | 7.9 | 7.3 | 6.8 | 7.0 |
| 21 | 7.6 | 7.4 | 7.5 | 7.4 | 7.0 | 7.2 | 8.2 | 7.9 | 8.0 | 7.5 | 6.8 | 7.1 |
| 22 | 7.4 | 6.9 | 7.1 | 7.3 | 7.0 | 7.1 | 8.0 | 7.7 | --- | 8.3 | 6.7 | 7.5 |
| 23 | 7.5 | 7.3 | 7.4 | 7.3 | 6.9 | 7.2 | --- | --- | --- | 8.0 | 7.0 | 7.6 |
| 24 | 7.3 | 7.0 | 7.2 | 7.3 | 6.8 | 7.0 | 8.0 | 7.0 | 7.6 | 9.0 | 6.9 | 8.0 |
| 25 | 7.1 | 6.9 | 7.0 | 7.7 | 7.3 | 7.4 | 8.3 | 7.7 | 8.0 | 8.3 | 7.0 | 7.8 |
| 26 | 7.3 | 7.1 | 7.2 | 7.5 | 7.3 | 7.4 | 8.4 | 7.9 | 8.2 | 8.4 | 7.5 | 7.9 |
| 27 | 7.4 | 7.2 | 7.3 | 7.6 | 7.1 | 7.4 | 8.5 | 8.0 | 8.2 | 8.2 | 7.6 | 7.9 |
| 28 | 7.4 | 7.3 | 7.4 | 7.7 | 7.2 | 7.5 | 8.4 | 7.6 | 8.1 | 8.7 | 7.5 | 8.1 |
| 29 | --- | --- | --- | 7.5 | 7.3 | 7.4 | 8.7 | 7.3 | --- | 8.2 | 7.6 | 7.8 |
| 30 | --- | --- | --- | 7.4 | 7.1 | 7.3 | 9.1 | 7.7 | 8.5 | 8.8 | 7.6 | 8.2 |
| 31 | --- | --- | --- | 7.3 | 6.9 | 7.0 | --- | --- | --- | 8.8 | 7.8 | 8.3 |
| MONTH | 7.8 | 6.9 | 7.4 | --- | --- | --- | --- | --- | --- | 9.9 | 5.7 | 7.7 |

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 8.1 | 6.5 | 7.0 | 9.3 | 7.6 | 8.5 | 7.4 | 6.6 | 6.8 | --- | --- | --- |
| 2 | 7.8 | 6.6 | 7.2 | 9.1 | 7.8 | 8.3 | 7.7 | 6.2 | 6.9 | --- | --- | --- |
| 3 | 7.8 | 6.4 | 7.1 | 8.7 | 7.7 | 8.2 | 7.1 | 6.0 | 6.6 | --- | --- | --- |
| 4 | 8.4 | 7.1 | 7.7 | 8.4 | 7.5 | 7.9 | 8.2 | 6.8 | 7.3 | 7.5 | 7.2 | 7.3 |
| 5 | 9.1 | 7.4 | 8.2 | 8.5 | 7.4 | 7.9 | 8.8 | 7.1 | 7.9 | 7.5 | 7.3 | 7.4 |
| 6 | 9.5 | 7.9 | 8.7 | 8.6 | 8.2 | 8.3 | 8.5 | 7.7 | 8.0 | 7.4 | 7.4 | 7.4 |
| 7 | 8.8 | 8.3 | --- | 8.5 | 8.0 | 8.3 | 8.7 | 7.6 | 8.0 | 7.5 | 7.4 | 7.4 |
| 8 | --- | --- | --- | 9.0 | 7.7 | 8.4 | 9.0 | 7.8 | 8.4 | 7.6 | 7.4 | 7.5 |
| 9 | --- | --- | --- | 9.3 | 8.1 | 8.5 | 9.0 | 7.1 | 8.1 | 7.6 | 7.4 | 7.5 |
| 10 | 9.6 | 8.9 | --- | 9.1 | 7.9 | 8.6 | 8.9 | 7.2 | 8.0 | 7.6 | 7.2 | 7.4 |
| 11 | 9.9 | 8.7 | 9.3 | --- | --- | --- | 8.9 | 7.6 | 8.2 | 7.3 | 6.8 | 7.1 |
| 12 | 9.7 | 9.1 | 9.4 | --- | --- | --- | 9.1 | 7.6 | 8.4 | 7.5 | 6.8 | 7.3 |
| 13 | 9.9 | 8.8 | 9.5 | --- | --- | --- | 9.3 | 7.9 | 8.7 | 7.7 | 7.3 | 7.5 |
| 14 | 10.2 | 9.1 | 9.7 | --- | --- | --- | 9.5 | 8.1 | 8.8 | 7.9 | 7.3 | 7.6 |
| 15 | 10.2 | 9.2 | 9.8 | --- | --- | --- | 9.6 | 8.5 | 9.1 | 7.8 | 7.5 | 7.6 |
| 16 | 9.8 | 9.0 | 9.3 | --- | --- | --- | 9.6 | 8.6 | 9.1 | 8.2 | 7.7 | 7.9 |
| 17 | 8.9 | 7.8 | 8.3 | 9.8 | 9.0 | 9.4 | --- | --- | --- | 8.4 | 7.7 | 7.9 |
| 18 | 8.1 | 7.7 | 7.9 | 9.6 | 8.8 | 9.2 | --- | --- | --- | 8.6 | 7.7 | 8.0 |
| 19 | 8.5 | 7.9 | 8.1 | 9.7 | 8.1 | 9.0 | --- | --- | --- | 8.9 | 7.6 | 8.1 |
| 20 | 8.7 | 8.0 | 8.3 | 9.8 | 8.5 | 9.3 | --- | --- | --- | 9.1 | 7.6 | 8.2 |
| 21 | 8.7 | 7.8 | 8.2 | 9.9 | 8.9 | 9.4 | --- | --- | --- | 9.0 | 7.6 | 8.1 |
| 22 | 9.2 | 7.8 | 8.5 | 9.7 | 8.8 | 9.3 | --- | --- | --- | 9.2 | 7.8 | 8.4 |
| 23 | 8.8 | 8.3 | 8.4 | 9.5 | 8.7 | 9.1 | --- | --- | --- | 9.4 | 7.9 | 8.6 |
| 24 | 8.7 | 9.0 | 8.4 | 8.9 | 7.6 | 8.2 | --- | --- | --- | 9.6 | 8.2 | 8.9 |
| 25 | --- | --- | --- | 8.6 | 7.5 | 8.0 | --- | --- | --- | 9.4 | 8.4 | 8.8 |
| 26 | 8.6 | 8.0 | --- | 8.6 | 7.4 | 7.9 | --- | --- | --- | 9.5 | 8.0 | 8.7 |
| 27 | 8.7 | 7.8 | 8.2 | 8.7 | 7.3 | 7.8 | --- | --- | --- | 9.5 | 8.0 | 8.7 |
| 28 | 8.4 | 7.9 | 8.1 | 8.8 | 7.1 | 7.9 | --- | --- | --- | 9.1 | 7.5 | 8.8 |
| 29 | 8.9 | 7.6 | 8.3 | 8.9 | 7.1 | 7.9 | --- | --- | --- | 8.3 | 6.6 | 7.0 |
| 30 | 9.1 | 7.7 | 8.3 | 8.9 | 7.0 | 7.9 | --- | --- | --- | 7.5 | 7.2 | 7.4 |
| 31 | --- | --- | --- | 8.1 | 7.3 | 7.7 | --- | --- | --- | --- | --- | --- |
| MONTH | 10.2 | 6.4 | 8.4 | 9.9 | 7.0 | 8.4 | --- | --- | --- | 9.6 | 6.6 | 7.9 |

01463500 DELAWARE RIVER AT TRENTON, N.J.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|------|------|----------|-----|------|----------|------|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 20.0 | 18.0 | 19.0 | --- | --- | --- | 8.5 | 7.0 | 7.5 | --- | --- | --- |
| 2 | 19.5 | 18.5 | 19.0 | --- | --- | --- | 7.0 | 6.0 | 6.5 | --- | --- | --- |
| 3 | 21.0 | 19.0 | 19.5 | --- | --- | --- | 6.5 | 5.5 | 6.0 | --- | --- | --- |
| 4 | 21.0 | 19.0 | 20.0 | --- | --- | --- | 6.5 | 5.5 | 6.0 | --- | --- | --- |
| 5 | 21.0 | 19.5 | 20.0 | --- | --- | --- | 8.5 | 6.5 | 7.5 | --- | --- | --- |
| 6 | 20.5 | 18.0 | 19.0 | 9.5 | 8.5 | --- | 9.5 | 8.5 | 9.0 | --- | --- | --- |
| 7 | 19.0 | 18.0 | 18.5 | 9.0 | 8.0 | 8.5 | 9.0 | 8.0 | 8.5 | --- | --- | --- |
| 8 | 20.0 | 18.0 | 18.5 | 8.5 | 7.5 | 8.0 | 8.0 | 6.5 | 7.0 | --- | --- | --- |
| 9 | 19.5 | 17.5 | 18.5 | 8.5 | 7.5 | 8.0 | 7.0 | 6.5 | 6.5 | --- | --- | --- |
| 10 | 20.5 | 18.0 | 19.0 | 8.0 | 6.5 | 7.0 | 7.0 | 6.0 | 6.5 | --- | --- | --- |
| 11 | 19.0 | 17.0 | 18.0 | 7.5 | 6.0 | 6.5 | 6.0 | 5.0 | 5.5 | --- | --- | --- |
| 12 | 19.0 | 16.5 | 17.5 | 7.5 | 6.5 | 7.0 | 5.0 | 5.0 | 5.0 | --- | --- | --- |
| 13 | 19.0 | 16.5 | 17.5 | 8.0 | 7.0 | 7.5 | 5.0 | 4.5 | 4.5 | --- | --- | --- |
| 14 | 19.0 | 17.0 | 17.5 | 9.0 | 7.5 | 8.5 | 5.0 | 4.5 | 5.0 | --- | --- | --- |
| 15 | 18.0 | 16.0 | 17.0 | 10.5 | 8.5 | 9.5 | 4.5 | 4.0 | 4.5 | --- | --- | --- |
| 16 | 17.5 | 15.5 | 16.5 | 11.0 | 9.5 | 10.5 | 4.5 | 3.5 | 4.0 | --- | --- | --- |
| 17 | 16.0 | 14.0 | 15.0 | 9.5 | 8.0 | 8.5 | 3.5 | 1.5 | 2.5 | --- | --- | --- |
| 18 | 14.0 | 13.5 | 14.0 | 8.5 | 7.5 | 8.0 | 1.5 | 0.5 | 1.0 | 1.5 | 1.5 | --- |
| 19 | 14.5 | 12.0 | 13.5 | 9.0 | 8.0 | 8.5 | 0.5 | 0.0 | 0.5 | 2.0 | 1.0 | 1.5 |
| 20 | 14.5 | 12.5 | 13.5 | 8.5 | 7.0 | 7.5 | 2.5 | 0.5 | 1.0 | 2.0 | 1.5 | 1.5 |
| 21 | 15.5 | 12.5 | 13.5 | 8.0 | 6.5 | 7.5 | 3.5 | 2.5 | 3.0 | 2.5 | 2.0 | 2.0 |
| 22 | 15.5 | 12.5 | 14.0 | 9.5 | 7.5 | 8.5 | 3.0 | 1.0 | 2.5 | 3.0 | 2.0 | 2.5 |
| 23 | 15.0 | 12.5 | 13.5 | 9.5 | 7.5 | 8.5 | 3.0 | 2.0 | 2.5 | 3.5 | 2.5 | 3.0 |
| 24 | 15.5 | 12.5 | 14.0 | 9.5 | 8.5 | 9.0 | 4.0 | 3.0 | 3.5 | 3.5 | 3.0 | 3.5 |
| 25 | 15.0 | 13.0 | 14.0 | 10.5 | 9.0 | 9.5 | 3.5 | 2.5 | 3.0 | 4.0 | 3.0 | 3.5 |
| 26 | 16.0 | 13.5 | 14.5 | 10.0 | 9.5 | 9.5 | 3.5 | 3.0 | --- | 3.5 | 3.0 | 3.5 |
| 27 | 15.5 | 13.5 | 14.5 | 10.0 | 9.5 | 9.5 | --- | --- | --- | 5.0 | 3.0 | 4.5 |
| 28 | 14.0 | 12.5 | 13.5 | 11.0 | 9.5 | 10.5 | --- | --- | --- | 5.0 | 4.5 | 5.0 |
| 29 | 13.0 | 12.5 | --- | 10.5 | 9.0 | 9.5 | --- | --- | --- | 5.5 | 4.5 | 5.0 |
| 30 | --- | --- | --- | 9.0 | 8.5 | 8.5 | --- | --- | --- | 4.5 | 4.0 | 4.0 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 5.0 | 4.0 | 4.5 |
| MONTH | 21.0 | 12.0 | 16.5 | 11.0 | 6.0 | 8.5 | 9.5 | 0.0 | 5.0 | --- | --- | --- |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 4.5 | 4.0 | 4.5 | 5.0 | 4.0 | 4.5 | 5.5 | 4.5 | 5.0 | 19.5 | 18.0 | 18.5 |
| 2 | 4.5 | 3.0 | 4.0 | 5.0 | 4.5 | 4.5 | 6.5 | 5.5 | 6.0 | 18.5 | 16.0 | 17.5 |
| 3 | 4.0 | 2.0 | 3.0 | 5.0 | 4.5 | 5.0 | 8.5 | 6.5 | 7.0 | 17.0 | 15.5 | 16.5 |
| 4 | 2.0 | 1.0 | 1.5 | 6.0 | 5.0 | 5.5 | 10.0 | 8.5 | 9.0 | 16.5 | 14.5 | 15.5 |
| 5 | 1.0 | 0.5 | 0.5 | 7.5 | 6.0 | 7.0 | 11.0 | 10.5 | 10.5 | 15.0 | 14.0 | 14.5 |
| 6 | 1.0 | 0.0 | 0.5 | 8.0 | 7.0 | 7.5 | 10.5 | 9.0 | 10.0 | 14.0 | 13.5 | 14.0 |
| 7 | 1.5 | 1.0 | 1.0 | 8.5 | 7.5 | 8.0 | 9.0 | 8.0 | 8.5 | 14.5 | 12.5 | 13.5 |
| 8 | 1.0 | 1.0 | 1.0 | --- | --- | --- | 8.5 | 8.0 | 8.0 | 15.0 | 13.5 | 14.0 |
| 9 | 1.5 | 0.5 | 1.0 | --- | --- | --- | 8.0 | 7.0 | 7.5 | 15.0 | 14.0 | 14.5 |
| 10 | 1.5 | 0.5 | 1.0 | --- | --- | --- | 7.0 | 6.0 | 6.5 | 15.0 | 14.0 | 14.5 |
| 11 | 2.5 | 1.0 | 1.5 | 6.5 | 6.0 | 6.5 | 7.0 | 6.0 | 6.5 | 16.0 | 14.0 | 15.0 |
| 12 | 2.5 | 1.0 | 2.0 | 7.5 | 6.0 | 6.5 | 8.5 | 7.0 | 8.0 | 16.0 | 15.0 | 15.5 |
| 13 | 3.0 | 2.0 | 2.5 | 6.5 | 5.0 | 5.5 | 10.0 | 8.5 | 9.0 | 15.0 | 14.0 | 14.5 |
| 14 | 4.0 | 3.0 | 3.5 | 5.5 | 4.0 | 5.0 | 11.0 | 9.5 | 10.0 | 14.5 | 13.5 | 14.0 |
| 15 | 4.0 | 3.0 | 3.5 | 6.0 | 4.5 | 5.0 | 11.0 | 10.5 | 11.0 | 16.0 | 14.0 | 15.0 |
| 16 | 3.0 | 2.5 | 3.0 | 6.5 | 5.5 | 6.0 | 11.5 | 10.5 | 11.0 | 18.0 | 15.5 | 17.0 |
| 17 | 4.0 | 2.5 | 3.5 | 6.5 | 5.5 | 6.0 | 11.5 | 10.5 | 11.0 | 20.0 | 17.0 | 19.0 |
| 18 | 3.5 | 2.0 | 3.0 | 5.5 | 4.5 | 5.0 | 11.5 | 10.5 | 11.0 | 21.0 | 19.0 | 20.0 |
| 19 | 4.0 | 3.0 | 3.5 | 6.5 | 5.0 | 5.5 | 11.5 | 10.5 | 11.0 | 21.0 | 19.5 | 20.5 |
| 20 | 5.0 | 4.0 | 4.5 | 7.0 | 5.5 | 6.0 | 12.0 | 10.0 | 11.0 | 20.5 | 19.0 | 20.0 |
| 21 | 5.5 | 4.0 | 5.0 | 7.0 | 6.0 | --- | 12.5 | 11.0 | 12.0 | 20.5 | 19.0 | 20.0 |
| 22 | 6.5 | 5.0 | 5.5 | --- | --- | --- | 14.0 | 12.0 | 13.0 | 22.5 | 19.5 | 20.5 |
| 23 | 6.5 | 5.5 | 6.0 | --- | --- | --- | 14.5 | 13.5 | 14.0 | 21.0 | 20.5 | 21.0 |
| 24 | 5.5 | 4.0 | 4.5 | --- | --- | --- | 14.0 | 13.0 | 13.5 | 22.0 | 20.0 | 21.0 |
| 25 | 4.0 | 2.5 | 3.0 | --- | --- | --- | 14.0 | 13.0 | 13.5 | 21.5 | 20.5 | 21.0 |
| 26 | 3.0 | 2.0 | 2.5 | --- | --- | --- | 14.0 | 12.5 | 13.5 | 21.0 | 19.0 | 20.0 |
| 27 | 3.0 | 2.0 | 2.5 | --- | --- | --- | 15.0 | 13.0 | 14.0 | 19.5 | 16.5 | 18.5 |
| 28 | 4.0 | 2.5 | 3.0 | --- | --- | --- | 15.5 | 13.5 | 14.5 | 19.0 | 17.0 | 18.0 |
| 29 | --- | --- | --- | --- | --- | --- | 17.5 | 15.0 | 16.0 | 19.0 | 18.0 | 18.5 |
| 30 | --- | --- | --- | --- | --- | --- | 18.5 | 16.5 | 17.5 | 19.5 | 18.0 | 18.5 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.5 | 18.0 | 19.0 |
| MONTH | 6.5 | 0.0 | 3.0 | --- | --- | --- | 18.5 | 4.5 | 10.5 | 22.5 | 12.5 | 17.5 |

DELAWARE RIVER BASIN

01463500 DELAWARE RIVER AT TRENTON, N.J.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 20.0 | 19.0 | 19.5 | 25.0 | 22.5 | 23.5 | 28.0 | 25.5 | 26.5 | --- | --- | --- |
| 2 | 19.5 | 19.0 | 19.5 | 26.0 | 23.5 | 24.5 | 28.5 | 23.5 | 25.5 | --- | --- | --- |
| 3 | 20.5 | 18.0 | 19.0 | 26.5 | 25.0 | 25.5 | 25.5 | 22.5 | 24.5 | 23.0 | 22.0 | --- |
| 4 | 21.5 | 19.0 | 20.0 | 29.0 | 26.0 | 27.5 | 27.0 | 25.0 | 24.5 | 22.0 | 19.5 | 20.5 |
| 5 | 22.5 | 20.0 | 21.5 | 28.0 | 27.0 | 27.5 | 26.5 | 24.0 | 25.5 | 19.5 | 18.5 | 19.0 |
| 6 | 23.5 | 21.0 | 22.0 | 29.0 | 26.5 | 27.5 | 26.5 | 24.0 | 26.5 | 19.0 | 18.0 | 18.5 |
| 7 | 22.5 | 21.5 | --- | 30.0 | 27.0 | 28.5 | 26.5 | 25.0 | 25.5 | 18.0 | 17.5 | 18.0 |
| 8 | --- | --- | --- | 31.0 | 27.5 | 29.0 | 26.0 | 24.0 | 25.0 | 19.0 | 17.5 | 18.5 |
| 9 | --- | --- | --- | 32.0 | 28.0 | 30.0 | 27.0 | 24.5 | 25.5 | 20.0 | 18.5 | 19.0 |
| 10 | --- | --- | --- | 32.0 | 29.0 | 30.5 | 27.0 | 25.0 | 26.0 | 21.0 | 19.5 | 20.0 |
| 11 | 27.0 | 25.0 | 25.5 | 30.0 | 27.0 | 29.0 | 27.5 | 24.5 | 25.5 | 21.5 | 20.5 | 21.0 |
| 12 | 25.5 | 24.0 | 24.5 | 28.0 | 25.0 | 26.5 | 28.0 | 23.5 | 26.0 | 22.5 | 21.0 | 21.5 |
| 13 | 25.5 | 23.0 | 24.0 | 28.5 | 24.5 | 26.5 | 27.5 | 24.5 | 26.0 | 24.5 | 22.0 | 23.0 |
| 14 | 26.0 | 22.5 | 24.0 | 29.5 | 25.0 | 26.5 | 28.0 | 25.0 | 26.5 | 23.5 | 22.0 | 23.0 |
| 15 | 25.5 | 22.5 | 24.0 | 29.0 | 27.0 | 27.5 | 29.0 | 24.5 | 26.5 | 22.0 | 21.0 | 21.5 |
| 16 | 25.0 | 23.0 | 23.5 | --- | --- | --- | 29.0 | 25.5 | 27.0 | 22.0 | 20.5 | 21.0 |
| 17 | 24.5 | 22.5 | 23.5 | 29.0 | 25.0 | 27.0 | 27.5 | 26.0 | 26.5 | 21.5 | 20.0 | 20.5 |
| 18 | 24.5 | 23.0 | 23.5 | 28.5 | 26.0 | 27.0 | --- | --- | --- | 22.0 | 20.0 | 21.0 |
| 19 | 24.5 | 22.5 | 23.5 | 29.5 | 26.0 | 27.5 | --- | --- | --- | 22.0 | 20.0 | 21.0 |
| 20 | 25.0 | 23.0 | 24.0 | 28.5 | 24.5 | 26.5 | --- | --- | --- | 23.0 | 20.5 | 21.0 |
| 21 | 25.5 | 24.0 | 24.5 | 28.5 | 24.5 | 26.0 | --- | --- | --- | 23.0 | 21.0 | 22.0 |
| 22 | 26.5 | 23.5 | 25.0 | 29.0 | 24.5 | 26.5 | --- | --- | --- | 21.5 | 19.5 | 20.5 |
| 23 | 25.0 | 23.0 | 24.0 | 26.5 | 23.5 | 25.5 | --- | --- | --- | 19.5 | 17.5 | 19.0 |
| 24 | 23.5 | 22.5 | 23.0 | 24.5 | 22.5 | 23.5 | --- | --- | --- | 18.0 | 16.0 | 17.0 |
| 25 | --- | --- | --- | 24.5 | 21.5 | 23.0 | --- | --- | --- | 17.0 | 16.0 | 16.5 |
| 26 | 22.0 | 21.5 | --- | 24.5 | 22.0 | 23.0 | --- | --- | --- | 17.0 | 15.5 | 16.0 |
| 27 | 22.0 | 21.0 | 21.5 | 26.5 | 22.5 | 24.0 | --- | --- | --- | 18.5 | 15.5 | 17.0 |
| 28 | 21.0 | 20.0 | 20.5 | 27.5 | 24.0 | 25.5 | --- | --- | --- | 18.5 | 17.0 | 17.5 |
| 29 | 22.0 | 20.0 | 21.0 | 28.5 | 24.5 | 26.0 | --- | --- | --- | 19.0 | 18.0 | 18.5 |
| 30 | 23.5 | 21.0 | 22.5 | 28.5 | 24.0 | 26.5 | --- | --- | --- | 18.5 | 17.0 | 17.5 |
| 31 | --- | --- | --- | 27.5 | 25.5 | 26.5 | --- | --- | --- | --- | --- | --- |
| MONTH | 27.0 | 18.0 | 22.5 | 32.0 | 21.5 | 26.5 | --- | --- | --- | 24.5 | 15.5 | 19.5 |

DELAWARE RIVER BASIN

95

01464040 DELAWARE RIVER AT MARINE TERMINAL, TRENTON, N.J.

LOCATION.--Lat 40°11'21", long 74°45'22", Mercer County, on left bank at downstream end of wharf at Marine Terminal, Trenton, 1.6 mi (2.6 km) downstream from toll bridge on U.S. Highway 1, 2.0 mi (3.2 km) downstream from Assunpink Creek, and at mile 131.80 (212 km) upstream from Atlantic Ocean.

DRAINAGE AREA.--6,870 mi² (17,793 km²).

PERIOD OF RECORD.--Chemical analyses: October 1973 to September 1974.
Water temperatures: October 1972 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum, 591 micromhos July 29; minimum, 106 micromhos Dec. 22, 23.

Water temperatures: Maximum, 30.0°C on Aug. 29, 30; minimum, freezing point on many days during winter months.

Period of record:

Specific conductance: Maximum, 722 micromhos Aug. 24, 1973; minimum, 90 micromhos Apr. 5, 1973.

Water temperatures: Maximum, 32.5°C Sept. 4, 1973; minimum, freezing point on many days during winter months.

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 210 | 166 | 185 | 166 | 143 | 153 | 133 | 128 | 131 |
| 2 | --- | --- | --- | 237 | 160 | 180 | 170 | 139 | 149 | 142 | 130 | 135 |
| 3 | --- | --- | --- | 217 | 165 | 186 | 168 | 139 | 150 | 145 | 134 | 139 |
| 4 | 294 | 178 | --- | 228 | 169 | 187 | 162 | 143 | 154 | 146 | 135 | 142 |
| 5 | 269 | 173 | 203 | 228 | 172 | 193 | 191 | 149 | 165 | 153 | 140 | 146 |
| 6 | 233 | 172 | 187 | 209 | 171 | 188 | 195 | 154 | 172 | 151 | 143 | 146 |
| 7 | 246 | 171 | 192 | 223 | 177 | 189 | 168 | 148 | 159 | 154 | 146 | 150 |
| 8 | 287 | 169 | 188 | 232 | 182 | 192 | 156 | 132 | 141 | 161 | 151 | 155 |
| 9 | 331 | 161 | 205 | 230 | 185 | 205 | 149 | 131 | 142 | 159 | 146 | 154 |
| 10 | 371 | 173 | 207 | 204 | 180 | 192 | 156 | 134 | 141 | 161 | 148 | 152 |
| 11 | 285 | 189 | 210 | 194 | 175 | 181 | 139 | 121 | 131 | 175 | 149 | 162 |
| 12 | 228 | 181 | 195 | 221 | 178 | 187 | 131 | 117 | 123 | 165 | 158 | 162 |
| 13 | 301 | 179 | 198 | 242 | 175 | 194 | 142 | 120 | 131 | 165 | 155 | 161 |
| 14 | 258 | 193 | 207 | 209 | 171 | 185 | 142 | 130 | 135 | 161 | 153 | 157 |
| 15 | 354 | 197 | 230 | 255 | 175 | 197 | 139 | 131 | 134 | 166 | 155 | 161 |
| 16 | 271 | 196 | 217 | 236 | 173 | 201 | 135 | 129 | 131 | 175 | 164 | 169 |
| 17 | 298 | 184 | 212 | 228 | 174 | 194 | 137 | 128 | 133 | 165 | 159 | 163 |
| 18 | 208 | 188 | 196 | 202 | 169 | 180 | 133 | 127 | 130 | 164 | 159 | 162 |
| 19 | 367 | 191 | 230 | 210 | 169 | 187 | 137 | 130 | 134 | 170 | 156 | 163 |
| 20 | 356 | 197 | 232 | 186 | 166 | 174 | 164 | 138 | 146 | 170 | 161 | 166 |
| 21 | 316 | 204 | 213 | 194 | 141 | 160 | 184 | 133 | 145 | 182 | 166 | 171 |
| 22 | 256 | 197 | 212 | 190 | 167 | 176 | 138 | 106 | 117 | 181 | 158 | 165 |
| 23 | 236 | 197 | 209 | 215 | 164 | 182 | 116 | 106 | 112 | 175 | 161 | 166 |
| 24 | 341 | 197 | 235 | 211 | 173 | 189 | 132 | 116 | 123 | 164 | 153 | 159 |
| 25 | 350 | 197 | 222 | 219 | 173 | 184 | 132 | 121 | 127 | 164 | 151 | 156 |
| 26 | 285 | 194 | 212 | 196 | 175 | 182 | 141 | 128 | 133 | 159 | 149 | 153 |
| 27 | 233 | 186 | 200 | 221 | 178 | 192 | 147 | 128 | 138 | 161 | 151 | 156 |
| 28 | 200 | 184 | 191 | 245 | 174 | 193 | 141 | 124 | 135 | 171 | 151 | 158 |
| 29 | 232 | 179 | 202 | 186 | 163 | 173 | 128 | 119 | 123 | 154 | 140 | 145 |
| 30 | 223 | 163 | 185 | 185 | 158 | 171 | 128 | 119 | 122 | 142 | 135 | 139 |
| 31 | 223 | 177 | 196 | --- | --- | --- | 142 | 123 | 131 | 143 | 132 | 137 |
| MONTH | 371 | 161 | 207 | 255 | 141 | 186 | 195 | 106 | 137 | 182 | 128 | 154 |

DELAWARE RIVER BASIN

01464040 DELAWARE RIVER AT MARINE TERMINAL, TRENTON, N.J.-Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 149 | 132 | 139 | 147 | 135 | 141 | 145 | 135 | 140 | --- | --- | --- |
| 2 | 145 | 138 | 142 | 154 | 142 | 147 | 146 | 133 | 139 | --- | --- | --- |
| 3 | 142 | 137 | 140 | 153 | 140 | 146 | 145 | 125 | 136 | --- | --- | --- |
| 4 | 144 | 139 | 141 | 162 | 141 | 148 | 137 | 124 | 131 | --- | --- | --- |
| 5 | 144 | 138 | 141 | 161 | 143 | 150 | 138 | 114 | 126 | --- | --- | --- |
| 6 | 150 | 141 | 146 | 167 | 143 | 152 | 137 | 111 | 119 | --- | --- | --- |
| 7 | 162 | 146 | 154 | 155 | 132 | 145 | 136 | 110 | 119 | --- | --- | --- |
| 8 | 158 | 148 | 153 | 156 | 130 | 135 | 140 | 118 | 125 | --- | --- | --- |
| 9 | 163 | 150 | 156 | 148 | 132 | 136 | 170 | 120 | 140 | --- | --- | --- |
| 10 | 159 | 151 | 155 | 150 | 134 | 139 | 152 | 119 | 127 | --- | --- | --- |
| 11 | 165 | 154 | 159 | 147 | 136 | 141 | 164 | 115 | 129 | --- | --- | --- |
| 12 | 165 | 155 | 160 | 145 | 136 | 139 | 151 | 132 | 143 | --- | --- | --- |
| 13 | 170 | 159 | 164 | 141 | 133 | 136 | 145 | 117 | 129 | --- | --- | --- |
| 14 | 169 | 161 | 165 | 146 | 136 | 140 | 140 | 118 | 126 | --- | --- | --- |
| 15 | 169 | 158 | 163 | 151 | 137 | 144 | 125 | 117 | 121 | --- | --- | --- |
| 16 | 166 | 158 | 162 | 180 | 147 | 157 | 130 | 114 | 123 | 154 | 122 | 137 |
| 17 | 165 | 156 | 161 | 159 | 142 | 150 | 176 | 127 | 149 | 151 | 128 | 140 |
| 18 | 169 | 156 | 162 | 153 | 141 | 147 | 252 | 135 | 193 | 149 | 130 | 138 |
| 19 | 169 | 163 | 166 | 146 | 136 | 140 | 231 | 124 | 177 | 153 | 135 | 142 |
| 20 | 174 | 163 | 168 | 146 | 136 | 141 | 184 | 120 | 143 | 185 | 137 | 156 |
| 21 | 175 | 167 | 172 | 153 | 140 | 145 | 152 | 127 | 138 | 173 | 147 | 157 |
| 22 | 171 | 161 | 166 | 159 | 140 | 149 | 147 | 126 | 138 | 179 | 148 | 160 |
| 23 | 174 | 158 | 166 | 155 | 141 | 147 | 163 | 134 | 145 | 184 | 155 | 166 |
| 24 | 161 | 129 | 143 | 156 | 140 | 148 | 146 | 129 | 136 | 185 | 159 | 171 |
| 25 | 132 | 123 | 128 | 148 | 133 | 141 | 150 | 134 | 143 | 182 | 159 | 167 |
| 26 | 137 | 125 | 131 | 133 | 122 | 126 | 171 | 132 | 147 | 180 | 162 | 169 |
| 27 | 145 | 129 | 136 | 139 | 118 | 126 | 179 | 137 | 151 | 194 | 166 | 175 |
| 28 | 147 | 131 | 138 | 138 | 125 | 129 | 178 | 142 | 153 | 227 | 169 | 198 |
| 29 | --- | --- | --- | 132 | 124 | 127 | 178 | 153 | 169 | 226 | 170 | 188 |
| 30 | --- | --- | --- | 139 | 126 | 132 | --- | --- | --- | 265 | 174 | 202 |
| 31 | --- | --- | --- | 137 | 128 | 133 | --- | --- | --- | 248 | 187 | 204 |
| MONTH | 175 | 123 | 153 | 180 | 118 | 141 | 252 | 110 | 140 | --- | --- | --- |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 230 | 184 | 202 | 305 | 192 | 216 | 213 | 171 | 191 | 226 | 201 | 213 |
| 2 | 215 | 186 | 196 | 424 | 202 | 230 | 226 | 163 | 183 | 219 | 171 | 187 |
| 3 | 242 | 172 | 203 | 281 | 214 | 226 | 263 | 134 | 170 | 213 | 161 | 176 |
| 4 | 195 | 154 | 172 | 224 | 194 | 206 | 204 | 169 | 186 | 189 | 159 | 171 |
| 5 | 208 | 158 | 177 | 213 | 192 | 203 | 278 | 189 | 208 | 183 | 160 | 171 |
| 6 | 214 | 169 | 182 | 208 | 187 | 197 | 238 | 195 | 210 | 168 | 153 | 160 |
| 7 | 210 | 172 | 186 | 211 | 189 | 200 | 256 | 199 | 213 | 182 | 159 | 171 |
| 8 | 206 | 177 | 187 | 217 | 197 | --- | 415 | 197 | 237 | 186 | 168 | 175 |
| 9 | 237 | 179 | 198 | --- | --- | --- | 322 | 200 | 234 | 195 | 172 | 181 |
| 10 | 213 | 182 | 195 | --- | --- | --- | 234 | 193 | 209 | 245 | 172 | 191 |
| 11 | 216 | 189 | 199 | --- | --- | --- | 406 | 209 | 260 | 204 | 177 | 189 |
| 12 | 234 | 202 | 212 | --- | --- | --- | 292 | 229 | 245 | 245 | 182 | 205 |
| 13 | 239 | 204 | 222 | --- | --- | --- | 350 | 233 | 255 | 351 | 194 | 230 |
| 14 | 243 | 204 | 218 | --- | --- | --- | 445 | 226 | 275 | 248 | 202 | 215 |
| 15 | 234 | 211 | 222 | --- | --- | --- | 296 | 219 | 251 | 250 | 206 | 224 |
| 16 | 240 | 212 | 227 | 311 | 239 | --- | 267 | 224 | 234 | 258 | 211 | 231 |
| 17 | 348 | 231 | 254 | 291 | 203 | 246 | 267 | 226 | 235 | 287 | 219 | 238 |
| 18 | 265 | 208 | 232 | 265 | 224 | 237 | 263 | 206 | 233 | 331 | 218 | 244 |
| 19 | 237 | 185 | 201 | 318 | 215 | 237 | 388 | 216 | 236 | 295 | 218 | 240 |
| 20 | 207 | 160 | 187 | 249 | 211 | 226 | 495 | 205 | 250 | 286 | 213 | 239 |
| 21 | 225 | 187 | 202 | 295 | 225 | 249 | 242 | 195 | 215 | 295 | 218 | 239 |
| 22 | 245 | 197 | 211 | 303 | 212 | 256 | 347 | 211 | 236 | 258 | 216 | 233 |
| 23 | 233 | 204 | 216 | 304 | 231 | 247 | 302 | 208 | 229 | 407 | 215 | 249 |
| 24 | 278 | 208 | 226 | 267 | 226 | 241 | 306 | 211 | 234 | 277 | 214 | 235 |
| 25 | 248 | 196 | 218 | 591 | 228 | 293 | 291 | 221 | 236 | 280 | 209 | 226 |
| 26 | 263 | 195 | 219 | 390 | 229 | 268 | 345 | 223 | 240 | 352 | 203 | 235 |
| 27 | 266 | 200 | 221 | 407 | 234 | 283 | 468 | 214 | 267 | 311 | 199 | 218 |
| 28 | 289 | 214 | 230 | 317 | 226 | 244 | 387 | 219 | 249 | 266 | 199 | 221 |
| 29 | 308 | 217 | 245 | 381 | 217 | 243 | 257 | 216 | 229 | 224 | 170 | 197 |
| 30 | 278 | 208 | 220 | 265 | 219 | 233 | 257 | 215 | 230 | 221 | 200 | 209 |
| 31 | --- | --- | --- | 243 | 209 | 221 | 233 | 213 | 226 | --- | --- | --- |
| MONTH | 348 | 154 | 209 | --- | --- | --- | 495 | 134 | 229 | 407 | 153 | 210 |

01464040 DELAWARE RIVER AT MARINE TERMINAL, TRENTON, N.J.-Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|------|------|----------|------|------|----------|------|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 21.0 | 18.5 | 20.0 | 12.5 | 12.0 | 12.0 | 8.0 | 7.0 | 7.5 | 4.0 | 4.0 | 4.0 |
| 2 | 20.5 | 18.5 | 20.0 | 12.5 | 11.0 | 11.5 | 7.0 | 6.0 | 6.5 | 3.5 | 3.0 | 3.5 |
| 3 | 22.0 | 20.0 | 21.0 | 13.0 | 11.5 | 12.0 | 7.0 | 5.5 | 6.0 | 3.0 | 2.5 | 3.0 |
| 4 | 21.5 | 20.0 | 21.0 | 12.0 | 10.5 | 11.0 | 7.0 | 5.5 | 6.0 | 3.0 | 2.0 | 2.5 |
| 5 | 22.0 | 20.0 | 21.0 | 11.0 | 10.0 | 10.5 | 9.0 | 7.0 | 7.5 | 2.5 | 1.5 | 2.0 |
| 6 | 20.5 | 18.5 | 19.5 | 10.5 | 9.0 | 9.5 | 9.5 | 8.5 | 9.5 | 2.0 | 1.5 | 2.0 |
| 7 | 19.5 | 18.5 | 19.0 | 9.0 | 8.0 | 8.5 | 8.5 | 7.5 | 8.0 | 3.0 | 1.5 | 2.0 |
| 8 | 20.5 | 18.0 | 19.0 | 8.5 | 8.0 | 8.0 | 7.5 | 6.5 | 7.0 | 2.5 | 1.5 | 2.0 |
| 9 | 20.0 | 18.5 | 19.0 | 8.5 | 7.5 | 8.0 | 7.0 | 6.0 | 6.5 | 1.5 | 0.5 | 1.0 |
| 10 | 21.0 | 18.5 | 19.5 | 8.0 | 6.0 | 7.0 | 6.5 | 6.0 | 6.5 | 0.0 | 0.0 | 0.0 |
| 11 | 19.5 | 17.5 | 18.5 | 7.0 | 5.5 | 6.0 | 6.0 | 5.0 | 5.5 | 1.5 | 0.0 | 1.0 |
| 12 | 19.0 | 16.5 | 18.0 | 7.5 | 6.0 | 6.5 | 5.0 | 4.5 | 5.0 | 1.5 | 1.0 | 1.5 |
| 13 | 19.0 | 17.0 | 18.0 | 8.0 | 7.0 | 7.5 | 5.0 | 4.0 | 4.5 | 0.5 | 0.0 | 0.0 |
| 14 | 19.0 | 17.0 | 18.0 | 9.0 | 7.5 | 8.0 | 5.0 | 4.5 | 5.0 | 0.0 | 0.0 | 0.0 |
| 15 | 18.5 | 16.5 | 17.5 | 10.5 | 8.5 | 9.5 | 5.0 | 4.0 | 4.5 | 1.5 | 0.0 | 0.5 |
| 16 | 18.0 | 16.0 | 17.0 | 11.5 | 10.0 | 10.5 | 4.5 | 3.0 | 4.0 | 2.5 | 1.5 | 2.0 |
| 17 | 16.5 | 15.0 | 15.5 | 10.0 | 8.0 | 9.0 | 2.5 | 1.0 | 2.0 | 3.5 | 2.0 | 2.5 |
| 18 | 14.5 | 13.5 | 14.0 | 8.0 | 7.5 | 8.0 | 1.0 | 0.0 | 0.5 | 2.0 | 0.5 | 1.5 |
| 19 | 15.0 | 12.5 | 13.5 | 9.0 | 7.5 | 8.5 | 0.0 | 0.0 | 0.0 | 2.0 | 0.5 | 1.0 |
| 20 | 15.0 | 13.0 | 13.5 | 8.5 | 7.5 | 8.0 | 2.5 | 0.0 | 1.0 | 2.0 | 1.5 | 1.5 |
| 21 | 14.5 | 12.5 | 13.5 | 8.5 | 7.0 | 8.0 | 4.5 | 2.5 | 4.0 | 3.0 | 2.0 | 2.5 |
| 22 | 15.0 | 12.5 | 13.5 | 9.5 | 7.5 | 8.5 | 2.5 | 0.5 | 1.5 | 3.5 | 2.0 | 3.0 |
| 23 | 15.5 | 12.5 | 13.5 | 9.5 | 8.0 | 8.5 | 1.5 | 0.5 | 1.0 | 4.0 | 2.5 | 3.5 |
| 24 | 15.5 | 13.0 | 14.0 | 9.5 | 8.5 | 9.0 | 2.5 | 1.5 | 2.0 | 5.0 | 3.5 | 4.0 |
| 25 | 15.0 | 13.5 | 14.0 | 10.5 | 8.5 | 9.5 | 2.0 | 1.5 | 1.5 | 4.0 | 3.0 | 3.5 |
| 26 | 15.5 | 13.5 | 14.5 | 10.0 | 9.5 | 9.5 | 4.0 | 1.5 | 2.5 | 3.5 | 3.0 | 3.5 |
| 27 | 15.5 | 14.0 | 14.5 | 10.0 | 9.5 | 10.0 | 5.0 | 4.0 | 4.5 | 5.5 | 3.5 | 4.5 |
| 28 | 15.0 | 13.0 | 14.0 | 11.5 | 10.0 | 10.5 | 5.0 | 4.0 | 4.5 | 5.5 | 4.5 | 5.0 |
| 29 | 14.0 | 13.0 | 13.5 | 11.0 | 8.5 | 10.0 | 4.5 | 4.0 | 4.5 | 5.5 | 4.5 | 5.0 |
| 30 | 14.0 | 12.5 | 13.5 | 8.5 | 8.0 | 8.5 | 4.5 | 4.0 | 4.5 | 4.5 | 4.0 | 4.5 |
| 31 | 13.0 | 12.0 | 12.5 | --- | --- | --- | 4.0 | 4.0 | 4.0 | 5.0 | 4.0 | 4.5 |
| MONTH | 22.0 | 12.0 | 16.5 | 13.0 | 5.5 | 9.0 | 9.5 | 0.0 | 4.5 | 5.5 | 0.0 | 2.5 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 4.5 | 4.0 | 4.5 | 5.5 | 4.5 | 4.5 | 5.5 | 4.0 | 5.0 | 19.0 | 18.0 | 18.5 |
| 2 | 4.0 | 3.0 | 3.5 | 5.0 | 4.5 | 4.5 | 7.0 | 5.5 | 6.0 | 18.5 | 17.0 | 18.0 |
| 3 | 3.0 | 1.0 | 2.0 | 5.5 | 4.5 | 5.0 | 9.0 | 6.5 | 7.5 | 17.0 | 15.5 | --- |
| 4 | 1.0 | 0.0 | 0.5 | 7.0 | 5.0 | 6.0 | 10.5 | 8.5 | 9.5 | --- | --- | --- |
| 5 | 0.0 | 0.0 | 0.0 | 7.5 | 6.5 | 7.5 | 11.5 | 11.0 | 11.5 | --- | --- | --- |
| 6 | 0.0 | 0.0 | 0.0 | 8.0 | 7.0 | 7.5 | 11.5 | 9.5 | 10.5 | --- | --- | --- |
| 7 | 0.5 | 0.0 | 0.0 | 9.0 | 7.5 | 8.0 | 9.0 | 8.0 | 8.5 | --- | --- | --- |
| 8 | 0.0 | 0.0 | 0.0 | 8.0 | 7.0 | 7.5 | 8.5 | 8.0 | 8.0 | --- | --- | --- |
| 9 | 0.5 | 0.0 | 0.0 | 7.0 | 6.5 | 7.0 | 8.0 | 7.0 | 7.5 | --- | --- | --- |
| 10 | 0.5 | 0.0 | 0.0 | 7.0 | 6.5 | 6.5 | 7.5 | 6.0 | 7.0 | --- | --- | --- |
| 11 | 1.5 | 0.0 | 0.5 | 6.5 | 5.0 | 6.0 | 8.0 | 6.5 | 7.0 | --- | --- | --- |
| 12 | 2.0 | 0.5 | 1.0 | 6.5 | 5.5 | 6.0 | 9.5 | 7.0 | 8.5 | --- | --- | --- |
| 13 | 3.0 | 1.5 | 2.0 | 6.0 | 4.5 | 5.0 | 10.5 | 9.0 | 9.5 | --- | --- | --- |
| 14 | 4.0 | 2.5 | 3.0 | 5.0 | 4.0 | 4.5 | 12.0 | 10.5 | 11.0 | --- | --- | --- |
| 15 | 4.0 | 2.0 | 3.0 | 6.0 | 4.5 | 5.0 | 12.0 | 11.0 | 11.5 | --- | --- | --- |
| 16 | 2.5 | 2.0 | 2.0 | 7.0 | 5.5 | 6.0 | 12.5 | 10.5 | 11.5 | --- | --- | --- |
| 17 | 3.5 | 2.0 | 2.5 | 6.5 | 5.5 | 6.0 | 12.0 | 10.5 | 11.5 | --- | --- | --- |
| 18 | 3.0 | 1.5 | 2.0 | 5.5 | 4.5 | 5.0 | 12.5 | 10.5 | 11.5 | --- | --- | --- |
| 19 | 4.0 | 2.5 | 3.0 | 7.0 | 4.5 | 6.0 | 12.0 | 11.0 | 11.5 | --- | --- | --- |
| 20 | 5.0 | 4.0 | 4.5 | 7.0 | 5.5 | 6.5 | 12.5 | 10.5 | 11.5 | --- | --- | --- |
| 21 | 5.5 | 4.0 | 4.5 | 7.0 | 6.5 | 6.5 | 13.5 | 11.5 | 12.0 | --- | --- | --- |
| 22 | 7.0 | 4.5 | 5.5 | 7.0 | 5.5 | 6.5 | 14.5 | 12.0 | 13.0 | --- | --- | --- |
| 23 | 6.5 | 5.5 | 6.0 | 6.5 | 5.0 | 6.0 | 15.0 | 13.5 | 14.5 | --- | --- | --- |
| 24 | 5.5 | 4.0 | 4.5 | 7.5 | 6.5 | 7.0 | 14.5 | 13.5 | 14.0 | --- | --- | --- |
| 25 | 4.0 | 2.0 | 2.5 | 7.0 | 5.5 | 6.0 | 14.5 | 12.5 | 13.5 | --- | --- | --- |
| 26 | 3.0 | 1.5 | 2.5 | 6.5 | 5.0 | 6.0 | 14.5 | 13.0 | 13.5 | --- | --- | --- |
| 27 | 3.0 | 2.0 | 2.5 | 7.0 | 5.0 | 6.0 | 15.5 | 13.5 | 14.0 | --- | --- | --- |
| 28 | 4.5 | 2.5 | 3.0 | 7.0 | 6.0 | 6.5 | 16.0 | 14.0 | 15.0 | --- | --- | --- |
| 29 | --- | --- | --- | 7.0 | 5.5 | 6.0 | 18.0 | 15.5 | 16.5 | --- | --- | --- |
| 30 | --- | --- | --- | 5.0 | 5.0 | 5.0 | 19.5 | 17.5 | 18.5 | --- | --- | --- |
| 31 | --- | --- | --- | 5.0 | 4.5 | 4.5 | --- | --- | --- | --- | --- | --- |
| MONTH | 7.0 | 0.0 | 2.5 | 9.0 | 4.0 | 6.0 | 19.5 | 4.0 | 11.0 | --- | --- | --- |

DELAWARE RIVER BASIN

01464040 DELAWARE RIVER AT MARINE TERMINAL, TRENTON, N.J.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 28.0 | 26.5 | 27.0 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 26.5 | 24.5 | 25.5 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 25.0 | 23.0 | 24.5 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 24.0 | 21.0 | 22.5 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.0 | 20.0 | 20.5 |
| 6 | --- | --- | --- | --- | --- | --- | 26.0 | 24.0 | 25.5 | 21.0 | 19.5 | 20.0 |
| 7 | --- | --- | --- | --- | --- | --- | 25.5 | 24.0 | 25.0 | 19.5 | 19.0 | 19.5 |
| 8 | --- | --- | --- | --- | --- | --- | 25.0 | 23.0 | 24.0 | 20.5 | 19.0 | 19.5 |
| 9 | --- | --- | --- | --- | --- | --- | 25.0 | 24.0 | 24.0 | 21.5 | 19.5 | 20.5 |
| 10 | --- | --- | --- | --- | --- | --- | 25.5 | 22.5 | 24.0 | 22.5 | 20.5 | 21.5 |
| 11 | --- | --- | --- | --- | --- | --- | 25.5 | 23.5 | 24.5 | 22.5 | 21.0 | 22.0 |
| 12 | --- | --- | --- | --- | --- | --- | 25.5 | 23.5 | 24.5 | 23.5 | 21.5 | 22.5 |
| 13 | --- | --- | --- | --- | --- | --- | 26.0 | 24.0 | 25.0 | 25.0 | 22.5 | 23.5 |
| 14 | --- | --- | --- | --- | --- | --- | 27.5 | 24.5 | 25.5 | 24.5 | 22.5 | 23.5 |
| 15 | --- | --- | --- | --- | --- | --- | 28.0 | 25.0 | 26.0 | 23.0 | 21.0 | 22.0 |
| 16 | --- | --- | --- | --- | --- | --- | 28.0 | 25.0 | 26.5 | 22.5 | 21.0 | 21.5 |
| 17 | --- | --- | --- | --- | --- | --- | 28.0 | 25.5 | 26.0 | 21.5 | 20.5 | 21.0 |
| 18 | --- | --- | --- | --- | --- | --- | 26.0 | 24.5 | 25.0 | 22.0 | 19.5 | 20.5 |
| 19 | --- | --- | --- | --- | --- | --- | 25.5 | 24.0 | 24.5 | 21.5 | 20.0 | 20.5 |
| 20 | --- | --- | --- | --- | --- | --- | 28.5 | 26.0 | 27.0 | 22.5 | 20.5 | 21.5 |
| 21 | --- | --- | --- | --- | --- | --- | 28.0 | 26.0 | 27.0 | 22.5 | 21.0 | 22.0 |
| 22 | --- | --- | --- | --- | --- | --- | 27.0 | 26.0 | 26.5 | 21.5 | 20.0 | 21.0 |
| 23 | --- | --- | --- | --- | --- | --- | 27.5 | 25.5 | 26.5 | 20.0 | 18.0 | 19.0 |
| 24 | --- | --- | --- | --- | --- | --- | 29.5 | 26.5 | 27.5 | 18.0 | 16.0 | 17.0 |
| 25 | --- | --- | --- | --- | --- | --- | 29.5 | 26.5 | 28.0 | 17.5 | 15.5 | 16.0 |
| 26 | --- | --- | --- | --- | --- | --- | 28.5 | 26.5 | 27.0 | 18.0 | 15.5 | 16.5 |
| 27 | --- | --- | --- | --- | --- | --- | 28.5 | 25.5 | 27.0 | 18.5 | 15.5 | 16.5 |
| 28 | --- | --- | --- | --- | --- | --- | 29.0 | 26.5 | 27.5 | 18.0 | 16.5 | 17.5 |
| 29 | --- | --- | --- | --- | --- | --- | 30.0 | 27.0 | 28.5 | 19.5 | 18.0 | 18.5 |
| 30 | --- | --- | --- | --- | --- | --- | 30.0 | 27.5 | 28.5 | 18.5 | 16.0 | 17.5 |
| 31 | --- | --- | --- | --- | --- | --- | 28.5 | 27.0 | 27.5 | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | 30.0 | 22.5 | 26.0 | 28.0 | 15.5 | 20.5 |

DELAWARE RIVER BASIN

99

01464600 DELAWARE RIVER AT BRISTOL, PA.-BURLINGTON, N.J. BRIDGE

LOCATION.--Lat 40°04'55", long 74°51'58", Bucks County, at center of river 1,300 ft (396 m) upstream from bridge on a line from the Pennsylvania bank through channel station -79.2 to Lehigh range light on New Jersey bank.

DRAINAGE AREA.--7,163 mi² (18,508 km²).

PERIOD OF RECORD.--Chemical analyses: August 1949 to September 1974.

Water temperatures: October 1954 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum, 260 micromhos July 27; minimum, 77 micromhos Dec. 23.

Dissolved oxygen: Maximum, 16.0 mg/l Jan. 12; minimum, 0.8 mg/l July 28.

pH: Maximum, 7.3 Jan. 17-20; minimum, 6.0 Oct. 20, Dec. 9, 18, 24, Sept. 12.

Water temperatures: Maximum, 29.0°C July 10, 13; minimum, 1.0°C Feb. 7, 12.

Period of record:

Specific conductance (1968-74): Maximum, 397 micromhos Nov. 1, 1970; minimum, 54 micromhos June 5, 1968.

Dissolved oxygen (1962-74): Maximum, 16.0 mg/l Jan. 12, 1974; minimum, 0.0 mg/l on several days in 1963, 1965, and 1967.

pH (1968-74): Maximum, 8.4 Jan. 15, 1972; minimum, 4.1 Dec. 26, 1972 and Mar. 7, 1973.

Water temperatures: Maximum, 31.0°C July 9, 1966; minimum, freezing point on many days during winter periods.

REMARKS.--Water quality recorder located at raw-water intake of Bristol Filtration Plant, 1.2 mi (1.9 km) upstream from sampling site. Samples collected approximately 3 ft (1 m) from bottom. Records of discharge are given for 01463500 Delaware River at Trenton, N.J. Further information on this station is given in U.S. Geological Survey Water-Supply Paper 1809-O.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS-SOLVED SILICA (SiO ₂) (MG/L) | TOTAL IRON (FE) (UG/L) | DIS-SOLVED IRON (FE) (UG/L) | TOTAL MAN-GANESE (MN) (UG/L) | DIS-SOLVED MAN-GANESE (MN) (UG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNESIUM (MG) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED POTASSIUM (K) (MG/L) | BICARBONATE (HCO ₃) (MG/L) |
|------------|------|--|------------------------|-----------------------------|------------------------------|-----------------------------------|--------------------------------|----------------------------------|-------------------------------|---------------------------------|--|
| DEC. 06... | 1345 | .1 | 910 | -- | 90 | -- | 14 | 4.1 | 6.0 | 2.0 | 7 |
| JAN. 03... | -- | 3.7 | 390 | -- | 60 | -- | 10 | 3.3 | 4.0 | 1.2 | 24 |
| FEB. 07... | -- | 3.9 | 1000 | -- | 90 | -- | 12 | 4.0 | 5.4 | 1.3 | 28 |
| MAR. 07... | 1615 | 3.4 | 1200 | -- | 110 | -- | 13 | 4.7 | 5.9 | 1.5 | 34 |
| APR. 04... | 1310 | 4.1 | -- | -- | -- | -- | 12 | 3.9 | 6.0 | 1.4 | 31 |
| MAY 02... | 1245 | 2.7 | -- | 420 | -- | 80 | 16 | 5.2 | 7.0 | 1.7 | 44 |
| JUNE 06... | 1340 | 3.6 | -- | 80 | -- | 30 | 14 | 5.0 | 6.9 | 1.8 | 45 |
| JULY 11... | 1328 | 2.5 | -- | 30 | -- | 80 | 16 | 5.5 | 8.1 | 2.1 | 44 |
| AUG. 08... | 1315 | 3.5 | -- | 10 | -- | 0 | 16 | 5.8 | 8.6 | 2.6 | 34 |
| SEP. 05... | 1255 | 5.2 | -- | -- | -- | -- | -- | -- | -- | -- | 34 |

| DATE | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CaCO ₃ (MG/L) | DIS-SOLVED SULFATE (SO ₄) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | DIS-SOLVED FLUORIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | DIS-SOLVED NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | DIS-SOLVED NITRITE (N) (MG/L) | TOTAL NITRATE PLUS NITRITE (N) (MG/L) | DIS-SOLVED NITRATE PLUS NITRITE (N) (MG/L) |
|------------|-------------------------------------|--|--|---------------------------------|--------------------------------|--------------------------|-------------------------------|--------------------------|-------------------------------|---------------------------------------|--|
| DEC. 06... | 15 | 31 | 23 | 9.2 | .2 | .85 | -- | .01 | -- | .86 | -- |
| JAN. 03... | 0 | 20 | 18 | 6.9 | .1 | .99 | -- | .01 | -- | 1.0 | -- |
| FEB. 07... | 0 | 23 | 21 | 9.0 | .3 | 1.3 | -- | .01 | -- | 1.3 | -- |
| MAR. 07... | 0 | 28 | 22 | 9.7 | .1 | .90 | -- | .05 | -- | .95 | -- |
| APR. 04... | 0 | 25 | 21 | 9.7 | .0 | .87 | -- | .06 | -- | .93 | -- |
| MAY 02... | 0 | 36 | 25 | 11 | .2 | -- | .97 | -- | .13 | -- | 1.1 |
| JUNE 06... | 0 | 37 | 23 | 9.2 | .1 | -- | .81 | -- | .06 | -- | .87 |
| JULY 11... | 0 | 36 | 28 | 12 | .2 | -- | .74 | -- | .11 | -- | .85 |
| AUG. 08... | -- | 28 | 28 | 11 | .3 | -- | .83 | -- | .09 | -- | .92 |
| SEP. 05... | -- | 28 | 19 | 7.7 | .2 | -- | .62 | -- | .04 | -- | .66 |

DELAWARE RIVER BASIN

01464600 DELAWARE RIVER AT BRISTOL, PA.-BURLINGTON, N.J. BRIDGE--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | DIS- SOLVED ORTHO. PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L) | HARD- NESS (CA,MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | COLOR (PLAT- INUM- COBALT UNITS) | TUR- BID- ITY (JTU) | CARBON DIOXIDE (CO2) (MG/L) |
|---------------|--|--|---|------------------------------------|---|--|---------------|-----------------------------|--|------------------------------|--------------------------------------|
| DEC. 06... | .07 | 86 | 77 | 52 | 21 | 167 | 10.1 | -- | 12 | -- | .0 |
| JAN. 03... | .04 | 96 | 59 | 39 | 19 | 120 | 7.8 | -- | 8 | -- | 1.0 |
| FEB. 07... | .08 | 95 | 71 | 46 | 23 | 139 | 7.2 | -- | 9 | -- | 3.0 |
| MAR. 07... | .07 | 89 | 77 | 52 | 24 | 145 | 7.0 | -- | 6 | -- | 5.0 |
| APR. 04... | .05 | -- | 73 | 46 | 21 | 135 | 7.1 | -- | 16 | 4 | 4.0 |
| MAY 02... | .06 | 107 | 96 | 61 | 25 | 175 | 7.2 | 16.0 | -- | -- | 4.4 |
| JUNE 06... | .06 | 101 | 90 | 56 | 19 | 164 | 7.1 | 22.0 | -- | -- | 5.7 |
| JULY 11... | .07 | 116 | 100 | 63 | 27 | 189 | 6.8 | 28.0 | -- | -- | 11 |
| AUG. 08... | 1.5 | 114 | 101 | 64 | 36 | 178 | -- | 27.0 | -- | -- | -- |
| SEP. 05... | .02 | 102 | -- | -- | -- | 136 | -- | 20.5 | -- | -- | -- |

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 207 | 198 | 201 | 208 | 195 | 201 | 209 | 189 | 197 | 130 | 113 | 119 |
| 2 | 204 | 197 | 201 | 198 | 183 | 191 | 192 | 182 | 187 | 132 | 121 | 127 |
| 3 | 204 | 195 | 200 | 184 | 170 | 179 | 180 | 165 | 174 | 147 | 132 | 140 |
| 4 | 204 | 200 | 203 | 174 | 168 | 172 | 167 | 152 | 159 | 172 | 142 | 152 |
| 5 | 206 | 204 | 205 | 179 | 170 | 175 | 164 | 151 | 154 | 175 | 153 | 162 |
| 6 | 209 | 205 | 206 | 183 | 177 | 180 | 164 | 151 | 156 | 190 | 172 | 178 |
| 7 | 216 | 207 | 212 | 189 | 180 | 185 | 174 | 162 | 165 | 195 | 184 | 189 |
| 8 | 220 | 213 | 217 | 192 | 185 | 188 | 173 | 140 | 161 | 207 | 188 | 196 |
| 9 | 218 | 215 | 217 | 200 | 188 | 194 | 143 | 110 | 128 | 218 | 201 | 208 |
| 10 | 219 | 213 | 217 | 207 | 196 | 201 | 117 | 108 | 112 | 221 | 210 | 215 |
| 11 | 219 | 212 | 217 | 212 | 204 | 207 | 122 | 103 | 114 | 216 | 206 | 211 |
| 12 | 218 | 213 | 215 | 216 | 207 | 212 | 95 | 82 | 88 | 247 | 212 | 223 |
| 13 | 215 | 210 | 213 | 223 | 213 | 217 | 90 | 84 | 86 | 258 | 235 | 239 |
| 14 | 218 | 212 | 214 | 222 | 217 | 220 | 100 | 87 | 93 | 251 | 240 | 242 |
| 15 | 226 | 216 | 220 | 224 | 219 | 221 | 115 | 100 | 106 | 244 | 228 | 237 |
| 16 | 229 | 220 | 224 | 223 | 215 | 219 | 140 | 117 | 128 | 231 | 227 | 229 |
| 17 | 231 | 224 | 228 | 220 | 213 | 216 | 174 | 142 | 152 | 242 | 228 | 233 |
| 18 | 236 | 227 | 232 | 218 | 213 | 215 | 160 | 147 | 153 | 252 | 235 | 240 |
| 19 | 242 | 232 | 237 | 223 | 213 | 219 | 177 | 162 | 169 | 238 | 228 | 231 |
| 20 | 249 | 235 | 240 | 227 | 219 | 220 | 195 | 173 | 179 | 231 | 225 | 228 |
| 21 | 244 | 239 | 242 | 222 | 218 | 220 | 198 | 149 | 176 | 249 | 225 | 230 |
| 22 | 244 | 241 | 242 | 222 | 217 | --- | 170 | 80 | 129 | 247 | 213 | 225 |
| 23 | 248 | 241 | 245 | --- | --- | --- | 90 | 77 | 81 | 220 | 196 | 207 |
| 24 | 256 | 244 | 248 | --- | --- | --- | 109 | 86 | 97 | 215 | 189 | 201 |
| 25 | 254 | 247 | 251 | --- | --- | --- | 112 | 107 | 110 | 191 | 169 | 178 |
| 26 | 253 | 247 | 251 | 221 | 214 | --- | 125 | 111 | 117 | 168 | 158 | 162 |
| 27 | 254 | 250 | 252 | 221 | 215 | 217 | 136 | 122 | 129 | 161 | 139 | 156 |
| 28 | 254 | 250 | 253 | 247 | 218 | 222 | 147 | 123 | 137 | 168 | 152 | --- |
| 29 | 256 | 243 | 251 | 230 | 225 | 228 | 119 | 98 | 106 | 164 | 139 | 155 |
| 30 | 247 | 227 | 238 | 228 | 211 | 221 | 103 | 95 | 99 | 136 | 114 | 121 |
| 31 | 227 | 203 | 215 | --- | --- | --- | 113 | 103 | 108 | 118 | 103 | 110 |
| MONTH | 256 | 195 | 226 | 247 | 168 | 206 | 209 | 77 | 134 | 258 | 103 | 191 |

DELAWARE RIVER BASIN

101

01464600 DELAWARE RIVER AT BRISTOL, PA.-BURLINGTON, N.J. BRIDGE--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 128 | 103 | 112 | 170 | 133 | 140 | 171 | 139 | 160 | 207 | 190 | 196 |
| 2 | 119 | 111 | 114 | 164 | 142 | 149 | 173 | 169 | --- | 206 | 196 | 202 |
| 3 | 128 | 113 | 119 | 163 | 153 | 157 | --- | --- | --- | 206 | 199 | 201 |
| 4 | 139 | 119 | 126 | 170 | 158 | 162 | --- | --- | --- | 209 | 202 | 205 |
| 5 | 145 | 129 | 136 | 182 | 152 | 161 | --- | --- | --- | 211 | 196 | 203 |
| 6 | 153 | 142 | 147 | 177 | 142 | 159 | --- | --- | --- | 208 | 189 | 195 |
| 7 | 163 | 139 | 156 | 166 | 158 | 163 | --- | --- | --- | 192 | 186 | --- |
| 8 | 175 | 160 | 166 | 188 | 133 | 155 | 109 | 99 | 103 | --- | --- | --- |
| 9 | 188 | 173 | 178 | 146 | 125 | 131 | 113 | 103 | --- | --- | --- | --- |
| 10 | 187 | 179 | 183 | 136 | 125 | 129 | 129 | 110 | --- | --- | --- | --- |
| 11 | 200 | 184 | 193 | 141 | 127 | 133 | 130 | 119 | 125 | --- | --- | --- |
| 12 | 206 | 193 | --- | 137 | 131 | 134 | 132 | 122 | 126 | --- | --- | --- |
| 13 | --- | --- | --- | 153 | 130 | 139 | 138 | 129 | 134 | --- | --- | --- |
| 14 | --- | --- | --- | 155 | 135 | 146 | 139 | 131 | 135 | 172 | 141 | --- |
| 15 | --- | --- | --- | 161 | 139 | 151 | 138 | 129 | 135 | 138 | 94 | 111 |
| 16 | --- | --- | --- | 154 | 148 | 151 | 138 | 128 | 133 | 115 | 97 | 104 |
| 17 | --- | --- | --- | 177 | 149 | 159 | 135 | 117 | --- | 137 | 117 | 129 |
| 18 | --- | --- | --- | 175 | 161 | 166 | --- | --- | --- | 154 | 133 | 143 |
| 19 | --- | --- | --- | 170 | 147 | 162 | --- | --- | --- | 159 | 148 | 153 |
| 20 | --- | --- | --- | 149 | 132 | 142 | --- | --- | --- | 152 | 142 | 147 |
| 21 | --- | --- | --- | 146 | 134 | 139 | --- | --- | --- | 162 | 143 | 150 |
| 22 | --- | --- | --- | 152 | 140 | 144 | --- | --- | --- | 171 | 154 | 162 |
| 23 | --- | --- | --- | 156 | 139 | 147 | --- | --- | --- | 184 | 167 | 174 |
| 24 | --- | --- | --- | 140 | 124 | 131 | 171 | 153 | --- | 191 | 180 | 184 |
| 25 | --- | --- | --- | 131 | 124 | 127 | 173 | 152 | 163 | 195 | 187 | 190 |
| 26 | --- | --- | --- | 135 | 126 | 129 | 183 | 165 | 173 | 205 | 193 | 197 |
| 27 | 131 | 106 | 121 | 143 | 131 | 137 | 182 | 178 | 180 | 207 | 198 | 202 |
| 28 | 132 | 124 | 127 | 162 | 137 | 141 | 187 | 181 | 183 | 216 | 205 | 208 |
| 29 | --- | --- | --- | 148 | 140 | 143 | 195 | 183 | 186 | 217 | 210 | --- |
| 30 | --- | --- | --- | 149 | 144 | 146 | 200 | 187 | 191 | --- | --- | --- |
| 31 | --- | --- | --- | 165 | 139 | 155 | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | 188 | 124 | 146 | --- | --- | --- | --- | --- | --- |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 231 | 217 | 224 | 254 | 239 | --- | 248 | 241 | 246 |
| 2 | --- | --- | --- | 235 | 225 | 227 | --- | --- | --- | 246 | 231 | 242 |
| 3 | --- | --- | --- | 232 | 222 | 227 | --- | --- | --- | 240 | 181 | 218 |
| 4 | 234 | 224 | --- | 236 | 214 | 222 | --- | --- | --- | 189 | 146 | 174 |
| 5 | 235 | 202 | 220 | 226 | 216 | 221 | --- | --- | --- | 146 | 137 | 141 |
| 6 | 217 | 201 | --- | 232 | 215 | 224 | --- | --- | --- | 143 | 135 | 140 |
| 7 | --- | --- | --- | 227 | 203 | 218 | --- | --- | --- | 143 | 124 | 130 |
| 8 | --- | --- | --- | 220 | 195 | 206 | --- | --- | --- | 137 | 127 | 132 |
| 9 | --- | --- | --- | 213 | 194 | 204 | --- | --- | --- | 155 | 138 | 146 |
| 10 | 176 | 171 | --- | 209 | 200 | 207 | --- | --- | --- | 160 | 152 | 155 |
| 11 | 182 | 176 | 178 | 214 | 208 | 210 | --- | --- | --- | 158 | 153 | 155 |
| 12 | 192 | 182 | 185 | 218 | 211 | 214 | --- | --- | --- | 165 | 139 | 158 |
| 13 | 197 | 188 | 192 | 234 | 215 | 220 | --- | --- | --- | 175 | 159 | 165 |
| 14 | 206 | 194 | 198 | 237 | 219 | 226 | --- | --- | --- | 188 | 170 | 177 |
| 15 | 225 | 199 | 206 | 240 | 224 | 231 | 204 | 191 | --- | 199 | 180 | 189 |
| 16 | 215 | 203 | 210 | 238 | 213 | --- | 213 | 197 | 203 | 207 | 192 | 198 |
| 17 | 213 | 189 | 199 | --- | --- | --- | 219 | 198 | 209 | 214 | 198 | 205 |
| 18 | 205 | 193 | 198 | --- | --- | --- | 227 | 207 | 218 | 211 | 198 | 205 |
| 19 | 215 | 198 | 206 | --- | --- | --- | 224 | 213 | 220 | 213 | 203 | 208 |
| 20 | 214 | 201 | 210 | --- | --- | --- | 220 | 201 | 211 | 215 | 204 | 211 |
| 21 | 210 | 187 | 198 | --- | --- | --- | 218 | 196 | 204 | 218 | 208 | 214 |
| 22 | 196 | 169 | 183 | 253 | 239 | --- | 203 | 198 | --- | 223 | 217 | 219 |
| 23 | 193 | 166 | 178 | 259 | 244 | 252 | --- | --- | --- | 233 | 220 | 225 |
| 24 | 193 | 174 | 185 | 259 | 246 | 251 | --- | --- | --- | 232 | 224 | 228 |
| 25 | 200 | 188 | 193 | 255 | 250 | 253 | --- | --- | --- | 237 | 227 | 232 |
| 26 | 206 | 197 | 201 | 258 | 253 | 255 | 238 | 231 | --- | 240 | 231 | 235 |
| 27 | 214 | 205 | 209 | 260 | 255 | 257 | 237 | 231 | 234 | 241 | 233 | 237 |
| 28 | 218 | 211 | 215 | 259 | 254 | 256 | 242 | 231 | 237 | 240 | 199 | 233 |
| 29 | 222 | 214 | 216 | 259 | 254 | 255 | 249 | 231 | 242 | 242 | 213 | 225 |
| 30 | 224 | 214 | 216 | 255 | 253 | 254 | 253 | 238 | 247 | 218 | 173 | 199 |
| 31 | --- | --- | --- | 256 | 246 | 253 | 251 | 244 | 247 | --- | --- | --- |
| MONTH | 235 | 166 | --- | 260 | 194 | --- | --- | --- | --- | 248 | 124 | 195 |

DELAWARE RIVER BASIN

01464600 DELAWARE RIVER AT BRISTOL, PA.-BURLINGTON, N.J. BRIDGE--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|------|------|----------|------|------|----------|------|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6.7 | 5.8 | 6.2 | 8.0 | 7.1 | 7.5 | 9.9 | 9.2 | 9.6 | --- | --- | --- |
| 2 | 6.6 | 5.9 | --- | 8.5 | 7.9 | 8.2 | 10.1 | 9.7 | 9.9 | --- | --- | --- |
| 3 | 6.6 | 5.9 | 6.2 | 8.7 | 8.2 | 8.4 | 10.5 | 9.9 | 10.3 | --- | --- | --- |
| 4 | 6.6 | 5.8 | 6.2 | 8.7 | 8.3 | 8.5 | 11.0 | 10.3 | --- | --- | --- | --- |
| 5 | 7.1 | 6.0 | 6.3 | 8.7 | 8.3 | 8.5 | 11.9 | 10.6 | 11.1 | --- | --- | --- |
| 6 | 6.7 | 6.0 | 6.4 | 9.2 | 8.5 | 8.7 | 12.0 | 11.6 | 11.8 | --- | --- | --- |
| 7 | 6.5 | 5.9 | 6.3 | 9.3 | 8.8 | 9.0 | 11.7 | 10.8 | 11.2 | --- | --- | --- |
| 8 | 6.5 | 5.9 | 6.2 | 9.2 | 8.7 | --- | 11.5 | 10.7 | 11.1 | --- | --- | --- |
| 9 | 6.6 | 5.8 | --- | 9.6 | 8.9 | --- | 12.1 | 11.3 | --- | 14.5 | 13.9 | --- |
| 10 | 6.8 | 5.7 | 6.2 | 9.8 | 9.1 | 9.4 | 12.2 | 11.6 | --- | 14.7 | 14.4 | --- |
| 11 | 7.1 | 6.0 | 6.5 | 9.8 | 9.2 | --- | 11.9 | 11.5 | 11.7 | 15.6 | 14.6 | 15.4 |
| 12 | 7.0 | 6.0 | 6.4 | 10.0 | 9.3 | --- | 12.5 | 11.9 | 12.2 | 16.0 | 15.5 | 15.8 |
| 13 | 6.8 | 6.0 | 6.4 | 10.1 | 9.3 | 9.8 | 13.1 | 12.4 | 12.7 | 15.8 | 15.4 | 15.6 |
| 14 | 6.8 | 6.0 | 6.3 | 10.4 | 9.7 | 10.0 | 13.1 | 12.7 | 12.9 | 15.8 | 15.3 | 15.6 |
| 15 | 6.7 | 5.9 | 6.2 | 10.4 | 9.8 | 10.1 | 12.9 | 12.7 | 12.8 | 15.8 | 15.4 | 15.6 |
| 16 | 6.5 | 5.9 | 6.1 | 10.3 | 10.0 | 10.2 | 13.3 | 12.7 | 13.1 | 15.8 | 15.5 | 15.6 |
| 17 | 6.7 | 6.0 | 6.2 | 10.4 | 10.0 | 10.2 | 13.3 | 12.9 | 13.1 | 15.7 | 15.3 | 15.5 |
| 18 | 6.6 | 6.0 | 6.3 | 10.3 | 9.7 | 9.9 | 13.7 | 12.8 | 13.4 | 15.3 | 14.8 | --- |
| 19 | 6.5 | 5.9 | 6.1 | 9.8 | 9.3 | 9.6 | 13.8 | 13.3 | 13.6 | 14.9 | 14.6 | 14.7 |
| 20 | 6.4 | 5.7 | 6.0 | 9.4 | 9.1 | 9.3 | 14.1 | 13.6 | --- | 14.8 | 14.1 | 14.5 |
| 21 | 6.4 | 5.7 | 6.0 | 9.5 | 9.0 | 9.3 | 14.1 | 11.9 | 13.5 | 15.6 | 14.4 | 14.8 |
| 22 | 6.7 | 5.6 | 6.1 | 9.6 | 9.0 | --- | 12.6 | 9.4 | --- | 15.5 | 13.5 | 14.2 |
| 23 | 6.8 | 5.5 | 6.2 | --- | --- | --- | 12.7 | 9.9 | --- | 13.5 | 12.5 | 13.3 |
| 24 | 6.8 | 5.6 | 6.2 | --- | --- | --- | 11.0 | 10.0 | 10.6 | 12.5 | 12.0 | 12.3 |
| 25 | 7.1 | 5.8 | 6.3 | --- | --- | --- | 10.3 | 9.8 | --- | 12.8 | 12.0 | 12.3 |
| 26 | 6.9 | 5.9 | 6.3 | 10.0 | 9.2 | --- | --- | --- | --- | 12.8 | 12.2 | 12.4 |
| 27 | 7.1 | 6.0 | 6.5 | 9.8 | 9.3 | 9.6 | --- | --- | --- | 12.5 | 12.2 | 12.3 |
| 28 | 7.4 | 6.3 | 6.8 | 9.7 | 9.2 | 9.5 | --- | --- | --- | 13.0 | 12.3 | --- |
| 29 | 7.9 | 7.0 | 7.3 | 9.6 | 9.2 | 9.4 | --- | --- | --- | 12.7 | 12.4 | 12.6 |
| 30 | 8.1 | 7.3 | 7.7 | 9.6 | 9.2 | 9.4 | --- | --- | --- | 13.3 | 12.6 | 13.0 |
| 31 | 8.2 | 7.1 | 7.7 | --- | --- | --- | --- | --- | --- | 13.5 | 13.1 | 13.3 |
| MONTH | 8.2 | 5.5 | 6.4 | 10.4 | 7.1 | --- | 14.1 | 9.2 | --- | --- | --- | --- |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 13.3 | 12.8 | 13.1 | 13.7 | 13.4 | 13.6 | 12.6 | 11.7 | 12.2 | 8.3 | 7.8 | 7.9 |
| 2 | 13.1 | 12.7 | --- | 13.5 | 12.9 | 13.2 | 12.4 | 11.5 | 12.0 | 7.8 | 7.4 | 7.6 |
| 3 | 13.0 | 12.6 | 12.7 | 13.0 | 12.6 | 12.8 | 12.7 | 12.0 | 12.3 | 7.4 | 6.9 | 7.2 |
| 4 | 13.5 | 12.7 | 13.1 | 12.7 | 12.4 | 12.6 | 12.2 | 11.3 | 11.9 | 7.8 | 6.8 | 7.4 |
| 5 | 13.9 | 13.4 | 13.6 | 12.6 | 12.0 | 12.3 | 11.5 | 10.4 | 11.0 | 7.9 | 7.2 | 7.5 |
| 6 | 14.4 | 13.7 | 14.1 | 12.1 | 11.6 | 11.9 | 11.9 | 10.3 | 10.5 | 8.1 | 7.2 | 7.7 |
| 7 | 14.5 | 14.1 | 14.3 | 11.6 | 11.3 | 11.4 | 11.3 | 10.6 | 10.9 | 8.4 | 7.5 | --- |
| 8 | 14.5 | 14.2 | 14.3 | 11.5 | 11.4 | 11.4 | 11.6 | 11.3 | 11.4 | --- | --- | --- |
| 9 | 14.2 | 13.8 | 14.0 | 11.5 | 11.2 | 11.4 | 12.5 | 10.6 | 11.2 | --- | --- | --- |
| 10 | 14.1 | 13.9 | 14.0 | 11.7 | 11.3 | 11.5 | 11.1 | 10.7 | 10.9 | --- | --- | --- |
| 11 | 14.0 | 11.4 | 12.8 | 12.0 | 11.6 | 11.8 | 11.4 | 11.1 | 11.2 | --- | --- | --- |
| 12 | 13.5 | 12.5 | --- | 12.1 | 11.7 | 11.9 | 11.4 | 11.1 | 11.2 | --- | --- | --- |
| 13 | --- | --- | --- | 12.2 | 11.4 | 11.8 | 11.1 | 10.6 | 10.9 | --- | --- | --- |
| 14 | --- | --- | --- | 12.6 | 11.7 | 12.2 | 10.5 | 10.1 | 10.3 | 8.1 | 7.4 | --- |
| 15 | --- | --- | --- | 12.5 | 11.8 | 12.1 | 10.1 | 9.7 | 9.9 | 8.4 | 8.0 | 8.2 |
| 16 | --- | --- | --- | 12.7 | 11.7 | 12.4 | 9.8 | 9.3 | 9.6 | 8.2 | 7.5 | 7.8 |
| 17 | --- | --- | --- | 12.5 | 11.7 | 12.3 | 10.4 | 9.5 | 10.0 | 7.5 | 7.0 | 7.3 |
| 18 | --- | --- | --- | 12.0 | 11.2 | 11.7 | 10.7 | 10.2 | --- | 7.0 | 6.7 | 6.8 |
| 19 | --- | --- | --- | 12.9 | 11.5 | 12.2 | --- | --- | --- | 6.9 | 6.3 | 6.6 |
| 20 | 13.5 | 13.1 | --- | 12.9 | 12.6 | 12.8 | --- | --- | --- | 7.3 | 6.5 | 6.8 |
| 21 | 13.5 | 13.0 | 13.3 | 13.0 | 12.5 | 12.7 | --- | --- | --- | 7.3 | 6.7 | 7.0 |
| 22 | 13.3 | 12.9 | 13.1 | 12.5 | 11.5 | 12.0 | --- | --- | --- | 7.3 | 6.6 | 6.9 |
| 23 | 12.9 | 12.5 | 12.7 | 12.4 | 11.8 | 12.1 | --- | --- | --- | 6.8 | 6.4 | 6.7 |
| 24 | 13.0 | 12.4 | 12.6 | 12.7 | 12.1 | 12.5 | 9.0 | 8.8 | --- | 6.6 | 6.0 | 6.3 |
| 25 | 13.5 | 12.5 | 13.0 | 12.5 | 11.9 | 12.2 | 9.6 | 9.0 | 9.3 | 6.3 | 5.7 | 5.9 |
| 26 | 13.4 | 12.8 | 13.2 | 12.7 | 12.0 | 12.3 | 9.9 | 9.2 | 9.6 | 6.5 | 5.6 | 6.0 |
| 27 | 13.6 | 13.1 | 13.4 | 13.6 | 12.3 | 13.0 | 10.1 | 9.5 | 9.9 | 6.7 | 5.6 | 6.1 |
| 28 | 14.0 | 13.4 | 13.6 | 14.0 | 12.4 | 13.1 | 10.5 | 9.7 | 10.1 | 6.9 | 5.6 | 6.1 |
| 29 | --- | --- | --- | 13.8 | 11.0 | 13.1 | 10.1 | 8.7 | 9.4 | 6.5 | 6.1 | --- |
| 30 | --- | --- | --- | 13.8 | 11.6 | 12.6 | 8.6 | 8.1 | 8.4 | --- | --- | --- |
| 31 | --- | --- | --- | 13.1 | 11.8 | 12.4 | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | 14.0 | 11.0 | 12.3 | 12.7 | 8.1 | --- | --- | --- | --- |

01464600 DELAWARE RIVER AT BRISTOL, PA.-BURLINGTON, N.J. BRIDGE--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 7.0 | 5.8 | 6.2 | 2.4 | 1.2 | --- | 3.7 | 2.0 | 2.7 |
| 2 | --- | --- | --- | 7.1 | 5.4 | 6.2 | --- | --- | --- | 4.0 | 2.3 | 3.1 |
| 3 | --- | --- | --- | 6.6 | 5.5 | 6.1 | --- | --- | --- | 5.2 | 2.8 | 4.0 |
| 4 | --- | --- | --- | 6.3 | 5.3 | 5.8 | --- | --- | --- | 6.5 | 4.5 | 5.6 |
| 5 | --- | --- | --- | 5.9 | 5.0 | 5.4 | --- | --- | --- | 7.0 | 6.2 | 6.7 |
| 6 | --- | --- | --- | 5.2 | 4.3 | 4.7 | --- | --- | --- | 7.6 | 7.0 | 7.3 |
| 7 | --- | --- | --- | 4.7 | 3.7 | 4.1 | --- | --- | --- | 7.8 | 7.4 | 7.6 |
| 8 | --- | --- | --- | 4.0 | 3.3 | 3.6 | --- | --- | --- | 7.9 | 7.1 | 7.5 |
| 9 | --- | --- | --- | 4.0 | 2.8 | 3.3 | --- | --- | --- | 7.8 | 7.2 | 7.5 |
| 10 | 6.4 | 6.0 | --- | 4.1 | 2.8 | 3.4 | --- | --- | --- | 7.5 | 6.5 | --- |
| 11 | --- | --- | --- | 4.0 | 2.8 | 3.4 | --- | --- | --- | --- | --- | --- |
| 12 | 6.6 | 5.4 | --- | 3.5 | 2.5 | 3.0 | --- | --- | --- | --- | --- | --- |
| 13 | 5.9 | 4.8 | 5.4 | 2.8 | 1.9 | 2.4 | --- | --- | --- | --- | --- | --- |
| 14 | 5.9 | 4.3 | 4.8 | 2.7 | 1.7 | 2.0 | --- | --- | --- | 7.8 | 7.1 | --- |
| 15 | 5.7 | 4.0 | 4.7 | 2.4 | 1.6 | 1.8 | 6.5 | 3.8 | --- | 7.6 | 6.9 | 7.2 |
| 16 | 4.9 | 3.8 | 4.4 | 2.3 | 1.4 | --- | 6.4 | 3.6 | 4.8 | 7.4 | 6.6 | 7.0 |
| 17 | 4.9 | 3.7 | 4.2 | --- | --- | --- | 6.5 | 3.6 | 4.7 | 7.3 | 6.4 | 6.8 |
| 18 | 5.0 | 3.3 | 4.1 | --- | --- | --- | 5.8 | 2.8 | 4.3 | 7.1 | 6.2 | 6.5 |
| 19 | 5.1 | 3.5 | 4.4 | --- | --- | --- | 5.4 | 3.0 | 4.2 | 7.0 | 5.8 | 6.3 |
| 20 | 4.6 | 3.4 | 4.1 | --- | --- | --- | 4.4 | 3.1 | 3.8 | 6.7 | 4.8 | 5.7 |
| 21 | 4.6 | 3.3 | 3.8 | --- | --- | --- | 5.9 | 2.9 | 4.6 | 5.9 | 4.8 | 5.2 |
| 22 | 4.3 | 3.1 | 3.6 | 3.1 | 2.7 | --- | 5.2 | 4.2 | --- | 5.9 | 5.0 | 5.5 |
| 23 | 4.1 | 3.0 | 3.5 | 4.0 | 2.1 | 2.7 | --- | --- | --- | 6.0 | 5.1 | 5.6 |
| 24 | 4.6 | 2.9 | 3.8 | 3.1 | 1.6 | 2.2 | --- | --- | --- | 6.0 | 5.2 | 5.5 |
| 25 | 4.7 | 3.7 | 4.1 | 2.7 | 1.3 | 1.9 | --- | --- | --- | 6.4 | 5.1 | 5.6 |
| 26 | 4.9 | 3.2 | 3.9 | 2.2 | 1.1 | 1.6 | 4.0 | 2.4 | --- | 6.9 | 5.2 | 6.1 |
| 27 | 5.2 | 3.5 | 4.2 | 1.8 | 1.0 | 1.3 | 4.4 | 2.4 | 3.2 | 7.3 | 4.6 | 6.4 |
| 28 | 6.2 | 4.3 | 5.0 | 1.6 | 0.8 | 1.1 | 4.0 | 2.7 | 3.3 | 7.4 | 5.7 | 6.7 |
| 29 | 6.4 | 5.1 | 5.7 | 2.4 | 0.9 | 1.4 | 3.6 | 2.6 | 3.1 | 7.9 | 5.9 | 7.2 |
| 30 | 6.7 | 5.5 | 6.1 | 4.0 | 1.1 | 1.6 | 3.7 | 2.4 | 2.8 | 7.9 | 6.8 | 7.5 |
| 31 | --- | --- | --- | 2.5 | 0.9 | 1.7 | 3.4 | 2.1 | 2.7 | --- | --- | --- |
| MONTH | --- | --- | --- | 7.1 | 0.8 | --- | --- | --- | --- | 7.9 | 2.0 | 6.1 |

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | 6.8 | 7.0 | 6.9 | 6.9 | 6.9 | 6.8 | 6.9 |
| 2 | 6.9 | 6.9 | 6.9 | 6.9 | 6.9 | 6.9 | 7.0 | 6.9 | 6.9 | 6.9 | 6.8 | 6.9 |
| 3 | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | 6.8 | 7.0 | 6.8 | 6.9 | 7.0 | 6.9 | 7.0 |
| 4 | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | 6.8 | 6.9 | 6.8 | 6.9 | 7.0 | 6.9 | 7.0 |
| 5 | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | 6.8 | 6.9 | 6.8 | 6.8 | 7.0 | 6.9 | 7.0 |
| 6 | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | 6.9 | 7.0 | 6.0 | 6.8 | 7.0 | 7.0 | 7.0 |
| 7 | 6.9 | 6.8 | 6.9 | 7.0 | 6.9 | 6.9 | 7.0 | 6.8 | 6.9 | 7.0 | 6.6 | 6.9 |
| 8 | 6.9 | 6.8 | 6.9 | 7.0 | 6.9 | 6.9 | 7.0 | 6.9 | 6.9 | 7.1 | 7.0 | 7.0 |
| 9 | 6.9 | 6.8 | 6.8 | 7.0 | 6.9 | 6.9 | 7.0 | 6.0 | 6.9 | 7.2 | 7.0 | 7.2 |
| 10 | 6.9 | 6.8 | 6.9 | 7.0 | 6.9 | 7.0 | 6.9 | 6.8 | 6.9 | 7.2 | 7.2 | 7.2 |
| 11 | 6.9 | 6.8 | 6.9 | 7.1 | 6.9 | 7.0 | 6.9 | 6.8 | 6.9 | 7.2 | 7.2 | 7.2 |
| 12 | 6.9 | 6.8 | 6.8 | 7.1 | 6.9 | 7.0 | 6.8 | 6.8 | 6.8 | 7.2 | 7.1 | 7.2 |
| 13 | 6.8 | 6.8 | 6.8 | 7.0 | 7.0 | 7.0 | 6.8 | 6.8 | 6.8 | 7.2 | 7.2 | 7.2 |
| 14 | 6.8 | 6.7 | 6.8 | 7.1 | 7.0 | 7.0 | 6.9 | 6.8 | 6.8 | 7.2 | 7.1 | 7.2 |
| 15 | 7.0 | 6.8 | 6.9 | 7.1 | 7.0 | 7.1 | 6.9 | 6.8 | 6.9 | 7.2 | 7.2 | 7.2 |
| 16 | 7.0 | 6.9 | 7.0 | 7.1 | 7.0 | 7.1 | 6.9 | 6.8 | 6.9 | 7.2 | 7.2 | 7.2 |
| 17 | 7.0 | 7.0 | 7.0 | 7.1 | 7.0 | 7.1 | 7.2 | 6.9 | 7.0 | 7.3 | 7.2 | 7.2 |
| 18 | 7.0 | 7.0 | 7.0 | 7.1 | 7.0 | 7.0 | 7.0 | 6.0 | 6.9 | 7.3 | 7.2 | 7.3 |
| 19 | 7.0 | 6.9 | 7.0 | 7.0 | 6.9 | 6.9 | 7.0 | 6.9 | 7.0 | 7.3 | 7.2 | 7.2 |
| 20 | 7.0 | 6.0 | 6.9 | 6.9 | 6.9 | 6.9 | 7.2 | 6.9 | 7.0 | 7.3 | 7.2 | 7.2 |
| 21 | 7.0 | 6.9 | 6.9 | 6.9 | 6.8 | 6.9 | 7.1 | 6.9 | 7.0 | 7.2 | 7.2 | 7.2 |
| 22 | 7.0 | 6.9 | 6.9 | 7.0 | 6.8 | --- | 7.0 | 6.6 | 6.8 | 7.2 | 6.9 | --- |
| 23 | 7.0 | 6.8 | 6.9 | --- | --- | --- | 6.7 | 6.6 | 6.7 | 7.0 | 6.9 | 6.9 |
| 24 | 6.9 | 6.8 | 6.9 | --- | --- | --- | 6.8 | 6.0 | 6.7 | 6.9 | 6.9 | 6.9 |
| 25 | 6.9 | 6.8 | 6.9 | --- | --- | --- | 6.9 | 6.8 | 6.8 | 6.9 | 6.8 | 6.9 |
| 26 | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | --- | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | --- |
| 27 | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | --- | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | --- |
| 28 | 7.0 | 6.9 | 6.9 | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | 6.9 | 7.0 | 6.9 | --- |
| 29 | 7.1 | 7.0 | 7.0 | 7.0 | 6.9 | 6.9 | 6.9 | 6.8 | 6.8 | 7.0 | 6.9 | --- |
| 30 | 7.1 | 7.0 | 7.0 | 7.0 | 6.9 | 6.9 | 6.9 | 6.8 | 6.8 | 6.9 | 6.8 | 6.9 |
| 31 | 7.0 | 6.8 | 6.9 | --- | --- | --- | 6.9 | 6.8 | 6.8 | 6.9 | 6.8 | 6.8 |
| MONTH | 7.1 | 6.0 | 6.9 | 7.1 | 6.8 | 6.9 | 7.2 | 6.0 | 6.9 | 7.3 | 6.6 | 7.1 |

DELAWARE RIVER BASIN

01464600 DELAWARE RIVER AT BRISTOL, PA.-BURLINGTON, N.J. BRIDGE--Continued

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6.9 | 6.8 | 6.8 | 7.0 | 6.9 | 6.9 | 7.0 | 6.9 | 6.9 | 6.9 | 6.8 | 6.9 |
| 2 | 6.9 | 6.8 | 6.9 | 7.0 | 6.9 | 7.0 | 7.0 | 6.7 | 7.0 | 7.0 | 6.9 | 6.9 |
| 3 | 6.8 | 6.7 | 6.7 | 7.0 | 6.9 | 7.0 | 7.1 | 7.0 | 7.0 | 7.0 | 6.9 | 6.9 |
| 4 | 7.0 | 6.7 | 6.9 | 7.0 | 7.0 | 7.0 | 7.1 | 6.9 | 7.0 | 7.1 | 6.9 | 7.0 |
| 5 | 7.0 | 7.0 | 7.0 | 7.1 | 6.9 | 7.0 | 7.0 | 6.9 | 6.9 | 7.0 | 7.0 | 7.0 |
| 6 | 7.0 | 7.0 | 7.0 | 6.9 | 6.8 | 6.9 | 7.0 | 6.8 | 6.8 | 7.0 | 6.9 | 7.0 |
| 7 | 7.0 | 7.0 | 7.0 | 6.9 | 6.8 | 6.9 | 6.8 | 6.8 | 6.8 | 7.0 | 6.9 | --- |
| 8 | 7.0 | 7.0 | 7.0 | 7.2 | 6.8 | 6.9 | 6.8 | 6.7 | 6.8 | --- | --- | --- |
| 9 | 7.0 | 7.0 | 7.0 | 6.9 | 6.7 | 6.8 | 6.9 | 6.8 | 6.8 | --- | --- | --- |
| 10 | 7.0 | 7.0 | 7.0 | 6.8 | 6.7 | 6.8 | 6.9 | 6.8 | 6.9 | --- | --- | --- |
| 11 | 7.2 | 6.7 | 6.9 | 6.8 | 6.8 | 6.8 | 6.9 | 6.8 | 6.9 | --- | --- | --- |
| 12 | 6.9 | 6.6 | 6.7 | 6.8 | 6.8 | 6.8 | 6.9 | 6.9 | 6.9 | --- | --- | --- |
| 13 | 6.8 | 6.7 | 6.7 | 7.0 | 6.8 | 6.9 | 6.9 | 6.9 | 6.9 | --- | --- | --- |
| 14 | 6.8 | 6.7 | 6.7 | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | 6.9 | 6.8 | 6.7 | --- |
| 15 | 6.8 | 6.7 | 6.8 | 6.9 | 6.9 | 6.9 | 7.0 | 6.8 | 6.9 | 7.0 | 6.6 | 6.7 |
| 16 | 6.9 | 6.7 | 6.8 | 6.9 | 6.8 | 6.9 | 7.0 | 6.8 | 6.9 | 6.7 | 6.5 | 6.6 |
| 17 | 6.9 | 6.7 | 6.8 | 6.9 | 6.9 | 6.9 | 6.9 | 6.8 | --- | 6.6 | 6.5 | 6.6 |
| 18 | 6.9 | 6.8 | 6.8 | 6.9 | 6.8 | 6.9 | --- | --- | --- | 6.6 | 6.6 | 6.6 |
| 19 | 6.9 | 6.8 | 6.8 | 7.0 | 6.9 | 7.0 | --- | --- | --- | 6.7 | 6.5 | 6.6 |
| 20 | 7.1 | 6.8 | 6.9 | 7.0 | 6.9 | 7.0 | --- | --- | --- | 6.8 | 6.6 | 6.7 |
| 21 | 7.1 | 7.1 | 7.1 | 7.0 | 6.9 | 7.0 | --- | --- | --- | 6.8 | 6.7 | 6.7 |
| 22 | 7.2 | 7.1 | 7.2 | 7.0 | 6.8 | 6.9 | --- | --- | --- | 7.0 | 6.7 | 6.8 |
| 23 | 7.2 | 7.1 | 7.2 | 6.9 | 6.8 | 6.9 | --- | --- | --- | 6.8 | 6.7 | 6.7 |
| 24 | 7.2 | 7.0 | 7.1 | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | --- | 6.8 | 6.7 | 6.7 |
| 25 | 7.0 | 6.9 | 7.0 | 6.9 | 6.8 | 6.9 | 6.9 | 6.9 | --- | 6.8 | 6.7 | 6.7 |
| 26 | 6.9 | 6.8 | 6.9 | 7.0 | 6.8 | 6.9 | 6.9 | 6.8 | --- | 6.8 | 6.7 | 6.7 |
| 27 | 6.9 | 6.8 | 6.9 | 7.0 | 7.0 | 7.0 | 7.0 | 6.6 | 6.9 | 6.8 | 6.7 | 6.7 |
| 28 | 6.9 | 6.8 | 6.9 | 7.0 | 7.0 | 7.0 | 7.1 | 6.9 | 7.0 | 6.9 | 6.6 | 6.7 |
| 29 | --- | --- | --- | 7.1 | 7.0 | 7.0 | 7.0 | 7.0 | 7.0 | 6.8 | 6.6 | 6.7 |
| 30 | --- | --- | --- | 7.1 | 7.0 | 7.1 | 7.0 | 6.9 | 6.9 | 6.7 | 6.6 | 6.7 |
| 31 | --- | --- | --- | 7.1 | 7.0 | 7.1 | --- | --- | --- | 6.7 | 6.6 | 6.7 |
| MONTH | 7.2 | 6.6 | 6.9 | 7.2 | 6.7 | 6.9 | 7.1 | 6.6 | --- | 7.1 | 6.5 | --- |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6.7 | 6.6 | --- | 6.9 | 6.9 | 6.9 | 6.5 | 6.4 | --- | 6.7 | 6.5 | 6.6 |
| 2 | 6.7 | 6.6 | 6.7 | 7.0 | 6.8 | 6.9 | --- | --- | --- | 6.7 | 6.5 | 6.6 |
| 3 | 6.7 | 6.6 | 6.7 | 6.9 | 6.8 | 6.9 | --- | --- | --- | 6.7 | 6.4 | 6.6 |
| 4 | 6.9 | 6.7 | 6.8 | 6.9 | 6.8 | 6.9 | --- | --- | --- | 6.7 | 6.5 | 6.6 |
| 5 | 6.9 | 6.8 | 6.8 | 6.9 | 6.8 | 6.8 | --- | --- | --- | 6.7 | 6.6 | 6.6 |
| 6 | 6.9 | 6.8 | 6.8 | 6.8 | 6.7 | 6.7 | --- | --- | --- | 6.7 | 6.5 | 6.6 |
| 7 | 6.9 | 6.8 | 6.8 | 6.7 | 6.7 | 6.7 | --- | --- | --- | 6.6 | 6.4 | 6.6 |
| 8 | 6.9 | 6.7 | 6.8 | 6.7 | 6.6 | 6.6 | --- | --- | --- | 6.7 | 6.4 | 6.6 |
| 9 | 6.8 | 6.7 | 6.7 | 6.7 | 6.6 | 6.7 | --- | --- | --- | 6.7 | 6.4 | --- |
| 10 | 6.7 | 6.6 | --- | 6.7 | 6.6 | 6.7 | --- | --- | --- | 6.5 | 6.4 | --- |
| 11 | --- | --- | --- | 6.7 | 6.6 | 6.6 | --- | --- | --- | 6.4 | 6.3 | 6.4 |
| 12 | 6.9 | 6.8 | --- | 6.7 | 6.5 | 6.6 | --- | --- | --- | 6.4 | 6.0 | 6.3 |
| 13 | 6.9 | 6.7 | 6.8 | 6.6 | 6.5 | 6.6 | --- | --- | --- | 6.6 | 6.3 | 6.4 |
| 14 | 6.9 | 6.7 | 6.8 | 6.6 | 6.4 | 6.6 | --- | --- | --- | 6.5 | 6.3 | 6.4 |
| 15 | 6.9 | 6.7 | 6.8 | 6.6 | 6.5 | 6.6 | 6.9 | 6.8 | --- | 6.5 | 6.3 | 6.4 |
| 16 | 6.8 | 6.7 | 6.7 | 6.6 | 6.5 | --- | 6.9 | 6.7 | 6.8 | 6.5 | 6.4 | 6.4 |
| 17 | 7.1 | 6.7 | 7.0 | --- | --- | --- | 7.0 | 6.7 | 6.8 | 6.6 | 6.3 | 6.4 |
| 18 | 7.2 | 6.9 | 7.1 | --- | --- | --- | 6.9 | 6.7 | 6.8 | 6.6 | 6.3 | 6.4 |
| 19 | 7.1 | 7.0 | --- | --- | --- | --- | 7.0 | 6.8 | 6.9 | 6.5 | 6.3 | 6.4 |
| 20 | 7.1 | 6.9 | 6.9 | --- | --- | --- | 7.0 | 6.8 | 6.9 | 6.6 | 6.3 | 6.4 |
| 21 | 6.9 | 6.7 | 6.8 | --- | --- | --- | 7.0 | 6.8 | --- | 6.5 | 6.4 | 6.5 |
| 22 | 6.8 | 6.7 | 6.7 | 6.5 | 6.2 | --- | --- | --- | --- | 6.7 | 6.5 | 6.5 |
| 23 | 6.8 | 6.7 | 6.7 | 6.6 | 6.4 | 6.5 | --- | --- | --- | 6.6 | 6.5 | 6.6 |
| 24 | 6.8 | 6.7 | 6.8 | 6.6 | 6.4 | 6.5 | --- | --- | --- | 6.7 | 6.5 | 6.6 |
| 25 | 6.8 | 6.7 | 6.8 | 6.5 | 6.3 | 6.4 | --- | --- | --- | 6.7 | 6.5 | 6.6 |
| 26 | 6.9 | 6.7 | 6.8 | 6.4 | 6.3 | 6.4 | 6.6 | 6.4 | --- | 6.8 | 6.5 | 6.7 |
| 27 | 6.9 | 6.7 | 6.8 | 6.4 | 6.3 | 6.4 | 6.7 | 6.4 | 6.5 | 6.8 | 6.6 | 6.7 |
| 28 | 7.2 | 6.8 | 6.9 | 6.4 | 6.3 | 6.4 | 6.7 | 6.4 | 6.6 | 6.8 | 6.6 | 6.7 |
| 29 | 6.9 | 6.9 | 6.9 | 6.4 | 6.3 | 6.4 | 6.7 | 6.4 | 6.6 | 6.9 | 6.6 | 6.8 |
| 30 | 6.9 | 6.9 | 6.9 | 6.4 | 6.3 | 6.4 | 6.8 | 6.5 | 6.6 | 6.9 | 6.5 | 6.7 |
| 31 | --- | --- | --- | 6.5 | 6.3 | 6.4 | 6.8 | 6.5 | 6.6 | --- | --- | --- |
| MONTH | 7.2 | 6.6 | 6.8 | 7.0 | 6.2 | --- | --- | --- | --- | 6.9 | 6.0 | 6.5 |

DELAWARE RIVER BASIN

105

01464600 DELAWARE RIVER AT BRISTOL, PA.-BURLINGTON, N.J. BRIDGE--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|------|------|----------|------|------|----------|------|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 21.5 | 21.0 | 21.0 | 14.5 | 14.0 | 14.0 | 10.5 | 9.5 | 10.0 | 5.5 | 5.0 | 5.0 |
| 2 | 21.5 | 21.0 | 21.0 | 14.0 | 13.5 | 13.5 | 9.5 | 9.0 | 9.5 | 5.5 | 5.0 | 5.0 |
| 3 | 21.5 | 21.0 | 21.5 | 14.0 | 13.5 | 13.5 | 9.5 | 9.0 | 9.0 | 5.5 | 4.5 | 5.0 |
| 4 | 22.0 | 21.5 | 21.5 | 13.5 | 13.0 | 13.5 | 9.0 | 8.5 | 8.5 | 5.0 | 4.5 | 4.5 |
| 5 | 21.5 | 21.5 | 21.5 | 13.5 | 13.0 | 13.0 | 9.0 | 8.5 | 9.0 | 4.5 | 4.0 | 4.5 |
| 6 | 21.5 | 21.0 | 21.5 | 13.0 | 12.0 | 12.5 | 9.0 | 8.5 | 9.0 | 4.5 | 4.0 | 4.0 |
| 7 | 21.5 | 21.0 | 21.5 | 12.0 | 11.5 | 11.5 | 9.5 | 8.5 | 9.0 | 4.5 | 4.0 | 4.0 |
| 8 | 21.5 | 21.0 | 21.0 | 11.5 | 11.0 | 11.5 | 9.5 | 9.0 | 9.0 | 4.0 | 4.0 | 4.0 |
| 9 | 21.5 | 21.0 | 21.0 | 11.5 | 10.5 | 11.0 | 9.0 | 8.0 | 8.5 | 4.0 | 3.0 | 3.0 |
| 10 | 21.5 | 21.0 | 21.0 | 10.5 | 9.5 | 10.0 | 8.0 | 6.5 | 7.0 | 3.0 | 2.0 | 2.0 |
| 11 | 21.0 | 20.5 | 20.5 | 10.0 | 9.5 | 9.5 | 7.0 | 6.0 | 6.5 | 3.0 | 2.0 | 2.0 |
| 12 | 20.5 | 20.5 | 20.5 | 9.5 | 9.5 | 9.5 | 6.0 | 5.5 | 6.0 | 2.0 | 1.5 | 1.5 |
| 13 | 20.5 | 20.0 | 20.5 | 10.0 | 9.0 | 9.5 | 5.5 | 5.5 | 5.5 | 2.0 | 1.5 | 2.0 |
| 14 | 20.5 | 20.0 | 20.5 | 9.5 | 9.5 | 9.5 | 6.0 | 5.5 | 5.5 | 2.0 | 1.5 | 1.5 |
| 15 | 20.0 | 19.5 | 20.0 | 10.0 | 9.5 | 9.5 | 6.0 | 5.5 | 5.5 | 2.0 | 1.5 | 1.5 |
| 16 | 20.0 | 19.5 | 19.5 | 10.5 | 10.0 | 10.0 | 5.5 | 5.0 | 5.0 | 2.0 | 1.5 | 1.5 |
| 17 | 19.5 | 19.0 | 19.0 | 10.5 | 10.0 | 10.0 | 5.0 | 4.5 | 5.0 | 3.0 | 2.0 | 2.5 |
| 18 | 19.0 | 18.5 | 18.5 | 10.5 | 10.0 | 10.0 | 5.0 | 3.5 | 4.0 | 3.0 | 3.0 | 3.0 |
| 19 | 18.5 | 18.0 | 18.5 | 11.0 | 10.5 | 10.5 | 4.0 | 3.0 | 3.5 | 3.5 | 3.0 | 3.0 |
| 20 | 18.5 | 18.0 | 18.0 | 11.0 | 10.5 | 10.5 | 3.5 | 3.0 | 3.0 | 3.5 | 3.0 | 3.0 |
| 21 | 18.0 | 17.0 | 18.0 | 11.0 | 10.5 | 10.5 | 4.5 | 3.5 | 4.0 | 3.5 | 2.0 | 3.0 |
| 22 | 18.0 | 17.0 | 17.5 | 11.0 | 10.5 | --- | 5.0 | 3.0 | 4.0 | 4.0 | 3.0 | 3.5 |
| 23 | 18.0 | 16.0 | 16.5 | --- | --- | --- | 3.5 | 3.0 | 3.0 | 4.5 | 3.5 | 3.5 |
| 24 | 17.0 | 16.0 | 16.5 | --- | --- | --- | 4.0 | 3.5 | 3.5 | 4.5 | 4.0 | 4.0 |
| 25 | 16.5 | 16.0 | 16.5 | --- | --- | --- | 4.0 | 3.5 | 4.0 | 4.5 | 4.0 | 4.0 |
| 26 | 16.5 | 16.0 | 16.5 | 10.5 | 10.0 | --- | 4.5 | 4.0 | 4.0 | 4.0 | 3.5 | 4.0 |
| 27 | 16.5 | 16.0 | 16.0 | 10.5 | 10.5 | 10.5 | 5.5 | 4.0 | 4.5 | 4.5 | 4.0 | 4.0 |
| 28 | 16.0 | 15.5 | 16.0 | 11.0 | 10.5 | 11.0 | 6.0 | 5.0 | 5.5 | 5.0 | 4.5 | --- |
| 29 | 16.0 | 15.5 | 15.5 | 11.0 | 10.5 | 11.0 | 5.5 | 5.0 | 5.0 | 5.5 | 5.0 | 5.0 |
| 30 | 16.0 | 15.5 | 15.5 | 10.5 | 10.5 | 10.5 | 5.5 | 5.0 | 5.5 | 5.0 | 4.5 | 4.5 |
| 31 | 15.5 | 14.5 | 15.0 | --- | --- | --- | 5.5 | 5.0 | 5.0 | 5.0 | 4.5 | 4.5 |
| MONTH | 22.0 | 14.5 | 19.0 | 14.5 | 9.0 | 11.0 | 10.5 | 3.0 | 6.0 | 5.5 | 1.5 | 3.5 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 5.0 | 4.5 | 4.5 | 5.0 | 4.5 | 4.5 | 6.0 | 5.5 | 5.5 | 17.0 | 16.0 | 16.5 |
| 2 | 5.0 | 4.0 | 4.5 | 5.5 | 5.0 | 5.0 | 6.0 | 5.5 | 5.5 | 17.0 | 16.5 | 16.5 |
| 3 | 5.0 | 4.0 | 4.5 | 5.5 | 5.5 | 5.5 | 8.0 | 6.0 | 6.5 | 17.0 | 16.5 | 17.0 |
| 4 | 4.5 | 3.0 | 3.5 | 6.0 | 5.5 | 5.5 | 9.0 | 7.0 | 8.0 | 17.0 | 16.0 | 16.5 |
| 5 | 3.0 | 1.5 | 2.0 | 6.5 | 6.0 | 6.5 | 10.0 | 9.0 | 9.5 | 16.5 | 15.5 | 16.0 |
| 6 | 1.5 | 1.5 | 1.5 | 7.0 | 6.5 | 7.0 | 10.5 | 9.5 | 10.0 | 16.0 | 15.0 | 15.5 |
| 7 | 1.5 | 1.0 | 1.5 | 8.5 | 7.0 | 7.5 | 11.0 | 8.5 | 9.0 | 15.0 | 14.5 | --- |
| 8 | 1.5 | 1.5 | 1.5 | 8.5 | 8.0 | 8.0 | 9.0 | 8.5 | 8.5 | --- | --- | --- |
| 9 | 2.0 | 1.5 | 1.5 | 8.0 | 7.0 | 7.5 | 8.5 | 8.0 | 8.0 | --- | --- | --- |
| 10 | 2.0 | 1.5 | 1.5 | 7.0 | 6.5 | 7.0 | 8.0 | 6.5 | 7.0 | --- | --- | --- |
| 11 | 3.0 | 1.5 | 2.0 | 7.0 | 6.5 | 6.5 | 7.0 | 6.5 | 7.0 | --- | --- | --- |
| 12 | 3.0 | 1.0 | 2.0 | 6.5 | 6.0 | 6.5 | 8.5 | 7.0 | 7.5 | --- | --- | --- |
| 13 | 4.0 | 1.5 | 2.5 | 6.0 | 6.0 | 6.0 | 9.0 | 8.0 | 8.5 | --- | --- | --- |
| 14 | 4.0 | 3.0 | 3.0 | 6.0 | 5.5 | 5.5 | 10.0 | 9.0 | 9.5 | 15.0 | 14.5 | --- |
| 15 | 4.0 | 2.0 | 3.0 | 6.0 | 5.5 | 5.5 | 10.5 | 10.0 | 10.0 | 15.0 | 14.0 | 14.5 |
| 16 | 3.5 | 3.0 | 3.5 | 6.0 | 5.5 | 5.5 | 10.5 | 10.0 | 10.0 | 16.0 | 14.5 | 15.5 |
| 17 | 4.5 | 3.5 | 3.5 | 6.0 | 5.5 | 6.0 | 10.5 | 10.0 | --- | 18.0 | 16.0 | 17.0 |
| 18 | 4.5 | 3.5 | 4.0 | 6.0 | 5.5 | 5.5 | --- | --- | --- | 19.0 | 18.0 | 18.5 |
| 19 | 5.0 | 4.0 | 4.5 | 6.5 | 5.5 | 6.0 | --- | --- | --- | 19.5 | 18.5 | 19.0 |
| 20 | 6.0 | 4.0 | 4.5 | 6.5 | 6.0 | 6.0 | --- | --- | --- | 20.0 | 19.0 | 19.5 |
| 21 | 4.5 | 4.0 | 4.0 | 6.5 | 6.5 | 6.5 | --- | --- | --- | 20.0 | 19.5 | 19.5 |
| 22 | 5.5 | 4.5 | 5.0 | 7.0 | 6.5 | 6.5 | --- | --- | --- | 20.0 | 19.5 | 20.0 |
| 23 | 6.0 | 5.0 | 5.5 | 7.0 | 6.0 | 6.5 | --- | --- | --- | 20.5 | 20.0 | 20.0 |
| 24 | 6.0 | 5.0 | 5.5 | 7.0 | 6.0 | 6.5 | 14.0 | 13.5 | --- | 20.5 | 20.0 | 20.5 |
| 25 | 5.0 | 4.5 | 5.0 | 6.5 | 6.0 | 6.5 | 14.0 | 13.5 | 13.5 | 21.0 | 20.5 | 20.5 |
| 26 | 4.5 | 4.0 | 4.0 | 6.5 | 6.0 | 6.5 | 14.0 | 13.5 | 13.5 | 20.5 | 20.5 | 20.5 |
| 27 | 4.5 | 3.5 | 4.0 | 6.5 | 6.0 | 6.5 | 14.5 | 13.5 | 14.0 | 20.5 | 19.5 | 20.0 |
| 28 | 4.5 | 4.0 | 4.0 | 6.5 | 6.5 | 6.5 | 14.5 | 14.0 | 14.0 | 20.0 | 19.5 | 19.5 |
| 29 | --- | --- | --- | 6.5 | 6.0 | 6.5 | 15.5 | 14.5 | 14.5 | 19.5 | 19.0 | --- |
| 30 | --- | --- | --- | 6.5 | 6.0 | 6.0 | 16.5 | 15.0 | 15.5 | --- | --- | --- |
| 31 | --- | --- | --- | 6.0 | 5.5 | 6.0 | --- | --- | --- | 19.5 | 19.0 | --- |
| MONTH | 6.0 | 1.0 | 3.5 | 8.5 | 4.5 | 6.0 | 16.5 | 5.5 | --- | --- | --- | --- |

DELAWARE RIVER BASIN

01464600 DELAWARE RIVER AT BRISTOL, PA.-BURLINGTON, N.J. BRIDGE--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 19.5 | 19.0 | --- | 23.0 | 21.5 | 22.0 | 26.5 | 26.5 | --- | 27.0 | 26.5 | 26.5 |
| 2 | 19.5 | 19.0 | 19.5 | 23.5 | 22.0 | 23.0 | --- | --- | --- | 27.0 | 25.5 | 26.5 |
| 3 | 19.5 | 19.0 | 19.5 | 24.5 | 23.5 | 24.0 | --- | --- | --- | 26.0 | 23.5 | 25.0 |
| 4 | 20.0 | 19.5 | 19.5 | 26.0 | 23.5 | 25.0 | --- | --- | --- | 24.0 | 21.0 | 22.5 |
| 5 | 20.0 | 19.5 | 19.5 | 26.0 | 25.0 | 25.5 | --- | --- | --- | 21.0 | 18.5 | 20.0 |
| 6 | 20.5 | 20.0 | 20.0 | 27.0 | 25.5 | 26.0 | --- | --- | --- | 19.5 | 18.0 | 18.5 |
| 7 | 20.5 | 20.0 | 20.0 | 27.0 | 26.0 | 26.5 | --- | --- | --- | 18.5 | 18.0 | 18.5 |
| 8 | 20.5 | 20.0 | 20.5 | 28.0 | 27.0 | 27.5 | --- | --- | --- | 18.5 | 17.0 | 18.0 |
| 9 | 20.5 | 20.5 | --- | 28.5 | 28.0 | 28.0 | --- | --- | --- | 19.0 | 17.0 | 18.0 |
| 10 | --- | --- | --- | 29.0 | 27.0 | 28.5 | --- | --- | --- | 19.5 | 18.0 | 19.0 |
| 11 | --- | --- | --- | 28.5 | 28.0 | 28.5 | --- | --- | --- | 20.5 | 19.5 | 20.0 |
| 12 | 24.5 | 24.0 | --- | 28.5 | 28.0 | 28.0 | --- | --- | --- | 21.5 | 20.0 | 20.5 |
| 13 | 25.0 | 24.0 | 24.0 | 29.0 | 28.0 | 28.0 | --- | --- | --- | 22.0 | 21.0 | 21.5 |
| 14 | 25.0 | 24.0 | 24.5 | 28.5 | 28.0 | 28.0 | --- | --- | --- | 22.0 | 21.0 | 22.0 |
| 15 | 25.5 | 24.5 | 24.5 | 28.5 | 28.0 | 28.5 | 26.0 | 25.5 | --- | 23.0 | 21.5 | 22.0 |
| 16 | 25.0 | 24.5 | 24.5 | 28.5 | 28.0 | --- | 26.0 | 25.5 | 26.0 | 23.0 | 22.0 | 22.0 |
| 17 | 25.0 | 24.5 | 24.5 | --- | --- | --- | 26.0 | 25.5 | 26.0 | 23.0 | 21.5 | 22.0 |
| 18 | 25.0 | 24.5 | 24.5 | --- | --- | --- | 26.5 | 26.0 | 26.0 | 22.0 | 21.5 | 21.5 |
| 19 | 25.0 | 24.5 | 24.5 | --- | --- | --- | 26.5 | 26.0 | 26.5 | 22.0 | 21.0 | 21.5 |
| 20 | 25.0 | 24.5 | 24.5 | --- | --- | --- | 26.5 | 26.0 | 26.5 | 22.0 | 21.5 | 21.5 |
| 21 | 25.0 | 24.5 | 24.5 | --- | --- | --- | 26.5 | 25.5 | 26.0 | 22.0 | 21.5 | 21.5 |
| 22 | 25.0 | 24.5 | 25.0 | 27.0 | 26.5 | --- | 26.0 | 25.5 | --- | 22.0 | 21.5 | 21.5 |
| 23 | 25.0 | 24.5 | 24.5 | 27.0 | 26.5 | 26.5 | --- | --- | --- | 21.5 | 21.0 | 21.5 |
| 24 | 25.0 | 24.0 | 24.5 | 26.5 | 26.0 | 26.0 | --- | --- | --- | 21.0 | 20.5 | 21.0 |
| 25 | 24.5 | 24.0 | 24.0 | 26.5 | 26.0 | 26.0 | --- | --- | --- | 20.5 | 20.0 | 20.0 |
| 26 | 24.0 | 23.5 | 23.5 | 26.0 | 26.0 | 26.0 | 26.0 | 26.0 | --- | 20.5 | 18.0 | 19.5 |
| 27 | 23.5 | 23.0 | 23.5 | 26.0 | 25.5 | 26.0 | 26.5 | 25.5 | 26.0 | 20.0 | 18.0 | 19.0 |
| 28 | 23.0 | 21.5 | 22.0 | 26.5 | 25.5 | 26.0 | 26.5 | 26.0 | 26.0 | 19.5 | 17.0 | 18.5 |
| 29 | 22.0 | 21.5 | 21.5 | 26.5 | 25.5 | 26.0 | 27.0 | 26.0 | 26.5 | 19.5 | 18.0 | 18.5 |
| 30 | 22.0 | 21.5 | 22.0 | 26.5 | 26.0 | 26.0 | 28.0 | 26.5 | 26.5 | 18.5 | 17.0 | 18.0 |
| 31 | --- | --- | --- | 26.5 | 26.0 | 26.0 | 27.0 | 26.5 | 26.5 | --- | --- | --- |
| MONTH | 25.5 | 19.0 | 23.0 | 29.0 | 21.5 | --- | --- | --- | --- | 27.0 | 17.0 | 21.0 |

DELAWARE RIVER BASIN

107

01467030 DELAWARE RIVER AT TORRESDALE INTAKE AT PHILADELPHIA, PA.

LOCATION.--Lat 40°01'57", long 74°59'46", Philadelphia County, water-quality recorder (40°02'05", 74°59'57") located on right bank in inactive building at Torresdale Filter Plant, 1.7 mi (2.7 km) downstream from Poquessing Creek.

DRAINAGE AREA.--7,781 mi² (20,200 km²).

PERIOD OF RECORD.--Chemical analyses: August 1949 to September 1974.

Water temperatures: October 1956 to September 1957, November 1960 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum, 591 micromhos Jan. 8; minimum, 90 micromhos Dec. 23.

Dissolved oxygen: Maximum, 14.4 mg/l Jan. 5; minimum, 0.7 mg/l June 22, July 21.

pH: Maximum, 7.8 Aug. 1; minimum, 6.0 Sept. 8.

Water temperatures: Maximum, 28.5°C July 11; minimum, 0.5°C Jan. 14, 15.

Period of record:

Specific conductance (1960-74): Maximum, 609 micromhos Jan. 18, 1970; minimum, 71 micromhos July 24, 1970.

Dissolved oxygen (1961-74): Maximum, 14.5 mg/l Feb. 4-5, 1964; minimum, 0.0 mg/l on many days during 1962 and 1965.

pH (1968-74): Maximum, 8.1 Dec. 30, 1970; minimum, 4.9 Apr. 5, 1969.

Water temperatures: Maximum, 29.0°C on many days in 1956, 1963, 1966, and 1968; minimum, freezing point on many days during winter periods.

REMARKS.--Records of discharge are given for 01463500 Delaware River at Trenton, N.J. Further information on this station is given in U.S. Geological Survey Water-Supply Paper 1809-O.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS- SOLVED SILICA (SI02) (MG/L) | TOTAL IRON (FE) (UG/L) | DIS- SOLVED IRON (FE) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HC03) (MG/L) |
|---------------|------|--|---------------------------------|--|---|--|--|---|--|--|--------------------------------------|
| FEB. 07... | -- | 3.9 | 770 | -- | 80 | -- | 11 | 4.0 | 5.4 | 1.3 | 26 |
| MAR. 07... | 1525 | 3.6 | 1400 | -- | 100 | -- | 12 | 4.2 | 6.6 | 1.6 | 31 |
| APR. 04... | 1220 | 4.6 | -- | -- | -- | -- | 13 | 4.1 | 6.6 | 1.6 | 30 |
| MAY 02... | 1200 | 2.8 | -- | 540 | -- | 70 | 15 | 4.8 | 7.2 | 1.8 | 41 |
| JUNE 06... | 1255 | 3.8 | -- | 120 | -- | 4400 | 16 | 5.8 | 11 | 1.8 | 48 |
| JULY 11... | 1245 | .7 | -- | 50 | -- | 20 | 16 | 5.6 | 9.0 | 2.0 | 44 |
| AUG. 08... | 1240 | 2.8 | -- | 10 | -- | 0 | 15 | 5.2 | 8.5 | 2.9 | 34 |
| SEP. 05... | 1200 | 4.6 | -- | -- | -- | -- | -- | -- | -- | -- | 36 |

| DATE | CAR- BONATE (C03) (MG/L) | ALKA- LINITY AS CAC03 (MG/L) | DIS- SOLVED SULFATE (S04) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | DIS- SOLVED NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | DIS- SOLVED NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | DIS- SOLVED NITRITE PLUS NITRATE (N) (MG/L) |
|---------------|-----------------------------------|--|--|---|--|-----------------------------------|--|-----------------------------------|--|--|---|
| FEB. 07... | 0 | 21 | 20 | 9.1 | .1 | 1.3 | -- | .01 | -- | 1.3 | -- |
| MAR. 07... | 0 | 25 | 23 | 11 | .1 | .93 | -- | .07 | -- | 1.0 | -- |
| APR. 04... | 0 | 25 | 23 | 11 | .2 | .92 | -- | .08 | -- | 1.0 | -- |
| MAY 02... | 0 | 34 | 25 | 10 | .2 | -- | 1.1 | -- | .15 | -- | 1.2 |
| JUNE 06... | 0 | 39 | 26 | 10 | .0 | -- | 1.0 | -- | .08 | -- | 1.1 |
| JULY 11... | 0 | 36 | 30 | 12 | .2 | -- | .96 | -- | .14 | -- | 1.1 |
| AUG. 08... | -- | 28 | 27 | 11 | .2 | -- | 1.0 | -- | .20 | -- | 1.2 |
| SEP. 05... | -- | 30 | 21 | 10 | .1 | -- | .74 | -- | .04 | -- | .78 |

DELAWARE RIVER BASIN

01467030 DELAWARE RIVER AT TORRESDALE INTAKE AT PHILADELPHIA, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | DIS-SOLVED ORTHO-PHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | HARDNESS (CA+MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICROMHOS) | PH (UNITS) | TEMPERATURE (DEG C) | COLOR (PLATINUM-COBALT UNITS) | TURBIDITY (JTU) | CARBON DIOXIDE (CO2) (MG/L) |
|------------|--|---|--|-------------------------|-------------------------------|----------------------------------|------------|---------------------|-------------------------------|-----------------|-----------------------------|
| FEB. 07... | .07 | 94 | 68 | 44 | 23 | 135 | 7.3 | -- | 6 | -- | 2.0 |
| MAR. 07... | .09 | 95 | 78 | 47 | 22 | 147 | 7.0 | -- | 9 | -- | 5.0 |
| APR. 04... | .07 | -- | 79 | 49 | 25 | 145 | 7.0 | -- | 22 | 10 | 5.0 |
| MAY 02... | .08 | 104 | 93 | 57 | 24 | 170 | 7.0 | 15.5 | -- | -- | 6.6 |
| JUNE 06... | .08 | 119 | 108 | 64 | 24 | 172 | 7.1 | 21.0 | -- | -- | 6.1 |
| JULY 11... | .08 | 117 | 102 | 63 | 27 | 193 | 6.9 | 27.5 | -- | -- | 8.9 |
| AUG. 08... | 1.2 | 120 | 98 | 59 | 31 | 167 | -- | 27.0 | -- | -- | -- |
| SEP. 05... | .08 | 114 | -- | -- | -- | 149 | -- | 22.5 | -- | -- | -- |

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 219 | 210 | 214 | 219 | 201 | 213 | 233 | 218 | 221 | --- | --- | --- |
| 2 | 226 | 213 | 218 | 218 | 196 | 203 | 223 | 199 | 217 | --- | --- | --- |
| 3 | 236 | 202 | 218 | 224 | 192 | 199 | 220 | 204 | 212 | 298 | 128 | --- |
| 4 | 233 | 214 | 218 | 207 | 188 | 194 | 221 | 195 | 204 | 430 | 159 | 213 |
| 5 | 221 | 209 | 214 | 230 | 184 | 196 | 284 | 188 | 210 | 317 | 158 | 186 |
| 6 | 218 | 207 | 210 | 217 | 187 | 197 | 211 | 186 | 197 | 319 | 156 | 182 |
| 7 | 220 | 208 | 211 | 220 | 183 | 194 | 195 | 187 | --- | 255 | 162 | 182 |
| 8 | 230 | 211 | 216 | 242 | 183 | 194 | --- | --- | --- | 591 | 170 | 277 |
| 9 | 233 | 214 | 218 | 212 | 184 | 191 | --- | --- | --- | 464 | 217 | 254 |
| 10 | 233 | 216 | 221 | 220 | 186 | 193 | 182 | 142 | --- | 503 | 219 | 281 |
| 11 | 233 | 217 | 222 | 225 | 189 | 195 | 150 | 136 | 141 | 305 | 214 | 248 |
| 12 | 231 | 219 | 223 | 216 | 190 | 196 | 164 | 120 | 138 | 306 | 212 | 240 |
| 13 | 237 | 221 | 226 | 227 | 193 | 200 | 162 | 111 | 122 | 310 | 205 | 230 |
| 14 | 245 | 220 | 226 | 247 | 198 | 206 | 229 | 112 | 135 | 275 | 202 | 227 |
| 15 | 242 | 219 | 225 | 332 | 201 | 212 | 143 | 119 | 130 | 319 | 203 | 217 |
| 16 | 255 | 219 | 227 | 367 | 205 | 218 | 161 | 128 | 136 | 327 | 207 | 228 |
| 17 | 238 | 199 | 223 | 251 | 210 | 217 | 523 | 142 | 192 | 321 | 205 | 229 |
| 18 | 242 | 218 | 225 | 238 | 212 | 218 | 305 | 156 | 194 | 287 | 199 | 216 |
| 19 | 239 | 218 | 224 | 233 | 199 | --- | 256 | 154 | 179 | 290 | 198 | 219 |
| 20 | 241 | 219 | 226 | --- | --- | --- | 377 | 152 | 179 | 298 | 208 | 231 |
| 21 | 243 | 219 | 228 | --- | --- | --- | 180 | 158 | 167 | 322 | 203 | 227 |
| 22 | 241 | 224 | 229 | --- | --- | --- | 166 | 121 | 140 | 243 | 206 | 218 |
| 23 | 255 | 227 | 235 | --- | --- | --- | 240 | 90 | 111 | 276 | 209 | 221 |
| 24 | 256 | 233 | 238 | --- | --- | --- | 169 | 96 | 111 | 270 | 204 | 219 |
| 25 | 251 | 233 | 238 | --- | --- | --- | 173 | 103 | 121 | 278 | 197 | 217 |
| 26 | 268 | 233 | 241 | 239 | 217 | --- | 206 | 113 | 132 | 277 | 178 | 202 |
| 27 | 263 | 231 | 238 | 262 | 217 | 224 | 164 | 118 | 132 | 367 | 174 | 199 |
| 28 | 244 | 229 | 235 | 348 | 217 | 234 | 187 | 120 | --- | 239 | 171 | 188 |
| 29 | 248 | 198 | 229 | 274 | 214 | 223 | --- | --- | --- | 301 | 169 | 186 |
| 30 | 229 | 198 | 221 | 234 | 209 | 218 | --- | --- | --- | 216 | 145 | 175 |
| 31 | 226 | 215 | 221 | --- | --- | --- | --- | --- | --- | 321 | 134 | 163 |
| MONTH | 268 | 198 | 224 | 367 | 183 | --- | 523 | 90 | --- | 591 | 128 | 217 |

DELAWARE RIVER BASIN

109

01467030 DELAWARE RIVER AT TORRESDALE INTAKE AT PHILADELPHIA, PA.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 197 | 126 | 143 | 267 | 152 | 178 | 221 | 140 | 153 | 220 | 188 | 193 |
| 2 | 168 | 125 | 137 | 241 | 154 | 176 | 281 | 146 | 175 | 222 | 190 | 199 |
| 3 | 263 | 129 | 147 | 219 | 156 | 171 | 244 | 175 | 189 | 219 | 195 | 202 |
| 4 | 278 | 136 | 160 | 306 | 162 | 186 | 269 | 166 | 185 | 221 | 201 | 206 |
| 5 | 241 | 141 | 165 | 408 | 166 | 192 | 236 | 131 | 158 | 221 | 205 | 208 |
| 6 | 265 | 151 | 175 | 252 | 171 | 188 | 176 | 129 | 138 | 228 | 207 | 212 |
| 7 | 352 | 160 | 194 | 276 | 169 | 184 | 186 | 120 | 134 | 244 | 203 | 214 |
| 8 | 426 | 174 | 211 | 201 | 170 | 178 | 162 | 109 | 125 | 221 | 196 | 207 |
| 9 | 360 | 172 | 202 | 225 | 157 | 178 | 154 | 113 | 131 | 249 | 193 | 206 |
| 10 | 360 | 180 | 216 | 212 | 144 | 163 | 177 | 133 | 142 | 229 | 155 | 194 |
| 11 | 305 | 181 | 195 | 195 | 144 | 157 | 206 | 129 | 148 | 196 | 178 | 190 |
| 12 | 191 | 182 | 184 | 206 | 146 | 157 | 272 | 137 | 157 | 247 | 193 | 200 |
| 13 | 203 | 180 | 191 | 194 | 145 | 155 | 241 | 139 | 158 | 214 | 178 | 191 |
| 14 | 213 | 186 | 194 | 231 | 147 | 164 | 183 | 144 | 156 | 226 | 159 | 180 |
| 15 | 218 | 193 | 198 | 262 | 147 | 166 | 219 | 139 | 157 | 224 | 138 | 160 |
| 16 | 208 | 199 | 202 | 404 | 152 | 200 | 226 | 143 | 160 | 155 | 108 | 121 |
| 17 | 211 | 201 | 204 | 191 | 159 | 167 | 203 | 143 | 157 | 169 | 110 | 120 |
| 18 | 209 | 200 | 202 | 208 | 162 | 173 | 190 | 129 | 145 | 164 | 112 | 123 |
| 19 | 203 | 196 | 199 | 215 | 164 | 174 | 227 | 130 | 145 | 150 | 119 | 128 |
| 20 | 281 | 197 | 214 | 224 | 163 | 178 | 224 | 131 | 147 | 171 | 125 | 138 |
| 21 | 269 | 212 | 227 | 200 | 143 | 161 | 188 | 137 | 151 | 182 | 143 | 151 |
| 22 | 334 | 208 | 220 | 165 | 143 | 152 | 260 | 145 | 163 | 229 | 149 | 161 |
| 23 | 331 | 208 | 224 | 206 | 142 | 155 | 202 | 150 | 160 | 192 | 156 | 165 |
| 24 | 263 | 204 | 228 | 218 | 143 | 156 | 195 | 153 | 163 | 192 | 163 | 170 |
| 25 | 253 | 178 | 209 | 186 | 129 | 147 | 207 | 161 | 170 | 201 | 169 | 176 |
| 26 | 313 | 167 | 201 | 179 | 120 | 139 | 220 | 164 | 175 | 205 | 177 | 183 |
| 27 | 352 | 144 | 189 | 198 | 127 | 141 | 232 | 170 | 190 | 204 | 182 | 187 |
| 28 | 253 | 141 | 171 | 179 | 130 | 143 | 190 | 186 | --- | 235 | 186 | 194 |
| 29 | --- | --- | --- | 168 | 133 | 141 | 225 | 187 | --- | 215 | 192 | 196 |
| 30 | --- | --- | --- | 220 | 100 | 148 | 235 | 188 | 196 | 220 | 195 | 203 |
| 31 | --- | --- | --- | 162 | 103 | 139 | --- | --- | --- | 233 | 200 | 206 |
| MONTH | 426 | 125 | 193 | 408 | 100 | 165 | 281 | 109 | 158 | 249 | 108 | 180 |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 235 | 203 | 210 | 220 | 206 | 209 | 308 | 279 | 295 | 206 | 198 | 202 |
| 2 | 232 | 206 | 211 | 310 | 206 | 217 | 342 | 309 | 328 | 210 | 201 | 205 |
| 3 | 228 | 208 | 214 | 310 | 211 | 223 | 351 | 187 | 252 | 209 | 201 | 207 |
| 4 | 231 | 215 | 222 | 244 | 213 | 219 | 229 | 187 | 210 | 206 | 163 | 192 |
| 5 | 250 | 224 | 228 | 260 | 213 | 221 | 230 | 194 | 212 | 177 | 143 | 161 |
| 6 | 242 | 217 | 225 | 228 | 199 | 217 | 209 | 188 | 199 | 150 | 129 | 142 |
| 7 | 233 | 208 | 220 | 228 | 210 | 216 | 213 | 179 | 194 | 218 | 133 | 144 |
| 8 | 235 | 202 | 215 | 222 | 209 | 212 | 204 | 177 | 190 | 138 | 99 | 132 |
| 9 | 260 | 199 | 213 | 238 | 209 | 216 | 197 | 175 | 187 | 168 | 128 | 133 |
| 10 | 232 | 177 | 193 | 225 | 206 | 213 | 204 | 166 | 185 | 167 | 131 | 138 |
| 11 | 196 | 175 | 182 | 224 | 202 | 210 | 193 | 178 | 185 | 216 | 135 | 149 |
| 12 | 211 | 175 | 184 | 221 | 199 | 206 | 211 | 195 | --- | 235 | 141 | 152 |
| 13 | 205 | 178 | 185 | 221 | 198 | 206 | 214 | 198 | 204 | 251 | 146 | 155 |
| 14 | 209 | 180 | 186 | 224 | 197 | 205 | 225 | 202 | 208 | 191 | 148 | 154 |
| 15 | 207 | 183 | 189 | 223 | 199 | 206 | 224 | 199 | 205 | 159 | 151 | 154 |
| 16 | 214 | 186 | 192 | 224 | 199 | 208 | 222 | 202 | 207 | 167 | 154 | 158 |
| 17 | 213 | 189 | 197 | 227 | 204 | 211 | 245 | 205 | 212 | 172 | 160 | 164 |
| 18 | 222 | 198 | 206 | 234 | 208 | 214 | 224 | 199 | 215 | 181 | 164 | 169 |
| 19 | 222 | 205 | 213 | 235 | 211 | 217 | 228 | 199 | 220 | 186 | 169 | 174 |
| 20 | 242 | 213 | 220 | 234 | 213 | 219 | 288 | 219 | 238 | 219 | 174 | 187 |
| 21 | 237 | 199 | 222 | 242 | 213 | 221 | 259 | 239 | 243 | 251 | 191 | 199 |
| 22 | 237 | 199 | 225 | 237 | 216 | 224 | 324 | 239 | 249 | 221 | 194 | 200 |
| 23 | 242 | 199 | 221 | 244 | 219 | 231 | 276 | 210 | 235 | 262 | 197 | 222 |
| 24 | 229 | 208 | 219 | 240 | 219 | 232 | 229 | 217 | 225 | 245 | 232 | 237 |
| 25 | 226 | 211 | --- | 243 | 232 | 237 | 227 | 216 | 221 | 251 | 199 | 235 |
| 26 | --- | --- | --- | 250 | 199 | 239 | 222 | 195 | 208 | 258 | 229 | 241 |
| 27 | 220 | 200 | --- | 252 | 239 | 244 | 217 | 193 | 198 | 262 | 241 | 246 |
| 28 | 223 | 198 | 204 | 256 | 239 | 247 | 206 | 192 | 197 | 360 | 245 | 257 |
| 29 | 239 | 203 | 211 | 267 | 246 | 251 | 210 | 192 | 198 | 252 | 199 | 235 |
| 30 | 247 | 206 | 212 | 264 | 245 | 257 | 219 | 193 | 197 | 251 | 235 | 245 |
| 31 | --- | --- | --- | 278 | 265 | 271 | 207 | 195 | 199 | --- | --- | --- |
| MONTH | 260 | 175 | 208 | 310 | 197 | 223 | 351 | 166 | 217 | 360 | 99 | 186 |

DELAWARE RIVER BASIN

01467030 DELAWARE RIVER AT TORRESDALE INTAKE AT PHILADELPHIA, PA.--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|------|------|----------|-----|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6.7 | 4.9 | 5.8 | 9.8 | 7.7 | 8.3 | --- | --- | --- | --- | --- | --- |
| 2 | 6.9 | 5.1 | 6.0 | 8.8 | 8.1 | 8.3 | --- | --- | --- | --- | --- | --- |
| 3 | 7.4 | 5.2 | 6.0 | 9.0 | 8.2 | 8.4 | --- | --- | --- | 12.9 | 12.5 | --- |
| 4 | 6.5 | 5.2 | 5.6 | 9.1 | 8.2 | 8.5 | --- | --- | --- | 13.1 | 12.4 | 12.8 |
| 5 | 7.0 | 5.2 | 5.6 | 9.1 | 7.2 | 8.1 | --- | --- | --- | 14.4 | 13.3 | 13.6 |
| 6 | 6.3 | 4.8 | 5.6 | 9.0 | 7.6 | 8.1 | --- | --- | --- | 14.0 | 13.5 | 13.8 |
| 7 | 6.2 | 4.8 | 5.6 | 9.2 | 8.2 | 8.6 | --- | --- | --- | 14.0 | 13.3 | 13.7 |
| 8 | 6.3 | 3.7 | 5.3 | 10.1 | 8.1 | 8.7 | --- | --- | --- | --- | --- | --- |
| 9 | 5.8 | 3.5 | 4.8 | 9.6 | 8.3 | 8.9 | --- | --- | --- | --- | --- | --- |
| 10 | 6.2 | 3.7 | 4.7 | 10.2 | 8.8 | 9.3 | --- | --- | --- | --- | --- | --- |
| 11 | 5.9 | 3.5 | 4.7 | 10.2 | 8.8 | 9.4 | --- | --- | --- | --- | --- | --- |
| 12 | 5.7 | 3.0 | 4.6 | 10.3 | 8.9 | 9.6 | --- | --- | --- | --- | --- | --- |
| 13 | 6.6 | 3.2 | 4.9 | 10.6 | 9.1 | 9.7 | --- | --- | --- | --- | --- | --- |
| 14 | 6.6 | 4.6 | 5.6 | 10.3 | 9.3 | 9.8 | --- | --- | --- | --- | --- | --- |
| 15 | 6.8 | 4.9 | 5.6 | 10.2 | 9.1 | 9.7 | --- | --- | --- | --- | --- | --- |
| 16 | 7.0 | 4.4 | 5.7 | 10.5 | 9.4 | 10.1 | --- | --- | --- | --- | --- | --- |
| 17 | 7.0 | 4.6 | 5.9 | 10.8 | 10.2 | 10.5 | --- | --- | --- | --- | --- | --- |
| 18 | 7.6 | 3.9 | 6.1 | 11.1 | 10.3 | 10.7 | --- | --- | --- | --- | --- | --- |
| 19 | 7.3 | 4.3 | 6.2 | 11.1 | 9.4 | --- | --- | --- | --- | --- | --- | --- |
| 20 | 7.4 | 5.1 | 6.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | 7.0 | 5.1 | 6.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | 6.8 | 4.8 | 6.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | 6.5 | 5.2 | 5.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | 6.3 | 4.7 | 5.6 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | 6.7 | 4.3 | 5.4 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 6.8 | 3.3 | 5.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 6.8 | 4.6 | 5.7 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | 7.8 | 5.0 | 6.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | 10.0 | 4.2 | 7.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | 8.7 | 7.1 | 7.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | 8.4 | 7.4 | 7.7 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 10.0 | 3.0 | 5.8 | --- | --- | --- | --- | --- | --- | --- | --- | --- |

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|------|------|-------|------|------|-----|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | 11.8 | 10.1 | 11.4 | 8.2 | 7.5 | 7.9 |
| 2 | --- | --- | --- | --- | --- | --- | 12.0 | 10.6 | --- | 8.4 | 7.5 | 7.9 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.8 | 7.1 | 7.6 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.6 | 6.9 | 7.3 |
| 5 | --- | --- | --- | 11.9 | 10.9 | --- | --- | --- | --- | 8.0 | 6.7 | 7.2 |
| 6 | --- | --- | --- | 11.5 | 10.6 | 11.0 | --- | --- | --- | 7.8 | 6.9 | 7.3 |
| 7 | --- | --- | --- | 11.1 | 9.9 | 10.6 | --- | --- | --- | 8.1 | 6.3 | 7.2 |
| 8 | --- | --- | --- | 10.4 | 9.8 | 10.1 | --- | --- | --- | 8.6 | 6.2 | 7.5 |
| 9 | --- | --- | --- | 10.2 | 10.0 | 10.1 | 11.1 | 10.6 | --- | 9.0 | 6.3 | 8.0 |
| 10 | --- | --- | --- | 10.4 | 9.7 | 10.0 | 11.7 | 10.7 | 11.3 | 8.6 | 7.0 | 7.9 |
| 11 | --- | --- | --- | 10.8 | 9.8 | 10.5 | 11.9 | 10.5 | 11.6 | 8.5 | 7.2 | 7.9 |
| 12 | --- | --- | --- | 11.2 | 10.2 | 10.8 | 11.8 | 9.5 | 11.3 | 8.3 | 7.4 | 7.8 |
| 13 | --- | --- | --- | 12.1 | 11.3 | 11.6 | 11.4 | 9.3 | 10.8 | 8.0 | 7.3 | 7.7 |
| 14 | --- | --- | --- | 12.8 | 11.4 | 12.2 | 10.7 | 8.7 | 10.0 | 8.3 | 7.5 | 8.0 |
| 15 | --- | --- | --- | 12.4 | 11.3 | 12.0 | 9.9 | 8.5 | 9.5 | 8.5 | 7.6 | 8.1 |
| 16 | --- | --- | --- | 12.4 | 9.2 | 11.5 | 9.7 | 8.5 | 9.4 | 8.6 | 7.8 | 8.2 |
| 17 | --- | --- | --- | 12.4 | 10.8 | 11.9 | 9.5 | 9.1 | 9.3 | 8.2 | 7.3 | 7.7 |
| 18 | --- | --- | --- | 13.1 | 11.5 | 12.4 | 9.5 | 9.0 | 9.3 | 7.6 | 6.8 | 7.2 |
| 19 | --- | --- | --- | 12.1 | 10.9 | 11.7 | 9.3 | 8.6 | 9.1 | 7.2 | 6.7 | 7.0 |
| 20 | --- | --- | --- | 11.8 | 11.0 | 11.4 | 9.6 | 8.8 | 9.2 | 7.3 | 6.5 | 6.9 |
| 21 | --- | --- | --- | 11.9 | 10.9 | 11.5 | 9.4 | 8.9 | 9.2 | 7.4 | 6.2 | 6.9 |
| 22 | --- | --- | --- | 11.5 | 10.6 | 11.2 | 9.5 | 8.7 | 9.2 | 7.2 | 5.9 | 6.8 |
| 23 | --- | --- | --- | 11.3 | 10.4 | 10.9 | 9.3 | 8.5 | 9.1 | 6.5 | 5.5 | 6.1 |
| 24 | --- | --- | --- | 11.5 | 9.4 | 10.8 | 9.4 | 9.0 | 9.2 | 6.5 | 4.4 | 5.8 |
| 25 | --- | --- | --- | 12.5 | 11.2 | 11.7 | 9.1 | 8.6 | 8.9 | 6.5 | 4.6 | 5.8 |
| 26 | --- | --- | --- | 12.2 | 10.8 | 11.7 | 8.9 | 8.3 | 8.5 | 6.6 | 4.8 | 5.9 |
| 27 | --- | --- | --- | 11.9 | 10.9 | 11.6 | 8.7 | 7.9 | 8.3 | 6.7 | 5.4 | 6.0 |
| 28 | --- | --- | --- | 11.4 | 10.4 | 11.1 | 8.6 | 7.9 | --- | 6.5 | 5.3 | 5.8 |
| 29 | --- | --- | --- | 11.9 | 11.2 | 11.5 | 8.7 | 8.2 | --- | 6.3 | 4.9 | 5.6 |
| 30 | --- | --- | --- | 12.2 | 11.3 | 11.7 | 8.5 | 7.7 | 8.2 | 5.9 | 4.3 | 5.2 |
| 31 | --- | --- | --- | 11.9 | 11.2 | 11.4 | --- | --- | --- | 6.1 | 4.4 | 5.3 |
| MONTH | --- | --- | --- | 13.1 | 9.2 | 11.3 | 12.0 | 7.7 | --- | 9.0 | 4.3 | 7.0 |

DELAWARE RIVER BASIN

111

01467030 DELAWARE RIVER AT TORRESDALE INTAKE AT PHILADELPHIA, PA.--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 5.9 | 4.5 | 5.2 | 6.2 | 4.9 | 5.5 | 2.9 | 1.5 | 2.2 | 3.7 | 2.9 | 3.3 |
| 2 | 6.2 | 4.4 | 5.3 | 7.0 | 4.4 | 5.5 | 3.1 | 1.0 | 2.0 | 3.7 | 2.6 | 3.0 |
| 3 | 6.1 | 4.1 | 5.4 | 6.6 | 4.8 | 5.7 | 3.4 | 0.9 | 2.5 | 4.4 | 2.7 | 3.6 |
| 4 | 6.4 | 4.5 | 5.6 | 6.3 | 4.8 | 5.7 | 2.8 | 1.8 | 2.3 | 7.3 | 3.5 | 5.1 |
| 5 | 6.2 | 4.8 | 5.7 | 7.1 | 5.2 | 5.9 | 4.2 | 1.6 | 2.8 | 7.2 | 6.2 | --- |
| 6 | 6.4 | 5.0 | 5.6 | 6.3 | 4.8 | 5.5 | 3.6 | 2.4 | 3.0 | --- | --- | --- |
| 7 | 6.8 | 4.7 | 6.1 | 6.7 | 4.3 | 5.4 | 3.2 | 2.0 | 2.5 | --- | --- | --- |
| 8 | 6.5 | 4.6 | 5.9 | 7.1 | 4.4 | 5.7 | 2.8 | 1.7 | 2.3 | --- | --- | --- |
| 9 | 6.1 | 5.1 | 5.6 | 7.4 | 4.6 | 5.8 | 3.8 | 1.8 | 2.4 | --- | --- | --- |
| 10 | 5.8 | 4.9 | 5.3 | 7.8 | 5.2 | 6.2 | 3.0 | 1.3 | 2.1 | 6.3 | 5.9 | --- |
| 11 | 5.5 | 4.2 | 4.8 | 8.1 | 5.2 | 6.4 | 1.9 | 1.4 | 1.7 | 6.3 | 5.6 | 6.0 |
| 12 | 5.4 | 4.3 | 4.8 | 8.5 | 5.6 | 6.7 | 4.1 | 2.7 | --- | 6.5 | 5.3 | 5.8 |
| 13 | 5.5 | 3.6 | 4.5 | 8.3 | 5.3 | 6.7 | 3.7 | 1.6 | 2.9 | 7.1 | 5.3 | 5.7 |
| 14 | 5.5 | 3.1 | 4.3 | 7.7 | 4.2 | 6.2 | 4.1 | 2.0 | 2.7 | 5.9 | 5.0 | 5.3 |
| 15 | 5.8 | 3.0 | 4.3 | 6.3 | 3.3 | 5.3 | 4.4 | 1.9 | 3.1 | 5.5 | 4.3 | 5.1 |
| 16 | 5.2 | 3.1 | 4.3 | 4.9 | 2.6 | 4.1 | 4.8 | 1.6 | 3.3 | 5.4 | 4.3 | 4.9 |
| 17 | 4.5 | 3.0 | 3.8 | 3.8 | 2.4 | 3.2 | 4.5 | 1.8 | 3.6 | 4.9 | 4.0 | 4.5 |
| 18 | 4.0 | 2.4 | 3.4 | 4.2 | 1.6 | 3.0 | 4.5 | 2.5 | 3.5 | 5.1 | 3.5 | 4.2 |
| 19 | 4.0 | 2.1 | 3.3 | 3.7 | 1.4 | 2.7 | 4.4 | 2.6 | 3.3 | 4.6 | 3.1 | 3.9 |
| 20 | 4.1 | 1.9 | 3.1 | 3.9 | 1.0 | 2.5 | 4.0 | 2.3 | 2.9 | 5.1 | 3.2 | 3.9 |
| 21 | 3.5 | 1.4 | 2.6 | 3.6 | 0.7 | 2.3 | 4.0 | 2.1 | 3.0 | 5.5 | 3.6 | 4.3 |
| 22 | 3.1 | 0.7 | 2.1 | 3.6 | 1.4 | 2.7 | 3.6 | 2.3 | 2.7 | 5.2 | 3.6 | 4.4 |
| 23 | 4.0 | 1.3 | 2.5 | 4.8 | 1.6 | 3.0 | 3.4 | 1.7 | 2.4 | 5.9 | 3.7 | 4.6 |
| 24 | 4.5 | 1.4 | 2.8 | 3.4 | 1.5 | 2.7 | 3.3 | 1.9 | 2.3 | 5.7 | 3.8 | 4.9 |
| 25 | 3.9 | 1.9 | --- | 3.7 | 1.5 | 2.5 | 2.8 | 1.7 | 2.0 | 6.2 | 4.2 | 5.0 |
| 26 | --- | --- | --- | 3.9 | 1.3 | 2.3 | 4.6 | 1.5 | 2.6 | 5.7 | 4.3 | 5.0 |
| 27 | 4.5 | 2.2 | --- | 3.8 | 1.6 | 2.4 | 5.8 | 2.8 | 3.7 | 5.7 | 4.3 | 4.9 |
| 28 | 5.9 | 3.2 | 4.5 | 4.4 | 1.5 | 2.4 | 4.8 | 3.1 | 3.9 | 6.6 | 4.0 | 4.9 |
| 29 | 6.7 | 3.6 | 5.2 | 4.9 | 1.9 | 2.8 | 5.5 | 2.9 | 3.9 | 7.3 | 3.5 | 5.4 |
| 30 | 7.0 | 4.6 | 5.5 | 3.8 | 1.6 | 2.9 | 4.6 | 3.4 | 3.9 | 7.3 | 5.9 | 6.7 |
| 31 | --- | --- | --- | 3.3 | 1.8 | 2.5 | 4.1 | 3.0 | 3.5 | --- | --- | --- |
| MONTH | 7.0 | 0.7 | 4.5 | 8.5 | 0.7 | 4.3 | 5.8 | 0.9 | 2.8 | 7.3 | 2.6 | 4.8 |

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6.7 | 6.6 | 6.6 | 6.9 | 6.7 | 6.8 | 7.1 | 7.1 | 7.1 | --- | --- | --- |
| 2 | 6.8 | 6.7 | 6.8 | 6.8 | 6.7 | 6.7 | 7.1 | 7.1 | 7.1 | --- | --- | --- |
| 3 | 6.9 | 6.7 | 6.8 | 6.7 | 6.6 | 6.7 | 7.1 | 7.1 | 7.1 | 6.7 | 6.5 | --- |
| 4 | 6.9 | 6.8 | 6.8 | 6.7 | 6.6 | 6.6 | 7.1 | 7.0 | 7.1 | 6.8 | 6.6 | 6.7 |
| 5 | 7.0 | 6.8 | 6.9 | 6.7 | 6.6 | 6.6 | 7.1 | 6.9 | 7.0 | 6.8 | 6.6 | 6.7 |
| 6 | 6.9 | 6.9 | 6.9 | 6.8 | 6.6 | 6.7 | 6.9 | 6.8 | 6.8 | 6.7 | 6.6 | 6.7 |
| 7 | 7.0 | 6.9 | 6.9 | 6.7 | 6.6 | 6.7 | 6.8 | 6.8 | --- | 7.3 | 6.6 | 6.8 |
| 8 | 7.0 | 6.9 | 6.9 | 6.8 | 6.6 | 6.7 | --- | --- | --- | 7.3 | 6.7 | 7.1 |
| 9 | 7.0 | 6.9 | 6.9 | 6.7 | 6.6 | 6.7 | --- | --- | --- | 7.3 | 6.7 | 7.0 |
| 10 | 7.0 | 6.9 | 7.0 | 6.8 | 6.7 | 6.7 | 6.7 | 6.6 | --- | 7.2 | 6.8 | 6.9 |
| 11 | 7.0 | 6.8 | 6.9 | 6.7 | 6.6 | 6.7 | 6.6 | 6.6 | 6.6 | 7.1 | 6.7 | 6.8 |
| 12 | 6.9 | 6.8 | 6.9 | 6.8 | 6.6 | 6.7 | 6.6 | 6.5 | 6.6 | 7.0 | 6.7 | 6.8 |
| 13 | 7.0 | 6.8 | 6.9 | 6.8 | 6.7 | 6.7 | 6.6 | 6.5 | 6.5 | 6.8 | 6.7 | 6.8 |
| 14 | 7.0 | 6.9 | 6.9 | 6.8 | 6.7 | 6.7 | 6.7 | 6.5 | 6.6 | 6.9 | 6.7 | 6.8 |
| 15 | 7.0 | 6.7 | 6.8 | 6.9 | 6.7 | 6.7 | 6.6 | 6.5 | 6.6 | 7.2 | 6.7 | 7.0 |
| 16 | 6.8 | 6.6 | 6.7 | 7.0 | 6.7 | 6.8 | 6.6 | 6.5 | 6.6 | 7.3 | 6.8 | 7.2 |
| 17 | 6.7 | 6.6 | 6.6 | 6.9 | 6.8 | 6.8 | 6.9 | 6.5 | 6.6 | 7.2 | 6.8 | 7.1 |
| 18 | 6.7 | 6.5 | 6.6 | 6.9 | 6.8 | 6.8 | 6.8 | 6.6 | 6.7 | 7.2 | 7.1 | 7.1 |
| 19 | 6.6 | 6.5 | 6.6 | 7.0 | 6.8 | --- | 6.7 | 6.6 | 6.7 | 7.2 | 7.0 | 7.1 |
| 20 | 6.7 | 6.5 | 6.6 | --- | --- | --- | 6.8 | 6.6 | 6.7 | 7.3 | 7.1 | 7.2 |
| 21 | 6.6 | 6.5 | 6.6 | --- | --- | --- | 6.7 | 6.4 | 6.6 | 7.3 | 7.2 | 7.2 |
| 22 | 6.6 | 6.5 | 6.6 | --- | --- | --- | 6.6 | 6.5 | 6.5 | 7.2 | 6.5 | 6.7 |
| 23 | 6.7 | 6.5 | 6.6 | --- | --- | --- | 6.9 | 6.5 | --- | 6.6 | 6.5 | 6.6 |
| 24 | 6.7 | 6.6 | 6.7 | --- | --- | --- | 6.6 | 6.4 | 6.5 | 7.0 | 6.6 | 6.7 |
| 25 | 6.7 | 6.6 | 6.6 | --- | --- | --- | 6.7 | 6.5 | 6.5 | 7.1 | 6.6 | 6.9 |
| 26 | 6.7 | 6.6 | 6.6 | 7.0 | 6.9 | --- | 6.7 | 6.5 | 6.6 | 6.6 | 6.5 | 6.6 |
| 27 | 6.7 | 6.6 | 6.6 | 7.0 | 6.9 | 6.9 | 6.6 | 6.5 | 6.5 | 6.9 | 6.5 | 6.6 |
| 28 | 6.7 | 6.6 | 6.7 | 7.1 | 6.9 | 7.0 | 6.6 | 6.5 | --- | 6.6 | 6.6 | 6.6 |
| 29 | 6.8 | 6.6 | 6.7 | 7.1 | 7.0 | 7.0 | --- | --- | --- | 6.6 | 6.5 | 6.5 |
| 30 | 6.8 | 6.7 | 6.7 | 7.1 | 7.0 | 7.1 | --- | --- | --- | 6.6 | 6.5 | 6.6 |
| 31 | 6.8 | 6.7 | 6.7 | --- | --- | --- | --- | --- | --- | 6.7 | 6.5 | 6.5 |
| MONTH | 7.0 | 6.5 | 6.7 | 7.1 | 6.6 | --- | 7.1 | 6.4 | --- | 7.3 | 6.5 | 6.8 |

DELAWARE RIVER BASIN

01467030 DELAWARE RIVER AT TORRESDALE INTAKE AT PHILADELPHIA, PA.--Continued

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6.6 | 6.4 | 6.5 | 6.7 | 6.5 | 6.6 | 6.7 | 6.6 | 6.7 | 7.0 | 6.8 | 6.9 |
| 2 | 6.5 | 6.5 | 6.5 | 6.7 | 6.6 | 6.6 | 6.9 | 6.5 | 6.7 | 7.0 | 6.9 | 6.9 |
| 3 | 6.7 | 6.5 | 6.5 | 6.7 | 6.5 | 6.6 | 7.0 | 6.5 | 6.7 | 6.9 | 6.8 | 6.9 |
| 4 | 6.7 | 6.5 | 6.5 | 6.9 | 6.6 | 6.7 | 7.1 | 6.5 | 6.8 | 6.9 | 6.8 | 6.9 |
| 5 | 6.7 | 6.6 | 6.6 | 7.5 | 6.7 | 7.1 | 7.1 | 7.0 | 7.1 | 7.0 | 6.8 | 6.9 |
| 6 | 6.7 | 6.6 | 6.6 | 7.6 | 7.0 | 7.5 | 7.1 | 7.0 | 7.0 | 7.0 | 6.8 | 6.9 |
| 7 | 6.7 | 6.6 | 6.6 | 7.5 | 7.1 | 7.3 | 7.2 | 7.0 | 7.0 | 6.9 | 6.6 | 6.8 |
| 8 | 6.7 | 6.6 | 6.6 | 7.5 | 7.1 | 7.2 | 7.1 | 7.0 | 7.0 | 6.8 | 6.6 | 6.7 |
| 9 | 6.7 | 6.6 | 6.7 | 7.2 | 7.1 | 7.2 | 7.1 | 6.6 | 7.0 | 6.9 | 6.5 | 6.7 |
| 10 | 6.8 | 6.6 | 6.7 | 7.5 | 7.1 | 7.2 | 6.8 | 6.6 | 6.6 | 6.7 | 6.4 | 6.6 |
| 11 | 7.1 | 6.7 | 7.0 | 7.2 | 7.1 | 7.1 | 6.7 | 6.6 | 6.7 | 6.7 | 6.6 | 6.7 |
| 12 | 7.1 | 7.0 | 7.1 | 7.2 | 7.1 | 7.2 | 6.8 | 6.6 | 6.7 | 6.8 | 6.6 | 6.7 |
| 13 | 7.1 | 7.0 | 7.0 | 7.3 | 6.7 | 7.0 | 6.7 | 6.6 | 6.7 | 6.7 | 6.6 | 6.6 |
| 14 | 7.1 | 7.0 | 7.1 | 7.3 | 7.1 | 7.2 | 6.7 | 6.6 | 6.7 | 6.9 | 6.6 | 6.7 |
| 15 | 7.1 | 7.0 | 7.1 | 7.4 | 7.2 | 7.3 | 6.8 | 6.6 | 6.7 | 6.9 | 6.7 | 6.8 |
| 16 | 7.1 | 7.0 | 7.1 | 7.5 | 7.2 | 7.3 | 6.8 | 6.7 | 6.7 | 6.7 | 6.6 | 6.7 |
| 17 | 7.1 | 7.0 | 7.1 | 7.3 | 7.2 | 7.3 | 6.8 | 6.7 | 6.7 | 6.7 | 6.5 | 6.6 |
| 18 | 7.1 | 7.1 | 7.1 | 7.3 | 6.8 | 7.2 | 6.7 | 6.5 | 6.7 | 6.8 | 6.6 | 6.6 |
| 19 | 7.1 | 7.1 | 7.1 | 7.3 | 6.9 | 7.0 | 6.7 | 6.5 | 6.6 | 6.8 | 6.6 | 6.7 |
| 20 | 7.1 | 6.6 | 6.9 | 7.0 | 6.9 | 6.9 | 6.8 | 6.5 | 6.6 | 6.9 | 6.6 | 6.7 |
| 21 | 6.7 | 6.7 | 6.7 | 6.9 | 6.7 | 6.9 | 6.8 | 6.6 | 6.7 | 6.9 | 6.6 | 6.8 |
| 22 | 6.9 | 6.7 | 6.8 | 6.9 | 6.7 | 6.9 | 7.0 | 6.7 | 6.8 | 6.9 | 6.7 | 6.8 |
| 23 | 6.9 | 6.8 | 6.9 | 6.9 | 6.7 | 6.8 | 6.8 | 6.7 | 6.8 | 6.9 | 6.7 | 6.8 |
| 24 | 6.9 | 6.8 | 6.9 | 6.9 | 6.7 | 6.8 | 6.8 | 6.7 | 6.8 | 6.8 | 6.6 | 6.7 |
| 25 | 6.9 | 6.7 | 6.8 | 6.9 | 6.8 | 6.8 | 6.8 | 6.7 | 6.8 | 6.9 | 6.6 | 6.8 |
| 26 | 6.8 | 6.6 | 6.7 | 6.8 | 6.5 | 6.7 | 6.9 | 6.7 | 6.8 | 7.2 | 6.8 | 7.1 |
| 27 | 6.7 | 6.5 | 6.6 | 6.8 | 6.6 | 6.7 | 6.9 | 6.7 | 6.8 | 7.0 | 6.7 | --- |
| 28 | 6.6 | 6.5 | 6.5 | 6.9 | 6.6 | 6.7 | 6.9 | 6.8 | --- | 6.9 | 6.8 | 6.9 |
| 29 | --- | --- | --- | 6.8 | 6.7 | 6.7 | 7.0 | 6.8 | --- | 6.9 | 6.8 | 6.9 |
| 30 | --- | --- | --- | 6.8 | 6.7 | 6.8 | 7.0 | 6.8 | 6.9 | 7.0 | 6.8 | 6.9 |
| 31 | --- | --- | --- | 6.8 | 6.4 | 6.7 | --- | --- | --- | 6.9 | 6.7 | 6.8 |
| MONTH | 7.1 | 6.4 | 6.8 | 7.6 | 6.4 | 7.0 | 7.2 | 6.5 | 6.8 | 7.2 | 6.4 | 6.8 |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6.8 | 6.7 | 6.8 | 6.6 | 6.6 | 6.6 | 7.8 | 6.8 | 7.0 | 6.4 | 6.3 | 6.3 |
| 2 | 6.8 | 6.7 | 6.8 | 6.9 | 6.5 | 6.6 | 7.1 | 6.8 | 6.9 | 6.4 | 6.3 | 6.4 |
| 3 | 6.9 | 6.7 | 6.8 | 6.9 | 6.6 | 6.7 | 7.4 | 6.9 | --- | 6.4 | 6.3 | 6.4 |
| 4 | 7.2 | 6.6 | 6.9 | 6.8 | 6.6 | 6.7 | --- | --- | --- | 6.3 | 6.2 | 6.3 |
| 5 | 7.4 | 6.9 | 7.1 | 6.9 | 6.6 | 6.7 | 6.8 | 6.6 | --- | 6.2 | 6.2 | 6.2 |
| 6 | --- | --- | --- | 6.8 | 6.6 | 6.7 | 6.9 | 6.6 | --- | 6.2 | 6.1 | 6.1 |
| 7 | --- | --- | --- | 6.8 | 6.6 | 6.7 | --- | --- | --- | 6.3 | 6.1 | 6.2 |
| 8 | 6.9 | 6.6 | --- | 6.9 | 6.6 | 6.7 | --- | --- | --- | 6.2 | 6.0 | 6.2 |
| 9 | 7.0 | 6.5 | 6.7 | 7.2 | 6.7 | 6.9 | --- | --- | --- | 6.3 | 6.2 | 6.3 |
| 10 | 6.9 | 6.3 | 6.4 | 7.2 | 6.8 | 7.0 | --- | --- | --- | 6.4 | 6.2 | 6.3 |
| 11 | 6.3 | 6.2 | 6.2 | 7.4 | 6.8 | 7.0 | --- | --- | --- | 6.5 | 6.3 | 6.3 |
| 12 | 6.4 | 6.2 | 6.2 | 7.6 | 6.9 | 7.1 | --- | --- | --- | 6.6 | 6.3 | 6.4 |
| 13 | 6.3 | 6.2 | 6.2 | 7.4 | 6.8 | 7.0 | --- | --- | --- | 6.9 | 6.3 | 6.4 |
| 14 | 6.4 | 6.2 | 6.2 | 7.1 | 6.7 | 6.9 | 6.7 | 6.5 | --- | 6.6 | 6.4 | 6.4 |
| 15 | 6.4 | 6.2 | 6.3 | 6.9 | 6.6 | 6.8 | 6.7 | 6.5 | 6.6 | 6.5 | 6.4 | 6.5 |
| 16 | 6.4 | 6.2 | 6.3 | 6.8 | 6.6 | 6.7 | 6.8 | 6.6 | 6.7 | 6.6 | 6.5 | 6.6 |
| 17 | 6.5 | 6.2 | 6.4 | 6.8 | 6.6 | 6.7 | 6.7 | 6.5 | 6.6 | 6.7 | 6.5 | 6.6 |
| 18 | 6.5 | 6.4 | 6.5 | 6.8 | 6.7 | 6.7 | 6.6 | 6.5 | 6.6 | 6.7 | 6.6 | 6.6 |
| 19 | 6.6 | 6.4 | 6.5 | 6.8 | 6.7 | 6.8 | 6.7 | 6.5 | 6.6 | 6.7 | 6.6 | 6.6 |
| 20 | 6.6 | 6.4 | 6.5 | 7.4 | 6.7 | 6.8 | 6.8 | 6.6 | 6.6 | 6.7 | 6.5 | 6.6 |
| 21 | 6.6 | 6.5 | 6.6 | 6.8 | 6.7 | 6.8 | 6.8 | 6.5 | 6.7 | 6.8 | 6.5 | 6.6 |
| 22 | 6.6 | 6.5 | 6.5 | 6.9 | 6.7 | 6.8 | 6.9 | 6.7 | 6.8 | 6.7 | 6.5 | 6.6 |
| 23 | 6.6 | 6.5 | 6.5 | 6.9 | 6.7 | 6.8 | 6.9 | 6.8 | 6.8 | 6.6 | 6.2 | 6.4 |
| 24 | 6.6 | 6.4 | 6.5 | 6.9 | 6.7 | 6.8 | 6.7 | 6.6 | 6.7 | 6.4 | 6.2 | 6.3 |
| 25 | 6.9 | 6.3 | 6.6 | 6.9 | 6.7 | 6.8 | 6.5 | 6.4 | 6.5 | 6.4 | 6.2 | 6.3 |
| 26 | 7.0 | 6.4 | --- | 7.2 | 6.8 | 6.9 | 6.5 | 6.3 | 6.4 | 6.4 | 6.3 | 6.3 |
| 27 | 6.8 | 6.7 | --- | 7.2 | 7.0 | 7.1 | 6.6 | 6.4 | 6.4 | 6.4 | 6.3 | 6.3 |
| 28 | 6.8 | 6.7 | 6.7 | 7.3 | 7.0 | 7.1 | 6.5 | 6.4 | 6.4 | 6.6 | 6.3 | 6.4 |
| 29 | 6.8 | 6.6 | 6.6 | 7.2 | 7.0 | 7.1 | 6.4 | 6.3 | 6.4 | 6.6 | 6.3 | 6.4 |
| 30 | 6.8 | 6.6 | 6.6 | 7.3 | 6.7 | 7.0 | 6.4 | 6.3 | 6.3 | 6.9 | 6.5 | 6.7 |
| 31 | --- | --- | --- | 7.1 | 6.8 | 7.0 | 6.4 | 6.3 | 6.3 | --- | --- | --- |
| MONTH | 7.4 | 6.2 | 6.5 | 7.6 | 6.5 | 6.8 | --- | --- | --- | 6.9 | 6.0 | 6.4 |

01467030 DELAWARE RIVER AT TORRESDALE INTAKE AT PHILADELPHIA, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|------|------|----------|------|------|----------|------|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 21.5 | 20.0 | 20.5 | 15.0 | 14.0 | 14.5 | 10.5 | 9.5 | 10.0 | --- | --- | --- |
| 2 | 21.0 | 20.5 | 20.5 | 14.5 | 13.0 | 14.0 | 10.5 | 9.5 | 10.0 | --- | --- | --- |
| 3 | 21.5 | 20.5 | 21.0 | 14.0 | 13.5 | 13.5 | 10.0 | 9.0 | 9.5 | 4.0 | 4.0 | --- |
| 4 | 22.0 | 20.5 | 21.5 | 13.5 | 12.0 | 13.0 | 10.0 | 9.0 | 9.5 | 4.5 | 4.0 | 4.0 |
| 5 | 22.0 | 21.0 | 21.0 | 13.0 | 11.5 | 12.5 | 11.0 | 9.5 | 10.0 | 4.0 | 3.0 | 3.5 |
| 6 | 21.5 | 20.5 | 21.0 | 12.0 | 10.0 | 11.5 | 11.5 | 9.5 | 10.0 | 3.5 | 3.5 | 3.5 |
| 7 | 21.0 | 20.5 | 21.0 | 11.5 | 10.0 | 11.0 | 9.5 | 8.5 | --- | 3.5 | 3.0 | 3.5 |
| 8 | 21.0 | 20.5 | 21.0 | 11.0 | 10.0 | 10.5 | --- | --- | --- | 3.5 | 1.5 | 2.5 |
| 9 | 21.0 | 20.0 | 21.0 | 11.0 | 9.5 | 10.5 | --- | --- | --- | 3.0 | 2.0 | 2.5 |
| 10 | 21.0 | 20.5 | 21.0 | 10.5 | 9.0 | 10.0 | 8.5 | 7.0 | --- | 3.0 | 2.0 | 2.0 |
| 11 | 21.0 | 19.5 | 20.5 | 10.0 | 9.0 | 9.5 | 8.0 | 6.0 | 7.0 | 3.0 | 1.5 | 2.0 |
| 12 | 20.5 | 19.5 | 20.0 | 10.0 | 9.0 | 9.5 | 6.5 | 6.0 | 6.0 | 1.5 | 1.0 | 1.5 |
| 13 | 20.5 | 19.5 | 20.0 | 10.0 | 9.0 | 9.5 | 6.0 | 5.5 | 5.5 | 2.0 | 1.5 | 1.5 |
| 14 | 20.0 | 19.0 | 19.5 | 10.0 | 9.0 | 9.5 | 7.0 | 5.5 | 6.0 | 1.5 | 0.5 | 1.0 |
| 15 | 20.0 | 19.0 | 19.5 | 11.0 | 9.5 | 10.0 | 6.0 | 5.5 | 5.5 | 1.5 | 0.5 | 1.0 |
| 16 | 19.5 | 18.5 | 19.0 | 11.5 | 9.5 | 10.0 | 5.5 | 4.5 | 5.0 | 3.5 | 1.0 | 1.5 |
| 17 | 19.0 | 17.0 | 18.0 | 9.5 | 9.0 | 9.0 | 5.0 | 3.5 | 4.0 | 3.5 | 1.5 | 2.0 |
| 18 | 18.0 | 16.5 | 17.0 | 9.0 | 8.0 | 9.0 | 4.0 | 3.0 | 3.5 | 1.5 | 1.0 | 1.0 |
| 19 | 18.0 | 16.0 | 16.5 | 9.0 | 8.5 | --- | 3.5 | 2.0 | 3.0 | 3.0 | 1.5 | 1.5 |
| 20 | 17.0 | 16.0 | 16.5 | --- | --- | --- | 3.5 | 2.0 | 3.0 | 3.0 | 1.5 | 2.0 |
| 21 | 17.0 | 15.5 | 16.5 | --- | --- | --- | 4.0 | 3.0 | 3.5 | 5.0 | 2.0 | 3.0 |
| 22 | 17.0 | 16.0 | 16.5 | --- | --- | --- | 4.0 | 2.0 | 3.5 | 4.5 | 3.0 | 4.0 |
| 23 | 17.0 | 16.0 | 16.5 | --- | --- | --- | 2.0 | 1.5 | 1.5 | 5.5 | 4.0 | 4.5 |
| 24 | 17.0 | 16.0 | 16.5 | --- | --- | --- | 2.0 | 1.5 | 1.5 | 5.5 | 4.5 | 5.0 |
| 25 | 17.0 | 16.0 | 16.5 | --- | --- | --- | 3.0 | 1.5 | 2.0 | 6.5 | 5.0 | 5.5 |
| 26 | 17.0 | 16.0 | 16.5 | 10.5 | 10.0 | --- | 5.5 | 3.0 | 3.5 | 6.0 | 4.5 | 5.0 |
| 27 | 17.0 | 15.5 | 16.5 | 10.5 | 10.0 | 10.5 | 8.0 | 4.0 | 5.0 | 9.5 | 5.0 | 6.0 |
| 28 | 16.5 | 15.5 | 16.0 | 13.0 | 10.5 | 11.0 | 6.5 | 4.5 | --- | 7.0 | 5.5 | 6.0 |
| 29 | 16.5 | 14.0 | 15.5 | 11.5 | 10.0 | 11.0 | --- | --- | --- | 8.5 | 5.5 | 6.5 |
| 30 | 15.5 | 15.0 | 15.5 | 10.5 | 10.0 | 10.5 | --- | --- | --- | 8.5 | 6.5 | 7.0 |
| 31 | 15.5 | 14.5 | 15.0 | --- | --- | --- | --- | --- | --- | 9.0 | 6.0 | 6.5 |
| MONTH | 22.0 | 14.0 | 18.5 | 15.0 | 8.0 | --- | 11.5 | 1.5 | --- | 9.5 | 0.5 | 3.5 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6.0 | 5.5 | 5.5 | 5.5 | 4.5 | 4.5 | 7.0 | 4.5 | 5.5 | 17.0 | 16.0 | 16.0 |
| 2 | 5.5 | 5.0 | 5.5 | 5.5 | 4.5 | 4.5 | 8.0 | 5.0 | 5.5 | 17.0 | 16.0 | 16.0 |
| 3 | 5.5 | 4.0 | 5.0 | 6.0 | 4.5 | 5.0 | 9.0 | 5.0 | 6.0 | 16.5 | 16.0 | 16.0 |
| 4 | 4.5 | 3.0 | 4.0 | 9.5 | 5.5 | 6.0 | 11.0 | 6.5 | 7.5 | 17.0 | 16.0 | 16.5 |
| 5 | 4.0 | 2.0 | 3.0 | 10.5 | 6.5 | 7.0 | 12.0 | 8.5 | 9.5 | 17.0 | 16.0 | 16.5 |
| 6 | 3.0 | 1.5 | 2.0 | 8.5 | 7.0 | 7.5 | 10.5 | 9.5 | 10.0 | 16.5 | 15.5 | 16.5 |
| 7 | 2.0 | 1.5 | 2.0 | 9.0 | 7.0 | 8.5 | 10.5 | 9.5 | 10.0 | 16.5 | 15.0 | 16.0 |
| 8 | 2.0 | 1.0 | 1.5 | 9.0 | 8.5 | 9.0 | 9.5 | 8.5 | 9.0 | 16.5 | 15.0 | 15.5 |
| 9 | 2.0 | 1.0 | 1.5 | 9.0 | 8.5 | 8.5 | 8.5 | 8.0 | 8.0 | 16.5 | 15.0 | 15.5 |
| 10 | 2.0 | 1.0 | 1.5 | 9.5 | 8.5 | 9.0 | 8.5 | 6.5 | 7.0 | 16.0 | 15.0 | 15.5 |
| 11 | 2.0 | 1.0 | 1.5 | 9.0 | 7.0 | 8.0 | 9.5 | 6.5 | 7.0 | 16.5 | 15.0 | 15.5 |
| 12 | 2.0 | 1.5 | 2.0 | 9.0 | 7.0 | 8.0 | 10.5 | 6.5 | 7.5 | 17.0 | 15.5 | 15.5 |
| 13 | 3.0 | 2.0 | 2.5 | 8.0 | 6.5 | 6.5 | 10.5 | 8.0 | 8.5 | 16.0 | 15.0 | 15.5 |
| 14 | 3.5 | 3.0 | 3.0 | 7.0 | 5.5 | 6.0 | 12.0 | 9.0 | 10.0 | 18.0 | 14.5 | 15.5 |
| 15 | 4.0 | 3.5 | 3.5 | 8.5 | 6.0 | 6.5 | 11.5 | 10.0 | 10.5 | 18.0 | 15.0 | 15.5 |
| 16 | 4.0 | 3.5 | 3.5 | 9.5 | 6.0 | 7.0 | 11.5 | 10.0 | 10.5 | 16.5 | 15.5 | 16.0 |
| 17 | 4.0 | 4.0 | 4.0 | 7.0 | 6.0 | 6.5 | 11.5 | 10.5 | 11.0 | 18.5 | 16.0 | 17.0 |
| 18 | 4.0 | 3.5 | 4.0 | 6.5 | 5.0 | 6.0 | 12.0 | 11.0 | 11.5 | 19.5 | 17.0 | 18.5 |
| 19 | 4.0 | 3.5 | 4.0 | 7.0 | 6.0 | 6.5 | 12.0 | 11.0 | 11.5 | 20.0 | 18.5 | 19.0 |
| 20 | 5.0 | 4.0 | 4.5 | 7.0 | 6.5 | 6.5 | 12.0 | 11.0 | 11.5 | 20.0 | 19.0 | 19.5 |
| 21 | 5.5 | 4.5 | 5.0 | 7.0 | 6.5 | 6.5 | 13.0 | 11.0 | 12.0 | 20.5 | 19.5 | 20.0 |
| 22 | 8.0 | 5.0 | 5.5 | 8.0 | 6.5 | 7.0 | 14.0 | 11.5 | 12.5 | 21.0 | 20.0 | 20.5 |
| 23 | 7.0 | 5.5 | 6.0 | 8.5 | 6.5 | 7.5 | 14.5 | 13.0 | 13.0 | 21.0 | 20.5 | 20.5 |
| 24 | 7.0 | 4.5 | 6.0 | 9.0 | 6.5 | 7.5 | 13.5 | 12.0 | 13.0 | 21.5 | 20.5 | 21.0 |
| 25 | 6.0 | 5.0 | 5.5 | 7.0 | 6.0 | 6.5 | 14.0 | 12.0 | 13.5 | 21.5 | 20.5 | 21.0 |
| 26 | 6.0 | 4.0 | 4.5 | 7.0 | 6.0 | 6.5 | 15.0 | 13.5 | 14.0 | 21.0 | 20.5 | 20.5 |
| 27 | 5.0 | 3.5 | 4.0 | 7.0 | 5.5 | 6.0 | 15.5 | 13.5 | 14.5 | 20.5 | 20.0 | 20.0 |
| 28 | 6.0 | 3.5 | 4.0 | 7.0 | 4.5 | 6.0 | 15.5 | 15.0 | --- | 20.5 | 18.5 | 20.0 |
| 29 | --- | --- | --- | 6.0 | 5.5 | 5.5 | 17.0 | 15.5 | --- | 20.0 | 19.5 | 20.0 |
| 30 | --- | --- | --- | 6.0 | 5.0 | 5.5 | 17.0 | 15.5 | 16.0 | 20.5 | 19.5 | 20.0 |
| 31 | --- | --- | --- | 6.0 | 5.0 | 5.5 | --- | --- | --- | 20.5 | 19.5 | 20.0 |
| MONTH | 8.0 | 1.0 | 3.5 | 10.5 | 4.5 | 6.5 | 17.0 | 4.5 | 10.0 | 21.5 | 14.5 | 18.0 |

DELAWARE RIVER BASIN

01467030 DELAWARE RIVER AT TORRESDALE INTAKE AT PHILADELPHIA, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 20.0 | 19.5 | 20.0 | 23.0 | 21.5 | 22.0 | 26.5 | 26.0 | 26.0 | 28.0 | 26.5 | 27.5 |
| 2 | 20.0 | 18.5 | 19.5 | 23.5 | 22.0 | 22.5 | 26.5 | 25.0 | 26.0 | 27.0 | 26.5 | 27.0 |
| 3 | 20.0 | 19.0 | 19.5 | 24.5 | 23.0 | 23.5 | 26.5 | 25.5 | 26.0 | 26.5 | 25.5 | 26.5 |
| 4 | 20.5 | 19.5 | 20.0 | 24.5 | 23.5 | 24.0 | 26.5 | 25.5 | 26.0 | 26.0 | 23.0 | 25.0 |
| 5 | 21.0 | 20.0 | 20.5 | 25.0 | 24.0 | 24.5 | 26.5 | 24.5 | 26.0 | 24.0 | 21.0 | 22.5 |
| 6 | 21.5 | 20.5 | 21.0 | 25.5 | 24.0 | 24.5 | 27.0 | 25.5 | 26.0 | 21.5 | 20.0 | 20.5 |
| 7 | 20.5 | 20.5 | 20.5 | 26.5 | 24.5 | 25.5 | 26.0 | 25.5 | 26.0 | 20.0 | 18.5 | 19.5 |
| 8 | 21.0 | 20.0 | 20.5 | 27.0 | 25.0 | 26.0 | 25.5 | 25.0 | 25.5 | 20.0 | 18.5 | 19.0 |
| 9 | 23.0 | 20.5 | 21.0 | 28.0 | 25.5 | 26.5 | 26.0 | 25.0 | 25.5 | 19.5 | 19.0 | 19.0 |
| 10 | 24.0 | 21.0 | 22.0 | 28.0 | 26.5 | 27.0 | 25.5 | 23.5 | 25.0 | 20.0 | 19.0 | 19.5 |
| 11 | 24.0 | 22.0 | 23.0 | 28.5 | 26.5 | 27.0 | 26.0 | 24.0 | 25.0 | 20.5 | 19.5 | 20.0 |
| 12 | 24.0 | 23.0 | 23.0 | 28.0 | 26.0 | 26.5 | 25.5 | 24.0 | 25.0 | 21.5 | 20.0 | 20.5 |
| 13 | 24.5 | 22.0 | 23.0 | 28.0 | 26.0 | 26.5 | 25.5 | 24.5 | 25.0 | 23.0 | 20.5 | 21.0 |
| 14 | 24.5 | 22.0 | 23.5 | 28.0 | 26.0 | 26.5 | 26.0 | 25.0 | 25.5 | 22.0 | 21.0 | 21.5 |
| 15 | 24.5 | 23.0 | 23.5 | 28.0 | 26.5 | 27.0 | 26.0 | 25.0 | 25.5 | 22.0 | 21.0 | 21.5 |
| 16 | 24.0 | 23.5 | 23.5 | 28.0 | 26.5 | 27.0 | 26.0 | 25.5 | 25.5 | 22.0 | 21.5 | 21.5 |
| 17 | 25.0 | 23.5 | 24.0 | 28.0 | 26.5 | 27.0 | 26.0 | 25.0 | 25.5 | 23.0 | 21.5 | 22.0 |
| 18 | 25.0 | 24.5 | 24.5 | 27.0 | 26.5 | 26.5 | 26.5 | 25.5 | 26.0 | 23.0 | 21.5 | 22.0 |
| 19 | 25.0 | 24.5 | 24.5 | 27.0 | 26.5 | 26.5 | 27.0 | 26.0 | 26.0 | 23.5 | 21.5 | 22.5 |
| 20 | 25.5 | 24.5 | 25.0 | 27.0 | 26.0 | 26.5 | 28.0 | 26.0 | 26.5 | 23.5 | 22.0 | 22.5 |
| 21 | 25.5 | 25.0 | 25.0 | 27.0 | 26.0 | 26.0 | 27.0 | 26.0 | 26.5 | 23.5 | 22.0 | 23.0 |
| 22 | 26.0 | 25.0 | 25.5 | 27.0 | 25.5 | 26.0 | 27.0 | 26.5 | 26.5 | 22.0 | 21.5 | 22.0 |
| 23 | 25.0 | 23.5 | 24.5 | 26.5 | 25.5 | 26.0 | 26.5 | 26.0 | 26.5 | 21.5 | 20.5 | 21.0 |
| 24 | 24.5 | 23.5 | 24.0 | 26.0 | 25.0 | 25.5 | 27.0 | 26.0 | 26.5 | 21.0 | 19.5 | 20.5 |
| 25 | 24.0 | 23.0 | 23.5 | 26.0 | 24.5 | 25.0 | 27.0 | 25.5 | 26.5 | 20.5 | 19.5 | 20.0 |
| 26 | 24.0 | 23.0 | 23.5 | 25.5 | 24.5 | 25.0 | 26.5 | 25.5 | 26.0 | 20.5 | 19.5 | 20.0 |
| 27 | 24.0 | 23.0 | 23.5 | 26.0 | 24.5 | 25.0 | 26.5 | 26.0 | 26.0 | 20.5 | 19.5 | 20.0 |
| 28 | 23.0 | 21.0 | 21.5 | 26.0 | 25.0 | 25.5 | 27.0 | 26.0 | 26.5 | 20.5 | 19.5 | 20.0 |
| 29 | 22.0 | 20.0 | 21.5 | 26.5 | 25.5 | 26.0 | 27.0 | 26.5 | 26.5 | 20.5 | 19.5 | 20.0 |
| 30 | 22.0 | 21.0 | 21.5 | 26.5 | 25.0 | 26.0 | 28.0 | 26.5 | 27.0 | 19.5 | 18.5 | 19.0 |
| 31 | --- | --- | --- | 26.5 | 26.0 | 26.0 | 27.0 | 26.5 | 27.0 | --- | --- | --- |
| MONTH | 26.0 | 18.5 | 22.5 | 28.5 | 21.5 | 25.5 | 28.0 | 23.5 | 26.0 | 28.0 | 18.5 | 21.5 |

01467100 DELAWARE RIVER AT LEHIGH AVENUE, PHILADELPHIA, PA.

LOCATION.--Lat 39°58'09", long 75°06'41", Philadelphia County, at center of river on a line midway between piers 14 and 18 Port Richmond Terminal through channel station +5.0 to a pierhead line on west bank of Petty Island.

DRAINAGE AREA.--7,940 mi² (20,600 km²).

PERIOD OF RECORD.--Chemical analyses: August 1949 to September 1968, October 1968 to September 1970 (partial-record station), February to September 1974.

REMARKS.--Samples collected approximately 3 ft (1 m) from bottom. Records of discharge are given for 01463500 Delaware River at Trenton, N.J. Further information on this station is given in U.S. Geological Survey Water-Supply Paper 1262.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS- SOLVED SILICA (SiO ₂) (MG/L) | TOTAL IRON (FE) (UG/L) | DIS- SOLVED IRON (FE) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HCO ₃) (MG/L) |
|-------|------|---|---------------------------------|--|---|--|--|---|--|--|---|
| FEB. | | | | | | | | | | | |
| 07... | -- | 3.9 | 820 | -- | 80 | -- | 11 | 3.7 | 6.6 | 1.4 | 22 |
| APR. | | | | | | | | | | | |
| 04... | 1130 | 4.8 | -- | -- | -- | -- | 13 | 4.4 | 7.9 | 1.9 | 30 |
| MAY | | | | | | | | | | | |
| 02... | 1120 | 3.2 | -- | 850 | -- | 140 | 15 | 4.9 | 9.0 | 1.9 | 39 |
| JUNE | | | | | | | | | | | |
| 06... | 1210 | 3.8 | -- | 80 | -- | 40 | 16 | 5.7 | 9.4 | 2.2 | 50 |
| JULY | | | | | | | | | | | |
| 11... | 1135 | .1 | -- | 30 | -- | 0 | 17 | 6.2 | 12 | 2.4 | 47 |
| AUG. | | | | | | | | | | | |
| 08... | 1120 | 2.3 | -- | 0 | -- | 0 | 20 | 6.6 | 15 | 3.4 | 45 |
| SEP. | | | | | | | | | | | |
| 05... | 1110 | 4.0 | -- | -- | -- | -- | -- | -- | -- | -- | 43 |

| DATE | CAR- BONATE (CO ₃) (MG/L) | ALKA- LINITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | DIS- SOLVED NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | DIS- SOLVED NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | DIS- SOLVED NITRITE PLUS NITRATE (N) (MG/L) |
|-------|--|--|---|---|--|-----------------------------------|--|-----------------------------------|--|--|---|
| FEB. | | | | | | | | | | | |
| 07... | 0 | 18 | 20 | 11 | .2 | 1.5 | -- | .01 | -- | 1.5 | -- |
| APR. | | | | | | | | | | | |
| 04... | 0 | 25 | 25 | 12 | .1 | .94 | -- | .04 | -- | .98 | -- |
| MAY | | | | | | | | | | | |
| 02... | 0 | 32 | 30 | 13 | .3 | -- | .89 | -- | .07 | -- | .96 |
| JUNE | | | | | | | | | | | |
| 06... | 0 | 41 | 28 | 12 | .1 | -- | 1.0 | -- | .09 | -- | 1.1 |
| JULY | | | | | | | | | | | |
| 11... | 0 | 39 | 35 | 15 | .2 | -- | 1.2 | -- | .08 | -- | 1.3 |
| AUG. | | | | | | | | | | | |
| 08... | -- | 37 | 37 | 17 | .3 | -- | 1.3 | -- | .21 | -- | 1.5 |
| SEP. | | | | | | | | | | | |
| 05... | -- | 35 | 25 | 11 | .2 | -- | 1.0 | -- | .08 | -- | 1.1 |

| DATE | DIS- SOLVED ORTHO. PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L) | HARD- NESS (CA.MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | COLOR (PLAT- INUM- COBALT UNITS) | TUR- BID- ITY (JTU) | CARBON DIOXIDE (CO ₂) (MG/L) |
|-------|--|--|---|------------------------------------|---|--|---------------|-----------------------------|--|------------------------------|---|
| FEB. | | | | | | | | | | | |
| 07... | .10 | 89 | 69 | 43 | 25 | 141 | 6.8 | -- | 7 | -- | 6.0 |
| APR. | | | | | | | | | | | |
| 04... | .11 | -- | 84 | 51 | 26 | 154 | 6.6 | -- | 20 | 16 | 12 |
| MAY | | | | | | | | | | | |
| 02... | .13 | 117 | 102 | 58 | 26 | 182 | 6.8 | 15.0 | -- | -- | 9.9 |
| JUNE | | | | | | | | | | | |
| 06... | .11 | 121 | 107 | 63 | 22 | 193 | 7.2 | 21.0 | -- | -- | 5.0 |
| JULY | | | | | | | | | | | |
| 11... | .10 | 129 | 117 | 68 | 29 | 220 | 6.9 | 26.5 | -- | -- | 9.5 |
| AUG. | | | | | | | | | | | |
| 08... | .67 | 150 | 133 | 77 | 40 | 257 | -- | 27.0 | -- | -- | -- |
| SEP. | | | | | | | | | | | |
| 05... | .09 | 136 | -- | -- | -- | 187 | -- | 24.5 | -- | -- | -- |

DELAWARE RIVER BASIN

01467200 DELAWARE RIVER AT BENJAMIN FRANKLIN BRIDGE AT PHILADELPHIA, PA.

LOCATION.--Lat 39°57'11", long 75°08'05", Philadelphia County, at center of river on a line 200 ft (61 m) upstream of bridge from the north side of pier 12 north through channel station +14.3 to pierhead line on New Jersey side of river.

DRAINAGE AREA.--7,993 mi² (20,700 km²).

PERIOD OF RECORD.--Chemical analyses: August 1949 to September 1974.

Water temperatures: November 1960 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum, 370 micromhos Aug. 17; minimum, 100 micromhos Dec. 16.

Dissolved oxygen: Maximum, 13.7 mg/l Dec. 22; minimum, 0.0 mg/l on several days during May to September.

pH: Maximum, 7.7 Jan. 14; minimum, 5.9 Aug. 27 to Sept. 1.

Water temperatures: Maximum, 27.0°C Aug. 29 to Sept. 1; minimum, 14.0°C Apr. 30.

Period of record:

Specific conductance (1963-74): Maximum, 1,450 micromhos Nov. 20, 1964; minimum, 80 micromhos Aug. 30, 1971.

Dissolved oxygen (1960-74): Maximum, 14.1 mg/l Dec. 14, 1962; minimum, 0.0 mg/l on many days each year.

pH (1968-74): Maximum, 7.7 Jan. 14, 1974; minimum, 5.6 Feb. 27, 1970.

Water temperatures: Maximum, 31.0°C July 13-15, 1966; minimum, freezing point on many days during winter periods.

REMARKS.--Water-quality recorder (30°57'10", 75°08'18") located at river end of pier 11 north about 100 ft (30 m) downstream from bridge. Samples collected approximately 3 ft (1 m) from bottom. Records of discharge are given for 01463500 Delaware River at Trenton, N.J. Further information on this station is given in U.S. Geological Survey Water-Supply Paper 1809-O.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS- SOLVED SILICA (SI02) (MG/L) | TOTAL IRON (FE) (UG/L) | DIS- SOLVED IRON (FE) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HCO3) (MG/L) |
|-------|------|--|---------------------------------|--|---|--|--|---|--|--|--------------------------------------|
| DEC. | | | | | | | | | | | |
| 06... | 1135 | 2.7 | 760 | -- | 90 | -- | 19 | 6.6 | 14 | 3.0 | 31 |
| JAN. | | | | | | | | | | | |
| 03... | -- | 3.0 | 740 | -- | 70 | -- | 9.5 | 3.0 | 4.1 | 1.3 | 17 |
| FEB. | | | | | | | | | | | |
| 07... | -- | 4.0 | 1300 | -- | 90 | -- | 11 | 3.7 | 6.2 | 1.4 | 22 |
| MAR. | | | | | | | | | | | |
| 07... | 1415 | 3.8 | 1500 | -- | 140 | -- | 12 | 4.2 | 9.5 | 1.8 | 21 |
| APR. | | | | | | | | | | | |
| 04... | 1110 | 4.6 | -- | -- | -- | -- | 12 | 4.6 | 7.9 | 1.9 | 29 |
| MAY | | | | | | | | | | | |
| 02... | 1105 | 3.3 | -- | 1000 | -- | 130 | 15 | 5.0 | 9.0 | 2.0 | 37 |
| JUNE | | | | | | | | | | | |
| 06... | 1155 | 3.6 | -- | 70 | -- | 50 | 15 | 5.7 | 9.4 | 2.1 | 49 |
| JULY | | | | | | | | | | | |
| 11... | 1120 | .2 | -- | 30 | -- | 10 | 18 | 6.2 | 13 | 2.6 | 49 |
| AUG. | | | | | | | | | | | |
| 08... | 1105 | 1.9 | -- | 0 | -- | 0 | 21 | 8.0 | 15 | 3.5 | 47 |
| SEP. | | | | | | | | | | | |
| 05... | 1050 | 3.8 | -- | -- | -- | -- | -- | -- | -- | -- | 55 |

| DATE | CAR- BONATE (CO3) (MG/L) | ALKA- LITY AS CAC03 (MG/L) | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | DIS- SOLVED NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | DIS- SOLVED NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | DIS- SOLVED NITRITE PLUS NITRATE (N) (MG/L) |
|-------|-----------------------------------|--|--|---|--|-----------------------------------|--|-----------------------------------|--|--|---|
| DEC. | | | | | | | | | | | |
| 06... | 0 | 25 | 40 | 19 | .3 | 3.1 | -- | .01 | -- | 3.1 | -- |
| JAN. | | | | | | | | | | | |
| 03... | 0 | 14 | 17 | 7.0 | .1 | .99 | -- | .01 | -- | 1.0 | -- |
| FEB. | | | | | | | | | | | |
| 07... | 0 | 18 | 21 | 10 | .3 | 1.5 | -- | .01 | -- | 1.5 | -- |
| MAR. | | | | | | | | | | | |
| 07... | 0 | 17 | 32 | 15 | .2 | .88 | -- | .03 | -- | .91 | -- |
| APR. | | | | | | | | | | | |
| 04... | 0 | 24 | 26 | 12 | .3 | 1.0 | -- | .09 | -- | 1.1 | -- |
| MAY | | | | | | | | | | | |
| 02... | 0 | 30 | 32 | 13 | .3 | -- | .89 | -- | .07 | -- | .96 |
| JUNE | | | | | | | | | | | |
| 06... | 0 | 40 | 28 | 12 | .0 | -- | 1.0 | -- | .08 | -- | 1.1 |
| JULY | | | | | | | | | | | |
| 11... | 0 | 40 | 38 | 17 | .3 | -- | 1.2 | -- | .09 | -- | 1.3 |
| AUG. | | | | | | | | | | | |
| 08... | -- | 39 | 39 | 19 | .3 | -- | 1.3 | -- | .23 | -- | 1.5 |
| SEP. | | | | | | | | | | | |
| 05... | -- | 45 | 27 | 13 | .1 | -- | 1.2 | -- | .11 | -- | 1.3 |

DELAWARE RIVER BASIN

117

01467200 DELAWARE RIVER AT BENJAMIN FRANKLIN BRIDGE AT PHILADELPHIA, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | DIS- SOLVED ORTHO. PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L) | HARD- NESS (CA,MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | COLOR (PLAT- INUM- COBALT UNITS) | TUR- BID- ITY (JTU) | CARBON DIOXIDE (CO2) (MG/L) |
|---------------|--|--|---|------------------------------------|---|--|---------------|-----------------------------|--|------------------------------|--------------------------------------|
| DEC. 06... | .19 | 157 | 120 | 75 | 49 | 237 | 7.9 | -- | 9 | -- | 1.0 |
| JAN. 03... | .04 | 71 | 53 | 36 | 22 | 109 | 7.1 | -- | 7 | -- | 2.0 |
| FEB. 07... | .11 | 89 | 69 | 43 | 25 | 138 | 7.1 | -- | 9 | -- | 3.0 |
| MAR. 07... | .09 | 104 | 89 | 47 | 30 | 175 | 6.4 | -- | 11 | -- | 13 |
| APR. 04... | .10 | -- | 84 | 49 | 25 | 152 | 6.7 | -- | 40 | 90 | 9.0 |
| MAY 02... | .11 | 137 | 104 | 58 | 28 | 190 | 6.7 | 14.5 | -- | -- | 12 |
| JUNE 06... | .11 | 122 | 105 | 61 | 21 | 191 | 7.0 | 21.0 | -- | -- | 7.8 |
| JULY 11... | .12 | 125 | 126 | 70 | 30 | 232 | 6.7 | 26.0 | -- | -- | 16 |
| AUG. 08... | .75 | 173 | 140 | 85 | 47 | 242 | -- | 27.0 | -- | -- | -- |
| SEP. 05... | .03 | 156 | -- | -- | -- | 225 | -- | 24.5 | -- | -- | -- |

| DATE | TIME | TOTAL FILT- RABLE RESIDUE (MG/L) | TOTAL NON- FILT- RABLE RESIDUE (MG/L) | DIS- SOLVED GROSS ALPHA AS U-NAT. (UG/L) | SUS- PENDE GROSS ALPHA AS U-NAT. (UG/L) | DIS- SOLVED GROSS BETA AS CS-137 (PC/L) | SUS- PENDE GROSS BETA AS CS-137 (PC/L) | DIS- SOLVED GROSS BETA AS SR90 /Y90 (PC/L) | SUS- PENDE GROSS BETA AS SR90 /Y90 (PC/L) | DIS- SOLVED RA-226 (RADON METHOD) (PC/L) | DIS- SOLVED URANIUM (U) (UG/L) |
|---------------|------|--|--|--|---|---|--|---|--|---|--|
| MAR. 07... | 1415 | 110 | 11 | <1.5 | 1.2 | 3.6 | 1.6 | 2.8 | 1.4 | .04 | .01 |

01467200 DELAWARE RIVER AT BENJAMIN FRANKLIN BRIDGE AT PHILADELPHIA, PA.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 326 | 275 | 304 | 289 | 272 | 281 | 232 | 208 | 217 | --- | --- | --- |
| 2 | 322 | 292 | 311 | 279 | 267 | 274 | 232 | 202 | 215 | --- | --- | --- |
| 3 | 317 | 291 | 306 | 280 | 263 | 273 | 232 | 200 | 218 | --- | --- | --- |
| 4 | 315 | 286 | 303 | 278 | 262 | 270 | 238 | 209 | 224 | 199 | 180 | --- |
| 5 | 310 | 287 | 301 | 281 | 262 | 273 | 243 | 227 | 235 | 196 | 180 | 187 |
| 6 | 311 | 284 | 298 | 285 | 197 | 233 | 243 | 202 | 221 | 193 | 182 | 187 |
| 7 | 312 | 285 | 299 | 233 | 183 | 211 | 222 | 178 | 196 | 214 | 188 | 197 |
| 8 | 312 | 285 | 297 | 248 | 202 | 223 | 202 | 168 | 183 | 209 | 199 | 204 |
| 9 | 314 | 288 | 300 | 244 | 192 | 219 | 196 | 161 | 183 | 235 | 200 | 213 |
| 10 | 313 | 274 | 293 | 225 | 183 | 201 | 171 | 157 | 164 | 291 | 220 | 234 |
| 11 | 298 | 275 | 287 | 245 | 195 | 214 | 160 | 122 | 140 | 255 | 237 | 246 |
| 12 | 296 | 269 | 283 | 221 | 198 | 210 | 139 | 108 | 122 | 257 | 247 | 251 |
| 13 | 295 | 269 | 282 | 242 | 208 | 224 | 142 | 124 | 133 | 256 | 245 | 250 |
| 14 | 292 | 270 | 286 | 257 | 211 | 230 | 138 | 103 | 127 | 264 | 237 | 253 |
| 15 | 297 | 262 | 278 | 253 | 214 | 237 | 123 | 103 | 115 | 262 | 239 | 255 |
| 16 | 307 | 282 | 294 | 248 | 202 | 226 | 131 | 100 | 121 | 258 | 255 | 257 |
| 17 | 309 | 279 | 293 | 232 | 193 | 211 | 147 | 120 | 132 | 259 | 239 | 255 |
| 18 | 323 | 280 | 298 | 240 | 195 | 221 | 150 | 134 | 140 | 259 | 249 | 256 |
| 19 | 313 | 279 | 297 | 236 | 213 | 224 | 142 | 124 | 134 | 263 | 250 | 257 |
| 20 | 314 | 290 | 304 | 252 | 221 | 236 | 151 | 127 | 139 | 260 | 244 | 253 |
| 21 | 320 | 288 | 306 | 253 | 232 | 242 | 165 | 127 | 150 | 265 | 244 | 255 |
| 22 | 322 | 298 | 310 | 248 | 212 | 232 | 130 | 113 | 119 | 264 | 248 | 256 |
| 23 | 324 | 298 | 313 | 250 | 214 | 236 | --- | --- | --- | 257 | 243 | 251 |
| 24 | 329 | 304 | 317 | 261 | 219 | 241 | --- | --- | --- | 254 | 244 | 249 |
| 25 | 331 | 308 | 321 | 257 | 222 | 247 | --- | --- | --- | 258 | 250 | 254 |
| 26 | 344 | 314 | 329 | 267 | 222 | 247 | --- | --- | --- | 258 | 239 | 252 |
| 27 | 339 | 311 | 326 | 261 | 235 | 250 | --- | --- | --- | 249 | 231 | 243 |
| 28 | 342 | 306 | 325 | 264 | 235 | 252 | --- | --- | --- | 244 | 224 | --- |
| 29 | 343 | 297 | 326 | 239 | 200 | 224 | --- | --- | --- | --- | --- | --- |
| 30 | 318 | 279 | 304 | 243 | 210 | 225 | --- | --- | --- | --- | --- | --- |
| 31 | 296 | 274 | 287 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 344 | 262 | 303 | 289 | 183 | 236 | --- | --- | --- | 291 | 180 | --- |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 185 | 168 | 178 | 177 | 159 | 170 | 198 | 187 | 191 |
| 2 | --- | --- | --- | 189 | 170 | 178 | 184 | 173 | 178 | 200 | 193 | 197 |
| 3 | --- | --- | --- | 189 | 176 | 183 | 185 | 176 | 181 | 202 | 195 | 199 |
| 4 | --- | --- | --- | 186 | 180 | --- | 191 | 181 | 186 | 210 | 193 | 199 |
| 5 | --- | --- | --- | 191 | 184 | --- | 187 | 177 | 183 | 210 | 199 | 204 |
| 6 | --- | --- | --- | 196 | 186 | 190 | 178 | 160 | --- | 223 | 205 | 214 |
| 7 | --- | --- | --- | 199 | 191 | 194 | --- | --- | --- | 235 | 221 | 226 |
| 8 | --- | --- | --- | 197 | 185 | 193 | --- | --- | --- | 236 | 221 | 229 |
| 9 | --- | --- | --- | 196 | 186 | 192 | 150 | 141 | --- | 226 | 217 | 223 |
| 10 | --- | --- | --- | 193 | 178 | 188 | 158 | 144 | 149 | 219 | 207 | 216 |
| 11 | --- | --- | --- | 184 | 171 | 178 | 161 | 151 | 156 | 223 | 220 | --- |
| 12 | --- | --- | --- | 180 | 168 | 175 | 161 | 153 | 156 | --- | --- | --- |
| 13 | --- | --- | --- | 175 | 165 | 169 | 157 | 154 | --- | --- | --- | --- |
| 14 | --- | --- | --- | 172 | 166 | 169 | --- | --- | --- | 206 | 201 | --- |
| 15 | 223 | 215 | --- | 182 | 169 | 176 | --- | --- | --- | 212 | 181 | 196 |
| 16 | 224 | 214 | 220 | 183 | 174 | 179 | --- | --- | --- | 191 | 161 | 179 |
| 17 | 227 | 220 | 224 | 180 | 168 | 174 | 158 | 148 | --- | 181 | 129 | 161 |
| 18 | 233 | 219 | 226 | 178 | 167 | 173 | 157 | 146 | 152 | 166 | 109 | 145 |
| 19 | 233 | 221 | 229 | 184 | 176 | 179 | 156 | 143 | 150 | 149 | 122 | --- |
| 20 | 239 | 226 | 235 | 191 | 180 | 185 | 152 | 140 | 145 | 143 | 137 | --- |
| 21 | 237 | 224 | 232 | 193 | 174 | 187 | 151 | 141 | 145 | 153 | 143 | 148 |
| 22 | 235 | 220 | 230 | 180 | 165 | 174 | 154 | 146 | 149 | 171 | 151 | 156 |
| 23 | 233 | 219 | 226 | 173 | 161 | 168 | 159 | 151 | --- | 171 | 159 | 163 |
| 24 | 222 | 214 | 219 | 173 | 159 | 165 | 166 | 157 | --- | 171 | 161 | 167 |
| 25 | 246 | 218 | 227 | 172 | 165 | 168 | 168 | 159 | 163 | 176 | 167 | 172 |
| 26 | 240 | 223 | 230 | 175 | 165 | 170 | 175 | 165 | 169 | 185 | 173 | 180 |
| 27 | 223 | 189 | 209 | 170 | 163 | 167 | 175 | 167 | 171 | 204 | 179 | 193 |
| 28 | 205 | 171 | 187 | 173 | 161 | 166 | 183 | 171 | 176 | 211 | 199 | 205 |
| 29 | --- | --- | --- | 180 | 165 | 170 | 183 | 175 | 179 | 222 | 211 | 218 |
| 30 | --- | --- | --- | 181 | 168 | 174 | 193 | 183 | 187 | 235 | 204 | 220 |
| 31 | --- | --- | --- | 179 | 162 | 170 | --- | --- | --- | 214 | 191 | 201 |
| MONTH | --- | --- | --- | 199 | 159 | 177 | 193 | 140 | --- | 236 | 109 | 192 |

01467200 DELAWARE RIVER AT BENJAMIN FRANKLIN BRIDGE AT PHILADELPHIA, PA.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 229 | 193 | 204 | 243 | 229 | 237 | 313 | 307 | --- | 264 | 245 | 255 |
| 2 | --- | --- | --- | 230 | 211 | 219 | 305 | 284 | --- | 284 | 264 | 275 |
| 3 | --- | --- | --- | 212 | 211 | --- | 322 | 276 | 293 | 263 | 246 | 254 |
| 4 | 225 | 215 | --- | --- | --- | --- | 301 | 275 | 290 | 279 | 235 | 253 |
| 5 | 229 | 217 | 224 | --- | --- | --- | 297 | 263 | 278 | 279 | 251 | 271 |
| 6 | 235 | 225 | 230 | --- | --- | --- | 289 | 264 | 277 | 269 | 223 | 252 |
| 7 | 247 | 231 | 237 | --- | --- | --- | 284 | 259 | 272 | 251 | 202 | 233 |
| 8 | 243 | 235 | 240 | --- | --- | --- | 282 | 236 | 269 | 232 | 198 | 217 |
| 9 | 245 | 237 | --- | --- | --- | --- | 283 | 236 | 272 | 224 | 196 | 210 |
| 10 | --- | --- | --- | --- | --- | --- | 287 | 255 | 273 | 220 | 191 | 207 |
| 11 | --- | --- | --- | --- | --- | --- | 260 | 216 | 242 | 217 | 190 | 204 |
| 12 | 251 | 235 | --- | 283 | 263 | --- | 324 | 270 | --- | 235 | 197 | 215 |
| 13 | 251 | 237 | 245 | 283 | 273 | --- | 350 | 292 | 316 | 226 | 213 | --- |
| 14 | 253 | 237 | 245 | --- | --- | --- | 359 | 311 | 337 | 232 | 216 | 224 |
| 15 | 257 | 241 | 249 | --- | --- | --- | 363 | 312 | 339 | 233 | 220 | 227 |
| 16 | 289 | 247 | 272 | 274 | 259 | --- | 365 | 321 | 344 | 239 | 223 | 231 |
| 17 | 277 | 237 | --- | 276 | 256 | 268 | 370 | 326 | 349 | 239 | 217 | 231 |
| 18 | 263 | 235 | 248 | 276 | 256 | 268 | 353 | 311 | 334 | 236 | 221 | 230 |
| 19 | 269 | 236 | 246 | 281 | 260 | 273 | 342 | 305 | 325 | 242 | 227 | 236 |
| 20 | 267 | 243 | 253 | 283 | 265 | 276 | 298 | 267 | --- | 255 | 233 | 241 |
| 21 | 291 | 245 | 262 | 287 | 269 | --- | 302 | 269 | 289 | 258 | 242 | 250 |
| 22 | 318 | 293 | 309 | --- | --- | --- | 302 | 275 | 289 | 254 | 241 | 249 |
| 23 | 310 | 251 | 283 | 287 | 273 | --- | 293 | 264 | 280 | 260 | 245 | --- |
| 24 | 269 | 259 | 266 | 288 | 265 | 279 | 291 | 268 | 276 | 240 | 224 | --- |
| 25 | 273 | 257 | 266 | 284 | 266 | 276 | 289 | 253 | 267 | 245 | 227 | 237 |
| 26 | 263 | 251 | 259 | 286 | 269 | 278 | 289 | 253 | 266 | 244 | 231 | 238 |
| 27 | 277 | 257 | 271 | 285 | 268 | 278 | 298 | 274 | 286 | 247 | 234 | 241 |
| 28 | 273 | 257 | 267 | 277 | 253 | 264 | 303 | 283 | 294 | 255 | 236 | 246 |
| 29 | 255 | 245 | 251 | 279 | 249 | 261 | 309 | 202 | 295 | 252 | 233 | 243 |
| 30 | 253 | 244 | 248 | 305 | 279 | 291 | 328 | 293 | 307 | 246 | 228 | 239 |
| 31 | --- | --- | --- | 311 | 289 | 301 | 312 | 248 | 276 | --- | --- | --- |
| MONTH | 318 | 193 | --- | --- | --- | --- | 370 | 202 | 294 | 284 | 190 | 237 |

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|------|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 1.8 | 0.6 | 1.0 | 5.1 | 2.5 | 3.9 | 8.3 | 5.2 | 6.9 | --- | --- | --- |
| 2 | 2.3 | 0.5 | 0.9 | 5.4 | 3.6 | 4.6 | 8.1 | 5.3 | 6.8 | --- | --- | --- |
| 3 | 1.7 | 0.5 | 0.8 | 5.1 | 3.4 | 4.3 | 7.8 | 4.0 | 6.5 | --- | --- | --- |
| 4 | 1.9 | 0.4 | 0.8 | 4.8 | 3.1 | 3.8 | 7.5 | 5.1 | 6.5 | 12.1 | 11.2 | --- |
| 5 | 1.3 | 0.4 | 0.6 | 4.4 | 2.7 | 3.4 | 7.4 | 4.4 | 5.9 | 11.8 | 11.0 | 11.4 |
| 6 | 1.1 | 0.4 | 0.5 | 6.0 | 2.6 | 4.2 | 7.8 | 4.8 | 6.1 | 11.8 | 10.9 | 11.4 |
| 7 | 1.0 | 0.4 | 0.5 | 6.4 | 4.1 | 4.9 | 8.6 | 5.8 | 7.4 | 12.1 | 11.1 | 11.5 |
| 8 | 0.8 | 0.4 | 0.5 | 5.5 | 3.5 | 4.3 | 9.3 | 6.7 | 8.0 | 12.2 | 11.2 | 11.6 |
| 9 | 0.4 | 0.3 | 0.4 | 5.1 | 3.1 | 3.9 | 9.6 | 7.5 | 8.5 | 12.5 | 11.2 | 11.7 |
| 10 | 0.8 | 0.3 | 0.5 | 5.6 | 3.3 | 4.2 | 9.6 | 8.6 | 9.2 | 12.5 | 11.2 | 11.8 |
| 11 | 0.7 | 0.5 | 0.6 | 5.4 | 3.4 | 4.1 | 10.6 | 9.0 | 9.8 | 12.3 | 10.9 | 11.5 |
| 12 | 0.8 | 0.4 | 0.5 | 5.1 | 3.2 | 3.9 | 10.7 | 8.0 | 10.2 | 12.2 | 11.1 | 11.6 |
| 13 | 0.7 | 0.4 | 0.5 | 5.0 | 2.8 | 3.6 | 10.8 | 9.8 | 10.3 | 12.6 | 11.4 | 12.0 |
| 14 | 1.1 | 0.4 | 0.7 | 5.1 | 2.6 | 3.4 | 10.9 | 9.9 | 10.3 | 12.8 | 11.5 | 12.0 |
| 15 | 1.4 | 0.6 | 0.9 | 4.7 | 2.2 | 3.0 | 11.2 | 10.4 | 10.7 | 12.8 | 11.7 | 12.2 |
| 16 | 1.3 | 0.7 | 0.9 | 4.3 | 2.1 | 3.1 | 11.2 | 10.3 | 10.8 | 12.7 | 11.5 | 12.1 |
| 17 | 1.5 | 0.7 | 1.0 | 6.3 | 3.2 | 4.3 | 11.5 | 10.6 | 11.2 | 12.3 | 11.2 | 11.8 |
| 18 | 1.5 | 0.6 | 0.9 | 5.7 | 2.9 | 4.0 | 11.9 | 11.1 | 11.4 | 12.5 | 11.1 | 11.8 |
| 19 | 1.7 | 0.6 | 0.8 | 5.3 | 2.9 | 4.0 | 12.1 | 11.1 | 11.6 | 12.7 | 11.0 | 11.8 |
| 20 | 1.0 | 0.5 | 0.6 | 5.0 | 2.6 | 3.7 | 12.2 | 10.9 | 11.5 | 12.3 | 10.8 | 11.6 |
| 21 | 1.4 | 0.6 | 0.8 | 4.7 | 2.4 | 3.4 | 13.3 | 10.7 | 11.8 | 12.1 | 10.6 | 11.2 |
| 22 | 1.3 | 0.5 | 0.7 | 4.4 | 2.1 | 3.2 | 13.7 | 13.1 | 13.5 | 11.6 | 10.7 | 11.1 |
| 23 | 1.0 | 0.5 | 0.6 | 4.7 | 1.9 | 3.1 | --- | --- | --- | 11.7 | 10.7 | 11.2 |
| 24 | 1.5 | 0.5 | 0.6 | 4.4 | 1.7 | 2.9 | --- | --- | --- | 11.8 | 10.8 | 11.3 |
| 25 | 0.7 | 0.5 | 0.6 | 4.4 | 1.7 | 2.8 | --- | --- | --- | 11.6 | 10.6 | 11.1 |
| 26 | 0.7 | 0.5 | 0.6 | 4.7 | 1.9 | 3.2 | --- | --- | --- | 11.2 | 10.4 | 10.9 |
| 27 | 0.8 | 0.5 | 0.6 | 4.3 | 1.7 | 2.9 | --- | --- | --- | 11.2 | 10.1 | 10.6 |
| 28 | 1.2 | 0.5 | 0.8 | 5.4 | 1.8 | 3.1 | --- | --- | --- | 11.0 | 10.0 | --- |
| 29 | 2.7 | 0.8 | 1.4 | 6.6 | 3.2 | 4.6 | --- | --- | --- | --- | --- | --- |
| 30 | 3.1 | 1.3 | 1.9 | 7.8 | 4.4 | 5.9 | --- | --- | --- | --- | --- | --- |
| 31 | 4.5 | 1.8 | 3.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 4.5 | 0.3 | 0.8 | 7.8 | 1.7 | 3.8 | --- | --- | --- | 12.8 | 10.0 | --- |

DELAWARE RIVER BASIN

01467200 DELAWARE RIVER AT BENJAMIN FRANKLIN BRIDGE AT PHILADELPHIA, PA.--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|------|------|-------|------|------|--------|------|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 11.9 | 10.3 | 11.1 | 11.1 | 10.3 | 10.7 | 5.1 | 3.2 | 3.9 |
| 2 | --- | --- | --- | 11.8 | 10.0 | 10.9 | 11.1 | 10.0 | 10.4 | 4.9 | 2.7 | 3.6 |
| 3 | --- | --- | --- | 11.2 | 9.7 | 10.5 | 10.7 | 9.7 | 10.2 | 4.3 | 2.1 | 3.2 |
| 4 | --- | --- | --- | 11.0 | 9.9 | --- | 10.5 | 9.6 | 9.9 | 4.7 | 2.1 | 3.5 |
| 5 | --- | --- | --- | 11.2 | 10.2 | --- | 10.6 | 9.4 | 9.8 | 4.5 | 2.4 | 3.2 |
| 6 | --- | --- | --- | 10.8 | 9.7 | 10.3 | 9.9 | 9.1 | --- | 3.7 | 1.8 | 2.8 |
| 7 | --- | --- | --- | 10.4 | 9.2 | 9.7 | --- | --- | --- | 3.3 | 1.8 | 2.6 |
| 8 | --- | --- | --- | 10.4 | 8.9 | 9.6 | --- | --- | --- | 3.7 | 1.4 | 2.4 |
| 9 | --- | --- | --- | 10.2 | 8.7 | 9.4 | 10.4 | 9.4 | --- | 3.6 | 1.4 | 2.3 |
| 10 | --- | --- | --- | 10.1 | 8.6 | 9.4 | 10.5 | 8.4 | 9.3 | 3.7 | 1.3 | 2.4 |
| 11 | --- | --- | --- | 10.3 | 9.2 | 9.7 | 10.2 | 7.9 | 9.0 | 3.9 | 1.8 | --- |
| 12 | --- | --- | --- | 10.0 | 8.9 | 9.5 | 9.8 | 7.6 | 8.4 | --- | --- | --- |
| 13 | --- | --- | --- | 10.6 | 9.4 | 10.1 | 9.2 | 9.1 | --- | --- | --- | --- |
| 14 | --- | --- | --- | 11.0 | 10.0 | 10.5 | --- | --- | --- | 6.2 | 5.4 | --- |
| 15 | 11.9 | 10.6 | --- | 10.5 | 9.4 | 10.0 | --- | --- | --- | 5.7 | 4.6 | 5.2 |
| 16 | 12.1 | 10.5 | 11.3 | 10.4 | 8.9 | 9.6 | --- | --- | --- | 4.9 | 3.8 | 4.4 |
| 17 | 11.9 | 10.7 | 11.4 | 11.1 | 8.8 | 10.2 | --- | --- | --- | 4.8 | 3.7 | --- |
| 18 | 11.9 | 10.5 | 11.2 | 11.6 | 10.5 | 11.1 | --- | --- | --- | --- | --- | --- |
| 19 | 11.9 | 10.3 | 11.0 | 10.9 | 9.9 | 10.4 | --- | --- | --- | --- | --- | --- |
| 20 | 11.4 | 10.1 | 10.7 | 10.6 | 9.6 | 10.1 | --- | --- | --- | 6.1 | 4.7 | --- |
| 21 | 11.3 | 9.9 | 10.6 | 10.3 | 8.8 | 9.7 | --- | --- | --- | 5.7 | 4.0 | 4.7 |
| 22 | 11.2 | 9.7 | 10.3 | 10.8 | 10.0 | 10.4 | --- | --- | --- | 4.6 | 2.7 | 3.4 |
| 23 | 10.9 | 9.8 | 10.5 | 10.6 | 9.9 | 10.3 | --- | --- | --- | 3.9 | 1.8 | 2.7 |
| 24 | 11.5 | 10.4 | 11.0 | 10.6 | 9.7 | 10.1 | 6.9 | 6.1 | --- | 3.2 | 1.4 | 2.2 |
| 25 | 11.5 | 10.7 | 11.0 | 10.8 | 9.8 | 10.2 | --- | --- | --- | 2.4 | 0.6 | 1.6 |
| 26 | 11.1 | 10.3 | 10.8 | 11.1 | 9.6 | 10.3 | --- | --- | --- | 2.9 | 0.5 | 1.3 |
| 27 | 11.5 | 10.1 | 10.7 | 11.0 | 9.9 | 10.5 | --- | --- | --- | 3.4 | 0.5 | 1.5 |
| 28 | 11.6 | 10.1 | 10.9 | 10.9 | 9.9 | 10.4 | --- | --- | --- | 3.2 | 1.2 | 2.2 |
| 29 | --- | --- | --- | 11.0 | 9.5 | 10.1 | 5.5 | 5.0 | --- | 3.3 | 0.6 | 1.6 |
| 30 | --- | --- | --- | 10.9 | 9.0 | 9.8 | 5.1 | 3.6 | 4.4 | 2.4 | 0.1 | 1.0 |
| 31 | --- | --- | --- | 11.0 | 9.5 | 10.3 | --- | --- | --- | 0.8 | 0.0 | 0.3 |
| MONTH | --- | --- | --- | 11.9 | 8.6 | 10.1 | --- | --- | --- | 6.2 | 0.0 | --- |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 0.8 | 0.0 | 0.3 | 3.0 | 1.5 | 2.3 | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | 2.8 | 1.4 | 2.1 | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | 2.0 | 0.7 | 1.5 | --- | --- | --- | --- | --- | --- |
| 4 | 2.6 | 0.8 | --- | 1.4 | 0.6 | 1.1 | --- | --- | --- | 0.7 | 0.5 | --- |
| 5 | 3.4 | 0.9 | 2.2 | 1.2 | 1.0 | --- | --- | --- | --- | 1.2 | 0.8 | 1.1 |
| 6 | 2.5 | 0.5 | 1.4 | --- | --- | --- | --- | --- | --- | 1.1 | 0.9 | 1.0 |
| 7 | 2.6 | 0.9 | 1.3 | --- | --- | --- | --- | --- | --- | 1.1 | 0.9 | 1.0 |
| 8 | 2.5 | 0.4 | 1.5 | --- | --- | --- | --- | --- | --- | 1.2 | 1.0 | 1.1 |
| 9 | 2.5 | 0.4 | --- | --- | --- | --- | --- | --- | --- | 1.3 | 1.1 | 1.2 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1.3 | 0.8 | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | 2.4 | 0.5 | --- | 1.4 | 1.0 | --- | --- | --- | --- | 3.3 | 1.5 | --- |
| 13 | 1.8 | 0.1 | 0.7 | 1.5 | 1.2 | --- | --- | --- | --- | 5.7 | 2.7 | 4.1 |
| 14 | 1.3 | 0.0 | 0.4 | --- | --- | --- | --- | --- | --- | 5.3 | 2.2 | 3.5 |
| 15 | 1.0 | 0.0 | --- | --- | --- | --- | --- | --- | --- | 5.1 | 2.3 | 3.3 |
| 16 | --- | --- | --- | 1.6 | 0.5 | --- | --- | --- | --- | 5.1 | 1.7 | 3.1 |
| 17 | 1.0 | 0.3 | --- | 1.5 | 0.1 | 0.7 | --- | --- | --- | 3.9 | 0.4 | 1.5 |
| 18 | 1.6 | 0.2 | 0.5 | 0.8 | 0.1 | 0.5 | --- | --- | --- | 0.9 | 0.1 | 0.5 |
| 19 | 2.7 | 0.3 | --- | 0.7 | 0.1 | 0.4 | --- | --- | --- | 0.6 | 0.0 | 0.2 |
| 20 | --- | --- | --- | 0.5 | 0.0 | --- | --- | --- | --- | 0.5 | 0.0 | 0.1 |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0.6 | 0.1 | 0.3 |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0.8 | 0.2 | 0.4 |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1.0 | 0.5 | --- |
| 24 | 0.8 | 0.3 | --- | --- | --- | --- | --- | --- | --- | 2.5 | 1.0 | --- |
| 25 | 0.5 | 0.3 | 0.4 | --- | --- | --- | --- | --- | --- | 2.4 | 0.6 | 1.1 |
| 26 | 0.7 | 0.2 | 0.4 | --- | --- | --- | --- | --- | --- | 2.0 | 0.4 | 1.1 |
| 27 | 1.1 | 0.3 | 0.6 | --- | --- | --- | --- | --- | --- | 1.7 | 0.3 | 0.9 |
| 28 | 3.1 | 0.7 | 1.8 | --- | --- | --- | --- | --- | --- | 1.6 | 0.3 | 0.7 |
| 29 | 3.3 | 1.4 | 2.4 | --- | --- | --- | --- | --- | --- | 2.7 | 0.3 | 1.0 |
| 30 | 3.1 | 2.0 | 2.5 | --- | --- | --- | --- | --- | --- | 4.3 | 1.2 | 2.8 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | 5.7 | 0.0 | --- |

01467200 DELAWARE RIVER AT BENJAMIN FRANKLIN BRIDGE AT PHILADELPHIA, PA.--Continued

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6.4 | 6.2 | 6.3 | 6.9 | 6.8 | 6.9 | 6.8 | 6.7 | 6.8 | --- | --- | --- |
| 2 | 7.0 | 6.4 | 6.7 | 6.9 | 6.9 | 6.9 | 6.8 | 6.7 | 6.8 | --- | --- | --- |
| 3 | 7.2 | 6.6 | 6.9 | 6.9 | 6.9 | 6.9 | 6.8 | 6.7 | 6.8 | --- | --- | --- |
| 4 | 6.9 | 6.5 | 6.7 | 6.9 | 6.8 | 6.9 | 6.8 | 6.7 | 6.8 | 7.3 | 7.0 | --- |
| 5 | 6.6 | 6.2 | 6.4 | 6.9 | 6.8 | 6.9 | 7.0 | 6.7 | 6.8 | 7.2 | 6.9 | 7.1 |
| 6 | 6.5 | 6.2 | 6.3 | 6.9 | 6.8 | 6.9 | 6.8 | 6.7 | 6.8 | 7.1 | 6.8 | 6.9 |
| 7 | 6.8 | 6.5 | 6.7 | 6.9 | 6.9 | 6.9 | 6.8 | 6.8 | 6.8 | 7.3 | 6.8 | 7.1 |
| 8 | 6.9 | 6.6 | 6.8 | 6.9 | 6.8 | 6.9 | 6.8 | 6.8 | 6.8 | 7.4 | 7.2 | 7.3 |
| 9 | 6.7 | 6.4 | 6.5 | 6.9 | 6.8 | 6.9 | 6.8 | 6.8 | 6.8 | 7.4 | 7.1 | 7.3 |
| 10 | 6.5 | 6.4 | --- | 6.9 | 6.9 | 6.9 | 6.8 | 6.8 | 6.8 | 7.4 | 7.2 | 7.3 |
| 11 | --- | --- | --- | 6.9 | 6.8 | 6.9 | 6.8 | 6.8 | 6.8 | 7.4 | 7.2 | 7.3 |
| 12 | --- | --- | --- | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | 6.8 | 7.6 | 7.4 | 7.5 |
| 13 | --- | --- | --- | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | 6.8 | 7.6 | 7.4 | 7.6 |
| 14 | --- | --- | --- | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | 6.9 | 7.7 | 7.4 | 7.5 |
| 15 | --- | --- | --- | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | 6.9 | 7.6 | 7.5 | 7.5 |
| 16 | --- | --- | --- | 6.9 | 6.8 | 6.9 | 6.9 | 6.9 | 6.9 | 7.5 | 7.4 | 7.5 |
| 17 | --- | --- | --- | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | 6.9 | 7.5 | 7.3 | 7.4 |
| 18 | 6.8 | 6.7 | --- | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | 6.9 | 7.6 | 7.4 | 7.5 |
| 19 | 6.8 | 6.8 | 6.8 | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | 6.9 | 7.5 | 7.4 | 7.4 |
| 20 | 6.8 | 6.8 | 6.8 | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | 6.8 | 7.5 | 7.0 | 7.2 |
| 21 | 6.9 | 6.8 | 6.8 | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | 6.8 | 7.1 | 6.9 | 7.0 |
| 22 | 6.8 | 6.8 | 6.8 | 6.9 | 6.9 | 6.9 | 6.9 | 6.9 | 6.9 | 7.1 | 7.0 | 7.1 |
| 23 | 6.8 | 6.8 | 6.8 | 6.9 | 6.8 | 6.9 | --- | --- | --- | 7.2 | 7.0 | 7.1 |
| 24 | 6.8 | 6.8 | 6.8 | 6.9 | 6.8 | 6.9 | --- | --- | --- | 7.2 | 7.1 | 7.1 |
| 25 | 6.8 | 6.8 | 6.8 | 7.1 | 6.9 | 7.0 | --- | --- | --- | 7.2 | 7.1 | 7.1 |
| 26 | 6.8 | 6.7 | 6.8 | 6.9 | 6.6 | 6.8 | --- | --- | --- | 7.1 | 7.1 | 7.1 |
| 27 | 6.8 | 6.8 | 6.8 | 6.8 | 6.7 | 6.8 | --- | --- | --- | 7.1 | 7.0 | 7.1 |
| 28 | 6.8 | 6.8 | 6.8 | 7.0 | 6.6 | 6.8 | --- | --- | --- | 7.1 | 7.0 | --- |
| 29 | 7.0 | 6.8 | 6.9 | 6.8 | 6.7 | 6.8 | --- | --- | --- | --- | --- | --- |
| 30 | 6.9 | 6.8 | 6.9 | 6.8 | 6.7 | 6.8 | --- | --- | --- | --- | --- | --- |
| 31 | 6.9 | 6.8 | 6.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | 7.1 | 6.6 | 6.9 | --- | --- | --- | 7.7 | 6.8 | --- |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 7.0 | 6.9 | 7.0 | 7.1 | 7.0 | 7.0 | --- | --- | --- |
| 2 | --- | --- | --- | 7.0 | 6.8 | 7.0 | 7.1 | 6.9 | 7.0 | 7.2 | 7.0 | --- |
| 3 | --- | --- | --- | 7.1 | 6.9 | 7.0 | 7.1 | 6.9 | 7.0 | 7.1 | 6.7 | 6.8 |
| 4 | --- | --- | --- | 7.1 | 6.9 | --- | 7.1 | 7.1 | --- | 6.9 | 6.7 | 6.8 |
| 5 | --- | --- | --- | 7.0 | 6.7 | --- | --- | --- | --- | 6.9 | 6.6 | 6.8 |
| 6 | --- | --- | --- | 6.8 | 6.6 | 6.7 | --- | --- | --- | 6.9 | 6.8 | 6.9 |
| 7 | --- | --- | --- | 7.1 | 6.6 | 6.8 | --- | --- | --- | 7.0 | 6.8 | 6.9 |
| 8 | --- | --- | --- | 7.0 | 6.7 | 6.8 | --- | --- | --- | 7.1 | 6.9 | --- |
| 9 | --- | --- | --- | 6.8 | 6.6 | 6.7 | 6.9 | 6.6 | --- | --- | --- | --- |
| 10 | --- | --- | --- | 6.9 | 6.6 | 6.8 | 7.0 | 6.8 | 6.9 | --- | --- | --- |
| 11 | --- | --- | --- | 6.9 | 6.7 | 6.8 | 6.9 | 6.8 | 6.9 | --- | --- | --- |
| 12 | --- | --- | --- | 6.8 | 6.7 | 6.8 | 7.0 | 6.8 | --- | --- | --- | --- |
| 13 | --- | --- | --- | 7.0 | 6.8 | 6.9 | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | 7.0 | 6.9 | 6.9 | --- | --- | --- | 6.9 | 6.8 | --- |
| 15 | 7.4 | 7.0 | --- | 6.9 | 6.8 | 6.9 | --- | --- | --- | 7.1 | 6.9 | 7.0 |
| 16 | 7.2 | 6.8 | 7.0 | 6.9 | 6.8 | 6.8 | --- | --- | --- | 7.1 | 6.7 | 6.9 |
| 17 | 7.4 | 6.8 | 7.1 | 6.9 | 6.8 | 6.9 | 6.8 | 6.7 | --- | 7.0 | 6.7 | --- |
| 18 | 7.4 | 7.2 | 7.3 | 7.0 | 6.8 | 6.9 | 6.8 | 6.7 | 6.7 | --- | --- | --- |
| 19 | 7.3 | 7.1 | 7.2 | 6.8 | 6.7 | 6.8 | 6.7 | 6.6 | 6.6 | --- | --- | --- |
| 20 | 7.3 | 7.1 | 7.2 | 6.8 | 6.7 | 6.7 | 6.7 | 6.6 | 6.6 | 6.4 | 6.2 | --- |
| 21 | 7.3 | 7.2 | 7.2 | 6.8 | 6.6 | 6.7 | 6.7 | 6.5 | 6.6 | 6.7 | 6.3 | 6.5 |
| 22 | 7.2 | 6.8 | 7.0 | 6.8 | 6.7 | 6.8 | 6.7 | 6.5 | 6.6 | --- | --- | --- |
| 23 | 7.1 | 6.9 | 7.0 | 6.8 | 6.6 | 6.7 | 6.9 | 6.6 | --- | --- | --- | --- |
| 24 | 7.2 | 7.0 | 7.1 | 6.7 | 6.6 | 6.6 | --- | --- | --- | 6.5 | 6.2 | 6.3 |
| 25 | 7.2 | 7.1 | 7.1 | 6.8 | 6.6 | 6.7 | --- | --- | --- | 6.5 | 6.2 | 6.4 |
| 26 | 7.2 | 7.1 | 7.2 | 6.9 | 6.6 | 6.8 | --- | --- | --- | 6.5 | 6.3 | 6.4 |
| 27 | 7.1 | 7.1 | 7.1 | 7.0 | 6.8 | 6.9 | --- | --- | --- | 6.6 | 6.3 | 6.4 |
| 28 | 7.1 | 7.0 | 7.0 | 7.0 | 6.8 | 6.9 | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | 7.0 | 6.8 | 6.9 | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | 7.0 | 6.8 | 6.9 | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | 7.1 | 6.8 | 7.0 | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | 7.1 | 6.6 | 6.8 | --- | --- | --- | --- | --- | --- |

01467200 DELAWARE RIVER AT BENJAMIN FRANKLIN BRIDGE AT PHILADELPHIA, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|------|------|-------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.5 | 18.0 | 18.0 |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.5 | 17.0 | 18.0 |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.0 | 18.5 | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.0 | 18.5 | 19.0 |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.5 | 19.5 | 20.0 |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.0 | 20.0 | 20.5 |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.0 | 20.5 | 21.0 |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.0 | 20.5 | 20.5 |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.5 | 20.0 | 20.0 |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.5 | 20.0 | 20.0 |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.5 | 20.0 | 20.5 |
| 30 | --- | --- | --- | --- | --- | --- | 14.5 | 14.5 | --- | 20.5 | 20.0 | 20.5 |
| 31 | --- | --- | --- | --- | --- | --- | 14.5 | 14.0 | --- | 20.5 | 20.5 | 20.5 |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.5 | 20.0 | 20.0 |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 20.5 | 20.0 | 20.5 | 23.5 | 23.0 | 23.5 | 26.5 | 26.0 | --- | 27.0 | 26.5 | 26.5 |
| 2 | --- | --- | --- | 24.0 | 23.0 | 23.5 | 26.5 | 26.0 | --- | 26.5 | 26.0 | 26.5 |
| 3 | --- | --- | --- | 24.5 | 24.0 | 24.5 | 26.0 | 26.0 | 26.0 | 26.5 | 26.0 | 26.0 |
| 4 | 20.5 | 20.0 | --- | 25.0 | 24.5 | 24.5 | 26.0 | 25.5 | 26.0 | 26.0 | 25.5 | 26.0 |
| 5 | 21.0 | 20.5 | 21.0 | 25.0 | 25.0 | --- | 26.0 | 25.5 | 25.5 | 25.5 | 24.5 | 25.5 |
| 6 | 21.5 | 21.0 | 21.0 | --- | --- | --- | 26.0 | 25.5 | 25.5 | 25.0 | 23.0 | 24.0 |
| 7 | 21.5 | 21.0 | 21.0 | --- | --- | --- | 25.5 | 25.0 | 25.5 | 23.5 | 21.0 | 22.5 |
| 8 | 21.5 | 21.0 | 21.0 | --- | --- | --- | 25.5 | 24.5 | 25.0 | 22.0 | 20.0 | 21.0 |
| 9 | 21.5 | 21.0 | --- | --- | --- | --- | 25.5 | 24.5 | 25.0 | 21.5 | 20.0 | 20.5 |
| 10 | --- | --- | --- | --- | --- | --- | 25.0 | 24.5 | 25.0 | 21.0 | 19.5 | 20.0 |
| 11 | --- | --- | --- | --- | --- | --- | 25.0 | 24.5 | 24.5 | 20.5 | 19.0 | 19.5 |
| 12 | 22.0 | 22.0 | --- | 26.0 | 26.0 | --- | 25.0 | 24.5 | --- | 20.5 | 19.0 | 20.0 |
| 13 | 23.0 | 22.0 | 22.0 | 26.0 | 26.0 | --- | 25.0 | 24.5 | 25.0 | 21.0 | 20.5 | --- |
| 14 | 23.0 | 22.0 | 22.5 | --- | --- | --- | 25.5 | 24.5 | 25.0 | 21.0 | 20.5 | 20.5 |
| 15 | 23.5 | 23.0 | 23.0 | --- | --- | --- | 25.0 | 25.0 | 25.0 | 20.5 | 20.5 | 20.5 |
| 16 | 23.5 | 23.5 | 23.5 | 26.5 | 26.0 | --- | 25.5 | 25.0 | 25.0 | 21.0 | 20.5 | 20.5 |
| 17 | 24.0 | 23.5 | --- | 26.5 | 26.0 | 26.5 | 25.5 | 25.5 | 25.5 | 21.5 | 20.5 | 21.0 |
| 18 | 24.0 | 23.5 | 23.5 | 26.5 | 26.0 | 26.0 | 25.5 | 25.5 | 25.5 | 21.5 | 21.0 | 21.5 |
| 19 | 24.5 | 24.0 | 24.0 | 26.0 | 25.5 | 26.0 | 25.5 | 25.5 | 25.5 | 22.0 | 21.5 | 21.5 |
| 20 | 24.5 | 24.0 | 24.5 | 26.0 | 25.5 | 26.0 | 26.0 | 25.5 | --- | 22.0 | 21.5 | 22.0 |
| 21 | 25.0 | 24.5 | 24.5 | 26.0 | 25.5 | --- | 26.5 | 25.5 | 25.5 | 23.0 | 22.0 | 22.0 |
| 22 | 25.0 | 24.5 | 25.0 | --- | --- | --- | 26.0 | 25.5 | 25.5 | 22.0 | 21.5 | 21.5 |
| 23 | 24.5 | 24.0 | 24.5 | 25.5 | 25.5 | --- | 26.0 | 25.5 | 25.5 | 21.5 | 21.0 | --- |
| 24 | 24.5 | 24.0 | --- | 25.5 | 25.0 | 25.0 | 26.0 | 25.5 | 25.5 | 21.0 | 21.0 | --- |
| 25 | 24.0 | 23.5 | 24.0 | 25.0 | 25.0 | 25.0 | 26.0 | 25.5 | 25.5 | 21.0 | 20.5 | 21.0 |
| 26 | 24.0 | 23.5 | 23.5 | 25.0 | 24.5 | 25.0 | 26.5 | 25.5 | 26.0 | 21.0 | 20.5 | 21.0 |
| 27 | 23.5 | 23.0 | 23.0 | 25.0 | 24.5 | 25.0 | 26.5 | 26.0 | 26.0 | 21.0 | 20.5 | 20.5 |
| 28 | 23.0 | 22.0 | 22.5 | 25.0 | 25.0 | 25.0 | 26.5 | 26.0 | 26.5 | 21.5 | 20.5 | 21.0 |
| 29 | 23.0 | 22.0 | 23.0 | 25.5 | 25.0 | 25.5 | 27.0 | 26.5 | 26.5 | 21.0 | 20.5 | 21.0 |
| 30 | 23.0 | 22.0 | 22.5 | 26.0 | 25.5 | 25.5 | 27.0 | 26.5 | 26.5 | 20.5 | 20.0 | 20.0 |
| 31 | --- | --- | --- | 26.0 | 25.5 | 26.0 | 27.0 | 26.5 | 26.5 | --- | --- | --- |
| MONTH | 25.0 | 20.0 | --- | --- | --- | --- | 27.0 | 24.5 | 25.5 | 27.0 | 19.0 | 22.0 |

DELAWARE RIVER BASIN

01467300 DELAWARE RIVER AT WHARTON STREET, PHILADELPHIA, PA.

LOCATION.--Lat 39°44'54", long 75°08'11", Philadelphia County, at center of river on a line between piers 53 and 55 South through channel station +22.6 to coal pier on New Jersey side of river.

DRAINAGE AREA.--8,000 mi² (20,700 km²).

PERIOD OF RECORD.--Chemical analyses: August 1949 to September 1968, October 1968 to September 1970 (partial-record station), February to September 1974.

REMARKS.--Samples collected approximately 3 ft (1 m) from bottom. Records of discharge are given for 01463500 Delaware River at Trenton, N.J.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS-SOLVED SILICA (SI02) (MG/L) | TOTAL IRON (FE) (UG/L) | DIS-SOLVED IRON (FE) (UG/L) | TOTAL MAN-GANESE (MN) (UG/L) | DIS-SOLVED MAN-GANESE (MN) (UG/L) | DIS-SOLVED CAL-CIUM (CA) (MG/L) | DIS-SOLVED MAG-NE-SIUM (MG) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED PO-TAS-SIUM (K) (MG/L) | BICAR-BONATE (HC03) (MG/L) |
|-------|------|---------------------------------|------------------------|-----------------------------|------------------------------|-----------------------------------|---------------------------------|------------------------------------|-------------------------------|-----------------------------------|----------------------------|
| FEB. | | | | | | | | | | | |
| 07... | -- | 4.0 | 680 | -- | 80 | -- | 11 | 3.6 | 7.0 | 1.5 | 21 |
| MAR. | | | | | | | | | | | |
| 07... | 1400 | 4.2 | 2200 | -- | 170 | -- | 13 | 4.3 | 10 | 1.9 | 23 |
| APR. | | | | | | | | | | | |
| 04... | 1045 | 4.6 | -- | -- | -- | -- | 12 | 4.2 | 8.0 | 1.9 | 30 |
| MAY | | | | | | | | | | | |
| 02... | 1040 | 3.6 | -- | 1200 | -- | 130 | 15 | 5.0 | 9.0 | 2.0 | 33 |
| JUNE | | | | | | | | | | | |
| 06... | 1135 | 3.6 | -- | 70 | -- | 2400 | 15 | 5.3 | 11 | 2.0 | 48 |
| JULY | | | | | | | | | | | |
| 11... | 1100 | .2 | -- | 90 | -- | 60 | 19 | 6.6 | 15 | 2.8 | 46 |
| AUG. | | | | | | | | | | | |
| 08... | 1045 | 1.9 | -- | 0 | -- | 30 | 21 | 8.6 | 17 | 3.1 | 45 |
| SEP. | | | | | | | | | | | |
| 05... | 1030 | 3.8 | -- | -- | -- | -- | -- | -- | -- | -- | 48 |

| DATE | CAR-BONATE (CO3) (MG/L) | ALKA-LINITY AS CAC03 (MG/L) | DIS-SOLVED SULFATE (SO4) (MG/L) | DIS-SOLVED CHLO-RIDE (CL) (MG/L) | DIS-SOLVED FLUO-RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | DIS-SOLVED NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | DIS-SOLVED NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | DIS-SOLVED NITRITE PLUS NITRATE (N) (MG/L) |
|-------|-------------------------|-----------------------------|---------------------------------|----------------------------------|---------------------------------|--------------------------|-------------------------------|--------------------------|-------------------------------|---------------------------------------|--|
| FEB. | | | | | | | | | | | |
| 07... | 0 | 17 | 21 | 11 | .3 | 1.6 | -- | .01 | -- | 1.6 | -- |
| MAR. | | | | | | | | | | | |
| 07... | 0 | 19 | 32 | 16 | .2 | .93 | -- | .03 | -- | .96 | -- |
| APR. | | | | | | | | | | | |
| 04... | 0 | 25 | 26 | 12 | .1 | .92 | -- | .04 | -- | .96 | -- |
| MAY | | | | | | | | | | | |
| 02... | 0 | 27 | 34 | 13 | .3 | -- | .90 | -- | .06 | -- | .96 |
| JUNE | | | | | | | | | | | |
| 06... | 0 | 39 | 27 | 12 | .0 | -- | 1.0 | -- | .09 | -- | 1.1 |
| JULY | | | | | | | | | | | |
| 11... | 0 | 38 | 41 | 19 | .3 | -- | 1.2 | -- | .10 | -- | 1.3 |
| AUG. | | | | | | | | | | | |
| 08... | -- | 37 | 43 | 22 | .3 | -- | 1.1 | -- | .26 | -- | 1.4 |
| SEP. | | | | | | | | | | | |
| 05... | -- | 39 | 28 | 13 | .2 | -- | 1.3 | -- | .13 | -- | 1.4 |

| DATE | DIS-SOLVED ORTHO-PHOS-PHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESI-DUE AT 180 C) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTI-TUENTS) (MG/L) | HARD-NESS (CA,MG) (MG/L) | NON-CAR-BONATE HARD-NESS (MG/L) | SPE-CIFIC CON-DUCT-ANCE (MICRO-MHOS) (MG/L) | PH (UNITS) | TEMPER-ATURE (DEG C) | COLOR (PLAT-INUM-COBALT UNITS) | TUR-BID-ITY (JTU) | CARBON DIOXIDE (CO2) (MG/L) |
|-------|---|--|---|--------------------------|---------------------------------|---|------------|----------------------|--------------------------------|-------------------|-----------------------------|
| FEB. | | | | | | | | | | | |
| 07... | .11 | 87 | 70 | 42 | 25 | 141 | 7.1 | -- | 9 | -- | 2.7 |
| MAR. | | | | | | | | | | | |
| 07... | .10 | 110 | 93 | 50 | 31 | 187 | 6.4 | -- | 14 | -- | 15 |
| APR. | | | | | | | | | | | |
| 04... | .12 | -- | 84 | 47 | 23 | 153 | 6.7 | -- | 35 | 25 | 9.6 |
| MAY | | | | | | | | | | | |
| 02... | .09 | 124 | 104 | 58 | 31 | 193 | 6.6 | 15.0 | -- | -- | 13 |
| JUNE | | | | | | | | | | | |
| 06... | .11 | 113 | 107 | 59 | 20 | 193 | 6.9 | 21.0 | -- | -- | 9.7 |
| JULY | | | | | | | | | | | |
| 11... | .21 | 129 | 133 | 75 | 37 | 247 | 6.6 | 26.0 | -- | -- | 18 |
| AUG. | | | | | | | | | | | |
| 08... | 1.4 | 190 | 150 | 88 | 51 | 250 | -- | 27.0 | -- | -- | -- |
| SEP. | | | | | | | | | | | |
| 05... | .10 | 153 | -- | -- | -- | 208 | -- | 24.5 | -- | -- | -- |

01467400 DELAWARE RIVER AT LEAGUE ISLAND, PHILADELPHIA, PA.

LOCATION.--Lat 39°52'56", long 75°10'43", Philadelphia County, at center of river on a line from north side of naval yard pier 4 through channel station +51.3 to a covered wharf at Red Bank, N.J. (below ferry slip).

DRAINAGE AREA.--8,070 mi² (20,900 km²).

PERIOD OF RECORD.--Chemical analyses: August 1949 to September 1968, October 1968 to September 1970 (partial-record station), February to September 1974.

REMARKS.--Samples collected approximately 3 ft (1 m) from bottom. Records of discharge are given for 01463500 Delaware River at Trenton, N.J.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS-SOLVED SILICA (SiO ₂) (MG/L) | TOTAL IRON (FE) (UG/L) | DIS-SOLVED IRON (FE) (UG/L) | TOTAL MANGANESE (MN) (UG/L) | DIS-SOLVED MANGANESE (MN) (UG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNESIUM (MG) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED POTASSIUM (K) (MG/L) | BICARBONATE (HCO ₃) (MG/L) |
|------------|------|--|------------------------|-----------------------------|-----------------------------|----------------------------------|--------------------------------|----------------------------------|-------------------------------|---------------------------------|--|
| FEB. 07... | -- | 4.0 | 910 | -- | 100 | -- | 11 | 3.7 | 8.0 | 1.5 | 20 |
| MAR. 07... | 1330 | 4.3 | 2300 | -- | 190 | -- | 14 | 5.0 | 12 | 2.0 | 26 |
| APR. 04... | 1015 | 4.3 | -- | -- | -- | -- | 13 | 4.8 | 7.9 | 1.9 | 27 |
| MAY 02... | 1010 | 4.1 | -- | 1300 | -- | 190 | 16 | 5.6 | 10 | 2.1 | 34 |
| JUNE 06... | -- | 3.4 | -- | 70 | -- | 70 | 15 | 5.7 | 11 | 2.1 | 45 |
| JULY 11... | 1030 | .5 | -- | 60 | -- | 130 | 21 | 7.4 | 17 | 3.1 | 35 |
| AUG. 08... | 1000 | 1.7 | -- | 0 | -- | 40 | 25 | 10 | 22 | 3.9 | 38 |
| SEP. 05... | 1000 | 2.5 | -- | -- | -- | -- | -- | -- | -- | -- | 44 |

| DATE | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CaCO ₃ (MG/L) | DIS-SOLVED SULFATE (SO ₄) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | DIS-SOLVED FLUORIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | DIS-SOLVED NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | DIS-SOLVED NITRITE (N) (MG/L) | TOTAL NITRATE PLUS NITRITE (N) (MG/L) | DIS-SOLVED NITRATE PLUS NITRITE (N) (MG/L) |
|------------|-------------------------------------|--|--|---------------------------------|--------------------------------|--------------------------|-------------------------------|--------------------------|-------------------------------|---------------------------------------|--|
| FEB. 07... | 0 | 16 | 22 | 13 | .2 | 1.7 | -- | .01 | -- | 1.7 | -- |
| MAR. 07... | 0 | 21 | 34 | 18 | .3 | .96 | -- | .04 | -- | 1.0 | -- |
| APR. 04... | 0 | 22 | 29 | 12 | .3 | .92 | -- | .06 | -- | .98 | -- |
| MAY 02... | 0 | 28 | 38 | 14 | .3 | -- | 1.0 | -- | .09 | -- | 1.1 |
| JUNE 06... | 0 | 37 | 31 | 13 | .1 | -- | .87 | -- | .10 | -- | .97 |
| JULY 11... | 0 | 29 | 58 | 21 | .3 | -- | 1.2 | -- | .18 | -- | 1.4 |
| AUG. 08... | -- | 31 | 65 | 27 | .3 | -- | 1.0 | -- | .27 | -- | 1.3 |
| SEP. 05... | -- | 36 | 34 | 16 | .2 | -- | 1.4 | -- | .12 | -- | 1.5 |

| DATE | DIS-SOLVED ORTHO-PHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | HARDNESS (CA, MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICROMHOS) (MG/L) | PH (UNITS) | TEMPERATURE (DEG C) | COLOR (PLATINUM-COBALT UNITS) | TURBIDITY (JTU) | CARBON DIOXIDE (CO ₂) (MG/L) |
|------------|--|---|--|--------------------------|-------------------------------|---|------------|---------------------|-------------------------------|-----------------|--|
| FEB. 07... | .13 | 87 | 74 | 43 | 26 | 148 | 6.8 | -- | 6 | -- | 5.1 |
| MAR. 07... | .11 | 120 | 103 | 56 | 34 | 196 | 6.5 | -- | 13 | -- | 13 |
| APR. 04... | .10 | -- | 87 | 52 | 30 | 157 | 6.6 | -- | 25 | 22 | 11 |
| MAY 02... | .07 | 145 | 113 | 63 | 35 | 201 | 6.6 | 15.5 | -- | -- | 14 |
| JUNE 06... | .11 | 123 | 108 | 61 | 24 | 196 | 6.8 | 21.5 | -- | -- | 11 |
| JULY 11... | .08 | 173 | 152 | 83 | 54 | 283 | 6.4 | 25.5 | -- | -- | 22 |
| AUG. 08... | .30 | 206 | 180 | 100 | 72 | 312 | -- | 26.0 | -- | -- | -- |
| SEP. 05... | .09 | 144 | -- | -- | -- | 227 | -- | 24.5 | -- | -- | -- |

DELAWARE RIVER BASIN

01470500 SCHUYLKILL RIVER AT BERNE, PA.

LOCATION.--Lat 40°31'20", long 75°59'55", Berks County, at highway bridge 50 ft (15 m) downstream from gaging station at Berne, 0.5 mi (0.8 km) upstream from Mill Creek, and 6.5 mi (10.5 km) downstream from Little Schuylkill River.

DRAINAGE AREA.--355 mi² (919 km²).

PERIOD OF RECORD.--Chemical analyses: December 1947 to February 1953, October 1956 to September 1974.

Water temperatures: February 1948 to September 1953, December 1957 to September 1974.

Sediment records: October 1947 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum daily, 711 micromhos Aug. 27; minimum daily, 135 micromhos Dec. 21.

Water temperatures: Maximum daily, 28.5°C July 14; minimum daily, 1.0°C Dec. 17, 18, Jan. 14, Feb. 10.

Period of record:

Specific conductance (1963-74): Maximum daily, 1,410 micromhos Oct. 25, 26, 28, 1964; minimum daily, 128 micromhos Feb. 18, 1969.

Water temperatures: Maximum daily, 33.0°C July 3, 1966; minimum, freezing point on many days during winter periods.

REMARKS.--Sediment data for this station on page 373. Unpublished records of specific conductance and pH of sediment samples available in the district office at Harrisburg.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS- CHARGE (CFS) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL ACIDITY AS CACO ₃ (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) |
|---------------|------|--|---|---|---|--|--|---------------|-----------------------------|
| MAR. 07... | 1115 | 643 | 148 | 12 | 6.2 | -- | 390 | 5.9 | 9.0 |
| MAY 10... | 0845 | 568 | 150 | 16 | 1.2 | -- | 410 | 6.4 | 12.0 |
| JUNE 06... | 1030 | 343 | 179 | 14 | 2.5 | -- | 520 | 6.3 | 17.0 |
| JULY 09... | 1345 | 322 | 212 | 16 | 2.5 | -- | 620 | 6.8 | 28.0 |
| AUG. 14... | 1000 | 235 | 168 | 15 | 2.5 | .0 | 554 | 6.3 | -- |
| SEP. 10... | 1000 | 540 | 173 | 11 | 2.5 | .0 | 390 | 6.3 | 19.0 |

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
(ONCE DAILY AM MEASUREMENTS)

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 536 | 293 | 394 | 292 | 247 | 308 | 276 | 423 | 402 | 419 | 443 | 509 |
| 2 | 532 | 331 | 391 | 298 | 249 | 323 | 256 | 404 | 409 | 338 | 421 | 535 |
| 3 | 451 | 344 | 463 | 269 | 299 | 322 | 222 | 408 | 444 | 392 | 425 | 441 |
| 4 | 452 | 361 | 478 | 314 | 340 | 364 | 232 | 410 | 453 | 377 | 422 | 342 |
| 5 | 459 | 481 | 399 | 335 | 293 | 365 | 190 | 408 | 455 | 479 | 523 | 316 |
| 6 | 462 | 491 | 227 | 384 | 322 | 379 | 187 | 457 | 487 | 511 | 503 | 343 |
| 7 | 483 | 404 | 195 | 408 | 308 | 355 | 228 | 477 | 502 | 545 | 447 | 341 |
| 8 | 590 | 382 | 214 | 339 | 327 | 382 | 225 | 428 | 490 | 531 | 460 | 372 |
| 9 | 576 | 402 | 216 | 363 | 359 | 326 | 234 | 400 | 542 | 556 | 490 | 434 |
| 10 | 556 | 409 | 168 | 364 | 367 | 297 | 228 | 412 | 610 | 590 | 496 | 425 |
| 11 | 560 | 402 | 190 | 355 | 337 | 264 | 246 | 404 | 594 | 587 | --- | 440 |
| 12 | 522 | 545 | 185 | 390 | 427 | 244 | 281 | 296 | 556 | 624 | --- | 445 |
| 13 | 519 | 545 | 217 | 397 | 237 | 248 | 310 | 210 | 547 | 610 | --- | 429 |
| 14 | 512 | 469 | 230 | 455 | 410 | 262 | 321 | 182 | 556 | 648 | 552 | 381 |
| 15 | 577 | 441 | 235 | 408 | 421 | 267 | 243 | 205 | 551 | 669 | 547 | 388 |
| 16 | 622 | 467 | 249 | 393 | 397 | 269 | 203 | 233 | 594 | 671 | 523 | 465 |
| 17 | 606 | 454 | 286 | 396 | 399 | 285 | 215 | 257 | 618 | 634 | 526 | 469 |
| 18 | 572 | 445 | 283 | 398 | 495 | 315 | 240 | 266 | 598 | 534 | 531 | 431 |
| 19 | 542 | 507 | 265 | 388 | 510 | 261 | 248 | 320 | 558 | 547 | 589 | 454 |
| 20 | 565 | 593 | 283 | 382 | 468 | 290 | 267 | 340 | 537 | 588 | 651 | 436 |
| 21 | 577 | 530 | 135 | 471 | 462 | 277 | 331 | 329 | 550 | 586 | 653 | 449 |
| 22 | 606 | 480 | 166 | 290 | 367 | 231 | 345 | 341 | 561 | 607 | 607 | 445 |
| 23 | 694 | 483 | 204 | 242 | 273 | 209 | 301 | 335 | 559 | 706 | 562 | 523 |
| 24 | 618 | 503 | 211 | 392 | 267 | 277 | 322 | 347 | 579 | 661 | 565 | 577 |
| 25 | 605 | 488 | 223 | 229 | 288 | 250 | 337 | 344 | 578 | 577 | 619 | 535 |
| 26 | 598 | 552 | 240 | 226 | 257 | 253 | 356 | 354 | 429 | 564 | 693 | 498 |
| 27 | 596 | 570 | 196 | 257 | 280 | 267 | 353 | 444 | 439 | 559 | 711 | 479 |
| 28 | 620 | 503 | 203 | 253 | 295 | 313 | 446 | 467 | 428 | 544 | 708 | 482 |
| 29 | 549 | 441 | 215 | 233 | --- | 321 | 450 | 461 | 449 | 630 | 602 | 415 |
| 30 | 374 | 423 | 259 | 229 | --- | 345 | 452 | 403 | 348 | 625 | 565 | 383 |
| 31 | 256 | --- | 273 | 222 | --- | 377 | --- | 411 | --- | 534 | 570 | --- |

DELAWARE RIVER BASIN

127

01470500 SCHUYLKILL RIVER AT BERNE, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
(ONCE-DAILY MEASUREMENTS)

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|------|------|------|-----|-----|------|------|------|------|------|------|------|
| 1 | 16.5 | 10.0 | 6.5 | 4.5 | 5.5 | 6.0 | 7.0 | 16.0 | 18.0 | 22.0 | 27.0 | 25.0 |
| 2 | 17.0 | 10.5 | 5.0 | 5.0 | 4.0 | 5.0 | 9.0 | 15.0 | 16.0 | 23.0 | 24.0 | 22.0 |
| 3 | 17.0 | 10.0 | 5.0 | 4.0 | 3.0 | 6.0 | 12.0 | 15.5 | 20.0 | 25.0 | 23.5 | 19.5 |
| 4 | 19.0 | 9.5 | 5.0 | 5.0 | 4.0 | 9.0 | 14.0 | 17.0 | 20.0 | 22.0 | 25.0 | 18.0 |
| 5 | 19.0 | 8.0 | 9.0 | 2.5 | 3.0 | 10.0 | 12.0 | 15.5 | 24.0 | 25.0 | 26.0 | 18.0 |
| 6 | 18.0 | 7.0 | 10.0 | 4.0 | 3.0 | 8.5 | 8.0 | 12.0 | 24.0 | 26.0 | 22.0 | 18.0 |
| 7 | 16.0 | 6.0 | 7.0 | 5.0 | 2.5 | 11.5 | 10.0 | 12.0 | 22.5 | 26.0 | 25.0 | 18.0 |
| 8 | 16.0 | 7.0 | 6.0 | 3.5 | 3.0 | 8.0 | 8.5 | 12.0 | 21.5 | 27.0 | 24.0 | 19.5 |
| 9 | 17.0 | 6.5 | 7.0 | 3.0 | 5.0 | 6.0 | 8.0 | 13.0 | 22.0 | 26.0 | 23.0 | 19.0 |
| 10 | 17.5 | 5.0 | 8.0 | 3.0 | 1.0 | 8.0 | 8.5 | 16.0 | 23.0 | 25.0 | 24.0 | 19.0 |
| 11 | 17.0 | 5.0 | 6.5 | 3.0 | 3.0 | 7.0 | 10.0 | 17.0 | 22.0 | 26.0 | --- | 21.0 |
| 12 | 17.5 | 5.0 | 5.0 | 4.0 | 2.0 | 6.5 | 12.0 | 14.0 | 19.0 | 21.5 | --- | 22.0 |
| 13 | 17.0 | 6.5 | 5.0 | 2.0 | 3.0 | 5.0 | 12.0 | 12.0 | 25.0 | 23.0 | --- | 24.0 |
| 14 | 17.0 | 9.0 | 6.0 | 1.0 | 4.0 | 5.5 | 12.0 | 15.0 | 25.0 | 28.5 | 24.0 | 22.0 |
| 15 | 16.5 | 13.0 | 5.0 | 2.0 | 4.0 | 7.0 | 11.0 | 19.0 | 20.0 | 24.0 | 24.0 | 20.0 |
| 16 | 14.0 | 9.5 | 6.0 | 4.0 | 5.0 | 6.5 | 12.0 | 20.0 | 21.0 | 26.5 | 27.0 | 19.0 |
| 17 | 12.5 | 8.0 | 1.0 | 4.0 | 5.0 | 5.0 | 13.0 | 20.0 | 23.0 | 25.0 | 25.0 | 19.0 |
| 18 | 11.0 | 5.0 | 1.0 | 3.0 | 4.0 | 5.0 | 13.5 | 19.5 | 19.0 | 25.0 | 26.0 | 18.0 |
| 19 | 12.0 | 6.0 | 3.0 | 3.0 | 4.0 | 6.0 | 12.0 | 19.0 | 22.0 | 27.0 | 22.0 | 22.0 |
| 20 | 14.0 | 7.5 | 2.0 | 2.5 | 5.0 | 7.0 | 12.0 | 18.5 | 26.0 | 22.0 | 25.0 | 20.0 |
| 21 | 15.0 | 7.0 | 4.0 | 4.0 | 7.0 | 7.0 | 14.0 | 19.0 | --- | 21.5 | 27.0 | 22.0 |
| 22 | 15.0 | 11.0 | 5.0 | 5.0 | 8.0 | 6.5 | 15.5 | 20.0 | 24.0 | 25.0 | 26.0 | 20.0 |
| 23 | 13.5 | 9.0 | 5.0 | 6.5 | 6.0 | 8.0 | 14.0 | 20.0 | 20.0 | 21.0 | 26.5 | 16.0 |
| 24 | 14.0 | 8.5 | 4.0 | 4.0 | 4.5 | 7.0 | 11.0 | 20.5 | 19.0 | 19.5 | 26.0 | 12.0 |
| 25 | 15.0 | 10.0 | 6.0 | 6.0 | 4.5 | 6.0 | 13.5 | 16.0 | 18.0 | 23.0 | 23.0 | 16.0 |
| 26 | 13.5 | 8.5 | 6.0 | 5.0 | 3.5 | 6.5 | 15.0 | 18.0 | 19.0 | 22.5 | 26.0 | 16.0 |
| 27 | 14.0 | 9.5 | 8.0 | 9.0 | 3.0 | 6.5 | 16.0 | 17.0 | 22.0 | 25.0 | 26.0 | 17.5 |
| 28 | 11.0 | 12.0 | 7.0 | 7.5 | 6.0 | 8.0 | 19.0 | 16.0 | 18.0 | 26.0 | 26.0 | 17.0 |
| 29 | 11.0 | 7.5 | 5.5 | 7.0 | --- | 5.0 | 20.5 | 16.5 | 19.0 | 26.0 | 26.0 | 14.0 |
| 30 | 10.5 | 8.0 | 5.0 | 7.0 | --- | 5.0 | 21.0 | 19.0 | 22.0 | 24.0 | 24.0 | 14.0 |
| 31 | 11.0 | --- | 5.0 | 8.0 | --- | 5.0 | --- | --- | --- | 26.0 | 25.0 | --- |

DELAWARE RIVER BASIN

01470800 (Revised) TULPEHOCKEN CREEK AT BERNVILLE, PA.

LOCATION.--Lat 40°25'32", long 76°06'51", Berks County, at single-span concrete bridge on Legislative Route 06047, 0.5 mi (0.8 km) south of Bernville, 600 ft (183 m) above confluence with Northkill Creek.

DRAINAGE AREA.--84.8 mi² (220 km²).

PERIOD OF RECORD.--Chemical analyses: June 1972 to September 1974.

Sediment records: October 1972, January to September 1974 (partial-record station).

REMARKS.--Miscellaneous sediment data for this station on page 394.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) |
|---------------|------|---|-----------------------------------|---|---|--|---|--|
| OCT. 30... | 0800 | 126 | 3.4 | .24 | 1.7 | 1.9 | .64 | .40 |
| NOV. 13... | 1030 | 50 | 6.5 | .10 | .67 | .77 | .07 | .06 |
| DEC. 05... | 1530 | 155 | 5.0 | .15 | .85 | 1.0 | .17 | .10 |
| JAN. 23... | 1115 | 335 | 1.7 | .15 | .52 | .67 | .20 | .11 |
| FEB. 19... | 1230 | 125 | 8.1 | .04 | .41 | .45 | .09 | .04 |
| MAR. 19... | 1030 | 145 | 6.3 | .05 | .35 | .40 | .06 | .04 |
| APR. 17... | 1015 | 195 | 5.2 | .07 | .81 | .88 | .13 | .06 |
| MAY 08... | 1030 | 110 | 6.6 | .10 | .50 | .60 | .41 | .38 |
| JUNE 18... | 1145 | 95 | 5.9 | .18 | .62 | .80 | .23 | .14 |
| JULY 23... | 1030 | 54 | 5.9 | .07 | .73 | .80 | .14 | .11 |
| AUG. 20... | 0930 | 50 | 5.3 | .09 | .66 | .75 | .20 | .15 |
| SEP. 04... | 1140 | 96 | 1.9 | .14 | 1.3 | 1.4 | .28 | .16 |

| DATE | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | IMME- DIATE COLI- FORM (COL. PER 100 ML) | FECAL COLI- FORM (COL. PER 100 ML) | STREP- TOCOCCI (COL- ONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|---------------|--|---------------|-----------------------------|------------------------------------|--|---|---|---|
| OCT. 30... | 285 | 6.9 | 10.5 | 9.4 | E250000 | E200000 | E300000 | -- |
| NOV. 13... | 540 | 7.6 | 5.5 | 13.6 | E260 | 270 | 280 | 8.0 |
| DEC. 05... | 460 | 7.6 | 11.0 | 10.4 | 18000 | 3200 | E60000 | 2.0 |
| JAN. 23... | 370 | 6.9 | 5.5 | 12.0 | 3500 | 970 | 3700 | .0 |
| FEB. 19... | 490 | 7.2 | 5.0 | 13.0 | E60 | E50 | E100 | 1.0 |
| MAR. 19... | 495 | 8.1 | 7.0 | 12.6 | -- | 57 | 200 | 1.0 |
| APR. 17... | 430 | 7.4 | 10.5 | 10.6 | 1400 | 170 | 250 | .0 |
| MAY 08... | 480 | 7.6 | 10.5 | 12.6 | 780 | 280 | 140 | 1.0 |
| JUNE 18... | 460 | 7.1 | 18.5 | 8.8 | 5300 | 3700 | 880 | 2.6 |
| JULY 23... | 500 | 7.3 | 19.5 | 8.3 | 1100 | -- | 500 | -- |
| AUG. 20... | 510 | 7.6 | 20.0 | 8.0 | 3400 | 1100 | 800 | 2.2 |
| SEP. 04... | 460 | 7.7 | 18.5 | 8.4 | E56000 | E21000 | E70000 | 10 |

DELAWARE RIVER BASIN

01470800 TULPEHOCKEN CREEK AT BERNVILLE, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | TOTAL IRON IN BOTTOM DE- POSITS (UG/G) | TOTAL MANGA- NESE IN BOTTOM DE- POSITS (UG/G) | TOTAL NITRITE PLUS NITRATE IN BOT. DEP. (MG/KG) | TOTAL AMMONIA NITRO- GEN IN BOTTOM DEP. (MG/KG) | TOTAL KJEL. NITRO- GEN IN BOTTOM DEP. (MG/KG) | TOTAL NITRO- GEN IN BOTTOM DEPOS- ITS (N) (MG/KG) | TOTAL PHOS- PHORUS IN BOT- TOM DE- POSITS (MG/KG) | LOSS ON IGNI- TION IN BOTTOM DE- POSITS (MG/KG) | ORGANIC CARBON IN BED MA- TERIAL (C) (G/KG) | IN- ORGANIC CARBON IN BED MA- TERIAL (G/KG) |
|---------------|------|--|---|---|---|---|---|---|---|---|---|
| JUNE 18... | 1145 | 5600 | 910 | 5.0 | 18 | 2320 | 2330 | 386 | 400 | 22 | 3.9 |

| DATE | TOTAL ARSENIC IN BOTTOM DE- POSITS (UG/G) | TOTAL CADMIUM IN BOTTOM DE- POSITS (UG/G) | TOTAL CHRO- MIUM IN BOTTOM DE- POSITS (UG/G) | TOTAL COBALT IN BOTTOM DE- POSITS (UG/G) | TOTAL COPPER IN BOTTOM DE- POSITS (UG/G) | TOTAL LEAD IN BOTTOM DE- POSITS (UG/G) | TOTAL MERCURY IN BOTTOM DE- POSITS (UG/G) | TOTAL NICKEL IN BOTTOM DE- POSITS (UG/G) | TOTAL SELE- NIUM IN BOTTOM DE- POSITS (UG/G) | TOTAL ZINC IN BOTTOM DE- POSITS (UG/G) |
|---------------|---|---|--|--|--|--|---|--|--|--|
| JUNE 18... | 1 | 0 | 4 | 7 | 12 | 25 | 23 | 8 | 0 | 39 |

DELAWARE RIVER BASIN

01470825 NORTHKILL CREEK AT BERNVILLE, PA.

LOCATION.--Lat 40°25'50", long 76°06'51", Berks County, at a retaining wall 670 ft (204 m) upstream from highway bridge on county road 0.2 mi (0.3 km) from Bernville, and 0.4 mi (0.6 km) from mouth.

DRAINAGE AREA.--42.0 mi² (109 km²).

PERIOD OF RECORD.--Chemical analyses: June 1972 to September 1974.

Sediment records: October 1972, January to September 1974 (partial-record station).

REMARKS.--Miscellaneous sediment samples for this station on page 394.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS- CHARGE (CFS) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) |
|---------------|------|--|-----------------------------------|---|---|--|---|--|
| OCT. 30... | 0830 | 39 | 1.5 | .09 | .86 | .95 | .16 | .03 |
| NOV. 13... | 1045 | 35 | 1.4 | .09 | .52 | .61 | .01 | .00 |
| DEC. 05... | 1545 | 225 | 1.2 | .23 | 1.1 | 1.3 | .23 | .11 |
| JAN. 23... | 1100 | 200 | 1.1 | .05 | .38 | .43 | .07 | .03 |
| FEB. 19... | 1300 | 25 | 2.7 | .03 | .43 | .46 | .02 | .01 |
| MAR. 19... | 1100 | 80 | 6.3 | .09 | .33 | .42 | .03 | .01 |
| APR. 17... | 1025 | 80 | 2.0 | .06 | .67 | .68 | .06 | .01 |
| MAY 08... | 1035 | 20 | 1.0 | .06 | .54 | .60 | .02 | .01 |
| JUNE 18... | 1230 | 15 | .90 | .19 | .56 | .75 | .10 | .04 |
| JULY 23... | 1110 | 6.0 | .60 | .09 | .42 | .51 | .03 | .02 |
| AUG. 20... | 1045 | 10 | 1.0 | .09 | .48 | .57 | .07 | .03 |
| SEP. 04... | 1230 | 40 | 1.4 | .08 | .95 | 1.0 | .13 | .05 |

| DATE | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | IMME- DIATE COLI- FORM (COL. PER 100 ML) | FECAL COLI- FORM (COL. PER 100 ML) | STREP- TOCOCCI (COL- ONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|---------------|--|---------------|-----------------------------|------------------------------------|--|---|---|---|
| OCT. 30... | 180 | 7.1 | 9.0 | 9.2 | E200000 | E45000 | E170000 | -- |
| NOV. 13... | 180 | 7.8 | 6.0 | 14.0 | 320 | 150 | E1500 | 5.0 |
| DEC. 05... | 155 | 7.6 | 11.5 | 10.2 | 37000 | 9000 | E100000 | 4.0 |
| JAN. 23... | 125 | 7.1 | 5.5 | 12.8 | 1000 | E180 | 560 | .0 |
| FEB. 19... | 130 | 7.2 | 2.5 | 14.8 | 500 | E36 | 300 | .0 |
| MAR. 19... | 135 | 7.9 | 5.0 | 14.2 | 880 | 97 | 240 | .9 |
| APR. 17... | 115 | 6.5 | 9.0 | 12.6 | 1100 | 90 | 60 | 2.0 |
| MAY 08... | 145 | 7.9 | 9.5 | 13.6 | 1100 | 170 | 290 | 1.4 |
| JUNE 18... | 165 | 6.3 | 19.0 | 10.0 | 12000 | 3000 | 1300 | -- |
| JULY 23... | 205 | 7.3 | 19.0 | 9.1 | 22000 | -- | 2300 | -- |
| AUG. 20... | 205 | 6.4 | 21.0 | 9.2 | 8300 | 4200 | 2300 | 3.3 |
| SEP. 04... | 187 | 7.2 | 18.0 | 9.6 | 28000 | E12000 | 33000 | 8.6 |

DELAWARE RIVER BASIN

131

01470825 NORTHKILL CREEK AT BERNVILLE, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | TOTAL IRON IN BOTTOM DE- POSITS (UG/G) | TOTAL MANGA- NESE IN BOTTOM DE- POSITS (UG/G) | TOTAL NITRITE PLUS NITRATE IN BOT. DEP. (MG/KG) | TOTAL AMMONIA NITRO- GEN IN BOTTOM DEP. (MG/KG) | TOTAL KJEL. NITRO- GEN IN BOTTOM DEP. (MG/KG) | TOTAL NITRO- GEN IN BOTTOM DEPOS- ITS (N) (MG/KG) | TOTAL PHOS- PHORUS IN BOT- TOM DE- POSITS (MG/KG) | LOSS ON IGNI- TION IN BOTTOM DE- POSITS (MG/KG) | ORGANIC CARBON IN BED MA- TERIAL (C) (G/KG) | IN- ORGANIC CARBON IN BED MA- TERIAL (G/KG) |
|---------------|------|--|---|---|---|---|---|---|---|---|---|
| JUNE 18... | 1230 | 7500 | 670 | 6.0 | 13 | 2210 | 2220 | 219 | 47800 | 23 | .1 |

| DATE | TOTAL ARSENIC IN BOTTOM DE- POSITS (UG/G) | TOTAL CADMIUM IN BOTTOM DE- POSITS (UG/G) | TOTAL CHRO- MIUM IN BOTTOM DE- POSITS (UG/G) | TOTAL COBALT IN BOTTOM DE- POSITS (UG/G) | TOTAL COPPER IN BOTTOM DE- POSITS (UG/G) | TOTAL LEAD IN BOTTOM DE- POSITS (UG/G) | TOTAL MERCURY IN BOTTOM DE- POSITS (UG/G) | TOTAL NICKEL IN BOTTOM DE- POSITS (UG/G) | TOTAL SELE- NIUM IN BOTTOM DE- POSITS (UG/G) | TOTAL ZINC IN BOTTOM DE- POSITS (UG/G) |
|---------------|---|---|--|--|--|--|---|--|--|--|
| JUNE 18... | 3 | 0 | 0 | 6 | 10 | 30 | 2.6 | 9 | 0 | 49 |

DELAWARE RIVER BASIN

01470960 TULPEHOCKEN CREEK AT BLUE MARSH DAMSITE NEAR READING, PA.

LOCATION.--Lat 40°22'00", long 76°01'16", Berks County, 1.0 mi (1.6 km) downstream from gaging station at Rebers Bridge, 1.0 mi (1.6 km) east of Blue Marsh, 3 mi (4.8 km) north of Sinking Spring, and 5.5 mi (8.8 km) northwest of Reading.

DRAINAGE AREA.--175 mi² (453 km²).

PERIOD OF RECORD.--Chemical analyses: June 1972 to September 1974.

Water temperatures: October 1968 to September 1974.

Sediment records: May 1973 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum daily, 404 micromhos June 14; minimum daily, 163 micromhos Dec. 21.

Water temperatures: Maximum, 28.0°C July 4, 9; minimum, 1.5°C Jan. 10, 13, 15, 19.

Period of record:

Specific conductance (1973-74): Maximum daily, 420 micromhos Sept. 10, 1973; minimum daily, 147 micromhos June 29, 1973.

Water temperatures: Maximum, 34.0°C Oct. 2, 1968; minimum, freezing point on several days during December 1970, January, March 1971.

REMARKS.--Sediment data for this station on page 377. Temperature recorder located at gaging station 1.0 mi (1.6 km) upstream from sampling site.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO-GEN (N) (MG/L) | ORGANIC NITRO-GEN (N) (MG/L) | TOTAL KJEL-DAHL NITRO-GEN (N) (MG/L) | TOTAL PHOS-PHORUS (P) (MG/L) | TOTAL ORTHO PHOS-PHORUS (P) (MG/L) |
|-------|------|--------------------------------|--------------------------|------------------------------|------------------------------|--------------------------------------|------------------------------|------------------------------------|
| OCT. | | | | | | | | |
| 30... | 0930 | 459 | 2.9 | .28 | 2.2 | 2.5 | 1.3 | .45 |
| NOV. | | | | | | | | |
| 13... | 1100 | 110 | 5.5 | .08 | .50 | .58 | .08 | .06 |
| DEC. | | | | | | | | |
| 05... | 1500 | 160 | 4.1 | .08 | 1.0 | 1.2 | .17 | .09 |
| JAN. | | | | | | | | |
| 23... | 1215 | 780 | 1.3 | .10 | .44 | .54 | .14 | .08 |
| FEB. | | | | | | | | |
| 19... | 1345 | 215 | 6.6 | .03 | .60 | .63 | .06 | .04 |
| MAR. | | | | | | | | |
| 19... | 1200 | 289 | 9.3 | .09 | .39 | .48 | .05 | .03 |
| APR. | | | | | | | | |
| 17... | 1115 | 392 | 5.0 | .07 | .84 | .91 | .08 | .05 |
| MAY | | | | | | | | |
| 08... | 1100 | 200 | 4.1 | .11 | .59 | .70 | .04 | .02 |
| JUNE | | | | | | | | |
| 18... | 1315 | 132 | 5.0 | .15 | .56 | .71 | .17 | .12 |
| JULY | | | | | | | | |
| 23... | 1230 | 71 | 4.2 | .10 | 1.1 | 1.2 | .32 | .14 |
| AUG. | | | | | | | | |
| 20... | 1215 | 74 | 3.6 | .06 | .53 | .59 | .18 | .14 |
| SEP. | | | | | | | | |
| 04... | 1320 | 223 | 2.7 | .10 | 1.1 | 1.2 | .30 | .15 |

| DATE | SPE-CIFIC CON-DUCT-ANCE (MICRO-MHOS) | PH (UNITS) | TEMPER-ATURE (DEG C) | DIS-SOLVED OXYGEN (MG/L) | IMME-DIATE COLI-FORM (COL. PER 100 ML) | FECAL COLI-FORM (COL. PER 100 ML) | STREP-TOCOCCI (COL-ONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|-------|--------------------------------------|------------|----------------------|--------------------------|--|-----------------------------------|--------------------------------------|---------------------------------|
| OCT. | | | | | | | | |
| 30... | 270 | 6.9 | 11.5 | 9.2 | E350000 | E183000 | E350000 | -- |
| NOV. | | | | | | | | |
| 13... | 430 | 7.8 | 7.0 | 14.0 | 470 | 240 | 160 | 5.0 |
| DEC. | | | | | | | | |
| 05... | 390 | 7.5 | 11.0 | 11.0 | 3600 | 460 | 1600 | 4.0 |
| JAN. | | | | | | | | |
| 23... | 220 | 6.7 | 6.0 | 12.6 | 2000 | 500 | 1700 | 1.0 |
| FEB. | | | | | | | | |
| 19... | 390 | 7.6 | 4.0 | 14.4 | 920 | 390 | 150 | 1.0 |
| MAR. | | | | | | | | |
| 19... | 310 | 8.6 | 6.5 | 14.6 | 1500 | 230 | 180 | .8 |
| APR. | | | | | | | | |
| 17... | 320 | 7.3 | 12.0 | 12.0 | 200 | 60 | 68 | .0 |
| MAY | | | | | | | | |
| 08... | 380 | 8.1 | 11.0 | 15.4 | 170 | 77 | 42 | 1.1 |
| JUNE | | | | | | | | |
| 18... | 405 | 7.2 | 21.5 | 12.2 | 980 | 830 | 240 | 7.7 |
| JULY | | | | | | | | |
| 23... | 440 | 7.2 | 21.0 | 8.8 | 3100 | -- | 2900 | -- |
| AUG. | | | | | | | | |
| 20... | 418 | 6.6 | 24.0 | 11.1 | 1000 | 670 | 150 | 3.4 |
| SEP. | | | | | | | | |
| 04... | 320 | 7.7 | 19.5 | 9.6 | E53000 | E21000 | 44000 | 7.3 |

DELAWARE RIVER BASIN

133

01470960 TULPEHOCKEN CREEK AT BLUE MARSH DAMSITE NEAR READING, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | TOTAL IRON IN BOTTOM DE- POSITS (UG/G) | TOTAL MANGA- NESE IN BOTTOM DE- POSITS (UG/G) | TOTAL NITRITE PLUS NITRATE IN BOT. DEP. (MG/KG) | TOTAL AMMONIA NITRO- GEN IN BOTTOM DEP. (MG/KG) | TOTAL KJEL. NITRO- GEN IN BOTTOM DEP. (MG/KG) | TOTAL NITRO- GEN IN BOTTOM DEPOS- ITS (N) (MG/KG) | TOTAL PHOS- PHORUS IN BOT- TOM DE- POSITS (MG/KG) | LOSS ON IGNI- TION IN BOTTOM DE- POSITS (MG/KG) | ORGANIC CARBON IN BED MA- TERIAL (C) (G/KG) |
|---------------|------|--|---|---|---|---|---|---|---|---|
| JUNE 18... | 1315 | 4600 | 690 | 8.0 | 29 | 2910 | 2920 | 674 | 1000 | 21 |

| DATE | IN- ORGANIC CARBON IN BED MA- TERIAL (G/KG) | TOTAL CADMIUM IN BOTTOM DE- POSITS (UG/G) | TOTAL CHRO- MIUM IN BOTTOM DE- POSITS (UG/G) | TOTAL COBALT IN BOTTOM DE- POSITS (UG/G) | TOTAL COPPER IN BOTTOM DE- POSITS (UG/G) | TOTAL LEAD IN BOTTOM DE- POSITS (UG/G) | TOTAL MERCURY IN BOTTOM DE- POSITS (UG/G) | TOTAL NICKEL IN BOTTOM DE- POSITS (UG/G) | TOTAL SELE- NIUM IN BOTTOM DE- POSITS (UG/G) | TOTAL ZINC IN BOTTOM DE- POSITS (UG/G) |
|---------------|---|---|--|--|--|--|---|--|--|--|
| JUNE 18... | 4.3 | 1 | 3 | 4 | 7 | 18 | 17 | 6 | 0 | 34 |

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
(ONCE-DAILY MEASUREMENTS)

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 377 | --- | --- | --- | 321 | --- | 258 | 330 | 350 | 311 | --- | --- |
| 2 | 378 | --- | --- | 307 | --- | 319 | --- | 341 | 359 | 358 | --- | --- |
| 3 | 350 | --- | --- | --- | --- | 321 | 266 | --- | 370 | 370 | 338 | 278 |
| 4 | 362 | --- | --- | --- | --- | --- | 213 | 313 | 377 | --- | 283 | 283 |
| 5 | 371 | --- | 335 | 310 | 392 | 325 | 220 | --- | --- | 377 | 306 | 315 |
| 6 | --- | --- | 296 | 305 | 366 | --- | 250 | 336 | 377 | 376 | 350 | --- |
| 7 | --- | --- | 302 | 320 | 348 | 332 | 270 | 334 | 379 | --- | 360 | 279 |
| 8 | 347 | --- | 317 | 339 | --- | --- | --- | 316 | 388 | 392 | 366 | 296 |
| 9 | 370 | --- | 225 | --- | --- | 266 | 273 | 347 | --- | 399 | 363 | 314 |
| 10 | 356 | --- | 220 | 331 | 382 | --- | 285 | 321 | 386 | --- | 261 | 335 |
| 11 | 376 | --- | --- | --- | --- | 285 | 294 | 324 | 387 | --- | 341 | 340 |
| 12 | 364 | --- | 262 | 325 | 374 | 286 | 297 | --- | 390 | --- | 357 | 361 |
| 13 | 373 | --- | --- | 352 | --- | 293 | 282 | 207 | 398 | --- | 368 | 329 |
| 14 | 355 | --- | 256 | --- | 359 | 299 | --- | 237 | 404 | --- | 360 | 278 |
| 15 | 375 | --- | 277 | 344 | 365 | --- | 300 | 264 | --- | 367 | 358 | 292 |
| 16 | 370 | --- | --- | 343 | 392 | --- | 308 | 260 | --- | 373 | 361 | 304 |
| 17 | 387 | --- | --- | 329 | 369 | 295 | 311 | 284 | 380 | 362 | 308 | --- |
| 18 | 375 | --- | --- | 342 | --- | 305 | 314 | --- | 388 | 376 | 318 | --- |
| 19 | 382 | --- | 311 | 334 | 360 | 302 | 315 | 294 | --- | 368 | --- | 320 |
| 20 | --- | --- | 302 | 334 | 324 | 303 | --- | --- | 389 | 367 | 351 | 332 |
| 21 | 384 | --- | 163 | 256 | 344 | 208 | 331 | 317 | --- | 384 | 370 | --- |
| 22 | 392 | --- | 231 | --- | 314 | 243 | --- | 311 | 397 | --- | 364 | --- |
| 23 | --- | --- | --- | 256 | --- | 262 | 323 | 320 | --- | 373 | 370 | 339 |
| 24 | 379 | --- | --- | 285 | --- | 272 | --- | 315 | --- | 369 | 358 | 365 |
| 25 | 390 | --- | --- | 297 | 298 | 290 | 336 | --- | 369 | 372 | 356 | --- |
| 26 | --- | --- | --- | --- | --- | 297 | 331 | 340 | 372 | 362 | 381 | 343 |
| 27 | --- | --- | 203 | 301 | 325 | 301 | 332 | --- | 387 | 365 | 360 | 361 |
| 28 | 380 | --- | 248 | 305 | 320 | 304 | --- | --- | 381 | 380 | 376 | 359 |
| 29 | 344 | --- | 257 | 301 | --- | --- | 323 | 361 | 352 | --- | --- | 278 |
| 30 | 248 | --- | --- | --- | --- | --- | 333 | 365 | --- | 319 | 322 | --- |
| 31 | --- | --- | --- | 311 | --- | 226 | --- | --- | --- | 322 | 365 | --- |

DELAWARE RIVER BASIN

01470960 TULPEHOCKEN CREEK AT BLUE MARSH DAMSITE NEAR READING, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|------|------|----------|------|------|----------|------|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 17.0 | 13.5 | 15.0 | 12.0 | 10.0 | 11.0 | 6.5 | 4.0 | 5.5 | 5.5 | 5.0 | 5.0 |
| 2 | 16.5 | 15.0 | 15.5 | 12.0 | 8.5 | 10.0 | 4.0 | 3.0 | 3.5 | 5.0 | 3.0 | 3.5 |
| 3 | 18.5 | 15.5 | 17.0 | 12.0 | 9.5 | --- | --- | --- | --- | 4.0 | 3.5 | 3.5 |
| 4 | 19.5 | 15.5 | 17.5 | 10.5 | 8.5 | 9.0 | 6.0 | 3.0 | 4.5 | 4.5 | 3.5 | 3.5 |
| 5 | 19.5 | 16.5 | 18.0 | 9.0 | 7.5 | 8.0 | 11.0 | 6.5 | 9.0 | --- | --- | --- |
| 6 | 17.0 | 13.5 | 15.5 | 7.5 | 5.5 | 6.5 | 11.0 | 7.5 | 9.5 | 4.0 | 3.0 | 3.5 |
| 7 | 15.0 | 12.5 | 14.0 | 7.5 | 5.0 | 6.0 | 7.0 | 5.0 | 6.0 | 5.0 | 3.5 | 4.0 |
| 8 | 17.0 | 13.5 | 15.0 | 7.0 | 3.5 | 5.5 | 4.5 | 3.5 | 4.0 | --- | --- | --- |
| 9 | 16.0 | 14.0 | 15.0 | 8.0 | 5.0 | 6.5 | 6.0 | 4.0 | 4.5 | --- | --- | --- |
| 10 | 17.0 | 15.0 | 16.0 | 5.5 | 3.5 | 4.5 | 6.5 | 5.5 | 6.0 | 3.0 | 1.5 | 2.0 |
| 11 | 16.0 | 14.5 | 15.5 | 4.5 | 2.0 | 3.0 | 6.5 | 4.5 | 5.5 | 4.5 | 3.0 | 3.5 |
| 12 | 15.5 | 13.0 | 14.0 | 6.0 | 2.5 | 4.0 | 4.5 | 3.5 | 4.0 | 4.5 | 3.0 | 3.5 |
| 13 | 16.5 | 13.0 | 14.5 | 9.5 | 5.0 | 7.0 | 4.0 | 2.5 | 3.0 | 3.0 | 1.5 | 2.0 |
| 14 | 17.0 | 14.5 | 15.5 | 12.0 | 8.5 | 10.0 | 5.5 | 4.0 | 5.0 | --- | --- | --- |
| 15 | 16.0 | 12.0 | 14.0 | 13.0 | 9.5 | 11.5 | 5.0 | 4.0 | 4.5 | 3.0 | 1.5 | 2.0 |
| 16 | 15.5 | 13.0 | 14.0 | 12.5 | 8.5 | 11.5 | --- | --- | --- | 5.0 | 3.0 | 4.0 |
| 17 | 13.0 | 10.0 | 11.5 | 8.5 | 6.0 | 7.5 | --- | --- | --- | 5.0 | 5.0 | 5.0 |
| 18 | 10.5 | 9.0 | 10.0 | 6.5 | 4.0 | 5.5 | --- | --- | --- | 5.0 | 3.5 | 4.5 |
| 19 | 11.5 | 8.5 | 9.5 | 8.5 | 6.0 | 7.0 | --- | --- | --- | 3.5 | 1.5 | 3.0 |
| 20 | 13.5 | 9.0 | 11.0 | 8.0 | 6.0 | 7.0 | --- | --- | --- | 3.5 | 3.0 | 3.5 |
| 21 | 13.5 | 10.0 | 11.5 | 8.5 | 5.5 | 7.0 | --- | --- | --- | 3.5 | 3.0 | 3.5 |
| 22 | 13.0 | 8.5 | 10.5 | 11.0 | 8.5 | 9.5 | --- | --- | --- | 6.0 | 3.5 | 4.5 |
| 23 | 12.5 | 8.5 | 10.5 | 9.5 | 6.5 | 8.0 | 5.0 | 3.5 | 4.0 | 7.0 | 4.0 | 5.5 |
| 24 | 13.5 | 10.0 | 11.5 | 9.0 | 8.0 | 8.5 | 5.0 | 3.5 | 4.0 | 7.0 | 6.0 | 6.5 |
| 25 | 13.5 | 9.0 | 11.0 | 11.0 | 8.5 | 10.0 | 3.5 | 3.0 | 3.0 | 6.5 | 5.5 | 6.0 |
| 26 | 13.5 | 9.5 | 11.5 | 10.5 | 8.5 | 9.0 | 5.0 | 4.0 | 4.5 | 6.0 | 4.5 | 5.0 |
| 27 | 13.5 | 10.5 | 11.5 | 10.0 | 8.5 | 9.5 | 8.0 | 5.0 | 6.5 | 8.5 | 5.0 | 7.0 |
| 28 | 11.5 | 9.0 | 10.5 | 12.0 | 10.0 | 11.0 | 8.0 | 7.0 | 7.5 | 8.5 | 6.5 | 7.5 |
| 29 | 11.0 | 10.5 | 10.5 | 10.5 | 7.0 | 9.0 | 7.0 | 5.5 | 6.0 | 8.0 | 7.0 | 7.5 |
| 30 | 10.5 | 10.0 | 10.5 | 8.0 | 5.5 | 6.5 | 6.5 | 5.0 | 6.0 | 8.0 | 6.5 | 7.0 |
| 31 | 10.5 | 8.5 | 9.5 | --- | --- | --- | 5.0 | 4.0 | 4.5 | 7.5 | 5.0 | 6.5 |
| MONTH | 19.5 | 8.5 | 13.0 | 13.0 | 2.0 | 8.0 | --- | --- | --- | 8.5 | 1.5 | 4.5 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 7.0 | 5.5 | 6.5 | --- | --- | --- | --- | --- | --- | 22.0 | 18.0 | 20.0 |
| 2 | 6.0 | 5.5 | 6.0 | --- | --- | --- | --- | --- | --- | 18.0 | 14.5 | 16.0 |
| 3 | 6.0 | 5.5 | 5.5 | --- | --- | --- | --- | --- | --- | 15.0 | 13.0 | 13.5 |
| 4 | 5.5 | 5.0 | 5.0 | --- | --- | --- | --- | --- | --- | 17.5 | 12.0 | 14.5 |
| 5 | 5.0 | 4.5 | 5.0 | --- | --- | --- | --- | --- | --- | 15.0 | 11.5 | 13.5 |
| 6 | 4.5 | 3.5 | 4.0 | --- | --- | --- | --- | --- | --- | 14.0 | 12.5 | 13.0 |
| 7 | 5.0 | 3.0 | 4.0 | --- | --- | --- | --- | --- | --- | 14.0 | 10.5 | 12.0 |
| 8 | 3.5 | 3.0 | 3.0 | --- | --- | --- | --- | --- | --- | 15.0 | 9.5 | 12.5 |
| 9 | 3.0 | 2.0 | 3.0 | --- | --- | --- | --- | --- | --- | 14.0 | 13.0 | 13.0 |
| 10 | 3.0 | 2.5 | 2.5 | --- | --- | --- | --- | --- | --- | 17.5 | 13.0 | 15.0 |
| 11 | 4.0 | 2.5 | 3.0 | --- | --- | --- | --- | --- | --- | 18.5 | 13.5 | 16.0 |
| 12 | 4.0 | 3.5 | 4.0 | --- | --- | --- | --- | --- | --- | 17.5 | 14.5 | 16.0 |
| 13 | 7.0 | 4.0 | 5.0 | --- | --- | --- | --- | --- | --- | 14.5 | 13.0 | 14.0 |
| 14 | 7.0 | 5.0 | 6.0 | --- | --- | --- | --- | --- | --- | 18.5 | 12.0 | 15.0 |
| 15 | 5.5 | 3.5 | 5.0 | --- | --- | --- | --- | --- | --- | 22.0 | 16.0 | 18.5 |
| 16 | 3.5 | 2.5 | 3.5 | --- | --- | --- | 14.0 | 9.5 | 12.0 | 23.0 | 17.5 | 20.0 |
| 17 | 5.5 | 3.0 | 4.0 | --- | --- | --- | 14.5 | 10.0 | 12.5 | 24.0 | 18.5 | 21.5 |
| 18 | 5.0 | 3.0 | 4.0 | --- | --- | --- | 15.5 | 10.5 | 13.0 | 23.5 | 19.5 | 21.5 |
| 19 | --- | --- | --- | --- | --- | --- | 14.0 | 11.0 | 12.5 | 21.5 | 17.5 | 19.5 |
| 20 | --- | --- | --- | --- | --- | --- | 14.5 | 8.5 | 11.5 | 20.5 | 16.0 | 18.0 |
| 21 | --- | --- | --- | --- | --- | --- | 16.0 | 10.5 | 13.5 | 20.5 | 15.5 | 18.0 |
| 22 | --- | --- | --- | --- | --- | --- | 17.0 | 14.0 | 15.5 | 22.5 | 17.0 | 19.5 |
| 23 | --- | --- | --- | --- | --- | --- | 17.5 | 14.0 | 15.5 | 21.0 | 19.0 | 20.0 |
| 24 | --- | --- | --- | --- | --- | --- | 14.0 | 10.5 | 11.5 | 21.5 | 17.0 | 19.5 |
| 25 | --- | --- | --- | --- | --- | --- | 14.5 | 9.0 | 11.5 | 19.0 | 16.5 | 17.5 |
| 26 | --- | --- | --- | --- | --- | --- | 17.0 | 11.0 | 14.0 | 18.5 | 14.5 | 16.5 |
| 27 | --- | --- | --- | --- | --- | --- | 18.0 | 11.5 | 15.0 | 16.5 | 14.0 | 15.5 |
| 28 | --- | --- | --- | --- | --- | --- | 19.0 | 13.0 | 16.0 | 18.5 | 13.5 | 16.0 |
| 29 | --- | --- | --- | --- | --- | --- | 22.5 | 16.0 | 19.0 | 17.0 | 15.5 | 16.0 |
| 30 | --- | --- | --- | --- | --- | --- | 22.5 | 18.0 | 20.5 | 21.0 | 15.5 | 18.0 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.5 | 17.5 | 18.5 |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | 24.0 | 9.5 | 16.5 |

DELAWARE RIVER BASIN

135

01470960 TULPEHOCKEN CREEK AT BLUE MARSH DAMSITE NEAR READING, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 18.5 | 17.0 | 18.0 | 24.5 | 19.0 | 22.0 | 24.5 | 18.5 | 22.0 | 25.0 | 21.0 | 23.0 |
| 2 | 17.5 | 15.5 | 16.0 | 25.5 | 19.0 | 22.5 | 25.5 | 20.0 | 23.0 | 23.0 | 20.5 | 21.5 |
| 3 | 21.0 | 14.0 | 17.0 | 27.5 | 21.0 | 24.0 | 24.5 | 21.0 | 22.5 | 21.5 | 19.5 | 20.5 |
| 4 | 22.0 | 16.5 | 19.5 | 28.0 | 23.0 | 26.0 | 23.5 | 21.0 | 22.5 | 19.5 | 17.5 | 18.5 |
| 5 | 23.5 | 17.5 | 20.5 | 26.5 | 23.5 | 24.5 | 24.5 | 20.5 | 22.5 | 20.0 | 14.5 | 17.0 |
| 6 | 23.5 | 17.5 | 20.5 | 26.5 | 22.0 | 24.0 | 24.5 | 19.0 | 21.5 | 17.5 | 16.0 | 16.5 |
| 7 | 21.5 | 18.0 | 20.0 | 27.0 | 20.5 | 24.0 | 24.0 | 19.5 | 21.5 | 17.5 | 15.0 | 16.5 |
| 8 | 21.0 | 18.0 | 19.0 | 27.5 | 21.5 | 24.5 | 22.0 | 18.5 | 20.5 | 20.5 | 16.5 | 18.0 |
| 9 | 25.0 | 18.0 | 21.5 | 28.0 | 22.5 | 25.5 | 23.5 | 19.5 | 21.0 | 20.0 | 17.0 | 18.5 |
| 10 | 27.5 | 20.0 | 24.0 | 27.5 | 24.0 | 25.5 | 24.5 | 19.0 | 21.5 | 21.5 | 17.5 | 19.5 |
| 11 | 25.5 | 22.0 | 24.0 | 25.0 | 21.0 | 23.0 | 24.0 | 17.5 | 21.0 | 22.0 | 18.0 | 20.0 |
| 12 | 22.5 | 19.0 | 21.0 | 24.5 | 18.0 | 21.5 | 24.0 | 17.0 | 20.5 | 25.5 | 19.5 | 22.0 |
| 13 | 22.5 | 16.5 | 19.5 | 25.0 | 18.0 | 21.5 | 23.5 | 18.5 | 21.0 | 27.5 | 21.0 | 24.0 |
| 14 | 21.0 | 16.5 | 19.5 | 27.0 | 19.5 | 23.5 | 26.0 | 20.0 | 23.0 | 24.0 | 17.0 | 21.0 |
| 15 | 22.5 | 17.0 | 20.0 | 27.0 | 22.5 | 25.0 | 26.0 | 19.0 | 22.5 | 19.5 | 14.5 | 16.5 |
| 16 | 21.0 | 18.5 | 20.0 | 26.0 | 21.5 | 24.0 | 24.5 | 18.5 | 22.0 | 19.5 | 14.0 | 16.0 |
| 17 | 23.0 | 17.5 | 20.0 | 25.0 | 18.5 | 22.0 | 24.0 | 21.5 | 22.5 | 20.5 | 14.5 | 17.0 |
| 18 | 22.0 | 16.5 | 20.0 | 25.0 | 20.0 | 22.5 | 25.5 | 19.5 | 22.5 | 20.0 | 15.0 | 17.0 |
| 19 | 23.0 | 16.5 | 20.0 | 27.0 | 22.0 | 24.5 | 25.5 | 20.5 | 23.0 | 21.0 | 14.5 | 17.5 |
| 20 | 25.0 | 20.0 | 22.5 | 24.5 | 20.0 | 22.5 | 26.0 | 20.0 | 23.0 | 24.0 | 16.0 | 20.0 |
| 21 | 23.5 | 21.0 | 22.0 | 23.0 | 17.5 | 20.5 | 25.5 | 20.5 | 23.0 | 23.0 | 16.5 | 20.5 |
| 22 | 25.0 | 20.0 | 23.0 | 24.5 | 17.5 | 21.0 | 23.5 | 21.0 | 22.0 | 17.0 | 13.5 | 15.5 |
| 23 | 23.0 | 17.5 | 19.5 | 21.5 | 18.0 | 19.5 | 26.5 | 21.5 | 23.5 | 15.0 | 11.5 | 13.5 |
| 24 | 20.5 | 16.5 | 18.0 | 18.5 | 17.5 | 17.5 | 26.5 | 21.5 | 24.0 | 13.0 | 8.5 | 10.5 |
| 25 | 18.0 | 16.5 | 16.5 | 22.0 | 16.5 | 19.0 | 26.0 | 21.0 | 23.5 | 13.5 | 8.0 | 10.5 |
| 26 | 20.0 | 15.5 | 17.5 | 21.0 | 18.0 | 19.5 | 23.5 | 21.0 | 22.0 | 15.5 | 10.5 | 13.0 |
| 27 | 21.5 | 16.5 | 19.0 | 24.5 | 19.0 | 22.0 | 26.5 | 21.5 | 23.5 | 17.0 | 11.0 | 14.0 |
| 28 | 18.5 | 16.5 | 17.0 | 25.5 | 20.5 | 23.0 | 25.5 | 23.0 | 24.5 | 17.5 | 14.0 | 15.0 |
| 29 | 19.0 | 15.5 | 17.0 | 25.0 | 21.0 | 23.0 | 27.0 | 22.5 | 24.5 | 19.5 | 15.5 | 17.5 |
| 30 | 23.0 | 16.0 | 19.5 | 24.0 | 21.0 | 22.5 | 25.0 | 23.0 | 24.0 | 15.5 | 13.0 | 14.0 |
| 31 | --- | --- | --- | 25.0 | 19.0 | 22.0 | 24.5 | 20.5 | 22.5 | --- | --- | --- |
| MONTH | 27.5 | 14.0 | 19.5 | 28.0 | 16.5 | 22.5 | 27.0 | 17.0 | 22.5 | 27.5 | 8.0 | 17.5 |

DELAWARE RIVER BASIN

01474500 SCHUYLKILL RIVER AT PHILADELPHIA, PA.

LOCATION.--Lat 39°59'42", long 75°11'40", Philadelphia County, at Belmont Filter Plant, 1.6 mi (2.6 km) upstream from gaging station, located 40 ft (12 m) upstream from Fairmount Dam, 1,000 ft (305 m) upstream from Spring Garden Street Bridge, Philadelphia, and 8.2 mi (13.2 km) upstream from mouth.

DRAINAGE AREA.--1,890 mi² (4,900 km²), at Fairmount Dam.

PERIOD OF RECORD.--Chemical analyses: October 1945 to September 1974.

Water temperatures: October 1945 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum, 616 micromhos July 26; minimum, 177 micromhos Dec. 21.

Dissolved oxygen: Maximum, 14.6 mg/l Dec. 19; minimum, 5.8 mg/l June 24.

pH: Maximum, 7.8 Mar. 30, Sept. 11; minimum, 5.7 Dec. 21.

Water temperatures: Maximum, 31.5°C July 10; minimum, 1.0°C Jan. 14, 15.

Period of record:

Specific conductance (1963-74): Maximum, 972 micromhos June 25, 1965; minimum, 128 micromhos Sept. 14, 1971.

Dissolved oxygen (1966-74): Maximum, 15.5 mg/l Feb. 4, 1973; minimum, 0.4 mg/l July 24, 1971.

pH (1968-74): Maximum, 10.1 Aug. 12, 1969; minimum, 5.7 Dec. 21, 1973.

Water temperatures: Maximum, 31.5°C July 10, 1974; minimum, freezing point on many days during winter periods.

REMARKS.--Water-quality recorder located at Belmont raw-water pumping station on west side of river near Columbia Bridge.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DISCHARGE (CFS) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) | SUS-PENDED SOLIDS (MG/L) | SPECIFIC CONDUCTANCE (MICROMHOS) | PH (UNITS) | TEMPERATURE (DEG C) | TURBIDITY (JTU) | DIS-SOLVED OXYGEN (MG/L) | BIO-CHEMICAL OXYGEN DEMAND 5 DAY (MG/L) | IMMEDIATE COLIFORM PER 100 ML | FECAL COLIFORM PER 100 ML |
|------------|------|-------------------------------|---|--------------------------|----------------------------------|------------|---------------------|-----------------|--------------------------|---|-------------------------------|---------------------------|
| OCT. 25... | 1200 | 679 | 337 | 9 | 580 | 7.3 | 16.0 | 8 | 8.8 | 2.4 | 3200 | 230 |
| NOV. 29... | 1500 | 2070 | 352 | 12 | 490 | 6.6 | 14.0 | -- | 8.7 | 3.0 | 16000 | 3000 |
| DEC. 27... | 1100 | 21900 | 160 | 189 | 165 | 7.4 | 6.5 | 75 | 14.6 | 3.2 | 220000 | 72000 |

| DATE | TIME | TOTAL IRON (FE) (UG/L) | TOTAL MANGANESE (MN) (UG/L) | BICARBONATE (HCO3) (MG/L) | ALKALINITY AS CaCO3 (MG/L) | DIS-SOLVED SULFATE (SO4) (MG/L) | DIS-SOLVED FLUORIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) |
|------------|------|------------------------|-----------------------------|---------------------------|----------------------------|---------------------------------|--------------------------------|--------------------------|
| DEC. 27... | 1100 | 4300 | 520 | 30 | 25 | 25 | .2 | 1.8 |

| DATE | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | HARDNESS (CA+MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | TOTAL ACIDITY AS CaCO3 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) |
|------------|-----------------------------|-----------------------------------|------------------------------------|-----------------------------|-----------------------------------|-------------------------|-------------------------------|-------------------------------|----------------------------|
| DEC. 27... | .21 | .84 | 1.1 | .40 | .22 | 58 | 33 | 5.0 | .1 |

| DATE | TOTAL ORGANIC CARBON (C) (MG/L) | CYANIDE (CN) (MG/L) | PHENOLS (UG/L) | TOTAL ARSENIC (AS) (UG/L) | TOTAL CADMIUM (CD) (UG/L) | HEXAVALENT CHROMIUM (CR6) (UG/L) | TOTAL COPPER (CU) (UG/L) | TOTAL LEAD (PB) (UG/L) |
|------------|---------------------------------|---------------------|----------------|---------------------------|---------------------------|----------------------------------|--------------------------|------------------------|
| DEC. 27... | 9.0 | .00 | 1 | 4 | 0 | 0 | 21 | 26 |

01474500 SCHULYKILL RIVER AT PHILADELPHIA, PA.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 432 | 423 | 428 | 431 | 344 | 383 | 435 | 414 | 421 | 275 | 268 | 270 |
| 2 | 428 | 410 | 422 | 436 | 399 | 420 | 428 | 415 | 424 | 290 | 276 | 283 |
| 3 | 415 | 381 | 397 | 397 | 362 | 372 | 425 | 410 | 416 | 310 | 286 | 297 |
| 4 | 385 | 350 | 365 | 382 | 368 | 378 | 452 | 409 | 427 | 335 | 311 | 326 |
| 5 | 397 | 390 | 393 | 379 | 364 | 372 | 477 | 455 | 469 | 327 | 319 | 322 |
| 6 | 427 | 397 | 417 | 374 | 354 | 365 | 464 | 351 | 401 | 330 | 317 | 323 |
| 7 | 439 | 418 | 433 | 380 | 368 | 374 | 378 | 329 | 340 | 334 | 329 | 332 |
| 8 | 446 | 439 | 443 | 390 | 376 | 385 | 395 | 344 | 367 | 356 | 334 | 343 |
| 9 | 462 | 447 | 454 | 399 | 390 | 395 | 345 | 294 | 326 | 399 | 358 | 377 |
| 10 | 476 | 461 | 468 | 413 | 400 | 409 | 289 | 245 | 263 | 479 | 378 | 428 |
| 11 | 469 | 453 | 461 | 433 | 412 | 421 | 267 | 246 | 257 | 465 | 416 | 433 |
| 12 | 455 | 448 | 451 | 457 | 434 | --- | 272 | 259 | 265 | 406 | 340 | 364 |
| 13 | 452 | 446 | 450 | 472 | 456 | --- | 268 | 260 | 264 | 344 | 336 | 340 |
| 14 | 460 | 450 | 454 | 489 | 471 | 480 | 275 | 259 | 267 | 342 | 335 | 338 |
| 15 | 463 | 458 | 461 | 488 | 468 | 476 | 280 | 267 | 275 | 350 | 343 | 347 |
| 16 | 477 | 462 | --- | 469 | 455 | 461 | 322 | 268 | 289 | 360 | 350 | 355 |
| 17 | --- | --- | --- | 458 | 452 | 455 | 329 | 295 | 311 | 374 | 361 | 369 |
| 18 | 527 | 521 | --- | 464 | 451 | 458 | 323 | 300 | 309 | 371 | 361 | 367 |
| 19 | 524 | 514 | 520 | 474 | 459 | --- | 308 | 301 | 306 | 365 | 345 | 358 |
| 20 | 515 | 507 | 512 | --- | --- | --- | 494 | 308 | 352 | 368 | 347 | 360 |
| 21 | 507 | 497 | 501 | --- | --- | --- | 543 | 177 | 271 | 370 | 341 | 356 |
| 22 | 502 | 496 | 499 | --- | --- | --- | 229 | 197 | 212 | 358 | 242 | 272 |
| 23 | 514 | 500 | 506 | 506 | 440 | --- | 236 | 224 | 230 | 291 | 257 | 274 |
| 24 | 516 | 509 | 513 | 494 | 469 | 486 | 268 | 233 | 254 | 291 | 266 | 280 |
| 25 | 537 | 516 | 526 | 483 | 474 | 479 | 276 | 265 | 270 | 271 | 255 | 262 |
| 26 | 549 | 535 | 543 | 500 | 477 | 491 | 302 | 276 | 290 | 266 | 257 | 262 |
| 27 | 548 | 534 | 541 | 505 | 497 | 500 | 297 | 208 | 229 | 271 | 259 | 267 |
| 28 | 535 | 519 | 526 | 506 | 492 | 501 | 251 | 214 | 238 | 272 | 259 | 265 |
| 29 | 537 | 459 | 500 | 501 | 483 | 491 | 265 | 250 | 258 | 287 | 273 | 282 |
| 30 | 486 | 452 | 470 | 480 | 437 | 456 | 269 | 264 | 265 | 305 | 282 | 299 |
| 31 | 447 | 339 | 400 | --- | --- | --- | 275 | 267 | 271 | 301 | 279 | 292 |
| MONTH | 549 | 339 | 466 | 506 | 344 | --- | 543 | 177 | 308 | 479 | 242 | 324 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 293 | 280 | 287 | 401 | 370 | 386 | --- | --- | --- | 339 | 327 | 332 |
| 2 | 335 | 283 | 295 | 388 | 373 | 379 | 291 | 270 | --- | 326 | 310 | 316 |
| 3 | 325 | 304 | 312 | 389 | 369 | 380 | 292 | 277 | 283 | 326 | 318 | 320 |
| 4 | 331 | 306 | 313 | 381 | 358 | 370 | 282 | 276 | 279 | 351 | 329 | 344 |
| 5 | 328 | 322 | 325 | 368 | 353 | 361 | 275 | 227 | 245 | 367 | 350 | 358 |
| 6 | 344 | 323 | 327 | 362 | 352 | 358 | 238 | 230 | 235 | 374 | 367 | 371 |
| 7 | 385 | 342 | 371 | 369 | 357 | 363 | 239 | 230 | 234 | 400 | 373 | 388 |
| 8 | 397 | 369 | 383 | 388 | 359 | 375 | 244 | 235 | 239 | 393 | 377 | 383 |
| 9 | 390 | 364 | 375 | 397 | 388 | 393 | 255 | 198 | 234 | 378 | 369 | 374 |
| 10 | 390 | 356 | 370 | 396 | 364 | 376 | 248 | 197 | 222 | 374 | 357 | --- |
| 11 | 388 | 352 | 365 | 369 | 329 | 342 | 263 | 249 | 254 | --- | --- | --- |
| 12 | 396 | 360 | 371 | 329 | 308 | 323 | 277 | 266 | 274 | --- | --- | --- |
| 13 | 403 | 368 | 385 | 319 | 304 | 312 | 291 | 262 | 279 | --- | --- | --- |
| 14 | 382 | 365 | 373 | 320 | 313 | 316 | 265 | 227 | 240 | 285 | 268 | --- |
| 15 | 381 | 367 | 374 | 323 | 311 | 317 | --- | --- | --- | 304 | 276 | 299 |
| 16 | 417 | 380 | 397 | 329 | 309 | 320 | --- | --- | --- | 298 | 275 | 281 |
| 17 | 417 | 388 | 401 | 324 | 312 | 320 | 286 | 276 | --- | 277 | 265 | 270 |
| 18 | 395 | 378 | 385 | 308 | 279 | 295 | 289 | 280 | 285 | 288 | 275 | 284 |
| 19 | 399 | 372 | 383 | 297 | 286 | 292 | 291 | 277 | 284 | 302 | 286 | 297 |
| 20 | 398 | 385 | 391 | 317 | 292 | 305 | 293 | 289 | 291 | 309 | 298 | 305 |
| 21 | 390 | 368 | 378 | 362 | 317 | 330 | 296 | 289 | 293 | 319 | 302 | 310 |
| 22 | 386 | 366 | 375 | 310 | 241 | 262 | 303 | 295 | 299 | 324 | 316 | 320 |
| 23 | 406 | 382 | 395 | 276 | 248 | 264 | 301 | 297 | 299 | 341 | 324 | 330 |
| 24 | 419 | 394 | 405 | 285 | 266 | 276 | 302 | 295 | 299 | 348 | 339 | 343 |
| 25 | 448 | 399 | 419 | 284 | 271 | 276 | 324 | 300 | 314 | 357 | 342 | 351 |
| 26 | 428 | 361 | 385 | 276 | 270 | 273 | 339 | 322 | 333 | 356 | 348 | 352 |
| 27 | 365 | 349 | 354 | 293 | 277 | 284 | 338 | 324 | 332 | 366 | 339 | 351 |
| 28 | 401 | 368 | 385 | 314 | 294 | 308 | 334 | 318 | 325 | --- | --- | --- |
| 29 | --- | --- | --- | 321 | 311 | --- | 337 | 327 | 333 | 369 | 361 | --- |
| 30 | --- | --- | --- | --- | --- | --- | 338 | 335 | 336 | 368 | 355 | 360 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 364 | 353 | 357 |
| MONTH | 448 | 280 | 367 | 401 | 241 | 327 | 339 | 197 | 282 | 400 | 265 | --- |

DELAWARE RIVER BASIN

01474500 SCHULYKILL RIVER AT PHILADELPHIA, PA.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 372 | 356 | 361 | 394 | 386 | 389 | 506 | 485 | 500 | --- | --- | --- |
| 2 | 383 | 372 | 377 | 418 | 396 | 412 | 529 | 506 | --- | --- | --- | --- |
| 3 | 390 | 381 | 385 | 410 | 385 | 395 | --- | --- | --- | --- | --- | --- |
| 4 | 404 | 385 | 395 | 400 | 384 | 394 | --- | --- | --- | 462 | 399 | --- |
| 5 | 422 | 391 | 403 | 398 | 386 | 391 | --- | --- | --- | 391 | 293 | 320 |
| 6 | 424 | 422 | --- | 408 | 388 | 399 | --- | --- | --- | --- | --- | --- |
| 7 | --- | --- | --- | 412 | 407 | 410 | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | 405 | 371 | 391 | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | 378 | 362 | 365 | --- | --- | --- | 359 | 356 | --- |
| 10 | --- | --- | --- | 382 | 362 | 372 | --- | --- | --- | 359 | 332 | 343 |
| 11 | --- | --- | --- | 402 | 381 | 391 | --- | --- | --- | 372 | 344 | 360 |
| 12 | --- | --- | --- | 439 | 397 | 417 | 450 | 437 | --- | 392 | 368 | 378 |
| 13 | --- | --- | --- | 444 | 427 | --- | 464 | 417 | 440 | 392 | 384 | --- |
| 14 | 431 | 426 | --- | 456 | 430 | 443 | 469 | 455 | --- | 412 | 391 | 400 |
| 15 | 442 | 427 | 435 | 456 | 432 | 445 | --- | --- | --- | 418 | 380 | 405 |
| 16 | 449 | 427 | 441 | 483 | 448 | 469 | --- | --- | --- | 411 | 375 | 392 |
| 17 | 440 | 362 | 389 | 494 | 484 | 488 | --- | --- | --- | 380 | 358 | 365 |
| 18 | 365 | 281 | 318 | 501 | 492 | 497 | --- | --- | --- | 381 | 326 | 353 |
| 19 | 400 | 335 | 387 | 516 | 502 | 509 | --- | --- | --- | 356 | 327 | 342 |
| 20 | 402 | 389 | 398 | 549 | 521 | 534 | 460 | 440 | --- | 399 | 357 | 384 |
| 21 | 391 | 374 | 380 | 559 | 547 | 552 | 472 | 462 | --- | 403 | 378 | --- |
| 22 | 410 | 310 | 388 | 564 | 549 | 558 | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | 564 | 548 | 557 | --- | --- | --- | --- | --- | --- |
| 24 | 401 | 378 | --- | 572 | 555 | 562 | --- | --- | --- | --- | --- | --- |
| 25 | 417 | 406 | 412 | 606 | 594 | --- | --- | --- | --- | --- | --- | --- |
| 26 | 410 | 378 | 402 | 616 | 596 | --- | 455 | 442 | --- | --- | --- | --- |
| 27 | 371 | 326 | 339 | --- | --- | --- | 460 | 431 | --- | --- | --- | --- |
| 28 | 378 | 352 | 365 | --- | --- | --- | 512 | 490 | --- | --- | --- | --- |
| 29 | 399 | 380 | 393 | --- | --- | --- | 532 | 510 | 519 | 279 | 221 | --- |
| 30 | 407 | 394 | 403 | --- | --- | --- | 541 | 520 | --- | 294 | 256 | 270 |
| 31 | --- | --- | --- | 504 | 482 | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | 616 | 362 | --- | --- | --- | --- | --- | --- | --- |

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|------|------|----------|------|------|----------|------|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 8.0 | 6.3 | 7.3 | 10.1 | 9.7 | 9.9 | 10.7 | 10.3 | 10.5 | --- | --- | --- |
| 2 | 8.6 | 7.2 | 7.9 | 10.1 | 9.8 | 10.0 | 10.9 | 10.7 | 10.8 | --- | --- | --- |
| 3 | 8.8 | 7.7 | 8.3 | 9.9 | 9.6 | 9.7 | 11.1 | 10.9 | 11.0 | --- | --- | --- |
| 4 | 8.3 | 7.6 | 8.0 | 9.8 | 9.6 | 9.7 | 11.3 | 10.6 | 11.0 | --- | --- | --- |
| 5 | 8.0 | 7.4 | 7.7 | 10.3 | 9.8 | 10.1 | 10.8 | 10.3 | 10.6 | --- | --- | --- |
| 6 | 8.1 | 7.6 | 7.8 | 10.5 | 10.1 | 10.3 | 10.6 | 10.3 | --- | --- | --- | --- |
| 7 | 8.7 | 7.9 | 8.2 | 10.8 | 10.4 | 10.6 | --- | --- | --- | --- | --- | --- |
| 8 | 8.9 | 8.0 | 8.4 | 10.9 | 10.5 | 10.7 | --- | --- | --- | --- | --- | --- |
| 9 | 8.5 | 8.0 | 8.2 | 10.8 | 10.5 | 10.7 | --- | --- | --- | 13.6 | 13.4 | --- |
| 10 | 9.1 | 7.8 | 8.2 | 11.2 | 10.7 | 10.9 | 12.6 | 12.3 | --- | 13.7 | 13.4 | 13.5 |
| 11 | 8.5 | 8.1 | 8.3 | 11.3 | 11.0 | 11.2 | 13.5 | 12.1 | 12.9 | 13.6 | 13.4 | 13.6 |
| 12 | 9.1 | 8.1 | 8.4 | 11.4 | 11.0 | --- | 13.2 | 12.1 | 12.7 | 14.1 | 13.7 | 14.0 |
| 13 | 8.7 | 8.0 | 8.4 | 11.3 | 11.1 | --- | 12.3 | 11.9 | 12.1 | 14.2 | 13.3 | 13.8 |
| 14 | 8.8 | 8.1 | 8.4 | 11.2 | 10.6 | 10.9 | --- | --- | --- | 13.6 | 12.9 | 13.3 |
| 15 | 8.5 | 7.9 | 8.2 | 10.6 | 10.1 | 10.4 | --- | --- | --- | 13.6 | 13.0 | 13.3 |
| 16 | 9.2 | 7.8 | --- | 10.0 | 9.2 | 9.6 | --- | --- | --- | 13.2 | 11.4 | 12.4 |
| 17 | --- | --- | --- | 9.5 | 9.1 | 9.2 | 13.6 | 13.5 | --- | 12.0 | 11.1 | 11.4 |
| 18 | 8.9 | 8.5 | --- | 9.7 | 9.2 | 9.5 | 14.4 | 13.6 | 14.1 | 12.5 | 11.2 | 11.5 |
| 19 | 9.2 | 8.4 | 8.8 | 9.5 | 9.3 | --- | 14.6 | 14.4 | 14.5 | 12.4 | 11.0 | 11.5 |
| 20 | 9.4 | 8.7 | 9.1 | --- | --- | --- | 14.5 | 14.1 | 14.4 | 11.1 | 10.4 | 10.7 |
| 21 | 9.4 | 8.7 | 9.1 | --- | --- | --- | 14.1 | 13.0 | 13.4 | 10.9 | 9.8 | 10.4 |
| 22 | 9.5 | 8.7 | 9.1 | --- | --- | --- | 13.9 | 13.1 | --- | 10.8 | 10.1 | 10.5 |
| 23 | 9.6 | 8.7 | 9.2 | 8.8 | 8.3 | --- | --- | --- | --- | 10.5 | 10.1 | 10.3 |
| 24 | 9.6 | 8.8 | 9.3 | 9.3 | 8.3 | 8.7 | --- | --- | --- | 10.2 | 9.8 | 10.0 |
| 25 | 9.5 | 8.8 | 9.2 | 8.8 | 8.2 | 8.5 | --- | --- | --- | 10.3 | 9.8 | 10.1 |
| 26 | 9.4 | 8.7 | 9.0 | 9.3 | 8.1 | 8.8 | --- | --- | --- | 12.9 | 9.9 | 11.7 |
| 27 | 9.1 | 8.3 | 8.7 | 9.4 | 8.9 | 9.2 | --- | --- | --- | 12.8 | 11.6 | 12.4 |
| 28 | 9.4 | 8.3 | 8.9 | 9.2 | 8.8 | 9.1 | --- | --- | --- | 12.4 | 11.8 | 12.2 |
| 29 | 9.5 | 8.6 | 9.0 | 9.5 | 8.6 | 9.0 | --- | --- | --- | 12.4 | 10.8 | 11.5 |
| 30 | 10.0 | 9.0 | 9.5 | 10.5 | 9.5 | 10.1 | --- | --- | --- | 12.5 | 10.9 | 12.2 |
| 31 | 10.5 | 10.0 | 10.3 | --- | --- | --- | --- | --- | --- | 12.4 | 12.2 | 12.3 |
| MONTH | 10.5 | 6.3 | 8.6 | 11.4 | 8.1 | --- | --- | --- | --- | --- | --- | --- |

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

[illegible]

DELAWARE RIVER BASIN

01474500 SCHULYKILL RIVER AT PHILADELPHIA, PA.--Continued

PH (UNITS), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 7.3 | 7.1 | 7.2 | 7.4 | 7.0 | 7.2 | 7.4 | 7.4 | 7.4 | 7.1 | 7.1 | 7.1 |
| 2 | 7.2 | 6.8 | 7.0 | 7.3 | 7.2 | 7.3 | 7.4 | 7.4 | 7.4 | 7.2 | 7.1 | 7.1 |
| 3 | 7.0 | 6.8 | --- | 7.3 | 7.2 | 7.3 | 7.4 | 7.0 | 7.4 | 7.1 | 7.1 | 7.1 |
| 4 | --- | --- | --- | 7.3 | 7.3 | 7.3 | 7.3 | 7.2 | 7.3 | 7.2 | 7.1 | 7.2 |
| 5 | 7.1 | 7.0 | --- | 7.3 | 7.3 | 7.3 | 7.1 | 5.8 | 6.3 | 7.2 | 7.2 | 7.2 |
| 6 | 7.1 | 6.5 | 6.9 | 7.4 | 7.3 | 7.3 | 7.3 | 6.2 | 7.0 | 7.2 | 7.2 | 7.2 |
| 7 | 7.1 | 6.5 | 6.9 | 7.3 | 7.2 | 7.3 | 7.2 | 7.1 | 7.2 | 7.2 | 7.2 | 7.2 |
| 8 | 7.3 | 6.9 | 7.1 | 7.2 | 7.2 | 7.2 | 7.2 | 7.2 | 7.2 | 7.2 | 7.2 | 7.2 |
| 9 | 7.1 | 6.9 | 7.1 | 7.2 | 7.2 | 7.2 | 7.4 | 7.1 | 7.2 | 7.3 | 7.1 | 7.2 |
| 10 | 7.0 | 6.5 | 6.9 | 7.3 | 7.2 | 7.3 | 7.2 | 7.0 | 7.1 | 7.3 | 7.1 | 7.2 |
| 11 | 7.0 | 6.9 | 7.0 | 7.2 | 7.2 | 7.2 | 7.2 | 7.1 | 7.2 | 7.2 | 7.0 | 7.1 |
| 12 | 7.1 | 6.9 | 7.0 | 7.5 | 7.2 | --- | 7.3 | 7.2 | 7.2 | 7.2 | 7.1 | 7.2 |
| 13 | 7.1 | 6.4 | 6.8 | 7.6 | 7.5 | --- | 7.3 | 7.2 | 7.3 | 7.2 | 7.2 | 7.2 |
| 14 | 7.2 | 6.2 | 6.7 | 7.5 | 7.4 | 7.5 | 7.3 | 7.1 | 7.3 | 7.2 | 7.1 | 7.2 |
| 15 | 7.1 | 6.4 | 6.9 | 7.4 | 7.1 | 7.3 | 7.3 | 7.2 | 7.3 | 7.1 | 6.9 | --- |
| 16 | 7.1 | 6.8 | --- | 7.4 | 7.1 | 7.3 | 7.3 | 7.2 | 7.3 | --- | --- | --- |
| 17 | --- | --- | --- | 7.4 | 7.4 | 7.4 | 7.5 | 7.1 | 7.3 | --- | --- | --- |
| 18 | 7.1 | 7.1 | --- | 7.4 | 7.4 | 7.4 | 7.5 | 7.4 | 7.5 | --- | --- | --- |
| 19 | 7.2 | 7.1 | 7.1 | 7.4 | 7.4 | --- | 7.5 | 7.4 | 7.4 | --- | --- | --- |
| 20 | 7.1 | 7.1 | 7.1 | --- | --- | --- | 7.4 | 6.3 | 7.3 | --- | --- | --- |
| 21 | 7.2 | 7.1 | 7.1 | --- | --- | --- | 7.1 | 5.7 | 6.5 | --- | --- | --- |
| 22 | 7.1 | 7.1 | 7.1 | --- | --- | --- | 7.1 | 6.7 | 7.0 | --- | --- | --- |
| 23 | 7.4 | 7.0 | 7.2 | 7.5 | 7.0 | --- | 7.1 | 6.7 | 6.9 | --- | --- | --- |
| 24 | 7.6 | 7.4 | 7.5 | 7.5 | 7.3 | 7.4 | 6.7 | 6.6 | 6.7 | --- | --- | --- |
| 25 | 7.6 | 7.5 | 7.5 | 7.5 | 7.0 | 7.3 | 6.7 | 6.6 | 6.6 | --- | --- | --- |
| 26 | 7.5 | 7.4 | 7.5 | 7.4 | 7.3 | 7.3 | 6.8 | 6.5 | 6.7 | --- | --- | --- |
| 27 | 7.6 | 7.4 | 7.5 | 7.2 | 6.8 | 7.1 | 6.7 | 6.3 | 6.4 | --- | --- | --- |
| 28 | 7.6 | 7.5 | 7.6 | 7.2 | 6.4 | 6.8 | 6.6 | 6.4 | 6.5 | --- | --- | --- |
| 29 | 7.5 | 6.8 | 7.2 | 7.5 | 7.2 | 7.3 | 6.8 | 6.6 | 6.7 | 7.4 | 6.7 | --- |
| 30 | 7.7 | 7.1 | 7.4 | 7.5 | 7.4 | 7.5 | 6.9 | 6.7 | 6.8 | 6.9 | 6.6 | 6.8 |
| 31 | 7.4 | 7.1 | 7.3 | --- | --- | --- | 7.2 | 6.9 | 7.1 | 7.0 | 6.6 | 6.8 |
| MONTH | 7.7 | 6.2 | 7.1 | 7.6 | 6.4 | --- | 7.5 | 5.7 | 7.0 | --- | --- | --- |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 7.1 | 7.0 | 7.1 | --- | --- | --- | --- | --- | --- | 7.1 | 6.8 | 7.0 |
| 2 | 7.1 | 7.1 | 7.1 | --- | --- | --- | 6.8 | 6.8 | --- | 7.6 | 6.9 | 7.2 |
| 3 | 7.1 | 7.0 | 7.1 | --- | --- | --- | 6.9 | 6.7 | 6.8 | 7.2 | 6.8 | 7.0 |
| 4 | 7.6 | 7.1 | 7.1 | 7.0 | 6.7 | --- | 6.7 | 6.4 | 6.6 | 7.0 | 6.7 | 6.9 |
| 5 | 7.2 | 7.1 | 7.2 | 7.4 | 7.1 | 7.2 | 6.8 | 6.4 | 6.6 | 7.1 | 6.8 | 7.0 |
| 6 | 7.2 | 7.1 | 7.2 | 7.4 | 7.3 | 7.4 | 6.9 | 6.8 | 6.8 | 7.0 | 6.8 | 6.9 |
| 7 | 7.1 | 6.9 | 7.0 | 7.4 | 7.0 | 7.3 | 6.9 | 6.8 | 6.9 | 7.4 | 6.8 | 7.1 |
| 8 | 7.1 | 7.0 | 7.1 | 7.5 | 7.2 | 7.4 | 6.9 | 6.9 | 6.9 | 7.5 | 7.3 | 7.4 |
| 9 | 7.1 | 7.0 | 7.1 | 7.5 | 7.4 | 7.5 | 7.2 | 6.8 | 6.9 | 7.4 | 7.0 | 7.3 |
| 10 | 7.1 | 6.9 | 7.1 | 7.5 | 7.4 | 7.5 | 6.9 | 6.8 | 6.9 | 7.0 | 6.8 | --- |
| 11 | 7.5 | 7.0 | 7.1 | 7.5 | 6.9 | --- | 6.9 | 6.9 | 6.9 | --- | --- | --- |
| 12 | 7.1 | 7.0 | 7.1 | 7.0 | 6.9 | 6.9 | 6.9 | 6.8 | 6.9 | --- | --- | --- |
| 13 | 7.1 | 6.9 | 7.0 | 7.0 | 6.9 | 7.0 | 6.8 | 6.6 | 6.7 | --- | --- | --- |
| 14 | 7.0 | 6.7 | 6.9 | 7.1 | 7.0 | 7.0 | 6.6 | 6.6 | --- | 7.2 | 7.0 | --- |
| 15 | 7.1 | 7.1 | 7.1 | 7.0 | 7.0 | 7.0 | --- | --- | --- | --- | --- | --- |
| 16 | 7.1 | 7.0 | 7.1 | 7.0 | 6.9 | 7.0 | --- | --- | --- | --- | --- | --- |
| 17 | 7.1 | 7.0 | 7.1 | 7.3 | 6.9 | 7.0 | 6.9 | 6.8 | --- | --- | --- | --- |
| 18 | 7.3 | 7.1 | --- | 6.9 | 6.9 | 6.9 | 6.9 | 6.8 | 6.9 | --- | --- | --- |
| 19 | --- | --- | --- | 6.9 | 6.9 | 6.9 | 6.9 | 6.8 | 6.8 | --- | --- | --- |
| 20 | --- | --- | --- | 7.0 | 6.9 | 6.9 | 7.0 | 6.8 | 6.9 | --- | --- | --- |
| 21 | --- | --- | --- | 7.7 | 6.9 | 7.2 | 7.0 | 6.8 | 6.9 | --- | --- | --- |
| 22 | --- | --- | --- | 7.5 | 7.0 | 7.1 | 6.8 | 6.7 | 6.8 | --- | --- | --- |
| 23 | --- | --- | --- | 7.1 | 7.0 | 7.1 | 6.9 | 6.6 | 6.7 | 7.1 | 7.1 | --- |
| 24 | --- | --- | --- | 7.2 | 7.0 | 7.1 | 7.1 | 6.8 | 6.9 | 7.2 | 7.1 | 7.1 |
| 25 | 7.5 | 7.3 | --- | 7.3 | 7.2 | 7.2 | 7.1 | 7.0 | 7.1 | 7.1 | 7.1 | 7.1 |
| 26 | 7.5 | 6.9 | 7.3 | 7.3 | 7.2 | 7.2 | 7.1 | 7.0 | 7.0 | 7.3 | 7.1 | 7.2 |
| 27 | --- | --- | --- | 7.3 | 7.2 | 7.2 | 7.1 | 7.0 | 7.0 | --- | --- | --- |
| 28 | --- | --- | --- | 7.3 | 7.2 | 7.2 | 7.0 | 7.0 | 7.0 | --- | --- | --- |
| 29 | --- | --- | --- | 7.4 | 7.1 | 7.2 | 7.1 | 6.8 | 7.0 | 7.0 | 6.9 | --- |
| 30 | --- | --- | --- | 7.8 | 7.2 | 7.5 | 7.1 | 6.7 | 6.9 | 7.0 | 6.8 | 6.9 |
| 31 | --- | --- | --- | 7.4 | 7.4 | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | 7.8 | 6.7 | 7.2 | 7.2 | 6.4 | 6.9 | --- | --- | --- |

01474500 SCHULYKILL RIVER AT PHILADELPHIA, PA.--Continued

PH (UNITS), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.7 | 7.1 | --- |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.5 | 7.2 | 7.3 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.8 | 7.2 | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.5 | 6.5 | 7.1 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | 7.2 | 7.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | 7.3 | 6.7 | 7.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | 7.1 | 6.7 | 6.8 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | 6.8 | 6.6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | 7.2 | 7.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | 7.2 | 7.0 | 7.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 7.5 | 7.1 | 7.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 7.2 | 6.9 | 7.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | 7.3 | 7.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.1 | 6.9 | --- |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.4 | 7.1 | 7.4 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|------|------|----------|------|------|----------|------|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 22.0 | 20.5 | 21.0 | 14.0 | 13.0 | 13.5 | 11.5 | 10.0 | 11.0 | 8.0 | 7.0 | 7.0 |
| 2 | 21.0 | 20.5 | 21.0 | 14.0 | 12.0 | 13.0 | 10.0 | 9.0 | 9.5 | 7.0 | 6.5 | 6.5 |
| 3 | 21.0 | 20.0 | 20.5 | 14.0 | 13.0 | 13.5 | 9.5 | 9.0 | 9.0 | 6.5 | 6.5 | 6.5 |
| 4 | 21.5 | 20.0 | 21.0 | 13.5 | 13.0 | 13.0 | 9.5 | 8.5 | 9.0 | 6.5 | 6.0 | 6.5 |
| 5 | 22.0 | 21.0 | 21.5 | 13.0 | 11.5 | 12.0 | 11.0 | 9.5 | 10.0 | 6.0 | 5.0 | 5.5 |
| 6 | 21.5 | 20.5 | 21.0 | 11.5 | 10.5 | 11.0 | 12.0 | 10.5 | 11.5 | 5.5 | 5.0 | 5.0 |
| 7 | 21.0 | 20.5 | 20.5 | 10.5 | 9.5 | 10.0 | 11.0 | 10.0 | 11.0 | 5.5 | 5.0 | 5.5 |
| 8 | 21.5 | 20.0 | 20.5 | 10.0 | 9.5 | 10.0 | 10.0 | 9.0 | 9.5 | 5.5 | 5.0 | 5.0 |
| 9 | 21.0 | 20.0 | 20.5 | 10.0 | 8.5 | 9.0 | 9.0 | 8.5 | 8.5 | 5.0 | 3.0 | 4.0 |
| 10 | 21.0 | 20.0 | 20.5 | 9.5 | 8.0 | 8.5 | 9.0 | 8.5 | 9.0 | 3.0 | 3.0 | 3.0 |
| 11 | 20.0 | 19.0 | 19.5 | 9.0 | 8.0 | 8.5 | 8.5 | 7.0 | 7.5 | 3.5 | 3.0 | 3.0 |
| 12 | 20.5 | 19.0 | 19.5 | 9.0 | 8.5 | --- | 8.0 | 6.5 | 7.0 | 3.5 | 2.0 | 3.0 |
| 13 | 20.0 | 19.0 | 19.5 | 9.5 | 9.0 | --- | 7.0 | 6.5 | 7.0 | 2.0 | 1.5 | 1.5 |
| 14 | 20.0 | 19.0 | 19.5 | 10.5 | 9.5 | 10.0 | 8.5 | 7.0 | 8.0 | 2.0 | 1.0 | 1.0 |
| 15 | 19.5 | 18.5 | 19.0 | 11.5 | 10.0 | 11.0 | 7.0 | 6.5 | 7.0 | 3.0 | 1.0 | 1.5 |
| 16 | 19.5 | 18.5 | --- | 12.0 | 11.5 | 11.5 | 7.0 | 6.5 | 6.5 | 3.5 | 1.5 | 3.0 |
| 17 | --- | --- | --- | 11.5 | 11.0 | 11.0 | 9.0 | 4.0 | 5.5 | 4.0 | 3.0 | 3.5 |
| 18 | 17.0 | 16.0 | --- | 11.0 | 10.5 | 11.0 | 4.0 | 3.0 | 3.5 | 3.5 | 3.0 | 3.5 |
| 19 | 17.0 | 15.5 | 16.0 | 11.5 | 10.5 | --- | 3.5 | 3.0 | 3.0 | 4.0 | 3.0 | 3.5 |
| 20 | 16.5 | 15.5 | 16.0 | --- | --- | --- | 4.5 | 3.0 | 3.5 | 3.5 | 3.0 | 3.0 |
| 21 | 16.5 | 15.0 | 15.5 | --- | --- | --- | 5.0 | 3.5 | 4.0 | 4.5 | 3.0 | 3.5 |
| 22 | 16.5 | 15.0 | 15.5 | --- | --- | --- | 5.5 | 4.0 | 4.5 | 4.5 | 3.0 | 3.5 |
| 23 | 16.5 | 15.0 | 16.0 | 13.0 | 12.0 | --- | 13.0 | 6.0 | 10.5 | 5.0 | 4.0 | 4.5 |
| 24 | 16.5 | 15.0 | 16.0 | 13.0 | 11.5 | 12.5 | 13.5 | 12.0 | 13.0 | 5.5 | 5.0 | 5.0 |
| 25 | 16.5 | 15.0 | 15.5 | 13.5 | 12.0 | 12.5 | 11.5 | 11.0 | 11.5 | 6.0 | 5.0 | 5.5 |
| 26 | 17.0 | 15.5 | 16.0 | 13.5 | 13.0 | 13.5 | 11.5 | 10.5 | 11.0 | 5.5 | 5.5 | 5.5 |
| 27 | 17.0 | 16.0 | 16.5 | 13.5 | 13.0 | 13.0 | 11.5 | 10.0 | 11.0 | 7.0 | 5.5 | 6.0 |
| 28 | 16.5 | 15.5 | 16.0 | 14.5 | 13.5 | 14.0 | 12.0 | 11.5 | 12.0 | 7.0 | 6.5 | 6.5 |
| 29 | 16.0 | 15.5 | 15.5 | 14.5 | 13.5 | 14.0 | 12.0 | 10.5 | 11.0 | 8.5 | 7.0 | 7.5 |
| 30 | 15.5 | 14.5 | 15.0 | 13.5 | 11.5 | 12.5 | 10.5 | 9.5 | 10.5 | 8.5 | 8.0 | 8.0 |
| 31 | 14.5 | 13.5 | 14.0 | --- | --- | --- | 9.0 | 7.0 | 8.5 | 8.5 | 7.0 | 8.0 |
| MONTH | 22.0 | 13.5 | 18.0 | 14.5 | 8.0 | --- | 13.5 | 3.0 | 8.5 | 8.5 | 1.0 | 4.5 |

DELAWARE RIVER BASIN

01474500 SCHULYKILL RIVER AT PHILADELPHIA, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|------|------|-------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 8.0 | 6.5 | 7.0 | 8.0 | 6.5 | 7.0 | 8.0 | 6.0 | 6.5 | 19.5 | 19.0 | --- |
| 2 | 6.5 | 5.5 | 6.0 | 8.0 | 7.0 | 7.5 | 8.5 | 7.0 | 7.5 | --- | --- | --- |
| 3 | 5.5 | 4.5 | 5.0 | 8.5 | 7.0 | 8.0 | 10.5 | 8.0 | 9.0 | --- | --- | --- |
| 4 | 4.5 | 3.0 | 4.0 | 9.5 | 8.0 | 8.5 | 13.0 | 10.0 | 11.5 | --- | --- | --- |
| 5 | 3.5 | 1.5 | 2.5 | 10.5 | 9.0 | 10.0 | 13.5 | 13.0 | 13.5 | --- | --- | --- |
| 6 | 3.0 | 1.5 | 2.0 | 11.5 | 10.0 | 10.5 | 13.0 | 11.5 | 12.0 | --- | --- | --- |
| 7 | 3.5 | 2.0 | 3.0 | 13.0 | 11.0 | 11.5 | 11.0 | 10.0 | 10.5 | 16.0 | 15.0 | --- |
| 8 | 3.0 | 2.0 | 2.5 | 12.0 | 11.5 | 11.5 | 10.5 | 10.0 | 10.0 | 16.5 | 14.5 | 15.0 |
| 9 | 3.5 | 1.5 | 2.5 | 11.5 | 11.0 | 11.0 | 10.5 | 8.5 | 9.5 | 16.0 | 15.0 | 15.5 |
| 10 | 3.0 | 1.5 | 2.0 | 11.0 | 9.0 | 10.0 | 9.0 | 8.0 | 8.5 | 16.5 | 15.5 | --- |
| 11 | 3.0 | 1.5 | 2.0 | 9.0 | 8.0 | 8.5 | 10.0 | 8.5 | 9.0 | --- | --- | --- |
| 12 | 4.0 | 1.5 | 3.0 | 9.5 | 8.0 | 8.5 | 11.5 | 10.0 | 10.5 | --- | --- | --- |
| 13 | 5.0 | 3.5 | 4.0 | 9.0 | 7.0 | 8.0 | 13.0 | 11.5 | 12.0 | --- | --- | --- |
| 14 | 6.0 | 4.5 | 5.0 | 8.5 | 6.5 | 7.0 | 15.0 | 13.0 | 13.5 | 16.5 | 15.5 | --- |
| 15 | 6.0 | 4.5 | 5.0 | 8.5 | 6.5 | 7.5 | 15.5 | 14.5 | 15.0 | 18.0 | 15.0 | 16.5 |
| 16 | 5.0 | 4.5 | 4.5 | 9.5 | 8.0 | 8.5 | 15.0 | 13.5 | --- | 20.5 | 18.0 | 19.0 |
| 17 | 5.5 | 4.5 | 5.0 | 9.5 | 7.0 | 8.5 | 14.0 | 14.0 | --- | 23.0 | 19.5 | 21.0 |
| 18 | 5.0 | 3.5 | 4.5 | 8.0 | 6.0 | 6.5 | 15.0 | 13.5 | 14.5 | 24.0 | 21.5 | 23.0 |
| 19 | 5.0 | 4.0 | 4.5 | 9.0 | 6.5 | 7.0 | 15.0 | 14.0 | 14.5 | 24.0 | 23.0 | 23.5 |
| 20 | 6.5 | 5.0 | 5.5 | 10.0 | 8.0 | 8.5 | 15.0 | 13.5 | 14.0 | 23.5 | 21.0 | 22.5 |
| 21 | 7.0 | 5.5 | 6.0 | 10.0 | 9.0 | 9.5 | 15.5 | 13.5 | 14.0 | 23.0 | 20.5 | 21.5 |
| 22 | 8.5 | 5.5 | 7.0 | 9.5 | 7.0 | 8.5 | 16.0 | 14.5 | 15.0 | 23.5 | 21.0 | 22.0 |
| 23 | 8.5 | 6.5 | 7.5 | 9.5 | 7.0 | 8.0 | 17.0 | 16.0 | 16.5 | 23.5 | 23.0 | 23.5 |
| 24 | 7.0 | 6.0 | 6.5 | 10.5 | 9.0 | 9.5 | 16.5 | 15.0 | 16.0 | 24.0 | 23.0 | 23.5 |
| 25 | 6.0 | 5.0 | 5.5 | 10.0 | 9.0 | 9.5 | 16.0 | 14.5 | 15.0 | 23.5 | 22.0 | 23.0 |
| 26 | 6.0 | 4.5 | 5.0 | 10.0 | 8.5 | 9.0 | 16.5 | 14.5 | 15.0 | 22.0 | 20.5 | 21.5 |
| 27 | 5.5 | 4.0 | 5.0 | 10.0 | 8.5 | 9.0 | 16.5 | 14.0 | 15.0 | 20.5 | 18.5 | 19.5 |
| 28 | 6.5 | 5.0 | 5.5 | 10.5 | 9.0 | 9.5 | 17.0 | 15.0 | 16.0 | 18.0 | 17.0 | --- |
| 29 | --- | --- | --- | 11.5 | 9.5 | 10.0 | 18.5 | 16.0 | 17.5 | 20.0 | 16.5 | --- |
| 30 | --- | --- | --- | 11.0 | 10.0 | 10.5 | 20.5 | 18.0 | 19.0 | 21.0 | 19.5 | 20.0 |
| 31 | --- | --- | --- | 11.0 | 6.5 | 8.5 | --- | --- | --- | 21.0 | 20.0 | 20.5 |
| MONTH | 8.5 | 1.5 | 4.5 | 13.0 | 6.0 | 9.0 | 20.5 | 6.0 | 13.0 | --- | --- | --- |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 21.0 | 20.5 | 21.0 | 25.5 | 22.0 | 23.5 | 28.5 | 27.0 | 27.5 | --- | --- | --- |
| 2 | 21.0 | 20.5 | 20.5 | 27.0 | 23.5 | 25.0 | 29.0 | 27.0 | 28.0 | --- | --- | --- |
| 3 | 21.5 | 20.0 | 20.5 | 29.0 | 26.0 | 27.0 | 27.0 | 26.0 | 26.5 | --- | --- | --- |
| 4 | 23.0 | 20.0 | 21.0 | 30.5 | 28.5 | 29.5 | 28.5 | 25.5 | 26.5 | 25.0 | 23.5 | --- |
| 5 | 26.0 | 21.5 | 23.5 | 29.5 | 29.0 | 29.0 | 29.5 | 25.0 | 27.5 | 23.0 | 21.0 | 21.5 |
| 6 | 25.5 | 25.0 | --- | 30.0 | 28.5 | 29.0 | 27.0 | 26.0 | 26.5 | 21.0 | 20.5 | 21.0 |
| 7 | --- | --- | --- | 30.5 | 29.5 | 30.0 | 26.0 | 24.0 | 24.5 | 21.0 | 20.0 | 20.5 |
| 8 | --- | --- | --- | 31.0 | 29.5 | 30.0 | 24.5 | 23.5 | 24.0 | 22.0 | 20.0 | 20.5 |
| 9 | --- | --- | --- | 31.0 | 29.5 | 30.5 | 25.0 | 24.0 | 24.5 | 21.5 | 20.5 | 20.5 |
| 10 | --- | --- | --- | 31.5 | 30.0 | 31.0 | 25.0 | 22.0 | 23.5 | 21.5 | 20.0 | 20.5 |
| 11 | --- | --- | --- | 30.5 | 29.5 | 30.0 | 25.0 | 23.0 | 24.0 | 23.0 | 21.5 | 22.0 |
| 12 | --- | --- | --- | 29.0 | 27.0 | 28.0 | 25.0 | 23.5 | 24.0 | 24.5 | 23.0 | 23.5 |
| 13 | --- | --- | --- | 28.0 | 26.5 | --- | 25.0 | 23.5 | 24.5 | 25.5 | 23.0 | 24.5 |
| 14 | 26.0 | 25.0 | --- | 28.0 | 26.0 | 27.5 | 26.5 | 23.0 | 25.0 | 25.5 | 22.0 | 24.5 |
| 15 | 25.5 | 24.0 | 25.0 | 28.5 | 27.0 | 28.0 | 26.0 | 24.0 | 25.0 | 24.5 | 23.0 | 23.5 |
| 16 | 25.0 | 23.5 | 24.5 | 29.5 | 28.0 | 28.5 | 26.5 | 24.0 | 25.5 | 23.5 | 21.5 | 22.5 |
| 17 | 24.5 | 24.0 | 24.5 | 28.5 | 26.0 | 27.5 | 25.5 | 24.0 | --- | 22.0 | 21.0 | 21.5 |
| 18 | 24.5 | 23.0 | 23.5 | 28.5 | 26.5 | 27.0 | --- | --- | --- | 22.0 | 21.0 | 21.5 |
| 19 | 25.5 | 24.0 | 25.0 | 28.5 | 26.5 | 27.5 | --- | --- | --- | 23.0 | 21.0 | 22.0 |
| 20 | 26.5 | 25.0 | 25.5 | 28.0 | 26.5 | 27.0 | 27.0 | 26.0 | --- | 23.5 | 21.5 | 22.0 |
| 21 | 28.0 | 26.0 | 26.5 | 30.5 | 25.0 | 26.5 | 28.0 | 24.5 | 26.0 | 23.5 | 21.0 | 22.0 |
| 22 | 28.5 | 26.0 | 27.0 | 27.0 | 25.0 | 26.0 | 26.0 | 25.5 | 26.0 | 22.0 | 20.5 | 21.0 |
| 23 | --- | --- | --- | 26.0 | 25.5 | 25.5 | 26.0 | 25.5 | --- | 21.0 | 19.5 | 20.5 |
| 24 | 24.5 | 23.0 | 24.0 | 25.5 | 24.0 | 24.5 | --- | --- | --- | 19.5 | 18.0 | 18.5 |
| 25 | 23.0 | 23.0 | 22.5 | 25.0 | 24.5 | --- | --- | --- | --- | 20.0 | 17.0 | 19.0 |
| 26 | 22.0 | 22.0 | 21.5 | 25.0 | 23.5 | --- | --- | --- | --- | 20.0 | 18.5 | 19.0 |
| 27 | 22.0 | 21.0 | 21.0 | --- | --- | --- | --- | --- | --- | 20.5 | 18.5 | 19.5 |
| 28 | 21.0 | 21.0 | 20.0 | --- | --- | --- | --- | --- | --- | 21.0 | 19.5 | 20.0 |
| 29 | 22.0 | 20.0 | 21.0 | --- | --- | --- | --- | --- | --- | 21.0 | 20.0 | 20.5 |
| 30 | 24.0 | 20.5 | 22.5 | --- | --- | --- | --- | --- | --- | 19.5 | 18.5 | 19.0 |
| 31 | --- | --- | --- | 28.5 | 27.0 | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | 31.5 | 22.0 | --- | --- | --- | --- | 25.5 | 17.0 | 21.5 |

DELAWARE RIVER BASIN

143

01474703 DELAWARE RIVER AT FORT MIFFLIN AT PHILADELPHIA, PA.

LOCATION.--Lat 39°52'45", long 75°12'11", Philadelphia County, water-quality recorder on right bank at outer end of L-shaped pier at Fort Mifflin, 0.4 mi (0.6 km) downstream from mouth of Schuylkill River, in Philadelphia.

DRAINAGE AREA.--10,000 mi² (25,900 km²), approximately.

PERIOD OF RECORD.--Chemical analyses: July 1970 to December 1971.

Water temperatures: June 1972 to September 1974.

EXTREMES.--1973-74:

Water temperatures: Maximum, 27.0°C Aug. 5, 23, Sept. 1-4; minimum, 4.0°C Dec. 18, 19.

Period of record:

Water temperatures: Maximum, 30.0°C July 23-26, 1972; minimum, 2.0°C Jan. 12-17, 1973.

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|------|------|----------|------|------|----------|------|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 23.0 | 22.0 | 22.0 | 16.5 | 15.5 | 16.0 | 12.0 | 11.0 | 11.5 | --- | --- | --- |
| 2 | 23.0 | 21.5 | 22.0 | 16.0 | 15.0 | 15.5 | 11.5 | 10.5 | 11.0 | --- | --- | --- |
| 3 | 23.0 | 22.0 | 22.5 | 15.5 | 15.0 | 15.5 | 11.5 | 10.5 | 11.0 | --- | --- | --- |
| 4 | 23.5 | 22.0 | 23.0 | 15.0 | 14.5 | 15.0 | 11.5 | 10.5 | 11.0 | --- | --- | --- |
| 5 | 23.5 | 22.0 | 23.0 | 15.0 | 14.5 | 14.5 | 11.5 | 10.5 | 11.0 | --- | --- | --- |
| 6 | 23.5 | 22.0 | 22.5 | 14.5 | 13.0 | 14.0 | 12.0 | 10.5 | 11.0 | --- | --- | --- |
| 7 | 23.0 | 22.0 | 22.5 | 13.5 | 13.0 | 13.5 | 11.5 | 10.5 | 10.5 | --- | --- | --- |
| 8 | 23.0 | 21.5 | 22.0 | 13.5 | 13.0 | 13.0 | 11.0 | 10.0 | 10.5 | --- | --- | --- |
| 9 | 23.0 | 21.5 | 22.0 | 13.5 | 12.0 | 13.0 | 10.5 | 10.0 | 10.0 | --- | --- | --- |
| 10 | 23.0 | 21.5 | 22.0 | 13.0 | 11.5 | 12.0 | 9.5 | 8.5 | 9.0 | --- | --- | --- |
| 11 | 23.0 | 21.5 | 22.0 | 12.0 | 11.5 | 11.5 | 8.5 | 7.0 | 7.5 | --- | --- | --- |
| 12 | 22.0 | 21.5 | 21.5 | 11.5 | 11.5 | 11.5 | 8.0 | 6.5 | 7.0 | --- | --- | --- |
| 13 | 22.0 | 21.0 | 21.5 | 11.5 | 11.0 | 11.5 | 7.0 | 6.5 | 6.5 | --- | --- | --- |
| 14 | 21.5 | 21.0 | 21.5 | 11.5 | 11.5 | 11.5 | 7.0 | 7.0 | 7.0 | --- | --- | --- |
| 15 | 21.5 | 20.5 | 21.0 | 12.0 | 11.5 | 11.5 | 7.0 | 6.5 | 7.0 | --- | --- | --- |
| 16 | 21.0 | 20.5 | 20.5 | 12.0 | 11.0 | 11.5 | 6.5 | 5.5 | 6.0 | --- | --- | --- |
| 17 | 20.5 | 20.0 | 20.0 | 11.5 | 11.0 | 11.0 | 6.0 | 5.0 | 5.5 | --- | --- | --- |
| 18 | 20.0 | 19.0 | 19.5 | 11.0 | 10.5 | 10.5 | 5.0 | 4.0 | 4.5 | --- | --- | --- |
| 19 | 20.0 | 19.0 | 19.5 | 11.0 | 10.5 | 11.0 | 4.5 | 4.0 | 4.0 | --- | --- | --- |
| 20 | 19.5 | 18.5 | 19.0 | 11.0 | 10.5 | 11.0 | --- | --- | --- | --- | --- | --- |
| 21 | 19.5 | 18.5 | 19.0 | 11.0 | 10.5 | 11.0 | --- | --- | --- | --- | --- | --- |
| 22 | 19.0 | 18.5 | 19.0 | 11.5 | 11.0 | 11.0 | --- | --- | --- | --- | --- | --- |
| 23 | 19.5 | 18.5 | 19.0 | 11.5 | 11.0 | 11.0 | --- | --- | --- | --- | --- | --- |
| 24 | 19.0 | 18.5 | 18.5 | 11.5 | 11.0 | 11.0 | --- | --- | --- | --- | --- | --- |
| 25 | 18.5 | 18.0 | 18.0 | 12.0 | 11.5 | 11.5 | --- | --- | --- | --- | --- | --- |
| 26 | 18.5 | 18.0 | 18.0 | 11.5 | 11.5 | 11.5 | --- | --- | --- | --- | --- | --- |
| 27 | 18.5 | 18.0 | 18.0 | 12.0 | 11.5 | 11.5 | --- | --- | --- | --- | --- | --- |
| 28 | 18.5 | 17.0 | 17.5 | 13.0 | 11.5 | 12.0 | --- | --- | --- | --- | --- | --- |
| 29 | 18.5 | 17.0 | 17.5 | 13.0 | 11.5 | 12.0 | --- | --- | --- | --- | --- | --- |
| 30 | 18.5 | 17.0 | 18.0 | 13.0 | 11.0 | 11.5 | --- | --- | --- | --- | --- | --- |
| 31 | 17.0 | 16.5 | 16.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 23.5 | 16.5 | 20.5 | 16.5 | 10.5 | 12.5 | --- | --- | --- | --- | --- | --- |

DELAWARE RIVER BASIN

01474703 DELAWARE RIVER AT FORT MIFFLIN AT PHILADELPHIA, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|------|------|-------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.0 | 18.0 | --- |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.5 | 17.0 | 18.0 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.5 | 18.0 | 18.0 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.0 | 18.0 | 18.5 |
| 12 | --- | --- | --- | 10.0 | 9.5 | --- | 11.5 | 10.5 | --- | 19.0 | 18.5 | 18.5 |
| 13 | --- | --- | --- | 9.5 | 9.0 | 9.0 | 13.0 | 10.0 | 11.0 | 19.5 | 18.0 | 18.5 |
| 14 | --- | --- | --- | 10.0 | 8.0 | 8.5 | 14.5 | 10.5 | 12.0 | 18.0 | 16.5 | 17.5 |
| 15 | --- | --- | --- | 9.0 | 8.0 | 8.5 | 14.0 | 11.0 | 12.0 | 18.0 | 16.5 | 17.5 |
| 16 | --- | --- | --- | 9.0 | 8.0 | 8.5 | 14.5 | 11.5 | 12.5 | 19.0 | 18.0 | 18.5 |
| 17 | --- | --- | --- | --- | --- | --- | 15.0 | 12.0 | 13.5 | 19.5 | 18.5 | 19.0 |
| 18 | --- | --- | --- | 9.5 | 8.0 | --- | 15.0 | 13.0 | 14.0 | 20.5 | 19.0 | 19.5 |
| 19 | --- | --- | --- | 8.5 | 7.0 | 8.0 | 15.0 | 14.0 | 14.5 | 21.0 | 19.5 | 19.5 |
| 20 | --- | --- | --- | 8.5 | 7.0 | 7.5 | 15.5 | 14.0 | 14.5 | 21.0 | 19.5 | 20.0 |
| 21 | --- | --- | --- | 9.0 | 7.0 | 8.0 | 15.5 | 14.0 | 15.0 | 21.0 | 19.5 | 20.0 |
| 22 | --- | --- | --- | 10.0 | 8.0 | 9.0 | 16.0 | 14.5 | 15.0 | 21.5 | 20.0 | 20.5 |
| 23 | --- | --- | --- | 9.0 | 7.0 | 8.5 | 16.0 | 15.0 | 15.0 | 21.5 | 20.5 | 21.0 |
| 24 | --- | --- | --- | 9.5 | 8.0 | 8.5 | 15.5 | 15.0 | --- | 23.0 | 21.0 | 21.5 |
| 25 | --- | --- | --- | 9.5 | 8.0 | 8.5 | --- | --- | --- | 23.0 | 21.5 | 22.0 |
| 26 | --- | --- | --- | 9.0 | 8.0 | 8.5 | --- | --- | --- | 23.0 | 21.5 | 22.0 |
| 27 | --- | --- | --- | 8.5 | 8.0 | --- | --- | --- | --- | 23.0 | 21.5 | 21.5 |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 22.0 | 21.0 | 21.5 |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 22.0 | 21.0 | 21.5 |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 23.0 | 21.5 | 22.0 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 23.0 | 21.5 | 22.0 |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 23.0 | 21.5 | 22.0 | 23.0 | 22.0 | 22.5 | 26.0 | 25.5 | 26.0 | 27.0 | 26.0 | 26.5 |
| 2 | 22.0 | 21.5 | 21.5 | 23.5 | 22.0 | 23.0 | 26.5 | 25.5 | 26.0 | 27.0 | 26.0 | 26.5 |
| 3 | 23.0 | 21.5 | 22.0 | 24.0 | 23.0 | 23.5 | 26.5 | 25.5 | 26.0 | 27.0 | 26.0 | 26.5 |
| 4 | 23.0 | 21.5 | 22.0 | 24.5 | 23.5 | 24.0 | 26.5 | 25.5 | 26.0 | 27.0 | 25.5 | 26.5 |
| 5 | 23.5 | 22.0 | 22.5 | 24.5 | 24.0 | 24.0 | 27.0 | 26.0 | 26.5 | 26.0 | 24.5 | 25.0 |
| 6 | 23.5 | 22.0 | 22.5 | 25.0 | 24.0 | 24.5 | 26.5 | 26.0 | 26.0 | 24.5 | 24.0 | 24.0 |
| 7 | 23.5 | 22.0 | 22.5 | 25.0 | 24.0 | 24.5 | 26.0 | 25.5 | 25.5 | 24.0 | 23.0 | 23.5 |
| 8 | 23.5 | 22.0 | 23.0 | 25.5 | 24.5 | 25.0 | 26.0 | 25.0 | 25.5 | 23.5 | 23.0 | 23.0 |
| 9 | 23.5 | 22.0 | 23.0 | 25.5 | 24.5 | 25.0 | 25.5 | 25.0 | 25.5 | 23.5 | 22.0 | 23.0 |
| 10 | 24.0 | 23.0 | 23.5 | 26.0 | 25.0 | 25.5 | 26.0 | 25.0 | 25.5 | 23.0 | 21.5 | 22.0 |
| 11 | 24.5 | 24.0 | 24.0 | 26.0 | 25.0 | 25.5 | 25.5 | 25.0 | 25.5 | 22.0 | 21.5 | 21.5 |
| 12 | 25.0 | 24.0 | 24.5 | 25.5 | 25.0 | 25.5 | 25.5 | 25.0 | 25.5 | 22.0 | 21.5 | 21.5 |
| 13 | 25.0 | 24.0 | 24.5 | 25.5 | 25.0 | 25.5 | 25.5 | 25.0 | 25.0 | 23.0 | 21.5 | 22.0 |
| 14 | 25.0 | 24.5 | 24.5 | 26.0 | 25.0 | 25.5 | 25.5 | 25.0 | 25.5 | 23.0 | 21.5 | 22.0 |
| 15 | 25.5 | 24.5 | 25.0 | 26.0 | 25.5 | 25.5 | 26.0 | 25.0 | 25.5 | 23.0 | 21.5 | 22.0 |
| 16 | 25.5 | 24.5 | 25.0 | 26.0 | 25.5 | 25.5 | 26.0 | 25.0 | 25.5 | 22.0 | 21.5 | 21.5 |
| 17 | 26.5 | 25.0 | 25.5 | 26.0 | 25.5 | 25.5 | 26.0 | 25.5 | 25.5 | 22.0 | 21.5 | 21.5 |
| 18 | 26.0 | 25.0 | 25.5 | 26.0 | 25.0 | 25.5 | 26.0 | 25.5 | 25.5 | 22.0 | 21.5 | 21.5 |
| 19 | 26.0 | 25.0 | 25.5 | 26.0 | 25.5 | --- | 26.5 | 25.5 | 26.0 | 22.0 | 21.5 | 21.5 |
| 20 | 26.0 | 25.0 | 25.5 | --- | --- | --- | 26.5 | 25.5 | 26.0 | 23.0 | 21.5 | 22.0 |
| 21 | 26.0 | 25.5 | 25.5 | --- | --- | --- | 26.5 | 26.0 | 26.0 | 23.0 | 22.0 | 22.0 |
| 22 | 26.5 | 25.5 | 26.0 | --- | --- | --- | 26.5 | 26.0 | 26.0 | 23.0 | 22.0 | 22.0 |
| 23 | 26.5 | 25.5 | 26.0 | 26.5 | 26.0 | --- | 27.0 | 26.0 | 26.5 | 22.0 | 21.0 | 21.5 |
| 24 | 26.0 | 24.0 | 25.0 | 26.0 | 25.0 | 25.5 | 26.5 | 26.0 | 26.0 | 21.5 | 20.5 | 21.0 |
| 25 | 24.5 | 23.5 | 24.0 | 26.0 | 25.0 | 25.5 | 26.5 | 26.0 | 26.0 | 21.0 | 20.5 | 20.5 |
| 26 | 24.0 | 23.5 | 23.5 | 25.5 | 25.0 | 25.0 | 26.5 | 25.5 | 26.0 | 21.0 | 20.5 | 20.5 |
| 27 | 24.0 | 23.0 | 23.5 | 25.5 | 25.0 | 25.5 | 26.5 | 25.5 | 26.0 | 21.0 | 20.5 | 20.5 |
| 28 | 23.5 | 22.0 | 22.5 | 25.5 | 25.0 | 25.5 | 26.5 | 26.0 | 26.0 | 21.0 | 20.5 | 21.0 |
| 29 | 23.0 | 22.0 | 22.5 | 26.0 | 25.0 | 25.5 | 26.5 | 26.0 | 26.0 | 21.5 | 20.5 | 21.0 |
| 30 | 23.0 | 22.0 | 22.0 | 26.0 | 25.5 | 25.5 | 26.5 | 26.0 | 26.5 | --- | --- | --- |
| 31 | --- | --- | --- | 26.0 | 25.5 | 25.5 | 26.5 | 26.0 | 26.5 | --- | --- | --- |
| MONTH | 26.5 | 21.5 | 24.0 | 26.5 | 22.0 | 25.0 | 27.0 | 25.0 | 26.0 | 27.0 | 20.5 | 22.5 |

01476200 DELAWARE RIVER AT EDDYSTONE, PA.

LOCATION.--Lat 39°50'57", long 75°19'43", Delaware County, at center of river on a line between piers 11 and 12 just above Chester Range front light through channel station +97.2 to the middle of Monds Island on the New Jersey shore.

DRAINAGE AREA.--10,200 mi² (26,400 km²).

PERIOD OF RECORD.--Chemical analyses: August 1949 to September 1968, October 1968 to September 1970 (partial-record station), February to September 1974.

REMARKS.--Samples collected approximately 3 ft (1 m) from bottom. Records of discharge are given for 01463500 Delaware River at Trenton, N.J.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS-SOLVED SILICA (SiO ₂) (MG/L) | TOTAL IRON (FE) (UG/L) | DIS-SOLVED IRON (FE) (UG/L) | TOTAL MAN-GANESE (MN) (UG/L) | DIS-SOLVED MAN-GANESE (MN) (UG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNE-SIUM (MG) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED POTAS-SIUM (K) (MG/L) | BICARBONATE (HCO ₃) (MG/L) |
|-------|------|--|------------------------|-----------------------------|------------------------------|-----------------------------------|--------------------------------|-----------------------------------|-------------------------------|----------------------------------|--|
| FEB. | | | | | | | | | | | |
| 07... | -- | 4.3 | 760 | -- | 80 | -- | 12 | 4.3 | 8.8 | 1.8 | 18 |
| MAR. | | | | | | | | | | | |
| 07... | 1240 | 4.8 | 2500 | -- | 200 | -- | 15 | 5.5 | 14 | 2.2 | 33 |
| APR. | | | | | | | | | | | |
| 04... | 0920 | 4.8 | -- | -- | -- | -- | 14 | 4.8 | 8.8 | 1.9 | 29 |
| MAY | | | | | | | | | | | |
| 02... | 0930 | 4.4 | -- | 1000 | -- | 160 | 16 | 5.3 | 11 | 2.1 | 32 |
| JUNE | | | | | | | | | | | |
| 06... | 0950 | 3.2 | -- | 90 | -- | 1900 | 18 | 6.0 | 13 | 2.3 | 38 |
| JULY | | | | | | | | | | | |
| 11... | 0920 | .5 | -- | 80 | -- | 110 | 22 | 8.2 | 24 | 3.6 | 35 |
| AUG. | | | | | | | | | | | |
| 08... | 0910 | 1.1 | -- | 0 | -- | 10 | 25 | 9.6 | 32 | 4.5 | 39 |
| SEP. | | | | | | | | | | | |
| 05... | 0910 | 1.1 | -- | -- | -- | -- | -- | -- | -- | -- | 42 |

| DATE | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CaCO ₃ (MG/L) | DIS-SOLVED SULFATE (SO ₄) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | DIS-SOLVED FLUORIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | DIS-SOLVED NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | DIS-SOLVED NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | DIS-SOLVED NITRITE PLUS NITRATE (N) (MG/L) |
|-------|-------------------------------------|--|--|---------------------------------|--------------------------------|--------------------------|-------------------------------|--------------------------|-------------------------------|---------------------------------------|--|
| FEB. | | | | | | | | | | | |
| 07... | 0 | 15 | 29 | 14 | .2 | 1.9 | -- | .01 | -- | 1.9 | -- |
| MAR. | | | | | | | | | | | |
| 07... | 0 | 27 | 37 | 20 | .2 | 1.2 | -- | .08 | -- | 1.3 | -- |
| APR. | | | | | | | | | | | |
| 04... | 0 | 24 | 32 | 13 | .1 | 1.1 | -- | .11 | -- | 1.2 | -- |
| MAY | | | | | | | | | | | |
| 02... | 0 | 26 | 36 | 15 | .3 | -- | 1.3 | -- | .23 | -- | 1.5 |
| JUNE | | | | | | | | | | | |
| 06... | 0 | 31 | 42 | 16 | .1 | -- | .83 | -- | .14 | -- | .97 |
| JULY | | | | | | | | | | | |
| 11... | 0 | 29 | 63 | 26 | .3 | -- | 1.7 | -- | .42 | -- | 2.1 |
| AUG. | | | | | | | | | | | |
| 08... | -- | 32 | 70 | 42 | .4 | -- | 1.7 | -- | .38 | -- | 2.1 |
| SEP. | | | | | | | | | | | |
| 05... | -- | 34 | 53 | 22 | .2 | -- | 1.2 | -- | .13 | -- | 1.3 |

| DATE | DIS-SOLVED ORTHO. PHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | HARDNESS (CA+MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICROMHOS) | PH (UNITS) | TEMPERATURE (DEG C) | COLOR (PLATINUM-COBALT UNITS) | TURBIDITY (JTU) | CARBON DIOXIDE (CO ₂) (MG/L) |
|-------|---|---|--|-------------------------|-------------------------------|----------------------------------|------------|---------------------|-------------------------------|-----------------|--|
| FEB. | | | | | | | | | | | |
| 07... | .08 | 108 | 84 | 48 | 33 | 167 | 6.4 | -- | 7 | -- | 11 |
| MAR. | | | | | | | | | | | |
| 07... | .11 | 134 | 115 | 60 | 33 | 224 | 6.6 | -- | 16 | -- | 13 |
| APR. | | | | | | | | | | | |
| 04... | .10 | -- | 94 | 55 | 31 | 167 | 6.6 | -- | 33 | 20 | 12 |
| MAY | | | | | | | | | | | |
| 02... | .08 | 123 | 114 | 62 | 36 | 197 | 6.6 | 14.5 | -- | -- | 13 |
| JUNE | | | | | | | | | | | |
| 06... | .07 | 137 | 126 | 70 | 38 | 221 | 6.7 | 21.5 | -- | -- | 12 |
| JULY | | | | | | | | | | | |
| 11... | .11 | 180 | 175 | 89 | 60 | 310 | 6.4 | 26.0 | -- | -- | 22 |
| AUG. | | | | | | | | | | | |
| 08... | 1.4 | 250 | 217 | 100 | 70 | 383 | -- | 26.0 | -- | -- | -- |
| SEP. | | | | | | | | | | | |
| 05... | .08 | 199 | -- | -- | -- | 289 | -- | 25.5 | -- | -- | -- |

DELAWARE RIVER BASIN

01477050 DELAWARE RIVER AT CHESTER, PA.

LOCATION.--Lat 39°50'12", long 75°22'00", Delaware County, water-quality recorder located at auxiliary tidal-gaging station at end of Reynolds Aluminum Company pier, 0.5 mi (0.8 km) downstream from Chester Creek in Chester.

DRAINAGE AREA.--10,300 mi² (26,700 km²).

PERIOD OF RECORD.--Chemical analyses: December 1961 to September 1974.
Water temperatures: December 1961 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum, 853 micromhos Oct. 26; minimum, 143 micromhos Dec. 3.
Dissolved oxygen: Maximum, 9.7 mg/l Jan. 13, 15; minimum, 0.1 mg/l Sept. 20.
pH: Maximum, 8.4 Dec. 21, Jan. 10, 11; minimum, 5.9 Oct. 26.
Water temperatures: Maximum, 28.5°C Aug. 30, 31, Sept. 2, 3; minimum, 1.5°C Dec. 24, Jan. 14, 15.

Period of record:

Specific conductance (1963-74): Maximum, 5,900 micromhos Oct. 7, 1965; minimum, 111 micromhos Apr. 26, 27, 1972.
Dissolved oxygen: Maximum, 11.5 mg/l Jan. 28, 29, 1964; minimum, 0.0 mg/l on many days.
pH (1968-74): Maximum, 8.7 Sept. 13, 14, 1971; minimum, 5.5 Dec. 10, 11, 1969.
Water temperatures: Maximum, 30.0°C July 13, 14, 1966, Apr. 3, 4, 1967, Aug. 4, 1968; minimum, freezing point on many days during winter periods.

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 519 | 427 | 466 | 397 | 381 | 389 | --- | --- | --- |
| 2 | --- | --- | --- | 449 | 421 | 435 | 399 | 379 | 386 | --- | --- | --- |
| 3 | --- | --- | --- | 443 | 421 | --- | 407 | 143 | 373 | --- | --- | --- |
| 4 | --- | --- | --- | 433 | 401 | 424 | 409 | 387 | 397 | --- | --- | --- |
| 5 | --- | --- | --- | 433 | 393 | 415 | 411 | 385 | 397 | --- | --- | --- |
| 6 | --- | --- | --- | 405 | 385 | 396 | 395 | 357 | 374 | --- | --- | --- |
| 7 | --- | --- | --- | 407 | 383 | 395 | 377 | 361 | 370 | 253 | 219 | --- |
| 8 | --- | --- | --- | 421 | 387 | 402 | 375 | 367 | 371 | 257 | 233 | 245 |
| 9 | --- | --- | --- | 415 | 379 | 401 | 373 | 357 | 368 | 263 | 235 | 246 |
| 10 | --- | --- | --- | 403 | 383 | 396 | 367 | 343 | 355 | 271 | 239 | 251 |
| 11 | --- | --- | --- | 399 | 379 | 394 | 349 | 317 | 335 | 297 | 239 | 272 |
| 12 | --- | --- | --- | 407 | 397 | 401 | 321 | 307 | 314 | 311 | 275 | 291 |
| 13 | --- | --- | --- | 411 | 399 | 406 | 307 | 297 | 302 | 299 | 273 | 284 |
| 14 | --- | --- | --- | 421 | 391 | 407 | 303 | 285 | 293 | 295 | 275 | 284 |
| 15 | 452 | 396 | --- | 437 | 391 | 408 | 287 | 277 | 281 | 289 | 277 | 284 |
| 16 | 466 | 396 | 422 | 435 | 379 | 405 | 279 | 273 | 276 | 291 | 285 | 288 |
| 17 | 479 | 401 | 431 | 401 | 377 | 389 | 279 | 273 | --- | 291 | 285 | 288 |
| 18 | 531 | 403 | 455 | 421 | 379 | 395 | --- | --- | --- | 289 | 281 | 285 |
| 19 | 542 | 416 | 461 | 415 | 383 | 400 | --- | --- | --- | 287 | 283 | 285 |
| 20 | 563 | 434 | 486 | 395 | 379 | 388 | 265 | 235 | --- | 291 | 285 | 288 |
| 21 | 553 | 434 | 477 | 451 | 381 | 401 | 299 | 231 | 263 | 293 | 285 | 289 |
| 22 | 561 | 459 | 503 | 453 | 399 | 421 | 271 | 227 | 245 | 307 | 293 | 302 |
| 23 | 613 | 450 | 524 | 457 | 397 | 426 | 237 | 213 | 225 | 301 | 295 | 298 |
| 24 | 661 | 446 | 538 | 475 | 395 | 430 | 235 | 195 | 215 | 311 | 301 | 305 |
| 25 | 726 | 450 | --- | 479 | 391 | 428 | --- | --- | --- | 311 | 305 | 308 |
| 26 | 853 | 521 | --- | 505 | 389 | 430 | --- | --- | --- | 309 | 301 | 304 |
| 27 | 833 | 525 | 655 | 517 | 399 | 451 | --- | --- | --- | 303 | 299 | 301 |
| 28 | 821 | 510 | 636 | 509 | 403 | 451 | --- | --- | --- | 307 | 301 | 303 |
| 29 | 766 | 511 | --- | 459 | 385 | 410 | --- | --- | --- | 305 | 291 | 299 |
| 30 | 759 | 455 | 565 | 413 | 379 | 396 | --- | --- | --- | 297 | 285 | --- |
| 31 | 559 | 443 | 494 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | 519 | 377 | 413 | --- | --- | --- | --- | --- | --- |

147

01477050 DELAWARE RIVER AT CHESTER, PA.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

[illegible]

DELAWARE RIVER BASIN

01477050 DELAWARE RIVER AT CHESTER, PA.--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 2.5 | 2.0 | 2.3 | 2.5 | 2.0 | 2.4 | --- | --- | --- |
| 2 | --- | --- | --- | 2.5 | 2.3 | 2.4 | 2.5 | 2.0 | 2.3 | --- | --- | --- |
| 3 | --- | --- | --- | 2.4 | 2.2 | --- | 2.6 | 2.1 | 2.3 | --- | --- | --- |
| 4 | --- | --- | --- | 2.4 | 2.0 | 2.3 | 2.5 | 2.2 | 2.3 | --- | --- | --- |
| 5 | --- | --- | --- | 2.9 | 2.2 | 2.5 | 2.4 | 2.1 | 2.2 | --- | --- | --- |
| 6 | --- | --- | --- | 3.2 | 2.7 | 2.9 | 2.8 | 2.1 | 2.4 | --- | --- | --- |
| 7 | --- | --- | --- | 3.3 | 2.8 | 3.1 | 2.7 | 2.3 | 2.5 | 9.6 | 9.5 | --- |
| 8 | --- | --- | --- | 3.2 | 2.7 | 2.9 | 2.7 | 2.4 | 2.5 | 9.6 | 9.5 | 9.6 |
| 9 | --- | --- | --- | 3.1 | 2.7 | 2.9 | 3.5 | 2.0 | 3.0 | 9.6 | 9.4 | 9.5 |
| 10 | --- | --- | --- | 3.3 | 3.0 | 3.1 | 3.6 | 3.2 | 3.4 | 9.6 | 9.4 | 9.5 |
| 11 | --- | --- | --- | 3.2 | 3.1 | 3.1 | 4.0 | 2.0 | 3.5 | 9.5 | 9.4 | 9.4 |
| 12 | --- | --- | --- | 3.2 | 2.9 | 3.0 | 4.0 | 3.7 | 3.9 | 9.6 | 9.4 | 9.5 |
| 13 | --- | --- | --- | 3.0 | 2.6 | 2.7 | 4.1 | 3.8 | 3.9 | 9.7 | 9.4 | 9.5 |
| 14 | --- | --- | --- | 2.8 | 2.4 | 2.6 | 4.2 | 3.9 | 4.1 | 9.6 | 9.4 | 9.5 |
| 15 | 2.2 | 2.1 | --- | 2.7 | 2.4 | 2.6 | 4.3 | 2.1 | 4.0 | 9.7 | 9.5 | 9.6 |
| 16 | 2.2 | 2.0 | 2.1 | 3.2 | 2.4 | 2.8 | 4.2 | 4.0 | 4.1 | 9.6 | 9.4 | 9.5 |
| 17 | 2.3 | 2.1 | 2.2 | 3.4 | 2.9 | 3.2 | 4.3 | 4.1 | --- | 9.5 | 9.3 | 9.4 |
| 18 | 2.5 | 2.1 | 2.2 | 3.3 | 3.0 | 3.1 | --- | --- | --- | 9.5 | 9.3 | 9.4 |
| 19 | 2.2 | 2.1 | 2.2 | 3.1 | 2.9 | 3.0 | --- | --- | --- | 9.5 | 9.3 | 9.4 |
| 20 | 2.2 | 2.0 | 2.1 | 2.9 | 2.7 | 2.8 | 5.5 | 5.2 | --- | 9.5 | 9.3 | 9.4 |
| 21 | 2.1 | 1.9 | 2.0 | 2.9 | 2.5 | 2.6 | 6.2 | 5.3 | 5.7 | 9.5 | 9.4 | 9.4 |
| 22 | 2.0 | 1.8 | 1.9 | 2.6 | 2.3 | 2.5 | 6.5 | 6.0 | 6.2 | 9.5 | 9.3 | 9.4 |
| 23 | 1.9 | 1.7 | 1.8 | 2.5 | 2.0 | 2.2 | 6.8 | 5.2 | 6.6 | 9.4 | 9.3 | 9.3 |
| 24 | 1.8 | 1.7 | 1.7 | 2.2 | 1.9 | 2.0 | 6.7 | 6.4 | 6.6 | 9.4 | 9.2 | 9.3 |
| 25 | 1.9 | 1.7 | --- | 2.0 | 1.8 | 1.8 | --- | --- | --- | --- | --- | --- |
| 26 | 1.8 | 1.7 | --- | 2.0 | 1.8 | 1.9 | --- | --- | --- | --- | --- | --- |
| 27 | 1.9 | 1.7 | 1.8 | 2.0 | 1.7 | 1.8 | --- | --- | --- | --- | --- | --- |
| 28 | 2.3 | 1.7 | 2.0 | 1.9 | 1.7 | 1.8 | --- | --- | --- | --- | --- | --- |
| 29 | 2.7 | 2.2 | --- | 2.3 | 1.7 | 2.0 | --- | --- | --- | --- | --- | --- |
| 30 | 2.6 | 2.0 | 2.4 | 2.6 | 2.0 | 2.3 | --- | --- | --- | --- | --- | --- |
| 31 | 2.3 | 2.0 | 2.2 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | 3.4 | 1.7 | 2.6 | --- | --- | --- | --- | --- | --- |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 7.9 | 7.7 | 7.8 | 8.8 | 7.6 | 8.1 | 3.7 | 3.1 | 3.4 |
| 2 | --- | --- | --- | 7.7 | 7.4 | 7.6 | 8.8 | 8.6 | 8.7 | 3.7 | 3.4 | 3.5 |
| 3 | --- | --- | --- | 7.3 | 6.4 | 7.2 | 8.7 | 8.5 | 8.6 | 3.5 | 3.3 | 3.4 |
| 4 | --- | --- | --- | 7.1 | 6.8 | 6.9 | 8.6 | 8.3 | 8.5 | 3.5 | 3.1 | 3.2 |
| 5 | --- | --- | --- | --- | --- | --- | 8.5 | 8.4 | 8.4 | 3.7 | 3.0 | 3.3 |
| 6 | --- | --- | --- | --- | --- | --- | 8.5 | 8.4 | 8.4 | 3.3 | 2.7 | 3.0 |
| 7 | --- | --- | --- | --- | --- | --- | 8.6 | 8.4 | 8.5 | 2.8 | 2.4 | 2.6 |
| 8 | --- | --- | --- | --- | --- | --- | 8.6 | 8.4 | 8.5 | 2.8 | 2.4 | 2.5 |
| 9 | --- | --- | --- | --- | --- | --- | 8.6 | 8.2 | 8.4 | 3.1 | 2.5 | 2.7 |
| 10 | --- | --- | --- | --- | --- | --- | 8.6 | 8.2 | 8.3 | 2.9 | 2.2 | 2.6 |
| 11 | --- | --- | --- | --- | --- | --- | 8.6 | 8.4 | 8.4 | 2.8 | 2.2 | 2.3 |
| 12 | --- | --- | --- | --- | --- | --- | 8.5 | 8.3 | 8.4 | 2.4 | 2.1 | 2.2 |
| 13 | --- | --- | --- | --- | --- | --- | 8.4 | 8.2 | 8.3 | 3.0 | 2.4 | 2.6 |
| 14 | --- | --- | --- | --- | --- | --- | 8.4 | 8.2 | 8.3 | 3.2 | 2.2 | 2.7 |
| 15 | --- | --- | --- | --- | --- | --- | 8.3 | 7.6 | 8.0 | 3.7 | 2.7 | 3.1 |
| 16 | --- | --- | --- | --- | --- | --- | 7.7 | 7.6 | 7.6 | 3.4 | 3.2 | 3.3 |
| 17 | --- | --- | --- | --- | --- | --- | 7.6 | 7.5 | 7.6 | 3.5 | 3.0 | 3.2 |
| 18 | --- | --- | --- | 8.2 | 8.1 | --- | 7.5 | 7.4 | 7.5 | 3.3 | 2.7 | 3.0 |
| 19 | --- | --- | --- | 8.2 | 6.0 | 7.9 | 7.6 | 7.3 | 7.4 | 2.9 | 2.5 | 2.7 |
| 20 | --- | --- | --- | 8.0 | 7.9 | 8.0 | 7.7 | 5.7 | 7.0 | 3.0 | 2.4 | 2.7 |
| 21 | 8.7 | 8.6 | --- | 8.1 | 7.9 | 7.9 | 6.9 | 5.6 | 6.3 | 2.5 | 2.2 | 2.4 |
| 22 | 8.8 | 8.6 | 8.7 | 8.1 | 6.0 | 7.9 | 6.3 | 5.5 | 6.0 | 2.5 | 2.2 | --- |
| 23 | 9.0 | 8.8 | 8.9 | 8.0 | 7.9 | 7.9 | 6.0 | 5.2 | 5.7 | --- | --- | --- |
| 24 | 9.0 | 8.8 | 8.9 | 7.9 | 7.8 | 7.9 | 6.2 | 5.6 | 6.0 | --- | --- | --- |
| 25 | 8.9 | 8.7 | 8.8 | 8.0 | 6.0 | 7.6 | 6.3 | 5.5 | 5.9 | --- | --- | --- |
| 26 | 8.9 | 8.5 | 8.8 | 7.5 | 7.3 | 7.4 | 5.9 | 5.0 | 5.6 | 1.9 | 1.7 | 1.8 |
| 27 | 8.3 | 8.1 | --- | 7.5 | 7.4 | 7.5 | 5.9 | 4.8 | 5.4 | 2.1 | 1.7 | 1.9 |
| 28 | 8.1 | 7.8 | 8.0 | 7.5 | 7.4 | 7.4 | 5.6 | 4.8 | 5.3 | 2.1 | 1.7 | 2.0 |
| 29 | --- | --- | --- | 7.5 | 7.4 | 7.5 | 5.0 | 3.7 | 4.3 | 2.3 | 1.9 | 2.1 |
| 30 | --- | --- | --- | 7.7 | 7.5 | 7.6 | 3.7 | 3.4 | 3.5 | 2.1 | 1.7 | 1.9 |
| 31 | --- | --- | --- | 7.7 | 7.6 | 7.7 | --- | --- | --- | 1.9 | 1.6 | 1.7 |
| MONTH | --- | --- | --- | --- | --- | --- | 8.8 | 3.4 | 7.2 | 3.7 | 1.6 | 2.7 |

01477050 DELAWARE RIVER AT CHESTER, PA.--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 1.9 | 1.5 | 1.7 | --- | --- | --- | --- | --- | --- | 2.2 | 0.8 | 1.3 |
| 2 | 1.7 | 1.2 | 1.4 | --- | --- | --- | --- | --- | --- | 1.7 | 0.8 | 1.0 |
| 3 | 1.6 | 1.0 | 1.5 | --- | --- | --- | --- | --- | --- | 2.4 | 0.8 | 1.2 |
| 4 | 2.0 | 1.3 | --- | --- | --- | --- | --- | --- | --- | 1.4 | 0.8 | 1.0 |
| 5 | --- | --- | --- | --- | --- | --- | 1.6 | 1.2 | --- | 2.9 | 0.9 | 1.7 |
| 6 | --- | --- | --- | --- | --- | --- | 1.6 | 0.7 | 1.0 | 2.2 | 1.5 | 1.9 |
| 7 | --- | --- | --- | --- | --- | --- | 1.2 | 0.6 | 0.8 | 2.0 | 1.0 | 1.3 |
| 8 | --- | --- | --- | --- | --- | --- | 1.1 | 0.5 | 0.7 | 2.1 | 0.8 | 1.3 |
| 9 | --- | --- | --- | --- | --- | --- | 1.0 | 0.4 | 0.7 | 2.2 | 0.8 | 1.3 |
| 10 | --- | --- | --- | --- | --- | --- | 0.9 | 0.4 | 0.6 | 2.2 | 0.8 | 1.2 |
| 11 | --- | --- | --- | --- | --- | --- | 1.8 | 0.6 | 1.3 | 2.0 | 0.7 | 1.3 |
| 12 | --- | --- | --- | --- | --- | --- | 2.7 | 1.1 | 1.8 | 1.4 | 0.9 | 1.1 |
| 13 | --- | --- | --- | --- | --- | --- | 2.3 | 0.9 | 1.4 | 1.8 | 0.9 | 1.2 |
| 14 | --- | --- | --- | --- | --- | --- | 2.3 | 0.8 | 1.4 | 2.2 | 0.9 | 1.3 |
| 15 | --- | --- | --- | --- | --- | --- | 2.6 | 1.2 | 1.6 | 2.1 | 0.9 | 1.4 |
| 16 | --- | --- | --- | --- | --- | --- | 2.4 | 1.2 | 1.7 | 2.5 | 0.9 | 1.6 |
| 17 | 1.6 | 1.4 | --- | --- | --- | --- | 2.7 | 1.1 | 1.8 | 2.0 | 0.4 | 1.1 |
| 18 | 1.5 | 1.2 | 1.3 | --- | --- | --- | 2.1 | 1.0 | 1.6 | 1.2 | 0.3 | 0.6 |
| 19 | 1.7 | 1.1 | 1.3 | --- | --- | --- | 1.9 | 1.1 | 1.4 | 0.8 | 0.2 | 0.3 |
| 20 | 1.6 | 1.2 | 1.3 | --- | --- | --- | 1.5 | 0.9 | 1.1 | 0.4 | 0.1 | 0.3 |
| 21 | 1.4 | 0.9 | 1.1 | --- | --- | --- | 1.4 | 0.9 | 1.0 | 0.9 | 0.2 | 0.4 |
| 22 | 1.3 | 0.9 | 1.1 | --- | --- | --- | 1.6 | 0.8 | 1.2 | 1.0 | 0.2 | 0.4 |
| 23 | 1.3 | 1.1 | --- | --- | --- | --- | 1.9 | 0.9 | 1.3 | 2.5 | 0.2 | 0.8 |
| 24 | --- | --- | --- | --- | --- | --- | 1.2 | 0.5 | 0.9 | 2.9 | 1.1 | 2.1 |
| 25 | --- | --- | --- | --- | --- | --- | 1.2 | 0.6 | 0.9 | 2.8 | 1.8 | 2.4 |
| 26 | --- | --- | --- | --- | --- | --- | 2.7 | 0.8 | 1.4 | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | 3.6 | 0.7 | 1.6 | 2.4 | 2.4 | --- |
| 28 | --- | --- | --- | --- | --- | --- | 1.6 | 0.7 | 1.2 | 3.1 | 1.5 | 2.1 |
| 29 | --- | --- | --- | --- | --- | --- | 3.3 | 0.8 | 1.5 | 2.5 | 1.1 | 1.7 |
| 30 | --- | --- | --- | --- | --- | --- | 3.4 | 0.9 | 1.6 | 3.3 | 1.5 | 2.1 |
| 31 | --- | --- | --- | --- | --- | --- | 2.8 | 0.9 | 1.6 | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | 3.6 | 0.4 | 1.3 | 3.3 | 0.1 | 1.3 |

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 6.6 | 6.4 | 6.6 | 6.6 | 6.4 | 6.5 | --- | --- | --- |
| 2 | --- | --- | --- | 6.6 | 6.6 | 6.6 | 6.6 | 6.4 | 6.5 | --- | --- | --- |
| 3 | --- | --- | --- | 6.6 | 6.5 | --- | 6.9 | 6.4 | 6.7 | --- | --- | --- |
| 4 | --- | --- | --- | 6.6 | 6.5 | 6.5 | 6.9 | 6.4 | 6.7 | --- | --- | --- |
| 5 | --- | --- | --- | 6.6 | 6.5 | 6.6 | 7.4 | 6.4 | 7.0 | --- | --- | --- |
| 6 | --- | --- | --- | 6.6 | 6.5 | 6.6 | 8.0 | 6.9 | 7.1 | --- | --- | --- |
| 7 | --- | --- | --- | 6.7 | 6.5 | 6.6 | 7.0 | 6.9 | 7.0 | 6.9 | 6.8 | --- |
| 8 | --- | --- | --- | 6.7 | 6.5 | 6.6 | 7.1 | 6.9 | 7.0 | 6.9 | 6.8 | 6.9 |
| 9 | --- | --- | --- | 6.7 | 6.4 | 6.5 | 7.3 | 6.8 | 7.0 | 7.0 | 6.8 | 6.9 |
| 10 | --- | --- | --- | 6.6 | 6.5 | 6.5 | 7.3 | 7.0 | 7.1 | 8.4 | 6.7 | 7.0 |
| 11 | --- | --- | --- | 6.6 | 6.4 | 6.5 | 7.3 | 7.2 | 7.3 | 8.4 | 7.4 | 7.6 |
| 12 | --- | --- | --- | 6.6 | 6.4 | 6.4 | 7.4 | 7.3 | 7.3 | 8.3 | 6.9 | 7.0 |
| 13 | --- | --- | --- | 6.4 | 6.3 | 6.4 | 7.4 | 7.1 | 7.3 | 7.0 | 6.9 | 6.9 |
| 14 | --- | --- | --- | 6.4 | 6.3 | 6.3 | 8.1 | 7.3 | 7.7 | 7.0 | 6.9 | 7.0 |
| 15 | 6.4 | 6.3 | --- | 6.3 | 6.2 | 6.3 | 7.4 | 7.1 | 7.3 | 7.0 | 6.9 | 7.0 |
| 16 | 6.4 | 6.2 | 6.3 | 6.4 | 6.2 | 6.3 | 7.3 | 7.2 | 7.2 | 7.0 | 6.8 | 6.9 |
| 17 | 6.4 | 6.3 | 6.3 | 6.4 | 6.3 | 6.3 | 7.3 | 7.2 | --- | 7.0 | 6.9 | 6.9 |
| 18 | 6.4 | 6.0 | 6.3 | 6.4 | 6.3 | 6.3 | --- | --- | --- | 7.0 | 6.9 | 7.0 |
| 19 | 6.4 | 6.2 | 6.3 | 6.4 | 6.3 | 6.4 | --- | --- | --- | 7.0 | 6.7 | 6.9 |
| 20 | 6.4 | 6.2 | 6.3 | 6.4 | 6.3 | 6.3 | 8.3 | 7.4 | --- | 7.0 | 6.9 | 7.0 |
| 21 | 6.3 | 6.1 | 6.2 | 6.9 | 6.2 | 6.4 | 8.4 | 7.0 | 8.0 | 7.0 | 6.8 | 6.9 |
| 22 | 6.3 | 6.0 | 6.2 | 6.4 | 6.2 | 6.3 | 7.3 | 6.9 | 7.1 | 7.9 | 7.0 | 7.5 |
| 23 | 6.3 | 6.0 | 6.2 | 6.3 | 6.1 | 6.2 | 7.2 | 6.8 | 6.9 | 7.5 | 7.0 | 7.1 |
| 24 | 6.2 | 6.0 | 6.1 | 6.4 | 6.1 | 6.2 | 6.9 | 6.7 | 6.8 | 8.0 | 7.0 | 7.4 |
| 25 | 6.2 | 6.0 | --- | 6.6 | 6.1 | 6.4 | --- | --- | --- | 7.1 | 7.0 | 7.1 |
| 26 | 6.2 | 5.9 | --- | 6.9 | 6.1 | 6.6 | --- | --- | --- | 7.1 | 7.0 | 7.1 |
| 27 | 6.2 | 6.0 | 6.1 | 7.4 | 6.8 | 7.2 | --- | --- | --- | 7.1 | 6.9 | 7.0 |
| 28 | 6.3 | 6.0 | 6.2 | 7.7 | 6.6 | 7.4 | --- | --- | --- | 7.9 | 6.9 | 7.2 |
| 29 | 7.2 | 6.1 | --- | 6.8 | 6.4 | 6.6 | --- | --- | --- | 7.1 | 6.9 | 7.0 |
| 30 | 6.5 | 6.3 | 6.4 | 6.6 | 6.4 | 6.5 | --- | --- | --- | 7.0 | 6.9 | --- |
| 31 | 6.5 | 6.4 | 6.4 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | 7.7 | 6.1 | 6.5 | --- | --- | --- | --- | --- | --- |

DELAWARE RIVER BASIN

01477050 DELAWARE RIVER AT CHESTER, PA.--Continued

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|-------|-----|------|-----|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | 6.9 | 6.8 | 6.9 | 7.0 | 6.8 | 6.8 |
| 2 | --- | --- | --- | --- | --- | --- | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | 6.9 |
| 3 | --- | --- | --- | --- | --- | --- | 6.9 | 6.8 | 6.8 | 6.9 | 6.8 | 6.9 |
| 4 | 6.8 | 6.7 | --- | 6.9 | 6.8 | --- | 7.2 | 6.8 | 7.0 | 6.9 | 6.8 | 6.9 |
| 5 | --- | --- | --- | 6.9 | 6.8 | 6.9 | 7.3 | 6.9 | 7.2 | 6.9 | 6.8 | 6.9 |
| 6 | --- | --- | --- | 6.9 | 6.8 | 6.8 | 6.9 | 6.8 | 6.9 | 6.9 | 6.7 | 6.8 |
| 7 | --- | --- | --- | 6.8 | 6.8 | 6.8 | 6.9 | 6.8 | 6.9 | 6.8 | 6.7 | 6.8 |
| 8 | --- | --- | --- | 6.8 | 6.8 | 6.8 | 6.9 | 6.8 | 6.9 | 6.8 | 6.7 | 6.8 |
| 9 | --- | --- | --- | 6.8 | 6.8 | 6.8 | 6.9 | 6.8 | 6.9 | 6.8 | 6.8 | 6.8 |
| 10 | --- | --- | --- | 6.8 | 6.8 | 6.8 | 7.0 | 6.8 | 6.9 | 6.8 | 6.7 | 6.8 |
| 11 | --- | --- | --- | 6.9 | 6.8 | 6.8 | 7.0 | 6.9 | 6.9 | 6.8 | 6.7 | 6.7 |
| 12 | --- | --- | --- | 6.9 | 6.8 | 6.9 | 6.9 | 6.8 | 6.9 | 6.7 | 6.7 | 6.7 |
| 13 | --- | --- | --- | 6.9 | 6.9 | 6.9 | 7.1 | 6.8 | 6.9 | 6.9 | 6.7 | 6.8 |
| 14 | --- | --- | --- | 6.9 | 6.9 | 6.9 | 7.1 | 6.9 | 6.9 | 6.9 | 6.8 | 6.9 |
| 15 | --- | --- | --- | 7.0 | 6.9 | 6.9 | 7.2 | 6.8 | 7.0 | 7.0 | 6.9 | 6.9 |
| 16 | --- | --- | --- | 7.0 | 6.9 | 6.9 | 7.0 | 7.0 | 7.0 | 6.9 | 6.9 | 6.9 |
| 17 | --- | --- | --- | 7.0 | 6.9 | 6.9 | 7.0 | 6.9 | 7.0 | 7.0 | 6.9 | 6.9 |
| 18 | --- | --- | --- | 7.0 | 6.9 | 6.9 | 7.1 | 6.9 | 7.0 | 6.9 | 6.9 | 6.9 |
| 19 | --- | --- | --- | 7.0 | 6.8 | 6.9 | 7.2 | 6.9 | 7.0 | 6.9 | 6.9 | 6.9 |
| 20 | --- | --- | --- | 7.0 | 6.9 | 6.9 | 7.0 | 7.0 | 7.0 | 6.9 | 6.9 | 6.9 |
| 21 | 6.5 | 6.4 | --- | 6.9 | 6.8 | 6.9 | 7.0 | 6.9 | 7.0 | --- | --- | --- |
| 22 | 6.5 | 6.4 | --- | 6.9 | 6.8 | 6.9 | 7.0 | 6.9 | 7.0 | --- | --- | --- |
| 23 | --- | --- | --- | 6.9 | 6.8 | 6.9 | 7.0 | 6.9 | 7.0 | --- | --- | --- |
| 24 | --- | --- | --- | 6.9 | 6.8 | 6.9 | 7.0 | 7.0 | 7.0 | --- | --- | --- |
| 25 | --- | --- | --- | 6.9 | 6.8 | 6.9 | 7.0 | 7.0 | 7.0 | --- | --- | --- |
| 26 | --- | --- | --- | 6.9 | 6.8 | 6.9 | 7.0 | 6.9 | 7.0 | 6.9 | 6.8 | 6.9 |
| 27 | --- | --- | --- | 6.9 | 6.8 | 6.9 | 7.0 | 6.9 | 7.0 | 6.9 | 6.9 | 6.9 |
| 28 | --- | --- | --- | 6.9 | 6.8 | 6.9 | 7.0 | 6.9 | 7.0 | 6.9 | 6.8 | 6.9 |
| 29 | --- | --- | --- | 6.9 | 6.8 | 6.9 | 7.0 | 6.8 | 7.0 | 7.0 | 6.8 | 6.8 |
| 30 | --- | --- | --- | 6.9 | 6.8 | 6.8 | 6.9 | 6.8 | 6.8 | 6.8 | 6.8 | 6.8 |
| 31 | --- | --- | --- | 7.0 | 6.9 | 6.9 | --- | --- | --- | 6.8 | 6.8 | 6.8 |
| MONTH | --- | --- | --- | 7.0 | 6.8 | 6.9 | 7.3 | 6.8 | 7.0 | 7.0 | 6.7 | 6.8 |

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6.8 | 6.8 | 6.8 | --- | --- | --- | --- | --- | --- | 6.7 | 6.7 | 6.7 |
| 2 | 6.9 | 6.8 | 6.8 | --- | --- | --- | --- | --- | --- | 6.7 | 6.7 | 6.7 |
| 3 | 6.8 | 6.8 | 6.8 | --- | --- | --- | --- | --- | --- | 6.7 | 6.7 | 6.7 |
| 4 | 6.8 | 6.6 | 6.8 | --- | --- | --- | --- | --- | --- | 6.7 | 6.7 | 6.7 |
| 5 | 6.8 | 6.7 | --- | --- | --- | --- | 6.7 | 6.7 | --- | 6.7 | 6.7 | 6.7 |
| 6 | --- | --- | --- | --- | --- | --- | 6.8 | 6.7 | 6.7 | 6.8 | 6.7 | 6.7 |
| 7 | --- | --- | --- | --- | --- | --- | 6.7 | 6.7 | 6.7 | 6.8 | 6.7 | 6.7 |
| 8 | --- | --- | --- | --- | --- | --- | 6.7 | 6.7 | 6.7 | 6.8 | 6.6 | 6.7 |
| 9 | --- | --- | --- | --- | --- | --- | 6.7 | 6.7 | 6.7 | 6.7 | 6.7 | 6.7 |
| 10 | --- | --- | --- | --- | --- | --- | 6.7 | 6.7 | 6.7 | 6.9 | 6.7 | 6.8 |
| 11 | --- | --- | --- | --- | --- | --- | 6.8 | 6.7 | 6.7 | 6.8 | 6.7 | 6.8 |
| 12 | --- | --- | --- | --- | --- | --- | 6.9 | 6.7 | 6.8 | 6.8 | 6.7 | 6.7 |
| 13 | --- | --- | --- | --- | --- | --- | 6.8 | 6.7 | 6.8 | 6.8 | 6.7 | 6.7 |
| 14 | 6.6 | 6.6 | --- | --- | --- | --- | 6.8 | 6.7 | 6.8 | 6.8 | 6.6 | 6.7 |
| 15 | 6.6 | 6.6 | 6.6 | --- | --- | --- | 6.8 | 6.7 | 6.7 | 6.7 | 6.7 | 6.7 |
| 16 | 6.6 | 6.5 | 6.6 | --- | --- | --- | 6.8 | 6.7 | 6.7 | 6.7 | 6.7 | 6.7 |
| 17 | 6.8 | 6.5 | 6.7 | --- | --- | --- | 6.8 | 6.7 | 6.7 | 6.7 | 6.4 | 6.6 |
| 18 | 6.9 | 6.8 | 6.8 | --- | --- | --- | 6.8 | 6.7 | 6.8 | 6.5 | 6.4 | 6.5 |
| 19 | 6.9 | 6.8 | 6.8 | --- | --- | --- | 6.8 | 6.8 | 6.8 | 6.5 | 6.4 | 6.5 |
| 20 | 6.8 | 6.7 | 6.8 | --- | --- | --- | 6.8 | 6.8 | 6.8 | 6.5 | 6.4 | 6.5 |
| 21 | 6.8 | 6.8 | 6.8 | --- | --- | --- | 6.8 | 6.8 | 6.8 | 6.5 | 6.4 | 6.5 |
| 22 | 6.8 | 6.8 | 6.8 | --- | --- | --- | 6.8 | 6.8 | 6.8 | 6.5 | 6.4 | 6.5 |
| 23 | 6.8 | 6.8 | --- | --- | --- | --- | 6.9 | 6.8 | 6.8 | 6.5 | 6.4 | 6.5 |
| 24 | --- | --- | --- | --- | --- | --- | 6.9 | 6.8 | 6.8 | 6.7 | 6.4 | 6.5 |
| 25 | --- | --- | --- | --- | --- | --- | 6.8 | 6.7 | 6.8 | 6.9 | 6.6 | 6.7 |
| 26 | --- | --- | --- | --- | --- | --- | 6.9 | 6.7 | 6.8 | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | 6.8 | 6.7 | 6.7 | --- | --- | --- |
| 28 | --- | --- | --- | --- | --- | --- | 6.7 | 6.7 | 6.7 | 6.9 | 6.4 | 6.5 |
| 29 | --- | --- | --- | --- | --- | --- | 6.8 | 6.7 | 6.7 | 6.4 | 6.3 | 6.4 |
| 30 | --- | --- | --- | --- | --- | --- | 6.7 | 6.7 | 6.7 | 6.9 | 6.1 | 6.5 |
| 31 | --- | --- | --- | --- | --- | --- | 6.7 | 6.7 | 6.7 | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | 6.9 | 6.7 | 6.7 | 6.9 | 6.1 | 6.6 |

DELAWARE RIVER BASIN

151

01477050 DELAWARE RIVER AT CHESTER, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|------|------|----------|------|------|----------|------|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 16.5 | 14.5 | 15.5 | 12.0 | 10.5 | 11.0 | --- | --- | --- |
| 2 | --- | --- | --- | 15.5 | 14.5 | 15.0 | 11.0 | 9.5 | 10.0 | --- | --- | --- |
| 3 | --- | --- | --- | 15.5 | 14.0 | --- | 12.0 | 10.0 | 10.5 | --- | --- | --- |
| 4 | --- | --- | --- | 15.0 | 14.0 | 14.5 | 11.5 | 10.5 | 10.5 | --- | --- | --- |
| 5 | --- | --- | --- | 15.5 | 14.5 | 15.0 | 13.5 | 10.0 | 11.5 | --- | --- | --- |
| 6 | --- | --- | --- | 15.0 | 13.0 | 13.5 | 12.0 | 10.5 | 11.5 | --- | --- | --- |
| 7 | --- | --- | --- | 13.5 | 12.0 | 12.5 | 11.0 | 10.0 | 10.5 | 6.0 | 5.0 | --- |
| 8 | --- | --- | --- | 13.0 | 11.5 | 12.0 | 10.5 | 10.0 | 10.0 | 5.5 | 4.5 | 5.0 |
| 9 | --- | --- | --- | 12.0 | 11.0 | 11.5 | 10.5 | 9.0 | 9.5 | 5.5 | 4.0 | 4.5 |
| 10 | --- | --- | --- | 11.5 | 10.0 | 10.5 | 10.0 | 9.0 | 9.5 | 4.5 | 4.0 | 4.0 |
| 11 | --- | --- | --- | 10.5 | 9.5 | 10.0 | 9.5 | 6.5 | 8.0 | 5.0 | 4.0 | 4.5 |
| 12 | --- | --- | --- | 10.5 | 9.5 | 10.0 | 8.0 | 6.0 | 6.5 | 5.0 | 4.0 | 4.5 |
| 13 | --- | --- | --- | 10.5 | 9.5 | 10.0 | 8.0 | 6.0 | 6.5 | 4.5 | 2.0 | 3.5 |
| 14 | --- | --- | --- | 11.0 | 9.5 | 10.5 | 8.5 | 6.0 | 6.5 | 3.5 | 1.5 | 2.5 |
| 15 | 20.5 | 20.0 | --- | 12.0 | 10.5 | 11.0 | 6.5 | 5.5 | 5.5 | 3.5 | 1.5 | 2.5 |
| 16 | 20.5 | 19.0 | 20.0 | 12.0 | 10.5 | 11.0 | 6.0 | 4.5 | 5.0 | 4.5 | 2.0 | 3.5 |
| 17 | 19.5 | 18.0 | 19.0 | 10.5 | 10.0 | 10.0 | 4.5 | 4.0 | --- | 4.5 | 3.0 | 4.0 |
| 18 | 18.5 | 17.0 | 18.0 | 10.0 | 9.5 | --- | --- | --- | --- | 4.5 | 2.0 | 3.5 |
| 19 | 18.0 | 16.5 | 17.5 | 12.0 | 11.0 | --- | --- | --- | --- | 3.5 | 2.0 | 3.0 |
| 20 | 18.0 | 16.5 | 17.0 | 12.0 | 10.5 | 11.0 | 6.5 | 4.0 | --- | 4.0 | 2.0 | 3.0 |
| 21 | 17.0 | 16.0 | 16.5 | 12.0 | 10.5 | 11.5 | 6.5 | 4.0 | 5.5 | 4.0 | 2.0 | 3.0 |
| 22 | 18.0 | 16.5 | 16.5 | 12.0 | 11.0 | 11.5 | 4.0 | 2.0 | 3.0 | 5.5 | 3.5 | 4.0 |
| 23 | 19.0 | 16.0 | 17.5 | 13.0 | 11.5 | 12.0 | 3.5 | 1.5 | 2.5 | 5.5 | 3.5 | 4.5 |
| 24 | 19.0 | 18.0 | 18.5 | 13.0 | 11.5 | 12.0 | 3.5 | 2.0 | --- | 5.0 | 3.5 | 4.5 |
| 25 | 18.5 | 18.0 | --- | 13.0 | 12.0 | 12.5 | --- | --- | --- | --- | --- | --- |
| 26 | 18.5 | 17.0 | --- | 13.0 | 11.5 | 12.5 | --- | --- | --- | --- | --- | --- |
| 27 | 18.5 | 18.0 | 18.0 | 13.5 | 11.5 | 13.0 | --- | --- | --- | --- | --- | --- |
| 28 | 18.0 | 16.5 | 17.0 | 14.5 | 12.0 | 13.5 | --- | --- | --- | --- | --- | --- |
| 29 | 18.5 | 16.0 | --- | 14.0 | 11.5 | 12.5 | --- | --- | --- | --- | --- | --- |
| 30 | 17.0 | 15.0 | 16.0 | 12.0 | 11.0 | 11.5 | --- | --- | --- | --- | --- | --- |
| 31 | 16.5 | 15.0 | 15.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | 16.5 | 9.5 | 12.0 | --- | --- | --- | --- | --- | --- |

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|-------|------|------|------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 9.5 | 7.0 | 8.0 | 8.0 | 6.0 | 6.5 | 18.5 | 16.0 | 17.0 |
| 2 | --- | --- | --- | 9.0 | 7.0 | 8.5 | 8.5 | 6.0 | 6.5 | 18.0 | 16.0 | 16.5 |
| 3 | --- | --- | --- | 10.0 | 8.0 | 9.0 | 10.0 | 6.5 | 8.0 | 17.0 | 16.0 | 16.5 |
| 4 | --- | --- | --- | 10.0 | 8.5 | 9.0 | 11.0 | 8.5 | 9.5 | 16.5 | 15.5 | 16.0 |
| 5 | --- | --- | --- | 9.5 | 7.0 | 8.5 | 11.5 | 9.5 | 10.5 | 16.5 | 15.5 | 15.5 |
| 6 | --- | --- | --- | 9.5 | 7.0 | 8.5 | 11.0 | 9.5 | 10.0 | 16.0 | 15.5 | 16.0 |
| 7 | --- | --- | --- | 10.0 | 8.0 | 9.0 | 11.0 | 9.0 | 10.0 | 16.0 | 15.5 | 16.0 |
| 8 | --- | --- | --- | 10.0 | 8.5 | 9.0 | 11.5 | 10.0 | 11.0 | 16.5 | 15.5 | 16.0 |
| 9 | --- | --- | --- | 9.0 | 8.0 | 8.5 | 11.5 | 10.0 | 10.5 | 18.0 | 16.0 | 16.5 |
| 10 | --- | --- | --- | 9.0 | 8.0 | 8.5 | 11.0 | 9.5 | 10.0 | 18.0 | 16.5 | 17.0 |
| 11 | --- | --- | --- | 9.5 | 7.0 | 8.5 | 11.5 | 10.0 | 10.5 | 18.5 | 16.5 | 17.5 |
| 12 | --- | --- | --- | 10.0 | 8.0 | 9.0 | 12.0 | 10.0 | 11.0 | 19.0 | 17.0 | 18.0 |
| 13 | --- | --- | --- | 9.0 | 7.0 | 8.5 | 12.0 | 10.0 | 11.0 | 19.5 | 18.0 | 19.0 |
| 14 | --- | --- | --- | 9.5 | 7.0 | 8.0 | 11.5 | 9.5 | 10.5 | 21.0 | 19.0 | 19.5 |
| 15 | --- | --- | --- | 9.5 | 7.0 | 8.5 | 11.0 | 9.5 | 10.5 | 21.5 | 19.5 | 20.0 |
| 16 | --- | --- | --- | 11.0 | 8.5 | 9.0 | 11.0 | 9.5 | 10.0 | 21.5 | 20.0 | 20.5 |
| 17 | --- | --- | --- | 9.5 | 8.0 | 8.5 | 13.0 | 10.0 | 11.0 | 22.0 | 20.5 | 21.0 |
| 18 | --- | --- | --- | 9.0 | 6.5 | 8.0 | 13.5 | 11.0 | 12.0 | 22.0 | 21.0 | 21.5 |
| 19 | --- | --- | --- | 10.0 | 7.0 | 9.0 | 13.5 | 12.0 | 12.5 | 23.0 | 21.5 | 22.0 |
| 20 | --- | --- | --- | 10.5 | 8.5 | 9.5 | 14.0 | 12.0 | 12.5 | 23.0 | 21.0 | 21.5 |
| 21 | 6.0 | 5.0 | --- | 10.0 | 8.5 | 9.5 | 14.5 | 13.0 | 13.5 | 21.5 | 20.0 | 20.5 |
| 22 | 8.5 | 4.5 | 6.5 | 9.5 | 8.0 | 8.5 | 15.5 | 14.0 | 14.5 | 22.0 | 20.5 | 21.0 |
| 23 | 8.0 | 5.5 | 6.5 | 10.5 | 8.5 | 9.5 | 15.5 | 14.5 | 15.0 | 22.0 | 21.5 | --- |
| 24 | 7.0 | 4.5 | 6.0 | 11.5 | 9.5 | 10.5 | 14.0 | 13.5 | 13.5 | 23.0 | 21.0 | --- |
| 25 | 6.5 | 5.5 | 6.0 | 11.0 | 8.0 | 9.0 | 14.0 | 13.0 | 13.5 | 22.0 | 22.0 | --- |
| 26 | 6.0 | 5.0 | 5.5 | 9.0 | 7.0 | 8.0 | 14.5 | 13.5 | 14.0 | 22.0 | 21.5 | 22.0 |
| 27 | 8.0 | 6.0 | --- | 9.0 | 7.0 | 8.0 | 15.5 | 13.5 | 14.5 | 22.0 | 21.5 | 21.5 |
| 28 | 8.5 | 5.5 | 7.0 | 9.5 | 7.0 | 8.5 | 16.0 | 14.0 | 15.0 | 22.0 | 21.0 | 21.5 |
| 29 | --- | --- | --- | 9.0 | 7.0 | 8.0 | 16.5 | 15.0 | 15.5 | 22.0 | 21.0 | 21.5 |
| 30 | --- | --- | --- | 8.5 | 6.5 | 7.5 | 17.0 | 15.5 | 16.0 | 23.5 | 21.5 | 22.0 |
| 31 | --- | --- | --- | 7.0 | 6.0 | 6.5 | --- | --- | --- | 23.0 | 22.0 | 22.0 |
| MONTH | --- | --- | --- | 11.5 | 6.0 | 8.5 | 17.0 | 6.0 | 11.5 | 23.5 | 15.5 | 19.0 |

DELAWARE RIVER BASIN

01477050 DELAWARE RIVER AT CHESTER, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 23.5 | 22.0 | 23.0 | --- | --- | --- | --- | --- | --- | 28.0 | 26.5 | 27.5 |
| 2 | 23.5 | 22.0 | 23.0 | --- | --- | --- | --- | --- | --- | 28.5 | 27.0 | 28.0 |
| 3 | 23.0 | 22.0 | 22.0 | --- | --- | --- | --- | --- | --- | 28.5 | 26.5 | 27.5 |
| 4 | 24.0 | 22.0 | 23.0 | --- | --- | --- | --- | --- | --- | 28.0 | 27.0 | 27.0 |
| 5 | 24.0 | 23.0 | --- | --- | --- | --- | 27.0 | 26.5 | --- | 28.0 | 26.5 | 27.0 |
| 6 | --- | --- | --- | --- | --- | --- | 27.0 | 26.5 | 27.0 | 26.5 | 26.0 | 26.5 |
| 7 | --- | --- | --- | --- | --- | --- | 27.0 | 26.5 | 26.5 | 26.5 | 25.5 | 26.0 |
| 8 | --- | --- | --- | --- | --- | --- | 26.5 | 26.5 | 26.5 | 26.0 | 25.5 | 25.5 |
| 9 | --- | --- | --- | --- | --- | --- | 26.5 | 26.0 | 26.5 | 25.5 | 25.0 | 25.0 |
| 10 | --- | --- | --- | --- | --- | --- | 27.0 | 26.0 | 26.5 | 25.0 | 24.5 | 24.5 |
| 11 | --- | --- | --- | --- | --- | --- | 26.5 | 25.5 | 26.0 | 24.5 | 24.0 | 24.5 |
| 12 | --- | --- | --- | --- | --- | --- | 26.5 | 25.5 | 26.0 | 24.5 | 24.0 | 24.5 |
| 13 | --- | --- | --- | --- | --- | --- | 26.5 | 26.0 | 26.0 | 24.5 | 24.0 | 24.5 |
| 14 | --- | --- | --- | --- | --- | --- | 27.0 | 26.0 | 26.5 | 25.0 | 24.5 | 24.5 |
| 15 | 24.0 | 23.0 | --- | --- | --- | --- | 27.0 | 26.0 | 26.5 | 24.5 | 24.0 | 24.0 |
| 16 | 24.5 | 23.0 | 23.5 | --- | --- | --- | 27.0 | 26.0 | 26.5 | 24.0 | 23.5 | 24.0 |
| 17 | 24.5 | 23.5 | 24.0 | --- | --- | --- | 27.0 | 26.5 | 26.5 | 23.5 | 23.0 | 23.5 |
| 18 | 24.5 | 23.5 | 24.0 | --- | --- | --- | 27.0 | 26.5 | 26.5 | 23.5 | 23.0 | 23.0 |
| 19 | 25.5 | 23.5 | 24.0 | --- | --- | --- | 27.0 | 26.5 | 26.5 | 23.5 | 23.0 | 23.0 |
| 20 | 25.0 | 24.0 | 24.5 | --- | --- | --- | 27.0 | 26.5 | 26.5 | 23.5 | 23.0 | 23.0 |
| 21 | 25.5 | 24.5 | 25.0 | --- | --- | --- | 28.0 | 26.5 | 27.0 | 23.5 | 23.0 | 23.5 |
| 22 | 25.5 | 24.5 | 25.0 | --- | --- | --- | 27.0 | 26.5 | 27.0 | 24.0 | 23.0 | 23.5 |
| 23 | 25.5 | 25.0 | --- | --- | --- | --- | 28.0 | 26.0 | 26.5 | 23.5 | 22.0 | 23.0 |
| 24 | --- | --- | --- | 26.5 | 26.0 | --- | 28.0 | 26.5 | 27.0 | 23.0 | 21.5 | 22.0 |
| 25 | --- | --- | --- | 26.5 | 26.0 | 26.0 | 28.0 | 26.5 | 26.5 | 21.5 | 21.0 | 21.0 |
| 26 | --- | --- | --- | 26.0 | 26.0 | --- | 28.0 | 26.5 | 27.0 | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | 28.0 | 26.5 | 27.0 | 21.0 | 21.0 | --- |
| 28 | --- | --- | --- | --- | --- | --- | 28.0 | 27.0 | 27.0 | 21.5 | 20.5 | 21.0 |
| 29 | --- | --- | --- | --- | --- | --- | 28.0 | 27.0 | 27.5 | 21.5 | 20.5 | 21.0 |
| 30 | --- | --- | --- | --- | --- | --- | 28.5 | 27.0 | 28.0 | 21.0 | 20.5 | 20.5 |
| 31 | --- | --- | --- | --- | --- | --- | 28.5 | 27.0 | 28.0 | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | 28.5 | 25.5 | 26.5 | 28.5 | 20.5 | 24.0 |

DELAWARE RIVER BASIN

153

01477200 DELAWARE RIVER AT MARCUS HOOK, PA.

LOCATION.--Lat 39°48'01", long 75°25'10", Delaware County, at center of river on a line from the water end of the Maritime Exchange reporting station pier through channel station +128.7 to vertical lift bridge over Oldmans Creek.

DRAINAGE AREA.--10,400 mi² (26,900 km²).

PERIOD OF RECORD.--Chemical analyses: August 1949 to May 1969, October 1969 to September 1970 (partial-record station), October 1970 to September 1972, December 1973 to September 1974.

REMARKS.--Samples collected approximately 3 ft (1 m) from surface. Records of discharge are given for 01463500 Delaware River at Trenton, N.J. Further information on this station is given in U.S. Geological Survey Water-Supply Paper 1809-O.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS- SOLVED SILICA (SI02) (MG/L) | TOTAL IRON (FE) (UG/L) | DIS- SOLVED IRON (FE) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HC03) (MG/L) |
|---------------|------|--|---------------------------------|--|---|--|--|---|--|--|--------------------------------------|
| DEC. 06... | 0915 | 3.1 | 1400 | -- | 190 | -- | 24 | 10 | 35 | 4.6 | 19 |
| JAN. 03... | -- | 3.9 | 1300 | -- | 110 | -- | 13 | 4.0 | 7.1 | 1.8 | 17 |
| FEB. 07... | -- | 4.7 | 1900 | -- | 120 | -- | 14 | 4.7 | 9.5 | 1.9 | 21 |
| MAR. 07... | 1200 | 5.0 | 2100 | -- | 220 | -- | 17 | 6.0 | 15 | 2.3 | 35 |
| APR. 04... | 0840 | 5.0 | -- | -- | -- | -- | 14 | 4.9 | 9.0 | 1.9 | 30 |
| MAY 02... | 0840 | 4.7 | -- | 2800 | -- | 220 | 18 | 5.3 | 10 | 2.1 | 26 |
| JUNE 06... | 0920 | 3.5 | -- | 90 | -- | 150 | 17 | 6.0 | 13 | 2.3 | 37 |
| JULY 11... | 0835 | .5 | -- | 40 | -- | 150 | 23 | 8.5 | 31 | 3.7 | 27 |
| AUG. 08... | 1105 | .7 | -- | 0 | -- | 130 | 27 | 14 | 65 | 5.9 | 39 |
| SEP. 05... | 0830 | .7 | -- | -- | -- | -- | -- | -- | -- | -- | 36 |

| DATE | CAR- BONATE (C03) (MG/L) | ALKA- LINITY AS CAC03 (MG/L) | DIS- SOLVED SULFATE (S04) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | DIS- SOLVED NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | DIS- SOLVED NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | DIS- SOLVED NITRITE PLUS NITRATE (N) (MG/L) |
|---------------|-----------------------------------|--|--|---|--|-----------------------------------|--|-----------------------------------|--|--|---|
| DEC. 06... | 1 | 17 | 72 | 54 | .4 | 4.4 | -- | .01 | -- | 4.4 | -- |
| JAN. 03... | 0 | 14 | 27 | 11 | .2 | 1.8 | -- | .01 | -- | 1.8 | -- |
| FEB. 07... | 0 | 17 | 30 | 15 | .2 | 2.1 | -- | .01 | -- | 2.1 | -- |
| MAR. 07... | 0 | 29 | 40 | 23 | .2 | 1.3 | -- | .08 | -- | 1.4 | -- |
| APR. 04... | 0 | 25 | 31 | 13 | .2 | 1.1 | -- | .11 | -- | 1.2 | -- |
| MAY 02... | 0 | 21 | 38 | 16 | .3 | -- | 1.7 | -- | .12 | -- | 1.8 |
| JUNE 06... | 0 | 30 | 42 | 17 | .0 | -- | .97 | -- | .13 | -- | 1.1 |
| JULY 11... | 0 | 22 | 71 | 46 | .3 | -- | 2.2 | -- | .34 | -- | 2.5 |
| AUG. 08... | -- | 32 | 77 | 110 | .5 | -- | -- | -- | -- | -- | -- |
| SEP. 05... | -- | 30 | 56 | 27 | .3 | -- | 1.4 | -- | .19 | -- | 1.6 |

DELAWARE RIVER BASIN

01477200 DELAWARE RIVER AT MARCUS HOOK, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | DIS- SOLVED ORTHO. PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L) | HARD- NESS (CA,MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | COLOR (PLAT- INUM- COBALT UNITS) | TUR- BID- ITY (JTU) | CARBON DIOXIDE (CO2) (MG/L) |
|---------------|--|--|---|------------------------------------|---|--|---------------|-----------------------------|--|------------------------------|--------------------------------------|
| DEC. 06... | .04 | 261 | 214 | 101 | 84 | 413 | 8.4 | -- | 7 | -- | .0 |
| JAN. 03... | .06 | 107 | 77 | 49 | 35 | 154 | 7.5 | -- | 6 | -- | 1.0 |
| FEB. 07... | .11 | 113 | 91 | 54 | 37 | 182 | 6.7 | -- | 8 | -- | 7.0 |
| MAR. 07... | .08 | 151 | 126 | 67 | 38 | 244 | 6.6 | -- | 12 | -- | 14 |
| APR. 04... | .10 | -- | 94 | 55 | 31 | 170 | 6.6 | -- | 33 | 23 | 12 |
| MAY 02... | .03 | 157 | 118 | 67 | 45 | 194 | 6.5 | 15.5 | -- | -- | 13 |
| JUNE 06... | .08 | 141 | 124 | 67 | 37 | 222 | 6.7 | 21.5 | -- | -- | 12 |
| JULY 11... | .01 | 222 | 209 | 92 | 70 | 383 | 6.4 | 26.5 | -- | -- | 17 |
| AUG. 08... | -- | 403 | 319 | 130 | 93 | 639 | -- | 27.0 | -- | -- | -- |
| SEP. 05... | .07 | 193 | -- | -- | -- | 307 | -- | 25.5 | -- | -- | -- |

DELAWARE RIVER BASIN

155

01480617 WEST BRANCH BRANDYWINE CREEK AT MODENA, PA.

LOCATION.--Lat 39°57'42", long 75°48'06", Chester County, on left bank at bridge on Legislative Route 15068 at Modena and 300 ft (91 km) upstream from Dennis Run.

DRAINAGE AREA.--55.0 mi² (142 km²).

PERIOD OF RECORD.--Chemical analyses: October 1969 to September 1970 (partial-record station), October 1970 to September 1974.

Water temperatures: May 1971 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum, 503 micromhos Aug. 28; minimum, 132 micromhos May 12.

Dissolved oxygen: Maximum, 14.1 mg/l Feb. 5; minimum, 2.1 mg/l Aug. 31.

pH: Maximum, 9.8 July 19; minimum, 6.5 June 16, 17.

Water temperatures: Maximum, 33.0°C Aug. 29; minimum, 3.5°C Jan 9, 13, 14, Feb. 5, 10.

Period of record:

Specific conductance: Maximum, 549 micromhos Apr. 11, 1972; minimum, 97 micromhos Nov. 25, 1971.

Dissolved oxygen: Maximum, 14.3 mg/l Feb. 18, 1973; minimum, 3.0 mg/l Aug. 30, 1973.

pH: Maximum, 10.0 Dec. 21, 1971; minimum, 6.6 Oct. 2, 3, 1972, June 24, Oct. 2, 3, 1973, June 24, 1974.

Water temperatures: Maximum, 31.5°C Aug. 30 to Sept. 1; 1973; minimum, 1.0°C Jan. 16, 1972.

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 322 | 271 | 297 | 308 | 271 | 286 | 360 | 283 | 317 | 280 | 240 | 258 |
| 2 | 309 | 280 | 293 | 353 | 278 | 305 | 335 | 277 | 301 | 320 | 235 | 273 |
| 3 | 305 | 278 | 292 | 352 | 288 | 318 | 350 | 269 | 302 | 315 | 260 | 285 |
| 4 | 330 | 272 | 294 | 338 | 285 | 313 | 370 | 304 | 330 | 335 | 235 | 270 |
| 5 | 320 | 268 | 293 | 360 | 291 | 320 | 312 | 192 | 244 | 315 | 245 | 276 |
| 6 | 330 | 270 | 294 | 335 | 277 | 304 | 268 | 183 | 228 | 300 | 255 | 273 |
| 7 | 320 | 269 | 289 | 360 | 288 | 313 | 278 | 243 | 257 | 300 | 250 | 268 |
| 8 | 311 | 269 | 289 | 340 | 283 | 307 | 342 | 253 | 285 | 299 | 249 | 265 |
| 9 | 315 | 277 | 293 | 350 | 298 | 326 | 295 | 170 | 213 | 350 | 270 | 301 |
| 10 | 304 | 230 | 277 | 335 | 273 | 303 | 255 | 181 | 214 | --- | --- | --- |
| 11 | 310 | 271 | 288 | 322 | 276 | 297 | 270 | 228 | 250 | --- | --- | --- |
| 12 | 320 | 264 | 290 | 338 | 267 | 294 | 290 | 230 | 253 | 270 | 220 | --- |
| 13 | 340 | 270 | 303 | 345 | 274 | 302 | 300 | 240 | 262 | 305 | 260 | --- |
| 14 | 316 | 283 | 297 | 345 | 295 | 319 | 250 | 200 | 223 | 290 | 265 | 276 |
| 15 | 338 | 280 | 309 | 345 | 280 | 311 | 280 | 220 | 253 | 310 | 250 | 283 |
| 16 | 320 | 287 | 302 | 338 | 290 | 310 | 330 | 230 | 267 | 295 | 250 | 272 |
| 17 | 330 | 270 | 300 | 352 | 275 | 309 | 270 | 238 | 256 | 280 | 235 | 252 |
| 18 | 338 | 268 | 302 | 312 | 272 | 295 | 290 | 245 | 263 | 300 | 230 | 258 |
| 19 | 339 | 280 | 309 | 318 | 275 | 291 | 290 | 240 | 259 | 460 | 250 | 301 |
| 20 | 350 | 300 | 326 | 292 | 252 | --- | 270 | 240 | --- | 280 | 249 | 260 |
| 21 | 330 | 279 | 302 | --- | --- | --- | --- | --- | --- | 270 | 245 | --- |
| 22 | 380 | 281 | 322 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | 350 | 287 | 322 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | 369 | 295 | 330 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | 352 | 293 | 325 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 360 | 300 | 324 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 366 | 295 | 327 | --- | --- | --- | 220 | 210 | --- | --- | --- | --- |
| 28 | 350 | 291 | 322 | 330 | 282 | --- | 270 | 215 | 241 | --- | --- | --- |
| 29 | 340 | 210 | 255 | 360 | 254 | 293 | 290 | 235 | 264 | --- | --- | --- |
| 30 | 290 | 199 | 242 | 325 | 275 | 302 | 280 | 240 | 258 | --- | --- | --- |
| 31 | 316 | 269 | 293 | --- | --- | --- | 290 | 250 | 266 | --- | --- | --- |
| MONTH | 380 | 199 | 300 | --- | --- | --- | 370 | 170 | --- | --- | --- | --- |

DELAWARE RIVER BASIN

01480617 WEST BRANCH BRANDYWINE CREEK AT MODENA, PA.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | 240 | 189 | 213 | 309 | 260 | 272 |
| 2 | --- | --- | --- | --- | --- | --- | 242 | 220 | 231 | 292 | 250 | 272 |
| 3 | --- | --- | --- | --- | --- | --- | 280 | 222 | 245 | 277 | 220 | 242 |
| 4 | --- | --- | --- | --- | --- | --- | 280 | 210 | 246 | 300 | 228 | 250 |
| 5 | --- | --- | --- | --- | --- | --- | 257 | 211 | 237 | 264 | 240 | 247 |
| 6 | --- | --- | --- | --- | --- | --- | 264 | 215 | 241 | 250 | 238 | 243 |
| 7 | --- | --- | --- | --- | --- | --- | 253 | 230 | 244 | 252 | 230 | 245 |
| 8 | --- | --- | --- | --- | --- | --- | 260 | 236 | 248 | 259 | 230 | 239 |
| 9 | --- | --- | --- | --- | --- | --- | 204 | 170 | 190 | 269 | 230 | 245 |
| 10 | --- | --- | --- | --- | --- | --- | 240 | 200 | 216 | 230 | 180 | 207 |
| 11 | --- | --- | --- | --- | --- | --- | 263 | 228 | 244 | 260 | 209 | 230 |
| 12 | --- | --- | --- | --- | --- | --- | 270 | 240 | 251 | 243 | 132 | 202 |
| 13 | --- | --- | --- | --- | --- | --- | 259 | 165 | 214 | 194 | 143 | 171 |
| 14 | --- | --- | --- | --- | --- | --- | 231 | 178 | 209 | 230 | 191 | 214 |
| 15 | --- | --- | --- | --- | --- | --- | 251 | 230 | 239 | 258 | 220 | 236 |
| 16 | --- | --- | --- | --- | --- | --- | 262 | 235 | 249 | 267 | 224 | 246 |
| 17 | --- | --- | --- | --- | --- | --- | 250 | 230 | 243 | 270 | 230 | 249 |
| 18 | --- | --- | --- | --- | --- | --- | 253 | 229 | 240 | 267 | 230 | 245 |
| 19 | --- | --- | --- | --- | --- | --- | 260 | 228 | 236 | 259 | 220 | 237 |
| 20 | --- | --- | --- | 280 | 270 | --- | 249 | 218 | 234 | 250 | 220 | 237 |
| 21 | --- | --- | --- | 279 | 172 | 226 | 262 | 222 | 237 | 269 | 231 | 249 |
| 22 | --- | --- | --- | 236 | 190 | 211 | 275 | 238 | 252 | 272 | 239 | 250 |
| 23 | --- | --- | --- | 251 | 212 | 232 | 258 | 229 | 238 | 251 | 198 | 232 |
| 24 | --- | --- | --- | 270 | 232 | 244 | 268 | 220 | 237 | 250 | 198 | 231 |
| 25 | --- | --- | --- | 258 | 221 | 240 | 269 | 230 | 247 | 260 | 230 | 245 |
| 26 | --- | --- | --- | 270 | 238 | 249 | 255 | 235 | 246 | 249 | 230 | 239 |
| 27 | --- | --- | --- | 290 | 229 | 250 | 295 | 248 | 262 | 249 | 238 | 242 |
| 28 | --- | --- | --- | 286 | 250 | 262 | 293 | 240 | 257 | 260 | 230 | 242 |
| 29 | --- | --- | --- | 260 | 220 | 246 | 289 | 255 | 271 | 256 | 236 | 242 |
| 30 | --- | --- | --- | 229 | 160 | 202 | 299 | 262 | 277 | 280 | 240 | 254 |
| 31 | --- | --- | --- | 188 | 159 | 173 | --- | --- | --- | 268 | 232 | 247 |
| MONTH | --- | --- | --- | --- | --- | --- | 299 | 165 | 240 | 309 | 132 | 239 |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 238 | 190 | 219 | 299 | 252 | 270 | 339 | 293 | 314 | 344 | 311 | 320 |
| 2 | 230 | 212 | 222 | 312 | 256 | 274 | 327 | 210 | 300 | 379 | 298 | 320 |
| 3 | 250 | 204 | 228 | 304 | 272 | 292 | 280 | 210 | 241 | 319 | 145 | 259 |
| 4 | 257 | 230 | 245 | 309 | 276 | 291 | 291 | 279 | 283 | 270 | 220 | 254 |
| 5 | 260 | 239 | 249 | 299 | 220 | 278 | 322 | 271 | 289 | 338 | 275 | 302 |
| 6 | 290 | 248 | 266 | 300 | 270 | 285 | 334 | 270 | 303 | 350 | 289 | 311 |
| 7 | 306 | 246 | 265 | 312 | 273 | 288 | 320 | 290 | 301 | 301 | 203 | 237 |
| 8 | 283 | 239 | 256 | 330 | 287 | 304 | 350 | 280 | 303 | 299 | 258 | 271 |
| 9 | 272 | 240 | 255 | 324 | 294 | 306 | 315 | 285 | 298 | 310 | 280 | 293 |
| 10 | 280 | 251 | 265 | 331 | 299 | 308 | 330 | 280 | 302 | 500 | 290 | 334 |
| 11 | 299 | 262 | 276 | 329 | 296 | 309 | 310 | 299 | --- | 413 | 304 | 331 |
| 12 | 280 | 255 | 268 | 326 | 281 | 301 | --- | --- | --- | 345 | 303 | 321 |
| 13 | 297 | 259 | 275 | 328 | 279 | 302 | --- | --- | --- | 352 | 302 | 320 |
| 14 | 279 | 253 | 268 | 327 | 283 | 303 | --- | --- | --- | 330 | 280 | 302 |
| 15 | 279 | 239 | 256 | 334 | 290 | 308 | --- | --- | --- | 339 | 285 | 305 |
| 16 | 320 | 230 | 262 | 340 | 292 | 310 | --- | --- | --- | 325 | 289 | 306 |
| 17 | 276 | 222 | 250 | 349 | 291 | 315 | --- | --- | --- | 360 | 299 | 327 |
| 18 | 283 | 252 | 266 | 341 | 290 | 316 | --- | --- | --- | 335 | 300 | 314 |
| 19 | 290 | 249 | 267 | 335 | 279 | 302 | --- | --- | --- | 360 | 297 | 315 |
| 20 | 298 | 269 | 281 | 349 | 283 | 303 | 339 | 300 | --- | 370 | 307 | 326 |
| 21 | 294 | 177 | 243 | 329 | 280 | 304 | 320 | 303 | 313 | 342 | 240 | 309 |
| 22 | 253 | 176 | 216 | 333 | 287 | 308 | 352 | 300 | 321 | 310 | 274 | 291 |
| 23 | 243 | 190 | 220 | 348 | 295 | 313 | 349 | 314 | 331 | 310 | 289 | 296 |
| 24 | 239 | 190 | 217 | 343 | 269 | 302 | 343 | 209 | 307 | 358 | 293 | 321 |
| 25 | 229 | 190 | 211 | 349 | 270 | 298 | 334 | 290 | 305 | 318 | 287 | 299 |
| 26 | 254 | 211 | 232 | 352 | 299 | 315 | 322 | 301 | 314 | 330 | 283 | 306 |
| 27 | 272 | 239 | 247 | 339 | 279 | 313 | 360 | 309 | 334 | 360 | 298 | 324 |
| 28 | 240 | 200 | 226 | 351 | 300 | 317 | 503 | 320 | 360 | 327 | 185 | 260 |
| 29 | 242 | 190 | 216 | 331 | 272 | 316 | 382 | 312 | 344 | 260 | 185 | 212 |
| 30 | 273 | 232 | 247 | 319 | 210 | 286 | 336 | 238 | 305 | 270 | 240 | 255 |
| 31 | --- | --- | --- | 319 | 280 | 298 | 338 | 294 | 317 | --- | --- | --- |
| MONTH | 320 | 176 | 247 | 352 | 210 | 301 | --- | --- | --- | 500 | 145 | 298 |

01480617 WEST BRANCH BRANDYWINE CREEK AT MODENA, PA.--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|------|------|----------|------|------|----------|------|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 8.5 | 5.2 | 6.8 | 9.3 | 7.7 | 8.4 | 11.7 | 10.2 | 10.9 | 12.8 | 12.2 | 12.5 |
| 2 | 7.4 | 5.4 | 6.1 | 9.3 | 7.5 | 8.3 | 12.6 | 10.4 | 11.4 | 13.2 | 12.9 | --- |
| 3 | 7.7 | 4.9 | 6.2 | 9.6 | 7.4 | 8.3 | 12.3 | 10.3 | 11.3 | --- | --- | --- |
| 4 | 8.1 | 4.9 | 6.1 | 10.6 | 7.9 | 8.9 | 11.9 | 9.9 | 10.9 | --- | --- | --- |
| 5 | 7.8 | 5.1 | 6.2 | 9.4 | 7.9 | 8.5 | 11.6 | 9.7 | 10.6 | --- | --- | --- |
| 6 | 8.8 | 5.9 | 7.2 | 10.3 | 8.1 | 9.2 | 12.0 | 11.6 | 11.8 | --- | --- | --- |
| 7 | 9.8 | 6.6 | 8.1 | 10.0 | 8.3 | 9.0 | 12.3 | 11.7 | 12.0 | 13.0 | 12.8 | --- |
| 8 | 9.5 | 6.5 | 7.9 | 11.4 | 8.2 | 9.5 | 12.3 | 11.5 | 11.9 | 13.8 | 13.0 | 13.5 |
| 9 | 9.4 | 5.9 | 7.3 | 10.9 | 8.6 | 9.7 | 13.4 | 11.4 | 12.8 | 13.6 | 13.3 | 13.4 |
| 10 | 9.6 | 5.8 | 7.4 | 12.1 | 9.6 | 10.9 | 13.5 | 12.2 | 13.0 | 13.6 | 13.3 | --- |
| 11 | 9.5 | 6.0 | 7.3 | 13.0 | 10.6 | 11.7 | 12.7 | 12.2 | 12.5 | --- | --- | --- |
| 12 | 10.0 | 5.7 | 7.4 | 12.9 | 9.7 | 11.3 | 13.0 | 12.2 | 12.6 | --- | --- | --- |
| 13 | 10.4 | 5.6 | 7.5 | 11.1 | 8.7 | 9.9 | 12.6 | 11.6 | 12.1 | --- | --- | --- |
| 14 | 10.2 | 5.3 | 7.3 | 10.7 | 8.1 | 9.2 | 12.5 | 11.7 | 12.2 | --- | --- | --- |
| 15 | 10.5 | 5.1 | 7.4 | 10.1 | 7.5 | 8.5 | 12.4 | 11.8 | 12.1 | --- | --- | --- |
| 16 | 10.2 | 5.0 | 6.9 | 8.9 | 7.1 | 8.0 | 12.6 | 11.7 | 12.2 | --- | --- | --- |
| 17 | 10.0 | 5.7 | 7.5 | 9.7 | 8.2 | 9.0 | 13.2 | 12.5 | 13.0 | --- | --- | --- |
| 18 | 9.5 | 6.0 | 7.3 | 10.7 | 8.5 | 9.5 | 13.4 | 13.0 | 13.2 | --- | --- | --- |
| 19 | 10.1 | 5.8 | 7.5 | 10.7 | 8.5 | 9.3 | 13.4 | 12.5 | 13.1 | --- | --- | --- |
| 20 | 10.3 | 5.3 | 7.0 | 10.5 | 8.9 | --- | 12.4 | 12.0 | --- | --- | --- | --- |
| 21 | 10.0 | 5.3 | 7.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | 8.1 | 4.8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | 11.3 | 6.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | 11.5 | 6.1 | 8.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | 11.0 | 6.1 | 8.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 10.9 | 5.7 | 7.7 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 11.3 | 5.7 | 7.8 | 9.0 | 8.2 | --- | 10.8 | 10.0 | --- | --- | --- | --- |
| 28 | 11.6 | 6.0 | 8.3 | 9.9 | 8.2 | 8.9 | 11.5 | 11.0 | 11.3 | 12.2 | 11.2 | --- |
| 29 | 10.0 | 6.7 | 8.7 | 11.3 | 9.1 | 10.5 | 11.8 | 11.4 | 11.6 | 11.9 | 11.2 | 11.5 |
| 30 | 10.4 | 8.7 | 9.8 | 12.0 | 10.2 | 10.9 | 12.2 | 11.4 | 11.9 | 11.8 | 11.1 | 11.5 |
| 31 | 9.7 | 7.9 | 8.9 | --- | --- | --- | 12.3 | 12.2 | 12.2 | 12.0 | 10.9 | 11.4 |
| MONTH | 11.6 | 4.8 | 7.5 | 13.0 | 7.1 | --- | 13.5 | 9.7 | --- | --- | --- | --- |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 12.4 | 11.0 | 11.9 | 13.2 | 11.0 | 12.0 | 10.8 | 9.2 | 10.1 | 9.3 | 4.2 | 6.3 |
| 2 | 12.2 | 11.6 | 12.0 | 12.8 | 10.6 | 11.8 | 9.8 | 8.6 | 9.3 | 6.2 | 4.0 | --- |
| 3 | 13.2 | 12.3 | 12.8 | 12.8 | 9.6 | 11.2 | 10.2 | 7.2 | 8.9 | --- | --- | --- |
| 4 | 13.7 | 12.5 | 13.0 | 11.6 | 8.4 | 10.1 | 8.2 | 7.4 | 7.6 | --- | --- | --- |
| 5 | 14.1 | 13.2 | 13.7 | 10.1 | 8.1 | 8.8 | 8.2 | 7.2 | 7.6 | --- | --- | --- |
| 6 | 13.8 | 13.0 | 13.5 | 10.8 | 7.6 | 8.7 | 8.8 | 8.2 | 8.4 | --- | --- | --- |
| 7 | 13.0 | 12.5 | 12.7 | 9.6 | 6.4 | 8.0 | 9.8 | 7.3 | 8.7 | --- | --- | --- |
| 8 | 13.5 | 12.6 | 13.1 | 8.2 | 6.6 | --- | 8.6 | 7.5 | 8.0 | --- | --- | --- |
| 9 | 13.4 | 12.8 | 13.2 | --- | --- | --- | 9.2 | 8.4 | 9.0 | --- | --- | --- |
| 10 | 13.6 | 12.3 | 13.1 | --- | --- | --- | 10.3 | 9.2 | 9.7 | --- | --- | --- |
| 11 | 13.2 | 11.9 | 12.6 | 11.2 | 8.6 | --- | 11.0 | 8.6 | 10.0 | --- | --- | --- |
| 12 | 13.0 | 11.2 | 12.3 | 10.8 | 8.8 | --- | 10.0 | 7.6 | 9.0 | --- | --- | --- |
| 13 | 12.8 | 10.4 | 11.7 | 11.2 | 9.2 | 10.1 | 9.1 | 7.6 | 8.3 | --- | --- | --- |
| 14 | 12.4 | 10.4 | 11.4 | 11.4 | 9.0 | 10.0 | 8.2 | 6.8 | 7.8 | --- | --- | --- |
| 15 | 13.8 | 11.0 | 12.3 | 11.6 | 9.0 | --- | 8.0 | 6.8 | 7.4 | --- | --- | --- |
| 16 | 14.0 | 11.7 | 12.8 | --- | --- | --- | 8.7 | 6.8 | 7.7 | --- | --- | --- |
| 17 | 13.8 | 11.4 | 12.5 | --- | --- | --- | 10.2 | 6.4 | 8.2 | --- | --- | --- |
| 18 | 14.1 | 11.2 | 12.5 | --- | --- | --- | 9.5 | 6.4 | 7.8 | --- | --- | --- |
| 19 | 12.6 | 10.6 | 11.4 | --- | --- | --- | 9.7 | 6.9 | 8.6 | --- | --- | --- |
| 20 | 12.1 | 10.6 | 11.3 | --- | --- | --- | 11.5 | 7.8 | 10.0 | --- | --- | --- |
| 21 | 12.8 | 10.1 | 11.5 | --- | --- | --- | 10.8 | 6.8 | 9.1 | --- | --- | --- |
| 22 | 10.0 | 7.8 | 9.3 | --- | --- | --- | 9.6 | 6.0 | 7.8 | --- | --- | --- |
| 23 | 10.1 | 8.2 | 9.2 | --- | --- | --- | 9.1 | 6.3 | 7.4 | --- | --- | --- |
| 24 | 10.3 | 7.8 | 9.1 | --- | --- | --- | 10.6 | 7.4 | 8.7 | --- | --- | --- |
| 25 | 9.8 | 7.6 | 8.7 | --- | --- | --- | 10.2 | 6.7 | 8.7 | --- | --- | --- |
| 26 | 13.5 | 10.9 | --- | --- | --- | --- | 10.6 | 6.4 | 8.4 | --- | --- | --- |
| 27 | 13.0 | 10.2 | 11.8 | 11.5 | 7.8 | --- | 10.9 | 6.2 | 8.2 | --- | --- | --- |
| 28 | 12.8 | 10.2 | 11.5 | 10.8 | 7.6 | 8.9 | 10.8 | 4.8 | 8.2 | --- | --- | --- |
| 29 | --- | --- | --- | 9.7 | 7.6 | 8.9 | 9.2 | 3.3 | 6.3 | --- | --- | --- |
| 30 | --- | --- | --- | 10.9 | 9.6 | 10.2 | 9.0 | 3.4 | 5.8 | --- | --- | --- |
| 31 | --- | --- | --- | 11.3 | 10.7 | 11.0 | --- | --- | --- | --- | --- | --- |
| MONTH | 14.1 | 7.6 | 11.9 | --- | --- | --- | 11.5 | 3.3 | 8.4 | --- | --- | --- |

DELAWARE RIVER BASIN

01480617 WEST BRANCH BRANDYWINE CREEK AT MODENA, PA.--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 7.4 | 5.6 | 6.6 | 9.8 | 3.0 | 6.3 | 7.8 | 3.3 | 5.4 |
| 2 | --- | --- | --- | 8.2 | 5.7 | 6.8 | 8.7 | 3.3 | 5.0 | 6.2 | 4.0 | 4.8 |
| 3 | --- | --- | --- | 9.2 | 4.6 | 6.7 | 5.8 | 3.2 | 4.9 | 7.1 | 4.3 | 5.9 |
| 4 | --- | --- | --- | 9.8 | 5.3 | 7.2 | 5.9 | 3.0 | 4.3 | 8.0 | 6.6 | 7.0 |
| 5 | 9.2 | 4.4 | --- | 9.6 | 5.4 | 6.3 | 8.7 | 3.0 | 5.1 | 8.1 | 5.4 | 6.9 |
| 6 | 9.7 | 4.1 | --- | 7.8 | 4.8 | 6.3 | 8.0 | 3.8 | 5.9 | 7.4 | 5.9 | 6.6 |
| 7 | 6.4 | 4.7 | --- | 8.3 | 4.6 | 6.5 | 8.9 | 4.5 | --- | 8.4 | 6.4 | 7.6 |
| 8 | 8.3 | 4.2 | 6.0 | 8.8 | 4.2 | 6.5 | 6.9 | 3.2 | 5.1 | 8.2 | 5.9 | 7.1 |
| 9 | 8.7 | 3.1 | 6.0 | 9.4 | 4.3 | 6.7 | 8.0 | 3.0 | 4.8 | 9.4 | 5.9 | 7.4 |
| 10 | 8.0 | 2.3 | 5.2 | 9.6 | 3.8 | 6.2 | 8.0 | 2.6 | 4.8 | 9.2 | 5.8 | 7.4 |
| 11 | 9.5 | 2.6 | 5.5 | 9.0 | 3.8 | 6.1 | 3.3 | 3.1 | --- | 7.8 | 4.8 | 6.4 |
| 12 | 7.9 | 3.6 | 5.5 | 10.0 | 4.6 | 6.8 | --- | --- | --- | 8.0 | 4.6 | 6.0 |
| 13 | 8.7 | 3.8 | 5.9 | 11.2 | 4.4 | 7.5 | --- | --- | --- | 8.1 | 4.4 | 5.8 |
| 14 | 8.4 | 3.6 | 5.6 | 11.6 | 4.0 | 7.6 | --- | --- | --- | 8.4 | 4.4 | 6.1 |
| 15 | 7.9 | 3.2 | 5.5 | 12.0 | 3.5 | 6.5 | --- | --- | --- | 9.8 | 5.3 | 6.9 |
| 16 | --- | --- | --- | 11.1 | 3.8 | 6.8 | --- | --- | --- | 9.8 | 5.4 | 7.0 |
| 17 | --- | --- | --- | 8.6 | 3.7 | --- | --- | --- | --- | 10.0 | 5.6 | 7.2 |
| 18 | --- | --- | --- | 10.5 | 3.6 | --- | --- | --- | --- | 11.1 | 5.6 | 7.5 |
| 19 | 9.9 | 6.8 | --- | 9.4 | 4.1 | 6.2 | --- | --- | --- | 11.2 | 4.8 | 7.1 |
| 20 | 10.1 | 6.9 | 8.2 | 9.5 | 3.8 | 6.1 | 7.6 | 4.0 | --- | 9.5 | 4.1 | 6.1 |
| 21 | 8.6 | 5.6 | 7.2 | 8.8 | 3.9 | 6.0 | 6.8 | 3.6 | 5.1 | 9.8 | 4.5 | 6.0 |
| 22 | 6.8 | 5.5 | 6.0 | 8.6 | 3.5 | 5.8 | 8.0 | 4.4 | 5.8 | 8.6 | 5.4 | 6.7 |
| 23 | 6.6 | 5.9 | 6.1 | 9.1 | 3.2 | 5.3 | 7.9 | 3.5 | 5.3 | 11.0 | 5.7 | 7.6 |
| 24 | 7.6 | 6.1 | 6.7 | 6.4 | 3.3 | 4.5 | 7.6 | 4.1 | 5.7 | 11.2 | 6.4 | 8.1 |
| 25 | 7.5 | 6.6 | 7.0 | 7.3 | 2.8 | 5.5 | 7.0 | 4.0 | 5.5 | 10.8 | 5.9 | 7.8 |
| 26 | 7.4 | 5.9 | 6.8 | 9.0 | 2.6 | 5.6 | 7.4 | 4.2 | 5.4 | 11.7 | 5.8 | 7.9 |
| 27 | 6.5 | 5.4 | 6.0 | 9.2 | 4.0 | 5.9 | 7.9 | 3.6 | 5.0 | 12.8 | 6.0 | 8.3 |
| 28 | 7.0 | 5.9 | 6.5 | 8.8 | 3.8 | 5.9 | 6.6 | 3.1 | 4.6 | 8.7 | 6.6 | 7.6 |
| 29 | 7.4 | 5.9 | 6.8 | 10.8 | 3.9 | 6.5 | 10.2 | 3.4 | 5.5 | 9.0 | 7.4 | 8.3 |
| 30 | 7.2 | 5.9 | 6.5 | 8.4 | 4.4 | 6.5 | 7.8 | 4.3 | 5.3 | 10.2 | 7.0 | 8.3 |
| 31 | --- | --- | --- | 9.1 | 3.6 | 6.4 | 7.8 | 2.1 | 5.3 | --- | --- | --- |
| MONTH | --- | --- | --- | 12.0 | 2.6 | 6.3 | --- | --- | --- | 12.8 | 3.3 | 7.0 |

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 7.9 | 7.0 | 7.3 | 7.4 | 7.1 | 7.3 | 8.0 | 7.4 | 7.7 | 7.8 | 7.6 | 7.7 |
| 2 | 7.3 | 7.0 | 7.2 | 7.6 | 7.0 | 7.3 | 7.9 | 7.2 | 7.6 | 7.8 | 7.6 | 7.7 |
| 3 | 7.3 | 6.9 | 7.1 | 7.7 | 7.2 | 7.4 | 9.4 | 7.3 | 8.0 | 7.9 | 7.6 | 7.7 |
| 4 | 7.2 | 6.8 | 7.0 | 7.9 | 7.2 | 7.5 | 8.0 | 7.4 | 7.7 | 7.9 | 7.6 | 7.7 |
| 5 | 7.2 | 6.8 | 7.0 | 7.5 | 7.2 | 7.3 | 7.8 | 7.4 | 7.5 | 8.0 | 7.7 | 7.8 |
| 6 | 7.2 | 6.8 | 7.0 | 7.7 | 7.3 | 7.5 | 7.6 | 7.4 | 7.5 | 7.8 | 7.7 | 7.8 |
| 7 | 7.3 | 6.8 | 7.0 | 7.7 | 7.3 | 7.5 | 7.7 | 7.4 | 7.5 | 8.2 | 7.7 | 7.9 |
| 8 | 7.3 | 6.8 | 7.0 | 7.7 | 7.3 | 7.4 | 7.5 | 7.4 | 7.4 | 8.2 | 8.1 | 8.1 |
| 9 | 7.7 | 6.8 | 7.2 | 8.1 | 7.2 | 7.5 | 7.7 | 7.3 | 7.5 | 8.3 | 8.0 | 8.1 |
| 10 | 7.8 | 7.0 | 7.3 | 8.0 | 7.4 | 7.7 | 7.5 | 7.4 | 7.4 | 8.2 | 8.0 | 8.1 |
| 11 | 7.6 | 7.0 | 7.2 | 8.2 | 7.5 | 7.7 | 7.6 | 7.4 | 7.5 | 8.7 | 7.9 | 8.2 |
| 12 | 8.1 | 6.9 | 7.3 | 8.4 | 7.5 | 7.8 | 7.8 | 7.4 | 7.6 | 8.2 | 8.0 | 8.1 |
| 13 | 8.2 | 7.0 | 7.5 | 8.1 | 7.3 | 7.7 | 7.6 | 7.4 | 7.5 | 8.2 | 8.1 | 8.1 |
| 14 | 8.2 | 7.0 | 7.5 | 8.1 | 7.4 | 7.6 | 7.8 | 7.4 | 7.5 | 8.2 | 8.1 | 8.1 |
| 15 | 8.0 | 7.0 | 7.4 | 7.9 | 7.1 | 7.5 | 7.6 | 7.4 | 7.5 | 8.1 | 7.4 | 7.8 |
| 16 | 7.7 | 6.9 | 7.2 | 7.5 | 7.2 | 7.4 | 9.1 | 7.4 | 7.8 | 7.9 | 7.5 | 7.7 |
| 17 | 7.5 | 7.0 | 7.2 | 9.2 | 7.3 | 7.8 | 7.9 | 7.6 | 7.7 | 7.7 | 7.5 | 7.6 |
| 18 | 7.2 | 6.9 | 7.0 | 7.9 | 7.3 | 7.5 | 7.7 | 7.6 | 7.6 | 7.6 | 7.5 | 7.6 |
| 19 | 7.9 | 6.9 | 7.3 | 7.8 | 7.3 | 7.5 | 7.9 | 7.5 | 7.7 | 7.7 | 7.5 | 7.5 |
| 20 | 8.1 | 7.0 | 7.4 | 7.4 | 7.2 | --- | 7.7 | 7.6 | --- | 7.6 | 7.5 | 7.5 |
| 21 | 8.2 | 7.1 | 7.5 | --- | --- | --- | --- | --- | --- | 7.5 | 7.4 | --- |
| 22 | 8.0 | 7.1 | 7.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | 8.0 | 7.0 | 7.4 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | 7.8 | 7.1 | 7.4 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | 7.8 | 7.0 | 7.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 8.2 | 7.0 | 7.4 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 8.1 | 7.1 | 7.4 | 7.4 | 7.2 | --- | 8.3 | 7.8 | --- | --- | --- | --- |
| 28 | 8.2 | 7.1 | 7.5 | 8.0 | 7.2 | 7.5 | 8.0 | 7.7 | 7.8 | 7.9 | 7.6 | --- |
| 29 | 7.6 | 7.2 | 7.4 | 7.8 | 7.4 | 7.6 | 7.8 | 7.7 | 7.7 | 9.0 | 7.6 | 8.0 |
| 30 | 7.6 | 7.3 | 7.4 | 8.4 | 7.3 | 7.7 | 7.7 | 7.7 | 7.7 | 8.3 | 7.8 | 8.0 |
| 31 | 7.5 | 7.3 | 7.4 | --- | --- | --- | 7.9 | 7.6 | 7.7 | 8.4 | 7.7 | 7.9 |
| MONTH | 8.2 | 6.8 | 7.3 | 9.2 | 7.0 | --- | 9.4 | 7.2 | --- | 9.0 | 7.4 | --- |

01480617 WEST BRANCH BRANDYWINE CREEK AT MODENA, PA.--Continued

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| FEBRUARY | | | | MARCH | | | APRIL | | | MAY | | |
|----------|-----|-----|------|-------|-----|------|--------|-----|------|-----------|-----|------|
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 8.3 | 7.7 | 7.9 | 8.5 | 7.2 | 7.6 | 7.6 | 7.2 | 7.3 | 8.8 | 7.2 | 7.9 |
| 2 | 7.9 | 7.6 | 7.7 | 8.1 | 7.2 | 7.5 | 7.7 | 7.2 | 7.4 | 8.8 | 7.2 | 7.8 |
| 3 | 7.9 | 7.6 | 7.7 | 8.4 | 7.2 | 7.7 | 8.2 | 7.2 | 7.5 | 8.3 | 7.2 | 7.6 |
| 4 | 8.3 | 7.6 | 7.8 | 8.3 | 7.1 | 7.5 | 8.2 | 7.4 | 7.5 | 8.6 | 7.2 | 7.8 |
| 5 | 7.8 | 7.5 | 7.6 | 7.7 | 7.0 | 7.3 | 7.8 | 7.4 | 7.5 | 8.8 | 7.2 | 7.8 |
| 6 | 7.8 | 7.4 | 7.5 | 7.9 | 6.8 | 7.2 | 7.9 | 7.4 | 7.6 | 8.3 | 7.1 | 7.5 |
| 7 | 8.3 | 7.4 | 7.6 | 8.1 | 6.8 | 7.2 | 7.9 | 7.5 | 7.6 | 8.6 | 7.1 | 7.8 |
| 8 | 7.7 | 7.4 | 7.6 | 7.8 | 6.7 | 7.1 | 7.9 | 7.4 | 7.5 | 8.9 | 7.2 | 8.0 |
| 9 | 7.8 | 7.3 | 7.5 | 7.2 | 6.8 | 7.0 | 7.7 | 7.3 | 7.4 | 7.9 | 7.1 | 7.4 |
| 10 | 7.7 | 7.4 | 7.5 | 7.6 | 6.8 | 7.1 | 7.6 | 7.2 | 7.4 | 8.1 | 7.1 | 7.4 |
| 11 | 7.8 | 7.3 | 7.5 | 7.5 | 6.7 | 7.0 | 7.9 | 7.2 | 7.4 | 8.3 | 7.1 | 7.6 |
| 12 | 7.7 | 7.3 | 7.5 | 7.7 | 6.7 | 7.0 | 8.2 | 7.2 | 7.4 | 7.7 | 7.1 | 7.3 |
| 13 | 8.2 | 7.2 | 7.5 | 7.5 | 6.7 | 7.0 | 8.1 | 6.9 | 7.2 | 7.7 | 7.0 | 7.4 |
| 14 | 8.2 | 7.2 | 7.5 | 7.4 | 6.7 | 6.9 | 7.1 | 6.9 | 7.0 | 7.8 | 7.1 | 7.3 |
| 15 | 8.0 | 7.2 | 7.5 | 7.8 | 6.7 | 7.1 | 7.7 | 7.0 | 7.3 | 7.9 | 7.4 | 7.6 |
| 16 | 7.7 | 7.1 | 7.3 | 7.1 | 6.7 | 6.8 | 7.5 | 7.1 | 7.2 | 8.2 | 7.3 | 7.7 |
| 17 | 8.2 | 7.2 | 7.5 | 7.4 | 6.7 | 6.9 | 9.0 | 7.0 | 7.7 | 8.4 | 7.2 | 7.7 |
| 18 | 8.0 | 7.2 | 7.4 | 7.3 | 6.6 | 6.9 | 8.5 | 7.5 | 7.8 | 8.5 | 7.2 | 7.6 |
| 19 | 8.3 | 7.1 | 7.5 | 7.4 | 6.6 | 6.9 | 8.8 | 7.4 | 7.7 | 8.6 | 7.1 | 7.6 |
| 20 | 8.1 | 7.3 | 7.6 | 7.6 | 6.6 | 6.9 | 8.7 | 7.5 | 7.9 | 8.4 | 7.0 | 7.6 |
| 21 | 8.2 | 7.3 | 7.6 | 7.7 | 6.6 | 6.8 | 8.6 | 7.4 | 7.9 | 9.0 | 7.0 | 7.8 |
| 22 | 8.4 | 7.2 | 7.5 | 6.8 | 6.6 | 6.8 | 8.7 | 7.3 | 7.8 | 9.0 | 7.3 | 8.0 |
| 23 | 8.3 | 7.4 | 7.7 | 7.0 | 6.6 | 6.7 | 8.2 | 7.2 | 7.6 | 7.6 | 7.2 | 7.4 |
| 24 | 8.3 | 7.3 | 7.6 | 7.2 | 6.6 | 6.8 | 8.3 | 7.2 | 7.6 | 8.6 | 7.2 | 7.7 |
| 25 | 8.0 | 7.3 | 7.6 | 7.2 | 6.7 | 6.9 | 8.9 | 7.2 | 7.9 | 8.6 | 7.3 | 7.9 |
| 26 | 8.6 | 7.4 | 7.8 | 7.3 | 6.7 | 6.9 | 8.7 | 7.4 | 7.9 | 8.8 | 7.3 | 7.9 |
| 27 | 8.3 | 7.3 | 7.7 | 8.1 | 6.7 | 7.3 | 8.8 | 7.3 | 7.9 | 8.5 | 7.2 | 7.7 |
| 28 | 8.4 | 7.2 | 7.6 | 8.1 | 7.2 | 7.5 | 8.8 | 7.2 | 7.9 | 8.4 | 7.1 | 7.6 |
| 29 | --- | --- | --- | 7.6 | 7.3 | 7.4 | 8.7 | 7.2 | 7.8 | 7.3 | 7.0 | 7.2 |
| 30 | --- | --- | --- | 8.5 | 7.4 | 7.5 | 8.7 | 7.1 | 7.8 | 8.4 | 6.9 | 7.3 |
| 31 | --- | --- | --- | 7.3 | 7.2 | 7.2 | --- | --- | --- | 8.5 | 7.2 | 7.7 |
| MONTH | 8.6 | 7.1 | 7.6 | 8.5 | 6.6 | 7.1 | 9.0 | 6.9 | 7.6 | 9.0 | 6.9 | 7.6 |
| JUNE | | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 8.3 | 7.3 | 7.7 | 8.4 | 7.1 | 7.6 | 9.0 | 6.9 | 7.8 | 8.8 | 7.1 | 7.8 |
| 2 | 7.7 | 7.3 | 7.5 | 8.4 | 7.2 | 7.7 | 8.7 | 6.9 | 7.5 | 7.4 | 6.8 | 7.1 |
| 3 | 8.4 | 7.3 | 7.7 | 8.6 | 7.1 | 7.7 | 7.9 | 7.0 | 7.4 | 8.9 | 6.8 | 7.4 |
| 4 | 8.7 | 7.3 | 7.9 | 8.7 | 7.1 | 7.8 | 8.1 | 6.9 | 7.4 | 8.7 | 7.3 | 7.7 |
| 5 | 8.7 | 7.2 | 7.8 | 8.1 | 7.1 | 7.4 | 8.5 | 6.9 | 7.5 | 8.3 | 7.5 | 7.8 |
| 6 | 8.9 | 7.2 | 8.0 | 7.9 | 7.2 | 7.4 | 8.6 | 7.0 | 7.8 | 7.9 | 7.3 | 7.5 |
| 7 | 8.3 | 6.9 | 7.5 | 8.3 | 7.1 | 7.5 | 8.4 | 7.2 | --- | 7.7 | 7.3 | 7.5 |
| 8 | 8.0 | 7.0 | 7.4 | 8.5 | 7.0 | 7.6 | 8.3 | 7.0 | 7.5 | 7.9 | 7.2 | 7.5 |
| 9 | 8.3 | 6.9 | 7.5 | 8.6 | 7.0 | 7.7 | 8.7 | 7.0 | 7.6 | 8.3 | 7.2 | 7.7 |
| 10 | 8.1 | 6.7 | 7.2 | 8.5 | 7.0 | 7.6 | 8.9 | 7.1 | 7.8 | 8.5 | 7.2 | 7.7 |
| 11 | 8.6 | 6.7 | 7.7 | 8.6 | 6.9 | 7.6 | 7.2 | 7.1 | --- | 8.3 | 7.2 | 7.6 |
| 12 | 8.3 | 6.9 | 7.4 | 8.8 | 7.0 | 7.7 | --- | --- | --- | 8.3 | 7.2 | 7.5 |
| 13 | 8.3 | 7.0 | 7.6 | 8.9 | 7.0 | 7.8 | --- | --- | --- | 8.2 | 7.1 | 7.5 |
| 14 | 8.2 | 6.9 | 7.4 | 9.0 | 7.0 | 7.9 | --- | --- | --- | 8.3 | 7.0 | 7.5 |
| 15 | 7.6 | 6.7 | 7.1 | 8.7 | 6.8 | 7.5 | --- | --- | --- | 8.6 | 7.1 | 7.5 |
| 16 | 6.8 | 6.5 | 6.7 | 8.4 | 6.8 | 7.4 | --- | --- | --- | 8.1 | 7.0 | 7.4 |
| 17 | 8.2 | 6.5 | 7.2 | 8.3 | 6.7 | 7.3 | --- | --- | --- | 8.3 | 7.0 | 7.4 |
| 18 | 8.1 | 6.9 | 7.4 | 9.7 | 6.7 | 7.9 | --- | --- | --- | 8.8 | 7.2 | 7.8 |
| 19 | 8.7 | 6.8 | 7.7 | 9.8 | 7.5 | 8.4 | --- | --- | --- | 9.0 | 7.4 | 8.0 |
| 20 | 8.6 | 7.0 | 7.7 | 9.3 | 7.6 | 8.3 | 8.6 | 7.6 | --- | 8.9 | 7.3 | 7.9 |
| 21 | 8.2 | 7.0 | 7.4 | 9.4 | 7.5 | 8.3 | 8.9 | 7.3 | 8.0 | 8.8 | 7.2 | 7.7 |
| 22 | 7.6 | 7.0 | 7.2 | 9.1 | 7.5 | 8.1 | 8.3 | 7.3 | 7.6 | 8.7 | 7.1 | 7.7 |
| 23 | 7.1 | 7.0 | 7.0 | 9.1 | 7.4 | 7.9 | 8.7 | 7.3 | 7.8 | 8.9 | 7.4 | 8.0 |
| 24 | 7.3 | 6.9 | 7.1 | 7.7 | 7.2 | 7.3 | 9.0 | 7.2 | 7.9 | 9.0 | 7.6 | 8.4 |
| 25 | 7.4 | 7.2 | 7.3 | 8.4 | 7.1 | 7.6 | 8.9 | 7.2 | 7.9 | 8.9 | 7.6 | 8.0 |
| 26 | 7.6 | 7.2 | 7.3 | 8.1 | 7.0 | 7.4 | 8.4 | 7.2 | 7.6 | 9.0 | 7.5 | 8.1 |
| 27 | 7.5 | 7.1 | 7.3 | 8.4 | 7.0 | 7.5 | 8.7 | 7.2 | 7.7 | 7.9 | 7.4 | 7.6 |
| 28 | 7.6 | 7.2 | 7.3 | 8.6 | 6.9 | 7.5 | 8.7 | 7.0 | 7.7 | 7.9 | 7.4 | 7.6 |
| 29 | 7.6 | 7.2 | 7.4 | 8.7 | 6.9 | 7.7 | 8.9 | 7.0 | 7.7 | 7.6 | 7.3 | 7.4 |
| 30 | 8.0 | 7.2 | 7.5 | 8.3 | 7.1 | 7.5 | 8.6 | 7.2 | 7.6 | 8.2 | 7.3 | 7.6 |
| 31 | --- | --- | --- | 8.6 | 6.9 | 7.7 | 8.7 | 7.1 | 7.8 | --- | --- | --- |
| MONTH | 8.9 | 6.5 | 7.4 | 9.8 | 6.7 | 7.7 | --- | --- | --- | 9.0 | 6.8 | 7.7 |

DELAWARE RIVER BASIN

01480617 WEST BRANCH BRANDYWINE CREEK AT MODENA, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|------|------|----------|------|------|----------|------|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 24.0 | 19.0 | 21.5 | 17.0 | 14.5 | 15.5 | 14.5 | 11.5 | 13.0 | 8.5 | 7.0 | 8.0 |
| 2 | 23.0 | 21.0 | 22.0 | 18.5 | 14.0 | 16.0 | 13.5 | 8.5 | 11.5 | 8.0 | 6.5 | 7.0 |
| 3 | 25.5 | 21.0 | 23.5 | 18.5 | 15.0 | 16.5 | 14.0 | 10.0 | 11.5 | 6.5 | 6.0 | 6.5 |
| 4 | 26.0 | 21.5 | 24.0 | 16.0 | 13.5 | 14.5 | 14.5 | 10.5 | 12.5 | 5.5 | 5.0 | 5.5 |
| 5 | 25.5 | 21.5 | 23.5 | 15.5 | 13.5 | 14.5 | 15.0 | 12.0 | 13.5 | 6.0 | 4.5 | 5.0 |
| 6 | 25.0 | 19.0 | 22.0 | 14.0 | 12.0 | 13.0 | 13.0 | 11.5 | 12.0 | 6.0 | 5.5 | 5.5 |
| 7 | 22.0 | 18.0 | 20.5 | 14.0 | 12.0 | 13.0 | 12.0 | 10.5 | 11.0 | 7.0 | 5.5 | 6.0 |
| 8 | 23.5 | 19.0 | 21.5 | 14.5 | 10.5 | 12.5 | 11.5 | 11.0 | 11.0 | 6.0 | 4.5 | 5.0 |
| 9 | 23.5 | 20.0 | 22.0 | 14.0 | 10.5 | 13.0 | 11.0 | 8.0 | 9.0 | 6.0 | 3.5 | 5.0 |
| 10 | 23.0 | 20.5 | 22.0 | 12.0 | 9.0 | 10.5 | 9.5 | 7.0 | 8.5 | 6.0 | 5.0 | 5.5 |
| 11 | 23.0 | 20.0 | 21.0 | 11.5 | 8.5 | 10.0 | 9.5 | 8.0 | 9.0 | 6.0 | 4.5 | 5.0 |
| 12 | 23.5 | 19.0 | 21.0 | 13.5 | 9.0 | 11.0 | 9.5 | 8.0 | 8.5 | 5.5 | 4.0 | 4.5 |
| 13 | 23.5 | 19.0 | 21.0 | 15.5 | 11.5 | 13.5 | 9.5 | 8.0 | 9.0 | 5.0 | 3.5 | 4.0 |
| 14 | 22.0 | 19.5 | 20.5 | 18.0 | 14.0 | 15.5 | 9.5 | 8.5 | 9.0 | 5.5 | 3.5 | 4.5 |
| 15 | 23.5 | 18.5 | 21.0 | 19.0 | 14.5 | 16.5 | 9.5 | 8.0 | 9.0 | 6.5 | 4.5 | 5.5 |
| 16 | 22.0 | 19.0 | 20.5 | 17.0 | 11.5 | 15.5 | 9.0 | 6.0 | 7.5 | 8.0 | 5.0 | 6.0 |
| 17 | 20.5 | 18.0 | 19.0 | 15.5 | 12.0 | 14.0 | 6.0 | 4.5 | 5.0 | 6.5 | 5.0 | 6.0 |
| 18 | 19.0 | 16.5 | 18.0 | 14.0 | 11.0 | 12.5 | 6.5 | 4.5 | 5.0 | 5.5 | 4.5 | 5.0 |
| 19 | 20.0 | 16.0 | 18.0 | 16.0 | 13.0 | 14.0 | 7.0 | 4.5 | 6.0 | 8.0 | 5.5 | 6.5 |
| 20 | 20.0 | 16.0 | 18.0 | 13.5 | 11.5 | --- | 6.5 | 6.0 | --- | 6.5 | 5.5 | 6.0 |
| 21 | 20.0 | 16.5 | 18.0 | --- | --- | --- | --- | --- | --- | 7.0 | 6.5 | --- |
| 22 | 20.5 | 15.5 | 18.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | 20.5 | 15.0 | 17.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | 21.0 | 16.5 | 18.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | 21.0 | 16.0 | 18.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 21.0 | 17.0 | 19.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 21.0 | 17.0 | 19.0 | 18.5 | 18.0 | --- | 10.0 | 10.0 | --- | --- | --- | --- |
| 28 | 18.5 | 16.5 | 17.5 | 18.5 | 16.0 | 17.5 | 10.0 | 9.0 | 9.5 | 10.0 | 9.5 | --- |
| 29 | 18.0 | 15.0 | 16.0 | 16.0 | 13.0 | 14.5 | 9.5 | 8.5 | 9.0 | 10.5 | 9.5 | 10.0 |
| 30 | 15.0 | 14.0 | 14.5 | 14.5 | 11.5 | 13.0 | 10.0 | 8.0 | 8.5 | 11.5 | 9.5 | 10.0 |
| 31 | 17.0 | 14.5 | 15.5 | --- | --- | --- | 8.5 | 8.0 | 8.0 | 11.0 | 9.0 | 10.0 |
| MONTH | 26.0 | 14.0 | 20.0 | 19.0 | 8.5 | --- | 15.0 | 4.5 | --- | 11.5 | 3.5 | --- |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 9.5 | 8.0 | 8.5 | 10.0 | 8.0 | 9.0 | 9.0 | 5.5 | 7.0 | 21.5 | 18.5 | 19.5 |
| 2 | 8.5 | 6.5 | 8.0 | 9.5 | 8.0 | 9.0 | 10.0 | 7.0 | 8.5 | 20.0 | 15.5 | 17.0 |
| 3 | 6.5 | 5.5 | 5.5 | 11.5 | 8.5 | 10.0 | 14.0 | 8.5 | 11.0 | 16.5 | 13.5 | 15.5 |
| 4 | 6.5 | 5.0 | 5.5 | 14.0 | 10.5 | 12.0 | 16.5 | 13.5 | 15.0 | 18.5 | 14.0 | 16.0 |
| 5 | 6.5 | 3.5 | 4.5 | 14.0 | 12.0 | 13.5 | 16.5 | 16.0 | --- | 16.5 | 14.0 | 15.0 |
| 6 | 6.5 | 4.5 | 5.0 | 13.5 | 11.5 | 12.0 | --- | --- | --- | 15.5 | 14.0 | 15.0 |
| 7 | 7.0 | 5.5 | 6.0 | 16.0 | 12.0 | 13.5 | --- | --- | --- | 16.0 | 13.0 | 14.5 |
| 8 | 5.5 | 4.5 | 5.0 | 14.5 | 12.0 | 13.5 | --- | --- | --- | 18.0 | 12.0 | 15.0 |
| 9 | 7.0 | 4.0 | 5.0 | 12.0 | 10.0 | 10.5 | --- | --- | --- | 15.5 | 15.0 | 15.0 |
| 10 | 7.0 | 3.5 | 4.5 | 12.0 | 9.5 | 10.5 | 10.0 | 8.5 | --- | 18.0 | 14.5 | 15.5 |
| 11 | 7.0 | 4.5 | 5.5 | 12.0 | 9.0 | 10.5 | 11.5 | 6.0 | 9.0 | 19.5 | 14.0 | 17.0 |
| 12 | 8.0 | 5.0 | 6.0 | 11.5 | 9.5 | 10.5 | 13.5 | 8.5 | 11.5 | 18.0 | 14.0 | 16.0 |
| 13 | 9.0 | 5.0 | 7.0 | 10.5 | 7.0 | 8.5 | 13.5 | 11.5 | 12.5 | 15.5 | 14.0 | 14.5 |
| 14 | 9.0 | 6.5 | 7.5 | 11.5 | 7.0 | 9.0 | 14.0 | 11.5 | 12.5 | 19.5 | 14.0 | 17.0 |
| 15 | 8.5 | 5.5 | 6.5 | 12.0 | 8.0 | 10.0 | 14.0 | 11.5 | 13.0 | 22.0 | 17.0 | 19.5 |
| 16 | 7.0 | 5.0 | 6.0 | 11.5 | 9.0 | 10.5 | 14.5 | 10.0 | 12.0 | 24.5 | 19.5 | 21.5 |
| 17 | 8.5 | 5.5 | 6.5 | 9.0 | 6.5 | 8.0 | 14.5 | 9.5 | 12.0 | 25.0 | 20.5 | 23.0 |
| 18 | 9.0 | 5.5 | 7.0 | 10.5 | 6.5 | 8.5 | 15.0 | 10.5 | 13.0 | 25.5 | 20.5 | 23.0 |
| 19 | 8.0 | 6.5 | 7.0 | 12.0 | 9.0 | 10.5 | 13.5 | 11.0 | 12.0 | 22.0 | 20.5 | 21.0 |
| 20 | 8.0 | 6.0 | 7.0 | 11.0 | 10.0 | --- | 12.0 | 9.0 | 10.0 | 24.0 | 18.5 | 21.0 |
| 21 | 9.5 | 6.0 | 7.5 | 10.5 | 9.0 | --- | 15.5 | 10.0 | 13.0 | 23.5 | 19.0 | 21.0 |
| 22 | 11.5 | 9.0 | 10.0 | 13.0 | 8.0 | 10.0 | 16.5 | 13.0 | 15.0 | 24.0 | 19.0 | 21.5 |
| 23 | 10.0 | 6.5 | 8.0 | 15.0 | 9.5 | 12.0 | 16.5 | 14.0 | 15.5 | 23.0 | 20.5 | 21.5 |
| 24 | 9.5 | 6.0 | 7.5 | 15.5 | 12.0 | 14.0 | 14.0 | 11.5 | 12.5 | 24.0 | 19.5 | 21.0 |
| 25 | 8.5 | 5.5 | 6.5 | 14.0 | 10.0 | 11.5 | 16.0 | 10.5 | 13.5 | 23.0 | 19.5 | 20.5 |
| 26 | 8.5 | 4.5 | 6.0 | 14.0 | 10.5 | 12.0 | 18.0 | 13.0 | 15.0 | 21.0 | 18.0 | 19.5 |
| 27 | 9.5 | 5.0 | 7.0 | 13.0 | 9.5 | 11.0 | 18.5 | 13.0 | 15.5 | 20.0 | 18.0 | 19.0 |
| 28 | 10.5 | 6.0 | 8.5 | 13.0 | 10.5 | 11.5 | 19.0 | 14.0 | 16.5 | 21.5 | 18.0 | 19.5 |
| 29 | --- | --- | --- | 11.5 | 6.5 | 9.0 | 21.0 | 16.5 | 18.5 | 20.5 | 18.5 | 19.5 |
| 30 | --- | --- | --- | 6.5 | 4.5 | 6.0 | 22.0 | 18.0 | 20.0 | 23.5 | 20.0 | 21.5 |
| 31 | --- | --- | --- | 5.5 | 4.0 | 4.5 | --- | --- | --- | 23.0 | 20.0 | 21.0 |
| MONTH | 11.5 | 3.5 | 6.5 | 16.0 | 4.0 | 10.5 | 22.0 | 5.5 | 13.0 | 25.5 | 12.0 | 18.5 |

DELAWARE RIVER BASIN

161

01480617 WEST BRANCH BRANDYWINE CREEK AT MODENA, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 21.5 | 20.0 | 20.5 | 26.5 | 21.0 | 23.5 | 30.0 | 24.0 | 26.5 | 31.0 | 26.0 | 28.0 |
| 2 | 20.5 | 19.0 | 19.5 | 28.0 | 21.5 | 24.5 | 29.5 | 24.0 | 26.0 | 29.0 | 24.5 | 26.0 |
| 3 | 23.5 | 18.5 | 20.5 | 29.5 | 24.0 | 26.5 | 27.0 | 22.0 | 25.0 | 27.0 | 21.0 | 24.0 |
| 4 | 24.5 | 19.5 | 22.0 | 31.0 | 26.0 | 28.0 | 28.0 | 25.5 | 26.0 | 24.0 | 21.0 | 22.5 |
| 5 | 26.0 | 20.5 | 22.5 | 28.5 | 25.5 | 26.5 | 28.0 | 24.5 | 26.0 | 26.0 | 21.0 | 23.5 |
| 6 | 26.5 | 21.0 | 23.5 | 29.0 | 25.0 | 26.5 | 28.5 | 23.5 | 25.5 | 24.0 | 21.0 | 23.0 |
| 7 | 24.5 | 21.0 | 22.5 | 30.0 | 24.5 | 26.5 | 26.5 | 24.5 | 25.0 | 22.0 | 19.0 | 20.0 |
| 8 | 23.5 | 21.0 | 22.0 | 30.5 | 25.5 | 27.5 | 26.5 | 23.5 | 25.0 | 23.5 | 20.5 | 21.5 |
| 9 | 26.5 | 21.0 | 23.5 | 31.5 | 26.0 | 28.5 | 27.0 | 23.5 | 25.0 | 25.5 | 22.0 | 23.5 |
| 10 | 29.5 | 23.5 | 26.0 | 31.5 | 27.0 | 28.5 | 28.5 | 23.5 | 25.5 | 26.5 | 23.0 | 24.5 |
| 11 | 28.5 | 24.0 | 25.5 | 30.0 | 24.5 | 27.5 | 24.0 | 23.5 | --- | 26.5 | 23.5 | 25.0 |
| 12 | 26.5 | 23.0 | 24.0 | 29.5 | 24.0 | 26.0 | --- | --- | --- | 29.0 | 24.5 | 26.0 |
| 13 | 27.0 | 22.0 | 24.0 | 29.5 | 23.5 | 26.0 | --- | --- | --- | 30.0 | 25.0 | 27.0 |
| 14 | 26.0 | 21.5 | 23.0 | 30.5 | 24.5 | 27.0 | --- | --- | --- | 27.0 | 23.5 | 26.0 |
| 15 | 26.5 | 21.0 | 23.5 | 31.0 | 26.5 | 28.0 | --- | --- | --- | 26.0 | 21.0 | 23.0 |
| 16 | 25.0 | 23.0 | 24.0 | 30.5 | 25.5 | 27.5 | --- | --- | --- | 26.5 | 22.0 | 24.0 |
| 17 | 27.0 | 21.5 | 24.0 | 31.0 | 24.5 | 27.0 | --- | --- | --- | 28.0 | 23.5 | 25.0 |
| 18 | 26.5 | 21.5 | 23.5 | 30.5 | 25.0 | 27.5 | --- | --- | --- | 27.0 | 23.5 | 24.5 |
| 19 | 27.0 | 21.5 | 24.0 | 30.0 | 25.5 | 27.5 | --- | --- | --- | 28.0 | 23.5 | 25.0 |
| 20 | 28.0 | 24.0 | 25.5 | 29.0 | 24.5 | 26.5 | 30.5 | 26.0 | --- | 28.5 | 24.5 | 26.0 |
| 21 | 27.0 | 22.0 | 24.5 | 29.5 | 24.0 | 25.5 | 29.5 | 25.0 | 27.0 | 28.0 | 22.0 | 26.0 |
| 22 | 26.0 | 21.5 | 24.0 | 29.5 | 23.5 | 25.5 | 29.0 | 25.5 | 26.5 | 25.0 | 21.0 | 23.0 |
| 23 | 24.0 | 20.0 | 21.0 | 28.0 | 24.0 | 25.0 | 30.5 | 26.0 | 27.5 | 24.0 | 19.0 | 21.5 |
| 24 | 23.0 | 19.5 | 20.5 | 25.0 | 23.5 | 24.0 | 30.5 | 24.0 | 27.5 | 23.5 | 18.5 | 20.5 |
| 25 | 20.0 | 18.5 | 19.0 | 26.5 | 23.0 | 24.5 | 29.0 | 24.5 | 26.5 | 23.5 | 19.0 | 20.5 |
| 26 | 22.0 | 18.5 | 20.0 | 26.5 | 24.5 | 25.0 | 28.0 | 25.5 | 26.0 | 23.5 | 20.0 | 21.5 |
| 27 | 22.0 | 20.0 | 20.5 | 29.0 | 25.0 | 26.5 | 30.5 | 25.5 | 27.5 | 24.5 | 19.5 | 21.5 |
| 28 | 19.5 | 17.0 | 18.5 | 29.5 | 25.0 | 27.0 | 31.0 | 26.5 | 29.0 | 21.5 | 18.0 | 20.5 |
| 29 | 21.0 | 16.5 | 19.0 | 30.5 | 25.5 | 27.5 | 33.0 | 28.0 | 29.5 | 21.0 | 18.0 | 19.0 |
| 30 | 24.0 | 19.0 | 21.0 | 28.5 | 23.0 | 25.5 | 30.5 | 26.5 | 28.0 | 21.0 | 18.0 | 19.5 |
| 31 | --- | --- | --- | 29.5 | 24.0 | 26.5 | 30.5 | 26.0 | 28.0 | --- | --- | --- |
| MONTH | 29.5 | 16.5 | 22.5 | 31.5 | 21.0 | 26.5 | --- | --- | --- | 31.0 | 18.0 | 23.5 |

DELAWARE RIVER BASIN

01480685 MARSH CREEK NEAR DOWNINGTOWN, PA.

LOCATION.--Lat 40°03'19", long 75°43'00", Chester County, on left bank 1,000 ft (305 m) downstream from Marsh Creek Dam, 0.2 mi (0.3 km) upstream from mouth, and 3.0 mi (4.8 km) north of Downingtown.

DRAINAGE AREA.--20.3 mi² (52.6 km²).

PERIOD OF Record.--Water temperatures: October 1973 to September 1974.

EXTREMES.--1973-74:

Water temperatures: Maximum, 30.5°C July 9, 10; minimum, 1.0°C Dec. 22, Feb. 9, 10.

Period of record:

Water temperatures: Maximum, 30.5°C July 9, 10, 1974; minimum, 1.0°C Dec. 22, 1973, Feb. 9, 10, 1974.

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|------|------|----------|------|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 20.0 | 13.0 | 16.0 | 13.5 | 11.0 | 12.0 | 9.5 | 8.5 | 9.0 | 4.5 | 3.5 | 4.0 |
| 2 | 17.0 | 15.5 | --- | 14.5 | 8.5 | 11.0 | 10.5 | 7.0 | 8.0 | 4.0 | 2.0 | 2.5 |
| 3 | --- | --- | --- | 14.0 | 10.5 | 11.5 | 10.5 | 7.0 | 9.0 | 3.0 | 2.0 | 2.5 |
| 4 | --- | --- | --- | 12.0 | 8.0 | 10.0 | 9.5 | 7.0 | 8.0 | 3.0 | 2.0 | 2.5 |
| 5 | --- | --- | --- | 10.0 | 8.0 | 9.0 | 9.0 | 6.5 | 7.5 | 3.0 | 2.0 | 2.5 |
| 6 | --- | --- | --- | 9.0 | 5.5 | 7.0 | 9.0 | 6.5 | 7.5 | 3.0 | 3.0 | 3.0 |
| 7 | --- | --- | --- | 9.0 | 5.0 | 6.5 | 8.5 | 7.0 | 7.5 | 3.5 | 3.0 | 3.0 |
| 8 | --- | --- | --- | 8.5 | 3.5 | 6.0 | 8.5 | 8.0 | 8.0 | 3.5 | 3.0 | 3.0 |
| 9 | --- | --- | --- | 9.0 | 6.5 | 7.5 | 9.0 | 6.5 | 7.5 | 3.5 | 3.0 | 3.0 |
| 10 | --- | --- | --- | 7.0 | 3.5 | 5.0 | 8.0 | 7.0 | 7.5 | 3.5 | 3.0 | 3.5 |
| 11 | --- | --- | --- | 7.0 | 1.5 | 4.0 | 7.0 | 6.0 | 6.5 | 3.5 | 3.0 | 3.5 |
| 12 | 18.5 | 13.5 | --- | 8.0 | 3.0 | 5.5 | 6.5 | 5.5 | 6.0 | 3.5 | 3.0 | 3.5 |
| 13 | 19.5 | 13.0 | 15.5 | 12.0 | 6.0 | 8.0 | 6.0 | 5.0 | 5.5 | 3.5 | 3.0 | 3.5 |
| 14 | 18.5 | 14.5 | 16.5 | 13.5 | 9.0 | 10.5 | 6.5 | 5.5 | 6.0 | 3.5 | 3.0 | 3.5 |
| 15 | 18.0 | 12.0 | 15.0 | 15.5 | 9.0 | 11.5 | 6.0 | 5.0 | 5.5 | 4.0 | 3.5 | 3.5 |
| 16 | 16.0 | 13.0 | 14.5 | 14.5 | 11.5 | 13.0 | 5.0 | 4.0 | 4.5 | 4.0 | 3.5 | 4.0 |
| 17 | 13.0 | 9.5 | 11.5 | 11.0 | 7.0 | 10.0 | 3.5 | 2.0 | 3.0 | 4.0 | 3.0 | 4.0 |
| 18 | 11.0 | 9.0 | 10.0 | 7.0 | 6.5 | 6.5 | 4.0 | 2.0 | 3.0 | 3.5 | 3.5 | 3.5 |
| 19 | 13.5 | 7.0 | 10.5 | 7.0 | 6.0 | 6.5 | 3.5 | 2.0 | 2.5 | 4.0 | 3.5 | 4.0 |
| 20 | 14.5 | 9.5 | 11.5 | 9.0 | 6.5 | 7.0 | 3.5 | 1.5 | 3.0 | 4.0 | 4.0 | 4.0 |
| 21 | 15.0 | 9.0 | 12.0 | 9.0 | 7.0 | 7.5 | 4.5 | 1.5 | 2.5 | 4.0 | 2.0 | 4.0 |
| 22 | 15.0 | 9.0 | 11.5 | 9.5 | 8.0 | 8.5 | 3.0 | 1.0 | 1.5 | 4.0 | 4.0 | 4.0 |
| 23 | 15.5 | 8.5 | 12.0 | 10.0 | 8.0 | 9.0 | 4.5 | 1.5 | 2.5 | 4.0 | 3.5 | 4.0 |
| 24 | 15.5 | 9.0 | 12.0 | 9.0 | 9.0 | 9.0 | 4.5 | 2.0 | 2.5 | 4.0 | 4.0 | 4.0 |
| 25 | 15.0 | 9.0 | 11.5 | 11.0 | 9.0 | 9.5 | 3.0 | 2.0 | 2.5 | 4.0 | 4.0 | 4.0 |
| 26 | 16.5 | 10.5 | 13.0 | 9.5 | 9.5 | 9.5 | 6.0 | 2.0 | 3.0 | 4.0 | 3.5 | 4.0 |
| 27 | 15.0 | 10.5 | 13.0 | 10.5 | 9.5 | 10.0 | 9.5 | 6.0 | 7.5 | 4.5 | 4.0 | 4.0 |
| 28 | 13.0 | 9.5 | 11.0 | 12.0 | 10.5 | 11.0 | 8.0 | 6.0 | 7.0 | 4.0 | 4.0 | 4.0 |
| 29 | 14.0 | 11.5 | 12.5 | 11.5 | 9.5 | 10.5 | 6.5 | 3.0 | 4.0 | 4.5 | 4.0 | 4.0 |
| 30 | 13.0 | 10.5 | 11.5 | 10.5 | 9.0 | 9.5 | 4.5 | 3.0 | 4.0 | 4.5 | 4.0 | 4.0 |
| 31 | 13.0 | 9.0 | 10.5 | --- | --- | --- | 4.0 | 3.0 | 3.0 | 4.5 | 4.0 | 4.5 |
| MONTH | --- | --- | --- | 15.5 | 1.5 | 8.5 | 10.5 | 1.0 | 5.5 | 4.5 | 2.0 | 3.5 |

01480685 MARSH CREEK NEAR DOWNINGTOWN, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 4.5 | 4.0 | 4.0 | 9.0 | 5.0 | 6.5 | 10.0 | 5.5 | 7.0 | --- | --- | --- |
| 2 | 4.0 | 4.0 | 4.0 | 6.5 | 4.0 | 5.5 | 12.0 | 6.5 | 8.0 | --- | --- | --- |
| 3 | 4.0 | 3.5 | 4.0 | 9.5 | 5.0 | 7.5 | 15.0 | 6.5 | 9.5 | 14.0 | 11.5 | --- |
| 4 | 3.5 | 3.0 | 3.5 | 9.5 | 7.0 | 8.0 | 14.5 | 11.5 | 13.0 | 17.0 | 10.5 | 13.0 |
| 5 | 4.0 | 2.0 | 2.5 | 11.5 | 9.5 | 10.5 | 14.5 | 13.0 | 13.0 | 13.5 | 10.0 | 11.5 |
| 6 | 4.0 | 2.0 | 2.5 | 9.5 | 8.0 | --- | 13.5 | 10.0 | 11.0 | 13.0 | 10.5 | 11.5 |
| 7 | 4.0 | 2.0 | 3.0 | 15.5 | 9.5 | --- | 12.0 | 5.5 | 8.5 | 14.5 | 9.5 | 11.5 |
| 8 | 3.0 | 1.0 | 1.5 | 9.5 | 7.0 | 8.5 | 11.5 | 9.0 | 9.5 | 13.5 | 9.0 | 11.0 |
| 9 | 3.0 | 1.0 | 1.5 | 7.0 | 6.5 | 6.5 | 9.0 | 7.0 | 7.5 | 12.0 | 11.0 | 11.5 |
| 10 | 3.0 | 1.5 | 2.0 | 10.5 | 6.0 | 8.0 | 14.0 | 4.5 | 7.5 | 19.5 | 11.0 | 14.0 |
| 11 | 4.0 | 1.5 | 2.5 | 9.5 | 5.0 | 7.0 | 13.5 | 5.5 | 9.5 | 17.0 | 10.5 | 14.0 |
| 12 | 4.0 | 1.5 | 2.5 | 9.0 | 6.5 | 7.5 | 13.5 | 8.0 | 10.5 | 15.0 | 12.0 | 13.5 |
| 13 | 5.0 | 1.5 | 2.5 | 7.0 | 4.0 | 5.5 | 16.5 | 11.0 | 13.0 | 15.5 | 11.0 | 13.0 |
| 14 | 5.5 | 2.0 | 3.5 | 9.0 | 3.0 | 5.5 | 14.5 | 12.0 | 13.0 | 18.0 | 10.0 | 13.5 |
| 15 | 5.5 | 2.0 | 3.5 | 8.0 | 4.0 | 5.5 | 13.5 | 12.0 | 13.0 | 20.5 | 13.0 | 17.0 |
| 16 | 3.5 | 2.0 | 2.0 | 8.0 | 7.0 | 7.5 | 18.0 | 9.5 | 12.5 | 22.0 | 16.0 | 18.5 |
| 17 | 4.5 | 2.0 | 2.5 | 8.0 | 5.0 | 6.5 | 17.0 | 9.5 | 12.5 | 22.0 | 14.5 | 18.0 |
| 18 | 5.0 | 2.0 | 3.0 | 10.5 | 4.0 | 6.5 | 18.5 | 10.0 | 13.5 | 18.5 | 17.0 | --- |
| 19 | 4.0 | 2.0 | 3.0 | 11.0 | 6.0 | 8.0 | 13.0 | 10.0 | 11.5 | --- | --- | --- |
| 20 | 6.5 | 4.0 | 4.5 | 12.0 | 6.5 | 8.5 | 17.0 | 7.0 | 11.0 | --- | --- | --- |
| 21 | 7.0 | 3.0 | 5.0 | 9.0 | 6.0 | 7.0 | 15.5 | 9.5 | 12.0 | --- | --- | --- |
| 22 | 9.5 | 5.0 | 6.5 | 10.0 | 4.0 | 6.5 | 16.5 | 13.0 | 14.5 | --- | --- | --- |
| 23 | 9.5 | 6.0 | 8.0 | 10.5 | 5.0 | 7.5 | 19.5 | 14.5 | 16.0 | --- | --- | --- |
| 24 | 8.0 | 4.0 | 6.0 | 12.0 | 9.0 | 10.0 | 14.5 | 11.5 | 12.5 | --- | --- | --- |
| 25 | 7.0 | 2.0 | 4.5 | 9.5 | 5.0 | 7.5 | 16.5 | 9.5 | 12.0 | --- | --- | --- |
| 26 | 5.0 | 2.0 | 3.0 | 9.0 | 4.0 | 6.5 | 18.0 | 10.5 | 13.5 | --- | --- | --- |
| 27 | 6.5 | 2.0 | 3.5 | 9.5 | 5.5 | 7.5 | 17.0 | 10.5 | 13.5 | --- | --- | --- |
| 28 | 6.0 | 4.0 | 4.5 | 9.5 | 7.0 | 8.5 | 16.5 | 12.0 | 14.0 | --- | --- | --- |
| 29 | --- | --- | --- | 9.0 | 4.0 | 6.5 | 19.0 | 14.5 | 16.5 | --- | --- | --- |
| 30 | --- | --- | --- | 5.5 | 3.0 | 4.0 | 19.5 | 15.5 | --- | --- | --- | --- |
| 31 | --- | --- | --- | 7.0 | 4.0 | 5.0 | --- | --- | --- | --- | --- | --- |
| MONTH | 9.5 | 1.0 | 3.5 | 15.5 | 3.0 | 7.0 | 19.5 | 4.5 | 12.0 | --- | --- | --- |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | 28.5 | 25.5 | 26.5 | 27.0 | 25.5 | 26.5 |
| 2 | --- | --- | --- | --- | --- | --- | 26.5 | 24.5 | 25.5 | 26.5 | 25.0 | 25.5 |
| 3 | --- | --- | --- | 26.5 | 26.0 | --- | 25.5 | 23.5 | 24.5 | 26.0 | 23.5 | 25.0 |
| 4 | --- | --- | --- | 28.5 | 25.0 | 26.0 | 25.5 | 24.5 | 24.5 | 24.5 | 24.0 | 24.5 |
| 5 | --- | --- | --- | 26.5 | 26.0 | 26.5 | 26.5 | 24.5 | 25.0 | 24.5 | 23.0 | 23.5 |
| 6 | --- | --- | --- | 28.0 | 25.5 | 26.5 | 28.0 | 24.5 | 26.0 | 23.5 | 22.0 | 23.0 |
| 7 | --- | --- | --- | 30.0 | 26.0 | 27.5 | 26.5 | 25.0 | 26.0 | 23.0 | 22.0 | 22.0 |
| 8 | --- | --- | --- | 30.0 | 26.5 | 28.0 | 25.5 | 24.5 | 25.0 | 23.5 | 22.0 | 22.5 |
| 9 | --- | --- | --- | 30.5 | 27.0 | 28.5 | 26.0 | 24.5 | 24.5 | 23.5 | 21.5 | 22.5 |
| 10 | --- | --- | --- | 30.5 | 28.0 | 29.0 | 25.5 | 24.5 | 24.5 | 23.0 | 23.0 | --- |
| 11 | --- | --- | --- | 28.5 | 26.5 | 27.5 | 26.5 | 23.5 | 24.5 | --- | --- | --- |
| 12 | --- | --- | --- | 27.0 | 25.5 | 26.5 | 26.5 | 23.5 | 25.0 | --- | --- | --- |
| 13 | --- | --- | --- | 28.0 | 24.5 | 26.0 | 26.5 | 24.5 | 25.5 | --- | --- | --- |
| 14 | --- | --- | --- | 29.5 | 25.0 | 27.0 | 28.0 | 24.5 | 26.0 | --- | --- | --- |
| 15 | --- | --- | --- | 30.0 | 26.5 | 27.5 | 28.0 | 25.5 | 26.5 | --- | --- | --- |
| 16 | --- | --- | --- | 28.5 | 26.5 | 27.0 | 28.0 | 25.5 | 26.5 | --- | --- | --- |
| 17 | --- | --- | --- | 29.0 | 25.5 | 27.0 | 27.0 | 25.5 | 26.5 | --- | --- | --- |
| 18 | --- | --- | --- | 27.0 | 25.5 | 26.5 | 26.5 | 24.5 | 25.5 | --- | --- | --- |
| 19 | --- | --- | --- | 28.0 | 25.0 | 26.0 | 26.5 | 25.0 | 25.5 | --- | --- | --- |
| 20 | --- | --- | --- | 27.0 | 25.0 | 26.0 | 27.0 | 25.5 | 26.5 | --- | --- | --- |
| 21 | --- | --- | --- | 28.0 | 24.5 | 25.5 | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | 28.5 | 24.5 | 26.0 | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | 25.5 | 23.5 | 24.5 | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | 24.0 | 23.5 | 23.5 | --- | --- | --- | --- | --- | --- |
| 25 | --- | --- | --- | 25.5 | 23.0 | 24.0 | --- | --- | --- | --- | --- | --- |
| 26 | --- | --- | --- | 25.0 | 24.0 | 24.5 | --- | --- | --- | --- | --- | --- |
| 27 | --- | --- | --- | 25.5 | 23.5 | 24.0 | --- | --- | --- | --- | --- | --- |
| 28 | --- | --- | --- | 25.0 | 24.0 | 24.5 | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | 26.0 | 24.0 | 25.0 | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | 28.0 | 23.0 | 25.0 | 27.0 | 26.5 | --- | --- | --- | --- |
| 31 | --- | --- | --- | 29.0 | 25.0 | 27.0 | 27.0 | 26.0 | 26.5 | --- | --- | --- |
| MONTH | --- | --- | --- | 30.5 | 23.0 | 26.0 | --- | --- | --- | --- | --- | --- |

DELAWARE RIVER BASIN

01480870 EAST BRANCH BRANDYWINE CREEK BELOW DOWNINGTOWN, PA.

LOCATION.--Lat 39°58'07", long 75°40'25", Chester County, on left bank at downstream side of Sugars Bridge (State Highway 322), 2,000 ft (610 m) upstream from Valley Creek, 1.5 mi (2.4 km) north of Marshallton, and 3.3 mi (5.3 km) southeast of Downingtown.

DRAINAGE AREA.--89.9 mi² (232.8 km²).

PERIOD OF RECORD.--Chemical analyses: Water years 1966 and 1970 (partial-record station), October 1970 to September 1972, March 1973 to September 1974.

Water temperatures: February to June 1972, March 1973 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum, 380 micromhos Feb. 7; minimum, 85 micromhos Apr. 13.

Dissolved oxygen: Maximum, 15.9 mg/l Feb. 16, 1974; minimum, 1.1 mg/l Aug. 17.

pH: Maximum, 9.6 Sept. 4; minimum, 5.4 Oct. 24, 26.

Water temperatures: Maximum, 29.5°C July 9, 10; minimum, 0.5°C Jan. 9.

Period of record:

Specific conductance (1972-74): Maximum, 380 micromhos Feb. 7, 1974; minimum, 85 micromhos Apr. 13, 1974.

Dissolved oxygen (1972-74): Maximum, 15.9 mg/l Feb. 16, 1974; minimum, 1.1 mg/l Aug. 17, 1974.

pH (1972-74): Maximum, 9.9 May 13, June 5, 1973; minimum, 5.4 Oct. 24, 26, 1973.

Water temperatures: Maximum, 30.0°C Aug. 30, 1973; minimum, 0.5°C Jan. 9, 1974.

REMARKS.--Water years 1972 and 1973 were erroneously reported under 01480700 East Branch Brandywine Creek near Downingtown, Pa.

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 298 | 279 | 287 | 280 | 265 | 271 | 300 | 280 | 289 | 225 | 210 | 215 |
| 2 | 297 | 259 | 284 | 270 | 261 | --- | 312 | 288 | 300 | 270 | 215 | 239 |
| 3 | 277 | 250 | 262 | --- | --- | --- | 320 | 300 | 309 | 240 | 230 | 231 |
| 4 | 293 | 274 | 285 | --- | --- | --- | 320 | 295 | 305 | 290 | 230 | 255 |
| 5 | 305 | 282 | 292 | 301 | 291 | --- | 300 | 199 | 248 | 250 | 238 | 241 |
| 6 | 307 | 291 | 301 | 297 | 281 | 290 | 240 | 200 | 223 | 245 | 230 | 239 |
| 7 | 310 | 285 | 295 | 294 | 277 | 287 | 285 | 240 | 257 | 250 | 230 | 234 |
| 8 | 300 | 279 | 290 | 297 | 270 | 280 | 262 | 242 | 251 | 230 | 225 | 229 |
| 9 | 300 | 288 | 294 | 295 | 270 | 280 | 250 | 162 | 207 | 250 | 220 | 232 |
| 10 | 300 | 283 | 289 | 300 | 285 | 293 | 230 | 168 | 199 | 378 | 230 | 283 |
| 11 | 302 | 280 | 289 | 302 | 279 | 289 | 250 | 230 | 241 | 378 | 240 | 307 |
| 12 | 306 | 281 | 294 | 294 | 273 | 283 | 265 | 250 | 257 | 238 | 218 | 227 |
| 13 | 310 | 285 | 295 | 289 | 285 | --- | 275 | 250 | 260 | 250 | 230 | 240 |
| 14 | 311 | 290 | 302 | 300 | 276 | 282 | 250 | 200 | 216 | 260 | 240 | 251 |
| 15 | 327 | 304 | 313 | 288 | 271 | 280 | 250 | 220 | 236 | 262 | 240 | 246 |
| 16 | 320 | 289 | 303 | 300 | 280 | 289 | 270 | 250 | 255 | 260 | 220 | 242 |
| 17 | 315 | 299 | 306 | 315 | 300 | 305 | 265 | 240 | 253 | 245 | 210 | 228 |
| 18 | 325 | 300 | 309 | 310 | 290 | 299 | 297 | 255 | 272 | 240 | 218 | 227 |
| 19 | 320 | 299 | 309 | 318 | 286 | 300 | 300 | 275 | 286 | 250 | 220 | 239 |
| 20 | 322 | 309 | 316 | 317 | 284 | 299 | 290 | 275 | --- | 242 | 220 | 233 |
| 21 | 340 | 300 | 316 | 310 | 284 | 296 | --- | --- | --- | 238 | 158 | 205 |
| 22 | 330 | 301 | 312 | 312 | 268 | 290 | --- | --- | --- | 220 | 160 | 191 |
| 23 | 340 | 302 | 319 | 300 | 246 | 271 | --- | --- | --- | 230 | 210 | 219 |
| 24 | 334 | 298 | 315 | 307 | 288 | 297 | --- | --- | --- | 230 | 220 | 227 |
| 25 | 320 | 293 | 304 | 308 | 286 | 300 | --- | --- | --- | 240 | 222 | 233 |
| 26 | 316 | 300 | 308 | 314 | 287 | 300 | --- | --- | --- | 240 | 232 | 237 |
| 27 | 310 | 290 | 301 | 315 | 300 | 306 | 198 | 170 | --- | 240 | 230 | 233 |
| 28 | 321 | 280 | 301 | 300 | 263 | 278 | 210 | 200 | 205 | 250 | 230 | 238 |
| 29 | 312 | 204 | 272 | 261 | 252 | 257 | 215 | 208 | 210 | 249 | 230 | 239 |
| 30 | 261 | 240 | 248 | 290 | 265 | 279 | 225 | 215 | 219 | 240 | 230 | 237 |
| 31 | 278 | 251 | 264 | --- | --- | --- | 232 | 220 | 226 | 245 | 230 | 238 |
| MONTH | 340 | 204 | 296 | 318 | 246 | 288 | 320 | 162 | --- | 378 | 158 | 237 |

01480870 EAST BRANCH BRANDYWINE CREEK BELOW DOWNINGTOWN, PA.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 245 | 220 | 230 | 261 | 240 | 250 | 202 | 169 | 188 | 240 | 230 | 235 |
| 2 | 280 | 230 | 239 | 275 | 255 | 266 | 206 | 199 | 202 | 240 | 230 | 234 |
| 3 | 280 | 230 | 244 | 276 | 262 | 271 | 225 | 200 | 211 | 234 | 202 | 215 |
| 4 | 320 | 240 | 261 | 290 | 270 | 277 | 222 | 139 | 187 | 235 | 218 | 225 |
| 5 | 270 | 240 | 252 | 310 | 280 | 289 | 198 | 159 | 183 | 239 | 227 | 233 |
| 6 | 265 | 245 | 255 | 295 | 260 | 278 | 210 | 182 | 195 | 239 | 228 | 234 |
| 7 | 380 | 270 | 317 | 281 | 262 | 272 | 226 | 210 | 215 | 232 | 220 | 226 |
| 8 | 350 | 300 | 315 | 296 | 272 | 283 | 230 | 209 | 223 | 242 | 229 | 233 |
| 9 | 380 | 280 | 313 | 285 | 250 | 266 | 199 | 100 | 137 | 240 | 235 | 239 |
| 10 | 340 | 280 | 303 | 268 | 230 | 244 | 203 | 167 | 186 | 234 | 193 | 211 |
| 11 | 310 | 270 | 280 | 264 | 245 | 252 | 220 | 202 | 211 | 235 | 210 | 220 |
| 12 | 298 | 270 | 280 | 268 | 252 | 261 | 226 | 214 | 220 | 230 | 122 | 203 |
| 13 | 290 | 262 | 277 | 269 | 254 | 261 | 223 | 85 | 162 | 190 | 116 | 155 |
| 14 | 275 | 258 | 264 | 278 | 250 | 261 | 188 | 124 | 165 | 220 | 194 | 206 |
| 15 | 268 | 250 | 256 | 298 | 258 | 271 | 203 | 185 | 196 | 230 | 215 | 222 |
| 16 | 268 | 250 | 260 | 286 | 219 | 265 | 215 | 200 | 206 | 240 | 227 | 232 |
| 17 | 270 | 257 | 263 | 241 | 210 | 227 | 229 | 203 | 216 | 244 | 234 | 240 |
| 18 | 280 | 260 | 268 | 269 | 248 | 258 | 230 | 225 | 228 | 245 | 233 | 240 |
| 19 | 296 | 254 | 269 | 269 | 260 | 266 | 232 | 229 | 231 | 240 | 232 | 237 |
| 20 | 275 | 240 | 253 | 276 | 250 | 261 | 240 | 228 | 233 | 251 | 240 | 243 |
| 21 | 260 | 250 | 257 | 266 | 130 | 213 | 242 | 231 | 236 | 250 | 240 | 244 |
| 22 | 280 | 250 | 258 | 228 | 135 | 184 | 253 | 240 | 246 | 250 | 240 | 245 |
| 23 | 270 | 245 | 255 | 251 | 228 | 237 | 255 | 234 | 241 | 251 | 213 | 228 |
| 24 | 278 | 265 | 271 | 278 | 247 | 255 | 252 | 240 | 246 | 248 | 219 | 234 |
| 25 | 315 | 258 | 278 | 270 | 253 | 261 | 250 | 213 | 229 | 261 | 246 | 252 |
| 26 | 326 | 258 | 293 | 269 | 255 | 261 | 229 | 220 | 223 | 266 | 253 | 259 |
| 27 | 300 | 269 | 285 | 273 | 250 | 259 | 229 | 220 | 223 | 267 | 257 | 262 |
| 28 | 290 | 263 | 271 | 270 | 258 | 264 | 229 | 220 | 226 | 284 | 254 | 271 |
| 29 | --- | --- | --- | 268 | 228 | 257 | 240 | 224 | 230 | 284 | 273 | 279 |
| 30 | --- | --- | --- | 260 | 112 | 199 | 240 | 230 | 234 | 305 | 271 | 282 |
| 31 | --- | --- | --- | 162 | 100 | 130 | --- | --- | --- | 295 | 280 | 288 |
| MONTH | 380 | 220 | 270 | 310 | 100 | 252 | 255 | 85 | 211 | 305 | 116 | 236 |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 299 | 250 | 265 | --- | --- | --- | 304 | 289 | 298 | 319 | 290 | 303 |
| 2 | 274 | 253 | 267 | --- | --- | --- | 310 | 195 | 281 | 300 | 263 | 280 |
| 3 | 272 | 248 | 261 | 243 | 220 | --- | 251 | 198 | 217 | 280 | 134 | 243 |
| 4 | 286 | 270 | 278 | 230 | 225 | 229 | 270 | 250 | 258 | 238 | 137 | 200 |
| 5 | 295 | 275 | 286 | 232 | 225 | 229 | 281 | 248 | 265 | 260 | 240 | 250 |
| 6 | 304 | 285 | 294 | 230 | 212 | 224 | 290 | 280 | 286 | 270 | 260 | 267 |
| 7 | 309 | 295 | 301 | 240 | 223 | 232 | 292 | 269 | 279 | 265 | 184 | 213 |
| 8 | 308 | 295 | 302 | 295 | 232 | 255 | 279 | 265 | 272 | 249 | 220 | 236 |
| 9 | 330 | 299 | 308 | 289 | 270 | 281 | 291 | 275 | 280 | 265 | 248 | 255 |
| 10 | 348 | 300 | 319 | 312 | 282 | 294 | 282 | 269 | 275 | 280 | 260 | 270 |
| 11 | 318 | 308 | 311 | 320 | 291 | 304 | 293 | 278 | 285 | 283 | 273 | 278 |
| 12 | 320 | 300 | 313 | 327 | 308 | 317 | 301 | 277 | 290 | 289 | 273 | 279 |
| 13 | 333 | 301 | 318 | 320 | 303 | 312 | 300 | 282 | 290 | 290 | 276 | 286 |
| 14 | 349 | 317 | 331 | 321 | 304 | 313 | 302 | 285 | 295 | 295 | 252 | 275 |
| 15 | 339 | 310 | 323 | 342 | 310 | 319 | 320 | 300 | 309 | 275 | 269 | 273 |
| 16 | 320 | 291 | 307 | 322 | 306 | 316 | 335 | 311 | 323 | 310 | 266 | 286 |
| 17 | 298 | 268 | 285 | 335 | 311 | 322 | 335 | 140 | 277 | 326 | 304 | 314 |
| 18 | 299 | 284 | 292 | 335 | 319 | 325 | 257 | 150 | 207 | 340 | 329 | 336 |
| 19 | 310 | 292 | 301 | 320 | 272 | 292 | 289 | 259 | 273 | 337 | 320 | 330 |
| 20 | 320 | 302 | 311 | 327 | 300 | 308 | 309 | 275 | 288 | 336 | 322 | 330 |
| 21 | 318 | 154 | 271 | 333 | 320 | 326 | 319 | 300 | 309 | 332 | 297 | 320 |
| 22 | 244 | 160 | 209 | 345 | 320 | 331 | 319 | 292 | 308 | 300 | 255 | 276 |
| 23 | 225 | 190 | 211 | 346 | 325 | 337 | 312 | 289 | 301 | 299 | 278 | 285 |
| 24 | 237 | 200 | 219 | 340 | 262 | 305 | 318 | 225 | 299 | 320 | 292 | 304 |
| 25 | 239 | 170 | 199 | 290 | 260 | 277 | 300 | 204 | 250 | 340 | 320 | 329 |
| 26 | 234 | 202 | 219 | 300 | 289 | 296 | 320 | 300 | 311 | 348 | 330 | 341 |
| 27 | 239 | 200 | 219 | 300 | 290 | 298 | 335 | 320 | 328 | 347 | 326 | 337 |
| 28 | 250 | 220 | 238 | 308 | 293 | 301 | 340 | 320 | 330 | 344 | 189 | 269 |
| 29 | 244 | 210 | 227 | 317 | 290 | 306 | 340 | 320 | 331 | 235 | 190 | 213 |
| 30 | 242 | 240 | --- | 280 | 220 | 247 | 340 | 270 | 292 | 270 | 240 | 253 |
| 31 | --- | --- | --- | 300 | 272 | 288 | 300 | 270 | 287 | --- | --- | --- |
| MONTH | 349 | 154 | 275 | 346 | 212 | 292 | 340 | 140 | 287 | 348 | 134 | 281 |

DELAWARE RIVER BASIN

01480870 EAST BRANCH BRANDYWINE CREEK BELOW DOWNINGTOWN, PA.--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|------|------|----------|------|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 8.5 | 5.2 | 6.8 | 7.0 | 6.8 | --- | 13.1 | 9.4 | 10.7 | 13.2 | 12.8 | 13.0 |
| 2 | 7.2 | 5.0 | 5.9 | --- | --- | --- | 13.2 | 9.9 | 11.1 | 14.0 | 13.1 | 13.6 |
| 3 | 7.5 | 5.0 | 6.1 | --- | --- | --- | 12.7 | 9.6 | 10.9 | 13.8 | 13.5 | 13.7 |
| 4 | 7.1 | 4.5 | 5.5 | --- | --- | --- | 12.1 | 8.3 | 10.2 | 13.8 | 13.5 | 13.7 |
| 5 | 7.4 | 4.5 | 5.8 | 11.4 | 9.7 | --- | 10.5 | 7.6 | 8.7 | 14.3 | 13.7 | 14.0 |
| 6 | 8.6 | 5.6 | 6.6 | 12.2 | 9.7 | 10.7 | 11.4 | 9.6 | 10.5 | 13.8 | 13.4 | 13.7 |
| 7 | 9.5 | 6.0 | 7.4 | 12.6 | 9.6 | 10.8 | 12.7 | 10.8 | 11.5 | 13.7 | 13.0 | 13.3 |
| 8 | 9.7 | 6.0 | 7.3 | 11.6 | 8.8 | 10.1 | 13.1 | 11.2 | 12.0 | 13.8 | 13.0 | 13.4 |
| 9 | 9.9 | 5.5 | 7.1 | 12.0 | 8.4 | 10.0 | 11.9 | 10.6 | 11.5 | 13.7 | 12.7 | 13.2 |
| 10 | 9.9 | 5.3 | 6.8 | 13.1 | 9.9 | 11.2 | 12.7 | 11.2 | 12.0 | 13.0 | 11.6 | 12.3 |
| 11 | 10.8 | 5.1 | 7.2 | 13.5 | 10.8 | 11.9 | 13.0 | 11.8 | 12.3 | 12.3 | 11.5 | 11.9 |
| 12 | 11.9 | 5.4 | 7.6 | 15.7 | 11.1 | 13.1 | 13.2 | 12.0 | 12.4 | 12.5 | 11.9 | 12.3 |
| 13 | 11.7 | 4.8 | 7.3 | 13.5 | 12.1 | --- | 12.8 | 11.2 | 12.1 | 12.6 | 11.9 | 12.2 |
| 14 | 11.2 | 4.6 | 6.7 | 15.1 | 10.7 | 12.6 | 11.3 | 10.6 | 11.0 | 13.1 | 11.9 | 12.4 |
| 15 | 12.0 | 4.9 | 7.1 | 13.9 | 9.2 | 11.2 | 11.2 | 10.3 | 10.6 | 13.8 | 12.1 | 13.0 |
| 16 | 11.3 | 4.5 | 6.8 | 13.4 | 8.7 | 10.6 | 11.0 | 10.0 | 10.5 | 13.4 | 12.6 | 13.1 |
| 17 | 11.8 | 5.3 | 7.8 | 14.1 | 9.5 | 11.5 | 11.8 | 10.6 | 11.2 | 13.3 | 12.8 | 13.0 |
| 18 | 11.6 | 6.5 | 8.3 | 14.9 | 11.0 | 12.5 | 14.4 | 11.3 | --- | 14.0 | 12.9 | 13.5 |
| 19 | 11.5 | 6.6 | 8.2 | 14.0 | 8.9 | 11.3 | 14.6 | 13.8 | 14.1 | 13.4 | 12.6 | 12.9 |
| 20 | 11.9 | 6.6 | 8.4 | 14.3 | 8.8 | 10.8 | 13.6 | 12.9 | --- | 13.2 | 12.6 | 12.9 |
| 21 | 11.4 | 6.1 | 7.8 | 14.3 | 8.6 | 10.8 | --- | --- | --- | 13.5 | 12.2 | 13.0 |
| 22 | 11.1 | 6.0 | 7.7 | 13.0 | 7.9 | 9.6 | --- | --- | --- | 13.4 | 12.8 | 13.1 |
| 23 | 11.3 | 5.7 | 7.8 | 13.2 | 7.7 | 9.7 | --- | --- | --- | 13.2 | 12.2 | 12.8 |
| 24 | 10.8 | 5.8 | 7.4 | 10.3 | 7.0 | 8.3 | --- | --- | --- | 13.2 | 12.1 | 12.7 |
| 25 | 10.3 | 5.1 | 7.3 | 11.4 | 6.3 | 8.2 | --- | --- | --- | 13.5 | 12.8 | 13.0 |
| 26 | 10.5 | 5.2 | 7.0 | 11.2 | 6.2 | 8.2 | --- | --- | --- | 13.4 | 12.8 | 13.1 |
| 27 | 10.5 | 5.6 | 7.2 | 10.1 | 7.1 | 8.1 | 12.3 | 12.0 | --- | 12.8 | 11.4 | 12.1 |
| 28 | 10.7 | 5.7 | 7.5 | 9.1 | 6.7 | 7.5 | 13.0 | 12.2 | 12.7 | 12.8 | 12.4 | --- |
| 29 | 8.0 | 5.6 | 6.6 | 10.7 | 6.7 | 8.8 | 13.3 | 12.7 | 13.0 | --- | --- | --- |
| 30 | 7.6 | 6.0 | 7.0 | 12.7 | 8.4 | 10.2 | 13.3 | 12.6 | 12.9 | --- | --- | --- |
| 31 | 8.1 | 7.0 | 7.5 | --- | --- | --- | 13.2 | 12.9 | 13.1 | --- | --- | --- |
| MONTH | 12.0 | 4.5 | 7.1 | 15.7 | 6.2 | 10.3 | 14.6 | 7.6 | --- | 14.3 | 11.4 | 13.0 |

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|------|------|-------|------|------|-------|------|------|------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 14.0 | 9.9 | 11.9 | 10.6 | 8.4 | 9.7 | 10.3 | 5.4 | 7.5 |
| 2 | --- | --- | --- | 14.6 | 11.6 | 12.8 | 8.9 | 6.9 | 8.3 | 11.5 | 6.3 | 8.8 |
| 3 | --- | --- | --- | 14.8 | 11.2 | 12.7 | 11.4 | 6.8 | 8.6 | 9.1 | 6.6 | 7.6 |
| 4 | --- | --- | --- | 14.6 | 10.2 | 11.9 | --- | --- | --- | 9.3 | 6.0 | 7.6 |
| 5 | --- | --- | --- | 12.0 | 8.2 | 9.9 | --- | --- | --- | 10.6 | 6.0 | 8.3 |
| 6 | --- | --- | --- | 13.1 | 9.2 | 10.8 | --- | --- | --- | 11.7 | 6.7 | 9.3 |
| 7 | --- | --- | --- | 13.2 | 8.2 | 10.2 | --- | --- | --- | 13.0 | 8.3 | 10.6 |
| 8 | --- | --- | --- | 11.0 | 7.1 | 9.0 | --- | --- | --- | 11.1 | 6.1 | 8.9 |
| 9 | --- | --- | --- | 10.9 | 8.5 | 9.8 | --- | --- | --- | 9.9 | 5.4 | 6.9 |
| 10 | --- | --- | --- | 12.0 | 9.3 | 10.3 | 11.6 | 10.2 | --- | --- | --- | --- |
| 11 | 13.4 | 12.4 | --- | 12.6 | 9.2 | 10.4 | 12.0 | 9.9 | 10.9 | --- | --- | --- |
| 12 | 13.8 | 12.2 | 13.1 | 12.1 | 8.7 | 10.1 | 11.6 | 8.2 | 10.4 | --- | --- | --- |
| 13 | 12.9 | 12.0 | 12.4 | 12.2 | 9.0 | 10.4 | 8.8 | 7.1 | 8.2 | --- | --- | --- |
| 14 | 13.8 | 12.0 | 12.9 | 12.2 | 9.2 | 10.4 | 7.4 | 5.7 | 6.8 | --- | --- | --- |
| 15 | 15.4 | 13.0 | 14.1 | 13.4 | 8.8 | 10.7 | 8.1 | 5.6 | 6.9 | 8.2 | 4.4 | --- |
| 16 | 15.9 | 14.2 | 15.0 | 10.8 | 8.7 | 9.5 | 8.8 | 6.5 | 7.7 | 6.6 | 3.8 | 5.1 |
| 17 | 15.3 | 14.0 | 14.6 | 12.0 | 9.2 | 10.5 | 10.8 | 6.6 | 8.6 | 7.0 | 2.8 | 4.9 |
| 18 | 15.0 | 13.2 | 14.0 | 12.6 | 9.4 | 10.8 | 10.6 | 7.6 | 9.3 | 6.0 | 2.6 | 3.9 |
| 19 | 13.9 | 12.6 | 13.3 | 11.6 | 8.7 | 9.9 | 10.6 | 7.4 | 9.2 | 8.6 | 2.7 | 5.5 |
| 20 | 13.0 | 12.0 | 12.4 | 11.7 | 7.4 | 9.4 | 11.0 | 8.0 | 9.8 | 9.2 | 4.4 | 6.6 |
| 21 | 13.8 | 12.0 | 12.7 | 7.9 | 6.7 | 7.3 | 10.0 | 6.6 | 8.7 | 10.0 | 5.4 | 7.5 |
| 22 | 12.1 | 9.8 | 11.4 | 11.9 | 7.6 | 9.3 | 8.3 | 5.8 | --- | 9.0 | 4.0 | 6.5 |
| 23 | --- | --- | --- | 12.1 | 9.1 | 10.7 | --- | --- | --- | 5.3 | 3.2 | 4.4 |
| 24 | --- | --- | --- | 11.2 | 8.6 | 9.6 | --- | --- | --- | 8.0 | 4.1 | 5.7 |
| 25 | --- | --- | --- | 11.8 | 8.8 | 10.4 | 11.2 | 8.2 | --- | 7.0 | 3.6 | 5.4 |
| 26 | --- | --- | --- | 11.7 | 9.5 | 10.4 | 12.2 | 7.8 | 9.7 | 6.4 | 3.6 | 4.9 |
| 27 | 12.0 | 10.3 | --- | 12.6 | 9.0 | 10.9 | 11.8 | 7.4 | 9.5 | 6.0 | 4.4 | --- |
| 28 | 12.2 | 9.5 | 10.7 | 12.1 | 8.4 | 9.9 | 12.0 | 6.2 | 9.1 | --- | --- | --- |
| 29 | --- | --- | --- | 10.1 | 8.2 | 9.1 | 9.8 | 4.6 | 7.0 | --- | --- | --- |
| 30 | --- | --- | --- | 10.3 | 9.0 | 9.5 | 10.4 | 4.4 | 7.1 | 7.7 | 4.5 | --- |
| 31 | --- | --- | --- | 10.9 | 10.2 | 10.7 | --- | --- | --- | 6.6 | 2.7 | 4.8 |
| MONTH | --- | --- | --- | 14.8 | 6.7 | 10.3 | --- | --- | --- | --- | --- | --- |

01480870 EAST BRANCH BRANDYWINE CREEK BELOW DOWNINGTOWN, PA.--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 4.2 | 1.9 | 3.0 | --- | --- | --- | 4.8 | 1.9 | 3.3 | 3.6 | 1.5 | 2.4 |
| 2 | 6.4 | 3.6 | 5.2 | --- | --- | --- | 4.2 | 2.0 | 3.0 | 2.6 | 1.4 | 2.0 |
| 3 | 7.4 | 4.4 | 6.4 | 6.6 | 4.2 | --- | 5.0 | 2.8 | 4.2 | 4.9 | 1.8 | 3.5 |
| 4 | 7.2 | 4.2 | 5.4 | 6.0 | 3.2 | 4.6 | 3.8 | 2.5 | 3.1 | 6.8 | 4.6 | 5.4 |
| 5 | 7.0 | 3.6 | 5.1 | 6.2 | 3.0 | 4.6 | 4.8 | 2.2 | 3.1 | 4.8 | 3.8 | 4.5 |
| 6 | 6.8 | 3.2 | 4.8 | 6.8 | 4.2 | 5.3 | 5.0 | 2.5 | 3.8 | 4.0 | 3.2 | 3.6 |
| 7 | 6.0 | 2.6 | 4.3 | 6.9 | 3.3 | 5.0 | 4.9 | 2.4 | 3.5 | 3.8 | 2.6 | 3.2 |
| 8 | 4.8 | 2.4 | 3.5 | 7.2 | 2.7 | 4.6 | 4.6 | 3.0 | 3.8 | 2.9 | 2.4 | 2.6 |
| 9 | 6.4 | 2.4 | 4.4 | 5.2 | 2.5 | --- | 4.9 | 2.6 | 3.4 | 4.7 | 3.0 | 3.8 |
| 10 | 5.7 | 2.2 | 3.6 | --- | --- | --- | 4.9 | 2.6 | 3.6 | 6.0 | 3.4 | 4.6 |
| 11 | 6.4 | 2.6 | 4.5 | 7.8 | 3.5 | --- | 4.7 | 2.4 | 3.3 | 4.8 | 3.7 | 4.4 |
| 12 | 5.6 | 2.4 | 3.7 | 9.0 | 3.5 | 5.6 | 4.4 | 2.1 | 3.1 | 4.2 | 2.8 | 3.6 |
| 13 | 5.5 | 2.0 | 3.4 | 9.0 | 3.4 | 5.4 | 3.6 | 1.6 | 2.6 | 3.4 | 1.8 | 2.7 |
| 14 | 5.1 | 1.7 | 2.8 | 8.6 | 2.6 | 5.0 | 4.5 | 1.4 | 2.5 | 3.0 | 1.6 | 2.3 |
| 15 | 4.3 | 1.2 | 2.5 | 7.0 | 1.7 | 3.6 | 5.0 | 1.4 | 2.6 | 2.8 | 1.7 | 2.3 |
| 16 | 3.1 | 1.2 | 1.9 | 6.2 | 1.6 | 3.5 | 5.3 | 1.2 | 2.8 | 5.2 | 1.6 | 3.0 |
| 17 | 6.4 | 2.0 | 4.1 | 4.8 | 1.6 | --- | 4.3 | 1.1 | 2.5 | 5.8 | 3.6 | 4.4 |
| 18 | 6.2 | 2.7 | 4.2 | --- | --- | --- | 3.3 | 1.5 | 2.6 | 8.4 | 5.6 | --- |
| 19 | 5.8 | 2.7 | 4.1 | --- | --- | --- | 3.2 | 1.3 | 2.4 | 8.6 | 4.8 | 6.5 |
| 20 | 6.1 | 2.8 | 4.2 | --- | --- | --- | 6.2 | 2.2 | 4.0 | 8.0 | 4.0 | 5.8 |
| 21 | 4.8 | 2.2 | 3.6 | --- | --- | --- | 6.9 | 3.2 | 4.9 | 7.0 | 4.0 | 5.1 |
| 22 | 4.6 | 2.8 | 3.9 | --- | --- | --- | 5.6 | 3.2 | 4.2 | 7.6 | 3.9 | 5.6 |
| 23 | 3.7 | 1.4 | 2.5 | --- | --- | --- | 7.0 | 3.0 | 4.6 | 9.8 | 4.6 | 7.2 |
| 24 | --- | --- | --- | 4.8 | 4.3 | --- | 3.8 | 3.2 | --- | 9.0 | 6.1 | 7.2 |
| 25 | --- | --- | --- | 5.8 | 2.8 | 4.5 | --- | --- | --- | 7.8 | 4.8 | 6.2 |
| 26 | 6.4 | 5.4 | --- | 5.6 | 2.4 | 3.9 | --- | --- | --- | 8.2 | 4.2 | 5.6 |
| 27 | 5.8 | 4.4 | 5.2 | 5.0 | 2.0 | 3.5 | --- | --- | --- | 8.2 | 3.9 | 5.7 |
| 28 | 5.2 | 4.5 | 4.8 | 4.0 | 1.4 | 2.4 | --- | --- | --- | 5.2 | 3.8 | 4.5 |
| 29 | 4.8 | 2.8 | 4.2 | 5.0 | 1.3 | 2.8 | 4.8 | 2.0 | --- | 5.3 | 4.0 | 4.8 |
| 30 | 3.0 | 2.7 | --- | 4.5 | 2.4 | 3.6 | 3.8 | 2.0 | 2.7 | 6.2 | 4.0 | 4.9 |
| 31 | --- | --- | --- | 3.8 | 2.3 | 2.8 | 4.1 | 2.1 | 3.0 | --- | --- | --- |
| MONTH | 7.4 | 1.2 | 4.1 | --- | --- | --- | 7.0 | 1.1 | 3.3 | 9.8 | 1.4 | 4.4 |

PH (UNITS), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 7.4 | 6.6 | 6.9 | 6.5 | 6.2 | --- | 7.5 | 6.9 | 7.1 | 7.1 | 6.9 | 7.0 |
| 2 | 7.2 | 6.7 | 6.9 | --- | --- | --- | 7.5 | 7.0 | 7.2 | 7.7 | 7.0 | 7.3 |
| 3 | 7.8 | 6.8 | 7.2 | --- | --- | --- | 7.5 | 6.9 | 7.2 | 7.6 | 7.0 | 7.3 |
| 4 | 7.5 | 6.5 | 6.9 | --- | --- | --- | 7.7 | 7.0 | 7.3 | 7.3 | 7.2 | 7.2 |
| 5 | 8.0 | 6.1 | 7.0 | --- | --- | --- | 7.3 | 6.8 | 7.1 | 7.3 | 7.2 | 7.2 |
| 6 | 7.1 | 6.1 | 6.4 | --- | --- | --- | 7.5 | 6.7 | 7.0 | 7.4 | 7.2 | 7.3 |
| 7 | 6.9 | 5.9 | 6.3 | --- | --- | --- | 7.1 | 6.8 | 6.9 | 7.6 | 7.1 | 7.4 |
| 8 | 7.3 | 5.8 | 6.4 | --- | --- | --- | 7.2 | 6.9 | 7.0 | 7.4 | 7.3 | 7.3 |
| 9 | 8.4 | 6.1 | 7.2 | --- | --- | --- | 7.0 | 6.6 | 6.9 | 7.3 | 7.2 | 7.3 |
| 10 | 8.3 | 7.2 | 7.7 | --- | --- | --- | 7.0 | 6.6 | 6.8 | 7.2 | 7.1 | 7.2 |
| 11 | 8.2 | 6.9 | 7.5 | --- | --- | --- | 7.2 | 6.9 | 7.1 | 7.4 | 7.1 | 7.2 |
| 12 | 8.4 | 7.0 | 7.6 | 7.2 | 6.4 | --- | 7.2 | 7.1 | 7.1 | 7.3 | 7.1 | 7.2 |
| 13 | 8.6 | 7.1 | 7.6 | 6.8 | 6.6 | --- | 7.2 | 7.0 | 7.1 | 7.4 | 7.1 | 7.3 |
| 14 | 8.5 | 7.4 | 7.7 | 7.4 | 6.4 | 6.8 | 7.0 | 6.8 | 6.9 | 7.3 | 7.3 | --- |
| 15 | 8.6 | 7.1 | 7.6 | 7.3 | 6.4 | 6.8 | 7.2 | 6.9 | 7.1 | 7.4 | 7.2 | --- |
| 16 | 8.1 | 6.9 | 7.4 | 7.0 | 6.4 | 6.7 | 7.2 | 7.0 | 7.1 | 7.4 | 7.2 | 7.3 |
| 17 | 7.7 | 6.6 | 7.1 | 7.0 | 6.3 | 6.6 | 7.2 | 7.0 | 7.1 | 7.3 | 7.1 | 7.2 |
| 18 | 7.5 | 6.7 | 7.0 | 7.1 | 6.3 | 6.6 | 7.3 | 6.9 | 7.1 | 7.3 | 7.1 | 7.2 |
| 19 | 8.5 | 7.0 | 7.7 | 8.0 | 6.3 | 6.9 | 7.3 | 7.1 | 7.2 | 7.3 | 7.1 | 7.2 |
| 20 | 8.0 | 6.9 | 7.3 | 7.8 | 6.8 | 7.2 | 7.3 | 7.1 | --- | 7.3 | 7.0 | 7.2 |
| 21 | 7.7 | 6.6 | 7.0 | 7.9 | 6.9 | 7.3 | --- | --- | --- | 7.6 | 6.6 | 7.0 |
| 22 | 7.5 | 6.5 | 6.9 | 8.3 | 7.1 | 7.4 | --- | --- | --- | 7.2 | 6.8 | 7.1 |
| 23 | 6.8 | 5.7 | 6.4 | 8.1 | 6.9 | 7.4 | --- | --- | --- | 7.3 | 7.2 | 7.2 |
| 24 | 6.6 | 5.4 | 5.9 | 7.4 | 7.0 | 7.2 | --- | --- | --- | 8.0 | 7.1 | 7.6 |
| 25 | 6.6 | 5.5 | 5.9 | 8.1 | 7.0 | 7.4 | --- | --- | --- | 8.0 | 7.5 | 7.8 |
| 26 | 6.4 | 5.4 | 5.9 | 7.5 | 7.0 | 7.3 | --- | --- | --- | 7.6 | 7.4 | 7.5 |
| 27 | 7.0 | 5.5 | 6.0 | 7.5 | 7.0 | 7.2 | 7.2 | 6.6 | --- | 7.8 | 7.5 | 7.6 |
| 28 | 7.0 | 5.6 | 6.3 | 7.7 | 7.2 | 7.4 | 7.1 | 6.8 | 7.0 | 7.5 | 7.0 | 7.3 |
| 29 | 8.3 | 6.2 | 6.9 | 7.6 | 7.1 | 7.3 | 7.2 | 6.9 | 7.0 | 6.9 | 6.8 | --- |
| 30 | 7.0 | 6.5 | 6.7 | 7.5 | 6.9 | 7.1 | 7.1 | 7.0 | 7.1 | 6.9 | 6.6 | 6.8 |
| 31 | 6.6 | 6.4 | 6.5 | --- | --- | --- | 7.2 | 7.0 | 7.1 | 6.8 | 6.5 | 6.6 |
| MONTH | 8.6 | 5.4 | 6.9 | --- | --- | --- | 7.7 | 6.6 | --- | 8.0 | 6.5 | 7.2 |

01480870 EAST BRANCH BRANDYWINE CREEK BELOW DOWNINGTOWN, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|------|------|----------|------|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 19.5 | 16.0 | 18.0 | 13.5 | 13.0 | --- | 10.0 | 8.0 | 9.0 | 7.0 | 6.0 | 6.5 |
| 2 | 19.5 | 18.0 | 18.5 | --- | --- | --- | 8.5 | 6.0 | 7.0 | 6.0 | 4.0 | 4.5 |
| 3 | 20.5 | 18.5 | 19.5 | --- | --- | --- | 8.5 | 5.5 | 7.0 | 4.0 | 3.5 | 4.0 |
| 4 | 21.5 | 18.5 | 20.0 | --- | --- | --- | 9.5 | 6.0 | 8.0 | 4.5 | 3.0 | 4.0 |
| 5 | 22.0 | 19.0 | 20.0 | 10.5 | 9.5 | --- | 12.0 | 9.5 | 11.0 | 3.5 | 2.0 | 3.0 |
| 6 | 20.0 | 16.0 | 18.0 | 9.5 | 8.0 | 8.5 | 12.0 | 9.5 | 11.0 | 4.0 | 3.5 | 3.5 |
| 7 | 18.0 | 15.0 | 16.5 | 9.0 | 6.5 | 7.5 | 9.0 | 7.0 | 8.5 | 4.5 | 3.0 | 4.0 |
| 8 | 19.0 | 15.5 | 17.5 | 8.5 | 5.5 | 7.0 | 7.0 | 6.5 | 7.0 | 3.5 | 2.0 | 3.0 |
| 9 | 19.5 | 16.5 | 18.0 | 9.0 | 7.0 | 8.0 | 8.0 | 7.0 | 7.0 | 5.0 | 0.5 | 3.0 |
| 10 | 20.5 | 18.5 | 19.5 | 8.5 | 5.5 | 6.5 | 8.0 | 6.5 | 7.0 | 5.0 | 4.0 | 4.5 |
| 11 | 19.5 | 17.0 | 18.5 | 7.0 | 4.0 | 5.5 | 7.0 | 5.5 | 6.5 | 5.5 | 4.5 | 5.0 |
| 12 | 19.0 | 16.0 | 17.5 | 11.0 | 4.5 | 7.5 | 6.0 | 4.5 | 5.0 | 4.5 | 4.0 | 4.0 |
| 13 | 19.5 | 16.0 | 17.5 | 10.0 | 10.0 | --- | 6.5 | 4.0 | 5.0 | 4.0 | 2.0 | 3.0 |
| 14 | 20.0 | 17.0 | 18.5 | 13.5 | 9.5 | 11.0 | 7.0 | 6.5 | 6.5 | 4.5 | 2.0 | 3.5 |
| 15 | 19.5 | 15.5 | 17.0 | 15.0 | 11.0 | 13.0 | 6.5 | 5.5 | 6.0 | 4.5 | 3.0 | 4.0 |
| 16 | 18.5 | 16.0 | 17.0 | 14.5 | 10.0 | 12.5 | 5.5 | 3.0 | 5.0 | 5.5 | 3.5 | 4.5 |
| 17 | 16.0 | 14.0 | 15.0 | 10.0 | 8.0 | 9.0 | 3.0 | 1.5 | 2.0 | 5.0 | 4.5 | 5.0 |
| 18 | 14.5 | 12.0 | 13.5 | 9.0 | 6.0 | 7.5 | 4.0 | 1.5 | 2.5 | 4.0 | 3.0 | 3.5 |
| 19 | 15.0 | 11.5 | 13.5 | 11.0 | 8.5 | 9.5 | 4.0 | 1.5 | 2.5 | 5.5 | 4.0 | 4.5 |
| 20 | 16.0 | 13.0 | 14.0 | 11.0 | 8.0 | 9.0 | 5.5 | 3.5 | --- | 5.0 | 4.5 | 4.5 |
| 21 | 16.0 | 13.5 | 14.5 | 11.0 | 8.5 | 9.5 | --- | --- | --- | 5.0 | 4.0 | 4.5 |
| 22 | 16.0 | 12.0 | 14.0 | 14.0 | 10.5 | 12.0 | --- | --- | --- | 6.0 | 4.0 | 5.0 |
| 23 | 15.5 | 12.0 | 14.0 | 12.0 | 9.0 | 10.5 | --- | --- | --- | 8.0 | 4.5 | 6.0 |
| 24 | 16.0 | 12.0 | 14.0 | 12.0 | 10.5 | 11.5 | --- | --- | --- | 7.0 | 6.0 | 6.5 |
| 25 | 15.5 | 12.0 | 13.5 | 14.5 | 11.5 | 13.0 | --- | --- | --- | 7.0 | 5.5 | 6.0 |
| 26 | 17.0 | 13.5 | 15.0 | 14.0 | 12.0 | 12.5 | --- | --- | --- | 6.0 | 4.5 | 5.0 |
| 27 | 16.5 | 14.0 | 15.0 | 14.0 | 12.0 | 13.0 | 10.0 | 9.5 | --- | 10.0 | 6.0 | 8.0 |
| 28 | 15.0 | 13.0 | 14.5 | 15.5 | 14.0 | 14.5 | 9.5 | 7.0 | 8.5 | 8.5 | 6.5 | 7.0 |
| 29 | 15.0 | 13.5 | 14.5 | 14.0 | 10.0 | 11.5 | 8.0 | 6.5 | 7.0 | 8.0 | 7.0 | 7.0 |
| 30 | 14.5 | 12.0 | 13.5 | 10.5 | 8.5 | 9.5 | 8.0 | 6.0 | 7.0 | 8.5 | 6.0 | 7.0 |
| 31 | 13.0 | 11.5 | 12.0 | --- | --- | --- | 6.5 | 6.0 | 6.0 | 8.0 | 5.0 | 6.5 |
| MONTH | 22.0 | 11.5 | 16.0 | 15.5 | 4.0 | 10.0 | 12.0 | 1.5 | --- | 10.0 | 0.5 | 5.0 |

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|------|------|-------|------|------|------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6.5 | 5.0 | 5.5 | 9.0 | 6.0 | 7.5 | 9.0 | 5.5 | 7.0 | 22.0 | 18.5 | 20.0 |
| 2 | 5.5 | 5.0 | 5.5 | 8.0 | 6.0 | 7.0 | 10.5 | 8.0 | 9.0 | 18.5 | 15.0 | 17.0 |
| 3 | 4.5 | 4.0 | 4.0 | 10.0 | 7.0 | 8.5 | 14.0 | 8.0 | 11.5 | 15.5 | 14.5 | 15.0 |
| 4 | 5.0 | 3.5 | 4.0 | 13.0 | 9.0 | 10.5 | 14.5 | 13.5 | 14.0 | 18.5 | 14.0 | 16.0 |
| 5 | 4.0 | 1.5 | 2.5 | 13.0 | 11.5 | 12.0 | 14.5 | 12.0 | 14.0 | 15.5 | 13.5 | 14.5 |
| 6 | 4.0 | 1.5 | 3.0 | 11.5 | 9.5 | 10.5 | 12.0 | 10.5 | 11.5 | 15.5 | 13.5 | 14.5 |
| 7 | 6.0 | 4.0 | 4.5 | 14.0 | 9.5 | 11.5 | 13.5 | 8.5 | 11.0 | 15.5 | 12.0 | 14.0 |
| 8 | 4.5 | 3.0 | 3.5 | 12.0 | 9.5 | 11.0 | 12.0 | 10.0 | 11.0 | 16.5 | 11.5 | 14.0 |
| 9 | 5.0 | 1.5 | 3.0 | 9.5 | 8.0 | 8.5 | 9.5 | 7.0 | 8.0 | 15.5 | 14.5 | 15.0 |
| 10 | 5.0 | 1.5 | 3.0 | 10.5 | 8.0 | 9.0 | 11.5 | 6.5 | 8.5 | 18.0 | 15.0 | 16.0 |
| 11 | 5.0 | 3.0 | 3.5 | 9.5 | 6.0 | 8.0 | 13.5 | 8.0 | 11.0 | 19.0 | 14.5 | 17.0 |
| 12 | 6.0 | 3.0 | 4.0 | 9.5 | 7.0 | 8.5 | 15.0 | 10.0 | 12.5 | 18.0 | 15.5 | 16.5 |
| 13 | 6.5 | 3.5 | 5.0 | 8.0 | 4.0 | 5.5 | 14.0 | 12.0 | 13.5 | 16.5 | 14.5 | 15.5 |
| 14 | 7.0 | 5.5 | 6.0 | 8.5 | 3.5 | 5.5 | 15.5 | 13.5 | 14.5 | 19.5 | 13.5 | 16.5 |
| 15 | 6.0 | 4.0 | 5.0 | 9.0 | 4.0 | 6.5 | 15.5 | 13.5 | 14.5 | 22.0 | 17.0 | 19.5 |
| 16 | 5.0 | 3.0 | 4.0 | 9.5 | 8.0 | 8.5 | 16.0 | 11.5 | 14.0 | 23.0 | 19.0 | 21.0 |
| 17 | 6.5 | 4.0 | 5.0 | 8.0 | 5.5 | 6.5 | 16.5 | 11.5 | 14.5 | 24.0 | 19.5 | 22.0 |
| 18 | 6.5 | 3.5 | 5.0 | 9.0 | 4.0 | 6.5 | 18.0 | 13.0 | 15.0 | 24.0 | 20.5 | 22.0 |
| 19 | 6.5 | 5.0 | 5.5 | 10.0 | 6.5 | 8.0 | 15.5 | 13.5 | 14.5 | 21.0 | 19.0 | 20.0 |
| 20 | 8.0 | 6.5 | 7.0 | 11.5 | 8.0 | 9.5 | 17.0 | 11.5 | 14.5 | 21.5 | 17.0 | 19.0 |
| 21 | 8.5 | 5.0 | 6.5 | 8.5 | 6.0 | 8.0 | 18.5 | 13.5 | 16.0 | 21.5 | 16.5 | 19.0 |
| 22 | 11.5 | 7.0 | 9.0 | 9.0 | 4.5 | 7.0 | 19.5 | 16.0 | 18.0 | 22.0 | 18.0 | 20.0 |
| 23 | 10.5 | 7.0 | 9.0 | 11.0 | 5.5 | 8.0 | 19.5 | 16.5 | 18.0 | 21.0 | 19.5 | 20.5 |
| 24 | 8.5 | 5.0 | 6.5 | 12.0 | 9.0 | 10.5 | 16.5 | 14.5 | 15.5 | 21.5 | 18.0 | 19.5 |
| 25 | 7.0 | 4.5 | 5.5 | 9.0 | 5.5 | 7.0 | 16.0 | 14.0 | 14.5 | 21.0 | 18.5 | 19.5 |
| 26 | 6.5 | 3.0 | 4.5 | 9.5 | 5.0 | 7.0 | 17.0 | 12.0 | 14.5 | 19.0 | 16.5 | 18.0 |
| 27 | 5.5 | 3.5 | 4.5 | 10.0 | 6.0 | 8.0 | 19.0 | 14.0 | 16.0 | 17.0 | 16.0 | 16.5 |
| 28 | 7.0 | 3.0 | 5.0 | 10.5 | 8.5 | 9.5 | 19.0 | 14.0 | 16.5 | 19.0 | 15.0 | 17.0 |
| 29 | --- | --- | --- | 9.0 | 5.0 | 6.5 | 20.5 | 16.5 | 18.5 | 18.5 | 16.5 | 17.5 |
| 30 | --- | --- | --- | 5.5 | 4.5 | 5.0 | 22.0 | 18.5 | 20.0 | 21.0 | 18.0 | 19.0 |
| 31 | --- | --- | --- | 6.0 | 4.0 | 5.0 | --- | --- | --- | 20.5 | 18.5 | 19.5 |
| MONTH | 11.5 | 1.5 | 5.0 | 14.0 | 3.5 | 8.0 | 22.0 | 5.5 | 13.5 | 24.0 | 11.5 | 17.5 |

DELAWARE RIVER BASIN

01480870 EAST BRANCH BRANDYWINE CREEK BELOW DOWNINGTOWN, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 20.0 | 17.0 | 18.5 | --- | --- | --- | 26.5 | 21.5 | 24.0 | 27.0 | 23.5 | 25.0 |
| 2 | 19.5 | 17.0 | 18.5 | --- | --- | --- | 26.0 | 22.0 | 23.5 | 25.0 | 23.0 | 24.0 |
| 3 | 21.5 | 16.0 | 19.0 | 25.5 | 23.0 | --- | 25.0 | 22.0 | 23.5 | 24.0 | 21.5 | 23.0 |
| 4 | 23.0 | 18.5 | 20.5 | 28.5 | 23.5 | 25.5 | 25.5 | 23.5 | 24.5 | 21.5 | 20.0 | 21.0 |
| 5 | 24.0 | 19.0 | 21.0 | 25.5 | 24.0 | 24.5 | 26.0 | 23.0 | 24.0 | 21.5 | 18.5 | 20.0 |
| 6 | 24.0 | 18.5 | 21.0 | 25.5 | 23.0 | 24.0 | 24.5 | 21.0 | 23.0 | 20.5 | 19.5 | 20.0 |
| 7 | 21.0 | 19.5 | 20.0 | 28.0 | 22.0 | 24.5 | 23.5 | 21.5 | 22.5 | 19.5 | 18.0 | 18.5 |
| 8 | 21.5 | 19.0 | 20.0 | 28.5 | 23.0 | 25.5 | 24.5 | 21.5 | 23.0 | 21.5 | 19.5 | 20.5 |
| 9 | 24.5 | 20.0 | 22.0 | 29.5 | 24.0 | 26.5 | 23.5 | 20.5 | 22.0 | 23.0 | 20.5 | 21.5 |
| 10 | 27.0 | 21.5 | 24.0 | 29.5 | 24.0 | 26.0 | 24.5 | 21.5 | 22.5 | 24.0 | 20.5 | 22.0 |
| 11 | 26.5 | 23.0 | 24.5 | 27.0 | 24.0 | 25.0 | 25.0 | 20.0 | 22.0 | 23.5 | 21.0 | 22.5 |
| 12 | 24.0 | 20.5 | 22.0 | 27.0 | 21.0 | 24.0 | 25.5 | 19.5 | 22.0 | 24.5 | 21.0 | 23.0 |
| 13 | 24.0 | 18.5 | 21.0 | 27.0 | 21.0 | 23.5 | 24.5 | 20.5 | 22.5 | 25.5 | 22.0 | 24.0 |
| 14 | 23.5 | 19.0 | 21.0 | 28.5 | 21.5 | 25.0 | 26.5 | 21.5 | 24.0 | 24.0 | 21.0 | 23.0 |
| 15 | 24.5 | 19.5 | 21.5 | 29.0 | 24.5 | 26.5 | 27.0 | 21.5 | 24.0 | 21.5 | 18.5 | 20.0 |
| 16 | 23.0 | 21.5 | 22.0 | 28.5 | 24.0 | 26.0 | 25.5 | 21.0 | 23.5 | 22.0 | 18.5 | 20.0 |
| 17 | 24.5 | 20.0 | 22.0 | 28.0 | 21.5 | 24.5 | 26.0 | 21.5 | 23.5 | 22.0 | 19.5 | 20.5 |
| 18 | 24.5 | 19.5 | 22.0 | 26.0 | 22.0 | 24.0 | 25.0 | 21.0 | 23.0 | 23.0 | 19.5 | 21.0 |
| 19 | 24.5 | 19.0 | 21.5 | 27.0 | 23.5 | 25.0 | 25.0 | 22.0 | 23.5 | 23.0 | 19.5 | 21.0 |
| 20 | 25.0 | 20.5 | 22.5 | 26.5 | 21.5 | 23.5 | 26.5 | 21.5 | 24.0 | 24.0 | 21.0 | 22.0 |
| 21 | 25.0 | 21.5 | 23.0 | 25.5 | 20.0 | 22.5 | 26.0 | 22.0 | 24.0 | 24.0 | 21.5 | 22.5 |
| 22 | 25.0 | 21.0 | 23.0 | 25.0 | 19.5 | 22.0 | 25.0 | 23.5 | 24.0 | 21.5 | 18.5 | 20.0 |
| 23 | 23.5 | 19.5 | 21.0 | 23.5 | 20.0 | 22.0 | 26.5 | 24.0 | 25.0 | 19.5 | 16.0 | 18.0 |
| 24 | 21.0 | 18.5 | 20.0 | 21.5 | 20.0 | 20.5 | 25.0 | 24.0 | --- | 18.5 | 14.5 | 16.0 |
| 25 | 21.0 | 19.5 | 20.5 | 23.5 | 19.5 | 21.0 | --- | --- | --- | 18.5 | 15.0 | 16.5 |
| 26 | 20.5 | 19.5 | 20.0 | 23.0 | 21.0 | 22.0 | --- | --- | --- | 20.0 | 16.5 | 18.0 |
| 27 | 21.0 | 18.5 | 20.0 | 25.5 | 22.0 | 23.5 | --- | --- | --- | 21.0 | 16.5 | 18.5 |
| 28 | 20.5 | 18.5 | 19.0 | 26.0 | 23.0 | 24.0 | --- | --- | --- | 20.0 | 18.5 | 19.0 |
| 29 | 22.0 | 18.5 | 20.0 | 26.5 | 23.0 | 24.5 | 28.5 | 24.5 | --- | 21.0 | 19.5 | 20.0 |
| 30 | 20.5 | 19.5 | --- | 25.5 | 22.0 | 23.5 | 26.5 | 24.5 | 25.5 | 19.5 | 18.0 | 19.0 |
| 31 | --- | --- | --- | 26.5 | 21.5 | 24.0 | 26.5 | 23.5 | 24.5 | --- | --- | --- |
| MONTH | 27.0 | 16.0 | 21.0 | 29.5 | 19.5 | 24.0 | 28.5 | 19.5 | 23.5 | 27.0 | 14.5 | 20.5 |

DELAWARE RIVER BASIN

171

01481000 BRANDYWINE CREEK AT CHADDS FORD, PA.

LOCATION.--Lat 39°52'09", long 75°35'35", Delaware County, at gaging station located on left bank 27 ft (8 m) upstream from Pennsylvania Railroad Bridge at Chadds Ford, and 1,200 ft (366 m) downstream from highway bridge on U.S. Highway 1. Sediment samples collected at Pennsylvania Railroad Bridge.

DRAINAGE AREA.--287 mi² (743 km²).

PERIOD OF RECORD.--Chemical analyses: March 1964 to September 1974.

Water temperatures: October 1964 to September 1974.

Sediment records: July 1963 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum, 326 micromhos Feb. 8; minimum, 127 micromhos Dec. 21.

Dissolved oxygen: Maximum, 15.3 mg/l Nov. 21; minimum, 5.4 mg/l Sept. 2.

pH: Maximum, 9.1 May 6, 7; minimum, 6.4 Jan. 29, 30, July 1.

Water temperatures: Maximum, 27.0°C July 10; minimum, freezing point Dec. 17.

Period of record:

Specific conductance (1965-74): Maximum, 445 micromhos Oct. 25, 1971; minimum, 71 micromhos June 23, 1972.

Dissolved oxygen (1971-74): Maximum, 16.5 mg/l Jan. 13, 1973; minimum, 7.7 May 31, 1972.

pH (1965-66, 1972-74): Maximum, 9.1 May 6, 7, 1974; minimum, 6.4 Jan. 29, 30, July 1, 1974.

Water temperatures: Maximum, 29.0°C Aug. 9, 17, 1965; minimum daily, freezing point on many days during winter months.

REMARKS.--Sediment data for this station on page 384. Unpublished records of specific conductance, pH, and temperature of sediment samples available in the district office at Harrisburg. Sediment data from 01481500 Brandywine Creek at Wilmington, Del., are used in computation of sediment records.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DISCHARGE (CFS) | SPECIFIC CONDUCTANCE (MICROMHOS) | PH (UNITS) | TEMPERATURE (DEG C) | DISSOLVED OXYGEN (MG/L) | FECAL COLIFORM (COL. PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) | DISSOLVED ORGANIC CARBON (C) (MG/L) | TOTAL INORGANIC CARBON (C) (MG/L) |
|-------|------|-------------------------------|----------------------------------|------------|---------------------|-------------------------|----------------------------------|---------------------------------|-------------------------------------|-----------------------------------|
| OCT. | | | | | | | | | | |
| 01... | 1100 | 179 | 220 | 7.2 | 17.5 | 9.6 | 210 | 11 | -- | 14 |
| 09... | 1100 | 157 | 235 | 7.1 | 16.0 | 9.0 | 190 | -- | -- | -- |
| 10... | 0800 | 164 | 233 | 7.5 | -- | -- | -- | -- | -- | -- |
| 15... | 1300 | 143 | 250 | 7.4 | 16.0 | 11.2 | 240 | 11 | -- | 15 |
| 23... | 1130 | 103 | 265 | 7.2 | 12.0 | 13.2 | E110 | .0 | -- | 17 |
| 29... | 1200 | 194 | 260 | 7.4 | 12.5 | 11.4 | E510 | 3.0 | -- | -- |
| NOV. | | | | | | | | | | |
| 05... | 1400 | 179 | 260 | 7.0 | 9.5 | 11.4 | 190 | 4.0 | -- | -- |
| 11... | 1430 | 150 | 260 | 7.0 | 6.0 | 13.2 | 310 | 2.5 | -- | -- |
| 19... | 1300 | 140 | 270 | 7.3 | 7.5 | 12.4 | 150 | 5.0 | -- | -- |
| 26... | 1400 | 143 | 260 | 7.0 | 11.0 | 11.3 | 390 | 7.5 | -- | -- |
| DEC. | | | | | | | | | | |
| 03... | 1400 | 143 | 260 | 7.6 | 5.0 | 13.8 | 550 | 4.0 | -- | -- |
| 10... | 1130 | 555 | 185 | 7.2 | 6.5 | 11.8 | E1900 | 10 | -- | -- |
| 18... | 1045 | 230 | 240 | 7.4 | 1.0 | 14.2 | 360 | 4.0 | -- | -- |
| 26... | 1030 | 415 | 240 | 7.4 | 5.0 | 12.7 | 800 | 5.0 | -- | -- |
| JAN. | | | | | | | | | | |
| 07... | 0930 | 470 | 220 | 7.0 | 3.5 | 13.2 | 630 | .5 | -- | -- |
| 15... | 1330 | 470 | 245 | 7.0 | 3.5 | 13.5 | 170 | -- | .5 | -- |
| 21... | 1030 | 465 | 240 | 7.4 | 5.0 | 13.0 | 200 | 2.0 | -- | -- |
| 28... | 1045 | 540 | 220 | 7.6 | 7.5 | 11.8 | 600 | 2.5 | -- | -- |
| FEB. | | | | | | | | | | |
| 04... | 1115 | 440 | 255 | 7.1 | 3.0 | 13.6 | E36000 | 8.0 | -- | -- |
| 12... | 1330 | 366 | -- | -- | 4.5 | -- | -- | -- | 2.0 | -- |
| 19... | 1000 | 350 | 240 | 7.3 | 4.0 | 12.4 | -- | -- | -- | -- |
| 26... | 1100 | 376 | 250 | 7.3 | 2.0 | 13.7 | -- | -- | 2.5 | -- |
| MAR. | | | | | | | | | | |
| 04... | 1600 | 376 | 220 | 8.2 | 11.0 | 12.4 | E44 | -- | 3.5 | -- |
| 11... | 1500 | 360 | 220 | 7.6 | 8.5 | 12.2 | 270 | -- | 4.0 | -- |
| 18... | 1145 | 385 | 210 | 7.1 | 5.0 | 13.0 | E700 | -- | 16 | -- |
| 25... | 1330 | 390 | 225 | 7.1 | 6.5 | 12.2 | E7800 | -- | 6.0 | -- |
| APR. | | | | | | | | | | |
| 01... | 1300 | 820 | 190 | 7.3 | 6.5 | 11.8 | 2100 | -- | 10 | -- |
| 08... | 1400 | 540 | 210 | 7.5 | 10.5 | 10.8 | 165 | -- | 1.0 | -- |
| 16... | 1225 | 685 | 195 | 6.8 | 11.5 | 10.3 | -- | -- | 4.5 | -- |
| 23... | 1230 | 645 | 210 | 7.4 | 15.5 | 8.7 | 130 | -- | 7.0 | -- |
| 29... | 1135 | 460 | 210 | 7.3 | 16.0 | 9.3 | 230 | -- | 7.0 | -- |
| MAY | | | | | | | | | | |
| 06... | 1700 | 390 | 215 | 8.3 | 14.0 | 11.4 | 1150 | -- | 7.5 | -- |
| 13... | 1540 | 1056 | 150 | 6.5 | 14.0 | 9.2 | E21000 | -- | -- | -- |
| 28... | 1400 | 342 | 230 | 7.5 | 15.5 | 9.1 | E130 | -- | -- | -- |
| JUNE | | | | | | | | | | |
| 03... | 1030 | 395 | 220 | 6.8 | 16.0 | 8.4 | E1800 | -- | -- | -- |
| 10... | 1130 | 290 | 250 | 7.5 | 22.0 | 7.6 | E1600 | 2.7 | 3.5 | -- |
| 17... | 1600 | 304 | 250 | 7.8 | 23.0 | 8.2 | 1300 | 2.4 | 2.4 | -- |
| 26... | 1045 | 445 | 200 | 7.0 | 16.5 | 8.4 | 5300 | -- | -- | -- |
| JULY | | | | | | | | | | |
| 01... | 1400 | 366 | 240 | 6.4 | 22.0 | 7.6 | -- | 3.3 | 2.4 | -- |
| 08... | 1310 | 264 | 220 | 7.0 | 24.6 | 8.0 | 560 | -- | -- | -- |

DELAWARE RIVER BASIN

01481000 BRANDYWINE CREEK AT CHADDS FORD, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| | | INSTAN- TANEOUS DIS- CHARGE (CFS) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | FECAL COLI- FORM (COL. PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) | DIS- SOL- VED ORGANIC CARBON (C) (MG/L) |
|-------|------|---|--|-------------------|-----------------------------|------------------------------------|---|---|---|
| DATE | TIME | | | | | | | | |
| JULY | | | | | | | | | |
| 15... | 1500 | 214 | 245 | 8.1 | 26.0 | 8.4 | -- | -- | -- |
| 23... | 1630 | 181 | 250 | 7.9 | 22.0 | 8.4 | -- | -- | 3.6 |
| 29... | 1315 | 189 | 240 | 7.7 | 24.5 | 8.5 | -- | 3.7 | -- |
| AUG. | | | | | | | | | |
| 05... | 1130 | 309 | 230 | 7.3 | 23.5 | 6.6 | 2300 | 3.9 | 5.2 |
| 12... | 1440 | 185 | 270 | 7.6 | 22.5 | 8.8 | E3700 | 3.1 | 2.3 |
| 20... | 1140 | 177 | 240 | 7.3 | 22.5 | 7.0 | 780 | 5.0 | -- |
| 26... | 1525 | 189 | 225 | 6.8 | 23.0 | 7.3 | 400 | -- | 2.7 |
| SEP. | | | | | | | | | |
| 04... | 1125 | 100 | 165 | 6.8 | 20.0 | 7.2 | -- | -- | -- |
| 09... | 1250 | 254 | 220 | 7.0 | 20.5 | 7.9 | 5800 | 7.8 | 5.6 |
| 17... | 1115 | 160 | 260 | 7.0 | 18.0 | 8.9 | E2800 | 4.4 | 3.5 |
| 23... | 1130 | 164 | 255 | 6.7 | 17.0 | 9.0 | E15000 | 3.1 | -- |
| 30... | 1250 | 300 | 235 | 7.2 | 16.5 | 8.3 | -- | -- | -- |

| DATE | TIME | DIS- SOLVED SILICA (SI02) (MG/L) | TOTAL IRON (FE) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HCO3) (MG/L) | CAR- BONATE (CO3) (MG/L) |
|---------------|------|--|---------------------------------|---|--|---|--|--|--------------------------------------|-----------------------------------|
| OCT. 10... | | | | | | | | | | |
| 0800 | 11 | | 370 | 60 | 19 | 8.2 | 13 | 3.2 | 69 | 0 |

| DATE | ALKA- LINITY AS CAC03 (MG/L) | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTITU- TENTS) (MG/L) | HARD- NESS (CA, MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) |
|---------------|--|--|---|--|-----------------------------------|-----------------------------------|--|--|-------------------------------------|---|
| OCT. 10... | | | | | | | | | | |
| 57 | 22 | | 16 | .3 | 2.4 | .01 | 2.4 | 127 | 81 | 25 |

| DATE | CARBON DIOXIDE (CO2) (MG/L) | DIS- SOLVED ARSENIC (AS) (UG/L) | DIS- SOLVED CAD- MIUM (CD) (UG/L) | DIS- SOLVED CHRO- MIUM (CR) (UG/L) | DIS- SOLVED COBALT (CO) (UG/L) | DIS- SOLVED COPPER (CU) (UG/L) | DIS- SOLVED LEAD (PB) (UG/L) | DIS- SOLVED NICKEL (NI) (UG/L) | DIS- SOLVED ZINC (ZN) (UG/L) |
|---------------|--------------------------------------|---|--|---|--|--|--|--|--|
| OCT. 10... | | | | | | | | | |
| 3.5 | <1 | | 0 | 0 | 0 | 0 | 2 | 7 | 20 |

DELAWARE RIVER BASIN

173

01481000 BRANDYWINE CREEK AT CHADDS FORD, PA.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 240 | 228 | 231 | 227 | 211 | 220 | 252 | 236 | 242 | 231 | 227 | 229 |
| 2 | 234 | 218 | 227 | 229 | 227 | 228 | 254 | 244 | 249 | 230 | 225 | 227 |
| 3 | 227 | 215 | 222 | 232 | 227 | 230 | 257 | 247 | 252 | 232 | 220 | 226 |
| 4 | 230 | 220 | 223 | 235 | 229 | 232 | 259 | 253 | 256 | 246 | 216 | 227 |
| 5 | 238 | 228 | 233 | 261 | 231 | 244 | 254 | 194 | 234 | 262 | 228 | 242 |
| 6 | 239 | 230 | 235 | 262 | 254 | 258 | 198 | 186 | --- | 235 | 229 | 233 |
| 7 | 242 | 235 | 239 | 265 | 254 | 258 | 231 | 200 | 214 | 231 | 225 | 229 |
| 8 | 242 | 234 | 237 | 262 | 256 | 259 | 244 | 232 | 238 | 227 | 223 | 225 |
| 9 | 240 | 233 | 235 | --- | --- | --- | 239 | 186 | 217 | 224 | 199 | 216 |
| 10 | 238 | 230 | --- | --- | --- | --- | 192 | 173 | 180 | 289 | 220 | 233 |
| 11 | 236 | 229 | --- | --- | --- | --- | 217 | 193 | 207 | 316 | 271 | 296 |
| 12 | 237 | 228 | 233 | 257 | 254 | --- | 235 | 216 | 225 | 272 | 219 | 230 |
| 13 | 244 | 233 | 238 | 262 | 252 | 258 | 235 | 226 | 231 | 230 | 221 | 226 |
| 14 | 241 | 233 | 237 | 257 | 252 | 255 | 225 | 199 | 215 | 233 | 227 | 230 |
| 15 | 247 | 237 | 241 | 259 | 252 | 255 | 213 | 204 | 207 | 234 | 228 | 231 |
| 16 | 248 | 240 | 244 | 259 | 251 | 254 | 228 | 199 | 221 | 241 | 228 | 233 |
| 17 | 246 | 239 | 243 | 256 | 250 | 254 | 238 | 222 | 228 | 235 | 221 | 230 |
| 18 | 244 | 241 | 243 | 260 | 251 | 256 | 256 | 225 | 242 | 228 | 217 | 223 |
| 19 | 247 | 243 | 244 | 263 | 256 | 260 | 261 | 239 | 255 | 235 | 221 | 227 |
| 20 | 249 | 240 | 246 | 262 | 255 | 259 | 287 | 254 | 269 | 257 | 230 | 240 |
| 21 | 251 | 242 | 248 | 259 | 251 | 255 | 263 | 127 | 167 | 230 | 172 | 209 |
| 22 | 251 | 248 | 250 | 258 | 251 | 256 | 198 | 141 | 173 | 210 | 174 | 191 |
| 23 | 258 | 242 | 249 | 261 | 252 | 257 | 226 | 198 | 211 | 231 | 199 | 222 |
| 24 | 248 | 239 | 243 | 251 | 240 | 246 | 214 | 209 | 212 | 235 | 225 | 229 |
| 25 | 249 | 243 | 246 | 257 | 242 | 252 | 215 | 208 | 210 | 241 | 212 | 228 |
| 26 | 245 | 240 | --- | 256 | 251 | 253 | 232 | 147 | 206 | 216 | 213 | 214 |
| 27 | 252 | 247 | --- | 254 | 251 | 253 | 178 | 139 | 156 | 218 | 214 | 216 |
| 28 | 248 | 243 | --- | 260 | 244 | 254 | 213 | 180 | 201 | 217 | 212 | 213 |
| 29 | 245 | 171 | --- | 249 | 240 | 245 | 227 | 214 | 222 | 217 | 213 | 215 |
| 30 | 196 | 170 | 184 | 240 | 231 | 234 | 232 | 224 | 228 | 221 | 213 | 217 |
| 31 | 211 | 195 | 203 | --- | --- | --- | 234 | 227 | 230 | 219 | 199 | 215 |
| MONTH | 258 | 170 | 235 | 265 | 211 | 249 | 287 | 127 | 220 | 316 | 172 | 227 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 233 | 199 | 222 | 270 | 256 | 263 | 187 | 171 | 179 | 218 | 210 | 214 |
| 2 | 229 | 224 | 226 | 261 | 248 | 253 | 200 | 188 | 197 | 217 | 203 | 207 |
| 3 | 252 | 226 | 235 | 253 | 249 | 251 | 203 | 197 | 200 | 216 | 206 | 212 |
| 4 | 251 | 229 | 241 | 256 | 217 | 242 | 206 | 185 | 200 | 220 | 212 | 216 |
| 5 | 276 | 230 | 255 | 228 | 219 | 224 | 189 | 172 | 181 | 221 | 215 | 218 |
| 6 | 258 | 232 | 241 | 232 | 225 | 228 | 194 | 184 | 189 | 220 | 216 | 219 |
| 7 | 249 | 230 | 236 | 228 | 221 | 225 | 208 | 194 | 203 | 224 | 219 | 222 |
| 8 | 326 | 251 | 301 | 229 | 223 | 226 | 208 | 203 | 206 | 227 | 209 | 222 |
| 9 | 257 | 243 | 248 | 230 | 221 | 227 | 202 | 146 | 164 | 206 | 197 | 202 |
| 10 | 265 | 243 | --- | 224 | 218 | 222 | 180 | 162 | 174 | 230 | 207 | 215 |
| 11 | --- | --- | --- | 220 | 211 | 215 | 190 | 180 | 187 | 212 | 202 | 209 |
| 12 | --- | --- | --- | 222 | 213 | 219 | 199 | 190 | 197 | 221 | 170 | 211 |
| 13 | --- | --- | --- | 230 | 221 | 226 | 199 | 131 | 184 | 164 | 128 | 147 |
| 14 | --- | --- | --- | 228 | 224 | 226 | 168 | 130 | 148 | 203 | 166 | 188 |
| 15 | 229 | 226 | --- | 232 | 227 | 229 | 180 | 170 | 176 | 214 | 201 | 208 |
| 16 | 230 | 223 | 227 | 234 | 214 | 227 | 199 | 180 | 190 | 224 | 213 | 217 |
| 17 | 230 | 221 | 227 | 219 | 209 | 215 | 201 | 195 | 198 | 228 | 221 | 224 |
| 18 | 229 | 219 | 224 | 219 | 203 | 210 | 200 | 194 | 198 | 231 | 224 | 227 |
| 19 | 230 | 221 | 225 | 227 | 210 | 224 | 202 | 197 | 199 | 228 | 221 | 225 |
| 20 | 259 | 227 | 242 | 232 | 222 | 227 | 202 | 197 | 199 | 231 | 223 | 226 |
| 21 | 240 | 224 | 229 | 222 | 197 | 214 | 203 | 197 | 200 | 229 | 224 | 227 |
| 22 | 230 | 221 | 226 | 195 | 169 | 180 | 201 | 196 | 199 | 233 | 223 | 228 |
| 23 | 239 | 228 | 233 | 208 | 188 | 201 | 207 | 199 | 204 | 231 | 214 | 225 |
| 24 | 237 | 229 | 232 | 211 | 209 | 210 | 202 | 198 | 200 | 220 | 214 | 218 |
| 25 | 237 | 227 | 232 | 217 | 211 | 215 | 206 | 201 | 204 | 229 | 220 | 224 |
| 26 | 281 | 229 | 242 | 217 | 212 | 215 | 208 | 203 | 205 | 235 | 230 | 232 |
| 27 | 288 | 262 | 272 | 222 | 217 | 219 | 206 | 200 | 204 | 232 | 225 | 229 |
| 28 | 280 | 261 | 270 | 219 | 215 | 217 | 212 | 204 | 207 | 231 | 225 | 229 |
| 29 | --- | --- | --- | 226 | 214 | 220 | 219 | 206 | 213 | 235 | 228 | 231 |
| 30 | --- | --- | --- | 213 | 166 | 200 | 222 | 215 | 218 | 235 | 230 | 232 |
| 31 | --- | --- | --- | 172 | 150 | 161 | --- | --- | --- | 235 | 230 | 232 |
| MONTH | 326 | 199 | 240 | 270 | 150 | 220 | 222 | 130 | 194 | 235 | 128 | 217 |

01481000 BRANDYWINE CREEK AT CHADDS FORD, PA.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| JUNE | | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|-----|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 238 | 224 | 231 | 235 | 231 | --- | 263 | 236 | 251 | 257 | 246 | 253 |
| 2 | 230 | 210 | 215 | 239 | 224 | 231 | 261 | 244 | 256 | 271 | 253 | 258 |
| 3 | 224 | 220 | --- | 232 | 223 | 228 | 245 | 215 | 225 | 270 | 238 | 255 |
| 4 | 224 | 220 | --- | 235 | 227 | 230 | 223 | 200 | 217 | 246 | 148 | 174 |
| 5 | 230 | 221 | 226 | 241 | 160 | 214 | 245 | 215 | 233 | 230 | 184 | 209 |
| 6 | 228 | 223 | 226 | 230 | 200 | 222 | 260 | 237 | 247 | 247 | 218 | 238 |
| 7 | 231 | 223 | 227 | 230 | 220 | 227 | 264 | 257 | 261 | 237 | 201 | 221 |
| 8 | 240 | 227 | 234 | 239 | 216 | 226 | 271 | 256 | 263 | 224 | 199 | 210 |
| 9 | 235 | 227 | 231 | 233 | 215 | 225 | 276 | 263 | 268 | 245 | 224 | 237 |
| 10 | 247 | 232 | 240 | 238 | 226 | 231 | 291 | 270 | 279 | 261 | 244 | 252 |
| 11 | 250 | 238 | 245 | 234 | 224 | 228 | 282 | 264 | 270 | 263 | 253 | 258 |
| 12 | 245 | 238 | 242 | 241 | 225 | 232 | 286 | 273 | 279 | 280 | 258 | 268 |
| 13 | 246 | 239 | 242 | 240 | 235 | 238 | 287 | 276 | 281 | 276 | 258 | 266 |
| 14 | 244 | 235 | 239 | 237 | 230 | 233 | 286 | 279 | 281 | 267 | 254 | 260 |
| 15 | 239 | 234 | 237 | 234 | 230 | --- | 285 | 273 | 277 | 262 | 252 | 257 |
| 16 | 246 | 233 | 240 | --- | --- | --- | 286 | 276 | 280 | 264 | 245 | 252 |
| 17 | 248 | 225 | 238 | --- | --- | --- | 288 | 267 | 281 | 264 | 259 | 261 |
| 18 | 241 | 232 | 237 | 244 | 234 | --- | 255 | 172 | 186 | 269 | 256 | 261 |
| 19 | 245 | 233 | 240 | 251 | 237 | 243 | 235 | 191 | 211 | 277 | 265 | 269 |
| 20 | 251 | 243 | 246 | 241 | 231 | 236 | 260 | 236 | 250 | 281 | 264 | 272 |
| 21 | 261 | 198 | 240 | 239 | 228 | 233 | 264 | 255 | 260 | 274 | 260 | 267 |
| 22 | 236 | 175 | 192 | 242 | 232 | 235 | 278 | 266 | 271 | 266 | 259 | 262 |
| 23 | 187 | 164 | 176 | 249 | 235 | 241 | 275 | 270 | 271 | 258 | 246 | 252 |
| 24 | 203 | 188 | 199 | 251 | 238 | 245 | 275 | 265 | 269 | 253 | 243 | 247 |
| 25 | 219 | 192 | 206 | 245 | 235 | 241 | 243 | 150 | 204 | 263 | 252 | 255 |
| 26 | 209 | 188 | 198 | 238 | 225 | 231 | 235 | 214 | 229 | 278 | 264 | 270 |
| 27 | 216 | 209 | 213 | 244 | 231 | 236 | 260 | 226 | 244 | 281 | 264 | 273 |
| 28 | 220 | 209 | 214 | 244 | 234 | 239 | 266 | 260 | 262 | 275 | 191 | 262 |
| 29 | 218 | 213 | --- | 254 | 233 | 241 | 273 | 255 | 262 | 195 | 165 | 176 |
| 30 | --- | --- | --- | 248 | 226 | 236 | 290 | 270 | 275 | 236 | 191 | 215 |
| 31 | --- | --- | --- | 233 | 216 | 223 | 289 | 258 | 272 | --- | --- | --- |
| MONTH | 261 | 164 | 226 | 254 | 160 | 233 | 291 | 150 | 255 | 281 | 148 | 247 |

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

[illegible]

01481000 BRANDYWINE CREEK AT CHADDS FORD, PA.--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|------|------|-------|------|------|-------|------|------|------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | 12.0 | 11.0 | --- | 10.0 | 8.7 | 9.3 |
| 2 | --- | --- | --- | --- | --- | --- | 11.2 | 10.4 | 10.9 | 11.0 | 8.9 | 9.8 |
| 3 | --- | --- | --- | --- | --- | --- | 10.6 | 9.9 | 10.4 | 11.4 | 8.7 | 10.0 |
| 4 | 13.7 | 12.8 | --- | --- | --- | --- | 9.7 | 8.8 | 9.2 | 11.4 | 9.0 | 10.1 |
| 5 | 14.6 | 12.8 | 13.5 | --- | --- | --- | 9.2 | 8.7 | 9.0 | 12.2 | 9.6 | 10.8 |
| 6 | 14.9 | 13.1 | 13.6 | --- | --- | --- | 10.4 | 9.3 | 9.8 | 12.3 | 9.8 | 11.0 |
| 7 | 13.0 | 12.3 | --- | --- | --- | --- | 11.2 | 10.3 | 10.8 | 10.7 | 9.0 | 9.9 |
| 8 | --- | --- | --- | --- | --- | --- | 10.6 | 9.2 | 10.0 | 9.2 | 8.1 | 8.7 |
| 9 | --- | --- | --- | --- | --- | --- | 9.8 | 8.9 | 9.3 | 9.7 | 7.7 | 8.6 |
| 10 | --- | --- | --- | --- | --- | --- | 9.6 | 8.6 | 9.1 | 8.6 | 7.4 | 7.9 |
| 11 | --- | --- | --- | 12.3 | 11.3 | --- | 10.1 | 9.2 | 9.6 | 9.9 | 7.8 | 8.8 |
| 12 | --- | --- | --- | 12.7 | 10.3 | 11.4 | 9.9 | 9.1 | 9.5 | 8.4 | 7.6 | 8.0 |
| 13 | --- | --- | --- | 13.2 | 11.0 | 12.1 | 9.0 | 8.3 | 8.6 | 9.1 | 8.9 | --- |
| 14 | --- | --- | --- | 13.7 | 12.0 | 12.7 | 9.2 | 8.6 | 8.9 | 9.5 | 8.4 | 9.1 |
| 15 | --- | --- | --- | 13.5 | 11.5 | 12.3 | 9.7 | 8.8 | 9.3 | 8.7 | 7.8 | 8.3 |
| 16 | --- | --- | --- | --- | --- | --- | 10.7 | 9.5 | 9.9 | 8.7 | 7.4 | 7.9 |
| 17 | --- | --- | --- | --- | --- | --- | 10.3 | 8.8 | 9.6 | 8.4 | 6.9 | 7.7 |
| 18 | --- | --- | --- | 13.0 | 11.9 | --- | 10.2 | 8.6 | 9.4 | 8.2 | 6.5 | 7.4 |
| 19 | --- | --- | --- | 12.7 | 11.0 | 11.8 | 11.4 | 9.2 | 10.0 | 8.7 | 7.0 | 7.7 |
| 20 | --- | --- | --- | 12.5 | 10.6 | 11.6 | 12.6 | 10.9 | 11.6 | 9.6 | 7.6 | 8.6 |
| 21 | --- | --- | --- | 11.8 | 9.9 | 10.7 | 11.5 | 9.6 | 10.6 | 9.9 | 8.1 | 9.0 |
| 22 | --- | --- | --- | 13.2 | 11.2 | 12.5 | 10.3 | 8.1 | 9.1 | 9.9 | 7.9 | 8.8 |
| 23 | --- | --- | --- | 13.2 | 12.4 | 12.8 | 8.1 | 7.0 | --- | 7.9 | 7.1 | 7.5 |
| 24 | --- | --- | --- | 12.2 | 10.9 | 11.6 | --- | --- | --- | 8.4 | 7.4 | 7.8 |
| 25 | --- | --- | --- | 12.7 | 11.6 | 12.2 | --- | --- | --- | 8.6 | 7.4 | 8.0 |
| 26 | --- | --- | --- | 12.8 | 11.3 | 12.2 | 11.6 | 9.9 | --- | 8.8 | 7.8 | 8.3 |
| 27 | --- | --- | --- | 11.9 | 10.5 | 11.1 | 11.7 | 9.1 | 10.3 | 9.0 | 8.0 | 8.4 |
| 28 | --- | --- | --- | --- | --- | --- | 11.5 | 8.9 | 10.1 | 9.2 | 8.3 | 8.7 |
| 29 | --- | --- | --- | --- | --- | --- | 10.0 | 8.2 | 9.1 | 8.5 | 7.9 | 8.2 |
| 30 | --- | --- | --- | --- | --- | --- | 11.1 | 7.9 | 9.4 | 8.4 | 7.6 | 8.0 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.0 | 7.3 | 7.7 |
| MONTH | --- | --- | --- | --- | --- | --- | 12.6 | 7.0 | 9.7 | 12.3 | 6.5 | 8.7 |

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 7.4 | 7.0 | 7.3 | 7.6 | 7.1 | --- | 8.4 | 6.3 | 7.3 | 7.5 | 5.6 | 6.4 |
| 2 | 7.6 | 6.9 | 7.3 | 7.8 | 6.9 | 7.3 | 8.1 | 6.3 | 7.0 | 6.5 | 5.4 | 6.0 |
| 3 | 8.6 | 7.6 | --- | 8.0 | 6.7 | 7.3 | 6.7 | 5.9 | 6.3 | 8.1 | 6.3 | 7.3 |
| 4 | 8.7 | 7.9 | --- | 8.2 | 6.5 | 7.3 | 6.5 | 5.7 | 6.0 | 7.8 | 7.0 | 7.3 |
| 5 | 8.7 | 7.4 | 8.0 | 7.6 | 6.5 | 6.8 | 7.5 | 5.8 | 6.5 | 7.9 | 7.4 | 7.6 |
| 6 | 8.9 | 7.3 | 8.0 | 7.9 | 6.6 | 7.2 | 7.4 | 6.2 | 6.8 | 7.7 | 7.4 | 7.6 |
| 7 | 8.6 | 7.3 | 7.9 | 8.2 | 6.6 | 7.3 | 7.3 | 6.3 | 6.7 | 8.2 | 7.8 | 8.0 |
| 8 | 8.6 | 7.5 | 7.9 | 8.4 | 6.6 | 7.5 | 7.7 | 6.3 | 7.1 | 7.9 | 7.4 | 7.7 |
| 9 | 8.7 | 7.4 | 8.0 | 8.5 | 6.2 | 7.3 | 7.6 | 6.5 | 7.0 | 8.0 | 7.2 | 7.6 |
| 10 | 8.0 | 6.5 | 7.3 | 8.6 | 6.8 | 7.8 | 7.6 | 6.3 | 7.1 | 8.2 | 7.4 | 7.7 |
| 11 | 8.4 | 5.8 | 7.0 | 8.7 | 6.2 | 7.5 | 8.0 | 6.6 | 7.2 | 8.1 | 7.3 | 7.7 |
| 12 | 8.4 | 6.2 | 7.2 | 9.1 | 6.8 | 7.8 | 8.9 | 6.7 | 7.7 | 8.3 | 7.2 | 7.6 |
| 13 | 8.3 | 5.8 | 6.9 | 9.5 | 7.0 | 8.2 | 8.9 | 7.1 | 7.9 | 8.3 | 7.0 | 7.6 |
| 14 | 8.5 | 6.2 | 7.1 | 9.5 | 6.9 | 8.1 | 8.8 | 6.8 | 7.8 | 8.1 | 6.8 | 7.4 |
| 15 | 8.9 | 6.7 | 7.7 | 7.9 | 6.3 | --- | 9.5 | 6.6 | 8.1 | 9.1 | 7.3 | 8.2 |
| 16 | 7.0 | 6.2 | 6.5 | --- | --- | --- | 9.8 | 6.8 | 8.2 | 9.6 | 7.9 | 8.7 |
| 17 | 8.0 | 6.9 | --- | --- | --- | --- | 8.6 | 6.1 | 7.3 | 9.9 | 7.8 | 8.8 |
| 18 | 7.9 | 6.4 | 7.1 | 9.0 | 7.4 | --- | 6.4 | 5.5 | 6.0 | 9.8 | 7.8 | 8.8 |
| 19 | 8.1 | 6.5 | 7.3 | 8.2 | 6.2 | 7.0 | 6.5 | 5.7 | 6.0 | 10.1 | 7.7 | 8.9 |
| 20 | 7.7 | 6.3 | 6.9 | 7.9 | 5.7 | 6.7 | 7.6 | 6.0 | 6.9 | 10.0 | 7.6 | 8.7 |
| 21 | 7.3 | 5.9 | 6.5 | 8.0 | 5.9 | 6.9 | 8.1 | 6.5 | 7.2 | 9.0 | 6.8 | 7.9 |
| 22 | 6.2 | 5.8 | 6.0 | 7.8 | 6.0 | 6.8 | 7.7 | 6.5 | 7.0 | 8.7 | 6.7 | 7.7 |
| 23 | 7.0 | 6.0 | 6.5 | 8.2 | 5.9 | 6.9 | 8.1 | 6.3 | 7.1 | 10.1 | 7.3 | 8.7 |
| 24 | 7.9 | 7.0 | 7.5 | 7.3 | 6.5 | 6.8 | 8.5 | 6.4 | 7.3 | 11.1 | 8.8 | 9.9 |
| 25 | 8.2 | 7.6 | 7.9 | 8.1 | 6.6 | 7.3 | 6.8 | 6.5 | 6.7 | 11.4 | 9.4 | 10.3 |
| 26 | 8.3 | 8.2 | --- | 7.9 | 6.6 | 7.2 | 7.4 | 6.3 | 6.8 | 11.2 | 9.1 | 10.0 |
| 27 | --- | --- | --- | 8.0 | 6.5 | 7.2 | 7.9 | 6.7 | 7.2 | 10.5 | 8.4 | 9.3 |
| 28 | --- | --- | --- | 7.9 | 6.1 | 6.9 | 8.2 | 6.6 | 7.2 | 9.2 | 7.6 | 8.2 |
| 29 | --- | --- | --- | 9.2 | 6.6 | 7.8 | 8.3 | 6.2 | 7.1 | 7.9 | 7.2 | 7.6 |
| 30 | --- | --- | --- | 7.5 | 6.5 | 7.0 | 7.5 | 5.8 | 6.6 | 8.4 | 7.6 | 8.1 |
| 31 | --- | --- | --- | 8.0 | 6.2 | 7.0 | 7.5 | 5.6 | 6.5 | --- | --- | --- |
| MONTH | 8.9 | 5.8 | --- | 9.5 | 5.7 | 7.3 | 9.8 | 5.5 | 7.0 | 11.4 | 5.4 | 8.1 |

DELAWARE RIVER BASIN

01481000 BRANDYWINE CREEK AT CHADDS FORD, PA.--Continued

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 7.4 | 7.1 | 7.3 | 7.2 | 6.7 | 6.9 | 7.2 | 7.0 | 7.1 | --- | --- | --- |
| 2 | 7.5 | 7.3 | 7.4 | 7.1 | 6.7 | 6.9 | 7.2 | 7.0 | 7.1 | --- | --- | --- |
| 3 | 7.4 | 7.3 | --- | 7.0 | 6.8 | 6.9 | 7.7 | 7.0 | 7.3 | --- | --- | --- |
| 4 | 7.4 | 7.3 | --- | 7.0 | 6.8 | 6.9 | 7.7 | 7.5 | 7.6 | --- | --- | --- |
| 5 | 7.4 | 7.2 | --- | 7.2 | 6.9 | 7.0 | 7.7 | 7.6 | --- | --- | --- | --- |
| 6 | 7.4 | 7.1 | 7.3 | 7.1 | 7.0 | 7.0 | --- | --- | --- | --- | --- | --- |
| 7 | 7.4 | 7.1 | 7.3 | 7.1 | 7.0 | 7.0 | --- | --- | --- | 7.0 | 6.9 | --- |
| 8 | 7.5 | 7.3 | 7.4 | 7.3 | 7.0 | 7.0 | --- | --- | --- | 7.0 | 6.9 | 7.0 |
| 9 | 7.5 | 7.0 | 7.3 | 7.2 | 6.9 | --- | --- | --- | --- | 6.9 | 6.8 | 6.9 |
| 10 | 7.2 | 7.0 | --- | --- | --- | --- | 7.7 | 7.2 | --- | 6.9 | 6.8 | 6.8 |
| 11 | 7.1 | 6.9 | --- | --- | --- | --- | 7.7 | 7.3 | 7.5 | 6.8 | 6.8 | 6.8 |
| 12 | 7.4 | 6.7 | 7.0 | 7.2 | 7.0 | --- | 7.7 | 7.3 | 7.5 | 6.9 | 6.8 | 6.9 |
| 13 | 7.3 | 6.9 | 7.1 | 7.2 | 7.0 | 7.1 | 8.3 | 7.3 | 7.6 | 7.0 | 6.9 | 6.9 |
| 14 | 7.3 | 7.1 | 7.2 | 7.2 | 6.9 | 7.1 | 8.2 | 7.6 | 7.9 | 7.0 | 7.0 | 7.0 |
| 15 | 7.4 | 6.9 | 7.2 | 7.2 | 6.9 | 7.1 | 7.7 | 7.3 | 7.6 | 7.2 | 6.9 | 7.1 |
| 16 | 7.4 | 7.1 | 7.2 | 7.2 | 6.9 | 7.1 | 7.6 | 7.3 | 7.5 | 7.2 | 7.0 | 7.2 |
| 17 | 7.3 | 7.0 | 7.2 | 7.2 | 7.0 | 7.1 | 7.8 | 7.5 | 7.7 | 7.3 | 7.2 | 7.2 |
| 18 | 7.3 | 7.0 | 7.2 | 7.3 | 6.9 | 7.1 | 7.7 | 7.4 | --- | 7.5 | 7.2 | 7.2 |
| 19 | 7.3 | 6.9 | 7.2 | 7.3 | 7.0 | --- | --- | --- | --- | 7.3 | 7.0 | 7.2 |
| 20 | 7.5 | 7.0 | 7.3 | --- | --- | --- | --- | --- | --- | 7.2 | 7.2 | 7.2 |
| 21 | 7.4 | 7.0 | 7.2 | --- | --- | --- | --- | --- | --- | 7.7 | 7.0 | 7.3 |
| 22 | 7.1 | 6.8 | 7.0 | --- | --- | --- | --- | --- | --- | 7.8 | 7.6 | --- |
| 23 | 7.8 | 6.8 | 7.4 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | 7.8 | 7.5 | 7.7 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | 7.7 | 7.5 | 7.6 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 7.8 | 7.6 | 7.7 | 7.1 | 7.0 | --- | 7.4 | 7.3 | --- | --- | --- | --- |
| 27 | 7.7 | 7.3 | 7.5 | 7.1 | 6.9 | 7.1 | --- | --- | --- | --- | --- | --- |
| 28 | 7.7 | 7.3 | 7.5 | 7.8 | 7.0 | 7.4 | --- | --- | --- | 6.5 | 6.5 | --- |
| 29 | 8.9 | 7.5 | 8.1 | 7.0 | 6.9 | 7.0 | --- | --- | --- | 6.6 | 6.4 | 6.5 |
| 30 | 7.6 | 6.7 | 7.1 | 7.3 | 6.9 | 7.0 | --- | --- | --- | 6.8 | 6.4 | 6.6 |
| 31 | 7.2 | 6.7 | 6.9 | --- | --- | --- | --- | --- | --- | 7.0 | 6.8 | 6.9 |
| MONTH | 8.9 | 6.7 | 7.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|-------|-----|------|-----|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 7.0 | 6.8 | 6.9 | 8.0 | 7.1 | 7.6 | 7.3 | 6.9 | 7.1 | 8.0 | 7.0 | 7.3 |
| 2 | 6.9 | 6.8 | 6.9 | 7.7 | 7.1 | 7.5 | 7.4 | 7.1 | 7.2 | 8.0 | 7.0 | 7.4 |
| 3 | 6.9 | 6.8 | 6.9 | 8.3 | 7.5 | 7.8 | 7.5 | 7.2 | 7.3 | 8.0 | 7.2 | 7.6 |
| 4 | 7.0 | 6.9 | 6.9 | 8.6 | 7.3 | 8.0 | 7.9 | 7.2 | 7.6 | 8.6 | 7.1 | 7.7 |
| 5 | 7.1 | 6.9 | 7.0 | 8.4 | 7.6 | 7.9 | 8.0 | 7.9 | 8.0 | 9.0 | 7.8 | 8.3 |
| 6 | 7.1 | 6.9 | 7.0 | 8.2 | 7.5 | 7.8 | 7.9 | 7.1 | 7.3 | 9.1 | 8.2 | 8.7 |
| 7 | 7.1 | 6.9 | 7.0 | 8.4 | 7.5 | 8.0 | 7.7 | 7.3 | 7.5 | 9.1 | 8.2 | 8.6 |
| 8 | 7.1 | 7.0 | 7.1 | 8.2 | 7.6 | 7.9 | 7.6 | 7.4 | 7.5 | 8.4 | 7.9 | 8.1 |
| 9 | 7.1 | 7.0 | 7.1 | 7.8 | 7.5 | 7.6 | 7.4 | 7.1 | 7.2 | 8.6 | 7.9 | 8.1 |
| 10 | 7.1 | 7.0 | --- | 8.2 | 7.4 | 7.7 | 7.3 | 7.2 | 7.2 | 8.5 | 7.7 | 8.1 |
| 11 | --- | --- | --- | 8.0 | 7.5 | 7.7 | 8.2 | 7.2 | 7.6 | 8.3 | 7.7 | 7.9 |
| 12 | --- | --- | --- | 8.0 | 7.1 | 7.6 | 8.1 | 7.4 | 7.9 | 8.0 | 7.1 | 7.5 |
| 13 | --- | --- | --- | 8.0 | 7.3 | 7.7 | 7.4 | 7.0 | 7.2 | 6.9 | 6.6 | 6.8 |
| 14 | --- | --- | --- | 8.0 | 7.4 | 7.8 | 7.2 | 7.0 | --- | 6.8 | 6.5 | 6.7 |
| 15 | 7.3 | 7.2 | --- | 8.2 | 7.4 | 7.8 | 7.5 | 7.2 | 7.3 | 7.0 | 6.7 | 6.9 |
| 16 | 7.1 | 6.9 | 7.0 | 8.0 | 7.1 | 7.5 | 7.1 | 6.8 | --- | 7.0 | 6.6 | 6.9 |
| 17 | 7.2 | 6.8 | 7.0 | 7.2 | 7.0 | 7.1 | 7.1 | 6.8 | 6.9 | 7.2 | 6.8 | 7.0 |
| 18 | 7.3 | 6.9 | 7.1 | 7.8 | 7.0 | 7.4 | 7.3 | 6.8 | 7.0 | 7.2 | 6.9 | 7.1 |
| 19 | 7.6 | 7.1 | 7.4 | 7.8 | 7.1 | 7.5 | 7.1 | 6.8 | 7.0 | 7.1 | 7.0 | 7.1 |
| 20 | 7.7 | 7.3 | 7.5 | 8.0 | 7.2 | 7.6 | 7.7 | 6.9 | 7.2 | 7.8 | 7.0 | 7.4 |
| 21 | 8.0 | 7.4 | 7.7 | 8.0 | 6.9 | 7.3 | 7.9 | 6.9 | 7.4 | 8.0 | 7.4 | 7.7 |
| 22 | 7.8 | 7.3 | 7.5 | 7.0 | 6.8 | 6.9 | 8.0 | 6.9 | 7.5 | 8.2 | 7.5 | 7.8 |
| 23 | 8.0 | 7.4 | 7.6 | 7.2 | 6.9 | 7.0 | 8.1 | 7.0 | 7.6 | 7.8 | 7.4 | 7.5 |
| 24 | 8.0 | 7.5 | 7.7 | 7.3 | 6.9 | 7.1 | 8.2 | 7.3 | 7.7 | 7.6 | 7.4 | 7.5 |
| 25 | 7.9 | 7.4 | 7.7 | 7.4 | 7.0 | 7.2 | 8.4 | 7.4 | 7.9 | 7.6 | 7.4 | 7.5 |
| 26 | 8.0 | 7.5 | 7.7 | 7.5 | 7.0 | 7.2 | 8.3 | 7.4 | 7.9 | 7.6 | 7.4 | 7.5 |
| 27 | 7.9 | 7.2 | 7.5 | 7.7 | 7.1 | 7.4 | 8.3 | 7.3 | 7.8 | 7.5 | 7.4 | 7.5 |
| 28 | 7.7 | 7.1 | 7.4 | 7.9 | 7.0 | 7.5 | 8.4 | 7.3 | 7.9 | 7.5 | 7.0 | 7.3 |
| 29 | --- | --- | --- | 7.7 | 7.2 | 7.3 | 8.2 | 7.3 | 7.8 | 7.5 | 7.4 | 7.4 |
| 30 | --- | --- | --- | 7.1 | 6.9 | 7.0 | 8.2 | 7.3 | 7.8 | 7.6 | 7.3 | 7.4 |
| 31 | --- | --- | --- | 6.9 | 6.8 | 6.9 | --- | --- | --- | 7.5 | 7.4 | 7.5 |
| MONTH | 8.0 | 6.8 | 7.3 | 8.6 | 6.8 | 7.5 | 8.4 | 6.8 | 7.5 | 9.1 | 6.5 | 7.5 |

01481000 BRANDYWINE CREEK AT CHADDS FORD, PA.--Continued

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 7.4 | 7.3 | 7.3 | 6.7 | 6.4 | --- | 7.7 | 7.3 | 7.5 | 7.2 | 6.8 | 7.0 |
| 2 | 7.3 | 7.3 | 7.3 | 6.7 | 6.5 | 6.6 | 7.7 | 7.3 | 7.5 | 7.0 | 6.8 | 6.9 |
| 3 | 7.5 | 7.1 | 7.4 | 6.7 | 6.5 | 6.6 | 7.4 | 7.2 | 7.3 | 7.1 | 6.8 | 6.9 |
| 4 | 7.8 | 7.3 | 7.5 | 6.7 | 6.5 | --- | 7.3 | 7.2 | 7.3 | 7.1 | 6.7 | 6.9 |
| 5 | 8.0 | 7.7 | 7.8 | --- | --- | --- | 7.6 | 7.2 | 7.4 | 7.2 | 7.1 | 7.1 |
| 6 | 8.0 | 7.4 | 7.7 | --- | --- | --- | 7.5 | 7.3 | 7.4 | 7.3 | 7.2 | 7.3 |
| 7 | 7.8 | 7.4 | 7.6 | --- | --- | --- | 7.5 | 7.4 | 7.4 | 7.4 | 7.2 | 7.3 |
| 8 | 7.7 | 7.6 | 7.7 | --- | --- | --- | 7.6 | 7.4 | 7.5 | 7.5 | 7.2 | 7.3 |
| 9 | 7.9 | 7.6 | 7.7 | --- | --- | --- | 7.6 | 7.4 | 7.5 | 7.4 | 7.0 | 7.3 |
| 10 | 8.2 | 7.7 | 7.9 | 8.0 | 6.9 | --- | 7.7 | 7.4 | 7.6 | 7.3 | 7.1 | 7.2 |
| 11 | 8.1 | 7.5 | 7.8 | 7.3 | 6.8 | 7.1 | 7.6 | 7.3 | 7.5 | 7.3 | 7.2 | 7.3 |
| 12 | 8.2 | 7.3 | 7.6 | 7.5 | 6.8 | 7.1 | 7.8 | 7.4 | 7.6 | 7.3 | 7.2 | 7.2 |
| 13 | 8.0 | 7.4 | 7.7 | 7.5 | 6.9 | 7.2 | 7.9 | 7.5 | 7.7 | 7.3 | 7.2 | 7.2 |
| 14 | 7.8 | 7.0 | 7.3 | 7.6 | 6.9 | 7.2 | 8.1 | 7.5 | 7.8 | 7.2 | 7.1 | 7.2 |
| 15 | 7.4 | 6.8 | 7.1 | 7.3 | 6.9 | --- | 8.3 | 7.6 | 8.0 | 7.2 | 7.0 | 7.1 |
| 16 | 7.2 | 6.7 | 7.0 | --- | --- | --- | 8.3 | 7.6 | 8.0 | 7.3 | 7.0 | 7.2 |
| 17 | 8.0 | 6.8 | 7.6 | --- | --- | --- | 8.1 | 7.5 | 7.9 | 7.4 | 7.0 | 7.2 |
| 18 | 7.8 | 7.1 | 7.6 | 8.3 | 7.9 | --- | 7.4 | 7.2 | 7.3 | 7.5 | 7.0 | 7.3 |
| 19 | 7.8 | 7.0 | 7.5 | 8.2 | 7.6 | 7.8 | 7.4 | 7.2 | 7.3 | 7.6 | 7.0 | 7.4 |
| 20 | 7.7 | 7.4 | 7.6 | 7.9 | 7.4 | 7.6 | 7.6 | 7.4 | 7.5 | 7.6 | 7.1 | 7.4 |
| 21 | 7.7 | 7.4 | 7.5 | 7.8 | 7.3 | 7.6 | 7.5 | 7.3 | 7.4 | 7.5 | 7.1 | 7.3 |
| 22 | 7.4 | 7.3 | 7.4 | 8.0 | 7.4 | 7.7 | 7.3 | 7.1 | 7.3 | 7.2 | 7.0 | 7.1 |
| 23 | 7.4 | 7.1 | --- | 8.0 | 7.5 | 7.7 | 7.3 | 7.1 | 7.2 | 7.2 | 6.8 | 7.0 |
| 24 | 7.1 | 7.0 | --- | 7.8 | 7.3 | 7.4 | 7.4 | 7.0 | 7.2 | 7.2 | 6.8 | 7.0 |
| 25 | 7.1 | 7.0 | --- | 7.6 | 7.3 | 7.4 | 7.0 | 6.7 | 6.8 | 7.2 | 6.8 | 7.0 |
| 26 | --- | --- | --- | 7.7 | 7.3 | 7.4 | 6.9 | 6.7 | 6.8 | 7.3 | 6.8 | 7.1 |
| 27 | --- | --- | --- | 7.8 | 7.4 | 7.5 | 6.9 | 6.7 | 6.8 | 7.3 | 6.9 | 7.2 |
| 28 | --- | --- | --- | 7.9 | 7.4 | 7.6 | 7.1 | 6.8 | 6.9 | 7.2 | 6.7 | 7.0 |
| 29 | --- | --- | --- | 8.2 | 7.4 | 7.8 | 7.2 | 6.8 | 7.0 | 6.8 | 6.6 | 6.7 |
| 30 | --- | --- | --- | 7.9 | 7.3 | 7.5 | 7.1 | 6.8 | 7.0 | 7.4 | 6.6 | 7.1 |
| 31 | --- | --- | --- | 7.5 | 7.2 | 7.4 | 7.1 | 6.8 | 7.0 | --- | --- | --- |
| MONTH | 8.2 | 6.7 | --- | --- | --- | --- | 8.3 | 6.7 | 7.4 | 7.6 | 6.6 | 7.1 |

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|------|------|----------|------|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 18.0 | 16.0 | 17.0 | 11.5 | 10.5 | 10.5 | 8.0 | 6.0 | 7.0 | 7.0 | 6.0 | 6.5 |
| 2 | 18.0 | 16.5 | 17.0 | 11.0 | 9.5 | 10.5 | 6.0 | 4.5 | 5.0 | 6.0 | 4.5 | 5.5 |
| 3 | 19.0 | 17.0 | 18.0 | 11.5 | 10.5 | 11.0 | 5.5 | 3.0 | 4.5 | 5.5 | 4.5 | 5.0 |
| 4 | 20.0 | 18.5 | 19.5 | 10.0 | 9.0 | 9.5 | 6.5 | 4.0 | 5.0 | 5.5 | 4.5 | 5.0 |
| 5 | 20.5 | 17.0 | 19.5 | 9.0 | 8.0 | 8.5 | 13.0 | 6.0 | 9.0 | 4.5 | 3.5 | 4.0 |
| 6 | 18.5 | 15.0 | 17.0 | 8.0 | 6.5 | 7.0 | 13.0 | 9.5 | --- | 4.5 | 4.0 | 4.0 |
| 7 | 15.5 | 14.5 | 15.0 | 7.0 | 5.5 | 6.0 | 9.5 | 7.0 | 8.0 | 5.0 | 4.5 | 4.5 |
| 8 | 16.0 | 14.0 | 15.5 | 6.5 | 5.0 | 5.5 | 6.5 | 5.5 | 6.0 | 4.5 | 3.0 | 3.5 |
| 9 | 17.0 | 15.0 | 16.0 | --- | --- | --- | 6.5 | 5.5 | 6.0 | 3.0 | 1.0 | 1.5 |
| 10 | 16.5 | 16.0 | --- | --- | --- | --- | 6.5 | 6.0 | 6.0 | 3.5 | 2.0 | 3.0 |
| 11 | 19.0 | 15.5 | --- | --- | --- | --- | 6.0 | 4.5 | 5.0 | 4.5 | 3.5 | 4.0 |
| 12 | 16.0 | 14.5 | 15.0 | 5.0 | 5.0 | --- | 4.0 | 3.0 | 3.5 | 4.5 | 3.0 | 4.0 |
| 13 | 16.0 | 14.0 | 15.0 | 7.0 | 4.5 | 5.5 | 4.0 | 3.0 | 3.0 | 3.0 | 1.0 | 1.5 |
| 14 | 17.0 | 15.0 | 15.5 | 9.5 | 6.5 | 8.0 | 6.0 | 4.5 | 5.5 | 1.5 | 0.5 | 1.0 |
| 15 | 16.0 | 14.0 | 15.0 | 12.0 | 8.5 | 10.0 | 6.0 | 4.5 | 5.0 | 4.0 | 1.5 | 2.5 |
| 16 | 16.0 | 14.5 | 15.5 | 12.0 | 10.5 | 11.5 | 5.0 | 1.5 | 3.5 | 6.0 | 4.0 | 5.0 |
| 17 | 14.5 | 12.0 | 13.0 | 10.5 | 6.5 | 9.0 | 1.5 | 0.0 | 0.5 | 6.5 | 5.5 | 6.0 |
| 18 | 11.5 | 10.5 | 11.0 | 7.0 | 5.5 | 6.0 | 1.5 | 0.5 | 1.0 | 5.0 | 3.5 | 4.0 |
| 19 | 11.0 | 9.0 | 10.0 | 8.0 | 6.0 | 6.5 | 1.0 | 0.5 | 1.0 | 5.5 | 3.5 | 4.5 |
| 20 | 12.0 | 9.5 | 11.0 | 8.5 | 6.5 | 7.5 | 3.5 | 0.5 | 1.5 | 5.5 | 4.5 | 5.5 |
| 21 | 13.0 | 10.0 | 11.5 | 8.0 | 6.5 | 7.0 | 5.0 | 3.5 | 4.5 | 5.5 | 4.0 | 5.0 |
| 22 | 12.0 | 10.0 | 11.0 | 10.0 | 8.0 | 9.0 | 3.5 | 3.0 | 3.0 | 5.0 | 4.0 | 4.5 |
| 23 | 12.0 | 9.5 | 11.0 | 9.5 | 8.0 | 9.0 | 4.5 | 3.5 | 4.0 | 6.5 | 4.5 | 5.5 |
| 24 | 13.0 | 10.0 | 11.5 | 10.0 | 8.5 | 9.0 | 4.5 | 3.5 | 4.0 | 7.0 | 6.5 | 6.5 |
| 25 | 12.0 | 10.0 | 11.0 | 11.5 | 9.5 | 10.5 | 5.0 | 3.5 | 4.0 | 7.0 | 6.0 | 6.5 |
| 26 | 13.5 | 10.5 | 12.0 | 11.5 | 10.5 | 11.0 | 7.0 | 5.0 | 6.0 | 6.0 | 4.5 | 5.0 |
| 27 | 14.0 | 11.0 | 12.5 | 11.0 | 10.5 | 10.5 | 10.0 | 8.0 | 9.0 | 10.0 | 5.5 | 7.5 |
| 28 | 12.0 | 10.5 | 11.5 | 13.5 | 11.0 | 12.0 | 10.0 | 8.5 | 9.0 | 9.5 | 8.5 | 8.5 |
| 29 | 13.5 | 11.5 | 12.5 | 13.0 | 9.0 | 11.0 | 8.0 | 6.5 | 7.5 | 9.0 | 8.0 | 8.5 |
| 30 | 13.5 | 10.5 | 11.5 | 9.0 | 8.0 | 8.0 | 8.0 | 6.5 | 7.0 | 9.0 | 7.0 | 8.5 |
| 31 | 10.5 | 9.0 | 10.0 | --- | --- | --- | 6.5 | 6.0 | 6.0 | 8.5 | 6.5 | 7.5 |
| MONTH | 20.5 | 9.0 | 14.0 | 13.5 | 4.5 | 9.0 | 13.0 | 0.0 | 5.0 | 10.0 | 0.5 | 5.0 |

DELAWARE RIVER BASIN

01481000 BRANDYWINE CREEK AT CHADDS FORD, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|------|------|-------|------|------|------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 7.0 | 5.5 | 6.0 | 8.5 | 6.5 | 7.0 | 8.0 | 5.5 | 6.5 | 15.0 | 13.0 | 13.5 |
| 2 | 5.5 | 4.5 | 5.0 | 8.0 | 6.0 | 6.5 | 10.0 | 7.0 | 8.5 | 15.0 | 11.5 | 13.5 |
| 3 | 4.0 | 3.0 | 3.5 | 9.5 | 6.5 | 7.5 | 13.5 | 9.0 | 11.0 | 14.5 | 12.0 | 13.0 |
| 4 | 3.0 | 2.0 | --- | 12.0 | 9.0 | 10.0 | 15.0 | 13.5 | 14.0 | 13.0 | 11.0 | 12.0 |
| 5 | --- | --- | --- | 12.0 | 11.5 | 12.0 | 15.0 | 13.5 | 14.5 | 13.0 | 10.0 | 11.5 |
| 6 | --- | --- | --- | 11.5 | 10.0 | 10.5 | 13.5 | 10.0 | 11.5 | 13.5 | 10.0 | 11.5 |
| 7 | --- | --- | --- | 13.0 | 9.5 | 11.0 | 11.0 | 8.5 | 10.0 | 13.5 | 12.0 | 13.0 |
| 8 | --- | --- | --- | 12.0 | 10.5 | 11.5 | 11.0 | 10.0 | 10.5 | 15.5 | 13.0 | 14.0 |
| 9 | --- | --- | --- | 10.5 | 8.0 | 9.0 | 10.0 | 8.0 | 8.5 | 16.5 | 13.5 | 15.0 |
| 10 | --- | --- | --- | 10.0 | 8.0 | 8.5 | 9.5 | 6.0 | 7.5 | 16.0 | 15.0 | 15.5 |
| 11 | --- | --- | --- | 9.0 | 6.5 | 8.0 | 11.0 | 8.0 | 9.5 | 16.5 | 12.0 | 14.0 |
| 12 | --- | --- | --- | 8.5 | 7.0 | 8.0 | 13.5 | 10.0 | 11.5 | 16.5 | 14.5 | 16.0 |
| 13 | --- | --- | --- | 7.0 | 5.0 | 5.5 | 14.5 | 13.0 | 13.5 | 14.5 | 13.0 | 13.5 |
| 14 | --- | --- | --- | 6.0 | 4.0 | 5.0 | 14.5 | 13.0 | 14.0 | 16.5 | 12.0 | 14.0 |
| 15 | 4.5 | 3.5 | --- | 6.5 | 5.0 | 5.5 | 14.5 | 13.5 | 14.0 | 20.0 | 15.5 | 18.0 |
| 16 | 3.5 | 1.5 | 2.0 | 8.5 | 6.5 | 7.5 | 14.5 | 11.0 | 13.0 | 21.5 | 18.5 | 20.0 |
| 17 | 4.0 | 2.0 | 3.0 | 8.0 | 5.5 | 6.5 | 14.5 | 11.5 | 13.0 | 23.0 | 19.5 | 21.0 |
| 18 | 4.0 | 2.0 | 3.0 | 8.0 | 3.5 | 5.5 | 15.0 | 10.5 | 13.5 | 22.0 | 20.5 | 21.5 |
| 19 | 5.0 | 3.5 | 4.0 | 9.0 | 6.5 | 7.5 | 15.0 | 11.5 | 13.0 | 21.0 | 19.0 | 19.5 |
| 20 | 6.5 | 5.0 | 5.5 | 10.0 | 8.0 | 9.0 | 13.5 | 9.5 | 11.5 | 19.0 | 16.5 | 18.0 |
| 21 | 6.5 | 4.5 | 5.5 | 10.0 | 8.5 | 9.0 | 15.5 | 11.0 | 13.5 | 19.0 | 16.0 | 17.5 |
| 22 | 10.0 | 6.0 | 7.5 | 8.5 | 5.5 | 7.0 | 18.0 | 14.5 | 16.0 | 20.5 | 17.0 | 18.5 |
| 23 | 10.0 | 6.5 | 8.0 | 10.0 | 6.0 | 7.5 | 18.0 | 15.0 | 16.0 | 20.5 | 19.5 | 20.0 |
| 24 | 6.5 | 4.5 | 5.5 | 11.5 | 10.0 | 10.5 | 14.5 | 11.5 | 12.5 | 20.5 | 18.5 | 19.5 |
| 25 | 5.5 | 3.5 | 4.5 | 10.5 | 6.5 | 8.0 | 13.5 | 10.0 | 12.0 | 19.5 | 18.0 | 19.0 |
| 26 | 4.0 | 1.0 | 3.0 | 8.0 | 5.0 | 6.5 | 14.5 | 11.0 | 13.0 | 18.5 | 16.5 | 17.0 |
| 27 | 4.0 | 1.5 | 3.0 | 9.0 | 6.5 | 8.0 | 15.5 | 12.0 | 14.0 | 16.5 | 15.5 | 15.5 |
| 28 | 6.5 | 3.5 | 5.0 | 10.5 | 8.5 | 9.5 | 16.5 | 13.0 | 15.0 | 16.5 | 14.5 | 15.5 |
| 29 | --- | --- | --- | 10.0 | 6.5 | 8.0 | 19.5 | 15.5 | 17.5 | 16.5 | 16.0 | 16.0 |
| 30 | --- | --- | --- | 6.0 | 6.0 | 6.0 | 18.5 | 15.0 | 16.0 | 19.0 | 16.5 | 17.5 |
| 31 | --- | --- | --- | 6.0 | 4.5 | 5.0 | --- | --- | --- | 19.0 | 18.0 | 18.5 |
| MONTH | --- | --- | --- | 13.0 | 3.5 | 8.0 | 19.5 | 5.5 | 12.5 | 23.0 | 10.0 | 16.0 |

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 19.0 | 18.0 | 18.5 | 23.5 | 20.5 | 22.0 | 25.0 | 22.0 | 24.0 | 25.5 | 23.5 | 24.5 |
| 2 | 18.5 | 16.5 | 17.5 | 23.5 | 20.5 | 22.0 | 24.5 | 23.0 | 23.5 | 25.0 | 23.0 | 24.0 |
| 3 | 19.0 | 15.5 | 17.0 | 25.0 | 22.0 | 23.5 | 24.0 | 22.0 | 23.0 | 23.5 | 21.5 | 22.5 |
| 4 | 20.5 | 17.0 | 19.0 | 26.5 | 24.5 | 25.5 | 25.0 | 23.5 | 24.0 | 22.0 | 19.5 | 20.5 |
| 5 | 21.0 | 19.0 | 20.0 | 25.5 | 22.0 | 23.5 | 24.5 | 23.0 | 23.5 | 19.5 | 18.0 | 19.0 |
| 6 | 21.0 | 19.0 | 20.0 | 24.5 | 23.0 | 24.0 | 24.0 | 22.0 | 23.0 | 19.0 | 18.0 | 18.5 |
| 7 | 20.5 | 19.0 | 19.5 | 25.5 | 23.5 | 24.5 | 23.0 | 21.5 | 22.0 | 18.0 | 16.5 | 17.0 |
| 8 | 19.5 | 18.5 | 19.0 | 26.0 | 23.5 | 25.0 | 21.5 | 20.5 | 21.0 | 19.5 | 17.0 | 18.5 |
| 9 | 22.0 | 18.5 | 20.0 | 26.5 | 24.0 | 25.0 | 23.0 | 20.5 | 21.5 | 20.5 | 19.0 | 19.5 |
| 10 | 25.0 | 21.5 | 23.0 | 27.0 | 25.0 | 26.0 | 23.5 | 21.0 | 22.0 | 21.5 | 19.5 | 20.5 |
| 11 | 25.0 | 24.0 | 24.5 | 25.5 | 23.0 | 24.5 | 23.0 | 20.0 | 21.5 | 21.5 | 20.5 | 21.0 |
| 12 | 25.0 | 21.5 | 23.0 | 24.0 | 21.5 | 22.5 | 23.0 | 20.0 | 21.5 | 22.0 | 20.5 | 21.0 |
| 13 | 25.0 | 23.5 | 24.5 | 24.0 | 20.5 | 22.5 | 23.0 | 20.5 | 21.5 | 24.0 | 21.0 | 22.5 |
| 14 | 24.5 | 21.0 | 22.0 | 25.0 | 21.0 | 23.0 | 24.5 | 21.0 | 23.0 | 23.5 | 21.0 | 22.5 |
| 15 | 21.0 | 19.5 | 20.5 | 25.5 | 24.0 | --- | 25.0 | 22.0 | 23.5 | 20.5 | 19.0 | 19.5 |
| 16 | 21.5 | 20.0 | 20.5 | --- | --- | --- | 24.5 | 21.5 | 23.5 | 19.5 | 18.0 | 19.0 |
| 17 | 23.0 | 20.0 | 21.5 | --- | --- | --- | 24.5 | 23.0 | 23.5 | 20.0 | 18.0 | 19.0 |
| 18 | 22.0 | 20.0 | 21.0 | 24.5 | 24.0 | --- | 24.0 | 21.0 | 23.0 | 20.0 | 18.0 | 19.0 |
| 19 | 22.0 | 19.5 | 21.0 | 25.5 | 23.5 | 24.5 | 24.5 | 22.0 | 23.5 | 20.0 | 18.5 | 19.5 |
| 20 | 23.5 | 21.0 | 22.0 | 25.0 | 23.0 | 24.0 | 24.5 | 21.5 | 23.5 | 21.0 | 19.0 | 20.0 |
| 21 | 23.5 | 22.0 | 22.5 | 24.0 | 21.0 | 22.5 | 24.0 | 22.0 | 23.5 | 22.0 | 20.5 | 21.0 |
| 22 | 23.5 | 21.0 | 22.5 | 23.5 | 20.5 | 22.0 | 24.0 | 23.0 | 23.5 | 20.0 | 18.5 | 19.0 |
| 23 | 23.5 | 18.5 | 20.0 | 22.0 | 20.5 | 21.5 | 25.0 | 23.0 | 24.0 | 18.5 | 15.5 | 17.0 |
| 24 | 19.0 | 17.0 | 18.0 | 21.5 | 20.0 | 20.5 | 25.5 | 23.5 | 24.5 | 15.5 | 13.0 | 14.0 |
| 25 | 18.5 | 17.0 | 18.0 | 21.0 | 19.0 | 20.0 | 24.5 | 21.5 | 23.0 | 14.0 | 11.5 | 13.0 |
| 26 | 18.5 | 16.5 | 17.0 | 21.5 | 20.5 | 21.0 | 24.0 | 23.0 | 23.5 | 15.5 | 13.0 | 14.0 |
| 27 | 19.0 | 18.0 | 18.5 | 23.5 | 21.0 | 22.0 | 24.5 | 22.0 | 23.0 | 16.5 | 14.0 | 15.0 |
| 28 | 18.0 | 16.0 | 17.0 | 24.5 | 23.0 | 23.5 | 25.5 | 23.5 | 24.5 | 17.0 | 15.0 | 16.0 |
| 29 | 19.0 | 15.5 | 17.0 | 25.5 | 23.0 | 24.5 | 26.5 | 24.5 | 25.5 | 19.0 | 18.0 | 18.5 |
| 30 | 21.5 | 18.5 | 20.0 | 24.5 | 23.0 | 24.0 | 26.5 | 25.0 | 25.5 | 18.0 | 16.0 | 16.5 |
| 31 | --- | --- | --- | 25.0 | 23.0 | 24.0 | 25.5 | 24.0 | 24.5 | --- | --- | --- |
| MONTH | 25.0 | 15.5 | 20.0 | 27.0 | 19.0 | 23.0 | 26.5 | 20.0 | 23.5 | 25.5 | 11.5 | 19.0 |

DELAWARE RIVER BASIN

179

01481500 BRANDYWINE CREEK AT WILMINGTON, DEL.

LOCATION.--Lat 39°46'09", long 75°34'25", New Castle County, at gaging station on right bank 0.2 mi (0.3 km) downstream from Henry Clay Bridge, in Wilmington, and 4.2 mi (6.8 km) upstream from mouth. Sediment samples are collected at the Henry Clay Bridge.

DRAINAGE AREA.--314 mi² (813 km²).

PERIOD OF RECORD.--Chemical analyses: October 1947 to September 1950, November 1951 to September 1952, October 1956 to September 1961, October 1961 to September 1962 (partial-record station), October 1963 to September 1972, February to September 1974.

Water temperatures: November 1956 to September 1961, October 1970 to September 1973.

Sediment records: December 1946 to September 1961, July 1962 to September 1974.

REMARKS.--Sediment data for this station on page 388. Streamflow records for water year 1973 available in the Maryland and Delaware State Annual Report, Part 1. Unpublished chemical-quality data and specific conductance, pH, and temperature of sediment samples available in the district office at Parkville, Md. Sediment data from 01481000 Brandywine Creek at Chadds Ford, Pa., are used in computation of sediment records.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) |
|-------|------|---|--|---------------|-----------------------------|------------------------------------|
| FEB. | | | | | | |
| 01... | 1215 | 511 | 193 | 7.5 | 5.0 | -- |
| MAR. | | | | | | |
| 01... | 1045 | 477 | 220 | -- | 4.5 | -- |
| APR. | | | | | | |
| 01... | 1000 | 1040 | 170 | -- | 5.0 | -- |
| MAY | | | | | | |
| 01... | 0950 | 472 | 207 | 7.6 | 18.5 | -- |
| JUNE | | | | | | |
| 03... | 1020 | 429 | 180 | -- | 16.5 | -- |
| JULY | | | | | | |
| 03... | 1016 | 309 | 220 | 7.3 | 23.0 | 8.0 |
| 10... | 0925 | 233 | 211 | 7.7 | 26.5 | 6.9 |
| AUG. | | | | | | |
| 02... | 1140 | 177 | 225 | 7.3 | 25.0 | 8.0 |
| SEP. | | | | | | |
| 03... | 1125 | 225 | 231 | 7.8 | 23.5 | 8.5 |

| DATE | TIME | DIS- SOLVED SILICA (SI02) (MG/L) | TOTAL IRON (FE) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HC03) (MG/L) | CAR- BONATE (C03) (MG/L) | ALKA- LINITY AS CAC03 (MG/L) | DIS- SOLVED SULFATE (S04) (MG/L) |
|-------|------|--|---------------------------------|---|--|---|--|--|--------------------------------------|-----------------------------------|--|--|
| FEB. | | | | | | | | | | | | |
| 01... | 1215 | 8.1 | 2400 | 260 | 15 | 6.3 | 7.7 | 2.2 | 47 | 0 | 39 | 20 |
| MAY | | | | | | | | | | | | |
| 01... | 0950 | 6.4 | 450 | 70 | 16 | 6.6 | 8.8 | 2.1 | 50 | 0 | 41 | 20 |
| JULY | | | | | | | | | | | | |
| 10... | 0925 | 8.4 | 1600 | 150 | 18 | 7.2 | 9.5 | 1.6 | 56 | 0 | 46 | 22 |

| DATE | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L) | HARD- NESS (CA+MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | COLOR (PLAT- INUM- COBALT UNITS) | CARBON DIOXIDE (C02) (MG/L) |
|-------|---|--|-----------------------------------|-----------------------------------|---|--|---|------------------------------------|---|--|--------------------------------------|
| FEB. | | | | | | | | | | | |
| 01... | 14 | .2 | 2.6 | .01 | -- | 2.6 | 97 | 63 | 25 | -- | 2.4 |
| MAY | | | | | | | | | | | |
| 01... | 13 | .1 | -- | -- | .13 | 2.1 | 98 | 67 | 26 | 2 | 2.0 |
| JULY | | | | | | | | | | | |
| 10... | 15 | .2 | -- | -- | .19 | 1.9 | 110 | 75 | 29 | 1 | 1.8 |

DELAWARE RIVER BASIN

01482100 DELAWARE RIVER AT DELAWARE MEMORIAL BRIDGE, NEAR WILMINGTON, DEL.

LOCATION.--Lat 39°41'21", long 75°31'19", New Castle County, at tidal-gaging station located on channel side of west tower of south bridge between Pigeon Point, Del., and Deepwater Point, N.J.

DRAINAGE AREA.--11,030 mi² (28,600 km²).

PERIOD OF RECORD.--Chemical analyses: July 1955 to September 1974.

Water temperatures: October 1956 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum, 7,180 micromhos July 29; minimum, 100 micromhos on many days during November and March to June.

Dissolved oxygen: Maximum, 12.8 mg/l Nov. 9; minimum, 0.0 mg/l July 8.

pH: Maximum, 7.1 Nov. 8, Mar. 16, 17; minimum, 5.3 June 1.

Water temperatures: Maximum, 28.0°C July 10; minimum, 1.5°C Jan. 14-16, 18-21.

Period of record:

Specific conductance (1963-74): Maximum, 12,700 micromhos Nov. 13, 1966; minimum, 100 micromhos on many days.

Dissolved oxygen (1962-74): Maximum, 13.5 mg/l Dec. 29, 1969; minimum, 0.0 mg/l on many days during summer periods.

pH (1968-74): Maximum, 9.3 Nov. 10-11, 13, 1970; minimum, 4.2 Nov. 6, 1969.

Water temperatures: Maximum, 31.0°C Aug. 9, 1968; minimum, freezing point on many days during winter periods.

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|------|------|----------|------|------|----------|------|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 3440 | 1500 | 2460 | 3550 | 890 | 2280 | --- | --- | --- | --- | --- | --- |
| 2 | 3640 | 1580 | 2460 | 2370 | 810 | --- | --- | --- | --- | 200 | 200 | --- |
| 3 | 3050 | 1440 | 2310 | --- | --- | --- | 3760 | 1400 | --- | 200 | 200 | 200 |
| 4 | 3080 | 1320 | 2160 | --- | --- | --- | 3520 | 1120 | 2260 | 240 | 200 | 202 |
| 5 | 2770 | 1380 | 2130 | 2920 | 840 | --- | 3920 | 1160 | 2460 | 240 | 200 | 208 |
| 6 | 2970 | 1090 | 2010 | 2240 | 560 | 1390 | 3080 | 640 | 1840 | 280 | 200 | 232 |
| 7 | 3090 | 1190 | 1990 | 2440 | 560 | 1390 | 2280 | 560 | 1320 | 240 | 200 | --- |
| 8 | 3170 | 1200 | 2050 | 3520 | 100 | 1610 | 2360 | 480 | 1180 | --- | --- | --- |
| 9 | 3240 | 1290 | 2220 | 2840 | 100 | 1360 | 3200 | 600 | 1490 | --- | --- | --- |
| 10 | 3100 | 1310 | 2270 | 3320 | 600 | 1640 | 1760 | 440 | 850 | --- | --- | --- |
| 11 | 3740 | 1520 | 2590 | 4640 | 720 | 2100 | 1080 | 360 | 577 | --- | --- | --- |
| 12 | 3620 | 1550 | 2670 | 5160 | 760 | 2460 | 1080 | 400 | 507 | --- | --- | --- |
| 13 | 3780 | 1540 | 2620 | 5600 | 880 | 2640 | 1240 | 400 | 547 | --- | --- | --- |
| 14 | 3700 | 1500 | 2610 | 5400 | 1040 | --- | 920 | 360 | 503 | --- | --- | --- |
| 15 | 3360 | 1590 | 2540 | --- | --- | --- | 480 | 360 | 427 | --- | --- | --- |
| 16 | 3500 | 1610 | 2560 | --- | --- | --- | 480 | 360 | 420 | --- | --- | --- |
| 17 | 3440 | 1670 | 2550 | --- | --- | --- | 480 | 360 | 422 | --- | --- | --- |
| 18 | 3550 | 1800 | 2630 | --- | --- | --- | 440 | 360 | 398 | --- | --- | --- |
| 19 | 3450 | 1680 | 2560 | --- | --- | --- | 480 | 360 | 402 | --- | --- | --- |
| 20 | 3290 | 1910 | 2670 | --- | --- | --- | 800 | 280 | 407 | --- | --- | --- |
| 21 | 3400 | 1700 | 2610 | --- | --- | --- | 480 | 360 | 382 | --- | --- | --- |
| 22 | 3310 | 1880 | 2640 | --- | --- | --- | 360 | 320 | 352 | 320 | 220 | --- |
| 23 | 3300 | 1850 | 2610 | --- | --- | --- | 360 | 320 | 325 | 300 | 200 | 236 |
| 24 | 3480 | 1910 | --- | --- | --- | --- | 320 | 320 | 320 | 260 | 200 | --- |
| 25 | --- | --- | --- | --- | --- | --- | 320 | 320 | 320 | --- | --- | --- |
| 26 | --- | --- | --- | 5960 | 1960 | --- | 320 | 320 | 320 | --- | --- | --- |
| 27 | --- | --- | --- | 5840 | 1360 | 3450 | 320 | 320 | --- | --- | --- | --- |
| 28 | --- | --- | --- | 1600 | 1600 | --- | --- | --- | --- | 360 | 280 | --- |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 340 | 260 | 303 |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 340 | 240 | 289 |
| 31 | 2060 | 1730 | --- | --- | --- | --- | --- | --- | --- | 320 | 240 | 265 |
| MONTH | 3780 | 1090 | --- | --- | --- | --- | 3920 | 280 | --- | --- | --- | --- |

DELAWARE RIVER BASIN

181

01482100 DELAWARE RIVER AT DELAWARE MEMORIAL BRIDGE, NEAR WILMINGTON, DEL.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 260 | 220 | 240 | --- | --- | --- | 580 | 100 | 277 | 940 | 100 | 369 |
| 2 | 260 | 200 | 237 | --- | --- | --- | 540 | 180 | 262 | 960 | 200 | 438 |
| 3 | 240 | 220 | --- | --- | --- | --- | 320 | 160 | 240 | 1320 | 180 | 631 |
| 4 | --- | --- | --- | --- | --- | --- | 500 | 180 | 256 | 1000 | 100 | --- |
| 5 | --- | --- | --- | --- | --- | --- | 440 | 100 | 241 | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | 300 | 140 | 215 | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | 340 | 120 | 238 | 500 | 180 | --- |
| 8 | --- | --- | --- | --- | --- | --- | 320 | 160 | 240 | 1000 | 340 | --- |
| 9 | --- | --- | --- | --- | --- | --- | 380 | 100 | 230 | --- | --- | --- |
| 10 | --- | --- | --- | --- | --- | --- | 320 | 120 | 235 | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | 280 | 140 | 211 | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | 320 | 100 | 208 | --- | --- | --- |
| 13 | --- | --- | --- | --- | --- | --- | 320 | 100 | 193 | 300 | 200 | --- |
| 14 | --- | --- | --- | --- | --- | --- | 340 | 140 | 216 | 420 | 180 | 268 |
| 15 | --- | --- | --- | --- | --- | --- | 360 | 100 | 234 | 320 | 180 | 259 |
| 16 | --- | --- | --- | --- | --- | --- | 360 | 100 | 231 | 320 | 220 | 267 |
| 17 | --- | --- | --- | --- | --- | --- | 380 | 100 | 230 | 320 | 200 | 258 |
| 18 | --- | --- | --- | --- | --- | --- | 340 | 140 | 225 | 300 | 200 | 258 |
| 19 | --- | --- | --- | --- | --- | --- | 300 | 120 | 202 | 360 | 220 | 279 |
| 20 | --- | --- | --- | --- | --- | --- | 520 | 100 | 229 | 560 | 200 | 273 |
| 21 | --- | --- | --- | --- | --- | --- | 340 | 100 | 221 | 840 | 200 | 327 |
| 22 | --- | --- | --- | --- | --- | --- | 340 | 120 | 238 | 820 | 180 | 353 |
| 23 | --- | --- | --- | --- | --- | --- | 520 | 120 | 257 | 740 | 180 | 374 |
| 24 | --- | --- | --- | --- | --- | --- | 660 | 100 | 277 | 840 | 200 | 419 |
| 25 | --- | --- | --- | --- | --- | --- | 620 | 100 | 274 | 1120 | 200 | 445 |
| 26 | --- | --- | --- | 480 | 180 | --- | 420 | 100 | 246 | 1180 | 200 | 527 |
| 27 | --- | --- | --- | 320 | 120 | 247 | 780 | 100 | 265 | 1520 | 240 | 667 |
| 28 | --- | --- | --- | 320 | 160 | 250 | 620 | 160 | 310 | 1560 | 220 | 713 |
| 29 | --- | --- | --- | 380 | 180 | 264 | 900 | 180 | 344 | 1540 | 200 | 614 |
| 30 | --- | --- | --- | 820 | 100 | 325 | 840 | 100 | 356 | 1340 | 180 | 497 |
| 31 | --- | --- | --- | 880 | 100 | 301 | --- | --- | --- | 1200 | 180 | 502 |
| MONTH | --- | --- | --- | --- | --- | --- | 900 | 100 | 247 | 1560 | 100 | --- |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 1240 | 180 | 508 | 4020 | 620 | 2010 | 5780 | 2420 | 4010 | 3260 | 1820 | 2490 |
| 2 | 980 | 180 | 426 | 3980 | 560 | 2000 | 5900 | 2220 | 4110 | 2480 | 1700 | 2270 |
| 3 | 1200 | 200 | 498 | 4000 | 540 | 2000 | 6720 | 2180 | 4140 | 2500 | 1060 | 1940 |
| 4 | 1260 | 180 | 474 | 3880 | 760 | 2140 | 5740 | 1940 | 3710 | 3220 | 540 | 1710 |
| 5 | 1200 | 200 | 478 | 4060 | 820 | 2300 | 4860 | 1500 | 3220 | 2740 | 500 | 1620 |
| 6 | 1180 | 100 | 492 | 3460 | 620 | 1990 | 4300 | 1520 | 2940 | 2360 | 440 | 1360 |
| 7 | 1240 | 200 | 584 | 3460 | 760 | 2010 | 3880 | 1620 | --- | 1980 | 340 | 1150 |
| 8 | 1340 | 180 | 626 | 3340 | 760 | 2040 | --- | --- | --- | 1480 | 240 | 858 |
| 9 | 1520 | 220 | 661 | 3720 | 960 | 2320 | --- | --- | --- | 1040 | 280 | 623 |
| 10 | 1540 | 220 | 790 | 3400 | 1280 | 2480 | --- | --- | --- | 1420 | 200 | 528 |
| 11 | --- | --- | --- | 3340 | 1680 | 2730 | --- | --- | --- | 2260 | 220 | 663 |
| 12 | --- | --- | --- | 2700 | 2480 | 2560 | 5280 | 1600 | --- | 2120 | 220 | 757 |
| 13 | --- | --- | --- | 2840 | 2620 | 2770 | 5520 | 1580 | 3100 | 1460 | 200 | 668 |
| 14 | --- | --- | --- | 2940 | 2800 | 2840 | 5460 | 1600 | 3160 | 1500 | 220 | 428 |
| 15 | --- | --- | --- | 4240 | 1020 | 2730 | 5860 | 1540 | 3220 | 580 | 240 | 393 |
| 16 | --- | --- | --- | 4800 | 980 | 2450 | 5920 | 1560 | 3370 | 560 | 500 | 531 |
| 17 | 3540 | 240 | --- | 5060 | 1160 | 2720 | 5160 | 1780 | 3600 | 580 | 560 | 573 |
| 18 | 3540 | 320 | 1440 | 5780 | 1200 | 3030 | 5900 | 1780 | 3660 | 560 | 500 | 540 |
| 19 | 3080 | 380 | 1560 | 4980 | 1300 | 3160 | 5620 | 1580 | 3540 | 2580 | 440 | 1010 |
| 20 | 3780 | 220 | 1670 | 5480 | 1300 | 3240 | 5320 | 1700 | 3520 | 2400 | 380 | 1330 |
| 21 | 3680 | 400 | 1800 | 5900 | 1660 | 3690 | 5500 | 1800 | 3720 | 2420 | 280 | 1350 |
| 22 | 3600 | 540 | 1920 | 6600 | 1860 | 4000 | 5340 | 1860 | 3710 | 2720 | 460 | 1190 |
| 23 | 4000 | 580 | 2090 | 6220 | 2060 | 4260 | 5000 | 1300 | 3360 | 1980 | 360 | 1170 |
| 24 | 4360 | 600 | 2240 | 6820 | 2540 | 4420 | 4420 | 1420 | 2960 | 2320 | 440 | 1330 |
| 25 | 3760 | 580 | 2180 | 6360 | 2320 | 4310 | 4580 | 1320 | 2820 | 2600 | 680 | 1490 |
| 26 | 3520 | 580 | 2130 | 6460 | 2500 | 4390 | 4860 | 1440 | 2950 | 2960 | 580 | 1520 |
| 27 | 3880 | 520 | 2030 | 6420 | 2500 | 4360 | 4420 | 1620 | 2920 | 3000 | 680 | 1590 |
| 28 | 3660 | 800 | 2160 | 7000 | 2700 | 4470 | 4200 | 1380 | 2690 | 3020 | 620 | 1660 |
| 29 | 3980 | 540 | 2140 | 7180 | 2820 | 4690 | 4060 | 1260 | 2590 | 2420 | 300 | 1400 |
| 30 | 4320 | 600 | 2070 | 6680 | 2660 | 4510 | 4080 | 1260 | 2570 | 1760 | 200 | --- |
| 31 | --- | --- | --- | 6240 | 2600 | 4240 | 3700 | 1220 | 2340 | --- | --- | --- |
| MONTH | 4360 | 100 | --- | 7180 | 540 | 3120 | 6720 | 1220 | 3280 | 3260 | 200 | 1180 |

DELAWARE RIVER BASIN

01482100 DELAWARE RIVER AT DELAWARE MEMORIAL BRIDGE, NEAR WILMINGTON, DEL.--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|-----|------|----------|-----|------|----------|------|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 5.0 | 1.7 | 3.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | 6.0 | 2.4 | 3.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | 5.3 | 1.9 | 3.5 | --- | --- | --- | 7.2 | 2.2 | --- | --- | --- | --- |
| 4 | 4.9 | 1.7 | 3.0 | --- | --- | --- | 5.6 | 1.2 | 3.3 | --- | --- | --- |
| 5 | 5.3 | 1.6 | 3.2 | 7.2 | 4.2 | --- | 6.2 | 0.8 | 3.5 | --- | --- | --- |
| 6 | 5.0 | 1.8 | 3.5 | 6.6 | 3.9 | 5.1 | 4.8 | 0.9 | 2.7 | --- | --- | --- |
| 7 | 5.4 | 1.9 | 3.3 | 7.9 | 4.9 | 5.9 | 3.7 | 1.1 | 2.0 | 9.7 | 8.8 | --- |
| 8 | 5.7 | 1.8 | 3.4 | 11.1 | 4.0 | 6.4 | 4.4 | 1.2 | 2.6 | 9.9 | 9.4 | 9.6 |
| 9 | 5.4 | 1.7 | 3.5 | 12.8 | 4.0 | 6.0 | 9.6 | 3.8 | 6.4 | 9.8 | 9.1 | 9.5 |
| 10 | 4.7 | 1.0 | 3.0 | 8.1 | 4.4 | 5.9 | 7.1 | 5.6 | 6.5 | 9.7 | 9.1 | 9.5 |
| 11 | 6.0 | 1.8 | 3.7 | 9.6 | 5.0 | 6.7 | 7.2 | 5.4 | 6.5 | 9.6 | 8.9 | 9.4 |
| 12 | 5.3 | 1.5 | 3.5 | 9.3 | 5.0 | 6.9 | 8.2 | 7.1 | 7.6 | 9.4 | 8.6 | 9.1 |
| 13 | 5.6 | 1.1 | 3.6 | 10.4 | 5.1 | 7.3 | 9.2 | 7.4 | 8.1 | 9.4 | 8.6 | 9.0 |
| 14 | 6.2 | 2.1 | 4.1 | 9.2 | 4.6 | --- | 10.2 | 8.6 | 9.0 | 9.4 | 8.7 | 9.1 |
| 15 | 7.3 | 2.3 | 4.7 | --- | --- | --- | 10.3 | 8.9 | 9.5 | 9.5 | 8.8 | 9.2 |
| 16 | 7.6 | 2.9 | 5.1 | --- | --- | --- | 10.7 | 9.2 | 10.0 | 9.4 | 8.9 | 9.1 |
| 17 | 7.8 | 3.2 | 5.3 | --- | --- | --- | 11.0 | 10.9 | --- | 9.2 | 8.5 | 8.8 |
| 18 | 8.2 | 3.7 | 5.8 | --- | --- | --- | --- | --- | --- | 8.8 | 8.2 | 8.5 |
| 19 | 8.1 | 3.2 | 5.7 | --- | --- | --- | 9.4 | 8.4 | --- | 8.9 | 8.2 | 8.6 |
| 20 | 7.9 | 3.9 | 6.2 | --- | --- | --- | 8.3 | 7.7 | --- | 8.7 | 8.0 | 8.4 |
| 21 | 8.1 | 3.2 | 6.0 | --- | --- | --- | --- | --- | --- | 8.9 | 8.4 | 8.6 |
| 22 | 7.5 | 3.4 | 5.7 | --- | --- | --- | --- | --- | --- | 9.5 | 8.4 | 9.0 |
| 23 | 6.8 | 2.8 | 5.1 | --- | --- | --- | --- | --- | --- | 10.0 | 9.5 | 9.7 |
| 24 | 6.6 | 2.1 | --- | --- | --- | --- | --- | --- | --- | 10.3 | 9.8 | 10.0 |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.2 | 9.5 | 9.9 |
| 26 | --- | --- | --- | 8.0 | 2.3 | --- | --- | --- | --- | 9.7 | 9.3 | 9.6 |
| 27 | --- | --- | --- | 8.1 | 0.9 | 4.2 | --- | --- | --- | 9.9 | 9.2 | 9.5 |
| 28 | --- | --- | --- | 2.5 | 2.5 | --- | --- | --- | --- | 9.3 | 8.3 | 8.8 |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.0 | 8.3 | 8.6 |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.0 | 8.4 | 8.6 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.2 | 8.3 | 8.8 |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.3 | 8.0 | --- |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 9.6 | 9.1 | 9.3 | --- | --- | --- | 9.7 | 8.7 | 9.3 | 5.8 | 4.2 | 5.2 |
| 2 | 9.9 | 9.2 | 9.5 | --- | --- | --- | 9.3 | 8.3 | 8.8 | 6.5 | 4.5 | 5.6 |
| 3 | 10.0 | 9.8 | --- | --- | --- | --- | 8.6 | 8.1 | 8.3 | 6.0 | 4.4 | 5.5 |
| 4 | --- | --- | --- | --- | --- | --- | 8.6 | 8.0 | 8.2 | 5.7 | 3.2 | --- |
| 5 | --- | --- | --- | --- | --- | --- | 8.6 | 8.0 | 8.3 | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | 8.5 | 8.1 | 8.3 | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | 8.4 | 8.2 | 8.3 | 6.2 | 4.5 | --- |
| 8 | --- | --- | --- | --- | --- | --- | 8.8 | 8.1 | 8.4 | 6.3 | 5.3 | --- |
| 9 | --- | --- | --- | --- | --- | --- | 8.7 | 8.5 | 8.6 | --- | --- | --- |
| 10 | --- | --- | --- | --- | --- | --- | 9.2 | 8.5 | 8.8 | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | 9.2 | 8.5 | 8.8 | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | 8.8 | 8.2 | 8.5 | --- | --- | --- |
| 13 | --- | --- | --- | 7.7 | 6.7 | --- | 8.7 | 7.8 | 8.3 | 6.3 | 3.7 | --- |
| 14 | --- | --- | --- | 8.6 | 6.2 | 7.8 | 8.2 | 7.7 | 7.9 | 7.2 | 3.6 | 5.4 |
| 15 | --- | --- | --- | 9.4 | 7.4 | 8.3 | 8.3 | 7.7 | 8.0 | 7.6 | 3.7 | 5.4 |
| 16 | --- | --- | --- | 9.2 | 7.3 | --- | 8.6 | 8.1 | 8.4 | 6.7 | 3.7 | 4.9 |
| 17 | --- | --- | --- | --- | --- | --- | 8.4 | 8.0 | 8.2 | 6.9 | 3.7 | 5.0 |
| 18 | --- | --- | --- | --- | --- | --- | 8.2 | 7.8 | 8.0 | 7.4 | 3.4 | 4.9 |
| 19 | --- | --- | --- | --- | --- | --- | 7.9 | 7.6 | 7.8 | 7.3 | 3.4 | 5.1 |
| 20 | --- | --- | --- | --- | --- | --- | 7.8 | 7.1 | 7.5 | 7.6 | 3.3 | 5.4 |
| 21 | --- | --- | --- | --- | --- | --- | 7.5 | 6.6 | 7.2 | 7.5 | 3.5 | 5.7 |
| 22 | --- | --- | --- | --- | --- | --- | 7.3 | 6.2 | 6.8 | 7.4 | 3.5 | 5.4 |
| 23 | --- | --- | --- | --- | --- | --- | 7.4 | 5.8 | 6.6 | 6.6 | 3.1 | 4.7 |
| 24 | --- | --- | --- | --- | --- | --- | 7.1 | 5.7 | 6.6 | 5.4 | 2.6 | 4.1 |
| 25 | --- | --- | --- | --- | --- | --- | 7.7 | 5.6 | 6.7 | 4.8 | 2.2 | 3.7 |
| 26 | --- | --- | --- | 8.5 | 7.8 | --- | 7.2 | 5.3 | 6.4 | 4.8 | 2.1 | 3.6 |
| 27 | --- | --- | --- | 8.6 | 7.9 | 8.1 | 7.2 | 5.2 | 6.3 | 4.2 | 2.2 | 3.2 |
| 28 | --- | --- | --- | 8.4 | 7.7 | 8.0 | 6.6 | 5.0 | 6.1 | 4.1 | 2.0 | 3.1 |
| 29 | --- | --- | --- | 8.9 | 7.8 | 8.3 | 6.1 | 4.6 | 5.6 | 5.5 | 2.3 | 3.9 |
| 30 | --- | --- | --- | 9.8 | 8.7 | 9.3 | 6.1 | 4.4 | 5.3 | 5.5 | 2.6 | 3.8 |
| 31 | --- | --- | --- | 9.6 | 8.9 | 9.3 | --- | --- | --- | 5.7 | 2.5 | 3.8 |
| MONTH | --- | --- | --- | --- | --- | --- | 9.7 | 4.4 | 7.7 | 7.6 | 2.0 | --- |

01482100 DELAWARE RIVER AT DELAWARE MEMORIAL BRIDGE, NEAR WILMINGTON, DEL.--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 5.0 | 2.2 | 3.7 | 6.1 | 3.7 | 4.8 | 3.4 | 1.7 | 2.6 | 3.2 | 0.7 | 2.0 |
| 2 | 5.6 | 1.7 | 3.2 | 5.7 | 2.8 | 4.1 | 4.1 | 1.5 | 2.8 | 3.8 | 0.6 | 2.0 |
| 3 | 5.4 | 2.2 | 3.4 | 5.8 | 2.1 | 3.4 | 4.5 | 2.6 | 3.7 | 4.3 | 1.1 | 2.6 |
| 4 | 5.2 | 1.7 | 3.0 | 4.9 | 1.4 | 2.6 | 5.0 | 3.2 | 4.3 | 4.6 | 1.3 | 2.9 |
| 5 | 4.8 | 1.5 | 2.8 | 5.0 | 1.3 | 2.7 | 5.0 | 3.0 | 4.1 | 5.1 | 1.9 | 3.4 |
| 6 | 4.9 | 1.2 | 2.6 | 3.9 | 0.2 | 1.6 | 4.5 | 2.6 | 3.8 | 5.0 | 2.0 | 3.6 |
| 7 | 5.5 | 2.4 | 3.8 | 2.8 | 0.2 | 1.3 | 4.1 | 2.2 | --- | 6.4 | 2.7 | 4.5 |
| 8 | 6.3 | 3.8 | 4.8 | 2.6 | 0.0 | 1.1 | --- | --- | --- | 5.0 | 1.7 | 3.7 |
| 9 | 6.1 | 3.2 | 4.4 | 2.7 | 0.1 | 1.3 | --- | --- | --- | 3.7 | 1.0 | 2.5 |
| 10 | 5.0 | 2.8 | --- | 3.3 | 0.2 | 1.7 | --- | --- | --- | 2.5 | 0.5 | 1.4 |
| 11 | --- | --- | --- | 4.9 | 0.8 | 2.7 | --- | --- | --- | 3.1 | 0.4 | 1.1 |
| 12 | --- | --- | --- | 5.9 | 1.7 | 3.8 | 5.4 | 3.0 | --- | 1.9 | 0.6 | 1.0 |
| 13 | --- | --- | --- | 5.8 | 2.6 | 4.2 | 5.4 | 2.9 | 3.7 | 1.8 | 0.8 | 1.1 |
| 14 | --- | --- | --- | 6.0 | 2.8 | 4.2 | 5.0 | 2.6 | 3.4 | 3.8 | 1.2 | 2.4 |
| 15 | --- | --- | --- | 4.1 | 2.2 | 3.3 | 5.0 | 2.3 | 3.2 | 4.0 | 1.7 | 2.9 |
| 16 | --- | --- | --- | 4.4 | 2.0 | 3.0 | 4.8 | 2.0 | 3.0 | 3.5 | 1.8 | 2.9 |
| 17 | 5.2 | 2.3 | --- | 4.4 | 2.0 | 3.2 | 4.6 | 2.2 | 3.2 | 3.4 | 2.0 | 2.6 |
| 18 | 5.0 | 1.4 | 2.8 | 4.6 | 2.2 | 3.2 | 4.7 | 1.8 | 2.9 | 2.4 | 2.1 | 2.3 |
| 19 | 4.5 | 0.7 | 2.5 | 4.0 | 1.8 | 3.0 | 3.8 | 1.3 | 2.4 | 3.5 | 2.2 | 2.6 |
| 20 | 5.0 | 1.3 | 2.5 | 4.2 | 1.6 | 3.2 | 4.6 | 1.2 | 2.7 | 3.4 | 1.5 | 2.5 |
| 21 | 3.9 | 0.5 | 2.1 | 4.6 | 2.3 | 3.6 | 5.1 | 1.3 | 3.1 | 4.4 | 2.0 | 2.8 |
| 22 | 3.7 | 0.2 | 1.7 | 4.5 | 2.1 | 3.4 | 4.5 | 2.0 | 3.2 | 5.6 | 2.6 | 3.2 |
| 23 | 3.6 | 0.4 | 2.1 | 4.2 | 1.9 | 3.2 | 4.2 | 2.0 | 3.1 | 5.4 | 2.8 | 4.0 |
| 24 | 4.4 | 0.7 | 2.5 | 4.3 | 2.0 | 3.3 | 3.5 | 1.3 | 2.4 | 5.9 | 3.9 | 4.9 |
| 25 | 4.6 | 0.8 | 2.7 | 4.1 | 1.8 | 3.0 | 3.6 | 1.2 | 2.2 | 6.1 | 4.0 | 4.8 |
| 26 | 4.5 | 0.5 | 2.6 | 3.7 | 1.7 | 2.8 | 5.4 | 1.1 | 2.5 | 6.0 | 3.8 | 4.5 |
| 27 | 4.1 | 0.3 | 2.1 | 3.5 | 1.6 | 2.6 | 4.7 | 1.5 | 2.8 | 5.3 | 3.4 | 4.2 |
| 28 | 7.8 | 1.5 | 4.4 | 3.6 | 1.6 | 2.4 | 3.9 | 1.5 | 2.5 | 5.4 | 3.2 | 4.0 |
| 29 | 6.6 | 4.2 | 5.3 | 4.5 | 1.4 | 2.7 | 3.6 | 1.3 | 2.2 | 4.4 | 2.6 | 3.6 |
| 30 | 7.2 | 3.9 | 5.0 | 3.9 | 1.9 | 2.9 | 3.7 | 1.1 | 2.2 | 4.2 | 2.3 | --- |
| 31 | --- | --- | --- | 3.5 | 1.7 | 2.6 | 3.6 | 0.9 | 2.1 | --- | --- | --- |
| MONTH | 7.8 | 0.2 | --- | 6.1 | 0.0 | 2.9 | 5.4 | 0.9 | 3.0 | 6.4 | 0.4 | 3.0 |

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.6 | 6.4 | --- |
| 3 | --- | --- | --- | --- | --- | --- | 6.6 | 6.4 | --- | 6.5 | 6.4 | 6.5 |
| 4 | --- | --- | --- | --- | --- | --- | 6.5 | 6.3 | 6.4 | 6.6 | 6.4 | 6.5 |
| 5 | --- | --- | --- | 6.7 | 6.5 | --- | 6.8 | 6.3 | 6.5 | 6.6 | 6.4 | 6.5 |
| 6 | --- | --- | --- | 6.6 | 6.5 | 6.5 | 6.5 | 6.3 | 6.4 | 6.5 | 6.4 | 6.5 |
| 7 | --- | --- | --- | 6.7 | 6.5 | 6.6 | 6.6 | 6.3 | 6.5 | 6.5 | 6.2 | 6.4 |
| 8 | --- | --- | --- | 7.1 | 6.5 | 6.6 | 6.6 | 6.4 | 6.5 | 6.4 | 6.2 | 6.3 |
| 9 | --- | --- | --- | 7.0 | 6.5 | 6.6 | 6.6 | 6.3 | 6.5 | 6.4 | 6.2 | 6.3 |
| 10 | --- | --- | --- | 6.7 | 6.5 | 6.6 | 6.7 | 6.4 | 6.6 | 6.4 | 6.3 | 6.3 |
| 11 | --- | --- | --- | 6.8 | 6.5 | 6.6 | 6.8 | 6.6 | 6.7 | 6.3 | 6.2 | 6.3 |
| 12 | --- | --- | --- | 6.8 | 6.6 | 6.7 | 6.8 | 6.7 | 6.8 | 6.5 | 6.3 | 6.4 |
| 13 | --- | --- | --- | 6.8 | 6.6 | 6.7 | 6.8 | 6.7 | 6.8 | 6.4 | 6.3 | 6.4 |
| 14 | --- | --- | --- | 6.8 | 6.6 | --- | 6.8 | 6.7 | 6.8 | 6.4 | 6.3 | 6.4 |
| 15 | --- | --- | --- | --- | --- | --- | 6.8 | 6.7 | 6.8 | 6.4 | 6.3 | 6.4 |
| 16 | --- | --- | --- | --- | --- | --- | 6.8 | 6.7 | 6.8 | 6.4 | 6.2 | 6.3 |
| 17 | --- | --- | --- | --- | --- | --- | 6.9 | 6.7 | 6.8 | 6.5 | 6.3 | 6.4 |
| 18 | --- | --- | --- | --- | --- | --- | 6.9 | 6.7 | 6.8 | 6.4 | 6.3 | 6.3 |
| 19 | --- | --- | --- | --- | --- | --- | 6.9 | 6.7 | 6.8 | 6.4 | 6.2 | 6.3 |
| 20 | --- | --- | --- | --- | --- | --- | 6.8 | 6.7 | --- | 6.5 | 6.2 | 6.4 |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.4 | 6.3 | 6.3 |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.5 | 6.2 | 6.4 |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.5 | 6.3 | 6.4 |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.5 | 6.4 | 6.5 |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.4 | 6.4 | 6.4 |
| 26 | --- | --- | --- | 6.7 | 6.4 | --- | --- | --- | --- | 6.4 | 6.3 | 6.4 |
| 27 | --- | --- | --- | 6.7 | 6.3 | 6.5 | --- | --- | --- | 6.9 | 6.3 | 6.4 |
| 28 | --- | --- | --- | 6.4 | 6.4 | --- | --- | --- | --- | 6.5 | 6.3 | 6.4 |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.6 | 6.3 | 6.4 |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.5 | 6.3 | 6.4 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.6 | 6.4 | 6.5 |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.9 | 6.2 | 6.4 |

DELAWARE RIVER BASIN

01482100 DELAWARE RIVER AT DELAWARE MEMORIAL BRIDGE, NEAR WILMINGTON, DEL.--Continued

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6.6 | 6.5 | 6.5 | --- | --- | --- | 6.9 | 6.7 | 6.9 | 6.6 | 6.4 | 6.5 |
| 2 | 6.6 | 6.4 | 6.5 | --- | --- | --- | 6.9 | 6.6 | 6.8 | 6.6 | 6.4 | 6.5 |
| 3 | 6.6 | 6.5 | --- | --- | --- | --- | 6.8 | 6.5 | 6.7 | 6.6 | 6.2 | 6.4 |
| 4 | --- | --- | --- | --- | --- | --- | 6.9 | 6.6 | 6.8 | 6.5 | 6.4 | --- |
| 5 | --- | --- | --- | --- | --- | --- | 6.8 | 6.0 | 6.7 | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | 6.9 | 6.8 | 6.8 | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | 6.9 | 6.8 | 6.8 | 6.5 | 6.2 | --- |
| 8 | --- | --- | --- | --- | --- | --- | 6.9 | 6.7 | 6.8 | 6.6 | 6.3 | --- |
| 9 | --- | --- | --- | --- | --- | --- | 6.8 | 6.5 | 6.7 | --- | --- | --- |
| 10 | --- | --- | --- | --- | --- | --- | 6.9 | 6.8 | 6.9 | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | 6.9 | 6.5 | 6.7 | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | 6.7 | 6.2 | 6.5 | --- | --- | --- |
| 13 | --- | --- | --- | 6.6 | 6.4 | --- | 6.6 | 6.1 | 6.4 | 6.6 | 6.4 | --- |
| 14 | --- | --- | --- | 6.7 | 6.5 | 6.6 | 6.6 | 6.2 | 6.4 | 6.6 | 6.4 | 6.5 |
| 15 | --- | --- | --- | 6.9 | 6.5 | 6.7 | 6.6 | 6.2 | 6.4 | 6.9 | 6.5 | 6.7 |
| 16 | --- | --- | --- | 7.1 | 6.5 | 6.8 | 6.6 | 6.5 | 6.5 | 6.6 | 6.4 | 6.6 |
| 17 | --- | --- | --- | 7.1 | 6.8 | --- | 6.6 | 6.5 | 6.6 | 6.7 | 6.3 | 6.5 |
| 18 | --- | --- | --- | --- | --- | --- | 6.6 | 6.4 | 6.5 | 6.7 | 6.2 | 6.5 |
| 19 | --- | --- | --- | --- | --- | --- | 6.6 | 6.5 | 6.6 | 6.6 | 6.2 | 6.4 |
| 20 | --- | --- | --- | --- | --- | --- | 6.6 | 6.4 | 6.5 | 6.7 | 6.2 | 6.4 |
| 21 | --- | --- | --- | --- | --- | --- | 6.5 | 6.4 | 6.5 | 6.7 | 6.1 | 6.4 |
| 22 | --- | --- | --- | --- | --- | --- | 6.6 | 6.4 | 6.5 | 6.7 | 6.2 | 6.4 |
| 23 | --- | --- | --- | --- | --- | --- | 6.7 | 6.5 | 6.6 | 6.6 | 6.3 | 6.4 |
| 24 | --- | --- | --- | --- | --- | --- | 6.6 | 6.5 | 6.6 | 6.5 | 6.0 | 6.3 |
| 25 | --- | --- | --- | --- | --- | --- | 6.7 | 6.4 | 6.6 | 6.4 | 6.2 | 6.3 |
| 26 | --- | --- | --- | 6.8 | 6.6 | --- | 6.7 | 6.4 | 6.6 | 6.4 | 6.1 | 6.3 |
| 27 | --- | --- | --- | 6.9 | 6.6 | 6.7 | 6.8 | 6.4 | 6.6 | 6.4 | 6.2 | 6.3 |
| 28 | --- | --- | --- | 6.7 | 6.6 | 6.7 | 6.6 | 6.4 | 6.6 | 6.3 | 6.0 | 6.2 |
| 29 | --- | --- | --- | 6.8 | 6.6 | 6.7 | 6.6 | 6.4 | 6.5 | 6.4 | 6.0 | 6.2 |
| 30 | --- | --- | --- | 6.9 | 6.4 | 6.6 | 6.6 | 6.0 | 6.5 | 6.5 | 6.0 | 6.2 |
| 31 | --- | --- | --- | 6.9 | 6.7 | 6.8 | --- | --- | --- | 6.3 | 6.0 | 6.2 |
| MONTH | --- | --- | --- | --- | --- | --- | 6.9 | 6.0 | 6.6 | 6.9 | 6.0 | --- |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6.3 | 5.3 | 5.9 | 6.4 | 6.1 | 6.3 | --- | --- | --- | --- | --- | --- |
| 2 | 6.3 | 5.8 | 6.1 | 6.4 | 6.1 | 6.2 | --- | --- | --- | --- | --- | --- |
| 3 | 6.3 | 6.0 | 6.1 | 6.4 | 6.1 | 6.2 | --- | --- | --- | --- | --- | --- |
| 4 | 6.4 | 5.9 | 6.1 | 6.3 | 6.1 | 6.2 | --- | --- | --- | --- | --- | --- |
| 5 | 6.3 | 5.8 | 6.1 | 6.3 | 6.0 | 6.2 | --- | --- | --- | --- | --- | --- |
| 6 | 6.3 | 5.9 | 6.1 | 6.2 | 6.0 | 6.1 | --- | --- | --- | --- | --- | --- |
| 7 | 6.3 | 5.9 | 6.1 | 6.2 | 6.0 | 6.1 | --- | --- | --- | --- | --- | --- |
| 8 | 6.2 | 5.8 | 6.0 | 6.2 | 6.0 | 6.1 | --- | --- | --- | --- | --- | --- |
| 9 | 6.3 | 6.0 | 6.1 | 6.2 | 6.1 | 6.1 | --- | --- | --- | --- | --- | --- |
| 10 | 6.3 | 6.0 | 6.1 | 6.3 | 6.0 | 6.2 | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | 6.4 | 6.1 | 6.3 | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | 6.5 | 6.1 | 6.3 | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | 6.5 | 6.2 | 6.3 | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | 6.6 | 6.2 | 6.3 | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | 6.6 | 6.2 | 6.4 | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | 6.6 | 6.3 | 6.4 | --- | --- | --- | --- | --- | --- |
| 17 | 6.7 | 6.3 | --- | 6.6 | 6.3 | 6.4 | --- | --- | --- | --- | --- | --- |
| 18 | 6.7 | 6.3 | 6.4 | 6.7 | 6.4 | 6.5 | --- | --- | --- | --- | --- | --- |
| 19 | 6.6 | 6.3 | 6.4 | 6.6 | 6.4 | 6.5 | --- | --- | --- | --- | --- | --- |
| 20 | 6.7 | 6.3 | 6.5 | 6.7 | 6.5 | 6.6 | --- | --- | --- | --- | --- | --- |
| 21 | 6.7 | 6.4 | 6.5 | 6.8 | 6.5 | 6.6 | --- | --- | --- | --- | --- | --- |
| 22 | 6.7 | 6.4 | 6.5 | 6.7 | 6.4 | 6.5 | --- | --- | --- | --- | --- | --- |
| 23 | 6.7 | 6.4 | 6.6 | 6.6 | 6.4 | 6.5 | --- | --- | --- | --- | --- | --- |
| 24 | 6.7 | 6.4 | 6.5 | 6.6 | 6.4 | 6.5 | --- | --- | --- | --- | --- | --- |
| 25 | 6.6 | 6.1 | 6.4 | 6.6 | 6.0 | 6.4 | --- | --- | --- | --- | --- | --- |
| 26 | 6.3 | 5.9 | 6.2 | 6.5 | 6.4 | 6.5 | --- | --- | --- | --- | --- | --- |
| 27 | 6.3 | 6.0 | 6.2 | 6.5 | 6.3 | 6.4 | --- | --- | --- | --- | --- | --- |
| 28 | 6.4 | 6.0 | 6.2 | 6.5 | 6.4 | 6.4 | --- | --- | --- | --- | --- | --- |
| 29 | 6.4 | 6.1 | 6.3 | 6.6 | 6.3 | 6.4 | --- | --- | --- | --- | --- | --- |
| 30 | 6.5 | 6.1 | 6.3 | 6.5 | 6.3 | 6.4 | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | 6.4 | 6.3 | 6.3 | --- | --- | --- | --- | --- | --- |
| MONTH | 6.7 | 5.3 | --- | 6.8 | 6.0 | 6.3 | --- | --- | --- | --- | --- | --- |

01482100 DELAWARE RIVER AT DELAWARE MEMORIAL BRIDGE, NEAR WILMINGTON, DEL.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|------|------|----------|------|------|----------|------|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 21.0 | 20.5 | 21.0 | 15.0 | 14.0 | 14.5 | --- | --- | --- | --- | --- | --- |
| 2 | 21.0 | 20.5 | 20.5 | 15.0 | 14.0 | --- | --- | --- | --- | 5.0 | 4.0 | --- |
| 3 | 21.5 | 20.5 | 21.0 | --- | --- | --- | 10.0 | 9.0 | --- | 5.0 | 4.0 | 4.5 |
| 4 | 21.5 | 21.0 | 21.5 | --- | --- | --- | 10.0 | 9.0 | 9.5 | 5.0 | 4.0 | 4.5 |
| 5 | 21.5 | 21.0 | 21.5 | 14.5 | 13.5 | --- | 10.0 | 9.0 | 9.5 | 4.5 | 4.0 | 4.0 |
| 6 | 21.5 | 20.5 | 21.0 | 14.0 | 12.0 | 13.5 | 10.5 | 9.5 | 10.0 | 4.5 | 4.0 | 4.0 |
| 7 | 21.0 | 20.5 | 20.5 | 13.5 | 11.0 | 12.0 | 10.0 | 9.5 | 9.5 | 4.5 | 3.5 | 4.0 |
| 8 | 21.0 | 20.5 | 20.5 | 12.0 | 10.5 | 11.5 | 10.0 | 9.0 | 9.5 | 4.0 | 3.5 | 4.0 |
| 9 | 21.0 | 20.0 | 20.5 | 15.5 | 10.5 | 11.5 | 9.0 | 8.0 | 8.5 | 3.5 | 3.0 | 3.5 |
| 10 | 21.0 | 20.0 | 20.5 | 11.5 | 10.0 | 10.5 | 9.5 | 8.5 | 9.0 | 3.5 | 2.0 | 3.0 |
| 11 | 20.5 | 20.0 | 20.0 | 10.5 | 9.0 | 10.0 | 9.0 | 8.5 | 8.5 | 3.5 | 3.0 | 3.0 |
| 12 | 20.5 | 19.5 | 20.0 | 10.5 | 9.0 | 9.5 | 8.5 | 8.0 | 8.5 | 3.5 | 3.0 | 3.0 |
| 13 | 20.0 | 19.5 | 20.0 | 10.5 | 9.0 | 9.5 | 8.0 | 7.0 | 7.5 | 3.0 | 2.0 | 2.5 |
| 14 | 20.0 | 19.5 | 19.5 | 10.5 | 9.5 | --- | 8.0 | 7.0 | 7.5 | 3.0 | 1.5 | 2.0 |
| 15 | 19.5 | 19.0 | 19.0 | --- | --- | --- | 7.0 | 6.5 | 7.0 | 2.0 | 1.5 | 2.0 |
| 16 | 19.0 | 18.5 | 19.0 | --- | --- | --- | 6.5 | 6.0 | 6.0 | 3.0 | 1.5 | 2.0 |
| 17 | 18.5 | 17.0 | 18.0 | --- | --- | --- | 6.0 | 6.0 | --- | 3.0 | 2.0 | 2.0 |
| 18 | 18.0 | 16.5 | 17.0 | --- | --- | --- | --- | --- | --- | 2.0 | 1.5 | 1.5 |
| 19 | 17.0 | 16.0 | 16.5 | --- | --- | --- | 5.5 | 5.0 | --- | 2.0 | 1.5 | 2.0 |
| 20 | 16.5 | 15.5 | 16.0 | --- | --- | --- | 6.0 | 4.5 | 5.0 | 2.0 | 1.5 | 2.0 |
| 21 | 16.5 | 15.5 | 16.0 | --- | --- | --- | 6.0 | 4.5 | 5.0 | 3.0 | 1.5 | 2.0 |
| 22 | 16.5 | 15.5 | 15.5 | --- | --- | --- | 4.5 | 3.5 | 4.0 | 4.0 | 2.0 | 3.0 |
| 23 | 16.0 | 15.5 | 15.5 | --- | --- | --- | 3.5 | 3.0 | 3.0 | 4.5 | 3.5 | 3.5 |
| 24 | 16.0 | 15.5 | --- | --- | --- | --- | 3.0 | 2.0 | 3.0 | 4.5 | 3.5 | 4.0 |
| 25 | --- | --- | --- | --- | --- | --- | 3.0 | 2.0 | 2.5 | 4.5 | 3.5 | 4.0 |
| 26 | --- | --- | --- | 10.5 | 9.5 | --- | 3.5 | 2.0 | 3.0 | 5.0 | 4.0 | 4.5 |
| 27 | --- | --- | --- | 11.0 | 9.5 | 10.0 | 3.5 | 3.5 | --- | 6.0 | 4.0 | 5.0 |
| 28 | --- | --- | --- | 9.5 | 9.5 | --- | --- | --- | --- | 5.5 | 4.5 | 5.0 |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 5.5 | 5.0 | 5.0 |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.0 | 5.0 | 5.5 |
| 31 | 15.0 | 15.0 | --- | --- | --- | --- | --- | --- | --- | 6.5 | 5.0 | 6.0 |
| MONTH | 21.5 | 15.0 | --- | --- | --- | --- | --- | --- | --- | 6.5 | 1.5 | 3.5 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6.5 | 6.0 | 6.0 | --- | --- | --- | 7.0 | 6.5 | 6.5 | 17.0 | 16.0 | 16.5 |
| 2 | 6.0 | 5.5 | 6.0 | --- | --- | --- | 8.0 | 6.5 | 7.0 | 16.5 | 15.5 | 16.0 |
| 3 | 6.0 | 5.5 | --- | --- | --- | --- | 8.5 | 7.0 | 7.5 | 16.5 | 16.0 | 16.0 |
| 4 | 7.0 | 6.0 | --- | --- | --- | --- | 9.0 | 8.0 | 8.5 | 16.5 | 16.0 | --- |
| 5 | 8.0 | 6.5 | 6.5 | --- | --- | --- | 9.0 | 8.5 | 9.0 | --- | --- | --- |
| 6 | 8.0 | 6.5 | 7.0 | --- | --- | --- | 9.0 | 8.5 | 9.0 | --- | --- | --- |
| 7 | 7.0 | 6.5 | 7.0 | --- | --- | --- | 9.5 | 8.5 | 9.0 | 16.0 | 16.0 | --- |
| 8 | 8.0 | 6.5 | 7.0 | --- | --- | --- | 9.5 | 9.0 | 9.5 | 15.5 | 15.5 | --- |
| 9 | 7.0 | 7.0 | 7.0 | --- | --- | --- | 10.0 | 9.0 | 9.0 | --- | --- | --- |
| 10 | 7.0 | 6.5 | 7.0 | --- | --- | --- | 10.0 | 9.0 | 9.5 | --- | --- | --- |
| 11 | 8.0 | 6.5 | --- | --- | --- | --- | 10.5 | 9.0 | 10.0 | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | 11.0 | 9.5 | 10.5 | --- | --- | --- |
| 13 | --- | --- | --- | 8.0 | 7.0 | --- | 11.5 | 10.5 | 11.0 | 16.5 | 15.5 | --- |
| 14 | --- | --- | --- | 8.0 | 6.5 | 7.5 | 11.5 | 10.5 | 11.0 | 17.0 | 16.0 | 16.5 |
| 15 | --- | --- | --- | 8.5 | 7.0 | 7.5 | 11.0 | 10.0 | 10.5 | 18.5 | 16.5 | 17.5 |
| 16 | --- | --- | --- | 8.5 | 7.0 | --- | 10.5 | 10.0 | 10.0 | 19.0 | 18.0 | 18.5 |
| 17 | --- | --- | --- | --- | --- | --- | 11.0 | 10.0 | 10.5 | 19.5 | 18.5 | 19.0 |
| 18 | --- | --- | --- | --- | --- | --- | 11.5 | 10.5 | 11.0 | 20.0 | 19.0 | 19.5 |
| 19 | --- | --- | --- | 9.0 | 8.0 | --- | 11.5 | 11.0 | 11.0 | 19.5 | 19.5 | 19.5 |
| 20 | --- | --- | --- | 9.0 | 8.0 | 8.5 | 12.0 | 11.0 | 11.0 | 19.5 | 19.0 | 19.5 |
| 21 | --- | --- | --- | 9.0 | 8.0 | 8.5 | 13.0 | 11.0 | 11.5 | 19.5 | 19.0 | 19.5 |
| 22 | --- | --- | --- | 8.5 | 8.0 | 8.5 | 13.5 | 12.0 | 12.5 | 20.0 | 19.5 | 19.5 |
| 23 | --- | --- | --- | 9.0 | 8.0 | --- | 14.0 | 13.0 | 13.5 | 20.0 | 20.0 | 20.0 |
| 24 | --- | --- | --- | --- | --- | --- | 13.5 | 13.0 | 13.5 | 20.5 | 20.0 | 20.0 |
| 25 | --- | --- | --- | --- | --- | --- | 14.0 | 13.0 | 13.5 | 20.5 | 20.0 | 20.0 |
| 26 | --- | --- | --- | 8.5 | 7.0 | --- | 14.0 | 13.0 | 13.5 | 20.0 | 19.5 | 20.0 |
| 27 | --- | --- | --- | 8.0 | 7.0 | 7.5 | 14.5 | 13.5 | 14.0 | 20.0 | 19.5 | 20.0 |
| 28 | --- | --- | --- | 8.5 | 7.0 | 8.0 | 15.0 | 14.0 | 14.5 | 20.0 | 19.0 | 19.5 |
| 29 | --- | --- | --- | 8.0 | 7.0 | 7.5 | 16.0 | 14.5 | 15.0 | 20.0 | 19.5 | 19.5 |
| 30 | --- | --- | --- | 7.0 | 6.5 | 7.0 | 16.5 | 15.5 | 16.0 | 20.0 | 19.5 | 20.0 |
| 31 | --- | --- | --- | 7.0 | 6.5 | 7.0 | --- | --- | --- | 20.0 | 19.5 | 19.5 |
| MONTH | --- | --- | --- | --- | --- | --- | 16.5 | 6.5 | 11.0 | 20.5 | 15.5 | --- |

DELAWARE RIVER BASIN

01482100 DELAWARE RIVER AT DELAWARE MEMORIAL BRIDGE, NEAR WILMINGTON, DEL.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 20.5 | 20.0 | 20.0 | 23.5 | 22.0 | 22.5 | 27.0 | 26.0 | 26.5 | 27.0 | 26.5 | 26.5 |
| 2 | 20.0 | 19.5 | 20.0 | 24.0 | 23.0 | 23.0 | 27.0 | 26.5 | 26.5 | 27.0 | 26.5 | 26.5 |
| 3 | 20.5 | 19.5 | 19.5 | 24.5 | 23.5 | 24.0 | 27.0 | 26.5 | 26.5 | 26.5 | 26.0 | 26.0 |
| 4 | 20.5 | 19.5 | 20.0 | 25.0 | 24.0 | 24.5 | 27.0 | 26.5 | 26.5 | 26.0 | 25.5 | 25.5 |
| 5 | 21.0 | 20.0 | 20.5 | 25.0 | 24.5 | 25.0 | 27.0 | 26.5 | 26.5 | 25.5 | 24.5 | 25.0 |
| 6 | 21.5 | 20.5 | 21.0 | 25.5 | 25.0 | 25.0 | 27.0 | 26.5 | 26.5 | 24.5 | 24.0 | 24.5 |
| 7 | 21.0 | 20.5 | 20.5 | 26.0 | 25.0 | 25.5 | 26.5 | 26.0 | --- | 24.0 | 23.5 | 23.5 |
| 8 | 21.0 | 20.5 | 20.5 | 27.0 | 25.5 | 26.0 | --- | --- | --- | 23.5 | 23.0 | 23.5 |
| 9 | 22.0 | 20.5 | 21.0 | 27.0 | 26.0 | 26.5 | --- | --- | --- | 24.0 | 23.0 | 23.5 |
| 10 | 23.5 | 21.5 | 22.0 | 28.0 | 26.5 | 27.0 | --- | --- | --- | 24.0 | 23.5 | 23.5 |
| 11 | --- | --- | --- | 27.0 | 26.5 | 26.5 | --- | --- | --- | 24.0 | 23.5 | 24.0 |
| 12 | --- | --- | --- | 26.5 | 26.0 | 26.0 | 26.0 | 25.5 | --- | 24.5 | 23.5 | 24.0 |
| 13 | --- | --- | --- | 26.5 | 25.5 | 26.0 | 26.0 | 25.0 | 25.5 | 24.5 | 24.0 | 24.0 |
| 14 | --- | --- | --- | 27.0 | 25.5 | 26.0 | 26.0 | 25.5 | 25.5 | 24.5 | 23.5 | 24.0 |
| 15 | --- | --- | --- | 27.0 | 26.0 | 26.5 | 26.5 | 25.5 | 26.0 | 23.5 | 23.0 | 23.5 |
| 16 | --- | --- | --- | 27.0 | 26.0 | 26.5 | 26.5 | 26.0 | 26.0 | 23.5 | 23.0 | 23.0 |
| 17 | 24.5 | 24.0 | --- | 27.0 | 26.0 | 26.5 | 26.5 | 26.0 | 26.0 | 23.5 | 23.0 | 23.0 |
| 18 | 24.5 | 24.0 | 24.0 | 27.0 | 26.0 | 26.5 | 26.5 | 26.0 | 26.0 | 23.5 | 23.0 | 23.0 |
| 19 | 25.0 | 24.0 | 24.5 | 27.0 | 26.0 | 26.5 | 26.5 | 26.0 | 26.5 | 23.5 | 23.0 | 23.0 |
| 20 | 25.0 | 24.0 | 24.5 | 26.5 | 25.5 | 26.0 | 27.0 | 26.0 | 26.5 | 23.5 | 23.0 | 23.0 |
| 21 | 25.0 | 24.5 | 25.0 | 26.0 | 25.5 | 25.5 | 26.5 | 26.0 | 26.5 | 23.5 | 23.0 | 23.5 |
| 22 | 25.5 | 24.5 | 25.0 | 26.0 | 25.0 | 25.5 | 26.5 | 26.0 | 26.5 | 23.5 | 22.0 | 23.0 |
| 23 | 25.0 | 24.5 | 24.5 | 26.0 | 25.5 | 25.5 | 27.0 | 26.0 | 26.5 | 22.0 | 21.0 | 21.5 |
| 24 | 24.5 | 24.0 | 24.0 | 25.5 | 25.0 | 25.0 | 27.0 | 26.5 | 26.5 | 21.0 | 20.0 | 20.5 |
| 25 | 24.0 | 23.0 | 23.5 | 25.5 | 24.5 | 25.0 | 27.0 | 26.5 | 26.5 | 20.5 | 19.5 | 20.0 |
| 26 | 23.5 | 22.0 | 23.0 | 25.5 | 25.0 | 25.0 | 27.0 | 26.0 | 26.5 | 20.5 | 19.5 | 20.0 |
| 27 | 23.5 | 23.0 | 23.0 | 26.0 | 25.0 | 25.5 | 26.5 | 25.5 | 26.0 | 20.5 | 19.5 | 20.0 |
| 28 | 23.0 | 21.0 | 22.0 | 26.0 | 25.0 | 25.5 | 26.5 | 26.0 | 26.0 | 20.5 | 20.0 | 20.0 |
| 29 | 22.0 | 21.0 | 21.5 | 26.5 | 25.5 | 26.0 | 27.0 | 26.5 | 26.5 | 20.5 | 20.0 | 20.5 |
| 30 | 23.0 | 21.5 | 22.0 | 26.5 | 25.5 | 26.0 | 27.0 | 26.5 | 26.5 | 20.0 | 20.0 | --- |
| 31 | --- | --- | --- | 26.5 | 26.0 | 26.0 | 27.0 | 26.5 | 26.5 | --- | --- | --- |
| MONTH | 25.5 | 19.5 | --- | 28.0 | 22.0 | 25.5 | 27.0 | 25.0 | 26.5 | 27.0 | 19.5 | 23.0 |

LOCATION.--Lat 39°30'03", long 75°34'07", New Castle County, water-quality recorder located on platform about 0.4 mi (0.6 km) downstream from Reedy Island near Port Penn.

PERIOD OF RECORD.--Chemical analyses: October 1963 to September 1974.
Water temperatures: October 1969 to September 1974.

Specific conductance: Maximum, 19,000 micromhos Oct. 26; minimum, 100 micromhos Feb. 1, 2.
Dissolved oxygen: Maximum, 12.3 mg/l Jan. 18; minimum, 2.5 mg/l Sept. 15.
pH: Maximum, 8.2 Sept. 29; minimum, 6.1 May 17.
Water temperatures: Maximum, 27.0°C Aug. 31, Sept. 1; minimum, 0.5°C Jan. 18, Feb. 10, 11.

Specific conductance: Maximum, 35,400 micromhos Nov. 7, 1963; minimum, 100 micromhos on several days in August 1969, April 1970, and February 1974.
Dissolved oxygen (1970-74): Maximum, 13.7 mg/l Feb. 18, 19, 1973; minimum, 0.3 mg/l Sept. 16, 17, 1971.
pH (1970-74): Maximum, 8.8 Aug. 29, Sept. 2, 1973; minimum, 5.4 Dec. 31, 1972.
Water temperatures (1970-74): Maximum, 29.0°C Aug. 10-12, Sept. 3, 1972; minimum, freezing point on many days during winter periods.

[illegible]

DELAWARE RIVER BASIN

01482800 DELAWARE RIVER AT REEDY ISLAND JETTY, DEL.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| FEBRUARY | | | | MARCH | | | APRIL | | | MAY | | |
|----------|-------|------|------|-------|-------|-------|--------|------|-------|-----------|-------|-------|
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 640 | 100 | 375 | --- | --- | --- | --- | --- | --- | 6240 | 1320 | 2880 |
| 2 | 3000 | 100 | 669 | --- | --- | --- | --- | --- | --- | 6360 | 1440 | 2940 |
| 3 | 7800 | 280 | 3040 | --- | --- | --- | --- | --- | --- | 5080 | 1720 | 3170 |
| 4 | 10320 | 1440 | 5320 | --- | --- | --- | 10160 | 3200 | --- | 4280 | 2000 | 2770 |
| 5 | 9040 | 3200 | 5830 | --- | --- | --- | 6240 | 3160 | 4970 | 6360 | 1880 | 3240 |
| 6 | 10920 | 3520 | 6380 | --- | --- | --- | 4760 | 2840 | 3880 | 7000 | 2160 | 3730 |
| 7 | 12360 | 5120 | 7630 | --- | --- | --- | 3520 | 3040 | --- | 7720 | 1880 | 3560 |
| 8 | 11160 | 5320 | 7350 | --- | --- | --- | --- | --- | --- | 7440 | 1960 | 3770 |
| 9 | 10480 | 6440 | 8470 | --- | --- | --- | --- | --- | --- | 7160 | 2280 | 3640 |
| 10 | 10040 | 6400 | 7840 | --- | --- | --- | --- | --- | --- | 5520 | 2080 | 3210 |
| 11 | 9800 | 6560 | 7860 | --- | --- | --- | 240 | 200 | --- | 4320 | 1840 | 2920 |
| 12 | 7600 | 5240 | 6540 | --- | --- | --- | 240 | 200 | 232 | 5880 | 2120 | 3550 |
| 13 | 9040 | 5000 | 6550 | --- | --- | --- | 240 | 240 | 240 | 4360 | 1480 | 2310 |
| 14 | 7280 | 5080 | 5800 | --- | --- | --- | 280 | 240 | 245 | 3720 | 1160 | 2100 |
| 15 | 7720 | 4960 | 6220 | --- | --- | --- | 360 | 240 | 252 | 2360 | 760 | 1370 |
| 16 | 8200 | 6040 | 7120 | --- | --- | --- | 2520 | 240 | 563 | 1840 | 480 | 895 |
| 17 | 13440 | 6720 | --- | --- | --- | --- | 4560 | 280 | 1450 | 2960 | 520 | 1220 |
| 18 | --- | --- | --- | --- | --- | --- | 5720 | 360 | 1990 | 4960 | 520 | 1340 |
| 19 | --- | --- | --- | --- | --- | --- | 7440 | 720 | 2410 | 5800 | 640 | 1850 |
| 20 | --- | --- | --- | --- | --- | --- | 5600 | 960 | 2560 | 5800 | 760 | 2020 |
| 21 | --- | --- | --- | --- | --- | --- | 5680 | 2520 | 3730 | 4960 | 1040 | 2230 |
| 22 | --- | --- | --- | --- | --- | --- | 3480 | 1640 | 2280 | 5520 | 1000 | 2170 |
| 23 | --- | --- | --- | --- | --- | --- | 3120 | 960 | 1780 | 5680 | 1040 | 1970 |
| 24 | --- | --- | --- | --- | --- | --- | 2560 | 960 | 1310 | 5800 | 1120 | 2690 |
| 25 | --- | --- | --- | --- | --- | --- | 5000 | 1200 | 2220 | 5000 | 1480 | 2500 |
| 26 | --- | --- | --- | --- | --- | --- | 8520 | 1320 | 3300 | 3920 | 1760 | 2610 |
| 27 | --- | --- | --- | --- | --- | --- | 6960 | 1440 | 3050 | 4080 | 1920 | 2930 |
| 28 | --- | --- | --- | --- | --- | --- | 6400 | 1440 | --- | 4000 | 2520 | 3140 |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4960 | 2200 | 3190 |
| 30 | --- | --- | --- | --- | --- | --- | 4320 | 1360 | --- | 6880 | 1880 | 3510 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6600 | 2200 | 3810 |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7720 | 480 | 2680 |
| JUNE | | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6280 | 2120 | 3730 | 9920 | 4800 | 6620 | 13840 | 8840 | 11470 | 12320 | 9800 | 10770 |
| 2 | 6640 | 2160 | 3350 | 9800 | 4720 | 6530 | 14080 | 8160 | 10010 | 12200 | 10480 | --- |
| 3 | 7880 | 2320 | 3870 | 8680 | 4680 | 6130 | 12560 | 7120 | 9140 | --- | --- | --- |
| 4 | 7960 | 2280 | 3970 | 9320 | 4320 | 5710 | 10600 | 5880 | 7820 | --- | --- | --- |
| 5 | 6600 | 2400 | 3620 | 8840 | 4360 | 5810 | 9040 | 5520 | 7100 | 11600 | 8960 | --- |
| 6 | 6800 | 2240 | 3370 | 8200 | 4080 | 5480 | 9080 | 4840 | 6840 | 9920 | 5600 | 7440 |
| 7 | 6200 | 2560 | 3810 | 8960 | 4120 | 5800 | 10600 | 4880 | 6710 | 8600 | 7080 | --- |
| 8 | 7160 | 2840 | 4740 | 8920 | 4080 | 6440 | 10200 | 4640 | 7200 | --- | --- | --- |
| 9 | 8080 | 2800 | 4980 | 10520 | 4800 | 7380 | 9000 | 4680 | 6560 | --- | --- | --- |
| 10 | 7800 | 3160 | 4950 | 10960 | 4880 | 7410 | 11720 | 5200 | 7870 | --- | --- | --- |
| 11 | 9920 | 3520 | 6110 | 10040 | 4760 | 7060 | 11480 | 5360 | 8550 | 10640 | 3440 | --- |
| 12 | 10160 | 3800 | 6770 | 10920 | 5480 | 7920 | 14160 | 5920 | 8960 | 11240 | 3520 | 6000 |
| 13 | 11160 | 4280 | 7420 | 11840 | 5840 | 8690 | 15600 | 7680 | 10370 | 10480 | 3640 | 5930 |
| 14 | 11200 | 4760 | 7890 | 14800 | 6720 | 9790 | 13960 | 7320 | 9640 | 9600 | 3560 | 5390 |
| 15 | 11440 | 5480 | 7990 | 18720 | 6600 | 11510 | 13600 | 7080 | 9020 | 10360 | 3680 | 6350 |
| 16 | 10960 | 6720 | 8480 | 18800 | 7440 | 11850 | 15800 | 7440 | 9700 | 11440 | 3920 | 6130 |
| 17 | 10560 | 5680 | 7530 | 18960 | 7720 | 11980 | 14600 | 8040 | 10380 | 9880 | 3720 | 5990 |
| 18 | 12040 | 6200 | 7740 | 17520 | 8600 | 12350 | 14600 | 7560 | 10480 | 8480 | 3960 | 5770 |
| 19 | 11720 | 7800 | 9490 | 18080 | 10840 | 13130 | 15280 | 7560 | 10490 | 7080 | 4080 | 5240 |
| 20 | 11680 | 6520 | 8580 | 14920 | 10520 | 12320 | 15440 | 7680 | 10680 | 7560 | 4240 | 5460 |
| 21 | 11280 | 6240 | 7980 | 15840 | 14240 | 15090 | 13280 | 7720 | 9970 | 8040 | 4240 | 5610 |
| 22 | 9440 | 4280 | 6380 | 17000 | 9160 | 14090 | 12800 | 7800 | 9960 | 8160 | 3560 | 4850 |
| 23 | 8720 | 4480 | 5970 | 15480 | 8720 | 11530 | 11520 | 7440 | 9670 | 8360 | 3640 | 5090 |
| 24 | 8160 | 5520 | --- | 14640 | 8920 | 11360 | 11960 | 7760 | 9550 | 10280 | 3760 | 6480 |
| 25 | --- | --- | --- | 13640 | 8480 | 10800 | 12040 | 7120 | 8910 | 12360 | 5240 | 8340 |
| 26 | --- | --- | --- | 13400 | 8360 | 10630 | 11040 | 8280 | --- | 12440 | 5440 | 8360 |
| 27 | 10080 | 5040 | --- | 12960 | 8800 | 10540 | --- | --- | --- | 13000 | 5160 | 8170 |
| 28 | 10800 | 5520 | 7360 | 13480 | 9640 | 11140 | 15440 | 8320 | --- | 12360 | 5320 | 8040 |
| 29 | 10520 | 5040 | 7560 | 14240 | 9080 | 10980 | 13960 | 8000 | 10210 | 11040 | 5280 | 7620 |
| 30 | 10840 | 4800 | 6860 | 13520 | 12320 | 13020 | 11840 | 6920 | 9020 | 8320 | 3720 | 5110 |
| 31 | --- | --- | --- | 13400 | 11840 | 12720 | 12320 | 8120 | 9690 | --- | --- | --- |
| MONTH | 12040 | 2120 | 6170 | 18960 | 4080 | 9740 | 15800 | 4640 | 9140 | 13000 | 3440 | --- |

01482800 DELAWARE RIVER AT REEDY ISLAND JETTY, DEL.--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|------|------|----------|------|------|----------|-----|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | --- | --- | --- | --- | --- | --- | 10.3 | 9.1 | --- | --- | --- | --- |
| 5 | --- | --- | --- | --- | --- | --- | 10.2 | 9.1 | 9.7 | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | 10.0 | 8.8 | 9.4 | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | 9.8 | 7.6 | 9.0 | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | 9.8 | 8.1 | 9.0 | --- | --- | --- |
| 9 | --- | --- | --- | --- | --- | --- | 10.1 | 9.2 | 9.8 | --- | --- | --- |
| 10 | --- | --- | --- | --- | --- | --- | 9.9 | 7.6 | 9.0 | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | 9.5 | 7.4 | 8.5 | 11.4 | 10.4 | --- |
| 12 | 8.2 | 7.0 | --- | --- | --- | --- | 10.1 | 6.0 | 8.2 | 10.9 | 10.4 | 10.7 |
| 13 | 8.1 | 6.4 | 7.3 | --- | --- | --- | 8.8 | 6.9 | --- | 11.2 | 10.4 | 11.0 |
| 14 | 8.1 | 6.9 | 7.4 | --- | --- | --- | --- | --- | --- | 11.4 | 10.8 | 11.1 |
| 15 | 8.4 | 7.0 | 7.6 | --- | --- | --- | --- | --- | --- | 11.5 | 10.9 | 11.2 |
| 16 | 9.0 | 7.2 | 8.1 | --- | --- | --- | --- | --- | --- | 11.9 | 10.9 | 11.5 |
| 17 | 8.4 | 7.5 | --- | --- | --- | --- | --- | --- | --- | 11.9 | 11.5 | 11.7 |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 12.3 | 11.7 | 12.0 |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 12.0 | 11.0 | 11.6 |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.5 | 10.2 | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.5 | 10.2 | 10.7 |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.2 | 9.8 | 10.5 |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.5 | 9.4 | 10.0 |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.2 | 9.2 | 9.9 |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.1 | 9.3 | 9.7 |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.0 | 9.3 | 9.7 |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.8 | 8.8 | 9.2 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.3 | 8.3 | 8.9 |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 11.0 | 8.6 | --- | --- | --- | --- | --- | --- | --- | 8.0 | 7.2 | 7.7 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.2 | 7.7 | 7.9 |
| 3 | --- | --- | --- | 11.9 | 11.4 | --- | --- | --- | --- | 8.1 | 7.4 | 7.8 |
| 4 | --- | --- | --- | 11.5 | 11.0 | --- | --- | --- | --- | 8.2 | 7.4 | 7.7 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.5 | 7.5 | 7.9 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.5 | 7.1 | 7.6 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.8 | 6.9 | 7.3 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.8 | 6.7 | 7.3 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.0 | 7.0 | 7.5 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.6 | 6.8 | 7.2 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.3 | 6.6 | 7.1 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.6 | 6.8 | 7.2 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.3 | 6.5 | 6.9 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.2 | 6.4 | 6.9 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.6 | 6.4 | 7.0 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.0 | 6.2 | 7.1 |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.4 | 6.2 | 6.8 |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.1 | 6.0 | 6.5 |
| 19 | 11.9 | 11.5 | --- | --- | --- | --- | --- | --- | --- | 6.8 | 5.8 | 6.3 |
| 20 | 11.9 | 11.7 | --- | --- | --- | --- | --- | --- | --- | 7.1 | 5.6 | 6.4 |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.1 | 5.7 | 6.4 |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.1 | 5.7 | 6.4 |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.4 | 5.5 | 6.0 |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.0 | 4.9 | 5.5 |
| 25 | --- | --- | --- | --- | --- | --- | 8.8 | 8.3 | --- | 5.9 | 4.7 | 5.3 |
| 26 | --- | --- | --- | --- | --- | --- | 9.1 | 8.1 | 8.5 | 5.5 | 4.9 | 5.2 |
| 27 | --- | --- | --- | --- | --- | --- | 8.8 | 7.9 | 8.3 | 5.4 | 4.6 | 5.0 |
| 28 | --- | --- | --- | --- | --- | --- | 8.5 | 7.8 | --- | 5.4 | 4.6 | 5.1 |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 5.7 | 5.0 | 5.5 |
| 30 | --- | --- | --- | --- | --- | --- | 7.9 | 7.2 | --- | 6.1 | 5.0 | 5.5 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.5 | 5.2 | 5.8 |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.5 | 4.6 | 6.6 |

01482800 DELAWARE RIVER AT REEDY ISLAND JETTY, DEL.--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| JUNE | | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|-----|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6.4 | 5.3 | 6.0 | 7.0 | 6.0 | 6.4 | 5.8 | 4.7 | 5.1 | 5.7 | 4.8 | 5.2 |
| 2 | 6.5 | 5.1 | 5.8 | 6.7 | 5.7 | 6.2 | 5.5 | 4.7 | 5.1 | 5.5 | 4.7 | --- |
| 3 | 6.8 | 5.6 | 6.1 | 6.6 | 5.5 | 6.0 | 5.6 | 4.8 | 5.1 | --- | --- | --- |
| 4 | 6.8 | 5.5 | 6.0 | 6.8 | 5.3 | 5.9 | 5.7 | 4.9 | 5.2 | --- | --- | --- |
| 5 | 6.4 | 5.5 | 6.0 | 6.1 | 5.3 | 5.7 | 5.7 | 4.6 | 5.1 | --- | --- | --- |
| 6 | 6.7 | 5.6 | 6.2 | 6.1 | 5.1 | 5.6 | 5.7 | 4.4 | 4.8 | --- | --- | --- |
| 7 | 7.3 | 6.3 | 6.8 | 6.2 | 4.9 | 5.3 | 5.2 | 4.4 | 4.8 | --- | --- | --- |
| 8 | 7.5 | 6.7 | 7.0 | 5.7 | 4.7 | 5.2 | 4.9 | 4.3 | 4.6 | --- | --- | --- |
| 9 | 7.5 | 6.5 | 7.0 | 5.9 | 4.6 | 5.1 | 4.8 | 4.0 | 4.4 | --- | --- | --- |
| 10 | 7.4 | 6.4 | 6.9 | 5.5 | 4.4 | 5.0 | 5.5 | 4.2 | 4.9 | --- | --- | --- |
| 11 | 7.5 | 6.3 | 6.9 | 6.0 | 4.5 | 5.4 | 5.5 | 4.9 | 5.2 | --- | --- | --- |
| 12 | 7.3 | 6.4 | 6.8 | 6.5 | 5.3 | 5.9 | 6.1 | 4.8 | 5.4 | 6.2 | 4.7 | 5.4 |
| 13 | 7.8 | 6.4 | 7.1 | 6.5 | 5.5 | 6.0 | 6.0 | 5.3 | 5.6 | 5.9 | 4.6 | 5.2 |
| 14 | 7.8 | 6.5 | 7.3 | 6.3 | 5.5 | 5.9 | 5.9 | 5.1 | 5.4 | 6.2 | 4.0 | 5.4 |
| 15 | 7.9 | 6.6 | 7.4 | 6.0 | 5.3 | 5.7 | 6.0 | 4.9 | 5.4 | 6.3 | 2.5 | 5.2 |
| 16 | 7.8 | 7.1 | 7.3 | 6.0 | 5.0 | 5.5 | 5.9 | 4.8 | 5.3 | 6.5 | 5.0 | 5.8 |
| 17 | 7.8 | 6.6 | 7.1 | 6.5 | 5.1 | 5.6 | 5.6 | 4.8 | 5.2 | 6.5 | 5.0 | 5.8 |
| 18 | 7.1 | 5.7 | 6.4 | 6.1 | 5.2 | 5.6 | 5.5 | 4.6 | 5.0 | 6.4 | 5.0 | 5.7 |
| 19 | 6.7 | 5.3 | 5.9 | 5.9 | 5.0 | 5.4 | 5.7 | 4.1 | 5.0 | 6.4 | 4.8 | 5.7 |
| 20 | 6.2 | 5.2 | 5.7 | 6.4 | 5.3 | 5.6 | 5.8 | 4.6 | 5.2 | 6.3 | 5.1 | 5.7 |
| 21 | 5.7 | 4.8 | 5.3 | 6.7 | 5.3 | 5.8 | 6.1 | 4.7 | 5.3 | 6.7 | 5.3 | 5.9 |
| 22 | 5.8 | 4.4 | 5.0 | 6.2 | 5.1 | 5.7 | 5.7 | 4.8 | 5.3 | 6.9 | 5.4 | 6.3 |
| 23 | 5.1 | 4.4 | 4.9 | 6.0 | 5.2 | 5.6 | 5.8 | 4.8 | 5.3 | 7.9 | 6.2 | 7.1 |
| 24 | 5.3 | 4.4 | 5.0 | 5.8 | 5.1 | 5.5 | 5.4 | 4.8 | 5.1 | 8.5 | 7.2 | 7.9 |
| 25 | 5.3 | 4.5 | 4.9 | 5.7 | 5.0 | 5.3 | 5.6 | 4.5 | 5.1 | 8.1 | 7.6 | 7.9 |
| 26 | 5.2 | 4.3 | 4.8 | 5.7 | 5.0 | 5.3 | 5.6 | 4.7 | --- | 7.9 | 7.1 | 7.5 |
| 27 | 5.9 | 4.2 | 5.1 | 5.7 | 4.8 | 5.3 | --- | --- | --- | 7.6 | 6.9 | 7.2 |
| 28 | 6.8 | 5.5 | 6.3 | 5.7 | 4.8 | 5.3 | 6.1 | 5.5 | --- | 7.6 | 6.9 | 7.3 |
| 29 | 7.0 | 6.1 | 6.4 | 6.0 | 4.8 | 5.4 | 6.0 | 5.3 | 5.6 | 7.5 | 6.8 | 7.2 |
| 30 | 6.7 | 5.9 | 6.4 | 6.1 | 5.0 | 5.5 | 5.9 | 5.1 | 5.5 | 7.5 | 6.7 | 7.2 |
| 31 | --- | --- | --- | 6.2 | 4.8 | 5.3 | 6.0 | 5.0 | 5.4 | --- | --- | --- |
| MONTH | 7.9 | 4.2 | 6.2 | 7.0 | 4.4 | 5.6 | 6.1 | 4.0 | 5.2 | --- | --- | --- |

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

[illegible]

DELAWARE RIVER BASIN

191

01482800 DELAWARE RIVER AT REEDY ISLAND JETTY, DEL.--Continued

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|-------|-----|------|-----|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.0 | 6.6 | 6.9 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.1 | 6.8 | 6.9 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.2 | 6.7 | 7.0 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.1 | 6.9 | 7.0 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.3 | 6.9 | 7.1 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.3 | 6.9 | 7.1 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.2 | 6.8 | 7.0 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.1 | 6.8 | 6.9 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.2 | 6.8 | 7.0 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.2 | 6.7 | 7.0 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.8 | 6.5 | 6.7 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.1 | 6.6 | 6.8 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.7 | 6.3 | 6.5 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.7 | 6.3 | 6.5 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.6 | 6.3 | 6.5 |
| 16 | --- | --- | --- | --- | --- | --- | 6.6 | 6.3 | --- | 6.6 | 6.2 | 6.5 |
| 17 | --- | --- | --- | --- | --- | --- | 6.8 | 6.3 | 6.5 | 6.6 | 6.1 | 6.4 |
| 18 | --- | --- | --- | --- | --- | --- | 6.9 | 6.4 | 6.6 | 6.5 | 6.2 | 6.4 |
| 19 | --- | --- | --- | --- | --- | --- | 7.0 | 6.5 | 6.7 | 6.7 | 6.4 | 6.5 |
| 20 | --- | --- | --- | --- | --- | --- | 6.9 | 6.6 | 6.7 | 6.7 | 6.4 | 6.6 |
| 21 | --- | --- | --- | --- | --- | --- | 6.8 | 6.5 | 6.7 | 6.7 | 6.5 | 6.6 |
| 22 | --- | --- | --- | --- | --- | --- | 6.8 | 6.6 | 6.7 | 6.7 | 6.5 | --- |
| 23 | --- | --- | --- | --- | --- | --- | 6.9 | 6.7 | 6.8 | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | 6.8 | 6.7 | 6.8 | --- | --- | --- |
| 25 | --- | --- | --- | --- | --- | --- | 7.0 | 6.7 | 6.9 | --- | --- | --- |
| 26 | --- | --- | --- | --- | --- | --- | 7.2 | 6.8 | 7.0 | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | 7.1 | 6.9 | 7.0 | --- | --- | --- |
| 28 | --- | --- | --- | --- | --- | --- | 7.1 | 6.9 | --- | --- | --- | --- |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.0 | 6.8 | --- |
| 30 | --- | --- | --- | --- | --- | --- | 6.9 | 6.7 | --- | 6.9 | 6.6 | 6.8 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.9 | 6.6 | 6.8 |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.3 | 6.1 | --- |

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 6.9 | 6.6 | 6.8 | 7.7 | 6.8 | 7.2 | 7.1 | 6.6 | 6.9 | 7.1 | 7.0 | 7.0 |
| 2 | 6.8 | 6.6 | 6.7 | 7.6 | 6.8 | 7.1 | 6.8 | 6.4 | 6.6 | 7.1 | 7.0 | --- |
| 3 | 6.8 | 6.5 | 6.7 | 7.6 | 6.7 | 7.0 | 6.9 | 6.6 | 6.7 | --- | --- | --- |
| 4 | 7.0 | 6.8 | 6.9 | 7.1 | 6.6 | 6.8 | 6.8 | 6.7 | 6.7 | --- | --- | --- |
| 5 | 7.0 | 6.7 | 6.9 | 7.0 | 6.7 | 6.8 | 7.0 | 6.6 | 6.8 | --- | --- | --- |
| 6 | 7.1 | 6.7 | 6.9 | 6.9 | 6.7 | 6.8 | 7.0 | 6.6 | --- | --- | --- | --- |
| 7 | 7.1 | 6.8 | 7.0 | 6.9 | 6.6 | 6.7 | --- | --- | --- | --- | --- | --- |
| 8 | 7.3 | 7.0 | 7.2 | 6.8 | 6.6 | --- | --- | --- | --- | --- | --- | --- |
| 9 | 7.3 | 6.9 | 7.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | 7.3 | 6.9 | 7.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | 7.3 | 6.8 | 7.1 | --- | --- | --- | --- | --- | --- | 7.0 | 6.6 | --- |
| 12 | 7.4 | 7.1 | 7.2 | --- | --- | --- | 6.9 | 6.7 | --- | 7.0 | 6.6 | 6.7 |
| 13 | 7.5 | 7.0 | 7.3 | --- | --- | --- | 6.9 | 6.6 | 6.7 | 6.9 | 6.6 | 6.7 |
| 14 | 7.5 | 7.1 | 7.3 | --- | --- | --- | 6.8 | 6.6 | 6.7 | 6.9 | 6.6 | 6.7 |
| 15 | 7.6 | 7.1 | 7.4 | --- | --- | --- | 6.8 | 6.5 | 6.6 | 6.9 | 6.6 | 6.8 |
| 16 | 7.6 | 7.4 | 7.5 | --- | --- | --- | 6.8 | 6.4 | 6.6 | 6.9 | 6.6 | 6.7 |
| 17 | 7.5 | 7.2 | 7.4 | --- | --- | --- | 6.8 | 6.6 | 6.7 | 6.9 | 6.5 | 6.7 |
| 18 | 7.3 | 7.1 | --- | 7.7 | 7.2 | 7.4 | 6.8 | 6.6 | 6.7 | 6.9 | 6.5 | 6.7 |
| 19 | --- | --- | --- | 7.5 | 7.1 | 7.3 | 7.1 | 6.5 | 6.8 | 6.9 | 6.5 | 6.7 |
| 20 | --- | --- | --- | 7.4 | 7.1 | 7.2 | 7.2 | 6.9 | 7.1 | 6.9 | 6.6 | 6.8 |
| 21 | 7.2 | 6.8 | --- | 7.5 | 7.2 | 7.4 | 7.1 | 6.9 | 7.0 | 6.9 | 6.5 | 6.7 |
| 22 | 7.1 | 6.7 | 6.9 | 7.5 | 7.1 | 7.3 | 7.1 | 6.9 | 7.0 | 7.0 | 6.7 | 6.8 |
| 23 | 7.1 | 6.6 | 6.8 | 7.3 | 7.1 | 7.2 | 7.1 | 6.9 | 7.0 | 7.1 | 6.8 | 6.9 |
| 24 | 6.9 | 6.6 | 6.8 | 7.3 | 7.0 | 7.2 | 7.1 | 6.9 | 7.0 | 7.3 | 6.9 | 7.1 |
| 25 | 6.9 | 6.7 | 6.8 | 7.1 | 6.9 | 7.0 | 7.1 | 6.9 | 7.0 | 7.3 | 7.0 | 7.1 |
| 26 | 6.9 | 6.7 | 6.8 | 7.1 | 6.9 | 7.0 | 7.0 | 6.9 | --- | 7.7 | 7.0 | 7.3 |
| 27 | 7.1 | 6.6 | 6.8 | 7.1 | 6.9 | 7.0 | --- | --- | --- | 7.8 | 7.4 | 7.6 |
| 28 | 7.5 | 6.7 | 7.2 | 7.1 | 6.9 | 7.0 | 7.2 | 7.0 | --- | 7.7 | 6.7 | 7.3 |
| 29 | 7.4 | 6.9 | 7.1 | 7.2 | 6.9 | 7.0 | 7.2 | 7.0 | 7.1 | 8.2 | 7.1 | 7.6 |
| 30 | 7.6 | 6.8 | 7.1 | 7.1 | 6.9 | 7.1 | 7.1 | 7.0 | 7.1 | 7.5 | 7.2 | 7.4 |
| 31 | --- | --- | --- | 7.1 | 6.9 | 7.0 | 7.2 | 7.0 | 7.1 | --- | --- | --- |
| MONTH | 7.6 | 6.5 | 7.0 | --- | --- | --- | 7.2 | 6.4 | --- | --- | --- | --- |

DELAWARE RIVER BASIN

01482800 DELAWARE RIVER AT REEDY ISLAND JETTY, DEL.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|------|------|----------|------|------|----------|------|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 14.0 | 13.0 | 13.5 | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | 14.0 | 12.0 | 13.5 | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | 13.5 | 12.0 | 13.0 | --- | --- | --- | --- | --- | --- |
| 4 | --- | --- | --- | 13.0 | 11.5 | 12.5 | 9.5 | 9.0 | --- | --- | --- | --- |
| 5 | --- | --- | --- | 12.0 | 11.0 | 11.5 | 9.5 | 9.0 | 9.5 | --- | --- | --- |
| 6 | --- | --- | --- | 11.5 | 10.0 | 11.0 | 10.0 | 9.0 | 9.5 | --- | --- | --- |
| 7 | --- | --- | --- | 11.5 | 10.0 | 11.0 | 9.5 | 8.5 | 9.0 | --- | --- | --- |
| 8 | --- | --- | --- | 12.0 | 11.0 | 11.5 | 8.5 | 8.0 | 8.5 | --- | --- | --- |
| 9 | --- | --- | --- | 11.5 | 10.5 | 11.0 | 8.5 | 8.0 | 8.0 | --- | --- | --- |
| 10 | --- | --- | --- | 10.5 | 9.5 | 10.0 | 8.5 | 8.0 | 8.0 | --- | --- | --- |
| 11 | --- | --- | --- | 10.0 | 9.0 | 9.5 | 8.0 | 7.0 | 7.5 | 3.0 | 3.0 | --- |
| 12 | 18.0 | 17.0 | --- | 10.0 | 9.0 | 9.5 | 7.0 | 6.5 | 6.5 | 3.0 | 2.0 | 2.5 |
| 13 | 18.0 | 17.0 | 17.0 | 10.0 | 9.5 | 10.0 | 6.5 | 6.0 | --- | 2.0 | 1.0 | 1.5 |
| 14 | 17.0 | 16.5 | 17.0 | 10.5 | 9.5 | 10.0 | --- | --- | --- | 1.5 | 1.0 | 1.5 |
| 15 | 17.0 | 16.0 | 16.5 | 11.0 | 10.0 | 10.5 | --- | --- | --- | 3.0 | 1.5 | 1.5 |
| 16 | 16.5 | 15.5 | 16.0 | 11.0 | 9.5 | 10.5 | --- | --- | --- | 2.0 | 1.5 | 2.0 |
| 17 | 15.5 | 13.0 | --- | 10.0 | 9.5 | 10.0 | --- | --- | --- | 2.0 | 1.0 | 1.5 |
| 18 | --- | --- | --- | 10.0 | 9.0 | --- | --- | --- | --- | 1.5 | 0.5 | 1.0 |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 2.0 | 1.0 | 1.5 |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4.5 | 3.5 | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4.0 | 3.5 | 4.0 |
| 25 | 16.5 | 15.5 | --- | --- | --- | --- | --- | --- | --- | 4.5 | 4.0 | 4.0 |
| 26 | 16.5 | 15.5 | 15.5 | --- | --- | --- | --- | --- | --- | 4.5 | 4.0 | 4.0 |
| 27 | 16.0 | 15.5 | 15.5 | --- | --- | --- | --- | --- | --- | 5.5 | 4.0 | 5.0 |
| 28 | 15.5 | 15.0 | 15.0 | --- | --- | --- | --- | --- | --- | 5.5 | 5.0 | 5.0 |
| 29 | 15.5 | 15.0 | 15.0 | --- | --- | --- | --- | --- | --- | 5.5 | 5.0 | 5.5 |
| 30 | 15.0 | 14.0 | 14.5 | --- | --- | --- | --- | --- | --- | 6.0 | 5.0 | 5.5 |
| 31 | 14.5 | 13.5 | 14.0 | --- | --- | --- | --- | --- | --- | 6.0 | 5.0 | 5.5 |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 5.5 | 5.0 | 5.5 | 4.0 | 3.5 | --- | --- | --- | --- | 16.0 | 14.5 | 15.0 |
| 2 | 5.0 | 4.5 | 5.0 | --- | --- | --- | --- | --- | --- | 15.0 | 14.5 | 14.5 |
| 3 | 4.5 | 4.0 | 4.5 | --- | --- | --- | --- | --- | --- | 15.0 | 14.0 | 14.5 |
| 4 | 4.0 | 3.0 | 3.5 | --- | --- | --- | 9.5 | 9.0 | --- | 15.0 | 14.5 | 14.5 |
| 5 | 3.5 | 2.0 | 3.0 | --- | --- | --- | 10.0 | 9.0 | 9.5 | 15.0 | 14.0 | 14.5 |
| 6 | 3.0 | 2.0 | 2.5 | --- | --- | --- | 9.5 | 9.0 | 9.5 | 14.5 | 14.0 | 14.5 |
| 7 | 3.0 | 2.0 | 2.5 | --- | --- | --- | 9.5 | 9.0 | 9.0 | 14.5 | 14.0 | 14.0 |
| 8 | 2.0 | 1.0 | 1.5 | --- | --- | --- | 9.5 | 9.0 | 9.5 | 14.5 | 14.0 | 14.0 |
| 9 | 1.5 | 1.0 | 1.0 | --- | --- | --- | 9.0 | 9.0 | 9.0 | 14.5 | 14.0 | 14.5 |
| 10 | 1.5 | 0.5 | 1.0 | --- | --- | --- | 9.5 | 8.5 | 9.0 | 15.0 | 14.0 | 14.5 |
| 11 | 1.5 | 0.5 | 1.0 | --- | --- | --- | 9.5 | 8.5 | --- | 15.0 | 14.5 | 15.0 |
| 12 | 2.0 | 1.0 | 1.0 | --- | --- | --- | --- | --- | --- | 15.5 | 14.5 | 15.0 |
| 13 | 2.0 | 1.0 | 1.5 | --- | --- | --- | --- | --- | --- | 15.5 | 15.0 | 15.0 |
| 14 | 2.0 | 1.5 | 1.5 | --- | --- | --- | --- | --- | --- | 16.0 | 15.0 | 15.5 |
| 15 | 2.0 | 1.0 | 1.5 | --- | --- | --- | --- | --- | --- | 17.0 | 15.5 | 16.0 |
| 16 | 2.0 | 1.0 | 1.5 | --- | --- | --- | 11.5 | 11.0 | --- | 19.0 | 16.5 | 17.0 |
| 17 | 2.0 | 1.0 | 1.5 | --- | --- | --- | 12.0 | 11.0 | 11.5 | 19.0 | 17.0 | 18.0 |
| 18 | 3.0 | 1.0 | 1.5 | --- | --- | --- | 13.0 | 11.0 | 11.5 | 19.5 | 18.0 | 18.5 |
| 19 | 3.0 | 1.0 | 2.0 | --- | --- | --- | 12.0 | 11.0 | 11.5 | 19.0 | 18.0 | 18.5 |
| 20 | 3.5 | 3.0 | 3.0 | --- | --- | --- | 12.0 | 11.0 | 11.5 | 19.0 | 17.0 | 18.0 |
| 21 | 4.0 | 3.0 | 3.5 | --- | --- | --- | 13.0 | 11.5 | 11.5 | 19.0 | 17.0 | 18.0 |
| 22 | 4.0 | 3.5 | 3.5 | --- | --- | --- | 13.5 | 11.5 | 12.5 | 20.0 | 18.0 | 19.0 |
| 23 | 4.0 | 3.5 | 3.5 | --- | --- | --- | 13.5 | 12.0 | 13.0 | 20.0 | 19.0 | 19.5 |
| 24 | 4.0 | 3.5 | 4.0 | --- | --- | --- | 13.0 | 12.0 | 12.5 | 20.0 | 19.0 | 19.5 |
| 25 | 4.0 | 3.5 | 4.0 | --- | --- | --- | 13.0 | 11.5 | 12.0 | 20.0 | 19.0 | 19.5 |
| 26 | 4.0 | 3.0 | 3.5 | --- | --- | --- | 13.0 | 12.0 | 12.5 | 19.5 | 19.0 | 19.5 |
| 27 | 4.0 | 3.5 | 3.5 | --- | --- | --- | 13.5 | 12.0 | 13.0 | 19.5 | 19.0 | 19.0 |
| 28 | 4.0 | 3.5 | 3.5 | --- | --- | --- | 14.0 | 13.0 | --- | 19.5 | 18.5 | 19.0 |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.5 | 18.5 | 19.0 |
| 30 | --- | --- | --- | --- | --- | --- | 15.5 | 14.5 | --- | 20.0 | 19.0 | 19.5 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.5 | 19.0 | 19.0 |
| MONTH | 5.5 | 0.5 | 2.5 | --- | --- | --- | --- | --- | --- | 20.0 | 14.0 | 17.0 |

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

[illegible]

DELAWARE RIVER BASIN
ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS
CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | ALKA- LINITY AS CACO3 (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL URTHO PHOS- PHORUS (P) (MG/L) |
|---|------|---|--|-----------------------------------|---|--|--|---|--|
| 01429000 - W BR LACKAWAXEN RIVER AT PROMPTON, PA. (LAT 41 35 14 LONG 075 19 38) | | | | | | | | | |
| OCT., 1973 | | | | | | | | | |
| 18... | 1200 | 20 | -- | .29 | .13 | .31 | .44 | .02 | .00 |
| NOV. | | | | | | | | | |
| 20... | 1645 | 20 | -- | .30 | .12 | .26 | -- | .04 | .01 |
| DEC. | | | | | | | | | |
| 04... | 1600 | 81 | -- | .34 | .14 | .34 | .48 | .04 | .01 |

| | | | | | | | | | |
|--|------|----|----|-----|-----|-----|-----|-----|-----|
| 01438395 - SAWKILL CREEK AT MILFORD, PA. (LAT 41 19 19 LONG 074 48 17) | | | | | | | | | |
| OCT., 1973 | | | | | | | | | |
| 16... | 1600 | -- | 48 | .18 | .03 | .15 | .18 | .01 | .01 |
| SEP., 1974 | | | | | | | | | |
| 26... | 1415 | -- | -- | .00 | .06 | .05 | .11 | .01 | -- |

| | | | | | | | | | |
|---|------|----|----|-----|-----|-----|-----|-----|-----|
| 01438720 - RAYMONDSKILL C. NR. SILVER SPRING, PA. (LAT 41 17 40 LONG 074 50 48) | | | | | | | | | |
| OCT., 1973 | | | | | | | | | |
| 16... | 1530 | 13 | 24 | .20 | .07 | .19 | .26 | .03 | .01 |

| | | | | | | | | | |
|--|------|-----|----|-----|-----|-----|-----|-----|-----|
| 01438900 - DINGMANS CREEK AT DINGMANS FERRY, PA. (LAT 41 13 30 LONG 074 52 50) | | | | | | | | | |
| OCT., 1973 | | | | | | | | | |
| 16... | 1430 | 3.7 | 23 | .05 | .03 | .09 | .12 | .01 | .00 |

| | | | | | | | | | |
|---|------|----|---|-----|-----|-----|-----|-----|-----|
| 01439500 - BUSH KILL AT SHOEMAKERS, PA. (LAT 41 05 17 LONG 075 02 17) | | | | | | | | | |
| OCT., 1973 | | | | | | | | | |
| 16... | 1230 | 44 | 9 | .16 | .08 | .08 | .16 | .01 | .01 |

| | | | | | | | | | |
|--|------|----|----|-----|-----|-----|-----|-----|-----|
| 01439680 - LITTLE BUSH KILL AT BUSHKILL, PA. (LAT 41 05 52 LONG 075 00 15) | | | | | | | | | |
| OCT., 1973 | | | | | | | | | |
| 16... | 1315 | 10 | 12 | .25 | .03 | .19 | .22 | .02 | .00 |

| DATE | TIME | ALDKIN IN BOTTOM DE- POSITS (UG/KG) | CHLOR- DANE IN BOTTOM DE- POSITS (UG/KG) | DDD IN BOTTOM DE- POSITS (UG/KG) | DDE IN BOTTOM DE- POSITS (UG/KG) | DDT IN BOTTOM DE- POSITS (UG/KG) | DI- ELDRIN IN BOTTOM DE- POSITS (UG/KG) |
|------|------|--|--|---|---|---|---|
|------|------|--|--|---|---|---|---|

| | | | | | | | |
|--|------|----|----|----|----|----|----|
| 01438395 - SAWKILL CREEK AT MILFORD, PA. (LAT 41 19 19 LONG 074 48 17) | | | | | | | |
| OCT., 1973 | | | | | | | |
| 16... | 1600 | .0 | 25 | .0 | .0 | .9 | .0 |

| | | | | | | | |
|--|------|----|---|-----|-----|-----|----|
| 01438900 - DINGMANS CREEK AT DINGMANS FERRY, PA. (LAT 41 13 30 LONG 074 52 50) | | | | | | | |
| OCT., 1973 | | | | | | | |
| 16... | 1430 | .0 | 0 | 1.2 | 1.6 | 4.6 | .2 |

| | | | | | | | |
|---|------|----|---|----|-----|----|----|
| 01439500 - BUSH KILL AT SHOEMAKERS, PA. (LAT 41 05 17 LONG 075 02 17) | | | | | | | |
| OCT., 1973 | | | | | | | |
| 16... | 1230 | .0 | 0 | .6 | 6.5 | .8 | .2 |

| | | | | | | | |
|--|------|----|---|----|----|----|----|
| 01439680 - LITTLE BUSH KILL AT BUSHKILL, PA. (LAT 41 05 52 LONG 075 00 15) | | | | | | | |
| OCT., 1973 | | | | | | | |
| 16... | 1315 | .0 | 0 | .0 | .9 | .9 | .0 |

DELAWARE RIVER BASIN

195

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | IMME- DIATE COLI- FORM (COL. PER 100 ML) | FECAL COLI- FORM (COL. PER 100 ML) | STREP- TOCOCCI (COL- ONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) | TOTAL IN- ORGANIC CARBON (C) (MG/L) |
|---|--|---------------|-----------------------------|------------------------------------|--|---|---|---|--|
| 01429000 - W BR LACKAWAXEN RIVER AT PROMPTON, PA. (LAT 41 35 14 LONG 075 19 38) | | | | | | | | | |
| OCT., 1973 | | | | | | | | | |
| 18... | 85 | 6.8 | 13.0 | -- | -- | -- | -- | -- | -- |
| NOV. | | | | | | | | | |
| 20... | 75 | 6.7 | 6.0 | -- | -- | -- | -- | -- | -- |
| DEC. | | | | | | | | | |
| 04... | 71 | 6.9 | 6.0 | -- | -- | -- | -- | -- | -- |

| | | | | | | | | | |
|--|----|-----|------|------|-----|----|----|----|-----|
| 01438395 - SAWKILL CREEK AT MILFORD, PA. (LAT 41 19 19 LONG 074 48 17) | | | | | | | | | |
| OCT., 1973 | | | | | | | | | |
| 16... | 70 | 6.1 | 12.0 | 10.2 | 9 | 2 | 33 | .0 | 3.0 |
| SEP., 1974 | | | | | | | | | |
| 26... | 60 | 6.6 | 15.5 | 12.4 | 230 | E9 | 40 | 10 | -- |

| | | | | | | | | | |
|---|----|-----|------|------|----|-----|-----|-----|-----|
| 01438720 - RAYMONDSKILL C. NH. SILVER SPRING, PA. (LAT 41 17 40 LONG 074 50 48) | | | | | | | | | |
| OCT., 1973 | | | | | | | | | |
| 16... | 49 | 6.4 | 13.5 | 10.0 | 55 | E12 | 160 | 3.0 | 3.0 |

| | | | | | | | | | |
|--|----|-----|------|------|----|----|-----|-----|-----|
| 01438900 - DINGMANS CREEK AT DINGMANS FERRY, PA. (LAT 41 13 30 LONG 074 52 50) | | | | | | | | | |
| OCT., 1973 | | | | | | | | | |
| 16... | 57 | 6.4 | 12.0 | 10.2 | E5 | E0 | 230 | 1.0 | 3.0 |

| | | | | | | | | | |
|---|----|-----|------|------|----|----|------|----|----|
| 01439500 - BUSH KILL AT SHOEMAKERS, PA. (LAT 41 05 17 LONG 075 02 17) | | | | | | | | | |
| OCT., 1973 | | | | | | | | | |
| 16... | 41 | 5.2 | 13.0 | 10.0 | 60 | E5 | 1200 | 20 | 20 |

| | | | | | | | | | |
|--|----|-----|------|------|-----|----|----|-----|-----|
| 01439680 - LITTLE BUSH KILL AT BUSHKILL, PA. (LAT 41 05 52 LONG 075 00 15) | | | | | | | | | |
| OCT., 1973 | | | | | | | | | |
| 16... | 39 | 6.9 | 12.0 | 10.0 | E22 | E1 | 92 | 4.0 | 2.0 |

| DATE | ENDRIN IN BOTTOM DE- POSITS (UG/KG) | HEPTA- CHLOR IN BOTTOM DE- POSITS (UG/KG) | HEPTA- CHLOR EPOXIDE IN BOT- TOM DE- POSITS (UG/KG) | LINDANE IN BOTTOM DE- POSITS (UG/KG) | PCB IN BOTTOM DE- POSITS (UG/KG) | TOX- APHENE IN BOTTOM DE- POSITS (UG/KG) |
|------|--|---|---|---|---|--|
|------|--|---|---|---|---|--|

01438395 - SAWKILL CREEK AT MILFORD, PA. (LAT 41 19 19 LONG 074 48 17)

| | | | | | | |
|------------|----|----|----|----|----|---|
| OCT., 1973 | | | | | | |
| 16... | .0 | .0 | .0 | .0 | 20 | 0 |

01438900 - DINGMANS CREEK AT DINGMANS FERRY, PA. (LAT 41 13 30 LONG 074 52 50)

| | | | | | | |
|------------|----|----|----|----|----|---|
| OCT., 1973 | | | | | | |
| 16... | .0 | .0 | .0 | .0 | 10 | 0 |

01439500 - BUSH KILL AT SHOEMAKERS, PA. (LAT 41 05 17 LONG 075 02 17)

| | | | | | | |
|------------|----|----|----|----|----|---|
| OCT., 1973 | | | | | | |
| 16... | .0 | .0 | .0 | .0 | E5 | 0 |

01439680 - LITTLE BUSH KILL AT BUSHKILL, PA. (LAT 41 05 52 LONG 075 00 15)

| | | | | | | |
|------------|----|----|----|----|----|---|
| OCT., 1973 | | | | | | |
| 16... | .0 | .0 | .0 | .0 | E0 | 0 |

DELAWARE RIVER BASIN

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS- SOLVED SILICA (SI02) (MG/L) | TOTAL IRON (FE) (UG/L) | DIS- SOLVED IRON (FE) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HCO3) (MG/L) | CAR- BONATE (CO3) (MG/L) |
|---|------|--|---------------------------------|--|---|--|--|---|--|--|--------------------------------------|-----------------------------------|
| 01472054 - PIGEON CREEK NEAR BUCKTOWN, PA. (LAT 40 11 50 LONG 075 40 10) | | | | | | | | | | | | |
| OCT., 1973 03... | 0825 | 14 | 290 | -- | 70 | -- | 9.5 | 3.3 | 6.0 | 1.4 | 29 | 0 |
| 01472065 - PIGEON CREEK NEAR PORTERS MILL, PA. (LAT 40 11 27 LONG 075 38 10) | | | | | | | | | | | | |
| OCT., 1973 03... | 0905 | 15 | 340 | -- | 50 | -- | 11 | 3.6 | 6.5 | 2.2 | 34 | 0 |
| 01472080 - PIGEON CREEK NEAR PARKER FORD, PA. (LAT 40 12 03 LONG 075 37 10) | | | | | | | | | | | | |
| OCT., 1973 03... | 0935 | 15 | 440 | -- | 60 | -- | 12 | 4.3 | 7.5 | 2.7 | 37 | 0 |
| 01472109 - STONY RUN NEAR SPRING CITY, PA. (LAT 40 10 11 LONG 075 34 45) | | | | | | | | | | | | |
| OCT., 1973 02... | 1120 | 20 | 280 | -- | 50 | -- | 18 | 7.0 | 22 | 3.4 | 68 | 0 |
| 01472110 - STONY RUN AT SPRING CITY, PA. (LAT 40 10 01 LONG 075 32 57) | | | | | | | | | | | | |
| OCT., 1973 02... | 1035 | 17 | 250 | -- | 40 | -- | 17 | 6.9 | 19 | 4.0 | 62 | 0 |
| 01472126 - FRENCH CREEK NEAR TRYTHALL, PA. (LAT 40 12 00 LONG 075 45 53) | | | | | | | | | | | | |
| OCT., 1973 03... | 1035 | 8.7 | -- | 180 | -- | 70 | 6.0 | 2.2 | 3.5 | 1.0 | 24 | 0 |
| 01472129 - FRENCH CREEK NEAR KNAURERTOWN, PA. (LAT 40 11 09 LONG 075 45 28) | | | | | | | | | | | | |
| OCT., 1973 03... | 1205 | 13 | 360 | -- | 70 | -- | 8.0 | 2.8 | 3.5 | 1.6 | 30 | 0 |
| 01472138 - FRENCH CREEK NEAR COVENTRYVILLE, PA. (LAT 40 10 14 LONG 075 41 50) | | | | | | | | | | | | |
| OCT., 1973 04... | 1050 | 16 | 180 | -- | 20 | -- | 11 | 4.7 | 5.2 | 1.4 | 44 | 0 |
| 01472154 - FRENCH CREEK NEAR PUGTOWN, PA. (LAT 40 09 14 LONG 075 38 25) | | | | | | | | | | | | |
| OCT., 1973 04... | 1115 | 17 | 160 | -- | 10 | -- | 13 | 4.6 | 6.5 | 1.8 | 44 | 0 |
| 01472157 - FRENCH CREEK NEAR PHOENIXVILLE, PA. (LAT 40 09 05 LONG 075 36 06) | | | | | | | | | | | | |
| OCT., 1973 04... | 0945 | 16 | 110 | -- | 0 | -- | 12 | 4.5 | 6.0 | 1.8 | 44 | 0 |
| 01472161 - FRENCH CREEK AT PHOENIXVILLE, PA. (LAT 40 08 07 LONG 075 31 05) | | | | | | | | | | | | |
| OCT., 1973 04... | 0835 | 11 | -- | 120 | -- | 140 | 24 | 9.0 | 14 | 2.9 | 64 | 0 |

DELAWARE RIVER BASIN

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | ALKA- LINITY AS CACO3 (MG/L) | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L) | HARD- NESS (CA,MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) |
|---|--|--|---|--|-----------------------------------|-----------------------------------|--|---|------------------------------------|---|--|
| 01472054 - PIGEON CREEK NEAR BUCKTOWN, PA. (LAT 40 11 50 LONG 075 40 10) | | | | | | | | | | | |
| OCT., 1973 03... | 24 | 14 | 4.2 | .7 | .88 | .00 | .88 | 67 | 37 | 14 | 109 |
| 01472065 - PIGEON CREEK NEAR PORTERS MILL, PA. (LAT 40 11 27 LONG 075 38 10) | | | | | | | | | | | |
| OCT., 1973 03... | 28 | 15 | 6.2 | .7 | 1.2 | .00 | 1.2 | 77 | 42 | 14 | 125 |
| 01472080 - PIGEON CREEK NEAR PARKER FORD, PA. (LAT 40 12 03 LONG 075 37 10) | | | | | | | | | | | |
| OCT., 1973 03... | 30 | 17 | 7.7 | .7 | 1.7 | .00 | 1.7 | 85 | 48 | 17 | 143 |
| 01472109 - STONY RUN NEAR SPRING CITY, PA. (LAT 40 10 11 LONG 075 34 45) | | | | | | | | | | | |
| OCT., 1973 02... | 56 | 23 | 18 | .2 | 4.4 | .00 | 4.4 | 145 | 74 | 18 | 253 |
| 01472110 - STONY RUN AT SPRING CITY, PA. (LAT 40 10 01 LONG 075 32 57) | | | | | | | | | | | |
| OCT., 1973 02... | 51 | 23 | 16 | .3 | 3.8 | .00 | 3.8 | 134 | 71 | 20 | 238 |
| 01472126 - FRENCH CREEK NEAR TRYTHALL, PA. (LAT 40 12 00 LONG 075 45 53) | | | | | | | | | | | |
| OCT., 1973 03... | 20 | 6.4 | 2.7 | .2 | .23 | .00 | .24 | 43 | 24 | 4 | 66 |
| 01472129 - FRENCH CREEK NEAR KNAURERTOWN, PA. (LAT 40 11 09 LONG 075 45 28) | | | | | | | | | | | |
| OCT., 1973 03... | 25 | 7.7 | 3.5 | .6 | .43 | .00 | .43 | 55 | 32 | 7 | 86 |
| 01472138 - FRENCH CREEK NEAR COVENTRYVILLE, PA. (LAT 40 10 14 LONG 075 41 50) | | | | | | | | | | | |
| OCT., 1973 04... | 36 | 11 | 8.5 | .3 | .57 | .00 | .57 | 80 | 47 | 11 | 129 |
| 01472154 - FRENCH CREEK NEAR PUGHTOWN, PA. (LAT 40 09 14 LONG 075 38 25) | | | | | | | | | | | |
| OCT., 1973 04... | 36 | 12 | 8.3 | .3 | 1.1 | .00 | 1.1 | 85 | 51 | 15 | 139 |
| 01472157 - FRENCH CREEK NEAR PHOENIXVILLE, PA. (LAT 40 09 05 LONG 075 36 06) | | | | | | | | | | | |
| OCT., 1973 04... | 36 | 12 | 7.5 | .3 | 1.1 | .00 | 1.1 | 82 | 48 | 12 | 136 |
| 01472161 - FRENCH CREEK AT PHOENIXVILLE, PA. (LAT 40 08 07 LONG 075 31 05) | | | | | | | | | | | |
| OCT., 1973 04... | 52 | 46 | 16 | .3 | 1.6 | .00 | 1.6 | 155 | 97 | 44 | 267 |

DELAWARE RIVER BASIN

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | PH (UNITS) | CARBON DIOXIDE (CO ₂) (MG/L) | TOTAL ARSENIC (AS) (UG/L) | DIS- SOLVED ARSENIC (AS) (UG/L) | DIS- SOLVED CAD- MIUM (CD) (UG/L) | DIS- SOLVED CHRO- MIUM (CR) (UG/L) | DIS- SOLVED COBALT (CO) (UG/L) | DIS- SOLVED COPPER (CU) (UG/L) | DIS- SOLVED LEAD (PB) (UG/L) | DIS- SOLVED NICKEL (NI) (UG/L) | DIS- SOLVED ZINC (ZN) (UG/L) |
|---|---------------|---|------------------------------------|---|--|---|--|--|--|--|--|
| 01472054 - PIGEON CREEK NEAR BUCKTOWN, PA. (LAT 40 11 50 LONG 075 40 10) | | | | | | | | | | | |
| OCT., 1973 03... | 7.2 | 2.9 | -- | 1 | 0 | 0 | 1 | 10 | 0 | 2 | 20 |
| 01472065 - PIGEON CREEK NEAR PORTERS MILL, PA. (LAT 40 11 27 LONG 075 38 10) | | | | | | | | | | | |
| OCT., 1973 03... | 7.6 | 1.4 | -- | 1 | 0 | 0 | 0 | 0 | 0 | 2 | 10 |
| 01472080 - PIGEON CREEK NEAR PARKER FORD, PA. (LAT 40 12 03 LONG 075 37 10) | | | | | | | | | | | |
| OCT., 1973 03... | 7.3 | 3.0 | -- | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| 01472109 - STONY RUN NEAR SPRING CITY, PA. (LAT 40 10 11 LONG 075 34 45) | | | | | | | | | | | |
| OCT., 1973 02... | 7.7 | 2.2 | -- | -- | 1 | 0 | 0 | 0 | 2 | 1 | 20 |
| 01472110 - STONY RUN AT SPRING CITY, PA. (LAT 40 10 01 LONG 075 32 57) | | | | | | | | | | | |
| OCT., 1973 02... | 7.8 | 1.6 | -- | 1 | 0 | <0 | 0 | 0 | 2 | 1 | 20 |
| 01472126 - FRENCH CREEK NEAR TRYTHALL, PA. (LAT 40 12 00 LONG 075 45 53) | | | | | | | | | | | |
| OCT., 1973 03... | 7.6 | 1.0 | 1 | -- | 0 | 0 | 0 | 0 | 3 | 3 | 10 |
| 01472129 - FRENCH CREEK NEAR KNAURERTOWN, PA. (LAT 40 11 09 LONG 075 45 28) | | | | | | | | | | | |
| OCT., 1973 03... | 7.5 | 1.5 | -- | 0 | 0 | 0 | 0 | 10 | 0 | 0 | 10 |
| 01472138 - FRENCH CREEK NEAR COVENTRYVILLE, PA. (LAT 40 10 14 LONG 075 41 50) | | | | | | | | | | | |
| OCT., 1973 04... | 7.5 | 2.2 | -- | <1 | 0 | 0 | 0 | 10 | 2 | 0 | 10 |
| 01472154 - FRENCH CREEK NEAR PUGHTOWN, PA. (LAT 40 09 14 LONG 075 38 25) | | | | | | | | | | | |
| OCT., 1973 04... | 7.4 | 2.8 | -- | 0 | 0 | 0 | 3 | 10 | 1 | 0 | 10 |
| 01472157 - FRENCH CREEK NEAR PHOENIXVILLE, PA. (LAT 40 09 05 LONG 075 36 06) | | | | | | | | | | | |
| OCT., 1973 04... | 7.8 | 1.1 | -- | <1 | 0 | 0 | 0 | 0 | 1 | 0 | 10 |
| 01472161 - FRENCH CREEK AT PHOENIXVILLE, PA. (LAT 40 08 07 LONG 075 31 05) | | | | | | | | | | | |
| OCT., 1973 04... | 7.9 | 1.3 | 3 | -- | 0 | 0 | 0 | 0 | 7 | 8 | 20 |

DELAWARE RIVER BASIN

199

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS- SOLVED SILICA (SI02) (MG/L) | TOTAL IRON (FE) (UG/L) | DIS- SOLVED IRON (FE) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HCO3) (MG/L) | CAR- BONATE (CO3) (MG/L) |
|--|------|--|---------------------------------|--|---|--|--|---|--|--|--------------------------------------|-----------------------------------|
| 01472170 - PICKERING CREEK NEAR EAGLE, PA. (LAT 40 04 43 LONG 075 39 14) | | | | | | | | | | | | |
| OCT., 1973 02... | 0815 | 19 | 660 | -- | 70 | -- | 17 | 5.9 | 6.5 | 2.0 | 50 | 0 |
| 01472174 - PICKERING CREEK NEAR CHESTER SPRINGS, PA. (LAT 40 05 22 LONG 075 37 50) | | | | | | | | | | | | |
| OCT., 1973 02... | 0905 | 18 | 200 | -- | 30 | -- | 17 | 5.0 | 6.5 | 1.9 | 52 | 0 |
| 01472188 - PICKERING CREEK AT CHARLESTOWN, PA. (LAT 40 06 05 LONG 075 34 17) | | | | | | | | | | | | |
| OCT., 1973 01... | 1225 | 17 | 280 | -- | 40 | -- | 17 | 5.5 | 6.7 | 2.1 | 49 | 0 |
| 01472191 - PICKERING CREEK NEAR PHOENIXVILLE, PA. (LAT 40 06 33 LONG 075 31 42) | | | | | | | | | | | | |
| OCT., 1973 01... | 1405 | 17 | 190 | -- | 10 | -- | 16 | 5.5 | 7.2 | 2.2 | 48 | 0 |
| 01473167 - LITTLE VALLEY CR NR VALLEY FORGE, PA. (LAT 40 03 51 LONG 075 28 22) | | | | | | | | | | | | |
| OCT., 1973 12... | 0905 | 6.5 | -- | 30 | -- | 60 | 49 | 17 | 28 | 3.1 | 167 | 0 |
| 01473168 - VALLEY CREEK NR VALLEY FORGE, PA. (LAT 40 04 08 LONG 075 28 25) | | | | | | | | | | | | |
| OCT., 1973 12... | 0835 | 5.8 | -- | 20 | -- | 30 | 30 | 30 | 20 | 3.0 | 179 | 1 |
| 01475300 - DARBY CR AT WATERLOO MILLS NR DEVON, PA. (LAT 40 01 21 LONG 075 25 20) | | | | | | | | | | | | |
| OCT., 1973 04... | 1245 | 12 | -- | 100 | -- | 30 | 18 | 7.9 | 11 | 3.3 | 61 | 0 |
| 01475830 - EAST BRANCH CRUM CREEK NEAR PAOLI, PA. (LAT 40 00 28 LONG 075 27 55) | | | | | | | | | | | | |
| OCT., 1973 05... | 0745 | 13 | -- | 150 | -- | 20 | 12 | 7.4 | 8.0 | 2.1 | 52 | 0 |
| 01475840 - WEST BRANCH CRUM CREEK NEAR PAOLI, PA. (LAT 39 59 52 LONG 075 27 38) | | | | | | | | | | | | |
| OCT., 1973 05... | 0810 | 14 | -- | 100 | -- | 20 | 12 | 7.2 | 8.7 | 2.2 | 53 | 0 |
| 01476430 - RIDLEY CREEK NEAR GOSHENVILLE, PA. (LAT 39 59 26 LONG 075 32 38) | | | | | | | | | | | | |
| OCT., 1973 05... | 0855 | 12 | 280 | -- | 40 | -- | 10 | 6.1 | 9.0 | 2.1 | 38 | 0 |
| 01476435 - RIDLEY CREEK NEAR DUTTON MILL, PA. (LAT 39 58 50 LONG 075 31 00) | | | | | | | | | | | | |
| OCT., 1973 05... | 0950 | 14 | 340 | -- | 50 | -- | 10 | 6.6 | 8.2 | 1.8 | 42 | 0 |

DELAWARE RIVER BASIN

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | ALKA- LINITY AS CAC03 (MG/L) | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L) | HARD- NESS (CA,MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) |
|--|--|--|---|--|-----------------------------------|-----------------------------------|--|---|------------------------------------|---|--|
| 01472170 - PICKERING CREEK NEAR EAGLE, PA. (LAT 40 04 43 LONG 075 39 14) | | | | | | | | | | | |
| OCT., 1973 02... | 41 | 11 | 17 | .8 | 2.0 | .00 | 2.0 | 104 | 67 | 26 | 200 |
| 01472174 - PICKERING CREEK NEAR CHESTER SPRINGS, PA. (LAT 40 05 22 LONG 075 37 50) | | | | | | | | | | | |
| OCT., 1973 02... | 43 | 13 | 12 | .7 | 2.3 | .00 | 2.3 | 100 | 63 | 20 | 190 |
| 01472188 - PICKERING CREEK AT CHARLESTOWN, PA. (LAT 40 06 05 LONG 075 34 17) | | | | | | | | | | | |
| OCT., 1973 01... | 40 | 15 | 14 | .7 | 1.3 | .00 | 1.3 | 102 | 65 | 25 | 176 |
| 01472191 - PICKERING CREEK NEAR PHOENIXVILLE, PA. (LAT 40 06 33 LONG 075 31 42) | | | | | | | | | | | |
| OCT., 1973 01... | 39 | 16 | 14 | .7 | 1.3 | .00 | 1.3 | 102 | 63 | 23 | 176 |
| 01473167 - LITTLE VALLEY CR NR VALLEY FORGE, PA. (LAT 40 03 51 LONG 075 28 22) | | | | | | | | | | | |
| OCT., 1973 12... | 137 | 39 | 47 | .5 | 3.6 | .00 | 3.6 | 273 | 190 | 55 | 520 |
| 01473168 - VALLEY CREEK NR VALLEY FORGE, PA. (LAT 40 04 08 LONG 075 28 25) | | | | | | | | | | | |
| OCT., 1973 12... | 148 | 33 | 30 | .2 | 2.0 | .00 | 2.0 | 241 | 200 | 50 | 504 |
| 01475300 - DARBY CR AT WATERLOO MILLS NR DEVON, PA. (LAT 40 01 21 LONG 075 25 20) | | | | | | | | | | | |
| OCT., 1973 04... | 50 | 21 | 15 | .3 | 2.6 | .00 | 2.6 | 119 | 77 | 27 | 212 |
| 01475830 - EAST BRANCH CRUM CREEK NEAR PAOLI, PA. (LAT 40 00 28 LONG 075 27 55) | | | | | | | | | | | |
| OCT., 1973 05... | 43 | 11 | 11 | .3 | 2.2 | .00 | 2.2 | 91 | 60 | 18 | 162 |
| 01475840 - WEST BRANCH CRUM CREEK NEAR PAOLI, PA. (LAT 39 59 52 LONG 075 27 38) | | | | | | | | | | | |
| OCT., 1973 05... | 43 | 14 | 14 | .3 | 1.8 | .00 | 1.8 | 99 | 60 | 16 | 167 |
| 01476430 - RIDLEY CREEK NEAR GOSHENVILLE, PA. (LAT 39 59 26 LONG 075 32 38) | | | | | | | | | | | |
| OCT., 1973 05... | 31 | 12 | 14 | .4 | 2.3 | .00 | 2.3 | 84 | 50 | 19 | 154 |
| 01476435 - RIDLEY CREEK NEAR DUTTON MILL, PA. (LAT 39 58 50 LONG 075 31 00) | | | | | | | | | | | |
| OCT., 1973 05... | 34 | 12 | 12 | .3 | 2.2 | .00 | 2.2 | 86 | 52 | 18 | 153 |

DELAWARE RIVER BASIN

201

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | PH (UNITS) | CARBON DIOXIDE (CO ₂) (MG/L) | TOTAL ARSENIC (AS) (UG/L) | DIS- SOLVED ARSENIC (AS) (UG/L) | DIS- SOLVED CAD- MIUM (CD) (UG/L) | DIS- SOLVED CHRO- MIUM (CR) (UG/L) | DIS- SOLVED COBALT (CO) (UG/L) | DIS- SOLVED COPPER (CU) (UG/L) | DIS- SOLVED LEAD (PB) (UG/L) | DIS- SOLVED NICKEL (NI) (UG/L) | DIS- SOLVED ZINC (ZN) (UG/L) |
|--|---------------|---|------------------------------------|---|--|---|--|--|--|--|--|
| 01472170 - PICKERING CREEK NEAR EAGLE, PA. (LAT 40 04 43 LONG 075 39 14) | | | | | | | | | | | |
| OCT., 1973 02... | 7.6 | 2.0 | -- | <1 | 1 | 0 | 0 | 10 | 1 | 1 | 30 |
| 01472174 - PICKERING CREEK NEAR CHESTER SPRINGS, PA. (LAT 40 05 22 LONG 075 37 50) | | | | | | | | | | | |
| OCT., 1973 02... | 7.6 | 2.1 | -- | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 10 |
| 01472188 - PICKERING CREEK AT CHARLESTOWN, PA. (LAT 40 06 05 LONG 075 34 17) | | | | | | | | | | | |
| OCT., 1973 01... | 7.5 | 2.5 | -- | 0 | 3 | 0 | 1 | 20 | 4 | 2 | 30 |
| 01472191 - PICKERING CREEK NEAR PHOENIXVILLE, PA. (LAT 40 06 33 LONG 075 31 42) | | | | | | | | | | | |
| OCT., 1973 01... | 7.6 | 1.9 | -- | 1 | 0 | 30 | 1 | 10 | 2 | 0 | 20 |
| 01473167 - LITTLE VALLEY CR NR VALLEY FORGE, PA. (LAT 40 03 51 LONG 075 28 22) | | | | | | | | | | | |
| OCT., 1973 12... | 7.9 | 3.4 | 1 | -- | 0 | 10 | 0 | 0 | 2 | 8 | 50 |
| 01473168 - VALLEY CREEK NR VALLEY FORGE, PA. (LAT 40 04 08 LONG 075 28 25) | | | | | | | | | | | |
| OCT., 1973 12... | 8.4 | 1.2 | 2 | -- | 0 | <10 | 0 | 0 | 2 | 4 | 20 |
| 01475300 - DARBY CR AT WATERLOO MILLS NR DEVON, PA. (LAT 40 01 21 LONG 075 25 20) | | | | | | | | | | | |
| OCT., 1973 04... | 7.4 | 3.9 | 2 | -- | 0 | <10 | 0 | 0 | 2 | 2 | 10 |
| 01475830 - EAST BRANCH CRUM CREEK NEAR PAOLI, PA. (LAT 40 00 28 LONG 075 27 55) | | | | | | | | | | | |
| OCT., 1973 05... | 7.5 | 2.6 | 17 | -- | 0 | <10 | 0 | 0 | 2 | 2 | 10 |
| 01475840 - WEST BRANCH CRUM CREEK NEAR PAOLI, PA. (LAT 39 59 52 LONG 075 27 38) | | | | | | | | | | | |
| OCT., 1973 05... | 7.5 | 2.7 | 15 | -- | 0 | <10 | 0 | 0 | 2 | 2 | 20 |
| 01476430 - RIDLEY CREEK NEAR GOSHENVILLE, PA. (LAT 39 59 26 LONG 075 32 38) | | | | | | | | | | | |
| OCT., 1973 05... | 7.6 | 1.5 | -- | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 10 |
| 01476435 - RIDLEY CREEK NEAR DUTTON MILL, PA. (LAT 39 58 50 LONG 075 31 00) | | | | | | | | | | | |
| OCT., 1973 05... | 7.3 | 3.4 | -- | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 10 |

DELAWARE RIVER BASIN

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS- SOLVED SILICA (SI02) (MG/L) | TOTAL IRON (FE) (UG/L) | DIS- SOLVED IRON (FE) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HC03) (MG/L) | CAR- BONATE (C03) (MG/L) |
|--|------|--|---------------------------------|--|---|--|--|---|--|--|--------------------------------------|-----------------------------------|
| 01476790 - CHESTER CREEK NEAR WEST CHESTER, PA. (LAT 39 59 49 LONG 075 35 40) | | | | | | | | | | | | |
| OCT., 1973 05... | 1035 | 9.6 | 90 | -- | 30 | -- | 14 | 6.0 | 9.2 | 1.7 | 38 | 0 |
| 01476830 - CHESTER CREEK NEAR MILLTOWN, PA. (LAT 39 58 21 LONG 075 32 57) | | | | | | | | | | | | |
| OCT., 1973 05... | 1120 | 15 | 360 | -- | 110 | -- | 15 | 8.6 | 8.5 | 3.2 | 61 | 0 |
| 01476835 - CHESTER CREEK AT WESTTOWN SCHOOL, PA. (LAT 39 56 21 LONG 075 32 28) | | | | | | | | | | | | |
| OCT., 1973 05... | 1155 | 17 | 460 | -- | 140 | -- | 17 | 7.8 | 11 | 3.9 | 58 | 0 |
| 01476840 - GOOSE CREEK NEAR WEST CHESTER, PA. (LAT 39 56 01 LONG 075 33 31) | | | | | | | | | | | | |
| OCT., 1973 05... | 1225 | 23 | 1000 | -- | 290 | -- | 38 | 13 | 76 | 26 | 1 | 0 |
| 01478120 - WHITE CLAY CREEK NEAR AVONDALE, PA. (LAT 39 49 39 LONG 075 46 52) | | | | | | | | | | | | |
| OCT., 1973 08... | 1040 | 14 | 200 | -- | 20 | -- | 26 | 12 | 7.5 | 2.7 | 98 | 0 |
| 01478190 - WHITE CLAY CREEK NEAR WICKERTON, PA. (LAT 39 47 44 LONG 075 49 27) | | | | | | | | | | | | |
| OCT., 1973 08... | 1145 | 15 | 170 | -- | 30 | -- | 12 | 6.2 | 8.4 | 3.0 | 41 | 0 |
| 01478220 - W BR WHITE CLAY CR NR CHESTERTOWN, PA. (LAT 39 45 56 LONG 075 47 47) | | | | | | | | | | | | |
| OCT., 1973 08... | 1245 | 13 | 90 | -- | 20 | -- | 9.0 | 3.9 | 6.5 | 2.8 | 25 | 0 |
| 01479780 - RED CLAY CREEK NEAR KENNETT SQUARE, PA. (LAT 39 50 13 LONG 075 43 33) | | | | | | | | | | | | |
| OCT., 1973 08... | 0955 | 15 | 120 | -- | 60 | -- | 21 | 10 | 9.5 | 3.6 | 81 | 0 |
| 01479800 - RED CLAY CREEK NEAR FIVE POINT, PA. (LAT 39 49 11 LONG 075 41 29) | | | | | | | | | | | | |
| OCT., 1973 08... | 0910 | 16 | 110 | -- | 50 | -- | 21 | 9.6 | 12 | 4.5 | 75 | 0 |
| 01480430 - W BR BRANDYWINE CR NR COATESVILLE, PA. (LAT 40 00 17 LONG 075 49 31) | | | | | | | | | | | | |
| OCT., 1973 10... | 1145 | 12 | 290 | -- | 50 | -- | 13 | 5.8 | 8.0 | 2.6 | 46 | 0 |
| 01480629 - BUCK RUN NEAR DOE RUN, PA. (LAT 39 55 44 LONG 075 49 47) | | | | | | | | | | | | |
| OCT., 1973 10... | 1050 | 5.8 | -- | 120 | -- | 40 | 17 | 6.3 | 9.0 | 2.6 | 43 | 0 |

DELAWARE RIVER BASIN

203

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | ALKA- LINITY AS CAC03 (MG/L) | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L) | HARD- NESS (CA, MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) |
|--|--|--|---|--|-----------------------------------|-----------------------------------|--|---|-------------------------------------|---|--|
| 01476790 - CHESTER CREEK NEAR WEST CHESTER, PA. (LAT 39 59 49 LONG 075 35 40) | | | | | | | | | | | |
| OCT., 1973 05... | 31 | 13 | 20 | .4 | 4.0 | .00 | 4.0 | 93 | 60 | 28 | 180 |
| 01476830 - CHESTER CREEK NEAR MILLTOWN, PA. (LAT 39 58 21 LONG 075 32 57) | | | | | | | | | | | |
| OCT., 1973 05... | 50 | 16 | 15 | .3 | 2.1 | .00 | 2.1 | 112 | 73 | 23 | 204 |
| 01476835 - CHESTER CREEK AT WESTTOWN SCHOOL, PA. (LAT 39 56 21 LONG 075 32 28) | | | | | | | | | | | |
| OCT., 1973 05... | 48 | 21 | 15 | .4 | 2.2 | .00 | 2.2 | 122 | 75 | 27 | 216 |
| 01476840 - GOOSE CREEK NEAR WEST CHESTER, PA. (LAT 39 56 01 LONG 075 33 31) | | | | | | | | | | | |
| OCT., 1973 05... | 1 | 94 | 110 | .9 | 28 | .00 | 28 | 382 | 150 | 150 | 812 |
| 01478120 - WHITE CLAY CREEK NEAR AVONDALE, PA. (LAT 39 49 39 LONG 075 46 52) | | | | | | | | | | | |
| OCT., 1973 08... | 80 | 21 | 14 | .4 | 3.8 | .00 | 3.8 | 146 | 110 | 34 | 284 |
| 01478190 - WHITE CLAY CREEK NEAR WICKERTON, PA. (LAT 39 47 44 LONG 075 49 27) | | | | | | | | | | | |
| OCT., 1973 08... | 34 | 9.1 | 12 | .3 | 4.4 | .00 | 4.4 | 86 | 55 | 22 | 171 |
| 01478220 - W BR WHITE CLAY CR NR CHESTERVILLE, PA. (LAT 39 45 56 LONG 075 47 47) | | | | | | | | | | | |
| OCT., 1973 08... | 21 | 10 | 11 | .4 | 2.8 | .01 | 2.8 | 69 | 39 | 18 | 124 |
| 01479780 - RED CLAY CREEK NEAR KENNETT SQUARE, PA. (LAT 39 50 13 LONG 075 43 33) | | | | | | | | | | | |
| OCT., 1973 08... | 66 | 20 | 15 | .4 | -- | -- | 3.7 | 134 | 94 | 27 | 257 |
| 01479800 - RED CLAY CREEK NEAR FIVE POINT, PA. (LAT 39 49 11 LONG 075 41 29) | | | | | | | | | | | |
| OCT., 1973 08... | 62 | 27 | 17 | .3 | 3.3 | .01 | 3.3 | 144 | 92 | 30 | 261 |
| 01480430 - W BR BRANDYWINE CR NR COATESVILLE, PA. (LAT 40 00 17 LONG 075 49 31) | | | | | | | | | | | |
| OCT., 1973 10... | 38 | 13 | 12 | .2 | 1.7 | .00 | 1.7 | 89 | 56 | 19 | 157 |
| 01480629 - BUCK RUN NEAR DOE RUN, PA. (LAT 39 55 44 LONG 075 49 47) | | | | | | | | | | | |
| OCT., 1973 10... | 35 | 16 | 16 | .3 | 4.2 | .00 | 4.2 | 94 | 68 | 33 | 190 |

DELAWARE RIVER BASIN

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | PH (UNITS) | CARBON DIOXIDE (CO ₂) (MG/L) | TOTAL ARSENIC (AS) (UG/L) | DIS- SOLVED ARSENIC (AS) (UG/L) | DIS- SOLVED CAD- MIUM (CD) (UG/L) | DIS- SOLVED CHRO- MIUM (CR) (UG/L) | DIS- SOLVED COBALT (CO) (UG/L) | DIS- SOLVED COPPER (CU) (UG/L) | DIS- SOLVED LEAD (PB) (UG/L) | DIS- SOLVED NICKEL (NI) (UG/L) | DIS- SOLVED ZINC (ZN) (UG/L) |
|--|---------------|---|------------------------------------|---|--|---|--|--|--|--|--|
| 01476790 - CHESTER CREEK NEAR WEST CHESTER, PA. (LAT 39 59 49 LONG 075 35 40) | | | | | | | | | | | |
| OCT., 1973 05... | 7.4 | 2.4 | -- | <1 | 0 | 0 | 6 | 10 | 1 | 0 | 10 |
| 01476830 - CHESTER CREEK NEAR MILLTOWN, PA. (LAT 39 58 21 LONG 075 32 57) | | | | | | | | | | | |
| OCT., 1973 05... | 7.3 | 4.9 | -- | 1 | 0 | 0 | 5 | 10 | 1 | 0 | 10 |
| 01476835 - CHESTER CREEK AT WESTTOWN SCHOOL, PA. (LAT 39 56 21 LONG 075 32 28) | | | | | | | | | | | |
| OCT., 1973 05... | 7.3 | 4.7 | -- | 0 | 0 | 0 | 3 | 0 | 0 | 0 | 10 |
| 01476840 - GOOSE CREEK NEAR WEST CHESTER, PA. (LAT 39 56 01 LONG 075 33 31) | | | | | | | | | | | |
| OCT., 1973 05... | 4.6 | 40 | -- | 1 | 20 | 30 | 0 | 30 | 4 | 4 | 80 |
| 01478120 - WHITE CLAY CREEK NEAR AVONDALE, PA. (LAT 39 49 39 LONG 075 46 52) | | | | | | | | | | | |
| OCT., 1973 08... | 7.9 | 2.0 | -- | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 20 |
| 01478190 - WHITE CLAY CREEK NEAR WICKERTON, PA. (LAT 39 47 44 LONG 075 49 27) | | | | | | | | | | | |
| OCT., 1973 08... | 7.2 | 4.1 | -- | 2 | 0 | 0 | 3 | 0 | 0 | 0 | 10 |
| 01478220 - W BR WHITE CLAY CR NR CHESTERTOWN, PA. (LAT 39 45 56 LONG 075 47 47) | | | | | | | | | | | |
| OCT., 1973 08... | 7.1 | 3.2 | -- | 0 | 0 | 0 | 4 | 0 | 0 | 0 | 10 |
| 01479780 - RED CLAY CREEK NEAR KENNETT SQUARE, PA. (LAT 39 50 13 LONG 075 43 33) | | | | | | | | | | | |
| OCT., 1973 08... | 7.4 | 5.2 | -- | <1 | 0 | 0 | 0 | 0 | 1 | 0 | 30 |
| 01479800 - RED CLAY CREEK NEAR FIVE POINT, PA. (LAT 39 49 11 LONG 075 41 29) | | | | | | | | | | | |
| OCT., 1973 08... | 7.6 | 3.0 | -- | <1 | 0 | 0 | 0 | 10 | 2 | 1 | 20 |
| 01480430 - W BR BRANDYWINE CR NR COATESVILLE, PA. (LAT 40 00 17 LONG 075 49 31) | | | | | | | | | | | |
| OCT., 1973 10... | 7.6 | 1.8 | -- | <1 | 0 | 0 | 0 | 10 | 1 | 0 | 20 |
| 01480629 - BUCK RUN NEAR DOE RUN, PA. (LAT 39 55 44 LONG 075 49 47) | | | | | | | | | | | |
| OCT., 1973 10... | 7.6 | 1.7 | 1 | -- | 0 | 0 | 0 | 20 | 1 | 6 | 20 |

DELAWARE RIVER BASIN

205

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS- SOLVED SILICA (SIO ₂) (MG/L) | TOTAL IRON (FE) (UG/L) | DIS- SOLVED IRON (FE) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) |
|--|------|---|---------------------------------|--|---|--|--|---|--|--|---|--|
| 01480632 - DOE RUN NEAR SPRINGDALE, PA. (LAT 39 54 21 LONG 075 49 42) | | | | | | | | | | | | |
| OCT., 1973 | | | | | | | | | | | | |
| 10... | 1030 | 7.2 | -- | 40 | -- | 20 | 10 | 4.4 | 4.8 | 1.9 | 28 | 0 |
| 01480640 - WEST BRANCH BRANDYWINE CREEK AT WAWASET, PA. (LAT 39 55 34 LONG 075 39 47) | | | | | | | | | | | | |
| OCT., 1973 | | | | | | | | | | | | |
| 10... | 0930 | 9.3 | 390 | -- | 60 | -- | 17 | 7.2 | 11 | 3.0 | 57 | 0 |
| 01480647 - E BR BRANDYWINE CR NR STRUBLE DAM, PA. (LAT 40 06 05 LONG 075 51 40) | | | | | | | | | | | | |
| OCT., 1973 | | | | | | | | | | | | |
| 11... | 0915 | 11 | -- | 200 | -- | 200 | 17 | 6.8 | 6.5 | 3.5 | 56 | 0 |
| 01480648 - EAST BRANCH BRANDYWINE CREEK NEAR CUPOLA, PA. (LAT 40 05 41 LONG 075 51 14) | | | | | | | | | | | | |
| OCT., 1973 | | | | | | | | | | | | |
| 11... | 1000 | 15 | -- | 130 | -- | 90 | 16 | 6.0 | 7.0 | 2.9 | 55 | 0 |
| 01480656 - INDIAN RUN NEAR SPRINGTON, PA. (LAT 40 04 30 LONG 075 46 57) | | | | | | | | | | | | |
| OCT., 1973 | | | | | | | | | | | | |
| 11... | 0800 | 22 | -- | 50 | -- | 10 | 15 | 4.0 | 7.5 | 1.6 | 51 | 0 |
| 01480700 - EAST BR BRANDYWINE CR NR DOWNINGTOWN, PA. (LAT 40 02 05 LONG 075 42 32) | | | | | | | | | | | | |
| OCT., 1973 | | | | | | | | | | | | |
| 10... | 1220 | 15 | 140 | -- | 20 | -- | 14 | 5.1 | 7.5 | 2.2 | 43 | 0 |
| 01480903 - VALLEY CREEK AT MULLSTEINS MEADOWS, PA. (LAT 39 58 31 LONG 075 39 48) | | | | | | | | | | | | |
| OCT., 1973 | | | | | | | | | | | | |
| 12... | 0950 | 4.6 | -- | 90 | -- | 0 | 29 | 14 | 12 | 2.5 | 115 | 0 |
| 01480950 - EAST BRANCH BRANDYWINE CREEK AT WAWASET, PA. (LAT 39 55 31 LONG 075 38 55) | | | | | | | | | | | | |
| OCT., 1973 | | | | | | | | | | | | |
| 10... | 0845 | 13 | 350 | -- | 80 | -- | 21 | 9.1 | 17 | 3.1 | 81 | 0 |
| 01494900 - ELK CREEK AT ELKVIEW, PA. (LAT 39 48 45 LONG 075 54 04) | | | | | | | | | | | | |
| OCT., 1973 | | | | | | | | | | | | |
| 09... | 0900 | 11 | 90 | -- | 20 | -- | 7.5 | 3.9 | 5.7 | 2.1 | 22 | 0 |
| 01494950 - ELK CREEK NEAR OXFORD, PA. (LAT 39 46 45 LONG 075 55 27) | | | | | | | | | | | | |
| OCT., 1973 | | | | | | | | | | | | |
| 09... | 0940 | 9.9 | 170 | -- | 20 | -- | 8.0 | 4.4 | 9.0 | 2.4 | 26 | 0 |

DELAWARE RIVER BASIN

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | ALKA- LINITY AS CAC03 (MG/L) | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L) | HARD- NESS (CA,MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) |
|--|--|--|---|--|-----------------------------------|-----------------------------------|--|---|------------------------------------|---|--|
| 01480632 - DOE RUN NEAR SPRINGDALE, PA. (LAT 39 54 21 LONG 075 49 42) | | | | | | | | | | | |
| OCT., 1973 10... | 23 | 6.8 | 9.7 | .3 | 3.3 | .00 | 3.3 | 59 | 43 | 20 | 120 |
| 01480640 - WEST BRANCH BRANDYWINE CREEK AT WAWASET, PA. (LAT 39 55 34 LONG 075 39 47) | | | | | | | | | | | |
| OCT., 1973 10... | 47 | 18 | 15 | .4 | 3.1 | .00 | 3.1 | 109 | 72 | 25 | 210 |
| 01480647 - E BR BRANDYWINE CR NR STRUBLE DAM, PA. (LAT 40 06 05 LONG 075 51 40) | | | | | | | | | | | |
| OCT., 1973 11... | 46 | 11 | 11 | .2 | 3.2 | .00 | 3.2 | 95 | 70 | 25 | 175 |
| 01480648 - EAST BRANCH BRANDYWINE CREEK NEAR CUPOLA, PA. (LAT 40 05 41 LONG 075 51 14) | | | | | | | | | | | |
| OCT., 1973 11... | 45 | 10 | 9.9 | .4 | 3.0 | .00 | 3.0 | 95 | 65 | 20 | 170 |
| 01480656 - INDIAN RUN NEAR SPRINGTON, PA. (LAT 40 04 30 LONG 075 46 57) | | | | | | | | | | | |
| OCT., 1973 11... | 42 | 7.4 | 8.1 | .3 | 2.9 | .00 | 2.9 | 91 | 54 | 12 | 145 |
| 01480700 - EAST BR BRANDYWINE CR NR DOWNINGTOWN, PA. (LAT 40 02 05 LONG 075 42 32) | | | | | | | | | | | |
| OCT., 1973 10... | 35 | 13 | 13 | .4 | 1.8 | .01 | 1.8 | 91 | 56 | 21 | 163 |
| 01480903 - VALLEY CREEK AT MULLSTEINS MEADOWS, PA. (LAT 39 58 31 LONG 075 39 48) | | | | | | | | | | | |
| OCT., 1973 12... | 94 | 25 | 18 | .2 | 2.7 | .00 | 2.7 | 162 | 130 | 36 | 320 |
| 01480950 - EAST BRANCH BRANDYWINE CREEK AT WAWASET, PA. (LAT 39 55 31 LONG 075 38 55) | | | | | | | | | | | |
| OCT., 1973 10... | 66 | 24 | 18 | .3 | 2.3 | .00 | 2.3 | 145 | 90 | 23 | 290 |
| 01494900 - ELK CREEK AT ELKVIEW, PA. (LAT 39 48 45 LONG 075 54 04) | | | | | | | | | | | |
| OCT., 1973 09... | 18 | 3.1 | 8.5 | .2 | 3.6 | .00 | 3.6 | 53 | 35 | 17 | 107 |
| 01494950 - ELK CREEK NEAR OXFORD, PA. (LAT 39 46 45 LONG 075 55 27) | | | | | | | | | | | |
| OCT., 1973 09... | 21 | 4.5 | 12 | .3 | 3.9 | .00 | 3.9 | 63 | 38 | 17 | 128 |

DELAWARE RIVER BASIN

207

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | PH (UNITS) | CARBON DIOXIDE (CO ₂) (MG/L) | TOTAL ARSENIC (AS) (UG/L) | DIS- SOLVED ARSENIC (AS) (UG/L) | DIS- SOLVED CAD- MIUM (CD) (UG/L) | DIS- SOLVED CHRO- MIUM (CR) (UG/L) | DIS- SOLVED COBALT (CO) (UG/L) | DIS- SOLVED COPPER (CU) (UG/L) | DIS- SOLVED LEAD (PB) (UG/L) | DIS- SOLVED NICKEL (NI) (UG/L) | DIS- SOLVED ZINC (ZN) (UG/L) |
|--|---------------|---|------------------------------------|---|--|---|--|--|--|--|--|
| 01480632 - DOE RUN NEAR SPRINGDALE, PA. (LAT 39 54 21 LONG 075 49 42) | | | | | | | | | | | |
| OCT., 1973 10... | 7.6 | 1.1 | <1 | -- | 0 | <10 | 0 | 0 | 1 | 2 | 10 |
| 01480640 - WEST BRANCH BRANDYWINE CREEK AT WAWASET, PA. (LAT 39 55 34 LONG 075 39 47) | | | | | | | | | | | |
| OCT., 1973 10... | 7.5 | 2.9 | -- | 1 | 0 | 0 | 3 | 10 | 1 | 24 | 20 |
| 01480647 - E BR BRANDYWINE CR NR STRUBLE DAM, PA. (LAT 40 06 05 LONG 075 51 40) | | | | | | | | | | | |
| OCT., 1973 11... | 7.8 | 1.4 | 1 | -- | 0 | 0 | 0 | 0 | 1 | 0 | 10 |
| 01480648 - EAST BRANCH BRANDYWINE CREEK NEAR CUPOLA, PA. (LAT 40 05 41 LONG 075 51 14) | | | | | | | | | | | |
| OCT., 1973 11... | 7.7 | 1.8 | 1 | -- | 0 | <10 | 0 | 0 | 1 | 1 | 10 |
| 01480656 - INDIAN RUN NEAR SPRINGTON, PA. (LAT 40 04 30 LONG 075 46 57) | | | | | | | | | | | |
| OCT., 1973 11... | 7.7 | 1.6 | <1 | -- | 0 | <10 | 0 | 0 | 1 | 1 | 20 |
| 01480700 - EAST BR BRANDYWINE CR NR DOWNINGTOWN, PA. (LAT 40 02 05 LONG 075 42 32) | | | | | | | | | | | |
| OCT., 1973 10... | 7.3 | 3.4 | -- | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 10 |
| 01480903 - VALLEY CREEK AT MULLSTEINS MEADOWS, PA. (LAT 39 58 31 LONG 075 39 48) | | | | | | | | | | | |
| OCT., 1973 12... | 8.0 | 1.8 | 1 | -- | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| 01480950 - EAST BRANCH BRANDYWINE CREEK AT WAWASET, PA. (LAT 39 55 31 LONG 075 38 55) | | | | | | | | | | | |
| OCT., 1973 10... | 7.2 | 8.2 | -- | 2 | 0 | 0 | 5 | 10 | 2 | 0 | 20 |
| 01494900 - ELK CREEK AT ELKVIEW, PA. (LAT 39 48 45 LONG 075 54 04) | | | | | | | | | | | |
| OCT., 1973 09... | 7.1 | 2.8 | -- | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| 01494950 - ELK CREEK NEAR OXFORD, PA. (LAT 39 46 45 LONG 075 55 27) | | | | | | | | | | | |
| OCT., 1973 09... | 7.3 | 2.1 | -- | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 20 |

DELAWARE RIVER BASIN

LAKES IN DELAWARE RIVER BASIN

- 411906075123500 PROMISED LAND LAKE.--Lat 41°19'06", long 75°12'35", Pike County, 6 mi (9.7 km) south of Tafton at point 300 ft (91 m) upstream from dam on East Branch Wallenpaupack Creek. Drainage area, 6.6 mi² (17.1 km²). Surface area, 422 acres (1.71 km²). Capacity at normal pool elevation of 1,727 ft (562.4 m), 2,348 acre-feet (2.90 hm³). Mean flow-through-time, 101 days at 11.7 ft³/s (0.33 m³/s). Period of record, chemical analyses, water year 1974 (partial-record station). Lake is used for recreation.
- 411849075141200 LOWER LAKE.--Lat 41°18'49", long 75°14'12", Pike County, 12 mi (19.3 km) south of Hawley at point 200 ft (61 m) upstream from dam on East Branch Wallenpaupack Creek. Drainage area, 10.6 mi² (27.5 km²). Surface area, 250 acres (1.01 km²). Capacity at normal pool elevation of 1,710 ft (521.2 m), 1,083 acre-feet (1.34 hm³). Mean flow-through-time, 32 days at 17 ft³/s (0.48 m³/s). Period of record, chemical analyses, water year 1974 (partial-record station). Lake is used for recreation.
- 412107075114300 EGYPT MEADOW LAKE.--Lat 41°21'07", long 75°11'43", Pike County, 3.5 mi (5.6 km) southwest of Blooming Grove at point 100 ft (30.4 m) upstream from dam on Egypt Creek. Drainage area, 2.7 mi² (7.0 km²). Surface area, 60 acres (243,000 m²). Capacity at normal pool elevation of 1,710 ft (521.2 m), 246 acre-feet (303,000 m²). Mean flow-through-time, 25 days at 5 ft³/s (0.14 m³/s). Period of record, chemical analyses, water year 1974 (partial-record station). Lake is used for recreation.
- 412050075101700 BRUCE LAKE.--Lat 41°20'50", long 75°10'17", Pike County, 2.5 mi (4.0 km) southwest of Blooming Grove at point in middle of natural lake on Shohola Creek. Drainage area, 0.6 mi² (1.6 km²). Surface area, 48 acres (194,000 m²). Capacity at normal pool elevation of 1,738 ft (529 m), 347 acre-feet (428,000 m³). Period of record, chemical analyses, water year 1974 (partial-record station). Lake is used for recreation.
- 410137075411400 SAND SPRING LAKE.--Lat 41°01'37", long 75°41'14", Carbon County, 20 mi (32.2 km) east of Hazleton at point 100 ft (30 m) upstream from dam on Sand Spring Run. Drainage area, 1.9 mi² (4.9 km²). Surface area, 11.4 acres (46,000 m²). Capacity at normal pool elevation of 1,499 ft (456.9 m), 55 acre-feet (67,800 m³). Mean flow-through-time, 7.9 days at 3.5 ft³/s (0.10 m³/s). Period of record, chemical analyses, water year 1974 (partial-record station). Lake is used for recreation.
- 402809075111200 NOCKAMIXON LAKE.--Lat 40°28'09", long 75°11'12", Bucks County, 8 mi (12.9 km) east of Quakertown at point 500 ft (152 m) upstream from dam on Nockamixon Creek. Drainage area, 73.3 mi² (189.9 km²). Surface area, 1,450 acres (5.87 km²). Capacity at normal pool elevation of 395 ft (120.4 m), 40,000 acre-feet (49.3 hm³). Mean flow-through-time, 196 days at 103 ft³/s (2.92 m³/s). Period of record, chemical analyses, water year 1974 (partial-record station). Lake is used for recreation.
- 400318075430300 MARSH CREEK LAKE.--Lat 40°03'18", long 75°43'03", Chester County, 3.4 mi (5.5 km) north of Downingtown at point 400 ft (122 m) upstream from dam on Marsh Creek. Drainage area, 20 mi² (51.8 km²). Surface area, 100 acres (405,000 m²). Capacity at normal pool elevation of 315 ft (96.0 m), 1,230 acre-feet (1.52 hm³). Mean flow-through-time, 23 days at 27 ft³/s (0.76 m³/s). Period of record, chemical analyses, water year 1974 (partial-record station). Lake is used for water supply, recreation, and flood control.

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD LAKES

DELAWARE RIVER BASIN

411906075123500 PROMISED LAND LAKE (LAT 41 19 06 LONG 075 12 35)

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS-SOLVED SILICA (SI02) (MG/L) | DIS-SOLVED IRON (FE) (UG/L) | DIS-SOLVED MANGANESE (MN) (UG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNESIUM (MG) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED POTASSIUM (K) (MG/L) | BICARBONATE (HC03) (MG/L) | CARBONATE (C03) (MG/L) | ALKALINITY AS CAC03 (MG/L) | |
|------------|------|---------------------------------------|---|--|------------------------------------|----------------------------------|---------------------------------------|------------------------------------|--|--|-------------------------------------|---------------------------------|
| JULY 02... | 1030 | .4 | 40 | 0 | 3.5 | .5 | .5 | .2 | 6 | 0 | 5 | |
| DATE | | DIS-SOLVED SULFATE (S04) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | DIS-SOLVED FLUORIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRATE PLUS NITRITE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) | TOTAL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) |
| JULY 02... | 7.7 | .8 | .2 | .00 | .05 | .04 | .10 | .17 | .27 | .31 | .02 | |
| DATE | | TOTAL ORTHOPHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | HARDNESS (CA+MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICROMHOS) | PH (UNITS) | TEMPERATURE (DEG C) | COLOR (PLATINUM-COBALT UNITS) | CARBON DIOXIDE (C02) (MG/L) | TOTAL ORGANIC CARBON (C) (MG/L) |
| JULY 02... | .00 | 23 | 17 | 11 | 6 | 36 | 6.9 | 20.0 | 8 | 1.2 | 8.8 | |
| DATE | | ALDRIN IN BOTTOM DE-POSITS (UG/KG) | CHLORDANE IN BOTTOM DE-POSITS (UG/KG) | DDD IN BOTTOM DE-POSITS (UG/KG) | DDE IN BOTTOM DE-POSITS (UG/KG) | DDT IN BOTTOM DE-POSITS (UG/KG) | DI-ELDRIN IN BOTTOM DE-POSITS (UG/KG) | ENDRIN IN BOTTOM DE-POSITS (UG/KG) | HEPTACHLOR IN BOTTOM DE-POSITS (UG/KG) | HEPTACHLOR EPOXIDE IN BOTTOM DE-POSITS (UG/KG) | LINDANE IN BOTTOM DE-POSITS (UG/KG) | PCB IN BOTTOM DE-POSITS (UG/KG) |
| JULY 02... | .0 | 0 | 40 | 16 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 13 |
| DATE | | TOXAPHENE IN BOTTOM DE-POSITS (UG/KG) | 2,4-D IN BOTTOM DE-POSITS (UG/KG) | 2,4,5-T IN BOTTOM DE-POSITS (UG/KG) | SILVEX IN BOTTOM DE-POSITS (UG/KG) | DIS-SOLVED CADMIUM (CD) (UG/L) | DIS-SOLVED CHROMIUM (CR) (UG/L) | DIS-SOLVED COBALT (CO) (UG/L) | DIS-SOLVED COPPER (CU) (UG/L) | DIS-SOLVED LEAD (PB) (UG/L) | DIS-SOLVED NICKEL (NI) (UG/L) | DIS-SOLVED ZINC (ZN) (UG/L) |
| JULY 02... | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 3 | 0 |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD LAKES

DELAWARE RIVER BASIN

411849075141200 LOWER LAKE (LAT 41 18 49 LONG 075 14 12)

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS-SOLVED SILICA (SI02) (MG/L) | DIS-SOLVED IRON (FE) (UG/L) | DIS-SOLVED MANGANESE (MN) (UG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNESIUM (MG) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED POTASSIUM (K) (MG/L) | BICARBONATE (HCO3) (MG/L) | CARBONATE (CO3) (MG/L) | ALKALINITY AS CaCO3 (MG/L) |
|------------|------|---------------------------------|-----------------------------|----------------------------------|--------------------------------|----------------------------------|-------------------------------|---------------------------------|---------------------------|------------------------|----------------------------|
| JULY 02... | 1300 | .2 | 140 | 0 | 3.3 | .4 | .7 | .2 | 2 | 0 | 2 |

| DATE | DIS-SOLVED SULFATE (SO4) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | DIS-SOLVED FLUORIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) | TOTAL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) |
|------------|---------------------------------|---------------------------------|--------------------------------|--------------------------|--------------------------|---------------------------------------|-----------------------------|-----------------------------------|------------------------------------|---------------------------|-----------------------------|
| JULY 02... | 8.2 | 1.2 | .2 | .00 | .01 | .01 | .15 | .15 | .30 | .31 | .02 |

| DATE | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | HARDNESS (CA, MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICROMHOS) (MG/L) | PH (UNITS) | TEMPERATURE (DEG C) | COLOR (PLATINUM-COBALT UNITS) | CARBON DIOXIDE (CO2) (MG/L) |
|------------|-----------------------------------|---|--|--------------------------|-------------------------------|---|------------|---------------------|-------------------------------|-----------------------------|
| JULY 02... | .00 | 21 | 16 | 10 | 8 | 34 | 6.9 | 22.0 | 7 | .4 |

| DATE | TOTAL ORGANIC CARBON (C) (MG/L) | ALDRIN IN BOTTOM DEPOSITS (UG/KG) | CHLORDANE IN BOTTOM DEPOSITS (UG/KG) | DDD IN BOTTOM DEPOSITS (UG/KG) | DDE IN BOTTOM DEPOSITS (UG/KG) | DDT IN BOTTOM DEPOSITS (UG/KG) | DI-ELDRIN IN BOTTOM DEPOSITS (UG/KG) | ENDRIN IN BOTTOM DEPOSITS (UG/KG) | HEPTACHLOR IN BOTTOM DEPOSITS (UG/KG) | HEPTACHLOR EPOXIDE IN BOTTOM DEPOSITS (UG/KG) |
|------------|---------------------------------|-----------------------------------|--------------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------------|-----------------------------------|---------------------------------------|---|
| JULY 02... | 5.6 | .0 | 0 | 18 | 6.4 | .0 | .0 | .0 | .0 | .0 |

| DATE | LINDANE IN BOTTOM DEPOSITS (UG/KG) | PCB IN BOTTOM DEPOSITS (UG/KG) | TOXAPHENE IN BOTTOM DEPOSITS (UG/KG) | DIS-SOLVED CADMIUM (CD) (UG/L) | DIS-SOLVED CHROMIUM (CR) (UG/L) | DIS-SOLVED COBALT (CO) (UG/L) | DIS-SOLVED COPPER (CU) (UG/L) | DIS-SOLVED LEAD (PB) (UG/L) | DIS-SOLVED NICKEL (NI) (UG/L) | DIS-SOLVED ZINC (ZN) (UG/L) |
|------------|------------------------------------|--------------------------------|--------------------------------------|--------------------------------|---------------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-----------------------------|
| JULY 02... | .0 | 3 | 0 | 0 | 10 | 0 | 0 | 0 | 2 | 0 |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD LAKES

211

DELAWARE RIVER BASIN

412107075114300 EGYPT MEADOW LAKE (LAT 41 21 07 LONG 075 11 43)

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS-SOLVED SILICA (SI02) (MG/L) | DIS-SOLVED IRON (FE) (UG/L) | DIS-SOLVED MANGANESE (MN) (UG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNESIUM (MG) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED POTASSIUM (K) (MG/L) | BICARBONATE (HCO3) (MG/L) | CARBONATE (CO3) (MG/L) | ALKALINITY AS CaCO3 (MG/L) |
|------------|------|----------------------------------|------------------------------------|-----------------------------------|--------------------------------------|-----------------------------------|---------------------------------------|---|------------------------------------|---|--|
| JULY 01... | 1500 | .8 | 100 | 10 | 3.2 | .3 | .6 | .2 | 4 | 0 | 3 |
| DATE | | DIS-SOLVED SULFATE (SO4) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | DIS-SOLVED FLUORIDE (F) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHOPHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) |
| JULY 01... | | 8.8 | 1.1 | .2 | .32 | .04 | .36 | .02 | .01 | 34 | 17 |
| DATE | | HARDNESS (CA+MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICROMHOS) | PH (UNITS) | TEMPERATURE (DEG C) | COLOR (PLATINUM-COBALT UNITS) | CARBON DIOXIDE (CO2) (MG/L) | TOTAL ORGANIC CARBON (C) (MG/L) | ALDRIN IN BOTTOM DEPOSITS (UG/KG) | CHLORDANE IN BOTTOM DEPOSITS (UG/KG) |
| JULY 01... | | 9 | 6 | 29 | 5.5 | 23.0 | 50 | 20 | 11 | .0 | 0 |
| DATE | | DDD IN BOTTOM DEPOSITS (UG/KG) | DDE IN BOTTOM DEPOSITS (UG/KG) | DDT IN BOTTOM DEPOSITS (UG/KG) | DI-ELDRIN IN BOTTOM DEPOSITS (UG/KG) | ENDRIN IN BOTTOM DEPOSITS (UG/KG) | HEPTACHLOR IN BOTTOM DEPOSITS (UG/KG) | HEPTACHLOR EPOXIDE IN BOTTOM DEPOSITS (UG/KG) | LINDANE IN BOTTOM DEPOSITS (UG/KG) | PCB IN BOTTOM DEPOSITS (UG/KG) | TOXAPHENE IN BOTTOM DEPOSITS (UG/KG) |
| JULY 01... | | 110 | 14 | 12 | .0 | .0 | .0 | .0 | .0 | 8 | 0 |
| DATE | | 2,4-D IN BOTTOM DEPOSITS (UG/KG) | 2,4,5-T IN BOTTOM DEPOSITS (UG/KG) | SILVEX IN BOTTOM DEPOSITS (UG/KG) | DIS-SOLVED CADMIUM (CD) (UG/L) | DIS-SOLVED CHROMIUM (CR) (UG/L) | DIS-SOLVED COBALT (CO) (UG/L) | DIS-SOLVED COPPER (CU) (UG/L) | DIS-SOLVED LEAD (PB) (UG/L) | DIS-SOLVED NICKEL (NI) (UG/L) | DIS-SOLVED ZINC (ZN) (UG/L) |
| JULY 01... | | 0 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD LAKES

DELAWARE RIVER BASIN

412050075101700 BRUCE LAKE (LAT 41 20 50 LONG 075 10 17)

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS-SOLVED SILICA (SI02) (MG/L) | DIS-SOLVED IRON (FE) (UG/L) | DIS-SOLVED MANGANESE (MN) (UG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNESIUM (MG) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED POTASSIUM (K) (MG/L) | BICARBONATE (HCO3) (MG/L) | CARBONATE (CO3) (MG/L) | ALKALINITY AS CaCO3 (MG/L) | |
|------------|------|-------------------------------------|---|--|----------------------------------|----------------------------------|---------------------------------------|----------------------------------|--------------------------------------|--|-----------------------------------|---------------------------------|
| JULY 01... | 1230 | .1 | 120 | 70 | 2.0 | .2 | .4 | .2 | 0 | 0 | 0 | |
| DATE | | DIS-SOLVED SULFATE (SO4) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | DIS-SOLVED FLUORIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) | |
| JULY 01... | 6.9 | .6 | .2 | .00 | .01 | .01 | .01 | .13 | .15 | .28 | .02 | |
| DATE | | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | HARDNESS (CA, MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICROMHOS) | PH (UNITS) | TEMPERATURE (DEG C) | COLOR (PLATINUM-COBALT UNITS) | CARBON DIOXIDE (CO2) (MG/L) | TOTAL ORGANIC CARBON (C) (MG/L) |
| JULY 01... | .00 | 18 | 11 | 6 | 6 | 25 | 6.7 | 20.0 | 3 | .0 | 6.0 | |
| DATE | | ALDRIN IN BOTTOM DEPOSIT (UG/KG) | CHLORDANE IN BOTTOM DEPOSIT (UG/KG) | DDD IN BOTTOM DEPOSIT (UG/KG) | DDE IN BOTTOM DEPOSIT (UG/KG) | DDT IN BOTTOM DEPOSIT (UG/KG) | DIELDRIN IN BOTTOM DEPOSIT (UG/KG) | ENDRIN IN BOTTOM DEPOSIT (UG/KG) | HEPTACHLOR IN BOTTOM DEPOSIT (UG/KG) | HEPTACHLOR EPOXIDE IN BOTTOM DEPOSIT (UG/KG) | LINDANE IN BOTTOM DEPOSIT (UG/KG) | PCB IN BOTTOM DEPOSIT (UG/KG) |
| JULY 01... | .0 | 0 | 62 | 13 | .0 | .0 | .0 | .0 | .0 | .0 | .0 | 0 |
| DATE | | TOXAPHENE IN BOTTOM DEPOSIT (UG/KG) | 2,4-D IN BOTTOM DEPOSIT (UG/KG) | 2,4,5-T IN BOTTOM DEPOSIT (UG/KG) | SILVEX IN BOTTOM DEPOSIT (UG/KG) | DIS-SOLVED CADMIUM (CD) (UG/L) | DIS-SOLVED CHROMIUM (CR) (UG/L) | DIS-SOLVED COBALT (CO) (UG/L) | DIS-SOLVED COPPER (CU) (UG/L) | DIS-SOLVED LEAD (PB) (UG/L) | DIS-SOLVED NICKEL (NI) (UG/L) | DIS-SOLVED ZINC (ZN) (UG/L) |
| JULY 01... | 0 | 0 | 0 | 0 | 0 | 0 | <10 | 0 | 0 | 2 | 3 | 10 |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD LAKES

213

DELAWARE RIVER BASIN

410137075411400 SAND SPRING LAKE (LAT 41 01 37 LONG 075 41 14)

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS-SOLVED SILICA (SI02) (MG/L) | DIS-SOLVED IRON (FE) (UG/L) | DIS-SOLVED MANGANESE (MN) (UG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNESIUM (MG) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED POTASSIUM (K) (MG/L) | BICARBONATE (HCO3) (MG/L) | ALKALINITY AS CaCO3 (MG/L) | DIS-SOLVED SULFATE (SO4) (MG/L) |
|------------|------|---------------------------------|-----------------------------|----------------------------------|--------------------------------|----------------------------------|-------------------------------|---------------------------------|---------------------------|----------------------------|---------------------------------|
| AUG. 07... | 1100 | .0 | 140 | 160 | 2.6 | .4 | 1.4 | .7 | 2 | 2 | 7.4 |

| DATE | DIS-SOLVED CHLORIDE (CL) (MG/L) | DIS-SOLVED FLUORIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) | TOTAL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHOPHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) |
|------------|---------------------------------|--------------------------------|--------------------------|---------------------------------------|-----------------------------------|------------------------------------|---------------------------|-----------------------------|----------------------------------|---|--|
| AUG. 07... | 2.5 | .1 | .30 | .04 | .03 | .26 | .30 | .02 | .00 | 18 | 16 |

| DATE | HARDNESS (CA+MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICRO-MHOS) | PH (UNITS) | TEMPERATURE (DEG C) | COLOR (PLATINUM-COBALT UNITS) | TRANSPARENCY (SECCHI DISK) (IN) | DIS-SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | TOTAL ORGANIC CARBON (C) (MG/L) | ALDRIN IN BOTTOM DEPOSIT (UG/KG) |
|------------|-------------------------|-------------------------------|-----------------------------------|------------|---------------------|-------------------------------|---------------------------------|--------------------------|-----------------------------|---------------------------------|----------------------------------|
| AUG. 07... | 8 | 7 | 31 | 6.0 | 22.0 | 1 | 30 | 10.1 | 3.2 | 3.1 | .0 |

| DATE | CHLORDANE IN BOTTOM DEPOSIT (UG/KG) | DDD IN BOTTOM DEPOSIT (UG/KG) | DDE IN BOTTOM DEPOSIT (UG/KG) | DDT IN BOTTOM DEPOSIT (UG/KG) | DI-ELDRIN IN BOTTOM DEPOSIT (UG/KG) | ENDRIN IN BOTTOM DEPOSIT (UG/KG) | HEPTACHLOR IN BOTTOM DEPOSIT (UG/KG) | HEPTACHLOR EPOXIDE IN BOTTOM DEPOSIT (UG/KG) | LINDANE IN BOTTOM DEPOSIT (UG/KG) | PCB IN BOTTOM DEPOSIT (UG/KG) | TOXAPHENE IN BOTTOM DEPOSIT (UG/KG) |
|------------|-------------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------------|----------------------------------|--------------------------------------|--|-----------------------------------|-------------------------------|-------------------------------------|
| AUG. 07... | 0 | 19 | 14 | 6.8 | .8 | .0 | .0 | .0 | .0 | 0 | 0 |

| DATE | 2,4-D IN BOTTOM DEPOSIT (UG/KG) | 2,4,5-T IN BOTTOM DEPOSIT (UG/KG) | SILVEX IN BOTTOM DEPOSIT (UG/KG) | DIS-SOLVED CADMIUM (CD) (UG/L) | DIS-SOLVED CHROMIUM (CR) (UG/L) | DIS-SOLVED COBALT (CO) (UG/L) | DIS-SOLVED COPPER (CU) (UG/L) | DIS-SOLVED LEAD (PB) (UG/L) | DIS-SOLVED NICKEL (NI) (UG/L) | DIS-SOLVED ZINC (ZN) (UG/L) |
|------------|---------------------------------|-----------------------------------|----------------------------------|--------------------------------|---------------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-----------------------------|
| AUG. 07... | 0 | 0 | 0 | 11 | 0 | 1 | 0 | 1 | 4 | 20 |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD LAKES

DELAWARE RIVER BASIN

402809075111200 NOCKAMIXON LAKE (LAT 40 28 09 LONG 075 11 12)

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS-SOLVED SILICA (SI02) (MG/L) | DIS-SOLVED IRON (FE) (UG/L) | DIS-SOLVED MANGANESE (MN) (UG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNESIUM (MG) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED POTASSIUM (K) (MG/L) | BICARBONATE (HCO3) (MG/L) | ALKALINITY AS CaCO3 (MG/L) | DIS-SOLVED SULFATE (SO4) (MG/L) |
|------------|------|---------------------------------|-----------------------------|----------------------------------|--------------------------------|----------------------------------|-------------------------------|---------------------------------|---------------------------|----------------------------|---------------------------------|
| JULY 30... | 1230 | 2.3 | 90 | 60 | 14 | 5.7 | 8.0 | 2.0 | 68 | 56 | 21 |

| DATE | DIS-SOLVED CHLORIDE (CL) (MG/L) | DIS-SOLVED FLUORIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) | TOTAL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) |
|------------|---------------------------------|--------------------------------|--------------------------|--------------------------|---------------------------------------|-----------------------------|-----------------------------------|------------------------------------|---------------------------|-----------------------------|
| JULY 30... | 10 | .2 | .03 | .01 | .04 | .21 | .00 | .21 | .25 | .02 |

| DATE | TOTAL ORTHOPHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | HARDNESS (CA+MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICROMHOS) | PH (UNITS) | TEMPERATURE (DEG C) | COLOR (PLATINUM-COBALT UNITS) | TRANSPARENCY (SECCHI DISK) (IN) |
|------------|----------------------------------|---|--|-------------------------|-------------------------------|----------------------------------|------------|---------------------|-------------------------------|---------------------------------|
| JULY 30... | .01 | 102 | 97 | 58 | 3 | 175 | 7.7 | 25.0 | 6 | 54 |

| DATE | DIS-SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | TOTAL ORGANIC CARBON (C) (MG/L) | DIS-SOLVED CADMIUM (CD) (UG/L) | DIS-SOLVED CHROMIUM (CR) (UG/L) | DIS-SOLVED COBALT (CO) (UG/L) | DIS-SOLVED COPPER (CU) (UG/L) | DIS-SOLVED LEAD (PB) (UG/L) | DIS-SOLVED NICKEL (NI) (UG/L) | DIS-SOLVED ZINC (ZN) (UG/L) |
|------------|--------------------------|-----------------------------|---------------------------------|--------------------------------|---------------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-----------------------------|
| JULY 30... | 10.0 | 2.2 | 11 | 4 | <10 | 0 | 10 | 0 | 4 | 20 |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD LAKES

DELAWARE RIVER BASIN

400318075430300 MARSH CREEK LAKE (LAT 40 03 18 LONG 075 43 03)

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS-SOLVED SILICA (SI02) (MG/L) | DIS-SOLVED IRON (FE) (UG/L) | DIS-SOLVED MAN-GANESE (MN) (UG/L) | DIS-SOLVED CAL-CIUM (CA) (MG/L) | DIS-SOLVED MAG-NE-SIUM (MG) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED PO-TAS-SIUM (K) (MG/L) | BICAR-BONATE (HC03) (MG/L) | CAR-BONATE (C03) (MG/L) |
|------------|------|---------------------------------|-----------------------------|-----------------------------------|---------------------------------|------------------------------------|-------------------------------|-----------------------------------|----------------------------|-------------------------|
| JULY 10... | 1130 | 3.7 | 170 | 30 | 12 | 4.4 | 9.1 | 2.4 | 43 | 0 |

| DATE | ALKA-LINITY AS CAC03 (MG/L) | DIS-SOLVED SULFATE (S04) (MG/L) | DIS-SOLVED CHLO-RIDE (CL) (MG/L) | DIS-SOLVED FLUO-RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO-GEN (N) (MG/L) | TOTAL ORGANIC NITRO-GEN (N) (MG/L) | TOTAL KJEL-DAHL NITRO-GEN (N) (MG/L) |
|------------|-----------------------------|---------------------------------|----------------------------------|---------------------------------|--------------------------|--------------------------|---------------------------------------|------------------------------|------------------------------------|--------------------------------------|
| JULY 10... | 35 | 15 | 17 | .1 | .24 | .02 | .26 | .12 | .41 | .53 |

| DATE | TOTAL NITRO-GEN (N) (MG/L) | TOTAL PHOS-PHORUS (P) (MG/L) | TOTAL ORTHO PHOS-PHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESI-DUE AT 180 C) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTI-TUENTS) (MG/L) | HARD-NESS (CA+MG) (MG/L) | NON-CAR-BONATE HARD-NESS (MG/L) | SPE-CIFIC CON-DUCT-ANCE (MICRO-MHOS) | PH (UNITS) | TEMPER-ATURE (DEG C) |
|------------|----------------------------|------------------------------|------------------------------------|--|---|--------------------------|---------------------------------|--------------------------------------|------------|----------------------|
| JULY 10... | .79 | .03 | .03 | 101 | 85 | 48 | 13 | 205 | 8.0 | 29.0 |

| DATE | COLOR (PLAT-INUM-COBALT UNITS) | CARBON DIOXIDE (C02) (MG/L) | TOTAL ORGANIC CARBON (C) (MG/L) | DIS-SOLVED CAD-MIUM (CD) (UG/L) | DIS-SOLVED CHRO-MIUM (CR) (UG/L) | DIS-SOLVED COBALT (CO) (UG/L) | DIS-SOLVED COPPER (CU) (UG/L) | DIS-SOLVED LEAD (PB) (UG/L) | DIS-SOLVED NICKEL (NI) (UG/L) | DIS-SOLVED ZINC (ZN) (UG/L) |
|------------|--------------------------------|-----------------------------|---------------------------------|---------------------------------|----------------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-----------------------------|
| JULY 10... | 7 | .7 | 5.7 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |

SUSQUEHANNA RIVER BASIN

01502770 SUSQUEHANNA RIVER NEAR GREAT BEND, PA.

LOCATION.--Lat 41°57'48", long 75°44'33", Susquehanna County, State Highway 11 bridge north of Hallstead, 0.5 mi (0.8 km) south of Great Bend, and 6.2 mi (10.0 km) upstream from gaging station at Conklin, N.Y.

DRAINAGE AREA.--2,086 mi² (5,400 km²).

PERIOD OF RECORD.--Chemical analyses: July 1969 to September 1974.

REMARKS.--Operated as part of the USGS-EPA surveillance network. Records of discharge are given for 01503000 Susquehanna River at Conklin, N.Y.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | TOTAL IRON (FE) (UG/L) | BICARBONATE (HCO3) (MG/L) | CARBONATE (CO3) (MG/L) | ALKALINITY AS CaCO3 (MG/L) | DIS-SOLVED SULFATE (SO4) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) |
|------------|------|--------------------------------|------------------------|---------------------------|------------------------|----------------------------|---------------------------------|---------------------------------|--------------------------|-----------------------------|
| OCT. 23... | 1800 | 274 | -- | -- | -- | -- | -- | -- | -- | -- |
| NOV. 27... | 1330 | 1200 | -- | -- | -- | -- | -- | -- | -- | -- |
| AUG. 27... | 1345 | 500 | 0 | 86 | 0 | 71 | 14 | 6.0 | .23 | .06 |
| SEP. 25... | 0930 | 2730 | -- | 58 | 0 | 48 | 12 | 4.0 | .32 | .06 |

| DATE | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHOPHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) | SUSPENDED SOLIDS (MG/L) | SPECIFIC CONDUCTANCE (MICROMHOS) | PH (UNITS) | TEMPERATURE (DEG C) | TURBIDITY (JTU) |
|------------|-----------------------------------|------------------------------------|-----------------------------|----------------------------------|---|-------------------------|----------------------------------|------------|---------------------|-----------------|
| OCT. 23... | -- | -- | -- | -- | 114 | 3 | 210 | 6.5 | 14.0 | 2 |
| NOV. 27... | -- | -- | -- | -- | 116 | 9 | 200 | 6.7 | 7.0 | -- |
| AUG. 27... | .50 | .56 | .06 | .00 | 100 | 13 | 182 | 8.1 | 23.0 | -- |
| SEP. 25... | .47 | .53 | .06 | .02 | 73 | 9 | 123 | 7.0 | 12.0 | 6 |

| DATE | DIS-SOLVED OXYGEN (MG/L) | CHEMICAL OXYGEN DEMAND (LOW LEVEL) (MG/L) | BIO-CHEMICAL OXYGEN DEMAND 5 DAY (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | CHLOROPHYLL A (UG/L) | IMMEDIATE COLIFORM (COL. PER 100 ML) | FECAL COLIFORM (COL. PER 100 ML) | STREPTOCOCCI (COLONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|------------|--------------------------|---|---|-----------------------------|----------------------|--------------------------------------|----------------------------------|------------------------------------|---------------------------------|
| OCT. 23... | 11.6 | -- | .8 | -- | -- | 200 | 10 | -- | -- |
| NOV. 27... | 11.0 | -- | 1.6 | -- | -- | 1800 | 290 | -- | -- |
| AUG. 27... | 8.6 | 11 | -- | 1.1 | -- | -- | 410 | 33 | 3.9 |
| SEP. 25... | 9.8 | 15 | -- | 9.3 | 5.5 | -- | 1400 | 490 | 5.6 |

| DATE | TIME | ALDRIN (UG/L) | CHLORDANE (UG/L) | DDD (UG/L) | DDE (UG/L) | DDT (UG/L) | DI-AZINON (UG/L) | DI-ELDRIN (UG/L) | ENDRIN (UG/L) | HEPTACHLOR (UG/L) |
|------------|------|---------------|------------------|------------|------------|------------|------------------|------------------|---------------|-------------------|
| OCT. 23... | 1800 | .00 | .0 | .00 | .00 | .00 | .00 | .00 | .00 | .00 |

| DATE | HEPTACHLOR EPOXIDE (UG/L) | LINDANE (UG/L) | MALATHION (UG/L) | METHYL PARATHION (UG/L) | PARATHION (UG/L) | PCB (UG/L) | 2,4-D (UG/L) | 2,4,5-T (UG/L) | SILVEX (UG/L) |
|------------|---------------------------|----------------|------------------|-------------------------|------------------|------------|--------------|----------------|---------------|
| OCT. 23... | .00 | .00 | .00 | .00 | .00 | .0 | .00 | .00 | .00 |

SUSQUEHANNA RIVER BASIN

217

01516820 TIOGA RIVER AT LAMBS CREEK, PA.

LOCATION.--Lat 41°50'29", long 77°06'13", Tioga County, at bridge on Legislative Route 58044, 500 ft (152 m) upstream from Lambs Creek, and 2.7 mi (4.3 km) northwest of Mansfield.

DRAINAGE AREA.--186 mi² (482 km²).

PERIOD OF RECORD.--Chemical analyses: September 1973 to September 1974.
Sediment records: September 1973 to September 1974 (partial-record station).

REMARKS.--Miscellaneous sediment data for this station on page 445.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | BICARBONATE (HCO ₃) (MG/L) | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CaCO ₃ (MG/L) | DIS-SOLVED SULFATE (SO ₄) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) |
|------------|------|--------------------------------|--|-------------------------------------|--|--|---------------------------------|--------------------------|-----------------------------|
| SEP. 06... | 1100 | 216 | 0 | 0 | 0 | 106 | 7.5 | 1.6 | .41 |

| DATE | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | SPECIFIC CONDUCTANCE (MICRO-MHOS) | PH (UNITS) | TEMPERATURE (DEG C) | DIS-SOLVED OXYGEN (MG/L) | CARRON DIOXIDE (CO ₂) (MG/L) |
|------------|-----------------------------------|------------------------------------|-----------------------------|-----------------------------------|-----------------------------------|------------|---------------------|--------------------------|--|
| SEP. 06... | .56 | .97 | .29 | .11 | 265 | 4.5 | 22.0 | 11.5 | .0 |

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | DIS-SOLVED IRON (FE) (UG/L) | BICARBONATE (HCO ₃) (MG/L) | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CaCO ₃ (MG/L) | DIS-SOLVED SULFATE (SO ₄) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) |
|------------|------|--------------------------------|-----------------------------|--|-------------------------------------|--|--|---------------------------------|--------------------------|-----------------------------|-----------------------------------|
| OCT. 09... | 1430 | 73 | -- | 0 | 0 | 0 | 134 | 8.5 | .23 | .05 | .31 |
| NOV. 08... | 0910 | 149 | -- | 0 | 0 | 0 | 98 | 4.0 | .29 | .07 | .17 |
| DEC. 13... | 1145 | 392 | -- | 0 | 0 | 0 | 76 | 2.5 | .59 | .14 | .27 |
| JAN. 10... | 1015 | -- | -- | 0 | 0 | 0 | 71 | 7.3 | .80 | .13 | .14 |
| FEB. 13... | 1315 | -- | 120 | 1 | 0 | 1 | 82 | 6.5 | .70 | .13 | .31 |
| MAR. 13... | 1315 | -- | 1200 | 0 | 0 | 0 | 61 | 4.5 | .72 | .14 | .17 |
| APR. 02... | 1130 | 1250 | 70 | 19 | 0 | 16 | 35 | 5.0 | 1.0 | .05 | .51 |
| MAY 01... | 1215 | 285 | -- | 1 | 0 | 1 | 66 | 5.6 | .40 | .12 | .20 |
| JUNE 12... | 1230 | 96 | -- | 1 | 0 | 1 | 106 | 5.5 | .57 | .17 | .23 |
| JULY 17... | 1630 | 40 | -- | 0 | 0 | 0 | 143 | 10 | .23 | .10 | .14 |
| AUG. 14... | 1245 | 29 | -- | 0 | 0 | 0 | 256 | 8.0 | .34 | .18 | .23 |
| SEP. 12... | 1230 | 29 | -- | 0 | 0 | 0 | 118 | 10 | .50 | .12 | .10 |

SUSQUEHANNA RIVER BASIN

01516820 TIOGA RIVER AT LAMBS CREEK, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL KJEL- DAHL- NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) |
|-------|---|---|--|---|--|--|---------------|-----------------------------|------------------------------------|--------------------------------------|
| OCT. | | | | | | | | | | |
| 09... | .36 | .04 | .04 | 42 | 34 | 349 | 4.1 | 15.5 | 9.8 | .0 |
| NOV. | | | | | | | | | | |
| 08... | .24 | .03 | .02 | 24 | .5 | 223 | 4.6 | 3.0 | 12.4 | .0 |
| DEC. | | | | | | | | | | |
| 13... | .41 | .10 | .10 | 21 | .4 | 208 | 4.8 | 1.5 | 13.1 | .0 |
| JAN. | | | | | | | | | | |
| 10... | .28 | .03 | .01 | 28 | .6 | 250 | 4.6 | .0 | 14.0 | .0 |
| FEB. | | | | | | | | | | |
| 13... | .44 | .04 | .01 | 22 | .4 | 207 | 4.6 | .5 | -- | 40 |
| MAR. | | | | | | | | | | |
| 13... | .31 | .11 | .10 | 22 | .4 | 173 | 4.2 | 1.0 | 13.4 | .0 |
| APR. | | | | | | | | | | |
| 02... | .56 | .20 | .09 | 15 | .3 | 141 | 5.9 | 3.0 | 12.8 | 38 |
| MAY | | | | | | | | | | |
| 01... | .32 | .04 | .02 | 7.4 | .2 | 172 | 5.1 | 14.0 | 9.9 | 13 |
| JUNE | | | | | | | | | | |
| 12... | .40 | .03 | .01 | 12 | .2 | 223 | 4.6 | 18.5 | 9.4 | 40 |
| JULY | | | | | | | | | | |
| 17... | .24 | .02 | .00 | 51 | 1.0 | 416 | 3.4 | 26.0 | 7.6 | .0 |
| AUG. | | | | | | | | | | |
| 14... | .41 | .04 | .01 | 78 | 1.6 | 570 | 3.5 | 26.0 | 7.4 | .0 |
| SEP. | | | | | | | | | | |
| 12... | .22 | .03 | .01 | 88 | 2.0 | 587 | 3.6 | 22.0 | 8.8 | .0 |

| DATE | TIME | TOTAL ALUM- INUM (AL) (UG/L) | TOTAL IRON (FE) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | TOTAL ARSENIC (AS) (UG/L) | TOTAL CAD- MIUM (CD) (UG/L) | TOTAL CHRO- MIUM (CR) (UG/L) |
|-------|------|--|---------------------------------|---|------------------------------------|---|--|
| MAY | | | | | | | |
| 01... | 1215 | 2300 | 2100 | 1600 | 1 | 1 | 0 |
| JUNE | | | | | | | |
| 12... | 1230 | 20 | 1000 | 2700 | 2 | 0 | 10 |
| JULY | | | | | | | |
| 17... | 1630 | 3500 | 1400 | 4500 | 1 | 1 | 0 |
| AUG. | | | | | | | |
| 14... | 1245 | 12000 | 500 | 8400 | 0 | 1 | <10 |
| SEP. | | | | | | | |
| 12... | 1230 | 5500 | 1100 | 8000 | 1 | 2 | 10 |

| DATE | TOTAL COBALT (CO) (UG/L) | TOTAL COPPER (CU) (UG/L) | TOTAL LEAD (PB) (UG/L) | TOTAL MERCURY (HG) (UG/L) | TOTAL SELE- NIUM (SF) (UG/L) | TOTAL SILVER (AG) (UG/L) | TOTAL ZINC (ZN) (UG/L) |
|-------|-----------------------------------|-----------------------------------|---------------------------------|------------------------------------|--|-----------------------------------|---------------------------------|
| MAY | | | | | | | |
| 01... | 28 | 30 | 88 | <.5 | 0 | 0 | 550 |
| JUNE | | | | | | | |
| 12... | 45 | 20 | 3 | <.5 | 1 | 1 | 360 |
| JULY | | | | | | | |
| 17... | 74 | 40 | 3 | <.5 | 1 | 0 | 640 |
| AUG. | | | | | | | |
| 14... | 110 | 40 | 6 | <.5 | <2 | 0 | 1300 |
| SEP. | | | | | | | |
| 12... | 140 | 50 | 7 | <.5 | 3 | 1 | 1300 |

SUSQUEHANNA RIVER BASIN

219

01517500 MILL CREEK NEAR TIOGA, PA.

LOCATION.--Lat 41°52'50", long 77°07'05", Tioga County, 2.5 mi (4.0 km) south of Tioga and 0.3 mi (0.5 km) upstream from mouth.

DRAINAGE AREA.--76.8 mi² (199 km²).

PERIOD OF RECORD.--Chemical analyses: September 1973 to September 1974.
Sediment records: September 1973 to September 1974 (partial-record station).

REMARKS.--Miscellaneous sediment data for this station on page 445.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | BICARBONATE (HCO ₃) (MG/L) | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CAC03 (MG/L) | DIS-SOLVED SULFATE (SO ₄) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) |
|---------------|------|--------------------------------|--|-------------------------------------|----------------------------|--|---------------------------------|--------------------------|-----------------------------|-----------------------------------|
| SEP. 05... | 1645 | 6.3 | 87 | 2 | 73 | 23 | 7.8 | .07 | .16 | .34 |

| DATE | TIME | TOTAL KJEL-DAHL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | TOTAL ACIDITY AS CAC03 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPECIFIC CONDUCTANCE (MICRO-MHOS) | PH (UNITS) | TEMPERATURE (DEG C) | DIS-SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO ₂) (MG/L) |
|---------------|------|-------------------------------------|-----------------------------|-----------------------------------|-------------------------------|----------------------------|-----------------------------------|------------|---------------------|--------------------------|--|
| SEP. 05... | | .50 | .01 | .01 | .0 | .0 | 197 | 8.8 | 29.0 | 11.2 | .2 |

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | BICARBONATE (HCO ₃) (MG/L) | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CAC03 (MG/L) | DIS-SOLVED SULFATE (SO ₄) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) |
|---------------|------|--------------------------------|--|-------------------------------------|----------------------------|--|---------------------------------|--------------------------|-----------------------------|-----------------------------------|
| OCT. 11... | 0915 | 10 | 100 | 0 | 82 | 14 | 10 | .02 | .03 | .15 |
| NOV. 07... | 1535 | 25 | 68 | -- | 56 | 18 | 7.0 | .14 | .08 | .19 |
| DEC. 13... | 1035 | 113 | 30 | 0 | 25 | 20 | 2.5 | .72 | .06 | .19 |
| JAN. 09... | 1450 | -- | 47 | 0 | 39 | 20 | 5.5 | 1.0 | .09 | .28 |
| FEB. 13... | 1400 | -- | 44 | 0 | 36 | 17 | 6.0 | .70 | .02 | .24 |
| MAR. 13... | 1445 | 190 | 30 | 0 | 25 | 8.2 | 4.0 | .45 | .06 | .21 |
| APR. 02... | 1330 | 473 | 31 | 0 | 25 | 19 | 4.5 | .70 | .02 | .35 |
| MAY 01... | 1345 | 86 | 49 | 2 | 44 | 19 | 4.2 | .10 | .16 | .29 |
| JUNE 12... | 1345 | 28 | 69 | 0 | 57 | 15 | 6.0 | .54 | .11 | .31 |
| JULY 17... | 1545 | 6.5 | 76 | 6 | 72 | 17 | 6.4 | .16 | .05 | .14 |
| AUG. 14... | 1400 | 6.9 | 82 | 4 | 74 | 12 | 7.0 | .07 | .09 | .19 |
| SEP. 12... | 1350 | 7.2 | 82 | 2 | 71 | 16 | 8.2 | .05 | .07 | .13 |

SUSQUEHANNA RIVER BASIN

01517500 MILL CREEK NEAR TIOGA, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | TOTAL ACIDITY AS CAC03 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (C02) (MG/L) |
|---------------|--|---|--|---|--|--|---------------|-----------------------------|------------------------------------|--------------------------------------|
| OCT. 11... | .18 | .03 | .00 | -- | -- | 214 | 7.8 | 12.5 | 10.1 | 2.5 |
| NOV. 07... | .27 | .01 | .00 | .0 | .0 | 166 | 8.5 | 4.5 | 13.0 | .3 |
| DEC. 13... | .25 | .03 | .02 | 2.0 | .0 | 132 | 6.6 | 1.5 | 13.6 | 12 |
| JAN. 09... | -- | .01 | .01 | 4.0 | .1 | 143 | 6.4 | .0 | 13.8 | 30 |
| FEB. 13... | .26 | .01 | .01 | 2.5 | .0 | 129 | 7.6 | 2.0 | 13.8 | 1.8 |
| MAR. 13... | .27 | .02 | .01 | 5.0 | .1 | 109 | 7.4 | 1.0 | 13.7 | 1.9 |
| APR. 02... | .37 | .08 | .02 | 2.5 | .0 | 123 | 7.6 | 4.5 | 12.8 | 1.2 |
| MAY 01... | .45 | .02 | .01 | .0 | .0 | 137 | 8.4 | 16.0 | 10.6 | .3 |
| JUNE 12... | .42 | .04 | .01 | 1.2 | .0 | 152 | 8.0 | 19.5 | 9.5 | 1.1 |
| JULY 17... | .19 | .01 | .00 | .0 | .0 | 189 | 8.7 | 26.5 | 9.2 | .3 |
| AUG. 14... | .28 | .01 | .00 | .0 | .0 | 185 | 8.6 | 27.5 | 9.6 | .4 |
| SEP. 12... | .20 | .01 | .00 | .0 | .0 | 192 | 8.5 | 24.0 | 9.3 | .4 |

SUSQUEHANNA RIVER BASIN

221

01518000 TIOGA RIVER AT TIOGA, PA.

LOCATION.--Lat 41°54'30", long 77°07'47", Tioga County, 1 mi (1.6 km) upstream from gaging station on right bank, 1.8 mi (2.9 km) upstream from Crooked Creek, and 1 mi (1.6 km) south of Tioga.

DRAINAGE AREA.--282 mi² (730 km²).

PERIOD OF RECORD.--Chemical analyses: Water year 1971 (partial-record station), October 1971 to September 1972. September 1973 to September 1974.

Sediment records: September 1973 to September 1974 (partial-record station).

REMARKS.--Miscellaneous sediment data for this station on page 446.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) | ALKA- LINITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) |
|---------------|------|---|---|--|--|---|---|-----------------------------------|---|--|
| SEP. 06... | 1000 | 197 | 1 | 0 | 1 | 130 | 10 | .59 | .29 | .69 |

| DATE | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | TOTAL ACIDITY AS CACO ₃ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO ₂) (MG/L) |
|---------------|--|---|--|---|--|---------------|-----------------------------|------------------------------------|---|
| SFP. 06... | .98 | .09 | .06 | 21 | 332 | 4.9 | 22.0 | 9.4 | 20 |

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) | ALKA- LINITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) |
|---------------|------|---|---|--|--|---|---|-----------------------------------|---|--|--|
| OCT. 09... | 1530 | 82 | 0 | 0 | 0 | 116 | 8.7 | .16 | .03 | .18 | .21 |
| NOV. 06... | 1145 | 190 | 0 | 0 | 0 | 78 | 3.0 | .29 | .12 | .18 | .30 |
| DEC. 11... | 1415 | 868 | 7 | 0 | 6 | 46 | 2.1 | .63 | .11 | .23 | .34 |
| JAN. 08... | 1125 | E230 | 2 | 0 | 2 | 73 | 6.3 | .70 | .15 | .18 | .33 |
| FEB. 13... | 1435 | E200 | 3 | 0 | 3 | 64 | 6.0 | .80 | .13 | .26 | .39 |
| MAR. 13... | 1600 | 699 | 16 | 0 | 13 | 44 | 5.0 | .61 | .12 | .19 | .31 |
| APR. 02... | 1445 | 1780 | 23 | 0 | 19 | 29 | 7.0 | .90 | .03 | .15 | .18 |
| MAY 01... | 1445 | 413 | 14 | 0 | 11 | 49 | 7.6 | .40 | .09 | .23 | .32 |
| JUNE 12... | 1445 | 133 | 14 | 0 | 11 | 59 | 5.0 | .52 | .17 | .39 | .56 |
| JULY 17... | 1515 | 65 | 0 | 0 | 0 | 127 | 7.6 | .23 | .06 | .16 | .22 |
| AUG. 14... | 1500 | 35 | 1 | 0 | 1 | 188 | 9.0 | .32 | .15 | .15 | .30 |
| SEP. 12... | 1445 | 30 | 1 | 0 | 1 | 117 | 11 | .43 | .22 | .09 | .31 |

SUSQUEHANNA RIVER BASIN

01518000 TIOGA RIVER AT TIOGA, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | PER- CENT SATUR- ATION | CARBON DIOXIDE (CO2) (MG/L) |
|-------|---|--|---|--|--|---------------|-----------------------------|------------------------------------|---------------------------------|--------------------------------------|
| OCT. | | | | | | | | | | |
| 09... | .03 | .02 | 25 | -- | 294 | 4.9 | 16.5 | 9.8 | 100 | .0 |
| NOV. | | | | | | | | | | |
| 06... | .03 | .02 | 9.0 | .2 | 194 | 5.3 | 4.0 | 12.9 | 98 | .4 |
| DEC. | | | | | | | | | | |
| 11... | .06 | .05 | 5.0 | .1 | 145 | 5.7 | 2.5 | 12.8 | 94 | 22 |
| JAN. | | | | | | | | | | |
| 08... | .03 | .01 | 24 | .5 | 213 | 5.8 | .0 | 11.4 | 78 | 5.1 |
| FEB. | | | | | | | | | | |
| 13... | .01 | .01 | 9.0 | .2 | 160 | 5.7 | 2.5 | 13.6 | 100 | 9.6 |
| MAR. | | | | | | | | | | |
| 13... | .05 | .01 | 11 | .2 | 152 | 5.5 | 2.0 | 13.4 | 97 | 81 |
| APR. | | | | | | | | | | |
| 02... | .15 | .05 | 5.0 | .1 | 141 | 6.8 | 7.0 | 12.6 | 103 | 5.8 |
| MAY | | | | | | | | | | |
| 01... | .05 | .02 | 2.5 | .1 | 166 | 6.7 | 16.0 | 9.4 | 95 | 4.5 |
| JUNE | | | | | | | | | | |
| 12... | .03 | .01 | 1.2 | .0 | 181 | 6.8 | 19.5 | 8.8 | 95 | 3.6 |
| JULY | | | | | | | | | | |
| 17... | .04 | .02 | 22 | .4 | 315 | 4.4 | 24.0 | 8.3 | 98 | .0 |
| AUG. | | | | | | | | | | |
| 14... | .01 | .01 | 24 | .5 | 413 | 4.5 | 29.0 | 7.7 | 99 | 51 |
| SEP. | | | | | | | | | | |
| 12... | .01 | .00 | 36 | .7 | 407 | 4.3 | 25.0 | 8.2 | 97 | 80 |

| DATE | TIME | TOTAL ALUM- INUM (AL) (UG/L) | TOTAL IRON (FF) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | TOTAL ARSENIC (AS) (UG/L) | TOTAL CAD- MIUM (CD) (UG/L) | TOTAL CHRO- MIUM (CR) (UG/L) |
|-------|------|--|---------------------------------|---|------------------------------------|---|--|
| MAY | | | | | | | |
| 01... | 1445 | 1500 | 1700 | 1200 | 1 | 0 | 0 |
| JUNE | | | | | | | |
| 12... | 1445 | 10 | 790 | 1700 | 2 | 0 | 10 |
| JULY | | | | | | | |
| 17... | 1515 | 5900 | 380 | 5900 | 0 | 1 | 0 |
| AUG. | | | | | | | |
| 14... | 1500 | 4400 | 150 | 5200 | 0 | 1 | 0 |
| SEP. | | | | | | | |
| 12... | 1445 | 7400 | 310 | 5700 | 1 | 1 | <10 |

| DATE | TOTAL COBALT (CO) (UG/L) | TOTAL COPPER (CU) (UG/L) | TOTAL LEAD (PR) (UG/L) | TOTAL MERCURY (HG) (UG/L) | TOTAL SELF- NIUM (SF) (UG/L) | TOTAL SILVER (AG) (UG/L) | TOTAL ZINC (ZN) (UG/L) |
|-------|-----------------------------------|-----------------------------------|---------------------------------|------------------------------------|--|-----------------------------------|---------------------------------|
| MAY | | | | | | | |
| 01... | 21 | 20 | 2 | <.5 | 0 | 0 | 140 |
| JUNE | | | | | | | |
| 12... | 28 | 10 | 4 | <.5 | 1 | 0 | 210 |
| JULY | | | | | | | |
| 17... | 92 | 50 | 3 | <.5 | <1 | 0 | 3100 |
| AUG. | | | | | | | |
| 14... | 72 | 30 | 4 | <.5 | <2 | 0 | 710 |
| SEP. | | | | | | | |
| 12... | 120 | 40 | 5 | <.5 | 2 | 0 | 900 |

SUSQUEHANNA RIVER BASIN

223

01518400 CROOKED CREEK AT MIDDLEBURY CENTER, PA.

LOCATION.--Lat 41°50'40", long 77°16'48", Tioga County, 500 ft (152 m) upstream from Township Route 586 bridge at Middlebury Center, 9.1 mi (14.6 km) southwest of Tioga, and 12.9 mi (20.8 km) upstream from mouth.

DRAINAGE AREA.--74.2 mi² (192 km²).

PERIOD OF RECORD.--Chemical analyses: September 1973 to August 1974 (discontinued).
Sediment records: September 1973 to August 1974 (partial-record station).

REMARKS.--Miscellaneous sediment data for this station on page 446.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) | ALKA- LINITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) |
|---------------|------|---|---|--|--|---|---|-----------------------------------|---|
| SEP. 05... | 0915 | 24 | 89 | 0 | 72 | 17 | 8.9 | .29 | .22 |

| DATE | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | CARRON DIOXIDE (CO ₂) (MG/L) |
|---------------|--|--|---|--|--|---------------|-----------------------------|------------------------------------|---|
| SEP. 05... | .32 | .54 | .04 | .02 | 206 | 7.5 | 22.5 | 11.4 | 4.5 |

SUSQUEHANNA RIVER BASIN

01518400 CROOKED CREEK AT MIDDLEBURY CENTER, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) | ALKA- LINITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) |
|---------------|------|---|---|--|--|---|---|-----------------------------------|---|--|
| OCT. 10... | 0930 | 16 | 105 | 0 | 86 | 15 | 12 | .14 | .05 | .12 |
| NOV. 07... | 0820 | 39 | 74 | 0 | 61 | 20 | 8.0 | .29 | .06 | .18 |
| DEC. 12... | 0845 | 146 | 44 | 0 | 36 | 24 | 2.5 | .68 | .09 | .18 |
| JAN. 09... | 1545 | -- | 55 | 0 | 45 | 22 | 6.2 | 1.2 | .07 | .28 |
| FEB. 14... | 1715 | -- | 50 | 0 | 41 | 18 | 7.0 | .90 | .07 | .30 |
| MAR. 15... | 0900 | 69 | 38 | 0 | 31 | 14 | 5.5 | .70 | .05 | .18 |
| APR. 04... | 0915 | 453 | 25 | 0 | 20 | 17 | 3.0 | .50 | .03 | .50 |
| MAY 03... | 0915 | 50 | 57 | 0 | 47 | 20 | 5.5 | .20 | .11 | .20 |
| JUNE 14... | 0845 | 8.0 | 84 | 0 | 69 | 19 | 7.5 | .50 | .23 | .22 |
| JULY 18... | 1525 | 6.9 | 76 | 4 | 69 | 24 | 7.4 | .14 | .13 | .19 |
| AUG. 16... | 0830 | 3.3 | 92 | 0 | 75 | 17 | 9.0 | .11 | .13 | .23 |

| DATE | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | TOTAL ACIDITY AS CACO ₃ (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO ₂) (MG/L) |
|---------------|--|---|--|---|--|--|---------------|-----------------------------|------------------------------------|---|
| OCT. 10... | .17 | .03 | .01 | -- | -- | 225 | 7.2 | 14.5 | 9.8 | 11 |
| NOV. 07... | .24 | .02 | .02 | 2.0 | .0 | 179 | 7.2 | 3.5 | 12.2 | 7.5 |
| DEC. 12... | .27 | .11 | .08 | 2.0 | .0 | 141 | 7.1 | 2.0 | 13.0 | 5.6 |
| JAN. 09... | -- | .02 | .01 | 5.0 | .1 | 165 | 6.2 | .0 | 13.8 | 56 |
| FEB. 14... | .37 | .03 | .01 | 4.0 | .1 | 145 | 6.6 | .5 | 14.5 | 20 |
| MAR. 15... | .23 | .01 | .01 | 5.0 | .1 | 130 | 7.4 | .5 | 13.4 | 2.4 |
| APR. 04... | .53 | .09 | .04 | 1.2 | .0 | 93 | 7.2 | 9.5 | 10.8 | 2.5 |
| MAY 03... | .31 | .02 | .01 | 4.0 | .1 | 151 | 7.2 | 9.5 | 10.9 | 5.8 |
| JUNE 14... | .45 | .36 | .35 | 1.2 | .0 | 185 | 7.3 | 14.0 | -- | 6.7 |
| JULY 18... | .32 | .03 | .01 | .0 | .0 | 190 | 8.5 | 25.0 | 9.4 | .4 |
| AUG. 16... | .36 | .08 | .06 | 2.5 | .0 | 221 | 7.5 | 18.0 | 7.0 | 4.7 |

SUSQUEHANNA RIVER BASIN

225

01518500 CROOKED CREEK AT TIOGA, PA.

LOCATION.--Lat 41°54'08", long 77°08'55", Tioga County, at gaging station on right bank 30 ft (9 m) upstream from Penn Central Railroad bridge, 1 mi (1.6 km) southwest of Tioga, 1 mi (1.6 km) upstream from Elkhorn Creek, and 3 mi (4.8 km) upstream from mouth.

DRAINAGE AREA.--122 mi² (316 km²).

PERIOD OF RECORD.--Chemical analyses: October 1970 to September 1971 (partial-record station), October 1971 to September 1972, September 1973 to September 1974.
Sediment records: September 1973 to September 1974 (partial-record station).

REMARKS.--Miscellaneous sediment data for this station on page 447.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTANTANEOUS DIS- CHARGE (CFS) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) | ALKA- LITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) |
|---------------|------|--|---|--|--|---|---|------------------------------------|---|--|
| SEP. 05... | 1045 | 47 | 73 | 0 | 59 | 22 | 7.0 | .79 | .11 | .33 |
| DATE | | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | PER- CENT SATUR- ATION | CARBON DIOXIDE (CO ₂) (MG/L) |
| SEP. 05... | | .44 | .14 | .08 | 184 | 7.0 | 23.5 | 8.2 | 95 | 12 |

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS- CHARGE (CFS) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) | ALKA- LITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) |
|---------------|------|--|---|--|--|---|---|-----------------------------------|---|--|--|---|
| OCT. 09... | 1615 | 35 | 89 | 0 | 73 | 15 | 10 | .05 | .09 | .39 | .48 | .13 |
| NOV. 06... | 1300 | 61 | 63 | 0 | 52 | 18 | 5.0 | .27 | .06 | .31 | .37 | .18 |
| DEC. 11... | 1300 | 292 | 52 | 0 | 43 | 20 | 1.9 | .50 | .07 | .22 | .29 | .17 |
| JAN. 08... | 1225 | E66 | 50 | 0 | 41 | 20 | 4.5 | .70 | .09 | .22 | -- | .03 |
| FEB. 13... | 1710 | E68 | 48 | 0 | 39 | 17 | 5.0 | .70 | .05 | .19 | .24 | .00 |
| MAR. 13... | 1800 | 89 | 32 | 0 | 27 | 16 | 3.5 | .32 | .07 | .18 | .25 | .03 |
| APR. 02... | 1625 | 811 | 34 | 0 | 28 | 19 | 4.0 | .80 | .12 | .66 | .78 | .13 |
| MAY 01... | 1545 | 132 | 54 | 0 | 44 | 20 | 4.0 | .20 | .10 | .24 | .34 | .06 |
| JUNE 12... | 1550 | 26 | 81 | 0 | 66 | 17 | 5.0 | .41 | .09 | .30 | .39 | .06 |
| JULY 17... | 1415 | 18 | 86 | 0 | 71 | 19 | 5.8 | .05 | .09 | .21 | .30 | .03 |
| AUG. 14... | 1550 | 11 | 97 | 0 | 80 | 17 | 7.0 | .02 | .09 | .24 | .33 | .07 |
| SEP. 12... | 1620 | 10 | 91 | 0 | 75 | 18 | 8.0 | .07 | .07 | .16 | .23 | .07 |

SUSQUEHANNA RIVER BASIN

01518500 CROOKED CREEK AT TIOGA, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | PER- CENT SATUR- ATION | CARBON DIOXIDE (CO2) (MG/L) | IMME- DIATE COLI- FORM (COL. PER 100 ML) | FECAL COLI- FORM (COL. PER 100 ML) |
|---------------|--|---|--|--|---------------|-----------------------------|------------------------------------|---------------------------------|--------------------------------------|--|---|
| OCT. 09... | .10 | -- | -- | 197 | 6.9 | 16.5 | 9.3 | 94 | 18 | -- | -- |
| NOV. 06... | .11 | 2.0 | .0 | 153 | 7.9 | 5.0 | 11.6 | 91 | 1.3 | -- | -- |
| DEC. 11... | .07 | 2.5 | .0 | 134 | 6.8 | 2.5 | 12.6 | 92 | 13 | 1500 | 140 |
| JAN. 08... | .02 | 5.0 | .1 | 146 | 6.9 | .0 | 13.0 | 89 | 10 | 90 | 67 |
| FEB. 13... | .00 | 4.0 | .1 | 132 | 6.4 | 2.0 | 13.2 | 96 | 31 | -- | -- |
| MAR. 13... | .01 | 1.2 | .0 | 111 | 7.1 | 2.5 | 13.6 | 100 | 4.1 | -- | -- |
| APR. 02... | .10 | 2.5 | .0 | 117 | 7.8 | 6.0 | 12.4 | 99 | .9 | -- | -- |
| MAY 01... | .02 | 1.2 | .0 | 144 | 7.6 | 16.0 | 10.8 | 108 | 2.2 | -- | -- |
| JUNE 12... | .02 | 1.2 | .0 | 168 | 7.5 | 19.5 | 8.7 | 94 | 4.1 | -- | -- |
| JULY 17... | .02 | 4.0 | .1 | 190 | 7.7 | 23.0 | 8.6 | 99 | 2.7 | -- | -- |
| AUG. 14... | .03 | 2.5 | .0 | 197 | 7.7 | 27.0 | 8.2 | 101 | 3.1 | -- | -- |
| SEP. 12... | .04 | 3.0 | .1 | 205 | 7.8 | 24.0 | 8.6 | 101 | 2.3 | -- | -- |

SUSQUEHANNA RIVER BASIN

227

01518700 TIOGA RIVER AT TIOGA JUNCTION, PA.

LOCATION.--Lat 41°57'27", long 77°06'58", Tioga County, at bridge on Township Route 773, 0.4 mi (0.6 km) west of intersection of U.S. Highway 15 and State Highway 328, and 3.5 mi (5.6 km) downstream from Crooked Creek.

DRAINAGE AREA.--446 mi² (1,160 km²).

PERIOD OF RECORD.--Chemical analyses: July 1969 to September 1972, September 1973 to September 1974.
Sediment records: September 1973 to September 1974 (partial-record station).

REMARKS.--Miscellaneous sediment data for this station on page 447. Records of discharge are computed from 01518000 Tioga River at Tioga and 01518500 Crooked Creek at Tioga.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTANTANEOUS DISCHARGE (CFS) | BICARBONATE (HCO ₃) (MG/L) | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CaCO ₃ (MG/L) | DIS-SOLVED SULFATE (SO ₄) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) |
|------------|------|-------------------------------|--|-------------------------------------|--|--|---------------------------------|--------------------------|-----------------------------|-----------------------------------|
| SEP. 05... | 1540 | 75 | 18 | 0 | 14 | 29 | 9.1 | .41 | .12 | .13 |

| DATE | TOTAL KJEL-DAHL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | SPECIFIC CONDUCTANCE (MICROMHOS) | PH (UNITS) | TEMPERATURE (DEG C) | DIS-SOLVED OXYGEN (MG/L) | PERCENT SATURATION | CARBON DIOXIDE (CO ₂) (MG/L) |
|------------|-------------------------------------|-----------------------------|-----------------------------------|----------------------------------|------------|---------------------|--------------------------|--------------------|--|
| SEP. 05... | .25 | .08 | .02 | 276 | 6.4 | 27.0 | 10.2 | 126 | 11 |

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DISCHARGE (CFS) | BICARBONATE (HCO ₃) (MG/L) | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CaCO ₃ (MG/L) | DIS-SOLVED SULFATE (SO ₄) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJEL-DAHL NITROGEN (N) (MG/L) |
|------------|------|-------------------------------|--|-------------------------------------|--|--|---------------------------------|--------------------------|-----------------------------|-----------------------------------|-------------------------------------|
| OCT. 09... | 1700 | 131 | 19 | 0 | 16 | 82 | 9.1 | .18 | .07 | .25 | .32 |
| NOV. 06... | 1350 | 281 | 13 | 0 | 11 | 63 | 5.0 | .34 | .11 | .31 | .42 |
| DEC. 11... | 1500 | 1300 | 18 | 0 | 15 | 40 | 2.1 | .63 | .05 | .27 | .32 |
| JAN. 08... | 1335 | E332 | 10 | 0 | 8 | 40 | 5.1 | .90 | .12 | .17 | -- |
| FEB. 13... | 1620 | E300 | 16 | 0 | 13 | 49 | 5.5 | .70 | .11 | .23 | .34 |
| MAR. 13... | 1715 | 883 | 9 | 0 | 8 | 35 | 4.5 | .45 | .09 | .16 | .25 |
| APR. 02... | 1545 | 2900 | 24 | 0 | 20 | 25 | 3.0 | 1.5 | .14 | 1.3 | 1.4 |
| MAY 01... | 1650 | 610 | 26 | 0 | 21 | 45 | 7.0 | .40 | .24 | .29 | .53 |
| JUNE 12... | 1730 | 178 | 24 | 0 | 20 | 51 | 6.0 | .61 | .08 | .21 | .29 |
| JULY 17... | 1300 | 93 | 24 | 0 | 20 | 87 | 7.0 | .23 | .15 | .12 | .27 |
| AUG. 14... | 1645 | 51 | 16 | 0 | 13 | 123 | 9.0 | .16 | .11 | .16 | .27 |
| SEP. 13... | 0900 | 45 | 10 | 0 | 8 | 118 | 10 | .34 | .09 | .05 | .14 |

SUSQUEHANNA RIVER BASIN

01518700 TIOGA RIVER AT TIOGA JUNCTION, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | PER- CENT SATUR- ATION | CARBON DIOXIDE (CO2) (MG/L) |
|-------|---|--|---|--|--|---------------|-----------------------------|------------------------------------|---------------------------------|--------------------------------------|
| OCT. | | | | | | | | | | |
| 09... | .06 | .02 | -- | -- | 252 | 7.2 | 16.5 | 9.8 | 100 | 1.9 |
| NOV. | | | | | | | | | | |
| 06... | .06 | .02 | 1.0 | .0 | 185 | 6.8 | 5.0 | 12.1 | 95 | 3.3 |
| DEC. | | | | | | | | | | |
| 11... | .17 | .09 | 5.0 | .1 | 139 | 7.0 | 2.5 | 12.4 | 91 | 2.9 |
| JAN. | | | | | | | | | | |
| 08... | .03 | .01 | 9.0 | .2 | 194 | 5.9 | .0 | 13.8 | 94 | 20 |
| FEB. | | | | | | | | | | |
| 13... | .03 | .02 | 6.2 | .1 | 165 | 7.2 | 1.5 | 13.6 | 97 | 1.4 |
| MAR. | | | | | | | | | | |
| 13... | .02 | .01 | 5.0 | .1 | 133 | 6.5 | 2.0 | 13.6 | 99 | 4.7 |
| APR. | | | | | | | | | | |
| 02... | .49 | .33 | 2.5 | .0 | 120 | 7.6 | 7.0 | 12.2 | 100 | 1.0 |
| MAY | | | | | | | | | | |
| 01... | .06 | .03 | 2.5 | .0 | 160 | 6.9 | 16.5 | 9.8 | 100 | 5.2 |
| JUNE | | | | | | | | | | |
| 12... | .02 | .01 | 2.5 | .0 | 171 | 6.9 | 20.0 | 9.2 | 100 | 4.8 |
| JULY | | | | | | | | | | |
| 17... | .01 | .00 | 3.0 | .1 | 255 | 6.6 | 22.0 | 8.4 | 96 | 9.6 |
| AUG. | | | | | | | | | | |
| 14... | .01 | .00 | 1.2 | .0 | 323 | 7.0 | 27.0 | 8.0 | 99 | 2.6 |
| SEP. | | | | | | | | | | |
| 13... | .01 | .00 | 4.0 | .1 | 328 | 6.4 | 21.5 | 9.0 | 101 | 6.4 |

| DATE | TIME | TOTAL ALUM- INUM (AL) (UG/L) | TOTAL IRON (FE) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | TOTAL ARSENIC (AS) (UG/L) | TOTAL CAD- MIUM (CD) (UG/L) | TOTAL CHRO- MIUM (CR) (UG/L) |
|-------|------|--|---------------------------------|---|------------------------------------|---|--|
| MAY | | | | | | | |
| 01... | 1650 | 2600 | 3500 | 930 | 2 | 0 | 0 |
| JUNE | | | | | | | |
| 12... | 1730 | 0 | 330 | 1200 | 1 | 0 | 10 |
| JULY | | | | | | | |
| 17... | 1300 | 150 | 40 | 1300 | <1 | 1 | 0 |
| AUG. | | | | | | | |
| 14... | 1645 | 70 | 20 | 3000 | 0 | 1 | 0 |
| SEP. | | | | | | | |
| 13... | 0900 | 190 | 120 | 3900 | <1 | 1 | <10 |

| DATE | TOTAL COBALT (CO) (UG/L) | TOTAL COPPER (CU) (UG/L) | TOTAL LEAD (PB) (UG/L) | TOTAL MERCURY (HG) (UG/L) | TOTAL SELE- NIUM (SE) (UG/L) | TOTAL SILVER (AG) (UG/L) | TOTAL ZINC (ZN) (UG/L) |
|-------|-----------------------------------|-----------------------------------|---------------------------------|------------------------------------|--|-----------------------------------|---------------------------------|
| MAY | | | | | | | |
| 01... | 13 | 20 | 14 | <.5 | 0 | 0 | 80 |
| JUNE | | | | | | | |
| 12... | 16 | 10 | 2 | <.5 | 1 | 1 | 120 |
| JULY | | | | | | | |
| 17... | 18 | 20 | 0 | <.5 | 1 | 0 | 130 |
| AUG. | | | | | | | |
| 14... | 34 | 0 | 1 | <.5 | 0 | 0 | 340 |
| SEP. | | | | | | | |
| 13... | 75 | 10 | 2 | <.5 | <2 | 1 | 580 |

SUSQUEHANNA RIVER BASIN

229

01518850 COWANESQUE RIVER AT WESTFIELD, PA.

LOCATION.--Lat 41°54'56", long 77°34'18", Tioga County, at Township Route 336 bridge, 1.7 mi (2.7 km) west of Westfield, and 0.6 mi (1.0 km) upstream of North Fork.

DRAINAGE AREA.--53.0 mi² (137 km²).

PERIOD OF RECORD.--Chemical analyses: September 1973 to August 1974 (discontinued).
Sediment records: September 1973 to August 1974 (partial-record station).

REMARKS.--Miscellaneous sediment data for this station on page 448.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) | ALKA- LINITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) |
|---------------|------|---|---|--|--|---|---|-----------------------------------|---|
| SEP. 04... | 1330 | 6.8 | 71 | 0 | 58 | 23 | 19 | .18 | .21 |

| DATE | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO ₂) (MG/L) |
|---------------|--|--|---|--|--|---------------|-----------------------------|------------------------------------|---|
| SEP. 04... | .32 | .53 | .06 | .04 | 204 | 6.9 | 27.0 | 11.0 | 14 |

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) | ALKA- LINITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) |
|---------------|------|---|---|--|--|---|---|-----------------------------------|---|--|
| OCT. 10... | 1625 | 7.7 | 68 | 2 | 58 | 14 | 10 | .07 | .03 | .19 |
| NOV. 07... | 1000 | 28 | 43 | 0 | 35 | 18 | 5.0 | .43 | .06 | .24 |
| DEC. 12... | 1045 | 63 | 31 | 0 | 25 | 18 | 2.0 | .48 | .08 | .19 |
| JAN. 09... | 1230 | -- | 31 | 0 | 25 | 16 | 4.0 | .70 | .10 | .20 |
| FEB. 14... | 0945 | -- | 30 | 0 | 25 | 16 | 5.5 | .80 | .04 | .36 |
| MAR. 14... | 0945 | 77 | 24 | 0 | 20 | 14 | 2.5 | .45 | .05 | .23 |
| APR. 03... | 0830 | 272 | 18 | 0 | 15 | 17 | 2.0 | 1.0 | .03 | .23 |
| MAY 02... | 0900 | 51 | 37 | 0 | 30 | 18 | 3.2 | .10 | .12 | .19 |
| JUNE 13... | 0920 | 8.0 | 60 | 0 | 49 | 12 | 4.0 | .63 | .04 | .18 |
| JULY 18... | 0920 | 7.4 | 56 | 0 | 46 | 15 | 4.7 | .09 | .07 | .22 |
| AUG. 15... | 0930 | 3.1 | 70 | 0 | 57 | 13 | 6.0 | .05 | .13 | .19 |

SUSQUEHANNA RIVER BASIN

01518850 COWANESQUE RIVER AT WESTFIELD, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL KJEL- DAHL- NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | TOTAL ACIDITY AS CAC03 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) |
|---------------|---|---|--|---|--|--|---------------|-----------------------------|------------------------------------|--------------------------------------|
| OCT. 10... | .22 | .02 | .01 | .0 | .0 | 162 | 8.5 | 17.5 | 10.3 | .4 |
| NOV. 07... | .30 | .01 | .01 | 5.0 | .1 | 130 | 7.3 | -- | -- | 3.4 |
| DEC. 12... | .27 | .01 | .01 | 1.2 | .1 | 114 | 6.9 | 1.5 | 13.4 | 6.2 |
| JAN. 09... | -- | .01 | .01 | 5.0 | .1 | 113 | 6.4 | .0 | 14.2 | 20 |
| FEB. 14... | .40 | .01 | .01 | 2.5 | .0 | 109 | 6.9 | .5 | 13.8 | 6.0 |
| MAR. 14... | .28 | .01 | .01 | 2.5 | .0 | 95 | 6.8 | .5 | 13.6 | 6.1 |
| APR. 03... | .26 | .05 | .04 | 2.5 | .0 | 88 | 6.4 | 2.5 | 12.7 | 11 |
| MAY 02... | .31 | .02 | .01 | 1.2 | .0 | 107 | 7.4 | 7.5 | 12.6 | 2.4 |
| JUNE 13... | .22 | .01 | .00 | 1.2 | .0 | 138 | 7.4 | 14.5 | 10.2 | 3.8 |
| JULY 18... | .29 | .01 | .00 | .0 | .0 | 143 | 7.4 | 19.0 | 9.4 | 3.6 |
| AUG. 15... | .32 | .01 | .00 | 2.5 | .0 | 154 | 7.5 | 18.0 | 9.5 | 3.5 |

SUSQUEHANNA RIVER BASIN

231

01518860 MILL CREEK AT WESTFIELD, PA.

LOCATION.--Lat 41°55'15", long 77°32'07", Tioga County, at bridge on State Highway 49, 400 ft (122 m) upstream from mouth.

DRAINAGE AREA.--13.0 mi² (33.7 km²).

PERIOD OF RECORD.--Chemical analyses, September 1973 to August 1974 (discontinued).

Sediment records: September 1973 to August 1974 (partial-record station).

REMARKS.--Miscellaneous sediment data for this station on page 448.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) | ALKA- LINITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) |
|---------------|--|---|--|---|--|--|---|-----------------------------------|---|--|
| SEP. 04... | 1445 | 5.0 | 83 | 4 | 71 | 27 | 15 | .20 | .21 | .44 |
| DATE | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | TOTAL ACIDITY AS CACO ₃ (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO ₂) (MG/L) |
| SEP. 04... | .65 | .11 | .09 | .0 | .0 | 234 | 8.7 | 29.0 | 11.2 | .3 |

SUSQUEHANNA RIVER BASIN

01518860 MILL CREEK AT WESTFIELD, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) | ALKA- LINITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) |
|-------|------|---|---|--|--|---|---|-----------------------------------|---|--|
| OCT. | | | | | | | | | | |
| 10... | 1540 | 4.2 | 76 | 11 | 72 | 17 | 14 | .09 | .03 | .25 |
| NOV. | | | | | | | | | | |
| 07... | 1045 | 9.5 | 64 | 0 | 52 | 20 | 10 | .36 | .14 | .31 |
| DEC. | | | | | | | | | | |
| 12... | 1150 | 18 | 52 | 0 | 43 | 24 | 10 | .61 | .10 | .28 |
| JAN. | | | | | | | | | | |
| 09... | 1155 | -- | 63 | 0 | 52 | 24 | 23 | .80 | .27 | .33 |
| FEB. | | | | | | | | | | |
| 14... | 1020 | -- | 59 | 0 | 48 | 21 | 12 | .80 | .23 | .48 |
| MAR. | | | | | | | | | | |
| 14... | 1035 | 23 | 44 | 0 | 36 | 17 | 8.0 | .77 | .17 | .36 |
| APR. | | | | | | | | | | |
| 03... | 0940 | 59 | 34 | 0 | 25 | 20 | 5.0 | 1.0 | .09 | .41 |
| MAY | | | | | | | | | | |
| 02... | 1000 | 9.5 | 69 | 3 | 62 | 25 | 12 | .30 | .23 | .39 |
| JUNE | | | | | | | | | | |
| 13... | 1030 | 1.2 | 124 | 6 | 112 | 32 | 36 | 1.0 | .17 | .34 |
| JULY | | | | | | | | | | |
| 18... | 0955 | 2.0 | 91 | 9 | 90 | 20 | 20 | .50 | .13 | .40 |
| AUG. | | | | | | | | | | |
| 15... | 1030 | 2.0 | 88 | 9 | 87 | 19 | 26 | .63 | .21 | .42 |

| DATE | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | TOTAL ACIDITY AS CACO ₃ (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO ₂) (MG/L) |
|-------|--|---|--|---|--|--|---------------|-----------------------------|------------------------------------|---|
| OCT. | | | | | | | | | | |
| 10... | .28 | .03 | .02 | .0 | .0 | 213 | 9.4 | 17.5 | 11.0 | .1 |
| NOV. | | | | | | | | | | |
| 07... | .45 | .08 | .06 | 1.0 | .0 | 173 | 7.5 | 5.0 | 12.0 | 3.2 |
| DEC. | | | | | | | | | | |
| 12... | .38 | .05 | .04 | .5 | .0 | 170 | 6.7 | 2.5 | 13.2 | 17 |
| JAN. | | | | | | | | | | |
| 09... | -- | .06 | .06 | 2.5 | .0 | 226 | 6.3 | .5 | 14.0 | 51 |
| FEB. | | | | | | | | | | |
| 14... | .71 | .12 | .10 | 7.4 | .2 | 177 | 6.2 | .5 | 13.8 | 60 |
| MAR. | | | | | | | | | | |
| 14... | .53 | .10 | .06 | 2.5 | .0 | 147 | 7.3 | .5 | 13.6 | 3.5 |
| APR. | | | | | | | | | | |
| 03... | .50 | .14 | .05 | 2.5 | .0 | 129 | 6.5 | 3.0 | 12.8 | 17 |
| MAY | | | | | | | | | | |
| 02... | .62 | .12 | .08 | .0 | .0 | 198 | 8.5 | 9.0 | 13.4 | .4 |
| JUNE | | | | | | | | | | |
| 13... | .51 | .19 | .18 | .0 | .0 | 368 | 8.2 | 15.5 | 10.0 | 1.4 |
| JULY | | | | | | | | | | |
| 18... | .53 | .09 | .07 | .0 | .0 | 254 | 8.6 | 20.0 | 10.4 | .4 |
| AUG. | | | | | | | | | | |
| 15... | .63 | .09 | .07 | .0 | .0 | 275 | 8.5 | 19.0 | 11.0 | .5 |

SUSQUEHANNA RIVER BASIN

01518870 COWANESQUE RIVER AT COWANESQUE, PA.

LOCATION.--Lat 41°55'34", long 77°31'20", Tioga County, at bridge on State Highway 49, 0.8 mi (1.2 km) downstream from Mill Creek, and 1 mi (1.6 km) northeast of Westfield.

DRAINAGE AREA.--91.0 mi² (236 km²).

PERIOD OF RECORD.--Chemical analyses: September 1973 to August 1974 (discontinued).
Sediment records: September 1973 to August 1974 (partial-record station).

REMARKS.--Miscellaneous sediment data for this station on page 449.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| | | INSTAN- TANEOUS DIS- CHARGE (CFS) | BICAR- BONATE (HCO3) (MG/L) | CAR- BONATE (CO3) (MG/L) | ALKA- LINITY AS CACO3 (MG/L) | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) |
|---------------|--|---|--|---|--|--|---|-----------------------------------|---|--|
| DATE | TIME | | | | | | | | | |
| SEP. 04... | 1545 | 15 | 103 | 0 | 84 | 54 | 56 | .29 | .35 | .49 |
| | | | | | | | | | | |
| DATE | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) |
| SEP. 04... | .84 | .14 | .08 | .0 | .0 | 395 | 8.6 | 30.5 | 9.2 | .4 |

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DISCHARGE (CFS) | BICARBONATE (HCO ₃) (MG/L) | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CaCO ₃ (MG/L) | DIS-SOLVED SULFATE (SO ₄) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) |
|------------|------|-------------------------------|--|-------------------------------------|--|--|---------------------------------|--------------------------|-----------------------------|-----------------------------------|
| OCT. 10... | 1445 | 16 | 108 | 3 | 91 | 29 | 59 | .11 | .02 | .19 |
| NOV. 07... | 1140 | 50 | 55 | 0 | 45 | 20 | 12 | .50 | .18 | .25 |
| DEC. 12... | 1250 | 117 | 42 | 0 | 34 | 20 | 9.0 | .57 | .11 | .19 |
| JAN. 09... | 1115 | -- | 49 | 0 | 40 | 26 | 25 | .80 | .52 | .52 |
| FEB. 14... | 1045 | -- | 38 | 0 | 31 | 19 | 12 | .70 | .18 | .46 |
| MAR. 14... | 1130 | 170 | 35 | 0 | 29 | 17 | 11 | .57 | .24 | .36 |
| APR. 03... | 1025 | 540 | 27 | 0 | 20 | 18 | 4.0 | 1.0 | .15 | .48 |
| MAY 02... | 1100 | 76 | 46 | 0 | 38 | 26 | 23 | .10 | .34 | .64 |
| JUNE 13... | 1130 | 12 | 82 | 4 | 74 | 23 | 30 | .45 | .16 | .23 |
| JULY 18... | 1030 | 12 | 102 | 0 | 84 | 40 | 76 | .18 | .59 | .72 |
| AUG. 15... | 1120 | 7.6 | 130 | 0 | 107 | 46 | 93 | .20 | .59 | .81 |

SUSQUEHANNA RIVER BASIN

01518870 COWANESQUE RIVER AT COWANESQUE, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) |
|---------------|--|---|--|---|--|--|---------------|-----------------------------|------------------------------------|--------------------------------------|
| OCT. 10... | .21 | .01 | .00 | .0 | .0 | 389 | 8.7 | 17.0 | 8.7 | .4 |
| NOV. 07... | .43 | .03 | .02 | 2.0 | .0 | 170 | 7.5 | 5.0 | 12.3 | 2.8 |
| DEC. 12... | .30 | .03 | .01 | .4 | .0 | 148 | 6.8 | 2.5 | 13.6 | 11 |
| JAN. 09... | -- | .04 | .03 | 10 | .2 | 228 | 6.4 | .0 | 13.6 | 31 |
| FEB. 14... | .64 | .05 | .03 | 3.7 | .1 | 148 | 6.6 | .5 | 14.0 | 15 |
| MAR. 14... | .60 | .05 | .03 | 5.0 | .1 | 145 | 7.2 | 1.0 | 13.5 | 3.5 |
| APR. 03... | .63 | .14 | .04 | 1.2 | .0 | 114 | 6.5 | 3.0 | 12.5 | 14 |
| MAY 02... | .48 | .04 | .02 | 2.5 | .0 | 212 | 8.3 | 9.0 | 12.4 | .4 |
| JUNE 13... | .39 | .03 | .02 | .0 | .0 | 267 | 8.5 | 17.0 | 11.4 | .5 |
| JULY 18... | 1.3 | .10 | .04 | 4.0 | .1 | 469 | 8.0 | 21.0 | 7.6 | 1.6 |
| AUG. 15... | 1.4 | .12 | .07 | 5.0 | .1 | 572 | 7.8 | 20.0 | 8.4 | 3.3 |

SUSQUEHANNA RIVER BASIN

235

01519000 TROUPS CREEK AT KNOXVILLE, PA.

LOCATION.--Lat 41°58'05", long 77°27'08", Tioga County, on State Highway 249, 1 mi (1.6 km) north of junction with State Highway 49, and 1.4 mi (2.3 km) upstream from mouth.

DRAINAGE AREA.--66.5 mi² (172 km²).

PERIOD OF RECORD.--Chemical analyses: September 1973 to August 1974 (discontinued).
Sediment records: September 1973 to August 1974 (partial-record station).

REMARKS.--Miscellaneous sediment data for this station on page 449.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| | | INSTAN- TANEOUS DIS- CHARGE (CFS) | BICAR- BONATE (HCO3) (MG/L) | CAR- BONATE (CO3) (MG/L) | ALKA- LINITY AS CACO3 (MG/L) | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | |
|---------------|------|--|---|--|---|--|--|-----------------------------------|---|--|--------------------------------------|
| DATE | TIME | | | | | | | | | | |
| SEP. 04... | 1645 | 6.5 | 93 | 2 | 78 | 30 | 6.6 | .20 | .05 | .61 | |
| | | TOTAL KJFL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHOPHOS- PHORUS (P) (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) |
| DATE | TIME | | | | | | | | | | |
| SEP. 04... | .57 | .01 | .01 | .0 | .0 | 216 | 8.8 | 30.0 | 9.7 | .2 | |

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS- CHARGE (CFS) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) | ALKA- LINITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) |
|---------------|------|--|---|--|--|---|---|-----------------------------------|---|--|
| OCT. 10... | 1320 | 5.3 | 116 | 1 | 46 | 22 | 12 | .66 | .02 | .32 |
| NOV. 07... | 1310 | 22 | 90 | 0 | 74 | 27 | 8.0 | 1.2 | .09 | .68 |
| DEC. 13... | 0900 | 44 | 65 | 0 | 53 | 26 | 8.0 | .90 | .04 | .19 |
| JAN. 09... | 1025 | -- | 63 | 0 | 52 | 26 | 6.5 | 1.8 | .10 | .22 |
| FEB. 14... | 1125 | -- | 49 | 0 | 40 | 20 | 7.5 | .90 | .02 | .42 |
| MAR. 14... | 1745 | 109 | 44 | 0 | 36 | 16 | 5.0 | 1.4 | .06 | .33 |
| APR. 03... | 1145 | 312 | 32 | 0 | 24 | 20 | 4.0 | 1.7 | .14 | .54 |
| MAY 02... | 1230 | 39 | 66 | 4 | 61 | 23 | 5.2 | .20 | .08 | .26 |
| JUNE 13... | 1230 | 5.6 | 92 | 5 | 44 | 20 | 7.5 | .50 | .06 | .21 |
| JULY 18... | 1100 | 3.7 | 102 | 2 | 47 | 19 | 7.6 | .34 | .06 | .28 |
| AUG. 15... | 1240 | 2.6 | 88 | 5 | 41 | 20 | 9.0 | .23 | .07 | .19 |

SUSQUEHANNA RIVER BASIN

01519000 TROUPS CREEK AT KNOXVILLE, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL KJEL- DAHL- NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICHO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) |
|---------------|---|---|--|---|--|--|---------------|-----------------------------|------------------------------------|--------------------------------------|
| OCT. 10... | .34 | .01 | .01 | .0 | .0 | 239 | 8.2 | 16.0 | 10.7 | 1.2 |
| NOV. 07... | .77 | .01 | .00 | 2.0 | .0 | 222 | 7.6 | 5.0 | 12.2 | 3.6 |
| DEC. 13... | .23 | .02 | .00 | .7 | .0 | 191 | 7.2 | .5 | 14.3 | 6.6 |
| JAN. 09... | -- | .02 | .02 | 10 | .2 | 194 | 6.5 | .0 | 14.4 | 32 |
| FEB. 14... | .44 | .07 | .02 | 3.7 | .1 | 140 | 6.2 | .5 | 14.2 | 49 |
| MAR. 14... | .39 | .11 | .04 | 5.0 | .1 | 140 | 7.4 | 3.5 | 12.8 | 2.8 |
| APR. 03... | .68 | .11 | .05 | 1.2 | .0 | 124 | 6.1 | 4.5 | 12.5 | 41 |
| MAY 02... | .34 | .02 | .00 | .0 | .0 | 169 | 8.6 | 13.0 | 12.0 | .3 |
| JUNE 13... | .27 | .01 | .00 | .0 | .0 | 213 | 8.0 | 21.0 | -- | 1.6 |
| JULY 18... | .34 | .01 | .00 | .0 | .0 | 232 | 8.7 | 22.0 | 10.0 | .3 |
| AUG. 15... | .26 | .01 | .00 | .0 | .0 | 219 | 8.5 | 24.0 | 10.6 | .5 |

SUSQUEHANNA RIVER BASIN

237

01519500 COWANESQUE RIVER AT NELSON, PA.

LOCATION.--Lat 41°58'41", long 77°14'15", Tioga County, at Legislative Route 58050 bridge, 6.8 mi (10.9 km) southwest of Lawrenceville, and 8.3 mi (13.4 km) upstream from mouth.

DRAINAGE AREA.--266 mi² (689 km²).

PERIOD OF RECORD.--Chemical analyses, September 1973 to August 1974 (discontinued).
Sediment records: September 1973 to August 1974 (partial-record station).

REMARKS.--Miscellaneous sediment data for this station on page 450.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| | | INSTAN- TANEOUS DIS- CHARGE (CFS) | BICAR- BONATE (HCO3) (MG/L) | CAR- BONATE (CO3) (MG/L) | ALKA- LINITY AS CACO3 (MG/L) | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) |
|---------------|--|---|--|---|--|--|---|-----------------------------------|---|--|
| DATE | TIME | | | | | | | | | |
| SEP. 05... | 1140 | 55 | 100 | 0 | 41 | 25 | 20 | .61 | .20 | .63 |
| | | | | | | | | | | |
| | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) |
| DATE | | | | | | | (UNITS) | | | |
| SEP. 05... | .43 | .12 | .08 | .0 | .0 | 264 | 8.0 | 25.0 | 10.8 | 1.6 |

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) | ALKA- LINITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) |
|---------------|------|---|---|--|--|---|---|-----------------------------------|---|--|
| OCT. 10... | 1100 | 48 | 116 | 0 | 45 | 28 | 32 | .14 | .31 | .50 |
| NOV. 07... | 1415 | 129 | 77 | 0 | 63 | 24 | 16 | .59 | .09 | .35 |
| DEC. 12... | 1615 | 317 | 56 | 0 | 46 | 25 | 16 | .61 | .03 | .20 |
| JAN. 09... | 0920 | -- | 64 | 0 | 52 | 27 | 13 | 1.9 | .17 | .35 |
| FEB. 14... | 1330 | -- | 52 | 0 | 43 | 20 | 12 | .80 | .14 | .48 |
| MAR. 14... | 1615 | 319 | 44 | 0 | 36 | 20 | 11 | .99 | .12 | .32 |
| APR. 03... | 1400 | 1430 | 34 | 0 | 25 | 19 | 5.5 | 1.3 | .10 | .48 |
| MAY 02... | 1630 | 190 | 68 | 9 | 71 | 22 | 13 | .10 | .09 | .33 |
| JUNE 13... | 1415 | 32 | 85 | 9 | 45 | 31 | 24 | .36 | .31 | .56 |
| JULY 18... | 1415 | 29 | 78 | 12 | 44 | 33 | 34 | .02 | .08 | .34 |
| AUG. 15... | 1355 | 17 | 90 | 5 | 42 | 38 | 47 | .14 | .19 | .47 |

SUSQUEHANNA RIVER BASIN

01519500 COWANESQUE RIVER AT NELSON, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) |
|---------------|--|---|--|---|--|--|---------------|-----------------------------|------------------------------------|--------------------------------------|
| OCT. 10... | .81 | .08 | .04 | -- | -- | 327 | 7.4 | 16.0 | 9.6 | 7.4 |
| NOV. 07... | .44 | .05 | .03 | 1.0 | .0 | 220 | 7.8 | 4.5 | 12.6 | 2.0 |
| DEC. 12... | .23 | .06 | .04 | 1.0 | .0 | 179 | 7.2 | 2.0 | 13.6 | 5.7 |
| JAN. 09... | -- | .05 | .04 | 10 | .2 | 224 | 6.8 | .0 | 15.2 | 16 |
| FEB. 14... | .62 | .06 | .04 | 2.5 | .0 | 166 | 6.9 | .5 | 14.1 | 10 |
| MAR. 14... | .44 | .03 | .03 | 2.5 | .0 | 171 | 7.2 | 4.0 | 13.2 | 4.4 |
| APR. 03... | .58 | .10 | .05 | 2.5 | .0 | 133 | 6.4 | 7.0 | 12.4 | 22 |
| MAY 02... | .42 | .03 | .01 | .0 | .0 | 195 | 8.8 | 15.0 | 11.4 | .2 |
| JUNE 13... | .87 | .04 | .02 | .0 | .0 | 276 | 8.5 | 22.5 | -- | .5 |
| JULY 18... | .42 | .02 | .01 | .0 | .0 | 310 | 9.3 | 27.5 | 11.4 | .1 |
| AUG. 15... | .66 | .04 | .02 | .0 | .0 | 364 | 8.7 | 26.0 | 10.8 | .3 |

SUSQUEHANNA RIVER BASIN

239

01520000 COWANESQUE RIVER NEAR LAWRENCEVILLE, PA.

LOCATION.--Lat 41°59'04", long 77°09'06", Tioga County, at gaging station on left bank, 0.8 mi (1.3 km) downstream from Cook Creek, 1.8 mi (2.9 km) southwest of Lawrenceville, and 2.5 mi (4.0 km) upstream from mouth.

DRAINAGE AREA.--298 mi² (772 km²).

PERIOD OF RECORD.--Chemical analyses: July 1968 to September 1972, September 1973 to September 1974.

Water temperatures: May 1972 to September 1974.

Sediment records: September 1973 to September 1974 (partial-record station).

EXTREMES.

Water temperatures: Maximum, 24.5°C Aug. 23; minimum, freezing point on many days during February and March.

Period of record:

Water temperatures: Maximum, 28.0°C Aug. 26, 1972; minimum, freezing point on many days each year.

REMARKS.--Miscellaneous sediment data for this station on page 450.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | BICARBONATE (HCO ₃) (MG/L) | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CAC03 (MG/L) | DIS-SOLVED SULFATE (SO ₄) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJEL-DAHL NITROGEN (N) (MG/L) |
|------------|------|--------------------------------|--|-------------------------------------|----------------------------|--|---------------------------------|--------------------------|-----------------------------|-----------------------------------|-------------------------------------|
| SEP. 05... | 1340 | 70 | 87 | 0 | 71 | 23 | 19 | .45 | .27 | .56 | .83 |

| DATE | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | TOTAL ACIDITY AS CAC03 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPECIFIC CONDUCTANCE (MICRO-MHOS) | PH (UNITS) | TEMPERATURE (DEG C) | DIS-SOLVED OXYGEN (MG/L) | PERCENT SATURATION | CARBON DIOXIDE (CO ₂) (MG/L) |
|------------|-----------------------------|-----------------------------------|-------------------------------|----------------------------|-----------------------------------|------------|---------------------|--------------------------|--------------------|--|
| SEP. 05... | .20 | .10 | .0 | .0 | 241 | 8.1 | 27.0 | 11.2 | 138 | 1.1 |

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | BICARBONATE (HCO ₃) (MG/L) | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CAC03 (MG/L) | DIS-SOLVED SULFATE (SO ₄) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJEL-DAHL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) |
|------------|------|--------------------------------|--|-------------------------------------|----------------------------|--|---------------------------------|--------------------------|-----------------------------|-----------------------------------|-------------------------------------|-----------------------------|
| OCT. 09... | 1740 | 63 | 91 | 12 | 85 | 26 | 35 | .05 | .01 | .16 | .17 | .02 |
| NOV. 06... | 1510 | 148 | 77 | -- | 63 | 25 | 17 | .54 | .12 | .29 | .41 | .04 |
| DEC. 12... | 1510 | 287 | 47 | 0 | 39 | 25 | 16 | .63 | .03 | .18 | .21 | .06 |
| JAN. 08... | 1545 | E170 | 59 | 0 | 48 | 26 | 14 | 1.0 | .13 | .38 | -- | .04 |
| FEB. 14... | 1430 | E170 | 50 | 0 | 41 | 20 | 12 | .80 | .08 | .36 | .44 | .08 |
| MAR. 14... | 1450 | 317 | 52 | 0 | 43 | 20 | 9.2 | .84 | .10 | .28 | .38 | .04 |
| APR. 03... | 1625 | 1400 | 30 | 0 | 25 | 20 | 5.0 | 1.0 | .12 | .47 | .59 | .10 |
| MAY 02... | 1530 | 215 | 64 | 6 | 62 | 21 | 12 | .10 | .08 | .27 | .35 | .03 |
| JUNE 13... | 1535 | E42 | 78 | 12 | 84 | 25 | 24 | .27 | .13 | .31 | .44 | .02 |
| JULY 18... | 1340 | 29 | 92 | 2 | 79 | 31 | 29 | .07 | .06 | .27 | .33 | .02 |
| AUG. 15... | 1500 | 17 | 96 | 2 | 82 | 32 | 38 | .09 | .09 | .30 | .39 | .03 |
| SEP. 13... | 0930 | 30 | 100 | 0 | 82 | 33 | 39 | .09 | .08 | .24 | .32 | .02 |

01520000 COWANESQUE RIVER NEAR LAWRENCEVILLE, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | PER- CENT SATUR- ATION | CARBON DIOXIDE (CO2) (MG/L) | IMME- DIATE COLI- FORM (COL. PER 100 ML) | FECAL COLI- FORM (COL. PER 100 ML) |
|-------|--|---|--|--|-----|-----------------------------|------------------------------------|---------------------------------|--------------------------------------|--|---|
| OCT. | | | | | | | | | | | |
| 09... | .02 | .0 | .0 | 295 | 9.0 | 18.0 | 10.6 | 112 | .2 | -- | -- |
| NOV. | | | | | | | | | | | |
| 06... | .02 | 1.0 | .0 | 223 | 7.8 | 5.0 | 12.1 | 95 | 2.0 | -- | -- |
| DEC. | | | | | | | | | | | |
| 12... | .04 | .7 | .0 | 176 | 6.8 | 2.5 | 13.6 | 100 | 12 | 470 | 60 |
| JAN. | | | | | | | | | | | |
| 08... | .03 | 5.0 | .1 | 205 | 6.4 | .0 | 14.2 | 97 | 38 | 250 | 30 |
| FEB. | | | | | | | | | | | |
| 14... | .04 | 3.7 | .1 | 164 | 6.9 | .5 | 14.4 | 100 | 10 | -- | -- |
| MAR. | | | | | | | | | | | |
| 14... | .02 | 5.0 | .1 | 158 | 7.3 | 3.5 | 13.9 | 104 | 4.2 | -- | -- |
| APR. | | | | | | | | | | | |
| 03... | .05 | 2.5 | .0 | 124 | 6.3 | 6.5 | 12.2 | 99 | 24 | -- | -- |
| MAY | | | | | | | | | | | |
| 02... | .01 | .0 | .0 | 189 | 9.1 | 15.5 | 13.2 | 131 | .1 | -- | -- |
| JUNE | | | | | | | | | | | |
| 13... | .01 | .0 | .0 | 274 | 8.7 | 24.0 | -- | -- | .3 | -- | -- |
| JULY | | | | | | | | | | | |
| 18... | .01 | .0 | .0 | 300 | 8.8 | 27.0 | 9.2 | 114 | .2 | -- | -- |
| AUG. | | | | | | | | | | | |
| 15... | .01 | .0 | .0 | 337 | 8.5 | 28.0 | 9.2 | 116 | .5 | -- | -- |
| SEP. | | | | | | | | | | | |
| 13... | .01 | 5.0 | .1 | 347 | 7.8 | 21.0 | 9.0 | 100 | 2.5 | -- | -- |

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

[illegible]

SUSQUEHANNA RIVER BASIN

241

01520000 COWANESQUE RIVER NEAR LAWRENCEVILLE, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 3.0 | 1.0 | 1.5 | 2.0 | 2.0 | 2.0 | 5.5 | 1.5 | 3.5 | 14.5 | 13.0 | 14.0 |
| 2 | 1.0 | 0.0 | 0.0 | 2.0 | 2.0 | 2.0 | 6.0 | 3.5 | 4.5 | 13.0 | 10.5 | 11.5 |
| 3 | 0.0 | 0.0 | 0.0 | 5.0 | 2.5 | 3.5 | 6.5 | 3.0 | 4.5 | 13.0 | 10.5 | 11.5 |
| 4 | 1.5 | 0.0 | 0.0 | 6.0 | 5.0 | 5.5 | 10.0 | 7.0 | 8.0 | 12.5 | 10.0 | 11.0 |
| 5 | 0.0 | 0.0 | 0.0 | 7.0 | 6.5 | 7.0 | 10.0 | 7.5 | 9.0 | 11.0 | 9.0 | 10.0 |
| 6 | 0.0 | 0.0 | 0.0 | 7.0 | 5.0 | 5.5 | 7.0 | 5.0 | 6.0 | 9.5 | 9.5 | 9.5 |
| 7 | 0.0 | 0.0 | 0.0 | 7.5 | 5.5 | 6.5 | 6.5 | 3.5 | 5.0 | 9.5 | 9.0 | 9.0 |
| 8 | 0.0 | 0.0 | 0.0 | 7.5 | 5.5 | 6.5 | 6.5 | 4.0 | 5.5 | --- | --- | --- |
| 9 | 1.5 | 0.0 | 0.0 | 5.0 | 4.0 | 4.5 | 3.5 | 2.0 | 2.5 | --- | --- | --- |
| 10 | 1.5 | 0.0 | 0.5 | 6.0 | 5.0 | 5.5 | 5.0 | 2.0 | 3.0 | --- | --- | --- |
| 11 | 0.0 | 0.0 | 0.0 | 6.0 | 4.0 | 5.0 | 6.5 | 4.0 | 5.0 | --- | --- | --- |
| 12 | 0.0 | 0.0 | 0.0 | 5.0 | 4.5 | 4.5 | 6.5 | 5.0 | 6.0 | --- | --- | --- |
| 13 | 0.0 | 0.0 | 0.0 | 4.5 | 3.0 | 3.5 | 9.0 | 6.5 | 7.5 | --- | --- | --- |
| 14 | 0.5 | 0.0 | 0.0 | 4.5 | 2.5 | 3.5 | 10.5 | 8.5 | 9.0 | --- | --- | --- |
| 15 | 0.0 | 0.0 | 0.0 | 4.5 | 3.0 | 3.5 | 10.0 | 7.0 | 8.5 | --- | --- | --- |
| 16 | 0.0 | 0.0 | 0.0 | 5.0 | 4.0 | 4.5 | 8.0 | 6.0 | 7.0 | --- | --- | --- |
| 17 | 0.0 | 0.0 | 0.0 | 5.0 | 3.0 | 4.0 | 9.0 | 7.0 | 8.0 | --- | --- | --- |
| 18 | 0.0 | 0.0 | 0.0 | 4.5 | 2.5 | 3.5 | 9.5 | 8.5 | 9.0 | --- | --- | --- |
| 19 | 0.0 | 0.0 | 0.0 | 5.0 | 4.5 | 4.5 | 10.0 | 8.5 | 9.5 | --- | --- | --- |
| 20 | 0.0 | 0.0 | 0.0 | 6.5 | 4.0 | 5.0 | 10.0 | 8.0 | 9.0 | --- | --- | --- |
| 21 | 1.0 | 0.0 | 0.0 | 6.5 | 4.5 | 5.5 | 11.5 | 8.5 | 10.0 | --- | --- | --- |
| 22 | 1.5 | 0.0 | 1.0 | 4.5 | 3.5 | 4.0 | 11.5 | 11.0 | 11.5 | --- | --- | --- |
| 23 | 1.0 | 0.5 | 0.5 | 6.5 | 2.0 | 4.0 | 11.5 | 9.0 | 11.0 | --- | --- | --- |
| 24 | 1.5 | 0.0 | 0.5 | 5.5 | 2.5 | 4.5 | 9.0 | 7.0 | 7.5 | --- | --- | --- |
| 25 | 1.0 | 0.5 | 0.5 | 3.5 | 0.0 | 2.0 | 10.5 | 5.5 | 8.0 | --- | --- | --- |
| 26 | 0.5 | 0.5 | 0.5 | 4.5 | 1.0 | 2.5 | 13.0 | 9.0 | 11.0 | --- | --- | --- |
| 27 | 1.5 | 0.5 | 1.0 | 5.0 | 1.5 | 3.0 | 15.5 | 9.0 | 12.5 | --- | --- | --- |
| 28 | 2.0 | 1.0 | 1.5 | 5.5 | 3.5 | 4.5 | 13.5 | 11.0 | 12.0 | --- | --- | --- |
| 29 | --- | --- | --- | 4.5 | 3.5 | 4.0 | 12.0 | 11.0 | 11.5 | --- | --- | --- |
| 30 | --- | --- | --- | 3.5 | 1.5 | 2.5 | 12.5 | 11.0 | 11.5 | --- | --- | --- |
| 31 | --- | --- | --- | 2.0 | 0.0 | 1.0 | --- | --- | --- | --- | --- | --- |
| MONTH | 3.0 | 0.0 | 0.5 | 7.5 | 0.0 | 4.0 | 15.5 | 1.5 | 8.0 | --- | --- | --- |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.5 | 20.5 | 21.0 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.5 | 19.5 | 20.5 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.0 | 16.0 | 18.0 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 17.5 | 15.0 | 16.0 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.5 | 15.5 | 17.0 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.0 | 16.5 | 17.5 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.5 | 17.0 | 18.5 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.5 | 18.0 | 19.5 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.5 | 18.5 | 19.5 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.5 | 18.5 | 19.5 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.5 | 19.0 | 20.0 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.5 | 20.0 | 21.0 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 22.0 | 21.0 | 21.5 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.5 | 19.5 | 20.5 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.0 | 18.0 | 19.0 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.0 | 18.0 | 19.0 |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.5 | 17.5 | 18.0 |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.5 | 18.0 | 18.0 |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.5 | 17.5 | 18.5 |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.5 | 18.5 | 19.0 |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.5 | 15.5 | 18.0 |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 15.5 | 14.0 | 15.0 |
| 23 | --- | --- | --- | --- | --- | --- | 24.5 | 22.5 | 23.5 | 14.5 | 13.0 | 13.5 |
| 24 | --- | --- | --- | --- | --- | --- | 23.5 | 22.0 | 23.0 | 15.0 | 13.0 | 14.0 |
| 25 | --- | --- | --- | --- | --- | --- | 23.5 | 20.5 | 21.5 | 14.0 | 13.5 | 14.0 |
| 26 | --- | --- | --- | --- | --- | --- | 23.5 | 20.5 | 22.0 | 15.5 | 13.5 | 14.5 |
| 27 | --- | --- | --- | --- | --- | --- | 23.0 | 21.5 | 22.5 | 17.0 | 14.0 | 16.0 |
| 28 | --- | --- | --- | --- | --- | --- | 22.5 | 21.0 | 21.5 | 18.0 | 16.5 | 17.0 |
| 29 | --- | --- | --- | --- | --- | --- | 21.0 | 20.0 | 20.5 | 18.0 | 17.0 | 17.5 |
| 30 | --- | --- | --- | --- | --- | --- | 22.5 | 21.0 | 21.5 | 17.0 | 16.0 | 16.5 |
| 31 | --- | --- | --- | --- | --- | --- | 22.0 | 20.5 | 21.5 | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | 22.0 | 13.0 | 18.0 |

SUSQUEHANNA RIVER BASIN

01520500 TIOGA RIVER AT LINDLEY, N.Y.

LOCATION.--Lat 42°01'50", long 77°08'00", Steuben County, 800 ft (244 m) upstream from gaging station on left bank just downstream from bridge on County Highway 120 at Lindley, and 6 mi (10 km) upstream from Canisteo River.

DRAINAGE AREA.--771 mi² (2,000 km²).

PERIOD OF RECORD.--Chemical analyses: July 1964 to October 1965 (partial-record station), September 1973 to September 1974.

Water temperatures: August to September 1974.

Sediment records: August to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum daily, 405 micromhos Aug. 29; minimum daily, 177 micromhos Sept. 23.

Water temperatures: Maximum daily, 25.0°C Aug. 7, 14, 18; minimum daily, 10.0°C Sept. 25.

Period of record:

Specific conductance: Maximum daily, 405 micromhos Aug. 29, 1974; minimum daily, 177 micromhos Sept. 23, 1974.

Water temperatures: Maximum daily, 25.0°C Aug. 7, 14, 18, 1974; minimum daily, 10.0°C Sept. 25, 1974.

REMARKS.--Sediment data for this station on page 395. No daily records available October through July.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | BICARBONATE (HCO ₃) (MG/L) | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CaCO ₃ (MG/L) | DIS-SOLVED SULFATE (SO ₄) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) |
|---------------|------|--------------------------------|--|-------------------------------------|--|--|---------------------------------|--------------------------|-----------------------------|
| SEP. 05... | 1445 | 178 | 61 | 0 | 49 | 23 | 14 | .50 | .21 |

| DATE | TIME | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJEL-DAHL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | SPECIFIC CONDUCTANCE (MICROMHOS) | PH (UNITS) | TEMPERATURE (DEG C) | DIS-SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO ₂) (MG/L) |
|---------------|------|-----------------------------------|-------------------------------------|-----------------------------|-----------------------------------|----------------------------------|------------|---------------------|--------------------------|--|
| SEP. 05... | | .23 | .44 | .09 | .06 | 256 | 7.5 | 27.5 | 10.0 | 3.1 |

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | BICARBONATE (HCO ₃) (MG/L) | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CaCO ₃ (MG/L) | DIS-SOLVED SULFATE (SO ₄) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJEL-DAHL NITROGEN (N) (MG/L) |
|---------------|------|--------------------------------|--|-------------------------------------|--|--|---------------------------------|--------------------------|-----------------------------|-----------------------------------|-------------------------------------|
| OCT. 09... | 1825 | 182 | 48 | 0 | 39 | 61 | 16 | .08 | .04 | .16 | .20 |
| NOV. 06... | 1600 | 405 | 38 | 0 | 31 | 49 | 8.5 | .34 | .16 | .25 | .41 |
| DEC. 11... | 1550 | 1630 | 24 | 0 | 20 | 35 | 6.8 | .66 | .04 | .23 | .27 |
| JAN. 08... | 1450 | 440 | 32 | 0 | 26 | 46 | 15 | 1.0 | .13 | .21 | -- |
| FEB. 14... | 1530 | E500 | 35 | 0 | 29 | 31 | 10 | .70 | .20 | .35 | .55 |
| MAR. 14... | 1400 | E1160 | 24 | 0 | 19 | 28 | 5.4 | .77 | .09 | .18 | .27 |
| APR. 03... | 1710 | 3280 | 24 | 0 | 18 | 23 | 4.0 | .70 | .16 | .45 | .61 |
| MAY 02... | 1430 | 604 | 38 | 0 | 31 | 39 | 7.4 | .20 | .08 | .20 | .28 |
| JUNE 13... | 1430 | 172 | 44 | 0 | 36 | 56 | 10 | .36 | .13 | .22 | .35 |
| JULY 18... | 1245 | 119 | 36 | 0 | 30 | 73 | 12 | .09 | .07 | .15 | .22 |
| AUG. 15... | 1355 | 63 | 42 | 0 | 34 | 92 | 17 | .16 | .16 | .22 | .38 |
| SEP. 13... | 1500 | 83 | 44 | 0 | 36 | 84 | 20 | .18 | .09 | .16 | .25 |

SUSQUEHANNA RIVER BASIN

243

01520500 TIOGA RIVER AT LINDLEY, N.Y.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO- PHOS- PHORUS (P) (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | PER- CENT SATUR- ATION | CARBON DIOXIDE (CO2) (MG/L) |
|---------------|---|---|---|--|--|---------------|-----------------------------|------------------------------------|---------------------------------|--------------------------------------|
| OCT. 09... | .03 | .02 | -- | -- | 268 | 6.8 | 17.0 | 10.2 | 105 | 12 |
| NOV. 06... | .05 | .02 | 2.0 | .0 | 182 | 7.0 | 5.0 | 11.6 | 91 | 6.1 |
| DEC. 11... | .07 | .05 | 5.0 | .1 | 148 | 6.7 | 2.5 | 12.7 | 93 | 7.7 |
| JAN. 08... | .03 | .01 | 8.7 | .2 | 200 | 6.2 | .0 | 13.8 | 94 | 32 |
| FEB. 14... | .05 | .03 | 3.7 | .1 | 153 | 6.7 | .5 | 14.0 | 97 | 11 |
| MAR. 14... | .02 | .02 | 5.0 | .1 | 143 | 6.7 | 2.0 | 13.4 | 97 | 7.7 |
| APR. 03... | .10 | .03 | 1.2 | .0 | 118 | 6.2 | 6.5 | 12.2 | 99 | 24 |
| MAY 02... | .03 | .01 | 1.2 | .0 | 172 | 7.4 | 14.0 | 10.7 | 103 | 2.4 |
| JUNE 13... | .02 | .01 | 1.2 | .0 | 216 | 7.2 | 20.0 | -- | -- | 4.4 |
| JULY 18... | .01 | .00 | 2.5 | .1 | 269 | 7.2 | 24.0 | 9.0 | 106 | 3.6 |
| AUG. 15... | .02 | .00 | 2.5 | .0 | 328 | 7.4 | 25.0 | 9.2 | 110 | 2.7 |
| SEP. 13... | .01 | .00 | 1.0 | .0 | 342 | 7.4 | 24.0 | 8.4 | 99 | 2.8 |

| DATE | TIME | TOTAL ALUM- INUM (AL) (UG/L) | TOTAL IRON (FE) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | TOTAL ARSENIC (AS) (UG/L) | TOTAL CAD- MIUM (CD) (UG/L) | TOTAL CHRO- MIUM (CR) (UG/L) |
|---------------|------|--|---------------------------------|---|------------------------------------|---|--|
| MAY 02... | 1430 | 700 | 490 | 570 | 1 | 0 | 0 |
| JUNE 13... | 1430 | 0 | 180 | 890 | 1 | 0 | <10 |
| JULY 18... | 1245 | 280 | 0 | 2300 | 1 | 1 | 0 |
| AUG. 15... | 1555 | 80 | 70 | 1200 | 0 | 0 | 0 |
| SEP. 13... | 1500 | 80 | 150 | 1500 | 1 | 0 | <10 |

| DATE | TOTAL COBALT (CO) (UG/L) | TOTAL COPPER (CU) (UG/L) | TOTAL LEAD (PB) (UG/L) | TOTAL MERCURY (HG) (UG/L) | TOTAL SELF- NIUM (SF) (UG/L) | TOTAL SILVER (AG) (UG/L) | TOTAL ZINC (ZN) (UG/L) |
|---------------|-----------------------------------|-----------------------------------|---------------------------------|------------------------------------|--|-----------------------------------|---------------------------------|
| MAY 02... | 9 | 20 | 14 | <.5 | 0 | 0 | 130 |
| JUNE 13... | 9 | 10 | 1 | <.5 | <1 | 0 | 60 |
| JULY 18... | 38 | 20 | 1 | <.5 | <1 | 0 | 310 |
| AUG. 15... | 13 | 0 | 0 | <.5 | 0 | 0 | 100 |
| SEP. 13... | 20 | 10 | 2 | <.5 | 2 | 0 | 200 |

SUSQUEHANNA RIVER BASIN

01520500 TIOGA RIVER AT LINDLEY, N.Y.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
(ONCE-DAILY MEASUREMENTS)

[illegible]

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
(ONCE-DAILY MEASUREMENTS)

[illegible]

SUSQUEHANNA RIVER BASIN

245

01537700 SUSQUEHANNA RIVER NEAR HUNLOCK CREEK, PA.

LOCATION.--Lat 41°11'19", long 76°05'13", Luzerne County, at bridge to State Hospital Retreat, 1.6 mi (2.6 km) southwest of Hunlock Creek.

DRAINAGE AREA.--10,140 mi² (26,300 km²).

PERIOD OF RECORD.--Chemical analyses: July 1969 to September 1974.

Sediment records: October 1973 to September 1974 (partial-record station).

REMARKS.--Miscellaneous sediment data for this station on page 451. Composite samples taken as part of the USGS-EPA surveillance network. Records of discharge are given for 01536500 Susquehanna River at Wilkes-Barre.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DISCHARGE (CFS) | TOTAL ALUMINUM (AL) (UG/L) | TOTAL IRON (FE) (UG/L) | TOTAL MANGANESE (MN) (UG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) |
|-------|------|-------------------------------|----------------------------|------------------------|-----------------------------|--------------------------|---------------------------------------|-----------------------------|-----------------------------|------------------------------------|
| OCT. | | | | | | | | | | |
| 23... | 1400 | 2060 | -- | 5100 | 1400 | -- | -- | -- | -- | -- |
| NOV. | | | | | | | | | | |
| 28... | 1045 | 8830 | -- | 4400 | 430 | -- | -- | -- | -- | -- |
| DEC. | | | | | | | | | | |
| 27... | 1030 | 52100 | -- | 2800 | 210 | .80 | -- | .11 | .75 | .86 |
| JAN. | | | | | | | | | | |
| 24... | 1310 | 38400 | 1100 | 2100 | 300 | .95 | 1.0 | .14 | .47 | .61 |
| FEB. | | | | | | | | | | |
| 14... | 1245 | 20100 | 400 | 4300 | 480 | 1.4 | 1.4 | .33 | .68 | 1.0 |
| 27... | 1230 | 21700 | 500 | 2000 | 200 | 1.0 | 1.0 | .16 | .46 | .62 |
| MAR. | | | | | | | | | | |
| 07... | 1345 | 42200 | 1800 | 4000 | 830 | 1.1 | 1.1 | .15 | .70 | .85 |
| 28... | 1245 | 16700 | 500 | 3400 | 420 | .90 | .90 | .16 | .37 | .53 |
| APR. | | | | | | | | | | |
| 10... | 1230 | 39200 | 700 | 2300 | 210 | -- | .65 | .15 | .23 | .38 |
| 25... | 1300 | 17000 | 600 | 2700 | 340 | -- | .84 | .20 | .18 | .38 |
| MAY | | | | | | | | | | |
| 07... | 1315 | 9900 | 300 | 2500 | 370 | -- | .65 | .00 | .52 | .52 |
| 21... | 1210 | 16200 | 900 | 2700 | 190 | -- | .60 | .07 | .40 | .47 |
| JUNE | | | | | | | | | | |
| 06... | 1230 | 5770 | 0 | 2700 | 490 | -- | .41 | .06 | .51 | .57 |
| 20... | 1245 | 5600 | 10 | 2500 | 480 | -- | .63 | .10 | .62 | .72 |
| JULY | | | | | | | | | | |
| 02... | 1030 | 15200 | 1000 | 3700 | 340 | -- | .89 | .15 | .73 | .88 |
| 25... | 1415 | 2890 | 70 | 3100 | 970 | -- | .25 | .46 | .48 | .94 |
| AUG. | | | | | | | | | | |
| 08... | 1315 | 2980 | 110 | 2900 | 660 | -- | .15 | .46 | .51 | .97 |
| 22... | 1300 | 1720 | 40 | 3200 | 1100 | -- | .45 | .47 | .10 | .57 |
| SEP. | | | | | | | | | | |
| 05... | 1330 | 8700 | 390 | 3400 | 460 | -- | .45 | .35 | .41 | .76 |
| 19... | 1300 | 4050 | 220 | 3400 | 480 | -- | .40 | .33 | .87 | 1.2 |

SUSQUEHANNA RIVER BASIN

01537700 SUSQUEHANNA RIVER NEAR HUNLOCK CREEK, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | SUS- PEN- DED SOLIDS (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) |
|-------|---|---|--|--|---|---|--|--|---------------|-----------------------------|
| OCT. | | | | | | | | | | |
| 23... | -- | -- | -- | -- | 14 | 10 | .2 | 545 | 6.2 | 14.0 |
| NOV. | | | | | | | | | | |
| 28... | -- | -- | -- | 182 | 45 | 10 | .2 | 270 | 6.4 | 10.0 |
| DEC. | | | | | | | | | | |
| 27... | -- | .16 | .06 | 110 | 60 | 5.0 | .1 | 155 | 6.5 | 3.0 |
| JAN. | | | | | | | | | | |
| 24... | 1.6 | .16 | .03 | 134 | 97 | -- | -- | 190 | 7.4 | 2.0 |
| FEB. | | | | | | | | | | |
| 14... | 2.4 | .18 | .08 | 165 | 53 | -- | -- | 225 | 7.3 | .0 |
| 27... | 1.6 | .05 | -- | 90 | 28 | -- | -- | 180 | 6.7 | 1.0 |
| MAR. | | | | | | | | | | |
| 07... | 1.9 | .11 | -- | 95 | 113 | -- | -- | 160 | 7.4 | 7.0 |
| 28... | 1.4 | .06 | -- | 152 | 41 | -- | -- | 190 | 6.8 | 4.5 |
| APR. | | | | | | | | | | |
| 10... | 1.0 | .06 | -- | 162 | 40 | -- | -- | 170 | 6.5 | 5.5 |
| 25... | 1.2 | .05 | -- | 131 | 23 | -- | -- | 219 | 6.9 | 10.0 |
| MAY | | | | | | | | | | |
| 07... | 1.2 | .06 | -- | 165 | 9 | -- | -- | 278 | 7.4 | 12.0 |
| 21... | 1.1 | .09 | -- | 131 | 45 | -- | -- | 200 | 7.0 | 20.0 |
| JUNE | | | | | | | | | | |
| 06... | .98 | .08 | -- | 177 | 31 | -- | -- | 285 | 6.9 | 23.0 |
| 20... | 1.4 | .11 | -- | 180 | 34 | -- | -- | 310 | 7.1 | 23.0 |
| JULY | | | | | | | | | | |
| 02... | 1.8 | .18 | -- | 133 | 78 | -- | -- | 220 | 7.1 | 22.0 |
| 25... | 1.2 | .09 | -- | 264 | 16 | -- | -- | 438 | 7.2 | 22.5 |
| AUG. | | | | | | | | | | |
| 08... | 1.1 | .15 | -- | 259 | 16 | -- | -- | 380 | 7.6 | 25.0 |
| 22... | 1.0 | .12 | -- | 303 | 21 | -- | -- | 480 | 7.0 | 25.0 |
| SEP. | | | | | | | | | | |
| 05... | 1.2 | .16 | -- | 177 | 57 | -- | -- | 250 | 6.9 | 18.0 |
| 19... | 1.6 | .12 | -- | 207 | 25 | -- | -- | 340 | 7.3 | 20.5 |

| DATE | TUR- BID- ITY (JTU) | DIS- SOLVED OXYGEN (MG/L) | CHEM- ICAL OXYGEN DEMAND (LOW LEVEL) (MG/L) | BIO- CHEM- ICAL OXYGEN DEMAND 5 DAY (MG/L) | CHLORO- PHYLL A (UG/L) | CHLORO- PHYLL B (UG/L) | IMME- DIATE COLI- FORM (COL. PER 100 ML) | FECAL COLI- FORM (COL. PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|-------|------------------------------|------------------------------------|---|--|------------------------------|------------------------------|--|---|---|
| OCT. | | | | | | | | | |
| 23... | 20 | 9.0 | -- | 1.8 | -- | -- | 5300 | 560 | -- |
| NOV. | | | | | | | | | |
| 28... | -- | 9.6 | -- | 1.6 | -- | -- | 40000 | 2800 | -- |
| DEC. | | | | | | | | | |
| 27... | 30 | 13.4 | -- | 1.2 | -- | -- | 32000 | 800 | 3.0 |
| JAN. | | | | | | | | | |
| 24... | 25 | 13.6 | 142 | 2.6 | 2.6 | -- | -- | 4000 | 3.5 |
| FEB. | | | | | | | | | |
| 14... | 25 | 12.6 | 16 | 2.8 | 1.1 | -- | -- | 530 | 3.0 |
| 27... | 20 | 13.6 | 74 | 3.2 | .8 | -- | -- | 250 | 2.5 |
| MAR. | | | | | | | | | |
| 07... | 50 | 12.8 | 15 | 2.0 | 1.6 | -- | -- | 590 | 5.0 |
| 28... | 15 | 11.2 | 80 | .8 | .4 | -- | -- | 140 | 3.5 |
| APR. | | | | | | | | | |
| 10... | 20 | 12.2 | 12 | .6 | .9 | 1.5 | -- | 240 | 3.0 |
| 25... | 8 | 11.4 | 10 | .6 | .0 | 26 | -- | 110 | -- |
| MAY | | | | | | | | | |
| 07... | 9 | 10.8 | 11 | 2.4 | 26 | 8.7 | -- | 2500 | 2.2 |
| 21... | 20 | 9.0 | 15 | 1.6 | 9.1 | 17 | -- | 390 | .9 |
| JUNE | | | | | | | | | |
| 06... | 8 | 9.6 | 16 | 2.3 | 14 | 25 | -- | 1600 | 3.4 |
| 20... | 7 | 8.8 | 19 | 2.6 | 18 | 36 | -- | 880 | 5.5 |
| JULY | | | | | | | | | |
| 02... | 30 | 7.8 | 30 | 4.2 | 18 | 33 | -- | 7900 | 9.0 |
| 25... | 20 | 6.8 | 21 | 2.6 | 22 | 2.6 | -- | 7000 | 7.4 |
| AUG. | | | | | | | | | |
| 08... | 20 | 10.0 | 22 | 5.6 | 110 | 6.0 | -- | 3800 | 5.4 |
| 22... | 30 | 7.8 | 22 | 3.4 | 32 | 4.4 | -- | 3700 | 3.5 |
| SEP. | | | | | | | | | |
| 05... | 20 | 8.0 | 28 | 3.6 | 20 | 5.6 | -- | 4300 | 9.4 |
| 19... | 20 | 9.8 | 17 | 3.8 | 69 | 7.0 | -- | 2500 | -- |

SUSQUEHANNA RIVER BASIN

247

01537700 SUSQUEHANNA RIVER NEAR HUNLOCK CREEK, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | OIL AND GREASE (MG/L) | TOTAL ARSENIC (AS) (UG/L) | TOTAL CADMIUM (CD) (UG/L) | TOTAL CHROMIUM (CR) (UG/L) | HEXA-VALENT CHROMIUM (CR6) (UG/L) | DIS-SOLVED COPPER (CU) (UG/L) | TOTAL LEAD (PB) (UG/L) | TOTAL SILVER (AG) (UG/L) | TOTAL ZINC (ZN) (UG/L) |
|------------|-----------------------|---------------------------|---------------------------|----------------------------|-----------------------------------|-------------------------------|------------------------|--------------------------|------------------------|
| OCT. 23... | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| NOV. 28... | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| DEC. 27... | -- | 0 | 0 | -- | 0 | -- | 9 | -- | -- |
| JAN. 24... | -- | 4 | 0 | 0 | -- | -- | 12 | 1 | 60 |
| FEB. 14... | -- | 1 | 0 | 0 | -- | -- | 5 | 1 | 100 |
| 27... | -- | 1 | 0 | <10 | -- | -- | 0 | 0 | 10 |
| MAR. 07... | -- | -- | 0 | 0 | -- | -- | 6 | 1 | 30 |
| 28... | -- | 3 | 1 | <10 | -- | 0 | 5 | 0 | 2 |
| APR. 10... | -- | <1 | 0 | <10 | -- | -- | 1 | 0 | 20 |
| 25... | -- | <1 | 0 | 10 | -- | -- | 1 | 0 | 70 |
| MAY 07... | -- | <1 | 0 | 0 | -- | -- | 3 | 0 | 10 |
| 21... | -- | 3 | 0 | 20 | -- | -- | 3 | 1 | 220 |
| JUNE 06... | -- | 1 | 2 | 10 | -- | -- | 2 | 0 | 20 |
| 20... | -- | 2 | 0 | 10 | -- | -- | 2 | 1 | 90 |
| JULY 02... | -- | 3 | 0 | 10 | -- | -- | 12 | 0 | 20 |
| 25... | 0 | 1 | 0 | 0 | -- | -- | 4 | 0 | 10 |
| AUG. 08... | 0 | 2 | 0 | <10 | -- | -- | 3 | 1 | 40 |
| 22... | -- | 3 | 0 | 20 | -- | -- | 2 | 0 | 40 |
| SEP. 05... | 0 | 2 | 0 | <10 | -- | -- | 15 | 1 | 20 |
| 19... | 3 | 2 | 0 | <10 | -- | -- | 5 | 1 | 0 |

| DATE | TIME | TOTAL CALCIUM (CA) (MG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | TOTAL MAGNESIUM (MG) (MG/L) | DIS-SOLVED MAGNESIUM (MG) (MG/L) | TOTAL SODIUM (NA) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | TOTAL POTASSIUM (K) (MG/L) | DIS-SOLVED POTASSIUM (K) (MG/L) | BICARBONATE (HCO3) (MG/L) |
|------------|------|---------------------------|--------------------------------|-----------------------------|----------------------------------|--------------------------|-------------------------------|----------------------------|---------------------------------|---------------------------|
| DEC. 27... | 1030 | -- | -- | -- | -- | -- | -- | -- | -- | 25 |
| MAR. 07... | 1345 | -- | 15 | -- | 3.3 | -- | 4.5 | -- | 1.4 | 33 |
| JUNE 20... | 1245 | 33 | -- | 9.6 | -- | 9.5 | -- | 1.8 | -- | 62 |
| SEP. 19... | 1300 | -- | -- | -- | -- | -- | -- | -- | -- | 67 |

| DATE | TIME | CARBONATE (CO3) (MG/L) | ALKALINITY AS CAC03 (MG/L) | DIS-SOLVED SULFATE (SO4) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | DIS-SOLVED FLUORIDE (F) (MG/L) | TOTAL NITRITE (N) (MG/L) | HARDNESS (CA,MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | CYANIDE (CN) (MG/L) |
|------------|------|------------------------|----------------------------|---------------------------------|---------------------------------|--------------------------------|--------------------------|-------------------------|-------------------------------|-----------------------------|---------------------|
| DEC. 27... | -- | -- | 21 | 37 | -- | .2 | -- | 50 | 29 | 13 | .00 |
| MAR. 07... | 0 | 0 | 27 | 21 | 7.6 | -- | .02 | 51 | 24 | 2.1 | -- |
| JUNE 20... | 0 | 0 | 51 | 61 | 14 | -- | -- | -- | -- | 7.9 | -- |
| SEP. 19... | 0 | 0 | 55 | 71 | 15 | -- | -- | -- | -- | 5.4 | -- |

| DATE | TIME | TOTAL FILTRABLE RESIDUE (MG/L) | TOTAL NON-FILTRABLE RESIDUE (MG/L) | DIS-SOLVED GROSS ALPHA AS U-NAT. (UG/L) | SUSPENDED GROSS ALPHA AS U-NAT. (UG/L) | DIS-SOLVED GROSS BETA AS CS-137 (PC/L) | SUSPENDED GROSS BETA AS CS-137 (PC/L) | DIS-SOLVED GROSS BETA AS SR90 /Y90 (PC/L) | SUSPENDED GROSS BETA AS SR90 /Y90 (PC/L) |
|------------|------|--------------------------------|------------------------------------|---|--|--|---------------------------------------|---|--|
| DEC. 27... | 1030 | 84 | 120 | 2.7 | 7.0 | 3.3 | 5.0 | 2.6 | 4.0 |

SUSQUEHANNA RIVER BASIN

01539200 APPLEMAN'S RUN ABOVE LIGHT STREET, PA.

LOCATION.--Lat 41°01'53", long 76°25'13", Columbia County, on right bank at upstream end of culvert on State Highway 487 at Light Street.

DRAINAGE AREA.--1.72 mi² (4.45 km²).

PERIOD OF RECORD.--Chemical analyses: October 1971 to May 1974 (discontinued).
Sediment records: October 1971 to May 1974 (discontinued).

EXTREMES.--1973-74:

Turbidity: Maximum daily, 1,200 JTU Dec. 9; minimum daily, 2 JTU Oct. 1.

Period of record:

Turbidity: Maximum daily, 5,400 JTU June 22, 1972; minimum daily, 2 JTU on many days.

REMARKS.--Sediment data for this station on page 397. Unpublished records of pH and specific conductance of instantaneous sediment samples available at the district office in Harrisburg. Mean concentrations of turbidity and suspended sediment are water-weighted means.

TURBIDITY (JTU) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|-----|-----|------|-----|-----|------|-----|-----|-----|-----|-----|-----|
| 1 | 2 | 10 | 7 | 6 | 8 | 8 | 140 | 20 | --- | --- | --- | --- |
| 2 | 10 | 10 | 6 | 6 | 7 | 7 | 35 | 7 | --- | --- | --- | --- |
| 3 | 5 | 8 | 6 | 8 | 7 | 6 | 10 | 15 | --- | --- | --- | --- |
| 4 | 210 | 8 | 6 | 6 | 7 | 6 | 70 | 6 | --- | --- | --- | --- |
| 5 | 10 | 7 | 100 | 5 | 10 | 8 | 60 | 5 | --- | --- | --- | --- |
| 6 | 5 | 8 | 50 | 5 | 8 | 8 | 8 | 6 | --- | --- | --- | --- |
| 7 | 3 | 8 | 6 | 6 | 7 | 6 | 7 | 6 | --- | --- | --- | --- |
| 8 | 3 | 8 | 5 | 4 | 7 | 320 | 15 | 6 | --- | --- | --- | --- |
| 9 | 35 | 8 | 1200 | 4 | 7 | 1000 | 110 | 35 | --- | --- | --- | --- |
| 10 | 20 | 10 | 15 | 6 | 7 | 30 | 8 | 7 | --- | --- | --- | --- |
| 11 | 10 | 8 | 8 | 10 | 6 | 10 | 7 | 6 | --- | --- | --- | --- |
| 12 | 10 | 8 | 5 | 8 | 6 | 10 | 7 | 500 | --- | --- | --- | --- |
| 13 | 8 | 8 | 8 | 8 | 8 | 8 | 6 | 15 | --- | --- | --- | --- |
| 14 | 10 | 10 | 7 | 8 | 6 | 7 | 7 | 6 | --- | --- | --- | --- |
| 15 | 8 | 170 | 6 | 8 | 7 | 6 | 7 | 6 | --- | --- | --- | --- |
| 16 | 8 | 15 | 5 | 40 | 5 | 100 | 7 | 6 | --- | --- | --- | --- |
| 17 | 15 | 10 | 3 | 15 | 5 | 10 | 7 | 220 | --- | --- | --- | --- |
| 18 | 10 | 10 | 4 | 6 | 7 | 6 | 7 | 10 | --- | --- | --- | --- |
| 19 | 10 | 10 | 4 | 10 | 10 | 6 | 10 | 6 | --- | --- | --- | --- |
| 20 | 10 | 10 | 480 | 8 | 6 | 5 | 7 | 6 | --- | --- | --- | --- |
| 21 | 5 | 10 | 150 | 210 | 6 | 550 | 6 | 6 | --- | --- | --- | --- |
| 22 | 5 | 10 | 15 | 30 | 600 | 10 | 6 | 180 | --- | --- | --- | --- |
| 23 | 8 | 10 | 10 | 15 | 15 | 7 | 7 | 15 | --- | --- | --- | --- |
| 24 | 8 | 100 | 10 | 15 | 6 | 6 | 6 | 7 | --- | --- | --- | --- |
| 25 | 10 | 85 | 8 | 15 | 6 | 5 | 6 | 8 | --- | --- | --- | --- |
| 26 | 6 | 15 | 85 | 10 | 7 | 5 | 6 | 6 | --- | --- | --- | --- |
| 27 | 6 | 10 | 130 | 15 | 6 | 5 | 6 | 6 | --- | --- | --- | --- |
| 28 | 8 | 30 | 75 | 440 | 5 | 5 | 6 | 6 | --- | --- | --- | --- |
| 29 | 180 | 10 | 8 | 15 | --- | 5 | 6 | 5 | --- | --- | --- | --- |
| 30 | 30 | 7 | 6 | 8 | --- | 65 | 7 | 5 | --- | --- | --- | --- |
| 31 | 10 | --- | 6 | 8 | --- | 90 | --- | 20 | --- | --- | --- | --- |

SUSQUEHANNA RIVER BASIN

249

01539210 APPLEMAN'S RUN BELOW LIGHT STREET, PA.

LOCATION.--Lat 41°01'55", long 76°25'39", Columbia County, on left bank at upstream end of culvert on Papermill Road at Light Street.

DRAINAGE AREA.--1.99 mi² (5.15 km²).

PERIOD OF RECORD.--Chemical analyses: October 1971 to May 1974 (discontinued).
Sediment records: October 1971 to May 1974 (discontinued).

EXTREMES.--1973-74:

Turbidity: Maximum daily, 1,700 JTU Dec. 9, 20; minimum daily, 3 JTU on several days.

Period of record:

Turbidity: Maximum daily, 4,700 JTU Mar. 17, 1973; minimum daily, 2 JTU on many days.

REMARKS.--Sediment data for this station on page 399. Unpublished records of pH and specific conductance of instantaneous sediment samples available at the district office in Harrisburg. Mean concentrations of turbidity and suspended sediment are water-weighted means.

TURBIDITY (JTU) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 5 | 3 | 5 | 8 | 8 | 5 | 120 | 25 | --- | --- | --- | --- |
| 2 | 4 | 4 | 4 | 6 | 7 | 5 | 40 | 6 | --- | --- | --- | --- |
| 3 | 3 | 4 | 4 | 10 | 5 | 4 | 6 | 20 | --- | --- | --- | --- |
| 4 | 480 | 4 | 4 | 5 | 5 | 3 | 80 | 7 | --- | --- | --- | --- |
| 5 | 40 | 4 | 190 | 5 | 8 | 7 | 75 | 6 | --- | --- | --- | --- |
| 6 | 5 | 3 | 55 | 4 | 7 | 5 | 15 | 6 | --- | --- | --- | --- |
| 7 | 4 | 3 | 8 | 4 | 5 | 4 | 9 | 6 | --- | --- | --- | --- |
| 8 | 4 | 4 | 6 | 5 | 5 | 330 | 20 | 6 | --- | --- | --- | --- |
| 9 | 70 | 4 | 1700 | 4 | 5 | 800 | 120 | 25 | --- | --- | --- | --- |
| 10 | 8 | 3 | 15 | 6 | 6 | 120 | 7 | 8 | --- | --- | --- | --- |
| 11 | 5 | 4 | 8 | 10 | 7 | 8 | 7 | 6 | --- | --- | --- | --- |
| 12 | 5 | 4 | 5 | 6 | 7 | 7 | 6 | 550 | --- | --- | --- | --- |
| 13 | 4 | 4 | 10 | 8 | 7 | 6 | 5 | 15 | --- | --- | --- | --- |
| 14 | 8 | 5 | 10 | 7 | 6 | 6 | 7 | 5 | --- | --- | --- | --- |
| 15 | 4 | 320 | 8 | 7 | 7 | 6 | 8 | 4 | --- | --- | --- | --- |
| 16 | 5 | 10 | 7 | 45 | 3 | 110 | 7 | 3 | --- | --- | --- | --- |
| 17 | 5 | 5 | 4 | 10 | 4 | 10 | 7 | 260 | --- | --- | --- | --- |
| 18 | 4 | 5 | 10 | 6 | 5 | 6 | 6 | 8 | --- | --- | --- | --- |
| 19 | 4 | 5 | 5 | 10 | 10 | 5 | 8 | 5 | --- | --- | --- | --- |
| 20 | 4 | 5 | 1700 | 8 | 7 | 4 | 6 | 4 | --- | --- | --- | --- |
| 21 | 3 | 5 | 900 | 350 | 6 | 490 | 6 | 3 | --- | --- | --- | --- |
| 22 | 3 | 5 | 10 | 50 | 650 | 10 | 7 | 110 | --- | --- | --- | --- |
| 23 | 4 | 5 | 10 | 15 | 15 | 7 | 6 | 20 | --- | --- | --- | --- |
| 24 | 5 | 180 | 8 | 15 | 8 | 6 | 6 | 6 | --- | --- | --- | --- |
| 25 | 3 | 150 | 6 | 15 | 7 | 5 | 6 | 4 | --- | --- | --- | --- |
| 26 | 3 | 15 | 340 | 10 | 7 | 5 | 6 | 4 | --- | --- | --- | --- |
| 27 | 3 | 10 | 150 | 5 | 5 | 7 | 5 | 3 | --- | --- | --- | --- |
| 28 | 4 | 30 | 120 | 650 | 4 | 6 | 5 | 3 | --- | --- | --- | --- |
| 29 | 240 | 8 | 8 | 25 | --- | 5 | 4 | 3 | --- | --- | --- | --- |
| 30 | 30 | 5 | 7 | 8 | --- | 65 | 8 | 3 | --- | --- | --- | --- |
| 31 | 4 | --- | 7 | 8 | --- | 95 | --- | 15 | --- | --- | --- | --- |

SUSQUEHANNA RIVER BASIN

01540500 SUSQUEHANNA RIVER AT DANVILLE, PA.
(National Stream-Quality Accounting Network)

LOCATION.--Lat 40°57'29", long 76°37'10", Montour County, at gaging station at Mill Street Bridge on State Highway 54 at Danville, 0.8 mi (1.3 km) upstream from Mahoning Creek.

DRAINAGE AREA.--11,200 mi² (29,000 km²), approximately.

PERIOD OF RECORD.--Chemical analyses: October 1945 to June 1953, October 1956 to June 1973, March to September 1974.

Water temperatures: October 1945 to June 1953, October 1956 to September 1970.

Sediment records: October 1961 to September 1962 (partial-record station), October 1963 to September 1964 (partial-record station), October 1965 to September 1966 (partial-record station), April to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum daily, 444 micromhos Aug. 26; minimum daily, 124 micromhos Apr. 6.

Period of record:

Specific conductance (1963-72, 1974): Maximum daily, 1,030 micromhos Sept. 26, 29, 30, 1963; minimum daily, 85 micromhos June 16, 1969.

REMARKS.--Sediment data for this station on page 401. Operated as part of the USGS-EPA surveillance network. No sediment records available October through March.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DISCHARGE (CFS) | TOTAL ALUMINUM (AL) (UG/L) | TOTAL IRON (FE) (UG/L) | TOTAL MANGANESE (MN) (UG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA GEN (N) (MG/L) | ORGANIC NITROGEN (N) (MG/L) | TOTAL KJEL-DAHL NITROGEN (N) (MG/L) | TOTAL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) |
|-------|------|-------------------------------|----------------------------|------------------------|-----------------------------|--------------------------|---------------------------------------|------------------------|-----------------------------|-------------------------------------|---------------------------|-----------------------------|
| JAN. | | | | | | | | | | | | |
| 24... | 1115 | 40400 | 900 | 3600 | 300 | .95 | 1.0 | .16 | .44 | .60 | 1.6 | .15 |
| FEB. | | | | | | | | | | | | |
| 14... | 1100 | 12700 | 300 | 2000 | 570 | 1.3 | 1.3 | .53 | .74 | 1.3 | 2.6 | .07 |
| 27... | 1100 | 27000 | 900 | 2400 | 240 | 1.0 | 1.0 | .15 | .51 | .66 | 1.7 | .06 |
| MAR. | | | | | | | | | | | | |
| 07... | 1145 | 44400 | 2000 | 4600 | 310 | .95 | .97 | .14 | .61 | .75 | 1.7 | .11 |
| 28... | 1050 | 19400 | 300 | 2800 | 440 | .90 | .90 | .15 | .40 | .55 | 1.4 | .06 |
| APR. | | | | | | | | | | | | |
| 10... | 1100 | 48200 | 900 | 2400 | 60 | -- | .07 | .14 | .23 | .37 | .44 | .06 |
| 25... | 1115 | 17900 | 700 | 2400 | 350 | -- | .83 | .17 | .21 | .38 | 1.2 | .08 |
| MAY | | | | | | | | | | | | |
| 07... | 1115 | 11400 | 500 | 2300 | 350 | -- | .64 | .00 | .43 | .43 | 1.1 | .06 |
| 21... | 1000 | 19900 | 500 | 1900 | 230 | -- | .54 | .08 | .31 | .39 | .93 | .06 |
| JUNE | | | | | | | | | | | | |
| 06... | 1030 | 7280 | 10 | 1400 | 370 | -- | .37 | .04 | .54 | .58 | .95 | .05 |
| 20... | 1100 | 7960 | 10 | 2700 | 480 | -- | .53 | .12 | .75 | .87 | 1.4 | .11 |
| JULY | | | | | | | | | | | | |
| 02... | 1300 | 21200 | 640 | 5400 | 530 | -- | .67 | .07 | 1.0 | 1.1 | 1.8 | .22 |
| 25... | 1210 | 3370 | 170 | 4300 | 210 | -- | .12 | .13 | .50 | .63 | .75 | .04 |
| AUG. | | | | | | | | | | | | |
| 08... | 1115 | 3660 | 520 | 920 | 380 | -- | .03 | .38 | .06 | .44 | .47 | .09 |
| 22... | 1100 | 2060 | 290 | 520 | 270 | -- | .22 | .15 | .25 | .40 | .62 | .05 |
| SEP. | | | | | | | | | | | | |
| 05... | 1105 | 14000 | 810 | 4000 | 650 | -- | .61 | .27 | .54 | .81 | 1.4 | .15 |
| 19... | 1100 | 5800 | 400 | 1900 | 430 | -- | .52 | .16 | .44 | .60 | 1.1 | .08 |

| DATE | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) | SUS-PENDED SOLIDS (MG/L) | SPE-CIFIC CONDUCTANCE (MICROMHOS) | PH (UNITS) | TEMPERATURE (DEG C) | TUR-BID-ITY (JTU) | DIS-SOLVED OXYGEN (MG/L) | CHEM-ICAL OXYGEN DEMAND (LOW LEVEL) (MG/L) | BIO-CHEM-ICAL OXYGEN DEMAND 5 DAY (MG/L) | CHLORO-PHYLL A (UG/L) |
|-------|-----------------------------------|---|--------------------------|-----------------------------------|------------|---------------------|-------------------|--------------------------|--|--|-----------------------|
| JAN. | | | | | | | | | | | |
| 24... | .03 | 137 | 68 | 170 | 7.2 | 1.5 | 20 | 13.6 | 127 | 1.2 | 2.1 |
| FEB. | | | | | | | | | | | |
| 14... | .05 | 163 | 13 | 260 | 7.1 | 1.0 | 10 | 13.8 | 14 | .4 | .3 |
| 27... | -- | 103 | 41 | 170 | 6.8 | 1.0 | 30 | 14.0 | 88 | 1.2 | .7 |
| MAR. | | | | | | | | | | | |
| 07... | -- | 100 | 122 | 165 | 7.4 | 8.5 | 45 | 11.8 | 17 | 1.2 | -- |
| 28... | -- | 157 | 24 | 184 | 7.2 | 4.5 | 15 | 12.5 | 32 | .8 | .5 |
| APR. | | | | | | | | | | | |
| 10... | -- | 97 | 42 | 160 | 6.9 | 5.5 | 20 | 12.0 | 9 | .6 | 3.5 |
| 25... | -- | 133 | 27 | 211 | 6.9 | 10.0 | 10 | 10.6 | 11 | .8 | .0 |
| MAY | | | | | | | | | | | |
| 07... | -- | 165 | 14 | 230 | 6.8 | 10.0 | 6 | 11.8 | 11 | 2.8 | 39 |
| 21... | -- | 123 | 36 | 180 | 7.0 | 20.0 | 9 | 10.0 | 14 | 1.8 | 9.7 |
| JUNE | | | | | | | | | | | |
| 06... | -- | 165 | 16 | 280 | 6.9 | 22.0 | 4 | 8.2 | 16 | 3.4 | 20 |
| 20... | -- | 182 | 49 | 310 | 7.0 | 23.0 | 10 | 10.0 | 23 | 3.6 | 23 |
| JULY | | | | | | | | | | | |
| 02... | -- | 186 | 76 | 300 | 7.4 | 22.5 | 20 | 8.4 | 24 | 3.2 | 13 |
| 25... | -- | 215 | 7 | 364 | 8.1 | 22.0 | 5 | 9.8 | 17 | 2.8 | 250 |
| AUG. | | | | | | | | | | | |
| 08... | -- | 240 | 13 | 360 | 8.7 | 24.0 | 8 | 10.4 | 22 | 5.6 | 62 |
| 22... | -- | 254 | 10 | 410 | 7.9 | 25.0 | 6 | 9.2 | 28 | 2.2 | 20 |
| SEP. | | | | | | | | | | | |
| 05... | -- | 158 | 79 | 230 | 6.7 | 18.0 | 30 | 7.8 | 27 | 2.8 | 36 |
| 19... | -- | 196 | 21 | 320 | 7.3 | 19.0 | 8 | 10.4 | 15 | 3.0 | 39 |

SUSQUEHANNA RIVER BASIN

01540500 SUSQUEHANNA RIVER AT DANVILLE, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | CHLORO- PHYLL B (UG/L) | FECAL COLI- FORM (COL. PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) | OIL AND GREASE (MG/L) | TOTAL ARSENIC (AS) (UG/L) | TOTAL CAD- MIUM (CD) (UG/L) | TOTAL CHRO- MIUM (CR) (UG/L) | DIS- SOLVED COPPER (CU) (UG/L) | TOTAL LEAD (PB) (UG/L) | TOTAL SILVER (AG) (UG/L) | TOTAL ZINC (ZN) (UG/L) |
|---------------|------------------------------|---|---|--------------------------------|------------------------------------|---|--|--|---------------------------------|-----------------------------------|---------------------------------|
| JAN. 24... | -- | 1900 | 4.0 | -- | 1 | 0 | 0 | -- | 7 | 1 | 40 |
| FEB. 14... | -- | 130 | .0 | -- | 0 | 1 | 0 | -- | 3 | 0 | 70 |
| 27... | -- | 300 | 1.0 | -- | 1 | 0 | <10 | -- | 0 | 0 | 10 |
| MAR. 07... | -- | 450 | 1.0 | -- | -- | 0 | 0 | -- | 8 | 0 | 160 |
| 28... | -- | 63 | 5.0 | -- | 1 | 1 | <10 | 10 | 2 | 0 | 30 |
| APR. 10... | 7.8 | 320 | 3.0 | -- | 1 | 0 | 10 | -- | 5 | 0 | 60 |
| 25... | 40 | 91 | -- | -- | 2 | 0 | 10 | -- | 3 | 0 | 70 |
| MAY 07... | 14 | 1600 | 2.9 | -- | 2 | 0 | <10 | -- | 2 | 0 | 20 |
| 21... | 18 | 270 | 3.4 | -- | 2 | 0 | 10 | -- | 2 | 1 | 30 |
| JUNE 06... | 40 | 1100 | 3.9 | -- | 0 | 1 | 10 | -- | 1 | 0 | 120 |
| 20... | 46 | 180 | 3.3 | -- | 1 | 0 | 10 | -- | 4 | 1 | 100 |
| JULY 02... | 22 | 1300 | 5.7 | -- | 1 | 0 | 10 | -- | 14 | 0 | 40 |
| 25... | 3.0 | 700 | 7.2 | 0 | 1 | 0 | <10 | -- | 1 | 0 | 10 |
| AUG. 08... | 5.4 | 2800 | 6.4 | 0 | 1 | 0 | 0 | -- | 0 | 0 | 20 |
| 22... | 3.2 | 2200 | -- | 0 | 5 | 1 | <10 | -- | 2 | 0 | 20 |
| SEP. 05... | 3.2 | 6900 | -- | 0 | 2 | 0 | 10 | -- | 13 | 1 | 50 |
| 19... | 8.4 | 590 | -- | 2 | 2 | 0 | 0 | -- | 3 | 0 | 20 |

| DATE | TIME | TOTAL CAL- CIUM (CA) (MG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | TOTAL MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | TOTAL SODIUM (NA) (MG/L) | DIS- SOLVED SODIUM (NA) (MG/L) | TOTAL PO- TAS- SIUM (K) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) |
|---------------|------|---|--|--|---|-----------------------------------|--|---|--|
| MAR. 07... | 1145 | -- | 16 | -- | 3.9 | -- | 5.0 | -- | 1.5 |
| JUNE 20... | 1100 | 31 | -- | 7.0 | -- | 10 | -- | 1.5 | -- |
| SEP. 19... | 1100 | -- | -- | -- | -- | -- | -- | -- | -- |

| DATE | BICAR- BONATE (HCO3) (MG/L) | CAR- BONATE (CO3) (MG/L) | ALKA- LINITY AS CACO3 (MG/L) | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRITE (N) (MG/L) | HARD- NESS (CA+MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | CARBON DIOXIDE (CO2) (MG/L) |
|---------------|--------------------------------------|-----------------------------------|--|--|---|-----------------------------------|------------------------------------|---|--------------------------------------|
| MAR. 07... | 35 | 0 | 29 | 25 | 9.1 | .02 | 56 | 27 | 2.2 |
| JUNE 20... | 67 | 0 | 55 | 58 | 15 | -- | -- | -- | 11 |
| SEP. 19... | 42 | 0 | 34 | 81 | 14 | -- | -- | -- | 3.4 |

| DATE | TIME | TOTAL FILT- RABLE RESIDUE (MG/L) | TOTAL NON- FILT- RABLE RESIDUE (MG/L) | DIS- SOLVED GROSS ALPHA AS U-NAT. (UG/L) | SUS- PENDED GROSS ALPHA AS U-NAT. (UG/L) | DIS- SOLVED GROSS BETA AS CS-137 (PC/L) | SUS- PENDED GROSS BETA AS CS-137 (PC/L) | DIS- SOLVED GROSS BETA AS SR90 /Y90 (PC/L) | SUS- PENDED GROSS BETA AS SR90 /Y90 (PC/L) |
|---------------|------|--|--|--|--|---|---|---|---|
| DEC. 27... | 1615 | 89 | 46 | 1.9 | 2.4 | 2.6 | 2.3 | 2.1 | 1.8 |

SUSQUEHANNA RIVER BASIN

01540500 SUSQUEHANNA RIVER AT DANVILLE, PA.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
(ONCE-DAILY MEASUREMENTS)

| JAY | UCT | NUV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | --- | --- | --- | --- | --- | --- | 236 | 262 | 256 | 248 | 306 | 353 |
| 2 | --- | --- | --- | --- | --- | --- | 206 | 245 | 245 | 264 | 315 | 330 |
| 3 | --- | --- | --- | --- | --- | --- | 192 | 229 | 239 | 216 | 302 | 247 |
| 4 | --- | --- | --- | --- | --- | --- | 135 | 243 | 246 | 192 | 289 | 253 |
| 5 | --- | --- | --- | --- | --- | --- | 126 | 254 | 248 | 227 | 284 | 232 |
| 6 | --- | --- | --- | --- | --- | --- | 124 | 260 | 256 | 236 | 292 | 229 |
| 7 | --- | --- | --- | --- | --- | --- | 130 | 258 | 270 | 222 | 300 | 242 |
| 8 | --- | --- | --- | --- | --- | --- | 138 | 259 | 277 | 216 | 311 | 267 |
| 9 | --- | --- | --- | --- | --- | --- | 154 | 260 | 282 | 199 | 317 | 272 |
| 10 | --- | --- | --- | --- | --- | --- | 155 | 265 | 285 | 212 | --- | 280 |
| 11 | --- | --- | --- | --- | --- | --- | 167 | 258 | 253 | 218 | 277 | 287 |
| 12 | --- | --- | --- | --- | --- | --- | 166 | 245 | 295 | 225 | 341 | 300 |
| 13 | --- | --- | --- | --- | --- | --- | 164 | 230 | 261 | 240 | 384 | 298 |
| 14 | --- | --- | --- | --- | --- | --- | 161 | 180 | 302 | 255 | 362 | 284 |
| 15 | --- | --- | --- | --- | --- | --- | 149 | 162 | 315 | 250 | 376 | 306 |
| 16 | --- | --- | --- | --- | --- | --- | 137 | 152 | 309 | 285 | 389 | 306 |
| 17 | --- | --- | --- | --- | --- | --- | 143 | 157 | 299 | 293 | 400 | 302 |
| 18 | --- | --- | --- | --- | --- | --- | 145 | --- | 306 | 288 | 363 | 311 |
| 19 | --- | --- | --- | --- | --- | --- | 157 | 166 | 308 | 308 | 409 | 332 |
| 20 | --- | --- | --- | --- | --- | --- | 170 | 181 | 302 | 315 | 378 | 323 |
| 21 | --- | --- | --- | --- | --- | --- | --- | 178 | 293 | 321 | 381 | 329 |
| 22 | --- | --- | --- | --- | --- | --- | 193 | 185 | 293 | 276 | 405 | 341 |
| 23 | --- | --- | --- | --- | --- | --- | 197 | 196 | 314 | --- | 417 | 338 |
| 24 | --- | --- | --- | --- | --- | --- | 215 | 200 | 311 | 338 | 417 | 319 |
| 25 | --- | --- | --- | --- | --- | --- | 210 | 205 | 296 | 303 | 439 | 273 |
| 26 | --- | --- | --- | --- | --- | --- | 234 | 210 | 305 | 369 | 444 | 272 |
| 27 | --- | --- | --- | --- | --- | --- | 236 | 219 | 307 | 367 | 434 | 304 |
| 28 | --- | --- | --- | --- | --- | --- | 244 | 230 | 300 | 337 | 417 | 291 |
| 29 | --- | --- | --- | --- | --- | --- | 249 | 241 | 307 | 322 | 380 | 280 |
| 30 | --- | --- | --- | --- | --- | --- | 255 | 236 | 307 | 286 | 365 | 265 |
| 31 | --- | --- | --- | --- | --- | --- | --- | 252 | --- | 321 | 328 | --- |
| UNLH | --- | --- | --- | --- | --- | --- | 179 | 221 | 286 | 272 | 361 | 292 |

SUSQUEHANNA RIVER BASIN

253

01545500 WEST BRANCH SUSQUEHANNA RIVER AT RENOVO, PA.

LOCATION.--Lat 41°19'28", long 77°45'03", Clinton County, 0.2 mi (0.3 km) downstream from gaging station at Twelfth Street at Renovo, 0.8 mi (1.3 km) upstream from Paddy Run. Automatic recorder located on right bank at Eighth Street at Renovo directly across from gaging station, 1 mi (1.6 km) upstream from Paddy Run.

DRAINAGE AREA.--2,980 mi² (7,700 km²).

PERIOD OF RECORD.--Chemical analyses: January 1967 to September 1974.

Water temperatures: October 1968 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum, 668 micromhos Oct. 1; minimum, 139 micromhos July 1.

pH: Maximum, 5.5 July 3; minimum, 3.3 on several days during October, July, and August.

Water temperatures: Maximum, 28.5°C Aug. 14; minimum, 10.5°C Oct. 17.

Period of record:

Specific conductance (1968-74): Maximum, 973 micromhos Oct. 3, 1968; minimum, 116 micromhos Feb. 3, 1973.

pH (1968-74): Maximum, 6.4 Sept. 30, 1971; minimum, 2.2 Sept. 23, 24, 1969.

Water temperatures: Maximum, 31.0°C June 27-30 and July 16, 1969; minimum, freezing point on many days during winter periods.

REMARKS.--No continuous records for specific conductance, pH, and water temperature available November 1973 to April 1974.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | DIS-SOLVED SILICA (SiO ₂) (MG/L) | TOTAL ALUMINUM (AL) (UG/L) | DIS-SOLVED ALUMINUM (AL) (UG/L) | TOTAL IRON (FE) (UG/L) | DIS-SOLVED IRON (FE) (UG/L) | TOTAL MANGANESE (MN) (UG/L) | DIS-SOLVED MANGANESE (MN) (UG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNESIUM (MG) | DIS-SOLVED SODIUM (NA) (MG/L) |
|------------|------|--------------------------------|--|----------------------------|---------------------------------|------------------------|-----------------------------|-----------------------------|----------------------------------|--------------------------------|---------------------------|-------------------------------|
| OCT. 18... | 1415 | 1330 | 5.7 | 1700 | -- | -- | 470 | -- | 2600 | 28 | 13 | 5.5 |
| DEC. 04... | 1130 | 6970 | 5.2 | -- | 1100 | -- | 800 | -- | 1500 | 16 | 7.5 | 3.0 |
| JAN. 11... | 0830 | 3930 | 5.6 | -- | 2300 | -- | 1200 | -- | 1900 | 23 | 12 | 4.0 |
| FEB. 21... | 1115 | 2620 | 5.8 | -- | 2200 | -- | 40 | -- | 2000 | 27 | 12 | 4.5 |
| MAR. 29... | 1400 | 5400 | 6.1 | -- | 1200 | 960 | -- | 1500 | -- | 19 | 8.8 | 3.2 |
| MAY 29... | 1330 | 2970 | 6.1 | -- | 1500 | -- | 300 | -- | 1500 | 22 | 10 | 3.2 |
| JULY 10... | 1315 | 2750 | 6.1 | -- | 1200 | -- | 220 | -- | 1500 | 22 | 10 | 3.6 |
| AUG. 29... | 1315 | 1370 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP. 18... | 1500 | 1680 | -- | -- | 2200 | -- | 270 | -- | 2100 | -- | -- | -- |

| DATE | DIS-SOLVED PHOSPHATE (K) (MG/L) | RICARBONATE (HCO ₃) (MG/L) | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CaCO ₃ (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | DIS-SOLVED FLUORIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | DIS-SOLVED NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | DIS-SOLVED NITRITE (N) (MG/L) | TOTAL NITRATE PLUS NITRITE (N) (MG/L) | DIS-SOLVED NITRATE PLUS NITRITE (N) (MG/L) |
|------------|---------------------------------|--|-------------------------------------|--|---------------------------------|--------------------------------|--------------------------|-------------------------------|--------------------------|-------------------------------|---------------------------------------|--|
| OCT. 18... | 1.8 | 0 | 0 | 0 | 6.6 | .2 | .28 | -- | .00 | -- | .28 | -- |
| DEC. 04... | 1.4 | 0 | 0 | 0 | 4.5 | .1 | .50 | -- | .00 | -- | .50 | -- |
| JAN. 11... | 1.1 | 0 | 0 | 0 | 5.6 | .2 | .42 | -- | .00 | -- | .42 | -- |
| FEB. 21... | 1.3 | 0 | 0 | 0 | 5.9 | .1 | .40 | -- | .01 | -- | .41 | -- |
| MAR. 29... | 1.2 | 0 | 0 | 0 | 4.6 | .2 | .46 | -- | .00 | -- | .46 | -- |
| MAY 29... | 1.6 | -- | 0 | -- | 4.5 | .2 | -- | .43 | -- | .01 | -- | .44 |
| JULY 10... | 4.8 | 0 | 0 | 0 | 7.7 | .1 | -- | -- | -- | -- | -- | -- |
| AUG. 29... | -- | -- | -- | -- | -- | -- | .27 | -- | -- | -- | -- | -- |
| SEP. 18... | -- | -- | -- | -- | 5.0 | -- | .27 | .27 | -- | -- | -- | -- |

SUSQUEHANNA RIVER BASIN

01545500 WEST BRANCH SUSQUEHANNA RIVER AT RENOVO, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | AMMONIA NITRO- GEN (N) (MG/L) | DIS- SOLVED AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | DIS- SOLVED ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | DIS- SOLVED KJEL- NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | DIS- SOL- VED- PHOS- PHORUS (P) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | DIS- SOLVED ORTHOPHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) |
|-------|---|---|--|---|--|---|---|--|---|---|--|
| OCT. | | | | | | | | | | | |
| 18... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 241 |
| DEC. | | | | | | | | | | | |
| 04... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 139 |
| JAN. | | | | | | | | | | | |
| 11... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 197 |
| FEB. | | | | | | | | | | | |
| 21... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 215 |
| MAR. | | | | | | | | | | | |
| 29... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 166 |
| MAY | | | | | | | | | | | |
| 29... | -- | -- | -- | -- | -- | -- | -- | -- | -- | .00 | 178 |
| JULY | | | | | | | | | | | |
| 10... | -- | -- | -- | -- | -- | -- | -- | -- | -- | .00 | 177 |
| AUG. | | | | | | | | | | | |
| 29... | .27 | -- | .20 | -- | .47 | -- | .01 | -- | .00 | -- | -- |
| SEP. | | | | | | | | | | | |
| 18... | .07 | .07 | .19 | .19 | .26 | .26 | .02 | .02 | .00 | .00 | -- |

| DATE | DIS- SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | HARD- NESS (CA+MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | COLOR (PLAT- INUM- COBALT UNITS) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) |
|-------|--|------------------------------------|---|---|--|--|---------------|-----------------------------|--|------------------------------------|--------------------------------------|
| OCT. | | | | | | | | | | | |
| 18... | 184 | 123 | 123 | 20 | .4 | 360 | 3.9 | 11.0 | 3 | -- | .0 |
| DEC. | | | | | | | | | | | |
| 04... | 111 | 71 | 71 | 24 | .1 | 206 | 4.1 | 6.0 | 3 | -- | .0 |
| JAN. | | | | | | | | | | | |
| 11... | 177 | 107 | 107 | 25 | .5 | 325 | 3.9 | 1.7 | 4 | -- | .0 |
| FEB. | | | | | | | | | | | |
| 21... | 201 | 117 | 117 | 20 | .4 | 359 | 3.9 | 2.6 | 1 | -- | .0 |
| MAR. | | | | | | | | | | | |
| 29... | 143 | 84 | 84 | 15 | .3 | 261 | 4.4 | 4.2 | 0 | -- | .0 |
| MAY | | | | | | | | | | | |
| 29... | -- | 96 | 96 | 15 | .3 | 320 | 4.0 | -- | -- | -- | .0 |
| JULY | | | | | | | | | | | |
| 10... | 158 | 96 | 96 | 15 | .3 | 295 | 4.1 | 25.5 | -- | 7.6 | .0 |
| AUG. | | | | | | | | | | | |
| 29... | -- | -- | -- | 42 | .8 | 561 | 3.2 | 22.0 | -- | 8.2 | -- |
| SEP. | | | | | | | | | | | |
| 18... | -- | -- | -- | 11 | .4 | 305 | 3.7 | 20.0 | -- | 8.6 | -- |

| DATE | TIME | DIS- SOLVED ARSENIC (AS) (UG/L) | DIS- SOLVED CAD- MIUM (CD) (UG/L) | DIS- SOLVED CHRO- MIUM (CR) (UG/L) | DIS- SOLVED COBALT (CO) (UG/L) | DIS- SOLVED COPPER (CU) (UG/L) | DIS- SOLVED LEAD (PB) (UG/L) | DIS- SOLVED MERCURY (HG) (UG/L) | DIS- SOLVED SILVER (AG) (UG/L) | DIS- SOLVED ZINC (ZN) (UG/L) | DIS- SOLVED SELE- NIUM (SE) (UG/L) |
|-------|------|---|--|---|--|--|--|---|--|--|---|
| SEP. | | | | | | | | | | | |
| 18... | 1500 | 0 | 1 | 0 | 40 | 20 | 4 | <.5 | 0 | 120 | 2 |

01545500 WEST BRANCH SUSQUEHANNA RIVER AT RENOVO, PA.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 668 | 499 | 573 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | 552 | 345 | 437 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | 348 | 326 | 335 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | 378 | 320 | 345 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | 332 | 283 | 303 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | 340 | 279 | 314 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | 323 | 276 | 307 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | 276 | 249 | 260 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | 274 | 248 | 261 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | 264 | 245 | 252 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | 371 | 337 | 353 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | 378 | 338 | 361 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | 384 | 362 | 373 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | 410 | 378 | 397 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | 396 | 351 | 375 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 335 | 305 | 313 | 216 | 139 | 161 | 492 | 417 | 478 | 381 | 249 | 320 |
| 2 | 380 | 333 | 357 | 191 | 145 | 163 | 458 | 436 | 445 | 288 | 246 | 261 |
| 3 | 356 | 286 | 313 | 204 | 191 | 198 | 457 | 448 | 454 | 308 | 165 | 241 |
| 4 | 301 | 287 | 292 | 201 | 192 | 196 | 466 | 449 | 460 | 216 | 179 | 197 |
| 5 | 321 | 299 | 309 | 215 | 198 | 208 | 475 | 457 | 467 | 235 | 225 | 230 |
| 6 | 347 | 319 | 331 | 235 | 211 | 218 | 487 | 461 | 469 | 211 | 208 | 210 |
| 7 | 348 | 339 | 344 | 251 | 233 | 243 | 524 | 502 | 514 | --- | --- | --- |
| 8 | 361 | 347 | 354 | 269 | 248 | 256 | 518 | 502 | 509 | --- | --- | --- |
| 9 | 370 | 359 | 365 | 278 | 265 | 271 | 504 | 481 | 491 | --- | --- | --- |
| 10 | 380 | 331 | 369 | 292 | 258 | 281 | 493 | 477 | 485 | 290 | 274 | 283 |
| 11 | 383 | 348 | 361 | 315 | 290 | 298 | --- | --- | --- | 322 | 294 | 308 |
| 12 | 395 | 374 | 386 | 364 | 333 | 349 | --- | --- | --- | 338 | 321 | 328 |
| 13 | 408 | 384 | 398 | 389 | 347 | 372 | 545 | 497 | 525 | 344 | 335 | 339 |
| 14 | 420 | 405 | 415 | 344 | 320 | 329 | 497 | 479 | 488 | 355 | 341 | 344 |
| 15 | 431 | 339 | 406 | 331 | 235 | 293 | 490 | 475 | 483 | 428 | 357 | 398 |
| 16 | 354 | 276 | 318 | 312 | 245 | 275 | 487 | 470 | 479 | 428 | 307 | 355 |
| 17 | 338 | 273 | 309 | 335 | 309 | 320 | 475 | 457 | 468 | 323 | 305 | 314 |
| 18 | 316 | 258 | 280 | 338 | 331 | 335 | 493 | 469 | 481 | 350 | 323 | 333 |
| 19 | 262 | 248 | 255 | 360 | 149 | 348 | 524 | 491 | 508 | 371 | 352 | 362 |
| 20 | 284 | 257 | 269 | 393 | 365 | 373 | 551 | 526 | 538 | 373 | 325 | 349 |
| 21 | 310 | 283 | 299 | 405 | 387 | 398 | 544 | 524 | 537 | 355 | 230 | 300 |
| 22 | 329 | 310 | 320 | 439 | 409 | 426 | 516 | 501 | 507 | 332 | 243 | 274 |
| 23 | 327 | 304 | 314 | 450 | 438 | 444 | 509 | 484 | 499 | 337 | 288 | 317 |
| 24 | 350 | 315 | 329 | 450 | 433 | 445 | 498 | 480 | 490 | 283 | 245 | 258 |
| 25 | 354 | 303 | 336 | 447 | 428 | 439 | 510 | 483 | 496 | 258 | 240 | 249 |
| 26 | 330 | 313 | 319 | 485 | 421 | 450 | 527 | 505 | 517 | 275 | 257 | 262 |
| 27 | 362 | 317 | 345 | 491 | 470 | 483 | 540 | 514 | 527 | 302 | 275 | 286 |
| 28 | 317 | 281 | 302 | 480 | 440 | 460 | 550 | 529 | 538 | 304 | 298 | 301 |
| 29 | 284 | 256 | 268 | 471 | 436 | 457 | 561 | 540 | 552 | 314 | 297 | 305 |
| 30 | 276 | 168 | 253 | 466 | 424 | 444 | 562 | 414 | 485 | 327 | 316 | 322 |
| 31 | --- | --- | --- | 480 | 452 | 464 | 407 | 356 | 375 | --- | --- | --- |
| MONTH | 431 | 168 | 328 | 491 | 139 | 335 | 562 | 356 | 492 | 428 | 165 | 298 |

SUSQUEHANNA RIVER BASIN

01545500 WEST BRANCH SUSQUEHANNA RIVER AT RENOVO, PA.--Continued

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 3.7 | 3.3 | 3.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | 3.9 | 3.6 | 3.7 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | 4.0 | 3.9 | 3.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | 4.1 | 3.8 | 3.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | 4.3 | 4.0 | 4.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | 4.3 | 3.7 | 3.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | 3.9 | 3.6 | 3.7 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | 4.3 | 3.9 | 4.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | 4.4 | 4.2 | 4.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | 4.4 | 4.2 | 4.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | 4.3 | 4.1 | 4.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | 4.4 | 4.2 | 4.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | 4.4 | 4.2 | 4.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | 4.4 | 4.3 | 4.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | 4.5 | 4.3 | 4.4 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 3.9 | 3.9 | 3.9 | 5.3 | 4.1 | 4.8 | 3.3 | 3.3 | 3.3 | 4.6 | 3.9 | 4.2 |
| 2 | 3.9 | 3.6 | 3.8 | 5.3 | 4.8 | 5.0 | 3.4 | 3.3 | 3.3 | 4.4 | 4.2 | 4.3 |
| 3 | 4.1 | 3.8 | 4.0 | 5.5 | 5.2 | 5.4 | 3.5 | 3.4 | 3.4 | 4.9 | 4.1 | 4.4 |
| 4 | 4.1 | 4.0 | 4.1 | 5.2 | 4.8 | 5.0 | 3.5 | 3.4 | 3.4 | 4.9 | 4.7 | 4.8 |
| 5 | 4.1 | 3.9 | 4.0 | 4.9 | 4.5 | 4.7 | 3.5 | 3.5 | 3.5 | 5.2 | 4.9 | 5.1 |
| 6 | 4.0 | 3.8 | 3.9 | 4.5 | 4.3 | 4.4 | 3.5 | 3.5 | 3.5 | 4.9 | 4.6 | 4.7 |
| 7 | 3.9 | 3.8 | 3.8 | 4.3 | 4.1 | 4.2 | 3.5 | 3.4 | 3.4 | --- | --- | --- |
| 8 | 3.8 | 3.8 | 3.8 | 4.1 | 4.0 | 4.1 | 3.5 | 3.4 | 3.4 | --- | --- | --- |
| 9 | 3.8 | 3.7 | 3.7 | 4.1 | 4.0 | 4.1 | 3.5 | 3.5 | 3.5 | --- | --- | --- |
| 10 | 3.8 | 3.7 | 3.7 | 4.1 | 3.9 | 4.0 | 3.5 | 3.4 | 3.5 | 3.9 | 3.8 | 3.8 |
| 11 | 3.7 | 3.7 | 3.7 | 4.1 | 3.8 | 4.1 | --- | --- | --- | 3.8 | 3.7 | 3.8 |
| 12 | 3.7 | 3.6 | 3.5 | 4.1 | 4.0 | 4.0 | --- | --- | --- | 3.8 | 3.7 | 3.7 |
| 13 | 3.6 | 3.5 | 3.5 | 4.1 | 4.0 | 4.0 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 |
| 14 | 3.5 | 3.4 | 3.5 | 4.2 | 4.1 | 4.2 | 3.8 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 |
| 15 | 3.7 | 3.5 | 3.5 | 4.6 | 4.1 | 4.3 | 3.8 | 3.7 | 3.7 | 3.7 | 3.6 | 3.6 |
| 16 | 3.9 | 3.6 | 3.7 | 4.4 | 4.1 | 4.2 | 3.8 | 3.7 | 3.7 | 3.9 | 3.6 | 3.8 |
| 17 | 3.9 | 3.6 | 3.7 | 4.1 | 4.0 | 4.0 | 3.8 | 3.6 | 3.8 | 4.0 | 3.9 | 3.9 |
| 18 | 4.0 | 3.7 | 3.9 | 4.0 | 4.0 | 4.0 | 3.8 | 3.7 | 3.8 | 4.0 | 3.8 | 3.9 |
| 19 | 4.1 | 4.0 | 4.0 | 4.0 | 3.9 | 4.0 | 3.8 | 3.7 | 3.7 | 4.0 | 3.9 | 3.9 |
| 20 | 4.0 | 3.9 | 4.0 | 3.9 | 3.8 | 3.8 | 3.8 | 3.7 | 3.7 | 4.0 | 3.9 | 3.9 |
| 21 | 3.9 | 3.8 | 3.9 | 3.8 | 3.7 | 3.8 | 3.8 | 3.7 | 3.7 | 4.3 | 3.9 | 4.0 |
| 22 | 3.8 | 3.7 | 3.7 | 3.8 | 3.7 | 3.7 | 3.8 | 3.8 | 3.8 | 4.2 | 4.0 | 4.1 |
| 23 | 3.8 | 3.7 | 3.8 | 3.8 | 3.7 | 3.7 | 3.7 | 3.7 | 3.7 | 4.2 | 4.0 | 4.1 |
| 24 | 3.8 | 3.7 | 3.7 | 3.8 | 3.7 | 3.8 | 3.7 | 3.6 | 3.7 | 4.3 | 4.2 | 4.3 |
| 25 | 3.8 | 3.7 | 3.7 | 3.8 | 3.7 | 3.7 | 3.7 | 3.6 | 3.7 | 4.4 | 4.3 | 4.3 |
| 26 | 3.9 | 3.6 | 3.8 | 3.8 | 3.3 | 3.5 | 3.6 | 3.5 | 3.6 | 4.3 | 4.2 | 4.2 |
| 27 | 3.9 | 3.8 | 3.8 | 3.4 | 3.3 | 3.3 | 3.6 | 3.5 | 3.6 | 4.2 | 4.1 | 4.2 |
| 28 | 4.1 | 3.8 | 4.0 | 3.4 | 3.3 | 3.4 | 3.6 | 3.5 | 3.5 | 4.1 | 4.0 | 4.1 |
| 29 | 4.2 | 4.0 | 4.1 | 3.4 | 3.4 | 3.4 | 3.7 | 3.6 | 3.6 | 4.1 | 4.0 | 4.1 |
| 30 | 5.1 | 3.9 | 4.2 | 3.4 | 3.3 | 3.4 | 3.8 | 3.6 | 3.7 | 4.0 | 4.2 | 4.1 |
| 31 | --- | --- | --- | 3.4 | 3.3 | 3.3 | 3.9 | 3.8 | 3.9 | --- | --- | --- |
| MONTH | 5.1 | 3.4 | 3.8 | 5.5 | 3.3 | 4.0 | 3.9 | 3.3 | 3.6 | 5.2 | 3.6 | 4.1 |

01545500 WEST BRANCH SUSQUEHANNA RIVER AT RENOVO, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|------|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 17.5 | 15.5 | 16.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | 17.5 | 17.0 | 17.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | 20.5 | 16.5 | 18.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | 19.5 | 17.5 | 18.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | 19.0 | 17.5 | 18.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | 17.5 | 15.5 | 16.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | 16.5 | 15.0 | 16.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | 17.5 | 15.0 | 16.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | 17.0 | 15.5 | 16.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | 18.5 | 16.0 | 17.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | 18.0 | 16.0 | 17.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | 17.5 | 15.0 | 16.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | 15.5 | 14.0 | 15.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | 14.0 | 11.5 | 13.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | 12.0 | 10.5 | 11.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 21.5 | 17.5 | 19.5 | 16.5 | 14.5 | 15.5 | 25.5 | 21.5 | 23.5 | 23.5 | 20.5 | 22.0 |
| 2 | 22.5 | 18.0 | 20.0 | 18.0 | 15.0 | 16.5 | 26.0 | 22.5 | 24.0 | 20.5 | 19.0 | 20.0 |
| 3 | 24.0 | 19.5 | 21.5 | 20.5 | 17.5 | 19.0 | 25.0 | 23.5 | 24.0 | 20.0 | 15.5 | 17.5 |
| 4 | 24.0 | 19.5 | 21.5 | 23.5 | 19.5 | 21.5 | 25.0 | 23.0 | 24.0 | 15.5 | 14.5 | 15.0 |
| 5 | 25.0 | 19.5 | 22.5 | 23.0 | 21.5 | 22.5 | 23.5 | 21.0 | 22.5 | 17.5 | 15.5 | 16.0 |
| 6 | 24.0 | 19.5 | 22.5 | 23.0 | 20.0 | 21.5 | 25.0 | 20.0 | 22.0 | 16.5 | 15.5 | 16.0 |
| 7 | 24.5 | 20.0 | 22.0 | 24.5 | 20.5 | 22.5 | 26.0 | 22.0 | 23.5 | --- | --- | --- |
| 8 | 24.0 | 17.5 | 22.5 | 26.5 | 21.5 | 24.0 | 24.0 | 22.5 | 23.5 | --- | --- | --- |
| 9 | 26.5 | 21.5 | 24.0 | 27.5 | 23.0 | 25.5 | 24.5 | 22.0 | 23.0 | --- | --- | --- |
| 10 | 26.0 | 23.5 | 25.5 | 27.5 | 24.5 | 26.0 | 25.0 | 22.0 | 23.5 | 19.5 | 17.5 | 18.5 |
| 11 | 26.0 | 22.5 | 24.5 | 26.0 | 19.0 | 24.5 | --- | --- | --- | 20.0 | 18.0 | 19.0 |
| 12 | 23.0 | 20.5 | 22.0 | 25.5 | 21.0 | 23.0 | --- | --- | --- | 22.5 | 19.5 | 20.5 |
| 13 | 23.0 | 18.5 | 20.5 | 26.5 | 21.5 | 24.0 | 26.5 | 21.5 | 24.0 | 23.5 | 21.0 | 22.5 |
| 14 | 23.5 | 18.5 | 21.0 | 27.5 | 23.0 | 25.0 | 28.5 | 24.5 | 26.0 | 22.5 | 19.5 | 21.0 |
| 15 | 23.0 | 19.0 | 21.5 | 25.5 | 22.0 | 24.5 | 28.0 | 23.5 | 26.0 | 20.5 | 18.0 | 19.0 |
| 16 | 19.0 | 17.5 | 18.5 | 25.0 | 22.0 | 23.5 | 27.5 | 23.5 | 25.5 | 20.5 | 18.0 | 19.5 |
| 17 | 20.0 | 17.0 | 18.5 | 25.0 | 21.0 | 23.0 | 26.5 | 24.0 | 25.0 | 20.0 | 17.5 | 18.5 |
| 18 | 20.5 | 17.5 | 19.0 | 25.5 | 23.5 | 24.5 | 25.5 | 22.5 | 24.0 | 21.0 | 18.5 | 19.5 |
| 19 | 21.0 | 18.0 | 19.5 | 26.5 | 24.0 | 25.0 | 25.0 | 22.0 | 23.5 | 20.5 | 18.0 | 19.0 |
| 20 | 23.5 | 19.5 | 21.5 | 26.5 | 23.0 | 24.0 | 27.0 | 22.5 | 24.5 | 20.0 | 19.0 | 19.5 |
| 21 | 22.0 | 20.0 | 21.0 | 26.0 | 21.0 | 23.0 | 27.0 | 23.5 | 25.0 | 19.0 | 15.5 | 18.0 |
| 22 | 24.5 | 20.5 | 22.5 | 26.0 | 21.5 | 23.5 | 25.5 | 14.0 | 24.5 | 15.0 | 14.0 | 14.5 |
| 23 | 23.5 | 20.0 | 21.5 | 23.5 | 20.5 | 22.0 | 27.0 | 23.5 | 25.0 | 14.0 | 13.0 | 13.5 |
| 24 | 22.5 | 18.5 | 20.5 | 23.5 | 20.0 | 21.5 | 26.5 | 24.0 | 25.0 | 13.5 | 11.0 | 12.5 |
| 25 | 21.5 | 17.5 | 19.5 | 24.0 | 21.5 | 22.5 | 26.5 | 22.5 | 24.5 | 12.5 | 11.0 | 11.5 |
| 26 | 18.5 | 16.5 | 17.5 | 22.5 | 21.0 | 21.5 | 27.5 | 23.5 | 25.5 | 14.5 | 11.0 | 13.0 |
| 27 | 21.0 | 17.0 | 19.0 | 26.0 | 20.5 | 23.0 | 27.5 | 25.0 | 26.5 | 16.0 | 13.0 | 14.5 |
| 28 | 20.0 | 18.5 | 19.0 | 27.0 | 23.5 | 25.0 | 26.5 | 23.0 | 25.0 | 16.5 | 15.0 | 15.5 |
| 29 | 18.0 | 17.0 | 17.5 | 26.0 | 23.0 | 24.0 | 21.5 | 21.0 | 21.5 | 17.5 | 15.5 | 16.5 |
| 30 | 18.0 | 15.0 | 17.0 | 24.5 | 22.0 | 23.0 | 23.0 | 20.5 | 21.5 | 15.0 | 13.5 | 14.5 |
| 31 | --- | --- | --- | 25.0 | 21.5 | 23.0 | 24.0 | 21.5 | 23.0 | --- | --- | --- |
| MONTH | 28.0 | 15.0 | 21.0 | 27.5 | 14.5 | 23.0 | 28.5 | 14.0 | 24.0 | 23.5 | 11.0 | 17.5 |

SUSQUEHANNA RIVER BASIN

01545600 YOUNG WOMANS CREEK NEAR RENOVO, PA.
(Hydrologic bench-mark station)

LOCATION.--Lat 41°23'22", long 77°41'28", Clinton County, at gaging station on left bank, 0.3 mi (0.5 km) downstream from Laureilly Fork, 1.5 mi (2.4 km) upstream from Left Branch Young Womans Creek, 3.7 mi (6.0 km) upstream from mouth, and 5 mi (8.0 km) northeast of Renovo.

DRAINAGE AREA.--46.2 mi² (120 km²).

PERIOD OF RECORD.--Chemical analyses: May 1965 to September 1974.

Sediment records: October 1968 to September 1970 (partial-record station), October 1972 to September 1974 (partial-record station).

REMARKS.--Miscellaneous sediment data for this station on page 453.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | DIS-SOLVED SILICA (SiO ₂) (MG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNE-SIUM (MG) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED PO-TAS-SIUM (K) (MG/L) | BICAR-BONATE (HCO ₃) (MG/L) | CAR-BONATE (CO ₃) (MG/L) | ALKA-LINITY AS CAC03 (MG/L) | DIS-SOLVED SULFATE (SO ₄) (MG/L) |
|-------|------|--------------------------------|--|--------------------------------|----------------------------|-------------------------------|-----------------------------------|---|--------------------------------------|-----------------------------|--|
| NOV. | | | | | | | | | | | |
| 01... | 1400 | 320 | 3.9 | 3.8 | 1.0 | .7 | .9 | 4 | 0 | 3 | 7.6 |
| 20... | 1130 | 40 | 3.3 | 3.7 | 1.0 | .9 | .7 | 7 | 0 | 6 | 6.1 |
| DEC. | | | | | | | | | | | |
| 11... | 1145 | 162 | 3.5 | 4.0 | 1.1 | .7 | .8 | 4 | 0 | 3 | 7.4 |
| JAN. | | | | | | | | | | | |
| 16... | 1130 | 50 | 3.4 | 3.5 | 1.0 | 1.5 | .9 | 7 | 0 | 6 | 6.7 |
| FEB. | | | | | | | | | | | |
| 27... | 1230 | 130 | 3.6 | 3.2 | 1.0 | .6 | .8 | 3 | 0 | 2 | 7.5 |
| MAR. | | | | | | | | | | | |
| 12... | 1200 | 330 | 3.8 | 3.5 | .8 | .6 | 1.0 | 4 | 0 | 3 | 7.8 |
| APR. | | | | | | | | | | | |
| 22... | 1530 | 107 | 3.6 | 3.5 | 1.0 | .7 | 3.2 | 6 | 0 | 5 | 8.2 |
| MAY | | | | | | | | | | | |
| 29... | 1400 | 43 | 3.7 | 3.9 | 1.0 | .8 | 1.9 | 12 | 0 | 10 | 7.0 |
| JUNE | | | | | | | | | | | |
| 25... | 1415 | 34 | 4.0 | 4.0 | 1.0 | 1.0 | .9 | 7 | 0 | 6 | 8.1 |
| JULY | | | | | | | | | | | |
| 10... | 1415 | 46 | 4.3 | 4.1 | .9 | .8 | .9 | 7 | 0 | 6 | 7.6 |
| AUG. | | | | | | | | | | | |
| 28... | 1535 | 22 | 3.8 | 5.2 | 1.3 | 1.1 | 1.1 | 13 | 0 | 11 | 6.2 |
| SEP. | | | | | | | | | | | |
| 18... | 1145 | 19 | 4.1 | 4.8 | 1.0 | .9 | .8 | 10 | 0 | 8 | 7.4 |

| DATE | DIS-SOLVED CHLO-RIDE (CL) (MG/L) | DIS-SOLVED FLUO-RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | TOTAL PHOS-PHORUS (P) (MG/L) | TOTAL ORTHO PHOS-PHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESI-DUE AT 180 C) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTI-TUENTS) (MG/L) | HARD-NESS (CA,MG) (MG/L) |
|-------|----------------------------------|---------------------------------|--------------------------|--------------------------|---------------------------------------|------------------------------|------------------------------------|--|---|--------------------------|
| NOV. | | | | | | | | | | |
| 01... | 1.4 | .1 | .24 | .01 | .25 | .01 | .00 | 440 | 21 | 14 |
| 20... | 1.7 | .2 | .34 | -- | -- | .00 | .00 | 32 | 21 | 13 |
| DEC. | | | | | | | | | | |
| 11... | .9 | .2 | .33 | .00 | .33 | .00 | .00 | 28 | 21 | 15 |
| JAN. | | | | | | | | | | |
| 16... | 1.2 | .0 | .14 | -- | -- | .01 | -- | 24 | 22 | 13 |
| FEB. | | | | | | | | | | |
| 27... | .8 | .1 | .30 | -- | -- | .01 | -- | 30 | 19 | 12 |
| MAR. | | | | | | | | | | |
| 12... | 1.1 | .2 | .40 | -- | -- | .00 | -- | 24 | 21 | 12 |
| APR. | | | | | | | | | | |
| 22... | 5.0 | .1 | -- | -- | .26 | .01 | -- | 26 | 31 | 13 |
| MAY | | | | | | | | | | |
| 29... | .9 | .1 | -- | -- | .23 | .01 | -- | 20 | 27 | 14 |
| JUNE | | | | | | | | | | |
| 25... | .8 | .0 | -- | -- | .21 | .01 | -- | 28 | 25 | 14 |
| JULY | | | | | | | | | | |
| 10... | .9 | .1 | -- | -- | .16 | .01 | -- | 26 | 25 | 14 |
| AUG. | | | | | | | | | | |
| 28... | 1.5 | .0 | -- | -- | .27 | .01 | -- | 30 | 27 | 18 |
| SEP. | | | | | | | | | | |
| 18... | .7 | .0 | -- | -- | .13 | .01 | -- | 30 | 25 | 16 |

SUSQUEHANNA RIVER BASIN

259

01545600 YOUNG WOMANS CREEK NEAR RENOVO, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICRO-MHOS) | PH (UNITS) | TEMPERATURE (DEG C) | DISSOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | IMMEDIATE COLIFORM (COL. PER 100 ML) | FECAL COLIFORM (COL. PER 100 ML) | STREPTOCOCCI (COLONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|-------|-------------------------------|-----------------------------------|------------|---------------------|-------------------------|-----------------------------|--------------------------------------|----------------------------------|------------------------------------|---------------------------------|
| NOV. | | | | | | | | | | |
| 01... | 10 | 38 | 6.5 | 9.0 | 10.6 | 4.0 | 240 | 8 | 53 | .5 |
| 20... | 8 | 37 | 6.8 | 6.0 | 13.0 | 1.8 | 120 | 0 | 6 | -- |
| DEC. | | | | | | | | | | |
| 11... | 11 | 39 | 6.8 | 5.0 | 12.4 | 1.0 | 48 | 0 | 5 | -- |
| JAN. | | | | | | | | | | |
| 16... | 7 | 37 | 6.8 | 1.0 | 14.2 | 3.0 | 43 | 3 | 6 | -- |
| FEB. | | | | | | | | | | |
| 27... | 10 | 38 | 6.7 | 1.0 | 14.2 | 1.0 | 35 | 0 | -- | -- |
| MAR. | | | | | | | | | | |
| 12... | 9 | 37 | 6.9 | 5.0 | 13.0 | .8 | 52 | 0 | 1 | -- |
| APR. | | | | | | | | | | |
| 22... | 8 | 34 | 6.2 | 10.5 | 11.0 | .0 | 54 | 1 | 2 | -- |
| MAY | | | | | | | | | | |
| 29... | 4 | 47 | 6.7 | 13.5 | 10.4 | 3.8 | 81 | 10 | 100 | -- |
| JUNE | | | | | | | | | | |
| 25... | 8 | 39 | 6.2 | 14.0 | 9.8 | 7.1 | 75 | 17 | 312 | -- |
| JULY | | | | | | | | | | |
| 10... | 8 | 32 | 6.2 | 19.0 | 9.0 | 7.1 | 160 | 68 | 580 | -- |
| AUG. | | | | | | | | | | |
| 28... | 8 | 50 | 6.4 | 18.0 | 8.8 | 8.3 | 2100 | 1300 | -- | -- |
| SEP. | | | | | | | | | | |
| 18... | 8 | 42 | 6.8 | 14.0 | 10.6 | 2.5 | 50 | 0 | 50 | -- |

| DATE | TIME | TOTAL IRON (FE) (UG/L) | TOTAL MANGANESE (MN) (UG/L) | CYANIDE (CN) (MG/L) | TOTAL ARSENIC (AS) (UG/L) | TOTAL BARIUM (BA) (UG/L) | TOTAL CADMIUM (CD) (UG/L) |
|-------|------|------------------------|-----------------------------|---------------------|---------------------------|--------------------------|---------------------------|
| NOV. | | | | | | | |
| 01... | 1400 | 180 | 30 | .02 | <1 | 0 | 0 |
| APR. | | | | | | | |
| 22... | 1530 | 20 | 20 | .00 | 1 | 0 | 0 |
| SEP. | | | | | | | |
| 18... | 1145 | 340 | 40 | .00 | <1 | 0 | 0 |

| DATE | TOTAL CHROMIUM (CR) (UG/L) | TOTAL COPPER (CU) (UG/L) | TOTAL LEAD (PB) (UG/L) | TOTAL MERCURY (HG) (UG/L) | TOTAL SELENIUM (SE) (UG/L) | TOTAL SILVER (AG) (UG/L) | TOTAL ZINC (ZN) (UG/L) |
|-------|----------------------------|--------------------------|------------------------|---------------------------|----------------------------|--------------------------|------------------------|
| NOV. | | | | | | | |
| 01... | 0 | 0 | 1 | <.5 | 1 | 0 | 10 |
| APR. | | | | | | | |
| 22... | <10 | 0 | 1 | <.5 | 0 | 0 | 0 |
| SEP. | | | | | | | |
| 18... | <10 | 0 | 3 | <.5 | 3 | 0 | 0 |

SUSQUEHANNA RIVER BASIN

01545600 YOUNG WOMANS CREEK NEAR RENOVO, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| | | ALDRIN | ALDRIN IN BOTTOM DE- POSITS (UG/KG) | CHLOR- DANE (UG/L) | CHLOR- DANE IN BOTTOM DE- POSITS (UG/KG) | DDD (UG/L) | DDD IN BOTTOM DE- POSITS (UG/KG) | DDE (UG/L) | DDE IN BOTTOM DE- POSITS (UG/KG) | DDT (UG/L) |
|---------------|------|--------|--|--------------------------|--|---------------|---|---------------|---|---------------|
| DATE | TIME | (UG/L) | | | | | | | | |
| NOV. 01... | 1400 | .00 | .0 | .0 | 0 | .00 | .0 | .00 | .0 | .00 |
| SEP. 18... | 1145 | .00 | .0 | .0 | 0 | .00 | .1 | .00 | .2 | .00 |

| | | DDT IN BOTTOM DE- POSITS (UG/KG) | DI- AZINON IN BOTTOM DE- POSITS (UG/L) | DI- AZINON IN BOTTOM DE- POSITS (UG/KG) | DI- ELDRIN (UG/L) | DI- ELDRIN IN BOTTOM DE- POSITS (UG/KG) | ENDRIN (UG/L) | ENDRIN IN BOTTOM DE- POSITS (UG/KG) | ETHION IN BOTTOM DE- POSITS (UG/L) | ETHION IN BOTTOM DE- POSITS (UG/KG) | HEPTA- CHLOR IN BOTTOM DE- POSITS (UG/L) | HEPTA- CHLOR IN BOTTOM DE- POSITS (UG/KG) |
|---------------|------|---|--|---|-------------------------|---|------------------|--|---|--|--|---|
| DATE | TIME | (UG/KG) | (UG/L) | (UG/KG) | (UG/L) | (UG/KG) | (UG/L) | (UG/KG) | (UG/L) | (UG/KG) | (UG/L) | (UG/KG) |
| NOV. 01... | .0 | .00 | .0 | .00 | .0 | .00 | .0 | .0 | .0 | .00 | .0 | .0 |
| SEP. 18... | .0 | -- | -- | .00 | .1 | .00 | .0 | -- | .00 | .0 | .0 | .0 |

| | | HEPTA- CHLOR EPOXIDE (UG/L) | HEPTA- CHLOR EPOXIDE IN BOT- TOM DE- POSITS (UG/KG) | LINDANE (UG/L) | LINDANE IN BOT- TOM DE- POSITS (UG/KG) | MALA- THION (UG/L) | MALA- THION IN BOT- TOM DE- POSITS (UG/KG) | METHYL PARA- THION (UG/L) | METHYL PARA- THION IN BOT- TOM DE- POSITS (UG/KG) | METHYL TRI- THION IN BOT- TOM DE- POSITS (UG/L) | METHYL TRI- THION IN BOT- TOM DE- POSITS (UG/KG) | PARA- THION (UG/L) |
|---------------|------|--------------------------------------|---|-------------------|--|--------------------------|---|------------------------------------|---|---|--|--------------------------|
| DATE | TIME | (UG/L) | (UG/KG) | (UG/L) | (UG/KG) | (UG/L) | (UG/KG) | (UG/L) | (UG/KG) | (UG/L) | (UG/KG) | (UG/L) |
| NOV. 01... | .00 | .0 | .00 | .0 | .00 | .0 | .00 | .0 | .00 | .0 | .00 | .00 |
| SEP. 18... | .00 | .0 | .00 | .0 | -- | -- | -- | -- | -- | -- | -- | -- |

| | | PARA- THION IN BOTTOM DE- POSITS (UG/KG) | PCB (UG/L) | PCB IN BOTTOM DE- POSITS (UG/KG) | TOX- APHENE (UG/L) | TOX- APHENE IN BOTTOM DE- POSITS (UG/KG) | TRI- THION IN BOTTOM DE- POSITS (UG/L) | TRI- THION IN BOTTOM DE- POSITS (UG/KG) | 2,4-D (UG/L) | 2,4,5-T (UG/L) | SILVEX (UG/L) |
|---------------|------|--|---------------|---|--------------------------|--|--|---|-----------------|-------------------|------------------|
| DATE | TIME | (UG/KG) | (UG/L) | (UG/KG) | (UG/L) | (UG/KG) | (UG/L) | (UG/KG) | (UG/L) | (UG/L) | (UG/L) |
| NOV. 01... | .0 | .0 | 0 | -- | 0 | .0 | .00 | .00 | .00 | .00 | .00 |
| SEP. 18... | -- | .0 | 0 | 0 | 0 | -- | .00 | .00 | .00 | .00 | .00 |

| | | TOTAL FILT- RABLE RESIDUE (MG/L) | TOTAL NON- FILT- RABLE RESIDUE (MG/L) | DIS- SOLVED GROSS ALPHA AS U-NAT. (UG/L) | SUS- PENDE GROSS ALPHA AS U-NAT. (UG/L) | DIS- SOLVED GROSS BETA AS CS-137 (PC/L) | SUS- PENDE GROSS BETA AS CS-137 (PC/L) | DIS- SOLVED GROSS BETA AS SR90 /Y90 (PC/L) | SUS- PENDE GROSS BETA AS SR90 /Y90 (PC/L) | DIS- SOLVED RA-226 (RADON METHOD) (PC/L) | DIS- SOLVED URANIUM (U) (UG/L) |
|---------------|------|--|--|--|---|---|--|---|--|---|--|
| DATE | TIME | (MG/L) | (MG/L) | (UG/L) | (UG/L) | (PC/L) | (PC/L) | (PC/L) | (PC/L) | (PC/L) | (UG/L) |
| NOV. 20... | 1130 | 27 | <1 | .4 | <.4 | 1.5 | <.4 | 1.3 | <.4 | .07 | <.01 |
| SEP. 18... | 1145 | 29 | 4 | <.4 | .5 | 1.8 | .5 | 1.5 | .5 | .03 | .01 |

SUSQUEHANNA RIVER BASIN

261

01547400 BALD EAGLE CREEK NEAR MILESBERG, PA.

LOCATION.--Lat 40°58'31", long 75°44'35", Centre County, at highway bridge at Curtin, 500 ft (152 m) downstream from Antis Run, 250 ft (76 m) downstream from Nittany Creek, and 3.5 mi (5.6 km) downstream from Milesburg.

DRAINAGE AREA.--296 mi² (767 km²).

PERIOD OF RECORD.--Chemical analyses: January to May 1970.
Water temperatures: July 1967 to September 1974.

EXTREMES.--1973-74:

Water temperatures: Maximum, 25.0°C July 4, 8, 9; minimum, 1.0°C Jan. 13, 14, Feb. 5, 24.

Period of record:

Water temperatures: Maximum, 29.0°C July 17, 18, Aug. 9, 23, 1968, June 27, 30, July 16, 1969; minimum, freezing point on many days during winter periods.

REMARKS.--The thermograph at this site records continuous water temperature of the inflow to Foster Joseph Sayers Reservoir.

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| | OCTOBER | | NOVEMBER | | DECEMBER | | JANUARY | | FEBRUARY | | MARCH | |
|-------|---------|------|----------|------|----------|-----|---------|-----|----------|-----|-------|-----|
| DAY | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN |
| 1 | 16.5 | 13.5 | 12.0 | 10.5 | 7.0 | 4.5 | 5.5 | 5.0 | 5.5 | 4.5 | 5.5 | 5.0 |
| 2 | 16.0 | 15.0 | 11.5 | 9.0 | 5.0 | 3.5 | 5.0 | 4.0 | 4.5 | 3.5 | 4.5 | 3.5 |
| 3 | 19.0 | 15.5 | 12.0 | 10.0 | 7.0 | 3.5 | 4.0 | 4.0 | 3.5 | 3.0 | 8.0 | 4.5 |
| 4 | 19.5 | 15.5 | 10.0 | 8.5 | 8.5 | 5.5 | 5.0 | 4.0 | 3.5 | 2.0 | 11.0 | 5.5 |
| 5 | 19.5 | 16.0 | 9.5 | 8.0 | 9.0 | 8.0 | 4.0 | 3.0 | 3.5 | 1.0 | 11.0 | 8.0 |
| 6 | 18.5 | 13.5 | 8.5 | 6.0 | 8.5 | 7.0 | 4.5 | 4.0 | 4.5 | 1.5 | 8.0 | 5.0 |
| 7 | 16.0 | 13.0 | 8.5 | 5.5 | 7.0 | 5.5 | 4.5 | 4.0 | 5.0 | 3.5 | 11.0 | 7.0 |
| 8 | 18.5 | 14.0 | 8.5 | 5.5 | 5.5 | 5.0 | 4.0 | 3.0 | 5.0 | 3.0 | 9.5 | 5.0 |
| 9 | 18.0 | 15.0 | 8.0 | 6.5 | 5.0 | 4.5 | 4.0 | 3.0 | 4.0 | 3.0 | 5.5 | 5.0 |
| 10 | 19.0 | 16.0 | 11.0 | 6.0 | 5.5 | 4.5 | 4.0 | 3.5 | 3.0 | 1.5 | 8.0 | 5.5 |
| 11 | 18.5 | 20.5 | 14.0 | 11.0 | 5.0 | 4.0 | 4.0 | 3.5 | 4.5 | 2.0 | 6.5 | 4.5 |
| 12 | 18.0 | 14.5 | 14.5 | 11.0 | 4.5 | 4.0 | 3.5 | 3.0 | 6.0 | 3.0 | 7.0 | 5.5 |
| 13 | 19.0 | 15.0 | --- | --- | 4.5 | 3.5 | 3.0 | 1.0 | 7.0 | 4.0 | 6.0 | 3.5 |
| 14 | 19.0 | 15.5 | --- | --- | 4.5 | 4.0 | 3.5 | 1.0 | 6.5 | 5.0 | 8.0 | 3.5 |
| 15 | 17.0 | 13.5 | --- | --- | 4.5 | 4.0 | 4.5 | 3.5 | 5.5 | 3.5 | 8.0 | 3.5 |
| 16 | 16.5 | 14.5 | --- | --- | 3.5 | 3.0 | 4.5 | 3.5 | 5.0 | 3.5 | 6.5 | 5.5 |
| 17 | 13.5 | 13.0 | 9.5 | 6.0 | 2.0 | 2.0 | 4.0 | 4.0 | 5.5 | 3.5 | 5.5 | 4.0 |
| 18 | --- | --- | 7.0 | 4.0 | 3.0 | 2.0 | 4.0 | 3.0 | 6.5 | 3.5 | 8.0 | 3.0 |
| 19 | --- | --- | 9.5 | 7.0 | 3.5 | 3.0 | 4.5 | 4.0 | 6.0 | 4.5 | 8.0 | 5.5 |
| 20 | --- | --- | 9.5 | 8.5 | 4.0 | 3.0 | 4.5 | 4.0 | 8.0 | 5.5 | 9.5 | 5.0 |
| 21 | --- | --- | 10.0 | 9.5 | 3.0 | 3.0 | 4.5 | 3.5 | 8.5 | 4.5 | 8.0 | 5.0 |
| 22 | --- | --- | 11.5 | 9.5 | 3.0 | 1.5 | 5.5 | 4.5 | 5.5 | 3.0 | 6.5 | 4.0 |
| 23 | --- | --- | 10.0 | 8.0 | 4.0 | 3.0 | 5.5 | 4.5 | 4.0 | 2.0 | 8.5 | 3.5 |
| 24 | --- | --- | 9.5 | 8.5 | 4.0 | 3.5 | 5.5 | 5.0 | 4.0 | 1.0 | 8.5 | 4.0 |
| 25 | --- | --- | 9.5 | 8.5 | 4.5 | 4.0 | 6.0 | 4.0 | 4.0 | 2.0 | 6.5 | 2.0 |
| 26 | --- | --- | 9.0 | 8.0 | 5.0 | 4.5 | 4.5 | 4.0 | 4.0 | 1.5 | 8.5 | 3.0 |
| 27 | 16.5 | 13.0 | 10.5 | 8.5 | 6.0 | 4.5 | 8.0 | 4.5 | 5.5 | 2.0 | 9.0 | 4.0 |
| 28 | 14.5 | 12.0 | 11.0 | 9.5 | 6.0 | 6.0 | 6.5 | 5.5 | 5.5 | 3.5 | 8.5 | 6.0 |
| 29 | 13.5 | 11.5 | 9.0 | 7.0 | 6.0 | 5.0 | 6.5 | 6.0 | --- | --- | 6.0 | 4.0 |
| 30 | 12.0 | 11.0 | 8.5 | 6.0 | 5.5 | 4.5 | 8.0 | 5.5 | --- | --- | 4.0 | 1.5 |
| 31 | 12.0 | 10.0 | --- | --- | 5.0 | 4.5 | 8.0 | 4.5 | --- | --- | 3.0 | 1.5 |
| MONTH | --- | --- | 14.5 | 4.0 | 9.0 | 1.5 | 8.0 | 1.0 | 8.5 | 1.0 | 11.0 | 1.5 |

SUSQUEHANNA RIVER BASIN

01547400 BALD EAGLE CREEK NEAR MILESBURG, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| | APRIL | | MAY | | JUNE | | JULY | | AUGUST | | SEPTEMBER | |
|-------|-------|------|------|------|------|------|------|------|--------|------|-----------|------|
| DAY | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN |
| 1 | 5.0 | 3.0 | 19.0 | 14.5 | --- | --- | 20.5 | 15.5 | --- | --- | 20.5 | 19.0 |
| 2 | 8.0 | 4.5 | 15.0 | 11.0 | --- | --- | 22.0 | 16.0 | --- | --- | 20.0 | 18.0 |
| 3 | 9.5 | 4.5 | 11.0 | 10.0 | 20.5 | --- | 24.0 | 18.0 | 20.5 | 18.0 | 19.5 | 18.0 |
| 4 | 11.5 | 9.5 | 13.5 | 8.5 | 20.5 | 15.0 | 25.0 | 19.5 | 19.0 | 18.0 | 18.0 | 16.0 |
| 5 | 10.5 | 8.5 | 13.0 | 7.0 | 22.0 | 16.0 | 22.0 | 19.5 | 20.0 | 16.0 | 17.0 | 14.0 |
| 6 | 8.0 | 6.0 | 12.0 | 9.0 | 21.5 | 15.5 | 21.0 | 18.0 | 21.0 | 15.5 | 16.5 | 15.0 |
| 7 | 9.0 | 4.5 | 10.0 | 8.0 | 22.0 | 16.0 | 22.0 | 16.5 | 20.5 | 16.0 | 15.5 | 14.0 |
| 8 | 8.5 | 5.5 | 10.0 | 6.0 | 21.0 | 18.0 | 25.0 | 18.5 | 19.0 | 16.0 | 17.0 | 13.5 |
| 9 | 5.5 | 5.0 | 10.0 | 9.0 | 17.0 | 17.0 | 25.0 | 19.5 | 20.0 | 16.5 | 17.0 | 15.0 |
| 10 | 9.0 | 4.5 | 14.0 | 9.0 | 19.0 | 19.0 | 24.5 | 20.5 | 18.5 | 16.0 | 19.5 | 15.5 |
| 11 | 10.5 | 5.5 | 15.5 | 9.0 | 19.0 | 19.0 | 23.0 | 18.5 | 19.5 | 15.5 | 19.0 | 16.0 |
| 12 | 11.0 | 8.0 | 14.5 | 11.0 | 16.5 | 16.5 | 23.0 | 16.5 | 20.0 | 15.5 | 21.5 | 16.5 |
| 13 | 13.5 | 9.5 | 11.0 | 9.0 | 14.5 | 14.5 | 22.0 | 17.0 | 22.0 | 17.0 | 22.0 | 18.5 |
| 14 | 14.5 | 10.0 | 15.5 | 9.0 | 15.0 | 15.0 | 23.5 | 18.5 | 24.0 | 19.0 | 21.0 | 16.5 |
| 15 | 12.0 | 9.0 | 16.5 | 12.0 | 17.0 | 17.0 | 23.5 | 19.5 | 23.5 | 18.0 | 17.0 | 13.5 |
| 16 | 13.5 | 8.0 | 18.0 | 12.0 | 16.0 | 16.0 | 22.0 | 18.5 | 23.0 | 17.0 | 18.0 | 14.0 |
| 17 | 14.0 | 8.0 | 18.5 | 15.0 | 19.5 | 15.5 | 21.5 | 16.5 | 21.0 | 18.0 | 18.5 | 14.5 |
| 18 | 14.5 | 9.5 | 19.5 | 15.0 | 19.5 | 14.5 | 24.5 | 18.5 | 20.0 | 16.5 | 19.5 | 15.5 |
| 19 | 14.0 | 11.0 | 19.0 | 14.5 | 20.0 | 16.0 | 23.5 | 19.5 | 23.0 | 16.5 | 20.0 | 15.0 |
| 20 | 14.5 | 8.0 | 17.0 | 12.0 | 23.0 | 18.0 | 20.5 | 18.0 | 23.5 | 18.0 | 19.0 | 16.5 |
| 21 | 14.5 | 9.0 | 18.0 | 11.5 | 21.0 | 18.5 | 21.0 | 15.5 | 24.5 | 18.5 | 19.0 | 14.5 |
| 22 | 13.5 | 11.5 | 17.0 | 13.0 | 22.0 | 18.0 | 21.0 | 15.5 | 20.5 | 18.5 | 14.5 | 12.0 |
| 23 | 12.0 | 11.0 | 15.5 | 14.0 | 20.5 | 18.0 | 18.0 | 17.0 | 23.5 | 19.0 | 14.0 | 10.5 |
| 24 | 10.0 | 9.0 | 15.0 | 11.5 | 20.0 | 15.0 | 20.0 | 16.5 | 23.5 | 19.0 | 14.0 | 9.5 |
| 25 | 13.5 | 6.5 | 11.0 | 9.5 | 19.0 | 16.5 | 20.5 | 17.0 | 21.5 | 18.0 | 13.5 | 10.0 |
| 26 | 16.0 | 10.0 | 12.0 | 8.5 | 18.0 | 15.5 | 19.0 | 16.5 | 24.5 | 19.0 | 15.5 | 11.5 |
| 27 | 16.5 | 10.0 | 11.0 | 8.5 | 20.5 | 15.5 | 21.5 | 16.0 | 24.5 | 19.5 | 16.5 | 12.0 |
| 28 | 18.0 | 12.0 | 13.5 | 8.0 | 18.5 | 16.5 | 21.5 | 17.0 | 21.5 | 20.0 | 15.5 | 14.0 |
| 29 | 20.0 | 15.5 | 12.0 | 11.0 | 16.5 | 15.5 | --- | --- | 21.0 | 19.0 | 16.0 | 14.5 |
| 30 | 18.0 | 15.5 | 16.0 | 11.0 | 18.0 | 15.0 | --- | --- | 23.0 | 20.0 | 15.0 | 13.0 |
| 31 | --- | --- | 13.5 | 12.0 | --- | --- | --- | --- | 21.5 | 19.5 | --- | --- |
| MONTH | 20.0 | 3.0 | 19.5 | 6.0 | 23.0 | 14.5 | 25.0 | 15.5 | 24.5 | 15.5 | 22.0 | 9.5 |

SUSQUEHANNA RIVER BASIN

263

01547500 BALD EAGLE CREEK AT BLANCHARD, PA.

LOCATION.--Lat 41°03'06", long 77°36'17", Centre County, at gaging station on left bank, 0.4 mi (0.6 km) downstream from Foster Joseph Sayers Reservoir, 0.7 mi (1.1 km) upstream from Marsh Creek, and 0.9 mi (1.4 km) south of Blanchard.

DRAINAGE AREA.--339 mi² (878 km²).

PERIOD OF RECORD.--Chemical analyses: October 1959 to September 1972.

Water temperatures: October 1956 to September 1957, August 1967 to September 1974.

Sediment records: December 1955 to March 1958 (partial-record station).

EXTREMES.--1973-74:

Water temperatures: Maximum, 24.0°C July 18, 19; minimum, 1.0°C Jan. 12-14.

Period of record:

Water temperatures: Maximum, 33.0°C June 20, 1957; minimum, freezing point Jan. 13, 14, 1957, Jan. 26, Feb. 18, 23, 1968.

REMARKS.--The thermograph at this site records continuous water temperature of the outflow from Foster Joseph Sayers Reservoir.

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| | OCTOBER | | NOVEMBER | | DECEMBER | | JANUARY | | FEBRUARY | | MARCH | |
|-------|---------|------|----------|------|----------|-----|---------|-----|----------|-----|-------|-----|
| DAY | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN |
| 1 | 18.5 | 18.0 | --- | --- | 7.0 | 6.5 | 4.0 | 3.5 | 6.5 | 5.5 | 3.0 | 3.0 |
| 2 | 18.5 | 18.5 | 12.0 | 11.5 | 7.0 | 6.5 | 3.5 | 3.0 | 5.5 | 4.0 | 2.0 | 2.0 |
| 3 | 19.5 | 18.5 | 11.5 | 11.0 | 7.0 | 6.0 | 3.5 | 3.5 | 4.0 | 3.5 | 3.0 | 2.0 |
| 4 | 19.5 | 18.5 | 11.0 | 10.5 | 7.0 | 6.5 | 3.5 | 3.0 | 3.5 | 3.5 | 4.0 | 3.0 |
| 5 | 19.0 | 18.5 | 10.5 | 10.5 | 7.0 | 6.5 | 3.0 | 2.0 | 3.5 | 3.5 | 4.0 | 3.0 |
| 6 | 19.0 | 18.0 | 10.5 | 9.5 | 6.5 | 6.5 | 3.0 | 2.0 | --- | --- | 5.0 | 3.5 |
| 7 | 18.0 | 17.0 | 9.5 | 9.0 | 6.5 | 6.0 | 3.0 | 2.0 | 3.0 | 1.5 | 5.5 | 4.5 |
| 8 | 18.5 | 17.0 | 9.5 | 9.0 | 6.0 | 5.5 | 3.0 | 2.0 | 2.0 | 1.5 | 5.5 | 4.5 |
| 9 | 18.0 | 17.0 | 8.5 | 8.0 | 5.5 | 5.0 | 2.0 | 2.0 | 2.0 | 1.5 | 5.5 | 5.0 |
| 10 | 18.5 | 17.0 | 8.0 | 7.0 | 5.0 | 5.0 | 2.0 | 2.0 | 2.0 | 1.5 | 5.0 | 4.5 |
| 11 | 18.0 | 17.0 | 7.0 | 6.5 | 5.0 | 4.5 | 2.0 | 2.0 | 3.0 | 2.0 | 5.5 | 5.0 |
| 12 | 18.5 | 17.0 | 7.0 | 6.5 | 4.5 | 4.0 | 2.0 | 1.0 | 3.5 | 2.0 | 5.5 | 5.5 |
| 13 | 18.0 | 17.0 | 8.0 | 6.5 | 4.5 | 4.0 | 1.5 | 1.0 | 3.5 | 3.0 | 6.0 | 5.5 |
| 14 | --- | --- | 8.0 | 7.0 | 4.0 | 4.0 | 1.5 | 1.0 | 3.5 | 2.0 | 6.0 | 5.5 |
| 15 | --- | --- | 8.5 | 7.0 | 4.0 | 3.5 | 2.0 | 1.5 | 3.5 | 2.0 | 6.0 | 5.0 |
| 16 | --- | --- | 8.0 | 7.0 | 3.5 | 3.0 | 3.0 | 2.0 | 3.0 | 2.0 | 5.0 | 5.0 |
| 17 | --- | --- | 8.0 | 7.0 | 3.0 | 2.0 | 2.0 | 1.5 | 3.5 | 2.0 | 5.0 | 4.5 |
| 18 | 16.0 | 15.5 | 7.0 | 6.5 | 2.0 | 1.5 | 2.0 | 2.0 | 3.5 | 2.0 | 5.5 | 4.5 |
| 19 | 15.5 | 15.0 | 7.0 | 6.5 | 1.5 | 1.5 | 2.0 | 2.0 | 3.5 | 2.0 | 5.5 | 4.5 |
| 20 | 14.5 | 14.0 | 7.0 | 6.5 | 1.5 | 1.5 | 1.5 | 1.5 | 3.5 | 2.0 | 6.0 | 4.5 |
| 21 | 15.0 | 14.0 | 7.0 | 6.5 | 1.5 | 1.5 | 2.0 | 1.5 | 4.5 | 3.0 | 5.0 | 4.0 |
| 22 | 15.0 | 13.0 | --- | --- | 1.5 | 1.5 | 4.0 | 3.0 | 4.5 | 3.0 | 5.5 | 4.0 |
| 23 | 15.5 | 12.0 | 7.0 | 8.0 | 2.0 | 1.5 | 4.5 | 4.0 | 4.0 | 3.0 | 6.5 | 4.5 |
| 24 | 15.0 | 12.0 | 7.0 | 7.0 | 2.0 | 1.5 | 4.5 | 4.0 | 3.5 | 3.5 | 6.0 | 5.0 |
| 25 | --- | --- | 7.0 | 7.0 | 3.0 | 2.0 | 5.0 | 4.0 | 3.5 | 3.0 | 6.0 | 4.5 |
| 26 | --- | --- | 7.0 | 6.5 | 3.0 | 2.0 | 5.0 | 4.5 | 3.0 | 2.0 | 6.5 | 5.0 |
| 27 | 14.5 | 11.5 | 8.0 | 7.0 | 3.5 | 3.0 | 5.5 | 4.5 | 3.5 | 2.0 | 7.0 | 5.0 |
| 28 | 14.0 | 11.5 | 8.5 | 8.0 | 4.0 | 3.0 | 5.5 | 5.5 | 3.0 | 3.0 | 6.5 | 6.0 |
| 29 | 13.5 | 12.0 | 8.5 | 8.0 | 4.0 | 4.0 | 6.0 | 5.5 | --- | --- | 6.0 | 5.0 |
| 30 | 13.5 | 11.5 | 8.0 | 7.0 | 4.5 | 4.0 | 6.5 | 6.0 | --- | --- | 5.0 | 4.5 |
| 31 | --- | --- | --- | --- | 4.0 | 4.0 | 6.0 | 6.0 | --- | --- | 4.5 | 4.5 |
| MONTH | --- | --- | 12.0 | 6.5 | 7.0 | 1.5 | 6.5 | 1.0 | 6.5 | 1.5 | 7.0 | 2.0 |

SUSQUEHANNA RIVER BASIN

01547500 BALD EAGLE CREEK AT BLANCHARD, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | APRIL | | MAY | | JUNE | | JULY | | AUGUST | | SEPTEMBER | |
|-------|-------|------|------|------|------|------|------|------|--------|------|-----------|------|
| | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN |
| 1 | 5.0 | 4.5 | --- | --- | 16.5 | 16.0 | 18.0 | 16.5 | --- | --- | 21.0 | 20.5 |
| 2 | 6.0 | 5.0 | --- | --- | 16.0 | 15.5 | 18.5 | 17.0 | --- | --- | 21.0 | 20.5 |
| 3 | 6.0 | 5.0 | --- | --- | 16.5 | 16.0 | 19.0 | 17.0 | 22.0 | 21.5 | 21.0 | 20.5 |
| 4 | 7.0 | 6.5 | --- | --- | 17.0 | 16.0 | 20.0 | 18.0 | 22.0 | 21.0 | 20.5 | 20.0 |
| 5 | 8.5 | 7.0 | --- | --- | 16.5 | 15.5 | 19.5 | 18.5 | 22.0 | 21.0 | 20.0 | 19.5 |
| 6 | 8.0 | 8.0 | --- | --- | 16.5 | 15.5 | 18.5 | 18.0 | 23.0 | 21.5 | 20.0 | 19.0 |
| 7 | 8.5 | 8.0 | --- | --- | 16.5 | 15.5 | 19.0 | 17.0 | 23.5 | 22.0 | 19.5 | 19.0 |
| 8 | 8.5 | 8.0 | --- | --- | 16.5 | 16.0 | 19.5 | 18.0 | 23.0 | 22.0 | 19.5 | 18.5 |
| 9 | 8.5 | 8.5 | --- | --- | 17.0 | 16.0 | 20.5 | 18.5 | 22.0 | 21.0 | 20.0 | 19.5 |
| 10 | 9.0 | 8.0 | --- | --- | 17.0 | 16.0 | 20.5 | 19.5 | 21.5 | 21.0 | 19.5 | 19.0 |
| 11 | 9.5 | 8.5 | 13.5 | 11.5 | 19.5 | 17.0 | 20.0 | 19.5 | 22.0 | 21.0 | 19.5 | 19.0 |
| 12 | 9.5 | 8.5 | 13.5 | 12.0 | 18.5 | 17.0 | 21.0 | 20.0 | 22.0 | 21.0 | 21.0 | 19.5 |
| 13 | 10.5 | 8.5 | 13.5 | 12.0 | 18.5 | 16.5 | 21.5 | 20.5 | 23.0 | 21.5 | 21.0 | 20.0 |
| 14 | 11.0 | 9.5 | 14.5 | 13.0 | 18.5 | 16.5 | 23.0 | 21.0 | 23.0 | 21.5 | 20.5 | 19.5 |
| 15 | 10.5 | 9.5 | 14.5 | 13.5 | 18.5 | 16.5 | 23.0 | 22.0 | 22.0 | 21.0 | 20.0 | 19.0 |
| 16 | 10.5 | 9.5 | 15.0 | 14.0 | 19.0 | 17.0 | 23.0 | 21.5 | 22.0 | 21.5 | 20.0 | 19.0 |
| 17 | 12.0 | 10.0 | 16.0 | 14.5 | 19.5 | 18.5 | 23.5 | 21.5 | 22.0 | 21.0 | 20.0 | 19.0 |
| 18 | 12.0 | 11.0 | 15.5 | 14.5 | 19.5 | 18.5 | 24.0 | 22.0 | 21.5 | 21.0 | 20.0 | 19.5 |
| 19 | 11.5 | 11.0 | 15.0 | 14.0 | 21.0 | 19.0 | 24.0 | 23.0 | 22.0 | 21.0 | 19.5 | 19.0 |
| 20 | 12.0 | 10.0 | 14.5 | 13.5 | 21.5 | 20.0 | 23.5 | 22.0 | 22.0 | 21.0 | 19.5 | 19.0 |
| 21 | 13.0 | 11.0 | 14.5 | 13.5 | 21.0 | 20.0 | 23.5 | 21.5 | 22.0 | 21.0 | 19.5 | 18.5 |
| 22 | 13.0 | 11.5 | 15.0 | 14.0 | 21.0 | 20.0 | 23.5 | 21.5 | 21.5 | 21.0 | 19.0 | 18.0 |
| 23 | 12.0 | 12.0 | 14.5 | 13.5 | 20.0 | 18.5 | 22.0 | 21.5 | 23.0 | 21.5 | 19.0 | 18.0 |
| 24 | 12.0 | 11.0 | 14.5 | 14.0 | 20.0 | 18.5 | 22.0 | 21.0 | 22.0 | 21.0 | 18.5 | 17.0 |
| 25 | 11.5 | 10.5 | 14.0 | 13.5 | 18.5 | 18.0 | 22.0 | 21.0 | 21.5 | 20.5 | 18.5 | 17.0 |
| 26 | 12.0 | 10.5 | 14.5 | 14.0 | 18.0 | 17.0 | 21.5 | 21.5 | 21.5 | 21.0 | 18.5 | 17.0 |
| 27 | 12.0 | 10.0 | 15.0 | 14.0 | 17.0 | 16.5 | 23.0 | 21.0 | 23.0 | 21.0 | 18.5 | 18.0 |
| 28 | 14.0 | 11.0 | 15.5 | 14.5 | 16.5 | 16.0 | 21.5 | 21.0 | 22.0 | 21.0 | 18.0 | 17.0 |
| 29 | 14.5 | 11.5 | 15.5 | 15.0 | 17.0 | 16.0 | 22.0 | 21.0 | 21.5 | 21.0 | 18.5 | 17.0 |
| 30 | 13.5 | 12.0 | 16.0 | 15.5 | 17.0 | 16.0 | --- | --- | 21.5 | 21.0 | 17.0 | 16.5 |
| 31 | --- | --- | 16.5 | 16.0 | --- | --- | --- | --- | 21.5 | 21.0 | --- | --- |
| MONTH | 14.5 | 4.5 | --- | --- | 21.5 | 15.5 | 24.0 | 16.5 | 23.5 | 20.5 | 21.0 | 16.5 |

SUSQUEHANNA RIVER BASIN

265

01547950 BEECH CREEK AT MONUMENT, PA.

LOCATION.--Lat 41°06'42", long 77°42'09", Centre County, at gaging station on right bank 800 ft (244 m) downstream from bridge at Monument, 850 ft (259 m) downstream from Monument Run, 0.6 mi (1.0 km) upstream from Twin Run, and 8.7 mi (14 km) upstream from mouth.

DRAINAGE AREA.--152 mi² (394 km²).

PERIOD OF RECORD.--Chemical analyses: December 1968 to September 1974.
Water temperatures: December 1968 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum, 470 micromhos Aug. 25; minimum, 89 micromhos Mar. 10, 11.

pH: Maximum, 4.3 Mar. 10, 11; minimum, 3.2 on several days during July and August.

Water temperatures: Maximum, 24.0°C Aug. 14; minimum, freezing point on several days during December, January, and February.

Period of record:

Specific conductance: Maximum, 519 micromhos Sept. 14, 1972; minimum, 89 micromhos Mar. 10, 11, 1974.

pH: Maximum, 7.3 Dec. 17, 1969; minimum, 2.9 June 29, 30, 1969.

Water temperatures: Maximum, 28.5°C June 20, 1971; minimum, freezing point on many days during winter periods.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS- CHARGE (CFS) | DIS- SOLVED SILICA (SiO ₂) (MG/L) | TOTAL ALUM- INUM (AL) (UG/L) | DIS- SOLVED ALUM- INUM (AL) (UG/L) | TOTAL IRON (FE) (UG/L) | DIS- SOLVED IRON (FE) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) |
|---------------|------|--|---|--|---|---------------------------------|--|---|--|--|
| OCT. 19... | 0845 | 69 | 5.9 | 3100 | -- | -- | 570 | -- | 6500 | 19 |
| DEC. 05... | 0830 | 348 | 4.6 | -- | 1600 | -- | 390 | -- | 1200 | 8.4 |
| JAN. 10... | 1300 | 246 | 3.8 | -- | 2800 | -- | 830 | -- | 1800 | 11 |
| FEB. 14... | 0830 | 203 | -- | -- | 3400 | -- | -- | -- | -- | -- |
| MAR. 29... | 1100 | 273 | 5.2 | -- | 1900 | 560 | -- | 1500 | -- | 10 |
| MAY 29... | 1115 | 177 | 5.8 | -- | 2400 | -- | 320 | -- | 1700 | 11 |
| JULY 10... | 1115 | 361 | 6.2 | -- | 2400 | -- | 340 | -- | 1500 | 10 |
| AUG. 29... | 0945 | 97 | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP. 19... | 1030 | 94 | -- | -- | 5000 | -- | 550 | -- | 3300 | -- |

| DATE | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) | ALKA- LINITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) |
|---------------|---|--|--|---|--|--|---|---|--|-----------------------------------|
| OCT. 19... | 11 | 2.2 | 1.4 | 0 | 0 | 0 | 100 | 3.2 | .3 | .09 |
| DEC. 05... | 5.2 | 2.0 | 1.2 | 0 | 0 | 0 | 50 | 2.3 | .1 | .19 |
| JAN. 10... | 7.4 | 1.6 | .9 | 0 | 0 | 0 | 76 | 2.2 | .2 | .23 |
| FEB. 14... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MAR. 29... | 6.4 | 1.2 | 1.0 | 0 | 0 | 0 | 65 | 2.1 | .3 | .22 |
| MAY 29... | 7.3 | 1.6 | 1.5 | -- | 0 | -- | 69 | 2.1 | .1 | -- |
| JULY 10... | 7.0 | 1.5 | 1.2 | 0 | 0 | 0 | 74 | 1.9 | .3 | -- |
| AUG. 29... | -- | -- | -- | -- | -- | -- | 167 | -- | -- | -- |
| SEP. 19... | -- | -- | -- | -- | -- | -- | 106 | -- | -- | -- |

SUSQUEHANNA RIVER BASIN

01547950 BEECH CREEK AT MONUMENT, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| | | DIS- SOLVED NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | DIS- SOLVED NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | DIS- SOLVED NITRITE PLUS NITRATE (N) (MG/L) | DIS- SOLVED ORTHO- PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L) | HARD- NESS (CA,MG) (MG/L) |
|-------|--|--|-----------------------------------|--|--|---|--|--|---|------------------------------------|
| DATE | | | | | | | | | | |
| OCT. | | | | | | | | | | |
| 19... | | -- | .00 | -- | .09 | -- | -- | 184 | 151 | 93 |
| DEC. | | | | | | | | | | |
| 05... | | -- | .00 | -- | .19 | -- | -- | 95 | 77 | 42 |
| JAN. | | | | | | | | | | |
| 10... | | -- | .00 | -- | .23 | -- | -- | 127 | 109 | 58 |
| FEB. | | | | | | | | | | |
| 14... | | -- | -- | -- | -- | -- | -- | 170 | -- | -- |
| MAR. | | | | | | | | | | |
| 29... | | -- | .00 | -- | .22 | -- | -- | 112 | 94 | 51 |
| MAY | | | | | | | | | | |
| 29... | | .16 | -- | .01 | -- | .17 | .05 | 121 | -- | 58 |
| JULY | | | | | | | | | | |
| 10... | | .13 | -- | .01 | -- | .14 | .00 | 110 | 107 | 54 |
| AUG. | | | | | | | | | | |
| 29... | | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| SEP. | | | | | | | | | | |
| 19... | | -- | -- | -- | -- | -- | -- | -- | -- | -- |

| | | NON- CAR- BONATE HARD- NESS (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | COLOR (PLAT- INUM- COBALT UNITS) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) |
|-------|--|---|--|---|--|---------------|-----------------------------|--|------------------------------------|--------------------------------------|
| DATE | | | | | | | | | | |
| OCT. | | | | | | | | | | |
| 19... | | 93 | .6 | 31 | 294 | 3.7 | 6.8 | 1 | -- | .0 |
| DEC. | | | | | | | | | | |
| 05... | | 42 | .3 | 17 | 148 | 4.0 | 8.5 | 2 | -- | .0 |
| JAN. | | | | | | | | | | |
| 10... | | 58 | .5 | 25 | 203 | 4.1 | 5.0 | 3 | -- | .0 |
| FEB. | | | | | | | | | | |
| 14... | | -- | -- | -- | 226 | 3.8 | 3.3 | 3 | -- | -- |
| MAR. | | | | | | | | | | |
| 29... | | 51 | .4 | 21 | 189 | 3.5 | 1.2 | 1 | -- | .0 |
| MAY | | | | | | | | | | |
| 29... | | 58 | .4 | 20 | 220 | 4.0 | 14.0 | -- | -- | .0 |
| JULY | | | | | | | | | | |
| 10... | | 54 | .4 | 20 | 220 | 3.7 | 15.5 | -- | 9.3 | .0 |
| AUG. | | | | | | | | | | |
| 29... | | -- | 1.1 | 53 | 409 | 3.3 | 18.0 | -- | 8.8 | -- |
| SEP. | | | | | | | | | | |
| 19... | | -- | .8 | 21 | 320 | 3.4 | 13.5 | -- | 10.4 | -- |

| | | DIS- SOLVED ARSENIC (AS) (UG/L) | DIS- SOLVED CAD- MIUM (CD) (UG/L) | DIS- SOLVED CHRO- MIUM (CK) (UG/L) | DIS- SOLVED COBALT (CO) (UG/L) | DIS- SOLVED COPPER (CU) (UG/L) | DIS- SOLVED LEAD (PB) (UG/L) | DIS- SOLVED MERCURY (HG) (UG/L) | DIS- SOLVED SELE- NIUM (SE) (UG/L) | DIS- SOLVED SILVER (AG) (UG/L) | DIS- SOLVED ZINC (ZN) (UG/L) |
|-------|------|---|--|---|--|--|--|---|---|--|--|
| DATE | TIME | | | | | | | | | | |
| SEP. | | | | | | | | | | | |
| 19... | 1030 | <1 | 3 | <10 | 80 | 10 | 6 | <.5 | 2 | 0 | 290 |

SUSQUEHANNA RIVER BASIN

267

01547950 BEECH CREEK AT MONUMENT, PA.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 412 | 378 | 390 | --- | --- | --- | 124 | 120 | 122 | 144 | 138 | 141 |
| 2 | 379 | 331 | 352 | --- | --- | --- | 137 | 123 | 126 | 150 | 143 | 145 |
| 3 | 385 | 357 | 371 | --- | --- | --- | 145 | 130 | 133 | 157 | 149 | 154 |
| 4 | 374 | 321 | 356 | --- | --- | --- | 149 | 137 | 141 | 168 | 158 | 162 |
| 5 | 388 | 245 | 310 | --- | --- | --- | 149 | 137 | 144 | 174 | 161 | 168 |
| 6 | 275 | 222 | 239 | --- | --- | --- | 165 | 135 | 147 | 185 | 174 | 182 |
| 7 | 224 | 215 | 219 | --- | --- | --- | 136 | 130 | 132 | 193 | 186 | 189 |
| 8 | 218 | 214 | 216 | --- | --- | --- | 132 | 129 | 131 | 201 | 188 | 194 |
| 9 | 221 | 216 | 218 | --- | --- | --- | 159 | 125 | 132 | 211 | 201 | 204 |
| 10 | 231 | 219 | 224 | 175 | 165 | 170 | 168 | 137 | 149 | 218 | 207 | 212 |
| 11 | 239 | 229 | 234 | 184 | 173 | 179 | 144 | 131 | 136 | 232 | 214 | 220 |
| 12 | 251 | 238 | 244 | --- | --- | --- | 134 | 131 | 133 | 239 | 226 | 233 |
| 13 | 260 | 249 | 254 | --- | --- | --- | 139 | 135 | 137 | 245 | 211 | 228 |
| 14 | 278 | 251 | 262 | --- | --- | --- | 145 | 134 | 139 | --- | --- | --- |
| 15 | 285 | 276 | 280 | --- | --- | --- | 152 | 143 | 147 | --- | --- | --- |
| 16 | 284 | 275 | 278 | 238 | 201 | 221 | 157 | 148 | 153 | --- | --- | --- |
| 17 | 287 | 281 | 284 | 236 | 220 | 226 | 162 | 157 | 159 | --- | --- | --- |
| 18 | 292 | 286 | 289 | 225 | 220 | 223 | 180 | 160 | 167 | --- | --- | --- |
| 19 | 310 | 292 | 300 | 234 | 224 | 229 | 180 | 171 | 176 | 229 | 211 | 218 |
| 20 | 313 | 309 | 311 | 237 | 232 | 235 | 184 | 155 | 176 | 218 | 194 | 204 |
| 21 | 319 | 310 | 314 | 238 | 235 | 237 | 209 | 143 | 175 | 196 | 175 | 185 |
| 22 | 329 | 314 | 318 | --- | --- | --- | 143 | 131 | 135 | 177 | 142 | 154 |
| 23 | 337 | 324 | 331 | --- | --- | --- | 135 | 130 | 133 | 143 | 134 | 139 |
| 24 | 324 | 316 | 319 | --- | --- | --- | 137 | 132 | 134 | 141 | 128 | 132 |
| 25 | 345 | 314 | 329 | --- | --- | --- | 144 | 136 | 140 | 142 | 127 | 135 |
| 26 | 357 | 344 | 350 | --- | --- | --- | 164 | 140 | 152 | 148 | 140 | 143 |
| 27 | 371 | 366 | 368 | --- | --- | --- | 160 | 125 | 140 | 157 | 147 | 153 |
| 28 | 373 | 367 | 369 | 162 | 141 | 148 | 126 | 110 | 115 | 148 | 137 | 144 |
| 29 | 368 | 230 | 326 | 147 | 122 | 132 | 123 | 111 | 114 | 156 | 128 | 139 |
| 30 | 286 | 139 | 170 | 122 | 119 | 120 | 130 | 122 | 125 | 131 | 127 | 129 |
| 31 | --- | --- | --- | --- | --- | --- | 139 | 128 | 133 | 140 | 129 | 134 |
| MONTH | 412 | 139 | 294 | --- | --- | --- | 209 | 110 | 141 | 245 | 127 | 171 |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 142 | 134 | 137 | 189 | 166 | 175 | 198 | 179 | 188 | 257 | 209 | 237 |
| 2 | 151 | 142 | 146 | 187 | 172 | 176 | 189 | 167 | 180 | 234 | 217 | 225 |
| 3 | 160 | 150 | 155 | 197 | 176 | 189 | 172 | 110 | 130 | 227 | 214 | 220 |
| 4 | 164 | 157 | 161 | 200 | 182 | 191 | --- | --- | --- | 226 | 208 | 214 |
| 5 | 177 | 161 | 168 | 184 | 176 | 179 | --- | --- | --- | 210 | 201 | 205 |
| 6 | 183 | 175 | 179 | 178 | 162 | 171 | 124 | 103 | 114 | 205 | 196 | 200 |
| 7 | 194 | 180 | 187 | 166 | 161 | 163 | 138 | 123 | 130 | 205 | 196 | 200 |
| 8 | 202 | 193 | 196 | 166 | 139 | 154 | 149 | 137 | 143 | 199 | 193 | 196 |
| 9 | 215 | 194 | 205 | 177 | 100 | 134 | 162 | 149 | 156 | 199 | 193 | 196 |
| 10 | 229 | 193 | 213 | 103 | 89 | 94 | 176 | 160 | 166 | 204 | 195 | 199 |
| 11 | 234 | 212 | 219 | 101 | 89 | 94 | 187 | 174 | 179 | 208 | 201 | 204 |
| 12 | 230 | 219 | 224 | 112 | 100 | 105 | 193 | 179 | 186 | 211 | 180 | 196 |
| 13 | 241 | 229 | 234 | 125 | 111 | 116 | 185 | 177 | 181 | 204 | 107 | 129 |
| 14 | 263 | 237 | 248 | 137 | 124 | 129 | 177 | 163 | 172 | 108 | 103 | 105 |
| 15 | 241 | 234 | 238 | 146 | 137 | 140 | 170 | 156 | 161 | 113 | 105 | 108 |
| 16 | 256 | 221 | 241 | 158 | 146 | 151 | 161 | 156 | 158 | 123 | 111 | 117 |
| 17 | 258 | 238 | 249 | 162 | 157 | 160 | 166 | 157 | 161 | 129 | 121 | 124 |
| 18 | 254 | 249 | 251 | 168 | 161 | 163 | 174 | 163 | 168 | 147 | 135 | 141 |
| 19 | 260 | 251 | 256 | 177 | 167 | 172 | 184 | 171 | 176 | 157 | 145 | 150 |
| 20 | 270 | 256 | 262 | 183 | 176 | 180 | 187 | 179 | 183 | 164 | 154 | 159 |
| 21 | 285 | 269 | 280 | 213 | 174 | 187 | 195 | 185 | 189 | 174 | 163 | 167 |
| 22 | 283 | 232 | 253 | 214 | 172 | 185 | 197 | 191 | 194 | 180 | 171 | 174 |
| 23 | 232 | 168 | 185 | 178 | 174 | 176 | 209 | 195 | 203 | --- | --- | --- |
| 24 | 172 | 159 | 165 | 177 | 173 | 175 | 205 | 199 | 201 | --- | --- | --- |
| 25 | 164 | 154 | 159 | 179 | 170 | 172 | 213 | 203 | 207 | 185 | 178 | 180 |
| 26 | 157 | 152 | 154 | --- | --- | --- | 214 | 205 | 210 | 193 | 183 | 187 |
| 27 | 162 | 152 | 158 | --- | --- | --- | 217 | 208 | 212 | 197 | 189 | 192 |
| 28 | 169 | 161 | 166 | --- | --- | --- | 222 | 214 | 217 | 205 | 196 | 200 |
| 29 | --- | --- | --- | --- | --- | --- | 225 | 218 | 221 | 212 | 203 | 207 |
| 30 | --- | --- | --- | 198 | 184 | 191 | 225 | 211 | 221 | 235 | 218 | 228 |
| 31 | --- | --- | --- | 224 | 194 | 204 | --- | --- | --- | 228 | 201 | 223 |
| MONTH | 285 | 134 | 203 | 224 | 89 | 160 | 225 | 103 | 179 | 257 | 103 | 182 |

SUSQUEHANNA RIVER BASIN

01547950 BEECH CREEK AT MONUMENT, PA.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 288 | 199 | 235 | 213 | 104 | 130 | 277 | 255 | 264 | 352 | 159 | 305 |
| 2 | 212 | 201 | 206 | 112 | 96 | 106 | 293 | 274 | 281 | 320 | 168 | 202 |
| 3 | 214 | 208 | 211 | 133 | 112 | 122 | 303 | 292 | 297 | 227 | 149 | 174 |
| 4 | 214 | 205 | 210 | 160 | 125 | 132 | 317 | 288 | 302 | 171 | 121 | 128 |
| 5 | --- | --- | --- | 222 | 157 | 174 | 326 | 299 | 312 | 129 | 120 | 118 |
| 6 | --- | --- | --- | 190 | 155 | 163 | 314 | 299 | 305 | 142 | 127 | 133 |
| 7 | --- | --- | --- | 163 | 156 | 159 | 318 | 313 | 316 | 158 | 142 | 150 |
| 8 | --- | --- | --- | 173 | 159 | 166 | 371 | 333 | 345 | 175 | 158 | 165 |
| 9 | --- | --- | --- | 188 | 169 | 177 | 365 | 343 | 353 | 192 | 174 | 182 |
| 10 | --- | --- | --- | 200 | 185 | 192 | 386 | 358 | 344 | 209 | 191 | 199 |
| 11 | --- | --- | --- | 218 | 199 | 206 | 391 | 372 | 380 | 224 | 208 | 214 |
| 12 | --- | --- | --- | 236 | 211 | 224 | 385 | 373 | 376 | 232 | 222 | 228 |
| 13 | 257 | 247 | 252 | 251 | 233 | 240 | 399 | 364 | 377 | 243 | 232 | 239 |
| 14 | 265 | 256 | 259 | 262 | 248 | 253 | 407 | 330 | 397 | 290 | 239 | 268 |
| 15 | 270 | 175 | 252 | 327 | 229 | 271 | 420 | 393 | 402 | 272 | 258 | 264 |
| 16 | 275 | 158 | 186 | 274 | 253 | 260 | 421 | 401 | 411 | 283 | 268 | 273 |
| 17 | 161 | 156 | 158 | 293 | 273 | 280 | 429 | 384 | 407 | 295 | 282 | 288 |
| 18 | 158 | 150 | 154 | 304 | 292 | 298 | 464 | 425 | 448 | 306 | 294 | 299 |
| 19 | 162 | 153 | 157 | 306 | 303 | 304 | 428 | 399 | 406 | 310 | 303 | 307 |
| 20 | 173 | 160 | 165 | 314 | 305 | 308 | 433 | 409 | 416 | 311 | 300 | 306 |
| 21 | 185 | 172 | 173 | 329 | 313 | 319 | 441 | 427 | 435 | 313 | 236 | 291 |
| 22 | 197 | 183 | 189 | 332 | 324 | 327 | 441 | 433 | 437 | 364 | 219 | 256 |
| 23 | 214 | 186 | 196 | 335 | 326 | 332 | 451 | 436 | 440 | 245 | 224 | 234 |
| 24 | 218 | 211 | 214 | 326 | 309 | 316 | 465 | 449 | 457 | 253 | 244 | 249 |
| 25 | 226 | 211 | 217 | 334 | 317 | 326 | 470 | 449 | 458 | 257 | 252 | 254 |
| 26 | 236 | 222 | 231 | 341 | 332 | 336 | 459 | 449 | 454 | 264 | 256 | 260 |
| 27 | 228 | 223 | 226 | 354 | 300 | 346 | 461 | 454 | 458 | 264 | 257 | 260 |
| 28 | 237 | 209 | 227 | 355 | 299 | 344 | 460 | 422 | 451 | 267 | 260 | 263 |
| 29 | 240 | 206 | 226 | 335 | 218 | 304 | 423 | 392 | 407 | 272 | 262 | 268 |
| 30 | 230 | 124 | 213 | 290 | 194 | 213 | 430 | 351 | 394 | 292 | 268 | 281 |
| 31 | --- | --- | --- | 255 | 214 | 231 | 404 | 349 | 378 | --- | --- | --- |
| MONTH | --- | --- | --- | 355 | 96 | 244 | 470 | 255 | 384 | 364 | 120 | 235 |

PH (UNITS), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 3.4 | 3.4 | 3.4 | --- | --- | --- | 4.1 | 4.0 | 4.1 | 4.3 | 4.2 | 4.3 |
| 2 | 3.5 | 3.3 | 3.4 | --- | --- | --- | 4.1 | 4.1 | 4.1 | 4.3 | 4.2 | 4.3 |
| 3 | 3.4 | 3.4 | 3.4 | --- | --- | --- | 4.1 | 4.0 | 4.1 | 4.3 | 4.2 | 4.2 |
| 4 | 3.5 | 3.4 | 3.4 | --- | --- | --- | 4.0 | 4.0 | 4.0 | 4.2 | 4.2 | 4.2 |
| 5 | 3.6 | 3.4 | 3.5 | --- | --- | --- | 4.1 | 4.0 | 4.1 | 4.2 | 4.1 | 4.1 |
| 6 | 3.7 | 3.6 | 3.7 | --- | --- | --- | 4.2 | 4.0 | 4.1 | 4.1 | 3.9 | 4.0 |
| 7 | 3.8 | 3.7 | 3.7 | --- | --- | --- | 4.2 | 4.2 | 4.2 | 4.0 | 3.9 | 4.0 |
| 8 | 3.8 | 3.7 | 3.7 | --- | --- | --- | 4.2 | 4.2 | 4.2 | 4.0 | 3.9 | 4.0 |
| 9 | 3.7 | 3.7 | 3.7 | --- | --- | --- | 4.2 | 4.1 | 4.2 | 4.1 | 4.0 | 4.1 |
| 10 | 3.7 | 3.7 | 3.7 | 4.3 | 4.2 | 4.2 | 4.2 | 4.1 | 4.2 | 4.0 | 3.9 | 3.9 |
| 11 | 3.9 | 3.7 | 3.8 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 | 4.0 | 3.9 | 4.0 |
| 12 | 3.9 | 3.8 | 3.9 | 4.3 | 4.3 | 4.3 | 4.2 | 4.2 | 4.2 | 4.0 | 3.9 | 4.0 |
| 13 | 3.9 | 3.8 | 3.8 | --- | --- | --- | 4.2 | 4.1 | 4.1 | 4.1 | 4.0 | 4.0 |
| 14 | 3.8 | 3.8 | 3.8 | --- | --- | --- | 4.2 | 4.1 | 4.1 | --- | --- | --- |
| 15 | 3.8 | 3.7 | 3.8 | --- | --- | --- | 4.2 | 4.1 | 4.1 | --- | --- | --- |
| 16 | 3.8 | 3.8 | 3.8 | 3.8 | 3.7 | 3.7 | 4.2 | 4.1 | 4.1 | --- | --- | --- |
| 17 | 3.8 | 3.8 | 3.8 | 3.7 | 3.7 | 3.7 | 4.1 | 4.1 | 4.1 | --- | --- | --- |
| 18 | 3.8 | 3.8 | 3.8 | 3.7 | 3.6 | 3.7 | 4.1 | 4.0 | 4.1 | --- | --- | --- |
| 19 | 3.8 | 3.7 | 3.8 | 3.7 | 3.7 | 3.7 | 4.1 | 4.0 | 4.0 | 3.9 | 3.8 | 3.8 |
| 20 | 3.8 | 3.8 | 3.8 | 3.7 | 3.7 | 3.7 | 4.1 | 3.9 | 4.0 | 3.9 | 3.9 | 3.9 |
| 21 | 3.8 | 3.7 | 3.8 | 3.9 | 3.7 | 3.7 | 4.2 | 4.0 | 4.1 | 4.0 | 3.9 | 3.9 |
| 22 | 3.8 | 3.7 | 3.8 | --- | --- | --- | 4.3 | 4.1 | 4.2 | 4.1 | 4.0 | 4.0 |
| 23 | 3.8 | 3.7 | 3.7 | --- | --- | --- | 4.3 | 4.2 | 4.2 | 4.2 | 4.0 | 4.0 |
| 24 | 3.8 | 3.7 | 3.7 | --- | --- | --- | 4.3 | 4.2 | 4.3 | 4.1 | 4.0 | 4.1 |
| 25 | 3.8 | 3.7 | 3.7 | --- | --- | --- | 4.3 | 4.2 | 4.2 | 4.1 | 4.0 | 4.0 |
| 26 | 3.8 | 3.6 | 3.7 | --- | --- | --- | 4.2 | 4.1 | 4.2 | 4.1 | 4.0 | 4.1 |
| 27 | 3.7 | 3.6 | 3.7 | --- | --- | --- | 4.2 | 4.0 | 4.1 | 4.1 | 4.0 | 4.1 |
| 28 | 3.7 | 3.6 | 3.6 | 3.9 | 3.8 | 3.9 | 4.3 | 4.1 | 4.2 | 4.2 | 4.1 | 4.1 |
| 29 | 3.9 | 3.6 | 3.7 | 4.0 | 3.9 | 4.0 | 4.3 | 4.2 | 4.3 | 4.2 | 4.1 | 4.2 |
| 30 | 4.3 | 3.9 | 4.1 | 4.1 | 4.0 | 4.1 | 4.3 | 4.2 | 4.2 | 4.2 | 4.2 | 4.2 |
| 31 | --- | --- | --- | --- | --- | --- | 4.3 | 4.2 | 4.2 | 4.2 | 4.1 | 4.2 |
| MONTH | 4.3 | 3.3 | 3.7 | --- | --- | --- | 4.3 | 3.9 | 4.1 | 4.3 | 3.8 | 4.1 |

SUSQUEHANNA RIVER BASIN

269

01547950 BEECH CREEK AT MONUMENT, PA.--Continued

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 4.2 | 4.1 | 4.1 | 4.0 | 3.8 | 3.9 | 4.0 | 3.9 | 4.0 | 3.8 | 3.7 | 3.8 |
| 2 | 4.0 | 3.9 | 4.0 | 4.0 | 3.9 | 3.9 | 4.1 | 4.0 | 4.0 | 3.8 | 3.7 | 3.7 |
| 3 | 4.0 | 4.0 | 4.0 | 3.9 | 3.8 | 3.9 | 4.2 | 4.1 | 4.1 | 3.7 | 3.6 | 3.7 |
| 4 | 4.0 | 4.0 | 4.0 | 3.9 | 3.8 | 3.9 | --- | --- | --- | 3.8 | 3.7 | 3.7 |
| 5 | 4.0 | 4.0 | 4.0 | 3.9 | 3.8 | 3.9 | --- | --- | --- | 3.8 | 3.7 | 3.8 |
| 6 | 4.0 | 3.9 | 4.0 | 3.9 | 3.8 | 3.8 | 3.9 | 3.7 | 3.8 | 3.8 | 3.7 | 3.8 |
| 7 | 4.0 | 3.9 | 4.0 | 3.9 | 3.8 | 3.9 | 3.9 | 3.8 | 3.9 | 3.8 | 3.7 | 3.8 |
| 8 | 4.0 | 3.9 | 3.9 | 4.0 | 3.8 | 3.9 | 3.9 | 3.8 | 3.9 | 3.9 | 3.8 | 3.8 |
| 9 | 4.0 | 4.0 | 4.0 | 4.1 | 3.8 | 4.0 | 3.9 | 3.9 | 3.9 | 3.8 | 3.8 | 3.8 |
| 10 | 4.1 | 4.0 | 4.0 | 4.3 | 4.0 | 4.2 | 3.9 | 3.8 | 3.9 | 3.8 | 3.7 | 3.7 |
| 11 | 4.1 | 4.0 | 4.0 | 4.3 | 4.1 | 4.2 | 3.9 | 3.8 | 3.9 | 3.8 | 3.7 | 3.8 |
| 12 | 4.0 | 3.9 | 3.9 | 4.2 | 4.0 | 4.1 | 3.8 | 3.6 | 3.7 | 3.9 | 3.7 | 3.8 |
| 13 | 3.9 | 3.8 | 3.9 | 4.1 | 4.0 | 4.0 | 3.8 | 3.6 | 3.7 | 4.0 | 3.8 | 4.0 |
| 14 | 3.9 | 3.8 | 3.9 | 4.0 | 3.9 | 3.9 | 3.8 | 3.7 | 3.8 | 4.1 | 4.0 | 4.0 |
| 15 | 3.8 | 3.7 | 3.7 | 4.0 | 3.9 | 3.9 | 3.9 | 3.8 | 3.8 | 4.1 | 3.9 | 4.0 |
| 16 | 3.8 | 3.7 | 3.8 | 4.0 | 3.9 | 3.9 | 3.9 | 3.8 | 3.8 | 4.0 | 3.9 | 4.0 |
| 17 | 3.8 | 3.7 | 3.8 | 4.0 | 3.9 | 3.9 | 3.9 | 3.8 | 3.8 | 4.0 | 3.9 | 4.0 |
| 18 | 3.8 | 3.7 | 3.8 | 4.0 | 3.9 | 4.0 | 3.9 | 3.7 | 3.8 | 3.8 | 3.7 | 3.8 |
| 19 | 3.8 | 3.7 | 3.8 | 4.0 | 3.9 | 3.9 | 3.7 | 3.6 | 3.7 | 3.9 | 3.8 | 3.8 |
| 20 | 3.8 | 3.7 | 3.7 | 3.9 | 3.8 | 3.8 | 3.8 | 3.7 | 3.8 | 3.9 | 3.8 | 3.8 |
| 21 | 3.8 | 3.7 | 3.7 | 3.9 | 3.7 | 3.8 | 3.8 | 3.7 | 3.8 | 3.9 | 3.8 | 3.8 |
| 22 | 3.8 | 3.7 | 3.7 | 3.9 | 3.7 | 3.8 | 3.8 | 3.7 | 3.7 | 3.8 | 3.7 | 3.8 |
| 23 | 4.0 | 3.8 | 3.9 | 3.9 | 3.8 | 3.9 | 3.8 | 3.7 | 3.7 | --- | --- | --- |
| 24 | 4.0 | 3.9 | 4.0 | 3.9 | 3.8 | 3.9 | 3.8 | 3.7 | 3.8 | --- | --- | --- |
| 25 | 3.9 | 3.8 | 3.8 | 4.0 | 3.9 | 3.9 | 3.8 | 3.7 | 3.8 | 3.8 | 3.7 | 3.8 |
| 26 | 4.0 | 3.8 | 3.9 | --- | --- | --- | 3.9 | 3.7 | 3.8 | 3.8 | 3.7 | 3.8 |
| 27 | 4.0 | 3.9 | 4.0 | --- | --- | --- | 3.8 | 3.7 | 3.8 | 3.8 | 3.7 | 3.8 |
| 28 | 4.0 | 3.9 | 3.9 | --- | --- | --- | 3.8 | 3.7 | 3.8 | 3.8 | 3.7 | 3.8 |
| 29 | --- | --- | --- | --- | --- | --- | 3.8 | 3.7 | 3.8 | 3.8 | 3.7 | 3.8 |
| 30 | --- | --- | --- | 3.9 | 3.8 | 3.9 | 3.8 | 3.7 | 3.8 | 3.7 | 3.6 | 3.7 |
| 31 | --- | --- | --- | 3.9 | 3.9 | 3.9 | --- | --- | --- | 3.6 | 3.5 | 3.6 |
| MONTH | 4.2 | 3.7 | 3.9 | 4.3 | 3.7 | 3.9 | 4.2 | 3.6 | 3.8 | 4.1 | 3.5 | 3.8 |
| | | | | | | | | | | | | |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 3.7 | 3.5 | 3.6 | 3.8 | 3.5 | 3.8 | 3.6 | 3.5 | 3.6 | 3.8 | 3.4 | 3.5 |
| 2 | 3.7 | 3.6 | 3.6 | 3.8 | 3.7 | 3.8 | 3.5 | 3.4 | 3.5 | 3.8 | 3.5 | 3.7 |
| 3 | 3.7 | 3.6 | 3.6 | 3.8 | 3.7 | 3.7 | 3.4 | 3.4 | 3.4 | 3.9 | 3.7 | 3.8 |
| 4 | 3.7 | 3.6 | 3.6 | 3.8 | 3.7 | 3.8 | 3.4 | 3.3 | 3.4 | 4.0 | 3.9 | 4.0 |
| 5 | 3.7 | 3.6 | 3.6 | 3.8 | 3.6 | 3.7 | 3.5 | 3.3 | 3.4 | 4.0 | 3.9 | 3.7 |
| 6 | --- | --- | --- | 3.8 | 3.6 | 3.7 | 3.5 | 3.4 | 3.4 | 4.0 | 3.9 | 3.9 |
| 7 | --- | --- | --- | 3.8 | 3.7 | 3.7 | 3.4 | 3.4 | 3.4 | 4.0 | 3.9 | 3.9 |
| 8 | --- | --- | --- | 3.7 | 3.7 | 3.7 | 3.4 | 3.3 | 3.4 | 3.9 | 3.9 | 3.9 |
| 9 | --- | --- | --- | 3.7 | 3.6 | 3.7 | 3.4 | 3.3 | 3.4 | 3.9 | 3.9 | 3.9 |
| 10 | --- | --- | --- | 3.7 | 3.6 | 3.7 | 3.4 | 3.3 | 3.3 | 3.8 | 3.8 | 3.8 |
| 11 | --- | --- | --- | 3.6 | 3.6 | 3.6 | 3.4 | 3.3 | 3.3 | 3.8 | 3.7 | 3.7 |
| 12 | --- | --- | --- | 3.7 | 3.5 | 3.6 | 3.4 | 3.3 | 3.3 | 3.7 | 3.7 | 3.7 |
| 13 | 3.6 | 3.5 | 3.5 | 3.6 | 3.6 | 3.6 | 3.4 | 3.3 | 3.3 | 3.7 | 3.7 | 3.7 |
| 14 | 3.6 | 3.5 | 3.5 | 3.6 | 3.6 | 3.6 | 3.4 | 3.3 | 3.3 | 3.7 | 3.6 | 3.6 |
| 15 | 3.8 | 3.5 | 3.6 | 3.7 | 3.5 | 3.6 | 3.3 | 3.3 | 3.3 | 3.7 | 3.6 | 3.6 |
| 16 | 3.8 | 3.6 | 3.8 | 3.6 | 3.6 | 3.6 | 3.3 | 3.2 | 3.3 | 3.6 | 3.6 | 3.6 |
| 17 | 3.8 | 3.8 | 3.8 | 3.6 | 3.5 | 3.6 | 3.4 | 3.3 | 3.3 | 3.6 | 3.6 | 3.6 |
| 18 | 3.9 | 3.8 | 3.8 | 3.5 | 3.4 | 3.5 | 3.3 | 3.2 | 3.3 | 3.6 | 3.5 | 3.6 |
| 19 | 3.9 | 3.8 | 3.8 | 3.4 | 3.3 | 3.3 | 3.4 | 3.3 | 3.3 | 3.6 | 3.5 | 3.5 |
| 20 | 3.9 | 3.8 | 3.8 | 3.3 | 3.2 | 3.3 | 3.4 | 3.3 | 3.3 | 3.6 | 3.4 | 3.5 |
| 21 | 3.8 | 3.7 | 3.8 | 3.3 | 3.2 | 3.2 | 3.3 | 3.3 | 3.3 | 3.6 | 3.4 | 3.5 |
| 22 | 3.8 | 3.7 | 3.7 | 3.3 | 3.2 | 3.2 | 3.3 | 3.3 | 3.3 | 3.6 | 3.3 | 3.5 |
| 23 | 3.7 | 3.6 | 3.7 | 3.3 | 3.2 | 3.2 | 3.3 | 3.3 | 3.3 | 3.6 | 3.6 | 3.6 |
| 24 | 3.7 | 3.6 | 3.7 | 3.3 | 3.2 | 3.2 | 3.3 | 3.3 | 3.3 | 3.7 | 3.6 | 3.6 |
| 25 | 3.7 | 3.6 | 3.7 | 3.4 | 3.2 | 3.2 | 3.3 | 3.3 | 3.3 | 3.6 | 3.6 | 3.6 |
| 26 | 3.7 | 3.6 | 3.6 | 3.4 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.6 | 3.5 | 3.5 |
| 27 | 3.7 | 3.6 | 3.6 | 3.4 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.6 | 3.5 | 3.5 |
| 28 | 3.6 | 3.5 | 3.6 | 3.5 | 3.3 | 3.3 | 3.3 | 3.3 | 3.3 | 3.7 | 3.5 | 3.5 |
| 29 | 3.5 | 3.4 | 3.5 | 3.7 | 3.3 | 3.4 | 3.4 | 3.3 | 3.3 | 3.5 | 3.5 | 3.5 |
| 30 | 3.5 | 3.4 | 3.5 | 3.7 | 3.5 | 3.7 | 3.4 | 3.3 | 3.3 | 3.5 | 3.5 | 3.5 |
| 31 | --- | --- | --- | 3.7 | 3.6 | 3.6 | 3.4 | 3.3 | 3.3 | --- | --- | --- |
| MONTH | --- | --- | --- | 3.8 | 3.2 | 3.5 | 3.6 | 3.2 | 3.3 | 4.0 | 3.3 | 3.7 |

SUSQUEHANNA RIVER BASIN

01547950 BEECH CREEK AT MONUMENT, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|------|------|----------|-----|------|----------|------|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 16.0 | 11.5 | 13.5 | --- | --- | --- | 6.5 | 4.5 | 6.0 | 5.5 | 4.0 | 5.0 |
| 2 | 14.5 | 13.5 | 14.0 | --- | --- | --- | 4.5 | 3.0 | 4.0 | 4.5 | 3.0 | 3.5 |
| 3 | 18.0 | 14.0 | 15.5 | --- | --- | --- | 5.5 | 3.0 | 4.0 | 4.0 | 3.0 | 4.0 |
| 4 | 17.5 | 14.0 | 16.0 | --- | --- | --- | 8.0 | 5.5 | 6.5 | 4.0 | 1.5 | 3.0 |
| 5 | 17.5 | 13.5 | 16.0 | --- | --- | --- | 10.0 | 8.0 | 9.0 | 1.5 | 0.0 | 0.5 |
| 6 | 15.0 | 10.5 | 12.5 | --- | --- | --- | 9.5 | 6.5 | 7.5 | 3.0 | 1.5 | 2.5 |
| 7 | 13.0 | 10.0 | 11.5 | --- | --- | --- | 6.5 | 5.5 | 6.0 | 3.0 | 1.0 | 2.0 |
| 8 | 15.0 | 11.5 | 13.0 | --- | --- | --- | 5.5 | 5.0 | 5.5 | 1.0 | 0.0 | 0.5 |
| 9 | 14.5 | 12.5 | 13.5 | --- | --- | --- | 5.5 | 4.0 | 5.0 | 1.0 | 0.0 | 0.5 |
| 10 | 16.0 | 13.5 | 14.5 | 4.0 | 2.5 | 3.5 | 6.5 | 5.5 | 6.0 | 2.0 | 0.0 | 1.0 |
| 11 | 14.5 | 12.5 | 13.0 | 4.5 | 2.5 | 3.5 | 5.5 | 4.5 | 5.0 | 3.0 | 1.5 | 2.5 |
| 12 | 15.0 | 11.0 | 13.0 | --- | --- | --- | 5.0 | 4.0 | 4.5 | --- | --- | --- |
| 13 | 16.0 | 12.5 | 14.0 | --- | --- | --- | 4.5 | 3.5 | 4.0 | --- | --- | --- |
| 14 | 16.0 | 12.5 | 14.5 | --- | --- | --- | 5.5 | 4.5 | 5.0 | --- | --- | --- |
| 15 | 14.0 | 10.0 | 12.0 | --- | --- | --- | 4.5 | 3.5 | 4.0 | --- | --- | --- |
| 16 | 12.5 | 9.5 | 11.0 | 11.0 | 7.0 | 9.5 | 3.5 | 2.0 | 2.5 | --- | --- | --- |
| 17 | 10.5 | 8.5 | 9.5 | 7.0 | 4.5 | 6.0 | 2.0 | 0.0 | 0.5 | --- | --- | --- |
| 18 | 9.0 | 7.5 | 8.5 | 5.0 | 3.0 | 4.0 | 0.0 | 0.0 | 0.0 | --- | --- | --- |
| 19 | 11.0 | 6.5 | 8.0 | 6.5 | 4.5 | 5.5 | 0.5 | 0.0 | 0.5 | 4.5 | 2.0 | 3.0 |
| 20 | 11.5 | 8.5 | 10.0 | 7.5 | 5.5 | 6.5 | 3.0 | 0.0 | 1.0 | 4.0 | 3.0 | 3.5 |
| 21 | 12.0 | 8.5 | 10.0 | 7.0 | 6.5 | 6.5 | 3.5 | 2.0 | 3.0 | 5.0 | 4.0 | 4.5 |
| 22 | 11.5 | 7.0 | 9.0 | --- | --- | --- | 3.0 | 1.5 | 2.5 | 6.0 | 5.0 | 5.5 |
| 23 | 11.5 | 7.0 | 9.0 | --- | --- | --- | 4.5 | 3.0 | 3.5 | 9.0 | 5.5 | 5.5 |
| 24 | 11.5 | 7.0 | 9.0 | --- | --- | --- | 4.0 | 3.5 | 3.5 | 6.0 | 5.0 | 5.5 |
| 25 | 11.0 | 6.5 | 9.0 | --- | --- | --- | 4.5 | 3.5 | 4.0 | 5.5 | 4.0 | 5.0 |
| 26 | 11.5 | 7.0 | 9.0 | --- | --- | --- | 5.5 | 5.0 | 5.5 | 5.0 | 3.5 | 4.5 |
| 27 | 12.0 | 7.5 | 9.5 | --- | --- | --- | 5.0 | 4.5 | 4.5 | 8.0 | 5.0 | 6.5 |
| 28 | 9.5 | 8.0 | 8.5 | 10.5 | 9.0 | 10.0 | 5.5 | 4.5 | 5.0 | 7.0 | 5.5 | 6.0 |
| 29 | --- | --- | --- | 9.0 | 6.0 | 7.5 | 6.0 | 4.5 | 5.0 | 6.5 | 6.0 | 6.0 |
| 30 | --- | --- | --- | 7.0 | 5.0 | 6.0 | 6.0 | 4.0 | 4.5 | 7.0 | 5.5 | 6.0 |
| 31 | --- | --- | --- | --- | --- | --- | 5.0 | 4.0 | 4.5 | 7.5 | 4.5 | 6.0 |
| MONTH | 18.0 | 6.5 | 11.5 | --- | --- | --- | 10.0 | 0.0 | 4.5 | --- | --- | --- |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 5.5 | 4.0 | 4.5 | 5.0 | 4.0 | 4.5 | 5.5 | 3.0 | 4.0 | 17.0 | 11.5 | 14.0 |
| 2 | 4.5 | 3.0 | 4.0 | 4.0 | 2.5 | 3.5 | 8.0 | 4.5 | 6.0 | 14.5 | 9.0 | 12.0 |
| 3 | 3.5 | 2.5 | 3.0 | 7.0 | 4.0 | 5.0 | 9.0 | 4.0 | 6.5 | 9.0 | 9.5 | 10.5 |
| 4 | 3.0 | 1.5 | 2.0 | 9.5 | 5.5 | 7.0 | --- | --- | --- | 11.5 | 8.0 | 10.5 |
| 5 | 1.5 | 0.5 | 0.5 | 10.5 | 7.5 | 9.0 | --- | --- | --- | 14.0 | 7.0 | 10.0 |
| 6 | 1.5 | 0.5 | 1.0 | 7.0 | 4.5 | 5.5 | 8.0 | 6.0 | 7.0 | 12.5 | 9.0 | 11.0 |
| 7 | 2.0 | 0.5 | 1.0 | 9.5 | 6.5 | 7.5 | 8.5 | 4.5 | 6.5 | 12.0 | 7.5 | 8.5 |
| 8 | 1.5 | 0.0 | 1.0 | 8.5 | 5.0 | 6.5 | 8.0 | 4.5 | 6.5 | 9.5 | 5.5 | 7.5 |
| 9 | 0.5 | 0.0 | 0.5 | 6.0 | 5.0 | 5.5 | 5.0 | 4.0 | 4.5 | 9.5 | 9.0 | 9.5 |
| 10 | 0.5 | 0.0 | 0.0 | 8.5 | 6.0 | 7.5 | 8.5 | 3.5 | 6.0 | 10.0 | 9.0 | 10.5 |
| 11 | 0.5 | 0.0 | 0.0 | 8.0 | 6.5 | 7.5 | 8.5 | 4.5 | 6.5 | 13.0 | 7.5 | 11.5 |
| 12 | 2.5 | 0.0 | 1.0 | 7.5 | 5.0 | 7.0 | 9.5 | 6.0 | 7.0 | 15.5 | 10.5 | 12.0 |
| 13 | 4.5 | 1.5 | 2.5 | 5.5 | 3.0 | 4.5 | 12.0 | 8.5 | 10.0 | 13.5 | 8.5 | 10.0 |
| 14 | 5.0 | 2.0 | 3.5 | 6.0 | 2.5 | 4.5 | 13.0 | 8.5 | 10.5 | 12.0 | 8.0 | 11.0 |
| 15 | 2.5 | 0.0 | 1.5 | 5.5 | 3.0 | 4.5 | 11.0 | 7.5 | 9.0 | 14.5 | 10.5 | 13.0 |
| 16 | 0.5 | 0.0 | 0.5 | 6.0 | 5.5 | 5.5 | 11.0 | 6.0 | 8.0 | 15.5 | 10.0 | 13.0 |
| 17 | 3.0 | 0.0 | 1.0 | 5.5 | 3.0 | 4.5 | 11.0 | 5.5 | 8.5 | 16.0 | 13.5 | 14.5 |
| 18 | 3.5 | 0.0 | 1.5 | 6.5 | 2.0 | 4.0 | 11.5 | 7.0 | 10.0 | 15.0 | 12.5 | 15.0 |
| 19 | 2.0 | 1.5 | 2.0 | 6.0 | 4.0 | 5.0 | 11.5 | 8.5 | 9.5 | 14.5 | 12.5 | 14.5 |
| 20 | 5.0 | 2.0 | 3.0 | 8.0 | 3.5 | 5.5 | 12.0 | 5.5 | 8.5 | 13.5 | 11.0 | 13.5 |
| 21 | 4.5 | 1.0 | 2.5 | 5.5 | 4.0 | 5.0 | 12.5 | 6.5 | 10.0 | 13.5 | 10.5 | 13.5 |
| 22 | 6.5 | 3.0 | 4.0 | 9.5 | 3.0 | 4.0 | 11.0 | 9.5 | 10.5 | 15.0 | 13.0 | 15.0 |
| 23 | 5.0 | 2.0 | 3.0 | 7.5 | 3.0 | 5.0 | 10.5 | 8.5 | 9.5 | --- | --- | --- |
| 24 | 3.0 | 0.5 | 2.0 | 7.5 | 5.0 | 6.0 | 8.0 | 7.0 | 7.5 | --- | --- | --- |
| 25 | 3.5 | 2.0 | 2.5 | 6.0 | 1.5 | 3.5 | 11.5 | 5.0 | 8.0 | 14.5 | 11.5 | 12.5 |
| 26 | 3.0 | 0.5 | 1.5 | --- | --- | --- | 14.5 | 8.0 | 11.5 | 14.0 | 10.5 | 12.0 |
| 27 | 3.5 | 0.0 | 2.0 | --- | --- | --- | 15.0 | 7.5 | 11.5 | 12.5 | 10.0 | 11.5 |
| 28 | 4.5 | 2.5 | 3.0 | --- | --- | --- | 17.0 | 10.0 | 13.5 | 16.0 | 9.5 | 13.0 |
| 29 | --- | --- | --- | --- | --- | --- | 19.0 | 13.5 | 16.0 | 14.0 | 12.5 | 13.0 |
| 30 | --- | --- | --- | 2.5 | 2.5 | 1.5 | 16.0 | 13.5 | 14.5 | 18.5 | 12.0 | 15.5 |
| 31 | --- | --- | --- | 3.5 | 3.5 | 2.5 | --- | --- | --- | 16.5 | 14.0 | 15.0 |
| MONTH | 6.5 | 0.0 | 2.0 | 10.5 | 1.5 | 5.0 | 19.0 | 3.0 | 9.0 | 18.5 | 5.5 | 12.0 |

SUSQUEHANNA RIVER BASIN

271

01547950 BEECH CREEK AT MONUMENT, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 16.5 | 13.5 | 14.5 | 16.0 | 13.5 | 14.5 | 19.0 | 15.0 | 16.5 | 20.0 | 18.0 | 18.5 |
| 2 | 18.0 | 13.0 | 15.0 | 15.5 | 12.0 | 13.5 | 17.0 | 16.5 | 16.5 | 18.0 | 15.5 | 16.5 |
| 3 | 18.0 | 13.5 | 15.5 | 17.0 | 12.5 | 14.5 | 19.0 | 16.5 | 17.5 | 16.0 | 14.0 | 15.0 |
| 4 | 17.5 | 13.0 | 15.5 | 17.5 | 14.0 | 15.5 | 18.5 | 16.5 | 17.5 | 14.5 | 12.5 | 13.5 |
| 5 | --- | --- | --- | 16.5 | 14.5 | 15.5 | 19.5 | 15.5 | 17.0 | 14.0 | 10.5 | 12.5 |
| 6 | --- | --- | --- | 15.5 | 14.0 | 14.5 | 20.5 | 15.5 | 17.5 | 13.0 | 11.5 | 12.5 |
| 7 | --- | --- | --- | 17.0 | 12.5 | 14.5 | 19.0 | 16.0 | 17.0 | 14.5 | 12.0 | 13.5 |
| 8 | --- | --- | --- | 17.5 | 13.0 | 15.5 | 18.0 | 16.0 | 17.0 | 14.5 | 12.0 | 13.5 |
| 9 | --- | --- | --- | 18.5 | 13.5 | 16.0 | 19.0 | 16.0 | 17.0 | 15.5 | 13.0 | 14.0 |
| 10 | --- | --- | --- | 19.5 | 14.5 | 17.0 | 20.0 | 16.0 | 18.0 | 16.0 | 13.5 | 14.5 |
| 11 | --- | --- | --- | 17.5 | 14.5 | 16.0 | 21.0 | 16.0 | 18.0 | 16.0 | 14.0 | 14.5 |
| 12 | --- | --- | --- | 18.0 | 12.5 | 15.5 | 19.0 | 16.0 | 20.0 | 18.0 | 14.5 | 16.0 |
| 13 | 18.0 | 12.5 | 15.5 | 19.0 | 13.5 | 16.0 | 23.0 | 16.5 | 19.5 | 19.5 | 16.0 | 17.5 |
| 14 | 20.0 | 13.0 | 16.5 | 20.5 | 14.5 | 17.5 | 24.0 | 18.5 | 22.0 | 17.5 | 14.5 | 15.0 |
| 15 | 19.0 | 14.5 | 16.5 | 19.5 | 16.5 | 18.0 | 23.0 | 17.0 | 20.0 | 16.5 | 13.0 | 14.5 |
| 16 | 15.0 | 13.5 | 14.5 | 20.5 | 15.5 | 18.0 | 23.5 | 16.0 | 20.0 | 16.5 | 12.0 | 14.5 |
| 17 | 16.0 | 12.5 | 14.0 | 19.5 | 14.0 | 17.0 | 20.5 | 18.0 | 19.0 | 16.5 | 12.0 | 14.5 |
| 18 | 15.5 | 11.0 | 13.5 | 21.0 | 16.0 | 18.5 | 21.0 | 17.0 | 19.0 | 17.0 | 14.0 | 15.5 |
| 19 | 15.5 | 12.0 | 14.0 | 19.0 | 17.5 | 18.0 | 21.5 | 17.0 | 19.0 | 18.0 | 13.5 | 15.5 |
| 20 | 17.5 | 13.5 | 15.0 | 20.5 | 16.0 | 18.5 | 23.5 | 17.0 | 20.0 | 16.5 | 14.5 | 15.5 |
| 21 | 16.0 | 14.5 | 15.0 | 20.5 | 14.0 | 17.0 | 23.5 | 18.0 | 22.0 | 15.5 | 13.0 | 14.5 |
| 22 | 18.5 | 14.0 | 16.0 | 21.0 | 14.0 | 17.5 | 21.0 | 18.5 | 19.5 | 13.5 | 11.5 | 12.0 |
| 23 | 16.5 | 14.0 | 15.5 | 19.5 | 16.0 | 16.5 | 23.5 | 18.0 | 20.5 | 12.0 | 9.5 | 10.5 |
| 24 | 16.5 | 12.5 | 15.0 | 18.5 | 15.0 | 16.0 | 22.5 | 18.5 | 20.0 | 11.0 | 7.0 | 9.0 |
| 25 | 15.0 | 13.5 | 14.0 | 20.0 | 16.0 | 18.0 | 22.0 | 17.0 | 19.5 | 10.0 | 7.0 | 9.0 |
| 26 | 15.0 | 13.0 | 14.0 | 18.0 | 15.0 | 16.5 | 23.0 | 18.0 | 20.5 | 13.5 | 9.0 | 11.0 |
| 27 | 17.5 | 12.5 | 15.0 | 21.5 | 15.5 | 18.0 | 23.0 | 19.0 | 21.0 | 15.0 | 10.0 | 13.0 |
| 28 | 17.0 | 14.0 | 15.5 | 22.5 | 17.5 | 19.5 | 21.0 | 19.0 | 20.0 | 13.5 | 12.5 | 13.0 |
| 29 | 15.5 | 13.5 | 14.5 | 21.5 | 17.0 | 18.5 | 19.5 | 18.0 | 18.5 | 15.5 | 13.0 | 14.0 |
| 30 | 15.0 | 13.5 | 14.5 | 18.5 | 16.0 | 17.0 | 20.0 | 18.0 | 19.0 | 13.5 | 11.0 | 12.0 |
| 31 | --- | --- | --- | 18.0 | 15.0 | 16.5 | 21.0 | 17.0 | 19.0 | --- | --- | --- |
| MONTH | --- | --- | --- | 22.5 | 12.0 | 16.5 | 24.0 | 15.0 | 19.0 | 20.0 | 7.0 | 14.0 |

SUSQUEHANNA RIVER BASIN

01549100 BLOCKHOUSE CREEK TRIBUTARY AT LIBERTY, PA.

LOCATION.--Lat 41°34'04", long 77°06'06", Tioga County, on left bank at downstream side of bridge on gravel road between U.S. Route 15 and State Highway 414, 0.7 mi (1.1 km) north of Liberty, and 100 ft (305 m) upstream from confluence with Blockhouse Creek.

DRAINAGE AREA.--1.08 mi² (2.80 km²).

PERIOD OF RECORD.--Chemical analyses: October 1972 to September 1974.

Water temperatures: April 1973 to September 1974.

Sediment records: October 1972 to September 1974.

EXTREMES.--1973-74:

Water temperatures: Maximum, 27.0°C July 8; minimum, freezing point Dec. 17.

Turbidity: Maximum daily, 800 JTU June 30; minimum daily, 2 JTU on many days.

Period of record:

Water temperatures: Maximum, 27.0°C July 8, 1973, July 8, 1974; minimum, freezing point Dec. 17, 1974.

Turbidity (1973-74): Maximum daily, 800 JTU June 30, 1974; minimum daily, 2 JTU on many days during 1973-74.

REMARKS.--Sediment data for this station on page 403. Unpublished records of pH and specific conductance of instantaneous sediment samples available at the district office in Harrisburg. Mean concentrations of turbidity and suspended sediment are water-weighted means.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | DIS- SOLVED SILICA (SiO ₂) (MG/L) | DIS- SOLVED IRON (FE) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NESIUM (MG) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) | ALKA- LITY AS CACO ₃ (MG/L) |
|---------------|------|---|---|--|--|--|--|--|--|---|--|--|
| OCT. 15... | 1400 | .64 | 4.5 | 220 | 470 | 14 | 2.0 | 4.0 | 2.2 | 31 | 0 | 25 |
| SEP. 17... | 1530 | .55 | 5.4 | 100 | 60 | 18 | 2.1 | 5.1 | 3.0 | -- | 0 | 44 |

| DATE | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRATE PLUS NITRITE (N) (MG/L) | DIS- SOLVED NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) |
|---------------|---|---|--|-----------------------------------|-----------------------------------|--|---|---|---|--|---|---|
| OCT. 15... | 13 | 6.0 | .2 | 1.2 | .00 | 1.2 | -- | .10 | .47 | .57 | 1.8 | .14 |
| SEP. 17... | 17 | 8.0 | .0 | .65 | .00 | .32 | .36 | .23 | .10 | .33 | .65 | .14 |

| DATE | TOTAL ORTHO- PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L) | HARD- NESS (CA+MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | CARBON DIOXIDE (CO ₂) (MG/L) | DIS- SOLVED CAD- MIUM (CD) (UG/L) | DIS- SOLVED CHRO- MIUM (CR) (UG/L) |
|---------------|---|--|---|------------------------------------|---|--|---------------|-----------------------------|---|--|---|
| OCT. 15... | .10 | -- | 62 | 43 | 18 | 118 | 7.0 | 16.5 | 5.0 | -- | -- |
| SEP. 17... | .10 | 109 | -- | 54 | 54 | 158 | 6.8 | 16.5 | -- | 18 | 8 |

273

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| OCTOBER | | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|----------|------|------|------|----------|-----|------|----------|-----|------|---------|-----|------|
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 14.0 | 8.5 | 11.0 | 9.5 | 7.5 | 9.0 | --- | --- | --- | 5.0 | 2.0 | 4.0 |
| 2 | 15.5 | 11.5 | 13.0 | 11.0 | 7.5 | 9.5 | --- | --- | --- | 5.0 | 2.0 | 3.0 |
| 3 | 17.5 | 13.0 | 14.5 | 10.5 | 7.5 | 9.0 | --- | --- | --- | 4.0 | 3.0 | 3.5 |
| 4 | 18.5 | 12.5 | 15.0 | 9.0 | 7.0 | 7.5 | --- | --- | --- | 4.5 | 1.0 | 3.0 |
| 5 | 17.5 | 11.0 | 14.5 | 8.0 | 5.0 | 7.0 | --- | --- | --- | 3.5 | 0.5 | 2.0 |
| 6 | 17.0 | 8.5 | 11.5 | 6.5 | 4.0 | 5.0 | --- | --- | --- | 4.0 | 2.0 | 3.0 |
| 7 | 14.5 | 9.0 | 11.5 | 7.0 | 3.5 | 5.0 | --- | --- | --- | 3.5 | 0.5 | 2.0 |
| 8 | 17.0 | 10.5 | 13.5 | 7.0 | 4.0 | 5.5 | --- | --- | --- | 2.5 | 0.5 | 1.5 |
| 9 | 14.0 | 11.0 | 12.5 | 6.5 | 3.5 | 5.0 | --- | --- | --- | 3.0 | 1.0 | 2.0 |
| 10 | 16.5 | 12.0 | 14.0 | 5.5 | 2.0 | 3.5 | --- | --- | --- | 2.5 | 1.0 | 2.0 |
| 11 | 16.0 | 11.0 | 13.0 | 6.0 | 3.0 | 4.5 | --- | --- | --- | 4.0 | 2.0 | 3.0 |
| 12 | 16.0 | 10.0 | 12.5 | --- | --- | --- | 5.5 | 3.5 | 4.5 | 4.0 | 1.0 | 2.0 |
| 13 | 16.0 | 11.0 | 13.0 | --- | --- | --- | 4.5 | 3.0 | 4.0 | 1.5 | 1.0 | 1.5 |
| 14 | 14.5 | 10.5 | 12.5 | --- | --- | --- | 5.5 | 3.0 | 5.0 | 2.0 | 1.0 | 1.5 |
| 15 | 15.5 | 9.0 | 11.5 | --- | --- | --- | 4.5 | 2.0 | 3.0 | 3.0 | 2.0 | 2.5 |
| 16 | 11.0 | 8.0 | 9.5 | --- | --- | --- | 2.5 | 1.0 | 2.0 | 4.5 | 2.0 | 3.0 |
| 17 | 10.0 | 7.5 | 8.5 | --- | --- | --- | 1.5 | 0.0 | 0.5 | 3.5 | 1.5 | 2.5 |
| 18 | 9.0 | 7.0 | 8.5 | --- | --- | --- | 2.0 | 0.5 | 1.0 | 2.0 | 1.0 | 1.5 |
| 19 | 11.0 | 6.0 | 8.5 | --- | --- | --- | 2.5 | 1.5 | 2.0 | 4.0 | 1.0 | 2.5 |
| 20 | 11.0 | 8.5 | 9.5 | --- | --- | --- | 3.5 | 1.5 | 2.0 | 3.5 | 1.5 | 2.5 |
| 21 | 12.5 | 8.5 | 10.0 | --- | --- | --- | 3.0 | 1.5 | 2.0 | 3.5 | 1.0 | 2.5 |
| 22 | 12.5 | 6.5 | 9.0 | --- | --- | --- | 3.5 | 2.0 | 2.5 | 4.0 | 2.5 | 3.5 |
| 23 | 13.0 | 7.0 | 9.5 | --- | --- | --- | 7.0 | 3.0 | 4.0 | 4.0 | 2.5 | 3.0 |
| 24 | 13.0 | 7.0 | 9.5 | --- | --- | --- | 6.5 | 2.0 | 3.0 | 5.0 | 3.0 | 4.0 |
| 25 | 12.5 | 7.0 | 9.5 | --- | --- | --- | 5.5 | 3.0 | 4.0 | 6.0 | 2.0 | 3.5 |
| 26 | 12.5 | 7.0 | 9.5 | --- | --- | --- | 7.0 | 3.5 | 5.0 | 5.5 | 2.0 | 4.0 |
| 27 | 12.0 | 8.5 | 9.5 | --- | --- | --- | 5.5 | 3.0 | 4.0 | 5.0 | 4.0 | 4.5 |
| 28 | 9.0 | 7.5 | 8.5 | --- | --- | --- | 6.5 | 4.0 | 5.0 | 6.0 | 3.5 | 4.5 |
| 29 | 10.5 | 8.5 | 9.0 | --- | --- | --- | 6.0 | 3.5 | 4.5 | 7.0 | 4.5 | 5.5 |
| 30 | 10.0 | 9.0 | 9.5 | --- | --- | --- | 5.0 | 2.5 | 3.5 | 8.5 | 3.5 | 5.5 |
| 31 | 9.5 | 8.5 | 9.0 | --- | --- | --- | 4.5 | 2.5 | 4.0 | 8.5 | 2.5 | 4.5 |
| MONTH | 18.5 | 6.0 | 11.0 | --- | --- | --- | --- | --- | --- | 8.5 | 0.5 | 3.0 |
| | | | | | | | | | | | | |
| FEBRUARY | | | | MARCH | | | APRIL | | | MAY | | |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 5.0 | 2.0 | 3.0 | 4.0 | 2.5 | 3.5 | --- | --- | --- | --- | --- | --- |
| 2 | 3.5 | 2.0 | 2.5 | 4.0 | 2.0 | 3.0 | --- | --- | --- | --- | --- | --- |
| 3 | 3.5 | 1.0 | 2.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | 3.5 | 0.5 | 1.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | 2.0 | 1.0 | 1.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | 4.0 | 1.0 | 2.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | 4.0 | 1.5 | 3.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | 3.5 | 1.0 | 2.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | 2.5 | 0.5 | 1.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | 2.5 | 1.0 | 1.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | 3.5 | 1.5 | 2.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | 4.0 | 1.5 | 2.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | 4.5 | 1.5 | 2.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | 5.0 | 1.5 | 2.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | 3.5 | 1.0 | 2.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | 2.0 | 1.0 | 1.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | 3.5 | 1.5 | 2.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | 5.0 | 1.0 | 2.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | 2.5 | 1.5 | 2.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | 5.5 | 1.5 | 3.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | 5.5 | 0.5 | 2.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | 3.5 | 1.0 | 2.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | 4.0 | 1.5 | 2.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | 5.0 | 1.0 | 3.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | 4.0 | 1.5 | 2.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 5.0 | 1.0 | 2.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 5.0 | 1.0 | 2.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 28 | 4.5 | 2.0 | 3.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 5.5 | 0.5 | 2.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |

SUSQUEHANNA RIVER BASIN

01549100 BLOCKHOUSE CREEK TRIBUTARY AT LIBERTY, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 20.0 | 16.0 | 17.5 | --- | --- | --- | 17.5 | 16.0 | 17.0 |
| 2 | --- | --- | --- | 22.0 | 14.5 | 17.5 | --- | --- | --- | 20.0 | 16.5 | 17.5 |
| 3 | --- | --- | --- | 24.0 | 16.0 | 19.5 | --- | --- | --- | 16.5 | 14.0 | 15.0 |
| 4 | --- | --- | --- | 25.0 | 17.0 | 21.0 | --- | --- | --- | 15.5 | 11.5 | 14.0 |
| 5 | 23.5 | 12.5 | 17.5 | 21.0 | 17.5 | 19.5 | --- | --- | --- | 17.5 | 9.5 | 13.0 |
| 6 | 22.0 | 12.5 | 16.5 | 24.0 | 16.0 | 19.5 | --- | --- | --- | 15.0 | 11.0 | 13.0 |
| 7 | 23.0 | 14.0 | 17.5 | 25.0 | 15.5 | 20.0 | --- | --- | --- | 16.5 | 12.0 | 14.0 |
| 8 | 20.5 | 15.5 | 17.5 | 27.0 | 16.5 | 21.0 | --- | --- | --- | 19.0 | 11.0 | 14.5 |
| 9 | 25.0 | 14.0 | 19.0 | 26.5 | 16.5 | 21.5 | --- | --- | --- | 18.5 | 13.0 | 15.0 |
| 10 | 26.5 | 16.0 | 20.5 | 25.5 | 17.5 | 21.0 | --- | --- | --- | 18.0 | 12.5 | 15.0 |
| 11 | 24.0 | 16.0 | 18.5 | 23.0 | 15.0 | 18.5 | --- | --- | --- | 18.5 | 13.0 | 15.5 |
| 12 | 18.5 | 13.5 | 16.0 | 25.0 | 18.0 | 22.0 | --- | --- | --- | 21.5 | 14.5 | 17.5 |
| 13 | 20.0 | 10.0 | 15.0 | 26.5 | 20.0 | 24.0 | --- | --- | --- | 21.0 | 16.0 | 18.0 |
| 14 | 21.0 | 12.0 | 16.5 | 25.0 | 18.0 | 22.0 | 25.0 | 18.0 | 21.0 | 17.0 | 12.5 | 15.5 |
| 15 | 20.5 | 14.0 | 16.5 | 25.0 | 17.0 | 22.0 | 23.5 | 15.0 | 18.5 | 17.5 | 10.5 | 13.5 |
| 16 | 17.0 | 14.5 | 15.5 | 23.5 | 15.5 | 21.0 | 24.0 | 14.5 | 19.0 | 17.5 | 11.0 | 13.5 |
| 17 | 20.5 | 13.0 | 16.0 | 23.0 | 13.5 | 18.0 | 21.0 | 17.0 | 18.5 | 16.5 | 9.5 | 13.0 |
| 18 | 20.0 | 11.0 | 15.5 | 24.5 | 15.0 | 18.0 | 22.0 | 16.0 | 18.5 | 17.0 | 12.0 | 14.0 |
| 19 | 20.0 | 13.0 | 16.5 | --- | --- | --- | 22.0 | 15.5 | 18.5 | 18.0 | 10.5 | 14.0 |
| 20 | 23.5 | 15.0 | 18.5 | --- | --- | --- | 23.0 | 15.5 | 19.5 | 16.5 | 13.0 | 15.0 |
| 21 | 20.0 | 14.5 | 17.0 | --- | --- | --- | 24.0 | 16.5 | 20.0 | 15.0 | 12.5 | 14.0 |
| 22 | 24.5 | 15.0 | 19.0 | --- | --- | --- | 21.5 | 16.5 | 19.0 | 14.0 | 11.0 | 12.0 |
| 23 | 18.0 | 14.5 | 16.5 | --- | --- | --- | 24.0 | 18.5 | 20.5 | 12.0 | 8.5 | 10.0 |
| 24 | 23.5 | 13.5 | 17.5 | --- | --- | --- | 22.0 | 17.0 | 19.0 | 13.0 | 6.5 | 9.0 |
| 25 | 18.0 | 14.5 | 16.0 | --- | --- | --- | 21.0 | 14.0 | 17.5 | 12.0 | 8.0 | 9.5 |
| 26 | 17.5 | 13.5 | 15.0 | --- | --- | --- | 22.5 | 16.0 | 19.0 | 15.0 | 8.0 | 10.5 |
| 27 | 21.0 | 12.5 | 16.5 | --- | --- | --- | 22.0 | 18.0 | 20.0 | 16.5 | 9.0 | 12.0 |
| 28 | 20.0 | 14.0 | 16.0 | --- | --- | --- | 20.0 | 16.5 | 18.0 | 13.5 | 12.0 | 13.0 |
| 29 | 17.5 | 14.0 | 15.0 | --- | --- | --- | 19.0 | 16.0 | 17.5 | 16.5 | 11.5 | 14.0 |
| 30 | 18.5 | 12.5 | 15.5 | --- | --- | --- | 20.5 | 16.0 | 17.5 | 13.0 | 9.5 | 11.0 |
| 31 | --- | --- | --- | --- | --- | --- | 21.0 | 15.0 | 18.0 | --- | --- | --- |
| MONTH | 26.5 | 10.0 | 17.0 | --- | --- | --- | --- | --- | --- | 21.5 | 6.5 | 14.0 |

TURBIDITY (JTU) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 2 | 5 | 4 | 3 | 3 | 9 | 10 | 10 | 30 | 15 | 2 | 75 |
| 2 | 3 | 4 | 3 | 3 | 3 | 3 | 260 | 6 | 15 | 6 | 2 | 6 |
| 3 | 4 | 6 | 3 | 3 | 3 | 40 | 9 | 5 | 10 | 6 | 3 | 30 |
| 4 | 3 | 4 | 3 | 3 | 4 | 15 | 9 | 4 | 10 | 5 | 4 | 3 |
| 5 | 4 | 3 | 330 | 3 | 5 | 20 | 8 | 4 | 10 | 6 | 3 | 4 |
| 6 | 3 | 3 | 5 | 3 | 5 | 5 | 7 | 4 | 8 | 5 | 2 | 3 |
| 7 | 3 | 3 | 5 | 3 | 4 | 4 | 6 | 6 | 8 | 4 | 2 | 2 |
| 8 | 2 | 3 | 4 | 3 | 4 | 200 | 5 | 6 | 7 | 4 | 2 | 2 |
| 9 | 3 | 3 | 40 | 3 | 5 | 60 | 5 | 10 | 10 | 4 | 2 | 2 |
| 10 | 3 | 3 | 5 | 3 | 5 | 9 | 6 | 8 | 300 | 4 | 2 | 2 |
| 11 | 3 | 3 | 4 | 3 | 4 | 8 | 6 | 6 | 10 | 3 | 2 | 2 |
| 12 | 3 | 3 | 3 | 6 | 3 | 5 | 6 | 95 | 8 | 3 | 2 | 40 |
| 13 | 60 | 3 | 3 | 4 | 3 | 4 | 6 | 10 | 6 | 2 | 2 | 20 |
| 14 | 15 | 3 | 4 | 3 | 3 | 3 | 300 | 6 | 5 | 20 | 2 | 10 |
| 15 | 3 | 5 | 3 | 3 | 5 | 3 | 15 | 20 | 45 | 20 | 2 | 4 |
| 16 | 2 | 6 | 3 | 3 | 5 | 4 | 10 | 20 | 65 | 4 | 2 | 4 |
| 17 | 2 | 5 | 3 | 3 | 4 | 4 | 8 | 30 | 8 | 3 | 4 | 3 |
| 18 | 2 | 4 | 5 | 3 | 3 | 7 | 6 | 25 | 5 | 3 | 3 | 4 |
| 19 | 2 | 4 | 3 | 3 | 3 | 4 | 6 | 25 | 4 | 3 | 3 | 3 |
| 20 | 2 | 4 | 40 | 3 | 6 | 4 | 6 | 25 | 4 | 3 | 3 | 110 |
| 21 | 3 | 3 | 40 | 60 | 7 | 20 | 6 | 20 | 100 | 2 | 3 | 65 |
| 22 | 3 | 3 | 5 | 6 | 150 | 7 | 6 | 20 | 10 | 2 | 3 | 4 |
| 23 | 3 | 3 | 4 | 20 | 10 | 6 | 10 | 20 | 4 | 10 | 4 | 3 |
| 24 | 3 | 20 | 3 | 8 | 6 | 5 | 6 | 15 | 5 | 15 | 4 | 3 |
| 25 | 3 | 70 | 3 | 6 | 4 | 8 | 6 | 40 | 5 | 3 | 3 | 2 |
| 26 | 3 | 5 | 30 | 5 | 8 | 6 | 6 | 20 | 5 | 2 | 3 | 2 |
| 27 | 3 | 5 | 25 | 30 | 7 | 6 | 9 | 15 | 4 | 2 | 3 | 2 |
| 28 | 3 | 15 | 5 | 40 | 3 | 6 | 8 | 10 | 70 | 2 | 15 | 3 |
| 29 | 400 | 5 | 4 | 7 | --- | 7 | 8 | 15 | 35 | 3 | 7 | 4 |
| 30 | 15 | 4 | 4 | 5 | --- | 10 | 60 | 15 | 800 | 3 | 50 | 3 |
| 31 | 5 | --- | 3 | 4 | --- | 15 | --- | 20 | --- | 2 | 6 | --- |

SUSQUEHANNA RIVER BASIN

275

01549300 BLOCKHOUSE CREEK AT BUTTONWOOD, PA.

LOCATION.--Lat 41°29'43", long 77°09'02", Lycoming County, on left bank 100 ft (305 m) upstream from confluence with Steam Valley Run, near intersection of U.S. Route 15 and State Highway 284.

DRAINAGE AREA.--22.3 mi² (57.8 km²).

PERIOD OF RECORD.--Chemical analyses: October 1972 to September 1974.

Water temperatures: March 1973 to September 1974.

Sediment records: October 1972 to September 1974.

EXTREMES.--1973-74:

Water temperatures: Maximum, 27.0°C Aug. 13, 14; minimum, freezing point on several days during December to March.

Turbidity: Maximum daily, 1,300 JTU June 30; minimum daily, 1 JTU on several days during October, May, and June.

Period of record:

Water temperatures: Maximum, 27.5°C Aug. 9, 1973; minimum, freezing point on several days during December 1973, January to March 1974.

Turbidity: Maximum daily, 1,300 JTU June 30; 1974; minimum daily, 1 JTU on many days each year.

REMARKS.--Sediment data for this station on page 406. Unpublished records of pH and specific conductance of instantaneous sediment samples available at the district office in Harrisburg. Mean concentrations of turbidity and suspended sediment are water-weighted means.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS- CHARGE (CFS) | DIS- SOLVED SILICA (SiO ₂) (MG/L) | DIS- SOLVED IRON (FE) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) |
|---------------|------|--|---|--|--|--|---|--|--|---|--|
| OCT. 15... | 1630 | 9.1 | 2.7 | 40 | 20 | 16 | 2.1 | 6.5 | 1.7 | 39 | 0 |
| SEP. 17... | 1410 | 6.2 | 2.2 | 40 | 30 | 20 | 2.2 | 7.5 | 1.6 | -- | 0 |

| DATE | ALKA- LINITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | DIS- SOLVED NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) |
|---------------|--|---|---|--|-----------------------------------|-----------------------------------|--|---|---|---|--|
| OCT. 15... | 32 | 12 | 10 | .2 | .39 | .00 | .39 | -- | .06 | .10 | .17 |
| SEP. 17... | 52 | 15 | 12 | .1 | .17 | .00 | .17 | .18 | .08 | .06 | .14 |

| DATE | TOTAL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L) | HARD- NESS (CA+MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | CARBON DIOXIDE (CO ₂) (MG/L) |
|---------------|---|---|--|--|---|------------------------------------|---|--|---------------|-----------------------------|---|
| OCT. 15... | .56 | .12 | .12 | -- | 70 | 49 | 17 | 135 | 7.6 | 15.0 | 1.6 |
| SEP. 17... | .31 | .09 | .07 | 100 | -- | 59 | 59 | 180 | 7.8 | 17.5 | -- |

SUSQUEHANNA RIVER BASIN

01549300 BLOCKHOUSE CREEK AT BUTTONWOOD, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|------|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 14.5 | 10.5 | 12.5 | 9.5 | 7.5 | 9.0 | 6.0 | 3.5 | 5.0 | 3.0 | 1.0 | 2.0 |
| 2 | 15.0 | 13.0 | 13.5 | 11.0 | 7.5 | 9.0 | 5.0 | 2.0 | 3.5 | 2.0 | 0.0 | 0.5 |
| 3 | 18.0 | 14.5 | 16.0 | 10.5 | 7.5 | 9.5 | 6.0 | 2.5 | 4.0 | 4.0 | 1.5 | 2.0 |
| 4 | 18.5 | 14.0 | 16.0 | 9.5 | 7.0 | 7.5 | 7.5 | 4.5 | 6.5 | --- | --- | --- |
| 5 | 18.0 | 14.0 | 16.0 | 8.0 | 6.5 | 7.0 | 10.5 | 7.5 | 9.0 | --- | --- | --- |
| 6 | 16.0 | 10.5 | 13.0 | 6.5 | 5.0 | 5.5 | 8.5 | 5.5 | 6.5 | --- | --- | --- |
| 7 | 14.0 | 10.5 | 12.5 | 6.5 | 4.5 | 5.5 | 5.5 | 5.0 | 5.5 | --- | --- | --- |
| 8 | 16.5 | 12.0 | 14.0 | 6.5 | 4.0 | 5.5 | 5.0 | 4.5 | 4.5 | --- | --- | --- |
| 9 | 14.0 | 12.5 | 13.5 | 6.5 | 4.0 | 5.5 | 4.5 | 3.0 | 3.5 | 2.0 | 1.5 | 1.5 |
| 10 | 17.0 | 13.5 | 14.5 | 5.0 | 2.5 | 4.0 | 5.5 | 4.0 | 4.5 | 2.0 | 1.5 | 2.0 |
| 11 | 16.5 | 12.0 | 14.0 | 5.0 | 3.0 | 4.0 | 4.0 | 3.5 | 3.5 | 3.0 | 2.0 | 2.5 |
| 12 | 16.0 | 12.0 | 13.5 | 6.5 | 4.0 | 5.0 | 4.0 | 2.5 | 3.5 | 3.5 | 2.0 | 2.5 |
| 13 | 16.5 | 12.5 | 14.5 | 8.5 | 5.5 | 7.0 | 3.5 | 2.0 | 2.5 | 2.0 | 2.0 | 2.0 |
| 14 | 15.5 | 12.5 | 14.0 | 11.0 | 8.5 | 9.5 | 4.5 | 2.5 | 4.0 | 2.0 | 1.5 | 2.0 |
| 15 | 15.0 | 10.0 | 12.5 | 12.0 | 8.5 | 10.5 | 2.5 | 1.5 | 2.0 | 3.5 | 1.5 | 2.5 |
| 16 | 13.0 | 9.5 | 11.0 | 11.0 | 6.5 | 9.0 | 1.5 | 0.5 | 1.0 | 4.0 | 2.0 | 3.0 |
| 17 | 11.0 | 8.5 | 9.5 | 6.0 | 4.5 | 5.5 | 0.5 | 0.0 | 0.0 | 4.0 | 1.5 | 2.0 |
| 18 | 10.0 | 9.0 | 9.5 | 5.5 | 3.5 | 4.5 | 0.5 | 0.0 | 0.5 | 2.0 | 1.5 | 2.0 |
| 19 | 12.0 | 7.0 | 9.5 | 6.5 | 5.0 | 5.5 | 0.5 | 0.0 | 0.5 | 2.5 | 2.0 | 2.0 |
| 20 | 12.0 | 9.0 | 10.5 | 8.0 | 5.0 | 6.5 | 1.0 | 0.5 | 0.5 | --- | --- | --- |
| 21 | 14.0 | 10.0 | 11.5 | 7.0 | 5.5 | 6.5 | 1.5 | 1.0 | 1.0 | --- | --- | --- |
| 22 | 13.0 | 7.5 | 10.0 | 9.5 | 7.0 | 8.0 | 2.0 | 1.0 | 1.5 | --- | --- | --- |
| 23 | 13.0 | 7.5 | 10.0 | 7.5 | 5.0 | 6.5 | 3.0 | 1.5 | 2.5 | --- | --- | --- |
| 24 | 13.5 | 7.5 | 10.5 | 7.5 | 5.5 | 6.5 | 2.0 | 0.5 | 1.5 | --- | --- | --- |
| 25 | 13.0 | 7.5 | 10.0 | 8.5 | 7.0 | 8.0 | 2.5 | 1.0 | 1.5 | --- | --- | --- |
| 26 | 13.0 | 7.5 | 10.0 | 7.0 | 6.5 | 6.5 | 3.5 | 2.5 | 3.0 | --- | --- | --- |
| 27 | 13.0 | 9.0 | 10.5 | 9.0 | 6.5 | 8.0 | 4.5 | 2.5 | 3.5 | --- | --- | --- |
| 28 | 10.5 | 9.0 | 9.5 | 10.0 | 8.0 | 9.0 | 5.0 | 3.0 | 4.0 | --- | --- | --- |
| 29 | 10.0 | 9.5 | 9.5 | 7.5 | 5.0 | 6.5 | 4.0 | 2.5 | 3.5 | --- | --- | --- |
| 30 | 10.5 | 9.0 | 9.5 | 7.0 | 4.0 | 5.5 | 4.0 | 1.5 | 2.5 | --- | --- | --- |
| 31 | 9.5 | 7.5 | 8.5 | --- | --- | --- | 2.0 | 1.0 | 2.0 | --- | --- | --- |
| MONTH | 18.5 | 7.0 | 12.0 | 12.0 | 2.5 | 7.0 | 10.5 | 0.0 | 3.0 | --- | --- | --- |

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|-------|-----|------|------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 3.0 | 1.5 | 2.0 | 6.5 | 2.0 | 4.0 | --- | --- | --- |
| 2 | --- | --- | --- | 2.5 | 0.5 | 2.0 | 6.5 | 2.5 | 4.0 | --- | --- | --- |
| 3 | --- | --- | --- | 4.5 | 2.5 | 3.5 | 8.5 | 2.5 | 5.5 | --- | --- | --- |
| 4 | --- | --- | --- | 7.5 | 3.0 | 5.0 | 11.5 | 7.0 | 9.0 | --- | --- | --- |
| 5 | 0.5 | 0.0 | 0.0 | 7.5 | 3.5 | 5.5 | 9.5 | 7.0 | 8.0 | --- | --- | --- |
| 6 | 0.5 | 0.0 | 0.5 | 6.0 | 2.0 | 4.0 | 7.0 | 4.5 | 6.0 | --- | --- | --- |
| 7 | 1.0 | 0.0 | 0.5 | 9.0 | 5.0 | 6.5 | 9.0 | 3.0 | 6.0 | 10.5 | 7.0 | 8.5 |
| 8 | 1.5 | 0.0 | 0.5 | 5.5 | 2.0 | 3.5 | 7.0 | 2.0 | 5.0 | 9.5 | 5.5 | 8.0 |
| 9 | 0.5 | 0.0 | 0.5 | 3.5 | 2.5 | 2.5 | 4.0 | 2.0 | 2.5 | 10.0 | 8.5 | 9.0 |
| 10 | 0.5 | 0.0 | 0.5 | 6.0 | 2.5 | 3.5 | 9.0 | 2.0 | 4.5 | 11.5 | 8.5 | 10.0 |
| 11 | 0.5 | 0.0 | 0.5 | 5.0 | 1.5 | 3.0 | 9.0 | 2.0 | 5.0 | 16.0 | 7.0 | 11.5 |
| 12 | 2.0 | 0.0 | 1.0 | 5.0 | 1.5 | 3.0 | 9.0 | 4.0 | 6.5 | 12.5 | 9.5 | 11.5 |
| 13 | 4.0 | 0.5 | 1.5 | 3.0 | 0.5 | 1.5 | 12.5 | 6.5 | 9.0 | 11.5 | 9.0 | 10.0 |
| 14 | 2.5 | 0.5 | 1.0 | 5.0 | 0.5 | 2.0 | 13.0 | 7.0 | 10.0 | 16.5 | 9.0 | 12.5 |
| 15 | 2.0 | 0.5 | 0.5 | 3.5 | 0.5 | 2.0 | 9.5 | 6.5 | 8.0 | 17.5 | 12.0 | 14.5 |
| 16 | 0.5 | 0.5 | 0.5 | 4.5 | 2.5 | 3.5 | 11.0 | 5.0 | 7.5 | 17.5 | 10.5 | 14.0 |
| 17 | 3.0 | 0.5 | 1.5 | 2.5 | 0.0 | 2.0 | 12.5 | 5.0 | 8.5 | 19.0 | 13.5 | 15.5 |
| 18 | 4.0 | 0.5 | 1.5 | 5.0 | 0.0 | 2.0 | 12.0 | 5.5 | 9.0 | 20.0 | 12.5 | 15.5 |
| 19 | 1.5 | 0.5 | 1.0 | 5.0 | 1.5 | 3.0 | 12.5 | 7.5 | 9.5 | 19.5 | 12.5 | 15.0 |
| 20 | 4.0 | 0.5 | 2.0 | 7.5 | 1.0 | 4.0 | 13.0 | 4.5 | 8.5 | 17.5 | 10.0 | 13.5 |
| 21 | 5.0 | 0.5 | 1.5 | 4.5 | 2.5 | 3.0 | 14.5 | 6.0 | 10.0 | 19.5 | 10.5 | 15.0 |
| 22 | 2.0 | 0.5 | 1.5 | 7.0 | 3.0 | 4.0 | 12.0 | 9.0 | 10.5 | 19.5 | 12.5 | 16.0 |
| 23 | 2.5 | 0.5 | 1.0 | --- | --- | --- | 11.0 | 8.0 | 9.5 | 18.5 | 14.5 | 16.0 |
| 24 | 2.5 | 0.5 | 1.0 | --- | --- | --- | 8.0 | 7.0 | 7.5 | 18.5 | 12.5 | 15.0 |
| 25 | 2.0 | 0.5 | 1.0 | --- | --- | --- | 13.0 | 5.0 | 8.5 | 13.5 | 11.0 | 12.5 |
| 26 | 1.5 | 0.5 | 0.5 | --- | --- | --- | 14.5 | 7.0 | 10.5 | 15.0 | 9.0 | 12.0 |
| 27 | 2.0 | 0.5 | 1.0 | --- | --- | --- | 16.0 | 7.0 | 11.0 | 14.0 | 9.5 | 12.0 |
| 28 | 2.5 | 1.0 | 2.0 | 7.0 | 3.0 | 4.5 | 17.5 | 9.0 | 13.0 | 17.0 | 10.0 | 13.5 |
| 29 | --- | --- | --- | 3.0 | 1.0 | 1.5 | --- | --- | --- | 15.0 | 12.5 | 13.5 |
| 30 | --- | --- | --- | 2.0 | 1.0 | 1.5 | --- | --- | --- | 20.0 | 13.0 | 16.0 |
| 31 | --- | --- | --- | 2.5 | 1.0 | 2.0 | --- | --- | --- | 16.0 | 14.5 | 15.0 |
| MONTH | 5.0 | 0.0 | 1.0 | 9.0 | 0.0 | 3.0 | 17.5 | 2.0 | 7.5 | 20.0 | 5.5 | 13.0 |

SUSQUEHANNA RIVER BASIN

277

01549300 BLOCKHOUSE CREEK AT BUTTONWOOD, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 19.0 | 14.0 | 16.0 | 21.5 | 15.0 | 18.0 | 24.5 | 16.5 | 20.0 | 20.0 | 17.0 | 18.5 |
| 2 | 20.0 | 12.5 | 16.0 | 23.0 | 14.0 | 18.5 | 25.5 | 17.0 | 21.0 | 20.5 | 16.0 | 17.5 |
| 3 | 19.5 | 13.0 | 16.0 | 24.5 | 17.0 | 21.0 | 23.0 | 19.5 | 21.0 | 17.5 | 14.5 | 16.0 |
| 4 | 21.0 | 13.0 | 17.0 | 26.0 | 18.5 | 22.5 | 22.0 | 19.5 | 20.5 | 16.0 | 13.5 | 14.5 |
| 5 | 22.0 | 14.5 | 18.0 | 22.0 | 18.5 | 20.5 | 22.0 | 17.0 | 19.5 | 18.5 | 11.5 | 15.0 |
| 6 | 21.0 | 14.0 | 17.5 | 24.5 | 17.0 | 20.5 | 24.0 | 16.5 | 20.0 | 16.5 | 13.0 | 15.0 |
| 7 | 22.5 | 15.0 | 18.0 | 25.5 | 16.5 | 21.0 | 24.0 | 17.0 | 20.0 | 18.0 | 14.0 | 16.0 |
| 8 | 20.5 | 16.0 | 18.0 | 26.0 | 17.5 | 22.0 | 22.0 | 16.5 | 19.5 | 20.0 | 14.0 | 17.0 |
| 9 | 24.5 | 16.0 | 20.0 | 26.0 | 18.5 | 22.5 | 23.5 | 18.0 | 20.0 | 20.0 | 15.5 | 17.5 |
| 10 | 26.5 | 17.5 | 21.5 | 24.0 | 20.0 | 22.0 | 24.0 | 17.5 | 20.5 | 20.5 | 15.5 | 17.5 |
| 11 | 22.5 | 17.0 | 19.5 | 22.5 | 17.0 | 19.5 | 25.0 | 16.5 | 20.0 | 20.0 | 16.0 | 18.0 |
| 12 | 19.5 | 15.0 | 17.0 | 24.0 | 15.0 | 19.0 | 23.5 | 16.5 | 19.5 | 23.0 | 17.0 | 20.0 |
| 13 | 20.5 | 13.0 | 16.5 | 25.0 | 15.5 | 20.0 | 27.0 | 18.5 | 22.0 | 22.5 | 18.5 | 20.5 |
| 14 | 22.0 | 13.5 | 17.5 | 26.5 | 17.0 | 21.5 | 27.0 | 19.5 | 22.5 | 19.5 | 15.5 | 17.0 |
| 15 | 19.5 | 16.0 | 17.5 | 25.0 | 20.0 | 22.0 | 26.0 | 16.5 | 21.0 | 19.5 | 13.0 | 15.5 |
| 16 | 18.0 | 16.0 | 16.5 | 24.0 | 17.5 | 20.5 | 25.5 | 16.0 | 21.0 | 19.5 | 13.0 | 16.0 |
| 17 | 20.5 | 14.5 | 17.0 | 23.5 | 16.0 | 19.5 | 22.5 | 19.0 | 20.5 | 18.5 | 12.5 | 15.5 |
| 18 | 20.5 | 13.5 | 17.0 | 25.0 | 17.5 | 21.0 | 23.5 | 18.0 | 20.5 | 18.5 | 14.5 | 16.5 |
| 19 | 20.5 | 15.0 | 17.5 | 25.5 | 19.0 | 21.5 | 24.5 | 17.5 | 20.5 | 19.0 | 14.0 | 16.5 |
| 20 | 23.5 | 16.5 | 19.5 | 22.0 | 17.0 | 19.5 | 25.5 | 17.0 | 21.0 | 18.0 | 16.0 | 17.0 |
| 21 | 20.5 | 16.5 | 18.5 | 24.0 | 14.5 | 19.0 | 26.0 | 17.5 | 21.5 | 16.5 | 13.0 | 15.0 |
| 22 | 24.5 | 17.0 | 20.5 | 25.0 | 15.0 | 19.5 | 24.0 | 17.5 | 21.0 | 14.0 | 11.0 | 12.5 |
| 23 | 19.5 | 16.0 | 17.5 | 18.5 | 16.5 | 17.5 | 26.0 | 19.5 | 22.0 | 12.5 | 9.5 | 11.0 |
| 24 | 23.0 | 14.0 | 18.0 | 19.0 | 16.0 | 17.0 | 24.5 | 18.5 | 21.0 | 13.5 | 7.5 | 10.5 |
| 25 | 17.5 | 15.5 | 16.5 | 21.5 | 16.5 | 18.5 | 25.0 | 16.0 | 20.0 | 12.5 | 9.0 | 10.5 |
| 26 | 17.0 | 14.5 | 15.5 | 19.0 | 17.0 | 17.5 | 26.0 | 17.5 | 21.5 | 15.5 | 10.0 | 12.5 |
| 27 | 22.5 | 14.0 | 18.0 | 25.0 | 17.0 | 20.5 | 24.5 | 20.0 | 22.0 | 17.0 | 11.0 | 13.5 |
| 28 | 21.0 | 16.0 | 17.5 | 26.0 | 18.5 | 22.0 | 21.0 | 18.0 | 19.5 | 16.0 | 14.0 | 15.0 |
| 29 | 17.5 | 15.0 | 16.5 | 25.0 | 18.5 | 21.0 | 20.5 | 17.0 | 19.0 | 17.0 | 14.0 | 16.0 |
| 30 | 18.0 | 14.5 | 16.0 | 24.0 | 18.0 | 21.0 | 21.0 | 17.5 | 19.0 | 13.5 | 12.0 | 12.5 |
| 31 | --- | --- | --- | 24.0 | 17.5 | 20.5 | 22.0 | 17.0 | 19.0 | --- | --- | --- |
| MONTH | 26.5 | 12.5 | 17.5 | 26.5 | 14.0 | 20.0 | 27.0 | 16.0 | 20.5 | 23.0 | 7.5 | 15.5 |

TURBIDITY (JTU) WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|-----|-----|------|-----|------|-----|-----|-----|------|-----|-----|-----|
| 1 | 2 | 9 | 8 | 7 | 5 | 15 | 10 | 25 | 85 | 110 | 2 | 260 |
| 2 | 2 | 6 | 8 | 7 | 5 | 10 | 240 | 5 | 2 | 7 | 3 | 10 |
| 3 | 3 | 6 | 8 | 8 | 5 | 10 | 45 | 3 | 3 | 5 | 2 | 45 |
| 4 | 2 | 5 | 7 | 8 | 5 | 10 | 20 | 3 | 1 | 35 | 20 | 10 |
| 5 | 5 | 4 | 1200 | 8 | 4 | 30 | 7 | 3 | 1 | 10 | 2 | 3 |
| 6 | 2 | 4 | 50 | 8 | 3 | 9 | 5 | 4 | 1 | 3 | 2 | 3 |
| 7 | 2 | 3 | 8 | 8 | 3 | 6 | 5 | 3 | 1 | 3 | 2 | 3 |
| 8 | 1 | 3 | 6 | 10 | 3 | 190 | 4 | 3 | 1 | 3 | 2 | 3 |
| 9 | 1 | 3 | 25 | 5 | 6 | 65 | 3 | 10 | 1 | 3 | 2 | 3 |
| 10 | 1 | 3 | 10 | 4 | 6 | 8 | 4 | 10 | 70 | 3 | 2 | 3 |
| 11 | 2 | 3 | 8 | 3 | 5 | 7 | 10 | 3 | 80 | 3 | 2 | 3 |
| 12 | 2 | 3 | 8 | 3 | 4 | 5 | 15 | 230 | 4 | 3 | 2 | 80 |
| 13 | 2 | 3 | 8 | 3 | 4 | 8 | 4 | 10 | 2 | 3 | 2 | 35 |
| 14 | 50 | 3 | 8 | 5 | 3 | 5 | 500 | 5 | 2 | 6 | 2 | 30 |
| 15 | 4 | 6 | 8 | 4 | 3 | 5 | 200 | 3 | 95 | 20 | 2 | 3 |
| 16 | 3 | 7 | 7 | 4 | 3 | 5 | 10 | 2 | 75 | 6 | 2 | 2 |
| 17 | 2 | 6 | 8 | 3 | 3 | 5 | 4 | 2 | 6 | 3 | 20 | 2 |
| 18 | 2 | 5 | 10 | 3 | 3 | 10 | 4 | 2 | 3 | 3 | 3 | 2 |
| 19 | 2 | 4 | 10 | 2 | 3 | 10 | 5 | 2 | 3 | 4 | 3 | 2 |
| 20 | 2 | 4 | 170 | 4 | 5 | 7 | 4 | 2 | 3 | 3 | 3 | 110 |
| 21 | 3 | 4 | 120 | 75 | 5 | 45 | 3 | 1 | 3 | 2 | 3 | 130 |
| 22 | 2 | 3 | 10 | 15 | 1000 | 10 | 3 | 2 | 3 | 2 | 3 | 10 |
| 23 | 2 | 3 | 8 | 35 | 10 | 6 | 3 | 4 | 3 | 75 | 3 | 4 |
| 24 | 2 | 25 | 8 | 10 | 7 | 5 | 3 | 2 | 3 | 65 | 3 | 3 |
| 25 | 2 | 90 | 8 | 8 | 7 | 5 | 3 | 1 | 20 | 6 | 3 | 2 |
| 26 | 3 | 20 | 20 | 10 | 6 | 10 | 3 | 1 | 3 | 4 | 3 | 2 |
| 27 | 3 | 20 | 20 | 25 | 7 | 6 | 3 | 1 | 2 | 3 | 3 | 2 |
| 28 | 2 | 35 | 9 | 65 | 6 | 55 | 2 | 1 | 45 | 3 | 30 | 2 |
| 29 | 270 | 10 | 7 | 15 | --- | 15 | 2 | 3 | 50 | 25 | 15 | 30 |
| 30 | 55 | 8 | 7 | 7 | --- | 20 | 150 | 3 | 1300 | 3 | 370 | 7 |
| 31 | 10 | --- | 7 | 6 | --- | 25 | --- | 3 | --- | 3 | 8 | --- |

SUSQUEHANNA RIVER BASIN

01549350 STEAM VALLEY RUN AT BUTTONWOOD, PA.

LOCATION.--Lat 41°29'39", long 77°09'03", Lycoming County, on right bank at upstream end of bridge on State Highway 284, 500 ft (152 m) upstream from confluence with Blockhouse Creek.

DRAINAGE AREA.--5.34 mi² (13.8 km²).

PERIOD OF RECORD.--Chemical analyses: October 1972 to September 1974.

Water temperatures: February 1973 to September 1974.

Sediment records: October 1972 to September 1974.

EXTREMES.--1973-74:

Water temperatures: Maximum, 24.0°C July 8, Aug. 13, 14; minimum, 0.5°C on many days during January and February.

Turbidity: Maximum daily, 3,800 JTU June 30; minimum daily, 1 JTU on several days during October.

Period of record:

Water temperatures: Maximum, 25.0°C July 8, Aug. 11, 1973; minimum, 0.5°C on many days each year.

Turbidity: Maximum daily, 3,800 JTU June 30, 1974; minimum daily, 1 JTU on many days each year.

REMARKS.--Sediment data for this station on page 409. Unpublished records of pH and specific conductance of instantaneous sediment samples available at the district office in Harrisburg. Mean concentrations of turbidity and suspended sediment are water-weighted means.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | DIS- SOLVED SILICA (SiO ₂) (MG/L) | DIS- SOLVED IRON (FE) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) |
|---------------|------|---|---|--|--|--|---|--|--|---|--|
| OCT. 15... | 1540 | 2.5 | 3.3 | 40 | 20 | 6.8 | 1.2 | 3.5 | .9 | 20 | 0 |
| SEP. 17... | 1445 | 1.7 | 4.2 | 20 | 5 | 12 | 1.4 | 6.0 | 1.0 | -- | 0 |

| DATE | ALKA- LINITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | DIS- SOLVED NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) |
|---------------|--|---|---|--|-----------------------------------|-----------------------------------|--|---|---|---|--|
| OCT. 15... | 16 | 5.6 | 6.6 | .1 | .04 | .00 | .04 | -- | .07 | .08 | .15 |
| SEP. 17... | 30 | 6.8 | 10 | .1 | .33 | .00 | .33 | .35 | .07 | .00 | .03 |

| DATE | TOTAL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | HARD- NESS (CA, MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) (MG/L) | PH (UNITS) | TEMPER- ATURE (DEG C) | CARBON DIOXIDE (CO ₂) (MG/L) |
|---------------|---|---|--|--|--|-------------------------------------|---|--|---------------|-----------------------------|---|
| OCT. 15... | .19 | .00 | .00 | -- | 38 | 22 | 6 | 67 | 7.4 | 14.0 | 1.3 |
| SEP. 17... | .36 | .02 | .02 | 71 | -- | 36 | 36 | 118 | 6.2 | 16.5 | -- |

SUSQUEHANNA RIVER BASIN

01549350 STEAM VALLEY RUN AT BUTTONWOOD, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|----------|------|------|----------|-----|------|----------|------|------|---------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 13.5 | 9.5 | 11.5 | 10.5 | 9.0 | 10.0 | 7.0 | 5.0 | 6.0 | 5.0 | 3.0 | 4.5 |
| 2 | 13.0 | 12.0 | 12.5 | 11.0 | 9.0 | 10.0 | 6.0 | 4.5 | 5.0 | 3.5 | 2.0 | 3.0 |
| 3 | 16.0 | 13.0 | 14.0 | 11.0 | 8.5 | 9.5 | 6.5 | 5.0 | 5.5 | 3.0 | 2.5 | 3.0 |
| 4 | 16.5 | 13.0 | 14.0 | 9.0 | 8.0 | 8.5 | 8.0 | 6.5 | 7.5 | 3.5 | 1.5 | 2.5 |
| 5 | 16.0 | 12.0 | 14.0 | 8.0 | 7.0 | 7.5 | 10.0 | 8.5 | 9.0 | 2.0 | 0.5 | 1.5 |
| 6 | 14.5 | 10.5 | 12.0 | 6.5 | 5.5 | 6.0 | 8.5 | 7.0 | 7.5 | 2.5 | 2.0 | 2.0 |
| 7 | 13.0 | 10.5 | 11.5 | 7.0 | 5.5 | 6.0 | 7.0 | 7.0 | 7.0 | 3.0 | 1.0 | 2.0 |
| 8 | 15.5 | 11.0 | 13.0 | 7.0 | 5.5 | 6.5 | 7.0 | 6.5 | 6.5 | 1.0 | 0.5 | 0.5 |
| 9 | 13.5 | 12.0 | 12.5 | 7.0 | 5.0 | 6.0 | 6.5 | 5.0 | 6.0 | 1.0 | 0.5 | 1.0 |
| 10 | 16.0 | 12.5 | 13.5 | 5.5 | 4.0 | 4.5 | 7.0 | 6.0 | 7.0 | 2.0 | 0.5 | 1.5 |
| 11 | 15.5 | 12.0 | 13.0 | 5.5 | 4.0 | 5.0 | 6.0 | 5.5 | 5.5 | 2.5 | 2.0 | 2.0 |
| 12 | 15.0 | 11.5 | 13.0 | 7.0 | 5.0 | 6.0 | 6.0 | 5.0 | 5.5 | 2.0 | 0.5 | 1.0 |
| 13 | 15.5 | 12.0 | 13.5 | 8.5 | 6.5 | 7.5 | 5.5 | 4.0 | 5.0 | 1.0 | 0.5 | 1.0 |
| 14 | 15.0 | 11.0 | 12.5 | 11.0 | 8.5 | 9.0 | 6.0 | 4.5 | 5.5 | 1.0 | 0.5 | 1.0 |
| 15 | 14.5 | 10.5 | 12.0 | 11.0 | 8.5 | 10.0 | 4.5 | 3.0 | 4.0 | 2.0 | 0.5 | 1.0 |
| 16 | 12.0 | 9.0 | 10.5 | 10.5 | 6.5 | 8.5 | 2.5 | 1.5 | 2.0 | 3.5 | 2.0 | 2.5 |
| 17 | 10.5 | 9.0 | 9.5 | 6.5 | 5.0 | 6.0 | 1.5 | 1.0 | 1.0 | 3.5 | 0.5 | 2.0 |
| 18 | 9.5 | 8.0 | 9.0 | 6.0 | 4.0 | 5.0 | 1.0 | 1.0 | 1.0 | 1.0 | 0.5 | 0.5 |
| 19 | 11.5 | 7.5 | 9.0 | 7.0 | 5.5 | 6.5 | 2.0 | 1.0 | 1.5 | 1.0 | 0.5 | 0.5 |
| 20 | 11.0 | 9.0 | 10.0 | 8.0 | 5.5 | 6.5 | 4.0 | 1.0 | 2.0 | 1.5 | 0.5 | 1.5 |
| 21 | 13.0 | 9.0 | 10.5 | 7.0 | 5.5 | 6.5 | 4.5 | 4.0 | 4.0 | 2.5 | 1.0 | 2.0 |
| 22 | 12.5 | 7.5 | 9.5 | 9.0 | 7.0 | 8.0 | 5.0 | 3.5 | 4.5 | 4.0 | 2.5 | 3.5 |
| 23 | 12.5 | 7.5 | 9.5 | 8.0 | 5.5 | 7.0 | 5.5 | 4.5 | 5.0 | 4.5 | 4.0 | 4.0 |
| 24 | 12.5 | 7.5 | 9.5 | 8.5 | 6.5 | 7.5 | 4.5 | 3.0 | 3.5 | 4.5 | 3.5 | 4.0 |
| 25 | 12.5 | 7.5 | 9.5 | 9.0 | 7.0 | 8.5 | 5.0 | 3.5 | 4.0 | 4.5 | 2.5 | 3.5 |
| 26 | 12.5 | 7.5 | 10.0 | 7.5 | 7.0 | 7.0 | 6.0 | 5.0 | 5.5 | 4.5 | 2.5 | 3.5 |
| 27 | 12.5 | 9.0 | 10.0 | 9.0 | 7.5 | 8.5 | 7.0 | 5.5 | 6.0 | 6.0 | 4.5 | 5.0 |
| 28 | 9.5 | 8.5 | 9.0 | 10.0 | 8.5 | 9.5 | 6.5 | 5.5 | 6.0 | 5.5 | 4.5 | 5.0 |
| 29 | 12.0 | 9.5 | 10.0 | 8.5 | 7.0 | 7.5 | 6.5 | 5.0 | 6.0 | 6.0 | 5.0 | 5.5 |
| 30 | 11.5 | 9.5 | 11.0 | 7.5 | 6.5 | 7.0 | 6.0 | 4.0 | 4.5 | 7.0 | 5.0 | 6.0 |
| 31 | 10.5 | 9.0 | 10.0 | --- | --- | --- | 5.0 | 3.5 | 4.5 | 7.0 | 4.5 | 5.5 |
| MONTH | 16.5 | 7.5 | 11.0 | 11.0 | 4.0 | 7.5 | 10.0 | 1.0 | 5.0 | 7.0 | 0.5 | 2.5 |
| | | | | | | | | | | | | |
| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 4.5 | 3.0 | 4.0 | 4.0 | 3.5 | 3.5 | 6.0 | 3.0 | 4.0 | 14.0 | 9.0 | 11.5 |
| 2 | 4.0 | 2.5 | 3.0 | 3.5 | 2.0 | 3.0 | 7.0 | 4.0 | 4.5 | 11.5 | 7.5 | 9.0 |
| 3 | 2.5 | 1.5 | 2.5 | 5.0 | 3.5 | 4.0 | 8.5 | 4.0 | 6.0 | 9.5 | 8.5 | 9.0 |
| 4 | 2.0 | 0.5 | 1.0 | --- | --- | --- | 9.5 | 7.0 | 8.0 | 11.0 | 7.0 | 8.5 |
| 5 | 0.5 | 0.5 | 0.5 | --- | --- | --- | 8.5 | 7.0 | 7.5 | 11.0 | 6.0 | 8.5 |
| 6 | 0.5 | 0.5 | 0.5 | --- | --- | --- | 7.0 | 5.0 | 6.0 | 9.5 | 7.0 | 8.0 |
| 7 | 2.0 | 0.5 | 1.5 | --- | --- | --- | 8.5 | 4.0 | 6.5 | 9.0 | 6.5 | 7.5 |
| 8 | 2.0 | 0.5 | 1.5 | --- | --- | --- | 7.0 | 3.0 | 5.0 | 8.5 | 5.5 | 7.5 |
| 9 | 1.0 | 0.5 | 0.5 | --- | --- | --- | 4.5 | 3.0 | 3.5 | 9.0 | 8.0 | 8.5 |
| 10 | 0.5 | 0.5 | 0.5 | --- | --- | --- | 7.0 | 2.5 | 4.5 | 10.0 | 8.0 | 9.0 |
| 11 | 1.0 | 0.5 | 0.5 | --- | --- | --- | 8.0 | 3.5 | 5.5 | 13.0 | 6.5 | 10.0 |
| 12 | 2.5 | 0.5 | 1.5 | --- | --- | --- | 8.5 | 5.0 | 7.0 | 11.5 | 9.0 | 10.5 |
| 13 | 3.5 | 1.5 | 2.0 | --- | --- | --- | 11.0 | 7.0 | 8.5 | 9.5 | 8.0 | 9.0 |
| 14 | 2.5 | 0.5 | 2.0 | --- | --- | --- | 11.5 | 7.0 | 9.5 | 13.0 | 8.5 | 10.5 |
| 15 | 1.0 | 0.5 | 0.5 | --- | --- | --- | 9.0 | 6.5 | 7.5 | 14.0 | 10.0 | 12.0 |
| 16 | 1.0 | 0.5 | 0.5 | --- | --- | --- | 9.5 | 5.5 | 7.5 | 14.0 | 9.5 | 12.0 |
| 17 | 2.0 | 0.5 | 1.0 | --- | --- | --- | 10.5 | 5.5 | 8.0 | 15.0 | 11.5 | 13.0 |
| 18 | 2.0 | 0.5 | 1.0 | --- | --- | --- | 10.0 | 6.0 | 8.0 | 15.5 | 11.5 | 13.0 |
| 19 | 1.5 | 0.5 | 1.5 | --- | --- | --- | 10.5 | 7.0 | 8.5 | 15.0 | 11.0 | 12.5 |
| 20 | 3.5 | 1.5 | 2.0 | 7.0 | 2.0 | 4.0 | 11.0 | 5.0 | 7.5 | 14.0 | 9.0 | 11.5 |
| 21 | 4.0 | 0.5 | 2.0 | 4.0 | 2.5 | 3.5 | 12.0 | 6.0 | 9.0 | 15.5 | 9.0 | 12.0 |
| 22 | 3.5 | 1.0 | 2.0 | 5.5 | 2.0 | 3.5 | 10.5 | 9.0 | 9.5 | 16.0 | 12.0 | 13.5 |
| 23 | 3.5 | 1.5 | 2.5 | 7.0 | 2.5 | 4.5 | 9.5 | 7.0 | 9.0 | 16.0 | 12.5 | 13.5 |
| 24 | 3.5 | 1.5 | 2.5 | 6.0 | 1.5 | 4.0 | 7.5 | 6.5 | 7.0 | 15.5 | 11.5 | 13.0 |
| 25 | 2.5 | 1.5 | 2.0 | 5.0 | 1.0 | 2.0 | 11.0 | 5.0 | 7.5 | 12.0 | 10.0 | 11.0 |
| 26 | 2.5 | 0.5 | 1.5 | 5.5 | 1.0 | 3.0 | 12.5 | 7.0 | 9.0 | 13.0 | 9.5 | 11.0 |
| 27 | 3.5 | 0.5 | 1.5 | 6.5 | 1.5 | 3.5 | 13.0 | 6.5 | 9.5 | 12.0 | 9.0 | 10.5 |
| 28 | 4.0 | 2.0 | 3.0 | 5.5 | 2.5 | 4.0 | 15.0 | 8.5 | 11.5 | 14.0 | 9.0 | 11.5 |
| 29 | --- | --- | --- | 2.5 | 1.0 | 1.5 | 16.5 | 11.5 | 13.5 | 13.0 | 11.0 | 11.5 |
| 30 | --- | --- | --- | 2.0 | 1.0 | 1.5 | 12.5 | 12.0 | 12.0 | 16.5 | 11.5 | 13.5 |
| 31 | --- | --- | --- | 3.5 | 1.5 | 3.0 | --- | --- | --- | 13.5 | 12.5 | 13.0 |
| MONTH | 4.5 | 0.5 | 1.5 | --- | --- | --- | 16.5 | 2.5 | 7.5 | 16.5 | 5.5 | 11.0 |

SUSQUEHANNA RIVER BASIN

01549350 STEAM VALLEY RUN AT BUTTONWOOD, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 16.0 | 12.5 | 13.5 | 16.5 | 13.5 | 15.0 | 22.0 | 15.0 | 18.0 | 17.5 | 15.0 | 16.0 |
| 2 | 17.0 | 11.5 | 13.5 | 17.0 | 12.5 | 14.5 | 22.5 | 16.0 | 18.5 | 18.5 | 14.5 | 16.0 |
| 3 | 16.5 | 12.0 | 13.5 | 18.0 | 14.0 | 16.0 | 21.0 | 17.5 | 19.0 | 14.5 | 13.0 | 14.0 |
| 4 | 17.5 | 12.0 | 14.5 | 20.0 | 15.0 | 17.0 | 20.0 | 17.0 | 18.5 | --- | --- | --- |
| 5 | 19.5 | 12.5 | 15.5 | 17.5 | 15.5 | 16.0 | 20.5 | 15.5 | 17.5 | 17.0 | 11.0 | 13.5 |
| 6 | 18.0 | 12.5 | 15.0 | 19.5 | 14.5 | 16.5 | 21.5 | 15.0 | 18.0 | 15.0 | 12.5 | 13.5 |
| 7 | 19.5 | 13.5 | 15.5 | 20.5 | 14.0 | 17.0 | 22.0 | 15.5 | 18.0 | 16.5 | 13.0 | 14.5 |
| 8 | 18.0 | 14.0 | 15.5 | 21.0 | 15.0 | 17.5 | 20.0 | 15.5 | 17.5 | 18.5 | 13.0 | 15.0 |
| 9 | 21.0 | 14.0 | 17.0 | 22.0 | 15.5 | 18.0 | 21.0 | 17.0 | 18.5 | 18.0 | 14.0 | 15.5 |
| 10 | 23.5 | 15.0 | 18.5 | 20.5 | 16.5 | 18.0 | 22.0 | 16.5 | 18.5 | --- | --- | --- |
| 11 | 20.0 | 14.5 | 17.0 | 19.5 | 14.5 | 16.5 | 22.0 | 16.0 | 18.5 | --- | --- | --- |
| 12 | 17.0 | 13.0 | 14.5 | 20.0 | 13.0 | 16.0 | 20.5 | 15.5 | 18.0 | --- | --- | --- |
| 13 | 18.0 | 11.5 | 14.5 | 21.0 | 13.5 | 16.5 | 24.0 | 17.0 | 20.0 | --- | --- | --- |
| 14 | 19.0 | 12.0 | 15.0 | 22.5 | 14.5 | 18.0 | 24.0 | 18.0 | 20.5 | --- | --- | --- |
| 15 | 17.0 | 14.0 | 15.0 | 22.0 | 16.5 | 19.0 | 23.5 | 16.0 | 19.0 | --- | --- | --- |
| 16 | 15.5 | 14.0 | 15.0 | 21.5 | 16.0 | 18.0 | 22.5 | 16.0 | 19.0 | --- | --- | --- |
| 17 | 17.0 | 13.5 | 15.0 | 21.0 | 13.5 | 16.5 | 20.5 | 17.5 | 19.0 | --- | --- | --- |
| 18 | 17.5 | 12.0 | 14.5 | 22.0 | 15.5 | 18.5 | 21.5 | 17.0 | 18.5 | --- | --- | --- |
| 19 | 17.5 | 13.0 | 15.5 | 22.5 | 16.5 | 19.0 | 21.5 | 16.5 | 19.0 | --- | --- | --- |
| 20 | 20.5 | 14.5 | 17.0 | 20.0 | 15.0 | 17.5 | 21.5 | 16.5 | 19.0 | --- | --- | --- |
| 21 | 18.0 | 14.5 | 16.0 | 21.0 | 13.0 | 16.5 | 23.0 | 17.0 | 19.5 | --- | --- | --- |
| 22 | 21.5 | 15.0 | 17.5 | 22.0 | 13.0 | 17.0 | 21.5 | 17.0 | 19.5 | --- | --- | --- |
| 23 | 17.0 | 14.0 | 15.5 | 16.5 | 15.0 | 15.5 | 22.5 | 17.5 | 19.5 | --- | --- | --- |
| 24 | 20.0 | 13.0 | 16.0 | 17.5 | 14.5 | 15.5 | 21.5 | 16.0 | 18.0 | --- | --- | --- |
| 25 | 16.0 | 14.0 | 15.0 | 19.0 | 14.5 | 16.5 | 21.5 | 17.0 | 19.0 | --- | --- | --- |
| 26 | 15.5 | 13.5 | 14.0 | 16.5 | 15.0 | 16.0 | 22.5 | 19.0 | 20.0 | --- | --- | --- |
| 27 | 19.5 | 13.0 | 15.5 | 22.0 | 15.5 | 18.0 | 21.5 | 18.5 | 19.5 | --- | --- | --- |
| 28 | 17.0 | 14.0 | 15.0 | 23.5 | 16.0 | 19.0 | 18.5 | 17.0 | 17.5 | --- | --- | --- |
| 29 | 16.0 | 13.5 | 14.5 | 21.0 | 16.5 | 18.0 | 18.5 | 16.5 | 17.5 | --- | --- | --- |
| 30 | 17.0 | 13.0 | 14.5 | 21.5 | 16.5 | 18.5 | 19.5 | 16.0 | 17.0 | 12.5 | 10.5 | 11.5 |
| 31 | --- | --- | --- | 21.0 | 16.0 | 18.0 | 20.5 | 17.0 | 18.0 | --- | --- | --- |
| MONTH | 23.5 | 11.5 | 15.5 | 23.5 | 12.5 | 17.0 | 24.0 | 15.0 | 18.5 | --- | --- | --- |

TURBIDITY (JTU) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|------|------|
| 1 | 2 | 5 | 4 | 3 | 4 | 7 | 7 | 15 | 230 | 110 | 7 | 1700 |
| 2 | 2 | 4 | 4 | 3 | 4 | 5 | 25 | 60 | 3 | 130 | 7 | 40 |
| 3 | 2 | 4 | 4 | 2 | 4 | 5 | 20 | 9 | 3 | 190 | 7 | 160 |
| 4 | 2 | 3 | 5 | 2 | 6 | 3 | 10 | 5 | 7 | 120 | 15 | 10 |
| 5 | 2 | 3 | 100 | 2 | 5 | 20 | 5 | 8 | 20 | 75 | 8 | 7 |
| 6 | 2 | 6 | 7 | 2 | 8 | 5 | 3 | 8 | 4 | 15 | 6 | 7 |
| 7 | 2 | 5 | 4 | 2 | 10 | 5 | 3 | 5 | 10 | 15 | 6 | 7 |
| 8 | 2 | 7 | 2 | 20 | 2 | 35 | 3 | 4 | 2 | 85 | 6 | 7 |
| 9 | 2 | 3 | 5 | 3 | 2 | 20 | 2 | 6 | 2 | 340 | 6 | 7 |
| 10 | 1 | 3 | 4 | 2 | 2 | 5 | 15 | 5 | 40 | 65 | 6 | 7 |
| 11 | 1 | 3 | 4 | 2 | 2 | 4 | 20 | 3 | 15 | 90 | 6 | 5 |
| 12 | 1 | 3 | 3 | 2 | 3 | 3 | 3 | 200 | 25 | 10 | 6 | 1400 |
| 13 | 1 | 4 | 4 | 2 | 3 | 3 | 3 | 25 | 3 | 10 | 6 | 220 |
| 14 | 1 | 3 | 3 | 2 | 2 | 3 | 120 | 15 | 2 | 15 | 6 | 80 |
| 15 | 1 | 2 | 2 | 2 | 3 | 3 | 7 | 5 | 190 | 55 | 6 | 10 |
| 16 | 1 | 2 | 2 | 2 | 2 | 2 | 3 | 5 | 650 | 15 | 6 | 9 |
| 17 | 2 | 2 | 4 | 2 | 2 | 2 | 8 | 5 | 6 | 10 | 8 | 9 |
| 18 | 3 | 2 | 5 | 10 | 2 | 2 | 4 | 3 | 8 | 10 | 6 | 9 |
| 19 | 4 | 9 | 4 | 10 | 2 | 2 | 3 | 2 | 5 | 10 | 7 | 9 |
| 20 | 1 | 4 | 30 | 8 | 2 | 2 | 3 | 2 | 5 | 6 | 5 | 700 |
| 21 | 1 | 3 | 15 | 25 | 2 | 15 | 3 | 3 | 3 | 6 | 5 | 1100 |
| 22 | 1 | 2 | 3 | 8 | 120 | 3 | 8 | 9 | 3 | 6 | 5 | 40 |
| 23 | 2 | 2 | 2 | 7 | 5 | 2 | 15 | 4 | 3 | 55 | 4 | 10 |
| 24 | 3 | 5 | 2 | 6 | 2 | 2 | 5 | 15 | 3 | 170 | 5 | 10 |
| 25 | 2 | 45 | 2 | 6 | 2 | 3 | 3 | 2 | 100 | 15 | 4 | 9 |
| 26 | 2 | 5 | 2 | 4 | 2 | 3 | 4 | 2 | 6 | 7 | 4 | 9 |
| 27 | 2 | 8 | 3 | 10 | 2 | 3 | 4 | 2 | 6 | 6 | 4 | 8 |
| 28 | 2 | 5 | 4 | 30 | 2 | 3 | 3 | 6 | 270 | 6 | 7 | 8 |
| 29 | 420 | 4 | 3 | 7 | --- | 3 | 3 | 2 | 70 | 25 | 7 | 130 |
| 30 | 15 | 3 | 3 | 5 | --- | 7 | 140 | 2 | 3800 | 7 | 1700 | 90 |
| 31 | 5 | --- | 3 | 4 | --- | 6 | --- | 5 | --- | 15 | 40 | --- |

SUSQUEHANNA RIVER BASIN

281

01549500 BLOCKHOUSE CREEK NEAR ENGLISH CENTER, PA.

LOCATION.--Lat 41°28'25", long 77°13'52", Lycoming County, on right bank just downstream from bridge on State Highway 284, 0.7 mi (1.1 km) upstream from Blacks Creek, 1.7 mi (2.7 km) upstream from confluence with Texas Creek, and 5 mi (8 km) northeast of English Center.

DRAINAGE AREA.--37.7 mi² (97.6 km²).

PERIOD OF RECORD.--Chemical analyses: October 1972 to September 1974.

Water temperatures: April 1973 to September 1974.

Sediment records: October 1972 to September 1974.

EXTREMES.--1973-74:

Water temperatures: Maximum, 27.0°C Aug. 13, 14; minimum, 0.5°C on many days.

Turbidity: Maximum daily, 1,200 JTU June 30; minimum daily, 1 JTU Oct 8, 9, 19, 28.

Period of record:

Water temperatures: Maximum, 27.5°C July 8, Aug. 9, 1973; minimum, 0.5°C on many days during 1973-74.

Turbidity: Maximum daily, 1,200 JTU June 30, 1974; minimum daily, 1 JTU on many days each year.

REMARKS.--Sediment data for this station on page 412. Unpublished records of pH and specific conductance of instantaneous sediment samples available at the district office in Harrisburg. Mean concentrations of turbidity and suspended sediment are water-weighted means.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS- CHARGE (CFS) | DIS- SOLVED SILICA (SiO ₂) (MG/L) | DIS- SOLVED IRON (FE) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) |
|---------------|------|--|---|--|--|--|---|--|--|---|--|
| OCT. 15... | 1500 | 40 | 2.0 | 40 | 6500 | 12 | 1.8 | 5.0 | 1.4 | 32 | 0 |
| SEP. 17... | 1315 | 10 | 2.3 | 20 | 10 | 14 | 1.6 | 6.0 | 1.4 | -- | 0 |

| DATE | ALKA- LINITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | DIS- SOLVED NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) |
|---------------|--|---|---|--|-----------------------------------|-----------------------------------|--|---|---|---|--|
| OCT. 15... | 26 | 10 | 8.1 | .2 | .13 | .00 | .13 | -- | -- | .13 | .14 |
| SEP. 17... | 40 | 12 | 9.1 | .2 | .17 | .00 | .05 | .08 | .05 | .07 | .12 |

| DATE | TOTAL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L) | HARD- NESS (CA, MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | CARBON DIOXIDE (CO ₂) (MG/L) |
|---------------|---|---|--|--|---|-------------------------------------|---|--|---------------|-----------------------------|---|
| OCT. 15... | .27 | .06 | .01 | -- | 63 | 37 | 11 | 108 | 7.5 | 14.5 | 1.6 |
| SEP. 17... | .17 | .05 | .03 | 76 | -- | 42 | 42 | 152 | 7.8 | 16.0 | -- |

SUSQUEHANNA RIVER BASIN

01549500 BLOCKHOUSE CREEK NEAR ENGLISH CENTER, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
|-------|---------|------|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 9.5 | 8.5 | 9.0 | 6.5 | 4.5 | 5.5 | 4.0 | 2.0 | 3.5 |
| 2 | --- | --- | --- | 11.0 | 8.0 | 9.5 | 4.5 | 3.0 | 4.0 | 2.0 | 1.0 | 1.5 |
| 3 | 17.0 | 14.5 | 15.5 | 10.5 | 8.0 | 9.5 | 5.0 | 3.0 | 4.5 | 2.0 | 2.0 | 2.0 |
| 4 | 17.5 | 14.5 | 16.0 | 9.0 | 7.0 | 8.0 | 7.5 | 5.0 | 6.0 | 2.5 | 0.5 | 1.5 |
| 5 | 17.5 | 14.0 | 16.0 | 7.5 | 6.5 | 7.0 | 10.5 | 7.5 | 9.0 | 0.5 | 0.5 | 0.5 |
| 6 | 15.5 | 12.0 | 13.5 | 6.5 | 5.0 | 5.5 | 8.5 | 6.5 | 7.0 | 2.0 | 0.5 | 1.0 |
| 7 | 14.0 | 11.5 | 13.0 | 6.5 | 5.0 | 5.5 | 6.5 | 5.5 | 6.0 | 2.0 | 0.5 | 1.0 |
| 8 | 16.0 | 12.5 | 14.0 | 6.5 | 4.5 | 5.5 | 6.0 | 5.0 | 5.5 | 0.5 | 0.5 | 0.5 |
| 9 | 14.0 | 13.0 | 13.5 | 6.0 | 4.0 | 5.0 | 5.0 | 4.0 | 4.5 | 0.5 | 0.5 | 0.5 |
| 10 | 16.5 | 14.0 | 14.5 | 5.0 | 3.0 | 4.0 | 6.0 | 5.0 | 5.5 | 0.5 | 0.5 | 0.5 |
| 11 | 16.0 | 13.0 | 14.0 | 5.0 | 3.5 | 4.5 | 5.0 | 4.0 | 4.5 | 0.5 | 0.5 | 0.5 |
| 12 | 16.0 | 12.5 | 14.0 | 6.5 | 4.5 | 5.5 | 4.5 | 3.5 | 4.0 | 0.5 | 0.5 | 0.5 |
| 13 | 16.0 | 13.0 | 14.5 | 8.5 | 6.0 | 7.5 | 4.0 | 2.5 | 3.5 | 0.5 | 0.5 | 0.5 |
| 14 | 15.0 | 12.5 | 13.5 | 11.0 | 8.5 | 9.5 | 5.0 | 4.0 | 4.5 | 0.5 | 0.5 | 0.5 |
| 15 | 14.5 | 11.0 | 12.5 | 11.5 | 9.0 | 10.0 | 3.5 | 2.0 | 3.0 | 0.5 | 0.5 | 0.5 |
| 16 | 12.5 | 10.0 | 11.0 | 11.0 | 7.0 | 9.0 | 2.0 | 0.5 | 1.5 | 2.0 | 0.5 | 1.0 |
| 17 | 11.0 | 9.0 | 10.0 | 6.5 | 5.0 | 5.5 | 0.5 | 0.5 | 0.5 | 2.0 | 0.5 | 1.0 |
| 18 | 10.5 | 9.0 | 9.5 | 5.5 | 4.0 | 5.0 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 |
| 19 | 11.0 | 8.0 | 9.5 | 6.5 | 5.5 | 6.0 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 |
| 20 | 12.0 | 9.5 | 10.5 | 7.0 | 5.5 | 6.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 |
| 21 | 13.0 | 10.0 | 11.0 | 7.0 | 6.0 | 6.5 | 2.0 | 1.0 | 2.0 | 1.5 | 0.5 | 1.0 |
| 22 | 12.5 | 8.5 | 10.0 | 9.0 | 7.0 | 8.0 | 3.0 | 1.5 | 2.0 | 3.5 | 1.5 | 2.5 |
| 23 | 12.5 | 8.5 | 10.0 | 7.5 | 5.5 | 6.5 | 3.5 | 2.5 | 3.0 | 3.5 | 2.5 | 3.0 |
| 24 | 12.5 | 8.0 | 10.0 | 7.5 | 6.0 | 7.0 | 3.0 | 1.5 | 2.0 | 3.5 | 2.0 | 2.5 |
| 25 | 12.0 | 8.0 | 10.0 | 8.5 | 7.0 | 8.0 | 3.0 | 1.5 | 2.0 | 3.5 | 1.5 | 2.5 |
| 26 | 12.0 | 8.0 | 10.0 | 7.0 | 7.0 | 7.0 | 4.0 | 3.5 | 4.0 | 3.5 | 1.0 | 2.5 |
| 27 | 12.0 | 9.5 | 10.5 | 9.0 | 7.0 | 8.0 | 5.0 | 3.5 | 4.5 | 6.0 | 3.5 | 4.5 |
| 28 | 10.5 | 9.0 | 9.5 | 10.0 | 8.5 | 9.0 | 5.5 | 4.0 | 4.5 | 4.0 | 2.5 | 3.5 |
| 29 | 10.5 | 10.0 | 10.0 | 8.5 | 6.0 | 7.0 | 5.0 | 3.5 | 4.5 | 5.5 | 4.0 | 4.5 |
| 30 | 10.5 | 9.0 | 10.0 | 7.0 | 5.0 | 6.0 | 5.0 | 2.5 | 3.0 | 6.0 | 4.0 | 5.0 |
| 31 | 9.5 | 8.5 | 9.0 | --- | --- | --- | 3.5 | 2.0 | 2.5 | 6.5 | 3.0 | 4.5 |
| MONTH | 17.5 | 8.0 | 12.0 | 11.5 | 3.0 | 7.0 | 10.5 | 0.5 | 3.5 | 6.5 | 0.5 | 2.0 |

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|-------|------|------|------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 3.5 | 2.0 | 2.5 | 3.5 | 2.5 | 2.5 | 5.5 | 2.0 | 3.5 | 16.0 | 10.5 | 13.0 |
| 2 | 2.5 | 1.5 | 2.0 | 2.5 | 1.5 | 2.0 | 7.0 | 2.5 | 4.0 | 12.5 | 7.5 | 10.0 |
| 3 | 2.0 | 0.5 | 1.0 | 5.0 | 2.5 | 3.5 | 9.0 | 2.5 | 5.0 | 10.0 | 8.5 | 9.5 |
| 4 | 0.5 | 0.5 | 0.5 | 7.0 | 4.0 | 5.5 | 10.5 | 6.5 | 8.5 | 13.0 | 7.5 | 10.0 |
| 5 | 0.5 | 0.5 | 0.5 | 7.0 | 4.5 | 5.5 | 9.0 | 6.5 | 7.5 | 12.5 | 6.0 | 9.0 |
| 6 | 0.5 | 0.5 | 0.5 | 6.5 | 2.0 | 4.5 | 7.0 | 4.0 | 5.5 | 10.0 | 7.5 | 8.5 |
| 7 | 0.5 | 0.5 | 0.5 | 9.0 | 5.5 | 6.5 | 8.5 | 2.5 | 5.5 | 10.0 | 6.5 | 8.0 |
| 8 | 0.5 | 0.5 | 0.5 | 6.5 | 3.0 | 4.5 | 7.0 | 2.0 | 5.5 | 9.0 | 5.0 | 7.5 |
| 9 | 0.5 | 0.5 | 0.5 | 4.0 | 3.0 | 3.5 | 3.5 | 2.0 | 2.5 | 9.0 | 8.5 | 8.5 |
| 10 | 0.5 | 0.5 | 0.5 | 6.5 | 3.5 | 4.5 | 8.0 | 2.0 | 4.5 | 11.5 | 8.5 | 9.5 |
| 11 | 0.5 | 0.5 | 0.5 | 5.5 | 2.0 | 3.5 | 8.0 | 2.0 | 5.5 | 15.0 | 7.0 | 11.0 |
| 12 | 0.5 | 0.5 | 0.5 | 5.5 | 2.0 | 4.0 | 9.0 | 4.0 | 6.5 | 12.0 | 9.0 | 11.0 |
| 13 | 0.5 | 0.5 | 0.5 | 4.5 | 0.5 | 2.0 | 11.5 | 6.5 | 8.5 | 11.0 | 8.5 | 9.5 |
| 14 | 0.5 | 0.5 | 0.5 | 5.5 | 0.5 | 2.5 | 12.0 | 7.0 | 9.5 | --- | 8.5 | 11.5 |
| 15 | 0.5 | 0.5 | 0.5 | 5.0 | 0.5 | 2.5 | 9.5 | 6.5 | 7.5 | --- | --- | --- |
| 16 | 0.5 | 0.5 | 0.5 | 5.0 | 3.5 | 4.0 | 10.5 | 5.0 | 7.5 | --- | --- | --- |
| 17 | 0.5 | 0.5 | 0.5 | 3.5 | 1.0 | 2.5 | 11.5 | 5.0 | 8.0 | --- | --- | --- |
| 18 | 0.5 | 0.5 | 0.5 | 6.0 | 0.5 | 2.5 | 11.0 | 5.5 | 8.5 | --- | --- | --- |
| 19 | 0.5 | 0.5 | 0.5 | 5.5 | 2.0 | 3.5 | 11.5 | 7.0 | 9.0 | --- | --- | --- |
| 20 | 2.0 | 0.5 | 1.0 | 7.0 | 1.5 | 4.0 | 12.0 | 4.5 | 8.5 | --- | --- | --- |
| 21 | 3.0 | 0.5 | 1.5 | 4.0 | 2.0 | 3.0 | 13.0 | 6.0 | 9.5 | --- | --- | --- |
| 22 | 2.0 | 0.5 | 1.5 | 5.0 | 1.0 | 2.5 | 11.0 | 9.0 | 10.0 | 17.5 | 13.0 | 15.0 |
| 23 | 2.5 | 0.5 | 1.5 | 6.5 | 1.5 | 4.0 | 10.0 | 7.5 | 9.0 | 17.0 | 14.0 | 15.5 |
| 24 | 3.0 | 0.5 | 1.5 | 7.0 | 2.0 | 4.5 | 7.5 | 6.5 | 7.0 | 17.0 | 12.5 | 14.0 |
| 25 | 2.0 | 0.5 | 1.5 | 5.0 | 0.5 | 2.0 | 12.0 | 5.0 | 8.5 | 13.0 | 11.0 | 12.0 |
| 26 | 1.5 | 0.5 | 0.5 | 5.5 | 0.5 | 2.5 | 15.0 | 7.0 | 10.5 | 14.0 | 10.5 | 12.0 |
| 27 | 2.0 | 0.5 | 1.0 | 7.0 | 0.5 | 3.5 | 15.0 | 7.0 | 11.0 | 13.0 | 10.0 | 11.5 |
| 28 | 3.0 | 1.0 | 2.0 | 6.0 | 3.0 | 4.0 | 16.5 | 9.0 | 13.0 | 16.5 | 9.5 | 12.5 |
| 29 | --- | --- | --- | 3.0 | 0.5 | 1.0 | 18.5 | 12.5 | 15.0 | 13.0 | 12.0 | 12.5 |
| 30 | --- | --- | --- | 1.0 | 0.5 | 0.5 | 14.0 | 12.5 | 13.0 | --- | --- | --- |
| 31 | --- | --- | --- | 2.5 | 0.5 | 1.5 | --- | --- | --- | --- | --- | --- |
| MONTH | 3.5 | 0.5 | 1.0 | 9.0 | 0.5 | 3.5 | 18.5 | 2.0 | 8.0 | --- | --- | --- |

01549500 BLOCKHOUSE CREEK NEAR ENGLISH CENTER, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | 20.0 | 14.5 | 17.0 | 24.5 | 17.0 | 20.5 | 19.5 | 17.0 | 18.5 |
| 2 | --- | --- | --- | 21.0 | 14.5 | 17.5 | 24.5 | 17.0 | 20.5 | 19.5 | 16.0 | 17.5 |
| 3 | --- | --- | --- | 23.0 | 16.5 | 19.5 | 23.5 | 20.0 | 21.5 | 17.5 | 14.5 | 16.0 |
| 4 | 21.5 | 17.0 | 19.5 | 24.5 | 18.5 | 21.5 | 22.5 | 19.5 | 21.0 | 16.0 | 14.0 | 15.0 |
| 5 | 23.0 | 14.5 | 18.5 | 21.0 | 18.5 | 19.5 | 22.0 | 17.0 | 19.5 | 17.5 | 12.5 | 14.5 |
| 6 | 21.5 | 14.5 | 17.5 | 24.0 | 17.0 | 20.0 | 24.0 | 17.0 | 20.0 | 16.0 | 13.5 | 15.0 |
| 7 | 22.5 | 15.5 | 18.0 | 25.5 | 17.0 | 21.0 | 24.0 | 17.0 | 20.0 | 17.5 | 14.0 | 16.0 |
| 8 | 20.0 | 16.5 | 18.0 | 26.5 | 18.5 | 22.0 | 22.5 | 17.0 | 19.5 | 20.0 | 14.5 | 16.5 |
| 9 | 24.0 | 16.0 | 19.5 | 26.5 | 19.5 | 22.5 | 22.5 | 18.5 | 20.5 | 20.0 | 16.0 | 17.5 |
| 10 | 26.0 | 17.5 | 21.0 | 24.0 | 20.5 | 22.0 | 24.0 | 18.0 | 20.5 | 20.5 | 16.0 | 17.5 |
| 11 | 22.5 | 17.0 | 19.5 | 23.5 | 17.5 | 20.0 | 25.0 | 17.0 | 20.5 | 20.0 | 16.0 | 18.0 |
| 12 | 19.0 | 15.5 | 17.0 | 24.5 | 15.0 | 19.5 | 22.5 | 16.5 | 19.5 | 22.0 | 17.0 | 19.5 |
| 13 | 21.5 | 13.0 | 17.0 | 26.0 | 16.0 | 20.0 | 27.0 | 19.0 | 22.5 | 21.5 | 18.5 | 20.0 |
| 14 | 22.5 | 13.5 | 17.5 | 26.5 | 17.0 | 21.5 | 27.0 | 20.0 | 23.0 | 19.0 | 15.5 | 17.0 |
| 15 | 19.0 | 16.0 | 17.0 | 25.0 | 20.0 | 22.0 | 26.5 | 17.5 | 21.0 | 19.0 | 13.5 | 15.5 |
| 16 | 17.0 | 15.5 | 16.5 | 25.5 | 18.5 | 21.5 | 25.5 | 16.0 | 20.5 | 19.0 | 13.5 | 15.5 |
| 17 | 20.5 | 14.5 | 17.0 | 24.0 | 16.0 | 20.0 | 22.5 | 19.0 | 20.5 | 17.5 | 13.0 | 15.0 |
| 18 | 21.0 | 14.0 | 17.0 | 25.5 | 18.0 | 21.0 | 24.0 | 18.0 | 20.5 | 19.0 | 15.0 | 16.5 |
| 19 | 20.5 | 15.0 | 17.5 | 25.0 | 19.0 | 22.0 | 24.0 | 18.0 | 20.5 | 19.0 | 14.0 | 16.0 |
| 20 | 24.0 | 16.5 | 19.5 | 24.0 | 17.5 | 20.0 | 26.5 | 18.0 | 21.5 | 17.5 | 15.5 | 16.5 |
| 21 | 20.5 | 16.5 | 18.0 | 23.0 | 15.0 | 19.0 | 25.5 | 18.5 | 21.5 | 16.5 | 13.0 | 15.0 |
| 22 | 24.5 | 17.0 | 20.0 | 24.5 | 15.0 | 19.5 | 24.0 | 17.5 | 20.5 | 13.5 | 12.0 | 12.5 |
| 23 | 19.5 | 16.0 | 18.0 | 18.5 | 17.0 | 17.5 | 25.0 | 19.5 | 22.0 | 12.0 | 9.5 | 11.0 |
| 24 | 23.0 | 14.0 | 18.5 | 19.5 | 16.5 | 17.5 | 24.0 | 19.0 | 21.0 | 12.0 | 8.5 | 10.0 |
| 25 | 17.5 | 15.5 | 17.0 | 21.0 | 16.5 | 18.5 | 24.0 | 17.0 | 20.0 | 11.5 | 9.0 | 10.5 |
| 26 | 17.5 | 15.0 | 16.0 | 18.0 | 17.0 | 17.5 | 25.0 | 17.5 | 21.0 | 14.5 | 10.5 | 12.0 |
| 27 | 23.0 | 14.5 | 18.0 | 25.0 | 17.0 | 20.5 | 24.5 | 19.5 | 21.5 | 16.0 | 11.5 | 13.5 |
| 28 | 20.0 | 16.0 | 17.5 | 26.5 | 18.5 | 21.5 | 21.0 | 18.5 | 19.5 | 15.0 | 14.0 | 14.5 |
| 29 | 17.5 | 15.5 | 16.0 | 24.0 | 18.5 | 21.0 | 20.0 | 17.5 | 19.0 | 16.5 | 14.0 | 15.0 |
| 30 | 18.0 | 14.5 | 16.0 | 24.5 | 18.0 | 21.0 | 20.0 | 18.0 | 19.0 | 13.5 | 12.0 | 12.5 |
| 31 | --- | --- | --- | 24.0 | 17.5 | 20.5 | 21.5 | 17.0 | 19.0 | --- | --- | --- |
| MONTH | 26.0 | 13.0 | 18.0 | 26.5 | 14.5 | 20.0 | 27.0 | 16.0 | 20.5 | 22.0 | 8.5 | 15.5 |

TURBIDITY (JTU) WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|
| 1 | 2 | 15 | 7 | 4 | 4 | 20 | 5 | 7 | 20 | 210 | 2 | 390 |
| 2 | 2 | 15 | 8 | 4 | 4 | 10 | 170 | 7 | 3 | 9 | 2 | 15 |
| 3 | 2 | 3 | 2 | 3 | 4 | 10 | 30 | 5 | 3 | 7 | 3 | 40 |
| 4 | 2 | 3 | 2 | 3 | 5 | 10 | 30 | 5 | 3 | 5 | 2 | 15 |
| 5 | 2 | 10 | 330 | 4 | 4 | 15 | 7 | 4 | 3 | 5 | 2 | 10 |
| 6 | 2 | 5 | 15 | 3 | 4 | 5 | 5 | 3 | 3 | 5 | 2 | 7 |
| 7 | 2 | 4 | 7 | 3 | 4 | 4 | 5 | 3 | 3 | 4 | 2 | 5 |
| 8 | 1 | 3 | 4 | 5 | 4 | 110 | 5 | 3 | 3 | 4 | 2 | 4 |
| 9 | 1 | 3 | 35 | 7 | 6 | 60 | 4 | 7 | 3 | 3 | 2 | 4 |
| 10 | 2 | 3 | 10 | 5 | 8 | 10 | 4 | 15 | 3 | 3 | 2 | 2 |
| 11 | 3 | 3 | 4 | 3 | 7 | 7 | 9 | 7 | 40 | 3 | 2 | 2 |
| 12 | 2 | 3 | 3 | 2 | 6 | 5 | 10 | 180 | 3 | 2 | 2 | 10 |
| 13 | 3 | 5 | 3 | 3 | 5 | 4 | 7 | 15 | 2 | 2 | 2 | 110 |
| 14 | 10 | 4 | 2 | 2 | 4 | 4 | 200 | 6 | 2 | 2 | 2 | 15 |
| 15 | 5 | 3 | 2 | 2 | 8 | 4 | 55 | 5 | 5 | 20 | 3 | 5 |
| 16 | 2 | 3 | 2 | 2 | 7 | 4 | 5 | 5 | 15 | 4 | 3 | 3 |
| 17 | 2 | 2 | 2 | 2 | 6 | 5 | 4 | 5 | 5 | 3 | 3 | 2 |
| 18 | 2 | 2 | 3 | 2 | 6 | 10 | 4 | 5 | 3 | 3 | 3 | 2 |
| 19 | 1 | 2 | 3 | 2 | 5 | 10 | 4 | 4 | 2 | 3 | 3 | 2 |
| 20 | 2 | 2 | 120 | 3 | 10 | 7 | 4 | 3 | 2 | 4 | 3 | 25 |
| 21 | 2 | 2 | 65 | 50 | 10 | 30 | 4 | 3 | 4 | 3 | 3 | 240 |
| 22 | 2 | 2 | 15 | 15 | 240 | 10 | 5 | 3 | 4 | 4 | 3 | 10 |
| 23 | 2 | 3 | 7 | 20 | 15 | 5 | 4 | 3 | 3 | 4 | 5 | 5 |
| 24 | 2 | 10 | 4 | 10 | 5 | 4 | 3 | 3 | 3 | 15 | 2 | 4 |
| 25 | 2 | 70 | 4 | 3 | 5 | 5 | 3 | 3 | 5 | 4 | 2 | 3 |
| 26 | 2 | 10 | 25 | 3 | 5 | 10 | 3 | 4 | 4 | 3 | 2 | 3 |
| 27 | 2 | 5 | 25 | 20 | 15 | 4 | 3 | 4 | 3 | 2 | 2 | 3 |
| 28 | 1 | 25 | 8 | 30 | 7 | 8 | 4 | 4 | 3 | 2 | 5 | 3 |
| 29 | 340 | 7 | 5 | 25 | --- | 5 | 4 | 3 | 15 | 2 | 5 | 20 |
| 30 | 70 | 6 | 4 | 5 | --- | 15 | 40 | 3 | 1200 | 5 | 250 | 10 |
| 31 | 15 | --- | 4 | 4 | --- | 15 | --- | 3 | --- | 3 | 7 | --- |

SUSQUEHANNA RIVER BASIN

01553115 WEST BRANCH SUSQUEHANNA RIVER AT WATSONTOWN, PA.

LOCATION.--Lat 41°04'53", long 76°51'50", Northumberland County, at bridge at Watsonstown 100 ft (305 m) upstream from White Deer Creek and 0.8 mi (1.3 km) upstream from Warrior Run.

DRAINAGE AREA.--6,550 mi² (17,000 km²).

PERIOD OF RECORD.--Chemical analyses: October 1972 to September 1974.

Water temperatures: October 1972 to September 1973.

Sediment records: October 1972 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum daily, 347 micromhos Aug. 28; minimum daily, 88 micromhos Apr. 6.

Period of record:

Specific conductance: Maximum daily, 368 micromhos Oct. 19, 1972; minimum daily, 88 micromhos Apr. 6, 1974.

REMARKS.--Sediment data for this station on page 415. Records of discharge are based on records for 01553500 West Branch Susquehanna River at Lewisburg, Pa.

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
(ONCE DAILY AM MEASUREMENTS)

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 202 | 112 | 115 | 118 | 117 | 127 | 137 | 154 | 184 | 170 | 258 | 322 |
| 2 | 226 | 120 | 123 | 122 | --- | 121 | 146 | 135 | --- | 126 | 234 | 304 |
| 3 | 258 | 116 | 125 | 131 | --- | 128 | 126 | 154 | --- | 100 | 226 | 252 |
| 4 | 262 | 118 | 128 | 139 | --- | 146 | 105 | 140 | --- | 109 | 239 | 230 |
| 5 | 264 | 112 | 127 | 146 | --- | 153 | 91 | 137 | --- | 117 | 258 | 182 |
| 6 | 321 | 121 | 110 | 145 | --- | 146 | 88 | 133 | --- | 119 | 262 | 167 |
| 7 | 247 | 125 | 105 | 143 | --- | 129 | 104 | 142 | 208 | 133 | 250 | 180 |
| 8 | 234 | 130 | 115 | 146 | --- | 107 | 113 | 148 | 180 | 137 | 248 | 179 |
| 9 | 217 | 139 | 120 | 160 | --- | 104 | 118 | 155 | 202 | --- | 252 | 195 |
| 10 | 220 | 144 | 100 | 156 | --- | 101 | 122 | 144 | 209 | --- | 257 | 181 |
| 11 | 197 | 156 | 109 | 154 | --- | 90 | 127 | 135 | 195 | --- | 266 | 188 |
| 12 | 205 | 162 | 127 | 167 | 161 | 91 | 137 | 140 | 190 | 166 | 276 | 197 |
| 13 | 203 | 176 | 128 | --- | 145 | 102 | 140 | 125 | 208 | 178 | 272 | 204 |
| 14 | --- | 198 | 123 | --- | 166 | 113 | 139 | 108 | --- | 177 | 276 | 206 |
| 15 | 208 | 173 | 133 | --- | 181 | 112 | 133 | 102 | 210 | 186 | 265 | 212 |
| 16 | 195 | 190 | 123 | --- | --- | 123 | 115 | 105 | 196 | 192 | 292 | 215 |
| 17 | 203 | 184 | 134 | --- | 191 | 123 | 115 | 117 | 181 | 225 | 289 | 230 |
| 18 | 193 | 178 | 139 | 187 | 179 | 127 | 114 | 118 | 180 | 218 | 292 | 232 |
| 19 | 215 | 167 | --- | 194 | --- | 125 | 122 | 118 | 177 | --- | 298 | 232 |
| 20 | 226 | 185 | --- | 199 | 202 | 143 | 123 | 123 | 167 | --- | 302 | 250 |
| 21 | 223 | 196 | 97 | 156 | 195 | 133 | --- | 128 | 162 | --- | 328 | 264 |
| 22 | 206 | 213 | 99 | 146 | 124 | 125 | 132 | 135 | --- | --- | 327 | 179 |
| 23 | 220 | 207 | 117 | 125 | 120 | 137 | 139 | 142 | --- | --- | 335 | 205 |
| 24 | 223 | 201 | 116 | 106 | 135 | 142 | 127 | 130 | --- | --- | 322 | 193 |
| 25 | 209 | 170 | --- | 114 | 132 | 157 | 143 | 146 | 163 | 214 | 332 | 175 |
| 26 | 230 | --- | 116 | 120 | 119 | 147 | 149 | 149 | 170 | 211 | 326 | 193 |
| 27 | 214 | --- | 107 | 119 | 113 | 157 | 153 | 155 | 185 | 226 | 332 | 190 |
| 28 | 237 | 156 | 116 | 110 | 121 | 129 | --- | 154 | --- | 228 | 347 | 183 |
| 29 | 245 | 129 | 107 | 112 | --- | 134 | 140 | 142 | --- | 243 | 312 | 180 |
| 30 | 200 | 123 | 108 | 107 | --- | 145 | 155 | 164 | 209 | 240 | 305 | 184 |
| 31 | 164 | --- | 117 | 103 | --- | 146 | --- | 171 | --- | 247 | 314 | --- |

01553500 WEST BRANCH SUSQUEHANNA RIVER AT LEWISBURG, PA.

LOCATION.--Lat 40°58'02", long 76°52'45", Union County, at gaging station at downstream side of Market Street Bridge at Lewisburg, 0.2 mi (3.2 km) downstream from Buffalo Creek, and 7.4 mi (11.9 km) upstream from mouth.

DRAINAGE AREA.--6,850 mi² (17,700 km²).

PERIOD OF RECORD.--Chemical analyses: October 1944 to June 1953, February 1956 to September 1958, May 1960 to June 1974.

REMARKS.--Composite samples taken as part of the USGS-EPA surveillance network. Unpublished miscellaneous samples of sediment data published for water years 1962-63 available at Harrisburg office. Miscellaneous samples of sediment data published for water years 1964-66.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO-GEN (N) (MG/L) | TOTAL ORGANIC NITRO-GEN (N) (MG/L) | TOTAL KJEL-DAHL NITRO-GEN (N) (MG/L) | TOTAL NITRO-GEN (N) (MG/L) | TOTAL PHOS-PHORUS (P) (MG/L) | TOTAL ORTHO PHOS-PHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESI-DUE AT 180 C) (MG/L) |
|------------|------|--------------------------------|--------------------------|---------------------------------------|------------------------------|------------------------------------|--------------------------------------|----------------------------|------------------------------|------------------------------------|--|
| OCT. 23... | 1200 | 2860 | -- | -- | -- | -- | -- | -- | -- | -- | 157 |
| NOV. 28... | 1250 | 19900 | -- | -- | -- | -- | -- | -- | -- | -- | 118 |
| DEC. 27... | 1435 | 35200 | .70 | -- | .07 | .20 | .27 | -- | .06 | .02 | 78 |
| APR. 23... | 1200 | 13000 | .60 | .60 | .05 | .21 | .26 | .86 | .02 | -- | -- |
| MAY 30... | 1100 | 6150 | .36 | -- | .09 | .21 | .30 | -- | .03 | .00 | -- |
| JUNE 26... | 1200 | 4570 | .48 | -- | .07 | .18 | .25 | -- | .02 | .01 | -- |

| DATE | SUS-PENDED SOLIDS (MG/L) | SPE-CIFIC CON-DUCT-ANCE (MICRO-MHOS) | PH (UNITS) | TEMPER-ATURE (DEG C) | TUR-BID-ITY (JTU) | DIS-SOLVED OXYGEN (MG/L) | BIO-CHEM-ICAL OXYGEN DEMAND 5 DAY (MG/L) | IMME-DIATE COLI-FORM (COL. PER 100 ML) | FECAL COLI-FORM (COL. PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|------------|--------------------------|--------------------------------------|------------|----------------------|-------------------|--------------------------|--|--|-----------------------------------|---------------------------------|
| OCT. 23... | 3 | 250 | 6.5 | 11.0 | 1 | 10.9 | 1.0 | 3200 | 160 | -- |
| NOV. 28... | 36 | 155 | 6.4 | 11.0 | -- | 10.8 | .4 | 800 | 90 | -- |
| DEC. 27... | 46 | 135 | 6.8 | 5.0 | 15 | 13.4 | .4 | 10000 | 200 | 2.0 |
| APR. 23... | -- | 152 | 6.7 | 12.5 | -- | 10.4 | .6 | -- | -- | -- |
| MAY 30... | -- | 180 | 6.7 | 18.0 | -- | 9.6 | 1.0 | -- | -- | -- |
| JUNE 26... | -- | 195 | 6.9 | 20.0 | -- | 8.8 | 1.2 | -- | -- | -- |

| DATE | TIME | BICAR-BONATE (HCO3) (MG/L) | ALKA-LINITY AS CAC03 (MG/L) | DIS-SOLVED SULFATE (SO4) (MG/L) | DIS-SOLVED FLUO-RIDE (F) (MG/L) | HARD-NESS (CA,MG) (MG/L) | NON-CAR-BONATE HARD-NESS (MG/L) | CARBON DIOXIDE (CO2) (MG/L) |
|------------|------|----------------------------|-----------------------------|---------------------------------|---------------------------------|--------------------------|---------------------------------|-----------------------------|
| DEC. 27... | 1435 | 11 | 9 | 31 | .2 | 42 | 33 | 2.8 |

| DATE | CYANIDE (CN) (MG/L) | TOTAL ARSENIC (AS) (UG/L) | TOTAL CAD-MIUM (CD) (UG/L) | HEXA-VALENT CHRO-MIUM (CR6) (UG/L) | TOTAL COPPER (CU) (UG/L) | TOTAL IRON (FE) (UG/L) | TOTAL LEAD (PB) (UG/L) | TOTAL MAN-GANESE (MN) (UG/L) |
|------------|---------------------|---------------------------|----------------------------|------------------------------------|--------------------------|------------------------|------------------------|------------------------------|
| DEC. 27... | .00 | 0 | 0 | 0 | 8 | 1100 | 71 | 290 |

SUSQUEHANNA RIVER BASIN

01554000 SUSQUEHANNA RIVER AT SUNBURY, PA.

LOCATION.--Lat 40°50'04", long 76°49'37", Snyder County, on right bank at borough of Shamokin Dam, on grounds of Pennsylvania Power and Light Company generating plant, 1 mi (1.6 km) downstream from Shamokin Creek, and 1.8 mi (2.9 km) south of Sunbury.

DRAINAGE AREA.--18,300 mi² (47,400 km²), approximately (excluding that of Shamokin Creek).

PERIOD OF RECORD.--Chemical analyses: August 1972 to September 1974.

REMARKS.--Operated as part of the USGS-EPA surveillance network. Miscellaneous sediment data for this station on page 453.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | TOTAL ALUM- INUM (AL) (UG/L) | TOTAL IRON (FE) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) |
|-------|------|---|--|---------------------------------|---|-----------------------------------|-----------------------------------|--|---|--|
| OCT. | | | | | | | | | | |
| 23... | 1100 | 4240 | -- | -- | -- | -- | -- | -- | -- | -- |
| NOV. | | | | | | | | | | |
| 28... | 1440 | 29200 | -- | -- | -- | -- | -- | -- | -- | -- |
| DEC. | | | | | | | | | | |
| 27... | 1545 | 86600 | -- | 2100 | 260 | 1.0 | -- | -- | .10 | .37 |
| JAN. | | | | | | | | | | |
| 24... | 1000 | 82600 | 900 | 3000 | 360 | .81 | -- | .83 | .09 | .34 |
| FEB. | | | | | | | | | | |
| 14... | 1015 | 17900 | 400 | 1500 | 540 | 1.1 | -- | 1.1 | .30 | .68 |
| 27... | 0935 | 45000 | 1000 | 2100 | 260 | .90 | -- | .90 | .18 | .43 |
| MAR. | | | | | | | | | | |
| 07... | 1000 | 64400 | 1300 | 3200 | 220 | .88 | .02 | .90 | .12 | .52 |
| 28... | 1000 | 32500 | 400 | 2100 | 440 | .80 | -- | .80 | .14 | .42 |
| APR. | | | | | | | | | | |
| 10... | 0930 | 74700 | 800 | 1700 | 270 | -- | -- | .64 | .11 | .21 |
| 25... | 1000 | 29000 | 600 | 1700 | 330 | -- | -- | .75 | .14 | .15 |
| MAY | | | | | | | | | | |
| 07... | 1000 | 23800 | 500 | 1000 | 400 | -- | -- | .45 | .00 | .32 |
| 21... | 0900 | 33700 | 500 | 1400 | 220 | -- | -- | .50 | .13 | .29 |
| JUNE | | | | | | | | | | |
| 06... | 0930 | 12800 | 0 | 1200 | 390 | -- | -- | .42 | .04 | .36 |
| 20... | 1000 | 16500 | 10 | 930 | 420 | -- | -- | .47 | .11 | .39 |
| JULY | | | | | | | | | | |
| 02... | 1415 | 60800 | 4100 | 8900 | 750 | -- | -- | .54 | .08 | .87 |
| 25... | 1030 | 6290 | 40 | 190 | 90 | -- | -- | .29 | .17 | .47 |
| AUG. | | | | | | | | | | |
| 08... | 1005 | 6600 | 150 | 250 | 210 | -- | -- | .24 | .23 | .33 |
| 22... | 0930 | 4140 | 90 | 290 | 180 | -- | -- | .33 | .16 | .14 |
| SEP. | | | | | | | | | | |
| 05... | 1000 | 34000 | 2900 | 2400 | 1200 | -- | -- | .45 | .17 | .50 |
| 19... | 0945 | 9580 | 170 | 540 | 320 | -- | -- | .39 | .11 | .23 |

SUSQUEHANNA RIVER BASIN

01554000 SUSQUEHANNA RIVER AT SUNBURY, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | SUS- PENDE SOLIDS (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | TUR- BID- ITY (JTU) |
|-------|--|---|---|--|--|-----------------------------------|--|---------------|-----------------------------|------------------------------|
| OCT. | | | | | | | | | | |
| 23... | -- | -- | -- | -- | 220 | 7 | 400 | 6.5 | 10.5 | 2 |
| NOV. | | | | | | | | | | |
| 28... | -- | -- | -- | -- | 146 | 37 | 197 | 6.3 | 10.0 | -- |
| DEC. | | | | | | | | | | |
| 27... | .47 | -- | .12 | .04 | 105 | 55 | 155 | 6.2 | 4.0 | 20 |
| JAN. | | | | | | | | | | |
| 24... | .43 | 1.3 | .09 | .02 | 109 | 58 | 150 | 6.8 | 4.0 | 15 |
| FEB. | | | | | | | | | | |
| 14... | .98 | 2.1 | .06 | .04 | 147 | 13 | 190 | 7.1 | .5 | 10 |
| 27... | .61 | 1.5 | .06 | -- | 100 | 44 | 155 | 6.8 | .0 | 25 |
| MAR. | | | | | | | | | | |
| 07... | .64 | 1.5 | .09 | -- | 100 | 68 | 170 | 7.2 | 8.0 | 25 |
| 28... | .56 | 1.4 | .05 | -- | 131 | 17 | 169 | 6.9 | 6.0 | -- |
| APR. | | | | | | | | | | |
| 10... | .32 | .96 | .05 | -- | 93 | 41 | 155 | 6.7 | 5.5 | 20 |
| 25... | .29 | 1.0 | .05 | -- | 111 | 19 | 220 | 7.1 | 10.0 | 7 |
| MAY | | | | | | | | | | |
| 07... | .32 | .77 | .04 | -- | 127 | 9 | 210 | 7.3 | 11.0 | -- |
| 21... | .42 | .92 | .06 | -- | 119 | 38 | 180 | 6.9 | 20.0 | -- |
| JUNE | | | | | | | | | | |
| 06... | .40 | .82 | .05 | -- | 155 | 12 | 250 | 6.7 | 21.0 | 8 |
| 20... | .50 | .97 | .05 | -- | 152 | 37 | 280 | 6.3 | 21.0 | 2 |
| JULY | | | | | | | | | | |
| 02... | .95 | 1.5 | .21 | -- | 113 | 182 | 190 | 7.2 | 21.5 | 60 |
| 25... | .64 | .93 | .04 | -- | 175 | 5 | 245 | 7.6 | 21.0 | 4 |
| AUG. | | | | | | | | | | |
| 08... | .56 | .80 | .06 | -- | 182 | 7 | 300 | 8.0 | 23.0 | 4 |
| 22... | .30 | .63 | .04 | -- | 213 | 11 | 360 | 8.2 | 24.0 | 5 |
| SEP. | | | | | | | | | | |
| 05... | .67 | 1.1 | .12 | -- | 150 | 91 | 220 | 6.7 | 18.0 | 30 |
| 19... | .34 | .73 | .04 | -- | 165 | 14 | 290 | 7.1 | 19.0 | 4 |

| DATE | DIS- SOLVED OXYGEN (MG/L) | CHEM- ICAL OXYGEN DEMAND (LOW LEVEL) (MG/L) | BIO- CHEM- ICAL OXYGEN DEMAND (MG/L) | CHLORO- PHYLL A (UG/L) | CHLORO- PHYLL B (UG/L) | IMME- DIATE COLI- FORM (COL. PER 100 ML) | FECAL COLI- FORM (COL. PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) | OIL AND GREASE (MG/L) |
|-------|------------------------------------|---|---|------------------------------|------------------------------|--|---|---|--------------------------------|
| OCT. | | | | | | | | | |
| 23... | 9.0 | -- | 1.6 | -- | -- | 6400 | 270 | -- | -- |
| NOV. | | | | | | | | | |
| 28... | 10.7 | -- | .6 | -- | -- | 5200 | 430 | -- | -- |
| DEC. | | | | | | | | | |
| 27... | 13.8 | -- | .8 | -- | -- | 14000 | 1100 | 3.0 | -- |
| JAN. | | | | | | | | | |
| 24... | 13.2 | 152 | 1.8 | 2.0 | -- | -- | 1300 | 1.0 | -- |
| FEB. | | | | | | | | | |
| 14... | 14.2 | 4 | 1.0 | .0 | -- | -- | 120 | .0 | -- |
| 27... | 14.6 | 86 | 1.2 | .9 | -- | -- | 170 | 2.5 | -- |
| MAR. | | | | | | | | | |
| 07... | 12.0 | 17 | 1.0 | 1.1 | -- | -- | 400 | 3.5 | -- |
| 28... | 12.4 | 32 | .6 | .8 | -- | -- | 130 | 4.5 | -- |
| APR. | | | | | | | | | |
| 10... | 11.9 | 8 | .8 | .0 | 2.1 | -- | 330 | 2.0 | -- |
| 25... | 10.8 | 9 | .6 | .0 | 14 | -- | 120 | -- | -- |
| MAY | | | | | | | | | |
| 07... | 11.0 | 9 | 2.4 | 27 | 11 | -- | 1900 | -- | -- |
| 21... | 10.0 | 13 | 1.8 | 11 | 1.0 | -- | 970 | -- | -- |
| JUNE | | | | | | | | | |
| 06... | 8.4 | 12 | 2.4 | -- | -- | -- | 1800 | 2.7 | -- |
| 20... | 8.4 | 17 | 2.0 | 10 | 24 | -- | 280 | 2.2 | -- |
| JULY | | | | | | | | | |
| 02... | 8.4 | 30 | -- | 8.0 | 15 | -- | 3300 | 7.2 | -- |
| 25... | 7.8 | 12 | 2.6 | 170 | 2.8 | -- | 320 | 6.3 | 0 |
| AUG. | | | | | | | | | |
| 08... | 7.4 | 11 | 3.8 | 27 | 4.2 | -- | 160 | 3.3 | 0 |
| 22... | 6.8 | 33 | 4.0 | 18 | 2.2 | -- | 180 | 11 | 0 |
| SEP. | | | | | | | | | |
| 05... | 8.0 | 21 | 3.0 | 28 | 4.8 | -- | 1200 | 7.7 | 0 |
| 19... | 8.0 | 9 | 2.2 | 23 | 6.0 | -- | 1300 | 3.8 | 0 |

SUSQUEHANNA RIVER BASIN

01554000 SUSQUEHANNA RIVER AT SUNBURY, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL ARSENIC (AS) (UG/L) | TOTAL CAD- MIUM (CD) (UG/L) | TOTAL CHRO- MIUM (CR) (UG/L) | HEXA- VALENT CHRO- MIUM (CR6) (UG/L) | TOTAL COPPER (CU) (UG/L) | DIS- SOLVED COPPER (CU) (UG/L) | TOTAL LEAD (PB) (UG/L) | TOTAL SILVER (AG) (UG/L) | TOTAL ZINC (ZN) (UG/L) |
|-------|------------------------------------|---|--|---|-----------------------------------|--|---------------------------------|-----------------------------------|---------------------------------|
| OCT. | | | | | | | | | |
| 23... | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| NOV. | | | | | | | | | |
| 28... | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| DEC. | | | | | | | | | |
| 27... | 6 | 1 | -- | 0 | 9 | -- | 300 | -- | -- |
| JAN. | | | | | | | | | |
| 24... | 2 | 0 | 0 | -- | 11 | -- | 26 | 1 | 200 |
| FEB. | | | | | | | | | |
| 14... | 1 | 0 | <10 | -- | 10 | -- | 5 | 0 | 140 |
| 27... | 1 | 0 | 0 | -- | 10 | -- | 0 | 0 | 10 |
| MAR. | | | | | | | | | |
| 07... | -- | 0 | 0 | -- | 10 | -- | 6 | 0 | 20 |
| 28... | 1 | 0 | 0 | -- | -- | 0 | 2 | 0 | 30 |
| APR. | | | | | | | | | |
| 10... | 2 | 0 | 10 | -- | 0 | -- | 3 | 0 | 40 |
| 25... | 1 | 0 | 10 | -- | 10 | -- | 1 | 0 | 110 |
| MAY | | | | | | | | | |
| 07... | 1 | 0 | <10 | -- | 0 | -- | 3 | 0 | 60 |
| 21... | <1 | 0 | 10 | -- | 10 | -- | 1 | 1 | 30 |
| JUNE | | | | | | | | | |
| 06... | 1 | 1 | 10 | -- | 0 | -- | 1 | 0 | 50 |
| 20... | 3 | 0 | 10 | -- | 0 | -- | 1 | 0 | 60 |
| JULY | | | | | | | | | |
| 02... | 6 | 0 | 10 | -- | 10 | -- | 11 | 0 | 80 |
| 25... | 0 | 0 | <10 | -- | 10 | -- | 2 | 0 | 10 |
| AUG. | | | | | | | | | |
| 08... | 2 | 0 | 0 | -- | 0 | -- | 0 | 0 | 10 |
| 22... | 6 | 0 | <10 | -- | 0 | -- | 1 | 0 | 0 |
| SEP. | | | | | | | | | |
| 05... | 8 | 0 | 10 | -- | 10 | -- | 10 | 1 | 100 |
| 19... | 2 | 0 | 10 | -- | 0 | -- | 3 | 0 | 510 |

| DATE | TIME | TOTAL CAL- CIUM (CA) (MG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | TOTAL MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | TOTAL SODIUM (NA) (MG/L) | DIS- SOLVED SODIUM (NA) (MG/L) | TOTAL PO- TAS- SIUM (K) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HC03) (MG/L) | CAR- BONATE (C03) (MG/L) |
|-------|------|---|--|--|---|-----------------------------------|--|---|--|--------------------------------------|-----------------------------------|
| DEC. | | | | | | | | | | | |
| 27... | 1545 | -- | -- | -- | -- | -- | -- | -- | -- | 18 | -- |
| MAR. | | | | | | | | | | | |
| 07... | 1000 | -- | 17 | -- | 3.9 | -- | 5.1 | -- | 1.4 | 36 | 0 |
| JUNE | | | | | | | | | | | |
| 20... | 1000 | 24 | -- | 7.7 | -- | 7.0 | -- | 1.4 | -- | 37 | 0 |
| SEP. | | | | | | | | | | | |
| 19... | 0945 | -- | -- | -- | -- | -- | -- | -- | -- | 28 | 0 |

| DATE | ALKA- LINITY AS CAC03 (MG/L) | DIS- SOLVED SULFATE (S04) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NON- FILT- RABLE RESIDUE (MG/L) | HARD- NESS (CA,MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | TOTAL ACIDITY AS CAC03 (MG/L) | CARBON DIOXIDE (C02) (MG/L) |
|-------|--|--|---|--|--|------------------------------------|---|--|---|--------------------------------------|
| DEC. | | | | | | | | | | |
| 27... | 15 | 30 | -- | .1 | -- | 50 | 35 | .1 | 5.0 | 18 |
| MAR. | | | | | | | | | | |
| 07... | 30 | 25 | 9.1 | -- | -- | 59 | 29 | -- | -- | 3.6 |
| JUNE | | | | | | | | | | |
| 20... | 30 | 60 | 10 | -- | 13 | -- | -- | -- | -- | 30 |
| SEP. | | | | | | | | | | |
| 19... | 23 | 76 | 8.7 | -- | 14 | -- | -- | -- | -- | 3.6 |

SUSQUEHANNA RIVER BASIN

289

01562000 RAYSTOWN BRANCH JUNIATA RIVER AT SAXTON, PA.

LOCATION.--Lat 40°12'57", long 78°15'56", Bedford County, on left bank, 500 ft (152 m) downstream from bridge on State Highway 913, 0.5 mi (0.8 km) west of Saxton, and 1.5 mi (2.4 km) upstream from Shoup Run.

DRAINAGE AREA.--756 mi² (1,958 km²).

PERIOD OF RECORD.--Chemical analyses: July 1972 to September 1974.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DISCHARGE (CFS) | ALKALINITY AS CaCO ₃ (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJEL-DAHL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) |
|------------|------|-------------------------------|--|--------------------------|-----------------------------|-----------------------------------|-------------------------------------|-----------------------------|
| NOV. 13... | 1015 | 432 | 65 | 1.4 | .14 | .35 | .49 | .02 |
| JAN. 17... | 1100 | 2670 | 39 | 1.5 | .07 | .39 | .46 | .07 |
| MAR. 19... | 1130 | 815 | 54 | 1.0 | .10 | .53 | .63 | .02 |
| MAY 15... | 1130 | 1530 | 81 | 1.0 | .18 | .58 | .76 | .07 |
| JULY 15... | 1430 | 267 | 93 | .68 | .03 | .37 | .40 | .03 |
| SEP. 20... | 1200 | 144 | 120 | .56 | .06 | .34 | .40 | .01 |

| DATE | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | SPECIFIC CONDUCTANCE (MICRO-MHOS) | PH (UNITS) | TEMPERATURE (DEG C) | DISSOLVED OXYGEN (MG/L) | FECAL COLIFORM (COL. PER 100 ML) | STREPTOCOCCI (COLONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|------------|-----------------------------------|-----------------------------------|------------|---------------------|-------------------------|----------------------------------|------------------------------------|---------------------------------|
| NOV. 13... | .02 | 240 | 7.0 | 6.5 | 12.2 | 21 | E10 | 2.0 |
| JAN. 17... | .03 | 160 | 6.2 | 5.0 | 6.4 | 5400 | 1300 | 1.5 |
| MAR. 19... | .01 | 185 | 6.8 | 7.0 | 12.3 | E3 | E11 | -- |
| MAY 15... | .03 | 120 | 6.8 | 16.5 | 9.0 | 210 | 100 | -- |
| JULY 15... | .01 | 230 | 6.7 | 25.5 | 8.0 | F4 | 48 | -- |
| SEP. 20... | .00 | 298 | 7.3 | 20.0 | 11.1 | 21 | 24 | -- |

SUSQUEHANNA RIVER BASIN

401842078105301 RAYSTOWN LAKE NEAR ENTRIKEN, PA.
(Formerly published as 01562300 Raystown Branch Juniata River near Entriken, Pa.)

LOCATION.--Lat 40°18'42", long 78°10'53", Huntingdon County, 1.8 mi (2.9 km) southeast of Entriken at point 10 mi (16 km) upstream from dam on Raystown Lake.

DRAINAGE AREA.--812 mi² (2,100 km²).

PERIOD OF RECORD.--Chemical analyses: May to September 1974.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | ALKALINITY AS CACO ₃ (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL- NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) |
|-------|------|---|-----------------------------------|---|--|---|---|--|--|
| MAY | | | | | | | | | |
| 14... | 1645 | 54 | .90 | .15 | .46 | .61 | .11 | .03 | 190 |
| 14... | 1646 | -- | .80 | .22 | .45 | .67 | .07 | .01 | 220 |
| JULY | | | | | | | | | |
| 16... | 1600 | 68 | .54 | .10 | .44 | .54 | .03 | .01 | 190 |
| 16... | 1601 | -- | .59 | .77 | .33 | 1.1 | .04 | .01 | 225 |
| SEP. | | | | | | | | | |
| 19... | 1530 | 84 | .41 | .16 | .32 | .48 | .01 | .00 | 255 |
| 19... | 1531 | -- | .04 | 1.2 | .23 | 1.4 | .06 | .02 | 255 |

| DATE | PH (UNITS) | TEMPER- ATURE (DEG C) | TRANS- PAR- ENCY (SECCHI DISK) (IN) | DIS- SOLVED OXYGEN (MG/L) | CHLORO- PHYLL A (UG/L) | FECAL COLI- FORM (COL. PER 100 ML) | STREP- TOCOCCI (COL- ONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|-------|---------------|-----------------------------|--|------------------------------------|------------------------------|---|---|---|
| MAY | | | | | | | | |
| 14... | 7.3 | 16.0 | 18 | 9.5 | <1.0 | 960 | 480 | -- |
| 14... | 7.1 | 11.0 | -- | 7.0 | -- | -- | -- | -- |
| JULY | | | | | | | | |
| 16... | 7.6 | 26.5 | 44 | 9.2 | 5.5 | 81 | 88 | 2.9 |
| 16... | 7.9 | 13.0 | -- | .7 | -- | -- | -- | -- |
| SEP. | | | | | | | | |
| 19... | 7.8 | 22.0 | 144 | 8.1 | -- | <1 | 16 | -- |
| 19... | 7.8 | 13.5 | -- | .2 | -- | -- | -- | -- |

SUSQUEHANNA RIVER BASIN

291

402117078082501 RAYSTOWN LAKE NEAR MARKLESBURG, PA.

(Formerly published as 01562400 Raystown Branch Juniata River near Marklesburg, Pa.)

LOCATION.--Lat 40°21'17", long 78°08'25", Huntingdon County, 2.6 mi (4.2 km) southeast of Marklesburg at point 7 mi (11 km) upstream from dam on Raystown Lake.

DRAINAGE AREA.--824 mi² (2,130 km²).

PERIOD OF RECORD.--Chemical analyses: May to September 1974.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | ALKA- LITY AS CACO ₃ (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) |
|-------|------|--|-----------------------------------|---|--|--|---|--|--|
| MAY | | | | | | | | | |
| 14... | 1545 | 58 | .90 | .07 | .33 | .40 | .02 | .00 | 205 |
| 14... | 1546 | -- | 1.0 | .27 | .43 | .70 | .02 | .00 | 175 |
| JULY | | | | | | | | | |
| 16... | 1440 | 50 | .36 | .02 | .43 | .45 | .01 | .01 | 175 |
| 16... | 1441 | -- | .66 | .54 | .39 | .93 | .04 | .02 | 180 |
| SEP. | | | | | | | | | |
| 19... | 1430 | 68 | .34 | .09 | .34 | .43 | .01 | .00 | 210 |
| 19... | 1431 | -- | .04 | .82 | .22 | 1.0 | .03 | .01 | 195 |

| DATE | PH (UNITS) | TEMPER- ATURE (DEG C) | TRANS- PAR- ENCY (SECCHI DISK) (IN) | DIS- SOLVED OXYGEN (MG/L) | CHLORO- PHYLL A (UG/L) | FECAL COLI- FORM (COL. PER 100 ML) | STREP- TOCOCCI (COL- ONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|-------|---------------|-----------------------------|--|------------------------------------|------------------------------|---|---|---|
| MAY | | | | | | | | |
| 14... | 7.3 | 14.5 | 75 | 10.2 | <1.0 | E10 | <4 | 1.4 |
| 14... | 7.3 | 7.0 | -- | 6.8 | -- | -- | -- | -- |
| JULY | | | | | | | | |
| 16... | 7.6 | 26.0 | 74 | 9.6 | 3.8 | B1 | B2 | 6.7 |
| 16... | 7.9 | 10.5 | -- | 1.2 | -- | -- | -- | -- |
| SEP. | | | | | | | | |
| 19... | 7.8 | 22.5 | 157 | 8.9 | 8.3 | <1 | <1 | -- |
| 19... | 7.8 | 11.0 | -- | .3 | -- | -- | -- | -- |

SUSQUEHANNA RIVER BASIN

402246078034201 RAYSTOWN LAKE NEAR HESSTON, PA.
(Formerly published as 01562700 Raystown Branch Juniata River near Hesston, Pa.)

LOCATION.--Lat 40°22'46", long 78°03'42", Huntingdon County, 3.8 mi (6.1 km) southeast of Hesston at point 4 mi (6.4 km) upstream from dam on Raystown Lake.

DRAINAGE AREA.--938 mi² (2,430 km²).

PERIOD OF RECORD.--Chemical analyses: May to September 1974.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | ALKA- LINITY AS CACO ₃ (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) |
|-------|------|--|-----------------------------------|---|--|--|---|--|--|
| MAY | | | | | | | | | |
| 14... | 1810 | 40 | .90 | .12 | .39 | .51 | .02 | .00 | 182 |
| 14... | 1811 | -- | 1.1 | .13 | .33 | .46 | .01 | .00 | 175 |
| JULY | | | | | | | | | |
| 16... | 1330 | 48 | .43 | .00 | .30 | .30 | .00 | .00 | 160 |
| 16... | 1331 | -- | .84 | .07 | .54 | .61 | .01 | .01 | 180 |
| SEP. | | | | | | | | | |
| 19... | 1330 | 64 | .32 | .17 | .42 | .59 | .02 | .00 | 180 |
| 19... | 1331 | -- | .70 | .09 | .31 | .40 | .04 | .01 | 200 |

| DATE | PH (UNITS) | TEMPER- ATURE (DEG C) | TRANS- PAR- ENCY (SECCHI DISK) (IN) | DIS- SOLVED OXYGEN (MG/L) | CHLORO- PHYLL A (UG/L) | FECAL COLI- FORM (COL. PER 100 ML) | STREP- TOCOCCI (COL- ONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|-------|---------------|-----------------------------|--|------------------------------------|------------------------------|---|---|---|
| MAY | | | | | | | | |
| 14... | 7.4 | 13.5 | 120 | 10.0 | <1.0 | 0 | 0 | -- |
| 14... | 7.2 | 9.0 | -- | 8.6 | -- | -- | -- | -- |
| JULY | | | | | | | | |
| 16... | 7.3 | 27.0 | 181 | 8.7 | 1.0 | <1 | 83 | 7.5 |
| 16... | 7.4 | 10.0 | -- | 4.6 | -- | -- | -- | -- |
| SEP. | | | | | | | | |
| 19... | 7.3 | 22.5 | 240 | 8.8 | 5.0 | <1 | 1 | -- |
| 19... | 7.6 | 9.5 | -- | 2.0 | -- | -- | -- | -- |

SUSQUEHANNA RIVER BASIN

293

402535078014701 RAYSTOWN LAKE NEAR HUNTINGDON, PA.
(Formerly published as 01563000 Raystown Branch Juniata River near Huntingdon, Pa.)

LOCATION.--Lat 40°25'35", long 78°01'47", Huntingdon County, 6 mi (9.7 km) south of Huntingdon at point 1.5 mi (2.4 km) upstream from dam on Raystown Lake.

DRAINAGE AREA.--957 mi² (2,480 km²).

PERIOD OF RECORD.--Chemical analyses: May to September 1974.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | ALKA- LINITY AS CAC03 (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL- NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) |
|-------|------|--|-----------------------------------|---|--|---|---|--|--|
| MAY | | | | | | | | | |
| 14... | 1400 | 38 | 1.2 | .13 | .47 | .60 | .02 | .00 | 170 |
| 15... | 1401 | -- | 1.4 | .15 | .36 | .51 | .01 | .00 | 180 |
| JULY | | | | | | | | | |
| 16... | 1130 | 44 | .45 | .01 | .32 | .33 | .00 | .00 | 155 |
| 16... | 1131 | -- | 1.0 | .06 | .56 | .62 | .02 | .02 | 175 |
| SEP. | | | | | | | | | |
| 19... | 1200 | 58 | .34 | .08 | .31 | .39 | .01 | .00 | 165 |
| 19... | 1201 | -- | .81 | .19 | .44 | .63 | .03 | .01 | 190 |

| DATE | PH (UNITS) | TEMPER- ATURE (DEG C) | TRANS- PAR- ENCY (SECCHI DISK) (IN) | DIS- SOLVED OXYGEN (MG/L) | CHLORO- PHYLL A (UG/L) | FECAL COLI- FORM (COL. PER 100 ML) | STREP- TOCOCCI (COL- ONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|-------|---------------|-----------------------------|--|------------------------------------|------------------------------|---|---|---|
| MAY | | | | | | | | |
| 14... | 7.4 | 14.0 | 114 | 9.7 | <1.0 | 0 | 0 | 1.8 |
| 15... | 7.0 | 7.0 | -- | 9.4 | -- | -- | -- | -- |
| JULY | | | | | | | | |
| 16... | 6.9 | 26.0 | 228 | 8.7 | <1.0 | 0 | E4 | 7.4 |
| 16... | 7.4 | 10.0 | -- | 7.6 | -- | -- | -- | -- |
| SEP. | | | | | | | | |
| 19... | 6.8 | 22.0 | 354 | 9.4 | 1.4 | <1 | 2 | -- |
| 19... | 7.0 | 7.5 | -- | 3.0 | -- | -- | -- | -- |

SUSQUEHANNA RIVER BASIN

295

01563210 RAYSTOWN BRANCH JUNIATA RIVER AT ARDENHEIM, PA.

LOCATION.--Lat 40°27'17", long 77°59'00", Huntingdon County, at bridge 0.6 mi (1.0 km) south of Ardenheim, 2.4 mi (3.9 km) southeast of Huntingdon, and 0.3 mi (0.5 km) upstream from mouth.

DRAINAGE AREA.--3,400 mi² (8,800 km²).

PERIOD OF RECORD.--Chemical analyses: July 1972 to September 1974.

Sediment records: March 1974 (partial-record station).

REMARKS.--Miscellaneous sediment data for this station on page 454. Discharge records are obtained from 01563200 Raystown Branch Juniata River below Raystown Dam near Huntingdon.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DISCHARGE (CFS) | ALKALINITY AS CaCO ₃ (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) |
|------------|------|-------------------------------|--|--------------------------|-----------------------------|-----------------------------------|------------------------------------|-----------------------------|
| NOV. 14... | 0830 | 5610 | 64 | .40 | .22 | .27 | .49 | .01 |
| JAN. 18... | 0845 | 3930 | 34 | 1.3 | .06 | .28 | .34 | .03 |
| MAR. 20... | 0845 | 72 | 44 | 1.2 | .15 | .30 | .65 | .01 |
| MAY 15... | 0930 | 111 | 65 | 1.3 | .12 | .34 | .46 | .02 |
| JULY 15... | 1200 | 141 | 44 | .68 | .09 | .38 | .47 | .01 |
| SEP. 20... | 1000 | 214 | 48 | .43 | .09 | .26 | .35 | .02 |

| DATE | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | SPECIFIC CONDUCTANCE (MICROMHOS) | PH (UNITS) | TEMPERATURE (DEG C) | DISSOLVED OXYGEN (MG/L) | FECAL COLIFORM (COL. PER 100 ML) | STREPTOCOCCI (COLONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|------------|-----------------------------------|----------------------------------|------------|---------------------|-------------------------|----------------------------------|------------------------------------|---------------------------------|
| NOV. 14... | .00 | 220 | 6.7 | 12.0 | 10.2 | E3 | E16 | 3.0 |
| JAN. 18... | .01 | 160 | 6.3 | 2.0 | 14.0 | 20 | E5 | .5 |
| MAR. 20... | .00 | 155 | 6.7 | 4.5 | 11.8 | E1 | E2 | -- |
| MAY 15... | .00 | 168 | 6.0 | 17.5 | 8.2 | E8 | 37 | 3.9 |
| JULY 15... | .00 | 150 | 7.0 | 21.5 | 8.8 | E7 | 60 | 5.3 |
| SEP. 20... | .00 | 185 | 6.9 | 18.0 | 9.2 | 73 | 540 | -- |

SUSQUEHANNA RIVER BASIN

01567000 JUNIATA RIVER AT NEWPORT, PA.

LOCATION.--Lat 40°28'42", long 77°07'46", Perry County, at gaging station on State Highway 34 bridge at Newport, 1,000 ft (305 m) upstream from Little Buffalo Creek.

DRAINAGE AREA.--3,350 mi² (8,680 km²).

PERIOD OF RECORD.--Chemical analyses: October 1944 to June 1953, October 1956 to September 1972, October 1973 to September 1974.

Water temperatures: October 1944 to September 1953, April 1958 to September 1962, October 1964 to September 1974.

Sediment records: January 1951 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum daily, 312 micromhos Aug. 29; minimum daily, 134 micromhos Apr. 5.

Water temperatures: Maximum daily, 26.0°C July 5, 10, 15, 19, Aug. 17; minimum daily, 0.5°C Jan. 9.

Period of record:

Specific conductance (1964-72, 1973-74): Maximum daily, 558 micromhos Oct. 27, 1969; minimum daily, 119 micromhos June 22, 1972.

Water temperatures: Maximum daily, 31.5°C Aug. 27, 1951; minimum daily, freezing point on many days during winter periods.

REMARKS.--Sediment data for this station on page 418. Unpublished records of water temperatures and specific conductance of sediment samples available in the district office at Harrisburg. Some flow regulation at low flow by powerplants and mills above station.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS- CHARGE (CFS) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL NITRO- GEN (N) (MG/L) |
|---------------|------|--|-----------------------------------|--|---|--|--|---|
| MAR. 27... | 1015 | 3120 | .50 | .50 | .01 | .37 | .38 | .88 |
| APR. 17... | 1620 | 7100 | .90 | .90 | .01 | .49 | .50 | 1.4 |
| MAY 23... | 0930 | 2770 | .72 | -- | .18 | .39 | .57 | -- |
| JUNE 11... | 1000 | 1540 | .43 | -- | .08 | .40 | .48 | -- |
| SEP. 13... | 1000 | 974 | .68 | -- | .10 | .48 | .58 | -- |

| DATE | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | BIO- CHEM- ICAL OXYGEN DEMAND 5 DAY (MG/L) |
|---------------|---|--|--|---------------|-----------------------------|------------------------------------|--|
| MAR. 27... | .03 | .01 | -- | -- | 6.0 | -- | -- |
| APR. 17... | .06 | -- | 180 | 8.1 | 12.0 | 13.8 | 1.6 |
| MAY 23... | .10 | .06 | 200 | 6.8 | 22.0 | 8.0 | 1.4 |
| JUNE 11... | .21 | .17 | 240 | 7.9 | 23.0 | 82.0 | 2.6 |
| SEP. 13... | .49 | .49 | 248 | 8.7 | -- | -- | -- |

01567000 JUNIATA RIVER AT NEWPORT, PA.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
(ONCE DAILY AM MEASUREMENTS)

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | --- | 158 | 195 | 156 | 168 | 179 | 134 | 215 | 215 | 172 | 241 | 303 |
| 2 | --- | 169 | 196 | 160 | 183 | 176 | 141 | 228 | 198 | 185 | 256 | 293 |
| 3 | --- | 175 | 198 | 171 | --- | 181 | 143 | 219 | 208 | 180 | 252 | 280 |
| 4 | --- | 179 | 203 | 179 | --- | 185 | 140 | 221 | 221 | 188 | 246 | 274 |
| 5 | --- | 180 | 204 | 180 | --- | 195 | 134 | 230 | 210 | 195 | 237 | 278 |
| 6 | --- | 185 | 197 | 174 | --- | 197 | 137 | 229 | 221 | 193 | 232 | 279 |
| 7 | --- | 189 | 186 | 190 | 177 | 209 | 152 | 220 | 216 | 200 | 251 | 269 |
| 8 | --- | 195 | 183 | 192 | --- | 207 | 148 | 234 | 222 | 210 | 240 | 274 |
| 9 | --- | 201 | 176 | 197 | --- | 202 | 152 | 224 | 225 | 172 | 235 | 268 |
| 10 | --- | 204 | 170 | --- | --- | 184 | 155 | 213 | 220 | 209 | 253 | 266 |
| 11 | --- | 204 | 162 | 195 | --- | 183 | 160 | 216 | 231 | 189 | 263 | 262 |
| 12 | --- | 208 | 167 | --- | 197 | 162 | 172 | 225 | 241 | 209 | 270 | 267 |
| 13 | --- | 210 | 181 | --- | 202 | 152 | 168 | 190 | 235 | 194 | 277 | 274 |
| 14 | --- | 214 | 185 | --- | 203 | 159 | 170 | 173 | 243 | 218 | 289 | 261 |
| 15 | --- | 217 | 187 | 156 | 198 | 165 | 166 | 136 | 245 | 220 | 290 | 252 |
| 16 | 282 | 219 | 190 | 162 | 206 | 171 | 167 | 136 | 239 | 231 | 292 | 274 |
| 17 | 294 | 220 | --- | 170 | 212 | 173 | 156 | 145 | 212 | 232 | 294 | 286 |
| 18 | 299 | 221 | 193 | --- | 210 | 179 | 163 | 154 | 203 | 241 | 279 | 275 |
| 19 | 294 | 231 | --- | 168 | 211 | 191 | 168 | 160 | 180 | 224 | 292 | 284 |
| 20 | 293 | 230 | --- | 177 | 207 | 195 | 183 | 167 | 191 | 238 | 273 | 290 |
| 21 | 282 | 228 | 185 | 175 | 218 | 198 | 189 | 175 | 198 | 222 | 282 | 289 |
| 22 | 286 | 232 | 152 | 164 | 209 | 190 | 193 | 181 | 208 | 225 | 254 | 301 |
| 23 | 287 | 235 | 168 | 150 | 193 | 179 | 198 | 184 | 212 | 218 | 283 | 305 |
| 24 | 293 | 236 | 174 | 164 | 190 | 179 | 197 | 176 | 214 | 240 | 296 | 286 |
| 25 | 294 | 240 | 171 | 158 | 212 | 178 | 180 | 187 | 201 | 248 | 297 | 294 |
| 26 | 285 | 243 | 180 | 175 | 200 | 172 | 208 | 190 | 204 | 257 | 292 | 295 |
| 27 | 235 | 242 | 174 | 182 | 179 | 174 | 200 | 188 | 189 | 254 | 296 | 290 |
| 28 | 181 | 247 | 152 | 159 | 182 | 184 | 207 | 200 | 195 | 260 | 302 | 303 |
| 29 | 175 | 211 | 146 | 171 | --- | 189 | 213 | 201 | 170 | 243 | 312 | 301 |
| 30 | 175 | 199 | 151 | 167 | --- | 192 | 222 | 208 | 180 | 249 | 302 | 280 |
| 31 | 176 | --- | 148 | 166 | --- | 160 | --- | 212 | --- | 225 | 305 | --- |
| MONTH | --- | 211 | 178 | 171 | --- | 182 | 171 | 195 | 212 | 217 | 274 | 282 |

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
(ONCE DAILY AM MEASUREMENTS)

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|------|-----|-----|-----|------|------|------|------|------|------|------|
| 1 | --- | 11.0 | 7.0 | 3.0 | 4.0 | 4.0 | 3.5 | 19.0 | 19.5 | 21.0 | 22.0 | 24.0 |
| 2 | --- | 10.5 | 6.0 | 3.0 | 4.0 | 3.5 | 4.5 | 16.0 | 18.5 | 23.0 | 24.0 | 23.0 |
| 3 | --- | 12.0 | 4.5 | 3.0 | --- | 4.0 | 6.5 | 16.0 | 19.0 | 23.0 | 24.5 | 22.5 |
| 4 | --- | 11.0 | 5.0 | 2.5 | --- | 5.0 | 11.0 | 14.0 | 19.5 | 24.5 | 24.0 | 20.0 |
| 5 | --- | 11.0 | 8.5 | 2.0 | --- | 9.0 | 12.0 | 14.0 | 20.0 | 26.0 | 22.0 | 17.5 |
| 6 | --- | 9.0 | 8.0 | 2.0 | --- | 6.5 | 10.0 | 13.0 | 21.5 | 24.5 | 21.5 | 18.5 |
| 7 | --- | 8.0 | 7.0 | 2.5 | 2.0 | 9.0 | 7.5 | 12.0 | 21.0 | 24.0 | 22.0 | 18.0 |
| 8 | --- | 8.0 | 6.0 | 1.5 | --- | 10.0 | 8.5 | 10.5 | 21.5 | 24.5 | 23.5 | 19.5 |
| 9 | --- | 9.0 | 5.5 | 0.5 | --- | 7.5 | 7.0 | 12.5 | 22.0 | 25.0 | 23.0 | 19.5 |
| 10 | --- | 8.0 | 5.0 | --- | --- | 7.5 | 5.5 | 13.0 | 24.5 | 26.0 | 22.0 | 20.0 |
| 11 | --- | 7.5 | 5.0 | 2.0 | --- | 6.5 | 7.0 | 13.0 | 25.0 | 25.0 | 22.5 | 20.5 |
| 12 | --- | 8.0 | 4.0 | --- | 3.0 | 7.0 | 8.0 | 16.0 | 23.0 | 22.5 | 22.5 | 22.0 |
| 13 | --- | 8.0 | 4.0 | --- | 2.0 | 4.0 | 10.0 | 14.0 | 20.5 | 22.0 | 24.0 | 23.0 |
| 14 | --- | 11.0 | 4.0 | --- | 4.0 | 3.0 | 12.0 | 12.5 | 21.0 | 23.5 | 25.5 | 22.5 |
| 15 | --- | 12.0 | 3.5 | 1.0 | 4.0 | 4.0 | 13.0 | 15.0 | 22.0 | 26.0 | 24.0 | 20.0 |
| 16 | 15.0 | 13.0 | 3.0 | 2.0 | 2.0 | 5.5 | 10.0 | 16.0 | 21.5 | 24.5 | 24.5 | 19.5 |
| 17 | 13.0 | 9.0 | --- | 4.0 | 2.0 | 4.0 | 9.0 | 19.0 | 20.0 | 24.5 | 26.0 | 19.5 |
| 18 | 11.0 | 7.0 | 1.0 | --- | 3.0 | 3.0 | 10.0 | 20.0 | 19.0 | 25.0 | 24.0 | 20.0 |
| 19 | 10.0 | 7.0 | --- | 3.0 | 2.0 | 5.0 | 12.5 | 20.5 | 19.5 | 26.0 | 23.5 | 20.0 |
| 20 | 12.0 | 7.0 | --- | 3.0 | 3.0 | 5.0 | 11.5 | 19.0 | 21.5 | 24.0 | 24.0 | 20.5 |
| 21 | 11.0 | 8.0 | 2.0 | 3.5 | 2.5 | 6.5 | 12.0 | 18.5 | 23.0 | 23.0 | 24.5 | 21.5 |
| 22 | 10.5 | 8.5 | 1.5 | 4.0 | 4.0 | 5.0 | 15.0 | 20.0 | 24.5 | 22.5 | 25.0 | 18.0 |
| 23 | 11.5 | 8.5 | 2.0 | 4.0 | 4.5 | 5.5 | 14.0 | 22.0 | 22.0 | 24.0 | 24.0 | 15.5 |
| 24 | 12.0 | 8.0 | 2.5 | 4.0 | 4.0 | 6.5 | 11.5 | 20.0 | 19.5 | 22.0 | 24.5 | 13.0 |
| 25 | 11.5 | 10.0 | 3.0 | 4.0 | 4.0 | 4.0 | 9.5 | 19.5 | 20.0 | 22.0 | 23.0 | 13.0 |
| 26 | 11.0 | 9.0 | 3.0 | 3.5 | 3.5 | 5.0 | 12.0 | 18.0 | 18.5 | 22.0 | 24.0 | 15.0 |
| 27 | 12.0 | 9.0 | 4.0 | 4.5 | 3.5 | 5.0 | 13.5 | 17.0 | 18.5 | 23.0 | 24.5 | 15.0 |
| 28 | 12.0 | 10.0 | 4.5 | 5.0 | 4.0 | 7.0 | 15.5 | 16.0 | 19.0 | 25.0 | 25.0 | 17.0 |
| 29 | 12.0 | 8.5 | 4.0 | 6.0 | --- | 6.0 | 17.5 | 18.5 | 19.0 | 24.5 | 24.0 | 19.0 |
| 30 | 11.0 | 7.0 | 3.0 | 7.0 | --- | 4.0 | 19.0 | 18.5 | 19.5 | 24.0 | 24.5 | 15.5 |
| 31 | 10.0 | --- | 3.0 | 5.0 | --- | 3.0 | --- | 20.5 | --- | 23.0 | 23.5 | --- |
| MONTH | --- | 9.0 | 4.5 | 3.5 | --- | 5.5 | 10.5 | 16.5 | 21.0 | 24.0 | 23.5 | 19.0 |

SUSQUEHANNA RIVER BASIN

01568700 STONY CREEK ABOVE PUMP-STORAGE RESERVOIR SITE NEAR DAUPHIN, PA.

LOCATION.--Lat 40°27'30", long 76°39'53", Lebanon County, on right bank 3.1 mi (5.0 km) upstream from Rattling Run and 16 mi (26 km) northeast of Dauphin.

DRAINAGE AREA.--11.5 mi² (29.8 km²).

PERIOD OF RECORD.--Chemical analyses: March to September 1974.

Water temperatures: March to September 1974.

EXTREMES.--1973-74:

Water temperatures: Maximum, 22.0°C July 9; minimum, 4.0°C Apr. 10.

Period of record:

Water temperatures: Maximum, 22.0°C July 9, 1974; minimum, 4.0°C Apr. 10, 1974.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DISCHARGE (CFS) | SPECIFIC CONDUCTANCE (MICRO-MHOS) | PH (UNITS) | TEMPERATURE (DEG C) | TURBIDITY (JTU) | DISSOLVED OXYGEN (MG/L) |
|-------|------|-------------------------------|-----------------------------------|------------|---------------------|-----------------|-------------------------|
| MAR. | | | | | | | |
| 20... | 1405 | 20 | 28 | 6.3 | 7.5 | -- | 11.6 |
| 26... | 1430 | 22 | 72 | 5.8 | 4.5 | -- | 12.6 |
| APR. | | | | | | | |
| 02... | 1330 | 62 | 35 | 4.8 | 4.5 | -- | 12.2 |
| 09... | 1215 | 79 | 32 | 4.8 | 5.0 | -- | 11.4 |
| 16... | 1115 | 50 | 32 | 4.3 | 6.5 | -- | 10.7 |
| 24... | 1245 | 24 | 26 | 5.3 | 9.5 | -- | 11.4 |
| 30... | 1045 | 17 | 23 | 5.8 | 14.0 | -- | 9.4 |
| MAY | | | | | | | |
| 07... | 1215 | 14 | 24 | 6.4 | 8.5 | -- | 11.0 |
| 14... | 1100 | 67 | 32 | 4.8 | 11.5 | -- | 10.2 |
| 21... | 1125 | 19 | 22 | 5.3 | 16.5 | -- | 10.3 |
| 28... | 1215 | 16 | 22 | 4.6 | 13.5 | -- | 10.6 |
| JUNE | | | | | | | |
| 04... | 1115 | 14 | 22 | 5.2 | 15.5 | -- | 10.0 |
| 11... | 1140 | 9.1 | 33 | 5.9 | 19.0 | -- | 9.4 |
| 18... | 1220 | 8.7 | 21 | 5.7 | 16.0 | -- | 10.2 |
| 25... | 1240 | 15 | 29 | 6.4 | 14.0 | 1 | 9.6 |
| JULY | | | | | | | |
| 02... | 1120 | 24 | 32 | 5.4 | 16.0 | 1 | 8.8 |
| 09... | 1145 | 6.3 | 24 | 6.2 | 20.0 | 1 | 8.6 |
| 16... | 1145 | 5.3 | 21 | 5.6 | 20.5 | 1 | 9.2 |
| 23... | 1100 | 4.8 | 22 | 5.5 | 16.0 | 1 | 8.4 |
| 30... | 1325 | 48 | 31 | 4.7 | 17.0 | 2 | 9.0 |
| AUG. | | | | | | | |
| 06... | 0930 | 14 | 27 | 6.4 | 18.0 | 1 | 9.0 |
| 13... | 0930 | 5.7 | 25 | 6.0 | 16.0 | 1 | 8.0 |
| 20... | 0940 | 5.2 | 41 | 5.9 | 17.0 | 1 | 12.2 |
| 27... | 1015 | 11 | 58 | 5.4 | 18.0 | 2 | 12.0 |
| SEP. | | | | | | | |
| 03... | 1105 | 51 | 62 | 4.6 | 17.0 | 1 | 7.2 |
| 10... | 1010 | 18 | 26 | 4.7 | 17.0 | 1 | 8.4 |
| 17... | 0955 | 16 | 34 | 4.9 | 13.5 | 2 | 12.4 |
| 24... | 0950 | 9.0 | 32 | 5.8 | 8.5 | 2 | 10.0 |

| DATE | TIME | BICARBONATE (HCO ₃) (MG/L) | ALKALINITY AS CaCO ₃ (MG/L) | TOTAL ACIDITY AS H ⁺ (MG/L) | TOTAL ACIDITY AS CaCO ₃ (MG/L) | CARBON DIOXIDE (CO ₂) (MG/L) |
|-------|------|--|--|--|---|--|
| SEP. | | | | | | |
| 10... | 1010 | 2 | 2 | .2 | 10 | 64 |
| 17... | 0955 | 2 | 2 | .2 | 10 | 40 |
| 24... | 0950 | 4 | 3 | .1 | 5.0 | 10 |

01568700 STONY CREEK ABOVE PUMP-STORAGE RESERVOIR SITE NEAR DAUPHIN, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 to SEPTEMBER 1974

| DAY | OCTOBER | | NOVEMBER | | DECEMBER | | JANUARY | | FEBRUARY | | MARCH | |
|-------|---------|-----|----------|-----|----------|-----|---------|-----|----------|-----|-------|-----|
| | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.0 | 4.5 |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.0 | 6.0 |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.0 | 5.5 |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 5.0 | 4.5 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 4.5 | 4.5 |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

| DAY | APRIL | | MAY | | JUNE | | JULY | | AUGUST | | SEPTEMBER | |
|-------|-------|------|------|------|------|------|------|------|--------|------|-----------|------|
| | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN |
| 1 | 4.5 | 4.5 | 16.5 | 13.5 | 15.0 | 14.0 | 17.0 | 14.5 | 19.0 | 15.5 | 18.5 | 16.5 |
| 2 | 6.0 | 4.5 | 13.5 | 11.0 | 14.0 | 13.0 | 19.0 | 14.5 | 19.0 | 16.5 | 18.5 | 17.0 |
| 3 | 9.0 | 6.0 | 12.0 | 10.0 | 16.5 | 13.0 | 20.0 | 16.5 | 17.0 | 16.5 | 17.0 | 15.5 |
| 4 | 9.0 | 9.0 | 14.0 | 10.0 | 17.0 | 14.5 | 21.0 | 18.0 | 17.0 | 16.5 | --- | --- |
| 5 | 9.0 | 9.0 | 11.5 | 9.0 | 18.5 | 14.5 | 19.5 | 18.5 | 18.0 | 16.0 | --- | --- |
| 6 | 9.0 | 6.5 | 10.5 | 9.5 | 18.5 | 14.5 | 20.5 | 18.0 | 17.0 | 15.5 | --- | --- |
| 7 | 8.5 | 5.5 | 10.0 | 8.5 | 18.0 | 15.0 | 20.5 | 16.5 | 17.0 | 15.5 | --- | --- |
| 8 | 8.5 | 6.0 | 11.0 | 7.5 | 18.0 | 15.5 | 21.5 | 17.0 | 16.5 | 15.5 | --- | --- |
| 9 | 6.0 | 5.0 | 11.0 | 10.0 | 19.0 | 15.5 | 22.0 | 18.5 | 17.0 | 15.5 | --- | --- |
| 10 | 8.0 | 4.0 | 13.5 | 10.0 | 21.0 | 16.5 | 21.5 | 19.0 | 18.5 | 15.5 | --- | --- |
| 11 | 8.5 | 4.5 | 14.0 | 10.0 | 20.5 | 18.0 | 19.5 | 17.0 | 19.0 | 15.5 | 15.5 | 14.5 |
| 12 | 9.0 | 5.5 | 14.0 | 11.5 | 18.5 | 15.5 | 19.5 | 18.5 | 18.0 | 15.0 | 17.0 | 14.5 |
| 13 | 9.5 | 6.5 | 13.5 | 11.5 | --- | --- | 20.0 | 15.5 | 19.0 | 16.0 | 17.0 | 16.0 |
| 14 | 9.5 | 6.5 | 16.0 | 11.5 | --- | --- | 20.5 | 16.0 | 20.5 | 16.5 | 17.0 | 15.0 |
| 15 | 9.0 | 5.0 | 18.5 | 14.0 | --- | --- | 21.5 | 18.5 | 20.5 | 16.5 | 14.5 | 13.0 |
| 16 | 10.0 | 6.5 | 18.5 | 14.5 | --- | --- | 21.5 | 18.5 | 19.5 | 16.0 | 14.0 | 12.0 |
| 17 | 10.0 | 6.0 | 19.5 | 15.5 | --- | --- | 20.5 | 16.0 | 19.5 | 17.0 | 14.5 | 13.5 |
| 18 | 10.5 | 6.5 | 20.0 | 16.5 | --- | --- | 20.5 | 16.5 | 21.0 | 16.5 | 14.5 | 13.5 |
| 19 | 10.0 | 8.0 | 19.0 | 16.0 | 17.0 | 14.5 | 21.5 | 18.5 | 21.0 | 17.0 | 14.5 | 13.5 |
| 20 | 10.0 | 6.0 | 19.0 | 15.5 | 18.0 | 16.0 | 20.5 | 17.0 | 21.0 | 16.5 | 14.5 | 14.0 |
| 21 | 11.0 | 6.5 | 19.5 | 15.0 | 16.5 | 16.0 | 20.5 | 15.5 | 21.0 | 16.5 | 14.5 | 13.0 |
| 22 | 11.0 | 10.0 | 19.5 | 15.0 | 18.0 | 15.5 | 20.5 | 15.5 | 19.0 | 17.0 | 13.0 | 11.5 |
| 23 | 12.0 | 11.0 | 18.0 | 16.0 | 17.5 | 14.5 | 17.0 | 15.5 | 21.0 | 18.0 | 11.5 | 10.0 |
| 24 | 11.0 | 9.5 | 18.5 | 15.0 | 14.5 | 13.5 | 15.5 | 14.5 | 21.0 | 17.0 | 10.0 | 8.5 |
| 25 | 10.0 | 6.5 | 15.5 | 13.5 | 14.0 | 13.5 | 17.0 | 14.5 | 20.0 | 16.5 | 9.0 | 8.0 |
| 26 | 11.5 | 8.0 | 16.0 | 12.5 | 15.0 | 13.5 | 16.5 | 15.5 | 20.0 | 17.0 | 10.5 | 8.5 |
| 27 | 11.5 | 8.0 | 14.0 | 12.5 | 16.0 | 13.5 | 20.0 | 16.0 | 20.0 | 18.5 | 11.5 | 9.5 |
| 28 | 13.5 | 9.5 | 15.5 | 11.5 | 15.0 | 14.0 | 21.5 | 17.0 | 20.0 | 18.5 | 11.5 | 11.0 |
| 29 | 16.0 | 11.5 | 14.5 | 13.0 | 14.0 | 13.5 | 20.5 | 18.5 | 21.0 | 18.0 | 14.0 | 11.5 |
| 30 | 16.0 | 14.0 | 16.0 | 13.0 | 16.0 | 13.5 | 18.5 | 15.5 | 19.0 | 18.0 | 13.5 | 11.5 |
| 31 | --- | --- | 15.0 | 14.0 | --- | --- | 18.5 | 16.0 | 18.0 | 16.5 | --- | --- |
| MONTH | 16.0 | 4.0 | 20.0 | 7.5 | 21.0 | 13.0 | 22.0 | 14.5 | 21.0 | 15.0 | --- | --- |

SUSQUEHANNA RIVER BASIN

01568750 STONY CREEK BELOW PUMP-STORAGE RESERVOIR SITE NEAR DAUPHIN, PA.

LOCATION.--Lat 40°24'51", long 76°46'50", Lebanon County, on right bank at Water Tank Trail, 3.8 mi (6.1 km) downstream from Rattling Run, and 9 mi (14.5 km) northeast of Dauphin.

DRAINAGE AREA.--21.9 mi² (56.7 km²).

PERIOD OF RECORD.--Chemical analyses: March to September 1974.

Water temperatures: March to September 1974.

EXTREMES.--1973-74:

Water temperatures: Maximum, 23.0°C July 9; minimum, 3.0°C Mar. 29-31, Apr. 1, 10.

Period of record:

Water temperatures: Maximum, 23.0°C July 9, 1974; minimum, 3.0°C Mar. 29-31, Apr. 1, 10, 1974.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DISCHARGE (CFS) | SPECIFIC CONDUCTANCE (MICRO-MHOS) | PH (UNITS) | TEMPERATURE (DEG C) | TURBIDITY (JTU) | DISSOLVED OXYGEN (MG/L) |
|-------|------|-------------------------------|-----------------------------------|------------|---------------------|-----------------|-------------------------|
| MAR. | | | | | | | |
| 20... | 1500 | 42 | 30 | 6.6 | 6.5 | -- | 12.0 |
| 26... | 1155 | 46 | 26 | 5.5 | 3.0 | -- | 13.2 |
| APR. | | | | | | | |
| 02... | 1240 | 120 | 32 | 4.7 | 4.5 | -- | 12.4 |
| 09... | 1100 | 141 | 30 | 5.2 | 5.0 | -- | 11.8 |
| 16... | 1000 | 100 | 30 | 4.3 | 5.5 | -- | 11.2 |
| 24... | 1200 | 50 | 26 | 5.4 | 9.5 | -- | 11.4 |
| 30... | 0945 | 36 | 23 | 6.1 | 17.0 | -- | 9.6 |
| MAY | | | | | | | |
| 07... | 1050 | 30 | 21 | 4.9 | 9.5 | -- | 11.2 |
| 14... | 1000 | 137 | 33 | 4.6 | 11.5 | -- | 11.2 |
| 21... | 1015 | 39 | 21 | 5.6 | 15.0 | -- | 10.0 |
| 28... | 1000 | 33 | 21 | 4.7 | 14.0 | -- | 10.3 |
| JUNE | | | | | | | |
| 04... | 1000 | 27 | 22 | 5.8 | 16.0 | -- | 9.8 |
| 11... | 1000 | 19 | 23 | 6.4 | 18.5 | -- | 9.2 |
| 18... | 1115 | 20 | 21 | 5.4 | 15.5 | -- | 11.0 |
| 25... | 1030 | 26 | 27 | 6.3 | 15.0 | 1 | 9.6 |
| JULY | | | | | | | |
| 02... | 1230 | 39 | 32 | 5.6 | 18.0 | 1 | 8.8 |
| 09... | 1000 | 8.7 | 24 | 6.2 | 20.0 | 1 | 8.4 |
| 16... | 1030 | 8.0 | 21 | 5.2 | 20.0 | 1 | 8.2 |
| 23... | 1240 | 7.0 | 21 | 5.6 | 18.0 | 1 | 9.2 |
| 30... | 1120 | 48 | 28 | 5.8 | 18.5 | 2 | 8.6 |
| AUG. | | | | | | | |
| 06... | 1100 | 18 | 26 | 6.5 | 16.5 | 2 | 9.6 |
| 13... | 1130 | 8.0 | 25 | 6.0 | 18.0 | 1 | 8.8 |
| 20... | 1100 | 6.7 | 28 | 6.1 | 18.5 | 1 | 12.4 |
| 27... | 1100 | 9.1 | -- | 6.2 | 21.0 | 1 | 12.4 |
| SEP. | | | | | | | |
| 03... | 1200 | 62 | 38 | 5.4 | 17.0 | 1 | 11.2 |
| 10... | 1150 | 22 | 29 | 5.6 | 16.0 | 1 | 10.4 |
| 17... | 1100 | 19 | 30 | 5.2 | 14.5 | 2 | 13.6 |
| 24... | 1055 | 11 | 26 | 7.2 | 9.0 | 2 | 12.0 |

| DATE | TIME | BICARBONATE (HCO3) (MG/L) | ALKALINITY AS CAC03 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | TOTAL ACIDITY AS CAC03 (MG/L) | CARBON DIOXIDE (CO2) (MG/L) |
|-------|------|---------------------------|----------------------------|----------------------------|-------------------------------|-----------------------------|
| SEP. | | | | | | |
| 10... | 1150 | 20 | 16 | .0 | .0 | 80 |
| 17... | 1100 | 2 | 2 | .1 | 5.0 | 20 |
| 24... | 1055 | 3 | 2 | .0 | .0 | .3 |

01568750 STONY CREEK BELOW PUMP-STORAGE RESERVOIR SITE NEAR DAUPHIN, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 to SEPTEMBER 1974

| DAY | OCTOBER | | NOVEMBER | | DECEMBER | | JANUARY | | FEBRUARY | | MARCH | |
|-------|---------|-----|----------|-----|----------|-----|---------|-----|----------|-----|-------|-----|
| | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 5.5 | 3.5 |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.0 | 5.5 |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 5.5 | 3.0 |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3.0 | 3.0 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | 3.0 | 3.0 |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

| DAY | APRIL | | MAY | | JUNE | | JULY | | AUGUST | | SEPTEMBER | |
|-------|-------|------|------|------|------|------|------|------|--------|------|-----------|------|
| | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN | MAX | MIN |
| 1 | 4.5 | 3.0 | 18.0 | 16.0 | 16.0 | 15.5 | 19.5 | 16.5 | --- | --- | 19.5 | 18.5 |
| 2 | 6.0 | 4.0 | 15.0 | 14.0 | 16.0 | 15.5 | 19.5 | 18.0 | --- | --- | 18.5 | 18.0 |
| 3 | 8.5 | 4.5 | 14.0 | 13.0 | 17.5 | 15.0 | 20.5 | 18.0 | --- | --- | 18.5 | 16.0 |
| 4 | 10.0 | 5.0 | 14.5 | 12.5 | 18.0 | 16.0 | 21.5 | 19.5 | --- | --- | 16.0 | 15.0 |
| 5 | 9.0 | 8.0 | 12.0 | 11.5 | 18.5 | 15.5 | 21.5 | 20.5 | --- | --- | 15.0 | 14.0 |
| 6 | 8.0 | 5.5 | 11.5 | 11.0 | 19.0 | 16.0 | 21.0 | 20.0 | --- | --- | 15.0 | 14.5 |
| 7 | 6.5 | 3.5 | 11.0 | 9.5 | 18.0 | 16.5 | 20.5 | 18.5 | 18.0 | 16.5 | 15.5 | 14.0 |
| 8 | 6.5 | 5.5 | 11.5 | 9.0 | 17.5 | 16.0 | 21.5 | 19.0 | 18.0 | 16.5 | 15.5 | 15.0 |
| 9 | 5.5 | 4.5 | 11.0 | 11.0 | 19.0 | 15.5 | 23.0 | 20.0 | 18.5 | 17.0 | 16.0 | 15.0 |
| 10 | 6.0 | 3.0 | 14.0 | 11.0 | 20.0 | 16.5 | 22.0 | 21.0 | 18.5 | 17.0 | 17.0 | 15.5 |
| 11 | 7.0 | 4.5 | 14.5 | 11.5 | 20.0 | 18.5 | 20.5 | 19.5 | 19.0 | 16.5 | --- | --- |
| 12 | 8.5 | 6.0 | 14.5 | 12.0 | 18.0 | 17.5 | 20.0 | 18.0 | 18.5 | 16.5 | 18.5 | 16.0 |
| 13 | 9.0 | 7.0 | 13.0 | 11.5 | 17.5 | 15.0 | 20.0 | 17.0 | 19.0 | 18.0 | 19.0 | 18.0 |
| 14 | 9.0 | 7.0 | 15.5 | 11.5 | 17.5 | 15.0 | 21.0 | 18.0 | 20.0 | 18.0 | 18.0 | 16.0 |
| 15 | 8.0 | 6.5 | 16.5 | 14.0 | 18.0 | 16.0 | 22.0 | 20.0 | 20.0 | 18.0 | 16.0 | 14.5 |
| 16 | 8.5 | 5.5 | 18.0 | 15.5 | 18.0 | 16.5 | 21.5 | 20.0 | 19.5 | 18.0 | 15.0 | 14.0 |
| 17 | 9.0 | 5.5 | 18.5 | 16.0 | 17.5 | 15.5 | 20.5 | 18.5 | 19.5 | 19.0 | 15.5 | 14.5 |
| 18 | 9.5 | 6.5 | 18.5 | 16.5 | 16.5 | 15.0 | 21.0 | 19.0 | 19.5 | 18.0 | 15.5 | 14.5 |
| 19 | 8.5 | 7.0 | 17.0 | 16.0 | 17.0 | 15.0 | 22.0 | 20.0 | 20.5 | 18.5 | 16.0 | 14.5 |
| 20 | 9.5 | 6.0 | 16.5 | 15.0 | 18.5 | 17.0 | 20.5 | 19.0 | 20.0 | 18.5 | 16.5 | 15.5 |
| 21 | 11.0 | 8.0 | 17.0 | 14.5 | 18.5 | 17.0 | 19.5 | 16.5 | 20.5 | 18.5 | 16.5 | 15.0 |
| 22 | 11.5 | 10.0 | 18.0 | 15.5 | 18.5 | 17.0 | 19.5 | 16.5 | 20.0 | 19.0 | 15.0 | 13.5 |
| 23 | 13.0 | 11.0 | 18.0 | 17.0 | 18.5 | 15.5 | 18.0 | 17.0 | 20.5 | 19.0 | 13.5 | 11.0 |
| 24 | 11.0 | 9.0 | 17.0 | 16.0 | 15.5 | 14.5 | 16.5 | 16.5 | 20.5 | 19.0 | 10.5 | 9.0 |
| 25 | 10.5 | 7.5 | 16.5 | 15.0 | 15.5 | 14.5 | 18.0 | 16.5 | 19.5 | 18.0 | 10.0 | 8.5 |
| 26 | 13.0 | 9.5 | 16.0 | 14.5 | 15.5 | 14.5 | 18.0 | 17.0 | 20.0 | 18.5 | 11.5 | 9.5 |
| 27 | 14.0 | 11.0 | 15.5 | 14.5 | 15.5 | 14.5 | 19.5 | 18.0 | 21.0 | 19.5 | 12.0 | 10.5 |
| 28 | 15.5 | 12.5 | 16.0 | 14.0 | 15.5 | 15.0 | 21.0 | 18.5 | 21.0 | 20.0 | 13.5 | 12.0 |
| 29 | 18.5 | 15.0 | 15.5 | 15.0 | 15.0 | 14.5 | 19.5 | 18.5 | 21.0 | 20.0 | 14.5 | 13.5 |
| 30 | 18.5 | 17.5 | 16.5 | 15.0 | 16.5 | 14.5 | --- | --- | 20.5 | 19.5 | 14.0 | 13.0 |
| 31 | --- | --- | 16.5 | 16.0 | --- | --- | --- | --- | 19.5 | 18.5 | --- | --- |
| MONTH | 18.5 | 3.0 | 18.5 | 9.0 | 20.0 | 14.5 | 23.0 | 16.5 | 21.0 | 16.5 | 19.5 | 8.5 |

SUSQUEHANNA RIVER BASIN

01569980 CONODOGUINET CREEK AT WILLOW MILL BRIDGE, NEAR HOGESTOWN, PA.

LOCATION.--Lat 40°15'10", long 77°02'08", Cumberland County, at Willow Mill Bridge, 3.0 mi (4.8 km) upstream from gaging station and 0.5 mi (0.8 km) north of U.S. Highway 11 at Hogestown. Sampling site moved in June 1974 to bridge on State Highway 114, 0.1 mi (0.1 km) downstream from Willow Mill Bridge, and 3.0 mi (5.0 km) upstream from gaging station.

DRAINAGE AREA.--446 mi² (1,160 km²).

PERIOD OF RECORD.--Chemical analyses: April to September 1974.

Water temperatures: April to September 1974.

Sediment records: April to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum daily, 472 micromhos Sept. 27; minimum daily, 164 micromhos May 14.

Water temperatures: Maximum daily, 28.0°C June 10, July 4, 18, 19, Aug. 15; minimum daily, 8.0°C Apr. 9.

Period of record:

Specific conductance: Maximum daily, 472 micromhos Sept. 27, 1974; minimum daily, 164 micromhos May 14, 1974.

Water temperatures: Maximum daily, 28.0°C June 10, July 4, 18, 19, Aug. 15, 1974; minimum daily, 8.0°C Apr. 9, 1974.

REMARKS.--Sediment data for this station on page 422. Sediment records may be affected by upstream construction from June to September 1974. Records of discharge given for 01570000 Conodoguinet Creek near Hogestown.

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
(ONCE DAILY PM MEASUREMENTS)

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | --- | --- | --- | --- | --- | --- | --- | 318 | 308 | 241 | 423 | 455 |
| 2 | --- | --- | --- | --- | --- | --- | --- | 335 | 247 | 242 | 420 | 431 |
| 3 | --- | --- | --- | --- | --- | --- | --- | 339 | 247 | 245 | 430 | 418 |
| 4 | --- | --- | --- | --- | --- | --- | --- | 330 | 267 | 256 | 418 | 397 |
| 5 | --- | --- | --- | --- | --- | --- | 184 | 326 | 279 | 277 | 398 | 409 |
| 6 | --- | --- | --- | --- | --- | --- | 195 | 339 | 293 | 301 | 416 | 419 |
| 7 | --- | --- | --- | --- | --- | --- | 202 | 349 | 309 | 289 | 416 | 420 |
| 8 | --- | --- | --- | --- | --- | --- | 218 | 358 | 320 | 312 | 417 | 398 |
| 9 | --- | --- | --- | --- | --- | --- | 207 | 348 | 326 | 325 | 427 | 411 |
| 10 | --- | --- | --- | --- | --- | --- | 200 | 347 | 334 | 337 | 420 | 429 |
| 11 | --- | --- | --- | --- | --- | --- | 231 | 329 | 345 | 328 | 430 | 441 |
| 12 | --- | --- | --- | --- | --- | --- | 238 | 309 | 343 | 349 | 429 | 448 |
| 13 | --- | --- | --- | --- | --- | --- | 246 | 172 | 349 | 375 | 430 | 450 |
| 14 | --- | --- | --- | --- | --- | --- | 210 | 164 | 345 | 375 | 444 | 375 |
| 15 | --- | --- | --- | --- | --- | --- | 210 | 194 | 323 | --- | 444 | 350 |
| 16 | --- | --- | --- | --- | --- | --- | 224 | 221 | 308 | 381 | 447 | 380 |
| 17 | --- | --- | --- | --- | --- | --- | 240 | 230 | 264 | 384 | 431 | 403 |
| 18 | --- | --- | --- | --- | --- | --- | 254 | 255 | 233 | 394 | 428 | 415 |
| 19 | --- | --- | --- | --- | --- | --- | 266 | 264 | 256 | 400 | 426 | 435 |
| 20 | --- | --- | --- | --- | --- | --- | 280 | 268 | 269 | 404 | 429 | 418 |
| 21 | --- | --- | --- | --- | --- | --- | 296 | 258 | 282 | 419 | 439 | 452 |
| 22 | --- | --- | --- | --- | --- | --- | 297 | 288 | 292 | 411 | 445 | 449 |
| 23 | --- | --- | --- | --- | --- | --- | 306 | 268 | 284 | 424 | 451 | 451 |
| 24 | --- | --- | --- | --- | --- | --- | 310 | 246 | 236 | 427 | 456 | 459 |
| 25 | --- | --- | --- | --- | --- | --- | 308 | 254 | 205 | 401 | 453 | 467 |
| 26 | --- | --- | --- | --- | --- | --- | 318 | 274 | 210 | 428 | 435 | 469 |
| 27 | --- | --- | --- | --- | --- | --- | 315 | 295 | 212 | 428 | 437 | 472 |
| 28 | --- | --- | --- | --- | --- | --- | 336 | 304 | 221 | 429 | 445 | 462 |
| 29 | --- | --- | --- | --- | --- | --- | 317 | 314 | 237 | 415 | 455 | 457 |
| 30 | --- | --- | --- | --- | --- | --- | 321 | 324 | 229 | 413 | 439 | 448 |
| 31 | --- | --- | --- | --- | --- | --- | --- | 330 | --- | 408 | 460 | --- |
| MONTH | --- | --- | --- | --- | --- | --- | 259 | 289 | 279 | 361 | 434 | 430 |

SUSQUEHANNA RIVER BASIN

303

01569980 CONODOGUINET CREEK AT WILLOW MILL BRIDGE, NEAR HOGESTOWN, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
(ONCE DAILY PM MEASUREMENTS)

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|
| 1 | --- | --- | --- | --- | --- | --- | --- | 22.5 | 20.5 | 25.0 | 26.5 | --- |
| 2 | --- | --- | --- | --- | --- | --- | --- | 18.5 | 18.0 | 26.0 | 25.0 | 24.0 |
| 3 | --- | --- | --- | --- | --- | --- | --- | 17.0 | 21.0 | 27.5 | 26.0 | 23.0 |
| 4 | --- | --- | --- | --- | --- | --- | --- | 17.5 | 22.0 | 28.0 | 27.0 | 20.5 |
| 5 | --- | --- | --- | --- | --- | --- | 13.5 | 15.5 | 24.0 | 26.0 | 25.0 | 20.5 |
| 6 | --- | --- | --- | --- | --- | --- | 10.5 | 15.0 | 24.0 | 26.0 | 24.5 | 18.5 |
| 7 | --- | --- | --- | --- | --- | --- | 11.0 | 14.5 | 22.5 | 27.0 | 21.5 | 23.0 |
| 8 | --- | --- | --- | --- | --- | --- | 9.5 | 14.5 | 22.5 | 24.0 | 21.0 | 21.0 |
| 9 | --- | --- | --- | --- | --- | --- | 8.0 | 13.5 | 26.0 | 24.0 | 24.0 | 22.0 |
| 10 | --- | --- | --- | --- | --- | --- | 9.5 | 17.5 | 28.0 | 26.0 | 25.0 | 22.0 |
| 11 | --- | --- | --- | --- | --- | --- | 11.0 | 19.5 | 25.0 | 26.0 | 25.0 | 22.0 |
| 12 | --- | --- | --- | --- | --- | --- | 13.0 | 16.0 | 23.5 | 25.5 | 24.5 | 24.0 |
| 13 | --- | --- | --- | --- | --- | --- | 13.5 | 15.0 | 22.5 | 27.0 | 27.0 | 26.0 |
| 14 | --- | --- | --- | --- | --- | --- | 17.0 | 18.0 | 23.0 | 27.5 | 27.0 | 22.5 |
| 15 | --- | --- | --- | --- | --- | --- | 13.5 | 21.0 | 22.0 | 27.0 | 28.0 | 21.5 |
| 16 | --- | --- | --- | --- | --- | --- | 14.5 | 23.0 | 22.0 | 27.0 | 26.5 | 21.0 |
| 17 | --- | --- | --- | --- | --- | --- | 15.5 | 25.0 | 21.0 | 27.5 | 26.0 | 22.5 |
| 18 | --- | --- | --- | --- | --- | --- | 15.5 | 24.5 | 22.5 | 28.0 | 26.0 | 22.5 |
| 19 | --- | --- | --- | --- | --- | --- | 14.0 | 22.5 | 23.5 | 28.0 | 26.0 | 22.5 |
| 20 | --- | --- | --- | --- | --- | --- | 15.0 | 22.5 | 23.0 | 26.0 | --- | 24.0 |
| 21 | --- | --- | --- | --- | --- | --- | 16.0 | 22.0 | 24.0 | 25.0 | 27.0 | 20.0 |
| 22 | --- | --- | --- | --- | --- | --- | 16.0 | 23.5 | 24.0 | 26.5 | 25.0 | 19.0 |
| 23 | --- | --- | --- | --- | --- | --- | 17.0 | 22.0 | 20.5 | 22.0 | 27.0 | 17.5 |
| 24 | --- | --- | --- | --- | --- | --- | 14.0 | 21.0 | 21.0 | 22.5 | 26.5 | 16.5 |
| 25 | --- | --- | --- | --- | --- | --- | 16.5 | 19.5 | 18.5 | 24.0 | 25.0 | 15.5 |
| 26 | --- | --- | --- | --- | --- | --- | 17.0 | 20.0 | 20.0 | --- | 26.0 | --- |
| 27 | --- | --- | --- | --- | --- | --- | 18.0 | 19.0 | 21.5 | 25.5 | 27.0 | 20.0 |
| 28 | --- | --- | --- | --- | --- | --- | 19.0 | 20.0 | 20.0 | 27.0 | 26.0 | 19.0 |
| 29 | --- | --- | --- | --- | --- | --- | 24.0 | 19.5 | 20.0 | 25.0 | 26.5 | 20.0 |
| 30 | --- | --- | --- | --- | --- | --- | 23.0 | 22.0 | 22.0 | 27.0 | 25.0 | 17.0 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 26.5 | 25.0 | --- |
| MONTH | --- | --- | --- | --- | --- | --- | 15.0 | 19.5 | 22.5 | 26.0 | 25.5 | 21.0 |

SUSQUEHANNA RIVER BASIN

01570100 CONODOGUINET CREEK TRIBUTARY NO. 1 NEAR ENOLA, PA.

LOCATION.--Lat 40°17'27", long 76°59'38", Cumberland County, at gaging station on right bank 720 ft (219 m) upstream from bridge on State Highway 944, 3.2 mi (5.15 km) upstream from mouth, and 3.3 mi (5.31 km) west of Enola.

DRAINAGE AREA.--0.77 mi² (1.99 km²).

PERIOD OF RECORD.--Chemical analyses: October 1969 to September 1971 (partial-record station), October 1971 to September 1974.

Sediment records: April 1969 to September 1974.

EXTREMES.--1973-74:

Turbidity: Maximum daily, 70 JTU Sept. 13; minimum daily, 1 JTU Oct. 26-28.

Period of record:

Turbidity (1971-74): Maximum daily, 200 JTU July 16, 1972; minimum daily, 1 JTU on many days.

REMARKS.--Sediment data for this station on page 424.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS- CHARGE (CFS) | DIS- SOLVED SILICA (SIO ₂) (MG/L) | DIS- SOLVED ALUM- INUM (AL) (UG/L) | DIS- SOLVED IRON (FE) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HCO ₃) (MG/L) |
|---------------|------|--|---|---|--|--|--|---|--|--|---|
| SEP. 12... | 1100 | .13 | 11 | 10 | 40 | 10 | 55 | 6.0 | 4.7 | 1.4 | 178 |

| DATE | CAR- BONATE (CO ₃) (MG/L) | ALKA- LINITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | DIS- SOLVED NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) |
|---------------|--|--|---|---|--|-----------------------------------|---|---|---|--|---|
| SEP. 12... | 0 | 146 | 15 | 4.9 | .2 | .90 | .01 | .05 | .45 | .50 | .02 |

| DATE | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | DIS- SOLVED ORTHO. PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L) | HARD- NESS (CA,MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | TOTAL ACIDITY AS CACO ₃ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) (MG/L) | PH (UNITS) | TEMPER- ATURE (DEG C) | CARBON DIOXIDE (CO ₂) (MG/L) |
|---------------|--|--|--|---|------------------------------------|---|---|--|---------------|-----------------------------|---|
| SEP. 12... | .01 | .01 | 203 | 186 | 160 | 16 | 204 | 340 | 7.8 | 18.0 | 4.5 |

| DATE | DIS- SOLVED ARSENIC (AS) (UG/L) | DIS- SOLVED CAD- MIUM (CD) (UG/L) | DIS- SOLVED CHRO- MIUM (CR) (UG/L) | DIS- SOLVED COBALT (CO) (UG/L) | DIS- SOLVED COPPER (CU) (UG/L) | DIS- SOLVED LEAD (PB) (UG/L) | DIS- SOLVED MERCURY (HG) (UG/L) | DIS- SOLVED SELE- NIUM (SE) (UG/L) | DIS- SOLVED SILVER (AG) (UG/L) | DIS- SOLVED ZINC (ZN) (UG/L) |
|---------------|---|--|---|--|--|--|---|---|--|--|
| SEP. 12... | 0 | 0 | 0 | 0 | 0 | 2 | <.5 | 3 | 0 | 10 |

SUSQUEHANNA RIVER BASIN

305

01570100 CONODOGUINET CREEK TRIBUTARY NO. 1 NEAR ENOLA, PA.--Continued

TURBIDITY (JTU) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 2 | 4 | 2 | 5 | 4 | 4 | 7 | 2 | 7 | 10 | 4 | 35 |
| 2 | 1 | 4 | 3 | 5 | 4 | 6 | 7 | 2 | 4 | 4 | 30 | 10 |
| 3 | 4 | 2 | 3 | 5 | 3 | 5 | 6 | 10 | 4 | 4 | 15 | 50 |
| 4 | 3 | 2 | 3 | 5 | 2 | 3 | 45 | 3 | 4 | 4 | 6 | 15 |
| 5 | 2 | 2 | 15 | 5 | 2 | 3 | 10 | 3 | 4 | 5 | 3 | 6 |
| 6 | 2 | 2 | 5 | 5 | 2 | 3 | 3 | 5 | 4 | 5 | 3 | 6 |
| 7 | 2 | 2 | 3 | 4 | 2 | 3 | 4 | 3 | 4 | 5 | 4 | 20 |
| 8 | 2 | 3 | 3 | 4 | 2 | 6 | 6 | 3 | 4 | 5 | 4 | 5 |
| 9 | 2 | 3 | 30 | 4 | 2 | 15 | 10 | 7 | 4 | 5 | 8 | 3 |
| 10 | 2 | 3 | 8 | 4 | 2 | 10 | 7 | 3 | 5 | 7 | 4 | 3 |
| 11 | 2 | 3 | 5 | 8 | 3 | 5 | 5 | 3 | 4 | 6 | 4 | 3 |
| 12 | 2 | 2 | 4 | 4 | 3 | 4 | 4 | 45 | 4 | 5 | 5 | 20 |
| 13 | 2 | 3 | 5 | 4 | 3 | 4 | 10 | 10 | 3 | 4 | 5 | 70 |
| 14 | 2 | 4 | 5 | 4 | 3 | 3 | 25 | 5 | 3 | 4 | 4 | 25 |
| 15 | 2 | 4 | 4 | 4 | 3 | 3 | 15 | 3 | 4 | 4 | 4 | 7 |
| 16 | 2 | 4 | 4 | 10 | 3 | 15 | 6 | 3 | 45 | 4 | 10 | 5 |
| 17 | 2 | 3 | 4 | 6 | 3 | 5 | 6 | 3 | 15 | 4 | 25 | 4 |
| 18 | 2 | 3 | 4 | 5 | 3 | 3 | 7 | 3 | 4 | 4 | 6 | 4 |
| 19 | 2 | 3 | 4 | 4 | 8 | 3 | 6 | 3 | 3 | 5 | 3 | 4 |
| 20 | 2 | 2 | 15 | 4 | 6 | 3 | 4 | 3 | 7 | 4 | 3 | 4 |
| 21 | 2 | 2 | 20 | 25 | 4 | 40 | 3 | 3 | 5 | 4 | 3 | 10 |
| 22 | 2 | 2 | 6 | 5 | 45 | 8 | 3 | 15 | 3 | 3 | 5 | 6 |
| 23 | 3 | 3 | 5 | 3 | 8 | 6 | 3 | 10 | 25 | 3 | 5 | 4 |
| 24 | 3 | 5 | 4 | 5 | 6 | 5 | 3 | 3 | 6 | 5 | 5 | 3 |
| 25 | 2 | 4 | 4 | 5 | 5 | 4 | 3 | 3 | 5 | 4 | 5 | 3 |
| 26 | 1 | 3 | 15 | 9 | 4 | 3 | 3 | 3 | 4 | 4 | 6 | 3 |
| 27 | 1 | 2 | 8 | 6 | 4 | 3 | 3 | 4 | 4 | 3 | 6 | 3 |
| 28 | 1 | 10 | 7 | 9 | 3 | 3 | 3 | 3 | 25 | 8 | 6 | 10 |
| 29 | 25 | 3 | 6 | 6 | --- | 4 | 3 | 3 | 7 | 20 | 20 | 5 |
| 30 | 6 | 2 | 5 | 5 | --- | 55 | 3 | 3 | 3 | 5 | 9 | 3 |
| 31 | 3 | --- | 5 | 4 | --- | 20 | --- | 10 | --- | 5 | 3 | --- |

SUSQUEHANNA RIVER BASIN

01570200 CONODOGUINET CREEK TRIBUTARY NO. 2 NEAR ENOLA, PA.

LOCATION.--Lat 40°17'21", long 76°58'35", Cumberland County, at gaging station on right bank 100 ft (30 m) upstream from bridge on Valley Street, 1.7 mi (2.7 km) upstream from mouth, and 2.4 mi (3.9 km) west of Enola.

DRAINAGE AREA.--0.76 mi² (1.97 km²).

PERIOD OF RECORD.--Chemical analyses: October 1969 to September 1972 (partial-record station), October 1972 to September 1974.

Sediment records: October 1972 to September 1974.

EXTREMES.--1973-74:

Turbidity: Maximum daily, 750 JTU Sept. 1; minimum daily, 2 JTU Oct. 26, 27.

Period of record:

Turbidity (1972-74): Maximum daily, 750 JTU Sept. 1, 1974; minimum daily, 2 JTU on several days each year.

REMARKS.--Sediment data for this station on page 427. Unpublished sediment records from April 1969 to September 1972 available at the district office in Harrisburg.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | DIS-SOLVED SILICA (SI02) (MG/L) | DIS-SOLVED ALUMINUM (AL) (UG/L) | DIS-SOLVED IRON (FE) (UG/L) | DIS-SOLVED MANGANESE (MN) (UG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNESIUM (MG) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED POTASSIUM (K) (MG/L) | BICARBONATE (HCO3) (MG/L) |
|------------|------|--------------------------------|---------------------------------|---------------------------------|-----------------------------|----------------------------------|--------------------------------|----------------------------------|-------------------------------|---------------------------------|---------------------------|
| SEP. 12... | 1210 | .17 | 6.9 | 20 | 10 | 30 | 39 | 6.2 | 5.8 | 2.6 | 135 |

| DATE | CARBONATE (CO3) (MG/L) | ALKALINITY AS CAC03 (MG/L) | DIS-SOLVED SULFATE (SO4) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | DIS-SOLVED FLUORIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | DIS-SOLVED NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) |
|------------|------------------------|----------------------------|---------------------------------|---------------------------------|--------------------------------|--------------------------|--|-----------------------------|-----------------------------|------------------------------------|-----------------------------|
| SEP. 12... | 0 | 111 | 19 | 4.3 | .2 | .57 | .01 | .02 | .28 | .30 | .03 |

| DATE | TOTAL ORTHOPHOSPHORUS (P) (MG/L) | DIS-SOLVED ORTHOPHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | HARDNESS (CA+MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | TOTAL ACIDITY AS CAC03 (MG/L) | SPECIFIC CONDUCTANCE (MICROMHOS) (MG/L) | PH (UNITS) | TEMPERATURE (DEG C) | CARBON DIOXIDE (CO2) (MG/L) |
|------------|----------------------------------|---------------------------------------|---|--|-------------------------|-------------------------------|-------------------------------|---|------------|---------------------|-----------------------------|
| SEP. 12... | .02 | .00 | 166 | 151 | 120 | 12 | 169 | 260 | 7.8 | 20.0 | 3.4 |

| DATE | DIS-SOLVED ARSENIC (AS) (UG/L) | DIS-SOLVED CADMIUM (CD) (UG/L) | DIS-SOLVED CHROMIUM (CR) (UG/L) | DIS-SOLVED COBALT (CO) (UG/L) | DIS-SOLVED COPPER (CU) (UG/L) | DIS-SOLVED LEAD (PB) (UG/L) | DIS-SOLVED MERCURY (HG) (UG/L) | DIS-SOLVED SELENIUM (SE) (UG/L) | DIS-SOLVED SILVER (AG) (UG/L) | DIS-SOLVED ZINC (ZN) (UG/L) |
|------------|--------------------------------|--------------------------------|---------------------------------|-------------------------------|-------------------------------|-----------------------------|--------------------------------|---------------------------------|-------------------------------|-----------------------------|
| SEP. 12... | 0 | 0 | 0 | 0 | 10 | 2 | <.5 | 2 | 0 | 10 |

SUSQUEHANNA RIVER BASIN

01570200 CONODOGUINET CREEK TRIBUTARY NO. 2 NEAR ENOLA, PA.--Continued

| DAY | TURBIDITY (JTU) | | | | | | | | | | |
|-----|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG |
| 1 | 8 | 240 | 6 | 6 | 5 | 10 | 40 | 5 | 35 | 7 | 20 |
| 2 | 55 | 15 | 6 | 130 | 5 | 10 | 20 | 4 | 8 | 7 | 410 |
| 3 | 10 | 8 | 5 | 10 | 5 | 9 | 130 | 10 | 8 | 7 | 250 |
| 4 | 6 | 5 | 5 | 30 | 10 | 10 | 120 | 4 | 8 | 7 | 35 |
| 5 | 4 | 5 | 220 | 5 | 20 | 7 | 15 | 3 | 8 | 7 | 15 |
| 6 | 4 | 5 | 130 | 4 | 20 | 7 | 15 | 5 | 8 | 7 | 15 |
| 7 | 4 | 5 | 10 | 4 | 15 | 7 | 9 | 3 | 8 | 7 | 15 |
| 8 | 5 | 15 | 8 | 4 | 9 | 7 | 20 | 3 | 9 | 7 | 15 |
| 9 | 5 | 10 | 310 | 4 | 8 | 35 | 45 | 40 | 9 | 7 | 15 |
| 10 | 5 | 3 | 45 | 4 | 8 | 30 | 10 | 4 | 20 | 7 | 15 |
| 11 | 4 | 3 | 15 | 5 | 8 | 10 | 8 | 4 | 15 | 7 | 15 |
| 12 | 4 | 3 | 10 | 5 | 8 | 7 | 7 | 300 | 10 | 7 | 15 |
| 13 | 4 | 3 | 10 | 4 | 8 | 4 | 15 | 30 | 10 | 6 | 15 |
| 14 | 4 | 6 | 20 | 4 | 7 | 3 | 650 | 10 | 10 | 6 | 15 |
| 15 | 4 | 9 | 20 | 4 | 7 | 3 | 85 | 8 | 10 | 6 | 15 |
| 16 | 4 | 6 | 15 | 10 | 7 | 35 | 30 | 8 | 340 | 6 | 350 |
| 17 | 4 | 4 | 10 | 20 | 7 | 6 | 20 | 8 | 180 | 7 | 390 |
| 18 | 4 | 4 | 10 | 15 | 7 | 5 | 120 | 5 | 30 | 7 | 20 |
| 19 | 5 | 4 | 10 | 10 | 8 | 5 | 25 | 5 | 30 | 8 | 35 |
| 20 | 5 | 4 | 55 | 10 | 10 | 5 | 10 | 5 | 20 | 8 | 35 |
| 21 | 5 | 4 | 85 | 65 | 8 | 100 | 8 | 5 | 80 | 8 | 15 |
| 22 | 5 | 4 | 20 | 15 | 380 | 10 | 8 | 140 | 25 | 7 | 15 |
| 23 | 5 | 4 | 15 | 15 | 15 | 10 | 8 | 35 | 280 | 8 | 15 |
| 24 | 4 | 15 | 10 | 9 | 10 | 8 | 8 | 15 | 35 | 8 | 15 |
| 25 | 3 | 4 | 8 | 7 | 10 | 7 | 7 | 9 | 30 | 8 | 15 |
| 26 | 2 | 3 | 75 | 20 | 10 | 7 | 7 | 8 | 15 | 8 | 15 |
| 27 | 2 | 3 | 25 | 15 | 10 | 7 | 7 | 20 | 30 | 9 | 7 |
| 28 | 3 | 75 | 8 | 20 | 10 | 5 | 7 | 8 | 160 | 20 | 7 |
| 29 | 600 | 5 | 9 | 6 | --- | 4 | 7 | 8 | 10 | 600 | 550 |
| 30 | 15 | 4 | 9 | 5 | --- | 140 | 7 | 8 | 8 | 75 | 130 |
| 31 | 10 | --- | 9 | 5 | --- | 35 | --- | 25 | --- | 20 | 25 |

SUSQUEHANNA RIVER BASIN

01570230 CONODOGUINET CREEK TRIBUTARY NO. 2A NEAR ENOLA, PA.

LOCATION.--Lat 40°17'44", long 76°57'55", Cumberland County, at gaging station on left bank 120 ft (37 m) downstream from bridge on Valley Street, 2.6 mi (4.2 km) upstream from mouth, and 1.6 mi (2.6 km) west of Enola.

DRAINAGE AREA.--0.70 mi² (1.81 km²).

PERIOD OF RECORD.--Chemical analyses: October 1969 to September 1972 (partial-record station), October 1972 to September 1974.

Sediment records: October 1972 to September 1974.

EXTREMES.--1973-74:

Turbidity: Maximum daily, 1,100 JTU Sept. 1; minimum daily, 2 JTU on several days during April and May.

Period of record:

Turbidity (1972-74): Maximum daily, 1,100 JTU Sept. 1, 1974; minimum daily, 1 JTU on several days in October 1972.

REMARKS.--Sediment data for this station on page 430. Unpublished sediment records from April 1969 to September 1972 available at the district office in Harrisburg.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | DIS- SOLVED SILICA (SiO ₂) (MG/L) | DIS- SOLVED ALUM- INUM (AL) (UG/L) | DIS- SOLVED IRON (FE) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HCO ₃) (MG/L) |
|---------------|------|---|---|---|--|--|--|---|--|--|---|
| SEP. 12... | 1000 | .15 | 11 | 20 | 20 | 30 | 44 | 7.1 | 8.0 | 2.9 | 146 |

| DATE | CAR- BONATE (CO ₃) (MG/L) | ALKA- LINITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | DIS- SOLVED NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) |
|---------------|--|--|---|---|--|-----------------------------------|---|---|---|--|---|
| SEP. 12... | 0 | 120 | 22 | 9.2 | .2 | .09 | .01 | .06 | .29 | .35 | .13 |

| DATE | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | DIS- SOLVED ORTHO PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L) | HARD- NESS (CA, MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | TOTAL ACIDITY AS CACO ₃ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) (MG/L) | PH (UNITS) | TEMPER- ATURE (DEG C) | CARBON DIOXIDE (CO ₂) (MG/L) |
|---------------|--|---|--|---|-------------------------------------|---|---|--|---------------|-----------------------------|---|
| SEP. 12... | .09 | .02 | 186 | 177 | 140 | 19 | 204 | 310 | 7.6 | 18.0 | 5.9 |

| DATE | DIS- SOLVED ARSENIC (AS) (UG/L) | DIS- SOLVED CAD- MIUM (CD) (UG/L) | DIS- SOLVED CHRO- MIUM (CR) (UG/L) | DIS- SOLVED COBALT (CO) (UG/L) | DIS- SOLVED COPPER (CU) (UG/L) | DIS- SOLVED LEAD (PB) (UG/L) | DIS- SOLVED MERCURY (HG) (UG/L) | DIS- SOLVED SELE- NIUM (SE) (UG/L) | DIS- SOLVED SILVER (AG) (UG/L) | DIS- SOLVED ZINC (ZN) (UG/L) |
|---------------|---|--|---|--|--|--|---|---|--|--|
| SEP. 12... | 0 | 1 | 0 | 0 | 20 | 2 | <.5 | 3 | 0 | 20 |

SUSQUEHANNA RIVER BASIN

309

01570230 CONODOGUINET CREEK TRIBUTARY NO. 2A NEAR ENOLA, PA.--Continued

TURBIDITY (JTU) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|
| 1 | 10 | 40 | 8 | 10 | 4 | 10 | 10 | 3 | 30 | 15 | 25 | 1100 |
| 2 | 110 | 15 | 6 | 8 | 4 | 10 | 10 | 3 | 6 | 15 | 400 | 80 |
| 3 | 10 | 10 | 5 | 10 | 4 | 5 | 10 | 6 | 3 | 15 | 260 | 650 |
| 4 | 10 | 8 | 5 | 10 | 4 | 4 | 70 | 3 | 3 | 15 | 100 | 35 |
| 5 | 15 | 7 | 190 | 5 | 4 | 3 | 20 | 2 | 3 | 10 | 35 | 20 |
| 6 | 10 | 7 | 55 | 4 | 4 | 3 | 8 | 3 | 290 | 10 | 30 | 25 |
| 7 | 10 | 7 | 15 | 9 | 3 | 3 | 6 | 2 | 650 | 9 | 20 | 110 |
| 8 | 35 | 60 | 10 | 7 | 3 | 3 | 10 | 2 | 25 | 9 | 20 | 25 |
| 9 | 15 | 20 | 220 | 6 | 3 | 50 | 30 | 30 | 15 | 9 | 25 | 20 |
| 10 | 9 | 20 | 25 | 5 | 3 | 15 | 6 | 4 | 15 | 10 | 20 | 20 |
| 11 | 7 | 5 | 10 | 6 | 3 | 8 | 5 | 3 | 45 | 10 | 20 | 20 |
| 12 | 6 | 5 | 10 | 6 | 3 | 6 | 4 | 250 | 10 | 9 | 40 | 370 |
| 13 | 5 | 15 | 15 | 5 | 4 | 4 | 20 | 25 | 8 | 8 | 260 | 240 |
| 14 | 5 | 15 | 20 | 5 | 4 | 3 | 110 | 3 | 6 | 8 | 35 | 65 |
| 15 | 15 | 6 | 8 | 4 | 3 | 3 | 50 | 3 | 8 | 8 | 65 | 20 |
| 16 | 20 | 4 | 7 | 6 | 3 | 30 | 9 | 4 | 220 | 7 | 900 | 15 |
| 17 | 15 | 10 | 8 | 10 | 3 | 8 | 7 | 5 | 110 | 6 | 1100 | 15 |
| 18 | 15 | 4 | 7 | 5 | 3 | 6 | 5 | 4 | 25 | 6 | 120 | 10 |
| 19 | 10 | 4 | 6 | 9 | 6 | 5 | 4 | 3 | 15 | 7 | 40 | 10 |
| 20 | 6 | 4 | 40 | 5 | 6 | 4 | 4 | 3 | 15 | 7 | 30 | 10 |
| 21 | 5 | 4 | 95 | 50 | 4 | 70 | 4 | 3 | 10 | 8 | 25 | 140 |
| 22 | 5 | 4 | 20 | 10 | 140 | 10 | 4 | 15 | 8 | 8 | 20 | 20 |
| 23 | 6 | 4 | 10 | 10 | 20 | 7 | 5 | 10 | 240 | 9 | 20 | 10 |
| 24 | 5 | 40 | 8 | 6 | 6 | 6 | 4 | 8 | 25 | 15 | 20 | 10 |
| 25 | 5 | 15 | 6 | 5 | 5 | 5 | 3 | 5 | 20 | 180 | 20 | 9 |
| 26 | 5 | 6 | 40 | 15 | 4 | 4 | 3 | 3 | 15 | 7 | 20 | 8 |
| 27 | 5 | 6 | 15 | 10 | 3 | 4 | 3 | 5 | 10 | 6 | 20 | 7 |
| 28 | 5 | 60 | 10 | 15 | 3 | 4 | 2 | 3 | 80 | 15 | 20 | 150 |
| 29 | 850 | 10 | 8 | 8 | --- | 5 | 2 | 5 | 30 | 400 | 480 | 20 |
| 30 | 30 | 10 | 7 | 5 | --- | 140 | 2 | 4 | 9 | 240 | 450 | 10 |
| 31 | 100 | --- | 15 | 4 | --- | 40 | --- | 10 | --- | 50 | 45 | --- |

SUSQUEHANNA RIVER BASIN

01570260 CONODOGUINET CREEK TRIBUTARY NO. 2B NEAR ENOLA, PA.

LOCATION.--Lat 40°17'47", long 76°57'51", Cumberland County, at gaging station on right bank 20 ft (6 m) upstream from bridge on Valley Street, 2.6 mi (4.2 km) upstream from mouth, and 1.6 mi (2.6 km) west of Enola.

DRAINAGE AREA.--0.65 mi² (1.68 km²).

PERIOD OF RECORD.--Chemical analyses: October 1969 to September 1972 (partial-record station), October 1972 to September 1974.

Sediment records: October 1972 to September 1974.

EXTREMES.--1973-74:

Turbidity: Maximum daily, 1,100 JTU Oct. 29; minimum daily, 15 JTU Oct. 11, Jan. 5.

Period of record:

Turbidity (1972-74): Maximum, 1,800 JTU Sept. 14, 1973; minimum daily, 5 JTU Nov. 30 to Dec. 1, 1972.

REMARKS.--Sediment data for this station on page 433. Unpublished sediment records from April 1969 to September 1972 available at the district office in Harrisburg.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | DIS-SOLVED SILICA (SiO ₂) (MG/L) | DIS-SOLVED ALUMINUM (AL) (UG/L) | DIS-SOLVED IRON (FE) (UG/L) | DIS-SOLVED MANGANESE (MN) (UG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNESIUM (MG) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED POTASSIUM (K) (MG/L) | BICARBONATE (HCO ₃) (MG/L) |
|------------|------|--------------------------------|--|---------------------------------|-----------------------------|----------------------------------|--------------------------------|----------------------------------|-------------------------------|---------------------------------|--|
| SEP. 12... | 1400 | .13 | 6.7 | 70 | 20 | 20 | 47 | 4.5 | 10 | 11 | 72 |

| DATE | CARBONATE (CO ₃) (MG/L) | ALKALINITY AS CaCO ₃ (MG/L) | DIS-SOLVED SULFATE (SO ₄) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | DIS-SOLVED FLUORIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | DIS-SOLVED NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | ORGANIC NITROGEN (N) (MG/L) | TOTAL KjELDAHL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) |
|------------|-------------------------------------|--|--|---------------------------------|--------------------------------|--------------------------|--|-----------------------------|-----------------------------|------------------------------------|-----------------------------|
| SEP. 12... | 22 | 96 | 60 | 8.0 | .3 | .20 | .01 | .03 | .21 | .24 | .04 |

| DATE | TOTAL ORTHO-PHOSPHORUS (P) (MG/L) | DIS-SOLVED ORTHO-PHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | HARDNESS (CA+MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | TOTAL ACIDITY AS CaCO ₃ (MG/L) | SPECIFIC CONDUCTANCE (MICRO-MHOS) (MG/L) | PH (UNITS) | TEMPERATURE (DEG C) | CARBON DIOXIDE (CO ₂) (MG/L) |
|------------|-----------------------------------|--|---|--|-------------------------|-------------------------------|---|--|------------|---------------------|--|
| SEP. 12... | .02 | .07 | 215 | 205 | 140 | 40 | 154 | 340 | 9.5 | 23.0 | .1 |

| DATE | DIS-SOLVED ARSENIC (AS) (UG/L) | DIS-SOLVED CADMIUM (CD) (UG/L) | DIS-SOLVED CHROMIUM (CR) (UG/L) | DIS-SOLVED COBALT (CO) (UG/L) | DIS-SOLVED COPPER (CU) (UG/L) | DIS-SOLVED LEAD (PB) (UG/L) | DIS-SOLVED MERCURY (HG) (UG/L) | DIS-SOLVED SELENIUM (SE) (UG/L) | DIS-SOLVED SILVER (AG) (UG/L) | DIS-SOLVED ZINC (ZN) (UG/L) |
|------------|--------------------------------|--------------------------------|---------------------------------|-------------------------------|-------------------------------|-----------------------------|--------------------------------|---------------------------------|-------------------------------|-----------------------------|
| SEP. 12... | <1 | 0 | 0 | 0 | 0 | 1 | <.5 | 3 | 0 | 10 |

SUSQUEHANNA RIVER BASIN

311

01570260 CONODOGUINET CREEK TRIBUTARY NO. 2B NEAR ENOLA, PA.--Continued

TURBIDITY (JTU) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------------------|
| 1 | 50 | 180 | 45 | 25 | 30 | 65 | 65 | 30 | 90 | 35 | 55 | 470 ³³ |
| 2 | 160 | 160 | 40 | 25 | 30 | 65 | 65 | 35 | 45 | 35 | 500 | 110 |
| 3 | 120 | 120 | 35 | 25 | 30 | 65 | 65 | 50 | 45 | 35 | 240 | 260 |
| 4 | 120 | 70 | 35 | 25 | 30 | 65 | 230 | 35 | 85 | 35 | 240 | 50 |
| 5 | 270 | 45 | 350 | 15 | 45 | 65 | 95 | 35 | 85 | 35 | 230 | 30 |
| 6 | 70 | 200 | 220 | 20 | 40 | 65 | 75 | 35 | 90 | 35 | 170 | 35 |
| 7 | 40 | 200 | 80 | 20 | 35 | 65 | 65 | 45 | 90 | 35 | 140 | 100 |
| 8 | 40 | 150 | 60 | 20 | 30 | 65 | 50 | 45 | 95 | 35 | 140 | 35 |
| 9 | 30 | 130 | 550 | 20 | 30 | 160 | 140 | 75 | 95 | 50 | 140 | 30 |
| 10 | 30 | 120 | 310 | 20 | 25 | 70 | 80 | 150 | 95 | 60 | 140 | 30 |
| 11 | 15 | 90 | 85 | 20 | 25 | 60 | 80 | 60 | 95 | 80 | 140 | 30 |
| 12 | 20 | 110 | 70 | 20 | 25 | 60 | 80 | 410 | 95 | 60 | 140 | 170 |
| 13 | 50 | 95 | 65 | 20 | 20 | 60 | 80 | 300 | 95 | 40 | 140 | 160 |
| 14 | 50 | 65 | 100 | 20 | 20 | 60 | 330 | 260 | 95 | 35 | 140 | 35 |
| 15 | 50 | 65 | 65 | 20 | 20 | 60 | 120 | 160 | 95 | 35 | 140 | 25 |
| 16 | 45 | 65 | 60 | 25 | 25 | 120 | 230 | 120 | 340 | 40 | 220 | 30 |
| 17 | 50 | 70 | 55 | 20 | 25 | 100 | 90 | 80 | 240 | 40 | 220 | 30 |
| 18 | 55 | 70 | 45 | 20 | 25 | 65 | 80 | 80 | 180 | 40 | 200 | 25 |
| 19 | 60 | 65 | 30 | 20 | 30 | 65 | 60 | 80 | 150 | 400 | 120 | 25 |
| 20 | 60 | 60 | 65 | 20 | 30 | 65 | 60 | 80 | 130 | 200 | 80 | 35 |
| 21 | 60 | 55 | 120 | 160 | 30 | 200 | 60 | 80 | 130 | 100 | 40 | 100 |
| 22 | 60 | 55 | 55 | 55 | 380 | 80 | 45 | 120 | 130 | 85 | 25 | 40 |
| 23 | 60 | 50 | 40 | 40 | 190 | 75 | 60 | 65 | 270 | 30 | 80 | 35 |
| 24 | 75 | 95 | 40 | 40 | 170 | 65 | 60 | 130 | 180 | 30 | 80 | 35 |
| 25 | 75 | 80 | 40 | 40 | 150 | 55 | 60 | 40 | 220 | 30 | 80 | 35 |
| 26 | 70 | 70 | 60 | 55 | 120 | 45 | 60 | 40 | 180 | 30 | 410 | 35 |
| 27 | 65 | 65 | 60 | 45 | 95 | 40 | 50 | 40 | 170 | 30 | 120 | 35 |
| 28 | 65 | 140 | 35 | 60 | 65 | 40 | 45 | 40 | 340 | 130 | 110 | 120 |
| 29 | 1100 | 45 | 20 | 20 | --- | 35 | 40 | 40 | 210 | 490 | 200 | 35 |
| 30 | 700 | 40 | 20 | 30 | --- | 240 | 25 | 45 | 70 | 210 | 230 | 35 |
| 31 | 310 | --- | 20 | 30 | --- | 200 | --- | 75 | --- | 120 | 140 | --- |

SUSQUEHANNA RIVER BASIN

01570300 CONODOGUINET CREEK TRIBUTARY NO. 3 AT ENOLA, PA.

LOCATION.--Lat 40°18'05", long 76°56'57", Cumberland County, at gaging station on right bank at upstream side of culvert on Valley Road, 1 mi (1.6 km) northwest of Enola, and 2.3 mi (3.7 km) upstream from mouth.

DRAINAGE AREA.--0.38 mi² (0.98 km²).

PERIOD OF RECORD.--Chemical analyses: October 1969 to September 1971 (partial-record station), October 1971 to September 1974.

Sediment records: April 1969 to September 1974.

EXTREMES.--1973-74:

Turbidity: Maximum daily, 850 JTU Oct. 29; minimum daily, 4 JTU Oct. 21-24.

Period of record:

Turbidity (1972-74): Maximum daily, 1,100 JTU Sept. 14, 1973; minimum daily, 1 JTU Oct. 21-22, 1972.

REMARKS.--Sediment data for this station on page 436.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS- CHARGE (CFS) | DIS- SOLVED SILICA (SiO ₂) (MG/L) | DIS- SOLVED ALUM- INUM (AL) (UG/L) | DIS- SOLVED IRON (FE) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HCO ₃) (MG/L) |
|---------------|------|--|---|---|--|--|--|---|--|--|---|
| SEP. 12... | 1450 | .05 | 11 | 20 | 20 | 30 | 51 | 6.8 | 7.5 | 3.4 | 177 |

| DATE | CAR- BONATE (CO ₃) (MG/L) | ALKA- LINITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | DIS- SOLVED NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) |
|---------------|--|--|---|---|--|-----------------------------------|---|---|---|--|---|
| SEP. 12... | 0 | 145 | 19 | 4.0 | .2 | .86 | .01 | .04 | .26 | .30 | .07 |

| DATE | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | DIS- SOLVED ORTHO PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | DIS- SOLVED SOLIDS (SUM OF TUENTS) (MG/L) | HARD- NESS (CA, MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | TOTAL ACIDITY AS CACO ₃ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) (MG/L) | PH (UNITS) | TEMPER- ATURE (DEG C) | CARBON DIOXIDE (CO ₂) (MG/L) |
|---------------|--|---|--|--|-------------------------------------|---|---|--|---------------|-----------------------------|---|
| SEP. 12... | .06 | .01 | 210 | 190 | 160 | 10 | 199 | 330 | 8.6 | 24.0 | .7 |

| DATE | DIS- SOLVED ARSENIC (AS) (UG/L) | DIS- SOLVED CAD- MIUM (CD) (UG/L) | DIS- SOLVED CHRO- MIUM (CR) (UG/L) | DIS- SOLVED COBALT (CO) (UG/L) | DIS- SOLVED COPPER (CU) (UG/L) | DIS- SOLVED LEAD (PB) (UG/L) | DIS- SOLVED MERCURY (HG) (UG/L) | DIS- SOLVED SELE- NIUM (SE) (UG/L) | DIS- SOLVED SILVER (AG) (UG/L) | DIS- SOLVED ZINC (ZN) (UG/L) |
|---------------|---|--|---|--|--|--|---|---|--|--|
| SEP. 12... | 1 | 0 | 0 | 0 | 0 | 3 | <.5 | 2 | 0 | 10 |

SUSQUEHANNA RIVER BASIN

313

01570300 CONODOGUINET CREEK TRIBUTARY NO. 3 AT ENOLA, PA.--Continued

TURBIDITY (JTU) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 10 | 25 | 25 | 10 | 15 | 20 | 55 | 7 | 120 | 25 | 40 | 500 |
| 2 | 430 | 10 | 20 | 20 | 15 | 30 | 140 | 7 | 20 | 15 | 470 | 20 |
| 3 | 30 | 8 | 20 | 20 | 10 | 10 | 15 | 15 | 20 | 10 | 340 | 180 |
| 4 | 20 | 6 | 20 | 20 | 10 | 8 | 370 | 6 | 20 | 10 | 15 | 20 |
| 5 | 20 | 6 | 500 | 15 | 10 | 7 | 60 | 6 | 15 | 10 | 15 | 10 |
| 6 | 15 | 6 | 65 | 10 | 10 | 7 | 30 | 20 | 15 | 10 | 25 | 9 |
| 7 | 15 | 6 | 35 | 10 | 8 | 6 | 15 | 15 | 15 | 10 | 10 | 65 |
| 8 | 10 | 30 | 25 | 10 | 6 | 6 | 120 | 10 | 10 | 10 | 10 | 15 |
| 9 | 10 | 25 | 220 | 10 | 6 | 80 | 130 | 75 | 10 | 10 | 10 | 10 |
| 10 | 8 | 20 | 40 | 10 | 5 | 95 | 280 | 7 | 10 | 100 | 10 | 10 |
| 11 | 10 | 20 | 20 | 10 | 6 | 10 | 350 | 7 | 10 | 30 | 10 | 10 |
| 12 | 10 | 15 | 10 | 10 | 8 | 8 | 110 | 300 | 10 | 15 | 10 | 150 |
| 13 | 10 | 15 | 65 | 10 | 10 | 6 | 85 | 30 | 10 | 10 | 10 | 230 |
| 14 | 9 | 10 | 120 | 10 | 10 | 6 | 600 | 9 | 10 | 8 | 10 | 45 |
| 15 | 8 | 8 | 20 | 10 | 8 | 6 | 65 | 10 | 10 | 8 | 10 | 10 |
| 16 | 7 | 8 | 20 | 65 | 6 | 90 | 20 | 10 | 450 | 6 | 250 | 10 |
| 17 | 7 | 6 | 15 | 40 | 6 | 20 | 15 | 8 | 240 | 6 | 110 | 10 |
| 18 | 6 | 6 | 10 | 15 | 7 | 8 | 15 | 7 | 15 | 6 | 10 | 10 |
| 19 | 6 | 6 | 10 | 10 | 20 | 6 | 45 | 7 | 10 | 10 | 10 | 10 |
| 20 | 5 | 5 | 100 | 10 | 10 | 6 | 20 | 6 | 30 | 10 | 10 | 10 |
| 21 | 4 | 5 | 120 | 140 | 8 | 180 | 20 | 6 | 20 | 8 | 10 | 25 |
| 22 | 4 | 5 | 20 | 25 | 450 | 20 | 20 | 25 | 15 | 8 | 20 | 15 |
| 23 | 4 | 5 | 20 | 10 | 25 | 15 | 15 | 30 | 320 | 8 | 15 | 15 |
| 24 | 4 | 15 | 15 | 15 | 15 | 10 | 10 | 10 | 30 | 90 | 15 | 15 |
| 25 | 60 | 10 | 15 | 15 | 10 | 8 | 10 | 10 | 15 | 10 | 15 | 15 |
| 26 | 10 | 10 | 150 | 50 | 10 | 8 | 10 | 10 | 15 | 8 | 15 | 15 |
| 27 | 10 | 10 | 50 | 45 | 10 | 10 | 8 | 10 | 15 | 8 | 10 | 10 |
| 28 | 10 | 130 | 25 | 70 | 10 | 10 | 8 | 230 | 150 | 110 | 10 | 250 |
| 29 | 850 | 25 | 20 | 15 | --- | 15 | 7 | 20 | 30 | 600 | 180 | 20 |
| 30 | 25 | 20 | 15 | 15 | --- | 340 | 7 | 10 | 10 | 70 | 200 | 15 |
| 31 | 25 | --- | 15 | 10 | --- | 45 | --- | 80 | --- | 40 | 20 | --- |

SUSQUEHANNA RIVER BASIN

01570500 SUSQUEHANNA RIVER AT HARRISBURG, PA.
(International Hydrological Decade River, National Stream-Quality Accounting Network,
and radiochemical station)

LOCATION.--Lat 40°15'27", long 76°53'12", Dauphin County, at Walnut Street Bridge in Harrisburg, 3,700 ft
(1,128 m) upstream from gaging station.

DRAINAGE AREA.--24,100 mi² (62,400 km²), approximately.

PERIOD OF RECORD.--Chemical analyses: October 1944 to January 1953, March to July 1956, October 1956 to
September 1974.

Biological analyses: July to September 1974.

Water temperatures: May to September 1974.

Sediment records: October 1963 to September 1968, April 1970 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum, 350 micromhos Sept. 1; minimum, 106 micromhos July 4, 5.

Dissolved oxygen: Maximum, 11.9 mg/l May 8, 1974; minimum, 5.1 mg/l Sept. 2, 1974.

pH: Maximum, 10.3 June 22; minimum, 6.6 July 3, 4.

Water temperatures: Maximum, 29.5°C June 10, July 15, Aug. 19, 23; minimum, 11.5°C May 7.

Period of record:

Specific conductance: Maximum, 350 micromhos Sept. 1, 1974; minimum, 106 micromhos July 4, 5, 1974.

Dissolved oxygen: Maximum, 11.9 mg/l May 8, 1974; minimum, 5.1 mg/l Sept. 2, 1974.

pH: Maximum, 10.3 June 22, 1974; minimum, 6.6 July 3, 4, 1974.

Water temperatures: Maximum, 29.5°C June 10, July 15, Aug. 19, 23, 1974; minimum, 11.5°C May 7, 1974.

REMARKS.--Sediment data for this station on page 439. Composite samples taken as part of the USGS-EPA
surveillance network. No continuous records available for October through April.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | CROSS SECTION LOC- ATION (FT) | INSTAN- TANEOUS DIS- CHARGE (CFS) | DIS- SOLVED SILICA (SI02) (MG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HCO3) (MG/L) | CAR- BONATE (CO3) (MG/L) |
|-------|------|---|---|--|--|---|--|--|--------------------------------------|-----------------------------------|
| DEC. | | | | | | | | | | |
| 28... | 0850 | -- | 149000 | -- | -- | -- | -- | -- | 29 | -- |
| MAR. | | | | | | | | | | |
| 06... | 1400 | -- | 45600 | -- | 22 | 6.2 | 5.2 | 1.4 | 45 | 0 |
| 27... | 1050 | 120 | 44500 | 4.1 | 19 | 7.7 | 7.7 | 1.4 | 22 | 0 |
| 27... | 1100 | 600 | 44500 | 3.5 | 17 | 5.0 | 7.0 | 1.3 | 31 | 0 |
| 27... | 1105 | 1180 | 44500 | 4.1 | 15 | 5.0 | 7.5 | 1.2 | 24 | 0 |
| 27... | 1130 | 2900 | 44500 | 4.5 | 14 | 4.2 | 3.5 | 1.1 | 11 | 0 |
| 27... | 1135 | 3400 | 44500 | 2.3 | 17 | 5.4 | 4.4 | 1.2 | 43 | 1 |
| 27... | 1140 | 3620 | 44500 | .9 | 33 | 6.6 | 6.3 | 1.5 | 107 | 1 |
| 27... | 1150 | -- | 44500 | 3.3 | 18 | 6.0 | 7.0 | 1.3 | 39 | 0 |
| JUNE | | | | | | | | | | |
| 19... | 1000 | 120 | 24250 | 3.6 | 30 | 12 | 8.0 | 2.0 | 31 | 0 |
| 19... | 1025 | 600 | 24250 | 2.5 | 25 | 8.1 | 7.1 | 1.9 | 42 | 0 |
| 19... | 1055 | 1180 | 24250 | 3.9 | 20 | 6.7 | 4.4 | 1.4 | 19 | 0 |
| 19... | 1120 | 3620 | 24250 | 5.1 | 36 | 6.4 | 7.0 | 2.5 | 104 | 0 |
| 19... | 1140 | 3400 | 24250 | 2.7 | 24 | 6.0 | 6.1 | 1.9 | 72 | 0 |
| 19... | 1155 | 2900 | 24250 | 3.7 | 19 | 6.3 | 4.3 | 1.4 | 27 | 0 |
| 19... | 1210 | -- | 24250 | 3.5 | 27 | 7.8 | 6.2 | 1.8 | 53 | 0 |
| SEP. | | | | | | | | | | |
| 18... | 0900 | 120 | 13300 | 3.5 | 28 | 12 | 7.5 | 1.9 | 24 | 0 |
| 18... | 0910 | 600 | 13300 | 2.0 | 26 | 9.0 | 8.6 | 1.9 | 37 | 0 |
| 18... | 0920 | 1180 | 13300 | .6 | 21 | 7.4 | 5.0 | 1.7 | 23 | 0 |
| 18... | 0935 | 2900 | 13300 | .4 | 20 | 7.2 | 4.0 | 1.7 | 24 | 0 |
| 18... | 0955 | 3400 | 13300 | .4 | 28 | 7.6 | 6.0 | 1.8 | 86 | 0 |
| 18... | 1015 | 3620 | 13300 | 3.8 | 52 | 7.8 | 11 | 2.6 | 168 | 0 |
| 18... | 1030 | -- | 13300 | 2.0 | 31 | 9.0 | 7.4 | 2.2 | 58 | 0 |

SUSQUEHANNA RIVER BASIN

01570500 SUSQUEHANNA RIVER AT HARRISBURG, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | ALKA- LITY AS CAC03 (MG/L) | DIS- SOLVED SULFATE (S04) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | HARD- NESS (CA,MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | TOTAL ACIDITY AS CAC03 (MG/L) | CYANIDE (CN) (MG/L) |
|-------|--|--|---|--|--|------------------------------------|---|---|---------------------------|
| DEC. | | | | | | | | | |
| 28... | 24 | 27 | -- | .1 | -- | 56 | 32 | 5.0 | .00 |
| MAR. | | | | | | | | | |
| 06... | 37 | 41 | 8.4 | -- | -- | 80 | 44 | -- | -- |
| 27... | 18 | 58 | 12 | .1 | 126 | 79 | 61 | -- | -- |
| 27... | 25 | 38 | 11 | .1 | 103 | 63 | 38 | -- | -- |
| 27... | 20 | 39 | 12 | .1 | 100 | 58 | 38 | -- | -- |
| 27... | 9 | 45 | 8.4 | .1 | 90 | 56 | 47 | -- | -- |
| 27... | 37 | 30 | 6.8 | .1 | 92 | 65 | 28 | -- | -- |
| 27... | 89 | 21 | 11 | .2 | 142 | 110 | 20 | -- | -- |
| 27... | 32 | 38 | 11 | .1 | 109 | 70 | 38 | -- | -- |
| JUNE | | | | | | | | | |
| 19... | 25 | 92 | 10 | .2 | 173 | 120 | 99 | -- | -- |
| 19... | 34 | 56 | 9.9 | .2 | 132 | 96 | 61 | -- | -- |
| 19... | 16 | 55 | 6.3 | .2 | 107 | 78 | 62 | -- | -- |
| 19... | 85 | 19 | 11 | .3 | 139 | 120 | 31 | -- | -- |
| 19... | 59 | 24 | 7.4 | .2 | 108 | 85 | 26 | -- | -- |
| 19... | 22 | 48 | 6.1 | .1 | 102 | 73 | 51 | -- | -- |
| 19... | 43 | 49 | 8.9 | .2 | 131 | 100 | 56 | -- | -- |
| SEP. | | | | | | | | | |
| 18... | 20 | 96 | 9.0 | .1 | 170 | 120 | 100 | -- | -- |
| 18... | 30 | 73 | 9.6 | .2 | 149 | 100 | 72 | -- | -- |
| 18... | 19 | 64 | 7.0 | .1 | 118 | 83 | 64 | -- | -- |
| 18... | 20 | 56 | 5.3 | .1 | 107 | 80 | 60 | -- | -- |
| 18... | 71 | 31 | 7.0 | .1 | 124 | 100 | 31 | -- | -- |
| 18... | 138 | 21 | 18 | .2 | 200 | 160 | 24 | -- | -- |
| 18... | 48 | 62 | 9.2 | .1 | 152 | 110 | 67 | -- | -- |

| DATE | TIME | CROSS SECTION LOC- ATION (FT) | TOTAL ALUM- INUM (AL) (UG/L) | DIS- SOLVED ALUM- INUM (AL) (UG/L) | TOTAL IRON (FE) (UG/L) | DIS- SOLVED IRON (FE) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | TOTAL ARSENIC (AS) (UG/L) | DIS- SOLVED ARSENIC (AS) (UG/L) |
|-------|------|---|--|---|---------------------------------|--|---|--|------------------------------------|---|
| DEC. | | | | | | | | | | |
| 28... | 0850 | -- | -- | -- | 2300 | -- | 250 | -- | 0 | -- |
| JAN. | | | | | | | | | | |
| 23... | 1400 | -- | 800 | -- | 3200 | -- | 390 | -- | 4 | -- |
| FEB. | | | | | | | | | | |
| 13... | 1400 | -- | 300 | -- | 720 | -- | 390 | -- | 0 | -- |
| 26... | 1400 | -- | 3300 | -- | 7000 | -- | 410 | -- | 1 | -- |
| MAR. | | | | | | | | | | |
| 06... | 1400 | -- | 400 | -- | 1000 | -- | 340 | -- | -- | -- |
| 27... | 1050 | 120 | 40 | 0 | 2000 | 200 | 570 | 600 | 2 | 1 |
| 27... | 1100 | 600 | 700 | 0 | 1900 | 500 | 310 | 290 | 1 | 1 |
| 27... | 1105 | 1180 | 300 | 0 | 1400 | 300 | 350 | 340 | 1 | 1 |
| 27... | 1130 | 2900 | 600 | 0 | 750 | 50 | 530 | 560 | 1 | 2 |
| 27... | 1135 | 3400 | 0 | 0 | 310 | 40 | 200 | 150 | 2 | 2 |
| 27... | 1140 | 3620 | 0 | 0 | 120 | 40 | 30 | 20 | 1 | 0 |
| 27... | 1150 | -- | 400 | 0 | 970 | 160 | 330 | 330 | 1 | 1 |
| APR. | | | | | | | | | | |
| 09... | 1530 | -- | 900 | -- | 2100 | -- | 250 | -- | 1 | -- |
| 24... | 1530 | -- | 600 | -- | 1200 | -- | 250 | -- | 1 | -- |
| MAY | | | | | | | | | | |
| 06... | 1530 | -- | 300 | -- | 610 | -- | 230 | -- | 2 | -- |
| 20... | 1435 | -- | 300 | -- | 1000 | -- | 160 | -- | <1 | -- |
| JUNE | | | | | | | | | | |
| 05... | 1400 | -- | 0 | -- | 600 | -- | 160 | -- | 0 | -- |
| 19... | 1000 | 120 | 2600 | 60 | 3200 | 10 | 760 | 120 | 1 | 0 |
| 19... | 1025 | 600 | 790 | 40 | 2700 | 20 | 460 | 0 | <1 | 0 |
| 19... | 1055 | 1180 | 640 | 20 | 1400 | 10 | 450 | 20 | 1 | 0 |
| 19... | 1120 | 3620 | 330 | 10 | 680 | 40 | 30 | 30 | 1 | 0 |
| 19... | 1140 | 3400 | 340 | 10 | 480 | 10 | 100 | 0 | 2 | 2 |
| 19... | 1155 | 2900 | 300 | 30 | 670 | 20 | 270 | 0 | 1 | 1 |
| 19... | 1210 | -- | 190 | 60 | 440 | 20 | 120 | 20 | 2 | 1 |
| JULY | | | | | | | | | | |
| 03... | 0900 | -- | 2000 | -- | 4600 | -- | 730 | -- | 6 | -- |
| 24... | 1500 | -- | 100 | -- | 3500 | -- | 120 | -- | 0 | -- |
| AUG. | | | | | | | | | | |
| 07... | 1430 | -- | 340 | -- | 350 | -- | 150 | -- | 1 | -- |
| 21... | 1430 | -- | 130 | -- | 230 | -- | 130 | -- | 2 | -- |
| SEP. | | | | | | | | | | |
| 04... | 1530 | -- | 580 | -- | 1400 | -- | 400 | -- | 1 | -- |
| 18... | 0900 | 120 | 220 | 50 | 660 | 40 | 210 | 40 | <1 | 1 |
| 18... | 0910 | 600 | 230 | 100 | 600 | 40 | 170 | 10 | 1 | 0 |
| 18... | 0920 | 1180 | 20 | 60 | 190 | 50 | 80 | 0 | 1 | 1 |
| 18... | 0935 | 2900 | 70 | 50 | 250 | 60 | 100 | 10 | 1 | <1 |
| 18... | 0955 | 3400 | 70 | 50 | 180 | 60 | 30 | 0 | 2 | 1 |
| 18... | 1015 | 3620 | 200 | 20 | 410 | 300 | 70 | 20 | 1 | 1 |
| 18... | 1030 | -- | 180 | 60 | 430 | 20 | 130 | 0 | <1 | <1 |

SUSQUEHANNA RIVER BASIN

01570500 SUSQUEHANNA RIVER AT HARRISBURG, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL CAD- MIUM (CD) (UG/L) | DIS- SOLVED CAD- MIUM (CD) (UG/L) | TOTAL CHRO- MIUM (CR) (UG/L) | DIS- SOLVED CHRO- MIUM (CR) (UG/L) | HEXA- VALENT CHRO- MIUM (CR6) (UG/L) | TOTAL COBALT (CO) (UG/L) | DIS- SOLVED COBALT (CO) (UG/L) | TOTAL COPPER (CU) (UG/L) | DIS- SOLVED COPPER (CU) (UG/L) | TOTAL LEAD (PB) (UG/L) |
|-------|---|--|--|---|---|-----------------------------------|--|-----------------------------------|--|---------------------------------|
| DEC. | | | | | | | | | | |
| 28... | 1 | -- | -- | -- | 0 | -- | -- | 7 | -- | 7 |
| JAN. | | | | | | | | | | |
| 23... | 1 | -- | 0 | -- | -- | -- | -- | 10 | -- | 10 |
| FEB. | | | | | | | | | | |
| 13... | 0 | -- | 0 | -- | -- | -- | -- | 10 | -- | 2 |
| 26... | 0 | -- | 0 | -- | -- | -- | -- | 0 | -- | 5 |
| MAR. | | | | | | | | | | |
| 06... | 0 | -- | 0 | -- | -- | -- | -- | 0 | -- | 4 |
| 27... | 1 | 9 | 0 | 0 | -- | 10 | 8 | 20 | 0 | 2 |
| 27... | 1 | 2 | 0 | <10 | -- | 4 | 5 | 20 | 0 | 0 |
| 27... | 0 | 1 | 0 | 10 | -- | 5 | 5 | 10 | 10 | 0 |
| 27... | 0 | 0 | 0 | 0 | -- | 7 | 5 | 20 | 10 | 0 |
| 27... | 0 | 2 | 0 | 0 | -- | 2 | 4 | 10 | 10 | 0 |
| 27... | 0 | 0 | 0 | 10 | -- | 0 | 2 | 20 | 10 | 0 |
| 27... | 1 | 4 | <10 | 10 | -- | 5 | 5 | 20 | 10 | 1 |
| APR. | | | | | | | | | | |
| 09... | 0 | -- | 0 | -- | -- | -- | -- | 10 | -- | 2 |
| 24... | 0 | -- | 10 | -- | -- | -- | -- | 10 | -- | 1 |
| MAY | | | | | | | | | | |
| 06... | 0 | -- | <10 | -- | -- | -- | -- | 0 | -- | 4 |
| 20... | 0 | -- | 10 | -- | -- | -- | -- | 10 | -- | 3 |
| JUNE | | | | | | | | | | |
| 05... | 1 | -- | 10 | -- | -- | -- | -- | 0 | -- | 1 |
| 19... | 0 | 11 | 10 | <10 | -- | 10 | 0 | 10 | 0 | 6 |
| 19... | 0 | 0 | 10 | <10 | -- | 5 | 0 | 10 | 0 | 4 |
| 19... | 0 | 0 | 10 | <10 | -- | 6 | 0 | 10 | 0 | 2 |
| 19... | 0 | 1 | 10 | <10 | -- | 0 | 0 | 0 | 0 | 0 |
| 19... | 0 | 0 | 10 | 10 | -- | 0 | 0 | 10 | 0 | 5 |
| 19... | 0 | 0 | <10 | 0 | -- | 3 | 0 | 0 | 0 | 0 |
| 19... | 0 | 0 | <10 | 0 | -- | 0 | 0 | 0 | 0 | 0 |
| JULY | | | | | | | | | | |
| 03... | 0 | -- | 10 | -- | -- | -- | -- | 10 | -- | 10 |
| 24... | 0 | -- | <10 | -- | -- | -- | -- | 10 | -- | 2 |
| AUG. | | | | | | | | | | |
| 07... | 0 | -- | 0 | -- | -- | -- | -- | 20 | -- | 0 |
| 21... | 0 | -- | 10 | -- | -- | -- | -- | 0 | -- | 1 |
| SEP. | | | | | | | | | | |
| 04... | 0 | -- | 0 | -- | -- | -- | -- | 10 | -- | 7 |
| 18... | 0 | 1 | 0 | 0 | -- | 3 | 1 | 10 | 10 | 1 |
| 18... | 0 | 0 | 0 | 0 | -- | 2 | 0 | 10 | 10 | 1 |
| 18... | 0 | 0 | 0 | 0 | -- | 1 | 0 | 10 | 10 | 0 |
| 18... | 0 | 0 | 0 | 0 | -- | 2 | 0 | 10 | 10 | 3 |
| 18... | 0 | 0 | 0 | 0 | -- | 1 | 0 | 0 | 0 | 1 |
| 18... | 0 | 0 | 0 | <10 | -- | 1 | 0 | 0 | 10 | 2 |
| 18... | 0 | 0 | 0 | 0 | -- | 2 | 1 | 0 | 10 | 2 |

SUSQUEHANNA RIVER BASIN

01570500 SUSQUEHANNA RIVER AT HARRISBURG, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | DIS- SOLVED LEAD (PB) (UG/L) | TOTAL MERCURY (HG) (UG/L) | DIS- SOLVED MERCURY (HG) (UG/L) | TOTAL SELE- NIUM (SE) (UG/L) | DIS- SOLVED SELE- NIUM (SE) (UG/L) | TOTAL SILVER (AG) (UG/L) | DIS- SOLVED SILVER (AG) (UG/L) | TOTAL ZINC (ZN) (UG/L) | DIS- SOLVED ZINC (ZN) (UG/L) |
|-------|--|------------------------------------|---|--|---|-----------------------------------|--|---------------------------------|--|
| DEC. | | | | | | | | | |
| 28... | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| JAN. | | | | | | | | | |
| 23... | -- | -- | -- | -- | -- | 0 | -- | 40 | -- |
| FEB. | | | | | | | | | |
| 13... | -- | -- | -- | -- | -- | 0 | -- | 50 | -- |
| 26... | -- | -- | -- | -- | -- | 0 | -- | 40 | -- |
| MAR. | | | | | | | | | |
| 06... | -- | -- | -- | -- | -- | 0 | -- | 130 | -- |
| 27... | 0 | <.5 | <.5 | 2 | 2 | 0 | 0 | 50 | 30 |
| 27... | 0 | <.5 | <.5 | 2 | 2 | 0 | 0 | 60 | 10 |
| 27... | 0 | <.5 | <.5 | 2 | 1 | 0 | 0 | 50 | 20 |
| 27... | 0 | <.5 | <.5 | 2 | 2 | 0 | 0 | 50 | 40 |
| 27... | 0 | <.5 | <.5 | 2 | 2 | 0 | 0 | 30 | 20 |
| 27... | 0 | <.5 | <.5 | 2 | 2 | 0 | 0 | 40 | 20 |
| 27... | 0 | <.5 | <.5 | 3 | <1 | 0 | 0 | 40 | 10 |
| APR. | | | | | | | | | |
| 09... | -- | -- | -- | -- | -- | 0 | -- | 30 | -- |
| 24... | -- | -- | -- | -- | -- | 0 | -- | 120 | -- |
| MAY | | | | | | | | | |
| 06... | -- | -- | -- | -- | -- | 0 | -- | 50 | -- |
| 20... | -- | -- | -- | -- | -- | 0 | -- | 60 | -- |
| JUNE | | | | | | | | | |
| 05... | -- | -- | -- | -- | -- | 0 | -- | 10 | -- |
| 19... | 2 | .5 | .5 | 0 | 0 | 0 | 0 | 50 | 60 |
| 19... | 4 | <.5 | <.5 | 0 | 0 | 0 | 0 | 40 | 10 |
| 19... | 1 | <.5 | <.5 | 2 | 0 | 0 | 0 | 30 | 10 |
| 19... | 2 | <.5 | <.5 | 1 | 1 | 0 | 0 | 40 | 10 |
| 19... | 1 | <.5 | <.5 | <1 | <1 | 0 | 0 | 0 | 0 |
| 19... | 0 | <.5 | <.5 | 1 | 1 | 0 | 0 | 50 | 10 |
| 19... | 1 | <.5 | <.5 | 0 | 1 | 0 | 0 | 20 | 30 |
| JULY | | | | | | | | | |
| 03... | -- | -- | -- | -- | -- | 0 | -- | 80 | -- |
| 24... | -- | -- | -- | -- | -- | 0 | -- | 20 | -- |
| AUG. | | | | | | | | | |
| 07... | -- | -- | -- | -- | -- | 0 | -- | 10 | -- |
| 21... | -- | -- | -- | -- | -- | 0 | -- | 150 | -- |
| SEP. | | | | | | | | | |
| 04... | -- | -- | -- | -- | -- | 1 | -- | 20 | -- |
| 18... | 3 | <.5 | <.5 | 2 | 2 | 1 | 0 | 70 | 10 |
| 18... | 1 | <.5 | <.5 | 2 | 2 | 0 | 0 | 0 | 10 |
| 18... | 0 | <.5 | <.5 | 2 | <2 | 0 | 0 | 40 | 0 |
| 18... | 1 | <.5 | <.5 | 2 | 2 | 0 | 0 | 40 | 10 |
| 18... | 1 | <.5 | <.5 | 3 | 3 | 0 | 0 | 100 | 10 |
| 18... | 1 | <.5 | <.5 | 2 | 3 | 0 | 0 | 0 | 10 |
| 18... | 2 | <.5 | <.5 | 3 | 2 | 1 | 0 | 0 | 0 |

SUSQUEHANNA RIVER BASIN

01570500 SUSQUEHANNA RIVER AT HARRISBURG, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | CROSS SECTION LOC- ATION (FT) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | DIS- SOLVED NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) |
|-------|------|---|-----------------------------------|-----------------------------------|--|---|---|--|--|
| OCT. | | | | | | | | | |
| 24... | 1500 | -- | -- | -- | -- | -- | -- | -- | -- |
| NOV. | | | | | | | | | |
| 29... | 0830 | -- | -- | -- | -- | -- | -- | -- | -- |
| DEC. | | | | | | | | | |
| 28... | 0850 | -- | 1.4 | -- | -- | -- | .09 | .51 | .60 |
| JAN. | | | | | | | | | |
| 23... | 1340 | 120 | 2.0 | -- | 2.1 | -- | .32 | .60 | .92 |
| 23... | 1341 | 600 | 1.1 | -- | 1.2 | -- | .24 | .46 | .70 |
| 23... | 1342 | 1180 | .70 | -- | .70 | -- | .10 | .29 | .39 |
| 23... | 1343 | 2900 | 1.2 | -- | 1.2 | -- | .13 | .52 | .65 |
| 23... | 1344 | 3400 | 1.6 | -- | 1.6 | -- | .12 | .52 | .64 |
| 23... | 1345 | 3620 | 3.2 | -- | 3.2 | -- | .14 | .66 | .80 |
| 23... | 1350 | -- | 1.8 | -- | 1.9 | -- | .16 | .48 | .64 |
| FEB. | | | | | | | | | |
| 13... | 1400 | -- | 1.4 | -- | 1.4 | -- | .35 | .36 | .71 |
| 26... | 1330 | 120 | 1.4 | -- | 1.4 | -- | -- | -- | 1.1 |
| 26... | 1331 | 600 | 1.3 | -- | 1.3 | -- | -- | -- | 1.1 |
| 26... | 1332 | 1180 | 1.3 | -- | 1.3 | -- | -- | -- | .97 |
| 26... | 1333 | 2900 | .90 | -- | .90 | -- | -- | -- | .46 |
| 26... | 1334 | 3400 | 1.0 | -- | 1.0 | -- | -- | -- | .22 |
| 26... | 1335 | 3620 | 2.7 | -- | 2.7 | -- | -- | -- | .26 |
| 26... | 1340 | -- | 1.5 | -- | 1.5 | -- | .15 | .80 | .95 |
| 26... | 1400 | -- | -- | -- | -- | -- | -- | -- | -- |
| MAR. | | | | | | | | | |
| 06... | 1400 | -- | .99 | .01 | 1.0 | -- | .21 | .46 | .67 |
| 27... | 1050 | 120 | -- | .02 | -- | 1.0 | .27 | .10 | .37 |
| 27... | 1100 | 600 | -- | .03 | -- | .83 | .15 | .19 | .34 |
| 27... | 1105 | 1180 | -- | .02 | -- | .75 | .17 | .03 | .20 |
| 27... | 1130 | 2900 | -- | .01 | -- | .59 | .07 | .04 | .11 |
| 27... | 1135 | 3400 | -- | .02 | -- | .62 | .10 | .00 | .09 |
| 27... | 1140 | 3620 | -- | .03 | -- | 1.8 | .14 | .16 | .30 |
| 27... | 1150 | -- | .60 | .03 | -- | .97 | .11 | .13 | .24 |
| APR. | | | | | | | | | |
| 09... | 1530 | -- | -- | -- | .90 | -- | .07 | .27 | .34 |
| 24... | 1430 | 120 | -- | -- | .91 | -- | -- | -- | .42 |
| 24... | 1440 | 600 | -- | -- | .84 | -- | -- | -- | .40 |
| 24... | 1445 | 1180 | -- | -- | .70 | -- | -- | -- | .28 |
| 24... | 1500 | 2900 | -- | -- | .58 | -- | -- | -- | .12 |
| 24... | 1505 | 3400 | -- | -- | .65 | -- | -- | -- | .25 |
| 24... | 1509 | 3620 | -- | -- | 2.3 | -- | -- | -- | .32 |
| 24... | 1530 | -- | -- | -- | 1.0 | -- | .09 | .24 | .33 |
| MAY | | | | | | | | | |
| 06... | 1530 | -- | -- | -- | .61 | -- | .00 | .38 | .38 |
| 20... | 1400 | 120 | -- | -- | .63 | -- | .04 | .76 | .80 |
| 20... | 1405 | 600 | -- | -- | .46 | -- | .10 | .41 | .51 |
| 20... | 1415 | 1180 | -- | -- | .37 | -- | .05 | .18 | .23 |
| 20... | 1420 | 2900 | -- | -- | .35 | -- | .05 | .38 | .43 |
| 20... | 1425 | 3400 | -- | -- | .59 | -- | .01 | .41 | .42 |
| 20... | 1430 | 3620 | -- | -- | 1.8 | -- | .08 | .53 | .61 |
| 20... | 1435 | -- | -- | -- | .74 | -- | .03 | .32 | .35 |
| JUNE | | | | | | | | | |
| 05... | 1400 | -- | -- | -- | .44 | -- | .04 | .44 | .48 |
| 19... | 1000 | 120 | -- | -- | 1.3 | -- | .04 | .92 | .96 |
| 19... | 1025 | 600 | -- | -- | .88 | -- | .06 | .74 | .80 |
| 19... | 1055 | 1180 | -- | -- | .68 | -- | .03 | .34 | .37 |
| 19... | 1120 | 3620 | -- | -- | 1.9 | -- | .09 | .56 | .65 |
| 19... | 1140 | 3400 | -- | -- | .93 | -- | .10 | .25 | .35 |
| 19... | 1155 | 2900 | -- | -- | .64 | -- | .03 | .32 | .35 |
| 19... | 1210 | -- | -- | -- | 1.1 | -- | .03 | .45 | .48 |
| JULY | | | | | | | | | |
| 03... | 0900 | -- | -- | -- | .89 | -- | .04 | .73 | .77 |
| 24... | 1500 | -- | -- | -- | .38 | -- | .08 | .44 | .52 |
| AUG. | | | | | | | | | |
| 07... | 1430 | -- | -- | -- | .60 | -- | .19 | .13 | .32 |
| 21... | 1430 | -- | -- | -- | .17 | -- | .20 | .16 | .36 |
| SEP. | | | | | | | | | |
| 04... | 1530 | -- | -- | -- | .89 | -- | .21 | .45 | .66 |
| 18... | 0900 | 120 | -- | -- | 1.1 | -- | .11 | .29 | .40 |
| 18... | 0910 | 600 | -- | -- | .41 | -- | .13 | .42 | .55 |
| 18... | 0920 | 1180 | -- | -- | .21 | -- | .07 | .10 | .17 |
| 18... | 0935 | 2900 | -- | -- | .21 | -- | .06 | .03 | .09 |
| 18... | 0955 | 3400 | -- | -- | .30 | -- | .18 | .15 | .33 |
| 18... | 1015 | 3620 | -- | -- | 2.1 | -- | .24 | .14 | .38 |
| 18... | 1030 | -- | -- | -- | .75 | -- | .10 | .31 | .41 |

SUSQUEHANNA RIVER BASIN

319

01570500 SUSQUEHANNA RIVER AT HARRISBURG, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | SUS- PENDE D SOLIDS (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | TUR- BID- ITY (JTU) | DIS- SOLVED OXYGEN (MG/L) |
|-------|---|---|--|-------------------------------------|--|---------------|-----------------------------|------------------------------|------------------------------------|
| OCT. | | | | | | | | | |
| 24... | -- | -- | 237 | 2 | 360 | 7.1 | 15.0 | 2 | 11.2 |
| NOV. | | | | | | | | | |
| 29... | -- | -- | 176 | 56 | 247 | 6.3 | 8.0 | -- | 10.8 |
| DEC. | | | | | | | | | |
| 28... | -- | .14 | 114 | 68 | 200 | 6.5 | 3.0 | 25 | 13.8 |
| JAN. | | | | | | | | | |
| 23... | 3.0 | .14 | 135 | -- | 193 | 6.9 | 4.0 | -- | -- |
| 23... | 1.9 | .14 | -- | -- | 181 | 6.9 | 2.5 | -- | -- |
| 23... | 1.1 | .10 | -- | -- | 146 | 6.7 | 3.0 | -- | -- |
| 23... | 1.8 | .15 | -- | -- | 130 | 7.1 | 4.0 | -- | -- |
| 23... | 2.2 | .19 | -- | -- | 126 | 7.2 | 5.0 | -- | -- |
| 23... | 4.0 | .18 | -- | -- | 183 | 7.5 | 5.0 | -- | -- |
| 23... | 2.5 | .15 | 135 | 79 | 175 | 6.6 | 4.0 | 30 | 12.1 |
| FEB. | | | | | | | | | |
| 13... | 2.1 | .08 | 139 | 9 | 176 | 7.5 | 3.0 | 7 | 14.4 |
| 26... | 2.5 | .05 | -- | -- | 163 | 6.8 | 1.0 | 90 | -- |
| 26... | 2.4 | .08 | -- | -- | 137 | 6.7 | -- | 130 | -- |
| 26... | 2.3 | .07 | -- | -- | 133 | 6.8 | 1.5 | 100 | -- |
| 26... | 1.4 | .02 | -- | -- | 137 | 6.8 | 1.0 | 45 | -- |
| 26... | 1.2 | .01 | -- | -- | 150 | 6.8 | 1.0 | 15 | -- |
| 26... | 3.0 | .06 | -- | -- | 220 | 6.7 | 1.5 | 10 | -- |
| 26... | 2.4 | .12 | 120 | 186 | 165 | 6.8 | 1.0 | 65 | 13.8 |
| 26... | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MAR. | | | | | | | | | |
| 06... | 1.7 | .05 | 129 | 19 | 220 | 7.5 | 9.0 | 8 | 11.4 |
| 27... | -- | .06 | 149 | -- | 222 | 6.8 | 6.0 | 15 | -- |
| 27... | -- | .06 | 119 | -- | 194 | 6.9 | 6.0 | 15 | -- |
| 27... | -- | .04 | 122 | -- | 170 | 6.9 | 6.0 | 10 | -- |
| 27... | -- | .03 | 95 | -- | 149 | 6.6 | 6.0 | 8 | -- |
| 27... | -- | .02 | 102 | -- | 156 | 9.0 | 6.0 | 5 | -- |
| 27... | -- | .07 | 155 | -- | 253 | 8.6 | 6.0 | 3 | -- |
| 27... | -- | .03 | 119 | 16 | 185 | 8.0 | 6.0 | 10 | 12.6 |
| APR. | | | | | | | | | |
| 09... | 1.2 | .06 | 113 | 58 | 160 | 6.8 | 6.5 | -- | 12.2 |
| 24... | 1.3 | .39 | -- | -- | 270 | 6.9 | 10.0 | -- | -- |
| 24... | 1.2 | .62 | -- | -- | 230 | 7.1 | 10.0 | -- | -- |
| 24... | .98 | .37 | -- | -- | 190 | 7.5 | 10.0 | -- | -- |
| 24... | .70 | .36 | -- | -- | 170 | 7.5 | 10.0 | -- | -- |
| 24... | .90 | .23 | -- | -- | 200 | 8.0 | 10.0 | -- | -- |
| 24... | 2.6 | .11 | -- | -- | 340 | 8.0 | 10.0 | -- | -- |
| 24... | 1.3 | .05 | 121 | 21 | 204 | 7.6 | 10.0 | 8 | 11.4 |
| MAY | | | | | | | | | |
| 06... | .99 | .05 | 143 | 9 | 240 | 7.4 | 14.0 | 3 | 10.2 |
| 20... | 1.4 | .05 | -- | -- | 240 | 6.5 | 20.0 | -- | -- |
| 20... | .97 | .07 | -- | -- | 195 | 6.8 | 20.0 | -- | -- |
| 20... | .60 | .03 | -- | -- | 150 | 7.0 | 20.0 | -- | -- |
| 20... | .78 | .01 | -- | -- | 130 | 7.1 | 21.0 | -- | -- |
| 20... | 1.0 | .07 | -- | -- | 160 | 7.2 | 21.0 | -- | -- |
| 20... | 2.4 | .18 | -- | -- | 280 | 7.2 | 21.0 | -- | -- |
| 20... | 1.1 | .07 | 135 | 33 | 195 | 7.5 | 20.0 | 4 | 10.2 |
| JUNE | | | | | | | | | |
| 05... | .92 | .03 | 150 | 7 | 240 | 6.5 | 25.0 | 5 | 6.8 |
| 19... | 2.3 | .14 | 197 | -- | 320 | 6.7 | 22.0 | 30 | 9.0 |
| 19... | 1.7 | .10 | 161 | -- | 260 | 7.2 | 22.0 | 30 | 9.0 |
| 19... | 1.1 | .04 | 125 | -- | 210 | 7.4 | 23.0 | 2 | 9.0 |
| 19... | 2.6 | .22 | 166 | -- | 280 | 7.6 | 21.0 | 20 | -- |
| 19... | 1.3 | .09 | 124 | -- | 220 | 7.8 | 22.0 | 20 | 9.0 |
| 19... | .99 | .05 | 125 | -- | 210 | 7.2 | 23.0 | 4 | 9.0 |
| 19... | 1.6 | .08 | 155 | 53 | 226 | 8.0 | 22.0 | 2 | 9.0 |
| JULY | | | | | | | | | |
| 03... | 1.7 | .18 | 119 | 138 | 205 | 7.4 | 22.5 | 30 | 7.6 |
| 24... | .90 | .07 | 165 | 10 | 290 | 8.0 | 23.0 | 4 | 9.0 |
| AUG. | | | | | | | | | |
| 07... | .92 | .13 | 190 | 11 | 300 | 9.0 | 25.0 | 6 | 9.6 |
| 21... | .53 | .09 | 217 | 15 | 365 | 8.8 | 27.0 | 9 | 8.8 |
| SEP. | | | | | | | | | |
| 04... | 1.6 | .12 | 175 | 94 | 260 | 7.6 | 20.0 | 30 | 8.4 |
| 18... | 1.5 | .04 | 201 | -- | 320 | 7.5 | 20.0 | 7 | 8.6 |
| 18... | .96 | .04 | 169 | -- | 290 | 8.3 | 22.0 | 5 | 8.6 |
| 18... | .38 | .01 | 146 | -- | 215 | 8.1 | 21.0 | 2 | 8.6 |
| 18... | .30 | .01 | 124 | -- | 210 | 7.8 | 20.0 | 4 | 8.6 |
| 18... | .63 | .05 | 149 | -- | 290 | 8.7 | 21.0 | 5 | 8.6 |
| 18... | 2.5 | .28 | 228 | -- | 410 | 7.9 | 20.0 | 10 | 8.6 |
| 18... | 1.2 | .06 | 176 | 8 | 280 | 8.1 | 21.5 | 6 | 8.6 |

SUSQUEHANNA RIVER BASIN

01570500 SUSQUEHANNA RIVER AT HARRISBURG, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | CHEM- ICAL OXYGEN DEMAND (LOW LEVEL) (MG/L) | BIO- CHEM- ICAL OXYGEN DEMAND 5 DAY (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | CHLORO- PHYLL A (UG/L) | IMME- DIATE COLI- FORM (COL. PER 100 ML) | FECAL COLI- FORM (COL. PER 100 ML) | STREP- TOCOCCHI (COL- ONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) | OIL AND GREASE (MG/L) |
|-------|---|--|--------------------------------------|------------------------------|--|---|--|---|--------------------------------|
| OCT. | | | | | | | | | |
| 24... | -- | 2.0 | -- | -- | 700 | 40 | -- | -- | -- |
| NOV. | | | | | | | | | |
| 29... | -- | 2.6 | -- | -- | 6700 | 700 | -- | -- | -- |
| DEC. | | | | | | | | | |
| 28... | -- | 1.0 | 15 | -- | 11000 | 1100 | -- | 3.0 | -- |
| JAN. | | | | | | | | | |
| 23... | -- | -- | -- | -- | -- | 320 | 1900 | 3.5 | -- |
| 23... | -- | -- | -- | -- | -- | 400 | 3600 | -- | -- |
| 23... | -- | -- | -- | -- | -- | 300 | 1700 | -- | -- |
| 23... | -- | -- | -- | -- | -- | 1600 | 9000 | -- | -- |
| 23... | -- | -- | -- | -- | -- | 1700 | 10000 | -- | -- |
| 23... | -- | -- | -- | -- | -- | 1650 | 9200 | -- | -- |
| 23... | 154 | 1.2 | -- | 2.5 | -- | 990 | -- | -- | -- |
| FEB. | | | | | | | | | |
| 13... | -- | .2 | -- | .3 | -- | E20 | -- | .0 | -- |
| 26... | -- | -- | -- | -- | -- | 800 | 320 | -- | -- |
| 26... | -- | -- | -- | -- | -- | 1200 | 450 | -- | -- |
| 26... | -- | -- | -- | -- | -- | 700 | 700 | -- | -- |
| 26... | -- | -- | -- | -- | -- | 160 | 100 | -- | -- |
| 26... | -- | -- | -- | -- | -- | 65 | E18 | -- | -- |
| 26... | -- | -- | -- | -- | -- | 65 | E15 | -- | -- |
| 26... | 92 | 1.6 | -- | 1.6 | -- | 500 | -- | -- | -- |
| 26... | -- | -- | -- | -- | -- | -- | -- | 2.5 | -- |
| MAR. | | | | | | | | | |
| 06... | 10 | .8 | 2.3 | 1.4 | -- | 47 | -- | 1.5 | -- |
| 27... | -- | -- | 5.6 | -- | -- | 65 | 56 | 6.5 | -- |
| 27... | -- | -- | 6.2 | -- | -- | 3 | 3 | 6.0 | -- |
| 27... | -- | -- | 4.8 | -- | -- | 6 | 20 | 4.5 | -- |
| 27... | -- | -- | 4.4 | -- | -- | 3 | 3 | 6.0 | -- |
| 27... | -- | -- | .1 | -- | -- | 3 | 16 | 8.0 | -- |
| 27... | -- | -- | .4 | -- | -- | 980 | 710 | -- | -- |
| 27... | 36 | .6 | .6 | 1.5 | -- | 360 | 160 | -- | -- |
| APR. | | | | | | | | | |
| 09... | 10 | .8 | -- | 1.9 | -- | 510 | -- | 1.5 | -- |
| 24... | -- | -- | -- | -- | -- | 200 | 85 | -- | -- |
| 24... | -- | -- | -- | -- | -- | 70 | 35 | -- | -- |
| 24... | -- | -- | -- | -- | -- | 130 | 120 | -- | -- |
| 24... | -- | -- | -- | -- | -- | 27 | 130 | -- | -- |
| 24... | -- | -- | -- | -- | -- | 9 | 66 | -- | -- |
| 24... | -- | -- | -- | -- | -- | 110 | 830 | -- | -- |
| 24... | 9 | .6 | -- | 3.0 | -- | 91 | -- | -- | -- |
| MAY | | | | | | | | | |
| 06... | 9 | 3.6 | -- | 33 | -- | 110 | -- | 2.0 | -- |
| 20... | -- | -- | -- | -- | -- | 500 | 850 | -- | -- |
| 20... | -- | -- | -- | -- | -- | 40 | 660 | -- | -- |
| 20... | -- | -- | -- | -- | -- | 40 | 290 | -- | -- |
| 20... | -- | -- | -- | -- | -- | 15 | 160 | -- | -- |
| 20... | -- | -- | -- | -- | -- | 17 | 160 | -- | -- |
| 20... | -- | -- | -- | -- | -- | 120 | 180 | -- | -- |
| 20... | 11 | 2.0 | -- | 8.7 | -- | 130 | -- | 2.5 | -- |
| JUNE | | | | | | | | | |
| 05... | 12 | 2.4 | -- | 11 | -- | 10 | -- | -- | -- |
| 19... | 33 | -- | 9.9 | 8.0 | -- | 680 | 1000 | 4.8 | -- |
| 19... | 22 | -- | 4.2 | 22 | -- | 190 | 180 | -- | -- |
| 19... | 10 | -- | 1.2 | 8.0 | -- | 200 | 180 | 1.7 | -- |
| 19... | 16 | -- | 4.2 | 5.6 | -- | 420 | 450 | -- | -- |
| 19... | 18 | -- | 1.8 | 220 | -- | 170 | 100 | 2.9 | -- |
| 19... | 10 | -- | 2.7 | 18 | -- | 140 | 100 | 1.9 | -- |
| 19... | 10 | 4.2 | .8 | 22 | -- | 300 | 340 | 2.9 | -- |
| JULY | | | | | | | | | |
| 03... | 24 | 3.0 | -- | 7.6 | -- | 1200 | -- | 7.4 | -- |
| 24... | 12 | 3.4 | -- | 11 | -- | -- | 340 | 7.2 | 0 |
| AUG. | | | | | | | | | |
| 07... | 11 | 4.0 | -- | 19 | -- | 230 | -- | 4.0 | 0 |
| 21... | 14 | 5.0 | -- | 16 | -- | 260 | 145 | 4.5 | 0 |
| SEP. | | | | | | | | | |
| 04... | 16 | 3.6 | -- | 15 | -- | 2440 | -- | 7.3 | 0 |
| 18... | 14 | -- | 1.2 | 22 | -- | 370 | 680 | 5.5 | -- |
| 18... | 16 | -- | .3 | 26 | -- | 40 | 670 | 7.9 | -- |
| 18... | 8 | -- | .3 | 10 | -- | 40 | 730 | -- | -- |
| 18... | 6 | -- | .6 | 9.2 | -- | 30 | 330 | -- | -- |
| 18... | 8 | -- | .3 | 22 | -- | 95 | 570 | -- | -- |
| 18... | 9 | -- | 3.4 | 9.4 | -- | 520 | 1000 | -- | -- |
| 18... | 11 | 1.4 | .7 | 15 | -- | 220 | 590 | -- | 1 |

SUSQUEHANNA RIVER BASIN

321

01570500 SUSQUEHANNA RIVER AT HARRISBURG, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | TOTAL FILT- RABLE RESIDUE (MG/L) | TOTAL NON- FILT- RABLE RESIDUE (MG/L) | DIS- SOLVED GROSS ALPHA AS U-NAT. (UG/L) | SUS- PENDE D GROSS ALPHA AS U-NAT. (UG/L) | DIS- SOLVED GROSS BETA AS CS-137 (PC/L) | SUS- PENDE D GROSS BETA AS CS-137 (PC/L) | DIS- SOLVED GROSS BETA AS SR90 /Y90 (PC/L) | SUS- PENDE D GROSS BETA AS SR90 /Y90 (PC/L) | DIS- SOLVED RA-226 (RADON METHOD) (PC/L) | DIS- SOLVED URANIUM (U) (UG/L) |
|---------------|------|--|--|--|---|---|--|---|--|---|--|
| JAN. 17... | 1315 | 150 | 15 | <1.7 | 1.1 | 2.1 | 1.3 | 1.7 | 1.1 | .02 | .05 |
| MAR. 12... | 1115 | 68 | 110 | <.9 | 6.3 | 2.3 | 7.8 | 1.9 | 6.6 | .04 | .01 |
| SEP. 17... | 1400 | 120 | 6 | <1.3 | <.4 | 2.9 | <.4 | 2.4 | <.4 | .02 | .02 |

BIOLOGICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

OCCURRENCE OF PHYTOPLANKTON

| | | | |
|---------------------------|---------|---------|---------|
| Date of sample collection | 7-24-74 | 8-21-74 | 9-18-74 |
| Time | 1500 | 1430 | 1030 |
| Total count (cells/ml) | 62,000 | 140,000 | 33,000 |

Phytoplankton taxa

Percent of total

CHLOROPHYTA

.Chlorophyceae (green algae)

....Actinastrum

....Botryococcus

....Scenedesmus

....Selenastrum

4

41

4

3

4

20

9

1

4

--

10

2

CHRYSTOPHYTA

.Bacillariophyceae (diatoms)

....Cyclotella

....Micractinium

....Navicula

6

--

2

1

7

--

11

2

1

CYANOPHYTA

.Myxophyceae (blue-green algae)

....Anacystis

....Lyngbya

22

3

35

--

21

--

PHYLUM

.Class

..Order

...Family

....Genus

SUSQUEHANNA RIVER BASIN

01570500 SUSQUEHANNA RIVER AT HARRISBURG, PA.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 204 | 193 | 200 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 204 | 197 | 202 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 203 | 187 | 195 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 187 | 178 | 180 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 180 | 178 | 180 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 178 | 167 | 171 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 170 | 163 | 165 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 168 | 164 | 166 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 172 | 168 | 170 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 180 | 173 | 175 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 183 | 174 | 180 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 180 | 160 | 170 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 163 | 153 | 158 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 163 | 128 | 150 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 162 | 130 | 138 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 137 | 133 | 136 |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 133 | 129 | 130 |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 137 | 133 | 134 |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 139 | 135 | 138 |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 142 | 137 | 138 |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 158 | 143 | 152 |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 163 | 159 | 162 |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 164 | 161 | 163 |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 164 | 162 | 163 |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 170 | 162 | 166 |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 173 | 167 | 170 |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 179 | 173 | 177 |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 183 | 178 | 180 |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 195 | 183 | 188 |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 206 | 193 | 200 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 209 | 205 | 207 |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | 209 | 128 | 168 |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 209 | 205 | 207 | 221 | 208 | 215 | 245 | 220 | 230 | 350 | 313 | 333 |
| 2 | 202 | 199 | 201 | 222 | 157 | 200 | 239 | 200 | 222 | 324 | 296 | 305 |
| 3 | 204 | 200 | 202 | 160 | 131 | 145 | 240 | 213 | 233 | --- | --- | --- |
| 4 | 197 | 190 | 192 | 131 | 106 | 113 | 239 | 225 | 230 | --- | --- | --- |
| 5 | 196 | 191 | 194 | 114 | 106 | 110 | 236 | 207 | 217 | 254 | 225 | 240 |
| 6 | 196 | 192 | 194 | 128 | 114 | 120 | 226 | 207 | 220 | 224 | 187 | 208 |
| 7 | 209 | 197 | 204 | 132 | 128 | 130 | 248 | 227 | 232 | 187 | 152 | 161 |
| 8 | 226 | 209 | 219 | 158 | 132 | 140 | 246 | 238 | 243 | 180 | 159 | 168 |
| 9 | 238 | 226 | 232 | 161 | 157 | 159 | 244 | 240 | 242 | 189 | 180 | 186 |
| 10 | 233 | 220 | 226 | 167 | 161 | 164 | 249 | 242 | 246 | 194 | 187 | 189 |
| 11 | 220 | 213 | 216 | 167 | 162 | 165 | 252 | 248 | 250 | 197 | 188 | 193 |
| 12 | 220 | 213 | 216 | 169 | 162 | 164 | 264 | 249 | 256 | 193 | 185 | 190 |
| 13 | 224 | 220 | 222 | 177 | 168 | 172 | 268 | 262 | 265 | 188 | 183 | 186 |
| 14 | 228 | 224 | 226 | 180 | 171 | 175 | 270 | 260 | 267 | 195 | 185 | 190 |
| 15 | 234 | 228 | 231 | 184 | 173 | 180 | 270 | 262 | 267 | 203 | 188 | 195 |
| 16 | 237 | 219 | 234 | 188 | 182 | 185 | 282 | 268 | 275 | 215 | 202 | 210 |
| 17 | 247 | 233 | 241 | 190 | 188 | 189 | 281 | 268 | 273 | 216 | 202 | 210 |
| 18 | 247 | 208 | 226 | 203 | 191 | 198 | 285 | 275 | 279 | --- | --- | --- |
| 19 | 207 | 197 | 200 | 212 | 201 | 204 | 290 | 282 | 286 | --- | --- | --- |
| 20 | 200 | 187 | 191 | 229 | 212 | 223 | 296 | 286 | 290 | --- | --- | --- |
| 21 | 199 | 187 | 193 | 230 | 224 | 228 | 302 | 294 | 298 | --- | --- | --- |
| 22 | 197 | 183 | 188 | 237 | 228 | 233 | 312 | 303 | 305 | --- | --- | --- |
| 23 | 188 | 183 | 185 | 233 | 222 | 227 | 312 | 302 | 308 | --- | --- | --- |
| 24 | 190 | 181 | 185 | 222 | 214 | 218 | 316 | 309 | 311 | --- | --- | --- |
| 25 | 184 | 182 | 183 | 224 | 217 | 221 | 311 | 305 | 309 | --- | --- | --- |
| 26 | 187 | 183 | 185 | 231 | 224 | 227 | 330 | 310 | 318 | --- | --- | --- |
| 27 | 187 | 183 | 185 | 239 | 230 | 237 | 334 | 328 | 330 | --- | --- | --- |
| 28 | 194 | 186 | 190 | 243 | 237 | 239 | 336 | 327 | 332 | --- | --- | --- |
| 29 | 200 | 194 | 198 | 232 | 202 | 228 | 338 | 334 | 336 | --- | --- | --- |
| 30 | 207 | 198 | 202 | 238 | 217 | 226 | 343 | 333 | 338 | --- | --- | --- |
| 31 | --- | --- | --- | 245 | 214 | 235 | 338 | 334 | 335 | --- | --- | --- |
| MONTH | 247 | 181 | 206 | 245 | 106 | 189 | 343 | 200 | 276 | --- | --- | --- |

01570500 SUSQUEHANNA RIVER AT HARRISBURG, PA.--Continued

DISSOLVED OXYGEN (DO), IN MILLIGRAMS PER LITER , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|--------|-----|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.5 | 9.3 | 10.0 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.1 | 9.6 | 10.4 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.9 | 9.8 | 10.3 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.1 | 9.9 | 10.5 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.4 | 10.2 | 10.8 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.5 | 10.4 | 10.9 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.8 | 10.8 | 11.3 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.9 | 11.1 | 11.4 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.2 | 10.6 | 10.9 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.5 | 10.6 | 11.0 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.6 | 10.5 | 11.1 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.0 | 10.2 | 10.5 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.4 | 10.3 | 10.7 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.2 | 10.6 | 10.7 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.5 | 10.2 | 10.4 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.3 | 10.0 | 10.2 |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.8 | 9.6 | 9.7 |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.9 | 9.4 | 9.6 |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.8 | 9.2 | 9.5 |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.2 | 9.3 | 9.8 |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.1 | 9.3 | 10.1 |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.1 | 9.3 | 10.0 |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.5 | 8.8 | 9.6 |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.0 | 8.8 | 9.4 |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.0 | 8.9 | 9.5 |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.2 | 9.1 | 9.7 |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.3 | 9.2 | 9.7 |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.4 | 9.3 | 9.9 |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.2 | 9.1 | 9.6 |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 10.7 | 9.0 | 9.8 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.8 | 8.6 | 9.2 |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | 11.9 | 8.6 | 10.2 |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 10.5 | 8.4 | 9.4 | 9.3 | 8.1 | 8.7 | 9.5 | 7.0 | 8.4 | 8.0 | 5.7 | 6.9 |
| 2 | 10.1 | 8.6 | 9.3 | 8.6 | 7.5 | 7.9 | 8.8 | 6.5 | 7.7 | 8.3 | 5.1 | 6.4 |
| 3 | 10.8 | 8.8 | 9.8 | 8.0 | 7.6 | 7.8 | 9.1 | 7.0 | 8.0 | --- | --- | --- |
| 4 | 10.8 | 8.7 | 9.9 | 8.2 | 8.0 | 8.1 | 9.4 | 7.1 | 8.2 | --- | --- | --- |
| 5 | 10.3 | 8.4 | 9.4 | 8.2 | 7.8 | 8.0 | 10.1 | 7.1 | 8.6 | --- | --- | --- |
| 6 | 10.1 | 8.1 | 9.2 | 8.5 | 7.8 | 8.1 | 11.7 | 7.0 | 9.2 | 9.1 | 8.6 | 8.8 |
| 7 | 10.0 | 7.9 | 9.0 | 8.8 | 7.6 | 8.2 | 11.4 | 7.1 | 9.3 | 9.3 | 8.9 | 9.2 |
| 8 | 10.3 | 7.7 | 9.0 | 10.3 | 7.4 | 8.8 | 9.8 | 6.7 | 8.3 | 9.4 | 8.8 | 9.0 |
| 9 | 10.2 | 7.8 | 9.1 | 11.2 | 7.7 | 9.4 | 8.8 | 6.0 | 7.5 | 10.4 | 8.6 | 9.3 |
| 10 | 10.2 | 7.1 | 8.7 | 10.8 | 7.6 | 9.0 | --- | --- | --- | 10.5 | 8.6 | 9.5 |
| 11 | 9.5 | 6.5 | 8.2 | 10.2 | 7.3 | 8.8 | --- | --- | --- | 10.3 | 8.6 | 9.3 |
| 12 | 10.2 | 6.9 | 8.4 | 10.1 | 7.8 | 9.0 | --- | --- | --- | 10.3 | 8.3 | 9.0 |
| 13 | 10.6 | 7.6 | 9.0 | 9.9 | 7.7 | 8.8 | --- | --- | --- | 9.7 | 7.7 | 8.7 |
| 14 | 10.4 | 7.7 | 8.7 | 9.7 | 7.5 | 8.7 | --- | --- | --- | 9.7 | 7.5 | 8.5 |
| 15 | 8.9 | 7.4 | 8.0 | 9.6 | 7.0 | 8.6 | 9.0 | 6.2 | 7.7 | 9.7 | 7.9 | 8.8 |
| 16 | 10.2 | 7.4 | 8.1 | 9.8 | 7.1 | 8.7 | 8.8 | 6.1 | 7.4 | 10.1 | 8.2 | 9.1 |
| 17 | 10.8 | 8.1 | 9.5 | 9.9 | 7.4 | 8.7 | 8.1 | 5.8 | 7.0 | 10.0 | 8.1 | 9.1 |
| 18 | 9.2 | 7.8 | 8.5 | 9.7 | 7.2 | 8.5 | 8.4 | 6.1 | 7.3 | --- | --- | --- |
| 19 | 8.7 | 7.4 | 8.1 | 8.7 | 6.8 | 7.9 | 9.3 | 6.0 | 7.6 | --- | --- | --- |
| 20 | 9.1 | 7.4 | 8.2 | 8.9 | 7.0 | 8.0 | 9.4 | 6.3 | 7.8 | --- | --- | --- |
| 21 | 9.3 | 7.4 | 8.4 | 9.8 | 7.4 | 8.7 | 9.3 | 5.8 | 7.6 | --- | --- | --- |
| 22 | 9.8 | 7.3 | 8.6 | 10.1 | 7.4 | 8.8 | 8.2 | 6.0 | 7.1 | --- | --- | --- |
| 23 | 8.9 | 7.0 | 8.0 | 9.2 | 7.2 | 8.2 | 9.5 | 5.9 | 7.5 | --- | --- | --- |
| 24 | 9.6 | 7.7 | 8.5 | 10.2 | 7.4 | 8.6 | 9.3 | 6.0 | 7.7 | --- | --- | --- |
| 25 | 9.1 | 7.7 | 8.3 | 10.6 | 7.9 | 9.2 | 9.3 | 6.2 | 7.7 | --- | --- | --- |
| 26 | 9.9 | 7.9 | 8.8 | 9.5 | 7.5 | 8.6 | 9.1 | 5.9 | 7.4 | --- | --- | --- |
| 27 | 10.1 | 8.1 | 9.0 | 10.1 | 7.3 | 8.6 | 9.3 | 5.8 | 7.3 | --- | --- | --- |
| 28 | 9.8 | 8.1 | 9.0 | 9.8 | 6.9 | 8.4 | 9.2 | 5.7 | 7.2 | --- | --- | --- |
| 29 | 10.4 | 8.3 | 9.3 | 9.4 | 6.4 | 7.7 | 8.6 | 5.4 | 6.9 | --- | --- | --- |
| 30 | 9.6 | 8.4 | 9.0 | 10.3 | 6.5 | 8.3 | 8.3 | 5.3 | 6.6 | --- | --- | --- |
| 31 | --- | --- | --- | 11.0 | 6.7 | 8.7 | 9.1 | 5.8 | 7.4 | --- | --- | --- |
| MONTH | 10.8 | 6.5 | 8.8 | 11.2 | 6.4 | 8.5 | 11.7 | 5.3 | 7.7 | --- | --- | --- |

SUSQUEHANNA RIVER BASIN

01570500 SUSQUEHANNA RIVER AT HARRISBURG, PA.--Continued

PH (UNITS) , WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|-----|------|-------|-----|------|--------|-----|------|-----------|-----|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.1 | 7.3 | 7.7 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.6 | 7.5 | 8.1 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.4 | 7.5 | 7.8 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.4 | 7.4 | 7.8 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.5 | 7.4 | 7.8 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.1 | 7.2 | 7.6 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.2 | 7.3 | 7.6 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.2 | 7.4 | 7.7 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.7 | 7.2 | 7.4 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.0 | 6.9 | 7.4 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.4 | 7.4 | 7.8 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.8 | 7.2 | 7.4 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.6 | 7.2 | 7.3 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.4 | 6.9 | 7.1 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 6.9 | 6.7 | 6.8 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.1 | 6.9 | 7.0 |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.1 | 6.9 | 7.0 |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.3 | 7.1 | 7.2 |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 7.5 | 7.2 | 7.3 |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.0 | 7.2 | 7.6 |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.9 | 7.4 | 8.1 |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.0 | 7.8 | 8.4 |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.9 | 7.6 | 8.2 |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.5 | 7.5 | 7.9 |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.5 | 7.4 | 8.0 |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.7 | 7.5 | 8.1 |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.7 | 7.7 | 8.3 |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.9 | 7.7 | 8.4 |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.8 | 7.9 | 8.4 |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.0 | 7.5 | 8.3 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.6 | 7.8 | 8.2 |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.0 | 6.7 | 7.7 |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 8.8 | 7.3 | 8.0 | 8.6 | 7.6 | 8.0 | 9.1 | 8.3 | 8.7 | --- | --- | --- |
| 2 | 8.6 | 7.5 | 8.1 | 7.8 | 6.9 | 7.2 | 8.6 | 7.6 | 8.2 | --- | --- | --- |
| 3 | 8.9 | 7.5 | 8.3 | 6.9 | 6.6 | 6.7 | 8.7 | 7.6 | 8.2 | --- | --- | --- |
| 4 | 9.1 | 7.6 | 8.5 | 6.7 | 6.6 | 6.7 | 9.2 | 7.7 | 8.3 | --- | --- | --- |
| 5 | 9.1 | 7.9 | 8.7 | 6.9 | 6.7 | 6.8 | 9.0 | 7.9 | 8.5 | --- | --- | --- |
| 6 | 9.1 | 7.8 | 8.6 | 7.3 | 6.7 | 7.0 | 9.4 | 7.8 | 8.7 | --- | --- | --- |
| 7 | 9.1 | 7.9 | 8.6 | 8.1 | 6.9 | 7.4 | 9.6 | 8.8 | 9.2 | --- | --- | --- |
| 8 | 9.1 | 7.8 | 8.5 | 9.0 | 7.0 | 8.1 | 9.5 | 8.7 | 9.2 | --- | --- | --- |
| 9 | 9.3 | 8.0 | 8.7 | 9.3 | 7.6 | 8.6 | 9.3 | 8.6 | 9.0 | --- | --- | --- |
| 10 | 9.3 | 8.2 | 8.9 | 9.4 | 8.5 | 9.0 | --- | --- | --- | --- | --- | --- |
| 11 | 9.4 | 8.3 | 9.0 | 9.3 | 8.1 | 8.9 | --- | --- | --- | --- | --- | --- |
| 12 | 9.4 | 8.6 | 9.0 | 9.3 | 8.4 | 9.0 | --- | --- | --- | --- | --- | --- |
| 13 | 9.4 | 8.8 | 9.2 | 9.3 | 8.4 | 8.9 | --- | --- | --- | --- | --- | --- |
| 14 | 9.4 | 9.0 | 9.3 | 9.2 | 8.6 | 9.0 | --- | --- | --- | --- | --- | --- |
| 15 | 9.2 | 8.5 | 8.9 | 9.3 | 8.5 | 8.9 | --- | --- | --- | --- | --- | --- |
| 16 | 9.0 | 8.0 | 8.6 | 9.6 | 9.1 | 9.3 | --- | --- | --- | --- | --- | --- |
| 17 | 9.8 | 8.2 | 9.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 18 | 9.4 | 8.1 | 8.6 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 19 | 8.5 | 7.5 | 8.0 | 9.0 | 8.3 | 8.7 | --- | --- | --- | --- | --- | --- |
| 20 | 9.6 | 7.7 | 8.4 | 8.9 | 7.8 | 8.3 | --- | --- | --- | --- | --- | --- |
| 21 | 9.6 | 7.9 | 8.7 | 9.3 | 8.1 | 8.8 | --- | --- | --- | --- | --- | --- |
| 22 | 10.3 | 7.9 | 9.1 | 9.3 | 8.8 | 9.0 | --- | --- | --- | --- | --- | --- |
| 23 | 9.7 | 7.7 | 8.3 | 9.2 | 8.6 | 9.0 | --- | --- | --- | --- | --- | --- |
| 24 | 8.9 | 7.1 | 8.0 | 9.4 | 8.2 | 8.7 | --- | --- | --- | --- | --- | --- |
| 25 | 8.2 | 7.6 | 7.2 | 9.5 | 8.6 | 9.0 | --- | --- | --- | --- | --- | --- |
| 26 | 9.1 | 7.2 | 8.0 | 9.3 | 8.5 | 9.0 | --- | --- | --- | --- | --- | --- |
| 27 | 9.3 | 7.4 | 8.3 | 9.5 | 8.5 | 9.1 | --- | --- | --- | --- | --- | --- |
| 28 | 8.4 | 7.5 | 8.0 | 9.4 | 8.6 | 9.2 | --- | --- | --- | --- | --- | --- |
| 29 | 9.0 | 7.2 | 8.0 | 9.1 | 8.2 | 8.8 | --- | --- | --- | --- | --- | --- |
| 30 | 9.2 | 7.2 | 8.1 | 9.4 | 8.1 | 8.8 | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | 9.4 | 7.8 | 8.8 | --- | --- | --- | --- | --- | --- |
| MONTH | 10.3 | 7.1 | 8.5 | 9.6 | 6.6 | 8.4 | --- | --- | --- | --- | --- | --- |

01570500 SUSQUEHANNA RIVER AT HARRISBURG, PA.--Continued

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
|-------|----------|------|------|-------|------|------|--------|------|------|-----------|------|------|
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.5 | 18.0 | 19.0 |
| 2 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.0 | 16.0 | 17.0 |
| 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.5 | 15.5 | 16.0 |
| 4 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.5 | 14.5 | 15.5 |
| 5 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.0 | 15.0 | 15.5 |
| 6 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 14.5 | 13.5 | 14.0 |
| 7 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 14.0 | 11.5 | 13.0 |
| 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 14.0 | 12.0 | 13.0 |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 13.5 | 13.0 | 13.5 |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.0 | 13.5 | 14.5 |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.5 | 14.5 | 15.5 |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.0 | 15.0 | 15.5 |
| 13 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 15.0 | 14.0 | 14.5 |
| 14 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.0 | 14.5 | 15.0 |
| 15 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 16.5 | 15.5 | 16.0 |
| 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 18.0 | 16.0 | 17.0 |
| 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 19.5 | 18.0 | 18.5 |
| 18 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.0 | 19.5 | 20.0 |
| 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.0 | 19.5 | 20.0 |
| 20 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.0 | 19.5 | 20.0 |
| 21 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.5 | 20.0 | 21.0 |
| 22 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 23.5 | 21.0 | 22.0 |
| 23 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 23.5 | 22.0 | 23.0 |
| 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 23.0 | 21.0 | 22.0 |
| 25 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.5 | 20.0 | 21.0 |
| 26 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.0 | 18.5 | 20.0 |
| 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.5 | 19.0 | 19.5 |
| 28 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 21.0 | 18.0 | 19.5 |
| 29 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 20.5 | 19.5 | 20.0 |
| 30 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 23.0 | 19.5 | 21.0 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 22.0 | 20.5 | 21.0 |
| MONTH | --- | --- | --- | --- | --- | --- | --- | --- | --- | 23.5 | 11.5 | 18.0 |
| DAY | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| 1 | 21.0 | 20.0 | 20.5 | 25.5 | 23.0 | 24.0 | 27.0 | 25.0 | 26.0 | 26.5 | 25.0 | 25.5 |
| 2 | 20.5 | 20.0 | 20.0 | 24.5 | 23.0 | 23.5 | 26.0 | 25.0 | 25.5 | 25.5 | 23.5 | 24.0 |
| 3 | 23.0 | 19.5 | 21.0 | 23.0 | 22.0 | 22.0 | 26.5 | 25.0 | 25.5 | --- | --- | --- |
| 4 | 24.0 | 21.0 | 22.0 | 23.5 | 22.0 | 23.0 | 25.5 | 25.0 | 25.5 | --- | --- | --- |
| 5 | 25.0 | 21.5 | 23.5 | 24.0 | 23.0 | 23.5 | 25.5 | 24.0 | 25.0 | 20.5 | 19.0 | 20.0 |
| 6 | 25.5 | 22.0 | 24.0 | 25.0 | 23.0 | 24.0 | 25.5 | 23.5 | 24.5 | 20.0 | 18.5 | 19.5 |
| 7 | 24.0 | 22.0 | 23.0 | 26.5 | 24.0 | 25.0 | 26.5 | 24.0 | 25.0 | 20.0 | 18.0 | 19.0 |
| 8 | 24.5 | 22.0 | 23.5 | 28.0 | 25.0 | 26.0 | 26.0 | 25.0 | 25.5 | 20.5 | 19.5 | 20.0 |
| 9 | 28.0 | 23.5 | 25.5 | 29.0 | 25.5 | 27.0 | 26.0 | 24.5 | 25.0 | 21.0 | 19.5 | 20.5 |
| 10 | 29.5 | 26.0 | 28.0 | 28.5 | 26.5 | 28.0 | 25.5 | 24.0 | 24.5 | 22.0 | 20.5 | 21.5 |
| 11 | 28.5 | 26.0 | 27.0 | 26.5 | 25.0 | 25.5 | 26.5 | 24.0 | 25.0 | 22.0 | 20.0 | 21.0 |
| 12 | 25.5 | 24.0 | 25.0 | 26.0 | 23.5 | 25.0 | 26.5 | 24.5 | 25.5 | 24.5 | 21.5 | 23.0 |
| 13 | 26.0 | 23.0 | 24.5 | 27.0 | 24.0 | 25.5 | 28.5 | 25.0 | 26.0 | 25.5 | 23.0 | 24.0 |
| 14 | 25.5 | 23.5 | 24.5 | 29.0 | 25.5 | 27.0 | 29.0 | 26.0 | 27.0 | 24.5 | 23.0 | 24.0 |
| 15 | 25.0 | 23.0 | 24.0 | 29.5 | 27.0 | 28.5 | 29.0 | 25.5 | 27.0 | 23.5 | 21.0 | 22.0 |
| 16 | 23.5 | 23.0 | 23.0 | 28.0 | 26.0 | 27.0 | 28.5 | 26.0 | 26.5 | 23.0 | 20.5 | 21.5 |
| 17 | 24.5 | 21.5 | 23.5 | 28.5 | 25.0 | 26.5 | 28.0 | 26.0 | 27.0 | 23.5 | 20.5 | 21.5 |
| 18 | 24.5 | 22.0 | 23.5 | 29.0 | 26.0 | 27.0 | 28.5 | 25.0 | 26.5 | --- | --- | --- |
| 19 | 24.5 | 22.0 | 23.5 | 28.5 | 26.0 | 28.0 | 29.0 | 26.0 | 27.0 | --- | --- | --- |
| 20 | 25.0 | 23.0 | 24.0 | 26.5 | 24.5 | 26.0 | 29.5 | 26.0 | 28.0 | --- | --- | --- |
| 21 | 25.0 | 23.5 | 24.5 | 26.0 | 23.5 | 25.0 | 29.0 | 26.5 | 28.0 | --- | --- | --- |
| 22 | 26.0 | 23.5 | 24.5 | 27.0 | 24.0 | 25.5 | 28.0 | 26.0 | 27.0 | --- | --- | --- |
| 23 | 25.5 | 22.0 | 23.5 | 26.0 | 23.5 | 24.5 | 29.5 | 25.5 | 27.0 | --- | --- | --- |
| 24 | 23.0 | 20.5 | 21.5 | 23.5 | 22.0 | 23.0 | 29.0 | 26.0 | 28.0 | --- | --- | --- |
| 25 | 22.0 | 21.0 | 21.5 | 25.0 | 22.0 | 23.5 | 28.5 | 25.5 | 26.5 | --- | --- | --- |
| 26 | 23.5 | 20.5 | 21.5 | 24.5 | 23.5 | 23.5 | 28.0 | 26.0 | 26.5 | --- | --- | --- |
| 27 | 23.5 | 21.5 | 22.0 | 27.0 | 23.5 | 25.0 | 29.0 | 25.5 | 27.0 | --- | --- | --- |
| 28 | 23.0 | 21.0 | 21.5 | 28.5 | 25.5 | 26.5 | 28.5 | 26.0 | 27.0 | --- | --- | --- |
| 29 | 23.0 | 20.5 | 21.5 | 28.0 | 25.5 | 26.0 | 28.5 | 26.0 | 27.0 | --- | --- | --- |
| 30 | 24.0 | 21.0 | 23.0 | 28.0 | 25.0 | 26.0 | 28.0 | 25.5 | 26.5 | --- | --- | --- |
| 31 | --- | --- | --- | 27.0 | 25.0 | 26.0 | 26.5 | 24.5 | 25.5 | --- | --- | --- |
| MONTH | 29.5 | 19.5 | 23.5 | 29.5 | 22.0 | 25.5 | 29.5 | 23.5 | 26.5 | --- | --- | --- |

SUSQUEHANNA RIVER BASIN

01576500 CONESTOGA RIVER AT LANCASTER, PA.
(Formerly published as Conestoga Creek at Lancaster, Pa.)

LOCATION.--Lat 40°03'00", long 76°16'39", Lancaster County, at raw water intake, Lancaster, 500 ft (152 m) upstream from gaging station at Penn Central Railroad Bridge, and 0.8 mi (1.3 km) east of Lancaster. Sediment samples are collected from State Highway 340 bridge at Bridgeport, 1 mi (1.6 km) downstream from gaging station.

DRAINAGE AREA.--324 mi² (839 km²).

PERIOD OF RECORD.--Chemical analyses: October 1947 to September 1950, October 1958 to September 1972, April to September 1974.

Water temperatures: October 1947 to September 1950, October 1958 to September 1970, April to September 1974.

Sediment records.--October 1961 to September 1964 (partial-record station), October 1971 to September 1972 (partial-record station), April to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum daily, 592 micromhos Aug. 15; minimum daily, 212 micromhos May 13.

Water temperatures: Maximum daily, 26.0°C July 9, 10, 18; minimum daily, 5.0°C Apr. 1.

Period of record:

Specific conductance (1963-70, 1973-74): Maximum daily, 592 micromhos Aug. 15, 1974; minimum daily, 164 micromhos Feb. 8, 1965.

Water temperatures: Maximum daily, 28.5°C June 30 to July 3, 1959; minimum daily, freezing point on many days in January and February 1948.

REMARKS.--Sediment data for this station on page 443. Unpublished records of daily specific conductance and water temperatures available at Harrisburg office.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO-GEN (N) (MG/L) | TOTAL ORGANIC NITRO-GEN (N) (MG/L) | TOTAL KJEL-DAHL NITRO-GEN (N) (MG/L) | TOTAL NITRO-GEN (N) (MG/L) |
|------------|------|--------------------------------|--------------------------|---------------------------------------|------------------------------|------------------------------------|--------------------------------------|----------------------------|
| APR. 15... | 1030 | 2550 | 3.6 | 3.6 | .21 | 3.2 | 3.4 | 7.0 |
| MAY 22... | 1110 | 317 | 6.4 | -- | .46 | .93 | 1.4 | -- |
| JUNE 12... | 1100 | 190 | 7.0 | -- | .26 | 1.1 | 1.4 | -- |

| DATE | TOTAL PHOS-PHORUS (P) (MG/L) | TOTAL ORTHO PHOS-PHORUS (P) (MG/L) | SPE-CIFIC CON-DUCT-ANCE (MICRO-MHOS) | PH (UNITS) | TEMPER-ATURE (DEG C) | DIS-SOLVED OXYGEN (MG/L) | BIO-CHEM-ICAL OXYGEN DEMAND 5 DAY (MG/L) |
|------------|------------------------------|------------------------------------|--------------------------------------|------------|----------------------|--------------------------|--|
| APR. 15... | 1.3 | -- | 250 | 7.9 | 13.0 | 9.3 | -- |
| MAY 22... | .47 | .26 | 475 | 6.6 | 20.0 | 8.6 | -- |
| JUNE 12... | .45 | .26 | 440 | 7.0 | 22.0 | 7.6 | 5.4 |

SUSQUEHANNA RIVER BASIN

327

01576500 CONESTOGA RIVER AT LANCASTER, PA.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
(ONCE-DAILY MEASUREMENTS)

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | --- | --- | --- | --- | --- | --- | 317 | 406 | 415 | 402 | 458 | --- |
| 2 | --- | --- | --- | --- | --- | --- | 364 | 396 | 377 | 433 | 489 | 397 |
| 3 | --- | --- | --- | --- | --- | --- | 336 | 408 | 392 | 432 | 506 | 368 |
| 4 | --- | --- | --- | --- | --- | --- | 274 | 381 | 385 | --- | 511 | 356 |
| 5 | --- | --- | --- | --- | --- | --- | 297 | 414 | 404 | 447 | --- | 346 |
| 6 | --- | --- | --- | --- | --- | --- | 347 | 433 | 429 | 451 | 288 | 383 |
| 7 | --- | --- | --- | --- | --- | --- | 358 | 417 | 419 | 445 | 358 | --- |
| 8 | --- | --- | --- | --- | --- | --- | 354 | 442 | 405 | 451 | 450 | 357 |
| 9 | --- | --- | --- | --- | --- | --- | 289 | 423 | 440 | 455 | 465 | 452 |
| 10 | --- | --- | --- | --- | --- | --- | 283 | 420 | 445 | 464 | 519 | 445 |
| 11 | --- | --- | --- | --- | --- | --- | 332 | --- | 436 | 494 | 524 | 445 |
| 12 | --- | --- | --- | --- | --- | --- | 346 | 380 | 465 | 510 | 498 | 455 |
| 13 | --- | --- | --- | --- | --- | --- | 312 | 212 | 469 | 495 | 525 | 441 |
| 14 | --- | --- | --- | --- | --- | --- | 261 | 301 | 464 | --- | 507 | 441 |
| 15 | --- | --- | --- | --- | --- | --- | 229 | 326 | 447 | 480 | 592 | --- |
| 16 | --- | --- | --- | --- | --- | --- | 236 | 374 | 445 | 498 | 516 | 442 |
| 17 | --- | --- | --- | --- | --- | --- | 355 | 362 | 436 | 489 | 470 | 428 |
| 18 | --- | --- | --- | --- | --- | --- | 383 | 379 | 419 | 521 | 419 | 469 |
| 19 | --- | --- | --- | --- | --- | --- | 357 | 362 | 418 | 490 | 494 | --- |
| 20 | --- | --- | --- | --- | --- | --- | 383 | 388 | 435 | 468 | 409 | 479 |
| 21 | --- | --- | --- | --- | --- | --- | 395 | 350 | 456 | 503 | 438 | --- |
| 22 | --- | --- | --- | --- | --- | --- | 371 | 385 | --- | 507 | 425 | 465 |
| 23 | --- | --- | --- | --- | --- | --- | 370 | 423 | 439 | 509 | 240 | 447 |
| 24 | --- | --- | --- | --- | --- | --- | 357 | 370 | 437 | 527 | 467 | 477 |
| 25 | --- | --- | --- | --- | --- | --- | 382 | 375 | 406 | 512 | --- | 483 |
| 26 | --- | --- | --- | --- | --- | --- | 389 | 405 | --- | 453 | 442 | 466 |
| 27 | --- | --- | --- | --- | --- | --- | 394 | 379 | 379 | 516 | 450 | 505 |
| 28 | --- | --- | --- | --- | --- | --- | 404 | 417 | 403 | 490 | 388 | 479 |
| 29 | --- | --- | --- | --- | --- | --- | 410 | 389 | 428 | 456 | --- | 397 |
| 30 | --- | --- | --- | --- | --- | --- | 393 | 412 | --- | 439 | 373 | 392 |
| 31 | --- | --- | --- | --- | --- | --- | --- | 398 | --- | 443 | 388 | --- |
| MONTH | --- | --- | --- | --- | --- | --- | 343 | 384 | 426 | 475 | 450 | 433 |

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
(ONCE-DAILY MEASUREMENTS)

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|
| 1 | --- | --- | --- | --- | --- | --- | 5.0 | 19.0 | 17.5 | 20.0 | 23.5 | --- |
| 2 | --- | --- | --- | --- | --- | --- | 7.5 | 16.5 | 16.0 | 23.5 | 24.0 | 22.0 |
| 3 | --- | --- | --- | --- | --- | --- | 9.0 | 14.0 | 16.0 | 22.5 | 24.0 | 23.5 |
| 4 | --- | --- | --- | --- | --- | --- | 14.0 | 14.0 | 20.0 | --- | 24.0 | 20.0 |
| 5 | --- | --- | --- | --- | --- | --- | 14.0 | 14.0 | 19.0 | 25.0 | --- | 20.0 |
| 6 | --- | --- | --- | --- | --- | --- | 11.0 | 11.0 | 20.0 | 24.0 | 21.5 | 21.0 |
| 7 | --- | --- | --- | --- | --- | --- | 10.0 | 13.0 | 19.0 | 25.0 | 21.5 | --- |
| 8 | --- | --- | --- | --- | --- | --- | 10.5 | 15.0 | 20.0 | 24.5 | 21.5 | 22.0 |
| 9 | --- | --- | --- | --- | --- | --- | 9.0 | 14.5 | 21.0 | 26.0 | 23.5 | 22.0 |
| 10 | --- | --- | --- | --- | --- | --- | 7.0 | 15.0 | 22.0 | 26.0 | 23.0 | 22.0 |
| 11 | --- | --- | --- | --- | --- | --- | 9.0 | --- | 23.0 | 25.5 | 23.0 | 23.0 |
| 12 | --- | --- | --- | --- | --- | --- | 15.0 | 14.0 | 22.0 | 24.5 | 23.0 | 23.0 |
| 13 | --- | --- | --- | --- | --- | --- | 13.0 | 14.0 | 21.0 | 22.5 | 22.0 | 22.0 |
| 14 | --- | --- | --- | --- | --- | --- | 13.0 | 15.0 | 20.0 | --- | 22.5 | 21.0 |
| 15 | --- | --- | --- | --- | --- | --- | 13.5 | 15.5 | 20.0 | 22.5 | 25.5 | --- |
| 16 | --- | --- | --- | --- | --- | --- | 11.0 | 18.0 | 20.0 | 24.5 | 25.5 | 20.0 |
| 17 | --- | --- | --- | --- | --- | --- | 10.0 | 19.0 | 20.0 | 24.0 | 23.5 | 20.0 |
| 18 | --- | --- | --- | --- | --- | --- | 10.0 | 19.0 | 20.0 | 26.0 | 22.0 | 21.5 |
| 19 | --- | --- | --- | --- | --- | --- | 11.0 | 19.0 | 20.0 | 24.0 | 23.5 | --- |
| 20 | --- | --- | --- | --- | --- | --- | 13.0 | 18.0 | 22.0 | 24.0 | 22.5 | 22.0 |
| 21 | --- | --- | --- | --- | --- | --- | 14.5 | 16.5 | --- | --- | 23.0 | --- |
| 22 | --- | --- | --- | --- | --- | --- | 16.0 | 20.0 | --- | --- | 23.0 | 20.0 |
| 23 | --- | --- | --- | --- | --- | --- | 15.0 | 19.5 | 21.0 | 22.0 | 22.0 | 20.0 |
| 24 | --- | --- | --- | --- | --- | --- | 13.0 | 19.0 | 18.0 | 20.5 | 22.5 | --- |
| 25 | --- | --- | --- | --- | --- | --- | 10.5 | 18.0 | 18.0 | 22.0 | --- | 18.0 |
| 26 | --- | --- | --- | --- | --- | --- | 11.0 | 18.0 | --- | 21.5 | 22.0 | 20.0 |
| 27 | --- | --- | --- | --- | --- | --- | 14.0 | --- | 18.0 | --- | 24.0 | --- |
| 28 | --- | --- | --- | --- | --- | --- | 17.5 | 15.5 | 19.0 | --- | 25.5 | --- |
| 29 | --- | --- | --- | --- | --- | --- | 17.0 | 16.5 | 18.5 | 24.0 | --- | --- |
| 30 | --- | --- | --- | --- | --- | --- | 18.0 | 17.5 | --- | 21.5 | 25.5 | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | 17.5 | --- | 23.0 | 22.0 | --- |
| MONTH | --- | --- | --- | --- | --- | --- | 12.0 | 16.5 | 19.5 | 23.5 | 23.0 | --- |

SUSQUEHANNA RIVER BASIN

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | ALKA- LINITY AS CACO3 (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) |
|--|------|---|--|-----------------------------------|--|---|--|--|---|---|
| 01551500 - WEST BR. SUSQUEHANNA RIVER AT WILLIAMSPORT, PA. (LAT 41 14 17 LONG 076 59 56) | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | |
| 23... | 0910 | 10700 | -- | .60 | .60 | .05 | .13 | .18 | .78 | .02 |
| MAY | | | | | | | | | | |
| 30... | 0900 | 5170 | -- | .20 | -- | .12 | .19 | .31 | -- | .01 |
| JUNE | | | | | | | | | | |
| 26... | 1000 | 3780 | -- | .36 | -- | .11 | .16 | .27 | -- | .02 |
| 01562010 - SHOUP RUN AT SAXTON PA. (LAT 40 13 31 LONG 078 14 23) | | | | | | | | | | |
| NOV., 1973 | | | | | | | | | | |
| 13... | 1100 | 37 | 0 | .10 | -- | .05 | .09 | .14 | -- | .00 |
| JAN., 1974 | | | | | | | | | | |
| 17... | 1130 | 45 | 0 | .43 | -- | .07 | .19 | .26 | -- | .04 |
| MAR. | | | | | | | | | | |
| 19... | 1200 | 37 | 0 | .20 | -- | .08 | .10 | .18 | -- | .01 |
| 01562200 - SHY BEAVER CREEK NR ENTRIEN, PA. (LAT 40 18 02 LONG 078 12 49) | | | | | | | | | | |
| NOV., 1973 | | | | | | | | | | |
| 13... | 1545 | 6.4 | 115 | .40 | -- | .08 | .19 | .27 | -- | .01 |
| JAN., 1974 | | | | | | | | | | |
| 17... | 1615 | 50 | 31 | .77 | -- | .09 | .36 | .45 | -- | .03 |
| MAR. | | | | | | | | | | |
| 19... | 1630 | 12 | 67 | .40 | -- | .10 | .22 | .32 | -- | .02 |
| 01562250 - TATMAN RUN NR ENTRIEN, PA. (LAT 40 18 03 LONG 078 09 47) | | | | | | | | | | |
| NOV., 1973 | | | | | | | | | | |
| 13... | 1320 | 5.0 | 37 | .40 | -- | .09 | .15 | .24 | -- | .01 |
| JAN., 1974 | | | | | | | | | | |
| 17... | 1315 | 24 | 13 | .52 | -- | .09 | .21 | .30 | -- | .02 |
| MAR. | | | | | | | | | | |
| 19... | 1315 | 8.0 | 24 | .30 | -- | .09 | .18 | .27 | -- | .02 |
| 01562350 - COFFEE RUN NR ENTRIEN, PA. (LAT 40 19 49 LONG 078 11 29) | | | | | | | | | | |
| NOV., 1973 | | | | | | | | | | |
| 13... | 1630 | 2.5 | 133 | 1.2 | -- | .08 | .31 | .39 | -- | .04 |
| JAN., 1974 | | | | | | | | | | |
| 17... | 1530 | 24 | 52 | .95 | -- | .09 | .36 | .45 | -- | .05 |
| MAR. | | | | | | | | | | |
| 19... | 1530 | 6.0 | 80 | .80 | -- | .12 | .34 | .46 | -- | .06 |
| 01562500 - GREAT TROUGH CREEK NEAR MARKLESBURG, PA. (LAT 40 21 00 LONG 078 07 50) | | | | | | | | | | |
| NOV., 1973 | | | | | | | | | | |
| 13... | 1300 | 90 | 10 | .30 | -- | .09 | .10 | .19 | -- | .03 |
| JAN., 1974 | | | | | | | | | | |
| 17... | 1330 | 225 | 8 | .63 | -- | .10 | .33 | .43 | -- | .06 |
| MAR. | | | | | | | | | | |
| 19... | 1400 | 40 | 10 | .20 | -- | .09 | .17 | .26 | -- | .03 |
| 01563500 - JUNIATA RIVER AT MAPLETON DEPOT, PA. (LAT 40 23 42 LONG 077 56 24) | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | |
| 17... | 1410 | 2090 | -- | 1.1 | 1.1 | .02 | .52 | .54 | 1.6 | .06 |
| MAY | | | | | | | | | | |
| 23... | 1115 | 1260 | -- | .86 | -- | .19 | .38 | .57 | -- | .13 |
| JUNE | | | | | | | | | | |
| 11... | 1200 | 780 | -- | 1.3 | -- | .10 | .38 | .48 | -- | .90 |
| 01569700 - CONODOGUINET CR AT GREIDER BRG NR W HILL, PA. (LAT 40 12 52 LONG 077 18 48) | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | |
| 17... | 1145 | 1020 | -- | 1.7 | 1.7 | .03 | .59 | .62 | 2.3 | .07 |
| MAY | | | | | | | | | | |
| 17... | 1030 | 583 | -- | 1.4 | -- | .15 | .30 | .45 | -- | .05 |
| JUNE | | | | | | | | | | |
| 20... | 1200 | 243 | -- | 2.1 | -- | .06 | .33 | .39 | -- | .09 |

SUSQUEHANNA RIVER BASIN

329

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | BIO- CHEM- ICAL OXYGEN DEMAND 5 DAY (MG/L) | FECAL COLI- FORM (COL. PER 100 ML) | STREP- TOCOCCI (COL- ONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) |
|--|--|--|---------------|-----------------------------|------------------------------------|--|---|---|---|
| 01551500 - WEST BR. SUSQUEHANNA RIVER AT WILLIAMSPORT, PA. (LAT 41 14 17 LONG 076 59 56) | | | | | | | | | |
| APR., 1974 | | | | | | | | | |
| 23... | -- | 155 | 6.5 | 12.0 | 10.2 | 1.0 | -- | -- | -- |
| MAY | | | | | | | | | |
| 30... | .00 | 190 | 6.6 | 17.0 | 9.8 | .6 | -- | -- | -- |
| JUNE | | | | | | | | | |
| 26... | .00 | 220 | 6.8 | 20.0 | 8.6 | .6 | -- | -- | -- |
| 01562010 - SHOUP RUN AT SAXTON PA. (LAT 40 13 31 LONG 078 14 23) | | | | | | | | | |
| NOV., 1973 | | | | | | | | | |
| 13... | .00 | 450 | 3.4 | 9.0 | 11.2 | -- | E2 | 36 | 3.5 |
| JAN., 1974 | | | | | | | | | |
| 17... | .00 | 190 | 4.1 | 6.0 | 12.5 | -- | 34 | 150 | .5 |
| MAR. | | | | | | | | | |
| 19... | .01 | 270 | 3.9 | 8.5 | 11.6 | -- | <1 | E10 | -- |
| 01562200 - SHY BEAVER CREEK NR ENTRIEN, PA. (LAT 40 18 02 LONG 078 12 49) | | | | | | | | | |
| NOV., 1973 | | | | | | | | | |
| 13... | .00 | 310 | 7.4 | 9.0 | 12.0 | -- | 29 | 44 | 1.5 |
| JAN., 1974 | | | | | | | | | |
| 17... | .01 | 155 | 5.0 | 5.0 | 11.8 | -- | 220 | 240 | 2.0 |
| MAR. | | | | | | | | | |
| 19... | .01 | 185 | 6.4 | 9.5 | 11.4 | -- | E10 | 18 | -- |
| 01562250 - TATMAN RUN NR ENTRIEN, PA. (LAT 40 18 03 LONG 078 09 47) | | | | | | | | | |
| NOV., 1973 | | | | | | | | | |
| 13... | .01 | 120 | 6.5 | 6.5 | 10.3 | -- | 260 | 69 | 4.0 |
| JAN., 1974 | | | | | | | | | |
| 17... | .02 | 85 | 6.1 | 5.5 | 12.4 | -- | 120 | 100 | 1.0 |
| MAR. | | | | | | | | | |
| 19... | .01 | 85 | 7.1 | 6.0 | 11.0 | -- | 95 | 47 | -- |
| 01562350 - COFFEE RUN NR ENTRIEN, PA. (LAT 40 19 49 LONG 078 11 29) | | | | | | | | | |
| NOV., 1973 | | | | | | | | | |
| 13... | .02 | 320 | 8.3 | 10.0 | 11.8 | -- | 87 | 140 | 1.5 |
| JAN., 1974 | | | | | | | | | |
| 17... | .02 | 170 | 6.1 | 5.0 | 12.1 | -- | E1500 | 820 | 2.0 |
| MAR. | | | | | | | | | |
| 19... | .02 | 200 | 6.5 | 10.5 | 10.6 | -- | 140 | 200 | -- |
| 01562500 - GREAT TROUGH CREEK NEAR MARKLESBURG, PA. (LAT 40 21 00 LONG 078 07 50) | | | | | | | | | |
| NOV., 1973 | | | | | | | | | |
| 13... | .01 | 88 | 6.4 | 6.5 | 12.2 | -- | E10 | E16 | 3.0 |
| JAN., 1974 | | | | | | | | | |
| 17... | .02 | 78 | 5.4 | 4.0 | 12.8 | -- | 450 | 1000 | 2.0 |
| MAR. | | | | | | | | | |
| 19... | .01 | 70 | 7.3 | 5.0 | 12.1 | -- | 13 | 16 | -- |
| 01563500 - JUNIATA RIVER AT MAPLETON DEPOT, PA. (LAT 40 23 42 LONG 077 56 24) | | | | | | | | | |
| APR., 1974 | | | | | | | | | |
| 17... | -- | 220 | 8.5 | 12.0 | 14.2 | 1.6 | -- | -- | -- |
| MAY | | | | | | | | | |
| 23... | .09 | 240 | 6.9 | 20.0 | 8.4 | 1.2 | -- | -- | -- |
| JUNE | | | | | | | | | |
| 11... | .11 | 270 | 7.6 | 22.0 | 8.8 | 1.4 | -- | -- | -- |
| 01569700 - CONODOGUINET CR AT GREIDER BRG NR W HILL, PA. (LAT 40 12 52 LONG 077 18 48) | | | | | | | | | |
| APR., 1974 | | | | | | | | | |
| 17... | -- | 215 | 7.5 | 11.5 | 11.3 | -- | -- | -- | -- |
| MAY | | | | | | | | | |
| 17... | .03 | 185 | 7.1 | 21.5 | 9.0 | -- | -- | -- | -- |
| JUNE | | | | | | | | | |
| 20... | .05 | 250 | 7.6 | 21.0 | 9.4 | -- | -- | -- | -- |

SUSQUEHANNA RIVER BASIN

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | ALKA- LITY AS CACO3 (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) |
|---|------|---|--|-----------------------------------|--|---|--|--|---|---|
| 01570000 - CONODOGUINET CREEK NR HOGESTOWN, PA. (LAT 40 15 08 LONG 077 01 17) | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | |
| 15... | 1415 | 2210 | -- | 1.8 | 1.8 | .06 | .66 | .72 | 2.5 | .19 |
| MAY | | | | | | | | | | |
| 17... | 1410 | 632 | -- | 1.9 | -- | .16 | .38 | .54 | -- | .14 |
| JUNE | | | | | | | | | | |
| 20... | 1430 | 347 | -- | 2.5 | -- | .07 | .48 | .55 | -- | .21 |

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | BICAR- BONATE (HCO3) (MG/L) | CAR- BONATE (CO3) (MG/L) | ALKA- LITY AS CACO3 (MG/L) | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) |
|---|------|---|--------------------------------------|-----------------------------------|--|--|---|-----------------------------------|--|---|--|
| 01571110 - YELLOW BREECHES CR. NR. WALNUT BOTTOM, PA. (LAT 40 05 47 LONG 077 23 34) | | | | | | | | | | | |
| SEP., 1974 | | | | | | | | | | | |
| 26... | 1530 | .4 | 92 | 1 | 77 | 13 | 3.0 | 2.2 | -- | .00 | .30 |
| 01571185 - MOUNTAIN CREEK AT PINE GROVE FURNACE, PA. (LAT 40 01 51 LONG 077 18 18) | | | | | | | | | | | |
| SEP., 1974 | | | | | | | | | | | |
| 26... | 1130 | 4.6 | 12 | 0 | 10 | .6 | 1.5 | .00 | -- | .02 | .11 |
| 01571190 - MOUNTAIN CREEK NEAR MOUNT HOLLY SPRINGS, PA. (LAT 40 05 36 LONG 077 11 14) | | | | | | | | | | | |
| SEP., 1974 | | | | | | | | | | | |
| 26... | 0920 | 9.5 | 20 | 0 | 16 | 2.2 | 1.5 | .05 | -- | .05 | .17 |
| 01573940 - BEAVER CR. AT ROSSVILLE, PA. (LAT 40 04 39 LONG 076 54 56) | | | | | | | | | | | |
| SEP., 1974 | | | | | | | | | | | |
| 28... | 1200 | .9 | 74 | 2 | 64 | 18 | 5.5 | .14 | -- | .03 | .24 |
| 01576000 - SUSQUEHANNA RIVER AT MARIETTA, PA. (LAT 40 03 16 LONG 076 31 52) | | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | | |
| 15... | 1200 | 106 | -- | -- | -- | -- | -- | .70 | .70 | .07 | .32 |
| MAY | | | | | | | | | | | |
| 22... | 1315 | 41500 | -- | -- | -- | -- | -- | .48 | -- | .10 | .50 |
| JUNE | | | | | | | | | | | |
| 12... | 0900 | 13400 | -- | -- | -- | -- | -- | .34 | -- | .12 | .71 |

SUSQUEHANNA RIVER BASIN

331

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | BIO- CHEM- ICAL OXYGEN DEMAND 5 DAY (MG/L) | FECAL COLI- FORM (COL. PER 100 ML) | STREP- TOCOCCI (COL- ONIES PER 100 ML) | TOTAL ORGANIC CARBON (C) (MG/L) | | |
|---|--|--|---|--|--|--|--|---|---|------------------------------------|--|
| 01570000 - CONODOGUINET CREEK NR HOGESTOWN, PA. (LAT 40 15 08 LONG 077 01 17) | | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | | |
| 15... | -- | 240 | 7.4 | 13.0 | 9.2 | -- | -- | -- | -- | | |
| MAY | | | | | | | | | | | |
| 17... | .11 | 260 | 7.7 | 23.0 | 10.0 | -- | -- | -- | -- | | |
| JUNE | | | | | | | | | | | |
| 20... | .16 | 300 | 8.0 | 22.5 | 9.8 | -- | -- | -- | -- | | |
| DATE | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | BIO- CHEM- ICAL OXYGEN DEMAND 5 DAY (MG/L) |
| 01571110 - YELLOW BREECHES CR. NR. WALNUT BOTTOM, PA. (LAT 40 05 47 LONG 077 23 34) | | | | | | | | | | | |
| SEP., 1974 | | | | | | | | | | | |
| 26... | .30 | -- | .01 | .01 | .0 | .0 | 179 | -- | 15.0 | -- | -- |
| 01571185 - MOUNTAIN CREEK AT PINE GROVE FURNACE, PA. (LAT 40 01 51 LONG 077 18 18) | | | | | | | | | | | |
| SEP., 1974 | | | | | | | | | | | |
| 26... | .13 | -- | .02 | .02 | .0 | 1.0 | 26 | -- | 15.0 | -- | -- |
| 01571190 - MOUNTAIN CREEK NEAR MOUNT HOLLY SPRINGS, PA. (LAT 40 05 36 LONG 077 11 14) | | | | | | | | | | | |
| SEP., 1974 | | | | | | | | | | | |
| 26... | .22 | -- | .02 | .02 | .0 | 1.0 | 46 | -- | 16.0 | -- | -- |
| 01573940 - BEAVER CR. AT ROSSVILLE, PA. (LAT 40 04 39 LONG 076 54 56) | | | | | | | | | | | |
| SEP., 1974 | | | | | | | | | | | |
| 28... | .27 | -- | .03 | .02 | .0 | .0 | 179 | -- | 17.0 | -- | -- |
| 01576000 - SUSQUEHANNA RIVER AT MARIETTA, PA. (LAT 40 03 16 LONG 076 31 52) | | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | | |
| 15... | .39 | 1.1 | .09 | -- | -- | -- | 170 | 7.1 | 11.0 | 10.6 | 1.6 |
| MAY | | | | | | | | | | | |
| 22... | .60 | -- | .09 | .02 | -- | -- | 195 | 7.3 | 21.0 | 10.0 | 2.4 |
| JUNE | | | | | | | | | | | |
| 12... | .83 | -- | .10 | .02 | -- | -- | 280 | 7.6 | 25.0 | 8.0 | 4.2 |

SUSQUEHANNA RIVER BASIN

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS-SOLVED SILICA (SI02) (MG/L) | TOTAL IRON (FE) (UG/L) | DIS-SOLVED IRON (FE) (UG/L) | TOTAL MAN-GANESE (MN) (UG/L) | DIS-SOLVED MAN-GANESE (MN) (UG/L) | DIS-SOLVED CAL-CIUM (CA) (MG/L) | DIS-SOLVED MAG-NE-SIUM (MG) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED PO-TAS-SIUM (K) (MG/L) | BICAR-BONATE (HCO3) (MG/L) | |
|--|--------------------------------------|---------------------------------|---------------------------------|----------------------------------|---------------------------------|-----------------------------------|---------------------------------|---------------------------------------|---|-----------------------------------|---------------------------------|----|
| 01578340 - OCTORARO CR NR ATGLEN, PA. (LAT 39 56 52 LONG 075 59 29) | | | | | | | | | | | | |
| OCT., 1973 | 09... | 1040 | 15 | 270 | -- | 20 | -- | 17 | 8.3 | 8.0 | 3.1 | 41 |
| 01578343 - VALLEY CREEK NR ATGLEN, PA. (LAT 39 56 17 LONG 075 59 06) | | | | | | | | | | | | |
| OCT., 1973 | 09... | 1125 | 10 | -- | 90 | -- | 10 | 20 | 7.4 | 8.2 | 2.8 | 56 |
| 01578345 - OCTORARO CR NR ATGLEN, PA. (LAT 39 54 44 LONG 075 59 44) | | | | | | | | | | | | |
| OCT., 1973 | 09... | 1200 | 10 | 120 | -- | 10 | -- | 19 | 7.2 | 10 | 3.0 | 52 |
| DATE | CAR-BONATE (CO3) (MG/L) | ALKA-LINITY AS CAC03 (MG/L) | DIS-SOLVED SULFATE (SO4) (MG/L) | DIS-SOLVED CHLO-RIDE (CL) (MG/L) | DIS-SOLVED FLUO-RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRATE PLUS NITRITE (N) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTI-TUENTS) (MG/L) | HARD-NESS (CA,MG) (MG/L) | NON-CAR-BONATE HARD-NESS (MG/L) | |
| 01578340 - OCTORARO CR NR ATGLEN, PA. (LAT 39 56 52 LONG 075 59 29) | | | | | | | | | | | | |
| OCT., 1973 | 09... | 0 | 34 | 24 | 14 | .3 | 6.5 | .00 | 6.5 | 110 | 77 | 43 |
| 01578343 - VALLEY CREEK NR ATGLEN, PA. (LAT 39 56 17 LONG 075 59 06) | | | | | | | | | | | | |
| OCT., 1973 | 09... | 0 | 46 | 18 | 14 | .3 | 5.2 | .07 | 5.3 | 108 | 80 | 34 |
| 01578345 - OCTORARO CR NR ATGLEN, PA. (LAT 39 54 44 LONG 075 59 44) | | | | | | | | | | | | |
| OCT., 1973 | 09... | 0 | 43 | 21 | 14 | .3 | 4.7 | .00 | 4.7 | 110 | 77 | 34 |
| DATE | SPE-CIFIC CON-DUCT-ANCE (MICRO-MHOS) | PH | CARBON DIOXIDE (CO2) (MG/L) | DIS-SOLVED ARSENIC (AS) (UG/L) | DIS-SOLVED CAD-MIUM (CD) (UG/L) | DIS-SOLVED CHRO-MIUM (CR) (UG/L) | DIS-SOLVED COBALT (CO) (UG/L) | DIS-SOLVED COPPER (CU) (UG/L) | DIS-SOLVED LEAD (PB) (UG/L) | DIS-SOLVED NICKEL (NI) (UG/L) | DIS-SOLVED ZINC (ZN) (UG/L) | |
| 01578340 - OCTORARO CR NR ATGLEN, PA. (LAT 39 56 52 LONG 075 59 29) | | | | | | | | | | | | |
| OCT., 1973 | 09... | 221 | 7.2 | 4.1 | <1 | 0 | 0 | 0 | 0 | 0 | 0 | 10 |
| 01578343 - VALLEY CREEK NR ATGLEN, PA. (LAT 39 56 17 LONG 075 59 06) | | | | | | | | | | | | |
| OCT., 1973 | 09... | 222 | 7.1 | 7.1 | 1 | 0 | 0 | 3 | 0 | 0 | 0 | 20 |
| 01578345 - OCTORARO CR NR ATGLEN, PA. (LAT 39 54 44 LONG 075 59 44) | | | | | | | | | | | | |
| OCT., 1973 | 09... | 219 | 7.3 | 4.2 | 0 | 0 | 0 | 0 | 10 | 1 | 0 | 20 |

SUSQUEHANNA RIVER BASIN

333

LAKES IN SUSQUEHANNA RIVER BASIN

- 412008076175700 LAKE JEAN.--Lat 41°20'08", long 76°17'57", Luzerne and Sullivan Counties, 25 mi (40.0 km) north of Berwick at point 300 ft (91.4 m) upstream from dam on Branch Kitchen Creek. Drainage area, 3 mi² (7.8 km²). Surface area, 245 acres (992,000 m²). Capacity at normal pool elevation of 2,222 ft (677.3 m), 1,399 acre-feet (1.72 hm³). Mean flow-through-time, 123 days at 5.7 ft³/s (0.16 m³/s). Period of record, chemical analyses, water year 1974 (partial-record station). Lake is used for recreation.
- 405713078314000 CURWENSVILLE LAKE.--Lat 40°57'13", long 78°31'40", Clearfield County, 8 mi (12.9 km) southwest of Clearfield at point 500 ft (152 m) upstream from dam on West Branch Susquehanna River. Drainage area, 365 mi² (945.4 km²). Surface area, 540 acres (2.19 km²). Capacity at normal pool elevation of 1,155 ft (352 m), 5,000 acre-feet (6.17 hm³). Mean flow-through-time, 4.1 days at 602 ft³/s (17.1 m³/s). Period of record, chemical analyses, water year 1974 (partial-record station). Lake is used for recreation and flood control.
- 402937078165300 CANOE LAKE.--Lat 40°29'37", long 78°16'53", Blair County, 6 mi (9.7 km) northeast of Hollidaysburg at point 500 ft (152 m) upstream from dam on Canoe Creek. Drainage area, 16.4 mi² (42.5 km²). Surface area, 155 acres (627,000 m²). Capacity at normal pool elevation of 905 ft (276 m), 1,490 acre-feet (1.8 hm³). Mean flow-through-time, 35 days at 21.7 ft³/s (0.61 m³/s). Period of record, chemical analyses, water year 1974 (partial-record station). Lake is used for recreation.
- 400528076522000 CONEWAGO LAKE.--Lat 40°05'28", long 76°52'20", York County, 17 mi (27.4 km) south of Harrisburg at point 200 ft (61 m) upstream from dam on Beaver Creek. Drainage area, 17.5 mi² (45.3 km²). Surface area, 342 acres (1.38 km²). Capacity at normal pool elevation of 470 ft (143 m), 2,800 acre-feet (3.45 hm³). Mean flow-through-time, 71 days at 19.9 ft³/s (0.56 m³/s). Period of record, chemical analyses, water year 1974 (partial-record station). Lake is used for recreation and water supply.

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD LAKES

SUSQUEHANNA RIVER BASIN

412008076175700 LAKE JEAN (LAT 41 20 08 LONG 076 17 57)

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS-SOLVED SILICA (SI02) (MG/L) | DIS-SOLVED IRON (FE) (UG/L) | DIS-SOLVED MAN-GANESE (MN) (UG/L) | DIS-SOLVED CAL-CIUM (CA) (MG/L) | DIS-SOLVED MAG-NE-SIUM (MG) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED PO-TAS-SIUM (K) (MG/L) | BICAR-BONATE (HCO3) (MG/L) | ALKA-LINITY AS CAC03 (MG/L) | DIS-SOLVED SULFATE (S04) (MG/L) |
|---------------|------|---------------------------------|-----------------------------|-----------------------------------|---------------------------------|------------------------------------|-------------------------------|-----------------------------------|----------------------------|-----------------------------|---------------------------------|
| AUG. 06... | 1300 | .1 | 240 | 70 | 1.0 | .6 | 3.5 | .6 | 2 | 2 | 2.5 |

| DATE | DIS-SOLVED CHLO-RIDE (CL) (MG/L) | DIS-SOLVED FLUO-RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | TOTAL ORGANIC NITRO-GEN (N) (MG/L) | TOTAL KJEL-DAHL NITRO-GEN (N) (MG/L) | TOTAL NITRO-GEN (N) (MG/L) | TOTAL PHOS-PHORUS (P) (MG/L) | TOTAL ORTHO PHOS-PHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESI-DUE AT 180 C) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTI-TUENTS) (MG/L) |
|---------------|----------------------------------|---------------------------------|--------------------------|---------------------------------------|------------------------------------|--------------------------------------|----------------------------|------------------------------|------------------------------------|--|---|
| AUG. 06... | 6.4 | .1 | .33 | .01 | .13 | .32 | .33 | .02 | .01 | 22 | 16 |

| DATE | HARD-NESS (CA, MG) (MG/L) | NON-CAR-BONATE HARD-NESS (MG/L) | SPE-CIFIC CON-DUCT-ANCE (MICRO-MHOS) | PH (UNITS) | TEMPER-A-TURE (DEG C) | COLOR (PLAT-INUM-COBALT UNITS) | TRANS-PAR-ENCY (SECCHI DISK) (IN) | DIS-SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | TOTAL ORGANIC CARBON (C) (MG/L) | ALDRIN IN BOTTOM DE-POSITS (UG/KG) |
|---------------|---------------------------|---------------------------------|--------------------------------------|------------|-----------------------|--------------------------------|-----------------------------------|--------------------------|-----------------------------|---------------------------------|------------------------------------|
| AUG. 06... | 5 | 3 | 32 | 6.7 | 20.5 | 2 | 69 | 9.5 | .6 | 2.3 | .0 |

| DATE | CHLOR-DANE IN BOTTOM DE-POSITS (UG/KG) | DDD IN BOTTOM DE-POSITS (UG/KG) | DDE IN BOTTOM DE-POSITS (UG/KG) | DDT IN BOTTOM DE-POSITS (UG/KG) | DI-ELDRIN IN BOTTOM DE-POSITS (UG/KG) | ENDRIN IN BOTTOM DE-POSITS (UG/KG) | HEPTA-CHLOR IN BOTTOM DE-POSITS (UG/KG) | HEPTA-CHLOR EPOXIDE IN BOT-TOM DE-POSITS (UG/KG) | LINDANE IN BOTTOM DE-POSITS (UG/KG) | PCB IN BOTTOM DE-POSITS (UG/KG) | TOX-APHENE IN BOTTOM DE-POSITS (UG/KG) |
|---------------|--|---------------------------------|---------------------------------|---------------------------------|---------------------------------------|------------------------------------|---|--|-------------------------------------|---------------------------------|--|
| AUG. 06... | 0 | 20 | 4.0 | .0 | .0 | .0 | .0 | .0 | .0 | 28 | 0 |

| DATE | 2,4-D IN BOTTOM DE-POSITS (UG/KG) | 2,4,5-T IN BOTTOM DE-POSITS (UG/KG) | SILVEX IN BOTTOM DE-POSITS (UG/KG) | DIS-SOLVED CAD-MIUM (CD) (UG/L) | DIS-SOLVED CHRO-MIUM (CR) (UG/L) | DIS-SOLVED COBALT (CO) (UG/L) | DIS-SOLVED COPPER (CU) (UG/L) | DIS-SOLVED LEAD (PB) (UG/L) | DIS-SOLVED NICKEL (NI) (UG/L) | DIS-SOLVED ZINC (ZN) (UG/L) |
|---------------|-----------------------------------|-------------------------------------|------------------------------------|---------------------------------|----------------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-----------------------------|
| AUG. 06... | 0 | 0 | 0 | 6 | 0 | 1 | 0 | 1 | 5 | 20 |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD LAKES

SUSQUEHANNA RIVER BASIN

405713078314000 CURWENSVILLE LAKE (LAT 40 57 13 LONG 078 31 40)

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS-SOLVED SILICA (SI02) (MG/L) | DIS-SOLVED IRON (FE) (UG/L) | DIS-SOLVED MANGANESE (MN) (UG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNESIUM (MG) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED POTASSIUM (K) (MG/L) | BICARBONATE (HCO3) (MG/L) | ALKALINITY AS CAC03 (MG/L) | DIS-SOLVED SULFATE (SO4) (MG/L) |
|------------|---|--|------------------------------------|-----------------------------------|---------------------------------------|--------------------------------------|-----------------------------------|---------------------------------------|---|------------------------------------|----------------------------------|
| JULY 17... | 1130 | 4.7 | 90 | 190 | 28 | 8.2 | 7.5 | 1.7 | 16 | 13 | 100 |
| DATE | DIS-SOLVED CHLORIDE (CL) (MG/L) | DIS-SOLVED FLUORIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) | TOTAL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHOPHOSPHORUS (P) (MG/L) |
| JULY 17... | 6.7 | .2 | .59 | .01 | .60 | .12 | .08 | .20 | .80 | .01 | .01 |
| DATE | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) | DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | HARDNESS (CA+MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICRO-MHOS) | PH (UNITS) | TEMPERATURE (DEG C) | COLOR (PLATINUM-COBALT UNITS) | TRANSPARENCY (SECCHI DISK) (IN) | CARBON DIOXIDE (CO2) (MG/L) | TOTAL ORGANIC CARBON (C) (MG/L) |
| JULY 17... | 213 | 165 | 100 | 91 | 310 | 6.7 | 25.0 | 0 | 144 | 5.1 | 6.3 |
| DATE | ALDRIN IN BOTTOM DEPOSITS (UG/KG) | CHLORDANE IN BOTTOM DEPOSITS (UG/KG) | DDD IN BOTTOM DEPOSITS (UG/KG) | DDE IN BOTTOM DEPOSITS (UG/KG) | DDT IN BOTTOM DEPOSITS (UG/KG) | DI-ELDRIN IN BOTTOM DEPOSITS (UG/KG) | ENDRIN IN BOTTOM DEPOSITS (UG/KG) | HEPTACHLOR IN BOTTOM DEPOSITS (UG/KG) | HEPTACHLOR EPOXIDE IN BOTTOM DEPOSITS (UG/KG) | LINDANE IN BOTTOM DEPOSITS (UG/KG) | PCB IN BOTTOM DEPOSITS (UG/KG) |
| JULY 17... | .0 | 12 | 3.1 | 1.9 | 2.3 | .6 | .0 | .0 | .0 | .0 | 45 |
| DATE | TOXAPHENE IN BOTTOM DEPOSITS (UG/KG) | 2,4-D IN BOTTOM DEPOSITS (UG/KG) | 2,4,5-T IN BOTTOM DEPOSITS (UG/KG) | SILVEX IN BOTTOM DEPOSITS (UG/KG) | DIS-SOLVED CADMIUM (CD) (UG/L) | DIS-SOLVED CHROMIUM (CR) (UG/L) | DIS-SOLVED COBALT (CO) (UG/L) | DIS-SOLVED COPPER (CU) (UG/L) | DIS-SOLVED LEAD (PB) (UG/L) | DIS-SOLVED NICKEL (NI) (UG/L) | DIS-SOLVED ZINC (ZN) (UG/L) |
| JULY 17... | 0 | 0 | 0 | 0 | 19 | <10 | 0 | 10 | 6 | 7 | 30 |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD LAKES

SUSQUEHANNA RIVER BASIN

402937078165300 CANOE LAKE (LAT 40 29 37 LONG 078 16 53)

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS-SOLVED SILICA (SiO2) (MG/L) | DIS-SOLVED IRON (FE) (UG/L) | DIS-SOLVED MANGANESE (MN) (UG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNESIUM (MG) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED POTASSIUM (K) (MG/L) | BICARBONATE (HCO3) (MG/L) | ALKALINITY AS CaCO3 (MG/L) |
|------------|------|---------------------------------|-----------------------------|----------------------------------|--------------------------------|----------------------------------|-------------------------------|---------------------------------|---------------------------|----------------------------|
| JULY 18... | 1030 | 4.3 | 60 | 0 | 25 | 5.2 | 1.1 | 1.3 | 70 | 57 |

| DATE | DIS-SOLVED SULFATE (SO4) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | DIS-SOLVED FLUORIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) | TOTAL NITROGEN (N) (MG/L) |
|------------|---------------------------------|---------------------------------|--------------------------------|--------------------------|--------------------------|---------------------------------------|-----------------------------|-----------------------------------|------------------------------------|---------------------------|
| JULY 18... | 40 | 6.2 | .4 | .00 | .01 | .01 | .11 | .20 | .31 | .32 |

| DATE | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) | DIS-SOLVED SOLIDS (SUM OF TUEENTS) (MG/L) | HARDNESS (CA+MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | COLOR (PLATINUM-COBALT UNITS) | ALDRIN IN BOTTOM DEPOSIT (UG/KG) | CHLORDANE IN BOTTOM DEPOSIT (UG/KG) | DDD IN BOTTOM DEPOSIT (UG/KG) |
|------------|-----------------------------|-----------------------------------|---|---|-------------------------|-------------------------------|-------------------------------|----------------------------------|-------------------------------------|-------------------------------|
| JULY 18... | .02 | .01 | 200 | 164 | 84 | 26 | 2 | .0 | 8 | 1.2 |

| DATE | DDE IN BOTTOM DEPOSIT (UG/KG) | DDT IN BOTTOM DEPOSIT (UG/KG) | DI-ELDRIN IN BOTTOM DEPOSIT (UG/KG) | ENDRIN IN BOTTOM DEPOSIT (UG/KG) | HEPTACHLOR IN BOTTOM DEPOSIT (UG/KG) | HEPTACHLOR EPOXIDE IN BOTTOM DEPOSIT (UG/KG) | LINDANE IN BOTTOM DEPOSIT (UG/KG) | PCB IN BOTTOM DEPOSIT (UG/KG) | TOXAPHENE IN BOTTOM DEPOSIT (UG/KG) | 2,4-D IN BOTTOM DEPOSIT (UG/KG) |
|------------|-------------------------------|-------------------------------|-------------------------------------|----------------------------------|--------------------------------------|--|-----------------------------------|-------------------------------|-------------------------------------|---------------------------------|
| JULY 18... | .9 | .0 | .4 | .0 | .0 | .0 | .0 | .3 | 0 | 0 |

| DATE | 2,4,5-T IN BOTTOM DEPOSIT (UG/KG) | SILVEX IN BOTTOM DEPOSIT (UG/KG) | DIS-SOLVED CADMIUM (CD) (UG/L) | DIS-SOLVED CHROMIUM (CR) (UG/L) | DIS-SOLVED COBALT (CO) (UG/L) | DIS-SOLVED COPPER (CU) (UG/L) | DIS-SOLVED LEAD (PB) (UG/L) | DIS-SOLVED NICKEL (NI) (UG/L) | DIS-SOLVED ZINC (ZN) (UG/L) |
|------------|-----------------------------------|----------------------------------|--------------------------------|---------------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-----------------------------|
| JULY 18... | 0 | 0 | 0 | <10 | 0 | 0 | 0 | 0 | 0 |

400528076522000 CONEWAGO LAKE (LAT 40 05 28 LONG 076 52 20)

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOX- APHENE IN BOTTOM DE- POSIT (UG/KG) | 2,4-D IN BOTTOM DE- POSIT (UG/KG) | 2,4,5-T IN BOTTOM DE- POSIT (UG/KG) | SILVEX IN BOTTOM DE- POSIT (UG/KG) | DIS- SOLVED CAD- MIUM (CD) (UG/L) | DIS- SOLVED CHRO- MIUM (CR) (UG/L) | DIS- SOLVED COBALT (CO) (UG/L) | DIS- SOLVED COPPER (CU) (UG/L) | DIS- SOLVED LEAD (PB) (UG/L) | DIS- SOLVED NICKEL (NI) (UG/L) | DIS- SOLVED ZINC (ZN) (UG/L) |
|---------------|---|--|--|---|--|---|--|--|--|--|--|
| JULY 09... | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 7 | 10 |

POTOMAC RIVER BASIN

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | BICAR- BONATE (HCO3) (MG/L) | CAR- BONATE (CO3) (MG/L) | ALKA- LINITY AS CAC03 (MG/L) | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) |
|---|------|---|--------------------------------------|-----------------------------------|--|--|---|-----------------------------------|---|
| 01613450 - LICKING CREEK NEAR HUSTONTOWN, PA. (LAT 40 00 54 LONG 078 02 32) | | | | | | | | | |
| SEP., 1974 | | | | | | | | | |
| 27... | 1230 | 1.2 | 142 | 5 | 125 | 11 | 3.5 | .34 | .04 |
| 01614140 - BACK CREEK NEAR CHAMBERSBURG, PA. (LAT 39 53 36 LONG 077 44 30) | | | | | | | | | |
| SEP., 1974 | | | | | | | | | |
| 27... | 0930 | 7.5 | 146 | 4 | 126 | 18 | 7.0 | .81 | .09 |
| 01638900 - WHITE RUN NEAR GETTYSBURG, PA. (LAT 39 47 45 LONG 077 11 50) | | | | | | | | | |
| SEP., 1974 | | | | | | | | | |
| 28... | 0950 | .10 | 135 | 4 | 117 | 16 | 7.0 | .00 | .03 |

| DATE | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | TOTAL ACIDITY AS CAC03 (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | TEMPER- ATURE (DEG C) |
|---|--|--|---|--|--|---|--|-----------------------------|
| 01613450 - LICKING CREEK NEAR HUSTONTOWN, PA. (LAT 40 00 54 LONG 078 02 32) | | | | | | | | |
| SEP., 1974 | | | | | | | | |
| 27... | .23 | .27 | .01 | .00 | .0 | .0 | 226 | 17.0 |
| 01614140 - BACK CREEK NEAR CHAMBERSBURG, PA. (LAT 39 53 36 LONG 077 44 30) | | | | | | | | |
| SEP., 1974 | | | | | | | | |
| 27... | .44 | .53 | .07 | .05 | .0 | .0 | 283 | 17.0 |
| 01638900 - WHITE RUN NEAR GETTYSBURG, PA. (LAT 39 47 45 LONG 077 11 50) | | | | | | | | |
| SEP., 1974 | | | | | | | | |
| 28... | .29 | .32 | .03 | .03 | .0 | .0 | 263 | 18.0 |

OHIO RIVER BASIN

339

03030106 TOBY CREEK NEAR CLARION, PA.

LOCATION.--Lat 41°14'05", long 79°23'00", Clarion County, at bridge 0.1 mi (0.2 km) south of Rapp Run and 1.4 mi (2.2 km) north of Clarion.

DRAINAGE AREA.--35.0 mi² (90.6 km²).

PERIOD OF RECORD.--Chemical analyses: October 1972 to June 1974.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS- SOLVED SILICA (SiO ₂) (MG/L) | DIS- SOLVED ALUM- INUM (AL) (UG/L) | DIS- SOLVED IRON (FE) (UG/L) | FERROUS IRON (FE) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HCO ₃) (MG/L) |
|---------------|------|---|---|--|-----------------------------------|--|--|---|--|--|---|
| MAY 28... | 1030 | 11 | -- | 36000 | 15000 | 14000 | 47 | 47 | 6.5 | 1.6 | 0 |
| JUNE 25... | 0930 | -- | 20000 | 60000 | 18000 | 18000 | -- | -- | -- | -- | -- |
| 27... | 1045 | -- | 16000 | 40000 | 20000 | 19000 | -- | -- | -- | -- | -- |

| DATE | ALKA- LITY AS CACU3 (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L) | HARD- NESS (CA,MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) |
|---------------|--|---|---|--|--|---|------------------------------------|---|--|---|
| MAY 28... | 0 | 500 | 3.5 | .6 | 716 | 671 | 310 | 310 | 3.8 | 189 |
| JUNE 25... | -- | 850 | -- | -- | -- | -- | -- | -- | -- | -- |
| 27... | -- | 660 | -- | -- | -- | -- | -- | -- | -- | -- |

| DATE | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED BORON (B) (UG/L) | DIS- SOLVED CAD- MIUM (CD) (UG/L) | DIS- SOLVED COBALT (CO) (UG/L) | DIS- SOLVED COPPER (CU) (UG/L) | DIS- SOLVED NICKEL (NI) (UG/L) | DIS- SOLVED STRON- TIUM (SR) (UG/L) | DIS- SOLVED ZINC (ZN) (UG/L) |
|---------------|--|---------------|-----------------------------|--|--|--|--|--|--|--|
| MAY 28... | 1000 | -- | 11.9 | -- | -- | -- | -- | -- | -- | -- |
| JUNE 25... | 1500 | 3.6 | 10.4 | 130 | 10 | 410 | 100 | 600 | 490 | 980 |
| 27... | 1350 | 3.1 | 10.3 | 110 | 0 | 300 | 70 | 440 | -- | 710 |

OHIO RIVER BASIN

03032500 REDBANK CREEK AT ST. CHARLES, PA.

LOCATION.--Lat 40°59'40", long 79°23'40", Armstrong County, at highway bridge on Legislative Route 03117 at St. Charles, 400 ft (122 m) upstream from gaging station, 0.3 mi (0.5 km) downstream from Leatherwood Creek, and 3 mi (4.8 km) west of New Bethlehem.

DRAINAGE AREA.--528 mi² (1,370 km²).

PERIOD OF RECORD.--Chemical analyses: October 1969 to September 1970, October 1971 to September 1973 (partial-record station), April to June 1974.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS- CHARGE (CFS) | DIS- SOLVED ALUM- INUM (AL) (UG/L) | DIS- SOLVED IRON (FE) (UG/L) | FERROUS IRON (FE) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | BICAR- BONATE (HCO ₃) (MG/L) |
|-------|------|--|---|--|-----------------------------------|--|--|---|---|
| APR. | | | | | | | | | |
| 02... | 1400 | 4110 | 900 | 2890 | -- | -- | 14 | 5.8 | 8 |
| 11... | 1600 | 1360 | -- | 200 | 130 | 400 | -- | -- | 2 |
| JUNE | | | | | | | | | |
| 24... | 1250 | 330 | 450 | 220 | -- | -- | 27 | 11 | 12 |

| DATE | ALKA- LINITY AS CACO ₃ (MG/L) | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED NITRATE (N) (MG/L) | DIS- SOLVED NITRITE (N) (MG/L) | DIS- SOLVED AMMONIA NITRO- GEN (N) (MG/L) | DIS- SOLVED ORTHO- PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | HARD- NESS (CA, MG) (MG/L) |
|-------|--|---|---|--|--|---|--|--|-------------------------------------|
| APR. | | | | | | | | | |
| 02... | 7 | 57 | 7.0 | .37 | .01 | .15 | .08 | 130 | 60 |
| 11... | 2 | 64 | 17 | -- | -- | -- | -- | -- | 75 |
| JUNE | | | | | | | | | |
| 24... | 10 | 99 | 12 | .20 | .00 | .16 | .03 | 218 | 110 |

| DATE | NON- CAR- BONATE HARD- NESS (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | TOTAL ACIDITY AS CACO ₃ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO ₂) (MG/L) |
|-------|---|--|---|--|---------------|-----------------------------|------------------------------------|---|
| APR. | | | | | | | | |
| 02... | 53 | -- | -- | 180 | 6.2 | 8.0 | 9.0 | 8.1 |
| 11... | 73 | .0 | .0 | 195 | 6.6 | 6.8 | 10.6 | .8 |
| JUNE | | | | | | | | |
| 24... | 100 | -- | -- | 320 | 6.9 | 21.0 | 9.0 | 2.4 |

OHIO RIVER BASIN

341

03049625 ALLEGHENY RIVER AT NEW KENSINGTON, PA.

LOCATION.--Lat 40°33'52", long 79°46'22", Allegheny County, at New Kensington highway bridge, 5.1 mi (8.2 km) downstream from lock and dam 4 at Natrona, 5.3 mi (8.5 km) downstream from gaging station at Natrona, and 19.0 mi (30.6 km) from mouth.

DRAINAGE AREA.--11,500 mi² (29,800 km²).

PERIOD OF RECORD.--Chemical analyses: July 1972 to December 1973 (discontinued).

REMARKS.--Composite samples taken as part of the USGS-EPA surveillance network. Records of discharge are given for 03049500 Allegheny River at Natrona, Pa.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DIS-CHARGE (CFS) | TOTAL IRON (FE) (UG/L) | DIS-SOLVED IRON (FE) (UG/L) | TOTAL MANGANESE (MN) (UG/L) | DIS-SOLVED MANGANESE (MN) (UG/L) | BICARBONATE (HCO3) (MG/L) | ALKALINITY AS CAC03 (MG/L) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) | TOTAL FILTRABLE RESIDUE (MG/L) | TOTAL NON-FILTRABLE RESIDUE (MG/L) |
|------------|------|--------------------------------|------------------------|-----------------------------|-----------------------------|----------------------------------|---------------------------|----------------------------|---|--------------------------------|------------------------------------|
| OCT. 25... | 0915 | 4820 | 410 | -- | 890 | -- | 23 | 19 | 227 | 250 | 2 |
| NOV. 08... | 0845 | 15600 | 2100 | -- | 660 | -- | 19 | 16 | 176 | 170 | 12 |
| DEC. 27... | 1400 | 22000 | -- | 600 | -- | 700 | 18 | 15 | 148 | 160 | 26 |

| DATE | SUSPENDED SOLIDS (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | TOTAL ACIDITY AS CAC03 (MG/L) | SPECIFIC CONDUCTANCE (MICRO-MHOS) | PH (UNITS) | TEMPERATURE (DEG C) | TURBIDITY (JTU) | DIS-SOLVED OXYGEN (MG/L) | BIO-CHEMICAL OXYGEN DEMAND 5 DAY (MG/L) | CARBON DIOXIDE (CO2) (MG/L) |
|------------|-------------------------|----------------------------|-------------------------------|-----------------------------------|------------|---------------------|-----------------|--------------------------|---|-----------------------------|
| OCT. 25... | 3 | .1 | 5.0 | 350 | 6.8 | 13.0 | 2 | 9.8 | .8 | 5.8 |
| NOV. 08... | 10 | .1 | 5.0 | 240 | 6.4 | 8.0 | -- | 11.2 | .6 | 12 |
| DEC. 27... | 12 | .1 | 5.0 | 230 | 6.8 | 1.5 | 4 | 13.0 | .2 | 4.6 |

| DATE | IMMEDIATE COLIFORM (COL. PER 100 ML) | FECAL COLIFORM (COL. PER 100 ML) | DIS-SOLVED GROSS ALPHA AS U-NAT. (UG/L) | SUSPENDED GROSS ALPHA AS U-NAT. (UG/L) | DIS-SOLVED GROSS BETA AS CS-137 (PC/L) | SUSPENDED GROSS BETA AS CS-137 (PC/L) | DIS-SOLVED GROSS BETA AS SR90 /Y90 (PC/L) | SUSPENDED GROSS BETA AS SR90 /Y90 (PC/L) | DIS-SOLVED GROSS RA-226 (RADON METHOD) (PC/L) | DIS-SOLVED URANIUM (U) (UG/L) |
|------------|--------------------------------------|----------------------------------|---|--|--|---------------------------------------|---|--|---|-------------------------------|
| OCT. 25... | 2300 | 120 | 3.5 | <.4 | 6.3 | <.4 | 5.1 | <.4 | .04 | .08 |
| NOV. 08... | 170 | 68 | 3.1 | <.4 | 3.9 | .6 | 3.1 | .5 | .03 | .01 |
| DEC. 27... | 540 | 75 | <1.7 | 1.2 | 2.7 | 1.4 | 2.1 | 1.2 | .08 | .01 |

| DATE | TIME | DIS-SOLVED ALUMINUM (AL) (UG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNESIUM (MG) (MG/L) | DIS-SOLVED SULFATE (SO4) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJEL-DAHL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) |
|------------|------|---------------------------------|--------------------------------|----------------------------------|---------------------------------|---------------------------------|--------------------------|-----------------------------|-----------------------------------|-------------------------------------|-----------------------------|
| DEC. 27... | 1400 | 0 | 22 | 6.9 | 62 | 15 | .90 | .18 | .27 | .45 | .04 |

| DATE | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | HARDNESS (CA+MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | TOTAL ORGANIC CARBON (C) (MG/L) | CYANIDE (CN) (MG/L) | PHENOLS (UG/L) | DIS-SOLVED CADMIUM (CD) (UG/L) | DIS-SOLVED CHROMIUM (CR) (UG/L) | DIS-SOLVED COPPER (CU) (UG/L) | DIS-SOLVED LEAD (PB) (UG/L) | DIS-SOLVED ZINC (ZN) (UG/L) |
|------------|-----------------------------------|-------------------------|-------------------------------|---------------------------------|---------------------|----------------|--------------------------------|---------------------------------|-------------------------------|-----------------------------|-----------------------------|
| DEC. 27... | .02 | 83 | 68 | 3.0 | .03 | 12 | 0 | 0 | 0 | 0 | 50 |

OHIO RIVER BASIN

03063000 MONONGAHELA RIVER AT LOCK AND DAM 8, AT POINT MARION, PA.

LOCATION.--Lat 39°43'57", long 79°54'42", Greene County, at dam, lock and dam 8, at Point Marion, 1.5 mi (2.4 km) upstream from Cheat River, and 90.8 mi (146 km) from mouth.

DRAINAGE AREA.--2,720 mi² (7,045 km²).

PERIOD OF RECORD.--Chemical analyses: October 1955 to June 1963, January 1966 to September 1967, October 1968 to December 1973 (discontinued).

Water temperatures: October 1956 to June 1963, January 1966 to September 1967, October 1968 to September 1970.

REMARKS.--Operated as part of the USGS-EPA surveillance network. No discharge records available.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | TOTAL IRON (FE) (UG/L) | TOTAL MANGANESE (MN) (UG/L) | BICARBONATE (HCO3) (MG/L) | ALKALINITY AS CaCO3 (MG/L) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) | SUSPENDED SOLIDS (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | TOTAL ACIDITY AS CaCO3 (MG/L) |
|------------|------|------------------------|-----------------------------|---------------------------|----------------------------|---|-------------------------|----------------------------|-------------------------------|
| OCT. 24... | 1200 | 650 | 430 | 5 | 4 | 117 | 3 | .0 | 2.0 |
| NOV. 07... | 1130 | 950 | 460 | 18 | 15 | 188 | 4 | .0 | 1.0 |
| DEC. 19... | 1215 | -- | -- | 6 | 5 | 109 | 544 | .1 | 5.0 |

| DATE | TIME | SPECIFIC CONDUCTANCE (MICRO-MHOS) | PH (UNITS) | TEMPERATURE (DEG C) | TURBIDITY (JTU) | DIS-SOLVED OXYGEN (MG/L) | BIO-CHEMICAL OXYGEN DEMAND 5 DAY (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | IMMEDIATE COLIFORM (COL. PER 100 ML) | FECAL COLIFORM (COL. PER 100 ML) |
|------------|------|-----------------------------------|------------|---------------------|-----------------|--------------------------|---|-----------------------------|--------------------------------------|----------------------------------|
| OCT. 24... | 310 | | 6.2 | 16.0 | 5 | 9.0 | 1.0 | 5.0 | 420 | 3 |
| NOV. 07... | 280 | | 6.7 | 10.0 | -- | 10.2 | .6 | 5.7 | 1200 | 530 |
| DEC. 19... | 185 | | 6.7 | 2.5 | 50 | 13.9 | .4 | 1.9 | 360 | 35 |

| DATE | TIME | DIS-SOLVED ALUMINUM (AL) (UG/L) | DIS-SOLVED IRON (FE) (UG/L) | DIS-SOLVED MANGANESE (MN) (UG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNESIUM (MG) (MG/L) | DIS-SOLVED SULFATE (SO4) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) |
|------------|------|---------------------------------|-----------------------------|----------------------------------|--------------------------------|----------------------------------|---------------------------------|---------------------------------|--------------------------|-----------------------------|-----------------------------------|------------------------------------|
| DEC. 19... | 1215 | 100 | 580 | 390 | 17 | 4.9 | 55 | 5.5 | .13 | .13 | .25 | .38 |

| DATE | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | HARDNESS (CA+MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | TOTAL ORGANIC CARBON (C) (MG/L) | CYANIDE (CN) (MG/L) | PHENOLS (UG/L) | DIS-SOLVED CADMIUM (CD) (UG/L) | DIS-SOLVED CHROMIUM (CR) (UG/L) | DIS-SOLVED COPPER (CU) (UG/L) | DIS-SOLVED LEAD (PB) (UG/L) | DIS-SOLVED ZINC (ZN) (UG/L) |
|------------|-----------------------------|-----------------------------------|-------------------------|-------------------------------|---------------------------------|---------------------|----------------|--------------------------------|---------------------------------|-------------------------------|-----------------------------|-----------------------------|
| DEC. 19... | 8.5 | 8.4 | 63 | 58 | 1.5 | .02 | 14 | 0 | <10 | 0 | 0 | 60 |

03085000 MONONGAHELA RIVER AT BRADDOCK, PA.
(National Stream-Quality Accounting Network Station)

LOCATION.--Lat 40°24'19", long 79°52'53", Allegheny County, at Rankin Bridge, 1.7 mi (2.7 km) downstream from gaging station.

DRAINAGE AREA.--7,340 mi² (19,000 km²).

PERIOD OF RECORD.--Chemical analyses: October 1958 to September 1974.

Biological analyses: January 1973 to September 1974.

Water temperatures: January 1973 to September 1974.

Sediment records: January 1973 to September 1974.

EXTREMES.--1973-74:

Specific conductance: Maximum daily, 767 micromhos Aug. 29; minimum daily, 158 micromhos June 28.

Water temperatures: Maximum daily, 29.0°C Aug. 26-28; minimum daily, 4.5°C on several days during December, January, and February.

Period of record:

Specific conductance (1972-74): Maximum daily, 937 micromhos Aug. 2, 1973; minimum daily, 158 micromhos June 28, 1974.

Water temperatures: Maximum daily, 30.0°C on several days during September 1973; minimum daily, 4.0°C on several days during February 1973.

REMARKS.--Sediment data for this station on page 455.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | DIS- SOLVED SILICA (SiO ₂) (MG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HCO ₃) (MG/L) | CAR- BONATE (CO ₃) (MG/L) | ALKA- LINITY AS CACO ₃ (MG/L) |
|-------|------|---|---|--|---|--|--|---|--|--|
| OCT. | | | | | | | | | | |
| 23... | 1030 | 2900 | -- | -- | -- | -- | -- | -- | -- | -- |
| NOV. | | | | | | | | | | |
| 06... | 0945 | 7700 | 4.4 | 23 | 6.0 | 15 | 2.5 | 9 | 0 | 7 |
| DEC. | | | | | | | | | | |
| 18... | 1000 | 14800 | 4.8 | 28 | 7.5 | 12 | 2.0 | 22 | 0 | 18 |
| JAN. | | | | | | | | | | |
| 22... | 1000 | 27700 | 3.7 | 22 | 6.4 | 11 | 1.4 | 15 | 0 | 12 |
| FEB. | | | | | | | | | | |
| 13... | 0930 | 11000 | 6.0 | 30 | 8.3 | 15 | 1.6 | 9 | 0 | 7 |
| MAR. | | | | | | | | | | |
| 25... | 0930 | 12000 | 5.3 | 30 | 7.9 | 12 | 1.6 | 20 | 0 | 19 |
| APR. | | | | | | | | | | |
| 15... | 1000 | 20200 | 5.1 | 17 | 6.6 | 8.6 | 1.6 | 25 | -- | 21 |
| MAY | | | | | | | | | | |
| 17... | 1000 | 13500 | 5.5 | 27 | 6.9 | 13 | 1.8 | 24 | 0 | 20 |
| JUNE | | | | | | | | | | |
| 24... | 0900 | 97500 | 5.3 | 23 | 5.0 | 6.6 | 1.9 | 18 | 0 | 15 |
| JULY | | | | | | | | | | |
| 24... | 0930 | 4030 | 4.4 | 40 | 11 | 30 | 3.4 | 31 | 0 | 25 |
| AUG. | | | | | | | | | | |
| 19... | 0930 | 3120 | 4.5 | 59 | 14 | 48 | 5.0 | 21 | 0 | 17 |
| SEP. | | | | | | | | | | |
| 11... | 1005 | 5800 | 5.4 | 50 | 12 | 31 | 3.2 | 25 | 0 | 21 |

| DATE | DIS- SOLVED SULFATE (SO ₄) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) |
|-------|---|---|--|-----------------------------------|-----------------------------------|--|---|--|--|
| OCT. | | | | | | | | | |
| 23... | -- | -- | -- | .63 | -- | -- | .14 | .37 | .51 |
| NOV. | | | | | | | | | |
| 06... | 84 | 9.1 | .3 | .89 | .00 | .89 | .11 | .41 | .68 |
| DEC. | | | | | | | | | |
| 18... | 92 | 8.5 | .4 | .82 | .03 | .86 | .14 | .33 | .47 |
| JAN. | | | | | | | | | |
| 22... | 66 | 6.0 | .2 | 1.4 | -- | -- | .26 | .31 | .57 |
| FEB. | | | | | | | | | |
| 13... | 114 | 11 | .2 | .90 | -- | -- | .71 | .88 | 1.6 |
| MAR. | | | | | | | | | |
| 25... | 43 | 8.0 | .1 | .71 | .04 | .75 | -- | -- | .36 |
| APR. | | | | | | | | | |
| 15... | 78 | 7.0 | .1 | -- | -- | .60 | -- | -- | .30 |
| MAY | | | | | | | | | |
| 17... | 88 | 6.6 | .1 | -- | -- | .56 | -- | -- | .31 |
| JUNE | | | | | | | | | |
| 24... | 64 | 4.6 | .2 | -- | -- | .57 | -- | -- | 1.4 |
| JULY | | | | | | | | | |
| 24... | 170 | 13 | .3 | -- | -- | .55 | -- | -- | .60 |
| AUG. | | | | | | | | | |
| 19... | 240 | 23 | .4 | -- | -- | .70 | -- | -- | 1.1 |
| SEP. | | | | | | | | | |
| 11... | 210 | 11 | .3 | -- | -- | .54 | -- | -- | .33 |

OHIO RIVER BASIN

03085000 MONONGAHELA RIVER AT BRADDOCK, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | DIS- SOLVED SOLIDS (RESI- DUE AT 180 C) (MG/L) | DIS- SOLVED SOLIDS (SUM OF CONSTI- TUENTS) (MG/L) | HARD- NESS (CA, MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) |
|-------|---|---|--|--|---|-------------------------------------|---|--|---------------|
| OCT. | | | | | | | | | |
| 23... | -- | .12 | .06 | -- | -- | -- | -- | 425 | 6.8 |
| NOV. | | | | | | | | | |
| 06... | 1.6 | .12 | .06 | 168 | 150 | 82 | 75 | 266 | 6.5 |
| DEC. | | | | | | | | | |
| 18... | 1.3 | .07 | .03 | 199 | 167 | 101 | 83 | 289 | 6.9 |
| JAN. | | | | | | | | | |
| 22... | -- | .10 | -- | 167 | 124 | 81 | 131 | 250 | 6.0 |
| FEB. | | | | | | | | | |
| 13... | -- | .07 | .05 | 231 | 191 | 109 | 123 | 340 | 6.5 |
| MAR. | | | | | | | | | |
| 25... | 1.1 | .05 | -- | 185 | 118 | 107 | 91 | 246 | 6.4 |
| APR. | | | | | | | | | |
| 15... | .90 | .03 | -- | 104 | 136 | 70 | 49 | 245 | 7.0 |
| MAY | | | | | | | | | |
| 17... | .87 | .03 | -- | 187 | 161 | 96 | 76 | 285 | 6.8 |
| JUNE | | | | | | | | | |
| 24... | 2.0 | .52 | -- | 136 | 120 | 78 | 63 | 240 | 7.7 |
| JULY | | | | | | | | | |
| 24... | 1.2 | .08 | -- | 329 | 287 | 150 | 120 | 461 | 7.2 |
| AUG. | | | | | | | | | |
| 19... | 1.8 | .08 | -- | 473 | 404 | 210 | 190 | 350 | 7.4 |
| SEP. | | | | | | | | | |
| 11... | .87 | .04 | -- | 353 | 336 | 170 | 150 | 480 | 7.1 |

| DATE | TEMPER- ATURE (DEG C) | TUR- BID- ITY (JTU) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | TOTAL PHYTO- PLANK- TON (CELLS PER ML) | IMME- DIATE COLI- FORM (COL. PER 100 ML) | FECAL COLI- FORM (COL. PER 100 ML) | STREP- TOCOCCI (COL- ONIES PER 100 ML) | PHENOLS (UG/L) |
|-------|-----------------------------|------------------------------|------------------------------------|--------------------------------------|--|--|---|---|-------------------|
| OCT. | | | | | | | | | |
| 23... | 18.0 | 4 | 8.2 | -- | 550 | 43000 | 3300 | 700 | -- |
| NOV. | | | | | | | | | |
| 06... | 12.5 | 3 | 10.0 | 4.0 | 72 | 15000 | 2000 | 480 | 0 |
| DEC. | | | | | | | | | |
| 18... | 4.0 | 9 | 13.0 | 4.0 | 74 | 1400 | 600 | 360 | 7 |
| JAN. | | | | | | | | | |
| 22... | 8.0 | 35 | 12.0 | 4.8 | 62 | -- | 270 | 200 | 1 |
| FEB. | | | | | | | | | |
| 13... | 5.0 | 16 | 11.4 | 4.6 | 60 | -- | 1100 | 180 | 4 |
| MAR. | | | | | | | | | |
| 25... | 6.0 | 8 | 12.2 | 5.0 | 65 | -- | 170 | 35 | 0 |
| APR. | | | | | | | | | |
| 15... | 11.5 | 10 | 11.0 | 4.0 | 520 | -- | 300 | 200 | 1 |
| MAY | | | | | | | | | |
| 17... | 20.0 | 9 | 9.0 | 6.1 | 360 | -- | 300 | 110 | -- |
| JUNE | | | | | | | | | |
| 24... | 18.5 | 100 | 7.4 | 4.6 | 3100 | -- | 7500 | 9000 | -- |
| JULY | | | | | | | | | |
| 24... | 26.0 | 8 | 6.8 | 3.1 | 3600 | -- | 2900 | 380 | -- |
| AUG. | | | | | | | | | |
| 19... | 29.0 | 8 | 6.1 | 1.3 | 840000 | -- | 1300 | 46 | -- |
| SEP. | | | | | | | | | |
| 11... | 23.5 | 7 | 7.4 | 3.2 | 5500 | -- | 830 | 64 | -- |

03085000 MONONGAHELA RIVER AT BRADDOCK, PA.--Continued

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | TOTAL IRON (FE) (UG/L) | DIS- SOLVED IRON (FE) (UG/L) | TOTAL MAN- GANESE (MN) (UG/L) | SUS- PENDE MAN- GANESE (MN) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | TOTAL ORGANIC CARBON (C) (MG/L) | TOTAL ARSENIC (AS) (UG/L) | SUS- PENDE ARSENIC (AS) (UG/L) | DIS- SOLVED ARSENIC (AS) (UG/L) | TOTAL CAD- MIUM (CD) (UG/L) | SUS- PENDE CAD- MIUM (CD) (UG/L) |
|---------------|------|---------------------------------|--|---|---|--|---|------------------------------------|--|---|---|---|
| NOV. 06... | 0945 | -- | 230 | -- | -- | 840 | -- | -- | -- | -- | -- | -- |
| DEC. 18... | 1000 | 1800 | 120 | 570 | -- | 460 | 3.5 | 1 | -- | <1 | 0 | -- |
| MAR. 25... | 0930 | 1100 | 130 | 360 | -- | 320 | .9 | <1 | -- | 1 | 0 | -- |
| JUNE 24... | 0900 | 30000 | 40 | 700 | 400 | 300 | 8.0 | 10 | 8 | 2 | 0 | 0 |
| SEP. 11... | 1005 | 750 | 10 | 610 | 0 | 620 | 2.7 | <1 | <1 | 0 | 0 | 0 |

| DATE | DIS- SOLVED CAD- MIUM (CD) (UG/L) | TOTAL CHRO- MIUM (CR) (UG/L) | SUS- PENDE CHRO- MIUM (CR) (UG/L) | DIS- SOLVED CHRO- MIUM (CR) (UG/L) | TOTAL COBALT (CO) (UG/L) | SUS- PENDE COBALT (CO) (UG/L) | DIS- SOLVED COBALT (CO) (UG/L) | TOTAL COPPER (CU) (UG/L) | SUS- PENDE COPPER (CU) (UG/L) | DIS- SOLVED COPPER (CU) (UG/L) | TOTAL LEAD (PB) (UG/L) |
|---------------|--|--|--|---|-----------------------------------|---|--|-----------------------------------|---|--|---------------------------------|
| NOV. 06... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| DEC. 18... | 0 | 10 | -- | 0 | 4 | -- | 3 | 10 | -- | 10 | 5 |
| MAR. 25... | 6 | <10 | -- | 0 | 5 | -- | 6 | 0 | -- | 0 | 3 |
| JUNE 24... | 0 | 60 | 60 | 0 | 22 | 22 | 0 | 40 | 40 | 0 | 39 |
| SEP. 11... | 1 | 10 | 10 | 0 | 7 | 4 | 3 | 10 | 0 | 10 | 6 |

| DATE | SUS- PENDE LEAD (PB) (UG/L) | DIS- SOLVED LEAD (PB) (UG/L) | TOTAL MERCURY (HG) (UG/L) | SUS- PENDE MERCURY (HG) (UG/L) | DIS- SOLVED MERCURY (HG) (UG/L) | TOTAL SELE- NIUM (SE) (UG/L) | SUS- PENDE SELE- NIUM (SE) (UG/L) | DIS- SOLVED SELE- NIUM (SE) (UG/L) | TOTAL ZINC (ZN) (UG/L) | SUS- PENDE ZINC (ZN) (UG/L) | DIS- SOLVED ZINC (ZN) (UG/L) |
|---------------|---|--|------------------------------------|--|---|--|--|---|---------------------------------|---|--|
| NOV. 06... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| DEC. 18... | -- | 1 | <.5 | -- | .5 | -- | -- | -- | 120 | -- | 50 |
| MAR. 25... | -- | 1 | <.5 | -- | <.5 | <1 | -- | -- | 90 | -- | 40 |
| JUNE 24... | 38 | 1 | <.5 | <.0 | <.5 | 0 | 0 | 0 | 260 | 130 | 130 |
| SEP. 11... | 6 | 0 | <.5 | .0 | <.5 | 2 | 0 | <2 | 30 | 0 | 40 |

| DATE | UNCOR- RECTED PERI- PHYTON CHLORO- PHYLL A MG/SQ M | UNCOR- RECTED PERI- PHYTON CHLORO- PHYLL B MG/SQ M | PERI- PHYTON BIOMASS ASH WEIGHT G/SQ M |
|---------------|--|--|---|
| FEB. 13-28 | -- | -- | 4.6 |
| MAR. 01-25 | -- | -- | 4.6 |
| 25-31 | -- | -- | 10 |
| APR. 01-26 | -- | -- | 10 |
| JULY 24-31 | 2.2 | .6 | 35 |
| AUG. 01-19 | 2.2 | .6 | 35 |

03085000 MONONGAHELA RIVER AT BRADDOCK, PA.--Continued

BIOLOGICAL ANALYSES, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

OCCURRENCE OF BENTHIC INVERTEBRATES

```

Date in:          5-14-73
Date out:         6-27-73
Total count:      3

```

| Benthic invertebrate taxa | Percent of total |
|---------------------------|------------------|
| ARTHROPODA | |
| ..Insecta | |
| ...Diptera | |
|Tendipedidae | 100 |

OCCURRENCE OF PHYTOPLANKTON

Phytoplankton taxa

Percent of total

| | | | | | | | | | |
|------------------------------|----|----|----|----|----|----|----|----|--|
| CHRYSTOPHYTA | | | | | | | | | |
| .Bacillariophyceae (diatoms) | | | | | | | | | |
|Cyclotella | 18 | -- | -- | -- | -- | -- | 44 | -- | |
|Melosira | -- | -- | -- | -- | -- | 22 | -- | 55 | |
|Navicula | 18 | -- | 50 | -- | -- | -- | -- | -- | |
|Pinnularia | -- | -- | -- | 75 | 62 | -- | -- | -- | |

| | | | | | | | | | |
|---------------------------------|----|----|----|----|----|----|----|----|----|
| CYANOPHYTA | | | | | | | | | |
| .Myxophyceae (blue-green algae) | | | | | | | | | |
| ...Oscillatoria | -- | 58 | -- | -- | -- | 61 | -- | -- | -- |

PHYLUM
.Class
..Order
...Family
....Genus

03085000 MONONGAHELA RIVER AT BRADDOCK, PA.--Continued

BIOLOGICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

CODOMINANTS OF PERIPHYTON

Date in: 8-15-73
Date out: 10- 1-73

| Periphyton taxa | Occurrence |
|----------------------------|------------|
| COELENTERATA | |
| .Hydrozoa | |
|Cordylophora lacustris | X |
| CYANOPHYTA | |
| .Myxophyceae | |
|Lyngbya | X |
| ROTIFERA | |
| .Monogononta | |
|Floscularia | X |

OCCURRENCE OF BENTHIC INVERTEBRATES

Date in: 8-15-73 11-24-73
Date out: 10- 1-73 2-13-74
Total count: 17 4

| Benthic invertebrate taxa | Percent of total |
|---------------------------|------------------|
| ANNELIDA | |
| .Hirudinea | 82 -- |
| ARTHROPODA | |
| .Crustacea | |
| ..Isopoda | 6 -- |
| ..Insecta | |
| ...Diptera | |
| ...Chironomidae | 12 75 |
| ...Odonata | |
| ...Zygoptera | 25 25 |

OCCURRENCE OF PHYTOPLANKTON

| Date of sample collection | 10-23-73 | 11-6-73 | 12-18-73 | 1-22-74 | 2-13-74 | 3-25-74 |
|---------------------------|----------|---------|----------|---------|---------|---------|
| Time | 1030 | 0945 | 1000 | 1000 | 0930 | 0930 |
| Total count (cells/ml) | 550 | 72 | 74 | 62 | 60 | 65 |

| Phytoplankton taxa | Percent of total | | | | | |
|---------------------------------|------------------|----|----|----|----|----|
| CHLOROPHYTA | | | | | | |
| .Chlorophyceae (green algae) | | | | | | |
|Ankistrodesmus | -- | -- | -- | -- | -- | -- |
|Closteriopsis | -- | -- | -- | -- | -- | -- |
|Scenedesmus | 46 | -- | -- | -- | -- | -- |
|Selenastrum | -- | -- | -- | -- | -- | -- |
| CHRYSOPHYTA | | | | | | |
| .Bacillariophyceae (diatoms) | | | | | | |
|Cyclotella | -- | -- | 46 | 28 | -- | -- |
|Navicula | -- | -- | -- | -- | 17 | 43 |
|Nitzschia | -- | -- | -- | -- | 17 | -- |
|Synedra | 31 | 33 | -- | 25 | 33 | -- |
| CYANOPHYTA | | | | | | |
| .Myxophyceae (blue-green algae) | | | | | | |
|Anacystis | -- | -- | -- | -- | -- | -- |
|Lyngbya | -- | -- | -- | -- | -- | -- |

| Date of sample collection | 4-15-75 | 5-17-74 | 6-24-74 | 7-24-74 | 8-19-74 | 9-11-74 |
|---------------------------|---------|---------|---------|---------|---------|---------|
| Time | 1000 | 1000 | 0900 | 0930 | 0930 | 1000 |
| Total count (cells/ml) | 520 | 360 | 3100 | 3600 | 840,000 | 5500 |

| | | | | | | |
|---------------------------------|----|----|----|----|----|----|
| CHLOROPHYTA | | | | | | |
| .Chlorophyceae (green algae) | | | | | | |
|Ankistrodesmus | -- | 10 | 4 | 1 | -- | 11 |
|Closteriopsis | -- | -- | 2 | -- | -- | -- |
|Scenedesmus | -- | 10 | -- | 16 | 11 | 33 |
|Selenastrum | -- | -- | -- | 2 | -- | -- |
| CHRYSOPHYTA | | | | | | |
| .Bacillariophyceae (diatoms) | | | | | | |
|Cyclotella | 3 | 19 | -- | 45 | 9 | 20 |
|Navicula | 14 | 17 | 35 | 10 | 8 | -- |
|Nitzschia | 2 | 26 | 4 | -- | 2 | 3 |
|Synedra | -- | -- | 8 | -- | 1 | 6 |
| CYANOPHYTA | | | | | | |
| .Myxophyceae (blue-green algae) | | | | | | |
|Anacystis | -- | -- | 15 | 21 | 2 | -- |
|Lyngbya | 77 | -- | -- | -- | 3 | 20 |

PHYLUM
.Class
..Order
...Family
....Genus

OHIO RIVER BASIN

03085000 MONONGAHELA RIVER AT BRADDOCK, PA.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25°C), WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
(ONCE DAILY AM MEASUREMENTS)

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 651 | 433 | 216 | 190 | 297 | 291 | 325 | 343 | 334 | 201 | 488 | 659 |
| 2 | 528 | 386 | 235 | 183 | 298 | 288 | 322 | 347 | 333 | 328 | 473 | 606 |
| 3 | 543 | 391 | 214 | 179 | 303 | 288 | 319 | 346 | 335 | 186 | 477 | 607 |
| 4 | 549 | 401 | 211 | 189 | 297 | 286 | 346 | 388 | 336 | 269 | 458 | 599 |
| 5 | 513 | 462 | 212 | 205 | 347 | 284 | 344 | 396 | 185 | 276 | 494 | 634 |
| 6 | 472 | --- | 210 | 207 | 355 | 284 | 342 | 378 | 174 | 272 | 492 | 494 |
| 7 | 482 | 274 | 228 | 177 | 349 | 241 | 359 | 378 | 168 | 195 | 493 | 492 |
| 8 | 474 | 284 | 229 | 221 | 387 | 243 | 330 | 360 | 238 | 219 | 495 | 474 |
| 9 | 554 | 291 | 232 | 212 | 380 | 296 | 274 | 373 | 176 | 222 | 490 | 499 |
| 10 | 509 | 286 | 225 | 223 | 385 | 253 | 215 | 416 | 177 | 262 | 532 | 504 |
| 11 | 513 | 282 | 230 | 227 | 352 | 251 | 222 | 418 | 244 | 324 | 521 | 388 |
| 12 | 451 | 433 | 228 | 228 | 323 | 248 | 212 | 422 | 229 | 332 | 582 | 391 |
| 13 | 477 | 437 | 239 | 228 | 335 | 237 | 278 | 356 | 243 | 336 | 615 | 402 |
| 14 | 452 | 436 | 271 | 205 | 331 | 234 | 252 | 375 | 286 | 336 | 592 | 435 |
| 15 | 439 | 409 | 272 | 204 | 324 | 241 | 236 | 385 | 298 | 300 | 608 | 432 |
| 16 | 415 | 291 | 271 | 205 | 332 | 259 | 244 | 397 | 292 | 390 | 592 | 432 |
| 17 | 424 | 288 | 239 | 214 | 333 | 261 | 289 | 283 | 320 | 384 | 618 | 452 |
| 18 | 433 | 311 | --- | 223 | 270 | 254 | 252 | 269 | 332 | 356 | 643 | 456 |
| 19 | 427 | 286 | --- | 228 | 266 | 262 | 254 | 268 | 310 | 436 | 592 | 456 |
| 20 | 409 | 287 | --- | 231 | 297 | 285 | 253 | 265 | 294 | 446 | 646 | 335 |
| 21 | 411 | 283 | 260 | 254 | 331 | 279 | 260 | 318 | 292 | 414 | 641 | 333 |
| 22 | 426 | 256 | 261 | --- | 333 | 279 | 309 | 280 | 346 | 490 | 641 | 362 |
| 23 | --- | 253 | 263 | 263 | 336 | 266 | 284 | 304 | 343 | 494 | 641 | 335 |
| 24 | 492 | 261 | 218 | 241 | 274 | 265 | 294 | 269 | 193 | --- | 725 | 332 |
| 25 | 477 | 259 | 213 | 215 | 270 | 262 | 302 | 278 | 180 | 277 | 758 | 356 |
| 26 | 477 | 292 | 223 | 244 | 275 | 281 | 330 | 337 | 159 | 436 | 750 | 346 |
| 27 | 477 | 290 | 219 | 258 | 298 | 278 | 331 | 293 | 162 | 327 | 732 | 334 |
| 28 | 454 | 287 | 171 | 256 | 264 | 276 | 324 | 291 | 158 | 456 | 760 | 366 |
| 29 | 464 | 266 | 196 | 258 | --- | 272 | 322 | 298 | 169 | 447 | 767 | 371 |
| 30 | 438 | 225 | 201 | 287 | --- | 326 | 344 | 338 | 198 | 445 | 665 | 412 |
| 31 | 433 | --- | 220 | 295 | --- | --- | --- | 342 | --- | 436 | 710 | --- |
| MONTH | 475 | 322 | 229 | 225 | 319 | 269 | 292 | 339 | 250 | 343 | 603 | 443 |

TEMPERATURE (°C) OF WATER, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974
(ONCE DAILY AM MEASUREMENTS)

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|------|------|-----|-----|------|------|------|------|------|------|------|
| 1 | 25.0 | 17.0 | 10.0 | 5.0 | 8.0 | 5.5 | 10.0 | 18.0 | 21.0 | 18.0 | 27.0 | 28.0 |
| 2 | 24.5 | 17.0 | 10.0 | 5.0 | 8.5 | 5.5 | 9.5 | 19.0 | 21.0 | 18.0 | 27.0 | 26.0 |
| 3 | 24.0 | 17.0 | 10.0 | 5.0 | 8.5 | 5.0 | 9.5 | 19.0 | 20.0 | 18.0 | 27.0 | 25.0 |
| 4 | 24.0 | 17.0 | 10.0 | 5.0 | 7.5 | 6.0 | 11.0 | 19.5 | 18.0 | 20.0 | 27.0 | 24.0 |
| 5 | 24.0 | 15.0 | 10.0 | 5.0 | 6.5 | 6.5 | 12.0 | 20.0 | 18.0 | 21.0 | 26.0 | 22.5 |
| 6 | 24.0 | --- | 10.0 | 5.0 | 6.0 | 7.0 | 12.0 | 18.0 | 19.0 | 22.0 | 26.0 | 22.0 |
| 7 | 24.0 | 13.0 | 10.0 | 5.0 | 6.0 | 7.5 | 11.0 | 16.0 | 19.0 | 22.0 | 25.5 | 22.0 |
| 8 | 23.5 | 13.0 | 10.0 | 5.0 | 6.0 | 7.5 | 12.0 | 16.0 | 20.0 | 24.0 | 26.0 | 22.0 |
| 9 | 23.0 | 13.0 | 9.5 | 4.5 | 5.5 | 8.0 | 11.0 | 17.0 | 20.0 | 24.0 | 26.0 | 22.0 |
| 10 | 23.5 | 13.0 | 9.5 | 4.5 | 5.0 | 9.0 | 11.0 | 17.0 | 22.0 | 26.0 | 27.0 | 22.0 |
| 11 | 23.0 | 12.5 | 9.0 | 4.5 | 4.5 | 9.5 | 10.0 | 18.0 | 22.0 | 26.0 | 27.0 | 22.0 |
| 12 | 23.0 | 11.5 | 9.0 | 4.5 | 5.0 | 10.0 | 10.0 | 18.0 | 22.0 | 25.0 | 27.0 | 23.0 |
| 13 | 23.0 | 11.5 | 9.0 | 4.5 | 5.0 | 10.0 | 11.0 | 16.0 | 22.0 | 25.0 | 27.0 | 24.0 |
| 14 | 23.0 | 11.0 | 8.0 | 4.5 | 5.0 | 10.5 | 12.0 | 16.0 | 23.0 | 26.0 | 27.0 | 24.0 |
| 15 | 23.0 | 11.0 | 8.0 | 4.5 | 5.0 | 10.0 | 12.0 | 18.0 | 23.0 | 26.0 | 27.0 | 24.0 |
| 16 | 23.0 | 12.0 | 8.0 | 4.5 | 5.0 | 10.0 | 12.0 | 18.0 | 23.0 | 26.5 | 28.0 | 22.5 |
| 17 | 22.5 | 11.5 | 7.5 | 5.0 | 5.0 | 10.0 | 12.5 | 18.0 | 23.0 | 26.5 | 28.0 | 22.5 |
| 18 | 22.0 | 11.0 | --- | 5.0 | 5.0 | 10.0 | 12.5 | 19.0 | 23.0 | 27.0 | 28.0 | 23.0 |
| 19 | 20.0 | 11.0 | --- | 5.0 | 5.0 | 10.5 | 13.0 | 20.0 | 22.0 | 28.0 | 28.0 | 23.0 |
| 20 | 19.0 | 10.5 | --- | 5.0 | 5.0 | 10.0 | 13.0 | 20.0 | 22.0 | 28.0 | 27.5 | 23.0 |
| 21 | 18.0 | 10.5 | 5.5 | 6.0 | 5.0 | 10.0 | 13.0 | 22.0 | 23.0 | 28.0 | 27.5 | 24.0 |
| 22 | 18.0 | 10.5 | 5.0 | --- | 6.0 | 10.0 | 14.0 | 22.0 | 23.5 | 27.0 | 28.0 | 23.0 |
| 23 | --- | 11.0 | 5.0 | 6.5 | 6.0 | 9.5 | 14.0 | 23.5 | 23.5 | 27.0 | 28.0 | 22.0 |
| 24 | 18.0 | 11.0 | 4.5 | 7.0 | 5.5 | 9.5 | 13.5 | 23.5 | 19.0 | --- | 28.0 | 20.0 |
| 25 | 18.0 | 11.0 | 4.5 | 7.0 | 6.0 | 8.5 | 13.5 | 23.5 | 18.0 | 26.0 | 28.0 | 18.0 |
| 26 | 18.0 | 11.0 | 4.5 | 7.0 | 5.0 | 6.5 | 13.5 | 23.0 | 18.0 | 27.0 | 29.0 | 18.0 |
| 27 | 18.0 | 11.0 | 4.5 | 7.0 | 5.0 | 7.0 | 14.0 | 23.0 | 18.0 | 27.0 | 29.0 | 18.0 |
| 28 | 18.0 | 10.5 | 4.5 | 7.5 | 5.5 | 7.5 | 14.0 | 23.0 | 18.0 | 27.0 | 29.0 | 18.0 |
| 29 | 18.0 | 10.0 | 4.5 | 8.0 | --- | 9.0 | 16.0 | 23.0 | 18.0 | 26.0 | 28.5 | 18.0 |
| 30 | 17.0 | 10.0 | 4.5 | 8.0 | --- | 10.0 | 18.0 | 23.0 | 18.0 | 26.0 | 28.0 | 19.0 |
| 31 | 17.0 | --- | 5.0 | 8.0 | --- | 10.0 | --- | 23.0 | --- | 26.0 | 28.0 | --- |
| MONTH | 21.5 | 12.0 | 7.5 | 5.5 | 6.0 | 8.5 | 12.5 | 20.0 | 20.5 | 25.0 | 27.5 | 22.0 |

OHIO RIVER BASIN

349

03086000 OHIO RIVER AT SEWICKLEY, PA.

LOCATION.--Lat 40°31'50", long 80°11'20", Allegheny County, 200 ft (61 m) downstream from gage, at highway bridge at Sewickley, 0.5 mi (0.8 km) upstream from Narrows Run, 1.5 mi (2.4 km) upstream from Dashfields Dam, and 11.8 mi (19.0 km) downstream from confluence of Allegheny and Monongahela Rivers.

DRAINAGE AREA.--19,500 mi² (50,500 km²), approximately.

PERIOD OF RECORD.--Chemical analyses: February 1956 to October 1956, October 1961 to December 1973 (discontinued).

REMARKS.--Composite samples taken as part of the USGS-EPA surveillance network.

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTANTANEOUS DISCHARGE (CFS) | TOTAL IRON (FE) (UG/L) | TOTAL MANGANESE (MN) (UG/L) | BICARBONATE (HCO3) (MG/L) | ALKALINITY AS CaCO3 (MG/L) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) | SUSPENDED SOLIDS (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | TOTAL ACIDITY AS CaCO3 (MG/L) |
|------------|------|-------------------------------|------------------------|-----------------------------|---------------------------|----------------------------|---|-------------------------|----------------------------|-------------------------------|
| OCT. 24... | 0820 | 10600 | 490 | 550 | 24 | 20 | 278 | -- | .1 | 5.0 |
| NOV. 07... | 0830 | 28800 | 1900 | 620 | 20 | 16 | 179 | 16 | .1 | 5.0 |
| DEC. 19... | 0830 | 34400 | -- | -- | 20 | 16 | 180 | 24 | .1 | 5.0 |

| DATE | SPECIFIC CONDUCTANCE (MICROMHOS) | PH (UNITS) | TEMPERATURE (DEG C) | TURBIDITY (JTU) | DIS-SOLVED OXYGEN (MG/L) | BIO-CHEMICAL OXYGEN DEMAND 5 DAY (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | IMMEDIATE COLIFORM (COL. PER 100 ML) | FECAL COLIFORM (COL. PER 100 ML) |
|------------|----------------------------------|------------|---------------------|-----------------|--------------------------|---|-----------------------------|--------------------------------------|----------------------------------|
| OCT. 24... | 380 | 6.5 | 17.5 | 7 | 8.8 | 1.8 | 12 | 14000 | 600 |
| NOV. 07... | 250 | 6.6 | 10.5 | -- | 11.6 | .8 | 8.0 | 1600 | 440 |
| DEC. 19... | 300 | 6.6 | 3.0 | 5 | 14.0 | 1.6 | 8.0 | 3100 | 470 |

| DATE | TIME | DIS-SOLVED ALUMINUM (AL) (UG/L) | DIS-SOLVED IRON (FE) (UG/L) | DIS-SOLVED MANGANESE (MN) (UG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNESIUM (MG) (MG/L) | DIS-SOLVED SULFATE (SO4) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) |
|------------|------|---------------------------------|-----------------------------|----------------------------------|--------------------------------|----------------------------------|---------------------------------|---------------------------------|--------------------------|-----------------------------|-----------------------------------|------------------------------------|
| DEC. 19... | 0830 | 0 | 260 | 600 | 27 | 7.4 | 82 | 13 | .90 | .12 | .28 | .40 |

| DATE | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | HARDNESS (CA, MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | TOTAL ORGANIC CARBON (C) (MG/L) | CYANIDE (CN) (MG/L) | PHENOLS (UG/L) | DIS-SOLVED CADMIUM (CD) (UG/L) | DIS-SOLVED CHROMIUM (CR) (UG/L) | DIS-SOLVED COPPER (CU) (UG/L) | DIS-SOLVED LEAD (PB) (UG/L) | DIS-SOLVED ZINC (ZN) (UG/L) |
|------------|-----------------------------|-----------------------------------|--------------------------|-------------------------------|---------------------------------|---------------------|----------------|--------------------------------|---------------------------------|-------------------------------|-----------------------------|-----------------------------|
| DEC. 19... | .10 | .06 | 98 | 81 | 1.5 | .03 | 3 | 1 | <10 | 0 | 1 | 50 |

OHIO RIVER BASIN

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | DIS- SOLVED IRON (FE) (UG/L) | FERROUS IRON (FE) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | BICAR- BONATE (HCO3) (MG/L) | CAR- BONATE (CO3) (MG/L) | ALKA- LILITY AS CAC03 (MG/L) | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) |
|--|------|---|--|-----------------------------------|--|--------------------------------------|-----------------------------------|--|--|---|-----------------------------------|
| 03012580 - BROWNS RUN AT WARREN, PA. (LAT 41 49 21 LONG 079 06 33) | | | | | | | | | | | |
| SEP., 1974 | | | | | | | | | | | |
| 26... | 1000 | 13 | -- | -- | -- | 25 | 0 | 21 | 11 | 9.0 | 1.1 |
| 03016100 - WEST HICKORY CREEK NR. WEST HICKORY, PA. (LAT 41 34 32 LONG 79 26 20) | | | | | | | | | | | |
| SEP., 1974 | | | | | | | | | | | |
| 25... | 1445 | 12 | -- | -- | -- | 18 | 0 | 15 | 13 | 25 | .00 |
| 03017800 - MINISTER CREEK NR TRUEMANS, PA. (LAT 41 37 17 LONG 79 09 12) | | | | | | | | | | | |
| SEP., 1974 | | | | | | | | | | | |
| 24... | 1040 | 11 | -- | -- | -- | 5 | 0 | 4 | 9.2 | 1.0 | .09 |
| 03021400 - W BR FRENCH CREEK NR HORNBY, PA. (LAT 42 06 08 LONG 079 49 20) | | | | | | | | | | | |
| SEP., 1974 | | | | | | | | | | | |
| 26... | 1230 | 9.7 | -- | -- | -- | 110 | 0 | 90 | 20 | 8.0 | .09 |
| 03022800 - CUSSEWAGO CREEK AT CROSSINGVILLE, PA. (LAT 41 49 52 LONG 80 14 28) | | | | | | | | | | | |
| SEP., 1974 | | | | | | | | | | | |
| 26... | 1430 | 1.2 | -- | -- | -- | 67 | 0 | 55 | 22 | 24 | .07 |
| 03026500 - SEVENMILE RUN NEAR RASSELAS, PA. (LAT 41 37 52 LONG 078 34 37) | | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | | |
| 08... | 0930 | 28 | 150 | 100 | 0 | 4 | -- | 3 | 5.8 | 7.6 | -- |
| 03027500 - E. BR. CLARION R. AT E. BR. CLARION R. DAM, PA. (LAT 41 33 11 LONG 078 35 47) | | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | | |
| 09... | 1600 | 540 | 200 | 0 | 100 | 2 | -- | 2 | 25 | 4.2 | -- |
| 03027690 - EAST BR CLARION RIVER AT JOHNSONBURG, PA. (LAT 41 29 38 LONG 078 40 22) | | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | | |
| 10... | 1200 | 653 | 250 | 100 | 50 | 2 | -- | 2 | 32 | 4.6 | -- |
| 03027990 - WILSON RUN AT DAHOGA, PA. (LAT 41 35 56 LONG 078 43 35) | | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | | |
| 10... | 1220 | 42 | 600 | 0 | 50 | 10 | -- | 8 | 8.8 | 11 | -- |
| 03028000 - WEST BRANCH CLARION RIVER AT WILCOX, PA. (LAT 41 34 31 LONG 078 41 33) | | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | | |
| 10... | 1330 | 218 | 100 | 0 | 30 | 12 | -- | 10 | 13 | 9.5 | -- |
| 03028520 - POWERS RUN AT MOUTH, PA. (LAT 41 28 45 LONG 078 40 12) | | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | | |
| 08... | 1200 | 46 | 200 | 100 | 0 | 6 | -- | 5 | 11 | 7.6 | -- |
| 03028530 - RILEY RUN NR JOHNSONBURG, PA. (LAT 41 28 08 LONG 078 42 00) | | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | | |
| 08... | 1315 | 5.7 | 1200 | 0 | 1000 | 358 | -- | 294 | 84 | 550 | -- |
| 03028550 - LITTLE MILL CR NR JOHNSONBURG, PA. (LAT 41 30 04 LONG 078 43 44) | | | | | | | | | | | |
| MAY, 1974 | | | | | | | | | | | |
| 21... | 1200 | 15 | 210 | 0 | 60 | 2 | -- | 2 | -- | -- | -- |

OHIO RIVER BASIN

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL ORTHOPHOS- PHORUS (P) (MG/L) | HARD- NESS (CA, MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) |
|--|--|-------------------------------------|---|---|--|--|---------------|-----------------------------|------------------------------------|--------------------------------------|
| 03012580 - BROWNS RUN AT WARREN, PA. (LAT 41 49 21 LONG 079 06 33) | | | | | | | | | | |
| SEP., 1974 26... | .00 | -- | -- | 1.0 | .0 | 95 | 7.0 | 8.0 | -- | 4.0 |
| 03016100 - WEST HICKORY CREEK NR. WEST HICKORY, PA. (LAT 41 34 32 LONG 79 26 20) | | | | | | | | | | |
| SEP., 1974 25... | .01 | -- | -- | 1.0 | .0 | 140 | 6.2 | 9.5 | -- | 18 |
| 03017800 - MINISTEK CREEK NR TRUEMANS, PA. (LAT 41 37 17 LONG 79 09 12) | | | | | | | | | | |
| SEP., 1974 24... | .13 | -- | -- | 2.0 | .0 | 38 | 7.2 | 6.5 | -- | .5 |
| 03021400 - W BR FRENCH CREEK NR HORNBY, PA. (LAT 42 06 08 LONG 079 49 20) | | | | | | | | | | |
| SEP., 1974 26... | .01 | -- | -- | 1.0 | .0 | 218 | 7.6 | 9.0 | -- | 4.4 |
| 03022800 - CUSSEWAGO CREEK AT CROSSINGVILLE, PA. (LAT 41 49 52 LONG 80 14 28) | | | | | | | | | | |
| SEP., 1974 26... | .00 | -- | -- | 1.0 | .0 | 217 | 7.5 | 17.0 | -- | 3.4 |
| 03026500 - SEVENMILE RUN NEAR RASSELAS, PA. (LAT 41 37 52 LONG 078 34 37) | | | | | | | | | | |
| APR., 1974 08... | -- | 10 | 7 | .0 | .0 | 40 | 7.3 | 3.9 | 13.0 | .3 |
| 03027500 - E. BR. CLARION R. AT E. BR. CLARION R. DAM, PA. (LAT 41 33 11 LONG 078 35 47) | | | | | | | | | | |
| APR., 1974 09... | -- | 32 | 30 | .0 | .0 | 70 | 7.1 | 3.1 | 14.1 | .3 |
| 03027690 - EAST BR CLARION RIVER AT JOHNSONBURG, PA. (LAT 41 29 38 LONG 078 40 22) | | | | | | | | | | |
| APR., 1974 10... | -- | 31 | 29 | 1.0 | .0 | 85 | 5.8 | 7.0 | 14.0 | -- |
| 03027990 - WILSON RUN AT DAHOGA, PA. (LAT 41 35 56 LONG 078 43 35) | | | | | | | | | | |
| APR., 1974 10... | -- | 21 | 13 | .0 | .0 | 75 | 7.2 | 4.0 | 12.4 | 1.0 |
| 03028000 - WEST BRANCH CLARION RIVER AT WILCOX, PA. (LAT 41 34 31 LONG 078 41 33) | | | | | | | | | | |
| APR., 1974 10... | -- | 22 | 12 | .0 | .0 | 75 | 7.3 | 5.5 | 13.2 | 1.0 |
| 03028520 - POWERS RUN AT MOUTH, PA. (LAT 41 28 45 LONG 078 40 12) | | | | | | | | | | |
| APR., 1974 08... | -- | 14 | 9 | .0 | .0 | 55 | 7.2 | 3.8 | -- | .6 |
| 03028530 - RILEY RUN NR JOHNSONBURG, PA. (LAT 41 28 08 LONG 078 42 00) | | | | | | | | | | |
| APR., 1974 08... | -- | 260 | 0 | .0 | .0 | 2400 | 7.8 | 5.8 | 1.9 | -- |
| 03028550 - LITTLE MILL CR NR JOHNSONBURG, PA. (LAT 41 30 04 LONG 078 43 44) | | | | | | | | | | |
| MAY, 1974 21... | -- | 12 | 10 | 5.0 | .1 | 30 | 5.1 | 18.0 | -- | -- |

OHIO RIVER BASIN

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | DIS- SOLVED IRON (FE) (UG/L) | FERROUS IRON (FE) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | BICAR- BONATE (HCO3) (MG/L) | CAR- BONATE (CO3) (MG/L) | ALKA- LINITY AS CACO3 (MG/L) | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) |
|---|------|---|--|-----------------------------------|--|--------------------------------------|-----------------------------------|--|--|---|-----------------------------------|
| 03028750 - LAUREL RUN NR SAINT MARYS, PA. (LAT 41 25 07 LONG 078 36 18) | | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | | |
| 08... | 1400 | 24 | 400 | 0 | 100 | 2 | -- | 2 | 25 | 8.0 | -- |
| 03028800 - DAGUSCAHONDA CR AT DAGUSCAHONDA, PA. (LAT 41 25 09 LONG 078 38 32) | | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | | |
| 08... | 1300 | 38 | 1900 | 1300 | 300 | 0 | -- | 0 | 64 | 7.6 | -- |
| 03028900 - ELK CREEK AT RIDGWAY, PA. (LAT 41 25 31 LONG 078 43 38) | | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | | |
| 08... | 1530 | 59 | 1000 | 550 | 600 | 2 | -- | 2 | -- | 11 | -- |
| SEP. | | | | | | | | | | | |
| 26... | 1615 | 52 | -- | -- | -- | 14 | 0 | 11 | 48 | 20 | .18 |
| 03029000 - CLARION RIVER AT RIDGWAY, PA. (LAT 41 25 15 LONG 078 44 10) | | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | | |
| 08... | 1200 | 1120 | 500 | 0 | 40 | 12 | -- | 10 | 17 | 16 | -- |
| 03029120 - BIG MILL CR NR RIDGWAY, PA. (LAT 41 24 58 LONG 078 46 31) | | | | | | | | | | | |
| MAY , 1974 | | | | | | | | | | | |
| 20... | 1200 | 45 | 200 | 190 | 100 | 4 | -- | 3 | -- | -- | -- |
| 03029140 - BRANDYCAMP CR NR ELBON, PA. (LAT 41 17 10 LONG 078 41 22) | | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | | |
| 09... | 1430 | 48 | 7900 | 4800 | 2000 | 0 | -- | 0 | 160 | 7.2 | -- |
| 03029144 - MEAD RUN AT BROCKPORT, PA. (LAT 41 15 38 LONG 078 43 33) | | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | | |
| 10... | 1000 | 23 | 150 | 100 | 2800 | 10 | -- | 8 | 116 | 3.0 | -- |
| 03029150 - LITTLE TOBY CREEK AT BROCKWAY, PA. (LAT 41 15 09 LONG 078 47 48) | | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | | |
| 10... | 1320 | 263 | 1700 | 1100 | 1700 | 2 | -- | 2 | 130 | 10 | -- |
| 03029170 - LITTLE TOBY CREEK AT PORTLAND MILLS, PA. (LAT 41 21 53 LONG 078 49 22) | | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | | |
| 11... | 1430 | 415 | 300 | 0 | 1200 | 2 | -- | 2 | 126 | 7.2 | -- |
| 03029180 - BEAR CR NR RIDGWAY, PA. (LAT 41 23 52 LONG 078 49 23) | | | | | | | | | | | |
| MAY , 1974 | | | | | | | | | | | |
| 20... | 1200 | 58 | 50 | 0 | 0 | 10 | -- | 8 | 14 | 3.4 | -- |
| 03029184 - WOLF RUN AT PARRISH, PA. (LAT 41 29 27 LONG 078 59 49) | | | | | | | | | | | |
| MAY , 1974 | | | | | | | | | | | |
| 21... | 1200 | 8.0 | 50 | 0 | 0 | 10 | -- | 8 | -- | -- | -- |
| 03029185 - SPRING CREEK NEAR HALLTON, PA. (LAT 41 24 59 LONG 078 56 52) | | | | | | | | | | | |
| APR., 1974 | | | | | | | | | | | |
| 12... | 1430 | 285 | 200 | 100 | 0 | 4 | -- | 3 | 15 | 2.7 | -- |

OHIO RIVER BASIN

353

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL ORTHOPHOS- PHORUS (P) (MG/L) | HARD- NESS (CA,MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) |
|---|--|------------------------------------|---|---|--|--|---------------|-----------------------------|------------------------------------|--------------------------------------|
| 03028750 - LAUREL RUN NR SAINT MARYS, PA. (LAT 41 25 07 LONG 078 36 18) | | | | | | | | | | |
| APR., 1974 08... | -- | 31 | 29 | 5.0 | .1 | 80 | 6.2 | 4.6 | -- | -- |
| 03028800 - DAGUSCAHONDA CR AT DAGUSCAHONDA, PA. (LAT 41 25 09 LONG 078 38 32) | | | | | | | | | | |
| APR., 1974 08... | -- | 44 | 44 | 25 | .5 | 160 | 4.2 | 4.0 | -- | .0 |
| 03028900 - ELK CREEK AT RIDGWAY, PA. (LAT 41 25 31 LONG 078 43 38) | | | | | | | | | | |
| APR., 1974 08... | -- | 43 | 41 | 5.0 | .1 | 105 | 6.0 | 4.4 | 13.6 | -- |
| SEP. 26... | .24 | -- | -- | 4.0 | .1 | 198 | 7.0 | 14.0 | -- | 2.2 |
| 03029000 - CLARION RIVER AT RIDGWAY, PA. (LAT 41 25 15 LONG 078 44 10) | | | | | | | | | | |
| APR., 1974 08... | -- | 41 | 31 | 5.0 | .1 | 100 | 6.2 | 4.6 | -- | -- |
| 03029120 - BIG MILL CR NR RIDGWAY, PA. (LAT 41 24 58 LONG 078 46 31) | | | | | | | | | | |
| MAY , 1974 20... | -- | 13 | 10 | .0 | .0 | 30 | 5.5 | 17.0 | -- | 20 |
| 03029140 - BRANDYCAMP CR NR ELBON, PA. (LAT 41 17 10 LONG 078 41 22) | | | | | | | | | | |
| APR., 1974 09... | -- | 120 | 120 | 50 | 1.0 | 360 | 4.2 | 3.1 | 10.2 | .0 |
| 03029144 - MEAD RUN AT BROCKPORT, PA. (LAT 41 15 38 LONG 078 43 33) | | | | | | | | | | |
| APR., 1974 10... | -- | 120 | 110 | .0 | .0 | 280 | 6.3 | 1.5 | 12.4 | 8.0 |
| 03029150 - LITTLE TOBY CREEK AT BROCKWAY, PA. (LAT 41 15 09 LONG 078 47 48) | | | | | | | | | | |
| APR., 1974 10... | -- | 140 | 140 | 15 | .3 | 310 | 5.2 | 4.2 | 10.8 | -- |
| 03029170 - LITTLE TOBY CREEK AT PORTLAND MILLS, PA. (LAT 41 21 53 LONG 078 49 22) | | | | | | | | | | |
| APR., 1974 11... | -- | 120 | 120 | 5.0 | .1 | 300 | 4.6 | 9.5 | -- | -- |
| 03029180 - BEAR CR NR RIDGWAY, PA. (LAT 41 23 52 LONG 078 49 23) | | | | | | | | | | |
| MAY , 1974 20... | -- | 27 | 19 | .0 | .0 | 60 | 6.9 | 16.2 | -- | 2.0 |
| 03029184 - WOLF RUN AT PARRISH, PA. (LAT 41 29 27 LONG 078 59 49) | | | | | | | | | | |
| MAY , 1974 21... | -- | 12 | 4 | .0 | .0 | 30 | 5.7 | 16.2 | -- | 32 |
| 03029185 - SPRING CREEK NEAR HALLTON, PA. (LAT 41 24 59 LONG 078 56 52) | | | | | | | | | | |
| APR., 1974 12... | -- | 15 | 12 | .0 | .0 | 58 | 6.9 | 8.5 | 14.0 | .8 |

OHIO RIVER BASIN

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | DIS- SOLVED IRON (FE) (UG/L) | FERROUS IRON (FE) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | BICAR- BONATE (HCO3) (MG/L) | CAR- BONATE (CO3) (MG/L) | ALKA- LINITY AS CACO3 (MG/L) | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) |
|--|------|---|--|-----------------------------------|--|--------------------------------------|-----------------------------------|--|--|---|-----------------------------------|
| 03029200 - CLEAR CREEK NEAR SIGEL, PA. (LAT 41 19 17 LONG 079 04 39) | | | | | | | | | | | |
| SEP., 1974 23... | 1215 | 5.9 | -- | -- | -- | 10 | 0 | 8 | 12 | 2.5 | .04 |
| 03029400 - TOMS RUN AT COOKSBURG, PA. (LAT 41 20 16 LONG 079 12 50) | | | | | | | | | | | |
| APR., 1974 10... | 1720 | 29 | 240 | 120 | 400 | 2 | -- | 2 | 14 | 13 | -- |
| 03029700 - MILL CREEK NR STRATTANVILLE, PA. (LAT 41 14 15 LONG 079 17 11) | | | | | | | | | | | |
| APR., 1974 09... | 1335 | 161 | 1900 | 1750 | 4000 | 0 | -- | 0 | 100 | 14 | -- |
| 03030600 - PINEY CREEK AT PINEY, PA. (LAT 41 10 12 LONG 079 28 20) | | | | | | | | | | | |
| APR., 1974 11... | 0855 | 232 | 2600 | -- | 5100 | 0 | -- | 0 | 178 | 17 | -- |
| SEP. 27... | 1500 | 28 | -- | -- | -- | 0 | 0 | 0 | 364 | 14 | .75 |
| 03030700 - DEER CREEK AT PINEY, PA. (LAT 41 10 24 LONG 079 28 41) | | | | | | | | | | | |
| APR., 1974 11... | 1030 | 380 | 2400 | -- | 1000 | 0 | -- | 0 | 110 | 12 | -- |
| 03030750 - CANOE CREEK NEAR CALLENSBURG, PA. (LAT 41 09 46 LONG 079 31 57) | | | | | | | | | | | |
| APR., 1974 10... | 1030 | 27 | 1100 | 350 | 300 | 8 | -- | 7 | 104 | 26 | -- |
| 03030800 - BEAVER CREEK NEAR TURKEY CITY, PA. (LAT 41 10 53 LONG 079 33 41) | | | | | | | | | | | |
| APR., 1974 08... | 1520 | 36 | 500 | 90 | 400 | 18 | -- | 15 | 20 | 19 | -- |
| 03030900 - LICKING CREEK AT CALLENSBURG PA (LAT 41 07 25 LONG 079 34 06) | | | | | | | | | | | |
| APR., 1974 09... | 1030 | 133 | 5900 | 3900 | 5100 | 2 | -- | 2 | 312 | 16 | -- |
| 03031000 - CLARION RIVER AT ST. PETERSBURG PA (LAT 41 08 57 LONG 079 39 37) | | | | | | | | | | | |
| APR., 1974 10... | 1200 | 3700 | 800 | 380 | 1000 | 2 | -- | 2 | 76 | 14 | -- |
| 03031620 - LABORDE BRANCH NR HOMECAMP, PA. (LAT 41 06 18 LONG 078 42 52) | | | | | | | | | | | |
| SEP., 1974 26... | 0845 | 13 | -- | -- | -- | 12 | 0 | 10 | 137 | 18 | .41 |
| 03031650 - KYLE RUN NR. FALLS CREEK, PA. (LAT 41 09 37 LONG 078 51 51) | | | | | | | | | | | |
| SEP., 1974 26... | 1400 | 1.7 | -- | -- | -- | -- | 0 | -- | 29 | 7.5 | 1.8 |
| 03031770 - SANDY LICK CREEK NEAR BROOKVILLE, PA. (LAT 41 09 20 LONG 079 03 12) | | | | | | | | | | | |
| APR., 1974 12... | 0900 | 511 | 600 | 120 | 400 | 6 | -- | 5 | 47 | 15 | -- |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | HARD- NESS (CA+MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | DIS- SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) |
|--|--|------------------------------------|---|---|--|--|---------------|-----------------------------|------------------------------------|--------------------------------------|
| 03029200 - CLEAR CREEK NEAR SIGEL, PA. (LAT 41 19 17 LONG 079 04 39) | | | | | | | | | | |
| SEP., 1974 23... | .19 | -- | -- | 1.0 | .0 | 51 | 7.1 | 10.0 | -- | 1.3 |
| 03029400 - TOMS RUN AT COOKSBURG, PA. (LAT 41 20 16 LONG 079 12 50) | | | | | | | | | | |
| APR., 1974 10... | -- | 34 | 32 | .0 | .0 | 68 | 6.7 | 3.7 | 13.5 | .6 |
| 03029700 - MILL CREEK NR STRATTANVILLE, PA. (LAT 41 14 15 LONG 079 17 11) | | | | | | | | | | |
| APR., 1974 09... | -- | 120 | 120 | 24 | .5 | 240 | 3.8 | 2.5 | 7.5 | .0 |
| 03030600 - PINEY CREEK AT PINEY, PA. (LAT 41 10 12 LONG 079 28 20) | | | | | | | | | | |
| APR., 1974 11... | -- | 140 | 140 | 36 | .7 | 420 | 4.1 | 3.5 | 8.4 | .0 |
| SEP. 27... | .00 | -- | -- | 37 | .8 | 758 | 3.9 | 14.0 | -- | .0 |
| 03030700 - DEER CREEK AT PINEY, PA. (LAT 41 10 24 LONG 079 28 41) | | | | | | | | | | |
| APR., 1974 11... | -- | 86 | 86 | 35 | .7 | 265 | 3.5 | 2.5 | 9.2 | .0 |
| 03030750 - CANOE CREEK NEAR CALLENSBURG, PA. (LAT 41 09 46 LONG 079 31 57) | | | | | | | | | | |
| APR., 1974 10... | -- | 94 | 87 | 5.0 | .1 | 330 | 6.4 | 2.0 | -- | -- |
| 03030800 - BEAVER CREEK NEAR TURKEY CITY, PA. (LAT 41 10 53 LONG 079 33 41) | | | | | | | | | | |
| APR., 1974 08... | -- | 48 | 33 | .0 | .0 | 125 | 6.5 | 4.3 | 11.2 | 9.1 |
| 03030900 - LICKING CREEK AT CALLENSBURG PA (LAT 41 07 25 LONG 079 34 06) | | | | | | | | | | |
| APR., 1974 09... | -- | 330 | 330 | 12 | .2 | 710 | 4.7 | 3.0 | 11.0 | -- |
| 03031000 - CLARION RIVER AT ST. PETERSBURG PA (LAT 41 08 57 LONG 079 39 37) | | | | | | | | | | |
| APR., 1974 10... | -- | 67 | 65 | 4.9 | .1 | 200 | 6.5 | 5.0 | -- | -- |
| 03031620 - LABORDE BRANCH NR HOMECAMP, PA. (LAT 41 06 18 LONG 078 42 52) | | | | | | | | | | |
| SEP., 1974 26... | .18 | -- | -- | 2.0 | .0 | 386 | 6.9 | 9.0 | -- | 2.4 |
| 03031650 - KYLE RUN NR. FALLS CREEK, PA. (LAT 41 09 37 LONG 078 51 51) | | | | | | | | | | |
| SEP., 1974 26... | .32 | -- | -- | 2.0 | .0 | 150 | 6.8 | 9.5 | -- | -- |
| 03031770 - SANDY LICK CREEK NEAR BROOKVILLE, PA. (LAT 41 09 20 LONG 079 03 12) | | | | | | | | | | |
| APR., 1974 12... | -- | 65 | 60 | .0 | .0 | 150 | 6.5 | 5.5 | 11.0 | 3.0 |

OHIO RIVER BASIN

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | DIS- SOLVED IRON (FE) (UG/L) | FERROUS IRON (FE) (UG/L) | DIS- SOLVED MAN- GANESE (MN) (UG/L) | BICAR- BONATE (HCO3) (MG/L) | CAR- BONATE (CO3) (MG/L) | ALKA- LINITY AS CACO3 (MG/L) | DIS- SOLVED SULFATE (SO4) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | TOTAL NITRATE (N) (MG/L) |
|---|------|---|--|-----------------------------------|--|--------------------------------------|-----------------------------------|--|--|---|-----------------------------------|
| 03031900 - BEAVER RUN AT HEATHVILLE, PA. (LAT 41 05 25 LONG 079 10 52) | | | | | | | | | | | |
| APR., 1974 12... | 1230 | 30 | 1800 | 1500 | 2500 | 8 | -- | 7 | 144 | 8.0 | -- |
| 03031980 - LITTLE SANDY CREEK NEAR NORTH FREEDOM, PA. (LAT 41 01 58 LONG 079 11 05) | | | | | | | | | | | |
| APR., 1974 10... | 1500 | 159 | 600 | 0 | 400 | 8 | -- | 7 | 85 | 12 | -- |
| 03032400 - LEATHERWOOD CREEK NEAR NEW BETHLEHEM, PA. (LAT 41 01 12 LONG 079 23 14) | | | | | | | | | | | |
| APR., 1974 11... | 1440 | 67 | 400 | 30 | 400 | 12 | -- | 10 | 160 | 11 | -- |
| 03036300 - NORTH FORK PINE CR NR MUSGROVE, PA. (LAT 40 52 38 LONG 079 24 00) | | | | | | | | | | | |
| SEP., 1974 27... | 0840 | 2.4 | -- | -- | -- | 39 | 0 | 32 | 70 | 7.5 | -- |
| 03039700 - DARK SHADE CR. AT CENTRAL CITY, PA. (LAT 40 06 18 LONG 078 47 55) | | | | | | | | | | | |
| SEP., 1974 23... | 1315 | 2.9 | -- | -- | -- | 0 | 0 | 0 | 140 | 1.5 | .25 |
| 03045300 - MCCUNE RUN AT KEYSTONE STATE PARK, PA. (LAT 40 22 26 LONG 079 22 25) | | | | | | | | | | | |
| SEP., 1974 23... | 1550 | 4.6 | -- | -- | -- | 28 | 0 | 23 | 23 | 2.0 | .70 |
| 03048300 - BEAVER RUN NR. SLICKVILLE, PA. (LAT 40 26 25 LONG 79 32 39) | | | | | | | | | | | |
| SEP., 1974 25... | 1005 | 17 | -- | -- | -- | 51 | 0 | 42 | 66 | 9.0 | .97 |
| 03049610 - BULL CREEK AT TARENTUM, PA. (LAT 40 36 54 LONG 079 45 36) | | | | | | | | | | | |
| SEP., 1974 24... | 0945 | 29 | -- | -- | -- | 55 | 0 | 45 | 95 | 12 | 1.2 |
| 03049630 - PUCKETA CREEK AT NEW KENSINGTON, PA. (LAT 40 33 05 LONG 79 45 03) | | | | | | | | | | | |
| SEP., 1974 24... | 1145 | 17 | -- | -- | -- | 92 | 0 | 75 | 97 | 12 | .86 |
| 03049810 - PINE CREEK AT ETNA, PA. (LAT 40 29 42 LONG 79 56 26) | | | | | | | | | | | |
| SEP., 1974 24... | 1445 | 48 | -- | -- | -- | 120 | 0 | 98 | 110 | 57 | 1.4 |
| 03072700 - WHITELEY CREEK AT KIRBY, PA. (LAT 39 48 08 LONG 080 07 02) | | | | | | | | | | | |
| SEP., 1974 23... | 1805 | 14 | -- | -- | -- | 54 | 0 | 44 | 37 | 3.0 | .27 |

OHIO RIVER BASIN

357

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TOTAL ORTHO PHOS-PHOS (P) (MG/L) | HARD-NESS (CA, MG) (MG/L) | NON-CARBONATE HARD-NESS (MG/L) | TOTAL ACIDITY AS CaCO3 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPECIFIC CONDUCTANCE (MICRO-MHOS) | PH (UNITS) | TEMPERATURE (DEG C) | DISSOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) |
|---|----------------------------------|---------------------------|--------------------------------|-------------------------------|----------------------------|-----------------------------------|------------|---------------------|-------------------------|-----------------------------|
| 03031900 - BEAVER RUN AT HEATHVILLE, PA. (LAT 41 05 25 LONG 079 10 52) | | | | | | | | | | |
| APR., 1974 12... | -- | 150 | 140 | 14 | .3 | 345 | 6.0 | 9.1 | 10.1 | -- |
| 03031980 - LITTLE SANDY CREEK NEAR NORTH FREEDOM, PA. (LAT 41 01 58 LONG 079 11 05) | | | | | | | | | | |
| APR., 1974 10... | -- | 70 | 63 | .0 | .0 | 230 | 6.8 | 7.0 | -- | 2.0 |
| 03032400 - LEATHERWOOD CREEK NEAR NEW BETHLEHEM, PA. (LAT 41 01 12 LONG 079 23 14) | | | | | | | | | | |
| APR., 1974 11... | -- | 190 | 180 | .0 | .0 | 385 | 6.6 | 7.3 | 12.2 | 4.8 |
| 03036300 - NORTH FORK PINE CR NR MOSGROVE, PA. (LAT 40 52 38 LONG 079 24 00) | | | | | | | | | | |
| SEP., 1974 27... | .00 | -- | -- | 2.0 | .0 | 247 | 6.8 | 14.0 | -- | 9.9 |
| 03039700 - DARK SHADE CR. AT CENTRAL CITY, PA. (LAT 40 06 18 LONG 078 47 55) | | | | | | | | | | |
| SEP., 1974 23... | .00 | -- | -- | 132 | 2.6 | 501 | -- | 11.0 | -- | -- |
| 03045300 - MCCUNE RUN AT KEYSTONE STATE PARK, PA. (LAT 40 22 26 LONG 079 22 25) | | | | | | | | | | |
| SEP., 1974 23... | .00 | -- | -- | 2.0 | .0 | 112 | -- | 12.0 | -- | -- |
| 03048300 - BEAVER RUN NR. SLICKVILLE, PA. (LAT 40 26 25 LONG 79 32 39) | | | | | | | | | | |
| SEP., 1974 25... | .01 | -- | -- | 4.0 | .1 | 253 | -- | 10.5 | -- | -- |
| 03049610 - BULL CREEK AT TARENTUM, PA. (LAT 40 36 54 LONG 079 45 36) | | | | | | | | | | |
| SEP., 1974 24... | .00 | -- | -- | 2.0 | .0 | 331 | -- | 8.5 | -- | -- |
| 03049630 - PUCKETA CREEK AT NEW KENSINGTON, PA. (LAT 40 33 05 LONG 79 45 03) | | | | | | | | | | |
| SEP., 1974 24... | .00 | -- | -- | 2.0 | .0 | 385 | -- | 9.0 | -- | -- |
| 03049810 - PINE CREEK AT ETNA, PA. (LAT 40 29 42 LONG 79 56 26) | | | | | | | | | | |
| SEP., 1974 24... | .18 | -- | -- | 2.0 | .0 | 582 | -- | 12.0 | -- | -- |
| 03072700 - WHITELEY CREEK AT KIRBY, PA. (LAT 39 48 08 LONG 080 07 02) | | | | | | | | | | |
| SEP., 1974 23... | .01 | -- | -- | 4.0 | .1 | 179 | -- | 14.5 | -- | -- |

OHIO RIVER BASIN

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | DIS- SOLVED SILICA (SI02) (MG/L) | DIS- SOLVED IRON (FE) (UG/L) | DIS- SOLVED CAL- CIUM (CA) (MG/L) | DIS- SOLVED MAG- NE- SIUM (MG) (MG/L) | DIS- SOLVED SODIUM (NA) (MG/L) | DIS- SOLVED PO- TAS- SIUM (K) (MG/L) | BICAR- BONATE (HC03) (MG/L) | CAR- BONATE (C03) (MG/L) | ALKA- LINITY AS CAC03 (MG/L) | DIS- SOLVED SULFATE (S04) (MG/L) |
|--|------|---|--|--|--|---|--|--|--------------------------------------|-----------------------------------|--|--|
| 03072830 - DANIELS RUN AT MARIANNA, PA. (LAT 40 01 37 LONG 080 05 26) | | | | | | | | | | | | |
| SEP., 1974 23... | 1330 | 20 | -- | -- | -- | -- | -- | -- | 190 | 0 | 156 | 620 |
| 03074500 - REDSTONE CREEK AT WALTERSBURG, PA. (LAT 39 58 48 LONG 079 45 52) | | | | | | | | | | | | |
| DEC., 1973 06... | 1445 | 49 | 7.5 | 34000 | 140 | 50 | 60 | 4.5 | 41 | 0 | 34 | 560 |
| 03075040 - PIGEON CREEK AT MONONGAHELA, PA. (LAT 40 11 26 LONG 079 55 50) | | | | | | | | | | | | |
| SEP., 1974 25... | 1230 | 48 | -- | -- | -- | -- | -- | -- | 240 | 0 | 197 | 400 |
| 03075090 - PETERS CREEK AT LARGE, PA. (LAT 40 17 31 LONG 079 54 56) | | | | | | | | | | | | |
| SEP., 1974 25... | 1520 | 32 | -- | -- | -- | -- | -- | -- | 130 | 0 | 107 | 410 |
| 03079600 - LAUREL HILL CR. NR. BAKERSVILLE, PA. (LAT 40 00 32 LONG 079 14 04) | | | | | | | | | | | | |
| SEP., 1974 23... | 1105 | 23 | -- | -- | -- | -- | -- | -- | 22 | 0 | 18 | 16 |
| 03083100 - JACOBS CREEK AT JACOBS CREEK, PA. (LAT 40 07 23 LONG 079 44 14) | | | | | | | | | | | | |
| SEP., 1974 25... | 1015 | 107 | -- | -- | -- | -- | -- | -- | 44 | 0 | 36 | 76 |
| 03099900 - PADEN CREEK NR PENNLIN, PA. (LAT 41 44 16 LONG 080 28 17) | | | | | | | | | | | | |
| SEP., 1974 27... | 0900 | .99 | -- | -- | -- | -- | -- | -- | 150 | 0 | 123 | 25 |
| 03106030 - SLIPPERY ROCK CREEK AT BOYERS, PA. (LAT 41 06 34 LONG 079 54 30) | | | | | | | | | | | | |
| SEP., 1974 27... | 1130 | 11 | -- | -- | -- | -- | -- | -- | 0 | 0 | 0 | 250 |
| 03107700 - TRAVERSE CREEK AT RACCOON CREEK STATE PARK, PA. (LAT 40 30 04 LONG 080 25 17) | | | | | | | | | | | | |
| SEP., 1974 25... | 1615 | 9.5 | -- | -- | -- | -- | -- | -- | 65 | 0 | 53 | 52 |
| 03109300 - NORTH FORK LITTLE BEAVER CR AT DARLINGTON, PA. (LAT 40 48 22 LONG 080 25 22) | | | | | | | | | | | | |
| SEP., 1974 25... | 1400 | 47 | -- | -- | -- | -- | -- | -- | 180 | 0 | 148 | 270 |

OHIO RIVER BASIN

359

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | DIS- SOLVED CHLORIDE (CL) (MG/L) | DIS- SOLVED FLUORIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | HARD- NESS (CA+MG) (MG/L) | NON- CAR- BONATE HARD- NESS (MG/L) | TOTAL ACIDITY AS CACO3 (MG/L) | TOTAL ACIDITY AS H+ (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) | PH (UNITS) | TEMPER- ATURE (DEG C) | CARBON DIOXIDE (CO2) (MG/L) |
|--|--|---|-----------------------------------|---|------------------------------------|---|---|--|--|---------------|-----------------------------|--------------------------------------|
| 03072830 - DANIELS RUN AT MARIANNA, PA. (LAT 40 01 37 LONG 080 05 26) | | | | | | | | | | | | |
| SEP., 1974 23... | 100 | -- | .61 | .01 | -- | -- | .0 | .0 | 1780 | -- | 12.0 | -- |
| 03074500 - REDSTONE CREEK AT WALTERSBURG, PA. (LAT 39 58 48 LONG 079 45 52) | | | | | | | | | | | | |
| DEC., 1973 06... | 18 | .4 | 2.0 | -- | 560 | 520 | -- | -- | 1238 | 6.0 | 9.0 | 66 |
| 03075040 - PIGEON CREEK AT MONONGAHELA, PA. (LAT 40 11 26 LONG 079 55 50) | | | | | | | | | | | | |
| SEP., 1974 25... | 57 | -- | .88 | .01 | -- | -- | 4.0 | .1 | 1340 | 6.5 | 12.5 | 121 |
| 03075090 - PETERS CREEK AT LARGE, PA. (LAT 40 17 31 LONG 079 54 56) | | | | | | | | | | | | |
| SEP., 1974 25... | 66 | -- | -- | .33 | -- | -- | 7.0 | .2 | 1270 | 6.7 | 14.0 | 42 |
| 03079600 - LAUREL HILL CR. NR. BAKERSVILLE, PA. (LAT 40 00 32 LONG 079 14 04) | | | | | | | | | | | | |
| SEP., 1974 23... | 13 | -- | .77 | .00 | -- | -- | 1.0 | .0 | 111 | -- | 11.0 | -- |
| 03083100 - JACOBS CREEK AT JACOBS CREEK, PA. (LAT 40 07 23 LONG 079 44 14) | | | | | | | | | | | | |
| SEP., 1974 25... | 10 | -- | 1.3 | .01 | -- | -- | 2.0 | .0 | 277 | 6.2 | 12.0 | 44 |
| 03099900 - PADEN CREEK NR PENNLINE, PA. (LAT 41 44 16 LONG 080 28 17) | | | | | | | | | | | | |
| SEP., 1974 27... | 9.5 | -- | 1.3 | .00 | -- | -- | 2.0 | .0 | 304 | 7.4 | 10.5 | 9.6 |
| 03106030 - SLIPPERY ROCK CREEK AT BOYERS, PA. (LAT 41 06 34 LONG 079 54 30) | | | | | | | | | | | | |
| SEP., 1974 27... | 11 | -- | .16 | .00 | -- | -- | 24 | .5 | 514 | 4.0 | 12.0 | .0 |
| 03107700 - TRAVERSE CREEK AT RACCOON CREEK STATE PARK, PA. (LAT 40 30 04 LONG 080 25 17) | | | | | | | | | | | | |
| SEP., 1974 25... | 8.0 | -- | 1.1 | .00 | -- | -- | 1.0 | .0 | 242 | -- | 12.5 | -- |
| 03109300 - NORTH FORK LITTLE BEAVER CR AT DARLINGTON, PA. (LAT 40 48 22 LONG 080 25 22) | | | | | | | | | | | | |
| SEP., 1974 25... | 22 | -- | .50 | .01 | -- | -- | .0 | .0 | 758 | -- | 12.0 | -- |

OHIO RIVER BASIN

LAKES AND RESERVOIRS IN OHIO RIVER BASIN

- 412202080050700 LAKE WILHELM.--Lat 41°22'02", long 80°05'07", Mercer County, 1 mi (1.6 km) north of Sandy Lake at point 2,000 ft (610 m) upstream from dam on Sandy Creek. Drainage area, 56.5 mi² (146.3 km²). Surface area, 1,860 acres (7.53 km²). Capacity at normal pool elevation of 1,192 ft (363.3 m), 19,875 acre-feet (24.5 hm³). Mean flow-through-time, 109 days at 92 ft³/s (2.61 m³/s). Period of record, chemical analyses, water year 1974 (partial-record station). Lake is used for recreation.
- 404250079303000 CROOKED CREEK LAKE.--Lat 40°42'50", long 79°30'30", Armstrong County, 6 mi (9.7 km) south of Kittanning at point 300 ft (91 m) upstream from dam on Crooked Creek. Drainage area, 277 mi² (717.4 km²). Surface area, 350 acres (1.42 km²). Capacity at normal pool elevation of 840 ft (256.0 m), 4,500 acre-feet (5.55 hm³). Mean flow-through-time, 5.4 days at 417 ft³/s (11.8 m³/s). Period of record, chemical analyses, water year 1974 (partial-record station). Lake is used for recreation and flood control.
- 402225079232800 KEYSTONE LAKE.--Lat 40°22'25", long 79°23'28", Westmoreland County, 2 mi (3.2 km) southeast of New Alexandria at point 300 ft (91 m) upstream from dam on tributary to Loyalhanna Creek. Drainage area, 3.5 mi² (9.1 km²). Surface area, 78 acres (784,000 m²). Capacity at normal pool elevation of 1,051 ft (320.3 m), 350 acre-feet (432,000 m³). Mean flow-through-time, 27 days at 6.5 ft³/s (0.18 m³/s). Period of record, chemical analyses, water year 1974 (partial-record station). Lake is used for recreation.
- 400323079133000 KOOSER LAKE.--Lat 40°03'23", long 79°13'30", Somerset County, 1 mi (1.6 km) west of Bakersville at point 100 ft (30 m) upstream from dam on Kooser Run. Drainage area, 3.2 mi² (8.3 km²). Surface area, 9 acres (36,400 m²). Capacity at normal pool elevation of 2,280 ft (694.9 m), 30 acre-feet (37,000 m³). Mean flow-through-time, 2.3 days at 6.6 ft³/s (0.18 m³/s). Period of record, chemical analyses, water year 1974 (partial-record station). Lake is used for recreation.
- 412954080274700 PYMATUNING RESERVOIR.--Lat 41°29'54", long 80°27'47", Crawford County, 2 mi (3.2 km) northwest of Jamestown at point 3,000 ft (914 m) upstream from dam on Shenango River. Drainage area, 158 mi² (409 km²). Surface area, 14,500 acres (58.7 km²). Capacity at normal pool elevation of 1,008 ft (307.2 m), 188,120 acre-feet (232.0 hm³). Mean flow-through-time, 508 days at 186.5 ft³/s (5.28 m³/s). Period of record, chemical analyses, water year 1974 (partial-record station). Lake is used for recreation.

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD LAKES

361

OHIO RIVER BASIN

412202080050700 LAKE WILHELM (LAT 41 22 02 LONG 080 05 07)

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS-SOLVED SILICA (SiO ₂) (MG/L) | DIS-SOLVED IRON (FE) (UG/L) | DIS-SOLVED MANGANESE (MN) (UG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNE-SIUM (MG) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED POTASSIUM (K) (MG/L) | BICARBONATE (HCO ₃) (MG/L) | ALKALINITY AS CaCO ₃ (MG/L) | DIS-SOLVED SULFATE (SO ₄) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) |
|------------|------|--|-----------------------------|----------------------------------|--------------------------------|-----------------------------------|-------------------------------|---------------------------------|--|--|--|---------------------------------|
| AUG. 28... | 1130 | 2.4 | 80 | 10 | 18 | 4.2 | 4.2 | 1.6 | 60 | 49 | 17 | 7.5 |

| DATE | DIS-SOLVED FLUORIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) | TOTAL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHOPHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) |
|------------|--------------------------------|--------------------------|--------------------------|---------------------------------------|-----------------------------|-----------------------------------|------------------------------------|---------------------------|-----------------------------|----------------------------------|---|
| AUG. 28... | .2 | .02 | .00 | .02 | .29 | .37 | .66 | .68 | .05 | .02 | 98 |

| DATE | DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | HARDNESS (CA, MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICROMHOS) (MG/L) | PH (UNITS) | TEMPERATURE (DEG C) | COLOR (PLATINUM-COBALT UNITS) | TRANSPARENCY (SECCHI DISK) (IN) | DIS-SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO ₂) (MG/L) | TOTAL ORGANIC CARBON (C) (MG/L) |
|------------|--|--------------------------|-------------------------------|---|------------|---------------------|-------------------------------|---------------------------------|--------------------------|--|---------------------------------|
| AUG. 28... | 85 | 62 | 13 | 167 | 7.1 | 22.0 | 7 | 38 | 6.1 | 7.6 | 13 |

| DATE | ALDRIN IN BOTTOM DEPOSIT (UG/KG) | CHLORDANE IN BOTTOM DEPOSIT (UG/KG) | DDD IN BOTTOM DEPOSIT (UG/KG) | DDE IN BOTTOM DEPOSIT (UG/KG) | DDT IN BOTTOM DEPOSIT (UG/KG) | DI-ELDRIN IN BOTTOM DEPOSIT (UG/KG) | ENDRIN IN BOTTOM DEPOSIT (UG/KG) | HEPTACHLOR IN BOTTOM DEPOSIT (UG/KG) | HEPTACHLOR EPOXIDE IN BOTTOM DEPOSIT (UG/KG) | LINDANE IN BOTTOM DEPOSIT (UG/KG) | PCB IN BOTTOM DEPOSIT (UG/KG) |
|------------|----------------------------------|-------------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------------|----------------------------------|--------------------------------------|--|-----------------------------------|-------------------------------|
| AUG. 28... | .0 | 0 | .5 | .9 | .0 | .0 | .0 | .0 | .0 | .0 | 0 |

| DATE | TOXAPHENE IN BOTTOM DEPOSIT (UG/KG) | 2,4-D IN BOTTOM DEPOSIT (UG/KG) | 2,4,5-T IN BOTTOM DEPOSIT (UG/KG) | SILVEX IN BOTTOM DEPOSIT (UG/KG) | DIS-SOLVED CADMIUM (CD) (UG/L) | DIS-SOLVED CHROMIUM (CR) (UG/L) | DIS-SOLVED COBALT (CO) (UG/L) | DIS-SOLVED COPPER (CU) (UG/L) | DIS-SOLVED LEAD (PB) (UG/L) | DIS-SOLVED NICKEL (NI) (UG/L) | DIS-SOLVED ZINC (ZN) (UG/L) |
|------------|-------------------------------------|---------------------------------|-----------------------------------|----------------------------------|--------------------------------|---------------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-----------------------------|
| AUG. 28... | 0 | 0 | 0 | 0 | 6 | 0 | 0 | 10 | 0 | 3 | 10 |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD LAKES

OHIO RIVER BASIN

404250079303000 CROOKED CREEK LAKE (LAT 40 42 50 LONG 079 30 30)

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS-SOLVED SILICA (SI02) (MG/L) | DIS-SOLVED IRON (FE) (UG/L) | DIS-SOLVED MANGANESE (MN) (UG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNESIUM (MG) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED POTASSIUM (K) (MG/L) | BICARBONATE (HCO3) (MG/L) | ALKALINITY AS CAC03 (MG/L) | DIS-SOLVED SULFATE (SO4) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) |
|------------|--|-------------------------------------|-----------------------------------|---------------------------------------|--------------------------------|-------------------------------------|------------------------------------|--------------------------------------|--|-----------------------------------|---|---------------------------------|
| AUG. 13... | 1100 | 6.8 | 280 | 970 | 49 | 14 | 46 | 2.7 | 19 | 16 | 220 | 30 |
| DATE | DIS-SOLVED FLUORIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) | TOTAL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) | |
| AUG. 13... | .1 | .78 | .00 | .78 | .34 | .01 | .35 | 1.1 | .01 | .00 | 449 | |
| DATE | DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | HARDNESS (CA+MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICROMHOS) | PH (UNITS) | TEMPERATURE (DEG C) | COLOR (PLATINUM-COBALT UNITS) | TRANSPARENCY (SECCHI DISK) (IN) | DIS-SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | TOTAL ORGANIC CARBON (C) (MG/L) | |
| AUG. 13... | 379 | 180 | 160 | 645 | 6.4 | 24.0 | 1 | 165 | 8.5 | 12 | .9 | |
| DATE | ALDRIN IN BOTTOM DEPOSIT (UG/KG) | CHLORDANE IN BOTTOM DEPOSIT (UG/KG) | DDD IN BOTTOM DEPOSIT (UG/KG) | DDE IN BOTTOM DEPOSIT (UG/KG) | DDT IN BOTTOM DEPOSIT (UG/KG) | DI-ELDRIN IN BOTTOM DEPOSIT (UG/KG) | ENDRIN IN BOTTOM DEPOSIT (UG/KG) | HEPTACHLOR IN BOTTOM DEPOSIT (UG/KG) | HEPTACHLOR EPOXIDE IN BOTTOM DEPOSIT (UG/KG) | LINDANE IN BOTTOM DEPOSIT (UG/KG) | PCB IN BOTTOM DEPOSIT (UG/KG) | |
| AUG. 13... | .0 | 0 | 3.1 | 2.6 | .0 | .4 | .0 | .0 | .0 | .0 | 14 | |
| DATE | TOXAPHENE IN BOTTOM DEPOSIT (UG/KG) | 2,4-D IN BOTTOM DEPOSIT (UG/KG) | 2,4,5-T IN BOTTOM DEPOSIT (UG/KG) | SILVEX IN BOTTOM DEPOSIT (UG/KG) | DIS-SOLVED CADMIUM (CD) (UG/L) | DIS-SOLVED CHROMIUM (CR) (UG/L) | DIS-SOLVED COBALT (CO) (UG/L) | DIS-SOLVED COPPER (CU) (UG/L) | DIS-SOLVED LEAD (PB) (UG/L) | DIS-SOLVED NICKEL (NI) (UG/L) | DIS-SOLVED ZINC (ZN) (UG/L) | |
| AUG. 13... | 0 | 0 | 0 | 0 | 7 | 0 | 0 | 0 | 0 | 16 | 10 | |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD LAKES

OHIO RIVER BASIN

402225079232800 KEYSTONE LAKE (LAT 40 22 25 LONG 079 23 28)

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS- SOLVED SILICA (SI02) (MG/L) | BICAR- BONATE (HCO3) (MG/L) | ALKA- LINITY AS CAC03 (MG/L) | DIS- SOLVED SULFATE (S04) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) |
|---------------|------|--|--------------------------------------|--|--|---|--|-----------------------------------|-----------------------------------|
| AUG. 12... | 1100 | 3.9 | 38 | 31 | 22 | 2.5 | .2 | .01 | .00 |

| DATE | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) |
|---------------|--|---|--|--|---|---|--|--|
| AUG. 12... | .01 | .10 | .20 | .30 | .31 | .01 | .01 | 102 |

400323079133000 KOOSER LAKE (LAT 40 03 23 LONG 079 13 30)

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS- SOLVED SILICA (SI02) (MG/L) | BICAR- BONATE (HCO3) (MG/L) | ALKA- LINITY AS CAC03 (MG/L) | DIS- SOLVED SULFATE (S04) (MG/L) | DIS- SOLVED CHLO- RIDE (CL) (MG/L) | DIS- SOLVED FLUO- RIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) |
|---------------|------|--|--------------------------------------|--|--|---|--|-----------------------------------|-----------------------------------|
| AUG. 12... | 0915 | 3.4 | 40 | 33 | 8.5 | 5.0 | .1 | .97 | .03 |

| DATE | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITRO- GEN (N) (MG/L) | TOTAL ORGANIC NITRO- GEN (N) (MG/L) | TOTAL KJEL- DAHL NITRO- GEN (N) (MG/L) | TOTAL NITRO- GEN (N) (MG/L) | TOTAL PHOS- PHORUS (P) (MG/L) | TOTAL ORTHO PHOS- PHORUS (P) (MG/L) | SPE- CIFIC CON- DUCT- ANCE (MICRO- MHOS) |
|---------------|--|---|--|--|---|---|--|--|
| AUG. 12... | 1.0 | .18 | .12 | .30 | 1.3 | .04 | .02 | 110 |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD LAKES

OHIO RIVER BASIN

412954080274700 PYMATUNING RESERVOIR (LAT 41 29 54 LONG 080 27 47)

CHEMICAL ANALYSES, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | DIS-SOLVED SILICA (SIO2) (MG/L) | DIS-SOLVED IRON (FE) (UG/L) | DIS-SOLVED MANGANESE (MN) (UG/L) | DIS-SOLVED CALCIUM (CA) (MG/L) | DIS-SOLVED MAGNESIUM (MG) (MG/L) | DIS-SOLVED SODIUM (NA) (MG/L) | DIS-SOLVED POTASSIUM (K) (MG/L) | BICARBONATE (HCO3) (MG/L) | ALKALINITY AS CaCO3 (MG/L) | DIS-SOLVED SULFATE (SO4) (MG/L) | DIS-SOLVED CHLORIDE (CL) (MG/L) |
|------------|------|--|--------------------------------------|------------------------------------|---|----------------------------------|--------------------------------------|------------------------------------|---------------------------------------|---|------------------------------------|---|
| AUG. 27... | 0945 | 1.5 | 40 | 10 | 16 | 4.2 | 4.0 | 1.8 | 44 | 36 | 23 | 7.2 |
| DATE | | DIS-SOLVED FLUORIDE (F) (MG/L) | TOTAL NITRATE (N) (MG/L) | TOTAL NITRITE (N) (MG/L) | TOTAL NITRITE PLUS NITRATE (N) (MG/L) | AMMONIA NITROGEN (N) (MG/L) | TOTAL ORGANIC NITROGEN (N) (MG/L) | TOTAL KJELDAHL NITROGEN (N) (MG/L) | TOTAL NITROGEN (N) (MG/L) | TOTAL PHOSPHORUS (P) (MG/L) | TOTAL ORTHO PHOSPHORUS (P) (MG/L) | DIS-SOLVED SOLIDS (RESIDUE AT 180 C) (MG/L) |
| AUG. 27... | | .2 | .03 | .00 | .03 | .24 | .49 | .73 | .76 | .02 | .01 | 72 |
| DATE | | DIS-SOLVED SOLIDS (SUM OF CONSTITUENTS) (MG/L) | HARDNESS (CA, MG) (MG/L) | NON-CARBONATE HARDNESS (MG/L) | SPECIFIC CONDUCTANCE (MICROMHOS) (MG/L) | PH (UNITS) | TEMPERATURE (DEG C) | COLOR (PLATINUM-COBALT UNITS) | TRANSPARENCY (SECCHI DISK) (IN) | DIS-SOLVED OXYGEN (MG/L) | CARBON DIOXIDE (CO2) (MG/L) | TOTAL ORGANIC CARBON (C) (MG/L) |
| AUG. 27... | | 80 | 57 | 21 | 175 | 7.1 | 23.0 | 1 | 45 | 7.2 | 5.6 | 9.1 |
| DATE | | ALDRIN IN BOTTOM DEPOSITS (UG/KG) | CHLORDANE IN BOTTOM DEPOSITS (UG/KG) | DDD IN BOTTOM DEPOSITS (UG/KG) | DDE IN BOTTOM DEPOSITS (UG/KG) | DDT IN BOTTOM DEPOSITS (UG/KG) | DI-ELDRIN IN BOTTOM DEPOSITS (UG/KG) | ENDRIN IN BOTTOM DEPOSITS (UG/KG) | HEPTACHLOR IN BOTTOM DEPOSITS (UG/KG) | HEPTACHLOR EPOXIDE IN BOTTOM DEPOSITS (UG/KG) | LINDANE IN BOTTOM DEPOSITS (UG/KG) | PCB IN BOTTOM DEPOSITS (UG/KG) |
| AUG. 27... | | .0 | 0 | 4.8 | 2.1 | .0 | .0 | .0 | .0 | .0 | .0 | 0 |
| DATE | | TOXAPHENE IN BOTTOM DEPOSITS (UG/KG) | 2,4-D IN BOTTOM DEPOSITS (UG/KG) | 2,4,5-T IN BOTTOM DEPOSITS (UG/KG) | SILVEX IN BOTTOM DEPOSITS (UG/KG) | DIS-SOLVED CADMIUM (CD) (UG/L) | DIS-SOLVED CHROMIUM (CR) (UG/L) | DIS-SOLVED COBALT (CO) (UG/L) | DIS-SOLVED COPPER (CU) (UG/L) | DIS-SOLVED LEAD (PB) (UG/L) | DIS-SOLVED NICKEL (NI) (UG/L) | DIS-SOLVED ZINC (ZN) (UG/L) |
| AUG. 27... | | 0 | 0 | 0 | 0 | 7 | 0 | 0 | 10 | 0 | 3 | 0 |

SECTION B
SEDIMENT RECORDS

DELAWARE RIVER BASIN

367

01442750 DELAWARE RIVER AT DUNNFIELD, N.J. (DELAWARE WATER GAP, PA.)

LOCATION.--Lat 41°58'40", long 75°08'10", Warren County, at bridge on Interstate Highway 80, and 4.0 mi (6.4 km) downstream from gaging station, in Dunnfield.

DRAINAGE AREA.--4,150 mi² (10,749 km²), approximately.

PERIOD OF RECORD.--Chemical analyses: Water years 1965-72 (partial-record station), October 1972 to September 1974.

Water temperatures: October 1966 to September 1974.

Sediment records: July 1964 to September 1974.

EXTREMES.--1973-74

Sediment concentrations: Maximum daily, 169 mg/l Dec. 22; minimum daily, 1 mg/l on many days.

Sediment discharges: Maximum daily, 32,000 tons (29,000 t) Dec. 22; minimum daily, 4.2 tons (3.8 t) Nov. 23.

Period of record:

Sediment concentrations: Maximum daily, 640 mg/l June 30, 1973; minimum daily, less than 0.5 mg/l on many days.

Sediment discharges: Maximum daily, 165,000 tons (150,000 t) June 30, 1973; minimum daily, less than 0.05 tons (0.04 t) on many days.

REMARKS.--Chemical analyses for this station on page 56. Records of discharge are given for 01440200 Delaware River below Tocks Island damsite near Delaware Water Gap, Pa.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 2000 | 1 | 5.4 | 4130 | 13 | 145 | 6210 | 14 | 235 |
| 2 | 2000 | 1 | 5.4 | 3590 | 8 | 78 | 5160 | 11 | 153 |
| 3 | 2300 | 1 | 6.2 | 3080 | 2 | 17 | 4560 | 9 | 111 |
| 4 | 2300 | 1 | 6.2 | 2780 | 2 | 15 | 4220 | 5 | 57 |
| 5 | 3000 | 3 | 24 | 2600 | 2 | 14 | 4190 | 3 | 34 |
| 6 | 3700 | 35 | 350 | 2180 | 1 | 5.9 | 7500 | 10 | 203 |
| 7 | 2600 | 13 | 91 | 1930 | 1 | 5.2 | 12600 | 27 | 919 |
| 8 | 1900 | 5 | 26 | 2300 | 1 | 6.2 | 10100 | 21 | 573 |
| 9 | 2600 | 4 | 28 | 2450 | 1 | 6.6 | 8980 | 12 | 291 |
| 10 | 2800 | 3 | 23 | 2690 | 2 | 15 | 19900 | 25 | 1340 |
| 11 | 2480 | 2 | 13 | 2600 | 1 | 7.0 | 21800 | 26 | 1530 |
| 12 | 1850 | 1 | 5.0 | 2690 | 2 | 15 | 14900 | 15 | 603 |
| 13 | 2000 | 1 | 5.4 | 2790 | 2 | 15 | 11700 | 9 | 284 |
| 14 | 2700 | 2 | 15 | 2960 | 2 | 16 | 11100 | 7 | 210 |
| 15 | 2400 | 2 | 13 | 2990 | 1 | 8.1 | 11700 | 6 | 190 |
| 16 | 2200 | 2 | 12 | 2870 | 2 | 15 | 10300 | 5 | 139 |
| 17 | 2200 | 1 | 5.9 | 2960 | 1 | 8.0 | 8940 | 5 | 121 |
| 18 | 2200 | 1 | 5.9 | 3080 | 2 | 17 | 8140 | 5 | 110 |
| 19 | 2300 | 1 | 6.2 | 3020 | 2 | 16 | 7020 | 4 | 76 |
| 20 | 2150 | 1 | 5.8 | 2960 | 1 | 8.0 | 7100 | 4 | 77 |
| 21 | 2210 | 1 | 6.0 | 2810 | 1 | 7.6 | 29900 | 34 | 2740 |
| 22 | 2180 | 1 | 5.9 | 2240 | 1 | 6.0 | 71700 | 169 | 32700 |
| 23 | 2570 | 2 | 14 | 1560 | 1 | 4.2 | 36500 | 22 | 2170 |
| 24 | 2630 | 3 | 21 | 1600 | 1 | 4.3 | 23800 | 19 | 1220 |
| 25 | 2750 | 2 | 15 | 2420 | 3 | 20 | 16600 | 16 | 717 |
| 26 | 2210 | 1 | 6.0 | 3080 | 2 | 17 | 13600 | 22 | 808 |
| 27 | 2120 | 1 | 5.7 | 4460 | 5 | 60 | 21200 | 46 | 2630 |
| 28 | 2150 | 1 | 5.8 | 4560 | 6 | 74 | 36800 | 24 | 2380 |
| 29 | 2270 | 3 | 18 | 6860 | 13 | 241 | 31200 | 17 | 1430 |
| 30 | 4950 | 27 | 361 | 7460 | 16 | 322 | 23000 | 10 | 621 |
| 31 | 5300 | 29 | 415 | -- | -- | -- | 18200 | 6 | 295 |
| TOTAL | 79020 | -- | 1525.8 | 93700 | -- | 1189.1 | 518620 | -- | 54967 |

01442750 DELAWARE RIVER AT DUNNFIELD, N.J. (DELAWARE WATER GAP, PA.)--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 15300 | 4 | 165 | 16700 | 6 | 271 | 9110 | 7 | 172 |
| 2 | 13900 | 3 | 113 | 14600 | 2 | 79 | 8470 | 5 | 114 |
| 3 | 12500 | 1 | 34 | 12700 | 1 | 34 | 8200 | 6 | 133 |
| 4 | 11500 | 1 | 31 | 11000 | 2 | 59 | 7520 | 11 | 223 |
| 5 | 10000 | 1 | 27 | 10000 | 3 | 81 | 8100 | 10 | 219 |
| 6 | 8660 | 1 | 23 | 9340 | 3 | 76 | 10900 | 8 | 235 |
| 7 | 7820 | 1 | 21 | 8950 | 6 | 145 | 14200 | 19 | 728 |
| 8 | 7950 | 2 | 43 | 8000 | 9 | 194 | 13100 | 13 | 460 |
| 9 | 7330 | 2 | 40 | 7400 | 6 | 120 | 13300 | 10 | 359 |
| 10 | 6690 | 3 | 54 | 7000 | 5 | 95 | 13900 | 7 | 263 |
| 11 | 8000 | 2 | 43 | 6640 | 3 | 54 | 12400 | 6 | 201 |
| 12 | 8000 | 4 | 86 | 6300 | 5 | 85 | 11800 | 5 | 159 |
| 13 | 7000 | 3 | 57 | 6210 | 3 | 50 | 10100 | 11 | 300 |
| 14 | 5700 | 1 | 15 | 5940 | 3 | 48 | 9330 | 15 | 378 |
| 15 | 5600 | 1 | 15 | 5600 | 3 | 45 | 8110 | 17 | 372 |
| 16 | 6000 | 2 | 32 | 5440 | 5 | 73 | 7880 | 18 | 383 |
| 17 | 6400 | 1 | 17 | 5200 | 6 | 84 | 9400 | 11 | 279 |
| 18 | 6000 | 1 | 16 | 4900 | 4 | 53 | 13900 | 9 | 338 |
| 19 | 5800 | 1 | 16 | 4970 | 11 | 148 | 12500 | 7 | 236 |
| 20 | 5600 | 1 | 15 | 6010 | 9 | 146 | 11400 | 5 | 154 |
| 21 | 5810 | 1 | 16 | 6320 | 8 | 137 | 10500 | 6 | 170 |
| 22 | 8640 | 5 | 117 | 5880 | 9 | 143 | 13800 | 7 | 261 |
| 23 | 11800 | 11 | 350 | 12300 | 21 | 697 | 17600 | 10 | 475 |
| 24 | 12300 | 17 | 565 | 21500 | 68 | 3950 | 14600 | 8 | 315 |
| 25 | 11600 | 5 | 157 | 15500 | 41 | 1720 | 13200 | 6 | 214 |
| 26 | 10800 | 3 | 87 | 13700 | 27 | 999 | 13200 | 5 | 178 |
| 27 | 9630 | 3 | 78 | 11500 | 18 | 559 | 12000 | 5 | 162 |
| 28 | 19500 | 31 | 1630 | 9370 | 11 | 278 | 10900 | 5 | 147 |
| 29 | 24600 | 39 | 2590 | -- | -- | -- | 9850 | 6 | 160 |
| 30 | 23900 | 24 | 1550 | -- | -- | -- | 9610 | 3 | 78 |
| 31 | 19300 | 12 | 625 | -- | -- | -- | 9340 | 2 | 50 |
| TOTAL | 323630 | -- | 8628 | 258970 | -- | 10423 | 348220 | -- | 7916 |
| DAY | APRIL | | | MAY | | | JUNE | | |
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 10800 | 2 | 58 | 4920 | 6 | 80 | 4360 | 4 | 47 |
| 2 | 13200 | 28 | 998 | 5940 | 7 | 112 | 7570 | 11 | 225 |
| 3 | 15200 | 23 | 944 | 6440 | 6 | 104 | 7430 | 8 | 160 |
| 4 | 17900 | 19 | 918 | 6220 | 7 | 118 | 5610 | 7 | 106 |
| 5 | 22500 | 16 | 972 | 6450 | 5 | 87 | 5330 | 5 | 72 |
| 6 | 26800 | 18 | 1300 | 5840 | 6 | 95 | 5540 | 4 | 60 |
| 7 | 27500 | 18 | 1340 | 5940 | 5 | 80 | 5210 | 4 | 56 |
| 8 | 22300 | 12 | 723 | 6580 | 4 | 71 | 4400 | 5 | 59 |
| 9 | 19200 | 11 | 570 | 6210 | 2 | 34 | 3530 | 6 | 57 |
| 10 | 20800 | 11 | 618 | 6000 | 2 | 32 | 3290 | 7 | 62 |
| 11 | 17600 | 9 | 428 | 6640 | 3 | 54 | 3580 | 8 | 77 |
| 12 | 16200 | 7 | 306 | 6690 | 6 | 108 | 3700 | 10 | 100 |
| 13 | 15600 | 6 | 253 | 17700 | 23 | 1100 | 3000 | 9 | 73 |
| 14 | 15900 | 7 | 301 | 25600 | 56 | 3870 | 2470 | 8 | 53 |
| 15 | 19300 | 10 | 521 | 18300 | 28 | 1380 | 1890 | 7 | 36 |
| 16 | 24700 | 41 | 2730 | 14600 | 18 | 710 | 2680 | 9 | 65 |
| 17 | 20600 | 9 | 501 | 12200 | 12 | 395 | 4930 | 15 | 200 |
| 18 | 16800 | 8 | 363 | 11200 | 9 | 272 | 6800 | 22 | 404 |
| 19 | 14700 | 8 | 318 | 8960 | 8 | 194 | 5400 | 7 | 102 |
| 20 | 13500 | 6 | 219 | 7780 | 7 | 147 | 3400 | 6 | 55 |
| 21 | 11100 | 7 | 210 | 7150 | 5 | 97 | 3200 | 5 | 43 |
| 22 | 9840 | 7 | 186 | 6130 | 4 | 66 | 3000 | 5 | 41 |
| 23 | 8760 | 7 | 166 | 6460 | 5 | 87 | 3700 | 6 | 60 |
| 24 | 7920 | 6 | 128 | 6050 | 5 | 82 | 3500 | 4 | 38 |
| 25 | 7480 | 6 | 121 | 5860 | 5 | 79 | 3100 | 2 | 17 |
| 26 | 6740 | 5 | 91 | 5080 | 4 | 55 | 3000 | 3 | 24 |
| 27 | 6250 | 6 | 101 | 4500 | 4 | 49 | 3100 | 4 | 33 |
| 28 | 5800 | 5 | 78 | 4270 | 3 | 35 | 3700 | 12 | 120 |
| 29 | 5360 | 5 | 72 | 3700 | 3 | 30 | 4000 | 7 | 76 |
| 30 | 4720 | 5 | 64 | 3770 | 2 | 20 | 2800 | 5 | 38 |
| 31 | -- | -- | -- | 4330 | 1 | 12 | -- | -- | -- |
| TOTAL | 445070 | -- | 15598 | 247510 | -- | 9655 | 123220 | -- | 2559 |

DELAWARE RIVER BASIN

369

01442750 DELAWARE RIVER AT DUNNFIELD, N.J. (DELAWARE WATER GAP, PA.)--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JULY | | | AUGUST | | | SEPTEMBER | | |
|--|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 3100 | 2 | 17 | 5100 | 9 | 124 | 4200 | 2 | 23 |
| 2 | 4100 | 9 | 100 | 3700 | 7 | 70 | 7500 | 19 | 385 |
| 3 | 3500 | 5 | 47 | 3400 | 6 | 55 | 10000 | 30 | 810 |
| 4 | 3600 | 4 | 39 | 2900 | 11 | 86 | 12600 | 33 | 1120 |
| 5 | 3300 | 4 | 36 | 2800 | 11 | 83 | 12000 | 30 | 972 |
| 6 | 3300 | 3 | 27 | 2600 | 9 | 63 | 8400 | 25 | 567 |
| 7 | 2500 | 2 | 14 | 2300 | 5 | 31 | 7800 | 21 | 442 |
| 8 | 2300 | 1 | 6.2 | 2000 | 5 | 27 | 7700 | 15 | 312 |
| 9 | 3000 | 8 | 65 | 1700 | 4 | 18 | 6800 | 13 | 239 |
| 10 | 3200 | 5 | 43 | 1600 | 4 | 17 | 5600 | 11 | 166 |
| 11 | 2600 | 4 | 28 | 1700 | 5 | 23 | 5370 | 9 | 130 |
| 12 | 1700 | 3 | 14 | 1800 | 7 | 34 | 4630 | 8 | 100 |
| 13 | 1900 | 3 | 15 | 2000 | 8 | 43 | 4300 | 6 | 70 |
| 14 | 2250 | 4 | 24 | 2100 | 7 | 40 | 4120 | 5 | 56 |
| 15 | 2060 | 6 | 33 | 2200 | 6 | 36 | 3270 | 3 | 26 |
| 16 | 3170 | 7 | 60 | 2200 | 7 | 42 | 2950 | 3 | 24 |
| 17 | 2600 | 4 | 28 | 2300 | 6 | 37 | 3110 | 3 | 25 |
| 18 | 1800 | 2 | 9.7 | 3170 | 4 | 34 | 2880 | 1 | 7.8 |
| 19 | 2000 | 1 | 5.4 | 4560 | 4 | 49 | 2740 | 2 | 15 |
| 20 | 2440 | 2 | 13 | 3400 | 5 | 46 | 2770 | 1 | 7.5 |
| 21 | 2140 | 2 | 12 | 2900 | 6 | 47 | 2790 | 2 | 15 |
| 22 | 2000 | 1 | 5.4 | 2500 | 5 | 34 | 2220 | 1 | 6.0 |
| 23 | 1900 | 5 | 26 | 2400 | 5 | 32 | 3030 | 4 | 33 |
| 24 | 2100 | 7 | 40 | 2300 | 6 | 37 | 3980 | 7 | 75 |
| 25 | 2400 | 4 | 26 | 2200 | 5 | 30 | 3510 | 5 | 47 |
| 26 | 2500 | 2 | 14 | 2200 | 5 | 30 | 3140 | 3 | 25 |
| 27 | 2500 | 1 | 6.8 | 2400 | 4 | 26 | 2340 | 2 | 13 |
| 28 | 2500 | 4 | 27 | 2300 | 2 | 12 | 2470 | 2 | 13 |
| 29 | 2900 | 8 | 63 | 2500 | 3 | 20 | 4880 | 11 | 145 |
| 30 | 6290 | 7 | 119 | 3200 | 4 | 35 | 11100 | 20 | 599 |
| 31 | 7300 | -- | -- | 4200 | -- | -- | -- | -- | -- |
| TOTAL | 88950 | -- | 963.5 | 82630 | -- | 1261 | 158200 | -- | 6468.3 |
| TOTAL DISCHARGE FOR YEAR (CFS-DAYS) | | | | | | | | | 2767740 |
| TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS) | | | | | | | | | 121153.7 |

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | TEMPER- ATURE (DEG C) | SUS- PEN- DED SEDIM- ENT (MG/L) | SUS- PEN- DED SEDIM- ENT DIS- CHARGE (T/DAY) | SUS. SED. FALL DIAM. % FINER THAN .004 MM | SUS. SED. FALL DIAM. % FINER THAN .008 MM | SUS. SED. FALL DIAM. % FINER THAN .016 MM | SUS. SED. FALL DIAM. % FINER THAN .031 MM | SUS. SED. FALL DIAM. % FINER THAN .062 MM | SUS. SED. FALL DIAM. % FINER THAN .125 MM |
|---------------|------|---|-----------------------------|--|---|---|---|---|---|---|---|
| | | | | | | | | | | | |
| DEC. 22... | 1510 | 70470 | 2.0 | 169 | 32200 | 38 | 54 | 69 | 82 | 91 | 100 |

DELAWARE RIVER BASIN

01463500 DELAWARE RIVER AT TRENTON, N.J. (MORRISVILLE, PA.)
(International Hydrological Decade River and radiochemical station)

LOCATION.--Lat 40°13'18", long 74°46'42", Mercer County, at gaging station. Water-quality recorder located at raw-water intake of the Trenton Water Department about 600 ft (183 m) upstream from bridge on Calhoun Street in Trenton.

DRAINAGE AREA.--6,780 mi² (17,560 km²).

PERIOD OF RECORD.--Chemical analyses: October 1944 to September 1974.

Water temperatures: October 1944 to September 1974.

Sediment records: September 1949 to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum daily, 915 mg/l Dec. 22; minimum daily, 1 mg/l on several days during November, January, and February.

Sediment discharges: Maximum daily, 264,000 tons (239,500 t) Dec. 22; minimum daily, 11 tons (9.9 t) Nov. 24.

Period of record:

Sediment concentrations: Maximum daily, 1,720 mg/l Nov. 26, 1950; minimum daily, 0 mg/l Oct. 21, 1952.

Sediment discharges: Maximum daily, 1,087,000 tons (986,000 t) Aug. 20, 1955; minimum daily, 0 tons (0 t) Oct. 21, 1952.

REMARKS.--Chemical analyses for this station on page 84. Operated as part of the USGS-EPA surveillance network. Further information on this station is given in U.S. Geological Survey Water-Supply Paper 1779-X.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 5770 | 5 | 78 | 12300 | 40 | 1330 | 11300 | 41 | 1250 |
| 2 | 5070 | 5 | 68 | 10300 | 22 | 612 | 9520 | 32 | 823 |
| 3 | 5670 | 21 | 321 | 8470 | 19 | 435 | 8390 | 13 | 294 |
| 4 | 6200 | 7 | 117 | 7350 | 10 | 198 | 7660 | 5 | 103 |
| 5 | 5860 | 8 | 127 | 6760 | 6 | 110 | 8080 | 7 | 153 |
| 6 | 5060 | 7 | 96 | 6330 | 6 | 103 | 16400 | 95 | 4210 |
| 7 | 6290 | 13 | 221 | 5700 | 4 | 62 | 19400 | 83 | 4350 |
| 8 | 5380 | 5 | 73 | 5270 | 3 | 43 | 19800 | 64 | 3420 |
| 9 | 4270 | 2 | 23 | 5470 | 2 | 30 | 19900 | 44 | 2360 |
| 10 | 4250 | 12 | 138 | 5610 | 2 | 30 | 28000 | 39 | 2950 |
| 11 | 4840 | 4 | 52 | 5610 | 1 | 15 | 38000 | 77 | 7900 |
| 12 | 4560 | 3 | 37 | 5510 | 1 | 15 | 29300 | 45 | 3560 |
| 13 | 4000 | 2 | 22 | 5460 | 1 | 15 | 22900 | 23 | 1420 |
| 14 | 3520 | 2 | 19 | 5340 | 1 | 14 | 23400 | 19 | 1200 |
| 15 | 4230 | 9 | 103 | 5450 | 3 | 44 | 23600 | 13 | 828 |
| 16 | 4250 | 6 | 69 | 5430 | 2 | 29 | 21500 | 10 | 581 |
| 17 | 3850 | 3 | 31 | 5260 | 1 | 14 | 19400 | 9 | 471 |
| 18 | 3760 | 3 | 30 | 5270 | 1 | 14 | 17000 | 8 | 367 |
| 19 | 3920 | 3 | 32 | 5440 | 2 | 29 | 14700 | 7 | 278 |
| 20 | 3830 | 4 | 41 | 5370 | 1 | 14 | 13500 | 5 | 182 |
| 21 | 3760 | 3 | 30 | 5030 | 1 | 14 | 53900 | 530 | 77100 |
| 22 | 3800 | 2 | 21 | 4780 | 1 | 13 | 107000 | 915 | 264000 |
| 23 | 3730 | 2 | 20 | 4680 | 1 | 13 | 77300 | 240 | 50100 |
| 24 | 3850 | 2 | 21 | 4080 | 1 | 11 | 50200 | 33 | 4470 |
| 25 | 4110 | 3 | 33 | 3970 | 1 | 11 | 39400 | 16 | 1700 |
| 26 | 4140 | 3 | 34 | 5020 | 19 | 258 | 35900 | 26 | 2520 |
| 27 | 3780 | 2 | 20 | 5560 | 23 | 345 | 42500 | 42 | 4820 |
| 28 | 3660 | 2 | 20 | 7430 | 56 | 1120 | 52800 | 64 | 9120 |
| 29 | 4930 | 105 | 1400 | 9230 | 74 | 1840 | 54400 | 33 | 4850 |
| 30 | 13000 | 440 | 15400 | 11700 | 82 | 2590 | 42900 | 18 | 2080 |
| 31 | 15100 | 150 | 6120 | -- | -- | -- | 35000 | 11 | 1040 |
| TOTAL | 158440 | -- | 24817 | 189180 | -- | 9371 | 963050 | -- | 458500 |

01463500 DELAWARE RIVER AT TRENTON, N.J.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 30100 | 8 | 650 | 28800 | 14 | 1090 | 15900 | 11 | 472 |
| 2 | 26900 | 6 | 436 | 25600 | 9 | 622 | 15400 | 9 | 374 |
| 3 | 24700 | 5 | 333 | 22900 | 5 | 309 | 14900 | 8 | 322 |
| 4 | 24000 | 5 | 324 | 20100 | 3 | 163 | 13900 | 10 | 375 |
| 5 | 20700 | 4 | 224 | 18200 | 4 | 197 | 13200 | 11 | 392 |
| 6 | 17600 | 4 | 190 | 16500 | 3 | 134 | 14900 | 11 | 443 |
| 7 | 16100 | 3 | 130 | 15100 | 2 | 82 | 18400 | 19 | 944 |
| 8 | 15600 | 3 | 126 | 14500 | 1 | 39 | 19000 | 14 | 718 |
| 9 | 16000 | 2 | 86 | 13700 | 1 | 37 | 20300 | 18 | 987 |
| 10 | 14300 | 3 | 116 | 12800 | 1 | 35 | 22300 | 17 | 1020 |
| 11 | 13600 | 2 | 73 | 12200 | 2 | 66 | 21900 | 17 | 1010 |
| 12 | 15600 | 7 | 295 | 11600 | 2 | 63 | 19800 | 12 | 642 |
| 13 | 14500 | 2 | 78 | 11400 | 2 | 62 | 18600 | 8 | 402 |
| 14 | 12300 | 1 | 33 | 11300 | 1 | 31 | 16600 | 4 | 179 |
| 15 | 10700 | 1 | 29 | 11100 | 6 | 180 | 14900 | 3 | 121 |
| 16 | 12200 | 2 | 66 | 10800 | 9 | 262 | 13800 | 4 | 149 |
| 17 | 12500 | 2 | 68 | 9930 | 9 | 241 | 18700 | 23 | 1160 |
| 18 | 12700 | 2 | 69 | 9480 | 8 | 205 | 22500 | 14 | 851 |
| 19 | 10800 | 1 | 29 | 9230 | 8 | 199 | 21100 | 9 | 513 |
| 20 | 11200 | 2 | 60 | 11600 | 14 | 438 | 19000 | 7 | 359 |
| 21 | 11600 | 7 | 219 | 13200 | 18 | 642 | 20400 | 110 | 6060 |
| 22 | 17200 | 36 | 1670 | 12300 | 16 | 531 | 26200 | 88 | 6230 |
| 23 | 21600 | 28 | 1630 | 18800 | 23 | 1170 | 29300 | 32 | 2530 |
| 24 | 23500 | 17 | 1080 | 31200 | 59 | 4970 | 25500 | 15 | 1030 |
| 25 | 22900 | 10 | 618 | 26400 | 37 | 2640 | 22900 | 9 | 556 |
| 26 | 21600 | 6 | 350 | 22800 | 21 | 1290 | 21000 | 7 | 397 |
| 27 | 20900 | 4 | 226 | 19500 | 13 | 684 | 19700 | 6 | 319 |
| 28 | 23500 | 6 | 381 | 17100 | 11 | 508 | 18100 | 5 | 244 |
| 29 | 35400 | 39 | 3730 | -- | -- | -- | 16600 | 7 | 314 |
| 30 | 38600 | 39 | 4060 | -- | -- | -- | 17000 | 5 | 230 |
| 31 | 33800 | 23 | 2100 | -- | -- | -- | 25100 | 46 | 3120 |
| TOTAL | 602700 | -- | 19479 | 458140 | -- | 16890 | 596900 | -- | 32463 |

| DAY | APRIL | | | MAY | | | JUNE | | |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 24200 | 23 | 1500 | 9870 | 8 | 213 | 8520 | 6 | 138 |
| 2 | 24300 | 15 | 984 | 10100 | 8 | 218 | 9770 | 8 | 211 |
| 3 | 26200 | 15 | 1060 | 11700 | 8 | 253 | 13000 | 20 | 702 |
| 4 | 31900 | 17 | 1460 | 12000 | 8 | 259 | 11700 | 18 | 569 |
| 5 | 40200 | 83 | 9010 | 11400 | 7 | 215 | 9830 | 17 | 451 |
| 6 | 44800 | 54 | 6530 | 11200 | 8 | 242 | 9300 | 16 | 402 |
| 7 | 43700 | 34 | 4010 | 11300 | 8 | 244 | 8410 | 15 | 341 |
| 8 | 36200 | 21 | 2050 | 11500 | 8 | 248 | 7840 | 14 | 296 |
| 9 | 37300 | 39 | 3930 | 11600 | 8 | 251 | 7230 | 15 | 293 |
| 10 | 37600 | 26 | 2640 | 13200 | 17 | 606 | 6330 | 14 | 239 |
| 11 | 32900 | 17 | 1510 | 12900 | 15 | 522 | 5690 | 14 | 215 |
| 12 | 28500 | 13 | 1000 | 13400 | 24 | 868 | 6070 | 15 | 246 |
| 13 | 27900 | 13 | 979 | 26700 | 220 | 15900 | 5890 | 14 | 223 |
| 14 | 27700 | 15 | 1120 | 40000 | 190 | 20500 | 5350 | 14 | 202 |
| 15 | 30800 | 68 | 5650 | 32600 | 70 | 6160 | 4720 | 13 | 166 |
| 16 | 35900 | 102 | 9890 | 25600 | 44 | 3040 | 4210 | 13 | 148 |
| 17 | 34400 | 68 | 6320 | 21700 | 33 | 1930 | 7880 | 21 | 447 |
| 18 | 29000 | 30 | 2350 | 19800 | 28 | 1500 | 10500 | 35 | 992 |
| 19 | 25300 | 16 | 1090 | 17600 | 26 | 1240 | 10100 | 27 | 736 |
| 20 | 23900 | 12 | 774 | 15000 | 29 | 1170 | 8100 | 24 | 525 |
| 21 | 21400 | 11 | 636 | 13500 | 33 | 1200 | 6650 | 21 | 377 |
| 22 | 18800 | 11 | 558 | 12500 | 32 | 1080 | 6240 | 14 | 236 |
| 23 | 17500 | 10 | 473 | 11600 | 27 | 846 | 6150 | 12 | 199 |
| 24 | 15900 | 10 | 429 | 11900 | 19 | 610 | 7830 | 17 | 359 |
| 25 | 14700 | 9 | 357 | 11100 | 12 | 360 | 7290 | 15 | 295 |
| 26 | 13800 | 8 | 298 | 10700 | 11 | 318 | 6750 | 14 | 255 |
| 27 | 12800 | 7 | 242 | 9590 | 11 | 285 | 6140 | 15 | 249 |
| 28 | 11900 | 5 | 161 | 8880 | 10 | 240 | 6240 | 13 | 219 |
| 29 | 11200 | 4 | 121 | 8480 | 9 | 206 | 6440 | 10 | 174 |
| 30 | 10700 | 7 | 202 | 7850 | 8 | 170 | 7640 | 10 | 206 |
| 31 | -- | -- | -- | 7840 | 7 | 148 | -- | -- | -- |
| TOTAL | 791400 | -- | 67334 | 453110 | -- | 61042 | 227810 | -- | 10111 |

DELAWARE RIVER BASIN

01463500 DELAWARE RIVER AT TRENTON, N.J.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JULY | | | AUGUST | | | SEPTEMBER | | |
|--|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 6430 | 10 | 174 | 9560 | 25 | 645 | 9230 | 57 | 1420 |
| 2 | 7030 | 10 | 190 | 8740 | 29 | 684 | 13500 | 103 | 3750 |
| 3 | 8110 | 10 | 219 | 8630 | 40 | 932 | 18400 | 140 | 6960 |
| 4 | 7310 | 9 | 178 | 6800 | 16 | 294 | 26400 | 150 | 10700 |
| 5 | 6720 | 8 | 145 | 6910 | 13 | 243 | 24900 | 100 | 6720 |
| 6 | 6080 | 9 | 148 | 6570 | 12 | 213 | 20400 | 50 | 2750 |
| 7 | 6380 | 9 | 155 | 5600 | 11 | 166 | 18200 | 41 | 2010 |
| 8 | 5270 | 8 | 114 | 4880 | 9 | 119 | 17600 | 36 | 1710 |
| 9 | 4510 | 7 | 85 | 4460 | 10 | 120 | 15600 | 30 | 1260 |
| 10 | 4840 | 15 | 196 | 5000 | 17 | 230 | 13600 | 27 | 991 |
| 11 | 5250 | 13 | 184 | 4270 | 17 | 196 | 11900 | 23 | 739 |
| 12 | 4880 | 12 | 158 | 3740 | 9 | 91 | 10500 | 23 | 652 |
| 13 | 3910 | 11 | 116 | 3610 | 7 | 68 | 9390 | 19 | 482 |
| 14 | 3350 | 9 | 81 | 3730 | 6 | 60 | 10400 | 18 | 505 |
| 15 | 3720 | 9 | 90 | 3810 | 5 | 51 | 10300 | 17 | 473 |
| 16 | 3620 | 10 | 98 | 3740 | 5 | 50 | 8730 | 15 | 354 |
| 17 | 3780 | 13 | 133 | 3940 | 6 | 64 | 7560 | 14 | 286 |
| 18 | 4400 | 13 | 154 | 10300 | 64 | 1780 | 7320 | 9 | 178 |
| 19 | 3350 | 10 | 90 | 7670 | 46 | 953 | 6830 | 6 | 111 |
| 20 | 2990 | 9 | 73 | 6790 | 35 | 642 | 6440 | 5 | 87 |
| 21 | 3770 | 9 | 92 | 6070 | 28 | 459 | 6410 | 5 | 87 |
| 22 | 3900 | 8 | 84 | 5460 | 22 | 324 | 6880 | 4 | 74 |
| 23 | 3500 | 7 | 66 | 5110 | 19 | 262 | 6270 | 5 | 85 |
| 24 | 3560 | 6 | 58 | 5370 | 16 | 232 | 6280 | 6 | 102 |
| 25 | 3680 | 6 | 60 | 4820 | 13 | 169 | 7200 | 5 | 97 |
| 26 | 3890 | 7 | 74 | 4310 | 9 | 105 | 6590 | 4 | 71 |
| 27 | 4100 | 7 | 77 | 4200 | 8 | 91 | 6050 | 3 | 49 |
| 28 | 4090 | 5 | 55 | 4570 | 9 | 111 | 5560 | 5 | 75 |
| 29 | 4030 | 6 | 65 | 5020 | 9 | 122 | 16500 | 360 | 16000 |
| 30 | 4400 | 7 | 83 | 5580 | 10 | 151 | 15900 | 95 | 4080 |
| 31 | 8740 | 25 | 590 | 8340 | 22 | 495 | -- | -- | -- |
| TOTAL | 149590 | -- | 4085 | 177600 | -- | 10122 | 350840 | -- | 62858 |
| TOTAL DISCHARGE FOR YEAR (CFS-DAYS) | | | | | | | | | 5118760 |
| TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS) | | | | | | | | | 777072 |

INSTANTANEOUS SUSPENDED SEDIMENT AND PARTICLE SIZE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PEN- DED SED- IMENT (MG/L) | SUS- PEN- DED SED- IMENT DIS- CHARGE (T/DAY) | SUS. SED. SIEVE DIAM. % FINER THAN .062 MM | SUS. SED. FALL DIAM. % FINER THAN .004 MM | SUS. SED. FALL DIAM. % FINER THAN .008 MM | SUS. SED. FALL DIAM. % FINER THAN .016 MM | SUS. SED. FALL DIAM. % FINER THAN .031 MM | SUS. SED. SIEVE DIAM. % FINER THAN .125 MM | SUS. SED. SIEVE DIAM. % FINER THAN .250 MM | SUS. SED. SIEVE DIAM. % FINER THAN .500 MM | SUS. SED. SIEVE DIAM. % FINER THAN 1.00 MM |
|-------|------|---|--|---|--|---|---|---|---|--|--|--|--|
| | | | | | | | | | | | | | |
| DEC. | | | | | | | | | | | | | |
| 21... | 1700 | 70100 | 100 | 18900 | 90 | | | | | | | | |
| MAR. | | | | | | | | | | | | | |
| 25... | 1000 | 22980 | 14 | 869 | 57 | | | | | | | | |
| APR. | | | | | | | | | | | | | |
| 19... | 0900 | 24980 | 15 | 1010 | 78 | | | | | | | | |
| MAY | | | | | | | | | | | | | |
| 16... | 1030 | 25880 | 20 | 1400 | 88 | | | | | | | | |
| JUNE | | | | | | | | | | | | | |
| 26... | 1100 | 6850 | 11 | 203 | 96 | | | | | | | | |
| JULY | | | | | | | | | | | | | |
| 29... | 1000 | 4012 | 7 | 76 | 83 | | | | | | | | |
| AUG. | | | | | | | | | | | | | |
| 28... | 1000 | 4272 | 12 | 138 | 100 | | | | | | | | |
| SEP. | | | | | | | | | | | | | |
| 03... | 1030 | 184000 | 145 | 10500 | 88 | | | | | | | | |
| 26... | 1100 | 66590 | 7 | 125 | 100 | | | | | | | | |
| DEC. | | | | | | | | | | | | | |
| 21... | 1700 | 39 | 50 | 61 | 73 | 98 | 99 | 100 | -- | | | | |
| SEP. | | | | | | | | | | | | | |
| 03... | 1030 | 36 | 55 | 69 | 80 | 95 | 98 | 99 | 100 | | | | |

DELAWARE RIVER BASIN

373

01470500 SCHUYLKILL RIVER AT BERNE, PA.

LOCATION.--Lat 40°31'20", long 75°59'55", Berks County, at highway bridge 50 ft (15 m) downstream from gaging station at Berne, 0.5 mi (0.8 km) upstream from Mill Creek, and 6.5 mi (10.5 km) downstream from Little Schuylkill River.

DRAINAGE AREA.--355 mi² (919 km²).

PERIOD OF RECORD.--Chemical analyses: December 1947 to February 1953, October 1956 to September 1974.

Water temperatures: February 1948 to September 1953, December 1957 to September 1974.

Sediment records: October 1947 to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum daily, 300 mg/l Dec. 21; minimum daily, 1 mg/l on many days.

Sediment discharges: Maximum daily, 9,230 tons (8,373 t) Dec. 21; minimum daily, 0.53 tons (0.48 t) July 23, 27.

Period of record:

Sediment concentrations: Maximum daily, 8,030 mg/l Nov. 4, 1947; minimum daily, 0 mg/l on many days during 1952 and 1968.

Sediment discharges: Maximum daily, 90,180 tons (81,800 t) Nov. 12, 1947; minimum daily, 0 tons (0 t) on many days during 1952 and 1968.

REMARKS.--Chemical analyses for this station on page 126. Unpublished records of specific conductance and pH of sediment samples available in the district office at Harrisburg.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 432 | 5 | 5.8 | 745 | 4 | 8.0 | 408 | 5 | 5.5 |
| 2 | 432 | 5 | 5.8 | 615 | 3 | 5.0 | 393 | 3 | 3.2 |
| 3 | 540 | 6 | 8.7 | 523 | 4 | 5.6 | 378 | 4 | 4.1 |
| 4 | 440 | 4 | 4.8 | 515 | 2 | 2.8 | 371 | 5 | 5.0 |
| 5 | 416 | 4 | 4.5 | 472 | 4 | 5.1 | 1020 | 40 | 110 |
| 6 | 385 | 4 | 4.2 | 440 | 4 | 4.8 | 1750 | 30 | 142 |
| 7 | 385 | 3 | 3.1 | 401 | 3 | 3.2 | 1390 | 15 | 56 |
| 8 | 378 | 2 | 2.0 | 371 | 2 | 2.0 | 1140 | 11 | 34 |
| 9 | 364 | 1 | .98 | 371 | 8 | 8.0 | 2350 | 80 | 508 |
| 10 | 455 | 2 | 2.5 | 357 | 15 | 14 | 3060 | 50 | 413 |
| 11 | 371 | 2 | 2.0 | 350 | 6 | 5.7 | 2320 | 16 | 100 |
| 12 | 343 | 2 | 1.9 | 350 | 10 | 9.5 | 1780 | 11 | 53 |
| 13 | 343 | 1 | .93 | 329 | 12 | 11 | 1520 | 9 | 37 |
| 14 | 350 | 1 | .95 | 329 | 8 | 7.1 | 2160 | 13 | 76 |
| 15 | 329 | 2 | 1.8 | 309 | 7 | 5.8 | 1740 | 5 | 23 |
| 16 | 309 | 2 | 1.7 | 315 | 10 | 8.5 | 1520 | 5 | 21 |
| 17 | 296 | 4 | 3.2 | 296 | 5 | 4.0 | 1420 | 8 | 31 |
| 18 | 296 | 4 | 3.2 | 309 | 4 | 3.3 | 1210 | 6 | 20 |
| 19 | 284 | 5 | 3.8 | 315 | 5 | 4.3 | 1010 | 3 | 8.2 |
| 20 | 277 | 4 | 3.0 | 284 | 10 | 7.7 | 982 | 6 | 16 |
| 21 | 296 | 4 | 3.2 | 265 | 12 | 8.6 | 11400 | 300 | 9230 |
| 22 | 284 | 3 | 2.3 | 252 | 14 | 9.5 | 7710 | 100 | 2080 |
| 23 | 271 | 1 | .73 | 241 | 18 | 12 | 4230 | 35 | 400 |
| 24 | 271 | 1 | .73 | 258 | 12 | 8.4 | 2910 | 14 | 110 |
| 25 | 258 | 2 | 1.4 | 336 | 7 | 6.4 | 2090 | 4 | 23 |
| 26 | 241 | 2 | 1.3 | 329 | 5 | 4.4 | 2160 | 10 | 58 |
| 27 | 252 | 3 | 2.0 | 284 | 6 | 4.6 | 3820 | 30 | 309 |
| 28 | 235 | 3 | 1.9 | 296 | 5 | 4.0 | 3450 | 19 | 177 |
| 29 | 322 | 10 | 8.7 | 624 | 16 | 27 | 2750 | 9 | 67 |
| 30 | 1450 | 50 | 196 | 440 | 6 | 7.1 | 2260 | 7 | 43 |
| 31 | 778 | 6 | 13 | -- | -- | -- | 1860 | 7 | 35 |
| TOTAL | 12083 | -- | 296.12 | 11321 | -- | 217.4 | 72562 | -- | 14198.0 |

DELAWARE RIVER BASIN

01470500 SCHUYLKILL RIVER AT BERNE, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 1660 | 4 | 18 | 1530 | 4 | 17 | 901 | 3 | 7.3 |
| 2 | 1430 | 4 | 15 | 1360 | 3 | 11 | 867 | 2 | 4.7 |
| 3 | 1290 | 5 | 17 | 1260 | 3 | 10 | 833 | 1 | 2.2 |
| 4 | 1260 | 4 | 14 | 1120 | 4 | 12 | 778 | 2 | 4.2 |
| 5 | 1080 | 3 | 8.7 | 970 | 3 | 7.9 | 778 | 3 | 6.3 |
| 6 | 1020 | 3 | 8.3 | 878 | 2 | 4.7 | 714 | 4 | 7.7 |
| 7 | 936 | 5 | 13 | 833 | 4 | 9.0 | 653 | 3 | 5.3 |
| 8 | 833 | 6 | 13 | 756 | 4 | 8.2 | 725 | 7 | 14 |
| 9 | 800 | 7 | 15 | 663 | 4 | 7.2 | 1570 | 30 | 127 |
| 10 | 789 | 7 | 15 | 643 | 1 | 1.7 | 1910 | 26 | 134 |
| 11 | 844 | 8 | 18 | 624 | 1 | 1.7 | 1680 | 12 | 54 |
| 12 | 890 | 7 | 17 | 549 | 2 | 3.0 | 1500 | 8 | 32 |
| 13 | 745 | 4 | 8.0 | 523 | 2 | 2.8 | 1310 | 7 | 25 |
| 14 | 653 | 5 | 8.8 | 523 | 3 | 4.2 | 1140 | 5 | 15 |
| 15 | 643 | 6 | 10 | 463 | 1 | 1.3 | 1020 | 4 | 11 |
| 16 | 624 | 7 | 12 | 432 | 1 | 1.2 | 1120 | 7 | 21 |
| 17 | 745 | 9 | 18 | 463 | 1 | 1.3 | 1420 | 11 | 42 |
| 18 | 674 | 7 | 13 | 440 | 3 | 3.6 | 1120 | 6 | 18 |
| 19 | 674 | 6 | 11 | 489 | 15 | 20 | 1070 | 4 | 12 |
| 20 | 694 | 4 | 7.5 | 789 | 27 | 58 | 982 | 4 | 11 |
| 21 | 1130 | 78 | 238 | 532 | 2 | 2.9 | 1480 | 23 | 92 |
| 22 | 2040 | 130 | 716 | 1270 | 19 | 65 | 1740 | 27 | 127 |
| 23 | 2090 | 90 | 508 | 2080 | 40 | 225 | 1550 | 10 | 42 |
| 24 | 1970 | 23 | 122 | 1550 | 10 | 42 | 1420 | 7 | 27 |
| 25 | 1750 | 8 | 38 | 1350 | 6 | 22 | 1190 | 7 | 22 |
| 26 | 1600 | 6 | 26 | 1140 | 4 | 12 | 1080 | 6 | 17 |
| 27 | 1680 | 7 | 32 | 982 | 3 | 8.0 | 924 | 5 | 12 |
| 28 | 1840 | 7 | 35 | 890 | 2 | 4.8 | 833 | 5 | 11 |
| 29 | 2230 | 24 | 145 | -- | -- | -- | 756 | 4 | 8.2 |
| 30 | 1990 | 11 | 59 | -- | -- | -- | 936 | 14 | 35 |
| 31 | 1780 | 6 | 29 | -- | -- | -- | 1770 | 30 | 143 |
| TOTAL | 38384 | -- | 2208.3 | 25102 | -- | 567.5 | 35770 | -- | 1089.9 |
| DAY | APRIL | | | MAY | | | JUNE | | |
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 1970 | 22 | 117 | 472 | 5 | 6.4 | 577 | 10 | 16 |
| 2 | 1910 | 15 | 77 | 440 | 5 | 5.9 | 506 | 8 | 11 |
| 3 | 1890 | 12 | 61 | 480 | 8 | 10 | 440 | 6 | 7.1 |
| 4 | 2750 | 45 | 334 | 440 | 6 | 7.1 | 393 | 6 | 6.4 |
| 5 | 3210 | 40 | 347 | 416 | 7 | 7.9 | 371 | 7 | 7.0 |
| 6 | 3150 | 22 | 187 | 416 | 9 | 10 | 336 | 5 | 4.5 |
| 7 | 2640 | 13 | 93 | 408 | 9 | 9.9 | 322 | 4 | 3.5 |
| 8 | 2140 | 12 | 69 | 371 | 10 | 10 | 315 | 6 | 5.1 |
| 9 | 2210 | 13 | 78 | 401 | 11 | 12 | 329 | 4 | 3.6 |
| 10 | 1880 | 10 | 51 | 568 | 10 | 15 | 315 | 6 | 5.1 |
| 11 | 1630 | 8 | 35 | 432 | 9 | 10 | 302 | 5 | 4.1 |
| 12 | 1530 | 8 | 33 | 855 | 70 | 162 | 284 | 2 | 1.5 |
| 13 | 1450 | 8 | 31 | 2680 | 80 | 579 | 277 | 2 | 1.5 |
| 14 | 1310 | 8 | 28 | 1720 | 18 | 84 | 265 | 5 | 3.6 |
| 15 | 2480 | 30 | 201 | 1390 | 9 | 34 | 284 | 1 | .77 |
| 16 | 1840 | 21 | 104 | 1140 | 9 | 28 | 343 | 5 | 4.6 |
| 17 | 1560 | 10 | 42 | 982 | 9 | 24 | 371 | 6 | 6.0 |
| 18 | 1380 | 8 | 30 | 959 | 11 | 28 | 277 | 3 | 2.2 |
| 19 | 1260 | 8 | 27 | 822 | 11 | 24 | 252 | 2 | 1.4 |
| 20 | 1160 | 7 | 22 | 714 | 10 | 19 | 258 | 2 | 1.4 |
| 21 | 1040 | 8 | 22 | 643 | 9 | 16 | 252 | 2 | 1.4 |
| 22 | 936 | 8 | 20 | 624 | 7 | 12 | 246 | 2 | 1.3 |
| 23 | 800 | 6 | 13 | 745 | 10 | 20 | 408 | 12 | 13 |
| 24 | 714 | 5 | 9.6 | 643 | 10 | 17 | 432 | 5 | 5.8 |
| 25 | 634 | 5 | 8.6 | 577 | 8 | 12 | 371 | 2 | 2.0 |
| 26 | 577 | 6 | 9.3 | 532 | 7 | 10 | 315 | 2 | 1.7 |
| 27 | 558 | 7 | 11 | 497 | 7 | 9.4 | 277 | 3 | 2.2 |
| 28 | 549 | 6 | 8.9 | 497 | 9 | 12 | 265 | 1 | .72 |
| 29 | 532 | 6 | 8.6 | 463 | 7 | 8.8 | 440 | 9 | 11 |
| 30 | 497 | 6 | 8.1 | 472 | 6 | 7.6 | 357 | 6 | 5.8 |
| 31 | -- | -- | -- | 424 | 6 | 6.9 | -- | -- | -- |
| TOTAL | 46187 | -- | 2086.1 | 22223 | -- | 1217.9 | 10180 | -- | 141.29 |

DELAWARE RIVER BASIN

375

01470500 SCHUYLKILL RIVER AT BERNE, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JULY | | | AUGUST | | | SEPTEMBER | | |
|--|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 1100 | 15 | 45 | 246 | 1 | .66 | 271 | 5 | 3.7 |
| 2 | 684 | 7 | 13 | 235 | 3 | 1.9 | 811 | 50 | 109 |
| 3 | 532 | 4 | 5.7 | 653 | 20 | 35 | 596 | 9 | 14 |
| 4 | 463 | 2 | 2.5 | 472 | 12 | 15 | 1130 | 35 | 107 |
| 5 | 424 | 1 | 1.1 | 432 | 8 | 9.3 | 767 | 6 | 12 |
| 6 | 408 | 2 | 2.2 | 336 | 4 | 3.6 | 615 | 4 | 6.6 |
| 7 | 371 | 2 | 2.0 | 290 | 3 | 2.3 | 901 | 15 | 36 |
| 8 | 343 | 1 | .93 | 265 | 3 | 2.1 | 745 | 5 | 10 |
| 9 | 322 | 1 | .87 | 271 | 4 | 2.9 | 615 | 4 | 6.6 |
| 10 | 322 | 2 | 1.7 | 401 | 8 | 8.7 | 549 | 3 | 4.4 |
| 11 | 364 | 4 | 3.9 | 296 | 6 | 4.8 | 506 | 3 | 4.1 |
| 12 | 296 | 2 | 1.6 | 271 | 5 | 3.7 | 463 | 3 | 3.8 |
| 13 | 277 | 1 | .75 | 265 | 4 | 2.9 | 643 | 5 | 8.7 |
| 14 | 265 | 1 | .72 | 241 | 4 | 2.6 | 704 | 12 | 23 |
| 15 | 252 | 1 | .68 | 218 | 3 | 1.8 | 577 | 7 | 11 |
| 16 | 235 | 1 | .63 | 212 | 4 | 2.3 | 489 | 4 | 5.3 |
| 17 | 218 | 2 | 1.2 | 258 | 37 | 26 | 424 | 3 | 3.4 |
| 18 | 218 | 1 | .59 | 271 | 14 | 10 | 378 | 3 | 3.1 |
| 19 | 229 | 1 | .62 | 235 | 9 | 5.7 | 350 | 2 | 1.9 |
| 20 | 218 | 1 | .59 | 201 | 7 | 3.8 | 343 | 3 | 2.8 |
| 21 | 218 | 1 | .59 | 190 | 8 | 4.1 | 393 | 4 | 4.2 |
| 22 | 218 | 1 | .59 | 190 | 5 | 2.6 | 401 | 3 | 3.2 |
| 23 | 195 | 1 | .53 | 201 | 6 | 3.3 | 350 | 2 | 1.9 |
| 24 | 277 | 3 | 2.2 | 206 | 4 | 2.2 | 290 | 2 | 1.6 |
| 25 | 246 | 1 | .66 | 206 | 6 | 3.3 | 284 | 2 | 1.5 |
| 26 | 201 | 2 | 1.1 | 185 | 4 | 2.0 | 284 | 3 | 2.3 |
| 27 | 195 | 1 | .53 | 180 | 5 | 2.4 | 271 | 2 | 1.5 |
| 28 | 212 | 1 | .57 | 195 | 4 | 2.1 | 549 | 12 | 18 |
| 29 | 229 | 1 | .62 | 252 | 6 | 4.1 | 913 | 16 | 39 |
| 30 | 577 | 13 | 20 | 371 | 5 | 5.0 | 577 | 7 | 11 |
| 31 | 315 | 2 | 1.7 | 322 | 6 | 5.2 | -- | -- | -- |
| TOTAL | 10424 | -- | 115.37 | 8567 | -- | 181.36 | 16189 | -- | 460.6 |
| TOTAL DISCHARGE FOR YEAR (CFS-DAYS) | | | | | | | | | 308992 |
| TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS) | | | | | | | | | 22779.84 |

INSTANTANEOUS SUSPENDED SEDIMENT AND PARTICLE SIZE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | TEMPER- ATURE (DEG C) | SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SEDI- MENT (T/DAY) | SUS. SED. FALL DIAM. % FINER THAN .004 MM | SUS. SED. FALL DIAM. % FINER THAN .008 MM |
|-------|------|---|---|---|---|---|---|
| DEC. | | | | | | | |
| 21... | 1855 | 14900 | 4.0 | 282 | 11300 | 38 | 51 |
| | | | | | | | |
| DATE | | SUS. SED. FALL DIAM. % FINER THAN .016 MM | SUS. SED. FALL DIAM. % FINER THAN .031 MM | SUS. SED. FALL DIAM. % FINER THAN .062 MM | SUS. SED. FALL DIAM. % FINER THAN .125 MM | SUS. SED. FALL DIAM. % FINER THAN .250 MM | SUS. SED. FALL DIAM. % FINER THAN .500 MM |
| DEC. | | | | | | | |
| 21... | 62 | 71 | 78 | 86 | 93 | 97 | 100 |

DELAWARE RIVER BASIN
01470500 SCHUYLKILL RIVER AT BERNE, PA.--Continued




Figure 2.--Double mass accumulation of annual suspended sediment discharge versus annual water discharge, Schuylkill River at Berne, Pa.

Table 6.--Suspended sediment concentration-duration table, Schuylkill River at Berne

| Period | Mean daily concentration, in milligrams per litre, that was equaled or exceeded for indicated percentage of time | | | | | | | | | | | | | |
|---------|--|----|----|----|----|----|----|----|----|----|----|----|----|----|
| | 1 | 2 | 5 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 95 | 99 |
| 1974 | 92 | 72 | 35 | 18 | 11 | 8 | 7 | 6 | 4 | 4 | 3 | 2 | 1 | 1 |
| 1960-74 | 99 | 52 | 25 | 15 | 9 | 7 | 5 | 4 | 3 | 3 | 2 | 1 | 1 | 1 |

DELAWARE RIVER BASIN

377

01470960 TULPEHOCKEN CREEK AT BLUE MARSH DAMSITE NEAR READING, PA.

LOCATION.--Lat 40°22'00", long 76°01'16", Berks County, 1.0 mi (1.6 km) downstream from gaging station at Rebers Bridge, 1.0 mi (1.6 km) east of Blue Marsh, 3 mi (4.8 km) north of Sinking Spring, and 5.5 mi (8.8 km) northwest of Reading.

DRAINAGE AREA.--175 mi² (453 km²).

PERIOD OF RECORD.--Chemical analyses: June 1972 to September 1974.

Water temperatures: October 1968 to September 1974.

Sediment records: May 1973 to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum daily, 520 mg/l Apr. 4; minimum daily, 2 mg/l July 10, 13.

Sediment discharges: Maximum daily, 2,490 tons (2,260 t) Dec. 21; minimum daily, 0.45 tons (0.41 t) July 13.

Period of record:

Sediment concentrations: Maximum daily, 1,400 mg/l June 22, 1973; minimum daily, 2 mg/l July 10, 13, 1974.

Sediment discharges: Maximum daily, 8,350 tons (7,580 t) June 22, 1973; minimum daily, 0.45 tons (0.41 t) July 13, 1974.

REMARKS.--Chemical analyses for this station on page 132. Temperature recorder located at gaging station 1.0 mi (1.6 km) upstream from sampling site.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 152 | 5 | 2.1 | 187 | 15 | 7.6 | 105 | 5 | 1.4 |
| 2 | 157 | 5 | 2.1 | 167 | 4 | 1.8 | 99 | 4 | 1.1 |
| 3 | 194 | 6 | 3.1 | 147 | 5 | 2.0 | 96 | 4 | 1.0 |
| 4 | 157 | 3 | 1.3 | 138 | 3 | 1.1 | 99 | 5 | 1.3 |
| 5 | 147 | 2 | .79 | 135 | 2 | .73 | 198 | 32 | 17 |
| 6 | 138 | 2 | .75 | 132 | 2 | .71 | 284 | 36 | 28 |
| 7 | 132 | 2 | .71 | 125 | 2 | .68 | 194 | 7 | 3.7 |
| 8 | 125 | 2 | .68 | 122 | 3 | .99 | 170 | 4 | 1.8 |
| 9 | 119 | 3 | .96 | 122 | 4 | 1.3 | 493 | 180 | 240 |
| 10 | 125 | 28 | 9.5 | 119 | 4 | 1.3 | 554 | 84 | 126 |
| 11 | 125 | 20 | 6.8 | 113 | 4 | 1.2 | 406 | 36 | 39 |
| 12 | 122 | 4 | 1.3 | 108 | 4 | 1.2 | 326 | 15 | 13 |
| 13 | 119 | 3 | .96 | 108 | 5 | 1.5 | 292 | 10 | 7.9 |
| 14 | 119 | 3 | .96 | 108 | 3 | .87 | 425 | 33 | 38 |
| 15 | 113 | 3 | .92 | 105 | 3 | .85 | 322 | 12 | 10 |
| 16 | 113 | 6 | 1.8 | 108 | 3 | .87 | 296 | 8 | 6.4 |
| 17 | 108 | 4 | 1.2 | 110 | 2 | .59 | 292 | 6 | 4.7 |
| 18 | 102 | 6 | 1.7 | 105 | 3 | .85 | 270 | 8 | 5.8 |
| 19 | 102 | 35 | 9.6 | 108 | 3 | .87 | 250 | 9 | 6.1 |
| 20 | 99 | 20 | 5.3 | 102 | 4 | 1.1 | 234 | 12 | 7.6 |
| 21 | 99 | 14 | 3.7 | 99 | 6 | 1.6 | 2560 | 360 | 2490 |
| 22 | 105 | 9 | 2.6 | 99 | 5 | 1.3 | 1640 | 100 | 443 |
| 23 | 105 | 7 | 2.0 | 99 | 5 | 1.3 | 969 | 28 | 73 |
| 24 | 105 | 6 | 1.7 | 102 | 4 | 1.1 | 711 | 10 | 19 |
| 25 | 102 | 3 | .83 | 116 | 3 | .94 | 561 | 6 | 9.1 |
| 26 | 99 | 5 | 1.3 | 110 | 4 | 1.2 | 783 | 23 | 49 |
| 27 | 99 | 4 | 1.1 | 105 | 4 | 1.1 | 1620 | 130 | 569 |
| 28 | 96 | 2 | .52 | 125 | 6 | 2.0 | 1050 | 60 | 170 |
| 29 | 170 | 60 | 28 | 132 | 6 | 2.1 | 815 | 33 | 73 |
| 30 | 466 | 470 | 591 | 110 | 8 | 2.4 | 681 | 20 | 37 |
| 31 | 201 | 40 | 22 | -- | -- | -- | 585 | 15 | 24 |
| TOTAL | 4215 | -- | 707.28 | 3566 | -- | 43.15 | 17380 | -- | 4515.9 |

01470960 TULPEHOCKEN CREEK AT BLUE MARSH DAMSITE NEAR READING, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 534 | 13 | 19 | 449 | 15 | 18 | 315 | 9 | 7.7 |
| 2 | 458 | 12 | 15 | 426 | 18 | 21 | 286 | 8 | 6.2 |
| 3 | 431 | 12 | 14 | 397 | 14 | 15 | 279 | 15 | 11 |
| 4 | 534 | 24 | 35 | 370 | 20 | 20 | 269 | 14 | 10 |
| 5 | 450 | 20 | 24 | 339 | 16 | 15 | 263 | 10 | 7.1 |
| 6 | 424 | 17 | 19 | 343 | 14 | 13 | 250 | 9 | 6.1 |
| 7 | 412 | 13 | 14 | 318 | 12 | 10 | 248 | 25 | 17 |
| 8 | 381 | 18 | 19 | 301 | 15 | 12 | 242 | 30 | 20 |
| 9 | 367 | 25 | 25 | 295 | 18 | 14 | 357 | 74 | 71 |
| 10 | 363 | 45 | 44 | 284 | 16 | 12 | 379 | 33 | 34 |
| 11 | 409 | 100 | 110 | 270 | 12 | 8.7 | 345 | 10 | 9.3 |
| 12 | 427 | 120 | 138 | 262 | 11 | 7.8 | 339 | 7 | 6.4 |
| 13 | 352 | 35 | 33 | 260 | 9 | 6.3 | 313 | 7 | 5.9 |
| 14 | 364 | 24 | 24 | 266 | 8 | 5.7 | 294 | 8 | 6.4 |
| 15 | 329 | 18 | 16 | 246 | 8 | 5.3 | 285 | 6 | 4.6 |
| 16 | 329 | 17 | 15 | 227 | 9 | 5.5 | 318 | 14 | 12 |
| 17 | 365 | 22 | 22 | 228 | 8 | 4.9 | 383 | 21 | 22 |
| 18 | 329 | 22 | 20 | 217 | 8 | 4.7 | 301 | 6 | 4.9 |
| 19 | 316 | 34 | 29 | 243 | 23 | 15 | 289 | 4 | 3.1 |
| 20 | 323 | 24 | 21 | 357 | 89 | 86 | 276 | 5 | 3.7 |
| 21 | 592 | 140 | 224 | 264 | 10 | 7.1 | 448 | 60 | 73 |
| 22 | 864 | 68 | 159 | 349 | 75 | 71 | 512 | 75 | 104 |
| 23 | 802 | 55 | 119 | 411 | 45 | 50 | 437 | 13 | 15 |
| 24 | 740 | 34 | 68 | 342 | 24 | 22 | 412 | 9 | 10 |
| 25 | 646 | 28 | 49 | 341 | 12 | 11 | 370 | 9 | 9.0 |
| 26 | 581 | 26 | 41 | 313 | 15 | 13 | 350 | 7 | 6.6 |
| 27 | 624 | 41 | 69 | 293 | 11 | 8.7 | 320 | 4 | 3.5 |
| 28 | 558 | 36 | 54 | 292 | 10 | 7.9 | 294 | 5 | 4.0 |
| 29 | 609 | 42 | 69 | -- | -- | -- | 279 | 7 | 5.3 |
| 30 | 526 | 30 | 43 | -- | -- | -- | 359 | 20 | 19 |
| 31 | 493 | 16 | 21 | -- | -- | -- | 1000 | 310 | 837 |
| TOTAL | 14932 | -- | 1572 | 8703 | -- | 490.6 | 10812 | -- | 1354.8 |
| DAY | APRIL | | | MAY | | | JUNE | | |
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 734 | 60 | 119 | 223 | 7 | 4.2 | 200 | 20 | 11 |
| 2 | 657 | 35 | 62 | 215 | 5 | 2.9 | 181 | 18 | 8.8 |
| 3 | 561 | 20 | 30 | 255 | 5 | 3.4 | 174 | 28 | 13 |
| 4 | 1310 | 520 | 1840 | 234 | 4 | 2.5 | 156 | 10 | 4.2 |
| 5 | 1300 | 220 | 772 | 215 | 6 | 3.5 | 145 | 5 | 2.0 |
| 6 | 1040 | 100 | 281 | 208 | 10 | 5.6 | 139 | 8 | 3.0 |
| 7 | 818 | 44 | 97 | 219 | 7 | 4.1 | 136 | 8 | 2.9 |
| 8 | 688 | 50 | 93 | 199 | 6 | 3.2 | 136 | 6 | 2.2 |
| 9 | 772 | 45 | 94 | 209 | 8 | 4.5 | 139 | 6 | 2.3 |
| 10 | 639 | 30 | 52 | 275 | 14 | 10 | 136 | 6 | 2.2 |
| 11 | 555 | 23 | 34 | 217 | 6 | 3.5 | 136 | 7 | 2.6 |
| 12 | 506 | 24 | 33 | 335 | 120 | 109 | 119 | 6 | 1.9 |
| 13 | 528 | 46 | 66 | 782 | 200 | 422 | 116 | 4 | 1.3 |
| 14 | 485 | 48 | 63 | 414 | 26 | 29 | 113 | 8 | 2.4 |
| 15 | 480 | 35 | 45 | 359 | 12 | 12 | 113 | 10 | 3.1 |
| 16 | 420 | 20 | 23 | 304 | 12 | 9.8 | 136 | 7 | 2.6 |
| 17 | 387 | 14 | 15 | 275 | 10 | 7.4 | 159 | 12 | 5.2 |
| 18 | 369 | 14 | 14 | 254 | 7 | 4.8 | 129 | 10 | 3.5 |
| 19 | 355 | 19 | 18 | 237 | 5 | 3.2 | 113 | 9 | 2.7 |
| 20 | 342 | 15 | 14 | 220 | 6 | 3.6 | 107 | 8 | 2.3 |
| 21 | 320 | 9 | 7.8 | 211 | 9 | 5.1 | 116 | 9 | 2.8 |
| 22 | 310 | 10 | 8.4 | 204 | 10 | 5.5 | 116 | 9 | 2.8 |
| 23 | 320 | 11 | 9.5 | 218 | 20 | 12 | 188 | 34 | 17 |
| 24 | 292 | 8 | 6.3 | 202 | 16 | 8.7 | 208 | 50 | 28 |
| 25 | 275 | 6 | 4.5 | 184 | 9 | 4.5 | 174 | 54 | 25 |
| 26 | 265 | 6 | 4.3 | 177 | 7 | 3.3 | 159 | 42 | 18 |
| 27 | 254 | 7 | 4.8 | 170 | 5 | 2.3 | 132 | 27 | 9.6 |
| 28 | 247 | 6 | 4.0 | 177 | 6 | 2.9 | 129 | 28 | 9.8 |
| 29 | 237 | 6 | 3.8 | 170 | 6 | 2.8 | 184 | 65 | 32 |
| 30 | 227 | 6 | 3.7 | 174 | 8 | 3.8 | 142 | 48 | 18 |
| 31 | -- | -- | -- | 159 | 7 | 3.0 | -- | -- | -- |
| TOTAL | 15693 | -- | 3822.1 | 7695 | -- | 702.1 | 4331 | -- | 242.2 |

DELAWARE RIVER BASIN

379

01470960 TULPEHOCKEN CREEK AT BLUE MARSH DAMSITE NEAR READING, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JULY | | | AUGUST | | | SEPTEMBER | | |
|--|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 177 | 54 | 26 | 77 | 16 | 3.3 | 74 | 15 | 3.0 |
| 2 | 145 | 22 | 8.6 | 69 | 12 | 2.2 | 277 | 120 | 90 |
| 3 | 129 | 12 | 4.2 | 196 | 160 | 85 | 139 | 58 | 22 |
| 4 | 116 | 10 | 3.1 | 166 | 46 | 21 | 208 | 85 | 48 |
| 5 | 113 | 11 | 3.4 | 119 | 25 | 8.0 | 129 | 35 | 12 |
| 6 | 116 | 14 | 4.4 | 95 | 20 | 5.1 | 107 | 18 | 5.2 |
| 7 | 110 | 10 | 3.0 | 87 | 18 | 4.2 | 219 | 100 | 59 |
| 8 | 104 | 6 | 1.7 | 79 | 28 | 6.0 | 174 | 63 | 30 |
| 9 | 92 | 3 | .75 | 84 | 26 | 5.9 | 136 | 62 | 23 |
| 10 | 92 | 2 | .50 | 132 | 100 | 36 | 119 | 40 | 13 |
| 11 | 95 | 5 | 1.3 | 84 | 21 | 4.8 | 104 | 23 | 6.5 |
| 12 | 87 | 4 | .94 | 77 | 17 | 3.5 | 98 | 15 | 4.0 |
| 13 | 84 | 2 | .45 | 72 | 16 | 3.1 | 113 | 20 | 6.1 |
| 14 | 84 | 5 | 1.1 | 72 | 11 | 2.1 | 315 | 140 | 119 |
| 15 | 82 | 6 | 1.3 | 67 | 11 | 2.0 | 177 | 48 | 23 |
| 16 | 84 | 12 | 2.7 | 64 | 8 | 1.4 | 149 | 24 | 9.7 |
| 17 | 79 | 10 | 2.1 | 101 | 83 | 23 | 129 | 20 | 7.0 |
| 18 | 77 | 7 | 1.5 | 104 | 56 | 16 | 119 | 17 | 5.5 |
| 19 | 77 | 8 | 1.7 | 79 | 30 | 6.4 | 110 | 16 | 4.8 |
| 20 | 77 | 20 | 4.2 | 67 | 15 | 2.7 | 104 | 12 | 3.4 |
| 21 | 74 | 15 | 3.0 | 64 | 8 | 1.4 | 101 | 10 | 2.7 |
| 22 | 72 | 9 | 1.7 | 62 | 7 | 1.2 | 107 | 7 | 2.0 |
| 23 | 72 | 5 | .97 | 69 | 9 | 1.7 | 92 | 7 | 1.7 |
| 24 | 95 | 30 | 7.7 | 67 | 8 | 1.4 | 87 | 8 | 1.9 |
| 25 | 95 | 32 | 8.2 | 64 | 7 | 1.2 | 84 | 7 | 1.6 |
| 26 | 84 | 23 | 5.2 | 62 | 8 | 1.3 | 82 | 6 | 1.3 |
| 27 | 84 | 14 | 3.2 | 62 | 6 | 1.0 | 79 | 6 | 1.3 |
| 28 | 79 | 9 | 1.9 | 64 | 6 | 1.0 | 129 | 50 | 17 |
| 29 | 84 | 12 | 2.7 | 67 | 8 | 1.4 | 252 | 110 | 15 |
| 30 | 134 | 50 | 18 | 82 | 16 | 3.5 | 156 | 23 | 9.7 |
| 31 | 92 | 24 | 6.0 | 87 | 14 | 3.3 | -- | -- | -- |
| TOTAL | 2985 | -- | 131.51 | 2641 | -- | 260.1 | 4169 | -- | 608.4 |
| TOTAL DISCHARGE FOR YEAR (CFS-DAYS) | | | | | | | | | 97122 |
| TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS) | | | | | | | | | 14450.14 |

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PEN- DED SEDI- MENT (MG/L) | SUS- PEN- DED SEDI- MENT DIS- CHARGE (T/DAY) |
|-------|------|---|--|---|
| JAN. | | | | |
| 23... | 1215 | 740 | 60 | 126 |
| FEB. | | | | |
| 19... | 1345 | 215 | 39 | 23 |
| SEP. | | | | |
| 04... | 1320 | 223 | 63 | 38 |

DELAWARE RIVER BASIN

01473800 SCHUYLKILL RIVER AT MANAYUNK, PHILADELPHIA, PA.

LOCATION.--Lat 40°01'41", long 75°13'44", Philadelphia County, at Green Lane Avenue Bridge, 5.5 mi (8.8 km) upstream from gaging station at Fairmount Dam, and 14.2 mi (22.3 km) upstream from mouth.

DRAINAGE AREA.--1,830 mi² (4,740 km²), at Fairmount Dam.

PERIOD OF RECORD.--Water temperatures: November 1956 to September 1959.
Sediment records: November 1947 to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum daily, 1,040 mg/l Dec. 21; minimum daily, 2 mg/l Feb. 12, 14.

Sediment discharges: Maximum daily, 123,000 tons (112,000 t) Dec. 21; minimum daily, 9.1 tons (8.3 t) Feb. 14.

Period of record:

Sediment concentrations: Maximum daily, 4,910 mg/l Dec. 30, 1948; minimum daily, 1 mg/l on many days.

Sediment discharges: Maximum daily, 650,000 tons (590,000 t) (estimated) Aug. 19, 1955; minimum daily, less than 0.05 tons (0.04 t) Sept. 2, 1966.

REMARKS.--Mean discharges given are for 01474500 Schuylkill River at Philadelphia (Fairmount Dam). Daily records do not include water diverted by the city of Philadelphia for municipal water supply. Unpublished records of temperature of sediment samples available in the district office at Harrisburg.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 1570 | 18 | 76 | 2280 | 31 | 191 | 1260 | 8 | 27 |
| 2 | 1610 | 25 | 109 | 1910 | 37 | 191 | 1030 | 7 | 19 |
| 3 | 1980 | 25 | 134 | 1660 | 38 | 170 | 929 | 5 | 13 |
| 4 | 1530 | 19 | 78 | 1420 | 25 | 96 | 862 | 5 | 12 |
| 5 | 1310 | 19 | 67 | 1280 | 16 | 55 | 1750 | 20 | 95 |
| 6 | 1140 | 18 | 55 | 1240 | 16 | 54 | 6610 | 48 | 857 |
| 7 | 1050 | 16 | 45 | 1130 | 18 | 55 | 4520 | 35 | 427 |
| 8 | 997 | 16 | 43 | 1080 | 12 | 35 | 3220 | 16 | 139 |
| 9 | 1010 | 17 | 46 | 1040 | 10 | 28 | 5290 | 82 | 1170 |
| 10 | 968 | 15 | 39 | 972 | 9 | 24 | 9620 | 196 | 5190 |
| 11 | 999 | 14 | 38 | 963 | 14 | 36 | 6630 | 73 | 1310 |
| 12 | 996 | 14 | 38 | 909 | 15 | 37 | 4970 | 22 | 295 |
| 13 | 916 | 14 | 35 | 915 | 9 | 22 | 3970 | 26 | 279 |
| 14 | 907 | 13 | 32 | 904 | 12 | 29 | 6080 | 42 | 689 |
| 15 | 858 | 14 | 32 | 845 | 9 | 21 | 5610 | 35 | 530 |
| 16 | 804 | 15 | 33 | 840 | 11 | 25 | 4210 | 16 | 182 |
| 17 | 783 | 16 | 34 | 764 | 13 | 27 | 3850 | 10 | 104 |
| 18 | 740 | 15 | 30 | 789 | 18 | 38 | 3400 | 5 | 46 |
| 19 | 738 | 13 | 26 | 785 | 14 | 30 | 2820 | 5 | 38 |
| 20 | 739 | 14 | 28 | 791 | 12 | 26 | 2850 | 10 | 77 |
| 21 | 728 | 11 | 22 | 763 | 13 | 27 | 37400 | 1040 | 123000 |
| 22 | 723 | 10 | 20 | 734 | 9 | 18 | 26400 | 475 | 35800 |
| 23 | 726 | 12 | 24 | 708 | 13 | 25 | 13600 | 140 | 5140 |
| 24 | 742 | 14 | 28 | 713 | 11 | 21 | 9190 | 60 | 1490 |
| 25 | 708 | 15 | 29 | 756 | 10 | 20 | 6800 | 37 | 679 |
| 26 | 684 | 20 | 37 | 831 | 12 | 27 | 10800 | 75 | 2190 |
| 27 | 668 | 14 | 25 | 897 | 14 | 34 | 22000 | 204 | 13400 |
| 28 | 630 | 15 | 26 | 1130 | 17 | 52 | 12000 | 65 | 2110 |
| 29 | 1730 | 31 | 145 | 1920 | 24 | 124 | 9190 | 36 | 893 |
| 30 | 3760 | 40 | 406 | 1940 | 13 | 68 | 7530 | 24 | 488 |
| 31 | 3760 | 70 | 711 | -- | -- | -- | 6220 | 20 | 336 |
| TOTAL | 36504 | -- | 2491 | 32909 | -- | 1606 | 240611 | -- | 197025 |

01473800 SCHUYLKILL RIVER AT MANAYUNK, PHILADELPHIA, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| JANUARY | | | | FEBRUARY | | | MARCH | | |
|---------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| DAY | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 5830 | 17 | 268 | 4080 | 9 | 99 | 3110 | 8 | 67 |
| 2 | 5180 | 12 | 168 | 3580 | 7 | 68 | 3210 | 9 | 78 |
| 3 | 4460 | 10 | 120 | 3370 | 7 | 64 | 2900 | 12 | 94 |
| 4 | 6170 | 22 | 366 | 3010 | 11 | 89 | 2760 | 7 | 52 |
| 5 | 5380 | 10 | 145 | 2570 | 6 | 42 | 2610 | 8 | 56 |
| 6 | 4240 | 11 | 126 | 2240 | 5 | 30 | 2470 | 7 | 47 |
| 7 | 3910 | 20 | 211 | 2290 | 3 | 19 | 2330 | 10 | 63 |
| 8 | 3630 | 14 | 137 | 2290 | 5 | 31 | 2200 | 22 | 131 |
| 9 | 3210 | 9 | 78 | 2030 | 3 | 16 | 3110 | 23 | 193 |
| 10 | 3260 | 10 | 88 | 1810 | 4 | 20 | 5370 | 22 | 319 |
| 11 | 5260 | 43 | 611 | 1770 | 3 | 14 | 5130 | 14 | 194 |
| 12 | 6380 | 38 | 655 | 1730 | 2 | 9.3 | 4330 | 15 | 175 |
| 13 | 4300 | 17 | 197 | 1650 | 3 | 13 | 3860 | 11 | 115 |
| 14 | 3160 | 8 | 68 | 1690 | 2 | 9.1 | 3370 | 7 | 64 |
| 15 | 3010 | 7 | 57 | 1620 | 5 | 22 | 3000 | 6 | 49 |
| 16 | 3150 | 5 | 43 | 1880 | 3 | 15 | 3230 | 15 | 131 |
| 17 | 3100 | 7 | 59 | 1760 | 6 | 29 | 6290 | 55 | 934 |
| 18 | 3050 | 5 | 41 | 1760 | 5 | 24 | 4640 | 25 | 313 |
| 19 | 3000 | 7 | 57 | 1800 | 4 | 19 | 3550 | 10 | 96 |
| 20 | 3000 | 7 | 57 | 2500 | 11 | 74 | 3250 | 9 | 79 |
| 21 | 4000 | 110 | 1190 | 3120 | 9 | 76 | 5170 | 65 | 907 |
| 22 | 5700 | 135 | 2080 | 2510 | 10 | 68 | 9370 | 160 | 4050 |
| 23 | 9000 | 65 | 1580 | 4060 | 47 | 515 | 5890 | 35 | 557 |
| 24 | 8100 | 23 | 503 | 4760 | 41 | 527 | 5010 | 20 | 271 |
| 25 | 7200 | 15 | 292 | 3950 | 16 | 171 | 4400 | 10 | 119 |
| 26 | 6000 | 17 | 275 | 3600 | 10 | 97 | 3760 | 9 | 91 |
| 27 | 6200 | 18 | 301 | 3110 | 5 | 42 | 3410 | 17 | 157 |
| 28 | 6000 | 12 | 194 | 3010 | 9 | 73 | 3060 | 7 | 58 |
| 29 | 6500 | 22 | 386 | -- | -- | -- | 2940 | 12 | 95 |
| 30 | 5900 | 16 | 255 | -- | -- | -- | 5000 | 271 | 3660 |
| 31 | 5300 | 14 | 200 | -- | -- | -- | 18600 | 590 | 29600 |
| TOTAL | 152580 | -- | 10808 | 73550 | -- | 2275.4 | 137330 | -- | 42815 |
| APRIL | | | | MAY | | | JUNE | | |
| DAY | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 11000 | 130 | 3860 | 2060 | 21 | 117 | 1700 | 19 | 87 |
| 2 | 8310 | 37 | 830 | 1920 | 20 | 104 | 2120 | 23 | 132 |
| 3 | 7320 | 26 | 514 | 2090 | 22 | 124 | 2050 | 14 | 77 |
| 4 | 8130 | 83 | 1820 | 2410 | 18 | 117 | 1680 | 14 | 64 |
| 5 | 12500 | 209 | 7000 | 2060 | 16 | 89 | 1450 | 16 | 63 |
| 6 | 12200 | 129 | 4390 | 1870 | 15 | 76 | 1300 | 14 | 49 |
| 7 | 9150 | 77 | 1900 | 1950 | 12 | 63 | 1200 | 15 | 49 |
| 8 | 7530 | 41 | 834 | 1900 | 17 | 87 | 1180 | 8 | 25 |
| 9 | 13700 | 356 | 13200 | 1860 | 17 | 85 | 1200 | 5 | 16 |
| 10 | 9870 | 70 | 1870 | 2990 | 20 | 161 | 1140 | 4 | 12 |
| 11 | 7080 | 26 | 497 | 2930 | 18 | 142 | 1090 | 5 | 15 |
| 12 | 5990 | 18 | 291 | 2780 | 35 | 263 | 996 | 7 | 19 |
| 13 | 7690 | 86 | 1790 | 11500 | 150 | 4660 | 965 | 6 | 16 |
| 14 | 8540 | 47 | 1080 | 7040 | 60 | 1140 | 933 | 10 | 25 |
| 15 | 8660 | 78 | 1820 | 4780 | 25 | 323 | 883 | 10 | 24 |
| 16 | 7850 | 53 | 1120 | 3860 | 23 | 240 | 2010 | 140 | 760 |
| 17 | 5970 | 40 | 645 | 3200 | 25 | 216 | 2990 | 120 | 969 |
| 18 | 5120 | 24 | 332 | 2810 | 20 | 152 | 1640 | 80 | 354 |
| 19 | 4630 | 20 | 250 | 2610 | 26 | 183 | 1230 | 27 | 90 |
| 20 | 4460 | 24 | 289 | 2320 | 26 | 163 | 1010 | 10 | 27 |
| 21 | 4000 | 17 | 184 | 2100 | 25 | 142 | 1150 | 75 | 233 |
| 22 | 3640 | 18 | 177 | 1960 | 29 | 153 | 1520 | 20 | 82 |
| 23 | 3640 | 12 | 118 | 2630 | 25 | 178 | 2260 | 35 | 214 |
| 24 | 3330 | 14 | 126 | 2560 | 23 | 159 | 2650 | 43 | 308 |
| 25 | 2920 | 12 | 95 | 2080 | 18 | 101 | 2470 | 25 | 167 |
| 26 | 2650 | 19 | 136 | 1820 | 20 | 98 | 1850 | 22 | 110 |
| 27 | 2490 | 15 | 101 | 1700 | 18 | 83 | 1540 | 20 | 83 |
| 28 | 2330 | 16 | 101 | 1670 | 20 | 90 | 1480 | 10 | 40 |
| 29 | 2270 | 16 | 98 | 1640 | 19 | 84 | 1880 | 5 | 25 |
| 30 | 2200 | 20 | 119 | 1700 | 23 | 106 | 1770 | 9 | 43 |
| 31 | -- | -- | -- | 1680 | 19 | 86 | -- | -- | -- |
| TOTAL | 195170 | -- | 45587 | 86480 | -- | 9785 | 47337 | -- | 4178 |

DELAWARE RIVER BASIN

01473800 SCHUYLKILL RIVER AT MANAYUNK, PHILADELPHIA, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JULY | | | AUGUST | | | SEPTEMBER | | |
|--|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 1650 | 11 | 49 | 965 | 14 | 36 | 1120 | 28 | 85 |
| 2 | 2280 | 20 | 123 | 777 | 16 | 34 | 1360 | 55 | 202 |
| 3 | 1890 | 12 | 61 | 1030 | 19 | 53 | 2700 | 70 | 510 |
| 4 | 1500 | 10 | 41 | 1810 | 52 | 254 | 5530 | 105 | 1570 |
| 5 | 1480 | 10 | 40 | 3950 | 90 | 960 | 3400 | 52 | 477 |
| 6 | 1320 | 10 | 36 | 1920 | 35 | 181 | 2150 | 44 | 255 |
| 7 | 1250 | 11 | 37 | 1220 | 15 | 49 | 3260 | 35 | 308 |
| 8 | 1100 | 9 | 27 | 981 | 18 | 48 | 3450 | 25 | 233 |
| 9 | 954 | 10 | 26 | 917 | 15 | 37 | 2410 | 16 | 104 |
| 10 | 858 | 20 | 46 | 1390 | 23 | 86 | 1890 | 15 | 77 |
| 11 | 790 | 16 | 34 | 1070 | 23 | 66 | 1610 | 18 | 78 |
| 12 | 812 | 14 | 31 | 927 | 16 | 40 | 1550 | 17 | 71 |
| 13 | 777 | 25 | 52 | 763 | 15 | 31 | 1410 | 16 | 61 |
| 14 | 729 | 17 | 33 | 653 | 12 | 21 | 2270 | 25 | 153 |
| 15 | 615 | 13 | 22 | 632 | 10 | 17 | 2970 | 22 | 176 |
| 16 | 586 | 15 | 24 | 557 | 11 | 17 | 2060 | 21 | 117 |
| 17 | 554 | 15 | 22 | 547 | 15 | 22 | 1670 | 21 | 95 |
| 18 | 507 | 14 | 19 | 2460 | 30 | 199 | 1440 | 20 | 78 |
| 19 | 553 | 16 | 24 | 1560 | 13 | 55 | 1280 | 19 | 66 |
| 20 | 523 | 15 | 21 | 1000 | 16 | 43 | 1170 | 18 | 57 |
| 21 | 540 | 14 | 20 | 743 | 18 | 36 | 1160 | 16 | 50 |
| 22 | 503 | 13 | 18 | 626 | 10 | 17 | 1310 | 19 | 67 |
| 23 | 461 | 11 | 14 | 2980 | 421 | 5510 | 1280 | 16 | 55 |
| 24 | 787 | 15 | 32 | 1160 | 22 | 69 | 1090 | 14 | 41 |
| 25 | 936 | 18 | 45 | 870 | 13 | 31 | 957 | 13 | 34 |
| 26 | 822 | 13 | 29 | 663 | 10 | 18 | 859 | 16 | 37 |
| 27 | 687 | 12 | 22 | 974 | 21 | 55 | 793 | 18 | 39 |
| 28 | 610 | 16 | 26 | 777 | 13 | 27 | 1200 | 25 | 81 |
| 29 | 550 | 12 | 18 | 701 | 12 | 23 | 8540 | 60 | 1380 |
| 30 | 1030 | 16 | 44 | 961 | 10 | 26 | 2610 | 25 | 176 |
| 31 | 1080 | 20 | 58 | 1110 | 9 | 27 | -- | -- | -- |
| TOTAL | 28734 | -- | 1094 | 36694 | -- | 8088 | 64499 | -- | 6733 |
| TOTAL DISCHARGE FOR YEAR (CFS-DAYS) | | | | | | | | | 1132398 |
| TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS) | | | | | | | | | 332485.4 |

DELAWARE RIVER BASIN

383

01473800 SCHUYLKILL RIVER AT MANAYUNK, PHILADELPHIA, PA.--Continued




Figure 3.--Double mass accumulation of annual suspended sediment discharge versus annual water discharge, Schuylkill River at Manayunk, Philadelphia, Pa.

Table 7.--Suspended sediment concentration-duration table, Schuylkill River at Manayunk, Philadelphia

| Period | Mean daily concentration, in milligrams per litre, that was equaled or exceeded for indicated percentage of time | | | | | | | | | | | | | |
|---------|--|-----|-----|----|----|----|----|----|----|----|----|----|----|----|
| | 1 | 2 | 5 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 95 | 99 |
| | | | | | | | | | | | | | | |
| 1974 | 410 | 220 | 105 | 60 | 29 | 23 | 19 | 17 | 15 | 13 | 11 | 7 | 5 | 3 |
| 1960-74 | 430 | 269 | 121 | 55 | 27 | 20 | 17 | 14 | 12 | 11 | 9 | 7 | 6 | 4 |

DELAWARE RIVER BASIN

01481000 BRANDYWINE CREEK AT CHADDS FORD, PA.

LOCATION.--Lat 39°52'09", long 75°35'35", Delaware County, at gaging station located on left bank 27 ft (8 m) upstream from Pennsylvania Railroad Bridge at Chadds Ford, and 1,200 ft (366 m) downstream from highway bridge on U.S. Highway 1. Sediment samples collected at Pennsylvania Railroad Bridge.

DRAINAGE AREA.--287 mi² (743 km²).

PERIOD OF RECORD.--Chemical analyses: March 1964 to September 1974.

Water temperatures: October 1964 to September 1974.

Sediment records: July 1963 to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum daily, 800 mg/l Dec. 21; minimum daily, 4 mg/l Nov. 20-22, 24, Dec. 4.

Sediment discharges: Maximum daily, 11,400 tons (10,300 t) Dec. 21; minimum daily, 1.5 tons (1.4 t) Nov. 20, 24.

Period of record:

Sediment concentrations: Maximum daily, 2,000 mg/l (estimated) Feb. 8, 1965; minimum daily, 1 mg/l on many days.

Sediment discharges: Maximum daily, 20,000 tons (18,100 t) (estimated) Feb. 8, 1965; minimum daily, 0 tons (0 t) on Oct. 7, 8, 1967.

REMARKS.--Chemical analyses for this station on page 171. Unpublished records of specific conductance, pH, and temperature of sediment samples available in the district office at Harrisburg. Sediment data from 01481500 Brandywine Creek at Wilmington, Del., are used in computation of sediment records.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 183 | 18 | 8.9 | 226 | 18 | 11 | 157 | 7 | 3.0 |
| 2 | 206 | 30 | 17 | 194 | 15 | 7.9 | 150 | 6 | 2.4 |
| 3 | 252 | 40 | 27 | 179 | 13 | 6.3 | 147 | 6 | 2.4 |
| 4 | 194 | 17 | 8.9 | 168 | 15 | 6.8 | 147 | 4 | 1.6 |
| 5 | 176 | 18 | 8.6 | 172 | 25 | 12 | 625 | 90 | 152 |
| 6 | 161 | 15 | 6.5 | 172 | 10 | 4.6 | 725 | 90 | 176 |
| 7 | 157 | 13 | 5.5 | 168 | 8 | 3.6 | 283 | 20 | 15 |
| 8 | 157 | 15 | 6.4 | 161 | 8 | 3.5 | 230 | 12 | 7.5 |
| 9 | 157 | 16 | 6.8 | 164 | 7 | 3.1 | 695 | 75 | 141 |
| 10 | 172 | 16 | 7.4 | 157 | 7 | 3.0 | 640 | 65 | 112 |
| 11 | 172 | 12 | 5.6 | 154 | 6 | 2.5 | 311 | 8 | 6.7 |
| 12 | 157 | 11 | 4.7 | 157 | 7 | 3.0 | 252 | 6 | 4.1 |
| 13 | 157 | 14 | 5.9 | 154 | 7 | 2.9 | 234 | 5 | 3.2 |
| 14 | 154 | 13 | 5.4 | 157 | 8 | 3.4 | 475 | 30 | 38 |
| 15 | 150 | 13 | 5.3 | 150 | 8 | 3.2 | 311 | 10 | 8.4 |
| 16 | 150 | 11 | 4.5 | 150 | 11 | 4.5 | 256 | 7 | 4.8 |
| 17 | 143 | 11 | 4.2 | 140 | 8 | 3.0 | 269 | 10 | 7.3 |
| 18 | 143 | 10 | 3.9 | 140 | 7 | 2.6 | 234 | 12 | 7.6 |
| 19 | 143 | 10 | 3.9 | 143 | 5 | 1.9 | 222 | 11 | 6.6 |
| 20 | 147 | 10 | 4.0 | 143 | 4 | 1.5 | 260 | 15 | 11 |
| 21 | 147 | 10 | 4.0 | 147 | 4 | 1.6 | 5260 | 800 | 11400 |
| 22 | 143 | 9 | 3.5 | 147 | 4 | 1.6 | 1470 | 145 | 576 |
| 23 | 143 | 8 | 3.1 | 147 | 5 | 2.0 | 605 | 30 | 49 |
| 24 | 143 | 7 | 2.7 | 143 | 4 | 1.5 | 490 | 25 | 33 |
| 25 | 140 | 6 | 2.3 | 150 | 5 | 2.0 | 420 | 20 | 23 |
| 26 | 143 | 6 | 2.3 | 150 | 6 | 2.4 | 1500 | 110 | 446 |
| 27 | 140 | 6 | 2.3 | 150 | 7 | 2.8 | 2830 | 210 | 1600 |
| 28 | 140 | 7 | 2.6 | 206 | 17 | 9.5 | 770 | 50 | 104 |
| 29 | 575 | 85 | 132 | 252 | 20 | 14 | 585 | 25 | 39 |
| 30 | 695 | 135 | 253 | 179 | 12 | 5.8 | 525 | 20 | 28 |
| 31 | 260 | 35 | 25 | -- | -- | -- | 485 | 16 | 21 |
| TOTAL | 6000 | -- | 583.2 | 4920 | -- | 133.5 | 21563 | -- | 15029.6 |

DELAWARE RIVER BASIN

01481000 BRANDYWINE CREEK AT CHADDS FORD, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 550 | 17 | 25 | 465 | 10 | 13 | 440 | 13 | 15 |
| 2 | 465 | 12 | 15 | 465 | 8 | 10 | 400 | 15 | 16 |
| 3 | 495 | 13 | 17 | 485 | 7 | 9.2 | 390 | 8 | 8.4 |
| 4 | 775 | 40 | 84 | 450 | 7 | 8.5 | 371 | 7 | 7.0 |
| 5 | 570 | 15 | 23 | 415 | 8 | 9.0 | 356 | 6 | 5.8 |
| 6 | 500 | 12 | 16 | 390 | 8 | 8.4 | 337 | 6 | 5.5 |
| 7 | 475 | 12 | 15 | 410 | 15 | 17 | 333 | 5 | 4.5 |
| 8 | 465 | 16 | 20 | 415 | 11 | 12 | 328 | 5 | 4.4 |
| 9 | 450 | 45 | 55 | 380 | 9 | 9.2 | 371 | 9 | 9.0 |
| 10 | 480 | 46 | 60 | 361 | 8 | 7.8 | 435 | 10 | 12 |
| 11 | 860 | 60 | 139 | 385 | 10 | 10 | 366 | 8 | 7.9 |
| 12 | 895 | 38 | 92 | 361 | 8 | 7.8 | 337 | 8 | 7.3 |
| 13 | 560 | 11 | 17 | 380 | 8 | 8.2 | 328 | 7 | 6.2 |
| 14 | 480 | 10 | 13 | 405 | 10 | 11 | 314 | 7 | 5.9 |
| 15 | 490 | 10 | 13 | 376 | 7 | 7.1 | 309 | 6 | 5.0 |
| 16 | 500 | 9 | 12 | 347 | 6 | 5.6 | 366 | 17 | 17 |
| 17 | 560 | 10 | 15 | 356 | 7 | 6.7 | 575 | 40 | 62 |
| 18 | 515 | 9 | 13 | 347 | 6 | 5.6 | 380 | 12 | 12 |
| 19 | 475 | 8 | 10 | 361 | 5 | 4.9 | 352 | 11 | 10 |
| 20 | 500 | 10 | 14 | 480 | 20 | 26 | 337 | 10 | 9.1 |
| 21 | 1000 | 160 | 432 | 395 | 8 | 8.5 | 705 | 60 | 114 |
| 22 | 1060 | 115 | 329 | 425 | 10 | 11 | 760 | 95 | 195 |
| 23 | 660 | 60 | 107 | 460 | 20 | 25 | 450 | 24 | 29 |
| 24 | 590 | 35 | 56 | 366 | 8 | 7.9 | 415 | 16 | 18 |
| 25 | 550 | 20 | 30 | 376 | 6 | 6.1 | 380 | 12 | 12 |
| 26 | 525 | 16 | 23 | 366 | 6 | 5.9 | 371 | 9 | 9.0 |
| 27 | 605 | 19 | 31 | 347 | 6 | 5.6 | 361 | 8 | 7.8 |
| 28 | 550 | 16 | 24 | 366 | 8 | 7.9 | 352 | 9 | 8.6 |
| 29 | 530 | 15 | 21 | -- | -- | -- | 366 | 9 | 8.9 |
| 30 | 500 | 14 | 19 | -- | -- | -- | 930 | 95 | 239 |
| 31 | 480 | 14 | 18 | -- | -- | -- | 2160 | 300 | 1750 |
| TOTAL | 18110 | -- | 1758 | 11135 | -- | 274.9 | 14675 | -- | 2621.3 |
| DAY | APRIL | | | MAY | | | JUNE | | |
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 870 | 52 | 122 | 415 | 11 | 12 | 395 | 10 | 11 |
| 2 | 695 | 22 | 41 | 390 | 14 | 15 | 371 | 10 | 10 |
| 3 | 635 | 20 | 34 | 510 | 30 | 41 | 376 | 10 | 10 |
| 4 | 790 | 70 | 149 | 460 | 20 | 25 | 319 | 10 | 8.6 |
| 5 | 870 | 60 | 141 | 405 | 15 | 16 | 291 | 12 | 9.4 |
| 6 | 780 | 55 | 116 | 405 | 12 | 13 | 273 | 12 | 8.8 |
| 7 | 580 | 10 | 16 | 410 | 13 | 14 | 268 | 12 | 8.7 |
| 8 | 565 | 15 | 23 | 385 | 10 | 10 | 286 | 15 | 12 |
| 9 | 1730 | 220 | 1030 | 385 | 8 | 8.3 | 291 | 15 | 12 |
| 10 | 885 | 63 | 151 | 590 | 40 | 64 | 277 | 14 | 10 |
| 11 | 675 | 30 | 55 | 480 | 15 | 19 | 259 | 13 | 9.1 |
| 12 | 625 | 21 | 35 | 750 | 100 | 203 | 241 | 12 | 7.8 |
| 13 | 1330 | 120 | 431 | 1770 | 380 | 1820 | 241 | 12 | 7.8 |
| 14 | 1220 | 145 | 478 | 570 | 45 | 69 | 241 | 15 | 9.8 |
| 15 | 780 | 30 | 63 | 475 | 15 | 19 | 259 | 16 | 11 |
| 16 | 670 | 15 | 27 | 430 | 18 | 21 | 356 | 35 | 34 |
| 17 | 610 | 16 | 26 | 405 | 16 | 17 | 314 | 29 | 25 |
| 18 | 580 | 17 | 27 | 405 | 13 | 14 | 246 | 23 | 15 |
| 19 | 565 | 17 | 26 | 376 | 12 | 12 | 228 | 21 | 13 |
| 20 | 555 | 15 | 22 | 361 | 12 | 12 | 224 | 20 | 12 |
| 21 | 525 | 14 | 20 | 342 | 11 | 10 | 356 | 85 | 82 |
| 22 | 510 | 15 | 21 | 337 | 9 | 8.2 | 640 | 240 | 415 |
| 23 | 595 | 16 | 26 | 490 | 30 | 40 | 905 | 280 | 684 |
| 24 | 530 | 11 | 16 | 455 | 25 | 31 | 540 | 120 | 175 |
| 25 | 480 | 9 | 12 | 371 | 20 | 20 | 570 | 85 | 131 |
| 26 | 460 | 9 | 11 | 337 | 20 | 18 | 440 | 32 | 38 |
| 27 | 450 | 8 | 9.7 | 328 | 15 | 13 | 385 | 25 | 26 |
| 28 | 440 | 9 | 11 | 328 | 14 | 12 | 425 | 50 | 57 |
| 29 | 440 | 10 | 12 | 319 | 15 | 13 | 615 | 70 | 116 |
| 30 | 430 | 10 | 12 | 333 | 18 | 16 | 380 | 25 | 26 |
| 31 | -- | -- | -- | 314 | 15 | 13 | -- | -- | -- |
| TOTAL | 20870 | -- | 3163.7 | 14331 | -- | 2618.5 | 11012 | -- | 1995.0 |

01481000 BRANDYWINE CREEK AT CHADDS FORD, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JULY | | | AUGUST | | | SEPTEMBER | | |
|--|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 347 | 24 | 22 | 189 | 12 | 6.1 | 164 | 15 | 6.6 |
| 2 | 309 | 27 | 23 | 202 | 14 | 7.6 | 177 | 14 | 6.7 |
| 3 | 291 | 20 | 16 | 505 | 60 | 82 | 228 | 18 | 11 |
| 4 | 273 | 19 | 14 | 309 | 40 | 33 | 725 | 210 | 411 |
| 5 | 352 | 25 | 24 | 314 | 42 | 36 | 255 | 52 | 36 |
| 6 | 337 | 20 | 18 | 232 | 21 | 13 | 206 | 30 | 17 |
| 7 | 273 | 15 | 11 | 210 | 16 | 9.1 | 545 | 65 | 96 |
| 8 | 246 | 13 | 8.6 | 202 | 17 | 9.3 | 328 | 39 | 35 |
| 9 | 232 | 12 | 7.5 | 198 | 15 | 8.0 | 246 | 30 | 20 |
| 10 | 224 | 11 | 6.7 | 210 | 16 | 9.1 | 219 | 27 | 16 |
| 11 | 210 | 9 | 5.1 | 181 | 16 | 7.8 | 198 | 22 | 12 |
| 12 | 206 | 8 | 4.4 | 172 | 16 | 7.4 | 202 | 20 | 11 |
| 13 | 198 | 7 | 3.7 | 164 | 15 | 6.6 | 202 | 19 | 10 |
| 14 | 198 | 8 | 4.3 | 164 | 11 | 4.9 | 241 | 24 | 16 |
| 15 | 202 | 10 | 5.5 | 152 | 7 | 2.9 | 202 | 20 | 11 |
| 16 | 202 | 10 | 5.5 | 145 | 8 | 3.1 | 177 | 18 | 8.6 |
| 17 | 181 | 10 | 4.9 | 237 | 50 | 32 | 164 | 16 | 7.1 |
| 18 | 181 | 9 | 4.4 | 615 | 210 | 349 | 160 | 12 | 5.2 |
| 19 | 219 | 10 | 5.9 | 210 | 43 | 24 | 152 | 10 | 4.1 |
| 20 | 193 | 8 | 4.2 | 177 | 20 | 9.6 | 152 | 12 | 4.9 |
| 21 | 172 | 7 | 3.3 | 164 | 16 | 7.1 | 160 | 11 | 4.8 |
| 22 | 164 | 7 | 3.1 | 160 | 12 | 5.2 | 202 | 14 | 7.6 |
| 23 | 164 | 6 | 2.7 | 181 | 12 | 5.9 | 160 | 11 | 4.8 |
| 24 | 202 | 15 | 8.2 | 181 | 15 | 7.3 | 141 | 8 | 3.0 |
| 25 | 228 | 18 | 11 | 380 | 70 | 72 | 141 | 6 | 2.3 |
| 26 | 198 | 15 | 8.0 | 189 | 32 | 16 | 141 | 6 | 2.3 |
| 27 | 189 | 13 | 6.6 | 177 | 22 | 11 | 137 | 5 | 1.8 |
| 28 | 185 | 11 | 5.5 | 156 | 17 | 7.2 | 356 | 65 | 62 |
| 29 | 181 | 10 | 4.9 | 156 | 18 | 7.6 | 910 | 235 | 577 |
| 30 | 366 | 33 | 33 | 181 | 20 | 9.8 | 300 | 40 | 32 |
| 31 | 219 | 18 | 11 | 185 | 17 | 8.5 | -- | -- | -- |
| TOTAL | 7142 | -- | 296.0 | 6898 | -- | 818.1 | 7591 | -- | 1442.8 |
| TOTAL DISCHARGE FOR YEAR (CFS-DAYS) | | | | | | | | | 144247 |
| TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS) | | | | | | | | | 30734.6 |

DELAWARE RIVER BASIN

387

01481000 BRANDYWINE CREEK AT CHADDS FORD, PA.--Continued




Figure 4.--Double mass accumulation of annual suspended sediment discharge versus annual water discharge, Brandywine Creek at Chadds Ford, Pa.

Table 8.--Suspended sediment concentration-duration table, Brandywine Creek at Chadds Ford

| Period | Mean daily concentration, in milligrams per litre, that was equaled or exceeded for indicated percentage of time | | | | | | | | | | | | | |
|---------|--|-----|-----|----|----|----|----|----|----|----|----|----|----|----|
| | 1 | 2 | 5 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 95 | 99 |
| 1974 | 280 | 220 | 105 | 60 | 30 | 20 | 17 | 15 | 13 | 11 | 8 | 7 | 6 | 4 |
| 1964-74 | 474 | 287 | 123 | 53 | 28 | 20 | 16 | 13 | 11 | 9 | 7 | 5 | 4 | 2 |

DELAWARE RIVER BASIN

01481500 BRANDYWINE CREEK AT WILMINGTON, DEL.

LOCATION.--Lat 39°46'09", long 75°34'25", New Castle County, at gaging station on right bank 0.2 mi (0.3 km) downstream from Henry Clay Bridge, in Wilmington, and 4.2 mi (6.8 km) upstream from mouth. Sediment samples are collected at the Henry Clay Bridge.

DRAINAGE AREA.--314 mi² (813 km²).

PERIOD OF RECORD.--Chemical analyses: October 1947 to September 1950, November 1951 to September 1952, October 1956 to September 1961, October 1961 to September 1962 (partial-record station), October 1963 to September 1972, February to September 1974.

Water temperatures: November 1956 to September 1961, October 1970 to September 1973.

Sediment records: December 1946 to September 1961, July 1962 to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum daily, 725 mg/l Dec. 21; minimum daily, 3 mg/l Jan. 19, 20.

Sediment discharges: Maximum daily, 9,570 tons (8,682 t) Dec. 21; minimum daily, 2.1 tons (1.9 t) Dec. 4.

Period of record:

Sediment concentrations: Maximum daily, 1,700 mg/l Feb. 14, 1966; minimum daily, 1 mg/l on many days.

Sediment discharges: Maximum daily, 35,700 tons (32,400 t) Feb. 14, 1971; minimum daily, less than 0.50 tons (0.45 t) on many days.

REMARKS.--Chemical analyses for this station on page 179. Streamflow records for water year 1973 available in the Maryland and Delaware State Annual Report, Part 1. Unpublished chemical-quality data and specific conductance, pH, and temperature of sediment samples available in the district office at Parkville, Md. Sediment data from 01481000 Brandywine Creek at Chadds Ford, Pa., are used in computation of sediment records.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 199 | 12 | 6.4 | 245 | 25 | 17 | 167 | 15 | 6.8 |
| 2 | 209 | 24 | 14 | 217 | 14 | 8.2 | 161 | 11 | 4.8 |
| 3 | 292 | 35 | 28 | 196 | 15 | 7.9 | 154 | 9 | 3.7 |
| 4 | 199 | 14 | 7.5 | 182 | 11 | 5.4 | 154 | 5 | 2.1 |
| 5 | 176 | 11 | 5.2 | 184 | 15 | 7.5 | 656 | 145 | 257 |
| 6 | 172 | 10 | 4.6 | 188 | 8 | 4.1 | 1040 | 120 | 337 |
| 7 | 171 | 9 | 4.2 | 177 | 6 | 2.9 | 376 | 30 | 30 |
| 8 | 171 | 7 | 3.2 | 167 | 6 | 2.7 | 281 | 17 | 13 |
| 9 | 173 | 10 | 4.7 | 170 | 7 | 3.2 | 756 | 75 | 153 |
| 10 | 184 | 12 | 6.0 | 164 | 7 | 3.1 | 846 | 65 | 148 |
| 11 | 180 | 12 | 5.8 | 161 | 7 | 3.0 | 406 | 17 | 19 |
| 12 | 177 | 12 | 5.7 | 161 | 7 | 3.0 | 310 | 13 | 11 |
| 13 | 178 | 13 | 6.2 | 160 | 6 | 2.6 | 294 | 15 | 12 |
| 14 | 177 | 12 | 5.7 | 161 | 6 | 2.6 | 644 | 45 | 78 |
| 15 | 171 | 11 | 5.1 | 155 | 8 | 3.3 | 419 | 23 | 26 |
| 16 | 170 | 8 | 3.7 | 155 | 10 | 4.2 | 324 | 15 | 13 |
| 17 | 171 | 10 | 4.6 | 146 | 11 | 4.3 | 337 | 11 | 10 |
| 18 | 171 | 11 | 5.1 | 148 | 10 | 4.0 | 290 | 9 | 7.0 |
| 19 | 169 | 11 | 5.0 | 153 | 10 | 4.1 | 265 | 7 | 5.0 |
| 20 | 171 | 12 | 5.5 | 153 | 10 | 4.1 | 400 | 20 | 22 |
| 21 | 164 | 11 | 4.9 | 154 | 9 | 3.7 | 4890 | 725 | 9570 |
| 22 | 163 | 11 | 4.8 | 158 | 6 | 2.6 | 2090 | 225 | 1270 |
| 23 | 163 | 10 | 4.4 | 157 | 6 | 2.5 | 705 | 40 | 76 |
| 24 | 165 | 10 | 4.5 | 157 | 8 | 3.4 | 571 | 25 | 39 |
| 25 | 161 | 7 | 3.0 | 161 | 9 | 3.9 | 489 | 22 | 29 |
| 26 | 167 | 7 | 3.2 | 163 | 11 | 4.8 | 1230 | 95 | 315 |
| 27 | 166 | 7 | 3.1 | 153 | 11 | 4.5 | 3260 | 195 | 1720 |
| 28 | 167 | 9 | 4.1 | 213 | 14 | 8.1 | 879 | 45 | 107 |
| 29 | 648 | 125 | 219 | 319 | 20 | 17 | 652 | 10 | 18 |
| 30 | 898 | 130 | 315 | 204 | 16 | 8.8 | 584 | 8 | 13 |
| 31 | 302 | 30 | 24 | -- | -- | -- | 531 | 7 | 10 |
| TOTAL | 6845 | -- | 726.2 | 5282 | -- | 156.5 | 24161 | -- | 14325.4 |

01481500 BRANDYWINE CREEK AT WILMINGTON, DEL.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 608 | 11 | 18 | 521 | 7 | 9.8 | 477 | 14 | 18 |
| 2 | 515 | 9 | 13 | 522 | 6 | 8.5 | 450 | 12 | 15 |
| 3 | 517 | 12 | 17 | 556 | 6 | 9.0 | 429 | 10 | 12 |
| 4 | 840 | 25 | 57 | 507 | 6 | 8.2 | 420 | 10 | 11 |
| 5 | 631 | 14 | 24 | 477 | 5 | 6.4 | 404 | 11 | 12 |
| 6 | 535 | 11 | 16 | 455 | 5 | 6.1 | 381 | 9 | 9.3 |
| 7 | 510 | 11 | 15 | 476 | 9 | 12 | 383 | 9 | 9.3 |
| 8 | 489 | 9 | 12 | 487 | 7 | 9.2 | 378 | 9 | 9.2 |
| 9 | 479 | 30 | 39 | 446 | 6 | 7.2 | 415 | 8 | 9.0 |
| 10 | 516 | 32 | 45 | 431 | 5 | 5.8 | 477 | 16 | 21 |
| 11 | 956 | 40 | 103 | 454 | 7 | 8.6 | 416 | 12 | 13 |
| 12 | 1100 | 35 | 104 | 430 | 6 | 7.0 | 382 | 8 | 8.3 |
| 13 | 616 | 18 | 30 | 447 | 5 | 6.0 | 369 | 7 | 7.0 |
| 14 | 509 | 11 | 15 | 476 | 7 | 9.0 | 355 | 6 | 5.8 |
| 15 | 527 | 8 | 11 | 445 | 6 | 7.2 | 350 | 6 | 5.7 |
| 16 | 531 | 7 | 10 | 418 | 5 | 5.6 | 466 | 28 | 35 |
| 17 | 594 | 6 | 9.6 | 426 | 5 | 5.8 | 668 | 45 | 81 |
| 18 | 550 | 4 | 5.9 | 420 | 4 | 4.5 | 435 | 25 | 29 |
| 19 | 495 | 3 | 4.0 | 420 | 5 | 5.7 | 395 | 13 | 14 |
| 20 | 521 | 3 | 4.2 | 542 | 10 | 15 | 380 | 10 | 10 |
| 21 | 976 | 150 | 395 | 458 | 7 | 8.7 | 806 | 80 | 174 |
| 22 | 1450 | 135 | 529 | 474 | 14 | 18 | 1070 | 85 | 246 |
| 23 | 755 | 50 | 102 | 520 | 24 | 34 | 545 | 32 | 47 |
| 24 | 670 | 23 | 42 | 408 | 9 | 9.9 | 495 | 28 | 37 |
| 25 | 623 | 15 | 25 | 411 | 7 | 7.8 | 455 | 20 | 25 |
| 26 | 586 | 10 | 16 | 406 | 6 | 6.6 | 437 | 13 | 15 |
| 27 | 668 | 20 | 36 | 390 | 5 | 5.3 | 505 | 12 | 16 |
| 28 | 626 | 12 | 20 | 412 | 10 | 11 | 411 | 10 | 11 |
| 29 | 597 | 10 | 16 | -- | -- | -- | 417 | 9 | 10 |
| 30 | 559 | 9 | 14 | -- | -- | -- | 1060 | 70 | 200 |
| 31 | 532 | 9 | 13 | -- | -- | -- | 2730 | 425 | 3130 |
| TOTAL | 20081 | -- | 1760.7 | 12835 | -- | 257.9 | 17361 | -- | 4245.6 |
| DAY | APRIL | | | MAY | | | JUNE | | |
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 1080 | 80 | 233 | 476 | 12 | 15 | 430 | 20 | 23 |
| 2 | 861 | 30 | 70 | 447 | 10 | 12 | 425 | 17 | 20 |
| 3 | 813 | 20 | 44 | 570 | 40 | 62 | 432 | 19 | 22 |
| 4 | 897 | 60 | 145 | 539 | 25 | 36 | 364 | 18 | 18 |
| 5 | 1070 | 50 | 144 | 470 | 18 | 23 | 327 | 18 | 16 |
| 6 | 967 | 45 | 117 | 469 | 13 | 16 | 311 | 17 | 14 |
| 7 | 767 | 18 | 37 | 481 | 15 | 19 | 297 | 15 | 12 |
| 8 | 745 | 13 | 26 | 441 | 14 | 17 | 313 | 16 | 14 |
| 9 | 2150 | 280 | 1630 | 443 | 14 | 17 | 320 | 18 | 16 |
| 10 | 1060 | 60 | 172 | 630 | 50 | 85 | 306 | 18 | 15 |
| 11 | 876 | 30 | 71 | 569 | 18 | 28 | 281 | 13 | 9.9 |
| 12 | 818 | 23 | 51 | 856 | 85 | 196 | 258 | 11 | 7.7 |
| 13 | 1320 | 130 | 463 | 2120 | 205 | 1170 | 263 | 15 | 11 |
| 14 | 1530 | 150 | 620 | 647 | 35 | 61 | 254 | 14 | 9.6 |
| 15 | 808 | 55 | 120 | 531 | 15 | 22 | 272 | 17 | 12 |
| 16 | 725 | 20 | 39 | 485 | 17 | 22 | 419 | 45 | 51 |
| 17 | 668 | 18 | 32 | 451 | 15 | 18 | 376 | 35 | 36 |
| 18 | 639 | 17 | 29 | 452 | 14 | 17 | 275 | 25 | 19 |
| 19 | 623 | 17 | 29 | 423 | 12 | 14 | 249 | 20 | 13 |
| 20 | 614 | 16 | 27 | 405 | 10 | 11 | 245 | 18 | 12 |
| 21 | 585 | 16 | 25 | 386 | 9 | 9.4 | 349 | 40 | 38 |
| 22 | 572 | 15 | 23 | 380 | 9 | 9.2 | 661 | 110 | 196 |
| 23 | 654 | 18 | 32 | 577 | 30 | 47 | 947 | 390 | 997 |
| 24 | 602 | 14 | 23 | 550 | 25 | 37 | 604 | 160 | 261 |
| 25 | 547 | 12 | 18 | 430 | 20 | 23 | 540 | 75 | 109 |
| 26 | 521 | 14 | 20 | 387 | 20 | 21 | 494 | 30 | 40 |
| 27 | 511 | 15 | 21 | 375 | 18 | 18 | 421 | 23 | 26 |
| 28 | 505 | 14 | 19 | 375 | 18 | 18 | 437 | 40 | 47 |
| 29 | 501 | 12 | 16 | 366 | 16 | 16 | 641 | 65 | 112 |
| 30 | 491 | 12 | 16 | 383 | 20 | 21 | 433 | 25 | 29 |
| 31 | -- | -- | -- | 364 | 18 | 18 | -- | -- | -- |
| TOTAL | 24520 | -- | 4312 | 16478 | -- | 2098.6 | 11944 | -- | 2206.2 |

DELAWARE RIVER BASIN

01481500 BRANDYWINE CREEK AT WILMINGTON, DEL.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JULY | | | AUGUST | | | SEPTEMBER | | |
|--|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 387 | 20 | 21 | 199 | 12 | 6.4 | 177 | 12 | 5.7 |
| 2 | 346 | 25 | 23 | 194 | 10 | 5.2 | 182 | 14 | 6.9 |
| 3 | 318 | 18 | 15 | 508 | 40 | 55 | 265 | 37 | 26 |
| 4 | 298 | 20 | 16 | 309 | 27 | 23 | 733 | 115 | 228 |
| 5 | 352 | 45 | 43 | 386 | 45 | 47 | 295 | 50 | 40 |
| 6 | 404 | 35 | 38 | 251 | 19 | 13 | 225 | 30 | 18 |
| 7 | 303 | 25 | 20 | 233 | 15 | 9.4 | 595 | 70 | 112 |
| 8 | 265 | 20 | 14 | 217 | 15 | 8.8 | 393 | 35 | 37 |
| 9 | 247 | 18 | 12 | 210 | 14 | 7.9 | 275 | 27 | 20 |
| 10 | 237 | 15 | 9.6 | 220 | 19 | 11 | 237 | 13 | 8.3 |
| 11 | 222 | 14 | 8.4 | 192 | 18 | 9.3 | 221 | 11 | 6.6 |
| 12 | 217 | 14 | 8.2 | 180 | 15 | 7.3 | 230 | 13 | 8.1 |
| 13 | 206 | 12 | 6.7 | 173 | 14 | 6.5 | 245 | 15 | 9.9 |
| 14 | 204 | 12 | 6.6 | 172 | 14 | 6.5 | 291 | 18 | 14 |
| 15 | 202 | 10 | 5.5 | 164 | 10 | 4.4 | 229 | 17 | 11 |
| 16 | 215 | 10 | 5.8 | 155 | 9 | 3.8 | 193 | 15 | 7.8 |
| 17 | 187 | 8 | 4.0 | 168 | 30 | 14 | 176 | 16 | 7.6 |
| 18 | 186 | 8 | 4.0 | 648 | 85 | 149 | 176 | 14 | 6.7 |
| 19 | 213 | 12 | 6.9 | 237 | 38 | 24 | 170 | 12 | 5.5 |
| 20 | 202 | 14 | 7.6 | 189 | 25 | 13 | 167 | 12 | 5.4 |
| 21 | 179 | 12 | 5.8 | 173 | 19 | 8.9 | 173 | 12 | 5.6 |
| 22 | 175 | 12 | 5.7 | 166 | 15 | 6.7 | 225 | 16 | 9.7 |
| 23 | 173 | 10 | 4.7 | 414 | 45 | 50 | 179 | 14 | 6.8 |
| 24 | 227 | 18 | 11 | 184 | 20 | 9.9 | 158 | 14 | 6.0 |
| 25 | 252 | 17 | 12 | 433 | 40 | 47 | 158 | 10 | 4.3 |
| 26 | 209 | 17 | 9.6 | 257 | 30 | 21 | 158 | 9 | 3.8 |
| 27 | 202 | 17 | 9.3 | 218 | 25 | 15 | 155 | 6 | 2.5 |
| 28 | 197 | 15 | 8.0 | 177 | 20 | 9.6 | 327 | 115 | 102 |
| 29 | 190 | 15 | 7.7 | 170 | 18 | 8.3 | 1020 | 230 | 633 |
| 30 | 400 | 35 | 38 | 188 | 21 | 11 | 363 | 70 | 69 |
| 31 | 246 | 20 | 13 | 197 | 15 | 8.0 | -- | -- | -- |
| TOTAL | 7661 | -- | 400.1 | 7582 | -- | 619.9 | 8391 | -- | 1427.2 |
| TOTAL DISCHARGE FOR YEAR (CFS-DAYS) | | | | | | | | | 163141 |
| TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS) | | | | | | | | | 32536.3 |

INSTANTANEOUS SUSPENDED SEDIMENT AND PARTICLE SIZE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | TEMPER- ATURE (DEG C) | SUS- PEN- DED SEDI- MENT (MG/L) | SUS- PEN- DED SEDI- MENT DIS- CHARGE (T/DAY) | SUS. SED. FALL DIAM. % FINER THAN .004 MM | SUS. SED. FALL DIAM. % FINER THAN .008 MM | SUS. SED. FALL DIAM. % FINER THAN .016 MM |
|---------------|------|---|--|--|---|--|--|--|
| MAR. 31... | 0700 | 3660 | 4.0 | 704 | 6960 | 39 | 55 | 74 |
| APR. 09... | 0700 | 2020 | 8.0 | 421 | 2300 | 35 | 49 | 64 |
| SEP. 29... | 0700 | 1930 | 19.0 | 397 | 2070 | 39 | 50 | 62 |
| | | | | | | | | |
| DATE | | SUS. SED. FALL DIAM. % FINER THAN .031 MM | SUS. SED. SIEVE DIAM. % FINER THAN .062 MM | SUS. SED. SIEVE DIAM. % FINER THAN .125 MM | SUS. SED. SIEVE DIAM. % FINER THAN .250 MM | SUS. SED. SIEVE DIAM. % FINER THAN .500 MM | SUS. SED. SIEVE DIAM. % FINER THAN 1.00 MM | SUS. SED. SIEVE DIAM. % FINER THAN 2.00 MM |
| MAR. 31... | | 87 | 97 | 98 | 99 | 99 | 100 | -- |
| APR. 09... | | 71 | 88 | 89 | 90 | 91 | 94 | 100 |
| SEP. 29... | | 70 | 75 | 76 | 77 | 83 | 95 | 100 |

01481500 BRANDYWINE CREEK AT WILMINGTON, DEL.--Continued




Figure 5.--Double mass accumulation of annual suspended sediment discharge versus annual water discharge, Brandywine Creek at Wilmington, Del.

Table 9.--Suspended sediment concentration-duration table, Brandywine Creek at Wilmington, Del.

| Period | Mean daily concentration, in milligrams per litre, that was equaled or exceeded for indicated percentage of time | | | | | | | | | | | | | |
|----------|--|-----|-----|----|----|----|----|----|----|----|----|----|----|----|
| | 1 | 2 | 5 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 95 | 99 |
| 1974 | 270 | 190 | 105 | 56 | 31 | 21 | 17 | 15 | 13 | 11 | 9 | 7 | 6 | 4 |
| 1947-74* | 481 | 301 | 128 | 59 | 28 | 19 | 15 | 13 | 11 | 8 | 7 | 5 | 4 | 3 |

*Excludes 1962-63.

ANAYLSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS
DELAWARE RIVER BASIN

01438395 SAWKILL CREEK AT MILFORD, PA. (LAT 41 19 19 LONG 074 48 17)

PARTICLE SIZE DISTRIBUTION, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | SUS. SED. FALL DIAM. % FINER THAN .004 MM | SUS. SED. FALL DIAM. % FINER THAN .062 MM |
|---------------|------|---|---|
| OCT. 16... | 1600 | 0 | 2 |

01438900 DINGMANS CREEK AT DINGMANS FERRY, PA. (LAT 41 13 30 LONG 074 52 49)

PARTICLE SIZE DISTRIBUTION, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS. SED. FALL DIAM. % FINER THAN .004 MM | SUS. SED. FALL DIAM. % FINER THAN .062 MM |
|---------------|------|---|---|---|
| OCT. 16... | 1430 | 3.7 | 1 | 6 |

01439500 BUSH KILL AT SHOEMAKERS, PA. (LAT 41 05 17 LONG 075 02 17)

PARTICLE SIZE DISTRIBUTION, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS. SED. FALL DIAM. % FINER THAN .004 MM | SUS. SED. FALL DIAM. % FINER THAN .062 MM |
|---------------|------|---|---|---|
| OCT. 16... | 1230 | 44 | 0 | 2 |

01439680 LITTLE BUSH KILL AT BUSHKILL, PA. (LAT 41 05 52 LONG 075 00 15)

PARTICLE SIZE DISTRIBUTION, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS. SED. FALL DIAM. % FINER THAN .004 MM | SUS. SED. FALL DIAM. % FINER THAN .062 MM |
|---------------|------|---|---|---|
| OCT. 16... | 1315 | 10 | 0 | 1 |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

393

DELAWARE RIVER BASIN

01451695 JORDAN CREEK NEAR PLEASANT CORNERS, PA. (LAT 40 39 55 LONG 075 41 19)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDIM- MENT DIS- CHARGE (MG/L) | SUS- PENDE SEDIM- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|---|--|
| JAN. 22... | 1130 | 60 | 19 | 3.1 |
| FEB. 20... | 0945 | 33 | 18 | 1.6 |

01451700 SWITZER CREEK NEAR PLEASANT CORNERS, PA. (LAT 40 39 34 LONG 075 41 33)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDIM- MENT DIS- CHARGE (MG/L) | SUS- PENDE SEDIM- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|---|--|
| JAN. 22... | 1100 | 55 | 62 | 9.2 |
| FEB. 20... | 0930 | 12 | 32 | 1.0 |

01451738 LYON CREEK AT LYON VALLEY, PA. (LAT 40 37 30 LONG 075 40 27)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDIM- MENT DIS- CHARGE (MG/L) | SUS- PENDE SEDIM- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|---|--|
| JAN. 22... | 1400 | 45 | 69 | 8.4 |
| FEB. 20... | 1130 | 10 | 14 | .38 |

01451770 MILL CREEK NEAR SCHNECKSVILLE, PA. (LAT 40 40 35 LONG 075 38 25)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDIM- MENT DIS- CHARGE (MG/L) | SUS- PENDE SEDIM- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|---|--|
| JAN. 22... | 1245 | 24 | 61 | 4.0 |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

DELAWARE RIVER BASIN

01451800 JORDAN CREEK NEAR SCHNECKSVILLE, PA. (LAT 40 39 42 LONG 075 37 38)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDED SEDI- MENT (MG/L) | SUS- PENDED SEDI- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|---|--|
| JAN. 22... | 1310 | 246 | 34 | 23 |
| FEB. 20... | 1030 | -- | 47 | -- |
| APR. 16... | 1330 | -- | 14 | -- |

01470800 TULPEHOCKEN CREEK AT BERNVILLE, PA. (LAT 40 35 10 LONG 075 53 40)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDED SEDI- MENT (MG/L) | SUS- PENDED SEDI- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|---|--|
| JAN. 23... | 1115 | 335 | 113 | 102 |
| SEP. 04... | 1140 | 96 | 62 | 16 |

01470825 NORTHKILL CREEK AT BERNVILLE, PA. (LAT 40 25 50 LONG 076 06 51)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDED SEDI- MENT (MG/L) | SUS- PENDED SEDI- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|---|--|
| JAN. 23... | 1100 | 200 | 25 | 13 |
| SEP. 04... | 1230 | 40 | 21 | 2.3 |

395

DRAINAGE AREA.--771 mi² (2,000 km²).

Water temperatures: August to September 1974.

Sediment records: August to September 1974.

Sediment concentrations: Maximum daily, 95 mg/l Sept. 4; minimum daily, 3 mg/l Aug. 11, 14, Sept. 18.

Sediment discharges: Maximum daily, 229 tons (208 t) Sept. 4; minimum daily, 0.6 tons (0.5 t) Aug. 14.

Sediment concentrations: Maximum daily, 95 mg/l Sept. 4, 1974; minimum daily, 3 mg/l Aug. 11, 14, Sept. 18, 1974.

Sediment discharges: Maximum daily, 229 tons (208 t) Sept. 4, 1974; minimum daily, 0.6 tons (0.5 t) Aug. 14, 1974.

REMARKS.--Chemical analyses for this station on page 242.

JULY

AUGUST

SEPTMBER

TOTAL DISCHARGE FOR YEAR (CFS-DAYS)
TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS)

314921
630.12

SUSQUEHANNA RIVER BASIN

01520500 TIOGA RIVER AT LINDLEY, N.Y.--Continued

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|-------|------|---|--|---|
| SEP. | | | | |
| 05... | 1445 | 178 | 5 | 2.4 |

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|-------|------|---|--|---|
| OCT. | | | | |
| 09... | 1825 | 182 | 3 | 1.5 |
| NOV. | | | | |
| 06... | 1600 | 405 | 10 | 11 |
| DEC. | | | | |
| 11... | 1550 | 1630 | 39 | 172 |
| JAN. | | | | |
| 08... | 1450 | 440 | 10 | 12 |
| MAR. | | | | |
| 14... | 1400 | 1160 | 22 | 54 |
| APR. | | | | |
| 03... | 1710 | 3280 | 35 | 310 |
| MAY | | | | |
| 02... | 1430 | 604 | 10 | 16 |
| JUNE | | | | |
| 13... | 1430 | 172 | 4 | 1.9 |
| JULY | | | | |
| 18... | 1245 | 119 | 1 | .32 |
| AUG. | | | | |
| 15... | 1355 | 63 | 5 | .85 |

SUSQUEHANNA RIVER BASIN

397

01539200 APPLEMAN'S RUN ABOVE LIGHT STREET, PA.

LOCATION.--Lat 41°01'53", long 76°25'13", Columbia County, on right bank at upstream end of culvert on State Highway 487 at Light Street.

DRAINAGE AREA.--1.72 mi² (4.45 km²).

PERIOD OF RECORD.--Chemical analyses: October 1971 to May 1974 (discontinued).
Sediment records: October 1971 to May 1974 (discontinued).

EXTREMES.--1973-74:

Sediment concentrations: Maximum, 3,200 mg/l Dec. 20; minimum, 3 mg/l Jan. 8.

Sediment discharges: Maximum, 70 tons (64 t) Dec. 9, Mar. 9; minimum, 0.01 tons (0.01 t) on many days.

Period of record:

Sediment concentrations: Maximum, 10,100 mg/l June 22, 1972; minimum, 1 mg/l on several days during October to December 1971.

Sediment discharges: Maximum, 7,010 tons (6,360 t) June 22, 1972; minimum, 0 tons (0 t) on many days.

REMARKS.--Chemical analyses for this station on page 248. Unpublished records of pH and specific conductance of instantaneous sediment samples available at the district office in Harrisburg. Mean concentrations of turbidity and suspended sediment are water-weighted means.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| JAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | .69 | 12 | .02 | .63 | 15 | .03 | .51 | 15 | .02 |
| 2 | .82 | 15 | .03 | .51 | 15 | .02 | .45 | 15 | .02 |
| 3 | .75 | 8 | .02 | .45 | 10 | .01 | .45 | 15 | .02 |
| 4 | 1.0 | 444 | 1.2 | .45 | 10 | .01 | .45 | 15 | .02 |
| 5 | 1.1 | 15 | .04 | .45 | 10 | .01 | 3.5 | 212 | 2.0 |
| 6 | .69 | 6 | .01 | .39 | 10 | .01 | 2.5 | 92 | .62 |
| 7 | .69 | 5 | .01 | .33 | 10 | .01 | 1.2 | 15 | .05 |
| 8 | .63 | 5 | .01 | .39 | 10 | .01 | 1.0 | 10 | .03 |
| 9 | .89 | 75 | .18 | .33 | 10 | .01 | 9.4 | 2760 | 70 |
| 10 | .88 | 30 | .07 | .33 | 15 | .01 | 4.1 | 20 | .22 |
| 11 | .69 | 15 | .03 | .28 | 12 | .01 | 2.7 | 12 | .09 |
| 12 | .63 | 15 | .03 | .28 | 12 | .01 | 1.9 | 10 | .05 |
| 13 | .63 | 10 | .02 | .28 | 15 | .01 | 1.7 | 15 | .07 |
| 14 | .69 | 15 | .03 | .28 | 15 | .01 | 1.7 | 15 | .07 |
| 15 | .57 | 10 | .02 | .47 | 236 | .30 | 1.2 | 12 | .04 |
| 16 | .51 | 10 | .01 | .88 | 29 | .07 | 1.0 | 8 | .02 |
| 17 | .51 | 20 | .03 | .63 | 15 | .03 | .96 | 5 | .01 |
| 18 | .45 | 15 | .02 | .63 | 15 | .03 | .95 | 11 | .03 |
| 19 | .45 | 15 | .02 | .57 | 15 | .02 | .95 | 7 | .02 |
| 20 | .39 | 15 | .02 | .51 | 15 | .02 | 7.4 | 3200 | 64 |
| 21 | .33 | 8 | .01 | .51 | 15 | .02 | 12 | 864 | 28 |
| 22 | .33 | 8 | .01 | .51 | 15 | .02 | 5.0 | 23 | .31 |
| 23 | .33 | 10 | .01 | .45 | 15 | .02 | 3.5 | 15 | .14 |
| 24 | .33 | 10 | .01 | .85 | 183 | .42 | 2.7 | 15 | .11 |
| 25 | .33 | 15 | .01 | 1.4 | 164 | .62 | 2.3 | 12 | .07 |
| 26 | .28 | 10 | .01 | .69 | 25 | .05 | 9.2 | 298 | 7.4 |
| 27 | .28 | 10 | .01 | .57 | 20 | .03 | 8.6 | 250 | 5.8 |
| 28 | .28 | 12 | .01 | 1.3 | 60 | .21 | 7.4 | 150 | 3.0 |
| 29 | 1.4 | 344 | 1.3 | .75 | 25 | .05 | 4.6 | 12 | .15 |
| 30 | 1.3 | 31 | .11 | .57 | 15 | .02 | 3.2 | 10 | .09 |
| 31 | .69 | 15 | .03 | -- | -- | -- | 2.7 | 10 | .07 |
| TOTAL | 19.54 | -- | 3.34 | 16.67 | -- | 2.10 | 105.22 | -- | 182.54 |

SUSQUEHANNA RIVER BASIN

01539200 APPLEMAN'S RUN ABOVE LIGHT STREET, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 2.6 | 10 | .07 | 2.0 | 9 | .05 | .95 | 10 | .03 |
| 2 | 1.7 | 8 | .04 | 1.7 | 10 | .05 | .95 | 9 | .02 |
| 3 | 1.7 | 10 | .05 | 1.5 | 11 | .04 | .95 | 8 | .02 |
| 4 | 1.5 | 8 | .03 | 1.3 | 10 | .04 | .95 | 7 | .02 |
| 5 | 1.3 | 5 | .02 | 1.0 | 12 | .03 | 1.0 | 10 | .03 |
| 6 | 1.4 | 5 | .02 | 1.0 | 8 | .02 | .88 | 10 | .02 |
| 7 | 1.2 | 5 | .02 | 1.1 | 7 | .02 | .88 | 8 | .02 |
| 8 | .95 | 3 | .01 | .95 | 7 | .02 | 3.0 | 543 | 4.4 |
| 9 | 1.0 | 5 | .01 | .88 | 7 | .02 | 11 | 2360 | 70 |
| 10 | 1.3 | 7 | .02 | .75 | 7 | .01 | 5.4 | 47 | .69 |
| 11 | 1.9 | 20 | .10 | .51 | 7 | .01 | 3.0 | 20 | .16 |
| 12 | 1.5 | 10 | .04 | .39 | 7 | .01 | 2.2 | 15 | .09 |
| 13 | 1.0 | 9 | .02 | .28 | 10 | .01 | 1.5 | 10 | .04 |
| 14 | .88 | 9 | .02 | .24 | 7 | 0 | 1.3 | 9 | .03 |
| 15 | .95 | 9 | .02 | .69 | 8 | .01 | 1.2 | 8 | .03 |
| 16 | 2.1 | 90 | .51 | .69 | 5 | .01 | 2.7 | 165 | 1.2 |
| 17 | 2.6 | 15 | .11 | .82 | 5 | .01 | 1.9 | 14 | .07 |
| 18 | 1.5 | 10 | .04 | .88 | 6 | .01 | 1.2 | 8 | .03 |
| 19 | 1.5 | 15 | .06 | .95 | 15 | .04 | 1.2 | 7 | .02 |
| 20 | 1.3 | 12 | .04 | .95 | 6 | .02 | 1.0 | 6 | .02 |
| 21 | 8.4 | 617 | 14 | .82 | 6 | .01 | 6.2 | 1250 | 21 |
| 22 | 7.9 | 61 | 1.3 | 3.9 | 1420 | 15 | 2.6 | 12 | .08 |
| 23 | 6.0 | 20 | .32 | 1.4 | 26 | .10 | 2.0 | 8 | .04 |
| 24 | 4.6 | 15 | .19 | .95 | 8 | .02 | 1.7 | 7 | .03 |
| 25 | 3.7 | 20 | .20 | .95 | 9 | .02 | 1.3 | 6 | .02 |
| 26 | 3.2 | 15 | .13 | .88 | 12 | .03 | 1.2 | 6 | .02 |
| 27 | 4.9 | 20 | .26 | .82 | 9 | .02 | 1.2 | 6 | .02 |
| 28 | 5.2 | 855 | 12 | .82 | 5 | .01 | 1.1 | 6 | .02 |
| 29 | 4.5 | 35 | .43 | -- | -- | -- | 1.1 | 6 | .02 |
| 30 | 3.2 | 10 | .09 | -- | -- | -- | 3.8 | 136 | 1.4 |
| 31 | 2.7 | 10 | .07 | -- | -- | -- | 11 | 222 | 6.6 |
| TOTAL | 84.18 | -- | 30.24 | 29.12 | -- | 15.64 | 76.36 | -- | 106.19 |

| DAY | APRIL | | | MAY | | | JUNE | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 10 | 344 | 9.3 | .82 | 30 | .07 | | | |
| 2 | 6.1 | 59 | .97 | .57 | 8 | .01 | | | |
| 3 | 3.8 | 20 | .21 | .95 | 20 | .05 | | | |
| 4 | 4.3 | 112 | 1.3 | .69 | 7 | .01 | | | |
| 5 | 4.4 | 118 | 1.4 | .57 | 6 | .01 | | | |
| 6 | 2.7 | 10 | .07 | .57 | 8 | .01 | | | |
| 7 | 2.2 | 8 | .05 | .57 | 7 | .01 | | | |
| 8 | 2.7 | 26 | .19 | .57 | 7 | .01 | | | |
| 9 | 7.5 | 207 | 4.2 | 1.2 | 62 | .20 | | | |
| 10 | 3.1 | 10 | .08 | .63 | 9 | .02 | | | |
| 11 | 2.3 | 8 | .05 | .57 | 8 | .01 | | | |
| 12 | 2.0 | 8 | .04 | 5.8 | 1400 | 22 | | | |
| 13 | 1.9 | 7 | .04 | 2.3 | 29 | .18 | | | |
| 14 | 1.8 | 10 | .05 | 1.3 | 10 | .04 | | | |
| 15 | 1.9 | 8 | .04 | 1.1 | 9 | .03 | | | |
| 16 | 1.4 | 6 | .02 | .88 | 8 | .02 | | | |
| 17 | 1.2 | 8 | .03 | 1.2 | 494 | 1.6 | | | |
| 18 | 1.1 | 8 | .02 | .88 | 13 | .03 | | | |
| 19 | 1.3 | 11 | .04 | .69 | 8 | .01 | | | |
| 20 | 1.0 | 8 | .02 | .57 | 6 | .01 | | | |
| 21 | .88 | 7 | .02 | .57 | 6 | .01 | | | |
| 22 | .88 | 7 | .02 | .78 | 361 | .76 | | | |
| 23 | .95 | 8 | .02 | 1.0 | 26 | .07 | | | |
| 24 | .82 | 7 | .02 | .69 | 9 | .02 | | | |
| 25 | .82 | 7 | .02 | .57 | 10 | .02 | | | |
| 26 | .75 | 7 | .01 | .51 | 7 | .01 | | | |
| 27 | .69 | 7 | .01 | .45 | 6 | .01 | | | |
| 28 | .63 | 7 | .01 | .45 | 6 | .01 | | | |
| 29 | .63 | 7 | .01 | .45 | 6 | .01 | | | |
| 30 | .69 | 10 | .02 | .45 | 6 | .01 | | | |
| 31 | -- | -- | -- | .52 | 36 | .05 | | | |
| TOTAL | 70.44 | -- | 18.28 | 28.87 | -- | 25.31 | | | |

TOTAL DISCHARGE FOR YEAR (CFS-DAYS)
 TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS)

430.40
 383.64

SUSQUEHANNA RIVER BASIN

399

01539210 APPELMANS RUN BELOW LIGHT STREET, PA.

LOCATION.--Lat 41°01'55", long 76°25'39", Columbia County, on left bank at upstream end of culvert on Papermill Road at Light Street.

DRAINAGE AREA.--1.99 mi² (5.15 km²).

PERIOD OF RECORD.--Chemical analyses: October 1971 to May 1974 (discontinued).

Sediment records: October 1971 to May 1974 (discontinued).

EXTREMES.--1973-74:

Sediment concentrations: Maximum, 3,970 mg/l Dec. 20; minimum, 3 mg/l May 16, 21.

Sediment discharges: Maximum, 180 tons (163 t) Dec. 9; minimum, 0 tons (0 t) Oct. 22, 28.

Period of record:

Sediment concentrations: Maximum, 17,400 mg/l May 30, 1972; minimum, 1 mg/l May 6-8, 1973.

Sediment discharges: Maximum, 12,000 tons (10,900 t) June 22, 1972; minimum, 0 tons (0 t) on many days.

REMARKS.--Chemical analyses for this station on page 249. Unpublished records of pH and specific conductance of instantaneous sediment samples available at the district office in Harrisburg. Mean concentrations of turbidity and suspended sediment are water-weighted means.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 1.0 | 20 | .05 | .93 | 6 | .02 | .71 | 9 | .02 |
| 2 | 1.2 | 5 | .02 | .81 | 6 | .01 | .64 | 9 | .02 |
| 3 | 1.0 | 4 | .01 | .71 | 7 | .01 | .64 | 9 | .02 |
| 4 | 1.6 | 1110 | 4.8 | .69 | 8 | .01 | .64 | 9 | .02 |
| 5 | 1.6 | 83 | .36 | .62 | 9 | .02 | 6.2 | 717 | 12 |
| 6 | .90 | 9 | .02 | .54 | 6 | .01 | 2.8 | 108 | .82 |
| 7 | .84 | 8 | .02 | .47 | 6 | .01 | 1.4 | 25 | .09 |
| 8 | .84 | 8 | .02 | .54 | 6 | .01 | 1.1 | 15 | .04 |
| 9 | 1.4 | 145 | .55 | .47 | 6 | .01 | 17 | 3920 | 180 |
| 10 | 1.0 | 15 | .04 | .45 | 5 | .01 | 4.4 | 20 | .24 |
| 11 | .90 | 10 | .02 | .42 | 5 | .01 | 2.6 | 12 | .08 |
| 12 | .84 | 10 | .02 | .40 | 5 | .01 | 1.9 | 10 | .05 |
| 13 | .84 | 8 | .02 | .40 | 6 | .01 | 1.8 | 15 | .07 |
| 14 | 1.0 | 12 | .03 | .40 | 8 | .01 | 1.8 | 30 | .15 |
| 15 | .90 | 8 | .02 | .86 | 818 | 1.9 | 1.3 | 15 | .05 |
| 16 | .80 | 8 | .02 | 1.0 | 20 | .05 | 1.1 | 10 | .03 |
| 17 | .70 | 8 | .02 | .69 | 7 | .01 | 1.6 | 6 | .03 |
| 18 | .65 | 8 | .01 | .64 | 7 | .01 | 1.5 | 25 | .10 |
| 19 | .60 | 8 | .01 | .59 | 7 | .01 | 1.3 | 8 | .03 |
| 20 | .55 | 8 | .01 | .54 | 7 | .01 | 14 | 3970 | 150 |
| 21 | .50 | 4 | .01 | .54 | 7 | .01 | 23 | 1930 | 120 |
| 22 | .46 | 4 | 0 | .59 | 7 | .01 | 5.9 | 15 | .24 |
| 23 | .44 | 5 | .01 | .50 | 7 | .01 | 3.8 | 12 | .12 |
| 24 | .42 | 8 | .01 | 1.1 | 539 | 1.6 | 2.8 | 10 | .08 |
| 25 | .40 | 6 | .01 | 1.9 | 351 | 1.8 | 2.2 | 8 | .05 |
| 26 | .40 | 5 | .01 | 1.0 | 25 | .07 | 15 | 617 | 25 |
| 27 | .40 | 5 | .01 | .87 | 20 | .05 | 12 | 339 | 11 |
| 28 | .40 | 4 | 0 | 2.6 | 97 | .68 | 11 | 269 | 8.0 |
| 29 | 3.0 | 1090 | 8.8 | 1.1 | 15 | .04 | 4.6 | 12 | .15 |
| 30 | 1.6 | 51 | .22 | 1.0 | 9 | .02 | 3.2 | 7 | .06 |
| 31 | .93 | 8 | .02 | -- | -- | -- | 2.6 | 8 | .06 |
| TOTAL | 28.11 | -- | 15.17 | 23.37 | -- | 6.44 | 150.53 | -- | 508.62 |

SUSQUEHANNA RIVER BASIN

01539210 APPLEMAN RUN BELOW LIGHT STREET, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 2.5 | 9 | .06 | 2.0 | 10 | .05 | 1.1 | 8 | .02 |
| 2 | 1.8 | 7 | .03 | 1.9 | 9 | .05 | 1.0 | 8 | .02 |
| 3 | 1.8 | 15 | .07 | 1.6 | 8 | .03 | 1.0 | 7 | .02 |
| 4 | 1.7 | 6 | .03 | 1.4 | 8 | .03 | 1.0 | 6 | .02 |
| 5 | 1.6 | 6 | .03 | 1.4 | 12 | .05 | 1.2 | 10 | .03 |
| 6 | 1.5 | 5 | .02 | 1.3 | 8 | .03 | 1.0 | 8 | .02 |
| 7 | 1.5 | 5 | .02 | 1.1 | 7 | .02 | .93 | 7 | .02 |
| 8 | 1.3 | 7 | .02 | 1.1 | 7 | .02 | 3.4 | 610 | 5.6 |
| 9 | 1.6 | 5 | .02 | .93 | 7 | .02 | 14 | 2380 | 90 |
| 10 | 1.3 | 5 | .02 | .80 | 7 | .02 | 11 | 269 | 8.0 |
| 11 | 2.4 | 20 | .13 | .60 | 7 | .01 | 4.6 | 15 | .19 |
| 12 | 1.8 | 15 | .07 | .45 | 8 | .01 | 3.4 | 8 | .07 |
| 13 | 1.4 | 10 | .04 | .35 | 8 | .01 | 2.2 | 7 | .04 |
| 14 | 1.4 | 8 | .03 | .30 | 7 | .01 | 1.9 | 7 | .04 |
| 15 | 1.4 | 8 | .03 | .75 | 8 | .02 | 1.7 | 7 | .03 |
| 16 | 2.8 | 91 | .69 | .75 | 4 | .01 | 3.6 | 195 | 1.9 |
| 17 | 3.0 | 15 | .12 | .81 | 5 | .01 | 2.5 | 18 | .12 |
| 18 | 1.7 | 10 | .05 | .75 | 6 | .01 | 1.6 | 7 | .03 |
| 19 | 2.0 | 15 | .08 | .87 | 15 | .04 | 1.6 | 6 | .03 |
| 20 | 1.5 | 10 | .04 | .87 | 10 | .02 | 1.3 | 5 | .02 |
| 21 | 15 | 1040 | 42 | .75 | 8 | .02 | 7.9 | 1500 | 32 |
| 22 | 10 | 96 | 2.6 | 4.9 | 1510 | 20 | 2.7 | 14 | .10 |
| 23 | 6.4 | 20 | .35 | 1.5 | 30 | .12 | 2.0 | 8 | .04 |
| 24 | 4.6 | 16 | .20 | 1.0 | 12 | .03 | 1.7 | 7 | .03 |
| 25 | 3.7 | 20 | .20 | 1.0 | 10 | .03 | 1.3 | 5 | .02 |
| 26 | 3.2 | 15 | .13 | .87 | 12 | .03 | 1.3 | 5 | .02 |
| 27 | 5.0 | 20 | .27 | .81 | 8 | .02 | 1.2 | 8 | .03 |
| 28 | 7.2 | 1230 | 24 | .87 | 5 | .01 | 1.1 | 6 | .02 |
| 29 | 4.9 | 39 | .52 | -- | -- | -- | 1.1 | 5 | .01 |
| 30 | 3.2 | 10 | .09 | -- | -- | -- | 5.1 | 160 | 2.2 |
| 31 | 2.6 | 10 | .07 | -- | -- | -- | 13 | 228 | 8.0 |
| TOTAL | 101.8 | -- | 72.03 | 31.73 | -- | 20.73 | 98.43 | -- | 148.69 |
| DAY | APRIL | | | MAY | | | JUNE | | |
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 12 | 309 | 10 | 1.0 | 37 | .10 | | | |
| 2 | 7.2 | 72 | 1.4 | .75 | 8 | .02 | | | |
| 3 | 4.2 | 7 | .08 | 1.1 | 27 | .08 | | | |
| 4 | 4.8 | 139 | 1.8 | .93 | 8 | .02 | | | |
| 5 | 5.2 | 157 | 2.2 | .81 | 6 | .01 | | | |
| 6 | 3.0 | 20 | .16 | .81 | 7 | .02 | | | |
| 7 | 2.4 | 15 | .10 | .75 | 7 | .01 | | | |
| 8 | 2.7 | 27 | .20 | .75 | 7 | .01 | | | |
| 9 | 9.2 | 209 | 5.2 | 1.4 | 40 | .15 | | | |
| 10 | 3.2 | 12 | .10 | 1.0 | 10 | .03 | | | |
| 11 | 2.2 | 8 | .05 | .87 | 7 | .02 | | | |
| 12 | 2.0 | 6 | .03 | 7.0 | 1530 | 29 | | | |
| 13 | 1.9 | 6 | .03 | 2.9 | 29 | .23 | | | |
| 14 | 2.0 | 10 | .05 | 1.3 | 10 | .04 | | | |
| 15 | 2.0 | 10 | .05 | 1.0 | 6 | .02 | | | |
| 16 | 1.4 | 7 | .03 | .93 | 3 | .01 | | | |
| 17 | 1.2 | 8 | .03 | 1.3 | 513 | 1.8 | | | |
| 18 | 1.1 | 7 | .02 | .93 | 16 | .04 | | | |
| 19 | 1.4 | 12 | .05 | .75 | 6 | .01 | | | |
| 20 | 1.1 | 7 | .02 | .69 | 4 | .01 | | | |
| 21 | 1.0 | 7 | .02 | .69 | 3 | .01 | | | |
| 22 | 1.0 | 8 | .02 | .93 | 207 | .52 | | | |
| 23 | 1.1 | 7 | .02 | 1.1 | 34 | .10 | | | |
| 24 | 1.0 | 6 | .02 | .75 | 6 | .01 | | | |
| 25 | 1.0 | 6 | .02 | .69 | 6 | .01 | | | |
| 26 | .87 | 6 | .01 | .64 | 5 | .01 | | | |
| 27 | .81 | 6 | .01 | .59 | 4 | .01 | | | |
| 28 | .81 | 6 | .01 | .59 | 4 | .01 | | | |
| 29 | .75 | 5 | .01 | .64 | 4 | .01 | | | |
| 30 | .82 | 18 | .04 | .59 | 4 | .01 | | | |
| 31 | -- | -- | -- | .72 | 41 | .08 | | | |
| TOTAL | 79.36 | -- | 21.78 | 34.90 | -- | 32.41 | | | |

TOTAL DISCHARGE FOR YEAR (CFS-DAYS)

TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS)

548.23
825.87

SUSQUEHANNA RIVER BASIN

401

01540500 SUSQUEHANNA RIVER AT DANVILLE, PA.
(National Stream-Quality Accounting Network)

LOCATION.--Lat 40°57'29", long 76°37'10", Montour County, at gaging station at Mill Street Bridge on State Highway 54 at Danville, 0.8 mi (1.3 km) upstream from Mahoning Creek.

DRAINAGE AREA.--11,200 mi² (29,000 km²), approximately.

PERIOD OF RECORD.--Chemical analyses: October 1945 to June 1953, October 1956 to June 1973, March to September 1974.

Water temperatures: October 1945 to June 1953, October 1956 to September 1970.

Sediment records: October 1961 to September 1962 (partial-record station), October 1963 to September 1964 (partial-record station), October 1965 to September 1966 (partial-record station), April to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum daily, 416 mg/l Apr. 17; minimum daily, 4 mg/l June 13, July 15.

Sediment discharges: Maximum daily, 66,300 tons (60,200 t) Apr. 17; minimum daily, 42 tons (38 t) Aug. 27.

Period of record:

Sediment concentrations: Maximum daily 416 mg/l Apr. 17, 1974; minimum daily, 4 mg/l June 13, July 15, 1974.

Sediment discharges: Maximum daily, 66,300 tons (60,200 t) Apr. 17; minimum daily, 42 tons (38 t)

Aug. 27, 1974.

REMARKS.--Chemical analyses for this station on page 250. Operated as part of the USGS-EPA surveillance network. No sediment records available October through March.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | APRIL | | | MAY | | | JUNE | | |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 22900 | 16 | 989 | 11900 | 28 | 900 | 10100 | 19 | 518 |
| 2 | 30700 | 21 | 1740 | 13000 | 32 | 1120 | 11600 | 27 | 846 |
| 3 | 48700 | 66 | 9640 | 12500 | 29 | 979 | 10400 | 22 | 618 |
| 4 | 78000 | 287 | 61800 | 13000 | 24 | 842 | 9040 | 20 | 488 |
| 5 | 81700 | 242 | 53200 | 12300 | 23 | 764 | 8050 | 18 | 391 |
| 6 | 83800 | 180 | 40700 | 11900 | 23 | 739 | 7260 | 15 | 294 |
| 7 | 70800 | 148 | 28300 | 11400 | 19 | 585 | 6630 | 13 | 233 |
| 8 | 56800 | 105 | 16100 | 10800 | 16 | 467 | 6090 | 13 | 214 |
| 9 | 49200 | 57 | 7570 | 10500 | 17 | 482 | 5670 | 11 | 168 |
| 10 | 47600 | 40 | 5140 | 11100 | 16 | 480 | 5310 | 9 | 129 |
| 11 | 42600 | 29 | 3340 | 11700 | 16 | 505 | 5260 | 12 | 170 |
| 12 | 40300 | 33 | 3590 | 13800 | 18 | 671 | 5060 | 6 | 82 |
| 13 | 47900 | 146 | 18900 | 21500 | 38 | 2210 | 4870 | 4 | 53 |
| 14 | 54300 | 55 | 8060 | 33600 | 86 | 7800 | 4740 | 6 | 77 |
| 15 | 53400 | 17 | 2450 | 40500 | 100 | 10900 | 4800 | 8 | 104 |
| 16 | 65100 | 215 | 39100 | 33000 | 73 | 6500 | 6040 | 20 | 326 |
| 17 | 59100 | 416 | 66300 | 25400 | 48 | 3290 | 6530 | 33 | 582 |
| 18 | 46200 | 150 | 18700 | 21200 | 27 | 1550 | 6970 | 28 | 527 |
| 19 | 36400 | 72 | 7080 | 19000 | 25 | 1280 | 8500 | 37 | 849 |
| 20 | 30600 | 51 | 4210 | 22700 | 55 | 3370 | 7920 | 32 | 684 |
| 21 | 27300 | 38 | 2800 | 19600 | 52 | 2750 | 6890 | 26 | 484 |
| 22 | 24000 | 38 | 2460 | 16000 | 42 | 1810 | 6260 | 27 | 456 |
| 23 | 20900 | 38 | 2140 | 14200 | 31 | 1190 | 6330 | 25 | 427 |
| 24 | 19000 | 34 | 1740 | 12900 | 22 | 766 | 6090 | 25 | 411 |
| 25 | 17900 | 30 | 1450 | 12000 | 18 | 583 | 5550 | 18 | 270 |
| 26 | 17300 | 27 | 1260 | 11500 | 19 | 590 | 6120 | 21 | 347 |
| 27 | 16200 | 26 | 1140 | 11200 | 21 | 635 | 6340 | 24 | 411 |
| 28 | 14600 | 24 | 946 | 10800 | 25 | 729 | 5740 | 19 | 294 |
| 29 | 13300 | 23 | 826 | 10200 | 23 | 633 | 6070 | 18 | 295 |
| 30 | 12200 | 26 | 856 | 9540 | 20 | 515 | 7850 | 30 | 636 |
| 31 | -- | -- | -- | 9310 | 17 | 427 | -- | -- | -- |
| TOTAL | 1228800 | -- | 412527 | 498050 | -- | 56062 | 204080 | -- | 11384 |

SUSQUEHANNA RIVER BASIN

01540500 SUSQUEHANNA RIVER AT DANVILLE, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JULY | | | AUGUST | | | SEPTEMBER | | |
|--|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 15000 | 170 | 7100 | 5040 | 35 | 476 | 4550 | 25 | 307 |
| 2 | 19100 | 87 | 4490 | 4110 | 20 | 222 | 7570 | 91 | 2010 |
| 3 | 16400 | 40 | 1770 | 4590 | 12 | 149 | 10400 | 120 | 3380 |
| 4 | 12400 | 46 | 1540 | 5880 | 15 | 238 | 13800 | 139 | 5180 |
| 5 | 9640 | 30 | 781 | 5290 | 28 | 400 | 13500 | 86 | 3130 |
| 6 | 10100 | 20 | 545 | 4680 | 23 | 291 | 11700 | 57 | 1800 |
| 7 | 15800 | 48 | 2050 | 4050 | 26 | 284 | 13300 | 61 | 2190 |
| 8 | 14300 | 38 | 1470 | 3670 | 20 | 198 | 11800 | 45 | 1430 |
| 9 | 11300 | 24 | 732 | 3540 | 19 | 182 | 9310 | 35 | 880 |
| 10 | 9510 | 16 | 411 | 3620 | 19 | 186 | 7650 | 28 | 578 |
| 11 | 8400 | 12 | 272 | 3340 | 22 | 198 | 6600 | 23 | 410 |
| 12 | 7130 | 12 | 231 | 3060 | 15 | 124 | 5860 | 22 | 348 |
| 13 | 6120 | 6 | 99 | 2850 | 9 | 69 | 5440 | 20 | 294 |
| 14 | 5470 | 5 | 74 | 2700 | 14 | 102 | 6720 | 45 | 816 |
| 15 | 5110 | 4 | 55 | 2560 | 13 | 90 | 6680 | 31 | 559 |
| 16 | 4840 | 7 | 91 | 2500 | 10 | 68 | 5810 | 22 | 345 |
| 17 | 4480 | 5 | 60 | 2580 | 17 | 118 | 5060 | 18 | 246 |
| 18 | 4300 | 5 | 58 | 2550 | 23 | 158 | 5330 | 16 | 230 |
| 19 | 4210 | 5 | 57 | 2410 | 16 | 104 | 5730 | 22 | 340 |
| 20 | 4260 | 5 | 58 | 2250 | 12 | 73 | 5140 | 18 | 250 |
| 21 | 3950 | 5 | 53 | 2160 | 10 | 58 | 5060 | 16 | 219 |
| 22 | 3600 | 13 | 126 | 2060 | 9 | 50 | 6610 | 24 | 428 |
| 23 | 3300 | 19 | 169 | 2030 | 8 | 44 | 8390 | 32 | 725 |
| 24 | 3230 | 14 | 122 | 2100 | 8 | 45 | 7730 | 29 | 605 |
| 25 | 3360 | 8 | 73 | 2270 | 8 | 49 | 8990 | 26 | 631 |
| 26 | 3400 | 8 | 73 | 2080 | 10 | 56 | 9680 | 32 | 836 |
| 27 | 3640 | 9 | 88 | 1960 | 8 | 42 | 8080 | 22 | 480 |
| 28 | 3680 | 12 | 119 | 2600 | 10 | 70 | 6990 | 16 | 302 |
| 29 | 3720 | 14 | 141 | 3330 | 15 | 135 | 7960 | 21 | 451 |
| 30 | 5350 | 16 | 231 | 3400 | 11 | 101 | 8760 | 26 | 615 |
| 31 | 5780 | 28 | 437 | 4840 | 18 | 235 | -- | -- | -- |
| TOTAL | 230880 | -- | 23576 | 100100 | -- | 4615 | 240200 | -- | 30015 |
| TOTAL DISCHARGE FOR YEAR (CFS-DAYS) | | | | | | | | | 6148970 |
| TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS) | | | | | | | | | 538179 |

INSTANTANEOUS SUSPENDED SEDIMENT AND PARTICLE SIZE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | TEMPER- ATURE (DEG C) | SUS- PENDED SEDI- MENT (MG/L) | SUS- PENDED SEDI- MENT (T/DAY) | SUS. | SUS. | SUS. |
|-------|------|---|-----------------------------|---|--|---|---|---|
| | | | | | | SED. FALL DIAM. % FINER THAN .002 MM | SED. FALL DIAM. % FINER THAN .004 MM | SED. FALL DIAM. % FINER THAN .008 MM |
| APR. | | | | | | | | |
| 05... | 1120 | 81400 | 9.0 | 245 | 53800 | -- | 48 | 53 |
| 17... | 0725 | 62200 | 10.0 | 362 | 60800 | -- | 44 | 63 |
| JULY | | | | | | | | |
| 01... | 1520 | 16200 | -- | 124 | 5420 | 40 | 56 | 70 |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| </ | | | | | | | | |

SUSQUEHANNA RIVER BASIN

403

01549100 BLOCKHOUSE CREEK TRIBUTARY AT LIBERTY, PA.

LOCATION.--Lat 41°34'04", long 77°06'06", Tioga County, on left bank at downstream side of bridge on gravel road between U.S. Route 15 and State Highway 414, 0.7 mi (1.1 km) north of Liberty, and 100 ft (305 m) upstream from confluence with Blockhouse Creek.

DRAINAGE AREA.--1.08 mi² (2.80 km²).

PERIOD OF RECORD.--Chemical analyses: October 1972 to September 1974.

Water temperatures: April 1973 to September 1974.

Sediment records: October 1972 to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum, 3,660 mg/l June 30; minimum, 1 mg/l Oct. 16.

Sediment discharges: Maximum, 55 tons (50 t) Apr. 2; minimum, 0 tons (0 t) on many days.

Period of record:

Sediment concentrations: Maximum, 3,710 mg/l Feb. 2, 1973; minimum, 1 mg/l on many days each year.

Sediment discharges: Maximum, 351 tons (318 t) Feb. 2, 1973; minimum, 0 tons (0 t) on many days each year.

REMARKS.--Chemical analyses for this station on page 272. Unpublished records of pH and specific conductance of instantaneous sediment samples available at the district office in Harrisburg. Mean concentrations of turbidity and suspended sediment are water-weighted means.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | .98 | 4 | .01 | 2.2 | 9 | .05 | 1.9 | 7 | .04 |
| 2 | 1.0 | 5 | .01 | 2.1 | 8 | .05 | 1.6 | 7 | .03 |
| 3 | 1.3 | 7 | .02 | 2.2 | 10 | .06 | 1.6 | 7 | .03 |
| 4 | 1.2 | 5 | .02 | 1.7 | 7 | .03 | 1.5 | 5 | .02 |
| 5 | 1.7 | 8 | .04 | 1.6 | 6 | .03 | 11 | 937 | 28 |
| 6 | 1.0 | 6 | .02 | 1.5 | 6 | .02 | 7.4 | 20 | .40 |
| 7 | .90 | 5 | .01 | 1.3 | 5 | .02 | 4.4 | 10 | .12 |
| 8 | .80 | 4 | .01 | 1.3 | 5 | .02 | 3.4 | 8 | .07 |
| 9 | .70 | 8 | .02 | 1.2 | 5 | .02 | 7.5 | 99 | 2.0 |
| 10 | .66 | 5 | .01 | 1.0 | 5 | .01 | 6.4 | 10 | .17 |
| 11 | .62 | 4 | .01 | 1.0 | 6 | .02 | 4.4 | 8 | .10 |
| 12 | .57 | 2 | 0 | .93 | 6 | .02 | 3.6 | 7 | .07 |
| 13 | .72 | 150 | .29 | .93 | 8 | .02 | 3.2 | 6 | .05 |
| 14 | 1.3 | 27 | .09 | .89 | 7 | .02 | 3.4 | 8 | .07 |
| 15 | .81 | 4 | .01 | .97 | 10 | .03 | 2.9 | 7 | .05 |
| 16 | .58 | 1 | 0 | 1.5 | 12 | .05 | 2.3 | 5 | .03 |
| 17 | .56 | 2 | 0 | 1.1 | 6 | .02 | 1.9 | 5 | .03 |
| 18 | .61 | 2 | 0 | .89 | 5 | .01 | 1.6 | 10 | .04 |
| 19 | .57 | 2 | 0 | .86 | 5 | .01 | 1.5 | 5 | .02 |
| 20 | .52 | 2 | 0 | .82 | 5 | .01 | 6.9 | 296 | 5.5 |
| 21 | .47 | 2 | 0 | .78 | 4 | .01 | 16 | 203 | 8.8 |
| 22 | .45 | 2 | 0 | .78 | 4 | .01 | 7.3 | 8 | .16 |
| 23 | .43 | 2 | 0 | .75 | 4 | .01 | 4.9 | 6 | .08 |
| 24 | .42 | 2 | 0 | 1.1 | 67 | .20 | 4.2 | 5 | .06 |
| 25 | .40 | 2 | 0 | 3.0 | 202 | 1.6 | 4.2 | 5 | .06 |
| 26 | .40 | 2 | 0 | 2.5 | 6 | .04 | 5.1 | 73 | 1.0 |
| 27 | .40 | 3 | 0 | 2.2 | 6 | .04 | 8.8 | 63 | 1.5 |
| 28 | .38 | 3 | 0 | 3.2 | 39 | .34 | 6.2 | 9 | .15 |
| 29 | 7.9 | 1270 | 27 | 2.7 | 8 | .06 | 4.7 | 6 | .08 |
| 30 | 5.3 | 25 | .36 | 2.2 | 7 | .04 | 4.1 | 5 | .06 |
| 31 | 2.6 | 9 | .06 | -- | -- | -- | 4.0 | 3 | .03 |
| TOTAL | 36.25 | -- | 27.99 | 45.20 | -- | 2.87 | 147.9 | -- | 48.82 |

SUSQUEHANNA RIVER BASIN

01549100 BLOCKHOUSE CREEK TRIBUTARY AT LIBERTY, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 4.0 | 3 | .03 | 3.2 | 4 | .03 | 1.5 | 17 | .07 |
| 2 | 3.5 | 2 | .02 | 3.1 | 4 | .03 | 1.1 | 5 | .01 |
| 3 | 3.2 | 2 | .02 | 3.1 | 3 | .03 | 1.7 | 114 | .52 |
| 4 | 3.2 | 2 | .02 | 2.9 | 5 | .04 | 2.2 | 30 | .18 |
| 5 | 3.0 | 3 | .02 | 2.4 | 8 | .05 | 3.2 | 35 | .30 |
| 6 | 2.7 | 3 | .02 | 2.0 | 8 | .04 | 2.3 | 8 | .05 |
| 7 | 2.5 | 4 | .03 | 1.7 | 7 | .03 | 2.2 | 6 | .04 |
| 8 | 2.3 | 4 | .02 | 1.7 | 7 | .03 | 4.9 | 1070 | 14 |
| 9 | 2.1 | 4 | .02 | 1.5 | 10 | .04 | 7.2 | 154 | 3.0 |
| 10 | 2.0 | 5 | .03 | 1.4 | 8 | .03 | 7.3 | 15 | .30 |
| 11 | 2.0 | 5 | .03 | 1.4 | 7 | .03 | 4.9 | 14 | .19 |
| 12 | 1.9 | 4 | .02 | 1.2 | 6 | .02 | 3.8 | 9 | .09 |
| 13 | 1.8 | 4 | .02 | 1.1 | 5 | .01 | 2.7 | 7 | .05 |
| 14 | 2.2 | 5 | .03 | 1.0 | 5 | .01 | 2.2 | 6 | .04 |
| 15 | 1.9 | 4 | .02 | 1.1 | 7 | .02 | 2.0 | 6 | .03 |
| 16 | 1.8 | 4 | .02 | 1.0 | 6 | .02 | 2.1 | 7 | .04 |
| 17 | 1.8 | 3 | .01 | .92 | 5 | .01 | 1.9 | 6 | .03 |
| 18 | 1.7 | 3 | .01 | .85 | 4 | .01 | 1.6 | 10 | .04 |
| 19 | 1.8 | 3 | .01 | .80 | 4 | .01 | 1.4 | 7 | .03 |
| 20 | 1.9 | 3 | .02 | .90 | 8 | .02 | 1.3 | 7 | .02 |
| 21 | 4.6 | 161 | 2.0 | 1.0 | 10 | .03 | 2.9 | 69 | .54 |
| 22 | 4.0 | 8 | .09 | 20 | 986 | 53 | 2.2 | 10 | .06 |
| 23 | 5.5 | 78 | 1.2 | 4.5 | 20 | .24 | 1.7 | 8 | .04 |
| 24 | 3.9 | 12 | .13 | 2.0 | 10 | .05 | 1.7 | 7 | .03 |
| 25 | 3.7 | 10 | .10 | 1.5 | 7 | .03 | 1.4 | 10 | .04 |
| 26 | 3.6 | 8 | .08 | 1.3 | 12 | .04 | 1.2 | 6 | .02 |
| 27 | 5.2 | 71 | 1.0 | 1.1 | 10 | .03 | 1.1 | 5 | .01 |
| 28 | 5.3 | 92 | 1.3 | 1.0 | 6 | .02 | 1.1 | 5 | .01 |
| 29 | 4.7 | 9 | .11 | -- | -- | -- | 1.3 | 7 | .02 |
| 30 | 3.6 | 6 | .06 | -- | -- | -- | 1.8 | 15 | .07 |
| 31 | 3.6 | 5 | .05 | -- | -- | -- | 2.3 | 20 | .12 |
| TOTAL | 95.0 | -- | 6.54 | 65.67 | -- | 53.95 | 76.2 | -- | 19.99 |
| DAY | APRIL | | | MAY | | | JUNE | | |
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 2.3 | 15 | .09 | 2.2 | 15 | .09 | .68 | 110 | .20 |
| 2 | 8.2 | 2500 | 55 | 1.2 | 12 | .04 | .54 | 45 | .07 |
| 3 | 7.3 | 35 | .69 | 1.1 | 10 | .03 | .47 | 30 | .04 |
| 4 | 6.8 | 35 | .64 | 1.0 | 8 | .02 | .42 | 30 | .03 |
| 5 | 5.2 | 30 | .42 | .90 | 7 | .02 | .38 | 30 | .03 |
| 6 | 4.3 | 25 | .29 | 1.0 | 15 | .04 | .37 | 20 | .02 |
| 7 | 3.9 | 20 | .21 | .92 | 15 | .04 | .35 | 20 | .02 |
| 8 | 3.9 | 16 | .17 | .81 | 15 | .03 | .33 | 18 | .02 |
| 9 | 4.2 | 15 | .17 | 1.0 | 20 | .05 | .33 | 30 | .03 |
| 10 | 4.0 | 15 | .16 | 1.5 | 15 | .06 | .41 | 1400 | 1.5 |
| 11 | 3.8 | 15 | .15 | 1.0 | 10 | .03 | .48 | 30 | .04 |
| 12 | 3.8 | 15 | .15 | 3.8 | 464 | 4.8 | .38 | 21 | .02 |
| 13 | 4.0 | 15 | .16 | 4.2 | 25 | .28 | .33 | 15 | .01 |
| 14 | 4.8 | 1320 | 17 | 3.0 | 15 | .12 | .29 | 12 | .01 |
| 15 | 4.8 | 50 | .65 | 2.3 | 70 | .43 | .35 | 180 | .17 |
| 16 | 4.4 | 30 | .36 | 1.8 | 70 | .34 | .73 | 270 | .53 |
| 17 | 4.4 | 20 | .24 | 1.5 | 110 | .45 | .52 | 15 | .02 |
| 18 | 4.3 | 15 | .17 | 1.2 | 90 | .29 | .37 | 10 | .01 |
| 19 | 4.3 | 15 | .17 | 1.0 | 90 | .24 | .30 | 8 | .01 |
| 20 | 4.0 | 15 | .16 | .90 | 90 | .22 | .27 | 8 | .01 |
| 21 | 3.3 | 15 | .13 | .81 | 70 | .15 | .51 | 450 | .62 |
| 22 | 3.0 | 15 | .12 | .76 | 70 | .14 | .44 | 15 | .02 |
| 23 | 2.7 | 20 | .15 | .82 | 70 | .15 | .31 | 10 | .01 |
| 24 | 1.6 | 15 | .06 | .76 | 45 | .09 | .24 | 10 | .01 |
| 25 | 1.3 | 14 | .05 | .67 | 160 | .29 | .27 | 12 | .01 |
| 26 | 1.2 | 12 | .04 | .62 | 70 | .12 | .34 | 11 | .01 |
| 27 | 1.0 | 15 | .04 | .59 | 45 | .07 | .29 | 10 | .01 |
| 28 | .94 | 14 | .04 | .57 | 30 | .05 | .35 | 320 | .30 |
| 29 | .86 | 14 | .03 | .63 | 45 | .08 | .65 | 1300 | 2.3 |
| 30 | 1.4 | 217 | .82 | .58 | 45 | .07 | 3.4 | 3660 | 34 |
| 31 | -- | -- | -- | .58 | 70 | .11 | -- | -- | -- |
| TOTAL | 110.00 | -- | 78.53 | 39.72 | -- | 8.94 | 15.10 | -- | 40.08 |

SUSQUEHANNA RIVER BASIN

405

01549100 BLOCKHOUSE CREEK TRIBUTARY AT LIBERTY, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JULY | | | AUGUST | | | SEPTEMBER | | |
|--|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 3.5 | 30 | .28 | .11 | 4 | 0 | 3.5 | 210 | 2.0 |
| 2 | .91 | 16 | .04 | .11 | 4 | 0 | 2.7 | 8 | .06 |
| 3 | .42 | 12 | .01 | .12 | 5 | 0 | 3.8 | 48 | .49 |
| 4 | .32 | 10 | .01 | .15 | 6 | 0 | 2.4 | 5 | .03 |
| 5 | .35 | 12 | .01 | .13 | 5 | 0 | 1.1 | 5 | .01 |
| 6 | .27 | 10 | .01 | .12 | 3 | 0 | .75 | 4 | .01 |
| 7 | .22 | 9 | .01 | .11 | 3 | 0 | .62 | 3 | .01 |
| 8 | .20 | 8 | 0 | .11 | 3 | 0 | .52 | 3 | 0 |
| 9 | .19 | 7 | 0 | .11 | 3 | 0 | .45 | 3 | 0 |
| 10 | .18 | 6 | 0 | .11 | 3 | 0 | .39 | 3 | 0 |
| 11 | .16 | 5 | 0 | .10 | 2 | 0 | .35 | 3 | 0 |
| 12 | .15 | 4 | 0 | .11 | 2 | 0 | .55 | 112 | .17 |
| 13 | .14 | 3 | 0 | .11 | 2 | 0 | .87 | 52 | .12 |
| 14 | .17 | 39 | .02 | .10 | 2 | 0 | 1.0 | 20 | .05 |
| 15 | .68 | 58 | .11 | .09 | 3 | 0 | .53 | 5 | .01 |
| 16 | .30 | 8 | .01 | .09 | 3 | 0 | .42 | 4 | 0 |
| 17 | .17 | 7 | 0 | .14 | 6 | 0 | .37 | 3 | 0 |
| 18 | .15 | 7 | 0 | .11 | 4 | 0 | .42 | 4 | 0 |
| 19 | .15 | 6 | 0 | .10 | 3 | 0 | .37 | 3 | 0 |
| 20 | .14 | 6 | 0 | .08 | 3 | 0 | .86 | 329 | .76 |
| 21 | .13 | 5 | 0 | .08 | 3 | 0 | 5.5 | 169 | 2.5 |
| 22 | .12 | 5 | 0 | .08 | 3 | 0 | 4.3 | 4 | .05 |
| 23 | .18 | 35 | .02 | .08 | 6 | 0 | 2.5 | 3 | .02 |
| 24 | .42 | 40 | .05 | .09 | 4 | 0 | 1.8 | 2 | .01 |
| 25 | .33 | 5 | 0 | .08 | 3 | 0 | 1.5 | 2 | .01 |
| 26 | .23 | 4 | 0 | .07 | 2 | 0 | 1.3 | 2 | .01 |
| 27 | .18 | 4 | 0 | .08 | 2 | 0 | 1.1 | 2 | .01 |
| 28 | .15 | 4 | 0 | .28 | 67 | .05 | 1.1 | 4 | .01 |
| 29 | .16 | 5 | 0 | .23 | 10 | .01 | 1.2 | 5 | .02 |
| 30 | .17 | 5 | 0 | 1.1 | 127 | .38 | 1.0 | 4 | .01 |
| 31 | .13 | 4 | 0 | .47 | 8 | .01 | -- | -- | -- |
| TOTAL | 10.97 | -- | .58 | 4.85 | -- | .45 | 43.27 | -- | 6.37 |
| TOTAL DISCHARGE FOR YEAR (CFS-DAYS) | | | | | | | | | 690.13 |
| TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS) | | | | | | | | | 295.11 |

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PEN- DED SEDI- MENT (MG/L) | SUS- PEN- DED SEDI- MENT DIS- CHARGE (T/DAY) | SUS. SED. FALL DIAM. % FINER THAN .002 MM | SUS. SED. FALL DIAM. % FINER THAN .004 MM | SUS. SED. FALL DIAM. % FINER THAN .008 MM | SUS. SED. FALL DIAM. % FINER THAN .016 MM | SUS. SED. FALL DIAM. % FINER THAN .031 MM | SUS. SED. FALL DIAM. % FINER THAN .062 MM |
|---------------|------|---|--|---|---|---|---|---|---|---|
| | | | | | | | | | | |
| JUNE 30... | 1905 | 39 | 19800 | 2080 | 7 | 14 | 21 | 30 | 37 | 43 |

SUSQUEHANNA RIVER BASIN

01549300 BLOCKHOUSE CREEK AT BUTTONWOOD, PA.

LOCATION.--Lat 41°29'43", long 77°09'02", Lycoming County, on left bank 100 ft (305 m) upstream from confluence with Steam Valley Run, near intersection of U.S. Route 15 and State Highway 284.

DRAINAGE AREA.--22.3 mi² (57.8 km²).

PERIOD OF RECORD.--Chemical analyses: October 1972 to September 1974.

Water temperatures: March 1973 to September 1974.

Sediment records: October 1972 to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum, 2,520 mg/l Feb. 22; minimum, 1 mg/l on many days.

Sediment discharges: Maximum, 2,000 tons (1,814 t) Feb. 22; minimum, 0.01 tons (0.01 t) on many days.

Period of record:

Sediment concentrations: Maximum, 3,200 mg/l Feb. 2, 1973; minimum, 1 mg/l on many days each year.

Sediment discharges: Maximum, 6,300 tons (5,700 t) Feb. 2, 1973; minimum, 0 tons (0 t) on several days during October 1972.

REMARKS.--Chemical analyses for this station on page 275. Unpublished records of pH and specific conductance of instantaneous sediment samples available at the district office in Harrisburg. Mean concentrations of turbidity and suspended sediment are water-weighted means.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 9.7 | 1 | .03 | 95 | 10 | 2.6 | 44 | 6 | .71 |
| 2 | 11 | 1 | .03 | 62 | 6 | 1.0 | 36 | 6 | .58 |
| 3 | 14 | 2 | .08 | 50 | 5 | .68 | 32 | 6 | .52 |
| 4 | 11 | 2 | .06 | 42 | 4 | .45 | 30 | 6 | .49 |
| 5 | 18 | 7 | .34 | 37 | 3 | .30 | 258 | 2260 | 1570 |
| 6 | 12 | 2 | .06 | 32 | 2 | .17 | 158 | 150 | 64 |
| 7 | 10 | 2 | .05 | 28 | 2 | .15 | 104 | 10 | 2.8 |
| 8 | 9.4 | 1 | .03 | 24 | 2 | .13 | 78 | 4 | .84 |
| 9 | 8.7 | 1 | .02 | 22 | 2 | .12 | 166 | 76 | 34 |
| 10 | 9.0 | 1 | .02 | 20 | 2 | .11 | 121 | 21 | 6.9 |
| 11 | 8.3 | 1 | .02 | 18 | 2 | .10 | 88 | 5 | 1.2 |
| 12 | 8.0 | 1 | .02 | 17 | 2 | .09 | 73 | 5 | .99 |
| 13 | 7.7 | 2 | .04 | 16 | 2 | .09 | 64 | 5 | .86 |
| 14 | 14 | 57 | 2.2 | 14 | 2 | .08 | 62 | 5 | .84 |
| 15 | 9.4 | 6 | .15 | 15 | 10 | .41 | 51 | 5 | .69 |
| 16 | 8.3 | 5 | .11 | 24 | 8 | .52 | 39 | 5 | .53 |
| 17 | 7.7 | 4 | .08 | 17 | 8 | .37 | 36 | 5 | .49 |
| 18 | 8.0 | 3 | .06 | 15 | 5 | .20 | 30 | 10 | .81 |
| 19 | 8.0 | 3 | .06 | 14 | 3 | .11 | 35 | 10 | .95 |
| 20 | 7.4 | 3 | .06 | 12 | 3 | .10 | 110 | 673 | 200 |
| 21 | 7.1 | 3 | .06 | 11 | 3 | .09 | 349 | 424 | 400 |
| 22 | 6.5 | 4 | .07 | 11 | 3 | .09 | 160 | 15 | 6.5 |
| 23 | 6.2 | 4 | .07 | 11 | 3 | .09 | 109 | 10 | 2.9 |
| 24 | 5.9 | 4 | .06 | 17 | 32 | 1.5 | 81 | 5 | 1.1 |
| 25 | 5.9 | 3 | .05 | 74 | 120 | 24 | 68 | 5 | .92 |
| 26 | 5.6 | 2 | .03 | 51 | 30 | 4.1 | 105 | 53 | 15 |
| 27 | 5.6 | 2 | .03 | 51 | 22 | 3.0 | 184 | 60 | 30 |
| 28 | 5.4 | 2 | .03 | 78 | 43 | 9.1 | 133 | 12 | 4.3 |
| 29 | 216 | 1270 | 741 | 63 | 12 | 2.0 | 107 | 5 | 1.4 |
| 30 | 218 | 68 | 40 | 54 | 6 | .87 | 87 | 5 | 1.2 |
| 31 | 100 | 11 | 3.0 | -- | -- | -- | 69 | 5 | .93 |
| TOTAL | 781.8 | -- | 787.92 | 995 | -- | 52.62 | 3067 | -- | 2352.45 |

01549300 BLOCKHOUSE CREEK AT BUTTONWOOD, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 63 | 5 | .85 | 70 | 2 | .38 | 38 | 39 | 4.0 |
| 2 | 52 | 5 | .70 | 60 | 2 | .32 | 28 | 13 | .98 |
| 3 | 45 | 6 | .73 | 52 | 2 | .28 | 39 | 15 | 1.6 |
| 4 | 40 | 6 | .65 | 42 | 4 | .45 | 57 | 15 | 2.3 |
| 5 | 34 | 8 | .73 | 35 | 5 | .47 | 78 | 100 | 21 |
| 6 | 27 | 6 | .44 | 30 | 5 | .41 | 74 | 10 | 2.0 |
| 7 | 23 | 6 | .37 | 27 | 5 | .36 | 69 | 6 | 1.1 |
| 8 | 20 | 20 | 1.1 | 25 | 5 | .34 | 128 | 729 | 252 |
| 9 | 20 | 5 | .27 | 22 | 10 | .59 | 165 | 224 | 100 |
| 10 | 23 | 4 | .25 | 21 | 9 | .51 | 190 | 8 | 4.1 |
| 11 | 21 | 4 | .23 | 20 | 8 | .43 | 118 | 5 | 1.6 |
| 12 | 19 | 3 | .15 | 18 | 7 | .34 | 83 | 5 | 1.1 |
| 13 | 18 | 3 | .15 | 17 | 6 | .28 | 63 | 10 | 1.7 |
| 14 | 20 | 7 | .38 | 16 | 6 | .26 | 62 | 5 | .84 |
| 15 | 19 | 5 | .26 | 17 | 8 | .37 | 53 | 5 | .72 |
| 16 | 18 | 5 | .24 | 15 | 7 | .28 | 53 | 5 | .72 |
| 17 | 17 | 4 | .18 | 13 | 6 | .21 | 43 | 5 | .58 |
| 18 | 16 | 4 | .17 | 12 | 5 | .16 | 31 | 15 | 1.3 |
| 19 | 16 | 3 | .13 | 12 | 5 | .16 | 30 | 15 | 1.2 |
| 20 | 18 | 5 | .24 | 13 | 7 | .25 | 26 | 10 | .70 |
| 21 | 60 | 343 | 56 | 15 | 8 | .32 | 54 | 137 | 20 |
| 22 | 76 | 50 | 10 | 294 | 2520 | 2000 | 48 | 15 | 1.9 |
| 23 | 87 | 114 | 27 | 74 | 15 | 3.0 | 35 | 6 | .57 |
| 24 | 69 | 20 | 3.7 | 52 | 7 | .98 | 33 | 5 | .45 |
| 25 | 60 | 4 | .65 | 42 | 7 | .79 | 32 | 5 | .43 |
| 26 | 54 | 10 | 1.5 | 38 | 7 | .72 | 26 | 15 | 1.1 |
| 27 | 93 | 85 | 21 | 36 | 8 | .78 | 24 | 5 | .32 |
| 28 | 102 | 158 | 44 | 29 | 7 | .55 | 21 | 137 | 7.8 |
| 29 | 112 | 30 | 9.1 | -- | -- | -- | 19 | 20 | 1.0 |
| 30 | 97 | 5 | 1.3 | -- | -- | -- | 33 | 28 | 2.5 |
| 31 | 84 | 3 | .68 | -- | -- | -- | 58 | 32 | 5.0 |
| TOTAL | 1423 | -- | 183.15 | 1117 | -- | 2013.99 | 1811 | -- | 440.61 |
| DAY | APRIL | | | MAY | | | JUNE | | |
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 58 | 13 | 2.0 | 52 | 50 | 7.0 | 17 | 113 | 5.2 |
| 2 | 215 | 925 | 537 | 37 | 7 | .70 | 10 | 3 | .08 |
| 3 | 212 | 120 | 69 | 40 | 4 | .43 | 8.2 | 3 | .07 |
| 4 | 229 | 32 | 20 | 35 | 3 | .28 | 7.6 | 2 | .04 |
| 5 | 149 | 10 | 4.0 | 30 | 3 | .24 | 7.0 | 2 | .04 |
| 6 | 91 | 6 | 1.5 | 23 | 3 | .19 | 6.2 | 2 | .03 |
| 7 | 63 | 6 | 1.0 | 15 | 3 | .12 | 5.7 | 2 | .03 |
| 8 | 54 | 6 | .87 | 13 | 3 | .11 | 5.4 | 2 | .03 |
| 9 | 54 | 5 | .73 | 15 | 15 | .61 | 5.2 | 2 | .03 |
| 10 | 53 | 5 | .72 | 22 | 20 | 1.2 | 5.2 | 90 | 1.3 |
| 11 | 58 | 16 | 2.5 | 14 | 6 | .23 | 13 | 98 | 3.4 |
| 12 | 67 | 22 | 4.0 | 197 | 525 | 279 | 7.0 | 5 | .09 |
| 13 | 65 | 8 | 1.4 | 201 | 25 | 14 | 5.8 | 3 | .05 |
| 14 | 118 | 1260 | 401 | 129 | 6 | 2.1 | 5.0 | 3 | .04 |
| 15 | 124 | 299 | 100 | 90 | 5 | 1.2 | 5.5 | 127 | 1.9 |
| 16 | 83 | 20 | 4.5 | 62 | 3 | .50 | 18 | 84 | 4.1 |
| 17 | 63 | 3 | .51 | 49 | 3 | .40 | 9.6 | 7 | .18 |
| 18 | 54 | 3 | .44 | 38 | 4 | .41 | 7.3 | 6 | .12 |
| 19 | 55 | 5 | .74 | 31 | 4 | .33 | 6.3 | 6 | .10 |
| 20 | 49 | 5 | .66 | 26 | 3 | .21 | 5.5 | 6 | .09 |
| 21 | 39 | 5 | .53 | 23 | 1 | .06 | 7.0 | 6 | .11 |
| 22 | 39 | 5 | .53 | 21 | 2 | .11 | 6.6 | 6 | .11 |
| 23 | 41 | 5 | .55 | 22 | 6 | .36 | 5.3 | 5 | .07 |
| 24 | 33 | 5 | .45 | 18 | 1 | .05 | 4.6 | 4 | .05 |
| 25 | 29 | 4 | .31 | 16 | 1 | .04 | 5.3 | 22 | .31 |
| 26 | 25 | 4 | .27 | 14 | 1 | .04 | 7.0 | 4 | .08 |
| 27 | 23 | 4 | .25 | 12 | 1 | .03 | 5.5 | 4 | .06 |
| 28 | 21 | 3 | .17 | 11 | 1 | .03 | 5.3 | 50 | .72 |
| 29 | 19 | 3 | .15 | 12 | 3 | .10 | 14 | 52 | 2.0 |
| 30 | 37 | 224 | 22 | 11 | 3 | .09 | 81 | 2100 | 459 |
| 31 | -- | -- | -- | 11 | 3 | .09 | -- | -- | -- |
| TOTAL | 2220 | -- | 1177.78 | 1290 | -- | 310.26 | 302.1 | -- | 479.43 |

SUSQUEHANNA RIVER BASIN

01549300 BLOCKHOUSE CREEK AT BUTTONWOOD, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JULY | | | AUGUST | | | SEPTEMBER | | |
|--|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 77 | 173 | 36 | 2.8 | 1 | .01 | 61 | 524 | 86 |
| 2 | 18 | 6 | .29 | 2.7 | 5 | .04 | 27 | 20 | 1.5 |
| 3 | 13 | 4 | .14 | 3.0 | 3 | .02 | 77 | 80 | 17 |
| 4 | 11 | 41 | 1.2 | 3.9 | 20 | .21 | 30 | 12 | .97 |
| 5 | 13 | 10 | .35 | 4.1 | 3 | .03 | 14 | 3 | .11 |
| 6 | 9.8 | 2 | .05 | 2.9 | 2 | .02 | 10 | 3 | .08 |
| 7 | 8.0 | 2 | .04 | 2.5 | 1 | .01 | 8.9 | 3 | .07 |
| 8 | 6.8 | 2 | .04 | 2.3 | 1 | .01 | 7.8 | 3 | .06 |
| 9 | 6.1 | 2 | .03 | 2.2 | 1 | .01 | 6.9 | 2 | .04 |
| 10 | 5.7 | 2 | .03 | 2.1 | 1 | .01 | 6.2 | 2 | .03 |
| 11 | 5.1 | 2 | .03 | 2.0 | 2 | .01 | 5.8 | 2 | .03 |
| 12 | 4.5 | 2 | .02 | 1.8 | 2 | .01 | 6.9 | 95 | 1.8 |
| 13 | 4.2 | 2 | .02 | 1.9 | 2 | .01 | 13 | 38 | 1.3 |
| 14 | 3.9 | 5 | .05 | 1.8 | 2 | .01 | 12 | 37 | 1.2 |
| 15 | 14 | 50 | 1.9 | 1.6 | 2 | .01 | 7.6 | 4 | .08 |
| 16 | 6.3 | 5 | .09 | 1.5 | 2 | .01 | 6.2 | 2 | .03 |
| 17 | 4.5 | 2 | .02 | 2.1 | 25 | .14 | 5.6 | 1 | .02 |
| 18 | 3.9 | 2 | .02 | 2.6 | 2 | .01 | 5.9 | 1 | .02 |
| 19 | 4.3 | 3 | .03 | 1.9 | 2 | .01 | 5.4 | 1 | .01 |
| 20 | 4.6 | 2 | .02 | 1.7 | 2 | .01 | 8.5 | 150 | 3.4 |
| 21 | 3.4 | 1 | .01 | 1.6 | 2 | .01 | 107 | 294 | 85 |
| 22 | 2.9 | 1 | .01 | 1.5 | 2 | .01 | 43 | 8 | .93 |
| 23 | 3.3 | 96 | .86 | 1.5 | 2 | .01 | 24 | 2 | .13 |
| 24 | 9.9 | 80 | 2.1 | 1.8 | 2 | .01 | 18 | 1 | .05 |
| 25 | 7.5 | 5 | .10 | 1.7 | 2 | .01 | 16 | 1 | .04 |
| 26 | 5.0 | 3 | .04 | 1.5 | 2 | .01 | 15 | 1 | .04 |
| 27 | 4.4 | 2 | .02 | 1.5 | 2 | .01 | 13 | 1 | .04 |
| 28 | 3.6 | 2 | .02 | 2.9 | 36 | .28 | 13 | 1 | .04 |
| 29 | 3.5 | 26 | .25 | 4.9 | 23 | .30 | 15 | 35 | 1.4 |
| 30 | 4.8 | 2 | .03 | 21 | 482 | .27 | 14 | 10 | .38 |
| 31 | 3.4 | 2 | .02 | 7.4 | 10 | .20 | -- | -- | -- |
| TOTAL | 275.4 | -- | 43.83 | 94.7 | -- | 28.45 | 603.7 | -- | 201.80 |
| TOTAL DISCHARGE FOR YEAR (CFS-DAYS) | | | | | | | | | 13980.7 |
| TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS) | | | | | | | | | 8072.29 |

INSTANTANEOUS SUSPENDED SEDIMENT AND PARTICLE SIZE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PEN- DED SEDI- MENT (MG/L) | SUS- PEN- DED SEDI- MENT DIS- CHARGE (T/DAY) | SUS. SED. FALL DIAM. % FINER THAN .002 MM | SUS. SED. FALL DIAM. % FINER THAN .004 MM | SUS. SED. FALL DIAM. % FINER THAN .008 MM | SUS. SED. FALL DIAM. % FINER THAN .016 MM | SUS. SED. FALL DIAM. % FINER THAN .031 MM | SUS. SED. FALL DIAM. % FINER THAN .062 MM |
|-------|------|---|--|---|---|---|---|---|---|---|
| | | | | | | | | | | |
| MAR. | | | | | | | | | | |
| 28... | 1042 | 27 | 860 | 63 | 20 | 33 | 52 | 73 | 92 | 99 |
| JUNE | | | | | | | | | | |
| 30... | 1925 | 14 | 8260 | 312 | 38 | 56 | 76 | 91 | 95 | 100 |
| 30... | 2025 | 366 | 4250 | 4200 | 25 | 42 | 58 | 75 | 84 | 91 |

SUSQUEHANNA RIVER BASIN

409

01549350 STEAM VALLEY RUN AT BUTTONWOOD, PA.

LOCATION.--Lat 41°29'39", long 77°09'03", Lycoming County, on right bank at upstream end of bridge on State Highway 284, 500 ft (152 m) upstream from confluence with Blockhouse Creek.

DRAINAGE AREA.--5.34 mi² (13.8 km²).

PERIOD OF RECORD.--Chemical analyses: October 1972 to September 1974.

Water temperatures: February 1973 to September 1974.

Sediment records: October 1972 to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum, 5,670 mg/l June 30; minimum, 1 mg/l on many days.

Sediment discharges: Maximum, 168 tons (152 t) June 30; minimum, 0.01 tons (0.01 t) on many days.

Period of record:

Sediment concentrations: Maximum, 5,670 mg/l June 30, 1974; minimum, 1 mg/l on many days.

Sediment discharges: Maximum, 189 tons (171 t) Aug. 18, 1973; minimum, 0 tons (0 t) on many days.

REMARKS.--Chemical analyses for this station on page 278. Unpublished records of pH and specific conductance of instantaneous sediment samples available at the district office in Harrisburg. Mean concentrations of turbidity and suspended sediment are water-weighted means.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 3.3 | 1 | .01 | 25 | 3 | .20 | 15 | 4 | .16 |
| 2 | 3.6 | 1 | .01 | 20 | 2 | .11 | 13 | 3 | .11 |
| 3 | 3.3 | 1 | .01 | 18 | 2 | .10 | 10 | 2 | .05 |
| 4 | 3.0 | 1 | .01 | 13 | 2 | .07 | 8.7 | 6 | .14 |
| 5 | 4.4 | 1 | .01 | 11 | 2 | .06 | 26 | 220 | 15 |
| 6 | 3.3 | 1 | .01 | 9.9 | 6 | .16 | 35 | 10 | .95 |
| 7 | 2.9 | 1 | .01 | 8.8 | 5 | .12 | 28 | 4 | .30 |
| 8 | 3.0 | 1 | .01 | 7.8 | 10 | .21 | 24 | 2 | .13 |
| 9 | 3.0 | 1 | .01 | 7.3 | 2 | .04 | 27 | 7 | .51 |
| 10 | 2.9 | 1 | .01 | 6.7 | 2 | .04 | 24 | 3 | .19 |
| 11 | 2.8 | 1 | .01 | 6.2 | 2 | .03 | 23 | 3 | .19 |
| 12 | 3.2 | 1 | .01 | 6.2 | 2 | .03 | 20 | 2 | .11 |
| 13 | 2.8 | 1 | .01 | 5.8 | 3 | .05 | 17 | 5 | .23 |
| 14 | 3.5 | 1 | .01 | 5.8 | 2 | .03 | 13 | 4 | .14 |
| 15 | 3.1 | 1 | .01 | 5.8 | 2 | .03 | 11 | 2 | .06 |
| 16 | 2.9 | 1 | .01 | 6.2 | 1 | .02 | 9.4 | 2 | .05 |
| 17 | 3.2 | 1 | .01 | 6.2 | 1 | .02 | 8.5 | 3 | .07 |
| 18 | 3.4 | 3 | .03 | 5.2 | 1 | .01 | 8.0 | 4 | .09 |
| 19 | 3.4 | 5 | .05 | 5.2 | 10 | .14 | 7.5 | 3 | .06 |
| 20 | 2.9 | 1 | .01 | 4.8 | 3 | .04 | 18 | 79 | 3.8 |
| 21 | 2.7 | 1 | .01 | 4.8 | 1 | .01 | 45 | 35 | 4.3 |
| 22 | 2.8 | 1 | .01 | 4.8 | 1 | .01 | 35 | 4 | .38 |
| 23 | 3.4 | 3 | .03 | 4.8 | 1 | .01 | 24 | 2 | .13 |
| 24 | 3.4 | 4 | .04 | 5.5 | 6 | .09 | 19 | 2 | .10 |
| 25 | 3.2 | 3 | .03 | 13 | 58 | 2.0 | 18 | 2 | .10 |
| 26 | 3.3 | 3 | .03 | 14 | 5 | .19 | 18 | 2 | .10 |
| 27 | 3.5 | 1 | .01 | 18 | 6 | .29 | 26 | 4 | .28 |
| 28 | 4.1 | 1 | .01 | 22 | 5 | .30 | 29 | 6 | .47 |
| 29 | 33 | 968 | 86 | 23 | 5 | .31 | 24 | 5 | .32 |
| 30 | 45 | 38 | 4.6 | 21 | 2 | .11 | 21 | 5 | .28 |
| 31 | 29 | 5 | .39 | -- | -- | -- | 18 | 4 | .19 |
| TOTAL | 197.3 | -- | 91.42 | 315.8 | -- | 4.83 | 623.1 | -- | 28.99 |

SUSQUEHANNA RIVER BASIN

01549350 STEAM VALLEY RUN AT BUTTONWOOD, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 15 | 4 | .16 | 18 | 3 | .15 | 11 | 8 | .24 |
| 2 | 12 | 4 | .13 | 16 | 3 | .13 | 8.7 | 5 | .12 |
| 3 | 10 | 2 | .05 | 14 | 3 | .11 | 9.3 | 4 | .10 |
| 4 | 9.4 | 1 | .03 | 12 | 6 | .19 | 12 | 12 | .39 |
| 5 | 8.5 | 1 | .02 | 10 | 5 | .14 | 22 | 30 | 1.8 |
| 6 | 7.8 | 1 | .02 | 9.0 | 10 | .24 | 27 | 5 | .36 |
| 7 | 7.3 | 1 | .02 | 8.0 | 13 | .28 | 27 | 5 | .36 |
| 8 | 6.8 | 45 | .83 | 7.3 | 2 | .04 | 31 | 61 | 5.1 |
| 9 | 6.4 | 2 | .03 | 6.5 | 2 | .04 | 37 | 29 | 2.9 |
| 10 | 6.7 | 1 | .02 | 6.2 | 2 | .03 | 40 | 5 | .54 |
| 11 | 6.7 | 1 | .02 | 6.0 | 2 | .03 | 37 | 3 | .30 |
| 12 | 6.2 | 1 | .02 | 5.8 | 3 | .05 | 31 | 2 | .17 |
| 13 | 5.6 | 1 | .02 | 5.8 | 2 | .03 | 25 | 1 | .07 |
| 14 | 6.0 | 1 | .02 | 5.8 | 2 | .03 | 20 | 1 | .05 |
| 15 | 5.7 | 1 | .02 | 6.0 | 4 | .06 | 15 | 1 | .04 |
| 16 | 5.4 | 1 | .01 | 5.6 | 2 | .03 | 13 | 1 | .04 |
| 17 | 5.2 | 1 | .01 | 5.2 | 2 | .03 | 11 | 1 | .03 |
| 18 | 5.0 | 15 | .20 | 4.8 | 2 | .03 | 9.8 | 1 | .03 |
| 19 | 4.7 | 15 | .19 | 4.8 | 1 | .01 | 8.7 | 1 | .02 |
| 20 | 5.2 | 6 | .08 | 4.8 | 1 | .01 | 7.3 | 1 | .02 |
| 21 | 12 | 40 | 1.3 | 4.8 | 2 | .03 | 12 | 20 | .65 |
| 22 | 13 | 10 | .35 | 27 | 221 | 16 | 9.7 | 2 | .05 |
| 23 | 15 | 4 | .16 | 24 | 10 | .65 | 8.8 | 1 | .02 |
| 24 | 14 | 3 | .11 | 19 | 3 | .15 | 8.2 | 1 | .02 |
| 25 | 13 | 3 | .11 | 15 | 3 | .12 | 8.3 | 2 | .04 |
| 26 | 12 | 2 | .06 | 13 | 2 | .07 | 6.8 | 5 | .09 |
| 27 | 17 | 15 | .69 | 11 | 2 | .06 | 6.3 | 3 | .05 |
| 28 | 22 | 53 | 3.1 | 10 | 2 | .05 | 5.8 | 4 | .06 |
| 29 | 27 | 8 | .58 | -- | -- | -- | 6.1 | 3 | .05 |
| 30 | 25 | 6 | .41 | -- | -- | -- | 11 | 12 | .36 |
| 31 | 21 | 4 | .23 | -- | -- | -- | 18 | 9 | .44 |
| TOTAL | 336.6 | -- | 9.00 | 285.4 | -- | 18.79 | 503.8 | -- | 14.51 |

| DAY | APRIL | | | MAY | | | JUNE | | |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 17 | 10 | .46 | 16 | 20 | .86 | 6.6 | 590 | 11 |
| 2 | 27 | 58 | 4.2 | 17 | 100 | 4.6 | 4.3 | 4 | .05 |
| 3 | 36 | 39 | 3.8 | 17 | 12 | .55 | 3.8 | 3 | .03 |
| 4 | 51 | 25 | 3.4 | 14 | 9 | .34 | 3.5 | 10 | .09 |
| 5 | 45 | 7 | .85 | 13 | 12 | .42 | 3.2 | 38 | .33 |
| 6 | 32 | 3 | .26 | 12 | 10 | .32 | 2.9 | 5 | .04 |
| 7 | 27 | 3 | .22 | 11 | 6 | .18 | 2.7 | 15 | .11 |
| 8 | 22 | 3 | .18 | 9.3 | 5 | .13 | 2.7 | 3 | .02 |
| 9 | 19 | 2 | .10 | 9.5 | 4 | .10 | 2.7 | 4 | .03 |
| 10 | 16 | 15 | .65 | 10 | 6 | .16 | 3.1 | 64 | .54 |
| 11 | 16 | 20 | .86 | 8.6 | 5 | .12 | 3.4 | 20 | .18 |
| 12 | 18 | 4 | .19 | 35 | 532 | 50 | 2.6 | 25 | .18 |
| 13 | 21 | 2 | .11 | 53 | 40 | 5.7 | 2.3 | 5 | .03 |
| 14 | 27 | 281 | 20 | 38 | 20 | 2.1 | 2.1 | 4 | .02 |
| 15 | 31 | 10 | .84 | 27 | 12 | .87 | 2.8 | 250 | 1.9 |
| 16 | 30 | 4 | .32 | 22 | 10 | .59 | 5.9 | 950 | 15 |
| 17 | 26 | 12 | .84 | 17 | 8 | .37 | 3.2 | 10 | .09 |
| 18 | 21 | 5 | .28 | 13 | 4 | .14 | 2.4 | 10 | .06 |
| 19 | 19 | 4 | .21 | 12 | 3 | .10 | 2.2 | 10 | .06 |
| 20 | 15 | 4 | .16 | 9.9 | 2 | .05 | 2.1 | 10 | .06 |
| 21 | 13 | 4 | .14 | 9.0 | 1 | .02 | 2.1 | 7 | .04 |
| 22 | 13 | 10 | .35 | 8.4 | 10 | .23 | 2.0 | 7 | .04 |
| 23 | 12 | 15 | .49 | 8.2 | 5 | .11 | 1.9 | 7 | .04 |
| 24 | 11 | 7 | .21 | 7.2 | 15 | .29 | 1.8 | 7 | .03 |
| 25 | 9.6 | 3 | .08 | 6.5 | 4 | .07 | 2.4 | 140 | .91 |
| 26 | 8.6 | 5 | .12 | 5.9 | 3 | .05 | 2.3 | 10 | .06 |
| 27 | 8.0 | 4 | .09 | 5.4 | 2 | .03 | 1.9 | 10 | .05 |
| 28 | 7.3 | 4 | .08 | 5.0 | 6 | .08 | 2.2 | 370 | 2.2 |
| 29 | 6.9 | 3 | .06 | 4.9 | 3 | .04 | 3.3 | 94 | .84 |
| 30 | 11 | 232 | 6.9 | 4.5 | 3 | .04 | 11 | 5670 | 168 |
| 31 | -- | -- | -- | 4.6 | 7 | .09 | -- | -- | -- |
| TOTAL | 616.4 | -- | 46.45 | 433.9 | -- | 68.75 | 95.4 | -- | 202.03 |

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

[illegible]

SUSQUEHANNA RIVER BASIN

01549500 BLOCKHOUSE CREEK NEAR ENGLISH CENTER, PA.

LOCATION.--Lat 41°28'25", long 77°13'52", Lycoming County, on right bank just downstream from bridge on State Highway 284, 0.7 mi (1.1 km) upstream from Blacks Creek, 1.7 mi (2.7 km) upstream from confluence with Texas Creek, and 5 mi (8 km) northeast of English Center.

DRAINAGE AREA.--37.7 mi² (97.6 km²).

PERIOD OF RECORD.--Chemical analyses: October 1972 to September 1974.

Water temperatures: April 1973 to September 1974.

Sediment records: October 1972 to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum, 2,420 mg/l June 30; minimum, 1 mg/l on several days during October, May, and August.

Sediment discharges: Maximum, 925 tons (839 t) Dec. 5; minimum, 0.01 tons (0.01 t) on several days during August.

Period of record:

Sediment concentrations: Maximum, 2,680 mg/l Feb. 2, 1973; minimum, 1 mg/l on many days.

Sediment discharges: Maximum, 9,480 tons (8,600 t) Feb. 2, 1973; minimum, 0.01 tons (0.01 t) on many days.

REMARKS.--Chemical analyses for this station on page 281. Unpublished records of pH and specific conductance of instantaneous sediment samples available at the district office in Harrisburg. Mean concentrations of turbidity and suspended sediment are water-weighted means.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 21 | 3 | .17 | 198 | 25 | 13 | 106 | 10 | 2.9 |
| 2 | 22 | 4 | .24 | 137 | 15 | 5.5 | 89 | 10 | 2.4 |
| 3 | 27 | 4 | .29 | 110 | 2 | .59 | 78 | 2 | .42 |
| 4 | 22 | 4 | .24 | 92 | 3 | .75 | 70 | 2 | .38 |
| 5 | 34 | 5 | .46 | 80 | 10 | 2.2 | 438 | 782 | 925 |
| 6 | 26 | 5 | .35 | 70 | 8 | 1.5 | 356 | 20 | 19 |
| 7 | 21 | 5 | .28 | 60 | 6 | .97 | 228 | 10 | 6.2 |
| 8 | 19 | 4 | .21 | 53 | 3 | .43 | 163 | 5 | 2.2 |
| 9 | 18 | 4 | .19 | 47 | 2 | .25 | 291 | 64 | 50 |
| 10 | 18 | 4 | .19 | 41 | 2 | .22 | 238 | 16 | 10 |
| 11 | 16 | 5 | .22 | 36 | 2 | .19 | 178 | 4 | 1.9 |
| 12 | 15 | 3 | .12 | 34 | 3 | .28 | 140 | 3 | 1.1 |
| 13 | 15 | 5 | .20 | 32 | 5 | .43 | 116 | 3 | .94 |
| 14 | 25 | 20 | 1.4 | 30 | 4 | .32 | 106 | 2 | .57 |
| 15 | 17 | 15 | .69 | 29 | 3 | .23 | 85 | 2 | .46 |
| 16 | 15 | 4 | .16 | 45 | 3 | .36 | 68 | 2 | .37 |
| 17 | 15 | 4 | .16 | 33 | 2 | .18 | 58 | 2 | .31 |
| 18 | 15 | 4 | .16 | 28 | 2 | .15 | 52 | 3 | .42 |
| 19 | 15 | 4 | .16 | 27 | 2 | .15 | 50 | 3 | .41 |
| 20 | 14 | 4 | .15 | 24 | 2 | .13 | 180 | 358 | 174 |
| 21 | 13 | 4 | .14 | 22 | 2 | .12 | 619 | 230 | 384 |
| 22 | 12 | 4 | .13 | 21 | 2 | .11 | 299 | 20 | 16 |
| 23 | 12 | 3 | .10 | 20 | 2 | .11 | 205 | 10 | 5.5 |
| 24 | 11 | 2 | .06 | 27 | 13 | .95 | 147 | 5 | 2.0 |
| 25 | 11 | 1 | .03 | 132 | 96 | 34 | 116 | 4 | 1.3 |
| 26 | 11 | 2 | .06 | 130 | 15 | 5.3 | 166 | 45 | 20 |
| 27 | 11 | 2 | .06 | 121 | 10 | 3.3 | 321 | 46 | 40 |
| 28 | 25 | 1 | .07 | 169 | 30 | 14 | 256 | 10 | 6.9 |
| 29 | 300 | 968 | 784 | 147 | 10 | 4.0 | 205 | 7 | 3.9 |
| 30 | 494 | 104 | 139 | 128 | 7 | 2.4 | 163 | 4 | 1.8 |
| 31 | 228 | 25 | 15 | -- | -- | -- | 126 | 4 | 1.4 |
| TOTAL | 1518 | -- | 944.69 | 2123 | -- | 92.12 | 5713 | -- | 1681.78 |

01549500 BLOCKHOUSE CREEK NEAR ENGLISH CENTER, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 104 | 4 | 1.1 | 135 | 4 | 1.5 | 71 | 25 | 4.8 |
| 2 | 83 | 3 | .67 | 112 | 4 | 1.2 | 54 | 15 | 2.2 |
| 3 | 73 | 3 | .59 | 92 | 4 | .99 | 65 | 15 | 2.6 |
| 4 | 66 | 2 | .36 | 80 | 4 | .86 | 92 | 15 | 3.7 |
| 5 | 59 | 4 | .64 | 64 | 4 | .69 | 155 | 34 | 14 |
| 6 | 52 | 3 | .42 | 54 | 4 | .58 | 147 | 10 | 4.0 |
| 7 | 45 | 3 | .36 | 46 | 4 | .50 | 140 | 5 | 1.9 |
| 8 | 41 | 5 | .55 | 42 | 5 | .57 | 205 | 312 | 173 |
| 9 | 39 | 7 | .74 | 38 | 7 | .72 | 308 | 120 | 100 |
| 10 | 44 | 5 | .59 | 36 | 10 | .97 | 329 | 17 | 15 |
| 11 | 41 | 3 | .33 | 34 | 9 | .83 | 242 | 10 | 6.5 |
| 12 | 37 | 2 | .20 | 31 | 8 | .67 | 186 | 5 | 2.5 |
| 13 | 33 | 3 | .27 | 29 | 7 | .55 | 135 | 5 | 1.8 |
| 14 | 38 | 2 | .21 | 28 | 6 | .45 | 104 | 4 | 1.1 |
| 15 | 36 | 2 | .19 | 30 | 10 | .81 | 85 | 4 | .92 |
| 16 | 34 | 2 | .18 | 26 | 9 | .63 | 80 | 5 | 1.1 |
| 17 | 32 | 2 | .17 | 23 | 8 | .50 | 70 | 6 | 1.1 |
| 18 | 31 | 2 | .17 | 21 | 7 | .40 | 60 | 15 | 2.4 |
| 19 | 30 | 2 | .16 | 19 | 6 | .31 | 52 | 15 | 2.1 |
| 20 | 33 | 3 | .27 | 21 | 17 | .96 | 45 | 10 | 1.2 |
| 21 | 130 | 117 | 41 | 23 | 15 | .93 | 90 | 46 | 11 |
| 22 | 142 | 25 | 9.6 | 395 | 717 | 765 | 74 | 15 | 3.0 |
| 23 | 160 | 43 | 19 | 178 | 20 | 9.6 | 60 | 8 | 1.3 |
| 24 | 135 | 14 | 5.1 | 114 | 10 | 3.1 | 57 | 4 | .62 |
| 25 | 110 | 5 | 1.5 | 92 | 10 | 2.5 | 47 | 5 | .63 |
| 26 | 94 | 3 | .76 | 78 | 10 | 2.1 | 45 | 12 | 1.5 |
| 27 | 160 | 36 | 16 | 66 | 17 | 3.0 | 42 | 2 | .23 |
| 28 | 205 | 82 | 45 | 57 | 10 | 1.5 | 40 | 5 | .54 |
| 29 | 246 | 51 | 34 | -- | -- | -- | 36 | 5 | .49 |
| 30 | 202 | 6 | 3.3 | -- | -- | -- | 63 | 19 | 3.2 |
| 31 | 169 | 4 | 1.8 | -- | -- | -- | 128 | 20 | 6.9 |
| TOTAL | 2704 | -- | 185.23 | 1964 | -- | 802.42 | 3307 | -- | 371.33 |
| DAY | APRIL | | | MAY | | | JUNE | | |
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 123 | 10 | 3.3 | 116 | 7 | 2.2 | 33 | 25 | 2.2 |
| 2 | 316 | 444 | 379 | 87 | 7 | 1.6 | 21 | 4 | .23 |
| 3 | 352 | 96 | 91 | 94 | 4 | 1.0 | 17 | 3 | .14 |
| 4 | 371 | 40 | 40 | 85 | 5 | 1.1 | 15 | 3 | .12 |
| 5 | 272 | 10 | 7.3 | 74 | 5 | 1.0 | 14 | 3 | .11 |
| 6 | 192 | 7 | 3.6 | 70 | 5 | .95 | 13 | 3 | .11 |
| 7 | 142 | 4 | 1.5 | 56 | 5 | .76 | 12 | 3 | .10 |
| 8 | 114 | 3 | .92 | 47 | 4 | .51 | 11 | 3 | .09 |
| 9 | 104 | 3 | .84 | 52 | 8 | 1.1 | 11 | 3 | .09 |
| 10 | 92 | 3 | .75 | 68 | 15 | 2.8 | 12 | 3 | .10 |
| 11 | 100 | 10 | 2.7 | 53 | 10 | 1.4 | 20 | 80 | 4.3 |
| 12 | 126 | 15 | 5.1 | 283 | 615 | 470 | 12 | 4 | .13 |
| 13 | 130 | 10 | 3.5 | 347 | 20 | 19 | 10 | 3 | .08 |
| 14 | 178 | 550 | 264 | 228 | 6 | 3.7 | 9.0 | 3 | .07 |
| 15 | 242 | 109 | 71 | 160 | 5 | 2.2 | 9.8 | 5 | .13 |
| 16 | 180 | 5 | 2.4 | 116 | 5 | 1.6 | 32 | 20 | 1.7 |
| 17 | 142 | 3 | 1.2 | 96 | 5 | 1.3 | 18 | 10 | .49 |
| 18 | 114 | 3 | .92 | 78 | 4 | .84 | 13 | 5 | .18 |
| 19 | 106 | 4 | 1.1 | 63 | 3 | .51 | 11 | 3 | .09 |
| 20 | 83 | 3 | .67 | 53 | 2 | .29 | 9.8 | 3 | .08 |
| 21 | 71 | 3 | .58 | 45 | 1 | .12 | 9.8 | 4 | .11 |
| 22 | 70 | 5 | .95 | 41 | 1 | .11 | 11 | 4 | .12 |
| 23 | 73 | 3 | .59 | 42 | 1 | .11 | 8.6 | 3 | .07 |
| 24 | 63 | 3 | .51 | 36 | 1 | .10 | 8.0 | 3 | .06 |
| 25 | 54 | 3 | .44 | 32 | 1 | .09 | 8.6 | 6 | .14 |
| 26 | 49 | 3 | .40 | 29 | 2 | .16 | 11 | 5 | .15 |
| 27 | 44 | 3 | .36 | 25 | 2 | .14 | 9.4 | 4 | .10 |
| 28 | 39 | 4 | .42 | 23 | 2 | .12 | 8.3 | 4 | .09 |
| 29 | 36 | 4 | .39 | 23 | 2 | .12 | 19 | 20 | 1.0 |
| 30 | 53 | 73 | 10 | 22 | 2 | .12 | 65 | 2420 | 425 |
| 31 | -- | -- | -- | 21 | 2 | .11 | -- | -- | -- |
| TOTAL | 4031 | -- | 895.44 | 2565 | -- | 515.16 | 462.3 | -- | 437.38 |

SUSQUEHANNA RIVER BASIN

01549500 BLOCKHOUSE CREEK NEAR ENGLISH CENTER, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JULY | | | AUGUST | | | SEPTEMBER | | |
|--|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 153 | 409 | 169 | 6.0 | 2 | .03 | 71 | 750 | 144 |
| 2 | 46 | 10 | 1.2 | 5.4 | 2 | .03 | 60 | 25 | 4.1 |
| 3 | 34 | 8 | .73 | 6.5 | 3 | .05 | 108 | 80 | 23 |
| 4 | 26 | 6 | .42 | 7.1 | 2 | .04 | 66 | 27 | 4.8 |
| 5 | 30 | 5 | .41 | 7.7 | 2 | .04 | 31 | 15 | 1.3 |
| 6 | 22 | 5 | .30 | 6.3 | 2 | .03 | 20 | 10 | .54 |
| 7 | 16 | 3 | .13 | 5.4 | 2 | .03 | 16 | 8 | .35 |
| 8 | 14 | 3 | .11 | 5.0 | 2 | .03 | 14 | 7 | .26 |
| 9 | 12 | 3 | .10 | 5.0 | 2 | .03 | 12 | 7 | .23 |
| 10 | 12 | 3 | .10 | 4.8 | 2 | .03 | 11 | 5 | .15 |
| 11 | 11 | 3 | .09 | 4.4 | 2 | .02 | 9.8 | 4 | .11 |
| 12 | 9.0 | 2 | .05 | 4.2 | 1 | .01 | 10 | 15 | .41 |
| 13 | 8.3 | 2 | .04 | 4.4 | 1 | .01 | 26 | 106 | 7.4 |
| 14 | 7.7 | 2 | .04 | 4.2 | 2 | .02 | 22 | 25 | 1.5 |
| 15 | 19 | 30 | 1.5 | 3.6 | 2 | .02 | 14 | 6 | .23 |
| 16 | 11 | 5 | .15 | 3.4 | 1 | .01 | 11 | 5 | .15 |
| 17 | 8.0 | 3 | .06 | 4.2 | 2 | .02 | 9.8 | 4 | .11 |
| 18 | 7.1 | 3 | .06 | 5.0 | 2 | .03 | 9.8 | 4 | .11 |
| 19 | 6.8 | 3 | .06 | 4.2 | 1 | .01 | 9.0 | 4 | .10 |
| 20 | 7.4 | 4 | .08 | 3.8 | 2 | .02 | 13 | 42 | 1.5 |
| 21 | 6.3 | 3 | .05 | 3.4 | 2 | .02 | 137 | 680 | 252 |
| 22 | 5.7 | 3 | .05 | 3.3 | 2 | .02 | 102 | 15 | 4.1 |
| 23 | 6.0 | 3 | .05 | 3.4 | 3 | .03 | 59 | 5 | .80 |
| 24 | 16 | 25 | 1.1 | 4.4 | 2 | .02 | 44 | 3 | .36 |
| 25 | 13 | 5 | .18 | 3.6 | 1 | .01 | 36 | 3 | .29 |
| 26 | 9.0 | 3 | .07 | 3.3 | 1 | .01 | 32 | 3 | .26 |
| 27 | 8.0 | 2 | .04 | 3.0 | 2 | .02 | 27 | 3 | .22 |
| 28 | 7.1 | 2 | .04 | 4.4 | 5 | .06 | 24 | 3 | .19 |
| 29 | 6.8 | 2 | .04 | 7.4 | 5 | .10 | 29 | 34 | 2.7 |
| 30 | 8.6 | 6 | .14 | 33 | 251 | 22 | 28 | 17 | 1.3 |
| 31 | 7.1 | 3 | .06 | 14 | 10 | .38 | -- | -- | -- |
| TOTAL | 553.9 | -- | 176.45 | 183.8 | -- | 23.18 | 1061.4 | -- | 452.57 |
| TOTAL DISCHARGE FOR YEAR (CFS-DAYS) | | | | | | | | | 26186.4 |
| TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS) | | | | | | | | | 6577.75 |

SUSQUEHANNA RIVER BASIN

415

01553115 WEST BRANCH SUSQUEHANNA RIVER AT WATSONTOWN, PA.

LOCATION.--Lat 41°04'53", long 76°51'50", Northumberland County, at bridge at Watsonstown 100 ft (305 m) upstream from White Deer Creek and 0.8 mi (1.3 km) upstream from Warrior Run.

DRAINAGE AREA.--6,550 mi² (17,000 km²).

PERIOD OF RECORD.--Chemical analyses: October 1972 to September 1974.

Water temperatures: October 1972 to September 1973.

Sediment records: October 1972 to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum daily, 340 mg/l Dec. 21; minimum daily, 1 mg/l on several days during November, December, January, March, and July.

Sediment discharges: Maximum daily, 29,700 tons (26,944 t) Dec. 21; minimum daily, 7.6 tons (6.9 t) July 23.

Period of record:

Sediment concentrations: Maximum daily, 350 mg/l Aug. 19, 1973; minimum daily, 1 mg/l on several days during November, December 1973, January, March, and July 1974.

Sediment discharges: Maximum daily, 49,900 tons (45,300 t) Dec. 7, 1973; minimum daily, 7.6 tons (6.9 t) July 23, 1974.

REMARKS.--Chemical analyses for this station on page 284. Records of discharge are based on records for 01553500 West Branch Susquehanna River at Lewisburg, Pa.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 3500 | 2 | 19 | 29600 | 75 | 5990 | 25400 | 38 | 2610 |
| 2 | 3680 | 5 | 50 | 23000 | 35 | 2170 | 20900 | 18 | 1020 |
| 3 | 5380 | 9 | 131 | 19600 | 28 | 1480 | 17500 | 13 | 614 |
| 4 | 4770 | 6 | 77 | 17100 | 24 | 1110 | 15200 | 9 | 369 |
| 5 | 6120 | 2 | 33 | 14600 | 17 | 670 | 14500 | 7 | 274 |
| 6 | 7340 | 20 | 396 | 12600 | 16 | 544 | 32600 | 138 | 12100 |
| 7 | 7770 | 18 | 378 | 11200 | 15 | 454 | 27100 | 38 | 2780 |
| 8 | 7670 | 11 | 228 | 10200 | 12 | 330 | 20000 | 14 | 756 |
| 9 | 7300 | 7 | 138 | 9400 | 10 | 254 | 20400 | 20 | 1100 |
| 10 | 6780 | 6 | 110 | 8790 | 9 | 214 | 30400 | 41 | 3370 |
| 11 | 5730 | 3 | 46 | 8480 | 9 | 206 | 28000 | 24 | 1810 |
| 12 | 4790 | 1 | 13 | 9820 | 10 | 265 | 24700 | 17 | 1130 |
| 13 | 4490 | 1 | 12 | 9370 | 10 | 253 | 21100 | 10 | 570 |
| 14 | 4320 | 3 | 35 | 8750 | 8 | 189 | 18400 | 8 | 397 |
| 15 | 4110 | 5 | 55 | 7500 | 13 | 263 | 16700 | 6 | 271 |
| 16 | 4090 | 2 | 22 | 6320 | 9 | 154 | 14700 | 5 | 198 |
| 17 | 3990 | 1 | 11 | 6200 | 9 | 151 | 13100 | 4 | 141 |
| 18 | 3730 | 1 | 10 | 6500 | 6 | 105 | 11600 | 8 | 251 |
| 19 | 3440 | 1 | 9.3 | 6570 | 6 | 106 | 10300 | 6 | 167 |
| 20 | 3250 | 2 | 18 | 6090 | 4 | 66 | 9650 | 6 | 156 |
| 21 | 3220 | 1 | 8.7 | 5810 | 4 | 63 | 32300 | 340 | 29700 |
| 22 | 3080 | 1 | 8.3 | 5620 | 5 | 76 | 51100 | 110 | 15200 |
| 23 | 2890 | 2 | 16 | 5510 | 3 | 45 | 39500 | 45 | 4800 |
| 24 | 2760 | 2 | 15 | 5640 | 3 | 46 | 29000 | 22 | 1720 |
| 25 | 2730 | 3 | 22 | 6400 | 5 | 86 | 22700 | 10 | 613 |
| 26 | 2600 | 6 | 42 | 11400 | 14 | 431 | 21500 | 7 | 406 |
| 27 | 2630 | 11 | 78 | 17800 | 30 | 1440 | 33000 | 42 | 3740 |
| 28 | 2500 | 13 | 88 | 19900 | 38 | 2040 | 49600 | 91 | 12200 |
| 29 | 2520 | 11 | 75 | 26400 | 47 | 3350 | 52700 | 69 | 9820 |
| 30 | 11400 | 140 | 4310 | 29400 | 55 | 4370 | 42700 | 45 | 5190 |
| 31 | 33200 | 270 | 24200 | -- | -- | -- | 32800 | 25 | 2210 |
| TOTAL | 171780 | -- | 30654.3 | 365570 | -- | 26921 | 799150 | -- | 115683 |

SUSQUEHANNA RIVER BASIN

01553115 WEST BRANCH SUSQUEHANNA RIVER AT WATSONTOWN, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 27000 | 18 | 1310 | 28700 | 20 | 1550 | 12100 | 9 | 294 |
| 2 | 23900 | 13 | 839 | 24100 | 14 | 911 | 12100 | 11 | 359 |
| 3 | 20200 | 10 | 545 | 20900 | 10 | 564 | 12500 | 15 | 506 |
| 4 | 17700 | 11 | 526 | 17900 | 8 | 387 | 13000 | 16 | 562 |
| 5 | 15200 | 8 | 328 | 15300 | 7 | 289 | 14800 | 20 | 799 |
| 6 | 13400 | 8 | 289 | 12800 | 6 | 207 | 18400 | 22 | 1090 |
| 7 | 11500 | 9 | 279 | 11000 | 6 | 178 | 21000 | 25 | 1420 |
| 8 | 10000 | 8 | 216 | 10500 | 5 | 142 | 20500 | 20 | 1110 |
| 9 | 9200 | 10 | 248 | 9400 | 5 | 127 | 28600 | 51 | 3940 |
| 10 | 8600 | 9 | 209 | 8800 | 5 | 119 | 59500 | 157 | 25200 |
| 11 | 8800 | 10 | 238 | 8200 | 4 | 89 | 66900 | 144 | 26000 |
| 12 | 9000 | 9 | 219 | 7800 | 4 | 84 | 50900 | 55 | 7560 |
| 13 | 8600 | 8 | 186 | 8200 | 4 | 89 | 38000 | 37 | 3800 |
| 14 | 8000 | 6 | 130 | 8200 | 2 | 44 | 28900 | 27 | 2110 |
| 15 | 7200 | 4 | 78 | 7400 | 3 | 60 | 22700 | 21 | 1290 |
| 16 | 9100 | 10 | 246 | 6900 | 3 | 56 | 18500 | 22 | 1100 |
| 17 | 11300 | 15 | 458 | 6400 | 2 | 35 | 16700 | 15 | 676 |
| 18 | 12900 | 17 | 592 | 6000 | 6 | 97 | 18500 | 16 | 799 |
| 19 | 14100 | 20 | 761 | 5800 | 5 | 78 | 16400 | 18 | 797 |
| 20 | 16600 | 30 | 1340 | 5800 | 4 | 63 | 14700 | 12 | 476 |
| 21 | 23800 | 41 | 2630 | 5700 | 7 | 108 | 14500 | 11 | 431 |
| 22 | 34500 | 47 | 4380 | 7820 | 16 | 338 | 15800 | 14 | 597 |
| 23 | 45000 | 58 | 7050 | 21400 | 100 | 5780 | 16200 | 13 | 569 |
| 24 | 41600 | 33 | 3710 | 26700 | 72 | 5190 | 15300 | 15 | 620 |
| 25 | 38400 | 26 | 2700 | 22100 | 27 | 1610 | 14800 | 17 | 679 |
| 26 | 32600 | 18 | 1580 | 18100 | 14 | 684 | 13700 | 13 | 481 |
| 27 | 28100 | 11 | 835 | 14900 | 19 | 764 | 12300 | 10 | 332 |
| 28 | 28500 | 16 | 1230 | 12800 | 14 | 484 | 11400 | 5 | 154 |
| 29 | 33400 | 27 | 2430 | -- | -- | -- | 10900 | 5 | 147 |
| 30 | 36600 | 19 | 1880 | -- | -- | -- | 11300 | 6 | 183 |
| 31 | 33200 | 17 | 1520 | -- | -- | -- | 19000 | 16 | 821 |
| TOTAL | 638000 | -- | 38982 | 359620 | -- | 20127 | 659900 | -- | 84902 |
| DAY | APRIL | | | MAY | | | JUNE | | |
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 26300 | 32 | 2270 | 8650 | 3 | 70 | 6360 | 12 | 206 |
| 2 | 29100 | 30 | 2360 | 11000 | 8 | 238 | 6900 | 14 | 261 |
| 3 | 47100 | 118 | 15000 | 12300 | 6 | 199 | 6770 | 10 | 183 |
| 4 | 69300 | 87 | 16300 | 12300 | 6 | 199 | 6690 | 8 | 145 |
| 5 | 72200 | 77 | 15000 | 12200 | 6 | 198 | 5560 | 6 | 90 |
| 6 | 56200 | 42 | 6370 | 11500 | 5 | 155 | 4820 | 5 | 65 |
| 7 | 40200 | 28 | 3040 | 11300 | 4 | 122 | 4360 | 2 | 24 |
| 8 | 29800 | 24 | 1930 | 10600 | 4 | 114 | 4170 | 3 | 34 |
| 9 | 25800 | 19 | 1320 | 9740 | 3 | 79 | 3960 | 3 | 32 |
| 10 | 24100 | 13 | 846 | 10300 | 3 | 83 | 3780 | 4 | 41 |
| 11 | 21100 | 13 | 741 | 10500 | 2 | 57 | 3800 | 3 | 31 |
| 12 | 20500 | 11 | 609 | 10400 | 4 | 112 | 4250 | 7 | 80 |
| 13 | 21200 | 9 | 515 | 20100 | 33 | 1790 | 3840 | 9 | 93 |
| 14 | 22300 | 6 | 361 | 37900 | 52 | 5320 | 3330 | 6 | 54 |
| 15 | 25900 | 48 | 3360 | 34700 | 35 | 3280 | 3140 | 3 | 25 |
| 16 | 29400 | 54 | 4290 | 27600 | 25 | 1860 | 4680 | 14 | 177 |
| 17 | 26400 | 18 | 1280 | 21200 | 13 | 744 | 10100 | 42 | 1150 |
| 18 | 22100 | 12 | 716 | 17200 | 8 | 372 | 11300 | 15 | 458 |
| 19 | 19400 | 12 | 629 | 14600 | 6 | 237 | 9090 | 8 | 196 |
| 20 | 17400 | 9 | 423 | 12500 | 4 | 135 | 7460 | 6 | 121 |
| 21 | 15300 | 5 | 248 | 11200 | 2 | 60 | 6220 | 7 | 118 |
| 22 | 13600 | 6 | 184 | 10400 | 2 | 56 | 5720 | 6 | 93 |
| 23 | 13000 | 7 | 246 | 9760 | 2 | 53 | 5430 | 5 | 73 |
| 24 | 12400 | 8 | 268 | 9340 | 3 | 76 | 5170 | 5 | 70 |
| 25 | 11700 | 7 | 221 | 8840 | 1 | 24 | 4800 | 4 | 52 |
| 26 | 10700 | 4 | 116 | 8510 | 1 | 23 | 4580 | 2 | 25 |
| 27 | 9510 | 4 | 103 | 7770 | 2 | 42 | 4940 | 2 | 27 |
| 28 | 9010 | 4 | 97 | 6880 | 1 | 19 | 6950 | 8 | 150 |
| 29 | 8470 | 4 | 91 | 6350 | 2 | 34 | 7770 | 14 | 294 |
| 30 | 7870 | 2 | 42 | 6090 | 2 | 33 | 7920 | 11 | 235 |
| 31 | -- | -- | -- | 5870 | 6 | 95 | -- | -- | -- |
| TOTAL | 757360 | -- | 78976 | 407600 | -- | 15879 | 173860 | -- | 4603 |

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

[illegible]

SUSQUEHANNA RIVER BASIN

01567000 JUNIATA RIVER AT NEWPORT, PA.

LOCATION.--Lat 40°28'42", long 77°07'46", Perry County, at gaging station on State Highway 34 bridge at Newport, 1,000 ft (305 m) upstream from Little Buffalo Creek.

DRAINAGE AREA.--3,350 mi² (8,680 km²).

PERIOD OF RECORD.--Chemical analyses: October 1944 to June 1953, October 1956 to September 1972, October 1973 to September 1974.

Water temperatures: October 1944 to September 1953, April 1958 to September 1962, October 1964 to September 1974.

Sediment records: January 1951 to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum daily, 235 mg/l Oct. 30; minimum daily, 1 mg/l on many days.

Sediment discharges: Maximum daily, 12,500 tons (11,300 t) Oct. 30; minimum daily, 3.0 tons (2.7 t) July 22.

Period of record:

Sediment concentrations: Maximum daily, 1,130 mg/l Mar. 2, 1954; minimum daily, 0 mg/l on many days.

Sediment discharges: Maximum daily, 365,000 tons (331,000 t) June 23, 1972; minimum daily, 0 tons (0 t) on many days.

REMARKS.--Chemical analyses for this station on page 296. Unpublished records of water temperatures and specific conductance of sediment samples available in the district office at Harrisburg. Some flow regulation at low flow by powerplants and mills above station.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 3690 | 30 | 299 | 11700 | 54 | 1710 | 5860 | 22 | 348 |
| 2 | 3050 | 20 | 165 | 10600 | 40 | 1140 | 4480 | 7 | 85 |
| 3 | 2870 | 15 | 116 | 9650 | 29 | 756 | 4020 | 3 | 33 |
| 4 | 3260 | 20 | 176 | 8850 | 31 | 741 | 3590 | 2 | 19 |
| 5 | 2850 | 13 | 100 | 8340 | 24 | 540 | 3610 | 4 | 39 |
| 6 | 2280 | 9 | 55 | 8050 | 23 | 500 | 7130 | 135 | 2600 |
| 7 | 1960 | 8 | 42 | 7890 | 16 | 341 | 9430 | 90 | 2290 |
| 8 | 1790 | 7 | 34 | 7680 | 14 | 290 | 7190 | 40 | 777 |
| 9 | 1620 | 6 | 26 | 7460 | 19 | 383 | 7150 | 20 | 386 |
| 10 | 1510 | 6 | 24 | 7390 | 19 | 379 | 12600 | 53 | 1800 |
| 11 | 1440 | 4 | 16 | 7370 | 14 | 279 | 14500 | 59 | 2310 |
| 12 | 1370 | 5 | 18 | 7200 | 10 | 194 | 11500 | 23 | 714 |
| 13 | 1310 | 4 | 14 | 7190 | 14 | 272 | 8700 | 11 | 258 |
| 14 | 1260 | 4 | 14 | 7340 | 18 | 357 | 7160 | 8 | 155 |
| 15 | 1190 | 3 | 9.6 | 7220 | 19 | 370 | 6990 | 6 | 113 |
| 16 | 1150 | 3 | 9.3 | 6590 | 19 | 338 | 6340 | 5 | 86 |
| 17 | 1120 | 2 | 6.0 | 5120 | 12 | 166 | 5200 | 5 | 70 |
| 18 | 1160 | 2 | 6.3 | 4010 | 5 | 54 | 4600 | 10 | 124 |
| 19 | 1170 | 1 | 3.2 | 3810 | 3 | 31 | 4300 | 12 | 139 |
| 20 | 1160 | 1 | 3.1 | 3500 | 4 | 38 | 4400 | 15 | 178 |
| 21 | 1150 | 1 | 3.1 | 2190 | 2 | 12 | 12500 | 48 | 1620 |
| 22 | 1130 | 1 | 3.1 | 1890 | 1 | 5.1 | 18200 | 75 | 3690 |
| 23 | 1160 | 1 | 3.1 | 1730 | 2 | 9.3 | 13300 | 27 | 970 |
| 24 | 1060 | 4 | 11 | 1740 | 2 | 9.4 | 11000 | 12 | 356 |
| 25 | 1200 | 5 | 16 | 1830 | 2 | 9.9 | 10200 | 9 | 248 |
| 26 | 2500 | 25 | 169 | 2340 | 4 | 25 | 8620 | 8 | 186 |
| 27 | 5490 | 146 | 2260 | 4060 | 18 | 197 | 12900 | 20 | 697 |
| 28 | 7240 | 180 | 3520 | 3940 | 20 | 213 | 23400 | 66 | 4260 |
| 29 | 7600 | 90 | 1850 | 5100 | 31 | 427 | 22600 | 54 | 3300 |
| 30 | 19100 | 235 | 12500 | 6020 | 34 | 553 | 18900 | 30 | 1530 |
| 31 | 17300 | 120 | 5610 | -- | -- | -- | 16100 | 17 | 739 |
| TOTAL | 102140 | -- | 27081.8 | 177800 | -- | 10339.7 | 306470 | -- | 30120 |

01567000 JUNIATA RIVER AT NEWPORT, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 12100 | 13 | 425 | 7430 | 16 | 321 | 3800 | 4 | 41 |
| 2 | 9760 | 11 | 290 | 6770 | 12 | 219 | 3850 | 6 | 62 |
| 3 | 8400 | 8 | 181 | 6410 | 9 | 156 | 3370 | 5 | 45 |
| 4 | 7180 | 5 | 97 | 6070 | 7 | 115 | 3300 | 5 | 45 |
| 5 | 6990 | 4 | 75 | 5380 | 6 | 87 | 3300 | 5 | 45 |
| 6 | 6370 | 5 | 86 | 4840 | 5 | 65 | 3260 | 4 | 35 |
| 7 | 6020 | 8 | 130 | 4330 | 5 | 58 | 3240 | 6 | 52 |
| 8 | 5670 | 7 | 107 | 4110 | 5 | 55 | 3120 | 9 | 76 |
| 9 | 5000 | 8 | 108 | 3840 | 4 | 41 | 3440 | 8 | 74 |
| 10 | 4710 | 5 | 64 | 3600 | 4 | 39 | 5240 | 19 | 269 |
| 11 | 4930 | 6 | 80 | 3400 | 4 | 37 | 8340 | 38 | 856 |
| 12 | 6850 | 12 | 222 | 3430 | 5 | 46 | 7370 | 42 | 836 |
| 13 | 8770 | 20 | 474 | 3390 | 4 | 37 | 8150 | 27 | 594 |
| 14 | 8650 | 12 | 280 | 3410 | 4 | 37 | 6980 | 7 | 132 |
| 15 | 7300 | 8 | 158 | 3370 | 5 | 45 | 6130 | 4 | 66 |
| 16 | 6920 | 9 | 168 | 3190 | 4 | 34 | 5300 | 4 | 57 |
| 17 | 9680 | 15 | 392 | 3050 | 4 | 33 | 3950 | 2 | 21 |
| 18 | 11000 | 20 | 594 | 2950 | 4 | 32 | 3690 | 2 | 20 |
| 19 | 10600 | 18 | 515 | 2740 | 4 | 30 | 3390 | 1 | 9.2 |
| 20 | 10500 | 13 | 369 | 2760 | 5 | 37 | 3100 | 2 | 17 |
| 21 | 11200 | 16 | 484 | 2810 | 4 | 30 | 3240 | 2 | 17 |
| 22 | 21100 | 107 | 6410 | 3140 | 6 | 51 | 4160 | 5 | 56 |
| 23 | 21900 | 95 | 5700 | 4590 | 17 | 211 | 4800 | 12 | 156 |
| 24 | 18600 | 37 | 1860 | 5050 | 14 | 191 | 4030 | 16 | 174 |
| 25 | 16300 | 21 | 924 | 4210 | 8 | 91 | 3620 | 14 | 137 |
| 26 | 12200 | 18 | 593 | 4190 | 6 | 68 | 3390 | 13 | 119 |
| 27 | 9550 | 13 | 335 | 3900 | 4 | 42 | 3140 | 12 | 102 |
| 28 | 8690 | 14 | 328 | 3710 | 4 | 40 | 3020 | 11 | 90 |
| 29 | 9070 | 17 | 416 | -- | -- | -- | 2910 | 11 | 86 |
| 30 | 9390 | 18 | 456 | -- | -- | -- | 3520 | 20 | 190 |
| 31 | 8420 | 18 | 409 | -- | -- | -- | 13700 | 148 | 6050 |
| TOTAL | 303820 | -- | 22730 | 116070 | -- | 2248 | 141850 | -- | 10529.2 |
| DAY | APRIL | | | MAY | | | JUNE | | |
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 20600 | 153 | 8620 | 2760 | 4 | 30 | 2410 | 25 | 163 |
| 2 | 16400 | 62 | 2750 | 2680 | 4 | 29 | 2650 | 26 | 186 |
| 3 | 14700 | 48 | 1910 | 2700 | 4 | 29 | 2800 | 30 | 227 |
| 4 | 13800 | 56 | 2090 | 2680 | 5 | 36 | 2250 | 18 | 109 |
| 5 | 14100 | 66 | 2510 | 2760 | 6 | 45 | 2000 | 13 | 70 |
| 6 | 11600 | 55 | 1720 | 2620 | 4 | 28 | 1820 | 6 | 29 |
| 7 | 9350 | 20 | 505 | 2480 | 4 | 27 | 1690 | 6 | 27 |
| 8 | 7830 | 10 | 211 | 2460 | 4 | 27 | 1650 | 8 | 36 |
| 9 | 7480 | 10 | 202 | 2520 | 4 | 27 | 1560 | 8 | 34 |
| 10 | 7680 | 10 | 207 | 2640 | 5 | 36 | 1510 | 6 | 24 |
| 11 | 6880 | 6 | 111 | 2590 | 6 | 42 | 1560 | 5 | 21 |
| 12 | 6000 | 5 | 81 | 3090 | 13 | 108 | 1560 | 5 | 21 |
| 13 | 5620 | 4 | 61 | 7780 | 102 | 2240 | 1490 | 4 | 16 |
| 14 | 6730 | 15 | 273 | 10900 | 140 | 4220 | 1370 | 6 | 22 |
| 15 | 9370 | 65 | 1640 | 7170 | 69 | 1340 | 1290 | 8 | 28 |
| 16 | 9540 | 43 | 1110 | 5610 | 41 | 621 | 2010 | 22 | 119 |
| 17 | 7720 | 14 | 292 | 4680 | 35 | 442 | 4120 | 70 | 779 |
| 18 | 5070 | 5 | 68 | 4070 | 31 | 341 | 3830 | 52 | 538 |
| 19 | 4520 | 2 | 24 | 3690 | 27 | 269 | 2720 | 45 | 330 |
| 20 | 4240 | 1 | 11 | 3440 | 25 | 232 | 2270 | 30 | 184 |
| 21 | 3940 | 1 | 11 | 3130 | 23 | 194 | 1960 | 18 | 95 |
| 22 | 3680 | 2 | 20 | 2870 | 19 | 147 | 1950 | 20 | 105 |
| 23 | 3680 | 2 | 20 | 2800 | 19 | 144 | 1920 | 19 | 98 |
| 24 | 3810 | 4 | 41 | 2970 | 25 | 200 | 2350 | 25 | 159 |
| 25 | 3730 | 8 | 81 | 2970 | 26 | 208 | 3330 | 45 | 405 |
| 26 | 3300 | 6 | 53 | 2560 | 23 | 159 | 3510 | 40 | 379 |
| 27 | 3080 | 5 | 42 | 2310 | 23 | 143 | 5270 | 84 | 1200 |
| 28 | 2940 | 5 | 40 | 2180 | 25 | 147 | 4260 | 86 | 989 |
| 29 | 2850 | 5 | 38 | 2050 | 18 | 100 | 3880 | 52 | 545 |
| 30 | 2780 | 4 | 30 | 2000 | 17 | 92 | 3490 | 43 | 405 |
| 31 | -- | -- | -- | 1990 | 18 | 97 | -- | -- | -- |
| TOTAL | 223020 | -- | 24772 | 107150 | -- | 11800 | 74480 | -- | 7343 |

SUSQUEHANNA RIVER BASIN

01567000 JUNIATA RIVER AT NEWPORT, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JULY | | | AUGUST | | | SEPTEMBER | | |
|--|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 3730 | 38 | 383 | 1980 | 21 | 112 | 1010 | 12 | 33 |
| 2 | 4430 | 52 | 622 | 1540 | 16 | 67 | 1760 | 20 | 95 |
| 3 | 4360 | 60 | 706 | 1880 | 23 | 117 | 1790 | 26 | 126 |
| 4 | 3290 | 37 | 329 | 1900 | 23 | 118 | 2190 | 50 | 296 |
| 5 | 2800 | 25 | 189 | 1490 | 25 | 101 | 2370 | 48 | 307 |
| 6 | 2570 | 21 | 146 | 1300 | 21 | 74 | 1990 | 33 | 177 |
| 7 | 3420 | 42 | 388 | 1250 | 22 | 74 | 1500 | 14 | 57 |
| 8 | 2860 | 22 | 170 | 1110 | 20 | 60 | 1290 | 17 | 59 |
| 9 | 2250 | 36 | 219 | 1010 | 20 | 55 | 1170 | 13 | 41 |
| 10 | 2070 | 20 | 112 | 1110 | 22 | 66 | 1110 | 11 | 33 |
| 11 | 2810 | 45 | 341 | 1110 | 19 | 57 | 1060 | 12 | 34 |
| 12 | 2250 | 35 | 213 | 1020 | 20 | 55 | 997 | 10 | 27 |
| 13 | 1860 | 23 | 116 | 1040 | 19 | 53 | 1010 | 12 | 33 |
| 14 | 1650 | 15 | 67 | 1010 | 20 | 55 | 1540 | 41 | 170 |
| 15 | 1530 | 13 | 54 | 924 | 25 | 62 | 1170 | 27 | 85 |
| 16 | 1450 | 11 | 43 | 860 | 19 | 44 | 1080 | 18 | 52 |
| 17 | 1370 | 5 | 18 | 828 | 13 | 29 | 1070 | 18 | 52 |
| 18 | 1310 | 3 | 11 | 812 | 15 | 33 | 943 | 15 | 38 |
| 19 | 1250 | 1 | 3.4 | 796 | 20 | 43 | 867 | 13 | 30 |
| 20 | 1190 | 1 | 3.2 | 780 | 15 | 32 | 832 | 12 | 27 |
| 21 | 1140 | 1 | 3.1 | 796 | 14 | 30 | 852 | 10 | 23 |
| 22 | 1110 | 1 | 3.0 | 780 | 16 | 34 | 1040 | 12 | 34 |
| 23 | 1060 | 2 | 5.7 | 750 | 15 | 30 | 1020 | 15 | 41 |
| 24 | 1080 | 2 | 5.8 | 735 | 13 | 26 | 1090 | 13 | 38 |
| 25 | 1120 | 4 | 12 | 735 | 15 | 30 | 1020 | 13 | 36 |
| 26 | 1120 | 3 | 9.1 | 750 | 15 | 30 | 909 | 10 | 25 |
| 27 | 1130 | 3 | 9.2 | 735 | 14 | 28 | 859 | 8 | 19 |
| 28 | 1080 | 2 | 5.8 | 720 | 13 | 25 | 865 | 6 | 14 |
| 29 | 1140 | 15 | 46 | 796 | 13 | 28 | 920 | 5 | 12 |
| 30 | 2210 | 35 | 209 | 860 | 14 | 33 | 940 | 7 | 18 |
| 31 | 1880 | 16 | 81 | 957 | 13 | 34 | -- | -- | -- |
| TOTAL | 62520 | -- | 4523.3 | 32364 | -- | 1635 | 36264 | -- | 2032 |
| TOTAL DISCHARGE FOR YEAR (CFS-DAYS) | | | | | | | | | 1683948 |
| TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS) | | | | | | | | | 155154.0 |

INSTANTANEOUS SUSPENDED SEDIMENT AND PARTICLE SIZE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | TEMPER- ATURE (DEG C) | SUS- PEN- DED SED- IMENT DIS- CHARGE (MG/L) | SUS- PEN- DED SED- IMENT DIS- CHARGE (T/DAY) | SUS. SED. FALL DIAM. % FINER THAN .004 MM | SUS. SED. FALL DIAM. % FINER THAN .008 MM |
|-------|------|---|---|--|---|---|---|
| | | | | | | | |
| OCT. | | | | | | | |
| 30... | 1610 | 23100 | 12.0 | 231 | 14400 | 42 | 58 |
| DEC. | | | | | | | |
| 10... | 1600 | 13800 | 5.5 | 45 | 1680 | -- | -- |
| 22... | 1445 | 18300 | 1.5 | 68 | 3360 | -- | -- |
| | | | | | | | |
| | | SUS. SED. FALL DIAM. % FINER THAN .016 MM | SUS. SED. FALL DIAM. % FINER THAN .031 MM | SUS. SED. FALL DIAM. % FINER THAN .062 MM | SUS. SED. FALL DIAM. % FINER THAN .125 MM | SUS. SED. FALL DIAM. % FINER THAN .250 MM | SUS. SED. FALL DIAM. % FINER THAN .500 MM |
| OCT. | | | | | | | |
| 30... | | 70 | 79 | 84 | 90 | 95 | 100 |
| DEC. | | | | | | | |
| 10... | | -- | -- | 90 | 100 | -- | -- |
| 22... | | -- | -- | 89 | 100 | -- | -- |

SUSQUEHANNA RIVER BASIN

421

01567000 JUNIATA RIVER AT NEWPORT, PA.--Continued




Figure 6.--Double mass accumulation of annual suspended sediment discharge versus annual water discharge, Juniata River at Newport, Pa.

Table 10.--Suspended sediment concentration-duration table, Juniata River at Newport

| Period | Mean daily concentration, in milligrams per litre, that was equaled or exceeded for indicated percentage of time | | | | | | | | | | | | |
|---------|--|-----|----|----|----|----|----|----|----|----|----|----|----|
| | 1 | 2 | 5 | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 99 |
| 1974 | 141 | 110 | 62 | 46 | 28 | 21 | 17 | 13 | 10 | 6 | 5 | 4 | 1 |
| 1951-74 | 257 | 175 | 91 | 50 | 27 | 19 | 13 | 10 | 7 | 5 | 4 | 3 | 1 |

SUSQUEHANNA RIVER BASIN

01569980 CONODOGUINET CREEK AT WILLOW MILL BRIDGE, NEAR HOGESTOWN, PA.

LOCATION.--Lat 40°15'10", long 77°02'08", Cumberland County, at Willow Mill Bridge, 3.0 mi (4.8 km) upstream from gaging station and 0.5 mi (0.8 km) north of U.S. Highway 11 at Hogestown. Sampling site moved in June 1974 to bridge on State Highway 114, 0.1 mi (0.1 km) downstream from Willow Mill Bridge, and 3.0 mi (5.0 km) upstream from gaging station.

DRAINAGE AREA.--446 mi² (1,160 km²).

PERIOD OF RECORD.--Chemical analyses: April to September 1974.

Water temperatures: April to September 1974.

Sediment records: April to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum daily, 230 mg/l May 13; minimum daily, 4 mg/l May 6.

Sediment discharges: Maximum daily, 1,280 tons (1,161 t) May 13; minimum daily, 3.1 tons (2.8 t) Aug. 29.

Period of record:

Sediment concentrations: Maximum daily, 230 mg/l May 13, 1974; minimum daily, 4 mg/l May 6, 1974.

Sediment discharges: Maximum daily, 1,280 tons (1,161 t) May 13, 1974; minimum daily, 3.1 tons (2.8 t) Aug. 29, 1974.

REMARKS.--Chemical analyses for this station on page 302. Sediment records may be affected by upstream construction from June to September 1974. Records of discharge given for 01570000 Conodoguinet Creek near Hogestown.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | APRIL | | | MAY | | | JUNE | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 4130 | -- | -- | 449 | 5 | 6.1 | 581 | 75 | 118 |
| 2 | 2520 | -- | -- | 425 | 7 | 8.0 | 810 | 55 | 120 |
| 3 | 1900 | -- | -- | 431 | 8 | 9.3 | 584 | 25 | 39 |
| 4 | 2170 | -- | -- | 437 | 6 | 7.1 | 494 | 20 | 27 |
| 5 | 2710 | 80 | 585 | 413 | 5 | 5.6 | 418 | 19 | 21 |
| 6 | 2240 | 75 | 454 | 391 | 4 | 4.2 | 374 | 16 | 16 |
| 7 | 1710 | 45 | 208 | 385 | 8 | 8.3 | 344 | 15 | 14 |
| 8 | 1420 | 20 | 77 | 373 | 6 | 6.0 | 329 | 11 | 9.8 |
| 9 | 1780 | 35 | 168 | 391 | 8 | 8.4 | 321 | 12 | 10 |
| 10 | 1760 | 29 | 138 | 462 | 7 | 8.7 | 309 | 10 | 8.3 |
| 11 | 1390 | 26 | 98 | 426 | 6 | 6.9 | 298 | 7 | 5.6 |
| 12 | 1200 | 25 | 81 | 468 | 25 | 32 | 315 | 12 | 10 |
| 13 | 1200 | 30 | 97 | 2060 | 230 | 1280 | 286 | 9 | 6.9 |
| 14 | 1900 | 90 | 462 | 1600 | 70 | 302 | 265 | 8 | 5.7 |
| 15 | 2110 | 105 | 598 | 986 | 30 | 80 | 294 | 15 | 12 |
| 16 | 1860 | 75 | 377 | 779 | 22 | 46 | 392 | 25 | 26 |
| 17 | 1420 | 27 | 104 | 644 | 12 | 21 | 808 | 45 | 98 |
| 18 | 1180 | 18 | 57 | 565 | 8 | 12 | 579 | 30 | 47 |
| 19 | 1030 | 17 | 47 | 537 | 13 | 19 | 414 | 21 | 23 |
| 20 | 925 | 15 | 37 | 496 | 12 | 16 | 349 | 23 | 22 |
| 21 | 821 | 12 | 27 | 453 | 12 | 15 | 336 | 17 | 15 |
| 22 | 751 | 10 | 20 | 432 | 17 | 20 | 312 | 19 | 16 |
| 23 | 738 | 8 | 16 | 780 | 30 | 63 | 370 | 35 | 35 |
| 24 | 759 | 7 | 14 | 812 | 40 | 88 | 1100 | 80 | 238 |
| 25 | 647 | 6 | 10 | 569 | 21 | 32 | 896 | 46 | 111 |
| 26 | 584 | 6 | 9.5 | 467 | 15 | 19 | 905 | 70 | 171 |
| 27 | 540 | 8 | 12 | 419 | 11 | 12 | 778 | 57 | 120 |
| 28 | 512 | 6 | 8.3 | 392 | 10 | 11 | 619 | 33 | 55 |
| 29 | 489 | 6 | 7.9 | 371 | 10 | 10 | 686 | 50 | 93 |
| 30 | 472 | 6 | 7.6 | 362 | 11 | 11 | 613 | 70 | 116 |
| 31 | -- | -- | -- | 364 | 14 | 14 | -- | -- | -- |
| TOTAL | 42868 | -- | 3720.3 | 18139 | -- | 2181.6 | 15179 | -- | 1609.3 |

SUSQUEHANNA RIVER BASIN

423

01569980 CONODOGUINET CREEK AT WILLOW MILL BRIDGE, NEAR HOGESTOWN, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JULY | | | AUGUST | | | SEPTEMBER | | |
|--|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 528 | 30 | 43 | 198 | 13 | 6.9 | 149 | 22 | 8.9 |
| 2 | 576 | 25 | 39 | 190 | 15 | 7.7 | 161 | 15 | 6.5 |
| 3 | 442 | 18 | 21 | 204 | 14 | 7.7 | 198 | 100 | 53 |
| 4 | 371 | 14 | 14 | 214 | 17 | 9.8 | 250 | 30 | 20 |
| 5 | 333 | 22 | 20 | 214 | 19 | 11 | 209 | 20 | 11 |
| 6 | 316 | 11 | 9.4 | 204 | 17 | 9.4 | 174 | 20 | 9.4 |
| 7 | 301 | 12 | 9.8 | 184 | 23 | 11 | 197 | 22 | 12 |
| 8 | 281 | 10 | 7.6 | 176 | 28 | 13 | 199 | 26 | 14 |
| 9 | 262 | 8 | 5.7 | 171 | 14 | 6.5 | 195 | 19 | 10 |
| 10 | 250 | 15 | 10 | 169 | 9 | 4.1 | 172 | 16 | 7.4 |
| 11 | 265 | 28 | 20 | 168 | 7 | 3.2 | 160 | 16 | 6.9 |
| 12 | 244 | 35 | 23 | 167 | 8 | 3.6 | 162 | 14 | 6.1 |
| 13 | 226 | 40 | 24 | 158 | 9 | 3.8 | 179 | 16 | 7.7 |
| 14 | 216 | 40 | 23 | 156 | 8 | 3.4 | 355 | 40 | 38 |
| 15 | 211 | 70 | 40 | 153 | 14 | 5.8 | 288 | 28 | 22 |
| 16 | 201 | 50 | 27 | 146 | 10 | 3.9 | 201 | 23 | 12 |
| 17 | 196 | 35 | 19 | 151 | 40 | 16 | 165 | 17 | 7.6 |
| 18 | 188 | 33 | 17 | 158 | 20 | 8.5 | 149 | 13 | 5.2 |
| 19 | 192 | 35 | 18 | 151 | 50 | 20 | 140 | 9 | 3.4 |
| 20 | 187 | 40 | 20 | 146 | 40 | 16 | 130 | 16 | 5.6 |
| 21 | 184 | 20 | 9.9 | 142 | 18 | 6.9 | 126 | 15 | 5.1 |
| 22 | 178 | 40 | 19 | 140 | 16 | 6.0 | 133 | 10 | 3.6 |
| 23 | 174 | 34 | 16 | 142 | 10 | 3.8 | 128 | 12 | 4.1 |
| 24 | 183 | 15 | 7.4 | 146 | 10 | 3.9 | 121 | 14 | 4.6 |
| 25 | 188 | 18 | 9.1 | 144 | 9 | 3.5 | 113 | 12 | 3.7 |
| 26 | 186 | 17 | 8.5 | 140 | 20 | 7.6 | 108 | 16 | 4.7 |
| 27 | 179 | 13 | 6.3 | 135 | 30 | 11 | 106 | 26 | 7.4 |
| 28 | 191 | 14 | 7.2 | 140 | 14 | 5.3 | 113 | 16 | 4.9 |
| 29 | 200 | 22 | 12 | 144 | 8 | 3.1 | 119 | 25 | 8.0 |
| 30 | 227 | 18 | 11 | 149 | 12 | 4.8 | 130 | 14 | 4.9 |
| 31 | 233 | 18 | 11 | 144 | 13 | 5.1 | -- | -- | -- |
| TOTAL | 7909 | -- | 527.9 | 5044 | -- | 232.3 | 5030 | -- | 317.7 |
| TOTAL DISCHARGE FOR YEAR (CFS-DAYS) | | | | | | | | | 235009 |
| TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS) | | | | | | | | | 8589.1 |

INSTANTANEOUS SUSPENDED SEDIMENT AND PARTICLE SIZE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | TEMPER- ATURE (DEG C) | SUS- PEN- DED SED- IMENT (MG/L) | SUS- PEN- DED SED- IMENT DIS- CHARGE (T/DAY) | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. |
|-------|------|---|-----------------------------|--|---|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| | | | | | | % FINER THAN .004 MM | % FINER THAN .008 MM | % FINER THAN .016 MM | % FINER THAN .031 MM | % FINER THAN .062 MM | % FINER THAN .250 MM |
| MAY | | | | | | | | | | | |
| 13... | 1500 | 2670 | 15.5 | 227 | 1640 | 58 | 70 | 81 | 89 | 94 | 100 |
| SEP. | | | | | | | | | | | |
| 03... | 1200 | 178 | 23.0 | 41 | 20 | 46 | 51 | 57 | 70 | 82 | 100 |

SUSQUEHANNA RIVER BASIN

01570100 CONODOGUINET CREEK TRIBUTARY NO. 1 NEAR ENOLA, PA.

LOCATION.--Lat 40°17'27", long 76°59'38", Cumberland County, at gaging station on right bank 720 ft (219 m) upstream from bridge on State Highway 944, 3.2 mi (5.15 km) upstream from mouth, and 3.3 mi (5.31 km) west of Enola.

DRAINAGE AREA.--0.77 mi² (1.99 km²).

PERIOD OF RECORD.--Chemical analyses: October 1969 to September 1971 (partial-record station), October 1971 to September 1974.

Sediment records: April 1969 to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum, 180 mg/l Mar. 30; minimum, 1 mg/l Oct. 26-28.

Sediment discharges: Maximum, 11 tons (10 t) Mar. 30; minimum, 0 tons (0 t) on many days.

Period of record:

Sediment concentrations: Maximum, 383 mg/l June 22, 1972; minimum, 1 mg/l on many days each year.

Sediment discharges: Maximum, 285 tons (258 t) June 22, 1972; minimum, 0 tons (0 t) on many days each year.

REMARKS.--Chemical analyses for this station on page 304.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | .15 | 3 | 0 | .40 | 4 | .01 | .17 | 3 | 0 |
| 2 | .38 | 11 | .02 | .31 | 4 | 0 | .16 | 4 | 0 |
| 3 | .35 | 4 | 0 | .24 | 3 | 0 | .16 | 4 | 0 |
| 4 | .33 | 3 | 0 | .24 | 2 | 0 | .16 | 4 | 0 |
| 5 | .30 | 2 | 0 | .25 | 2 | 0 | 1.3 | 34 | .22 |
| 6 | .25 | 2 | 0 | .23 | 2 | 0 | .98 | 7 | .02 |
| 7 | .25 | 2 | 0 | .21 | 2 | 0 | .50 | 5 | .01 |
| 8 | .25 | 2 | 0 | .21 | 3 | 0 | .40 | 3 | 0 |
| 9 | .25 | 3 | 0 | .18 | 3 | 0 | 7.5 | 68 | 2.8 |
| 10 | .22 | 3 | 0 | .16 | 4 | 0 | 2.6 | 12 | .08 |
| 11 | .19 | 3 | 0 | .16 | 4 | 0 | 1.4 | 8 | .03 |
| 12 | .19 | 3 | 0 | .16 | 3 | 0 | 1.1 | 6 | .02 |
| 13 | .19 | 3 | 0 | .16 | 4 | 0 | 1.1 | 8 | .03 |
| 14 | .16 | 3 | 0 | .16 | 4 | 0 | 1.6 | 9 | .04 |
| 15 | .16 | 3 | 0 | .16 | 5 | 0 | 1.0 | 6 | .02 |
| 16 | .15 | 3 | 0 | .16 | 5 | 0 | .85 | 6 | .02 |
| 17 | .15 | 3 | 0 | .16 | 4 | 0 | .70 | 6 | .02 |
| 18 | .14 | 3 | 0 | .16 | 3 | 0 | .63 | 4 | .01 |
| 19 | .14 | 3 | 0 | .16 | 3 | 0 | .60 | 4 | .01 |
| 20 | .14 | 3 | 0 | .15 | 2 | 0 | 4.9 | 52 | 1.8 |
| 21 | .14 | 3 | 0 | .15 | 2 | 0 | 16 | 57 | 3.2 |
| 22 | .14 | 3 | 0 | .14 | 2 | 0 | 4.0 | 8 | .09 |
| 23 | .13 | 3 | 0 | .14 | 2 | 0 | 2.7 | 7 | .05 |
| 24 | .13 | 2 | 0 | .21 | 6 | .01 | 2.1 | 6 | .03 |
| 25 | .12 | 2 | 0 | .20 | 5 | 0 | 1.9 | 5 | .03 |
| 26 | .11 | 1 | 0 | .19 | 3 | 0 | 8.6 | 35 | 1.4 |
| 27 | .11 | 1 | 0 | .20 | 2 | 0 | 8.7 | 10 | .25 |
| 28 | .11 | 1 | 0 | .36 | 12 | .01 | 4.6 | 7 | .09 |
| 29 | 1.9 | 50 | .80 | .27 | 5 | 0 | 2.9 | 5 | .04 |
| 30 | .85 | 7 | .02 | .23 | 3 | 0 | 2.2 | 5 | .03 |
| 31 | .48 | 4 | 0 | -- | -- | -- | 2.3 | 5 | .03 |
| TOTAL | 8.56 | -- | .84 | 6.11 | -- | .03 | 83.81 | -- | 10.37 |

01570100 CONODOGUINET CREEK TRIBUTARY NO. 1 NEAR ENOLA, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 2.3 | 3 | .02 | 1.0 | 2 | .01 | .77 | 4 | .01 |
| 2 | 1.6 | 3 | .01 | .98 | 2 | .01 | .85 | 8 | .02 |
| 3 | 2.0 | 6 | .02 | .88 | 2 | .01 | .75 | 5 | .01 |
| 4 | 2.6 | 5 | .04 | .75 | 3 | .01 | .64 | 3 | .01 |
| 5 | 1.8 | 5 | .03 | .60 | 3 | .01 | .60 | 3 | .01 |
| 6 | 1.4 | 5 | .02 | .60 | 3 | .01 | .54 | 3 | 0 |
| 7 | 1.3 | 5 | .02 | .65 | 3 | .01 | .50 | 3 | 0 |
| 8 | 1.2 | 4 | .01 | .60 | 3 | .01 | .52 | 7 | .01 |
| 9 | 1.0 | 4 | .01 | .53 | 3 | 0 | 1.2 | 30 | .19 |
| 10 | .90 | 4 | .01 | .48 | 4 | .01 | 1.7 | 15 | .09 |
| 11 | 1.8 | 8 | .02 | .50 | 4 | .01 | 1.0 | 6 | .02 |
| 12 | 1.6 | 4 | .02 | .52 | 4 | .01 | .84 | 6 | .01 |
| 13 | 1.0 | 4 | .01 | .54 | 4 | .01 | .72 | 5 | .01 |
| 14 | .90 | 4 | .01 | .48 | 4 | .01 | .64 | 5 | .01 |
| 15 | .84 | 4 | .01 | .44 | 4 | .01 | .60 | 5 | .01 |
| 16 | 1.4 | 15 | .07 | .40 | 3 | 0 | 1.7 | 34 | .25 |
| 17 | 2.1 | 7 | .04 | .44 | 3 | 0 | 1.4 | 10 | .04 |
| 18 | 1.2 | 6 | .02 | .40 | 3 | 0 | .88 | 8 | .02 |
| 19 | 1.3 | 5 | .02 | .61 | 8 | .02 | .81 | 6 | .01 |
| 20 | 1.3 | 5 | .02 | .70 | 6 | .01 | .67 | 4 | .01 |
| 21 | 8.9 | 79 | 3.4 | .48 | 4 | .01 | 4.4 | 82 | 2.1 |
| 22 | 4.4 | 8 | .10 | 2.9 | 92 | 1.2 | 2.1 | 8 | .05 |
| 23 | 3.0 | 7 | .06 | 1.7 | 8 | .04 | 1.4 | 5 | .02 |
| 24 | 2.5 | 4 | .03 | 1.0 | 6 | .02 | 1.2 | 5 | .02 |
| 25 | 2.0 | 4 | .02 | .95 | 5 | .01 | 1.0 | 5 | .01 |
| 26 | 1.8 | 12 | .06 | .75 | 4 | .01 | .94 | 5 | .01 |
| 27 | 2.3 | 6 | .04 | .65 | 3 | .01 | .84 | 5 | .01 |
| 28 | 1.9 | 11 | .07 | .70 | 3 | .01 | .77 | 4 | .01 |
| 29 | 1.8 | 6 | .03 | -- | -- | -- | .78 | 4 | .01 |
| 30 | 1.4 | 3 | .01 | -- | -- | -- | 12 | 180 | 11 |
| 31 | 1.2 | 2 | .01 | -- | -- | -- | 9.4 | 46 | 1.6 |
| TOTAL | 60.74 | -- | 4.26 | 21.23 | -- | 1.48 | 52.16 | -- | 15.58 |
| DAY | APRIL | | | MAY | | | JUNE | | |
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 3.3 | 9 | .10 | .50 | 3 | 0 | .91 | 10 | .03 |
| 2 | 3.1 | 9 | .09 | .45 | 3 | 0 | .40 | 5 | .01 |
| 3 | 2.2 | 6 | .03 | .70 | 10 | .02 | .31 | 5 | 0 |
| 4 | 12 | 89 | 4.2 | .50 | 3 | 0 | .27 | 5 | 0 |
| 5 | 5.3 | 15 | .26 | .50 | 3 | 0 | .24 | 4 | 0 |
| 6 | 3.3 | 6 | .05 | .48 | 5 | .01 | .22 | 4 | 0 |
| 7 | 2.6 | 7 | .05 | .48 | 3 | 0 | .19 | 4 | 0 |
| 8 | 2.7 | 10 | .07 | .42 | 3 | 0 | .19 | 4 | 0 |
| 9 | 6.3 | 26 | .50 | 1.0 | 11 | .04 | .18 | 4 | 0 |
| 10 | 2.9 | 13 | .10 | .70 | 5 | .02 | .17 | 5 | 0 |
| 11 | 2.2 | 10 | .06 | .50 | 4 | .01 | .18 | 6 | 0 |
| 12 | 2.1 | 6 | .03 | 4.2 | 87 | 2.1 | .15 | 7 | 0 |
| 13 | 2.9 | 18 | .17 | 2.1 | 16 | .09 | .14 | 9 | 0 |
| 14 | 2.7 | 38 | .77 | 1.1 | 7 | .02 | .14 | 9 | 0 |
| 15 | 3.7 | 21 | .31 | .79 | 5 | .01 | .15 | 8 | 0 |
| 16 | 2.1 | 7 | .04 | .60 | 5 | .01 | .78 | 81 | .41 |
| 17 | 1.7 | 8 | .04 | .48 | 4 | .01 | .58 | 20 | .04 |
| 18 | 1.5 | 11 | .04 | .48 | 4 | .01 | .21 | 8 | .01 |
| 19 | 1.4 | 8 | .03 | .42 | 4 | 0 | .18 | 6 | 0 |
| 20 | 1.3 | 6 | .02 | .38 | 4 | 0 | .18 | 6 | 0 |
| 21 | 1.2 | 6 | .02 | .34 | 4 | 0 | .16 | 6 | 0 |
| 22 | 1.1 | 7 | .02 | .50 | 23 | .06 | .15 | 5 | 0 |
| 23 | 1.2 | 6 | .02 | .82 | 12 | .03 | 1.2 | 41 | .17 |
| 24 | .98 | 5 | .01 | .45 | 5 | .01 | .45 | 8 | .01 |
| 25 | .85 | 4 | .01 | .38 | 4 | 0 | .35 | 7 | .01 |
| 26 | .70 | 4 | .01 | .34 | 4 | 0 | .31 | 5 | 0 |
| 27 | .70 | 4 | .01 | .32 | 5 | 0 | .23 | 5 | 0 |
| 28 | .63 | 4 | .01 | .33 | 4 | 0 | 1.2 | 53 | .53 |
| 29 | .63 | 4 | .01 | .31 | 4 | 0 | 1.0 | 12 | .03 |
| 30 | .56 | 3 | 0 | .31 | 3 | 0 | .45 | 6 | .01 |
| 31 | -- | -- | -- | .43 | 16 | .04 | -- | -- | -- |
| TOTAL | 73.85 | -- | 7.08 | 21.31 | -- | 2.49 | 11.27 | -- | 1.26 |

SUSQUEHANNA RIVER BASIN

01570100 CONODOGUINET CREEK TRIBUTARY NO. 1 NEAR ENOLA, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JULY | | | AUGUST | | | SEPTEMBER | | |
|--|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | .44 | 13 | .02 | .08 | 4 | 0 | .14 | 44 | .03 |
| 2 | .27 | 5 | 0 | .24 | 57 | .13 | .10 | 10 | 0 |
| 3 | .25 | 4 | 0 | .16 | 30 | .02 | .56 | 98 | .34 |
| 4 | .22 | 4 | 0 | .13 | 8 | 0 | .13 | 20 | .01 |
| 5 | .25 | 5 | 0 | .10 | 4 | 0 | .11 | 6 | 0 |
| 6 | .19 | 6 | 0 | .10 | 5 | 0 | .10 | 6 | 0 |
| 7 | .16 | 6 | 0 | .09 | 6 | 0 | .35 | 30 | .04 |
| 8 | .14 | 6 | 0 | .09 | 5 | 0 | .13 | 6 | 0 |
| 9 | .13 | 6 | 0 | .11 | 8 | 0 | .12 | 4 | 0 |
| 10 | .14 | 7 | 0 | .10 | 5 | 0 | .11 | 4 | 0 |
| 11 | .14 | 6 | 0 | .08 | 5 | 0 | .11 | 4 | 0 |
| 12 | .12 | 5 | 0 | .08 | 6 | 0 | .18 | 29 | .03 |
| 13 | .11 | 4 | 0 | .08 | 7 | 0 | .43 | 132 | .57 |
| 14 | .11 | 4 | 0 | .07 | 8 | 0 | .50 | 28 | .05 |
| 15 | .10 | 4 | 0 | .07 | 6 | 0 | .24 | 10 | .01 |
| 16 | .10 | 4 | 0 | .08 | 12 | .01 | .16 | 8 | 0 |
| 17 | .10 | 4 | 0 | .13 | 43 | .04 | .13 | 8 | 0 |
| 18 | .10 | 4 | 0 | .08 | 9 | 0 | .13 | 8 | 0 |
| 19 | .10 | 5 | 0 | .07 | 6 | 0 | .12 | 8 | 0 |
| 20 | .10 | 4 | 0 | .07 | 5 | 0 | .12 | 8 | 0 |
| 21 | .09 | 4 | 0 | .06 | 5 | 0 | .13 | 12 | 0 |
| 22 | .09 | 3 | 0 | .07 | 6 | 0 | .12 | 6 | 0 |
| 23 | .10 | 3 | 0 | .07 | 6 | 0 | .11 | 6 | 0 |
| 24 | .12 | 5 | 0 | .06 | 6 | 0 | .11 | 6 | 0 |
| 25 | .10 | 4 | 0 | .06 | 6 | 0 | .11 | 6 | 0 |
| 26 | .11 | 4 | 0 | .06 | 8 | 0 | .11 | 5 | 0 |
| 27 | .10 | 3 | 0 | .06 | 8 | 0 | .10 | 5 | 0 |
| 28 | .10 | 10 | 0 | .06 | 8 | 0 | .18 | 10 | .01 |
| 29 | .21 | 37 | .05 | .08 | 35 | .01 | .13 | 6 | 0 |
| 30 | .16 | 7 | 0 | .10 | 12 | .01 | .12 | 4 | 0 |
| 31 | .10 | 6 | 0 | .09 | 2 | 0 | -- | -- | -- |
| TOTAL | 4.55 | -- | .07 | 2.78 | -- | .22 | 5.19 | -- | 1.09 |
| TOTAL DISCHARGE FOR YEAR (CFS-DAYS) | | | | | | | | | 351.56 |
| TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS) | | | | | | | | | 44.77 |

INSTANTANEOUS SUSPENDED SEDIMENT AND PARTICLE SIZE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PEN- DED SEDI- MENT (MG/L) | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. |
|-------|------|---|--|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| | | | | % FINER THAN .002 MM | % FINER THAN .004 MM | % FINER THAN .008 MM | % FINER THAN .016 MM | % FINER THAN .031 MM | % FINER THAN .062 MM |
| FEB. | | | | | | | | | |
| 22... | 1305 | 5.7 | 420 | 26 | 38 | 53 | 63 | 88 | 96 |
| MAR. | | | | | | | | | |
| 21... | 1125 | 10 | 536 | 23 | 37 | 52 | 69 | 87 | 94 |
| 30... | 1546 | 20 | 324 | 22 | 32 | 47 | 63 | 77 | 83 |
| APR. | | | | | | | | | |
| 14... | 2240 | 8.6 | 646 | 33 | 48 | 55 | 76 | 86 | 98 |
| MAY | | | | | | | | | |
| 12... | 1538 | 17 | 1372 | 29 | 46 | 63 | 80 | 91 | 97 |
| JULY | | | | | | | | | |
| 29... | 2157 | .98 | 487 | 53 | 76 | 92 | 96 | 98 | 100 |

SUSQUEHANNA RIVER BASIN

427

01570200 CONODOGUINET CREEK TRIBUTARY NO. 2 NEAR ENOLA, PA.

LOCATION.--Lat 40°17'21", long 76°58'35", Cumberland County, at gaging station on right bank 100 ft (30 m) upstream from bridge on Valley Street, 1.7 mi (2.7 km) upstream from mouth, and 2.4 mi (3.9 km) west of Enola.

DRAINAGE AREA.--0.76 mi² (1.97 km²).

PERIOD OF RECORD.--Chemical analyses: October 1969 to September 1972 (partial-record station), October 1972 to September 1974.

Sediment records: October 1972 to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum, 1,460 mg/l Apr. 14; minimum, 2 mg/l on several days during October and November.

Sediment discharges: Maximum, 42 tons (38 t) Apr. 14; minimum, 0 tons (0 t) on many days each year.

Period of record:

Sediment concentrations: Maximum, 1,460 mg/l Apr. 14, 1974; minimum, 1 mg/l on several days during October and November 1972.

Sediment discharges: Maximum, 52 tons (47 t) Sept. 14, 1973; minimum, 0 tons (0 t) on many days each year.

REMARKS.--Chemical analyses for this station on page 306. Unpublished sediment records from April 1969 to September 1972 available at the district office in Harrisburg.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | .25 | 5 | 0 | .57 | 240 | .37 | .21 | 4 | 0 |
| 2 | .72 | 62 | .16 | .33 | 15 | .01 | .21 | 4 | 0 |
| 3 | .57 | 10 | .02 | .42 | 8 | .01 | .21 | 4 | 0 |
| 4 | .47 | 6 | .01 | .33 | 5 | 0 | .21 | 4 | 0 |
| 5 | .42 | 5 | .01 | .33 | 5 | 0 | 1.5 | 320 | 2.4 |
| 6 | .33 | 5 | 0 | .33 | 5 | 0 | 1.4 | 134 | .53 |
| 7 | .33 | 5 | 0 | .25 | 5 | 0 | .75 | 12 | .02 |
| 8 | .29 | 5 | 0 | .25 | 15 | .01 | .57 | 8 | .01 |
| 9 | .29 | 5 | 0 | .25 | 10 | .01 | 7.9 | 520 | 17 |
| 10 | .25 | 5 | 0 | .24 | 4 | 0 | 2.1 | 70 | .41 |
| 11 | .21 | 4 | 0 | .21 | 4 | 0 | 1.3 | 20 | .07 |
| 12 | .21 | 4 | 0 | .21 | 4 | 0 | .92 | 10 | .02 |
| 13 | .21 | 3 | 0 | .21 | 4 | 0 | 1.0 | 10 | .03 |
| 14 | .21 | 3 | 0 | .21 | 6 | 0 | 1.5 | 16 | .07 |
| 15 | .18 | 3 | 0 | .18 | 10 | .01 | 1.0 | 17 | .05 |
| 16 | .18 | 3 | 0 | .18 | 6 | 0 | .85 | 17 | .04 |
| 17 | .18 | 3 | 0 | .18 | 4 | 0 | .85 | 18 | .04 |
| 18 | .18 | 3 | 0 | .18 | 2 | 0 | .66 | 15 | .03 |
| 19 | .18 | 2 | 0 | .18 | 2 | 0 | .60 | 12 | .02 |
| 20 | .15 | 2 | 0 | .15 | 2 | 0 | 3.8 | 100 | 2.8 |
| 21 | .15 | 2 | 0 | .15 | 2 | 0 | 13 | 139 | 6.2 |
| 22 | .15 | 2 | 0 | .15 | 2 | 0 | 3.5 | 35 | .38 |
| 23 | .15 | 2 | 0 | .15 | 2 | 0 | 2.1 | 20 | .12 |
| 24 | .15 | 2 | 0 | .16 | 21 | .01 | 1.6 | 12 | .05 |
| 25 | .15 | 2 | 0 | .21 | 3 | 0 | 1.3 | 9 | .03 |
| 26 | .15 | 3 | 0 | .18 | 3 | 0 | 8.1 | 119 | 4.5 |
| 27 | .15 | 3 | 0 | .18 | 3 | 0 | 7.8 | 31 | .65 |
| 28 | .12 | 3 | 0 | .38 | 106 | .17 | 3.5 | 9 | .08 |
| 29 | 3.2 | 791 | 22 | .37 | 7 | .01 | 2.3 | 8 | .05 |
| 30 | 1.1 | 18 | .05 | .25 | 6 | 0 | 1.9 | 8 | .04 |
| 31 | .62 | 12 | .02 | -- | -- | -- | 1.9 | 8 | .05 |
| TOTAL | 11.90 | -- | 22.27 | 7.37 | -- | .61 | 74.54 | -- | 35.69 |

SUSQUEHANNA RIVER BASIN

01570200 CONODOGUINET CREEK TRIBUTARY NO. 2 NEAR ENOLA, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 1.9 | 8 | .04 | .92 | 5 | .01 | 1.0 | 10 | .03 |
| 2 | 1.4 | 167 | 1.2 | .85 | 5 | .01 | .85 | 13 | .03 |
| 3 | 1.8 | 14 | .05 | .92 | 5 | .01 | .85 | 12 | .03 |
| 4 | 2.7 | 45 | .33 | 1.0 | 11 | .03 | .85 | 12 | .03 |
| 5 | 1.5 | 10 | .04 | .92 | 23 | .06 | .72 | 8 | .02 |
| 6 | 1.3 | 9 | .03 | 1.0 | 20 | .05 | .66 | 8 | .01 |
| 7 | 1.2 | 8 | .03 | 1.3 | 15 | .05 | .66 | 8 | .01 |
| 8 | 1.0 | 8 | .02 | .60 | 12 | .02 | .70 | 8 | .02 |
| 9 | 1.1 | 8 | .02 | .60 | 12 | .02 | 1.2 | 53 | .31 |
| 10 | 1.1 | 8 | .02 | .55 | 12 | .02 | 2.0 | 38 | .23 |
| 11 | 1.4 | 10 | .05 | .55 | 12 | .02 | 1.5 | 11 | .04 |
| 12 | 1.5 | 10 | .04 | .60 | 12 | .02 | .92 | 8 | .02 |
| 13 | 1.0 | 8 | .02 | .66 | 12 | .02 | .78 | 5 | .01 |
| 14 | .92 | 8 | .02 | .55 | 11 | .02 | .72 | 3 | .01 |
| 15 | .85 | 8 | .02 | .50 | 11 | .01 | .60 | 3 | 0 |
| 16 | 1.0 | 18 | .07 | .50 | 11 | .01 | 1.7 | 47 | .36 |
| 17 | 2.5 | 29 | .20 | .50 | 11 | .01 | 1.4 | 10 | .04 |
| 18 | 1.3 | 16 | .06 | .45 | 11 | .01 | .92 | 6 | .01 |
| 19 | 1.3 | 12 | .04 | .40 | 20 | .02 | .85 | 6 | .01 |
| 20 | 1.3 | 12 | .04 | .72 | 16 | .03 | .78 | 6 | .01 |
| 21 | 9.6 | 144 | 7.0 | .55 | 12 | .02 | 4.3 | 211 | 5.1 |
| 22 | 4.1 | 12 | .13 | 3.9 | 720 | 15 | 2.0 | 12 | .06 |
| 23 | 2.6 | 12 | .08 | 2.0 | 21 | .11 | 1.3 | 10 | .04 |
| 24 | 2.0 | 12 | .06 | 1.2 | 11 | .04 | 1.1 | 5 | .01 |
| 25 | 1.6 | 12 | .05 | 1.1 | 9 | .03 | .92 | 3 | .01 |
| 26 | 1.5 | 28 | .14 | 1.1 | 9 | .03 | .85 | 3 | .01 |
| 27 | 2.0 | 16 | .09 | 1.2 | 9 | .03 | .85 | 3 | .01 |
| 28 | 1.6 | 21 | .11 | 1.3 | 10 | .04 | .72 | 3 | .01 |
| 29 | 1.5 | 7 | .03 | -- | -- | -- | .72 | 3 | .01 |
| 30 | 1.3 | 5 | .02 | -- | -- | -- | 16 | 308 | 28 |
| 31 | 1.1 | 5 | .01 | -- | -- | -- | 10 | 58 | 2.0 |
| TOTAL | 56.97 | -- | 10.06 | 26.44 | -- | 15.75 | 58.42 | -- | 36.49 |
| DAY | APRIL | | | MAY | | | JUNE | | |
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 3.3 | 45 | .40 | .55 | 11 | .02 | .62 | 52 | .13 |
| 2 | 3.1 | 25 | .25 | .50 | 8 | .01 | .45 | 11 | .01 |
| 3 | 2.2 | 145 | .87 | .67 | 15 | .04 | .32 | 11 | .01 |
| 4 | 10 | 194 | 6.3 | .60 | 8 | .01 | .32 | 11 | .01 |
| 5 | 3.7 | 28 | .30 | .55 | 5 | .01 | .32 | 11 | .01 |
| 6 | 2.3 | 14 | .09 | .45 | 8 | .02 | .26 | 11 | .01 |
| 7 | 1.8 | 10 | .05 | .45 | 5 | .01 | .23 | 11 | .01 |
| 8 | 1.7 | 27 | .16 | .45 | 5 | .01 | .26 | 15 | .01 |
| 9 | 5.7 | 75 | 1.3 | .62 | 37 | .08 | .26 | 30 | .02 |
| 10 | 2.3 | 15 | .09 | .60 | 6 | .01 | .26 | 33 | .02 |
| 11 | 1.6 | 10 | .04 | .45 | 6 | .01 | .26 | 20 | .01 |
| 12 | 1.4 | 8 | .03 | 3.4 | 461 | 16 | .20 | 20 | .01 |
| 13 | 2.0 | 18 | .11 | 1.0 | 46 | .15 | .20 | 19 | .01 |
| 14 | 3.0 | 1460 | 42 | .85 | 25 | .06 | .20 | 19 | .01 |
| 15 | 3.9 | 121 | 1.6 | .66 | 18 | .03 | .26 | 19 | .01 |
| 16 | 1.8 | 42 | .20 | .50 | 18 | .02 | 1.7 | 608 | 8.0 |
| 17 | 1.4 | 30 | .11 | .50 | 18 | .02 | .80 | 273 | .64 |
| 18 | 1.2 | 150 | .49 | .50 | 13 | .02 | .40 | 46 | .05 |
| 19 | 1.1 | 30 | .09 | .45 | 13 | .02 | .32 | 36 | .03 |
| 20 | 1.0 | 15 | .04 | .40 | 13 | .01 | .32 | 26 | .02 |
| 21 | .85 | 9 | .02 | .40 | 13 | .01 | .32 | 100 | .09 |
| 22 | .85 | 8 | .02 | .50 | 206 | .54 | .32 | 40 | .03 |
| 23 | .85 | 8 | .02 | .60 | 35 | .06 | 1.8 | 501 | 4.5 |
| 24 | .78 | 8 | .02 | .45 | 20 | .02 | .72 | 46 | .09 |
| 25 | .72 | 9 | .02 | .36 | 15 | .01 | .57 | 35 | .05 |
| 26 | .66 | 10 | .02 | .32 | 14 | .01 | .55 | 20 | .03 |
| 27 | .60 | 10 | .02 | .32 | 18 | .02 | .45 | 30 | .04 |
| 28 | .66 | 10 | .02 | .32 | 14 | .01 | 1.4 | 267 | 3.6 |
| 29 | .60 | 11 | .02 | .36 | 14 | .02 | 1.2 | 17 | .06 |
| 30 | .55 | 11 | .02 | .32 | 14 | .01 | .66 | 12 | .02 |
| 31 | -- | -- | -- | .38 | 42 | .07 | -- | -- | -- |
| TOTAL | 61.62 | -- | 54.72 | 18.48 | -- | 17.34 | 15.95 | -- | 17.54 |

01570200 CONODOGUINET CREEK TRIBUTARY NO. 2 NEAR ENOLA, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JULY | | | AUGUST | | | SEPTEMBER | | |
|--|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | .60 | 7 | .01 | .17 | 35 | .02 | .73 | 1180 | 7.7 |
| 2 | .45 | 7 | .01 | 1.1 | 584 | 13 | .32 | 45 | .04 |
| 3 | .36 | 7 | .01 | .67 | 320 | 1.5 | 2.8 | 701 | 24 |
| 4 | .32 | 7 | .01 | .26 | 40 | .03 | .55 | 20 | .03 |
| 5 | .32 | 7 | .01 | .29 | 18 | .01 | .29 | 20 | .02 |
| 6 | .29 | 7 | .01 | .23 | 18 | .01 | .33 | 56 | .11 |
| 7 | .26 | 7 | .01 | .20 | 18 | .01 | 1.2 | 171 | 1.2 |
| 8 | .23 | 7 | 0 | .20 | 18 | .01 | .45 | 20 | .02 |
| 9 | .23 | 7 | 0 | .20 | 18 | .01 | .36 | 16 | .02 |
| 10 | .23 | 7 | .01 | .20 | 18 | .01 | .32 | 13 | .01 |
| 11 | .23 | 7 | 0 | .17 | 18 | .01 | .26 | 12 | .01 |
| 12 | .17 | 6 | 0 | .15 | 18 | .01 | .63 | 738 | 5.3 |
| 13 | .17 | 5 | 0 | .14 | 18 | .01 | 1.8 | 530 | 24 |
| 14 | .20 | 4 | 0 | .14 | 18 | .01 | 1.2 | 45 | .14 |
| 15 | .17 | 4 | 0 | .12 | 18 | .01 | .60 | 14 | .02 |
| 16 | .16 | 5 | 0 | .29 | 650 | 5.0 | .40 | 12 | .01 |
| 17 | .16 | 5 | 0 | .68 | 703 | 12 | .32 | 10 | .01 |
| 18 | .14 | 5 | 0 | .29 | 25 | .02 | .27 | 8 | .01 |
| 19 | .17 | 6 | 0 | .20 | 40 | .02 | .26 | 7 | 0 |
| 20 | .14 | 5 | 0 | .16 | 40 | .01 | .24 | 7 | 0 |
| 21 | .11 | 5 | 0 | .14 | 20 | .01 | .29 | 166 | .25 |
| 22 | .11 | 4 | 0 | .11 | 22 | .01 | .24 | 30 | .02 |
| 23 | .20 | 8 | 0 | .14 | 20 | .01 | .20 | 15 | .01 |
| 24 | .20 | 7 | .01 | .14 | 18 | .01 | .19 | 12 | .01 |
| 25 | .14 | 6 | 0 | .11 | 17 | .01 | .17 | 12 | .01 |
| 26 | .16 | 5 | 0 | .10 | 17 | 0 | .17 | 12 | .01 |
| 27 | .17 | 6 | 0 | .11 | 8 | 0 | .17 | 12 | .01 |
| 28 | .14 | 25 | .02 | .11 | 6 | 0 | .41 | 950 | 3.4 |
| 29 | .52 | 637 | 5.0 | .20 | 622 | 1.2 | .29 | 40 | .03 |
| 30 | .41 | 103 | .12 | .32 | 172 | .16 | .23 | 40 | .02 |
| 31 | .23 | 44 | .03 | .23 | 32 | .02 | -- | -- | -- |
| TOTAL | 7.39 | -- | 5.26 | 7.57 | -- | 33.14 | 15.69 | -- | 66.42 |
| TOTAL DISCHARGE FOR YEAR (CFS-DAYS) | | | | | | | | | 362.34 |
| TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS) | | | | | | | | | 315.29 |

INSTANTANEOUS SUSPENDED SEDIMENT AND PARTICLE SIZE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDED SEDI- MENT (MG/L) | SUS. SED. FALL DIAM. % FINER THAN .002 MM | SUS. SED. FALL DIAM. % FINER THAN .004 MM | SUS. SED. FALL DIAM. % FINER THAN .008 MM | SUS. SED. FALL DIAM. % FINER THAN .016 MM | SUS. SED. FALL DIAM. % FINER THAN .031 MM | SUS. SED. FALL DIAM. % FINER THAN .062 MM |
|-------|------|---|---|---|---|---|---|---|---|
| OCT. | | | | | | | | | |
| 29... | 1642 | 22 | 6010 | 51 | 68 | 82 | 94 | 97 | 100 |
| FEB. | | | | | | | | | |
| 22... | 1250 | 6.6 | 1080 | 62 | 77 | 86 | 93 | 97 | 100 |
| MAR. | | | | | | | | | |
| 21... | 1120 | 15 | 2110 | 36 | 49 | 64 | 78 | 90 | 98 |
| 30... | 1616 | 22 | 776 | 23 | 32 | 43 | 55 | 70 | 83 |
| APR. | | | | | | | | | |
| 03... | 1214 | 2.4 | 1833 | 50 | 69 | 86 | 98 | 99 | 100 |
| 14... | 2234 | 16 | 18800 | 34 | 45 | 58 | 74 | 89 | 98 |
| MAY | | | | | | | | | |
| 12... | 1548 | 20 | 16400 | 44 | 58 | 80 | 89 | 95 | 99 |
| JUNE | | | | | | | | | |
| 16... | 0544 | 8.5 | 3740 | 64 | 78 | 89 | 96 | 99 | 100 |
| 23... | 0800 | 5.2 | 4290 | 55 | 71 | 83 | 86 | 99 | 100 |
| 23... | 0845 | 4.8 | 2860 | 71 | 81 | 92 | 97 | 99 | 100 |
| JULY | | | | | | | | | |
| 29... | 2200 | 3.9 | 12800 | 52 | 64 | 81 | 94 | 99 | 100 |
| 29... | 2219 | 5.2 | 8510 | 60 | 76 | 89 | 97 | 99 | 100 |
| 29... | 2319 | 2.0 | 2220 | 78 | 90 | 96 | 98 | 99 | 100 |
| AUG. | | | | | | | | | |
| 02... | 1928 | 4.3 | 3060 | 64 | 80 | 90 | 96 | 99 | 100 |
| 03... | 2102 | 3.9 | 4160 | 65 | 83 | 92 | 97 | 98 | 100 |
| 17... | 1643 | 17 | 11100 | 50 | 60 | 76 | 91 | 98 | 100 |
| 17... | 1711 | 3.1 | 5370 | 63 | 78 | 92 | 97 | 98 | 100 |
| SEP. | | | | | | | | | |
| 01... | 2007 | 5.2 | 12400 | 47 | 61 | 79 | 93 | 98 | 100 |
| 01... | 2040 | 1.5 | 7840 | 65 | 81 | 94 | 99 | 99 | 100 |
| 01... | 2241 | 14 | 12200 | 44 | 57 | 72 | 84 | 90 | 99 |
| 01... | 2245 | 11 | 8520 | 51 | 66 | 81 | 93 | 98 | 100 |
| 01... | 2314 | 3.5 | 3810 | 67 | 82 | 92 | 97 | 99 | 100 |
| 03... | 1705 | 34 | 14700 | 37 | 49 | 64 | 82 | 94 | 99 |
| 14... | 2400 | 36 | 18700 | 41 | 55 | 70 | 86 | 96 | 99 |

SUSQUEHANNA RIVER BASIN

01570230 CONODOGUINET CREEK TRIBUTARY NO. 2A NEAR ENOLA, PA.

LOCATION.--Lat 40°17'44", long 76°57'55", Cumberland County, at gaging station on left bank 120 ft (37 m) downstream from bridge on Valley Street, 2.6 mi (4.2 km) upstream from mouth, and 1.6 mi (2.6 km) west of Enola.

DRAINAGE AREA.--0.70 mi² (1.81 km²).

PERIOD OF RECORD.--Chemical analyses: October 1969 to September 1972 (partial-record station), October 1972 to September 1974.

Sediment records: October 1972 to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum, 1,410 mg/l Sept. 1; minimum, 1 mg/l Mar. 15.

Sediment discharges: Maximum, 22 tons (20 t) Mar. 30; minimum, 0 tons (0 t) on many days.

Period of record:

Sediment concentrations: Maximum, 1,410 mg/l Sept. 1, 1974; minimum, 1 mg/l on several days during October and November 1972.

Sediment discharges: Maximum, 55 tons (50 t) Sept. 14, 1973; minimum, 0 tons (0 t) on many days.

REMARKS.--Chemical analyses for this station on page 308. Unpublished sediment records from April 1969 to September 1972 available at the district office in Harrisburg.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | .11 | 12 | 0 | .27 | 40 | .03 | .13 | 8 | 0 |
| 2 | .60 | 105 | .26 | .19 | 12 | .01 | .11 | 6 | 0 |
| 3 | .33 | 14 | .01 | .15 | 10 | .01 | .11 | 5 | 0 |
| 4 | .20 | 14 | .01 | .13 | 6 | 0 | .11 | 6 | 0 |
| 5 | .17 | 13 | .01 | .15 | 6 | 0 | 1.3 | 234 | 1.7 |
| 6 | .17 | 12 | .01 | .16 | 6 | 0 | .84 | 59 | .20 |
| 7 | .15 | 12 | .01 | .15 | 6 | 0 | .39 | 15 | .02 |
| 8 | .17 | 35 | .01 | .19 | 60 | .03 | .30 | 10 | .01 |
| 9 | .14 | 14 | .01 | .13 | 18 | .01 | 6.4 | 302 | 9.8 |
| 10 | .13 | 10 | 0 | .11 | 20 | .01 | 1.9 | 22 | .14 |
| 11 | .11 | 7 | 0 | .10 | 5 | 0 | .90 | 15 | .04 |
| 12 | .11 | 6 | 0 | .10 | 5 | 0 | .67 | 12 | .02 |
| 13 | .11 | 5 | 0 | .10 | 15 | 0 | .68 | 14 | .03 |
| 14 | .10 | 5 | 0 | .15 | 15 | .01 | 1.1 | 23 | .07 |
| 15 | .10 | 15 | 0 | .13 | 6 | 0 | .70 | 10 | .02 |
| 16 | .07 | 22 | 0 | .11 | 6 | 0 | .52 | 8 | .01 |
| 17 | .11 | 15 | .01 | .10 | 12 | 0 | .70 | 12 | .02 |
| 18 | .10 | 10 | 0 | .10 | 5 | 0 | .56 | 7 | .01 |
| 19 | .10 | 8 | 0 | .10 | 4 | 0 | .42 | 6 | .01 |
| 20 | .11 | 6 | 0 | .11 | 4 | 0 | 3.5 | 73 | 2.1 |
| 21 | .10 | 5 | 0 | .10 | 4 | 0 | 12 | 140 | 6.2 |
| 22 | .09 | 5 | 0 | .10 | 4 | 0 | 4.9 | 25 | .33 |
| 23 | .08 | 6 | 0 | .10 | 4 | 0 | 2.5 | 12 | .08 |
| 24 | .07 | 6 | 0 | .15 | 31 | .02 | 1.6 | 9 | .04 |
| 25 | .06 | 4 | 0 | .13 | 15 | .01 | 1.3 | 6 | .02 |
| 26 | .06 | 4 | 0 | .11 | 6 | 0 | 6.3 | 64 | 1.8 |
| 27 | .05 | 4 | 0 | .13 | 6 | 0 | 7.0 | 21 | .41 |
| 28 | .05 | 4 | 0 | .26 | 61 | .05 | 4.3 | 12 | .13 |
| 29 | 1.8 | 1060 | 18 | .21 | 12 | .01 | 2.3 | 11 | .07 |
| 30 | .62 | 30 | .05 | .15 | 10 | .01 | 1.7 | 10 | .05 |
| 31 | .86 | 99 | .37 | -- | -- | -- | 1.7 | 20 | .10 |
| TOTAL | 7.03 | -- | 18.76 | 4.17 | -- | .21 | 66.94 | -- | 23.43 |

01570230 CONODOGUINET CREEK TRIBUTARY NO. 2A NEAR ENOLA, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 1.7 | 12 | .06 | .96 | 4 | .01 | .68 | 10 | .02 |
| 2 | 1.1 | 10 | .03 | .90 | 4 | .01 | .74 | 13 | .03 |
| 3 | 1.5 | 12 | .06 | .80 | 4 | .01 | .72 | 5 | .01 |
| 4 | 1.3 | 10 | .03 | .67 | 4 | .01 | .62 | 4 | .01 |
| 5 | 1.1 | 7 | .02 | .58 | 4 | .01 | .56 | 3 | 0 |
| 6 | 1.0 | 5 | .01 | .52 | 4 | 0 | .50 | 2 | 0 |
| 7 | .93 | 10 | .03 | .58 | 3 | 0 | .50 | 2 | 0 |
| 8 | .72 | 7 | .01 | .54 | 3 | 0 | .47 | 3 | 0 |
| 9 | .77 | 6 | .01 | .50 | 3 | 0 | 1.0 | 55 | .33 |
| 10 | .67 | 5 | .01 | .50 | 3 | 0 | 1.4 | 13 | .06 |
| 11 | 1.3 | 6 | .02 | .46 | 3 | 0 | .83 | 7 | .02 |
| 12 | 1.2 | 6 | .02 | .48 | 3 | 0 | .72 | 5 | .01 |
| 13 | .72 | 5 | .01 | .50 | 4 | .01 | .62 | 4 | .01 |
| 14 | .62 | 5 | .01 | .46 | 4 | 0 | .56 | 2 | 0 |
| 15 | .60 | 4 | .01 | .42 | 4 | 0 | .48 | 1 | 0 |
| 16 | .95 | 6 | .02 | .40 | 3 | 0 | 1.7 | 38 | .35 |
| 17 | 1.8 | 10 | .05 | .40 | 3 | 0 | 1.3 | 8 | .03 |
| 18 | 1.0 | 7 | .02 | .38 | 3 | 0 | .85 | 6 | .01 |
| 19 | 1.0 | 9 | .03 | .58 | 7 | .01 | .80 | 5 | .01 |
| 20 | 1.0 | 6 | .02 | .65 | 6 | .01 | .65 | 4 | .01 |
| 21 | 7.6 | 105 | 3.8 | .42 | 4 | 0 | 4.3 | 117 | 2.6 |
| 22 | 5.0 | 12 | .16 | 3.8 | 208 | 4.4 | 1.9 | 10 | .06 |
| 23 | 3.0 | 8 | .06 | 1.7 | 19 | .10 | 1.3 | 7 | .02 |
| 24 | 2.0 | 6 | .04 | 1.0 | 6 | .02 | 1.2 | 6 | .02 |
| 25 | 1.7 | 6 | .03 | .92 | 5 | .01 | .89 | 5 | .01 |
| 26 | 1.6 | 13 | .07 | .70 | 4 | .01 | .83 | 5 | .01 |
| 27 | 1.9 | 11 | .06 | .65 | 4 | .01 | .72 | 5 | .01 |
| 28 | 1.6 | 14 | .08 | .62 | 3 | .01 | .65 | 4 | .01 |
| 29 | 1.4 | 8 | .03 | -- | -- | -- | .62 | 5 | .01 |
| 30 | 1.2 | 4 | .01 | -- | -- | -- | 9.7 | 379 | 22 |
| 31 | 1.0 | 4 | .01 | -- | -- | -- | 12 | 72 | 3.2 |
| TOTAL | 48.98 | -- | 4.83 | 21.09 | -- | 4.64 | 49.81 | -- | 28.86 |
| DAY | APRIL | | | MAY | | | JUNE | | |
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 5.3 | 12 | .17 | .50 | 5 | .01 | .72 | 40 | .11 |
| 2 | 3.8 | 11 | .11 | .48 | 6 | .01 | .39 | 7 | .01 |
| 3 | 2.6 | 10 | .07 | .67 | 6 | .01 | .36 | 4 | 0 |
| 4 | 9.6 | 102 | 3.1 | .50 | 5 | .01 | .33 | 4 | 0 |
| 5 | 6.2 | 20 | .42 | .46 | 5 | .01 | .30 | 3 | 0 |
| 6 | 3.5 | 11 | .10 | .46 | 5 | .01 | .30 | 326 | .24 |
| 7 | 2.2 | 6 | .04 | .46 | 4 | 0 | .28 | 700 | .51 |
| 8 | 2.2 | 14 | .10 | .44 | 4 | 0 | .27 | 30 | .02 |
| 9 | 6.7 | 46 | .92 | .91 | 33 | .12 | .25 | 18 | .01 |
| 10 | 2.7 | 9 | .07 | .56 | 5 | .01 | .23 | 15 | .01 |
| 11 | 2.0 | 7 | .04 | .50 | 4 | .01 | .26 | 45 | .04 |
| 12 | 1.8 | 5 | .02 | 4.3 | 370 | 16 | .23 | 12 | .01 |
| 13 | 2.6 | 28 | .25 | 2.9 | 37 | .28 | .20 | 9 | 0 |
| 14 | 3.2 | 179 | 5.4 | 1.1 | 6 | .02 | .19 | 8 | 0 |
| 15 | 4.2 | 61 | .92 | .77 | 6 | .01 | .19 | 8 | 0 |
| 16 | 2.0 | 11 | .06 | .62 | 7 | .01 | 1.2 | 300 | 5.6 |
| 17 | 1.6 | 7 | .03 | .54 | 8 | .01 | .85 | 137 | .75 |
| 18 | 1.3 | 6 | .02 | .50 | 6 | .01 | .30 | 28 | .02 |
| 19 | 1.3 | 5 | .02 | .42 | 5 | .01 | .23 | 13 | .01 |
| 20 | 1.1 | 5 | .01 | .39 | 5 | .01 | .23 | 12 | .01 |
| 21 | 1.0 | 5 | .01 | .36 | 4 | 0 | .20 | 10 | .01 |
| 22 | .96 | 7 | .02 | .46 | 19 | .03 | .18 | 8 | 0 |
| 23 | .98 | 7 | .01 | .60 | 12 | .02 | 1.4 | 271 | 2.0 |
| 24 | .80 | 6 | .01 | .48 | 9 | .01 | .50 | 35 | .05 |
| 25 | .72 | 5 | .01 | .46 | 6 | .01 | .30 | 27 | .02 |
| 26 | .65 | 5 | .01 | .42 | 3 | 0 | .25 | 18 | .01 |
| 27 | .58 | 5 | .01 | .39 | 5 | 0 | .17 | 12 | .01 |
| 28 | .54 | 5 | .01 | .36 | 3 | 0 | 1.0 | 112 | 1.3 |
| 29 | .50 | 5 | .01 | .39 | 5 | 0 | .79 | 32 | .08 |
| 30 | .50 | 5 | .01 | .36 | 4 | 0 | .33 | 12 | .01 |
| 31 | -- | -- | -- | .43 | 15 | .03 | -- | -- | -- |
| TOTAL | 73.13 | -- | 11.98 | 22.19 | -- | 16.66 | 12.43 | -- | 10.84 |

SUSQUEHANNA RIVER BASIN

01570230 CONODOGUINET CREEK TRIBUTARY NO. 2A NEAR ENOLA, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JULY | | | AUGUST | | | SEPTEMBER | | |
|--|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | .34 | 16 | .02 | .10 | 32 | .01 | .84 | 1410 | 17 |
| 2 | .21 | 15 | .01 | .80 | 465 | 6.2 | .19 | 96 | .07 |
| 3 | .17 | 15 | .01 | .40 | 278 | .87 | 2.2 | 939 | 19 |
| 4 | .14 | 15 | .01 | .23 | 106 | .07 | .31 | 40 | .03 |
| 5 | .15 | 15 | .01 | .15 | 40 | .02 | .17 | 25 | .01 |
| 6 | .13 | 12 | 0 | .13 | 34 | .01 | .18 | 23 | .01 |
| 7 | .12 | 10 | 0 | .11 | 26 | .01 | 1.1 | 118 | .87 |
| 8 | .11 | 8 | 0 | .11 | 22 | .01 | .25 | 28 | .02 |
| 9 | .11 | 5 | 0 | .13 | 26 | .01 | .19 | 25 | .01 |
| 10 | .13 | 5 | 0 | .11 | 22 | .01 | .17 | 22 | .01 |
| 11 | .12 | 7 | 0 | .10 | 20 | .01 | .16 | 22 | .01 |
| 12 | .10 | 7 | 0 | .18 | 48 | .04 | .69 | 508 | 5.6 |
| 13 | .10 | 7 | 0 | .20 | 291 | .31 | 1.1 | 411 | 9.0 |
| 14 | .10 | 7 | 0 | .08 | 43 | .01 | .69 | 68 | .16 |
| 15 | .08 | 8 | 0 | .10 | 78 | .02 | .25 | 20 | .01 |
| 16 | .09 | 7 | 0 | .28 | 1010 | 2.2 | .19 | 17 | .01 |
| 17 | .08 | 6 | 0 | .25 | 1240 | 2.0 | .17 | 15 | .01 |
| 18 | .08 | 6 | 0 | .13 | 141 | .05 | .16 | 14 | .01 |
| 19 | .09 | 4 | 0 | .11 | 50 | .01 | .14 | 13 | 0 |
| 20 | .07 | 4 | 0 | .09 | 43 | .01 | .15 | 10 | 0 |
| 21 | .08 | 5 | 0 | .10 | 35 | .01 | .22 | 157 | .12 |
| 22 | .07 | 5 | 0 | .11 | 28 | .01 | .17 | 22 | .01 |
| 23 | .08 | 5 | 0 | .11 | 26 | .01 | .16 | 14 | .01 |
| 24 | .13 | 14 | .01 | .10 | 25 | .01 | .15 | 12 | 0 |
| 25 | .22 | 264 | 1.2 | .09 | 24 | .01 | .14 | 10 | 0 |
| 26 | .10 | 12 | 0 | .10 | 23 | .01 | .13 | 9 | 0 |
| 27 | .10 | 10 | 0 | .09 | 23 | .01 | .13 | 8 | 0 |
| 28 | .11 | 18 | .01 | .09 | 23 | .01 | .41 | 192 | .89 |
| 29 | .51 | 475 | 4.9 | .18 | 553 | 1.4 | .19 | 22 | .01 |
| 30 | .23 | 256 | .26 | .20 | 481 | .36 | .17 | 12 | .01 |
| 31 | .11 | 55 | .02 | .12 | 50 | .02 | -- | -- | -- |
| TOTAL | 4.26 | -- | 6.46 | 5.08 | -- | 13.74 | 11.17 | -- | 52.89 |
| TOTAL DISCHARGE FOR YEAR (CFS-DAYS) | | | | | | | | | 326.28 |
| TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS) | | | | | | | | | 193.30 |

INSTANTANEOUS SUSPENDED SEDIMENT AND PARTICLE SIZE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PEN- DED SEDI- MENT (MG/L) | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. |
|-------|------|---|--|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| | | | | % FINER THAN .002 MM | % FINER THAN .004 MM | % FINER THAN .008 MM | % FINER THAN .016 MM | % FINER THAN .031 MM | % FINER THAN .062 MM |
| OCT. | | | | | | | | | |
| 29... | 1610 | 10 | 3780 | 55 | 70 | 85 | 93 | 98 | 98 |
| FEH. | | | | | | | | | |
| 22... | 1243 | 8.5 | 1430 | 48 | 66 | 82 | 94 | 96 | 99 |
| MAR. | | | | | | | | | |
| 21... | 1220 | 14 | 2210 | 33 | 48 | 64 | 80 | 81 | 96 |
| 30... | 1840 | 18 | 341 | 31 | 40 | 54 | 68 | 81 | 86 |
| APR. | | | | | | | | | |
| 14... | 2230 | 16 | 2110 | 40 | 57 | 73 | 87 | 95 | 96 |
| MAY | | | | | | | | | |
| 12... | 1602 | 20 | 8340 | 44 | 59 | 75 | 90 | 97 | 99 |
| JUNE | | | | | | | | | |
| 16... | 0505 | 14 | 4840 | 46 | 61 | 77 | 90 | 95 | 99 |
| JULY | | | | | | | | | |
| 29... | 2136 | 5.9 | 2370 | 34 | 49 | 67 | 87 | 97 | 97 |
| 29... | 2145 | 5.0 | 4650 | 54 | 69 | 84 | 96 | 99 | 100 |
| 29... | 2226 | 3.3 | 3280 | 66 | 82 | 92 | 97 | 99 | 100 |
| AUG. | | | | | | | | | |
| 02... | 1835 | 7.3 | 4520 | 58 | 73 | 88 | 97 | 98 | 100 |
| 03... | 2043 | 2.3 | 1840 | 69 | 84 | 93 | 98 | 99 | 100 |
| 17... | 1600 | 1.3 | 6270 | 59 | 76 | 92 | 98 | 100 | 100 |
| SEP. | | | | | | | | | |
| 01... | 1817 | 4.4 | 11800 | 49 | 62 | 81 | 96 | 98 | 100 |
| 01... | 1856 | 1.6 | 7270 | 65 | 81 | 94 | 99 | 100 | 100 |
| 01... | 1900 | 1.5 | 6870 | 66 | 82 | 94 | 99 | 99 | 100 |
| 01... | 2115 | 4.4 | 4650 | 63 | 77 | 91 | 98 | 99 | 100 |
| 01... | 2120 | 3.9 | 3780 | 64 | 80 | 92 | 98 | 99 | 100 |
| 03... | 0345 | 8.5 | 4380 | 58 | 72 | 86 | 95 | 98 | 100 |
| 03... | 1503 | 14 | 12200 | 37 | 50 | 66 | 85 | 96 | 99 |

SUSQUEHANNA RIVER BASIN

433

01570260 CONODOGUINET CREEK TRIBUTARY NO. 2B NEAR ENOLA, PA.

LOCATION.--Lat 40°17'47", long 76°57'51", Cumberland County, at gaging station on right bank 20 ft (6 m) upstream from bridge on Valley Street, 2.6 mi (4.2 km) upstream from mouth, and 1.6 mi (2.6 km) west of Enola.

DRAINAGE AREA.--0.65 mi² (1.68 km²).

PERIOD OF RECORD.--Chemical analyses: October 1969 to September 1972 (partial-record station), October 1972 to September 1974.

Sediment records: October 1972 to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum, 1,340 mg/l Oct. 29; minimum, 18 mg/l Oct. 11, Jan. 5.

Sediment discharges: Maximum, 38 tons (34 t) Mar. 30; minimum, 0 tons (0 t) on many days each year.

Period of record:

Sediment concentrations: Maximum, 2,370 mg/l Sept. 14, 1973; minimum, 6 mg/l Nov. 30, 1972.

Sediment discharges: Maximum, 125 tons (113 t) Sept. 14, 1973; minimum, 0 tons (0 t) on many days each year.

REMARKS.--Chemical analyses for this station on page 310. Unpublished sediment records from April 1969 to September 1972 available at the district office in Harrisburg.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | .07 | 50 | .01 | .11 | 150 | .04 | .18 | 55 | .03 |
| 2 | .27 | 165 | .16 | .08 | 130 | .03 | .17 | 50 | .03 |
| 3 | .14 | 115 | .04 | .05 | 100 | .01 | .20 | 45 | .02 |
| 4 | .19 | 120 | .06 | .03 | 70 | .01 | .21 | 45 | .02 |
| 5 | .09 | 270 | .07 | .05 | 50 | .01 | 1.9 | 561 | 5.6 |
| 6 | .08 | 70 | .02 | .16 | 210 | .09 | .86 | 300 | .70 |
| 7 | .04 | 40 | 0 | .13 | 220 | .08 | .44 | 100 | .12 |
| 8 | .03 | 40 | 0 | .16 | 160 | .07 | .36 | 75 | .07 |
| 9 | .05 | 32 | 0 | .14 | 130 | .05 | 7.7 | 805 | 25 |
| 10 | .03 | 24 | 0 | .14 | 115 | .04 | 1.6 | 664 | 2.8 |
| 11 | .02 | 18 | 0 | .14 | 90 | .03 | .72 | 100 | .19 |
| 12 | .07 | 20 | 0 | .15 | 110 | .04 | .72 | 80 | .16 |
| 13 | .21 | 50 | .03 | .16 | 95 | .04 | .72 | 69 | .13 |
| 14 | .20 | 48 | .03 | .14 | 65 | .02 | 1.7 | 135 | .67 |
| 15 | .19 | 48 | .02 | .11 | 65 | .01 | .65 | 86 | .15 |
| 16 | .18 | 47 | .02 | .12 | 70 | .02 | .48 | 90 | .12 |
| 17 | .17 | 47 | .02 | .09 | 90 | .02 | .65 | 95 | .17 |
| 18 | .17 | 47 | .02 | .12 | 90 | .03 | .48 | 80 | .10 |
| 19 | .17 | 60 | .03 | .12 | 80 | .03 | .44 | 65 | .08 |
| 20 | .17 | 60 | .03 | .12 | 70 | .02 | 4.1 | 188 | 5.4 |
| 21 | .17 | 60 | .03 | .12 | 70 | .02 | 13 | 228 | 10 |
| 22 | .17 | 65 | .03 | .11 | 65 | .02 | 2.5 | 40 | .27 |
| 23 | .16 | 65 | .03 | .11 | 62 | .02 | 1.3 | 43 | .15 |
| 24 | .18 | 80 | .04 | .24 | 127 | .11 | 1.3 | 43 | .15 |
| 25 | .18 | 80 | .04 | .23 | 110 | .07 | .97 | 43 | .11 |
| 26 | .16 | 75 | .03 | .16 | 85 | .04 | 8.0 | 127 | 4.4 |
| 27 | .16 | 71 | .03 | .18 | 75 | .04 | 6.5 | 80 | 1.4 |
| 28 | .16 | 71 | .03 | .47 | 187 | .32 | 3.1 | 38 | .32 |
| 29 | 1.4 | 1340 | 12 | .23 | 60 | .04 | 2.2 | 22 | .13 |
| 30 | .36 | 600 | .58 | .21 | 55 | .04 | 1.6 | 22 | .09 |
| 31 | .18 | 270 | .13 | -- | -- | -- | 1.6 | 22 | .09 |
| TOTAL | 5.82 | -- | 13.53 | 4.38 | -- | 1.41 | 66.35 | -- | 58.67 |

SUSQUEHANNA RIVER BASIN

01570260 CONODOGUINET CREEK TRIBUTARY NO. 2B NEAR ENOLA, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 1.9 | 28 | .15 | .80 | 29 | .06 | .70 | 60 | .11 |
| 2 | .97 | 31 | .08 | .70 | 29 | .05 | .65 | 60 | .11 |
| 3 | 1.3 | 28 | .11 | .60 | 29 | .05 | .65 | 60 | .11 |
| 4 | 2.2 | 28 | .16 | .52 | 29 | .04 | .58 | 60 | .09 |
| 5 | 1.1 | 18 | .05 | .48 | 44 | .06 | .53 | 60 | .09 |
| 6 | .97 | 24 | .06 | .44 | 37 | .04 | .48 | 60 | .08 |
| 7 | .97 | 29 | .08 | .48 | 30 | .04 | .58 | 60 | .09 |
| 8 | .65 | 29 | .05 | .44 | 23 | .03 | .44 | 60 | .07 |
| 9 | .72 | 29 | .06 | .44 | 23 | .03 | 1.2 | 229 | 1.2 |
| 10 | .65 | 29 | .05 | .44 | 23 | .03 | 1.1 | 66 | .19 |
| 11 | 1.3 | 30 | .12 | .40 | 23 | .02 | .58 | 61 | .10 |
| 12 | .97 | 29 | .08 | .40 | 23 | .02 | .58 | 61 | .10 |
| 13 | .58 | 29 | .05 | .44 | 22 | .03 | .48 | 61 | .08 |
| 14 | .53 | 29 | .04 | .44 | 22 | .03 | .48 | 61 | .08 |
| 15 | .53 | 29 | .04 | .36 | 22 | .02 | .48 | 61 | .08 |
| 16 | .88 | 30 | .08 | .36 | 26 | .02 | 1.9 | 199 | 1.6 |
| 17 | 2.0 | 21 | .11 | .36 | 26 | .02 | .97 | 86 | .23 |
| 18 | .88 | 21 | .05 | .32 | 26 | .02 | .65 | 60 | .11 |
| 19 | 1.1 | 21 | .06 | .72 | 33 | .07 | .58 | 60 | .09 |
| 20 | .97 | 21 | .05 | .58 | 30 | .05 | .53 | 60 | .09 |
| 21 | 9.1 | 295 | 12 | .38 | 30 | .03 | 4.2 | 348 | 7.5 |
| 22 | 4.0 | 40 | .43 | 4.4 | 744 | 17 | 1.3 | 89 | .31 |
| 23 | 2.5 | 43 | .12 | 1.3 | 216 | .76 | .97 | 77 | .20 |
| 24 | 1.7 | 43 | .20 | .88 | 160 | .38 | .88 | 65 | .15 |
| 25 | 1.4 | 43 | .17 | .80 | 106 | .23 | .65 | 53 | .09 |
| 26 | 1.4 | 61 | .28 | .65 | 80 | .14 | .58 | 42 | .07 |
| 27 | 1.9 | 47 | .24 | .72 | 60 | .12 | .53 | 40 | .06 |
| 28 | 1.6 | 71 | .36 | .72 | 60 | .12 | .53 | 37 | .05 |
| 29 | 1.3 | 19 | .07 | -- | -- | -- | .58 | 33 | .05 |
| 30 | .97 | 29 | .08 | -- | -- | -- | 14 | 496 | 38 |
| 31 | .90 | 29 | .07 | -- | -- | -- | 7.8 | 247 | 6.7 |
| TOTAL | 47.94 | -- | 15.55 | 19.57 | -- | 19.51 | 46.16 | -- | 57.88 |

| DAY | APRIL | | | MAY | | | JUNE | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 3.8 | 85 | .90 | .44 | 40 | .05 | .91 | 138 | .48 |
| 2 | 3.7 | 85 | .88 | .40 | 49 | .05 | .58 | 54 | .08 |
| 3 | 2.4 | 85 | .54 | .52 | 70 | .11 | .48 | 54 | .07 |
| 4 | 8.5 | 343 | 10 | .44 | 49 | .06 | .36 | 110 | .11 |
| 5 | 4.4 | 127 | 1.6 | .40 | 49 | .05 | .32 | 115 | .10 |
| 6 | 2.7 | 115 | .84 | .44 | 49 | .07 | .29 | 120 | .09 |
| 7 | 2.0 | 100 | .55 | .36 | 62 | .06 | .26 | 120 | .08 |
| 8 | 1.6 | 50 | .21 | .36 | 62 | .06 | .29 | 132 | .10 |
| 9 | 5.6 | 215 | 3.5 | .73 | 204 | .52 | .26 | 132 | .09 |
| 10 | 2.2 | 140 | .82 | 1.4 | 259 | 1.0 | .21 | 132 | .08 |
| 11 | 1.7 | 104 | .48 | 1.3 | 80 | .28 | .18 | 132 | .06 |
| 12 | 1.6 | 104 | .44 | 4.8 | 564 | 18 | .18 | 132 | .06 |
| 13 | 1.9 | 104 | .52 | 1.9 | 400 | 2.0 | .17 | 132 | .06 |
| 14 | 4.1 | 475 | 8.5 | .97 | 364 | .95 | .16 | 132 | .06 |
| 15 | 1.8 | 120 | .58 | .65 | 264 | .46 | .15 | 132 | .05 |
| 16 | 1.2 | 253 | .81 | .65 | 164 | .29 | 2.0 | 770 | 16 |
| 17 | 1.2 | 110 | .35 | .53 | 108 | .15 | .94 | 280 | .88 |
| 18 | .97 | 80 | .21 | .48 | 108 | .14 | .58 | 200 | .31 |
| 19 | .97 | 59 | .15 | .48 | 108 | .14 | .28 | 166 | .13 |
| 20 | .80 | 60 | .13 | .48 | 108 | .14 | .45 | 139 | .17 |
| 21 | .72 | 62 | .12 | .48 | 108 | .14 | .44 | 139 | .17 |
| 22 | .65 | 48 | .08 | .48 | 150 | .20 | .28 | 139 | .11 |
| 23 | .65 | 63 | .11 | .53 | 81 | .12 | 2.0 | 373 | 3.5 |
| 24 | .58 | 63 | .10 | .44 | 213 | .25 | .38 | 162 | .17 |
| 25 | .53 | 63 | .09 | .40 | 51 | .06 | .22 | 154 | .09 |
| 26 | .53 | 63 | .09 | .40 | 51 | .06 | .18 | 162 | .08 |
| 27 | .53 | 56 | .08 | .42 | 51 | .06 | .16 | 156 | .07 |
| 28 | .53 | 48 | .07 | .44 | 51 | .06 | 1.4 | 363 | 3.2 |
| 29 | .48 | 41 | .05 | .48 | 51 | .07 | .58 | 240 | .38 |
| 30 | .48 | 27 | .03 | .48 | 60 | .08 | .23 | 80 | .05 |
| 31 | -- | -- | -- | .54 | 106 | .21 | -- | -- | -- |
| TOTAL | 58.82 | -- | 32.83 | 22.82 | -- | 25.89 | 14.92 | -- | 26.88 |

SUSQUEHANNA RIVER BASIN

435

01570260 CONODOGUINET CREEK TRIBUTARY NO. 2B NEAR ENOLA, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JULY | | | AUGUST | | | SEPTEMBER | | |
|--|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | .23 | 41 | .03 | .01 | 42 | 0 | .84 | 838 | 3.2 |
| 2 | .12 | 41 | .01 | .33 | 573 | 2.4 | .26 | 117 | .08 |
| 3 | .08 | 41 | .01 | .55 | 330 | 1.1 | 3.0 | 419 | 8.8 |
| 4 | .11 | 41 | .01 | .28 | 290 | .22 | .32 | 60 | .05 |
| 5 | .11 | 41 | .01 | .15 | 265 | .11 | .16 | 40 | .02 |
| 6 | .11 | 41 | .01 | .13 | 200 | .07 | .16 | 45 | .02 |
| 7 | .08 | 41 | .01 | .11 | 139 | .04 | 1.3 | 133 | .56 |
| 8 | .02 | 41 | 0 | .11 | 139 | .04 | .26 | 45 | .03 |
| 9 | 0 | 40 | 0 | .12 | 140 | .05 | .21 | 40 | .02 |
| 10 | .01 | 50 | 0 | .11 | 140 | .04 | .18 | 40 | .02 |
| 11 | .02 | 94 | .01 | .10 | 140 | .04 | .16 | 40 | .02 |
| 12 | .02 | 50 | 0 | .10 | 140 | .04 | 1.0 | 313 | 3.1 |
| 13 | 0 | 40 | 0 | .10 | 140 | .04 | 1.3 | 280 | 3.0 |
| 14 | .04 | 38 | 0 | .09 | 140 | .03 | .48 | 60 | .08 |
| 15 | .01 | 38 | 0 | .09 | 140 | .03 | .12 | 38 | .01 |
| 16 | 0 | 40 | 0 | .25 | 350 | .17 | .16 | 40 | .02 |
| 17 | 0 | 40 | 0 | .25 | 311 | .14 | .16 | 40 | .02 |
| 18 | 0 | 40 | 0 | .13 | 227 | .08 | .11 | 35 | .01 |
| 19 | .30 | 400 | .32 | .11 | 150 | .04 | .12 | 35 | .01 |
| 20 | .97 | 200 | .52 | .09 | 100 | .02 | .16 | 50 | .02 |
| 21 | .97 | 100 | .26 | .10 | 60 | .02 | .23 | 110 | .07 |
| 22 | .24 | 74 | .05 | .09 | 45 | .01 | .14 | 40 | .02 |
| 23 | 0 | 60 | 0 | .10 | 100 | .03 | .12 | 35 | .01 |
| 24 | .01 | 60 | 0 | .10 | 100 | .03 | .11 | 35 | .01 |
| 25 | 0 | 60 | 0 | .11 | 90 | .03 | .11 | 35 | .01 |
| 26 | .01 | 60 | 0 | .11 | 509 | .15 | .11 | 35 | .01 |
| 27 | 0 | 60 | 0 | .09 | 130 | .03 | .11 | 35 | .01 |
| 28 | .02 | 150 | .01 | .11 | 125 | .04 | .36 | 234 | .55 |
| 29 | .11 | 642 | 1.6 | .18 | 300 | .70 | .14 | 50 | .02 |
| 30 | .03 | 214 | .02 | .20 | 336 | .40 | .11 | 46 | .01 |
| 31 | .01 | 135 | 0 | .12 | 154 | .05 | -- | -- | -- |
| TOTAL | 3.63 | -- | 2.88 | 4.52 | -- | 6.19 | 12.00 | -- | 19.81 |
| TOTAL DISCHARGE FOR YEAR (CFS-DAYS) | | | | | | | | | 306.93 |
| TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS) | | | | | | | | | 281.03 |

INSTANTANEOUS SUSPENDED SEDIMENT AND PARTICLE SIZE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PEN- DED SEDI- MENT (MG/L) | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. |
|-------|------|---|--|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| | | | | % FINER THAN .002 MM | % FINER THAN .004 MM | % FINER THAN .008 MM | % FINER THAN .016 MM | % FINER THAN .031 MM | % FINER THAN .062 MM |
| OCT. | | | | | | | | | |
| 29... | 1654 | 12 | 5420 | 50 | 66 | 79 | 89 | 94 | 97 |
| FEB. | | | | | | | | | |
| 22... | 1235 | 10 | 2920 | 46 | 62 | 77 | 91 | 96 | 98 |
| MAR. | | | | | | | | | |
| 21... | 1234 | 19 | 1670 | 38 | 51 | 65 | 79 | 88 | 94 |
| 30... | 1801 | 30 | 959 | 38 | 53 | 64 | 76 | 83 | 90 |
| 30... | 2200 | 25 | 758 | 55 | 72 | 88 | 96 | 99 | 100 |
| APR. | | | | | | | | | |
| 15... | 0032 | 16 | 2836 | 48 | 65 | 82 | 92 | 95 | 99 |
| MAY | | | | | | | | | |
| 12... | 1559 | 24 | 3750 | 50 | 65 | 78 | 88 | 93 | 98 |
| JUNE | | | | | | | | | |
| 16... | 0448 | 15 | 2960 | 52 | 66 | 79 | 88 | 91 | 97 |
| JULY | | | | | | | | | |
| 29... | 2258 | .90 | 4400 | 64 | 85 | 95 | 98 | 99 | 100 |
| AUG. | | | | | | | | | |
| 02... | 1903 | 1.9 | 5180 | 53 | 71 | 86 | 93 | 94 | 100 |
| SEP. | | | | | | | | | |
| 03... | 1524 | 18 | 2010 | 36 | 54 | 66 | 80 | 91 | 96 |

SUSQUEHANNA RIVER BASIN

01570300 CONODOGUINET CREEK TRIBUTARY NO. 3 AT ENOLA, PA.

LOCATION.--Lat 40°18'05", long 76°56'57", Cumberland County, at gaging station on right bank at upstream side of culvert on Valley Road, 1 mi (1.6 km) northwest of Enola, and 2.3 mi (3.7 km) upstream from mouth.

DRAINAGE AREA.--0.38 mi² (0.98 km²).

PERIOD OF RECORD.--Chemical analyses: October 1969 to September 1971 (partial-record station), October 1971 to September 1974.

Sediment records: April 1969 to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum, 1,020 mg/l Oct. 29; minimum, 4 mg/l on several days during February, March, and July.

Sediment discharges: Maximum, 27 tons (24 t) Mar. 30; minimum, 0 tons (0 t) on many days.

Period of record:

Sediment concentrations: Maximum, 1,600 mg/l Sept. 14, 1973; minimum, 0 mg/l July 23, 28, 1971.

Sediment discharges: Maximum, 98 tons (89 t) Aug. 10, 1973; minimum, 0 tons (0 t) on many days.

REMARKS.--Chemical analyses for this station on page 312.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | .06 | 12 | 0 | .09 | 23 | .01 | .05 | 20 | 0 |
| 2 | .53 | 436 | 1.2 | .07 | 12 | 0 | .05 | 20 | 0 |
| 3 | .18 | 26 | .01 | .06 | 9 | 0 | .05 | 15 | 0 |
| 4 | .11 | 20 | .01 | .06 | 6 | 0 | .04 | 15 | 0 |
| 5 | .08 | 18 | .01 | .06 | 6 | 0 | 1.4 | 664 | 5.3 |
| 6 | .06 | 16 | 0 | .06 | 6 | 0 | .40 | 92 | .12 |
| 7 | .06 | 14 | 0 | .06 | 6 | 0 | .16 | 35 | .02 |
| 8 | .06 | 12 | 0 | .09 | 30 | .02 | .14 | 25 | .01 |
| 9 | .06 | 12 | 0 | .05 | 25 | .01 | 4.9 | 313 | 9.1 |
| 10 | .06 | 11 | 0 | .04 | 20 | 0 | .72 | 42 | .08 |
| 11 | .05 | 11 | 0 | .04 | 18 | 0 | .35 | 18 | .02 |
| 12 | .05 | 10 | 0 | .04 | 16 | 0 | .22 | 11 | .01 |
| 13 | .05 | 10 | 0 | .04 | 14 | 0 | .40 | 83 | .28 |
| 14 | .05 | 10 | 0 | .04 | 13 | 0 | .92 | 126 | .40 |
| 15 | .05 | 10 | 0 | .04 | 13 | 0 | .28 | 18 | .01 |
| 16 | .04 | 9 | 0 | .04 | 10 | 0 | .19 | 14 | .01 |
| 17 | .04 | 8 | 0 | .04 | 8 | 0 | .18 | 12 | .01 |
| 18 | .04 | 8 | 0 | .04 | 8 | 0 | .16 | 10 | 0 |
| 19 | .04 | 7 | 0 | .04 | 6 | 0 | .16 | 12 | .01 |
| 20 | .04 | 7 | 0 | .04 | 6 | 0 | 3.4 | 147 | 3.8 |
| 21 | .03 | 6 | 0 | .04 | 6 | 0 | 7.8 | 184 | 5.8 |
| 22 | .03 | 6 | 0 | .04 | 6 | 0 | 1.5 | 22 | .09 |
| 23 | .03 | 6 | 0 | .04 | 6 | 0 | 1.0 | 18 | .05 |
| 24 | .04 | 6 | 0 | .06 | 14 | .01 | .75 | 15 | .03 |
| 25 | .06 | 59 | .02 | .05 | 7 | 0 | .53 | 13 | .02 |
| 26 | .04 | 18 | 0 | .04 | 7 | 0 | 5.1 | 210 | 4.0 |
| 27 | .03 | 15 | 0 | .05 | 7 | 0 | 3.4 | 63 | .60 |
| 28 | .04 | 15 | 0 | .27 | 161 | .26 | 1.7 | 18 | .08 |
| 29 | 1.7 | 1020 | 12 | .11 | 25 | .01 | 1.1 | 13 | .04 |
| 30 | .22 | 35 | .02 | .06 | 20 | 0 | .85 | 12 | .03 |
| 31 | .10 | 25 | .01 | -- | -- | -- | .96 | 15 | .04 |
| TOTAL | 4.03 | -- | 13.28 | 1.80 | -- | .32 | 38.86 | -- | 29.96 |

01570300 CONODOGUINET CREEK TRIBUTARY NO. 3 AT ENOLA, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 1.1 | 10 | .03 | .36 | 10 | .01 | .28 | 20 | .02 |
| 2 | .51 | 10 | .02 | .35 | 10 | .01 | .33 | 32 | .03 |
| 3 | 1.0 | 20 | .06 | .28 | 10 | .01 | .34 | 12 | .01 |
| 4 | 1.4 | 20 | .08 | .26 | 10 | .01 | .28 | 8 | .01 |
| 5 | .70 | 10 | .02 | .22 | 10 | .01 | .22 | 7 | .01 |
| 6 | .50 | 7 | .01 | .19 | 9 | 0 | .19 | 7 | 0 |
| 7 | .50 | 5 | .01 | .21 | 7 | 0 | .19 | 6 | 0 |
| 8 | .34 | 7 | .01 | .19 | 5 | 0 | .16 | 5 | 0 |
| 9 | .34 | 7 | .01 | .15 | 5 | 0 | .77 | 79 | .31 |
| 10 | .30 | 7 | .01 | .16 | 4 | 0 | .80 | 104 | .62 |
| 11 | .94 | 7 | .02 | .18 | 7 | 0 | .32 | 12 | .01 |
| 12 | .71 | 7 | .01 | .16 | 8 | 0 | .30 | 8 | .01 |
| 13 | .38 | 7 | .01 | .20 | 9 | 0 | .24 | 6 | .01 |
| 14 | .34 | 7 | .01 | .17 | 8 | 0 | .20 | 5 | 0 |
| 15 | .39 | 10 | .01 | .14 | 7 | 0 | .17 | 4 | 0 |
| 16 | .89 | 74 | .27 | .10 | 7 | 0 | 1.3 | 126 | .99 |
| 17 | 1.4 | 41 | .16 | .10 | 7 | 0 | .61 | 16 | .03 |
| 18 | .40 | 20 | .02 | .09 | 7 | 0 | .32 | 6 | .01 |
| 19 | .54 | 15 | .02 | .22 | 20 | .03 | .30 | 5 | .01 |
| 20 | .57 | 12 | .02 | .23 | 10 | .01 | .24 | 4 | 0 |
| 21 | 5.4 | 235 | 7.4 | .14 | 8 | 0 | 2.7 | 234 | 4.5 |
| 22 | 2.0 | 25 | .14 | 2.9 | 730 | 14 | .75 | 25 | .05 |
| 23 | 1.3 | 20 | .06 | .80 | 25 | .05 | .45 | 16 | .02 |
| 24 | .78 | 15 | .03 | .36 | 10 | .01 | .38 | 12 | .01 |
| 25 | .60 | 13 | .02 | .36 | 6 | .01 | .30 | 8 | .01 |
| 26 | .74 | 50 | .18 | .26 | 6 | 0 | .30 | 8 | .01 |
| 27 | 1.0 | 34 | .12 | .24 | 6 | 0 | .24 | 10 | .01 |
| 28 | .81 | 70 | .26 | .22 | 6 | 0 | .21 | 8 | .01 |
| 29 | .60 | 12 | .02 | -- | -- | -- | .24 | 14 | .01 |
| 30 | .42 | 8 | .01 | -- | -- | -- | 8.6 | 585 | 27 |
| 31 | .39 | 9 | .01 | -- | -- | -- | 4.6 | 76 | 1.3 |
| TOTAL | 27.29 | -- | 9.06 | 9.24 | -- | 14.16 | 26.33 | -- | 35.01 |
| DAY | APRIL | | | MAY | | | JUNE | | |
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 2.0 | 60 | .54 | .17 | 7 | 0 | .47 | 158 | .44 |
| 2 | 1.8 | 149 | .92 | .17 | 7 | 0 | .13 | 20 | .01 |
| 3 | 1.2 | 16 | .05 | .26 | 28 | .02 | .12 | 18 | .01 |
| 4 | 5.1 | 467 | 9.6 | .17 | 6 | 0 | .09 | 18 | 0 |
| 5 | 2.1 | 65 | .42 | .15 | 6 | 0 | .07 | 16 | 0 |
| 6 | 1.2 | 30 | .10 | .15 | 24 | .01 | .06 | 14 | 0 |
| 7 | .90 | 14 | .03 | .13 | 15 | .01 | .06 | 14 | 0 |
| 8 | .94 | 129 | .43 | .13 | 10 | 0 | .07 | 12 | 0 |
| 9 | 3.3 | 168 | 2.1 | .45 | 94 | .22 | .06 | 12 | 0 |
| 10 | 1.1 | 300 | .89 | .20 | 9 | 0 | .06 | 12 | 0 |
| 11 | .83 | 404 | .85 | .13 | 7 | 0 | .06 | 12 | 0 |
| 12 | .64 | 125 | .22 | 3.4 | 461 | 16 | .06 | 12 | 0 |
| 13 | 1.1 | 103 | .51 | .95 | 46 | .15 | .05 | 11 | 0 |
| 14 | 1.9 | 766 | 19 | .45 | 12 | .01 | .05 | 11 | 0 |
| 15 | 1.6 | 70 | .42 | .36 | 13 | .01 | .06 | 11 | 0 |
| 16 | .75 | 25 | .05 | .27 | 10 | .01 | .69 | 671 | 7.8 |
| 17 | .55 | 20 | .03 | .23 | 8 | .01 | .40 | 277 | .92 |
| 18 | .46 | 17 | .02 | .20 | 7 | 0 | .06 | 15 | 0 |
| 19 | .47 | 48 | .06 | .18 | 7 | 0 | .05 | 12 | 0 |
| 20 | .38 | 20 | .02 | .14 | 6 | 0 | .05 | 30 | .01 |
| 21 | .35 | 20 | .02 | .13 | 6 | 0 | .05 | 18 | 0 |
| 22 | .34 | 20 | .02 | .16 | 37 | .03 | .05 | 14 | 0 |
| 23 | .34 | 18 | .02 | .23 | 38 | .03 | 1.1 | 367 | 2.5 |
| 24 | .27 | 14 | .01 | .13 | 18 | .01 | .12 | 30 | .01 |
| 25 | .23 | 10 | .01 | .11 | 12 | 0 | .10 | 14 | 0 |
| 26 | .20 | 10 | .01 | .11 | 10 | 0 | .07 | 14 | 0 |
| 27 | .20 | 8 | .01 | .11 | 12 | 0 | .06 | 12 | 0 |
| 28 | .19 | 8 | 0 | .19 | 278 | .27 | .79 | 203 | 1.4 |
| 29 | .15 | 7 | 0 | .14 | 20 | .01 | .26 | 30 | .02 |
| 30 | .13 | 10 | 0 | .12 | 10 | 0 | .08 | 12 | 0 |
| 31 | -- | -- | -- | .23 | 111 | .28 | -- | -- | -- |
| TOTAL | 30.72 | -- | 36.36 | 9.95 | -- | 17.08 | 5.40 | -- | 13.12 |

SUSQUEHANNA RIVER BASIN

01570300 CONODOGUINET CREEK TRIBUTARY NO. 3 AT ENOLA, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JULY | | | AUGUST | | | SEPTEMBER | | |
|--|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | .11 | 26 | .01 | .02 | 50 | 0 | .75 | 685 | 7.4 |
| 2 | .06 | 15 | 0 | .97 | 716 | 14 | .16 | 25 | .01 |
| 3 | .05 | 12 | 0 | .56 | 518 | 5.9 | 2.2 | 277 | 6.3 |
| 4 | .05 | 12 | 0 | .18 | 30 | .01 | .21 | 20 | .01 |
| 5 | .04 | 10 | 0 | .06 | 30 | .01 | .07 | 15 | 0 |
| 6 | .04 | 10 | 0 | .05 | 45 | .01 | .10 | 11 | .01 |
| 7 | .04 | 10 | 0 | .04 | 17 | 0 | .99 | 75 | .57 |
| 8 | .04 | 10 | 0 | .04 | 15 | 0 | .10 | 15 | 0 |
| 9 | .04 | 12 | 0 | .04 | 15 | 0 | .07 | 12 | 0 |
| 10 | .06 | 100 | .01 | .03 | 15 | 0 | .05 | 10 | 0 |
| 11 | .06 | 30 | .01 | .02 | 16 | 0 | .05 | 10 | 0 |
| 12 | .05 | 15 | 0 | .02 | 16 | 0 | .54 | 227 | 3.8 |
| 13 | .05 | 8 | 0 | .02 | 16 | 0 | .80 | 287 | 2.7 |
| 14 | .03 | 6 | 0 | .01 | 16 | 0 | .48 | 50 | .07 |
| 15 | .03 | 4 | 0 | .01 | 16 | 0 | .10 | 18 | .01 |
| 16 | .01 | 4 | 0 | .43 | 428 | 5.2 | .07 | 18 | 0 |
| 17 | .01 | 4 | 0 | .10 | 147 | .07 | .06 | 17 | 0 |
| 18 | .01 | 4 | 0 | .05 | 17 | 0 | .05 | 17 | 0 |
| 19 | .01 | 7 | 0 | .02 | 15 | 0 | .05 | 14 | 0 |
| 20 | .01 | 10 | 0 | .02 | 15 | 0 | .05 | 10 | 0 |
| 21 | .01 | 8 | 0 | .01 | 15 | 0 | .10 | 30 | .02 |
| 22 | .01 | 8 | 0 | .03 | 30 | 0 | .05 | 20 | 0 |
| 23 | .01 | 8 | 0 | .02 | 26 | 0 | .04 | 16 | 0 |
| 24 | .06 | 113 | .05 | .02 | 24 | 0 | .04 | 12 | 0 |
| 25 | .03 | 10 | 0 | .01 | 22 | 0 | .04 | 8 | 0 |
| 26 | .03 | 8 | 0 | .01 | 20 | 0 | .04 | 8 | 0 |
| 27 | .02 | 8 | 0 | .01 | 20 | 0 | .03 | 8 | 0 |
| 28 | .03 | 112 | .07 | .01 | 20 | 0 | .19 | 296 | .51 |
| 29 | .53 | 779 | 11 | .05 | 223 | .19 | .06 | 18 | 0 |
| 30 | .10 | 90 | .05 | .15 | 222 | .14 | .04 | 8 | 0 |
| 31 | .04 | 50 | .01 | .08 | 22 | .01 | -- | -- | -- |
| TOTAL | 1.67 | -- | 11.21 | 3.09 | -- | 25.54 | 7.58 | -- | 21.41 |
| TOTAL DISCHARGE FOR YEAR (CFS-DAYS) | | | | | | | | | 165.96 |
| TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS) | | | | | | | | | 226.51 |

INSTANTANEOUS SUSPENDED SEDIMENT AND PARTICLE SIZE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PEN- DED SEDI- MENT (MG/L) | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. | SUS. SED. FALL DIAM. |
|-------|------|---|--|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| | | | | % FINER THAN .002 MM | % FINER THAN .004 MM | % FINER THAN .008 MM | % FINER THAN .016 MM | % FINER THAN .031 MM | % FINER THAN .062 MM |
| OCT. | | | | | | | | | |
| 29... | 1614 | 6.0 | 2340 | 61 | 73 | 84 | 88 | 96 | 99 |
| FER. | | | | | | | | | |
| 22... | 1320 | 11 | 6800 | 53 | 69 | 83 | 93 | 98 | 99 |
| MAR. | | | | | | | | | |
| 21... | 1200 | 12 | 1080 | 49 | 63 | 76 | 86 | 95 | 99 |
| 30... | 1902 | 19 | 2160 | 43 | 55 | 69 | 81 | 91 | 96 |
| APR. | | | | | | | | | |
| 14... | 2235 | 20 | 11600 | 45 | 60 | 74 | 88 | 97 | 99 |
| MAY | | | | | | | | | |
| 12... | 1626 | 27 | 3230 | 59 | 72 | 84 | 92 | 97 | 98 |
| JUNE | | | | | | | | | |
| 16... | 0517 | 12 | 13000 | 51 | 66 | 81 | 94 | 97 | 100 |
| 23... | 1618 | 2.4 | 414 | 78 | 85 | 95 | 99 | 99 | 100 |
| JULY | | | | | | | | | |
| 29... | 2140 | 12 | 20200 | 45 | 60 | 76 | 92 | 98 | 100 |
| 29... | 2225 | 4.0 | 5080 | 64 | 79 | 90 | 97 | 99 | 100 |
| 29... | 2336 | .85 | 1290 | 78 | 89 | 94 | 97 | 98 | 100 |
| AUG. | | | | | | | | | |
| 02... | 1844 | 11 | 7630 | 50 | 64 | 80 | 94 | 98 | 100 |
| 03... | 2015 | 8.7 | 7560 | 50 | 65 | 80 | 94 | 99 | 100 |
| 03... | 2023 | 7.8 | 7930 | 61 | 70 | 86 | 97 | 99 | 100 |
| 03... | 2112 | 2.7 | 776 | 71 | 80 | 90 | 96 | 98 | 100 |
| SEP. | | | | | | | | | |
| 01... | 1801 | 2.5 | 3530 | 42 | 59 | 76 | 90 | 97 | 100 |
| 01... | 1843 | 2.5 | 6080 | 72 | 75 | 88 | 96 | 99 | 100 |
| 01... | 1939 | .52 | 2170 | 73 | 89 | 97 | 98 | 99 | 100 |
| 03... | 1525 | 22 | 4270 | 42 | 56 | 72 | 87 | 94 | 98 |
| 12... | 2049 | 5.2 | 2100 | 55 | 71 | 86 | 95 | 98 | 100 |

SUSQUEHANNA RIVER BASIN

439

01570500 SUSQUEHANNA RIVER AT HARRISBURG, PA.
(International Hydrological Decade River, National Stream-Quality Accounting Network,
and radiochemical station)

LOCATION.--Lat 40°15'27", long 76°53'12", Dauphin County, at Walnut Street Bridge in Harrisburg, 3,700 ft (1,128 m) upstream from gaging station.

DRAINAGE AREA.--24,100 mi² (62,400 km²), approximately.

PERIOD OF RECORD.--Chemical analyses: October 1944 to January 1953, March to July 1956, October 1956 to September 1974.

Biological analyses: July to September 1974.

Water temperatures: May to September 1974.

Sediment records: October 1963 to September 1968, April 1970 to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum daily, 295 mg/l Dec. 22; minimum daily, 2 mg/l on several days during October.

Sediment discharges: Maximum daily, 128,000 tons (116,112 t) Dec. 22; minimum daily, 43 tons (36 t) Oct. 24.

Period of record:

Sediment concentrations: Maximum daily, 879 mg/l June 23, 1972; minimum daily, 0 mg/l on many days during August and September 1964.

Sediment discharges: Maximum daily, 2,210,000 tons (2,000,000 t) June 24, 1972; minimum daily, 0 tons (0 t) on many days during August and September 1964.

REMARKS.--Chemical analyses for this station on page 314.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 14500 | 6 | 235 | 54900 | 210 | 31100 | 49200 | 70 | 9300 |
| 2 | 14700 | 5 | 198 | 49200 | 110 | 14600 | 43400 | 56 | 6560 |
| 3 | 13500 | 3 | 109 | 45000 | 70 | 8510 | 37500 | 40 | 4050 |
| 4 | 14400 | 3 | 117 | 38500 | 43 | 4470 | 33100 | 28 | 2500 |
| 5 | 14400 | 2 | 78 | 34900 | 30 | 2830 | 30300 | 20 | 1640 |
| 6 | 13100 | 2 | 71 | 30600 | 23 | 1900 | 35000 | 40 | 3780 |
| 7 | 14500 | 3 | 117 | 28800 | 16 | 1240 | 63000 | 185 | 31500 |
| 8 | 14400 | 3 | 117 | 26600 | 12 | 862 | 61300 | 143 | 23700 |
| 9 | 14200 | 4 | 153 | 24500 | 8 | 529 | 58900 | 113 | 18000 |
| 10 | 14000 | 3 | 113 | 23300 | 6 | 377 | 79800 | 139 | 29900 |
| 11 | 13100 | 3 | 106 | 22400 | 6 | 363 | 102000 | 150 | 41300 |
| 12 | 12100 | 3 | 98 | 21300 | 5 | 288 | 101000 | 122 | 33300 |
| 13 | 10900 | 2 | 59 | 22000 | 5 | 297 | 83300 | 114 | 25600 |
| 14 | 10300 | 2 | 56 | 22000 | 6 | 356 | 67300 | 96 | 17400 |
| 15 | 9800 | 2 | 53 | 21800 | 8 | 471 | 57900 | 80 | 12500 |
| 16 | 9650 | 2 | 52 | 19600 | 6 | 318 | 51400 | 65 | 9020 |
| 17 | 9350 | 2 | 50 | 17800 | 5 | 240 | 46000 | 47 | 5840 |
| 18 | 9200 | 3 | 75 | 16200 | 4 | 175 | 40000 | 30 | 3240 |
| 19 | 9200 | 3 | 75 | 16200 | 4 | 175 | 36000 | 22 | 2140 |
| 20 | 8750 | 2 | 47 | 16400 | 3 | 133 | 31000 | 17 | 1420 |
| 21 | 8300 | 3 | 67 | 15300 | 3 | 124 | 53700 | 84 | 12200 |
| 22 | 8160 | 3 | 66 | 13800 | 3 | 112 | 161000 | 295 | 128000 |
| 23 | 8160 | 2 | 44 | 14000 | 4 | 151 | 164000 | 208 | 92100 |
| 24 | 7880 | 2 | 43 | 13300 | 3 | 108 | 128000 | 129 | 44600 |
| 25 | 7180 | 3 | 58 | 13300 | 3 | 108 | 101000 | 68 | 18500 |
| 26 | 8300 | 4 | 90 | 14400 | 5 | 194 | 82200 | 40 | 8880 |
| 27 | 9350 | 8 | 202 | 19800 | 40 | 2140 | 91200 | 45 | 11100 |
| 28 | 12400 | 14 | 469 | 32300 | 58 | 5060 | 155000 | 100 | 41900 |
| 29 | 13600 | 20 | 734 | 36700 | 63 | 6240 | 199000 | 178 | 95600 |
| 30 | 23600 | 50 | 3190 | 46900 | 74 | 9370 | 171000 | 123 | 56800 |
| 31 | 46100 | 180 | 22400 | -- | -- | -- | 139000 | 70 | 26300 |
| TOTAL | 397080 | -- | 29342 | 771800 | -- | 92841 | 2552500 | -- | 818670 |

SUSQUEHANNA RIVER BASIN

01570500 SUSQUEHANNA RIVER AT HARRISBURG, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|----------------------|---------------------------|-------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 111000 | 45 | 13500 | 98100 | 38 | 10100 | 41500 | 30 | 3360 |
| 2 | 92200 | 34 | 8460 | 81800 | 20 | 4420 | 39600 | 22 | 2350 |
| 3 | 77600 | 28 | 5870 | 69700 | 14 | 2630 | 38300 | 18 | 1860 |
| 4 | 66600 | 23 | 4140 | 60500 | 10 | 1630 | 38000 | 12 | 1230 |
| 5 | 57600 | 20 | 3110 | 51000 | 7 | 964 | 38800 | 14 | 1470 |
| 6 | 50300 | 16 | 2170 | 43500 | 6 | 705 | 44500 | 19 | 2280 |
| 7 | 44200 | 12 | 1430 | 39000 | 6 | 632 | 62600 | 52 | 8790 |
| 8 | 39900 | 10 | 1080 | 34500 | 7 | 652 | 70900 | 65 | 12400 |
| 9 | 37200 | 8 | 804 | 32500 | 6 | 527 | 70200 | 40 | 7580 |
| 10 | 33600 | 7 | 635 | 30000 | 8 | 648 | 95000 | 70 | 18000 |
| 11 | 32000 | 6 | 518 | 28500 | 7 | 539 | 131000 | 136 | 48100 |
| 12 | 32000 | 6 | 518 | 25500 | 7 | 482 | 121000 | 110 | 35900 |
| 13 | 34000 | 5 | 459 | 25500 | 8 | 551 | 96600 | 61 | 15900 |
| 14 | 32800 | 5 | 443 | 26600 | 9 | 646 | 77800 | 31 | 6510 |
| 15 | 31000 | 5 | 419 | 26400 | 7 | 499 | 63300 | 20 | 3420 |
| 16 | 28000 | 4 | 302 | 25200 | 7 | 476 | 53900 | 17 | 2470 |
| 17 | 32300 | 6 | 523 | 24000 | 6 | 389 | 46900 | 14 | 1770 |
| 18 | 39000 | 8 | 842 | 23000 | 6 | 373 | 44500 | 13 | 1560 |
| 19 | 42000 | 10 | 1130 | 22700 | 6 | 368 | 44500 | 12 | 1440 |
| 20 | 41500 | 7 | 784 | 21800 | 7 | 412 | 43700 | 12 | 1420 |
| 21 | 47200 | 21 | 2680 | 19400 | 8 | 419 | 41800 | 10 | 1130 |
| 22 | 74500 | 68 | 13700 | 23100 | 10 | 624 | 44800 | 12 | 1450 |
| 23 | 105000 | 93 | 26400 | 30300 | 28 | 2290 | 51700 | 25 | 3490 |
| 24 | 112000 | 75 | 22700 | 74100 | 150 | 30000 | 53000 | 20 | 2860 |
| 25 | 110000 | 46 | 13700 | 96000 | 235 | 60900 | 49500 | 18 | 2410 |
| 26 | 108000 | 35 | 10200 | 74900 | 190 | 38400 | 47200 | 17 | 2170 |
| 27 | 90200 | 26 | 6330 | 58700 | 115 | 18200 | 44500 | 16 | 1920 |
| 28 | 80900 | 22 | 4810 | 47800 | 65 | 8390 | 40700 | 14 | 1540 |
| 29 | 96000 | 39 | 10100 | -- | -- | -- | 38300 | 12 | 1240 |
| 30 | 120000 | 80 | 25900 | -- | -- | -- | 37700 | 10 | 1020 |
| 31 | 113000 | 80 | 24400 | -- | -- | -- | 58000 | 34 | 5320 |
| TOTAL | 2011600 | -- | 208057 | 1214100 | -- | 186866 | 1769800 | -- | 202360 |
| DAY | APRIL | | | MAY | | | JUNE | | |
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 86900 | 88 | 20600 | 25400 | 15 | 1030 | 20100 | 6 | 326 |
| 2 | 89200 | 45 | 10800 | 25400 | 13 | 892 | 21800 | 10 | 589 |
| 3 | 98400 | 32 | 8500 | 29000 | 12 | 940 | 23300 | 14 | 881 |
| 4 | 151000 | 74 | 30200 | 30000 | 11 | 891 | 22400 | 11 | 665 |
| 5 | 188000 | 150 | 76100 | 30300 | 10 | 818 | 20300 | 7 | 384 |
| 6 | 180000 | 140 | 68000 | 29800 | 10 | 805 | 18000 | 6 | 292 |
| 7 | 150000 | 97 | 39300 | 28300 | 9 | 688 | 16000 | 4 | 173 |
| 8 | 121000 | 75 | 24500 | 27600 | 8 | 596 | 14900 | 5 | 201 |
| 9 | 103000 | 59 | 16400 | 26400 | 9 | 642 | 14000 | 5 | 189 |
| 10 | 96600 | 40 | 10400 | 25400 | 10 | 686 | 13100 | 4 | 141 |
| 11 | 86400 | 23 | 5370 | 26800 | 14 | 1010 | 12600 | 6 | 204 |
| 12 | 76900 | 10 | 2080 | 27800 | 15 | 1130 | 12200 | 7 | 231 |
| 13 | 75800 | 10 | 2050 | 40800 | 46 | 5070 | 12100 | 5 | 163 |
| 14 | 86200 | 18 | 4190 | 70100 | 92 | 17400 | 11900 | 6 | 193 |
| 15 | 94000 | 42 | 10700 | 92000 | 100 | 24800 | 10800 | 4 | 117 |
| 16 | 100000 | 60 | 16200 | 82900 | 78 | 17500 | 12100 | 10 | 327 |
| 17 | 108000 | 108 | 31500 | 66300 | 56 | 10000 | 18400 | 35 | 1740 |
| 18 | 89800 | 97 | 23500 | 53000 | 44 | 6300 | 23800 | 70 | 4500 |
| 19 | 73900 | 80 | 16000 | 45300 | 38 | 4650 | 23800 | 53 | 3410 |
| 20 | 62000 | 60 | 10000 | 41000 | 33 | 3650 | 21800 | 39 | 2300 |
| 21 | 54400 | 40 | 5880 | 40700 | 37 | 4070 | 19800 | 34 | 1820 |
| 22 | 49200 | 25 | 3320 | 36400 | 30 | 2950 | 17400 | 29 | 1360 |
| 23 | 43900 | 23 | 2730 | 32800 | 22 | 1950 | 16600 | 25 | 1120 |
| 24 | 41500 | 22 | 2470 | 30000 | 17 | 1380 | 16800 | 23 | 1040 |
| 25 | 38000 | 20 | 2050 | 27100 | 14 | 1020 | 17000 | 21 | 964 |
| 26 | 35700 | 18 | 1740 | 26600 | 11 | 790 | 16800 | 16 | 726 |
| 27 | 34100 | 16 | 1470 | 24900 | 9 | 605 | 17600 | 13 | 618 |
| 28 | 31600 | 14 | 1190 | 24000 | 9 | 583 | 18800 | 10 | 508 |
| 29 | 29800 | 15 | 1210 | 22700 | 8 | 490 | 19600 | 8 | 423 |
| 30 | 27300 | 18 | 1330 | 21300 | 8 | 460 | 20900 | 11 | 621 |
| 31 | -- | -- | -- | 19800 | 6 | 321 | -- | -- | -- |
| TOTAL | 2502600 | -- | 449780 | 1129900 | -- | 114117 | 524700 | -- | 26226 |

441

01570500 SUSQUEHANNA RIVER AT HARRISBURG, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

[illegible]

SUSQUEHANNA RIVER BASIN

01570500 SUSQUEHANNA RIVER AT HARRISBURG, PA.--Continued

INSTANTANEOUS SUSPENDED SEDIMENT AND PARTICLE SIZE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PEN- DED SEDI- MENT (MG/L) | SUS- PEN- DED SEDI- MENT DIS- CHARGE (T/DAY) | SUS. SED. SIEVE DIAM. % FINER THAN .062 MM |
|-------|------|---|--|---|--|
| JAN. | | | | | |
| 23... | 1340 | 109300 | 79 | 31800 | 84 |
| 23... | 1341 | 109300 | 79 | 23300 | 78 |
| 23... | 1342 | 109300 | 60 | 17700 | 75 |
| 23... | 1343 | 109300 | 98 | 28900 | 69 |
| 23... | 1344 | 109300 | 96 | 28300 | 92 |
| 23... | 1345 | 109300 | 62 | 18300 | 92 |
| FEB. | | | | | |
| 26... | 1330 | 75800 | 293 | 56900 | 97 |
| 26... | 1331 | 75800 | 368 | 75300 | 97 |
| 26... | 1332 | 75800 | 285 | 58300 | 98 |
| 26... | 1333 | 75800 | 100 | 20500 | 93 |
| 26... | 1334 | 75800 | 44 | 9010 | 45 |
| 26... | 1335 | 75800 | 28 | 5730 | 23 |
| MAR. | | | | | |
| 27... | 1050 | 44500 | 23 | 2760 | 88 |
| 27... | 1100 | 44500 | 25 | 3000 | 82 |
| 27... | 1105 | 44500 | 19 | 2280 | 88 |
| 27... | 1130 | 44500 | 15 | 1800 | 74 |
| 27... | 1135 | 44500 | 9 | 1080 | 56 |
| 27... | 1140 | 44500 | 7 | 841 | 72 |
| APR. | | | | | |
| 24... | 1430 | 41000 | 36 | 3990 | 90 |
| 24... | 1440 | 41000 | 42 | 4650 | 92 |
| 24... | 1445 | 41000 | 25 | 2770 | 78 |
| 24... | 1500 | 41000 | 9 | 996 | 93 |
| 24... | 1505 | 41000 | 8 | 886 | 80 |
| 24... | 1509 | 41000 | 4 | 443 | 90 |
| MAY | | | | | |
| 20... | 1400 | 40700 | 42 | 4620 | 81 |
| 20... | 1405 | 40700 | 49 | 5390 | 85 |
| 20... | 1415 | 40700 | 21 | 2310 | 77 |
| 20... | 1420 | 40700 | 21 | 2310 | 60 |
| 20... | 1425 | 40700 | 35 | 3850 | 86 |
| 20... | 1430 | 40700 | 31 | 3410 | 78 |
| JUNE | | | | | |
| 19... | 1000 | 24250 | 107 | 7010 | 90 |
| 19... | 1025 | 24250 | 70 | 5480 | 88 |
| 19... | 1055 | 24250 | 42 | 3290 | 86 |
| 19... | 1120 | 24250 | 29 | 2270 | 86 |
| 19... | 1140 | 24250 | 36 | 2820 | 87 |
| 19... | 1155 | 24250 | 31 | 2430 | 86 |
| JULY | | | | | |
| 24... | 1500 | 9050 | 10 | 244 | 46 |
| AUG. | | | | | |
| 21... | 1430 | 6280 | 15 | 254 | 94 |
| SEP. | | | | | |
| 18... | 0900 | 13300 | 11 | 395 | 94 |
| 18... | 0910 | 13300 | 11 | 395 | 95 |
| 18... | 0920 | 13300 | 5 | 180 | 94 |
| 18... | 0935 | 13300 | 3 | 108 | 92 |
| 18... | 0955 | 13300 | 4 | 144 | 94 |
| 18... | 1015 | 13300 | 14 | 503 | 93 |

SUSQUEHANNA RIVER BASIN

443

01576500 CONESTOGA RIVER AT LANCASTER, PA.
(Formerly published as Conestoga Creek at Lancaster, Pa.)

LOCATION.--Lat 40°03'00", long 76°16'39", Lancaster County, at raw water intake, Lancaster, 500 ft (152 m) upstream from gaging station at Penn Central Railroad Bridge, and 0.8 mi (1.3 km) east of Lancaster. Sediment samples are collected from State Highway 340 bridge at Bridgeport, 1 mi (1.6 km) downstream from gaging station.

DRAINAGE AREA.--324 mi² (839 km²).

PERIOD OF RECORD.--Chemical analyses: October 1947 to September 1950, October 1958 to September 1972, April to September 1974.

Water temperatures: October 1947 to September 1950, October 1958 to September 1970, April to September 1974.

Sediment records.--October 1961 to September 1964 (partial-record station), October 1971 to September 1972 (partial-record station), April to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum daily, 800 mg/l Apr. 15; minimum daily, 5 mg/l Apr. 12.

Sediment discharges: Maximum daily, 3,870 tons (3,510 t) Apr. 15; minimum daily, 6.70 tons (6.08 t) Sept. 21.

Period of record:

Sediment concentrations: Maximum daily, 800 mg/l Apr. 15, 1974; minimum daily, 5 mg/l Apr. 12, 1974.

Sediment discharges: Maximum daily, 3,870 tons (3,510 t) Apr. 15, 1974; minimum daily, 6.70 tons (6.08 t) Sept. 21, 1974.

REMARKS.--Chemical analyses for this station on page 326. Unpublished records of daily specific conductance and water temperatures available at Harrisburg office.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | APRIL | | | MAY | | | JUNE | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 1010 | 100 | 273 | 436 | 36 | 42 | 294 | 45 | 36 |
| 2 | 852 | 33 | 76 | 414 | 35 | 39 | 313 | 46 | 39 |
| 3 | 802 | 8 | 17 | 465 | 40 | 50 | 298 | 48 | 39 |
| 4 | 1620 | 180 | 787 | 484 | 33 | 43 | 266 | 53 | 38 |
| 5 | 1560 | 130 | 548 | 413 | 21 | 23 | 249 | 45 | 30 |
| 6 | 1370 | 105 | 388 | 391 | 20 | 21 | 235 | 41 | 26 |
| 7 | 1020 | 30 | 83 | 408 | 20 | 22 | 226 | 37 | 23 |
| 8 | 927 | 7 | 18 | 377 | 23 | 23 | 220 | 39 | 23 |
| 9 | 1380 | 80 | 298 | 372 | 32 | 32 | 222 | 64 | 38 |
| 10 | 1100 | 50 | 149 | 583 | 50 | 79 | 213 | 66 | 38 |
| 11 | 857 | 8 | 19 | 464 | 38 | 48 | 214 | 65 | 38 |
| 12 | 788 | 5 | 11 | 574 | 50 | 77 | 195 | 53 | 28 |
| 13 | 1260 | 140 | 476 | 1730 | 560 | 2620 | 188 | 70 | 36 |
| 14 | 1300 | 165 | 579 | 682 | 78 | 144 | 201 | 100 | 54 |
| 15 | 1790 | 800 | 3870 | 546 | 48 | 71 | 204 | 85 | 47 |
| 16 | 1050 | 170 | 482 | 483 | 33 | 43 | 222 | 61 | 37 |
| 17 | 911 | 70 | 172 | 444 | 37 | 44 | 305 | 65 | 54 |
| 18 | 845 | 47 | 107 | 414 | 48 | 54 | 218 | 54 | 32 |
| 19 | 796 | 45 | 97 | 383 | 56 | 58 | 191 | 52 | 27 |
| 20 | 762 | 40 | 82 | 362 | 45 | 44 | 181 | 53 | 26 |
| 21 | 699 | 35 | 66 | 340 | 50 | 46 | 175 | 43 | 20 |
| 22 | 668 | 33 | 60 | 327 | 55 | 49 | 173 | 55 | 26 |
| 23 | 676 | 40 | 73 | 383 | 56 | 58 | 262 | 80 | 57 |
| 24 | 630 | 30 | 51 | 388 | 62 | 65 | 395 | 65 | 69 |
| 25 | 585 | 25 | 39 | 328 | 80 | 71 | 277 | 46 | 34 |
| 26 | 539 | 26 | 38 | 305 | 54 | 44 | 256 | 40 | 28 |
| 27 | 509 | 27 | 37 | 289 | 45 | 35 | 220 | 38 | 23 |
| 28 | 486 | 24 | 31 | 300 | 39 | 32 | 218 | 47 | 28 |
| 29 | 473 | 25 | 32 | 289 | 33 | 26 | 314 | 49 | 42 |
| 30 | 455 | 35 | 43 | 290 | 36 | 28 | 259 | 43 | 30 |
| 31 | -- | -- | -- | 280 | 37 | 28 | -- | -- | -- |
| TOTAL | 27720 | -- | 9002 | 13944 | -- | 4059 | 7204 | -- | 1066 |

SUSQUEHANNA RIVER BASIN

01576500 CONESTOGA RIVER AT LANCASTER, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JULY | | | AUGUST | | | SEPTEMBER | | |
|--|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 216 | 45 | 26 | 136 | 32 | 12 | 120 | 66 | 21 |
| 2 | 194 | 37 | 19 | 121 | 52 | 17 | 260 | 64 | 45 |
| 3 | 177 | 38 | 18 | 118 | 54 | 17 | 244 | 67 | 44 |
| 4 | 169 | 42 | 19 | 211 | 74 | 42 | 659 | 138 | 246 |
| 5 | 164 | 44 | 19 | 1230 | 580 | 1930 | 210 | 87 | 49 |
| 6 | 172 | 37 | 17 | 249 | 110 | 74 | 141 | 76 | 29 |
| 7 | 170 | 33 | 15 | 172 | 90 | 42 | 367 | 115 | 114 |
| 8 | 156 | 37 | 16 | 152 | 56 | 23 | 317 | 96 | 82 |
| 9 | 151 | 34 | 14 | 149 | 49 | 20 | 184 | 81 | 40 |
| 10 | 145 | 45 | 18 | 139 | 44 | 17 | 155 | 90 | 38 |
| 11 | 145 | 42 | 16 | 136 | 40 | 15 | 136 | 92 | 34 |
| 12 | 138 | 44 | 16 | 134 | 40 | 14 | 126 | 95 | 32 |
| 13 | 130 | 28 | 9.8 | 119 | 41 | 13 | 134 | 80 | 29 |
| 14 | 132 | 30 | 11 | 119 | 38 | 12 | 166 | 88 | 39 |
| 15 | 128 | 26 | 9.0 | 112 | 36 | 11 | 155 | 89 | 37 |
| 16 | 127 | 22 | 7.5 | 112 | 40 | 12 | 114 | 55 | 17 |
| 17 | 116 | 35 | 11 | 141 | 68 | 26 | 105 | 47 | 13 |
| 18 | 115 | 29 | 9.0 | 405 | 65 | 71 | 98 | 70 | 19 |
| 19 | 115 | 36 | 11 | 163 | 48 | 21 | 88 | 57 | 14 |
| 20 | 113 | 50 | 15 | 131 | 44 | 16 | 84 | 39 | 8.8 |
| 21 | 116 | 51 | 16 | 121 | 31 | 10 | 86 | 29 | 6.7 |
| 22 | 126 | 48 | 16 | 294 | 170 | 135 | 124 | 38 | 13 |
| 23 | 98 | 43 | 11 | 373 | 400 | 403 | 105 | 35 | 9.9 |
| 24 | 115 | 38 | 12 | 128 | 105 | 36 | 86 | 47 | 11 |
| 25 | 138 | 32 | 12 | 119 | 60 | 19 | 84 | 62 | 14 |
| 26 | 140 | 40 | 15 | 119 | 45 | 14 | 110 | 53 | 16 |
| 27 | 122 | 36 | 12 | 120 | 85 | 28 | 130 | 33 | 12 |
| 28 | 132 | 45 | 16 | 110 | 75 | 22 | 240 | 90 | 58 |
| 29 | 180 | 56 | 27 | 120 | 85 | 28 | 400 | 90 | 97 |
| 30 | 250 | 30 | 20 | 150 | 84 | 34 | 180 | 49 | 24 |
| 31 | 196 | 31 | 16 | 150 | 76 | 31 | -- | -- | -- |
| TOTAL | 4586 | -- | 469.3 | 6053 | -- | 3165 | 5408 | -- | 1212.4 |
| TOTAL DISCHARGE FOR YEAR (CFS-DAYS) | | | | | | | | | 143763 |
| TOTAL SUSPENDED-SEDIMENT DISCHARGE FOR YEAR (TONS) | | | | | | | | | 18973.7 |

INSTANTANEOUS SUSPENDED SEDIMENT AND PARTICLE SIZE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | TEMPER- ATURE (DEG C) | SUS- PEN- DED SEDI- MENT (MG/L) | SUS- PEN- DED SEDI- MENT DIS- CHARGE (T/DAY) | SUS. SED. FALL DIAM. % FINER THAN .002 MM | SUS. SED. FALL DIAM. % FINER THAN .004 MM |
|---------------|------|---|-----------------------------|--|---|---|---|
| MAR. 31... | 1235 | 2220 | 5.0 | 538 | 3220 | -- | 54 |
| APR. 15... | 1035 | 2550 | 13.0 | 1340 | 9230 | 42 | 56 |
| AUG. 06... | 1050 | 239 | 2.5 | 110 | 71 | -- | 76 |

| DATE | SUS. SED. FALL DIAM. % FINER THAN .008 MM | SUS. SED. FALL DIAM. % FINER THAN .016 MM | SUS. SED. FALL DIAM. % FINER THAN .031 MM | SUS. SED. FALL DIAM. % FINER THAN .062 MM | SUS. SED. FALL DIAM. % FINER THAN .500 MM | SUS. SED. FALL DIAM. % FINER THAN 1.00 MM |
|---------------|---|---|---|---|---|---|
| MAR. 31... | 71 | 87 | 93 | 97 | 98 | 100 |
| APR. 15... | 74 | 88 | 97 | 100 | -- | -- |
| AUG. 06... | -- | -- | -- | 100 | -- | -- |

SUSQUEHANNA RIVER BASIN

01516820 TIOGA RIVER AT LAMBS CREEK, PA. (LAT 41 50 29 LONG 077 06 13)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|---|--|
| SEP. 06... | 1100 | 216 | 336 | 196 |

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|---|--|
| OCT. 09... | 1430 | 73 | 4 | .79 |
| NOV. 08... | 0910 | 149 | 16 | 6.4 |
| DEC. 13... | 1145 | 392 | 47 | 50 |
| JAN. 10... | 1015 | -- | 14 | -- |
| FEB. 13... | 1315 | -- | 42 | -- |
| MAR. 13... | 1315 | -- | 23 | -- |
| APR. 02... | 1130 | 1250 | 153 | 516 |
| MAY 01... | 1215 | 285 | 20 | 15 |
| JUNE 12... | 1230 | 96 | 14 | 3.6 |
| JULY 17... | 1630 | 40 | 1 | .11 |
| AUG. 14... | 1245 | 29 | 2 | .16 |

01517500 MILL CREEK NEAR TIOGA, PA. (LAT 41 52 50 LONG 077 07 05)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|---|--|
| SEP. 05... | 1645 | 6.3 | 12 | .20 |

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|---|--|
| OCT. 11... | 0915 | 10 | 6 | .16 |
| NOV. 07... | 1535 | 25 | 4 | .27 |
| JAN. 09... | 1450 | -- | 9 | -- |
| FEB. 13... | 1400 | -- | 19 | -- |
| MAR. 13... | 1445 | 190 | 6 | 3.1 |
| APR. 02... | 1330 | 473 | 10 | 13 |
| MAY 01... | 1345 | 86 | 1 | .23 |
| JUNE 12... | 1345 | 28 | 13 | .98 |
| JULY 17... | 1545 | 6.5 | 1 | .02 |
| AUG. 14... | 1400 | 6.9 | 3 | .06 |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

SUSQUEHANNA RIVER BASIN

01518000 TIOGA RIVER AT TIOGA, PA. (LAT 41 54 30 LONG 077 07 47)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDIM- ENT DIS- CHARGE (MG/L) | SUS- PENDE SEDIM- ENT DIS- CHARGE (T/DAY) |
|---------------|------|---|--|---|
| SEP. 06... | 1000 | 197 | 93 | 49 |

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDIM- ENT DIS- CHARGE (MG/L) | SUS- PENDE SEDIM- ENT DIS- CHARGE (T/DAY) |
|---------------|------|---|--|---|
| OCT. 09... | 1530 | 82 | 9 | 2.0 |
| NOV. 06... | 1145 | 190 | 29 | 15 |
| DEC. 11... | 1415 | 868 | 44 | 103 |
| JAN. 08... | 1125 | 1230 | 14 | 8.7 |
| FEB. 13... | 1435 | 1200 | 13 | 7.0 |
| MAR. 13... | 1600 | 699 | 25 | 47 |
| APR. 02... | 1445 | 1780 | 113 | 543 |
| MAY 01... | 1445 | 413 | 23 | 26 |
| JUNE 12... | 1445 | 133 | 17 | 6.1 |
| JULY 17... | 1515 | 65 | 26 | 4.6 |
| AUG. 14... | 1500 | 35 | 6 | .57 |
| SEP. 12... | 1445 | 30 | 9 | .73 |

01518400 CROOKED CREEK AT MIDDLEBURY CENTER, PA. (LAT 41 50 35 LONG 077 16 30)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDIM- ENT DIS- CHARGE (MG/L) | SUS- PENDE SEDIM- ENT DIS- CHARGE (T/DAY) |
|---------------|------|---|--|---|
| SEP. 05... | 0915 | 24 | 8 | .52 |

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDIM- ENT DIS- CHARGE (MG/L) | SUS- PENDE SEDIM- ENT DIS- CHARGE (T/DAY) |
|---------------|------|---|--|---|
| OCT. 10... | 0930 | 16 | 14 | .60 |
| NOV. 07... | 0820 | 39 | 3 | .32 |
| JAN. 09... | 1545 | -- | 6 | -- |
| FEB. 14... | 1715 | -- | 4 | -- |
| APR. 04... | 0915 | 453 | 68 | 83 |
| MAY 03... | 0915 | 50 | 1 | .13 |
| JUNE 14... | 0845 | 8.0 | 6 | .13 |
| AUG. 16... | 0830 | 3.3 | 6 | .05 |

SUSQUEHANNA RIVER BASIN

01518500 CROOKED CREEK AT TIOGA, PA. (LAT 41 54 08 LONG 077 08 55)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|--|---|
| SEP. 05... | 1045 | 47 | 64 | 8.1 |

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|--|---|
| OCT. 09... | 1615 | 35 | 9 | .85 |
| NOV. 06... | 1300 | 61 | 56 | 9.2 |
| DEC. 11... | 1300 | 292 | 18 | 14 |
| JAN. 08... | 1225 | E66 | 7 | 1.2 |
| MAR. 13... | 1800 | 89 | 24 | 5.8 |
| APR. 02... | 1625 | 811 | 289 | 633 |
| MAY 01... | 1545 | 132 | 10 | 3.6 |
| JUNE 12... | 1550 | 26 | 17 | 1.2 |
| AUG. 14... | 1550 | 11 | 30 | .89 |
| SEP. 12... | 1620 | 10 | 16 | .44 |

01518700 TIOGA RIVER AT TIOGA JUNCTION, PA. (LAT 41 57 27 LONG 077 06 58)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|--|---|
| SEP. 05... | 1540 | 75 | 16 | 3.2 |

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|--|---|
| OCT. 09... | 1700 | 131 | 16 | 5.7 |
| NOV. 06... | 1350 | 281 | 21 | 16 |
| DEC. 11... | 1500 | 1300 | 41 | 128 |
| JAN. 08... | 1335 | E332 | 21 | 19 |
| FEB. 13... | 1620 | E300 | 34 | 28 |
| MAR. 13... | 1715 | 883 | 27 | 64 |
| APR. 02... | 1545 | 2900 | 894 | 7000 |
| MAY 01... | 1650 | 610 | 57 | 94 |
| JUNE 12... | 1730 | 178 | 6 | 2.9 |
| JULY 17... | 1300 | 93 | 1 | .25 |
| AUG. 14... | 1645 | 51 | 4 | .56 |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

SUSQUEHANNA RIVER BASIN

01518850 COWANESQUE RIVER AT WESTFIELD, PA. (LAT 41 54 56 LONG 077 34 18)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDIM- MENT CHARGE (MG/L) | SUS- PENDE SEDIM- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|---|--|
| SEP. 04... | 1330 | 6.8 | 16 | .29 |

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDIM- MENT CHARGE (MG/L) | SUS- PENDE SEDIM- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|---|--|
| OCT. 10... | 1625 | 7.7 | 2 | .04 |
| NOV. 07... | 1000 | 28 | 1 | .08 |
| JAN. 09... | 1230 | -- | 2 | -- |
| FEB. 14... | 0945 | -- | 6 | -- |
| APR. 03... | 0830 | 272 | 21 | 15 |
| MAY 02... | 0900 | 51 | 2 | .28 |
| JUNE 13... | 0920 | 8.0 | 1 | .02 |
| JULY 18... | 0920 | 7.4 | 0 | .00 |
| AUG. 15... | 0930 | 3.1 | 4 | .03 |

01518860 MILL CREEK AT WESTFIELD, PA. (LAT 41 55 15 LONG 077 32 07)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDIM- MENT CHARGE (MG/L) | SUS- PENDE SEDIM- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|---|--|
| SEP. 04... | 1445 | 5.0 | 10 | .13 |

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDIM- MENT CHARGE (MG/L) | SUS- PENDE SEDIM- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|---|--|
| OCT. 10... | 1540 | 4.2 | 26 | .29 |
| NOV. 07... | 1045 | 9.5 | 10 | .26 |
| JAN. 09... | 1155 | -- | 5 | -- |
| MAR. 14... | 1035 | 23 | 27 | 1.7 |
| APR. 03... | 0940 | 59 | 25 | 4.0 |
| MAY 02... | 1000 | 9.5 | 3 | .08 |
| JUNE 13... | 1030 | 1.2 | 2 | .01 |
| JULY 18... | 0955 | 2.0 | 0 | .00 |
| AUG. 15... | 1030 | 2.0 | 4 | .02 |

SUSQUEHANNA RIVER BASIN

01518870 COWNESQUE RIVER AT COWANESQUE, PA. (LAT 41 55 33 LONG 077 31 18)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|---|---|
| SEP. 04... | 1545 | 15 | 11 | .45 |

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|---|---|
| OCT. 10... | 1445 | 16 | 3 | .13 |
| NOV. 07... | 1140 | 50 | 1 | .13 |
| JAN. 09... | 1115 | -- | 2 | -- |
| FEB. 14... | 1045 | -- | 6 | -- |
| MAR. 14... | 1130 | 170 | 10 | 4.6 |
| APR. 03... | 1025 | 540 | 32 | 47 |
| MAY 02... | 1100 | 76 | 1 | .21 |
| JUNE 13... | 1130 | 12 | 2 | .06 |
| JULY 18... | 1030 | 12 | 2 | .06 |
| AUG. 15... | 1120 | 7.6 | 10 | .21 |

01519000 TROUPS CREEK AT KNOXVILLE, PA. (LAT 41 58 05 LONG 077 26 55)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|---|---|
| SEP. 04... | 1645 | 6.5 | 13 | .23 |

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|---|---|
| OCT. 10... | 1320 | 5.3 | 5 | .07 |
| NOV. 07... | 1310 | 22 | 4 | .24 |
| JAN. 09... | 1025 | -- | 3 | -- |
| FEB. 14... | 1125 | -- | 15 | -- |
| MAR. 14... | 1745 | 109 | 69 | 20 |
| APR. 03... | 1145 | 312 | 63 | 53 |
| MAY 02... | 1230 | 39 | 1 | .11 |
| JUNE 13... | 1230 | 5.6 | 1 | .02 |
| JULY 18... | 1100 | 3.7 | 0 | .00 |
| AUG. 15... | 1240 | 2.6 | 4 | .03 |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

SUSQUEHANNA RIVER BASIN

01519500 COWANESQUE RIVER AT NELSON, PA. (LAT 41 58 25 LONG 077 14 35)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|--|---|
| SEP. 05... | 1140 | 55 | 55 | 8.2 |

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|--|---|
| OCT. 10... | 1100 | 48 | 2 | .26 |
| NOV. 07... | 1415 | 129 | 2 | .70 |
| JAN. 09... | 0920 | -- | 2 | -- |
| FEB. 14... | 1330 | -- | 15 | -- |
| MAR. 14... | 1615 | 319 | 11 | 9.5 |
| APR. 03... | 1400 | 1430 | 31 | 120 |
| MAY 02... | 1630 | 190 | 1 | .51 |
| JUNE 13... | 1415 | 32 | 6 | .52 |
| JULY 18... | 1415 | 29 | 1 | .08 |
| AUG. 15... | 1355 | 17 | 8 | .37 |

01520000 COWANESQUE RIVER NEAR LAWRENCEVILLE, PA. (LAT 41 59 04 LONG 077 09 06)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|--|---|
| SEP. 05... | 1340 | 70 | 51 | 9.6 |

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|---------------|------|---|--|---|
| NOV. 06... | 1510 | 148 | 9 | 3.6 |
| JAN. 08... | 1545 | E170 | 5 | 2.3 |
| MAR. 14... | 1450 | 317 | 22 | 19 |
| APR. 03... | 1625 | 1400 | 52 | 197 |
| MAY 02... | 1530 | 215 | 2 | 1.2 |
| JUNE 13... | 1535 | E42 | 2 | .23 |
| JULY 18... | 1340 | 29 | 2 | .16 |
| AUG. 15... | 1500 | 17 | 5 | .23 |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

451

SUSQUEHANNA RIVER BASIN

01537700 SUSQUEHANNA RIVER AT HUNLOCK CREEK, PA. (LAT 41 11 19 LONG 076 05 13)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|-------|------|---|--|---|
| OCT. | | | | |
| 23... | 1400 | 2060 | 14 | 78 |
| NOV. | | | | |
| 28... | 1030 | 8830 | 45 | 1070 |
| DEC. | | | | |
| 27... | 1030 | 52100 | 60 | 8440 |
| JAN. | | | | |
| 24... | 1310 | 38400 | 97 | 10100 |
| FEB. | | | | |
| 14... | 1245 | 20100 | 53 | 2880 |
| 27... | 1230 | 21700 | 28 | 1640 |
| MAR. | | | | |
| 07... | 1345 | 42200 | 113 | 12900 |
| 28... | 1245 | 16700 | 41 | 1850 |
| APR. | | | | |
| 10... | 1230 | 39200 | 40 | 4230 |
| 25... | 1300 | 17000 | 23 | 1060 |
| MAY | | | | |
| 07... | 1315 | 9900 | 9 | 241 |
| 21... | 1210 | 16200 | 45 | 1970 |
| JUNE | | | | |
| 06... | 1230 | 5770 | 31 | 4830 |
| 20... | 1245 | 5600 | 34 | 514 |
| JULY | | | | |
| 02... | 1030 | 15200 | 78 | 3200 |
| 25... | 1415 | 2890 | 16 | 125 |
| AUG. | | | | |
| 08... | 1315 | 2980 | 16 | 129 |
| 22... | 1300 | 1720 | 21 | .98 |
| SEP. | | | | |
| 05... | 1330 | 8700 | 57 | 1340 |
| 19... | 1300 | 4050 | 25 | 273 |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

SUSQUEHANNA RIVER BASIN

01544000 FIRST FORK SINNEMAHOING CREEK NEAR SINNEMAHOING, PA. (LAT 41 24 06 LONG 078 01 28)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | TEMPER- ATURE (DEG C) | SUS- PEN- DED SEDI- MENT (MG/L) | SUS- PEN- DED SEDI- MENT DIS- CHARGE (T/DAY) | DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | TEMPER- ATURE (DEG C) | SUS- PEN- DED SEDI- MENT (MG/L) | SUS- PEN- DED SEDI- MENT DIS- CHARGE (T/DAY) |
|-------|------|---|-----------------------------|--|---|-------|------|---|-----------------------------|--|---|
| JAN. | | | | | | MAY | | | | | |
| 07... | 0730 | 343 | -- | 1 | .93 | 13... | 1530 | 2920 | -- | 16 | 126 |
| 08... | 0730 | 337 | -- | 1 | .91 | 14... | 0730 | 2480 | -- | 6 | 40 |
| 28... | 0800 | 991 | -- | 1 | 2.7 | 14... | 1230 | 2480 | -- | 4 | 27 |
| FEB. | | | | | | 15... | 0730 | 1360 | -- | 1 | 3.7 |
| 05... | 0800 | 461 | -- | 8 | 10 | 16... | 0730 | 1050 | -- | 3 | 8.5 |
| 11... | 0800 | 207 | -- | 1 | .56 | 17... | 0730 | 795 | -- | 2 | 4.3 |
| MAR. | | | | | | 20... | 0730 | 284 | 15.5 | 3 | 2.3 |
| 07... | 0800 | 1100 | -- | 1 | 3.0 | 21... | 0730 | 446 | -- | 3 | 3.6 |
| 08... | 0800 | 1150 | -- | 1 | 3.1 | 22... | 0730 | 221 | -- | 4 | 2.4 |
| 09... | 0800 | 1960 | -- | 14 | 74 | 23... | 0730 | 251 | -- | 4 | 2.7 |
| 09... | 1230 | 2370 | -- | 41 | 262 | 24... | 0730 | 300 | -- | 5 | 4.1 |
| 10... | 0900 | 2610 | -- | 40 | 282 | JUNE | | | | | |
| 10... | 1330 | 2460 | -- | 22 | 146 | 03... | 0730 | 110 | 17.0 | 1 | .30 |
| 10... | 1500 | 2690 | -- | 22 | 160 | 10... | 0730 | 79 | 20.5 | 9 | 1.9 |
| 11... | 0800 | 3180 | -- | 12 | 103 | 17... | 0730 | 403 | 20.0 | 9 | 9.8 |
| 11... | 1230 | 3180 | -- | 6 | 52 | 24... | 0730 | 101 | 18.5 | 6 | 1.6 |
| 11... | 1500 | 3180 | -- | 10 | 86 | JULY | | | | | |
| 12... | 0800 | 2400 | -- | 4 | 26 | 01... | 1235 | 4510 | -- | 81 | 986 |
| 12... | 1230 | 2400 | -- | 2 | 13 | 01... | 1530 | 4530 | -- | 108 | 1320 |
| 12... | 1500 | 2400 | -- | 5 | 32 | 01... | 1930 | 3340 | 13.0 | 131 | 1180 |
| 13... | 0730 | 1210 | -- | 3 | 9.8 | 02... | 1230 | 4080 | -- | 83 | 914 |
| 18... | 0800 | 626 | -- | 8 | 14 | 02... | 1930 | 4080 | -- | 17 | 187 |
| 25... | 0730 | 499 | -- | 2 | 2.7 | 03... | 1930 | 1940 | -- | 7 | 37 |
| APR. | | | | | | 04... | 1040 | 197 | -- | 6 | 3.2 |
| 01... | 0800 | 1060 | -- | 3 | 8.6 | 05... | 0730 | 6620 | -- | 8 | 143 |
| 03... | 0800 | 3480 | -- | 32 | 301 | 08... | 0730 | 226 | -- | 9 | 5.5 |
| 03... | 1230 | 3000 | -- | 22 | 178 | 09... | 0730 | 231 | -- | 5 | 3.1 |
| 03... | 1500 | 2990 | -- | 20 | 161 | 15... | 0730 | 251 | 22.0 | 9 | 6.1 |
| 04... | 0700 | 3410 | -- | 32 | 295 | 22... | 0730 | 67 | 21.0 | 10 | 1.8 |
| 04... | 0800 | 3300 | -- | 16 | 143 | 23... | 0800 | 1460 | -- | 4 | 16 |
| 05... | 0730 | 3430 | -- | 10 | 93 | 29... | 0730 | 70 | 21.0 | 6 | 1.1 |
| 05... | 1230 | 3730 | -- | 22 | 222 | AUG. | | | | | |
| 05... | 1530 | 3730 | -- | 39 | 393 | 05... | 0730 | 79 | 22.0 | 7 | 1.5 |
| 07... | 0730 | 312 | -- | 3 | 2.5 | 12... | 0730 | 87 | 22.0 | 9 | 2.1 |
| 08... | 0800 | 1190 | -- | 20 | 64 | 19... | 0730 | 98 | 22.0 | 7 | 1.9 |
| 15... | 0730 | 1220 | -- | 5 | 16 | 26... | 0730 | 148 | 22.0 | 8 | 3.2 |
| 15... | 1230 | 1500 | -- | 6 | 24 | SEP. | | | | | |
| 16... | 0730 | 1510 | -- | 7 | 29 | 03... | 0730 | 376 | -- | 9 | 9.1 |
| 17... | 0730 | 1270 | -- | 3 | 10 | 03... | 1230 | 376 | -- | 11 | 11 |
| 22... | 0730 | 461 | -- | 1 | 1.2 | 04... | 0730 | 1060 | -- | 22 | 63 |
| MAY | | | | | | 04... | 1230 | 796 | -- | 10 | 2.1 |
| 06... | 0730 | 446 | 10.0 | 5 | 6.0 | 09... | 0730 | 193 | 14.5 | 64 | 33 |
| 13... | 0730 | 2480 | 10.5 | 16 | 107 | 16... | 0730 | 98 | 18.0 | 6 | 1.6 |
| 13... | 1230 | 2900 | -- | 12 | 94 | 30... | 0730 | 168 | 11.0 | 6 | 2.7 |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

453

SUSQUEHANNA RIVER BASIN

01545600 YOUNG WOMANS CREEK NEAR RENOVO, PA. (LAT 41 23 22 LONG 077 41 28)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|-------|------|---|--|---|
| NOV. | | | | |
| 01... | 1400 | 320 | 14 | 12 |
| 20... | 1130 | 40 | 1 | .11 |
| DEC. | | | | |
| 11... | 1145 | 162 | 3 | 1.3 |
| JAN. | | | | |
| 16... | 1130 | 50 | 1 | .12 |
| FEB. | | | | |
| 27... | 1230 | 130 | 4 | 1.4 |
| MAR. | | | | |
| 12... | 1200 | 330 | 17 | 15 |
| APR. | | | | |
| 22... | 1530 | 107 | 2 | .58 |
| MAY | | | | |
| 29... | 1400 | 43 | 1 | .12 |
| JUNE | | | | |
| 25... | 1415 | 34 | 3 | .28 |
| 25... | 1535 | 45 | 7 | .85 |
| 25... | 1630 | 56 | 9 | 1.4 |
| 25... | 1740 | 62 | 9 | 1.5 |
| 25... | 1930 | 59 | 5 | .80 |
| JULY | | | | |
| 10... | 1415 | 46 | 1 | .12 |
| AUG. | | | | |
| 28... | 1535 | 22 | 8 | .48 |
| 28... | 1620 | 28 | 16 | 1.2 |
| SEP. | | | | |
| 18... | 1145 | 19 | 1 | .05 |

01554000 SUSQUEHANNA RIVER AT SUNBURY, PA. (LAT 40 51 15 LONG 076 48 21)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1972 TO SEPTEMBER 1973

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|-------|------|---|--|---|
| AUG. | | | | |
| 07... | 1115 | 8050 | 14 | 304 |
| 22... | 1030 | 15900 | 562 | 24100 |
| SEP. | | | | |
| 19... | 1030 | 17200 | 140 | 6500 |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

SUSQUEHANNA RIVER BASIN

01554000 SUSQUEHANNA RIVER AT SUNBURY, PA. (LAT 40 50 04 LONG 076 49 37)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PEN- DED SEDI- MENT (MG/L) | SUS- PEN- DED SEDI- MENT DIS- CHARGE (T/DAY) |
|-------|------|---|--|---|
| OCT. | | | | |
| 23... | 1100 | 4240 | 7 | 80 |
| NOV. | | | | |
| 28... | 1440 | 29200 | 37 | 2920 |
| DEC. | | | | |
| 27... | 1545 | 86600 | 55 | 12900 |
| JAN. | | | | |
| 24... | 1000 | 82600 | 58 | 12900 |
| FEB. | | | | |
| 14... | 1015 | 17900 | 13 | 628 |
| 27... | 0935 | 45000 | 47 | 5710 |
| MAR. | | | | |
| 07... | 1000 | 64400 | 68 | 11800 |
| 28... | 1000 | 32500 | 17 | 1490 |
| APR. | | | | |
| 10... | 0930 | 74700 | 41 | 8270 |
| 25... | 1000 | 29000 | 19 | 1490 |
| MAY | | | | |
| 07... | 1000 | 23800 | 9 | 578 |
| 21... | 0900 | 33700 | 38 | 3460 |
| JUNE | | | | |
| 06... | 0930 | 12800 | 12 | 415 |
| 20... | 1000 | 16500 | 37 | 1650 |
| JULY | | | | |
| 02... | 1415 | 60800 | 182 | 29900 |
| 25... | 1030 | 6290 | 5 | 85 |
| AUG. | | | | |
| 08... | 1005 | 6600 | 7 | 125 |
| 22... | 0930 | 4140 | 11 | 123 |
| SEP. | | | | |
| 05... | 1000 | 34000 | 91 | 8350 |
| 19... | 0945 | 9580 | 14 | 362 |

01563210 RAYSTOWN BRANCH JUNIATA RIVER AT ARDENHEIM, PA. (LAT 40 27 17 LONG 077 59 00)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PEN- DED SEDI- MENT (MG/L) | SUS- PEN- DED SEDI- MENT DIS- CHARGE (T/DAY) |
|-------|------|---|--|---|
| MAR. | | | | |
| 20... | 0845 | 72 | 2 | .39 |

OHIO RIVER BASIN

455

03085000 MONONGAHELA RIVER AT BRADDOCK, PA.
(National Stream-Quality Accounting Network Station)

LOCATION.--Lat 40°24'19", long 79°52'53", Allegheny County, at Rankin Bridge, 1.7 mi (2.7 km) downstream from gaging station.

DRAINAGE AREA.--7,340 mi² (19,000 km²).

PERIOD OF RECORD.--Chemical analyses: October 1958 to September 1974.

Biological analyses: January 1973 to September 1974.

Water temperatures: January 1973 to September 1974.

Sediment records: January 1973 to September 1974.

EXTREMES.--1973-74:

Sediment concentrations: Maximum daily, 638 mg/l Jan. 13; minimum daily, 7 mg/l Oct. 24.

Sediment discharges: Maximum daily, 210,000 tons (190,512 t) Jan. 12; minimum daily, 46 tons (42 t) Aug. 25.

Period of record:

Sediment concentrations: Maximum daily, 638 mg/l Jan. 13, 1974; minimum daily, 6 mg/l Mar. 31, May 24, Sept. 6, 1973.

Sediment discharges: Maximum daily, 210,000 tons (190,512 t) Jan. 12, 1974; minimum daily, 40 tons (36 t) Sept. 1, 5, 1973.

REMARKS.--Chemical analyses for this station on page 343.

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | OCTOBER | | | NOVEMBER | | | DECEMBER | | |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 9890 | 38 | 1010 | 19500 | 44 | 2320 | 22400 | 69 | 4170 |
| 2 | 8620 | 25 | 582 | 21200 | 52 | 2980 | 22900 | 43 | 2660 |
| 3 | 9890 | 34 | 908 | 16600 | 46 | 2060 | 19900 | 52 | 2790 |
| 4 | 10100 | 24 | 654 | 9890 | 47 | 1260 | 19900 | 21 | 1130 |
| 5 | 6990 | 25 | 472 | 8400 | 27 | 612 | 18800 | 22 | 1120 |
| 6 | 5690 | 19 | 292 | 8680 | 15 | 352 | 10700 | 18 | 520 |
| 7 | 4630 | 20 | 250 | 9540 | 17 | 438 | 9250 | 17 | 425 |
| 8 | 4840 | 20 | 261 | 8910 | 21 | 505 | 6790 | 18 | 330 |
| 9 | 5270 | 19 | 270 | 8910 | 22 | 529 | 6790 | 17 | 312 |
| 10 | 7290 | 21 | 413 | 10500 | 16 | 454 | 8910 | 15 | 361 |
| 11 | 5660 | 20 | 306 | 9830 | 12 | 318 | 8850 | 15 | 358 |
| 12 | 5100 | 22 | 303 | 9710 | 12 | 315 | 8850 | 15 | 358 |
| 13 | 4630 | 22 | 275 | 8960 | 12 | 290 | 9660 | 18 | 469 |
| 14 | 3440 | 20 | 186 | 6700 | 12 | 217 | 27800 | 48 | 3600 |
| 15 | 3870 | 14 | 146 | 7900 | 15 | 320 | 33600 | 54 | 4900 |
| 16 | 4310 | 9 | 105 | 10200 | 15 | 413 | 22900 | 45 | 2780 |
| 17 | 3990 | 15 | 162 | 12500 | 14 | 473 | 18500 | 15 | 749 |
| 18 | 4190 | 12 | 136 | 10800 | 14 | 408 | 16600 | 20 | 896 |
| 19 | 4150 | 12 | 134 | 10800 | 12 | 350 | 14800 | 20 | 799 |
| 20 | 3130 | 11 | 93 | 10800 | 13 | 379 | 15000 | 19 | 770 |
| 21 | 2720 | 15 | 110 | 13300 | 12 | 431 | 33800 | 20 | 1830 |
| 22 | 3610 | 17 | 166 | 11300 | 11 | 336 | 39800 | 19 | 2040 |
| 23 | 3910 | 12 | 127 | 8230 | 9 | 200 | 29600 | 27 | 2160 |
| 24 | 3260 | 7 | 62 | 10700 | 9 | 260 | 27700 | 69 | 5160 |
| 25 | 3230 | 10 | 87 | 9660 | 10 | 261 | 26200 | 80 | 5660 |
| 26 | 2840 | 15 | 115 | 11400 | 11 | 339 | 26800 | 67 | 4850 |
| 27 | 3000 | 12 | 97 | 15600 | 14 | 590 | 52500 | 51 | 7230 |
| 28 | 2720 | 20 | 147 | 29800 | 36 | 2900 | 57800 | 96 | 15000 |
| 29 | 5990 | 33 | 534 | 43400 | 53 | 6210 | 37600 | 124 | 12600 |
| 30 | 12300 | 37 | 1230 | 28400 | 53 | 4060 | 33100 | 113 | 10100 |
| 31 | 15300 | 35 | 1450 | -- | -- | -- | 32500 | 97 | 8510 |
| TOTAL | 174560 | -- | 11083 | 402120 | -- | 30580 | 720300 | -- | 104637 |

OHIO RIVER BASIN

03085000 MONONGAHELA RIVER AT BRADDOCK, PA.--Continued

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DAY | JANUARY | | | FEBRUARY | | | MARCH | | |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 30600 | 79 | 6530 | 15200 | 23 | 944 | 12800 | 15 | 518 |
| 2 | 26400 | 75 | 5350 | 14300 | 27 | 1040 | 15100 | 15 | 612 |
| 3 | 24500 | 64 | 4230 | 10800 | 25 | 729 | 24000 | 18 | 1170 |
| 4 | 40100 | 44 | 4760 | 11000 | 15 | 446 | 26100 | 38 | 2680 |
| 5 | 43600 | 96 | 11300 | 12200 | 13 | 428 | 23400 | 44 | 2780 |
| 6 | 30700 | 84 | 6960 | 12400 | 14 | 469 | 20400 | 41 | 2260 |
| 7 | 25900 | 40 | 2800 | 14100 | 14 | 533 | 18400 | 27 | 1340 |
| 8 | 22000 | 30 | 1780 | 17500 | 14 | 662 | 21000 | 25 | 1420 |
| 9 | 21100 | 30 | 1710 | 14800 | 14 | 559 | 23800 | 27 | 1740 |
| 10 | 31900 | 62 | 5340 | 12600 | 15 | 510 | 17900 | 46 | 2220 |
| 11 | 99400 | 524 | 141000 | 11500 | 16 | 497 | 19400 | 54 | 2830 |
| 12 | 123000 | 632 | 210000 | 11600 | 16 | 501 | 21000 | 46 | 2610 |
| 13 | 58400 | 638 | 101000 | 11600 | 14 | 438 | 19500 | 50 | 2630 |
| 14 | 37200 | 310 | 31100 | 14500 | 18 | 705 | 16700 | 53 | 2390 |
| 15 | 34700 | 188 | 17600 | 20800 | 20 | 1120 | 15000 | 40 | 1620 |
| 16 | 33000 | 140 | 12500 | 19000 | 16 | 821 | 12500 | 14 | 473 |
| 17 | 31000 | 80 | 6700 | 13600 | 16 | 588 | 13100 | 13 | 460 |
| 18 | 27800 | 52 | 3900 | 12000 | 20 | 648 | 13200 | 32 | 1140 |
| 19 | 24200 | 58 | 3790 | 12800 | 20 | 691 | 13300 | 22 | 790 |
| 20 | 21600 | 49 | 2860 | 13800 | 18 | 671 | 14300 | 27 | 1040 |
| 21 | 18200 | 22 | 1080 | 16800 | 23 | 1040 | 19600 | 18 | 953 |
| 22 | 26800 | 20 | 1450 | 14600 | 23 | 907 | 30900 | 13 | 1080 |
| 23 | 27000 | 25 | 1820 | 14700 | 37 | 1470 | 25000 | 48 | 3240 |
| 24 | 23900 | 47 | 3030 | 13600 | 135 | 4960 | 19700 | 56 | 2980 |
| 25 | 21300 | 58 | 3340 | 11900 | 160 | 5140 | 14400 | 47 | 1830 |
| 26 | 20400 | 35 | 1930 | 12900 | 159 | 5540 | 13500 | 17 | 620 |
| 27 | 16900 | 28 | 1280 | 12700 | 90 | 3090 | 13900 | 13 | 488 |
| 28 | 14800 | 28 | 1120 | 13500 | 22 | 802 | 11300 | 15 | 458 |
| 29 | 24300 | 24 | 1570 | -- | -- | -- | 10900 | 17 | 500 |
| 30 | 21400 | 13 | 751 | -- | -- | -- | 9740 | 11 | 289 |
| 31 | 19000 | 15 | 770 | -- | -- | -- | 7240 | 10 | 195 |
| TOTAL | 1021100 | -- | 599351 | 386800 | -- | 35949 | 537080 | -- | 45356 |

| DAY | APRIL | | | MAY | | | JUNE | | |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
| 1 | 8520 | 10 | 230 | 4520 | 10 | 122 | 29600 | 158 | 12600 |
| 2 | 11700 | 9 | 284 | 3820 | 9 | 93 | 47000 | 166 | 21100 |
| 3 | 13200 | 31 | 1100 | 6030 | 9 | 147 | 64400 | 155 | 27000 |
| 4 | 22900 | 133 | 8220 | 10600 | 10 | 286 | 47600 | 145 | 18600 |
| 5 | 36700 | 132 | 13100 | 11900 | 9 | 289 | 34500 | 149 | 13900 |
| 6 | 33400 | 122 | 11000 | 9520 | 9 | 231 | 29100 | 157 | 12300 |
| 7 | 28000 | 60 | 4540 | 7580 | 12 | 246 | 24900 | 159 | 10700 |
| 8 | 21800 | 17 | 1000 | 7120 | 13 | 250 | 13100 | 75 | 2650 |
| 9 | 28200 | 25 | 1900 | 7870 | 13 | 276 | 8780 | 52 | 1230 |
| 10 | 33200 | 41 | 3680 | 6580 | 13 | 231 | 9020 | 48 | 1170 |
| 11 | 28500 | 41 | 3150 | 7050 | 12 | 228 | 7260 | 36 | 706 |
| 12 | 25200 | 38 | 2590 | 18400 | 28 | 1390 | 6680 | 25 | 451 |
| 13 | 22100 | 22 | 1310 | 51100 | 250 | 34500 | 4480 | 20 | 242 |
| 14 | 23300 | 32 | 2010 | 29200 | 244 | 19200 | 4140 | 17 | 190 |
| 15 | 21100 | 17 | 968 | 19500 | 242 | 12700 | 5050 | 18 | 245 |
| 16 | 18700 | 16 | 808 | 15200 | 91 | 3730 | 5910 | 15 | 239 |
| 17 | 14800 | 16 | 639 | 13700 | 31 | 1150 | 8940 | 15 | 362 |
| 18 | 12400 | 18 | 603 | 17500 | 181 | 8550 | 9290 | 16 | 401 |
| 19 | 10800 | 21 | 612 | 17000 | 191 | 8770 | 6590 | 16 | 285 |
| 20 | 9150 | 17 | 420 | 11600 | 122 | 3820 | 5380 | 12 | 174 |
| 21 | 7220 | 15 | 292 | 9380 | 33 | 836 | 9440 | 22 | 561 |
| 22 | 6520 | 12 | 211 | 8230 | 33 | 733 | 32800 | 99 | 8770 |
| 23 | 11100 | 11 | 330 | 10400 | 30 | 842 | 48300 | 255 | 33300 |
| 24 | 10600 | 11 | 315 | 12300 | 28 | 930 | 90300 | 500 | 122000 |
| 25 | 8240 | 12 | 267 | 11500 | 23 | 714 | 51400 | 450 | 62500 |
| 26 | 7610 | 13 | 267 | 10000 | 21 | 567 | 35000 | 238 | 22500 |
| 27 | 5970 | 14 | 226 | 8310 | 23 | 516 | 29600 | 210 | 16800 |
| 28 | 6070 | 15 | 246 | 8140 | 23 | 505 | 24300 | 202 | 13300 |
| 29 | 6500 | 14 | 246 | 7410 | 15 | 300 | 17400 | 113 | 5310 |
| 30 | 6750 | 11 | 200 | 12500 | 34 | 1150 | 13700 | 52 | 1920 |
| 31 | -- | -- | -- | 14500 | 33 | 1290 | -- | -- | -- |
| TOTAL | 500250 | -- | 60764 | 388460 | -- | 104592 | 723960 | -- | 411506 |

SUSPENDED-SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

[illegible]

OHIO RIVER BASIN

03085000 MONONGAHELA RIVER AT BRADDOCK, PA.--Continued

INSTANTANEOUS SUSPENDED SEDIMENT AND PARTICLE SIZE, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDED SEDI- MENT (MG/L) | SUS- PENDED SEDI- MENT (T/DAY) | SUS. SED. SIEVE DIAM. % FINER THAN .062 MM |
|-------|------|---|---|--|--|
| UCT. | | | | | |
| 23... | 1030 | 2900 | 12 | 84 | 90 |
| NOV. | | | | | |
| 06... | 0945 | 7700 | 15 | 312 | 76 |
| DEC. | | | | | |
| 18... | 1000 | 14600 | 22 | 879 | 90 |
| JAN. | | | | | |
| 22... | 1000 | 27700 | 19 | 1420 | 96 |
| FEB. | | | | | |
| 13... | 0930 | 11000 | 15 | 446 | 89 |
| MAR. | | | | | |
| 25... | 0930 | 12000 | 36 | 1170 | 50 |
| APR. | | | | | |
| 15... | 1000 | 20200 | 19 | 1040 | 96 |
| MAY | | | | | |
| 17... | 1000 | 13500 | 19 | 693 | 81 |
| JUNE | | | | | |
| 24... | 0900 | 97500 | 464 | 122000 | 90 |
| 24... | 1130 | 98200 | 438 | 116000 | 92 |
| JULY | | | | | |
| 24... | 0930 | 4030 | 20 | 218 | 68 |
| AUG. | | | | | |
| 19... | 0930 | 3120 | 16 | 135 | 77 |
| SEP. | | | | | |
| 11... | 1005 | 5800 | 10 | 157 | 93 |

| DATE | TIME | SUS. SED. FALL DIAM. % FINER THAN .004 MM | SUS. SED. FALL DIAM. % FINER THAN .008 MM | SUS. SED. FALL DIAM. % FINER THAN .016 MM | SUS. SED. FALL DIAM. % FINER THAN .031 MM | SUS. SED. FALL DIAM. % FINER THAN .125 MM | SUS. SED. FALL DIAM. % FINER THAN .250 MM | SUS. SED. FALL DIAM. % FINER THAN .500 MM |
|-------|------|---|---|---|---|---|---|---|
| JUNE | | | | | | | | |
| 24... | 1130 | 45 | 63 | 79 | 88 | 97 | 98 | 100 |

ANALYSES OF SAMPLES COLLECTED AT WATER-QUALITY PARTIAL-RECORD STATIONS

OHIO RIVER BASIN

03045000 LOYALHANNA CREEK AT KINGSTON, PA. (LAT 40 17 33 LONG 079 20 27)

INSTANTANEOUS SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1973 TO SEPTEMBER 1974

| DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) | DATE | TIME | INSTAN- TANEOUS DIS- CHARGE (CFS) | SUS- PENDE SEDI- MENT (MG/L) | SUS- PENDE SEDI- MENT DIS- CHARGE (T/DAY) |
|-------|------|---|--|---|-------|------|---|--|---|
| OCT. | | | | | APR. | | | | |
| 07... | 1200 | 31 | 10 | .84 | 07... | 1800 | 565 | 9 | 14 |
| 10... | 1100 | 13 | 6 | .21 | 13... | 1100 | 1960 | 19 | 100 |
| 14... | 1100 | 15 | 6 | .24 | 14... | 1900 | 946 | 24 | 61 |
| 21... | 1300 | 14 | 8 | .30 | 21... | 1900 | 210 | 7 | 4.0 |
| 28... | 1000 | 11 | 18 | .53 | 25... | 1130 | 490 | 6 | 7.9 |
| NOV. | | | | | 28... | 1100 | 319 | 4 | 3.4 |
| 04... | 1100 | 148 | 6 | 2.4 | MAY | | | | |
| 10... | 1700 | 71 | 3 | .58 | 04... | 1800 | 276 | 5 | 3.7 |
| 26... | 1500 | 565 | 172 | 262 | 12... | 1700 | 2790 | 47 | 354 |
| 27... | 1100 | 436 | 6 | 7.1 | 19... | 1700 | 327 | 8 | 7.1 |
| DEC. | | | | | 25... | 1130 | 327 | 4 | 3.5 |
| 02... | 1630 | 245 | 3 | 2.0 | 26... | 1100 | 284 | 4 | 3.1 |
| 09... | 1130 | 172 | 6 | 2.8 | 28... | 0900 | 195 | 6 | 3.2 |
| 16... | 1330 | 312 | 4 | 3.4 | JUNE | | | | |
| 24... | 1500 | 414 | 5 | 5.6 | 03... | 1630 | 440 | 16 | 19 |
| 26... | 1100 | 1100 | 12 | 36 | 09... | 1700 | 130 | 27 | 9.5 |
| 31... | 1030 | 505 | 8 | 11 | 19... | 1630 | 88 | 47 | 11 |
| JAN. | | | | | 23... | 1630 | 1210 | 271 | 885 |
| 06... | 1500 | 373 | 6 | 6.0 | 25... | 1100 | 335 | 14 | 13 |
| 13... | 1300 | 1030 | 18 | 50 | 26... | 1100 | 256 | 18 | 12 |
| 20... | 1230 | 700 | 8 | 15 | 30... | 2000 | 122 | 8 | 2.6 |
| 25... | 1100 | 510 | 9 | 12 | JULY | | | | |
| 27... | 1130 | 432 | 9 | 10 | 07... | 0930 | 323 | 10 | 8.7 |
| FEB. | | | | | 14... | 1830 | 102 | 15 | 4.1 |
| 03... | 1300 | 276 | 5 | 3.7 | 21... | 1830 | 65 | 9 | 1.6 |
| 10... | 1630 | 228 | 6 | 3.7 | 25... | 1100 | 79 | 14 | 3.0 |
| 17... | 1100 | 154 | 7 | 2.9 | 28... | 1530 | 51 | 14 | 1.9 |
| 24... | 1600 | 331 | 6 | 5.4 | AUG. | | | | |
| MAR. | | | | | 04... | 1600 | 224 | 35 | 21 |
| 03... | 1600 | 535 | 11 | 16 | 11... | 1600 | 39 | 13 | 1.4 |
| 10... | 1200 | 1280 | 50 | 173 | 18... | 1930 | 29 | 6 | .47 |
| 17... | 1900 | 445 | 9 | 11 | 25... | 1600 | 10 | 8 | .22 |
| 24... | 1130 | 472 | 7 | 8.9 | SEP. | | | | |
| 25... | 1200 | 335 | 5 | 4.5 | 03... | 1230 | 952 | 202 | 519 |
| 31... | 1230 | 418 | 6 | 6.8 | 08... | 1900 | 117 | 9 | 2.8 |
| | | | | | 15... | 1700 | 486 | 15 | 20 |
| | | | | | 29... | 1700 | 198 | 10 | 5.3 |

INDEX

Type of data is shown by page number under appropriate letters:
(C) Chemical, (B) Biological (T) Water Temperature, (S) Sediment.

| | Page | | Page |
|--|------|-----|---|
| | CBT | S | CBT |
| Allegheny River at New Kensington..... | 341 | -- | Collection and examination of data..... 15 |
| Applemans Run above Light Street..... | 248 | 397 | Conestoga River at Lancaster..... 326 |
| below Light Street..... | 249 | 399 | Conowago Lake, contents of..... 333 |
| Ardenheim, Raystown Branch Juniata | | | Conodoguinet Creek at Greider Bridge |
| River at..... | 294 | 454 | near West Hill..... 328 |
| Atglen, Octoraro Creek near..... | 332 | -- | at Willow Mill Bridge near Hogestown.. 302 |
| Valley Creek near..... | 332 | -- | near Hogestown..... 330 |
| Avondale, White Clay Creek near..... | 202 | -- | tributary No. 1 near Enola..... 304 |
| | | | tributary No. 2 near Enola..... 306 |
| Bakersville, Laurel Hill Creek near..... | 358 | -- | tributary No. 2A near Enola..... 308 |
| Bald Eagle Creek at Blanchard..... | 263 | -- | tributary No. 2B near Enola..... 310 |
| near Milesburg..... | 261 | -- | tributary No. 3 at Enola..... 312 |
| Back Creek near Chambersburg..... | 338 | -- | Cooksburg, Toms Run at..... 354 |
| Barryville, N.Y., Delaware River at.... | 43 | -- | Cooperation..... 1 |
| Bear Creek near Ridgway..... | 352 | -- | Coventryville, French Creek near..... 196 |
| Beaver Creek at Rossville..... | 330 | -- | Cowanessque River at Cowanessque..... 233 |
| near Turkey City..... | 354 | -- | at Nelson..... 237 |
| Beaver Run at Heathville..... | 356 | -- | at Westfield..... 229 |
| near Slickville..... | 356 | -- | near Lawrenceville..... 239 |
| Beech Creek at Monument..... | 265 | -- | Crooked Creek at Middlebury Center..... 223 |
| Berne, Schuylkill River at..... | 126 | 373 | at Tioga..... 225 |
| Bernville, Northkill Creek at..... | 130 | 394 | Crooked Creek Lake, contents of..... 360 |
| Tulpehocken Creek at..... | 128 | 394 | Crossingville, Cussewago Creek at..... 350 |
| Big Mill Creek near Ridgway..... | 352 | -- | Crum Creek, East Branch near Paoli..... 199 |
| Blanchard, Bald Eagle Creek at..... | 263 | -- | West Branch near Paoli..... 199 |
| Blockhouse Creek at Buttonwood..... | 275 | 406 | Cupola, East Branch Brandywine Creek near 205 |
| near English Center..... | 281 | 412 | Curwensville Lake, contents of..... 333 |
| tributary at Liberty..... | 272 | 403 | Cussewago Creek at Crossingville..... 350 |
| Boyers, Slippery Rock Creek at..... | 358 | -- | |
| Braddock, Monongahela River at..... | 343 | 455 | Daguscahonda Creek at Daguscahonda..... 352 |
| Brandycamp Creek near Elbon..... | 352 | -- | Dahoga, Wilson Run at..... 350 |
| Brandywine Creek at Chadds Ford..... | 171 | 384 | Daniels Run at Marianna..... 358 |
| at Wilmington, Del..... | 179 | 388 | Danville, Susquehanna River at..... 250 |
| East Branch at Wawaset..... | 205 | -- | Darby Creek at Waterloo Mills near Devon 199 |
| below Downingtown..... | 164 | -- | Dark Shade Creek at Central City..... 356 |
| near Culpola..... | 205 | -- | Darlington, North Fork Little Beaver |
| near Downingtown..... | 205 | -- | Creek at..... 358 |
| near Struble Dam..... | 205 | -- | Dauphin, Stony Creek above pump storage |
| West Branch at Modena..... | 155 | -- | reservoir near..... 298 |
| at Wawaset..... | 205 | -- | Stony Creek below pump storage |
| near Coatesville..... | 202 | -- | reservoir near..... 300 |
| Bristol, Pa.-Burlington, N.J. Bridge, | | | Deer Creek at Piney..... 354 |
| Delaware River at..... | 99 | -- | Definition of terms..... 2 |
| Brockport, Mead Run at..... | 352 | -- | Delaware Bay at Ship John Shoal |
| Brockway, Little Toby Creek at..... | 352 | -- | Lighthouse, N.J..... 25 |
| Browns Run at Warren..... | 350 | -- | Delaware River at Barryville, N.Y..... 43 |
| Brookville, Sandy Lick Creek near..... | 354 | -- | Delaware River at Benjamin Franklin |
| Bruce Lake, contents of..... | 208 | -- | Bridge, Philadelphia..... 116 |
| Buck Run near Doe Run..... | 202 | -- | at Bristol, Pa.-Burlington, N.J. |
| Bucktown, Pigeon Creek near..... | 196 | -- | Bridge..... 99 |
| Bull Creek at Tarentum..... | 356 | -- | at Chester..... 146 |
| Bush Kill at Shoemakers..... | 194 | 392 | at Delaware Memorial Bridge near |
| Bushkill, Little Bush Kill at..... | 194 | 392 | Wilmington, Del..... 180 |
| Buttonwood, Blockhouse Creek at..... | 275 | 406 | at Dunnfield, N.J. (Delaware Water |
| Steam Valley Run at..... | 278 | 409 | Gap, Pa.)..... 56 |
| | | | at Easton..... 60 |
| Callensburg, Canoe Creek at..... | 354 | -- | at Eddystone..... 145 |
| Licking Creek at..... | 354 | -- | at Fort Mifflin, Philadelphia..... 143 |
| Callicoon Creek at Callicoon, N.Y..... | 32 | -- | at League Island, Philadelphia..... 125 |
| Canoe Creek at Callensburg..... | 354 | -- | at Lehigh Avenue, Philadelphia..... 115 |
| Canoe Lake, contents of..... | 333 | -- | at Marcus Hook..... 153 |
| Central City, Dark Shade Creek at..... | 356 | -- | at Marine Terminal, Trenton, N.J..... 95 |
| Chadds Ford, Brandywine Creek at..... | 171 | 384 | at Narrowsburg, N.J..... 34 |
| Chambersburg, Back Creek near..... | 338 | -- | at Reedy Island Jetty Del..... 187 |
| Charlestown, Pickering Creek at..... | 199 | -- | at Riegelsville, N.J..... 83 |
| Chemical records, section A..... | 23 | -- | at Torresdale Intake at Philadelphia.. 107 |
| Chester Creek at Westtown School..... | 202 | -- | at Trenton, N.J..... 84 |
| near Milltown..... | 202 | -- | at Wharton Street, Philadelphia..... 124 |
| near West Chester..... | 202 | -- | East Branch at Hancock, N.Y..... 29 |
| Chester, Delaware River at..... | 146 | -- | near East Stroudsburg (near |
| Chester Springs, Pickering Creek near.. | 199 | -- | Tocks Island Damsite)..... 47 |
| Chesterville, West Branch White Clay | | | near Martins Creek..... 58 |
| Creek near..... | 202 | -- | Delaware River basin, analyses of |
| Clarion, Toby Creek near..... | 339 | -- | water-quality partial-record |
| Clarion River at Ridgeway..... | 352 | -- | stations in..... 194 |
| at St. Petersburg..... | 354 | -- | Devon, Darby Creek at Waterloo Mills near 199 |
| East Branch at East Branch Clarion | | | Dingmans Creek at Dingmans Ferry..... 194 |
| River Dam..... | 350 | -- | Doe Run, Buck Run near..... 202 |
| East Branch at Johnsonburg..... | 350 | -- | near Springdale..... 205 |
| West Branch at Wilcox..... | 350 | -- | Downingtown, East Branch Brandywine |
| Clear Creek near Siegel..... | 354 | -- | Creek below..... 164 |
| Coatesville, West Branch Brandywine | | | East Branch Brandywine Creek near..... 205 |
| Creek near..... | 202 | -- | Marsh Creek near..... 162 |
| Coffee Run near Entriaken..... | 328 | -- | Downstream order and station number.. 14 |

| | Page | | Page |
|---|------|---|------|
| | CBT | | CBT |
| Dunnfield, N.J., Delaware River at..... | 56 | Kirby, Whiteley Creek at..... | 356 |
| Dutton Mill, Ridley Creek near..... | 199 | Knaurertown, French Creek near..... | 196 |
| | | Knoxville, Troups Creek at..... | 235 |
| Eagle, Pickering Creek near..... | 199 | Kooser Lake, contents of..... | 360 |
| East Branch Brandywine Creek at Wawaset.. | 205 | Kresgeville, Pohopoco Creek at..... | 65 |
| near Cupola..... | 205 | Kyle Run near Falls Creek..... | 354 |
| near Downingtown..... | 205 | | |
| near Struble Dam..... | 205 | Laborde Branch near Homecamp..... | 354 |
| East Branch Clarion River at Johnsonburg. | 350 | Lackawaxen River at Hawley..... | 36 |
| at East Branch Clarion River Dam..... | 350 | at mouth at Lackawaxen..... | 41 |
| East Branch Crum Creek near Paoli..... | 199 | West Branch at Prompton..... | 194 |
| East Branch Delaware River at | | Lakes, contents of: | |
| Hancock, N.Y..... | 29 | Bruce Lake..... | 208 |
| East Stroudsburg, Delaware River near.... | 47 | Canoe Lake..... | 333 |
| Easton, Delaware River at..... | 60 | Conewago Lake..... | 333 |
| Lehigh River at..... | 76 | Crooked Creek Lake..... | 360 |
| Eddystone, Delaware River at..... | 145 | Curwensville Lake..... | 333 |
| Egypt Meadow Lake, contents of..... | 208 | Egypt Meadow Lake..... | 208 |
| Elbon, Brandywine Creek near..... | 352 | Keystone Lake..... | 360 |
| Elk Creek at Elkview..... | 205 | Kooser Lake..... | 360 |
| Elk Creek at Ridgway..... | 352 | Lake Jean..... | 333 |
| near Oxford..... | 205 | Lake Wilhelm..... | 360 |
| Elkview, Elk Creek at..... | 205 | Lower Lake..... | 208 |
| English Center, Blockhouse Creek near.... | 281 | Marsh Creek Lake..... | 208 |
| Enola, Conodoguinet Creek tributary | | Nockamixon Lake..... | 208 |
| No. 1 near..... | 304 | Promised Land Lake..... | 208 |
| No. 2 near..... | 306 | Pymatuning Reservoir..... | 360 |
| No. 2A near..... | 308 | Raystown Lake near Entrioken..... | 290 |
| No. 2B near..... | 310 | near Hesston..... | 292 |
| No. 3 at..... | 312 | near Huntingdon..... | 293 |
| Entrioken, Coffee Run near..... | 328 | near Marklesburg..... | 291 |
| Raystown Lake near..... | 290 | Sand Spring Lake..... | 208 |
| Shy Beaver Creek near..... | 328 | Lamb Creek, Tioga River at..... | 217 |
| Tatman Run near..... | 328 | Lancaster, Conestoga River at..... | 326 |
| Etna, Pine Creek at..... | 356 | Large, Peters Creek at..... | 358 |
| | | Laurel Hill Creek near Bakersville..... | 358 |
| Falls Creek, Kyle Run near..... | 354 | Laurel Run near St. Marys..... | 352 |
| First Fork Sinnemahoning Creek near | | Lawrenceville, Cowanesque River near.... | 239 |
| Sinnemahoning..... | -- | Leatherwood Creek near New Bethlehem.... | 356 |
| Five Point, Red Clay Creek near..... | 202 | League Island, Philadelphia, Delaware | |
| Fort Mifflin, Delaware River at | | River at..... | 125 |
| Philadelphia at..... | 143 | Ledgedale, Wallenpaupack Creek at..... | 39 |
| French Creek at Phoenixville..... | 196 | Lehigh River at Easton..... | 76 |
| near Coventryville..... | 196 | Lewisburg, West Branch Susquehanna | |
| near Knaurertown..... | 196 | River at..... | 285 |
| near Phoenixville..... | 196 | Liberty, Blockhouse Creek tributary at.. | 272 |
| near Pughtown..... | 196 | Licking Creek at Callensburg..... | 354 |
| near Trythall..... | 196 | near Hustontown..... | 338 |
| West Branch near Hornby..... | 350 | Light Street, Applemans Run above..... | 248 |
| | | Applemans Run below..... | 249 |
| Gettysburg, White Run near..... | 338 | Lindley, N.Y., Tioga River at..... | 242 |
| Goose Creek near West Chester..... | 202 | Little Beaver Creek, North Fork at | |
| Goshenville, Ridley Creek near..... | 199 | Darlington..... | 358 |
| Great Bend, Susquehanna River near..... | 216 | Little Bush Kill at Bushkill..... | 194 |
| Great Trough Creek near Marklesburg..... | 328 | Little Mill Creek near Johnsonburg..... | 350 |
| | | Little Sandy Creek near North Freedom.... | 356 |
| Hallton, Spring Creek near..... | 352 | Little Toby Creek at Brockway..... | 352 |
| Hancock, N.Y., East Branch Delaware | | at Portland Mills..... | 352 |
| River at..... | 29 | Little Valley Creek near Valley Forge.... | 199 |
| Harrisburg, Susquehanna River at..... | 314 | Lower Lake, contents of..... | 208 |
| Hawley, Lackawaxen River at..... | 36 | Loyalhanna Creek at Kingston..... | -- |
| Heathville, Beaver Run at..... | 356 | Lyon Creek at Lyon Valley..... | 73 |
| Hesstown, Raystown Lake near..... | 292 | | |
| Hogestown, Conodoguinet Creek at Willow | | Manayunk, Philadelphia, Schuylkill | |
| Mill Bridge near..... | 302 | River at..... | -- |
| Conodoguinet Creek near..... | 330 | Mapleton Depot, Juniata River at..... | 328 |
| Homecamp, Laborde Branch near..... | 354 | Marcus Hook, Delaware River at..... | 153 |
| Hornby, West Branch French Creek near.... | 350 | Marianna, Daniels Run at..... | 358 |
| Hunlock Creek, Susquehanna River near.... | 245 | Marietta, Susquehanna River at..... | 330 |
| Huntingdon, Raystown Lake near..... | 293 | Marklesburg, Great Trough Creek near.... | 328 |
| Hustontown, Licking Creek near..... | 338 | Raystown Lake near..... | 291 |
| | | Marsh Creek Lake, contents of..... | 208 |
| Indian Run near Springton..... | 205 | Marsh Creek near Downingtown..... | 162 |
| Introduction..... | 1 | Martins Creek, Delaware River near..... | 58 |
| | | McCune Run at Keystone State Park..... | 356 |
| Jacobs Creek at Jacobs Creek..... | 358 | Mead Run at Brockport..... | 352 |
| Johnsonburg, East Branch Clarion River at | | Middlebury Center, Crooked Creek at..... | 223 |
| Little Mill Creek near..... | 350 | Milesburg, Bald Eagle Creek near..... | 261 |
| Riley Run near..... | 350 | Milford, Sawkill Creek at..... | 194 |
| Jordan Creek near Pleasant Corners..... | 69 | Mill Creek at Westfield..... | 231 |
| near Schnecksville..... | 74 | near Schnecksville..... | 73 |
| Juniata River at Mapleton Depot..... | 328 | near Strattanville..... | 354 |
| at Newport..... | 296 | near Tioga..... | 219 |
| Raystown Branch at Ardenheim..... | 295 | Milltown, Chester Creek near..... | 202 |
| at Saxton..... | 289 | Minister Creek near Truemans..... | 350 |
| Kennett Square, Red Clay Creek near..... | 202 | Modena, West Branch Brandywine Creek at.. | 155 |
| Keystone Lake, contents of..... | 360 | Mongaup River near Mongaup, N.Y..... | 45 |
| Keystone State Park, McCune Run at..... | 356 | Monongahela, Pigeon Creek at..... | 358 |
| Kingston, Loyalhanna Creek at..... | 459 | | |

| | Page CBT S | | Page CBT S |
|---|---------------|--|---------------|
| Monongahela River at Braddock..... | 343 | 455 Reading, Tulpehocken Creek at Blue | |
| at lock and dam 8, at Point Marion..... | 342 | -- Marsh damsite near..... | 132 377 |
| Monument, Beech Creek at..... | 265 | -- Red Clay Creek near Five Point | 202 -- |
| Mosgrove, North Fork Pine Creek near..... | 356 | -- near Kennett Square..... | 202 -- |
| Mount Holly Springs, Mountain Creek near..... | 330 | -- Redbank Creek at St. Charles..... | 340 -- |
| Mountain Creek at Pine Grove Furnace..... | 330 | -- Redstone Creek at Waltersburg..... | 358 -- |
| near Mount Holly Springs..... | 330 | -- Reedy Island Jetty, Del., Delaware | |
| Mullsteins Meadows, Valley Creek at..... | 205 | -- River at..... | 187 -- |
| | | -- Renovo, West Branch Susquehanna River at. | 253 -- |
| Narrowsburg, N.Y., Delaware River at..... | 34 | -- Young Womans Creek near..... | 258 453 |
| Nelson, Cowanesque River at..... | 237 | 450 Ridgway, Bear Creek near..... | 352 -- |
| New Bethlehem, Leatherwood Creek near..... | 356 | -- Big Mill Creek near..... | 352 -- |
| New Kensington, Allegheny River at..... | 341 | -- Clarion River at..... | 352 -- |
| Pucketa Creek at..... | 356 | -- Elk Creek at..... | 352 -- |
| Newport, Juniata River at..... | 296 | 418 Ridley Creek near Goshenville..... | 199 -- |
| Nockamixon Lake, contents of..... | 208 | -- near Dutton Mill..... | 199 -- |
| North Fork Little Beaver Creek at | | -- Riegelsville, N.J., Delaware River at.... | 83 -- |
| Darlington..... | 358 | -- Riley Run near Johnsonburg..... | 350 -- |
| North Fork Pine Creek near Mosgrove..... | 356 | -- Rossville, Beaver Creek at..... | 330 -- |
| North Freedom, Little Sandy Creek near... | 356 | | |
| Northkill Creek at Bernville..... | 130 | 394 St. Charles, Redbank Creek at..... | 340 -- |
| | | -- St. Marys, Laurel Run near..... | 352 -- |
| Octoraro Creek near Atglen..... | 332 | -- St. Petersburg, Clarion River at..... | 354 -- |
| Ohio River at Sewickley..... | 349 | -- Sand Spring Lake, contents of..... | 208 -- |
| Ohio River basin, analyses of water- | | -- Sandy Lick Creek near Brookville..... | 354 -- |
| quality partial-record stations in. | 350 | 459 Sawkill Creek at Milford..... | 194 392 |
| Oxford, Elk Creek near..... | 205 | -- Saxton, Raystown Branch Juniata River at. | 289 -- |
| | | -- Shoup Run at..... | 328 -- |
| Paden Creek near Pennline..... | 358 | -- Schnecksville, Jordan Creek near..... | 74 394 |
| Paoli, East Branch Crum Creek near..... | 199 | -- Mill Creek near..... | 73 393 |
| West Branch Crum Creek near..... | 199 | -- Schuylkill River at Berne..... | 126 373 |
| Parker Ford, Pigeon Creek near..... | 196 | -- at Manayunk, Philadelphia..... | -- 380 |
| Parrish, Wolf Run at..... | 352 | -- at Philadelphia..... | 136 -- |
| Parryville, Pohopoco Creek below | | -- Sediment records, section B..... | -- 365 |
| Beltzville Dam near..... | 67 | -- Selected references..... | 19 -- |
| Pennline, Paden Creek near..... | 388 | -- Sevenmile Run near Rasselas..... | 350 -- |
| Peters Creek at Large..... | 358 | -- Sewickley, Ohio River at..... | 349 -- |
| Philadelphia, Delaware River at Benjamin | | -- Ship John Shoal Lighthouse, N.J., | |
| Franklin Bridge at..... | 116 | -- Delaware Bay at..... | 25 -- |
| at Fort Mifflin..... | 143 | -- Shoemakers, Bush Kill at..... | 194 392 |
| at League Island..... | 125 | -- Shoup Run at Saxton..... | 328 -- |
| at Lehigh Avenue..... | 115 | -- Shy Beaver Creek near Entriiken..... | 328 -- |
| at Torresdale Intake at..... | 107 | -- Siegel, Clear Creek near..... | 354 -- |
| at Wharton Street..... | 124 | -- Silver Spring, Raymondskill Creek near... | 194 -- |
| Schuylkill River at..... | 136 | -- Sinnemahoning Creek, First Fork near | |
| at Manayunk at..... | 380 | -- Sinnemahoning..... | -- 452 |
| Phoenixville, French Creek at..... | 196 | -- Slickville, Beaver Run near..... | 356 -- |
| French Creek near..... | 196 | -- Slippery Rock Creek at Boyers..... | 352 -- |
| Pickering Creek near..... | 199 | -- Special networks and programs..... | 12 -- |
| Pickering Creek at Charlestown..... | 199 | -- Spring City, Stony Run at..... | 196 -- |
| near Chester Springs..... | 199 | -- Stony Run near..... | 196 -- |
| near Eagle..... | 199 | -- Springdale, Doe Run near..... | 205 -- |
| near Phoenixville..... | 199 | -- Spring Creek near Hallton..... | 352 -- |
| Pigeon Creek at Monongahela..... | 358 | -- Springton, Indian Run near..... | 205 -- |
| near Bucktown..... | 196 | -- Stony Creek above pump-storage reservoir | |
| near Parker Ford..... | 196 | -- near Dauphin..... | 298 -- |
| near Porters Mill..... | 196 | -- below pump-storage reservoir near | |
| Pine Creek at Etna..... | 356 | -- Dauphin..... | 300 -- |
| North Fork near Mosgrove..... | 356 | -- Stony Run at Spring City..... | 196 -- |
| Pine Grove Furnace, Mountain Creek near.. | 330 | -- near Spring City..... | 196 -- |
| Piney, Deer Creek at..... | 354 | -- Strattanville, Mill Creek near..... | 354 -- |
| Piney Creek at Piney..... | 354 | -- Steam Valley Run at Buttonwood..... | 278 409 |
| Pleasant Corners, Jordan Creek near..... | 69 | 393 Struble Dam, East Branch Brandywine | |
| Switzer Creek near..... | 70 | 393 Creek near..... | 205 -- |
| Pohopoco Creek at Kresgeville..... | 65 | -- Sunbury, Susquehanna River at..... | 286 453 |
| below Beltzville Dam near Parryville... | 67 | -- Susquehanna River at Danville..... | 250 401 |
| Point Marion, Monongahela River at lock | | -- at Harrisburg..... | 314 439 |
| and dam 8, at..... | 342 | -- at Marietta..... | 330 -- |
| Porters Mill, Pigeon Creek near..... | 196 | -- at Sunbury..... | 286 453 |
| Portland Mills, Little Toby Creek at.... | 352 | -- near Great Bend..... | 216 -- |
| Potomac River Basin, analyses of water- | | -- near Hunlock Creek..... | 245 451 |
| quality partial-record stations in. | 338 | -- West Branch at Lewisburg..... | 285 -- |
| Powers Run at mouth..... | 350 | -- at Renovo..... | 253 -- |
| Promised Land Lake, contents of..... | 208 | -- at Watsontown..... | 284 415 |
| Prompton, West Branch Lackawaxen River at | 194 | -- at Williamsport..... | 328 -- |
| Pucketa Creek at New Kensington..... | 356 | -- Susquehanna River basin, analyses of | |
| Pughtown, French Creek near..... | 196 | -- water-quality partial-record | |
| Pymatuning Reservoir, contents of..... | 360 | -- stations in..... | 328 445 |
| | | -- Switzer Creek near Pleasant Corners..... | 70 393 |
| Raccoon Creek State Park, Traverse | | | |
| Creek at..... | 358 | -- Tarentum, Bull Creek at..... | 356 -- |
| Rasselas, Sevenmile Run near..... | 350 | -- Tatman Run near Entriiken..... | 328 -- |
| Raymondskill Creek near Silver Spring.... | 194 | -- Tioga, Crooked Creek at..... | 225 447 |
| Raystown Branch Juniata River | | -- Mill Creek near..... | 219 445 |
| at Ardenheim..... | 295 | 454 Tioga River at..... | 221 446 |
| at Saxton..... | 289 | -- Tioga Junction, Tioga River at..... | 227 447 |
| Raystown Lake near Entriiken..... | 290 | -- Tioga River at Lambs Creek..... | 217 445 |
| near Hesstown..... | 292 | -- at Lindley, N.Y..... | 242 395 |
| near Huntington..... | 293 | -- at Tioga..... | 221 446 |
| near Marklesburg..... | 291 | -- at Tioga Junction..... | 227 447 |

INDEX

| | Page | | Page | | |
|---|------|-----|---|-----|-----|
| | CBT | S | CBT | S | |
| Toby Creek near Clarion..... | 339 | -- | West Branch French Creek near Hornby.... | 350 | -- |
| Toms Run at Cooksburg..... | 354 | -- | West Branch Lackawaxen River at Prompton. | 194 | -- |
| Traverse Creek at Raccoon Creek | | | West Branch Susquehanna River at | | |
| State Park..... | 358 | -- | Lewisburg..... | 285 | -- |
| Trenton, N.J., Delaware River at..... | 84 | 370 | at Renovo..... | 253 | -- |
| Delaware River at Marine Terminal at... | 95 | -- | at Watsontown..... | 218 | 415 |
| Troups Creek at Knoxville..... | 235 | 449 | at Williamsport..... | 328 | -- |
| Truemans, Minister Creek near..... | 350 | -- | West Branch White Clay Creek near | | |
| Trythall, French Creek near..... | 196 | -- | Chesterville..... | 202 | -- |
| Tulpehocken Creek at Bernville..... | 128 | 394 | West Chester, Chester Creek near..... | 202 | -- |
| at Blue Marsh damsite near Reading.... | 132 | 377 | Goose Creek near..... | 202 | -- |
| Turkey City, Beaver Creek near..... | 354 | -- | West Hickory Creek near West Hickory.... | 350 | -- |
| | | | West Hill, Conodoguinet Creek at Greider | | |
| Valley Creek at Mullsteins Meadows..... | 205 | -- | Mill Bridge near..... | 328 | -- |
| near Atglen..... | 332 | -- | Westfield, Cowanesque River at..... | 229 | 448 |
| near Valley Forge..... | 199 | -- | Mill Creek at..... | 231 | 448 |
| Valley Forge, Little Valley Creek near... | 199 | -- | Westtown School, Chester Creek at..... | 202 | -- |
| Valley Creek near..... | 199 | -- | White Clay Creek near Avondale..... | 202 | -- |
| | | | near Wickerton..... | 202 | -- |
| Wallenpaupack Creek at Ledgesdale..... | 39 | -- | West Branch near Chesterville..... | 202 | -- |
| Walnut Bottom, Yellow Breeches Creek near | 330 | -- | White Run near Gettysburg..... | 338 | -- |
| Waltersburg, Redstone Creek at..... | 358 | -- | Whitely Creek at Kirby..... | 356 | -- |
| Warren, Browns Run at..... | 350 | -- | Wickerton, White Clay Creek near..... | 202 | -- |
| Water quality records..... | 25 | -- | Wilcox, West Branch Clarion River at.... | 350 | -- |
| Water-supply papers..... | 18 | -- | Wilhelm Lake, contents of..... | 360 | -- |
| Waterloo Mills, Darby Creek near Devon at | 199 | -- | Williamsport, West Branch Susquehanna | | |
| Watsontown, West Branch Susquehanna | | | River at..... | 328 | -- |
| River at..... | 284 | 415 | Wilmington, Del., Brandywine Creek at.... | 179 | 388 |
| Wawaset, East Branch Brandywine Creek at. | 205 | -- | Delaware River at Delaware Memorial | | |
| West Branch Brandywine Creek at..... | 205 | -- | Bridge near..... | 180 | -- |
| West Branch Brandywine Creek at Modena... | 155 | -- | Wilson Run at Dahoga..... | 350 | -- |
| at Wawaset..... | 205 | -- | Wolf Run at Parrish..... | 352 | -- |
| near Coatesville..... | 202 | -- | | | |
| West Branch Clarion River at Wilcox..... | 350 | -- | Yellow Breeches Creek near Walnut Bottom. | 330 | -- |
| West Branch Crum Creek near Paoli..... | 199 | -- | Young Womans Creek near Renovo..... | 258 | 453 |




Figure 7.--Map of Delaware River basin showing locations of water-quality stations.




Figure 9.--Map of Ohio River basin showing locations of water-quality stations.

U. S. DEPARTMENT OF THE INTERIOR
Geological Survey
4th Floor Federal Building
228 Walnut Street
Harrisburg, Pennsylvania 17108

USGS LIBRARY - RESTON



3 1818 00454198 1

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF THE INTERIOR
INT 413

