


Water Resources Data New York Water Year 1982 U.S. GEOLOGICAL SURVEY OCT 1 4 1983

Volume 2. Long Island



U.S. GEOLOGICAL SURVEY WATER-DATA REPORT NY-82-2 Prepared in cooperation with the State of New York and with other agencies

CALENDAR FOR WATER YEAR 1982

										19	81			, 3							
	(OCT	OBEI	2					- 1	NOV	EMB	ER				1	DECI	EMBI	ZR		
3	M	Т	W	Т	F	S		S	M	T	W	T	F	S	S	M	T	W	T	F	S
				1	2	3		1	2	3	4	5	6	7			1	2	3	4	5
	5	_	7			10		8				12		14				-	10		
			14			17		15					20			14				18	
		20				24		22			25	26	21	28				30		25	20
,	20	21	20	2,5	30	31		23	30						21	20	2)	30	71		
							Trees,		,												
										19	82										
		JANI	JARY	Z						FEB	RUA	RY					MAI	RCH			
	M	Т	W	Т	F	S		S	M	T	W	T	F	S	S	M	T	W	T	F	S
						_						,	_					_	,	1	
	4	5	6	7	8	2		7			3 10		12					3 10		5 12	
			13												-						
			20										26							26	
			27								-			-				31			
1																					
		. A	PRII	L							MAY						J	UNE			
	M	Т	W	T	F	S		S	M	T	W	T	F	S	S	M	T	W	T	F	S
				1	2	3								1			1	2	3	4	5
4	5	6	7	8		10		2	3	4	5	6	7	8	6				10	4.5	
1	12	13	14	15	16	17		9	10	11	12	13	14	15	13	14	15	16	17	18	19
8	19	20	21	22	23	24		16	17	18	19	20	21	22	20	21	22	23	24	25	26
5	26	27	28	29	30			23	24	25	26	27	28	29	27	28	29	30			
								30	31												
		JI	JLY							AU	GUS'	r				SI	EPT	EMBI	SR		
	M	Т	W	T	F	S		S	M	T	W	T	F	S	S	M	T	W	T	F	S
				1	2	3		1	2	3	4	5	6	7				1	2	3	4
4	5	6	7	8	9	10		8	9	10	11	12	13	14	5	6	7	8	9	10	11
1	12	13	14	15	16	17		15	16	17	18	19	20	21	12	13	14	15	16	17	18
													27								25
)	20	21	28	29	30	31		29	30	31					20	21	28	29	30		



Water Resources Data New York Water Year 1982

Volume 2. Long Island

by A.G. Spinello, J.H. Nakao, W.J. Flipse, Jr., and J.G. Carcaci



U.S. GEOLOGICAL SURVEY WATER-DATA REPORT NY-82-2 Prepared in cooperation with the State of New York and with other agencies

UNITED STATES DEPARTMENT OF THE INTERIOR

JAMES G. WATT, Secretary

GEOLOGICAL SURVEY

Dallas L. Peck, Director

For information on the water program in New York write to
District Chief, Water Resources Division
U.S. Geological Survey
U.S. Post Office and Courthouse
P.O. Box 1350
Albany, New York 12201

or
For information on the water program in Long Island write to Subdistrict Chief, Water Resources Division
U.S. Geological Survey
5 Aerial Way
Syosset, New York 11791

PREFACE

This volume of the annual hydrologic data report of New York is one of a series of annual reports that document hydrologic data gathered from the U.S. Geological Survey's surface- and ground-water data-collection networks in each State, Puerto Rico, and the Trust Territories. These records of streamflow, ground-water levels, and quality of water provide the hydrologic information needed by State, local, and Federal agencies, and the private sector for developing and managing our Nation's land and water resources. Hydrologic data for New York are contained in 3 volumes:

Volume 1. Eastern New York excluding Long Island

Volume 2. Long Island

Volume 3. Western New York

This report is the culmination of a concerted effort by dedicated personnel of the U.S. Geological Survey who collected, compiled, analyzed, verified, and organized the data, and who typed, edited, and assembled the report. In addition to the authors, who had primary responsibility for assuring that the information contained herein is accurate, complete, and adheres to Geological Survey policy and established guidelines, the following individuals contributed significantly to the collection, processing, and tabulation of the data:

D. B. Aaronson G. E. DeBrava P. L. Maniscalco R. B. Winowitch

E. A. Giunta typed the text of the report.

This report was prepared in cooperation with the State of New York and with other agencies under the general supervision of L. A. Martens, District Chief, New York.

	22	72		
3	uz	16	-,	nı

REPORT DOCUMENTATION L. REPORT NO. USGS/WRD/HD-83/037	2	3. Recipient's Accession No.		
4. Title and Subtitle Water Resources Data for New York, Water Year 198	2	5. Report Date July 1983		
Volume 2. Long Island		6.		
7. Author(s)		8. Performing Organization Rept. No. USGS-WDR-NY-82-2		
9. Performing Organization Name and Address		10. Project/Task/Work Unit No.		
U.S. Geological Survey, Water Resources Division 5 Aerial Way Syosset, New York 11791		11. Contract(C) or Grant(G) No. (C) (G)		
12. Sponsoring Organization Name and Address U.S. Geological Survey, Water Resources Division U.S. Post Office and Courthouse		13. Type of Report & Period Covered Annual - October 1, 1981 to September 30, 1982		
P. O. Box 1350 Albany, New York 11201		14.		

15. Supplementary Notes

Prepared in cooperation with the State of New York and other agencies.

16. Abstract (Limit: 200 words)

Water resources data for the 1982 water year for New York consist of records of stage, discharge, and water quality of streams; stage, contents, and water quality of lakes and reservoirs; water quality of precipitation; and water levels and water quality of ground water wells. This volume contains records for water discharge at 17 gaging stations; water quality at 17 gaging stations, 349 wells, and 3 precipitation stations; and water levels at 117 observation wells. Also included are data for 77 low-flow partial-record stations. Additional water data were collected at various sites not involved in the systematic data collection program, and are published as miscellaneous measurements and analyses. These data together with the data in Volumes 1 and 3 represent that part of the National Water Data System operated by the U.S. Geological Survey in cooperation with State, Federal, and other agencies in New York.

17. Document Analysis a. Descriptors

*New York, *Hydrologic data, *Groundwater, *Surface waters, *Water Quality, Gaging Stations, Streamflow, Flow rates, Lakes, Reservoirs, Chemical analysis, Sediments, Water temperature, Water analysis, Water levels, Water wells, Data collections, Sites.

b. Identifiers/Open-Ended Terms

c. COSATI Field/Group

18. Availability Statement This report may be purchased from:	19. Security Class (This Report) UNCLASSIFIED	318	
National Technical Information Service Springfield, VA 22161	20. Security Class (This Page) UN & LASSIFIED	22. Price	

CONTENTS

			Page
List of Introd Cooper Signiff Definit Downst Number Special Explan Coll Account Class Arra Desc Water Sedi Explan Coll Public Gaging Discha Low-Analys Ground Qual Mind Pest	of gaduction description of the second control of the second contr	ging stations, in downstream order, for which records are published	iii vi 1 2 3 4 11 11 12 12 12 14 14 15 15 15 16 16 16 17 31 71 78 81 81 164 171 298 304 311
Figure	a 1	System for numbering wells	11
rigure	2.	Hydrographic comparisons, East Meadow Brook at Freeport	18
	3.	Hydrographic comparisons, Nissequogue River near Smithtown	19
	5.	at Riverhead	20 21
	6A.	Map showing location of surface-water data collection stations in Kings	
	6B.	Queens, and Nassau Counties Map showing location of surface-water data collection stations in west	22
	6C.	half of Suffolk County Map showing location of surface-water data collection stations in east	
	7A.	half of Suffolk County Map showing location of water-level data collection stations in Kings,	24
	7B.	Queens, and Nassau Counties Map showing location of water-level data collection stations in west	25
	7C.	half of Suffolk County Map showing location of water-level data collection stations in east	26
	8A.	half of Suffolk County Map showing location of quality of ground-water data collection stations	27
	8B.	in Kings, Queens, and Nassau Counties	28
	8C.	in west half of Suffolk County Map showing location of quality of ground-water data collection stations	29
		in east half of Suffolk County	30
		TABLE	
Table	1	Factors for converting inch-pound units to International System	inside of back
Table		Units (SI)	cover

vi GAGING STATIONS, IN DOWNSTREAM ORDER, FOR WHICH RECORDS ARE PUBLISHED

[Letter after station name designates type of data: (d) discharge, (e) contents and/or elevation,

(c) chemical, (b) biological, (m) microbiological, (t) water temperature, (s) sediment]

STREAMS ON LONG ISLAND	Page
Glen Cove Creek at Glen Cove (dct)	31
Mill Neck Creek at Mill Neck (dct)	33
Cold Spring Brook at Cold Spring Harbor (d)	35
Nissequogue River near Smithtown (dcts)	36
Peconic River at Riverhead (dct)	41
Carmans River at Yaphank (dcts)	43
Swan River at East Patchogue (dct)	48
Patchogue River at Patchogue (ct)	50
Connetquot Brook at Central Islip (d)	51
Connetquot Brook near Central Islip (d)	52
Connetquot River near Oakdale (dct)	53
Champlin Creek at Islip (ct)	55
Penataquit Creek at Bay Shore (ct)	56
Sampawams Creek at Babylon (dct)	57
Carlls River at Babylon (dct)	59
Santapogue Creek at Lindenhurst (ct)	61
Massapequa Creek at Massapequa (dct)	62
Bellmore Creek at Bellmore (dct)	64
East Meadow Brook at Freeport (dct)	66
Pines Brook at Malverne (dct)	68
Valley Stream at Valley Stream (d)	70

WATER RESOURCES DATA FOR NEW YORK, 1982 Volume 2.--Long Island

INTRODUCTION

Water resources data for the 1982 water year for New York consist of records of stage, discharge, and water quality of streams; stage, contents, and water quality of lakes and reservoirs; water quality of precipitation; and water levels and water quality of ground-water wells. This volume contains records for water discharge at 17 gaging stations; water quality at 17 gaging stations, 349 wells, and 3 precipitation stations; and water levels at 117 observation wells. Also included are data for 77 low-flow partial-record stations. Locations of these sites are shown on pages 22-30. Additional water data were collected at various sites not involved in the systematic data collection program, and are published as miscellaneous measurements and analyses. These data together with the data in Volumes 1 and 3 represent that part of the National Water Data System operated by the U.S. Geological Survey and cooperating State, local, and Federal agencies in New York.

Records of discharge and stage of streams, and contents or stage of lakes and reservoirs were first published in a series of U.S. Geological Survey water-supply papers entitled "Surface Water Supply of the United States." Through September 30, 1960, these water-supply papers were in an annual series and then in a 5-year series for 1961-65 and 1966-70. Records of chemical quality, water temperatures, and suspended sediment were published from 1941 to 1970 in an annual series of water-supply papers entitled "Quality of Surface Waters of the United States." Records of ground-water levels were published from 1935 to 1974 in a series of water-supply papers entitled "Ground-Water levels in the United States." Water-supply papers may be consulted in the libraries of the principal cities in the United States or may be purchased from the Branch of Distribution, U.S. Geological Survey, 604 South Pickett Street, Alexandria, Virginia, 22304.

For water years 1961 through 1970, streamflow data were released by the Geological Survey in annual reports on a State-boundary basis. Water-quality records for water years 1964 through 1970 were similarly released either in separate reports or in conjunction with streamflow records.

Beginning with the 1971 water year, water data for streamflow, water quality, and ground water are published in official Survey reports on a State-boundary basis. These official Survey reports carry an identification number consisting of the two-letter State abbreviation, the last two digits of the water year, and the volume number. For example, this volume is identified as "U.S. Geological Survey Water-Data Report NY-82-2". These water-data reports are for sale, in paper copy or in microfiche, by the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161.

Additional information, including current prices, for ordering specific reports may be obtained from the district chief at the address given on the back of the title page or by telephone (518) 472-2457.

COOPERATION

The U.S. Geological Survey and organizations of the State of New York and other agencies have had cooperative agreements for the systematic collection of water records since 1900. Organizations that assisted in collecting the data included in Volume 2 through cooperative agreements with the Survey are:

New York State Department of Environmental Conservation, Robert F. Flacke, commissioner. County of Nassau, Department of Public Works, L. C. Hasl, commissioner. County of Suffolk, Department of Health Services, Dr. David Harris, commissioner. County of Suffolk, Water Authority, R. J. Flynn, chairman.

The following organizations aided in collecting records:

Nassau County Department of Health, Nassau County Department of Public Works, Suffolk County Department of Health Services and Suffolk County Water Authority.

SUMMARY OF HYDROLOGIC CONDITIONS

At the beginning of the 1982 water year, streamflow and ground-water levels were below average. Significantly above-average precipitation in January, April, and June caused a recovery to near or above-average conditions, but streamflow and ground-water levels resumed their decline during the remainder of the water year (figs. 2-5).

The maximum discharges of the 1982 water year in most eastern Long Island streams occurred during the storm of June 5, but storms in January, April, and May caused high peak discharges for the year in some streams in western Long Island. Generally, streamflow on Long Island was slightly below average throughout the water year. Maximum monthly mean discharges at most stations occurred in June; and minimum monthly mean discharges occurred during November in eastern Long Island and during September in the western part.

Ground-water levels in most wells continued a decline in the first quarter of the 1982 water year that began during the previous water year. Water levels in most shallow wells rose in response to the rainstorms in January through June, then continued to decline the rest of the year. Notably, well S4271 at Riverhead (fig. 4) continued to show a water-level rise the entire water year. A few wells in southern Nassau and Suffolk Counties had record low water-levels near the beginning of the water year.

The concentration of inorganic constituents in precipitation, surface water, and ground water during the 1982 water year showed no significant change from the previous year. Although concentrations of dissolved constituents in ground water generally are greatest in the upper glacial aquifer, significant concentrations have been detected in the upper part of the Magothy aquifer in some areas. Ground-water data from a 1-square mile area surrounding a proposed artificial-recharge site in Nassau County showed no significant changes in concentrations of organic compounds since water year 1979, when sampling started. Pesticide analyses of water from 31 wells at this recharge site are presented on pages 304-309. Water from 24 of these wells contained detectable amounts of Dieldrin, and water from 13 of the same wells contained detectable amounts of heptachlor epoxide (organochloride insecticides).

DEFINITION OF TERMS

Terms related to streamflow, water quality, and other hydrologic data, as used in this report, are defined below. See also the table for converting inch-pound system units to International System of units (SI) on the inside of the back cover.

Acre-foot (AC-FT, acre-ft) is the quantity of water required to cover 1 acre to a depth of 1 foot and is equivalent to 43,560 cubic feet or about 326,000 gallons or 1,233 cubic meters.

Algae are mostly aquatic single-celled, colonial, or multi-celled plants, containing chlorophyll and lacking roots, stems, and leaves.

Algal growth potential (AGP) is the maximum algal dry weight biomass that can be produced in a natural water sample under standardized laboratory conditions. The growth potential is the algal biomass present as stationary phase and is expressed as milligrams dry weight of algae produced per liter of sample.

Aquifer is a geologic formation, group of formations, or part of a formation that contains sufficient saturated permeable material to yield significant quantities of water to wells and springs.

<u>Bacteria</u> are microscopic unicellular organisms, typically spherical, rodlike, or spiral and threadlike in shape, often clumped into colonies. Some bacteria cause disease, others perform an essential role in nature in the recycling of materials; for example, by decomposing organic matter into a form available for reuse by plants.

Total coliform bacteria are a particular group of bacteria that are used as indicators of possible sewage pollution. They are characterized as aerobic or faculative anaerobic, gram-negative, nonspore-forming, rod-shaped bacteria which ferment lactose with gas formation within 48 hours at 35°C. In the laboratory these bacteria are defined as the organisms which produce colonies within 24 hours when incubated at 35°C \pm 1.0°C on M-endo median (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 mL of sample.

Fecal coliform bacteria are bacteria that are present in the intestines or feces of warm-blooded animals. They are often used as indicators of the sanitary quality of the water. In the laboratory they are defined as all organisms which produce blue colonies within 24 hours when incubated at $44.5^{\circ}\text{C} \pm 0.2^{\circ}\text{C}$ on M-FC medium (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 mL of sample.

Fecal streptococcal bacteria are bacteria found also in intestines of sarm-blooded animals. Their presence in water is considered to verify fecal pollution. They are characterized as gram-positive, cocci bacteria which are capable of growth in brain-heart infusion broth. In the laboratory they are defined as all the organisms which produce red or pink colonies within 48 hours at $35\,^{\circ}\text{C}$ ± 1.0°C on KF Streptococcus agar (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 mL of sample.

Bed material: See Bottom material.

Biochemical oxygen demand (BOD) is a measure of the quantity of dissolved oxygen, in milligrams per liter, necessary for the decomposition of organic matter by microorganisms, such as bacteria.

 $\frac{\text{Biomass}}{\text{or volume}}$ is the amount of living matter present at any given time, expressed as the mass per unit area or volume of habitat.

Ash mass is the mass or amount of residue present after the residue from the dry mass determination has been ashed in a muffle furnace at a temperature of 500° C for 1 hour. The ash mass values of zooplankton and phytoplankton are expressed in grams per cubic meter (g/m³), and periphyton and benthic organisms in grams per square meter (g/m²).

Dry mass refers to the mass of residue present after drying in an oven at 60°C for zooplankton and 105°C for periphyton, until the mass remains unchanged. This mass represents the total organic matter, ash and sediment, in the sample. Dry mass values are expressed in the same units as ash mass.

Organic mass or volatile mass of the living substance is the difference between the dry mass and ash mass, and represents the actual mass of the living matter. The organic mass is expressed in the same units as for ash mass and dry mass.

Wet mass is the mass of living matter plus contained water.

Biomass pigment ratio is an indicator of the total proportion of periphyton which are autotrophic (plants). This is also called the Autotrophic Index.

Bottom material is the unconsolidated material of which a streambed, lake, pond, reservoir, or estuary bottom is composed.

Recoverable from bottom material is the amount of a given constituent that is in solution after a representative sample of bottom material has been digested by a method (usually using an acid or mixture of acids) that results in dissolution of only readily soluble substances. Complete dissolution of all bottom material is not achieved by the digestion treatment and thus the determination represents less than the total amount (that is, less than 95 percent) of the constituent in the sample. To achieve comparability of analytical data, equivalent digestion procedures would be required of all laboratories performing such analyses because different digestion procedures are likely to produce different analytical results.

Total in bottom material is the total amount of a given constituent in a representative sample of bottom material. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent determined. A knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to judge when the results should be reported as "total in bottom material".

<u>Cells/volume</u> refers to the number of cells of any organism which is counted by using a microscope and grid or counting cell. Many planktonic organisms are multicelled and are counted according to the number of contained cells per sample, usually milliliters (mL) or liters (L).

Cfs-day is the volume of water represented by flow of 1 cubic foot per second for 24 hours. It is equivalent to 86,400 cubic feet, approximately 1.9835 acre-feet, about 646,000 gallons or 2,447 cubic meters.

<u>Chemical oxygen demand</u> (COD) is a measure of the chemically oxidizable material in the water, and furnishes an approximation of the amount of organic and reducing material present. The determined value may correlate with natural water color or with carbonaceous organic pollution from sewage or industrial wastes.

<u>Chlorophyll</u> refers to the green pigments of plants. Chlorophyll \underline{a} and \underline{b} are the two most common pigments in plants.

<u>Colloid</u> is any substance with particles in such a fine state of subdivision dispersed in a medium, for example water, that they do not settle out; but not in so fine a state of subdivision that they can be said to be truly dissolved.

 $\underline{\text{Color unit}}$ is produced by one milligram per liter of platinum in the form of the chloroplatinate ion. $\underline{\text{Color is}}$ expressed in units of the platinum-cobalt scale.

<u>Confined aquifer</u> is the term used to describe an aquifer containing water between two relatively impermeable boundaries. The water level in a well tapping a confined aquifer stands above the top of the confined aquifer and can be higher or lower than the water table (it can also be above ground level). Formerly called artesian aquifer.

<u>Contents</u> is the volume of water in a reservoir or lake. Unless otherwise indicated, volume is computed on the basis of a level pool and does not include bank storage.

<u>Control</u> designates a feature downstream from the gage that determines the stage-discharge relation at the gage. This feature may be a natural constriction of the channel, an artificial structure, or a uniform cross section over a long reach of the channel.

<u>Control structure</u> as used in this report is a structure on a stream or canal that is used to regulate the flow or stage of the stream or to prevent the intrusion of salt water.

<u>Cubic feet per second per square mile</u> (CFSM) is the average number of cubic feet of water flowing per second from each square mile of area drained, assuming that the runoff is distributed uniformly in time and area.

Cubic foot per second (FT 3 /S, ft 3 /S) is the rate of discharge representing a volume of 1 cubic foot passing a given point during 1 second and is equivalent to approximately 7.48 gallons per second or 448.8 gallons per minute or 0.02832 cubic meters per second.

 $\underline{\text{Discharge}}$ is the volume of water (or more broadly, volume of fluid plus suspended sediment), that $\underline{\text{passes}}$ a given point within a given period of time.

Mean discharge (MEAN) is the arithmetic mean of individual daily mean discharges during a specific period.

Instantaneous discharge is the discharge at a particular instant of time.

 $\underline{\text{Dissolved}}$ is that material in a representative water sample which passes through a 0.45 μm membrane filter. This is a convenient operational definition used by Federal agencies that collect water data. Determinations of "dissolved" constituents are made on subsamples of the filtrate.

Diversity index is a numerical expression of evenness of distribution of aquatic organisms. The formula for diversity index is:

$$\overline{d} = -\sum_{i=1}^{s} \frac{n_i}{n} \log_2 \frac{n_i}{n}$$

Where n_i is the number of individuals per taxon, n is the total number of individuals, and s is the total number of taxa in the sample of the community. Diversity index values range from zero when all the organisms in the sample are the same, to some positive number, when some or all of the organisms in the sample are different.

<u>Drainage area</u> of a stream at a specific location is that area, measured in a horizontal plane, enclosed by a topographic divide from which direct surface runoff from precipitation normally drains by gravity into the river above the specified point. Figures of drainage area given herein include all closed basins, or noncontribution areas, within the area unless otherwise noted.

<u>Drainage basin</u> is a part of the surface of the earth that is occupied by a drainage system, which consists of a surface stream or a body of impounded surface water together with all tributary surface streams and bodies of impounded surface water.

Gage height (G.H.) is the water-surface elevation referred to some arbitrary gage datum. Gage height is often used interchangeably with the more general term "stage," although gage height is more appropriate when used with a reading on a gage.

<u>Gaging station</u> is a particular site on a stream, canal, lake, or reservoir where systematic observations of hydrologic data are obtained.

 $\underline{\text{Hardness}}$ of water is a physical-chemical characteristic that is commonly recognized by the increased quantity of soap required to produce lather. It is attributable to the presence of alkaline earths (principally calcium and magnesium) and is expressed as equivalent calcium carbonate (CaCO₃).

Hydrologic unit is a geographic area representing part or all of a surface drainage basin or distinct hydrologic feature as delineated by the Office of Water Data Coordination on the State Hydrologic Unit Maps; each hydrologic unit is identified by an 8-digit number.

Methylene blue active substance (MBAS) is a measure of apparent detergents. This determination depends on the formation of a blue color when methylene blue dye reacts with synthetic detergent compounds.

 $\frac{\text{Micrograms per gram}}{\text{(micrograms) of the element sorbed per unit mass (gram) of sediment.}} (\mu g/g) \text{ is a unit expressing the concentration of a chemical element as the mass (gram) of sediment.}$

Micrograms per liter (UG/L, μ g/L) is a unit expressing the concentration of chemical constituents in solution as mass (micrograms) of solute per unit volume (liter) of water. One thousand micrograms per liter is equivalent to one milligram per liter.

Milligrams per liter (MG/L, mg/L) is a unit for expressing the concentration of chemical constituents in solution. Milligrams per liter represent the mass of solute per unit volume (liter) of water. Concentration of suspended sediment also is expressed in mg/L, and is based on the mass of sediment per liter of water-sediment mixture.

National Geodetic Vertical Datum of 1929 (NGVD) is a geodetic datum derived from a general adjustment of the first order level nets of both the United States and Canada. It was formerly called "Sea Level Datum of 1929" or "mean sea level" in this series of reports. Although the datum was derived from the average sea level over a period of many years at 26 tide stations along the Atlantic, Gulf of Mexico, and Pacific Coasts, it does not necessarily represent local mean sea level at any particular place.

Organic carbon (OC) is a measure of the organic matter present in aqueous solution and (or) suspension. May be reported in any of three categories (DOC, dissolved organic carbon; SOC, suspended organic carbon; TOC, total organic carbon).

Organism is any living entity, such as an insect, phytoplankter, or zooplankter.

Organism count/area refers to the number of organisms collected and enumerated in a sample and adjusted to the number per area habitat, usually square meters (m²), acres, or hectares. Periphyton benthic organisms, and macrophytes are expressed in these terms.

Organism count/volume refers to the number of organisms collected and enumerated in a sample and adjusted to the number per sample volume, usually milliliters (mL) or liters (L). Numbers of planktonic organisms can be expressed in these terms.

Total organism count is the total number of organisms collected and enumerated in any particular sample.

Partial-record station is a particular site where limited streamflow and/or water-quality data are collected systematically over a period of years for use in hydrologic analyses.

Particle-size is the diameter, in millimeters (mm), of suspended sediment or bed material determined by either sieve or sedimentation methods. Sedimentation methods (pipet, bottom-withdrawal tube, visual-accumulation tube) determine fall diameter of particles in either distilled water (chemically dispersed) or in native water (the river water at the time and point of sampling).

<u>Particle-size classification</u> used in this report agrees with recommendations made by the American Geophysical Union Subcommittee on Sediment Terminology.

The classification is as follows:

Classification	Size (mm))	Method of analysis
Clay	0.00024 -	0.004	Sedimentation.
Silt	.004 -	.062	Sedimentation.
Sand	.062 -	2.0	Sedimentation or sieve.
Gravel	2.0 - 6	4.0	Sieve.

The particle-size distributions given in this report are not necessarily representative of all particles in transport in the stream. Most of the organic material is removed and the sample is subjected to mechanical and chemical dispersion before analysis in distilled water. Chemical dispersion is not used for native water analysis.

Percent composition is a unit for expressing the ratio of a particular part of a sample or population to the total sample or population, in terms of types, numbers, mass or volume.

<u>Periphyton</u> is the assemblage of algae, fungi, and bacteria which are attached to or live upon submerged objects in lakes or rivers.

<u>Pesticides</u> are chemical compounds used to control undesirable plants and animals. Major categories of pesticides include insecticides, miticides, fungicides, herbicides, and rodenticides. Insecticides and herbicides, which control insects and plants respectively, are the two categories reported.

<u>Picocurie</u> (PC, pCi) is one trillionth (1 x 10^{12}) of the amount of radioactivity represented by a curie (Ci). A curie is the amount of radioactivity that yields 3.7 x 10^{10}) radioactive disintegrations per second. A picocurie yields 2.22 dpm (disintegrations per minute).

 $\frac{Plankton}{water \ of}$ is the community of suspended, floating, or weakly swimming organisms that live in the open water of lakes and rivers.

<u>Phytoplankton</u> is the plant part of the plankton. They are usually microscopic and their movement is subject to the water currents. Phytoplankton growth is dependent upon solar radiation and nutrient substances. Because they are able to incorporate as well as release materials to the surrounding water, the phytoplankton have a profound effect upon the quality of the water. They are the primary food producers in the aquatic environment, and are commonly known as algae.

Blue-green algae are a group of phytoplankton organisms having a blue pigment, in addition to the green pigment called chlorophyll. Blue-green algae often cause nuisance conditions in water.

Diatoms are the unicellular or colonial algae having a siliceous shell. Their concentrations are expressed as number of cells/mL of sample.

 $\underline{\text{Euglenoids}}$ (Euglenophyta) are a group of algae that are usually free-swimming and rarely creeping. They have the ability to grow either photosynthetically in the light or heterotrophically in the dark.

Fire algae (Pyrrhophyta) are free-swimming unicells characterized by a red spot.

Green-algae have chlorophyll pigments similar in color to those of higher green plants. Some forms produce algal mats or floating "moss" in lakes. Their concentrations are expressed as number of cells/mL of sample.

Zooplankton is the animal part of the plankton. Zooplankton are capable of extensive movements within the water column, and are often large enough to be seen with the unaided eye. Zooplankton are secondary consumers feeding upon bacteria, phytoplankton, and detritus. Because they are the grazers in the aquatic environment, the zooplankton are a vital part of the aquatic food web. The zooplankton community is dominated by small crustaceans and rotifers.

<u>Polychlorinated biphenyls</u> (PCBs) are industrial chemicals that are mixtures of chlorinated biphenyl compounds having various percentages of chlorine. They are similar in structure to organochlorine insecticides.

<u>Polychlorinated napthalenes</u> (PCNs) are industrial chemicals that are mixtures of chlorinated napthalene compounds. They have properties and applications similar to polychlorinated biphenyls (PCBs) and have been identified in commercial PCB preparations.

<u>Primary productivity</u> is a measure of the rate at which new organic matter is formed and accumulated through photosynthetic and chemosynthetic activity of producer organisms (chiefly green plants). The rate of primary production is estimated by measuring the amount of oxygen released (oxygen method) or the amount of carbon assimilated by the plants (carbon method).

Milligrams of carbon per area or volume per unit time [mg $C/(m^2 \cdot time)$ for periphyton and macrophytes and mg $C/(m^3 \cdot time)$] for phytoplankton are units for expressing primary productivity. They define the amount of carbon dioxide consumed as measured by radioactive carbon (carbon 14). The carbon 14 method is of greater sensitivity than the oxygen light and dark bottle method, and is preferred for use in unenriched waters. Unit time may be either the hour or day, depending on the incubation period.

Milligrams of oxygen per area or volume per unit time [mg $0_2/(m^2 \cdot time)$ for periphyton and macrophytes and mg $0_2/(m^3 \cdot time)$] for phytoplankton are the units for expressing primary productivity. They define production and respiration rates as estimated from changes in the measured dissolved oxygen concentration. The oxygen light and dark bottle method is preferred if the rate of primary production is sufficient for accurate measurements to be made within 24 hours. Unit time may be either the hour or day, depending on the incubation period.

<u>Runoff in inches</u> (IN., in.) shows the depth to which the drainage area would be covered if all the runoff for a given time period were uniformly distributed on it.

<u>Sediment</u> is solid material that originates mostly from disintegrated rocks and is transported by, suspended in, or deposited from water; it includes chemical and biochemical precipitates and decomposed organic material, such as humus. The quantity, characteristics, and cause of the occurrence of sediment in streams are influenced by environmental factors. Some major factors are degree of slope, length of slope, soil characteristics, land usage, and quantity and intensity of precipitation.

<u>Suspended sediment</u> is the sediment that at any given time is maintained in suspension by the upward components of turbulent currents or that exists in suspension as a colloid.

Suspended-sediment concentration is the velocity-weighted concentration of suspended sediment in the sampled zone (from the water surface to a point approximately 0.3 ft above the bed) expressed as milligrams of dry sediment per liter of water-sediment mixture (mg/L).

Suspended-sediment discharge (tons/day) is the rate at which dry weight of sediment passes a section of a stream or is the quantity of sediment, as measured by dry weight or volume, that passes a section in a given time. It is computed by multiplying discharge times mg/L times 0.0027.

 $\underline{\text{Mean concentration}}$ is the time-weighted concentration of suspended sediment passing a stream section during a 24-hour day.

Solute is any substance derived from the atmosphere, vegetation, soil, or rocks that is dissolved in water.

Specific conductance is a measure of the ability of a water to conduct an electrical current. It is expressed in micromhos per centimeter at 25°C. Specific conductance is related to the type and concentrations of ions in solution and can be used for approximating the dissolved-solids content of the water. Commonly, the concentration of dissolved solids (in milligrams per liter) is about 65 percent of the specific conductance (in micromhos). This relation is not constant from stream to stream, and it may vary in the same source with changes in the composition of the water.

Stage-discharge relation is the relation between gage height (stage) and volume of water per unit of time, flowing in a channel.

Streamflow is the discharge that occurs in a natural channel. Although the term "discharge" can be applied to the flow of a canal, the word "streamflow" uniquely describes the discharge in a surface stream course. The term "streamflow" is more general than "runoff" as streamflow may be applied to discharge whether or not it is affected by diversion or regulation.

Substrate is the physical surface upon which an organism lived.

<u>Natural substrates</u> refers to any naturally occurring emersed or submersed solid surface, such as a rock or tree, upon which an organism lived.

Artificial substrate is a device which is purposely placed in a stream or lake for colonization of organisms. The artificial substrate simplifies the community structure by standardizing the substrate from which each sample is taken. Examples of artificial substrates are basket samplers (made of wire cages filled with clean streamside rocks) and multi-plate samplers (made of hardboard) for benthic organism collection, and plexiglass strips for periphyton collection.

Surface area of a lake is that area outlined on the latest U.S.G.S. topographic map as a boundary of the lake and measured by a planimeter in acres. In localities not covered by topographic maps, the areas are computed from the best maps available at the time planimetered. All areas shown are those for the stage when the planimetered map was made.

Surficial bed material is that part (0.1 to 0.2 ft) of the bed material that is sampled using U.S. Series Bed-Material Samplers.

 $\underline{\underline{Suspended}}$ (as used in tables of chemical analyses) refers to the amount (concentration) of the total concentration in a water-sediment mixture. The water-sediment mixture is associated with (or sorbed on) that material retained on a 0.45 μm filter.

Suspended, recoverable is the amount of a given constituent that is in solution after the part of a representative water-suspended sediment sample that is retained on a 0.45 µm membrane filter has been digested by a method (usually using a dilute acid solution) that results in dissolution of only readily soluble substances. Complete dissolution of all the particulate matter is not achieved by the digestion treatment and thus the determination represents something less than the "total" amount (that is, less than 95 percent) of the constituent present in the sample. To achieve comparability of analytical data, equivalent digestion procedures would be required of all laboratories performing such analyses because different digestion procedures are likely to produce different analytical results.

Determinations of "suspended, recoverable" constituents are made either by analyzing portions of the material collected on the filter or, more commonly, by difference, based on determinations of (1) $\underline{\text{dissolved}}$ and (2) $\underline{\text{total}}$ $\underline{\text{recoverable}}$ concentrations of the constituent.

Suspended, total is the total amount of a given constituent in the part of a representative water-suspended sediment sample that is retained on a 0.45 μm membrane filter. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent determined. A knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to determine when the results should be reported as "suspended, total".

Determinations of "suspended, total" constituents are made either by analyzing portions of the material collected on the filter or, more commonly, by difference, based on determinations of (1) <u>dissolved</u> and (2) <u>total</u> concentrations of the constituent.

Taxonomy is the division of biology concerned with the classification and naming of organisms. The classification of organisms is based upon a hierarchical scheme beginning with Kingdom and ending with Species at the base. The higher the classification level, the fewer features the organisms have in common. For example, the taxonomy of a particular mayfly, Hexagenia limbata is the following:

KingdomAnimal
PhylumArthropoda
ClassInsecta
OrderEphemeroptera
FamilyEphemeridae
GenusHexageria
SpeciesHexagenia limbata

<u>Time-weighted average</u> is computed by multiplying the number of days in the sampling period by the concentrations of individual constituents for the corresponding period and dividing the sum of the products by the total number of days. A time-weighted average represents the composition of water that would be contained in a vessel or reservoir that had received equal quantities of water from the stream each day for the year.

Tons per acre-foot indicates the dry mass of dissolved solids in 1 acre-foot of water. It is computed by multiplying the concentration in milligrams per liter by 0.00136.

 $\underline{\text{Tons per day}}$ is the quantity of substance in solution or suspension that passes a stream section during a 24-hour day.

Total (as used in tables of chemical analyses):

Total is the total amount of a given constituent in a representative water-suspended sediment sample, regardless of the constituent's physical or chemical form. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent present in both the dissolved and suspended phases of the sample. A knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to judge when the results should be reported as "total". (Note that the word "total" does double duty here, indicating both that the sample consists of a water-suspended sediment mixture and that the analytical method determines all of the constituent in the sample).

Total, recoverable is the amount of a given constituent that is in solution after a representative water-suspended sediment sample has been digested by a method (usually using a dilute acid solution) that results in dissolution of only readily soluble substances. Complete dissolution of all particulate matter is not achieved by the digestion treatment, and thus the determination represents something less than the "total" amount (that is, less than 95 percent) of the constituent present in the dissolved and suspended phases of the sample. To achieve comparability of analytical data, equivalent digestion procedures would be required of all laboratories performing such analyses because different digestion procedures are likely to produce different analytical results.

When virtually all of a constituent is present in the dissolved phase, the reported value for the dissolved constituent may appear slightly greater than that for the total determination. The difference is within the standard laboratory error for the analytical methods used.

Total load (tons) is the total quantity of any individual constituent, as measured by dry mass or volume, that is dissolved in a specific amount of water (discharge) during a given time. It is computed by multiplying the total discharge, times the mg/L of the constituent, times the factor 0.0027, times the number of days.

 $\underline{\text{Total organic carbon}}$ (TOC) is a measure of all organic matter present in aqueous solution and suspension.

 $\underline{\text{Water table}}$ is the surface of a ground-water body at which the water is at atmospheric pressure. It is $\underline{\text{defined by}}$ the levels at which water stands in wells that penetrate the water body just far enough to hold standing water.

Water-table aquifer is an unconfined aquifer whose upper boundary is the water table.

Weighted average is used in this report to indicate discharge-weighted average. It is computed by multiplying the discharge for a sampling period by the concentrations of individual constituents for the corresponding period and dividing the sum of the products by the sum of the discharges. A discharge-weighted average approximates the composition of water that would be found in a reservoir containing all the water passing a given location during the water year after thorough mixing in the reservoir.

 $\underline{\mathtt{WRD}}$ is used as an abbreviation for "Water Resources Data" in the REVISED RECORDS paragraph to refer to State annual basic-data reports published before 1975.

 $\frac{\text{WSP}}{\text{reports.}}$ is used as an abbreviation for "Water-Supply Paper" in references to previously published reports.

DOWNSTREAM ORDER AND STATION NUMBERS

Since October 1, 1950, the order of listing hydrologic-station records in Survey reports is in a downstream direction along the main stream. All stations on a tributary entering upstream from a main-stream station are listed before that station. A station on a tributary that enters between two main-stream stations is listed between them. A similar order is followed in listing stations on first rank, second rank, and other ranks of tributaries. The rank of any tributary on which a station is situated with respect to the stream to which it is immediately tributary is indicated by an indention in a list of stations in the front of the report. Each indention represents one rank. This downstream order and system of indention show which stations are on tributaries between any two stations and the rank of the tributary on which each station is situated.

As an added means of identification, each hydrologic station, partial-record station, and miscellaneous site has been assigned a station number. These are in the same downstream order used in this report. In assigning station numbers, no distinction is made between partial-record stations, miscellaneous sites, and other stations; therefore, the station number for a partial-record station or a miscellaneous site indicates downstream-order position in a list made up of all types of stations. Gaps are left in the series of numbers to allow for new stations that may be established; hence, the numbers are not consecutive. The complete 8-digit number for each station such as 01300500 includes the 2-digit part number "01" plus the 6-digit downstream order number "300500". (In a few instances where no gaps were left in the 8-digit numbering sequence it was necessary to add one or two digits for identification; hence, there are a few stations or miscellaneous sites with 9-or 10-digit numbers.) (If random water-quality samples are taken at a miscellaneous site where a latitude-longitude number.)

NUMBERING SYSTEM FOR WELLS

The 8-digit downstream order station numbers are not assigned to wells. The well-numbering system of the U.S. Geological Survey is based on the grid system of latitude and longitude. The system provides the geographic location of the well and a unique number for each site. The number consists of 15 digits. The first 6 digits denote the degrees, minutes, and seconds of latitude, the next 7 digits denote degrees, minutes, and seconds of longitude, and the last 2 digits (assigned sequentially) identify the wells within a 1-second grid. See figure 1 below.

A local well-numbering system is also used. It is a 2-part identifier, assigned by the New York State Department of Environmental Conservation, consisting of the abbreviation of county name and the serial number of the well within the county.




Figure 1. System for numbering wells (latitude and longitude).

SPECIAL NETWORKS AND PROGRAMS

Hydrologic bench-mark station is one that provides hydrologic data for a basin in which the hydrologic regimen will likely be governed solely by natural conditions. Data collected at a bench-mark station may be used to separate effects of natural from manmade changes in other basins which have been developed and in which the physiography, climate, and geology are similar to those in the undeveloped bench-mark basin.

National stream-quality accounting network (NASQAN) is a data collection network designed by the U.S. Geological Survey to meet many of the information demands of agencies or groups involved in national or regional water-quality planning and management. Both accounting and broad-scale monitoring objectives have been incorporated into the network design. Areal configuration of the network is based on river-basin accounting units (identified by 8-digit hydrologic-unit numbers) designated by the Office of Water Data Coordination in consultation with the Water Resources Council. Primary objectives of the network are (1) to depict areal variability of streamflow and water-quality conditions nationwide on a year-by-year basis and (2) to detect and assess long-term changes in streamflow and stream quality.

<u>Pesticide program</u> is a network of regularly sampled water-quality stations where samples are collected to determine the concentration and distribution of pesticides in streams where potential contamination could result from the application of the commonly used insecticides and herbicides. Operation of the network is a Federal interagency activity.

Radiochemical program is a network of regularly sampled water-quality stations where samples are collected to be analyzed for radioisotopes. The streams that are sampled represent major drainage basins in the conterminous United States.

EXPLANATION OF STAGE AND WATER-DISCHARGE RECORDS

Collection and Computation of Data

The base data collected at gaging stations consist of records of stage and measurements of discharge of streams or canals, and stage, surface area, and contents of lakes or reservoirs. In addition, observations of factors affecting the stage-discharge relation or the stage-capacity relation, weather records, and other information are used to supplement base data in determining the daily flow or volume of water in storage. Records of stage are obtained from either direct readings on a nonrecording gage or from a water-stage recorder that gives either a continuous graph of the fluctuations or a tape punched at selected time intervals. Measurements of discharge are made with a current meter, using the general methods adopted by the Geological Survey. These methods are described in standard textbooks, in Water-Supply Paper 2175, and in U.S. Geological Survey Techniques of Water Resources Investigations, book 3, chapter A6.

For stream-gaging stations, rating tables giving the discharge for any stage are prepared from stage-discharge relation curves. If extensions to the rating curves are necessary to express discharge greater than measured, they are made on the basis of indirect measurements of peak discharge (such as slope-area or contracted-opening measurements, computation of flow over dams or weirs), step-backwater techniques, velocity-area studies, and logarithmic plotting. The daily mean discharge is computed from gage heights and rating tables, then the monthly and yearly mean discharges are computed from the daily figures. If the stage-discharge relation is subject to change because of frequent or continual change in the physical features that form the control, the daily mean discharge is computed by the shifting-control method, in which correction factors based on individual discharge measurements and notes by engineers and observers are used in applying the gage heights to the rating tables. If the stage-discharge relation for a station is temporarily changed by the presence of aquatic growth or debris on the control, the daily mean discharge is computed by what is basically the shifting-control method.

At some stream-gaging stations the stage-discharge relation is affected by the backwater from reservoirs, tributary streams, or other sources. This necessitates the use of the slope method in which the slope or fall in a reach of the stream is a factor in computing discharge. The slope or fall is obtained by means of an auxiliary gage set at some distance from the base gage. At some stations the stage-discharge relation is affected by changing stage; at these stations the rate of change in stage is used as a factor in computing discharge.

At some stream-gaging stations the stage-discharge relation is affected by ice in the winter, and it becomes impossible to compute the discharge in the usual manner. Discharge for periods of ice effect is computed on the basis of gage-height record and occasional winter discharge measurements. Consideration is given to the available information on temperature and precipitation, notes by gage observers and hydrologists, and comparable records of discharge for other stations in the same or nearby basins.

For a lake or reservoir station, capacity tables giving the contents for any stage are prepared from stage-area relation curves defined by surveys. The application of the stage to the capacity table gives the contents, from which the daily, monthly, or yearly change in contents is computed.

If the stage-capacity curve is subject to changes because of deposition of sediment in the reservoir, periodic resurveys of the reservoir are necessary to define new stage-capacity curves. During the period between reservoir surveys the computed contents may be increasingly in error due to the gradual accumulation of sediment.

For some gaging stations there are periods when no gage-height record is obtained or the recorded gage height is so faulty that it cannot be used to compute daily discharge or contents. This happens when the recorder stops or otherwise fails to operate properly, intakes are plugged, the float is frozen in the well, or for various other reasons. For such periods the daily discharges are estimated on the basis of recorded range in stage, prior and subsequent records, discharge measurements, weather records, and comparison with records for other stations in the same or nearby basins. Likewise daily contents may be estimated on the basis of operator's log, prior and subsequent records, inflow-outflow studies, and other information.

The data in this report generally comprise a description of the station and tabulations of daily and monthly figures. For gaging stations on streams or canals a table showing the daily discharge and monthly and yearly discharge is given. For gaging stations on lakes and reservoirs a monthly summary table of stage and contents or a table showing the daily contents is given. Tables of daily mean gage heights are included for some streamflow stations and for some reservoir stations. Records are published for the water year, which begins on October 1 and ends on September 30.

The description of the gaging station gives the location, drainage area, period of record, notations of revisions of previously published records, type and history of gages, general remarks, average discharge, and extremes of discharge or contents. The location of the gaging station and the drainage area are obtained from the most accurate maps available. River mileage, given under "LOCATION" for some stations, is that determined and used by the Corps of Engineers or other agencies. Periods for which there are published records for the present station or for stations generally equivalent to the present one are given under "PERIOD OF RECORD."

Previously published streamflow records of some stations have been found to be in error on the basis of data or information later obtained. Revisions of such records are usually published along with the current records in one of the annual or compilation reports. In order to make it easier to find such revised records, a paragraph headed "REVISED RECORDS" has been added to the description of all stations for which revised records have been published. Listed therein are all the reports in which revisions have been published, each followed by the water years for which figures are revised in that report. In listing the water years only one number is given; for instance, 1965 stands for the water year October 1, 1964, to September 30, 1965. If no daily, monthly or annual figures of discharge are affected by the revision, the fact is brought out by notations after the year dates as follows: "(M)" means that only the instantaneous maximum discharge was revised; "(m)" that only the instantaneous minimum was revised; and "(P)" that only peak discharges were revised. If the drainage area has been revised, the report in which the revised figure was first published is given. It should be noted that for 11 stations for which cubic feet per second per square mile and runoff in inches are published, a revision of the drainage area necessitates corresponding revision of all figures based on the drainage area. Revised figures of cubic feet per second per square mile and runoff in inches resulting from a revision of the drainage area only are usually not published in the annual series of reports.

The type of gage currently in use; the datum of the present gage referred to National Geodetic Vertical Datum; and a condensed history of the types, locations, and datums of previous gages used during the period of record are given under "GAGE." National Geodetic Vertical Datum is explained in "DEFINITION OF TERMS" on page 6.

Information pertaining to the accuracy of the discharge records and to conditions which affect the natural flow of the gaging station is given under "REMARKS." For reservoir stations information on the dam forming the reservoir, the capacity, outlet works and spillway, and purpose and use of the reservoir is given under "REMARKS."

The average discharge for the number of years indicated is given under "AVERAGE DISCHARGE"; it is not given for stations having fewer than 5 complete years of record or for stations where changes in water development during the period of record cause the figure to have little significance. In addition, the median of yearly mean discharges is given for stream-gaging stations having 10 or more complete years of record if the median differs from the average by more than 10 percent. Under "EXTREMES" are given first, the extremes for the period of record, second, information available outside the period of record, and last, those for the current year. Unless otherwise qualified, the maximum discharge (or contents) is the instantaneous maximum corresponding to the crest stage obtained by use of a water-stage recorder (graphic or digital), a crest-stage gage, or a nonrecording gage read at the time of the crest. If the maximum gage height did not occur on the same day as the maximum discharge (or contents), it is given separately. Similarly, the minimum is the instantaneous minimum unless otherwise qualified. For some stations peak discharges are listed with "EXTREMES FOR THE CURRENT YEAR"; if they are, all independent peaks, including the maximum for the year, above the selected base with the time of occurrence and corresponding gage heights are published in tabular format. The base discharge, which is given in the table heading, is selected so that an average of about three peaks a year will be presented. Peak discharges are not published for any canals, ditches, drains, or for any stream for which the peaks are subject to substantial control by man. Time of day is expressed in 24-hour local standard time; for example, 12:30 a.m. is 0030, 1:30 p.m. is 1330. The minimums for these stations are published in a separate paragraph following the table of peaks.

The daily table for stream-gaging stations gives the mean discharge for each day and is followed by monthly and yearly summaries. In the monthly summary below the daily table, the line headed "TOTAL" gives the sum of the daily figures. The line headed "MEAN" gives the average flow in cubic feet per second during the month. The lines headed "MAX" and "MIN" give the maximum and minimum discharges, respectively, for the month. Discharge for the month also may be expressed in cubic feet per second per square mile (line headed "CFSM"), or in inches (line headed "IN."). Figures for cubic feet per second per square mile and runoff in inches are omitted if there is extensive regulation or diversion, if the drainage area includes large noncontributing areas, or if the average annual rainfall over the drainage basin is usually less than 20 inches. In the yearly summary below the monthly summary, the figures shown are the appropriate daily discharges for the calendar and water years.

Footnotes to the table of daily discharge are introduced by the word "NOTE." Footnotes are used to indicate periods for which the discharge is computed or estimated by special methods because of no gage-height record, backwater from various sources, or other unusual conditions. Periods of no gage-height record are indicated if the period is continuous for a month or more or includes the maximum discharge for the year. Periods of backwater from an unusual source, of indefinite stage-relation, or of any other unusual condition at the gage site are indicated only if they are a month or more in length and the accuracy of the records is affected. Days on which the stage-discharge relation is affected by ice are not indicated. The methods used in computing discharge for various unusual conditions have been explained in preceding paragraphs.

For most gaging stations on lakes and reservoirs the data presented comprise a description of the station and a monthly summary table of stage and contents. For some reservoirs a table showing daily contents or stage is given. A skeleton table of capacity at given stages is published for all reservoirs for which records are published on a daily basis, but is not published for reservoirs for which only monthly data are given.

Data collected at partial-record stations follow the information for continuous-record sites. Data for partial-record discharge stations are presented in two tables. The first is a table of discharge measurements at low-flow partial-record stations, and the second is a table of annual maximum stage and discharge at crest-stage stations. The tables of partial-record stations are followed by a listing of discharge measurements made at sites other than continuous records or partial-record stations. Occasionally, a series of discharge measurements are made within a short time period to investigate the seepage gains or losses along a reach of a stream or to determine the low-flow characteristics of an area. Such measurements are also given in special tables following the tables of partial-record stations.

Accuracy of Field Data and Computed Results

The accuracy of streamflow data depends primarily on (1) the stability of the stage-discharge relation or, if the control is unstable, the frequency of discharge measurements, and (2) the accuracy of observations of stage, measurements of discharge, and interpretations of records.

The station description under "REMARKS" states the degree of accuracy of the records.
"Excellent" means that about 95 percent of the daily discharges are within 5 percent; "good," within 10 percent; and "fair," within 15 percent. "Poor" means that daily discharges have less than "fair" accuracy.

Figures of daily mean discharge in this report are shown to the nearest hundredth of a cubic foot per second for discharges of less than 1 $\mathrm{ft^3/s}$; to tenths between 1.0 and 10 $\mathrm{ft^3/s}$; to whole numbers between 10 and 1,000 $\mathrm{ft^3/s}$; and to 3 significant figures above 1,000 $\mathrm{ft^3/s}$. The number of significant figures used is based solely on the magnitude of the figure. The same rounding rules apply to discharge figures listed for partial-record stations.

Discharge at many stations, as indicated by the monthly mean, may not reflect natural runoff due to the effects of diversion, consumption, regulation by storage, increase or decrease in evaporation due to artificial causes, or to other factors. For such stations, figures of cubic feet per second per square mile and of runoff in inches are not published unless satisfactory adjustments can be made for diversions, for changes in contents of reservoirs, or for other changes incident to use and control. Evaporation from a reservoir is not included in the adjustments for changes in reservoir contents, unless it is so stated. Even at those stations where large adjustments are made, large errors in computed runoff may occur if adjustments or losses are large in comparison with the observed discharge.

Other Data Available

Information of a more detailed nature than that published for most of the gaging stations such as observations of water temperatures, discharge measurements, gage-height records, and rating tables is on file in the district office. Also most gaging-station records are available in computer-usable form and many statistical analyses have been made.

Information on the availability of unpublished data or statistical analyses may be obtained from the district office.

EXPLANATION OF WATER-QUALITY RECORDS

Classification of Records

Water-quality data for surface-water sites are grouped into one of three classifications. $\underline{\underline{A}}$ continuing record station is a site where data are collected on a regularly scheduled basis. Frequency may be once or more times daily, weekly, monthly, or quarterly. $\underline{\underline{A}}$ partial-record station is a site where limited water-quality data are collected systematically over a period of years. Frequency of sampling is usually less than quarterly. $\underline{\underline{A}}$ miscellaneous sampling site is a location other than a continuing or partial-record station, where random samples are collected to give better areal coverage to define water-quality conditions in the river basin.

Arrangement of Records

Water-quality records collected at a surface-water daily record station are published immediately following that record, regardless of the frequency of sample collection. Station number and name are the same for both records. Where a surface-water daily record station is not available or where the water quality differs significantly from that at the nearby surface-water station, the continuing water-quality record is published with its own station number and name in the regular downstream order sequence. Water-quality data for partial-record stations and for miscellaneous sampling sites appear in separate tables following the table of discharge measurements at miscellaneous sites. Data for precipitation-quality stations appears next. The table of ground-water quality follows ground-water level records. Data for quality of ground water is listed alphabetically by County, and is identified by well number.

Descriptive Headings

For continuing record stations, data is preceded by information pertinent to the history of station operation. These descriptive headings give details regarding location, drainage area, period of record, type of data available, instrumentation, general remarks, cooperation, and extremes for parameters currently measured daily. Headings for precipitation-quality records include location information and a description of the sample collector.

Water Analysis

Most methods for collecting and analyzing water samples are described in the U.S. Geological Survey Techniques of Water-Resources Investigations listed on a following page.

One sample can define adequately the water quality at a given time if the mixture of solutes throughout the stream cross section is homogeneous. However, the concentration of solutes at different locations in the cross section may vary widely with different rates of water discharge, depending on the source of material and the turbulence and mixing of the stream. Some streams must be sampled through several vertical sections to obtain a representative sample needed for an accurate mean concentration and for use in calculating load.

Chemical-quality data published in this report are considered to be the most representative values available for the stations listed. The values reported represent water-quality conditions at the time of sampling as much as possible, consistent with available sampling techniques and methods of analysis. In the rare case where an apparent inconsistency exists between a reported pH value and the relative abundance of carbon dioxide species (carbonate and bicarbonate), the inconsistency is the result of a slight uptake of carbon dioxide from the air by the sample between measurement of pH in the field and determination of carbonate and bicarbonate in the laboratory.

Terminology used in reporting chemical constituents is an indication of whether all or only part of a constituent associated with the solids in a water-quality sample is determined by a chemical analysis. (See preceding section, "Definition of Terms.") The "recoverable" in the terms "Suspended, recoverable", "Total, recoverable", and "Recoverable from bottom material" indicates that the constituent was digested by a method that results in the dissolution of only readily soluble substances. Thus, the determination may not represent all of the constituent actually present in the sample. The "total" in the terms "Total", "Suspended, total", and "Total in bottom material" is used only when the analytical procedure assures measurement of at least 95 percent of the constituent determined.

For chemical-quality stations equipped with digital monitors, the records consist of daily maximum, minimum, and mean values for each constituent measured and are based upon hourly punches beginning at 0100 hours and ending at 2400 hours for the day of record. More detailed records (hourly values) may be obtained from the district office.

Water Temperatures

Water temperatures are measured at most of the water-quality stations. In addition, water temperatures are taken at time of discharge measurements for water-discharge stations. For stations where water temperatures are taken manually once or twice daily, the water temperatures are taken at about the same time each day. Large streams have a small diurnal temperature change; shallow streams may have a daily range of several degrees and may follow closely the changes in air temperature. Some streams may be affected by waste-heat discharges.

At stations where recording instruments are used, either mean temperatures and/or maximum and minimum temperatures for each day are published.

Sediment

Suspended-sediment concentrations are determined from samples collected by using depth-integrating samplers. Samples usually are obtained at several verticals in the cross-section, or a single sample may be obtained at a fixed point and a coefficient applied to determine the mean concentration in the cross sections.

At NASQAN stations, suspended-sediment samples were collected periodically at many verticals in the stream cross section. Although data collected periodically may represent conditions only at the time of observations, such data are useful in establishing seasonal relations between quality and streamflow in predicting long-term sediment-discharge characteristics of the stream.

Measurements of particle-size distribution for suspended sediment have not been made for Long Island streams. Based on visual inspection of samples, the proportion of suspended sediment finer than 0.062 mm has been assumed to be greater than 95%.



EXPLANATION OF GROUND-WATER LEVEL RECORDS

Collection of Data

Only ground-water level data from a basic network of observation wells are published herein. This basic network contains observation wells so located that the most significant data are obtained from the fewest wells in the most important aquifers.

Each well is identified by means of (1) a 15-digit number that is based on latitude and longitude and (2) a local number that is provided for local needs. See figure 1.

Measurements are made in many types of wells, under varying conditions of access and at different temperatures, hence, neither the method of measurement nor the equipment can be standardized. At each observation well, however, the equipment and techniques used are those that will ensure that measurements at each well are consistent.

Water-level measurements in this report are given in feet in reference to National Geodetic Vertical Datum of 1929. National Geodetic Vertical Datum of 1929 is the datum plane on which the national network of precise levels is based; land-surface datum is a datum plane that is approximately at land surface at each well. If known, the altitude of the land-surface datum in reference to National Geodetic Vertical Datum of 1929 is given in the well description. The height of the measuring point (MP) above or below land-surface datum is given in each well description. Water levels in wells equipped with recording gages are reported for every fifth day and the end of each month (eom).

Water levels are reported to as many significant figures as can be justified by the local conditions. For example, in a measurement of a depth to water of several hundred feet, the error in determining the absolute value of the total depth to water may be a few tenths of a foot, whereas the error in determining the net change of water level between successive measurements may be only a hundredth or a few hundredths of a foot. For lesser depths to water the accuracy is greater. Accordingly, most measurements are reported to a hundredth of a foot, but some are given to a tenth of a foot.

PUBLICATIONS ON TECHNIQUES OF WATER-RESOURCES INVESTIGATIONS

Thirty-seven manuals by the U.S. Geological Survey have been published to date in the series on techniques describing procedures for planning and executing specialized work in water-resources investigations. The material is grouped under major subject headings called books and is further divided into sections and chapters. For example, Section A of Book 3 (Applications of Hydraulics) is on surface water. The chapter, the unit of publication, is limited to a narrow field of subject matter. This format permits flexibility in revision and publication as the need arises. The reports listed below are for sale by the U.S. Geological Survey, Branch of Distribution, 604 South Pickett St., Arlington, VA 22304 (authorized agent of the Superintendent of Documents, Government Printing Office).

- NOTE: When ordering any of these publications, please give the title, book number, chapter number, and "U.S. Geological Survey Techniques of Water-Resources Investigations".
- 1-D1. Water temperature-influential factors, field measurement, and data presentation, by H. H. Stevens Jr., J. F. Ficke, and G. F. Smoot: USGS--TWRI Book 1, Chapter D1. 1975. 65 pages.
 1-D2. Guidelines for collection and field analysis of ground-water samples for selected unstable constituents, by W. W. Wood: USGS--TWRI Book 1, Chapter D2. 1976. 24 pages.
 2-D1. Application of surface geophysics to ground-water investigations, by A. A. R. Zohdy, G. P. Eaton, and
- D. R. Mabey: USGS--TWRI Book 2, Chapter D1. 1974. 116 pages.
- Application of borehole geophysics to water-resources investigations, by W. S. Keys and L. M. MacCary: 2-E1.
- USGS-TWRI Book 2, Chapter E1. 1971. 126 pages.

 General field and office procedures for indirect discharge measurements, by M. A. Benson and Tate 3-A1. Dalrymple: USGS--TWRI Book 3, Chapter A1. 1967. 30 pages.
- 3-A2. Measurement of peak discharge by the slope-area method, by Tate Dalrymple and M. A. Benson: USGS--TWRI Book 3, Chapter A2. 1967. 12 pages.
 3-A3. Measurement of peak discharge at culverts by indirect methods, by G. L. Bodhaine: USGS--TWRI Book 3,
- Chapter A3. 1968. 60 pages.
- Measurement of peak discharge at width contractions by indirect methods, by H. F. Matthai: USGS -- TWRI 3-A4. Book 3, Chapter A4. 1967. 44 pages.
- 3-A5. Measurement of peak discharge at dams by indirect methods, by Harry Hulsing: USGS -- TWRI Book 3, Chapter A5. 1967. 29 pages.
- 3-A6. General procedure for gaging streams, by R. W. Carter and Jacob Davidian: USGS -- TWRI Book 3, Chapter A6. 1968. 13 pages.
- 3-A7. Stage measurements at gaging stations, by T. J. Buchanan and W. P. Somers: USGS--TWRI Book 3, Chapter A7. 1968. 28 pages.
- Discharge measurements at gaging stations, by T. J. Buchanan and W. P. Somers: USGS--TWRI Book 3, 3-A8. Chapter A8. 1969. 65 pages.
- 3-A9. Measurement of time of travel and dispersion in streams by dye tracing, by E. F. Hubbard, F. A. Kilpatrick, L. A. Martens, and J. F. Wilson, Jr.: USGS--TWRI Book 3, Chapter A9. 1982. 44 pages.
 3-A11. Measurement of discharge by moving-boat method, G. F. Smoot and C. E. Novak: USGS--TWRI Book 3, Chapter A11. 1969. 22 pages.
- 3-B1. Aquifer-test design, observation, and data analysis, by R. W. Stallman: USGS--TWRI Book 3, Chapter B1. 1971. 26 pages.
- Introduction to ground-water hydraulics, a programed text for self-instruction, by G. D. Bennett: USGS--TWRI Book 3, Chapter B2. 1976. 172 pages.

 Type curves for selected problems of flow to wells in confined aquifers, by J. E. Reed: USGS--TWRI 3-B2.
- 3-B3.
- Book 3, Chapter B3. 1980. 106 pages.

 3-C1. Fluvial sediment concepts, by H. P. Guy: USGS-TWRI Book 3, Chapter C1. 1970. 55 pages.

 3-C2. Field methods for measurement of fluvial sediment, by H. P. Guy and V. W. Norman: USGS-TWRI Book 3, Chapter C2. 1970. 59 pages.
- 3-C3. Computation of fluvial-sediment discharge, by George Porterfield: USGS--TWRI Book 3, Chapter C3. 1972. 66 pages.

- 4-A1. Some statistical tools in hydrology, by H. C. Riggs: USGS--TWRI Book 4, Chapter A1. 1968. 39 pages.
 4-A2. Frequency curves, by H. C. Riggs: USGS--TWRI Book 4, Chapter A2. 1968. 15 pages.
 4-B1. Low-flow investigations, by H. C. Riggs: USGS--TWRI Book 4, Chapter B1. 1972. 18 pages.
 4-B2. Storage analyses for water supply, by H. C. Riggs and C. H. Hardison: USGS--TWRI Book 4, Chapter B2. 1973. 20 pages.
- 4-B3. Regional analyses of streamflow characteristics, by H. C. Riggs: USGS--TWRI Book 4, Chapter B3. 1973. 15 pages.
- 4-D1. Computation of rate and volume of stream depletion by wells, by C. T. Jenkins: USGS--TWRI Book 4, Chapter D1. 1970. 17 pages.
- 5-A1. Methods for determination of inorganic substances in water and fluvial sediments, by M. W. Skougstad and
- others, editors: USGS--TWRI Book 5, Chapter A1. 1979. 626 pages.

 Determination of minor elements in water by emission spectroscopy, by P. R. Barnett and E. C. Mallory, Jr.: USGS--TWRI Book 5, Chapter A2. 1971. 31 pages.

 Methods for analysis of organic substances in water, by D. F. Goerlitz and Eugene Brown: USGS--TWRI Book 5, Chapter A3. 1972. 40 pages. 5-A2.
- 5-A3.
- Methods for collection and analysis of aquatic biological and microbiological samples, edited by P. E. Greeson, T. A. Ehlke, G. A. Irwin, B. W. Lium, and K. V. Slack: USGS--TWRI Book 5, Chapter A4. 1977. 5-A4. 332 pages.
- 5-A5. Methods for determination of radioactive substances in water and fluvial sediments, by L. L. Thatcher,
- V. J. Janzer, and K. W. Edwards: USGS--TWRI Book 5, Chapter A5. 1977. 95 pages.

 Laboratory theory and methods for sediment analysis, by H. P. Guy: USGS--TWRI Book 5, Chapter C1. 1969. 5-C1. 58 pages.
- Finite-difference model for aquifer simulation in two dimensions with results of numerical experiments, by P. C. Trescott, G. F. Pinder, and S. P. Larson: USGS--TWRI Book 7, Chapter C1. 1976. 116 pages. 7-C1.
- 7-C2. Computer model of two-dimensional solute transport and dispersion in ground water, by L. F. Konikow and J. D. Bredehoeft: USGS--TWRI Book 7, Chapter C2. 1978. 90 pages.
- A model for simulation of flow in singular and interconnected channels, by R. W. Schaffranek, R. A. Baltzer, and D. E. Goldberg: USGS--TWRI Book 7, Chapter C3. 1981. 110 pages.

 Methods of measuring water levels in deep wells, by M. S. Garber and F. C. Koopman: USGS--TWRI Book 8, 7-C3.
- 8-A1. Chapter A1. 1968. 23 pages.
- Calibration and maintenance of vertical-axis type current meters, by G. F. Smoot and C. E. Novak: USGS--TWRI Book 8, Chapter B2. 1968. 15 pages. 8-B2.




Figure 2.--Hydrographic Comparisons, East Meadow Brook at Freeport.




Figure 3.--Hydrographic Comparisons, Nissequogue River near Smithtown.




Figure 4.--Hydrographs of water-table well N8959 at East Meadow and water-table well S4271 at Riverhead.




Figure 5.--Hydrograph of water-table observation well N1259 at Plainedge.




FIGURE 6A .-- LOCATION OF SURFACE-WATER DATA COLLECTION STATIONS




FIGURE 6B.-- LOCATION OF SURFACE-WATER DATA COLLECTION STATIONS




FIGURE 6C .-- LOCATION OF SURFACE-WATER DATA COLLECTION STATIONS




FIGURE 7A.-- LOCATION OF WATER-LEVEL DATA COLLECTION STATIONS




FIGURE 7B.-- LOCATION OF WATER-LEVEL DATA COLLECTION STATIONS




FIGURE 7C.-- LOCATION OF WATER-LEVEL DATA COLLECTION STATIONS




FIGURE 8A.-- LOCATION OF QUALITY OF GROUND-WATER DATA COLLECTION STATIONS




FIGURE 8B.-- LOCATION OF QUALITY OF GROUND-WATER DATA COLLECTION STATIONS




FIGURE 8C .-- LOCATION OF QUALITY OF GROUND-WATER DATA COLLECTION STATIONS

01302500 GLEN COVE CREEK AT GLEN COVE, NY

LOCATION.--Lat 40°51'48", long 73°38'05", Nassau County, Hydrologic Unit 02030201, on right bank just downstream from Glen Cove Road, at 8- by 10-foot concrete culvert in Pratt Park, one block west of post office, in Glen Cove. Water-quality sampling site at discharge station.

DRAINAGE AREA .-- About 11 mi2 (28 km2).

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. -- October 1938 to current year. Prior to October 1967, published as Cedar Swamp Creek.

REVISED RECORDS (WATER YEARS) .-- WSP 971: 1939-42.

GAGE.--Water-stage recorder and concrete control. Datum of gage is 15.68 ft (4.780 m) National Geodetic Vertical Datum of 1929. Prior to Oct. 31, 1977, at datum 0.15 ft (0.046 m) higher. Prior to June 17, 1965, at datum 0.19 ft (0.58 m) higher.

REMARKS.--Records good except those above 300 ft3/s (8.50 m3/s), which are fair.

AVERAGE DISCHARGE. -- 44 years, 7.18 ft 3/s (0.203 m 3/s).

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 1,860 ft³/s (52.7 m³/s) Sept. 12, 1960, gage height, 7.12 ft (2.170 m), from rating curve extended above 220 ft³/s (6.23 m³/s), minimum, 2.1 ft³/s (0.059 m³/s) Oct. 15, 1967; minimum gage height, 0.52 ft (0.158 m) Oct. 22, 1959, Oct. 15, 1967.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 769 ft 3 /s (21.8 m 3 /s) May 29, gage height, 4.96 ft (1.512 m), from rating curve extended above 220 ft 3 /s (6.23 m 3 /s); minimum discharge, 3.5 ft 3 /s (0.099 m 3 /s) Sept. 28, 30; minimum gage height, 0.66 ft (0.201 m) Nov. 13.

DISCHARGE, IN CUHIC FEET PER SECOND, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DAY	ncT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	7.4	4.3	14	16	52	4.2	5.3	5.5	R.6	4.0	5.7	4.1
2	8.3	4.1	15	6.1	15	4.4	4.4	5.0	17	3.8	4.8	6.3
3	5.9	4.0	5.7	5.5	75	4.3	29	4.8	8.1	4.4	4.6	6.5
4	5.7	4.4	5.1	85	18	9.5	11	4.6	7.6	4.0	4.6	4.0
5	5.7	4.0	4.8	15	11	7.6	6.2	4.6	55	3.7	4.4	3.8
6	7.4	13	4.4	11	7.3	7.4	6.5	4.4	14	3.8	4.4	3.8
7	5.9	4.4	4.3	8.4	5.2	14	7.4	4.4	15	4.0	4.1	4.0
8	5.7	4.3	5.7	5.8	5.0	6.9	7.5	4.6	8.8	4.1	4.1	3.8
9	5.7	4.1	4.6	5.2	5.9	5.4	6.2	4.3	7.8	4.3	8.1	4.0
10	5.5	4.0	4.3	4.6	4.9	4.8	6.5	4.4	6.3	4.1	7.4	4.0
11	5.5	3.8	4.1	4.5	4.6	4.8	6.0	4.3	4.8	4.1	5.3	4.0
12	5.5	3.8	4.1	4.4	4.7	6.8	5.5	4.4	4.8	5.3	5.9	3.8
13	5.7	3.8	4.0	4.4	4.7	5.0	5.2	5.1	19	4.4	4.0	4.1
14	4.6	3.8	6.9	4.5	4.6	4.7	5.1	4.4	15	4.8	3.7	4.3
15	4.1	5.3	34	4.4	4.6	4.6	4.8	4.3	6.5	4.8	3.8	4.6
16	4.1	4.3	20	4.4	4.9	5.3	4.9	4.3	6.9	4.4	4.1	4.0
17	4.1	4.6	8.1	4.3	4.5	8.7	5.2	4.3	16	4.3	9.4	4.1
18	11	4.6	7.4	4.4	4.3	5.1	11	4.4	6.1	4.4	4.3	4.0
19	4.8	4.0	7.2	4.4	6.8	4.7	5.2	4.4	5.7	4.4	4.3	3.8
50	4.1	10	6.1	4.4	5.2	4.6	4.9	4.6	5.1	12	4.3	5.9
21	4.0	4.6	5.7	4.3	4.6	5.0	4.9	4.8	5.0	4.3	4.4	4.1
22	4.1	4.3	5.7	4.3	4.4	4.6	4.7	4.6	4.8	4.1	4.0	4.0
23	12	4.1	6.7	15	4.3	4.4	4.6	8.3	5.3	4.3	4.6	3.8
24	6.7	4.1	5.5	7.2	4.3	4.6	4.6	5.9	4.4	4.3	4.0	3.7
25	5.5	4.0	5.3	5.5	4.3	4 . 4	4.6	8.6	4.4	4.1	22	3.7
26	18	4.0	5.1	5.1	4.1	4.5	28	4.8	4.3	4.1	4.4	3.7
27	17	4.1	7.4	4.8	4.2	4.3	14	4.4	4.3	4.4	4.3	8.3
28	10	4.0	5.7	4.6	4.2	4.3	16	4.4	4.1	27	4.0	3.7
29	6.7	3.8	5.3	4.4		4.3	11	48	8.1	6.5	3.8	4.1
30	5.7	5.5	5.0	4.9		4.3	7.2	14	4.8	5.5	4.0	4.1
31	4.8		5.0	18		8.5		12		5.5	4.1	
TOTAL	211.2	141.1	232.2	281.8	282.6	176.0	247.4	210.9	254.6	167.2	164.9	130.1
MEAN	6.81	4.70	7.49	9.09	10.1	5.68	8.25	6.80	8.49	5.39	5.32	4.34
MAX	18	13	34	82	75	14	29	48	55	27	25	9.3
MIN	4.0	3.8	4.0	4.3	4.1	4.2	4.4	4.3	4.1	3.7	3.7	3.7

CAL YR 1981 TOTAL 2267.3 MFAN 6.21 MAX 44 MTN 3.4 WTR YR 1982 TOTAL 2500.0 MFAN 6.85 MAX 82 MTN 3.7

01302500 GLEN COVE CREEK AT GLEN COVE, NY--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD. -- May 1966 to current year.

							Analysis and					
							BARO-		OXYGEN,			
				SPE-			METRIC		DIS-			
			STREAM-	CIFIC			PRES-		SCLVED	HARD-	CALCIUM	
			FLOW,	CON-			SURE	OXYGEN,	(PER-	NESS	DIS-	
			INSTAN-	DUCT-	PH	TEMPER-	(MM	DIS-	CENT	(MG/L	SOLVED	
		TIME	TANEOUS	ANCE	r n	ATURE	OF	SOLVED	SATUR-	AS	(MG/L	
	DATE	11112	(CFS)	(UMHOS)	(UNITS)	(DEG C)	HG)	(MG/L)	ATION)	CACO3)	AS CA)	
0	EC											
	22	1130	6.1	260	6.3	8.0		11.4		67	17	
	AR	1130	0.1	200	0.3	0.0	7.7	11.4		07	17	
	15	1145	4.6	270	6.5	9.5	768	10.9	94	77	19	
	UG	1143	4.0	210	0.5	9.5	100	10.9	74	11	19	
	27	3910	5.3	275	6.7	17.0	768	7.0	74	74	19	
	21	0910	5.3	213	0.7	17.0	765	7.0	(4	74	. 17	
												1
										SOLIDS,		
		MAGNE-		POTAS-	ALKA-		CHLO-	FLUO-	SILICA,	SUM OF	NITRO-	
		SIUM,	SODIUM,	SIUM,	LINITY	SULFATE	RIDE,	RIDE,	DIS-	CONSTI-	GEN.	
		DIS-	DIS-	DIS-	LAB	DIS-	DIS-	DIS-	SOLVED	TUENTS,	NITRATE	
		SOLVED	SOLVED	SOLVED	(MG/L	SOLVED	SOLVED	SOLVED	(MG/L	DIS-	TOTAL	
		(MG/L	(MG/L	(MG/L	AS	(MG/L	(MG/L	(MG/L	AS	SOLVED	(MG/L	
	DATE	AS MG)	AS NA)	AS K)	CACO3)	AS SO4)	AS CL)	AS F)	\$102)	(MG/L)	AS N)	
D	EC											
	22	0.0	21	1.7	31	28	29	<.1	12	133	4.1	
	AR	1.55	-	17.0					2.7		100	
	15	7.1	23	1.8	37	28	23	<.1	15	144		
	UG											
	27	6.5	19	1.9	39	30	27	.1	15	142	4.1	
		NITRO-								MANGA-	METHY-	
		GEN.	NITRO-	NITRO-	NITRO-			PHOS-	IRON,	NESE,	LENE	
		NITRATE	GEN.	GEN.	GEN.	NITRO-	PHOS-	PHORUS,	TOTAL	TOTAL	BLUE	
		DIS-	NITRITE	AMMONIA	ORGANIC	GEN	PHORUS	ORTHO,	RECOV-	RECOV-	ACTIVE	
		SOLVED	TOTAL	TOTAL	TOTAL	TOTAL	TOTAL	TOTAL	ERABLE	ERABLE	SUB-	
		(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(UG/L	(UG/L	STANCE	
			10.00				AS P)	AS P)	AS FE)	AS MN)	(MG/L)	
	DATE	AS N)	AS P)	45 77	AS FE	AS MN	(MG/L)					
0	EC	7 00	040	4/0		, -	270	. 010	2200	90	.10	
M	22 AR	3.90	.010	.160	.45	4.7	.030	<.010	2200			
	15		<.010	.130	.11	4.4	.030	<.010	560	70	.00	
	27	4.20	.010	.290	.61	5.0	.030	.020	700	70		

01303000 MILL NECK CREEK AT MILL NECK, NY

LOCATION.--Lat 40°53'15", long 73°33'51", Nassau County, Hydrologic Unit 02030201, on right bank at Beaver Lake, 30 ft (9 m) upstream from Feeks Lane (Cleft Road) bridge in Mill Neck, and 1.5 mi (2.4 km) southwest of Bayville. Water-quality sampling site at discharge station.

DRAINAGE AREA. -- About 11.5 mi2 (29.8 km2).

WATER-DISCHARGE RECORDS

PERIOD OF RECORD .-- January 1937 to current year.

REVISED RECORDS. -- WSP 1141: Drainage area.

GAGE.--Water-stage recorder and steel sheet-piling control. Datum of gage is 6.49 ft (1.978 m) National Geodetic Vertical Datum of 1929. Prior to June 23, 1965, at datum 0.06 ft (0.018 m) higher.

REMARKS .-- Records good. Slight regulation by ponds above station.

AVERAGE DISCHARGE. -- 45 years, 9.12 ft 3/s (0.258 m3/s).

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 137 ft³/s (3.88 m³/s) Sept. 12, 1960, gage height, 1.60 ft (0.488 m), from rating curve extended above 70 ft³/s (1.98 m³/s); maximum gage height, 4.85 ft (1.478 m) Sept. 21, 1938 (hurricane wave); minimum discharge, 0.09 ft³/s (0.003 m³/s) Dec. 11, 1941 (result of freezeup); minimum gage height, 0.14 ft (0.043 m) Sept. 8, 1939 (result of wind action).

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 32 ft³/s (0.91 m³/s) and maximum (*):

			harge	Gage	height				harge	Gage 1	height
Date	Time	(ft^3/s)	(m^3/s)	(ft)	(m)	Date	Time	(ft^3/s)	(m^3/s)	(ft)	(m)
Jan. 4	1400	*45	1.27	*0.89	0.271	May 29	0930	37	1.05	0.79	0.241

Minimum discharge, 4.8 ft³/s (0.14 m³/s) Oct. 1, 8-10, 17; minimum gage height, 0.21 ft (0.064 m) Oct. 1, 8-10, 17, Aug. 21, 22.

DISCHARGE IN CHAIR EFFT DER CECOND WITER WELD OCTORED 1001 TO CERTIFICED 1993

		DISC	CHARGE. IN	CUBIC FE		COND. WAT		OCTOBER 19	181 TO SER	PTEMBER 19	82	
DAY	001	NOV	DEC	JAN	FEH	MAR	APR	MAY	JUN	JUL	AUG	SEP
	5.2	5.9	6.6		21	5.9		7.0	8.0	6.7	6.0	6.0
1				8.6			7.6	7.0				7.0
2	7.1	5.6	5.6	9.1	12	6.0	6.4	6.7	11	6.0	6.0	
3	5.9	5.4	9.4	7.0	25	5.9	8.3	6.3	A.4	6.3	5.6	A.0
4	5.3	5.3	7.3	56	17	6.2	17	6.3	7.0	6.7	5.6	6.3
5	5.3	5.4	6.5	19	10	9.4	9.6	6.3	11	6.3	5.6	6.0
6	5.5	8.5	5.9	10	8.1	7.9	9.1	6.3	14	6.0	5.4	5.6
7	5.7	7.2	5.9	8.0	7.0	9.2	11	6.3	14	5.6	5.4	5.6
8	5.1	6.0	6.1	6.8	6.6	9.5	8.4	6.0	9.6	5.6	5.4	5.6
9	5.0	5.5	6.3	6.4	6.8	7.5	7.5	6.3	7.7	6.0	6.0	5.6
10	5.0	5.4	6.0	6.0	6.9	6.7	7.1	6.0	7.0	5.6	7.4	5.6
11	5.0	5.5	7.9	5.5	6.4	6.4	7.1	6.0	6.3	5.6	6.7	5.4
12	5.0	5.3	6.8	5.3	6.2	6.7	6.5	6.0	6.0	6.0	7.0	5.4
13	5.0	5.3	5.9	5.8	6.3	6.9	6.4	6.3	8.4	6.3	6.3	5.4
14	5.0	5.5	6.0	6.9	6.1	6.3	6.1	6.3	16	5.6	6.0	5.6
15	5.2	6.5	16	6.9	6.3	5.9	6.0	6.0	11	5.6	5.6	5.6
16	5.2	7.9	18	6.3					8.0	5.6	5.6	5.6
	5.0	A	-		6.6	6.0	6.0	6.0				
17		7.1	11	5.9	6.4	8.0	6.1	6.0	15	5.6	5.6	5.4
18	6.0	7.0	7.9	5.5	6.2	7.5	8.7	5.6	8.8	5.6	6.0	5.4
19	B.7	6.1	6.6	5.4	6.9	6.7	7.3	6.0	7.7	5.6	5.6	5.4
50	6.5	7.6	5.9	5.9	7.7	6.3	6.4	6.0	7.0	7.7	5.6	6.0
21	5.7	7.7	5.6	5.9	7.1	6.5	5.9	6.0	6.7	8.4	5.4	7.0
55	5.5	6.2	5.8	5.7	6.7	6.3	5.7	5.6	6.3	6.7	5.4	6.3
23	6.2	5.7	6.5	8.6	6.3	5.9	5.7	7.0	6.7	6.0	6.0	6.3
24	9.5	5.6	6.4	11	6.1	6.0	5.7	8.4	6.3	5.6	6.3	5.6
25	7.1	5.6	6.0	7.6	5.9	5.9	5.7	8.4	6.0	5.6	10	5.6
26	11	5.6	5.9	6.5	7.4	6.2	7.0	7.4	5.0	5.4	8.8	5.6
27	10	5.6	6.2	5.8	6.6	5.8	17	6.7	6.0	5.4	7.0	7.4
28	12	5.6	6.7	5.8	6.2	5.5	13	6.3	6.0	10	6.3	6.7
29	8.1	5.4	6.1	5.8		5.7	9.6	23	7.0	10	5.6	6.0
30	6.5	5.4	5.7	5.8		5.7	7.7	15	8.0	7.4	5.6	6.0
31	6.0		5.7	7.1		5.4		10		6.7	5.6	
TOTAL	199.3	182.4	224.2	241.9	237.8	206.9	241.6	227.5	253.9	197.2	190.4	179.0
MEAN	6.43	6.08	7.23	7.80	8.49	6.67	8.05	7.34	R. 46	6.36	6.14	5.97
MAX	12	8.5	18	26	25	9.5	17	23	16	10	10	8.0
MIN	5.0	5.3	5.6	5.3	5.9	5.5	5.7	5.6	6.0	5.4	5.4	5.4
m1.4	7.0	5.3	3.6	3.3	3.9	3.5	2.1	5.0	9.0	5.4	7.4	5.4

CAL YR 1981 TOTAL 2533.1 MFAN 6.94 MAX 22 MTN 4.6 WTR YR 1982 TOTAL 2582.0 MEAN 7.07 MAX 26 4TN 5.0

01303000 MILL NECK CREEK AT MILL NECK, NY--Continued WATER-QUALITY RECORDS

PERIOD OF RECORD. -- May 1966 to current year.

						BARO-		OXYGEN,		
			SPE-			METRIC		DIS-		
		CTO-AM-	70.7			PRES-		SOLVED	HARD-	CALCIUM
		STREAM-	CIFIC				OVVCEN			
		FLOW,	CON-	511	201000-	SURE	OXYGEN,	(PER-	NESS	DIS-
		INSTAN-	DUCT-	PH	TEMPER-	(MM)	DIS-	CENT	(MG/L	SOLVED
	TIME	TANEOUS	ANCE		ATURE	OF	SOLVED	SATUR-	AS	(MG/L
DATE		(CFS)	(UMHOS)	(UNITS)	(DEG C)	HG)	(MG/L)	ATION)	CACO3)	AS CA)
DEC										
22	1015	6.0	165	6.6	2.0		13.6		41	10
MAR	, - , -									
15	1030	5.9	160	7.3	7.0	763	11.8	96	42	10
AUG	1000		100	1.5	1.0	100		, ,		
	0040	7 0	4-0	2.5	22.5	763	5.6	68	49	12
27	0810	7.0	150	8.5	23.5	703	5.0	00	49	12
									SOLIDS,	
	MAGNE-		POTAS-	ALKA-		CHLO-	FLUO-	SILICA,	SUM OF	NITRO-
	SIUM,	SODIUM,	SIUM	LINITY	SULFATE	RIDE,	RIDE,	DIS-	CONSTI-	GEN,
	DIS-	DIS-	DIS-	LAB	DIS-	DIS-	DIS-	SOLVED	TUENTS,	NITRATE
			SOLVED	(MG/L	SOLVED	SCLVED	SOLVED	(MG/L	DIS-	TOTAL
	SOLVED	SOLVED							SOLVED	(MG/L
	(MG/L	(MG/L	(MG/L	AS	(MG/L	(MG/L	(MG/L	AS		
DATE	AS MG)	AS NA)	AS K)	CACO3)	AS SO4)	AS CL)	AS F)	\$102)	(MG/L)	AS N)
DEC				4.4		- 2	34.730			
22	4.0	14	1.2	13	18	20	<.1	9.0	87	1.5
MAR									4	
15	4.1	15	1.2	23	17	19	<.1	8.1	88	1.3
AUG										
27	4.7	14	1.5	31	16	16	<.1	9.0	92	
	NITRO-								MANGA-	METHY-
	GEN,	NITRO-	NITRO-	NITRO-			PHOS-	IRON,	NESE,	LENE
	NITRATE	GEN.	GEN.	GEN,	NITRO-	PHOS-	PHORUS,	TOTAL	TOTAL	BLUE
	DIS-	NITRITE	AMMONIA	ORGANIC	GEN.	PHORUS,	ORTHO,	RECCV-	RECOV-	ACTIVE
		TOTAL	TOTAL	TOTAL	TOTAL	TOTAL	TOTAL	ERABLE	ERABLE	SUB-
	SOLVED	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(UG/L	(UG/L	STANCE
4722	(MG/L	200		7.00	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -				AS MN)	(MG/L)
DATE	AS N)	AS P)	AS P)	AS FE)	AS MNJ	(MG/L)				
DEC										
22	1.80	.010	.080	.73	2.3	.020	- <.010	310	20	.10
MAR										
15	1.30	.010	.050	.25	1.6	.040	<.010	530	40	.00
AUG					,,,,	37.63	11000	0.57		
27								450	50	

35

01303500 COLD SPRING BROOK AT COLD SPRING HARBOR, NY

LOCATION.--Lat 40°51'26", long 73°27'50", Nassau County, Hydrologic Unit 02030201, on left bank 270 ft (82 m) upstream from State Highway 25A, at Cold Spring Harbor State Fish Hatchery, and 1.0 mi (1.6 km) southwest of village of Cold Spring Harbor.

DRAINAGE AREA. -- About 7.3 mi2 (19 km2).

PERIOD OF RECORD .-- July 1950 to current year.

REVISED RECORDS. -- WDR NY-81-2: 1954 (M), 1958 (M), 1962-63 (M), 1971 (M), 1978-79, 1980 (M).

GAGE. -- Water-stage recorder and concrete control. Datum of gage is 5.38 ft (1.640 m) National Geodetic Vertical Datum of 1929.

REMARKS.--Records good except those above 100 ft 3 /s (2.83 m 3 /s), which are fair. Flow occasionally regulated at outlet of pond 40 ft (12 m) above station. Diversion from this pond by New York State Fish Hatchery bypasses station, except during the 1979 water year.

AVERAGE DISCHARGE. -- 31 years (1951-78, 80-82), 2.60 ft³/s (0.074 m³/s) (unadjusted).

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 181 ft³/s (5.13 m³/s) Jan. 21, 1979, gage height, 1.99 ft (0.607 m) ·(result of regulation), from rating curve extended above 80 ft³/s (2.27 m³/s); maximum gage height, 5.34 ft (1.628 m) Aug. 31, 1954 (backwater from high tide), from high-water mark; minimum discharge, 0.20 ft³/s (0.006 m³/s) Jan. 24-27, 1967, gage height, 0.07 ft (0.021 m).

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 74 ft³/s (2.10 m³/s) Nov. 16 (result of regulation), gage height, 1.29 ft (0.393 m); maximum gage height, 1.44 ft (0.439 m) Nov. 15 (backwater from high tide); minimum discharge 0.75 ft³/s (0.021 m³/s) Dec. 7, 9 (result of regulation), gage height, 0.15 ft (0.046 m).

DISCHARGE. IN CUBIC FEET PER SECOND. WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

					ME	N VALUES					
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	
1	2.0	1.9	2.4	2.0	10	2.6	2.3	2.2	2.2	1.8	

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	2.0	1.9	2.4	2.0	10	2.6	2.3	2.2	2.2	1.8	1.6	1.4
2	5.0	1.8	3.7	2.1	4.9	2.6	2.2	2.0	2.6	1.8	1.7	1.3
3	2.0	1.8	3.7	2.2	12	2.5	2.4	1.9	2.8	1.9	1.6	1.3
4	1.8	1.8	3.0	7.9	6.4	2.5	4.3	1.8	2.6	1.9	1.6	1.4
5	1.8	1.8	2.6	6.0	3.8	3.2	3.5	1.8	2.8	2.0	1.6	1.4
6	1.8	1.9	2.2	3.5	3.1	3.2	3.2	1.8	5.1	2.0	1.6	1.4
7	1.6	2.0	1.6	2.8	2.8	3.3	2.8	1.8	5.7	2.0	1.6	1.3
8	1.4	2.0	.86	2.6	2.7	3.5	2.2	1.8	3.7	2.0	1.6	1.3
9	1.6	2.2	.86	2.6	2.7	3.0	2.2	1.8	2.6	2.0	1.4	1.3
10	1.6	2.0	.98	2.6	2.8	2.6	2.2	1.8	2.2	2.0	1.4	1.3
11	1.6	2.0	1.0	2.6	2.6	2.6	2.0	1.8	1.9	2.0	1.4	1.3
12	1.6	2.4	1.1	2.4	2.6	2.6	2.0	1.8	1.8	2.2	1.4	1.3
13	1.4	3.2	1.7	2.5	2.6	2.6	2.0	1.8	1.9	2.2	1.3	1.3
14	1.4	2.8	1.3	2.8	2.6	2.6	1.8	1.8	2.9	5.2	1.3	1.3
15	1.4	2.6	1.6	2.9	2.6	2.4	1.8	1.8	2.9	5.5	1.3	1.3
16	1.4	16	2.2	2.7	2.6	2.4	1.8	1.8	2.4	2.2	1.3	1.3
17	1.6	12	2.3	2.6	2.6	2.6	1.8	1.7	2.5	5.2	1.3	1.3
18	1.8	6.8	2.3	2.6	2.6	2.6	2.1	1.6	2.4	2.0	1.4	1.1
19	1.7	3.7	2.2	2.8	2.7	2.2	1.7	1.7	2.2	2.2	1.4	1.1
20	1.7	3.4	2.0	2.6	2.9	2.2	1.6	1.6	2.0	5.5	1.3	.98
21	1.6	3.5	2.1	2.5	3.1	2.2	1.7	1.6	1.8	2.0	1.3	1.1
55	1.6	3.0	2.3	2.4	3.5	2.0	1.8	1.6	1.8	2.0	1.3	1.1
23	1.5	2.8	2.2	3.2	4.1	5.0	1.8	1.8	1.8	2.2	1.3	1.1
24	1.7	2.6	2.2	3.6	4.3	2.0	1.8	2.0	1.8	2.2	1.4	1.1
25	1.8	2.4	2.2	3.0	3.3	2.0	1.8	2.0	1.7	1.8	1.4	1.1
26	2.7	2.4	2.0	2.6	2.8	2.0	2.0	2.0	1.6	1.3	1.4	1.1
27	3.0	2.6	2.0	2.4	2.8	2.0	3.2	2.0	1.7	1.3	1.6	1.1
28	2.9	2.6	2.2	2.5	2.6	1.8	3.5	2.0	1.7	1.3	1.4	1.1
29	2.7	2.4	2.1	2.5		1.9	3.0	2.6	1.6	1.6	1.4	1.3
30	2.3	2.4	2.2	2.4		2.0	2.6	3.0	1.8	1.6	1.4	1.3
31	2.1		2.2	2.6		2.1		2.6		1.6	1.4	
TOTAL	57.1	100.8	63.30	90.5	104.1	75.8	69.1	59.3	72.5	59.9	44.4	37.08
MEAN	1.84	3.36	2.04	2.92	3.72	2.45	2.30	1.91	2.42	1.93	1.43	1.24
MAX	3.0	16	3.7	7.9	12	3.5	4.3	3.0	5.7	2.2	1.7	1.4
MIN	1.4	1.8	.86	2.0	2.6	1.8	1.6	1.6	1.6	1.3	1.3	.98

CAL YR 1981 TOTAL 1064.60 MFAN 2.92 MAX 16 MIN .86 WTR YR 1982 TOTAL 833.88 MFAN 2.28 MAX 16 MIN .86

01304000 NISSEQUOGUE RIVER NEAR SMITHTOWN, NY

(National stream-quality accounting network station)

LOCATION.--Lat 40°50'58", long 73°13'29", Suffolk County, Hydrologic Unit 02030201, on left bank 0.5 mi (0.8 km) downstream from New Mill Pond, 1.0 mi (1.6 km) southwest of Smithtown, and 1.5 mi (2.4 km) southwest of village of Smithtown Branch. Water-quality sampling site at discharge station.

DRAINAGE AREA. -- About 27 mi2 (70 km2).

WATER-DISCHARGE RECORDS

PERIOD OF RECORD .-- October 1943 to current year.

REVISED RECORDS. -- WSP 1141: Drainage area.

GAGE.--Water-stage recorder and concrete control. Datum of gage is 9.59 ft (2.923 m) National Geodetic Vertical Datum of 1929.

REMARKS.--Records good. Occasional regulation caused by cleaning of fish screens and trash racks at outlets of New Mill Pond on main stream and ponds on tributaries above station.

AVERAGE DISCHARGE. -- 39 years, 41.6 ft 3/s (1.178 m3/s).

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 952 ft³/s (27.0 m³/s) Jan. 22, 1979, gage height, 3.22 ft (0.981 m) (result of dam failure), from rating curve extended above 600 ft³/s (17.0 m³/s); minimum, 16 ft³/s (0.45 m³/s) June 5, 6, 1967; minimum gage height, 0.46 ft (0.140 m) Feb. 9, 1951; minimum daily, 19 ft³/s (0.54 m³/s) June 6, 1967.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 165 ft 3 /s (4.67 m 3 /s) June 5, gage height, 1.33 ft (0.405 m); minimum, 24 ft 3 /s (0.68 m 3 /s) Oct. 14, gage height, 0.55 ft (0.168 m).

DISCHARGE,	IN	CUBIC	FEET	PER	SECOND.	WATER	YEAR	OCTOBER	1981	TO	SEPTEMBER	1982
					MEAN VAL	LUES						

DAY	ост	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	28	31	31	38	83	38	40	42	38	43	41	38
2	29	30	49	40	66	38	39	41	74	41	40	48
3	29	29	43	36	78	38	47	41	62	41	40	48
4	29	29	37	72	55	39	70	41	51	41	39	42
5	28	29	34	79	42	49	57	40	101	40	40	40
6	28	33	31	57	44	45	53	40	140	40	44	38
7	28	32	31	46	43	47	49	40	95	38	41	37
8	28	30	32	41	43	48	46	40	61	38	40	37
9	27	30	34	40	43	44	44	40	50	38	40	37
10	27	30	33	40	43	42	44	38	48	38	42	37
11	27	30	31	38	41	40	44	38	47	38	42	37
12	27	29	30	38	41	41	43	38	46	38	44	37
13	27	29	30	38	40	41	42	38	48	38	42	37
14	27	29	31	40	40	39	42	38	59	37	40	36
15	27	30	48	40	40	38	41	38	52	37	38	36
16	27	31	55	38	41	39	40	37	48	37	37	36
17	27	31	45	38	40	44	41	37	52	37	37	36
18	28	32	39	38	40	43	46	36	50	37	38	36
19	32	30	36	38	41	40	45	36	50	52	38	36
20	30	34	34	38	44	40	42	36	48	81	37	37
21	29	37	33	38	42	40	41	36	46	68	37	40
22	85	33	33	38	41	39	40	36	45	53	36	38
23	29	31	34	46	40	38	38	37	44	46	44	38
24	35	30	33	55	40	38	38	42	43	42	57	36
25	31	59	33	46	39	38	38	42	41	40	52	36
26	45	29	32	40	38	39	40	41	44	39	48	36
27	43	29	33	38	38	38	54	39	44	38	42	38
28	45	29	34	37	38	37	54	37	41	52	41	37
29	38	29	33	37		37	49	43	44	54	38	36
30	33	29	32	37		37	45	43	45	45	37	36
31	31		32	63		39		40		43	37	
TOTAL	947	913	1096	1348	1264	1253	1352	1211	1657	1350	1269	1137
MEAN	30.5	30.4	35.4	43.5	45.1	40.4	45.1	39.1	55.2	43.5	40.9	37.9
MAX	45	37	55	79	83	49	70	43	140	81	57	48
MIN	27	29	30	36	38	37	38	36	38	37	36	36

01304000 NISSEQUOGUE RIVER NEAR SMITHTOWN, NY--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD. -- February 1967 to current year.

PERIOD OF DAILY RECORD.--SPECIFIC CONDUCTANCE: December 1978 to September 1981. WATER TEMPERATURES: January 1978 to September 1981.

COOPERATION.--Some water-quality analyses for this station were collected and analyzed by Suffolk County Department of Health Services. They are identified in the table by an asterisk (*).

	DATE	TIME	STREAM- FLOW, INSTAN- TANEOUS (CFS)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	TEMPER- ATURE (DEG C)	TUR- BID- ITY (NTU)	BARO- METRIC PRES- SURE (MM OF HG)	OXYGEN, DIS- SOLVED (MG/L)	OXYGEN, DIS- SOLVED (PER- CENT SATUR- ATION)	COLI- FORM, FECAL, 0.7 UM-MF (COLS./ 100 ML)	STREP- TOCOCCI FECAL, KF AGAR (COLS. PER 100 ML)	HARD- NESS (MG/L AS CACO3)
	OCT	5				W2 2		5.4			14		14
	27 DEC	1015	41	118	6.3	11.5	.90	764	9.9	90	42	22	26
*	07	1400	31	112	6.8	3.0			11.2				27 25
	15 FEB	0930	48	130	5.9	4.0	1.0	758	12.0	91	55	37	
	24 MAR	0900	40	125	6.2	5.0	1.0	764	11.8	92	К3	K2000	25
*	01 APR	1400	38	120	7.0	5.0	- 55		11.3				32
	28 JUN	0900	55	140	6.5	13.0	1.5	760	9.4	89	54	26	31
*	01	1300	38	110	6.9	17.0			7.2				26
	15 AUG	0900	48	125	6.7	17.0	1.0	753	9.6	100	140	26	25
	11 SEP	0830	41	120	6.6	19.0	1.1	762	8.2	88	52	40	26
*	08	1300	37	102	6.5	19.0			7.9				29

K Results based on colony counts outside the acceptable range (non-ideal colony count).

STREAMS ON LONG ISLAND

01304000 NISSEQUOGUE RIVER NEAR SMITHTOWN, NY--Continued

DATE	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUC- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)
OCT 27	6.2	2.5	13	1.2		16	2.9	24	<.1	5.4	76	66
DEC										-		
07	6.4	2.6	11	1.2	11		6.6	14	<.1			
15 FEB	6.2	2.3	13	1.2		14	12	18	<.1	7.1	85	68
24 MAR	6.3	2.2	14	1.2		12	10	21	<.1	7.4	82	. 70
01 APR	8.0	2.8	14	1.4	14		6.6	20	<.5			
28 JUN	7.6	. 2.8	17	1.2		18	12	21	<.1	6.5	69	79
01	6.6	2.4	12	1.2	18		6.0	16	<.5			
16 AUG	6.5	2.2	14	.9		15	10	16	<.1	8.1	76	67
11 SEP	6.5	2.3	11	.7		18	9.0	15	<.1	7.2	85	63
08	7.4	2.6	11	1.2	15		6.8	15				
	NITRO- GEN, NITRATE TAL	NITRO- GEN, NITRITE TOTAL (MG/L	NITRO- GEN, AMMONIA TOTAL (MG/L	NITRO- GEN, ORGANIC TOTAL (MG/L	NITRO- GE , M- MONIA + ORGANIC TOTAL (MG/L	PHOS- PHORUS, TOTAL (MG/L	PHOS- PHORUS, DIS- SCLVED	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L	ARSENIC TOTAL (UG/L	ARSENIC DIS- SOLVED (UG/L	BARIUM, TOTAL RECOV- ERABLE (UG/L	BARIUM, DIS- SOLVED (UG/L
DATE	AS N)	AS N)	AS N)	AS N)	AS N)	AS P)	AS P)	AS P)	AS AS)	AS AS)	AS BA)	AS SA)
OCT												
27					.49	<.010	.010	<.010	1	1	100	20
07	1.9	.011	.060	.24	.30		.009	.002				
15 FEB					.26	.020	<.010	<.010				
24 MAR					1.40	.010	.010	.010	1	1	100	18
01 APR	3.0	.012	.050	.25	.30	.003	.002	<.002				
28 JUN					.63	.080	.030	<.010	. 2	1	<100	14
01	1.8	.018	.190	.31	.50	.010	.004	.004				
16 AUG					<.10	.020	.010	.020				
11 SEP					1.90	.020	<.010	.010	1	1	100	23
08	2.0	.012	<.100		.20	.007	.006	.002				

01304000 NISSEQUOGUE RIVER NEAR SMITHTOWN, NY--Continued WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, TOTAL RECOV- ERABLE (UG/L AS CR)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)	COBALT, TOTAL RECOV- ERABLE (UG/L AS CO)	COBALT, DIS- SOLVED (UG/L AS CO)	COPPER, TOTAL RECOV- ERABLE (UG/L AS CU)	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, TOTAL RECOV- ERABLE (UG/L AS PB)	LEAD, DIS- SOLVED (UG/L AS PB)
OCT				100					2.00	1.61		
27 DEC	<1	2	20	10	1	1	5	1	130	43	5	2
07									130	180		
15 FEB							14.5	75	427	- 53		
24 MAR	2	<1	10	<10	2	3	2	<1	100	71	<1	<1
01 APR			4.5						100	100		
28 Jun	*<1	1	10	<10	<1	<1	2	1	310	140	1	2
01						()	(24	4-	300	200		4-1
16 AUG							1					
11 SEP	<1	1	10	<10	2	<1	7	5	230	70	4	<1
08									200	200		
DATE	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	MERCURY DIS- SOLVED (UG/L AS HG)	NICKEL, TOTAL RECOV- ERABLE (UG/L AS NI)	NICKEL, DIS- SOLVED (UG/L AS NI)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)	SILVER, DIS- SOLVED (UG/L AS AG)	ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN)	ZINC, DIS- SOLVED (UG/L AS ZN)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
OCT												
27 DEC	50	35	.1	<.1	2	2	<1	<1	<1	50	6	
07 15	50	50	===	=======================================		===		==			- 11	<.02
24 MAR	80	71	<.1	<.1	1	<1	<1	<1	<1	20	30	
01 APR	40	40						44				.02
28 JUN	270	210	.1	.1	2	3	<1	<1	<1	20	7	
01	120	100										<.02
16 AUG												1
11 SEP	120	45	.1	-1	-1	3	<1	<1	<1	<10	5	
08	<10	<10										<.02

40

STREAMS ON LONG ISLAND

01304000 NISSEQUOGUE RIVER NEAR SMITHTOWN, NY--Continued SUSPENDED SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

				SEDI-	SED.	
				MENT,	SUSP.	
		STREAM-	SEDI-	DIS-	SIEVE	
		FLOW,	MENT,	CHARGE,	DIAM.	
		INSTAN-	SUS-	sus-	% FINER	
	TIME	TANEOUS	PENDED	PENDED	THAN	
DATE		(CFS)	(MG/L)	(T/DAY)	.062 MM	
ост						
27	1015	41	12	1.3	100	
DEC	1013		, ,		100	
15	0930	48	4	.52	75	
FEB	0,30	40	7	• > -		
24	0900	40	1	.11	22	
APR	0,000	40		• • • •		
28	0900		3	.45		
	0900	55	3	.45	77	
JUN					0.4	
16	0900	48	11	1.4	84	
AUG	2222					
11	0830	41	24	2.7	92	

01304500 PECONIC RIVER AT RIVERHEAD, NY

LOCATION.--Lat 40°54'49", long 72°41'14", Suffolk County, Hydrologic Unit 02030202, on right bank 200 ft (61 m) downstream from Long Island Lighting Co. dam, 0.4 mi (0.6 km) west of Riverhead, and 1.2 mi (1.9 km) upstream from outlet of Sweezy Pond. Water-quality sampling site at discharge station.

DRAINAGE AREA. -- About 75 mi 2 (194 km2).

WATER-DISCHARGE RECORDS

PERIOD OF RECORD .-- June 1942 to current year.

GAGE.--Water-stage recorder and concrete control. Datum of gage is 6.54 ft (1.993 m) National Geodetic Vertical Datum of 1929.

REMARKS .-- Records good. Flow regulated by ponds above station.

AVERAGE DISCHARGE. -- 40 years, 36.5 ft 3/s (1.034 m3/s).

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 225 ft³/s (6.37 m³/s) Jan. 30, 1978, gage height, 1.20 ft (0.366 m) (result of regulation); minimum, 1.4 ft³/s (0.040 m³/s) Jan. 9, 1966, Jan. 31, 1967, Dec. 6, 1969, Jan. 27, 1972, Dec. 10, 11, 1977; minimum gage height, 0.10 ft (0.030 m) Jan. 31, 1967 (result of freezeup), Dec. 6, 1969, Jan. 27, 1972 (result of freezeup); minimum daily, 3.7 ft³/s (0.10 m³/s) Aug. 2, 1944.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 154 ft 3 /s (4.36 m 3 /s) June 12, gage height, 1.01 ft (0.308 m); minimum, 1.6 ft 3 /s (0.045 m 3 /s) Dec. 11, gage height, 0.11 ft (0.034 m) (result of regulation); minimum daily, 12 ft 3 /s (0.34 m 3 /s) Oct. 12-15, 17, 18.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DAY	пст	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	13	18	16	24	38	31	26	38	30	52	35	27
2	14	17	55	26	42	31	26	37	37	52	34	29
3	15	17	24	26	49	30	26	36	37	52	34	29
4	15	16	24	32	50	30	34	34	36	50	32	28
5	14	16	23	40	52	32	34	33	55	49	31	27
6	14	17	55	42	50	32	35	32	103	49	30	26
7	14	17	21	43	50	35	38	31	109	44	30	25
8	14	17	21	42	47	38	35	30	111	42	30	24
9	13	17	21	38	45	38	35	30	116	42	28	23
10	13	16	51	35	43	37	35	30	124	42	30	23
11	13	15	15	32	42	35	35	30	117	41	30	23
12	12	14	21	30	40	35	35	29	122	41	31	23
13	12	14	20	28	38	34	35	28	110	38	31	23
14	12	14	20	30	38	34	34	28	104	35	31	23 23
15	12	13	26	59	37	31	34	27	98	37	30	23
16	13	15	31	28	37	30	32	27	92	37	28	22
17	12	15	30	27	35	32	32	26	88	36	85	55
18	12	18	30	27	34	34	34	26	83	35	28	21
19	13	18	28	27	35	31	35	26	79	35	28	21
20	13	50	53	27	37	58	35	26	76	34	27	20
21	13	55	28	27	37	31	32	26	72	35	26	21
22	13	21	26	27	37	31	31	25	69	35	25	21
23	13	20	26	27	37	31	30	26	66	34	27	55
24	15	19	25	31	34	31	30	30	62	31	33	55
25	15	. 18	24	30	35	30	28	31	60	28	35	55
26	20	18	24	27	34	30	28	31	58	40	32	22
27	22	17	23	27	33	30	37	30	52	38	32	55
28	21	17	24	27	32	27	38	29	49	39	31	22
29	19	16	23	27		24	38	32	49	38	29	55
30	19	16	23	27		23	38	33	50	35	85	55
31	18		55	27		55		32		35	27	
TOTAL	451	508	727	937	1118	96R	995	929	2314	1231	928	700
MEAN	14.5	16.9	23.5	30.2	39.9	31.2	33.2	30.0	77.1	39.7	29.9	23.3
MAX	55	55	31	43	52	38	38	38	124	52	35	29
MIN	12	13	15	24	32	22	26	25	30	28	25	20

CAL YR 1981 TOTAL 7547 MEAN 20.7 MAX 38 MTN 11 WTR YR 1982 TOTAL 11806 MEAN 32.3 MAX 124 MTN 12

01304500 PECONIC RIVER AT RIVERHEAD, NY--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD. -- Water years 1966 to current year.

PERIOD OF DAILY RECORD.--SPECIFIC CONDUCTANCE: June 1975 to September 1980. WATER TEMPERATURES: June 1975 to September 1980.

COOPERATION.--All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	TI	FLO INST ME TANS	EAM- CI DW, CO FAN- DU EOUS AN	CE	A 1	MPER- TURE S	YGEN, DIS- SOLVED	LCIUM DIS- SOLVED MG/L S CA)	DIS- D SOLVED SO (MG/L (DIUM, SIS- DIVED SOMG/L (M	SIUM, LIN DIS- FI DLVED (M	KA- HITY ELD IG/L IS ICO3)
DEC 07	09	00	21	118	7.0	2.0	12.2	8.6	2.6	9.8	2.0	12
01	08	00	31	100	6.7	4.0	11.8	7.4	2.2	8.4	1.9	12
01 SEP	08	00	31	100	6.9	18.0	6.1	7.2	2.2	9.4	1.8	19
08	09	00	24	92	6.2	19.0	9.2	6.8	2.2	8.6	1.8	14
	ATE	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRAT	NITRO E GEN, NITRIT D TOTAL (MG/L	NITRI E DIS SOLV (MG/	TE GEN, - AMMONI ED TOTAL L (MG/L	AMMONIA	GEN,AM- MONIA + ORGANIC	
DEC 07 MAR		16	13	<.1	. 33	.3	6 .00	6 .0	.23	0 .220	.50	
		13	13	<.5	.15	.1	5 .00	4 .0	.10	0 .110	.20	-
O1 SEP		10	12	<.5	.18	.1	8 .01	2 .0	12 .33	0 .310	1.10	
08	3	11	13		.20	.2	0 .00	7 .0	.10	0 <.100	.30	
DA	ATE	NITRO- GEN,AM- MONIA + ORGANIC DIS. (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P)	PHOS- PHORUS, ORTHOL TOTAL (MG/L AS P)		, IRON, TOTAL RECOV	- DIS E SOLV	ED ERABL	MANGA- NESE, DIS- E SCLVED (UG/L	ACTIVE SUB- STANCE	
DEC		.30	.015						00 6			
MAR O1	R 1	.10	.024						50 14			
	1	.70	.183	.145	.116	.10	8 120	0 11	00 23	0 230	<.02	
SEF	B	.30	.067	.044	.021	.02	2 70	0 5	00 9	0 80	<.02	

01305000 CARMANS RIVER AT YAPHANK, NY

(National stream-quality accounting network station)

LOCATION.--Lat 40°49'49", long 72°54'24", Suffolk County, Hydrologic Unit 02030202, on left bank 50 ft (15 m) upstream from Long Island Railroad bridge, 0.2 mi (0.3 km) northeast of Yaphank Station, and 0.5 mi (0.8 km) southeast of Yaphank. Water-quality sampling site at discharge station.

DRAINAGE AREA. -- About 71 mi2 (184 km2).

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. -- June 1942 to current year.

REVISED RECORDS. -- WSP 1141: Drainage area.

GAGE.--Water-stage recorder and concrete control. Datum of gage is 17.95 ft (5.471 m) National Geodetic Vertical Datum of 1929. Prior to Feb. 2, 1967, at same site at datum 1.00 ft (0.30 m) higher.

REMARKS. -- Records good. Some regulation by two lakes above station.

AVERAGE DISCHARGE. -- 40 years, 23.8 ft3/s (0.674 m3/s).

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 110 ft 3 /s (3.12 m 3 /s) Jan. 26, 1978, gage height, 1.93 ft (0.588 m); minimum, 2.8 ft 3 /s (0.079 m 3 /s) Feb. 24, 1967, gage height, 0.73 ft (0.223 m); minimum daily, 6.2 ft 3 /s (0.18 m 3 /s) Feb. 28, Mar. 3, 1967 (result of temporary construction upstream).

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 100 ft 3 /s (2.83 m 3 /s) June 5, gage height, 1.89 ft (0.576 m); minimum, 7.2 ft 3 /s (0.20 m 3 /s) Dec. 20, gage height, 0.89 ft (0.271 m) (result of regulation).

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982 MEAN VALUES

DAY	ncT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	14	15	14	18	32	19	20	21	20	28	25	24
2	16	14	21	18	25	19	18	20	29	27	24	26
2	16	14	18	16	31	19	20	20	23	27	24	25
4	14	14	16	25	27	19	28	20	55	27	24	25
5	14	14	15	25	24	55	55	20	54	26	24	24
6	14	16	15	20	23	20	23	20	66	26	24	23
7	14	15	14	19	55	22	22	20	46	26	23	23
8	14	14	14	18	55	22	19	20	38	26	23	23
9	13	14	15	18	55	20	20	20	36	26	24	23
10	13	14	14	18	55	19	20	20	35	25	28	23
11	13	14	13	16	22	19	20	20	34	25	25	23
12	13	14	14	18	21	19	20	20	34	26	26	23
13	13	13	14	18	21	19	20	20	35	25	25	23
14	13	14	14	19	20	19	20	20	40	25	24	23
15	13	14	21	19	50	18	19	19	36	25	24	23
16	13	15	22	18	20	18	19	19	35	25	23	23
17	14	14	18	18	20	22	19	19	37	25	24	23
18	14	16	16	17	20	50	23	19	34	24	24	23
19	15	14	16	17	21	19	20	19	33	25	23	23
20	14	17	15	17	55	19	20	19	35	25	23	23
21	13	18	15	18	21	19	20	19	31	25	23	23
55	13	15	16	17	50	19	20	19	31	25	23	23
23	14	14	16	55	20	18	19	20	31	24	26	23
24	16	14	16	23	20	18	19	22	29	25	31	23
25	16	14	15	19	19	18	19	23	29	24	28	55
26	20	13	16	18	19	19	50	21	29	24	26	23
27	19	14	16	18	19	18	26	20	28	23	25	23
28	50	14	16	18	19	18	25	19	28	29	25	23
29	16	13	16	18		18	22	22	29	28	24	23
30	15	13	15	18		18	22	21	29	25	23	23
31	15		15	19		19		20		25	53	
TOTAL	454	431	491	580	614	595	624	621	1013	791	761	698
MEAN	14.6	14.4	15.8	18.7	21.9	19.2	20.8	20.0	33.8	25.5	24.5	23.3
MAX	20	18	22	25	32	22	28	23	66	29	31	26
MIN	13	13	13	16	19	18	18	19	20	53	53	55

CAL YR 1981 TOTAL 6564 MEAN 18.0 MAX 29 MIN 12 WTR YR 1982 TOTAL 7673 MEAN 21.0 MAX 66 MIN 13

01305000 CARMANS RIVER AT YAPHANK, NY--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD. -- May 1966 to current year.

PERIOD OF DAILY RECORD.--SPECIFIC CONDUCTANCE.--December 1979 to September 1981. WATER TEMPERATURES.--December 1979 to September 1981.

COOPERATION.--Some water-quality samples were collected and analyzed by Suffolk County Department of Health Services. They are identified in the table by an asterisk (*).

	DATE	TIME	STREAM- FLOW, INSTAN- TANEOUS (CFS)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	TEMPER- ATURE (DEG C)	TUR- BID- ITY (NTU)	BARO- METRIC PRES- SURE (MM OF HG)	OXYGEN, DIS- SOLVED (MG/L)	OXYGEN, DIS- SOLVED (PER- CENT SATUR- ATION)	COLI- FORM, FECAL, O.7 UM-MF (COLS./ 100 ML)	STREP- TOCOCCI FECAL, KF AGAR (COLS. PER 100 ML)	HARD- NESS (MG/L AS CACO3)
	ост	1000					0.2			14	222	0222	44
	27 DEC	1300	19	110	6.4	12.5	4.2	763	8.8	82	300	K350	27
*	07	1000	14	112	6.8	4.0			9.3				34
	16 FEB	1100	23	118	6.1	4.0		754	11.6	89	K12	48	26
	23 MAR	1000	20	104	6.5	5.0	2.0	763	12.8	100	К4	200	28
*	01 APR	0900	19	106	6.9	5.0			10.8				31
	27 JUN	1000	26	115	7.1	14.0	2.2	757	9.6	93	46	K15	31
*	01	0900	20	100	7.1	17.0			8.0				30
	15 AUG	0930	36	105	6.7	15.0	1.2	759	9.2	90	30	K19	27
	10 SEP	0900	28	110	6.6	20.0	1.5	758	7.2	78	150	260	29
*	08	1000	23	95	6.2	17.0			8.0				29

K Results based on colony counts outside the acceptable range (non-ideal colony count).

45

STREAMS ON LONG ISLAND

O1305000 CARMANS RIVER AT YAPHANK, NY--Continued

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SCLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	
OCT													
27 DEC	6.6	2.6	8.5	1.1		12	12	11	<.1	11	73	60	
07	8.2	3.3	11	1.2	13		13	14	<.1			14	
10	6.3	2.4	9.3	.9		14	13	13	<.1	9.8	80	63	
FEB		200	15000	4.2			1.2			- 22	22		
23 MAR	6.9	2.5	8.2	1.0		12	12	11	<.1	11	73	60	
01 APR	7.6	2.8	7.4	1.3	16	-2	11	13	<.5				
27 JUN	7.3	3.0	9.0	. 8	-	18	12	9.6	<.1	11	52	64	
01	7.6	2.0	9.0	1.2	20		12	11	<.5				
15	6.7	2.4	8.4	.5		14	13	9.7	<.1	11	68	60	
10	7.2	2.0	9.3				4.7			10	80	63	
SEP	1.2	2.0	8.2	.7		16	13	11	<.1	10	80	0.3	
08	7.4	2.6	8.4	1.2	16		11	12					
	NITRO- GEN, NITRATE TOTAL (MG/L	NITRO- GEN, NITRITE TOTAL (MG/L	NITRO- GEN, AMMONIA TOTAL (MG/L	NITRO- GEN, ORGANIC TOTAL (MG/L	NITRO- GEN,AM- MONIA + ORGANIC TOTAL (MG/L	PHOS- PHORUS, TOTAL (MG/L	PHOS- PHORUS, DIS- SOLVED (MG/L	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L	ARSENIC TOTAL (UG/L	ARSENIC DIS- SOLVED (UG/L	BARIUM, TOTAL RECOV- ERABLE (UG/L	BARIUM, DIS- SOLVED (UG/L	
DATE	AS N)	AS N)	AS N)	AS N)	AS N)	AS P)	AS P)	AS P)	AS AS)	AS AS)	AS BA)	AS BA)	
OCT 27			22	44	.84	.110	.010	<.010	1	1	100	20	
DEC					.04	.110	.010				100	20	
07	1.0	.004	.050	.25	.30	.011	<.002	.005					
16					.22	.020	<.010	<.010			3-5		
FEB 23					.79	<.010	<.010	<.010	1	1	<100	19	
MAR					•17	V.010	V.510	V.010			1105	1.7	
01 APR	1.1	.004	.060		<.10	.002	<.002	.003					
27 JUN			-		.85	.090	.030	<.010	2	1	<100	15	
01	.60	.013	.190	.41	.60	.016	.008	.018					
15					.30	.020	.010	.030					
10 SEP					.30	.010	.020	.020	1	1	<100	29	
08	.60	.003	<.100		.10	.013	.006	.002	-	1.55			

01305000 CARMANS RIVER AT YAPHANK, NY--Continued

			CHRO-									
	CADMIUM		MIUM,	CHRO-	COBALT,		COPPER,		IRON,		LEAD,	
	TOTAL	CADMIUM	TOTAL	MIUM	TOTAL	COBALT,	TOTAL	COPPER,	TOTAL	IRON.	TOTAL	LEAD.
	RECOV-	DIS-	RECOV-	DIS-	RECOV-	DIS-	RECOV-	DIS-	RECCV-	DIS-	RECOV-	DIS-
	ERABLE	SOLVED	ERABLE	SOLVED	ERABLE	SOLVED	ERABLE	SOLVED	ERABLE	SOLVED	ERABLE	SOLVED
	(UG/L	(UG/L	(UG/L	(UG/L	(UG/L	(UG/L	(UG/L	(UG/L	(UG/L	(UG/L	(UG/L	(UG/L
DATE	AS CD)	AS CD)	AS CR)	AS CR)	AS CO)	AS CO)	AS CL)	AS CU)	AS FE)	AS FE)	AS PB)	AS PB)
					40 007	43 007	-5 007	40 007				
OCT												
27	<1	1 2	10	<10	2	<1	7	<1	2700	260	9	1
DEC												
07									230	170		
16												
FEB												
23	2	<1	10	<10	2	2	2	<1	250	140	<1	<1
MAR												4
01									300	200		
APR							_			24.0		
27	<1	. 1	10	<10	<1	<1	2	<1	570	240	4	2
JUN 01									150			
15				==					650	400		
AUG								7.7				177
10	<1	<1	10	10	1	<1	5	2	320	150	2	<1
SEP		• • •	10	10		` '	,	2	320	150	2	
08									300	300		
									7 7 7			
	MANCA-											M.TV.
	MANGA-	MANCA	HERCHRY		MICKEL			STINED		7.7.11.6		METHY-
	NESE,	MANGA-	MERCURY	MEDCHOV	NICKEL,	NICKEL	6515-	SILVER,	CTLVED	ZINC,	77.115	LENE
	NESE, TOTAL	NESE,	TOTAL	MERCURY	TOTAL	NICKEL,	SELE-	TOTAL	SILVER,	TOTAL	ZINC,	LENE BLUE
	NESE, TOTAL RECOV-	NESE, DIS-	TOTAL RECOV-	DIS-	TOTAL RECOV-	DIS-	NIUM,	TOTAL RECOV-	DIS-	TOTAL RECOV-	DIS-	LENE BLUE ACTIVE
	NESE, TOTAL RECOV- ERABLE	NESE, DIS- SOLVED	TOTAL RECOV- ERABLE	DIS- SOLVED	TOTAL RECOV- ERABLE	DIS- SOLVED	NIUM, TOTAL	TOTAL RECOV- ERABLE	DIS- SOLVED	TOTAL RECOV- ERABLE	DIS- SOLVED	LENE BLUE ACTIVE SUB-
DATE	NESE, TOTAL RECOV- ERABLE (UG/L	NESE, DIS- SOLVED (UG/L	TOTAL RECOV- ERABLE (UG/L	DIS- SOLVED (UG/L	TOTAL RECOV- ERABLE (UG/L	DIS- SOLVED (UG/L	NIUM, TOTAL (UG/L	TOTAL RECOV- ERABLE (UG/L	DIS- SOLVED (UG/L	TOTAL RECOV- ERABLE (UG/L	DIS- SOLVED (UG/L	LENE BLUE ACTIVE SUB- STANCE
DATE	NESE, TOTAL RECOV- ERABLE	NESE, DIS- SOLVED	TOTAL RECOV- ERABLE	DIS- SOLVED	TOTAL RECOV- ERABLE	DIS- SOLVED	NIUM, TOTAL	TOTAL RECOV- ERABLE	DIS- SOLVED	TOTAL RECOV- ERABLE	DIS- SOLVED	LENE BLUE ACTIVE SUB-
DATE	NESE, TOTAL RECOV- ERABLE (UG/L	NESE, DIS- SOLVED (UG/L	TOTAL RECOV- ERABLE (UG/L	DIS- SOLVED (UG/L	TOTAL RECOV- ERABLE (UG/L	DIS- SOLVED (UG/L	NIUM, TOTAL (UG/L	TOTAL RECOV- ERABLE (UG/L	DIS- SOLVED (UG/L	TOTAL RECOV- ERABLE (UG/L	DIS- SOLVED (UG/L	LENE BLUE ACTIVE SUB- STANCE
	NESE, TOTAL RECOV- ERABLE (UG/L	NESE, DIS- SOLVED (UG/L	TOTAL RECOV- ERABLE (UG/L	DIS- SOLVED (UG/L	TOTAL RECOV- ERABLE (UG/L	DIS- SOLVED (UG/L	NIUM, TOTAL (UG/L	TOTAL RECOV- ERABLE (UG/L	DIS- SOLVED (UG/L	TOTAL RECOV- ERABLE (UG/L	DIS- SOLVED (UG/L	LENE BLUE ACTIVE SUB- STANCE
ост	NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	NESE, DIS- SOLVED (UG/L AS MN)	TOTAL RECOV- ERABLE (UG/L AS HG)	DIS- SOLVED (UG/L AS HG)	TOTAL RECOV- ERABLE (UG/L AS NI)	DIS- SOLVED (UG/L AS NI)	NIUM, TOTAL (UG/L AS SE)	TOTAL RECOV- ERABLE (UG/L AS AG)	DIS- SOLVED (UG/L AS AG)	TOTAL RECOV- ERABLE (UG/L AS ZN)	DIS- SOLVED (UG/L AS ZN)	LENE BLUE ACTIVE SUB- STANCE (MG/L)
OCT 27	NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	NESE, DIS- SOLVED (UG/L AS MN)	TOTAL RECOV- ERABLE (UG/L AS HG)	DIS- SOLVED (UG/L AS HG)	TOTAL RECOV- ERABLE (UG/L AS NI)	DIS- SOLVED (UG/L AS NI)	NIUM, TOTAL (UG/L AS SE)	TOTAL RECOV- ERABLE (UG/L AS AG)	DIS- SOLVED (UG/L AS AG)	TOTAL RECOV- ERABLE (UG/L AS ZN)	DIS- SOLVED (UG/L AS ZN)	LENE BLUE ACTIVE SUB- STANCE (MG/L)
OCT 27 DEC 07	NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	NESE, DIS- SOLVED (UG/L AS MN)	TOTAL RECOV- ERABLE (UG/L AS HG) <.1	DIS- SOLVED (UG/L AS HG)	TOTAL RECOV- ERABLE (UG/L AS NI)	DIS- SOLVED (UG/L AS NI)	NIUM, TOTAL (UG/L AS SE)	TOTAL RECOV- ERABLE (UG/L AS AG)	DIS- SOLVED (UG/L AS AG)	TOTAL RECOV- ERABLE (UG/L AS ZN)	DIS- SOLVED (UG/L AS ZN)	LENE BLUE ACTIVE SUB- STANCE (MG/L)
OCT 27 DEC 07 16	NESE, TOTAL RECOV- ERABLE (UG/L AS MN) 280	NESE, DIS- SOLVED (UG/L AS MN)	TOTAL RECOV- ERABLE (UG/L AS HG)	DIS- SOLVED (UG/L AS HG)	TOTAL RECOV- ERABLE (UG/L AS NI)	DIS- SOLVED (UG/L AS NI)	NIUM, TOTAL (UG/L AS SE)	TOTAL RECOV- ERABLE (UG/L AS AG)	DIS- SOLVED (UG/L AS AG)	TOTAL RECOV- ERABLE (UG/L AS ZN) 60	DIS- SOLVED (UG/L AS ZN)	LENE BLUE ACTIVE SUB- STANCE (MG/L)
OCT 27 DEC 07 16 FEB	NESE, TOTAL RECOV- ERABLE (UG/L AS MN) 280	NESE, DIS- SOLVED (UG/L AS MN)	TOTAL RECOV- ERABLE (UG/L AS HG) <.1	DIS- SOLVED (UG/L AS HG)	TOTAL RECOV- ERABLE (UG/L AS NI)	DIS- SOLVED (UG/L AS NI)	NIUM, TOTAL (UG/L AS SE)	TOTAL RECOV- ERABLE (UG/L AS AG)	DIS- SOLVED (UG/L AS AG)	TOTAL RECOV- ERABLE (UG/L AS ZN) 60	DIS- SOLVED (UG/L AS ZN)	LENE BLUE ACTIVE SUB- STANCE (MG/L)
OCT 27 DEC 07 16 FEB 23	NESE, TOTAL RECOV- ERABLE (UG/L AS MN) 280 100 	NESE, DIS- SOLVED (UG/L AS MN) 160 100	TOTAL RECOV- ERABLE (UG/L AS HG) <-12	DIS- SOLVED (UG/L AS HG)	TOTAL RECOV- ERABLE (UG/L AS NI) 2	DIS- SOLVED (UG/L AS NI)	NIUM, TOTAL (UG/L AS SE)	TOTAL RECOV- REABLE (UG/L AS AG) <1 <1	DIS- SOLVED (UG/L AS AG)	TOTAL RECOV- ERABLE (UG/L AS ZN) 60 20	DIS- SOLVED (UG/L AS ZN)	LENE BLUE ACTIVE SUB- STANCE (MG/L)
OCT 27 DEC 07 16 FEB 23	NESE, TOTAL RECOV- ERABLE (UG/L AS MN) 280	NESE, DIS- SOLVED (UG/L AS MN)	TOTAL RECOV- ERABLE (UG/L AS HG)	DIS- SOLVED (UG/L AS HG)	TOTAL RECOV- ERABLE (UG/L AS NI)	DIS- SOLVED (UG/L AS NI)	NIUM, TOTAL (UG/L AS SE)	TOTAL RECOV- ERABLE (UG/L AS AG)	DIS- SOLVED (UG/L AS AG)	TOTAL RECOV- ERABLE (UG/L AS ZN) 60	DIS- SOLVED (UG/L AS ZN)	LENE BLUE ACTIVE SUB- STANCE (MG/L)
OCT 27 DEC 07 16 FEB 23 MAR 01	NESE, TOTAL RECOV- ERABLE (UG/L AS MN) 280 100 120 130	NESE, DIS- SOLVED (UG/L AS MN) 160 100 100 130	TOTAL RECOV- ERABLE (UG/L AS HG) <.12	DIS- SOLVED (UG/L AS HG) <.1 .2	TOTAL RECOV- ERABLE (UG/L AS NI) 21	DIS- SOLVED (UG/L AS NI)	NIUM, TOTAL (UG/L AS SE)	TOTAL RECOV- ERABLE (UG/L AS AG) <1 <1	DIS- SOLVED (UG/L AS AG)	TOTAL RECOV- ERABLE (UG/L AS ZN) 60 20	DIS- SOLVED (UG/L AS ZN) 6	LENE BLUE ACTIVE SUB- STANCE (MG/L)
OCT 27 DEC 07 16 FEB 23 MAR 01 APR 27	NESE, TOTAL RECOV- ERABLE (UG/L AS MN) 280 100 	NESE, DIS- SOLVED (UG/L AS MN) 160 100	TOTAL RECOV- ERABLE (UG/L AS HG) <-12	DIS- SOLVED (UG/L AS HG)	TOTAL RECOV- ERABLE (UG/L AS NI) 2	DIS- SOLVED (UG/L AS NI)	NIUM, TOTAL (UG/L AS SE)	TOTAL RECOV- REABLE (UG/L AS AG) <1 <1	DIS- SOLVED (UG/L AS AG)	TOTAL RECOV- ERABLE (UG/L AS ZN) 60 20	DIS- SOLVED (UG/L AS ZN)	LENE BLUE ACTIVE SUB- STANCE (MG/L)
OCT 27 DEC 07 16 FEB 23 MAR 01 APR 27 JUN	NESE, TOTAL RECOV- ERABLE (UG/L AS MN) 280 100 120 130	NESE, DIS- SOLVED (UG/L AS MN) 160 100 130 100	TOTAL RECOV- RABLE (UG/L AS HG) <.12 <.1	DIS- SOLVED (UG/L AS HG) <.1 .2 <.1	TOTAL RECOV- ERABLE (UG/L AS NI) 2 1	DIS- SOLVED (UG/L AS NI)	NIUM, TOTAL (UG/L AS SE) <1 <1	TOTAL RECOV- ERABLE (UG/L AS AG) <1 <1 <1	DIS- SOLVED (UG/L AS AG) <1 <1 <1	TOTAL RECOV- ERABLE (UG/L AS ZN) 60 20 20	DIS- SOLVED (UG/L AS ZN) 6 25 14	LENE BLUE ACTIVE SUB- STANCE (MG/L)
OCT 27 DEC 07 16 FEB 23 MAR 01 APR 27 JUN 01	NESE, TOTAL RECOV- ERABLE (UG/L AS MN) 280 100 120 130 110 180	NESE, DIS- SOLVED (UG/L AS MN) 160 100 100 130 100	TOTAL RECOV- ERABLE (UG/L AS HG) <.12 <.1 <.1	DIS- SOLVED (UG/L AS HG) <-1 -2 <-1	TOTAL RECOV- ERABLE (UG/L AS NI) 2 1	DIS- SOLVED (UG/L AS NI)	NIUM, TOTAL (UG/L AS SE) <1 <1 <1	TOTAL RECOV- ERABLE (UG/L AS AG) <1 <1 <1 <1	DIS- SOLVED (UG/L AS AG) <1 <1 <1 <1	TOTAL RECOV- ERABLE (UG/L AS ZN) 60 20 20	DIS- SOLVED (UG/L AS ZN) 6 25 14	LENE BLUE ACTIVE SUB- STANCE (MG/L)
OCT 27 DEC 07 16 FEB 23 MAR 01 APR 27 JUN 01	NESE, TOTAL RECOV- ERABLE (UG/L AS MN) 280 100 120 130	NESE, DIS- SOLVED (UG/L AS MN) 160 100 130 100	TOTAL RECOV- RABLE (UG/L AS HG) <.12 <.1	DIS- SOLVED (UG/L AS HG) <.1 .2 <.1	TOTAL RECOV- ERABLE (UG/L AS NI) 2 1	DIS- SOLVED (UG/L AS NI)	NIUM, TOTAL (UG/L AS SE) <1 <1	TOTAL RECOV- ERABLE (UG/L AS AG) <1 <1 <1	DIS- SOLVED (UG/L AS AG) <1 <1 <1	TOTAL RECOV- ERABLE (UG/L AS ZN) 60 20 20	DIS- SOLVED (UG/L AS ZN) 6 25 14	LENE BLUE ACTIVE SUB- STANCE (MG/L)
OCT 27 DEC 07 16 FEB 23 MAR 01 APR 27 JUN 01 15 AUG	NESE, TOTAL RECOV- ERABLE (UG/L AS MN) 280 100 120 130 110 180	NESE, DIS- SOLVED (UG/L AS MN) 160 100 130 100 190	TOTAL RECOV- ERABLE (UG/L AS HG) <.12 <.11	DIS- SOLVED (UG/L AS HG) <.1 .2 <.1	TOTAL RECOV- ERABLE (UG/L AS NI) 2 1 1	DIS- SOLVED (UG/L AS NI)	NIUM, TOTAL (UG/L AS SE) <1 	TOTAL RECOV- ERABLE (UG/L AS AG) <1 <1 <1 <1	DIS- SOLVED (UG/L AS AG) <1 <1 <1 <1 <1	TOTAL RECOV- ERABLE (UG/L AS ZN) 60 20 20	DIS- SOLVED (UG/L AS ZN) 6 25 14	LENE BLUE ACTIVE SUB- STANCE (MG/L)
OCT 27 DEC 07 16 FEB 23 MAR 01 APR 27 JUN 01 15 AUG 10	NESE, TOTAL RECOV- ERABLE (UG/L AS MN) 280 100 120 130 110 180	NESE, DIS- SOLVED (UG/L AS MN) 160 100 100 130 100	TOTAL RECOV- ERABLE (UG/L AS HG) <.12 <.1 <.1	DIS- SOLVED (UG/L AS HG) <-1 -2 <-1	TOTAL RECOV- ERABLE (UG/L AS NI) 2 1	DIS- SOLVED (UG/L AS NI)	NIUM, TOTAL (UG/L AS SE) <1 <1 <1	TOTAL RECOV- ERABLE (UG/L AS AG) <1 <1 <1 <1	DIS- SOLVED (UG/L AS AG) <1 <1 <1 <1	TOTAL RECOV- ERABLE (UG/L AS ZN) 60 20 20	DIS- SOLVED (UG/L AS ZN) 6 25 14	LENE BLUE ACTIVE SUB- STANCE (MG/L)
OCT 27 DEC 07 16 FEB 23 MAR 01 APR 27 JUN 01 15 AUG	NESE, TOTAL RECOV- ERABLE (UG/L AS MN) 280 100 120 130 110 180	NESE, DIS- SOLVED (UG/L AS MN) 160 100 130 100 190	TOTAL RECOV- ERABLE (UG/L AS HG) <.12 <.11	DIS- SOLVED (UG/L AS HG) <.1 .2 <.1	TOTAL RECOV- ERABLE (UG/L AS NI) 2 1 1	DIS- SOLVED (UG/L AS NI)	NIUM, TOTAL (UG/L AS SE) <1 	TOTAL RECOV- ERABLE (UG/L AS AG) <1 <1 <1 <1	DIS- SOLVED (UG/L AS AG) <1 <1 <1 <1 <1	TOTAL RECOV- ERABLE (UG/L AS ZN) 60 20 20	DIS- SOLVED (UG/L AS ZN) 6 25 14	LENE BLUE ACTIVE SUB- STANCE (MG/L)

STREAMS ON LONG ISLAND

O1305000 CARMANS RIVER AT YAPHANK, NY--Continued

SUSPENDED SEDIMENT DISCHARGE, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

				SEDI-	SED.
				MENT,	SUSP.
		STREAM-	SEDI-	DIS-	SIEVE
		FLOW,	MENT,	CHARGE,	DIAM.
		INSTAN-	SUS-	SUS-	% FINER
	TIME	TANEOUS	PENDED	PENDED	THAN
DATE		(CFS)	(MG/L)	(T/DAY)	.062 MM
OCT					
27	1300	19	60	3.1	71
DEC					
16	1100	23	12	.75	54
FEB					
23	1000	20	2	.11	
APR					
27	1000	26	4	.28	
JUN					
15	0930	36	19	1.8	90
AUG					
10	0900	28	34	2.6	94

01305500 SWAN RIVER AT EAST PATCHOGUE, NY

LOCATION.--Lat 40°46'01", long 72°59'39", Suffolk County, Hydrologic Unit 02030202, on left bank 94 ft (29 m) downstream from Montauk Highway in East Patchogue, 200 ft (61 m) downstream from outlet of Swan Lake, and 1.2 mi (1.9 km) upstream from mouth. Water-quality sampling site at discharge station.

DRAINAGE AREA. -- About 8.8 mi2 (23 km2).

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. -- October 1946 to current year.

REVISED RECORDS.--WSP 1622: Drainage area. WDR NY-81-2: 1952-77 (M), 1978, 1979-80 (M).

GAGE.--Water-stage recorder and concrete control. Datum of gage is 2.84 ft (0.866 m) National Geodetic Vertical Datum of 1929.

REMARKS.--Records good except those from July to September, which are fair. Flow regulated occasionally at outlet of Swan Lake.

AVERAGE DISCHARGE. -- 36 years, 12.6 ft3/s (0.357 m3/s).

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 52 ft³/s (1.47 m³/s) June 5, 1982, gage height, 2.18 ft (0.664 m); minimum, 0.06 ft³/s (0.002 m³/s) Sept. 2, 1964, gage height, 0.02 ft (0.006 m) (result of regulation); minimum daily, 4.3 ft³/s (0.12 m³/s) Oct. 13, 14, 1967.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 52 ft 3 /s (1.47 m 3 /s) June 5, gage height, 2.18 ft (0.664 m); minimum, 6.6 ft 3 /s (0.187 m 3 /s) July 1, gage height, 0.45 ft (0.137 m) (result of regulation).

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982 MEAN VALUES

DAY	ост	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	8.1	9.4	11	15	23	12	11	11	10	15	16	13
2	9.0	9.8	16	12	13	12	10	11	16	17	16	14
2 3 4	8.5	9.4	11	11	20	12	14	11	10	18	16	13
4	8.5	9.4	11	24	14	12	18	11	11	18	16	12
5	8.1	9.4	11	15	12	13	12	11	33	18	16	11
6	8.5	11	11	12	12	12	13	11	32	17	16	11
7	8.5	9.8	9.8	11	12	14	12	11	20	17	16	11
8	8.1	9.4	10	11	12	13	11	11	18	16	15	11
9	8.1	9.4	10	11	12	12	12	11	17	16	16	11
10	8.5	9.4	10	11	12	12	12	11	17	16	17	11
11	8.5	9.4	10	11	12	12	12	11	16	17	16	10
12	8.5	9.4	10	11	12	12	12	11	16	16	16	10
13	8.1	9.4	10	11	12	12	12	11	17	16	16	9.8
14	8.1	9.4	10	11	12	12	11	11	21	16	16	9.8
15	8.1	9.8	19	11	12	15	11	11	17	17	16	9.8
16	7.7	9.8	16	11	13	12	11	10	17	16	16	9.8
17	7.7	9.8	13	11	13	13	11	10	18	16	17	9.4
18	8.1	9.8	11	11	12	12	15	10	16	15	16	9.0
19	9.0	9.4	10	11	13	12	12	10	17	15	15	9.0
20	8.1	14	9.8	11	13	12	11	9.8	17	16	15	9.4
21	8.5	12	9.8	11	12	12	11	9.8	17	16	14	9.8
55	8.5	10	10	11	12	11	11	10	17	16	13	9.8
23	8.1	10	11	16	12	11	11	11	17	16	18	9.8
24	9.8	10	10	14	12	11	11	10	17	16	18	9.8
25	9.0	10	9.8	11	12	11	11	12	17	16	17	9.8
26	15	10	11	11	12	11	12	9.8	17	15	14	9.4
27	15	10	13	11	12	11	14	9.4	17	15	13	10
28	12	9.8	11	11	12	11	13	9.4	17	18	13	9.8
29	9.8	9.8	10	11		11	11	11	18	17	13	9.4
30	9.8	9.8	10	11		11	11	9.8	18	16	13	9.4
31	9.8		11	13		12		9.8		16	13	
TOTAL	278.1	298.0	346.2	374	362	368	359	326.8	528	505	478	311.0
MEAN	8.97	9.93	1.1.2	12.1	12.9	11.9	12.0	10.5	17.6	16.3	15.4	10.4
MAX	15	14	19	24	23	14	18	12	33	18	18	14
MIN	7.7	9.4	9.8	11	12	11	10	9.4	10	15	13	9.0

CAL YR 1981 TOTAL 3430.1 MEAN 9.40 MAX 19 MIN 5.9 WTR YR 1982 TOTAL 4534.1 MEAN 12.4 MAX 33 MIN 7.7

100

STREAMS ON LONG ISLAND

01305500 SWAN RIVER AT EAST PATCHOGUE, NY--Continued WATER-QUALITY RECORDS

PERIOD OF RECORD. -- May 1966 to current year.

COOPERATION .-- All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	TIME	STRE FLO INST TANE (CF	AN- DUI	FIC N- CT- CE	A	MPER- LTURE JEG C)	OXYGENA DIS- SOLVED (MG/L)	SOI CM	CIUM S S- D LVED SO G/L (M	IS- DI	IUM, S S- D VED SO MG/L (M	IUM, LI IS- F LVED (G/L	LKA- NITY IELD MG/L AS
DEC 07	1100		9.8	103	6.8	3.0	12.2	2	6-2	2_0	9-5	1.6	12
JUN 01	1000		9.8	95	7.1	15.0	10.0	1	6.6	2-0	TO	1.5	16
08	1100	1	1	90	6.2	16.0	8.8	3	6.7	2.0	9.2	1.6	14
	S	LFATE IS- OLVED	CHLO- RIDE, DIS- SOLVED	FLUO- RIDE, DIS- SOLVED)- G: NIT	RATE IS- NI LVED 1	GEN, TRITE	NITRITE DIS- SOLVED	MITRO- GEN, AMMONIA TOTAL	AMMONIA DIS- SOLVED	GEN-AM MONIA ORGANI TOTAL	÷ c
DAT		MG/L S04)	(MG/L AS CL)	(MG/L AS F)	(MG/L			(MG/L	(MG/L AS N)	(MG/L AS N)	AS N)	AS N)	
0EC 07. JUN 01.		9.7 8.1	12 11	<.1 <.5			1.50	.012	.012				
SEP Oö.		8.6	11				1.20	.022	.023				
DAT	GE MO OR D	ITRO- N,AM- NIA + GANIC IS. MG/L S N)	PHOS- PHORUS, TOTAL (MG/L AS P)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P)	PHOS- PHORUS ORTHO TOTAL (MG/L AS P)	PHOP OR DIS SOLV	THO, 1 S- R VED E	RON, OTAL RECOV- RABLE UG/L IS FE)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE/ TOTAL RECCV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L	METHY LENE BLUE ACTIV SUB- STANC (MG/L	E E
DEC 37. JUN		.20	.010	<.002	.01	0 .	.007	150	110	70	70	<.0	2
O1. SEP	••	.60	.040	.027	.01	2	.011	300	300	190	180	.0	2
08.		.30	.027	.021	.00	6 .	.006	300	200	130	130	<.0	2

01306000 PATCHOGUE RIVER AT PATCHOGUE, NY

LOCATION.--Lat 40°45'56", long 73°01'16", Suffolk County, Hydrologic Unit 02030202, on left bank just downstream from Montauk Highway in Patchogue, and 1.0 mi (1.6 km) upstream from mouth.

DRAINAGE AREA. -- About 13.5 mi2 (35.0 km2).

PERIOD OF RECORD .-- May 1966 to current year.

REMARKS .-- Partial-record discharge data included in this report.

COOPERATION. -- All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	TIME	SPE- CIFIC CON- DUCT- ANCE	PH	TEMPER-	OXYGEN, DIS- SOLVED	CALCIUM DIS- SOLVED (MG/L	MAGNE- SIUM, DIS- SOLVED (MG/L	SODIUM, DIS- SOLVED (MG/L	POTAS- SIUM, DIS- SOLVED (MG/L	ALKA- LINITY FIELD (MG/L AS
DATE .		(UMHOS)	(UNITS)	(DEG C)	(MG/L)	AS CA)	AS MG)	AS NA)	AS K)	CACO3)
DEC										
07	1300	160	6.9	3.0	12.3	8.8	3.1	16	3.0	20
01 JUN	1100	155	7.1	4.0	12.2	10	3.0	16	3.7	31
01 SEP	1100	145	7.2	18.0	8.0	9.6	3.0	15	3.3	32
08	1200	143	6.4	21.0	8.0	10	3.1	. 15	3.7	25
		Sec. 20	125 172 1	200	NITRO-		NITRO-		NITRO-	NITRO-
2		CHLO-	FLUO-	NITRO-	GEN,	NITRO-	GEN,	NITRO-	GEN,	GEN, AM-
	SULFATE DIS-	RIDE, DIS-	RIDE, DIS-	GEN,	NITRATE DIS-	GEN, NITRITE	NITRITE DIS-	GEN, AMMONIA	AMMONIA DIS-	MONIA + ORGANIC
	SOLVED	SOLVED	SOLVED	NITRATE	SOLVED	TOTAL	SOLVED	TOTAL	SOLVED	TOTAL
	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L
DATE	AS 504)	AS CL)	AS F)	AS N)	AS N)	AS N)	AS N)	AS N)	AS N)	AS N)
256										
DEC	4.2	20			4 00	247	047		/20	20
07	. 12	5.0	<.1	1.8	1.80	.017	.017	.690	.680	.80
01	10	21	<.5	2.2	2.20	.013	.013	1.20	1.20	1.30
JUN		7	100	-			7.4.4	1000		
01 SEP	9.6	18	<.1	1.6	1.60	.042	.044	.950	.950	1.50
08	10	19		2.1	2.10	.022	.023	.100	.100	.20
	NITRO-				PHOS-			MANGA-		METHY-
	GEN, AM-		PHOS-	PHOS-	PHORUS,	IRON,		NESE,	MANGA-	LENE
	MONIA +	PHOS-	PHORUS,	PHORUS,	ORTHO,	TOTAL	IRON,	TOTAL	NESE,	BLUE
	ORGANIC	PHORUS.	DIS-	ORTHO,	DIS-	RECOV-	DIS-	RECOV-	DIS-	ACTIVE
	DIS.	TOTAL	SOLVED	TOTAL	SOLVED	ERABLE	SOLVED	ERABLE	SOLVED	SUB-
	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(UG/L	(UG/L	(UG/L	(UG/L	STANCE
DATE	AS N)	AS P)	AS P)	AS P)	AS P)	AS FE)	AS FE)	AS MN)	AS MN)	(MG/L)
DEC										
07	.70	.011	<.002	.011	.007	580	320	230	280	<.02
MAR			2,2			100				1
01	1.6	.015	.010	.007	.006	500	400	480	480	.03
JUN 01	.60	.028	.014	.008	.006	1400	750	720	680	<.02
SEP	.50	.020	.014	.008	.000	1400	, , , 0	120	030	
08	.20	.021	.012	.002	.002	500	300	140	120	<.02

01306440 CONNETQUOT BROOK AT CENTRAL ISLIP, NY

LOCATION.--Lat 40°47'33", long 73°09'58", Suffolk County, Hydrologic Unit 02030202, 200 ft (61 m) downstream from culvert on Veterans Memorial Highway, 2 miles (3 km) northeast of Central Islip, and 3.8 miles (6.1 km) upstream from gaging station 01306499.

DRAINAGE AREA. -- About 12 mi 2 (31 km2).

PERIOD OF RECORD. -- Occasional low-flow measurements, water years 1968, 1971-78. May 1979 to current year.

GAGE.--Water-stage recorder and Parshall flume. Datum of gage is 29.93 ft (9.123 m) National Geodetic Vertical Datum of 1929.

REMARKS. -- Records good except those for period of no gage-height record, which are poor.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 40 ft 3 /s (1.13 m 3 /s) Aug. 4, 1979, gage height, 1.56 ft (0.475 m); minimum, 0.36 ft 3 /s (0.010 m 3 /s) July 15, 1980 (result of regulation), gage height, 0.12 ft (0.037 m).

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 24 ft³/s (0.68 m³/s) June 5, gage height, 1.13 ft (0.344 m); minimum, 1.2 ft³/s (0.034 m³/s) Oct. 10, 12, 19, 23, gage height, 0.20 ft (0.061 m).

		DISC	HARGE, I	N CUBIC F		ECOND, WAS		OCTOBER 19	981 TO SE	PTEMBER 1	982	
DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.5	2.0	1.8	2.9	6.6	3.3	4.5	4.6	3.3	6.1	3.9	2.8
2	1.8	1.8	2.8	2.7	5.4	3.3	4.0	4.6	8.8	5.9	3.7	3.9
3 4	1.8	1.8	2.1	2.5	8.2	3.5	4.5	4.4	5.4	6.1	3.7	3.9
	1.7	1.7	2.0	6.3	7.0	4.0	7.0	4.4	4.8	6.1	3.7	3.5
5	1.5	1.7	2.0	4.9	6.1	5.4	6.0	4.2	15	5.6	3.5	3.2
6	1.5	2.1	2.0	4.4	5.6	5.0	6.0	4.2	16	5.4	3.5	3.0
7	1.6	1.8	2.0	4.2	5.2	5.4	5.5	4.2	13	5.4	3.5	3.0
	1.5	1.7	2.1	4.0	5.0	5.5	5.1	4.2	10	5.4	3.3	2.8
9	1.4	1.7	2.1	3.9	5.0	5.4	4.9	3.9	9.2	5.6	3.3	2.8
10	1.4	1.7	2.0	3.7	4.8	5.2	5.1	3.9	8.5	5.2	3.5	2.8
11	1.4	1.5	1.8	3.5	4.6	5.0	5.4	3.7	8.2	5.0	3.3	2.8
12	1.4	1.5	1.8	3.4	4.4	5.0	5.2	3.7	8.0	5.0	3.5	2.6
13	1.4	1.5	1.8	3.4	4.4	4.8	5.0	3.7	8.2	5.0	3.3	2.6
14	1.3	1.5	1.8	3.5	4.2	4.8	4.7	3.7	10	4.8	3.2	2.6
15	1.3	1.5	3.5	3.4	4.2	4.8	4.6	3.7	8.5	4.8	3.2	2.6
16	1.3	1.5	3.5	3.3	4.2	5.0	4.5	3.5	8.2	4.8	3.2	2.6
17	1.3	1.5	3.0	3.2	3.9	5.4	4.5	3.3	9.0	4.6	3.2	2.6
18	1.4	1.7	2.8	3.2	3.7	5.2	5.4	3.3	8.0	4.4	3.2	2.5
19	1.4	1.5	2.7	3.2	3.9	5.0	4.5	3.2	7.8	4.4	3.0	2.5
20	1.3	2.3	2.0	3.2	4.2	4.8	4.3	3.2	7.5	5.0	3.0	2.6
21	1.3	2.0	2.6	3.2	3.9	4.8	4.4	3.2	7.3	4.8	2.8	2.6
22	1.3	1.3	2.6	3.1	3.7	4.8	4.2	3.0	7.3	4.4	2.8	2.6
23	1.4	1.7	2.6	4.3	3.5	4.8	4.2	3.2	7.0	4.2	3.2	2.6
24	1.7	1.7	2.5	4.1	3.5	4.8	4.2	3.3	6.6	4.2	4.4	2.5
25	1.5	1.7	2.5	3.7	3.5	4.8	3.9	4.2	6.6	3.9	3.7	2.5
26	3.2	1.7	2.4	3.5	3.3	4.8	4.6	3.5	6.4	3.7	3.5	2.5
27	2.3	1.7	2.4	3.3	3.3	4.5	6.4	3.3	6.4	3.7	3.3	2.6
28	2.6	1.5	2.4	3.3	3.3	4.2	6.1	3.2	.6.4	5.4	3.2	2.6
29	2.1	1.5	2.3	3.2		4.0	5.C	4.2	6.8	5.0	3.0	2.5
30	2.1	1.5	2.3	3.2		3.8	4.8	3.7	6.8	4.2	2.8	2.5
31	2.0		2.3	3.6		4.0		3.3		4.2	2.8	
TOTAL	50.7	50.8	73.1	111.3	126.6	145.1	148.5	115.7	245.0	152.3	103.2	83.2
MEAN	1.64	1.69	2.36	3.59	4.59	4.68	4.95	3.73	8.17	4.91	3.33	2.77
MAX	3.2	2.3	3.5	6.3	8.2	5.5	7.0	4.6	10	5.1	4.4	3.9
MIN	1.3	1.5	1.8	2.5	3.3	3.3	3.9	3.0	3.3	3.7	2.8	2.5

CAL YR 1981 TOTAL 935.72 MEAN 2.56 MAX 6.1 MIN .86 WTR YR 1982 TOTAL 1407.50 MEAN 3.86 MAX 16 MIN 1.3

Note. -- No gage-height record Feb. 22 to Apr. 8.

01306460 CONNETQUOT BROOK NEAR CENTRAL ISLIP, NY

LOCATION.--Lat 40°46'19", long 73°09'33", Suffolk County, Hydrologic Unit 02030202, 200 ft (61 m) upstream from bridge on dirt road in Connetquot River State Park Preserve, and 1.8 mi (2.9 km) upstream from gaging station 01306499.

DRAINAGE AREA. -- About 18 mi2 (47 km2).

PERIOD OF RECORD. -- Occasional low-flow measurements, water years 1968, 1973-77. November 1977 to current year.

GAGE.--Water-stage recorder and wooden stoplog control. Datum of gage is 15.10 ft (4.602 m) National Geodetic Vertical Datum of 1929.

REMARKS . -- Records good .

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 146 ft 3 /s (4.13 m 3 /s) Aug. 12, 1978, gage height, 2.78 ft (0.847 m) from flood marks; minimum, 13 ft 3 /s (0.37 m 3 /s) Aug. 18-22, 1981, gage height, 1.88 ft (0.573 m).

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 98 ft 3 /s (2.78 m 3 /s) June 5, gage height, 2.52 ft (0.768 m); minimum, 14 ft 3 /s (0.40 m 3 /s) Oct. 11-18, gage height, 1.92 ft (0.585 m).

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982
MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN '	JUL	AUG	SEP
1	16	20	17	25	40	26	30	31	26	36	28	24
2	17	19	24	25	35	26	28	30	47	36	27	31
3	17	18	. 20	24	45	27	30	29	35	34	26	28
4	16	18	20	41	40	28	40	29	32	34	26	26
5	16	17	19	36	37	34	35	29	67	34	26	25
6	16	19	20	31	35	32	35	28	68	34	26	23
7	16	18	20	29	33	34	34	28	56	33	26	22
8	15	17	20	27	31	35	33	28	49	31	26	21
9	15	17	21	27	31	34	32	28	46	32	56	20
10	15	17	20	27	30	33	32	27	46	31	26	50 50
11	14	17	20	27	30	32	34	27	46	30	26	20
12	14	17	20	27	30	32	33	27	46	29	27	19
13	14	17	19	27	29	32	32	27	46	29	26	18
14	14	16	20	26	29	31	31	27	46	29	26	18
15	14	17	31	56	29	31	31	26	46	29	56	18
16	14	17	33	24	28	31	30	26	46	28	26	18
17	14	17	30	24	28	34	30	26	45	28	26	18
18	15	17	29	24	28	33	34	26	44	28	25	17
19	16	16	27	24	29	32	31	26	43	27	24	17
20	15	50	25	24	29	35	30	25	41	29	24	18
21	15	20	24	24	28	32	29	24	41	29	23	18
22	15	19	53	24	27	31	29	24	41	28	24	18
23	15	18	24	28	27	31	28	26	41	27	26	18
24	18	18	23	27	27	31	28	27	41	26	29	17
25	16	17	23	26	27	31	28	31	41	26	58	17
26	27	17	23	26	26	31	30	28	39	26	27	17
27	22	17	23	25	26	30	38	26	36	25	27	18
28	24	17	23	25	26	29	38	26	36	32	26	17
29	55	16	55	25		28	34	30	36	31	24	17
30	51	16	21	25		27	35	58	36	29	24	17
31	20		51	27		28		27		28	24	
TOTAL	518	526	705	827	860	958	959	847	1309	928	801	595
MEAN	16.7	17.5	22.7	26.7	30.7	30.9	32.0	27.3	43.6	29.9	25.8	19.8
MAX	27	20	33	41	45	35	40	31	68	36	29	31
MIN	14	16	17	. 24	56	26	28	24	56	25	53	17

CAL YR 1981 TOTAL 6995 MEAN 19.2 MAX 43 MIN 13 WTR YR 1982 TOTAL 9833 MEAN 26.9 MAX 68 MIN 14

01306500 CONNETQUOT RIVER NEAR OAKDALE, NY

LOCATION.--Lat 40°44'51", long 73°09'03", Suffolk County, Hydrologic Unit 02030202, on left bank just downstream from bridge on State Highway 27, 1.0 mi (1.6 km) west of Oakdale. Water-quality sampling site at base gage.

DRAINAGE AREA . -- About 24 mi2 (62 km2).

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. -- October 1943 to current year (monthly means estimated October 1974 to September 1975).

REVISED RECORDS. -- WSP 1141: Drainage area.

GAGE.--Base gage (01306499): Water-stage recorder and wooden stoplog control. Datum of gage is 1.56 ft (0.475 m)
National Geodetic Vertical Datum of 1929.

Supplementary gage (01306495): Water-stage recorder with concrete control on left bank of secondary channel
0.25 mi (0.40 km) northeast of base gage at datum of 4.74 ft (1.445 m) National Geodetic Vertical Datum of 1929.

Prior to Aug. 10, 1965, at datum 1.0 ft (0.30 m) higher.

REMARKS.--Records fair. Flow at both gages occasionally regulated by cleaning operations at outlets of ponds above stations. Discharge figures are those of combined flows in main and secondary channels.

AVERAGE DISCHARGE.--39 years, 38.5 ft 3 /s (1.090 m 3 /s).

EXTREMES FOR PERIOD OF RECORD.--Maximum daily discharge, 263 ft 3 /s (7.45 m 3 /s) Oct. 16, 1955; minimum daily, 16 ft 3 /s (0.45 m 3 /s) Oct. 13, 1966.

EXTREMES FOR CURRENT YEAR.--Maximum daily discharge, 109 ft³/s (3.09 m³/s) June 5; minimum daily, 19 ft³/s (0.54 m³/s) Oct. 21, 22.

DISCHARGE,	IN	CABIC	FEET	PER	SECOND,	WATER	YEAR	OCTOBER	1981	TO	SEPTEMBER	1982	
					MEAN VA	HES							

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	22	27	28	39	58	34	34	37	34	43	35	31
2	26	25	42	39	48	34	31	36	57	41	34	36
1 2 3 4	24	24	35	35	68	34	36	36	46	41	34	34
4	55	25	32	67	61	34	60	35	39	42	35	32
5	20	25	31	63	50	41	43	34	91	40	34	31
6	21	30	30	47	48	38	45	34	109	38	33	31
7	23	28	28	45	46	43	40	34	77	38	33	32
8	20	25	34	44	43	44	38	34	65	37	33	31
9	20	25	34	43	43	38	37	34	59	38	33	30
10	51	25	34	41	45	37	38	32	55	39	34	29
11	22	26	34	39	42	37	40	32	52	38	33	29
12	21	24	33	43	41	37	39	33	51	39	33	29
13	21	25	34	42	40	37	39	34	52	40	33	28
14	21	26	33	42	40	36	37	31	61	40	32	29
15	21	28	42	44	39	35	35	31	54	38	31	30
16	22	29	47	44	39	35	35	31	50	34	31	30
17	21	27	39	44	39	38	35	31	51	34	32	30
18	25	27	39	44	39	36	41	31	48	33	33	30
19	25	25	38	44	41	35	36	31	48	34	31	30
20	21	30	35	44	41	35	34	31	47	36	32	30
21	19	33	34	44	41	35	35	31	45	37	30	31
55	19	27	35	44	40	35	33	29	44	37	30	30
23	55	25	35	45	40	34	33	31	45	36	33	30
24	24	25	34	47	38	34	33	32	43	35	36	28
25	21	26	33	43	35	34	33	38	42	35	36	27
26	35	28	33	42	34	34	35	34	42	34	33	29
27	32	30	36	39	34	33	46	32	42	36	31	30
28	35	28	37	37	34	30	46	31	41	41	31	29
29	30	24	36	37		31	40	39	43	42	30	29
30	29	24	34	37		31	38	36	45	37	31	30
31	28		32	37		32		35		35	31	
TOTAL	733	796	1081	1345	1207	1101	1145	1030	1578	1168	1011	905
												30.2
		33										36
	19	24								33	30	27
MEAN MAX MIN	23.6 35 19	26.5 33 24	34.9 47 28	43.4 67 35	43.1 68 34	35.5 44 30	38.2 60 31	33.2 39 29		52.6 109 34	52.6 37.7 109 43	52.6 37.7 32.6 109 43 36

CAL YR 1981 TOTAL 10613 MEAN 29.1 MAX 53 MTN 19 WTR YR 1982 TOTAL 13100 MEAN 35.9 MAX 109 MTN 19

01306500 CONNETQUOT RIVER NEAR OAKDALE, NY--Continued

WATER-QUALITY

PERIOD OF RECORD.--01306499 (Base gage): May 1966 to current year.

COOPERATION. -- All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

STREAM- CIFIC														
INSTAN- DUCT-				AM- CI	FIC		0	YYGEN.		SIUM	, 500	IUM,	SIUM,	ALKA- LINITY
DATE (CFS) (UMHOS) (UNITS) (DEG C) (MG/L) AS CA) AS MG) AS NA) AS K) CACOS DEC 08 1400 28 95 6.7 5.0 10.5 5.9 2.8 8.0 1.2 1 MAR 02 1400 33 85 6.7 17.0 9.2 5.6 2.4 7.6 1.2 1 SEP 06 1400 21 90 7.1 17.0 10.6 6.2 2.6 8.0 1.3 1 SULFATE RIDE, FLUO- NITRO- GEN, NITRO- GEN, NITRO- GEN, AMMONIA MONIA- SULFATE RIDE, GEN, NITRATE GEN, NITRO- GEN, AMMONIA MONIA- SOLVED SOLVED SOLVED SOLF THATE GEN, NITRO- GEN, AMMONIA MONIA- SOLVED SOLVED SOLF THATE GEN, NITRO- GEN, AMMONIA MONIA- SOLVED SOLVED SOLF THATE GEN, NITRO- GEN, AMMONIA AS N) DEC 08 6.6 11 <.1 1.6 1.60 .010 .010 .140 .120 .30 DEC 08 6.6 11 <.1 1.6 1.60 .010 .010 .140 .120 .30 DEC 08 6.6 11 <.1 1.8 1.80 .008 .009 .110 .100 .30 NITRO- GEN, AMMONIA AS N) NITRO- GEN, AMMONIA AS N) NITRO- GEN, AMMONIA AS N) NITRO- GEN, AMMONIA SOLVED SOLVED TOTAL S						PH TE								
DEC		TIME												
08 1400 28 95 6.7 5.0 10.5 5.9 2.8 8.0 1.2 1 MAR 02 1400 24 90 6.9 6.0 10.8 5.8 2.7 8.0 1.3 1 JUN 02 1400 33 85 6.7 17.0 9.2 5.6 2.4 7.6 1.2 1 SEP 06 1400 21 90 7.1 17.0 10.6 6.2 2.6 8.0 1.5 1 CHLO- FLUO- NITRO- GEN, NITRO- GEN, NITRO- GEN, GEN, AMMONIA MONIA + DIS- DIS- DIS- DIS- DIS- NITRATE GEN, NITRITE GEN, AMMONIA DIS- ORGANIC (MG/L (MG/L (MG/L (MG/L (MG/L (MG/L (MG/L (MG/L (MG/L MG/L) JUN 02 6.0 11 8.9 <.1 8.8 .8 .018 .018 .018 .010 .100 .30 SEP 06 1 8.9 <.1 8.8 .0 8.0 1.2 100 .30 NITRO- GEN, MAR 02 6.3 10 1.3 1.30 .015 .015 <.100 .100 .30 NITRO- GEN, MARGA- LENE MONIA PHOSIS, DIS- ORTHO, DIS- RECOV- DIS- RECOV- DIS- ACTIVE DIS- TOTAL SOLVED DIS- AS P) A	DATE		(CF	(UM	HOS) (UN	ITS) (D	EG C)	(MG/L)	AS CA)	AS MG) AS	NA) A	S K)	CACO3)
MAR 02 1400 24 90 6.9 6.0 10.8 5.8 2.7 8.0 1.5 1 JUN 02 1400 33 85 6.7 17.0 9.2 5.6 2.4 7.6 1.2 1 SEP 06 1400 21 90 7.1 17.0 10.6 6.2 2.6 8.0 1.5 1 CHLO- FLUO- NITRO- GEN, NITRO- GEN, GEN, AMMONIA MONIA MON		0.22												
JUN 02 1400 33 85 6.7 17.0 9.2 5.6 2.4 7.6 1.2 1 SEP 06 1400 21 90 7.1 17.0 10.6 6.2 2.6 8.0 1.3 1 CHLO		1400)	28	95	6.7	5.0	10.5	5.9	2.	8	0.8	1.2	15
DEC		1400)	24	90	6.9	6.0	10.8	5.8	2.	7	8.0	1.3	17
CHLO- FLUO- NITRO- GEN, NITRO- GEN, OFFICE OFFI	02	1400)	33	85	6.7	17.0	9.2	5.6	2.	4	7.6	1.2	16
SULFATE RIDE, RIDE, RIDE, GEN, NITRO-GEN, NITRO-GEN, AMMONIA + OIS-DIS-DIS-DIS-DIS-DIS-DIS-DIS-DIS-DIS-D		1400		21	90	7.1	17.0	10.6	6.2	,	6	8.0	1.3	17
CHLO- FLUO- NITRO- GEN, NITRO- GEN, NITRO- GEN, AMMONIA MONIA +		1400			,,		17.0	10.0	0.2	٠.		0.0		.,
CHLO- FLUO- NITRO- GEN, NITRO- GEN, NITRO- GEN, AMMONIA MONIA +							NITE)-	NT	TRO-		NITRO-	NIT	RO-
SULFATE RIDE				CHLO-	FLUO-	NITRO					NITRO-			
SOLVED SOLVED SOLVED TOTAL SOLVED					RIDE,	GEN,			N. NIT	RITE	GEN.	AMMONIA	MONI	A +
MG/L														
DATE AS SO4) AS CL) AS F) AS N) DEC 08 6.6 11 <.1 1.0 1.60 .010 .010 .140 .120 .30 MAR 02 6.0 11 <.5 1.8 1.80 .008 .009 .110 .100 .30 JUN 02 6.1 8.9 <.1 .88 .88 .018 .018 <.100 <.100 .30 SEP 00 6.3 10 1.3 1.30 .015 .015 <.100 .100 .30 NITRO- GEN,AM- PHOS- PHORUS, PHORUS, IRON, NESE, MANGA- LENE MONIA + PHOS- PHORUS, PHORUS, ORTHO, TOTAL NESE, SLUE ORGANIC PHORUS, DIS- ORTHO, DIS- RECOV- DIS- RECOV- DIS- ACTIVE DIS. TOTAL SOLVED TOTAL SOLVED ERABLE SOLVED ERABLE SOLVED SUB- (MG/L (MG/L (MG/L (MG/L (MG/L (MG/L (UG/L (UG													0.300	
DEC	2.4													
08 6.6 11 <.1 1.6 1.60 .010 .010 .140 .120 .30 MAR 02 6.0 11 <.5 1.8 1.80 .008 .009 .110 .100 .30 JUN 02 6.1 8.9 <.1 .83 .88 .018 .018 <.100 <.100 .30 SEP 06 6.3 10 1.3 1.30 .015 .015 <.100 .100 .30 NITRO- GEN, AM- MONIA + PHOS- PHOS- PHORUS, PHORUS, ORTHO, TOTAL IRON, NESE, MANGA- MONIA + PHOS- PHORUS, DIS- ORGANIC PHORUS, DIS- ORTHO, DIS- CMG/L (MG/L	DA	ITE A	5 504)	AS CL)	AS F)	AS N)	AS N	AS	N) AS	N)	AS N)	AS N)	AS	N)
MAR														
02 6.0 11 < 1.8 1.80 .008 .009 .110 .100 .30 JUN 02 6.1 8.9 <.1 .88 .88 .018 .018 <.100 <.100 .30 SEP 06 6.3 10 1.3 1.30 .015 .015 <.100 .100 .30 NITRO- GEN,AM- MONIA + PHOS- ORGANIC PHORUS, DIS- ORTHO, DIS- DIS. TOTAL SOLVED TOTAL SOLVED ERABLE SOLVED SUB- (MG/L (MG/L (MG/L (MG/L (MG/L (UG/L (UG/			6.6	11	<.1	1.6	1.6		010	.010	.140	.120)	.30
JUN 02 6.1 8.9 <.1 .88 .88 .018 .018 <.100 <.100 .30 SEP 06 6.3 10 1.3 1.30 .015 .015 <.100 .100 .30 .30 .30 .30 .30 .30 .30 .30 .30 .			6.0	11		1 2	1 (20	003	000	110	100	,	3.0
NITRO-			5.0			1.0	1.0	•	000	.009	.110	• 100	,	• 30
NITRO- GEN.AM- MONIA + PHOS- ORGANIC PHORUS, PHORUS, ORTHO, TOTAL DIS. TOTAL SOLVED SUB- CMG/L (UG/L (UG/L (UG/L (UG/L (UG/L (UG/L (UG/L) OG/L) OG/L TOTAL SOLVED SUB- SOLVED SOLVED SUB- SO			6.1	8.9	<.1	.8	3 .8		018	.018	<.100	<.100)	.30
GEN, AM- MONIA + PHOS- PHORUS, PHORUS, ORTHO, TOTAL IRON, TOTAL NESE, BLUE ORGANIC PHORUS, DIS- ORTHO, DIS- RECOV- DIS- RECOV- DIS. TOTAL SOLVED TOTAL SOLVED ERABLE SOLVED ERABLE SOLVED SU3- (MG/L (MG/L (MG/L (MG/L (MG/L (UG/L (UG/L (UG/L (UG/L (UG/L STANCE AS N) AS P) AS P) AS P) AS P) AS P) AS FE) AS FE) AS MN) AS MN) (MG/L) DEC 03	06		6.3	10		1.3	1.3		015	.015	<.100	.100)	.30
GEN, AM- MONIA + PHOS- PHORUS, PHORUS, ORTHO, TOTAL IRON, TOTAL NESE, BLUE ORGANIC PHORUS, DIS- ORTHO, DIS- RECOV- DIS- RECOV- DIS. TOTAL SOLVED TOTAL SOLVED ERABLE SOLVED ERABLE SOLVED SU3- (MG/L (MG/L (MG/L (MG/L (MG/L (UG/L (UG/L (UG/L (UG/L (UG/L STANCE AS N) AS P) AS P) AS P) AS P) AS P) AS FE) AS FE) AS MN) AS MN) (MG/L) DEC 03														
MONIA + PHOS- PHORUS, PHORUS, ORTHO, TOTAL IRON, TOTAL NESE, BLUE ORGANIC PHORUS, DIS- ORTHO, DIS- RECOV- DIS- RECCV- DIS- ACTIVE DIS. TOTAL SOLVED TOTAL SOLVED ERABLE SOLVED ERABLE SOLVED SUB- (MG/L (MG/L (MG/L (MG/L (UG/L (UG/					20.22	20.22								37.55
ORGANIC PHORUS, DIS- ORTHO, DIS- RECOV- DIS- RECOV- DIS- ACTIVE DIS. TOTAL SOLVED TOTAL SOLVED ERABLE SOLVED EXABLE SOLVED SUB- (MG/L (MG/L (MG/L (MG/L (MG/L (MG/L (UG/L (UG/				Duos-										
DIS. TOTAL SOLVED TOTAL SOLVED ERABLE SOLVED ERABLE SOLVED SUB- (MG/L (MG/L (MG/L (MG/L (MG/L (UG/L (U														
DATE AS N) AS P) AS P) AS P) AS P) AS P) AS P) AS FE) AS FE) AS MN) AS MN) (MG/L) DEC 0340 .018 .012 .014 .008 240 170 80 <.02 MAR 02 <.10 .018 .009 .014 .014 200 150 60 60 <.02 JUN 0250 .027 .024 .016 .015 400 280 100 110 <.02 SEP		· ·												
DATE AS N) AS P) AS P) AS P) AS P) AS P) AS FE) AS FE) AS MN) AS MN) (MG/L) DEC 0340 .018 .012 .014 .008 240 170 80 <.02 MAR 02 <.10 .018 .009 .014 .014 200 150 60 60 <.02 JUN 0250 .027 .024 .016 .015 400 280 100 110 <.02 SEP														
0840 .018 .012 .014 .008 240 170 80 <.02 MAR 02 <.10 .018 .009 .014 .014 200 150 60 60 <.02 JUN 0250 .027 .024 .016 .015 400 280 100 110 <.02 SEP	DA	TE												
MAR 02 <.10 .018 .009 .014 .014 200 150 60 60 <.02 JUN 0250 .027 .024 .016 .015 400 280 100 110 <.02 SEP														
02 <.10 .018 .009 .014 .014 200 150 60 60 <.02 JUN			.40	.018	.012	.01	4 .00	8	240	170	80			.02
JUN 0250 .027 .024 .016 .015 400 280 100 110 <.02 SEP											19.2			
0250 .027 .024 .016 .015 400 280 100 110 <.02			<.10	.018	.009	.01	4 .01	4	200	150	60	60	<	.02
SEP			50	027	034		4 04		/00	200	100	110		0.3
0630 .290 .220 .010 .008 300 200 40 40 <.02			.50	.027	.024	.01	• • • • • • • • • • • • • • • • • • • •	2	400	280	100	110		•02
	06		.30	.290	.220	.01	0 .00	8	300	200	40	40	<	.02

STREAMS ON LONG ISLAND 55
01307000 CHAMPLIN CREEK AT ISLIP, NY

LOCATION.--Lat 40°44'13", long 73°12'08", Suffolk County, Hydrologic Unit 02030202, on right bank just upstream from Long Island Railroad bridge, 220 ft (67 m) downstream from Moffitt Boulevard, at Islip, and 1.8 mi (2.9 km) upstream from mouth.

DRAINAGE AREA. -- About 6.5 mi2 (16.5 km2).

PERIOD OF RECORD. -- Water years 1966 to current year.

REMARKS. -- Partial-record discharge data included in this report.

COOPERATION. -- All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

		SPE- CIFIC CON- DUCT-		754050	OXYGEN,	CALCIUM DIS-	MAGNE- SIUM, DIS-	SODIUM, DIS-	POTAS- SIUM, DIS- SOLVED	ALKA- LINITY FIELD (MG/L
	TIME	ANCE	PH	TEMPER-	DIS- SOLVED	SCLVED (MG/L	SOL VED	SOLVED (MG/L	(MG/L	AS
DATE	IIME	(UMHOS)	(UNITS)	(DEG C)	(MG/L)	AS CA)	AS MG)	AS NA)	AS K)	CACO3)
DAIL		(011103)	(01113)	(020 0)	(MG/L/	A3 CA7	A3 1107	AJ NA	43 K/	CACOS
DEC										
08	1300	200	6.5	9.0	5.7	13	3.4	21	2.9	19
MAR				10.73	10.00		5000			
02	1300	175	6.3	9.0	8.9	13	3.0	20	2.8	18
JUN										
02	1300	170	6.3	12.0	5.7	12	3.0	20	2.9	19
SEP	2222							2.2	1 2	
06	1300	155	6.1	14.0	7.0	11	3.0	18	2.7	17
					NITRO-		NITRO-		NITRO-	NITRO-
		CHLO-	FLUO-	NITRO-	GEN,	NITRO-	GEN,	NITRO-	GEN,	GEN, AM-
	SULFATE	RIDE,	RIDE,	GEN,	NITRATE	GEN,	NITRITE	GEN.	AMMONIA	MONIA +
	DIS-	DIS-	DIS-	NITRATE	DIS-	NITRITE	DIS-	AINOMMA	DIS-	ORGANIC
	SOLVED	SOLVED	SOLVED	TOTAL	SOLVED	TOTAL	SOLVED	TOTAL	SOLVED	TOTAL
2475	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L
DATE	AS 504)	AS CL)	AS F)	AS N)	AS N)	AS N)	AS N)	AS N)	AS N)	AS N)
DEC .										
08	20	30	<.1	2.6	2.70	.022	.022	.630	.620	.00
MAR										
02	19	28	<.5	3.5	3.50	.018	.018	.540	.550	.00
JUN										
02	17	27	<.1	1.8	1.90	.032	.034	.600	.600	.90
SEP	17	24		2.5	2 / 2	0.17	0/7	702	700	
06	17	24		2.5	2.40	.047	.047	.300	.300	.40
	NITRO-				PHOS-			MANGA-		METHY-
	GEN, AM-		PHOS-	PHOS-	PHORUS,	IRON,		NESE,	MANGA-	LENE
	MONIA +	PHOS-	PHORUS,	PHORUS,	ORTHO,	TOTAL	IRON,	TOTAL	NESE,	BLUE
	ORGANIC	PHORUS.	DIS-	ORTHO,	DIS-	RECOV-	DIS-	RECOV-	DIS-	ACTIVE
	DIS.	TOTAL	SOLVED	TOTAL	SOLVED	ERABLE	SOLVED	ERABLE	SOLVED	SUS-
	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(UG/L	(UG/L	(UG/L	(UG/L	STANCE
DATE	AS N)	AS P)	AS P)	AS P)	AS P)	AS FE)	AS FE)	AS MN)	AS MN)	(MG/L)
DEC										
08	.70	.011	.003	.006	.005	330	250	230		<.02
MAR							200			
02	.63	.007	<.002	.007	.005	300	250	700	700	.03
JUN										
02	.90	.310	.210	.018	.018	500	300	730	860	.02
SEP	4.4		4.7		223		22.5	1223		.5-24
06	.50	.017	.012	.008	.007	300	200	850	320	<.02

01307500 PENATAQUIT CREEK AT BAY SHORE, NY

LOCATION.--Lat 40°43'37", long 73°14'41", Suffolk County, Hydrologic Unit 02030202, on right bank just upstream from Union Avenue in Bay Shore, and 4,500 ft (1.372 m) upstream from mouth.

DRAINAGE AREA. -- About 5 mi 2 (13 km2).

PERIOD OF RECORD .-- May 1966 to current year.

REMARKS. -- Partial-record discharge data included in this report.

COOPERATION .-- All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

		SPE-					MAGNE-		POTAS-	ALKA-
		CIFIC				CALCIUM	SIUM,	SODIUM,	SIUM,	LINITY
		CON-			OXYGEN,	DIS-	DIS-	DIS-	DIS-	FIELD
		DUCT-	PH	TEMPER-	DIS-	SOLVED	SOLVED	SOLVED	SOLVED	(MG/L
	TIME	ANCE		ATURE	SOLVED	(MG/L	(MG/L	(MG/L	(MG/L	AS
DATE		(UMHOS)	(UNITS)	(DEG C)	(MG/L)	AS CA)	AS MG)	AS NA)	AS K)	CACO3)
DEC										
08	1100	280	6.6	10.0	6.3	16	3.8	34	3.6	27
MAR	1100	200	3.0	10.0	0.3	10	3.0		3.0	
02	1100	250	6.4	9.0	8.2	18	3.8	36	3.6	26
JUN	4,15		• • • •	,					-	-
02	1100	250	6.5	13.0	6.1	16	3.8	36	3.5	32
SEP			***							
06	1200	240	6.2	15.0	7.2	16	3.7	34	3.8	25
					NITRO-		NITRO-		NITRO-	NITRO-
		CHLO-	FLUO-	NITRO-	GEN,	NITRO-	GEN,	NITRO-	GEN,	GEN, AM-
	SULFATE	RIDE,	RIDE,	GEN,	NITRATE	GEN,	NITRITE	GEN,	AMMONIA	MONIA +
	DIS-	DIS-	DIS-	NITRATE	DIS-	NITRITE	DIS-	AMMONIA	DIS-	ORGANIC
	SOLVED	SOLVED	SOLVED	TOTAL	SOLVED	TOTAL	SOLVED	TOTAL	SOLVED	TOTAL
	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L
DATE	AS 504)	AS CL)	AS F)	AS N)						
DEC										
08	23	44	<.1	3.3	3.30	.039	.041	.940	.930	1.00
MAR	2.0				4.4	20.0	7.00	10.3		4.0
02	24	47	<.5	4.0	4.20	.280	.280	1.00	1.00	1.00
JUN	2.2							4 00		4 22
02 SEP	22	48	<.1	2.5	2.60	.043	.044	1.00	1.00	1.20
06	22	48		3.9	3.90	.037	.036	.600	.600	.60
	NITRO-				PHOS-			MANGA-		METHY-
	GEN, AM-		PHOS-	PHOS-	PHORUS,	IRON,		NESE,	MANGA-	LENE
	MONIA +	PHOS-	PHORUS,	PHORUS,	ORTHO,	TOTAL	IRON,	TOTAL	NESE,	BLUE
	ORGANIC	PHORUS,	DIS-	ORTHO,	DIS-	RECOV-	DIS-	RECOV-	DIS-	ACTIVE
	DIS.	TOTAL	SOLVED	TOTAL	SOLVED	ERABLE	SCLVED	ERABLE	SOLVED	SUB-
	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(UG/L	(UG/L	(UG/L	(UG/L	STANCE
DATE	AS N)	AS P)	AS P)	AS P)	AS P)	AS FE)	AS FE)	AS MN)	AS MN)	(MG/L)
			73 . ,							
DEC										
08	1.1	.044	.014	.022	.019	550	360	1100		.07
MAR										
02	1.0	.030	.014	.023	.019	400	200	1000	1000	.10
JUN										
02	1.2	.038	.023	.021	.016	600	400	1200	1100	.05
SEP			20.				7.55	0.55		
06	.60	.033	.014	.011	.006	500	300	890	840	.02

01308000 SAMPAWAMS CREEK AT BABYLON, NY

LOCATION.--Lat 40°42'15", long 73°18'52", Suffolk County, Hydrologic Unit 02030202, on left bank at upstream side of John Street Bridge in Babylon, 180 ft (55 m) downstream from Long Island Railroad, and 0.6 mi (1.0 km) upstream from mouth. Water-quality sampling site at discharge station.

DRAINAGE AREA. -- About 23 mi2 (60 km2).

WATER-DISCHARGE RECORDS

PERIOD OF RECORD. -- October 1944 to current year (monthly means estimated December 1966 to November 1967).

REVISED RECORDS. -- WSP 1141: Drainage area. WSP 1702: 1955(M), 1956(M). WRD NY 1974: 1970(P).

GAGE.--Water-stage recorder and concrete control. Datum of gage is 6.36 ft (1.939 m) National Geodetic Vertical Datum of 1929. October 1944 to December 1966, water-stage recorder at site 100 ft (30 m) east at datum 0.34 ft (0.104 m) higher.

REMARKS.--Records good except those for July to September, which are fair. Flow regulated slightly by pumping operations at railroad and occasionally by ponds above station. Indeterminate effect caused by ground-water pumpage for water-supply purposes at Smith Street substation 0.2 mi (0.3 km) northwest of gage. Prior to November 1950, slight diurnal fluctuation caused by power operations.

AVERAGE DISCHARGE. -- 38 years, 9.63 ft 3/s (0.273 m3/s).

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 136 ft 3 /s (3.85 m 3 /s) Sept. 12, 1960, gage height, 2.11 ft (0.643 m) datum then in use; maximum gage height, 3.28 ft (1.000 m) Feb. 7, 1971; minimum discharge, 1.6 ft 3 /s (0.045 m 3 /s) June 28, 1963, gage height, 0.13 ft (0.040 m) datum then in use.

EXTREMES FOR CURRENT YEAR. -- Peak discharges above base of 55 ft3/s (1.56 m3/s) and maximum (*):

			Discl	harge	Gage	height				Disch	narge	Gage h	neight
Dat	e	Time	(ft^3/s)	(m^3/s)	(ft)	(m)	Dat	e	Time	(ft^3/s)	(m^3/s)	(ft)	(m)
Jan.	4	1315	59	1.67	1.34	0.41	June	2	0230	75	2.12	1.64	0.50
Apr.	3	2030	*80	2.27	*1.73	.53	June	5	0730	71	2.01	1.56	.48

Minimum discharge, 4.5 ft³/s (0.13 m³/s) Sept. 29, 30; minimum gage height, 0.25 ft (0.076 m) Oct. 20.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982 MFAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	6.5	7.6	8.4	13	20	8.9	13	11	8.7	11	9.8	6.8
5	8.3	7.6	12	9.2	13	9.1	13	10	23	9.8	9.4	13
3	6.5	7.5	7.8	9.0	28	8.7	23	10	12	11	9.1	9.1
3	6.1	7.6	7.7	29	16	11	18	9.8	11	11	9.1	7.2
5	6.1	7.6	7.6	16	13	12	12	9.8	39	9.4	9.1	6.8
5	0.1	7.0		10	13	16	12	7.0	3,	7.4	7.1	0.0
6	7.9	9.4	7.5	13	13	11	13	9.8	24	9.1	8.7	6.8
7	7.6	7.2	7.2	12	12	13	11	9.4	18	9.1	8.7	6.5
8	6.1	6.8	8.4	11	12	11	12	9.4	15	9.1	8.3	6.5
9	6.1	6.8	7.9	12	12	10	12	9.4	14	9.8	7.9	6.5
10	5.8	6.8	7.4	11	12	9.8	12	9.4	14	8.3	8.3	6.5
10		0.0		• •			•					
11	5.8	6.9	7.2	11	11	9.8	12	9.1	12	8.3	7.9	6.5
12	5.8	6.5	6.8	10	11	10	11	9.2	12	8.7	9.4	6.1
13	5.5	6.5	6.9	11	11	9.9	11	9.0	15	8.3	8.3	6.1
14	5.5	6.9	7.8	11	10	9.3	11	8.8	22	8.3	7.9	6.1
15	5.5	7.8	17	10	11	9.1	11	8.7	14	8.3	7.9	6.1
		2.5					120	2.4		0.0		
16	5.8	7.8	13	11	11	9.3	11	8.7	14	8.3	7.6	6.1
17	5.2	7.1	10	9.9	10	11	11	8.4	14	8.3	7.6	6.1
18	6.8	6.8	10	9.8	10	9.8	15	8.1	12	8.3	7.2	6.1
19	6.5	6.4	9.9	9.5	11	9.8	11	8.1	12	12	7.2	5.8
50	5.2	12	9.7	9.6	11	9.5	11	8.1	11	15	7.2	7.6
21	5.2	7.7	9.6	9.4	10	9.7	11	7.8	11	13	6.8	5.8
55	5.2	6.8	9.8	9.1	9.9	9.2	11	7.7	11	11	6.5	5.5
23	6.8	6.8	10	16	9.7	9.0	10	9.0	13	11	8.7	5.5
24	8.3	6.8	9.4	14	9.5	8.9	10	8.6	11	9.8	7.9	5.5
25	6.5	6.7	9.4	11	9.3	9.0	10	16	11	9.8	11	5.5
											7.0	
26	17	6.6	9.6	10	9.1	9.1	13	10	11	10	7.9	5.2
27	11	7.0	9.9	9.6	9.1	8.6	14	9.2	11	9.8	7.9	5.8
28	11	6.8	9.6	9.5	9.0	8.4	15	8.3	11	21	7.2	5.2
29	7.6	6.6	9.3	9.1		8.5	12	11	14	14	6.5	5.2
30	7.5	6.5	9.0	9.6		8.7	11	9.3	12	11	6.5	4.8
31	7.4		9.2	13		10		8.7		10	6.1	
TOTAL	218.1	217.9	285.0	358.3	333.6	301.1	371	289.8	432.7	321.8	249.6	192.3
MEAN	7.04	7.26	9.19	11.6	11.9	9.71	12.4	9.35	14.4	10.4	8.05	6.41
MAX	17	12	17	29	28	13	23	16	39	21	11	13
MIN	5.2	6.4	6.A	9.0	9.0	8.4	10	7.7	8.7	8.3	6.1	4.8
			~ • • • •				• 4	100				

01308000 SAMPAWAMS CREEK AT BABYLON, NY--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD. -- May 1966 to current year.

COOPERATION .-- All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	TIM	STRE FLO INST E TANE (CF	AM- CI OW, CO AN- DU OUS AN	CE	AT	PER- D	GEN, E	ALCIUM DIS- GOLVED (MG/L	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY FIELD (MG/I AS CACO	Y D L
DEC													
08	100	0	7.6	260	6.6	9.0	5.9	15	3.6	27	4.3		35
MAR 02	100	0	8.7	220	6.5	8.0	8.2	16	3.2	26	4.1		34
JUN	100				0.5	0.0	0.2				7		-
02 SEP	100	0 1	6	130		17.0	6.8	8.8	2.0	15	2.7	,	22
06	110	0	6.8	200	5.8	16.0	4.2	14	3.3	24	4.3		17
DEC O8 MAR O2 JUN	ATE	SULFATE DIS- SOLVED (MG/L AS SO4) 28 28	CHLO-RIDE, DIS-SOLVED (MG/L AS CL)	(MG/L	NITRO- GEN, NITRATE TOTAL (MG/L AS N) 2.6 3.0	NITRATE DIS- SOLVED (MG/L AS N) 2.60	NITRO GEN. NITRIT TOTAL (MG/I AS N)	NITR DI SOL (MG AS	N, N: ITE (S- AMI VED TG (N) A: 019 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	GEN, AMMO MONIA DI DTAL SOL MG/L (MG S N) AS	N/ GEN NIA MON S- ORC VED TO /L (N) AS	TTRO- N,AM- NIA + GANIC DTAL 4G/L 5 N) 3.10 2.90	
SEP		25	30		4.2	4.20			028		100		
DEC 08 MAR	TE.	NITRO- GEN, AM- MONIA + ONGANIC DIS. (MG/L AS N)	PHOS-PHORUS, TOTAL (MG/L AS P)	SOLVED (MG/L AS P)	PHOS-PHORUS, ORTHO, TOTAL (MG/L AS P)	DIS- SOLVED (MG/L AS P)	TOTAL RECOVERABL (UG/L AS FE	IRO DI E SCL (UG AS	N, T(S- RE VED EF	ANGA- ESE, MAN DTAL NES ECOV- DI RABLE SOL IG/L (UG S MN) AS	GA- L E, B S- AC VED S /L ST	THY- ENE BLUE CTIVE UB- ANCE IG/L) .06	
	•••	1.6	.034	.026	.017	.012	110	0	750	950	900	.05	
SEP 06			.006	.006	.002	.002	40	10	300	120	120	.05	
	2.2								7 3 7	100	15.5		

01308500 CARLLS RIVER AT BABYLON, NY

LOCATION.--Lat 40°42'31", long 73°19'44", Suffolk County, Hydrologic Unit 02030202, on left bank 130 ft (40 m) downstream from outlet of Southards Pond in Babylon, and 0.9 mi (1.4 km) upstream from mouth. Water-quality sampling site at discharge station.

DRAINAGE AREA. -- About 35 mi2 (91 km2).

WATER-DISCHARGE RECORDS

PERIOD OF RECORD .-- October 1944 to current year.

REVISED RECORDS.--WSP 1141: Drainage area. WRD NY 1972: 1947(m), 1952(m), 1954(m), 1958(m), 1960-63(m).

GAGE.--Water-stage recorder and concrete control. Datum of gage is 10.63 ft (3.240 m) National Geodetic Vertical Datum of 1929.

REMARKS .-- Records good. Occasional regulation at outlet of Southards Pond.

AVERAGE DISCHARGE. -- 38 years, 26.6 ft 3/s (0.753 m3/s).

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 243 ft³/s (6.88 m³/s) Jan. 21, 1979, gage height, 2.26 ft (0.689 m); minimum, 0.05 ft³/s (0.001 m³/s) Sept. 4, 1963, July 6, 1966, Aug. 29, 1972 (result of regulation); minimum gage height, 0.03 ft (0.009 m) July 6, 1966, Aug. 29, 1972 (result of regulation); minimum daily, 4.5 ft³/s (0.13 m³/s) July 6, 1966.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 150 ft 3 /s (4.25 m 3 /s) June 5, gage height, 1.72 ft (0.524 m); minimum recorded, 12 ft 3 /s (0.34 m 3 /s) Sept. 26, 27, 29, 30, gage height, 0.51 ft (0.155 m), but may have been less during period of no gage-height record July 19-27.

DISCHARGE,	IN	CUBIC	FEET	PER	SECOND.	WATER	YEAR	OCTOBER	1981	TO	SEPTEMBER	1982	
					MEAN VA	HES							

DAY	ост	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	16	21	20	33	44	25	28	30	24	26	20	16
5	18	21	47	33	38	26	26	28	79	24	19	25
3	17	20	33	26	58	25	42	28	37	26	50	20
4	15	20	26	85	51	27	81	27	30	26	21	17
5	18	50	24	72	40	42	35	26	98	24	16	16
6	19	26	23	43	38	31	38	26	88	24	16	16
7	23	55	55	38	35	37	36	25	59	23	17	15
8	17	20	23	35	34	38	34	25	45	24	17	15
9	16	19	27	34	34	31	34	28	41	23	17	15
10	16	18	53	32	34	29	34	26	38	21	50	15
11	15	18	21	30	30	29	34	24	35	21	18	14
12	15	19	21	29	29	30	34	23	34	22	21	14
13	15	18	20	28	29	28	33	20	40	22	18	13
14	15	18	21	28	28	27	32	22	70	21	17	14
15	15	50	48	27	28	26	29	22	44	20	17	14
16	15	22	50	27	29	26	29	22	38	20	16	14
17	14	20	34	26	28	34	29	22	40	20	16	14
18	15	20	30	26	28	30	49	22	35	19	16	14
19	22	18	27	26	30	28	33	22	34	18	16	13
20	16	29	26	26	31	27	26	22	32	25	16	16
21	15	29	25	26	29	27	29	21	31	22	15	17
55	15	22	25	26	28	27	28	21	32	20	14	16
23	17	20	27	40	27	25	27	24	34	19	17	14
24	28	20	25	35	27	23	27	27	29	18	28	13
25	20	19	24	31	28	20	26	48	28	17	24	13
26	50	19	23	30	26	24	30	29	27	17	20	12
27	34	19	24	29	26	23	50	25	26	17	17	13
28	39	19	26	29	26	55	45	23	26	34	17	13
29	25	18	24	29		22	34	35	29	30	16	13
30	23	18	22	29		23	31	27	32	22	15	12
31	21		55	29		25		24		21	15	
TOTAL	619	612	833	1037	913	857	1043	794	1235	686	552	446
MEAN	20.0	20.4	26.9	33.5	32.6	27.6	34.8	25.6	41.2	22.1	17.8	14.9
MAX	50	29	50	85	58	42	81	48	98	34	28	25
MIN	14	18	20	26	26	20	26	50	24	17	14	12

CAL YR 1981 TOTAL 8072 MEAN 22.1 MAX 124 MTN 10 WTR YR 1982 TOTAL 9627 MEAN 26.4 MAX 98 MTN 12

01308500 CARLLS RIVER AT BABYLON, NY--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD. -- May 1966 to current year.

COOPERATION. -- All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	TIM	STRE FLC INST E TANE (CF	EAM- CI OW, CO TAN- DU EOUS AN	FIC N- ICT- ICE	A	MPER- TURE EG C)	DXYGEN, DIS- SOLVED (MG/L)	CALC: DIS: SOL: (MG:	TUM S D VED SO /L (M	IS- DELVED SO	DIUM, DIS- DLVED S MG/L (OTAS- SIUM, DIS- OLVED MG/L S K)	ALK LINI FIE (MG AS CAC	TY LD /L
C3	090	0	22	230	7.2	4.0	10.5	1	4	3.3	26	3.8		28
AR											27			28
02 UN	090	J	25	215	6.8	4.0	11.4	. 10	0	3.0		4.0		
01 EP	090	0	24	180	6.9	17.0	7.0	1	1	2.5	22	3.4		28
06	100	0	16	175	0.6	14.0	7.4	1 2	2	3.0	22	3.8		20
	;	SULFATE DIS- SOLVED (MG/L	CHLO- RIDE, DIS- SOLVED (MG/L	FLUO- RIDE, DIS- SOLVEC	NITRO GEN, NITRAT TOTAL (MG/L	NITRA	TE G - NIT ED TO	TRO- EN, RITE TAL	NITRO- GEN, NITRITE DIS- SOLVED (MG/L	NITRO GEN, AMMONI	A DIS- SOLVE	GEN. MONI ORGA	TRO- ,AM- IA + ANIC TAL	
DA	TE A	15 504)	AS CL)		AS N)	AS N		N)	AS N)	AS N)			N)	
MAR 22 JUN 01 SEP	 	25 27 21 23	30 33 25 28	<.1 <.5 <.1	3.5 1.3	3. 1.	40 30	.012 .015 .046	.013 .016 .047	2.00 1.60	2.00 1.60	1	2.00	
DA	١	NITRO- GEN,AM- MONIA + DRGANIC DIS. (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P)	ORTHO	ORTH DIS- SOLVE (MG/L	IS, IRO	ON, TAL COV- ABLE G/L FE)	IRON, DIS- SCLVED (UG/L AS FE)	MANGA NESE/ TOTAL RECOV ERABL (UG/L AS MN	MANGA- NESE, - DIS- E SOLVEE (UG/L	ACT STA	THY- ENE LUE TIVE JB- ANCE	
DEC														
08 MAR	•••	2.0	.012	.010	.004	4 .0	03	450	240	90	0		.04	
		2.0	.008	.003	.009	0	03	400	200	110	0 1100)	.08	
01 SEP	•••	1.8	.018	.043	.000	6 .0	003	850	550	150	0 1400)	.04	
		.50	.017	.009	.00	2 <.0	102	200	200	8	0 60)	.03	

01309000 SANTAPOGUE CREEK AT LINDENHURST, NY

LOCATION.--Lat 40°41'30", long 73°21'20", Suffolk County, Hydrologic Unit 02030202, on left bank just upstream from East Hoffman Avenue bridge, 1.0 mi (1.6 km) east of Long Island Railroad station in Lindenhurst, and 1.5 mi (2.4 km) upstream from mouth.

DRAINAGE AREA. -- About 7 mi2 (18 km2).

PERIOD OF RECORD. -- Water years 1966 to current year.

REMARKS. -- Partial-record discharge data included in this report.

COOPERATION .-- All water-quality samples were collected and analyzed by Suffolk County Department of Health Services.

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

		SPE-					MAGNE-		POTAS-	ALKA-
		CIFIC				CALCTUM	SIUM,	CODTUM	SIUM,	LINITY
						CALCIUM		SODIUM,		
		CON-	50		OXYGEN,	DIS-	DIS-	DIS-	DIS-	FIELD
		DUCT-	PH	TEMPER-	DIS-	SOLVED	SOLVED	SOLVED	SOLVED	(MG/L
2000	TIME	ANCE	100000	ATURE	SOLVED	(MG/L	(MG/L	(MG/L	(MG/L	AS
DATE		(UMHOS)	(UNITS)	(DEG C)	(MG/L)	AS CA)	AS MG)	AS NA)	AS K)	CACO3)
DEC										
08	0800	340	6.8	3.0	5.8	22	5.0	33	6.0	58
MAR										
02	0800	320	6.8	6.0	7.4	23	5.0	38	10	73
JUN										
02	0800	135	6.8	17.0	5.8	9.9	1.9	11	3.6	31
SEP						11.5	7.5-4			
06	0900	260	6.5	14.0	4.5	21	4.5	32	7.0	62
					NITRO-		NITRO-		NITRO-	NITRO-
		CHLO-	FLUO-	NITRO-	GEN.	NITRO-	GEN.	NITRO-	GEN.	GEN, AM-
	SULFATE	RIDE	RIDE,	GEN.	NITRATE	GEN.	NITRITE	GEN	AMMONIA	MONIA +
	DIS-	DIS-	DIS-	NITRATE	DIS-	NITRITE	DIS-	AMMONIA	DIS-	ORGANIC
	SOLVED	SOLVED	SOLVED	TOTAL	SOLVED	TOTAL	SOLVED	TOTAL	SOLVED	TOTAL
	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L
DATE	AS SO4)	AS CL)	AS F)	AS N)	AS N)	AS N)	AS N)	AS N)	AS N)	AS N)
5415	A3 3047	A3 CL,	43 17	A3 W/	43 W	A3 117	A3 W/	A3 117		A3
DEC			3.3				222		7 70	7 0
08	33	40	<.1	1.2	1.20	.010	.011	3.30	3.30	3.60
MAR	1.22	2.2	0.0	67.0		a sile i	1200			
02	35	48	<.5	1.4	1.40	.013	.014	4.60	4.60	4.70
JUN		- 24						2.2.2	2.2.2	7.12
02	9.4	13	<.5	<.20	<.20	.013	.016	.900	.900	1.50
SEP										
06	32	40		1.3	1.30	.020	.019	3.20	3.30	3.10
	NITRO-				PHOS-			MANGA-		METHY-
	GEN, AM-		PHOS-	PHOS-	PHORUS,	IRON,		NESE,	MANGA-	LENE
	MONIA +	PHOS-	PHORUS,	PHORUS.	ORTHO,	TOTAL	IRON,	TOTAL	NESE,	BLUE
	ORGANIC	PHORUS,	DIS-	ORTHO	DIS-	RECOV-	DIS-	RECOV-	DIS-	ACTIVE
	DIS.	TOTAL	SOLVED	TOTAL	SOLVED	ERABLE	SOLVED	ERABLE	SOLVED	SUB-
	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(UG/L	(UG/L	(UG/L	(UG/L	STANCE
DATE	AS N)	AS P)	AS P)	AS P)	AS P)	AS FE)	AS FE)	AS MN)	AS MN)	(MG/L)
DATE	AS IV	AS PI	AS PI	AS PI	AS PI	AS FE	AS FE	AS MNJ	AS MINT	(MG/L)
DEC										
08	3.7	.013	.002	.002	.002	3900	3400	3300		.06
MAR										
02	4.7	.004	.004	.004	.003	2500	2500	3600	3500	.07
JUN										
02	1.4	.072	.038	.020	.015	2000	1350	1100	980	.03
SEP										
06	3.1	.020	.017	.005	.004	2600	2200	3900	3900	.06

01309500 MASSAPEQUA CREEK AT MASSAPEQUA, NY

LOCATION.--Lat 40°41'20", long 73°27'19", Nassau County, Hydrologic Unit 02030202, on left bank 3000 ft (914 m) upstream from Clark Boulevard Bridge in Massapequa, and 350 ft (107 m) west of Lake Shore Drive at Garfield Street in Massapequa Park. Water-quality sampling site at discharge station.

DRAINAGE AREA. -- About 38 mi2 (98 km2).

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--June to October 1903, December 1936 to current year (monthly means estimated December 1959 to February 1961). Published as Massatayun Creek at Massapequa, December 1936 to September 1941.

REVISED RECORDS. -- WSP 1411: Drainage area. WRD NY 1970: 1966-69 (M).

GAGE.--Water-stage recorder and concrete control. Datum of gage is 18.31 ft (5.581 m) National Geodetic Vertical Datum of 1929. Prior to October 1903, non-recording gage at different datum. December 1936 to March 1961, at same site at datum 1.0 ft (0.30 m) higher.

REMARKS . -- Records good .

AVERAGE DISCHARGE. -- 45 years (1937-82), 11.4 ft3/s (0.323 m3/s).

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 510 ft³/s (14.4 m³/s) July 29, 1980, gage height, 2.40 ft (0.732 m), from rating curve extended above 170 ft³/s (4.81 m³/s); minimum, 0.95 ft³/s (0.027 m³/s) Aug. 4, 1963, Nov. 2, 1965, Jan. 8, 1977 (result of freezeup); minimum gage height, 0.32 ft (0.098 m) Aug. 1, 1954, datum then in use.

EXTREMES FOR CURRENT YEAR. -- Peak discharges above base of 110 ft3/s (3.12 m3/s) and maximum (*):

		Discharge Ga		Gage	Gage height			Discl	narge	Gage 1	height
Date	Time	(ft^3/s)	(m^3/s)	(ft)	(m)	Date	Time	(ft^3/s)	(m^3/s)	(ft)	(m)
Jan. 4	1000	*159	4.50	*1.67	0.509	Apr. 3	2300	156	4.42	1.66	0.506
Feb. 3	0600	112	3.17	1.51	-460	June 2	0400	150	4.25	1.64	. 500

Minimum discharge, 1.3 ft3/s (0.037 m3/s) July 12, gage height, 0.59 ft (0.180 m) (result of regulation).

		DISC	HARGE, IN	CUBIC FE		COND. WAT		CTOBER 19	81 TO SEP	TEMBER 19	82	
DAY	ост	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	2.6	4.0	6.2	15	19	7.7	8.1	9.0	6.7	7.2	5.4	6.7
2	3.3	. 4.0	17	7.2	9.0	7.7	6.3	8.6	37	6.7	4.9	9.0
3	3.0	4.0	5.8	5.8	49	7.2	25 .	8.1	9.5	7.2	4.9	6.7
4	2.6	3.6	5.4	55	13	12	25	8.1	8.6	7.7	4.9	4.4
5	2.6	3.6	4.9	14	11	14	9.5	7.7	59	6.7	4.9	4.0
6	3.6	7.8	4.4	11	10	9.6	11	7.7	15	6.3	5.4	3.6
7	5.5	4.4	4.4	9.5	9.5	16	9.5	7.7	1.9	6.3	4.4	3.6
8	3.3	4.0	5.8	8.6	9.0	11	9.5	7.7	14	6.3	3.6	3.6
9	3.0	4.0	6.3	8.1	9.5	9.0	9.0	7.7	12	7.7	4.4	3.6
10	2.6	4.0	4.9	7.7	9.0	8.6	9.5	7.2	12	6.3	13	3.6
11	2.6	4.0	4.4	7.2	8.6	8.6	9.5	7.2	12	5.8	12	3.6
12	2.6	3.6	4.4	7.2	8.1	9.0	9.5	6.7	9.0	4.4	13	3.3
13	2.6	3.6	4.0	7.2	8.1	8.6	9.0	7.2	16	6.3	11	3.3
14	2.6	3.3	4.9	6.7	8.1	8.1	8.6	6.7	30	5.8	9.0	3.3
15	2.6	4.9	20	6.7	8.1	7.7	8.1	6.7	11	5.4	7.2	3.3
16	2.6	4.9	17	6.7	8.1	7.2	8.1	6.3	11	4.9	6.7	3.3
17	2.6	4.0	8.1	6.7	8.1	11	8.1	5.8	12	4.9	9.6	3.3
18	4.7	4.0	7.2	6.7	7.7	8.6	19	7.7	9.5	4.9	8.6	3.3
19	5.7	3.3	6.7	6.3	9.0	7.7	9.0	11	9.0	4.4	5.8	3.3
50	3.0	8.4	5.8	6.3	9.0	7.7	8.6	15	9.0	9.7	4.4	4.0
21	2.6	4.9	5.8	5.8	8.6	8.1	8.6	15	8.1	6.7	4.4	4.0
55	2.6	4.0	5.8	5.8	8.1	7.7	8.6	14	8.1	5.4	3.6	3.6
23	4.0	3.6	6.3	19	7.7	7.2	8.1	16	9.5	4.9	14	3.3
24	8.1	3.6	5.4	12	7.7	6.7	7.7	13	8.1	4.9	9.0	3.3
25	3.3	3.3	5.4	8.6	7.7	6.7	7.7	25	8.6	4.4	11	3.3
.56	24	3.3	4.9	7.7	7.2	6.7	16	11	8.1	4.4	7.2	3.3
27	6.7	3.3	5.4	6.7	7.2	6.7	16	12	7.2	4.4	7.7	3.6
28	6.7	3.3	5.8	6.3	7.7	6.3	19	11	7.7	14	6.7	3.3
29	4.9	3.3	5.4	6.3		6.3	10	55	9.6	8.8	6.3	3.3
30	4.4	3.3	4.9	6.3		6.3	9.5	8.1	8.6	5.4	6.3	3.3
31	4.0		4.9	11		7.7		7.7		5.4	6.3	
TOTAL	135.0	123.3	207.6	305.1	292.8	263.4	331.1	314.6	374.9	193.6	225.6	117.1
MEAN	4.35	4.11	6.70	9.84	10.5	8.50	11.0	10.1	12.5	6.25	7.28	3.90
MAX	24	8.4	20	55	49	16	25	25	37	14	14	9.0
MIN	5.6	3.3	4.0	5.8	7.2	6.3	6.3	5.8	6.7	4.4	3.6	3.3

-01309500 MASSAPEQUA CREEK AT MASSAPEQUA, NY--Continued WATER-QUALITY RECORDS

PERIOD OF RECORD. -- May 1966 to current year.

STAC	TIME	STREAM- FLOW, INSTAN- TANEOUS (CFS)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	TEMPER- ATURE (DEG C)	BARO- METRIC PRES- SURE (MM OF HG)	DXYGEN, DIS- SOLVED (MG/L)	CXYGEN, DIS- SOLVED (PER- CENT SATUR- ATION)	HARD- NESS (MG/L AS CACOS)	CALCIUM DIS- SOLVED (MG/L AS CA)
DEC 22	1345	5.8	300	5.9	5.5		11.6		60	13
MAR 17	1245	o.c	250	c.1	7.0	758	11.0	97	5 3	10
27:	1345	7.7	325	6.3	18.0	708	0.0	71	50	19
DATE	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY LAB (MG/L AS CACC3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SCLVED (MG/L AS CL)	FLUO- RIDE, DIS- SCLVED (MG/L AS F)	SILICA, DIS- SCLVED (MG/L AS SIO2)	SOLIDS, SUM OF CONSTI- TUENTS, EIS- SOLVED (MG/L)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)
DEC					0.5 (5.5)	112 1121	0.5	1,523.23		
22 MAR	3.7	25	3.7	18	39	31	<.1	8.8	140	5.4
17 AUG	3.2	22	3.3	23	31	27	<.1	7.3	127	4.3
27	3.0	28	5.2	35	35	33	<.1	ċ.3	153	5.2
DATÉ	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN/ AMMONIA TOTAL (MG/L AS N)	NITRO- GEN/ ORGANIC TOTAL (MG/L AS N)	NITRO- GEN, TOTAL (MG/L AS N)	PHCS- PHCRUS, TOTAL (MG/L AS P)	PHOS- PHORUS, ORTHO, TOTAL (MG/L AS P)	IRON, TOTAL RECCV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	METHY- LENE SLUE ACTIVE SUB- STANCE (MG/L)
DEC		226	4 (0	2.0		222			4522	2.2
22 MAR	5.50	.020	1.60	.20	7.2	.020	<.610	530 200	1500	.20
17 AUG 27	5.90	.025	1.10	.10	5.7	.040	<.010	380	1000	.20
21	3.40	.030	1.10	.10	0.4	.320	<.010	300	243	

01310000 BELLMORE CREEK AT BELLMORE, NY

LOCATION.--Lat 40°40'43", long 73°30'58", Nassau County, Hydrologic Unit 02030202, on right bank 40 ft (12 m) east of intersection of Valentine Place and Mill Road, in Bellmore, 0.5 mi (0.8 km) north of Sunrise Highway, and 0.5 mi (0.8 km) northwest of Wantagh. Water-quality sampling site at base gage.

DRAINAGE AREA. -- About 17 mi2 (44 km2).

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--June to October 1883 (fragmentary), July to October 1903, published in Professional Paper 44, September 1937 to current year. Prior to October 1957, published as Wantagh Stream at Wantagh. October 1957 to October 1967, published as Wantagh Stream at Bellmore.

GAGE.--Base gage (01309950): Water-stage recorder. Concrete control since July 24, 1974. Datum of gage is 15.06 ft (4.590 m) National Geodetic Vertical Datum of 1929. June to October 1883, determination of flow by various methods at different site and datum. July to October 1903, nonrecording gages on two channels near present site at different datum. Sept. 23, 1937, to Aug. 1, 1958, water-stage recorder with concrete control on right bank of present secondary channel about 1,000 ft (305 m) east at datum 1.88 ft (0.573 m) higher (used as supplementary gage since Aug. 1, 1958).

Supplementary gage (01309990): Water-stage recorder with concrete control on right bank of secondary channel about 1,000 ft (305 m) east of base gage at datum of 16.96 ft (5.169 m) National Geodetic Vertical Datum of 1929. Prior to July 28, 1965, at datum 2.00 ft (0.610 m) higher. From July 28, 1965 to Oct. 6, 1965, at datum 1.00 ft (0.305 m) higher.

REMARKS.--Records good. Prior to Nov. 4, 1955, flow at all stages regulated intermittently at outlet of Wantagh Reservoir, 1.0 mi (1.6 km) above station, and prior to November 1953 by Browning Pond, 0.5 mi (0.8 km) above station. Subsequent to Nov. 3, 1955, permanent diversion of a substantial portion of the flow through west branch of Bellmore Creek. Discharge figures given are those of combined flows in main and secondary channels.

AVERAGE DISCHARGE. -- 45 years (1937-82), 10.4 ft3/s (0.295 m3/s).

EXTREMES FOR PERIOD OF RECORD (1903 and SINCE 1937).--Maximum daily discharge, 162 ft³/s (4.59 m³/s) Sept. 12, 1960; maximum discharge prior to beginning of diversion in November 1955, 340 ft³/s (9.63 m³/s) June 1, 1952, adjusted to include flow bypassing station; maximum gage height, 2.57 ft (0.783 m) June 1, 1952, datum then in use; minimum daily, 0.40 ft³/s (0.011 m³/s) Aug. 31, 1981.

EXTREMES FOR CURRENT YEAR.--Maximum daily discharge, 43 ft³/s (1.22 m³/s) Jan. 4; minimum daily, 0.76 ft³/s (0.022 m³/s) Sept. 19.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982 MFAN VALUES

DAY	ост	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.3	2.1	4.4	8.8	6.3	5.0	5.5	5.7	4.7	4.6	2.6	1.5
2	1.7	1.8	7.3	4.2	5.0	5.7	4.9	5.9	25	3.3	2.0	2.2
3	1.2	1.8	3.1	3.5	31	4.9	23	5.3	5.5	3.9	1.8	2.1
4	1.2	1.5	3.0	43	9.2	8.2	12	5.1	5.9	3.3	2.0	1.1
5	1.3	1.8	2.6	6.9	7.9	7.9	6.7	4.6	16	3.1	1.8	1.1
6	3.4	3.9	2.6	5.7	8.0	6.0	7.9	4.5	9.8	3.1	1.7	1.0
7	1.9	2.1	3.1	5.5	7.2	11	7.0	4.6	12	2.9	1.5	.93
8	1.6	2.9	3.4	5.1	7.3	7.9	7.0	4.8	7.1	2.7	1.5	.95
9	1.3	1.6	2.7	5.3	7.6	5.7	6.7	4.7	6.3	5.7	1.6	1.4
10	1.3	1.8	2.5	4.7	7.5	5.4	6.8	4.4	6.0	2.8	3.5	1.0
11	1.4	1.8	2.3	4.5	7.1	5.7	6.8	4.3	5.9	2.6	1.8	1.3
12	1.1	1.5	2.5	4.3	7.4	6.0	6.1	4.2	5.8	2.6	2.7	.92
13	1.2	1.7	2.9	4.3	7.9	5.5	6.3	4.7	12	2.4	1.9	1.9
14	1.3	1.8	3.7	4.4	6.3	5.3	5.6	4.4	21	2.4	1.8	1.3
15	1.4	2.5	13	4.1	6.1	5.8	5.4	3.8	8.0	2.3	1.5	.99
16	.92	2.0	7.5	3.9	6.2	5.6	5.8	4.0	8.1	2.7	1.3	1.1
17	.92	1.8	4.3	3.7	5.9	6.8	5.7	4.4	8.9	2.7	2.5	1.8
18	3.6	5.0	4.1	3.3	5.9	5.6	12	4.4	6.9	2.6	2.1	1.5
19	2.0	2.3	3.7	3.2	7.3	5.6	6.2	4.4	6.9	5.5	1.6	.76
50	1.7	4.4	2.9	3.1	6.5	5.6	7.0	6.5	6.4	5.0	1.4	1.1
21	1.8	2.1	2.8	3.1	5.6	6.0	6.3	4.1	5.8	2.9	1.3	1.3
55	1.1	2.0	3.0	3.3	5.2	5.2	5.2	4.8	5.3	2.5	1.2	1.4
23	2.3	1.8	3.2	12	5.0	4.8	5.1	6.3	6.1	2.0	13	.99
24	2.9	1.8	2.5	8.5	4.9	4.9	5.1	6.1	4.9	1.9	6.1	•96
25	2.1	1.7	2.6	5.2	4.8	5.6	4.9	17	4.6	1.9	4.1	1.7
26	12	1.6	2.5	4.7	4.9	5.4	12	5.2	4.2	1.8	2.2	1.5
27	3.9	1.8	3.3	4.4	4.5	5.0	11	4.5	3.8	1.6	2.0	4.0
28	4.1	2.5	2.6	4.1	5.2	4.8	12	4.3	3.4	8.4	1.6	3.3
29	2.2	5.2	2.4	3.8		4.8	6.3	18	5.6	4.1	1.4	3.3
30	2.1	2.1	2.8	3.5		4.9	5.8	5.3	6.0	2.2	1.5	3.6
31	2.0		2.4	4.3		6.3		4.9		2.4	1.5	
TOTAL	68.24	62.7	111.7	188.4	203.7	182.9	228.1	175.2	237.9	94.6	74.5	48.00
MEAN	2.20	2.09	3.60	6.08	7.28	5.90	7.60	5.65	7.93	3.05	2.40	1.60
MAX	12	4.4	13	43	31	11	23	18	25	8.4	13	4.0
MIN	.92	1.5	2.3	3.1	4.5	4.8	4.9	3.8	3.4	1.6	1.2	.76

STREAMS ON LONG ISLAND

01310000 BELLMORE CREEK AT BELLMORE, NY--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD. -- 01309950 (Base gage): April 1966 to current year.

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	TIME	STREAM- FLOW, INSTAN- TANEOUS (CFS)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	TEMPER- ATURE (DEG C)	BARO- METRIC PRES- SURE (MM OF HG)	OXYGEN, DIS- SOLVED (MG/L)	OXYGEN, DIS- SOLVED (PER- CENT SATUR- ATION)	HARD- NESS (MG/L AS CACO3)	CALCIUM DIS- SOLVED (MG/L AS CA)
3EC 21	1415	2.1	325	6.2	2.5		13.2	12	64	20
MAR	14.5		323	0.0	2.,		13.2			
17	1130	3.9	310	6.2	7.5	758	10.5	â7	54	20
27	1300	1.7	330	6.5	20.5	768	7.1	30	58	18
	MAGNE-		POTAS-	ALKA-		CHLO-	FLUO-	SILICA,	SOLIDS, SUM OF	NITRO-
	SIUM,	SODIUM,	SIUM,	LINITY	SULFATE	RIDE,	RIDE,	DIS-	CONSTI-	GEN,
	DIST	-2IC	DIS-	LAS	DIS-	DIS-	DIS-	SOLVED	TUENTS,	NITRATE
	SOLVED	SOLVED	SOLVED	(MG/L	SOLVED	SCLVED	SCLVED	(MG/L	DIS-	TOTAL
2122	(MG/L	(45/L	(MG/L	AS	(MG/L	(MG/L	(MG/L	AS	SOLVED	(MG/L
DATE	AS MG)	AS NA)	AS K)	CAC03)	AS 504)	AS CL)	A5 F)	5102)	(MG/L)	AS N)
SEC										
21	3.4	31	4.2	23	40	43	<.1	8.8	164	5.3
MAR			7.0	1 2 3					1,51	
17	3.4	54	3.6	23	36	42	<.1	8.1	161	4.2
AUG										
27	3.1	30	3.0	31	34	47	<.1	4.9	159	4.2
	NITRO-								MANGA-	METHY-
	SEINA	NITRO-	NITRO-	NITRO-			PHOS-	IRON,	NESE,	LENE
	NITRATE	GEN,	GEN,	GEN,	NITRO-	PHOS-	PHORUS,	TOTAL	TOTAL	BLUE
	DIS-	NITRITE	AINONMA	CRGANIC	GEN.	PHCRUS,	ORTHO,	RECOV-	RECOV-	ACTIVE
	SOLVED	TOTAL	TOTAL	LATCT	TOTAL	TOTAL	TOTAL	ERABLE	ERABLE	SUB-
2 2 5 5 5	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(UG/L	(UG/L	STANCE
DATE	45 1)	AS N)	A5 %)	AS N)	AS N)	AS P)	AS P)	AS FE)	CNM ZA	(MG/L)
DEC										
21	5.40	.030	1.70	.10	7.1	.013	<.010	290	1200	.10
MAR					13.	157	***************************************			10.3
17	4.33	.030	1.20	.20	5.0	.020	<.010	240	1000	.13
AUG	11.7									
27	3.26	.000	.540	.26	5.1	.020	<.010	230	40	77

01310500 EAST MEADOW BROOK AT FREEPORT, NY

LOCATION.--Lat 40°39'56", long 73°34'13", Nassau County, Hydrologic Unit 02030202, on right bank 24 ft (7 m) upstream from bridge on Hempstead-Babylon Turnpike and 400 ft (122 m) west of Meadowbrook Parkway, in Freeport. Water-quality sampling site at discharge station.

DRAINAGE AREA. -- About 31 mi2 (80 km2).

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--October 1851 to December 1852, June to October 1883, September and October 1885 (fragmentary), June to October 1903, published in Professional Paper 44, January 1937 to current year (monthly means estimated November 1962 to December 1963).

REVISED RECORDS. -- WRD NY 1972: 1967-71 (P). WRD NY 1977: 1973-76 (P).

GAGE.--Water-stage recorder and concrete control. Datum of gage is 10.45 ft (3.185 m) National Geodetic Vertical Datum of 1929. Prior to October 1885, determinations of flow by various methods at different site and datum. June to October 1903, weir in swamp at head of Brooklyn waterworks supply pond. January 1937 to November 1962, water-stage recorder and concrete control at site 81 ft (25 m) east at datum 0.47 ft (0.143 m) higher.

REMARKS . -- Records good .

AVERAGE DISCHARGE. -- 45 years (1937-82), 14.7 ft3/s (0.416 m3/s).

EXTREMES FOR PERIOD OF RECORD (1903 AND SINCE 1937).--Maximum discharge, 848 ft³/s (24.0 m³/s) July 29, 1980, gage height, 3.57 ft (1.088 m) maximum gage height, 4.38 ft (1.335 m) Sept. 12, 1960 (datum then in use); no flow Aug. 26, 1971.

EXTREMES FOR CURRENT YEAR. -- Peak discharges above base of 250 ft 3/s (7.08 m3/s) and maximum (*):

			harge	Gage	height			Disc	harge	Gage	height
Date	Time	(ft^3/s)	(m^3/s)	(ft)	(m) 0.546	Date	Time	(ft^3/s)	(m^3/s)	(ft) 1.86	(m) 0.567
Jan. 4	1400	268	7.59	1.79	0.546	Apr. 3	2245	286	8.10	1.86	0.567
Feb. 3	0545	268	7.59	1.79	0.546	May 29	0900	*299	8.47	*1.91	0.582

Minimum recorded, 1.3 ft³/s (0.037 m³/s) Oct. 1, 3, 4, 12, 13, gage height, 0.19 (0.058 m), but may have been less during period of no gage-height record Oct. 14-16.

		DISC	HARGE, IN	CUBIC FE		COND, WAT		CTOBER 19	81 TO SEF	TEMBER 19	82	
DAY	ОСТ	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.5	2.7	4.2	18	38	4.3	13	8.2	7.7	6.4	3.6	2.7
2	1.9	2.6	24	5.8	8.0	4.3	7.0	7.6	52	5.9	3.3	8.4
3	1.5	2.4	4.4	4.0	102	4.0	46	7.1	9.3	6.9	3.0	9.6
4	1.5	2.4	3.8	105	16	11	45	6.6	7.4	7.9	3.0	3.3
5	1.5	2.4	3.3	14	12	23	11	6.1	33	5.9	3.0	2.7
6	3.6	5.8	2.8	7.7	10	8.4	12	5.7	18	5.9	3.0	2.7
7	3.0	2.9	2.0	6.3	9.2	21	11	5.1	32	5.5	3.0	2.4
7 8	1.7	2.5	4.3	5.3	8.2	10	12	4.7	10	7.9	2.7	2.2
9	1.7	2.4	3.5	5.1	7.4	6.4	9.8	4.7	8.5	9.0	4.7	2.2
10	1.5	2.4	2.9	4.8	7.4	5.5	9.5	4.3	7.6	5.5	15	2.2
11	1.5	2.4	2.7	4.4	6.3	5.1	10	4.3	7.2	5.1	4.3	1.9
12	1.5	2.4	2.0	4.3	5.9	5.5	9.4	4.0	6.7	5.1	6.4	1.9
13	1.3	2.2	2.5	4.3	5.9	5.5	8.5	4.7	24	4.7	3.6	1.7
14	1.5	2.3	2.9	4.3	5.5	5.1	7.9	4.0	56	4.3	3.3	1.9
15	1.5	3.2	38	4.0	5.5	4.7	7.4	4.0	11	4.0	3.0	1.9
16	1.7	2.9	30	4.0	5.5	5.9	7.2	3.6	.11	4.0	3.0	1.9
17	1.7	2.5	6.5	4.3	5.1	13	7.5	3.6	22	3.6	7.8	1.9
18	2.7	2.4	4.5	4.1	5.2	5.9	26	3.3	9.0	3.3	6.4	1.7
19	2.7	2.2	3.9	4.0	8.1	4.7	3.4	3.6	9.0	4.0	3.6	1.7
20	1.7	8.7	3.6	3.8	7.4	4.3	7.7	4.3	8.4	29	3.3	2.4
21	1.5	4.2	3.3	3.6	5.7	4.7	7.3	5.5	8.4	6.9	2.7	2.2
22	1.7	2.8	3.3	3.6	5.3	5.1	7.2	3.6	7.9	4.3	2.4	1.9
23	2.4	2.5	3.5	42	5.1	4.3	7.1	5.9	9.0	3.6	37	1.9
24	7.4	2.4	3.0	19	4.8	4.3	6.8	9.4	7.4	4.0	11	1.7
25	2.7	2.3	3.0	6.7	4.6	4.3	6.2	30	6.4	3.3	22	1.9
26	30	2.2	3.0	5.3	4.3	4.3	32	6.7	6.4	3.0	5.5	1.7
27	8.4	2.3	3.4	4.5	4.3	4.2	31	5.3	5.9	3.0	4.0	3.0
28	28	2.1	3.3	4.3	4.0	4.0	31	5.1	5.9	48	3.6	2.2
29	3.9	1.9	2.9	4.0		5.1	10	74	13	17	3.0	2.2
30	3.1	1.9	2.7	4.2		7.5	8.7	12	10	5.1	2.7	2.2
31	2.8		2.7	15		12		8.9		4.3	2.7	
TOTAL	129.1	84.3	137.2	329.7	316.7	217.4	423.6	265.9	430.1	236.4	185.0	78.2
MEAN	4.16	2.81	6.04	10.6	11.3	7.01	14.1	8.58	14.3	7.63	5.99	2.61
MAX	3 ū	8.7	33	105	102	23	46	74	50	48	37	9.6
MIN	1.3	1.9	2.5	3.6	4.0	4.0	6.2	3.3	5.9	3.0	2.4	1.7

STREAMS ON LONG ISLAND

01310500 EAST MEADOW BROOK AT FREEPORT, NY--Continued WATER-QUALITY RECORDS

PERIOD OF RECORD. -- April 1966 to current year.

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	TIME	STREAM- FLOW, INSTAN- TANEOUS (CFS)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	TEMPER- ATURE (DEG C)	BARO- METRIC PRES- SURE (MM OF HG)	OXYGEN, DIS- SCLVED (MG/L)	OXYGEN, DIS- SOLVED (PER- CENT SATLR- ATION)	HARD- NESS (MG/L AS CACO3)	CALCIUM DIS- SOLVED (MG/L AS CA)
DEC 21	1245	3.3	520	6.1	5.0		8.3		62	18
MAR 17 AUG	1015	11	340	7.0	7.0	753	10.6	87	51	15
27:	1105	4.0	352	6.4	19.0	768	5.3	58	60	17
DATE	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L)	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SOLVEG (MG/L	CHLO- RIDE, DIS- SCLVED (MG/L	FLUO- RIDE, DIS- SOLVED (MG/L	SILICA, DIS- SOLVED (MG/L AS	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED	NITRO- GEN, NITRATE TOTAL (MG/L
	AS MU	AS NA)	AS K)	CACOSI	AS 504)	AS CL)	AS F)	\$102)	(MG/L)	AS N)
21 MAR	4.1	69	2.8	28	34	94	<.1	6.6	245	2.4
17	3.4	61	2.3	26	23	70	<.1	5.7	196	2.7
27	4.2	39	2.2	30	23	61	<.1	5.9	174	1.8
DATE	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	NITRO- GEN, ORGANIC TOTAL (MG/L AS N)	NITRO- GEN, TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	PHOS- PHORUS, ORTHO, TOTAL (MG/L AS P)	IRON, TOTAL RECCV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
DEC			554			2.274				
21 MAR	2.30	.020	.600	.28	3.3	<.010	<.010	660	670	.10
17 AUG	2.70	.030	.300	.33	3.3	.070	.020	430	300	.10
27	1.80	.040	.340	.36	2.5	.030	<.010	570	360	

01311000 PINES BROOK AT MALVERNE, NY

LOCATION.--Lat 40°39'59", long 73°39'35", Nassau County, Hydrologic Unit 02030202, on left bank 300 ft (91 m) downstream from Lakeview Avenue and southern boundary of Malverne. Water-quality sampling site at discharge station.

DRAINAGE AREA. -- About 10 mi2 (26 km2).

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--1851-52, 1856-57, 1885, 1894 (fragmentary in Professional Paper 44); December 1936 to current year (monthly means estimated March to September 1970).

REVISED RECORDS .-- WSP 1432: 1937, 1940.

GAGE.--Water-stage recorder with steel plate V-notch weir and concrete controls. Datum of gage is 7.11 ft (2.167 m) National Geodetic Vertical Datum of 1929 (Nassau County Bench mark). Prior to 1894, determinations of flow by various methods, at different sites and datums. December 1936 to Oct. 1, 1970, at site 200 ft (61 m) upstream at datum 2.31 ft (0.704 m) higher. Oct. 1, 1970 to May 31, 1972, supplementary gage on secondary channel 10 ft (3 m) downstream at same datum.

REMARKS.--Records good except those for period of no gage-height record, which are poor. Prior to Feb. 20, 1956, flow occasionally regulated by Pines Pond. Indeterminate diversion from Pines Pond for emergency municipal water supply for City of New York, August 1953 to September 1954.

AVERAGE DISCHARGE. -- 45 years (1937-82), 3.80 ft 3/s (0.108 m3/s).

EXTREMES FOR PERIOD OF RECORD (SINCE 1936).--Maximum discharge, 386 ft³/s (10.9 m³/s) Jan. 18, 1978, gage height, 4.53 ft (1.381 m); no flow part of Sept. 12, 1963, and at times from 1964 to 1975, 1977, 1980-82.

EXTREMES FOR CURRENT YEAR. -- Peak discharges above base of 200 ft 3/s (5.66 m 3/s) (revised) and maximum (*):

		Disch	arge	Gage h	neight			Disch	arge	Gage 1	height
Date	Time	(ft^3/s)	(m^3/s)	(ft)	(m)	Date	Time	(ft^3/s)	(m^3/s)	(ft)	(m)
Jan. 4	1230	203	5.75	4.00	1.22	May 29	0630	*351	9.94	*4.44	1.35
Anr 3	2030	231	6 54	/ no	1 25						

No flow for all or part of many days during the year.

		DISC	HARGE, IN	CUBIC FE		COND, WAT		CTOBER 19	81 TO SEF	TEMBER 19	982	
DAY	ОСТ	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.00	.00	2.8	7.9	10	.12	.20	.22	1.3	.19	.00	.00
2	.00	.00	8.4	.05	.15	.13	.13	.22	17	.18	.00	.20
3	.00	.00	.02	.03	45	.13	32	.19	.31	.25	.00	.30
4	.00	.00	.00	54	.22	8.0	3.7	.19	.26	.21	.00	.00
5	.00	.00	.00	.18	.19	.80	.22	.17	10	.18	.00	.00
6	.35	3.1	.00	.13	.18	.80	.29	.17	4.6	.17	.00	.00
7	.05	.02	.00	.12	.17	9.9	.27	.17	8.8	.17	.00	.00
8	.00	.00	.08	.10	.18	1.3	.28	.17	.35	.17	.00	.00
9	.00	.01	.04	.10	.23	1.2	.21	.17	.32	1.1	.05	.00
10	.00	.00	.00	.09	.17	1.2	.24	.17	. 29	.15	2.0	.00
11	.00	.00	.00	.09	.15	1.5	.22	.15	.27	.13	.30	.00
12	.00	.05	.00	.09	.16	2.0	.23	.15	. 25	.07	.05	.00
13	.00	.04	.00	.09	.15	.50	.26	.22	14	.05	.02	.00
14	.00	.00	.06	.09	.15	.20	.23	.15	16	.03	.00	.00
15	.00	.02	27	.09	.15	.15	. 25	.13	.45	.03	.00	.00
16	.00	.04	5.8	.09	.15	.50	.22	.15	.52	.03	.00	.00
17	.00	.09	.06	.08	.13	3.0	.26	.15	4.5	.02	.50	.00
18	.20	.03	.04	.08	.14	.50	5.2	.15	.34	.02	.05	.00
19	. 25	.00	.03	.08	.29	.20	.26	.09	.37	.02	.02	.00
20	.00	4.9	.03	11	.15	.15	.21	.22	.30	5.0	.01	.03
21	.00	.03	.00	.13	.15	. 20	.21	.15	. 29	.20	.00	.00
22	.00	.00	.00	.13	.14	.30	.20	.11	.31	.05	.00	.00
23	.07	.00	.05	10	.13	.20	.20	.59	.28	.03	7.0	.00
24	2.3	.00	.00	1.0	.13	.15	.19	.27	.24	.02	1.0	.00
25	.02	.00	.00	.22	.12	.13	.19	14	.24	.01	4.0	.00
26	1.4	.00	.00	.22	.12	.10	23	.28	.24	.00	.10	.00
27	10	.00	.16	.20	.13	.10	4.2	.26	.22	.00	.00	.05
28	8.2	.00	.06	.15	.11	.10	3.5	.83	.22	10	.00	.00
29	.04	.00	.00	-10		.10	.24	48	1.8	.03	.00	.00
30	.03	.00	.00	.10		.15	.24	1.4	.31	.00	.00	.00
31	.02		.00	.15		.18		1.8		.00	.00	
TOTAL	35.53	8.33	44.63	75.99	59.14	33.99	77.05	71.09	84.38	18.51	15.10	.58
MEAN	1.15	.28	1.44	2.45	2.11	1.10	2.57	2.29	2.81	.60	.49	.019
MAX	14	4.9	27	54	45	9.9	32	48	17	10	7.0	.30
MIN	.00	.00	.00	.03	.11	.10	.13	.09	.22	.00	.00	.00

CAL YR 1981 TOTAL 331.76 MEAN .91 MAX 61 MIN .00 WTR YR 1982 TOTAL 524.32 MEAN 1.44 MAX 54 MIN .00

Note. -- No gage-height record July 12 to Sept. 30.

STREAMS ON LONG ISLAND

01311000 PINES BROOK AT MALVERNE, NY--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD. -- May 1966 to current year.

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1932

DATE	TIME	STREAM- FLOW, INSTAN- TANEOUS (CFS)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	TEMPER- ATURE (DEG C)	BARO- METRIC PRES- SURE (MM OF HG)	OXYGEN, DIS- SOLVED (MG/L)	OXYGEN, DIS- SOLVED (PER- CENT SATUR- ATION)	HARD- NESS (MG/L AS CACO3)	CALCIUM DIS- SOLVED (MG/L AS CA)
MAR	1322									
15 AUG	1315	.15	290	6.9	6.0	768	12.5	99	85	24
27	1015	<.01	132	7.9	19.0	768	7.7	83	40	13
DATE	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)-	ALKA- LINITY LAB (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SCLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)
MAR										
15 AUG	6.0	25	3.4	54	39	25	<.1	7.4	162	1.8
27	1.9	7.0	2.0	36	10	8.3	<.1	4.0	68	
	NITRO- GEN, NITRATE DIS- SOLVED (MG/L	NITRO- GEN, NITRITE TOTAL (MG/L	NITRO- GEN, AMMONIA TOTAL (MG/L	NITRO- GEN, ORGANIC TOTAL (MG/L	NITRO- GEN, TOTAL (MG/L	PHOS- PHORUS, TOTAL (MG/L	PHOS- PHORUS, ORTHO, TOTAL (MG/L	IRON, TOTAL RECCV- ERABLE (UG/L	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L	METHY- LENE BLUE ACTIVE SUB- STANCE
DATE	AS N)	AS N)	AS N)	AS N)	AS N)	AS P)	AS P)	AS FE)	AS MN)	(MG/L)
MAR 15	1.60	.030	.070	. 25	2.1	.040	.020	820	560	.10
AUG 27		<.010	.060	.44	1.1	.000	.020	260	20	

STREAMS ON LONG ISLAND

01311500 VALLEY STREAM AT VALLEY STREAM, NY

LOCATION.--Lat 40°39'49", long 73°42'18", Nassau County, Hydrologic Unit 02030202, on right bank 40 ft (12 m) upstream from West Valley Stream Boulevard in Valley Stream.

DRAINAGE AREA .-- About 4.5 mi2 (12 km2).

PERIOD OF RECORD. -- 1851-52, 1854, 1856-57, 1885, 1894 (fragmentary in Professional Paper 44), July 1954 to current year. Prior to October 1956, published as Watts Creek at Valley Stream.

REVISED RECORDS. -- WRD NY 1971: 1962-63(M), 1966-69(M).

GAGE.--Water-stage recorder and concrete control. Datum of gage is 7.49 ft (2.283 m) National Geodetic Vertical Datum of 1929. Prior to 1894, determinations of flow by various methods, at different sites and datums. July 1954 to July 16, 1964 at same site at datum 1.0 ft (0.30 m) higher.

REMARKS.--Records good except those above 110 ft³/s (3.12 m³/s), which are fair. Flow regulated occasionally by cleaning operations at outlet of Valley Stream Pond above station.

AVERAGE DISCHARGE. -- 28 years (1954-82), 2.42 ft3/s (0.069 m3/s).

EXTREMES FOR PERIOD OF RECORD (SINCE 1954).--Maximum discharge, 290 ft³/s (8.21 m³/s) Jan. 21, 1979, gage height, 5.62 ft (1.713 m), from rating curve extended above 110 ft³/s (3.12 m³/s); no flow at times each year since 1963.

EXTREMES FOR CURRENT YEAR.--Maximum discharge recorded, 174 ft³/s (4.93 m³/s) June 14, gage height, 3.17 ft (0.966 m), from rating curve extended above 110 ft³/s (3.12 m³/s), but may have been higher during period of no gage-height record; no flow for all or part of many days during year.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

					ME	AN VALUES						
DAY	ОСТ	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.00	.00	.00	.00	2.0	.00	.00	.00	.00	.00	.00	.00
2	.00	.00	.00	.00	.00	.00	.00	.00	10	.00	.00	.00
3	.00	.00	.00	.00	26	.00	1.7	.00	.10	.00	.00	.00
4	.00	.00	.00	20	.24	.00	4.4	.00	.00	.00	.00	.00
5	.00	.00	.00	.28	.00	.00	.00	.00	5.0	.00	.00	.00
6	.00	.00	.00	.00	.00	.00	.00	.00	.50	.00	.00	.00
7	.00	.00	.00	.00	.00	.00	.00	.00	5.0	.00	.00	.00
8	.00	.00	.00	.00	.00	.OC	.00	.00	.10	.00	.00	.00
9	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
10	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00
11	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
12	.00	.00	.00	.00	.00	. OC	.00	.00	.00	00	.00	.00
13	.00	.00	.00	.00	.00	.00	.00	.00	4.6	.00	.00	.00
14	.00	.00	.00	.00	.00	.00	.00	.00	38	.00	.00	.00
15	.00	.00	.02	.00	.00	.00	.00	.00	.07	.00	.00	.00
16	.00	.00	1.2	.00	.00	.00	.00	.00	.00	.00	.00	.00
17	.00	.30	.00	.00	.00	.00	.00	.00	.68	.00	.00	.00
18	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
19	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
20	.00	.00	-00	.00	.00	.00	.00	.00	.00	.00	.00	.00
21	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
22	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
23	.00	.00	.00	2.0	.00	.00	.00	.00	.00	.00	1.3	.00
24	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.11	.00
25	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.34	.00
26	.07	.00	.00	.00	.00	.00	.76	.00	.00	.00	.00	.00
27	.07	.00	.00	.00	.00	.00	2.5	.00	.00	.00	.00	.00
28	.00	.00	.00	.00	.00	.00	1.3	.00	.00	.00	.00	.00
29	.00	.00	.00	.00		.00	.00	30	.00	.00	.00	.00
30	.00	.00	.00	.00		.00	.00	.10	.00	.00	.00	.00
31	.00		.00	.00		.00		.00		.00	00	
TOTAL	-14	.00	1.22	22.28	28.24	.00	10.66	30.10	64.05	.00	1.77	.00
MEAN	.005	.000	, .039	.72	1.01	.000	.36	.97	2.14	.000	.057	.000
MAX	.07	.00	1.2	20	26	.00	4.4	30	38	-00	1.3	.00
MIN	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00

CAL YR 1981 TOTAL 22.25 MEAN .061 MAX 15 MIN .00 WTR YR 1982 TOTAL 158.46 MEAN .43 MAX 38 MIN .00

Note. -- No gage-height record May 29 to June 6.

As the number of streams on which streamflow information is likely to be desired far exceeds the number of stream-gaging stations feasible to operate at one time, the Geological Survey collects limited streamflow data at sites other than stream gaging stations. When limited streamflow data are collected on a systematic basis over a period of years for use in hydrologic analyses, the site at which the data are collected is called a partial-record station. Data collected at these partial-record stations are usable in low-flow or floodflow analyses, depending on the type of data collected. In addition, discharge measurements are made at other sites not included in the partial record program. These measurements are generally made in times of drought or flood to give better areal coverage to those events. Those measurements and others collected for some special reason are called measurements at miscellaneous sites.

Low-flow partial-record stations

Measurements of streamflow in the area covered by this report made at low-flow partial-record stations are given in the following table. Most of these measurements were made during periods of base flow when streamflow is primarily from ground-water storage. These measurements, when correlated with the simultaneous discharge of a nearby stream where continuous records are available, give a picture of the low-flow potentiality of the stream. The column headed "Period of record" shows the water years in which measurements were made at the same, or practically the same, site. Where "Drainage area" column is blank, drainage area was not available at time of publication.

						Measurements
Station No.	Station name	Location	Drainage area (mi²)	Period of record	Date	Discharge (ft³/s)
		Streams on Long Island				
01302200	Whitney Lake Outlet at Manhasset, N.Y.	Lat 40°47'30", long 73°42'32", Nassau County, at bridge on Creek Road, at Manhasset, 0.25 mi (0.40 km) north- west of State Highway 25A.		1953-82	12- 1-81	.29
01302300	Roslyn Brook at Roslyn, N.Y.	Lat 40°47'55", long 73°38'51", Nassau County, at Roslyn, 200 ft (61 m) downstream from dam in Roslyn Park.		1953-82	12- 1-81	.29
01302800	Island Swamp Brook at Lattingtown, N.Y.	Lat 40°53'25", long 73°37'10", Nassau County, at bridge on Lattingtown Road, 0.3 mi (0.5 km) southwest of Latting- town, and 1.5 mi (2.4 km) northwest of Locust Valley.	-	1953-82	12- 1-81	.31
01303600	Mill Creek near Huntington, N.Y.	Lat 40°52'56", long 73°25'17", Suffolk County, at culvert on Creek Road, 300 ft (91 m) west on New York Ave., 1 mi (2 km) northeast of Huntington.		1953-82	12- 1-81 5- 5-82 7-20-82	3.0 1.0 2.9
01303700	Stony Hollow Run at Centerport, N.Y.	Lat 40°53'05", long 73°21'41", Suffolk County, at culvert on State Highway 25A, 0.25 mi (0.40 km) east of Centerport, and 1.5 mi (2.4 km) southwest of Northport.	2	1953-82	12- 1-81 5- 5-82 7-20-82	.44 .46 .34
01303742	Fresh Pond Outlet at Fort Salonga, N.Y.	Lat 40°55'26", long 73°17'43", Suffolk County, 200 ft (61 m) downstream from Fresh Pond outlet, 0.75 mi (1.21 km) north of Fort Salonga.		1977-82	12- 3-81 4-20-82 7-19-82	1.4 1.2 1.2
01303790	Northeast Branch Nissequogue River near East Hauppauge, N.Y.	Lat 40°50'27", long 73°10'41", Suffolk County, at culvert on State Highway 347, 1.5 mi (2.4 km) northwest of East Hauppauge, and 4.0 mi (6.4 km) upstream from gaging station near Smithtown.	+	1972-82	1-27-82 4-20-82 7-19-82 9-10-82	.38 .51 .07 .05
01303800	Northeast Branch Nissequogue River at Smithtown, N.Y.	Lat 40°51'05", long 73°11'15", Suffolk County, 300 ft (91 m) upstream from culvert on State Highway 111, 0.75 mi (1.21 km) southeast of Smithtown, and 3.0 mi (4.8 km) upstream from gaging station near Smithtown.		1948-49 1951-76 1979-82	1-27-82 4-20-82 7-19-82 9-10-82	.29 2.7 2.3 .78
01303850	Northeast Branch Nissequogue River near Hauppauge, N.Y.	Lat 40°50'43", long 73°11'50", Suffolk County, at culvert on Maple Avenue, 0.75 mi (1.21 km south of Smithtown, and 2.5 mi (4.0 km) upstream from gaging station near Smithtown.		1972-82	1-27-82 9-10-82	1.4

Discharge measurements made at low-flow partial-record stations during water year 1982--Continued

		D	rainage	Period		Measurements
Station No.	Station name		area (mi²)	of record	Date	Discharge (ft³/s)
		Streams on Long Island				
01303900	Northeast Branch Nissequogue River near Smithtown, N.Y.	Lat 40°50'45", long 73°12'29", Suffolk County, 10 ft upstream from culvert at Brooksite Drive 0.75 mi (1.21 km) southwest of Smithtown, and 2.0 mi (3.2 km) upstream from gaging station near Smithtown.		1953-82	1-27-82 4-20-82 7-19-82 9-10-82	3.0 3.6 3.9 3.5
01303941	Nissequogue River near Hauppauge, N.Y.	Lat 40°50'30", long 73°13'43", Suffolk County, 30 ft (9 m) downstream from dam at New Mill Road, 2 mi (3 km) northwest of Hauppauge, and 0.5 mi (0.8 km) upstream from gaging station near Smithtown.		1972-82	1-27-82 4-20-82 7-19-82 9-10-82	9.6 14 9.7 8.1
01304010	Nissequogue River at Smithtown, N.Y.	Lat 40°51'48", long 73°12'05", Suffolk County, at culvert on Landing Ave., at Smithtown, and 1.5 mi (2.4 km) downstream from gaging station near Smithtown.		1974-82	1-27-82 4-20-82 7-19-82	26 20 26
01304051	Stony Brook at Stony Brook, N.Y.	Lat 40°54'53", long 73°08'52", Suffolk County, 100 ft (30 m) downstream from Harbor Road, at Stony Brook.		1977-82	10- 1-81 12- 3-81 4-20-82 7-27-82 9-17-82	1.5 1.5 1.1 2.0 1.0
01304060 -	Unnamed tributary to Conscience Bay at Setauket, N.Y.	Lat 40°56'49", long 73°07'01", Suffolk County, 30 ft (9 m) downstream from pond below Old Field Road, at Setauket.		1977-82	10- 1-81 12- 3-81 4-20-82 7-27-82 9-17-82	1.3 .86 1.0 1.3
01304065	Unnamed tributary to Setauket Harbor at East Setauket, N.Y.	Lat 40°56'35", long 73°06'08", Suffolk County, at culvert on State Highway 25A, at East Setauket.		1977-82	10- 1-81 12- 3-81 4-20-82 7-27-82 9-17-82	.21 .26 .19 .17
01304070	Unnamed tributary to Port Jefferson Harbor at Port Jefferson, N.Y.	Lat 40°56'41", long 73°04'18", Suffolk County, at culvert on Barnum Ave., at Port Jefferson.		1977-82	10- 1-81 12- 3-81 4-20-82 7-27-82 9-17-82	.08 .05 .17 .14
01304100	Wading River at Wading River, N.Y.	Lat 40°57'20", long 72°51'19", Suffolk County, at pond outlet, 0.25 mi (0.40 km) west of Wadin River.		1953-62 1964-82	12- 3-81 5- 5-82 7-20-82	.23 .24 .19
01304150	Fresh Pond Outlet, at Baiting Hollow, N.Y.	Lat 40°57'43", long 72°46'17", Suffolk County, 25 ft (8 m) downstream from dirt road at outlet of Fresh Pond, 0.7 mi (1.1 km) northwest of Baiting Hollow.		1977-82	10- 1-81 12- 3-81 7-22-82 9- 9-82	1.1 .29 .50 .43
01304400	Peconic River at Manorville, N.Y.	Lat 40°52'38", long 72°49'42", Suffolk County, at bridge on Schultz Road, 1 mi (2 km) north west of Manorville, and 8.5 mi (13.7 km) upstream from gaging station at Riverhead.	- -	1953-62 1951-82	12-10-81 4-21-82 7-20-82	.59 3.0 1.8
01304510	Peconic River at Nugent Drive, at Riverhead, N.Y.	Lat 40°55'03", long 72°40'11", Suffolk County, at bridge on Nugent Drive, at Riverhead, and 1.4 mi (2.3 km) downstream from gaging station at Riverhead.	-	1976-82	12-10-81 4-21-82	28 35
01304530	Little River near Riverhead, N.Y.	Lat 40°53'52", long 72°40'30", Suffolk County, at Wildwood Lak outlet, 500 ft (152 m) east of Moriches-Riverhead Road, 1.5 mi (2.4 km) southwest of Riverhead		1952-82	12- 7-81 4-19-82 7-22-82 9- 9-82	4.9 3.3 4.1 4.2
01304560	White Brook at Riverhead, N.Y.	Lat 40°54'40", long 72°38'37", Suffolk County, at culvert on State Highway 24, 1 mi (2 km) southeast of Riverhead.	10	1953-69 1973-82	12- 7-81 4-19-82 7-22-82 9- 9-82	1.2 1.7 .88 .89

			Orainage	Period		Measurements
Station No.	Station name	Location	area (mi²)	of record	Date	Discharge (ft ³ /s)
		Streams on Long Island	,			0.00
01304600	Big Fresh Pond Outlet at North Sea, N.Y.	Lat 40°55'49", long 72°25'04", Suffolk County, at culvert on Noyack Road, at North Sea, 3.5 mi (5.6 km) northwest of Southampton.	(10)	1951-69 1971-82	10- 5-81 12-10-81 4-19-82 7-26-82 9- 9-82	.06 .16 .65 .56
01304630	Mill Creek at Noyack, N.Y.	Lat 40°59'35", long 72°21'00", Suffolk County, 50 ft (15 m) up stream from culvert on Noyack Road, 0.25 mi (0.40 km) west of Noyack.	o-	1958-82	10- 5-81 12-10-81 4-19-82 7-26-82 9- 9-82	.22 .62 .29 .62
01304660	Ligonee Brook at Sag Harbor, N.Y.	Lat 40°59'21", long 72°18'12", Suffolk County, at culvert on Brick Kiln Road, 0.75 mi (1.21 km) southwest of Sag Harbor.	, <u>44</u>	1953-69 1973-82	12-10-81 4-15-82 7-26-82 9-9-82	.01 .03 .07 .04
01304730	Poxabogue Pond at Sagaponack, N.Y.	Lat 40°55'48", long 72°17'16", Suffolk County, at culvert on Sagg St., at Sagaponack, and 1 mi (2 km) southeast of Bridgehampton.	122	1953-78 1980-82	10- 1-81 12-10-81 7-26-82	.89 .67 2.4
01304745	Weesuck Creek at East Quogue, N.Y.	Lat 40°50'52", long 72°34'42", Suffolk County, at culvert on State Highway 27A, 0.5 mi (0.8 km) northeast of East Quogue.	÷	1974-82	10- 5-81 12- 7-81 4-19-82 7-26-82 9- 9-82	1.0 .86 .40 .93
01304760	Quantuck Creek at Quogue, N.Y.	Lat 40°49'57", long 72°37'06", Suffolk County, at culvert in Old Meeting House Road, 1 mi (2 km) northwest of Quogue.	+	1953-69 1974-82	10- 5-81 12- 7-81 4-19-82 7-26-82 9- 8-82	.88 .18 1.6 1.4
01304780	Aspatuck Creek near Westhampton Beach, N.Y.	Lat 40°49'04", long 72°38'13", Suffolk County, at culvert on Brook Road, at Westhampton Beach.	A.E.	1959-82	10- 6-81 12- 7-81 4-16-82 7-26-82 9- 8-82	.17 .63 .60 1.7
01304800	Beaverdam Creek at Westhampton Beach, N.Y.	Lat 40°49'23", long 72°39'42", Suffolk County, at culvert on Old Country Road, 100 ft (30 m) northwest of State Highway 27A, and 1 mi (2 km) northwest of Westhampton.		1953-82	10- 5-81 12- 7-81 4-16-82 7-22-82 9- 8-82	.90 .90 1.4 2.1
01304820	Speonk River at Speonk, N.Y.	Lat 40°49'06", long 72°41'29", Suffolk County, at culvert on State Highway 27A, 0.75 mi (1.21 km) east of Speonk.	1,224	1974-82	10- 6-81 12- 7-81 3- 4-82 4-16-82 7-22-82 9- 8-82	.21 .08 .26 .20 .06
01304830	East River at Eastport, N.Y.	Lat 40°49'24", long 72°43'02", Suffolk County, 15 ft (5 m) up- stream from culvert on Long Island Railroad, 200 ft (60 m) south of State Highway 27A, 0.5 mi (0.8 km) east of Eastport.		1953-69 1973-82	10- 6-81 12- 7-81 3- 4-82 4-16-82 9- 8-82	.83 .91 1.5 .76
01304860	Seatuck Creek at Eastport, N.Y.	Lat 40°49'30", long 72°43'43", Suffolk County, 15 ft (5 m) downstream from culvert on State Highway 27A, at Eastport.	2-	1953-82	10- 6-81 12- 7-81 3- 4-82 4-16-82 7-22-82 9- 8-82	1.7 2.0 5.4 2.3 2.2 2.4
01304900	Little Seatuck Creek at Eastport, N.Y.	Lat 40°49'12", long 72°44'23", Suffolk County, at culvert on Moriches Blvd., 0.75 mi (1.21 km) southwest of Eastport.	**	1955-69 1974-82	10- 6-81 12- 7-81 3- 4-82 4-16-82 7-22-82 9- 8-82	3.1 1.7 2.6 2.5 .75
01304960	Forge River at Moriches, N.Y.	Lat 40°48'22", long 72°50'00", Suffolk County, at culvert on State Highway 27A, at Moriches.		1948-50 1952-82	10- 6-81 12-10-81 3- 4-82 4-16-82 7-22-82 9- 7-82	4.9 1.8 2.8 3.9 4.6 2.9

		r	raincas	Period		Measurements
			rainage	of	D-4-	Discharge
Station No.	Station name	Location	(mi²)	record	Date	(ft³/s)
		Streams on Long Island				
01304990	Carmans River at Middle Island, N.Y.	Lat 40°51'47", long 72°56'35", Suffolk County, at culvert on East Bartlett Road, 0.75 mi (1.21 km) south of Middle Island, and 3.0 mi (4.8 km) up- stream from gaging station at Yaphank.	- -	1947-82	4- 3-82 7-30-82 9-14-82	.25 1.7 .84
01304995	Carmans River near Yaphank, N.Y.	Lat 40°50'29", long 72°56'13", Suffolk County, 25 ft downstrea from Mill Road, 1.2 mi (1.9 km) northwest of Yaphank, and 1.9 m (3.1 km) upstream from gaging station at Yaphank.		1973-82	4-13-82 7-30-82 9-14-82	8.6 11 13
01304998	Carmans River, below Lower Lake, at Yaphank, N.Y.	Lat 40°50'07", long 72°55'01", Suffolk County, at culvert on Yaphank Avenue, at Yaphank, and 0.7 mi (1.1 km) upstream from gaging station at Yaphank.	. .	1973-82	4-13-82 7-30-82 9-14-82	8.1 15 13
01305040	Carmans River at South Haven, N.Y.	Lat 40°48'09", long 72°53'09", Suffolk County, 50 ft (15 m) upstream from culvert on State Highway 27, at South Haven, and 2.6 mi (4.2 km) downstream from gaging station at Yaphank.		1973-82	4-13-82 7-30-82 9-14-82	57 73 60
01305300	Mud Creek at East Patchogue, N.Y.	Lat 40°45'47", long 72°58'59", Suffolk County, at culvert on South Country Road, at East Patchogue, 2 mi (3 km) east of Patchogue.		1947-69 1971-82	3- 3-82 7-22-82 9- 7-82	3.0 2.3 3.1
01305800	Patchogue River near Patchogue, N.Y.	Lat 40°46'55", long 73°01'19", Suffolk County, at bridge on discontinued road, 300 ft (91 m west of North Ocean Ave., and 1 mi (2 km) north of State Highway 27A and gaging station at Patchogue.		1945-50 1952-82	12- 7-81 3- 3-82 6- 4-82 9- 9-82	4.3 8.8 13 8.2
01306000 <u>c</u> /	Patchogue River at Patchogue, N.Y.	Lat 40°45'56", long 73°01'16", Suffolk County, at State Highwa 27A, at Patchogue.		1946-69‡ 1970-73 1974-76‡ 1977-82	3- 3-82 6- 4-82 9- 9-82	12 16 16
01306400	Green Creek at West Sayville, N.Y.	Lat 40°43'51", long 73°05'32", Suffolk County, 30 ft (9 m) upstream from State Highway 27A at West Sayville.		1953-82	3- 3-82 9- 7-82	3.3 5.9
01306405	Lake Ronkonkoma Inlet at Lake Ronkonkoma, N.Y.	Lat 40°49'57", long 73°07'34", Suffolk County, 300 ft (91 m) southeast of Smithtown Blvd., 0.2 mi (0.3 km) west of Lake Ronkonkoma.		1948-49 1953-54 1977-79 1981-82	12- 3-82 3- 4-82 6- 4-82 9- 7-82	1.9 .95 2.0 1.3
01306470	Connetquot Brook near Oakdale, N.Y.	Lat 40°45'47", long 73°09'10", Suffolk County, 100 ft (30 m) downstream from fish hatchery, and 1.1 mi (1.8 km) upstream from gaging station 01306499.		1968 1973-82	3- 4-82	12
01306700	Rattlesnake Brook near Oakdale, N.Y.	Lat 40°44'52", long 73°08'45", Suffolk County, 50 ft (15 m) downstream from State Highway 27, 1.5 mi (2.4 km) northwest of Oakdale.		1944-69 1971-82	3- 2-82 6-24-82 9- 7-82	26 28 13
01307000 <u>e</u> /	Champlin Creek at Islip, N.Y.	Lat 40°44'13", long 73°12'08", Suffolk County, at Long Island Railroad bridge, 220 ft (67 m) downstream from Moffitt Boulevard, at Islip.		1948-69‡ 1970-82	1- 7-82 3- 3-82 6- 4-82 9-10-82	5.6 3.7 4.2 4.0

 $^{\ \ ^{\}ddagger}$ Operated as a continuous-record gaging station. $\underline{c}/$ Water-quality data included in this report.

DISCHARGE AT PARTIAL-RECORD STATIONS AND MISCELLANEOUS SITES

						Measurements
Station No.	Station name	Location	rainage area (mi²)	Period of record	Date	Discharge (ft³/s)
		Streams on Long Island				
01307100	Champlin Creek at Montauk Highway, at Islip, N.Y.	Lat 40°43'50", long 73°12'12", Suffolk County, at Montauk Highway, at Islip, and 0.45 mi (0.72 km) downstream from gagin station at Islip.	 ·g	1963 1967 1973 1975-82	3- 2-82 6- 4-82	3.7 7.2
01307300	Pardees Ponds Outlet at Islip, N.Y.	Lat 40°43'40", long 73°13'16", Suffolk County, at culvert on State Highway 27A, at Islip.	++	1948-72 1974-82	3- 1-82	4.5
01307400	Awixa Creek at Islip, N.Y.	Lat 40°43'39", long 73°13'51", Suffolk County, at culvert on State Highway 27A, 0.75 mi (1.21 km) west of Islip.		1948-82	3- 1-82 6- 3-82	.70 1.4
01307500 <u>c</u> /	Penataquit Creek at Bay Shore, N.Y.	Lat 40°43'37", long 73°14'41", Suffolk County, at Union Avenue at Bayshore.	,	1945-76‡ 1977-82	1- 7-82 3- 3-82 6- 4-82 9-10-82	9.0 3.0 8.8 6.8
01307600	Cascade Lakes Outlet at Brightwaters, N.Y.	Lat 40°42'40", long 73°15'38", Suffolk County, at culvert on Montauk Highway, at Brightwaters.		1958-82	3- 1-82	1.9
01307920	Sampawams Creek near Deer Park, N.Y.	Lat 40°44'27", long 73°18'24", Suffolk County, 30 ft (9 m) downstream from Bay Shore Road, and 2.5 mi (4.0 km) upstream from gaging station at Babylon.		1965-66 1973-82	3- 2-82 6- 3-82	1.0
01307950	Sampawams Creek near North Babylon, N.Y.	Lat 40°43'37", long 73°18'46", Suffolk County, 120 ft (37 m) downstream from Hunter Avenue, and 1.6 mi (2.6 km) upstream from gaging station at Babylon.	-	1967 1971-82	3- 2-82 6- 3-82	2.9
01308200	Sampawams Creek below Hawleys Lake, at Babylon, N.Y.	Lat 40°41'48", long 73°19'04", Suffolk County at pond out- let, 200 ft (61 m) upstream from State Highway 27A, at Babylon, and 0.5 mi (0.8 km) downstream from gaging station at Babylon.		1953-67 1969-82	3- 2-82 6- 3-82	8.1 8.6
01308600	Carlls River at Park Avenue, Babylon, N.Y.	Lat 40°42'06", long 73°19'43", Suffolk County, at culvert on Park Avenue, at Babylon, and 0.5 mi (0.8 km) downstream from gaging station at Babylon.	<u></u>	1968-82	3- 1-82 6- 3-82	29 44
01309000 <u>c</u> /	Santapogue Creek at Lindenhurst, N.Y.	Lat 40°41'30", long 73°21'20", Suffolk County, at culvert on East Hoffman Avenue, 1 mi (2 km east of Long Island Railroad station at Lindenhurst.		1947-69‡ 1970-82	1- 7-82 3- 3-82 6- 3-82 9-10-82	4.8 .78 2.3 .49
01309100	Santapogue Creek at State Highway 27A, Lindenhurst, N.Y.	Lat 40°41'02", long 73°21'06", Suffolk County, at culvert on State Highway 27A, 0.5 mi (0.8 km) downstream from gaging station at Lindenhurst.		1953-69 1971-82	3- 1-82 6- 3-82	3.9 8.6

 $[\]mbox{\footnotemark}$ Operated as a continuous-record gaging station. $\mbox{\colorebo$

Discharge measurements made at low-flow partial-record stations during water year 1981--Continued

				Dontod		Measurements
Station No.	Station name	Location	rainage area (mi²)	Period of record	Date	Discharge (ft³/s)
		Streams on Long Island				
01309200	Neguntatogue Creek at Lindenhurst, N.Y.	Lat 40°40'47", long 73°21'40", Suffolk County, 20 ft (6 m) up- stream from State Highway 27A, in Lindenhurst.	-	1948-50 1952-82	3- 1-82 6- 3-82	3.2 4.6
01309250	Strongs Creek at Lindenhurst, N.Y.	Lat 40°40'22", long 73°22'40", Suffolk County, 30 ft (9 m) up- stream from State Highway 27A, at Lindenhurst.		1953-69 1971-82	3- 1-82 6- 3-82	1.3 .96
01309350	Amityville Creek at Amityville, N.Y.	Lat 40°40'13", long 73°24'51", Suffolk County, 100 ft (30 m) upstream from State Highway 27A at Amityville.		1953-82	3- 1-82 6- 3-82	3.2 3.3
01309400	Carman Creek at Amityville, N.Y.	Lat 40°40'09", long 73°26"02", Nassau County, at bridge on State Highway 27A, 0.75 mi (1.21 km) west of Amityville.		1949 1953-69 1971-82	12-17-81 3- 3-82	4.8
01309454	Massapequa Creek at South Farmingdale, N.Y.	Lat 40°42'55", long 73°27'00", Nassau County, 75 ft (23 m) up- stream from Tomes Avenue, 0.2 m (0.3 km) south of South Farming dale, and 1.9 mi (3.1 km) upstream from gaging station at Massapequa.	i	1962-65 1973-78 1980-82	12-14-81 3- 2-82	0.11
01309476	Massapequa Creek at Southern State Parkway, at South Farmingdale, N.Y.	Lat 40°42'21", long 73°27'05", Nassau County, 30 ft (9 m) up- stream from culvert at Southern State Parkway, 0.8 mi (1.3 km) south of South Farmingdale, and 1.2 mi (1.9 km) upstream from gaging station at Massapequa.		1962-65 1973-82	12-14-81 3- 2-82	.56 2.2
01309490	Massapequa Creek at North Massapequa, N.Y.	Lat 40°41'55", long 73°27'08", Nassau County, opposite Frankli Street, at North Massapequa, an 0.55 mi (0.88 km) upstream from gaging station at Massapequa.	d	1962 1964 1973-82	12-14-81 3- 2-82	1.6 4.1
01309700	Seaford Creek at Seaford, N.Y.	Lat 40°40'00", long 73°28'57", Nassau County, at bridge on State Highway 27A, in Seaford.		1953-82	12-17-81 3- 3-82 9-14-82	1.6 1.1 .10
01309970	Bellmore Creek tributary near North Wantagh, N.Y.	Lat 40°41'52", long 73°30'33", Nassau County, at culvert on Duck Pond Drive North, 0.3 mi (0.5 km) north of North Wantagh and 1.2 mi (1.9 km) upstream from gaging station 01309990.		1973-82	12- 1-81 9- 8-82	0
01309980	Bellmore Creek tributary at North Wantagh, N.Y.	Lat 40°41'20", long 73°30'37", Nassau County, at culvert on Beltagh Avenue, at North Wantagh, and 0.6 mi (1.0 km) upstream from gaging station 01309990.	-#-	1973-82	12- 1-81 1-26-82 9- 8-82	0 0 0
01310100	Newbridge Creek at Merrick, N.Y.	Lat 40°39'42", long 73°32'02", Nassau County, downstream from bridge on Merrick Road in Merrick.	-	1963-82	12-17-81 3- 3-82 9-14-82	0 0 0

DISCHARGE AT PARTIAL-RECORD STATIONS AND MISCELLANEOUS SITES

		D	rainage	Period		Measurements
Station No.	Station name	Location	area (mi²)	of record	Date	Discharge (ft ³ /s)
		Streams on Long Island				
01310200	Cedar Swamp Creek at Merrick, N.Y.	Lat 40°39'39", long 73°32'24", Nassau County, at bridge on State Highway 27A, in Merrick, 2.5 mi (4.0 km) east of Freeport.	70	1953-62 1965-82	12-17-81 3- 3-82 9-14-82	5.2 4.6 1.8
01310470	East Meadow Brook near Westbury, NY.	Lat 40°44'01", long 73°35'06", Nassau County, 50 ft (15 m) downstream from culvert on Meadowbrook State Parkway, 1.0 mi (1.6 km) south of Westbury, and 4.8 mi (7.7 km) upstream from gage at Freeport.	24	1973-82	12-14-81 4-20-82	.37 .40
01310475	East Meadow Brook at Uniondale, N.Y.	Lat 40°43'17", long 73°35'00", Nassau County, at bridge on Hempstead Turnpike, 0.9 mi (1.4 km) northeast of Uniondale and 3.9 mi (6.3 km) upstream from gage at Freeport.	; ; ;	1973-82	12-14-81 4-20-82	0.39
01310488	East Meadow Brook at East Meadow, N.Y.	Lat 40°41'56", long 73°34'37", Nassau County, 300 ft (91 m) west of Luddington Road, 1.4 mi (2.3 km) southwest of East Meadow, and 2.3 mi (3.7 km) up- stream from gage at Freeport.		1973-82	12-14-81 4-20-82	0 3.7
01310600	Milburn Creek at Baldwin, N.Y.	Lat 40°39'04", long 73°36'13", Nassau County, 50 ft (15 m) downstream from bridge on State Highway 27A, 0.5 mi (0.8 km) east of Baldwin.		1953-82	12-17-81 3- 2-82 9-14-82	6.2 6.0 4.1
01310800	South Pond Outlet at Rockville Centre, N.Y.	Lat 40°40'00", long 73°39'08", Nassau County, at bridge on Lakeview Ave., 0.75 mi (1.21 km north of Rockville Centre.		1953-82	12- 1-81 3- 4-82 5- 3-82 9- 8-82	0 0 0 0
01311200	Motts Creek at Valley Stream, N.Y.	Lat 40°39'01", long 73°42'45", Nassau County, 50 ft (15 m) downstream from bridge on Rose- dale Road, 1 mile (2 km) south- west of Valley Stream.		1954-82	12- 1-81 3- 4-82 5- 3-82 9- 8-82	0 0 0
01311700	Valley Stream, below West Branch, at Valley Stream, N.Y.	Lat 40°39'47", long 73°42'21", Nassau County, 200 ft (61 m) downstream from West Branch, 50 ft (152 m) downstream from bridge on West Valley Stream Blvd., at village park in Valle Stream, and 500 ft (152 m) downstream from gaging station.		1953-82	12- 1-81 3- 4-82 5- 3-82 9- 8-82	0 0 0 0

LONG ISLAND

AT BAY PARK, NY

LOCATION.--Lat 40°38'02", long 73°39'55", Nassau County, at Bay Park Sewage Treatment Plant, Bay Park.

PERIOD OF RECORD. -- October 1978 to current year (monthly composite).

EQUIPMENT.--The sample collector is a straight-sided polyethelene funnel, approximately 6.0 in (0.15 m) in diameter, which drains into a 2-liter Teflon* receiving bottle. The receiving bottle is enclosed in an insulated box which is heated during the cold weather season to aid in full collection of snow. The opening for the collector is approximately 7 ft (2 m) above ground level.

REMARKS.--Inches of precipitation is that recorded by the U.S. Geological Survey for the period of sampling.

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SPE-

PERIOD OF COLLECTION	INCHES OF PRECIPI- TATION	CIFIC CON- DUCTANCE (MICRO- (MHOS)	PH (UNITS)	CAL- CIUM (CA) (MG/L)	MAGNE- SIUM (MG) (MG/L)	SODIUM (NA) (MG/L)
81/10/01 TO 81/10/29 81/10/29 TO 81/12/01 81/12/01 TO 82/01/06 82/01/06 TO 82/02/01 82/02/01 TO 82/03/03	4.02 1.92 4.28 1.98 2.30	25 33 28 95 36	5.09 4.57 4.55 4.30 3.94	.72 .42 .56 	.23 .06 .26 	.95 .75 .62
82/03/03 TO 82/04/01 82/04/01 TO 82/05/03 82/05/03 TO 82/06/02 82/06/02 TO 82/06/17 82/06/17 TO 82/07/01	2.47 4.72 4.57 4.33	48 31 28 21 56	4.30 5.11 4.69 4.56 4.29	1.10 .98 1.10 .60 2.10	.31 .37 .25 .21	1.10 1.60 .54 .53 .80
82/07/01 TO 82/08/02 82/08/02 TO 82/09/01 82/09/01 TO 82/10/01 82/10/01 TO 82/11/01	2.16 2.30 1.27 1.25	56 68 69 57	4.50 4.00 4.50 4.78	2.20 1.20 2.60 2.20	.54 .41 .75 .66	1.20 1.10 2.10 2.10
PERIOD OF COLLECTION	POTAS- SIUM (K) (MG/L)	SULFATE (SO4) (MG/L)	CHLO- RIDE (CL) (MG/L)	NIT- RITE+ NIT- RATE AS N (MG/L)	AMMONIA AS N (MG/L)	PHOS- PHORUS (P) (MG/L)
81/10/01 TO 81/10/29 81/10/29 TO 81/12/01 81/12/01 TO 82/01/06 82/01/06 TO 82/02/01 82/02/01 TO 82/03/03	.55 .09 .04 	4.10 4.20 3.40 7.60 3.00	1.70 1.30 1.30 12.00 1.80	.45 .81 .43 1.40	.75 .99 .53 1.90	.02 .01 .01 .15
82/03/03 TO 82/04/01 82/04/01 TO 82/05/03 82/05/03 TO 82/06/02 82/06/02 TO 82/06/17 82/06/17 TO 82/07/01	.06 .10 .06 .03	6.00 3.65 3.98 2.06 9.25	1.60 2.57 .82 .99 1.31	.83 .48 .52 .27	.89 .72 .53 .20 1.30	<.01 <.06 <.06 <.06 <.06 <.06
82/07/01 TO 82/08/02 82/08/02 TO 82/09/01 82/09/01 TO 82/10/01 82/10/01 TO 82/11/01	.14 .08 .07 .10	9.66 9.00 12.40 9.46	1.69 1.67 3.21 3.88	.84 1.00 1.32 1.17	1.30 1.10 2.10 2.10	<.06 <.06 <.06 <.06

 $[\]star$ The use of the brand name in this report is for identification purposes only and does not imply endorsement by the U.S. Geological Survey.

TONG ISTYND

AT EAST MEADOW, NY

LOCATION.--Lat 40°44'36", long 73°35'10", Nassau County, at the New York State Department of Environmental Conservation Air Quality Station on roof of trailer at Merrick Avenue, Eisenhower Park, East Meadow.

PERIOD OF RECORD. -- Water years: August 1976 to current year (monthly composite).

EQUIPMENT.--The sample collector is a straight-sided polyethelene funnel, approximately 6.0 in (0.15 m) in diameter, which drains into a 2-liter Teflon* receiving bottle. The receiving bottle is enclosed in an insulated box which is heated during the cold weather season to aid in full collection of snow. The opening for the collector is approximately 12 ft (4 m) above ground level.

REMARKS. -- Inches of precipitation is that recorded by the U.S. Geological Survey for the period of sampling.

SPE-

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

90.> 60.> 60.>	06.1 00.2 09.1	69°1 17°1 69°1	87° 67°7 87°7	46.8 02.01 98.8	11. 22. 11.20	20/80/28 OT 10/70/28 10/60/28 OT 20/80/28 10/01/28 OT 10/60/28 10/11/28 OT 10/01/28
10. 30.> 30.> 30.>	27. 22. 78. 21.	00.1 22. 45.	2.50 72.5 88. 88.	6.50 2.52 2.96 2.06 2.48	81. 01. 60. 01.	10/40/28 OT 10/80/28 05/40/30 OT 10/40/28 20/40/28 OT 08/40/28 71/60/28 OT 20/40/28 71/60/28 OT 71/60/28
10. 10. 20. 10.	26. 26. 46. 82.	22. 96. 16. 00.1 22.	1.70 1.30 2.40 15.00 3.00	3.60 04.2 04.2 01.2	61. 51. 70. 22.	92/01/18 OT 10/01/18 10/21/18 OT 92/01/18 60/10/28 OT 10/21/18 10/20/28 OT 00/10/28 10/20/28 OT 10/20/28
(WG\F) BHORNS BHOS-	ASA AS N (MG/L)	NIT- RATE ASTE ASTE ASTE ASTE AGVL)	(WG\F) (CF) KIDE CHTO-	SULPATE (MG/L)	(WC\L) (K) SIUM POTAS-	COLLECTION OF PERIOD
.23 .35 1.30 1.50	63. 02.1 98.	1.30 1.30 2.80 1.80	69.5 77.4 09.4	05 25 18 07	07°1 97°8 97°8	20/80/28 OT 10/70/28 10/01/28 OT 20/80/28 10/01/28 OT 10/01/28 10/11/01 OT 10/01/28
09.1 02.1 25. 28.	87. 62. 74.	06.1 86. 82. 04.2	96.8 97.4 04.8 89.8	36 81 87 07	28.2 28.5 26.6 4.60 59.67	10/20/28 OT 10/20/28 20/40/28 OT 10/40/28 20/40/28 OT 20/40/28 71/40/28 OT 20/40/28 71/40/28 OT 71/40/28
16. 73. 06.1 00.01	28. 11. 04. 08.1	.83 .56 .55 .50 .50	57°S 12°S 12°S 16°T	67 98 27 25 77	27.7 57.1 57.1 18.2	91/10/18 OT 10/01/18 10/21/18 OT 92/01/18 10/20/28 OT 10/21/18 10/20/20 OT 10/21/18 10/20/20 OT 10/20/28
(WC\r) (NY) RODINW	(WG\F) SINW WYCNE-	CAL- CEA) CAL- CAL-	H¶ (STINU)	CIFIC CON-	INCHES	COFFECTION OF PERIOD

^{*} The use of the brand name in this report is for identification purposes only and does not imply endorsement by the U.S. Geological Survey.

CHEMICAL QUALITY OF PRECIPITATION

LONG ISLAND

AT UPTON, NY

LOCATION.--Lat $40^{\circ}52'16"$, long $72^{\circ}53'20"$, Suffolk County, at the Brookhaven National Laboratory weather tower, about 0.6 mi (1.0 km) north of main entrance, at Upton.

PERIOD OF RECORD. -- Water years: 1965 to 1973, 1975 to current year (monthly composite).

EQUIPMENT.--The sample collector is a straight-sided glass funnel, approximately 6.5 in (0.17 m) in diameter, which drains into a polyethylene receiving bottle. A fritted glass disk is used as a filter between the collector and the receiving bottle and is replaced at the end of each collection period. The receiving bottle is enclosed in an insulated box which is heated during the cold weather season to aid in full collection of snow. The opening for the collector is approximately 4 ft (1.2 m) above ground level and is protected by a windshield.

REMARKS.--Inches of precipitation is that recorded by Brookhaven National Laboratory for the period of sampling.

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SPE-

PERIOD OF COLLECTION	INCHES OF PRECIPI- TATION	CIFIC CON- DUCTANCE (MICRO- (MHOS)	PH (UNITS)	CAL- CIUM (CA) (MG/L)	MAGNE- SIUM (MG) (MG/L)	SODIUM (NA) (MG/L)
81/10/02 TO 81/10/30 81/10/30 TO 81/11/30 81/11/30 TO 82/01/05 82/01/05 TO 82/02/02 82/02/02 TO 82/03/02	3.89 3.16 9.17 4.76 1.76	18 29 81 32 31	4.56 4.33 5.19 5.93 5.70	.11 .13 .21 .32	.02 .01 .36 .36	.79 .86 1.40 2.70 2.40
82/03/02 TO 82/03/31 82/03/31 TO 82/04/30 82/04/30 TO 82/06/03 82/06/03 TO 82/06/17 82/06/17 TO 82/07/01	3.34 5.44 3.53 9.79 .54	41 24 26 15 45	4.23 4.65 4.35 4.58 6.74	.41 .27 .21 .07	.09 .18 .07 .05	1.00 1.30 .30 .45
82/07/01 TO 82/08/04 82/08/04 TO 82/09/01 82/09/01 TO 82/09/30	1.77 3.99 .86	69 20 57	4.88 5.25 4.13	.51 .27 .35	.40 .17 .07	.47 .63 .13
PERIOD OF COLLECTION	POTAS- SIUM (K) (MG/L)	SULFATE (SO4) (MG/L)	CHLO- RIDE (CL) (MG/L)	NIT- RITE+ NIT- RATE AS N (MG/L)	AMMONIA AS N (MG/L)	PHOS- PHORUS (P) (MG/L)
81/10/02 TO 81/10/30	.09	1.50	1.20	.24	.08	.01
81/10/30 TO 81/11/30 81/11/30 TO 82/01/05 82/01/05 TO 82/02/02 82/02/02 TO 82/03/02	.15 .13 .96 .60	2.40 23.00 2.40 1.70	1.20 3.30 4.30 3.80	.42 .51 .35 .41	.20 .10 .55 .42	.01 <.01 .01 .05
81/11/30 TO 82/01/05 82/01/05 TO 82/02/02	.13	2.40 23.00 2.40	1.20 3.30 4.30	.42 .51 .35	.20 .10 .55	<.01 <.01 .01
81/11/30 TO 82/01/05 82/01/05 TO 82/02/02 82/02/02 TO 82/03/02 82/03/02 TO 82/03/31 82/03/31 TO 82/04/30 82/04/30 TO 82/06/03 82/06/03 TO 82/06/17	.13 .96 .60 .14 .10 .12	2.40 23.00 2.40 1.70 5.00 2.44 2.25 .99	1.20 3.30 4.30 3.80 1.40 2.29 .67	.42 .51 .35 .41 .53 .35 .28	.20 .10 .55 .42 .35 .12 .28	.01 <.01 .01 .05 <.01 <.06 <.06 <.06

404147073571401. Local number, K 30.2.

LOCATION. --Lat 40° 41′47", long 73° 57′14". Hydrologic Unit O2O3O2O1, at Sanford Street near Park Avenue, Williamsburg. Owner: Williamsburg Industrial Development Enterprises, Inc. AQUIFER. --Upper Glacial (water table).

WELL CHARACTERISTICS. -- Driven observation well, diameter 1.25 in (0.03 m), depth 18 ft (6 m), screened 13 to 18 ft (4 to 5 m).

DATUM. --Land-surface datum is 21.0 ft (6.4 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.44 ft (0.13 m) below land-surface datum.

REMARKS. -- Replaced well K-30.1 in September 1978 at same location.

PERIOD OF RECORD. --June 1935 to current year.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 7.38 ft (2.25 m) NGVD, Sept. 23, 1980; lowest measured, -29.75 ft (-9.07 m) NGVD, Nov. 8, 1941.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 29	4.74	JUN 1	4.66								

403852073582301. Local number, K 508.1

LOCATION. --Lat 40°38'52", long 73°58'23", Hydrologic Unit 02030201, at 807 Caton Avenue, Kensington, Brooklyn.

Owner: Atlantic Service Corporation. AQUIFER. -- Upper Glacial (water table).

WELL CHARACTERISTICS .-- Drilled unused well, 24 in (0.61 m), depth 116 ft (35 m), screened 72.5 to 116 ft (22 to 35 m).

DATUM. --Land-surface datum is 50.5 ft (15 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of steel plate, 0.04 ft (0.01 m) above land-surface datum.

PERIOD OF RECORD. -- August 1944 to current year. Unpublished records for August 1944 to September 1978 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured 13.55 ft (4.13 m) NGVD, Dec. 16, 1975; lowest measured, -26.32 ft (-8.02 m) NGVD, Aug. 21, 1944.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 29	8. 55	APR 2	9 14	JUN 30	9 49						

403639073590301. Local number, K 631.1

LOCATION. --Lat 40°36'39", long 73°59'03", Hydrologic Unit 02030202, at 6817 Bay Parkway, New Utrecht, Brooklyn. Owner: Marboro Theater.

AGUIFER. -- Upper Glacial (water table).

WELL CHARACTERISTICS. -- Drilled unused well, 10 in (0.25 m), depth 97 ft (30 m), screened 72 to 97 ft (22 to 30 m).

DATUM. --Land-surface datum is 31 ft (9.4 m) National Geodetic Vertical Datum of 1929. Measuring point: Hole drilled in cap 0.08 ft (0.02 m) above land-surface datum.

PERIOD OF RECORD. -- December 1949 to current year. Unpublished records for December 1949 to September 1978 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured 5.67 ft (1.73 m) NGVD, June 30, 1982; lowest measured, 3.01 ft (0.92 m) NGVD, Dec. 13, 1949.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 29	4. 98	APR 2	4. 48	JUN 30	5. 67						

403939073542901. Local number, K 1265.1

LOCATION. --Lat 40°39'39", long 73°54'29", Hydrologic Unit 02030202, at Thatford and Riverdale Avenues, East New York, Brooklyn. Owner: City of New York.

AQUIFER. -- Upper Glacial (water table).

WELL CHARACTERISTICS.—Driven well, 1.5 in (0.04 m), depth 43.2 ft (13 m), screen assumed at bottom.

DATUM.—Land—surface datum is 23 ft (7.0 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.10 ft (0.03 m) above land-surface datum.

PERIOD OF RECORD. --April 1933 to current year. Unpublished records for 1933-35, 1941-78 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 16.99 ft (5.18 m) NGVD, Sept. 23, 1980; lowest measured, -11.55 ft (-3.52 m) NGVD, Aug. 22, 1942.

	WATER		WATER		WATER		WATER		WATER	WATER	
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 29	8. 69	APR 1	8. 25	JUN 30	8. 39						

NASSAU COUNTY

404048073412602. Local number, N 9.1 LOCATION.—Lat 40°40'48", long 73°41'26", Hydrologic Unit 02030202, at Corona Avenue and Remsen Street, Valley Stream. Owner: Long Island State Park Commission.

AGUIFER. -- Magothy (confined).

WELL CHARACTERISTICS .- Drilled unused well, diameter 8 in (0.15 m) to 4 in (0.10 m), depth 138 ft (42 m), screen assumed at bottom.

DATUM. --Land-surface datum is 23.2 ft (7.07 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of

DATUM. --Land-surface datum is 23.2 ft (7.07 m) restables vectors.

casing, 1.48 ft (0.45 m) above land-surface datum.

PERIOD OF RECORD. --July 1936 to current year.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 23.57 ft (7.18 m) NGVD, Sept. 23, 1938; lowest measured, 6.94 ft (2.11 m) NGVD, Sept. 21, 1982.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 23	7. 52	MAR 15	8.04	JUN 15	7. 57	SEP 21	6. 94				

403929073382901.

403929073382901. Local number, N 53.1 LOCATION.—Lat 40°39'29", long 73°38'29", Hydrologic Unit 02030202, at Maple and Morris Avenues, Rockville Centre. Owner: Village of Rockville Centre. AQUIFER. -- Upper Glacial (water table).

WELL CHARACTERISTICS. --Drilled observation well, diameter 8 in (0.20 m), depth 51 ft (14 m), screen assumed at bottom.


DATUM. --Land-surface datum is 26.2 ft (8.0 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 5.13 ft (1.56 m) below land-surface datum.

PERIOD OF RECORD. —August 1934 to current year. Unpublished records for August 1934 to September 1975 are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. —Highest water level measured, 16.49 ft (5.03 m) NGVD, Apr. 15, 1939; lowest measured, 7.85 ft (2.39 m) NGVD, Aug. 30, 1966.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 21	9. 34	DEC 21	9. 79	FEB 19	10. 92	APR 22	11. 17	JUN 22	12.02	AUG 23	10. 92
NOV 20	9 58	.JAN 25	10 58	MAR 23	10 90	MAY 20	11 22	.111 21	11 50	SEP 21	10.46



TIME. IN WATER YEARS

NASSAU COUNTY--Continued

404931073382101. Local number, N 110.1

LOCATION. --Lat 40°49'31", long 73°38'21", Hydrologic Unit 02030201, at Scudders Lane and Motts Cove Road, Glenwood Landing. Owner: Jericho Water District.

AQUIFER. -- Lloyd (confined).

WELL CHARACTERISTICS. --Drilled observation well, diameter 16 in (0.41 m), reported depth 519 ft (158 m), measured depth 324 ft (98.8 m), screened 445 to 515 ft (136 to 157 m).


DATUM. --Land-surface datum is 56.1 ft (17.1 m) National Geodetic Vertical Datum of 1929. 4 in (0.10 m) nipple, 0.50 ft (0.15 m) above land-surface datum.

PERIOD OF RECORD. -- January 1946 to current year. Unpublished records for 1946-48, 1952, 1955, 1961, 1965, 1970-75, are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 27.99 ft (8.53 m) NGVD, Dec. 15, 1970; lowest measured, -9.05 ft (-2.76 m) NGVD, May 22, 1957.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

WATER		WATER	WATER			WATER		WATER		WATER	
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
OCT 22	16.66	JAN 23	18. 99	MAR 23	18. 11	MAY 23	16. 45	JUL 22	12. 71	SEP 21	13. 72
DEC 22	18.05	FFB 23	18.86	APR 22	17.89	JUN 24	16.77	AUG 25	13. 93		



TIME, IN WATER YEARS

404030073293702. Local number, N 180.2 LOCATION.—-Lat 40°40′30", long 73°29′37", Hydrologic Unit 02030202, at Sunrise Highway and Seamans Neck Road, Seaford. Owner: Nassau County Department of Public Works.

AQUIFER. -- Magothy (confined)

WELL CHARACTERISTICS. --Drilled unused well, diameter 4 in (O.10 m) to 6 in (O.15 m), depth 723 ft (220 m), screen assumed at bottom.

DATUM.—Land-surface datum is 15.3 ft (4.7 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 14.39 ft (4.38 m) above land-surface datum.

PERIOD OF RECORD. -- October 1945 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 21.08 ft (6.43 m) NGVD, June 6, 1952; lowest measured, 12.11 ft (3.69 m) NGVD, June 28, 1976.

DATE	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 22	15. 31	MAR 15	17.12	JUN 14	17.40	SEP 21	14.77				

NASSAU COUNTY--Continued

404609073421602. Local number, N 1102.2.

LOCATION. --Lat 40° 46'09", long 73°42'16", Hydrologic Unit 02030201, at Long Island Expressway and Community Drive, Lake Success. Owner: Nassau County Department of Public Works.

AQUIFER. -- Upper Glacial (water table).

WELL CHARACTERISTICS .-- Drilled observation well, diameter 4 in (0.10 m), depth 166 ft (51 m), screened 161 to 166 ft (49 to 51 m).

DATUM.—Land-surface datum is 184.0 ft (56 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.32 ft (0.10 m) below land-surface datum.

REMARKS. -- Replaced well N 1102, 1 in March 1963 at same location.

PERIOD OF RECORD. --April 1939 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 59.12 ft (18.02 m) NGVD, May 25, 1953; lowest measured, 29.08 ft (8.86 m) NGVD, Oct. 1, 1969.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE LEVEL	WATER		WATER		WATER WATER					WATER	
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 28	32.19	JAN 8	32 16 G	MAR 16	32 67	JUL 8	31 86 G	SEP 1	30. 98 6	SEP 23	29. 29

G MEASUREMENT BY ANOTHER AGENCY

40404039073420101. Local number, N 1110.1 LOCATION.—Lat 40°40'40", long 73°42'01", Hydrologic Unit 02030202, at Henry Street, near Southern State Parkway, North Valley Stream. Owner: Nassau County Department of Public Works. AGUIFER.—-Upper Glacial (water table).

WELL CHARACTERISTICS. --Driven observation well, diameter 1.25 in (0.03 m), depth 27 ft (8 m), screen assumed at bottom.

DATUM .--Land-surface datum is 30.9 ft (9.4 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.05 ft (0.02 m) below land-surface datum.

REMARKS.—Water-quality records for 1966 and 1968 are available in files of Long Island Sub-district office. PERIOD OF RECORD.——April 1939 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 21.05 ft (6.42 m) NGVD, Apr. 21, 1939; lowest measured, 5.78 ft (1.76 m) NGVD, Sept. 15, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
DEC 23 JAN 8	6. 17 6. 80 G	MAR 15	7. 72 G	MAR 16	8.08 G	JUN 14	8. 07	SEP 1	8. 02 G	SEP 21	7. 16

G MEASUREMENT BY ANOTHER AGENCY

NASSAU COUNTY--Continued

404125073394802. Local number, N 1129.2.

LOCATION --Lat 40°41'25", long 73°39'48", Hydrologic Unit 02030202, at Hawthorne Street and Euclid Avenue, West Hempstead. Owner: Nassau County Department of Public Works.

AQUIFER. -- Upper Glacial (water table).

WELL CHARACTERISTICS. -- Driven observation well, diameter 1.25 in (0.03 m), depth 44 ft (13 m), screened 41 to 44 ft (12 to 13 m).

DATUM. --Land-surface datum is 50.8 ft (15.5 m) National Geodetic Vertical Datum of 1929. Measuring point: Top

of casing, 0.26 ft (0.08 m) below land-surface datum.


REMARKS.—Water-quality records for 1966, 1968, 1975-1979 are available in files of Long Island Sub-district office. Replaced well N 1129.1 in October 1966 at same location.

PERIOD OF RECORD. --August 1937 to current year. Unpublished records for August 1937 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 33.79 ft (10.30 m) NGVD, Sept. 28, 1938; lowest

measured, 21.85 ft (6.66 m) NGVD, Sept. 20, 1966.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER
DCT 27 DEC 8 JAN 25	22. 06 22. 22 G 22. 42	FEB 24 MAR 17 22	22. 69 22. 91 G 22. 74	APR 22 MAY 18	22. 94 23. 14	JUN 23 28	24. 14 24. 21 G	JUL 21 AUG 19	23. 63 23. 74	AUG 31 SEP 20	23. 92 G 23. 04



TIME, IN WATER YEARS

NASSAU COUNTY--Continued

405026073272002. Local number, N 1243.5. LOCATION. --Lat 40°50′26", long 73°27′20", Hydrologic Unit 02030201, at Stillwell and Harbor Roads, Cold Spring. Owner: Nassau County Department of Public Works.

AQUIFER. -- Upper Glacial (water table).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 1.25 in (0.03 m), depth 28 ft (9 m), screened 25 to 28 ft (7.6 to 8.5 m).

28 ft (7.6 to 8.5 m).

DATUM.—Land-surface datum is 63.1 ft (19.2 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.10 ft (0.03 m) below land-surface datum.


REMARKS.—Water-quality records for 1960 are available in files of Long Island Sub-district office. Replaced well N 1243. 4 in September 1975 at same location.

PERIOD OF RECORD.—November 1939 to current year. Unpublished records for November 1939 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.—Highest water level measured, 61.95 ft (18.88 m) NGVD, Apr. 29, 1975; lowest measured, 49.03 et (14.44 m) NGVD. For 24, 1947

measured, 48.03 ft (14.64 m) NGVD, Feb. 24, 1967.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27	55. 93 56. 08	DEC 21	55.88 55.82	FEB 24	55. 20 55. 68	APR 22	55. 08 54. 77	JUN 23	55. 15 54. 58	AUG 19 SEP 20	54. 15 53. 89



TIME, IN WATER YEARS

404703073264201. Local number, N 1246.1

LOCATION. --Lat 40°47'03", long 73°26'42", Hydrologic Unit 02030202, at Round Swamp and Old Country Roads, Plainview. Owner: Nassau County Department of Public Works.

AQUIFER. -- Magothy (water table).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 4 in (0.10 m), depth 124 ft (38 m), screen assumed at hottom

DATUM. --Land-surface datum is 184.9 ft (56.4 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.08 ft (0.02 m) above land-surface datum.

REMARKS. --Water-quality records for 1971 are available in files of Long Island Sub-district office.


PERIOD OF RECORD. --May 1940 to current year.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 85.81 ft (26.15 m) NGVD, Sept. 12, 1979; lowest

measured, 68.29 ft (20.81 m) NGVD, Apr. 25, 1967.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 22	79. 20	MAR 19	78. 20 G								



G MEASUREMENT BY ANOTHER AGENCY

404339073371402. Local number, N 1255.2.

LOCATION. --Lat 40°43'39", long 73°37'14", Hydrologic Unit 02030202, at Clinton Road and Saint James Street, Garden

City. Owner: Nassau County Department of Public Works.

AGUIFER.—Upper Glacial (water table).

WELL CHARACTERISTICS.—Drilled observation well, diameter 1.25 in (0.03 m), depth 35 ft (11 m), screen assumed at bottom.

DATUM. --Land-surface datum is 79.3 ft (24.1 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, O.61 ft (O.19 m) below land-surface datum. Prior to September 1, 1977, measuring point was 0.04 ft (O. O1 m) above land-surface datum.

PERIOD OF RECORD. — May 1913 to current year. Unpublished records for May 1913 to November 1918, June 1936 to September 1975, are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured 65.59 ft (19.99 m) NGVD, Apr. 15, 1939; lowest measured 47.48 ft (14.47 m) NGVD, Feb. 24, 1967.

	WATER	DATE	WATER	ALCOHOL:	WATER	450.25	WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
NOV 20	49. 19	JAN 25	51.64	APR 22	51.39	MAY 18	50. 69	JUN 23	50. 89	JUL 21	50. 84
DEC 21	48 49	MAR 22	52 29								

404316073290901. Local number, N 1259.4.

LOCATION. —Lat 40°43'16", long 73°29'09", Hydrologic Unit 02030202, at Hicksville Road and Mary Lane, Plainedge.

Owner: Nassau County Department of Public Works.

AGUIFER. -- Upper Glacial (water table).

WELL CHARACTERISTICS. --Drilled observation well, diameter 1.25 in (0.03 m), depth 41 ft (12 m), screened 38 to 41 ft (11.6 to 12.5 m).

DATUM. --Land-surface datum is 78.4 ft (23.9 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.32 ft (0.10 m) below land-surface datum.

REMARKS. -- Replaced well N 1259. 3 in June 1961 at same location.

PERIOD OF RECORD. -- January 1909 to April 1910, January 1912 to December 1916, February 1930 to December 1935, March 1937 to current year.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 57.60 ft (17.56 m) NGVD, Feb. 21, 1978; lowest measured, 45.61 ft (13.90 m) NGVD, Aug. 25, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
NOV 20	48. 19	JAN 25	48. 17	MAR 22	50. 21	JUN 23	51. 13 -	JUL 21	50. 52	SEP 8	49.71 G 49.33
DEC 21 JAN 8	48. 40 48. 98 G	FEB 24 MAR 18	50. 24 49. 61 G	APR 22 MAY 18	50. 50 50. 32	29	51.12 0	AUG 19	49. 90	20	47. 33

404302073295804. Local number, N 1263.4.

LOCATION. --Lat 40°43'02", long 73°29'58", Hydrologic Unit 02030202, at Wantagh Avenue and Miller Place, Levittown.

Owner: Nassau County Department of Public Works.

AQUIFER. -- Upper Glacial (water table).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 1.25 in (0.03 m), depth 35 ft (11 m), screened 32 to 35 ft (9.8 to 10.7 m).


DATUM --Land-surface datum is 67.0 ft (20.4 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.41 ft (0.12 m) below land-surface datum.

REMARKS.—Water-quality records for 1968, 1970, 1974-76, are available in files of Long Island Sub-district office. Replaced well N 1263.3 in December 1952 at same location.

PERIOD OF RECORD.—June 1936 to current year. Unpublished records for June 1936 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 63.05 ft (19.22 m) NGVD, June 29, 1948; lowest measured, 44.01 ft (13.41 m) NGVD, Aug. 25, 1966.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27	47. 39 46. 85	JAN 8	48. 37 G 46. 18	MAR 18	49. 51 G 49. 05	MAY 18 JUN 23	49. 07 50. 19	JUL 21 AUG 19	49. 42 48. 58	SEP 8	48. 46 G 47. 95
DEC 21	47 31	EER 24	40 04	APP 22	40.00	20	50 02 0	1100 17	40.00		47. 70



TIME, IN WATER YEARS

404446073392904. Local number, N 1614.4 .

LOCATION. --Lat 40° 44′46", long 73° 39′29", Hydrologic Unit 02030202, at Herricks Road and Sally Place, Mineola.

Owner: Nassau County Department of Public Works.

AQUIFER. -- Upper Glacial (water table).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 1.25 in (0.03 m), depth 53 ft (16 m), screen assumed at bottom.

DATUM. --Land-surface datum is 100.1 ft (30.5 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.26 ft (0.08 m) below land-surface datum.


REMARKS. --Replaced well N 1614.3 in April 1966 at same location.

PERIOD OF RECORD. — January 1933 to current year. Unpublished records for January 1933 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. — Highest water level measured, 72.48 ft (22.09 m) NGVD, May 31, 1949; lowest

measured, 48.42 ft (14.76 m) NGVD, Dec. 21, 1970.

DATE	WATER LEVEL										
OCT 27	50. 49	DEC 21	51.44	FEB 24	52. 10	APR 22	51. 60	JUN 23	52. 42	AUG 19	51. 54
NOV 20	51. 20	JAN 25	51.24	MAR 22	51. 67	MAY 18	51. 75	JUL 21	51. 84	SEP 20	51. 08



TIME, IN WATER YEARS

NASSAU COUNTY--Continued

404209073340602. Local number, N 1615.2. LOCATION.--Lat 40°42′09", long 73°34′06", Hydrologic Unit 02030202, at Merrick and Van Buren Avenues, East Meadow. Owner: Nassau County Department of Public Works. AGUIFER. --Upper Glacial (water table).

WELL CHARACTERISTICS. --Drilled observation well, diameter 1.25 in (0.03 m), depth 33 ft (10 m), screened 30 to 33 ft (9.1 to 10.1 m).


DATUM. --Land-surface datum is 61.0 ft (18.6 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of

PERIOD OF RECORD. -- March 1913 to current year. Unpublished records for March 1913 to September 1975, are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 47.17 ft (14.38 m) NGVD, Mar. 28, 1939; lowest measured, 37.88 ft (11.55 m) NGVD, Aug. 25, 1966.

DATE	WATER LEVEL	- DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER
DCT 27	40. 14	DEC 21	38. 93	FEB 24	40. 45	APR 22	40. 44	JUN 23	40. 93	AUG 19	40. 47
NOV 20	39. 20	JAN 25	38. 73	MAR 22	40. 37	MAY 18	40. 64	JUL 21	40. 97	SEP 20	40. 06



TIME, IN WATER YEARS

NASSAU COUNTY--Continued

404554073351502. Local number, N 1616. 2.

LOCATION. -- Lat 40° 45′54", long 73° 35′15", Hydrologic Unit 02030202, at Post Avenue and Argyle Road, Westbury.

Owner: Nassau County Department of Public Works.

AQUIFER. -- Magothy (water table).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 2 in (0.05 m), depth 68 ft (21 m), screened 65 to 68 ft (20 to 21 m).


DATUM --Land-surface datum is 122.4 ft (37.3 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.32 ft (0.10 m) below land-surface datum.

REMARKS. -- Water-quality records for 1969 are available in files of Long Island Sub-district office. Replaced well N 1616.1 in October 1965 at same location, which was screened in upper Glacial aquifer.

PERIOD OF RECORD. -- March 1913 to December 1915, June 1932 to current year.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 85.42 ft (26.04 m) NGVD, June 1, 1939; lowest measured, 68.28 ft (20.81 m) NGVD, Feb. 28, 1967.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27	75. 58	DEC 21	75. 02	FEB 24	75. 20	APR 22	75. 18	JUN 23	75. 48	AUG 19	74. 92
NOV 20	75. 38	JAN 25	74.90	MAR 22	75. 21	MAY 18	75 21	JUL 21	75.00	SEP 20	74. 58



TIME, IN WATER YEARS

NASSAU COUNTY--Continued

405001073343202. Local number, N 2528.2. LOCATION.—Lat 40°50'01", long 73°34'32", Hydrologic Unit 02030201, at Chicken Valley and Wolver Hollow Roads, Upper Brookville. Owner: Nassau County Department of Public Works.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 6 in (0.15 m) to 4 in (0.10 m), depth 328 ft (100 m), slotted 278 to 282 ft (85 to 86 m).

DATUM. --Land-surface datum is 93.1 ft (28.4 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of nipple, 0.76 ft (0.23 m) above land-surface datum.

nipple, U. 76 ft (U. 23 m) above land-surface datum.

REMARKS. --Water-quality records for 1972 are available in files of Long Island Sub-district office.

PERIOD OF RECORD. --December 1947 to current year.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 79.92 ft (24.36 m) NGVD, July 25, 1957; lowest measured, 59.12 ft (18.02 m) NGVD, Feb. 24, 1967.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 23	66. 06	MAR 16	66. 29	JUN 16	66.44	SEP 23	65. 61				

403805073395302. Local number, N 2790. 2.

LOCATION. --Lat 40°38'05", long 73°39'53", Hydrologic Unit 02030202, at Bay Park Sewage Treatment Plant, Bay Park.

Owner: Nassau County Department of Public Works.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS. --Drilled observation well, diameter 6 in (0.15 m), depth 571 ft (174 m), screened 538 to 560 ft (164 to 171 m).

DATUM. --Land-surface datum is 6.0 ft (1.8 m) National Geodetic Vertical Datum of 1929. Measuring point: Base of recorder shelf, 3.82 ft (1.16 m) above land-surface datum.


REMARKS. --Water-quality records for 1964-66, 1968, 1971-74, are available in files of Long Island Sub-district office.

PERIOD OF RECORD. --December 1949 to current year. Unpublished records for December 1949 to September 1975 are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 6.50 ft (1.98 m) NGVD, Apr. 6, 1958; lowest measured, -0.36 ft (-0.11 m) NGVD, July 20, 1977.

WATER			WATER								
DATE	LEVEL										
NOV 18	2.76	JAN 18	2. 57	MAR 21	2. 90	MAY 19	1.75	JUL 18	1. 16	SEP 19	1. 65
DEC 17	2. 36	FEB 21	3.39	APR 18	2.75	JUN 19	3.00	AUG 18	1.69		



TIME, IN WATER YEARS

NASSAU COUNTY--Continued

404618073270402. Local number, N 3355.2 LOCATION. ---Lat 40° 46'18", long 73° 27'04", Hydrologic Unit 02030202, at Round Swamp Road, 0.7 mi (1.1 km) south of Old Country Road, Plainview. Owner: U.S. Geological Survey. AQUIFER. -- Lloyd (confined).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 8 in (0.20 m) to 4 in (0.10 m), depth 1,093 ft (332 m),

screened 1,070 to 1,090 ft (326 to 332 m).

DATUM. --Land-surface datum is 184.5 ft (56.2 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 1.78 ft (0.54 m) below land-surface datum.

REMARKS.—Water-quality records for 1951 are available in files of Long Island Sub-district office.
PERIOD OF RECORD.—August 1951 to current year.
EXTREMES FOR PERIOD OF RECORD.—Highest water level measured, 36.17 ft (11.02 m) NGVD, Apr. 10, 1957; lowest measured, 23.18 ft (7.07 m) above NGVD, Apr. 11, 1972.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 22	30. 72	MAR 16	30.79	JUN 14	30. 65	SEP 24	29.76				

403751073440101. Local number, N 3861.1

LOCATION. --Lat 40°37'51", long 73°44'01", Hydrologic Unit 02030202, at Water Pollution Control Plant, Arlington Place, Cedarhurst. Owner: U.S. Geological Survey.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 6 in (0.15 m), depth 530 ft (162 m), screened 520 to 519 ft (158 to 162 m).

DATUM. --Land-surface datum is 7.0 ft (2.1 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 2.37 ft (0.72 m) above land-surface datum.


REMARKS. —Water-quality records for 1952-53, 1956, 1959, 1970, 1974, 1981, are available in files of Long Island Sub-district office; those for 1981 are published elsewhere in this report.

PERIOD OF RECORD. --April 1952 to current year. Unpublished records for April 1952 to September 1975 are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, -2.88 ft (0.88 m) NGVD, May 1, 1980; lowest measured, -7.57 ft (-2.31 m) NGVD, Aug. 7, 1955.

WATER		WATER		WATER		WATER				WATER	
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
OCT 20	-6. 35	DEC 20	-6.14	FEB 21	-5. 13	APR 20	-5. 72	JUN 21	-5. 25	AUG 21	-6. 26
NOV 21	-5.76	JAN 21	-6.07	MAR 21	-5. 49	MAY 24	-6.10	JUL 21	-6. 33	SEP 19	-6. 22



TIME, IN WATER YEARS

NASSAU COUNTY--Continued

403908073431902. Local number, N 3867-2.
LOCATION.—-lat 40°39'08", long 73°43'19", Hydrologic Unit 02030202, at Brook Road Park, at the end of Brook Road,
Green Acres. Owner: U.S. Geological Survey.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 6 in (0.15 m), depth 517 ft (158 m), screened 505 to 517 ft (154 to 158 m).

DATUM.—Land-surface datum is 7.9 ft (2.4 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 1.30 ft (0.40 m) above land-surface datum.

REMARKS.—Water-quality records for 1971 are available in files of Long Island Sub-district office.


PERIOD OF RECORD.—December 1952 to current year. Unpublished records for December 1952 to September 1975 are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. —Highest water level measured, 7.99 ft (2.44 m) NGVD, Jan. 28, 1953; lowest measured, -2.61 ft (-0.80 m) NGVD, July 19, 1977.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER										
DATE	LEVEL										
OCT 21	0.13	DEC 21	0. 59	FEB 22	1.55	APR 22	0. 94	JUN 22	0.89	AUG 23	-0.38
NOV 24	0.44	JAN 22	1.08	MAR 22	1 27	MAY 24	0.26	JUI 21	-0.26	SEP 20	-0.40



TIME, IN WATER YEARS

NASSAU COUNTY--Continued

405125073420702. Local number, N 6282-2. LOCATION. --Lat 40°51'25", long 73°42'07", Hydrologic Unit 02030201, at Helen Keller National Center for Deaf-Blind Youths and Adults, Middle Neck Road, Sands Point. Owner: U.S. Geological Survey.

AQUIFER. --Port Washington (confined).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 6 in (0.15 m), depth 396 ft (121 m), screened 378 to 388 ft (115 to 118 m).


DATUM. --Land-surface datum is 99.0 ft (30.2 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of flange, 3.22 ft (0.98 m) above land-surface datum.

REMARKS. -- Water-quality records for 1976 are available in files of Long Island Sub-district office.

PERIOD OF RECORD. -- August 1957 to current year. Unpublished records for August 1957 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 10.58 ft (3.22 m) NGVD, Apr. 25, 1962; lowest measured, -28.36 ft (-8.64 m) NGVD, Feb. 17, 1982.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL
NOV 24 DEC 22	6. 09	JAN 26 FFR 17	6. 80 -28. 36	FEB 23 MAR 24	-2. 92 6. 46	APR 23 MAY 24	6. 52	JUN 23	-1. 17 -3. 98	AUG 26 SEP 22	-4. 68 -3. 16



TIME, IN WATER YEARS

NASSAU COUNTY--Continued

403517073430602. Local number, N 6702.1

LOCATION.—Lat 40°35'17", long 73°43'06", Hydrologic Unit 02030202, at Richard and Park Streets, Atlantic Beach.

Owner: U.S. Geological Survey.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 4 in (0.10 m), depth 677 ft (206 m), screened 666 to 677 ft (203 to 206 m).


DATUM. --Land-surface datum is 11.0 ft (3.4 m) National Geodetic Vertical Datum of 1929. coupling, 1.05 ft (0.32 m) above land-surface datum. Measuring point: Top of

REMARKS. --Water-quality records for 1960 and 1970 are available in files of Long Island Sub-district office. PERIOD OF RECORD. -- August 1959 to current year. Unpublished records for August 1959 to September 1975 are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. —Highest water level measured, -2.50 ft (-0.76 m) NGVD, Apr. 13, 1961; lowest measured, -8.50 ft (-2.59 m) NGVD, Jul. 23, 1974.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 21	-5. 90 -5. 20	DEC 21	-5. 93 -5. 70	FEB 23	-4. 40 -5. 00	MAY 23	-4. 60 -4. 14	JUL 21	-4. 93 -5. 45	SEP 20	-5. 20



TIME, IN WATER YEARS

NASSAU COUNTY--Continued

403712073415902. Local number, N 6707.1

LOCATION. --Lat 40°37′12", long 73°41′59", Hydrologic Unit 02030202, at end of Woodmere Boulevard, at the town dock, Woodsburgh. Owner: U.S. Geological Survey.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS. --Drilled observation well, diameter 4 in (0.10 m), depth 503 ft (153 m), screened 493 to 503 ft (150 to 153 m).

DATUM.—Land-surface datum is 5.0 ft (1.5 m) National Geodetic Vertical Datum of 1929. Measuring Point: Top of coupling, 2.08 ft (0.63 m) above land-surface datum.

REMARKS. --Water-quality records for 1960, 1964, 1970-71, are available in files of Long Island Sub-district office.
PERIOD OF RECORD. --October 1959 to current year. Unpublished records for October 1959 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 4.52 ft (1.38 m) NGVD, Mar. 13, 1961; lowest measured, -1.33 ft (-0.41 m) NGVD, July 19, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	WATER LEVEL										
OCT 19	1.25	DEC 18	1. 47	FEB 22	2. 53	APR 19	1. 54	JUN 19	2. 67	AUG 18	1. 27
NOV 18	1.78	JAN 18	1. 45	MAR 21	1. 99	MAY 19	0. 79	JUL 18	0. 92	SEP 19	1. 06

403533073353202. Local number, N 6850.1

LOCATION.——Lat 40°35′33", long 73°35′32", Hydrologic Unit 02030202, at Lido Boulevard, O.3 mi (0.5 km) west of Loop Parkway, Lido Beach. Owner: U.S. Geological Survey.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS.—Drilled observation well, diameter 6 in (0.15 m), depth 913 ft (278 m), screened 898 to 909 ft (274 to 277 m).

DATUM. --Land-surface datum is 6.8 ft (2.1 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 2.40 ft (0.73 m) above land-surface datum.

REMARKS. --Water-quality records for 1960 and 1975 are available in files of Long Island Sub-district office.

REMARKS.—Water-quality records for 1960 and 1975 are available in files of Long Island Sub-district office.
PERIOD OF RECORD.—June 1960 to current year. Unpublished records for June 1960 to September 1975 are available in files of Long Island Sub-district office.

in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.—Highest water level measured, 8.00 ft (2.44 m) NGVD, Apr. 13, 1961; lowest measured, 2.69 ft (0.82 m) NGVD, Oct. 27, 1980.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 21 NOV 22	4. 30 4. 51	DEC 21 JAN 21	4. 45 4. 76	FEB 22 MAR 23	6. 00 5. 40	MAY 23 JUN 22	5. 64 6. 09	JUL 21	5. 10	SEP 20	4. 70

405433073344601. Local number, N 7152.1

LOCATION .--Lat 40°54'33", Long 73°34'46", Hydrologic Unit 02030201, at Oak Neck Beach, Bayville. Owner: U.S. Geological Survey.

AGUIFER. -- Lloyd (confined).

WELL CHARACTERISTICS. --Drilled observation well, diameter 6 in (0.15 m), depth 370 ft (113 m), screened 360 to 370 ft (110 to 113 m).

DATUM. --Land-surface datum is 15.0 ft (4.6 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of nipple, 3.13 ft (0.95 m) above land-surface datum.

REMARKS.——Water-quality records for 1970 are available in files of Long Island Sub-district office.

PERIOD OF RECORD. -- September 1961 to current year. Unpublished records for September 1961 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. —Highest water level measured, 15.74 ft (4.80 m) NGVD, Feb. 5, 1962; lowest

measured, -5.00 ft (-1.52 m) NGVD, July 19, 1982.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 22 NOV 24	9. 20 10. 28	JAN 25 FEB 23	9. 15 10. 78	MAR 23 APR 22	8. 12 6. 65	MAY 24 JUN 24	6. 50 7. 02	JUL 19	-5. 00 1. 50	AUG 24 SEP 22	2. 95 4. 95
DEC 27	10.84	FEB ES	10. 76	MLK SE	0. 00	JUN 24	7. UZ	22	1.00	UL! 22	4. /

404236073433501. Local number, N 7493.1 LOCATION.—Lat 40°42′36", long 73°43′35", Hydrologic Unit 02030202, at Hempstead Turnpike and Cross Island Parkway. Owner: Nassau County Department of Public Works. Elmont.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS. --Drilled observation well, diameter 4 in (0.10 m), depth 353 ft (108 m), screened 349 to 353 ft (106 to 108 m).

DATUM.--Land-surface datum is 76.0 ft (23.2 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of flange, 1.59 ft (O.48 m) above land-surface datum.


REMARKS.—Water-quality records for 1964, 1967, 1972, are available in files of Long Island Sub-district office.

PERIOD OF RECORD.—April 1964 to current year. Unpublished records for April 1964 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.—Highest water level measured, 20.33 ft (6.20 m) NGVD, Apr. 30, 1964; lowest

measured, 3.52 ft (1.07 m) NGVD, Aug. 8, 1982.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL
OCT 21	5. 14	DEC 21	4. 60	MAR 22	4. 28	MAY 20	4. 37	JUL 20	3. 81	AUG 23	3. 77
NOV 20	4 88	FFR 22	4 37	APR 21	4 36	JUN 22	4 29	AUG 8	3.52	SEP 20	3 73



TIME, IN WATER YEARS

NASSAU COUNTY--Continued

405418073324001. Local number, N 7546.1 LOCATION.—-Lat_40°54′18", long 73°32′40", Hydrologic Unit 02030201, at West Harbor Drive and Ludlum Avenue, Bayville. Owner: Nassau County Department of Public Works.

AQUIFER. -- Lloyd (confined).

WELL CHARACTERISTICS. --Drilled observation well, diameter 4 in (0.10 m), depth 364 ft (111 m), screened 359 to 364 ft (119 to 111 m).

DATUM .--Land-surface datum is 12.0 ft (3.7 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 1.87 ft (0.57 m) above land-surface datum.

PERIOD OF RECORD. --October 1964 to current year. Unpublished records for October 1964 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 13.15 ft (4.01 m) NGVD, Mar. 15, 1975; lowest

measured, 2.49 ft (0.76 m) NGVD, July 24, 1977.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
OCT 22	9. 31	DEC 26	10.00	FEB 23	10. 63	APR 22	8. 99	JUN 24	9. 28	AUG 23	6. 94
NOV 23	9. 82	JAN 25	8.82	MAR 23	9. 31	MAY 24	9. 05	JUL 23	7.08	SEP 21	8. 21

403805073395303. Local number, N 7675.1 LOCATION.—Lat 40°38'05", long 73°39'53", Hydrologic Unit 02030202, at Bay Park Sewage Treatment Plant, Bay Park. Owner: Nassau County Department of Public Works.

AGUIFER. -- Upper Glacial (water table).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 4 in (0.10 m), depth 35 ft (11 m), screened 28 to 34 ft (9 to 10 m).

DATUM. --Land-surface datum is 6.0 ft (1.8 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 2.95 ft (0.90 m) above land-surface datum.

.-Water-quality records for 1965 are available in files of Long Island Sub-district office.

PERIOD OF RECORD. -- June 1966 to current year. Unpublished records for June 1966 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. —Highest water level measured, 3.82 ft (1.16 m) NGVD, Jan. 20, 1979; lowest

measured, -1.00 ft (-0.30 m) NGVD, Dec. 22, 1980.

	WATER										
DATE	LEVEL										
OCT 19	0. 66	DEC 18	0. 97	FEB 21	1. 29	APR 18	0. 99	JUN 19	1. 94	AUG 18	0. 77
NOV 18	1.08	JAN 19	0. 55	MAR 21	1.05	MAY 19	0.83	JUL 18	0.86	SEP 19	0.71

NASSAU COUNTY--Continued

LOCATION. --Lat 40°38'05", long 73°39'53", Hydrologic Unit 02030202, at Bay Park Sewage Treatment Plant, Bay Park.

Owner: Nassau County Department of Public Works

AQUIFER. -- Upper Glacial (water table).

WELL CHARACTERISTICS. -- Driven observation well, diameter 4 in (0.10 m), depth 10 ft (3 m), screened 7 to 10 ft (2.1 to 3.0 m).

DATUM. --Land-surface datum is 6.0 ft (1.8 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 3.33 ft (1.01 m) above land-surface datum.

REMARKS. --Water-quality records for 1965 are available in files of Long Island Sub-district office.


PERIOD OF RECORD. -- February 1966 to current year. Unpublished records for February 1966 to September 1975 are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 4.56 ft (1.39 m) NGVD, Jan. 25, 1979; lowest

measured, -0.90 ft (-0.27 m) NGVD, Dec. 22, 26, 27, 1980.

DATE	WATER LEVEL										
OCT 20	0. 18	DEC 18	1. 17	FEB 22	1. 00	APR 19	0. 79	JUN 21	1. 66	AUG 19	0.38
NOV 19	0. 63	JAN 22	0. 27	MAR 22	0. 78	MAY 19	0. 60	JUL 19	0. 54	SEP 20	



101

403805073395303. Local number, N 7677.1

LOCATION. -- lat 40° 38'05", long 73° 39'53", Hydrologic Unit 02030202, at Bay Park Sewage Treatment Plant, Bay Park. Owner: Nassau County Department of Public Works.

NASSAU COUNTY--Continued

AQUIFER. -- Upper Glacial (water table).

WELL CHARACTERISTICS .-- Drilled observation well, diameter 4 in (0.10 m), depth 89 ft (27 m), screened 84 to 89 ft (26 to 27 m).

DATUM. --Land-surface datum is 6.0 ft (1.8 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 2.66 ft (0.81 m) above land-surface datum.

REMARKS. -- Water-quality records for 1965 and 1973 are available in files of Long Island Sub-district office. PERIOD OF RECORD. -- March 1966 to current year. Unpublished records for March 1966 to September 1975 are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 3. 94 ft (1.20 m) NGVD, Jan. 25, 1979; lowest measured, -0.88 ft (-0.27 m) NGVD, Dec. 22, 1980.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER										
DATE	LEVEL										
OCT 19	0.85	DEC 18	1.17	FEB 21	1.64	APR 18	1. 26	JUN 19	2. 15	AUG 18	1.03
NOV 18	1.31	JAN 18	0.86	MAR 21	1.33	MAY 19	1.03	JUL 18	1.05	SEP 19	0.98

403803073395406. Local number, N 7888.1

LOCATION. --Lat 40°38'03", long 73°39'54", Hydrologic Unit 02030202, at Bay Park Sewage Treatment Plant, Bay Park.

Owner: Nassau County Department of Public Works.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS .-- Drilled observation well, diameter 4 in (0.10 m), depth 327 ft (100 m), screened 307 to 317 ft (94 to 97 m).

DATUM. --Land-surface datum is 6.0 ft (1.8 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 5.56 ft (1.69 m) above land-surface datum.

REMARKS. -- Water-quality records for 1965-70, 1972-73, are available in files of Long Island Sub-district office. PERIOD OF RECORD. --November 1966 to current year. Unpublished records for November 1966 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 4.79 ft (1.46 m) NGVD, Feb. 6, 1978; lowest measured, 0.38 ft (0.12 m) NGVD, July 18, 19, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER										
DATE	LEVEL										
OCT 19	2.09	DEC 18	2. 47	FEB 21	3. 35	APR 18	2. 69	JUN 19	3. 34	AUG 18	1.99
NOV 18	2.70	JAN 18	2.40	MAR 21	2.88	MAY 19	1.94	JUL 18	1.61	SEP 19	1.95

403804073395201. Local number, N 8022.1

LOCATION. --Lat 40°38′04", long 73°39′52", Hydrologic Unit 02030202, at Bay Park Sewage Treatment Plant, Bay Park. Owner: Nassau County Department of Public Works.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 6 in (0.15 m), depth 490 ft (149 m), screened 420 to 480 ft (128 to 146 m).

DATUM. --Land-surface datum is 6.0 ft (1.8 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 4.10 ft (1.25 m) above land-surface datum.

REMARKS. -- Water-quality records for 1972-74 are available in files of Long Island Sub-district office.

PERIOD OF RECORD. -- May 1966 to current year. Unpublished records for May 1966 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. —Highest water level measured, 4.80 ft (1.46 m) NGVD, Feb. 6, 1978; lowest measured,

+0.21 ft (0.06 m) NGVD, July 18, 19, 1981.

DATE	WATER LEVEL										
OCT 19	2. 10	DEC 18	2. 82	FEB 21	3. 43	APR 18	2. 74	JUN 19	3. 31	AUG 18	1. 92
NOV 18	2. 74	JAN 18	2. 53	MAR 21	2. 95	MAY 19	1. 92	JUL 18	1. 45	SEP 19	1. 88

NASSAU COUNTY--Continued

404947073450301. Local number, N 8046.1 LOCATION.—Lat 40°49′47″, long 73°45′03″, Hydrologic Unit 02030201, at Pond and Kings Point Roads, Kings Point.

Owner: Nassau County Department of Public Works.

AGUIFER.—Port Washington (confined). Previously reported as Jameco Aquifer.

WELL CHARACTERISTICS.—Drilled observation well, diameter 4 in (0.10 m), depth 189 ft (58 m), screened 184 to 189 ft (56 to 58 m).

DATUM. --Land-surface datum is 8.0 ft (2.4 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of

casing, 3.66 ft (1.12 m) above land-surface datum.


REMARKS.—Water-quality records for 1966 and 1976 are available in files of Long Island Sub-district office.

PERIOD OF RECORD.—May 1966 to current year. Unpublished records for May 1966 to September 1975 are available in

files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 6.60 ft (2.01 m) NGVD, Feb. 6, 1978; lowest measured, -1.20 ft (-0.37 m) NGVD, July 19, 1966.

WATER			WATER								
DATE	LEVEL										
OCT 21	3. 26	DEC 21	3. 20	FEB 22	4. 33	APR 22	3. 56	JUN 23	4. 50	AUG 22	2. 27
NOV 23	3. 68	JAN 23	3.82	MAR 23	3.91	MAY 23	4.19	JUL 23	2.79	SEP 20	2. 50



TIME, IN WATER YEARS

NASSAU COUNTY--Continued

404535073370002. Local number, N 8269. 2.

LOCATION. --Lat 40°45'35", long 73°37'00", Hydrologic Unit 02030202, at Hillside Avenue and Bacon Road, Old Westbury. Owner: Nassau County Department of Public Works.

AGUIFER.--Magothy (water table).
WELL CHARACTERISTICS.--Driven observation well, diameter 4 in (0.10 m), depth 86 ft (26 m), screened 81 to 86 ft

(25 to 26 m).


DATUM. --Land-surface datum is 111.7 ft (34.0 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.15 ft (0.05 m) below land-surface datum.

REMARKS.——Prior to April 1976, well was in upper glacial aquifer. Well N 1256.1 was replaced by well N 8269.1 in April 1967, which was replaced by well N 8269.2 in June 1976.

PERIOD OF RECORD. -- June 1936 to current year. Unpublished records for June 1936 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. — Highest water level measured, 80.97 ft (24.68 m) NGVD, May 20, 1939; lowest measured, 60.83 ft (18.54 m) NGVD, Sept. 29, 1971.

DATE	WATER LEVEL.	DATE	WATER LEVEL	DATE	WATER	DATE	WATER	DATE	WATER	DATE	WATER
OCT 16	66. 15 G	DEC 21	66. 05	FEB 24	66. 41	MAY 18	66. 37	JUL 21	66. 03	SEP 10	65. 53 G
NOV 20	67. 45	JAN 12	66. 27 G	MAR 22	66. 40	JUN 23	66.79	AUG 19	65. 95	20	65. 69



TIME, IN WATER YEARS

NASSAU COUNTY--Continued

404742073410301. Local number, N 8309.1
LOCATION. —Lat 40° 47′42", long 73° 41′03", Hydrologic Unit 02030201, at Northern Boulevard and Manhasset Woods Road, Munsey Park. Owner: Nassau County Department of Public Works.
AQUIFER. —Magothy (water table).

WELL CHARACTERISTICS. --Drilled observation well, diameter 4 in (O.10 m), depth 199 ft (61 m), screened 194 to 199 ft (59 to 61 m).

DATUM. --Land-surface datum is 143.2 ft (43.6 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0. 15 ft (0.05 m) below land-surface datum.


REMARKS.—Replaced well N 1121.2 in March 1967 at same location.

PERIOD OF RECORD.—March 1967 to current year. Unpublished records for March 1967 to September 1975 are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 42.81 ft (13.05 m) NGVD, June 20, 1980; lowest measured, 33.53 ft (10.22 m) NGVD, Sept. 23, 1968.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 27 NOV 20	39. 68 39. 65	DEC 21 JAN 25	39. 25 39. 30	MAR 17	40. 05 G 40. 32	MAY 18 JUN 23	38. 83 38. 59	JUL 21 AUG 19	38. 02 37. 60	AUG 31 SEP 20	38. 10 G 37. 25
DEC 8	39. 72 G	FEB 24	39. 25	APR 22	39 22	28	38 75 G				



TIME, IN WATER YEARS

NASSAU COUNTY--Continued

404404073325601. Local number, N 8959.1

LOCATION. --Lat 40°44′04", long 73°32′56", Hydrologic Unit 02030202, at Meadowbrook Hospital Sewage Treatment Plant, East Meadow. Owner: Nassau County Department of Public Works. AQUIFER.—-Upper Glacial (water table).

WELL CHARACTERISTICS .-- Drilled observation well, diameter 2 in (0.05 m), depth 49 ft (15 m), screened 44 to 49 ft (13 to 15 m).


DATUM.—Land-surface datum is 100.3 ft (30.6 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of reducer, 2.87 ft (0.87 m) above land-surface datum.

PERIOD OF RECORD. --December 1972 to current year. Unpublished records for December 1972 to September 1975 are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. —Highest water-level measured, 71.35 ft (21.75 m) NGVD, Jan. 27, 1978; lowest measured, 62.99 ft (19.20 m) NGVD, Dec. 14, 1981, Jan. 1, 1982.

DATE	WATER LEVEL										
OCT 28	63. 50	DEC 28	63. 09	FEB 26	64. 34	APR 26	64. 12	JUN 25	64. 67	AUG 27	64. 04
NOV 30	63.11	JAN 1	62. 99	MAR 26	64. 18	MAY 26	64. 21	JUL 27	64. 21	SEP 24	63. 44
DEC 14	62.99	26	63. 91								



TIME, IN WATER YEARS

NASSAU COUNTY--Continued

404757073440402. Local number, N 9099.1

LOCATION. --Lat 40°47'57", long 73°44'04", Hydrologic Unit 02030201, at Middle Neck Road and Preston Road, Great Neck. Owner: Nassau County Department of Public Works. AQUIFER. --Upper Glacial (water table).

WELL CHARACTERISTICS. --Drilled observation well, diameter 4 in (0.10 m), depth 71 ft (22 m), screened 66 to 71 ft (20 to 22 m).

DATUM.--Land-surface datum is 59.7 ft (18.2 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.07 ft (0.02 m) below land-surface datum.


REMARKS. -- Replaced well N 1479.1 in February 1976. Water-quality records for 1976 are available in files of Long Island Sub-district office.

PERIOD OF RECORD. --September 1944 to current year. Unpublished records for September 1944 to December 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 27.32 ft (8.33 m) NGVD, June 15, 1949; lowest measured, 15.07 ft (4.59 m) above NGVD, Dec. 23, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 27 NOV 20	15. 87 15. 71	JAN 8	15.54 G 15.38	MAR 16	15.93 G 15.55	MAY 18 JUN 30	15. 67 16. 63	JUL 21 AUG 19	15. 85 15. 68	SEP 1 20	16. 50 G 15. 53
DEC 21	15.59	FFB 24	15 45	APR 22	15 66	JUL 8	16 66 G				



TIME, IN WATER YEARS

NASSAU COUNTY--Continued

404112073421003. Local number, N 9309.1 LOCATION. --Lat 40°41′12", long 73°42′10", Hydrologic Unit 02030202, at Dutch Broadway and Fletcher Avenue, Elmont. Owner: Nassau County Department of Public Works.
AGUIFER. --Upper Glacial (water table).

WELL CHARACTERISTICS. --Drilled observation well, diameter 4 in (0.10 m), depth 59 ft (13 m), screened 54 to 59 ft (16.4 to 18.0 m).

DATUM .-Land-surface datum is 42.7 ft (13.0 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.64 ft (0.21 m) below land-surface datum.

REMARKS.—Replaced well N 1109.2 in October 1977 at same location.


PERIOD OF RECORD.—April 1939 to current year. Unpublished records for April 1939 to September 1975 are available

in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 30.04 ft (9.16 m) NGVD, Apr. 21, 1939; lowest measured, 8.88 ft (2.71 m) NGVD, Dec. 21, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
OCT 27	9. 09	JAN 8	9. 29 G	MAR 16	10.69 G	MAY 18	9. 73	JUL 21	9. 78	SEP 1	10.36 G
NOV 24	8. 96	25	9.06	55	9. 95	JUN 23	11.76	AUG 19	9.66	20	9. 31
DEC 21	0 00	EED DA	0 70	APP 22	10 10	1111 0	11 20 0				



TIME, IN WATER YEARS

QUEENS COUNTY

404451073475001. Local number, Q 283.1 LOCATION.—Lat 40°44′51", long 73°47′50", Hydrologic Unit 02030201, at Underhill Avenue and 171st Street, Flushing. Owner: City of New York, Department of Water Supply, Gas and Electricity.

AQUIFER. -- Lloyd (confined).

WELL CHARACTERISTICS. --Drilled unused well, diameter 26 in (0.66 m), depth 409 ft (125 m), screened 309 to 352 ft (94 to 107 m), 367 to 409 ft (112 to 125 m).

DATUM. --Land-surface datum is 27.0 ft (8.23 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of iron plate, 0.37 ft (0.11 m) above land-surface datum.

PERIOD OF RECORD. -- June 1946 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 1.13 ft (0.34 m) NGVD, Mar. 28, 1961; lowest measured, -27.40 ft (-8.35 m) NGVD, Sept. 14, 1976.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 30	-11.73	JAN 18	-25. 62	FEB 5	-9.09	MAR 23	-12.16	JUN 29	-11.46		

40441807344101. Local number, Q 577.1

LOCATION. --Lat 40°44′18", long 73°43′41", Hydrologic Unit 02030201, at Creedmoor State Hospital, near the intersection of Hillside Avenue and Cross Island Parkway, Bellrose. Owner: State of New York. AGUIFER. -- Lloyd (confined).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 12 in (0.30 m), depth 644 ft (196 m), screen assumed at bottom.


DATUM. --Land-surface datum is 113.1 ft (34.5 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of

casing, 1.45 ft (0.44 m) above land-surface datum.
PERIOD OF RECORD. —February 1946 to current year. Unpublished records for February 1946 to September 1975 are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. —Highest water level measured, 9.65 ft (2.94 m) NGVD, Mar. 13, 1959; lowest measured, -19.74 ft (-6.02 m) NGVD, Jul. 27, 1954.

DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL
OCT 21	-4. 46 -2. 84	DEC 18	-0.83	FEB 19	-2. 90 -2. 86	APR 21	-3. 09 -4. 62	JUN 22	-4. 14 -10. 54	AUG 20	-9. 50 -9. 28



TIME, IN WATER YEARS

QUEENS COUNTY--Continued

404113073501101. Local number, Q 1254.1 LOCATION.--Lat 40°41'13", long 73°50'11", Hydrologic Unit 02030202, at 108th Street and 101st Avenue, Woodhaven. Owner: New York City.

AQUIFER. --Upper Glacial (water table).


WELL CHARACTERISTICS. -- Driven observation well, diameter 1.5 in (0.04 m), depth 65 ft (20 m), screened 63 to 65 ft (19 to 20 m).

DATUM. --Land-surface datum is 56.0 ft (17.1 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 10.46 ft (3.19 m) below land-surface datum.

PERIOD OF RECORD. --October 1940 to current year. Unpublished records for October 1940 to December 1954, January

1956 to December 1957, March 1959 to September 1975, are available in files of Long Island Sub-district office. EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 6.74 ft (2.05 m) NGVD, Nov. 23, 1979; lowest measured, -11.29 ft (-3.44 m) NGVD, Sept. 2, 1966.

WATER			WATER		WATER				WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	WATER LEVEL	DATE	LEVEL	DATE	LEVEL
OCT 27	3. 58	DEC 21	4.14	FEB 24	4. 44	MAY 18	3. 84	JUL 21	3. 71	SEP 20	3. 44
NOU 24	3 83	.IAN 25	3 74	APP 22	4 24	IIIN 22	4 10	ALIC 19	2 54		



TIME, IN WATER YEARS

QUEENS COUNTY--Continued

404656073503701 Local number, Q 1373.1

LOCATION. --Lat 40°46′56", long 73°50′37", Hydrologic Unit 02030201, at 127th Street and 20th Avenue, College Point.

Owner: Modulaire Components Corporation.

AGUIFER. -- Lloud (confined).

WELL CHARACTERISTICS. --Drilled observation well, diameter 6 in (0.15 m), depth 262 ft (80 m), screened 194 to 206 ft (59 to 63 m).


DATUM. --Land-surface datum is 50.3 ft (15.3 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of recorder shelf, 1.06 ft (0.32 m) below land-surface datum.

PERIOD OF RECORD. -- January 1946 to current year. Unpublished records for 1946-48, 1950, 1952-53, 1962, 1968-73, are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 6.12 ft (1.87 m) NGVD, Jan. 10, 1973; lowest measured, -2.80 ft (-0.85 m) NGVD, Feb. 7, 1962.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	WATER LEVEL	DATE	WATER								
OCT 18	4. 19	DEC 17	3. 83	FEB 19	4. 25	APR 18	4. 19	JUN 18	4. 65	AUG 19	4. 45
NOV 18	4. 24		3. 89	MAR 18	4. 23	MAY 19	4. 34	JUL 19	4. 52	SEP 19	4. 38



TIME, IN WATER YEARS

403957073495002 Local number, Q 2324.1

LOCATION. --Lat 40°39′57″, long 73°49′50″, Hydrologic Unit 02030202, at North Conduit Avenue and 114th Street, South Ozone Park. Owner: New York Racing Association, Inc.

Uzone raik. Guner. New fork making association, inc.
AGUIFER.—Upper Glacial (water table).
WELL CHARACTERISTICS.—Driven observation well, diameter 2.5 in (0.06 m), depth 91 ft (28 m), screen assumed at bottom.

DATUM. --Land-surface datum is 22.0 ft (6.7 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, . 04 ft (0.01 m) above land-surface datum.

REMARKS.—Water-quality records for 1970 are available in files of Long Island Sub-district office.

PERIOD OF RECORD. -- March 1959 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 3.56 ft (1.08 m) NGVD, Sept. 24, 1980; lowest measured, -3.40 ft (-1.04 m) NGVD, May 25, 1959.

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 29	1.96	MAR 23	2.16	JUN 29	1.96						


QUEENS COUNTY--Continued

404451073475002. Local number, Q 2346.1
LOCATION. --Lat 40° 44′51", long 73° 47′50", Hydrologic Unit 02030201, at Underhill Avenue and Fresh Meadow Lane, Flushing. Owner: New York City.
AQUIFER. --Upper Glacial (water table).
WELL CHARACTERISTICS. --Driven observation well, diameter 1.25 in (0.03 m), depth 17.0 ft (5.2 m), screen assumed at bottom.
DATUM. --Land-surface datum is 29.0 ft (8.8 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.98 ft (0.30 m) above land-surface datum.
PERIOD OF RECORD. --August 1960 to current year. Unpublished records for August 1960 to September 1975 are available in files of Long Island Sub-district office.
EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 21.99 ft (6.70 m) NGVD, Apr. 26, 1961; lowest

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

measured, 13.96 ft (4.26 m) NGVD, Nov. 4, 1970.

DATE	WATER LEVEL										
OCT 27	14. 18	DEC 21	14. 56	FEB 24	14. 61	APR 27	14. 98	JUN 23	14. 80	AUG 19	14. 07
NOV 24	14. 08	JAN 25	14. 70	MAR 22	14. 88	MAY 18	14. 55	JUL 21	14. 28	SEP 20	14. 18



TIME, IN WATER YEARS

QUEENS COUNTY--Continued

404025073463801. Local number, @ 2422.1

LOCATION. --Lat 40° 40'22", long 73° 46'38", Hydrologic Unit 02030202, at New York Boulevard and 132nd Avenue,

Jamaica. Owner: Jamaica Water Supply Company.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS. --Drilled observation well, diameter 8 in (0.20 m) depth 370 ft (113 m), screened 342 to 362 ft (104 to 110 m).

DATUM. --Land-surface datum is 21.0 ft (6.4 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of

nipple, 1.21 ft (0.37 m) above land-surface datum.


REMARKS.—Water-quality records for 1970 are available in files of Long Island Sub-district office.

PERIOD OF RECORD.—October 1964 to current year. Unpublished records for October 1964 to September 1975 are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. —Highest water level measured, 2.69 ft (0.82 m) NGVD, May 6, 1980; lowest measured, -5.65 ft (-1.72 m) NGVD, Sep. 7, 1970.

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
OCT 21	-2. 83	DEC 21	-2. 84	FEB 19	-1.87	APR 21	-2. 40	JUN 22	-0.70	AUG 23	-2.70
NOV 20	-2.40	JAN 25	-2.16	MAR 23	-1.99	MAY 20	-2.54	JUL 20	-1.06	SEP 21	-2.14



TIME, IN WATER YEARS

SUFFOLK COUNTY

404213073201001. Local number, S 1803.1
LOCATION.—Lat 40°42′13", long 73°20′10", Hydrologic Unit 02030202, at Little East Neck Road and State Highway 109,
Babylon. Dwner: New York State Department of Transportation.
AQUIFER.—Upper Glacial (water-table).
WELL CHARACTERISTICS.—Driven observation well, diameter 1.25 in (0.03 m), depth 19 ft (6 m), screened 16 to 19 ft


(5 to 6 m).

DATUM.—Land-surface datum is 23.7 ft (7.2 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.08 ft (0.02 m) above land-surface datum.

PERIOD OF RECORD.—October 1912 to current year. Unpublished records for October 1912 to November 1914, August and

September 1932. June 1936 to September 1975, are available in files of Long Island Sub-district office. EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 18.74 ft (5.71 m) NGVD, Jan. 29, 1979; lowest measured, 13.06 ft (3.98 m) NGVD, July 26, 1976.

DATE	WATER LEVEL										
OCT 27	16. 79	DEC 21	17.31	FEB 24	17. 35	APR 22	17. 50	JUN 23	17. 88	AUG 19	16. 28
NOV 20	16.71	JAN 25	17 53	MAR 22	17 25	MAY 18	17 05	JUI 21	16.83	SEP 20	15.80



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404301073240904. Local number, S 1805.1.

LOCATION. --Lat 40°43'01", long 73°24'09", Hydrologic Unit 02030202, at State Highway 109 and Albany Road, Maywood. Owner: New York State Department of Transportation.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Driven observation well, diameter 2 in (0.05 m), depth 33 ft (10 m), screen assumed at bottom.


DATUM. --Land-surface datum is 58.2 ft (17.4 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 2.22 ft (1.06 m) above land-surface datum.

REMARKS.—Replaced S 1805.1 in August 1941 at same location.

PERIOD OF RECORD. --October 1912 to current year. Unpublished records for October 1912 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 47.17 ft (14.38 m) NGVD, Apr. 28, 1953; lowest measured, 35.79 ft (10.91 m) NGVD, Dec. 28, 1966.

DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 27	40. 17	DEC 21	40.70	FEB 24	42. 52	APR 22	42. 72	JUN 23	43. 56	AUG 19	41. 99
NOV 20	40. 02	JAN 25	41.55	MAR 22	42. 27	MAY 18	42. 38	JUL 21	42. 87	SEP 20	41. 03



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404442073240501. Local number, S 1806.1 LOCATION.—Lat 40°44′42", long 73°24′05", Hydrologic Unit 02030202, at Conklin Street and Wellwood Avenue, Pinelawn. Owner: Suffolk County Department of Public Works. AQUIFER.—-Upper Glacial (water-table).

WELL CHARACTERISTICS. --Driven observation well, diameter 1.25 in (0.03 m), depth 44 ft (13 m), screened 41 to 44 ft (12 to 13 m).


DATUM.—Land-surface datum is 85.7 ft (26.1 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.19 ft (0.06 m) below land-surface datum.

PERIOD OF RECORD.—October 1912 to current year. Unpublished records for October 1912 to November 1914, May 1932 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.—Highest water level measured, 61.68 ft (18.80 m) NGVD, Apr. 29, 1939; lowest Measuring point: Top of

measured, 46.97 ft (14.32 m) NGVD, Jan. 25, 1967.

	WATER										
DATE	LEVEL										
OCT 27	53. 34	DEC 21	53. 11	FEB 24	54. 33	APR 22	55. 29	JUN 23	55. 92	AUG 19	55. 18
NOV 20	53.14	JAN 25	52 48	MAR 22	55 1A	MAY 18	55 51	JUI 21	55 84	SEP 20	54 43



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404319073184605. Local number, S 1807.1. LOCATION.—Lat 40°43′19", long 73°18′46", Hydrologic Unit 02030202, at Higbie Lane and Martin Drive, West Islip. Owner: Town of Islip.
AQUIFER. --Upper Glacial (water-table)

WELL CHARACTERISTICS. --Driven observation well, diameter 1.25 in (0.03 m), depth 21 ft (6 m), screen assumed at bottom.


DATUM.—Land—surface datum is 23.0 ft (7.0 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.21 ft (0.06 m) above land—surface datum.

REMARKS.—Water—quality records for 1972—73 are available in files of Long Island Sub—district office. Replaced well S 1807.4 in July 1976 at same location.

PERIOD OF RECORD.—October 1912 to current year. Unpublished records for October 1912 to November 1914, August

1932 to June 1933, and June 1936 to September 1975, are available in files of Long Island Sub-district office. EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 23.06 ft (7.03 m) NGVD, Sept. 30, 1938; lowest measured, 17.27 ft (5.26 m) NGVD, July 23, 1966.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 27 NOV 20	20. 60 20. 47	DEC 21 FEB 24	20.71 20.80	MAR 22	20.74	MAY 18	20. 64	JUL 21 AUG 19	20. 65	SEP 20	20. 03



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404221073164805. Local number, S 1808.1.

LOCATION. --Lat 40° 42'21", long 73° 16'48", Hydrologic Unit 02030202, at Manor and Bardolier Lanes, West Islip.

Owner: Town of Islip.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Driven observation well, diameter 1.25 in (0.03 m), depth 11 ft (3 m), screen assumed at bottom.


DATUM. --Land-surface datum is 13.0 ft (4.0 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.32 ft (0.10 m) above land-surface datum.

REMARKS. --Replaced well S 1808.4 in October 1967 at same location.

PERIOD OF RECORD. --October 1912 to current year. Unpublished records for October 1912 to September 1975, are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 12.29 ft (3.75 m) NGVD, Feb. 23, 1949; lowest measured, 6.08 ft (1.85 m) NGVD, Aug. 27, 1974.

DATE	WATER	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER
DCT 27	10. 44	DEC 21	10. 51	FEB 24	10. 41	APR 22	10. 54	JUN 23	10. 53	AUG 19	9. 54
NOV 20	10. 10	JAN 25	10. 68	MAR 22	10. 40	MAY 18	10. 09		10. 89	SEP 20	9. 23



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404351073164903. Local number, S 1809.1.

LOCATION. --Lat 40° 43'51", long 73° 16'49", Hydrologic Unit 02030202, at Manor Lane and Muncey Road, Bay Shore.

Owner: Town of Islip.

AGUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Driven observation well, diameter 1.2 in (0.03 m), depth 29 ft (9 m), screened 26 to 29 ft (8 to 9 m).


DATUM --Land-surface datum is 42.0 ft (12.8 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.40 ft (0.12 m) above land-surface datum.

REMARKS. -- Replaced well S 1809. 3 in March 1981 at same location.

PERIOD OF RECORD. --October 1912 to current year. Unpublished records for October 1912 to November 1914, and August 1932 to September 1975, are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. —Highest water level measured, 35.77 ft (10.90 m) NGVD, Apr. 26, 1979; lowest measured, 25.00 ft (7.62 m) NGVD, Nov. 2, 1932.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER
NOV 20	27. 05 27. 35	JAN 25	27.55	MAR 29	28. 49	MAY 18	28. 78	JUL 21	29.05 27.85	SEP 20	27. 55



TIME. IN WATER YEARS

SUFFOLK COUNTY--Continued

404614073164403. Local number, S 1810.1.
LOCATION.—Lat 40°46′14", long 73°16′44", Hydrologic Unit 02030202, at Gardiner and Pine Aire Drives, Pine Aire.
Owner: U.S. Geological Survey.
AGUIFER.—Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Augered observation well, diameter 2 in (0.05 m), depth 55 ft (17 m), screened 52 to 55 ft (16 to 17 m).


DATUM. --Land-surface datum is 90.8 ft (27.7 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.15 ft (0.05 m) below land-surface datum.

REMARKS. --Replaced well S 1810.2 in November 1975.

PERIOD OF RECORD. —October 1912 to November 1914, August 1932 to current year.

EXTREMES FOR PERIOD OF RECORD. —Highest water level measured, 56.19 ft (17.13 m) NGVD, Apr. 29, 1939; lowest measured, 43.30 ft (13.19 m) NGVD, Feb. 27, 1967.

	WATER		WATER								
DATE	LEVEL	DATE	LEVEL								
OCT 27	48. 38	DEC 21	48. 34	FEB 24	49. 91	APR 22	50. 34	JUN 23	50. 07	AUG 19	51.00
NUA 50	48 45	JAN 25	48 15	MAR 22	50 28	MAY 18	50 45	.BB 21	51 34	SEP 20	50 51



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404957073401. Local number, S 1811.1 LOCATION —-Lat 40°49′57", long 73°07′34", Hydrologic Unit 02030202, at Shore Road, Lake Ronkonkoma. Owner: U.S. Geological Survey.

AGUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 2 in (0.05 m), depth 21.5 ft (7. m), screen assumed at bottom.

DATUM. --Land-surface datum is 58.15 ft (17.7 m) National Geodetic Vertical Datum of 1929 Measuring point: Top of

casing, 1.08 ft (0.33 m) above land-surface datum.


REMARKS. --Water-quality records for 1979 are published elsewhere in this report. Replaced well S 1811.3 in Novembe 1980 at same location.

PERIOD OF RECORD. -- April 1937 to current year. Unpublished records for April 1937 to September 1978 are available

in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured 59.20 ft (18.05 m) NGVD, June 6, 1979, lowest measured, 50.63 ft (15.43 m) NGVD, Dec. 28, 1966.

DATE	WATER LEVEL	DATE	WATER								
DCT 27	53. 63	DEC 21	53. 47	FEB 24	53. 94	MAR 22	54. 00	JUN 15	54. 53	SEP 30	53. 77



TIME. IN WATER YEARS

SUFFOLK COUNTY--Continued

404959073084902. Local number, S 1812.1.
LDCATION.—Lat 40°49′59", long 73°08′49", Hydrologic Unit 02030202, at Smithtown Boulevard and Nichols Road,
Ronkonkoma. Owner: U.S. Geological Survey.
AQUIFER.—Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Driven observation well, diameter 1.25 in (0.03 m), depth 44 ft (13 m), screen assumed at bottom.

DATUM.—Land-surface datum is 69.9 ft (21.3 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.49 ft (0.15 m) below land-surface datum.


REMARKS.—Replaced well S 1812.2 in May 1982 at same location.

PERIOD OF RECORD.—April 1937 to current year. Unpublished records for April 1937 to September 1975 are available

in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. —Highest water level measured, 52.10 ft (15.88 m) NGVD, Apr. 10, 1979; lowest measured, 40.09 ft (12.22 m) NGVD, Feb. 27 1967.

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
MAY 20	45. 26	JUN 23	47. 05	JUL 21	46. 71	AUG 19	46 29	SEP 20	45.84		



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued


40514607031801. Local number, S 3513.1

LOCATION. --Lat 40°51′46", long 73°03′18", Hydrologic Unit 02030202, at State Highway 25 and High View Drive, Selden. Owner: New York Department of Transportation AGUIFER. --Upper Glacial (water table)
WELL CHARACTERISTICS. --Drilled unused well, diameter 8 in (0.20 m), depth 65 ft (20 m), screened 63 to 65 ft (19 to 20 m).

DATUM --Land-surface datum is 101.0 ft (30.8 m) National Geodetic Vertical Datum of 1927 reducer, 1.31 ft (0.40 m) above land-surface datum
PERIOD OF RECORD. --April 1942 to current year.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 69.91 ft (21.31 m) NGVD, May 29, 1979; lowest measured, 56.06 ft (17.09 m) NGVD, Mar. 1, 1967.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DCT 27 NDV 20	62. 34 62. 28	DEC 21	62. 31 62. 07	FEB 24 MAR 22	62. 47 62. 59	APR 22 MAY 18	62. 73 62. 83	JUN 23 JUL 21		AUG 19 SEP 20	64. 37 64. 06



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404812073004101. Local number, S 3521.1 LOCATION.—Lat 40°48'12", long 73°00'41", Hydrologic Unit 02030202, at Medford Avenue, near Cedar Avenue, Medford. Owner: Town of Brookhaven.
AQUIFER. --Upper Glacial (water table).

WELL CHARACTERISTICS. --Driven observation well, diameter 2 in (0.05 m), depth 50 ft (15 m), screen assumed at bottom.

DATUM.--Land-surface datum is 72.0 ft (21.9 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of


DATUM. --Land-surface datum is 72.0 ft (21.9 m) National Geodetic Vertical Datum of 1727. Reasuring points, 100 or casing, 0.57 ft (0.17 m) above land-surface datum.

PERIOD OF RECORD. --January 1907 to current year. Unpublished records for January 1907 to July 1909, April 1942 to September 1975, are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 40.75 ft (12.42 m) NGVD, Mar. 27, 1979; lowest

measured, 34.38 ft (10.48 m) NGVD, Oct. 26, 1966.

	WATER										
DATE	LEVEL										
OCT 27	35. 81	DEC 21	35. 80	FEB 24	37. 13	APR 22	36. 89	JUN 23	38. 74	AUG 19	37. 67
NOV 20	35 72	JAN 25	36 50	MAR 22	37 04	MAY 18	37 10	JUL 21	39 19	SEP 20	37 21



SUFFOLK COUNTY--Continued

405037072390301. Local number, S 3543.1

LOCATION. --Lat 40°50'37", long 72°39'03", Hydrologic Unit 02030202, at Old Riverhead Road and main entrance to Suffolk County Airport, Westhampton. Owner: City of New York.


AGUIFER. --Upper Glacial (water table).

WELL CHARACTERISTICS. --Driven observation well, diameter 2 in (0.05 m), depth 58 ft (18 m), screened 56 to 58 ft (17 to 18 m).

DATUM. --Land-surface datum is 64.4 ft (19.6 m) National Geodetic Vertical Datum of 1929.

casing, 0.04 ft (0.01 m) above land-surface datum.
PERIOD OF RECORD. --March 1907 to December 1909, April 1942 to April 1943, January 1947 to current year EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 22.34 ft (6.81 m) NGVD, Mar. 27, 1979; lowest measured, 15.03 ft (4.58 m) NGVD, Jan. 26, 1967.

DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER
OCT 27	15. 49 15. 34	DEC 21 JAN 25	15. 14 15. 05	FEB 24	15. 34 15. 71	APR 22	15. 95 16. 07	JUN 23	18. 36	AUG 19	19. 02 18. 66



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

405343073055004. Local number, S 3955.1.

LOCATION. --Lat 40°53'43", long 73°05'50", Hydrologic Unit 02030201, at Pond Path and Mark Tree Roads, Setauket.

Owner: U.S. Geological Survey. AQUIFER.--Upper Glacial (water table)

WELL CHARACTERISTICS .-- Augered observation well, diameter 2 in (0.05 m), depth 82 ft (25 m), screened 80 to 82 ft (24 to 25 m).


DATUM. --Land-surface datum is 122.8 ft (37.4 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.04 ft (0.01 m) below land-surface datum.

REMARKS. -- Replaced well S 3955. 3 in April 1975 at same location.

PERIOD OF RECORD. --September 1944 to current year. Unpublished records for September 1944 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. -Highest water level measured, 60.23 ft (18.36 m) NGVD, June 21, 1979; lowest measured, 48.01 ft (14.63 m) NGVD, Mar. 31, 1967.

DATE	WATER LEVEL										
DCT 27	53. 67	DEC 21	53. 13	FEB 24	52. 80	APR 22	53. 10	JUN 23	53. 52	AUG 19	54. 88
NOV 20	53. 40	JAN 25	53. 24	MAR 22	53. 86	MAY 18	53. 22	JUL 21	54. 25	SEP 20	54. 96



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

405743072425701. Local number, S 4271.1
LDCATION.—Lat 40°57'43", long 72°42'57", Hydrologic Unit 02030202, at Long Island Research Farm, Sound Avenue, Riverhead. Owner: U.S. Geological Survey.
AQUIFER.—Upper Glacial (water table).
WELL CHARACTERISTICS.—Drilled observation well, diameter 4 in (0.10 m), depth 105 ft (32 m), screened 100 to 105 ft (30 to 32 m).


OATUM. --Land-surface datum is 100.3 ft (30.6 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 1.14 ft (0.35 m) above land-surface datum.

PERIOD OF RECORD. --August 1945 to current year.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 13.07 ft (3.98 m) NGVD, July 23, 30, 1973; lowest measured, 8.16 ft (2.49 m) NGVD, Sept. 5, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NOVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

		WAT	ER				WA	TER				WA	TER				WAT	TER				WA	TER				WATER	
DAT	E	LEV	EL		DA	TE	LE	VEL		DAT	E	LE	VEL		DATE	Ε	LEV	EL		DATE	Ε	LE	VEL		DATE	Ε	LEVEL	
ОСТ	3	8.	78	G	DE	c 6	8	. 78	G	FEB	14	9	. 03	G	APR	11	9.	48	G	JUN	7	9	70	G	AUG	9	10. 25	G
	11	8.	78	G		14	8	. 85	G		22	9	. 20	G		19	9.	51	G		14	9	92	G		15	10.42	G
	16	8.	78	G	•	20	8	. 84	G		28	9	. 23	G		25	9.	55	G		28	10	29	G		23	10.42	G
	25	8.	77	G		28	8	. 84	G	MAR	8	9	. 30	G	MAY	3	9.	57	G	JUL	4	10	23	G		29	10.52	G
NOV	2	8.	78	G	JA	N 3	8	. 84	G		14	9	. 35	G		9	9.	60	G		12	10	27	G	SEP	6	10.61	G
	8	8.	77	G		11	8	. 86	G		22	9	. 37	G		17	9.	61	G		18	10	24	G		12	10.64	G
	16	8.	76	G		25	8	. 86	G		28	9	. 42	G		23	9.	64	G		26	10	18	G		20	10.69	G
	22	8.	75	G		31	8	. 87	G	APR	5	9	. 46	G		31	9.	71	G	AUG	1	10	33	G		26	10.70	G
	20		70	0		0 0		00					-															



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

405149072532201. Local number, S 5517.1 LOCATION. --Lat 40°51'49", long 72°53'22", Hydrologic Unit 02030202, at Upton Road and Princeton Avenue, Upton. Owner: Brookhaven National Laboratory.

AQUIFER.—Upper Glacial (water table).
WELL CHARACTERISTICS.—Drilled observation well, diameter 4 in (0.10 m), depth 91 ft (28 m), screened 85 to 91 ft

Measuring point: Top of


WELL CHARACTERISTICS. --Drilled observation well, diameter 4 in (0.10 m), depth 91 ft (28 m), screened 85 to 9 (26 to 28 m).

DATUM. --Land-surface datum is 115.0 ft (35.1 m) National Geodetic Vertical Datum of 1929. Measuring point: casing, 0.04 ft (0.01 m) above land-surface datum.

PERIOD OF RECORD. --April 1948 to current year.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 46.93 ft (14.30 m) NGVD, June 25, 1958; lowest measured, 33.34 ft (10.16 m) NGVD, Mar. 1, 1967.

DATE	WATER	DATE	WATER	DATE	WATER	DATE	WATER	DATE	WATER	DATE	WATER
OCT 27	35. 82	DEC 21	34. 80	FEB 24	36. 87	APR 22	38. 11	JUN 23	40.02	AUG 19	41. 22
NOV 20	35. 45	JAN 25	35.04	MAR 22	38.04	MAY 18	37 98	JUL 21	41 04	SEP 20	41 04



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

40565072541801. Local number, S 6411.1

LOCATION. --Lat 40°56′50", long 72°54′18", Hydrologic Unit 02030202, at State Highway 25 and Randall Road, Shoreham. Owner: Brookhaven National Laboratory.

AQUIFER. -- Upper Glacial (water table).

WELL CHARACTERISTICS. --Drilled observation well, diameter 4 in (0.10 m), depth 149 ft (45 m), screened 143 to 149 ft (44 to 45 m).

DATUM. --Land-surface datum is 138.4 ft (42.2 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of


casing, 1.73 ft (0.53 m) above land-surface datum.
PERIOD OF RECORD. —November 1948 to current year. Unpublished records for November 1948 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. —Highest water level measured, 34.49 ft (10.51 m) NGVD, July 26, Aug. 28, 1979;

lowest measured, 25.15 ft (7.67 m) NGVD, Dec. 28, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	WATER LEVEL	DATE	WATER								
OCT 27	28. 84	DEC 21	28. 38	FEB 24	28. 06	APR 22	28. 10	JUN 23	28. 61	AUG 19	30. 18
NOV 20	28. 64	JAN 25	28. 19	MAR 22	28. 03	MAY 18	28. 14	JUL 21	29. 42	SEP 20	30. 83



TIME, IN WATER YEARS

405223072523401. Local number, S 6434.1

LOCATION. --Lat 40° 52′23", long 72° 52′34", Hydrologic Unit 02030202, at 10th Street and 4th Avenue, Upton. Owner: Brookhaven National Laboratory.

AQUIFER. --Lloyd (confined).
WELL CHARACTERISTICS. --Drilled observation well diameter 10 in (0.25 m), depth 1,395 ft (425 m), screened 1,312 to

1,372 ft (400 to 424 m).

DATUM. --Land-surface datum is 85.0 ft (25.9 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of 2 in (0.05 m) nipple, 2.21 ft (0.67 m) above land-surface datum.

REMARKS. --Water-quality records for 1949 are available in files of Long Island Sub-district office.

PERIOD OF RECORD. -- August 1949 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 36.11 ft (11.01 m) NGVD, July 12, 1979; lowest measured, 28.74 ft (8.76 m) NGVD, Mar. 1, 1967.

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 15	29. 11	MAR 16	29. 41	JUN 17	30.21	SEP 23	31. 11				

SUFFOLK COUNTY--Continued

405223072523402. Local number, S 6455.1 LOCATION. --Lat 40°52'23", long 72°52'34", Hydrologic Unit 02030202, at 10th Street and 4th Avenue, Upton. Owner: Brookhaven National Laboratory.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 4 in (0.10 m), depth 962 ft (293 m), screened 952 to 962 ft (290 to 293 m).

DATUM. --Land-surface datum is 84.6 ft (25.8 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, O. 16 ft (O. 05 m) below land-surface datum.

PERIOD OF RECORD. -- July 1949 to June 1952, January 1954 to current year.

EXTREMES FOR PERIOD OF RECORD. — Highest water level measured, 47.15 ft (14.37 m) NGVD, May 31, 1949; lowest measured, 33.82 ft (10.31 m) NGVD, Dec. 27, 1966, Mar. 1, 1967.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 15	35 76	MAR 16	37 10	JUN 17	39 06	SEP 23	38 64				

410100072292501. Local number, S 6542.1

LDCATION.--Lat 41°01'00", long 72°29'25", Hydrologic Unit 02030202, at Depot Lane, 0.4 mi (0.6 km) north of State Highway 25, Cutchogue. Owner: Cutchogue Fire Department.


AQUIFER. -- Upper Glacial (water table).

WELL CHARACTERISTICS. -- Drilled fire-protection well, diameter 6 in (0.15 m), depth 36 ft (11 m), screen assumed at bottom.

DATUM. --Land-surface datum is 24.4 ft (7.4 m) National Geodetic Vertical Datum of 1929. Measuring point: Bottom outside edge of hose connection, 1.79 ft (0.55 m) above land-surface datum. PERIOD OF RECORD. —July 1949 to current year.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 9.28 ft (2.83 m) NGVD, Feb. 27, 1979; lowest measured, 2.19 ft (0.67 m) NGVD, Sept. 18, 1981.

DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
NOV 20 DEC 4	3.02 G 3.08 G	DEC 16	3. 91	MAR 18	4. 39	JUN 16	7. 92	JUL 8	7. 59	SEP 21	5. 86



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

405756072173501. Local number, S 8833.1

LOCATION. --Lat 40°57'56", long 72°17'35", Hydrologic Unit 02030202, at Toppings Path near Sag Harbor. Owner: Town of Southampton.

AGUIFER. -- Upper Glacial (water table).

WELL CHARACTERISTICS. --Driven observation well, diameter 2 in (0.05 m), depth 13 ft (4.0 m), screened 10 to 13 ft (3.0 to 4.0 m).

DATUM. --Land-surface datum is 20.0 ft (6.1 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 1.63 ft (0.50 m) above land-surface datum.

REMARKS. -- Water-quality records for 1974-76 are available in files of Long Island Sub-district office.
PERIOD OF RECORD. --October 1950 to current year. Unpublished records for October 1950 to September 1977 are

available in files of Long Island Sub-district office. EXTREMES FOR PERIOD OF RECORD.—Highest water level measured, 18.30 ft (5.58 m) NGVD, May 26, 1953; lowest measured, 12.84 ft (3.91 m) NGVD, Mar. 29, 1982.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	WATER	DATE	WATER	DATE	WATER	DATE	WATER	DATE	WATER	DATE	WATER
Dille		DHIL	LLVLL	DAIL	LEVEL	DAIL	LEVEL	DHIL	LEVEL	DATE	LLYLL
DEC 17	13. 18	MAR 29	12.84	JUN 17	14. 63	SEP 22	16.76				

405309072233101. Local number, S 8836.1

LOCATION. --Lat 40°53'09", long 72°23'31", Hydrologic Unit 02030202, at Nugent Street and Windmill Lane, Southampton. Owner: Southampton Fire Department.

AGUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. --Drilled fire-protection well, diameter 8 in (0.20 m), depth 37 ft (11 m), screen assumed at bottom.

DATUM.--Land-surface datum is 17.4 ft (5.30 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of


casing, 1.47 ft (0.45 m) above land-surface datum.

REMARKS.—-Water-quality records for 1974-77 are available in files of Long Island Sub-district office.

PERIOD OF RECORD. -- July 1950 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 9.08 ft (2.77 m) NGVD, Mar. 29, 1973; lowest measured, 4.93 ft (1.50 m) NGVD, Aug. 30, 1968.

	WATER		WATER		WATER		WATER		WATER	WATER	
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 18	5. 64	MAR 26	5. 87	JUN 18	6. 42	SEP 22	6. 79				



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

405840072082301. Local number, S 8839.1 LOCATION. --Lat 40°58'40", long 72°08'23", Hydrologic Unit 02030202, at Windmill Lane and State Highway 27, Amagansett. Owner: D. Toler. AGUIFER. --Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Driven observation well, diameter 1.25 in (0.03 m), depth 37 ft (11 m), screen assumed at bottom.

DATUM. --Land-surface datum is 39.1 ft (11.9 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of

casing, 0.87 ft (0.27 m) above land-surface datum.


PERIOD OF RECORD. —August 1950 to current year. Unpublished records for August 1950 to September 1975 are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. — Highest water level measured, 10.55 ft (3.22 m) NGVD, Feb. 27, 1979; lowest measured, 6.10 ft (1.86 m) NGVD, Oct. 27, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER										
DATE	LEVEL										
OCT 27	6. 41	DEC 21	6. 43	FEB 24	6. 91	APR 22	7. 17	JUN 23	10.40	AUG 19	9. 47
NOV 20	6. 42	JAN 25	6. 57	MAR 22	7.04	MAY 18	7. 28	JUL 21	9 99	SEP 20	8. 88



TIME, IN WATER YEARS

404831072530501. Local number, S 9130.1 LOCATION.—Lat 40°48'31", long 72°53'05", Hydrologic Unit 02030202, at River Road, Shirley. Owner: Town of Brookhaven.

AGUIFER.—-Upper Glacial (water-table).
WELL CHARACTERISTICS.—-Drilled observation well, diameter 2 in (0.05 m), depth 28 ft (8.5 m), screened 25 to 28 ft (7.6 to 8.5 m).

DATUM. --Land-surface datum is 26.0 ft (7.9 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 100 ft (0.30 m) above land-surface datum.

PERIOD OF RECORD. —June 1953 to current year. Unpublished records for June 1953 to September 1977 are available in

files of Long Island Sub-district office. EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 11.53 ft (3.51 m) NGVD, Mar 29, 1978; lowest measured, 9.50 ft (2.90 m) NGVD, Mar. 19, 1981.

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 15	9. 77	MAR 16	10. 22	JUN 15	11.05	SEP 23	10. 50				

SUFFOLK COUNTY--Continued

405843072352901. Local number, S 16756.1.

LOCATION. --Lat 40°58'43", long 72°35'29", Hydrologic Unit 02030202, at Herricks Lane, 0.25 mi (0.4 km) south of Sound Avenue, Jamesport. Owner: Town of Riverhead.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 2 in (0.05 m), depth 62 ft (19 m), screen assumed at bottom.

DATUM. --Land-surface datum is 61.0 ft (18.6 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of

casing, O. 23 ft (O. 07 m) below land-surface datum.
PERIOD OF RECORD. —September 1958 to current year. Unpublished records for September 1958 to September 1976 are

available in files of Long Island Sub-district office. EXTREMES FOR PERIOD OF RECORD. —Highest water level measured, 10.06 ft (3.07 m) NGVD, Mar. 30, 1979; lowest measured, 4.21 ft (1.28 m) NGVD, Aug. 31, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER		WATER		WATER	WATER WATER			WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 16	5. 08	MAR 18	6. 24	JUN 16	7. 65	SEP 21	7. 33				

410856072171501. Local number, S 16787.1

LOCATION. --Lat 41°08'56", long 72°17'15", Hydrologic Unit 02030201, at State Highway Route 25, Orient. Owner: Suffolk County Department of Public Works.

AQUIFER. -- Upper Glacial (water-table)

WELL CHARACTERISTICS -- Driven observation well, diameter 1.25 in (0.03 m), depth 44 ft (13 m) screened 41 to 44 ft (12 to 13 m).

DATUM. --Land-surface datum is 22.2 ft (6.8 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of

casing, O. 24 ft (O. 07 m) above land-surface datum.
PERIOD OF RECORD. —August 1958 to current year. Unpublished records for August 1958 to September 1977 are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. —Highest water level measured, 4.57 ft (1.39 m) NGVD, Mar. 29, 1979; lowest measured, 1.12 ft (0.34 m) NGVD, Aug. 8, 1966 .

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL
DEC 17	2. 23	MAR 18	3. 13	JUN 16	4. 24	SEP 21	3. 18				

SUFFOLK COUNTY--Continued

404747073241501. Local number, S 16874.1
LOCATION. --Lat 40°47'47", long 73°24'15", Hydrologic Unit 02030202, at Old Country Road and New York Avenue, Huntington. Owner: Town of Huntington.
AGUIFER. --Upper Glacial (water-table).

WELL CHARACTERISTICS. --Driven observation well, diameter 1.25 in (0.03 m), depth 82 ft (25 m), screen assumed at bottom.


DATUM.—Land-surface datum is 141.2 ft (43.0 m) National Geodetic Vertical of 1929. Measuring point: Top of casing, 0.04 ft (0.01 m) below land-surface datum.

PERIOD OF RECORD.—July 1958 to current year. Unpublished records for July 1958 to May 1959, August 1971 to

September 1975, are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. —Highest water level measured, 80.14 ft (24.43 m) NGVD, May. 21, 1980; lowest measured, 66.95 ft (20.40 m) above NGVD, Oct. 20, 1971.

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
OCT 27	72. 62	DEC 21	71.90	FEB 24	72. 24	APR 22	72. 05	JUN 23	72. 09	AUG 19	71.43
NOV 20	72 32	JAN 25	71 81	MAR 22	72 11	MAY 18	71 75	. 11 11 21	71 67	SEP 20	71 13



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

403727073154602. Local number, S 21091.1

LOCATION. --Lat 40°37'27", long 73°15'46", Hydrologic Unit 02030202, at Robert Moses State Park, Fire Island.

Long Island State Park Commission.

AQUIFER. -- Lloyd (confined).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 6 in (0.15 m), depth 1,921 ft (586 m), screened 1,918 to

1,921 ft (585 to 586 m).

DATUM.--Land-surface datum is 10.0 ft (3.0 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of flange, 13.68 ft (4.17 m) above land-surface datum.


REMARKS.--Water-quality records for 1965 and 1972 are available in files of Long Island Sub-district office.

PERIOD OF RECORD. -- June 1962 to current year. Unpublished records for June 1962 to September 1975 are available

in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 22.10 ft (6.74 m) NGVD, Mar. 16, 1976; lowest measured, 15.13 ft (4.61 m) NGVD, June 2, 1972.

	WATER										
DATE	LEVEL										
OCT 26	18. 50	DEC 23	18. 69	FEB 24	19. 02	APR 25	18. 92	JUN 24	18. 69	AUG 25	18. 20
NOV 25	18. 69	JAN 23	19.15	MAR 24	18.81	MAY 25	19.00	JUL 25	18. 35	SEP 23	17.72



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

403727073154601. Local number, S 21311.1 LOCATION.--Lat 40°37'27", long 73°15'46", Hydrologic Unit 02030202, at Robert Moses State Park, Fire Island.

Owner: Long Island State Park Commission.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 6 in (0.15 m), depth 721 ft (220 m), screened 711 to 721 ft (217 to 220 m).


DATUM. --Land-surface datum is 10.0 ft (3.0 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 20.01 ft (6.0 m) above land-surface datum.

REMARKS. -- Water-quality records for 1965 are available in files of Long Island Sub-district office

PERIOD OF RECORD. -- June 1962 to current year. Unpublished records for June 1962 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 13.04 ft (3.97 m) NGVD, Jan. 25, 1979; lowest measured, 5.35 ft (1.63 m) above NGVD, Feb. 23, 1972.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER
DCT 26	10. 61	DEC 23	10. 59	FEB 24	11. 39	APR 26	11.31	JUN 24	10. 90	AUG 25	10. 29
NOV 25	10. 90	JAN 24	11. 33	MAR 24	11. 00	MAY 24	11.22	JUL 25	10. 00	SEP 22	10. 60



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404902073094001. Local number, S 22577.1
LOCATION. --Lat 40°49′02", long 73°09′40", Hydrologic Unit 02030202, at L. I. Motor Parkway, near Nichols Road, Hauppauge. Owner: U.S. Geological Survey.
AQUIFER. --Magothy (confined).
WELL CHARACTERISTICS. --Drilled observation well, diameter 4 in (0.10 m), depth 736 ft (224 m), screened 724 to 734

ft (221 to 224 m).


DATUM.—Land-surface datum is 60.0 ft (18.3 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 2.63 ft (0.80 m) above land-surface datum.

REMARKS.—Water-quality records for 1964 are available in files of Long Island Sub-district office.

PERIOD OF RECORD.—August 1964 to current year. Unpublished records for August 1964 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 45.04 ft (13.73 m) NGVD, Mar. 28, 1979; lowest measured, 36.19 ft (11.03 m) above NGVD, Mar. 2, 1967.

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 14	39. 11	MAR 15	40. 29	JUN 14	41.23	SEP 30	41.28				



SUFFOLK COUNTY--Continued

404902073094002. Local number, S 22578.1
LOCATION.—Lat 40°49′02", long 73°09′40", Hydrologic Unit 02030202, at L. I. Motor Parkway, near Nichols Road, Hauppauge. Owner: U.S. Geological Survey.

AGUIFER.—Magothy (water-table).

WELL CHARACTERISTICS.—Drilled observation well, diameter 4 in (0.10 m), depth 402 ft (123 m), screened 372 to 402 ft (117 to 123 m).

DATUM.—Land-surface datum is 60.1 ft (18.3 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of 2 in (0.05 m) coupling, 2.79 ft (0.85 m) above land-surface datum.

REMARKS.—Water-quality records for 1964 and 1971 are available in files of Long Island Sub-district office.


PERIOD OF RECORD.—August 1964 to current year. Unpublished records for August 1964 to September 1975 are in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.—Highest water level measured, 45.25 ft (13.79 m) NGVD, Mar. 28, 1979; lowest

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

measured, 36.35 ft (11.08 m) NGVD, Mar. 1, 1967.

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 14	39, 25	MAR 15	40.50	JUN 14	41 41	SEP 30	41 23				



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404902073094003. Local number, S 22579.1
LDCATION.—Lat 40°49′02", long 73°09′40", Hydrologic Unit 02030202, at L. I. Motor Parkway, near Nichols Road, Hauppauge. Owner: U.S. Geological Survey.
AGUIFER.—Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 4 in (0.10 m), depth 210 ft (64 m), screened 200 to 220 ft (61 to 67 m).


DATUM. --Land-surface datum is 60.1 ft (18.3 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of 2 in (0.05 m) coupling, 2.50 ft (0.76 m) above land-surface datum.

REMARKS. --Water-quality records for 1964 and 1971 are available in files of Long Island Sub-district office.

PERIOD OF RECORD. -- August 1964 to current year. Unpublished records for August 1964 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 45.26 ft (13.80 m) NGVD, Mar. 27, 1979, lowest measured, 36.40 ft (11.09 m) NGVD, Mar. 1, 1967.

	WATER			WATER		WATER		WATER	-	WATER		WATER
DATE	LEVEL		DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 14	40. 20	-	MAR 15	40. 50	JUN 14	40. 95	SEP 30	41 26				



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404828073114002. Local number, S 22580.1
LOCATION.—Lat 40°48′28″, long 73°11′40″, Hydrologic Unit 02030202, at Long Island Expressway Service Road and
L. I. Motor Parkway, Central Islip. Owner: U.S. Geological Survey.
AGUIFER.—Magothy (water-table).

WELL CHARACTERISTICS. --Drilled observation well, diameter 4 in (0.10 m), depth 802 ft (244 m), screened 440 to 450 ft (134 to 137 m).

DATUM. —-Land-surface datum is 123.0 ft (37.5 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 4.30 ft (1.31 m) above land-surface datum.


REMARKS. —-Water-quality records for 1972 are available in files of Long Island Sub-district office.

PERIOD OF RECORD. —-May 1964 to current year. Unpublished records for May 1964 to September 1975 are available

in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. —Highest water level measured, 42.55 ft (12.97 m) NGVD, Apr. 17, 1979; lowest measured, 34.01 ft (10.37 m) NGVD, Jan. 27, 1967.

	WATER	0.022	WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 14	36 82	MAR 15	37 97	JUN 14	36 67	SEP 30	38 48				



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404828073114003. Local number, S 22581.1 LOCATION.—Lat 40°48'28", long 73°11'40", Hydrologic Unit 02030202, at Long Island Expressway Service Road and L. I. Motor Parkway, Central Islip. Owner: U.S. Geological Survey.

AQUIFER. --Magothy (water-table).
WELL CHARACTERISTICS. --Drilled observation well, diameter 4 in (0.10 m), depth 450 (137 m), screened 440 to 450 ft (134 to 137 m).

DATUM.—Land-surface datum is 123.2 ft (37.6 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 4.08 ft (1.24 m) above land-surface datum.


PERIOD OF RECORD. -- August 1964 to current year. Unpublished records for August 1964 to September 1975 are

PERIOD OF RECORD. — August 1784 to correct year.

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. — Highest water level measured, 43.93 ft (13.39 m) NGVD, Apr. 17, 1979; lowest measured, 34.21 ft (10.43 m) NGVD, Jan. 27, 1967.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER	DATE	WATER
DEC 14	37 74	MAR 15	38 53	JUN 14	39 99	SEB 30	39 94				



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404828073114004. Local number, S 22582.1
LOCATION.—Lat 40°48'28", long 73°11'40", Hydrologic Unit 02030202, at Long Island Expressway Service Road and L. I. Motor Parkway, Central Islip. Owner: U.S. Geological Survey.
AGUIFER.—-Upper Glacial (water-table).

WELL CHARACTERISTICS. --Drilled observation well, diameter 2 in (0.05 m), depth 115 ft (35 m), screened 105 to 115 ft (32 to 35 m).

DATUM. --Land-surface datum is 123.7 ft (37.7 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of


casing, 3.01 ft (0.92 m) above land-surface datum.

PERIOD OF RECORD. —August 1964 to current year. Unpublished records for August 1964 to September 1975 are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. —Highest water level measured, 45.11 ft (13.75 m) NGVD, May 2 and June 12, 1979; lowest measured, 34.74 ft (10.59 m) NGVD, Jan. 27, 1967.

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 14	38 42	MAR 15	39 26	JUN 14	40 08	SEP 30	40 71				



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404902073094004. Local number, S 23133.1
LDCATION.—Lat 40°49′02", long 73°09′40", Hydrologic Unit 02030202, at L. I. Motor Parkway, near Nichols Road, Hauppauge. Owner: U.S. Geological Survey.
AGUIFER.—Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Driven observation well, diameter 2 in (0.05 m), depth 29 ft (9 m), screened 26 to 29 ft (8 to 9 m).

(8 to 9 m).

DATUM. --Land-surface datum is 60.3 ft (18.4 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 0.59 ft (0.18 m) above land-surface datum.


REMARKS. --Water-quality records for 1964 are available in files of Long Island Sub-district office.

PERIOD OF RECORD. --August 1964 to current year. Unpublished records for August 1964 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 45.50 ft (13.87 m) NGVD, Mar. 28, 1979; lowest

measured, 35.66 ft (10.87 m) NGVD, Nov. 30, 1966.

	WATER		WATER		WATER		WATER		WATER	1	WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 14	38 57	MAR 15	40 25	.IIIN 14	40 87	SEB 30	41 29				



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404809073160301. Local number, S 24769.1 LOCATION.—Lat 40°48'19", long 73°16'03", Hydrologic Unit 02030202, at Vanderbilt Parkway and Wicks Road, Brentwood. Owner: U.S. Geological Survey. AQUIFER. --Magothy (confined).
WELL CHARACTERISTICS. --Drilled observation well, diameter 4 in (0.10 m), depth 810 ft (247 m), screened 800 to 810 ft (244 to 247 m).

DATUM. --Land-surface datum is 139.0 ft (42.4 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of


DATUM. --Land-surface datum is 139.0 ft (42.4 m) National Geodetic Vertical Datum of 1929. Measuring point: casing, 1.98 ft (0.60 m) above land-surface datum.

REMARKS. --Water-quality records for 1965 and 1972 are available in files of Long Island Sub-district office.

PERIOD OF RECORD. --August 1965 to current year. Unpublished records for August 1965 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 55.93 ft (17.05 m) NGVD, May 2, 1979; lowest measured, 45.31 ft (13.81 m) NGVD, Mar. 7, 1966.

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 14	46. 57	MAR 15	46.71								



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404819073160304. Local number, S 24770.1 LOCATION.--Lat 40°48'19", long 73°16'03", Hydrologic Unit 02030202, at Vanderbilt Parkway and Wicks Road, Brentwood. Owner: U.S. Geological Survey.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 4 in (0.10 m), depth 434 ft (132 m), screened 424 to 434 ft (129 to 132 m).


DATUM. --Land-surface datum is 137.0 ft (42.4 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 2. 01 ft (0.61 m) above land-surface datum.

REMARKS. --Water-quality records for 1965 are available in files of Long Island Sub-district office

PERIOD OF RECORD.—-August 1965 to current year. Unpublished records for August 1965 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 56.48 ft (17.22 m) NGVD, May 2, 1979; lowest measured, 45.66 ft (13.92 m) NGVD, Mar. 7, 1966.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
DEC 14	49. 34	MAR 15	49. 82	JUN 14	50.85	SEP 13	50 58				



SUFFOLK COUNTY--Continued

404820073160303. Local number, S 24771.1

LOCATION. --Lat 40°48'20", long 73°16'03", Hydrologic Unit 02030202, at Vanderbilt Parkway and Wicks Road,

Brentwood. Owner: U.S. Geological Survey.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 4 in (0.10 m), depth 127 ft (39 m), screened 117 to 127 ft (36 to 39 m).


DATUM. --Land-surface datum is 139.0 ft (42.4 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 1.86 ft (0.57 m) above land-surface datum.

REMARKS.—-Water-quality records for 1964-65 and 1972 are available in files of Long Island Sub-district office. PERIOD OF RECORD.—-August 1965 to current year. Unpublished records for August 1965 to September 1975 are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. —Highest water level measured, 60.46 ft (18.43 m) NGVD, Aug. 28, 1979; lowest measured, 43.50 ft (13.26 m) NGVD, Nov. 30, 1966.

DATE	WATER LEVEL										
OCT 27	52. 84	DEC 21	52. 56	FEB 24	52. 78	APR 22	53. 24	JUN 23	54. 10	AUG 19	54. 36
NOV 20	52. 60	JAN 25	52. 57	MAR 22	52. 91	MAY 18	53. 42	JUL 21	54. 18	SEP 20	54. 50



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404603073214803. Local number, S 27739.1
LOCATION. --Lat 40°46′03", long 73°21′48", Hydrologic Unit 02030202, at Landscape Drive, near Seamans Road, Wyandanch. Owner: U. S. Geological Survey.


wgendamen. Johner. J. S. Seriogical Solvey.
AGUIFER.—Magothy (confined).
WELL CHARACTERISTICS.—Drilled observation well, diameter 4 in (0.10 m), depth 850 ft (259 m), screened 840 to 850 ft (256 to 259 m).

DATUM. --Land-surface datum is 139.0 ft (42.4 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 2.37 ft (0.72 m) above land-surface datum.

REMARKS. —Water-quality records for 1966 and 1974 are available in files of Long Island Sub-district office.
PERIOD OF RECORD. —May 1966 to current year. Unpublished records for May 1966 to September 1975 are available. Unpublished records for May 1966 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 62.97 ft (19.19 m) NGVD, Mar. 20, 1979; lowest measured, 50.85 ft (15.50 m) NGVD, Feb. 15, 1967.

DATE	WATER	DATE	WATER	DATE	WATER	DATE	WATER	DATE	WATER	DATE	WATER
				DATE	LEVEL	DATE	LEVEL	DAIL	CLYCL	2111	
DEC 14	58 57	MAD 14	50 44	BIN 14	50 40	CCD 20	57 25				



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404603073214804. Local number, S 27740.1
LDCATION.—Lat 40°46′03", long 73°21′48", Hydrologic Unit 02030202, at Landscape Drive, near Seamans Road, Wyandanch. Owner: U.S. Geological Survey.
AQUIFER.—Magothy (water-table).
WELL CHARACTERISTICS.—Drilled observation well, diameter 4 in (0.10 m), depth 429 ft (131 m), screened 419 to 429 ft (128 to 131 m).


DATUM --Land-surface datum is 139.0 ft (42.4 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of

casing, 2.85 ft (0.87 m) above land-surface datum.

REMARKS. --Water-quality records for 1966 and 1974 are available in files of Long Island Sub-district office. PERIOD OF RECORD. -- July 1966 to current year. Unpublished records for July 1966 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 63.09 ft (19.23 m) NGVD, Mar 20, 1979; lowest measured, 51.08 ft (15.57 m) NGVD, Feb. 15, 1967.

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 14	57. 69	MAR 16	57. 50	JUN 14	58 80	SEP 28	57 55				



SUFFOLK COUNTY--Continued

404710073264003. Local number, S 29776 1
LOCATION. --Lat 40°47′10", long 73°26′40", Hydrologic Unit 02030202, at Round Swamp Road, near Long Island Expressway, Melville. Owner: U.S. Geological Survey.

AQUIFER. --Magothy (water-table).
WELL CHARACTERISTICS. --Drilled observation well, diameter 4 in (0.10 m), depth 720 ft (219 m), screened 710 to 720 ft (216 to 219 m)

DATUM --Land-surface datum is 193.0 ft (58.8 m) National Geodetic Vertical Datum of 1929.


casing, 2. 44 ft (0.74 m) above land-surface datum.

REMARKS. --Water-quality records for 1974 and 1976 are available in files of Long Island Sub-district office.

PERIOD OF RECORD. --May 1967 to current year. Unpublished records for May 1967 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 85.29 ft (26.00 m) NGVD, Mar. 11, 1980; lowest measured, 67.64 ft (20.62 m) NGVD, June 27, 1967.

WATER			WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 14	77. 87	MAR 24	77 48	JUN 15	76 95	SEP 27	75 84				



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404710073264003. Local number, S 29777.1
LOCATION.—Lat 40°47′10", long 73°26′40", Hydrologic Unit 02030202, at Round Swamp Road, near Long Island Expressway, Melville. Owner: U.S. Geological Survey.

Expression (1997) (1997 ft (118 to 121 m).

DATUM --Land-surface datum is 193.0 ft (58.8 m) National Geodetic Vertical Datum of 1929.


casing, 1.80 ft (0.55 m) above land-surface datum.

REMARKS.—Water-quality records for 1967, 1974, 1976 are available in files of Long Island Sub-district office.

PERIOD OF RECORD.—May 1967 to current year. Unpublished records for May 1967 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 84.70 ft (25.82 m) NGVD, Dec. 27, 1979; lowest measured, 67.90 ft (20.70 m) NGVD, May 1, 1967.

	WATER		WATER		WATER		WATER WATE				WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 14	77 82	MAR 24	77 35	.iUN 15	76 84	SEP 27	76 50				



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404710073264003. Local number, S 29778.1
LOCATION. --Lat 40°47′10", long 73°26′40", Hydrologic Unit 02030202, at Round Swamp Road, near Long Island Expressway, Melville. Owner: U.S. Geological Survey.

AQUIFER. --Magothy (water-table).
WELL CHARACTERISTICS. --Drilled observation well, diameter 4 in (0.10 m), depth 168 ft (51 m), screened 158 to 168 ft (48 to 51 m).

168 ft (48 to 51 m).


DATUM.—Land-surface datum is 193.0 ft (58.8 m) National Geodetic Vertical Datum of 1929 Measuring point: Top of casing, 2.17 ft (0.66 m) above land-surface datum.

REMARKS.—Water-quality records for 1967, 1972, 1974-79, are available in files of Long Island Sub-district office.

PERIOD OF RECORD.—May 1967 to current year. Unpublished records for May 1967 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.—Highest water level measured, 85.79 ft (26.15 m) NGVD, Aug. 28, 1979; lowest measured, 68.27 ft (20.81 m) NGVD, June 27, 1967.

Alabama and a second	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 14	78 39	. MAR 24	77 81	.IUN 15	77 34	SEP 27	77 07				



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

405450073030302. Local number, S 31734.1 LOCATION.—Lat 40°54′50", long 73°03′03", Hydrologic Unit 02030202, at Jayne Boulevard, 0.7 mi (1.1 km) south of State Highway 347, Terryville. Owner: Suffolk County Water Authority. AQUIFER. -- Lloyd (confined).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 6 in (0.15 m), depth 1,095 ft (334 m), screened 1,069 to 1,090 ft (326 to 332 m).


DATUM. --Land-surface datum is 165.0 ft (50.3 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of 1.25 in (0.03 m) hole in reducer 1.74 ft (0.53 m) above land-surface datum.

REMARKS. --Water-quality records for 1972 are available in files of Long Island Sub-district office.

PERIOD OF RECORD. --December 1970 to current year. Unpublished records for December 1970 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 44.52 ft (13.57 m) NGVD, May 30, 1979; lowest measured, 37.41 ft (11.40 m) NGVD, Mar. 20, 1972.

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 15	39 04	MAD 14	20 04	U/N 15	20 70	CED 24	20 20				



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

405452073025702. Local number, S 32895.1 LOCATION.--Lat 40°54′52", long 73°02′57", Hydrologic Unit 02030202, at Jayne Boulevard, 0.7 mi (1.1 km) south of State Highway 347, Terryville. Owner: Suffolk County Water Authority.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS. --Drilled observation well, diameter 4 in (0.10 m), depth 845 ft (258 m), screened 840 to 845 ft (2356 to 258 m).


DATUM.—Land-surface datum is 165.0 ft (50.3 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 1.92 ft (0.58 m) above land-surface datum.

PERIOD OF RECORD. -- March 1970 to current year. Unpublished records for March 1970 to September 1975 are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water-level measured, 46.43 ft (14.15 m) NGVD, Oct. 27, 1979; lowest measured, 38.92 ft (11.86 m) NGVD, July 26, 1971.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
DEC 15	40 86	MAD 14	41 01	IIIN 15	40 27	CED 24	10 24				



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404932073055901. Local number, S 33379.1 LOCATION.—Lat 40°49'32", long 73°05'59", Hydrologic Unit 02030202, at Duncon Avenue and Portion Road, Lake Ronkonkoma. Owner: Suffolk County Water Authority.

AQUIFER.—Lloyd (confined).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 4 in (0.10 m), depth 1,305 ft (398 m), screened 1,290 to 1,300 ft (393 to 396 m).

DATUM. --Land-surface datum is 134.0 ft (40.8 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 2.34 ft (0.71 m) above land-surface datum.


REMARKS. --Water-quality records for 1968 are available in files of Long Island Sub-district office.

PERIOD OF RECORD. --October 1968 to current year. Unpublished records for October 1968 to September 1975 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 40.92 ft (12.47 m) NGVD, Jun. 5, 1979; lowest

measured, 34.13 ft (10.40 m) NGVD, Oct. 11, 1968.

WATER											
DATE	LEVEL										
DCT 26	35. 73	DEC 28	35. 58	FEB 25	35. 69	APR 27	36. 11	JUN 25	36. 28	AUG 30	36. 28
NOV 25	35. 74	JAN 28	35. 62	MAR 25	35. 94	MAY 25	35, 82	JUL 27	36. 18	SEP 23	36. 47



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

404932073055902. Local number, S 33380.1

LOCATION. --Lat 40°49'32", long 73°05'59", Hydrologic Unit 02030202, at Duncun Avenue and Portion Road, Lake Ronkonkoma. Owner: Suffolk County Water Authority.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS. --Drilled observation well, diameter 4 in (0.10 m), depth 850 ft (259 m), screened 840 to 850 ft (256 to 259 m).


DATUM. --Land-surface datum is 133.5 ft (40.7 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 2.13 ft (0.65 m) above land-surface datum.

REMARKS.—Water-quality records for 1968 and 1976 are available in files of Long Island Sub-district office. PERIOD OF RECORD.—October 1968 to current year. Unpublished records for October 1968 to September 1975 are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD.—Highest water level measured, 54.30 ft (16.55 m) NGVD, Apr. 27, 1979; lowest measured, 45.16 ft (13.76 m) above NGVD, Dec. 5, 1969.

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER
OCT 26	47. 01	DEC 28	46. 64	FEB 25	47. 08	APR 27	47. 77	JUN 25	48. 46	AUG 30	48: 86
NOV 25	46. 83		46. 87	MAR 25	47. 75	MAY 25	47. 79	JUL 27	48. 63	SEP 23	49. 00



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

405517072574902. Local number, S 34892.1
LOCATION.—Lat 40°55′17", long 72°57′49", Hydrologic Unit 02030202, at Radio Avenue, 1.3 mi (2.1 km) south of State Highway 25A, Rocky Point. Owner: Suffolk County Water Authority.
AGUIFER.—Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 6 in (0.15 m), depth 138 ft (42 m), screened 124 to 138 ft (38 to 42 m).

DATUM. --Land-surface datum is 122.5 ft (37.3 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of


casing, O. 68 ft (O. 21 m) above land-surface datum.

PERIOD OF RECORD. --July 1970 to current year. Unpublished records for July 1970 to September 1975 are available

in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 52.35 ft (15.96 m) NGVD, May 30, 1979; lowest measured, 42.17 ft (12.85 m) NGVD, Mar. 21, 1972.

DATE	WATER	WATE	WATER	2.75	WATER DATE LEVEL DATE			DATE	WATER	DATE	WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 10	44. 42 G	23322	44. 55 G	JUN 15	45. 38	JUN 30	46.74 G	SEP 15	47.61 G	SEP 24	47. 42



TIME, IN WATER YEARS

SUFFOLK COUNTY--Continued

405517072574903. Local number, S 34894.1

LOCATION. --Lat 40°55'17", long 72°57'49", Hydrologic Unit 02030202, at Radio Avenue, 1.3 mi (2.1 km) south of State Owner: Suffolk County Water Authority. Highway 25A, Rocky Point.

AQUIFER. -- Magothy (confined).

WELL CHARACTERISTICS. --Drilled observation well, diameter 12 in (0.30 m), depth 745 ft (227 m), screened 698 to 745 ft (213 to 227 m).


DATUM. --Land-surface datum is 124.0 ft (37.8 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of 2 in (0.05 m) nipple, 3.82 ft (1.16 m) above land-surface datum.

PERIOD OF RECORD. -- March 1970 to current year. Unpublished records for March 1970 to September 1975 are

available in files of Long Island Sub-district office. EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 49.78 ft (15.17 m) NGVD, May 30, 1979; lowest measured, 40.56 ft (12.36 m) NGVD, Mar. 15, 1972.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	WATER LEVEL										
DEC 10	42.39 G	MAR 10	42. 52 G	APR 12		JUN 30	44. 34 G	SEP 14	45. 17 G	SEP 24	45. 69



G MEASUREMENT BY ANOTHER AGENCY

404640073050201. Local number, S 36144.1

LOCATION. --Lat 40°46'40", long 73°05'02", Hydrologic Unit 02030202, at Lincoln Avenue, Bohemia. Owner:

AGUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. --Drilled observation well, diameter 2 in (0.05 m), depth 52.5 ft (16.0 m) screen assumed at bottom.

DATUM. --Land-surface datum is 54.0 ft (16.5 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 1.84 ft (0.56 m) above land-surface datum.
PERIOD OF RECORD. —November 1970 to current year. Unpublished records for November 1970 to September 1977 are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. —Highest water level measured, 39.96 ft (12.18 m) NGVD, Mar. 29, 1979; lowest measured, 31.88 ft (9.72 m) NGVD, Dec. 15, 1981.

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 15	31.88	MAR 16	33. 18	JUN 14	34. 74	SEP 28	34. 92				

SUFFOLK COUNTY--Continued

4047073023302. Local number, S 36145.1.

LOCATION. -- Lat 40° 47'07", long 73° 02'33", Hydrologic Unit 02030202, at Patchogue-Holbrook Road and Waverly Avenue, near Islip-Brookhaven Town line, Holbrook. Owner: Suffolk County Department of Environmental Control.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.—Drilled observation well, diameter 2 in (0.05 m), depth 43 ft (13 m), screened 30 to 43 ft (9 to 13 m).

DATUM. --Land-surface datum is 44.6 ft (13.6 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.30 ft (0.09 m) below land-surface datum.

REMARKS. -- Water-quality records for 1972 are available in files of Long Island Sub-district office.

PERIOD OF RECORD. --March 1970 to current year. Unpublished records for March 1970 to September 1976 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. —Highest water level measured, 33.90 ft (10.33 m) NGVD, Apr. 10, 1979; lowest measured, 29.56 ft (9.10 m) NGVD, Sept. 15, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

WATER	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 15	29. 68	MAR 16	30. 82	JUN 14	32. 38	SEP 28	31.72				

405551072501601. Local number, S 36146.1

LOCATION. --Lat 40° 55'51", long 72° 50'16", Hydrologic Unit 02030202, at Wading River Road, Wading River. Owner: Suffolk County Department of Public Works.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. --Drilled observation well, diameter 2 in (0.05 m), depth 86.6 ft (26.4 m) screen assumed at bottom.

DATUM.—Land-surface datum is 100.0 ft (30.5 m) National geodetic Vertical Datum of 1929. Measuring point: Top of casing, 2.51 ft (0.76 m) above land-surface datum.

PERIOD OF RECORD. —-October 1970 to current year. Unpublished records for October 1970 to September 1977 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 39.70 ft (12.10 m) NGVD, Apr. 12, 1979; lowest measured, 32.08 ft (9.78 m) NGVD, Dec. 16, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	MATER DATE LEVEL		WATER		WATER				WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 16	32. 08	MAR 16	33. 15	JUN 17	34. 90	SEP 23	35. 36				

410524072194201. Local number, S 38463.1

LOCATION. --Lat 41°05'24", Long 72°19'42", Hydrologic Unit 02030202, at Cobbets Lane, east of Manhasset Road, Shelter Island. Owner: Mr. Hines.

AGUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS.—Drilled domestic well, 4 in (0.10 m), depth 56 ft (17 m), screen assumed at bottom.

DATUM.—Land-surface datum is 59.9 ft (18.3 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, in well pit 5.45 ft (1.66 m) below land-surface datum.

PERIOD OF RECORD. --October 1970 to current year. Unpublished records for October 1970 to September 1976 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 4.52 ft (1.38 m) NGVD, Mar. 5, 1979; lowest measured, -1.89 ft (-0.58 m) NGVD, June 25. 1971.

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 17	0. 55	JUN 11	4. 00 G								

SUFFOLK COUNTY--Continued

405153073241101. Local number, S 40841.1

LOCATION. --Lat 40°51′53", long 73°24′11", Hydrologic Unit 02030201, Park Avenue and Dunlop Road, Huntington. Suffolk County Department of Public Works. Owner:

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. --Drilled observation well, 2 in (0.05 m), depth 65.8 ft (20.1 m), screen assumed at bottom. DATUM.—Land-surface datum is 108.0 ft (32.9 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.30 ft (0.09 m) below land-surface datum.

PERIOD OF RECORD.—October 1971 to current year. Unpublished records for October 1971 to September 1977 are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 69.55 ft (21.20 m) NGVD, Mar. 20, June 20, 1979; lowest measured, 62.10 ft (18.93 m) NGVD, Sept. 27, 1982.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
DEC 14	63. 36	MAR 15	63. 08	JUN 14	63. 16	SEP 27	62.10				

405222073021301. Local number, S 41050.1

ACUIFER. —-Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 8 in (0.20 m), depth 71 ft (22 m), screened 67 to 69 ft

(20 to 21 m), sump bottom below screen.

DATUM.—Land—surface datum is 89.4 ft (27.3 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of 2 in (0.05 m) reducer plug, 0.78 ft (0.24 m) above land—surface datum.

REMARKS. --Water-quality records for 1978, 1979 are available in files of the Long Island Sub-district office. PERIOD OF RECORD. -- February 1972 to current year. Unpublished records for February 1972 to September 1976 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 75.18 ft (22.91 m) NGVD, Apr. 10, 1979; lowest measured, 60.29 ft (18.38 m) NGVD, July 11, 1972.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	WATER	DATE	WATER	DATE	WATER	DATE	WATER	DATE	WATER	DATE	WATER
DEC 15	66. 63	MAR 16		JUN 22	70. 10	SEP 28	68. 13				7-17-

405332072262201. Local number, S 46531.1

LOCATION. --Lat 40°53'32", long 72°26'22", Hydrologic Unit 02030202, at Tuckahoe Road, 189 ft (58 m) north of Route 27, Southampton. Owner: Town of Southampton.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. --Drilled observation well, diameter 2 in (0.05 m), depth 42 ft (13 m), screen assumed at bottom.

DATUM. --Land-surface datum is 36.4 ft (11.1 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.13 ft (0.04 m) below land-surface datum.

PERIOD OF RECORD. --November 1972 to current year. Unpublished records for November 1972 to September 1976 are

available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 6.01 ft (1.83 m) NGVD, May 8, 1973; lowest measured, 3.47 ft (1.06 m) NGVD, Dec. 30, 1980.

DATE	WATER LEVEL	DATE	WATER	DATE	WATER	DATE	WATER	DATE	WATER	DATE	WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 18	3. 63	MAR 24	4 12	JUN 18	5 72	SEP 22	4 44				

SUFFOLK COUNTY--Continued

405231072341901. Local number, S 46534.1

LOCATION. --Lat 40°52'31", long 72°34'19", Hydrologic Unit 02030202, at Route 27, 2.5 miles (4.0 km) east of Route 113, and 2.25 miles (3.62 km) west of Hampton Bays, South Flanders. Owner: New York State Department of Transportation

AGUIFER, -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 2 in (0.05 m), depth 84 ft (26 m), screened 81 to 84 ft (25 to 26 m)

DATUM. --Land-surface datum is 82.0 ft (25.0 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 1.70 ft (0.52 m) above land-surface datum.

PERIOD OF RECORD. — January 1973 to current year. Unpublished records for January 1973 to September 1976 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. — Highest water level measured, 14.69 ft (4.38 m) NGVD, Apr. 4, 1979; lowest

measured, 9.28 ft (2.83 m) above NGVD, Dec. 16, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 16	9 28	MAR 18	10 15	II IN 14	10.00	SEP 21	11 57				

405130072353101. Local number, S 46537.1 LOCATION.—Lat 40°51'30", long 72°35'31", Hydrologic Unit 02030202, at Spinney Road, 0.6 mi (1.0 km) south of Hampton Bays Road, East Quogue. Owner: Town of Southampton.

AGUIFER .-- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 2 in (0.05 m), depth 50 ft (15 m), screen assumed at bottom.

DATUM. --Land-surface datum is 56.20 ft (17.1 m) National Geodetic Vertical Datum of 1929 Measuring point: Top of coupling, 0.21 ft (0.06 m) below land-surface datum.

PERIOD OF RECORD. --December 1972 to current year. Unpublished records for December 1972 to September 1976 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 16.02 ft (4.88 m) NGVD, July 2, 1980; lowest measured, 9.51 ft (2.90 m) NGVD, Dec. 18, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL.	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 18	9. 51	MAR 24	10. 29	JUN 16	11.53	SEP 21	11.99				

405021072355801. Local number, 5 46540.1

LOCATION. --Lat 40°50'21", long 72°35'58", Hydrologic Unit 02030202, at intersection of Railroad and Midhampton Avenues, Quoque. Owner: Town of Southampton.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 2 in (0.05 m), depth 41 ft (12 m), screen assumed at

DATUM. --Land-surface datum is 38 ft (12 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, O. 24 ft (O. 08 m) below land-surface datum.

PERIOD OF RECORD. --November 1972 to current year. Unpublished records for November 1972 to September 1977 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 11.64 ft (3.55 m) NGVD, Apr. 2, 1979; lowest measured, 6.96 ft (2.12 m) NGVD, Dec. 18, 1981.

DATE	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 18	6. 96	MAR 24	8.06	JUN 16	10. 34	SEP 21	8. 45				

GROUND-WATER | FVELS

SUFFOLK COUNTY--Continued

405019072443801. Local number, S 46541.1

LOCATION.—Lat 40°50′19", long 72°44′38", Hydrologic Unit 02030202, at intersection County Road 51 and County Road 63, Wildwood Lake. Owner: Suffolk County Department of Public Works.

AQUIFER.—Upper Glacial (water-table).

WELL CHARACTERISTICS. --Drilled observation well, diameter 2 in (0.05 m), depth 34 ft (10 m), screen assumed at hottom

DATUM .--Land-surface datum is 27.0 ft (8.2 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.26 ft (0.08 m) above land-surface datum.
PERIOD OF RECORD. —December 1972 to current year. Unpublished records for December 1972 to September 1976 are

available in files of Long Island Sub-District office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 19.07 ft (5.81 m) NGVD, Feb. 2, 1979; lowest measured, 15.75 ft (4.80 m) NGVD, Sept. 17, 1981.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 16	15.88	MAR 18	16. 57	JUN 16	18 09	SEP 21	16 65				

405302072415101. Local number, S 46542.1

LOCATION.—Lat 40°53'02", long 72°41'51", Hydrologic Unit 02030202, at Speonk Road and County Road 51, Riverhead.

Owner: Suffolk County Department of Public works.

AQUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. --Drilled observation well, diameter 2 in (0.05 m), depth 149 ft (45 m), screen assumed at bottom.

DATUM. --Land-surface datum is 163.0 ft (49.7 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.15 ft (0.05 m) above land-surface datum.

PERIOD OF RECORD. --December 1972 to current year. Unpublished records for December 1972 to September 1976 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 30.42 ft (9.27 m) NGVD, June 29, 1979; lowest measured, 22.59 ft (6.88 m) NGVD, Mar. 18, 1982.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER	DATE	WATER LEVEL	DATE	WATER	DATE	WATER
DEC 16	22. 63	MAR 18	22. 59	JUN 16	23. 21	SEP 21	25. 33				

405140072432501. Local number, S 46544.1

LOCATION.—Lat 40°51'40", long 72°43'25", Hydrologic Unit O2030202, at County Road 51 and Service Road for Recharge Basin 34, Calverton. Owner: Suffolk County Department of Public Works.

AGUIFER.—-Upper Glacial (water-table).

WELL CHARACTERISTICS. --Drilled observation well, diameter 2 in (0.05 m), depth 107 ft (33 m), screen assumed at bottom.

DATUM. --Land-surface datum is 103.0 ft (31.4 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.29 ft (0.09 m) below land-surface datum.

PERIOD OF RECORD. --December 1972 to current year. Unpublished records for December 1972 to September 1976 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 31.28 ft (9.53 m) NGVD, June 28, 1979; lowest measured, 23.76 ft (7.24 m) NGVD, Mar. 18, 1982.

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 16	24. 86	MAR 18	23. 76	JUN 17	24. 37	SEP 23	26. 31				

SUFFOLK COUNTY--Continued

GROUND-WATER LEVELS 161

405330072443701. Local number, S 46545.1

LOCATION. --Lat 40°53'30", long 72°44'37", Hydrologic Unit 02030202, at Toppings Path, 0.9 mi (1.4 km) south of Nugget Drive, Calverton. Owner: Town of Brookhaven.

AGUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 2 in (0.05 m), depth 73 ft (22 m), screen 70 to 73 ft (21 to 22 m).

DATUM. --Land-surface datum is 107.0 ft (32.6 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of casing, 2.14 ft (0.65 m) above land-surface datum.

PERIOD OF RECORD. --December 1972 to current year. Unpublished records for December 1972 to September 1976 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 43.83 ft (13.36 m) NGVD, June 28, 1979; lowest measured, 37.22 ft (11.34 m) NGVD, Oct. 7, 1977.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER		WATER		WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
SEP 23	38. 60										

405716072591601 local number, S 46548 1

LOCATION. --Lat 40°57′16", long 72°59′16", Hydrologic Unit 02030201, at Woodhull Landing Road and Old Rocky Point Road, Miller Place. Owner: Town of Brookhaven. AQUIFER.--Upper Glacial (water-table).

WELL CHARACTERISTICS. --Drilled observation well, diameter 2 in (0.05 m), depth 84 ft (26 m), screen assumed at bottom.

DATUM. --Land-surface datum is 71.0 ft (21.6 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.27 ft (0.08 m) below land-surface datum.

PERIOD OF RECORD. --December 1972 to current year. Unpublished records for December 1972 to September 1976 are available in files of Long Island Sub-district office.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 12.14 ft (3.70 m) NGVD, June 22, 1979; lowest measured, 8.59 ft (2.62 m) NGVD, Mar. 16, 1982.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER	1. A A/A			WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
DEC 15	8. 60	MAR 16	8. 59	JUN 15	8. 99	SEP 24	9. 93				

404813073084101. Local number, S 65601.1

LOCATION. --Lat 40°48'13", long 73°08'41", Hydrologic Unit 02030202, at Johnson Avenue and Terry Road, Ronkonkoma. U.S. Geological Survey. Owner:

AGUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. -- Drilled observation well, diameter 2 in (0.05 m), depth 41 ft (12 m), screened 38 to 41 ft (11 to 12 m).

DATUM. --Land-surface datum is 62.6 ft (19.1 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.20 ft (0.06 m) below land-surface datum.

REMARKS. -- Replaces well S 1813-2, September 1978.

PERIOD OF RECORD. -- September 1978 to current year.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 42.10 ft (12.83 m) NGVD, Apr. 10, 1979; lowest measured, 36.46 ft (11.11 m) NGVD, Jan. 25, 1951.

DATE	WATER LEVEL										
OCT 27	37. 40	DEC 21	37. 61	FEB 24	38. 56	APR 22	38. 95	JUN 23	39. 86	AUG 19	39. 45
NOV 20	37. 18	JAN 25	37. 38	MAR 22	38. 70	MAY 18	38. 87	JUL 21	40. 47	SEP 20	39. 16

SUFFOLK COUNTY--Continued

405030073180601. Local number, S 65602.1 LOCATION.—Lat 40°50′30", long 73°18′06", Hydrologic Unit 02030202, at Wiltshire Drive and Renee Place, Commack. Owner: U.S. Geological Survey.

AGUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. --Drilled observation well, diameter 2 in (0.05 m), depth 96 ft (29 m), screened 91 to 96 ft (28 to 29 m).

DATUM. --Land-surface datum is 146 ft (44 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.19 ft (0.06 m) below land-surface datum.

REMARKS. -- Replaces well S 3514, September 1978.

PERIOD OF RECORD. -- October 1978 to current year.

EXTREMES FOR PERIOD OF RECORD. -- Highest water level measured, 76.41 ft (32.29 m) NGVD, Aug. 28, 1979, lowest measured, 64.23 ft (19.58 m) NGVD, Mar. 18, 26, 1951.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER LEVEL	DATE	WATER
OCT 27	70. 25 70. 20	. DEC 21	70.00 69.74	FEB 24 MAR 22	70. 29 70. 60	APR 22 MAY 18	70. 95	JUN 23 JUL 21	71.36 71.32	AUG 19 SEP 20	71. 50 71. 55

404936072483501. Local number, S 65604.1
LOCATION.—Lat 40°49′36", long 72°48′35", Hydrologic Unit 02030202, at Chichester Avenue near Sunrise Highway, Manorville. Owner: U.S. Geological Survey.

AGUIFER. -- Upper Glacial (water-table).

WELL CHARACTERISTICS. --Drilled observation well, diameter 2 in (0.05 m), depth 56 ft (17 m), screened 51 to 56 ft (16 to 17 m).


DATUM. --Land-surface datum is 64 ft (19.5 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling (0.05 m) below land-surface datum.

REMARKS. -- Replaces well S 6439, October 1978.

PERIOD OF RECORD. --October 1978 to current year.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 28.21 ft (8.60 m) NGVD, June 28, 1978, lowest measured, 20.48 ft (6.24 m) NGVD, Dec. 21, 1981.

DATE	WATER										
OCT 27	20. 78	DEC 21	20. 48	FEB 24	21. 23	APR 22	21. 95	JUN 23	24. 20	AUG 19	24. 61
NOV 20	20. 61	JAN 25	20. 68	MAR 22	21. 71	MAY 18	22. 15	JUL 21	24. 92	SEP 20	24. 16



TIME, IN WATER YEARS

163

GROUND-WATER LEVELS

SUFFOLK COUNTY--Continued

410226072283801. Local number, S 65606.1

LOCATION. --Lat 41°02'26", long 72°28'38", Hydrologic Unit 02030201, at Sound Avenue, near Peconic. Owner: U.S. Geological Survey.

AGUIFER. --Upper Glacial (water-table).

WELL CHARACTERISTICS. --Drilled observation well, diameter 2 in (0.05 m), depth 51 ft (15.5 m), screened 46 to 51 ft (14 to 15.5 m).

DATUM. --Land-surface datum is 37.3 ft (11.4 m) National Geodetic Vertical Datum of 1929. Measuring point: Top of coupling, 0.30 ft (0.09 m) below land-surface datum.

REMARKS. --Replaces well S 16777-2, October 1978.

PERIOD OF RECORD. --September 1978 to current year.

EXTREMES FOR PERIOD OF RECORD. --Highest water level measured, 8.89 ft (2.71 m) NGVD, Mar. 6, 1979; lowest measured, 2.37 ft (0.47 m) NGVD, Aug. 31, 1966.

WATER LEVEL, IN FEET IN REFERENCE TO NGVD, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

	WATER LEVEL	DATE	WATER	DATE	WATER	DATE	WATER	DATE	WATER	DATE	WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
	2.66 G	MAR 18	4. 87 4. 35 G	JUN 14	7. 17 G	JUN 16	6. 51	SEP 17	5. 05 G	SEP 21	5. 19

G MEASUREMENT BY ANOTHER AGENCY

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

NASSAU COUNTY

All samples were collected and analyzed by U.S. Geological Survey.

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET	CON- DUCT- ANCE	РН	TEMPER- ATURE) (DEG C)	BARO- METRIC PRES- SURE (MM OF HG)	OXYGEN, DIS- SOLVED (MG/L)
403818073	421501 N	1114			112GLCLU	82-08-3	0 3	31 62	5 6.6	6 19.0	768	4.5
404736073	353101 N	1176			211MGTY	82-09-0	1 19	98 4	0 5.	8 14.0	768	9.0
404239073	255201 N	1251			112GLCLU	82-08-3	0 8	29 20	9 5.	2 20.0	768	5.0
403920073	410701 N	1429			112GLCLU	82-08-3	1 2	24 50	0 6.	5 25.0	768	5.5
403517073	430704 N	6704			211MGTY	81-10-2	0 29	94 9	2 6.0	6 14.0		
403533073	353201 N	6849			211RCNF	81-10-2	1 104	40 62	5 9.0	6 14.0	122	
404544073	265603 N	7397			112GLCLU	82-09-0	1 10	7 >100	0 4.	7 14.0	768	9.2
404730073	423101 N	8877			112GLCLU	82-08-3	1 7	76 17	0 6.5	5 14.0	768	5.5
404702073	305601 N	8888			112GLCLU			11 47	5 5.	2 16.0	768	7.4
0.000											1,77	4
DATE OF Sample	HARD- NESS (MG/L AS CACO3)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY LAB (MG/L AS CACO3	SULFAT DIS- SOLVE (MG/L	DIS- SOLVE (MG/L	RIDE, DIS- D SOLVEI (MG/L	SILICA, DIS- SOLVED (MG/L AS SIO2)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N)
82-08-30	95	31	4.2	48	4.3	60	3.0	110	<.1	6.5		
82-09-01	7	1.5	.7	3.6	.5	<1.0	1.0	4.4	<.1	8.9	32	
82-08-30					3.3	9.0	19	17	<.1			
82-08-31	130	43	6.5	21	9.1	39	35	27	<.1	7.8	22	22.0
81-10-20								8.3				
81-10-21						/		50				
82-09-01	190	25	31	180	3.2	3.0	8.0	360	<.1	7.6		
82-08-31	54	11	6.4	7.3	1.5	35	20	7.4	<.1	19		
82-09-01						<1.0	37	68	<.1			
DAT OF Samp	G NIT	EN, RITE AM TAL TO G/L (ITRO- (GEN, AMI MONIA (DTAL SO MG/L ()	MONIA DIS- OR DLVED T MG/L (ITRO- GEN, ORG GANIC OTAL SC MG/L	DIS- OLVED MG/L	NITRO- GEN, TOTAL S (MG/L AS N)	DIS- P SOLVED (MG/L	PHOS- PHORUS, TOTAL S	HORUS, TO DIS- RE SOLVED EF (MG/L (1	RON, NE DTAL TO ECOV- RE RABLE ER UG/L (U	INGA- ISE/ DTAL ECOV- LABLE UG/L IG/L
82-08-	30 <.	010 4	.00 4.	.10	.00	.00	4.7	4.3	.170	.160		420
82-09-	01 .	010	100		.30		32		.050			
82-08-	30 <.	010 3	.20 3.	.10	.00	.20	2.8		.030	.020	3100	370
82-08-	31 .	060	.210 .	210	2.1	2.1	24 .	24	1.60	.160		
81-10-	20											++
81-10-	21											
82-09-	01			050		.75		6.5		.020 2	2400	290
82-08-	31 <.0	010	120 .	.080	.68	.62	5.2	1.1	.030	.020 7	600	180
82-09-	01 <.0	010 4.	.30		.00	1	13		<.010			

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982 NASSAU COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	TEMPER- ATURE (DEG C)	OXYGEN, DIS- SOLVED (MG/L)	HARD- NESS (MG/L AS CACO3)
40440707	3331501 N	9182 CD	CK WELL	94	211MGTY 211MGTY	82-02-22 82-08-18	195 195	381 415	5.0 5.1	16.0 15.0	7.0 7.0	77 110
40440707	3331502 N	9183 CD	CK WELL	9В	211MGTY 211MGTY	82-02-22 82-08-18	105 105	353 310	5.2 5.2	14.5 15.0	6.6	54 57
40440707	3331503 N	9184 CD	CK WELL	90		82-02-22 82-08-18	45 45	363 350	5.1 5.3	16.5 14.0	3.2	110 46
40440407	3330401 N	9193 CD	CK WELL	10A	211MGTY 211MGTY	82-02-23 82-08-16	205 205	267 275	4.8	13.5 14.0	3.0 5.6	65 65
40440407	3330402 N	9194 CD	CK WELL	108	211MGTY 211MGTY	82-02-23 82-08-16	105 105	330 385	5.5	14.2	2.1	80 85
40440407	3330403 N	9195 CD	CK WELL	100		82-02-23 82-08-16	45 45	245 270	5.0 5.4	14.5 14.0	2.5 3.7	58 59
DATE OF SAMPLE	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SCLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)
82-02-22 82-08-18	18 34	7.8 6.4	48	1.8	37 38	61 68	<.1 <.1	11 11	191 189	==		.040 <.010
82-02-22 82-08-18	13 14	5.3	46 40	2.8	16 21	51 54	.1	8.9	144 152	==	==	.040 <.010
82-02-22 82-08-18	32 5.8	6.4 7.6	19 47	6.8	37 52	23	<.1 <.1	11 11	139 162	==		.010 <.010
82-02-23 82-08-16	16 16	6.0	22 23	1.7	19	17 17	<.1 .1	11 12	96 106	==	==	.030 <.010
82-02-23 82-08-16	23 25	5.4	32 26	9.6	39 34	21 21	<.1 <.1	16 16	162 154	17	==	1.20
82-02-23 82-08-16	19 19	2.6	23 20	5.2 4.6	29 31	25 21	1.3	12 13	121 117	13 11	13.0 11.0	.040 <.010
			DATE OF SAMPLE	NITRO- GEN, ORGANIC TOTAL (MG/L AS N)	NITRO- GEN, AM- MONIA + ORGANIC TOTAL (MG/L AS N)	NITRO- GEN, TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	CARBON, ORGANIC DIS- SOLVED (MG/L AS C)	CARBON, ORGANIC SUS- PENDED TOTAL (MG/L AS C)			
			2 -0 2-22 2-08-18	.88	.92	9.4	<.010 <.010	-4 -7	.1 <.1			
			2-02-22 2-08-18	.17	.21	8.3	<.010 <.010	.7 .7	.2			
			2-02- 2 2 2-08-18	.38	.39	19 18	.070 .060	1.4	.2			
			2-02-23 2-08-16	11	<.10 .20	17	<.010 <.010	1.5	1.7			
			2-0 2- 23 2-08-16	.00 3.1	1.10	18	<.010	1.7	:1			
			2-02-23 2-03-16	-28	.32	13 11	.260	2.0	.8			

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

NASSAU COUNTY--Continued

							2222	SPE-				
STATION	NUMBER		IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	TEMPER- ATURE (DEG C)	OXYGEN, DIS- SOLVED (MG/L)	HARD- NESS (MG/L AS CACO3)
40440407	73325301 N	9196 CD	CK WELL	11A	211MGTY 211MGTY 211MGTY	82-02-22 82-06-09 82-08-17	205 205 205	134 125	5.1	12.5	6.1 5.2	18 17 16
40440407	73325302 N	9197 CD	CK WELL	11B	211MGTY 211MGTY 211MGTY	82-02-22 82-06-09 82-08-17	95 95 95	363 390 425	5.2 4.9 6.1	13.5 16.0 15.0	3.4 2.4 5.4	77 80 77
40440407	73325303 N	9198 CD	CK WELL	110	112GLCLU 112GLCLU	82-02-22 82-06-09 82-08-17 82-09-15	45 45 45 45	361 410 375 350	4.6 4.3 6.4 4.6	14.5 16.0 15.0 15.0	4.5 4.9 3.7 3.7	74 74 67 64
40440707	73331601 N	9199 CD	CK WELL	8A	211MGTY 211MGTY		105 105	352 280	5.2 5.5	18.0 15.0	3.2 3.8	50
40440707	73331602 N	9200 CD	CK WELL	8B		82-02-22 82-08-17	45 45	395 325	6.1	17.0 15.0	6.0	69 59
DATE OF Sample	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	SULFATE DIS- SOLVED (MG/L AS SO4)	DIS-	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)
82-02-22 82-06-09 82-08-17	4.6 4.3 4.1	1.6 1.5 1.4	6.4 5.8 6.8	1.0 .8 .5	5.8 <1.0 2.0	8.7 9.7 9.4	<.1 <.1 <.1	6.5 6.4 6.9	36 33	=	Ξ	.060 .120 .010
82-02-22 82-06-09 82-08-17	25 26 25	3.6 3.7 3.5	31 28 31	7.9 7.4 7.3	40 38 32	35 36 33	<.1 <.1 <.1	13 13 14	162 159 152	15	15.0	.020 .110 .030
82-02-22 82-06-09 82-08-17 82-09-15	24 24 22 21	3.4 3.5 2.9 2.9	31 30 35 36	6.6 6.6 6.1 6.1	40 42 38 36	33 39 34 29	.5 .4 .3 .4	14 14 15 16	154 161 155 154	16 28 16	16.0 26.0 15.0	<.010 .010 <.010 .020
82-02-22 82-08-17	12	4.8	34	2.3	30 27	44	.1 <.1	5.7	139	==	==	.060 <.010
82-02-22 82-08-17	21 18	4.1 3.4	38 34	4.3	38 34	5 4 4 7	<.1 <.1	9.0 9.5	174 156	Ξ	10.0	.060 <.010
	4		DATE OF Sample	NITRO- GEN/ ORGANIC TOTAL (MG/L AS N)	MONIA +	NITRO- GEN, TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	CARBON, ORGANIC DIS- SOLVED (MG/L	CARBON, ORGANIC SUS- PENDED TOTAL (MG/L AS C)			
		8	2-02-22 2-06-09 2-08-17	.18	<.10 .30 .20	5.6 5.6	<.010 <.010 <.010	1.0	<.1 			3
		8	2-02-22 2-06-09 2-08-17	.76 .59 3.7	.78 .70 3.70	1 o 1 8 2 1	.030 <.010 <.010	1.1 1.5				
		8	2-02-22 2-06-09 2-08-17 2-09-15	.49	.21 .50 2.20 .20	16 29 18 16	.040 .020 <.010 .020	1.0 2.6 2.2	.2 .1 			
			2-02-22 2-08-17	.51	.57	7.4 7.1	<.010 <.010	1.8	.2			
			2-02-22 2-08-17	.57	.63 <.10	11	<.010 <.010	1.3	<u>-1</u>			

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

NASSAU COUNTY--Continued

STATION NUM	1BER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	TEMPER- ATURE (DEG C)	OXYGEN, DIS- SOLVED (MG/L)	HARD- NESS (MG/L AS CACO3)
404353073331	1801 N	9219 C	CK WELL	14A	211MGTY 211MGTY	82-02-24 82-08-18	95 95	310 275	5.2 5.4	13.0	4.4 6.0	42 38
404353073331	1802 N	9220 CE	CK WELL	148		32-02-24 82-08-18	45 45	295 325	5.3 5.4	13.0 15.0	6.5 8.4	59 53
404351073332	2701 N	9221 C	CK WELL	16A	211MGTY 211MGTY	82-02-24 82-08-18	95 95	325 260	5.2	13.0	3.2 3.5	77 82
404351073332	2702 N	9222 C	CK WELL	168		82-02-24 82-08-18	45 45	315 230	5.0	13.0	6.0 7.0	72 71
404346073332	2001 N	9223 CE	CK WELL	17A	211MGTY 211MGTY	82-02-24 82-08-18	105 105	229	5.0 5.2	13.0	4.9	60
404346073332	2002 N	9224 C	CK WELL	17B		82-02-24 82-08-18	45 45	235 210	5.0 5.4	13.5 14.0	4.3 5.4	53 56
OF SC SAMPLE (M	CIUM IS- DLVED IG/L IG CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SCLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N)	NITRO- GEN/ AMMONIA TOTAL (MG/L AS N)
	13	2.4	44 35	2.2	34 37	56 44	<.1 <.1	8.3 8.7	164 146	==	==	.030
	18	3.3 3.1	35 37	4.4	31 38	48 51	<.1 <.1	7.5 7.7	152 164		==	.040
	21	6.0	24	5.1 5.6	26 29	23	<.1 <.1	12 13	121 129			.110
82-02-24	23	3.6	20 19	6.3	32 32	27	<.1 <.1	14	128 125			.040
82-02-24 1	15	5.5	16 20	1.5	21 27	29	<.1 <.1	9.1	100 119			.010
82-02-24 1	16	3.2	16 16	3.2	27 30	26 20	<.1 <.1	6.3	1C3 1C1	==	Ξ	<.010 <.010
			DATE OF SAMPLE	NITRO- GEN/ ORGANIC TOTAL (MG/L AS N)	MONIA +	NITRO- GEN, TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	CARBON, ORGANIC DIS- SOLVED (MG/L AS C)	CARBON, ORGANIC SUS- PENDED TOTAL (MG/L AS C)			
			32-02-24 32-08-18	.31	.34	4.0	020 <.010	1.7	:1			
			32-02-24 32-08-18	.06	.10	6.3	.030	1.4	.1			
			82-02-24 82-08-18	.25	<.10 .40	20	<.010 <.010	1.0	<.1 .1			
		8	32-02-24 32-08-18	.14	.18	16	<.010 <.010	1.6	<.1 <.1			
		8	32-02-24 32-03-18	Ξ	<.10 .40	8.2	<.010 .010	.7	.6			
		8	32-02-24 32-08-18		<.10 .20	7.8	<.010 <.010	1.0	<.1 			

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

NASSAU COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	TEMPER- ATURE (DEG C)	OXYGEN, DIS SOLVED (MG/L)	HARD- NESS (MG/L AS CACO3)
4043450	73324301 N	9247 CD	CK WELL	15A	211MGTY 211MGTY	82-02-23 82-08-17	95 95	285 230	4.8	15.0 15.0	7.5	70 67
4043450	73324302 N	9248 CD	CK WELL	158		82-02-23 82-08-17	45 45	258 250	4.9 5.1	14.0 15.0	5.2	37 40
4044100	73331201 N	9360 CD	CK WELL	3 A	211MGTY 211MGTY	82-02-23 82-08-17	205 205	113 140	4.9 6.5	14.0	3.2 3.8	14 16
4044100	73331202 N	9361 CD	CK WELL	3B	211MGTY 211MGTY	82-02-23 82-08-17	100 100	334 425	5.0	14.5 15.0	1.7	56 64
4044100	73331203 N	9362 CD	CK WELL	3C		82-02-23 82-08-17	45 45	312 400	4.9	15.0 14.0	1.3	86 110
-4044120	73331305 N	9363 CD	CK WELL	4 A	211MGTY 211MGTY 211MGTY	82-02-23 82-06-10 82-08-17	103 103 103	377 410 390	5.1 5.2 5.2	15.0 14.0 15.0	2.1 2.3 3.7	75 74
DATE OF Sample	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SCLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)
82-02-23 82-08-17	21	4.3	26 26	4.9	40 33	17 15	<.1 <.1	8.7 9.3	125 116	Ξ	=	.040 <.010
82-02-23 82-08-17	12 13	1.8	25 25	3.8 4.1	24 26	33 27	<.1 <.1	8.3 9.6	110 110		==	.040 <.010
82-02-23 82-08-17	3.5 4.2	1.2	9.6 12	1.9	1.1	17 17	<.1 <.1	5.9 7.7	43 48	==		.010 <.010
82-02-23 82-08-17	14 16	5.2	42 46	1.5	28 40	51 53	<.1 <.1	7.1 6.6	157 180	6.4	6.30	.040
82-02-23 82-08-17	26 33	5.1	23 30	7.9 9.2	39 40	25 31	<.1 <.1	12 14	139 166	===	==	.020 <.010
82-02-23 82-06-10 82-08-17	18 18	7.4 7.1	43 44	2.1	32 39 32	57 63 59	<.1 <.1 <.1	6.0 6.3	193 182	Ξ	Ξ	.040 <.010 <.010
			DATE OF SAMPLE	NITRO- GEN, ORGANIC TOTAL (MG/L AS N)	NITRO- GEN,AM- MONIA + ORGANIC TOTAL (MG/L AS N)	NITRO- GEN, TOTAL (MG/L AS N)	PHOS- PHCRUS, TOTAL (MG/L AS P)	CARBON, ORGANIC DIS- SOLVED (MG/L AS C)	CARBON, ORGANIC SUS- PENDED TOTAL (MG/L AS C)			
			2-02-23 2-08-17	.22	1.90	14 16	> <.010 <.010	2.3	:1			- 4
			2-02-23 2-08-17	2.6	2.60 1.30	11 11	<.010 .010	1.7	<.1 			
			2-02-23 2-08-17	-64	.65	2.8	<.010 <.010	<.3 .7	:1			
			2-02-23 2-08-17	.24 .78	.28 .80	6.7 8.0	<.010 <.010	1.4				
			2-02-23 2-08-17	•77	.79 .50	18 24	.010	1.6	:1			
		8	2-02-23 2-06-10 2-08-17	•79 	.83 <.10 .50	9.0	.020 .010 <.010	1.3	<.1 .1 .1			

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982 NASSAU COUNTY--Continued

All samples were collected and analyzed by U.S. Geological Survey. Additional analyses in Minor Element and Pesticide analyses of ground water.

STATION	I NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	TEMPER- ATURE (DEG C)	OXYGEN, DIS- SOLVED (MG/L)	HARD- NESS (MG/L AS CACO3)
4044120	73331306 N	9364 CI	CK WELL	4 B	112GLCLU	82-02-23 82-06-10 82-08-17	45 45 45	350 400 410	4.5 4.4 4.5	14.0 14.0 15.0	5.5 3.9 6.1	88 93
4043510	73330901 N	9365 CI	CK WELL	19A		82-02-24 82-08-16	95 95	295 350	5.1 5.9	13.0 15.0	3.3 5.1	35 36
4043510	73330902 N	9366 CI	CK WELL	198	112GLCLU 112GLCLU	82-02-24 82-08-16	45 45	295 230	5.2 6.2	14.0 15.0	5.3 7.6	86 78
4044010	73324801 N	9367 C	CK WELL	12A	211MGTY	82-02-22 82-06-09 82-08-17	105 105 105	368 390 380	3.9 4.4 5.0	14.0 16.0 15.0	4.3 4.1 5.7	67 74 74
4044010	173324802 N	9368 C	CK WELL	126	112GLCLU 112GLCLU	82-02-22 82-06-09 82-08-17 82-09-15	45 45 45 45		3.8 4.9 5.2 5.1	18.0 15.0 13.0 15.0	5.1 5.4 6.0 5.6	47 41 22 18
DATE OF SAMPLE	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)
82-02-23 82-06-10 82-08-17	27 29	5.0 5.0	27 30	8.0 9.2	40 40 35	27 27 29	.3	14 14	150 153	Ξ	Ξ	.010 .020 <.010
82-02-24 82-08-16	9.7 10	2.7	51 49	3.7 4.0	57 63	43 47	<.1 <.1	9.1 9.5	186 197	3.6 3.3	3.60 3.10	.240 .360
82-02-24 82-08-16	26 24	5.0 4.4	15 13	5.9 4.2	36 37	25 16	<.1 <.1	8.0 8.9	128 117	11	==	.070 <.010
82-02-22 82-06-09 82-08-17	22 24 24	3.0 3.5 3.3	32 33 36	6.6 6.6	40 39 32	44 51 50	<.1 <.1 <.1	13 14 15	163 175 170	Ξ	=	.020 <.010 <.010
82-02-22 82-06-09 82-08-17 82-09-15	15 13 6.9 5.6	2.2 2.1 1.1 .9	23 26 18 14	5.1 3.3 2.4 2.1	17 21 21 19	31 47 15 9.2	<.1 <.1 <.1	7.6 6.2 6.1 6.2	107 123 75 68	Ξ	=	.040 <.010 <.010 .010
	· · · · · · · · · · · · · · · · · · ·		DATE OF Sample	NITRO- GEN, ORGANIC TOTAL (MG/L AS N)	NITRO- GEN,AM- MONIA + ORGANIC TOTAL (MG/L AS N)	NITRO- GEN, TOTAL (MG/L AS N)	PHOS- PHCRUS, TOTAL (MG/L AS P)	CARBON, ORGANIC DIS- SOLVED (MG/L AS C)	CARBON, ORGANIC SUS- PENDED TOTAL (MG/L AS C)			
		8	2-02-23 2-06-10 2-08-17	.53 .48	.54 .50 .30	15 33 26	.010 .040 <.010	1.3 1.3 1.4	.1 .9 .1			
			2-02-24 2-08-16	.30 .74	1.10	4.1	.030 <.010	1.6	.1			
			2-02-24	.03	•10 •50	13	.020 <.010	2.0	<.1			
		8	2-02-22 2-06-09 32-08-17	.96	.98 .50 .70	12 15 15	<.010 <.010 <.010	1.6 1.2 1.3	<u>:1</u>			
		8	32-02-22 32-06-09 32-08-17 32-09-15	• 52 • 19	.56 .90 .50	9.3 6.7 3.7 2.5	<.010 <.010 <.010 <.010	1.2 1.1	<.1 .1 .1			

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

NASSAU COUNTY--Continued

All samples were collected and analyzed by U.S. Geological Survey. Additional analyses in Minor Element and Pesticide analyses of ground water.

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	TEMPER- ATURE (DEG C)	OXYGEN, DIS- SOLVED (MG/L)	HARD- NESS (MG/L AS CACO3)
40441407	73325301 N	9449 CD	CK WELL	5 A	211MGTY 211MGTY	82-02-23 82-08-18	198 198	39 34	4.5 5.2	13.0 15.0	2.6	4 3
40441407	3325302 N	9450 CD	CK WELL	58	211MGTY 211MGTY	82-02-23 82-08-18	105 105	334 325	4.8 5.4	13.3 15.0	3.0 4.5	84 88
40441407	73325303 N	9451 CD	CK WELL	5 C		82-02-23 82-08-18	45	277 375	5.1 5.5	13.8 15.0	4.8	76 95
DATE OF Sample	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SCLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)
82-02-23 82-08-18	.9	.4	4.1 3.5	.4	3.9 3.0	6.2 5.8	<.1 <.1	5.9	23	1.2	.14	.110
82-02-23 82-08-18	24 25	5.9	29 31	2.9	38 36	36 34	<.1 <.1	9.3 10	149 149	Ξ	Ξ	.010
82-02-23 82-08-18	27 33	2.2 3.0	20 24	5.6 8.5	36 35	17 25	.2	16 20	133 152	14 22	13.0 21.0	.080 .830
			DATE OF SAMPLE	NITRO- GEN, ORGANIC TOTAL (MG/L AS N)	MONIA +	NITRO- GEN, TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	CARBON, ORGANIC DIS- SOLVED (MG/L AS C)	CARBON, ORGANIC SUS- PENDED TOTAL (MG/L AS C)			
			2-02-23 2-08-18	.25	.36 .70	1.6	.050 .020	1.2	.3			
			2-02-23 2-08-18	.09 .19	•10 •20	13 13	<.010 <.010	1.1	<u>.1</u>			
			2-02-23 2-08-18	.57	<.10 1.40	23	<.010 .020	1.7	.1			

Geological unit (aquifer):

eological unit (aquifer):

112GLCLU - Upper Glacial Aquifer, Pleistocene age.

112GROR - Gardiners Clay, Pleistocene age.

112JMCO - Jameco Gravel, Pleistocene age.

211LLYD - Llyod Aquifer, Cretaceous age.

211MGTY - Magothy Aquifer, Cretaceous age.

211RNCF - Raritan Confining Unit, Cretaceous age.

SUFFOLK COUNTY

WELL INDEX

Quality of ground-water records for Suffolk County are divided into three sections according to the agency that collected and analyzed the samples. The following list indicates the page number where data for each well may be found.

Local Well Number	Page	Local Well Number	Page	Local Well Number	Page	Local Well Number	Page
871 872 1331 1340 1341 2405 2415 2570 2978 3615 3813 3814 3815 4184 27570 8439 11105 11891 12130 13534 14326 14710 14792 14828 14921 15500 15501 15514 155501 15514 15576 15893 15962 16129 16175 16176 16256 16392 161893 17037 17689 18003 18261 18566 18762 19488 194	217 218 219 220 221 222 222 223 224 224 225 226 227 228 229 230 231 232 233 234 235 237 237 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 251 262 277 277 277 277 278 279 279 279 279 279 279 279 279 279 279	21247 21366 21375 21487 21632 21945 22048 22171 22351 22362 22389 22471 22547 22548 22640 22711 23046 23184 23185 23186 23184 23185 23186 23185 2371 23445 23525 23371 23445 23524 23631 23699 23715 23832 23848 24047 24323 29778 43809 43811 43812 43813 43814 43815 43817 43818 43819 43822 44914 44918 44918 44918 44918 44918 44918 44918 44918 44918 44918 44918 44918 44918 44918 44918 45073 45207 45208 45447 455466 45447 455466 45447 455720 457721 457720	272 273 274 275 276 277 278 279 280 281 282 283 283 284 285 286 286 286 287 288 289 290 291 292 293 293 293 293 293 294 295 297 215 172 172 172 172 172 173 173 173 173 173 173 173 173 173 173	46912 46913 46964 46963 469645 47157 47223 47224 472225 472227 472226 472227 472228 472230 47231 47233 47233 47233 47233 47235 47235 47235 47235 47235 47235 47235 47235 47235 47235 47235 47755 47755 47755 47755 47755 47755 47755 47755 47755 47755 47755 47755 47755 47757 47757 47757 47757 47757 47757 47757 47757 47757 47757 47757 47757 47757 47757 47757 47757 47757 47757 47757 47758 47775 47777 47875 47977 47875 47977 47875 47977	183 183,215 215 184 184 184 184 184 184 185 185 185 185 187 188 188 188 189 189 189 189 189 189 189	48651 48759 48946 48958 49898 50971 51170 51171 51172 51173 51174 51175 51177 51178 51179 51180 51181 51182 51183 51184 51185 51186 51228 51566 51577 51578 51572 51577 51578 51577 51578 51579 51580 51581 51582 51587 51588 51589 51580 51581 51582 51583 51584 51588 51589 51580 51581 51582 51578 51579 51580 51581 51582 51577 51578 51579 51580 51581 51582 51583 51584 51588 51589 51591 51592 51626 51979 52084 52162 52163 52164 52283 53324 53325 53326 53327 53328 53327 53328 53327 53328 53327 53328 53330 53331 53333 53331 53333 53337 53338 53339 57691 58961	198 198 199 199 199 199 200 200 200 201 201 201 201 201 201 202 202

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY

All samples were collected and analyzed by Suffolk County Department of Health Services.

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4043230	73253401		\$ 43808			82-02-11	54	220	6.1			
						82-04-21	54	220	6.3		- ::	===
						82-06-24 82-07-27	54 54	200	6.2 5.7		18	2.9
4041240	73241601		\$ 43809		11261 (111	82-02-09	34		5.0		19	
						82-04-19	34	274	5.4			
					112GLCLU	82-05-06	34	230	5.2			
					112GLCLU	82-07-26	34	250	4.8		18	3.2
4041240	73241602		S 43810			82-02-09	71	215	5.7		16	3.2
						82-04-19	71	206	5.8			
						82-05-06	71	175	5.7			
						82-06-21 82-07-26	71 71	180 215	5.9. 5.4	==	18	3.5
4045300	73241101		S 43811		11261 (111	82-06-24	85	330				
4043300	. 524.101		3 43011			82-07-27	85	390	5.8		49	16
DATE OF	SODIUM, TOTAL RECOV- ERABLE	POTAS- SIUM, TOTAL RECOV- ERABLE	ALKA- LINITY FIELD (MG/L	SULFATE DIS- SOLVED	DIS- SOLVED	FLUO- RIDE, TOTAL	NITRO- GEN, NITRATE TOTAL	NITRO- GEN, NITRITE TOTAL	NITRO- GEN, AMMONIA TOTAL	PHOS- PHATE, TOTAL	IRON, TOTAL RECOV- ERABLE	MANGA- NESE, TOTAL RECOV- ERABLE
SAMPLE	(MG/L AS NA)	(MG/L AS K)	AS CACO3)	(MG/L AS SO4)	(MG/L AS CL)	(MG/L AS F)	(MG/L AS N)	(MG/L AS N)	(MG/L AS N)	(MG/L AS PO4)	(UG/L AS FE)	(UG/L AS MN)
82-02-11 82-04-21	20 22		25 30	36	21 24				1.00		==	
82-06-24	22		31	37	22				1.08			
82-07-27	22	3.8	29	34	23		4.0	.010	1.10			
82-02-09	30	5.5	4	41	48		7.0	.013	1.70			
32-04-19	30		7	31	41				1.85			
82-05-06	31		8	40	46				1.90			
82-07-26	29	4.0	3	35	40		7.7	.006	.700			
82-02-09	17	4.0	14	44	18		2.2	.003	1.40			
82-04-19 82-05-06	17 16		16 18	40 47	19 19				1.34			
82-06-21	17	4.5	20	47	19		2.5	.003	1.60			
82-07-26	16	4.7	13	47	21		1.9	.003	1.40			
82-06-24			20	78	30				.360			
82-07-27	18	2.6	13	78	30		28	.062	.400			
						ME	THY-					

MEINIT
LENE
BLUE
ACTIVE
SUB-
STANCE
(MG/L)
<.10
<.10
<.10
-
<.02
<.10
<.10
.03
.10
<.10
<.10

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
40415807	73225801		S 43812			82-04-19	30	312	6.5			
						82-05-24	30	325	6.3			
						82-06-21	30	290	6.4		22	3.3
					112GLCLU	82-07-27	30	370	5.9		27	4.5
40415807	73225802		5 43813		112GLCLU	82-04-19	73	340	5.9			
					112GLCLU	82-05-24	73	345	6.2			
						82-06-21	73	305	5.9		14	7.2
					112GLCLU	82-07-27	73	350	5.4		14	7.0
40445507	3215001		5 43814		112GLCLU	82-02-16	45	245	5.6		17	3.0
					112GLCLU	82-04-21	45	217	5.6			
					112GLCLU	82-06-24	45	185	5.5			
					112GLCLU	82-07-29	45	200	5.2			
40423707	73220601		S 43815		112GLCLU	82-02-09	30	340	5.6		14	7.0
					112GLCLU	82-02-16	30		5.7		18	3.0
						82-04-20	30	272	6.0			
					112GLCLU	82-07-26	30	350	5.5		19	3.6
DATE	SODIUM, TOTAL RECOV-	POTAS- SIUM, TOTAL RECOV-	ALKA- LINITY FIELD	SULFATE DIS-	CHLO- RIDE, DIS-	FLUO- RIDE	NITRO- GEN, NITRATE	NITRO- GEN, NITRITE	NITRO- GEN, AMMONIA	PHOS-	IRON, TOTAL RECOV-	MANGA- NESE, TOTAL RECOV-
OF	ERABLE	ERABLE	(MG/L	SOLVED	SOLVED	TOTAL	TOTAL	TOTAL	TOTAL	TOTAL	ERABLE	ERABLE
SAMPLE	(MG/L	(MG/L	AS	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(UG/L	(UG/L
SAMPLE	AS NA)	AS K)	CACO3)	AS 504)	AS CL)	AS F)	AS N)	AS N)	AS N)	AS PO4)	AS FE)	AS MN)
82-04-19	7.4		70	27	39	42			6.50			
82-05-24	31 31		78	36	42				6.70			
82-06-21	32	9.5	90	36	40		<.20	<.002	7.50			
82-07-27	32	9.5	103	42	44		<.20	<.002	7.50			
82-04-19	38		28	50	50				5.30	22	22	
82-05-24	39		28	73	55				4.90			
82-06-21	40	6.0	37	68	54		.50	<.002	5.50			
82-07-27	40	5.5	27	71	53		.40	<.002	5.50			
02 01 21	40	3.3	21		,,		.40	1.002	3.30			
82-02-16	21	3.8	13	58	28		.90	<.002	3.00			
82-04-21	19		13	53	23				2.45			
82-06-24	17		12	51	20				2.20	35.		7.7
82-07-29	19		8	57	18				1.74			
82-02-09	34	5.0	26	58	55		1.6	.003	4.90			
82-02-16	28	4.9	23	38	34		5.1	.007	3.5C			
82-04-20	29		25	41	33				3.45			
82-07-26	43	7.0	21	40	57		5.2	<.002	4.20			

	METHY-
	LENE
	BLUE
DATE	ACTIVE
OF	SUB-
SAMPLE	STANCE
	(MG/L)
82-04-19	<.10
82-05-24	<.10
82-06-21	
82-07-27	
82-04-19	.20
82-05-24	.30
82-06-21	
82-07-27	
82-02-16	.02
82-04-21	<.10
82-06-24	<.10
82-07-29	<.10
82-02-09	.12
82-02-16	.02
82-04-20	<.10
82-07-26	

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH CF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
40423707	73220602		\$ 43816		112GLCLU 112GLCLU	82-02-09 82-02-16 82-04-20 82-07-26	75 75 75 75	340 230 212 230	5.9 5.6 5.7 5.3	=	19 20 	3.0 5.6 4.9
40461807	73205001		S 43817		112GLCLU 112GLCLU	82-02-11 82-04-21 82-06-28 82-08-23	51 51 51 51	175 191 170 200	5.9 6.1 6.0 5.6	=	11 10	7.0 6.7
40425707	3202401		\$ 43818		112GLCLU 112GLCLU 112GLCLU	82-02-08 82-02-18 82-04-20 82-04-27 82-06-22	30 30 30 30 30	290 250 270 220 225	5.7 5.7 6.1 5.8 6.0	=	18 18 17	3.0 3.0 3.1
					112GLCLU	82-07-22	30	240	5.6			-
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	DIS-	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-02-09 82-02-16 82-04-20 82-07-26	33 17 17 20	9.5 4.1 4.6	77 11 12 8	38 30 33	46 31 26	=======================================	.10 5.5 5.0	<.002 .012 	8.00 .500 .270 .300	==	=	=
82-02-11 82-04-21 82-06-28 82-08-23	20 18 19 22	1.4 1.7	19 27 24 26	15 17 17 17	21 22 22 25	=	6.9	 -006 -012	.060 .050 .100		=	=======================================
82-02-08 82-02-18 82-04-20 82-04-27 82-06-22	24 24 227 27 27	6.5 6.0 5.5	33 34 35 34 34	37 38 35 36 37	27 26 29 29	=======================================	6.4 7.4 7.3	.003 .004 <-002	4.70 4.70 4.25 4.50 4.90	=======================================	=	=
82-07-22	24		29	37	25				4.80		-	

	LENE
	BLUE
DATE	ACTIVE
OF	SUB-
SAMPLE	STANCE
	(MG/L)
82-02-09	.02
82-02-16	.23
82-04-20	<.10
82-07-26	
82-02-11	<.10
82-04-21	<.10
82-06-28	
82-08-23	
82-02-08	.08
82-02-18	<.10
82-04-20	<.10
82-04-27	
82-06-22	
82-07-22	<.10

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4042500	73202302		\$ 43819		112GLCLU	82-02-08	73	225	5.5		9.6	6.4
						82-02-18	73	200	5.6			
						82-04-20	73	224	5.8			7.7
						82-04-27	73	185	5.5		10 13	6.5
					112GLCLU	82-06-22	73	200	5.8		13	8.0
					112GLCLU	82-07-22	73	200	5.2			
4046490	73184001		\$ 43820		112GLCLU	82-04-22	92	228	5.7			
					112GLCLU	82-06-28	92	200	5.7		17	3.5
					112GLCLU	82-08-23	92	195	5.1		14	2.8
4043020	73185501		5 43821		112GLCLU	82-02-17	31	360	6.0		20	3.2
					112GLCLU	82-04-20	31	409	6.3			
					112GLCLU	82-05-04	31	240	6.4		16	2.5
					112GLCLU	82-05-24	31	350	6.7			
					112GLCLU	82-06-28	31	285	6.7		15	2.5
					112GLCLU	82-07-22	31	220	6.0			
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-02-08	21	2.6	14	27	24	(22)	6.4	.003	.400			
82-02-18	20		15	28	24		0.4	.003	.360			
82-04-20	24		17	31	26				.320			
82-04-27	23	3.0	15	33	26		7.2	.004	.500			
82-06-22	27	3.0	17	41	24		7.1	<.002	.600			
82-07-22	24		11	42	23				.360			
82-04-22	16		12	9.0	19				.040			
82-06-28	21	7.5	13	10	17		17	.021	.100			
82-08-23	19	7.0	7	10	18		15	.007	<.100	/==-		
82-02-17	49	8.0	75	17	73	22	.80	.003	6.40			
82-04-20	47		92	20	79				10.0			
82-05-04	50	9.5	88	17	74		.80	.013	10.0			
82-05-24	45			23	56				9.60			
82-06-28	34	5.0	69	22	41		1.6	.015	6.80	••		
82-07-22	27			25	28				4.00			

			METHY	-
			LENE	
			BLUE	
	DATE		ACTIV	E
	OF		SUB-	o i
S	AMPL	E	STANC	E
			(MG/L)
82-	02-0	8	.02	
82-	02-1	8	<.10	
82-	04-2	20	<.10	
82-	04-2	7		
82-	06-2	2.5		
82-	07-2	2	<.10	
82-	04-2	2	<.10	
82-	06-2	8		
82-	08-2	23		
82-	02-1	7	.06	
82-	04-2	20	<.10	
82-	05-0	14		
82-	05-2	4	.20	
82-	06-2	28		
82-	07-2	2	<.10	

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
40430207	73185502		S 43822			82-02-17	69	155	5.7		11	3.2
						82-04-20	69	163	6.6			
						82-05-04	69	148	5.7		12	3.4
						82-05-24 82-06-28	69 69	165 155	6.5		11	3.4
					112GLCLU	82-07-22	69	160	5.5			- 1
4052540	73214201	5 449	14 CENTER	PORT	112GLCLU	82-03-09	22	120	5.6		8.0	3.4
					112GLCLU	82-04-14	22	117	5.8			
					112GLCLU	82-08-18	22	125	6.6		6.8	3.2
40481207	73041201		5 44918		112GLCLU	82-04-26	82	128	5.7			
					112GLCLU	82-07-06	82	118	5.8		6.0	3.0
					112GLCLU	82-09-13	82	105	5.3		5.5	2.0
40533007	73242401		\$ 45053		112GLCLU	82-03-08	114	170	6.3		13	6.4
					112GLCLU	82-04-15	114	170	6.3			
					112GLCLU	82-08-05	114	195	6.1			
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L	ALKA- LINITY FIELD (MG/L AS	SULFATE DIS- SOLVED (MG/L	CHLO- RIDE, DIS- SOLVED (MG/L	FLUO- RIDE, TOTAL (MG/L	NITRO- GEN, NITRATE TOTAL (MG/L	NITRO- GEN, NITRITE TOTAL (MG/L	NITRO- GEN, AMMONIA TOTAL (MG/L	PHOS- PHATE, TOTAL (MG/L	IRON, TOTAL RECOV- ERABLE (UG/L	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L
	AS NA)	AS K)	CACO3)	AS SO4)	AS CL)	AS F)	AS N)	AS N)	AS N)	AS PO4)	AS FE)	AS MN)
82-02-17	45 NA)			AS SO4)	AS CL)	AS F)		.030	45 N)	AS P04)	AS FE)	A5 MN)
82-04-20	14 14	1.5	22 29	16 14	22 21	==	2.4 	.030	<.200 .080	==	Ξ	= =
82-04-20 82-05-04	14 14 13	1.5 1.4	22 29 23	16 14 14	22 21 22	==	2.4 2.8	.030	<.200 .080 .300	=======================================	Ξ	=
82-04-20	14 14	1.5	22 29	16 14	22 21	==	2.4 2.8	.030	<.200 .080	==	Ξ	= =
82-04-20 82-05-04 82-05-24	14 14 13 15	1.5 1.4	22 29 23	16 14 14	22 21 22 24	==	2.4 2.8	.030	<.200 .080 .300 .040	Ξ	=	Ξ
82-04-20 82-05-04 82-05-24 82-06-28	14 14 13 15	1.5 1.4 1.3	22 29 23 23	16 14 14 17 18	22 21 22 24 22	=	2.4 2.8 2.6	.030	<.200 .080 .300 .040 .300	=		
82-04-20 82-05-04 82-05-24 82-06-28 82-07-22	14 14 13 15 16	1.5 1.4 1.3	22 29 23 23	16 14 14 17 18	22 21 22 24 22	=======================================	2.4 2.8 2.6	.030	<.200 .080 .300 .040 .300	=======================================	=======================================	
82-04-20 82-05-04 82-05-24 82-06-28 82-07-22 82-03-09	14 14 13 15 16 17	1.5 1.4 1.3 	22 29 23 23 19	16 14 14 17 18 23	22 21 22 24 22 20	:: :: ::	2.4 2.8 2.6 	.030 .035 .031 	<.200 .080 .300 .040 .300 <.040	=======================================	= = = = = = = = = = = = = = = = = = = =	
82-04-20 82-05-04 82-05-24 82-06-28 82-07-22 82-03-09 82-04-14 82-08-18 82-04-26	14 14 13 15 16 17 10 11 12	1.5 1.4 1.3 1.6 2.1	22 29 23 23 19 8	16 14 14 17 18 23 15 12 10	22 21 22 24 22 20 16 16 21	=======================================	2.4 2.8 2.6 1.9 3.3	.030 .035 .031 <.002 .003	<.200 .080 .300 .040 .300 <.040 <.100 <.100 <.100	-		
82-04-20 82-05-04 82-05-24 82-06-28 82-07-22 82-03-09 82-04-14 82-08-18 82-04-26 82-07-06	14 14 13 15 16 17 10 11 12	1.5 1.4 1.3 1.6 2.1	22 29 23 23 19 8 0 16	16 14 14 17 18 23 15 12 10	22 21 22 24 22 20 16 16 21 28 28	:: :: :: :: ::	2.4 2.8 2.6 1.9 3.3	.030 .035 .031 <.002 .003	<.200 .080 .300 .040 .300 <.040 <.100 <.100	= = = = = = = = = = = = = = = = = = = =		
82-04-20 82-05-04 82-05-24 82-06-28 82-07-22 82-03-09 82-04-14 82-08-18 82-04-26	14 14 13 15 16 17 10 11 12	1.5 1.4 1.3 1.6 2.1	22 29 23 23 19 8 0	16 14 14 17 18 23 15 12 10	22 21 22 24 22 20 16 16 21		2.4 2.8 2.6 1.9 3.3	.030 .035 .031 <.002 .003	<.200 .080 .300 .040 .300 <.040 <.100 <.100 <.100	-		
82-04-20 82-05-04 82-05-24 82-06-28 82-07-22 82-03-09 82-04-14 82-08-18 82-04-26 82-07-06 82-09-13 82-03-08	14 14 13 15 16 17 10 11 12 15 14 14	1.5 1.4 1.3 2.1 1.1	22 29 23 23 19 8 0 16	16 14 14 17 18 23 15 12 10 21 8.3 12	22 21 22 24 22 20 16 16 21 28 28 20		2.4 2.8 2.6 1.9 3.3	.030 .035 .031 .002 .003 .002 <.002 <.002	<.200 .080 .300 .040 .300 <.040 <.100 <.100 .100 <.100 .100	-		
82-04-20 82-05-04 82-05-24 82-06-28 82-07-22 82-03-09 82-04-14 82-08-18 82-04-26 82-07-06 82-09-13	14 14 13 15 16 17 10 11 12 15 14	1.5 1.4 1.3 2.1	22 29 23 23 19 8 0 16 8 6 7	16 14 17 18 23 15 12 10 21 8.3	22 21 22 24 22 20 16 16 16 21 28 28 20		2.4 2.8 2.6 1.9 3.3	.030 .035 .031 .002 .003	<.200 .080 .300 .040 .300 <.040 <.100 <.100 <.100 .100 <.100 <.100	= = = = = = = = = = = = = = = = = = = =		

					M	ET	HY	-
						LE	NE	
						BL	UE	
		DA	TE		A	CT	IV	E
		0	F			SU	B-	
	S	AM	PL	E	S	TA	NC	E
					(MG	/ L	.)
8	2-	02	-1	7			19)
		04					30)
8	2-	05	-0	4				
8	2-	05	-2	4			50)
8	2-	06	-2	8				•
8	2-	07	-2	2			40)
		03						
8	2-	04	-1	4		<.	10	1
8	2-	08	-1	8				
8	2-	04	-2	6		۷.	10	1
8	2-	07	-0	6				
8	2-	09	-1	3				
8	2-	03	-0	8				
8	2-	04	-1	5		<.	10	
8	2-	08	-0	5		۷.	10	

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4051320	73181401		5 45207			82-03-09 82-04-14	142 142	160 165	5.7	==	15	4.0
						82-08-10	142	165	5.7		14	3.6
4050050	73233701		\$ 45208			82-03-08	133	270	5.6		28	9.0
						82-04-15 82-08-18	133 133	294 344	5.6		28	9.5
4049450	73174501		\$ 45210			82-03-11	107	240	6.0			
						82-04-13 82-08-17	107 107	262 250	6.3	- 22	24	9.4
4053560	73192001		S 45212			82-03-09	111	240	5.9		20	8.0
						82-04-13 82-09-13	111 111	270 210	6.0 5.6		17	6.5
4053410	73003201	\$ 45346	NORTH ISL	E S.T.P	112GLCLU	82-04-14	87	195	5.3		17	4.4
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	DIS- SOLVED (MG/L	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-03-09	13	2.5	13	24	15		6.5	.004	<.100		42	
82-04-14 82-08-10	12 12	2.6	14 13	25	15 14		6.0	.003	<.040 <.100	==		
82-03-08	21	2.2	25	39	25		14	.014	.100		-22	- 22
82-04-15 82-08-18	25 22	2.3	25 29	44	23 23		15	.003	<-040			
82-03-11	10		35	36	12				.060			
82-04-13 82-08-17	14 13	1.8	34 33	39 39	14 15	==	10	.003	<.040 <.100		==	
82-03-09	23	2.4	26	24	28		11	.003	<.100			
82-04-13 82-09-13	25 21	2.5	27 21	25 24	27 24		10	.003	<.040 <.100		==	
82-04-14	22	8.8	15	26	25		10	<.002	.100			

	METHY-
	LENE
	BLUE
DATE	ACTIVE
0F	SUB-
SAMPLE	STANCE
	(MG/L)
82-03-09	
82-04-14	<.10
82-08-10	
82-03-08	
82-04-15	<.10
82-08-18	
82-03-11	<.10
82-04-13	<.10
82-08-17	
82-03-09	
82-04-13	<.10
82-09-13	
82-04-14	

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4052590	73162201		\$ 45402		112GLCLU	82-03-11	170	190	6.4			
						82-04-13	170	218	6.8			
					112GLCLU	82-08-17	170	200	5.8		14	4.5
4044000	73154402		\$ 45446		112GLCLU	82-02-17	38	245	4.7		27	3.2
		•			112GLCLU	82-04-06	38	220	4.9		18	2.5
						82-04-28	38	246	5.0			
						82-05-04	38	210	4.7		16	2.5
					112GLCLU	82-06-30	. 38	210	4.9		14	2.2
				,	112GLCLU	82-07-29	38	240	4.8			
4046060	73050001		S 45447		11261 (111	82-02-25	79	205	5.7			
						82-04-26	79	223	5.6			
						82-05-05	79	190	5.5		16	3.0
						82-07-08	79	180	5.6			
					112GLCLU	82-07-20	79	225	5.6		18	3.7
4049200	73150901		S 45594		112010111	82-04-14	80	95	7.2		191	100
4047200	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		3 43374			82-08-17	80	87	5.3		6.4	2.7
											118	
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	DIS-	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOST PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-03-11	16		20	21	24				<.040		-	
82-04-13	27		18	25	27				.040			
82-08-17	22	2.0	18	21	30		3.8	.003	<.100			
82-02-17	24	7.6	3	31	56		9.5	.002	1.60			
82-04-06	22	7.6	4	37	27		10	.023	1.80			
82-04-28	22		5	37	25				1.44			
82-05-04	23	7.0	3	33	26		10	.015	1.40			
82-06-30	24	6.0	4	32	26		9.3	.012	1.10	T 1	- 1 Sec.	
82-07-29	29		3	31	38	-			.870		-	
82-02-25	20		12	33	36				-080			
82-04-26	22		11	30	41				.040			
82-05-05	22	4.0	10	26	38		4.0	.003	.200			
82-07-08	20		9	23	38				.050			
82-07-20	22	4.2	9	27	45		2.4	.004	.100			
82-04-14	4.4		8	27	6.0				<.040			
82-08-17	3.8	1.4	6	21	5.6		.60	<.002	<.100			
32 30 11	3.0		•	- 1	5.0		.00					

	METHY-
	LENE
	BLUE
DATE	ACTIVE
OF	SUB-
SAMPLE	STANCE
).	(MG/L)
82-03-11	<.10
82-04-13	<.10
82-08-17	
82-02-17	.03
82-04-06	
82-04-28	<.10
82-05-04	
82-06-30	
82-07-29	<.10
82-02-25	<.10
82-04-26	<.10
82-05-05	
82-07-08	<.10
82-07-20	
82-04-14	<.10
82-08-17	

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4045080	73080902		\$ 45636		112GLCLU	82-02-23	26	160	5.1			
10.5000						82-04-27	26	155	5.4			
					112GLCLU	82-07-07	26	145	4.8		10	3.0
					112GLCLU	82-08-04	26	170	4.9		9.0	2.5
4045080	73080901		\$ 45637		112GLCLU	82-02-23	79	61	7.6			
					112GLCLU	82-04-27	79	61	6.3			
					112GLCLU	82-07-07	79	63	6.6		5.5	3.0
					112GLCLU	82-08-04	79	67	6.7		5.6	2.8
4046180	73164501		S 45717		112GLCLU	82-02-18	73	45	6.1			
						82-04-26	73	44	5.5			
- K					112GLCLU	82-05-19	73	38	5.8		1.9	1.6
						82-06-30	73	43	6.1		1.8	1.6
					112GLCLU	82-08-02	73	47	5.4		1.6	1.6
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-02-23	19		4	18	19				<.040			
82-04-27	17		7	16	18				<.040			
82-07-07	16	3.4	3	17	20		5.5	<.002	<.100			
82-08-04	18	3.6	3	16	20	()	6.4	.001	.050			
82-02-23	3.7		20	<4.0	4.5				<.040			
82-04-27	3.5		27	<4.0	5.0				<.040			
82-07-07	3.7	.5		1.8	4.7		.30	<.002	<.100			
32-08-04	4.0	.5	25	1.4	6.0		.84	.001	<.050			
82-02-18	3.0		3	8.0	5.0				<.040			
82-04-26	3.4		5	12	5.0				<.040			
82-05-19	3.2	- 6	3	8.2	4.4		.04	.003	.060			0
82-06-30	3.5	. 6	4	8.6	5.0		<.20	.008	<.100			
82-08-02	3.5	.6	2	8.3	5.6		<.20	<.002	<.100			

				TH		
			_	E١	_	
			B	LL	ΙE	
DA	TE	A	C	TI	٧	Ε
0	F		S	UB	-	
SAM	PLE	S	T	AN	C	E
		(M	G/	L)
82-02	-23		<	. 1	0	
82-04	-27		<	. 1	0	
82-07	-07			-	-	
82-08	-04			-	-	
82-02	-23		<	. 1	0	
82-04	-27		<	. 1	0	
82-07	-07			-	-	
82-08	-04			-	-	
82-02	-18		<	. 1	0	
82-04	-26		<	. 1	0	
82-05	-19			-	-	
82-06	-30			-	-	
82-08	-02				-	

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4046350	73101602		\$ 45718		112GLCLU	82-02-23	24	210	5.2			
					112GLCLU	82-04-27	24	226	5.3			
					112GLCLU	82-07-07	24	200	5.0		18	5.0
					112GLCLU	32-08-25	24	250	5.0		21	5.5
					112GLCLU	82-09-06	24	240	4.9			
4046350	73101601		S 45719		112GLCLU	82-02-23	78	115	6.4			
					112GLCLU	82-04-27	78	102	6.0			
					112GLCLU	82-07-07	78	85	6.1		5.6	2.4
					112GLCLU	82-08-25	78	88	5.8		5.6	2.4
					112GLCLU	82-09-06	78	88	6.1			
4047160	73131602		\$ 45720		112GLCLU	82-04-27	78		6.2			
					112GLCLU	82-05-19	78	140	5.6		10	5.6
					112GLCLU	82-07-01	78	138	5.8			
					112GLCLU	82-08-26	78	146	5.5		10-4	
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-02-23	17		5	33	25				<.040			
82-04-27	17		7	25	25				<.040			
82-07-07	18	9.0	4	24	27		11	<.002	.100			
82-08-25	20	11	5	28	32		14	<.002	<.100			
82-09-06	19		6	29	30				<.040			7
82-02-23	17		20	<4.0	12				<.040			
82-04-27	10		20	6.0	10				<.040			
82-07-07	8.0	. 8	17	4.0	9.6		1.9	<.002	<.1C0			
82-08-25	7.6	.8	18	4.8	9.8		2.4	<.002	<.100			
82-09-06	7.1		17	<4.0	10				<.040			
82-04-27				18					.240			
82-05-19	9.5	2.0	12	16	13		6.3	.004	-110			
82-07-01	8.5		15	15	12				.040			
82-08-26	7.7		14	19	14				<.040			
							TUV-					

		MET	HI	-
		LE	NE	
		BL	UE	
DATE	=	ACT		
OF		SU		_
SAMPI	-	STA		
SAMP		(MG	0.0	_
		CMG	,,	.,
82-02-	23	۷.	10)
82-04-		۷.		
82-07-0		•		
82-08-				
82-09-0	10	۷.	10	,
82-02-	23	۷.	10	
82-04-		۷.		
82-07-0		٠.		
82-08-				
82-09-0	10	۷.	10	•
82-04-	7	۷.	10	
82-05-				
82-07-0		۲.	10	
82-08-2		₹.		
02-08-	.0	٠.	10	

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4045160	73122802		\$ 45721			82-02-22	34	300	6.3		17	2.3
						82-04-06	34	370	5.6		18	3.0
					112GLCLU		34	480	5.8			
					112GLCLU	82-05-10	34	400	4.9			
					112GLCLU	82-07-01	34	330	5.7			
					112GLCLU	82-08-02	34	260	5.6		10	1.5
4045160	73122801		\$ 45722			82-02-22	87	200			10	6.5
						82-04-06	87	285	5.6		9.0	6.2
					112GLCLU		87	210	5.9			
					112GLCLU		87	190	6.3			
					112GLCLU	82-07-01	87	170	5.6			
					112GLCLU	82-08-02	87	185	5.5		8.5	5.5
4052530	72541901	S 45724	STRAT. RI	DGE S.T	112GLCLU	82-04-15	52	480	6.6			
4052130	72580001	S 45838	HOMESTEAD	VILL.	112GLCLU	82-04-14	57	330	6.4		19	4.0
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-02-22	50	3.0	12	23	87		1.1	<.002	.300			
82-04-06	74	3.8	12	21	130		2.4	<.002	.500			
82-04-21	80		16	21	136				.370			
82-05-10	89		27	27	147				.200			
82-07-01			17	36	106				.040			
82-08-02	50	2.3	19	36	55	144	2.4	<.002	<.100		22	
82-02-22	24	1.9		25	22		6.1	.003	.200			
82-04-06	24	2.0	22	26	22		7.7	.004	.400			
82-04-21	24		23	26	21				.370			
82-05-10	24		52	27	21				.490			
82-07-01	22		20	27	17				.490			
82-08-02	22	2.3	16	29	16		5.5	.003	.500			
82-04-15	110		114	34	118				10.5			
82-04-14	34	14	94	22	33		14	.003	13.0			

	METHY-
	LENE
	BLUE
DATE	ACTIVE
OF	SUB-
SAMPLE	STANCE
	(MG/L)
82-02-22	<.02
82-04-06	
82-04-21	<.10
82-05-10	<.10
82-07-01	<.10
82-08-02	
82-02-22	.30
82-04-06	
82-04-21	.30
82-05-10	.30
82-07-01	.20
82-08-02	
82-04-15	.80
82-04-14	

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

	NUMBER	*	LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	TOTAL RECOV- ERABLE (MG/L AS CA)	SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
40523107	73250500		S 46281			82-03-08	47	220	6.6	11.77	23	8.8
						82-04-14 82-08-18	47	230 231	6.4	==	23	9.0
40484807	73073401		\$ 46284			82-04-28	104	245	5.0			<u></u>
						82-07-08 82-08-25	104 104	210 230	5.4		15	6.8
40483607	73110901	•	S 46286		112GLCLU	82-03-15	103	125	6.0		8.6	2.7
					112GLCLU	82-04-28	103	135	6.0			
					112GLCLU	82-08-26	103	165	5.4			
40440007	73154401		\$ 46287			82-04-06	85	180	5.6		12	5.5
						82-04-28	85	204	5.8			
						82-05-04 82-06-30	85 85	175 180	5.5		12 12	5.0
						82-07-29	85	195	5.6		'	7.0
		POTAS-										MANGA-
	SODIUM,	SIUM, TOTAL	ALKA- LINITY	SULFATE	CHLO-	FLUO-	NITRO-	NITRO- GEN,	NITRO- GEN,	PHOS-	IRON, TOTAL	NESE, TOTAL
DATE	RECOV-	RECOV-	FIELD	DIS-	DIS-	RIDE,	NITRATE	NITRITE	AMMONIA	PHATE	RECOV-	RECOV-
OF	ERABLE	ERABLE	(MG/L	SOLVED		TOTAL	TOTAL	TOTAL	TOTAL	TOTAL	ERABLE	ERABLE
SAMPLE	(MG/L	(MG/L	AS	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(UG/L	(UG/L
4	AS NA)	AS K)	CACO3)	AS SO4)	AS CL)	AS F)	AS N)	AS N)	AS N)	AS PO4)	AS FE)	AS MN)
82-03-08	12	2.1	44	19	18		9.1	<.002	<.100			
82-04-14 82-08-18	13 12	2.1	45 53	19	18 19		10	.004	<.040 <.100		==	
82-04-28	22		20	29	25				.040			
82-07-08	22	'	17	24	25				<.040			
82-08-25	23	5.0	16	27	28		9.9	.004	.100			
82-03-15	9.6	4.0	20	15	11		3.3	.002	.990			
82-04-28	9.3		22	15	13				1.20		-	
82-08-26	9.1		13	16	21				.600	2.550	-	
82-04-06	22	1.6	19	1.7	24		13	.005	.100			
82-04-28	23		20	<4.0	23				-040			
82-05-04	22	1.7	19	1.4	24		13	.026	.100			
82-06-30 82-07-29	24 25	1.6	27	1.9	25		12	.004	.100 .040			

					ME			
						ΕN		
					BI	LU	E	
		DAT	TE		AC'	TI	٧	E
		Of	=		SI	JB	-	
	5	AME	PL	E	ST	AN	c	E
					(M			
8	2-	03-	-0	8		_	-	
8	2-	04-	-1	4	<.	. 1	0	
8	2-	-80	- 1	8		-	-	
8	2-	04-	- 2	8	<.	. 1	0	
8	2-	07-	-0	8	<.	. 1	0	
8	2-	-80	- 2	5		-	-	
8	2-	03-	- 1	5	4	_	_	
8	2-	04-	- 2	8	<.	. 1	0	
8	2-	08-	- 2	6		. 1		
8	2-	04-	-0	6		-	_	
8	2-	04-	- 2	8		. 1	0	
8	2-	05-	-0	14		-	-	
8	32-	06-	- 3	0		-	-	
		07-				-	-	
		-	-					

183

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982 SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4046060	73050002		5 46502		112GLCLU	82-02-25	40	390	6.2			
						82-04-26	40	436	6.3			
						82-07-08	40	400	6.3			
					112GLCLU	82-07-20	40	420	6.0		20	2.4
4049200	72484502		\$ 46911			82-03-18	31	46	6.1			
						82-04-08	31	43	5.9			
					112GLCLU	82-07-19	31	56	5.5		2.0	. 7
4049190	72484501		5 46912			82-03-18	22	330	5.7			
						82-04-08	22	280	5.5			
					112GLCLU	82-07-19	22	270	5.5		9.1	1.8
4049200	72484602		5 46913			81-12-07	20	42	6.2	16		
						81-12-08	20			16		
						82-03-05	20			28		
						82-06-03	20			20	,	
					11261610	82-07-19	20	58	5.9		4.4	. 9
					112GLCLU	82-09-22	20			29		
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
02 02 25	60		50	50	90							
82-02-25 82-04-26	67		49	36	105				<.100			
82-07-08			45	27	128				<.040			
82-07-20	71	13	41	30	100		.70	<.002	.100			
82-03-18	5.7		4	4.0	7.0				<.040	144.1		
82-04-08	6.0		3	4.0	6.0				<.040			
82-07-19	6.7	.7	3	5.3	8.4		.20	<.002	<.100			
82-03-18	58	144	13	10	102				.040	144		44
82-04-08	59		0	11	95				.050			
82-07-19	48	1 - 4	8	14	73		.70	<.002	<.100			
81-12-07			14	6.0	1.0		.18	<.010	<.010	<.10	490	30
81-12-08			14	6.0	1.0		.18	<.010	<.010	<.10	490	30
82-03-05			20	3.0	1.5		.05	<.010	<.010	<.10	220	<10
82-06-03			16	. 9	1.0		<.05	<.010	<.010	<.10	180	30
82-07-19	2.8	3.1	19	2.1	1.3		<.20	.003	<.100			
82-09-22	,2-2		26	8.8	6.5		1.6	<.010	<.010	<.10	110	20

			METH	4-
			LEN	E
			BLU	E
	DATE		ACTI	VE
	OF		SUB	-
S	AMPL	E	STAN	CE
			(MG/	L)
82-	02-2	5	<.1	0
82-	04-2	6	<.1	0
82-	07-0	8	<.1	0
82-	07-2	0	-	•
82-	03-1	8	<.1	0
	04-0		<.1	0
82-	07-1	9		-
82-	03-1	8	<.1	0
82-	04-0	8	<.1	0
82-	07-1	9	-	-
81-	12-0	7	<.0	2
81-	12-0	18	<.0	2
	03-0		<.0	2
	06-0		<.0	2
82-	07-1	9	-	-
82-	09-2	2	<.0	2

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4052540	73214202		\$ 46962		112GLCLU	82-04-14	62	138	6.1			
						82-05-13 82-08-18	62 62	122	6.2	= =	11	4.4
4052260	73095701		S 46963		112GLCLU	82-03-15	128		5.8		9.5	5.0
						82-04-19 82-08-04	128 128	189 175	5.6	==	8.0	4.0
4052250	73152200		S 46964		11261 (111	82-03-11	101	105	5.4			
						82-04-15	101	116	5.8			
						82-08-17	101	122	5.1		5.0	3.6
					TIZGECEU	02-00-17					3.0	
4052300	73164400		S 46965			82-04-15 82-08-10	147	380 360	6.2 5.9		25	10
4051400	73005701	s 47100	VILL. WOO	DS S.T.	112GLCLU	82-04-19	139	235	6.1		13	5.5
4040770	73134201		s 47157			82-04-27	23		6.4			
3.4.1.4.4.4					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	DIS- SCLVED (MG/L	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-04-14	11		22	13	12				<.040			
82-05-13	9.8		21	10	13				<.040			
82-08-18	10	1.4	25	13	14		3.7	.004	<.100			
82-03-15	25	1.5	14	18	36		2.7	.002	<.050			
82-04-19	23		15	7.0	36				<.040			
82-08-04	24	1.7	13	20	35		2.6	.002	<.050			
82-03-11	6.3		15	<4.0	17				.050			
82-04-15	12		14	<4.0	20				.040			
82-08-17	12	1.4	11		20		4.0	.006	<.100			
82-04-15	27		37	14	97				<.040			
82-08-10	40	2.0	35	13	97		1.3	<.002	<.100			- 17
82-04-19	39	2.6	43	21	33		7.3	.004	.200			
82-04-27			121	27			4.1	.016	3.10			

	METHY-
	LENE
	BLUE
DATE	ACTIVE
OF	SUB-
SAMPLE	STANCE
	(MG/L)
82-04-14	<.10
82-05-13	<.10
82-08-18	
82-03-15	
82-04-19	<.10
82-08-04	
82-03-11	<.10
82-04-15	<.10
82-08-17	
82-04-15	<.10
82-08-10	
82-04-19	
82-04-27	

185

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
40475907	73251600		\$ 47220		112GLCLU	82-03-08 82-04-13 82-09-13	92 92 92	20 21 22	5.8 6.0 5.2	=	.6 .4	<u>.4</u> .4
4043510	73054101		S 47223		112GLCLU 112GLCLU 112GLCLU	82-01-27 82-02-23 82-04-26 82-05-06 82-07-06	26 26 26 26 26	215 180 198 170 180	5.4 5.9 6.0 5.7 5.8	=======================================	21	2.5
					112GLCLU	82-07-20	26	185	5.6		20	2.6
40481707	72532500		S 47224		112GLCLU 112GLCLU	82-01-27 82-03-25 82-05-20 82-07-12	33 33 33 33	58 62 59 55	5.3 5.9 5.3 5.4	=======================================	2.6	1.3
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (Mg/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	DIS-	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-03-08 82-04-13	2.7	.5	4 5	.5 <4.0	4.0		<.20	.003	<.100 <.040			
82-09-13	2.8	. 5	3	.6	3.7		<.20	<.002	<.100			
82-01-27 82-02-23 82-04-26 82-05-06 82-07-06	18 15 16 15	3.0 2.2	18 22 24 20 19	29 40 28 24 21	28 16 26 28 31	=======================================	2.0	.005 <.002	.530 .440 .270 .250	=======================================	=	=======================================
82-07-20	18	2.2	13	22	32		2.7	<.002	.100			
82-01-27 82-03-25 82-05-20 82-07-12	5.3 4.3 4.7 4.1	1.7	3 0 6 5	7.0 4.0 7.0 5.1	7.4 7.0 4.0 6.8	=======================================	.40 .50	 <.002	.070 .040 <.040 <.100	Ξ	=======================================	=======================================

							M	E	T	H	Y	-
								L	E	N	E	
								B	L	U	E	
		D	A	T	E		A	C	T	I	٧	E
			0	F				S	U	В	-	
	S	A	M	P	L	E	S	T	A	N	C	E
								M				
82	-	0	3	_	0	8				_	_	
82								<		1	0	
82									Ī	-	-	
32	-	0	1	_	2	7				_	_	
82								<		1	0	
82	-	0	4	-	2	6		<		1	0	
82	-	0	5	-	ō	6				1		
82	-	0	7	-	0	6			Î	-	-	
82	-	0	7	-	2	0				-	-	
82	_	0	1	_	2	7				_	_	
82								<		1	n	
82									-	1	7	
82					_			9	•	_	_	
٠.	•	-	•		•	-						

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4052180	72561101		S 47225		112GLCLU 112GLCLU	82-01-27 82-03-29 82-05-10	31 31 31	220 190 178	5.1 5.6 5.2	Ξ	19 17	2.5
					112GLCLU	82-07-13	31	171	5.2			
4052400	72491402		S 47226		112GLCLU 112GLCLU	81-12-07 81-12-08 82-03-05 82-05-04	27 27 27 27	73 76	5.5 6.2	20 20 45	=	=
					112GLCLU	82-06-09	27			26		
		•			112GLCLU	82-07-08 82-09-20 82-09-22	27 27 27	71 68 	5.7 6.6	23	5.4	.9
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	DIS- SOLVED (MG/L	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-01-27 82-03-29 82-05-10 82-07-13	23 18 13 13	6.5	8 9 9 8	40 36 36 39	18 15 14 15	==	8.2	.005	.090 .060 <.040 <.040	=======================================	=	=
81-12-07 81-12-08 82-03-05 82-05-04 82-06-09	4.6	=======================================	18 18 16 30 20	4.1 4.1 3.8 <4.0 1.3	6.5 6.5 5.0 7.0 5.0	=======================================	.02 .02 <.05 	<.010 <.010 <.010 <.010	<.010 <.010 <.010 .160 <.010	<.10 <.10 <.10 <.10	12000 1200 8660 8600	190 190 150 180
82-07-08 82-09-20 82-09-22	4.0	.5	34 33 20	7.0 1.0 2.0	7.0 6.4 5.0	Ξ	<.20 <.05	<.002 <.010	.120 .100 <.010	.18	6900	150

	METHY-
	LENE
	BLUE
DATE	ACTIVE
OF	SUB-
SAMPLE	STANCE
	(MG/L)
82-01-27	
82-03-29	
32-05-10	<.10
82-07-13	<.10
81-12-07	<.02
81-12-08	<.02
82-03-05	<.02
82-05-04	<.10
82-06-09	<.02
82-07-08	<.10
82-09-20	
82-09-22	<.02

SUFFOLK COUNTY--Continued

STATION NUMB	BER	LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4052400724914	401	S 47227		112GLCLU	81-12-06	100	105	7.0	42		
				112GLCLU	81-12-08	100			42		
				112GLCLU	82-03-05	100			53		
					82-05-04	100	97	€.7			
				112GLCLU	82-06-04	100			54	**	
				112GLCLU	82-07-08	100	92	5.7			
					82-09-20	100	93	6.8		12	2.6
				112GLCLU	82-09-22	100			48		
4053060724827	701	S 47228		112GLCLU	82-01-26	101	69	5.7		2.5	1.0
1945-015311-0153		2.734.550			82-04-07	101	68	6.4		1.9	. 3
				112GLCLU	82-05-04	101	69	5.8			
				112GLCLU	82-06-17	101	69	6.7			
				112GLCLU	82-07-07	101	65	5.4			
				112GLCLU	82-09-27	101	68	6.2			
OF ERA	IUM, SI TAL TOT COV- RECO ABLE ERAB	V- FIELD LE (MG/L I/L AS	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
81-12-06		43	3.4	4.5		<.01	.030	<.010	.40	930	280
81-12-08		43	3.4	4.5		<.01	.030	<.010	.40	930	280
82-03-05		42	2.8	4.0		<.05	<.010	<.010	.40	850	270
	. 7	45	<4.0	5.0				.130			
82-06-04		45	3.5	4.0				<.010	.64	680	300
82-07-08	4	48	4.0	5.0				.110			
	. 8	.5 48	3.2	5.5		<.20	<.002	.100			
82-09-22		45	2.9	5.0		.01	.090	<.010	. 47	690	280
82-01-26 14		.0 14	7.6	21		.04	-007	.120	42.		
	5.5	.4 16	7.5	9.5		<.20	.003	<.1C0			
	5.9	17	4.0	10				<.040			
82-06-17	5.3	18	10	10				<.040			
82-07-07	5.6	16	4.0	9.0				<.040			
82-09-27	5.0	16	6.0	9.0	::			.040	1-		

					M:	31	Н	Υ	-
					1	. 6	N	٤	
					1	31	U	E	
	D	AT	E		A	21	I	٧	E
		OF				SL	B	-	
S	A	MF	L	E	S.	T A	N	C	E
						40		17	
81-	1	2-	.0	6		۷.	0	2	
81-	1	2-	0	8		۲.	0	2	
82-	0	3-	0	5		۲.	0	2	
32-	0	5-	-0	4	-	۲.	1	0	
82-	0	6-	0	4		۲.	0	2	
82-						٠.	1	0	
82-	0	9-	- 2	0			-	-	
82-	0	9-	. 2	2		۲.	0	2	
82-	J	1-	2	6			-	-	
82-	J	4-	0	7			-	-	
82-	0	5-	0	4		٠.	1	0	
82-	0	6-	1	7		۲.	1	0	
82-	0	7-	0	7	•	٠.	1	0	
82-	0	9-	2	7		٠.	1	0	

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

								SPE-			CALCIUM	MAGNE-
STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL	CIFIC CON- DUCT- ANCE	РН	HARD- NESS (MG/L AS	TOTAL RECOV- ERABLE (MG/L	TOTAL RECOV- ERABLE (MG/L
							(FEET)	(UMHOS)	(UNITS)	CACO3)	AS CA)	AS MG)
40530607	72482702		\$ 47229		112GLCLU	82-01-26	26	100	5.4		4.0	1.2
					112GLCLU	82-04-07	26	78	5.5		4.4	1.4
						82-05-04	26	80	5.5			
						82-06-17	26	84	5.6		- 15	7.
					112GLCLU	82-07-07	26	91	5.2		-	
					112GLCLU	82-09-27	26	97	5.5			
40541707	72402300		S 47230		112GLCLU	82-07-21	33	61	4.6		1.4	.9
						82-09-20	33	60	4.3		1.4	.9
40554107	72375300		S 47231		112GLCLU	82-01-28	40	160	4.9			
1033110.						82-05-17	40	146	4.8			
						82-05-20	40	140	5.1			
					112GLCLU	82-09-09	40	150	5.1			
40524807	72332700		s 47232		112GLCLU	82-05-11	56	73	5.9			
40524001			3 41 232			82-07-14	56	71	5.5			
						82-09-14	56	70	5.7		2.4	1.4
		POTAS-										MANGA-
	SODIUM,	SIUM,	ALKA-		CHLO-		NITRO-	NITRO-	NITRO-		IRON,	NESE,
	TOTAL	TOTAL	LINITY	SULFATE	RIDE,	FLU0-	GEN.	GEN,	GEN,	PHOS-	TOTAL	TOTAL
DATE	RECOV-	RECOV-	FIELD	DIS-	DIS-	RIDE,	NITRATE	NITRITE	AMMONIA	PHATE,	RECOV-	RECOV-
OF.	ERABLE	ERABLE	(MG/L	SOLVED	SOLVED	TOTAL	TOTAL	TOTAL	TOTAL	TOTAL	ERABLE	ERABLE
SAMPLE	(MG/L	(MG/L	AS	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(UG/L	(UG/L
	AS NA)	AS K)	CACO3)	AS SO4)	AS CL)	AS F)	AS N)	AS N)	AS N)	AS PO4)	AS FE)	AS MN)
82-01-26	11	1.4	5	7.6	14		.79	.004	.130			
82-04-07	8.0	1.6	6	8.2	12		1.2	.004	.200			
82-05-04	7.6		9	4.0	11				.180			
82-06-17	7.8		13	11	13				.080			
82-07-07	9.9		9	4.0	14		-		.080		-	1 = 1/3 = 1
82-09-27	12		10	9.0	15				.240			
82-07-21	7.6	1.0	0	9.5	13		<.20	<.002	<.100			
82-09-20	7.3	. 9		8.6	12		<.20	<.002	<.100			
82-01-28	17		2		16				.230		D	
82-05-17	18		4	18	29				.180			
82-05-20	18		. 5	20	30				.220			
82-09-09	15		5	18	24				.080			
82-05-11	6.4		24	<4.0	10				-400			
82-07-14	6.5		23	5.0	11				.380			
82-09-14	6.7	.5	23	.9	10		<.20	<.002	.600			
						MF	THY-					

			ME	1 1	
			L	EN	E
			В	LU	E
1	DATE		AC		-
	OF		SI	_	
	AMPL	_	ST		
3	AMPL	_	_		
			(M	5/	L
87-	01-2	4		_	-
	04-0			_	_
			,	4	0
	05-0			. 1	
	06-1			. 1	
82-	07-0	7		. 2	0
82-	09-2	7	<	. 1	0
82-0	07-2	1		_	_
	09-2			-	-
82-0	01-2	8		. 1	0
	05-1			. 1	
	05-2			. 1	
	09-0			1	
32-	J 7 - U	,	•	٠,	•
82-0	05-1	1	<.	. 1	0
	07-1		<	. 1	0
82-0	09-1	4		-	-

SUFFOLK COUNTY--Continued

	STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
	41034807	2272900		S 47233			82-06-16 82-08-26	51 51	225 335	6.2		23	13
	41021307	2232700		S 47234			82-06-08 82-08-30	27 27	1600 3980	6.9	=======================================	=	==
	41003707	2145101		S 47235		112GLCLU	82-09-08	22	645	6.2			
	41015607	2133601		S 47230		112GLCLU	82-09-08	57	114	6.1		-	
	40511107	3065801		\$ 47675			82-05-17 82-08-30	90 90	200 380	6.1 5.8	==	19 32	4.2
	40530707	3060900		\$ 47698		112GLCLU	82-02-08 82-04-28 82-08-30	104 104 104	64 59 65	6.5 6.0 5.6	Ξ	3.0 2.9 2.8	1.6 1.6 1.0
	40494107	3065400		\$ 47718		112GLCLU	82-04-08 82-05-17 82-08-25	51 51 51	175 170 195	6.4 6.4 6.0	Ξ	16 15	4.3
	DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
	-06-16 -08-26	1 o 1 4	1.8	13 17	67 70	24 28		5.5	-002	<.050 <.040			
	2-06-08 2-08-30	==	12	31 32	==			.30	.008	.800 .900	Ξ	=	Ξ
82	-09-08	125		38	25	222				.810			
32	-09-08	20		15	8.0	19			22.1	<.040		(22)	
	-05-17 -08-30	24 47	2.7	5 2 4 5	15 16	25 94	==	4.8	.003 .004	.050 .100	Ξ		==
	-02-08	0.1	. 7	7	2.6	10		.70	<.002	<.050			
	-04-28 -08-30	6.3	.7	7	3.8	11 12		1.0	.001 <.002	<.100 <.100			
	-04-08	14		60	24	13				1.23			44
	-05-17 -08-25	12 20	4.2	51 40	19 24	16 32	==	.09	.002 <.302	1.00		==	==

	METHY-
	BLUE
DATE	ACTIVE
OF	SUB-
SAMPLE	STANCE
34111 22	(MG/L)
82-06-16	
82-08-26	<.10
02-05-20	V. 10
82-06-08	
82-08-30	
32-09-08	<.10
32-09-08	<.10
82-05-17	
82-08-30	
82-02-03	(44/
32-04-28	
82-08-30	
82-04-08	<.10
82-05-17	
82-08-25	

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

	FĪ	ER	LOGIC UNIT	OF SAMPLE	OF WELL, TOTAL (FEET)	CON- DUCT- ANCE (UMHOS)	PH (UNITS)	NESS (MG/L AS CACO3)	RECOV- ERABLE (MG/L AS CA)	RECOV- ERABLE (MG/L AS MG)
404642073005801	S 47	743		82-04-01 82-07-11	100 100	69 77	6.8	=	6.8	1.9
405417072572701	S 47	745	112GLCLU	82-03-29 82-05-10 82-09-30	32 32 32	84 101 155	5.2 5.1 5.0	Ξ	5.2	1.5
404847072571300	s 47	746		82-03-24 82-07-12	84 84	67 77	5.8 5.7	===	3.7 3.8	2.2
404740072545200	s 47	747	112GLCLU	82-01-05 82-03-25 82-07-12	33 33 33	100 73 79	5.5 5.6 5.4	==	2.5 1.8	2.0
405638072514700	S 47	748	112GLCLU	82-03-15 82-05-25 82-08-09	115 115 115	34 42 52	6.2 6.1 5.9	=	1.9	1.5
	TOTAL LINE RECOV- FIL ERABLE (MG/L AS	ELD DIS- S/L SOLVED	DIS- SOLVED (MG/L	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-04-01 2.7 82-07-11 4.3	.8	28 <4.0 27 2.8	5.5		<.20	.003	<.040 <.100	==		==
82-03-29 8.6 82-05-10 9.9 82-09-30 10	1.2	4 16 5 12 4 14	11 17 38	Ξ	•71 	•001 	<.050 <.040 <.040	- Ξ	Ξ	Ξ
82-03-24 5.3 82-07-12 5.0	1.4	9 9.1 8 9.0	7.8 3.3	==	.50	.002 <.002	.060 <.100	==	==	
82-01-05 15 82-03-25 11 82-07-12 8.6	1.1	5 6.2 5.0 3 6.3	22 16 14	==	.16 <.20	<.001 <.002	<.050 <.240 <.100	Ξ	Ξ	Ξ
82-03-15 82-05-25 4.0	.5	7 6.0	6.3	==	.02	.002	<.050	==	==	==

			MET		
			LE		
				UE	
0	ATE		ACT		_
	OF		SU		
SA	MPL	E	STA	-	_
			(MG	/L)
82-0	4-0	1	۷.	10	
82-0	7-1	1			
82-0	3-2	0			
82-0			۷.	10	
82-0			۷.		
32-0					
82-0	7-1	2			
82-0	1-0	5			
82-0	3-2	5	<.	10	
82-0	7-1	2			
82-0	3-1	5	5.	0	
82-0			۲.		
82-0					

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4053380	72530401		5 47749			82-03-15	32	300	5.6		24	6.0
					112GLCLU	82-05-05	32	332	5.4			
						82-07-13	32	312	4.9			
					112GLCLU	82-09-30	32	230	5.7			
4050040	72515400		\$ 47750		112GLCLU	82-01-06	95	52	6.0		3.0	1.2
					112GLCLU	82-03-18	95	50	6.2			
					112GLCLU	82-05-25	95	49	6.7			
					112GLCLU	82-07-12	95	51	6.0		3.0	1.2
4046070	72594702		\$ 47751		112GLCLU	82-01-05	38	210	5.0		15	3.0
					112GLCLU	82-03-24	38	210	5.2		15	2.6
					112GLCLU	82-05-19	38	213	4.9			
					112GLCLU	82-07-11	38	215	4.8		15	2.4
4046070	72594701		5 47752		112GLCLU	82-01-05	100	66	6.6		5.5	2.8
					112GLCLU	82-03-24	100	68	6.9		5.7	2.6
						82-05-19	100	66	5.9			
					112GLCLU	82-07-11	100	76	6.2		5.6	2.7
												9.00000
	SODIUM	POTAS-	ALKA-		CHLO-		NITRO-	NITTOO	NITRO-		IRON,	MANGA- NESE
	TOTAL	TOTAL	LINITY	SULFATE	RIDE,	FLUO-	GEN,	NITRO- GEN,	GEN.	PHOS-	TOTAL	TOTAL
DATE	RECOV-	RECOV-	FIELD	DIS-	DIS-	RIDE,	NITRATE	NITRITE	AMMONIA	PHATE,	RECOV-	RECOV-
OF	ERABLE	ERABLE	(MG/L	SOLVED	SCLVED	TOTAL	TOTAL	TOTAL	TOTAL	TOTAL	ERABLE	ERABLE
SAMPLE	(MG/L	(MG/L	AS	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(UG/L	(UG/L
20000-2-	AS NA)	AS K)	CACO3)	AS SO4)	AS CL)	AS F)	AS N)	AS N)	AS N)	AS PO4)	AS FE)	AS MN)
82-03-15	42	3.0	26	35	68		3.8	.004	.050			
82-05-05	31		15	44	78				.060			
82-07-13	40		11	39	74			-	<.040			
82-09-30	33		22	30	56				<.040			
82-01-06	4.8	.5	8	6.4	6.2		<.02	<.002	<.050			
82-03-18	4.3		8	4.0	7.0				<.040		()	
82-05-25	4.4		0	7.0	7.0				<.040			
82-07-12	4.6	. 4	8	5.4	6.7		<.20	.003	<.100			
	21	4.2	5	29	20		7.4	<.002	<.200			
82-01-05		5.0	5	27	22		10	.011	.300			
82-01-05	24	5.0			~ .				.340			
82-03-24 82-05-19	24		5	29	24							
82-03-24				29 25	22	7	11	.003	.200			
82-03-24 82-05-19 82-07-11 82-01-05	24		5				11 <.02	.003	.200 <.050			
82-03-24 82-05-19 82-07-11 82-01-05 82-03-24	24 24	4.6	5	25	22							==
82-03-24 82-05-19 82-07-11 82-01-05	24 24 4.4	4.6	5 3 29	2.9	4.0		<.02	.002	<.050			

		METHY-
		LENE
		BLUE
DATE		ACTIVE
OF		SUB-
SAMPL	. E	STANCE
		(MG/L)
82-03-1	15	
82-05-0)5	<.10
82-07-1	3	<.10
82-09-3	30	<.10
82-01-0)6	
82-03-1	8	<.10
82-05-2	2.5	<.10
82-07-1	2	
82-01-0)5	
82-03-2	4	
82-05-1	9	<.10
82-07-1	1	
82-01-0)5	
82-03-2		
82-05-1		<.10
82-07-1	1	

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4054120	72441401		S 47753		112GLCLU 112GLCLU 112GLCLU	82-01-06 82-03-16 82-05-04 82-07-12 82-09-29	100 100 100 100 100	61 60 54 54 54	5.8 5.9 6.0 5.3 6.2	=======================================	3.0 3.1 	1.4 1.2
4054120	72441402		S 47754		112GLCLU 112GLCLU 112GLCLU	82-01-06 82-03-16 82-05-04 82-07-12 82-09-29	39 39 39 39	46 86 151 129 70	5.5 5.1 5.3 5.6 5.0	=	1.5	1.0
4051360	72464500		S 47755		112GLCLU 112GLCLU	82-03-16 82-05-06 82-07-13 82-09-28	58 58 58	55 55 54 54	5.6 5.5 5.2 5.8	E	2.6	1.4
DATE OF SAMPLE	SODIUM/ TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-01-06 82-03-16 82-05-04 82-07-12 82-09-29	6.7 6.4 7.0 6.2 6.3	.8 .7 	10 8 9 8 7	10 9.0 5.0 9.0 7.0	6.0 6.3 16 8.0 8.0	=======================================	.06 .04 	.001 .001 	<.050 <.050 <.040 <.040 <.040	=======================================	=======================================	=
82-01-06 82-03-16 82-05-04 82-07-12 82-09-29	4.0 12 28 23 11	.1 .6 	3 2 5 3 2	8.2 9.2 8.0 12 7.0	5.9 18 36 34 16	=======================================	<.02 .05 <.40	<.002 .002	<.050 <.050 <.040 <.040 <.040	=======================================	=======================================	=======================================
82-03-16 82-05-06 82-07-13 82-09-28	5.2 5.9 5.2 5.0	-9 	6 4 4	7.8 6.0 8.0 7.0	7.5 9.0 9.0 7.0	=======================================	.07 		<.050 <.040 <.040 <.040	=	=	=

	METHY-
	LENE
	BLUE
DATE	ACTIVE
OF	SUB-
SAMPLE	STANCE
SAMPLE	(MG/L)
	. (1107 27
82-01-06	
82-03-16	
82-05-04	<.10
82-07-12	<.10
82-09-29	<.10
02 0, 2,	
82-01-06	
82-03-16	
82-05-04	<.10
82-07-12	<.10
82-09-29	<.10
02 07 27	
82-03-16	
82-05-06	<.10
82-07-13	<.10
82-09-28	<.10

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4049220	72595001		s 47756			82-01-05	69	116	6.0		4.5	2.5
					112GLCLU		69	94	5.6			
					112GLCLU	82-05-25	69	88 87	5.5			
4050080	73025500		s 47757		112GLCLU		138	220	5.8			
									3.0			
4048520	73050400		\$ 47758		112GLCLU		102	155				
					112GLCLU	82-08-30	102	250	5.4		8.6	5.1
4056480	72555101		\$ 47945			82-03-25	142	73	6.0			
					112GLCLU		142	70	5.7			
					112GLCLU	82-08-09	142	81	5.7		4.3	1.7
4056040	73064301		5 47973		112GLCLU	82-04-29	90	180	6.1			
					112GLCLU	82-08-30	90	210	5.8		25	6.6
4055320	73025701		S 47974			82-03-30 82-09-13	149	132 190	6.2	==	7.0 11	2.0
	CODTUM	POTAS-			C111 0-						****	MANGA-
	SODIUM, TOTAL	SIUM, TOTAL	ALKA- LINITY	SULFATE	CHLO-	FLU0-	NITRO-	NITRO-	NITRO-	PHOS-	IRON, TOTAL	NESE, TOTAL
DATE	RECOV-	RECOV-	FIELD	DIS-	DIS-	RIDE,	NITRATE	NITRITE	AMMONIA	PHATE	RECOV-	RECOV-
OF	ERABLE	ERABLE	(MG/L	SOLVED	SOLVED	TOTAL	TOTAL	TOTAL	TOTAL	TOTAL	ERABLE	ERABLE
SAMPLE	(MG/L	(MG/L	AS	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(UG/L	(UG/L
VAIII EE	AS NA)	AS K)	CACO3)	AS SO4)	AS CL)	AS F)	AS N)	AS N)	AS N)	AS PO4)	AS FE)	AS MN)
82-01-05	15	1.5	9	7.0	22		.34	.001	<.050			
82-04-01	11		7	7.0	19				<.040			
82-05-25	12		7	8.0	18				<.040			
82-07-13	12		5	7.0	19				<.040			
0. 0												
82-04-29	27		22	6.0	75	7.7			<.040			
82-04-29 82-05-11	21			8.0	41				<.040			
82-04-29												
82-04-29 82-05-11 82-08-30 82-03-25	21 41 4.8	2.6	10	8.0 12	41 71 7.0	==	2.3	<.002	<.040 <.100	=	=	
82-04-29 82-05-11 82-08-30 82-03-25 82-05-25	21 41 4.8 4.6	2.6	10 14 0	8.0 12 8.0 11	41 71 7.0 10	=======================================	2.3	<.002 	<.040 <.100 .110 <.040	=	=======================================	=
82-04-29 82-05-11 82-08-30 82-03-25	21 41 4.8	2.6	10	8.0 12	41 71 7.0	==	2.3	<.002	<.040 <.100	=	=	=
82-04-29 82-05-11 82-08-30 82-03-25 82-05-25 82-08-09 82-04-29	21 41 4.8 4.6 5.4 8.5	2.6 .9	10 14 0 12	8.0 12 8.0 11 9.3	41 71 7.0 10 9.2	=======================================	2.3	<.002 	<.040 <.100 .110 <.040 .090	=	=======================================	=
82-04-29 82-05-11 82-08-30 82-03-25 82-05-25 82-08-09	21 41 4.8 4.6 5.4	2.6	10 14 0 12	8.0 12 8.0 11 9.3	7.0 10 9.2	: :	2.3	<.002 .003	<.040 <.100 .110 <.040 .090	=======================================	=	=
82-04-29 82-05-11 82-08-30 82-03-25 82-05-25 82-08-09 82-04-29	21 41 4.8 4.6 5.4 8.5	2.6 .9	10 14 0 12	8.0 12 8.0 11 9.3	41 71 7.0 10 9.2	=======================================	2.3	<.002 .003	<.040 <.100 .110 <.040 .090	=======================================	=======================================	=

			METHY-	
			LENE	
	2.2		BLUE	
	DAT		ACTIVE	
	OF		SUB-	
2	AMP	LE	STANCE	
			(MG/L)	
82-	01-	0.5		
	04-		<.10	
	05-		<.10	
82-	07-	13	<.10	
82-	04-	29	<.10	
62-	05-	11	<.10	
	08-		1.10	
0.	00			
82-	03-	25	<.10	
82-	05-	25	<.10	
82-	-80	09		
0.2	01	20		
	04-		<.10	
02	00	30		
82-	03-	30		
82-	09-	13		

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
40505007	2595301		S 47975			82-04-28 82-08-09	129 129	150 165	6.0 5.9	==	21 20	7.2 7.0
40560507	2591501		S 47976		112GLCLU 112GLCLU	82-03-30 82-05-12 82-07-21 82-09-29	138 138 138 138	132 139 131 155	6.1 5.6 5.6 6.1	!	10	4.2
40471107	2515000		S 47977		112GLCLU	82-03-24 82-05-02 82-07-15	55 55 55	165 166 160	4.9 5.2 4.5	=	10	2.6
40560607	2202701		\$ 48425			82-05-27 82-08-10	44	410 360	5.6 5.4	. =	=	Ξ
40574007	2190001		\$ 48426		112GLCLU	82-08-10	121	126	5.8			
40561807	2180501		S 48427			82-05-26 82-08-12	52 52	224 232	5.8 5.7	Ξ	Ξ	Ξ
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE/ TOTAL RECOV- ERABLE (UG/L AS MN)
82-04-28 82-08-09	7.0 6.7	1.4	41 45	26 22	12 14	==	2.5	.001	<.100 <.050			
82-03-30 82-05-12 82-07-21 82-09-29	12 10 11 16	1.3	22 24 24 34	13 12 15 13	15 13 14 19	=======================================	3.2	.002 <.002	<.050 <.040 <.100 <.040	=	Ξ	= = =
82-03-24 82-05-02 82-07-15	12 13 14	5.8	5	2.7 4.0 5.0	16 17 20	=	13	-010	.100 .160 <.040	Ξ	Ξ	Ξ
82-05-27 82-08-10	9.7 8.0	Ξ	12 11	129 123	33 34	==	II	Ξ	<.040 .040	o I	=	Ξ
82-08-10	8.6			9.0	13				<.040			-
82-05-26 82-08-12	19 20		19 17	32 27	29 37	==	==	=	<.040	Ξ	Ξ	

				1-
	ı	. E	N	E
		L	U	E
DATE	AC	T	I	VE
0F	9	u	В	-
SAMPLE	-	-	_	CE
				L)
	٠.	. •	•	
82-04-28	2		_	_
82-08-09			_	_
02 00 0	,			
82-03-30	1		_	_
82-05-1			1	0
82-07-2		•	_	_
82-09-29			4	_
82-09-2	,	•	•	U
82-03-2	,			
82-05-0			4	_
82-07-1				
82-07-1	•		1	U
02-05-0				_
82-05-2				
82-08-1	•		1	U
02 00 4				_
82-08-1			1	U
03-05-3				0
82-05-2		٠.		
82-08-1		٠.	1	U

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4057040	72165901		S 48428		112GLCLU	82-08-11	71	51	5.2			
4058070	72121001		\$ 48429		112GLCLU	82-09-14	66	104	6.2			
4055010	72215501		\$ 48430		112GLCLU	82-08-10	39	89	5.2			
4056060	72235701		S 48432			82-06-07 82-09-01	63 63	71 71	5.5 6.4	= =	= ==	==
4056440	72220101		\$ 48433		112GLCLU	82-09-15	135	61	5.9			
4052270	72352301		S 48434			82-05-13 82-07-21	187 187	102 108	6.0	==	9.0	3.8
4050510	72353101	\$ 484	435 E. QUO	GUE	112GLCLU	82-08-09	56	120	5.2			
4058310	72171201		S 48437		112GLCLU	82-08-11	69	53	5.3	**		
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	DIS-	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-08-11	4.6		5	10	11				<.040			
82-09-14	4.6		21	21	7.0				.090			
82-08-10	5.9			21	13	(22)			.900			
82-06-07	10		9	20	12				<.040			
82-09-01	9.3		13	7.0	11				<.040			
82-09-15	7.2		8	8.0	11	22			.190			
82-05-13	9.3		37	6.0	10				<.040			
82-07-21	9.4	1.0	39	7.6	11		.20	<.002	<.100			
82-08-09	8.4		4	21	15				<.040		2-	5.44%
82-08-11	5.0		8	11	9.0				<.040			

					ME				
						-		E	
					В	_	-	_	
	DA	T	E		AC	T	Ι	۷	Ε
	(F			5	U	В	-	
S	AM	1P	L	E	ST	A	N	C	E
					(M	G	1	L)
82-	08	3-	1	1	<		1	0	
82-	09	-	1	4	<		1	0	
82-	08	-	1	0	<		1	0	
82-					<		1	0	
82-	09	-	0	1	<	•	1	0	
82-	09	-	1	5	<		1	0	
82-					<		1	0	
82-	07	-	2	1			-	-	
82-	08	-	0	9	<		1	0	
82-	08	-	1	1	<		1	0	

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4058440	72191601		S 48438			82-06-07 82-08-25	78 78	283 171	5.5	-		
4053250	72262702		s 48439			82-08-09	51	189	6.0		1,1577	C-423
	72262701		5 48440			82-08-09	102	79	5.9			36.6
	72414801		48442 SPE	N. P.		82-08-09	54	53	5.2		7/10/1	
		3 .		NK.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		- 56					
4058380	72154001		\$ 48517			82-05-26 82-08-11	71 71	55 56	5.8	==	==	-
4056500	72145201		S 48518			82-05-26 82-08-11	71 71	92 122	5.6		==	-:
4102430	71560101		S 48519			82-09-15	82	190	6.4			-
4058180	72132101		S 48520		112GLCLU	82-05-26	59	154	5.6			
3,444						82-09-14	59	165	5.5	-	-	-
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-06-07 82-08-25	42	==	11	15	83 44	==	==	=	<.040 <.040		==	
82-08-09	22		16	13	46				<.040			
82-08-09	7.0		16	9.0	11				<.040			
82-08-09	5.5		4	9.0	10				<.040			
82-05-26	6.2		12	7.0	9.0				<.040			
82-08-11	5.1		11	11	10				<.040			
82-05-26 82-08-11	11 15	==	8	12 13	19 32	==	==	Ξ	<.040 <.040	==	=	Ξ
82-09-15	26		39	15	33				<.040			
82-05-26 82-09-14	12 14	==	12 9	11 10	24 27	==	. =	Ξ	<.040 <.040	=		-
				4.		ME	THY-					

	MEINT-
	LENE
	BLUE
DATE	ACTIVE
OF	SUB-
SAMPLE	STANCE
• • • • • • • • • • • • • • • • • • • •	(MG/L)
	(1107.67
82-06-07	<.10.
82-08-25	<.10
02 00 23	
82-08-09	<.10
02-00-09	
82-08-09	<.10
02-00-07	1.10
03-00-00	
82-08-09	<.10
93-05-34	10
82-05-26	<.10
82-08-11	<.10
82-05-26	
82-03-11	<.10
82-09-15	<.10
82-05-26	<.10
82-09-14	<.10

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4059400	72164701		5 48521		112GLCLU	82-06-07	75	94	5.5			
4058580	72062401		\$ 48522		112GLCLU	82-09-14	92	142	6.2			
4101490	71583201		S 48577		1.12GLCLU	82-09-15	186	161	6.5	144		
4059280	72110401		\$ 48578			82-05-27 82-09-08	32 32	380 286	5.7 5.8	Ξ	= ==	= ==
4103160	71535501		\$ 48579		112GLCLU	82-09-15	66	177	5.9			
4100240	72103201		\$ 48580			82-05-27 82-09-08	46 46	165 116	5.5 5.7	===	===	- 11
4053080	72322201		S 48581		112GLCLU	82-05-11 82-07-19 82-09-14	76 76 76	337 107 68	5.6 5.5 5.7	=	 2.6	1.6
DATE OF	SODIUM, TOTAL RECOV- ERABLE	POTAS- SIUM, TOTAL RECOV- ERABLE	ALKA- LINITY FIELD (MG/L	SULFATE DIS- SOLVED	CHLO- RIDE, DIS- SOLVED	FLUO- RIDE, TOTAL	NITRO- GEN, NITRATE TOTAL	NITRO- GEN, NITRITE TOTAL	NITRO- GEN, AMMONIA TOTAL	PHOS- PHATE, TOTAL	IRON, TOTAL RECOV- ERABLE	MANGA- NESE/ TOTAL RECOV- ERABLE
SAMPLE	(MG/L AS NA)	(MG/L AS K)	AS CACO3)	(MG/L AS SO4)	(MG/L AS CL)	(MG/L AS F)	(MG/L AS N)	(MG/L AS N)	(MG/L AS N)	(MG/L AS PO4)	(UG/L AS FE)	(UG/L AS MN)
82-06-07	10		11	6.0	12				<.040			
82-09-14	22		11	7.0	36				<.040			
82-09-15	19		19	6.0	40				<.040			
82-05-27	60			11	123				.020			
82-09-08	43		13	12	84				.530	177		
82-09-15	25		25	17	35				<.040		-	
	13		9	17	16				-060			
82-05-27			9	20	16				<.040			
82-05-27 82-09-08	12											
			0	5.0	104				< .040	12		
82-09-08	12 62 18		0	5.0	104	==	<.40	=	<.040 <.040	==	==	

								M	E	T	H	Y	-
									L	E	N	E	
									В	L	U	E	
			D	A	T	E		A	C	T	I	٧	E
				0	F	·			S	U	В	-	
		S	A	M	P	L	E	S	T	A	N	C	E
								(M	G	1	L)
3	2	-	0	6	-	0	7		<		1	0	
8	2	-	0	9	-	1	4		<		1	0	
8	2	-	0	9	-	1	5		<		1	0	
8	2	_	0	5	_	2	7		<		1	0	
8	2	-	0	9	-	0	8		<		1	0	
8	2	-	0	9	-	1	5		<		1	0	
8	2	-	0	5	-	2	7		<		1	0	
8	2	-	0	9	-	0	8		<		1	0	
8	2	-	0	5	_	1	1		<		1	0	
8	2	-	0	7	-	1	9		<		1	0	
8	2	-	0	9	-	1	4				-	-	

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4052250	72371001	\$ 48	582 OAKV	LLE		82-05-13	105	171	5.7			
						82-07-19 82-09-14	105 105	182 225	5.2	=	10	8.0
4051390	72385001	S 4858	3 WESTHAN	PTON	112GLCLU	82-05-11	139	60	5.8			
						82-07-19	139	55	5.4			
					112GLCLU	82-09-15	139	60	6.4		3.0	2.0
4051390	72385002	\$ 4858	4 WESTHAM	PTON	112GLCLU	82-05-11	. 89	39	5.4			
					112GLCLU	82-07-19	89	44	6.0			
					112GLCLU	82-09-15	89	65	5.7		2.1	1.5
4051360	73041601		S 48651			82-05-11	64	270				
					112GLCLU	82-08-30	64	260	5.7		16	15.5
4046410	73005402		\$ 48759		112GLCLU	82-01-05	33	150	5.9		9.5	1.8
						82-05-19	33	122	5.6			
					112GLCLU	82-07-11	33	170	5.5		10	1.6
	SODIUM,	POTAS- SIUM, TOTAL	ALKA- LINITY	SULFATE DIS-		FLUO-	NITRO- GEN,	NITRO- GEN,	NITRO- GEN,	PHOS-	IRON, TOTAL	MANGA- NESE, TOTAL RECOV-
OF SAMPLE	RECOV- ERABLE (MG/L AS NA)	RECOV- ERABLE (MG/L AS K)	FIELD (MG/L AS CACO3)	SOLVED (MG/L AS SO4)	(MG/L	TOTAL (MG/L AS F)	NITRATE TOTAL (MG/L AS N)	NITRITE TOTAL (MG/L AS N)	AMMONIA TOTAL (MG/L AS N)	TOTAL (MG/L AS PO4)	RECOV- ERABLE (UG/L AS FE)	ERABLE (UG/L AS MN)
OF SAMPLE	ERABLE (MG/L	ERABLE (MG/L	(MG/L AS CACO3)	SOLVED (MG/L AS SO4)	SOLVED (MG/L AS CL)	TOTAL (MG/L	TOTAL (MG/L	TOTAL (MG/L	TOTAL (MG/L	TOTAL (MG/L	ERABLE (UG/L	ERABLE (UG/L
OF	ERABLE (MG/L AS NA)	ERABLE (MG/L AS K)	(MG/L	SOL VED	SOLVED (MG/L	TOTAL (MG/L AS F)	TOTAL (MG/L AS N)	TOTAL (MG/L AS N)	TOTAL (MG/L AS N)	TOTAL (MG/L AS PO4)	ERABLE (UG/L AS FE)	ERABLE (UG/L AS MN)
OF SAMPLE 82-05-13	ERABLE (MG/L AS NA)	ERABLE (MG/L AS K)	(MG/L AS CACO3)	SOLVED (MG/L AS SO4)	SOLVED (MG/L AS CL)	TOTAL (MG/L AS F)	TOTAL (MG/L AS N)	TOTAL (MG/L AS N)	TOTAL (MG/L AS N)	TOTAL (MG/L AS PO4)	ERABLE (UG/L AS FE)	ERABLE (UG/L AS MN)
OF SAMPLE 82-05-13 82-07-19	ERABLE (MG/L AS NA) 19 21	ERABLE (MG/L AS K)	(MG/L AS CACO3) 25 21	SOLVED (MG/L AS SO4) 14 23	SOLVED (MG/L AS CL) 25 30	TOTAL (MG/L AS F)	TOTAL (MG/L AS N)	TOTAL (MG/L AS N)	TOTAL (MG/L AS N) <.040 <.040	TOTAL (MG/L AS PO4)	ERABLE (UG/L AS FE)	ERABLE (UG/L AS MN)
0F SAMPLE 82-05-13 82-07-19 82-09-14	ERABLE (MG/L AS NA) 19 21 28	ERABLE (MG/L AS K)	(MG/L AS CACO3) 25 21 20	SOLVED (MG/L AS SO4) 14 23 18	SOLVED (MG/L AS CL) 25 30 49	TOTAL (MG/L AS F)	TOTAL (MG/L AS N)	TOTAL (MG/L AS N)	TOTAL (MG/L AS N) <.040 <.040	TOTAL (MG/L AS PO4)	ERABLE (UG/L AS FE)	ERABLE (UG/L AS MN)
0F SAMPLE 82-05-13 82-07-19 82-09-14 82-05-11	ERABLE (MG/L AS NA) 19 21 28	ERABLE (MG/L AS K)	(MG/L AS CACO3) 25 21 20	SOLVED (MG/L AS SO4) 14 23 18 <4.0	SOLVED (MG/L AS CL) 25 30 49	TOTAL (MG/L AS F)	TOTAL (MG/L AS N)	TOTAL (MG/L AS N)	TOTAL (MG/L AS N) <.040 <.040	TOTAL (MG/L AS PO4)	ERABLE (UG/L AS FE)	ERABLE (UG/L AS MN)
OF SAMPLE 82-05-13 82-07-19 82-09-14 82-05-11 82-07-19 82-09-15 82-05-11	ERABLE (MG/L AS NA) 19 21 28 5.9 5.9 6.1	ERABLE (MG/L AS K) 2.0	(MG/L AS CACO3) 25 21 20 16 14 16	SOLVED (MG/L AS SO4) 14 23 18 <4.0 6.0 3.8 5.0	SOLVED (MG/L AS CL) 25 30 49 4.0 5.0	TOTAL (MG/L AS F)	TOTAL (MG/L AS N) 4.2	TOTAL (MG/L AS N)	TOTAL (MG/L AS N) <.040 <.040 <.040 <.040 <.040 <.100 <.040	TOTAL (MG/L AS PO4)	ERABLE (UG/L AS FE)	ERABLE (UG/L AS MN)
OF SAMPLE 82-05-13 82-07-19 82-09-14 82-05-11 82-07-19 82-09-15 82-05-11 82-07-19	ERABLE (MG/L AS NA) 19 21 28 5.9 5.9 6.1 3.7 4.7	ERABLE (MG/L AS K) 2.0	(MG/L AS CACO3) 25 21 20 16 14 16	SOLVED (MG/L AS SO4) 14 23 18 <4.0 6.0 3.8 5.0 6.0	SOLVED (MG/L AS CL) 25 30 49 4.0 5.0	TOTAL (MG/L AS F)	TOTAL (MG/L AS N)	TOTAL (MG/L AS N)	TOTAL (MG/L AS N) <.040 <.040 <.040 <.100 <.040 <.040	TOTAL (MG/L AS PO4)	ERABLE (UG/L AS FE)	ERABLE (UG/L AS MN)
OF SAMPLE 82-05-13 82-07-19 82-09-14 82-05-11 82-07-19 82-09-15 82-05-11	ERABLE (MG/L AS NA) 19 21 28 5.9 5.9 6.1	ERABLE (MG/L AS K) 2.0	(MG/L AS CACO3) 25 21 20 16 14 16	SOLVED (MG/L AS SO4) 14 23 18 <4.0 6.0 3.8 5.0	SOLVED (MG/L AS CL) 25 30 49 4.0 5.0	TOTAL (MG/L AS F)	TOTAL (MG/L AS N)	TOTAL (MG/L AS N)	TOTAL (MG/L AS N) <.040 <.040 <.040 <.040 <.040 <.100 <.040	TOTAL (MG/L AS PO4)	ERABLE (UG/L AS FE)	ERABLE (UG/L AS MN)
OF SAMPLE 82-05-13 82-07-19 82-09-14 82-05-11 82-07-19 82-09-15 82-05-11 82-07-19 82-09-15 82-09-15	ERABLE (MG/L AS NA) 19 21 28 5.9 6.1 3.7 4.7 7.6	ERABLE (MG/L AS K) 2.0	(MG/L AS CACO3) 25 21 20 16 14 16 5 4 7	SOLVED (MG/L AS SO4) 14 23 18 <4.0 6.0 3.8 5.0 6.0 4.4	SOLVED (MG/L AS CL) 25 30 49 4.0 5.0 5.0	TOTAL (MG/L AS F)	TOTAL (MG/L AS N)	TOTAL (MG/L AS N)	TOTAL (MG/L AS N) <.040 <.040 <.040 <.100 <.040 <.040	TOTAL (MG/L AS PO4)	ERABLE (UG/L AS FE)	ERABLE (UG/L AS MN)
0F SAMPLE 82-05-13 82-07-19 82-09-14 82-05-11 82-07-19 82-09-15 82-05-11 82-07-19 82-09-15	ERABLE (MG/L AS NA) 19 21 28 5.9 6.1 3.7 4.7 7.6	ERABLE (MG/L AS K) 2.0 .5	(MG/L AS CACO3) 25 21 20 16 14 16 5 4 7	SOLVED (MG/L AS SO4) 14 23 18 <4.0 6.0 3.8 5.0 6.0	SOLVED (MG/L AS CL) 25 30 49 4.0 4.0 5.0 8.0	TOTAL (MG/L AS F)	TOTAL (MG/L AS N)	TOTAL (MG/L AS N)010 <.002 <.002	TOTAL (MG/L AS N) <.040 <.040 <.040 <.040 <.100 <.040 <.100 <.040 <.100	TOTAL (MG/L AS PO4)	ERABLE (UG/L AS FE)	ERABLE (UG/L AS MN)
0F SAMPLE 82-05-13 82-07-19 82-09-14 82-05-11 82-07-19 82-09-15 82-05-11 82-07-19 82-09-15 82-09-15	ERABLE (MG/L AS NA) 19 21 28 5.9 6.1 3.7 4.7 7.6	ERABLE (MG/L AS K) 2.0 .5	(MG/L AS CACO3) 25 21 20 16 14 16 5 4 7	SOLVED (MG/L AS SO4) 14 23 18 <4.0 6.0 3.8 5.0 6.0 4.4	SOLVED (MG/L AS CL) 25 30 49 4.0 5.0 5.0 8.0 14	TOTAL (MG/L AS F)	TOTAL (MG/L AS N)	TOTAL (MG/L AS N)	**COTAL (MG/L AS N) **CO40	TOTAL (MG/L AS PO4)	ERABLE (UG/L AS FE)	ERABLE (UG/L AS MN)
0F SAMPLE 82-05-13 82-07-19 82-09-14 82-05-11 82-07-19 82-09-15 82-05-11 82-07-19 82-09-15 82-05-11 82-08-30	ERABLE (MG/L AS NA) 19 21 28 5.9 6.1 3.7 4.7 7.6	ERABLE (MG/L AS K) 2.0 .5 .9	(MG/L AS CACO3) 25 21 20 16 14 16 5 4 7	SOLVED (MG/L AS SO4) 14 23 18 <4.0 6.0 3.8 5.0 6.0 4.4	SOLVED (MG/L AS CL) 25 30 49 4.0 5.0 5.0 8.0 14	TOTAL (MG/L AS F)	TOTAL (MG/L AS N)	TOTAL (MG/L AS N)	**COMPAND COMPAND COMP	TOTAL (MG/L AS PO4)	ERABLE (UG/L AS FE)	ERABLE (UG/L AS MN)

			LE	NE
			BL	UE
	DAT	Ε		IVE
	OF	-	SU	8-
5	AMP		STA	_
٠				/L)
82-	05-	13	۷.	10
	07-	-		10
	09-			
0.	٠,			
82-	05-	11	<.	10
	07-		۷.	
	09-		٠.	
02	0,	, ,		
82-	05-	11	۷.	10
	07-			10
	09-			
0.	٠,			
82-	05-	11	<.	10
	08-			
02	00	30		
82-	01-	0.5		
	05-		<.	10
	07-			

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4051210	72490601		S 48946		112GLCLU	81-12-06	41	240	5.5	86		
			3/3/2/3/2		112GLCLU	81-12-08	41			86		
					112GLCLU	82-03-05	41			46		
					112GLCLU	82-05-05	41	230	5.7			
					112GLCLU	82-06-04	41			94		
					112GLCLU	82-07-08	41	230	4.9	1		
					112GLCLU	82-09-22	41			95		
					112GLCLU	82-09-28	41	200	6.1			
40525907	73010301		\$ 48958		112GLCLU	82-04-28	81	128	5.8		11	5.5
0.57.02.72						82-05-10	81	153	5.4			
					112GLCLU	82-07-22	81	138	5.6			
4058460	72093001		\$ 49898		112GLCLU	82-09-14	64	73	5.7			
4054560	73020801	S 50971	WOODHAVEN	MAN. S	112GLCLU	82-04-13	109	250	5.8		19	2.5
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
81-12-06			10	27	20	:	9.7	.010	<.010	<.10	290	110
81-12-08			10	27	20		9.7	.010	<.010	<.10	290	110
82-03-05			11	33	18		13	<.010	<.010	<.10	950	170
82-05-05	7.7	1	11	39	17				<.040		177	
82-06-04			13	34	15		8.5	<.010	<.010	<.10	500	130
82-07-08	8.1		9	37	17				<.040			
82-09-22			20	37	18		9.0	.010	<.010	<.10	770	180
82-09-28	9.8		22	37	27				<.040			
82-04-28	8.0	1.2	12	17	18		5.5	.001	<.100			
82-05-10	7.0		12	14	19				<.040			
82-07-22	8.1		11	24	12				<.040			
82-09-14	9.1		15	6.0	11		44		<.040			
82-04-13	36	16	22	7.0	38		19	.024	.100			

	WEIHT-
	LENE
	BLUE
DATE	ACTIVE
0F	SUB-
SAMPLE	STANCE
10000	(MG/L)
81-12-06	<.02
81-12-08	<.02
82-03-05	<.02
82-05-05	<.10
82-06-04	<.02
82-07-08	<.10
82-09-22	<.02
82-09-28	<.10
82-04-28	
82-05-10	<.10
82-07-22	<.10
82-09-14	<.10
82-04-13	

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4103490	72222201	S 51169	SHELTER	ISLAND	112GLCLU	82-03-10 82-07-06 82-09-22	54 54 54	125 114 114	6.2 5.5 6.1	•	9.6	5.6
4103110	72215 5 0 1	S 51170	SHELTER	ISLAND	112GLCLU	82-03-10 82-06-02 82-09-22	43 43 43	105	6.2 5.5 6.1	=	5.0	2.4
4104100	72214701	\$ 51171	SHELTER	ISLAND	112GLCLU	82-03-17 82-06-02 82-09-22	55 55 55	146 166	6.1 6.4 6.1	==	10	4.0
4103500	72210601		S 51172		112GLCLU	82-03-17 82-06-01 82-09-21	37 37 37	200 235 210	5.9 6.0 5.8	Ξ	20	4.2
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-03-10 82-07-06 82-09-22	7.6 7.5 7.0	1.0	23 21 22	17 19 18	11 11 12	==	1.3	.002	<.050 <.040 <.040	Ξ	Ξ	=
82-03-10 82-06-02 82-09-22	13 12 14	1.1	11 0 11	6.4 4.0 6.0	23 24 25	==	•07	<.002 	<.050 <.040 <.040	Ξ	=	=
82-03-17 82-06-02 82-09-22	12 12 12	4.4	18 21 21	15 12 21	16 16 18	==	4.8	.001	<.050 <.040 <.040	===	Ξ	Ξ
82-03-17 82-06-01 82-09-21	14 14 14	8.6	25 31 29	31 30 34	21 20 24	==	5.0	.017	<.050 <.040 <.040	=	Ξ	Ξ
4					(ATE AC OF S	THY- ENE LUE TIVE UB- ANCE G/L)					
					82-03							

	BLUE
DATE	ACTIVE
OF	SUB-
SAMPLE	STANCE
	(MG/L)
82-03-10	
82-07-06	<.10
82-09-22	<.10
82-03-10	
82-06-02	<.10
82-09-22	<.10
82-03-17	
82-06-02	<.10
82-09-22	<.10
82-03-17	
82-06-01	<.10
82-09-21	<.10

SUFFOLK COUNTY--Continued

			LOCAL IDENT-		GEO-	DATE	DEPTH OF	SPE- CIFIC CON-		HARD- NESS	CALCIUM TOTAL RECOV-	MAGNE- SIUM, TOTAL RECOV-
STATION	NUMBER		I- FIER		LOGIC	OF SAMPLE	WELL, TOTAL (FEET)	DUCT- ANCE (UMHOS)	PH (UNITS)	(MG/L AS CACO3)	ERABLE (MG/L AS CA)	ERABLE (MG/L AS MG)
	L-COSTO							3-00		1000		
4105100	72212301	S 51173	SHELTER	ISLAND		82-02-24 82-06-03	51 51	122	6.2 5.7		8.4	3.0
						82-09-22	51	122	6.2	54		
4104370	72205601	S 51174	SHELTER	ISLAND	112GLCLU	82-02-24	0.3	122	6.2		9.0	3.4
						82-09-21	63	153	6.1			
4104160	72205101	\$ 51175	SHELTER	ISLAND		82-03-31	60	144	6.2		9.4	4.8
						82-07-06	60	137	5.5			
					112GLCLU	82-09-23	60	141	6.3			
4103160	72192901	S 51177	SHELTER	ISLAND	112GLCLU	82-06-02	27		5.6	7		
					112GLCLU	82-09-20	27	109	5.9		6.8	2.2
	SODIUM,	POTAS- SIUM,	ALKA-		CHLO-		NITRO-	NITRO-	NITRO-		IRON,	MANGA- NESE
	TOTAL	TOTAL	LINITY	SULFATE		FLUO-	GEN	GEN.	GEN.	PHOS-	TOTAL	TOTAL
DATE	RECOV-	RECOV-	FIELD	DIS-	DIS-	RIDE	NITRATE	NITRITE	AMMONIA	PHATE,	RECOV-	RECOV-
OF	ERABLE	ERABLE	(MG/L	SOLVED		TOTAL	TOTAL	TOTAL	TOTAL	TOTAL	ERABLE	ERABLE
SAMPLE	(MG/L	(MG/L	AS	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(UG/L	(UG/L
	AS NA)	AS K)	CACO3)	AS SO4)	AS CL)	AS F)	AS N)	AS N)	AS N)	AS PO4)	AS FE)	AS MN)
82-02-24	13	1.6	20	11	18		1.8	.002	<.050			
82-06-03	12		21	10	15				<.040			
82-09-22			22	12	18				<.040			
82-02-24	14	1.4	22	14	15		1.6	.002	<.050			
82-09-21	14		21	18	22	73			<.040			
82-03-31	13	1.8	19	22	17		2.2	.004	.060			
82-07-06	13		15	22	17				<.040			
82-09-23	13		19	24	18				<.040			
82-06-02	10		24	8.0	20				<.040		11	
82-09-20	12	1.0	22	12	16		.20	<.002	<.100			

	METHY-
	LENE
	BLUE
DATE	ACTIVE
OF	SUB-
SAMPLE	STANCE
	(MG/L)
82-02-24	
82-06-03	<.10
82-09-22	<.10
82-02-24	
82-09-21	<.10
82-03-31	
82-07-06	<.10
82-09-23	<.10
82-06-02	<.10
82-09-20	10.22

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

			LOCAL IDENT- I-		GEO- LOGIC	DATE OF	DEPTH OF WELL,	SPE- CIFIC CON- DUCT-	PH	HARD- NESS (MG/L	CALCIUM TOTAL RECOV- ERABLE	MAGNE- SIUM, TOTAL RECOV- ERABLE
STATION	NUMBER		FIER		UNIT	SAMPLE	(FEET)	ANCE (UMHOS)	(UNITS)	CACO3)	(MG/L AS CA)	(MG/L AS MG)
4103440	72193201	S 51178	SHELTER	ISLAND		82-05-26 82-06-01	45 45	120 136	6.4		9.4	4.2
						82-09-20	45	123	6.4		10	4.2
4104240	72192801	S 51179	SHELTER	ISLAND		82-06-02	58		6.5			
					112GLCLU	82-09-20	58	130	6.5		9.6	, 5.7
4104520	72200201	5 51180	SHELTER	ISLAND		82-02-10	51	200	6.4		9.6	3.4
						82-06-03 82-09-21	51 51	136 136	6.5	==		- ::
				22.00								
4105340	72194601	5 51181	SHELTER	ISLAND		82-02-03	62	190	5.6		14	6.0
						82-06-01 82-09-21	62 62	175	5.7			
		POTAS-										MANGA-
	SODIUM,	SIUM,	ALKA-		CHLO-		NITRO-	NITRO-	NITRO-		IRON,	NESE,
2475	TOTAL	TOTAL	LINITY	SULFATE	RIDE,	FLUO-	GEN,	GEN,	GEN,	PHOS-	TOTAL	TOTAL
DATE	RECOV- ERABLE	RECOV- ERABLE	FIELD (MG/L	DIS- SOLVED	DIS- SOLVED	RIDE, TOTAL	NITRATE	NITRITE	TOTAL	PHATE,	RECOV- ERABLE	RECOV- ERABLE
SAMPLE	(MG/L	(MG/L	AS .	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(UG/L	(UG/L
34111 22	AS NA)	AS K)	CACO3)	AS 504)	AS CL)	AS F)	AS N)	AS N)	AS N)	AS PO4)	AS FE)	AS MN)
82-05-26	8.6	1.2	21	22	12		.30	.004	.100			
82-06-01	9.1		24	21	10				<.040			
82-09-20	9.2	1.2	25	21	13		.60	<.002	<.100			
82-06-02	6.6		22	25	10				<.040			
82-09-20	7.7	1.1	19	33	11		.20	<.002	<.100			774
82-02-10	30	2.0	22	8.3	44		1.8	.006	<.200			
82-06-03	9.4		25	7.0	19				.050			
82-09-21	12		28	9.0	22				.050			
82-02-03	12	-1.6	13	35	16		4.5	<.002	<.200			
82-06-01	11		16	33	15				<.040			
82-09-21	13		14	39	17				<.040			

DATE OF Sample	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)
82-03-09 82-05-26 82-06-01 82-09-20	<.10
82-06-02 82-09-20	<.10
82-02-10 82-06-03 82-09-21	<.10 <.10
82-02-03 82-03-10 82-06-01 82-09-21	<.10 <.10

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by Suffolk County Department of Health Services.

								SPE-			CALCIUM	MAGNE-
			LOCAL IDENT- I-		GEO- LOGIC	DATE	DEPTH OF - WELL,	CIFIC CON- DUCT-	РН	HARD- NESS (MG/L	TOTAL RECOV- ERABLE	TOTAL RECOV- ERABLE
STATION	NUMBER		FIER		UNIT	SAMPLE	(FEET)	(UMHOS)	(UNITS)	AS CACO3)	(MG/L AS CA)	(MG/L AS MG)
4106020	72195801	S 51182	SHELTER	ISLAND		82-02-03	64	31	5.6	77	1.1	.9
						82-06-03 82-09-21	64	29 66	6.1			
4103340	72172701	S 51183	SHELTER	ISLAND		82-05-26 82-09-23	39 39	88 100	6.5	==	6.4	2.6
					11262020	02-09-23	34	100	0.3			
4101470	72184101		5 51184		1117777777	82-03-24	32	640	5.8	- ::		===
						82-06-29 82-08-25	32 32	641 732	5.6 5.6			
4101320	72184601		S 51185		112GLCLU	82-03-24	33	96	5.6			
1071957	15050531		E (T) (T)			82-06-29	33	90	5.5			
					112GLCLU	82-08-25	33	122	5.6			
4100470	72184701		\$ 51186		112GLCLU	82-03-24	39	150	5.7			
						82-06-29	39	146	5.4			
					112GLCLU	82-08-25	39	181	6.1			1440
		POTAS-										MANGA-
	SODIUM,	SIUM,	ALKA-		CHLO-		NITRO-	NITRO-	NITRO-	1	IRON.	NESE,
DATE	TOTAL RECOV-	TOTAL RECOV-	LINITY	SULFATE DIS-	RIDE,	FLUO-	GEN,	GEN,	GEN, AMMONIA	PHOS-	TOTAL RECOV-	TOTAL RECOV-
OF	ERABLE	ERABLE	(MG/L	SOLVED	DIS-	RIDE, TOTAL	NITRATE	NITRITE	TOTAL	PHATE,	ERABLE	ERABLE
SAMPLE	(MG/L	(MG/L	AS	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(UG/L	(UG/L
	AS NA)	AS K)	CACO3)	AS 504)	AS CL)	AS F)	AS N)	AS N)	AS N)	AS PO4)	AS FE)	AS MN)
82-02-03	2.6	.7	4	2.2	3.5		.20	<.002	<.200			
82-06-03	2.5		6	<4.0	<4.0				<.040			
82-09-21	6.5		12	5.0	11				<.040			
82-05-26	8.8	.9	19	9.3	11		<.20	<.002	.100			
82-09-23	9.7		17	10	18				<.040			
82-03-24	136		16	50	178				<.040			
82-06-29	147		15	43	118				<.040			
82-08-25	125		18	51	198				<.040			
82-03-24	9.3		8	9.0	14				<.040			
82-06-29	9.4		7	9.0	17	()			<.040		1.55	
82-08-25	12		11	9.0	19				<.040			13.70
82-03-24	15		15	18	18				<.040			
82-06-29	13		14	18	21				<.040			
82-08-25	18	1,77	24	15	30			**	<.040	77		:

	METHY-
	LENE
	BLUE
DATE	ACTIVE
OF	SUB-
SAMPLE	STANCE
	(MG/L)
82-02-03	
82-06-03	<.10
82-09-21	<.10
82-05-26	(22)
62-09-23	<.10
82-03-24	<.10
82-06-29	<.10
82-08-25	<.10
22-45-01	
82-03-24	<.10
82-06-29	<.10
82-08-25	<.10
82-03-24	<.10
82-06-29	<.10
82-38-25	<.10

2.

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by Suffolk County Department of Health Services.

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4047150	73034401		S 51228		112GLCLU	82-04-20	25	230	7.1		34	2.7
4057160	72413301		S 51566		112GLCLU	82-05-25	87	325	6.3		60	12
4056530	72422501	S 5156	67 CENTERV	ILLE	112GLCLU	82-05-03 82-07-12 82-09-27	92 92 92	372 391 360	5.6 5.3 6.0	Ξ	=======================================	Ξ
4058080	72385401	\$ 515	568 NORTH	ILLE		82-05-20 82-09-16	68 68	360 457	5.8 5.7	=	Ξ	Ξ
4058050	72403701		S 51571			82-05-24 82-09-16	106 106	215 220	5.9 5.8	=	31	6.6
4055420	72445302		S 51572		112GLCLU	82-09-16	41	228	5.2			
4055120	72395201		\$ 51573		112GLCLU	82-05-24	88	110	8.3		17	2.2
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-04-20	17	6.6	61	18	10		13	.211	.100			
82-05-25	10	3.6	13	140	25		12	.006	.100			
82-05-03 82-07-12 82-09-27	7.2 9.0 9.6	=	0 8 14	117 132 147	29 38 37	==	==	==	<.040 <.040 .180	==	=	=
82-05-20 82-09-16	53 ' 75	Ξ	14	52 31	86 135	Ξ	Ξ	Ξ	<.040 <.040	Ξ	Ξ	Ξ
82-05-24 82-09-16	6.9	3.1	8	72 66	18		5.2	.003	<.1C0 <.040	==	=	
82-09-16	26		7	46	20		9.9		.090			
82-05-24	5.6	.9	60	1.2	5.6		<.20	<.002	-4CO			

									L	-	N	-	
			D	AO		_			c	T	I	٧	Ε
		S		_			E	S	TM	A	N	C	E
8	2	-	0	4	-	2	0				-	-	
8	2	-	0	5	-	2	5				-	-	
8	2	-	0	7	-	1	3 2 7		< < <		1	ō	
_	2		_	-		_	0		< <	_		_	
	2								<		1		
8	2	-	0	9	-	1	6		<		1	0	
8	2	-	0	5	-	2	4				-	-	

METHY-

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4055440	72411801	\$ 515	75 RIVERH	1E A D		82-05-03	32	198	6.3			
						82-07-12 82-09-28	32 32	306 220	5.8	===		- ::
4055590	72425201	\$ 515	76 RIVERH	HEAD		82-05-03	67	144	5.5			
						82-07-12 82-09-27	67 67	130 112	5.2			
4056300	72442001	S 51577	BAITING	HOLLOW	11261.01.0	82-04-29	93	359	5.5			
1000						82-07-14	93	316	5.0			
						82-09-24	93	260	8.1			
4057210	72453701	\$ 51579	BAITING	HOLLOW	112GLCLU	82-04-29	126	216	5.0			
					112GLCLU	82-07-14	126	206	5.1			
					112GLCLU	82-09-23	126	195	6.0			
4055420	72463001	\$ 515	79 CALVER	RTON	112GLCLU	82-04-29	85	79	5.0			
					112GLCLU	82-07-20	85	74	5.6			
		POTAS-										MANGA-
	SODIUM,	SIUM,	ALKA-		CHLO-		NITRO-	NITRO-	NITRO-		IRON,	NESE,
	TOTAL	TOTAL	LINITY	SULFATE	RIDE,	FLU0-	GEN,	GEN,	GEN.	PHOS-	TOTAL	TOTAL
DATE	RECOV-	RECOV-	FIELD	DIS-	DIS-	RIDE,	NITRATE	NITRITE	AMMONIA	PHATE,	RECOV-	RECOV-
OF	ERABLE	ERABLE	(MG/L	SOLVED	SOLVED	TOTAL	TOTAL	TOTAL	TOTAL	TOTAL	ERABLE	ERABLE
SAMPLE	(MG/L	(MG/L	AS	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(UG/L	(UG/L
	AS NA)	AS K)	CACO3)	AS 504)	AS CL)	AS F)	AS N)	AS N)	AS N)	AS PO4)	AS FE)	AS MN)
82-05-03	29		40	8.0	40				.320			
82-07-12	46		49	18	82				.390			
82-09-28	39		38	10	56				-430			
82-05-03	6.1		8	30	9.0				<.040			
82-07-12	4.2		6	32	9.0				<.040			
82-09-27	4.0	-	8	28	7.0				<.040			
82-04-29	6.0	1,	8	100	22		14		.040			
82-07-14	6.5		4	104	21				<.040			
82-09-24	6.1		17	100	20				2.58			
82-04-29	5.5		7	66	14				.040			
	6.1		5	67	15				<.040			
82-07-14			8	67	15				<.040			
82-07-14	6.1		· ·	•								
	6.1		11	18	12	44			<.040		-2	

								ME	1	н	Ť	_
								L	E	N	Ē	
								E	L	U	E	
			D	A	T	E		AC	T	I	٧	Ε
				0	F			5	U	В	-	
		S	A	М	P	L	E	ST	A	N	C	E
								()	G	1	L)
8	2	-	J	5	-	0	3	<		1	0	
3	2	-	0	7	-	1	2	<		1	0	
8	2	-	0	9	-	2	8	<	•	1	0	
3	2	-	0	5	-	0	3	<		1	0	
3	2	-	0	7	-	1	2	<		1	0	
8	2	-	0	9	-	2	7	<		1	0	
8	2	-	0	4	_	2	9	<		1	0	
8	2	-	0	7	-	1	4	<		1	0	
8	2	-	0	9	-	2	4	<		1	0	
3	2	_	0	4	_	2	9	<		1	G	
8	2	-	0	7	-	1	4	<		1	Ō	
8	2	-	0	9	-	2	3	<		1	0	
8	2	-	0	4	-	2	9	<		1	0	
8	2	-	0	7	-	2	0	<		1	0	

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4057140	72470901	S 5158	O WADING	RIVER	112GLCLU	82-05-12 82-07-20 82-09-22	135 135 135	148 164 150	5.3 5.1 5.7		16	4.8
4057220	72342001		S 51581		112GLCLU 112GLCLU 112GLCLU	82-02-01 82-05-17 82-05-18 82-08-03 82-09-02	43 43 43 43	450 355 290 340 365	5.3 5.5 5.5 6.1	=======================================	50 52	10 11
4058530	72353901	S 515	82 NORTH	VILLE		82-08-03 82-09-02	82 82	260 298	5.9 6.3	Ξ	43	7.2
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-05-12 82-07-20 82-09-22	7.9 7.8 8.8	3.5	8 5 8	28 36 32	13 13 14	=	6.3	<.002	<.040 <.040 .100	Ξ	Ξ	Ξ
82-02-01 82-05-17 82-05-18 82-08-03 82-09-02	10 10 13	5.0 8.0	0 9 9 15	132 130 140 138	24 24 23 31 27	=======================================	6.7 6.9 15	.006 .007 <.002	<.200 <.040 .070 <.100 .070 <.100	=======================================	=======================================	=======================================
82-09-02	8.5	4.8	14	90	15	 	12 THY-		<.040	==	-	- 1
						L	ENE					

	LENE
	BLUE
DATE	ACTIVE
OF	SUB-
SAMPLE	STANCE
	(MG/L)
82-05-12	<.10
82-07-20	<.10
82-09-22	
82-02-01	
82-05-17	<.10
82-05-18	
82-08-03	
82-09-02	<.10
82-08-03	
82-09-02	<.10

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by Suffolk County Department of Health Services.

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4055000	72495201		\$ 51583		112GLCLU	81-12-06	49	59	5.4	16		
					112GLCLU	81-12-08	49			16		
						82-03-05	49			20		
						82-05-05	49	55	5.5	77		
					112GLCLU	32-06-04	49			21		
						82-07-01	49	51	5.0			77
						82-09-21	49	53	5.8	7.7	1.8	1.2
					112GLCLU	82-09-22	49			17		
4057570	72491801		\$ 51584		112GLCLU	82-09-21	140	94	6.2		6.0	3.0
4054420	72491901	c 5159	6 WADING	DIVED	112010111	82-05-12	99	71	5.1	- 2	122	1
4030420	12471701	3 3130	O WADING	KITT		32-07-20	99	87	5.0			22
						82-09-22	99	78	5.7		5.4	2.0
4058090	72370901	S 515	87 NORTH	VILLE	112GLCLU	82-05-18	78	220	6.0		28	5.4
					112GLCLU	82-08-03	78	230	5.5		28	5.5
					112GLCLU	82-09-09	78	260	5.7			
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
81-12-06			7	5.3	6.5		.62	.010	<.010	<.10	180	50
81-12-08			7	5.3	6.5		.62	.010	<.010	<.10	180	50
82-03-05			7	6.2	9.0		.76	<.010	<.010	<.10	1170	70
82-05-05	4.2		7 10	5.0	7.0	==			<.040		670	90
82-06-04				5.5	7.0		.38	<.010	<.010	<.10	797	90
82-07-01	5.1		5	<4.0	8.0				<.040			
82-09-21	6.1	1.4	6	6.6	7.9		.60	<.002	<.100			
82-09-22			6	6.8	5.0		.56	<.010	<.010	<.10	680	30
82-09-21	9.2	.9	15	14	14		.40	<.002	.200	744.0		
82-05-12	2.9		5	10	7.0				<.040		44	
82-07-20	4.1		3	20	9.0				<.046			
82-09-22	4.9	1.8	5	14	6.9		2.5	<.002	<.100			
82-05-18	10	14	18	41	20		10	.148	.080			
82-08-03	11	14	9	42	22		10	.010	.200			
82-09-09	9.7		10	46	22				<.040			

									L	Ε	N	E	
									В	L	U	Ε	
			0	A	T	5		A	C	T	I	٧	E
				0	F				5	U	В	-	
		S	A	M	P	L	E	S	T	A	N	C	E
								(M	G	1	L)
3	1	_	1	2	_	0	6		<		0	2	
8	1	-	1	2	-	0	8		<		O	2	
8	2	-	0	3	-	0	5		<		0	2	
8	2	-	0	5	-	0	5		<		1	0	
8	2	-	0	6	-	0	4		<	•	0	2	
8	2	-	0	7	-	0	1		<		1	0	
8	2	-	0	9	-	2	1				-	-	
8	2	-	0	9	-	2	2		<		0	2	
8	2	-	0	9	-	2	1				-	_	
8	2	_	0	5	_	1	2		<		1	0	
							0				1		
8										ì	-	-	
3	2	_	0	5	_	1	8				_	_	
8	2	-	0	8	-	0	3				-	-	
8	2	-	0	9	-	0	9	O.	<		1	0	

METHY-

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER	,	LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4056340	72380501		\$ 51588		112GLCLU	82-05-17 82-05-20 82-09-02	58 58 58	332 300 240	5.5 6.1 7.0	Ξ	Ξ	=
4057040	72361401	S 51	589 JAMESE	PORT	112GLCLU 112GLCLU	82-05-17 82-05-18 82-08-03 82-09-02	41 41 41 41	269 235 245 269	5.0 5.1 4.9	=======================================	32 32	5.6 5.4
4054180	72470601	S 51	591 CALVE	RTON	112GLCLU	82-05-05	29	60	5.7			
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (Mg/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-05-17 82-05-20 82-09-02	12 11 5.8	Ξ	25 18 59	78 83 42	29 33 17	==	=	Ξ	.820 .570 2.05	=	Ξ	Ξ
82-05-17 82-05-18 82-08-03 82-09-02	10 8.4 14 10	6.0	5 4 3 11	69 66 69 63	22 22 30 27	=======================================	9.3 7.6	.003	<.040 .060 <.100 .060	==	Ξ	=
82-05-05	3.7		16	5.0	7.0				.190			
						L B ATE AC	THY- ENE LUE TIVE UB-					

	LENE
	BLUE
DATE	ACTIVE
OF	SUB-
SAMPLE	STANCE
	(MG/L)
82-05-17	<.10
82-05-20	<.10
82-09-02	.10
82-05-17	<.10
82-05-18	
82-08-03	
82-09-02	<.10
82-05-05	<.10

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
40534907	72494101		S 51592			81-12-06	39	114	5.2	15		
						81-12-08	39			15		
						82-03-05	39	77		20		
						82-04-07	39	95	5.5		4.3	1.5
					112GLCLU	82-05-05	39	107	6.4			
					112GLCLU	82-06-04	39			25	::	
					112GLCLU	82-07-07	39	132	5.0			
					112GLCLU	82-09-22	39			22		
					112GLCLU	82-09-28	39	128	5.5			
40522907	72592501	\$ 51626	LA BONNE	VIE S.T	112GLCLU	82-04-14	41	320	7.5		20	3.8
40535107	72553301	S 51979	COVENTRY	MAN. S.	112GLCLU	82-04-13	48	46	5.6		1.6	1.4
40512307	72543901		S 51980		112GLCLU	82-04-15	35	73	6.2			
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	DIS- SOLVED (MG/L	FLUO- RIDE/ TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AM.40NIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
81-12-06			7	10	22		.54	.010	<.010	<.10	200	20
81-12-08			7	10	22		.54	<.010	<.010	<.10	200	20
82-03-05			6	7.2	24		.34	<.010	<.010	<.10	870	100
82-04-07	14	1.0	3	7.9	24		<.20	<.002	<.100			
82-05-05	15		4	7.0	26				<.040		1000	
02-06-04			5	7.6	30		.21	<.010	<.010	<.10	310	60
82-07-07	20		3	4.0	34				<.040			
82-09-22			7	8.7	34		.29	<.010	<.010	<.10	310	40
82-09-28	21	1,55	4	7.0	34				<.040			***
82-04-14	44	9.2	136	19	36		.50	.015	8.9C			
82-04-13	4.0	1.3	4	3.8	6.9		1.0	<.002	<.100			
82-04-15	6.9		24	7.0	6.0				<.040			

			METHY-
			LENE
			BLUE
1	TAC	E	ACTIVE
	OF		SUB-
S	AMP	LE	STANCE
			(MG/L)
81-	12-	06	<.02
81-	12-	08	<.02
82-	3-	05	<.02
82-	34-	07	
82-	05-	05	<.10
		4.5	1
82-			<.02
82-1			<.10
82-	79-	22	<.02
82-	09-	28	<.10
82-	04-	14	
82-	04-	13	
82-0	04-	15	<.10

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4104000	72202001	s 52050	SHELTER	ISLAND	112GLCLU	82-03-31	62	135	5.9		11	3.8
						82-07-06 82-09-20	62 62	129 316	5.7 5.6		==	==
4105160	72200901	S 52084	SHELTER	ISLAND	112GLCLU	82-02-10	73	102	6.3		6.6	2.8
						82-06-01	73	110	5.9			
					112GLCLU	82-09-21	73	97	6.5			
4043570	72515701		\$ 52162		211LLYD	82-07-15	1,695	125	6.3			
4043570	72515702		\$ 52163		211MGTY	82-07-15	1305	110	7.8			
4043570	72515703		S 52164		211MGTY	82-07-15	735	86	6.5		11.00	
4055420	72445301	5 523	83 CALVE	PTON	112616111	82-05-03	61	100	5.2			
4033420		5 525	OJ CALVE			82-07-08	61	100	5.0			
4055120	72395202		S 52449		112GLCLU	82-05-24	38	120	6.6		14	2.9
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SCLVED (MG/L AS SO4)	DIS- SOLVED (MG/L	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-03-31	11	3.3	34	16	11		1.8	.002	.070			
82-07-06	12		25	14	14				<.040			
82-09-20	27		20	23	35				<.040			
82-02-10	8.5	1.6	23	9.7	9.8		.20	.003	<.200			
82-06-01	6.0		19	12	10				<.040			
82-09-21	6.1		18	12	12				<.040			
82-07-15	21		40	6.0	14				<.040			
82-07-15	25		53	<4.0	8.0				<.040			
82-07-15	13		46	<4.0	5.0				<.040			
82-05-03	6.0		. 6	7.0	9.0				.060			
82-07-08	10	•	4	8.0	8.0				<.040			
82-05-24	7.9	2.0	26	17	9.8		1.8	.004	<.100			

	MEINIT
	LENE
	BLUE
DATE	ACTIVE
OF	SUB-
SAMPLE	STANCE
	(MG/L)
82-03-31	
82-07-06	<.10
82-09-20	<.10
82-02-10	
82-06-01	<.10
82-09-21	<.10
82-07-15	<.10
82-07-15	<.10
82-07-15	<.10
82-05-03	<.10
82-07-08	<.10
82-05-24	

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

211

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TCTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
40551307	2505401		S 52886		112GLCLU	82-09-21	66	125	5.7		13	3.6
41005707	2315501	\$ 5332	22 E. MAT	rITUCK	112GLCLU	82-05-27	99	270	6.2			
41070207	2221601		S 53323		112GLCLU	82-06-10	50	225	6.2			
41010407	2303301	S 53324 E. MATTITUCK			112GLCLU	82-02-02 82-06-07 82-08-23	60 60 60	420 320 356	5.8 6.5 5.2	=	42 34 	8.8 8.0
41000707	10007072331901 S 53325 MATTITUCK			112GLCLU	82-02-01 82-05-25 82-08-19	66 66	560 370 432	5.4 6.1 5.3		84 68 	18 15	
41022907	0229072295701 S 53326 OREGON				82-02-02 82-08-24	89 89	283	6.5 5.8	Ξ	2.2	1.0	
41002207	2293601	\$ 533	327 CUTCHO	OGUE	112GLCLU	82-02-04 82-06-07 82-08-23	42 42 42	245 205 203	5.5 6.0 5.2	Ξ	24	6.0
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-09-21	7.2	1.8	12	26	14		2.9	<.002	.100			
82-05-27	13		11	102	24	(44)			<.040			
82-06-10	23		17	30	37	:			. <.040	24	1.22	
82-02-02 82-06-07 82-08-23	37 36 3.7	6.0 5.5	9 14 7	96 63 55	61 62 74	Ξ	6.8 9.3	.050 .010	.070 <.100 <.040	=	=	=======================================
82-02-01 82-05-25 82-08-19	18 15 15	4.0 3.7	11 15 13	190 180 150	44 38 36	Ξ	14 12 	.003 .004	.080 .100 <.040	=	==	Ξ
82-02-02 82-08-24	5.0	7.0	23 29	7.0 80	6.7	Ξ	<.02	-008	.090 .560	==	Ξ	Ξ
82-02-04 82-06-07 82-08-23	15 12 11	3.3	77 12 0	46 43 48	28 24 20	==	5.8	.003	<.040 <.100 <.040	Ξ	=	Ξ

								M	Ε	T	Н	Y	-
									L	E	N	E	
									В	L	U	E	
			٥	A	T	E		A	C	T	I	٧	E
				0	F				S	U	В	-	
		S	A	M	P	L	E	S	T	A	N	C	E
								(M	G	1	L)
8	2	-	0	9	-	2	1				-	-	
8	2	-	0	5	-	2	7		<		1	0	
8	2	-	0	0	-	1	0		<		1	0	
8	2	-	0	2	-	0	2				-	-	
3	2	-	0	6	-	0	7				-	-	
8	2	-	0	8	-	2	3		<		1	0	
8	2	-	0	2	-	0	1				-	-	
8	2	-	0	5	-	2	5				-	-	
8	2	-	0	8	-	1	9		<		1	0	
8	2	-	0	2	-	0	2				-	-	
3	2	-	0	8	-	2	4		<	•	1	0	
8	2	-	0	2	-	0	4		<		1	0	
8	2	-	0	6	-	0	7				-	-	
8	5	-	0	8	-	2	3		<		1	0	

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4102340	72243601		\$ 53328			82-06-08 82-08-30	39 39	150 180	6.3	==	16 16	2.6
4101400	72281601	S 5332	9 E. CUTO	HOGUE	112GLCLU	82-01-28 82-06-07 82-08-24	71 71 71	370 310 327	5.6 6.9 5.5		42	12
4107060	72203201	\$ 533	30 E. MAR	RION		82-06-10 82-09-13	51 51	320 300	6.3	==	22	7.0
4107530	72205501	s 533	31 E. MAR	RION	112GLCLU	82-06-10	68	145	6.1			
4058430	72324301	\$ 533	32 MATTI1	UCK		82-02-01 82-08-19	43 43	175 110	5.6 5.8	=	14	2.5
4059240	72342301	s 533	33 MATTI1	uck		82-05-25 82-08-19	72 72	84 84	6.6 5.5	==	9.2	1.5
4059590	72303901	\$ 5333	4 E. MAT1	ITUCK		82-05-27 82-08-23	51 51	120 143	6.2 5.5	=	=	19
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE =(MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-06-08 82-08-30	11 13	4.9 5.6	16	23 24	12	==	5.1 7.0	.001	.200 .300	==	==	==
82-01-28 82-06-07 82-08-24	17 14 16	3.3	16 24 13	97 99 94	31 32 34	Ξ	9.4	.040	<.040 .100 <.040	==	Ξ	Ξ
82-06-10 82-09-13	49 36	2.9	29 28	60 41	33 40		8.8	<.002	<.040 <.100	==	==	
82-06-10	19		18	13	25				<.040			
82-02-01 82-08-19	16 7.9	4.7	8 9	15 34	18 11	==	7.6	.007	.170 <.040	==	Ξ	Ξ
82-05-25 82-08-19	6.0 5.3	2.0	18 14	9.4	7.5 9.0	==	-80	.004	<.100 <.040	==	==	==
82-05-27 82-08-23	5.3 7.7	Ξ	12 12	30 30	11 14	==	2.3	Ξ	-190 -110	Ξ	=	=

	METHY-
	LENE
	BLUE
DATE	ACTIVE
OF	SUB-
SAMPLE	STANCE
	(MG/L)
82-06-08	
82-08-30	
82-01-28	<.10
82-06-07	
82-08-24	<.10
82-06-10	<.10
82-09-13	
82-06-10	<.10
82-02-01	
82-08-19	<.10
82-08-19	V. 10
82-05-25	
82-08-19	<.10
82-05-27	<.10
82-08-23	<.10

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

213

SUFFOLK COUNTY--Continued

### ### ### ### ### ### ### ### ### ##	STĀTION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
### 1126LCLU 82-08-23 35 295 5.3	4103040	72262701		\$ 53335									
1126 126						112GLCLU	82-08-23	35	295	5.3			
### ### ### ### ### ### ### ### ### ##	4100170	72315501	\$ 5333	36 E. MATT	ITUCK							-	
410906072171301													
### 1126LCLU 82-09-13						112GLCLU	82-08-19	40	192	5.1			
410412072261301	4109060	72171301		S 53337		112GLCLU	82-06-09	50	440	7.2		42	28
1126LCLU 82-08-20						112GLCLU	82-09-13	50	530	6.6		48	30
410004072264001 S 53537 112GLCLU 82-02-04 65 6.4	4104120	72261301		S 53338		112GLCLU	82-06-16	63	225	6.4		24	3.7
112GLCLU 82-08-08 65 7.4 124 112GLCLU 82-08-30 6.5 7.4 1- 12GLCLU 82-08-30 6.5 170 6.5 1- 19 3.0 112GLCLU 82-08-30 35 170 5.8 22 3.2 112GLCLU 82-08-30 35 185 5.7 19 3.0 185 185 5.7 19 3.0 185 185 5.7 19 3.0 185 185 5.7 19 3.0 185 185 185 5.7 19 3.0 185 185 185 5.7 19 3.0 185 185 185 185 185 185 185 185 185 185								63	242	5.5			
112GLCLU 82-00-08	4100040	72264001		S 53537		112GLCLU	82-02-04	65		6.4		- 44	
## A10604072222201 \$ 5 3539						112GLCLU	82-06-08	65		7.4			
NITRO NITR						112GLCLU	82-08-24	65	21500	6.5		:	
NITRO	4106040	72222201		\$ 53539		112GLCLU	82-06-16	35	170	5.8		22	3.2
SODIUM, SIUM, ALKA CHLO- TOTAL TOTAL LINITY TOTAL LINITY SULFATE RIDE, FLUO- GEN, GEN,						112GLCLU	82-08-30	35	185	5.7		19	3.0
82-06-17 9.1 13 88 18 <040	OF	TOTAL RECOV- ERABLE (MG/L	SIUM, TOTAL RECOV- ERABLE (MG/L	LINITY FIELD (MG/L AS	DIS- SOLVED (MG/L	RIDE, DIS- SOLVED (MG/L	RIDE, TOTAL (MG/L	GEN, NITRATE TOTAL (MG/L	GEN, NITRITE TOTAL (MG/L	GEN, AMMONIA TOTAL (MG/L	PHATE, TOTAL (MG/L	TOTAL RECOV- ERABLE (UG/L	NESE, TOTAL RECOV- ERABLE (UG/L
82-08-23 8.6 11 79 23 <.040								8.6	.005				
82-02-04 20													
82-05-27 21 8 33 46 <040	82-08-23	8.6		11	79	23				<.040			-
82-08-19 20 0 46 29 <.040													
82-06-09					7.7								
82-09-13 35 3.1 26 160 71 8.1 .010 <.100	82-08-19	20		0	46	29				<.040		177	
82-06-16 20 13 19 40 27 7.6 .008 .050 82-08-26 17 10 41 27 6.00 82-06-08 167 161 2000 14500 20 .005 9.10 82-08-24 8000 161 2000 14500 5.60 82-06-16 12 1.2 17 33 14 4.6 .002 <.050	82-06-09	42	3.4	23	140	98		4 - 4	.150	-100	44		
82-08-26 17 10 41 27 <.040 82-02-04 6000 173 1920 14000 6.00 6.00 6.00 6.00 82-08-24 8000 161 2000 14500 5.60 82-06-16 12 1.2 17 33 14 4.6 .002 <.050	82-09-13	35	3.1	26	160	71		8.1	.010	<.100			
82-08-26 17 10 41 27 <.040 82-02-04 6000 173 1920 14000 6.00 82-06-08 167 20 .005 9.10 82-08-24 8000 161 2000 14500 5.60 82-06-16 12 1.2 17 33 14 4.6 .002 <.050	82-06-16	20	13	19	40	27		7.6	.008	.050			
82-06-08 82-08-24 8000 161 82-08-16 12 1.2 17 33 14 4.6 .002 	82-08-26	17							200				
82-08-24 8000 161 2000 14500 5.60 82-06-16 12 1.2 17 33 14 4.6 .002 <.050	82-02-04	6000		173	1920	14000				6.00			
82-06-16 12 1.2 17 33 14 4.6 .002 <.050								.20	.005				
	82-08-24	8000		161	2000	14500				5.60			
	82-06-16	12	1.2	17	33	14		4.6	.002	<.050			164
	82-08-30	11		17									

	METHY-
	LENE
	BLUE
DATE	ACTIVE
OF	SUB-
SAMPLE	STANCE
	(MG/L)
82-02-02	
82-06-17	<.10
82-08-23	<.10
82-02-04	<.10
82-05-27	<.10
82-08-19	<.10
82-06-09	42
82-09-13	
82-06-16	
82-08-26	<.10
82-02-04	<.10
82-06-08	
82-08-24	<.10
82-06-16	
82-08-30	

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by Suffolk County Department of Health Services.

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE (UMHOS)	PH (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
40523107	73011301	S 57691	BROOKWD.	COMM. S	112GLCLU	82-04-13	47	225	6.6		12	2.7
40584207	72164901	÷	\$ 58961			81-10-27 82-08-16	131 131	61 54	5.8	Ξ	1.9	1.2
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)
82-04-13	32	6.2	28	33	31		.50	.006	1.00			
81-10-27 82-08-16	6.0	.5		5.7	7.7 10	-0	.00	.003	.050		==	

METHY-
LENE
BLUE
ACTIVE
SUB-
STANCE
(MG/L)
<.10

Geological unit (aquifer):

112GLCLU - Upper Glacial Aquifer, Pleistocene age.

112GRDR - Gardiners Clay, Pleistocene age.

112JMC0 - Jameco Gravel, Pleistocene age.

211LLYD - Llyod Aquifer, Cretaceous age.

211MGTY - Magothy Aquifer, Cretaceous age.

211RNCF - Raritan Confining Unit, Cretaceous age.

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982 SUFFOLK COUNTY--Continued

All samples were collected by Suffolk County Department of Health Services and analyzed by Suffolk County Water Authority.

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)
4047030	73264205		S 29778		211MGTY 211MGTY 211MGTY 211MGTY	81-12-08 82-03-05 82-06-03 82-09-22	168 168 168	148 140 152 160	5.8 6.3 6.2 6.5	45 50 52 48	7.1 6.1 6.8 6.9	5.6 5.2 5.5 5.6
4049200	72484602		S 46913		112GLCLU 112GLCLU	81-12-08 82-03-05 82-06-03 82-09-22	20 20 20 20	42 93 34 110	6.2 6.8 6.5 6.7	16 28 20 29	3.4 2.5 2.1 7.8	.8 .4 .4 1.6
4049170	72484501		S 46914		112GLCLU 112GLCLU	81-12-08 82-03-05 82-06-04 82-09-22	34 34 34 34	190 67 76 30	5.8 6.5 6.1 6.6	15 45 15 9	4.7 2.2 1.7 1.0	1.0 .5 .4
40524007	72491402		S 47226		112GLCLU 112GLCLU	81-12-08 82-03-05 82-06-09 82-09-22	27 27 27 27	73 51 61 55	5.5 6.3 6.0 6.4	20 45 26 23	5.6 4.1 5.2 5.0	1.1 .7 .8
DATE OF Sample	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SOLIDS, RESIDUE AT 180 DEG. C CIS- SOLVED (MG/L)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)
81-12-08 82-03-05 82-06-03 82-09-22	7.4 7.8 8.1 7.9	2.2 2.0 2.2 2.0	16 13 16 16	19 15 16 15	13 15 15 15	<.1 <.1 <.1	80 80 62 79	3.5 3.3 2.9 3.6	3.55 3.32 3.63	<.010 <.010 <.010 <.010	<.010 <.010 <.010	<.010 .070 <.010 <.010
81-12-08 82-03-05 82-06-03 82-09-22	2.6 16 3.1 7.7	2.1 .9 .9 3.5	14 20 16 26	6.0 3.0 .9 8.8	1.0 15 1.0 6.5	<.1 <.1 <.1 <.1	20 54 7 52	.18 .05 <.05 1.6	.16 <.05 1.55	<.010 <.010 <.010 <.010	<.010 <.010 <.010	<.010 <.010 <.010 <.010
81-12-08 82-03-05 82-06-04 82-09-22	28 8.6 11 3.7	2.0 .9 .8	11 5 7 10	6.8 4.5 5.6 2.9	42 13 14 1.5	<.1 <.1 <.1	110 29 20 19	1.2 .06 .06	1.20 .C6 .10	<.010 <.010 <.010 <.010	<.010 <.010 <.010	<.010 <.010 <.010 <.010
81-12-08 82-03-05 82-06-09 82-09-22	5.4 4.5 4.5 3.8	.7 .5 .5	18 16 20 20	4.1 3.8 1.3 2.0	6.5 5.0 5.0	<.1 <.1 <.1	60 5 43 50	.02 <.05 <.05 <.05	.04 <.05 <.05	<.010 <.010 <.010 <.010	<.010 <.010 <.010	<.010 <.010 <.010 <.010
3		DATE OF Sample	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	SOLVED (MG/L	TOTAL RECOV- ERABLE (UG/L	IRON, DIS- SCLVED (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)		
		81-12-38 82-03-05 82-06-03 82-09-22	<.010 <.010 <.010	<.10 <.10 <.10 <.10	<.10	720 180 1130 2410	100 70 100 200	20 10 40 50	20 <10 20 40	<.02 <.02 <.02 <.02		
		81-12-08 62-03-05 82-06-03 82-09-22	<.010 <.010 <.010	<.10 <.10 <.10 <.10	 <.10	490 220 180 110	300 160 110 90	30 <10 30 20	20 <10 30 20	<.02 <.02 <.02 <.02		
		81-12-03 82-03-05 82-06-04 82-09-22	<.010 <.010 <.010	<.10 <.10 <.10 <.10	 <.10	1590 640 1000 120	380 110 70 50	20 10 40 <20	20 <10 <30 <20	<.02 <.02 <.02 <.02		
		81-12-08 82-03-05 82-06-09 82-09-22	<.010 <.010 <.010	<.10 <.10 <.10 .18	.31	1200 3660 8600 6900	1200 8600 8900 5800	190 150 180 150	190 150 180 150	<.02 <.02 <.02 <.02		

WATER QUALITY DATA, WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

All samples were collected by Suffolk County Department of Health Services and analyzed by Suffolk County Water Authority.

water	Authori											
STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	HARD- NESS (MG/L AS CACO3)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)
4052400	72491401		S 47227		112GLCLU 112GLCLU	81-12-08 82-03-05 82-06-04 82-09-22	100 100 100 100	105 101 106 116	7.0 7.1 7.1 7.1	42 53 54 48	40 12 12 13	2.6 2.4 2.2 2.5
4051210	72490601		\$ 48946		112GLCLU 112GLCLU	81-12-08 82-03-05 82-06-04 82-09-22	41 41 41 41	240 260 240 250	5.5 6.1 5.8 6.4	86 46 94 95	46 24 22 22	6.7 8.4 6.6 8.1
4055000	72495201		\$ 51583		112GLCLU 112GLCLU	31-12-08 82-03-05 82-06-04 82-09-22	49 49 49	59 68 57 59	5.4 5.8 5.8 6.1	16 20 21 17	17 2.0 2.0 1.7	1.4 1.4 1.4 1.2
4053490	72494101		\$ 51592		112GLCLU 112GLCLU	81-12-08 82-03-05 82-06-04 82-09-22	39 39 39 39	114 110 132 140	5.2 6.3 5.4 5.8	15 20 25 22	21 3.4 3.5 4.1	1.1 1.3 1.4 1.6
DATE OF Sample	SODIUMA DIS- SOLVED (MG/L AS NA)	DIS- SOLVED (MG/L	ALKA- LINITY FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRATE DIS- SOLVED (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)
81-12-08 82-03-05 82-06-04 82-09-22	4.4 4.5 4.4 4.4	. 4 . 4 . 4	43 42 45 45	3.4 2.8 3.5 2.9	4.5 4.0 4.0 5.0	<.1 <.1 <.1 <.1	70 49 62	<.01 <.05 	.02 <.05 <.05 <.05	.030 <.010 	.020 <.010 <.010 <.010	<.010 <.010 <.010 <.010
81-12-08 82-03-05 82-06-04 82-09-22	9.6 8.8 7.1 8.8	4.7 4.6 4.5 4.8	10 11 13 20	27 33 34 37	20 18 15 18	<.1 <.1 <.1 <.1	160 172 157 170	9.7 13 8.5 9.0	9.75 12.8 9.16	.010 <.010 <.010 .010	.010 <.010 <.010	<.010 <.010 <.010 <.010
81-12-08 82-03-05 82-06-04 82-09-22	5.5 6.9 5.3 5.4	1.3 1.3 1.3	7 7 10 6	5.3 6.2 5.5 6.8	6.5 9.0 7.0 5.0	<.1 <.1 <.1	40 39 20 25	.62 .76 .38	.64 .78 	.010 <.010 <.010 <.010	<.010 <.010 <.010	<.010 <.010 <.010 <.010
81-12-08 32-03-05 82-06-04 82-09-22	16 14 17 19	.9 .9 .9	7 6 5 7	10 7.2 7.6 8.7	22 24 30 34	<.1 <.1 <.1	70 59 61 81	.54 .34 .21 .29	.52 .34 	<.010 <.010 <.010 <.010	<.010 <.010 <.010	<.010 <.010 <.010 <.010
		DATE OF Sample	NITRO- GEN, AMMONIA DIS- SCLVED (MG/L AS N)	PHOS- PHATE, TOTAL (MG/L AS PO4)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	METHY- LENE BLUE ACTIVE SUB- STANCE (MG/L)		
		81-12-08 82-03-05 82-06-04 82-09-22	<.010 <.010 <.010	.40 .40 .64 .47	.39	930 850 680 690	1800 680 610 660	280 270 300 280	270 280 280 280	<.02 <.02 <.02 <.02		
		81-12-08 82-03-05 82-06-04 82-09-22	<.010 <.010 <.010	<.10 <.10 <.10 <.10	 <•10	290 950 500 770	350 360 90 270	110 170 130 180	120 170 110 180	<.02 <.02 <.02 <.02		
		81-12-08 82-03-05 82-06-04 82-09-22	<.010 <.010 <.010	<.10 <.10 <.10 <.10	 <-10	180 1170 670 680	190 270 330 100	50 70 90 30	30 60 80 40	<.02 <.02 <.02 <.02		
		81-12-08 82-03-05 82-06-04 82-09-22	<.010 <.010 <.010	<.10 <.10 <.10 <.10	 <.10	200 870 310 310	160 360 240 220	20 100 60 40	20 110 50 40	<.02 <.02 <.02 <.02		

SUFFOLK COUNTY--Continued

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample		TH D	SPE- IFIC CON- UCT- NCE LAB MHOS)	PH LAB (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4044540730	33001	S 871	SCWA LAN	SEVIEW AV	112GLCLU 112GLCLU 112GLCLU	30-11-3 J 81-05-2 J 81-09-2 J 82-01-0 J 82-01-2	5 7 2	110 110 110 110 110	110 82 94 96	6.3 5.9 5.7 5.4	.10 .50 .25 .15	5.8 5.5 4.5 5.2	1.8 1.9 1.6 1.5
					112GLCLU 112GLCLU 112GLCLU	3 82-02-1 3 82-03-1 3 82-04-1 3 82-04-1 3 82-05-1	8 2 3	110 110 110 110 110	78 	6.2	.12	4.1 	1.4
					112GLCLU	J 82-07-1 J 82-07-2 J 82-08-2 J 82-09-2	6	110 110 110 110	95 	6.0	.14	4.9	1.6
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)		CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	(MG/L	NITRO GEN, NITRAT TOTAL (MG/L AS N)	GE E NITR TOT (MG	N, ITE AM AL T	ITRO- GEN, MONIA OTAL MG/L S N)	PHOS- PHORUS, TOTAL (MG/L AS P)	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-11-30 81-05-25 81-09-27 82-01-02 82-01-20	9.4 9.5 9.1 8.8	1.1 1.2 1.1 1.1	15 13 13 11	13 12 12 11	.1	.19 1.0 .98 1.0	<.0 <.0 <.0	10	.340 .400 .750 .470	=======================================	<5 	<20 	=======================================
82-02-17 82-03-18 82-04-12 82-04-13 82-05-11	7.6	1.1	11 	10	 <.1 	.85	<.0	10	.220	=======================================	=	=	= = =
82-07-14 82-07-26 82-08-23 82-09-28	8.5	1.2	13 	9.5	=======================================	1.3	<.0	10	.300	=======================================	<5 	=	=
	0	M T T R R E PLE (OTAL TECOV- FRABLE E	OTAL TECOV- RECOV- RABLE EUG/L (OTAL 1 ECOV- F RABLE E	EAD, TOTAL RECOV- ERABLE (UG/L	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MERCUR TOTAL RECOV ERABL (UG/L AS HG	SEL - NIU E TOI (UG	LET TO JM, RE TAL ER G/L (U	TAL TO ECOV- RE RABLE ER	NC, TAL COV- ABLE G/L ZN)	
	80-11 81-05 81-09 82-01 82-01	-25 -27 -02	=======================================	30 40 30 	<10 <30 40 <30 <30	=======================================	620 680 650 570 550	=======================================		<2 <2		190 <10 150 60	
	82-02 82-03 82-04 82-04 82-05	-18 -12 -13	Ξ	30	170 40 50 30 <30	=======================================	220 570 560 540 580	=======================================		=======================================	=======================================	70 	
	82-07 82-07 82-08 82-09	-26 -23	=======================================	20	80 60 80 30	=======================================	580 570 660 650	=======================================		=	=	<10 	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

												MACHE
STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET	DUCT- ANCE LAB	PH LAB (UNITS:	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4044540730	33002	S 872	SCWA LA	KEVIEW AV	112GLCLU 112GLCLU 112GLCLU	80-11-30 81-05-25 82-01-02 82-01-19 82-02-03	10 10 10	7 94 7 110 7	5.	1 .13	5.6	1.7 1.9 1.9
					112GLCLU 112GLCLU 112GLCLU	82-03-18 82-04-12 82-04-13 82-05-11 82-07-13	10 10 10	7 108 7	6.1	.32	6.6	2.0
					112GLCLU	82-07-14 82-08-01 82-09-28	10	7				#
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3	RIDE, DIS- SOLVEI (MG/L	(MG/L	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	GEN,	GEN, E AMMONIA TOTAL	PHOS-	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-11-30 81-05-25	8.4	1.2	14 13			.19 1.3	<.010 <.010			<5	<20	=
82-01-02 82-01-19	8.8	1.4	16	10	==	1.5	<.010		Ξ	=	Ξ	==
82-02-03 82-03-18												
82-04-12	11	1.6	20	13	<.1	1.7	<.010		.180		==	==
82-04-13 82-05-11												
82-07-13	10	1.8	16	11		1.7	<.010	.500		<5		
82-07-14												
82-08-01 82-09-28	==	==			==	==		==	==	==	=	==
		ATE R	HRO- IUM, COTAL ECOV- RABLE UG/L	TOTAL RECOV- ERABLE (UG/L	TOTAL TRECOV- RERABLE E	EAD, NOTAL TECOV- REABLE EUG/L	OTAL ECOV-	RECOV- I ERABLE (UG/L	SELE- NIUM, TOTAL (UG/L	TOTAL T RECOV- R ERABLE E (UG/L	INC, OTAL ECOV- ERABLE UG/L S ZN)	
	80-1			20	<10		530			==	80	
	81-0: 82-0	1-02		30 250	<30 30		690 730	==	<2		30 30	
	82-0: 82-0:		==	==	<30 <30		840 800	==	=		=	
	82-0				150		940					- 1
	82-04 82-04			40	50 60		1080		=		150	
	82-05 82-05	5-11		30	<30 70		880 890	==		-	330	
	82-01 82-0				90 50		900 790					
	82-0				30		850					

SUFFOLK COUNTY--Continued

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4045510725	61601	s 1331	SCWA HEAD	OF NEC	112GLCLU 112GLCLU 112GLCLU	80-09-02 81-02-08 81-07-27 82-01-02 82-04-09	60 60 60 60	125 90 130 142 153	5.5 5.4 5.5	.12 .16 1.1 .20	8.2 5.7 8.6 10 12	2.0 1.7 2.1 2.2 2.2
					112GLCLU	82-07-14	60	138	5.6	.45	8.4	2.2
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS-	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-09-02 81-02-08 81-07-27 82-01-02 82-04-09	10 6.0 11 12 12	1.4 .9 1.6 1.7 2.0	11 11 10 9 13	14 8.0 15 16 17	<.1 <.1	2.5 .88 3.1 3.0 3.3	<.010 <.010 <.010 <.010 <.010	<.010 <.010 <.010 <.010 <.050		<5 	<20 	=
82-07-14	13	M				EAD, NI		<.010			INC,	
	0	TE R F E PLE (ECOV- RE RABLE ER UG/L (U	COV- R ABLE E	RABLE EI	RABLE EI	RABLE E	ECOV- N RABLE T JG/L (IUM, RE OTAL ER UG/L (L	RABLE ER	COV- RABLE IG/L ZN)	
	80-09 81-02 81-07 82-01	-08 -27 -02	Ξ	<10 40 150 30	<10 40 <30 30	=======================================	<10 <10 40 <10	=	<2 <2	=	140 50 100 70	
	82-04 82-07			60	60 50		30 70				170	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPT OF WELL TOTA (FEE	DUCT ANCE L LAB	C - - PH LA	B I T		TOTAL RECOV- E ERABLE (MG/L
405412072	232901	s 1340	SCWA LONG	SPRING	112GLCLU 112GLCLU 112GLCLU 112GLCLU 112GLCLU	81-01-1 81-08-1 82-01-0	9 0	87 2 87 2 87 2	20	5.9	.17 22 .10 24 .10 21 .17 21	5.4 5.3 5.2 4.9
					112GLCLU 112GLCLU 112GLCLU 112GLCLU 112GLCLU	82-03-1 82-03-1 82-04-0	0 1 1	87 87 87	=======================================	=======================================		
	•				112GLCLU 112GLCLU 112GLCLU 112GLCLU 112GLCLU	82-05-1 82-06-0 82-07-1	2 2 3	87 87 87	=	5.7	.25 21 .19 12	
					112GLCLU 112GLCLU			•			= :	
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO GEN/ NITRAT TOTAL (MG/L AS N)	GEN E NITRI TCTA (MG/	GEN TE AMMON L TOTA L (MG/	PHO IA PHOR L TOT L (MG	US, ARSE AL TOT /L (UG	AL ERABL	TOTAL RECOV- E ERABLE (UG/L
80-09-08 81-01-19 81-08-10 82-01-02 82-01-12	11 10 10 10	3.3 3.6 3.9	14 11 11 11	21 20 21 20 18	=======================================	5.6 5.4 5.9 5.6 5.6	<.01 <.01 <.01	0 <.01 0 <.01 0 <.01	0 :		40 	=======================================
82-02-10 82-03-10 82-03-11 82-04-01 82-04-14	=======================================	=======================================	=======================================	19 20 24 23 19	=======================================	5.6 9.1 5.3 5.3	:	: :				=
82-04-22 82-05-12 82-06-02 82-07-13 32-07-27	9.7	3.7 3.6	8 10	19 18 18 19	<.1 	5.4 4.5 3.4 6.2 3.8	<.01 - - - .01	: :		-	 <5	
82-08-11 82-09-01			==	16 15	Ξ	3.7 3.0	=				= =	=
	DAT OF SAME	MI TO TE RE E ER	TAL TO COV- RE ABLE ER G/L (U	TAL TO COV- RE ABLE ER G/L (1	TAL TECOV- RABLE E	EAD, OTAL ECOV-	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)	ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN)	
	80-09- 81-01- 81-08- 82-01- 82-01-	-19 -10 -02		120 100 30	40 30 <30 40	::	30 30 20 <10	=	<7 <2	=	20 130 20 20	
	82-02- 82-03- 82-04- 82-04-	-10 -11 -01	== == == .	== == ==	:: :: ::	=======================================	=======================================	=======================================	=======================================	=======================================	= ==	
	82-04- 82-05- 82-06- 82-07- 32-07-	-12 -02 -1 3	:: ::	40 140	60 <30	=======================================	20 10	= 1	=======================================	=======================================	20 50	
	82-08- 82-09-		Ξ	Ξ	Ξ	Ξ	==	===	Ξ	==	==	

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPT OF WELL TOTA (FEE	DUC' ANC	IC N- T- E PH B LAE		CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4054110722	32701	S 1341	SCWA LONG	SPRING		81-12-0	4 8 7	99	310 5	5.8 .09 5.6 .11 5.8 .12	9 40 1 39 2 39	8.5 9.6 9.3 10.0
					112GLCLU 112GLCLU 112GLCLU 112GLCLU 112GLCLU	82-04-0 82-04-1 82-04-2	1 3 2	99 99 99 99		.7 .17	39	9.9
					112GLCLU 112GLCLU 112GLCLU 112GLCLU 112GLCLU	82-07-1 82-08-0 82-08-1	3 1 1	99 99 99 99	 340 5	5.8 .17	39	10.0
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (Mg/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO GEN, NITRAT TOTAL (MG/L AS N)	GEN	TTE AMMONIAL TOTAL	NIA PHORU AL TOTA /L (MG/	ARSENIC L TOTAL L (UG/L	ERABLE (UG/L	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-09-08 81-01-14 81-08-18 81-12-07 82-01-14	9.2 9.3 8.7 8.6	2.8 2.6 2.8	12 13 13 12	22 24 23 21 22	=	9.3 8.8 8.4 6.7 8.4	<.01 <.01 <.01 <.01	10 <.0°	10 - 10 -		40 	=======================================
82-02-01 82-04-01 82-04-13 82-04-22 82-05-12	8.7	2.9	12	22 13 21 22 22	 < <u>-1</u>	8.5 8.8 8.9 8.6 8.7	<.01	10 <.0	10		=	=======================================
82-06-02 82-07-13 82-08-01 82-08-11 82-09-01	8.8 	2.9	12	21 23 24 24 24	=	6.2 8.0 8.7 8.5 8.8	<.01	10 <.0	50	- <5 - <5	Ē	=
	0	TE R F E PLE (OTAL TO ECOV- RE RABLE ER UG/L (L	TAL T COV- R ABLE E	OTAL T ECOV- R RABLE E UG/L (EAD, OTAL ECOV- RABLE UG/L	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	TOTAL TRECOV- FERABLE E	ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN)	
	80-09 81-01 81-08 81-12 82-01	-14 -18 -07	=======================================	90 50 40 30	60 <30 <30 30	=======================================	10 <10 <10 10	=======================================	<8 <2	=======================================	110 <10 60 30	
	82-02 82-04 82-04 82-04 82-05	-01 -13 -22	=======================================	90	 50	=======================================	 <10	=======================================	=======================================	=======================================	 10	
	82-06 82-07 82-08 82-08 82-09	-13 -01 -11	:: :: ::	20	 <30 	=======================================	10	=======================================	=======================================	E		

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEP OF WEL TOT (FE	TH CI DU L, AN	AB I	PH LAB NITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
405720072	122701	S 2405	SCWA BRI	DGEHAMPT	112GLCLU			90	170	5.6	.14	8.9	5.3
					112GLCLU			90 90					- ::
					112GLCLU			90	155	5.5	.11	8.8	5.3
					112GLCLU	82-03-1	11	90					
					112GLCLU	32-04-1	16	90					
		•			112GLCLU			90	175	6.1	.11	3.4	5.0
					112GLCLU			90 90					
					112GLCLU			90	157	5.8	.10	8.6	4.6
								•••		7,000			
					112GLCLU	82-09-0	19	90					
405719072	122802	S 2415	SCWA BRI	DGEHAMPT	112GLCLU	80-10-2	20	90	165	6.0	.16	10	5.5
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L	ALKA- LINITY FIELD (MG/L AS	CHLO- RIDE, DIS- SOLVEI (MG/L	(MG/L	NITRO GENA NITRAT TOTAL (MG/L	GE NITR	N, G ITE AMM AL TO /L (M	ONIA PHOTAL TO	TAL AG/L	RSENIC TOTAL (UG/L	BARIUM, TOTAL RECOV- ERABLE (UG/L	CADMIUM TOTAL RECOV- ERABLE (UG/L
	AS NA)	AS K)	CACO3)	AS CL	AS F)	AS N)) AS	N) AS	N) AS	5 P)	AS AS)	AS BA)	AS CD)
81-08-12	12	1.4	16	19		3.9	<.0	10 <.	010				
82-01-20						4.2							
82-02-11 82-02-17	14	1.5	14	18		4.1 5.8	<.0	10	010				
82-03-11						3.8							
82-04-16													
82-05-25	13	1.4	14	19	<.1	3.8 3.8	<.0		010				
82-06-10						3.2							
82-07-14 82-08-22	12	1 /	47	10		3.8			040		<5	==	
82-08-22	12	1.4	13	18		3.5	<.0	10 .	010	75	()		- 10
82-09-09						3.5							
80-10-20	16	1.3	14	18		5.6	<.0	10 <.	010			40	
	(TTE ROPE (APLE (APLE APLE (APLE APLE (APLE APLE (APLE APLE (APLE APLE APLE APLE APLE APLE APLE APLE	TOTAL TRECOV- RERABLE E	OTAL ECOV- RABLE UG/L	TOTAL T RECOV- R ERABLE E	EAD, OTAL ECOV- RABLE UG/L S PB)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE-		L TO V- RE LE EF	INC, DTAL ECOV- RABLE UG/L S ZN)	
	82-02										-		
	82-02		10	90	<30		<20		<2		-	30	
	82-03	5-11								7	-	· ·	
	82-04	-16								-	-	,	
	82-05			60	40		30				-	20	
	82-06 82-07								- 11		-		
	82-08			70	<30		30				-	<20	
	82-09	9-09									-	-	
	80-10	J-20		200	<10		40				-	70	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

223 QUALITY OF GROUND WATER

SUFFOLK COUNTY--Continued

111 Jump1			u	,,	3311012	, ount, no	te. Aut.							
STATION	NUMBER		LOCA IDENT I- FIER		GEO- LOGIC UNIT	OF		L	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH La Uni	В	TUR- BID- ITY NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4057210721	23001	S 2570	SCWA B	RIDGEHAMPI	112GLCL 112GLCL 112GLCL	.U 80-10- .U 81-03- .U 81-08- .U 82-01- .U 82-02-	04 12 20	88 88 88 88	240) -	6.0 5.7 5.6	.34 .30 .19	10 13 12 	4.7 6.6 6.1
					112GLCL 112GLCL 112GLCL	U 82-02- U 82-03- U 82-04- U 82-05- U 82-06-	11 16 24	88 88 88 88	230	-	6.0	.13	12	6.0 5.8
					112GLCL 112GLCL	U 82-07- U 82-08- U 82-08- U 82-09-	05 28	88 88 88 88	210	- 0	5.8	.08	11	5.3
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA LINIT FIEL (MG/ AS CACO	Y RIDEA D DIS- L SOLVE (MG/L	RIDE/	NITRA TOTA (MG/	GE TE NITR L TOT L (MG	AL S/L	NITRO- GEN, AMMONI, TOTAL (MG/L AS N)	PHO	US, AR AL T /L (SENIC OTAL UG/L S AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-10-20 81-03-04 81-08-12 82-01-20 82-02-11	12 17 18	1.2 1.5 1.6	1 1 2 -	5 26 0 25		4.8 4.8 6.0		50	<.010 <.050 .080		 	=======================================	40 	=
82-02-17 82-03-11 82-04-16 82-05-24 82-06-10	22 22	1.8 1.7	1	7 27	<.1	5.3 4.9 5.0	<.0		<.010 <.010		=======================================	=======================================	=======================================	=======================================
82-07-14 82-08-05 82-08-28 82-09-09	19	1.6	1	7 24	-	4.5	<.0	10	<.010		=	 <5	=======================================	=======================================
	DA 0 SAM 80-10 81-03 81-08 82-01 62-02 82-02 82-03 82-04 82-05 82-06	M T T R R F E C A A - 20 - 04 - 1220 - 11 - 17 - 11 - 16 - 24 - 10 - 14	HRO- IUM, OTAL ECOV- RABLE UG/L S CR)	COPPER, TOTAL RECOV- ERABLE (UG/L AS CU) 130 260 150 	IRON, TOTAL RECOV- ERABLE (UG/L AS FE) <10 <30 <30 	LEAD, TOTAL RECOV- ERABLE (UG/L AS PB)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN) 30 60 50 		AL SOV- MBLE T	SELE- NIUM, FOTAL (UG/L AS SE) <8- <2 	SILVER TOTAL RECOV ERABL (UG/L AS AG	TOTAL		
	82-08 82-09	-28	==	100	<30		60	- 0		==			480	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL	SPE- CIFIC CON- DUCT- ANCE LAB	3	TUR- BIO- ITY	CALCIUM TOTAL RECOV- ERABLE (MG/L	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L
							(FEET)	(UMHOS	(UNITS	(NTU)	AS CA)	AS MG)
4053220732	11001	S 2978	SCWA WASH	INGTON	211MGTY	80-12-16			2 6.0		1.8	.6
					211MGTY 211MGTY	81-05-05			5.5		2.4	.7
					211MGTY	82-03-16			4 6.0		1.9	.7
4103100715	70901	s 3615	SCWA FLAM	INGO AV	112GLCLU	80-10-16	111	25	6.5	.54	8.8	4.8
						81-03-02			5 6.6	.55	9.6	5.3
						81-08-12 82-02-15					8.1 9.3	5.0
						82-05-26					10	6.5
					112GLCLU	82-08-23	111	33	55 6.4	. 34	10	6.7
									1.48		277	į.
		POTAS-										4
	SODIUM,	SIUM,	ALKA-	CHLO-		NITRO-	NITRO	- NITRO			BARIUM,	CADMIUM
	TOTAL	TOTAL	LINITY	RIDE,	FLU0-	GEN,	GEN,	GENA			TOTAL	TOTAL
DATE	RECOV-	RECOV-	FIELD	DIS-	RIDE,	NITRATE					RECOV-	RECOV-
OF SAMPLE	ERABLE (MG/L	ERABLE (MG/L	(MG/L AS	SOL VE	TOTAL (MG/L	TOTAL (MG/L	TOTAL (MG/L	TOTAL		TOTAL (UG/L	ERABLE (UG/L	ERABLE (UG/L
34 22	AS NA)	AS K)	CACO3)	AS CL		AS N)	AS N)	AS N		AS AS)	AS BA)	AS CD)
30-12-16	3.6	.4	9	5.5		.74	<.010	<.010		<5	<20	*
81-05-05	3.9	-4	6	7.5		1.1	<.010	<.010			20.00	
81-09-14 82-03-16	4.2	.5	6 7	6.5 4.5	<.1	1.3	<.010 <.010	<.010 <.010		==	==	
30-10-16	27	1.5	29	43		1.3	<.010	<.010			40	
31-03-02	31	1.6	30	49	<.1	1.3	<.010	.050				
31-08-12	26	1.6	33	42		1.4	<.010	<.010				
32-02-15	36	2.0	32	57		1.2	<.010	<.010				
32-05-26	41	2.0	30	67	<.1	1.3	<.010	<.010)			
32-08-23	46	2.2	35	76		1.4	<.010	<.010		<5		
			IRO-	PER, I	RON, L		ANGA-	RCURY		LVER, ZI	INC.	
								OTAL			OTAL	
	DA							ECOV-			COV-	**************************************
								RABLE			RABLE	
	SAM							UG/L S HG)			JG/L S ZN)	
	80-12	-16		40	<10		<10				20	
	81-05			40	60		<20		<2			
	81-09 82-03			50 30	<30 <30		<10 <10		<2		10 30	
	80-10			30.	40		50				<10	
	81-03 81-08			40	70 40		50 30	==	<8	-	60 30	
	82-02			30	100		40		<2		80	
	82-05			10	140		80				10	

SUFFOLK COUNTY--Continued

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEP OF WELI TOTA (FEI	DUCT L, ANCE	IC N- IF- E PH B LAB		CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4044260730	073301	S 381	3 SCWA OA	KDALE 1	112GLCLU 112GLCLU 112GLCLU	3 80-12-0 3 81-05-1 3 81-09-1 3 81-12-1 3 82-01-1	8 3 5	83 83	125 5 131 6 128 5	.2 .07 .7 .24 .0 .11 .8 .17	9.2 7.7 6.4	2.5 3.0 2.7 2.4
					112GLCLU 112GLCLU 112GLCLU	3 82-02-1 3 82-04-1 3 82-04-1 3 82-05-2 3 82-06-0	3 4 5	83 83 83 83 83	45 6 	.2 .13	9.2	2.8
					112GLCLU	3 82-07-1 3 82-07-1 3 82-08-2 3 82-09-1	3	83 83 83 83	=	.1 .16	: ::	2.3
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVEC (MG/L AS CL)	(MG/L	NITRO GEN, NITRAT TOTAL (MG/L AS N)	E NITR	TTE AMMON AL TOTA /L (MG/	NIA PHORU AL TOTA L (MG/	S, ARSENIC L TOTAL L (UG/L	ERABLE (UG/L	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-12-01 81-05-18 81-09-13 81-12-15 82-01-19	11 11 11 10	1.9 1.8 2.1 1.9	22 20 21 19	14 14 14 12	<.1 	.72 2.4 2.2 3.0	<.0°	10 .50 10 .88 10 .15	00 - 30 -	=	<20 	=======================================
82-02-17 82-04-13 82-04-14 82-05-25 82-06-08	11 ==	2.1	18 	15	<.1 	3.2	<.0	10 .15	50 -	=	=	= = =
82-07-12 82-07-13 82-08-23 82-09-17	12	2.0	18 	17 	=	2.3		-	20 -	: :	Ξ	Ξ
	0	M. TTE RIDE (I) PLE (I) A: -01 -18 -13 -15	OTAL T ECOV- R RABLE E UG/L (OTAL 1 ECOV- F RABLE E	OTAL RECOV- F RABLE E	EAD, TOTAL RECOV- ERABLE (UG/L	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN) 210 190 200 170 160	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE) <2 <2	TOTAL TRECOV- FERABLE (UG/L	INC, FOTAL RECOV- RABLE (UG/L SS ZN)	
	82-02 82-04 82-04 82-05 82-06	-13 -14 -25	=======================================	20	<30 	=======================================	160 140 160 130 130	=======================================	=======================================	=======================================	<20 	
	82-07 82-07 82-08 82-09	-13 -23	=	30 	40 	==	150 130 150 190	Ξ	==	=	90 	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	TUR- BIO- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4044260730	73302	S 3814	SCWA OAK	DALE 3	112GLCLU 112GLCLU 112GLCLU	80-12-02 81-05-22 81-09-14 81-12-27 82-01-20	90 90 90	135 112 139 128	6.4 5.6 5.8 5.5	.11 .09 .15 .17	9.4 10 9.0 7.2	2.4 2.9 2.5 2.5
		٠			112GLCLU 112GLCLU 112GLCLU	82-02-03 82-03-16 82-04-11 82-05-11 82-06-10	90 90 90	115	6.5	.29	7.4	2.3
4	٠				112GLCLU	82-07-13 82-08-23 82-09-20	90	130	6.3	.20	8.1	2.6
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	GEN,	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-12-02 81-05-22 81-09-14 81-12-27 82-01-20	10 9.2 10 9.8	1.6 1.5 1.9 1.8	18 16 18 18	13 13 13 11	<.1 	1.5 2.6 3.3 3.1	<.010 <.010 <.010 <.010	.270 .190 .470 <.010	=======================================	=======================================	<20 	=======================================
82-02-03 82-03-16 82-04-11 82-05-11 82-06-10	8.8	1.5	20	9.5	<.1 	2.7	 <.010	.100	=======================================	=======================================	=	=======================================
82-07-13 82-08-23 82-09-20	9.5	1.8	16 	12	==	2.9	<.010 	-120 	Ξ	<5 	Ξ	Ξ
	(MI TC ATE RE OF ER APLE (L	TAL TO COV- RE ABLE ER	TAL T COV- R ABLE E G/L (OTAL T ECOV- R RABLE E UG/L (EAD, NOTAL TECOV- RABLE EUG/L	OTAL T ECOV- R RABLE E UG/L (ECOV- NI RABLE TO UG/L	IUM, RI	OTAL TO ECOV- RE RABLE EF UG/L (L	NC, DTAL ECOV- RABLE IG/L S ZN)	
	80-12 81-05 81-12 81-12	5-22 9-14 2-27	=======================================	<10 <20 20 20	<10 <30 <30 40	=======================================	130 120 170 140 160	=	<2 <2 	=======================================	20 <20	
	82-04 82-04 82-04 82-05 82-06	3-16 4-11 5-11	=======================================	80	<30 	=======================================	140 130 170 160 150	=	=	=======================================	90	
	82-08 82-08 82-09	8-23	=	30	30 	=	140 170 200	Ξ		:	40 	41

SUFFOLK COUNTY--Continued

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEP OF WEL TOT (FE	TH C DU L, AN AL L	AB I	AB	TUR- BID- ITY NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4044260730	73303	S 3815	SCWA OAK	DALE 2	112GLCLU 112GLCLU 112GLCLU	80-12-0 81-05-1 81-09-1 81-12-1 82-01-2	8 3 6	83 83 83 83	117 119 106 111	6.3 5.9 6.0 5.6	.08 .22 .25 .08	7.4 9.1 7.2 5.5	2.7 3.4 2.8 2.8
	4				112GLCLU 112GLCLU 112GLCLU	82-02-1 82-04-1 82-04-1 82-05-2 82-06-0	3 4 25	83 83 83 83	117 	6.2	.12	7.3	2.9
					112GLCLU	82-07-1 82-08-2 82-09-1	6	83 83 83	120	6.3	.19	8.6	3.0
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO GEN, NITRAT TOTAL (MG/L AS N)	GE E NITR TOT (MG	N, G ITE AMM AL TO /L (M	ONIA PHOTAL TO	TAL T	SENIC OTAL UG/L S AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-12-01 81-05-18 81-09-13 81-12-16 82-01-20	8.5 8.8 8.7 8.5	1.3 1.4 1.4 1.5	22 23 21	9.0 10 8.0	<.1 	1.0 2.7 2.6 2.6	<.0 <.0 <.0	10 <. 10 .	010 010 140 010	=======================================	=======================================	<20 	=
82-02-17 82-04-13 82-04-14 82-05-25 82-06-08	8.3	1.5	23	9.0	=======================================	2.5	<.0			.060	=======================================	=======================================	=======================================
82-07-13 82-08-26 82-09-17	8.8	1.6	20	7.5	Ξ	2.6		10 <.0	010 	Ξ	<5 	=	Ξ
	80-12 81-05 81-09 81-12 82-01 82-02 82-04 82-05 82-06	MI TE REF F EF PLE (U AS -01 -18 -13 -16 -20 -17 -13 -14 -25	TAL TO COV- RE BABLE ER	TAL TOON- RIABLE E	OTAL T ECOV- R RABLE E UG/L (EAD, OTAL ECOV- RABLE UG/L	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN) 90 110 <10 70 70 70 90 90 90 70	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE: <2 <2	SILVER TOTAL RECOV ERABL (UG/L) AS AG	TO REE ER (U) AS	NC, TAL COV- ABLE G/L ZN) <10 160 <10 <20 	
	82-07 82-08 82-09	-26	Ξ	20	30	=	100 110 140	Ξ	=	==		10	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4050320731	62801	S 4184	SCWA WALTE	R CT.	112GLCLU 112GLCLU 112GLCLU 112GLCLU 112GLCLU	81-02-09 81-08-09 82-01-03	5 162 4 162 3 162	310 282 270 275	5.9 6.0 5.5 	.12 .10 .13 	23 20 20 20	6.0 6.0 5.7 8.7
					112GLCLU 112GLCLU 112GLCLU 112GLCLU 112GLCLU	82-04-04 82-04-04	4 162 4 162 5 162	290	5.5	.14	19	5.5
					112GLCLU 112GLCLU 112GLCLU 112GLCLU	82-07-08 82-08-08	8 162 5 162	=	=	Ξ	=======================================	· • <u>=</u>
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)		CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	(MG/L	NITRO- GEN, NITRAT TOTAL (MG/L AS N)	GEN,	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-10-01 81-02-05 81-08-04 82-01-03 82-01-20	21 21 22 	3.5 2.4 3.0 	17 19 16 	34 40 31 37 37	<.1	10 5.1 9.2 8.2 7.6	<.010 <.010 .010 <.010	<.010 <.010 <.050	=======================================	<5 	90 	=
82-02-08 82-03-04 82-04-04 82-04-25 82-05-06	23	3.1	 17	39 37 38 37 36	 <.1	8.3 8.9 8.5 8.2	· · · · · · · · · · · · · · · · · ·	 <.010	=======================================	=======================================	=	=
82-06-07 82-07-08 82-08-05 82-09-09	Ξ	=======================================	=======================================	38 37 33 33	=======================================	8.2 8.6 9.3	=======================================	Ξ	=	= =	Ξ	Ξ
	DA O Sam	M T TE R F E PLE (HRO- IUM, COPPI OTAL TOT. ECOV- RECI RABLE ERAU UG/L (UG S CR) AS	AL TOV- R BLE E	OTAL TECOV- RRABLE E	EAD, I OTAL ECOV- I RABLE UG/L	TOTAL TO RECOV- RI ERABLE EI (UG/L (I	RABLE T	ELE- TO IUM, RI OTAL EI UG/L (I	TAL TO ECOV- RE RABLE ER UG/L (U	NC, TAL COV- ABLE G/L ZN)	
	80-10 81-02 81-08 82-01 82-01	-05 -04 -03	1	90 20 50	60 60 <30 	=======================================	50 <10 40 <10	=	<2 <2	==	50 130 30 	
	82-02 82-03 82-04 82-04 82-05	-04 -04 -25	= ;	80	 <30	=======================================	20	=	=	=	20	
	82-06 82-07 82-08 82-09	-08 -05	= :	-	=======================================	=======================================	=======================================	=======================================	=	=	=	44.

SUFFOLK COUNTY--Continued

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

STATI	ON NUMBER		LOCA IDENT I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPT OF WELL TOTA (FEE	DUCT ANCE L LAB	C I- E PH	B I	JR- F ID- E TY (CIUM OTAL ECOV- RABLE MG/L	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4056460	073041601	S 437	2 SCWA W	. BROADWAY	112GLCLU 112GLCLU 112GLCLU	3 80-10-2 3 81-03-2 3 81-08-2 4 82-01-2 5 82-05-1	2 16 11	95 95 1 95 95 95	03 59 62	6.4 7.3 6.3 6.5 7.0	.14 .09 .18 .19	4.7 8.6 4.7 5.4 4.2	1.5 2.7 1.5 1.5
					112GLCLU	82-08-0	6	95	62	6.0	.12	4.2	1.4
4058400	72114501	s 75 7	O SCWA O	AKVIEW HWY	112GLCLU 112GLCLU 112GLCLU	80-10-1 81-03-0 81-08-1 82-02-1 82-03-2	4 1 1 1 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	62 1 62 1 62 1	40 70 44	6.1 6.1 6.0 5.4 6.0	.08 .18 .20 .56	6.4 7.0 6.9 6.0 7.0	3.3 3.6 4.0 3.4 3.1
						3 82-05-2 3 82-08-2				6.0 6.0	.13 .11	6.1 6.1	3.4 3.5
DATE OF Sampl	ERABLE	TOTAL RECOV-	LINIT FIEL (MG/	Y RIDE, D DIS- L SOLVE (MG/L	FLUO- RIDE, D TOTAL (MG/L	NITRO GEN, NITRAT TOTAL (MG/L AS N)	GEN E NITRI TOTA (MG/	GENTE AMMON L TOTA L (MG/	IA PHOR	US, ARSE AL TOT /L (UG	INIC R	RIUM, OTAL ECOV- RABLE UG/L S BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-10-2		.5				.88.					<5	<20	
81-03-2 81-08-2		.6				1.9	<.01						
82-01-2	1 4.7	.5	1:	5 5.5		.98	<.01	0 <.01	0				
82-05-1	2 4.9	.5	1:	3 5.0	<.1	.99	<.01	0 <.01	0 .			77	
82-08-0	16 4.7	. 5	1	7 6.0		1.0	<.01	0 <.01	0		<5		
80-10-1		.6				1.6	<.01			-		<20	
81-03-0 81-08-1		.7				1.7	<.050			00			
82-02-1	6 15	.7	1:	3 21		1.8	<.01	0 <.01	0 -				
82-03-2	18 11	.6	1:	2 16		1.5	.01	0 <.01	0 -	-			
82-05-2 82-08-2		.7			<.1	1.9	<.010			=	<5		
		ATE I	CHRO- MIUM, (TOTAL RECOV- ERABLE (UG/L AS CR)	TOTAL RECOV- ERABLE (UG/L	TOTAL TRECOV- RECOV- RECOV- RECOV- RECOV- RECOVER RECO	EAD, OTAL ECOV- RABLE UG/L	MANGA- NESE, I TOTAL RECOV- ERABLE (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)	ZINC, TOTAL RECOV ERABL (UG/L AS ZN	- E	
		0-29		20	<10		<10				240		
	81-0 81-0			<20	50 40		<20 <10		<4		<10 70		
	82-0	1-21		20	40		10		<2		320		
	82-0			20	<30		<10				, 100		
	82-0			<20	<30		10				40		
	80-1 81-0		<10	90	<10 50		<10 <10		<10	11	30 30		
	81-0	8-17		50	<30		<10				<20		
	82-0 82-0			60 110	<30		<10		<2		30		
					<10		<10			2.5	80		
	82-0			30	50		10				40		
	82-0	0-20		120	<30		<10				30		

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCA IDENT I- FIER	-	GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS	PH LAB	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4056460730	41602	\$ 8439	SCWA W	BROADWAY	112GLCLU	80-11-24	92	. 6	9 6.5	.12	4.4	1.4
					112GLCLU	81-03-23	92	5	9 6.6	.15	4.6	1.4
					112GLCLU	81-08-24	92	. 5	6 6.3	.11	3.9	1.4
					112GLCLU	82-01-21	92	7	0 5.1	.18	4.1	1.4
					112GLCLU	82-05-12	92	. 5	9 6.6	2.5	4.0	1.3
					112GLCLU	82-08-04	92	5	9 6.3	.12	3.9	1.3
	SODIUM,	POTAS-		- CHLO-		NITRO-	NITRO-	NITRO	-		BARIUM,	CADMIUM
	TOTAL	TOTAL	LINIT	Y RIDE,	FLU0-	GEN,	GEN,	GEN,	PHOS-		TOTAL	TOTAL
DATE	RECOV-	RECOV-	FIEL	D DIS-	RIDE,	NITRATE	NITRITE	AMMONI	A PHORUS,	ARSENIC	RECOV-	RECOV-
OF	ERABLE	ERABLE	(MG/			TOTAL	TOTAL	TOTAL	TOTAL	TOTAL	ER BLE	ERABLE
SAMPLE	(MG/L	(MG/L	AS	(MG/L		(MG/L	(MG/L	(MG/L		(UG/L	(UG/L	(UG/L
	AS NA)	AS K)	CACO	3) AS CL) AS F)	AS N)	AS N)	AS N)	AS P)	AS AS)	AS BA)	AS CD)
80-11-24	4.3	.4		7 6.0		.40	<.010	.140		<5	<20	
81-03-23	4.2	-4		5 5.0		1.1	<.010	<.010				
81-08-24	4.5	.5		8 5.5		1.1	.010	<.010				
82-01-21	4.4	.4		4 6.0		1.2	<.010	<.010			7.7	
82-05-12	4.5	• >	1	3 4.0	<.1	1.1	<.010	<.010				
82-08-04	4.4	.5	1	7 5.5		1.1	<.010	<.010		<5		
		c	HRO-			м	ANGA-					
				COPPER,		EAD, N	ESE, ME	RCURY			NC.	
			OTAL	TOTAL		OTAL T	OTAL T	OTAL	SELE- T	OTAL TO	TAL	
			ECOV-	RECOV-							COV-	
			RABLE	ERABLE							ABLE	
	SAM		UG/L S CR)	(UG/L AS CU)							IG/L	
			3 CK)	A3 C07	AS PET A	S PB) A	S MN) A	3 1167	A3 3E7 . A	S AGY AS	ZNJ	
	80-11			40	<10		<10				40	
	81-03			20	<30		<20		<4		<10	
	81-08			<20	40		<10				30	
	82-01			30	<30		<10		<2		20	
	82-05	-12		30	<30		<10				100	
	82-08	3-04		40	<30		10				<20	

SUFFOLK COUNTY--Continued

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET	DUCT ANCE LAB	C - - - - -	A B	TUR- BID- ITY NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4044520730	33001	\$ 9893	SCWA LAKE	VIEW AV	112GLCLU 112GLCLU 112GLCLU	80-12-07 81-05-20 81-09-13 82-01-02 82-01-20	9 9 9	6	66 45 63 59	6.3 5.9 5.8 6.0	.24 .16 .14 .26	3.4 3.3 3.4 3.1	1.3 1.4 1.4 1.3
	ů.				112GLCLU 112GLCLU 112GLCLU	82-02-10 82-03-16 82-04-12 82-04-14 82-05-26	9 9 9	6 6 6	 56 	6.2	.16	4.1 	1.3
					112GLCLU	82-07-13 82-08-23 82-09-28	9	6	70 	6.3	.18	3.8	1.5
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)		CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	(MG/L	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO GEN, NITRIT TOTAL (MG/L AS N)	GEN	PHOIA PHOIL	TAL T	SENIC OTAL UG/L S AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-12-07 81-05-20 81-09-13 82-01-02 82-01-20	5.1 5.7 5.8 5.0	.5 .6 .7 .6	14 13 13 14	6.5 7.0 5.5 4.0	<.1 	.08 .32 .37 .19	<.010 <.010 <.010 <.010	<.01 <.01 <.01 <.01	0 <.0 0	010	<5 	<20 	=======================================
82-02-10 82-03-16 82-04-12 82-04-14 82-05-26	4.9	.6	12	4.0	<.1 	.18	<.010	<.01 -	0	=======================================	=======================================	=======================================	=
82-07-13 82-08-23 82-09-28	5.9	.6 	14	7.5 	Ξ	•52	<.010 	<.01	-	=	<5 	Ξ	Ξ
		M T TE R F E PLE (OTAL TO ECOV- RE RABLE ER UG/L (U	TAL T COV- R ABLE E G/L (OTAL T ECOV- R RABLE E UG/L (EAD, NOTAL TECOV- RABLE EUG/L (OTAL ECOV- RABLE UG/L	ERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER TOTAL RECOV ERABL (UG/L AS AG	TO:	NC, TAL COV- ABLE G/L ZN)	
	80-12 81-05 81-09 82-01 82-01	-20 -13 -02	=	20 30 <20 70	<10 <30 10 <30 <30	=======================================	490 470 450 500 530	=======================================	<2 <2	:: ::		<10 30 10	
	82-02 82-03 82-04 82-04 82-05	-16 -12 -14	=	30	30 10 30 30 <30	=======================================	510 490 540 540 470	=======================================	=======================================	=======================================		160	
	82-07 82-08 82-09	-23	Ξ	20	30 <30 <10	::	460 460 520	Ξ				20	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPT OF WELL TOTA	DUC ANC	IC N- T- E PI B L	H B	UR- F	COTAL RECOV- RABLE (MG/L	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4053450732	203801	S 11105	SCWA RESE	RVOIR A	112GLCLU 112GLCLU 112GLCLU 112GLCLU 112GLCLU	81-05-1 81-09-1 82-01-1	9 5 5 5 3 5	17	136 110 118 	6.9 6.0 6.1	.11 .34 .15	10 11 8.8	3.7 3.5 3.3
					112GLCLU 112GLCLU 112GLCLU 112GLCLU 112GLCLU	82-03-2 82-07-0 82-08-1	2 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		104 113	5.9	.33	7.8 8.0	2.9
4050540731	151001	S 11891	SCWA CORN	ELL DR	112GLCLU 112GLCLU 112GLCLU 112GLCLU 112GLCLU	81-02-1 81-08-2 82-01-1	8 5 8	119 119	325 325 300 305	5.8 6.0 5.5	.28 .18 .24 .15	19 19 18 19	6.0 6.5 5.6 6.5
					112GLCLU 112GLCLU			119 11 9	==		=	Ξ	=
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO GEN/ NITRAT TOTAL (MG/L AS N)	GENITRI TOTA (MG/	GE ITE AMMO AL TOT /L (MG	N, PH NIA PHO AL TO /L (M	TAL TO	ENIC F	ARIUM, TOTAL RECOV- ERABLE (UG/L	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-12-02 81-05-19 81-09-15 82-01-13 82-02-01	7.6 8.8 7.5	.8 .9 .9	21 17 	11 10 11 	<.1 	4.2 4.2 4.3 4.2 4.3		10 <.0	10	== == ==	<5 	<20 	=
82-03-19 82-03-22 82-07-05 82-08-10 82-09-28	7.7 7.8 	.9	12 13 	10 10 	<.1 	4.3 4.4 4.2 4.6 4.8	<.01 <.01	0 <.0		=======================================	=======================================	=======================================	=======================================
80-10-22 81-02-18 81-08-25 82-01-18 82-01-19	26 28 33 32	3.0 2.5 3.0 2.7	19 18 20 18	37 46 46 47	=======================================	8.1 7.4 7.3 8.0 8.0	<.01 <.01 <.01	0 <.0 0 <.0 0 <.0	10 10	=======================================	<5 	60	=======================================
82-02-16 82-03-03	Ξ	==	==	44 47	=	8.3			14,50	Ξ.	=	Ξ	Ξ
	DA O SAM	MI TO TE RE F ER PLE (U	TAL TO COV- RE ABLE ER G/L (U	TAL TO COV- RE ABLE ER G/L (L	TAL TO	EAD, OTAL ECOV- RABLE UG/L	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)	TOTAL RECOV ERABL (UG/L	.E	
	80-12 81-05 81-09 82-01 82-02	-19 -15 -13	=======================================	70 60 80	30 <30 50	=======================================	<10 30 <10 	=======================================	<2 	=======================================	120 150 40		
	82-03 82-03 82-07 82-08 82-09	-22 -05 -10	=======================================	80 60	30 <30	=======================================	<10 <10	=======================================	<2 	=	130		
	80-10 81-02 81-08 82-01 82-01	-18 -25 -18	=	270 270 270 130	30 <30 80 <30	=======================================	50 40 <10	=======================================	<8 <2	=	50 30 120 70		
	82-02 82-03		=	=	==	Ξ		=	Ξ	12			

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

233

SUFFOLK COUNTY--Continued

NOITATZ	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET	DUCT- ANCE LAB	PH Lab (Units)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4051260732	273802	s 12130	SCWA HAR	BOR RD.	112GLCLU 112GLCLU 112GLCLU	80-12-16 81-07-14 81-11-17 82-03-11 82-06-16	30 30 30	5 36 5 32 5 38	5.5 5.6 6.1	.08 .29 .10 .14	3.4 2.1 1.7 1.4 1.9	1.1 .7 .7 .7 .7
					112GLCLU	82-08-11	30	5 45	6.0	.11	2.1	.7
4045310731	150601	S 13534	SCWA EAS	FORKS	112GLCLU 112GLCLU 112GLCLU	80-10-28 81-03-14 81-08-18 82-06-02 82-07-05	11 11 11	9 175 9 168 9	5.4	.21 .24 .31 	11 13 11 	4.0 4.9 4.1 5.0
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)		CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	(MG/L	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	GEN,	GEN, E AMMONIA	PHOS-	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG*/L AS CD)
80-12-16	3.9	.4	13	5.5		1.4	<.010			<5	<20	
81-07-14	3.7	-4	7	5.0	<.1	1.1	<.010 <.010					==
82-03-11	3.7	. 4	8	4.0		1.1		<.010				
82-06-16	3.8	. 4	10	1.0	<.1	-80	<.010					
82-08-11	4.1	.5	12	2.0		1.1	<.010	<.010		<5		
80-10-28	11	2.2	10	16		6.3	<.010		===	<5	<30	
81-03-14 81-08-18	12	2.2	12 12	18 17	<.1	6.7	<.010 <.010		==			
82-06-02						8.9						
82-07-05	16	3.4	11	21	<.1	8.3	<.010	<.010				
	C	TTE R F E FPLE C A -16 -17 -17	OTAL TO ECOV- RI RABLE EI UG/L (I	TAL TECOV- RABLE E	OTAL T ECOV- R RABLE E UG/L (EAD, NOTAL TECOV- RABLE EUG/L (OTAL ECOV- RABLE UG/L	RECOV- N ERABLE T (UG/L (ELE- TO IUM, RE OTAL EF UG/L (U	TAL TO ECOV- RE RABLE ER JG/L (U G AG) AS	NC, TAL COV- ABLE G/L ZN) <10 50 20 20	
	82-08	-11			<30		<10				20	
	80-10 81-03 81-08 82-06	1-28 1-14 1-18	=	90 30 <20	<10 90 50 30	:: ::	160 160 250 110	=======================================	 <2 	=	20 120 <30	
	82-07	-05		40	<30		270				40	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPT OF WELL TOTA (FEE	AL LA	IC N- T- E P B L	H AB	TUR- BID- ITY NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4049190731	42701	S 14326	SCWA FALC	ON DR.	211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	80-12-0 81-02-1 81-08-0 82-01-0 82-04-0	1 2 2 2 2	225 225 225 225 225	57 63 57 59 73	6.2 6.3 5.8 5.5	.16 .24 .16 .14	3.9 3.9 4.0 4.0	1.4 1.4 1.5 1.4
					211MGTY	82-07-2		225	60	5.8	.17	4.0	1.4
4045510725	61602	. 1/710	SCWA HEAD	OF NEC		J 80-09-0			119		.56	7.4	2.0
404551072	.01002	3 14710	SCWA HEAD	OF NEC	112GLCLU 112GLCLU 112GLCLU	3 81-02-0 3 81-08-0 3 82-01-1 3 82-04-0	9 1 4 1 8 1	18	96 118 79 95	6.0 5.8 5.9 6.4	.80 .70 1.2	7.1 8.4 5.0 5.3	1.7 2.3 1.7 1.9
					112GLCL	J 82-07-1	4 1	118	102	6.0	.75	6.3	2.2
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)		CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	(MG/L	NITRO GEN, NITRAT TOTAL (MG/L AS N)	GEN E NITRI TOTA	TE AMMONIAL TOTAL	N, PH NIA PHO AL TO /L (M	TAL T	SENIC OTAL UG/L S AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-12-02 81-02-11	4.1	-4	15 15	7.0 5.5		.53					<5	<30	
81-08-05	4.7	.4	17	5.5	. <.1	.54	<.01	0 .04	40				
82-01-02 82-04-05	4.7 5.1	.5	15 18	7.5 6.0	<.1	.53 .87	<.01 <.01					==	
82-07-26	4.8	.4	15	7.5		.60	<.01	0 .50	00		<5		
80-09-02	9.6	1.4	14	13		2.7	<.01	0 <.01	10		<5	<20	1.0
81-02-09	7.2	1.3	14	8.5		2.4	<.01	0 <.01	10				
81-08-04 82-01-18	10 6.5	1.5	14	13	<.1	3.2	<.01 <.01						
82-04-09	7.3	1.1	15	7.0	<.1	2.5	<.01						
82-07-14	8.2	1.3	15	9.5		2.7	<.01	0 <.0	10		<5		
	0	TE R	OTAL TO ECOV- RE RABLE EF	TAL TECOV- FRABLE E	TOTAL RECOV- ERABLE (UG/L	LEAD, TOTAL RECOV-	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER TOTAL RECOV ERABL (UG/L AS AG	- RI	INC, OTAL ECOV- RABLE UG/L S ZN)	
	80-12			<10	<10		<10					<10	
	81-02 81-08			40 30	<30 <30		<10 <10		<8			<10 <20	
	82-01	-02		20	<30		<10		<2			<30	
7	82-04	-05		<20	<30		<10					<20	
	82-07	-26		20	×30		10					10	
÷	80-09			<10	220		140					50	
	81-02 81-08		==	40	230		60	/	<2	- 11		150	
	81-08			20 50	270 240		80 50		<2			130 30	
	82-04			20	210		50					60	
	82-07	-14		40	250		50					110	

SUFFOLK COUNTY--Continued

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4054530730	030302	S 14792	SCWA JAYNE	BLVD	211MGTY 211MGTY 211MGTY 211MGTY 211MGTY		453 453 453	131 112 129	6.5 6.8 6.1	.06 .12 .11 .26	13 10 11 9.7 8.2	4.3 4.0 3.7 4.1 3.1
	•				211MGTY 211MGTY	82-07-06 82-08-11				.14	9.4 8.3	4.1 3.3
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	GEN,	GEN,	PHOS-	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-09-15 80-11-19 81-04-27 81-09-20 82-02-15	6.7 6.3 6.5 7.5 6.0	1.0 1.0 .9 1.1	19 20 21 18	9.5 9.0 8.5 8.5 7.0	<.1 <.1	3.1 3.1 4.3 3.6 2.4	<.010 .010 .800 <.010 <.010	<.010 <.010 .060 <.010 <.010	<u> </u>	<5 	50 	<1
82-07-06 82-08-11	7.5 6.1	1.2	19 18	9.0 7.5	<.1 	3.9 2.8	<.010 <.010	.060	=	 <5	=	=
	0	TE R F E (A A -15 -19 -27 -20 -15 -06	==	AL T OV- R BLE E /L (OTAL TECOV- FRABLE E	LEAD, N FOTAL T RECOV- R ERABLE E (UG/L (OTAL T ECOV- R RABLE E UG/L (RABLE T	ELE- TO IUM, RE OTAL ER UG/L (L	OTAL TO ECOV- RE RABLE ER	INC, ITAL COV- ABLE G/L ZN) <10 50 30 40 <20	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER .		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPT OF WELL TOTA (FEE	DUCT ANCE	C - - - - - -	H B	UR- ID- TY	ALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4051140732	261001	S 14828	SCWA WOOD	CHUCK H	112GLCLU 112GLCLU 112GLCLU	81-06-2 81-10-1 82-01-0 82-02-1 82-03-1	3 5 5 5 6 5	808	97 12 24	6.3 5.9 6.0	.16 .28 .85	9.9 7.5 9.0	3.4 3.1 3.3
					112GLCLU 112GLCLU 112GLCLU	82-04-2 82-05-2 82-06-1 82-06-2	6 5 5 5 4 5	08 08 08	 98	 5.8	 -16	6.4	2.6
					112GLCLU	82-07-1 82-07-2 82-08-0 82-09-1	2 5	08 508 508 508	18	5.9	•11 ==	7.1	3.1
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (Mg/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO GEN/ NITRAT TOTAL (MG/L AS N)	E NITRI TOTA (MG/	TE AMMONIAL TOTAL	IA PHO L TO L (M	TAL TO	ENIC	ARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
81-06-24 81-10-13 82-01-05 82-02-16	7.8 7.3 	.9 .9 	14	11 10 	<.1 	4.7 4.9 4.7 5.1			-	=======================================	=======================================	=	=
82-03-16 82-04-28 82-05-26 82-06-15 82-06-24	7.5	.9 -7	10 12	11 8.5	 <.1	5.2 5.1 3.9 4.1 2.6	<.02	20 .28		=======================================	=======================================	=	=
82-07-13 82-07-22 82-08-05 82-09-14	7.4	.9	11 	11 	=	5.4 5.3 5.0 5.3	<.01	0 <.01	0	=	<5 	=	Ξ
	DA' Of Sami	TE RI	DTAL TO ECOV- RE RABLE EF	TAL TO	DTAL T ECOV- R RABLE E UG/L (EAD, OTAL ECOV- RABLE UG/L	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)		L V- LE L	
	81-06- 81-10- 82-01- 82-02- 82-03-	-13 -05 -16	=======================================	40 690 110	50 <30 <30	= -	<10 <10 <30	=	<2 <2	=		0	
	82-04 82-05 82-06 82-06 82-07	-26 -15 -24	=======================================	60	 <30	=======================================	20	=	=	E	15	-	
	82-07- 82-08- 82-09-	-22 -05	Ξ	50	30 	Ξ	<10 	=	Ξ	Ξ	4	0	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

			1001				050711	SPE-			CALCIU	
STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL	DUCT- ANCE LAB		BI	R- RECOV	- RECOV-
							(FEET) (UMHO:	(UNI	rs) (NT	U) AS CA) AS MG)
4058060720	095401	5 14921	SCWA SPRI	NG CLOS	112GLCLU	80-10-15	12	5	4	5.9	.10 3.	7 2.0
						81-03-04					.17 4.	
						81-08-17	12				.18 4.	
						82-03-17	12				.12 4.	
					1,1261610	82-07-12	12	5 10	14	8.8	.40 4.	3 2.6
					112GLCLU	82-08-24	12	5 9	2 5	8.8	.18 4.1	2.2
4048110731	13101	S 15500	SCWA HALF	MILE R	112GLCLU	82-06-16	149	9 16	0 5	. 8	.15 11	3.6
4048110731	13102	\$ 15501	SCWA HALF	MILE R	112GLCLU	82-07-06	15	4 12	4 5	8.8	.23 8.2	2 2.7
		POTAS-		C.11. O-								
	SODIUM,	SIUM, TOTAL	ALKA- LINITY	CHLO-	FLU0-	NITRO- GEN,	NITRO GEN,	- NITRO		_	BARIUM. TOTAL	, CADMIUM TOTAL
DATE	RECOV-	RECOV-	FIELD	DIS-	RIDE,	NITRATE						
OF	ERABLE	ERABLE	(MG/L	SOLVED		TOTAL	TOTAL	TOTAL				
SAMPLE	(MG/L	(MG/L	AS	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L				(UG/L
	AS NA)	AS K)	CACO3)	AS CL)	AS F)	AS N)	AS N)	AS N	AS F) AS	AS) AS BA	AS CD)
80-10-15	8.0	.6	10	13		.98	<.010	<.010			<20	
81-03-04	8.6	.7	11	14		1.1	<.010					
81-08-17	8.5	.7	14	13		1.2	<.010	.970				
82-03-17 82-07-12	9.0	.9	12	12 14	<.1	1.2	<.010 <.010					
82-08-24	8.6	.8	10	11	- 22	1.0	<.010	<.010			<5	
82-06-16	14	.8	24	20	11.5-	2.7	<.010	<.010				
82-07-06	10	.8	22	12	<.1	2.5	<.010	<.010		-		
			HRO- IUM, COF	PER, I	RON, L		ANGA-	ERCURY		SILVER,	ZINC,	
								TOTAL	SELE-	TOTAL	TOTAL	
	DA					T. (1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		RECOV-	NIUM,	RECOV-	RECOV-	
	0	F E	RABLE ER	ABLE E	RABLE E	RABLE E	RABLE	ERABLE	TOTAL	ERABLE	ERABLE	
	SAM							(UG/L	(UG/L	(UG/L	(UG/L	
		А	S CR) AS	CU) A	S FE) A	S PB) A	S MN)	AS HG)	AS SE)	AS AG)	AS ZN)	
	80-10			<10	<10		<10				<10	
	81-03			60	60		<20		<2		<20	
	81-08 82-03			20	<30		<10				20	
	82-03			40 20	20 50		<10 10		2		40 80	
	82-08	-24		30	<30		<10				380	
	82-06	-16		<10	40		10				<10	
	82-07	-06		100	50		10				660	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by Suffolk County Water Authority.

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	OF.		TH CO	ON- CT- CE P	H B	CALCIUM TOTAL UR- RECOV- ID- ERABLE TY (MG/L TU) AS CA)	TOTAL RECOV- ERABLE (MG/L
4053080731	175101	S 15514	SCWA GUN	CLUB RD	211MGT1 211MGT1 211MGT1 211MGT1 211MGT1	81-05- 81-09- 82-01-	18 13 05	595 595 595 595 595	166 153 144 	6.6	.11 14 .29 16 .13 12	
					211 MGTY 211 MGTY 211 MGTY 211 MGTY 211 MGTY	82-03-1 82-04-1 82-05-0	10 11 04	595 595 595 595 595	235	6.5	.18 20	7.6
					211 MGTY 211 MGTY 211 MGTY 211 MGTY 211 MGTY	82-07-0 82-08-0 82-09-0	01 04 01	595 595 595 595 595	95 147	6.5	1.5 7.6	- 1
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	(MG/L	NITRAT	GE NITR TOT	N, GE ITE AMMO AL TOT /L (MG	NIA PHO	TAL TO	BARIUM, TOTAL ENIC RECOV- TAL ERABLE G/L (UG/L AS) AS BA)	TOTAL RECOV- ERABLE (UG/L
80-12-01 81-05-18 81-09-13 82-01-05 82-03-02	7.9 8.1 8.1 	.8 .8 	14 18 17 	14 15 12 14 13	<.1	4.6		10 <.0	10	<u>:</u>	<5 <20 	=======================================
82-03-03 82-03-10 82-04-11 82-05-04 82-06-02	9.8	.7 	13	10 16 9.0 11	=======================================	6.5 5.1 4.9		10 <.0	010 			=
82-06-14 82-07-01 82-08-04 82-09-01 82-09-05	5.1 8.0	.5 .8	14 13	8.5 13 9.0 12	<.1	3.9 5.2 3.3	<.0	=	=	=======================================	 <5	=
	0	TE R F E PLE (OTAL TECOV- FRABLE E	TOTAL TRECOV- FERABLE E	RON, TOTAL RECOV- ERABLE (UG/L	LEAD, TOTAL RECOV- ERABLE (UG/L AS PB)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)		
	80-12 81-05 81-09 82-01 82-03	-18 -13 -05	=======================================	40 30 <20	<10 50 30 	=======================================	<10 30 <10 	=	<2 		<10 <20 50 	
	82-03 82-03 82-04 82-05 82-06	-10 -11 -04	<50 	70 	40 	=	<10 	=	<2 	Ē	<30 	
	82-06 82-07 82-08 82-09 82-09	-01 -04 -01	=======================================	40 30	110 40	=======================================	10 20	=======================================	E	=	70 <20	

SUFFOLK COUNTY--Continued

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

				,,								
STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEP OF WEL TOT (FE	L, ANC	IC N- T- E PI B L/	4 BI	CALCIU TOTAL UR- RECOV ID- ERABL TY (MG/L TU) AS CA	TOTAL - RECOV- E ERABLE (MG/L
4053070731	75001	\$ 15515	SCWA GUN	CLUB RD	211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	80-12-0 81-05-1 81-09-1 82-01-0 82-02-0	8 3	356	358 320 315 	6.2 6.0 5.9	.16 32 .12 33 .09 30	
	÷				211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	82-03-0 82-03-1 82-04-1 82-05-0 82-06-0	0 1 4	356 356 356 356 356	340 	6.3	.11 32	- 12
					211MGTY 211MGTY 211MGTY	82-07-0 82-08-0 82-09-0	4	356 356 356	 310	6.2	 -16 24	
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVE (MG/L AS CL	FLUO- RIDE, D TOTAL (MG/L	NITRO GEN, NITRAT TOTAL (MG/L AS N)	GE E NITR TOT (MG	N, GEI ITE AMMOI AL TOTA /L (MG/	NIA PHOPAL TOTAL	RUS, ARSE TAL TOT		TOTAL RECOV- E ERABLE (UG/L
80-12-01 81-05-18 81-09-13 82-01-05 82-02-03	12 12 13	1.7 1.7 2.1	13 17 13 	27 28 25 28 27	<.1 	10 9.5 9.7 10		20 <.0	10	== == ==	<5 <20 	=
82-03-02 82-03-10 82-04-11 82-05-04 82-06-02	=======================================	=======================================	=======================================	14 25 13 26 27	=	11 9.8 9.9 6.8	<.0	10 <.01	10	<u> </u>		II.
82-07-01 82-08-04 82-09-05	13	2.0	 14	28 30 27	Ξ	9.9 11 9.5				=	 <5	Ξ
	0	M: TE RI IF EI IPLE (II A::-01 i-18	DTAL TECOV- REABLE E	DTAL ECOV-	TOTAL TRECOV- FERABLE E	EAD, TOTAL RECOV-	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN) <10 <20 <10	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)	ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN) <10 <20 40	
	82-03 82-03 82-04 82-05 82-06	3-03 3-02 3-10 3-11 3-04	=======================================	40 	 30 	=======================================	<10 	=	 <2 	=======================================	<20	
	82-07 82-08 82-09	3-04	=	 20	 50	Ξ	 20	Ξ	Ξ	Ξ	<20	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET	DUCT- ANCE LAB	PH LAB	TUR- BID- ITY S) (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4049230731	22401	S 15746	SCWA WHE	ELER RD.	112GLCLU 112GLCLU	80-09-28 81-08-11 82-01-17 82-01-18	1 12	8 26 8 -	0 5	.7 .20 .4 .28	17	4.0 4.9 4.9
						82-03-15						
						82-04-13						
						82-04-21 82-05-17				.6 .11		4.7
						82-06-15		-				
						82-07-14			4 5	.9 .38	16	4.9
					112GLCLU	82-09-14	12	8 -	•		-	•
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)		CHLO- RIDE, DIS- SOLVE (MG/L AS CL	(MG/L	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	GEN,	GEN, E AMMONI TOTAL (MG/L	PHOS A PHORU TOTA (MG/	S, ARSENIC L TOTAL L (UG/L	ERABLE (UG/L	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-09-28	22	1.6	21	33		4.1	<.010	<.010	-	- <5	50	
81-08-11	24	2.0	21	39	<.1	5.9	<.010					
82-01-17				41		6.1						
82-01-18	26	2.0	22	40		6.1	<.010					
82-03-15				40		5.4			-			
82-04-13									-			
82-04-21	25	2.2	21	39	<.1	5.5	<.010					
82-05-17 82-06-15			==	40	==	6.0						
82-07-14	27	2.1	19	43		4.2 5.8	<.010					
82-09-14				52		5.7			_			
		c	HRO-	-			ANGA-					
	0	TE R F E PLE (IUM, CO OTAL ECOV- R RABLE UG/L	TOTAL RECOV- ERABLE UG/L	TOTAL T RECOV- R ERABLE E (UG/L (EAD, NOTAL TECOV- RABLE EUG/L	NESE, M TOTAL RECOV- ERABLE (UG/L	RECOV- ERABLE (UG/L	SELE- NIUM, TOTAL (UG/L AS SE)	TOTAL TRECOV- RERABLE E	INC, OTAL ECOV- RABLE UG/L S ZN)	
	80-09	-28		100	40		30				30	
	81-08	-11		100	40		20				150	
	82-01		,		<30		<10					
	82-01 82-03			90.	<30 50		30 <10	1	<2	-	270	
	83-04	-17			40	111		4 - 1	12.5			
	82-04 82-04			80	40 <30		<10 20				30	
	82-05				20		40					
	82-06				<10		40					
	82-07			10	60		30			,	<10	
	82-09	-14			30		50					
	02-09	1.4			30	100	70				12. F. (1)	

SUFFOLK COUNTY--Continued

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	WEL TO	E LL, TAL	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS	BIO	TOTAL RECOV- RECOV- REABLE (MG/L	TOTAL RECOV- ERABLE (MG/L
260801	S 15776	SCWA WOOL	осниск н	112GLCL 112GLCL 112GLCL	0 81-06-2 0 81-10-2 0 82-01-1	26	503 503 503 503 503	126 103	6. 5.	3 1.	1 16 15 7.3	3.5 3.1
				112GLCLI 112GLCLI 112GLCLI	U 82-03-2 U 82-04-2 U 82-05-2	10	503 503 503 503 503		6.	<u>.</u>	22 8.7	3.5
				112GLCLI 112GLCLI 112GLCLI	J 82-07-1 J 82-07-2 J 82-08-0	4 ! 8 ! 4	503 503 503 503 503		5.	5 .	18 6.9	2.8
SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	(MG/L	(MG/L	GEN/ NITRAT TOTAL (MG/L	GE NITE TOTAL	RITE TAL G/L	GEN,	PHORUS TOTAL (MG/L	ARSEN TOTA (UG/	TOTAL IC RECOV- L ERABLE L (UG/L	TOTAL RECOV- ERABLE (UG/L
6.1 7.7 6.3	.8 .9 .8	15 24 15 	9.0 13 9.0	<.1 	3.8 4.4 3.6 3.8 4.8	<.0	010	<.010 <.010 <.010	=	=		=======================================
6.5	.8	13 	7.5	=======================================	4.1 4.2 3.6 3.6 2.8	<.(10	<.010	= ::	=	=	=======================================
6.3 6.3 	.8 .8 	14 14 	9.0	<.1 	2.8 3.5 4.0 4.1 4.5			<.010 <.010 	=	<	5	=
0	TE R	IUM, COR OTAL TO ECOV- RE RABLE ER UG/L (U	TAL TECOV- RABLE E	OTAL ECOV- RABLE UG/L	TOTAL RECOV- ERABLE (UG/L	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	TOT REC ER/	TAL S COV- N ABLE T G/L (ELE- IUM, OTAL UG/L	TOTAL RECOV- ERABLE (UG/L	ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN)	
81-06 81-10 82-01	-23 -26 -19	=======================================	170 40 60 	30 60 <30	=======================================	10 20 <10 		=	<2 	=======================================	40 190 20 	
82-03 82-04 82-05	-24 -20 -25	=======================================	110	<30 	=======================================	<10 		E	<2 	=======================================	30	
82-07 82-07 82-08	-14 -28 -04	:: :: ::	60 30 	<30 <30 	=======================================	10 <10 		=	=======================================	=======================================	190 480 	
	SODIUM, TOTAL RECOV-ERABLE (MG/L AS NA) 6.1 7.7 6.3 6.5 6.3 6.3 6.3 6.3 82-01 82-01 82-02 82-03 82-03 82-03 82-03 82-07 82-07 82-07 82-07	POTAS- SODIUM, SIUM, TOTAL SIUM, TOTAL TOTAL RECOV- REABLE ERABLE (MG/L AS NA) AS K) 6.1 .8 7.7 .9 6.3 .8 6.5 .8 6.5 .8 6.5 .8 6.5 .8 6.5 .8 6.5 .8 6.5 .8 6.5 .8 6.5 .8 6.5 .8 6.5 .8 6.5 .8 6.5 .8 6.5 .8 6.5 .8 6.3 .8	NUMBER FIER 1060801 S 15776 SCWA WOOD 260801 S 15776 SCWA WOOD 2708 SODIUM, SIUM, ALKA- TOTAL TOTAL LINITY RECOV- RECOV- FIELD ERABLE ERABLE (MG/L AS NA) AS K) CACO3) 2709 CACO SCWA WOOD 2809 CACO SCWA WOOD 2800 C	NUMBER FIER POTAS- SECONDIUM, SIUM, ALKA- CHLO- TOTAL TOTAL LINITY RIDE, RECOV- RECOV- FIELD DIS- ERABLE EMBLE (MG/L SOLVED (MG/L (MG/L AS (MG/L AS (MG/L AS NA) AS K) CACO3) AS CL) 6.1 .8 15 9.0 7.7 .9 24 13 6.3 .8 15 9.0 7.7 .9 24 13	NUMBER	NUMBER	NUMBER	NUMBER FIER CHOOL NITTO SAMPLE TOTAL (FEET) 1- LOGIC OF WELL,	LOCAL IDENT	NUMBER STATE SCHA WOODCHUCK STATE STATE STATE SCHA WOODCHUCK SCH	NUMBER	LOCAL DENT

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF Well, Total (Feet	DUCT ANCE LAB	C - - PH	B IT	UR- ID- TY	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4045360731	63301	S 15898	SCWA LOCUS	T DR.	112GLCLU	80-10-26	12	8 1	60	6.4	.19	13	2.5
					112GLCLU	82-01-10	12	8					
						82-07-14							
						82-08-02				5.4	.17	10	3.4
					112GLCLU	82-08-10	12	8				-	-
					112GLCLU	82-09-14	12	8					
		POTAS-											
	SODIUM,	SIUM,	ALKA-	CHLO-		NITRO-	NITRO				1	BARIUM,	CADMIUM
	TOTAL	TOTAL	LINITY	RIDE,	FLU0-	GEN,	GEN,					TOTAL	TOTAL
DATE	RECOV- ERABLE	RECOV-	FIELD	DIS-	RIDE,	NITRATE						RECOV- ERABLE	RECOV- ERABLE
SAMPLE	(MG/L	ERABLE (MG/L	(MG/L AS	SOL VED	TOTAL (MG/L	TOTAL (MG/L	TOTAL (MG/L					(UG/L	(UG/L
SAMPLE	AS NA)	AS K)	CACO3)	AS CL)	AS F)	AS N)	AS N)				AS)	AS BA)	AS CD)
80-10-26	11	1.4		15			. 040		•			<30	
82-01-10	''	1.4	2	11		3.6 1.2	<.010	<.01					
82-07-14				23		4.8		_					
82-08-02	17	2.2	12	24		5.7	<.010				<5		
82-08-10				24		5.2		-					
82-09-14				25		5.7		-	-				
			HRO-				ANGA-						
			IUM, COPPI	ER, II	RON, LI			ERCURY		SILVER,	ZINO	C.	
			OTAL TOTAL					TOTAL	SELE-	TOTAL	TOT		
	DA	TE R	ECOV- REC	OV- RI	ECOV- RI	ECOV- R	ECOV-	RECOV-	NIUM,	RECOV-	REC	0 V -	
			RABLE ERA		RABLE E	RABLE E	RABLE	ERABLE	TOTAL	ERABLE	ERA		
	SAM		UG/L (UG					(UG/L	(UG/L	(UG/L	(UG		
		A	S CR) AS	CU) A	S FE) A	S PB) A	S MN)	AS HG)	AS SE)	AS AG)	AS 2	ZN)	
	80-10	-26		80	<10		100				1	40	
	82-01						20						
	82-07						120						
	82-08			60	<30		120			==		20	
	82-08	-10		_			160						
	82-09	-14					180						

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET	DUCT- ANCE LAB	PH LAB	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4051340731	55901	S 15923	SCWA KINGS	PARK	112GLCL1 112GLCL1 112GLCL1	U 80-09-3 U 81-02-0 U 82-01-0 U 82-01-2 U 82-02-2	5 26 2 26 0 26	50 13 50 18 50 -	6.4	.20	9.8 8.4 9.7	5.7 3.5 5.9
					112GLCLI 112GLCLI 112GLCLI	0 82-03-1 0 82-04-1 0 82-04-1 0 82-05-1 0 82-06-0	8 26 9 26 7 26	50 17 50 -	78 5.4	.14	8.5	5.5
					112GLCL	U 82-07-0 U 82-07-2 U 82-08-2 U 82-09-2	8 26	50 19	25 4.8	1.0	9.0	5.7
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO GEN, NITRAT TOTAL (MG/L AS N)	GENZ E NITRI TOTAL (MG/I	GENATE AMMONI	PHOS- IA PHORUS, TOTAL (MG/L		BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-09-30 81-02-05 82-01-02 82-01-20	15 9.2 16	1.4 1.0 1.7	8 12 10	22 13 24 23	=	7.8 4.7 7.6 7.0	<.010 <.010 <.010	<.010 <.010	 	<5 	70 	==
82-03-19 82-04-18 82-04-19 82-05-17 82-06-01	16	1.7	9	21 22 21 22 24	<.1 	7.4 8.0 7.2 7.2 7.7 6.8	<.010	<.010	Ξ	=	=	=======================================
82-07-01 82-07-28 82-08-26 82-09-27	16 	1.7	 8 	21 21 21	Ξ	7.5 7.1 7.6 7.7	•010 			<5 	Ξ	Ξ
	0	TE R	HRO- IUM, COPP OTAL TOT ECOV- REC RABLE ERA UG/L (UG S CR) AS	AL TOV- RBLE E	OTAL ECOV- I RABLE UG/L	LEAD,	MANGA- NESE, N TOTAL RECOV- ERABLE (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- T NIUM, R TOTAL E (UG/L	OTAL TO ECOV- RE RABLE ER	INC, DTAL ECOV- RABLE JG/L 5 ZN)	
	80-09 81-02 82-01 82-01 82-02	-05 -02 -20	Ξ	50 30 50	<10 50 <30	=======================================	20 <10 10 	=======================================	<2 <2 	=	<10 <10 40	
	82-03 82-04 82-04 82-05 82-06	-18 -19 -17	Ξ	 40 	<30 	=======================================	20	=======================================	=======================================	=	<20 	
	82-07 82-07 82-08 82-09	-28 -26	==	40 	<10	=======================================	20	Ξ	=======================================	=	20	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION			LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	(FEE	DUC' ANCI L LAI T) (UMHO	(C H- F- S P S L OS) (UN	H AB ITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4056070730	072401	\$ 15962	SCWA MUD	RD. 1	112GLCLU 112GLCLU 112GLCLU 112GLCLU 112GLCLU	80-10-2 81-03-2 81-08-2	9 1 3 1 4 1	27 27	57 114 102 88 143	6.4 6.1 6.2 5.9	.09 .12 .14 .14	4.2 7.9 9.0 8.3	1.3 1.9 2.2 1.6 2.6
					112GLCLU 112GLCLU 112GLCLU 112GLCLU 112GLCLU	82-03-1 82-04-1 82-05-0	1 1 4 1 6 1	27 27 27 27 27	 53	6.1		 11	3.4
					112GLCLU 112GLCLU 112GLCLU	82-08-0	4 1	27 27 27	77 	6.3	.22	7.1	1.2
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO GEN, NITRAT TOTAL (MG/L AS N)	GEN E NITRI TOTA (MG/	TE AMMONIL TOTAL	N/ PHO NIA PHO AL TO VL (M	OS- RUS, A TAL G/L P)	RSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-09-22 80-10-29 81-03-23 81-08-24	3.7 6.6 7.1 5.9	.4 .5 .6	14 25 21 23	5.0 6.5 10 7.5	<.1 <.1	1.4 1.6 1.1	<.01 <.01 <.01 <.01	0 <.0	10	 	<5 	<20	3
82-01-21 82-02-17 82-03-11 82-04-14	9.0 	.7 	30 	12 12 12 7.0	=======================================	2.3 2.7 2.2 1.8	<.01 -	0 <.0		==	=	==	=
82-05-06 82-05-09	9.2	.9	25	7.0 12	<.1	3.4	<.01		0			=	1 (4)
82-06-10 82-08-04 82-09-08	4.4	-4	23	13 6.5 12	Ξ	2.2 .71 3.5	<.01	0 <.05	0	=	<5	=	Ξ
	DA 0 SAM 80-09 80-10 81-03 81-08	MI TO TE RE F ER (U AS -22 -29 -23	TAL TO COV- RE ABLE ER G/L (U	TAL TO COV- RE ABLE EN G/L (1	OTAL TECOV- RRABLE E JG/L (S FE) A	EAD, OTAL ECOV-	TOTAL RECOV- ERABLE (UG/L AS MN) 20 <10 <20	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVE TOTA RECO ERAB CUG/ AS A	L TO V- REC LE ER L (UI G) AS	NC, TAL COV- ABLE G/L ZN) 60 20 20 <10	
	82-02 82-03 82-04	-21 -17 -11	=	80 	40 <30	=======================================	<10 <10	=	<2 		-	20 	
	82-05 82-05	-06		100	<30	Ξ	<10	==	=	-	-	70	
	82-06 82-08 82-09	-04	Ξ	30	<30	=	<10	Ξ	=	Mari		<20	

245

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

			LOCA		GI	E0-	DATE	DEP		SPE CIFI CON DUCT	<u>-</u>		TUR	_	CALCIUM TOTAL RECOV-	MAGNE- SIUM, TOTAL RECOV-
STATION	NUMBER		I- FIE		LOC	SIC	OF SAMPLE	WEL	L	ANCE LAB (UMHO	P L	H AB ITS)	BID ITY (NTU		ERABLE (MG/L AS CA)	ERABLE (MG/L AS MG)
4053010731	53201	S 16129	SCWA (CARLSON A	VE 211MG 211MG 211MG 211MG 211MG	STY STY	80-10-09 81-02-11 81-08-05 82-01-18 82-04-08		550 550 550 550 550		44 30 28 30 40	6.1 5.8 5.5 5.4 6.4	:	08 16 14 11 12	2.9 1.5 1.5 1.4 2.2	.7 .5 .4 .4
					211 M	STY	82-07-14		550		28	5.8		28	2.3	.4
		POTAS-														
DATE	TOTAL RECOV-	SIUM, TOTAL RECOV-	LINIT	Y RID	E, FL		NITRO- GEN, NITRATE	GE	N,	NITR GEN AMMON	, PH	os- RUS,	ARSEN		TOTAL RECOV-	TOTAL RECOV-
OF	ERABLE	ERABLE	(MG			TAL	TOTAL	TOT		TOTA		TAL	TOTA		ERABLE	ERABLE
SAMPLE	(MG/L	(MG/L	AS	(MG		3/L	(MG/L	(MG		(MG/		G/L	(UG/		(UG/L	(UG/L
34111 22	AS NA)	AS K)	CAC			F)	AS N)	AS		AS N		P)	AS A		AS BA)	AS CD)
80-10-09	3.1	-4			.5		-32	<.0		<.01				5	<20	
81-02-11	3.1	. 3			. 5		.21	<.0		<.01				-		
81-08-05	3.2	- 4				<.1	.28	<.0		<.01				-		
82-01-18	3.1	.3			.5		.37	<.0		<.01				-		
82-04-08	3.4	. 4		10 2	.0	<.1	. 45	<.0	10	<.01	0		-	-		
82-07-14	3.1	.3		8 4	.0		.22	<.0	10	<.01	0		<	5		
		c	HRO-				м	ANGA-								
		M	IUM,	COPPER,	IRON,	LE	AD, N	ESE,	MER	CURY		SIL	VER,	ZI	NC.	
			OTAL	TOTAL	TOTAL	TO	TAL T	OTAL	TO	TAL	SELE-	TO	TAL		TAL	
			ECOV-	RECOV-	RECOV-			ECOV-		cov-	NIUM.		COV-		COV-	
			RABLE	ERABLE	ERABLE			RABLE		ABLE	TOTAL		ABLE		ABLE	
	SAM		UG/L	(UG/L	(UG/L			UG/L		G/L	(UG/L		IG/L		G/L	
		Α	S CR)	AS CU)	AS FE)	AS	PB) A	S MN)	AS	HG)	AS SE)	AS	AG)	AS	ZN)	
	80-10	0-09		40	<10			<10							<10	
	81-02			90	<30			<10			<8				20	
	81-08			50	<30			<10								
	82-01			50	<10			10			<2				20	
	82-04	-08		50	<30			10							<20	
	82-07	7-14		50	60			50							10	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

All sampl	es were c	ollecte	d and ana	alyzed by	SUTTOIK CO	unty wat	er Autho	rity.				
STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPT OF WELL Tota (FEE	DUCT ANCE L LAB	C - - PH LAE		ERABLE (MG/L	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4045340731	163101	S 1617	5 SCWA LO	OCUST DR.	112GLCLU 112GLCLU 112GLCLU	80-10-2 81-09-1 82-01-1 82-03-1 82-04-1	9 1 0 1 5 1	30 1 30 30				3.1 2.9
					112GLCLU 112GLCLU 112GLCLU	82-05-0 82-05-1 82-06-1 82-07-1 82-08-0	1 1 8 1 4 1	30 1 30 30			5 11	2.3
						82-08-1 82-09-1		30	-	: :		= =
4045280731	50801	S 1617	6 SCWA E	AST FORKS	112GLCLU	80-10-2 81-03-0 81-08-2	9 1	17 1	85 5	.3 .1 .2 .2 .7 .2	2 15	4.4 4.0 2.9
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS SIUM TOTAL RECOV- ERABLE (MG/L AS K)		RIDEA DIS- SOLVE (MG/L	RIDE, ED TOTAL (MG/L	NITRO GEN, NITRAT TOTAL (MG/L AS N)	GEN E NITRI	GEN TE AMMON L TOTA L (MG/	PHOSIA PHORU L TOTA L (MG/	ARSENI L TOTAL L (UG/L	ERABLE (UG/L	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-10-27 81-09-19 82-01-10 82-03-15 82-04-11	16 17 	1.9	14 9 	26 10 30	=	5.0 5.1 1.3 4.8	<.01 <.01	0 .16	0 -		===	=
82-05-05 82-05-11 82-06-18 82-07-14 82-08-02	13 19	1.5	15	18 19 25	<.1 	3.3 2.9 2.9 5.1 5.2	<.01 - - <.01	0 <.01	0 -		=	=
82-08-10 82-09-13					==	5.2	-					-
80-10-28 81-03-09 81-08-25	15 13 8.8	4.1 3.2 1.5	10	19	 <.1	9.6 6.7 3.1	<.01 <.01 .40	0 <.01	0 -	- <1 		Ξ
	C	ITE)F IPLE	CHRO- MIUM, TOTAL RECOV- ERABLE (UG/L AS CR)	COPPER, TOTAL RECOV- ERABLE (UG/L AS CU)	TOTAL T RECOV- R ERABLE E (UG/L	EAD, OTAL ECOV- RABLE UG/L	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)	ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN)	
	80-10 81-09 82-01 82-03 82-04	9-19 1-10 3-15	=======================================	130 70 	<10 <30 100	=======================================	150 200 170	=	=		<10 70 	
	82-05 82-05 82-06 82-08	5-11 5-18 7-14	=======================================	50 70	30 <30	=======================================	100 11.0 110 130 220	=======================================	=======================================	=======================================	20 350	1
	82-08 82-09		==				230 220	==		==		
	80-10 81-03		==	100 70	<10 100		330 260	==	<2	<250	<10 50	

SUFFOLK COUNTY--Continued

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

All sampl	tes mere c	ollected	and an	alyzeu b	, 34110	14 00	unity wat	er Auth	0, 10	,.					
STATION	NUMBER		LOCA IDENT I- FIER	-	L	GEO- OGIC UNIT	DATE OF SAMPLE		L,	SPE- CIFIC CON- DUCT- ANCE LAB	PH L A	В	TUR- BID- ITY (NTU)	CALCIU TOTAL RECOV ERABL (MG/L AS CA	TOTAL RECOV- E ERABLE (MG/L
4044020731	193202	S 16256	SCWA A	UGUST RD	211 211 211	MGTY MGTY MGTY MGTY MGTY	81-01-0 81-07-1 81-11-1 82-02-0 82-03-0	6	650 650 650 650 650		29 27 25 35	5.5 5.2 4.8 4.8	.30 .91 .91	1 1. 0 1.	3 .4 1 .4 9 .4
					211 211 211	MGTY MGTY MGTY MGTY MGTY	82-04-1 82-05-0 82-06-0 82-07-1 82-08-0	6 7 5	650 650 650 650			=======================================	=======================================		
					211	MGTY	82-09-1	3	650		-		-		
4052300730	030601	S 1630	9 SCWA	BOYLE RD	112 112 112	GLCLU GLCLU	30-11-1 81-04-2 81-09-2 82-03-2 82-07-2	1 12 11	251 251 251 251 251 251		60 66 65 64	7.2 6.1 6.2 6.7 6.9	.1:	3 5. 7 4. 2 5.	1.8 5 1.7 5 1.7
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)		Y RID D DIS L SOL (MG	E, F - R VED T /L (LUO- IDE, OTAL MG/L S F)	NITRO GEN, NITRAT TOTAL (MG/L AS N)	GE E NITR TOT (MG	AL /L	NITRO GENA AMMONI TOTAL (MG/L AS N)	PHO A PHOR TOT	US, AL /L	ARSENIC TOTAL (UG/L AS AS:	ERABL (UG/L	TOTAL RECOV- E ERABLE (UG/L
81-01-06	3.2	.4			.5		<.01			<.010				<30	
81-07-14 81-11-16	3.3	-4			•0 •5	<.1	<.05 <.05			<.010					
82-02-08 82-03-04	3.2	-4					<.05		10	<.010				==	==
82-04-11				_											
82-05-06															
82-06-07 82-07-15										-		10	==	===	==
82-08-05				-											
82-09-13			-	-							.0	80			17.20
80-11-19	3.5	.4			. 5		.10			.080			<5	<20	
81-04-21 81-09-22	3.8 3.7	.5			.0	<.1	.03			<.010		20 40			
82-03-21	7.6	. 5	2	1 5	.0		.04	<.0	10	<.010	. 2	80		==	
82-07-28	5.0	.6	2	4 5	.5	<.1	.05	<.0	110	<.010		70			7.77
	0	TE F	HRO- IUM, OTAL ECOV- RABLE UG/L S CR)	COPPER, TOTAL RECOV- ERABLE (UG/L AS CU)	IRON, TOTAL RECOV ERABL (UG/L AS FE	- R E E	EAD,	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	TO RE ER (U	CURY TAL COV- ABLE G/L HG)	SELE- NIUM, TOTAL (UG/L AS SE)	REG ER	TAL COV- ABLE G/L	ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN)	
	81-01			40	270			<10						30	
	81-07 81-11			20 <10	260 270			<20 <10			<2			130	
	82-02 82-03			40	280 830		==	<10			<2			10	
														-	
	82-04 82-05				400 250										
	82-06 82-07				180 890								77	==	
	82-08				120										
	82-09	-13		:	200										
	80-11	-19		20	<100			<10						<10	
	81-04			<10 <20	<30 <30			<10 10			<2		==	130 50	
	82-03	5-21		20	190		5	10			<2			890	
	82-07	-28		20	60			10						320	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET	DUCT ANCE L LAB	C - - PH	B I1	UR- RE	CIUM TAL COV- ABLE	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4049470724	05601	S 16892	SCWA OLD	COUNTRY	112GLCLU 112GLCLU	80-10-2 81-03-0 81-08-1 82-01-0 82-04-2	9 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	76 76 76	70 48 52	5.9 5.5 5.6 5.5 6.0	.11 .08 .14 .17	3.7 4.1 3.0 2.2 3.1	1.3 1.4 1.2 1.2
					112GLCLU	82-08-0	2 7	76	87	5.6	.17	3.7	1.4
4049450724	14201	\$ 16893	SCWA OLD	COUNTRY	112GLCLU		9 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	70 1 70 70 1	40 83 01	5.8 5.7 5.6 5.6	.12 .30 .10 .13	6.0 8.2 6.4 4.2 5.6	2.0 2.2 1.5 1.6
					112GLCLU	82-08-0	2 7	70	99	5.7	.14	5.3	1.4
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)		CHLO- RIDE, DIS- SOLVEI (MG/L AS CL)	(MG/L	NITRO GEN, NITRAT TOTAL (MG/L AS N)	GEN	GENTE AMMON L TOTA L (MG/	PHO IA PHOR L TOT L (MG	US, ARSE	ENIC RETAL ER	TAL COV- ABLE IG/L BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-10-20 81-03-09	5.8	1.0	7 7	9.5 8.0	==	1.3	<.010				<5	<20	==
81-08-13 82-01-02	3.5	.8	9	8.5	<.1	.78	<.010 <.010	0 -	-				
82-04-22	4.3	.8	6	6.5	<.1	1.1	<.010						
82-08-02	8.6	1.1	8	14		1.2	<.010	0 <.01	0		<5		
80-10-20	16	1.0	11	27		-51	<.010				<5	<20	-
81-03-09 81-08-13	15 7.6	1.1	11	28 14	<.1	.54 .46	<.010				=		
82-01-02 82-04-23	10	1.0	10	16 17	<.1	.61 .83	<.010 <.010				=		==
82-08-02	9.0	1.0	9	15		.88	<.010	0 <.01	0		<5		
	0	TE F	OTAL T ECOV- R RABLE E UG/L (OTAL 1 ECOV- F RABLE E	TOTAL T RECOV- R ERABLE E	EAD, OTAL ECOV- RABLE UG/L	TOTAL RECOV- ERABLE (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)	ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN)		
	81-03	-09	<10	50	<30		30 30		<10		100		
	81-08 82-01	-02		20	<30 40		<10 <10	==	<2		30 <20		
	82-04			20	<30		<10				10		
	82-08			20	<30		<10			112 8	30	6	
	80-10 81-03		<10	40 80	<10 50	==	<10 ⁻		<10		300	-	
	81-08	-13		60	<30		<10				100		
	82-01 82-04			30 40	30 <30		<10 10	- ::	<2	ev II	20 <20		
	82-08			40	<30		<10				<20		
	02-08	02		40	130	-	110				120		

SUFFOLK COUNTY--Continued

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEP OF WEL TOT (FE	CIF TH CO DUC L, ANC AL LA	N- T- E PI B L	1 2 3		TOTAL - RECOV- E ERABLE (MG/L
404952072	583601	S 1 7 037	SCWA RACE	E AVE.1	112GLCLU 112GLCLU 112GLCLU	80-09-1 81-02-0 81-08-0 82-01-0 82-01-1	9 4 2	155	190 128 176 99	5.7 5.5 5.6	.23 13 .49 7. .34 11 .13 5.	9 3.3
					112GLCLU 112GLCLU 112GLCLU	82-02-1 82-03-1 82-04-0 82-04-2 82-06-1	6 9 0	155 155 155 155 155	90 	6.6	.32 6.	1 1.5
					112GLCLL	82-07-1 82-07-1 82-08-2	5	155 155 155	170 	5.8	.20 11	
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO GEN, NITRAT TOTAL (MG/L AS N)	GE E NITR TOT (MG	N, GE ITE AMMO AL TOT /L (MG	NIA PHOP	G/L (UG	AL ERABL	TOTAL RECOV- E ERABLE (UG/L
80-09-17 £1-02-09 81-08-04 82-01-02 82-01-13	13 10 13 7.4	2.2 1.8 2.4 1.2	15 13 13 10	14 9.5 17 13	 <.1 	6.4 4.3 6.1 1.1	<.0 <.0 <.0	10 <.0 10 <.0 10 .1	10		<5 60 	Ξ
82-02-17 82-03-16 82-04-09 82-04-20 82-06-10	7.3	1.0	17 	6.5	<.1 	1.1 2.7 1.8 2.7 5.1	<.0	10 <.0	10	=		
82-07-14 82-07-15 82-08-26	14	2.5	14 	14	Ξ	6.5 6.2 3.1			10		<5 	
	0	M T TE R OF E	OTAL TO ECOV- RE RABLE EF UG/L (L	TAL TECOV- RABLE E	OTAL T ECOV- F RABLE E UG/L (EAD, TOTAL RECOV- ERABLE UG/L	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)	ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN)	-
	80-09 81-02 81-08 82-01 82-01	2-09 3-04 3-02	=======================================	30 50 110 60	50 50 <10 <30	=======================================	180 120 200 <10	=======================================	<2 <2 	=======================================	60° <10 70 10	
	82-02 82-03 82-04 82-04	-16 -09 -20	=======================================	20	 <30 	=======================================	10	=======================================	=======================================	=======================================	40 	
	82-07 82-07 82-08	-15	Ξ	40	60	=	230	==	Ξ	Ξ	420 	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by Suffolk County Water Authority.

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPT OF WELL TOTA (FEE	DUCT ANCE L LAB	C - - PH	B IT	D- ERABLE Y (MG/L	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4054130722	32901	S 17474	SCWA LONG	SPRING	112GLCLU 112GLCLU 112GLCLU 112GLCLU 112GLCLU	81-01-1 81-08-1 82-01-0	9 1 0 1 2 1	03 2 03 2 03 2	70 62 70	6.2 5.7	.28 23 .14 28 .09 29 .72 26	7.2 8.4 8.8 8.3
	-				112GLCLU 112GLCLU 112GLCLU 112GLCLU 112GLCLU	82-03-1 82-04-1 82-04-2	1 1 4 1 2 1	03 03 03 2	55	6.1	.15 28	9.1
					112GLCLU 112GLCLU 112GLCLU 112GLCLU 112GLCLU	82-07-1 82-08-0 82-08-1	3 1 1 1 1 1	03 03 2 03	80 	5.8	.17 28	9.3
4049330730	60301	s 17630	SCWA SAML	EL ST.2	112GLCLU	80-09-1	8 1	78 2	63		.19 15	6.2
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	(MG/L	NITRO GEN, NITRAT TOTAL (MG/L AS N)	GEN.	GEN TE AMMON L TOTA L (MG/	PHOIA PHOR TOT	US, ARSE	AL ERABLE	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-09-08 81-01-19 81-08-10 82-01-02 82-01-12	8.7 9.2 9.6 9.6	1.7 1.9 2.0 2.1	13 13 11 11	18 19 20 19 20	=======================================	6.2 7.1 6.7 6.5 6.8	<.010 <.010 <.010 <.010	0 <.01 0 <.01 0 <.01	0 0 0	=	40	=
82-02-10 82-03-11 82-04-14 82-04-22 82-05-12	9.6	2.0	 10	18 21 20 20 20	 <.1	6.4 7.0 6.8 6.8 7.6	<.01	0 <.01	- - 0 .	=		=
82-06-08 82-07-13 82-08-01 82-08-11 82-09-01	9.2	2.1	12	19 20 19 20 20	=======================================	5.1 9.9 6.7 6.7	<.01	0 <.05	0	Ξ	 <5 	=======================================
80-09-18	22	2.1	24	27		8.3	<.01	0 .04	0		<5 <20	
	. 0	TE R	OTAL TO ECOV- RE RABLE EN UG/L (1	TAL TECOV- RABLE E	OTAL T ECOV- R ERABLE E	EAD, OTAL ECOV- RABLE UG/L	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)	ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN)	
	80-09 81-01 81-08 82-01	-19 -10 -02	=	50 60 50 80	50 <30 <30 30	=======================================	<10 50 50 30		<7 <2 		110 30 40 20	
	82-02 82-03 82-04 82-04 82-05	-11 -14 -22	=======================================	50	 40	= -	40	=======================================	=======================================	=	10	
	82-06 82-08 82-08 82-08 82-08	-13 -01 -11	=	30	<30 	=======================================	20	=======================================	=======================================	=	50	
	80-09	-18		180	100		160				<10	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	OF WELL TOTA	H COI DUC , ANCI L LAI	IC N- T- E P) B L/	H 81	TOTAL JR- RECOV- ERABLE Y (MG/L	TOTAL RECOV- ERABLE (MG/L
025601	\$ 17689	SCWA JAYNE	BLVD.	211MGTY 211MGTY	80-11-30 81-04-26 81-09-23	5 5 5	43 43 43	41 39 38 54 47	6.7 7.2 6.4 6.4	.11 2.6 .11 3.6 .35 4.6	.8 .9 1.5
								41 40	6.5 6.2		
SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	(MG/L	RIDE, TOTAL (MG/L	GEN,	GEN NITRI TOTA (MG/	TE AMMONIL TOTAL	NIA PHOPAL TOTAL	RUS, ARSE TAL TOT G/L (UG	TOTAL ENIC RECOV- TAL ERABLE G/L (UG/L	TOTAL RECOV- ERABLE (UG/L
3.1 3.0 3.4 4.1 3.5	.3 .3 .5	14 11 13 19	4.0 4.5 6.0 3.5 5.0	<.1 <.1	.10 .05 .21 .82	<.01 <.01 <.01	0 <.0° 0 <.0° 0 .4°	10 10 20	:: :: ::	<5 <20 	<1
3.2 3.4	.3	12 14	4.0 5.0	<.1 	-18 -25				=	 <5	=
80-09 80-11 81-04 81-09 82-03	M TT R R F E F F F F F F F F F F F F F F F F	IUM, COPPOTAL TOT	AL TOV- RBLE E/L (CU) A 10 10 20 20 10	OTAL ECOV- RABLE UG/L	LEAD, NOTAL TOTAL TRECOV- RERABLE ECUG/L (ESE, OTAL ECOV- RABLE UG/L S MN) 20 <10 <10 10 <10	TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE) <2 <2	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)	ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN) 10 <10 130 130 10	
	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA) 3.1 3.0 3.4 4.1 3.5 3.2 3.4 4.1 3.5	POTAS— SODIUM, TOTAL TOTAL TOTAL RECOV— ERABLE (MG/L AS NA) AS K) 3.1 .3 3.4 .3 4.1 .5 3.5 .4 3.2 .3 3.4 .4 DATE R OF EL SAMPLE (III	IDENT- I- NUMBER	DENT- I-	IDENT-	NUMBER FIER SEO	NUMBER FIER	CIPT	NUMBER FIER	LOCAL IDENT	LOCAL IDENT

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4042330732	04101	S 18003	SCWA SAWYE	R AVE.	211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	80-12-21 81-07-29 81-12-28 82-01-10 82-02-25	668 668 668 668	25 26 27 23	5.2 4.7 4.0 	.10 2.0 .65 	1.1 1.0 1.1	.3 .4 .3
					211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	82-03-30 82-04-27 82-05-26 82-06-29 82-07-26	668 668 668 668	=======================================	=	=======================================	=======================================	
					211MGTY 211MGTY 211MGTY 211MGTY	82-07-27 82-08-26 82-09-28 82-09-29	668 668 668	49 24	4.5	1.4	.8	.3
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)		CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-12-21 81-07-29 81-12-28 82-01-10 82-02-25	2.0 2.1 2.2 2.4	.3 .4 .3 	1 5 2 	2.5 3.5 3.0 	<.1 	<.01 .11 <.01 <.05	<.010 <.010 <.010 <.010	<.010 <.010 <.010 <.010	=======================================	=======================================	<20 	=======================================
82-03-30 82-04-27 82-05-26 82-06-29 82-07-26	=======================================	=======================================	=======================================	=======================================	=======================================	=======================================	=======================================	=======================================	<.010 	=	=	=
82-07-27 82-08-26 82-09-28 82-09-29	2.0	.3	- 4 - - 4	2.5 3.5	<.1 	<.01 <.05	<.010 <.010	<.010 <.010	.030	 <5	Ξ	=
		M T TE R F E PLE (RABLE ERA	AL TO	DTAL TECOV- RABLE E	EAD, NOTAL TO ECOV- RABLE ENG/L	OTAL TO ECOV- RE RABLE ER UG/L (L	COV- NO RABLE TO	ELE- TO IUM, RE DTAL ER UG/L (L	TAL TO COV- RE RABLE ER	NC, TAL COV- ABLE G/L ZN)	
	80-12 81-07 81-12 82-01 82-02	-29 -28 -10		40 60 30 30	350 680 410 260	=======================================	<10 30 <10 <10	=======================================	<2 	=	10 100 140 <20	
	82-03 82-04 82-05 82-06 82-07	-27 -26 -29		=======================================	550 320 350 330 340	=======================================	=	=	=	=	=======================================	
	82-07 82-08 82-09 82-09	-26 -28	=======================================	20 50	360 530 460 1140	=======================================	20 <20	=======================================	=	=======================================	70 50	

SUFFOLK COUNTY--Continued

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

All samples were collected and analyzed by Suffolk County Water Authority.

82-08-03 82-09-07 82-09-29

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4047070731	190401	S 18261	SCWA PLYM	OUTH ST	211MGTY 211MGTY 211MGTY 211MGTY	80-12-22 81-07-21 81-12-28 82-02-23	377 377	77	5.2 4.8	.14 .16 .15 .18	4.4 2.4 2.9	1.1 2.1 1.7 1.0
4045280731	50501	\$ 18566	SCWA EAST	FORKS	211 MGTY 211 MGTY 211 MGTY 211 MGTY 211 MGTY	80-10-29 81-03-08 82-02-08 82-03-08 82-04-12	65	42 		.12 .36 .21	2.4 3.0 1.8	.7 .8
					211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	82-04-13 82-05-10 82-06-03 82-07-06 82-07-15	65	Ξ	 5.4	 -47	3.3	1.1
					211MGTY 211MGTY 211MGTY	82-08-03 82-09-07 82-09-29	65		5.9	.16	2.3	.8
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	GEN,	GEN,	PHOS-	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-12-22 81-07-21 81-12-28 82-02-23	4.1 6.5 6.5 4.9	.5 .7 .6	29 12 9 8	7.5 8.5 7.5 5.0	<.1	1.1 2.6 2.7 1.7	<.010 <.010 <.010 <.010	<.010 <.010 <.010 <.010	=======================================	=======================================	<20 	=======================================
80-10-29 81-03-08 82-02-08 82-03-08 82-04-12	3.4 3.4 3.6	- 4 - 4 - 4	8 9 7	5.0 7.0 3.0	=======================================	.04 <.01 <.01	<.010 <.010 <.010	<.010 .810 <.010	=======================================	<1 	<30 	=
82-04-13 82-05-10 82-06-03 82-07-06 82-07-15	 4.3		 9	5.5	 <.1	 -12	 <.010	 <.010	=	=======================================	=======================================	=======================================
82-08-03 82-09-07 82-09-29	4.0	.3	 9	5.0	Ξ		 <.010	 <.010	Ξ	 <5	=======================================	Ξ
	0	M T T R R F E PLE (OTAL TO ECOV- RE RABLE ER UG/L (U	TAL TO COV- RE ABLE EF G/L (U	DTAL TECOV- RABLE E	EAD, NOTAL TECOV- RABLE EUG/L	OTAL TECOV- REABLE E	RABLE T	ELE- TO IUM, RE OTAL ER UG/L (L	TAL TO COV- RE RABLE ER	NC, TAL COV- ABLE G/L ZN)	
	80-12 81-07 81-12 82-02	-21 -28		80 190 270 70	120 40 120 <30	=======================================	<10 20 <10 <30	=======================================	Ξ.		<10 110 <20 90	
	80-10 81-03 82-02 82-03 82-04	-08 -08 -08	=======================================	50 <20 40	<10 850 <30 <30 <30	=======================================	20 <20 <10 20 <10	=======================================	=======================================	Ξ	<10 60 <10	
	82-04 82-05 82-06 82-07 82-07	-10 -03 -06	=======================================	 200	40 30 30 <30 360	=======================================	<10 20 50 20 10	=======================================	=======================================	=======================================	 170	

230 <30 40

100

==

30 10 10 ==

--20

1

QUALITY OF GROUND WATER

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4047040731	190401	S 1862	1 SCWA PLY	MOUTH ST	112GLCLU 112GLCLU 112GLCLU	80-12-22 81-07-20 81-11-17 82-02-23 82-07-28	201 201 201 201 201	85 54 75 72 84	6.3 5.1 5.2 5.2 5.4	.22 .80 .12 .31	3.8 2.8 3.6 4.4 3.4	2.2 1.4 2.3 1.8 2.2
4103100715	570001		S 18762		112GLCLU 112GLCLU 112GLCLU	80-10-15 81-04-02 81-08-17 82-02-16 82-05-26	167 167 167 167	187 193 295 216 230	6.5 6.6 6.4 6.0	.43 .26 .37 .53	7.1 8.0 8.9 7.8 9.6	3.9 4.1 5.7 4.7
					112GLCLU	82-08-23	167	370	6.5	1.9	11	7.3
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS: SIUM: TOTAL RECOV- ERABLE (MG/L AS K)		CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	(MG/L	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-12-22 81-07-20 81-11-17 82-02-23 82-07-28	6.2 4.4 7.0 6.0 . 7.2	.6 .7 .6	10 10 12 11	9.0 6.0 9.5 6.0 8.0	<.1 <.1	2.7 1.6 3.2 2.3 2.9	<.010 <.010 <.010 <.010 <.010	<.010 <.010 .230 <.010 <.010	=======================================	==	<20 	=
80-10-15 81-04-02 81-08-17 82-02-16 82-05-26	22 21 37 28 28	1.4 1.3 1.9 1.9	26 27 30 29 37	34 33 66 40 44	 (.1	.30 .38 .44 .29	<.010 .010 <.120 <.010	<.010 <.050 <.010 <.010 <.010	<.100		50 	4 II
82-08-23	55	2.5	30	92		.51	<.010	<.010		<5		
	0	TE	TOTAL T RECOV- R ERABLE E (UG/L (OTAL T ECOV- R RABLE E UG/L	OTAL T ECOV- R RABLE E UG/L (EAD, NOTAL TECOV- RABLE EUG/L (DTAL TO ECOV- RE RABLE EF UG/L (L	RABLE TO	ELE- TO IUM, RE OTAL EF UG/L (U	DTAL TO ECOV- RE RABLE ER JG/L (U	NC, TAL COV- ABLE G/L ZN)	
	80-12 81-07 81-11 82-02 82-07	7-20 1-17 2-23	=======================================	170 250 <10 150	<10 170 <30 30 <30	=	<10 20 <10 <10 10	=======================================	=	<u>:</u>	<10 40 20 170 <20	
	80-10 81-04 81-08 82-02 82-05	3-02 3-17 2-16		<10 110 30 40	80 120 280 140 110	=	<10 30 50 20 40	=======================================		: :: ::	<10 30 <20 70	
	82-08			40	420		70				60	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

QUALITY OF GROUND WATER 255

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by Suffolk County Water Authority.

81-11-19

180

240

100

150

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET	DUCT- ANCE LAB	PH LAB	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4043010731	61901	\$ 19048	S SCWA UNI	ON ST	112GLCLU 112GLCLU 112GLCLU	80-10-20 81-03-00 81-08-10 82-01-20 82-01-20	6 73 8 73 4 73	11 11 11	30 4. 36 5. 23 5. 29 4.	0 .15	1.3 .5 1.1 .6	.5 .4 .4 .3
	÷				112GLCLU 112GLCLU 112GLCLU	82-02-2 82-03-2 82-04-2 82-05-0 82-06-2	2 73 7 73 3 73	11 · · · · · · · · · · · · · · · · · ·	66 4.	5 .39	 -7	 -3
					112GLCLU 112GLCLU	82-07-2 82-08-0 82-08-2 82-09-2	2 73 6 73	1 1	27 4.	4 .17	.6	 -4
4053560732	75801	S 19198	SCWA WEST	NECK R	211LLYD	81-11-1	9 43	1	47 6.	4	3.5	1.0
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	(MG/L	NITRO- GEN, NITRATI TOTAL (MG/L AS N)	GEN.	GEN. E AMMON TOTAL	PHOS- IA PHORUS L TOTAL L (MG/L	ARSENIC TOTAL (UG/L	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-10-26 81-03-06 81-08-18 82-01-24 82-01-25	2.4 3.8 2.8 3.7	.5 .5 .5	4 5 3 4	3.5 3.5 6.0 4.0	<.1 	<.01 <.10 <.05 <.05	<.010 <.050 <.010 <.010	<.050 <.010 <.010	2.04	Ξ	<20 	=======================================
82-02-23 82-03-22 82-04-27 82-05-03 82-06-23	7.7		 7 	4.0	 <.1		<.010	<.010	400 080	Ξ	=======================================	=======================================
82-07-27 82-08-02 82-08-26 82-09-27	3.3	.5	6	2.0	=	<.01	<.010	<.010	.090	<5 	=======================================	=
81-11-19	3.8	.7	11	4.0	<.1	.28	<.010	.810	o			
	0	M: TC TE R! PF E!	OTAL TO ECOV- RE RABLE ER JG/L (U	TAL T COV- R ABLE E G/L (OTAL TECOV- REABLE E	EAD, OTAL CONTRABLE UG/L		TOTAL RECOV- ERABLE (UG/L AS HG)		TOTAL T RECOV- R ERABLE E (UG/L (INC, OTAL ECOV- RABLE UG/L S ZN)	
	80-10 81-03 81-08 82-01 82-01	-06 -18 -24	<10 	50 40 70 10	360 410 270 420 340	=======================================	<10 30 <10 <10	=======================================	=======================================	=======================================	20 <10 30 30	
	82-02 82-03 82-04 82-05 82-06	-22 -27 -03	=	 40	770 470 510 290 400	=======================================	10	=======================================	=======================================	==	<20	
	82-07 82-08 82-08 82-09	-02 -26	Ξ	50	370 220 370 300	=======================================	<10 	=======================================	=======================================	=======================================	20	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by Suffolk County Water Authority.

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4049210731	22701	\$ 19399	SCWA WHEEL	ER RD.	112GLCLU 112GLCLU 112GLCLU	80-09-29 81-02-25 81-08-24 82-01-18 82-01-19	131 131 131	225 250 225 215	6.0 5.8 5.7	.13 .13 .20 .26	13 15 14 12	3.7 3.8 3.5 3.3
					112GLCLU 112GLCLU 112GLCLU	82-03-16 82-04-21 82-04-27 82-05-17 82-06-15	131 131 131	225	5.6	.14	12	3.3
					112GLCLU	82-07-13 82-07-20 82-08-12	131	225	5.7	.15	12	3.2
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	GEN,	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-09-29 81-02-25	24 24	2.2	23 18	36 38	==	2.9	<.010 <.050	.460 .520	==	<5 	50	==
81-08-24 82-01-18 82-01-19	20	2.6	23	33	<.1 	3.8 3.6	<.010 <.010	.930	==	===	==	=
82-03-16 82-04-21	22	2.5	 20	34 33	 <.1	3.4	<.010	.220				==
82-04-27				36		3.4						
82-05-17				33		3.6						
82-06-15						2.4						
82-07-13				35								
82-07-20 82-08-12	22	2.2	17	35 35		3.7 4.0	<.010	.310		<5 		
	DA O S A M	M: TE R: F E: PLE (:	RABLE ERA	TAL TO COV- REABLE EN	DTAL T ECOV- R RABLE E UG/L (EAD, NOTAL TECOV- RABLE EUG/L (TOTAL TO RECOV- RE RABLE ER	RABLE TO	LE- TO LUM, RE DTAL ER	TAL TO COV- RE ABLE ER	NC, TAL COV- ABLE G/L ZN)	
	80-09			60	50		40		==		<10	
	81-02 81-08			100 1 10	60 <30	==	40 30	==	==		60	
	82-01	-18		90	110		30		. ==		730	
	82-01	-19			<30		20					
	82-03				<30		<30					
	82-04			30	<30		<30				10	
	82-04 82-05				40 <30		20					
	82-06				<30		20					
	82-07 82-07			70	80 90		10 20			. 22	250	
	82-08				<30		20					

257

QUALITY OF GROUND WATER

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPT OF WELL TOTA (FEE	, ANCE	C I- I- I PH	B IT	D- ERABL Y (MG/L	TOTAL /- RECOV- LE ERABLE L (MG/L
404953072	583601	S 19408	SCWA RAC	E AVE.2	112GLCLU 112GLCLU 112GLCLU	80-12-1 81-02-0 81-08-0 82-01-0 82-01-1	8 1 5 1 2 1	66 66 1	92 28	6.4 5.8	.09 8. .13 7. .17 8. .50 10	5 2.2
					112GLCLU 112GLCLU 112GLCLU	82-02-1 82-03-1 82-04-0 82-04-1 82-05-2	8 1 1 1 0 1	66 66 66 66	 91	 6.6	.20 6.	4 2.4
					112GLCLU 112GLCLU 112GLCLU	82-06-10 82-07-10 82-07-10 82-08-10 82-09-0	3 1 4 1 1 1	00	12	6.2	.26 7.	2 2.8
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)		CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	(MG/L	NITRO GEN, NITRAT TOTAL (MG/L AS N)	GEN	FE AMMON L TOTA L (MG/	PHO IA PHOR L TOT L (MG	US, ARSE	AL ERABL	TOTAL RECOV- E ERABLE UG/L
80-12-11 81-02-08 81-08-05 82-01-02 82-01-14	5.0 5.4 9.0 7.5	.6 .7 1.2 1.0	25 19 17 23	6.0 6.0 12 10	<.1 	.87 1.9 3.1 1.8 1.9	<.01 <.01 .13 <.01	0 <.01 0 <.01 0 <.01	0		<5 <30	Ξ
82-02-17 82-03-18 82-04-01 82-04-10 82-05-21	 5.6		21	6.0	 <.1	1.9 1.8 1.8 1.8	1/2	0 <.01	0			=
82-06-16 82-07-13 82-07-14 82-08-11 82-09-08	7.9	1.0	18 	8.0	=	2.1 3.1 2.9 4.0 3.7	<.01	0 <.01	0	-	<5 	==
	0	TE R	OTAL T ECOV- R RABLE E UG/L (OTAL T ECOV- R RABLE E UG/L (OTAL TECOV- REABLE EUG/L	EAD, OTAL ECOV- RABLE UG/L	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)	ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN)	
	80-12 81-02 81-08 82-01 82-01	-08 -05 -02	=======================================	30 30 80 30	<10 50 20 170	=	<10 20 60 <10	, <u>=</u>	=======================================	=======================================	<10 490 100 20	
	82-02 82-03 82-04 82-04 82-05	-18 -01 -10	=======================================	 <20	 <30	=======================================	 20	=======================================	=======================================	=======================================	 90	
	82-06 82-07 82-07 82-08 82-09	-13 -14 -11	=======================================	30 	50 	=======================================	60	=======================================	=	=======================================	10	
	82-05 82-06 82-07 82-07 82-08	-21 -16 -13 -14	=	 30 	 50 	=	60	 	=	=======================================	10	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS	PH LAB	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4054430730	064501	S 19465	SCWA DAN	WEBSTER	112GLCLU 112GLCLU 112GLCLU 112GLCLU	81-03-1 82-01-1	8 178 2 178	13	6 6.	5 .15	9.4 8.8 6.9	3.8 3.5 3.1
					112GLCLU							
		•			112GLCLU 112GLCLU						==	=======================================
					112GLCLU 112GLCLU						6.4	2.8
					112GLCLU							
					112GLCLU				: :			- ::
					112GLCLU 112GLCLU	82-08-0	5 178	10	8 5.	8 .11	6.4	2.9
					112GLCLU	82-09-0	9 178	-	-			
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO GEN, NITRAT TOTAL (MG/L AS N)	GEN,	GEN,	PHOS-	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-11-04	9.0	.7	19	12		4.2	<.010	<.010		<5	<20	
81-03-18 82-01-12	9.0	.7	21	13		4.0 3.6	<.010	<.010				
82-01-22 82-02-09	8.4	.7	18	13		3.4	<.010	<.010	==			
82-03-15	-					3.3						
82-04-19				13		4.8						
82-05-09 82-05-10	8.3	.7	22	8.5	<.1	3.1 3.3	<.010	<.010	==	==		
82-06-14						2.2						
82-07-27 82-08-01	==	=	==	==	==	3.2	==		==	=	==	==
82-08-05	8.1	.7	21	11		3.1 3.0	<.010	<.050		<5		
82-09-09						2.9		-		-		
	0	M T ATE R OF E APLE (OTAL T ECOV- R RABLE E UG/L (OTAL T ECOV- R RABLE E UG/L (OTAL T ECOV- R RABLE E UG/L (EAD, OTAL ECOV- RABLE UG/L	TOTAL T RECOV- R ERABLE E (UG/L (RABLE	SELE- NIUM, TOTAL (UG/L	TOTAL TO RECOV- RI ERABLE EI (UG/L (I	INC, DTAL ECOV- RABLE JG/L S ZN)	
	80-11			<10	<10		<10				30	
	81-03 82-01			70	80		20				70	
	82-01 82-02	1-22	==	20	<30	==	<10		== .		40 .	
	82-03											
	82-04	-19										
	82-05 82-05			20	<30		<10		-		100	
	82-06											
	82-07	7-27										
	82-08	3-01										18
	82-08 82-09			<20	<30		<10				<20	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

259 QUALITY OF GROUND WATER

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- Logic Unit	OF		TH CI	SPE- IFIC CON- JCT- NCE AB	PH Lab (units)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4045500731	104301	S 19565	SCWA BEL	LMORE AV	211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	81-05-2 81-10-0 82-01-2	26 08 26	117 117 117 117 117	207 205 195	5.9 5.5 5.3	.11 2.0 .20 	16 17 15 	3.3 3.5 3.2
					211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	82-04-2 82-05-1 82-06-2	27 13 23	117 117 117 117 117	 200	5.5	 .20	14	3.0
4048080731	113301	S 19584	SCWA HAL	F MILE R		U 81-08-0		155 155	148 155	5.8 5.7	.13	13 12	3.4 3.9
4051290730	071901	S 1988	4 SCWA SY	CT #1	112GLCL	.U 81-01-2 .U 81-09-1 .U 82-01-0	17	288 288 288	102 73	6.1	.14	6.1 6.1	2.0
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVEI (MG/L AS CL)	(MG/L	NITRAT	GE TE NITR TOT	N, C ITE AMM AL TO	ITRO- GEN, MONIA OTAL MG/L G N)	PHOS- PHORUS, TOTAL (MG/L AS P)	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-12-02 81-05-26 81-10-08 82-01-26 82-02-22	13 15 14	3.5 4.4 4.1	1 10 12 	19 21 20	<.1	5.2 5.6 5.5		10 <.	.010 .010 .010	=======================================	=======================================	<20 	=======================================
82-03-18 82-04-27 82-05-13 82-06-23 82-07-14	14	 4.3	 8	 16	=	5.5 5.2 5.4 5.6		 10 <.		=======================================	 <5	=	=======================================
81-08-06 81-12-02	11 12	.8	26 25	17 15	<.1	3.0	<.0 <.0		180		==	==	==
81-01-25 81-09-17 82-01-07	8.3 5.9	.9 .7	15 15 	8.5 8.0	=======================================	1.2	<.0 <.0		.010 .010 	==	Ξ	Ξ	Ξ
	DA O SAM	M T TE R F E PLE (OTAL ECOV- RABLE UG/L	RECOV- I	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	LEAD, TOTAL RECOV- ERABLE (UG/L AS PB)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SEL NIU TOT (UG	E- TO M, RE AL EI /L (I	DTAL TO ECOV- RE RABLE EF UG/L (INC, DTAL ECOV- RABLE UG/L S ZN)	
	80-12 81-05 81-10 82-01 82-02	-26 -08 -26	=======================================	90 300 350	<10 <30 <30	=======================================	70 90 80 	=======================================			=======================================	<10 70 60 	
	82-03 82-04 82-05 82-06 82-07	-27 -13 -23	=	 20	 30	=======================================	 80	=======================================		=	=======================================	 60	
	81-08 81-12		22	40 40	60 20	==	30 10	==			==	90	
	81-01 81-09 82-01	-17	=	10 <10	60 190	==	<10 <10	=		=	Ξ	50 80	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

										+		
STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET	SPE CIFI CON DUCT ANCE LAB (UMHO	C - - Ph Lab	TUR- BID- ITY) (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS.MG)
4051280730	72001	S 1988	5 SCWA SY	CT #2	112GLCLU 112GLCLU 112GLCLU	3 80-09-10 3 81-01-22 3 81-08-10 3 82-03-04 3 82-03-15	2 29 29 4 29	7 1 7 1 7	35 - 48 5. 30 5. 	7 .15	9.0 9.4	3.0 2.6 3.0
					112GLCLU	J 82-04-13 J 82-06-23 J 82-09-03 J 82-09-08	29	7 1	41 5. 38 5.	8 .15 8 .16	7.7 8.2	2.8
4046340730	70401	\$ 20045	SCWA LOC	UST AVE.	112GLCLU	31-03-05	14	0 1	95 5.	2 .21	11	3.8
4045190732	25101	S 20057	SEWA CIR	CLE DR.	112GLCL	J 80-12-23 J 81-07-23 J 81-12-23 J 82-02-23	1 20 3 20	0	31 5. 25 - 25 4. 25 4.	- 2.4 8 .28	1.5	.4 .3 .3 .3
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	(MG/L	NITRO- GEN, NITRATI TOTAL (MG/L AS N)	GEN,	GEN	PHOSTIA PHORUS L TOTAL L (MG/L	, ARSENIC	ERABLE (UG/L	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-09-10 81-01-22 81-08-10 82-03-04	10 12 11	.9 1.1 1.1	18 19 16	11 12 14	 <.1	4.3 5.0 4.3 4.5	<.010 <.010 <.010	<.01 .13 <.01	0 0	<5 	<20 	
82-03-15	13	1.1	18	13		4.6	<.010	<.01	0 <.010			
82-04-13 82-06-23 82-09-07 82-09-08	12	1.3	18 17	13 14	<.1	4.4 3.3 4.7 4.8	<.010 <.010	<.01	0	<5	-=	-
81-03-05	17	2.2	60	27		4.4	<.010	.05	0			
80-12-22	2.7	.4	5	6.5			<.010	<.01			<20	
81-07-21 81-12-28 82-02-25	2.8	.5	7 7 5	4.0 3.0 3.0	<.1	.22 .21 .10	.010 <.010 <.010	<.01 <.01 <.01	0	=		Ξ
	DA O Sam	TE RI F EI PLE (I	OTAL T ECOV- R RABLE E UG/L (OTAL TECOV- REABLE E	OTAL TECOV- FRABLE E	EAD, NOTAL TOTAL TECOV- FERABLE E	TOTAL RECOV- RABLE CUG/L	ERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L	TOTAL T RECOV- R ERABLE E (UG/L (INC, OTAL ECOV- RABLE UG/L S ZN)	
	80-09			30	<30		<10				<10	
	81-01 81-08			20	300 <10		<10				780 250	
	82-03 82-03	-04	==	20	<30		<20			=	50	
	82-04									1		
	82-06	-23		<20	<30		20				<20	
	82-09 82-09			<20	30	==	10	22,0			<20	
	81-03	-05		90	170		180				400	
	80-12	-22		20	60		<10				40	
	81-07 81-12	-21		50 60	260 130		30 <10	==		==	40 210	4
	82-02			40	30		<10				20	•

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

QUALITY OF GROUND WATER 261

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	OF	DEPTH OF WELL, TOTAL (FEET	DUCT ANCE LAB	C - - PH LAI		CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
40451607322	5101	\$ 20300	SCWA CIRC	E DR.	211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	81-07-2	1 23 9 23 5 23	32 32 32	29 19 20	5.6 .1 4.9 .1 4.5 .0 5.0 .1 5.5 .0	0 1.9 8 .6 4 .8	.2 .3 .2 .2
40493607315	2501	S 20369	SCWA AUTU	4N DR.	211MGTY 211MGTY 211MGTY 211MGTY	82-01-1 82-04-0	3 31 7 31	2 2	41 5	5.8 .1 5.6 .1 6.5 .1	1 2.2 8 4.7	.9 .9 .9
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATI TOTAL (MG/L AS N)	GEN,	GEN E AMMON TOTA (MG/	PHOSIA PHORU L TOTAL	AL TOTAL	ERABLE (UG/L	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-12-22 81-07-21 81-12-29 82-02-25 82-07-28	2.0 2.3 2.3 2.3 2.2	.3 .4 .3 .3	5 8 7 6	4.5 3.0 2.5 4.0 2.5	<.1 <.1	<.01 .91 <.01 <.05 <.01	<.010 <.010 <.010 <.010 <.010	<.01 <.01 <.01	0 -		<30 	=
81-08-06 82-01-18 82-04-07 82-08-07	4.4 4.2 4.2 4.3	.5 .5 .5	13 12 13 11	6.5 4.5 5.0 5.0	<.1 <.1	.70 1.5 .81 .75	<.010 <.010 <.010	<.01 <.01	0 -	 <5	Ξ	Ξ
	DA 0 SAM 80-12 81-07 81-12	M T TE R F E PLE (A	RABLE ER	TAL TOV- RABLE E	OTAL ECOV- RABLE UG/L	LEAD, ITOTAL TOTAL TERABLE ITOTAL	TOTAL RECOV-	ERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	TOTAL RECOV- FERABLE FOR CUG/L	ZINC, FOTAL RECOV- ERABLE (UG/L AS ZN)	
	82-02 82-07 81-08 82-01 82-04 82-08	-28 -06 -18 -07	=======================================	40 30 40 20 20 30	<30 40 <30 <30 30 <30	II II II	<10 <10 <10 <10 10	=======================================	=======================================	:: ::	120 270 <20 10 140 50	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH Lab (Units)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4042400732	25002	S 20460	SCWA TENETY	ST.	211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	80-12-17 81-07-13 81-11-04 82-01-05 82-02-03	499 499 499	51 31 55	5.6 4.2 6.0	.13 .13 .28	1.6 2.1 5.7	.4
lý.		•			211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	82-03-04 82-03-17 82-04-11 82-05-04 82-06-06	499 499 499	37 32	5.0	2.5	.9 .9	.3
					211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	82-06-08 82-07-08 82-08-03 82-08-23 82-09-22	499 499 499	36	4.8	-12	1.0	 -3 -3
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	GEN,	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-12-17 81-07-13 81-11-04 82-01-05 82-02-03	4.7 3.7 5.2	.3	7 4 18 	5.0 7.0 3.5	 <.1 	<.01 <.05 <.01	<.010 <.010 <.010	<.010 <.010 <.010	1.79 .390 .130		<20 	=
82-03-04 82-03-17 82-04-11 82-05-04 82-06-06	4.4 3.3	 -4 -3	5 4	3.5	 <-1	<.01 <.01	<.010 <.010	<.010 <.010	.130 .480 .170 .150	=	=	=
82-06-08 82-07-08 82-08-03 82-08-23 82-09-22	4.2	 -4	 -4	4.0	=======================================	 <-05	 <.010	 <.010	1.61 .230 .040	=	=	=
	0	M T T R P E P E P E P E P E P E P E P E P E P	HRO- IUM, COPP! OTAL TOT. ECOV- RABLE ERAI UG/L (UG. S CR) AS	AL TOV- R BLE E	OTAL 1 ECOV- F RABLE E	LEAD, NOTAL TRECOV- RERABLE ECUG/L	OTAL TECOV- REABLE E	RABLE TO	ELE- TO IUM, RE DTAL EF UG/L (L	TAL TO ECOV- RE RABLE ER	NC, TAL COV- BABLE IG/L ZN)	
	80-12 81-07 81-11 82-01 82-02	-13 -04 -05	= :	30 40 30	200 440 110 880 460	= .	30 30 <10	=======================================	=	=	<10 200 10	
	82-03 82-03 82-04 82-05 82-06	-17 -11 -04	= :	70	650 590 540 470 950	=======================================	30 40	=======================================			70 110	
	82-06 82-08 82-08 82-08 82-09	7-08 3-03 3-23	3	 40	990 600 470 300 450	=======================================	20		=		 <20	

SUFFOLK COUNTY--Continued

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

All samples were collected and analyzed by Suffolk County Water Authority.

81-07-14 81-09-22 82-03-09 82-06-15 82-09-20

40 <30 <30 50 <30

<20 <10 20 10 20

::

::

100 30 <20 50 <20

::

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4045470731	104201	S 20479	SCWA BELL	IORE AV	112GLCLU 112GLCLU 112GLCLU	80-12-0 81-05-2 81-09-1 82-01-2 82-02-1	0 123 6 123 5 123	8 17 8 16 8 -	5.3 7 5.2	.11	14 14 13	3.3 3.3 3.2
	•				112GLCLU 112GLCLU 112GLCLU	82-03-1 32-04-0 82-05-2 82-07-2 82-08-2	1 128 0 128 0 128	8 8 8 18		 -38	14	3.2
					112GLCLU	82-09-2	7 128	8 15	3 5.6	.10	15	3.2
4052570732	202901	S 20530	SCWA LAURE	L HILL	112GLCLU 112GLCLU	81-07-1 81-09-2 82-03-0 82-06-1 82-09-2	2 60° 9 60° 5 60°	7 3 7 8 7 4	5.3 6.9 5.5.8	.08 .19 .19	2.6 1.5 8.4 3.5 6.5	.6 .5 1.0 .7
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	(MG/L	NITRO GEN, NITRAT TOTAL (MG/L AS N)	GEN,	GEN,	PHOS-	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-12-01	10	3.2	9	14		4.3	<.010	<.010			<20	
81-05-20 81-09-16	9.4	3.1	7 8	13 15	<.1	5.0	<.010 <.010	<.010 <.010			==	
82-01-25 82-02-11	==	==				4.9			==	==		==
82-03-12						3.7						
82-04-01						.53						
82-05-20 82-07-20	10	4.1	8	13	<.1	5.7	<.010	<.010			==	
82-08-23						5.6						
82-09-27	11	4.1	10	16		5.2	<.010	<.010		<5		
81-07-14	3.6	.4	9	6.0		1.1	<.010	.160	12			
81-09-22	3.6	. 5	11	3.0	<.1	1.1	<.010	<.010	-2			
82-03-09 82-06-15	4.5	.5	21 13	6.0	<.1	1.8	<.010 <.010	<.010 <.010				
82-09-20	3.6	.4	18	4.5		1.2	<.010	<.010		<5		
	0	M T T R P E P E P E	RABLE ER/	AL TOV- RABLE E	OTAL T ECOV- R RABLE E UG/L (EAD, OTAL ECOV- RABLE UG/L	TOTAL RECOV- F ERABLE F	RECOV- ERABLE (UG/L	SELE- T NIUM, R TOTAL E (UG/L (OTAL TO ECOV- RE RABLE ER UG/L (L	NC, TAL COV- RABLE IG/L C ZN)	
	80-12	2-01		100	<10		80				<10	
	81-05	-20	==	100	40		90				30 20	
	81-09 82-01			80	<30		80					
	82-02											
	82-03	3-12								122		
	82-04											
	82-05 82-07			20	40		80				60	
	82-08											
	82-09	-27	24	170	<30		90				30	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4043170731	53601	\$ 20566	SCWA N F	IFTH AVE	211MGTY	80-12-17	775	26	5.2	.52	.8	.3
					211MGTY	81-07-14	775	23	4.3	.18	.5	.3
					211MGTY	81-10-21	775	22		.23	. 8	. 3
					211MGTY 211MGTY	82-06-14 82-07-06	775 775		==			
					ZIINGII	82-07-08	,,,					
					211MGTY	82-07-21	775	22	4.9	.50	.5	.3
					211MGTY 211MGTY	82-08-09 82-09-20	775 775		==			- 11
					ZIIMGII	82-09-20	113				77	77
4052560730	145601	S 20591	SCWA HAWI	KINS RD.	112GLCLU	82-01-06	150					
DATE	SODIUM, TOTAL RECOV-	POTAS- SIUM, TOTAL RECOV-		CHLO-	FLUO-	NITRO- GEN,	NITRO- GEN, NITRITE	NITRO- GEN, AMMONIA	PHOS-	ARSENIC	BARIUM, TOTAL RECOV-	CADMIUM TOTAL RECOV-
OF	ERABLE	ERABLE	(MG/L	DIS-	RIDE,	NITRATE	TOTAL	TOTAL	TOTAL	TOTAL	ERABLE	ERABLE
SAMPLE	(MG/L	(MG/L	AS	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(UG/L	(UG/L	(UG/L
	AS NA)	AS K)	CACO3)	AS CL		AS N)	AS N)	AS N)	AS P)	AS AS)	AS BA)	AS CD)
80-12-17	2.6	.3	4	5.0		<.01	<.010	<.010			<20	
81-07-14	2.9	.3	4	3.5		<.05	<.010	<.010				
81-10-21	3.2	.3	4	2.0	<.1	.01	<.010	<.010				
82-06-14									<.010			
82-07-06	-		-								-	-
82-07-21	2.9	-4	6	3.0		<.05	<.010	<.010		<5		
82-08-09												
82-09-20												
82-01-06				23		15						
			HRO-				NGA-		52		602	
								CURY STAL S			NC, TAL	
	DA										cov-	
	0										ABLE	
	SAM			UG/L (UG/L (UG/L (I	IG/L (L	IG/L (UG/L (U	IG/L (U	G/L	
		A	S CR) A	S CU) A	S FE) A	S PB) AS	MN) AS	HG) A	S SE) AS	AG) AS	ZN)	
	80-12			130	340		<10				140	
	81-07			90	330		<20				30	
	81-10			80	560		10				60	
	82-06 82-07				230 280			==			==	
				40								
	82-07 82-08		40	10	290 <30		<10		=			
	82-09				220							
	82-01	-04										
	82-01	-00	-						-	7.0	-	

SUFFOLK COUNTY--Continued

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4045040731	31701	S 20	603 SCWA 4	1 ST	112GLCLU 112GLCLU 112GLCLU	80-12-30 81-07-17 81-12-08 82-02-10 82-03-11	110 110 110	205 205 205 	5.1 5.2 5.0 	.33 .15 .13	12 11 12 	3.4 3.4 3.3
					112GLCLU 112GLCLU 112GLCLU	82-04-12 82-04-16 82-06-08 82-07-06 82-07-07	110 110 110	190 225	5.3	.30 -14	12	3.5 3.7
						82-08-09 82-09-07		==	==	==	==	
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVEI (MG/L AS CL:	(MG/L	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	GEN,	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-12-30 81-07-17 81-12-38 82-02-10 82-03-11	17 18 18 	2.7 2.3 2.7	11 10 12 	22 24 21 22 18	<.1 	6.3 6.1 5.5 6.7 7.7	.010 <.010 <.010	.550 .700 .790	=======================================	=======================================	60 	=======================================
82-04-12 82-04-16 82-06-08 82-07-06 82-07-07	19	2.6	10 12	21 22 25 24 24	 <.1	7.2 7.3 7.4 7.8	<.010 <.010	1.00	=======================================	=======================================	=	=======================================
82-08-09 82-09-07	Ξ	==		25 23	Ξ	7.5 7.3	Ξ	==	= #	==	Ξ	==
	0	TE R F E PLE (1 A	RABLE ERA	TAL COV- F ABLE F	TOTAL TRECOV- RERABLE E	EAD, NOTAL TECOV- RRABLE EUG/L (OTAL TO ECOV- RE RABLE EF UG/L (L	ECOV- NI RABLE TO JG/L (U	ELE- TO LUM, RE DTAL ER	TAL TO CCOV- RE RABLE ER IG/L (U G AG) AS	NC, TAL COV- ABLE G/L ZN) 30 <20	
	82-03 82-03	-10	Ξ			==	560 520	==	==	==		
	82-04 82-04 82-06 82-07 82-07	-16 -08 -06	=======================================	80 40	<30 <30 	:: ::	510 530 560 570 560	=======================================	=	=======================================	20 60	
	82-08 82-09					==	600 560	==	=	=		

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER	v.	GEO- LOGIC UNIT	OF	DEPT OF WELL TOTA (FEE	, ANCE	C I- I- E PH		D- ERABLE	TOTAL RECOV- ERABLE (MG/L
4044020731	93201	S 20635	SCWA AU	GUST RD	211MGTY 211MGTY 211MGTY 211MGTY	81-07-14 81-11-15	7 7	04 04 04	33 4 34 4	.8	.15 1.4 .40 2.3 .29 1.9	.6
					211MGTY			04	37 4	.5	.20 1.5	.5
					211MGTY			04				
					211MGTY 211MGTY			04 04				
					211MGTY		7	04				
					211MGTY	82-07-06	5 7	04	35 4	. 9	.24 1.1	.5
					211MGTY 211MGTY 211MGTY		7	04 04 04		=	= =	
		4										
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVE (MG/L AS CL)	(MG/L	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	GEN	GENTE AMMON L TOTA L (MG/	PHOS IIA PHORU IL TOTA IL (MG/	S, ARSE L TOT L (UG	AL ERABLE	TOTAL RECOV- ERABLE (UG/L
80-12-22	2.9	.5	4	6.0		<.01	<.01	0 <.01	0 .14	0	<30	
81-07-14	3.3	.5	6	4.5		<.05	<.01					
81-11-15 82-01-10	3.5	.5	5	4.5	<.1	<.05	<.01		0 .16			
82-02-04	3.8	.6	4	4.0		<.05	<.01	0 <.01				
82-03-03							-		16			
82-04-05 82-05-05				==			-		06 04			
82-06-07							-					
82-07-06	3.1	.5	6	3.0	<.1	<.05	<.01	0 <.01	0 .10	0		
82-07-16							-		57			
82-08-20 82-09-07	==	==		==					: :			=
		MI TO ATE RE OF ER	TAL T COV- R ABLE E	OTAL ECOV- RABLE	TOTAL RECOV-	LEAD, NOTAL TOTAL RECOV- RECOV	TOTAL RECOV- ERABLE (UG/L	MERCURY TOTAL RECOV- ERABLE (UG/L	SELE- NIUM, TOTAL (UG/L	SILVER, TOTAL RECOV- ERABLE (UG/L	ZINC, TOTAL RECOV- ERABLE (UG/L	
		AS	CR) A	s cu)	AS FE)	AS PB)	AS MN)	AS HG)	AS SE)	AS AG)	AS ZN)	
	80-12			<10	600		<10			==	50	
	81-07 81-11			50 <10	530 700		<20 <10				140	
	82-01	1-10			650							
	82-02	2-04		40	570		<10				40	
	82-03				610							5
	82-04 82-05				620 480					===	= =	
	82-06				610							
	82-07			40	480		20				20	
	82-07				560							
	82-08				440							
	82-09	9-07			480						**	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET	DUCT ANCE LAB	C - - PH	B B I	UR- ID- TY	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4049410723	372207	S 20688	SCWA MEET	TING HOU	112GLCLU 112GLCLU 112GLCLU	80-10-20 81-03-09 81-08-17 81-10-06 82-01-02	7 7 7	8 8 1 8	91 78 00 91 71	6.0 5.6 6.0 5.6 5.4	.07 .16 .13 .23	5.1 5.3 6.6 5.6 4.3	2.3 2.3 3.4 2.8 2.0
	2)					82-04-22 82-07-27			65 99	6.4	.15	4.4 6.1	1.9
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO GEN, NITRIT TOTAL (MG/L AS N)	GEN E AMMON TOTA (MG/	PHO IA PHOS L TO	TAL TO	ENIC TAL IG/L AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-10-20 81-03-09 81-08-17 81-10-06 82-01-02	5.3 4.5 5.9 5.6 4.4	.7 .8 .7 .8	18 13 24 17 12	7.0 6.5 7.5 8.5 7.0	=======================================	.90 1.2 .87 .92	<.010 <.050 <.010 <.010 <.010	<.05 <.01 <.01	0 0 0	== == ==	<5 	20 	=======================================
82-04-22 82-07-27	4.5 6.3	.8	9 22	6.0 8.5	<.1	1.2	<.010 <.010			::	 <5	Ξ	Ξ
	0	TE R F E (A A -20 -09 -17 -06 -02 -22	OTAL TO ECOV- RE RABLE EF UG/L (L	TAL T COV- R ABLE E	OTAL TO COV- REABLE EUG/L (EAD, NE OTAL TO ECOV- RE RABLE EF UG/L (U	TAL ECOV- RABLE JG/L	ERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)	TO RE ER (U AS	NC, TAL COV- ABLE G/L ZN) 20 20 <20 10 20	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPT OF WELL TOTA (FEE	DUC'	IC N- T- E P B L	H AB ITS) (TUR- BIO- ITY NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4050450731	20401	S 20689	SCWA NEW	YORK AV	211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	80-09-2 81-02-2 81-08-0 82-02-0 82-03-1	4 5 5 5 9 5	96 96 96 96	5 3 4 8 	6.5	.63 .14 .25	3.3 3.9 3.6	1.5 1.6 1.6
					211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	82-04-1 82-04-2 82-05-1 82-06-0 82-07-1	1 5 1 5 8 5	96 96 96 96	51 	6.2	.23	3.5	1.6
					211MGTY 211MGTY 211MGTY	82-07-1 82-08-1 82-09-1	1 5	96 96 96	47	6.5	-40	3.3	1.6
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO GEN, NITRAT TOTAL (MG/L AS N)	GENITRI TOTA (MG/	TE AMMO	N, PH NIA PHO AL TO /L (M	TAL 1	SENIC TOTAL TUG/L	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-09-25	3.1	.4	15	3.5		<.01					<5	<30	
81-02-24 81-08-05	3.3	.5	18 18	3.5 4.0	<.1	<.10 <.05							
82-02-09													
82-03-10								-					
82-04-13													
82-04-21	3.3	.5	17	3.5	<.1		<.01						
82-05-11 82-06-08				==					-				
82-07-13													
82-07-15 82-08-11	3.3	.6	18	2.5	==	<.05			10	==	<5		
82-09-14									-				
			HRO- IUM, CO	PPER, I	RON, L		MANGA- NESE,	MERCURY		SILVER	. 71	NC,	
	DA O SAM	TE RIF E	OTAL T ECOV- R RABLE E UG/L (OTAL T ECOV- R RABLE E UG/L (OTAL TECOV- RABLE E	OTAL RECOV- RABLE UG/L	TOTAL RECOV- ERABLE (UG/L AS MN)	TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	TOTAL RECOV ERABL (UG/L AS AG	TO RE	TAL COV- ABLE G/L ZN)	
						13 PB/		A3 1107					
	80-09 81-02		<10	30 30	520 60		<10 <10		- ::	- :		20 80	
	81-08			20	160		<10					50	
	82-02				60								
14	82-03	-10			<30		10						
	82-04				60		<10				1.00		
	82-04			20	40		<10					60	
	82-05 82-06				90 <10		50.		- :				
	82-06				<30		<10						
	82-07			20	160		40			11000			
	82-08 82-09				<30 70		40 10						
	02-09	14	100	-7.77	70		10		7.7			100	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE		L	SPE- CIFIC CON- DUCT- ANCE LAB	PH LA	8	TUR- BID- ITY NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4041580732	12201	\$ 20955	SCWA ALBI	N RD.	211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	80-12-2 81-07-2 81-11-1 82-01-0 82-02-2	6 8 7	630 630 630 630 630	2		5.8 4.8 4.5 5.0	.47 .24 .34 	1.8 .9 1.3	.3
					211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	82-02-2 82-03-1 82-04-1 82-05-1 82-06-1	5 3 7	630 630 630 630 630		<u>-</u> -	=======================================	=======================================	=	=======================================
					211MGTY 211MGTY 211MGTY	82-07-1 82-08-1 82-09-1	0	630 630 630	-	31 	5.0	.20	1.3	.3
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO GENA NITRAT TOTAL (MG/L AS N)	GE E NITR TOT	AL /L	NITRO GENA AMMONI TOTAL (MG/L AS N)	PHO A PHOR TOT	US, AR AL T	SENIC OTAL UG/L S AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-12-21	2.3	.3		3.5		<.01			<.010		30		<20	
81-07-26	2.3	.3	3	4.0		<.10			<.010		70			
81-11-18 82-01-07	3.5	-4	5	2.0	<.1	<.05			<.010		30			
82-02-21	4.7	.3	5	3.0		<.05	<.0	10	<.010	.9	CO			1.44
82-02-22										2	60			
82-03-15														
82-04-13											00			
82-05-17											80			
82-06-16	7								-	.0	30			
82-07-13	4.7	-1	3	7.5	<.1	<.01	<.0	10	<.010	.3	80			
82-08-10														
82-09-15										1.1	1			
	SAM	MI TO TE RE F ER PLE (U	IRO- LUM, COPP LTAL TOT COV- REC LABLE ERA G/L (UG CR) AS	AL TOV- RBLE E/L (CU) A	OTAL ECOV- RABLE UG/L S FE)	LEAD, TOTAL RECOV- ERABLE (UG/L AS PB)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	TO RE ER (U	CURY TAL COV- ABLE G/L HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER TOTAL RECOV ERABL (UG/L AS AG	TO - REE ER (UI) AS	NC, TAL COV- ABLE G/L ZN)	
	80-12 81-07			70 40	460 470		<10						30 410	
	31-11			20	370		<10						190	
	82-01	-07			400									
	82-02	-21		20	710		10						70	
	82-02				680	44								
	82-03				560									
	82-04 82-05				660 560									
	82-06			-	410									
	82-07			30	560		10						10	
	82-08				410						==			
	82-09	-13	3-1		380									

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	OF	DEPT OF WELL TOTA (FEE	, ANCI	IC N- T- E PH B LA	BI B IT	Y (MG	AL OV-	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
405134073	235702		S 21121		112GLCL	U 80-12-1 U 81-06-1	6 5	60	88 92 79	6.4	.20	5.2 6.1 5.2	1.9 2.3 2.0
						U 81-09-2 U 81-09-2		60 60	71	6.1		5.0	1.9
						U 81-10-1		60	73	6.1		5.7	2.0
					11261 (1	u 82-03-2	2 5	60	88	6.3	.50	5.0	2.0
		•				U 82-06-2		60	84	6.3	.10	6.9	2.0
					112GLCL	U 82-08-0	5 5	60	80	5.8	.15	6.5	2.0
		POTAS-											
	SODIUM,	SIUM, TOTAL	ALKA-			NITRO GEN,	- NITRO			s-	BARI		CADMIUM
DATE	RECOV-	RECOV-	FIELD		RIDE,	NITRAT				The state of the s			RECOV-
OF	ERABLE	ERABLE	(MG/L			TOTAL	TOTAL						ERABLE
SAMPLE	(MG/L AS NA)	(MG/L AS K)	AS CACO3	(MG/L		(MG/L AS N)	(MG/I				AS) AS		(UG/L AS CD)
	AS NA)	AS KI	CACUS	, AS CL	., 45 F)	AS NJ	AS N	, AS I	4) AS	P) AS	AST AS	DAI	AS CUI
80-12-16	5.8	.6	19			2.3	<.01					20	
81-06-16 81-09-24	6.0	.6	17 19			2.2	<.010						
81-09-29	5.9	.6	24			1.7	<.010						
81-10-13	6.1	.7	17			2.5	<.010						
82-03-22	5.8	.6	18	7.5		2.6		- <.01	10				
82-06-27	6.0	.7	21	7.5		2.6	<.010						
82-08-05	6.2	.6	18			2.5	<.01				<5		
			HRO-	OPPER,	IRON,		MANGA- NESE, I	MERCURY		SILVER,	ZINC,		
				TOTAL			TOTAL	TOTAL	SELE-	TOTAL	TOTAL		
		-	ECOV-	RECOV-			RECOV-	RECOV-	NIUM,	RECOV-	RECOV-		
			RABLE	ERABLE			ERABLE	ERABLE	TOTAL	ERABLE	ERABLE		
	SAP		UG/L S CR)	(UG/L AS CU)			(UG/L AS MN)	(UG/L AS HG)	(UG/L AS SE)	(UG/L AS AG)	(UG/L AS ZN)		
	80-12 81-06			40 50	30 <30		20 <10				20 30		
	81-09			80	<30		<10				20		
	81-09			<20	<30		10				20		
	81-10	13		540	<30		<10				100		
	82-03	3-22		50	330		<10				220		
	82-06	5-27		70	<30		<10				110		
	82-08	3-05		30	<30		<10				130		

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

271 QUALITY OF GROUND WATER

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	OF		L	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS	TUR- BID- ITY) (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4043040731	62001	S 21244	SCWA UNIO	N ST	211 MGTY 211 MGTY 211 MGTY 211 MGTY 211 MGTY	81-03-0 81-08-1 82-01-2	09 18 24	602 602 602 602 602	4 4 3 8 3 6 4 4	5. 5. 5.	7 2.2 9 .15 5 1.8	2.8 1.9 3.0	1.1 1.1 1.0 1.0
	i.				211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	82-03-2 82-04-2 82-05-0	23 28 03	602 602 602 602 602	41	6.	2 2.0		1.0
					211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	82-07-2 82-08-0 82-08-2	27 01 23	602 602 602 602 602	38 37	6.	2 1.5	2.8	1.0
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (Mg/L AS CACO3)	CHLO- RIDE, DIS- SOLVE (MG/L AS CL	(MG/L	NITRAT TOTAL	FE NITE TE NITE TOI L (MC	TAL G/L	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS-	ARSENIC TOTAL (UG/L AS AS)	ERABLE (UG/L	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-10-27 81-03-09 81-08-18 82-01-24 82-01-25	4.2 3.6 3.6 3.4	.6 .6 .5	13 11 10 11	4.0 3.5 4.0 4.0	<.1 <.1	<.05 <.05 <.05	0 <.0 5 <.0 5 <.0	050 010	<.010 <.050 <.010 <.010	-320 -180	=======================================	<30 	=======================================
82-02-23 82-03-23 82-04-28 82-05-03 82-05-25	3.9		 11	3.5	 <.1	.07	- 7 <.0	 010	<.010	.240 .450 .270 .330	=======================================	= = =	=======================================
82-06-23 82-07-27 82-08-01 82-08-23 82-09-27	3.8 3.6	 -6 -3	10	5.5	=	<.05	- 5 <.0	 010 010	<.010 .020	.200 .080 .210 .030 .460	<5 	=======================================	=======================================
	0	TE REF	RABLE ERA	AL OV- BLE /L	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	LEAD, TOTAL RECOV- ERABLE (UG/L AS PB)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	ERA (UG	AL S OV- N BLE T	ELE- IIUM, OTAL UG/L	TOTAL TRECOV- RERABLE E	INC, OTAL ECOV- RABLE UG/L S ZN)	
	80-10 81-03 81-08 82-01 82-01	-09 -18 -24	<10 	30 20 40 40	310 730 260 230 240	=======================================	20 30 <10 10		=======================================	:: :: ::	=======================================	<10 100 <10 20	
	82-02 82-03 82-04 82-05 82-05	-23 -28 -03	=======================================	20	380 370 280 340 290	=======================================	10		 	=======================================	=======================================	 20	
	82-06 82-07 82-08 82-08 82-09	-27 -01 -23		50	370 270 410 320 250	=======================================	<10 20		= = = =	=======================================	=======================================	20	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET	ANCE	IC I- I- E PH B LA		D- ERABLE Y (MG/L	TOTAL RECOV-
404717072	595601	S 21247	SCWA BART	ON AVE.	112GLCLU	80-09-02	14	5 1	38		.19 8.5	2.7
		-50.7000		3.1		81-07-23					.18 7.9	
						82-01-02					.62 7.9	
					112GLCLU	82-04-08	14	5 1	37	5.9	.14 7.7	2.7
					112GLCLU	82-08-10	14	5 1	50	5.7	.10 9.0	3.1
		POTAS-								-		
	SODIUM,	SIUM,	ALKA-	CHLO-		NITRO-	NITRO	- NITE			BARIUM,	CADMIUM.
	TOTAL	TOTAL	LINITY	RIDE,	FLUO-	GEN.	GEN.			-2	TOTAL	TOTAL
DATE	RECOV-	RECOV-	FIELD	DIS-	RIDE,	NITRATE						RECOV-
OF	ERABLE	ERABLE	(MG/L	SOLVED		TOTAL	TOTAL					ERABLE
SAMPLE	(MG/L	(MG/L	AS	(MG/L	(MG/L	(MG/L	(MG/L					(UG/L
	AS NA)	AS K)	CACO3)	AS CL)	AS F)	AS N)	AS N)	AS N	I) AS	P) AS	AS) AS BA)	AS CD)
80-09-02	11	1.7	10	15		4.2	<.010	<.01	0		<5 40	
81-07-23	11	1.8	12	15	· <.1	4.6	<.010	<.01	0			
82-01-02	13	1.9	9	18		5.1	<.010					
82-04-08	13	2.0	11	17	<.1	4.5	<.010					
82-08-10	13	1.9	10	18		5.2	<.010	<.01	10		<5	
			HRO-				IANGA-					
				PPER, I	RON, L			ERCURY		SILVER,	ZINC,	
								TOTAL	SELE-	TOTAL	TOTAL	
	DA	TE R	ECOV- RE	COV- R	ECOV- R	ECOV- R	ECOV-	RECOV-	NIUM,	RECOV-	RECOV-	
	C	F E	RABLE ER	ABLE E	RABLE E	RABLE E	RABLE	ERABLE	TOTAL	ERABLE	ERABLE	
	SAM	IPLE (UG/L (I	JG/L (UG/L (UG/L (UG/L	(UG/L	(UG/L	(UG/L	(UG/L	
		A	S CR) AS	CU) A	S FE) A	S PB) A	S MN)	AS HG)	AS SE)	AS AG)	AS ZN)	
	80-09			<10	70		50				<10	
	81-07			60	40		70				<20	
	82-01			90	<30		50				<20	
	82-04			70	<30		70				60	
	82-08	-10		30	<30		70				10	

SUFFOLK COUNTY--Continued

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNI1	OF		TH C DU L, AN	AB	PH LAB NITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4043570731	81601	S 21366	SCWA HA	RVEST LAN	211MGT1 211MGT1 211MGT1 211MGT1 211MGT1	81-07-1 81-12-1 82-01-1	14 15 26	455 455 455 455 455	32 28 38 27	6.1 5.5 5.2 5.6	.38 .73 .65	2.2 2.3 1.5 	.6 .6 .6
					211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	82-04-1 82-05-1 82-06-1	28 24 29	455 455 455 455 455	=======================================	=======================================	=======================================	=======================================	=======================================
					211MGT1 211MGT1 211MGT1	82-08-2	26	455 455 455	35 	5.2	.18 	1.5	.6
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3	CHLO- RIDE, DIS- SOLVE (MG/L) AS CL	(MG/L	NITRAT	GE TE NITR TOT (MG	N, G ITE AMM AL TO /L (M	ONIA PHOTAL TO	HOS- ORUS, OTAL MG/L S P)	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-12-22	2.4	-4	8	3.5					010			<30	
81-07-14 81-12-15	2.7	.4	12 12	3.0	<.1	2.7.7.				.020 .970			
82-01-26						-							
82-02-23	2.5	.4	10	2.5		<.00	6 <.0	10 <.	010				
82-03-24 82-04-28								77		.780 .050			
82-05-24													
82-06-29 82-07-26				==						. 220			
82-01-28										.260	10751		1.2-5
82-07-28	4.6	-4	10	2.0	<.1					.460			
82-08-26 82-09-15								22		.090 .750		==	=
			HRO- IUM, C	OPPER,	I RON,	LEÁD,	MANGA- NESE,	MERCURY		STIN	VER, ZI	NC,	
	0	TE R	OTAL ECOV- RABLE UG/L	TOTAL RECOV- ERABLE (UG/L	TOTAL RECOV- ERABLE (UG/L AS FE)	TOTAL RECOV- ERABLE (UG/L AS PB)	TOTAL RECOV- ERABLE (UG/L AS MN)	TOTAL RECOV- ERABLE (UG/L AS HG)	SELE-	TOT REC ERA	TAL TO COV- RE ABLE ER G/L (U	TAL COV- ABLE G/L ZN)	
	80-12			<10	490		<10				42	60	
	81-07 81-12			<20 90	420 340		20					70 20	
	82-01				480								
	82-02			30	380		<10					30	
					530								
	82-03												
	82-04	-28			390				- 1				
		-28 -24			390 320 370	Ξ	- ==	==	===		==	==	
	82-04 82-05	-28 -24 -29			320								
	82-04 82-05 82-06 82-07	-28 -24 -29 -26	Ξ	=======================================	320 370 400	==	Ξ	==	==			Ξ	
	82-04 82-05 82-06	-28 -24 -29 -26	=======================================	==	320 370	Ξ		Ξ	Ξ		Ξ		

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4042200731	90302	\$ 21375	SCWA SMITH	ST.	211MGTY	80-12-21					.7	.5
					211MGTY 211MGTY	81-07-21 81-11-15					3.0	.6
					211MGTY	82-01-10						::
					211MGTY	82-02-16	500	3 (4.5	.66	.7	. 4
					211MGTY	82-03-09	500					
					211MGTY	82-04-13	500					
					211MGTY 211MGTY	82-05-11 82-06-21					===	==
					211MGTY	82-07-12					4.1	.6
					211MGTY	82-08-12	500					
					211MGTY	82-09-22	500) 21	8 5.9	1.8	.8	.5
DATE OF	SODIUM, TOTAL RECOV- ERABLE	POTAS- SIUM, TOTAL RECOV- ERABLE	ALKA- LINITY FIELD (MG/L	CHLO- RIDE, DIS- SOLVED	FLUO- RIDE,	NITRO- GEN, NITRATE TOTAL	GEN,	GEN,	PHOS-	ARSENIC TOTAL	BARIUM, TOTAL RECOV- ERABLE	CADMIUM TOTAL RECOV- ERABLE
SAMPLE	(MG/L	(MG/L	AS	(MG/L	TOTAL (MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(UG/L	(UG/L	(UG/L
	AS NA)	AS K)	CACO3)	AS CL)	AS F)	AS N)	AS N)	AS N)	AS P)	AS AS)	AS BA)	AS CD)
80-12-21	3.2	.4	4	3.0		<.01	<.010	<.010			<20	
81-07-21	3.3	.5	9	3.5		<.10	<.010	<.010				
81-11-15	3.1	7	5	5.0	<.1	<.05	<.010	<.010	- 75		-	
82-01-10 82-02-16	3.2	.4	6	2.0		<.01	<.010	<.010	==	=	===	
82-03-09									1.45			
82-04-13									<.010			
82-05-11												
82-06-21	7 1								-100			
82-07-12	3.1	.5	5	5.0	<.1	<.01	<.010	<.010				
82-08-12 82-09-22	3.2	.4		2.5	==	<.05	<.010	<.010	.230	<5	==	=
		C II	RO-									
	DA	MI TO TE RE	TAL TOTA	L T	OTAL T	EAD, N	OTAL T		SELE- T	TOTAL TO	INC, DTAL ECOV-	
		PLE (U	ABLE ERAE G/L (UG/ CR) AS (/L (UG/L (UG/L (UG/L (UG/L	CUG/L C	UG/L (RABLE JG/L S ZN)	
	80-12			20	380		20		9	-	<10	
	81-07 81-11			50 20	760 480		30 <10				200	
	82-01	-10			280							
	82-02			20	330	-	<10				<20	
	82-03 82-04			-	370 400							
	82-05				360							
	82-06				400				-		-	
	82-07	-12	1:	50	450		<10			-		
	82-08 82-09			20	320 360	==	20	==	==	==	<20	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

				,	54.151							
STATION	NUMBER		LOCA IDENT I- FIER		GEO: LOGI: UNI	C OF	WEL E TOT	TH C DU	PE- FIC ON- CT- CE PH AB LA	BI AB IT		TOTAL RECOV- ERABLE (MG/L
4043200732	222401	S 21487	SCWA T	WELFTH ST	211MGT 211MGT 211MGT 211MGT 211MGT	Y 81-07- Y 81-11- Y 82-01-	08 17 05	337 337 337 337 337	107 108 110		.11 3.4 .19 3.9 !-2 4.1	1.7
					211MGT 211MGT 211MGT 211MGT 211MGT	Y 82-04- Y 82-05- Y 82-06-	23 11 06	337 337 337 337 337	112 103	5.7	.40 7.4	1.2
		**			211MGT 211MGT 211MGT 211MGT	Y 82-08-	10 02	337 337 337 337	125	5.3	 -35 4-0	1.9
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA LINIT FIEL (MG/ AS CACO	Y RIDE D DIS- L SOLV (MG/	FLUORIDE ED TOTAL L (MG/I	NITRAL TOTAL	GE TE NITR L TOT L (MG	N, G ITE AMM AL TO /L (M	TRO- EN, PHO ONIA PHOF TAL TOT G/L (MO N) AS	RUS, ARSE	AL ERABLE	TOTAL RECOV- ERABLE (UG/L
81-01-05 81-07-08 81-11-17 82-01-05 82-02-11	13 13 14	.7 .7 .8 		6 22 25 -		1 <.0	5 <.0 5 <.0	10 <.	010	350 140 240	<30 	=======================================
82-04-01 82-04-23 82-05-11 82-06-06 82-06-07	14 11	.7	1	7 20		1 <.0	1 <.0		010 1.4 1	200		= = =
82-07-15 82-08-10 82-09-02 82-09-15	16	 -6	-	- 8 26		- <.0	5 <.0	 10 	150 .2	130 080 240 140	 <5	Ξ
	81-01 81-07 81-11 82-01	M T TE R F E PLE (A A - 05 - 08 - 17 - 05	OTAL ECOV- RABLE UG/L S CR)	COPPER, TOTAL RECOV- ERABLE (UG/L AS CU)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE) 930 1210 1439 660	LEAD, TOTAL RECOV- ERABLE (UG/L AS PB)	MANGA- NESE, TOTAL REABLE (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)	ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN) 40 180 60	
	82-02 82-04 82-04 82-06 82-06	-01 -23 5-11 5-06	=	320	450 1210 710 910 1080 980	=======================================	30 50	=======================================	=======================================	=	 20	y
	82-08 82-08 82-08	3-10 9-02	=	140	1270 1149 880 220	=======================================	40	=	Ξ	Ξ	20	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS	PH LAB) (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4054430730	064502	\$ 21632	SCWA DAN	WEBSTER	211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	80-11-03 81-03-23 81-08-26 82-01-26 82-05-05	516 516 516 516 516	3 3 3	5 6.2 1 5.9 5 5.5	.10 .08 .14	2.2 2.8 1.8 2.0	.7 .7 .7 .6
					211MGTY	82-08-05	516	. 3	5 6.0	.11	2.1	.6
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)		CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN/ NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO GEN, AMMONI TOTAL (MG/L AS N)	PHOS-	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-11-03 81-03-23 81-08-26 82-01-26 82-05-05	3.3 3.1 2.1 3.2 3.3	.3 .4 .3 .3	9 12 12 10 10	4.5 6.5 5.0 4.0 4.5	<.1 <.1	.09 .09 .07 .06 <.01	<.010 <.010 <.010 <.010 <.010	<.010 .100 <.010 <.010 <.010	<.010 <.100	<5 	<20 	Ę
82-08-05	3.2	.3	10	4.5		.12	<.010	<.050		<5	-	17
	(M TATE R OF E	OTAL T ECOV- R RABLE E UG/L (OTAL TECOV- REABLE EUG/L	OTAL ECOV- RABLE UG/L	LEAD, N TOTAL T RECOV- R ERABLE E (UG/L (OTAL T ECOV- R RABLE E UG/L (ECOV- RABLE UG/L	SELE- T NIUM, R TOTAL E (UG/L (OTAL TO ECOV- RI RABLE EI UG/L (1	INC, DTAL ECOV- RABLE JG/L S ZN)	
	80-11 81-03 81-08 82-01 82-05	3-23 3-26 1-26	=======================================	20 40 <20 20 <20	<10 <30 60 <30	=======================================	<10 <20 <10 <10 <10	=======================================	=======================================	=	<10 170 <30 10 70	
	82-08	3-05		20	<30		<10				60	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

ALL SUMPL	.cs were c	orrected.	and and	1,200 0,	3011011	county wat	er Autho						
STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGI UNI	C OF	DEP1 OF WELL TOTA (FEE	CI DU AN	AB	PH LAB JNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4051590730	105501	c 210/5	SCWA AS	TOD AVE	211MGT	Y 82-01-2		726					
4031370730	107701	3 21743	SCWA AS	TOR AVE.	211MGT			726					
					211MGT			726					
					211MGT			726					
					211MGT	Y 82-05-2	26	726					
					24440=				434	7 0	11	10	, ,
					211MGT			726	126	7.0	.14	10	4.3
					211MGT			726					
					211MGT 211MGT			726 726				- 22	
					211MGT			726	61	6.2	.42	3.5	1.6
					2111101	1 02 07 0		20	01	0.2	• • • •	3.3	
					211MGT	Y 82-09-2	28 7	726				7.	
	SODIUM,	POTAS- SIUM,		CHLO-		NITRO)- NITE	80- NI	TRO-			BARIUM,	CADMIUM
	TOTAL	TOTAL	LINITY							HOS-		TOTAL	TOTAL
DATE	RECOV-	RECOV-	FIELD	DIS-	RIDE					ORUS,	ARSENIC	RECOV-	RECOV-
OF	ERABLE	ERABLE	(MG/L	SOLVE	D TOTA	L TOTAL	TCTA	L TO	TAL T	OTAL	TOTAL	ERABLE	ERABLE
SAMPLE	(MG/L	(MG/L	AS	(MG/L						MG/L	(UG/L	(UG/L	(UG/L
	AS NA)	AS K)	CAC03) AS CL) AS F) AS N)	AS N	I) AS	N) A	(S P)	AS AS)	AS BA)	AS CD)
82-01-26								_		.150			
82-02-24								-		.420			
82-03-23								-		.390			
82-04-20					-			-		.100			
82-05-26					-			-					0.55
82-06-23	o 7	1.2	41	0 5					050	(20			
82-06-28	8.7	1.2	41	8.5				-	050	.620			
82-07-26										.010			
82-08-26								-		.610			
82-09-07	4.8	.7	14	4.0					010	.170	<5		
82-09-28					-	-							
		М		OPPER,	IRON, TOTAL	LEAD, TOTAL	MANGA- NESE, TOTAL	MERCURY TOTAL	SELE-			INC,	
	DΛ			RECOV-	RECOV-	RECOV-	RECOV-	RECOV-	NIUM,			cov-	
				ERABLE	ERABLE	ERABLE	ERABLE	ERABLE	TOTAL			RABLE	
			UG/L	(UG/L	(UG/L	(UG/L	(UG/L	(UG/L	(UG/L			IG/L	
				AS CU)	AS FE)	AS PB)	AS MN)	AS HG)	AS SE			ZN)	
	82-01	-26			230		20					22	
	82-01				230		20					22	
	82-03				40		100						
	82-04				30		30						
	82-05				<30		60						
	02-04	-23		20	50		90					310	
	82-06 82-06			20	50		90					310	
	82-07			2.			270						
	82-08				250		190						
	82-09			20	200		180					<20	
		20			202								
	82-09	-28			200		190					75	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
405259073	202801	S 22048	SCWA LAURE	L HILL	112GLCLU	80-12-09	600	43	5.	7 .11		.9
						81-05-05	600				2.0	. 6
						81-09-28	600				2.0	. 6
						82-06-15	600				3.6	.7
					112GLCLU	82-09-07	600	40	6.	.14	1.7	6
		POTAS-										
	SODIUM,	SIUM,	ALKA-	CHLO-		NITRO-	NITRO-	NITRO-			BARIUM,	CADMIUM
	TOTAL	TOTAL	LINITY	RIDE,	FLU0-	GEN,	GEN,	GEN,	PHOS-		TOTAL	TOTAL
DATE	RECOV-	RECOV-	FIELD	DIS-	RIDE,	NITRATE	NITRITE	AMMONIA	PHORUS	ARSENIC	RECOV-	RECOV-
OF	ERABLE	ERABLE	(MG/L	SOLVED		TOTAL	TOTAL	TOTAL	TOTAL	TOTAL	ERABLE	ERABLE
SAMPLE	(MG/L	(MG/L	AS	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L	(UG/L	(UG/L	(UG/L
	AS NA)	AS K)	CACO3)	AS CL)	AS F)	AS N)	AS N)	AS N)	AS P)	AS AS)	AS BA)	AS CD)
80-12-09	4.7	.6	9	4.5			<.010	<.010		<5	<20	
81-05-05	3.8	-4	6	6.0		.97	<.010	<.010				
81-09-28	3.9	.5	12	3.0	<.1	1.4	<.010	<.010				
82-06-15	4.2	.5	7	5.0	<.1	.89	<.010	<.010				
82-09-07	4.0	.5	8	4.0		1.5	<.010	<.010		<5		
			HRO-				ANGA-					
			IUM, COPP					RCURY			INC.	
			OTAL TOT								TAL	
											ECOV-	
											RABLE	
	SAM		UG/L (UG S CR) AS								JG/L S ZN)	
		A	3 CK/ AS	CU) A	S FE) A	3 PB) A	S MN) A	S NG)	3 351	43 AG7 A	2 LN)	
	80-12			50	100		40				<10	
	81-05				110		30				40	
	81-09			00	50		<10				<20	
	82-06			40	70		10				50	
	82-09	7-07		60	40		10				<20	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	OF	DEP OF WEL TOT (FE	TH L, A	SPE- CIFIC CON- DUCT- ANCE LAB UMHOS)	PH LAB (UNITS	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4051270730	070901	S 22171	SCWA HY	PLACE	211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	81-01-1 81-08-1 82-01-0	15 10 07	332 332 332 332 332	175 170 168	5.5.	3 .1	3 12 1 11 	4.0 4.1 4.2
	:				211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	82-04-2 82-05-2 82-06-1	27 26 16	332 332 332 332 332	170	5.			3.8
					211MGTY 211MGTY 211MGTY 211MGTY	82-08-2 82-09-2	24	332 332 332 332	178	5.	.2	6 10	4.2
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRAT TOTAL (MG/L	GE E NITR TOT	ITE AN	NITRO- GEN, MMONIA TOTAL (MG/L AS N)	PHOS- PHORUS TOTAL (MG/L AS P)	ARSENI TOTAL (UG/L AS AS	ERABLE (UG/L	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-09-21 81-01-15 81-08-10 82-01-07 82-02-24	13 12 13	1.3 1.5 1.6	18 15 16 	16 16 19	<.1 	5.4 5.1 5.3		10	<.010 <.010 <.010	=======================================	<5 	30 	=======================================
82-03-23 82-04-27 32-05-26 82-06-16 82-06-23	13	1.7	 16	 16	 <.1	5.1 5.4 4.1		10	 (.010	=======================================	=======================================	=	=======================================
82-07-21 82-08-24 82-09-20 82-09-21	15	1.9	16 	 17 	=======================================	5.9	<.0	10	 <.010	::	 <5	Ξ	=======================================
	0	MI TC TE RE OF ER	TAL TECOV- REABLE E	OTAL T ECOV- R RABLE E UG/L (CTAL	LEAD, TOTAL RECOV- ERABLE (UG/L AS PB)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MERCUI TOTAL RECOI ERABI (UG/I	L SE V- NI LE TO L (L	UM, TAL	TOTAL RECOV- ERABLE (UG/L	ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN)	
	80-09 81-01 81-08 82-01 82-02	-15 -10 -07	=	50 40 20	<30 <10	=======================================	<10 <10 20	=		=======================================	= = = =	10	
	82-03 82-04 82-05 82-06	-27 -26 -16	Ξ	 2C	 40	=======================================	 10	-		=======================================	=	220	
	82-07 82-08 82-09 82-09	3-24 3-20	=======================================	 50	<30	==	<20	-		:: ::	=======================================	20	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET	SPE- CIFIC CON- DUCT- ANCE LAB	PH LAB (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4040540732	31801	\$ 22351	SCWA LAMB	ERT AVE	211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	80-12-16 81-07-13 81-10-21 82-01-17 82-03-30	55 55 55	8 37 8 34 8	4.5	-14 -10	1.3 1.9 1.3	.7 .8 .7
			,		211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	82-04-19 82-05-04 82-06-01 82-07-13 82-08-03	55 55 55	8 8 38	5.4	.63	1.5	 -6
					211MGTY 211MGTY	82-08-23 82-09-09					2.3	<u>•7</u>
DATE OF	SODIUM, TOTAL RECOV- ERABLE	POTAS- SIUM, TOTAL RECOV- ERABLE	ALKA- LINITY FIELD (MG/L	CHLO- RIDE, DIS- SOLVED		NITRO- GEN, NITRATE TOTAL	GEN, NITRIT TOTAL	GEN, E AMMONIA TOTAL	PHOS- PHORUS, TOTAL	TOTAL	BARIUM, TOTAL RECOV- ERABLE	CADMIUM TOTAL RECOV- ERABLE
SAMPLE	AS NA)	(MG/L AS K)	CACO3)	AS CL)	(MG/L AS F)	(MG/L AS N)	(MG/L AS N)	(MG/L AS N)	(MG/L	AS AS)	AS BA)	AS CD)
80-12-16 81-07-13 81-10-21 82-01-17 82-03-30	2.9 4.0 3.8 	.4 .5 .4 	5 6 5 5	3.0 4.0 3.0 	<.1	<.01 <.01 <.01	<.010 <.010 <.010	<.010 <.010 <.010	.060 .940 .670 .100	=	<20 	=
82-04-19 82-05-04 82-06-01 82-07-13 82-08-03	3.7	.5	 7 	2.0	 <.1 	<.01	<.010	<.010	.020 <.010 .380 .120	=		=
82-08-23 82-09-09	2.9	-4	<u>6</u>	2.0	==	<.05	<.010	<.010	.080	<5 	Ξ	=
	0	TE R IF E IPLE (A	ECOV- REG RABLE ER UG/L (U	TAL TOV- RABLE EG/L (OTAL T ECOV- R RABLE E UG/L	EAD, NOTAL TECOV- REABLE EUG/L	OTAL ECOV- RABLE UG/L	RECOV- NERABLE TO	TOTAL E	OTAL TO ECOV- RE RABLE ER UG/L (U	INC, ITAL ICOV- ABLE IG/L IZN) 50 60 20	
	82-04 82-04 82-05	-30 -19	=======================================	30	350 350 360	=	<10	=	= 1	=	= ====================================	
>	82-06 82-07 82-08	-01 -13	= '	90	300 380 360	Ξ	<20	=	Ξ	= 14	<20	
	82-08 82-09		==	20	310 370	==	10		=	=	20	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

281 QUALITY OF GROUND WATER

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	OF	WEL E TOI	= _L,	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4049550731	70401	\$ 22362	SCWA SC	HUYLER DR	112GLCL 112GLCL 112GLCL	0 80-10- 0 81-02- 0 82-01- 0 82-01- 0 82-02-	11 02 05	314 314 314 314 314	84 94 93 	6.2	.08	6.1 5.9 6.8 	2.4 2.2 2.6
					112GLCL	U 82-03- U 82-04- U 82-04- U 82-05- U 82-06-	14 16 04	314 314 314 314 314	95 		.53	7.0	2.5
					112GLCL 112GLCL	U 82-07- U 82-07- U 82-08- U 82-09-	14 03	314 314 314 314	98	==	=	7.4 	2.6
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3	CHLO- RIDE, DIS- SOLVE (MG/L) AS CL	(MG/L	NITRA TOTA (MG/	TE NITH	TRO- EN, RITE TAL G/L N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS-	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-10-01 81-02-11 82-01-02 82-01-05 82-02-09	5.1 5.5 5.8 	.6 .7 	19 18 18 	7.5 6.0 6.0	=		<.0	010 010 010	<.010 <.010 <.010	=======================================	<5 	<30 	=======================================
82-03-08 82-04-14 82-04-16 82-05-04 82-06-08	5.6	.7	20	7.0	=	2.4		010	.070	=	=======================================	=======================================	=======================================
82-07-13 82-07-14 82-08-03 82-09-07	6.6	:7 	20	6.5	=======================================	2.4 2.3 2.7 2.5	<.0	010	<.010 	=	<5 	=======================================	Ξ
	0 S A M	M T TE R F E PLE (OTAL ECOV- RABLE UG/L	TOTAL TRECOV- FERABLE E	TOTAL RECOV- RABLE (UG/L	LEAD, TOTAL RECOV- ERABLE (UG/L AS PB)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	ERA (UG	AL S OV- N BLE T /L (ELE- T IUM, R OTAL E UG/L (OTAL TO ECOV- RE RABLE ER UG/L (U	INC, ITAL COV- RABLE IG/L S ZN)	
	80-10 81-02 82-01 82-01 82-02	-11 -02 -05	=======================================	60 30 60	<10 <30 <30	=======================================	<10 <10 <10		=======================================	=======================================	=======================================	10	
	82-03 82-04 82-04 82-05 82-06	-14 -16 -04	=======================================	30 	<30 	=======================================	10		== == ==	=	<u>:</u>	60 	
	82-07 82-07 82-08 82-09	-14 -03	=======================================	40 	<30 	=======================================	50 		=	Ξ	<u>:</u>	10	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
404357073	181502	S 22389	SCWA HARV	EST LA.	211MGTY 211MGTY 211MGTY 211MGTY	80-12-28 81-07-14 81-12-28 82-01-25	465 465 465	36 68	5.8	.74 .71 .83	3.4 2.8 5.0	.9 .8 1.3
					211MGTY	82-02-24	465					
					211MGTY 211MGTY	82-02-25				1.2	4.3	1.0
		•			211MGTY	82-03-25 82-04-27						
					211MGTY	82-06-30	465					
					211MGTY	82-07-27	465	45	5.5	.23	2.7	. 8
					211MGTY 211MGTY	82-08-23 82-09-22				=	Ξ	-
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)		CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	(MG/L	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	GEN,	GEN,	PHOS-	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-12-28	2.8	.5	13	4.0		<.01	<.010	<.010			<30	
81-07-14	3.1	-4				<.05	<.010	<.010	.050			
81-12-28 82-01-25	5.9	.6	28	3.5	<.1	<.01	<.010	<.010	.130			
82-02-24									.470			
82-02-25	4.7	.7	19	3.0		<.05	<.010	<.010	.470			
82-03-25									.200			
82-04-27									.730			
82-06-30 82-07-27	4.7	.5	16	3.5		.01	<.010	<.010	.180			
				3.,		•••			•100			
82-08-23 82-09-22				==	==	- :-			.230	==		
01 07 11												-14-31-
	80-12 81-07 81-12	TE R F E PLE C A -28 -14 -28	OTAL TO ECOV- RE RABLE ER UG/L (U S CR) AS	TAL T COV- R ABLE E G/L (CU) A <10 20 20	OTAL ECOV- F RABLE B UG/L S FE) 7 760 670 1030	LEAD, NOTAL TRECOV- RERABLE EQUIPMENT (UG/L (AS PB) A	OTAL TECOV- REABLE EUG/L (CS MN) A	ECOV- N RABLE T UG/L (S HG) A	SELE- T. IIUM, R. IOTAL E. UG/L (AS SE) A	OTAL TO ECOV- RE RABLE ER UG/L (U S AG) AS	NC, TAL ECOV- RABLE IG/L I ZN) 140 20 <20	
	82-01 82-02				680							
	82-02 82-03			30	870 830		60				220	
	82-04				940							
	82-06				670							
	82-07	-27	,	20	710		40			-	<20	
	82-08 82-09		=	=	760 700	==	==	=	=	==	=	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

QUALITY OF GROUND WATER 283

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPT OF WELL TOTA (FEE	DUC ANC	IC N- T- E P B L	H E	TUR- BID- LTY NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
404922073	162901	S 22471	SCWA WIC	KS RD. 1	211 MGTY 211 MGTY 211 MGTY 211 MGTY 211 MGTY	81-02-1 81-08-1 82-01-1	0 3 1 3 8 3	383 383 383 383	67 63 53 62 68	5.8 5.4 5.5 5.1 5.5	.08 .11 .14 .10	3.7 3.3 3.4 3.4	1.3 1.1 1.1 1.2 1.3
					211MGTY	82-07-1	3 3	883	68	5.5	.15	3.8	1.3
4051550730	045202	S 2254	7 SCWA EA	STWOOD	112GLCL 112GLCL 112GLCL	U 80-09-1 U 81-01-1 U 82-01-2 U 82-03-2 U 82-04-1	5 1 0 1 3 1		165 156 73	6.2	.16 .09 	11 11 5.0	3.7 3.9 1.3
					112GLCL 112GLCL	U 82-05-0 U 82-07-2 U 82-07-2 U 82-08-1	0 1	09 09 09	150	5.9	.15	9.6	3.5
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVE (MG/L AS CL	(MG/L	NITRO GEN, NITRAT TOTAL (MG/L AS N)	GEN E NITRI TOTA (MG/	TE AMMO L TOT L (MG	N, PH NIA PHO AL TO /L (M	TAL TO	SENIC OTAL UG/L S AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-10-01	5.3	.6	7	8.0		3.5	<.01				<5	<30	
81-02-10 81-08-11	5.0	.5	7 7	7.0 7.0	<.1	2.7	<.01			11		==	
82-01-18 82-04-05	5.3	.6	9	5.0	<.1	3.0	<.01 <.01						
82-07-13	5.8	.6	7	6.0		3.2	<.01		10		<5		
80-09-10	12	1.5	16	14		6.6	<.01	0 1	10		<5	40	
81-01-15	11	1.5	17	13		6.1	<.01	0 <.0	10				
82-01-20 82-03-23	6.2	1.0	14	13 5.0			<.01						
82-04-11				13		4.8		•					
82-05-06 82-07-20	11	1.2	14	14 15	<.1		<.01	10 <.0	10				
82-07-22				19		5.6		-					
82-08-12				25		5.4		-					1,775
	(M TE R OF E	OTAL 1 ECOV- F RABLE E	TOTAL RECOV- ERABLE (UG/L	TOTAL RECOV- ERABLE (UG/L	LEAD, TOTAL RECOV- ERABLE (UG/L AS PB)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)	TOT REC E ERA (UG	AL OV- BLE /L	
	80-10	0-01		90	<10		<10					10	
	81-02 81-08			100	<30 20		<10 <10					30 80	
	82-01 82-04	1-18		44C 130	<30 <30		10			-:		20	
	82-07			70	110		20					10	
	80-09 81-01	1-15		73 80	<30 70		70 70					10 20	
	82-01 82-03			70	<30		20					80	
	82-04			12				:					
	82-05			12									
	82-07 82-07			20	<30	22	40		77	==		70 	
	82-08	3-12											

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCA IDENT I- FIER	-	GEO- LOGIC UNIT		DEPT OF WELL TOTA (FEE	DUCT ANCE L LAE	C - -	8 IT		TOTAL RECOV- ERABLE (MG/L
4047050731	190701	S 22548	SCWA P	PLYMOUTH ST	211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	81-07-14 81-11-17 82-02-18	4 4	16 16 16 16 16	28 27 30	4.6 4.3 4.6	.17 5.7 .21 1.2 .38 1.0 .50 1.4	.3
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA LINIT FIEL (MG/ AS CACC	TY RIDEA D DIS- L SOLVE (MG/L	FLUO- RIDE, D TOTAL (MG/L	NITRATE TOTAL (MG/L	GEN	TE AMMON L TOTA L (MG/	PHO NIA PHOR NL TOT L (MG	US, ARSE AL TOT /L (UG	AL ERABLE	TOTAL RECOV- ERABLE (UG/L
80-12-21 81-07-14 81-11-17 82-02-18 82-07-27	6.0 2.7 2.7 2.8 2.7	.6 .4 .4 .4	•	- 8.5 6 5.5 5 5.0 5 4.0 6 3.5	<.1	.55 .64 .56	<.01 <.01 <.01 <.01 <.01	0 <.01 0 <.01 0 <.01	10 <.0 10	10 	<20 	=
	0	M T T R R F E F C A A -21 -14 -17 -18	HRO- IUM, OTAL ECOV- RABLE UG/L S CR)	COPPER, TOTAL RECOV- ERABLE (UG/L AS CU) 80 230 <10 220 210	TOTAL RECOV- ERABLE (UG/L	LEAD, N TOTAL T RECOV- R ERABLE E (UG/L	AANGA- NESE, TOTAL RECOV- RABLE SUG/L S MN) <10 <20 <10 <10 50	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)	ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN) 40 20 <10 230 40	

SUFFOLK COUNTY--Continued

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	OF	DEP OF WEL TOT (FE	TH CO DUC L, AND	ON- CT- CE PI			TOTAL RECOV- E ERABLE (MG/L
4056250730	031801	S 22640	SCWA BEL	LE TERRE	211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	81-03-1 81-08-2 82-01-0	16 26 06	453 453 453 453 453	217 210 200 	7.0 6.6 6.8 	.16 17 .11 18 .25 15	6.8 6.6 6.0
					211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	82-03-0 82-04-0 82-05-0	03 08 05	453 453 453 453 453	 205	 6.9	= :	6.1
					211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	82-07-0 82-08-0 82-08-1)8)4 1	453 453 453 453 453	200	6.7	.14 15	
4046320730	70801	S 22711	SCWA LOC	UST AVE.	112GLCL	u 81-03-0)6	140	190	5.7	.14 12	3.6
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)		CHLO- RIDE, DIS- SOLVEI (MG/L AS CL	(MG/L	TOTAL	GENITR TOTAL	N, GE ITE AMMO AL TOT /L (MG	AL TO	RUS, ARSE	AL ERABL	TOTAL RECOV- E ERABLE (UG/L
80-10-28 81-03-16 81-08-26 82-01-06 82-01-20	13 13 12	1.3 1.3 1.4 	37 33 33 	20 21 19 16 18	<.1	3.2 3.1 2.6	<.0 <.0 <.0	10 .1	70 010 <.0		<5 30 	Ξ
82-02-10 82-03-03 82-04-08 82-05-05 82-05-09	13	 1.3	 35	13 18 18 17	 <.1	3.0 3.1 4.1		 10 .9	 540			Ξ
82-06-01 82-07-08 82-08-04 62-08-11 82-09-08	12	1.3	35	14 19 17 19	=======================================	3.5 3.1 3.3	<.0	 10 <.0	 010	Ξ .	 <5	Ξ
81-03-06	18	2.1	8	29	1 -	5.0	<.0	10 <.0	10			
	0	M T TE R F E PLE (OTAL TECOV- RABLE E	OTAL ECOV- RABLE UG/L	TOTAL RECOV- ERABLE (UG/L	LEAD, TOTAL RECOV- ERABLE (UG/L AS PB)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)	ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN)	
	80-10 81-03 81-08 82-01 82-01	-16 -26 -06	=======================================	30 30 20 30	<10 50 30 <30	=======================================	<10 <20 <10 <10	=======================================	=======================================	=======================================	20 110 40 120	
	82-02 82-03 82-04 82-05	-03 -08 -05	=======================================	 30	 60	=	 <10	=======================================	=======================================	=======================================	 40	
	82-06 82-07 82-08 82-08 82-09	-08 -04 -11	=======================================	 40	 <30	=	 <10	=======================================	=======================================	=======================================	<20	
	81-03	-06		80	90	+	190				<20	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

All sample	es were c	ollected	and analy	zed by	Suffolk Co	ounty Wat	er Author	ity.				
STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL	DUCT ANCE L LAB	C - - PH LAB		CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4044580731	82501	\$ 23046	SCWA BROO	OK AVE.	211MGTY 211MGTY 211MGTY	81-03-0 81-09-1 82-01-2	8 44	48	24 5	.7 .2: .3 .1: .9 2.1		.3 .4 .4
4049210731	22702	s 23183	SCWA WHE	ELER RD.	211 MGTY 211 MGTY 211 MGTY 211 MGTY 211 MGTY	80-09-3 81-02-2 81-08-2 82-01-1 82-01-2	6 34 4 34 9 34	41 41 41	84 6	18 .4 .2: .2 .3 .9 .38	4.8 4 6.3 7.5	2.8 1.7 2.4 1.7
					211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	82-02-1 82-03-1 82-04-2 82-05-1 82-06-1	0 34 1 34 1 34	41 41 41	 59 6	.2 .2	3.6	1.4
					211MGTY 211MGTY 211MGTY 211MGTY	82-07-1 82-07-1 82-08-1 82-09-2	8 34 0 34	11 11		.0 .14	4.5	1.5
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVEI (MG/L AS CL)	(MG/L	NITRO GEN, NITRAT TOTAL (MG/L AS N)	GEN, E NITRIT	GEN TE AMMON TOTA (MG/	PHOS IA PHORU L TOTA L (MG/	S, ARSENIC L TOTAL L (UG/L	ERABLE (UG/L	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
81-03-09 81-09-18 82-01-25	2.1 2.3 3.1	.3 .3	4 4 7	3.5 4.0 3.5	=	<.10 <.05 <.05	<.010	<.01	0 -	0 	Ξ	Ξ
80-09-30 81-02-26 81-08-24 82-01-19 82-01-20	5.3 4.7 5.5 4.7	.5 .5 .5	18 14 16 12	9.0 6.5 10 6.0	<.1 	1.2 .74 1.1 .65	<.010 <.010	<.05 <.01 <.01	0 -	- <5 	<30 	=======================================
82-02-18 82-03-10 82-04-21 82-05-11 82-06-14	4.5	.5	13 	5.5	<.1 	.58 .63 .57	<.010	<.01	0 -		=	=======================================
82-07-14 82-07-18 82-08-10 82-09-20	4.7	.4	12	6.0	=	. 80 . 84 . 88 . 88	<.010	<.01	0 -	- <5	=	=======================================
	0	TE R	OTAL TO RECOVE RABLE ENGIL	OTAL ECOV- RABLE UG/L	TOTAL RECOV- ERABLE (UG/L	LEAD, TOTAL RECOV- ERABLE (UG/L	MANGA- NESE, I TOTAL RECOV- ERABLE (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	TOTAL RECOV- ERABLE (UG/L	ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN)	×
	81-03 81-09 82-01	-18	<10 	30 40 10	220 50 60	Ξ	40 <10 <10	==	==	=	30 10 10	
	80-09 81-02 81-08 82-01 82-01	-26 -24 -19	<10 	30 50 70 90	70 30 50 120 30	=======================================	<10 <10 <10 <10 <10	=======================================	=	=	<10 70 110 180	
	82-02 82-03 82-04 82-05 82-06	-10 -21 -11	=======================================	50	<30 <30 <30 <30 <30	=======================================	<10 10 <10 20 <10	=======================================	=======================================	=======================================	50 	
	82-07 82-07 82-08 82-09	-18 -10	=	10	<30 <30 <30 30	=======================================	<10 <10 30 20	Ξ	=	=======================================	<10 	

SUFFOLK COUNTY--Continued

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

			LOCAL				DEPTH	SPE- CIFIC CON-			CALCIUM	MAGNE- SIUM, TOTAL
STATION	NUMBER		IDENT- I- FIER		LOGIC UNIT	OF SAMPLE	OF WELL, TOTAL (FEET)	ANCE LAB (UMHOS)	PH LA (UNITS)	TUR- BID- ITY (NTU)	RECOV- ERABLE (MG/L AS CA)	RECOV- ERABLE (MG/L AS MG)
4051240723	553602	S 23184	SCWA SPIN	NEY RD.	112GLCLU 112GLCLU 112GLCLU	80-10-20 81-03-09 81-08-13 82-01-02 82-01-26	9 118 3 118 2 118	3 175 3 3 153	5.9 5.5 5.5	.07 .12 .05	12 13 11 10	6.2 6.6 5.7 5.7
	4				112GLCLU 112GLCLU 112GLCLU	82-02-23 82-03-23 82-04-23 82-04-23 82-05-23	2 118 2 118 8 118	3 8 142 8	6.0	.30	9.9	5.6
14					112GLCLU	82-06-02 82-07-23 82-07-28	7 118	8	-		9.5	5.6
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)		CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	GEN.	GEN,	PHOS-	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-10-20 81-03-09 81-08-13 82-01-02 82-01-26	6.9 7.9 7.0 7.0	.7 .8 1.4 1.4	12 13 11 8	12 13 12 11	<.1 	3.6 3.9 2.9 2.4 2.9	<.010 <.010 <.010 <.010	<.010 <.010 <.010 <.010	=	<5 	<20 	=======================================
82-02-23 82-03-22 82-04-22 82-04-28 82-05-25	7.2	1.4	 6 	13	<.1 	2.9 3.0 2.9 2.8 2.7	<.010	<.010	=======================================	=======================================	=======================================	=======================================
82-06-02 82-07-27 82-07-28	7.3	1.4	 8	12	=======================================	3.0 2.9 3.0	 <-010	.120	Ξ	 <5	Ξ	Ξ
	0	TE R	OTAL TO ECOV- RE RABLE ER UG/L (U	TAL T COV- R ABLE E G/L (OTAL T ECOV- R RABLE E UG/L (EAD, NOTAL TECOV- RABLE UG/L	TOTAL 1 RECOV- F ERABLE E (UG/L	RECOV- N ERABLE 1 (UG/L	ITUM, FOTAL E	OTAL T ECOV- R RABLE E UG/L (INC, OTAL ECOV- RABLE UG/L S ZN)	
	80-10 81-03 81-08 82-01 82-01	3-09 3-13 1-02	-:-	300 100 70 160	50 70 <30 <30	=======================================	<10 <20 <10 <10	=======================================	=======================================	=======================================	30 <20 20 20	
	82-02 82-03 82-04 82-04	3-22 -22 -23	=======================================	80 	<30 ==	=======================================	<10 	=======================================	=======================================	=	70	
	82-06 82-07 82-07	7-27	==	 10	 30	Ξ	 10	Ξ	Ξ	Ξ	320	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

All samples were collected and analyzed by Suffolk County Water Authority.

			LOCAL IDENT-	7	GEO-	DATE	DEPT OF	SP CIF CO DUC	IC N-	TU	CALCIUM TOTAL R- RECOV-	MAGNE- SIUM, TOTAL RECOV-
STATION	NUMBER		I- FIER		LOGIC	OF	WELL	, ANC	E PH B LA	BI B IT	D- ERABLE Y (MG/L	ERABLE (MG/L AS MG)
40560707307	72402	\$ 2318	SCWA MUD	RD. 2	211MGTY			44	57		.10 1.7	.7
					211MGTY 211MGTY			44	35 43		.10 2.0 .24 3.4	1.0
					211MGTY			44	40		.22 3.1	.7
					211MGTY	82-05-0	4 5	44	35		.13 2.6	.7
					211MGTY	82-08-0	5 5	44	35	5.8	.11 1.9	.7
40525107314	42801	\$ 23186	SCWA LAWR	ENCE RD	211MGTY	80-10-0	2 4	97	29	5.5	.22 1.3	.5
					211MGTY			97	30		.25 1.6	.5
					211MGTY			97	28	5.4	.16 1.3	1.4
					211MGTY 211MGTY			97 97	78 33	5.7 7.3	.15 7.8 .28 2.5	1.1
-					211MGTY	82-07-2	5 4	97	28	5.4	.19 1.9	.5
DATE	SODIUM, TOTAL RECOV-	POTAS- SIUM, TOTAL RECOV-	ALKA- LINITY FIELD	CHLO- RIDE, DIS-	FLUO- RIDE,		GEN	, GE	N, PHO		BARIUM, TOTAL NIC RECOV-	CADMIUM TOTAL RECOV-
OF SAMPLE	ERABLE (MG/L AS NA)	ERABLE (MG/L AS K)	(MG/L AS CACO3)	SOLVER (MG/L AS CL)	TOTAL (MG/L	TOTAL (MG/L	TOTA	L TOT	AL TOT	AL TOT	AL ERABLE /L (UG/L	ERABLE (UG/L AS CD)
80-10-29	3.2	.4	8	2.5		<.01	<.01	0 <.0	10		<5 <20	
81-03-22	3.1	. 3	9	4.0		-14	<.01	0 <.0	10			
31-08-23 32-01-20	3.8	-4	16 11	4.0 3.0	<.1						=======================================	
32-05-04	3.2	.4	10	3.5	<.1							
32-08-05	3.2	-4	10	2.0		<.05	<.01	0 <.0	50		<5	
80-10-02	2.7	.4	6	4.0		.33	<.01	0 <.0	10	220	<5 <30	\
81-02-10	2.7	.4	8	3.5					10			
31-08-05	3.0	3	7	3.5	<.1							
32-01-18 32-04-12	5.3 3.1	.5	25 11	3.0	<.1		<.01 <.01				:: ::	
32-07-25	3.0	.3	8	3.5		.36	<.01	0 <.0	50		<5	
			HRO- IUM, COP	PER, 1	RON	LEAD,	MANGA- NESE,	MERCURY		SILVER,	ZINC,	
	0	TE RI	OTAL TO ECOV- RE RABLE ER	TAL TOV- R	OTAL ECOV- RABLE	TOTAL RECOV- ERABLE	TOTAL RECOV- ERABLE	TOTAL RECOV- ERABLE	SELE- NIUM, TOTAL	TOTAL RECOV- ERABLE	TOTAL RECOV- ERABLE	
	3411					(UG/L AS PB)	AS MN)	AS HG)	AS SE)	AS AG)	AS ZN)	
	80-10			30	<10		<10				40	
	81-03 81-08			30 <20	50 40		<20 <10				<10 <20	
	82-01			20	<30		<10	·			60	
	82-05	-04		40	<30		<10				90	
	82-08			30	<30		10				70	
	80-10			90	<10		<10				<10	
	81-02			90	<30		<10				<10	
	81-08	-05		20	<30		<10				20	
		-18		30	<10		10				10	
	82-01 82-04		==	30 40	<10 50		10 <10			==	10 60	

289

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET	DUCT- ANCE LAB	PH LAB	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4054530730	30301	S 23255	SCWA JAYN	E BLVD.	211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	80-12-28 81-04-23 81-09-10 82-02-07 82-06-25	48 48 48	7 5 7 5 7 4	8 6. 3 6. 1 6. 4 6. 4 6.	8 .09 1 .22 0 .10	4.2	3.0 1.4 1.4 1.3 2.9
					211MGTY	82-08-23	48	7 6	3 6.	4 .22	4.0	1.4
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)		CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	(MG/L	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	GEN,	GEN,	PHOS- A PHORUS TOTAL (MG/L	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-12-28 81-04-23 81-09-10 82-02-07 82-06-25	5.2 4.1 4.0 3.9 5.4	.6 .5 .5 .4	19 13 13 14 20	8.0 6.0 6.0 6.5	<.1 <.1	1.4 .76 .83 .83	.060 <.010 <.010 <.010 <.010	.030 .120 <.010 <.010	Ξ	<5 	<30 	=======================================
82-08-23	4.0	. 4	15	5.0		.86	<.010	<.010	.060	<5		
	C	M T T R R F E R R R R R R R R R R R R R R R R	OTAL TO ECOV- RE RABLE ER UG/L (U	TAL T COV- R ABLE E G/L (CTAL ECOV- RABLE UG/L	LEAD, N TOTAL T RECOV- R ERABLE E	OTAL ECOV- RABLE UG/L	ERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L	TOTAL T RECOV- R ERABLE E (UG/L (INC, 0TAL ECOV- RABLE UG/L S ZN) <10 630 310 230 270	
	82-08			<20	30		10				<20	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4053360732	02101	S 23371	SCWA CHURC	H ST.	112GLCLU 112GLCLU 112GLCLU	80-12-15 81-05-06 81-09-28 82-01-05 82-02-09	474 474 474	84 83 117 	6.7 5.9 6.2	.10 .12 .14	5.7 7.6 8.3	1.6 2.1 2.9
		4			112GLCLU 112GLCLU 112GLCLU	82-03-02 82-03-23 82-04-11 82-05-04 82-06-08	474 474 474	107	5.2	.50 	7.1	2.3
					112GLCLU 112GLCLU 112GLCLU 112GLCLU	82-08-10 82-09-14	474	72 57	==	.23 .25	3.8 3.8	1.2
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	GEN,	NITRO- GEN/ AMMONIA TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-12-15 81-05-06 81-09-28 82-01-05 82-02-09	5.4 6.4 7.7	.6 .7 .9	10 10 10 	8.0 8.5 11	<.1 	3.2 3.5 5.2 3.8 4.5	<.010 <.010 .040	<.010 <.010 <.010	=======================================	<5 	<20 	=======================================
82-03-02 82-03-23 82-04-11 82-05-04	7.2	.9	9 	9.0	=======================================	4.2 5.3 3.2 3.6 4.0	<.010 	<.010 	=======================================	=	=	=======================================
82-06-21 82-08-10 82-09-14 82-09-20	5.7 5.7	.7 .7	9 9	6.5	<.1 	3.4 5.4 3.5 3.8	<.010 <.010	<.050 <.010	Ξ	 <5	=	=======================================
	C	M T ATE R OF E	RABLE ERA	AL TOV- RABLE E	OTAL TECOV- RRABLE EUG/L (EAD, NOTAL TECOV- RABLE EUG/L	OTAL TO	ECOV- N RABLE T UG/L (ELE- TO IUM, RE OTAL ER UG/L (U	TAL TO COV- RE ABLE ER G/L (U	NC, TAL COV- ABLE G/L ZN)	
	80-12 81-05 81-09 82-01 82-02	5-06 9-28 1-05		70 100 120 	<10 160 <30 	=======================================	<10 10 <10 	=	=		<10 60 <10	
	82-03 82-03 82-04 82-05 82-06	3-23 4-11 5-04		80 	<30 	=======================================	<10 	=======================================	=======================================	Ξ	30	
	82-08 82-08 82-09 82-09	3-10 9-14	Ξ	140	60 100	=	<10 10	=	Ξ	=	30 20	

SUFFOLK COUNTY--Continued

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4049420725	91601	S 23440	SCWA BEEC	HNUT AV	112GLCLU 112GLCLU 112GLCLU	80-09-16 81-02-17 81-07-26 82-01-05 82-01-18	165 165 165	148 177	6.2 5.7 5.8	.10 .12 .09	9.3 11 9.4	4.3 3.1 3.7
	÷				112GLCLU 112GLCLU 112GLCLU 112GLCLU	82-02-04 82-04-15 82-05-04 82-06-08 82-07-06	165 165 165	124	6.1	-28	3.8 10	2.9
						82-08-01 82-09-08			=	=	Ξ	=
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)		CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	GEN,	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-09-16 81-02-17 81-07-26 82-01-05 82-01-18	14 11 14 	2.2 1.6 2.0	24 19 23 20	15 10 15 15	<.1 	6.6 4.3 5.9 4.5	<.010 <.010 <.010 <.010	<.010 .060 <.010 	=	<5 	60 	=======================================
82-02-04 82-04-15 82-05-04 82-06-08 82-07-06	11	1.7	21 19	13 12 12 12	<.1 	4.6 3.8 4.7 6.0 5.8	<.010 <.010	<.010 .700	=======================================	 <5	=======================================	=======================================
82-08-01 82-09-08	=	==	Ξ	25 15	==	6.9	=	Ξ	==	==	==	=
	0	M T TE R R F E C A A A A A A A A A A A A A A A A A A	OTAL TO ECOV- RE RABLE ER UG/L (U	TAL T COV- R ABLE E G/L (OTAL T ECOV- R RABLE E UG/L (EAD, NOTAL TECOV- RABLE EUG/L	OTAL T ECOV- R RABLE E UG/L (ECOV- NI RABLE TO UG/L (ELE- TO IUM, RE DTAL EF JG/L (L	OTAL TO ECOV- RE RABLE ER JG/L (U 5 AG) AS	NC, TAL COV- ABLE G/L ZN) <10 410 30 10	
	82-08 82-09			::				:-		11		

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPT OF WELL Tota (FEE	DUCT ANCE	C I- - PH LAB	TUR- BID- ITY) (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4046590731	164101	s 23445	SCWA EMJA	BLVD.	211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	80-10-25 81-03-15 81-08-15 82-01-26 82-05-04	5 6 1 6 9 6 5 6	08 08 08 08	44 5. 61 5. 44 5. 43 5. 49 5.	7 .20 7 .11 6 .19 3 .10	3.3 4.1 2.3 2.1 2.2	1.1 1.2 1.0 .9
								08				
				2.22	211MGTY						2.0	.9
4051580730	330001	5 23524	SCWA BOY	E RD	112GLCLU 112GLCLU 112GLCLU	80-11-19 81-04-29 81-09-20 82-03-20 82-06-29	1 4 2 4 3 4	446 446 446	49 6. 43 5. 44 5. 42 6. 49 6.	9 .16 5 .18 2 .30	3.1 3.2 2.8 2.7 2.7	1.0 1.1 1.1 1.0 1.0
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	(MG/L	NITROGEN, NITRATI TOTAL (MG/L AS N)	GEN	GEN TE AMMON L TOTA L (MG/	PHOSTIL PHORUS	ARSENIC TOTAL (UG/L	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-10-25	3.4	-4	8	3.5		.83	<.01	0 <.01	10			
81-03-11	4.1	- 4	9	4.5		1.1	<.01					
81-08-19	3.9	- 4	10	6.5	<.1	1.0	<.01					
82-01-26 82-05-04	3.7 4.1	.3	10	5.0	<.1	1.1	<.01 <.01				==	
82-08-12	3.9	.4	10	5.0		.85	<.01	0 <.01	0	<5		
80-11-19	3.9	,	11				. 01			<5	<20	
81-04-21	4.1	.4	13	5.0 6.0		.16	<.01 <.01					
81-09-22	4.2	.5	16	4.0	<.1	.80	<.01					
82-03-23	4.2	.4	12	3.0		.86	<.01					
82-06-29	4.2	.4	10	5.0	<.1	. 91	<.01					
	0	MI TC TE RE F ER PLE (U	COV- REC	TAL TOV- RABLE E	OTAL T ECOV- R RABLE E UG/L (EAD, OTAL ECOV- RABLE UG/L	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE-	TOTAL TO RECOV- RO ERABLE EN (UG/L (1	INC, DTAL ECOV- RABLE UG/L S ZN)	
	80-10			70	<10		<10				90	
	81-03			80	50		<20				60	
	81-08		1	160	<30		<10			-:-	20	
	82-01 82-05		==	60 80	<30 30	==	<10 <10				10 70	
	82-08	-12		80	<30		<10				10	
									122			
	80-11 81-04		==	20	<10 <30		<10			==	100	
	81-09			20	<30		10				50	
	82-03			30	<30		<10				10	
	82-06			20	<30		30				10	
	00						30					

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- EIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
405047073	20601	\$ 23631	SCWA NEW	YORK AV	211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	80-09-25 81-02-24 81-08-05 82-01-27 82-02-10	595 595 595	48 52 48 53	6.5 6.0 5.9	.19 .29 1.5 .70	3.1 3.1 3.4 3.4	1.5 1.6 1.7 1.6
					211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	82-03-09 82-04-14 82-04-21 82-05-10 82-06-18	595 595 595 595 595	49	6.Q	4. <u>5</u>	3.1	1.6
					211MGTY 211MGTY 211MGTY	82-07-14 82-07-19 82-08-12	595 595 595	51	6-0	-45	3.1	1.6
4053090732	223402	S 2369	9 SCWA MEA	DE DR.		82-05-05	185	-		_		-
DATE OF SAMPLE	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN/ NITRATE TOTAL (MG/L AS N)	NITRO- GEN, NITRITE TOTAL (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	PHOS- PHORUS, TOTAL (MG/L AS P)	ARSENIC TOTAL (UG/L AS AS)	BARTUM, TOTAL RECOV— ERABLE (UG/L AS BA)	TOTAL
80-09-25 81-02-24 81-08-05 82-01-27 82-02-10	3.3 3.5 3.7 3.6	.5 .5 .5	18 17 18 17	2.5 3.5 5.5 4.5	<.1 	<.01 <.10 <.05 <.05	<.010 <.050 <.010 <.010	<.010 <.050 <.010 <.010	 .210 .200	<5 	<30 	=======================================
82-03-09 82-04-14 82-04-21 82-05-10 82-06-18	3.8	.5	16 	3.0	=======================================	<.01	<.010	 <.010 	.600 .120 .190 .260	=======================================	=======================================	=======================================
82-07-14 82-07-19 82-08-12	4.2	.6	17	4.0	=======================================	.05	<.010	<.010	.380 .450 .510	<5 	=	==
82-05-05						3.8						
	C	TE R	OTAL TO ECOV- RE RABLE ER UG/L (L	TAL TO	OTAL T ECOV- R RABLE E UG/L (EAD, NI OTAL TO ECOV- RI RABLE EI UG/L (1)	DTAL TO ECOV- RE RABLE ER JG/L (U	COV- NI RABLE TO	UM, RE	TAL TO COV- RE ABLE ER G/L (U	NC, TAL COV- ABLE G/L ZN)	
	80-09 81-02 81-08 82-01 82-02	-24 -05 -27	<10 		1020 1050 900	Ξ	<10 <10 20 <10	=======================================	=======================================	:: ::	20 20 90 20	
	82-03 82-04 82-04 82-05 82-06	-14 -21 -10	 <100 	40	1270 850 900 900 910	=======================================	 <10 	=======================================	=======================================	== == ==	40	
	82-07 82-07 82-08	-19 -12	=======================================	10	1010 970 920	=======================================	20	Ξ.	=======================================	== :	110	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4049550731	70402	S 23715	SCWA SCHI	JYLER DR	112GLCLU 112GLCLU	80-10-02 81-02-10 81-08-05 82-01-02 82-01-08	31: 31: 2 31:	3 139 3 149 3 149	7.0 5.6 5.4	.09 .16 .19	9.2 9.3 8.8	3.9 3.6 4.2 4.0
					112GLCLU 112GLCLU 112GLCLU	82-02-08 82-03-13 82-04-13 82-05-03 82-06-11	2 31: 3 31: 3 31:	3 13 3 13	6.2	-11	9.6	4.0
					112GLCLU 112GLCLU	82-07-14 82-07-15 82-08-04 82-09-07	31:	3	===	-20 	9.0 	4.1
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	GEN,	GEN,	PHOS-	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-10-02 81-02-10 81-08-05 82-01-02 82-01-08	9.8 9.7 11 11	.8 .9 .9	19 21 21 20	12 11 13 11	<.1 	5.5 5.0 5.6 5.7 5.3	<.010 <.010 .070 <.010	<.010 <.010 <.010 <.010	=======================================	<5 	<30 	=
82-02-08 82-03-12 82-04-13 82-05-03 82-06-11	10	.9	20	11 	<.1 	7.6 5.8 5.6 5.2 2.1	<.010	 <.010 	=	=	=======================================	=======================================
82-07-14 82-07-15 82-08-04 82-09-07	12	1.0	20 	11 	=======================================	5.6 5.5 5.8 5.8	<.010 	<.010 	=	<5 	=======================================	=======================================
	C	M T ATE R OF E	OTAL TO ECOV- RI RABLE EI UG/L (1	DTAL T ECOV- R RABLE E UG/L (OTAL T ECOV- R RABLE E UG/L (EAD, NOTAL TECOV- FRABLE EUG/L	TOTAL RECOV- RABLE	RECOV- ERABLE (UG/L	SELE- T NIUM, R TOTAL E (UG/L (OTAL TO ECOV- RE RABLE ER UG/L (L	NC, DTAL ECOV- RABLE IG/L E ZN)	
	80-10 81-02 81-08 82-01 82-01	2-10 3-05 1-02	=======================================	90 90 140 60	<10 <30 <30 <30	=======================================	<10 <10 <10 <10				<10 20 30 10	
4	82-02 82-03 82-04 82-05 82-06	3-12 3-13 5-03	=======================================	70	<30 	=	<10 	=	=	=	180 	
	82-07 82-08 82-08 82-08	7-15 3-04	=	80 	30 	=======================================	50 	=======================================	=======================================	Ξ	10 	

SUFFOLK COUNTY--Continued

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEE)	DUCT. ANCE LAB	C - - PH	H B	UR- ID- TY TU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
4049220731	62701	S 23832	SCWA WICKS	RD.	211MGTY 211MGTY 211MGTY 211MGTY 211MGTY	80-10-01 81-02-10 81-08-04 82-01-02 82-04-05	40 40 40 40)9)9)9	61 69 72 70 92	5.7 5.5 5.4 5.5 6.1	.06 .10 .16 .09	3.9 3.9 4.5 5.1 4.9	1.1 1.3 1.5 1.3
	4				211MGTY	82-07-14	40	09	98	5.6	.17	5.4	1.9
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	NITRO GENA NITRI TOTAL (MG/L AS N.)	GEN TE AMMON TOTA (MG/	PHO IA PHOP L TO	TAL TO	ENIC TAL IG/L AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-10-01 81-02-10 81-08-04 82-01-02 82-04-05	4.7 5.7 6.5 5.7 7.6	.6 .7 .7	7 7 9 11 11	7.0 6.5 9.5 7.5 9.5	<.1 <.1	3.1 3.5 3.8 3.6 5.1	<.010 .010 .060 <.010 <.010	<.01 <.01 <.01	0 0 0		<5 	<30 	=======================================
82-07-14	7.7	.8	9	9.0		5.5	<.010	<.01	0		<5	-4-	
	0	MI TO TE RE F ER CU AS -01 -10 -04 -02 -05	RO- UM, COPPE TAL TOTA COV- RECO ABLE ERAB G/L (UG/ CR) AS C	1 TO RIVE EIGHT (100 A)	CTAL ECOV- F RABLE F	LEAD, N TOTAL T RECOV- R ERABLE E (UG/L (ANGA- ESE, NOTAL ECOV- RABLE UG/L S MN) <10 20 <10 <10 10	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)	TO REC ERA (UI	NC, TAL COV- ABLE G/L ZN) 60 10 70 80 30	
					4.30							200	

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

SUFFOLK COUNTY--Continued

			LOCAL IDENT-		GEO-	DATE	DEPTH OF	SPE- CIFIC CON- DUCT-		TUR-	CALCIUM TOTAL RECOV-	MAGNE- SIUM, TOTAL RECOV-
STATION	NUMBER		I- FIER		LOGIC	OF SAMPLE	WELL, TOTAL (FEET)	ANCE LAB (UMHOS)	PH LAB (UNITS)	BID- ITY (NTU)	ERABLE (MG/L AS CA)	ERABLE (MG/L AS MG)
4044300732	211301	\$ 23848	SCWA WYAT	DANCH A	211MGTY	80-12-22	634	24	5.5	3.8	1.6	.3
					211MGTY	81-07-14	634	20		-40	.8	.3
					211MGTY 211MGTY	81-11-17 82-01-06	634	21		.36	.9	.2
					211MGTY	82-02-04	634	27		2.0	1.3	.2
					211MGTY	82-03-04	634					
					211MGTY	82-04-17	634					
					211MGTY	82-05-05	634					
					211MGTY 211MGTY	82-06-07 82-07-06	634 634	34		1.3	.9	.2
										,		
					211MGTY 211MGTY	82-08-04 82-09-08	634 634			=	=	=
	SODIUM, TOTAL	POTAS- SIUM, TOTAL		CHLO-	FLUO-	NITRO- GEN,	NITRO- GEN,	NITRO- GEN,	PHOS-		BARIUM, TOTAL	CADMIUM TOTAL
DATE	RECOV-	RECOV-	FIELD	DIS-	RIDE,	NITRATE	NITRITE	AMMONIA		ARSENIC	RECOV-	RECOV-
OF	ERABLE	ERABLE	(MG/L	SOLVED	TOTAL	TOTAL	TOTAL	TOTAL	TOTAL	TOTAL	ERABLE	ERABLE
SAMPLE	(MG/L AS NA)	(MG/L	AS	(MG/L	(MG/L	(MG/L	(MG/L	(MG/L AS N)	(MG/L AS P)	(UG/L AS AS)	(UG/L AS BA)	(UG/L
	AS NA)	AS K)	CACO3)	AS CL)	AS F)	AS N)	AS N)	AS NJ	AS PI	A5 A57	AS DAT	AS CD)
80-12-22	2.3	.3	4	3.5	==	<.01	<.010	<.010			<20	
81-07-14 81-11-17	3.3	.2	6	3.0 4.5	<.1	<.05 <.05	<.010 <.010	<.010 <.010	<.010 .350			
82-01-06									.170			
82-02-04	3.8	. 4	7	3.0		<.05	<.010	<.010	.550			
82-03-04									-140			
82-04-17									.070			
82-05-05 82-06-07									.070	- 22		
82-07-06	3.7	.3	10	3.0	<.1	<.05	<.010	<.010	.480			
82-08-04									.320			- 22
82-09-08									.200			
			HRO-				ANGA-					
								RCURY DTAL S			TAL	
					ECOV- F	ECOV- R	ECOV- RI				cov-	
											ABLE	
	3 4 19										ZN)	
	80-12	-22		70	730		<10					
	81-07	-14		50	440		20				20	
	81-11			30	530		10				750	
	82-01 82-02			60	410 510	==	<10		-	=	160	
	82-03				650							
	82-04				590							
	82-05 82-06			>	470 540			==				
	82-07			50	470		<10				20	
	82-08	-04			390				2.2			
	82-09				470							
	1000				CALL ST							

SUFFOLK COUNTY--Continued

WATER QUALITY DATA, SEPTEMBER 1980 TO SEPTEMBER 1982

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	SPE- CIFIC CON- DUCT- ANCE LAB (UMHOS)	PH LAB (UNITS)	TUR- BID- ITY (NTU)	CALCIUM TOTAL RECOV- ERABLE (MG/L AS CA)	MAGNE- SIUM, TOTAL RECOV- ERABLE (MG/L AS MG)
404806073	100101	S 24047	SCWA NIC	OLL RD.	112GLCLU 112GLCLU 112GLCLU	80-09-30 81-01-27 81-12-15 82-01-07 82-02-23	134 134 134	4 186 4 185 4	6.6 5.8	.08	11 11 9.6 	4.2 3.9 3.6
					112GLCLU 112GLCLU 112GLCLU	82-03-11 82-04-27 82-05-19 82-06-27 82-06-28	134 134 134	220		.26	13	3.6
					112GLCLU 112GLCLU	82-07-26 82-08-25 82-09-26 82-09-27	134 134	185	6.1		11	3.5
405920072	170301	S 24323	SCWA DIV	ISION ST	112GLCLU	80-09-08	174	70		.13	4.2	1.7
DATE OF Sample	SODIUM, TOTAL RECOV- ERABLE (MG/L AS NA)	POTAS- SIUM, TOTAL RECOV- ERABLE (MG/L AS K)	ALKA- LINITY FIELD (MG/L AS CACO3)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, TOTAL (MG/L AS F)	NITRO- GEN, NITRATE TOTAL (MG/L AS N)	GEN,	GEN,	PHOS-	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)
80-09-30 81-01-27 81-12-15 82-01-07 82-02-23	15 15 17 	1.5 1.5 1.9	22 21 18 	21 21 23 	<.1 <.1 	4.3 4.9 4.6 4.4 4.7	<.010 <.010 <.010	<.010 .080 <.010		=======================================	<30 	<1
82-03-11 82-04-27 82-05-19 82-06-27 82-06-28	19	1.8	 23	27	 <.1	2.7 3.3 5.3 4.9 4.8	 <.010	.130	=======================================	=======================================	=======================================	=======================================
82-07-26 82-08-25 82-09-26 82-09-27	18	1.8	2	27	=======================================	5.2 4.8 4.9 4.9	<.010	<.010	=	 <5 	=======================================	=======================================
80-09-08	6.1	.5	16	8.0		<.01	<.010	<.010			<20	
		TE R F & PLE (OTAL TO ECOV- RI RABLE EI UG/L (1	RABLE E	CTAL TECOV- R RABLE E	EAD, NOTAL TECOV- RABLE EUG/L (OTAL T ECOV- R RABLE E UG/L	RECOV- NERABLE TO	SELE- T NIUM, R TOTAL E	OTAL TO ECOV- RE RABLE ER UG/L (U	NC, TAL COV- ABLE IG/L ZN)	
	80-09 81-01 81-12 82-01 82-02	-27 -15 -07	=======================================	70 60 50	70 40 <30	<5 	50 20 60	=======================================	=======================================	=======================================	50 120 50	
	82-03 82-04 82-05 82-06	-27 -19 -27	=======================================	 60	300	:: ::	20	=======================================	=======================================	=======================================	 370	
	82-07 82-08 82-09 82-09	-25 -26	=	 40 	 <30	Ξ	40	Ξ	Ξ	=	20	
	80-09	-08		40	30		<10				20	

MINOR ELEMENT ANALYSES OF GROUND WATER WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

NASSAU COUNTY

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	ALUM- INUM, TOTAL RECOV- ERABLE (UG/L AS AL)	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)	CHRO-MIUM, TOTAL RECOV- ERABLE (UG/L AS CR)
4044070	73331501 N	9182 CD	CK WELL	9 A	211MGTY 211MGTY	82-02-22 82-08-18	195 195	20 100	==	Ξ	<1 <1	3 8
40440707	73331502 N	9183 CD	CK WELL	9В	211MGTY 211MGTY	82-02-22 82-08-18	105 105	110 90	::	==	<1 <1	5 15
40440707	73331503 N	.9184 CD	CK WELL	90		82-02-22 82-08-18	45 45	1000 790	==	==	1	3 31
40440407	73330401 N	9193 CD	CK WELL	10A	211MGTY 211MGTY	82-02-23 82-08-16	205 205	80 200	Ξ	==	<1 2	3 3
40440407	73330402 N	9194 CD	CK WELL	106	211MGTY 211MGTY	82-02-23 82-08-16	105 105	10 90	Ξ	==	<1 18	14
40440407	73330403 N	9195 CD	CK WELL	100		82-02-23 8 2-08-16	45 45	420 610	==	=	<1 35	2 6
DATE OF Sample	COBALT, TOTAL RECOV- ERABLE (UG/L AS CO)	COPPER, TOTAL RECOV- ERABLE (UG/L AS CU)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, SUS- PENDED RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, TOTAL RECOV- ERABLE (UG/L AS PB)	LITHIUM TOTAL RECOV- ERABLE (UG/L AS LI)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MOLYB- DENUM, TOTAL RECOV- ERABLE (UG/L AS MO)	NICKEL, TOTAL RECOV- ERABLE (UG/L AS NI)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)
82-02-22 82-08-18	==	10	50 30	40	10	2 2	==	<10 10	==	==	=	<1 <1
82-02-22 82-08-18	=	32 6	230 110	210	20	1 4	==	<10 10	Ξ	==	=	<1 <1
82-02-22 82-08-18	==	10 7	1000 760	990	10	5 5	==	30 30	=	==	=	<1 <1
82-02-23 82-08-16	=	5 11	540 1400	480	63	3 28		10 30	Ξ	I	Ξ	<1 <1
82-02-23 82-08-16	=	<1 15	90 220	10	76	2 260	==	520 580	=	=	=	<1 <1
82-02-23 82-08-16	Ξ	2 ⁻ 11	70 130	20	52	2 480	==	510 450	Ξ	Ξ	Ξ	<1 <1

	ZINC,
	TOTAL
DATE	RECOV-
OF	ERABLE
SAMPLE	(UG/L
	AS ZN)
82-02-22	20
82-08-18	30
82-02-22	20
82-08-18	<10
82-02-22	30
82-08-18	20
82-02-23	20
32-08-16	<10
32-02-23	50
82-08-16	20
82-02-23	130
82-08-16	10

WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

NASSAU COUNTY--Continued

STATION	NUMBER			9	LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	ALUM- INUM, TOTAL RECOV- ERABLE (UG/L AS AL)	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)	CHRO- MIUM, TOTAL RECOV- ERABLE (UG/L AS CR)
4044040	73325301	N	9196 C	0 (CK WELL	11A	211MGTY 211MGTY 211MGTY	82-02-22 82-06-09 82-08-17	205 205 205	<10 70 40	=	::	1 8 5	3 1 6
4044040	73325302	N	9197 C	0 (CK WELL	118	211MGTY 211MGTY 211MGTY	82-02-22 82-06-09 82-08-17	95 95 95	30 70 40	Ξ	Ξ	<1 42 7	2 1 3
4044040	73325303	N	9198 C	0	CK WELL	110	112GLCLU 112GLCLU	82-02-22 82-06-09 82-08-17 82-09-15	45 45 45 45	800 810 1400	 1 1	100 100	<1 1 10 1	2 2 10 10
4044070	73331601	N	9199 C	D (CK WELL	84	211MGTY 211MGTY	82-02-22 82-08-17	105 105	10 20	==	Ξ	<1 2	3 3
4044070	73331602	N	9200 C	D	CK WELL	88		82-02-22 82-08-17	45 45	80 330	==	=	<1 2	8
DATE OF Sample	COBALT, TOTAL RECOV- ERABLE (UG/L AS CO)		COPPER, TOTAL RECOV- ERABLE (UG/L AS CU)		IRON, TOTAL RECOV- ERABLE (UG/L AS FE)		DIS-	LEAD, TOTAL RECOV- ERABLE (UG/L AS PB)	LITHIUM TOTAL RECOV- ERABLE (UG/L AS LI)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MOLYB- DENUM, TOTAL RECOV- ERABLE (UG/L AS MO)	NICKEL, TOTAL RECOV- ERABLE (UG/L AS NI)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)
82-02-22 82-06-09 82-08-17	Ξ		4 5 24		40 70 60	20 60	16 9	<1 170 280		20 <10 20	==	==	=	<1 <1 <1
82-02-22 82-06-09 82-08-17	Ξ		11 7 32		40 60 60	50	<10 9	2 720 310	=	100 100 100	==	Ξ	==	<1 <1 <1
82-02-22 82-06-09 82-08-17 82-09-15	 1 5		15 18 43 16		400 350 220 320	330 300	<10 25 20	1 2 300 7	10	830 810 700 720	 <1	7 12	 <1 <1	<1 <1 <1 <1
82-02-22 82-08-17	Ξ		12		60 40	=	==	<1 2	==	<10 20		==	=	<1 <1
82-02-22 82-08-17	::		8 39		120	==	<10	<1 1		<10 20	Ξ	Ξ	Ξ	<1 <1

								IN		
			0	Δ	Т	=		EC		
					F			RA	-	
		0		9			E	UG		
		3	_	17			_	S		
							2		3	0
							9		1	0
8	2	-	0	8	-	1	7		3	0
							2	<	1	0
							9		2	0
8	2	-	0	3	-	1	7		4	0
8	2	-	0	2	-	2	2		9	0
8	2	-	0	6	-	0	9		8	0
8	2	-	0	8	-	1	7	1	3	0
8	2	-	0	9	-	1	5	1	2	0
8	2	-	0	2	-	2	2		2	0
8	2	-	0	8	-	1	7	~	3	0
8	2	_	0	2	_	2	2		1	0
8	2	-	0	8	-	1	7		4	0

WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

NASSAU COUNTY--Continued

STATION NUMBER	LOCAL IDENT- I- FIER	GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	ALUM- INUM, TOTAL RECOV- ERABLE (UG/L AS AL)	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)	CHRO- MIUM, TOTAL RECOV- ERABLE (UG/L AS CR)
4043530733318C1 N	9219 CD CK WELL 14A	211MGTY 211MGTY	82-02-24 82-08-18	95 95	10 30	==	=	<1 <1	7 12
404353073331802 N	9220 CD CK ELL 146		82-02-24 82-38-18	45 45	60 50	Ξ	Ξ	<1 <1	2 6
404351073332701 N	9221 CD CK WELL 16A	211MGTY 211MGTY	82-02-24 82-08-18	95 95	<10 20		Ξ	<1 1	3 7
4C4351073332702 N	9222 CD CK WELL 168		32-02-24 82-08-18	45 45	80 70	Ξ	==	<1 1	3 6
404346073332001 N	9223 CD CK WELL 17A	211MGTY 211MGTY	82-02-24 82-08-18	105 105	<10 30	==	==	<1 <1	11
4C4346073332002 N	9224 CD CK WELL 178		82-02-24 82-08-18	45 45	<10 40	Ξ	==	<1 <1	2 16
404345073324301 N	9247 CD CK WELL 15A	211MGTY 211MGTY	82-02-23 82-08-17	95 95	40 50	==	==	<1 <1	7
COBALT/ TOTAL DATE RECCV- OF ERABLE SAMPLE (UG/L AS CO)	COPPER, IRON, TOTAL TOTAL P RECOV- RECOV- RERABLE ERABLE E (UG/L (UG/L (RON, SUS- ENDED IRON, ECOV- DIS- RABLE SOLVED UG/L (UG/L S FE) AS FE)	(UG/L	LITHIUM TOTAL RECOV- ERABLE (UG/L AS LI)	MANGA- NESE/ TOTAL RECOV- ERABLE (UG/L AS MN)	MCLYB- DENUM, TOTAL RECCY- ERABLE (UG/L AS MO)	NICKEL, TOTAL RECOV- ERABLE (UG/L AS NI)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)
82-02-24 82-08-18	4 30 41 40	10 22	3 3	==	10 10	::	=	Ξ	<1 <1
\$2-02-24 82-08-18	6 110 34 160	100 10	4 5	==	<10 10	==	Ξ	Ξ	<1 <1
82-02-24 82-08-18	8 30 67 50	<3	1 5		<10 20	==	==	=	<1 <1
82-02-24 82-08-18	11 20 33 50	10 7	3 5		610 690	Ξ	Ξ	=	<1 <1
82-02-24 82-08-18	7 23 50	= =	3 6	::	<10 10	11	Ξ	=	<1 <1
82-02-24 82-08-18	9 7 40	= =	4	==	<10 10	Ξ	=	==	<1 <1
82-02-23 82-06-17	10 80 34 60	70 11	3	==	10 10	::	==	==	<1 <1

	DATE		TOT	AL
	0=		ERA	
S	AMPL	E	(UG AS	
	02-2 08-1			10
	02-2 08-1			30
	02-2 08-1			10
	02-2 3 8-1			10
	02-2 08-1			00 30
	02-2 08-1			80
	02-2 03-1			4 C 3 C

WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

NASSAU COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	ALUM- INUM, TOTAL RECOV- ERABLE (UG/L AS AL)	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)	CHRO- MIUM, TOTAL RECOV- ERABLE (UG/L AS CR)
4043450	73324302 N	9248 CD	CK WELL	15B		82-02-23 82-08-17	45 45	30 50	==	==	<1 <1	3 22
4044100	73331201 N	9360 CD	CK WELL	3 A	211MGTY 211MGTY	82-02-23 82-08-17	205 205	10 30	==	==	1 11	3 2
4044100	733 31 202 N	9361 CD	CK WELL	38	211MGTY 211MGTY	82-02-23 82-08-17	100 100	30 50	==		<1 21	3 <1
4044100	73331203 N	9362 CD	CK WELL	3C		82-02-23 82-08-17	45 45	200	==	==	1 37	3 8
4044120	73331305 N	9363 CD	CK WELL	4 A	211MGTY 211MGTY 211MGTY	82-02-23 82-06-10 82-08-17	103 103 103	10 60 40	 1	100	<1 9 6	3 <1 10
4044120	73331306 N	9364 CD	CK WELL	48	112GLCLU	82-02-23 82-06-10 82-08-17	45 45 45	400 380 800	 1	100	1 7 3	. 3 1 10
DATE OF SAMPLE	COBALT, TOTAL RECOV- ERABLE (UG/L AS CO)	COPPER, TOTAL RECOV- ERABLE (UG/L AS CU)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, SUS- PENDED RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, TOTAL RECOV- ERABLE (UG/L AS PB)	LITHIUM TOTAL RECOV- ERABLE (UG/L AS LI)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MOLYB- DENUM, TOTAL RECOV- ERABLE (UG/L AS MO)	NICKEL, TOTAL RECOV- ERABLE (UG/L AS NI)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)
82-02-23 82-08-17	==	12 13	20 50	0	20	2	==	20 30				<1 <1
82-02-23 82-08-17	Ξ	10 26	50 30	30	20	110	=	<10 10	==	==	=	<1 <1
82-02-23 82-08-17	=	6 39	80 40	60	20	<1 260	==	30 20		==	·	<1 <1
82-02-23 82-08-17	==	7 20	160 1800	150	10	6 420	==	70 260		==	==	<1
82-02-23		8	40			4		<10				<1
82-06-10		9	70	60	11	170		<10				<1
82-08-17	3	12	40			390	<10	10	<1	4	<1	<1
82-02-23		8	150			4		360				<1
82-06-10		15	220	190	27	150		630				<1
82-08-17	3	16	250			3	<10	960	<1	18	<1	<1

								_		N	7		
			D	A	T	E		R	E	C	0	٧	-
				0	F			E	R	A	В	L	E
		S	A	M	P	L	Ε	(U	G	1	L	
								A	S		Z	N)
8	2	_	0	2	_	2	3				2	0	
8	2	-	0	8	-	1	7				3	0	
8	2	_	0	2	_	2	3			<	1	0	
8	2	-	0	8	-	1	7					0	
8	2	_	0	2	_	2	3			<	1	0	
8	2	-	0	8	-	1	7				1	0	
8	2	-	0	2	_	2	3			<	1	0	
8	2	-	0	8	-	1	7				2	0	
8	2	-	0	2	_	2	3			<	1	0	
8	2	-	0	6	-	1	0				1	0	
8	2	-	0	8	-	1	7				3	0	
8	2	-	0	2	-	2	3				5	0	
							0				2	0	
8	2	-	0	õ	-	1	7				5	0	

WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

NASSAU COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	ALUM- INUM, TOTAL RECOV- ERABLE (UG/L AS AL)	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)	CHRO- MIUM, TOTAL RECOV- ERABLE (JG/L AS CR)
4043510	73330901 N	9365 CD	CK WELL	194	211MGTY 211MGTY	82-02-24 82-08-16	95 95	10 <10	==	- ::	<1 21	2
4043510	73330902 N	9366 CD	CK WELL	195		82-02-24 82-08-16	45	20 250	Ξ	Ξ	<1 9	1 13
4044010	73324801 N	9367 CD	CK WELL	124	211MGTY 211MGTY 211MGTY	82-02-22 82-06-09 82-08-17	105 105 105	40 40 50	Ξ	Ξ	<1 16 4	3 <1 2
4044010	73324802 N	9368 CD	CK WELL	125	112GLCLU 112GLCLU	82-02-22 82-06-09 82-08-17 82-09-15	45 45 45	90 60 40	<1 1	100 <100	<1 6 8	47 1 10 10
4044140	73325301 N	9449 CD	CK WELL	5 A	211MGTY 211MGTY	82-02-23 82-08-18	198 198	800	==		1 1	3 8
4044140	73325302 N	9450 CD	CK WELL	58	211MGTY 211MGTY	82-02-23 82-08-18	105 105	100 140	Ξ	==	<1 <1	2 4
DATE OF SAMPLE	COBALT, TOTAL RECOV- ERABLE (UG/L AS CO)	COPPER, TOTAL RECOV- ERABLE (UG/L AS CU)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, SUS- PENDED RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, TOTAL RECOV- ERABLE (UG/L AS PB)	LITHIUM TOTAL RECOV- ERABLE (UG/L AS LI)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MOLYB- DENUM, TOTAL RECCV- ERABLE (UG/L AS MO)	NICKEL, TOTAL RECOV- ERABLE (UG/L AS NI)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)
82-02-24 82-08-16	==	4 8	20 50	20	5	180	==	<10 30	=	==	=	<1 <1
82-02-24 82-08-16	==	5 11	10 330	10	3	2 270	==	40 20	==	=	Ξ	<1 <1
82-02-22 82-06-09 82-08-17	=	12 8 13	70 60 30	50	<10 14	1 270 180	=	750 960 1000	Ξ	Ξ.	=	<1 <1 <1
82-02-22 82-06-09 82-08-17 82-09-15	 <1 5	42 5 12 6	180 40 30 150	160 20 140	20 16 13	<1 140 350 6	 <10	20 20 10	 <1	 6 6	 <1 <1	<1 <1 <1 <1
82-02-23 82-08-18	Ξ	10 8	18000 1800	18000	450	9	=	<10 10	14.	Ξ	Ξ	<1 <1
82-02-23 82-08-18	Ξ	10 24	90 160	30	10	1 3	=	20 20	=	=	=	<1

			ZINC	
-	ATE		RECO	
	OF		ERAE	
	MPL		(UG/	
-		-	45 2	
32-0				20
82-0	8-1	6	<1	0
32-0				0
82-0	8-1	6	<1	0
32-0				20
82-0				50
02 0				, ,
32-0				0
82-0				30
82-0				10
82-0			<1	
32-0	6-1	8	1	10
82-0				10
82-0	3-1	8	2	20

WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

NASSAU COUNTY--Continued

All samples were collected and analyzed by U.S. Geological Survey.

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	ALUM- INUM, TOTAL RECOV- ERABLE (UG/L AS AL)	ARSENIC TOTAL (UG/L AS AS)	BARIUM, TOTAL RECOV- ERABLE (UG/L AS BA)	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)	CHRO- MIUM, TOTAL RECOV- ERABLE (UG/L AS CR)
40441407	73325303 N	9451 CD	CK WELL	5 C		82-02-23 82-08-18	45 45	900 3500	==	==	<1 <1	3 6
DATE OF Sample	COBALT, TOTAL RECOV- ERABLE (UG/L AS CO)	COPPER, TOTAL RECOV- ERABLE (UG/L AS CU)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, SUS- PENDED RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, TOTAL RECOV- ERABLE (UG/L AS PB)	LITHIUM TOTAL RECOV- ERABLE (UG/L AS LI)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MOLYB- DENUM, TOTAL RECOV- ERABLE (UG/L AS MO)	NICKEL, TOTAL RECOV- ERABLE (UG/L AS NI)	SELE- NIUM, TOTAL (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)
82-02-23 82-08-18	==	9 20	90 50	70	17	2 2	==	430 720				<1 <1

	ZINC.
	TOTAL
DATE	RECOV-
OF	ERABLE
SAMPLE	(UG/L
	AS ZN)
82-02-23	50
82-08-18	80

Geological unit (aquifer):

112GLCLU - Upper Glacial Aquifer, Pleistocene age.

112GROR - Gardiners Clay, Pleistocene age.

112JMC0 - Jameco Gravel, Pleistocene age.

211LLYD - Llyod Aquifer, Cretaceous age.

211MGTY - Magothy Aquifer, Cretaceous age.

211RNCF - Raritan Confining Unit, Cretaceous age.

3

WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

NASSAU COUNTY--Continued

STATIO	N NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	PCB, TOTAL (UG/L)	ALDRIN, TOTAL (UG/L)	CHLOR- DANE, TOTAL (UG/L)	DDD, TOTAL (UG/L)	DDE, TOTAL (UG/L)
404407	073331501 N	9182 CD	CK WELL	9 A	211MGTY 211MGTY	82-02-22 82-08-18	195 195	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00 <.00
404407	073331502 N	9183 CD	CK WELL S	9 B	211MGTY 211MGTY	82-02-22 82-08-18	105 105	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00 <.00
404407	073331503 N	9184 CD	CK WELL	9C		82-02-22 82-08-18	45 45	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00 <.00
404404	073330401 N	9193 CD	CK WELL 1	10A	211MGTY 211MGTY	82-02-23 82-08-16	205 205	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00 <.00
404404	073330402 N	9194 CD	CK WELL 1	108	211MGTY 211MGTY	82-02-23 82-08-16	105 105	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	.00 <.00
404404	0733304C3 N	9195 CD	CK WELL 1	100	나의 어디어 가는 그리어요?	82-02-23 82-08-16	45 45	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00
DATE OF SAMPLE	DDT, TOTAL (UG/L)	DI- AZINON, TOTAL (UG/L)	DI- ELDRIN TOTAL (UG/L)	ENDO- SULFAN, TOTAL (UG/L)	ENDRIN, TOTAL (UG/L)	ETHION, TOTAL (UG/L)	HEPTA- CHLOR, TOTAL (UG/L)	HEPTA- CHLOR EPOXIDE TOTAL (UG/L)	LINDANE TOTAL (UG/L)	MALA- THION, TOTAL (UG/L)	METHYL PARA- THION, TOTAL (UG/L)	METHYL TRI- THION, TOTAL (UG/L)
82-02-22 82-08-18		<.01 <.01	<.00 <.00	<.00 <.00	<.00 <.00	<.01 <.01	<.00 <.00	<.00 <.00	<.00 <.00	<.01 <.01	<.01 <.01	<.01 <.01
82-02-22 82-08-18		<.01 <.01	.01 <.00	<.00 <.00	<.00 <.00	<.01 <.01	<.00 <.00	.00	<.00 <.00	<.01 <.01	<.01 <.01	<.01 <.01
82-02-22 82-08-18		<.01 <.01	.05	<.00 <.00	<.00 <.00	<.01 <.01	<.00 <.00	.01 <.00	<.CO	<.01 <.01	<.01 <.01	<.01 <.01
82-02-23 82-08-16		<.01 <.01	<.00 <.00	<.00 <.00	<.00 <.00	<.01 <.01	<.00 <.00	<.00 <.00	<.CO	<.01 <.01	<.01 <.01	<.01 <.01
82-02-23 82-08-16		<.01 <.01	.03	<.00 <.00	<.00 <.00	<.01 <.01	<.00 <.00	.01 <.00	<.CO	<.01 <.01	<.01 <.01	<.01 <.01
82-02-23 82-08-16		<.01 <.01	.06	<.00 <.00	<.00 <.00	<.01 <.01	<.00 .01	.01 <.00	<.00 <.00	<.01 <.01	<.01 <.01	<.01 <.01
	DATE OF Sample	MIREX, TOTAL (UG/L)	NAPH- THA- LENES, POLY- CHLOR. TOTAL (UG/L)	PARA- THION, TOTAL (UG/L)	PER- THANE TOTAL (UG/L)	TOX- APHENE, TOTAL (UG/L)	TOTAL TRI- THION (UG/L)	2,4-D, TOTAL (UG/L)	2,4,5-T TOTAL (UG/L)	METH- OXY- CHLOR, TOTAL (UG/L)	SILVEX, TOTAL (UG/L)	
	82-02-22 82-08-18	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01 <.01	<.01 <.01	<.01 <.01	<.01 <.01	
	82-02-22 82-08-18	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01 <.01	<.01 <.01	<.01 <.01	.04	
	82-02-22 82-08-18	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01 <.01	<.01 <.01	<.01 <.01	<.01 <.01	
	82-02-23 82-08-16	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01 <.01	<.01 <.01	<.01 <.01	<.01 <.01	
	32-02-23 82-08-16	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01 .02	<.01 .02	<.01 <.01	<.01 <.01	
	82-02-23 82-08-16	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01	<.01	<.01 <.01	<.01	

WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

NASSAU COUNTY--Continued

STATIO	N NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	PCB, TOTAL (UG/L)	ALDRIN, TOTAL (UG/L)	CHLOR- DANE, TOTAL (UG/L)	DDD, TOTAL (UG/L)	DDE, TOTAL (UG/L)
404404	073325301 N	9196 CD	CK WELL	11A	211MGTY 211MGTY 211MGTY	82-02-22 82-06-09 82-08-17	205 205 205	<.10 <.10 <.10	<.00 <.00 <.00	<.10 <.10 <.10	<.00 <.00 <.00	<.00 <.00 <.00
404404	073325302 N	9197 CC	CK WELL	116	211MGTY 211MGTY 211MGTY	82-02-22 82-06-09 82-08-17	95 95 95	<.10 <.10 <.10	<.00 <.00 <.00	<.10 <.10 <.10	<.00 <.00 <.00	<.00 <.00 <.00
404404	073325303 N	9198 C	CK WELL	11C	112GLCLU 112GLCLU	82-02-22 82-06-09 82-08-17 82-09-15	45 45 45 45	<.10 <.10 <.10 <.10	<.00 <.00 <.00 <.01	<.10 <.10 <.10 <.10	<.00 <.00 <.00 <.01	.00 <.00 <.00 <.01
404407	073331601 N	9199 C	CK WELL	8 A	211MGTY 211MGTY	82-02-22 82-08-17	105 105	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00 <.00
404407	073331602 N	9200 CC	CK WELL	83		82-02-22 82-08-17	45 45	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00 <.00
DATE OF SAMPLE	DDT, TOTAL (UG/L)	DI- AZINON, TOTAL (UG/L)	DI- ELDRIN TOTAL (UG/L)	ENDO- SULFAN, TOTAL (UG/L)	ENDRIN, TOTAL (UG/L)	ETHION, TOTAL (UG/L)	HEPTA- CHLOR, TOTAL (UG/L)	HEPTA- CHLOR EPOXIDE TOTAL (UG/L)	LINDANE TOTAL (UG/L)	MALA- THION, TOTAL (UG/L)	METHYL PARA- THION, TOTAL (UG/L)	METHYL TRI- THION, TOTAL (UG/L)
82-02-22 82-06-09 82-08-17	<.00 <.00 <.00	<.01 <.01 <.01	<.00 .02 <.00	<.00 <.00 <.00	<.00 <.00 <.00	<.01 <.01 <.01	<.00 <.00 <.00	<.00 <.00 <.00	<.00 <.00 <.00	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01
82-02-22 82-06-09 82-08-17	<.00 <.00 <.00	<.01 <.01 <.01	.01 .01 .01	<.00 <.00 <.00	<.00 <.00 <.00	<.01 <.01 <.01	<.00 <.00 <.00	.00 .01 .01	<.00 <.00	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01
82-02-22 82-06-09 82-08-17 82-09-15	.00 <.00 <.00 <.01	<.01 <.01 <.01	.05 <.00 .04 .06	<.00 <.00 <.00 <.01	<.00 <.00 <.00 <.01	<.01 <.01 <.01	<.00 <.00 <.00 <.01	.02 <.00 .02 .02	<.00 <.00 <.00 <.01	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01
82-02-22 82-08-17	<.00 <.00	<.01 <.01	.02	<.00 <.00	<.00 <.00	<.01 <.01	<.00 <.00	.00	<.00 <.00	<.01 <.01	<.01 <.01	<.01 <.01
82-02-22 82-08-17	<.00 <.00	<.01 <.01	•01 •02	<.00 <.00	<.00 <.00	<.01 <.01	<.00 <.00	.00	<.00 <.00	<.01 <.01	<.01 <.01	<.01 <.01
	DATE OF Sample	MIREX, TOTAL (UG/L)	NAPH- THA- LENES, POLY- CHLOR. TOTAL (UG/L)	PARA- THION, TOTAL (UG/L)	PER- THANE TOTAL (UG/L)	TOX- APHENE, TOTAL (UG/L)	TOTAL TRI- THION (UG/L)	2,4-D, TOTAL (UG/L)	2,4,5-T TOTAL (UG/L)	METH- OXY- CHLOR, TOTAL (UG/L)	SILVEX, TOTAL (UG/L)	
	82-02-22 82-06-09 82-08-17	<.01 <.01 <.01	<.10 <.10 <.10	<.01 <.01 <.01	<.10 <.10	<0 <1 <1	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01	
	82-02-22 82-06-09 82-08-17	<.01 <.01 <.01	<.10 <.10 <.10	<.01 <.01 <.01	<.10 <.10	<0 <1 <1	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01	
	82-02-22 82-06-09 82-08-17 82-09-15	<.01 <.01 <.01 <.01	<.10 <.10 <.10 <.10	<.01 <.01 <.01	<.10 <.10 <.10	<0 <1 <1 <1	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01 <.01	<.01 <.01 <.01	
	82-02-22 82-08-17	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01 <.01	<.01 <.C1	<.01 <.01	.01	
	82-02-22 82-08-17	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01	<.01	<.01 <.01	<.01	

WATER YEAR OCTOBER 1981 TC SEPTEMBER 1982

NASSAU COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TCTAL (FEET)	PCB, TOTAL (UG/L)	ALDRIN, TOTAL (UG/L)	CHLOR- DANE, TOTAL (UG/L)	DDD, TOTAL (UG/L)	DDE, TOTAL (UG/L)
4043530	73331801 N	9219 CD	CK WELL	14A	211MGTY 211MGTY	82-02-24 82-08-18	95 95	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00 <.00
4043530	73331802 N	9220 CD	CK WELL	148		82-02-24 82-08-18	45 45	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00
4043510	73332701 N	9221 CD	CK WELL	16A	211MGTY 211MGTY	82-02-24 82-08-18	95 95	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00 <.00
4043510	73332702 N	9222 CD	CK WELL	166		82-02-24 82-08-18	45 45	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00 <.00
4043460)73332001 N	9223 CD	CK WELL	17A	211MGTY 211MGTY	82-02-24 82-08-18	105 105	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00
4043460	73332002 N	9224 CD	CK WELL	178		82-02-24 82-08-18	45 45	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00
4043450	073324301 N	9247 CD	CK WELL	15A	211MGTY 211MGTY	82-02-23 82-08-17	95 95	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00 <.00
DATE OF SAMPLE	DDT, TOTAL (UG/L)	DI- AZINON, TOTAL (UG/L)	DI- ELORIN TOTAL (UG/L)	ENDO- SULFAN, TOTAL (UG/L)	ENDRIN, TOTAL (UG/L)	ETHION, TOTAL (UG/L)	HEPTA- CHLOR, TOTAL (UG/L)	HEPTA- CHLOR EPOXIDE TOTAL (UG/L)	LINDANE TOTAL (UG/L)	MALA- THION, TOTAL (UG/L)	METHYL PARA- THION, TOTAL (UG/L)	METHYL TRI- THION, TOTAL (UG/L)
82-02-24 82-08-18	<.00 <.00	<.01 <.01	.01	<.00 <.00	<.00 <.00	<.01 <.01	<.00 <.00	<.00 <.00	<.00 <.00	<.01 <.01	<.01 <.01	<.01 <.01
82-02-24 82-08-18	<.00 <.00	<.01 <.01	.02	<.00 <.00	<.00 <.00	<.01 <.01	<.00 <.00	<.00 <.00	<.00 <.00	<.01 <.01	<.01 <.01	<.01 <.01
82-02-24 82-08-18	<.00 <.00	<.01 <.01	.02	<.00 <.00	<.00 <.00	<.01 <.01	<.00 <.00	.01 <.00	<.C0 .00	<.01 <.01	<.01 <.01	<.01 <.01
82-02-24 82-08-18	<.00 <.00	<.01 <.01	.04	<.00 <.00	<.00 <.00	<.01 <.01	<.00 <.00	.02	<.CO	<.01 <.01	<.01 <.01	<.01 <.01
82-02-24 82-08-18	<.00 <.00	<.01 <.01	<.00 <.00	<.00 <.00	<.00 <.00	<.01 <.01	<.00 <.00	<.00 <.00	<.CO <.OO	<.01 <.01	<.01 <.01	<.01 <.01
82-02-24 82-08-18	<.00 .00	<.01 <.01	.01 <.00	<.00 <.00	<.00 <.00	<.01 <.01	<.00 <.00	.00	<.00 <.00	<.01 <.01	<.01 <.01	<.01 <.01
82-02-23 82-08-17	<.00 <.00	<.01 <.01	<.00 <.00	<.00 <.00	<.00 <.00	<.01 <.01	<.00 <.00	<.00 <.00	<.CO	<.01 <.01	<.01 <.01	<.01 <.01
	DATE OF Sample	MIREX, TOTAL (UG/L)	NAPH- THA- LENES, POLY- CHLOR. TOTAL (UG/L)	PARA- THION, TOTAL (UG/L)	PER- THANE TOTAL (UG/L)	TOX- APHENE, TOTAL (UG/L)	TOTAL TRI- THION (UG/L)	2,4-D, TOTAL (UG/L)	2,4,5-T TOTAL (UG/L)	METH- OXY- CHLOR, TOTAL (UG/L)	SILVEX, TOTAL (UG/L)	
	82-02-24 82-08-18	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01 <.01	<.01 <.01	<.01 <.01	<.01 <.01	
	82-02-24 82-08-18	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01 .01	<.01 <.01	<.01 <.01	<.01 <.01	
	82-02-24 82-08-18	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01 <.01	<.C1 <.C1	<.01 <.01	<.01 <.01	
	82-02-24 82-08-18	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01 	<.01	<.01 <.01	<.01	
	82-02-24 82-08-18	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01 <.01	<.C1 <.C1	<.01 <.01	<.01 <.01	
	82-02-24 82-08-18	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01 	<.01	<.01 <.01	<.01	
	82-02-23 82-08-17	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01 <.01	<.C1 <.O1	<.01 <.01	<.01 <.01	

WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

NASSAU COUNTY--Continued

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF SAMPLE	DEPTH OF WELL, TOTAL (FEET)	PCB, TOTAL (UG/L)	ALDRIN, TOTAL (UG/L)	CHLOR- DANE, TOTAL (UG/L)	DDD, TOTAL (UG/L)	DDE, TOTAL (UG/L)
4043450	73324302 N	9248 CD	CK WELL	15B		82-02-23 82-08-17	45 45	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00 <.00
4044100)73331201 N	9360 CD	CK WELL	3 A	211MGTY 211MGTY	82-02-23 82-08-17	205 205	<.10	<.00	<.10	<.00	<.00
4044100	73331202 .N	9361 CD	CK WELL	38	211MGTY 211MGTY	82-02-23 82-06-17	100 100	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00 <.00
4044100	73331203 N	9362 CD	CK WELL	3C	112GLCLU	82-08-17	45	<.10	<.00	<.10	<.00	<.00
4044120)73331305 N	9363 CD	CK WELL	4 A		82-02-23 82-06-10 82-08-17	103 103 103	<.10 <.10 <.10	<.00 <.00 <.00	<.10 <.10 <.10	<.00 <.00 <.00	<.00 <.00 <.00
4044120)73331306 N	9364 CD	CK WELL	48	112GLCLU	82-02-23 82-06-10 82-08-17	45 45 45	<.10 <.10 <.10	<.00 <.00 <.00	<.10 <.10 <.10	<.00 <.00 <.00	<.00 <.00 <.00
DATE OF Sample	DDT, TOTAL (UG/L)	DI- AZINON, TOTAL (UG/L)	DI- ELDRIN TOTAL (UG/L)	ENDO- SULFAN, TOTAL (UG/L)	ENDRIN, TOTAL (UG/L)	ETHION, TOTAL (UG/L)	HEPTA- CHLOR, TOTAL (UG/L)	HEPTA- CHLOR EPOXIDE TOTAL (UG/L)	LINDANE TOTAL (UG/L)	MALA- THION, TOTAL (UG/L)	METHYL PARA- THION, TOTAL (UG/L)	METHYL TRI- THION, TOTAL (UG/L)
82-02-23 82-08-17	<.00 <.00	<.01 <.01	.02	<.00 <.00	<.00 <.00	<.01 <.01	<.00 <.00	.01	<.CO	<.01 <.01	<.01 <.01	<.01 <.01
82-02-23 82-08-17	<.00	<.01	<.00	<.00	<.00	<.01	<.00	<.00	<.00	<.01	<.01	<.01
82-02-23 82-08-17	<.00 <.00	<.01 <.01	<.00 .01	<.00 <.00	<.00 <.00	<.01 <.01	<.00 <.00	<.00 <.00	<.00 <.00	<.01 <.01	<.01 <.01	<.01 <.01
82-08-17	.00	<.01	.07	<.00	<.00	<.01	<.00	<.00	<.00	<.01	<.01	<.01
82-02-23 82-06-10 82-08-17	<.00 <.00 <.00	<.01 <.01 <.01	.01 .01 <.00	<.00 <.00 <.00	<.00 <.00 <.00	<.01 <.01 <.01	<.00 <.00 <.00	<.00 <.00 <.00	<.00 <.00 <.00	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01
82-02-23 82-06-10 82-08-17	<.00 <.00 <.00	<.01 <.01 <.01	.02 .04 .05	<.00 <.00 <.00	<.00 <.00 <.00	<.01 <.01 <.01	<.00 <.00 <.00	.01 <.00 <.00	<.C0 <.C0 <.00	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01
	DATE OF Sample	MIREX, TOTAL (UG/L)	NAPH- THA- LENES, POLY- CHLOR. TOTAL (UG/L)	PARA- THION, TOTAL (UG/L)	PER- THANE TOTAL (UG/L)	TOX- APHENE, TOTAL (UG/L)	TOTAL TRI- THION (UG/L)	2,4-D, TOTAL (UG/L)	2,4,5-T TOTAL (UG/L)	METH- OXY- CHLOR, TOTAL (UG/L)	SILVEX, TOTAL (UG/L)	
	82-02-23 82-08-17	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01 <.01	<.01 <.C1	<.01 <.01	<.01 <.01	
	82-02-23 82-08-17	<.01	<.10	<.01 	<.01	<0	<.01	<.01 <.01	<.C1 <.C1	<.01	<.01 <.01	
	82-02-23 82-08-17	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01 <.01	<.01 <.01	<.01 <.01	.03	
	82-68-17	<.01	<.10	<.01	<.10	<1	<.01	<.01	<.01	<.01	<.01	
	82-02-23 82-06-10 82-08-17	<.01 <.01 <.01	<.10 <.10 <.10	<.01 <.01 <.01	<.01 <.10 <.10	<0 <1 <1	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01	.20 .15 .14	
	82-02-23 82-06-10 82-08-17	<.01 <.01 <.01	<.10 <.10 <.10	<.01 <.01 <.01	<.10 <.10	<0 <1 <1	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01	

WATER YEAR OCTOBER 1981 TO SEPTEMBER 1982

NASSAU COUNTY--Continued

STATIO	N NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	PCB, TOTAL (UG/L)	ALDRIN, TOTAL (UG/L)	CHLOR- DANE, TOTAL (UG/L)	DDD, TOTAL (UG/L)	DDE, TOTAL (UG/L)
404351	073330901	N 9365 C	CK WELL	19A	211MGTY 211MGTY	82-02-24 82-08-16	95 95	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00 <.00
404351	073330902	N 9366 CI	CK WELL	198		82-02-24 82-08-16	45 45	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00 <.00
404401	073324801	N 9367 C	CK WELL	124	211MGTY 211MGTY 211MGTY	82-02-22 82-06-09 82-08-17	105 105 105	<.10 <.10 <.10	<.00 <.00 <.00	<.10 <.10 <.10	<.00 <.00 <.00	<.00 <.00 <.00
404401	073324802	N 9368 C	CK WELL	125	112GLCLU 112GLCLU	82-02-22 82-06-09 82-08-17 82-09-15	45 45 45 45	<.10 <.10 <.10 <.10	<.00 <.00 <.00 <.01	<.10 <.10 <.10 <.10	<.00 <.00 <.00 <.01	<.00 .01 <.00 <.01
404414	073325301	N 9449 C	CK WELL	5 A	211MGTY 211MGTY	82-02-23 82-08-18	198 198	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00 <.00
404414	073325302	N 9450 C	CK WELL	58	211MGTY 211MGTY	82-02-23 82-08-18	105 105	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00 <.00
DATE OF SAMPLE	DDT, TOTAL (UG/L	DI- AZINON, TOTAL (UG/L)	DI- ELDRIN TOTAL (UG/L)	ENDO- SULFAN, TOTAL (UG/L)	ENDRIN, TOTAL (UG/L)	ETHION, TOTAL (UG/L)	HEPTA- CHLOR, TOTAL (UG/L)	HEPTA- CHLOR EPOXIDE TOTAL (UG/L)	LINDANE TOTAL (UG/L)	MALA- THION, TOTAL (UG/L)	METHYL PARA- THION, TOTAL (UG/L)	METHYL TRI- THION, TOTAL (UG/L)
82-02-24 82-08-16		<.01 <.01	.40	<.00 <.00	<.00 <.00	<.01 <.01	<.00 <.00	<.00 <.00	<.CO <.CO	<.01 <.01	<.01 <.01	<.01 <.01
82-02-24 82-08-16		<.01 <.01	.11	<.00 <.00	.01	<.01 <.01	<.00 <.00	.00 <.00	<.CO	<.01 <.01	<.01 <.01	<.01 <.01
82-02-22 82-06-09 82-08-17	<.00	<.01 <.01 <.01	.03 .02 .02	<.00 <.00 <.00	<.00 <.00 <.00	<.01 <.01 <.01	<.00 <.00 <.00	.01 <.00 <.00	<.00 <.00 <.00	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01
82-02-22 82-06-09 82-08-17 82-09-15	<.00 <.00	<.01 <.01 <.01	.02 <.00 .01	<.00 <.00 <.00 <.01	<.00 <.00 <.00 <.01	<.01 <.01 <.01	<.00 <.00 <.00 <.01	.00 .00 <.00 <.01	<.00 <.00 <.00 <.01	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01
82-02-23 82-08-18		<.01 <.01	<.00 <.00	<.00 <.00	<.00 <.00	<.01 <.01	<.00 <.00	<.00 <.00	<.00 <.00	<.01 <.01	<.01 <.01	<.01 <.01
82-02-23 82-08-18		<.01 <.01	.00	<.00 <.00	<.00 <.00	<.01 <.01	<.00 <.00	.00	<.CO <.OO	<.01 <.01	<.01 <.01	<.01 <.01
	DATE OF SAMPLE	MIREX, TOTAL (UG/L)	NAPH- THA- LENES, POLY- CHLOR. TOTAL (UG/L)	PARA- THION, TOTAL (UG/L)	PER- THANE TOTAL (UG/L)	TOX- APHENE, TOTAL (UG/L)	TOTAL TRI- THION (UG/L)	2,4-D, TOTAL (UG/L)	2,4,5-T TOTAL (UG/L)	METH- OXY- CHLOR, TOTAL (UG/L)	SILVEX, TOTAL (UG/L)	
	82-02-24 82-08-16	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01 .01	<.01 .06	<.01 <.01	<.01 .01	
	82-02-24 82-08-16	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01 <.01	.14 <.01	<.01 <.01	<.01 <.01	
	82-02-22 82-06-09 82-08-17	<.01 <.01 <.01	<.10 <.10 <.10	<.01 <.01 <.01	<.10 <.10	<0 <1 <1	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01	
	82-02-22 82-06-09 82-08-17 82-09-15	<.01 <.01 <.01 <.01	<.10 <.10 <.10 <.10	<.01 <.01 <.01	<.01 <.10 <.10 <.10	<0 <1 <1 <1	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01	<.01 <.01 <.01 <.01	<.01 <.01 <.01	
	82-02-23 82-08-18	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01 <.01	<.C1	<.01 <.01	<.01 <.01	
	82-02-23 82-08-18	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 <1	<.01 <.01	<.01 <.01	<.01 <.01	<.01 <.01	<.01 <.01	

WATER YEAR OCTOBER 1981 TC SEPTEMBER 1982

NASSAU COUNTY--Continued

Ail samples were collected and analyzed by U.S. Geological Survey.

STATION	NUMBER		LOCAL IDENT- I- FIER		GEO- LOGIC UNIT	DATE OF Sample	DEPTH OF WELL, TOTAL (FEET)	PCB, TOTAL (UG/L)	ALDRIN, TOTAL (UG/L)	CHLOR- DANE, TOTAL (UG/L)	DDD, TOTAL (UG/L)	DDE, TOTAL (UG/L)
4044140)73325303 N	9451 CD	CK WELL	5 C		82-02-23 82-08-18	45 45	<.10 <.10	<.00 <.00	<.10 <.10	<.00 <.00	<.00 <.00
DATE OF Sample	DDT, TOTAL (UG/L)	DI- AZINON, TOTAL (UG/L)	DI- ELDRIN TOTAL (UG/L)	ENDO- SULFAN, TOTAL (UG/L)	ENDRIN, TOTAL (UG/L)	ETHION, TOTAL (UG/L)	HEPTA- CHLOR, TOTAL (UG/L)	HEPTA- CHLOR EPOXIDE TOTAL (UG/L)	LINDANE TOTAL (UG/L)	MALA- THION, TOTAL (UG/L)	METHYL PARA- THION, TOTAL (UG/L)	METHYL TRI- THION, TOTAL (UG/L)
82-02-23 82-08-18	<.00 <.00	<.01 <.01	.01	<.00 <.00	<.00 <.00	<.01 <.01	<.00 <.00	.01 <.00	<.CO	<.01 <.01	<.01 <.01	<.01 <.01
	DATE OF Sample	MIREX, TOTAL (UG/L)	NAPH- THA- LENES, POLY- CHLOR. TOTAL (UG/L)	PARA- THION, TOTAL (UG/L)	PER- THANE TOTAL (UG/L)	TOX- APHENE, TOTAL (UG/L)	TOTAL TRI- THION (UG/L)	2,4-D, TOTAL (UG/L)	2,4,5-T TOTAL (UG/L)	METH- OXY- CHLOR, TOTAL (UG/L)	SILVEX, TOTAL (UG/L)	
	82-02-23 82-08-18	<.01 <.01	<.10 <.10	<.01 <.01	<.01 <.10	<0 ∢ 1	<.01 <.01	<.01 <.01	<.01 <.01	<.01 <.01	<.01 <.01	

Geological unit (aquifer):

112GLCLU - Upper Glacial Aquifer, Pleistocene age.

112GROR - Gardiners Clay, Pleistocene age.

112JMC0 - Jameco Gravel, Pleistocene age.

211LLY0 - Llyod Aquifer, Cretaceous age.

211RNCF - Raritan Confining Unit, Cretaceous age.

INDEX

	Page		Page
Accuracy of field data and computed results	1460	Dry mass, definition of	4
(stage and water-discharge records)	14	22) 11000, 402211202011 02111111111111111111111111	
Acknowledgments	iii	East Meadow Brook, at East Meadow	77
Acre-foot, definition of	4	at Freeport	66-67
Algae, definition of	4	at Uniondale	77
Algal growth, definition of	4	near Westbury	77
Amityville Creek, at Amityville	76	East Patchogue, Swan River at	48-49
Aquifer, definition of	4	East River, at Eastport	73
Arrangement of records (water quality)	15	Euglenoids, definition of	7
Artificial substrate, definition of	9		,
Ash mass, definition of	4	Fecal coliform bacteria, definition of	4
Aspatuck Creek, near Westhampton Beach	73	Fecal streptococcal bacteria, definition of	4 7
Awixa Creek, at Islip	75	Fire algae, definition of	73
Robulon Comila Divor at	50 60	Forge River, at Moriches	66-67
Babylon, Carlls River at	59-60 57-58	Freeport, East Meadow Brook at	72
Bacteria, definition of	37-38	Fresh Pond Outlet, at Baiting Hollow at Fort Salonga	71
Bay Shore, Penataquit Creek at	56, 75	at roll Salonga	
Beaverdam Creek, at Westhampton	73	Gage height, definition of	6
Bed material, definition of	4	Gaging station, definition of	6
Bellmore Creek, at Bellmore	64-65	Gaging station records	31-70
tributary, at North Wantagh	76	Gaging stations, List of, in downstream order	vi
near North Wantagh	76	Glen Cove Creek, at Glen Cove	31-32
Big Fresh Pond Outlet, at North Sea	73	Green algae, definition of	7
Biochemical oxygen demand, definition of	4	Green Creek, at West Sayville	74
Biomass, definition of	4	Ground-water, level data	81-163
Biomass pigment ratio, definition of	5	quality of	164-297
Blue-green algae, definition of	7	Ground-water level records, Explanation of	16
Bottom material, definition of	5		100
		Hardness, definition of	6
	inside of	Hydrograph, East Meadow Brook at Freeport	18
Calendar (1982 water year)fr		Nissequogue River near Smithtown	19
Carlls River, at Babylon	59-60	Well N 1259 at Plainedge	21
at Park Avenue, Babylon	75	Well N 8959 at East Meadow	20
Carman Creek, at Amityville	76	Well S 4271 at Riverhead	20
Carmans River, at Middle Island	74	Hydrologic bench mark station, definition of	12
at South Haven	74	Hydrologic unit, definition of	6
at Yaphank	43-47		
below Lower Lake, at Yaphank	74	Inch-pound units to	4.00
near Yaphank	74	International System units (SI), i	nside of
Cascade Lakes Outlet, at Brightwaters	75	Factors for convertingba	ck cover
Cedar Swamp Creek, at Merrick	77	Instantaneous discharge, definition of	5
Cells/volume, definition of	5	Introduction	1
Central Islip, Connetquot Brook at	51	Island Swamp Brook, at Lattingtown	71
Connetquot Brook near	52	Islip, Champlin Creek at	55, 74
Cfs-day, definition of	5		
Champlin Creek, at Islip	55, 74	Kings County, ground-water levels in	81
at Montauk Highway, at Islip	75		
Chemical oxygen demand, definition of	. 5	Lake Ronkonkoma Inlet, at Lake Ronkonkoma	74
Chlorophyll, definition of	. 5	Ligonee Brook, at Sag Harbor	73
Classification of records (water quality)	15	Lindenhurst, Santapogue Creek at	61, 75
Cold Spring Brook, at Cold Spring Harbor	35	Little River, near Riverhead	72
Collection and computation of data	40.41	Little Seatuck Creek, at Eastport	73
(stage and water-discharge records)	12-14	Location of data collection stations (maps)	22-30
Collection of data	16	Low-flow partial-record stations,	74 77
(ground-water level records)	16	Discharge at	71-77
Color unit, definition of	5	Malasana Biran Barata ak	60 60
Confined aquifer	5	Malverne, Pines Brook at	68-69
Connetquot Brook, at Central Islip	51	Massapequa Creek, at Massapequa	62-63
near Central Islip	52	at North Massapequa	76
near Oakdale	74	at South Farmingdale	76
Connetquot River, near Oakdale	53-54	at Southern State Parkway, at South Farmingdale	
Contents, definition of	10.00	Mean concentration (sediment), definition of	8
Control, definition of	5	Mean discharge, definition of	5
Control structure, definition of	5	Methylene blue active substance, definition of.	6
		Micrograms per gram, definition of	6
Cooperation	2	Micrograms per liter, definition of	73
definition of	5	Mill Creek, at Noyack,	73 71
Cubic foot per second, definition of	5	near Huntington Mill Neck Creek, at Mill Neck	71 33-34
per eccond, dettitteton officialities	,		33-34 77
Definition of terms	4-10	Milligrams per liter definition of	6
Descriptive headings (water quality)	15	Milligrams per liter, definition of	298-303
Diatoms, definition of	7	Minor Element analyses of ground water Motts Creek, at Valley Stream	77
Discharge, definition of	5	Mud Creek, at East Patchogue	74
Dissolved, definition of	5	oreca, at mast ratemogue	74
Diversity index, definition of	6	Nassau County, ground-water levels in	82-107
Downstream order and station numbers	11	quality of ground-water in	164-170
Drainage area, definition of	6	National Geodetic Vertical Datum of 1929,	104-170
Drainage basin, definition of	6	definition of	6
	,	311	0

312 INDEX

	Page		Page
National stream-quality accounting network		Seaford Creek, at Seaford	76
stations36-40), 43-47	Seatuck Creek, at Eastport	73
definition of	12	Sediment	16
Natural substrates, definition of	9	Sediment, definition of	8
Neguntatogue Creek, at Lindenhurst	76	Smithtown, Nissequogue River near	36-40
Newbridge Creek, at Merrick	76	Solute, definition of	_8
Nissequogue River, near Hauppauge	72	South Pond Outlet, at Rockville Centre	77
at Smithtown	72	Special networks and programs	12
near Smithtown	36-40	Specific conductance, definition of	8
Northeast branch, near East Hauppauge	71	Speonk River, at Speonk	73
near Hauppauge	71	Stage and water-discharge records,	10 15
at Smithtownnear Smithtown	71	Explanation of	12-15
Numbering system for wells	72 11	Stage-discharge relation, definition of	8 72
Numbering system for wells	11	Stony Brook at Stony Brook	71
Oakdale, Connetquot River near	53-54	Stony Hollow Run, at Centerport	9
Organic Carbon, definition of	6	Streamflow, definition of	76
Organic mass, definition of	4	Substrate, definition of	9
Organism, definition of	6	Suffolk County, ground-water levels in	113-163
Organism count/area, definition of	6	quality of ground-water in	172-297
Organism count/volume, definition of	7	Well Index	171
Other data available (stage and water-discharge	,	Summary of hydrologic conditions	3
records)	14	Surface area, definition of	9
		Surficial bed material, definition of	9
Pardees Ponds Outlet, at Islip	75	Suspended, definition of	9
Partial-record station, definition of	7	Suspended, recoverable, definition of	9
Partial-record stations and miscellaneous		Suspended sediment, definition of	8
sites, Discharge at	71-77	Suspended-sediment concentration,	
Particle-size, definition of	7	definition of	8
Particle-size classification, definition of	7	Suspended-sediment discharge, definition of	8
Patchogue River, at Patchogue	50, 74	Suspended, total, definition of	9
near Patchogue	74	Swan River, at East Patchogue	48-49
Peconic River, at Manorville	72		
at Nugent Drive, at Riverhead	72	Taxonomy, definition of	9
at Riverhead	41-42	Time-weighted average, definition of	9
Penataquit Creek, at Bay Shore	56, 75	Tons per acre-foot, definition of	10
Percent composition, definition of	7	Tons per day, definition of	10
Periphyton, definition of	7	Total (as used in tables of chemical analyses),	
Pesticide analyses of ground water	304-309	definition of	10
Pesticide program, definition of	12	Total coliform bacteria, definition of	4
Pesticides, definition of	7	Total in bottom material, definition of	5
Phytoplankton, definition of	7	Total load, definition of	10
Picocurie, definition of	7	Total organic carbon, definition of	10
Pines Brook, at Malverne	68-69	Total organism count, definition of	7
Plankton, definition of	7	Total, recoverable, definition of	10
Polychlorinated biphenyls, definition of	8	Total sediment discharge, definition of	8
Polychlorinated napthalenes, definition of	_8		
Poxabogue Pond, at Sagaponack	73	Unnamed tributary, to Conscience Bay at	70
Precipitation-quality stations, Analyses		Setauket	72
of samples collected:	70	to Port Jefferson Harbor at Port Jefferson	72
at Bay Park	78	to Setauket Harbor at East Setauket	72
at East Meadow	79	W-11 Church of Welley Church	70
at Upton	80	Valley Stream, at Valley Stream	. 77
Primary productivity definition of	iii	below West Branch, at Valley Stream	
Primary productivity, definition of	8	Wading River, at Wading River	72
Publications on techniques of water-resources	17		15
investigations	17	Water analysis Explanation of	.,,
Quentuck Creek at Queque	73	Water-discharge records, Explanation of, (see Stage and water-discharge records,	
Quantuck Creek, at Quogue	108-112	Explanation of)	
Queens country, ground-water levers in	100-112	Water-quality records, Explanation of	15-16
Radiochemical program, definition of	12	Water table	10
Rattlesnake Brook, near Oakdale	74	Water-table aquifer	10
Recoverable from bottom material,	7.4	Water temperatures	16
definition of	5	Weesuck Creek, at East Quogue	73
Riverhead, Peconic River at	41-42	Weighted average, definition of	10
Roslyn Brook, at Roslyn	71	Wells, system for numbering	11
Runoff in inches, definition of	8	Wet mass, definition of	4
		White Brook, at Riverhead	72
Sampawams Creek, at Babylon	57-58	Whitney Lake Outlet, at Manhasset	71
below Hawleys Lake, at Babylon	75	WRD, definition of	10
near Deer Park	75	WSP, definition of	10
near North Babylon	75		
Santapogue Creek, at Lindenhurst	61, 75	Yaphank, Carmans River at	43-47
at State Highway 27A, Lindenhurst	75		un * Ind
and also have the state of the		Zooplankton, definition of	8

FACTORS FOR CONVERTING INCH-POUND UNITS TO INTERNATIONAL SYSTEM UNITS (SI)

The following factors may be used to convert the inch-pound units published herein to the International System of Units (SI). This report contains both the inch-pound and SI unit equivalents in the station manuscript descriptions.

Multiply inch-pound units By	To obtain SI units
Length	
inches (in) 2.54x10 ¹ mi	llimeters (mm)
	eters (m)
	eters (m)
	ometers (km)
Area	
acres 4.047x10 ³ squ	uare meters (m ²)
	uare hectometers (hm²)
	uare kilometers (km²)
	uare kilometers (km²)
	(/
Volume	
gallons (gal) 3.785x10° lite	ers (L)
3.785x10° cui	bic decimeters (dm³)
3.785x10 ⁻³ cul	bic meters (m ³)
million gallons 3.785x10 ³ cut	bic meters (m ³)
3.785×10^{-3} cul	bic hectometers (hm³)
	bic decimeters (dm ³)
2.832x10 ⁻² cul	bic meters (m ³)
cfs-days 2.447×10^3 cul	bic meters (m ³)
	bic hectometers (hm ³)
	bic meters (m ³)
	bic hectometers (hm³)
1.233x10 ⁻⁶ cul	bic kilometers (km³)
Flow	
cubic feet per second (ft ³ /s) 2.832x10 ¹ lite	ers per second (L/s)
	bic decimeters per second (dm ³ /s)
	bic meters per second (m ³ /s)
	ers per second (L/s)
	bic decimeters per second (dm³/s)
	bic meters per second (m ³ /s)
	bic decimeters per second (dm ³ /s)
	bic meters per second (m³/s)
Mass	
tons (short) 9.072x10 ⁻¹ me	egagrams (Mg) or metric tons



U.S. DEPARTMENT OF THE INTERIOR Geological Survey 5 Aerial Way Syosset, NY 11791

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
SPECIAL 4TH CLASS BOOK RATE

