



200)
a3
hio
184
1



Water Resources Data Ohio

Water Year 1984

Volume 1. Ohio River Basin



U.S. GEOLOGICAL SURVEY WATER-DATA REPORT OH-84-1

Prepared in cooperation with the State of Ohio
and with other agencies

CALENDAR FOR WATER YEAR 1984

1983

OCTOBER

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| | | | | | | 1 |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| 23 | 24 | 25 | 26 | 27 | 28 | 29 |
| 30 | 31 | | | | | |

NOVEMBER

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| | | 1 | 2 | 3 | 4 | 5 |
| 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| 20 | 21 | 22 | 23 | 24 | 25 | 26 |
| 27 | 28 | 29 | 30 | | | |

DECEMBER

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| | | | | 1 | 2 | 3 |
| 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 |
| 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | 31 |

1984

JANUARY

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| 15 | 16 | 17 | 18 | 19 | 20 | 21 |
| 22 | 23 | 24 | 25 | 26 | 27 | 28 |
| 29 | 30 | 31 | | | | |

FEBRUARY

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| | | | 1 | 2 | 3 | 4 |
| 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 12 | 13 | 14 | 15 | 16 | 17 | 18 |
| 19 | 20 | 21 | 22 | 23 | 24 | 25 |
| 26 | 27 | 28 | 29 | | | |

MARCH

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| | | | | 1 | 2 | 3 |
| 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 |
| 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| 25 | 26 | 27 | 28 | 29 | 30 | 31 |

APRIL

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| 15 | 16 | 17 | 18 | 19 | 20 | 21 |
| 22 | 23 | 24 | 25 | 26 | 27 | 28 |
| 29 | 30 | | | | | |

MAY

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| | | 1 | 2 | 3 | 4 | 5 |
| 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| 20 | 21 | 22 | 23 | 24 | 25 | 26 |
| 27 | 28 | 29 | 30 | 31 | | |

JUNE

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| | | | | | 1 | 2 |
| 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| 24 | 25 | 26 | 27 | 28 | 29 | 30 |

JULY

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| 15 | 16 | 17 | 18 | 19 | 20 | 21 |
| 22 | 23 | 24 | 25 | 26 | 27 | 28 |
| 29 | 30 | 31 | | | | |

AUGUST

| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| | | 1 | 2 | 3 | 4 | |
| 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| 12 | 13 | 14 | 15 | 16 | 17 | 18 |
| 19 | 20 | 21 | 22 | 23 | 24 | 25 |
| 26 | 27 | 28 | 29 | 30 | 31 | |

SEPTEMBER


| S | M | T | W | T | F | S |
|----|----|----|----|----|----|----|
| | | | | | | 1 |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| 23 | 24 | 25 | 26 | 27 | 28 | 29 |
| 30 | | | | | | |



Water Resources Data Ohio Water Year 1984

Volume 1. Ohio River Basin

by Harold L. Shindel, Lawrence L. Stewart, and James R. Kolva



U.S. GEOLOGICAL SURVEY WATER-DATA REPORT OH-84-1
Prepared in cooperation with the State of Ohio
and with other agencies

UNITED STATES DEPARTMENT OF THE INTERIOR

DONALD PAUL HODEL, Secretary

GEOLOGICAL SURVEY

Dallas L. Peck, Director

For information on the water program in Ohio write to

District Chief, Water Resources Division
U.S. Geological Survey
975 West Third Avenue
Columbus, Ohio 43212

1985

PREFACE

This volume of the annual hydrologic data report of Ohio is one of the series of annual reports that document hydrologic data gathered from the U.S. Geological Survey's surface- and ground-water data-collection networks in each State, Puerto Rico, and the Trust Territories. These records of streamflow, ground-water levels, and quality of water provides the hydrologic information needed by State, local, and Federal agencies, and the private sector for developing and managing our Nation's land and water resources. Hydrologic data for Ohio are contained in 2 volumes:

Volume 1. Ohio River Basin

Volume 2. St. Lawrence River Basin - Statewide Project Data

This report is the culmination of a concerted effort by dedicated personnel of the U.S. Geological Survey who collected, compiled, analyzed, verified, and organized the data, and who typed, edited, and assembled the report. In addition to the authors, who had primary responsibility for assuring that the information contained herein is accurate, complete, and adheres to Geological Survey policy and established guidelines, the following individuals contributed significantly to the collection, processing, and tabulation of the data:

| | | |
|----------------|-----------------|----------------|
| C.G. Angelo | S.W. Hatch | J.W. Roberts |
| A.E. Arnett | C.A. Hawkins | D.K. Roth |
| W.P. Bartlett | L.M. Hicks | A.C. Sedam |
| K.J. Breen | J. Hren | J.M. Sherwood |
| D.D. Brooks | R.L. Jones | D.J. Shifflet |
| C.J. Childress | M.K. Katzenbach | J.M. Smith |
| A.W. Coen III | J.H. Klingler | B.N. Sroka |
| M.J. De Grand | G.F. Koltun | D.A. Storck |
| J.T. de Roche | D.F. MacFadden | R.R. Schwartz |
| P.A. Drewes | J.P. Mangus | R.V. Swisshelm |
| E.J. Duffy | J.H. McClure | A.J. Tomasina |
| C.M. Eberle | V.E. Nichols | L.E. Trimble |
| R.R. Fawcett | C.N. Owens | S.A. Vivian |
| R.P. Frehs | B.B. Palcsak | G.F. Ward |
| S.R. Frum | A.C. Razem | K.S. Wilson |

Hydrologic Records Section typed the text of this report.

This report was prepared in cooperation with the State of Ohio and with other agencies under the general supervision of S.M. Hindall District Chief, Ohio.

| | | | | |
|--|--|---|-----------|--|
| REPORT DOCUMENTATION PAGE | | 1. REPORT NO. USGS/WRD/HD-85/222 | 2. | 3. Recipient's Accession No. |
| 4. Title and Subtitle Water Resources Data -- Ohio, 1984 Volume 1. Ohio River Basin | | | | 5. Report Date April 1985 |
| 7. Author(s) H. L. Shindel, L. L. Stewart, J. R. Kolva | | | | 6. |
| 9. Performing Organization Name and Address U.S. Geological Survey, Water Resources Division 975 West Third Avenue Columbus, Ohio 43212 | | | | 8. Performing Organization Rept. No. USGS-WDR-OH-84-1 |
| | | | | 10. Project/Task/Work Unit No. |
| | | | | 11. Contract(C) or Grant(G) No. (C) (G) |
| 12. Sponsoring Organization Name and Address U.S. Geological Survey, Water Resources Division 975 West Third Avenue Columbus, Ohio 43212 | | | | 13. Type of Report & Period Covered Annual - Oct. 1, 1983 to Sept. 30, 1984 |
| 14. | | | | |
| 15. Supplementary Notes Prepared in cooperation with the State of Ohio and with other agencies | | | | |
| 16. Abstract (Limit: 200 words) Water resources data for the 1984 water year for Ohio consist of records of stage, discharge, and water quality of streams; stage and contents of lakes and reservoirs; and water levels and water quality of ground-water wells. This report in two volumes contains records for water discharge at 127 gaging stations, stage and contents at 4 lakes and reservoirs; water quality at 31 gaging stations, 32 wells, and 14 partial record sites; and water levels at 387 observation wells. Also included are data from 60 crest-stage partial-record stations and 4 miscellaneous sites. Additional water data were collected at various sites not involved in the systematic data-collection program and are published as miscellaneous measurements and analyses. These data represent that part of the National Water Data System collected by the U.S. Geological Survey and cooperating State and Federal agencies in Ohio. | | | | |
| 17. Document Analysis a. Descriptors *Ohio, *Hydrologic data, *Surface water, *Ground water, *Water quality, Flow rates, Gaging stations, Lakes, Reservoirs, Chemical analyses, Sediments, Water temperature, Sampling sites, Water levels, Water analyses, Streamflow, Water wells. | | | | |
| b. Identifiers/Open-Ended Terms | | | | |
| c. COSATI Field/Group | | | | |
| 18. Availability Statement: No restriction on distribution. This report may be purchased from: National Technical Information Service, Springfield, VA 22161 | | 19. Security Class (This Report) UNCLASSIFIED | | 21. No. of Pages 316 |
| | | 20. Security Class (This Page) UNCLASSIFIED | | 22. Price |

CONTENTS

v

| | Page |
|---|------|
| Preface | III |
| Acknowledgment | III |
| List of gaging stations, in downstream order, for which records are published | VI |
| List of ground water stations for which records are published | VII |
| Introduction | 1 |
| Cooperation | 1 |
| Hydrologic conditions | 2 |
| Definition of terms | 3 |
| Downstream order and station number | 11 |
| Numbering system for wells and miscellaneous sites | 11 |
| Explanation of stage and water-discharge records | 12 |
| Collection and computation of data | 12 |
| Accuracy of records | 14 |
| Other records available | 14 |
| Explanation of water-quality records | 15 |
| Collection and examination of data | 15 |
| Onsite measurement and sample collection | 15 |
| Water temperature | 16 |
| Sediment | 16 |
| Explanation of ground-water level records | 17 |
| Collection of data | 17 |
| Access to WATSTORE Data | 18 |
| Publications on techniques of water-resources investigations | 19 |
| Station records | 27 |
| Partial-record stations and miscellaneous sites | 216 |
| Crest-stage partial-record stations | 216 |
| Ground-water records | 221 |
| Index | 314 |
| Factors for converting inch-pound units to International System units (SI) .. Inside back cover | |

ILLUSTRATIONS

| | |
|--|----|
| Figure 1. System for numbering wells and miscellaneous sites (latitude and longitude) | 11 |
| Figure 2. Runoff for 1984 water year compared with median runoff for period 1951-80 for four representative gaging stations | 20 |
| Figure 3. Maps showing location of data collection stations | 21 |

GAGING STATIONS, IN DOWNSTREAM ORDER, FOR WHICH RECORDS ARE PUBLISHED

(Letter after station name designates type of data: (b) biological, (c) chemical, (d) discharge (e) contents and (or) elevation, (HBM) hydrologic bench mark, (m) microbiological, (NASQAN) National stream-quality accounting network, (r) radiochemical, (s) sediment, (t) temperature.)

| | Page |
|--|------|
| OHIO RIVER BASIN | |
| Ohio River: | |
| BEAVER RIVER BASIN | |
| Mahoning River (head of Beaver River) at Alliance (d)..... | 27 |
| Mahoning River below Berlin Dam, near Berlin Center (d)..... | 28 |
| Mahoning River at Pricetown (d)..... | 29 |
| Kale Creek near Pricetown (d)..... | 30 |
| West Branch Mahoning River near Ravenna (d)..... | 31 |
| West Branch Mahoning River below M.J. Kirwan Dam, at Wayland (d)..... | 32 |
| Eagle Creek at Phalanx Station (d)..... | 33 |
| Mahoning River at Leavittsburg (d)..... | 34 |
| Mosquito Creek below Mosquito Creek Dam, near Cortland (d)..... | 35 |
| Mahoning River at Lowellville (d)..... | 36 |
| Mahoning River at OH-PA State line below Lowellville (ct)..... | 37 |
| Shenango River: | |
| Pymatuning Creek at Kinsman (d)..... | 46 |
| LITTLE BEAVER CREEK BASIN | |
| North Fork Little Beaver Creek: | |
| Little Beaver Creek near East Liverpool (d)..... | 47 |
| YELLOW CREEK BASIN | |
| Yellow Creek near Hammondsville (d)..... | 48 |
| SHORT CREEK BASIN | |
| Short Creek near Dillonvale (d)..... | 49 |
| WHEELING CREEK BASIN | |
| Wheeling Creek below Blaine (ds)..... | 50 |
| CAPTINA CREEK BASIN | |
| Captina Creek at Armstrongs Mills (d)..... | 54 |
| MUSKINGUM RIVER BASIN | |
| Tuscarawas River (head of Muskingum River): | |
| Tuscarawas River at Massillon (d)..... | 55 |
| Tuscarawas River at Navarre (ct)..... | 56 |
| Sandy Creek at Waynesburg (d)..... | 65 |
| Middle Branch Nimishillen Creek (head of Nimishillen Creek) at Canton (d).. | 66 |
| Nimishillen Creek at North Industry (d)..... | 67 |
| Conotton Creek: | |
| McQuire Creek below Leesville Dam, near Leesville (d)..... | 68 |
| Tuscarawas River below Dover Dam, near Dover (d)..... | 69 |
| Sugar Creek below Beach City Dam, near Beach City (d)..... | 70 |
| Sugar Creek at Strasburg (d)..... | 71 |
| Beaver Dam Creek: | |
| Stillwater Creek at Piedmont (d)..... | 72 |
| Stillwater Creek at Tippecanoe (d)..... | 73 |
| Stillwater Creek at Uhrichsville (d)..... | 74 |
| Clear Fork: | |
| Little Stillwater Creek below Tappan Dam, at Tappan (d)..... | 75 |
| Tuscarawas River at Newcomerstown (d)..... | 76 |
| Black Fork (head of Walhonding River) below Charles Mill Dam, near Mifflin (d) | 77 |
| Black Fork at Loudonville (d)..... | 78 |
| Clear Fork below Pleasant Hill Dam, near Perrysville (d)..... | 79 |
| Mohican River (continuation of Black Fork): | |
| Lake Fork below Mohicanville Dam, near Mohicanville (d)..... | 80 |
| Kokosing River at Mount Vernon (d)..... | 81 |
| Walhonding River (continuation of Mohican River) below Mohawk Dam, at Nellie (d) | 82 |
| Killbuck Creek at Killbuck (d)..... | 83 |
| Mill Creek near Coshocton (d)..... | 84 |
| Muskingum River (continuation of Tuscarawas River) near Coshocton (d)..... | 85 |
| Wills Creek: | |
| Seneca Fork below Senecaville Dam, near Senecaville (d)..... | 86 |
| Wills Creek at Cambridge (d)..... | 87 |
| Salt Fork Reservoir (e) | 88 |
| Wills Creek below Wills Creek Dam, at Wills Creek (d)..... | 89 |
| Wakatomika Creek near Frazeyburg (d)..... | 90 |
| Muskingum River at Dresden (d)..... | 91 |
| Licking River | |
| South Fork Licking River (head of Licking River) near Hebron (d)..... | 92 |
| Licking River near Newark (d)..... | 93 |
| Licking River below Dillon Dam, near Dillon Falls (d)..... | 94 |
| Muskingum River at McConnelsville (dcbs) ... (NASQAN) | 95 |
| HOCKING RIVER BASIN | |
| Hocking River: | |
| Clear Creek near Rockbridge (d)..... | 101 |
| Hocking River at Enterprise (d)..... | 102 |
| Hocking River below Athens (dcbs) ... (NASQAN) | 103 |

GAGING STATIONS, IN DOWNSTREAM ORDER, FOR WHICH RECORDS ARE PUBLISHED.--Continued

| | |
|---|-----|
| SHADE RIVER BASIN | |
| West Branch Shade River near Burlingham (dcs) | 106 |
| Shade River near Chester (d) | 112 |
| East Branch Shade River near Tupper's Plains (dcs) | 113 |
| RACCOON CREEK BASIN | |
| Raccoon Creek at Adamsville (dct) | 119 |
| SCIOTO RIVER BASIN | |
| Scioto River near Prospect (d) | 129 |
| Bokes Creek near Warrensburg (d) | 130 |
| Mill Creek near Bellpoint (d) | 131 |
| Scioto River below O'Shaughnessy Dam near Dublin (d) | 132 |
| Olentangy River at Claridon (d) | 133 |
| Olentangy River near Delaware (d) | 134 |
| Olentangy River near Worthington (d) | 135 |
| Scioto River at Columbus (d) | 136 |
| Big Walnut Creek at Central College (d) | 137 |
| Alum Creek at Africa (d) | 138 |
| Alum Creek at Columbus (d) | 139 |
| Big Walnut Creek at Rees (d) | 140 |
| Big Darby Creek at Darbyville (d) | 141 |
| Deer Creek near Pancoastburg (d) | 142 |
| Deer Creek at Williamsport (d) | 143 |
| Scioto River at Chillicothe (d) | 144 |
| Paint Creek below Paint Creek Dam, near Bainbridge (d) | 145 |
| Rocky Fork near Barrets Mills (d) | 146 |
| Paint Creek near Bourneville (d) | 147 |
| Scioto River at Higby (dcbmts) ... (NASQAN) | 148 |
| Reservoirs in Scioto River basin (e) | 159 |
| UPPER TWIN CREEK BASIN | |
| Upper Twin Creek at McGaw (dcmsr) ... (HBM) | 160 |
| OHIO BRUSH CREEK BASIN | |
| Ohio Brush Creek near West Union (d) | 163 |
| WHITEOAK CREEK BASIN | |
| Whiteoak Creek near Georgetown (d) | 164 |
| LITTLE MIAMI RIVER BASIN | |
| Little Miami River near Oldtown (d) | 165 |
| Massies Creek at Wilberforce (d) | 166 |
| Little Miami River at Milford (dcbmts) ... (NASQAN) | 167 |
| East Fork Little Miami River near Batavia (d) | 181 |
| East Fork Little Miami River at Perintown (d) | 182 |
| MILL CREEK BASIN | |
| Mill Creek at Reading (d) | 183 |
| Mill Creek at Carthage (d) | 184 |
| GREAT MIAMI RIVER BASIN | |
| Great Miami River: | |
| Bokengehalas Creek near DeGraff (d) | 185 |
| Great Miami River at Sidney (d) | 186 |
| Loramie Creek near Newport (d) | 187 |
| Loramie Creek at Lockington (d) | 188 |
| Great Miami River at Troy (d) | 189 |
| Great Miami River at Taylorsville (d) | 190 |
| Stillwater River: | |
| Greenville Creek near Bradford (d) | 191 |
| Stillwater River at Pleasant Hill (d) | 192 |
| Stillwater River at Englewood (d) | 193 |
| Mad River near Urbana (d) | 194 |
| Mad River (at St. Paris Pike) at Eagle City (d) | 195 |
| Mad River near Springfield (d) | 196 |
| Mad River near Dayton (d) | 197 |
| Great Miami River at Dayton (d) | 198 |
| Wolf Creek at Trotwood (d) | 199 |
| Great Miami River at Miamisburg (d) | 200 |
| Great Miami River near Linden Avenue at Miamisburg (ct) | 201 |
| Twin Creek near Ingomar (d) | 210 |
| Twin Creek near Germantown (d) | 211 |
| Fourmile Creek: | |
| Sevenmile Creek at Camden (d) | 212 |
| Great Miami River at Hamilton (d) | 213 |
| Great Miami River at New Baltimore (cbmts) ... (NASQAN) | 214 |

(Letter after station location designates type of data: (c) chemical, (l) water level.)

| Well number | Local number | Location | Page |
|-------------------|--------------|--|------|
| ASHLAND COUNTY | | | |
| 405303082170700 | AS-2 | Ashland (l) | 221 |
| 405425082173000 | AS-3 | Jerome Fork (l) | 222 |
| ATHENS COUNTY | | | |
| 392004082071600 | AT-2A | Athens (l) | 223 |
| 392009082072200 | AT-5 | Athens (l) | 224 |
| AUGLAIZE COUNTY | | | |
| 403233083574500 | AU-3 | Southwest of New Hampshire (l) | 225 |
| BELMONT COUNTY | | | |
| 400118081082200 | B-3 | Mount Olive (l) | 226 |
| BUTLER COUNTY | | | |
| 391805084261800 | BU-9 | Northwest of Sharonville (l) | 227 |
| 393202084241500 | BU-15 | Middletown (l) | 228 |
| 391904084371800 | BU-12 | East of Ross (l) | 229 |
| 392017084345200 | BU-7 | Fairfield (l) | 230 |
| 392021084340300 | BU-56 | Fairfield (l) | 231 |
| 392048084311400 | BU-8 | East of Hamilton (l) | 232 |
| 392445084333000 | BU-36 | Hamilton (c) | 233 |
| 392515084322000 | BU-5 | North of Hamilton (l) | 234 |
| 392733084293000 | BU-16 | Southwest of Trenton (l) | 235 |
| 392939084231700 | BU-3 | Middletown (l) | 236 |
| 393103084240900 | BU-2 | Middletown (l) | 237 |
| CARROLL COUNTY | | | |
| 403709081052800 | C-1 | North of Carrollton (l) | 238 |
| CHAMPAIGN COUNTY | | | |
| 400638083453900 | CH-3 | Urbana (l) | 239 |
| CLARK COUNTY | | | |
| 395639084012200 | CL-9 | New Carlisle (l) | 240 |
| 395840083495200 | CL-7 | Northwest of Springfield (l) | 241 |
| CLERMONT COUNTY | | | |
| COSHOCKTON COUNTY | | | |
| 401256081525100 | CS-3 | North of Conesville (l) | 242 |
| DARKE COUNTY | | | |
| 400514084345700 | D-2 | East of Greenville (l) | 243 |
| DELAWARE COUNTY | | | |
| 402126083040400 | DL-3 | Delaware (l) | 244 |
| FAIRFIELD COUNTY | | | |
| 394257082362900 | F-6 | Lancaster (l) | 245 |
| 394544082271000 | F-1 | West Rushville (l) | 246 |
| 395053082361900 | F-5 | Baltimore (l) | 247 |
| FAYETTE COUNTY | | | |
| 393153083322000 | FA-1 | West of Washington Court House (l) | 248 |
| FRANKLIN COUNTY | | | |
| 395118083573300 | FR-3 | Southwest of Rees (l) | 249 |
| 395157083003500 | FR-109 | Columbus (l) | 250 |
| 400101083021800 | FR-10 | Columbus (l) | 251 |

| Well Number | Local number | Location | Page |
|-------------------|--------------|--|------|
| GALLIA COUNTY | | | |
| 383638082103300 | G-2 | East of Crown City (1) | 252 |
| GREENE COUNTY | | | |
| 394411083561300 | GR-1 | North of Xenia (1) | 253 |
| 394425083551100 | GR-10 | North of Xenia (1) | 254 |
| HAMILTON COUNTY | | | |
| 391003084291500 | H-11 | Cincinnati (1) | 255 |
| 391101084172100 | H-3 | Southeast of Miamiville (1) | 256 |
| 391201084281600 | H-10 | Cincinnati (1) | 257 |
| 391214084470100 | H-1 | Southeast of Harrison (1) | 258 |
| 391324084272500 | H-9 | Cincinnati (1) | 259 |
| 391341084275300 | H-8 | Wyoming (1) | 260 |
| 391442084262900 | H-7 | Evendale (1) | 261 |
| 391608084254400 | H-6 | Glendale (1) | 262 |
| 391733084392400 | H-2 | South of Ross (1) | 263 |
| 391748084393800 | H-19 | Southwest of Venice (c) | 264 |
| 391817084393300 | H-4 | Southwest of Ross (1) | 265 |
| HARDIN COUNTY | | | |
| 404218083503700 | HN-1 | Alger (1) | 266 |
| HOCKING COUNTY | | | |
| 393200082235300 | HK-1 | Logan (1) | 267 |
| KNOX COUNTY | | | |
| 402344082300700 | K-1 | Mt. Vernon (1) | 268 |
| LICKING COUNTY | | | |
| MADISON COUNTY | | | |
| 395301083272200 | M-2 | London (1) | 269 |
| 395357083304400 | M-4 | Northwest of London (1) | 270 |
| 395740083255700 | M-3 | North of London (1) | 271 |
| MAHONING COUNTY | | | |
| 400042080453800 | MA-1 | Canfield (1) | 272 |
| MARION COUNTY | | | |
| 403413083170500 | MN-4 | Southeast of New Bloomington (1) | 273 |
| 403443083230400 | MN-1 | LaRue (1) | 274 |
| 403601083110400 | MN-2 | West of Marion (1) | 275 |
| MEDINA COUNTY | | | |
| 410120081431800 | MD-3 | Wadsworth (1) | 276 |
| MERCER COUNTY | | | |
| 402833084375200 | MR-2 | Coldwater (1) | 277 |
| MIAMI COUNTY | | | |
| 395848084085500 | MI-3 | Northeast of Tipp City (1) | 278 |
| 400308084112900 | MI-44 | Troy (c) | 279 |
| MONTGOMERY COUNTY | | | |
| 393757084173600 | MT-928 | Miamisburg (c) | 280 |
| 394012084151700 | MT-55 | West Carrollton (1) | 281 |
| 394025084162800 | MT-49 | West Carrollton (1) | 282 |
| 394425084113200 | MT-3 | Dayton (1c) | 283 |
| 394533084113800 | MT-6 | Dayton (1) | 284 |

GROUND-WATER STATIONS FOR WHICH RECORDS ARE PUBLISHED.--Continued

| Well Number | Local number | Location | Page |
|-------------------|--------------|------------------------------------|------|
| MUSKINGUM COUNTY | | | |
| 395804081593200 | MU-1A | Zanesville (1) | 285 |
| PICKAWAY COUNTY | | | |
| 393327082571600 | PK-7 | South of Circleville (1) | 286 |
| 393402082572500 | PK-4 | South of Circleville (1) | 287 |
| 393638082572300 | PK-6 | Northwest of Circleville (1) | 288 |
| 393438083072200 | PK-8 | Williamsport (1) | 289 |
| PIKE COUNTY | | | |
| 390359083015100 | PI-2 | West of Piketon (1) | 290 |
| PORTAGE COUNTY | | | |
| 411401081025000 | PO-1 | Windham (1) | 291 |
| PREBLE COUNTY | | | |
| 394438084335900 | PR-2 | East of Eaton (1) | 292 |
| RICHLAND COUNTY | | | |
| 404625082305100 | R-4 | Mansfield (1) | 293 |
| ROSS COUNTY | | | |
| 391341083172200 | RO-7 | West of Bainbridge (1) | 294 |
| 391913082580500 | RO-8 | Chillicothe (1) | 295 |
| SHELBY COUNTY | | | |
| 401712084103500 | SH-4 | Sidney (1) | 296 |
| STARK COUNTY | | | |
| 404939081203800 | ST-5A | Canton (1) | 297 |
| 405051081244200 | ST-28 | Northwest of Canton (1) | 298 |
| 405211081253500 | ST-27 | North Canton (1) | 299 |
| SUMMIT COUNTY | | | |
| 410141081315200 | SU-4A | Akron (1) | 300 |
| TRUMBULL COUNTY | | | |
| 411604080505600 | T-3 | Near Warren (1) | 301 |
| TUSCARAWAS COUNTY | | | |
| 403207081293800 | TU-3 | Dover (1) | 302 |
| 403557081313600 | TU-4 | Strasburg (1) | 303 |
| 403653081321800 | TU-1 | North of Strasburg (1) | 304 |
| 403823081324200 | TU-5 | Near Strasburg (1) | 305 |
| UNION COUNTY | | | |
| 401826083255200 | U-4 | Southeast of Raymond (1) | 306 |
| VINTON COUNTY | | | |
| 391452082282900 | V-1 | McArthur (1) | 307 |
| WARREN COUNTY | | | |
| 392712084191700 | W-5 | East of Monroe (1) | 308 |
| WASHINGTON COUNTY | | | |
| 392553081281600 | WA-2 | Marietta (1) | 309 |
| WAYNE COUNTY | | | |
| 404655081553200 | WN-3 | Near Wooster (1) | 310 |
| 404802081583100 | WN-2A | Near Wooster (1) | 311 |
| 405745081510200 | WN-7 | Near Sterling (1) | 312 |
| 405805081462300 | WN-6 | Rittman (1) | 313 |

WATER RESOURCES DATA FOR OHIO, 1984

VOLUME 1: OHIO RIVER BASIN
VOLUME 2: ST. LAWRENCE RIVER BASIN
STATE-WIDE PROJECT DATA

INTRODUCTION

The Water Resources Division of the U.S. Geological Survey, in cooperation with State agencies, obtains a large amount of data pertaining to the water resources in Ohio each water year. These data, accumulated during many years, constitute a valuable data base for developing an improved understanding of the water resources of the State. To make these data readily available to the interested parties outside the Geological Survey, the data are published annually in this report series entitled "Water Resources Data - Ohio."

This report includes records on both surface and ground water in the State. Specifically, it (Volumes 1 and 2) contains: (1) Discharge records for 127 streamflow-gaging stations, 4 miscellaneous sites, and peak flow information for 60 crest-stage partial-record stations; (2) stage and content records for 4 lakes and reservoirs; (3) water-quality data for 31 streamflow-gaging stations, 32 wells, and 14 partial record sites; and (4) water levels for 387 observation wells. Locations of lake- and streamflow-gaging stations and water-quality stations and crest-stage partial-record stations and locations of observation wells are shown in figures 3a, 3b, and 3c.

This series of annual reports for Ohio began with the 1961 water year with a report that contained only data relating to the quantities of surface water. For the 1964 water year, a similar report was introduced that contained only data relating to water quality. Beginning with the 1975 water year, the report was changed to present, in two to three volumes, data on quantities of surface water, quality of surface and ground-water, and ground water levels.

Prior to introduction of this series and for several years concurrent with it, water-resources data for Ohio were published in a series of U.S. Geological Survey Water-Supply Papers. Data on stream discharge and stage and on lake or reservoir contents and stage, through September 1960, were published annually under the title "Surface-Water Supply of the United States, Part 3 and Part 4. For the 1961 through 1970 water years, the data were published in two 5-year reports. Data on the chemical quality, temperature, and suspended sediment for the 1941 through 1970 water years were published annually under the title "Quality of Surface Waters of the United States," and ground-water levels for the 1935 through 1974 water years were published under the title "Ground-Water Levels in the United States." The above mentioned Water-Supply Papers may be consulted in the libraries of the principal cities of the United States and may be purchased from Distribution Branch, Text Products Section, U.S. Geological Survey, 604 South Pickett Street, Alexandria, VA. 22304.

Publications similar to this report are published annually by the Geological Survey for all States. These official Survey reports have an identification number consisting of the two-letter State abbreviation, the last two digits of the water year, and the volume number. For example, this volume is identified as "U.S. Geological Survey Water-Data Report OH-84-2." For archiving and general distribution, the reports for 1971-74 water years are also identified as water-data reports. These water-data reports can be purchased in paper copy or in microfiche from the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161.

Additional information, including current prices, for ordering specific reports may be obtained by writing the District Chief at the address given on the back of title page or by telephoning [614] 469-5553.

COOPERATION

The U.S. Geological Survey and agencies of the State of Ohio have had cooperative agreements for the collection of water-resource records since 1898. Organizations that assist in collecting data in this report are: Ohio Department of Natural Resources, M.H. Shoemaker, Director; Ohio Environmental Protection Agency, R.H. Maynard, Director; Ohio Department of Transportation, W.J. Smith, Director; Miami Conservancy District, L.B. Coy, General Manager and Secretary; City of Columbus Department of Public Service, R.C. Parkinson, Director; City of Canton Water Department, J.D. Williams, Superintendent; Northeast Ohio Areawide Coordinating Agency, S.A. Jones, Director; Seneca County Soil and Water District, Gene Baltes, Chief, Quality Lab.

Funds or services were provided by the U.S. Army Corps of Engineers in collecting records for 76 hydrologic-data stations in this report.

The following organizations aided in collecting records: Miami Conservancy District, Corps of Engineers, U.S. Army, and Ohio Department of Natural Resources.

Surface Water

At the start of the 1984 water year, streamflow was normal, except in the southwestern part of the State where it was deficient. Streamflow increased seasonally and became excessive in the southwestern and central parts of the State during October but remained normal in the rest of the State.

November streamflow was excessive for the entire State, whereas December streamflow remained excessive except in central Ohio where it returned to normal.

January streamflow returned to normal except in central Ohio where it was deficient.

February was normal except in the northwestern part of the State where mid-month precipitation and snow melt caused streamflow to be excessive.

March streamflow remained normal except in western and central Ohio, where it was excessive.

April streamflow remained excessive in western Ohio but was normal in the remainder of the State.

May and June streamflow remained in the normal range despite the lowest monthly rainfall on record for the month of June.

July remained normal in the southwestern part of the State but fell to the deficient range in northwestern and central Ohio. Thunderstorms during the first part of the month caused excessive streamflow for the month in the eastern part of the State but returned to the normal range by month end.

August streamflow remained in the normal range except in eastern Ohio, where it increased into the excessive range.

September streamflow was normal for the entire State.

Figure 2 compares the 1984 mean discharges at four selected long-term stations with median discharges for the base period 1951-84.

Water Quality

The chemical quality of tested surface waters changed little from previous years.

Most of the streams tested in eastern and southeastern Ohio reported dissolved manganese above the alert limit (200 mg/l) as set by U.S. Geological Survey. Dissolved iron was above alert limit at all stations sampled in the Raccoon Creek Basin, during the water year and at the Hocking River below Athens during November 1983 and January 1984. Casto Creek at Columbus, and Turkey Run at Upper Arlington had some samples above the limit for total lead.

Wells sampled in the mining area of Jefferson County contained dissolved manganese above the limit.

Two of the three major basins in the State that have U.S. Geological Survey Monitors at NASQAN sites, showed slight improvement in water quality, as measured by specific conductance. Water quality of the Maumee and Scioto Basins improved, probably due to higher streamflow. The other station in the Cuyahoga Basin stayed about the same as previous years.

Ground Water

Most of the observation wells in Ohio tap sand and gravel aquifers in buried-valley or water-course systems associated with the State's principal streams. The observation network also includes some bedrock wells in areas where deeper aquifers are important water supplies, such as the carbonate rock region of northwestern Ohio and various sandstone units of eastern Ohio. The yearly low for most wells occurs during the winter months, especially in colder, drier years or near the end of the growing season. Highs for the year usually occur from March through June, when recharge from snowmelt and springtime storms is greatest. The normal yearly water-level fluctuation for water-table and confined-aquifer wells is 3 to 5 feet.

At the start of the 1984 water year, ground-water levels were generally below normal as drought conditions continued. Ground-water levels rose in response to above-average precipitation in late October and November and were generally in the normal to above-normal range throughout most of December.

Below-normal precipitation and below-normal temperatures caused ground-water levels to decline during January and February. Some record lows occurred at this time.

Rainfall was above normal in April and May and water levels rose in most wells to their highest level for the year.

Generally, ground-water levels declined throughout the rest of the year and remained in the normal range, with the exception of central and southeastern Ohio where deficient precipitation resulted in below normal levels by year-end.

DEFINITION OF TERMS

Terms related to streamflow, water quality, and other hydrologic data, as used in this report, are defined below. See also the table for converting inch-pound units to International System of units (SI) on the inside of the back cover.

Acre-foot (AC-FT, acre-ft) is the quantity of water required to cover 1 acre to a depth of 1 foot and is equivalent to 43,560 cubic feet or about 326,000 gallons or 1,233 cubic meters.

Adenosine triphosphate (ATP) is an organic, phosphate-rich, compound important in the transfer of energy in organisms. Its central role in living cells makes it an excellent indicator of the presence of living material in water. A measure of ATP therefore provides a sensitive and rapid estimate of biomass. ATP is reported in micrograms per liter of the original water sample.

Algae are mostly aquatic single-celled, colonial, or multicelled plants, containing chlorophyll and lacking roots, stems, and leaves.

Algal growth potential (AGP) is the maximum dry weight biomass that can be produced in a natural water sample under standardized laboratory conditions. The growth potential is the algal biomass present at stationary phase and is expressed as milligrams dry weight of algae produced per liter of sample.

Aquifer is a geologic formation, group of formations, or part of a formation that contains sufficient saturated permeable material to yield reasonable quantities of water to wells and springs.

Artesian means confined and is used to describe a well in which the water level stands above the top of the aquifer tapped by the well. A flowing artesian well is one in which the water level is above the land surface.

Bacteria are microscopic unicellular organisms, typically spherical, rodlike, or spiral and threadlike in shape, often clumped into colonies. Some bacteria cause disease, others perform an essential role in nature in the recycling of materials; for example, by decomposing organic matter into a form available for reuse by plants.

Total coliform bacteria are a particular group of bacteria that are used as indicators of possible sewage pollution. They are characterized as aerobic or facultative anaerobic, gram-negative, nonspore-forming, rod-shaped bacteria which ferment lactose with gas formation within 48 hours at 35°C. In the laboratory these bacteria are defined as the organisms which produce colonies with a golden-green metallic sheen within 24 hours when incubated at 35°C + 1.0°C on M-Endo medium (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 ml of sample.

Fecal coliform bacteria are bacteria that are present in the intestine or feces of warm-blooded animals. They are often used as indicators of the sanitary quality of the water. In the laboratory they are defined as all organisms which produce blue colonies within 24 hours when incubated at 44.5°C + 0.2°C on M-FC medium (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 ml of sample.

Fecal streptococcal bacteria are bacteria found also in intestine of warm-blooded animals. Their presence in water is considered to verify fecal pollution. They are characterized as gram-positive, cocci bacteria which are capable of growth in brain-heart infusion broth. In the laboratory they are defined as all the organisms which produce red or pink colonies within 48 hours at 35°C + 1.0°C on KF-streptococcus medium (nutrient medium for bacterial growth). Their concentrations are expressed as number of colonies per 100 ml of sample.

Bed material is the unconsolidated material of which a streambed, lake, pond, reservoir, or estuary bottom is composed.

Biochemical oxygen demand (BOD) is a measure of the quantity of dissolved oxygen, in milligrams per liter, necessary for the decomposition of organic matter by microorganisms, such as bacteria.

Biomass is the amount of living matter present at any given time, expressed as the mass per unit area or volume of habitat.

Ash mass is the mass or amount of residue present after the residue from the dry mass determination has been ashed in a muffle furnace at a temperature of 500°C for 1 hour. The ash mass values of zooplankton and phytoplankton are expressed in grams per cubic meter (g/m^3), and periphyton and benthic organisms in grams per square meter (g/m^2).

Dry mass refers to the mass of residue present after drying in an oven at 105°C for zooplankton and periphyton, until the mass remains unchanged. This mass represents the total organic matter, ash and sediment, in the sample. Dry mass values are expressed in the same units as ash mass.

Organic mass or volatile mass of the living substance is the difference between the dry mass and the ash mass and represents the actual mass of the living matter. The organic mass is expressed in the same units as for ash and dry mass.

Wet mass is the mass of living matter plus contained water.

Bottom material: See Bed material.

Cells/volume refers to the number of cells of any organism which is counted by using a microscope and grid or counting cell. Many planktonic organisms are multicelled and are counted according to the number of contained cells per sample, usually milliliters (ml) or liters (L).

Cfs-day is the volume of water represented by a flow of 1 cubic foot per second for 24 hours. It is equivalent to 86,400 cubic feet, approximately 1.9835 acre-feet, about 646,000 gallons or 2,447 cubic meters.

Chemical oxygen demand (COD) is a measure of the chemically oxidizable material in the water and furnishes an approximation of the amount of organic and reducing material present. The determined value may correlate with natural water color or with carbonaceous organic pollution from sewage or industrial wastes.

Chlorophyll refers to the green pigments of plants. Chlorophyll a and b are the two most common pigments in plants.

Color unit is produced by one milligram per liter of platinum in the form of the chloroplatinate ion. Color is expressed in units of the platinum-cobalt scale.

Contents is the volume of water in a reservoir or lake. Unless otherwise indicated, volume is computed on the basis of a level pool and does not include bank storage.

Control designates a feature downstream from the gage that determines the stage-discharge relation at the gage. This feature may be a natural constriction of the channel, an artificial structure, or a uniform cross section over a long reach of the channel.

Control structure as used in this report is a structure on a stream or canal that is used to regulate the flow or stage of the stream or to prevent the intrusion of salt water.

Cubic feet per second per square mile (CFSM) is the average number of cubic feet of water flowing per second from each square mile of area drained, assuming that the runoff is distributed uniformly in time and area.

Cubic foot per second (cfs, ft³/s) is the rate of discharge representing a volume of 1 cubic foot passing a given point during 1 second and is equivalent to approximately 7.48 gallons per second or 448.8 gallons per minute or 0.02832 cubic meters per second.

Discharge is the volume of water (or more broadly, volume of fluid plus suspended sediment), that passes a given point within a given period of time.

Mean discharge (MEAN) is the arithmetic mean of individual daily mean discharges during a specific period.

Instantaneous discharge is the discharge at a particular instant of time.

Dissolved: That material in a representative water sample which passes through a 0.45-micrometer membrane filter. This is a convenient operational definition used by Federal agencies that collect water data. Determinations of "dissolved" constituents are made on subsamples of the filtrate.

Dissolved-solids concentration of water is determined either analytically by the "residue-on-evaporation" method, or mathematically by totalling the concentrations of individual constituents reported in a comprehensive chemical analysis. During the analytical determination of dissolved solids, the bicarbonate (generally a major dissolved component of water) is converted to carbonate. Therefore, in the mathematical calculation of dissolved-solids concentration, the bicarbonate value, in milligrams per liter, is multiplied by 0.492 to reflect the change.

Drainage area of a stream at a specific location is that area, measured in a horizontal plane, enclosed by a topographic divide from which direct surface runoff from precipitation normally drains by gravity into the stream above the specified point. Figures of drainage area given herein include all closed basins, or noncontribution areas, within the area unless otherwise noted.

Drainage basin is a part of the surface of the earth that is occupied by a drainage system, which consists of a surface stream or a body of impounded surface water together with all tributary surface stream and bodies of impounded surface water.

Gage height (G.H.) is the water-surface elevation referred to some arbitrary gage datum. Gage height is often used interchangeably with the more general term "stage," although gage height is more appropriate when used with a reading on a gage.

Gaging station is a particular site on a stream, canal, lake, or reservoir where systematic observations of hydrologic data are obtained.

Hardness of water is a physical-chemical characteristic that is commonly recognized by the increased quantity of soap required to produce lather. It is attributable to the presence of alkaline earths (principally calcium and magnesium) and is expressed as the equivalent concentration of calcium carbonate (CaCO_3).

Hydrologic Bench-Mark Station is one that provides hydrologic data for a basin in which the hydrologic regimen will likely be governed solely by natural conditions. Data collected at a bench-mark station may be used to separate effects of natural from manmade changes in other basins which have been developed and in which the physiography, climate, and geology are similar to those in the undeveloped bench-mark basin.

Hydrologic unit is a geographic area representing part or all of a surface drainage basin or distinct hydrologic feature as delineated by the Office of Water Data Coordination on the State Hydrologic Unit Maps; each hydrologic unit is identified by an 8-digit number.

Measuring point (MP) is an arbitrary permanent reference point from which the distance to the water surface in a well is measured to obtain the water level.

Metamorphic stage refers to the stage of development that an organism exhibits during its transformation from an immature form to an adult form. This developmental process exists for most insects, and the degree of difference from the immature stage to the adult form varies from relatively slight to pronounced, with many intermediates. Examples of metamorphic stages of insects are egg-larva-adult or egg-nymph-adult.

Methylene blue active substance (MBAS) is a measure of apparent detergents. This determination depends on the formation of a blue color when methylene blue dye reacts with synthetic anionic detergent compounds.

Micrograms per gram (UG/G, ug/g) is a unit expressing the concentration of a chemical element as the mass (micrograms) of the element sorbed per unit mass (gram) of sediment.

Microgram per kilogram (UG/KG, ug/kg) is a unit expressing the concentration of a chemical element as the mass (micrograms) of the element sorbed per unit mass (kilogram) of bottom material.

Micrograms per liter (UG/L, ug/L) is a unit expressing the concentration of chemical constituents in solution as mass (micrograms) of solute per unit volume (liter) of water. One thousand micrograms per liter is equivalent to one milligram per liter.

Milligrams per liter (MG/L, mg/L) is a unit for expressing the concentration of chemical constituents in solution. Milligrams per liter represent the mass of solute per unit volume (liter) of water. Concentration of suspended sediment also is expressed in mg/L, and is based on the mass of dry sediment per liter of water-sediment mixture.

National Geodetic Vertical Datum of 1929 (NGVD of 1929) is a geodetic datum derived from a general adjustment of the first order level nets of both the United States and Canada. It was formerly called "Sea Level Datum of 1929" or "mean sea level" in this series of reports. Although the datum was derived from the average sea level over a period of many years at 26 tide stations along the Atlantic, Gulf of Mexico, and Pacific Coasts, it does not necessarily represent local mean sea level at any particular place.

National Stream-Quality Accounting Network (NASQAN) is a data collection network designed by the U.S. Geological Survey to meet many of the information demands of agencies or groups involved in national or regional water-quality planning and management. Both accounting and broad-scale monitoring objectives have been incorporated into the network design. Areal configuration of the network is based on river-basin accounting units (identified by 8-digit hydrologic-unit numbers) designated by the Office of Water Data Coordination in consultation with the Water Resources Council. Primary objectives of the network are (1) to depict areal variability of streamflow and water-quality conditions nationwide on a year-by-year basis and (2) to detect and assess long-term changes in streamflow and stream quality.

Organism is any living entity, such as an insect, phytoplankter, or zooplankter.

Organism count/area refers to the number of organisms collected and enumerated in a sample and adjusted to the number per unit area habitat, usually square meters (m²), acres, or hectares. Periphyton benthic organisms, and macrophytes are expressed in these terms.

Organism count/volume refers to the number of organisms collected and enumerated in a sample and adjusted to the number per sample volume, usually milliliters (ml) or liters (L). Numbers of planktonic organisms can be expressed in these terms.

Total organism count is the total number of organisms collected and enumerated in any particular sample.

Parameter code is a 5-digit number used in the U.S. Geological Survey computerized data system, WATSTORE, to uniquely identify a specific constituent. The codes used in WATSTORE are the same as those used in the U.S. Environmental Protection Agency data system, STORET. The Environmental Protection Agency assigns and approves all requests for new codes.

Partial-record station is a particular site where limited streamflow and/or water-quality data are collected systematically over a period of years for use in hydrologic analyses.

Particle-size is the diameter, in millimeters (mm), of suspended sediment or bed material determined by either sieve or sedimentation methods. Sedimentation methods (pipet, bottom-withdrawal tube, visual-accumulation tube) determine fall diameter of particles in either distilled water (chemically dispersed) or in native water (the river water at the time and point of sampling).

Particle-size classification used in this report agrees with recommendations made by the American Geophysical Union Subcommittee on Sediment Terminology.

The classification is as follows:

| Classification | Size (mm) | Method of analysis |
|----------------|-----------------|-------------------------|
| Clay..... | 0.00024 - 0.004 | Sedimentation. |
| Silt..... | 0.004 - 0.062 | Sedimentation. |
| Sand..... | 0.062 - 2.0 | Sedimentation or sieve. |
| Gravel..... | 2.0 - 64.0 | Sieve. |

The particle-size distributions given in this report are not necessarily representative of all particles in transport in the stream. Most of the organic material is removed and the sample is subjected to mechanical and chemical dispersion before analysis in distilled water. Chemical dispersion is not used for native water analysis.

Percent composition is a unit for expressing the ratio of a particular part of a sample or population to the total sample or population in terms of types, number, mass, or volume.

Periphyton is the assemblage of microorganisms attached to and growing upon solid surfaces. While primarily consisting of algae, they also include bacteria, fungi, protozoa, rotifers, and other small organisms. Periphyton is a useful indicator of water quality.

Pesticide program is a network of regularly sampled water-quality stations where samples are collected to determine the concentration and distribution of pesticides in streams where potential contamination could result from the application of commonly used insecticides and herbicides. Operation of the network is a Federal interagency activity.

Pesticides are chemical compounds used to control undesirable plants and animals. Major categories of pesticides include insecticides, miticides, fungicides, herbicides, and rodenticides. Insecticides and herbicides, which control insects and plants respectively, are the two categories reported.

Picocurie (PC, pCi) is one trillionth (1×10^{-12}) of the amount of radioactivity represented by a curie (Ci). A curie is the amount of radioactivity that yields 3.7×10^{10} radioactive disintegrations per second. A picocurie yields 2.22 dpm (disintegrations per minute).

Plankton is the community of suspended, floating, or weakly swimming organisms that live in the open water of lakes and rivers.

Phytoplankton is the plant part of the plankton. They are usually microscopic and their movement is subject to the water currents. Phytoplankton growth is dependent upon solar radiation and nutrient substances. Because they are able to incorporate as well as release materials to the surrounding water, the phytoplankton have a profound effect upon the quality of the water. They are the primary food producers in the aquatic environment, and are commonly known as algae.

Blue-green algae are a group of phytoplankton organisms having a blue pigment, in addition to the green pigment called chlorophyll. Blue-green algae often cause nuisance conditions in water.

Diatoms are the unicellular or colonial algae having a siliceous shell. Their concentrations are expressed as number of cells per milliliter (cells/ml) of sample.

Green algae have chlorophyll pigments similar in color to those of higher green plants. Some forms produce algae mats or floating "moss" in lakes. Their concentrations are expressed as number of cells per milliliter (cells/ml) of sample.

Zooplankton is the animal part of the plankton. Zooplankton are capable of extensive movement within the water column and are often large enough to be seen with the unaided eye. Zooplankton are secondary consumers feeding upon bacteria, phytoplankton, and detritus. Because they are the grazers in the aquatic environment, the zooplankton are a vital part of the aquatic food web. The zooplankton community is dominated by small crustaceans and rotifers.

Primary productivity is a measure of the rate at which new organic matter is formed and accumulated through photosynthetic and chemosynthetic activity of producer organisms (chiefly, green plants). The rate of primary production is estimated by measuring the amount of oxygen released (oxygen method) or the amount of carbon assimilated by the plants (carbon method).

Milligrams of carbon per area or volume per unit time [mg C/(m time)] for periphyton and macrophytes and [mg/ C/(m time)] for phytoplankton are units for expressing primary productivity. They define the amount of carbon dioxide consumed as measured by radioactive carbon (carbon 14). The carbon 14 method is of greater sensitivity than the oxygen light and dark bottle method, and is preferred for use in unenriched waters. Unit time may be either the hour or day, depending on the incubation period.

Milligrams of oxygen per area or volume per unit time [mg O/m time)] for periphyton and macrophytes and [mg O/m time)] for phytoplankton are the units for expressing primary productivity. They define production and respiration rates as estimated from changes in the measured dissolved oxygen concentration. The oxygen light and dark bottle method is preferred if the rate of primary production is sufficient for accurate measurements to be made within 24 hours. Unit time may be either the hour or day, depending on the incubation period.

Radiochemical program is a network of regularly sampled water-quality stations where samples are collected to be analyzed for radioisotopes. The streams that are sampled represent major drainage basins in the conterminous United States.

Recoverable from bottom material.--The amount of a given constituent that is in solution after a representative sample of bottom material has been digested by a method (usually using an acid or mixture of acids) that results in dissolution of only readily soluble substances. Complete dissolution of all bottom material is not achieved by the digestion treatment and thus the determination represents less than the total amount (that is, less than 95 percent) of the constituent in the sample. To achieve comparability of analytical data, equivalent digestion procedures would be required of all laboratories performing such analyses because different digestion procedures are likely to produce different analytical results.

Return period is the average time interval between occurrences of a hydrological event of a given or greater magnitude, usually expressed in years. May also be called recurrence interval.

Runoff in inches (IN., in.) shows the depth to which the drainage area would be covered if all the runoff for a given time period were uniformly distributed on it.

Sediment is solid material that originates mostly from disintegrated rocks and is transported by, suspended in, or deposited from water; it includes chemical and biochemical precipitates and decomposed organic material such as humus. The quantity, characteristics, and cause of the occurrence of sediment in streams are influenced by environmental factors. Some major factors are degree of slope, length of slope, soil characteristics, land usage, and quantity and intensity of precipitation.

Bed load is the sediment that is transported in a stream by rolling, sliding, or skipping along the bed and very close to it. In this report, bed load is considered to consist of particles in transit within 0.25 ft of the streambed.

Bed load discharge (tons per day) is the quantity of bed load measured by dry weight that moves past a section as bed load in a given time.

Suspended sediment is the sediment that at any given time is maintained in suspension by the upward components of turbulent currents or that exists in suspension as a colloid.

Suspended-sediment concentration is the velocity-weighted concentration of suspended sediment in the sampled zone (from the water surface to a point approximately 0.3 ft above the bed) expressed as milligrams of dry sediment per liter of water-sediment mixture (mg/L).

Suspended-sediment discharge (tons/day) is the rate at which dry weight of sediment passes a section of a stream or is the quantity of sediment, as measured by dry weight or volume, that passes a section in a given time. It is computed by multiplying discharge times mg/L times 0.0027.

Suspended-sediment load is the quantity of suspended sediment passing a section in a specified period.

Total sediment discharge (tons/day) is the sum of the suspended-sediment discharge and the bed-load discharge. It is the total quantity of sediment, as measured by dry weight or volume, that passes a section during a given time.

Mean concentration is the time-weighted concentration of suspended sediment passing a stream section during a 24-hour day.

7-day 10-year low flow (7 Q10) is the discharge at the 10-year recurrence interval taken from a frequency curve of annual values of the lowest mean discharge for 7 consecutive days (the 7-day low flow).

Sodium-adsorption-ratio (SAR) is the expression of relative activity of sodium ions in exchange reactions within soil and is an index of sodium or alkali hazard to the soil. Waters range in respect to sodium hazard from those which can be used for irrigation on almost all soils to those which are generally unsatisfactory for irrigation.

Solute is any substance derived from the atmosphere, vegetation, soil, or rocks that is dissolved in water.

Specific conductance is a measure of the ability of a water to conduct an electrical current. It is expressed in micromhos per centimeter at 25°C. Specific conductance is related to the type and concentration of ions in solution and can be used for approximating the dissolved-solids content of the water. Commonly, the concentration of dissolved solids (in milligrams per liter) is about 65 percent of the specific conductance (in micromhos). This relation is not constant from stream to stream, and it may vary in the same source with changes in the composition of the water.

Stage-discharge relation is the relation between gage height (stage) and volume of water, per unit of time, flowing in a channel.

Streamflow is the discharge that occurs in a natural channel. Although the term "discharge" can be applied to the flow of a canal, the word "streamflow" uniquely describes the discharge in a surface stream course. The term "streamflow" is more general than "runoff" as streamflow may be applied to discharge whether or not it is affected by diversion or regulation.

Substrate is the physical surface upon which an organism lives.

Natural substrate refers to any naturally occurring emerged or submersed solid surface, such as a rock or tree, upon which an organism lives.

Artificial substrate is a device which is purposely placed in a stream or lake for colonization of organisms. The artificial substrate simplifies the community structure by standardizing the substrate from which each sample is taken. Examples of artificial substrate are basket samplers (made of wire cages fill with clean streamside rocks) and multiplate samplers (made of hardboard) for benthic organism collection, and plexiglass strips for periphyton.

Surface area of a lake is that area outlined on the latest U.S.G.S. topographic map as the boundary of the lake and measured by a planimeter in acres. In localities not covered by topographic maps, the areas are computed from the best maps available at the time planimetered. All areas shown are those for the stage when the planimetered map was made.

Surficial bed material is the part (0.1 to 0.2 ft) of the bed material that is sampled using U.S. Series Bed-Material Samplers.

Suspended (as used in tables of chemical analyses) refers to the amount (concentration) of the total concentration in a water-sediment mixture. The water-sediment mixture is associated with (or sorbed on) that material retained on a 0.45-micrometer filter.

Suspended, recoverable is the amount of a given constituent that is in solution after the part of a representative water-suspended sediment sample that is retained on a 0.45-micrometer membrane filter has been digested by a method (usually using a dilute acid solution) that results in dissolution of only readily soluble substances. Complete dissolution of all the particulate matter is not achieved by the digestion treatment and thus the determination represents something less than the "total" amount (that is, less than 95 percent) of the constituent present in the sample. To achieve comparability of analytical data, equivalent digestion procedures would be required of all laboratories performing such analyses because different digestion procedures are likely to produce different analytical results.

Determinations of "suspended, recoverable" constituents are made either by analyzing portions of the material collected on the filter or, more commonly, by difference, based on determinations of (1) dissolved and (2) total recoverable concentrations of the constituent.

Suspended, total is the total amount of a given constituent in the part of a representative water-suspended sediment sample that is retained on a 0.45-micrometer membrane filter. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent determined. A knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to determine when the results should be reported as "suspended, total."

Determinations of "suspended, total" constituents are made either by analyzing portions of the material collected on the filter or, more commonly, by difference, based on determinations of (1) dissolved and (2) total concentrations of the constituent.

Taxonomy is the division of biology concerned with the classification and naming of organisms. The classification of organisms is based upon hierarchical scheme beginning with Kingdom and ending with Species at the base. The higher the classification level, the fewer features the organism have in common. For example, the taxonomy of a particular mayfly, Hexagenia limbata, is the following:

Kingdom.....Animal
 Phylum.....Arthropoda
 Class.....Insecta
 Order.....Ephemeroptera
 Family.....Ephemeridae
 Genus.....Hexagenia
 Species.....Hexagenia limbata

Thermograph is an instrument that continuously records variations of temperature on a chart. The more general term "temperature recorder" is used in the table headings and refers to any instrument that records temperature whether on a chart, a tape, or any other medium.

Time-weighted average is computed by multiplying the number of days in the sampling period by the concentrations of individual constituents for the corresponding period and dividing the sum of the products by the total number of days. A time-weighted average represents the composition of water that would be contained in a vessel or reservoir that had received equal quantities of water from the stream each day for the year.

Tons per acre-foot indicates the dry mass of dissolved solids in 1 acre-foot of water. It is computed by multiplying the concentration of the constituent, in milligrams per liter, by 0.00136.

Tons per day is the quantity of substance in solution or suspension that passes a stream section during a 24-hour day.

Total is the total amount of a given constituent in a representative water-suspended sediment sample, regardless of the constituent's physical or chemical form. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent present in both the dissolved and suspended phases of the sample. A knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to judge when the results should be reported as "total." (Note that the word "total" does double duty here, indicating both that the sample consists of a water-suspended sediment mixture and that the analytical method determines all of the constituent in the sample.)

Total in bottom material is the total amount of a given constituent in a representative sample of bottom material. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent determined. A knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to judge when the results should be reported as "total in bottom material."

Total discharge is the total quantity of any individual constituent, as measured by dry mass or volume, that passes through a stream cross-section per unit of time. This term needs to be qualified, such as "total sediment discharge," "total chloride discharge," and so on.

Total load (tons) is the total quantity of any individual constituent, as measured by dry mass or volume, that is dissolved in a specific amount of water (discharge) during a given time. It is computed by multiplying the total discharge, times the mg/L of the constituent, times the factor 0.0027, times the number of days.

Total recoverable is the amount of a given constituent that is in solution after a representative water-suspended sediment sample has been digested by a method (usually using a dilute acid solution) that results in dissolution of only readily soluble substances. Complete dissolution of all particulate matter is not achieved by the digestion treatment, and thus the determination represents something less than the "total" amount (that is, less than 95 percent) of the constituent present in the dissolved and suspended phases of the sample. To achieve comparability of analytical data, equivalent digestion procedures would be required of all laboratories performing such analyses because different digestion procedures are likely to produce different analytical results.

Water year in Geological Survey reports dealing with surface-water supply is the 12-month period, October 1 through September 30. The water year is designated by the calendar year in which it ends and which includes 9 of the 12 months. Thus, the year ending September 30, 1980, is called the "1980 water year."

WDR is used as an abbreviation for "Water-Data Report" in the REVISED RECORDS paragraph to refer to State annual basic-data reports published after 1975.

Weighted average is used in this report to indicate discharge-weighted average. It is computed by multiplying the discharge for a sampling period by the concentrations of individual constituents for the corresponding period and dividing the sum of the products by the sum of the discharges. A discharge-weighted average approximates the composition of water that would be found in a reservoir containing all the water passing a given location during the water year after thorough mixing in the reservoir.

WRD is used as an abbreviation for "Water-Resources Data" in the REVISED RECORDS paragraph to refer to State annual basic-data reports published before 1975.

WSP is used as an abbreviation for "Water-Supply Paper" in references to previously published reports.

EXPLANATION OF THE RECORDS

The records in this report are for the 1984 water year that began October 1, 1983, and ended September 30, 1984. A calendar of the water year is provided on the inside of the front cover. Records for a given surface-water station, whether water discharge or water quality, are presented together, so far as practicable, with the water discharge presented first. Headings providing information on station location, drainage areas, and other pertinent items are included for all surface-water records except those regarded as miscellaneous or partial.

Station Identification Numbers

Each data station, whether streamsite or wellsite, in this report is assigned a unique identification number. This number is unique in that it applies specifically to a given station and to no other. The number usually is assigned when a station is first established and is retained for that station indefinitely. The systems used by the U.S. Geological Survey to assign identification numbers for surface-water stations and for ground-water well sites differ, but both are based on geographic locations. The "downstream order" system is used for regular surface-water stations and the "latitude-longitude" system is used for wells and, in Ohio, for surface-water stations where only miscellaneous measurements are made.

DOWNSTREAM ORDER AND STATION NUMBER

Since October 1, 1950, the order of listing hydrologic-station records in Survey reports is in a downstream direction along the main stream. All stations on a tributary entering upstream from a main stream station are listed before that station. A station on a tributary that enters between two main stream stations is listed between them. A similar order is followed in listing stations on first rank, second rank, and other ranks of tributaries. The rank of any tributary with respect to the stream to which it is immediately tributary is indicated by an indentation in a "List of Stations" in the front of the report. Each indentation represents one rank. This downstream order and system of indentation show which stations are on tributaries between any two stations and the rank of the tributary on which each station is situated.

The station-identification number is assigned according to downstream order. In assigning station numbers, no distinction is made between partial-record station and other stations; therefore, the station number for a partial-record station indicates downstream-order position in a list made up of both types of stations. Gaps are left in the series of numbers to allow for new stations that may be established; hence, the numbers are not consecutive. The complete eight-digit number for each station such as 04041000, which appears just to the left of the station name, includes the two-digit part number "04" plus the six-digit downstream order number "041000". The part number designates the major river basin; for example, part "03" is the Ohio River Basin, and part "04" is the St Lawrence River Basin.

Latitude-Longitude System

The identification numbers for wells and miscellaneous surface-water sites are assigned according to the grid system of latitude and longitude. The number consists of 15 digits. The first six digits denote the degrees, minutes, and seconds of latitude, the next seven digits denote degrees, minutes, and seconds of longitude, and the last two digits (assigned sequentially) identify the wells or other sites within a 1-second grid. In the rare instance where the initial determination of latitude and longitude are found to be in error, the station will retain its initial identification number; however, its true latitude and longitude will be listed in the LOCATION paragraph of the station description. (See figure 1 below.)




Figure 1 System for numbering wells and miscellaneous sites (latitude and longitude)

Records of Stage and Water Discharge

Records of stage and water discharge may be complete or partial. Complete records of discharge are those obtained using a continuous stage-recording device through which either instantaneous or mean daily discharges may be computed for any time, or any period of time, during the period of record. Complete records of lake or reservoir contents, similarly, are those for which stage or content may be computed or estimated with reasonable accuracy for any time, or period of time. They may be obtained using a continuous stage-recording device, but need not be. Because mean daily discharges and end-of-day contents commonly are published for such stations, they are referred to as "daily stations."

By contrast, partial records are obtained through discrete measurements without using a continuous stage-recording device and pertain only to a few flow characteristics, or perhaps only one. The nature of a partial record is indicated by table titles such as "Crest-stage partial records," or "Low-flow partial records." Records of miscellaneous discharge measurements or of measurements from special studies, such as low-flow seepage studies, may be considered as partial records, but they are presented separately in this report. Location of all complete-record and crest-stage stations for which data are given in this report are shown in figure 3.

Data Collection and Computation

The data obtained at a complete-record gaging station on a stream or canal consists of a continuous record of stage, individual measurements of discharge throughout a range of stages, and notations regarding factors that may affect the relationships between stage and discharge. These data, together with supplemental information, such as weather records, are used to compute daily discharges. The data obtained at a complete-record gaging station on a lake or reservoir consists of a record of stage and of notations regarding factors that may affect the relationship between stage and lake content. These data are used with stage-area and stage-capacity curves or tables to compute water-surface areas and lake storage.

Continuous records of stage are obtained with analog recorders that trace continuous graphs of stage or with digital recorders that punch stage values on paper tapes at selected time intervals. Measurements of discharge are made with current meters using methods adapted by the Geological Survey as a result of experience accumulated since 1880. These methods are described in standard textbooks, in Water-Supply Paper 2175, and in U.S. Geological Survey Techniques of Water-Resources Investigations, Book 3, Chapter A6.

In computing discharge records, results of individual measurements are plotted against the corresponding stages, and stage-discharge relation curves are then constructed. From these curves, rating tables indicating the approximate discharge for any stage within the range of the measurements are prepared. If it is necessary to define extremes of discharge outside the range of the current-meter measurements, the curves are extended using: (1) logarithmic plotting; (2) velocity-area studies; (3) results of indirect measurements of peak discharge, such as slope-area or contracted-opening measurements, and computations of flow-over-dams or weirs; or (4) step-backwater techniques.

Daily mean discharges are computed by applying the daily mean stages (gage heights) to the stage-discharge curves or tables. If the stage-discharge relation is subject to change because of frequent or continual change in the physical features that form the control, the daily mean discharge is determined by the shifting-control method, in which correction factors based on the individual discharge measurements and notes of the personnel making the measurements are applied to the gage heights before the discharges are determined from the curve or tables. This shifting-control method also is used if the stage-discharge relation is changed temporarily because of aquatic growth or debris on the control. For some stations, formation of ice in the winter may so obscure the stage-discharge relation that daily mean discharges must be estimated from other information such as temperature and precipitation records, notes of observations, and records for other stations in the same or nearby basins for comparable periods.

At some stream-gaging stations the stage-discharge relation is affected by the backwater from reservoirs, tributary streams, or other sources. This necessitates the use of the slope method in which the slope or fall in a reach of the stream is a factor in computing discharge. The slope or fall is obtained by means of an auxiliary gage set at some distance from the base gage. At some stations the stage-discharge relation is affected by changing stage; at these stations the rate of change in stage is used as a factor in computing discharge.

In computing records of lake or reservoir contents, it is necessary to have available from surveys, curves, or tables defining the relationship of stage and content. The application of stage to the stage-content curves or tables give the contents from which daily, monthly, or yearly changes are then determined. If the stage-content relationship changes because of deposition of sediment in a lake or reservoir, periodic resurveys may be necessary to redefine the relationship. Even when this is done, the contents computed may become increasingly in error as time since the last survey increases. Discharges over lake or reservoir spillways are computed from stage-discharge relationships much as other stream discharges are computed.

For some gaging stations there are periods when no gage-height record is obtained, or the recorded gage height is so faulty that it cannot be used to compute daily discharge or contents. This happens when the recorder stops or otherwise fails to operate properly, intakes are plugged, the float is frozen in the well, or for various other reasons. For such periods, the daily discharges are estimated from the recorded range in stage, previous or following record, discharge measurements, weather records, and comparison with other station records from the same or nearby basins. Likewise, daily contents may be estimated from operator's logs, previous or following record, inflow-outflow studies, and other information.

Data Presentation

The records published for each gaging station consist of two parts, the manuscript or station description and the data table for the current water year. The manuscript provides, under various headings, descriptive information, such as station location; period of record; average discharge; historical extremes; record accuracy; and other remarks pertinent to station operation and regulation. The following information, as appropriate, is provided with each continuous record of discharge or lake content. Comments to follow clarify information presented under the various headings of the station description.

LOCATION.--Information on locations is obtained from the most accurate maps available. The location of the gage with respect to the cultural and physical features in the vicinity and with respect to the reference place mentioned in the station name is given. River mileages, given for only a few stations, were determined by methods given in "River Mileage Measurement," Bulletin 14, Revision of October 1968, prepared by the Water Resources Council or were provided by the U.S. Army Corps of Engineers.

DRAINAGE AREA.--Drainage areas are measured using the most accurate maps available. Because the type maps available varies from one drainage basin to another, the accuracy of the drainage areas likewise varies. Drainage areas are updated as better maps become available.

PERIOD OF RECORD.--This indicates the period for which there are published records for the station or for an equivalent station. An equivalent station is one that was in operation at a time that the present station was not, and whose location was such that records from it can reasonably be considered equivalent with records from the present station.

REVISED RECORDS.--Published records, because of new information, occasionally are found to be incorrect, and revisions are printed in later reports. Listed under this heading are all the reports in which revisions have been published for the station and the water years to which the revisions apply. If a revision did not include daily, monthly, or annual figures of discharge, that fact is noted after the year dates as follows: "(M)" means that only the instantaneous maximum discharge was revised; "(m)" that only the instantaneous minimum was revised; and "(P)" that only the peak discharges were revised. If the drainage area has been revised, the report in which the most recently revised figure was first published is given.

GAGE.--The type of gage in current use, the datum of the current gage referred to National Geodetic Vertical Datum of 1929 (see glossary), and a condensed history of the types, locations, and datums of previous gages are given under this heading.

REMARKS.--The remarks contain information relative to the accuracy of the records, to special methods of computation, to conditions that affect natural flow at the station, and possibly to other pertinent items.

COOPERATION.--Records provided by a cooperating organization or obtained for the Geological Survey by a cooperating organization are identified here.

AVERAGE DISCHARGE.--The discharge value given is the arithmetic mean of the water-year mean discharges. It is computed only for stations having at least 5 water years of complete record, and only water years of complete record are included in the computation. It is not computed for stations where diversions, storage, or other water-use practices cause the value to be meaningless. If water developments significantly altering flow at the station are put into use after the station has been in operation for a period of years, a new average is computed as soon as 5 water years of record have accumulated following the development.

EXTREMES FOR PERIOD OF RECORD.--Extremes may include maximum and minimum stages and maximum and minimum discharges or contents. Unless otherwise qualified, the maximum discharge or content is the instantaneous maximum corresponding to the highest stage that occurred. The highest stage may have been obtained from a graphic or digital recorder, a crest-stage gage, or by direct observation of a nonrecording gage. If the maximum stage did not occur on the same day as the maximum discharge or content, it is given separately. Similarly, the minimum is the instantaneous minimum discharge, unless otherwise qualified, and was determined and is reported in the same manner as the maximum.

EXTREMES OUTSIDE PERIOD OF RECORD.--Included here is information concerning major floods or unusually low flows that occurred outside the stated period of record. The information may or may not have been obtained by U.S. Geological Survey.

EXTREMES FOR CURRENT YEAR.--Extremes given here are similar to those for the period of record, except the peak discharge listing may include secondary peaks. For stations meeting certain criteria, all peak discharges and stages occurring during the water year and greater than a selected base discharge are presented under this heading. The peaks greater than the base discharge, excluding the highest one, are referred to as secondary peaks. Peak discharges are not published for canals, ditches, drains, or streams for which the peaks are subject to substantial control by man. The time of occurrence for peaks is expressed in 24-hour local standard time. For example, 12:30 a.m. is 0030, and 1:30 p.m. is 1330. The minimum for the current water year appears below the table of peak data.

REVISIONS.--If a critical error in published records is discovered, a revision is included in the first report following discovery of the error.

Manuscript information for lakes or reservoir stations differs from that for stream stations in the nature of the "Remarks" and in the inclusion of a skeleton stage-capacity table when daily contents are given.

The daily table for stream-gaging stations gives mean discharge for each day and is followed by monthly and yearly summaries. In the monthly summary below the daily table, the line headed "TOTAL" gives the sum of the daily figures. The line headed "MEAN" gives the average flow in cubic feet per second during the month. The lines headed "MAX" and "MIN" give the maximum and minimum daily discharges respectively, for the month. Discharge for the month is often expressed in cubic feet per square mile (line headed "CFSM"), or in inches (line headed "IN."), or in acre-feet (line headed "AC-FT"). Figures for cubic feet per second per square mile and runoff in inches are omitted if there is extensive regulation or diversion or if the drainage area includes large noncontributing areas. In the yearly summary below the monthly summary, the figures shown are the appropriate discharges for the calendar and water years. At some stations monthly and (or) yearly observed discharges are adjusted for reservoir storage or diversion, or diversions or reservoir contents are given. These figures are identified by symbol and corresponding footnote.

Data collected at partial-record stations follow the information for continuous record sites. Data for partial-record discharge stations are usually presented in two tables. The first is a table of annual maximum stage and discharge at crest-stage stations, and the second, when collected, is a table of discharge measurements at low-flow partial-record stations. The tables of partial-record stations are followed by a listing of discharge measurements made at sites other than continuous-record or partial-record stations. These measurements are generally made in time of drought or flood to give better areal coverage to those events. Those measurements and others collected for some special reason are called measurements at miscellaneous sites.

Accuracy of the Records

The accuracy of streamflow records depends primarily on: (1) The stability of the stage-discharge relation or, if the control is unstable, the frequency of discharge measurements; and (2) the accuracy of measurements of stage, measurements of discharge, and interpretation of records.

The accuracy attributed to the records is indicated under "REMARKS." "Excellent" means that about 95 percent of the daily discharges are within 5 percent of the true; "good" within 10 percent; and "fair," within 15 percent. Records that do not meet the criteria mentioned, are rated "poor." Different accuracies may be attributed to different parts of a given record.

Daily mean discharges in this report are given to the nearest hundredths of a cubic foot per second for values less than 1 ft³/s; to the nearest tenth between 1.0 and 10 ft³/s; to whole numbers between 10 and 1,000 ft³/s; and to three significant figures for more than 1,000 ft³/s. The number of significant figures used is based solely on the magnitude of the discharge value. The same rounding rules apply to discharges listed for partial-record stations and miscellaneous sites.

Discharge at many stations, as indicated by the monthly mean, may not reflect natural runoff due to the effects of diversion, consumption, regulation by storage, increase or decrease in evaporation due to artificial causes, or other factors. For such stations, figures of cubic feet per second per square mile and of runoff, in inches, are not published unless satisfactory adjustments can be made for diversions, for changes in contents of reservoirs, or for other changes incident to use and control. Evaporation from a reservoir is not included in the adjustments for changes in reservoir contents, unless it is so stated. Even at those stations where adjustments are made, large errors in computed runoff may occur if adjustments or losses are large in comparison with the observed discharge.

Other Records Available

Records of discharge, ground-water, reservoir contents, and water-quality; not published by the Geological Survey, are collected in Ohio at several sites by state and other federal agencies. The National Water Data Exchange (NAWDEX), U.S. Geological Survey, Reston, Va 22092, maintains an index of these sites as well as an index of records of discharge collected by other agencies but not published by the Geological Survey. Information on records at specific sites can be obtained from that office upon request.

Information used in the preparation of the records in this publication, such as discharge-measurement notes, gage-height records, temperature measurements, and rating tables are on file in the Ohio District office. Also, most of the daily mean discharges are in computer-readable form and have been analyzed statistically. Information on the availability of the unpublished information or on the results of statistical analyses of the published records may be obtained from the District office.

Records of Surface-Water Quality

Records of surface-water quality ordinarily are obtained at or near stream-gaging stations because interpretation of records of surface-water quality nearly always requires corresponding discharge data. Records of surface-water quality in this report may involve a variety of types of data and measurement frequencies.

Classification of records

Water-quality data for surface-water sites are grouped into one of three classifications. A continuing-record station is a site where data are collected on a regularly scheduled basis. Frequency may be once or more times daily, weekly, monthly, or quarterly. A partial-record station is a site where limited water-quality data are collected systematically over a period of years. Frequency of sampling is usually less than quarterly. A miscellaneous sampling site is a location other than a continuing or partial-record station, where random samples are collected to give better areal coverage to define water-quality conditions in the river basin.

A careful distinction needs to be made between "continuing records" as used in this report and "continuous recordings," which refers to a continuous graph or a series of discrete values punched at short intervals on a paper tape. Some records of water quality, such as temperature and specific conductance, may be obtained through continuous recording; however, because of cost, most data are obtained only monthly or less frequently. Locations of stations for which records on the quality of surface water appear in this report are shown in figure 3a, 3b, 3c, 3d.

Arrangement of Records

Water-quality records collected at a surface-water daily record station are published immediately following that record, regardless of the frequency of sample collection. Station number and name are the same for both records. Where a surface-water daily record station is not available or where the water quality differs significantly from that at a nearby surface-water station, the continuing water-quality record is published with its own station number and name in the regular downstream-order sequence. Water-quality data for partial-record stations and for miscellaneous sampling sites appear in separate tables following the table of discharge measurements at miscellaneous sites.

Onsite Measurements and Sample Collection

In obtaining water-quality data, a major concern needs to be assuring that the data obtained represent the in situ quality of the water. To assure this, certain measurements, such as water temperature, pH, and dissolved oxygen, need to be made on site when the samples are taken. To assure that measurements made in the laboratory also represent the in situ water, carefully prescribed procedures need to be followed in collecting the samples, in treating the sample to prevent changes in quality pending analysis, and in shipping the samples to the laboratory. Procedures for onsite measurements and for collecting, treating, and shipping samples are given in publications on "Techniques of Water-Resources Investigations," Book 1, Chap. D2; Book 3, Chap. C2; Book 5, Chap. A1, A3, and A4. All of these references are listed on p. 19 of this report. Also detailed information on collecting, treating, and shipping samples may be obtained from the Geological Survey District office.

One sample can define adequately the water quality at a given time if the mixture of solutes throughout the stream cross section is homogeneous. However, the concentration of solutes at different locations in the cross section may vary widely with different rates of water discharge, depending on the source of material and the turbulence and mixing of the stream. Some streams must be sampled through several vertical sections to obtain a representative sample needed for an accurate mean concentration and for use in calculating load. All samples obtained for the National Stream-Quality Accounting Network (see definitions) are obtained from at least several verticals. Whether samples are obtained from the centroid of flow or from several verticals, depends on flow conditions and other factors which must be evaluated by the collector.

Chemical-quality data published in this report are considered to be the most representative values available for the stations listed. The values reported represent water-quality conditions at the time of sampling as much as possible, consistent with available sampling techniques and methods of analysis. In the rare case where an apparent inconsistency exists between a reported pH value and the relative abundance of carbon dioxide species (carbonate and bicarbonate), the inconsistency is the result of a slight uptake of carbon dioxide from the air by the sample between measurement of pH in the field and determination of carbonate and bicarbonate in the laboratory.

For chemical-quality stations equipped with digital monitors, the records consist of daily maximum, minimum, and mean values for each constituent measured and are based upon hourly punches beginning at 0100 hours and ending at 2400 hours for each day of record. More detailed records (hourly values) may be obtained from the U.S.G.S. District Office whose address is given on the back of the title page of this report.

Water Temperatures

Water temperatures are measured at most of the water-quality stations. In addition, water temperatures are taken at time of discharge measurements for water-discharge stations. For stations where water temperatures are taken manually once or twice daily, the water temperatures are taken at about the same time each day. Large streams have a small daily temperature change; shallow streams may have a daily range of several degrees and may follow closely the changes in air temperature. Some streams may be affected by waste-heat discharges.

At stations where recording instruments are used, either mean temperatures or maximum and minimum temperatures for each day are published.

Sediment

Suspended-sediment concentrations are determined from samples collected by using depth-integrating samplers. Samples usually are obtained at several verticals in the cross section, or a single sample may be obtained at a fixed point and a coefficient applied to determine the mean concentration in the cross section.

During periods of rapidly changing flow or rapidly changing concentration, samples may have been collected more frequently (twice daily or, in some instances, hourly). The published sediment discharge for days of rapidly changing flow or concentration were computed by the subdivided-day method (time-discharge weighted average). Therefore, for those days when the published sediment discharge values differ from the value computed as the product of discharge times mean concentration times 0.0027, the reader can assume that the sediment discharge for that day was computed by the subdivided-day method. For periods when no samples were collected, daily loads of suspended sediment were estimated on the basis of water discharge, sediment concentrations observed immediately before and after the periods, and suspended-sediment loads for other periods of similar discharge.

At other stations, suspended-sediment samples were collected periodically at many verticals in the stream cross section. Although data collected periodically may represent conditions only at the time of observations, such data are useful in establishing seasonal relations between quality and streamflow and in predicting long-term sediment-discharge characteristics of the stream.

In addition to the records of the quantities of suspended sediment, records of periodic measurements of the particle-size distribution of the suspended sediment and bed material are included.

Laboratory Measurements

Sediment samples, samples for biochemical-oxygen demand (BOD), and daily samples for specific conductance are analyzed locally. All other samples are analyzed in the Geological Survey laboratories in Arvada, Colo. or Doraville, Ga. Methods used in analyzing sediment samples and computing sediment records are given in TWRI, Book 5, Chap. C1. Methods used by the Geological Survey laboratories are given in TWRI, Book 1, Chap. D2; Book 3, Chap. C2; Book 5, Chap. A1, A3, and A4.

Data Presentation

For continuing-record stations, information pertinent to the history of station operation is provided in descriptive headings preceding the tabular data. These descriptive headings give details regarding location, drainage area, period of record, type of data available, instrumentation, general remarks, cooperation, and extremes for parameters currently measured daily. Tables of chemical, physical, biological, radiochemical data, and so forth, obtained at a frequency less than daily are presented first. Tables of "daily values" of specific conductance, pH, water temperature, dissolved oxygen, and suspended sediment then follow in sequence.

In the descriptive headings, if the location is identical to that of the discharge gaging station, neither the LOCATION nor the DRAINAGE AREA statements are repeated. The following information, as appropriate, is provided with each continuous-record station. Comments that follow clarify information presented under the various headings of the station description.

LOCATION.--See Data Presentation under "Records of Stage and Water Discharge;" same comments apply.

DRAINAGE AREA.--See Data Presentation under "Records of Stage and Water Discharge;" same comments apply.

PERIOD OF RECORD.--This indicates the periods for which there are published water-quality records for the station. The periods are shown separately for records of parameters measured daily or continuously and those measured less than daily. For those measured daily or continuously, periods of record are given for the parameters individually.

INSTRUMENTATION.--Information on instrumentation is given only if a water-quality monitor, temperature record, sediment pumping sampler, or other sampling device is in operation at a station.

REMARKS.--Remarks provide added information pertinent to the collection, analysis, or computation of the record.

COOPERATION.--Records provided by a cooperating organization or obtained for the Geological Survey by a cooperating organization are identified here.

EXTREMES.--Maximums and minimums are given only for parameters measured daily or more frequently. None are given for parameters measured weekly or less frequently, because the true maximums and minimums may not have been sampled. Extremes, when given, are for both the period of record and for the current water year.

REVISIONS.--If errors in published water-quality records are discovered after publication, appropriate updates are made to the Water-Quality File in the U.S. Geological Survey's computerized data system, WATSTORE, and subsequently by monthly transfer of update transactions to the U.S. Environmental Protection Agency's STORET system. Because the usual volume of updates makes it impractical to document individual changes in the State data-report series or elsewhere, potential users of U.S. Geological Survey water-quality data are encouraged to obtain all required data from the appropriate computer file to insure the most recent updates.

Records of Ground-Water Levels

Water-level data from a network of observation wells (as well as project wells) are given in this report. The network well data are intended to provide a sampling and historical record of water-level changes in the Nation's most important aquifers. Locations of the observation wells in this network in Ohio are shown in figure 3e, 3f. Water level data at projects are reported in Volume 2 under the specific project.

Data Collection and Computation

Measurements of water levels are made in many types of wells under varying conditions, but the methods of measurement are standardized to the extent possible. The equipment and measuring techniques used at each observation well ensure that measurements at each well are of consistent accuracy and reliability.

Tables of water-level data are presented by counties arranged in alphabetical order. The prime identification number for a given well is a 15-digit number that is based on latitude and longitude. The secondary identification number is the local well number, that is provided for local needs.

Water-level measurements in this report are given in feet with reference to land-surface datum (lsd). Land-surface datum is a datum plane that is approximately at land surface at each well. If known, the altitude of the land-surface datum above National Geodetic Vertical Datum of 1929 is given in each well description. The height of the measuring point (MP) above or below land-surface datum is given in each well description.

Water levels are reported to as many significant figures as can be justified by the local conditions. For example, in a measurement of a depth to water of several hundred feet, the error of determining the absolute value of the total depth to water may be a few tenths of a foot, whereas the error in determining the net change of water level between successive measurements may be only a hundredth or a few hundredths of a foot. For lesser depths to water, the accuracy is greater. Accordingly, most measurements are reported to a hundredth of a foot, but some are given to a tenth of a foot or larger units.

Data Presentation

Each well record consists of two parts, the station description and the data table of water levels observed during the water year. The description of the well is presented first through use of descriptive headings preceding the tabular data. The comments to follow clarify information presented under the various headings.

LOCATION.--This paragraph follows the well-identification number and reports the latitude and longitude (given in degrees, minutes, and seconds); a landline location designation; the hydrologic-unit number; the distance and direction from a geographic point of reference; and the owner's name.

AQUIFER.--This entry describes the aquifer by age and composition.

WELL CHARACTERISTICS.--This entry describes the well in terms of depth, diameter, casing depth and/or screened interval, method of construction, use, and additional information such as casing breaks, collapsed screen, and other changes since construction.

DATUM.--This entry describes both the measuring point and the land surface altitude at the well. The measuring point is described physically (such as top of collar, notch in top of casing, plug in pump base and so on), and in relation to land surface (such as 1.3 ft above land-surface datum). The altitude of the land surface datum (LSD) is described in feet above (or below) National Geodetic Vertical Datum of 1929 (NGVD of 1929); it is reported with a precision depending on the method of determination.

REMARKS.--This entry describes factors that may influence the water level in a well or the measurement of the water level. It should identify wells that are also water-quality observation wells, and may be used to acknowledge the assistance of local (non-Survey) observers.

PERIOD OF PUBLISHED RECORD.--This entry indicates the period for which there are published records for the well. It reports the month and year of the start of publication of water level records by the U.S. Geological Survey or cooperating agency, and the words "to current year" if the records are to be continued to the following year. Periods for which water-level records are available, but not published by the Survey, may be noted.

EXTREMES FOR PERIOD OF PUBLISHED RECORD.--This entry contains the highest and lowest water levels of the period of published record, with respect to land-surface datum (LSD), and the dates of their occurrence.

A table of water levels follows the station description for each well. Water levels are reported in feet below (or above) land-surface datum. All measurements of water level for periodic wells are listed. For wells equipped with recorders, daily water-level lows are published. The highest and lowest daily water levels of the water year are shown on a line below the table. Because only daily lows are published for wells with recorders, the extreme instantaneous high may be a value which is not listed in the table. Missing records are indicated by dashes in place of the water level.

Records of Ground-Water Quality

Records of ground-water quality in this report differ from other types of records in that for most sampling sites they consist of only one set of measurements. The quality of ground water ordinarily changes slowly, if at all, so that frequent measuring of the same parameter is not necessary unless one is concerned with a particular problem such as monitoring for trends of a particular constituent.

Data Collection and Computation

The records of ground-water quality in this report were obtained mostly as part of special studies in specific areas. Consequently, a number of chemical analyses are presented for some counties but none are presented for others. As a result, the records for this year, by themselves, do not provide a balanced view of ground-water quality statewide. Such a view can be attained only by considering records for this year in context with similar records obtained for these and other counties in earlier years.

Most methods for collecting and analyzing water samples are described in the "U.S. Geological Survey Techniques of Water-Resources Investigations" manuals listed on the following page. The values reported in this report represent water-quality conditions at the time of sampling as much as possible, consistent with available sampling techniques and methods of analysis. All samples were obtained by trained personnel. The wells sampled were pumped long enough to assure that the water collected came directly from aquifer and had not stood for a long time in the well casing where it would have been exposed to the atmosphere and the metal comprising the casings.

Data Presentation

The records of ground-water quality are published intermixed with the ground-water level data for network wells and with the specific project for project wells.

ACCESS TO WATSTORE DATA

The National WATER Data STORAGE and RETRIEVAL System (WATSTORE) was established for handling water data collected through the activities of the U.S. Geological Survey and to provide for more effective and efficient means of releasing the data to the public. The system is operated and maintained on the central computer facilities of the Survey at its National Center in Reston, Virginia.

WATSTORE can provide a variety of useful products ranging from simple data tables to complex statistical analyses. A minimal fee, plus the actual computer cost incurred in producing a desired product, is charged to the requester. Information about the availability of specific types of data, the acquisition of data or products, and user charges can be obtained locally from each of the Water Resources Division's district offices (see address given on the back of the title page).

General inquiries about WATSTORE may be directed to:

Chief Hydrologist
U.S. Geological Survey
437 National Center
Reston, Virginia 22092

Thirty-seven manuals by the U.S. Geological Survey have been published to date in the series on techniques describing procedures for planning and executing specialized work in water-resources investigations. The material is grouped under major subject headings called books and is further divided into sections and chapters. For example, Section A of Book 3 (Applications of Hydraulics) is on surface water. The chapter, the unit of publication, is limited to a narrow field of subject matter. This format permits flexibility in revision and publication as the need arises. The reports listed below are for sale by the U.S. Geological Survey, Branch of Distribution, 604 South Pickett St., Alexandria, VA 22304 (authorized agent of the Superintendent of Documents, Government Printing Office).

NOTE: When ordering any of these publications, please give the title, book number, chapter number, and "U.S. Geological Survey Techniques of Water-Resources Investigations".

- 1-D1. *Water temperature--influential factors, field measurement, and data presentation*, by H. H. Stevens, Jr., J. F. Ficke, and G. F. Smoot: USGS--TWRI Book 1, Chapter D1. 1975. 65 pages.
- 1-D2. *Guidelines for collection and field analysis of ground-water samples for selected unstable constituents*, by W. W. Wood: USGS--TWRI Book 1, Chapter D2. 1976. 24 pages.
- 2-D1. *Application of surface geophysics to ground-water investigations*, by A. A. R. Zohdy, G. P. Eaton, and D. R. Mabey: USGS--TWRI Book 2, Chapter D1. 1974. 116 pages.
- 2-E1. *Application of borehole geophysics to water-resources investigations*, by W. S. Keys and L. M. MacCary: USGS--TWRI Book 2, Chapter E1. 1971. 126 pages.
- 3-A1. *General field and office procedures for indirect discharge measurements*, by M. A. Benson and Tate Dalrymple: USGS--TWRI Book 3, Chapter A1. 1967. 30 pages.
- 3-A2. *Measurement of peak discharge by the slope-area method*, by Tate Dalrymple and M. A. Benson: USGS--TWRI Book 3, Chapter A2. 1967. 12 pages.
- 3-A3. *Measurement of peak discharge at culverts by indirect methods*, by G. L. Bodhaine: USGS--TWRI Book 3, Chapter A3. 1968. 60 pages.
- 3-A4. *Measurement of peak discharge at width contractions by indirect methods*, by H. F. Matthai: USGS--TWRI Book 3, Chapter A4. 1967. 44 pages.
- 3-A5. *Measurement of peak discharge at dams by indirect methods*, by Harry Hulsing: USGS--TWRI Book 3, Chapter A5. 1967. 29 pages.
- 3-A6. *General procedure for gaging streams*, by R. W. Carter and Jacob Davidian: USGS--TWRI Book 3, Chapter A6. 1968. 13 pages.
- 3-A7. *Stage measurements at gaging stations*, by T. J. Buchanan and W. P. Somers: USGS--TWRI Book 3, Chapter A7. 1968. 28 pages.
- 3-A8. *Discharge measurements at gaging stations*, by T. J. Buchanan and W. P. Somers: USGS--TWRI Book 3, Chapter A8. 1969. 65 pages.
- 3-A9. *Measurement of time of travel and dispersion in streams by dye tracing*, by E. F. Hubbard, F. A. Kilpatrick, L. A. Martens, and J. F. Wilson, Jr.: USGS--TWRI Book 3, Chapter A9. 1982. 44 pages.
- 3-A11. *Measurement of discharge by moving-boat method*, by G. F. Smoot and C. E. Novak: USGS--TWRI Book 3, Chapter A11. 1969. 22 pages.
- 3-B1. *Aquifer-test design, observation, and data analysis*, by R. W. Stallman: USGS--TWRI Book 3, Chapter B1. 1971. 26 pages.
- 3-B2. *Introduction to ground-water hydraulics, a programed text for self-instruction*, by G. D. Bennett: USGS--TWRI Book 3, Chapter B2. 1976. 172 pages.
- 3-B3. *Type curves for selected problems of flow to wells in confined aquifers*, by J. E. Reed: USGS--TWRI Book 3, Chapter B3. 1980. 106 pages.
- 3-C1. *Fluvial sediment concepts*, by H. P. Guy: USGS--TWRI Book 3, Chapter C1. 1970. 55 pages.
- 3-C2. *Field methods for measurement of fluvial sediment*, by H. P. Guy and V. W. Norman: USGS--TWRI Book 3, Chapter C2. 1970. 59 pages.
- 3-C3. *Computation of fluvial-sediment discharge*, by George Porterfield: USGS--TWRI Book 3, Chapter C3. 1972. 66 pages.
- 4-A1. *Some statistical tools in hydrology*, by H. C. Riggs: USGS--TWRI Book 4, Chapter A1. 1968. 39 pages.
- 4-A2. *Frequency curves*, by H. C. Riggs: USGS--TWRI Book 4, Chapter A2. 1968. 15 pages.
- 4-B1. *Low-flow investigations*, by H. C. Riggs: USGS--TWRI Book 4, Chapter B1. 1972. 18 pages.
- 4-B2. *Storage analyses for water supply*, by H. C. Riggs and C. H. Hardison: USGS--TWRI Book 4, Chapter B2. 1973. 20 pages.
- 4-B3. *Regional analyses of streamflow characteristics*, by H. C. Riggs: USGS--TWRI Book 4, Chapter B3. 1973. 15 pages.
- 4-D1. *Computation of rate and volume of stream depletion by wells*, by C. T. Jenkins: USGS--TWRI Book 4, Chapter D1. 1970. 17 pages.
- 5-A1. *Methods for determination of inorganic substances in water and fluvial sediments*, by M. W. Skougstad and others, editors: USGS--TWRI Book 5, Chapter A1. 1979. 626 pages.
- 5-A2. *Determination of minor elements in water by emission spectroscopy*, by P. R. Barnett and E. C. Mallory, Jr.: USGS--TWRI Book 5, Chapter A2. 1971. 31 pages.
- 5-A3. *Methods for analysis of organic substances in water*, by D. F. Goerlitz and Eugene Brown: USGS--TWRI Book 5, Chapter A3. 1972. 40 pages.
- 5-A4. *Methods for collection and analysis of aquatic biological and microbiological samples*, edited by P. E. Greeson, T. A. Ehlike, G. A. Irwin, B. W. Lium, and K. V. Slack: USGS--TWRI Book 5, Chapter A4. 1977. 332 pages.
- 5-A5. *Methods for determination of radioactive substances in water and fluvial sediments*, by L. L. Thatcher, V. J. Janzer, and K. W. Edwards: USGS--TWRI Book 5, Chapter A5. 1977. 95 pages.
- 5-C1. *Laboratory theory and methods for sediment analysis*, by H. P. Guy: USGS--TWRI Book 5, Chapter C1. 1969. 58 pages.
- 7-C1. *Finite difference model for aquifer simulation in two dimensions with results of numerical experiments*, by P. C. Trescott, G. F. Pinder, and S. P. Larson: USGS--TWRI Book 7, Chapter C1. 1976. 116 pages.
- 7-C2. *Computer model of two-dimensional solute transport and dispersion in ground water*, by L. F. Konikow and J. D. Bredehoeft: USGS--TWRI Book 7, Chapter C2. 1978. 90 pages.
- 7-C3. *A model for simulation of flow in singular and interconnected channels*, by R. W. Schaffranek, R. A. Baltzer, and D. E. Goldberg: USGS--TWRI Book 7, Chapter C3. 1981. 110 pages.
- 8-A1. *Methods of measuring water levels in deep wells*, by M. S. Garber and F. C. Koopman: USGS--TWRI Book 8, Chapter A1. 1968. 23 pages.
- 8-B2. *Calibration and maintenance of vertical-axis type current meters*, by G. F. Smoot and C. E. Novak: USGS--TWRI Book 8, Chapter B2. 1968. 15 pages.

WATER RESOURCES DATA FOR OHIO, 1984




Figure 2.--Runoff during 1984 water year compared with median runoff for period 1951-80 for four representative gaging stations.




Figure 3a.--Location of data-collection stations excluding crest-stage and low-flow partial record sites.

WATER RESOURCES DATA FOR OHIO, 1984

EXPLANATION

- ▲ Daily discharge station
- ✕ Discharge station periodic measurement
- Stage station
- ▼ Water quality station
- ◆ Discharge and water quality station
- Chemical measurement site
- ▼ Temperature measurement site
- ▼ Biological measurement site
- ▼ Sediment measurement site
- ▽ Monitor




Figure 3b.--Location of data-collection stations excluding crest-stage and low-flow partial record sites and wells.




Figure 3c.--Location of crest-stage and low-flow partial record sites.

WATER RESOURCES DATA FOR OHIO, 1984




Figure 3d.--Location of crest-stage and low-flow partial record sites.




Figure 3e.--Location of wells.




Figure 3f.--Location of wells.

OHIO RIVER BASIN

BEAVER RIVER BASIN

03086500 MAHONING RIVER AT ALLIANCE, OH

LOCATION.--Lat 40°55'58", long 81°05'41", in SE 1/4 sec. 24, T.19 N., R.6 W., Stark County, Hydrologic Unit 05030103, on right bank 15 ft upstream from Webb Avenue Bridge in Alliance, 0.2 mi upstream from waterworks dam, and 4 mi upstream from Beech Creek.

DRAINAGE AREA.--89.2 mi².

PERIOD OF RECORD.--August 1941 to current year.

REVISED RECORDS.--WSP 1907: Drainage area.

GAGE.--Water-stage recorder and concrete dam. Datum of gage is 1,037.3 ft National Geodetic Vertical Datum of 1929.

REMARKS.--Records fair except those for periods of missing record, Nov. 17 to Dec. 9, May 30 to June 13, and those for the winter period, which are poor. Flow slightly regulated by Westville Reservoir 9.3 mi upstream from station. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--43 years, 90.2 ft³/s, 13.74 in/yr, unadjusted for diversion 1941-55.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 9,740 ft³/s Jan. 21, 1959, gage height, 9.11 ft, from rating curve extended above 3,300 ft³/s on basis of computation of peak flow over dam; no flow at times.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 900 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|---------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Dec. 5 | unknown | 960 | unknown | Mar. 17 | 0300 | *1,430 | *3.96 |
| Dec. 13 | 0100 | 927 | 3.25 | Mar. 29 | 1600 | 1,340 | 3.83 |

Minimum daily discharge, 3.7 ft³/s Oct. 1, 11.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|------|------|------|------|-------|------|------|------|--------|--------|------|
| 1 | 3.7 | 15 | 190 | 150 | 70 | 80 | 352 | 54 | 45 | 13 | 10 | 42 |
| 2 | 4.4 | 21 | 120 | 130 | 60 | 90 | 284 | 87 | 32 | 13 | 12 | 26 |
| 3 | 4.4 | 87 | 80 | 120 | 320 | 75 | 116 | 108 | 30 | 13 | 45 | 26 |
| 4 | 8.6 | 83 | 130 | 110 | 463 | 87 | 121 | 253 | 27 | 15 | 79 | 48 |
| 5 | 13 | 64 | 780 | 120 | 310 | 146 | 244 | 205 | 24 | 210 | 279 | 26 |
| 6 | 10 | 57 | 470 | 130 | 75 | 395 | 234 | 172 | 35 | 101 | 72 | 21 |
| 7 | 4.4 | 57 | 280 | 120 | 70 | 330 | 249 | 159 | 58 | 125 | 36 | 17 |
| 8 | 4.4 | 36 | 200 | 100 | 65 | 205 | 163 | 244 | 35 | 75 | 33 | 17 |
| 9 | 4.4 | 45 | 142 | 90 | 60 | 160 | 116 | 428 | 24 | 39 | 26 | 19 |
| 10 | 4.4 | 51 | 146 | 80 | 75 | 140 | 83 | 330 | 20 | 36 | 28 | 28 |
| 11 | 3.7 | 116 | 150 | 70 | 368 | 130 | 73 | 215 | 17 | 48 | 108 | 21 |
| 12 | 26 | 177 | 554 | 65 | 362 | 120 | 75 | 220 | 16 | 36 | 68 | 15 |
| 13 | 21 | 125 | 741 | 60 | 346 | 110 | 79 | 172 | 17 | 24 | 39 | 21 |
| 14 | 24 | 116 | 325 | 55 | 741 | 110 | 87 | 220 | 28 | 19 | 26 | 64 |
| 15 | 12 | 108 | 284 | 55 | 610 | 177 | 116 | 146 | 24 | 17 | 21 | 39 |
| 16 | 8.6 | 163 | 249 | 50 | 341 | 716 | 116 | 112 | 159 | 17 | 15 | 26 |
| 17 | 6.0 | 303 | 210 | 50 | 300 | 1170 | 125 | 90 | 196 | 13 | 12 | 24 |
| 18 | 15 | 600 | 150 | 48 | 336 | 463 | 121 | 83 | 31 | 13 | 12 | 26 |
| 19 | 33 | 400 | 120 | 48 | 336 | 273 | 168 | 87 | 137 | 12 | 13 | 17 |
| 20 | 19 | 320 | 95 | 46 | 330 | 357 | 163 | 112 | 54 | 10 | 13 | 17 |
| 21 | 12 | 240 | 163 | 44 | 260 | 638 | 125 | 474 | 31 | 10 | 13 | 15 |
| 22 | 13 | 180 | 229 | 44 | 200 | 741 | 224 | 289 | 21 | 8.6 | 12 | 13 |
| 23 | 68 | 130 | 205 | 44 | 150 | 463 | 315 | 474 | 19 | 8.6 | 13 | 13 |
| 24 | 64 | 110 | 181 | 299 | 112 | 362 | 487 | 588 | 19 | 15 | 12 | 42 |
| 25 | 36 | 86 | 154 | 595 | 104 | 378 | 547 | 191 | 15 | 12 | 8.6 | 33 |
| 26 | 31 | 72 | 120 | 395 | 97 | 493 | 330 | 61 | 12 | 12 | 7.2 | 42 |
| 27 | 36 | 60 | 85 | 280 | 97 | 368 | 294 | 39 | 19 | 42 | 7.2 | 28 |
| 28 | 28 | 140 | 142 | 190 | 87 | 373 | 101 | 31 | 42 | 21 | 8.6 | 26 |
| 29 | 17 | 560 | 224 | 140 | 85 | 1080 | 72 | 130 | 19 | 13 | 13 | 45 |
| 30 | 13 | 360 | 191 | 110 | --- | 834 | 61 | 70 | 15 | 12 | 48 | 104 |
| 31 | 13 | --- | 160 | 85 | --- | 468 | --- | 55 | --- | 10 | 104 | --- |
| TOTAL | 561.0 | 4879 | 7270 | 3923 | 6830 | 11522 | 5641 | 5899 | 1221 | 1013.2 | 1193.6 | 901 |
| MEAN | 18.1 | 163 | 235 | 127 | 236 | 372 | 188 | 190 | 40.7 | 32.7 | 38.5 | 30.0 |
| MAX | 68 | 600 | 780 | 595 | 741 | 1170 | 547 | 588 | 196 | 210 | 279 | 104 |
| MIN | 3.7 | 15 | 80 | 44 | 60 | 75 | 61 | 31 | 12 | 8.6 | 7.2 | 13 |
| CFS4 | .20 | 1.83 | 2.64 | 1.42 | 2.65 | 4.17 | 2.11 | 2.13 | .46 | .37 | .43 | .34 |
| IN. | .23 | 2.03 | 3.03 | 1.64 | 2.85 | 4.81 | 2.35 | 2.46 | .51 | .42 | .50 | .38 |

CAL YR 1983 TOTAL 40810.2 MEAN 112 MAX 1360 MIN 3.7 CFSM 1.26 IN 17.02
WTR YR 1984 TOTAL 50853.8 MEAN 139 MAX 1170 MIN 3.7 CFSM 1.56 IN 21.21

BEAVER RIVER BASIN

03090500 MAHONING RIVER BELOW BERLIN DAM, NEAR BERLIN CENTER, OH

LOCATION.--Lat 41°02'54", long 81°00'05", in T.1 N., R.6 W., Mahoning County, Hydrologic Unit 05030103, on left bank 600 ft downstream from Berlin Dam, and 3.2 mi northwest of Berlin Center.

DRAINAGE AREA.--248 mi².

PERIOD OF RECORD.--October 1930 to current year. Prior to October 1942, published as "near Berlin Center".

REVISED RECORDS.--WSP 743: 1932. WSP 853: 1936. WSP 873: 1932-34, 1935(M), 1936-38. WSP 1907: Drainage area.

GAGE.--Water-stage recorder and concrete control. Datum of gage is 958.00 ft National Geodetic Vertical Datum of 1929, (levels by Corps of Engineers). Prior to Oct. 1, 1942, at site 1.8 mi upstream at datum 966.15 ft above mean sea level, adjustment of 1912, levels by Mahoning Valley Sanitary District. Oct 1, 1942, to May 11, 1949, at site 200 ft downstream from present site at datum 8.00 ft lower than present datum.

REMARKS.--Records good. Flow regulated since 1942 by Berlin Lake. Occasional small diversion during drought periods since 1958 from Berlin Lake to Meander Creek Reservoir, by the Berlin pipeline; diversion not included in figures of daily discharge. Water-quality data collected at this site 1965 to 1977.

COOPERATION.--Two discharge measurements furnished by Corps of Engineers.

AVERAGE DISCHARGE.--54 years, 238 ft³/s (unadjusted).

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 8,630 ft³/s Jan. 25, 1937 gage height, 10.97 ft, site and datum then in use; no flow at times during 1948-49, 1967, 1970-71.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 1,130 ft³/s Mar. 30, gage height, 3.68 ft; minimum daily discharge, 16 ft³/s Apr. 20-23.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|--------|----------|------|------|--------|-------|-------|------|------|------|------|
| 1 | 167 | 493 | 683 | 57 | 192 | 62 | 1110 | 286 | 350 | 154 | 211 | 203 |
| 2 | 167 | 585 | 690 | 57 | 188 | 62 | 1100 | 288 | 243 | 154 | 211 | 202 |
| 3 | 167 | 634 | 690 | 57 | 181 | 62 | 1080 | 289 | 195 | 154 | 211 | 199 |
| 4 | 169 | 676 | 697 | 57 | 181 | 62 | 1060 | 290 | 178 | 154 | 186 | 199 |
| 5 | 170 | 727 | 712 | 57 | 181 | 63 | 1040 | 288 | 154 | 154 | 160 | 199 |
| 6 | 170 | 719 | 719 | 57 | 192 | 66 | 1040 | 288 | 154 | 155 | 160 | 199 |
| 7 | 170 | 712 | 727 | 57 | 192 | 66 | 1030 | 289 | 154 | 156 | 160 | 199 |
| 8 | 170 | 712 | 812 | 57 | 196 | 66 | 1010 | 294 | 120 | 157 | 160 | 199 |
| 9 | 170 | 697 | 879 | 57 | 192 | 66 | 995 | 538 | 75 | 156 | 160 | 199 |
| 10 | 170 | 683 | 871 | 57 | 184 | 66 | 920 | 751 | 75 | 154 | 181 | 199 |
| 11 | 178 | 676 | 864 | 57 | 184 | 66 | 567 | 802 | 76 | 154 | 203 | 199 |
| 12 | 185 | 676 | 871 | 57 | 184 | 66 | 402 | 844 | 76 | 154 | 203 | 199 |
| 13 | 185 | 676 | 879 | 57 | 123 | 66 | 235 | 887 | 115 | 155 | 203 | 199 |
| 14 | 185 | 669 | 886 | 57 | 65 | 66 | 160 | 886 | 154 | 157 | 203 | 199 |
| 15 | 185 | 669 | 879 | 57 | 62 | 66 | 160 | 951 | 154 | 157 | 203 | 199 |
| 16 | 185 | 307 | 871 | 57 | 62 | 75 | 160 | 1020 | 154 | 157 | 203 | 199 |
| 17 | 190 | 302 | 871 | 57 | 62 | 184 | 162 | 772 | 154 | 157 | 203 | 199 |
| 18 | 198 | 592 | 864 | 57 | 61 | 412 | 122 | 434 | 157 | 157 | 203 | 199 |
| 19 | 200 | 669 | 856 | 57 | 61 | 556 | 38 | 286 | 112 | 157 | 203 | 199 |
| 20 | 200 | 662 | 849 | 57 | 61 | 592 | 16 | 290 | 78 | 144 | 203 | 199 |
| 21 | 200 | 655 | 834 | 57 | 61 | 662 | 16 | 457 | 78 | 130 | 203 | 199 |
| 22 | 200 | 655 | 727 | 57 | 62 | 879 | 16 | 795 | 78 | 133 | 203 | 199 |
| 23 | 196 | 648 | 412 | 57 | 62 | 1090 | 16 | 984 | 78 | 133 | 203 | 199 |
| 24 | 196 | 474 | 199 | 57 | 62 | 1090 | 141 | 1060 | 76 | 170 | 203 | 199 |
| 25 | 234 | 199 | 128 | 57 | 62 | 1080 | 278 | 1060 | 75 | 207 | 203 | 199 |
| 26 | 272 | 130 | 128 | 87 | 62 | 1080 | 280 | 1060 | 75 | 207 | 203 | 201 |
| 27 | 272 | 130 | 94 | 154 | 62 | 1060 | 220 | 878 | 114 | 207 | 203 | 203 |
| 28 | 272 | 136 | 57 | 188 | 62 | 1050 | 151 | 679 | 154 | 207 | 203 | 203 |
| 29 | 272 | 136 | 57 | 184 | 62 | 894 | 152 | 740 | 154 | 207 | 203 | 203 |
| 30 | 272 | 412 | 57 | 188 | --- | 909 | 219 | 679 | 154 | 207 | 203 | 203 |
| 31 | 339 | --- | 57 | 192 | --- | 1130 | --- | 492 | --- | 211 | 203 | --- |
| TOTAL | 6306 | 16111 | 18920 | 2418 | 3361 | 13714 | 13796 | 19657 | 3967 | 5116 | 6063 | 5995 |
| MEAN | 203 | 537 | 610 | 78.0 | 116 | 442 | 460 | 634 | 132 | 165 | 196 | 200 |
| MAX | 339 | 727 | 886 | 192 | 196 | 1130 | 1110 | 1060 | 350 | 211 | 211 | 203 |
| MIN | 167 | 130 | 57 | 57 | 61 | 62 | 16 | 286 | 75 | 130 | 160 | 199 |
| CAL YR 1983 | TOTAL | 110930 | MEAN 304 | MAX | 1150 | MIN 43 | | | | | | |
| WTR YR 1984 | TOTAL | 115424 | MEAN 315 | MAX | 1130 | MIN 16 | | | | | | |

BEAVER RIVER BASIN

29

03091500 MAHONING RIVER AT PRICETOWN, OH

LOCATION.--Lat 41°07'53", long 80°58'17", in T.2 N., R.5 W., Mahoning County, Hydrologic Unit 05030103, on left bank 0.3 mi downstream from Milton Dam, 0.5 mi southwest of Pricetown, and 3 mi upstream from Kale Creek.

DRAINAGE AREA.--273 mi².

PERIOD OF RECORD.--July 1929 to current year.

REVISED RECORDS.--WSP 728: 1930(M). WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 905.00 ft National Geodetic Vertical Datum of 1929. Prior to Aug. 14, 1929 nonrecording gage at same site and datum.

REMARKS.--Records fair. Flow regulated by Berlin Lake beginning 1942 and Milton Reservoir. Diversion upstream from station from Berlin Lake for part of municipal supply of Mahoning Valley Sanitary District. Water-quality data collected at this site 1965 to 1977.

COOPERATION.--Three discharge measurements furnished by Corps of Engineers.

AVERAGE DISCHARGE.--55 years, 261 ft³/s (unadjusted).

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 6,770 ft³/s Jan. 25, 1937, gage height, 15.01 ft, from rating curve extended above 4,200 ft³/s on basis of velocity-area studies; minimum daily, 0.4 ft³/s Nov. 9, 1941, Feb. 19, 20, Oct. 11, 1945.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 1,070 ft³/s May 25, gage height, 5.08 ft; minimum daily discharge, 37 ft³/s Mar. 9-14.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------------|--------|-------|-------|----------|----------|--------|-------|-------|------|------|------|------|
| 1 | 135 | 262 | 796 | 135 | 62 | 39 | 1020 | 280 | 356 | 152 | 183 | 155 |
| 2 | 135 | 264 | 793 | 135 | 62 | 39 | 1020 | 282 | 197 | 154 | 182 | 155 |
| 3 | 277 | 267 | 793 | 135 | 64 | 39 | 1030 | 284 | 121 | 155 | 182 | 152 |
| 4 | 568 | 358 | 800 | 135 | 62 | 39 | 1000 | 285 | 121 | 158 | 180 | 153 |
| 5 | 564 | 527 | 795 | 135 | 62 | 40 | 990 | 285 | 123 | 157 | 180 | 153 |
| 6 | 558 | 527 | 796 | 135 | 62 | 39 | 990 | 285 | 125 | 159 | 177 | 152 |
| 7 | 548 | 530 | 800 | 135 | 62 | 39 | 990 | 285 | 126 | 159 | 177 | 152 |
| 8 | 542 | 530 | 878 | 133 | 62 | 38 | 990 | 423 | 129 | 158 | 176 | 153 |
| 9 | 539 | 530 | 1060 | 111 | 62 | 37 | 990 | 657 | 130 | 158 | 173 | 154 |
| 10 | 530 | 539 | 1060 | 61 | 62 | 37 | 929 | 778 | 132 | 157 | 173 | 155 |
| 11 | 306 | 545 | 1060 | 61 | 64 | 37 | 402 | 780 | 133 | 156 | 174 | 155 |
| 12 | 99 | 545 | 1060 | 61 | 64 | 37 | 272 | 904 | 134 | 153 | 174 | 155 |
| 13 | 165 | 545 | 1040 | 61 | 67 | 37 | 207 | 1050 | 135 | 151 | 171 | 158 |
| 14 | 230 | 545 | 1030 | 61 | 69 | 37 | 125 | 1050 | 137 | 146 | 170 | 157 |
| 15 | 230 | 548 | 1030 | 61 | 240 | 38 | 125 | 1050 | 137 | 142 | 170 | 157 |
| 16 | 227 | 555 | 1030 | 61 | 533 | 43 | 127 | 1050 | 138 | 140 | 169 | 157 |
| 17 | 227 | 548 | 1020 | 61 | 523 | 148 | 125 | 801 | 138 | 137 | 169 | 157 |
| 18 | 230 | 624 | 1010 | 61 | 520 | 379 | 125 | 447 | 138 | 135 | 170 | 157 |
| 19 | 225 | 698 | 1010 | 61 | 514 | 665 | 99 | 277 | 137 | 132 | 170 | 157 |
| 20 | 225 | 698 | 990 | 61 | 508 | 757 | 69 | 280 | 137 | 130 | 167 | 158 |
| 21 | 225 | 695 | 953 | 61 | 297 | 761 | 69 | 404 | 137 | 129 | 167 | 170 |
| 22 | 225 | 695 | 836 | 61 | 43 | 878 | 69 | 650 | 138 | 127 | 168 | 170 |
| 23 | 227 | 692 | 533 | 61 | 42 | 1010 | 69 | 895 | 140 | 145 | 165 | 170 |
| 24 | 222 | 502 | 212 | 62 | 40 | 1010 | 175 | 1060 | 140 | 187 | 166 | 170 |
| 25 | 242 | 212 | 137 | 61 | 40 | 1010 | 275 | 1070 | 142 | 185 | 165 | 170 |
| 26 | 262 | 115 | 137 | 61 | 40 | 1010 | 275 | 1070 | 143 | 185 | 165 | 171 |
| 27 | 262 | 115 | 137 | 61 | 40 | 1000 | 275 | 967 | 145 | 187 | 163 | 172 |
| 28 | 262 | 119 | 137 | 61 | 40 | 1010 | 275 | 792 | 147 | 185 | 165 | 200 |
| 29 | 262 | 117 | 137 | 61 | 39 | 906 | 275 | 789 | 149 | 185 | 166 | 294 |
| 30 | 262 | 379 | 137 | 62 | --- | 921 | 277 | 718 | 150 | 184 | 166 | 294 |
| 31 | 262 | --- | 137 | 62 | --- | 1030 | --- | 494 | --- | 184 | 165 | --- |
| TOTAL | 9273 | 13826 | 22345 | 2534 | 4345 | 13110 | 13559 | 20442 | 4355 | 4872 | 5308 | 5293 |
| MEAN | 299 | 461 | 721 | 81.7 | 150 | 423 | 452 | 659 | 145 | 157 | 171 | 176 |
| MAX | 568 | 698 | 1060 | 135 | 533 | 1030 | 1030 | 1070 | 356 | 187 | 183 | 294 |
| MIN | 99 | 115 | 137 | 61 | 39 | 37 | 69 | 277 | 121 | 127 | 163 | 162 |
| CAL YR 1983 TOTAL | 126668 | | | MEAN 347 | MAX 1230 | MIN 52 | | | | | | |
| WTR YR 1984 TOTAL | 119252 | | | MEAN 326 | MAX 1070 | MIN 37 | | | | | | |

BEAVER RIVER BASIN

03092000 KALE CREEK NEAR PRICETOWN, OH

LOCATION.--Lat 41°08'23", long 80°59'43", in T.3 N., R.5 W., Trumbull County, Hydrologic Unit 05030103, on right bank at downstream side of county line road bridge, 0.4 mi (0.6 km) north of Mahoning-Trumbull County line, 1.5 mi northwest of Pricetown, 2.2 mi upstream from mouth, and 3.5 mi south of Newton Falls.

DRAINAGE AREA.--21.9 mi².

PERIOD OF RECORD.--October 1940 to current year. Prior to June 1941 monthly discharge only, published in WSP 1305.

REVISED RECORDS.--WSP 973: 1942. WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 914.70 ft National Geodetic Vertical Datum of 1929. Prior to June 27, 1941, nonrecording gage at same site and datum.

REMARKS.--Records poor. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--44 years, 23.3 ft³/s, 14.45 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 3,890 ft³/s Jan. 21, 1959, gage height, 8.52 ft; no flow at times in 1952-55, 1962-66.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 500 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Dec. 4 | 2300 | *555 | *4.84 | Mar. 16 | 2400 | 541 | 4.79 |

Minimum daily discharge, 0.38 ft³/s Aug. 26-28.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|---------|--------|-------|--------|--------|-------|--------|-------|-------|-------|-------|
| 1 | .49 | .85 | 21 | 5.9 | 7.0 | 9.1 | 45 | 7.1 | 9.0 | 1.3 | .64 | 2.2 |
| 2 | .56 | 1.5 | 14 | 3.9 | 6.7 | 8.0 | 24 | 5.9 | 6.7 | 1.2 | .53 | 1.5 |
| 3 | .45 | 5.2 | 11 | 3.4 | 21 | 8.0 | 17 | 9.1 | 5.2 | 1.2 | .63 | 1.3 |
| 4 | .39 | 9.9 | 254 | 3.4 | 70 | 7.5 | 15 | 94 | 4.0 | 1.5 | 1.0 | 1.5 |
| 5 | .56 | 6.2 | 270 | 3.2 | 33 | 17 | 45 | 45 | 3.5 | 2.4 | 8.4 | 1.4 |
| 6 | .80 | 5.8 | 63 | 3.2 | 21 | 84 | 31 | 24 | 4.9 | 3.7 | 9.6 | .90 |
| 7 | 1.0 | 4.0 | 99 | 7.0 | 14 | 92 | 25 | 15 | 6.5 | 6.8 | 3.0 | .50 |
| 8 | .89 | 2.6 | 36 | 5.9 | 9.9 | 84 | 18 | 85 | 4.8 | 4.1 | 1.4 | .56 |
| 9 | .72 | 1.8 | 23 | 4.7 | 8.6 | 56 | 13 | 142 | 4.0 | 2.5 | 1.0 | .62 |
| 10 | .62 | 1.5 | 20 | 4.0 | 12 | 34 | 9.9 | 39 | 3.7 | 1.5 | .80 | 1.0 |
| 11 | .50 | 39 | 24 | 3.6 | 97 | 22 | 8.6 | 22 | 3.9 | 1.8 | 1.2 | .90 |
| 12 | 2.8 | 130 | 235 | 3.2 | 134 | 16 | 7.4 | 119 | 3.5 | 1.5 | .90 | .70 |
| 13 | 10 | 39 | 122 | 3.0 | 113 | 14 | 5.9 | 41 | 3.8 | 1.3 | .70 | .50 |
| 14 | 10 | 17 | 36 | 2.8 | 282 | 12 | 10 | 90 | 8.0 | 1.2 | .60 | 5.0 |
| 15 | 7.2 | 23 | 33 | 2.6 | 104 | 12 | 19 | 27 | 7.5 | 1.1 | .50 | 5.0 |
| 16 | 2.9 | 163 | 29 | 2.5 | 42 | 238 | 23 | 15 | 4.9 | 1.4 | .45 | 2.5 |
| 17 | 1.5 | 116 | 20 | 2.4 | 34 | 336 | 65 | 10 | 4.0 | 1.1 | .40 | 1.0 |
| 18 | 1.1 | 71 | 13 | 2.4 | 57 | 79 | 33 | 8.2 | 11 | .95 | .40 | 1.1 |
| 19 | 1.3 | 36 | 9.4 | 2.3 | 48 | 41 | 24 | 9.1 | 221 | .80 | .45 | .80 |
| 20 | 1.5 | 31 | 7.3 | 2.3 | 35 | 92 | 19 | 16 | 17 | .70 | .50 | .50 |
| 21 | 2.4 | 28 | 5.6 | 2.3 | 22 | 332 | 14 | 148 | 4.5 | .62 | .45 | .50 |
| 22 | 3.1 | 21 | 9.6 | 2.2 | 17 | 163 | 11 | 34 | 2.2 | .58 | .40 | .55 |
| 23 | 27 | 14 | 16 | 2.2 | 14 | 61 | 47 | 86 | 1.4 | .54 | .42 | .50 |
| 24 | 28 | 13 | 15 | 9.6 | 13 | 45 | 162 | 67 | 1.2 | .56 | .44 | 1.0 |
| 25 | 6.5 | 11 | 14 | 66 | 11 | 70 | 66 | 16 | 1.3 | .43 | .40 | .80 |
| 26 | 3.2 | 9.1 | 10 | 50 | 9.9 | 101 | 23 | 8.9 | 1.4 | .42 | .38 | .98 |
| 27 | 2.4 | 7.8 | 7.0 | 40 | 9.4 | 36 | 13 | 6.6 | 2.0 | 4.5 | .38 | .74 |
| 28 | 1.8 | 127 | 6.0 | 23 | 8.8 | 43 | 12 | 82 | 2.3 | 5.6 | .38 | .56 |
| 29 | 1.3 | 200 | 5.5 | 13 | 8.3 | 328 | 9.9 | 117 | 2.0 | 1.8 | .40 | 1.1 |
| 30 | 1.1 | 39 | 8.8 | 9.1 | --- | 114 | 8.4 | 29 | 1.4 | 1.1 | .54 | 1.8 |
| 31 | .89 | --- | 8.1 | 8.1 | --- | 114 | --- | 14 | --- | .76 | 3.8 | --- |
| TOTAL | 122.97 | 1174.25 | 1445.3 | 297.2 | 1262.6 | 2668.6 | 828.1 | 1431.9 | 356.5 | 55.36 | 41.09 | 39.71 |
| MEAN | 3.97 | 39.1 | 46.6 | 9.59 | 43.5 | 86.1 | 27.6 | 46.2 | 11.9 | 1.79 | 1.33 | 1.32 |
| MAX | 28 | 200 | 270 | 66 | 282 | 336 | 162 | 148 | 221 | 6.8 | 9.6 | 6.0 |
| MIN | .39 | .85 | 5.5 | 2.2 | 6.7 | 7.5 | 5.9 | 5.9 | 1.2 | .42 | .38 | .50 |
| CFSM | .18 | 1.79 | 2.13 | .44 | 1.99 | 3.93 | 1.26 | 2.11 | .54 | .08 | .06 | .06 |
| IN. | .21 | 1.99 | 2.45 | .50 | 2.14 | 4.53 | 1.41 | 2.43 | .61 | .09 | .07 | .07 |

CAL YR 1983 TOTAL 9020.76 MEAN 24.7 MAX 435 MIN .12 CFSM 1.13 IN 15.32
WTR YR 1984 TOTAL 9723.68 MEAN 26.6 MAX 336 MIN .38 CFSM 1.22 IN 16.52

BEAVER RIVER BASIN

31

03092090 WEST BRANCH MAHONING RIVER NEAR RAVENNA, OH

LOCATION.--Lat 41°09'41", long 81°11'50", in T.3 N., R.8 W., Portage County, Hydrologic Unit 05030103, on left bank at downstream side of bridge on Newton Falls Road, 2.5 mi east of Ravenna.

DRAINAGE AREA.--21.8 mi².

PERIOD OF RECORD.--October 1965 to current year.

GAGE.--Water-stage recorder. Datum of gage is 1,011.8 ft Portage County bench mark.

REMARKS.--Records fair except those for period affected by beaver dam, Oct. 1 to Nov. 16, which are poor. Water-quality data collected at this site 1966 to 1978.

AVERAGE DISCHARGE.--19 years, 28.4 ft³/s, 17.69 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 2,810 ft³/s Sept. 14, 1979, inside gage height 8.63 ft, outside gage height, 9.34 ft; minimum, 0.29 ft³/s Aug. 18, 1982.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 450 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|--------|------|-----------------------------------|---------------------|
| Feb. 14 | 0530 | 451 | 4.57 | May 12 | 0600 | * 876 | * 5.91 |
| Mar. 16 | 1800 | 478 | 4.67 | | | | |

minimum daily discharge, 1.0 ft³/s Sept. 22.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|--------|--------|-------|------|------|------|------|-------|-------|-------|------|
| 1 | 3.2 | 16 | 28 | 11 | 13 | 13 | 43 | 11 | 16 | 3.4 | 5.3 | 4.9 |
| 2 | 2.8 | 29 | 20 | 10 | 11 | 13 | 30 | 10 | 12 | 3.4 | 15 | 3.7 |
| 3 | 2.6 | 48 | 18 | 10 | 74 | 12 | 25 | 23 | 10 | 3.0 | 30 | 4.9 |
| 4 | 2.4 | 24 | 250 | 10 | 130 | 12 | 29 | 212 | 8.4 | 4.1 | 85 | 4.9 |
| 5 | 3.4 | 20 | 174 | 10 | 67 | 42 | 97 | 70 | 10 | 16 | 41 | 3.4 |
| 6 | 6.5 | 18 | 134 | 10 | 36 | 92 | 108 | 40 | 16 | 24 | 14 | 3.4 |
| 7 | 5.5 | 15 | 125 | 13 | 23 | 73 | 60 | 31 | 11 | 37 | 14 | 2.3 |
| 8 | 4.4 | 11 | 56 | 11 | 18 | 52 | 35 | 184 | 8.4 | 11 | 9.4 | 2.0 |
| 9 | 3.6 | 9.0 | 38 | 9.3 | 16 | 43 | 26 | 128 | 6.9 | 7.4 | 6.5 | 1.8 |
| 10 | 3.2 | 7.0 | 35 | 8.5 | 23 | 29 | 20 | 59 | 5.7 | 6.1 | 6.1 | 2.3 |
| 11 | 3.8 | 110 | 46 | 8.0 | 251 | 25 | 16 | 91 | 5.3 | 5.7 | 5.3 | 2.3 |
| 12 | 8.0 | 90 | 265 | 8.0 | 258 | 22 | 14 | 475 | 4.5 | 5.3 | 4.9 | 2.0 |
| 13 | 14 | 60 | 111 | 7.5 | 209 | 21 | 14 | 105 | 4.9 | 4.5 | 4.1 | 2.0 |
| 14 | 7.0 | 40 | 56 | 7.5 | 336 | 22 | 28 | 105 | 20 | 4.1 | 4.1 | 8.4 |
| 15 | 4.4 | 34 | 48 | 7.0 | 111 | 34 | 43 | 47 | 10 | 3.7 | 3.4 | 5.7 |
| 16 | 3.5 | 207 | 33 | 7.0 | 59 | 325 | 30 | 30 | 6.5 | 3.4 | 3.0 | 3.4 |
| 17 | 4.0 | 230 | 23 | 7.0 | 50 | 199 | 25 | 22 | 5.7 | 3.0 | 2.6 | 2.3 |
| 18 | 4.6 | 132 | 18 | 7.0 | 98 | 85 | 32 | 20 | 15 | 3.7 | 2.6 | 2.0 |
| 19 | 4.5 | 216 | 14 | 6.5 | 77 | 57 | 23 | 24 | 56 | 3.4 | 5.3 | 1.8 |
| 20 | 3.7 | 162 | 11 | 6.5 | 51 | 132 | 21 | 113 | 16 | 2.6 | 3.4 | 1.8 |
| 21 | 8.0 | 98 | 9.7 | 6.5 | 34 | 325 | 18 | 196 | 8.4 | 2.3 | 2.6 | 1.4 |
| 22 | 16 | 51 | 56 | 6.5 | 26 | 162 | 21 | 57 | 6.5 | 2.3 | 4.5 | 1.2 |
| 23 | 34 | 34 | 40 | 6.5 | 23 | 82 | 61 | 121 | 5.7 | 2.3 | 5.7 | 1.4 |
| 24 | 20 | 33 | 21 | 39 | 20 | 64 | 115 | 62 | 4.9 | 2.0 | 3.7 | 1.4 |
| 25 | 12 | 26 | 15 | 81 | 19 | 125 | 60 | 28 | 4.5 | 1.8 | 3.4 | 2.0 |
| 26 | 10 | 20 | 13 | 93 | 16 | 120 | 33 | 20 | 4.1 | 2.3 | 2.6 | 5.7 |
| 27 | 8.5 | 16 | 12 | 67 | 14 | 64 | 24 | 16 | 3.7 | 18 | 2.0 | 4.5 |
| 28 | 13 | 153 | 14 | 40 | 14 | 125 | 20 | 39 | 3.4 | 7.4 | 1.8 | 5.3 |
| 29 | 10 | 119 | 21 | 25 | 14 | 261 | 15 | 47 | 3.4 | 5.3 | 4.5 | 4.1 |
| 30 | 8.5 | 47 | 18 | 20 | --- | 101 | 14 | 27 | 3.4 | 4.1 | 7.9 | 3.7 |
| 31 | 7.5 | --- | 13 | 16 | --- | 72 | --- | 20 | --- | 3.4 | 7.9 | --- |
| TOTAL | 242.6 | 2075.0 | 1735.7 | 565.3 | 2091 | 2804 | 1100 | 2433 | 296.3 | 206.0 | 311.6 | 96.0 |
| MEAN | 7.83 | 69.2 | 56.0 | 18.2 | 72.1 | 90.5 | 36.7 | 78.5 | 9.88 | 6.65 | 10.1 | 3.20 |
| MAX | 34 | 230 | 265 | 83 | 336 | 325 | 115 | 475 | 56 | 37 | 85 | 8.4 |
| MIN | 2.4 | 7.0 | 9.7 | 6.5 | 11 | 12 | 14 | 10 | 3.4 | 1.8 | 1.8 | 1.2 |
| CFSM | .36 | 3.17 | 2.57 | .84 | 3.31 | 4.15 | 1.68 | 3.60 | .45 | .31 | .46 | .15 |
| IN. | .41 | 3.54 | 2.96 | .96 | 3.57 | 4.78 | 1.88 | 4.15 | .51 | .35 | .53 | .16 |

| | | | | | | | | | | | | |
|-------------|-------|----------|------|------|-----|-----|-----|-----|------|------|----|-------|
| CAL YR 1983 | TOTAL | 10952.10 | MEAN | 30.0 | MAX | 331 | MIN | .90 | CFSM | 1.38 | IN | 18.69 |
| WTR YR 1984 | TOTAL | 13956.50 | MEAN | 38.1 | MAX | 475 | MIN | 1.2 | CFSM | 1.75 | IN | 23.81 |

BEAVER RIVER BASIN

03092460 WEST BRANCH MAHONING RIVER BELOW MICHAEL J. KIRWAN DAM, AT WAYLAND, OH

LOCATION.--Lat 41°09'25", long 81°04'19", in T.3 N., R.6 W., Portage County, Hydrologic Unit 05030103, on right bank 200 ft upstream from bridge on Wayland Road, 0.4 mi downstream from Michael J. Kirwan Dam, and 0.2 mi south of Wayland.

DRAINAGE AREA.--81.7 mi².

PERIOD OF RECORD.--October 1968 to current year. Prior to October 1969 published as "West Branch Mahoning River below West Branch Dam, at Wayland."

GAGE.--Water-stage recorder. Datum of gage is 926.44 ft National Geodetic Vertical Datum of 1929, (levels by Corps of Engineers). Prior to October 1971 at datum 0.89 ft higher.

REMARKS.--Records good. Flow completely regulated by Michael J. Kirwan Reservoir (see station 03092450). Water-quality data collected at this site 1969 to 1977.

COOPERATION.--Two discharge measurements furnished by Corps of Engineers.

AVERAGE DISCHARGE.--16 years, 107 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 1,380 ft³/s Feb. 25, 1971, gage height, 11.82 ft present datum; minimum daily, 2.5 ft³/s Apr. 9, 1969.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 598 ft³/s Dec. 25, gage height, 7.92 ft; minimum daily, 20 ft³/s Feb. 8, 28.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|----------|---------|--------|------|------|------|------|------|------|------|
| 1 | 70 | 40 | 169 | 259 | 21 | 46 | 384 | 79 | 80 | 150 | 82 | 74 |
| 2 | 70 | 41 | 66 | 256 | 21 | 70 | 383 | 79 | 80 | 150 | 82 | 73 |
| 3 | 71 | 44 | 50 | 257 | 24 | 71 | 382 | 82 | 79 | 151 | 82 | 74 |
| 4 | 72 | 42 | 73 | 253 | 22 | 71 | 383 | 88 | 79 | 151 | 67 | 74 |
| 5 | 68 | 42 | 54 | 246 | 21 | 74 | 387 | 82 | 79 | 155 | 49 | 74 |
| 6 | 76 | 40 | 56 | 246 | 21 | 75 | 384 | 81 | 79 | 155 | 49 | 74 |
| 7 | 76 | 40 | 54 | 209 | 21 | 73 | 383 | 80 | 79 | 155 | 48 | 73 |
| 8 | 76 | 39 | 138 | 166 | 20 | 72 | 382 | 94 | 79 | 155 | 48 | 73 |
| 9 | 77 | 39 | 221 | 128 | 21 | 72 | 380 | 85 | 79 | 137 | 47 | 73 |
| 10 | 76 | 39 | 221 | 74 | 21 | 72 | 297 | 98 | 79 | 124 | 47 | 73 |
| 11 | 55 | 51 | 223 | 74 | 28 | 72 | 141 | 119 | 98 | 124 | 61 | 71 |
| 12 | 33 | 46 | 246 | 58 | 24 | 72 | 81 | 130 | 114 | 124 | 78 | 74 |
| 13 | 34 | 43 | 226 | 42 | 24 | 72 | 80 | 118 | 115 | 124 | 78 | 82 |
| 14 | 34 | 41 | 287 | 42 | 30 | 72 | 81 | 155 | 116 | 124 | 78 | 84 |
| 15 | 34 | 43 | 329 | 42 | 22 | 73 | 81 | 222 | 116 | 124 | 77 | 83 |
| 16 | 34 | 50 | 327 | 42 | 21 | 92 | 81 | 321 | 116 | 123 | 77 | 83 |
| 17 | 33 | 51 | 327 | 41 | 21 | 78 | 82 | 429 | 116 | 123 | 77 | 93 |
| 18 | 33 | 41 | 329 | 41 | 23 | 75 | 82 | 515 | 119 | 124 | 76 | 79 |
| 19 | 33 | 40 | 330 | 41 | 22 | 133 | 81 | 515 | 120 | 123 | 76 | 92 |
| 20 | 33 | 39 | 329 | 41 | 21 | 178 | 81 | 528 | 94 | 123 | 76 | 82 |
| 21 | 33 | 139 | 329 | 41 | 21 | 188 | 81 | 538 | 83 | 123 | 76 | 92 |
| 22 | 34 | 230 | 327 | 41 | 21 | 214 | 81 | 528 | 100 | 122 | 75 | 82 |
| 23 | 40 | 229 | 329 | 41 | 21 | 323 | 83 | 538 | 118 | 106 | 75 | 92 |
| 24 | 36 | 228 | 404 | 44 | 21 | 375 | 87 | 528 | 118 | 88 | 75 | 82 |
| 25 | 35 | 226 | 526 | 43 | 21 | 383 | 77 | 526 | 118 | 87 | 74 | 83 |
| 26 | 35 | 225 | 435 | 42 | 21 | 380 | 80 | 525 | 118 | 87 | 74 | 95 |
| 27 | 36 | 224 | 333 | 32 | 21 | 376 | 80 | 525 | 110 | 57 | 74 | 95 |
| 28 | 37 | 251 | 287 | 21 | 20 | 389 | 80 | 316 | 133 | 50 | 74 | 69 |
| 29 | 39 | 234 | 267 | 21 | 21 | 295 | 80 | 187 | 148 | 50 | 74 | 51 |
| 30 | 40 | 225 | 261 | 21 | --- | 257 | 80 | 184 | 149 | 65 | 74 | 51 |
| 31 | 40 | --- | 261 | 21 | --- | 387 | --- | 137 | --- | 92 | 74 | --- |
| TOTAL | 1493 | 3062 | 7814 | 2926 | 637 | 5170 | 5425 | 8432 | 3111 | 3646 | 2174 | 2290 |
| MEAN | 48.2 | 102 | 252 | 94.4 | 22.0 | 167 | 181 | 272 | 104 | 118 | 70.1 | 76.3 |
| MAX | 77 | 251 | 526 | 259 | 30 | 389 | 387 | 538 | 149 | 155 | 82 | 85 |
| MIN | 33 | 39 | 50 | 21 | 20 | 46 | 77 | 79 | 79 | 50 | 47 | 51 |
| CAL YR 1983 | TOTAL | 46496 | MEAN 127 | MAX 526 | MIN 22 | | | | | | | |
| WTR YR 1984 | TOTAL | 46180 | MEAN 126 | MAX 538 | MIN 20 | | | | | | | |

03093000 EAGLE CREEK AT PHALANX STATION, OH

LOCATION.--Lat 41°15'40", long 80°57'16", Trumbull County, Hydrologic Unit 05030103, on right bank 75 ft downstream from county road bridge, 1 mi north of Phalanx Station, 2 mi downstream from Tinkers Creek, and 4 mi upstream from mouth.

DRAINAGE AREA.--97.6 mi².

PERIOD OF RECORD.--June 1926 to September 1934, October 1937 to current year. Monthly discharge only for some periods, published in WSP 1305.

REVISED RECORDS.--WSP 953: 1938-41. WSP 1385: 1927-30, 1931-32(M), 1934, 1938-41(P). WSP 1555: 1928(M), 1929. WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 887.14 ft National Geodetic Vertical Datum of 1929, (levels by Mahoning Valley Sanitary District). Prior to Sept. 14, 1929, nonrecording gage at same site and datum. Sept. 14, 1929 to Sept. 30, 1977 at same site and datum 0.28 ft higher.

REMARKS.--Records good except those for the winter period, which are fair. Low flow slightly regulated by mill several miles upstream from station. Water-quality data collected at this site 1965 to 1977.

COOPERATION.--No discharge measurements furnished by the Corps of Engineers during this year.

AVERAGE DISCHARGE.--55 years, 111 ft³/s, 15.45 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 8,150 ft³/s Sept. 15, 1979, gage height, 13.71 ft; minimum daily, 0.9 ft³/s Aug. 4, 1939.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 1,300 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|--------|------|-----------------------------------|---------------------|
| Feb. 15 | 0230 | 1,330 | 9.88 | May 12 | 2000 | * 2,250 | * 11.32 |
| Mar. 21 | 2330 | 1,490 | 10.21 | | | | |

minimum daily 15 ft³/s Oct. 4.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|------|------|------|------|-------|------|-------|------|------|------|------|
| 1 | 16 | 37 | 220 | 49 | 62 | 85 | 360 | 89 | 108 | 32 | 21 | 36 |
| 2 | 16 | 57 | 130 | 47 | 59 | 80 | 239 | 77 | 87 | 31 | 21 | 26 |
| 3 | 16 | 167 | 102 | 46 | 102 | 80 | 180 | 69 | 78 | 30 | 38 | 23 |
| 4 | 15 | 180 | 337 | 46 | 327 | 80 | 163 | 355 | 73 | 28 | 141 | 25 |
| 5 | 17 | 105 | 1020 | 46 | 403 | 99 | 324 | 661 | 62 | 56 | 120 | 24 |
| 6 | 25 | 93 | 577 | 46 | 253 | 273 | 431 | 298 | 72 | 58 | 51 | 22 |
| 7 | 23 | 71 | 589 | 64 | 153 | 358 | 337 | 180 | 113 | 185 | 35 | 21 |
| 8 | 18 | 51 | 420 | 55 | 108 | 295 | 244 | 248 | 79 | 84 | 31 | 19 |
| 9 | 17 | 41 | 251 | 48 | 86 | 266 | 179 | 788 | 56 | 49 | 26 | 19 |
| 10 | 17 | 35 | 194 | 44 | 96 | 256 | 141 | 514 | 47 | 40 | 25 | 19 |
| 11 | 18 | 159 | 194 | 41 | 353 | 200 | 115 | 291 | 43 | 36 | 24 | 21 |
| 12 | 34 | 438 | 509 | 39 | 942 | 149 | 98 | 1200 | 41 | 34 | 24 | 20 |
| 13 | 56 | 343 | 909 | 37 | 1030 | 132 | 90 | 1070 | 37 | 33 | 24 | 21 |
| 14 | 57 | 219 | 429 | 36 | 1060 | 120 | 101 | 523 | 64 | 30 | 24 | 63 |
| 15 | 49 | 167 | 276 | 35 | 1050 | 114 | 164 | 390 | 77 | 27 | 23 | 39 |
| 16 | 34 | 417 | 216 | 35 | 480 | 337 | 158 | 221 | 50 | 26 | 21 | 26 |
| 17 | 30 | 857 | 146 | 34 | 303 | 985 | 139 | 153 | 43 | 25 | 20 | 23 |
| 18 | 30 | 808 | 100 | 34 | 303 | 701 | 134 | 121 | 43 | 25 | 19 | 21 |
| 19 | 37 | 440 | 77 | 34 | 367 | 352 | 140 | 140 | 162 | 29 | 24 | 20 |
| 20 | 38 | 462 | 67 | 33 | 335 | 373 | 131 | 171 | 110 | 25 | 25 | 19 |
| 21 | 38 | 396 | 54 | 33 | 242 | 964 | 126 | 703 | 62 | 24 | 21 | 19 |
| 22 | 37 | 265 | 100 | 33 | 180 | 1220 | 107 | 573 | 46 | 23 | 19 | 18 |
| 23 | 99 | 165 | 222 | 33 | 140 | 624 | 180 | 355 | 39 | 22 | 21 | 18 |
| 24 | 136 | 133 | 173 | 33 | 117 | 391 | 298 | 636 | 37 | 21 | 22 | 17 |
| 25 | 68 | 110 | 129 | 213 | 104 | 376 | 370 | 285 | 36 | 20 | 19 | 18 |
| 26 | 50 | 82 | 77 | 288 | 97 | 569 | 247 | 155 | 34 | 19 | 19 | 20 |
| 27 | 46 | 68 | 57 | 279 | 87 | 436 | 164 | 119 | 32 | 53 | 18 | 23 |
| 28 | 48 | 233 | 57 | 212 | 85 | 320 | 135 | 141 | 36 | 53 | 18 | 21 |
| 29 | 43 | 750 | 77 | 135 | 85 | 866 | 117 | 270 | 39 | 30 | 19 | 21 |
| 30 | 38 | 530 | 84 | 90 | --- | 832 | 98 | 203 | 35 | 26 | 26 | 20 |
| 31 | 35 | --- | 54 | 78 | --- | 521 | --- | 141 | --- | 23 | 81 | --- |
| TOTAL | 1201 | 7879 | 7847 | 2276 | 9009 | 12454 | 5710 | 11140 | 1841 | 1207 | 1020 | 702 |
| MEAN | 38.7 | 263 | 253 | 73.4 | 311 | 402 | 190 | 359 | 61.4 | 38.9 | 32.9 | 23.4 |
| MAX | 136 | 857 | 1020 | 288 | 1060 | 1220 | 431 | 1200 | 162 | 185 | 141 | 63 |
| MIN | 15 | 35 | 54 | 33 | 59 | 80 | 90 | 69 | 32 | 19 | 18 | 17 |
| CFSM | .40 | 2.70 | 2.59 | .75 | 3.19 | 4.12 | 1.95 | 3.68 | .63 | .40 | .34 | .24 |
| IN. | .46 | 3.00 | 2.99 | .87 | 3.43 | 4.75 | 2.18 | 4.25 | .70 | .46 | .39 | .27 |

| | | | | | | | |
|-------------|-------|-------|----------|----------|--------|-----------|----------|
| CAL YR 1983 | TOTAL | 51525 | MEAN 141 | MAX 1070 | MIN 15 | CFSM 1.45 | IN 19.64 |
| WTR YR 1984 | TOTAL | 62286 | MEAN 170 | MAX 1220 | MIN 15 | CFSM 1.74 | IN 23.74 |

BEAVER RIVER BASIN

03094000 MAHONING RIVER AT LEAVITTSBURG, OH

LOCATION.--Lat 41°14'21", long 80°52'51", in T.4 N., R.4 W., Trumbull County, Hydrologic Unit 05030103, on right bank at upstream side of Leavitt Road Bridge at Leavittsburg, 300 ft downstream from Duck Creek and 1.2 mi downstream from Eagle Creek.

DRAINAGE AREA.--575 mi².

PERIOD OF RECORD.--October 1940 to current year. Prior to June 1941 monthly discharge only, published in WSP 1305.

REVISED RECORDS.--WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 871.25 ft National Geodetic Vertical Datum of 1929. Prior to July 2, 1941, nonrecording gage, and July 2, 1941, to July 22, 1952, water-stage recorder, at site 50 ft downstream at same datum.

REMARKS.--Records fair. Flow regulated by Berlin Lake, 25 mi upstream, beginning in 1942, by Milton Reservoir, 17 mi upstream, and by Michael J. Kirwan Reservoir, 20 mi upstream on West Branch, beginning in 1966. Diversion upstream from station from Berlin Lake for part of municipal supply of Mahoning Valley Sanitary District (see station 03090500). Water-quality data collected at this site 1943 to 1971.

COOPERATION.--No discharge measurements furnished by Corps of Engineers this year.

AVERAGE DISCHARGE.--44 years, 582 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 20,300 ft³/s Jan. 22, 1959, gage height, 19.37 ft; minimum daily, 60 ft³/s July 6, 1952.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of Mar. 26, 1913 reached a stage of about 24 ft. Flood of Jan. 25 or 26, 1937 reached a stage of 17.8 ft.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 3,850 ft³/s Mar. 22, gage height 9.84 ft; minimum daily, 140 ft³/s Jan. 19-23.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|------|-------|-------|-------|-------|-------|-------|------|------|
| 1 | 258 | 397 | 1300 | 495 | 200 | 200 | 2160 | 492 | 757 | 329 | 304 | 344 |
| 2 | 258 | 407 | 1140 | 494 | 210 | 190 | 1840 | 471 | 533 | 325 | 307 | 307 |
| 3 | 258 | 485 | 1040 | 494 | 310 | 190 | 1710 | 477 | 371 | 314 | 381 | 307 |
| 4 | 540 | 578 | 1550 | 503 | 653 | 180 | 1680 | 932 | 338 | 325 | 499 | 314 |
| 5 | 637 | 683 | 2840 | 508 | 664 | 355 | 1930 | 1300 | 321 | 355 | 423 | 300 |
| 6 | 637 | 714 | 2150 | 515 | 498 | 681 | 2130 | 884 | 441 | 396 | 329 | 289 |
| 7 | 636 | 740 | 1910 | 504 | 361 | 856 | 2030 | 672 | 469 | 483 | 289 | 286 |
| 8 | 628 | 610 | 1650 | 431 | 292 | 632 | 1820 | 879 | 371 | 419 | 265 | 286 |
| 9 | 620 | 500 | 1610 | 398 | 262 | 543 | 1590 | 2130 | 315 | 362 | 254 | 304 |
| 10 | 615 | 620 | 1590 | 275 | 288 | 468 | 1500 | 1860 | 294 | 370 | 251 | 333 |
| 11 | 598 | 960 | 1580 | 230 | 738 | 399 | 1020 | 1410 | 279 | 344 | 248 | 336 |
| 12 | 316 | 1400 | 2150 | 200 | 1510 | 340 | 589 | 2720 | 297 | 314 | 275 | 333 |
| 13 | 262 | 1300 | 3010 | 180 | 1780 | 336 | 322 | 3200 | 300 | 304 | 282 | 344 |
| 14 | 370 | 850 | 2260 | 170 | 2310 | 328 | 432 | 2330 | 336 | 300 | 286 | 396 |
| 15 | 380 | 800 | 1850 | 160 | 2230 | 375 | 496 | 2020 | 352 | 296 | 286 | 377 |
| 16 | 358 | 1100 | 1730 | 150 | 1460 | 1140 | 492 | 1720 | 310 | 293 | 286 | 340 |
| 17 | 344 | 1600 | 1590 | 150 | 1130 | 2420 | 589 | 1620 | 303 | 289 | 282 | 322 |
| 18 | 340 | 1800 | 1500 | 150 | 1160 | 2020 | 568 | 1200 | 329 | 296 | 286 | 318 |
| 19 | 343 | 1400 | 1440 | 140 | 1230 | 1400 | 517 | 989 | 730 | 293 | 307 | 311 |
| 20 | 340 | 1100 | 1390 | 140 | 1130 | 1660 | 435 | 1030 | 624 | 289 | 296 | 314 |
| 21 | 339 | 950 | 1330 | 140 | 904 | 2860 | 395 | 1950 | 362 | 282 | 286 | 314 |
| 22 | 342 | 850 | 1350 | 140 | 434 | 3620 | 351 | 2100 | 311 | 282 | 286 | 314 |
| 23 | 444 | 750 | 1180 | 140 | 343 | 2710 | 478 | 2020 | 318 | 279 | 296 | 311 |
| 24 | 567 | 700 | 700 | 210 | 303 | 2220 | 866 | 2620 | 322 | 300 | 286 | 300 |
| 25 | 456 | 650 | 600 | 605 | 279 | 2150 | 1180 | 2140 | 311 | 300 | 282 | 300 |
| 26 | 431 | 600 | 550 | 606 | 258 | 2360 | 784 | 1820 | 307 | 300 | 279 | 307 |
| 27 | 418 | 550 | 500 | 425 | 244 | 2180 | 630 | 1730 | 304 | 381 | 279 | 307 |
| 28 | 409 | 1200 | 480 | 312 | 209 | 1960 | 580 | 1630 | 293 | 355 | 275 | 307 |
| 29 | 398 | 1900 | 560 | 257 | 203 | 3160 | 543 | 1850 | 336 | 300 | 282 | 344 |
| 30 | 391 | 1500 | 546 | 230 | --- | 3070 | 513 | 1480 | 333 | 279 | 314 | 377 |
| 31 | 389 | --- | 511 | 210 | --- | 2540 | --- | 1050 | --- | 300 | 370 | --- |
| TOTAL | 13322 | 27694 | 43587 | 9562 | 21593 | 43543 | 30570 | 48726 | 11267 | 10054 | 9371 | 9642 |
| MEAN | 430 | 923 | 1406 | 308 | 745 | 1405 | 1019 | 1572 | 376 | 324 | 302 | 321 |
| MAX | 637 | 1900 | 3010 | 606 | 2310 | 3620 | 2160 | 3200 | 757 | 483 | 499 | 396 |
| MIN | 258 | 397 | 480 | 140 | 200 | 180 | 351 | 471 | 279 | 279 | 248 | 286 |

CAL YR 1983 TOTAL 257227 MEAN 705 MAX 3220 MIN 131
WTR YR 1984 TOTAL 278931 MEAN 762 MAX 3620 MIN 140

BEAVER RIVER BASIN

35

03095500 MOSQUITO CREEK BELOW MOSQUITO CREEK DAM, NEAR CORTLAND, OH

LOCATION.--Lat 41°17'59", long 80°45'31", in T.5 N., R.3 W., Trumbull County, Hydrologic Unit 05030103, on right bank 100 ft downstream from Mosquito Creek Dam, 0.8 mi upstream from Confusion Run, and 2.5 mi southwest of Cortland.

DRAINAGE AREA.--97.5 mi².

PERIOD OF RECORD.--May 1926 to September 1929 (published as "near Cortland"), May 1943 to current year.

REVISED RECORDS.--WSP 1907: Drainage area.

GAGE.--Water-stage recorder and concrete control. Datum of gage is 873.98 ft Corps of Engineers bench mark. Prior to Aug. 23, 1943, nonrecording gage, and Aug. 23, 1943 to Feb. 14, 1951, water-stage recorder, at site 900 ft downstream at datum 6.63 ft lower.

REMARKS.--Records fair. Flow completely regulated by Mosquito Creek Lake beginning 1943. Diversion at lake outlet for municipal supply of city of Warren since May 1954; diversion not included in figures of daily discharge. Water-quality data collected at this site 1965 to 1977.

COOPERATION.--Two discharge measurements furnished by Corps of Engineers.

AVERAGE DISCHARGE.--44 years, 88.3 ft³/s (unadjusted).

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 1,890 ft³/s Jan. 19, 1929, gage height, 11.5 ft, from floodmark, site and datum then in use; no flow at times.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 606 ft³/s Mar. 24, gage height, 3.49 ft, minimum daily 13 ft³/s Jan. 25 to Feb. 11.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------------|---------|------|------|------|------|------|------|------|------|------|------|------|
| 1 | 19 | 22 | 83 | 297 | 13 | 47 | 503 | 16 | 187 | 98 | 115 | 18 |
| 2 | 23 | 21 | 83 | 295 | 13 | 92 | 498 | 16 | 184 | 96 | 115 | 18 |
| 3 | 23 | 21 | 83 | 294 | 13 | 92 | 504 | 16 | 187 | 96 | 113 | 18 |
| 4 | 21 | 22 | 83 | 292 | 13 | 92 | 523 | 16 | 137 | 96 | 105 | 19 |
| 5 | 22 | 22 | 83 | 292 | 13 | 81 | 534 | 16 | 96 | 96 | 100 | 102 |
| 6 | 23 | 22 | 83 | 291 | 13 | 82 | 458 | 16 | 98 | 86 | 96 | 281 |
| 7 | 22 | 22 | 83 | 291 | 13 | 82 | 371 | 16 | 80 | 96 | 100 | 307 |
| 8 | 22 | 22 | 141 | 290 | 13 | 82 | 371 | 16 | 58 | 96 | 100 | 242 |
| 9 | 23 | 22 | 176 | 227 | 13 | 92 | 249 | 17 | 59 | 86 | 98 | 242 |
| 10 | 22 | 22 | 176 | 123 | 13 | 82 | 126 | 17 | 61 | 96 | 96 | 239 |
| 11 | 19 | 22 | 175 | 79 | 13 | 82 | 80 | 17 | 62 | 80 | 93 | 239 |
| 12 | 16 | 22 | 176 | 79 | 14 | 92 | 82 | 52 | 61 | 86 | 96 | 317 |
| 13 | 16 | 22 | 176 | 45 | 14 | 82 | 50 | 87 | 59 | 85 | 96 | 352 |
| 14 | 17 | 19 | 264 | 14 | 14 | 82 | 16 | 150 | 58 | 85 | 91 | 355 |
| 15 | 17 | 16 | 316 | 14 | 15 | 82 | 16 | 187 | 55 | 85 | 93 | 351 |
| 16 | 17 | 16 | 316 | 14 | 15 | 82 | 16 | 187 | 53 | 83 | 91 | 348 |
| 17 | 17 | 16 | 313 | 14 | 15 | 92 | 16 | 187 | 53 | 102 | 93 | 344 |
| 18 | 18 | 16 | 313 | 14 | 15 | 82 | 16 | 187 | 52 | 121 | 98 | 337 |
| 19 | 17 | 16 | 311 | 14 | 15 | 139 | 16 | 189 | 52 | 121 | 104 | 334 |
| 20 | 17 | 16 | 310 | 14 | 15 | 174 | 16 | 190 | 33 | 119 | 107 | 327 |
| 21 | 17 | 49 | 309 | 14 | 15 | 176 | 16 | 293 | 23 | 119 | 109 | 317 |
| 22 | 17 | 82 | 307 | 14 | 15 | 250 | 17 | 398 | 23 | 119 | 111 | 307 |
| 23 | 17 | 82 | 307 | 14 | 15 | 466 | 16 | 467 | 23 | 119 | 111 | 303 |
| 24 | 49 | 82 | 307 | 14 | 15 | 570 | 16 | 541 | 23 | 117 | 113 | 300 |
| 25 | 80 | 82 | 304 | 13 | 15 | 521 | 16 | 545 | 23 | 115 | 117 | 297 |
| 26 | 51 | 82 | 303 | 13 | 15 | 508 | 16 | 525 | 23 | 115 | 115 | 307 |
| 27 | 23 | 82 | 302 | 13 | 15 | 502 | 16 | 521 | 23 | 113 | 113 | 307 |
| 28 | 22 | 82 | 301 | 13 | 16 | 494 | 16 | 513 | 53 | 105 | 113 | 300 |
| 29 | 21 | 83 | 300 | 13 | 15 | 322 | 16 | 444 | 88 | 107 | 115 | 297 |
| 30 | 21 | 83 | 300 | 13 | --- | 323 | 16 | 384 | 88 | 109 | 115 | 294 |
| 31 | 22 | --- | 298 | 13 | --- | 513 | --- | 278 | --- | 111 | 55 | --- |
| TOTAL | 731 | 1188 | 7082 | 3140 | 411 | 5398 | 4522 | 6504 | 2075 | 3078 | 3187 | 7829 |
| MEAN | 23.6 | 39.6 | 228 | 101 | 14.2 | 206 | 154 | 210 | 69.2 | 99.3 | 103 | 251 |
| MAX | 80 | 83 | 316 | 297 | 16 | 570 | 534 | 545 | 187 | 121 | 117 | 352 |
| MIN | 16 | 16 | 83 | 13 | 13 | 47 | 16 | 16 | 23 | 80 | 55 | 18 |
| (+) | 24.9 | 25.7 | 25.8 | 26.3 | 25.5 | 25.3 | 24.2 | 24.9 | 27.1 | 26.4 | 26.1 | 24.4 |
| CAL YR 1983 TOTAL | 31633.0 | MEAN | 86.7 | MAX | 760 | MIN | 6.8 | (+) | 24.7 | | | |
| WTR YR 1984 TOTAL | 46245.0 | MEAN | 126 | MAX | 570 | MIN | 13 | (+) | 25.5 | | | |

(+) Diversion in cubic feet per second, furnished by City of Warren.

BEAVER RIVER BASIN

03099500 MAHONING RIVER AT LOWELLVILLE, OH

LOCATION.--Lat 41°02'12", long 80°32'11", in T.1 N., R.1 W., Mahoning County, Hydrologic Unit 05030103, on left bank 100 ft upstream from First Street Bridge at Lowellville, 1 mi upstream from Ohio-Pennsylvania State line, and 3 mi downstream from Yellow Creek.

DRAINAGE AREA.--1,073 mi².

PERIOD OF RECORD.--October 1942 to current year. Prior to August 1943 monthly discharge only, published in WSP 1305.

REVISED RECORDS.--WSP 1555: 1946(M), 1952(M), 1955(M), 1956. WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 796.84 ft National Geodetic Vertical Datum of 1929. Prior to Oct. 26, 1944, nonrecording gage at site 300 ft downstream at same datum.

REMARKS.--Records fair except those for periods of missing or questionable record, Feb. 7 to Mar. 6, May 31 to June 27, and Sept 8-30, which are poor. Flow regulated by 5 flood control reservoirs at points 21 mi to 58 mi upstream and by reservoirs on Squaw Creek, 15 mi upstream, on Dry Run, 9 mi upstream, and on Yellow Creek, 5 mi upstream. Water-quality data collected at this site 1949 to 1973.

AVERAGE DISCHARGE.--42 years, 1,113 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge 21,000 ft³/s Jan. 21, 1959, gage height, 14.43 ft; minimum daily, 155 ft³/s Feb. 5, 1944.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in March 1913 reached a stage of 17.8 ft.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 7,720 ft³/s Mar. 29, gage height, 7.93 ft; minimum daily, 323 ft³/s Jan. 22.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 464 | 670 | 2130 | 1030 | 424 | 573 | 4080 | 817 | 1530 | 518 | 579 | 840 |
| 2 | 457 | 727 | 1930 | 1020 | 437 | 538 | 3490 | 743 | 972 | 525 | 787 | 593 |
| 3 | 457 | 1140 | 1700 | 1020 | 686 | 552 | 3110 | 803 | 779 | 545 | 2040 | 652 |
| 4 | 662 | 1090 | 3760 | 1030 | 1160 | 566 | 3010 | 1390 | 796 | 662 | 1630 | 702 |
| 5 | 1040 | 1160 | 4450 | 1060 | 1210 | 491 | 3500 | 1980 | 1730 | 955 | 1050 | 615 |
| 6 | 922 | 1240 | 4100 | 1070 | 946 | 518 | 3970 | 1600 | 1260 | 1050 | 805 | 662 |
| 7 | 889 | 1170 | 3320 | 1070 | 754 | 1940 | 4120 | 1140 | 814 | 963 | 694 | 736 |
| 8 | 864 | 1110 | 2850 | 1020 | 552 | 1590 | 3450 | 1550 | 639 | 787 | 623 | 770 |
| 9 | 856 | 1020 | 2350 | 938 | 518 | 1060 | 2950 | 3290 | 573 | 670 | 623 | 790 |
| 10 | 848 | 1020 | 2370 | 897 | 1010 | 1020 | 2520 | 3270 | 532 | 1650 | 718 | 800 |
| 11 | 848 | 1800 | 2370 | 647 | 2580 | 884 | 2060 | 2390 | 504 | 1090 | 856 | 850 |
| 12 | 1260 | 2480 | 5260 | 504 | 3200 | 742 | 1260 | 4200 | 504 | 848 | 814 | 850 |
| 13 | 814 | 2220 | 5010 | 518 | 3900 | 993 | 969 | 4860 | 718 | 686 | 744 | 1000 |
| 14 | 770 | 1740 | 4210 | 484 | 4900 | 1420 | 1090 | 4150 | 623 | 593 | 678 | 1600 |
| 15 | 686 | 1570 | 3400 | 386 | 3700 | 893 | 1170 | 3350 | 559 | 545 | 631 | 1200 |
| 16 | 639 | 1980 | 3100 | 357 | 2700 | 3550 | 1260 | 2710 | 670 | 532 | 608 | 800 |
| 17 | 593 | 2960 | 2760 | 375 | 2150 | 4900 | 1590 | 2420 | 2040 | 511 | 593 | 700 |
| 18 | 662 | 3110 | 2500 | 375 | 2220 | 4320 | 1450 | 2080 | 2800 | 736 | 593 | 650 |
| 19 | 727 | 2650 | 2320 | 363 | 2300 | 3070 | 1280 | 1930 | 1930 | 600 | 1350 | 640 |
| 20 | 678 | 2160 | 2160 | 340 | 2240 | 2840 | 1120 | 1920 | 955 | 566 | 670 | 640 |
| 21 | 639 | 2100 | 2070 | 334 | 2010 | 4650 | 943 | 3630 | 676 | 539 | 608 | 680 |
| 22 | 639 | 1870 | 2470 | 323 | 1730 | 6410 | 822 | 3710 | 579 | 539 | 631 | 700 |
| 23 | 1360 | 1740 | 2190 | 329 | 1430 | 5320 | 924 | 4840 | 566 | 539 | 586 | 680 |
| 24 | 1180 | 1620 | 1660 | 796 | 980 | 3870 | 1920 | 5010 | 484 | 532 | 631 | 660 |
| 25 | 1060 | 1330 | 1070 | 1210 | 814 | 3810 | 2550 | 4180 | 504 | 552 | 608 | 640 |
| 26 | 930 | 963 | 1030 | 1330 | 744 | 3910 | 1830 | 3300 | 463 | 552 | 593 | 620 |
| 27 | 914 | 822 | 1070 | 1230 | 694 | 3790 | 1270 | 2920 | 493 | 1070 | 586 | 620 |
| 28 | 814 | 2220 | 1380 | 881 | 647 | 3850 | 1050 | 3710 | 499 | 787 | 600 | 620 |
| 29 | 727 | 3260 | 1470 | 686 | 616 | 6850 | 934 | 4000 | 511 | 631 | 1340 | 700 |
| 30 | 686 | 2860 | 1230 | 545 | --- | 6650 | 903 | 3360 | 539 | 559 | 1360 | 1000 |
| 31 | 662 | --- | 1090 | 470 | --- | 4790 | --- | 2100 | --- | 559 | 1490 | --- |
| TOTAL | 24747 | 51802 | 78780 | 22638 | 47252 | 86360 | 60595 | 87353 | 26246 | 21881 | 26219 | 23030 |
| MEAN | 798 | 1727 | 2541 | 730 | 1629 | 2786 | 2020 | 2818 | 875 | 706 | 846 | 768 |
| MAX | 1360 | 3260 | 5260 | 1330 | 4900 | 6850 | 4120 | 5010 | 2800 | 1650 | 2040 | 1600 |
| MIN | 457 | 670 | 1030 | 323 | 424 | 491 | 822 | 743 | 463 | 511 | 579 | 593 |

CAL YR 1983 TOTAL 495424 MEAN 1357 MAX 6920 MIN 311
WTR YR 1984 TOTAL 556903 MEAN 1522 MAX 6850 MIN 323

03099510 MAHONING RIVER AT OHIO-PENNSYLVANIA STATE LINE, BELOW LOWELLVILLE, OH

LOCATION.--Lat 41°01'53", long 80°31'10", Mahoning County, Hydrologic Unit 05030103, on left bank 800 ft upstream from Ohio-Pennsylvania State line, just below Lowellville, 0.9 mi downstream from gaging station at Lowellville, and 3.9 mi downstream from Yellow Creek.

DRAINAGE AREA.--1,075 mi².

PERIOD OF RECORD.--January 1967 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: January 1967 to current year.

pH: January 1967 to current year.

WATER TEMPERATURES: January 1967 to current year.

DISSOLVED OXYGEN: January 1967 to current year.

INSTRUMENTATION.--Water-quality monitor.

REMARKS.--Interruptions in the water-quality record were due to malfunction of the instrument. See records of daily discharge for gaging station at Lowellville (station 03099500).

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: Maximum, 1,640 micromhos Feb. 22, 1979; minimum, 204 micromhos July 13, 1976.

pH: Maximum, 9.9 units Jan. 26, 1969; minimum, 3.0 units Jan. 24, 1967.

WATER TEMPERATURES: Maximum, 39.0°C June 29, 1971; minimum, 0.0°C Dec. 25, 1983.

DISSOLVED OXYGEN: Maximum, 14.2 mg/L Mar. 25, 1970; minimum, 0.0 mg/L June 1, 1975, June 17, 1977.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum, 1,230 micromhos Jan. 26; minimum, 252 micromhos May 13.

pH: Maximum recorded, 8.4 units Dec. 23; minimum recorded, 7.0 units Feb. 9, 10, 26, Apr. 24.

WATER TEMPERATURES: Maximum, 29.5°C Aug. 10; minimum, 0.0°C Dec. 25.

DISSOLVED OXYGEN: Maximum recorded, 13.9 mg/L Mar. 9; minimum recorded, 3.1 mg/L Oct. 3, 4.

BEAVER RIVER BASIN

03099510 MAHONING RIVER AT OHIO-PENNSYLVANIA STATE LINE, BELOW LOWELLVILLE, OH--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|---------|-----|-----|----------|-----|-----|----------|------|-----|---------|------|-----|------|
| OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | | |
| 1 | 612 | 596 | 606 | 604 | 592 | 597 | 390 | 382 | 386 | 546 | 522 | 532 |
| 2 | 608 | 600 | 603 | 604 | 584 | 593 | 498 | 384 | 427 | 574 | 522 | 540 |
| 3 | 600 | 588 | 593 | 572 | 516 | 547 | 540 | 502 | 524 | 562 | 524 | 539 |
| 4 | 600 | 512 | 578 | 572 | 556 | 566 | 538 | 434 | 482 | 554 | 522 | 531 |
| 5 | 548 | 500 | 527 | 576 | 560 | 572 | 448 | 386 | 422 | 568 | 520 | 535 |
| 6 | 520 | 504 | 513 | 576 | 564 | 570 | 382 | 350 | 359 | 560 | 528 | 539 |
| 7 | 524 | 508 | 517 | --- | --- | --- | 434 | 368 | 401 | 538 | 520 | 527 |
| 8 | 532 | 524 | 529 | --- | --- | --- | 456 | 434 | 443 | 532 | 510 | 520 |
| 9 | 532 | 512 | 520 | 590 | 564 | 572 | 500 | 440 | 461 | 526 | 510 | 518 |
| 10 | 532 | 512 | 519 | 578 | 566 | 547 | 508 | 490 | 502 | 550 | 518 | 531 |
| 11 | 528 | 516 | 522 | 560 | 502 | 533 | 508 | 500 | 504 | 562 | 542 | 550 |
| 12 | 520 | 444 | 495 | 554 | 518 | 542 | 502 | 438 | 455 | 590 | 564 | 576 |
| 13 | --- | --- | --- | 550 | 522 | 536 | 436 | 386 | 412 | 628 | 594 | 609 |
| 14 | --- | --- | --- | 540 | 522 | 528 | 410 | 374 | 387 | 700 | 632 | 680 |
| 15 | --- | --- | --- | 556 | 536 | 544 | 444 | 414 | 430 | 700 | 660 | 684 |
| 16 | --- | --- | --- | 540 | 526 | 536 | 452 | 442 | 446 | 678 | 662 | 672 |
| 17 | --- | --- | --- | 526 | 500 | 517 | 450 | 442 | 445 | 714 | 670 | 696 |
| 18 | --- | --- | --- | 496 | 442 | 462 | 452 | 442 | 446 | 728 | 712 | 720 |
| 19 | --- | --- | --- | 442 | 420 | 428 | 458 | 452 | 453 | --- | --- | --- |
| 20 | --- | --- | --- | 476 | 434 | 453 | 460 | 450 | 454 | --- | --- | --- |
| 21 | --- | --- | --- | 488 | 474 | 480 | 470 | 454 | 460 | --- | --- | --- |
| 22 | --- | --- | --- | 498 | 482 | 488 | 658 | 470 | 541 | --- | --- | --- |
| 23 | --- | --- | --- | 506 | 492 | 499 | 560 | 480 | 497 | --- | --- | --- |
| 24 | 556 | 536 | 540 | 512 | 498 | 505 | 500 | 474 | 484 | --- | --- | --- |
| 25 | 580 | 544 | 565 | 540 | 508 | 518 | 510 | 500 | 504 | 1110 | 844 | 953 |
| 26 | 584 | 572 | 578 | 554 | 536 | 541 | 516 | 502 | 508 | 1230 | 774 | 999 |
| 27 | --- | --- | --- | 556 | 542 | 548 | 508 | 490 | 497 | 770 | 746 | 768 |
| 28 | --- | --- | --- | 546 | 426 | 494 | 1130 | 488 | 630 | 632 | 608 | 617 |
| 29 | --- | --- | --- | 482 | 450 | 466 | 812 | 648 | 685 | 606 | 590 | 596 |
| 30 | --- | --- | --- | 446 | 388 | 414 | 770 | 566 | 620 | 608 | 592 | 600 |
| 31 | --- | --- | --- | --- | --- | --- | 562 | 532 | 545 | 662 | 608 | 635 |
| MONTH | 612 | 444 | 547 | 604 | 388 | 521 | 1130 | 350 | 478 | 1230 | 510 | 627 |

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|-----|-----|-------|-----|-----|-------|-----|-----|------|-----|-----|------|
| FEBRUARY | | | MARCH | | | APRIL | | | MAY | | | |
| 1 | 850 | 630 | 639 | 650 | 606 | 636 | 394 | 388 | 391 | 550 | 534 | 539 |
| 2 | 728 | 632 | 677 | 606 | 536 | 565 | 416 | 394 | 404 | 564 | 542 | 550 |
| 3 | 998 | 736 | 823 | 610 | 562 | 582 | 426 | 416 | 420 | 564 | 544 | 558 |
| 4 | 784 | 708 | 738 | 626 | 598 | 612 | 436 | 422 | 427 | 552 | 524 | 540 |
| 5 | 718 | 592 | 629 | 728 | 594 | 639 | 440 | 426 | 437 | 524 | 464 | 493 |
| 6 | 592 | 572 | 581 | 692 | 636 | 659 | 436 | 422 | 428 | 462 | 426 | 435 |
| 7 | 580 | 552 | 509 | 658 | 598 | 617 | 428 | 420 | 424 | 476 | 416 | 443 |
| 8 | 682 | 560 | 580 | 600 | 568 | 577 | 428 | 422 | 424 | 480 | 458 | 468 |
| 9 | 610 | 586 | 596 | 650 | 564 | 584 | 430 | 414 | 422 | 482 | 400 | 442 |
| 10 | 654 | 614 | 630 | 648 | 580 | 596 | 420 | 412 | 416 | 398 | 330 | 360 |
| 11 | 680 | 622 | 652 | 620 | 582 | 596 | 448 | 416 | 428 | 368 | 334 | 354 |
| 12 | 622 | 498 | 527 | 624 | 590 | 605 | 490 | 448 | 467 | 362 | 308 | 338 |
| 13 | 458 | 404 | 420 | 656 | 614 | 623 | 512 | 490 | 501 | 308 | 252 | 275 |
| 14 | 434 | 408 | 422 | 616 | 568 | 591 | 516 | 448 | 495 | 332 | 264 | 307 |
| 15 | 392 | 380 | 386 | 704 | 626 | 660 | 530 | 486 | 513 | 388 | 334 | 368 |
| 16 | 402 | 380 | 392 | 708 | 582 | 643 | 558 | 528 | 545 | 408 | 386 | 396 |
| 17 | 492 | 402 | 433 | 570 | 402 | 462 | 548 | 530 | 538 | 422 | 406 | 413 |
| 18 | 528 | 498 | 514 | 400 | 354 | 367 | 546 | 526 | 538 | 436 | 414 | 422 |
| 19 | 528 | 520 | 523 | 422 | 364 | 381 | 554 | 536 | 544 | 442 | 420 | 432 |
| 20 | 522 | 460 | 492 | 454 | 428 | 439 | 556 | 546 | 550 | 454 | 400 | 441 |
| 21 | 472 | 456 | 462 | 456 | 438 | 447 | 564 | 550 | 555 | 414 | 386 | 405 |
| 22 | 498 | 462 | 473 | 432 | 370 | 393 | 562 | 562 | 568 | 384 | 350 | 366 |
| 23 | 540 | 500 | 517 | 432 | 368 | 394 | 604 | 558 | 574 | 390 | 320 | 356 |
| 24 | 552 | 540 | 545 | 438 | 424 | 432 | 602 | 522 | 547 | 392 | 366 | 378 |
| 25 | 596 | 544 | 556 | 440 | 438 | 439 | 522 | 470 | 491 | 374 | 358 | 365 |
| 26 | 626 | 584 | 601 | 440 | 420 | 428 | 472 | 456 | 461 | 392 | 376 | 385 |
| 27 | 644 | 604 | 613 | 420 | 400 | 407 | 478 | 446 | 463 | 394 | 390 | 392 |
| 28 | 662 | 612 | 634 | 418 | 398 | 410 | 472 | 452 | 459 | 392 | 352 | 380 |
| 29 | 636 | 622 | 628 | 434 | 418 | 426 | 474 | 460 | 468 | 396 | 386 | 391 |
| 30 | --- | --- | --- | 408 | 354 | 368 | 530 | 468 | 491 | 390 | 384 | 387 |
| 31 | --- | --- | --- | 392 | 364 | 377 | --- | --- | --- | 424 | 390 | 404 |
| MONTH | 998 | 380 | 558 | 728 | 354 | 515 | 604 | 388 | 480 | 564 | 252 | 412 |

BEAVER RIVER BASIN

39

03099510 MAHONING RIVER AT OHIO-PENNSYLVANIA STATE LINE, BELOW LOWELLVILLE, OH--Continued
 SPECIFIC CONDUCTANCE (MICROMHDS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|-----|------|--|-----|------|--------|-----|------|-----------|-----|------|
| | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | 436 | 422 | 427 | 590 | 552 | 568 | 530 | 510 | 518 | 510 | 472 | 492 |
| 2 | 478 | 438 | 458 | 556 | 540 | 549 | 538 | 460 | 518 | 530 | 512 | 517 |
| 3 | 502 | 470 | 479 | 556 | 534 | 545 | 504 | 282 | 413 | 548 | 510 | 537 |
| 4 | 518 | 494 | 502 | 546 | 528 | 539 | 486 | 406 | 464 | 530 | 488 | 510 |
| 5 | 528 | 510 | 513 | 542 | 414 | 497 | 510 | 472 | 492 | 538 | 526 | 532 |
| 6 | 534 | 434 | 500 | 548 | 448 | 522 | 520 | 500 | 507 | 580 | 528 | 544 |
| 7 | 468 | 328 | 393 | 506 | 454 | 489 | 540 | 514 | 527 | 598 | 548 | 566 |
| 8 | 438 | 394 | 415 | 506 | 474 | 493 | 548 | 530 | 539 | 552 | 486 | 508 |
| 9 | 470 | 432 | 444 | 526 | 504 | 510 | 548 | 522 | 540 | 492 | 456 | 467 |
| 10 | 514 | 472 | 498 | 534 | 354 | 462 | 562 | 504 | 545 | 470 | 438 | 457 |
| 11 | 578 | 516 | 537 | 476 | 438 | 463 | 552 | 530 | 539 | 474 | 456 | 465 |
| 12 | 604 | 588 | 593 | 490 | 458 | 473 | 548 | 536 | 542 | 478 | 460 | 468 |
| 13 | 610 | 584 | 594 | 516 | 476 | 499 | 548 | 528 | 536 | 478 | 464 | 470 |
| 14 | 586 | 472 | 542 | 532 | 506 | 523 | 550 | 528 | 535 | 456 | 404 | 442 |
| 15 | 574 | 564 | 568 | 540 | 510 | 530 | 546 | 526 | 537 | 462 | 424 | 442 |
| 16 | 580 | 558 | 567 | 544 | 426 | 520 | 554 | 524 | 535 | 446 | 436 | 441 |
| 17 | 570 | 500 | 545 | 556 | 404 | 529 | 540 | 520 | 528 | 450 | 434 | 440 |
| 18 | 552 | 354 | 502 | 546 | 448 | 494 | 540 | 510 | 526 | 454 | 430 | 442 |
| 19 | 486 | 424 | 446 | 534 | 522 | 528 | 504 | 344 | 438 | 458 | 436 | 444 |
| 20 | 456 | 434 | 446 | 532 | 496 | 509 | 518 | 478 | 496 | 454 | 436 | 443 |
| 21 | 512 | 456 | 474 | 526 | 510 | 516 | 524 | 500 | 509 | 450 | 438 | 444 |
| 22 | 556 | 520 | 536 | 526 | 498 | 512 | 532 | 516 | 526 | 450 | 434 | 442 |
| 23 | 564 | 546 | 554 | 522 | 504 | 508 | 530 | 502 | 511 | 446 | 424 | 432 |
| 24 | 556 | 542 | 550 | 530 | 504 | 517 | 530 | 510 | 518 | 434 | 418 | 428 |
| 25 | 582 | 560 | 569 | 520 | 498 | 508 | 532 | 522 | 524 | 440 | 420 | 428 |
| 26 | 598 | 580 | 587 | 522 | 496 | 506 | 534 | 516 | 524 | 438 | 412 | 424 |
| 27 | 596 | 580 | 590 | 512 | 412 | 473 | 526 | 514 | 519 | 444 | 432 | 438 |
| 28 | 608 | 562 | 583 | 500 | 474 | 491 | 534 | 508 | 519 | 440 | 416 | 430 |
| 29 | 594 | 576 | 583 | 516 | 478 | 495 | 526 | 306 | 462 | 440 | 432 | 436 |
| 30 | 594 | 574 | 586 | 530 | 512 | 518 | 486 | 400 | 460 | 440 | 418 | 425 |
| 31 | --- | --- | --- | 532 | 514 | 523 | 498 | 478 | 485 | --- | --- | --- |
| MONTH | 610 | 328 | 519 | 590 | 354 | 510 | 562 | 282 | 511 | 598 | 404 | 465 |
| YEAR | 1230 | 252 | 508 | PH (STANDARD UNITS), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984 | | | | | | | | |

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|---------|-----|-----|----------|-----|-----|----------|-----|-----|---------|-----|-----|------|
| OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | | |
| 1 | 7.2 | 7.2 | 7.2 | 7.3 | 7.2 | 7.3 | 7.6 | 7.5 | 7.5 | 7.8 | 7.7 | 7.7 |
| 2 | 7.4 | 7.1 | 7.3 | 7.3 | 7.2 | 7.3 | 7.7 | 7.5 | 7.6 | 7.7 | 7.7 | 7.7 |
| 3 | 7.3 | 7.2 | 7.2 | 7.3 | 7.2 | 7.3 | 7.8 | 7.6 | 7.7 | 7.7 | 7.4 | 7.6 |
| 4 | 7.3 | 7.2 | 7.2 | 7.3 | 7.3 | 7.3 | 7.8 | 7.6 | 7.7 | 7.7 | 7.5 | 7.6 |
| 5 | 7.2 | 7.1 | 7.2 | 7.4 | 7.3 | 7.3 | 7.8 | 7.6 | 7.7 | 7.6 | 7.5 | 7.5 |
| 6 | 7.3 | 7.2 | 7.3 | 7.4 | 7.4 | 7.4 | 7.6 | 7.3 | 7.5 | 7.5 | 7.3 | 7.5 |
| 7 | 7.4 | 7.2 | 7.3 | --- | --- | --- | 7.6 | 7.5 | 7.5 | 7.8 | 7.4 | 7.6 |
| 8 | 7.4 | 7.2 | 7.3 | --- | --- | --- | 7.6 | 7.5 | 7.6 | 7.6 | 7.6 | 7.6 |
| 9 | 7.3 | 7.1 | 7.2 | 7.6 | 7.4 | 7.4 | 7.6 | 7.5 | 7.6 | 7.6 | 7.4 | 7.5 |
| 10 | 7.4 | 7.3 | 7.3 | 7.4 | 7.3 | 7.3 | 7.8 | 7.6 | 7.7 | 7.5 | 7.3 | 7.5 |
| 11 | 7.3 | 7.1 | 7.3 | 7.5 | 7.2 | 7.4 | 7.8 | 7.7 | 7.8 | 7.5 | 7.4 | 7.4 |
| 12 | 7.3 | 7.1 | 7.2 | 7.9 | 7.5 | 7.6 | 7.8 | 7.7 | 7.8 | 7.5 | 7.3 | 7.4 |
| 13 | --- | --- | --- | 7.6 | 7.5 | 7.6 | 7.7 | 7.6 | 7.6 | 7.5 | 7.4 | 7.5 |
| 14 | --- | --- | --- | 7.7 | 7.5 | 7.6 | 7.6 | 7.5 | 7.6 | 7.9 | 7.4 | 7.5 |
| 15 | --- | --- | --- | 7.6 | 7.5 | 7.6 | 7.7 | 7.5 | 7.6 | 7.5 | 7.4 | 7.4 |
| 16 | --- | --- | --- | 7.6 | 7.5 | 7.6 | 7.7 | 7.6 | 7.7 | 7.5 | 7.2 | 7.4 |
| 17 | --- | --- | --- | 7.7 | 7.4 | 7.6 | 7.8 | 7.6 | 7.7 | 7.6 | 7.5 | 7.5 |
| 18 | --- | --- | --- | 7.7 | 7.5 | 7.6 | 7.7 | 7.7 | 7.7 | 7.6 | 7.4 | 7.5 |
| 19 | --- | --- | --- | 7.6 | 7.4 | 7.6 | 7.7 | 7.6 | 7.7 | 7.6 | 7.6 | 7.6 |
| 20 | --- | --- | --- | 7.6 | 7.5 | 7.6 | 7.7 | 7.6 | 7.7 | --- | --- | --- |
| 21 | --- | --- | --- | 7.7 | 7.6 | 7.6 | 7.7 | 7.6 | 7.6 | --- | --- | --- |
| 22 | --- | --- | --- | 7.7 | 7.4 | 7.6 | 7.7 | 7.5 | 7.6 | --- | --- | --- |
| 23 | --- | --- | --- | 7.6 | 7.4 | 7.6 | 8.4 | 7.6 | 7.7 | --- | --- | --- |
| 24 | 7.4 | 7.3 | 7.4 | 7.6 | 7.5 | 7.6 | 7.7 | 7.5 | 7.7 | --- | --- | --- |
| 25 | 7.3 | 7.3 | 7.3 | 7.7 | 7.5 | 7.6 | 7.7 | 7.7 | 7.7 | 7.4 | 7.3 | 7.4 |
| 26 | 7.4 | 7.3 | 7.3 | 7.7 | 7.5 | 7.6 | 7.8 | 7.7 | 7.7 | 7.6 | 7.4 | 7.5 |
| 27 | 7.3 | 7.3 | 7.3 | 7.7 | 7.6 | 7.6 | 7.8 | 7.6 | 7.7 | 7.6 | 7.3 | 7.5 |
| 28 | --- | --- | --- | 7.7 | 7.5 | 7.6 | 7.9 | 7.3 | 7.6 | 8.2 | 7.2 | 7.5 |
| 29 | --- | --- | --- | 7.7 | 7.5 | 7.6 | 7.7 | 7.6 | 7.7 | 7.4 | 7.4 | 7.4 |
| 30 | --- | --- | --- | 7.6 | 7.5 | 7.6 | 8.2 | 7.5 | 7.7 | 7.4 | 7.1 | 7.3 |
| 31 | --- | --- | --- | --- | --- | --- | 7.8 | 7.5 | 7.7 | 7.4 | 7.3 | 7.3 |
| MONTH | 7.4 | 7.1 | 7.3 | 7.9 | 7.2 | 7.5 | 8.4 | 7.3 | 7.7 | 8.2 | 7.1 | 7.5 |

BEAVER RIVER BASIN

03099510 MAHONING RIVER AT OHIO-PENNSYLVANIA STATE LINE, BELOW LOWELLVILLE, OH--Continued

PH (STANDARD UNITS), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|-----|-----|------|-------|-----|------|--------|-----|------|-----------|-----|------|
| FEBRUARY | | | | MARCH | | | APRIL | | | MAY | | |
| 1 | 7.3 | 7.0 | 7.2 | 7.6 | 7.3 | 7.5 | 7.6 | 7.5 | 7.6 | 7.6 | 7.5 | 7.6 |
| 2 | 7.3 | 7.2 | 7.3 | 8.1 | 7.3 | 7.7 | 7.6 | 7.5 | 7.6 | 7.6 | 7.5 | 7.6 |
| 3 | 7.4 | 7.1 | 7.3 | 7.8 | 7.5 | 7.7 | 7.6 | 7.5 | 7.6 | 7.7 | 7.5 | 7.6 |
| 4 | 7.7 | 7.3 | 7.4 | 7.7 | 7.6 | 7.6 | 7.6 | 7.5 | 7.6 | 7.8 | 7.6 | 7.6 |
| 5 | 7.5 | 7.4 | 7.4 | 7.8 | 7.5 | 7.6 | 7.6 | 7.5 | 7.6 | 7.9 | 7.6 | 7.7 |
| 6 | 7.5 | 7.3 | 7.4 | 7.8 | 7.5 | 7.7 | 7.6 | 7.4 | 7.5 | 7.9 | 7.6 | 7.7 |
| 7 | 7.5 | 7.3 | 7.4 | 7.8 | 7.7 | 7.8 | 7.7 | 7.4 | 7.5 | 7.8 | 7.5 | 7.6 |
| 8 | 7.4 | 7.3 | 7.4 | 8.0 | 7.7 | 7.8 | 7.6 | 7.5 | 7.6 | 7.7 | 7.5 | 7.6 |
| 9 | 7.4 | 7.0 | 7.2 | 7.9 | 7.6 | 7.8 | 8.2 | 7.5 | 7.6 | 7.7 | 7.6 | 7.7 |
| 10 | 7.2 | 7.0 | 7.2 | 8.0 | 7.6 | 7.8 | 7.6 | 7.3 | 7.5 | 7.7 | 7.6 | 7.7 |
| 11 | 7.4 | 7.1 | 7.3 | 7.8 | 7.7 | 7.7 | 7.7 | 7.5 | 7.6 | 7.7 | 7.6 | 7.7 |
| 12 | 7.6 | 7.4 | 7.5 | 7.8 | 7.5 | 7.7 | 7.7 | 7.5 | 7.6 | 7.8 | 7.6 | 7.7 |
| 13 | 7.5 | 7.4 | 7.4 | 7.8 | 7.6 | 7.7 | 7.5 | 7.2 | 7.4 | 7.6 | 7.5 | 7.6 |
| 14 | 7.8 | 7.4 | 7.6 | 7.9 | 7.6 | 7.8 | 7.6 | 7.4 | 7.4 | 7.7 | 7.6 | 7.7 |
| 15 | 7.8 | 7.4 | 7.5 | 7.9 | 7.6 | 7.8 | 7.6 | 7.4 | 7.5 | 7.7 | 7.7 | 7.7 |
| 16 | 7.4 | 7.3 | 7.4 | 7.8 | 7.4 | 7.7 | 7.5 | 7.3 | 7.4 | 7.7 | 7.6 | 7.7 |
| 17 | 7.5 | 7.3 | 7.4 | 7.9 | 7.7 | 7.8 | 7.5 | 7.4 | 7.4 | 7.8 | 7.5 | 7.7 |
| 18 | 7.7 | 7.3 | 7.5 | 7.7 | 7.6 | 7.6 | 7.4 | 7.3 | 7.4 | 7.8 | 7.7 | 7.7 |
| 19 | 7.6 | 7.5 | 7.5 | 7.7 | 7.5 | 7.6 | 7.4 | 7.3 | 7.4 | 7.7 | 7.6 | 7.7 |
| 20 | 7.5 | 7.2 | 7.5 | 7.7 | 7.6 | 7.7 | 7.5 | 7.2 | 7.4 | 7.7 | 7.7 | 7.7 |
| 21 | 7.6 | 7.5 | 7.5 | 7.8 | 7.6 | 7.7 | 7.4 | 7.2 | 7.4 | 7.7 | 7.7 | 7.7 |
| 22 | 7.6 | 7.5 | 7.5 | 7.7 | 7.6 | 7.7 | 7.4 | 7.1 | 7.3 | 7.7 | 7.6 | 7.7 |
| 23 | 7.6 | 7.4 | 7.6 | 7.8 | 7.6 | 7.6 | 7.4 | 7.1 | 7.3 | 7.8 | 7.6 | 7.7 |
| 24 | 7.6 | 7.5 | 7.6 | 7.7 | 7.6 | 7.7 | 7.9 | 7.0 | 7.6 | 7.8 | 7.7 | 7.7 |
| 25 | 7.6 | 7.4 | 7.5 | 7.8 | 7.7 | 7.7 | 7.8 | 7.7 | 7.8 | 7.7 | 7.5 | 7.7 |
| 26 | 7.5 | 7.0 | 7.4 | 7.8 | 7.6 | 7.7 | 7.8 | 7.7 | 7.8 | 7.8 | 7.7 | 7.7 |
| 27 | 7.5 | 7.3 | 7.4 | 7.8 | 7.8 | 7.8 | 7.7 | 7.6 | 7.7 | 7.8 | 7.7 | 7.7 |
| 28 | 7.5 | 7.4 | 7.4 | 7.5 | 7.5 | 7.5 | 7.7 | 7.6 | 7.6 | 7.8 | 7.7 | 7.7 |
| 29 | 7.6 | 7.4 | 7.5 | 7.7 | 7.4 | 7.6 | 7.7 | 7.5 | 7.6 | 7.7 | 7.6 | 7.7 |
| 30 | --- | --- | --- | 7.6 | 7.5 | 7.5 | 7.7 | 7.6 | 7.6 | 7.7 | 7.7 | 7.7 |
| 31 | --- | --- | --- | 7.6 | 7.5 | 7.5 | --- | --- | --- | 7.7 | 7.7 | 7.7 |
| MONTH | 7.8 | 7.0 | 7.4 | 8.1 | 7.3 | 7.7 | 8.2 | 7.0 | 7.5 | 7.9 | 7.5 | 7.7 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| JUNE | | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | 7.7 | 7.7 | 7.7 | 7.4 | 7.3 | 7.4 | 7.4 | 7.3 | 7.3 | 7.3 | 7.2 | 7.3 |
| 2 | 8.2 | 7.6 | 7.7 | 7.6 | 7.6 | 7.6 | 7.3 | 7.2 | 7.3 | 7.3 | 7.3 | 7.3 |
| 3 | 7.7 | 7.6 | 7.6 | 7.7 | 7.6 | 7.6 | 7.4 | 7.3 | 7.3 | 7.3 | 7.3 | 7.3 |
| 4 | 7.6 | 7.5 | 7.6 | 7.7 | 7.6 | 7.6 | 7.5 | 7.3 | 7.4 | 7.3 | 7.3 | 7.3 |
| 5 | 7.7 | 7.6 | 7.6 | 7.7 | 7.6 | 7.6 | 7.4 | 7.3 | 7.4 | 7.3 | 7.3 | 7.3 |
| 6 | 7.6 | 7.4 | 7.5 | 7.7 | 7.6 | 7.6 | 7.4 | 7.3 | 7.3 | 7.3 | 7.2 | 7.3 |
| 7 | 7.5 | 7.4 | 7.4 | 7.7 | 7.5 | 7.6 | 7.4 | 7.3 | 7.3 | 7.3 | 7.1 | 7.2 |
| 8 | 7.5 | 7.4 | 7.4 | 7.7 | 7.6 | 7.6 | 7.4 | 7.3 | 7.3 | 7.3 | 7.2 | 7.3 |
| 9 | 7.6 | 7.4 | 7.4 | 7.7 | 7.5 | 7.6 | 7.4 | 7.3 | 7.3 | 7.3 | 7.2 | 7.3 |
| 10 | 7.5 | 7.4 | 7.4 | 7.7 | 7.6 | 7.6 | 7.6 | 7.3 | 7.4 | 7.3 | 7.2 | 7.2 |
| 11 | 7.5 | 7.4 | 7.5 | 7.7 | 7.6 | 7.6 | 7.5 | 7.3 | 7.4 | 7.3 | 7.2 | 7.2 |
| 12 | 7.6 | 7.4 | 7.4 | 7.7 | 7.6 | 7.7 | 7.4 | 7.3 | 7.4 | 7.3 | 7.2 | 7.2 |
| 13 | 7.5 | 7.4 | 7.4 | 7.6 | 7.5 | 7.6 | 7.4 | 7.3 | 7.4 | 7.3 | 7.2 | 7.2 |
| 14 | 7.5 | 7.3 | 7.4 | 7.7 | 7.6 | 7.6 | 7.4 | 7.3 | 7.3 | 7.4 | 7.2 | 7.3 |
| 15 | 7.5 | 7.4 | 7.4 | 7.7 | 7.6 | 7.6 | 7.4 | 7.3 | 7.3 | 7.3 | 7.2 | 7.3 |
| 16 | 7.5 | 7.3 | 7.4 | 7.7 | 7.6 | 7.6 | 7.5 | 7.3 | 7.3 | 7.3 | 7.2 | 7.3 |
| 17 | 7.4 | 7.4 | 7.4 | 7.7 | 7.5 | 7.6 | 7.4 | 7.3 | 7.3 | 7.3 | 7.2 | 7.3 |
| 18 | 8.0 | 7.4 | 7.5 | 7.7 | 7.6 | 7.6 | 7.5 | 7.2 | 7.4 | 7.3 | 7.2 | 7.2 |
| 19 | 7.6 | 7.5 | 7.5 | 7.4 | 7.3 | 7.3 | 7.4 | 7.3 | 7.4 | 7.3 | 7.2 | 7.2 |
| 20 | 7.6 | 7.5 | 7.5 | 7.4 | 7.3 | 7.3 | 7.4 | 7.3 | 7.3 | 7.3 | 7.2 | 7.3 |
| 21 | 7.6 | 7.5 | 7.5 | 7.4 | 7.3 | 7.3 | 7.4 | 7.3 | 7.3 | 7.3 | 7.2 | 7.3 |
| 22 | 7.5 | 7.3 | 7.4 | 7.5 | 7.3 | 7.4 | 7.5 | 7.3 | 7.3 | 7.4 | 7.2 | 7.2 |
| 23 | 7.8 | 7.4 | 7.5 | 7.4 | 7.2 | 7.3 | 7.4 | 7.2 | 7.3 | 7.3 | 7.2 | 7.2 |
| 24 | 7.4 | 7.4 | 7.4 | 7.4 | 7.2 | 7.3 | 7.4 | 7.2 | 7.3 | 7.2 | 7.2 | 7.2 |
| 25 | 7.4 | 7.3 | 7.4 | 7.5 | 7.3 | 7.3 | 7.4 | 7.2 | 7.3 | 7.2 | 7.2 | 7.2 |
| 26 | 7.5 | 7.4 | 7.4 | 7.4 | 7.3 | 7.3 | 7.4 | 7.2 | 7.3 | 7.3 | 7.2 | 7.2 |
| 27 | 7.4 | 7.3 | 7.4 | 7.4 | 7.2 | 7.3 | 7.3 | 7.2 | 7.3 | 7.3 | 7.2 | 7.3 |
| 28 | 7.4 | 7.3 | 7.4 | 7.4 | 7.2 | 7.3 | 7.3 | 7.2 | 7.2 | 7.3 | 7.2 | 7.3 |
| 29 | 7.4 | 7.4 | 7.4 | 7.4 | 7.3 | 7.3 | 7.4 | 7.2 | 7.3 | 7.4 | 7.3 | 7.3 |
| 30 | 7.5 | 7.4 | 7.4 | 7.4 | 7.3 | 7.3 | 7.3 | 7.3 | 7.3 | 7.3 | 7.3 | 7.3 |
| 31 | --- | --- | --- | 7.4 | 7.3 | 7.3 | 7.4 | 7.3 | 7.3 | --- | --- | --- |
| MONTH | 8.2 | 7.3 | 7.5 | 7.7 | 7.2 | 7.5 | 7.6 | 7.2 | 7.3 | 7.4 | 7.1 | 7.3 |
| YEAR | 8.4 | 7.0 | 7.5 | | | | | | | | | |

03099510 MAHONING RIVER AT OHIO-PENNSYLVANIA STATE LINE, BELOW LOWELLVILLE, OH--Continued

TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|---------|------|------|----------|------|------|----------|-----|-----|---------|-----|-----|------|
| OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | | |
| 1 | 23.5 | 22.5 | 23.0 | 16.0 | 15.5 | 16.0 | 7.0 | 6.5 | 7.0 | 3.5 | 2.0 | 2.5 |
| 2 | 22.5 | 21.5 | 22.0 | 17.0 | 16.0 | 16.5 | 6.5 | 5.5 | 6.0 | 5.0 | 3.5 | 4.5 |
| 3 | 23.5 | 22.0 | 23.0 | 17.0 | 15.5 | 16.5 | 6.0 | 5.5 | 6.0 | 5.0 | 4.5 | 5.0 |
| 4 | 23.5 | 22.5 | 23.0 | 15.5 | 14.5 | 14.5 | 5.5 | 5.0 | 5.5 | 5.5 | 4.5 | 5.0 |
| 5 | 24.0 | 21.5 | 23.0 | 14.5 | 13.5 | 14.0 | 5.5 | 5.0 | 5.0 | 5.5 | 5.5 | 5.5 |
| 6 | 22.0 | 21.0 | 21.5 | 13.5 | 13.5 | 13.5 | 6.0 | 5.0 | 5.5 | 5.5 | 4.5 | 5.0 |
| 7 | 22.0 | 20.5 | 21.0 | --- | --- | --- | 5.5 | 5.5 | 5.5 | 4.0 | 3.5 | 4.0 |
| 8 | 22.0 | 20.0 | 21.0 | --- | --- | --- | 5.5 | 4.5 | 5.0 | 4.5 | 3.0 | 3.5 |
| 9 | 21.0 | 19.5 | 20.5 | 14.5 | 14.0 | 14.0 | 5.0 | 4.5 | 4.5 | 4.5 | 4.0 | 4.0 |
| 10 | 19.5 | 18.0 | 19.0 | 14.5 | 14.0 | 14.5 | 5.0 | 4.5 | 5.0 | 4.5 | 4.0 | 4.5 |
| 11 | 20.5 | 19.0 | 19.5 | 14.5 | 12.0 | 14.0 | 5.5 | 5.0 | 5.0 | 4.0 | 3.0 | 3.5 |
| 12 | 20.0 | 19.5 | 20.0 | 12.0 | 10.0 | 11.0 | 5.5 | 5.5 | 5.5 | 3.5 | 3.0 | 3.5 |
| 13 | --- | --- | --- | 10.0 | 9.0 | 9.5 | 5.5 | 5.5 | 5.5 | 5.5 | 3.5 | 4.5 |
| 14 | --- | --- | --- | 8.5 | 7.5 | 8.5 | 6.0 | 5.5 | 6.0 | 6.5 | 5.5 | 6.0 |
| 15 | --- | --- | --- | 8.5 | 7.5 | 8.0 | 6.0 | 5.5 | 6.0 | 5.5 | 4.0 | 5.0 |
| 16 | --- | --- | --- | 9.0 | 8.0 | 8.5 | 5.5 | 4.5 | 5.5 | 5.0 | 4.0 | 4.5 |
| 17 | --- | --- | --- | 8.5 | 7.5 | 8.0 | 4.5 | 3.5 | 4.0 | 5.0 | 4.0 | 4.5 |
| 18 | --- | --- | --- | 7.0 | 6.5 | 7.0 | 4.0 | 3.5 | 3.5 | 4.5 | 4.5 | 4.5 |
| 19 | --- | --- | --- | 7.5 | 7.0 | 7.0 | 3.5 | 3.0 | 3.0 | --- | --- | --- |
| 20 | --- | --- | --- | 9.0 | 7.5 | 8.5 | 3.0 | 2.5 | 2.5 | --- | --- | --- |
| 21 | --- | --- | --- | 10.0 | 9.0 | 9.5 | 2.5 | 2.0 | 2.0 | --- | --- | --- |
| 22 | --- | --- | --- | 10.5 | 9.0 | 10.0 | 3.0 | 2.5 | 3.0 | --- | --- | --- |
| 23 | --- | --- | --- | 11.0 | 10.0 | 10.5 | 2.5 | 1.5 | 2.0 | --- | --- | --- |
| 24 | 16.5 | 16.5 | 16.5 | 11.0 | 9.5 | 10.5 | 2.0 | .5 | 1.0 | --- | --- | --- |
| 25 | 17.0 | 16.5 | 16.5 | 9.5 | 8.0 | 9.0 | .5 | .0 | .5 | 7.5 | 6.5 | 7.0 |
| 26 | 16.5 | 15.5 | 16.0 | 8.5 | 8.0 | 8.0 | 2.0 | .5 | 1.0 | 6.5 | 5.0 | 5.5 |
| 27 | --- | --- | --- | 8.0 | 7.5 | 8.0 | 3.5 | 2.0 | 2.5 | 5.0 | 4.0 | 4.5 |
| 28 | --- | --- | --- | 11.0 | 8.0 | 9.5 | 4.0 | 3.0 | 3.5 | 4.5 | 3.5 | 4.0 |
| 29 | --- | --- | --- | 10.0 | 8.5 | 9.0 | 3.5 | 2.5 | 3.0 | 5.0 | 4.5 | 4.5 |
| 30 | --- | --- | --- | 8.5 | 7.0 | 8.0 | 2.5 | 2.0 | 2.5 | 5.0 | 4.5 | 5.0 |
| 31 | --- | --- | --- | --- | --- | --- | 2.0 | 1.0 | 1.5 | 5.0 | 4.5 | 5.0 |
| MONTH | 24.0 | 15.5 | 20.5 | 17.0 | 6.5 | 11.0 | 7.0 | .0 | 4.0 | 7.5 | 2.0 | 4.5 |

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|-----|-----|-------|-----|-----|-------|------|------|------|------|------|------|
| FEBRUARY | | | MARCH | | | APRIL | | | MAY | | | |
| 1 | 5.5 | 4.5 | 5.0 | 6.5 | 4.5 | 5.5 | 6.5 | 4.5 | 5.5 | 18.0 | 16.5 | 17.0 |
| 2 | 5.5 | 4.5 | 5.0 | 8.0 | 4.5 | 6.0 | 7.0 | 6.0 | 6.5 | 18.0 | 16.0 | 17.0 |
| 3 | 6.0 | 5.5 | 5.5 | 5.0 | 3.5 | 4.5 | 7.5 | 6.5 | 7.0 | 16.5 | 15.0 | 15.5 |
| 4 | 6.0 | 5.0 | 5.5 | 5.0 | 3.5 | 4.5 | 8.5 | 7.5 | 8.0 | 15.5 | 14.5 | 15.0 |
| 5 | 5.0 | 4.0 | 4.5 | 5.5 | 5.0 | 5.0 | 9.0 | 8.5 | 8.5 | 15.0 | 12.5 | 13.5 |
| 6 | 4.0 | 3.5 | 3.5 | 4.5 | 4.0 | 4.0 | 8.5 | 7.5 | 8.0 | 14.0 | 12.0 | 13.0 |
| 7 | 3.5 | 2.5 | 3.0 | 4.0 | 3.0 | 3.5 | 7.5 | 7.0 | 7.0 | 14.5 | 13.0 | 13.5 |
| 8 | 3.5 | 2.5 | 3.0 | 3.0 | 2.0 | 2.5 | 7.5 | 6.5 | 7.0 | 15.0 | 13.0 | 14.0 |
| 9 | 5.5 | 3.0 | 4.0 | 3.0 | 1.0 | 2.0 | 9.0 | 7.5 | 8.5 | 13.0 | 12.0 | 12.5 |
| 10 | 7.5 | 5.5 | 6.5 | 3.5 | 2.0 | 3.0 | 10.5 | 8.5 | 9.5 | 12.5 | 11.0 | 12.0 |
| 11 | 8.0 | 7.0 | 7.5 | 4.0 | 2.5 | 3.0 | 11.0 | 9.0 | 10.0 | 14.0 | 12.5 | 13.0 |
| 12 | 6.5 | 4.0 | 5.0 | 4.0 | 2.5 | 3.5 | 13.0 | 10.0 | 11.5 | 15.5 | 14.0 | 15.0 |
| 13 | 4.0 | 3.5 | 3.5 | 4.5 | 3.5 | 4.0 | 14.5 | 12.5 | 13.5 | 15.5 | 15.0 | 15.0 |
| 14 | 4.0 | 3.5 | 3.5 | 5.0 | 3.5 | 4.0 | 14.0 | 13.5 | 14.0 | 14.5 | 14.0 | 14.0 |
| 15 | 4.0 | 3.5 | 3.5 | 6.0 | 4.0 | 5.0 | 13.5 | 12.5 | 13.0 | 14.0 | 13.5 | 13.5 |
| 16 | 5.0 | 3.5 | 4.5 | 5.5 | 3.0 | 4.5 | 14.0 | 13.0 | 13.5 | 14.0 | 13.0 | 13.5 |
| 17 | 6.0 | 5.0 | 5.5 | 3.0 | 2.0 | 2.5 | 13.5 | 12.0 | 13.0 | 14.5 | 13.0 | 13.5 |
| 18 | 6.5 | 6.5 | 6.5 | 2.5 | 2.0 | 2.0 | 12.0 | 11.5 | 12.0 | 14.5 | 13.5 | 14.0 |
| 19 | 7.5 | 6.5 | 7.0 | 3.5 | 2.0 | 2.5 | 12.0 | 11.5 | 11.5 | 16.0 | 14.0 | 15.0 |
| 20 | 7.0 | 6.0 | 6.5 | 5.5 | 3.0 | 4.0 | 12.0 | 11.0 | 11.5 | 16.0 | 15.5 | 15.5 |
| 21 | 6.5 | 6.0 | 6.0 | 5.5 | 5.0 | 5.5 | 12.5 | 10.5 | 11.5 | 16.0 | 15.0 | 15.5 |
| 22 | 7.0 | 5.5 | 6.5 | 5.0 | 3.5 | 4.0 | 11.5 | 10.5 | 11.0 | 17.5 | 15.5 | 16.5 |
| 23 | 8.0 | 6.0 | 7.0 | 3.5 | 3.0 | 3.5 | 12.0 | 11.0 | 11.5 | 18.0 | 17.5 | 17.5 |
| 24 | 8.5 | 7.0 | 8.0 | 4.0 | 3.0 | 3.5 | 11.0 | 10.0 | 10.5 | 18.5 | 17.5 | 18.0 |
| 25 | 8.5 | 7.0 | 7.5 | 5.0 | 4.0 | 4.5 | 11.0 | 9.5 | 10.5 | 18.5 | 17.5 | 18.0 |
| 26 | 9.0 | 7.5 | 8.0 | 6.5 | 5.0 | 6.0 | 13.0 | 10.5 | 11.5 | 18.5 | 18.0 | 18.5 |
| 27 | 8.0 | 6.5 | 7.5 | 6.5 | 6.0 | 6.0 | 14.5 | 12.5 | 13.5 | 19.0 | 18.0 | 18.5 |
| 28 | 6.5 | 5.0 | 6.0 | 6.5 | 5.5 | 6.0 | 17.0 | 14.5 | 16.0 | 18.5 | 16.5 | 17.5 |
| 29 | 5.5 | 5.0 | 5.5 | 5.5 | 4.0 | 5.0 | 18.5 | 16.0 | 17.5 | 16.5 | 15.5 | 16.0 |
| 30 | --- | --- | --- | 4.0 | 3.5 | 3.5 | 19.5 | 17.5 | 18.5 | 15.5 | 15.0 | 15.5 |
| 31 | --- | --- | --- | 5.0 | 3.5 | 4.5 | --- | --- | --- | 17.0 | 15.0 | 15.5 |
| MONTH | 9.0 | 2.5 | 5.5 | 8.0 | 1.0 | 4.0 | 19.5 | 4.5 | 11.0 | 19.0 | 11.0 | 15.0 |

BEAVER RIVER BASIN

03099510 MAHONING RIVER AT OHIO-PENNSYLVANIA STATE LINE, BELOW LOWELLVILLE, OH--Continued
TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|------|------|------|------|--------|------|------|-----------|------|------|------|
| JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | | |
| 1 | 18.5 | 16.0 | 17.0 | 26.5 | 25.5 | 26.0 | 28.0 | 25.5 | 26.5 | 23.5 | 22.5 | 23.0 |
| 2 | 20.0 | 17.0 | 18.5 | 26.0 | 24.5 | 25.0 | 28.0 | 27.0 | 27.5 | 24.0 | 22.5 | 23.5 |
| 3 | 21.5 | 19.5 | 20.5 | 27.5 | 24.5 | 26.0 | 26.5 | 23.5 | 25.5 | 24.0 | 23.5 | 23.5 |
| 4 | 22.5 | 19.5 | 21.0 | 26.5 | 25.0 | 25.5 | 25.5 | 23.5 | 24.5 | 24.5 | 23.5 | 24.0 |
| 5 | 24.0 | 21.0 | 22.5 | 25.0 | 23.0 | 24.5 | 25.0 | 24.0 | 24.5 | 23.5 | 22.5 | 23.0 |
| 6 | 24.5 | 22.0 | 23.5 | 24.5 | 23.5 | 24.0 | 25.5 | 24.0 | 24.5 | 23.0 | 21.5 | 22.5 |
| 7 | 24.5 | 22.5 | 23.5 | 24.0 | 23.0 | 23.5 | 27.0 | 25.5 | 26.5 | 23.5 | 21.5 | 22.5 |
| 8 | 25.0 | 22.5 | 23.5 | 24.0 | 22.0 | 23.0 | 27.5 | 26.5 | 27.0 | 24.0 | 22.0 | 23.0 |
| 9 | 26.0 | 23.5 | 25.0 | 23.5 | 22.0 | 22.5 | 28.5 | 27.0 | 27.5 | 24.0 | 22.5 | 23.0 |
| 10 | 27.0 | 24.5 | 26.0 | 23.5 | 21.5 | 22.5 | 29.5 | 27.0 | 28.0 | 23.5 | 23.0 | 23.0 |
| 11 | 28.0 | 26.0 | 27.0 | 24.0 | 22.5 | 23.5 | 27.0 | 24.5 | 26.0 | 24.5 | 23.0 | 24.0 |
| 12 | 28.0 | 25.0 | 26.5 | 25.5 | 23.0 | 24.0 | 24.5 | 24.0 | 24.0 | 25.0 | 23.5 | 24.5 |
| 13 | 28.0 | 26.5 | 27.0 | 26.5 | 24.0 | 25.5 | 25.0 | 23.5 | 24.0 | 25.5 | 23.5 | 24.5 |
| 14 | 27.0 | 25.0 | 26.5 | 28.0 | 25.5 | 26.5 | 26.5 | 24.0 | 25.0 | 25.0 | 22.5 | 23.5 |
| 15 | 26.5 | 25.0 | 26.0 | 27.5 | 25.5 | 26.5 | 28.0 | 26.0 | 27.0 | 22.5 | 21.5 | 22.0 |
| 16 | 25.5 | 24.0 | 25.0 | 27.5 | 25.5 | 26.5 | 28.5 | 26.0 | 27.0 | 22.0 | 21.0 | 21.5 |
| 17 | 25.0 | 23.5 | 24.5 | 28.5 | 26.0 | 27.0 | 28.5 | 26.5 | 27.5 | 21.5 | 20.0 | 20.5 |
| 18 | 25.0 | 22.5 | 24.0 | 26.5 | 24.5 | 25.0 | 28.0 | 26.0 | 27.0 | 21.5 | 19.5 | 20.5 |
| 19 | 24.5 | 22.0 | 23.0 | 25.5 | 24.0 | 24.5 | 25.5 | 23.5 | 24.0 | 22.0 | 20.0 | 21.0 |
| 20 | 24.0 | 23.0 | 23.5 | 25.5 | 23.5 | 24.5 | 25.0 | 23.0 | 24.0 | 22.5 | 20.5 | 21.5 |
| 21 | 24.5 | 22.5 | 23.5 | 26.0 | 24.0 | 25.0 | 26.0 | 23.5 | 24.5 | 23.0 | 21.5 | 22.5 |
| 22 | 25.5 | 23.0 | 24.5 | 26.5 | 24.0 | 25.5 | 25.5 | 24.0 | 25.0 | 23.5 | 21.5 | 22.5 |
| 23 | 25.0 | 24.0 | 24.5 | 28.0 | 25.0 | 26.5 | 26.0 | 24.5 | 25.0 | 23.5 | 23.0 | 23.0 |
| 24 | 25.5 | 23.5 | 24.5 | 28.0 | 26.5 | 27.0 | 25.0 | 24.0 | 24.5 | 24.0 | 23.0 | 23.5 |
| 25 | 25.0 | 22.5 | 23.5 | 27.0 | 25.0 | 26.0 | 25.0 | 23.0 | 24.0 | 24.5 | 23.0 | 23.5 |
| 26 | 26.0 | 22.5 | 24.5 | 25.5 | 24.5 | 25.0 | 25.5 | 23.5 | 24.5 | 24.0 | 22.0 | 23.0 |
| 27 | 25.0 | 24.5 | 25.0 | 25.5 | 22.5 | 24.5 | 25.5 | 23.5 | 24.5 | 22.0 | 20.5 | 21.0 |
| 28 | 26.5 | 24.0 | 25.0 | 25.0 | 23.0 | 24.0 | 26.0 | 24.5 | 25.5 | 20.5 | 19.0 | 19.5 |
| 29 | 27.0 | 24.5 | 25.5 | 24.5 | 23.0 | 23.5 | 25.5 | 22.5 | 24.5 | 19.0 | 18.0 | 18.5 |
| 30 | 27.0 | 25.5 | 26.0 | 25.0 | 22.5 | 23.5 | 25.0 | 23.0 | 24.0 | 19.0 | 18.0 | 18.5 |
| 31 | --- | --- | --- | 25.5 | 23.0 | 24.0 | 24.0 | 23.0 | 23.5 | --- | --- | --- |
| MONTH | 28.0 | 16.0 | 24.0 | 28.5 | 21.5 | 25.0 | 29.5 | 22.5 | 25.5 | 25.5 | 18.0 | 22.5 |
| YEAR | 29.5 | .0 | 14.5 | | | | | | | | | |

OXYGEN, DISSOLVED (DO), MG/L, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|---------|-----|-----|----------|------|------|----------|------|------|---------|------|------|------|
| OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | | |
| 1 | 4.5 | 3.2 | 3.8 | --- | --- | --- | 12.0 | 11.7 | 11.9 | 12.8 | 12.6 | 12.7 |
| 2 | 6.0 | 3.6 | 4.4 | 7.9 | 7.0 | 7.3 | 12.2 | 11.9 | 12.2 | 12.5 | 11.9 | 12.2 |
| 3 | 5.7 | 3.1 | 4.0 | 8.4 | 6.6 | 7.6 | 12.3 | 12.0 | 12.2 | 12.1 | 11.7 | 11.9 |
| 4 | 5.4 | 3.1 | 3.6 | 8.9 | 8.0 | 8.5 | 12.2 | 11.9 | 12.0 | 11.9 | 11.5 | 11.8 |
| 5 | 5.6 | 3.3 | 4.4 | 9.6 | 8.2 | 9.1 | 12.3 | 12.1 | 12.2 | 11.7 | 11.5 | 11.6 |
| 6 | 7.8 | 4.8 | 6.3 | 9.4 | 9.0 | 9.2 | 12.3 | 12.0 | 12.2 | 11.8 | 11.4 | 11.6 |
| 7 | 8.2 | 6.4 | 7.2 | --- | --- | --- | 12.5 | 12.1 | 12.3 | 12.2 | 11.7 | 12.0 |
| 8 | 8.6 | 6.8 | 7.5 | --- | --- | --- | 12.8 | 12.4 | 12.6 | 12.2 | 11.8 | 12.0 |
| 9 | 7.7 | 6.8 | 7.3 | 9.9 | 8.8 | 9.4 | 12.8 | 12.7 | 12.8 | 12.0 | 11.6 | 11.8 |
| 10 | 8.7 | 7.2 | 7.9 | 9.1 | 8.2 | 8.7 | 12.9 | 12.8 | 12.8 | 11.7 | 11.5 | 11.6 |
| 11 | 8.5 | 7.0 | 7.6 | 9.5 | 8.2 | 8.8 | 12.9 | 12.7 | 12.8 | 11.7 | 11.3 | 11.4 |
| 12 | 7.3 | 6.4 | 6.9 | 11.1 | 9.8 | 10.7 | 12.6 | 12.3 | 12.5 | 11.3 | 11.0 | 11.1 |
| 13 | --- | --- | --- | 11.7 | 10.9 | 11.5 | 12.4 | 12.0 | 12.3 | 11.0 | 10.5 | 10.8 |
| 14 | --- | --- | --- | 12.5 | 11.6 | 12.0 | 12.2 | 12.0 | 12.2 | 10.4 | 9.8 | 10.1 |
| 15 | --- | --- | --- | 12.2 | 11.6 | 12.0 | 12.2 | 12.1 | 12.2 | 10.0 | 9.7 | 9.8 |
| 16 | --- | --- | --- | 12.0 | 11.6 | 11.8 | 12.5 | 12.3 | 12.4 | 10.2 | 9.9 | 10.0 |
| 17 | --- | --- | --- | 12.3 | 11.6 | 12.0 | 12.9 | 12.6 | 12.8 | 10.3 | 9.5 | 9.9 |
| 18 | --- | --- | --- | 12.9 | 12.3 | 12.7 | 13.0 | 12.9 | 12.9 | 10.3 | 9.3 | 9.9 |
| 19 | --- | --- | --- | 13.0 | 12.8 | 12.9 | 13.2 | 12.9 | 13.1 | 10.9 | 7.5 | 9.6 |
| 20 | --- | --- | --- | 12.7 | 12.0 | 12.4 | 13.3 | 13.1 | 13.2 | 11.3 | 10.5 | 11.0 |
| 21 | --- | --- | --- | 12.2 | 11.9 | 12.0 | 13.3 | 13.1 | 13.2 | --- | --- | --- |
| 22 | --- | --- | --- | 12.1 | 11.6 | 11.9 | 13.1 | 12.8 | 12.9 | 11.4 | 9.6 | 10.0 |
| 23 | --- | --- | --- | 11.8 | 11.3 | 11.6 | 13.1 | 12.9 | 13.0 | 12.5 | 11.7 | 12.4 |
| 24 | 9.0 | 8.4 | 8.8 | 11.5 | 11.2 | 11.4 | 13.1 | 12.9 | 13.0 | --- | --- | --- |
| 25 | 8.7 | 8.1 | 8.3 | 12.1 | 11.5 | 11.8 | 13.0 | 12.9 | 12.9 | 11.4 | 10.9 | 11.2 |
| 26 | 8.6 | 7.9 | 8.2 | 11.9 | 11.4 | 11.6 | 12.9 | 12.6 | 12.8 | 12.0 | 11.2 | 11.8 |
| 27 | 8.0 | 7.9 | 8.0 | 11.6 | 11.3 | 11.4 | 12.7 | 12.3 | 12.5 | 12.2 | 11.7 | 12.0 |
| 28 | --- | --- | --- | 11.8 | 10.4 | 11.2 | 12.3 | 11.9 | 12.2 | 12.0 | 11.5 | 11.9 |
| 29 | --- | --- | --- | 11.3 | 10.4 | 10.9 | 12.7 | 12.2 | 12.5 | 11.7 | 11.1 | 11.3 |
| 30 | --- | --- | --- | 11.7 | 11.3 | 11.6 | 12.9 | 12.4 | 12.7 | 11.1 | 10.4 | 10.7 |
| 31 | --- | --- | --- | --- | --- | --- | 13.1 | 12.7 | 12.9 | 10.6 | 10.0 | 10.4 |
| MONTH | 9.0 | 3.1 | 6.5 | 13.0 | 6.6 | 10.8 | 13.3 | 11.7 | 12.6 | 12.8 | 7.5 | 11.2 |

OXYGEN, DISSOLVED (DO), MG/L, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|------|------|------|-------|------|------|--------|------|------|-----------|------|------|
| FEBRUARY | | | | MARCH | | | APRIL | | | MAY | | |
| 1 | 10.5 | 9.9 | 10.2 | 11.6 | 11.1 | 11.3 | 12.8 | 12.3 | 12.6 | 9.7 | 8.5 | 9.1 |
| 2 | 10.5 | 9.8 | 10.3 | 13.2 | 10.9 | 12.3 | 12.6 | 12.2 | 12.5 | 9.8 | 8.6 | 9.1 |
| 3 | 10.7 | 9.7 | 10.2 | 12.9 | 12.6 | 12.7 | 12.6 | 12.0 | 12.4 | 9.3 | 8.4 | 8.8 |
| 4 | 11.2 | 10.5 | 10.9 | 12.6 | 11.8 | 12.2 | 12.3 | 11.6 | 12.1 | 9.8 | 8.5 | 9.3 |
| 5 | 11.8 | 11.1 | 11.4 | 12.2 | 11.4 | 11.9 | 11.9 | 11.7 | 11.8 | 10.7 | 9.3 | 10.2 |
| 6 | 11.9 | 11.4 | 11.7 | 13.2 | 12.5 | 12.8 | 12.0 | 11.7 | 11.8 | 11.0 | 10.5 | 10.8 |
| 7 | 12.0 | 11.4 | 11.8 | 13.6 | 12.8 | 13.3 | 12.3 | 11.8 | 12.1 | 10.6 | 10.0 | 10.4 |
| 8 | 11.9 | 11.4 | 11.7 | 13.8 | 13.1 | 13.5 | 12.7 | 12.3 | 12.5 | 10.1 | 9.7 | 9.9 |
| 9 | 11.5 | 10.7 | 11.1 | 13.9 | 13.3 | 13.6 | 12.6 | 12.0 | 12.3 | 10.4 | 9.7 | 10.0 |
| 10 | 10.6 | 9.8 | 10.3 | 13.5 | 13.1 | 13.3 | 12.3 | 11.8 | 12.0 | 10.4 | 10.0 | 10.3 |
| 11 | 10.8 | 9.9 | 10.3 | 13.2 | 12.8 | 13.1 | 12.1 | 11.4 | 11.8 | 10.3 | 9.8 | 10.1 |
| 12 | 12.3 | 10.7 | 11.8 | 13.1 | 12.6 | 12.8 | 11.7 | 10.2 | 11.1 | 9.7 | 9.3 | 9.5 |
| 13 | 12.4 | 12.1 | 12.3 | 12.8 | 12.5 | 12.6 | 10.4 | 9.8 | 10.0 | 9.4 | 9.2 | 9.3 |
| 14 | 12.3 | 11.8 | 12.0 | 13.4 | 12.4 | 13.0 | 10.2 | 9.2 | 9.7 | 10.1 | 8.8 | 9.8 |
| 15 | 13.3 | 11.9 | 12.6 | 12.9 | 12.1 | 12.7 | 10.8 | 9.7 | 10.2 | 10.3 | 10.0 | 10.1 |
| 16 | 13.4 | 13.0 | 13.2 | 13.4 | 11.9 | 12.8 | 10.2 | 9.3 | 9.8 | 10.5 | 10.1 | 10.3 |
| 17 | 13.1 | 12.5 | 12.9 | 13.8 | 13.4 | 13.6 | 10.5 | 9.7 | 10.0 | 10.5 | 10.2 | 10.4 |
| 18 | 12.8 | 12.4 | 12.6 | 13.7 | 13.4 | 13.6 | 10.9 | 10.0 | 10.4 | 10.3 | 9.6 | 10.1 |
| 19 | 12.6 | 12.4 | 12.5 | 13.8 | 13.1 | 13.6 | 10.8 | 10.3 | 10.5 | 9.9 | 9.3 | 9.7 |
| 20 | 12.6 | 12.1 | 12.5 | 13.6 | 12.6 | 13.4 | 10.9 | 10.1 | 10.5 | 9.6 | 9.0 | 9.4 |
| 21 | 12.7 | 12.2 | 12.5 | 13.1 | 12.6 | 12.8 | 10.8 | 10.1 | 10.5 | 9.7 | 9.1 | 9.6 |
| 22 | 12.9 | 12.0 | 12.5 | 12.9 | 12.5 | 12.6 | 10.3 | 9.9 | 10.2 | 9.8 | 9.4 | 9.5 |
| 23 | 12.3 | 11.5 | 12.0 | 13.3 | 12.8 | 13.1 | 10.4 | 9.8 | 10.0 | 9.3 | 8.6 | 9.0 |
| 24 | 11.7 | 11.0 | 11.5 | 13.6 | 13.2 | 13.4 | 11.0 | 9.9 | 10.6 | 9.0 | 8.6 | 8.8 |
| 25 | 11.5 | 10.6 | 11.1 | 13.5 | 12.8 | 13.3 | 11.6 | 10.9 | 11.4 | 8.8 | 8.6 | 8.7 |
| 26 | 11.2 | 10.7 | 11.0 | 13.5 | 12.9 | 13.2 | 11.5 | 10.7 | 11.2 | 8.8 | 8.5 | 8.7 |
| 27 | 11.0 | 10.5 | 10.8 | 13.2 | 12.3 | 12.7 | 10.8 | 9.9 | 10.5 | 8.9 | 8.7 | 8.8 |
| 28 | 11.4 | 10.6 | 10.9 | 12.3 | 12.1 | 12.2 | 10.1 | 9.0 | 9.7 | 9.1 | 8.6 | 8.9 |
| 29 | 11.5 | 10.8 | 11.2 | 12.3 | 12.1 | 12.3 | 10.0 | 8.4 | 9.2 | 9.2 | 8.8 | 9.0 |
| 30 | --- | --- | --- | 12.6 | 12.3 | 12.5 | 9.4 | 8.1 | 8.6 | 9.4 | 9.2 | 9.3 |
| 31 | --- | --- | --- | 12.8 | 12.5 | 12.6 | --- | --- | --- | 9.5 | 9.0 | 9.3 |
| MONTH | 13.4 | 9.7 | 11.6 | 13.9 | 10.9 | 12.9 | 12.8 | 8.1 | 10.9 | 11.0 | 8.4 | 9.6 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| JUNE | | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | 9.1 | 8.6 | 8.9 | 6.6 | 5.2 | 5.8 | 7.0 | 4.5 | 5.8 | 7.1 | 6.1 | 6.5 |
| 2 | 8.9 | 8.3 | 8.7 | 6.3 | 5.3 | 5.8 | 6.7 | 4.6 | 5.5 | 6.6 | 5.8 | 6.2 |
| 3 | 8.2 | 7.8 | 8.0 | 6.9 | 5.0 | 5.9 | 7.2 | 5.0 | 6.1 | 6.3 | 5.1 | 5.7 |
| 4 | 7.8 | 7.1 | 7.6 | 6.5 | 5.1 | 5.6 | 7.5 | 6.2 | 7.0 | 6.6 | 5.4 | 5.9 |
| 5 | 7.8 | 6.7 | 7.3 | 6.5 | 5.3 | 5.9 | 7.4 | 6.2 | 6.8 | 6.3 | 5.0 | 5.7 |
| 6 | 7.1 | 6.4 | 6.6 | 6.1 | 5.2 | 5.6 | 7.6 | 6.3 | 6.6 | 6.2 | 5.1 | 5.7 |
| 7 | 7.3 | 6.4 | 6.9 | 6.7 | 5.5 | 6.1 | 6.5 | 5.3 | 5.7 | 6.2 | 5.0 | 5.6 |
| 8 | 7.1 | 6.4 | 6.7 | 6.4 | 5.5 | 6.0 | 6.3 | 4.7 | 5.4 | 6.8 | 5.0 | 5.8 |
| 9 | 6.7 | 5.7 | 6.1 | 6.4 | 5.2 | 5.8 | 6.5 | 4.6 | 5.5 | 6.3 | 5.0 | 5.6 |
| 10 | 6.7 | 5.3 | 5.9 | 6.0 | 4.8 | 5.5 | 7.8 | 5.0 | 6.1 | 5.7 | 4.7 | 5.1 |
| 11 | 6.6 | 5.1 | 5.7 | 6.7 | 5.4 | 5.7 | 7.1 | 5.2 | 6.2 | 5.4 | 4.2 | 4.8 |
| 12 | 7.4 | 4.6 | 5.8 | 7.0 | 5.0 | 6.2 | 7.3 | 6.0 | 6.7 | 5.3 | 3.8 | 4.5 |
| 13 | 6.2 | 4.5 | 5.3 | 7.5 | 4.0 | 5.8 | 7.3 | 6.1 | 6.4 | 7.2 | 3.3 | 5.2 |
| 14 | 6.6 | 4.5 | 5.6 | 7.4 | 5.4 | 6.5 | 6.9 | 5.5 | 6.1 | 7.2 | 5.1 | 6.3 |
| 15 | 6.8 | 4.9 | 5.7 | 6.1 | 4.0 | 4.9 | 7.3 | 5.1 | 6.0 | 7.3 | 6.3 | 6.8 |
| 16 | 6.5 | 5.0 | 5.8 | 6.4 | 3.9 | 5.1 | 7.4 | 4.8 | 5.9 | 7.3 | 6.2 | 6.8 |
| 17 | 6.0 | 5.2 | 5.6 | 7.4 | 4.1 | 5.4 | 6.7 | 4.7 | 5.5 | 7.6 | 6.0 | 6.8 |
| 18 | 6.9 | 5.1 | 5.7 | 8.1 | 5.0 | 6.3 | 8.9 | 4.6 | 5.8 | 7.8 | 6.4 | 7.0 |
| 19 | 7.4 | 6.5 | 7.0 | 7.4 | 5.5 | 6.4 | 9.4 | 4.8 | 6.4 | 7.4 | 6.3 | 6.8 |
| 20 | 7.4 | 6.8 | 7.1 | 7.8 | 5.5 | 6.2 | 7.9 | 5.1 | 6.4 | 7.5 | 6.0 | 6.6 |
| 21 | 7.3 | 6.3 | 7.0 | 7.7 | 5.5 | 6.6 | 7.5 | 4.8 | 6.1 | 7.0 | 5.8 | 6.3 |
| 22 | 6.5 | 5.6 | 6.1 | 7.8 | 5.8 | 6.6 | 7.7 | 5.1 | 6.1 | 6.9 | 5.7 | 6.2 |
| 23 | 6.2 | 5.2 | 5.8 | 7.9 | 5.5 | 6.4 | 7.3 | 4.7 | 6.0 | 6.3 | 5.2 | 5.8 |
| 24 | 6.2 | 5.3 | 5.8 | 7.5 | 4.7 | 6.0 | 6.2 | 4.9 | 5.6 | 5.8 | 5.0 | 5.3 |
| 25 | 6.3 | 5.6 | 5.9 | 7.7 | 5.0 | 6.2 | 6.7 | 4.9 | 5.8 | 6.2 | 4.8 | 5.3 |
| 26 | 7.1 | 5.1 | 6.0 | 7.2 | 5.3 | 6.1 | 6.6 | 4.8 | 5.6 | 6.6 | 5.1 | 5.8 |
| 27 | 6.0 | 4.8 | 5.4 | 7.5 | 5.3 | 6.4 | 7.1 | 4.8 | 6.0 | 6.8 | 5.5 | 6.2 |
| 28 | 6.4 | 4.7 | 5.6 | 7.5 | 5.8 | 6.6 | 6.8 | 5.0 | 5.8 | 6.9 | 6.0 | 6.5 |
| 29 | 6.6 | 4.8 | 5.6 | 7.8 | 5.9 | 6.7 | 7.0 | 4.6 | 5.7 | 7.1 | 6.2 | 6.7 |
| 30 | 6.3 | 4.9 | 5.5 | 7.4 | 5.6 | 6.5 | 6.6 | 5.6 | 6.0 | 7.1 | 6.3 | 6.8 |
| 31 | --- | --- | --- | 7.7 | 5.3 | 6.3 | 7.5 | 6.1 | 6.9 | --- | --- | --- |
| MONTH | 9.1 | 4.5 | 6.4 | 8.1 | 3.9 | 6.0 | 9.4 | 4.5 | 6.1 | 7.8 | 3.3 | 6.0 |
| YEAR | 13.9 | 3.1 | 9.3 | | | | | | | | | |

BEAVER RIVER BASIN

03099510 MAHONING RIVER AT OHIO-PENNSYLVANIA STATE LINE, BELOW LOWELLVILLE, OH--Continued
 SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
 MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 608 | 596 | 386 | 529 | 648 | 636 | 392 | 538 | 424 | 565 | 517 | 480 |
| 2 | 604 | 592 | 417 | 535 | 674 | 554 | 401 | 550 | 451 | 550 | 520 | 514 |
| 3 | 592 | 552 | 525 | 534 | 783 | 580 | 418 | 558 | 474 | 542 | 405 | 538 |
| 4 | 590 | 568 | 465 | 529 | 736 | 612 | 426 | 542 | 498 | 540 | 465 | 511 |
| 5 | 532 | 572 | 423 | 530 | 614 | 614 | 438 | 497 | 510 | 521 | 494 | 532 |
| 6 | 514 | 568 | 357 | 537 | 580 | 661 | 426 | 428 | 496 | 538 | 505 | 543 |
| 7 | 518 | --- | 399 | 526 | 560 | 607 | 424 | 436 | 388 | 490 | 530 | 562 |
| 8 | 528 | --- | 442 | 518 | 566 | 573 | 424 | 466 | 416 | 496 | 539 | 498 |
| 9 | 516 | 572 | 449 | 520 | 594 | 574 | 421 | 442 | 440 | 508 | 542 | 463 |
| 10 | 520 | 570 | 504 | 534 | 626 | 588 | 416 | 350 | 503 | 455 | 546 | 459 |
| 11 | 522 | 535 | 503 | 550 | 653 | 595 | 425 | 356 | 538 | 466 | 538 | 464 |
| 12 | 504 | 540 | 449 | 576 | 526 | 604 | 467 | 337 | 592 | 473 | 542 | 468 |
| 13 | --- | 536 | 413 | 608 | 412 | 619 | 502 | 275 | 591 | 498 | 536 | 469 |
| 14 | --- | 523 | 382 | 692 | 422 | 592 | 501 | 314 | 555 | 524 | 533 | 449 |
| 15 | --- | 543 | 431 | 690 | 384 | 652 | 511 | 377 | 568 | 530 | 537 | 438 |
| 16 | --- | 538 | 444 | 672 | 393 | 632 | 542 | 393 | 566 | 533 | 532 | 440 |
| 17 | --- | 520 | 444 | 701 | 423 | 437 | 538 | 412 | 551 | 543 | 526 | 440 |
| 18 | --- | 458 | 444 | 719 | 511 | 360 | 541 | 422 | 532 | 503 | 526 | 442 |
| 19 | --- | 426 | 452 | --- | 522 | 378 | 542 | 430 | 439 | 528 | 451 | 442 |
| 20 | --- | 454 | 453 | --- | 512 | 438 | 549 | 444 | 446 | 506 | 492 | 442 |
| 21 | --- | 478 | 462 | --- | 460 | 449 | 554 | 408 | 467 | 516 | 507 | 443 |
| 22 | --- | 486 | 533 | --- | 468 | 384 | 568 | 366 | 533 | 511 | 528 | 443 |
| 23 | --- | 497 | 490 | --- | 518 | 385 | 572 | 358 | 553 | 506 | 508 | 431 |
| 24 | 540 | 505 | 482 | --- | 544 | 432 | 545 | 377 | 549 | 514 | 517 | 429 |
| 25 | 564 | 511 | 504 | 932 | 553 | 440 | 489 | 365 | 568 | 508 | 522 | 428 |
| 26 | 576 | 540 | 508 | 927 | 598 | 427 | 461 | 386 | 584 | 501 | 520 | 426 |
| 27 | --- | 546 | 496 | 768 | 612 | 404 | 462 | 392 | 590 | 484 | 519 | 440 |
| 28 | --- | 497 | 506 | 616 | 631 | 408 | 456 | 384 | 582 | 494 | 516 | 432 |
| 29 | --- | 465 | 656 | 595 | 628 | 427 | 469 | 392 | 580 | 495 | 484 | 436 |
| 30 | --- | 416 | 607 | 598 | --- | 360 | 485 | 388 | 587 | 518 | 476 | 424 |
| 31 | --- | --- | 543 | 631 | --- | 377 | --- | 401 | --- | 522 | 484 | --- |
| MEAN | 549 | 522 | 470 | 623 | 557 | 510 | 479 | 412 | 519 | 512 | 512 | 464 |

WTR YR 1984 MEAN 507 MAX 932 MIN 275
 PH (STANDARD UNITS), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
 MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 7.2 | 7.3 | 7.5 | 7.7 | 7.2 | 7.5 | 7.6 | 7.6 | 7.7 | 7.4 | 7.3 | 7.3 |
| 2 | 7.2 | 7.3 | 7.6 | 7.7 | 7.3 | 7.8 | 7.6 | 7.6 | 7.7 | 7.6 | 7.3 | 7.3 |
| 3 | 7.2 | 7.3 | 7.7 | 7.6 | 7.3 | 7.7 | 7.6 | 7.6 | 7.6 | 7.6 | 7.3 | 7.3 |
| 4 | 7.2 | 7.3 | 7.7 | 7.6 | 7.4 | 7.6 | 7.6 | 7.6 | 7.6 | 7.6 | 7.4 | 7.3 |
| 5 | 7.2 | 7.3 | 7.7 | 7.5 | 7.4 | 7.6 | 7.6 | 7.6 | 7.6 | 7.6 | 7.4 | 7.3 |
| 6 | 7.3 | 7.4 | 7.5 | 7.5 | 7.4 | 7.8 | 7.5 | 7.7 | 7.5 | 7.6 | 7.4 | 7.3 |
| 7 | 7.3 | --- | 7.5 | 7.6 | 7.4 | 7.8 | 7.5 | 7.6 | 7.4 | 7.6 | 7.3 | 7.2 |
| 8 | 7.3 | --- | 7.6 | 7.6 | 7.4 | 7.8 | 7.6 | 7.6 | 7.4 | 7.6 | 7.3 | 7.3 |
| 9 | 7.3 | 7.4 | 7.6 | 7.5 | 7.2 | 7.8 | 7.6 | 7.7 | 7.4 | 7.6 | 7.3 | 7.3 |
| 10 | 7.3 | 7.3 | 7.7 | 7.5 | 7.2 | 7.8 | 7.5 | 7.7 | 7.4 | 7.6 | 7.4 | 7.2 |
| 11 | 7.3 | 7.3 | 7.8 | 7.4 | 7.4 | 7.7 | 7.6 | 7.7 | 7.5 | 7.7 | 7.4 | 7.2 |
| 12 | 7.2 | 7.6 | 7.8 | 7.4 | 7.5 | 7.7 | 7.6 | 7.7 | 7.4 | 7.7 | 7.4 | 7.2 |
| 13 | --- | 7.6 | 7.6 | 7.5 | 7.4 | 7.7 | 7.5 | 7.6 | 7.4 | 7.6 | 7.4 | 7.2 |
| 14 | --- | 7.6 | 7.6 | 7.4 | 7.5 | 7.8 | 7.4 | 7.7 | 7.4 | 7.6 | 7.3 | 7.3 |
| 15 | --- | 7.6 | 7.6 | 7.4 | 7.5 | 7.8 | 7.5 | 7.7 | 7.4 | 7.6 | 7.3 | 7.3 |
| 16 | --- | 7.6 | 7.7 | 7.4 | 7.4 | 7.7 | 7.4 | 7.7 | 7.4 | 7.6 | 7.3 | 7.3 |
| 17 | --- | 7.6 | 7.7 | 7.5 | 7.4 | 7.8 | 7.4 | 7.7 | 7.4 | 7.6 | 7.3 | 7.3 |
| 18 | --- | 7.6 | 7.7 | 7.5 | 7.5 | 7.6 | 7.4 | 7.7 | 7.4 | 7.6 | 7.4 | 7.2 |
| 19 | --- | 7.6 | 7.7 | 7.6 | 7.5 | 7.6 | 7.4 | 7.7 | 7.5 | 7.3 | 7.4 | 7.2 |
| 20 | --- | 7.6 | 7.7 | --- | 7.5 | 7.7 | 7.4 | 7.7 | 7.5 | 7.3 | 7.3 | 7.3 |
| 21 | --- | 7.6 | 7.6 | --- | 7.5 | 7.7 | 7.4 | 7.7 | 7.5 | 7.3 | 7.3 | 7.3 |
| 22 | --- | 7.6 | 7.6 | --- | 7.5 | 7.7 | 7.3 | 7.7 | 7.5 | 7.4 | 7.3 | 7.2 |
| 23 | --- | 7.6 | 7.7 | --- | 7.6 | 7.6 | 7.3 | 7.7 | 7.4 | 7.3 | 7.3 | 7.2 |
| 24 | 7.4 | 7.6 | 7.7 | --- | 7.6 | 7.7 | 7.7 | 7.7 | 7.4 | 7.3 | 7.3 | 7.2 |
| 25 | 7.3 | 7.6 | 7.7 | 7.4 | 7.5 | 7.7 | 7.8 | 7.7 | 7.4 | 7.3 | 7.3 | 7.2 |
| 26 | 7.3 | 7.7 | 7.7 | 7.5 | 7.5 | 7.7 | 7.8 | 7.7 | 7.4 | 7.3 | 7.3 | 7.2 |
| 27 | 7.3 | 7.6 | 7.7 | 7.5 | 7.5 | 7.8 | 7.7 | 7.7 | 7.4 | 7.3 | 7.3 | 7.3 |
| 28 | --- | 7.6 | 7.6 | 7.4 | 7.5 | 7.5 | 7.6 | 7.7 | 7.4 | 7.3 | 7.2 | 7.3 |
| 29 | --- | 7.6 | 7.7 | 7.4 | 7.5 | 7.6 | 7.6 | 7.7 | 7.4 | 7.3 | 7.3 | 7.3 |
| 30 | --- | 7.6 | 7.7 | 7.3 | --- | 7.5 | 7.6 | 7.7 | 7.4 | 7.3 | 7.3 | 7.3 |
| 31 | --- | --- | 7.7 | 7.3 | --- | 7.5 | --- | 7.7 | --- | 7.3 | 7.4 | --- |
| MEAN | 7.3 | 7.5 | 7.7 | 7.5 | 7.4 | 7.7 | 7.5 | 7.7 | 7.5 | 7.5 | 7.3 | 7.3 |

WTR YR 1984 MEAN 7.5 MAX 7.8 MIN 7.2

03099510 MAHONING RIVER AT OHIO-PENNSYLVANIA STATE LINE, BELOW LOWELLVILLE, OH--Continued
 TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
 MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|------|------|------|-----|-----|-----|-----|------|------|------|------|------|------|
| 1 | 23.5 | 16.0 | 7.0 | 2.5 | 5.0 | 5.5 | 5.5 | 17.0 | 17.0 | 26.0 | 26.5 | 23.0 |
| 2 | 22.0 | 17.0 | 6.0 | 4.5 | 5.5 | 5.0 | 6.5 | 17.0 | 18.0 | 25.0 | 27.0 | 23.0 |
| 3 | 23.0 | 16.5 | 6.0 | 5.0 | 5.5 | 4.5 | 7.0 | 15.5 | 20.0 | 25.5 | 26.0 | 23.5 |
| 4 | 23.5 | 14.5 | 5.0 | 5.0 | 5.5 | 4.5 | 8.0 | 15.0 | 20.5 | 25.5 | 24.5 | 23.5 |
| 5 | 23.0 | 13.5 | 5.0 | 5.5 | 4.5 | 5.0 | 8.5 | 13.5 | 22.0 | 24.5 | 24.5 | 23.0 |
| 6 | 21.5 | 13.5 | 5.5 | 5.0 | 3.5 | 4.5 | 8.0 | 12.5 | 23.5 | 24.5 | 24.5 | 22.0 |
| 7 | 21.0 | --- | 5.5 | 3.5 | 3.0 | 3.5 | 7.0 | 13.5 | 23.5 | 23.5 | 26.5 | 22.5 |
| 8 | 21.0 | --- | 5.0 | 3.5 | 3.0 | 2.5 | 7.5 | 14.5 | 23.5 | 23.0 | 27.0 | 23.0 |
| 9 | 20.5 | 14.0 | 5.0 | 4.0 | 4.0 | 2.0 | 8.5 | 12.5 | 24.5 | 23.0 | 27.5 | 23.5 |
| 10 | 19.0 | 14.5 | 5.0 | 4.5 | 6.0 | 3.0 | 9.5 | 12.0 | 25.5 | 23.0 | 27.5 | 23.0 |
| 11 | 19.5 | 14.0 | 5.0 | 3.5 | 7.5 | 3.5 | 10.0 | 13.5 | 26.5 | 23.5 | 26.0 | 23.5 |
| 12 | 20.0 | 11.0 | 5.5 | 3.5 | 5.0 | 3.5 | 11.5 | 15.0 | 26.5 | 24.0 | 24.0 | 24.0 |
| 13 | --- | 9.5 | 5.5 | 4.5 | 3.5 | 4.0 | 13.5 | 15.0 | 27.0 | 25.5 | 24.0 | 24.5 |
| 14 | --- | 8.5 | 5.5 | 6.0 | 3.5 | 4.0 | 14.0 | 14.0 | 25.5 | 26.5 | 24.5 | 23.5 |
| 15 | --- | 7.5 | 6.0 | 5.0 | 3.5 | 5.0 | 13.0 | 13.5 | 25.5 | 26.5 | 27.0 | 22.0 |
| 16 | --- | 8.5 | 5.5 | 4.5 | 4.5 | 4.5 | 13.5 | 13.5 | 25.0 | 26.5 | 27.0 | 21.5 |
| 17 | --- | 8.0 | 4.5 | 4.5 | 6.0 | 2.5 | 13.0 | 13.5 | 24.5 | 26.5 | 27.0 | 20.5 |
| 18 | --- | 7.0 | 3.5 | 4.5 | 6.5 | 2.0 | 12.0 | 14.0 | 24.5 | 25.0 | 27.0 | 20.5 |
| 19 | --- | 7.0 | 3.0 | --- | 7.0 | 2.5 | 11.5 | 15.5 | 23.0 | 24.5 | 24.0 | 21.0 |
| 20 | --- | 8.5 | 2.5 | --- | 6.5 | 4.5 | 11.5 | 15.5 | 23.5 | 24.5 | 24.0 | 21.5 |
| 21 | --- | 9.5 | 2.0 | --- | 6.0 | 5.5 | 11.5 | 15.5 | 23.0 | 24.5 | 24.5 | 22.0 |
| 22 | --- | 10.0 | 3.0 | --- | 6.5 | 4.0 | 11.0 | 16.5 | 24.0 | 25.0 | 25.0 | 22.0 |
| 23 | --- | 10.5 | 2.0 | --- | 7.5 | 3.5 | 11.5 | 17.5 | 24.5 | 26.0 | 25.0 | 23.5 |
| 24 | 16.5 | 11.0 | 1.5 | --- | 7.5 | 3.5 | 10.5 | 18.0 | 24.0 | 27.0 | 24.5 | 23.5 |
| 25 | 16.5 | 9.0 | .5 | 7.0 | 7.5 | 5.0 | 10.5 | 18.0 | 23.5 | 26.0 | 24.0 | 23.5 |
| 26 | 16.0 | 8.0 | 1.0 | 5.5 | 8.0 | 6.0 | 12.0 | 18.5 | 24.0 | 25.0 | 24.0 | 23.0 |
| 27 | --- | 8.0 | 3.0 | 4.5 | 7.5 | 6.0 | 13.0 | 18.5 | 25.0 | 24.5 | 24.5 | 21.0 |
| 28 | --- | 10.0 | 3.5 | 4.0 | 6.0 | 6.5 | 16.0 | 17.0 | 25.0 | 24.0 | 25.0 | 19.5 |
| 29 | --- | 9.5 | 3.0 | 4.5 | 5.5 | 5.0 | 17.5 | 16.0 | 25.5 | 23.5 | 25.0 | 18.5 |
| 30 | --- | 8.0 | 2.5 | 5.0 | --- | 3.5 | 18.0 | 15.5 | 26.0 | 23.5 | 24.0 | 18.5 |
| 31 | --- | --- | 2.0 | 5.0 | --- | 4.5 | --- | 15.5 | --- | 24.0 | 23.5 | --- |
| MEAN | 20.5 | 11.0 | 4.0 | 4.5 | 5.5 | 4.0 | 11.0 | 15.0 | 24.0 | 25.0 | 25.5 | 22.5 |

WTR YR 1984 MEAN 14.5 MAX 27.5 MIN .5
 OXYGEN, DISSOLVED (DO), MG/L, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
 MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|------|-----|------|------|------|------|------|------|------|-----|-----|-----|-----|
| 1 | 3.9 | --- | 11.9 | 12.7 | 10.2 | 11.3 | 12.6 | 9.1 | 9.0 | 5.9 | 5.6 | 6.6 |
| 2 | 4.1 | 7.3 | 12.2 | 12.2 | 10.3 | 12.9 | 12.5 | 9.0 | 8.7 | 5.7 | 5.3 | 6.1 |
| 3 | 3.8 | 7.8 | 12.2 | 11.9 | 10.3 | 12.7 | 12.4 | 8.8 | 8.0 | 6.0 | 6.0 | 5.7 |
| 4 | 3.4 | 8.7 | 12.0 | 11.8 | 11.0 | 12.2 | 12.1 | 9.3 | 7.6 | 5.6 | 7.0 | 6.0 |
| 5 | 4.5 | 9.3 | 12.3 | 11.6 | 11.5 | 11.9 | 11.8 | 10.5 | 7.3 | 5.9 | 6.8 | 5.8 |
| 6 | 6.8 | 9.2 | 12.2 | 11.6 | 11.7 | 12.9 | 11.9 | 10.9 | 6.6 | 5.6 | 6.4 | 5.8 |
| 7 | 7.2 | --- | 12.3 | 12.0 | 11.9 | 13.4 | 12.2 | 10.4 | 6.9 | 6.0 | 5.6 | 5.6 |
| 8 | 7.4 | --- | 12.7 | 12.0 | 11.7 | 13.6 | 12.5 | 9.9 | 6.7 | 6.0 | 5.3 | 5.5 |
| 9 | 7.3 | 9.3 | 12.8 | 11.8 | 11.1 | 13.6 | 12.3 | 10.0 | 6.1 | 5.8 | 5.5 | 5.5 |
| 10 | 7.7 | 8.7 | 12.8 | 11.6 | 10.3 | 13.4 | 11.9 | 10.3 | 5.8 | 5.7 | 5.8 | 5.2 |
| 11 | 7.4 | 8.8 | 12.8 | 11.4 | 10.3 | 13.1 | 11.8 | 10.2 | 5.6 | 5.6 | 6.4 | 4.7 |
| 12 | 6.9 | 10.9 | 12.5 | 11.1 | 12.0 | 12.9 | 11.3 | 9.4 | 5.6 | 6.0 | 6.7 | 4.3 |
| 13 | --- | 11.6 | 12.3 | 10.8 | 12.3 | 12.6 | 10.0 | 9.3 | 5.3 | 5.7 | 6.2 | 5.9 |
| 14 | --- | 12.0 | 12.2 | 10.0 | 12.0 | 13.1 | 9.7 | 9.9 | 5.6 | 6.2 | 6.0 | 6.5 |
| 15 | --- | 12.0 | 12.2 | 9.8 | 12.8 | 12.8 | 10.3 | 10.2 | 5.7 | 4.7 | 5.9 | 6.8 |
| 16 | --- | 11.9 | 12.5 | 10.0 | 13.2 | 12.8 | 9.8 | 10.3 | 5.8 | 5.1 | 5.6 | 6.8 |
| 17 | --- | 12.1 | 12.9 | 10.0 | 12.9 | 13.6 | 10.0 | 10.3 | 5.6 | 5.2 | 5.3 | 6.8 |
| 18 | --- | 12.7 | 13.0 | 9.9 | 12.6 | 13.6 | 10.4 | 10.2 | 5.6 | 6.7 | 5.8 | 6.9 |
| 19 | --- | 12.9 | 13.1 | 10.1 | 12.5 | 13.7 | 10.4 | 9.8 | 7.2 | 6.4 | 6.5 | 6.7 |
| 20 | --- | 12.4 | 13.2 | 11.1 | 12.5 | 13.4 | 10.4 | 9.4 | 7.1 | 6.2 | 6.5 | 6.5 |
| 21 | --- | 12.1 | 13.2 | --- | 12.5 | 12.8 | 10.5 | 9.7 | 7.1 | 6.7 | 6.0 | 6.3 |
| 22 | --- | 11.9 | 12.9 | 9.6 | 12.5 | 12.6 | 10.2 | 9.5 | 6.1 | 6.4 | 6.0 | 6.1 |
| 23 | --- | 11.6 | 13.0 | 12.4 | 12.1 | 13.1 | 10.0 | 8.9 | 5.9 | 6.1 | 6.0 | 5.8 |
| 24 | 8.8 | 11.4 | 13.0 | --- | 11.6 | 13.4 | 10.7 | 8.8 | 5.8 | 6.0 | 5.6 | 5.3 |
| 25 | 8.3 | 11.8 | 13.0 | 11.2 | 11.1 | 13.3 | 11.4 | 8.7 | 5.9 | 6.1 | 5.8 | 5.3 |
| 26 | 8.3 | 11.5 | 12.9 | 11.9 | 11.0 | 13.2 | 11.3 | 8.7 | 5.9 | 6.1 | 5.6 | 5.7 |
| 27 | 8.4 | 11.4 | 12.6 | 12.0 | 10.8 | 12.6 | 10.6 | 8.8 | 5.5 | 6.4 | 6.1 | 6.3 |
| 28 | --- | 11.3 | 12.2 | 11.9 | 10.9 | 12.2 | 9.8 | 8.9 | 5.6 | 6.5 | 5.7 | 6.6 |
| 29 | --- | 11.0 | 12.5 | 11.4 | 11.2 | 12.3 | 9.2 | 9.1 | 5.6 | 6.7 | 5.7 | 6.9 |
| 30 | --- | 11.7 | 12.7 | 10.7 | --- | 12.5 | 8.6 | 9.3 | 5.5 | 6.4 | 5.9 | 6.9 |
| 31 | --- | --- | 12.9 | 10.3 | --- | 12.6 | --- | 9.3 | --- | 6.0 | 6.8 | --- |
| MEAN | 6.5 | 10.9 | 12.6 | 11.2 | 11.6 | 12.9 | 11.0 | 9.6 | 6.4 | 6.0 | 6.0 | 6.0 |

WTR YR 1984 MEAN 9.3 MAX 13.7 MIN 3.4

BEAVER RIVER BASIN

03102950 PYMATUNING CREEK AT KINSMAN, OH

LOCATION.--Lat 41°26'34", long 80°35'18", in T.7 N., R.1 W., Trumbull County, Hydrologic Unit 05030102, on left bank at downstream side of bridge on State Highway 7 at Kinsman, 0.8 mi downstream from Sugar Creek, and 1.2 mi upstream from Stratton Creek.

DRAINAGE AREA.--96.7 mi².

PERIOD OF RECORD.--October 1965 to current year.

GAGE.--Water-stage recorder. Datum of gage is 906.8 ft National Geodetic Vertical Datum of 1929.

REMARKS.--Records poor. Water-quality data collected at this site 1966 to 1977.

AVERAGE DISCHARGE.--19 years, 128 ft³/s, 17.98 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 2,420 ft³/s Feb. 17, 1976, gage height, 12.27 ft from rating curve extended above 800 ft³/s; maximum gage-height, 12.32 ft Sept. 15, 1979; minimum discharge, 0.10 ft³/s Aug. 8, 1972.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 700 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Dec. 12 | 2300 | 845 | 10.21 | Mar. 22 | 2200 | 880 | 10.34 |
| Feb. 14 | 1800 | *1360 | 11.08 | May 12 | 1400 | 1220 | *11.19 |
| Mar. 17 | 0400 | 864 | 10.28 | May 23 | 2400 | 788 | 10.42 |

Minimum daily discharge, 1.2 ft³/s Aug. 28.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|------|------|------|-------|-------|------|------|--------|-------|-------|-------|
| 1 | 7.5 | 20 | 319 | 42 | 70 | 75 | 551 | 43 | 89 | 10 | 8.0 | 12 |
| 2 | 6.2 | 12 | 239 | 40 | 65 | 70 | 413 | 35 | 64 | 6.5 | 8.2 | 12 |
| 3 | 3.8 | 121 | 153 | 38 | 110 | 65 | 288 | 29 | 52 | 4.3 | 12 | 9.4 |
| 4 | 2.8 | 171 | 211 | 38 | 269 | 60 | 194 | 100 | 42 | 2.4 | 25 | 6.9 |
| 5 | 4.9 | 176 | 525 | 36 | 336 | 60 | 201 | 184 | 32 | 18 | 29 | 9.7 |
| 6 | 8.5 | 170 | 503 | 34 | 190 | 182 | 256 | 217 | 27 | 35 | 21 | 10 |
| 7 | 9.8 | 141 | 610 | 32 | 150 | 254 | 383 | 201 | 32 | 124 | 33 | 8.2 |
| 8 | 9.7 | 109 | 514 | 32 | 120 | 271 | 387 | 174 | 40 | 88 | 32 | 4.9 |
| 9 | 11 | 86 | 390 | 30 | 100 | 233 | 325 | 353 | 49 | 53 | 18 | 4.4 |
| 10 | 11 | 69 | 283 | 30 | 119 | 160 | 230 | 361 | 36 | 57 | 12 | 8.5 |
| 11 | 11 | 113 | 210 | 28 | 293 | 130 | 142 | 334 | 22 | 74 | 15 | 13 |
| 12 | 16 | 276 | 558 | 28 | 663 | 100 | 100 | 1010 | 13 | 99 | 21 | 15 |
| 13 | 22 | 299 | 803 | 26 | 923 | 85 | 81 | 953 | 8.7 | 109 | 12 | 17 |
| 14 | 33 | 288 | 749 | 26 | 1260 | 80 | 76 | 753 | 22 | 76 | 8.5 | 18 |
| 15 | 32 | 264 | 679 | 26 | 1190 | 75 | 114 | 551 | 24 | 32 | 6.3 | 27 |
| 16 | 24 | 365 | 554 | 24 | 923 | 381 | 141 | 350 | 20 | 15 | 3.5 | 29 |
| 17 | 18 | 516 | 400 | 24 | 704 | 820 | 128 | 202 | 86 | 6.0 | 2.2 | 21 |
| 18 | 15 | 562 | 272 | 24 | 560 | 769 | 123 | 110 | 554 | 5.1 | 1.8 | 14 |
| 19 | 12 | 550 | 187 | 24 | 440 | 700 | 116 | 81 | 391 | 6.5 | 4.3 | 9.4 |
| 20 | 9.9 | 603 | 146 | 24 | 352 | 594 | 114 | 94 | 240 | 4.9 | 4.7 | 6.1 |
| 21 | 13 | 547 | 97 | 24 | 274 | 713 | 110 | 363 | 122 | 2.7 | 3.0 | 6.1 |
| 22 | 17 | 429 | 100 | 24 | 213 | 859 | 94 | 382 | 53 | 1.6 | 2.3 | 5.8 |
| 23 | 35 | 307 | 126 | 24 | 170 | 821 | 86 | 509 | 29 | 2.1 | 3.0 | 4.3 |
| 24 | 53 | 216 | 110 | 53 | 141 | 653 | 99 | 696 | 21 | 4.3 | 2.7 | 3.5 |
| 25 | 52 | 145 | 92 | 144 | 120 | 525 | 124 | 538 | 15 | 4.9 | 2.3 | 4.4 |
| 26 | 46 | 97 | 73 | 210 | 106 | 405 | 113 | 380 | 11 | 6.7 | 2.1 | 13 |
| 27 | 43 | 71 | 59 | 180 | 96 | 299 | 95 | 224 | 7.5 | 23 | 1.8 | 11 |
| 28 | 39 | 125 | 55 | 150 | 85 | 223 | 77 | 135 | 32 | 21 | 1.2 | 10 |
| 29 | 34 | 437 | 50 | 110 | 83 | 493 | 62 | 161 | 18 | 14 | 1.7 | 7.8 |
| 30 | 32 | 402 | 48 | 85 | --- | 633 | 52 | 144 | 14 | 10 | 6.9 | 6.3 |
| 31 | 27 | --- | 46 | 75 | --- | 632 | --- | 117 | --- | 9.0 | 14 | --- |
| TOTAL | 659.1 | 7687 | 9161 | 1685 | 10125 | 11420 | 5275 | 9784 | 2166.3 | 925.0 | 318.5 | 327.7 |
| MEAN | 21.3 | 256 | 296 | 54.4 | 349 | 368 | 176 | 316 | 72.2 | 29.8 | 10.3 | 10.9 |
| MAX | 53 | 603 | 803 | 210 | 1260 | 859 | 551 | 1010 | 554 | 124 | 33 | 29 |
| MIN | 2.8 | 12 | 46 | 24 | 65 | 60 | 52 | 29 | 7.6 | 1.6 | 1.2 | 3.5 |
| CFSM | .22 | 2.65 | 3.06 | .56 | 3.61 | 3.81 | 1.82 | 3.27 | .75 | .31 | .11 | .11 |
| IN. | .25 | 2.96 | 3.52 | .65 | 3.89 | 4.39 | 2.03 | 3.76 | .83 | .36 | .12 | .13 |

CAL YR 1983 TOTAL 49672.7 MEAN 136 MAX 1200 MIN 1.9 CFSM 1.41 IN 19.11
WTR YR 1984 TOTAL 59533.6 MEAN 163 MAX 1260 MIN 1.2 CFSM 1.69 IN 22.90

LITTLE BEAVER CREEK BASIN

47

03109500 LITTLE BEAVER CREEK NEAR EAST LIVERPOOL, OH

LOCATION.--Lat 40°40'33", long 80°32'27", Columbiana County, Hydrologic Unit 05030101, on right bank at downstream side of Grimms Bridge, 1.5 mi upstream from Island Run, 4 mi upstream from mouth, and 4 mi northeast of East Liverpool.

DRAINAGE AREA.--496 mi².

PERIOD OF RECORD.--May 1915 to current year.

REVISED RECORDS.--WSP 873: 1937(M). WSP 1305: 1916-18(M), 1921-22(M), 1924-30(M), 1933(M), 1936(M). WSP 1907: 1950(P), drainage area.

GAGE.--Water-stage recorder. Datum of gage is 702.77 ft National Geodetic Vertical Datum of 1929. Prior to Sept. 22, 1926, nonrecording gage at same site and datum.

REMARKS.--Records good except those for the winter period, which are fair. Water-quality data collected at this site 1964-1978. Sediment data collected at this site 1969 to 1974.

AVERAGE DISCHARGE.--69 years, 523 ft³/s, 14.32 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 25,000 ft³/s July 19, 1941, gage height, 17.4 ft, from rating curve extended above 16,000 ft³/s on basis of slope-area measurement of peak flow; minimum, 12 ft³/s several days in 1918, 1930, 1932, 1936.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 5,000 ft³/s and maximums (*).

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--|------|-----------------------------------|---------------------|---------------------------|------|-----------------------------------|---------------------|
| Dec. 12 | 1300 | * 5,160 | * 8.83 | No other peak above base. | | | |
| Minimum discharge, 56 ft ³ /s Oct. 3. | | | | | | | |

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|
| 1 | 57 | 136 | 795 | 410 | 280 | 380 | 1470 | 560 | 638 | 418 | 130 | 278 |
| 2 | 58 | 153 | 614 | 380 | 260 | 350 | 1160 | 503 | 559 | 320 | 125 | 165 |
| 3 | 57 | 576 | 543 | 350 | 700 | 340 | 987 | 531 | 488 | 501 | 153 | 138 |
| 4 | 69 | 536 | 2580 | 330 | 2310 | 320 | 970 | 844 | 420 | 426 | 272 | 165 |
| 5 | 130 | 376 | 3550 | 310 | 1770 | 310 | 1440 | 727 | 372 | 1010 | 354 | 163 |
| 6 | 148 | 320 | 2240 | 290 | 800 | 1030 | 1370 | 619 | 348 | 1310 | 244 | 133 |
| 7 | 116 | 272 | 1710 | 270 | 600 | 1020 | 1520 | 552 | 331 | 1250 | 192 | 113 |
| 8 | 94 | 236 | 1220 | 260 | 450 | 788 | 1230 | 758 | 296 | 718 | 209 | 103 |
| 9 | 80 | 210 | 946 | 240 | 450 | 615 | 1000 | 1270 | 265 | 472 | 169 | 94 |
| 10 | 71 | 213 | 818 | 230 | 600 | 540 | 957 | 1040 | 244 | 800 | 186 | 101 |
| 11 | 68 | 397 | 762 | 220 | 900 | 520 | 743 | 819 | 235 | 1410 | 517 | 110 |
| 12 | 160 | 895 | 3620 | 210 | 1500 | 500 | 664 | 800 | 206 | 1460 | 515 | 120 |
| 13 | 266 | 721 | 3750 | 210 | 1400 | 490 | 634 | 768 | 218 | 776 | 302 | 98 |
| 14 | 310 | 532 | 2080 | 200 | 2500 | 485 | 727 | 754 | 322 | 522 | 226 | 125 |
| 15 | 244 | 641 | 1530 | 200 | 2210 | 536 | 1040 | 681 | 267 | 406 | 185 | 224 |
| 16 | 167 | 1110 | 1180 | 190 | 1380 | 2010 | 865 | 566 | 210 | 405 | 155 | 151 |
| 17 | 136 | 1080 | 894 | 190 | 1110 | 3010 | 767 | 487 | 195 | 314 | 137 | 121 |
| 18 | 130 | 837 | 726 | 190 | 1080 | 1960 | 732 | 457 | 232 | 273 | 125 | 103 |
| 19 | 263 | 641 | 623 | 190 | 1050 | 1350 | 1070 | 510 | 939 | 250 | 167 | 95 |
| 20 | 266 | 567 | 503 | 190 | 1010 | 1250 | 978 | 551 | 691 | 221 | 203 | 90 |
| 21 | 186 | 554 | 464 | 190 | 829 | 1860 | 812 | 1490 | 348 | 198 | 141 | 86 |
| 22 | 149 | 482 | 795 | 190 | 701 | 2350 | 745 | 1290 | 249 | 183 | 119 | 80 |
| 23 | 266 | 416 | 708 | 190 | 632 | 1890 | 925 | 2660 | 218 | 166 | 123 | 81 |
| 24 | 523 | 393 | 500 | 600 | 583 | 1480 | 1670 | 2730 | 252 | 157 | 119 | 86 |
| 25 | 386 | 354 | 440 | 1800 | 549 | 1400 | 1770 | 1520 | 210 | 153 | 110 | 114 |
| 26 | 269 | 317 | 430 | 1700 | 482 | 1670 | 1240 | 1060 | 177 | 143 | 100 | 132 |
| 27 | 228 | 288 | 500 | 1300 | 451 | 1360 | 978 | 834 | 170 | 245 | 93 | 127 |
| 28 | 203 | 937 | 740 | 880 | 445 | 1440 | 838 | 808 | 251 | 270 | 87 | 116 |
| 29 | 178 | 2050 | 600 | 500 | 402 | 3870 | 722 | 1370 | 370 | 184 | 98 | 102 |
| 30 | 157 | 1290 | 520 | 350 | --- | 3030 | 642 | 1040 | 466 | 152 | 130 | 97 |
| 31 | 140 | --- | 450 | 300 | --- | 1980 | --- | 776 | --- | 137 | 342 | --- |
| TOTAL | 5575 | 17530 | 36831 | 13060 | 27434 | 40134 | 30566 | 29375 | 10187 | 15260 | 6028 | 3711 |
| MEAN | 180 | 584 | 1188 | 421 | 946 | 1295 | 1019 | 948 | 340 | 492 | 194 | 124 |
| MAX | 523 | 2050 | 3750 | 1800 | 2500 | 3870 | 1770 | 2730 | 939 | 1460 | 517 | 278 |
| MIN | 57 | 136 | 430 | 190 | 260 | 310 | 534 | 457 | 170 | 137 | 87 | 90 |
| CFSM | .36 | 1.18 | 2.40 | .85 | 1.91 | 2.61 | 2.05 | 1.91 | .69 | .99 | .39 | .25 |
| IN. | .42 | 1.31 | 2.76 | .98 | 2.06 | 3.01 | 2.29 | 2.20 | .76 | 1.14 | .45 | .28 |

| | | | | | | | |
|-------------|-------|--------|----------|----------|--------|-----------|----------|
| CAL YR 1983 | TOTAL | 217424 | MEAN 596 | MAX 5990 | MIN 54 | CFSM 1.20 | IN 16.31 |
| WTR YR 1984 | TOTAL | 235691 | MEAN 644 | MAX 3870 | MIN 57 | CFSM 1.30 | IN 17.68 |

YELLOW CREEK BASIN

03110000 YELLOW CREEK NEAR HAMMONDSVILLE, OH

LOCATION.--Lat 40°32'16", long 80°43'31", in sec. 29, T.8 N., R.2 W., Jefferson County, Hydrologic Unit 05030101, on right bank 1,000 ft upstream from Lowery Run, 0.9 mi upstream from Brush Creek, and 1.6 mi southwest of Hammondsville.

DRAINAGE AREA.--147 mi².

PERIOD OF RECORD.--October 1940 to current year.

REVISED RECORDS.--WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 692.10 ft Ohio State Highway Department bench mark.

REMARKS.--Records good except those for the winter period, which are fair. Water-quality data collected at this site 1965 to 1977. Sediment data collected 1969 to 1974.

AVERAGE DISCHARGE.--44 years, 163 ft³/s, 15.06 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 9,580 ft³/s Jan. 27, 1952, gage height, 12.17 ft; minimum, 0.8 ft³/s Sept. 24 to Oct. 1, Oct. 7, 8, 1963.

EXTREMES OUTSIDE PERIOD OF RECORD.--The highest stage observed is reported to have occurred in 1912.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 2,000 ft³/s and maximums (*).

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|--------|------|-----------------------------------|---------------------|
| Dec. 4 | 1930 | 2,050 | 6.05 | May 23 | 2230 | * 3,790 | * 7.96 |
| Dec. 12 | 1730 | 2,300 | 6.39 | | | | |

Minimum daily discharge, 7.6 ft³/s Sept. 23.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|------|-------|------|------|-------|-------|-------|------|------|------|-------|
| 1 | 14 | 58 | 293 | 150 | 110 | 130 | 384 | 186 | 246 | 145 | 25 | 31 |
| 2 | 14 | 62 | 226 | 140 | 100 | 120 | 301 | 161 | 205 | 90 | 24 | 21 |
| 3 | 14 | 199 | 201 | 130 | 350 | 110 | 250 | 163 | 174 | 96 | 40 | 17 |
| 4 | 18 | 179 | 1100 | 120 | 750 | 100 | 257 | 235 | 148 | 55 | 39 | 15 |
| 5 | 68 | 160 | 1110 | 120 | 500 | 148 | 444 | 177 | 127 | 337 | 35 | 15 |
| 6 | 64 | 145 | 662 | 110 | 350 | 380 | 393 | 150 | 115 | 237 | 30 | 13 |
| 7 | 40 | 122 | 552 | 110 | 220 | 313 | 398 | 137 | 103 | 395 | 28 | 12 |
| 8 | 29 | 105 | 392 | 100 | 170 | 254 | 329 | 158 | 91 | 180 | 25 | 11 |
| 9 | 24 | 91 | 318 | 100 | 170 | 221 | 280 | 239 | 85 | 120 | 26 | 11 |
| 10 | 20 | 89 | 283 | 95 | 350 | 183 | 242 | 205 | 76 | 102 | 25 | 10 |
| 11 | 19 | 244 | 262 | 90 | 700 | 160 | 208 | 186 | 70 | 140 | 22 | 10 |
| 12 | 81 | 395 | 1430 | 90 | 500 | 150 | 189 | 192 | 63 | 352 | 23 | 12 |
| 13 | 117 | 261 | 1090 | 90 | 297 | 169 | 186 | 163 | 58 | 167 | 24 | 13 |
| 14 | 153 | 204 | 663 | 85 | 876 | 166 | 195 | 155 | 60 | 113 | 22 | 11 |
| 15 | 104 | 232 | 499 | 85 | 642 | 192 | 250 | 137 | 59 | 87 | 20 | 15 |
| 16 | 117 | 508 | 363 | 80 | 426 | 775 | 211 | 122 | 52 | 78 | 17 | 14 |
| 17 | 89 | 396 | 275 | 80 | 358 | 871 | 239 | 110 | 51 | 65 | 15 | 12 |
| 18 | 77 | 287 | 226 | 80 | 325 | 560 | 255 | 103 | 53 | 60 | 18 | 11 |
| 19 | 80 | 256 | 195 | 80 | 325 | 421 | 320 | 105 | 177 | 56 | 19 | 9.5 |
| 20 | 60 | 241 | 170 | 80 | 321 | 375 | 304 | 166 | 85 | 49 | 26 | 9.0 |
| 21 | 66 | 238 | 160 | 80 | 279 | 594 | 266 | 642 | 65 | 45 | 18 | 8.4 |
| 22 | 119 | 200 | 304 | 80 | 228 | 754 | 293 | 575 | 54 | 41 | 15 | 8.0 |
| 23 | 317 | 176 | 282 | 80 | 205 | 575 | 645 | 2130 | 52 | 37 | 18 | 7.6 |
| 24 | 295 | 169 | 225 | 350 | 189 | 488 | 976 | 1690 | 65 | 35 | 23 | 8.5 |
| 25 | 194 | 147 | 170 | 860 | 180 | 457 | 857 | 698 | 52 | 34 | 17 | 8.3 |
| 26 | 149 | 129 | 160 | 740 | 153 | 545 | 555 | 475 | 44 | 33 | 14 | 9.9 |
| 27 | 120 | 114 | 170 | 400 | 150 | 444 | 402 | 333 | 40 | 58 | 13 | 8.6 |
| 28 | 96 | 501 | 280 | 250 | 148 | 512 | 317 | 309 | 46 | 54 | 12 | 8.4 |
| 29 | 81 | 851 | 220 | 180 | 145 | 1320 | 250 | 580 | 48 | 37 | 13 | 8.7 |
| 30 | 68 | 443 | 190 | 140 | --- | 802 | 218 | 389 | 119 | 29 | 16 | 9.3 |
| 31 | 61 | --- | 170 | 120 | --- | 535 | --- | 309 | --- | 27 | 53 | --- |
| TOTAL | 2768 | 7202 | 12641 | 5295 | 9517 | 12824 | 10414 | 11380 | 2683 | 3364 | 715 | 358.2 |
| MEAN | 89.3 | 240 | 408 | 171 | 328 | 414 | 347 | 367 | 89.4 | 109 | 23.1 | 11.9 |
| MAX | 317 | 851 | 1430 | 860 | 876 | 1320 | 976 | 2130 | 246 | 395 | 53 | 31 |
| MIN | 14 | 58 | 160 | 80 | 100 | 100 | 186 | 103 | 40 | 27 | 12 | 7.6 |
| CFSM | .61 | 1.63 | 2.78 | 1.16 | 2.23 | 2.82 | 2.36 | 2.50 | .61 | .74 | .16 | .08 |
| IN. | .70 | 1.82 | 3.20 | 1.34 | 2.41 | 3.25 | 2.64 | 2.88 | .68 | .85 | .18 | .09 |

CAL YR 1983 TOTAL 74793.2 MEAN 205 MAX 1940 MIN 9.0 CFSM 1.40 IN 18.93
WTR YR 1984 TOTAL 79161.2 MEAN 216 MAX 2130 MIN 7.6 CFSM 1.47 IN 20.03

SHORT CREEK BASIN

49

03111500 SHORT CREEK NEAR DILLONVALE, OH

LOCATION.--Lat 40°11'36", long 80°44'04", in sec. 30, T.4 N., R.2 W., Jefferson County, Hydrologic Unit 05030106, on right bank at downstream side of bridge on State Highway 150, 2.1 mi east of Dillonvale, 2.2 mi downstream from Jug Run, and 2.9 mi upstream from Little Short Creek.

DRAINAGE AREA.--123 mi².

PERIOD OF RECORD.--October 1941 to current year.

REVISED RECORDS.--WSP 1003: 1942-43. WSP 1907: Drainage area. WRD-OH-82-1: 1981

GAGE.--Water-stage recorder. Datum of gage is 676.1 ft State of Ohio bench mark. Prior to Oct. 21, 1941, nonrecording gage at same site and datum.

REMARKS.--Records poor. Water-quality data collected at this site 1964 to 1977. Sediment data collected 1969 to 1974.

AVERAGE DISCHARGE.--43 years, 131 ft³/s, 14.46 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 6,500 ft³/s Mar. 6, 1945, gage height, 8.77 ft; maximum gage height, 10.15 ft Mar. 5, 1963, from graph based on gage readings; minimum daily discharge, 2.8 ft³/s Sept. 21, 27, 1947.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 1,200 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Dec. 4 | 1400 | 1290 | 4.70 | Jan. 24 | 2100 | *2430 | *6.69 |
| Dec. 12 | 1300 | 1290 | 4.70 | | | | |

Minimum daily discharge, 27 ft³/s Sept. 27, 28.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|----------|----------|--------|-----------|----------|------|------|------|------|------|
| 1 | 28 | 35 | 157 | 140 | 80 | 100 | 268 | 211 | 195 | 108 | 42 | 39 |
| 2 | 28 | 34 | 138 | 130 | 75 | 100 | 240 | 192 | 174 | 84 | 44 | 35 |
| 3 | 28 | 105 | 138 | 120 | 150 | 95 | 220 | 209 | 155 | 79 | 52 | 35 |
| 4 | 34 | 71 | 722 | 110 | 350 | 95 | 259 | 254 | 135 | 65 | 55 | 35 |
| 5 | 93 | 58 | 415 | 100 | 270 | 162 | 375 | 213 | 125 | 97 | 55 | 35 |
| 6 | 57 | 52 | 304 | 95 | 180 | 261 | 311 | 194 | 123 | 99 | 56 | 31 |
| 7 | 39 | 46 | 289 | 90 | 130 | 202 | 311 | 190 | 115 | 115 | 63 | 30 |
| 8 | 37 | 42 | 229 | 85 | 110 | 170 | 268 | 199 | 112 | 73 | 50 | 29 |
| 9 | 34 | 39 | 199 | 80 | 100 | 146 | 244 | 220 | 107 | 55 | 44 | 29 |
| 10 | 32 | 45 | 202 | 75 | 123 | 120 | 222 | 192 | 99 | 54 | 46 | 28 |
| 11 | 31 | 232 | 193 | 75 | 179 | 110 | 207 | 180 | 95 | 211 | 42 | 29 |
| 12 | 129 | 237 | 799 | 70 | 184 | 100 | 192 | 294 | 90 | 224 | 43 | 30 |
| 13 | 85 | 142 | 428 | 70 | 226 | 100 | 190 | 243 | 84 | 104 | 41 | 30 |
| 14 | 106 | 114 | 313 | 65 | 513 | 120 | 192 | 206 | 87 | 84 | 39 | 31 |
| 15 | 58 | 174 | 280 | 65 | 323 | 135 | 198 | 182 | 86 | 75 | 36 | 32 |
| 16 | 49 | 278 | 235 | 65 | 244 | 244 | 178 | 169 | 84 | 59 | 34 | 33 |
| 17 | 42 | 201 | 199 | 60 | 217 | 233 | 235 | 159 | 84 | 52 | 33 | 31 |
| 18 | 46 | 149 | 174 | 60 | 207 | 192 | 278 | 155 | 85 | 50 | 34 | 29 |
| 19 | 104 | 133 | 150 | 60 | 207 | 166 | 304 | 156 | 174 | 50 | 52 | 31 |
| 20 | 57 | 119 | 130 | 60 | 198 | 164 | 254 | 188 | 97 | 58 | 43 | 31 |
| 21 | 91 | 129 | 120 | 60 | 176 | 327 | 224 | 205 | 81 | 55 | 36 | 31 |
| 22 | 84 | 115 | 417 | 55 | 153 | 425 | 349 | 187 | 72 | 52 | 58 | 30 |
| 23 | 231 | 91 | 275 | 55 | 139 | 334 | 556 | 401 | 68 | 50 | 102 | 29 |
| 24 | 124 | 90 | 214 | 220 | 127 | 293 | 469 | 315 | 69 | 49 | 54 | 39 |
| 25 | 80 | 84 | 170 | 951 | 130 | 278 | 408 | 213 | 70 | 49 | 44 | 38 |
| 26 | 63 | 79 | 150 | 239 | 122 | 441 | 332 | 184 | 68 | 47 | 39 | 34 |
| 27 | 58 | 77 | 140 | 160 | 121 | 332 | 293 | 164 | 62 | 97 | 37 | 27 |
| 28 | 50 | 295 | 250 | 130 | 110 | 351 | 270 | 197 | 78 | 58 | 35 | 27 |
| 29 | 43 | 349 | 210 | 110 | 110 | 603 | 244 | 573 | 62 | 49 | 34 | 30 |
| 30 | 38 | 197 | 180 | 100 | --- | 388 | 233 | 290 | 68 | 46 | 37 | 31 |
| 31 | 36 | --- | 160 | 90 | --- | 318 | --- | 234 | --- | 43 | 53 | --- |
| TOTAL | 2015 | 3812 | 7980 | 3845 | 5254 | 7105 | 8324 | 6969 | 3006 | 2441 | 1433 | 949 |
| MEAN | 65.0 | 127 | 257 | 124 | 181 | 229 | 277 | 225 | 100 | 78.7 | 46.2 | 31.6 |
| MAX | 231 | 349 | 799 | 951 | 513 | 603 | 556 | 573 | 196 | 224 | 102 | 39 |
| MIN | 28 | 34 | 120 | 55 | 75 | 95 | 178 | 155 | 62 | 43 | 33 | 27 |
| CFSM | .53 | 1.03 | 2.09 | 1.01 | 1.47 | 1.86 | 2.25 | 1.83 | .81 | .54 | .38 | .26 |
| IN. | .61 | 1.15 | 2.41 | 1.16 | 1.59 | 2.15 | 2.52 | 2.11 | .91 | .74 | .43 | .29 |
| CAL YR 1983 | TOTAL | 57341 | MEAN 157 | MAX 1230 | MIN 23 | CFSM 1.28 | IN 17.34 | | | | | |
| WTR YR 1984 | TOTAL | 53133 | MEAN 145 | MAX 951 | MIN 27 | CFSM 1.18 | IN 16.07 | | | | | |

WHEELING CREEK BASIN

03111548 WHEELING CREEK BELOW BLAINE, OH

LOCATION.--Lat 40°04'01", long 80°48'31", Belmont County, Hydrologic Unit 05030106, on left bank at bridge on Pease Township Road 320 near U.S. Route 40, 0.5 mi east of Blaine, and 4.8 mi upstream from mouth.

DRAINAGE AREA.--97.7 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--December 1982 to current year.

GAGE.--Water-stage recorder. Datum of gage is 700.11 ft National Geodetic Vertical datum of 1929.

REMARKS.--Records fair.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 2,020 ft³/s May 22, 1983, gage height, 5.06 ft; minimum daily discharge, 12 ft³/s Sept. 11, 1983.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 1,500 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|-----------------------------|------|-----------------------------------|---------------------|
| May 28 | 2330 | *1,650 | 4.55 | (No other peaks above base) | | | |

Minimum daily discharge, 15 ft³/s Oct. 1.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1 | 15 | 32 | 104 | 110 | 83 | 87 | 223 | 164 | 159 | 112 | 37 | 38 |
| 2 | 17 | 31 | 94 | 92 | 110 | 82 | 200 | 149 | 139 | 70 | 37 | 34 |
| 3 | 17 | 99 | 92 | 83 | 250 | 78 | 179 | 166 | 131 | 54 | 38 | 33 |
| 4 | 25 | 61 | 446 | 74 | 205 | 78 | 192 | 184 | 116 | 49 | 39 | 33 |
| 5 | 52 | 48 | 244 | 70 | 126 | 179 | 346 | 159 | 106 | 75 | 45 | 34 |
| 6 | 45 | 45 | 177 | 66 | 104 | 238 | 261 | 147 | 101 | 80 | 41 | 33 |
| 7 | 28 | 41 | 166 | 63 | 88 | 154 | 241 | 139 | 94 | 70 | 41 | 31 |
| 8 | 25 | 37 | 128 | 61 | 90 | 131 | 205 | 157 | 90 | 54 | 38 | 31 |
| 9 | 24 | 35 | 114 | 59 | 97 | 116 | 186 | 171 | 82 | 48 | 37 | 31 |
| 10 | 24 | 47 | 122 | 73 | 92 | 110 | 173 | 135 | 76 | 48 | 37 | 29 |
| 11 | 32 | 327 | 110 | 64 | 139 | 106 | 164 | 126 | 78 | 99 | 37 | 29 |
| 12 | 76 | 173 | 555 | 57 | 139 | 95 | 157 | 253 | 73 | 137 | 35 | 29 |
| 13 | 54 | 94 | 289 | 52 | 157 | 97 | 154 | 157 | 73 | 58 | 34 | 29 |
| 14 | 75 | 78 | 203 | 50 | 384 | 99 | 154 | 139 | 78 | 55 | 33 | 29 |
| 15 | 35 | 149 | 182 | 50 | 197 | 99 | 152 | 128 | 70 | 51 | 31 | 33 |
| 16 | 26 | 194 | 162 | 50 | 152 | 137 | 137 | 137 | 66 | 51 | 29 | 34 |
| 17 | 24 | 133 | 137 | 51 | 139 | 122 | 171 | 171 | 65 | 49 | 28 | 31 |
| 18 | 32 | 101 | 124 | 51 | 137 | 122 | 229 | 229 | 63 | 48 | 28 | 28 |
| 19 | 90 | 92 | 116 | 51 | 144 | 114 | 241 | 116 | 87 | 48 | 29 | 26 |
| 20 | 47 | 87 | 128 | 99 | 139 | 108 | 186 | 116 | 68 | 48 | 29 | 26 |
| 21 | 75 | 87 | 137 | 82 | 120 | 343 | 168 | 120 | 61 | 47 | 28 | 25 |
| 22 | 61 | 73 | 391 | 69 | 108 | 360 | 428 | 112 | 58 | 47 | 35 | 23 |
| 23 | 247 | 68 | 220 | 60 | 101 | 289 | 510 | 182 | 57 | 48 | 68 | 23 |
| 24 | 104 | 68 | 154 | 260 | 95 | 217 | 373 | 142 | 61 | 47 | 44 | 31 |
| 25 | 65 | 63 | 122 | 215 | 94 | 211 | 304 | 114 | 55 | 47 | 37 | 33 |
| 26 | 51 | 61 | 107 | 168 | 87 | 320 | 261 | 110 | 52 | 47 | 35 | 25 |
| 27 | 51 | 60 | 122 | 126 | 85 | 276 | 226 | 116 | 49 | 57 | 32 | 24 |
| 28 | 44 | 264 | 158 | 108 | 94 | 317 | 208 | 380 | 48 | 57 | 32 | 24 |
| 29 | 38 | 256 | 200 | 103 | 97 | 481 | 184 | 586 | 47 | 55 | 32 | 24 |
| 30 | 34 | 124 | 160 | 101 | --- | 304 | 173 | 229 | 52 | 55 | 38 | 25 |
| 31 | 31 | --- | 134 | 92 | --- | 264 | --- | 184 | --- | 55 | 48 | --- |
| TOTAL | 1564 | 3028 | 5598 | 2710 | 3853 | 5734 | 6786 | 5418 | 2355 | 1866 | 1132 | 878 |
| MEAN | 50.5 | 101 | 181 | 87.4 | 133 | 185 | 226 | 175 | 78.5 | 60.2 | 36.5 | 29.3 |
| MAX | 247 | 327 | 555 | 260 | 384 | 481 | 510 | 586 | 159 | 137 | 68 | 38 |
| MIN | 15 | 31 | 92 | 50 | 83 | 78 | 137 | 110 | 47 | 47 | 28 | 23 |
| CFSM | .52 | 1.03 | 1.85 | .90 | 1.36 | 1.89 | 2.31 | 1.79 | .80 | .62 | .37 | .30 |
| IN. | .60 | 1.15 | 2.13 | 1.03 | 1.47 | 2.18 | 2.58 | 2.06 | .90 | .71 | .43 | .33 |

CAL YR 1983 TOTAL 44903 MEAN 123 MAX 1000 MIN 12 CFSM 1.26 IN 17.10
WTR YR 1984 TOTAL 40922 MEAN 112 MAX 586 MIN 15 CFSM 1.15 IN 15.58

WHEELING CREEK BASIN

51

03111548 WHEELING CREEK BELOW BLAINE, OHIO--Continued

WATER QUALITY RECORDS

PERIOD OF RECORD:

SUSPENDED SEDIMENT DISCHARGE.--December 1982 to current year.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SEDIMENT CONCENTRATIONS: Maximum daily mean, 4,640 mg/L May 22, 1983; minimum daily mean, 12 mg/L Aug. 30, 1983.

SEDIMENT LOADS: Maximum daily, 14,600 tons May 22, 1983; minimum daily, 0.65 ton Sept. 7, 1983.

EXTREMES FOR CURRENT YEAR.--

SEDIMENT CONCENTRATIONS: Maximum daily mean, 2,010 mg/L Apr. 22; minimum daily mean, 15 mg/L Oct. 11, Nov. 7, Aug. 26.

SEDIMENT LOADS: Maximum daily, 2,320 tons Apr. 22; minimum daily, 0.87 tons Oct. 2.

SEDIMENT DISCHARGE, SUSPENDED (TONS/DAY), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
|---------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| OCTOBER | | | NOVEMBER | | | DECEMBER | | | |
| 1 | 15 | 22 | .89 | 32 | 26 | 2.2 | 104 | 33 | 9.3 |
| 2 | 17 | 19 | .87 | 31 | 24 | 2.0 | 94 | 30 | 7.6 |
| 3 | 17 | 30 | 1.4 | 99 | 140 | 37 | 92 | 32 | 7.9 |
| 4 | 25 | 98 | 6.8 | 61 | 41 | 6.8 | 446 | 997 | 1350 |
| 5 | 52 | 194 | 26 | 48 | 27 | 3.5 | 244 | 469 | 309 |
| 6 | 45 | 55 | 6.7 | 45 | 19 | 2.3 | 177 | 96 | 46 |
| 7 | 28 | 31 | 2.3 | 41 | 15 | 1.7 | 166 | 29 | 13 |
| 8 | 25 | 27 | 1.8 | 37 | 21 | 2.1 | 128 | 39 | 13 |
| 9 | 24 | 25 | 1.6 | 35 | 23 | 2.2 | 114 | 39 | 12 |
| 10 | 24 | 24 | 1.6 | 47 | 117 | 18 | 122 | 38 | 13 |
| 11 | 32 | 15 | 1.3 | 327 | 743 | 656 | 110 | 31 | 9.2 |
| 12 | 76 | 105 | 22 | 173 | 393 | 202 | 555 | 725 | 1090 |
| 13 | 54 | 66 | 9.5 | 94 | 111 | 28 | 289 | 120 | 94 |
| 14 | 75 | 78 | 17 | 78 | 61 | 13 | 203 | 64 | 35 |
| 15 | 35 | 23 | 2.2 | 149 | 170 | 90 | 182 | 56 | 28 |
| 16 | 26 | 19 | 1.3 | 194 | 200 | 114 | 162 | 48 | 21 |
| 17 | 24 | 17 | 1.1 | 133 | 51 | 18 | 137 | 44 | 16 |
| 18 | 32 | 37 | 4.3 | 101 | 36 | 9.8 | 124 | 39 | 13 |
| 19 | 90 | 112 | 28 | 92 | 33 | 8.2 | 116 | 37 | 12 |
| 20 | 47 | 31 | 3.9 | 87 | 31 | 7.3 | 128 | 46 | 16 |
| 21 | 75 | 50 | 10 | 87 | 30 | 7.0 | 137 | 42 | 16 |
| 22 | 61 | 43 | 7.1 | 73 | 29 | 5.7 | 391 | 390 | 456 |
| 23 | 247 | 852 | 568 | 68 | 29 | 5.3 | 220 | 78 | 46 |
| 24 | 104 | 125 | 39 | 68 | 29 | 5.3 | 154 | 59 | 25 |
| 25 | 65 | 31 | 5.4 | 63 | 28 | 4.8 | 122 | 40 | 13 |
| 26 | 51 | 30 | 4.1 | 61 | 27 | 4.4 | 107 | 40 | 12 |
| 27 | 51 | 29 | 4.0 | 60 | 27 | 4.4 | 122 | 40 | 13 |
| 28 | 44 | 29 | 3.4 | 264 | 387 | 303 | 158 | 40 | 17 |
| 29 | 38 | 29 | 3.0 | 256 | 284 | 196 | 200 | 40 | 22 |
| 30 | 34 | 28 | 2.6 | 124 | 54 | 18 | 160 | 40 | 17 |
| 31 | 31 | 27 | 2.3 | --- | --- | --- | 134 | 40 | 14 |
| TOTAL | 1564 | --- | 789.46 | 3028 | --- | 1778.0 | 5598 | --- | 3766.0 |

03111548 WHEELING CREEK BELOW BLAINE, OHIO--Continued

SEDIMENT DISCHARGE, SUSPENDED (TONS/DAY), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
|---------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| JANUARY | | | FEBRUARY | | | MARCH | | | |
| 1 | 110 | 40 | 12 | 83 | 158 | 35 | 87 | 42 | 9.9 |
| 2 | 92 | 40 | 9.9 | 110 | 203 | 60 | 82 | 41 | 9.1 |
| 3 | 83 | 40 | 9.0 | 250 | 106 | 72 | 78 | 40 | 8.4 |
| 4 | 74 | 40 | 8.0 | 205 | 57 | 32 | 78 | 40 | 8.4 |
| 5 | 70 | 40 | 7.6 | 126 | 47 | 16 | 179 | 130 | 63 |
| 6 | 66 | 40 | 7.1 | 104 | 46 | 13 | 238 | 190 | 122 |
| 7 | 63 | 40 | 6.8 | 88 | 52 | 12 | 154 | 132 | 55 |
| 8 | 61 | 40 | 6.6 | 90 | 52 | 13 | 131 | 102 | 36 |
| 9 | 59 | 40 | 6.4 | 97 | 49 | 13 | 116 | 73 | 23 |
| 10 | 73 | 40 | 7.9 | 92 | 88 | 22 | 110 | 62 | 18 |
| 11 | 64 | 40 | 6.9 | 139 | 172 | 65 | 106 | 62 | 18 |
| 12 | 57 | 40 | 6.2 | 139 | 103 | 39 | 95 | 63 | 16 |
| 13 | 52 | 40 | 5.6 | 157 | 96 | 46 | 97 | 70 | 18 |
| 14 | 50 | 40 | 5.4 | 384 | 369 | 391 | 99 | 77 | 21 |
| 15 | 50 | 40 | 5.4 | 197 | 202 | 107 | 99 | 79 | 21 |
| 16 | 50 | 40 | 5.4 | 152 | 90 | 37 | 137 | 84 | 31 |
| 17 | 51 | 40 | 5.5 | 139 | 61 | 23 | 122 | 93 | 31 |
| 18 | 51 | 40 | 5.5 | 137 | 58 | 21 | 122 | 53 | 17 |
| 19 | 51 | 40 | 5.5 | 144 | 62 | 24 | 114 | 48 | 15 |
| 20 | 99 | 40 | 11 | 139 | 51 | 19 | 108 | 46 | 13 |
| 21 | 82 | 40 | 8.9 | 120 | 42 | 14 | 343 | 318 | 294 |
| 22 | 69 | 40 | 7.5 | 108 | 45 | 13 | 360 | 277 | 269 |
| 23 | 60 | 40 | 6.5 | 101 | 40 | 11 | 289 | 201 | 157 |
| 24 | 260 | 175 | 123 | 95 | 33 | 8.5 | 217 | 148 | 87 |
| 25 | 215 | 207 | 120 | 94 | 37 | 9.4 | 211 | 83 | 47 |
| 26 | 168 | 75 | 34 | 87 | 37 | 8.7 | 320 | 383 | 331 |
| 27 | 126 | 54 | 18 | 85 | 40 | 9.2 | 276 | 155 | 116 |
| 28 | 108 | 117 | 34 | 94 | 41 | 10 | 317 | 161 | 138 |
| 29 | 103 | 100 | 28 | 97 | 43 | 11 | 481 | 150 | 195 |
| 30 | 101 | 81 | 22 | --- | --- | --- | 304 | 100 | 82 |
| 31 | 92 | 68 | 17 | --- | --- | --- | 264 | 96 | 68 |
| TOTAL | 2710 | --- | 562.6 | 3853 | ---- | 1154.8 | 5734 | --- | 2337.8 |
| APRIL | | | MAY | | | JUNE | | | |
| 1 | 223 | 90 | 54 | 164 | 79 | 35 | 159 | 68 | 29 |
| 2 | 200 | 80 | 43 | 149 | 73 | 29 | 139 | 68 | 26 |
| 3 | 179 | 90 | 43 | 166 | 203 | 91 | 131 | 67 | 24 |
| 4 | 192 | 163 | 84 | 184 | 102 | 51 | 116 | 66 | 21 |
| 5 | 346 | 168 | 157 | 159 | 58 | 25 | 106 | 65 | 19 |
| 6 | 261 | 63 | 44 | 147 | 33 | 13 | 101 | 73 | 20 |
| 7 | 241 | 56 | 36 | 139 | 42 | 16 | 94 | 88 | 22 |
| 8 | 205 | 63 | 35 | 157 | 62 | 26 | 90 | 58 | 14 |
| 9 | 186 | 43 | 22 | 171 | 46 | 21 | 82 | 82 | 18 |
| 10 | 173 | 49 | 23 | 135 | 44 | 16 | 76 | 75 | 15 |
| 11 | 164 | 49 | 22 | 126 | 48 | 16 | 78 | 68 | 14 |
| 12 | 157 | 58 | 25 | 253 | 175 | 120 | 73 | 72 | 14 |
| 13 | 154 | 58 | 24 | 157 | 73 | 31 | 73 | 106 | 21 |
| 14 | 154 | 59 | 25 | 139 | 46 | 17 | 78 | 85 | 18 |
| 15 | 152 | 54 | 22 | 128 | 38 | 13 | 70 | 67 | 13 |
| 16 | 137 | 58 | 21 | 137 | 41 | 15 | 66 | 62 | 11 |
| 17 | 171 | 79 | 36 | 171 | 37 | 17 | 65 | 55 | 9.7 |
| 18 | 229 | 135 | 83 | 229 | 32 | 20 | 63 | 46 | 7.8 |
| 19 | 241 | 132 | 86 | 116 | 35 | 11 | 87 | 90 | 21 |
| 20 | 186 | 61 | 31 | 116 | 30 | 9.4 | 68 | 47 | 8.6 |
| 21 | 168 | 52 | 24 | 120 | 32 | 10 | 61 | 39 | 6.4 |
| 22 | 428 | 2010 | 2320 | 112 | 48 | 15 | 58 | 36 | 5.6 |
| 23 | 510 | 1110 | 1530 | 182 | 465 | 229 | 57 | 36 | 5.5 |
| 24 | 373 | 160 | 161 | 142 | 80 | 31 | 61 | 44 | 7.2 |
| 25 | 304 | 107 | 88 | 114 | 68 | 21 | 55 | 39 | 5.8 |
| 26 | 261 | 95 | 67 | 110 | 83 | 25 | 52 | 44 | 6.2 |
| 27 | 226 | 87 | 53 | 116 | 75 | 23 | 49 | 47 | 6.2 |
| 28 | 208 | 71 | 40 | 380 | 487 | 500 | 48 | 55 | 7.1 |
| 29 | 184 | 69 | 34 | 586 | 725 | 1150 | 47 | 42 | 5.3 |
| 30 | 173 | 79 | 37 | 229 | 82 | 51 | 52 | 36 | 5.1 |
| 31 | --- | --- | --- | 184 | 84 | 42 | --- | --- | --- |
| TOTAL | 6786 | --- | 5270 | 5418 | --- | 2689.4 | 2355 | --- | 406.5 |

SEDIMENT DISCHARGE, SUSPENDED (TONS/DAY), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| JULY | | | AUGUST | | | SEPTEMBER | | | |
| 1 | 112 | 267 | 89 | 37 | 23 | 2.3 | 38 | 29 | 3.0 |
| 2 | 70 | 119 | 22 | 37 | 57 | 5.7 | 34 | 34 | 3.1 |
| 3 | 54 | 47 | 6.9 | 38 | 56 | 5.7 | 33 | 37 | 3.3 |
| 4 | 49 | 51 | 6.7 | 39 | 32 | 3.4 | 33 | 29 | 2.6 |
| 5 | 75 | 159 | 38 | 45 | 28 | 3.4 | 34 | 33 | 3.0 |
| 6 | 80 | 88 | 19 | 41 | 30 | 3.3 | 33 | 36 | 3.2 |
| 7 | 70 | 46 | 8.7 | 41 | 27 | 3.0 | 31 | 29 | 2.4 |
| 8 | 54 | 37 | 5.4 | 38 | 28 | 2.9 | 31 | 23 | 1.9 |
| 9 | 48 | 35 | 4.5 | 37 | 23 | 2.3 | 31 | 30 | 2.5 |
| 10 | 48 | 44 | 5.7 | 37 | 26 | 2.6 | 29 | 50 | 3.9 |
| 11 | 99 | 232 | 80 | 37 | 27 | 2.7 | 29 | 40 | 3.1 |
| 12 | 137 | 255 | 94 | 35 | 26 | 2.5 | 29 | 25 | 2.0 |
| 13 | 58 | 94 | 15 | 34 | 36 | 3.3 | 29 | 19 | 1.5 |
| 14 | 55 | 32 | 4.8 | 33 | 30 | 2.7 | 29 | 21 | 1.6 |
| 15 | 51 | 26 | 3.6 | 31 | 25 | 2.1 | 33 | 24 | 2.1 |
| 16 | 51 | 34 | 4.7 | 29 | 22 | 1.7 | 34 | 26 | 2.4 |
| 17 | 49 | 42 | 5.6 | 28 | 32 | 2.4 | 31 | 30 | 2.5 |
| 18 | 48 | 46 | 6.0 | 28 | 35 | 2.6 | 28 | 30 | 2.3 |
| 19 | 48 | 29 | 3.8 | 29 | 31 | 2.4 | 26 | 17 | 1.2 |
| 20 | 48 | 27 | 3.5 | 29 | 27 | 2.1 | 26 | 24 | 1.7 |
| 21 | 47 | 34 | 4.3 | 28 | 31 | 2.3 | 25 | 18 | 1.2 |
| 22 | 47 | 19 | 2.4 | 35 | 39 | 3.7 | 23 | 23 | 1.4 |
| 23 | 48 | 18 | 2.3 | 68 | 60 | 11 | 23 | 23 | 1.4 |
| 24 | 47 | 17 | 2.2 | 44 | 26 | 3.1 | 31 | 37 | 3.1 |
| 25 | 47 | 23 | 2.9 | 37 | 17 | 1.7 | 33 | 43 | 3.8 |
| 26 | 47 | 35 | 4.4 | 35 | 15 | 1.4 | 25 | 30 | 2.0 |
| 27 | 57 | 46 | 7.1 | 32 | 19 | 1.6 | 24 | 24 | 1.6 |
| 28 | 57 | 40 | 6.2 | 32 | 25 | 2.2 | 24 | 17 | 1.1 |
| 29 | 55 | 30 | 4.5 | 32 | 28 | 2.4 | 24 | 23 | 1.5 |
| 30 | 55 | 24 | 3.6 | 38 | 42 | 4.3 | 25 | 24 | 1.6 |
| 31 | 55 | 27 | 4.0 | 48 | 37 | 4.8 | --- | --- | --- |
| TOTAL | 1866 | --- | 470.8 | 1132 | --- | 97.6 | 878 | --- | 68.0 |
| YEAR | 40922 | | 19390.96 | | | | | | |

CAPTINA CREEK BASIN

03114000 CAPTINA CREEK AT ARMSTRONGS MILLS, OH

LOCATION.--Lat 39°54'31", long 80°55'27", in NE 1/4 sec. 10, T.5 N., R.4 W., Belmont County, Hydrologic Unit 05030106, on left bank at downstream side of bridge on State Highway 148, 0.5 mi east of Armstrongs Mills, and 0.7 mi downstream from Anderson Run.

DRAINAGE AREA.--134 mi².

PERIOD OF RECORD.--August 1926 to September 1935, October 1958 to current year.

REVISED RECORDS.--WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 739.53 ft National Geodetic Vertical Datum of 1929. Aug. 20, 1926 to Sept. 30, 1935, nonrecording gage at same site, at datum 1.0 ft higher.

REMARKS.--Records good except for winter period, which is fair. Water-quality data collected at this site 1965 to 1977. Sediment data collected 1969 to 1974.

AVERAGE DISCHARGE.--35 years, 165 ft³/s, 16.72 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 21,900 ft³/s Aug. 11, 1980, gage height, 17.48 ft; no flow at times during 1929-30, 1932, 1934, 1959, 1963-66, 1972-74.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 3,000 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|--------|------|-----------------------------------|---------------------|
| Dec. 12 | 0930 | 3,250 | 7.51 | May 28 | 2300 | * 4,690 | * 9.03 |
| Apr. 22 | 1830 | 3,440 | 7.73 | | | | |

Minimum discharge, 0.35 ft³/s Sept. 14.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|------|------|------|------|-------|-------|------|------|--------|-------|-------|
| 1 | 3.3 | 17 | 151 | 110 | 65 | 100 | 339 | 154 | 206 | 80 | 3.0 | 17 |
| 2 | 3.9 | 15 | 120 | 100 | 65 | 95 | 269 | 131 | 158 | 52 | 3.6 | 8.9 |
| 3 | 3.3 | 189 | 133 | 90 | 400 | 90 | 231 | 157 | 124 | 49 | 7.1 | 4.7 |
| 4 | 3.3 | 118 | 673 | 80 | 367 | 90 | 476 | 206 | 97 | 31 | 27 | 4.4 |
| 5 | 17 | 74 | 449 | 75 | 227 | 85 | 713 | 160 | 81 | 38 | 29 | 3.9 |
| 6 | 21 | 59 | 334 | 70 | 158 | 601 | 460 | 138 | 70 | 86 | 19 | 2.6 |
| 7 | 14 | 45 | 297 | 65 | 95 | 371 | 373 | 134 | 61 | 82 | 12 | 2.2 |
| 8 | 9.6 | 37 | 229 | 60 | 75 | 281 | 287 | 167 | 54 | 38 | 9.3 | 2.0 |
| 9 | 7.5 | 31 | 196 | 60 | 55 | 223 | 241 | 241 | 48 | 25 | 13 | 1.6 |
| 10 | 5.7 | 37 | 251 | 55 | 106 | 170 | 205 | 188 | 42 | 50 | 7.1 | 1.0 |
| 11 | 4.4 | 687 | 234 | 55 | 193 | 140 | 176 | 155 | 37 | 363 | 5.3 | .63 |
| 12 | 36 | 421 | 1650 | 50 | 227 | 130 | 153 | 268 | 32 | 109 | 5.6 | .63 |
| 13 | 44 | 225 | 706 | 50 | 302 | 120 | 147 | 211 | 28 | 52 | 5.3 | .48 |
| 14 | 65 | 157 | 432 | 48 | 1010 | 120 | 132 | 181 | 30 | 33 | 4.1 | .48 |
| 15 | 34 | 292 | 350 | 46 | 492 | 133 | 129 | 144 | 25 | 24 | 3.0 | 1.0 |
| 16 | 20 | 494 | 266 | 46 | 329 | 183 | 114 | 120 | 22 | 35 | 2.5 | 1.8 |
| 17 | 14 | 413 | 208 | 44 | 280 | 189 | 149 | 103 | 21 | 26 | 2.2 | 2.4 |
| 18 | 15 | 263 | 168 | 44 | 313 | 177 | 211 | 93 | 22 | 20 | 1.9 | 2.9 |
| 19 | 93 | 198 | 147 | 42 | 331 | 161 | 279 | 89 | 40 | 16 | 1.7 | 2.2 |
| 20 | 50 | 160 | 129 | 42 | 307 | 151 | 216 | 82 | 26 | 13 | 1.8 | 1.6 |
| 21 | 120 | 165 | 161 | 42 | 240 | 913 | 178 | 78 | 21 | 11 | 2.0 | 1.0 |
| 22 | 95 | 127 | 350 | 42 | 193 | 750 | 1070 | 71 | 17 | 10 | 2.2 | 1.0 |
| 23 | 433 | 108 | 310 | 42 | 168 | 528 | 1170 | 194 | 15 | 8.4 | 38 | .63 |
| 24 | 157 | 103 | 200 | 885 | 148 | 408 | 764 | 125 | 21 | 6.1 | 20 | 2.4 |
| 25 | 82 | 88 | 140 | 522 | 151 | 373 | 544 | 82 | 22 | 5.3 | 8.9 | 1.8 |
| 26 | 53 | 77 | 130 | 294 | 126 | 1120 | 376 | 70 | 15 | 4.6 | 5.7 | 1.3 |
| 27 | 44 | 68 | 140 | 200 | 115 | 570 | 315 | 63 | 13 | 5.7 | 3.9 | 1.0 |
| 28 | 34 | 414 | 300 | 147 | 110 | 513 | 271 | 818 | 13 | 5.4 | 3.1 | 1.0 |
| 29 | 26 | 336 | 190 | 100 | 110 | 997 | 217 | 1610 | 16 | 5.1 | 2.2 | .82 |
| 30 | 22 | 207 | 140 | 85 | --- | 634 | 190 | 475 | 29 | 4.2 | 2.2 | 1.0 |
| 31 | 18 | --- | 120 | 75 | --- | 446 | --- | 294 | --- | 3.4 | 38 | --- |
| TOTAL | 1548.0 | 5625 | 9304 | 3666 | 6758 | 10862 | 10395 | 7002 | 1406 | 1291.2 | 289.7 | 74.37 |
| MEAN | 49.9 | 188 | 300 | 118 | 233 | 350 | 347 | 226 | 46.9 | 41.7 | 9.35 | 2.48 |
| MAX | 433 | 687 | 1650 | 885 | 1010 | 1120 | 1170 | 1610 | 206 | 363 | 38 | 17 |
| MIN | 3.3 | 15 | 120 | 42 | 55 | 85 | 114 | 63 | 13 | 3.4 | 1.7 | .48 |
| CFSM | .37 | 1.40 | 2.24 | .88 | 1.74 | 2.61 | 2.59 | 1.69 | .35 | .31 | .07 | .02 |
| IN. | .43 | 1.56 | 2.58 | 1.02 | 1.88 | 3.02 | 2.89 | 1.94 | .39 | .36 | .08 | .02 |

CAL YR 1983 TOTAL 65138.47 MEAN 178 MAX 2010 MIN .29 CFSM 1.33 IN 18.08
WTR YR 1984 TOTAL 58221.27 MEAN 159 MAX 1650 MIN .48 CFSM 1.19 IN 16.16

03117000 TUSCARAWAS RIVER AT MASSILLON, OH

LOCATION.--Lat 40°46'13", long 81°31'27", in sec. 20 T.10 N., R.9 W., Stark County, Hydrologic Unit 05040001, on left bank at sewage-treatment works, 0.7 mi south of Massillon, and 3 mi downstream from Newman Creek.

DRAINAGE AREA.--518 mi².

PERIOD OF RECORD.--October 1937 to current year. Prior to April 1938 monthly discharge only, published in WSP 1305.

REVISED RECORDS.--WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 916.00 ft National Geodetic Vertical Datum of 1929. Prior to Aug. 19, 1944, nonrecording gage at same site and datum.

REMARKS.--Records good except those for the winter period, which are fair. Some water diverted through the Portage Lakes into the Ohio Canal at Long Lake, 28 mi and 3 mi south of Akron. Part of the diverted water flows through the Ohio Canal into the Cuyahoga River basin. Flow affected by industrial plants upstream from station and supplemented at times by diversion from Nimisila Reservoir, capacity, 6,500 acre-ft, since 1939. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--47 years, 443 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 10,700 ft³/s July 5, 1969, gage height, 16.43 ft; minimum daily, 57 ft³/s Oct. 13, 14, 1963.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 4,800 ft³/s Mar. 22, gage height, 10.85 ft; minimum daily, 102 ft³/s Sept. 23.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|--------|-------|------|-------|-------|-------|-------|------|------|------|------|
| 1 | 117 | 138 | 505 | 190 | 160 | 290 | 930 | 424 | 511 | 210 | 171 | 234 |
| 2 | 108 | 284 | 404 | 180 | 150 | 280 | 743 | 359 | 403 | 215 | 169 | 166 |
| 3 | 111 | 397 | 362 | 170 | 782 | 270 | 583 | 372 | 355 | 220 | 215 | 158 |
| 4 | 121 | 316 | 1350 | 160 | 1740 | 260 | 558 | 2070 | 323 | 239 | 386 | 178 |
| 5 | 132 | 239 | 2370 | 160 | 891 | 357 | 648 | 2190 | 304 | 601 | 330 | 162 |
| 6 | 145 | 212 | 1830 | 150 | 491 | 796 | 558 | 1340 | 308 | 499 | 253 | 143 |
| 7 | 128 | 180 | 1840 | 150 | 330 | 771 | 644 | 836 | 289 | 538 | 241 | 134 |
| 8 | 138 | 162 | 1290 | 140 | 265 | 597 | 556 | 1160 | 270 | 380 | 244 | 121 |
| 9 | 128 | 156 | 818 | 140 | 270 | 480 | 470 | 1720 | 244 | 287 | 208 | 121 |
| 10 | 123 | 151 | 629 | 130 | 348 | 380 | 422 | 1310 | 222 | 256 | 256 | 130 |
| 11 | 132 | 692 | 557 | 130 | 1410 | 330 | 380 | 962 | 222 | 253 | 224 | 158 |
| 12 | 246 | 1300 | 1010 | 130 | 1580 | 310 | 352 | 1590 | 217 | 244 | 187 | 136 |
| 13 | 248 | 709 | 1030 | 120 | 1360 | 290 | 345 | 1800 | 220 | 232 | 173 | 125 |
| 14 | 241 | 492 | 746 | 120 | 2460 | 280 | 380 | 1440 | 277 | 217 | 160 | 160 |
| 15 | 215 | 429 | 622 | 120 | 2720 | 270 | 523 | 1130 | 292 | 201 | 153 | 178 |
| 16 | 162 | 656 | 555 | 120 | 1990 | 1920 | 629 | 805 | 244 | 212 | 143 | 138 |
| 17 | 123 | 960 | 424 | 120 | 1210 | 2990 | 563 | 595 | 229 | 208 | 138 | 128 |
| 18 | 143 | 920 | 338 | 110 | 1110 | 2330 | 592 | 471 | 284 | 215 | 136 | 121 |
| 19 | 158 | 653 | 304 | 110 | 963 | 1490 | 502 | 439 | 498 | 215 | 176 | 121 |
| 20 | 138 | 630 | 282 | 110 | 840 | 1280 | 524 | 524 | 336 | 203 | 149 | 119 |
| 21 | 123 | 659 | 255 | 110 | 663 | 3340 | 457 | 1860 | 275 | 189 | 134 | 115 |
| 22 | 149 | 517 | 578 | 110 | 527 | 4750 | 394 | 1700 | 244 | 187 | 134 | 104 |
| 23 | 451 | 411 | 625 | 110 | 469 | 4290 | 768 | 1730 | 227 | 192 | 192 | 102 |
| 24 | 330 | 440 | 295 | 333 | 436 | 2970 | 1730 | 2220 | 222 | 194 | 166 | 136 |
| 25 | 201 | 408 | 269 | 933 | 404 | 1900 | 1680 | 1350 | 217 | 189 | 134 | 130 |
| 26 | 162 | 344 | 276 | 842 | 369 | 1430 | 1060 | 713 | 212 | 189 | 121 | 164 |
| 27 | 153 | 296 | 248 | 800 | 342 | 1040 | 778 | 539 | 212 | 538 | 121 | 171 |
| 28 | 143 | 953 | 260 | 487 | 311 | 933 | 758 | 629 | 224 | 391 | 125 | 156 |
| 29 | 123 | 1350 | 294 | 312 | 312 | 1860 | 508 | 1000 | 229 | 232 | 143 | 138 |
| 30 | 111 | 752 | 258 | 258 | --- | 1920 | 492 | 814 | 222 | 192 | 311 | 123 |
| 31 | 111 | --- | 210 | 190 | --- | 1330 | --- | 617 | --- | 178 | 477 | --- |
| TOTAL | 5114 | 15806 | 20834 | 7245 | 24903 | 41734 | 19927 | 34709 | 8332 | 8306 | 6170 | 4270 |
| MEAN | 165 | 527 | 672 | 234 | 859 | 1346 | 664 | 1120 | 278 | 268 | 199 | 142 |
| MAX | 451 | 1350 | 2370 | 933 | 2720 | 4750 | 1730 | 2220 | 511 | 601 | 477 | 234 |
| MIN | 108 | 138 | 210 | 110 | 150 | 260 | 345 | 359 | 212 | 178 | 121 | 102 |
| CAL YR 1983 | TOTAL | 168171 | MEAN | 461 | MAX | 2810 | MIN | 102 | | | | |
| WTR YR 1984 | TOTAL | 197350 | MEAN | 539 | MAX | 4750 | MIN | 102 | | | | |

MUSKINGUM RIVER BASIN

03117100 TUSCARAWAS RIVER AT NAVARRE, OH

LOCATION.--Lat 40°43'36", long 81°31'47", Stark County, Hydrologic Unit 05040001, on left bank at Navarre water treatment plant, 800 ft upstream from bridge on Elton Road at Navarre, 3.5 mi downstream from gaging station at Massillon, 1.2 mi downstream from Pigeon Run, and just upstream from Wolf Creek.

DRAINAGE AREA.--534 mi².

PERIOD OF RECORD.--March 1968 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: March 1968 to current year.

pH: March 1968 to current year.

WATER TEMPERATURES: March 1968 to current year.

DISSOLVED OXYGEN: March 1968 to current year.

INSTRUMENTATION.--Water-quality monitor.

REMARKS.--Interruptions in the water-quality record were due to malfunction of the instrument. See records of daily discharge for gaging station at Massillon (station 03117000).

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: Maximum, 16,700 micromhos Jan. 27, 1970; minimum, 200 micromhos Mar. 8, 9, 1980.

pH: Maximum, 10.7 units Oct. 27, 1971; minimum, 3.9 units Oct. 26, 1969.

WATER TEMPERATURES: Maximum, 30.0°C June 27, 28, 1969, Aug. 25, 1975, July 7, 16, 20, 1977; minimum, 0.0°C on many days during winter periods.

DISSOLVED OXYGEN: Maximum, >20.0 mg/L July 15, 16, 23-26, 1982; minimum, 0.0 mg/L on many days during 1971 to 1973.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum, 3,000 micromhos Oct. 16; minimum, 290 micromhos Dec. 5.

pH: Maximum, 8.8 units July 21, 22, 23; minimum, 7.1 units Jan. 24.

WATER TEMPERATURES: Maximum, 26.5°C July 9; minimum, 0.5°C on many days during the winter period.

DISSOLVED OXYGEN: Maximum, 18.4 mg/L July 23; minimum, 3.7 mg/L June 20.

MUSKINGUM RIVER BASIN

57

03117100 TUSCARAWAS RIVER AT NAVARRE, OH--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|---------|------|------|----------|------|------|----------|------|------|---------|------|------|------|
| OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | | |
| 1 | 1940 | 1790 | 1860 | 2080 | 1530 | 1800 | 750 | 680 | 720 | 1580 | 1480 | 1520 |
| 2 | 1960 | 1770 | 1860 | 1980 | 1040 | 1690 | 880 | 750 | 803 | 1580 | 1460 | 1520 |
| 3 | 1980 | 1700 | 1850 | 1230 | 770 | 941 | 1010 | 890 | 939 | 1570 | 1530 | 1550 |
| 4 | 2110 | 1930 | 2030 | 970 | 790 | 852 | 990 | 320 | 660 | 1650 | 1530 | 1580 |
| 5 | 1980 | 1560 | 1780 | 1130 | 920 | 997 | 460 | 290 | 335 | 1650 | 1560 | 1600 |
| 6 | 2570 | 1950 | 2180 | 1160 | 1070 | 1120 | 750 | 510 | 662 | 1550 | 1450 | 1510 |
| 7 | 2950 | 1940 | 2460 | 1230 | 1090 | 1190 | 750 | 620 | 678 | 1530 | 1480 | 1500 |
| 8 | 1930 | 1660 | 1760 | 1500 | 1240 | 1340 | 1160 | 740 | 963 | 1480 | 1420 | 1440 |
| 9 | 1930 | 1630 | 1770 | 1590 | 1420 | 1440 | 1500 | 1160 | 1290 | 1510 | 1460 | 1490 |
| 10 | 2260 | 1760 | 1990 | 1450 | 1370 | 1410 | 1560 | 950 | 1190 | 1540 | 1500 | 1530 |
| 11 | 1810 | 1610 | 1680 | 1390 | 570 | 1100 | 1030 | 970 | 999 | 1550 | 1470 | 1520 |
| 12 | 1940 | 1350 | 1680 | 530 | 440 | 484 | 1000 | 750 | 869 | 1670 | 1490 | 1540 |
| 13 | 2620 | 1640 | 1890 | 720 | 540 | 628 | 910 | 750 | 860 | 1720 | 1550 | 1620 |
| 14 | 2770 | 2300 | 2490 | 860 | 730 | 809 | 1070 | 920 | 996 | 1850 | 1520 | 1640 |
| 15 | 2470 | 2330 | 2390 | 920 | 850 | 878 | 1070 | 920 | 970 | 1690 | 1540 | 1640 |
| 16 | 3000 | 2410 | 2640 | 1140 | 810 | 952 | 980 | 890 | 923 | 1650 | 1550 | 1580 |
| 17 | 2380 | 1830 | 1980 | 1110 | 820 | 928 | 1000 | 890 | 915 | 2060 | 1550 | 1690 |
| 18 | 2950 | 1880 | 2520 | 1010 | 830 | 892 | 1100 | 1010 | 1060 | 2060 | 1450 | 1610 |
| 19 | 2110 | 1680 | 1820 | 1090 | 760 | 916 | 1180 | 1100 | 1140 | 1600 | 1540 | 1570 |
| 20 | 2190 | 1830 | 1980 | 810 | 750 | 788 | 1230 | 1150 | 1190 | 1640 | 1520 | 1570 |
| 21 | 2130 | 1450 | 1600 | 800 | 730 | 766 | 1300 | 1200 | 1240 | 1800 | 1420 | 1670 |
| 22 | 1890 | 1540 | 1670 | 880 | 730 | 811 | 1350 | 1030 | 1190 | 1960 | 1410 | 1700 |
| 23 | 1840 | 860 | 1330 | 1030 | 880 | 938 | 1090 | 730 | 833 | 1970 | 1620 | 1770 |
| 24 | 900 | 800 | 835 | 1090 | 920 | 1020 | 950 | 770 | 879 | 2100 | 1080 | 1690 |
| 25 | 1130 | 910 | 1010 | 910 | 860 | 890 | 990 | 940 | 970 | 1170 | 830 | 967 |
| 26 | 1520 | 1130 | 1330 | 1000 | 900 | 945 | 1270 | 980 | 1160 | 940 | 820 | 865 |
| 27 | 1460 | 1330 | 1410 | 1050 | 960 | 999 | 1410 | 1270 | 1320 | 820 | 680 | 738 |
| 28 | 1510 | 1440 | 1490 | 1050 | 430 | 757 | 1860 | 1400 | 1510 | 930 | 720 | 826 |
| 29 | 1600 | 1480 | 1540 | 530 | 410 | 473 | 1570 | 1420 | 1490 | 1000 | 890 | 949 |
| 30 | 1770 | 1580 | 1630 | 690 | 540 | 604 | 1770 | 1490 | 1640 | 1310 | 1010 | 1190 |
| 31 | 1810 | 1590 | 1690 | --- | --- | --- | 1720 | 1440 | 1530 | 1440 | 1290 | 1350 |
| MONTH | 3000 | 800 | 1810 | 2080 | 410 | 979 | 1860 | 290 | 1030 | 2100 | 680 | 1450 |

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|------|------|-------|------|------|-------|------|------|------|------|------|------|
| FEBRUARY | | | MARCH | | | APRIL | | | MAY | | | |
| 1 | 1410 | 1310 | 1360 | 1190 | 1070 | 1150 | 830 | 730 | 780 | 1120 | 1070 | 1090 |
| 2 | 1730 | 1370 | 1470 | 1190 | 1060 | 1110 | 920 | 790 | 855 | 1180 | 1070 | 1120 |
| 3 | 1680 | 610 | 1230 | 1240 | 1110 | 1170 | 960 | 820 | 903 | 1220 | 1050 | 1180 |
| 4 | 610 | 490 | 526 | 1300 | 1170 | 1230 | 1140 | 920 | 989 | 960 | 410 | 617 |
| 5 | 750 | 580 | 669 | 1340 | 1150 | 1280 | 1150 | 950 | 1000 | 610 | 460 | 542 |
| 6 | 920 | 760 | 845 | 1180 | 920 | 1040 | 940 | 840 | 899 | 770 | 620 | 697 |
| 7 | 1020 | 930 | 983 | 970 | 890 | 917 | 1370 | 810 | 878 | 960 | 780 | 868 |
| 8 | 1290 | 1020 | 1160 | 1100 | 900 | 1020 | 1010 | 830 | 880 | 1000 | 650 | 818 |
| 9 | 1320 | 1120 | 1220 | 1310 | 1090 | 1180 | 1090 | 870 | 975 | 710 | 620 | 656 |
| 10 | 1380 | 1040 | 1260 | 1170 | 1020 | 1080 | 1180 | 1030 | 1100 | 960 | 720 | 868 |
| 11 | 970 | 500 | 663 | 1210 | 1030 | 1120 | 1210 | 1070 | 1140 | 1130 | 960 | 1040 |
| 12 | 600 | 510 | 546 | 1240 | 1160 | 1200 | 1230 | 1160 | 1200 | 1100 | 500 | 732 |
| 13 | 650 | 600 | 635 | 1310 | 1150 | 1220 | 1310 | 1210 | 1250 | 630 | 510 | 569 |
| 14 | 650 | 480 | 523 | 1350 | 1190 | 1260 | 1280 | 1160 | 1230 | 710 | 610 | 653 |
| 15 | 820 | 490 | 690 | 1230 | 1080 | 1180 | 1220 | 870 | 1060 | 1080 | 670 | 965 |
| 16 | 1020 | 820 | 940 | 1050 | 430 | 709 | 930 | 840 | 880 | 1220 | 1080 | 1150 |
| 17 | 930 | 740 | 834 | 510 | 440 | 475 | 960 | 890 | 931 | 1200 | 900 | 1020 |
| 18 | 870 | 700 | 752 | 590 | 510 | 553 | 1050 | 900 | 959 | 1130 | 990 | 1040 |
| 19 | 760 | 700 | 728 | 700 | 600 | 650 | 1190 | 880 | 1060 | 1240 | 1110 | 1180 |
| 20 | 810 | 750 | 776 | 850 | 700 | 790 | 1190 | 950 | 1080 | 1210 | 830 | 1130 |
| 21 | 870 | 790 | 819 | 740 | 380 | 485 | 1020 | 890 | 947 | 900 | 510 | 640 |
| 22 | 870 | 850 | 860 | 540 | 390 | 471 | 1060 | 950 | 987 | 740 | 550 | 638 |
| 23 | --- | --- | --- | 630 | 540 | 584 | 1000 | 750 | 893 | 780 | 510 | 668 |
| 24 | --- | --- | --- | 630 | 590 | 612 | 780 | 540 | 664 | 620 | 480 | 543 |
| 25 | --- | --- | --- | 660 | 610 | 634 | 860 | 570 | 734 | 830 | 640 | 738 |
| 26 | --- | --- | --- | 730 | 660 | 693 | 1110 | 860 | 988 | 1110 | 840 | 969 |
| 27 | 1180 | 1120 | 1150 | 800 | 730 | 765 | 1240 | 1120 | 1190 | 1080 | 1020 | 1050 |
| 28 | 1160 | 1110 | 1130 | 850 | 710 | 803 | 1260 | 850 | 1040 | 1080 | 900 | 977 |
| 29 | 1270 | 1140 | 1190 | 690 | 610 | 648 | 910 | 850 | 873 | 1000 | 720 | 835 |
| 30 | --- | --- | --- | 700 | 600 | 638 | 1080 | 910 | 988 | 840 | 730 | 779 |
| 31 | --- | --- | --- | 830 | 630 | 703 | --- | --- | --- | 960 | 830 | 893 |
| MONTH | 1730 | 480 | 918 | 1350 | 380 | 883 | 1370 | 540 | 978 | 1240 | 410 | 860 |

MUSKINGUM RIVER BASIN

03117100 TUSCARAWAS RIVER AT NAVARRE, OH--Continued
 SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|------|------|--|------|------|--------|------|------|-----------|------|------|
| | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | 1070 | 950 | 1010 | --- | --- | --- | 1890 | 1730 | 1830 | 1080 | 830 | 940 |
| 2 | 1290 | 1050 | 1150 | --- | --- | --- | 1960 | 1890 | 1910 | 1420 | 1090 | 1250 |
| 3 | 1420 | 1260 | 1340 | --- | --- | --- | 1920 | 1420 | 1830 | 1460 | 1330 | 1400 |
| 4 | 1550 | 1430 | 1490 | --- | --- | --- | 2180 | 900 | 1520 | 1810 | 1370 | 1600 |
| 5 | 1600 | 1480 | 1540 | 2010 | 900 | 1460 | 1320 | 1040 | 1190 | 1920 | 1490 | 1740 |
| 6 | 1620 | 1500 | 1560 | 880 | 760 | 820 | 1320 | 1220 | 1260 | 1660 | 1450 | 1530 |
| 7 | 1600 | 1430 | 1520 | 1240 | 860 | 998 | 1450 | 1250 | 1370 | 1740 | 1630 | 1670 |
| 8 | 1730 | 1550 | 1610 | 1760 | 860 | 1130 | 1640 | 970 | 1270 | 1800 | 1670 | 1740 |
| 9 | 1920 | 1580 | 1700 | 1810 | 1780 | 1800 | 1740 | 1480 | 1650 | 1950 | 1810 | 1860 |
| 10 | 1930 | 1810 | 1870 | --- | --- | --- | 1700 | 1370 | 1510 | 2010 | 1840 | 1920 |
| 11 | 1870 | 1800 | 1840 | --- | --- | --- | 1950 | 1240 | 1670 | 2070 | 1750 | 1950 |
| 12 | 1950 | 1860 | 1890 | --- | --- | --- | 1250 | 1050 | 1160 | 2210 | 1730 | 2050 |
| 13 | 1970 | 1810 | 1910 | --- | --- | --- | 1650 | 1300 | 1460 | 1720 | 1620 | 1660 |
| 14 | 2050 | 1680 | 1800 | --- | --- | --- | 1880 | 1660 | 1800 | 1800 | 1640 | 1750 |
| 15 | 2470 | 1480 | 1900 | --- | --- | --- | 1870 | 1690 | 1760 | 2130 | 1730 | 1900 |
| 16 | 1550 | 1390 | 1470 | --- | --- | --- | 1850 | 1750 | 1800 | 2110 | 1240 | 1460 |
| 17 | 1770 | 1590 | 1710 | --- | --- | --- | 1860 | 1770 | 1850 | 1760 | 1330 | 1520 |
| 18 | 1770 | 1460 | 1670 | --- | --- | --- | 1980 | 1880 | 1920 | 1770 | 1710 | 1750 |
| 19 | 1690 | 1110 | 1400 | 2020 | 1840 | 1900 | 2010 | 1890 | 1960 | 1900 | 1780 | 1820 |
| 20 | 1370 | 1110 | 1180 | 2020 | 1670 | 1820 | 2000 | 1050 | 1700 | 1950 | 1890 | 1920 |
| 21 | 1490 | 1270 | 1380 | 1810 | 1680 | 1740 | 1870 | 1170 | 1590 | 2000 | 1860 | 1960 |
| 22 | 1630 | 1470 | 1540 | 1980 | 1740 | 1880 | 2080 | 1820 | 1960 | 2030 | 1940 | 1980 |
| 23 | 1670 | 1560 | 1610 | 1970 | 1900 | 1920 | 2220 | 1830 | 2080 | 2050 | 1960 | 2020 |
| 24 | 1800 | 1650 | 1710 | 1950 | 1830 | 1900 | 2300 | 1430 | 1780 | 2050 | 1550 | 1860 |
| 25 | 1880 | 1710 | 1810 | 2010 | 1840 | 1930 | 1570 | 1340 | 1450 | 2110 | 1810 | 2000 |
| 26 | 2000 | 1830 | 1900 | 1980 | 1810 | 1910 | 1810 | 1580 | 1660 | 1940 | 1760 | 1900 |
| 27 | 2040 | 1980 | 2010 | 1980 | 870 | 1310 | 2020 | 1730 | 1880 | 1990 | 1560 | 1870 |
| 28 | 2080 | 1920 | 1990 | 940 | 790 | 848 | 2070 | 1990 | 2020 | 1510 | 1290 | 1390 |
| 29 | 2110 | 2020 | 2060 | 1230 | 950 | 1080 | 2100 | 1900 | 2040 | 1520 | 1420 | 1470 |
| 30 | --- | --- | --- | 1560 | 1250 | 1400 | 2150 | 1010 | 1870 | 1510 | 1430 | 1460 |
| 31 | --- | --- | --- | 1690 | 1500 | 1610 | 1420 | 870 | 1130 | --- | --- | --- |
| MONTH | 2470 | 950 | 1640 | 2020 | 760 | 1530 | 2300 | 870 | 1670 | 2210 | 830 | 1710 |
| YEAR | 3000 | 290 | 1280 | PH (STANDARD UNITS), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984 | | | | | | | | |

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
| 1 | 7.8 | 7.6 | 7.7 | 7.7 | 7.6 | 7.7 | 8.1 | 8.0 | 8.0 | 8.2 | 8.1 | 8.1 |
| 2 | 7.8 | 7.6 | 7.7 | 7.7 | 7.6 | 7.7 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 |
| 3 | 7.9 | 7.6 | 7.7 | 7.7 | 7.6 | 7.6 | 8.1 | 8.0 | 8.1 | 8.2 | 8.1 | 8.1 |
| 4 | 7.8 | 7.6 | 7.7 | 7.7 | 7.6 | 7.7 | 8.0 | 7.8 | 7.9 | 8.2 | 8.2 | 8.2 |
| 5 | 7.7 | 7.6 | 7.6 | 7.8 | 7.7 | 7.7 | 7.8 | 7.8 | 7.8 | 8.2 | 8.2 | 8.2 |
| 6 | 7.8 | 7.7 | 7.7 | 7.8 | 7.7 | 7.8 | 8.1 | 7.9 | 8.0 | 8.3 | 8.2 | 8.2 |
| 7 | 7.8 | 7.7 | 7.8 | 7.8 | 7.7 | 7.7 | 8.3 | 8.0 | 8.1 | 8.3 | 8.2 | 8.3 |
| 8 | 7.8 | 7.7 | 7.7 | 7.8 | 7.7 | 7.8 | 8.5 | 8.3 | 8.4 | 8.3 | 8.2 | 8.3 |
| 9 | 7.8 | 7.7 | 7.7 | 7.8 | 7.8 | 7.8 | 8.6 | 8.5 | 8.6 | 8.2 | 8.1 | 8.2 |
| 10 | 7.8 | 7.7 | 7.8 | 7.8 | 7.7 | 7.8 | 8.7 | 8.1 | 8.3 | 8.1 | 8.1 | 8.1 |
| 11 | 7.8 | 7.7 | 7.7 | 7.8 | 7.7 | 7.8 | 8.1 | 8.1 | 8.1 | 8.2 | 8.2 | 8.2 |
| 12 | 7.9 | 7.7 | 7.7 | 7.8 | 7.7 | 7.7 | 8.1 | 7.9 | 8.0 | 8.2 | 8.1 | 8.1 |
| 13 | 8.2 | 7.9 | 8.1 | 7.9 | 7.8 | 7.9 | 8.1 | 7.9 | 8.0 | 8.1 | 8.1 | 8.1 |
| 14 | 8.4 | 8.2 | 8.3 | 7.9 | 7.9 | 7.9 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 |
| 15 | 8.5 | 8.4 | 8.5 | 7.9 | 7.8 | 7.9 | 8.1 | 8.0 | 8.0 | 8.1 | 8.1 | 8.1 |
| 16 | 8.5 | 8.4 | 8.4 | 8.1 | 7.8 | 8.0 | 8.1 | 8.0 | 8.1 | 8.1 | 8.0 | 8.1 |
| 17 | 8.3 | 7.9 | 8.0 | 8.3 | 8.0 | 8.2 | 8.2 | 8.1 | 8.2 | 8.1 | 8.0 | 8.0 |
| 18 | 7.9 | 7.8 | 7.8 | 8.2 | 8.1 | 8.2 | 8.2 | 8.1 | 8.2 | 8.1 | 8.0 | 8.0 |
| 19 | 7.8 | 7.7 | 7.7 | 8.4 | 8.0 | 8.2 | 8.2 | 8.1 | 8.1 | 8.0 | 8.0 | 8.0 |
| 20 | 7.7 | 7.7 | 7.7 | 8.0 | 7.9 | 8.0 | 8.1 | 8.1 | 8.1 | 8.0 | 7.9 | 8.0 |
| 21 | 7.8 | 7.7 | 7.7 | 8.0 | 7.9 | 8.0 | 8.1 | 8.0 | 8.0 | 8.0 | 7.9 | 7.9 |
| 22 | 7.7 | 7.7 | 7.7 | 8.0 | 7.9 | 7.9 | 8.2 | 8.0 | 8.0 | 7.9 | 7.9 | 7.9 |
| 23 | 7.9 | 7.7 | 7.7 | 8.0 | 7.9 | 8.0 | 8.2 | 8.0 | 8.1 | 7.9 | 7.8 | 7.8 |
| 24 | 7.9 | 7.7 | 7.8 | 7.9 | 7.9 | 7.9 | 8.1 | 8.0 | 8.1 | 7.8 | 7.1 | 7.7 |
| 25 | 7.7 | 7.7 | 7.7 | 8.0 | 7.9 | 7.9 | 8.1 | 8.0 | 8.1 | 8.0 | 7.8 | 7.9 |
| 26 | 7.7 | 7.6 | 7.7 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 7.9 | 7.8 | 7.8 |
| 27 | 7.8 | 7.6 | 7.8 | 8.0 | 8.0 | 8.0 | 8.0 | 7.8 | 7.9 | 8.0 | 7.8 | 7.9 |
| 28 | 7.8 | 7.7 | 7.7 | 8.0 | 7.8 | 7.8 | 7.9 | 7.8 | 7.9 | 8.2 | 7.9 | 8.1 |
| 29 | 7.7 | 7.7 | 7.7 | 7.8 | 7.7 | 7.7 | 8.2 | 7.9 | 8.0 | 8.2 | 8.1 | 8.1 |
| 30 | 7.8 | 7.7 | 7.7 | 8.0 | 7.8 | 7.9 | 8.2 | 8.0 | 8.1 | 8.1 | 8.1 | 8.1 |
| 31 | 7.7 | 7.7 | 7.7 | --- | --- | --- | 8.2 | 8.0 | 8.1 | 8.2 | 8.1 | 8.2 |
| MONTH | 8.5 | 7.6 | 7.8 | 8.4 | 7.6 | 7.9 | 8.7 | 7.8 | 8.1 | 8.3 | 7.1 | 8.1 |

59

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|-----|-----|------|-------|-----|------|--------|-----|------|-----------|-----|------|
| FEBRUARY | | | | MARCH | | | APRIL | | | MAY | | |
| 1 | 8.2 | 8.1 | 8.1 | 8.3 | 8.3 | 8.3 | 8.0 | 7.9 | 7.9 | 8.3 | 7.9 | 8.1 |
| 2 | 8.1 | 8.0 | 8.0 | 8.3 | 8.2 | 8.2 | 8.0 | 7.9 | 8.0 | 8.3 | 7.9 | 8.1 |
| 3 | 8.1 | 8.0 | 8.0 | 8.2 | 8.2 | 8.2 | 8.0 | 7.9 | 7.9 | 8.0 | 7.8 | 7.9 |
| 4 | 8.0 | 7.8 | 7.9 | 8.2 | 8.1 | 8.2 | 7.9 | 7.9 | 7.9 | 7.8 | 7.6 | 7.7 |
| 5 | 7.8 | 7.8 | 7.8 | 8.1 | 8.1 | 8.1 | 7.9 | 7.8 | 7.9 | 7.6 | 7.6 | 7.6 |
| 6 | 7.9 | 7.8 | 7.9 | 8.2 | 8.0 | 8.1 | 7.9 | 7.8 | 7.9 | 7.8 | 7.6 | 7.7 |
| 7 | 7.9 | 7.9 | 7.9 | 8.1 | 8.0 | 8.0 | 8.1 | 7.9 | 8.0 | 7.8 | 7.7 | 7.8 |
| 8 | 8.1 | 7.9 | 8.0 | 8.2 | 8.1 | 8.1 | 8.2 | 8.0 | 8.1 | 7.8 | 7.7 | 7.7 |
| 9 | 8.1 | 8.1 | 8.1 | 8.4 | 8.2 | 8.2 | 8.2 | 8.0 | 8.1 | 7.7 | 7.6 | 7.6 |
| 10 | 8.1 | 8.1 | 8.1 | 8.3 | 8.1 | 8.2 | 8.2 | 8.1 | 8.1 | 7.9 | 7.8 | 7.8 |
| 11 | 8.0 | 7.8 | 7.9 | 8.2 | 8.1 | 8.1 | 8.2 | 8.1 | 8.1 | 7.9 | 7.8 | 7.9 |
| 12 | 7.9 | 7.8 | 7.9 | 8.2 | 8.1 | 8.2 | 8.0 | 8.0 | 8.1 | 7.9 | 7.5 | 7.7 |
| 13 | 7.8 | 7.8 | 7.8 | 8.2 | 8.1 | 8.2 | 8.3 | 8.0 | 8.1 | 7.7 | 7.6 | 7.6 |
| 14 | 7.8 | 7.7 | 7.8 | 8.3 | 8.1 | 8.2 | 8.1 | 8.0 | 8.0 | 7.8 | 7.6 | 7.7 |
| 15 | 7.9 | 7.8 | 7.9 | 8.2 | 8.1 | 8.1 | 8.1 | 7.9 | 8.0 | 7.9 | 7.8 | 7.8 |
| 16 | 8.0 | 7.9 | 7.9 | 8.1 | 7.8 | 8.0 | 8.0 | 7.8 | 7.9 | 8.0 | 7.8 | 7.9 |
| 17 | 7.9 | 7.8 | 7.8 | 7.9 | 7.8 | 7.8 | 8.1 | 7.9 | 8.0 | 8.0 | 7.8 | 7.9 |
| 18 | 7.9 | 7.7 | 7.8 | 7.8 | 7.8 | 7.8 | 8.2 | 8.0 | 8.1 | 7.9 | 7.8 | 7.8 |
| 19 | 7.8 | 7.7 | 7.7 | 7.9 | 7.8 | 7.8 | 8.4 | 8.1 | 8.2 | 7.8 | 7.7 | 7.8 |
| 20 | 7.8 | 7.8 | 7.8 | 8.0 | 7.9 | 8.0 | 8.4 | 8.2 | 8.3 | 7.8 | 7.7 | 7.7 |
| 21 | 7.9 | 7.8 | 7.9 | 7.9 | 7.7 | 7.8 | 8.4 | 8.1 | 8.2 | 7.6 | 7.5 | 7.6 |
| 22 | 7.9 | 7.9 | 7.9 | 7.8 | 7.7 | 7.7 | 8.2 | 8.0 | 8.1 | 7.6 | 7.5 | 7.6 |
| 23 | --- | --- | --- | 7.9 | 7.8 | 7.8 | 8.1 | 7.9 | 8.0 | 7.7 | 7.4 | 7.6 |
| 24 | --- | --- | --- | 7.9 | 7.8 | 7.8 | 7.9 | 7.7 | 7.8 | 7.6 | 7.4 | 7.5 |
| 25 | --- | --- | --- | 7.8 | 7.7 | 7.8 | 8.0 | 7.7 | 7.8 | 7.6 | 7.5 | 7.5 |
| 26 | --- | --- | --- | 7.9 | 7.8 | 7.8 | 8.1 | 7.9 | 7.9 | 7.7 | 7.6 | 7.6 |
| 27 | 8.0 | 7.9 | 8.0 | 7.9 | 7.8 | 7.9 | 8.1 | 7.9 | 8.0 | 7.8 | 7.6 | 7.7 |
| 28 | 8.2 | 8.0 | 8.1 | 7.9 | 7.8 | 7.9 | 8.0 | 7.8 | 7.9 | 7.7 | 7.7 | 7.7 |
| 29 | 8.3 | 8.2 | 8.3 | 7.9 | 7.8 | 7.8 | 8.2 | 7.8 | 7.9 | 7.7 | 7.7 | 7.7 |
| 30 | --- | --- | --- | 7.9 | 7.8 | 7.8 | 8.2 | 7.9 | 8.0 | 7.8 | 7.7 | 7.7 |
| 31 | --- | --- | --- | 8.0 | 7.9 | 7.9 | --- | --- | --- | 7.9 | 7.7 | 7.8 |
| MONTH | 8.3 | 7.7 | 7.9 | 8.4 | 7.7 | 8.0 | 8.4 | 7.7 | 8.0 | 8.3 | 7.4 | 7.7 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| JUNE | | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | 7.8 | 7.7 | 7.8 | --- | --- | --- | 8.5 | 7.8 | 8.2 | 7.6 | 7.4 | 7.5 |
| 2 | 7.9 | 7.7 | 7.8 | --- | --- | --- | 8.3 | 7.8 | 8.0 | 7.8 | 7.6 | 7.7 |
| 3 | 7.9 | 7.7 | 7.8 | --- | --- | --- | 8.0 | 7.6 | 7.8 | 7.7 | 7.6 | 7.7 |
| 4 | 7.9 | 7.7 | 7.8 | --- | --- | --- | 7.7 | 7.6 | 7.6 | 7.8 | 7.6 | 7.7 |
| 5 | 7.9 | 7.7 | 7.8 | 7.8 | 7.6 | 7.7 | 7.8 | 7.5 | 7.6 | 7.8 | | |

MUSKINGUM RIVER BASIN

03117100 TUSCARAWAS RIVER AT NAVARRE, OH--Continued

TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|---------|------|------|----------|------|------|----------|-----|-----|---------|-----|-----|------|
| OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | | |
| 1 | 19.0 | 17.0 | 18.0 | 11.0 | 9.5 | 10.5 | 4.5 | 3.5 | 4.0 | 2.0 | 1.5 | 1.5 |
| 2 | 19.0 | 16.0 | 17.5 | 12.0 | 10.0 | 11.0 | 3.5 | 3.0 | 3.0 | 2.0 | 1.5 | 2.0 |
| 3 | 19.5 | 16.5 | 18.0 | 12.5 | 11.5 | 12.0 | 4.0 | 3.0 | 3.5 | 2.5 | 1.5 | 2.0 |
| 4 | 19.0 | 18.0 | 18.5 | 11.5 | 9.5 | 10.5 | 4.0 | 3.5 | 4.0 | 3.0 | 2.0 | 2.0 |
| 5 | 18.5 | 18.0 | 18.5 | 9.5 | 8.5 | 9.0 | 4.5 | 3.5 | 4.0 | 2.5 | 2.0 | 2.0 |
| 6 | 18.5 | 16.5 | 17.5 | 9.5 | 8.0 | 8.5 | 5.5 | 4.5 | 5.0 | 2.5 | 2.0 | 2.0 |
| 7 | 17.5 | 14.5 | 16.0 | 9.5 | 8.5 | 9.0 | 5.0 | 3.5 | 4.5 | 2.0 | 1.5 | 1.5 |
| 8 | 17.5 | 14.0 | 16.0 | 11.0 | 8.5 | 9.5 | 3.5 | 3.0 | 3.0 | 2.5 | 1.5 | 1.5 |
| 9 | 17.0 | 15.0 | 15.5 | 11.0 | 8.5 | 10.0 | 3.5 | 3.0 | 3.5 | 2.5 | 1.5 | 2.0 |
| 10 | 17.0 | 14.5 | 15.5 | 11.0 | 10.0 | 10.5 | 4.0 | 3.5 | 4.0 | 2.5 | 1.5 | 2.0 |
| 11 | 17.0 | 14.5 | 16.0 | 11.0 | 8.5 | 10.0 | 5.0 | 4.0 | 4.5 | 2.5 | 1.0 | 1.5 |
| 12 | 17.0 | 15.5 | 16.5 | 8.5 | 6.0 | 7.0 | 6.0 | 5.0 | 5.5 | 2.5 | 1.0 | 1.5 |
| 13 | 17.0 | 16.0 | 17.0 | 6.0 | 5.0 | 5.5 | 6.0 | 6.0 | 6.0 | 3.0 | 1.5 | 2.0 |
| 14 | 16.0 | 14.0 | 15.0 | 6.5 | 5.0 | 5.5 | 6.5 | 5.5 | 6.0 | 2.5 | 2.0 | 2.0 |
| 15 | 15.0 | 12.5 | 13.5 | 6.5 | 5.5 | 6.0 | 6.0 | 5.5 | 5.5 | 2.0 | 1.0 | 1.5 |
| 16 | 15.0 | 12.5 | 13.5 | 6.5 | 6.0 | 6.0 | 5.0 | 3.5 | 4.5 | 3.0 | .5 | 1.5 |
| 17 | 15.5 | 13.5 | 14.5 | 6.0 | 5.0 | 5.5 | 3.5 | 2.0 | 3.0 | 2.5 | 1.5 | 2.0 |
| 18 | 14.5 | 13.0 | 13.5 | 5.5 | 4.5 | 5.0 | 2.0 | 1.5 | 1.5 | 2.5 | 1.5 | 2.0 |
| 19 | 13.5 | 11.5 | 12.5 | 8.0 | 6.0 | 7.0 | 1.5 | .5 | 1.0 | 2.5 | 1.0 | 1.5 |
| 20 | 13.0 | 11.5 | 12.0 | 9.0 | 7.5 | 8.5 | 1.5 | .5 | 1.0 | 2.0 | .5 | 1.0 |
| 21 | 12.5 | 11.5 | 12.0 | 9.0 | 8.0 | 8.5 | 2.0 | 1.0 | 1.5 | 1.5 | .5 | 1.0 |
| 22 | 12.5 | 11.5 | 11.5 | 9.5 | 8.0 | 8.5 | 2.5 | 1.0 | 1.5 | 2.0 | .5 | 1.0 |
| 23 | 12.0 | 11.5 | 11.5 | 10.0 | 9.0 | 9.5 | .5 | .5 | .5 | 3.0 | 1.0 | 2.0 |
| 24 | 13.0 | 11.5 | 12.5 | 10.5 | 9.0 | 10.0 | .5 | .5 | .5 | 3.0 | 1.0 | 2.5 |
| 25 | 13.0 | 12.5 | 12.5 | 9.0 | 7.0 | 8.0 | .5 | .5 | .5 | 1.5 | .5 | 1.0 |
| 26 | 12.5 | 11.5 | 12.0 | 7.5 | 6.0 | 6.5 | .5 | .5 | .5 | 1.5 | .5 | 1.0 |
| 27 | 12.0 | 10.0 | 11.0 | 7.5 | 6.0 | 7.0 | 1.0 | .5 | .5 | 1.0 | .5 | 1.0 |
| 28 | 13.0 | 10.0 | 11.0 | 9.0 | 7.5 | 8.0 | 2.0 | 1.0 | 1.5 | 1.5 | .5 | 1.0 |
| 29 | 12.5 | 10.5 | 11.5 | 8.5 | 6.5 | 7.5 | 1.5 | .5 | 1.0 | 1.5 | 1.0 | 1.5 |
| 30 | 11.0 | 9.0 | 10.0 | 6.5 | 4.5 | 5.5 | 1.5 | .5 | 1.0 | 2.0 | 1.0 | 1.5 |
| 31 | 11.0 | 8.5 | 9.5 | --- | --- | --- | 1.5 | .5 | 1.0 | 2.5 | 1.0 | 1.5 |
| MONTH | 19.5 | 8.5 | 14.0 | 12.5 | 4.5 | 8.0 | 6.5 | .5 | 3.0 | 3.0 | .5 | 1.5 |

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|-----|-----|-------|-----|-----|-------|------|------|------|------|------|------|
| FEBRUARY | | | MARCH | | | APRIL | | | MAY | | | |
| 1 | 3.0 | .5 | 1.5 | 2.5 | .5 | 1.5 | 8.0 | 5.5 | 6.5 | 16.0 | 14.0 | 15.0 |
| 2 | 3.5 | 1.0 | 2.0 | 3.5 | .5 | 1.5 | 8.5 | 7.0 | 7.5 | 15.0 | 12.5 | 13.5 |
| 3 | 2.0 | 1.0 | 1.5 | 3.5 | .5 | 2.0 | 9.0 | 7.5 | 8.0 | 13.5 | 12.5 | 13.0 |
| 4 | 1.0 | .5 | 1.0 | 2.5 | .5 | 1.5 | 9.0 | 8.0 | 9.0 | 12.5 | 10.5 | 11.0 |
| 5 | 1.5 | 1.0 | 1.5 | 3.5 | 2.0 | 3.0 | 10.5 | 9.0 | 9.5 | 11.0 | 10.5 | 11.0 |
| 6 | 2.0 | 1.0 | 1.5 | 3.0 | 2.0 | 2.5 | 9.5 | 8.0 | 8.5 | 12.5 | 10.5 | 11.5 |
| 7 | 1.5 | .5 | 1.0 | 3.5 | 2.0 | 2.5 | 8.0 | 7.0 | 7.5 | 14.5 | 12.5 | 13.5 |
| 8 | 2.5 | .5 | 1.5 | 2.5 | 1.0 | 2.0 | 9.0 | 6.5 | 7.5 | 14.5 | 13.0 | 14.0 |
| 9 | 3.5 | 1.0 | 2.0 | 2.0 | .5 | 1.0 | 11.5 | 8.0 | 9.5 | 12.5 | 10.5 | 11.5 |
| 10 | 3.5 | 2.0 | 2.5 | 2.5 | .5 | 1.0 | 12.5 | 8.5 | 10.5 | 12.0 | 10.0 | 11.0 |
| 11 | 3.0 | 2.0 | 2.0 | 3.0 | 1.0 | 2.0 | 13.0 | 9.5 | 11.0 | 14.5 | 12.0 | 13.5 |
| 12 | 3.5 | 2.5 | 3.0 | 3.0 | .5 | 2.0 | 14.0 | 10.5 | 12.0 | 15.5 | 14.5 | 15.0 |
| 13 | 4.5 | 3.5 | 4.0 | 3.5 | 2.0 | 2.5 | 15.5 | 12.5 | 13.5 | 15.5 | 14.5 | 15.0 |
| 14 | 4.5 | 3.5 | 4.0 | 4.5 | 2.5 | 3.5 | 14.0 | 13.0 | 13.5 | 14.0 | 13.0 | 13.5 |
| 15 | 3.5 | 2.5 | 3.0 | 5.0 | 3.0 | 4.0 | 13.0 | 12.0 | 12.5 | 14.5 | 13.0 | 13.5 |
| 16 | 4.5 | 3.0 | 4.0 | 4.0 | 1.0 | 2.5 | 13.0 | 11.5 | 12.0 | 14.0 | 12.5 | 13.5 |
| 17 | 5.5 | 4.0 | 5.0 | 2.0 | 1.0 | 1.5 | 12.0 | 10.5 | 11.5 | 15.5 | 12.5 | 14.0 |
| 18 | 5.5 | 5.0 | 5.5 | 2.5 | 2.0 | 2.0 | 10.5 | 9.5 | 10.0 | 16.0 | 14.0 | 15.0 |
| 19 | 7.0 | 5.5 | 6.0 | 3.0 | 2.0 | 2.5 | 10.5 | 9.5 | 10.0 | 18.0 | 15.0 | 16.5 |
| 20 | 6.5 | 5.5 | 6.0 | 6.0 | 3.0 | 4.5 | 11.0 | 9.5 | 10.0 | 18.0 | 16.5 | 17.5 |
| 21 | 5.5 | 4.0 | 4.5 | 6.0 | 4.5 | 5.5 | 12.0 | 9.5 | 10.5 | 16.0 | 14.5 | 15.5 |
| 22 | 4.0 | 3.5 | 3.5 | 4.0 | 3.0 | 3.5 | 10.5 | 8.5 | 9.5 | 18.0 | 15.5 | 16.5 |
| 23 | --- | --- | --- | 3.0 | 2.5 | 3.0 | 8.5 | 8.0 | 8.5 | 19.5 | 18.0 | 18.5 |
| 24 | --- | --- | --- | 3.5 | 2.5 | 3.5 | 8.5 | 8.0 | 8.0 | 18.5 | 17.0 | 17.5 |
| 25 | --- | --- | --- | 5.0 | 3.5 | 4.5 | 10.5 | 7.5 | 9.0 | 18.5 | 17.5 | 18.0 |
| 26 | --- | --- | --- | 6.5 | 5.0 | 5.5 | 14.0 | 10.5 | 12.0 | 19.5 | 18.0 | 18.5 |
| 27 | 3.0 | 2.0 | 3.0 | 6.5 | 6.0 | 6.5 | 16.0 | 14.0 | 14.5 | 19.5 | 17.5 | 18.5 |
| 28 | 2.0 | .5 | 1.5 | 6.5 | 5.5 | 6.0 | 16.5 | 15.0 | 16.0 | 18.0 | 16.5 | 17.0 |
| 29 | 2.5 | .5 | 1.0 | 5.5 | 4.0 | 4.5 | 17.0 | 15.0 | 16.0 | 16.5 | 14.0 | 15.5 |
| 30 | --- | --- | --- | 5.0 | 3.5 | 4.0 | 18.5 | 16.0 | 17.0 | 14.0 | 13.0 | 13.5 |
| 31 | --- | --- | --- | 6.5 | 5.0 | 5.5 | --- | --- | --- | 15.5 | 13.0 | 14.0 |
| MONTH | 7.0 | .5 | 3.0 | 6.5 | .5 | 3.0 | 18.5 | 5.5 | 10.5 | 19.5 | 10.0 | 14.5 |

MUSKINGUM RIVER BASIN

61

03117100 TUSCARAWAS RIVER AT NAVARRE, OH--Continued
 TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | 18.0 | 14.5 | 16.0 | --- | --- | --- | 24.0 | 21.0 | 22.5 | 20.5 | 18.5 | 19.5 |
| 2 | 20.5 | 16.0 | 18.0 | --- | --- | --- | 24.5 | 22.0 | 23.0 | 23.0 | 19.0 | 20.5 |
| 3 | 22.5 | 18.5 | 20.0 | --- | --- | --- | 24.0 | 21.5 | 23.0 | 21.5 | 19.5 | 20.5 |
| 4 | 22.5 | 18.5 | 20.5 | --- | --- | --- | 23.5 | 22.5 | 23.0 | 20.5 | 18.5 | 19.5 |
| 5 | 23.0 | 19.0 | 21.0 | 22.0 | 21.5 | 20.5 | 24.5 | 22.0 | 23.0 | 19.5 | 17.5 | 18.5 |
| 6 | 23.5 | 20.5 | 22.0 | 21.0 | 20.5 | 20.5 | 25.5 | 22.0 | 23.5 | 19.5 | 15.5 | 17.5 |
| 7 | 24.5 | 21.0 | 22.5 | 21.0 | 19.0 | 20.0 | 25.0 | 23.0 | 24.0 | 18.5 | 15.5 | 17.0 |
| 8 | 24.5 | 22.0 | 23.5 | 23.0 | 18.0 | 20.0 | 25.5 | 23.0 | 24.0 | 20.0 | 16.0 | 17.5 |
| 9 | 25.5 | 22.5 | 24.0 | 26.5 | 22.0 | 24.5 | 25.0 | 23.0 | 24.0 | 20.5 | 17.0 | 18.5 |
| 10 | 26.0 | 22.5 | 24.0 | --- | --- | --- | 25.0 | 23.0 | 24.0 | 20.5 | 18.0 | 19.5 |
| 11 | 26.0 | 22.5 | 24.0 | --- | --- | --- | 26.0 | 23.5 | 25.0 | 22.0 | 18.5 | 20.0 |
| 12 | 25.5 | 21.0 | 23.5 | --- | --- | --- | 23.5 | 22.0 | 23.0 | 22.0 | 19.0 | 20.5 |
| 13 | 25.0 | 22.5 | 23.5 | --- | --- | --- | 24.5 | 22.0 | 23.5 | 22.0 | 18.5 | 20.5 |
| 14 | 25.0 | 22.0 | 23.0 | --- | --- | --- | 25.0 | 22.5 | 24.5 | 23.0 | 20.5 | 21.5 |
| 15 | 23.5 | 21.0 | 22.5 | --- | --- | --- | 25.0 | 22.0 | 23.0 | 21.0 | 18.5 | 19.5 |
| 16 | 22.5 | 20.0 | 21.0 | --- | --- | --- | 25.0 | 21.5 | 23.5 | 19.0 | 16.0 | 17.5 |
| 17 | 23.5 | 20.5 | 21.5 | --- | --- | --- | 25.5 | 21.0 | 23.0 | 18.0 | 14.0 | 16.0 |
| 18 | 24.0 | 21.5 | 22.5 | --- | --- | --- | 25.5 | 22.0 | 24.0 | 18.0 | 14.5 | 16.5 |
| 19 | 25.5 | 22.5 | 23.5 | 23.5 | 19.5 | 22.0 | 25.5 | 22.0 | 24.0 | 18.5 | 15.0 | 16.5 |
| 20 | 24.5 | 23.0 | 23.5 | 23.0 | 19.5 | 21.5 | 25.5 | 21.5 | 23.5 | 19.5 | 16.5 | 18.0 |
| 21 | 25.0 | 21.5 | 23.5 | 24.5 | 20.5 | 22.0 | 24.0 | 20.0 | 22.5 | 20.5 | 17.0 | 19.0 |
| 22 | 25.0 | 21.5 | 23.0 | 25.0 | 21.0 | 23.0 | 23.0 | 18.5 | 21.5 | 20.5 | 17.5 | 19.0 |
| 23 | 24.0 | 22.5 | 23.0 | 25.5 | 21.5 | 23.5 | 23.0 | 19.5 | 21.5 | 21.0 | 19.0 | 20.0 |
| 24 | 24.0 | 21.5 | 22.5 | 25.0 | 22.5 | 23.0 | 21.0 | 19.0 | 20.0 | 21.0 | 19.0 | 20.0 |
| 25 | 23.0 | 20.0 | 21.5 | 23.5 | 21.0 | 22.5 | 22.0 | 17.5 | 20.0 | 21.5 | 19.5 | 20.5 |
| 26 | 23.5 | 19.5 | 21.5 | 23.0 | 21.0 | 21.5 | 22.0 | 18.0 | 20.0 | 21.5 | 18.0 | 19.0 |
| 27 | 23.0 | 20.0 | 21.5 | 21.0 | 18.5 | 20.0 | 22.5 | 18.5 | 21.0 | 17.5 | 16.0 | 16.5 |
| 28 | 23.5 | 19.0 | 21.5 | 22.5 | 19.0 | 20.5 | 22.0 | 20.0 | 21.0 | 15.0 | 14.0 | 14.5 |
| 29 | 23.5 | 20.5 | 22.0 | 22.5 | 19.0 | 21.0 | 23.5 | 20.0 | 21.5 | 14.5 | 12.0 | 13.5 |
| 30 | 23.0 | 19.0 | 20.5 | 23.5 | 20.0 | 21.5 | 23.5 | 20.0 | 21.5 | 14.0 | 12.0 | 13.0 |
| 31 | --- | --- | --- | 24.5 | 19.5 | 22.0 | 21.5 | 19.5 | 20.5 | --- | --- | --- |
| MONTH | 26.0 | 14.5 | 22.0 | 26.5 | 18.0 | 21.5 | 26.0 | 17.5 | 22.5 | 23.0 | 12.0 | 18.5 |
| YEAR | 26.5 | .5 | 11.5 | | | | | | | | | |

OXYGEN, DISSOLVED (DO), MG/L, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|---------|-----|------|----------|------|------|----------|------|------|---------|------|------|
| | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
| 1 | 7.4 | 4.8 | 5.9 | 7.6 | 6.9 | 7.2 | 12.7 | 12.0 | 12.5 | 10.9 | 10.7 | 10.8 |
| 2 | 7.5 | 4.5 | 6.2 | 7.3 | 6.7 | 7.1 | 12.9 | 12.5 | 12.7 | 10.7 | 10.4 | 10.6 |
| 3 | 8.3 | 4.8 | 6.6 | 6.8 | 6.4 | 6.6 | 12.8 | 12.5 | 12.6 | 10.6 | 10.3 | 10.4 |
| 4 | 7.4 | 4.8 | 5.9 | 7.4 | 6.8 | 7.2 | 13.1 | 12.1 | 12.6 | 10.5 | 10.1 | 10.4 |
| 5 | 6.8 | 4.5 | 5.6 | 8.6 | 7.4 | 8.1 | 12.1 | 12.0 | 12.0 | 10.5 | 10.2 | 10.4 |
| 6 | 7.5 | 5.0 | 6.2 | 9.1 | 8.4 | 8.7 | 12.0 | 11.7 | 11.8 | 10.4 | 10.1 | 10.3 |
| 7 | 7.4 | 5.3 | 6.4 | 8.5 | 8.0 | 8.4 | 12.6 | 11.8 | 12.1 | 10.6 | 10.1 | 10.3 |
| 8 | 7.2 | 5.2 | 6.2 | 9.5 | 7.9 | 8.7 | 12.7 | 12.6 | 12.7 | 10.7 | 10.2 | 10.5 |
| 9 | 7.1 | 5.1 | 6.1 | 9.4 | 8.7 | 9.0 | 12.8 | 12.6 | 12.7 | 10.7 | 10.4 | 10.6 |
| 10 | 7.5 | 5.1 | 6.2 | 8.7 | 8.2 | 8.5 | 12.6 | 12.4 | 12.5 | 10.4 | 10.1 | 10.2 |
| 11 | 7.6 | 5.2 | 6.3 | 9.4 | 8.2 | 8.8 | 12.7 | 12.3 | 12.5 | 11.5 | 11.0 | 11.2 |
| 12 | 6.7 | 5.7 | 6.1 | 10.8 | 8.4 | 9.8 | 12.4 | 11.9 | 12.2 | 11.4 | 10.7 | 11.1 |
| 13 | 6.8 | 5.6 | 6.1 | 11.5 | 10.9 | 11.3 | 11.9 | 11.7 | 11.8 | 11.1 | 10.4 | 10.7 |
| 14 | 8.5 | 6.1 | 7.1 | 11.8 | 11.3 | 11.6 | 11.8 | 11.6 | 11.8 | 10.8 | 10.2 | 10.5 |
| 15 | 8.9 | 6.7 | 7.7 | 11.5 | 11.0 | 11.4 | 11.8 | 11.5 | 11.7 | 11.2 | 10.5 | 10.8 |
| 16 | 9.0 | 7.2 | 8.0 | 11.5 | 11.3 | 11.4 | 12.5 | 11.7 | 12.2 | 11.2 | 10.6 | 10.9 |
| 17 | 8.4 | 6.7 | 7.5 | 11.8 | 11.2 | 11.6 | 13.0 | 12.4 | 12.8 | 11.4 | 10.3 | 10.9 |
| 18 | 7.5 | 6.3 | 7.0 | 12.1 | 11.9 | 12.0 | 13.2 | 12.8 | 13.0 | 11.3 | 10.7 | 10.9 |
| 19 | 8.6 | 7.0 | 7.6 | 11.9 | 9.0 | 10.4 | 13.2 | 12.9 | 13.0 | 11.8 | 10.7 | 11.1 |
| 20 | 7.5 | 6.8 | 7.2 | 10.9 | 8.7 | 10.1 | 13.3 | 12.8 | 13.0 | 11.7 | 10.8 | 11.1 |
| 21 | 8.0 | 6.6 | 7.3 | 11.1 | 10.5 | 10.8 | 12.8 | 12.5 | 12.7 | 11.3 | 10.4 | 10.8 |
| 22 | 7.9 | 6.8 | 7.3 | 11.0 | 10.5 | 10.7 | 12.7 | 12.0 | 12.5 | 11.3 | 10.2 | 10.6 |
| 23 | 8.4 | 7.5 | 8.0 | 10.6 | 10.0 | 10.4 | 12.8 | 12.3 | 12.7 | 10.8 | 9.6 | 10.3 |
| 24 | 7.9 | 7.2 | 7.6 | 10.1 | 9.8 | 9.9 | 12.7 | 12.2 | 12.5 | 12.1 | 9.3 | 10.3 |
| 25 | 7.3 | 6.7 | 7.0 | 10.9 | 9.8 | 10.4 | 12.3 | 11.8 | 12.1 | 12.0 | 10.8 | 11.5 |
| 26 | 7.7 | 6.8 | 7.2 | 11.8 | 10.9 | 11.4 | 11.7 | 11.0 | 11.4 | 11.6 | 11.1 | 11.3 |
| 27 | 8.3 | 7.1 | 7.7 | 11.7 | 11.1 | 11.4 | 11.0 | 10.7 | 10.9 | 11.1 | 10.6 | 10.9 |
| 28 | 7.8 | 7.2 | 7.6 | 11.3 | 9.8 | 10.8 | 10.8 | 10.6 | 10.7 | 10.6 | 10.4 | 10.5 |
| 29 | 7.7 | 6.9 | 7.3 | 11.0 | 9.7 | 10.5 | 10.7 | 10.4 | 10.6 | 10.8 | 10.4 | 10.6 |
| 30 | 7.9 | 7.1 | 7.5 | 12.0 | 11.1 | 11.7 | 10.7 | 10.4 | 10.5 | 10.9 | 10.3 | 10.6 |
| 31 | 8.0 | 7.1 | 7.6 | --- | --- | --- | 10.9 | 10.6 | 10.7 | 11.4 | 10.9 | 11.1 |
| MONTH | 9.0 | 4.5 | 6.9 | 12.1 | 6.4 | 9.9 | 13.3 | 10.4 | 12.1 | 12.1 | 9.3 | 10.7 |

MUSKINGUM RIVER BASIN

03117100 TUSCARAWAS RIVER AT NAVARRE, OH--Continued

OXYGEN, DISSOLVED (DO), MG/L, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|------|------|------|-------|------|------|--------|------|------|-----------|-----|------|
| FEBRUARY | | | | MARCH | | | APRIL | | | MAY | | |
| 1 | 11.9 | 10.9 | 11.4 | 13.3 | 12.6 | 12.9 | 12.1 | 11.6 | 11.9 | 12.3 | 8.5 | 10.2 |
| 2 | 11.8 | 11.0 | 11.4 | 13.3 | 12.6 | 12.9 | 11.7 | 10.9 | 11.3 | 13.5 | 8.8 | 10.8 |
| 3 | 12.4 | 11.1 | 11.5 | 13.4 | 12.5 | 12.9 | 11.0 | 10.5 | 10.9 | 10.6 | 9.1 | 9.8 |
| 4 | 11.7 | 11.2 | 11.5 | 13.6 | 12.5 | 12.9 | 10.6 | 9.9 | 10.3 | 9.4 | 8.5 | 9.0 |
| 5 | 11.3 | 11.2 | 11.2 | 12.6 | 12.2 | 12.4 | 10.2 | 9.7 | 10.0 | 9.1 | 8.9 | 9.0 |
| 6 | 11.3 | 11.1 | 11.2 | 12.7 | 12.4 | 12.6 | 10.6 | 9.8 | 10.1 | 9.6 | 8.8 | 9.2 |
| 7 | 11.8 | 11.1 | 11.5 | 13.2 | 12.6 | 12.9 | 11.8 | 10.6 | 11.2 | 9.5 | 8.8 | 9.2 |
| 8 | 12.1 | 11.6 | 11.8 | 13.2 | 12.7 | 12.9 | 12.2 | 11.3 | 11.7 | 9.1 | 8.4 | 8.8 |
| 9 | 12.2 | 11.6 | 11.8 | 13.5 | 12.9 | 13.2 | 11.9 | 10.7 | 11.3 | 9.7 | 8.5 | 9.2 |
| 10 | 11.9 | 11.1 | 11.7 | 13.5 | 13.0 | 13.2 | 11.9 | 10.3 | 10.9 | 10.3 | 9.7 | 10.0 |
| 11 | 12.2 | 11.0 | 11.4 | 13.4 | 12.8 | 13.0 | 12.1 | 9.7 | 10.6 | 9.8 | 9.2 | 9.6 |
| 12 | 11.2 | 10.9 | 11.0 | 13.2 | 12.6 | 12.9 | 12.7 | 9.4 | 10.7 | 9.0 | 6.8 | 8.2 |
| 13 | 11.1 | 10.6 | 10.8 | 12.9 | 12.3 | 12.6 | 12.7 | 8.4 | 10.1 | 8.5 | 8.1 | 8.4 |
| 14 | 11.7 | 10.8 | 11.2 | 13.0 | 12.1 | 12.5 | 10.7 | 8.4 | 9.3 | 9.3 | 8.3 | 9.0 |
| 15 | 11.5 | 11.2 | 11.4 | 12.7 | 12.0 | 12.3 | 9.7 | 8.4 | 9.0 | 9.5 | 9.1 | 9.2 |
| 16 | 11.5 | 11.2 | 11.3 | 13.1 | 12.2 | 12.7 | 10.6 | 8.8 | 9.6 | 10.1 | 8.6 | 9.3 |
| 17 | 11.2 | 10.6 | 11.0 | 13.0 | 12.8 | 12.9 | 10.8 | 9.2 | 9.9 | 10.2 | 9.0 | 9.6 |
| 18 | 11.4 | 11.1 | 11.3 | 12.8 | 12.6 | 12.7 | 11.7 | 9.9 | 10.7 | 9.2 | 8.3 | 8.6 |
| 19 | 11.5 | 11.1 | 11.4 | 12.7 | 12.6 | 12.7 | 12.5 | 10.6 | 11.3 | 8.5 | 7.5 | 8.0 |
| 20 | 11.4 | 11.3 | 11.3 | 12.7 | 12.2 | 12.5 | 13.0 | 10.8 | 11.7 | 8.1 | 6.9 | 7.4 |
| 21 | 12.0 | 11.4 | 11.8 | 12.2 | 11.4 | 11.7 | 13.8 | 10.7 | 11.7 | 7.9 | 6.8 | 7.4 |
| 22 | 12.1 | 11.8 | 11.9 | 12.0 | 11.5 | 11.7 | 11.7 | 10.5 | 11.0 | 7.8 | 7.5 | 7.7 |
| 23 | --- | --- | --- | 12.3 | 11.6 | 12.1 | 11.3 | 10.7 | 11.1 | 7.8 | 6.8 | 7.3 |
| 24 | --- | --- | --- | 12.2 | 11.8 | 12.0 | 10.8 | 10.1 | 10.5 | 7.5 | 6.9 | 7.2 |
| 25 | --- | --- | --- | 12.0 | 11.7 | 11.9 | 10.8 | 10.3 | 10.6 | 7.5 | 7.2 | 7.3 |
| 26 | --- | --- | --- | 11.8 | 11.6 | 11.7 | 10.6 | 9.7 | 10.2 | 7.5 | 6.9 | 7.2 |
| 27 | 12.8 | 12.6 | 12.7 | 11.8 | 11.4 | 11.6 | 10.3 | 8.9 | 9.4 | 8.0 | 6.6 | 7.3 |
| 28 | 13.2 | 12.5 | 12.8 | 11.7 | 11.3 | 11.4 | 10.0 | 8.5 | 9.2 | 8.0 | 7.2 | 7.7 |
| 29 | 13.3 | 12.8 | 12.9 | 12.3 | 11.8 | 12.0 | 11.4 | 8.2 | 9.7 | 8.2 | 7.5 | 7.9 |
| 30 | --- | --- | --- | 12.4 | 12.2 | 12.3 | 11.5 | 8.4 | 9.8 | 8.9 | 8.2 | 8.5 |
| 31 | --- | --- | --- | 12.3 | 11.9 | 12.2 | --- | --- | --- | 9.4 | 8.7 | 9.0 |
| MONTH | 13.3 | 10.6 | 11.6 | 13.6 | 11.3 | 12.5 | 13.8 | 8.2 | 10.5 | 13.5 | 6.6 | 8.6 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| JUNE | | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | 8.8 | 8.0 | 8.4 | --- | --- | --- | 12.2 | 6.0 | 9.2 | 6.1 | 4.8 | 5.5 |
| 2 | 9.2 | 7.5 | 8.2 | --- | --- | --- | 10.1 | 5.7 | 8.1 | 8.0 | 5.2 | 6.5 |
| 3 | 9.2 | 6.9 | 7.9 | --- | --- | --- | 7.7 | 4.5 | 5.9 | 7.1 | 5.5 | 6.1 |
| 4 | 9.5 | 6.4 | 7.8 | --- | --- | --- | 5.9 | 4.4 | 5.1 | 7.8 | 5.4 | 6.6 |
| 5 | 9.3 | 6.3 | 7.7 | 7.5 | 4.6 | 3.9 | 7.3 | 4.0 | 5.1 | 8.2 | 6.0 | 7.4 |
| 6 | 8.8 | 5.7 | 7.1 | 5.4 | 4.1 | 4.6 | 9.1 | 4.9 | 6.5 | 8.2 | 6.2 | 7.0 |
| 7 | 9.0 | 5.4 | 7.1 | 6.7 | 5.1 | 5.8 | 10.9 | 5.3 | 7.9 | 8.6 | 6.3 | 7.2 |
| 8 | 10.4 | 5.2 | 7.6 | 7.7 | 5.2 | 6.0 | 10.5 | 5.7 | 7.6 | 8.5 | 6.3 | 7.2 |
| 9 | 10.9 | 5.5 | 8.1 | 15.2 | 6.3 | 11.5 | 18.0 | 8.8 | 15.8 | 8.7 | 6.0 | 7.2 |
| 10 | 13.0 | 6.1 | 9.2 | --- | --- | --- | 17.2 | 15.8 | 16.6 | 8.2 | 5.6 | 6.7 |
| 11 | 15.3 | 6.6 | 10.0 | --- | --- | --- | 16.0 | 12.8 | 14.9 | 8.3 | 5.2 | 6.8 |
| 12 | 16.7 | 6.6 | 10.4 | --- | --- | --- | 15.0 | 11.6 | 13.7 | 7.9 | 5.3 | 6.2 |
| 13 | 14.6 | 6.6 | 9.8 | --- | --- | --- | 12.4 | 6.1 | 9.9 | 7.8 | 4.7 | 6.2 |
| 14 | 11.4 | 5.5 | 7.9 | --- | --- | --- | 8.5 | 6.0 | 7.3 | 8.3 | 4.9 | 6.4 |
| 15 | 11.0 | 5.8 | 7.9 | --- | --- | --- | 9.7 | 6.2 | 8.5 | 7.8 | 5.3 | 6.4 |
| 16 | 14.8 | 6.2 | 9.8 | --- | --- | --- | 11.2 | 6.5 | 9.6 | 7.4 | 5.4 | 6.4 |
| 17 | 12.7 | 6.9 | 9.7 | --- | --- | --- | 11.5 | 8.5 | 10.4 | 8.6 | 6.2 | 7.2 |
| 18 | 10.2 | 6.0 | 7.8 | --- | --- | --- | 10.6 | 7.7 | 9.3 | 9.8 | 6.3 | 7.8 |
| 19 | 6.8 | 4.8 | 5.6 | 13.4 | 6.7 | 11.2 | 10.4 | 7.7 | 9.2 | 8.7 | 6.0 | 7.1 |
| 20 | 5.9 | 3.7 | 4.6 | 14.8 | 6.8 | 10.7 | 11.1 | 6.9 | 9.2 | 7.9 | 5.3 | 6.4 |
| 21 | 7.2 | 3.8 | 5.3 | 17.1 | 7.6 | 12.2 | 11.0 | 8.6 | 10.1 | 7.3 | 4.9 | 6.0 |
| 22 | 8.4 | 4.7 | 6.3 | 18.0 | 8.1 | 13.2 | 10.7 | 7.8 | 9.8 | 8.0 | 5.0 | 6.3 |
| 23 | 8.3 | 4.8 | 6.4 | 18.4 | 7.8 | 13.0 | 10.2 | 6.4 | 8.5 | 7.9 | 5.1 | 6.4 |
| 24 | 10.5 | 4.7 | 7.2 | 13.6 | 7.4 | 10.5 | 10.1 | 6.2 | 8.0 | 7.2 | 5.4 | 6.2 |
| 25 | 10.6 | 5.3 | 7.5 | 14.7 | 6.9 | 10.8 | 12.9 | 5.9 | 9.4 | 6.8 | 4.6 | 5.5 |
| 26 | 12.1 | 6.0 | 8.4 | 11.2 | 4.2 | 8.8 | 14.9 | 6.7 | 10.7 | 7.1 | 4.7 | 5.7 |
| 27 | 11.3 | 5.7 | 8.2 | 7.2 | 5.0 | 6.2 | 13.6 | 7.7 | 11.0 | 7.1 | 4.9 | 6.0 |
| 28 | 11.6 | 5.5 | 8.3 | 6.8 | 4.5 | 5.6 | 11.9 | 6.6 | 8.7 | 8.3 | 6.2 | 7.1 |
| 29 | 13.4 | 5.5 | 8.8 | 10.6 | 4.3 | 7.6 | 11.2 | 6.0 | 8.4 | 9.1 | 6.7 | 7.7 |
| 30 | --- | --- | --- | 11.9 | 6.1 | 8.6 | 8.9 | 5.4 | 6.5 | 8.4 | 7.0 | 7.6 |
| 31 | --- | --- | --- | 13.1 | 6.0 | 9.2 | 6.1 | 5.0 | 5.5 | --- | --- | --- |
| MONTH | 16.7 | 3.7 | 7.9 | 18.4 | 4.1 | 8.9 | 18.0 | 4.0 | 9.2 | 9.8 | 4.6 | 6.6 |
| YEAR | 18.4 | 3.7 | 9.6 | | | | | | | | | |

MUSKINGUM RIVER BASIN

63

03117100 TUSCARAWAS RIVER AT NAVARRE, OH--Continued
 SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
 MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1 | 1840 | 1820 | 740 | 1510 | 1370 | 1170 | 770 | 1090 | 1010 | --- | 1870 | 940 |
| 2 | 1870 | 1790 | 800 | 1510 | 1430 | 1120 | 855 | 1110 | 1150 | --- | 1910 | 1250 |
| 3 | 1860 | 920 | 925 | 1540 | 1250 | 1180 | 910 | 1170 | 1320 | --- | 1860 | 1420 |
| 4 | 2040 | 835 | 570 | 1570 | 520 | 1240 | 970 | 515 | 1480 | --- | 1430 | 1600 |
| 5 | 1810 | 980 | 320 | 1590 | 675 | 1290 | 990 | 545 | 1540 | 1630 | 1170 | 1780 |
| 6 | 2110 | 1130 | 680 | 1510 | 845 | 990 | 900 | 690 | 1550 | 820 | 1260 | 1500 |
| 7 | 2490 | 1220 | 675 | 1510 | 990 | 910 | 860 | 855 | 1540 | 955 | 1370 | 1670 |
| 8 | 1750 | 1360 | 955 | 1440 | 1160 | 1060 | 875 | 775 | 1600 | 930 | 1230 | 1750 |
| 9 | 1730 | 1430 | 1260 | 1490 | 1230 | 1170 | 955 | 655 | 1660 | 1800 | 1580 | 1840 |
| 10 | 1970 | 1420 | 1040 | 1510 | 1250 | 1060 | 1100 | 865 | 1870 | --- | 1510 | 1890 |
| 11 | 1660 | 1120 | 1000 | 1530 | 620 | 1130 | 1160 | 1050 | 1850 | --- | 1720 | 1970 |
| 12 | 1760 | 480 | 870 | 1530 | 545 | 1200 | 1210 | 730 | 1880 | --- | 1160 | 2110 |
| 13 | 1800 | 615 | 875 | 1590 | 640 | 1220 | 1250 | 570 | 1920 | --- | 1460 | 1660 |
| 14 | 2470 | 815 | 995 | 1590 | 500 | 1250 | 1240 | 645 | 1800 | --- | 1810 | 1790 |
| 15 | 2400 | 880 | 950 | 1660 | 695 | 1190 | 1110 | 980 | 1970 | --- | 1730 | 1870 |
| 16 | 2560 | 940 | 925 | 1580 | 945 | 645 | 880 | 1150 | 1460 | --- | 1780 | 1300 |
| 17 | 1920 | 905 | 910 | 1640 | 860 | 470 | 930 | 980 | 1720 | --- | 1850 | 1490 |
| 18 | 2570 | 900 | 1080 | 1520 | 710 | 550 | 960 | 1020 | 1720 | --- | 1910 | 1750 |
| 19 | 1820 | 885 | 1150 | 1580 | 720 | 650 | 1130 | 1200 | 1400 | 1890 | 1960 | 1810 |
| 20 | 1940 | 790 | 1200 | 1580 | 780 | 805 | 1110 | 1170 | 1170 | 1810 | 1960 | 1920 |
| 21 | 1530 | 770 | 1230 | 1740 | 820 | 445 | 935 | 545 | 1360 | 1720 | 1660 | 1950 |
| 22 | 1670 | 810 | 1190 | 1710 | 860 | 475 | 990 | 635 | 1500 | 1890 | 1980 | 1990 |
| 23 | 1250 | 920 | 760 | 1800 | --- | 580 | 910 | 695 | 1610 | 1920 | 2110 | 2020 |
| 24 | 830 | 1020 | 900 | 1790 | --- | 610 | 705 | 545 | 1720 | 1920 | 1640 | 1930 |
| 25 | 1020 | 895 | 980 | 940 | --- | 630 | 730 | 740 | 1800 | 1930 | 1430 | 2030 |
| 26 | 1310 | 925 | 1180 | 855 | --- | 690 | 970 | 990 | 1880 | 1910 | 1660 | 1910 |
| 27 | 1420 | 980 | 1330 | 710 | 1140 | 765 | 1200 | 1060 | 2010 | 1150 | 1900 | 1890 |
| 28 | 1490 | 745 | 1430 | 820 | 1130 | 800 | 1020 | 960 | 2000 | 830 | 2030 | 1380 |
| 29 | 1560 | 480 | 1500 | 950 | 1180 | 645 | 865 | 840 | 2070 | 1090 | 2060 | 1470 |
| 30 | 1620 | 600 | 1650 | 1200 | --- | 640 | 970 | 765 | --- | 1410 | 2040 | 1460 |
| 31 | 1670 | --- | 1520 | 1340 | --- | 700 | --- | 895 | --- | 1590 | 1130 | --- |
| MEAN | 1800 | 979 | 1020 | 1450 | 915 | 880 | 982 | 853 | 1640 | 1510 | 1690 | 1710 |

WTR YR 1984 MEAN 1280 MAX 2570 MIN 320
 PH (STANDARD UNITS), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
 MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 7.7 | 7.7 | 8.0 | 8.1 | 8.1 | 8.3 | 7.9 | 8.1 | 7.8 | --- | 8.2 | 7.5 |
| 2 | 7.7 | 7.7 | 8.1 | 8.1 | 8.0 | 8.2 | 8.0 | 8.1 | 7.8 | --- | 8.1 | 7.7 |
| 3 | 7.7 | 7.6 | 8.1 | 8.1 | 8.0 | 8.2 | 7.9 | 7.9 | 7.8 | --- | 7.7 | 7.7 |
| 4 | 7.7 | 7.7 | 7.9 | 8.2 | 7.9 | 8.2 | 7.9 | 7.7 | 7.8 | --- | 7.6 | 7.7 |
| 5 | 7.6 | 7.7 | 7.8 | 8.2 | 7.8 | 8.1 | 7.9 | 7.6 | 7.8 | 7.8 | 7.6 | 7.8 |
| 6 | 7.7 | 7.8 | 8.0 | 8.2 | 7.9 | 8.0 | 7.9 | 7.7 | 7.7 | 7.5 | 7.7 | 7.8 |
| 7 | 7.8 | 7.7 | 8.1 | 8.3 | 7.9 | 8.0 | 8.0 | 7.8 | 7.7 | 7.7 | 8.0 | 7.8 |
| 8 | 7.7 | 7.8 | 8.4 | 8.3 | 8.0 | 8.1 | 8.1 | 7.7 | 7.8 | 7.7 | 7.8 | 7.8 |
| 9 | 7.7 | 7.8 | 8.6 | 8.2 | 8.1 | 8.2 | 8.1 | 7.7 | 7.9 | 8.3 | 7.8 | 7.8 |
| 10 | 7.8 | 7.8 | 8.3 | 8.2 | 8.1 | 8.1 | 8.1 | 7.8 | 7.9 | --- | 7.7 | 7.7 |
| 11 | 7.7 | 7.8 | 8.1 | 8.2 | 7.9 | 8.1 | 8.1 | 7.9 | 8.0 | --- | 7.8 | 7.8 |
| 12 | 7.7 | 7.7 | 8.0 | 8.1 | 7.9 | 8.2 | 8.1 | 7.7 | 8.0 | --- | 7.6 | 7.7 |
| 13 | 8.1 | 7.9 | 8.0 | 8.1 | 7.8 | 8.2 | 8.1 | 7.6 | 7.9 | --- | 7.6 | 7.7 |
| 14 | 8.2 | 7.9 | 8.1 | 8.1 | 7.8 | 8.2 | 8.0 | 7.7 | 7.8 | --- | 7.8 | 7.7 |
| 15 | 8.5 | 7.9 | 8.0 | 8.1 | 7.9 | 8.1 | 8.0 | 7.8 | 7.8 | --- | 7.7 | 7.7 |
| 16 | 8.4 | 8.0 | 8.1 | 8.1 | 7.9 | 7.9 | 7.9 | 7.9 | 7.9 | --- | 7.9 | 7.8 |
| 17 | 7.9 | 8.2 | 8.2 | 8.0 | 7.8 | 7.8 | 7.9 | 7.9 | 8.0 | --- | 7.8 | 7.8 |
| 18 | 7.8 | 8.2 | 8.2 | 8.0 | 7.8 | 7.8 | 8.1 | 7.8 | 7.8 | --- | 7.9 | 7.8 |
| 19 | 7.7 | 8.2 | 8.1 | 8.0 | 7.7 | 7.8 | 8.2 | 7.8 | 7.5 | 8.4 | 7.8 | 7.7 |
| 20 | 7.7 | 8.0 | 8.1 | 8.0 | 7.8 | 8.0 | 8.3 | 7.7 | 7.6 | 8.3 | 7.9 | 7.7 |
| 21 | 7.7 | 8.0 | 8.0 | 7.9 | 7.9 | 7.7 | 8.3 | 7.6 | 7.6 | 8.2 | 7.8 | 7.6 |
| 22 | 7.7 | 7.9 | 8.0 | 7.9 | 7.9 | 7.7 | 8.1 | 7.6 | 7.7 | 8.3 | 8.0 | 7.6 |
| 23 | 7.7 | 8.0 | 8.1 | 7.8 | --- | 7.8 | 8.0 | 7.6 | 7.8 | 8.1 | 8.0 | 7.7 |
| 24 | 7.8 | 7.9 | 8.1 | 7.8 | --- | 7.8 | 7.9 | 7.5 | 7.8 | 8.1 | 7.9 | 7.7 |
| 25 | 7.7 | 7.9 | 8.1 | 7.8 | --- | 7.8 | 7.8 | 7.5 | 7.9 | 8.3 | 8.1 | 7.5 |
| 26 | 7.7 | 8.0 | 8.0 | 7.8 | --- | 7.8 | 7.9 | 7.6 | 7.9 | 8.2 | 8.3 | 7.6 |
| 27 | 7.8 | 8.0 | 7.9 | 7.9 | 8.0 | 7.9 | 7.9 | 7.7 | 7.9 | 7.7 | 8.2 | 7.7 |
| 28 | 7.7 | 7.8 | 7.9 | 8.0 | 8.1 | 7.9 | 7.9 | 7.7 | 7.9 | 7.7 | 8.0 | 7.9 |
| 29 | 7.7 | 7.7 | 8.0 | 8.1 | 8.3 | 7.8 | 7.9 | 7.7 | 7.9 | 8.0 | 7.9 | 7.9 |
| 30 | 7.7 | 7.9 | 8.1 | 8.1 | --- | 7.8 | 8.0 | 7.7 | 8.0 | 8.1 | 7.7 | 7.9 |
| 31 | 7.7 | --- | 8.1 | 8.2 | --- | 7.9 | --- | 7.8 | --- | 8.1 | 7.6 | --- |
| MEAN | 7.8 | 7.9 | 8.1 | 8.1 | 7.9 | 8.0 | 8.0 | 7.7 | 7.8 | 8.0 | 7.9 | 7.7 |

WTR YR 1984 MEAN 7.9 MAX 8.6 MIN 7.5

MUSKINGUM RIVER BASIN

03117100 TUSCARAWAS RIVER AT NAVARRE, OH--Continued
 TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
 MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|------|------|------|-----|-----|-----|-----|------|------|------|------|------|------|
| 1 | 17.5 | 10.5 | 4.0 | 1.5 | 1.5 | 1.0 | 6.5 | 15.5 | 16.0 | --- | 22.5 | 19.5 |
| 2 | 17.0 | 11.0 | 3.0 | 2.0 | 2.0 | 1.5 | 8.0 | 14.0 | 17.5 | --- | 23.0 | 20.5 |
| 3 | 18.0 | 12.0 | 3.5 | 2.0 | 2.0 | 1.5 | 8.0 | 13.0 | 19.5 | --- | 23.0 | 20.5 |
| 4 | 18.5 | 10.5 | 4.0 | 2.0 | 1.0 | 1.5 | 9.0 | 11.0 | 20.5 | --- | 22.5 | 19.0 |
| 5 | 18.5 | 9.0 | 4.0 | 2.0 | 1.5 | 3.0 | 9.5 | 11.0 | 20.5 | 21.5 | 22.5 | 18.5 |
| 6 | 17.5 | 8.5 | 5.0 | 2.0 | 1.5 | 2.5 | 8.5 | 11.0 | 21.5 | 20.5 | 23.5 | 17.0 |
| 7 | 16.5 | 9.0 | 4.5 | 1.5 | 1.0 | 2.5 | 7.5 | 13.5 | 22.5 | 20.0 | 24.0 | 16.5 |
| 8 | 16.0 | 9.5 | 3.5 | 1.5 | 1.5 | 2.0 | 7.5 | 14.0 | 23.0 | 19.0 | 24.0 | 17.5 |
| 9 | 15.5 | 9.5 | 3.5 | 2.0 | 1.5 | 1.0 | 9.0 | 11.5 | 23.5 | 25.0 | 24.0 | 18.5 |
| 10 | 15.5 | 10.5 | 4.0 | 2.0 | 2.5 | 1.0 | 10.0 | 10.5 | 24.0 | --- | 24.0 | 19.5 |
| 11 | 16.0 | 10.0 | 4.5 | 1.5 | 2.5 | 1.5 | 10.5 | 13.0 | 24.0 | --- | 25.0 | 20.0 |
| 12 | 16.5 | 7.0 | 5.5 | 1.5 | 3.0 | 1.5 | 11.5 | 15.0 | 23.0 | --- | 23.0 | 20.0 |
| 13 | 17.0 | 5.5 | 6.0 | 2.0 | 4.5 | 2.5 | 13.0 | 15.0 | 23.5 | --- | 23.5 | 20.5 |
| 14 | 15.0 | 5.5 | 6.0 | 2.0 | 4.0 | 3.5 | 13.5 | 13.5 | 23.0 | --- | 24.5 | 21.5 |
| 15 | 14.0 | 6.0 | 6.0 | 1.5 | 3.0 | 4.0 | 12.5 | 13.5 | 22.5 | --- | 23.0 | 19.0 |
| 16 | 13.5 | 6.0 | 4.5 | 1.5 | 3.5 | 2.5 | 12.0 | 13.0 | 21.0 | --- | 23.5 | 17.0 |
| 17 | 14.0 | 5.5 | 3.0 | 2.5 | 5.0 | 1.5 | 11.5 | 13.5 | 21.5 | --- | 23.0 | 16.0 |
| 18 | 13.5 | 5.0 | 2.0 | 2.0 | 5.5 | 2.0 | 10.0 | 14.5 | 22.5 | --- | 24.0 | 16.5 |
| 19 | 12.5 | 6.5 | 1.0 | 1.0 | 6.0 | 2.5 | 10.0 | 16.0 | 23.0 | 22.0 | 24.0 | 17.0 |
| 20 | 12.0 | 8.5 | 1.0 | 1.0 | 6.0 | 4.0 | 10.0 | 17.0 | 23.5 | 21.5 | 23.5 | 18.0 |
| 21 | 12.0 | 8.5 | 1.0 | .5 | 4.5 | 5.5 | 10.5 | 15.5 | 23.0 | 22.0 | 22.5 | 19.0 |
| 22 | 11.5 | 8.5 | 2.0 | 1.0 | 3.5 | 3.5 | 9.5 | 16.5 | 23.0 | 23.0 | 21.5 | 19.0 |
| 23 | 11.5 | 9.5 | .5 | 1.5 | --- | 3.0 | 8.5 | 18.5 | 23.0 | 23.5 | 21.5 | 19.5 |
| 24 | 12.0 | 10.0 | .5 | 2.5 | --- | 3.5 | 8.0 | 17.5 | 22.5 | 23.0 | 20.0 | 19.5 |
| 25 | 12.5 | 8.0 | .5 | 1.0 | --- | 4.5 | 8.5 | 18.0 | 22.0 | 22.5 | 20.0 | 20.5 |
| 26 | 12.0 | 6.5 | .5 | 1.0 | --- | 6.0 | 12.0 | 18.5 | 21.0 | 21.5 | 20.0 | 18.5 |
| 27 | 11.0 | 6.5 | .5 | 1.0 | 3.0 | 6.5 | 14.0 | 18.0 | 21.5 | 20.0 | 21.0 | 16.5 |
| 28 | 10.5 | 8.5 | 1.5 | 1.0 | 1.5 | 6.0 | 16.0 | 17.0 | 21.0 | 20.5 | 21.0 | 14.5 |
| 29 | 11.5 | 8.0 | 1.0 | 1.5 | 1.0 | 4.5 | 16.0 | 15.0 | 22.0 | 20.5 | 21.5 | 13.5 |
| 30 | 10.0 | 5.5 | 1.0 | 1.5 | --- | 4.0 | 16.5 | 13.5 | 20.5 | 21.0 | 21.5 | 13.0 |
| 31 | 9.5 | --- | 1.0 | 1.5 | --- | 5.5 | --- | 14.0 | --- | 21.5 | 20.5 | --- |
| MEAN | 14.0 | 8.0 | 3.0 | 1.5 | 3.0 | 3.0 | 10.5 | 14.5 | 22.0 | 21.5 | 22.5 | 18.0 |

WTR YR 1984 MEAN 11.5 MAX 25.0 MIN .5
 OXYGEN, DISSOLVED (DO), MG/L, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
 MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|------|-----|------|------|------|------|------|------|------|-----|------|------|-----|
| 1 | 6.0 | 7.3 | 12.5 | 10.8 | 11.4 | 12.9 | 11.9 | 10.1 | 8.3 | --- | 9.4 | 5.5 |
| 2 | 6.1 | 7.1 | 12.7 | 10.6 | 11.3 | 12.8 | 11.5 | 10.7 | 8.0 | --- | 8.3 | 6.3 |
| 3 | 6.6 | 6.7 | 12.6 | 10.4 | 11.4 | 12.8 | 10.9 | 9.8 | 7.8 | --- | 5.9 | 6.0 |
| 4 | 6.0 | 7.2 | 12.5 | 10.4 | 11.5 | 12.8 | 10.4 | 8.9 | 7.7 | --- | 5.1 | 6.6 |
| 5 | 7.6 | 8.2 | 12.0 | 10.4 | 11.2 | 12.3 | 10.0 | 9.0 | 7.6 | 4.7 | 4.4 | 7.1 |
| 6 | 6.0 | 8.6 | 11.8 | 10.3 | 11.2 | 12.6 | 10.0 | 9.1 | 7.1 | 4.6 | 6.0 | 6.9 |
| 7 | 6.4 | 8.4 | 12.0 | 10.3 | 11.6 | 12.9 | 11.5 | 9.2 | 6.8 | 5.7 | 7.7 | 7.1 |
| 8 | 6.1 | 9.0 | 12.6 | 10.5 | 11.7 | 12.9 | 11.6 | 8.9 | 7.2 | 5.8 | 7.6 | 7.2 |
| 9 | 6.1 | 8.9 | 12.7 | 10.6 | 11.8 | 13.2 | 11.2 | 9.2 | 7.9 | 13.5 | 17.1 | 7.3 |
| 10 | 6.1 | 8.5 | 12.5 | 10.8 | 11.7 | 13.2 | 10.7 | 10.0 | 8.8 | --- | 16.7 | 6.6 |
| 11 | 6.3 | 8.7 | 12.5 | 11.2 | 11.2 | 13.0 | 10.3 | 9.6 | 9.1 | --- | 15.3 | 6.8 |
| 12 | 6.1 | 10.1 | 12.3 | 11.1 | 11.0 | 12.9 | 10.3 | 8.4 | 9.1 | --- | 13.9 | 6.1 |
| 13 | 6.1 | 11.3 | 11.8 | 10.8 | 10.9 | 12.7 | 9.8 | 8.4 | 8.9 | --- | 10.4 | 6.1 |
| 14 | 6.8 | 11.6 | 11.8 | 10.5 | 11.2 | 12.5 | 9.2 | 9.1 | 7.6 | --- | 6.9 | 6.3 |
| 15 | 7.4 | 11.5 | 11.7 | 10.8 | 11.4 | 12.3 | 9.0 | 9.2 | 7.2 | --- | 9.0 | 6.3 |
| 16 | 7.8 | 11.4 | 12.2 | 10.8 | 11.4 | 12.8 | 9.6 | 9.3 | 8.3 | --- | 10.0 | 6.5 |
| 17 | 7.6 | 11.7 | 12.8 | 11.0 | 11.0 | 13.0 | 9.8 | 9.5 | 9.8 | --- | 10.8 | 7.1 |
| 18 | 7.0 | 12.0 | 13.1 | 10.9 | 11.3 | 12.7 | 10.8 | 8.5 | 7.7 | --- | 9.2 | 7.8 |
| 19 | 7.4 | 9.9 | 13.0 | 11.1 | 11.5 | 12.7 | 11.2 | 7.9 | 5.6 | 12.0 | 9.0 | 7.0 |
| 20 | 7.2 | 10.6 | 13.0 | 11.0 | 11.3 | 12.6 | 11.5 | 7.4 | 4.2 | 10.3 | 9.2 | 6.3 |
| 21 | 7.2 | 10.8 | 12.7 | 10.7 | 11.8 | 11.7 | 11.4 | 7.4 | 4.9 | 11.8 | 10.1 | 5.9 |
| 22 | 7.3 | 10.8 | 12.6 | 10.4 | 11.9 | 11.7 | 11.1 | 7.7 | 5.9 | 13.5 | 9.8 | 6.1 |
| 23 | 8.0 | 10.5 | 12.8 | 10.2 | --- | 12.2 | 11.1 | 7.3 | 6.2 | 13.2 | 8.3 | 6.4 |
| 24 | 7.6 | 9.9 | 12.7 | 9.9 | --- | 12.0 | 10.6 | 7.2 | 6.5 | 10.8 | 7.6 | 6.2 |
| 25 | 7.0 | 10.3 | 12.1 | 11.6 | --- | 11.9 | 10.6 | 7.4 | 7.1 | 11.0 | 9.2 | 5.4 |
| 26 | 7.2 | 11.5 | 11.5 | 11.3 | --- | 11.7 | 10.1 | 7.2 | 7.6 | 9.5 | 10.7 | 5.5 |
| 27 | 7.8 | 11.3 | 10.9 | 10.9 | 12.7 | 11.7 | 9.4 | 7.4 | 7.7 | 6.3 | 11.5 | 6.0 |
| 28 | 7.6 | 11.0 | 10.7 | 10.6 | 12.9 | 11.4 | 9.1 | 7.8 | 8.0 | 5.7 | 8.4 | 7.0 |
| 29 | 7.4 | 10.5 | 10.6 | 10.7 | 12.9 | 12.0 | 9.6 | 7.8 | 8.2 | 8.1 | 8.8 | 7.6 |
| 30 | 7.6 | 11.9 | 10.5 | 10.7 | --- | 12.3 | 9.6 | 8.6 | --- | 7.9 | 6.1 | 7.5 |
| 31 | 7.5 | --- | 10.7 | 11.1 | --- | 12.2 | --- | 9.0 | --- | 8.6 | 5.5 | --- |
| MEAN | 6.9 | 9.9 | 12.1 | 10.7 | 11.6 | 12.5 | 10.5 | 8.6 | 7.5 | 9.1 | 9.3 | 6.6 |

WTR YR 1984 MEAN 9.6 MAX 17.1 MIN 4.2

MUSKINGUM RIVER BASIN

65

03117500 SANDY CREEK AT WAYNESBURG, OH

LOCATION.--Lat 40°40'21", long 81°15'36", in sec. 21, T.17 N., R.7 W., Stark County, Hydrologic Unit 05040001, on upstream side of left pier of bridge on State Highway 183 in Waynesburg, 300 ft downstream from Little Sandy Creek, and 0.6 mi upstream from Indian Run.

DRAINAGE AREA.--253 mi².

PERIOD OF RECORD.--October 1938 to current year. Prior to December 1938 monthly discharge only, published in WSP 1305.

REVISED RECORDS.--WSP 923: 1939-40. WSP 1555: 1940(M), 1943(M), 1947(M), 1952, 1956(M). WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 955.00 ft National Geodetic Vertical Datum of 1929.

REMARKS.--Records good except those for period of no gage-height record Oct. 22 to Jan. 17, and those for the winter period, which are fair. Water-quality data collected at this site 1964 to 1977. Sediment data collected 1969 to 1974.

AVERAGE DISCHARGE.--46 years, 271 ft³/s, 14.55 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 15,000 ft³/s Jan. 22, 1959, gage height, 10.05 ft, from rating curve extended above 8,000 ft³/s on basis of contracted-opening and flow-over-road measurement of peak flow; minimum, 6.9 ft³/s Sept. 12, 13, 1971.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 1,800 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Mar. 17 | 0300 | * 2,010 | * 5.02 | Mar. 29 | 1230 | 1,840 | 4.71 |

minimum discharge, 41 ft³/s Oct. 1-4.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|------|-------|------|-------|-------|-------|-------|------|------|------|------|
| 1 | 43 | 100 | 350 | 160 | 140 | 200 | 822 | 345 | 320 | 101 | 58 | 175 |
| 2 | 43 | 120 | 280 | 150 | 130 | 190 | 607 | 300 | 281 | 117 | 60 | 122 |
| 3 | 43 | 140 | 250 | 150 | 310 | 190 | 501 | 275 | 248 | 104 | 77 | 112 |
| 4 | 46 | 190 | 800 | 150 | 591 | 180 | 463 | 531 | 217 | 93 | 91 | 130 |
| 5 | 59 | 170 | 1300 | 170 | 421 | 180 | 592 | 504 | 194 | 367 | 143 | 109 |
| 6 | 62 | 150 | 1000 | 160 | 281 | 557 | 562 | 403 | 198 | 382 | 88 | 94 |
| 7 | 54 | 140 | 800 | 150 | 205 | 575 | 542 | 353 | 180 | 475 | 73 | 86 |
| 8 | 51 | 130 | 600 | 140 | 185 | 482 | 476 | 404 | 162 | 285 | 75 | 93 |
| 9 | 48 | 120 | 420 | 130 | 165 | 374 | 412 | 597 | 145 | 196 | 70 | 78 |
| 10 | 48 | 120 | 350 | 130 | 187 | 320 | 372 | 465 | 135 | 163 | 105 | 75 |
| 11 | 46 | 220 | 320 | 130 | 401 | 270 | 341 | 384 | 127 | 155 | 333 | 77 |
| 12 | 72 | 540 | 900 | 120 | 499 | 254 | 315 | 347 | 118 | 162 | 202 | 73 |
| 13 | 95 | 380 | 1000 | 120 | 511 | 268 | 295 | 309 | 115 | 143 | 126 | 72 |
| 14 | 97 | 310 | 640 | 120 | 1060 | 256 | 301 | 304 | 130 | 120 | 102 | 78 |
| 15 | 87 | 290 | 520 | 110 | 1050 | 303 | 352 | 274 | 118 | 112 | 89 | 79 |
| 16 | 77 | 420 | 430 | 110 | 806 | 997 | 352 | 243 | 111 | 118 | 78 | 70 |
| 17 | 70 | 450 | 330 | 110 | 654 | 1770 | 324 | 219 | 107 | 100 | 77 | 63 |
| 18 | 70 | 390 | 280 | 100 | 575 | 1350 | 313 | 207 | 130 | 99 | 71 | 60 |
| 19 | 100 | 360 | 230 | 100 | 530 | 975 | 321 | 210 | 260 | 92 | 233 | 57 |
| 20 | 97 | 320 | 200 | 100 | 498 | 898 | 340 | 249 | 201 | 85 | 151 | 56 |
| 21 | 85 | 290 | 190 | 100 | 453 | 1450 | 322 | 615 | 141 | 80 | 104 | 53 |
| 22 | 84 | 260 | 250 | 100 | 407 | 1530 | 292 | 500 | 121 | 77 | 90 | 51 |
| 23 | 180 | 230 | 270 | 100 | 367 | 1190 | 409 | 834 | 113 | 72 | 91 | 48 |
| 24 | 270 | 210 | 210 | 364 | 338 | 956 | 835 | 937 | 115 | 69 | 83 | 55 |
| 25 | 170 | 180 | 200 | 863 | 313 | 795 | 1060 | 742 | 106 | 68 | 75 | 60 |
| 26 | 140 | 170 | 190 | 567 | 288 | 806 | 906 | 597 | 98 | 66 | 69 | 69 |
| 27 | 120 | 160 | 180 | 380 | 260 | 723 | 727 | 424 | 94 | 91 | 64 | 65 |
| 28 | 110 | 540 | 180 | 238 | 232 | 688 | 573 | 467 | 99 | 87 | 63 | 57 |
| 29 | 100 | 800 | 170 | 212 | 212 | 1650 | 459 | 648 | 95 | 73 | 77 | 56 |
| 30 | 95 | 500 | 170 | 179 | --- | 1510 | 389 | 499 | 97 | 67 | 159 | 54 |
| 31 | 90 | --- | 160 | 159 | --- | 1140 | --- | 393 | --- | 65 | 373 | --- |
| TOTAL | 2752 | 8400 | 13170 | 5872 | 12069 | 23027 | 14575 | 13579 | 4576 | 4284 | 3550 | 2317 |
| MEAN | 88.8 | 280 | 425 | 189 | 416 | 743 | 486 | 438 | 153 | 138 | 115 | 77.2 |
| MAX | 270 | 800 | 1300 | 863 | 1060 | 1770 | 1060 | 937 | 320 | 475 | 373 | 175 |
| MIN | 43 | 100 | 160 | 100 | 130 | 180 | 292 | 207 | 94 | 65 | 58 | 48 |
| CFSM | .35 | 1.11 | 1.68 | .75 | 1.64 | 2.94 | 1.92 | 1.73 | .61 | .55 | .46 | .31 |
| IN. | .40 | 1.24 | 1.94 | .86 | 1.77 | 3.39 | 2.14 | 2.00 | .67 | .63 | .52 | .34 |

| | | | | | | | |
|-------------|-------|--------|----------|----------|--------|-----------|----------|
| CAL YR 1983 | TOTAL | 114600 | MEAN 314 | MAX 3510 | MIN 38 | CFSM 1.24 | IN 16.85 |
| WTR YR 1984 | TOTAL | 108171 | MEAN 296 | MAX 1770 | MIN 43 | CFSM 1.17 | IN 15.90 |

MUSKINGUM RIVER BASIN

03118000 MIDDLE BRANCH NIMISHILLEN CREEK AT CANTON, OH

LOCATION.--Lat 40°50'29", long 81°21'14" in NE 1/4 sec. 27, T.11 N., R.8 W., Stark County, Hydrologic Unit 05040001, on right bank at downstream side of bridge on Martindale Road, 2.4 mi upstream from mouth, and 0.5 mi northeast of Canton.

DRAINAGE AREA.--43.1 mi².

PERIOD OF RECORD.--September 1941 to current year.

REVISED RECORDS.--WSP 1033: 1942(M), 1943(P), 1944(M). WSP 1305: 1946(M). WSP 1143: 1948. WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 1,046.60 ft National Geodetic Vertical Datum of 1929.

REMARKS.--Records good. Part of municipal water supply for city of Canton is pumped from its northeast well field; a portion of pumpage is believed to be derived from creek as recharge to aquifer supplying well field about 1 mi downstream from gage. Mean pumpage for water year 1984, 11.1 ft³/s. At times low flow regulated by small pools above station. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--43 years, 36.2 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 2,470 ft³/s Jan. 22, 1959, gage height, 6.50 ft, from rating curve extended above 1,600 ft³/s on basis of contracted-opening measurement of peak flow; minimum daily, 0.2 ft³/s Nov. 9, 1944, Sept. 19, 1962.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 400 ft³/s and Maximums (*).

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--|------|-----------------------------------|---------------------|---------------------------|------|-----------------------------------|---------------------|
| Mar. 17 | 0100 | *450 | *4.84 | No other peak above base. | | | |
| Minimum daily discharge, 7.7 ft ³ /s Aug. 17. | | | | | | | |

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|------|------|------|------|------|------|------|------|------|-------|------|
| 1 | 9.9 | 15 | 56 | 24 | 22 | 24 | 104 | 47 | 106 | 20 | 17 | 22 |
| 2 | 9.9 | 18 | 40 | 24 | 20 | 22 | 81 | 43 | 84 | 21 | 17 | 19 |
| 3 | 9.5 | 29 | 35 | 24 | 86 | 20 | 69 | 39 | 67 | 21 | 34 | 17 |
| 4 | 11 | 39 | 164 | 24 | 170 | 20 | 68 | 42 | 55 | 22 | 58 | 17 |
| 5 | 12 | 32 | 304 | 26 | 74 | 29 | 87 | 84 | 47 | 56 | 42 | 15 |
| 6 | 12 | 28 | 165 | 25 | 41 | 100 | 91 | 98 | 41 | 44 | 31 | 14 |
| 7 | 11 | 24 | 160 | 24 | 31 | 95 | 90 | 75 | 35 | 41 | 24 | 14 |
| 8 | 10 | 22 | 96 | 23 | 26 | 67 | 77 | 59 | 34 | 35 | 30 | 14 |
| 9 | 9.9 | 18 | 67 | 22 | 24 | 45 | 60 | 58 | 34 | 29 | 28 | 13 |
| 10 | 9.5 | 18 | 53 | 20 | 27 | 34 | 51 | 178 | 31 | 27 | 25 | 15 |
| 11 | 9.5 | 46 | 48 | 20 | 138 | 30 | 44 | 156 | 29 | 27 | 24 | 17 |
| 12 | 12 | 118 | 164 | 20 | 134 | 28 | 41 | 111 | 28 | 28 | 22 | 18 |
| 13 | 15 | 83 | 192 | 19 | 103 | 28 | 39 | 85 | 26 | 27 | 21 | 18 |
| 14 | 15 | 53 | 106 | 18 | 241 | 28 | 42 | 108 | 24 | 26 | 17 | 14 |
| 15 | 15 | 45 | 85 | 18 | 176 | 33 | 53 | 91 | 24 | 24 | 15 | 13 |
| 16 | 13 | 86 | 69 | 17 | 101 | 240 | 54 | 98 | 24 | 23 | 14 | 12 |
| 17 | 12 | 95 | 51 | 17 | 80 | 315 | 78 | 79 | 23 | 23 | 7.7 | 12 |
| 18 | 13 | 83 | 42 | 16 | 89 | 151 | 70 | 62 | 23 | 25 | 18 | 12 |
| 19 | 15 | 58 | 35 | 16 | 84 | 104 | 61 | 55 | 37 | 25 | 19 | 12 |
| 20 | 15 | 52 | 30 | 16 | 72 | 113 | 55 | 49 | 37 | 25 | 16 | 12 |
| 21 | 14 | 57 | 26 | 16 | 53 | 268 | 50 | 49 | 24 | 24 | 15 | 12 |
| 22 | 14 | 48 | 45 | 16 | 43 | 259 | 46 | 59 | 23 | 22 | 15 | 12 |
| 23 | 36 | 38 | 49 | 16 | 38 | 158 | 54 | 164 | 22 | 21 | 14 | 14 |
| 24 | 56 | 32 | 33 | 74 | 35 | 126 | 82 | 138 | 23 | 21 | 9.2 | 14 |
| 25 | 36 | 28 | 30 | 193 | 33 | 113 | 162 | 190 | 22 | 23 | 11 | 16 |
| 26 | 26 | 26 | 28 | 123 | 30 | 114 | 130 | 197 | 22 | 18 | 12 | 16 |
| 27 | 22 | 23 | 26 | 92 | 28 | 91 | 85 | 100 | 21 | 29 | 13 | 15 |
| 28 | 18 | 99 | 26 | 47 | 27 | 90 | 64 | 70 | 22 | 26 | 18 | 13 |
| 29 | 17 | 169 | 26 | 33 | 24 | 267 | 60 | 55 | 22 | 21 | 19 | 12 |
| 30 | 15 | 93 | 26 | 28 | --- | 202 | 53 | 78 | 21 | 19 | 38 | 15 |
| 31 | 14 | --- | 24 | 24 | --- | 141 | --- | 142 | --- | 18 | 31 | --- |
| TOTAL | 507.2 | 1575 | 2301 | 1075 | 2050 | 3355 | 2101 | 2859 | 1031 | 811 | 674.9 | 439 |
| MEAN | 16.4 | 52.5 | 74.2 | 34.7 | 70.7 | 108 | 70.0 | 92.2 | 34.4 | 26.2 | 21.8 | 14.6 |
| MAX | 56 | 169 | 304 | 193 | 241 | 315 | 162 | 197 | 106 | 56 | 58 | 22 |
| MIN | 9.5 | 15 | 24 | 16 | 20 | 20 | 39 | 39 | 21 | 18 | 7.7 | 12 |

CAL YR 1983 TOTAL 17797.9 MEAN 48.8 MAX 370 MIN 9.5
WTR YR 1984 TOTAL 18779.1 MEAN 51.3 MAX 315 MIN 7.7

03118500 NIMISHILLEN CREEK AT NORTH INDUSTRY, OH

LOCATION.--Lat 40°44'03", long 81°21'08", in sec. 35, T.10 N., R.8 W., Stark County, Hydrologic Unit 05040001, on left bank just downstream from railroad bridge, 1 mi southeast of North Industry, and 3 mi downstream from Sherrick Run.

DRAINAGE AREA.--175 mi².

PERIOD OF RECORD.--October 1921 to current year.

REVISED RECORDS.--WSP 1113: 1924-30, 1932-37, 1938(M), 1939-40, 1943(M), 1945(P). WSP 1555: 1929, 1935, 1937(M), 1940(M), 1950(M).

GAGE.--Water-stage recorder. Datum of gage is 970.77 ft National Geodetic Vertical Datum of 1929. Prior to Dec. 13, 1923, nonrecording gage at site 1 mi upstream at different datum.

REMARKS.--Records good except those for the winter period and for period of no gage-height record, June 13 to July 17, which are fair. Low flow slightly regulated by plants at Canton. Records include diversion from Sugar Creek well field. Mean pumpage for the 1984 water year, 15.7 ft³/s. See REMARKS for station 03124500. Water-quality data collected at this site 1964 to 1969, 1975, 1977.

AVERAGE DISCHARGE.--63 years, 186 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 8,600 ft³/s Jan. 21, 1959, gage height, 11.29 ft, from rating curve extended above 6,500 ft³/s on basis of slope-area measurement of peak flow; minimum, 3.6 ft³/s Sept. 2, 1934.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 2,000 ft³/s, and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---|------|--------------------------------|------------------|---------------------------|------|--------------------------------|------------------|
| Mar. 16 | 1930 | *2,410 | *5.67 | No other peak above base. | | | |
| Minimum daily, 94 ft ³ /s Oct. 16, 17. | | | | | | | |

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|------|-------|------|-------|-------|------|-------|------|------|------|------|
| 1 | 103 | 181 | 239 | 110 | 130 | 190 | 364 | 200 | 236 | 160 | 115 | 156 |
| 2 | 99 | 184 | 204 | 110 | 120 | 180 | 304 | 190 | 211 | 180 | 139 | 124 |
| 3 | 108 | 342 | 200 | 110 | 697 | 180 | 272 | 259 | 195 | 170 | 265 | 190 |
| 4 | 187 | 202 | 1430 | 110 | 572 | 180 | 314 | 554 | 182 | 160 | 272 | 152 |
| 5 | 181 | 184 | 1010 | 169 | 290 | 358 | 385 | 314 | 177 | 300 | 203 | 128 |
| 6 | 124 | 152 | 691 | 164 | 222 | 591 | 353 | 250 | 203 | 540 | 147 | 123 |
| 7 | 113 | 142 | 571 | 154 | 195 | 458 | 328 | 219 | 165 | 700 | 213 | 117 |
| 8 | 106 | 135 | 379 | 142 | 170 | 353 | 268 | 671 | 161 | 450 | 185 | 111 |
| 9 | 99 | 126 | 312 | 141 | 150 | 297 | 238 | 676 | 150 | 340 | 241 | 106 |
| 10 | 108 | 152 | 282 | 148 | 188 | 270 | 221 | 410 | 139 | 250 | 185 | 156 |
| 11 | 108 | 555 | 282 | 137 | 659 | 240 | 205 | 311 | 141 | 230 | 143 | 117 |
| 12 | 237 | 419 | 1080 | 131 | 456 | 220 | 197 | 364 | 141 | 250 | 124 | 111 |
| 13 | 193 | 276 | 644 | 130 | 448 | 210 | 197 | 304 | 140 | 230 | 123 | 109 |
| 14 | 142 | 230 | 433 | 120 | 1380 | 210 | 253 | 321 | 160 | 190 | 121 | 165 |
| 15 | 106 | 282 | 392 | 120 | 656 | 349 | 241 | 262 | 150 | 160 | 115 | 115 |
| 16 | 94 | 369 | 328 | 110 | 447 | 1490 | 241 | 227 | 140 | 140 | 111 | 113 |
| 17 | 94 | 338 | 265 | 110 | 400 | 1090 | 250 | 205 | 140 | 120 | 107 | 109 |
| 18 | 234 | 277 | 227 | 110 | 414 | 515 | 256 | 195 | 160 | 150 | 107 | 107 |
| 19 | 163 | 270 | 210 | 110 | 401 | 394 | 244 | 208 | 380 | 123 | 195 | 107 |
| 20 | 115 | 260 | 192 | 100 | 359 | 501 | 253 | 360 | 310 | 117 | 119 | 106 |
| 21 | 108 | 262 | 180 | 100 | 323 | 1560 | 208 | 785 | 250 | 113 | 111 | 106 |
| 22 | 169 | 213 | 474 | 100 | 255 | 1030 | 244 | 394 | 200 | 107 | 123 | 100 |
| 23 | 460 | 192 | 254 | 100 | 238 | 588 | 360 | 1080 | 180 | 111 | 123 | 97 |
| 24 | 230 | 174 | 182 | 671 | 227 | 464 | 875 | 623 | 170 | 119 | 104 | 205 |
| 25 | 181 | 156 | 160 | 696 | 219 | 426 | 530 | 342 | 170 | 117 | 99 | 143 |
| 26 | 166 | 145 | 147 | 412 | 203 | 390 | 331 | 265 | 160 | 123 | 97 | 172 |
| 27 | 152 | 138 | 145 | 331 | 204 | 324 | 297 | 227 | 150 | 379 | 104 | 117 |
| 28 | 133 | 852 | 130 | 209 | 202 | 490 | 262 | 607 | 160 | 133 | 109 | 111 |
| 29 | 119 | 526 | 130 | 181 | 195 | 1480 | 221 | 503 | 150 | 117 | 241 | 106 |
| 30 | 113 | 321 | 120 | 169 | --- | 744 | 219 | 338 | 150 | 117 | 680 | 111 |
| 31 | 113 | --- | 110 | 150 | --- | 485 | --- | 278 | --- | 115 | 349 | --- |
| TOTAL | 4658 | 8055 | 11403 | 5655 | 10420 | 16257 | 8932 | 11942 | 5421 | 6521 | 5370 | 3790 |
| MEAN | 150 | 269 | 368 | 182 | 359 | 524 | 298 | 385 | 181 | 210 | 173 | 126 |
| MAX | 460 | 852 | 1430 | 696 | 1380 | 1560 | 975 | 1080 | 380 | 700 | 680 | 205 |
| MIN | 94 | 126 | 110 | 100 | 120 | 180 | 197 | 190 | 139 | 107 | 97 | 97 |

CAL YR 1983 TOTAL 95949 MEAN 263 MAX 2390 MIN 94
WTR YR 1984 TOTAL 98424 MEAN 269 MAX 1560 MIN 94

MUSKINGUM RIVER BASIN

03120500 McGUIRE CREEK BELOW LEESVILLE DAM, NEAR LEESVILLE, OH

LOCATION.--Lat 40°28'13", long 81°11'48", in E. 1/2 sec. 36, T.13 N., R.6 W., Carroll County, Hydrologic Unit 05040001, on left bank at outlet of Leesville Dam, 1.3 mi upstream from mouth, and 1.4 mi northeast of Leesville.

DRAINAGE AREA.--48.3 mi².

PERIOD OF RECORD.--October 1938 to current year. Published as McGuire Creek near Leesville 1938-39.

REVISED RECORDS.--WSP 1907: Drainage area.

GAGE.--Water-stage recorder and V-notch weir. Datum of gage is 915.00 ft National Geodetic Vertical Datum of 1929. Prior to May 27, 1942, nonrecording gage at site 100 ft upstream at present datum.

REMARKS.--Records good. Flow regulated by Leesville Lake (see station 03120000). Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--46 years, 54.3 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 740 ft³/s Mar. 4, 1940; maximum gage height, 7.88 ft Mar. 4, 1940 (backwater from Conotton Creek); no flow several days during 1939-41.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 281 ft³/s Apr. 9, gage height, 4.58 ft; minimum daily, 1.6 ft³/s Jan. 4, 14-17, Feb. 16-21, Mar. 1.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------------|---------|------|--------|-----------|---------|---------|------|------|------|--------|-------|-------|
| 1 | 6.6 | 36 | 163 | 31 | 1.7 | 1.6 | 203 | 153 | 249 | 47 | 8.7 | 8.6 |
| 2 | 6.3 | 34 | 116 | 31 | 4.3 | 1.7 | 201 | 93 | 247 | 41 | 8.4 | 7.9 |
| 3 | 6.0 | 60 | 90 | 19 | 5.6 | 1.7 | 200 | 73 | 243 | 35 | 13 | 7.5 |
| 4 | 7.3 | 65 | 90 | 1.6 | 5.6 | 1.7 | 199 | 129 | 132 | 28 | 15 | 7.1 |
| 5 | 14 | 64 | 93 | 1.9 | 5.6 | 25 | 199 | 79 | 79 | 133 | 17 | 6.5 |
| 6 | 18 | 61 | 91 | 1.9 | 82 | 66 | 199 | 78 | 70 | 142 | 12 | 6.1 |
| 7 | 15 | 57 | 91 | 1.9 | 155 | 80 | 199 | 76 | 61 | 97 | 11 | 5.7 |
| 8 | 12 | 52 | 91 | 1.9 | 133 | 80 | 198 | 76 | 52 | 94 | 15 | 5.3 |
| 9 | 11 | 46 | 180 | 1.8 | 60 | 80 | 234 | 79 | 43 | 86 | 17 | 4.8 |
| 10 | 9.1 | 45 | 234 | 1.7 | 3.5 | 80 | 165 | 79 | 36 | 77 | 16 | 4.9 |
| 11 | 8.6 | 62 | 233 | 1.7 | 4.9 | 80 | 69 | 75 | 28 | 71 | 16 | 5.1 |
| 12 | 29 | 80 | 184 | 1.9 | 4.9 | 80 | 67 | 75 | 22 | 72 | 13 | 5.4 |
| 13 | 38 | 81 | 60 | 1.7 | 101 | 80 | 66 | 71 | 19 | 63 | 10 | 5.2 |
| 14 | 42 | 80 | 103 | 1.6 | 159 | 80 | 68 | 67 | 21 | 55 | 8.9 | 6.3 |
| 15 | 37 | 150 | 227 | 1.6 | 62 | 27 | 72 | 62 | 15 | 44 | 8.2 | 6.5 |
| 16 | 31 | 183 | 238 | 1.6 | 1.6 | 2.4 | 74 | 56 | 11 | 38 | 7.4 | 6.2 |
| 17 | 25 | 220 | 235 | 1.6 | 1.6 | 3.7 | 80 | 51 | 11 | 30 | 6.7 | 6.1 |
| 18 | 25 | 245 | 232 | 2.0 | 1.6 | 25 | 168 | 46 | 28 | 25 | 6.2 | 6.5 |
| 19 | 29 | 249 | 234 | 2.2 | 1.6 | 57 | 120 | 45 | 74 | 21 | 9.1 | 6.6 |
| 20 | 26 | 243 | 234 | 3.6 | 1.6 | 82 | 68 | 60 | 68 | 16 | 8.4 | 6.3 |
| 21 | 36 | 241 | 239 | 4.3 | 1.6 | 100 | 70 | 146 | 59 | 12 | 7.3 | 6.0 |
| 22 | 44 | 238 | 249 | 4.3 | 47 | 107 | 75 | 215 | 48 | 11 | 6.8 | 5.6 |
| 23 | 76 | 234 | 215 | 4.3 | 58 | 108 | 158 | 153 | 40 | 10 | 7.3 | 5.3 |
| 24 | 91 | 232 | 213 | 4.4 | 2.1 | 108 | 160 | 163 | 39 | 9.6 | 6.7 | 5.4 |
| 25 | 90 | 230 | 211 | 55 | 1.8 | 108 | 163 | 171 | 32 | 9.4 | 6.3 | 5.2 |
| 26 | 83 | 228 | 211 | 29 | 1.7 | 108 | 196 | 113 | 22 | 9.0 | 5.8 | 5.4 |
| 27 | 77 | 226 | 100 | 48 | 1.7 | 142 | 199 | 112 | 18 | 20 | 5.5 | 4.8 |
| 28 | 68 | 227 | 2.4 | 113 | 1.7 | 156 | 198 | 112 | 19 | 18 | 5.1 | 4.5 |
| 29 | 59 | 145 | 2.1 | 113 | 1.7 | 109 | 197 | 203 | 19 | 12 | 5.2 | 4.1 |
| 30 | 50 | 153 | 13 | 124 | --- | 110 | 191 | 253 | 31 | 10 | 6.6 | 3.9 |
| 31 | 41 | --- | 31 | 48 | --- | 161 | --- | 250 | --- | 9.3 | 9.2 | --- |
| TOTAL | 1110.9 | 4267 | 4705.5 | 660.5 | 913.4 | 2251.8 | 4456 | 3414 | 1837 | 1345.3 | 298.8 | 174.8 |
| MEAN | 35.8 | 142 | 152 | 21.3 | 31.5 | 72.6 | 149 | 110 | 61.2 | 43.4 | 9.64 | 5.83 |
| MAX | 91 | 249 | 249 | 124 | 159 | 161 | 234 | 253 | 249 | 142 | 17 | 8.6 |
| MIN | 6.0 | 34 | 2.1 | 1.6 | 1.6 | 1.6 | 66 | 45 | 11 | 9.0 | 5.1 | 3.9 |
| CAL YR 1983 TOTAL | 27212.8 | | | MEAN 74.6 | MAX 278 | MIN 1.5 | | | | | | |
| WTR YR 1984 TOTAL | 25435.0 | | | MEAN 69.5 | MAX 253 | MIN 1.6 | | | | | | |

03122500 TUSCARAWAS RIVER BELOW DOVER DAM, NEAR DOVER, OH

LOCATION.--Lat 40°31'47", long 81°25'48", in T.9 N., R.2 W., Tuscarawas County, Hydrologic Unit 05040001, on left bank at downstream side of bridge on State Highway 416, 2.2 mi downstream from Dover Dam, 1.5 mi east of Dover, and 3.4 mi upstream from Sugar Creek.

DRAINAGE AREA.--1,405 mi².

PERIOD OF RECORD.--October 1923 to current year. Published as Tuscarawas River near Dover 1923-39.

REVISED RECORDS.--WSP 803: 1933(M). WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 861.51 ft National Geodetic Vertical Datum of 1929. Prior to Aug. 30, 1930, nonrecording gage at same site and datum.

REMARKS.--Records good. Diversion from basin at Portage Lakes (See REMARKS for stations 03116000 and 03117000). Records include diversion from Sugar Creek well field. Mean pumpage for the 1983 water year, 10.1 ft³/s (see REMARKS for station 03124500). Flow regulated by four flood-control reservoirs since 1936 at points 2.2 mi to 25 mi upstream (see stations 03119500, 03120000, 03121000, and 03122000). Water quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--61 years, 1,430 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 26,400 ft³/s Jan. 26, 1937, gage height, 15.51 ft; minimum daily, 6.5 ft³/s Oct. 26, 1948.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 5,390 ft³/s Mar. 22, gage height, 6.95 ft; maximum gage height, 8.23 ft. Jan. 26 (ice jam); minimum daily, 334 ft³/s Oct. 3.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 351 | 660 | 2190 | 1300 | 700 | 1000 | 4760 | 2020 | 2450 | 905 | 472 | 1100 |
| 2 | 345 | 828 | 1830 | 1200 | 700 | 950 | 4920 | 1680 | 2020 | 780 | 502 | 686 |
| 3 | 334 | 1360 | 1660 | 1200 | 1210 | 900 | 4760 | 1470 | 1770 | 759 | 640 | 589 |
| 4 | 362 | 1640 | 2640 | 1100 | 3490 | 850 | 4550 | 2700 | 1580 | 673 | 905 | 679 |
| 5 | 502 | 1350 | 4950 | 1100 | 2610 | 1100 | 4510 | 4080 | 1270 | 1780 | 876 | 602 |
| 6 | 520 | 1210 | 4770 | 940 | 1680 | 2300 | 4430 | 3460 | 1200 | 2490 | 773 | 533 |
| 7 | 472 | 1080 | 4960 | 880 | 1520 | 2660 | 4300 | 2400 | 1120 | 2490 | 621 | 490 |
| 8 | 419 | 969 | 4670 | 800 | 1240 | 2310 | 4050 | 2230 | 1020 | 2250 | 739 | 466 |
| 9 | 396 | 891 | 3700 | 740 | 1060 | 1880 | 3490 | 3540 | 926 | 1350 | 534 | 436 |
| 10 | 379 | 856 | 3270 | 690 | 1020 | 1860 | 2560 | 3550 | 835 | 1050 | 905 | 448 |
| 11 | 379 | 1280 | 2480 | 620 | 2020 | 1600 | 1870 | 2900 | 766 | 955 | 976 | 502 |
| 12 | 545 | 2690 | 3180 | 580 | 3110 | 1380 | 1540 | 2440 | 726 | 1020 | 849 | 472 |
| 13 | 835 | 2450 | 4230 | 530 | 2880 | 1200 | 1560 | 3100 | 692 | 919 | 647 | 454 |
| 14 | 898 | 1850 | 3910 | 500 | 4490 | 1100 | 1570 | 2820 | 800 | 807 | 576 | 533 |
| 15 | 787 | 1820 | 3650 | 470 | 5010 | 1000 | 1840 | 2380 | 800 | 732 | 520 | 564 |
| 16 | 666 | 2190 | 3400 | 450 | 4470 | 3070 | 1990 | 2010 | 719 | 759 | 490 | 502 |
| 17 | 551 | 2560 | 2950 | 420 | 3730 | 4700 | 1950 | 1660 | 666 | 692 | 460 | 442 |
| 18 | 514 | 2770 | 2250 | 400 | 3490 | 4770 | 1980 | 1450 | 712 | 673 | 448 | 425 |
| 19 | 759 | 2440 | 1990 | 390 | 2950 | 4520 | 2070 | 1350 | 1710 | 647 | 1010 | 407 |
| 20 | 679 | 2310 | 1820 | 370 | 2460 | 4380 | 1980 | 1490 | 1410 | 595 | 739 | 401 |
| 21 | 621 | 2280 | 1710 | 350 | 2040 | 4570 | 1790 | 3220 | 983 | 545 | 539 | 390 |
| 22 | 653 | 2030 | 2080 | 340 | 1730 | 5150 | 1660 | 4380 | 835 | 508 | 484 | 379 |
| 23 | 1220 | 1770 | 2610 | 340 | 1610 | 5230 | 2280 | 4260 | 759 | 484 | 520 | 352 |
| 24 | 1630 | 1670 | 2200 | 800 | 1490 | 5260 | 3700 | 4830 | 773 | 484 | 539 | 401 |
| 25 | 1270 | 1640 | 1400 | 2500 | 1360 | 5040 | 4320 | 4720 | 706 | 484 | 466 | 508 |
| 26 | 1030 | 1510 | 1100 | 2400 | 1250 | 4580 | 4140 | 4190 | 653 | 478 | 419 | 520 |
| 27 | 933 | 1400 | 1100 | 2400 | 1150 | 4360 | 3830 | 3630 | 621 | 828 | 396 | 520 |
| 28 | 862 | 2000 | 1100 | 2660 | 1130 | 4670 | 3390 | 2760 | 640 | 976 | 401 | 472 |
| 29 | 793 | 3530 | 1500 | 1630 | 1120 | 4430 | 2930 | 3180 | 640 | 640 | 472 | 448 |
| 30 | 726 | 3070 | 1500 | 1230 | --- | 5090 | 2570 | 3400 | 739 | 526 | 712 | 419 |
| 31 | 673 | --- | 1400 | 900 | --- | 5040 | --- | 2930 | --- | 490 | 1810 | --- |
| TOTAL | 21104 | 54104 | 82200 | 30230 | 62720 | 96950 | 91290 | 90230 | 30541 | 28769 | 20540 | 15150 |
| MEAN | 681 | 1803 | 2652 | 975 | 2163 | 3127 | 3043 | 2911 | 1018 | 928 | 663 | 505 |
| MAX | 1630 | 3530 | 4960 | 2660 | 5010 | 5260 | 4820 | 4830 | 2450 | 2490 | 1810 | 1100 |
| MIN | 334 | 660 | 1100 | 340 | 700 | 850 | 1560 | 1350 | 621 | 478 | 396 | 362 |

CAL YR 1983 TOTAL 592179 MEAN 1622 MAX 5480 MIN 334
WTR YR 1984 TOTAL 623828 MEAN 1704 MAX 5260 MIN 334

MUSKINGUM RIVER BASIN

03124000 SUGAR CREEK BELOW BEACH CITY DAM, NEAR BEACH CITY, OH

LOCATION.--Lat 40°38'08", long 81°33'11", in T10 N., R.3 W., Tuscarawas County, Hydrologic Unit 05040001, on right bank 1,000 ft downstream from Beach City Dam, 0.4 mi downstream from South Fork, and 1.8 mi southeast of Beach City.

DRAINAGE AREA.--300 mi².

PERIOD OF RECORD.--October 1938 to current year. Published as Sugar Creek near Beach City prior to 1940.

REVISED RECORDS.--WSP 953: 1941.

GAGE.--Water-stage recorder. Datum of gage is 928.00 ft National Geodetic Vertical Datum of 1929. Prior to Mar. 23, 1939, nonrecording gage at site 500 ft downstream at datum 1 ft higher. Mar. 23, 1939, to Sept. 26, 1949, water-stage recorder at site 300 ft downstream at present datum.

REMARKS.--Records good except those for the winter period which are fair. Flood flow regulated by Beach City Lake. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--46 years, 278 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 7,520 ft³/s July 6, 1969, gage height, 11.26 ft, from floodmark in well; no flow Oct. 7-30, 1963.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 1,900 ft³/s Feb. 15, gage height, 6.28 ft; minimum daily, 18 ft³/s Oct. 11.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|------|-------|------|-------|-------|-------|-------|------|------|------|------|
| 1 | 20 | 49 | 356 | 100 | 85 | 130 | 1580 | 327 | 341 | 92 | 71 | 255 |
| 2 | 20 | 79 | 258 | 90 | 80 | 130 | 963 | 272 | 285 | 100 | 309 | 136 |
| 3 | 19 | 264 | 219 | 85 | 237 | 130 | 543 | 258 | 245 | 104 | 337 | 112 |
| 4 | 19 | 345 | 455 | 80 | 1000 | 120 | 489 | 701 | 205 | 545 | 163 | 150 |
| 5 | 31 | 195 | 1550 | 75 | 987 | 190 | 552 | 998 | 178 | 806 | 108 | 114 |
| 6 | 46 | 142 | 1350 | 70 | 389 | 698 | 544 | 665 | 204 | 879 | 127 | 89 |
| 7 | 39 | 115 | 1050 | 70 | 194 | 815 | 530 | 456 | 180 | 566 | 245 | 75 |
| 8 | 28 | 97 | 727 | 65 | 130 | 510 | 459 | 487 | 147 | 307 | 583 | 68 |
| 9 | 22 | 84 | 484 | 65 | 110 | 315 | 386 | 938 | 127 | 209 | 595 | 62 |
| 10 | 19 | 78 | 396 | 60 | 199 | 250 | 339 | 817 | 116 | 187 | 500 | 61 |
| 11 | 18 | 171 | 366 | 60 | 775 | 230 | 300 | 547 | 104 | 218 | 400 | 72 |
| 12 | 29 | 506 | 538 | 60 | 1310 | 220 | 271 | 467 | 95 | 147 | 300 | 65 |
| 13 | 54 | 327 | 881 | 55 | 719 | 210 | 256 | 429 | 92 | 119 | 180 | 57 |
| 14 | 59 | 219 | 653 | 55 | 1110 | 210 | 262 | 351 | 139 | 109 | 120 | 71 |
| 15 | 51 | 182 | 513 | 55 | 1680 | 200 | 420 | 304 | 131 | 141 | 100 | 87 |
| 16 | 38 | 314 | 422 | 50 | 1050 | 868 | 514 | 255 | 101 | 112 | 90 | 70 |
| 17 | 29 | 335 | 329 | 50 | 618 | 1370 | 562 | 222 | 92 | 98 | 78 | 57 |
| 18 | 30 | 265 | 230 | 48 | 578 | 1410 | 512 | 200 | 95 | 90 | 74 | 50 |
| 19 | 66 | 222 | 170 | 48 | 547 | 1550 | 451 | 193 | 192 | 77 | 132 | 47 |
| 20 | 72 | 245 | 150 | 46 | 482 | 1090 | 381 | 236 | 205 | 71 | 126 | 46 |
| 21 | 55 | 282 | 140 | 46 | 393 | 1210 | 331 | 721 | 205 | 66 | 81 | 43 |
| 22 | 67 | 261 | 305 | 46 | 324 | 1560 | 302 | 1120 | 154 | 60 | 67 | 43 |
| 23 | 280 | 204 | 500 | 46 | 280 | 1640 | 567 | 883 | 142 | 58 | 89 | 42 |
| 24 | 358 | 188 | 325 | 167 | 254 | 1620 | 929 | 1190 | 191 | 57 | 86 | 46 |
| 25 | 179 | 174 | 170 | 1050 | 236 | 1600 | 1360 | 958 | 147 | 60 | 67 | 67 |
| 26 | 113 | 149 | 140 | 997 | 206 | 1560 | 1100 | 534 | 112 | 172 | 57 | 64 |
| 27 | 89 | 131 | 130 | 644 | 188 | 1610 | 549 | 391 | 97 | 148 | 51 | 67 |
| 28 | 76 | 382 | 142 | 316 | 142 | 1680 | 563 | 415 | 95 | 85 | 48 | 55 |
| 29 | 59 | 1020 | 306 | 191 | 139 | 1370 | 448 | 628 | 88 | 64 | 55 | 50 |
| 30 | 53 | 609 | 276 | 143 | --- | 1680 | 381 | 548 | 88 | 57 | 126 | 48 |
| 31 | 48 | --- | 120 | 116 | --- | 1720 | --- | 419 | --- | 53 | 536 | --- |
| TOTAL | 2086 | 7634 | 13651 | 5049 | 14442 | 27886 | 17044 | 16930 | 4593 | 5857 | 5901 | 2259 |
| MEAN | 67.3 | 254 | 440 | 163 | 498 | 900 | 568 | 546 | 153 | 189 | 190 | 75.6 |
| MAX | 358 | 1020 | 1550 | 1050 | 1680 | 1720 | 1680 | 1190 | 341 | 879 | 595 | 255 |
| MIN | 18 | 49 | 120 | 46 | 80 | 120 | 256 | 193 | 88 | 53 | 48 | 42 |

CAL YR 1983 TOTAL 107006 MEAN 293 MAX 1850 MIN 16
WTR YR 1984 TOTAL 123342 MEAN 337 MAX 1720 MIN 18

03124500 SUGAR CREEK AT STRASBURG, OH

LOCATION.--Lat 40°35'15", long 81°31'24", in NW 1/4 sec. 1, T.9 N., R.3 W., Tuscarawas County, Hydrologic Unit 05040001, on left bank 150 ft upstream from bridge on State Highway 21, 0.8 mi upstream from Broad Run, and 0.1 mi southeast of Strasburg.

DRAINAGE AREA.--311 mi².

PERIOD OF RECORD.--August 1931 to March 1933, January 1935 to July 1939, October 1961 to current year.

REVISED RECORDS.--WSP 1305: 1932-33(M). WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 896.24 ft National Geodetic Vertical Datum of 1929. July 29, 1931, to Mar. 31, 1933, and Dec. 10, 1934, to July 31, 1939, nonrecording gage, and Oct. 1, 1961, to May 26, 1964, water-stage recorder at datum 2.00 ft higher.

REMARKS.--Records good except those for the winter period which are fair. Flood flow regulated by Beach City Lake 5.0 mi upstream, since August 1937. Part of municipal water supply for city of Canton, starting May 1962, is pumped from well field 4.3 mi upstream; pumpage is returned to Nimishillen Creek. Mean pumpage for water year 1984, 15.7 ft³/s. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--27 years (1931-32, 1935-38, 1961-84), 315 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 19,700 ft³/s Aug. 7, 1935, gage height, 14.70 ft (present datum), from rating curve extended above 8,400 ft³/s; no flow all or part of each day Sept. 29 to Nov. 6, 1963, Sept. 20, Dec. 3, 4, 1966.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 2,100 ft³/s Feb. 15, gage height, 5.57 ft; minimum daily, 22 ft³/s Oct. 11.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|------|-------|------|-------|-------|-------|-------|------|------|------|------|
| 1 | 23 | 50 | 416 | 120 | 110 | 150 | 1880 | 398 | 415 | 108 | 63 | 309 |
| 2 | 23 | 72 | 299 | 100 | 90 | 140 | 1130 | 335 | 356 | 110 | 64 | 162 |
| 3 | 23 | 240 | 255 | 90 | 228 | 130 | 521 | 312 | 305 | 138 | 244 | 123 |
| 4 | 23 | 373 | 447 | 85 | 990 | 130 | 559 | 723 | 260 | 115 | 408 | 167 |
| 5 | 30 | 216 | 1620 | 80 | 1100 | 213 | 513 | 1090 | 230 | 402 | 249 | 132 |
| 6 | 44 | 157 | 1490 | 80 | 475 | 691 | 513 | 756 | 252 | 853 | 169 | 101 |
| 7 | 41 | 124 | 1100 | 75 | 238 | 905 | 500 | 539 | 236 | 915 | 120 | 84 |
| 8 | 33 | 103 | 775 | 70 | 150 | 584 | 536 | 532 | 195 | 751 | 150 | 74 |
| 9 | 26 | 88 | 528 | 70 | 130 | 356 | 457 | 990 | 169 | 415 | 324 | 58 |
| 10 | 23 | 82 | 436 | 65 | 218 | 280 | 405 | 900 | 152 | 267 | 696 | 65 |
| 11 | 22 | 158 | 402 | 60 | 728 | 250 | 363 | 625 | 136 | 216 | 600 | 73 |
| 12 | 28 | 515 | 539 | 60 | 1440 | 240 | 327 | 528 | 125 | 258 | 439 | 59 |
| 13 | 51 | 366 | 910 | 60 | 814 | 230 | 305 | 501 | 122 | 195 | 265 | 52 |
| 14 | 57 | 242 | 700 | 55 | 1170 | 220 | 312 | 412 | 171 | 148 | 182 | 59 |
| 15 | 53 | 200 | 555 | 55 | 1840 | 210 | 457 | 363 | 173 | 129 | 142 | 99 |
| 16 | 41 | 310 | 468 | 50 | 1200 | 889 | 575 | 305 | 132 | 150 | 115 | 74 |
| 17 | 34 | 366 | 372 | 50 | 682 | 1510 | 517 | 267 | 120 | 144 | 94 | 59 |
| 18 | 32 | 288 | 250 | 50 | 630 | 1540 | 580 | 249 | 131 | 111 | 82 | 52 |
| 19 | 56 | 240 | 190 | 48 | 604 | 1700 | 528 | 244 | 794 | 106 | 134 | 49 |
| 20 | 75 | 256 | 160 | 48 | 547 | 1240 | 450 | 276 | 775 | 94 | 150 | 47 |
| 21 | 56 | 290 | 150 | 46 | 453 | 1370 | 395 | 760 | 335 | 84 | 94 | 45 |
| 22 | 65 | 287 | 301 | 46 | 382 | 1730 | 363 | 1280 | 213 | 78 | 75 | 43 |
| 23 | 254 | 228 | 543 | 44 | 327 | 1810 | 517 | 985 | 173 | 73 | 91 | 42 |
| 24 | 390 | 206 | 350 | 113 | 298 | 1790 | 990 | 1330 | 223 | 69 | 98 | 44 |
| 25 | 201 | 195 | 182 | 947 | 271 | 1770 | 1510 | 1120 | 184 | 67 | 77 | 65 |
| 26 | 123 | 167 | 160 | 1070 | 246 | 1720 | 1250 | 630 | 136 | 67 | 65 | 62 |
| 27 | 95 | 145 | 140 | 714 | 223 | 1750 | 732 | 471 | 118 | 136 | 59 | 65 |
| 28 | 82 | 336 | 162 | 388 | 182 | 1950 | 538 | 471 | 110 | 204 | 56 | 56 |
| 29 | 64 | 1060 | 283 | 230 | 156 | 1530 | 528 | 687 | 106 | 111 | 58 | 50 |
| 30 | 57 | 690 | 327 | 175 | --- | 1860 | 457 | 638 | 98 | 81 | 123 | 47 |
| 31 | 52 | --- | 178 | 132 | --- | 1920 | --- | 501 | --- | 69 | 567 | --- |
| TOTAL | 2177 | 8050 | 14688 | 5276 | 15922 | 30808 | 19408 | 19218 | 6945 | 6664 | 6053 | 2447 |
| MEAN | 70.2 | 268 | 474 | 170 | 549 | 994 | 647 | 620 | 232 | 215 | 195 | 81.6 |
| MAX | 390 | 1060 | 1620 | 1070 | 1840 | 1950 | 1880 | 1330 | 794 | 915 | 696 | 309 |
| MIN | 22 | 50 | 140 | 44 | 90 | 130 | 305 | 244 | 98 | 67 | 56 | 42 |

CAL YR 1983 TOTAL 114129 MEAN 313 MAX 1950 MIN 20
WTR YR 1984 TOTAL 137656 MEAN 376 MAX 1950 MIN 22

MUSKINGUM RIVER BASIN

03126000 STILLWATER CREEK AT PIEDMONT, OH

LOCATION.--Lat 40°11'41", long 81°12'56", in sec. 35, T.10 N., R.6 W., Harrison County, Hydrologic Unit 05040001, on left bank 400 ft downstream from outlet of Piedmont Dam and Boggs Fork, and 0.7 mi northwest of Piedmont.

DRAINAGE AREA.--122 mi².

PERIOD OF RECORD.--October 1938 to current year. Prior to February 1939 monthly discharge only, published in WSP 1305.

REVISED RECORDS.--WRD-OH-81-1: 1980 (M) (m).

GAGE.--Water-stage recorder. Datum of gage is 872.00 ft National Geodetic Vertical Datum of 1929. Prior to Sept. 9, 1949, at site 1,000 ft downstream at datum 1.00 ft higher.

REMARKS.--Records fair. Flow regulated by Piedmont Lake. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--46 years, 138 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 1,470 ft³/s Dec. 4, 1950; maximum gage height, 11.44 ft Mar. 5, 1963; minimum daily discharge, 0.2 ft³/s Sept. 3, 4, 10, 1953.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 769 ft³/s Dec. 12, gage height, 7.65 ft; minimum daily, 7.9 ft³/s Oct. 1.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------------|---------|------|-------|----------|---------|---------|------|------|------|------|------|-------|
| 1 | 7.9 | 47 | 316 | 145 | 89 | 38 | 415 | 445 | 396 | 49 | 15 | 18 |
| 2 | 8.3 | 46 | 308 | 145 | 76 | 38 | 426 | 448 | 391 | 51 | 19 | 14 |
| 3 | 8.3 | 106 | 306 | 145 | 118 | 36 | 468 | 415 | 371 | 46 | 24 | 14 |
| 4 | 11 | 91 | 344 | 114 | 135 | 36 | 461 | 404 | 253 | 45 | 30 | 14 |
| 5 | 28 | 77 | 227 | 101 | 107 | 96 | 359 | 398 | 107 | 56 | 25 | 13 |
| 6 | 22 | 71 | 317 | 102 | 191 | 150 | 468 | 280 | 102 | 70 | 22 | 13 |
| 7 | 15 | 65 | 370 | 99 | 232 | 173 | 467 | 177 | 98 | 73 | 20 | 11 |
| 8 | 12 | 57 | 398 | 96 | 229 | 220 | 462 | 128 | 93 | 52 | 19 | 11 |
| 9 | 11 | 54 | 444 | 94 | 170 | 150 | 350 | 159 | 88 | 51 | 19 | 11 |
| 10 | 11 | 55 | 465 | 93 | 101 | 130 | 197 | 179 | 82 | 46 | 30 | 11 |
| 11 | 11 | 141 | 458 | 90 | 103 | 130 | 125 | 170 | 76 | 57 | 24 | 9.8 |
| 12 | 27 | 178 | 507 | 80 | 110 | 130 | 124 | 220 | 68 | 100 | 23 | 9.1 |
| 13 | 29 | 130 | 249 | 67 | 188 | 130 | 160 | 210 | 61 | 79 | 20 | 9.3 |
| 14 | 35 | 108 | 185 | 67 | 278 | 142 | 137 | 260 | 56 | 69 | 17 | 16 |
| 15 | 23 | 278 | 234 | 66 | 223 | 98 | 158 | 181 | 51 | 63 | 15 | 15 |
| 16 | 19 | 404 | 406 | 64 | 129 | 111 | 217 | 269 | 47 | 57 | 14 | 13 |
| 17 | 17 | 374 | 497 | 65 | 82 | 110 | 311 | 229 | 46 | 48 | 13 | 12 |
| 18 | 19 | 360 | 482 | 64 | 75 | 80 | 344 | 136 | 45 | 42 | 13 | 11 |
| 19 | 43 | 351 | 473 | 63 | 75 | 66 | 338 | 119 | 62 | 39 | 15 | 11 |
| 20 | 37 | 343 | 537 | 61 | 73 | 59 | 338 | 123 | 53 | 35 | 14 | 9.9 |
| 21 | 54 | 376 | 558 | 60 | 63 | 110 | 330 | 131 | 48 | 32 | 12 | 8.9 |
| 22 | 59 | 388 | 515 | 59 | 56 | 173 | 352 | 129 | 43 | 28 | 11 | 8.7 |
| 23 | 163 | 381 | 365 | 50 | 53 | 156 | 349 | 206 | 40 | 24 | 23 | 8.6 |
| 24 | 139 | 378 | 219 | 106 | 50 | 144 | 330 | 228 | 39 | 22 | 17 | 13 |
| 25 | 94 | 314 | 159 | 181 | 50 | 153 | 267 | 176 | 35 | 19 | 15 | 15 |
| 26 | 83 | 270 | 120 | 255 | 46 | 196 | 330 | 155 | 31 | 18 | 14 | 12 |
| 27 | 79 | 238 | 117 | 253 | 44 | 202 | 408 | 145 | 28 | 24 | 13 | 11 |
| 28 | 72 | 297 | 153 | 236 | 42 | 264 | 398 | 167 | 28 | 19 | 12 | 10 |
| 29 | 62 | 283 | 173 | 231 | 40 | 295 | 384 | 280 | 26 | 17 | 13 | 11 |
| 30 | 54 | 309 | 177 | 172 | --- | 274 | 415 | 282 | 28 | 16 | 15 | 10 |
| 31 | 50 | --- | 152 | 138 | --- | 329 | --- | 326 | --- | 15 | 21 | --- |
| TOTAL | 1303.5 | 6570 | 10231 | 3562 | 3228 | 4419 | 9888 | 7175 | 2892 | 1372 | 557 | 354.3 |
| MEAN | 42.0 | 219 | 330 | 115 | 111 | 143 | 330 | 231 | 96.4 | 44.3 | 18.0 | 11.8 |
| MAX | 163 | 404 | 558 | 255 | 278 | 329 | 468 | 448 | 396 | 100 | 30 | 18 |
| MIN | 7.9 | 46 | 117 | 50 | 40 | 36 | 124 | 119 | 26 | 15 | 11 | 8.6 |
| CAL YR 1983 TOTAL | 58578.2 | | | MEAN 160 | MAX 889 | MIN 6.3 | | | | | | |
| WTR YR 1984 TOTAL | 51551.8 | | | MEAN 141 | MAX 558 | MIN 7.9 | | | | | | |

03127000 STILLWATER CREEK AT TIPPECANOE, OH

LOCATION.--Lat 40°16'13", long 81°17'26", in NW 1/4 sec. 22, T.12 N., R.7 W., Harrison County, Hydrologic Unit 05040001, on left bank at downstream side of highway bridge at Tippecanoe, 0.4 mi downstream from Brushy Fork, 3.6 mi upstream from Weaver Run, 6 mi upstream from Laurel Creek, and 9 mi south of Dennison.

DRAINAGE AREA.--282 mi².

PERIOD OF RECORD.--October 1938 to current year. Prior to January 1939 monthly discharge only, published in WSP 1305.

REVISED RECORDS.--WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 849.00 ft National Geodetic Vertical Datum of 1929. Prior to Feb. 9, 1939, nonrecording gage at same site and datum.

REMARKS.--Records fair. Flow regulated by Clendenning Lake on Brushy Fork, 1.9 mi upstream, and Piedmont Lake, 16 mi upstream. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--46 years, 324 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 4,410 ft³/s Mar. 7, 1945, Mar. 5, 1963; maximum gage height, 17.29 ft Mar. 5, 1963; minimum daily discharge, 1.1 ft³/s Oct. 4, 1939.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 1,380 ft³/s Dec. 12, gage height, 12.27 ft; minimum daily, 11 ft³/s Sept. 21-24.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|--------|-------|------|------|-------|-------|-------|------|------|------|------|
| 1 | 14 | 122 | 749 | 249 | 229 | 110 | 1000 | 885 | 851 | 57 | 26 | 35 |
| 2 | 14 | 118 | 682 | 217 | 138 | 110 | 976 | 775 | 736 | 102 | 28 | 28 |
| 3 | 14 | 297 | 657 | 292 | 235 | 100 | 993 | 657 | 558 | 88 | 41 | 26 |
| 4 | 16 | 403 | 934 | 289 | 417 | 100 | 1010 | 729 | 497 | 86 | 81 | 24 |
| 5 | 39 | 296 | 982 | 206 | 346 | 184 | 950 | 692 | 259 | 107 | 95 | 22 |
| 6 | 78 | 235 | 853 | 208 | 430 | 666 | 948 | 595 | 219 | 143 | 81 | 20 |
| 7 | 54 | 201 | 890 | 207 | 609 | 786 | 987 | 481 | 203 | 193 | 73 | 19 |
| 8 | 39 | 173 | 864 | 192 | 494 | 760 | 942 | 343 | 192 | 151 | 62 | 17 |
| 9 | 30 | 151 | 879 | 160 | 334 | 554 | 824 | 451 | 175 | 130 | 56 | 16 |
| 10 | 25 | 147 | 921 | 137 | 256 | 310 | 514 | 473 | 156 | 108 | 74 | 16 |
| 11 | 24 | 346 | 925 | 145 | 257 | 280 | 358 | 415 | 139 | 107 | 79 | 15 |
| 12 | 61 | 654 | 1220 | 164 | 313 | 270 | 327 | 486 | 119 | 170 | 62 | 14 |
| 13 | 116 | 530 | 1260 | 147 | 465 | 260 | 352 | 538 | 104 | 172 | 51 | 13 |
| 14 | 132 | 382 | 1070 | 142 | 864 | 260 | 350 | 556 | 99 | 145 | 42 | 18 |
| 15 | 110 | 481 | 949 | 138 | 854 | 308 | 426 | 548 | 87 | 120 | 34 | 24 |
| 16 | 81 | 925 | 871 | 119 | 499 | 416 | 581 | 406 | 79 | 104 | 28 | 20 |
| 17 | 63 | 942 | 1230 | 113 | 313 | 518 | 805 | 521 | 74 | 88 | 25 | 16 |
| 18 | 60 | 842 | 1230 | 110 | 268 | 361 | 998 | 366 | 73 | 72 | 24 | 15 |
| 19 | 114 | 776 | 1190 | 105 | 260 | 273 | 986 | 275 | 120 | 64 | 30 | 14 |
| 20 | 133 | 733 | 1070 | 102 | 265 | 228 | 938 | 273 | 109 | 57 | 31 | 13 |
| 21 | 149 | 733 | 926 | 102 | 216 | 400 | 879 | 294 | 91 | 50 | 26 | 11 |
| 22 | 184 | 750 | 933 | 95 | 177 | 829 | 840 | 285 | 78 | 45 | 24 | 11 |
| 23 | 534 | 728 | 991 | 91 | 157 | 804 | 1150 | 662 | 68 | 39 | 31 | 11 |
| 24 | 607 | 718 | 684 | 193 | 146 | 661 | 1280 | 982 | 64 | 33 | 38 | 11 |
| 25 | 387 | 664 | 495 | 549 | 140 | 575 | 1120 | 712 | 61 | 30 | 31 | 14 |
| 26 | 281 | 554 | 303 | 615 | 128 | 623 | 908 | 743 | 53 | 27 | 29 | 17 |
| 27 | 242 | 527 | 251 | 582 | 120 | 696 | 930 | 663 | 47 | 42 | 25 | 14 |
| 28 | 215 | 711 | 339 | 480 | 119 | 765 | 919 | 472 | 42 | 46 | 23 | 13 |
| 29 | 182 | 919 | 631 | 454 | 110 | 998 | 848 | 823 | 41 | 34 | 23 | 14 |
| 30 | 153 | 839 | 482 | 408 | --- | 1000 | 947 | 851 | 43 | 30 | 25 | 14 |
| 31 | 133 | --- | 363 | 322 | --- | 904 | --- | 834 | --- | 27 | 34 | --- |
| TOTAL | 4284 | 15897 | 25824 | 7333 | 9159 | 15109 | 24986 | 17786 | 5437 | 2677 | 1332 | 515 |
| MEAN | 138 | 530 | 833 | 237 | 316 | 487 | 833 | 574 | 181 | 86.4 | 43.0 | 17.2 |
| MAX | 607 | 942 | 1260 | 615 | 864 | 1000 | 1280 | 982 | 851 | 193 | 95 | 35 |
| MIN | 14 | 118 | 251 | 91 | 110 | 100 | 327 | 273 | 41 | 27 | 23 | 11 |
| CAL YR 1983 | TOTAL | 149463 | MEAN | 409 | MAX | 2030 | MIN | 12 | | | | |
| WTR YR 1984 | TOTAL | 130339 | MEAN | 356 | MAX | 1280 | MIN | 11 | | | | |

MUSKINGUM RIVER BASIN

03127500 STILLWATER CREEK AT UHRICHSVILLE, OH

LOCATION.--Lat 40°23'10", long 81°20'50", Tuscarawas County, Hydrologic Unit 05040001, on left bank at concrete dam of Dennison Water Supply Co. at Uhrichsville, 2.2 mi upstream from Little Stillwater Creek.

DRAINAGE AREA.--367 mi².

PERIOD OF RECORD.--July 1922 to current year.

REVISED RECORDS.--WSP 853: Drainage area. WSP 1113: 1923-24, 1926-31, 1932(M), 1933-35.

GAGE.--Water-stage recorder above concrete dam. Datum of gage is 839.37 ft National Geodetic Vertical Datum of 1929. Prior to Oct. 1, 1936, nonrecording gage at site 1.7 mi upstream at same datum. Auxiliary water-stage recorder below concrete dam at datum 10.00 ft lower.

REMARKS.--Records fair. Flow regulated by Piedmont Lake, 35 mi upstream, and Clendening Lake on Brushy Fork, 22 mi upstream, beginning in 1938. Water is diverted from Dennison water-supply dam 1.7 mi upstream from station for municipal supply of cities of Dennison and Uhrichsville; diversion not included in figures of daily discharge. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--62 years, 435 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 7,650 ft³/s Aug. 8, 9, 1935, gage height, 14.2 ft at former site, 12.8 ft at present site; no flow at times in 1930, 1932, 1936, 1939-40, 1953, 1973.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in March 1913 reached a stage of about 17.5 ft at former site, and about 15.5 ft at present site.

EXTREMES FOR CURRENT YEAR.--Maximum daily discharge, 1,800 ft³/s May 24, (backwater from Tuscarawas River), maximum gage height, 4.04 ft May 24; minimum daily discharge, 13 ft³/s Oct. 1-3.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|-------|-------|------|-------|-------|-------|-------|------|------|------|------|
| 1 | 13 | 141 | 922 | 310 | 364 | 150 | 1230 | 994 | 971 | 64 | 31 | 42 |
| 2 | 13 | 135 | 813 | 283 | 241 | 150 | 1210 | 974 | 936 | 107 | 31 | 36 |
| 3 | 13 | 233 | 754 | 276 | 260 | 140 | 1160 | 822 | 744 | 127 | 49 | 31 |
| 4 | 24 | 459 | 1060 | 367 | 571 | 140 | 1170 | 919 | 602 | 117 | 123 | 28 |
| 5 | 23 | 406 | 1200 | 307 | 558 | 216 | 1240 | 913 | 476 | 192 | 160 | 25 |
| 6 | 60 | 316 | 1100 | 264 | 450 | 770 | 1180 | 830 | 302 | 243 | 133 | 22 |
| 7 | 73 | 266 | 1000 | 261 | 630 | 993 | 1200 | 676 | 264 | 310 | 103 | 20 |
| 8 | 47 | 226 | 1000 | 247 | 661 | 989 | 1170 | 556 | 246 | 272 | 87 | 19 |
| 9 | 29 | 195 | 987 | 230 | 482 | 872 | 1090 | 525 | 232 | 200 | 72 | 18 |
| 10 | 18 | 178 | 1010 | 184 | 386 | 556 | 942 | 572 | 217 | 156 | 67 | 19 |
| 11 | 15 | 307 | 1030 | 139 | 367 | 428 | 584 | 557 | 206 | 177 | 96 | 19 |
| 12 | 25 | 747 | 1400 | 144 | 444 | 374 | 450 | 544 | 185 | 305 | 93 | 19 |
| 13 | 115 | 725 | 1400 | 202 | 546 | 378 | 420 | 689 | 161 | 260 | 71 | 18 |
| 14 | 123 | 545 | 1200 | 177 | 1120 | 397 | 465 | 633 | 151 | 214 | 58 | 22 |
| 15 | 127 | 454 | 1100 | 165 | 1000 | 463 | 518 | 712 | 141 | 174 | 48 | 29 |
| 16 | 87 | 862 | 1010 | 153 | 1030 | 631 | 515 | 552 | 123 | 145 | 39 | 29 |
| 17 | 49 | 1060 | 1150 | 136 | 637 | 963 | 974 | 532 | 109 | 123 | 32 | 24 |
| 18 | 37 | 999 | 1260 | 129 | 486 | 745 | 1100 | 541 | 106 | 104 | 29 | 20 |
| 19 | 44 | 899 | 1260 | 123 | 441 | 542 | 1210 | 391 | 138 | 84 | 30 | 19 |
| 20 | 104 | 841 | 1220 | 102 | 445 | 425 | 1160 | 343 | 166 | 74 | 34 | 17 |
| 21 | 111 | 808 | 1090 | 146 | 390 | 611 | 1090 | 419 | 133 | 65 | 34 | 18 |
| 22 | 151 | 814 | 1090 | 143 | 324 | 1270 | 1030 | 455 | 110 | 58 | 30 | 18 |
| 23 | 393 | 806 | 1260 | 128 | 274 | 1200 | 1360 | 1030 | 95 | 50 | 28 | 17 |
| 24 | 786 | 795 | 1020 | 182 | 248 | 1100 | 1700 | 1800 | 85 | 43 | 34 | 20 |
| 25 | 577 | 771 | 593 | 558 | 231 | 906 | 1500 | 1200 | 84 | 37 | 41 | 18 |
| 26 | 381 | 663 | 390 | 703 | 213 | 853 | 1300 | 1020 | 74 | 35 | 35 | 17 |
| 27 | 299 | 588 | 338 | 731 | 190 | 873 | 1200 | 887 | 63 | 44 | 33 | 21 |
| 28 | 262 | 739 | 340 | 633 | 170 | 940 | 1140 | 745 | 55 | 54 | 28 | 19 |
| 29 | 224 | 1100 | 596 | 547 | 160 | 1440 | 1050 | 994 | 54 | 50 | 27 | 16 |
| 30 | 187 | 1000 | 665 | 508 | --- | 1500 | 983 | 1140 | 54 | 39 | 30 | 16 |
| 31 | 157 | --- | 401 | 432 | --- | 1380 | --- | 1030 | --- | 34 | 33 | --- |
| TOTAL | 4567 | 18078 | 29659 | 8910 | 13319 | 22395 | 31241 | 23995 | 7283 | 3947 | 1739 | 656 |
| MEAN | 147 | 603 | 957 | 287 | 459 | 722 | 1041 | 774 | 243 | 127 | 56.1 | 21.9 |
| MAX | 786 | 1100 | 1400 | 731 | 1120 | 1500 | 1700 | 1800 | 971 | 310 | 160 | 42 |
| MIN | 13 | 135 | 338 | 102 | 160 | 140 | 420 | 343 | 54 | 34 | 27 | 16 |
| (+) | 1.97 | 2.06 | 1.99 | 2.05 | 2.00 | 1.99 | 1.98 | 1.87 | 2.00 | 1.90 | 1.96 | 1.86 |

CAL YR 1983 TOTAL 188474.0 MEAN 516 MAX 2900 MIN 7.5 (+) 1.75
WTR YR 1984 TOTAL 165789.0 MEAN 453 MAX 1800 MIN 13 (+) 1.97

+ Diversion, in cubic feet per second, for municipal supply of cities of Dennison and Uhrichsville, furnished by Dennison Water Supply Company.

03128500 LITTLE STILLWATER CREEK BELOW TAPPAN DAM, AT TAPPAN, OH

LOCATION.--Lat 40°21'25", long 81°13'49", in NW 1/4 sec. 4, T.13 N., R.7 W., Harrison County, Hydrologic Unit 05040001, on right bank 150 ft downstream from outlet of lake at Tappan Dam, 1 mi west of Tappan, and 2 mi upstream from Plum Run.

DRAINAGE AREA.--71.1 mi².

PERIOD OF RECORD.--October 1938 to current year. Published as Little Stillwater Creek at Tappan 1938-39.

REVISED RECORDS.--WSP 1907: Drainage area.

GAGE.--Water-stage recorder and masonry control. Datum of gage is 861.00 ft National Geodetic Vertical Datum of 1929. Prior to Jan. 30, 1939, water-stage recorder at gate house of Tappan Dam at datum 9 ft higher. Jan. 30 to Mar. 24, 1939, nonrecording gage and Mar. 25, 1939, to Aug. 6, 1944, water-stage recorder, at site 150 ft downstream at present datum.

REMARKS.--Records poor. Flow completely regulated by Tappan Lake. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--46 years, 77.9 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 1,050 ft³/s Mar. 13, 1939, gage height, 10.00 ft; no flow Sept. 12-15, 18, 19, 21-29, Oct. 13-21, 1939.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 541 ft³/s May 30, gage height, 6.34 ft; minimum daily, 0.94 ft³/s Feb. 17.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------------|----------|------|------|-----------|---------|---------|------|------|------|------|-------|-------|
| 1 | .99 | 211 | 122 | 47 | 103 | 2.8 | 384 | 110 | 240 | 28 | 11 | 11 |
| 2 | .96 | 303 | 145 | 42 | 26 | 2.8 | 410 | 72 | 79 | 28 | 13 | 11 |
| 3 | 2.4 | 287 | 156 | 47 | 25 | 3.0 | 413 | 77 | 75 | 22 | 20 | 10 |
| 4 | 4.2 | 287 | 160 | 47 | 25 | 3.0 | 428 | 86 | 68 | 19 | 23 | 9.5 |
| 5 | 3.5 | 287 | 156 | 49 | 25 | 3.0 | 215 | 89 | 70 | 28 | 24 | 9.3 |
| 6 | 3.1 | 287 | 156 | 51 | 129 | 3.1 | 82 | 94 | 64 | 28 | 22 | 8.6 |
| 7 | 3.1 | 284 | 156 | 51 | 208 | 3.1 | 91 | 160 | 60 | 28 | 20 | 8.0 |
| 8 | 2.8 | 284 | 194 | 52 | 137 | 3.1 | 99 | 119 | 52 | 22 | 20 | 7.5 |
| 9 | 2.6 | 284 | 213 | 22 | 43 | 3.1 | 199 | 86 | 46 | 18 | 19 | 7.1 |
| 10 | 2.5 | 280 | 211 | 14 | 37 | 3.1 | 231 | 89 | 38 | 18 | 19 | 6.7 |
| 11 | 2.5 | 284 | 207 | 25 | 28 | 3.3 | 75 | 110 | 33 | 17 | 17 | 6.7 |
| 12 | 5.0 | 284 | 211 | 25 | 28 | 3.3 | 75 | 70 | 31 | 18 | 16 | 6.9 |
| 13 | 6.4 | 284 | 211 | 26 | 107 | 3.3 | 77 | 70 | 25 | 20 | 15 | 6.6 |
| 14 | 7.5 | 280 | 176 | 25 | 161 | 3.3 | 82 | 163 | 19 | 19 | 13 | 6.4 |
| 15 | 7.8 | 280 | 165 | 25 | 240 | 3.3 | 86 | 207 | 16 | 17 | 12 | 6.0 |
| 16 | 7.8 | 287 | 211 | 19 | 73 | 3.4 | 152 | 104 | 23 | 17 | 11 | 5.6 |
| 17 | 7.5 | 271 | 207 | 18 | .94 | 3.5 | 195 | 16 | 20 | 18 | 11 | 5.3 |
| 18 | 10 | 244 | 206 | 11 | 1.2 | 3.8 | 223 | 58 | 25 | 18 | 10 | 4.7 |
| 19 | 16 | 231 | 207 | 8.1 | 1.3 | 3.8 | 315 | 77 | 43 | 17 | 14 | 4.3 |
| 20 | 18 | 231 | 207 | 7.8 | 1.2 | 3.6 | 156 | 79 | 36 | 16 | 13 | 3.9 |
| 21 | 24 | 211 | 207 | 7.8 | 1.2 | 4.3 | 72 | 244 | 35 | 16 | 11 | 3.5 |
| 22 | 26 | 156 | 269 | 7.5 | 2.4 | 14 | 84 | 160 | 28 | 16 | 11 | 3.3 |
| 23 | 51 | 128 | 235 | 7.4 | 3.0 | 41 | 295 | 107 | 23 | 16 | 12 | 2.9 |
| 24 | 56 | 125 | 122 | 23 | 2.8 | 56 | 440 | 128 | 18 | 15 | 11 | 3.5 |
| 25 | 54 | 125 | 122 | 94 | 2.9 | 66 | 356 | 271 | 15 | 12 | 10 | 4.2 |
| 26 | 52 | 125 | 122 | 189 | 2.8 | 79 | 219 | 368 | 16 | 11 | 9.4 | 4.7 |
| 27 | 49 | 122 | 119 | 150 | 2.8 | 88 | 174 | 368 | 15 | 17 | 8.5 | 5.0 |
| 28 | 43 | 122 | 67 | 10 | 2.8 | 147 | 156 | 387 | 14 | 16 | 8.0 | 5.2 |
| 29 | 36 | 122 | 32 | 10 | 2.8 | 121 | 152 | 472 | 12 | 15 | 7.6 | 5.1 |
| 30 | 33 | 122 | 49 | 64 | --- | 120 | 149 | 532 | 17 | 13 | 9.5 | 4.9 |
| 31 | 32 | --- | 47 | 165 | --- | 242 | --- | 532 | --- | 12 | 11 | --- |
| TOTAL | 570.65 | 6828 | 5068 | 1339.6 | 1423.14 | 1043.0 | 6085 | 5505 | 1257 | 575 | 432.0 | 187.4 |
| MEAN | 18.4 | 228 | 163 | 43.2 | 49.1 | 33.6 | 203 | 178 | 41.9 | 18.5 | 13.9 | 5.25 |
| MAX | 56 | 303 | 269 | 189 | 240 | 242 | 440 | 532 | 240 | 28 | 24 | 11 |
| MIN | .96 | 122 | 32 | 7.4 | .94 | 2.8 | 72 | 16 | 12 | 11 | 7.6 | 2.9 |
| CAL YR 1983 TOTAL | 34725.85 | | | MEAN 95.1 | MAX 594 | MIN .96 | | | | | | |
| WTR YR 1984 TOTAL | 30313.79 | | | MEAN 82.8 | MAX 532 | MIN .94 | | | | | | |

MUSKINGUM RIVER BASIN

03129000 TUSCARAWAS RIVER AT NEWCOMERSTOWN, OH

LOCATION.--Lat 40°15'41", long 81°36'33", in T.5 N., R.3 W., Tuscarawas County, Hydrologic Unit 05040001, on right bank 150 ft upstream from highway bridge, 0.2 mi south of Newcomerstown, 2 mi upstream from Buckhorn Creek, and 4 mi downstream from Dunlap Creek.

DRAINAGE AREA.--2,443 mi².

PERIOD OF RECORD.--September 1921 to current year.

REVISED RECORDS.--WSP 728: 1929(M). WSP 873: 1935. WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 780.00 ft National Geodetic Vertical Datum of 1929. Prior to Sept. 28, 1925, and July 18, 1935, to Feb. 13, 1939, nonrecording gage, Sept. 28, 1925, to July 17, 1935, water-stage recorder at site 1.5 mi upstream at datum 5.03 ft higher prior to Oct. 1, 1934, and 0.03 ft higher Oct. 1, 1934, to Feb. 13, 1939.

REMARKS.--Records good except those for the winter period which are fair. Diversion from basin at Portage Lakes (see REMARKS for station 03117000). Flow regulated by eight flood-control reservoirs at points 40 mi to 64 mi upstream. Water-quality data collected at this site 1946 to 1949, 1955 to 1977.

AVERAGE DISCHARGE.--63 years, 2,550 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 46,800 ft³/s Jan. 26, 1937, gage height, 20.65 ft, site and datum then in use; minimum daily, 170 ft³/s Aug. 6, 1930.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in March 1913 reached a stage of about 21.5 ft, at site and datum used prior to Oct. 1, 1934, discharge, 83,000 ft³/s computed by Corps of Engineers.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 10,300 ft³/s Mar. 29, gage height, 7.99 ft; minimum daily, 392 ft³/s Oct. 3.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|---------|--------|-------|--------|--------|--------|--------|-------|-------|-------|-------|
| 1 | 425 | 979 | 4550 | 2540 | 1810 | 1620 | 9140 | 4550 | 5400 | 1390 | 766 | 2450 |
| 2 | 414 | 1270 | 3600 | 2080 | 1390 | 1500 | 8840 | 3890 | 4450 | 1420 | 736 | 1410 |
| 3 | 392 | 2000 | 3200 | 1990 | 1620 | 1500 | 8060 | 3440 | 3750 | 1250 | 1030 | 1020 |
| 4 | 412 | 2840 | 4460 | 1930 | 3970 | 1400 | 7730 | 4130 | 3270 | 1210 | 1400 | 990 |
| 5 | 567 | 2660 | 7860 | 1900 | 5310 | 1400 | 7910 | 6320 | 2830 | 3360 | 1650 | 1010 |
| 6 | 680 | 2200 | 8800 | 1870 | 3560 | 1910 | 7450 | 6430 | 2350 | 4750 | 1440 | 895 |
| 7 | 684 | 1950 | 8280 | 1820 | 2730 | 3500 | 7150 | 4950 | 2240 | 5060 | 1170 | 775 |
| 8 | 610 | 1750 | 7780 | 1740 | 2650 | 4740 | 6910 | 4190 | 2040 | 4410 | 1070 | 703 |
| 9 | 531 | 1600 | 6890 | 1600 | 2110 | 4550 | 6260 | 4940 | 1860 | 3130 | 1290 | 651 |
| 10 | 497 | 1550 | 5930 | 1470 | 1840 | 2990 | 5570 | 5880 | 1710 | 2150 | 1550 | 622 |
| 11 | 462 | 2000 | 5170 | 1300 | 2180 | 2490 | 3960 | 5330 | 1570 | 1950 | 2180 | 647 |
| 12 | 637 | 3900 | 6020 | 1100 | 4720 | 2160 | 3160 | 4360 | 1460 | 2050 | 1800 | 701 |
| 13 | 1030 | 4610 | 7950 | 1000 | 5090 | 2000 | 3010 | 4590 | 1370 | 1960 | 1470 | 652 |
| 14 | 1220 | 3500 | 7860 | 920 | 7140 | 1900 | 2920 | 4720 | 1370 | 1690 | 1130 | 653 |
| 15 | 1150 | 3050 | 6970 | 860 | 8920 | 1800 | 3170 | 4400 | 1420 | 1470 | 966 | 755 |
| 16 | 999 | 3630 | 6270 | 800 | 8870 | 6860 | 3700 | 3790 | 1320 | 1400 | 850 | 779 |
| 17 | 819 | 4480 | 5680 | 750 | 6680 | 7890 | 4250 | 3130 | 1180 | 1350 | 771 | 687 |
| 18 | 712 | 4690 | 5070 | 700 | 5450 | 7470 | 4540 | 2770 | 1120 | 1230 | 714 | 613 |
| 19 | 839 | 4390 | 4490 | 680 | 5040 | 7100 | 4740 | 2500 | 2230 | 1160 | 1000 | 578 |
| 20 | 1010 | 3970 | 4180 | 640 | 4390 | 7130 | 4670 | 2440 | 3220 | 1070 | 1540 | 563 |
| 21 | 1010 | 3920 | 3880 | 620 | 3800 | 9550 | 4020 | 3930 | 2180 | 983 | 1060 | 556 |
| 22 | 1040 | 3720 | 4170 | 600 | 3190 | 9820 | 3780 | 6550 | 1590 | 910 | 836 | 556 |
| 23 | 1950 | 3280 | 5250 | 580 | 2710 | 9550 | 4680 | 8350 | 1350 | 850 | 795 | 561 |
| 24 | 3260 | 3050 | 4710 | 1100 | 2500 | 9160 | 7310 | 9660 | 1280 | 807 | 821 | 580 |
| 25 | 2770 | 2940 | 2900 | 3000 | 2310 | 8790 | 9260 | 9040 | 1260 | 792 | 804 | 601 |
| 26 | 2010 | 2730 | 2200 | 4260 | 2130 | 8070 | 8900 | 7580 | 1130 | 776 | 693 | 752 |
| 27 | 1660 | 2460 | 2200 | 4200 | 1970 | 7770 | 7530 | 6380 | 1030 | 910 | 617 | 750 |
| 28 | 1450 | 3160 | 2300 | 4620 | 1850 | 8680 | 6390 | 5490 | 1010 | 1490 | 586 | 762 |
| 29 | 1290 | 5460 | 2500 | 2920 | 1790 | 9910 | 5740 | 5960 | 1000 | 1320 | 581 | 672 |
| 30 | 1130 | 6030 | 2800 | 2240 | --- | 9880 | 5060 | 6560 | 1110 | 970 | 716 | 636 |
| 31 | 1030 | --- | 2800 | 2080 | --- | 9670 | --- | 6100 | --- | 824 | 1750 | --- |
| TOTAL | 32690 | 93769 | 156720 | 53910 | 107720 | 172760 | 175710 | 162350 | 59100 | 54082 | 33782 | 23580 |
| MEAN | 1055 | 3126 | 5055 | 1739 | 3714 | 5573 | 5857 | 5237 | 1970 | 1745 | 1090 | 736 |
| MAX | 3260 | 6030 | 8800 | 4620 | 8920 | 9910 | 9260 | 9660 | 5400 | 5060 | 2180 | 2450 |
| MIN | 392 | 979 | 2200 | 580 | 1390 | 1400 | 2920 | 2440 | 1000 | 776 | 581 | 556 |
| CAL YR 1983 | TOTAL | 1127518 | MEAN | 3089 | MAX | 12500 | MIN | 392 | | | | |
| WTR YR 1984 | TOTAL | 1126173 | MEAN | 3077 | MAX | 9910 | MIN | 392 | | | | |

03130000 BLACK FORK BELOW CHARLES MILL DAM, NEAR MIFFLIN, OH

LOCATION.--Lat 40°44'16", long 82°21'48", in NE 1/4 sec. 35, T.23 N., R.17 W., Ashland County, Hydrologic Unit 05040002, on left bank 700 ft downstream from Charles Mill Dam, 2.5 mi south of Mifflin, and 4 mi upstream from Rocky Fork.

DRAINAGE AREA.--217 mi².

PERIOD OF RECORD.--October 1938 to current year. Prior to October 1940, published as Black Fork near Mifflin. Monthly discharge only for October 1938, published in WSP 1305.

REVISED RECORDS.--WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 981.56 ft National Geodetic Vertical Datum of 1929. Dec. 3, 1941, to Dec. 5, 1944, water-stage recorder at site 300 ft downstream at same datum.

REMARKS.--Records fair. Flow regulated by Charles Mill Lake (see station 03129500). Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--46 years, 201 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 2,800 ft³/s Mar. 13, 1964 from rating curve extended above 1,900 ft³/s; maximum gage height, 8.45 ft Mar. 14, 1939; minimum daily discharge, 0.5 ft³/s Nov. 18, 1982.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in March 1913 reached a discharge of 11,700 ft³/s, computed by Corps of Engineers.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 1,290 ft³/s Apr. 4, gage height, 5.84 ft; minimum daily, 14 ft³/s Aug. 28.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------------|--------|-------|-------|----------|----------|--------|-------|-------|------|------|------|------|
| 1 | 26 | 60 | 520 | 143 | 127 | 158 | 1230 | 484 | 252 | 45 | 35 | 23 |
| 2 | 25 | 102 | 540 | 141 | 121 | 158 | 1200 | 381 | 221 | 42 | 37 | 23 |
| 3 | 23 | 205 | 496 | 139 | 143 | 152 | 1240 | 324 | 169 | 42 | 50 | 25 |
| 4 | 24 | 270 | 488 | 137 | 141 | 149 | 1280 | 330 | 99 | 41 | 51 | 24 |
| 5 | 30 | 324 | 516 | 133 | 187 | 149 | 1260 | 322 | 85 | 47 | 47 | 22 |
| 6 | 35 | 358 | 590 | 131 | 350 | 149 | 1210 | 318 | 85 | 50 | 43 | 21 |
| 7 | 58 | 354 | 670 | 127 | 480 | 151 | 1170 | 304 | 85 | 57 | 39 | 19 |
| 8 | 131 | 310 | 736 | 123 | 471 | 192 | 1130 | 307 | 81 | 57 | 38 | 17 |
| 9 | 141 | 257 | 760 | 121 | 370 | 213 | 1140 | 319 | 55 | 57 | 38 | 16 |
| 10 | 119 | 192 | 717 | 117 | 307 | 208 | 1120 | 331 | 37 | 58 | 39 | 22 |
| 11 | 80 | 187 | 625 | 113 | 335 | 205 | 945 | 326 | 31 | 50 | 45 | 31 |
| 12 | 45 | 219 | 568 | 110 | 425 | 189 | 537 | 361 | 32 | 58 | 43 | 39 |
| 13 | 45 | 276 | 552 | 104 | 638 | 177 | 459 | 440 | 38 | 55 | 40 | 38 |
| 14 | 42 | 374 | 556 | 99 | 908 | 168 | 358 | 523 | 57 | 52 | 37 | 71 |
| 15 | 43 | 461 | 548 | 94 | 1030 | 158 | 337 | 555 | 54 | 48 | 32 | 97 |
| 16 | 48 | 480 | 516 | 89 | 1130 | 168 | 319 | 530 | 54 | 47 | 29 | 58 |
| 17 | 49 | 457 | 447 | 85 | 1180 | 354 | 334 | 455 | 52 | 41 | 27 | 25 |
| 18 | 51 | 452 | 366 | 72 | 1090 | 811 | 354 | 367 | 59 | 40 | 25 | 24 |
| 19 | 52 | 471 | 300 | 55 | 930 | 1070 | 354 | 303 | 104 | 34 | 26 | 23 |
| 20 | 49 | 471 | 251 | 44 | 775 | 1010 | 356 | 281 | 117 | 32 | 23 | 23 |
| 21 | 47 | 443 | 219 | 43 | 665 | 175 | 335 | 342 | 76 | 32 | 24 | 22 |
| 22 | 55 | 408 | 205 | 42 | 544 | 251 | 324 | 437 | 43 | 30 | 25 | 20 |
| 23 | 75 | 374 | 192 | 34 | 429 | 869 | 400 | 585 | 35 | 28 | 29 | 20 |
| 24 | 143 | 358 | 184 | 28 | 332 | 1240 | 563 | 648 | 39 | 27 | 26 | 22 |
| 25 | 192 | 343 | 175 | 65 | 290 | 1230 | 734 | 643 | 40 | 26 | 24 | 22 |
| 26 | 213 | 335 | 168 | 99 | 242 | 1230 | 930 | 585 | 41 | 26 | 20 | 25 |
| 27 | 208 | 314 | 165 | 110 | 208 | 1220 | 927 | 494 | 43 | 42 | 15 | 21 |
| 28 | 156 | 339 | 163 | 117 | 200 | 1220 | 751 | 415 | 43 | 43 | 14 | 22 |
| 29 | 110 | 386 | 158 | 117 | 180 | 1220 | 555 | 364 | 45 | 44 | 16 | 22 |
| 30 | 99 | 461 | 149 | 119 | --- | 1240 | 572 | 320 | 45 | 41 | 23 | 22 |
| 31 | 75 | --- | 145 | 121 | --- | 1260 | --- | 287 | --- | 37 | 24 | --- |
| TOTAL | 2489 | 10041 | 12685 | 3072 | 14228 | 17174 | 22324 | 12681 | 2219 | 1339 | 984 | 849 |
| MEAN | 80.3 | 335 | 409 | 99.1 | 491 | 554 | 744 | 409 | 74.0 | 43.2 | 31.7 | 28.3 |
| MAX | 213 | 480 | 760 | 143 | 1180 | 1260 | 1280 | 648 | 252 | 50 | 51 | 97 |
| MIN | 23 | 60 | 145 | 28 | 121 | 149 | 319 | 281 | 31 | 26 | 14 | 16 |
| CAL YR 1983 TOTAL | 75102 | | | MEAN 206 | MAX 905 | MIN 13 | | | | | | |
| WTR YR 1984 TOTAL | 100085 | | | MEAN 273 | MAX 1280 | MIN 14 | | | | | | |

MUSKINGUM RIVER BASIN

03131500 BLACK FORK AT LOUDONVILLE, OH

LOCATION.--Lat 40°38'09", long 82°14'22", in NW 1/4 sec. 1, T.19 N., R.16 W., Ashland County, Hydrologic Unit 05040002, on right bank at downstream side of bridge on State Highway 3 at Loudonville, 1.5 mi downstream from Big Run.

DRAINAGE AREA.--349 mi².

PERIOD OF RECORD.--May 1931 to current year.

REVISED RECORDS.--WSP 873: 1935. WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 929.16 ft National Geodetic Vertical Datum of 1929. Prior to Oct. 23, 1941, nonrecording gage at same site and datum.

REMARKS.--Records fair. Flow regulated since 1936 by Charles Mill Lake, 16 mi upstream from station. Records include diversion from Clear Fork Reservoir which enters the Black Fork drainage as sewage effluent from the city of Mansfield (see REMARKS for station 03133500). Water-quality data collected at this site 1958, 1968 to 1977.

AVERAGE DISCHARGE.--53 years, 352 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 8,460 ft³/s July 5, 1969, gage height, 14.11 ft, from rating curve extended above 4,000 ft³/s on basis of contracted-opening measurement of peak flow; minimum daily, 29 ft³/s Aug. 7, 8, 1934.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 5,150 ft³/s Mar. 21, gage height, 11.82 ft; minimum daily, 82 ft³/s Oct. 4.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|-------|-------|------|-------|-------|-------|-------|------|------|------|------|
| 1 | 89 | 138 | 656 | 220 | 200 | 280 | 1560 | 704 | 436 | 126 | 103 | 109 |
| 2 | 84 | 171 | 684 | 210 | 241 | 260 | 1490 | 587 | 397 | 122 | 103 | 102 |
| 3 | 83 | 463 | 646 | 210 | 1210 | 240 | 1470 | 546 | 354 | 122 | 161 | 116 |
| 4 | 82 | 412 | 1030 | 210 | 705 | 230 | 1370 | 835 | 248 | 122 | 148 | 146 |
| 5 | 113 | 444 | 976 | 210 | 378 | 327 | 1740 | 607 | 215 | 152 | 122 | 104 |
| 6 | 136 | 499 | 926 | 210 | 436 | 444 | 1640 | 561 | 217 | 141 | 113 | 100 |
| 7 | 106 | 497 | 1020 | 200 | 584 | 375 | 1530 | 524 | 204 | 154 | 113 | 95 |
| 8 | 157 | 447 | 952 | 200 | 595 | 340 | 1420 | 653 | 194 | 135 | 114 | 94 |
| 9 | 214 | 370 | 961 | 190 | 528 | 310 | 1370 | 668 | 188 | 134 | 125 | 90 |
| 10 | 192 | 308 | 929 | 180 | 527 | 300 | 1390 | 610 | 159 | 143 | 144 | 207 |
| 11 | 173 | 510 | 822 | 170 | 986 | 290 | 1160 | 565 | 145 | 140 | 129 | 132 |
| 12 | 116 | 488 | 935 | 170 | 800 | 280 | 991 | 867 | 147 | 159 | 120 | 123 |
| 13 | 112 | 410 | 785 | 160 | 940 | 280 | 694 | 687 | 148 | 122 | 110 | 120 |
| 14 | 145 | 494 | 733 | 150 | 1880 | 280 | 618 | 750 | 269 | 118 | 108 | 149 |
| 15 | 113 | 600 | 720 | 140 | 1360 | 365 | 726 | 749 | 180 | 114 | 102 | 170 |
| 16 | 109 | 704 | 674 | 140 | 1300 | 1980 | 505 | 724 | 168 | 115 | 98 | 150 |
| 17 | 109 | 681 | 588 | 130 | 1320 | 1430 | 635 | 641 | 163 | 109 | 95 | 97 |
| 18 | 119 | 624 | 495 | 130 | 1260 | 1090 | 686 | 558 | 167 | 103 | 93 | 92 |
| 19 | 157 | 662 | 419 | 130 | 1100 | 1350 | 632 | 490 | 357 | 101 | 209 | 89 |
| 20 | 123 | 691 | 362 | 120 | 898 | 1690 | 605 | 546 | 249 | 98 | 106 | 88 |
| 21 | 124 | 645 | 321 | 110 | 750 | 4430 | 563 | 1080 | 207 | 99 | 95 | 87 |
| 22 | 197 | 565 | 431 | 110 | 632 | 2540 | 742 | 752 | 156 | 99 | 98 | 85 |
| 23 | 345 | 520 | 333 | 125 | 536 | 1360 | 1130 | 1160 | 137 | 94 | 127 | 84 |
| 24 | 240 | 610 | 280 | 236 | 453 | 1820 | 1400 | 993 | 141 | 95 | 100 | 99 |
| 25 | 303 | 489 | 260 | 377 | 436 | 1770 | 1170 | 893 | 131 | 96 | 94 | 93 |
| 26 | 312 | 458 | 250 | 360 | 376 | 1900 | 1160 | 811 | 128 | 96 | 90 | 109 |
| 27 | 317 | 432 | 250 | 396 | 331 | 1760 | 1180 | 696 | 126 | 198 | 86 | 99 |
| 28 | 278 | 809 | 240 | 258 | 318 | 1730 | 1080 | 650 | 131 | 121 | 87 | 99 |
| 29 | 195 | 652 | 240 | 230 | 301 | 1990 | 919 | 713 | 127 | 112 | 90 | 98 |
| 30 | 177 | 611 | 230 | 210 | --- | 1700 | 917 | 545 | 127 | 108 | 190 | 94 |
| 31 | 161 | --- | 230 | 200 | --- | 1640 | --- | 492 | --- | 105 | 186 | --- |
| TOTAL | 5181 | 15404 | 18378 | 6092 | 21381 | 34781 | 32593 | 21657 | 6016 | 3753 | 3659 | 3320 |
| MEAN | 167 | 513 | 593 | 197 | 737 | 1122 | 1086 | 699 | 201 | 121 | 118 | 111 |
| MAX | 345 | 809 | 1030 | 396 | 1880 | 4430 | 1740 | 1160 | 436 | 198 | 209 | 207 |
| MIN | 82 | 138 | 230 | 110 | 200 | 230 | 563 | 490 | 126 | 94 | 86 | 84 |

CAL YR 1983 TOTAL 128975 MEAN 353 MAX 1520 MIN 81
WTR YR 1984 TOTAL 172215 MEAN 471 MAX 4430 MIN 82

03133500 CLEAR FORK BELOW PLEASANT HILL DAM, NEAR PERRYVILLE, OH

LOCATION.--Lat 40°37'13", long 82°19'28", in NE 1/4 sec. 7, T.19 N., R.16 W., Ashland County, Hydrologic Unit 05040002, on right bank 0.2 mi downstream from Pleasant Hill Dam, 2.8 mi south of Perrysville, and 4.7 mi upstream from the confluence of Clear Fork and Black Fork.

DRAINAGE AREA.--198 mi².

PERIOD OF RECORD.--October 1938 to current year. Published as Clear Fork near Perrysville prior to 1940. Monthly discharge only for October 1938, published in WSP 1305.

REVISED RECORDS.--WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 967.00 ft National Geodetic Vertical Datum of 1929. Prior to May 1, 1947, water-stage recorder at site 0.5 mi downstream at datum 4.88 ft lower.

REMARKS.--Records good. Flow regulated by Pleasant Hill Lake. Water diverted from Clear Fork Reservoir (upstream from Pleasant Hill Lake) for municipal supply of city of Mansfield since 1953; mean pumpage for 1984 water year 10.0 ft³/s returned to Rocky Fork as sewage effluent. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--46 years, 199 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 2,340 ft³/s Jan. 23, 1959, gage height, 4.89 ft; minimum daily, 0.6 ft³/s Nov. 2, 4, 1938.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 1,420 ft³/s Mar. 23, gage height 3.96 ft; minimum daily, 35 ft³/s Oct. 1, 2, Aug. 20, 21.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|------|------|------|-------|-------|-------|-------|------|------|------|------|
| 1 | 35 | 36 | 338 | 78 | 68 | 318 | 786 | 315 | 262 | 62 | 39 | 55 |
| 2 | 35 | 36 | 213 | 78 | 58 | 246 | 793 | 296 | 231 | 60 | 40 | 51 |
| 3 | 36 | 47 | 157 | 78 | 168 | 155 | 959 | 283 | 206 | 59 | 47 | 49 |
| 4 | 36 | 55 | 157 | 78 | 337 | 155 | 886 | 470 | 183 | 58 | 56 | 48 |
| 5 | 36 | 58 | 246 | 78 | 334 | 116 | 887 | 400 | 165 | 53 | 53 | 43 |
| 6 | 36 | 58 | 311 | 78 | 507 | 224 | 970 | 380 | 154 | 55 | 49 | 39 |
| 7 | 36 | 56 | 459 | 78 | 577 | 321 | 845 | 380 | 143 | 68 | 46 | 36 |
| 8 | 36 | 54 | 620 | 78 | 400 | 321 | 550 | 343 | 131 | 65 | 49 | 37 |
| 9 | 36 | 51 | 619 | 78 | 141 | 225 | 427 | 463 | 120 | 51 | 51 | 38 |
| 10 | 36 | 50 | 608 | 78 | 113 | 182 | 335 | 451 | 114 | 61 | 55 | 42 |
| 11 | 36 | 76 | 598 | 78 | 127 | 194 | 314 | 371 | 106 | 60 | 54 | 44 |
| 12 | 36 | 136 | 592 | 74 | 130 | 127 | 295 | 356 | 98 | 57 | 49 | 42 |
| 13 | 36 | 130 | 589 | 58 | 371 | 87 | 285 | 393 | 95 | 54 | 44 | 39 |
| 14 | 37 | 114 | 457 | 53 | 818 | 87 | 274 | 408 | 110 | 52 | 40 | 47 |
| 15 | 37 | 146 | 313 | 53 | 851 | 102 | 319 | 338 | 112 | 50 | 38 | 45 |
| 16 | 36 | 154 | 234 | 53 | 909 | 409 | 395 | 271 | 103 | 50 | 37 | 40 |
| 17 | 36 | 161 | 214 | 53 | 735 | 772 | 321 | 252 | 96 | 47 | 38 | 36 |
| 18 | 36 | 160 | 214 | 53 | 471 | 782 | 406 | 233 | 95 | 45 | 36 | 37 |
| 19 | 36 | 150 | 157 | 54 | 412 | 849 | 416 | 224 | 105 | 42 | 37 | 38 |
| 20 | 36 | 153 | 108 | 55 | 366 | 986 | 348 | 229 | 104 | 41 | 35 | 38 |
| 21 | 36 | 203 | 94 | 55 | 468 | 985 | 278 | 422 | 95 | 42 | 35 | 37 |
| 22 | 36 | 277 | 112 | 55 | 559 | 1380 | 299 | 719 | 87 | 41 | 37 | 38 |
| 23 | 36 | 250 | 182 | 55 | 402 | 1390 | 622 | 782 | 83 | 39 | 40 | 38 |
| 24 | 36 | 230 | 94 | 59 | 225 | 1320 | 642 | 779 | 85 | 39 | 38 | 39 |
| 25 | 36 | 253 | 94 | 122 | 184 | 1250 | 710 | 703 | 80 | 40 | 37 | 39 |
| 26 | 36 | 266 | 94 | 317 | 184 | 1260 | 814 | 438 | 76 | 41 | 37 | 42 |
| 27 | 36 | 265 | 132 | 337 | 276 | 1230 | 652 | 309 | 72 | 55 | 36 | 38 |
| 28 | 36 | 265 | 129 | 157 | 318 | 1170 | 445 | 303 | 68 | 52 | 36 | 37 |
| 29 | 36 | 318 | 119 | 157 | 318 | 1070 | 406 | 349 | 66 | 47 | 36 | 37 |
| 30 | 36 | 340 | 95 | 162 | --- | 921 | 391 | 333 | 64 | 43 | 43 | 38 |
| 31 | 36 | --- | 78 | 111 | --- | 806 | --- | 297 | --- | 40 | 59 | --- |
| TOTAL | 1116 | 4548 | 8427 | 2951 | 10827 | 19430 | 15970 | 12290 | 3511 | 1599 | 1327 | 1227 |
| MEAN | 36.0 | 152 | 272 | 95.2 | 373 | 627 | 532 | 396 | 117 | 51.6 | 42.8 | 40.9 |
| MAX | 37 | 340 | 620 | 337 | 909 | 1390 | 987 | 782 | 262 | 68 | 59 | 55 |
| MIN | 35 | 36 | 78 | 53 | 58 | 87 | 274 | 224 | 64 | 39 | 35 | 36 |

CAL YR 1983 TOTAL 62674 MEAN 172 MAX 951 MIN 33
WTR YR 1984 TOTAL 83223 MEAN 227 MAX 1390 MIN 35

MUSKINGUM RIVER BASIN

03135000 LAKE FORK BELOW MOHICANVILLE DAM, NEAR MOHICANVILLE, OH

LOCATION.--Lat 40°43'24", long 82°09'18", in sec. 3, T.20 N., R.15 W., Ashland County, Hydrologic Unit 05040002, on right bank 800 ft downstream from Mohicanville Dam, 2 mi east of Mohicanville, and 2.4 mi downstream from the confluence of Jerome and Muddy Forks.

DRAINAGE AREA.--271 mi².

PERIOD OF RECORD.--October 1938 to current year. Published as Lake Fork near Mohicanville prior to 1940.

REVISED RECORDS.--WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 930.00 ft National Geodetic Vertical Datum of 1929. Prior to July 25, 1949, water-stage recorder at site 500 ft downstream at same datum.

REMARKS.--Records good. Flow regulated by Mohicanville Reservoir. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--46 years, 239 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 5,490 ft³/s July 5, 1969, gage height, 14.32 ft; minimum daily, 1 ft³/s June 10, 1947, Jan. 25, 1959.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 1,340 ft³/s Mar. 20, gage height, 8.48 ft; minimum daily, 15 ft³/s Sept. 23.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|--------|----------|----------|--------|-------|-------|-------|------|------|------|------|
| 1 | 16 | 119 | 324 | 70 | 79 | 150 | 1160 | 317 | 205 | 38 | 24 | 34 |
| 2 | 17 | 209 | 220 | 70 | 65 | 140 | 1150 | 250 | 165 | 35 | 25 | 24 |
| 3 | 16 | 411 | 176 | 70 | 660 | 140 | 1170 | 225 | 142 | 35 | 43 | 25 |
| 4 | 16 | 230 | 618 | 70 | 1310 | 150 | 1210 | 660 | 125 | 34 | 42 | 43 |
| 5 | 25 | 127 | 1210 | 65 | 1020 | 226 | 1200 | 538 | 114 | 109 | 34 | 27 |
| 6 | 38 | 96 | 1110 | 60 | 520 | 570 | 1180 | 436 | 107 | 97 | 29 | 27 |
| 7 | 25 | 79 | 1120 | 55 | 305 | 523 | 1160 | 330 | 100 | 123 | 54 | 21 |
| 8 | 19 | 68 | 877 | 50 | 200 | 343 | 1180 | 452 | 95 | 75 | 112 | 20 |
| 9 | 17 | 60 | 587 | 46 | 160 | 280 | 1170 | 740 | 86 | 49 | 80 | 17 |
| 10 | 17 | 57 | 431 | 44 | 355 | 250 | 1170 | 555 | 70 | 45 | 138 | 57 |
| 11 | 17 | 489 | 369 | 42 | 540 | 230 | 1150 | 385 | 66 | 40 | 79 | 54 |
| 12 | 19 | 791 | 787 | 40 | 700 | 200 | 1170 | 916 | 62 | 43 | 55 | 36 |
| 13 | 23 | 409 | 655 | 40 | 930 | 180 | 1170 | 895 | 61 | 34 | 39 | 25 |
| 14 | 29 | 250 | 439 | 38 | 1070 | 170 | 1190 | 720 | 128 | 31 | 34 | 31 |
| 15 | 23 | 200 | 346 | 36 | 1050 | 200 | 1170 | 448 | 85 | 28 | 28 | 28 |
| 16 | 21 | 353 | 264 | 34 | 1130 | 958 | 1170 | 321 | 67 | 31 | 25 | 24 |
| 17 | 19 | 484 | 184 | 34 | 1130 | 1070 | 1180 | 243 | 64 | 28 | 23 | 20 |
| 18 | 24 | 322 | 141 | 34 | 1070 | 1010 | 1150 | 196 | 64 | 26 | 22 | 20 |
| 19 | 45 | 231 | 130 | 34 | 846 | 1100 | 1160 | 182 | 136 | 27 | 21 | 18 |
| 20 | 29 | 269 | 130 | 32 | 629 | 1160 | 1160 | 246 | 87 | 26 | 20 | 18 |
| 21 | 26 | 237 | 160 | 32 | 440 | 938 | 1090 | 868 | 69 | 25 | 19 | 17 |
| 22 | 47 | 174 | 220 | 32 | 339 | 902 | 874 | 830 | 58 | 24 | 20 | 16 |
| 23 | 212 | 147 | 190 | 35 | 283 | 1010 | 1040 | 836 | 54 | 22 | 37 | 15 |
| 24 | 120 | 316 | 170 | 174 | 237 | 1200 | 1180 | 855 | 54 | 22 | 25 | 20 |
| 25 | 71 | 212 | 150 | 663 | 225 | 1200 | 1190 | 800 | 47 | 24 | 21 | 20 |
| 26 | 56 | 148 | 130 | 645 | 192 | 1190 | 1130 | 642 | 43 | 25 | 18 | 27 |
| 27 | 48 | 122 | 120 | 699 | 185 | 1180 | 999 | 385 | 42 | 134 | 17 | 22 |
| 28 | 43 | 627 | 100 | 282 | 170 | 1170 | 871 | 338 | 40 | 60 | 17 | 24 |
| 29 | 39 | 824 | 90 | 179 | 160 | 1180 | 533 | 526 | 39 | 35 | 28 | 23 |
| 30 | 34 | 560 | 85 | 117 | --- | 1170 | 407 | 356 | 40 | 28 | 44 | 20 |
| 31 | 32 | --- | 75 | 93 | --- | 1180 | --- | 273 | --- | 26 | 64 | --- |
| TOTAL | 1183 | 8621 | 11608 | 3915 | 16000 | 21380 | 32734 | 15764 | 2516 | 1379 | 1237 | 783 |
| MEAN | 38.2 | 287 | 374 | 126 | 552 | 690 | 1091 | 509 | 83.9 | 44.5 | 39.9 | 26.1 |
| MAX | 212 | 824 | 1210 | 699 | 1310 | 1200 | 1210 | 916 | 205 | 134 | 138 | 54 |
| MIN | 16 | 57 | 75 | 32 | 65 | 140 | 407 | 182 | 39 | 22 | 17 | 15 |
| CAL YR 1983 | TOTAL | 78653 | MEAN 215 | MAX 1210 | MIN 13 | | | | | | | |
| WTR YR 1984 | TOTAL | 117120 | MEAN 320 | MAX 1310 | MIN 15 | | | | | | | |

03136500 KOKOSING RIVER AT MOUNT VERNON, OH

LOCATION.--Lat 40°24'20", long 82°30'00", in sec. 2, T.6 N., R.13 W., Knox County, Hydrologic Unit 05040003, on right bank at downstream side of Tilden Avenue Bridge at Mount Vernon, 0.8 mi downstream from North Branch, and 2.7 mi upstream from Dry Creek.

DRAINAGE AREA.--202 mi².

PERIOD OF RECORD.--February 1953 to current year.

REVISED RECORDS.--WSP 2107: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 984.16 ft National Geodetic Vertical Datum of 1929. (Levels by Corps of Engineers.) Prior to Apr. 3, 1953, nonrecording gage at same site and datum.

REMARKS.--Records fair. Some regulation by Knox Lake, capacity, 3,750 acre-ft, 8.2 mi upstream on East Branch of North Branch Kokosing River beginning in 1954 and North Branch Kokosing River Lake 10.0 mi upstream on North Branch Kokosing River, beginning in June 1972, (see station 03136300). Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--31 years, (1954-84), 215 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 38,000 ft³/s Jan. 21, 1959, gage height, 18.19 ft, from rating curve extended above 9,000 ft³/s on basis of slope-area measurement of peak flow; minimum daily, 13 ft³/s Sept. 29, 30, 1954.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 5,510 ft³/s Mar. 21, gage height 8.04 ft; minimum daily, 14 ft³/s Sept. 22, from hydrographic comparison with nearby stations.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|--------|----------|----------|--------|-------|-------|-------|------|------|------|------|
| 1 | 25 | 43 | 249 | 100 | 86 | 169 | 479 | 294 | 243 | 52 | 35 | 45 |
| 2 | 23 | 48 | 1150 | 90 | 84 | 151 | 404 | 259 | 211 | 52 | 50 | 38 |
| 3 | 22 | 231 | 1000 | 80 | 937 | 149 | 381 | 277 | 187 | 50 | 74 | 31 |
| 4 | 24 | 237 | 1070 | 70 | 1250 | 142 | 447 | 705 | 165 | 50 | 100 | 27 |
| 5 | 35 | 161 | 459 | 62 | 500 | 208 | 944 | 517 | 147 | 70 | 140 | 25 |
| 6 | 29 | 115 | 334 | 58 | 265 | 512 | 871 | 408 | 160 | 100 | 98 | 24 |
| 7 | 23 | 91 | 483 | 54 | 176 | 454 | 755 | 341 | 140 | 140 | 70 | 22 |
| 8 | 18 | 77 | 700 | 50 | 137 | 331 | 529 | 431 | 127 | 120 | 50 | 22 |
| 9 | 16 | 68 | 504 | 50 | 133 | 277 | 411 | 582 | 113 | 98 | 32 | 23 |
| 10 | 15 | 65 | 392 | 50 | 249 | 259 | 345 | 471 | 103 | 94 | 70 | 27 |
| 11 | 17 | 366 | 180 | 48 | 1180 | 226 | 297 | 377 | 96 | 70 | 86 | 32 |
| 12 | 25 | 521 | 640 | 47 | 971 | 189 | 265 | 341 | 93 | 62 | 60 | 38 |
| 13 | 35 | 274 | 540 | 45 | 823 | 192 | 262 | 307 | 89 | 56 | 54 | 31 |
| 14 | 43 | 187 | 440 | 45 | 1660 | 200 | 290 | 271 | 104 | 50 | 47 | 27 |
| 15 | 36 | 187 | 350 | 44 | 982 | 255 | 450 | 240 | 102 | 46 | 40 | 23 |
| 16 | 31 | 307 | 280 | 43 | 591 | 1860 | 419 | 217 | 91 | 60 | 35 | 20 |
| 17 | 26 | 297 | 230 | 42 | 459 | 2050 | 454 | 197 | 84 | 70 | 32 | 18 |
| 18 | 22 | 214 | 190 | 41 | 427 | 1110 | 463 | 187 | 79 | 62 | 30 | 17 |
| 19 | 42 | 206 | 160 | 40 | 404 | 652 | 415 | 179 | 78 | 52 | 28 | 16 |
| 20 | 34 | 220 | 190 | 40 | 363 | 700 | 366 | 187 | 79 | 47 | 25 | 15 |
| 21 | 40 | 211 | 280 | 40 | 307 | 4570 | 327 | 730 | 78 | 43 | 23 | 15 |
| 22 | 70 | 176 | 500 | 39 | 259 | 2790 | 483 | 695 | 70 | 40 | 22 | 14 |
| 23 | 184 | 411 | 840 | 56 | 228 | 1470 | 965 | 909 | 66 | 38 | 62 | 15 |
| 24 | 169 | 419 | 580 | 260 | 208 | 1250 | 1030 | 765 | 72 | 37 | 50 | 16 |
| 25 | 115 | 281 | 440 | 525 | 220 | 1290 | 765 | 463 | 92 | 36 | 40 | 18 |
| 26 | 84 | 208 | 340 | 459 | 208 | 2070 | 529 | 345 | 80 | 38 | 34 | 19 |
| 27 | 67 | 450 | 260 | 475 | 203 | 1250 | 467 | 271 | 68 | 42 | 29 | 19 |
| 28 | 50 | 871 | 200 | 265 | 195 | 860 | 504 | 281 | 62 | 38 | 23 | 17 |
| 29 | 47 | 521 | 160 | 181 | 176 | 1000 | 396 | 415 | 56 | 35 | 21 | 19 |
| 30 | 43 | 307 | 130 | 130 | --- | 730 | 338 | 363 | 54 | 32 | 30 | 20 |
| 31 | 40 | --- | 110 | 105 | --- | 578 | --- | 294 | --- | 31 | 48 | --- |
| TOTAL | 1450 | 7770 | 13381 | 3634 | 13681 | 27954 | 14951 | 12319 | 3190 | 1801 | 1538 | 693 |
| MEAN | 46.8 | 259 | 432 | 117 | 472 | 902 | 498 | 397 | 106 | 58.1 | 49.6 | 23.1 |
| MAX | 184 | 871 | 1150 | 525 | 1660 | 4570 | 1030 | 909 | 243 | 140 | 140 | 45 |
| MIN | 15 | 43 | 110 | 39 | 84 | 142 | 262 | 179 | 54 | 31 | 21 | 14 |
| CAL YR 1983 | TOTAL | 75479 | MEAN 207 | MAX 2700 | MIN 15 | | | | | | | |
| WTR YR 1984 | TOTAL | 102362 | MEAN 280 | MAX 4570 | MIN 14 | | | | | | | |

MUSKINGUM RIVER BASIN

03138500 WALHONDING RIVER BELOW MOHAWK DAM, AT NELLIE, OH

LOCATION.--Lat 40°20'29", long 82°03'56", in T.6 N., R.8 W., Coshocton County, Hydrologic Unit 05040003, on right bank at upstream side of bridge on U.S. Highway 36 at Nellie, 0.5 mi upstream from Mohawk Creek, and 1.7 mi downstream from Mohawk Dam.

DRAINAGE AREA.--1,505 mi².

PERIOD OF RECORD.--December 1910 to March 1913 (gage heights and discharge measurements only), September 1921 to current year. Published as Mohican River at Pomerene 1910-13, as Walhonding River at Pomerene 1921-37, and as Walhonding River at Nellie 1938-39.

REVISED RECORDS.--WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 790.00 ft National Geodetic Vertical Datum of 1929. Prior to Nov. 7, 1925, nonrecording gage and Nov. 7, 1925, to Sept. 30, 1937, water-stage recorder at site 3.8 mi upstream at datum 15.53 ft higher. Oct. 1, 1937, to Sept. 30, 1938, nonrecording gage at present site at datum 2.09 ft higher.

REMARKS.--Records good. Flow regulated beginning 1936 by 5 flood-control reservoirs at points 1.7 mi to 54 mi upstream (see stations 03129500, 03133000, 03134500, 03136300, and 03138000). Water-quality data collected at this site 1964 to 1977.

AVERAGE DISCHARGE.--63 years, 1,519 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge at site at Pomerene, 43,800 ft³/s Jan. 25, 1937; maximum discharge at present site since regulation began at Mohawk Dam, 24,000 ft³/s Jan. 25, 26, 1937, gage height, 18.8 ft, present datum (from floodmarks), from rating curve extended above 13,000 ft³/s; minimum daily discharge, 19 ft³/s Feb. 27 1954.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in March 1913 reached a stage of 26.9 ft, discharge, 102,000 ft³/s present site and datum, from information by Corps of Engineers.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 12,500 ft³/s Feb. 3, gage height, 14.06 ft; minimum daily, 253 ft³/s Oct. 3.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------------|--------|-------|-------|-----------|----------|---------|--------|-------|-------|-------|-------|------|
| 1 | 262 | 390 | 2450 | 1400 | 1100 | 1540 | 7350 | 2700 | 2020 | 464 | 341 | 472 |
| 2 | 259 | 528 | 2100 | 1400 | 946 | 1510 | 7350 | 2300 | 1760 | 453 | 337 | 375 |
| 3 | 253 | 1200 | 1750 | 1370 | 2890 | 1350 | 7330 | 2110 | 1550 | 445 | 376 | 350 |
| 4 | 255 | 1620 | 3300 | 1330 | 6340 | 1210 | 5160 | 4180 | 1340 | 434 | 518 | 401 |
| 5 | 283 | 1190 | 5770 | 1280 | 3680 | 1250 | 7150 | 4310 | 1160 | 1200 | 466 | 391 |
| 6 | 315 | 1040 | 5010 | 1250 | 2360 | 1940 | 7330 | 3330 | 1120 | 903 | 400 | 326 |
| 7 | 333 | 968 | 4950 | 1190 | 2160 | 2570 | 7270 | 2860 | 1060 | 931 | 379 | 311 |
| 8 | 292 | 892 | 4370 | 1080 | 2060 | 2540 | 7290 | 2710 | 988 | 788 | 531 | 296 |
| 9 | 344 | 795 | 3740 | 1000 | 1520 | 2110 | 7220 | 3630 | 903 | 628 | 522 | 285 |
| 10 | 384 | 713 | 3240 | 969 | 1450 | 1880 | 7070 | 3470 | 824 | 571 | 657 | 302 |
| 11 | 362 | 910 | 2960 | 831 | 3640 | 1810 | 5150 | 2970 | 761 | 551 | 628 | 515 |
| 12 | 356 | 2560 | 3490 | 714 | 4200 | 1620 | 7120 | 2860 | 720 | 538 | 503 | 402 |
| 13 | 305 | 2120 | 3920 | 660 | 3760 | 1430 | 7060 | 3210 | 687 | 518 | 429 | 359 |
| 14 | 303 | 1590 | 3280 | 620 | 5670 | 1350 | 6830 | 2960 | 755 | 468 | 380 | 351 |
| 15 | 328 | 1470 | 2710 | 580 | 6610 | 1370 | 6830 | 2700 | 893 | 454 | 357 | 402 |
| 16 | 289 | 1940 | 2310 | 550 | 6060 | 2540 | 6420 | 2290 | 730 | 484 | 333 | 394 |
| 17 | 285 | 2140 | 1940 | 520 | 5280 | 6110 | 5920 | 2020 | 687 | 466 | 319 | 354 |
| 18 | 295 | 2220 | 1660 | 500 | 4390 | 6620 | 4440 | 1790 | 655 | 422 | 311 | 289 |
| 19 | 364 | 2030 | 1470 | 480 | 3970 | 6020 | 3930 | 1620 | 955 | 397 | 323 | 282 |
| 20 | 403 | 1920 | 1280 | 460 | 3140 | 5930 | 3590 | 1580 | 974 | 380 | 418 | 279 |
| 21 | 367 | 1940 | 1140 | 450 | 3220 | 6780 | 3310 | 3420 | 800 | 369 | 301 | 274 |
| 22 | 415 | 1910 | 1310 | 440 | 2540 | 5930 | 3110 | 4550 | 685 | 359 | 299 | 266 |
| 23 | 1010 | 1810 | 1580 | 430 | 2240 | 5190 | 5330 | 4850 | 604 | 347 | 332 | 261 |
| 24 | 1030 | 1820 | 1890 | 861 | 2020 | 6570 | 6880 | 5640 | 627 | 335 | 361 | 257 |
| 25 | 774 | 1970 | 1500 | 3960 | 1850 | 7250 | 6590 | 4450 | 596 | 338 | 310 | 280 |
| 26 | 696 | 1650 | 1000 | 4050 | 1840 | 6870 | 5610 | 3670 | 539 | 337 | 293 | 297 |
| 27 | 650 | 1450 | 1100 | 4160 | 1670 | 7020 | 4950 | 2820 | 511 | 395 | 279 | 313 |
| 28 | 602 | 2620 | 1200 | 3580 | 1690 | 7310 | 4460 | 2490 | 501 | 627 | 268 | 303 |
| 29 | 526 | 4210 | 1700 | 2170 | 1630 | 6470 | 3700 | 2990 | 479 | 424 | 271 | 295 |
| 30 | 434 | 3160 | 1600 | 1770 | --- | 7400 | 3090 | 2800 | 466 | 376 | 368 | 291 |
| 31 | 406 | --- | 1500 | 1480 | --- | 7410 | --- | 2360 | --- | 351 | 654 | --- |
| TOTAL | 13180 | 50776 | 77220 | 41535 | 89926 | 126900 | 174640 | 95640 | 26350 | 15753 | 12264 | 9973 |
| MEAN | 425 | 1693 | 2491 | 1340 | 3101 | 4094 | 5821 | 3085 | 878 | 508 | 396 | 332 |
| MAX | 1030 | 4210 | 5770 | 4160 | 6610 | 7410 | 7350 | 5640 | 2020 | 1200 | 657 | 515 |
| MIN | 253 | 390 | 1000 | 430 | 946 | 1210 | 3090 | 1580 | 466 | 335 | 268 | 257 |
| CAL YR 1983 TOTAL | 545737 | | | MEAN 1495 | MAX 6050 | MIN 241 | | | | | | |
| WTR YR 1984 TOTAL | 734157 | | | MEAN 2006 | MAX 7410 | MIN 253 | | | | | | |

03139000 KILLBUCK CREEK AT KILLBUCK, OH

LOCATION.--Lat 40°28'53", long 81°59'10", Holmes County, Hydrologic Unit 05040003, on right bank at downstream side of U.S. Highway 62 bridge south of Killbuck, 1.2 mi downstream from Black Creek. Prior to Oct. 5, 1976, at site 0.9 mi upstream.

DRAINAGE AREA.--464 mi².

PERIOD OF RECORD.--October 1930 to current year.

REVISED RECORDS.--WSP 873: 1935. WSP 1555: 1935. WSP 1907: Drainage area. WRD-OH-70-1: 1969. WRD-OH-77-1: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 788.05 ft National Geodetic Vertical Datum of 1929. Prior to Oct. 1, 1949, nonrecording gage and Oct. 1, 1949 to Oct. 5, 1976, water-stage recorder and nonrecording gage, at site 0.9 mi upstream at same datum.

REMARKS.--Records poor. Water-quality data collected at this site 1962 to 1977. Sediment data collected 1962 to 1969.

AVERAGE DISCHARGE.--54 years, 418 ft³/s, 12.29 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 47,500 ft³/s July 5, 1969, gage height, 26.40 ft (from flood-marks), from rating curve extended above 11,000 ft³/s on basis of slope-area measurement of peak flow at site then in use; minimum, 23 ft³/s Sept. 10-15, 28-30, 1954.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 2,000 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Feb. 4 | 0130 | 2040 | 14.88 | Mar. 22 | 0900 | *4670 | *16.40 |
| Feb. 14 | 1730 | 2470 | 15.17 | | | | |

Minimum daily discharge 60 ft³/s Jan. 19-23.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|-------|-------|------|-------|-------|-------|-------|------|------|------|------|
| 1 | 91 | 130 | 632 | 160 | 222 | 350 | 2000 | 816 | 647 | 132 | 95 | 153 |
| 2 | 91 | 292 | 490 | 150 | 200 | 340 | 1500 | 708 | 561 | 132 | 115 | 110 |
| 3 | 82 | 554 | 400 | 140 | 872 | 310 | 1300 | 656 | 469 | 128 | 237 | 115 |
| 4 | 75 | 460 | 942 | 130 | 1280 | 290 | 1100 | 1540 | 390 | 123 | 283 | 135 |
| 5 | 73 | 336 | 1340 | 120 | 879 | 450 | 1200 | 1550 | 342 | 587 | 193 | 107 |
| 6 | 80 | 258 | 1150 | 110 | 600 | 783 | 1140 | 1360 | 383 | 536 | 150 | 96 |
| 7 | 77 | 215 | 1190 | 110 | 450 | 734 | 1080 | 1180 | 314 | 499 | 185 | 92 |
| 8 | 73 | 185 | 1100 | 100 | 370 | 668 | 969 | 1200 | 270 | 274 | 351 | 94 |
| 9 | 76 | 163 | 1000 | 95 | 330 | 580 | 864 | 1470 | 247 | 200 | 473 | 90 |
| 10 | 76 | 149 | 905 | 90 | 476 | 520 | 777 | 1340 | 227 | 178 | 722 | 90 |
| 11 | 112 | 308 | 780 | 85 | 1270 | 480 | 596 | 1170 | 206 | 170 | 487 | 111 |
| 12 | 139 | 652 | 813 | 80 | 1040 | 440 | 619 | 1050 | 190 | 198 | 306 | 100 |
| 13 | 160 | 636 | 834 | 80 | 966 | 390 | 609 | 958 | 212 | 143 | 206 | 97 |
| 14 | 190 | 583 | 802 | 75 | 2000 | 350 | 589 | 948 | 322 | 132 | 162 | 115 |
| 15 | 160 | 472 | 760 | 70 | 1970 | 536 | 1110 | 893 | 256 | 123 | 135 | 124 |
| 16 | 138 | 470 | 673 | 70 | 1610 | 1280 | 1070 | 811 | 229 | 159 | 116 | 101 |
| 17 | 118 | 475 | 569 | 65 | 1410 | 1670 | 1030 | 722 | 193 | 125 | 107 | 95 |
| 18 | 109 | 483 | 454 | 65 | 1230 | 1450 | 960 | 626 | 193 | 117 | 98 | 92 |
| 19 | 165 | 456 | 380 | 60 | 1040 | 1580 | 913 | 552 | 1070 | 111 | 102 | 90 |
| 20 | 148 | 424 | 353 | 60 | 931 | 1550 | 850 | 553 | 619 | 104 | 95 | 87 |
| 21 | 140 | 442 | 325 | 60 | 833 | 3670 | 771 | 1300 | 371 | 100 | 87 | 85 |
| 22 | 182 | 402 | 484 | 60 | 737 | 4550 | 775 | 1380 | 275 | 97 | 87 | 84 |
| 23 | 511 | 335 | 483 | 60 | 658 | 4180 | 1160 | 1480 | 239 | 95 | 106 | 81 |
| 24 | 405 | 328 | 361 | 407 | 587 | 4060 | 1510 | 1590 | 239 | 94 | 98 | 85 |
| 25 | 253 | 336 | 291 | 975 | 554 | 3960 | 1800 | 1380 | 198 | 96 | 90 | 99 |
| 26 | 193 | 273 | 260 | 902 | 490 | 3750 | 1650 | 1190 | 175 | 96 | 85 | 99 |
| 27 | 182 | 236 | 240 | 791 | 452 | 2920 | 1510 | 980 | 157 | 249 | 80 | 103 |
| 28 | 165 | 705 | 220 | 643 | 422 | 2150 | 1360 | 916 | 156 | 206 | 79 | 103 |
| 29 | 148 | 866 | 200 | 542 | 400 | 2610 | 1130 | 962 | 153 | 134 | 81 | 101 |
| 30 | 132 | 751 | 190 | 413 | --- | 2490 | 955 | 833 | 139 | 110 | 143 | 95 |
| 31 | 124 | --- | 170 | 294 | --- | 2180 | --- | 750 | --- | 100 | 321 | --- |
| TOTAL | 4668 | 12375 | 18791 | 7062 | 24279 | 51291 | 33197 | 32864 | 9441 | 5538 | 5875 | 3029 |
| MEAN | 151 | 413 | 606 | 228 | 837 | 1655 | 1107 | 1060 | 315 | 179 | 190 | 101 |
| MAX | 511 | 866 | 1340 | 975 | 2000 | 4550 | 2000 | 1590 | 1070 | 587 | 722 | 153 |
| MIN | 73 | 130 | 170 | 60 | 200 | 290 | 589 | 552 | 139 | 94 | 79 | 81 |
| CFSM | .33 | .89 | 1.31 | .49 | 1.80 | 3.57 | 2.39 | 2.28 | .68 | .39 | .41 | .22 |
| IN. | .37 | .99 | 1.51 | .57 | 1.95 | 4.11 | 2.66 | 2.63 | .76 | .44 | .47 | .24 |

| | | | | | | | |
|-------------|-------|--------|----------|----------|--------|-----------|----------|
| CAL YR 1983 | TOTAL | 175386 | MEAN 481 | MAX 3740 | MIN 59 | CFSM 1.04 | IN 14.06 |
| WTR YR 1984 | TOTAL | 208410 | MEAN 569 | MAX 4550 | MIN 60 | CFSM 1.23 | IN 16.71 |

MUSKINGUM RIVER BASIN

03140000 MILL CREEK NEAR COSHOCTON, OH

LOCATION.--Lat 40°21'46", long 81°51'45", Coshocton County, Hydrologic Unit 05040003, on left bank 0.5 mi downstream from Little Mill Creek and 6 mi north of Coshocton.

DRAINAGE AREA.--27.2 mi².

PERIOD OF RECORD.--October 1936 to current year. Monthly discharge only for October 1936, published in WSP 1305.

REVISED RECORDS.--WSP 1143: 1946, 1947-48(P). WSP 1907: Drainage area.

GAGE.--Water-stage recorder and concrete control. Datum of gage is 782.00 ft National Geodetic Vertical Datum of 1929.

REMARKS.--Records fair. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--48 years, 29.0 ft³/s, 14.48 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 8,720 ft³/s July 5, 1969, gage height, 13.92 ft, from rating curve extended above 2,200 ft³/s on basis of slope-area measurement of peak flow; no flow Sept. 28, 29, 1954, Aug. 29-31, 1962, and part of each day Dec. 23, 31, 1963.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 700 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---|------|--------------------------------|------------------|----------------------------|------|--------------------------------|------------------|
| Mar. 21 | 0915 | *1280 | *10.38 | No other peaks above base. | | | |
| Minimum discharge 0.34 ft ³ /s Oct. 9, 10. | | | | | | | |

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|--------|----------|------|-------|--------|------|------|------|-------|-------|-------|-------|
| 1 | .43 | 6.8 | 31 | 11 | 8.0 | 15 | 79 | 38 | 31 | 6.8 | 2.0 | 3.4 |
| 2 | .50 | 12 | 26 | 10 | 7.0 | 14 | 65 | 34 | 26 | 4.5 | 3.2 | 2.8 |
| 3 | .99 | 69 | 25 | 9.0 | 15.4 | 13 | 53 | 32 | 22 | 5.5 | 13 | 2.5 |
| 4 | 1.1 | 22 | 236 | 8.5 | 4.4 | 19 | 55 | 70 | 17 | 3.9 | 5.7 | 2.7 |
| 5 | 3.8 | 17 | 96 | 8.0 | 2.4 | 58 | 83 | 150 | 15 | 116 | 3.8 | 2.1 |
| 6 | 3.0 | 14 | 92 | 7.5 | 1.9 | 92 | 73 | 90 | 13 | 48 | 3.1 | 1.9 |
| 7 | 1.9 | 12 | 71 | 7.0 | 1.3 | 64 | 64 | 70 | 11 | 38 | 9.2 | 1.8 |
| 8 | 1.3 | 9.1 | 48 | 6.5 | 1.1 | 40 | 51 | 60 | 10 | 17 | 8.0 | 1.8 |
| 9 | .50 | 8.5 | 42 | 6.0 | 1.0 | 30 | 41 | 110 | 8.5 | 12 | 9.2 | 1.7 |
| 10 | .42 | 10 | 39 | 6.0 | 1.8 | 26 | 36 | 80 | 7.7 | 10 | 8.3 | 2.0 |
| 11 | 1.0 | 63 | 38 | 5.5 | 7.4 | 23 | 31 | 65 | 7.0 | 8.3 | 8.3 | 2.5 |
| 12 | 3.4 | 44 | 116 | 5.0 | 3.9 | 21 | 27 | 50 | 6.5 | 7.0 | 5.7 | 2.0 |
| 13 | 5.3 | 28 | 76 | 5.0 | 5.3 | 19 | 26 | 40 | 6.5 | 5.7 | 4.0 | 1.7 |
| 14 | 6.1 | 23 | 54 | 4.6 | 230 | 17 | 36 | 30 | 8.8 | 5.1 | 3.4 | 2.3 |
| 15 | 4.7 | 32 | 50 | 4.4 | 88 | 46 | 97 | 24 | 5.9 | 5.1 | 2.8 | 2.1 |
| 16 | 3.4 | 47 | 40 | 4.2 | 57 | 244 | 68 | 20 | 5.3 | 10 | 2.3 | 1.8 |
| 17 | 2.8 | 28 | 32 | 4.0 | 48 | 131 | 79 | 17 | 5.3 | 4.9 | 2.3 | 1.7 |
| 18 | 3.5 | 22 | 27 | 3.8 | 45 | 96 | 74 | 16 | 5.1 | 4.9 | 2.3 | 1.6 |
| 19 | 7.1 | 26 | 24 | 3.8 | 45 | 78 | 60 | 16 | 8.8 | 4.2 | 3.3 | 1.6 |
| 20 | 5.4 | 26 | 20 | 3.6 | 41 | 76 | 52 | 21 | 4.9 | 3.5 | 2.4 | 1.6 |
| 21 | 7.3 | 33 | 18 | 3.6 | 36 | 579 | 42 | 104 | 4.9 | 3.4 | 2.0 | 1.5 |
| 22 | 21 | 24 | 120 | 3.4 | 31 | 209 | 67 | 52 | 4.0 | 3.1 | 1.8 | 1.4 |
| 23 | 78 | 23 | 50 | 3.4 | 28 | 130 | 90 | 154 | 3.9 | 2.8 | 3.6 | 1.4 |
| 24 | 20 | 24 | 36 | 24 | 26 | 103 | 140 | 80 | 8.3 | 2.7 | 2.9 | 1.4 |
| 25 | 12 | 19 | 27 | 110 | 26 | 104 | 190 | 53 | 4.6 | 2.9 | 2.5 | 1.3 |
| 26 | 8.7 | 17 | 22 | 70 | 21 | 118 | 110 | 42 | 3.4 | 2.6 | 2.2 | 2.0 |
| 27 | 7.6 | 15 | 19 | 48 | 20 | 91 | 90 | 30 | 3.1 | 5.1 | 2.0 | 2.7 |
| 28 | 6.3 | 172 | 16 | 32 | 19 | 110 | 70 | 76 | 5.3 | 3.3 | 1.8 | 2.2 |
| 29 | 6.1 | 64 | 14 | 22 | 17 | 261 | 56 | 84 | 3.4 | 2.5 | 4.0 | 2.3 |
| 30 | 6.6 | 40 | 13 | 16 | --- | 137 | 45 | 52 | 2.9 | 2.3 | 12 | 2.2 |
| 31 | 6.4 | --- | 12 | 11 | --- | 100 | --- | 40 | --- | 2.1 | 7.0 | --- |
| TOTAL | 236.64 | 950.4 | 1530 | 466.8 | 1252.0 | 3064 | 2050 | 1800 | 269.1 | 353.2 | 144.1 | 60.0 |
| MEAN | 7.63 | 31.7 | 49.4 | 15.1 | 43.2 | 98.8 | 68.3 | 58.1 | 8.97 | 11.4 | 4.65 | 2.00 |
| MAX | 78 | 172 | 236 | 110 | 230 | 579 | 190 | 154 | 31 | 116 | 13 | 3.4 |
| MIN | .42 | 6.8 | 12 | 3.4 | 7.0 | 13 | 26 | 16 | 2.9 | 2.1 | 1.8 | 1.3 |
| CFSM | .28 | 1.17 | 1.82 | .56 | 1.59 | 3.63 | 2.51 | 2.14 | .33 | .42 | .17 | .07 |
| IN. | .32 | 1.30 | 2.09 | .64 | 1.71 | 4.19 | 2.80 | 2.46 | .37 | .48 | .20 | .08 |
| CAL YR 1983 | TOTAL | 11411.30 | MEAN | 31.3 | MAX | 314 | MIN | .42 | CFSM | 1.15 | IN | 15.61 |
| WTR YR 1984 | TOTAL | 12176.24 | MEAN | 33.3 | MAX | 579 | MIN | .42 | CFSM | 1.22 | IN | 16.65 |

MUSKINGUM RIVER BASIN

85

03140500 MUSKINGUM RIVER NEAR COSHOCTON, OH

LOCATION.--Lat 40°14'54", long 81°52'23", in T.5 N., R.6 W., Coshocton County, Hydrologic Unit 05040004, on right bank at upstream side of highway bridge, 1 mi southwest of Coshocton, and 2 mi downstream from confluence of Tuscarawas and Walhonding Rivers.

DRAINAGE AREA.--4,859 mi².

PERIOD OF RECORD.--July 1936 to current year.

REVISED RECORDS.--WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 725.00 ft National Geodetic Vertical Datum of 1929. Prior to Sept. 19, 1936, nonrecording gage and Sept. 20, 1936 to Sept. 30, 1977, water-stage recorder at same site at datum 5.00 ft higher.

REMARKS.--Records good. Flow regulated by 13 flood-control reservoirs at points 19 mi to 88 mi upstream. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--48 years, 5,002 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 78,700 ft³/s Jan. 26, 1937, gage height, 21.98 ft; minimum daily, 420 ft³/s Sept. 13, 1954.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in March 1913 reached a stage of about 28.8 ft, discharge, 202,000 ft³/s, computed by Corps of Engineers.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 24,900 ft³/s Mar. 21, gage height, 16.42 ft; minimum daily, 842 ft³/s Oct. 4.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------------|---------|--------|--------|-----------|-----------|---------|--------|--------|--------|-------|-------|-------|
| 1 | 851 | 1670 | 8280 | 3800 | 3230 | 3820 | 19900 | 8830 | 8660 | 2180 | 1410 | 3430 |
| 2 | 852 | 1890 | 6660 | 3500 | 2720 | 3500 | 18900 | 7560 | 7510 | 2310 | 1380 | 2340 |
| 3 | 849 | 3610 | 5740 | 3300 | 3720 | 3400 | 17800 | 6830 | 6410 | 2130 | 1620 | 1770 |
| 4 | 842 | 4790 | 8590 | 3300 | 10000 | 3300 | 15200 | 9240 | 5600 | 2040 | 2330 | 1650 |
| 5 | 955 | 4420 | 15000 | 3240 | 10200 | 3630 | 16900 | 12100 | 4900 | 4630 | 2570 | 1770 |
| 6 | 1070 | 3790 | 15700 | 3180 | 7460 | 5890 | 16900 | 11900 | 4320 | 6890 | 2260 | 1550 |
| 7 | 1170 | 3410 | 15200 | 3100 | 5770 | 9230 | 16400 | 10100 | 4080 | 7030 | 2000 | 1410 |
| 8 | 1070 | 3100 | 13900 | 2960 | 5420 | 8290 | 15900 | 8840 | 3780 | 5920 | 2060 | 1310 |
| 9 | 993 | 2820 | 12500 | 2770 | 4450 | 6890 | 15100 | 9770 | 3500 | 4670 | 2470 | 1240 |
| 10 | 1020 | 2640 | 10700 | 2640 | 3970 | 5850 | 14100 | 11100 | 3200 | 3510 | 3000 | 1200 |
| 11 | 986 | 3270 | 9550 | 2450 | 6250 | 5480 | 10700 | 10300 | 2930 | 3100 | 3930 | 1350 |
| 12 | 1050 | 6290 | 10500 | 2170 | 9750 | 4930 | 11400 | 8970 | 2710 | 3190 | 3150 | 1430 |
| 13 | 1320 | 7340 | 13100 | 1900 | 10100 | 4380 | 10900 | 8900 | 2590 | 3020 | 2580 | 1310 |
| 14 | 1600 | 5920 | 12500 | 1700 | 14700 | 4310 | 10600 | 8940 | 2660 | 2650 | 2060 | 1230 |
| 15 | 1630 | 5080 | 11000 | 1500 | 17700 | 4480 | 11300 | 8350 | 2890 | 2400 | 1780 | 1370 |
| 16 | 1510 | 5850 | 9710 | 1400 | 17300 | 7540 | 11600 | 7450 | 2670 | 2330 | 1590 | 1450 |
| 17 | 1350 | 6920 | 8510 | 1300 | 14700 | 14500 | 11900 | 6390 | 2450 | 2280 | 1470 | 1320 |
| 18 | 1230 | 7210 | 7590 | 1300 | 12000 | 16600 | 10800 | 5690 | 2330 | 2070 | 1380 | 1190 |
| 19 | 1290 | 6840 | 6620 | 1200 | 10900 | 15500 | 10100 | 5180 | 3050 | 1940 | 1420 | 1100 |
| 20 | 1610 | 6370 | 5820 | 1200 | 9250 | 15200 | 9550 | 4860 | 5180 | 1820 | 2130 | 1050 |
| 21 | 1620 | 6320 | 5440 | 1100 | 8320 | 21600 | 8760 | 7150 | 4000 | 1700 | 1730 | 1030 |
| 22 | 1810 | 6120 | 6450 | 1100 | 7120 | 24000 | 8280 | 12000 | 3080 | 1600 | 1450 | 992 |
| 23 | 3490 | 5590 | 7320 | 1100 | 5940 | 22300 | 11000 | 14100 | 2610 | 1520 | 1440 | 958 |
| 24 | 4600 | 5230 | 6540 | 2320 | 5520 | 21900 | 16000 | 17200 | 2490 | 1450 | 1460 | 957 |
| 25 | 4210 | 5300 | 3600 | 4840 | 5020 | 21900 | 18300 | 15900 | 2440 | 1420 | 1410 | 951 |
| 26 | 3370 | 4860 | 3500 | 7720 | 4740 | 21600 | 17300 | 13700 | 2200 | 1410 | 1280 | 1150 |
| 27 | 2770 | 4350 | 3800 | 6990 | 4340 | 19800 | 15300 | 11200 | 2030 | 1490 | 1180 | 1120 |
| 28 | 2490 | 6680 | 4000 | 7450 | 4220 | 19600 | 13300 | 9740 | 1940 | 2280 | 1130 | 1190 |
| 29 | 2220 | 10600 | 4500 | 5410 | 4040 | 20900 | 11700 | 10400 | 1890 | 2230 | 1120 | 1110 |
| 30 | 1950 | 10400 | 4900 | 4210 | --- | 21700 | 10100 | 10700 | 1950 | 1740 | 1530 | 1090 |
| 31 | 1780 | --- | 4600 | 3720 | --- | 21100 | --- | 9910 | --- | 1510 | 2440 | --- |
| TOTAL | 53558 | 158680 | 261820 | 93870 | 228850 | 382110 | 406090 | 303300 | 106050 | 84470 | 58760 | 41058 |
| MEAN | 1728 | 5289 | 8446 | 3028 | 7891 | 12330 | 13540 | 9784 | 3535 | 2725 | 1895 | 1359 |
| MAX | 4600 | 10600 | 15700 | 7720 | 17700 | 24000 | 19900 | 17200 | 8660 | 7030 | 3930 | 3430 |
| MIN | 842 | 1670 | 3500 | 1100 | 2720 | 3300 | 8280 | 4860 | 1890 | 1410 | 1120 | 951 |
| CAL YR 1983 TOTAL | 1941944 | | | MEAN 5320 | MAX 20600 | MIN 842 | | | | | | |
| WTR YR 1984 TOTAL | 2178626 | | | MEAN 5953 | MAX 24000 | MIN 842 | | | | | | |

MUSKINGUM RIVER BASIN

03141500 SENECA FORK BELOW SENECAVILLE DAM, NEAR SENECAVILLE, OH

LOCATION.--Lat 39°55'28", long 81°26'17", Guernsey County, Hydrologic Unit 05040005, on left bank 650 ft downstream from Senecaville Dam, and 1.5 mi southeast of Senecaville.

DRAINAGE AREA.--118 mi².

PERIOD OF RECORD.--September 1938 to current year. Published as Seneca Fork near Senecaville prior to 1940.

REVISED RECORDS.--WSP 1907: Drainage area. WRD-OH-81-1: (M). WRD-OH-83-1: 1982.

GAGE.--Water-stage recorder and concrete control. Datum of gage is 799.00 ft National Geodetic Vertical Datum of 1929. Prior to Jan. 24, 1942, at site 150 ft downstream at same datum.

REMARKS.--Records fair except those for discharges between 100 and 350 ft³/s, which are poor. Flow regulated by Senecaville Lake. Water is diverted from Senecaville Lake for U.S. Fish Hatchery; figures for diversion after 1982 unavailable, diversion not included in figures of daily discharge. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--46 years, 132 ft³/s (unadjusted).

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 985 ft³/s, Aug. 24, 1980, gage height, 9.69 ft; maximum gage height, 10.96 ft Aug. 11, 1980 (affected by backwater); no flow May 3, 4, 1939, Jan. 28, 29, Feb. 4, 5, Apr. 25, 1952.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 762 ft³/s Dec. 12, gage height, 8.32 ft; minimum daily, 1.1 ft³/s Feb. 12.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|---------|---------|--------|--------|--------|---------|--------|--------|-------|-------|-------|
| 1 | 3.5 | 5.9 | 357 | 187 | 17 | 3.7 | 450 | 665 | 638 | 5.5 | 4.2 | 3.9 |
| 2 | 3.5 | 6.1 | 355 | 187 | 4.9 | 3.9 | 520 | 668 | 481 | 5.5 | 4.2 | 4.0 |
| 3 | 3.5 | 6.0 | 353 | 84 | 3.7 | 4.0 | 602 | 674 | 478 | 5.5 | 4.0 | 3.9 |
| 4 | 3.7 | 6.2 | 376 | 35 | 3.9 | 3.6 | 574 | 466 | 596 | 5.5 | 4.0 | 4.0 |
| 5 | 3.6 | 6.2 | 368 | 35 | 3.4 | 3.4 | 289 | 183 | 707 | 5.8 | 4.0 | 4.2 |
| 6 | 3.7 | 6.2 | 366 | 35 | 221 | 135 | 355 | 182 | 445 | 5.5 | 5.0 | 3.9 |
| 7 | 3.7 | 6.2 | 385 | 35 | 393 | 449 | 520 | 120 | 64 | 4.8 | 4.2 | 3.7 |
| 8 | 3.3 | 6.2 | 520 | 35 | 389 | 564 | 599 | 39 | 4.2 | 6.5 | 4.2 | 3.9 |
| 9 | 3.3 | 6.2 | 616 | 35 | 387 | 470 | 644 | 176 | 3.4 | 8.1 | 4.4 | 3.9 |
| 10 | 3.5 | 6.2 | 630 | 35 | 174 | 345 | 672 | 447 | 3.4 | 7.7 | 4.4 | 4.4 |
| 11 | 3.6 | 6.2 | 618 | 35 | 3.7 | 346 | 666 | 331 | 3.4 | 6.9 | 4.4 | 4.4 |
| 12 | 3.4 | 6.2 | 470 | 35 | 1.1 | 138 | 527 | 38 | 4.0 | 4.4 | 4.4 | 4.4 |
| 13 | 3.1 | 6.2 | 24 | 35 | 25 | 4.9 | 511 | 37 | 5.2 | 4.4 | 4.4 | 4.4 |
| 14 | 3.7 | 6.2 | 317 | 35 | 37 | 3.2 | 293 | 238 | 4.2 | 4.4 | 4.4 | 4.6 |
| 15 | 4.3 | 397 | 680 | 35 | 16 | 3.4 | 292 | 449 | 3.4 | 4.4 | 4.4 | 4.6 |
| 16 | 4.5 | 719 | 687 | 55 | 3.7 | 3.4 | 393 | 175 | 3.2 | 4.0 | 4.4 | 4.6 |
| 17 | 4.9 | 725 | 669 | 66 | 3.5 | 2.9 | 286 | 14 | 2.9 | 4.0 | 4.0 | 4.6 |
| 18 | 5.3 | 709 | 651 | 66 | 3.4 | 2.8 | 41 | 3.7 | 4.0 | 4.4 | 3.7 | 4.6 |
| 19 | 5.7 | 694 | 481 | 66 | 3.2 | 4.3 | 357 | 4.0 | 4.5 | 4.4 | 3.9 | 4.6 |
| 20 | 5.8 | 683 | 135 | 66 | 3.2 | 4.4 | 474 | 3.7 | 4.4 | 4.2 | 4.0 | 4.6 |
| 21 | 5.8 | 693 | 5.0 | 66 | 3.2 | 4.0 | 260 | 3.7 | 4.0 | 4.2 | 4.2 | 4.8 |
| 22 | 5.9 | 692 | 5.1 | 66 | 4.1 | 4.6 | 286 | 3.7 | 4.2 | 4.2 | 3.9 | 4.4 |
| 23 | 5.9 | 681 | 101 | 30 | 4.2 | 4.6 | 103 | 3.6 | 4.2 | 4.4 | 3.9 | 4.2 |
| 24 | 5.8 | 669 | 85 | 5.8 | 4.2 | 5.3 | 3.8 | 201 | 4.0 | 4.4 | 3.9 | 4.2 |
| 25 | 5.8 | 656 | 85 | 195 | 4.1 | 5.8 | 209 | 272 | 4.2 | 4.4 | 3.9 | 4.4 |
| 26 | 6.0 | 643 | 85 | 370 | 4.0 | 5.4 | 523 | 19 | 4.4 | 4.4 | 4.0 | 4.4 |
| 27 | 6.2 | 630 | 278 | 402 | 4.0 | 133 | 594 | 19 | 4.0 | 4.4 | 3.7 | 4.4 |
| 28 | 6.0 | 663 | 648 | 401 | 3.9 | 316 | 591 | 23 | 4.2 | 4.4 | 3.2 | 4.4 |
| 29 | 6.0 | 484 | 582 | 401 | 3.8 | 4.5 | 584 | 22 | 4.4 | 4.4 | 3.4 | 4.4 |
| 30 | 6.2 | 359 | 343 | 325 | --- | 33 | 635 | 22 | 4.8 | 4.2 | 3.7 | 4.4 |
| 31 | 6.0 | --- | 188 | 146 | --- | 309 | --- | 419 | --- | 4.0 | 3.9 | --- |
| TOTAL | 145.2 | 10183.2 | 11463.1 | 3604.8 | 1732.2 | 3320.1 | 12853.8 | 5921.4 | 3501.7 | 153.3 | 126.3 | 129.2 |
| MEAN | 4.68 | 339 | 370 | 116 | 59.7 | 107 | 428 | 191 | 117 | 4.95 | 4.07 | 4.31 |
| MAX | 6.2 | 725 | 687 | 402 | 393 | 564 | 672 | 674 | 707 | 8.1 | 5.0 | 4.8 |
| MIN | 3.1 | 5.9 | 5.0 | 5.8 | 1.1 | 2.8 | 3.8 | 3.6 | 2.9 | 4.0 | 3.2 | 3.7 |

CAL YR 1983 TOTAL 63170.0 MEAN 173 MAX 729 MIN 2.5
WTR YR 1984 TOTAL 53134.3 MEAN 145 MAX 725 MIN 1.1

03142000 WILLS CREEK AT CAMBRIDGE, OH

LOCATION.--Lat 40°00'52", long 81°35'14", Guernsey County, Hydrologic Unit 05040005, on left bank at upstream side of bridge on Campbell Avenue in Cambridge, 0.9 mi downstream from Leatherwood Creek.

DRAINAGE AREA.--406 mi².

PERIOD OF RECORD.--June 1926 to September 1928, May 1937 to current year.

REVISED RECORDS.--WSP 853: 1929(M). WSP 893: 1928. WSP 973: 1942.

GAGE.--Water-stage recorder. Datum of gage is 772.34 ft National Geodetic Vertical Datum of 1929. Prior to Oct. 6, 1927, nonrecording gage at site 1.5 mi downstream at different datum. Oct. 6, 1927, to Sept. 30, 1928, and May 22, 1937, to Oct. 18, 1938, nonrecording gage at present site and datum.

REMARKS.--Records good except those for the winter period which are fair. Flow regulated by Senecaville Lake on Seneca Fork, 22 mi upstream, beginning in 1937. Water is diverted 2.7 mi upstream from station for municipal supply of city of Cambridge; diversion not included in figures of daily discharge. Water-quality data collected at this site 1964 to 1975, 1977.

AVERAGE DISCHARGE.--49 years, 452 ft³/s (unadjusted).

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, about 8,500 ft³/s June 6 or 7, 1963; maximum gage height, 24.51 ft Aug. 13, 1980 (backwater from tributaries); minimum daily discharge, 0.7 ft³/s Oct. 6, 1960.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of Aug. 8, 1935, reached a stage of 25.4 ft.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 2,880 ft³/s Apr. 24, gage height, 13.34 ft; minimum daily, 5.7 ft³/s Sept. 20.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|-------|-------|------|-------|-------|-------|-------|------|------|--------|-------|
| 1 | 22 | 70 | 711 | 400 | 230 | 180 | 971 | 868 | 864 | 36 | 19 | 94 |
| 2 | 22 | 69 | 565 | 300 | 148 | 180 | 970 | 834 | 762 | 59 | 19 | 33 |
| 3 | 20 | 337 | 620 | 250 | 372 | 170 | 946 | 837 | 610 | 137 | 71 | 21 |
| 4 | 25 | 748 | 1070 | 220 | 675 | 170 | 984 | 1030 | 559 | 91 | 31 | 21 |
| 5 | 89 | 397 | 1690 | 200 | 492 | 351 | 1530 | 849 | 657 | 53 | 118 | 19 |
| 6 | 97 | 227 | 1460 | 183 | 313 | 1150 | 1710 | 489 | 590 | 60 | 136 | 19 |
| 7 | 54 | 162 | 1240 | 180 | 452 | 1020 | 1450 | 431 | 379 | 108 | 48 | 16 |
| 8 | 35 | 133 | 993 | 157 | 493 | 895 | 1140 | 398 | 135 | 98 | 40 | 17 |
| 9 | 25 | 113 | 898 | 145 | 458 | 640 | 990 | 531 | 82 | 43 | 57 | 9.1 |
| 10 | 20 | 111 | 937 | 130 | 456 | 450 | 935 | 583 | 64 | 34 | 59 | 9.4 |
| 11 | 22 | 581 | 963 | 120 | 344 | 350 | 902 | 727 | 55 | 57 | 42 | 12 |
| 12 | 68 | 1290 | 1460 | 120 | 395 | 290 | 958 | 643 | 62 | 112 | 30 | 12 |
| 13 | 131 | 798 | 2250 | 110 | 501 | 250 | 743 | 591 | 58 | 96 | 24 | 8.5 |
| 14 | 105 | 373 | 2310 | 100 | 1190 | 230 | 671 | 409 | 48 | 52 | 21 | 7.6 |
| 15 | 94 | 299 | 1710 | 95 | 1580 | 210 | 536 | 503 | 48 | 35 | 18 | 9.6 |
| 16 | 60 | 1040 | 1280 | 90 | 922 | 320 | 537 | 602 | 43 | 31 | 16 | 10 |
| 17 | 41 | 1330 | 1050 | 90 | 539 | 528 | 1090 | 360 | 41 | 30 | 18 | 20 |
| 18 | 40 | 1180 | 912 | 85 | 533 | 410 | 1640 | 188 | 38 | 28 | 15 | 16 |
| 19 | 89 | 982 | 600 | 80 | 539 | 332 | 1620 | 160 | 39 | 25 | 12 | 6.8 |
| 20 | 166 | 891 | 390 | 80 | 537 | 281 | 1360 | 147 | 46 | 22 | 10 | 5.7 |
| 21 | 203 | 871 | 280 | 80 | 410 | 1060 | 980 | 136 | 42 | 19 | 9.4 | 6.0 |
| 22 | 418 | 858 | 390 | 75 | 312 | 2400 | 849 | 136 | 35 | 17 | 14 | 12 |
| 23 | 1220 | 811 | 1080 | 75 | 260 | 2610 | 2070 | 222 | 32 | 18 | 55 | 21 |
| 24 | 1510 | 786 | 630 | 282 | 235 | 2120 | 2780 | 477 | 48 | 16 | 88 | 21 |
| 25 | 780 | 760 | 555 | 1220 | 216 | 1060 | 2730 | 419 | 48 | 16 | 40 | 15 |
| 26 | 276 | 726 | 350 | 1340 | 214 | 1090 | 2060 | 313 | 38 | 18 | 26 | 17 |
| 27 | 172 | 696 | 250 | 978 | 183 | 1370 | 1290 | 145 | 30 | 20 | 21 | 16 |
| 28 | 136 | 1010 | 600 | 682 | 180 | 1010 | 1180 | 174 | 27 | 20 | 20 | 18 |
| 29 | 106 | 1600 | 900 | 572 | 180 | 1670 | 1040 | 1260 | 23 | 19 | 18 | 19 |
| 30 | 88 | 1270 | 700 | 527 | --- | 2060 | 903 | 1910 | 26 | 19 | 62 | 17 |
| 31 | 75 | --- | 500 | 397 | --- | 1540 | --- | 1410 | --- | 18 | 164 | --- |
| TOTAL | 6209 | 20519 | 29344 | 9363 | 13359 | 26397 | 37465 | 17782 | 5629 | 1387 | 1269.4 | 528.7 |
| MEAN | 200 | 684 | 947 | 302 | 461 | 852 | 1249 | 574 | 189 | 44.7 | 40.9 | 17.6 |
| MAX | 1510 | 1600 | 2310 | 1340 | 1580 | 2610 | 2780 | 1910 | 864 | 137 | 164 | 94 |
| MIN | 20 | 69 | 250 | 75 | 148 | 170 | 536 | 136 | 23 | 16 | 9.4 | 5.7 |
| (+) | 5.89 | 5.52 | 5.76 | 6.02 | 5.82 | 5.41 | 5.30 | 5.68 | 6.58 | 6.27 | 6.12 | 5.85 |

CAL YR 1983 TOTAL 200684.0 MEAN 550 MAX 4370 MIN 11 (+) 5.54

WTR YR 1984 TOTAL 169252.1 MEAN 462 MAX 2780 MIN 5.7 (+) 5.85

+ Diversion in cubic feet per second; furnished by City of Cambridge.

MUSKINGUM RIVER BASIN

03142290 SALT FORK LAKE NEAR CAMBRIDGE.

LOCATION.--Lat 40°06'15", long 81°33'15", in T.3 N., R.3 W., Guernsey County, Hydrologic Unit 05040005, at outlet works near left end of dam on Salt Fork, 0.8 mi upstream from mouth, 5.0 mi north of Cambridge, and 3.5 mi south of Kimbolton.

DRAINAGE AREA.--159 mi².

PERIOD OF RECORD, September 1968 to current year.

GAGE.--Water-stage recorder. Datum of gage is 700.00 ft National Geodetic Vertical Datum of 1929; gage readings have been reduced to elevations NGVD.

REMARKS.--Reservoir is formed by earthfill dam with concrete morning-glory spillway and emergency spillway cut in natural rock; storage began Dec. 30, 1967. Usable capacity, 41,950 acre-ft between elevations 772.5 ft (invert of lowest outlet) and 800.0 ft (crest of morning-glory spillway). Dead storage below elevation 772.5 ft, 1,250 acre-ft. Additional flood-retention capacity, 28,600 acre-ft between elevations 800.0 ft and 808.0 ft (crest of emergency spillway). Figures given herein represent usable contents. There are no gates on spillway and all regulation is done by conduits through dam. Reservoir is used for recreation, flood control, and future municipal supply.

COOPERATION.--Capacity table furnished by State Department of Natural Resources.

EXTREMES FOR PERIOD OF RECORD: Maximum contents, 72,570 acre-ft Aug. 13, 1980, elevation, 808.48 ft; minimum, 12,200 acre-ft Oct. 17, 1968, elevation, 786.53 ft.

EXTREMES FOR CURRENT YEAR: Maximum contents, 52,700 acre-ft Mar. 31, elevation, 803.30 ft; minimum, 41,740 acre-ft Sept. 30, elevation, 799.93 ft.

MONTHEND ELEVATION AND CONTENTS AT 2400, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| Date | Elevation (feet) | Contents (acre-feet) | Change in contents (acre-feet) |
|------------------|---------------------|-------------------------|-----------------------------------|
| Sept. 30..... | 800.08 | 42,200 | -- |
| Oct. 31..... | 801.04 | 45,180 | +2,980 |
| Nov. 30..... | 801.87 | 47,830 | +2,650 |
| Dec. 31..... | 801.49 | 46,620 | -1,210 |
| CAL YR 1983..... | -- | -- | -1,970 |
| Jan. 31..... | 801.20 | 45,690 | -930 |
| Feb. 29..... | 801.19 | 45,660 | -30 |
| Mar. 31..... | 803.20 | 52,350 | +6,690 |
| Apr. 30..... | 802.49 | 49,920 | -2,430 |
| May 31..... | 802.30 | 49,270 | -650 |
| June 30..... | 800.49 | 43,470 | -5,800 |
| July 31..... | 800.33 | 42,970 | -500 |
| Aug. 31..... | 800.31 | 42,910 | -60 |
| Sept. 30..... | 800.07 | 42,170 | -740 |
| WTR YR 1984..... | -- | -- | -30 |

03143500 WILLS CREEK BELOW WILLS CREEK DAM, AT WILLS CREEK, OH

LOCATION.--Lat 40°09'34", long 81°50'51", in sec. 22, T.4 N., R.6 W., Coshocton County, Hydrologic Unit 05040005, on left bank 1,200 ft downstream from Wills Creek Dam, 1.3 mi southeast of town of Wills Creek, 2.7 mi southeast of Conesville, and 6.2 mi upstream from mouth.

DRAINAGE AREA.--842 mi².

PERIOD OF RECORD.--October 1938 to current year. Prior to October 1939, published as Wills Creek at Wills Creek.

REVISED RECORDS.--WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 717.00 ft National Geodetic Vertical Datum of 1929. Prior to Feb. 18, 1939, nonrecording gage and Feb. 18, 1939, to Sept. 30, 1949, water-stage recorder, at site 1,500 ft downstream at same datum.

REMARKS.--Records good. Flow regulated by Senecaville Lake on Seneca Fork, 80 mi upstream, Salt Fork Reservoir 43 mi upstream, and Wills Creek Lake, 0.2 mi upstream (see station 03142290). Water-quality data collected at this site 1957, 1965 to 1977.

AVERAGE DISCHARGE.--46 years, 943 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 6,930 ft³/s Mar. 7, 1940, gage height, 17.40 ft; maximum gage height, 17.50 ft Mar. 22, 1964 (backwater from Muskingum River); minimum daily discharge, 1.0 ft³/s Aug. 10, Oct. 27-29, 1948, Jan. 28, 1952, July 6-9, 1969, Apr. 3, 1970, Feb. 25, 1975, Feb. 19, 1976, when gates at Wills Creek Lake were closed.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in March 1913 reached a discharge of 22,300 ft³/s, computed by Corps of Engineers.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 5,020 ft³/s Apr. 4, gage height, 15.27 ft; minimum daily, 38 ft³/s Sept. 26-30.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------------|--------|-------|-------|-----------|----------|--------|-------|-------|-------|------|------|------|
| 1 | 46 | 350 | 2320 | 1340 | 800 | 600 | 4460 | 2750 | 2610 | 211 | 72 | 159 |
| 2 | 43 | 328 | 1770 | 952 | 650 | 590 | 4380 | 1970 | 2040 | 258 | 69 | 194 |
| 3 | 41 | 497 | 1310 | 746 | 600 | 570 | 4720 | 1660 | 1560 | 228 | 71 | 191 |
| 4 | 44 | 690 | 1640 | 660 | 893 | 560 | 4900 | 1600 | 1250 | 211 | 91 | 156 |
| 5 | 65 | 1030 | 2630 | 621 | 1180 | 600 | 4500 | 1770 | 1060 | 259 | 107 | 123 |
| 6 | 84 | 1030 | 3010 | 568 | 1140 | 1080 | 4580 | 1910 | 1000 | 300 | 113 | 100 |
| 7 | 105 | 813 | 3080 | 532 | 903 | 1710 | 4560 | 1650 | 1010 | 325 | 139 | 84 |
| 8 | 132 | 642 | 2770 | 506 | 766 | 1980 | 4450 | 1240 | 918 | 300 | 194 | 74 |
| 9 | 134 | 529 | 2340 | 484 | 809 | 1600 | 3380 | 1130 | 575 | 276 | 186 | 67 |
| 10 | 115 | 462 | 1950 | 420 | 825 | 1300 | 2510 | 1130 | 489 | 252 | 169 | 53 |
| 11 | 97 | 610 | 1780 | 380 | 847 | 1100 | 2140 | 1200 | 384 | 263 | 310 | 60 |
| 12 | 103 | 1170 | 2120 | 350 | 886 | 1000 | 1930 | 1220 | 325 | 245 | 319 | 57 |
| 13 | 120 | 1790 | 2900 | 330 | 959 | 920 | 1710 | 1380 | 285 | 223 | 263 | 52 |
| 14 | 143 | 1770 | 3290 | 310 | 1660 | 890 | 1590 | 1350 | 265 | 224 | 202 | 52 |
| 15 | 192 | 1290 | 3520 | 300 | 2570 | 860 | 1500 | 1180 | 245 | 223 | 159 | 54 |
| 16 | 209 | 1140 | 3500 | 290 | 2940 | 959 | 1520 | 1010 | 223 | 199 | 131 | 51 |
| 17 | 197 | 1420 | 3060 | 280 | 2680 | 1330 | 1510 | 1020 | 205 | 173 | 113 | 48 |
| 18 | 180 | 1840 | 2400 | 270 | 1940 | 1630 | 1480 | 965 | 191 | 153 | 99 | 45 |
| 19 | 180 | 1900 | 1890 | 260 | 1550 | 1550 | 1620 | 776 | 196 | 140 | 91 | 43 |
| 20 | 179 | 1700 | 1590 | 250 | 1420 | 1350 | 2160 | 636 | 189 | 130 | 84 | 41 |
| 21 | 240 | 1530 | 1200 | 250 | 1330 | 2220 | 2570 | 630 | 181 | 121 | 77 | 42 |
| 22 | 408 | 1410 | 1100 | 240 | 1180 | 2610 | 2560 | 662 | 173 | 111 | 73 | 41 |
| 23 | 1070 | 1330 | 1210 | 240 | 1020 | 1550 | 2290 | 1190 | 164 | 102 | 76 | 40 |
| 24 | 1790 | 1270 | 1450 | 300 | 896 | 2700 | 2640 | 2900 | 157 | 97 | 71 | 42 |
| 25 | 2110 | 1200 | 1250 | 719 | 822 | 2980 | 3330 | 2480 | 149 | 91 | 70 | 39 |
| 26 | 1810 | 1140 | 1000 | 1170 | 757 | 2820 | 3580 | 1720 | 143 | 84 | 83 | 38 |
| 27 | 1140 | 1080 | 840 | 1580 | 660 | 3520 | 3770 | 1270 | 139 | 91 | 92 | 38 |
| 28 | 764 | 1360 | 760 | 1510 | 640 | 4080 | 4410 | 996 | 135 | 91 | 89 | 38 |
| 29 | 586 | 1960 | 953 | 1230 | 620 | 2450 | 4380 | 1180 | 131 | 87 | 81 | 38 |
| 30 | 474 | 2370 | 1280 | 1050 | --- | 3200 | 3930 | 1800 | 164 | 82 | 98 | 38 |
| 31 | 399 | --- | 1580 | 942 | --- | 3810 | --- | 2470 | --- | 77 | 152 | --- |
| TOTAL | 13200 | 35651 | 61493 | 19080 | 33943 | 54119 | 93260 | 44845 | 16656 | 5627 | 3944 | 2108 |
| MEAN | 426 | 1188 | 1984 | 615 | 1170 | 1746 | 3109 | 1447 | 555 | 182 | 127 | 70.3 |
| MAX | 2110 | 2370 | 3520 | 1580 | 2940 | 4080 | 4900 | 2900 | 2610 | 325 | 319 | 194 |
| MIN | 41 | 328 | 760 | 240 | 600 | 560 | 1480 | 630 | 131 | 77 | 69 | 38 |
| CAL YR 1983 TOTAL | 428184 | | | MEAN 1173 | MAX 4960 | MIN 35 | | | | | | |
| WTR YR 1984 TOTAL | 383926 | | | MEAN 1049 | MAX 4900 | MIN 38 | | | | | | |

MUSKINGUM RIVER BASIN

03144000 WAKATOMIKA CREEK NEAR FRAZEYSBURG, OH

LOCATION.--Lat 40°07'57", long 82°08'53", in NW 1/4 sec. 13, T.3 N., R.9 W., Muskingum County, Hydrologic Unit 05040004, on right bank 2.0 mi northwest of Frazeyburg, 2.0 mi downstream from Fivemile Run, and 2.5 mi upstream from Black Run.

DRAINAGE AREA.--140 mi².

PERIOD OF RECORD.--September 1936 to current year.

REVISED RECORDS.--WSP 1113: 1937(M). WSP 1555: 1952(M).

GAGE.--Water-stage recorder. Datum of gage is 748.12 ft National Geodetic Vertical Datum of 1929. Prior to Oct. 31, 1936, nonrecording gage at same site and datum.

REMARKS.--Records good except those for winter periods which are fair. Water-quality data collected at this site 1965 to 1977. Sediment data collected 1970 to 1974.

AVERAGE DISCHARGE.--48 years, 155 ft³/s, 15.04 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 16,800 ft³/s Sept. 14, 1979, gage height, 14.07 ft, from rating curve extended above 7,700 ft³/s on basis of contracted-opening measurement of peak flow; minimum, 2.0 ft³/s Oct. 3, 1963, gage height, 0.94.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 1,600 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Nov. 28 | 2000 | 2,000 | 5.63 | Feb. 14 | 1130 | 1,810 | 5.31 |
| Dec. 4 | 2330 | 2,330 | 6.16 | Mar. 21 | 1830 | *4,960 | *9.34 |

Minimum discharge, 5.0 ft³/s Sept. 22,23.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|------|------|------|------|-------|-------|-------|------|------|------|-------|
| 1 | 5.6 | 38 | 227 | 40 | 40 | 130 | 406 | 206 | 220 | 28 | 18 | 17 |
| 2 | 5.7 | 58 | 170 | 38 | 40 | 109 | 315 | 173 | 173 | 32 | 25 | 13 |
| 3 | 6.5 | 435 | 153 | 36 | 130 | 97 | 271 | 199 | 142 | 32 | 35 | 11 |
| 4 | 8.5 | 246 | 1170 | 34 | 400 | 90 | 374 | 715 | 114 | 22 | 50 | 11 |
| 5 | 20 | 137 | 1190 | 32 | 270 | 227 | 747 | 460 | 97 | 35 | 78 | 10 |
| 6 | 23 | 101 | 576 | 31 | 190 | 654 | 687 | 340 | 86 | 60 | 50 | 9.0 |
| 7 | 15 | 81 | 537 | 30 | 120 | 415 | 552 | 285 | 76 | 88 | 30 | 8.5 |
| 8 | 12 | 70 | 352 | 28 | 80 | 323 | 397 | 365 | 69 | 66 | 26 | 8.0 |
| 9 | 12 | 62 | 281 | 28 | 50 | 260 | 315 | 482 | 62 | 48 | 28 | 8.5 |
| 10 | 12 | 58 | 246 | 27 | 110 | 230 | 260 | 357 | 56 | 38 | 54 | 8.5 |
| 11 | 12 | 227 | 231 | 27 | 310 | 200 | 216 | 296 | 51 | 32 | 98 | 9.0 |
| 12 | 17 | 357 | 435 | 26 | 240 | 180 | 189 | 308 | 47 | 29 | 68 | 9.0 |
| 13 | 25 | 189 | 430 | 26 | 190 | 170 | 179 | 246 | 45 | 28 | 45 | 8.0 |
| 14 | 30 | 140 | 331 | 25 | 1340 | 160 | 196 | 223 | 50 | 27 | 32 | 8.0 |
| 15 | 30 | 123 | 289 | 24 | 693 | 160 | 791 | 189 | 46 | 25 | 24 | 8.5 |
| 16 | 25 | 189 | 213 | 23 | 415 | 752 | 482 | 164 | 41 | 28 | 18 | 7.5 |
| 17 | 21 | 173 | 162 | 23 | 336 | 682 | 357 | 150 | 39 | 34 | 17 | 7.0 |
| 18 | 22 | 137 | 132 | 23 | 304 | 486 | 308 | 142 | 38 | 29 | 17 | 6.5 |
| 19 | 38 | 120 | 125 | 22 | 292 | 374 | 264 | 142 | 37 | 26 | 15 | 6.1 |
| 20 | 35 | 120 | 192 | 22 | 267 | 348 | 231 | 145 | 35 | 25 | 13 | 5.7 |
| 21 | 58 | 135 | 209 | 22 | 220 | 3380 | 196 | 576 | 33 | 24 | 12 | 5.7 |
| 22 | 125 | 111 | 344 | 22 | 179 | 2000 | 352 | 361 | 31 | 23 | 12 | 5.0 |
| 23 | 552 | 99 | 450 | 22 | 159 | 943 | 913 | 853 | 29 | 22 | 24 | 5.0 |
| 24 | 213 | 132 | 310 | 90 | 145 | 736 | 1200 | 693 | 36 | 22 | 19 | 6.1 |
| 25 | 101 | 114 | 210 | 440 | 186 | 720 | 742 | 387 | 42 | 21 | 14 | 6.5 |
| 26 | 72 | 99 | 150 | 350 | 170 | 1150 | 473 | 292 | 34 | 21 | 12 | 6.1 |
| 27 | 59 | 88 | 100 | 240 | 148 | 676 | 387 | 220 | 29 | 20 | 11 | 6.5 |
| 28 | 50 | 1120 | 68 | 160 | 153 | 576 | 357 | 315 | 27 | 20 | 11 | 6.5 |
| 29 | 47 | 802 | 56 | 120 | 148 | 1290 | 271 | 537 | 25 | 19 | 10 | 6.1 |
| 30 | 42 | 348 | 50 | 80 | --- | 819 | 250 | 392 | 23 | 19 | 13 | 7.0 |
| 31 | 39 | --- | 45 | 54 | --- | 552 | --- | 285 | --- | 18 | 17 | --- |
| TOTAL | 1733.3 | 6109 | 9434 | 2165 | 7325 | 18889 | 12678 | 10498 | 1833 | 961 | 896 | 240.3 |
| MEAN | 55.9 | 204 | 304 | 69.8 | 253 | 609 | 423 | 339 | 61.1 | 31.0 | 28.9 | 8.01 |
| MAX | 552 | 1120 | 1190 | 440 | 1340 | 3380 | 1200 | 853 | 220 | 88 | 98 | 17 |
| MIN | 5.6 | 38 | 45 | 22 | 40 | 90 | 179 | 142 | 23 | 18 | 10 | 5.0 |
| CFSM | .40 | 1.46 | 2.17 | .50 | 1.81 | 4.35 | 3.02 | 2.42 | .44 | .22 | .21 | .06 |
| IN. | .46 | 1.62 | 2.51 | .58 | 1.95 | 5.02 | 3.37 | 2.79 | .49 | .26 | .24 | .06 |

CAL YR 1983 TOTAL 68013.1 MEAN 186 MAX 2170 MIN 5.0 CFSM 1.33 IN 18.07
WTR YR 1984 TOTAL 72761.6 MEAN 199 MAX 3380 MIN 5.0 CFSM 1.42 IN 19.33

03144500 MUSKINGUM RIVER AT DRESDEN, OH

LOCATION.--Lat 40°07'13", long 81°59'59", Muskingum County, Hydrologic Unit 05040004, on left bank 70 ft downstream from bridge on State Highway 208, 0.5 mi east of Dresden, and 0.5 mi downstream from Wakatomika Creek.

DRAINAGE AREA.--5,993 mi².

PERIOD OF RECORD.--September 1921 to September 1984 (discontinued).

REVISED RECORDS.--WSP 728: 1927(M). WSP 803: 1935. WSP 1385: 1922-23, 1928(M), 1929, 1930(M). WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 693.15 ft National Geodetic Vertical Datum of 1929. Prior to Aug. 24, 1925, nonrecording gage at about same site and datum.

REMARKS.--Records good. Flow regulated by 16 flood-control reservoirs at points 15 mi to 105 mi upstream. Water-quality data collected at this site 1966, 1969 to 1977. Water temperatures collected 1952-61, 1963 to 1974. Sediment data collected 1952 to 1974.

AVERAGE DISCHARGE.--63 years, 6,392 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 100,000 ft³/s Aug. 9, 1935, gage height, 31.6 ft; minimum daily, 335 ft³/s June 25, 1925.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in March 1913 reached a stage of 46.0 ft, present site and datum, from floodmark, discharge, 228,000 ft³/s, computed by Corps of Engineers.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 33,100 ft³/s Mar. 22, gage height, 18.78 ft; minimum daily, 961 ft³/s Oct. 4.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|---------|--------|--------|--------|--------|--------|--------|--------|-------|-------|-------|
| 1 | 1000 | 2220 | 12200 | 5650 | 4670 | 5200 | 27200 | 12900 | 12900 | 2530 | 1620 | 3750 |
| 2 | 982 | 2250 | 9790 | 4950 | 3950 | 4900 | 25900 | 11000 | 11400 | 2840 | 1570 | 2950 |
| 3 | 972 | 4110 | 8190 | 4590 | 4440 | 4700 | 25300 | 9900 | 9380 | 2630 | 1620 | 2210 |
| 4 | 961 | 6060 | 10500 | 4400 | 11200 | 4500 | 23900 | 12000 | 8080 | 2490 | 2440 | 1940 |
| 5 | 1070 | 6200 | 18700 | 4400 | 12800 | 4860 | 23100 | 15400 | 7030 | 3890 | 2850 | 2020 |
| 6 | 1220 | 5500 | 20100 | 4320 | 10300 | 7840 | 24500 | 15600 | 6270 | 7710 | 2660 | 1820 |
| 7 | 1310 | 4770 | 19900 | 4180 | 7680 | 11000 | 23800 | 13600 | 5900 | 7800 | 2430 | 1650 |
| 8 | 1310 | 4210 | 18600 | 3950 | 6940 | 11900 | 22400 | 11600 | 5430 | 7000 | 2440 | 1540 |
| 9 | 1230 | 3750 | 16800 | 3690 | 6190 | 10300 | 20500 | 12300 | 4860 | 5810 | 2780 | 1450 |
| 10 | 1210 | 3440 | 14600 | 3510 | 5450 | 8630 | 18700 | 13700 | 4280 | 4410 | 3300 | 1390 |
| 11 | 1170 | 3980 | 13200 | 3100 | 7030 | 8030 | 15900 | 13200 | 3830 | 3830 | 4760 | 1440 |
| 12 | 1210 | 7200 | 13500 | 2730 | 11300 | 7240 | 14400 | 12000 | 3470 | 3870 | 4200 | 1610 |
| 13 | 1390 | 9770 | 17300 | 2500 | 12300 | 5440 | 14300 | 11600 | 3260 | 3670 | 3340 | 1490 |
| 14 | 1730 | 8800 | 17700 | 2300 | 17100 | 6160 | 13900 | 11600 | 3230 | 3290 | 2670 | 1430 |
| 15 | 1870 | 7280 | 16700 | 2100 | 21700 | 6140 | 14900 | 10800 | 3460 | 2950 | 2240 | 1450 |
| 16 | 1850 | 7490 | 15300 | 2000 | 22000 | 8680 | 15100 | 9740 | 3280 | 2780 | 1970 | 1590 |
| 17 | 1690 | 8700 | 13500 | 1800 | 20200 | 16200 | 15300 | 8620 | 3010 | 2730 | 1790 | 1490 |
| 18 | 1570 | 9660 | 11700 | 1700 | 16500 | 19500 | 14700 | 7730 | 2810 | 2500 | 1680 | 1360 |
| 19 | 1570 | 9580 | 9970 | 1600 | 14700 | 19100 | 14100 | 6960 | 3070 | 2330 | 1620 | 1250 |
| 20 | 1810 | 8900 | 8660 | 1600 | 12900 | 18100 | 14100 | 6380 | 5680 | 2210 | 2180 | 1210 |
| 21 | 1990 | 8640 | 7950 | 1500 | 11500 | 23700 | 13300 | 8140 | 4930 | 2050 | 2120 | 1170 |
| 22 | 2320 | 8340 | 8750 | 1400 | 10200 | 31900 | 12400 | 13300 | 3740 | 1940 | 1730 | 1140 |
| 23 | 4900 | 7780 | 9650 | 1400 | 8370 | 27000 | 15300 | 16300 | 3170 | 1810 | 1670 | 1100 |
| 24 | 6880 | 7300 | 9490 | 2610 | 7750 | 26600 | 20400 | 21400 | 2930 | 1720 | 1670 | 1090 |
| 25 | 7010 | 7310 | 6230 | 6140 | 7050 | 27000 | 23800 | 20400 | 2890 | 1670 | 1660 | 1070 |
| 26 | 5910 | 6800 | 4830 | 9350 | 6400 | 27700 | 23400 | 17500 | 2640 | 1650 | 1540 | 1220 |
| 27 | 4520 | 6190 | 5200 | 9430 | 6000 | 26100 | 22100 | 14500 | 2420 | 1670 | 1450 | 1230 |
| 28 | 3630 | 8240 | 5360 | 9840 | 5600 | 26300 | 20500 | 12600 | 2270 | 2250 | 1380 | 1300 |
| 29 | 3120 | 13800 | 6140 | 7880 | 5400 | 25000 | 18200 | 13500 | 2210 | 2610 | 1330 | 1250 |
| 30 | 2690 | 14100 | 6560 | 6170 | --- | 27700 | 15500 | 14100 | 2250 | 2090 | 1510 | 1230 |
| 31 | 2390 | --- | 6490 | 5290 | --- | 27200 | --- | 14100 | --- | 1770 | 2420 | --- |
| TOTAL | 72485 | 212370 | 363560 | 126080 | 297720 | 486620 | 566900 | 392470 | 140080 | 98510 | 68640 | 45850 |
| MEAN | 2338 | 7079 | 11730 | 4067 | 10270 | 15700 | 18900 | 12660 | 4669 | 3178 | 2214 | 1552 |
| MAX | 7010 | 14100 | 20100 | 9840 | 22000 | 31900 | 27200 | 21400 | 12900 | 7800 | 4760 | 3750 |
| MIN | 961 | 2220 | 4830 | 1400 | 3950 | 4500 | 12400 | 6380 | 2210 | 1650 | 1330 | 1070 |
| CAL YR 1983 | TOTAL | 2686065 | MEAN | 7359 | MAX | 28300 | MIN | 961 | | | | |
| WTR YR 1984 | TOTAL | 2872295 | MEAN | 7848 | MAX | 31900 | MIN | 961 | | | | |

MUSKINGUM RIVER BASIN

03145000 SOUTH FORK LICKING RIVER NEAR HEBRON, OH

LOCATION.--Lat 39°59'19", long 82°28'30", in NW 1/4 sec. 3, T.1 N., R.12 W., Licking County, Hydrologic Unit 05040006, on left bank at upstream side of bridge on county road, 800 ft downstream from Beaver Run, 2.3 mi north of Hebron, and 2.5 mi upstream from Ramp Creek.

DRAINAGE AREA.--133 mi².

PERIOD OF RECORD.--October 1939 to September 1948, July 1968 to current year.

REVISED RECORDS.--WSP 923: 1940. WSP 1033: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 856.08 ft National Geodetic Vertical Datum of 1929. Prior to Sept. 13, 1974 nonrecording gage at same site and datum.

REMARKS.--Records fair. Occasional regulation by Buckeye Lake, capacity, 27,300 acre-ft, on unnamed tributary 5.6 mi upstream from station. Occasional diversion from Buckeye Lake into Jonathan Creek which bypasses station. Water-quality data collected at this site 1969 to 1977.

AVERAGE DISCHARGE.--25 years, 155 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 4,120 ft³/s Mar. 6, 1945, gage height, 12.1 ft, from flood marks; no flow Aug. 22, 1942.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of Jan. 21, 1959, reached a stage of 12.4 ft present datum, from flood marks; discharge 5,880 ft³/s, by slope-area measurement.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 2,260 ft³/s Mar. 17, gage height 10.11 ft ; minimum daily, 5.0 ft³/s Sept. 23.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1994
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|---------|------|------|------|-------|-------|------|------|-------|-------|-------|
| 1 | 7.4 | 5.5 | 330 | 46 | 43 | 53 | 537 | 63 | 129 | 11 | 16 | 9.1 |
| 2 | 7.1 | 8.7 | 210 | 44 | 48 | 71 | 574 | 52 | 71 | 13 | 30 | 9.1 |
| 3 | 7.0 | 80 | 140 | 43 | 428 | 570 | 385 | 79 | 56 | 13 | 29 | 9.1 |
| 4 | 9.1 | 96 | 1200 | 38 | 627 | 469 | 206 | 244 | 47 | 10 | 27 | 9.1 |
| 5 | 13 | 31 | 560 | 35 | 328 | 261 | 350 | 139 | 42 | 9.9 | 66 | 7.5 |
| 6 | 11 | 17 | 270 | 32 | 174 | 110 | 820 | 96 | 42 | 20 | 30 | 6.9 |
| 7 | 9.9 | 12 | 140 | 30 | 56 | 84 | 580 | 84 | 40 | 48 | 19 | 6.6 |
| 8 | 9.5 | 9.5 | 120 | 28 | 69 | 66 | 250 | 172 | 34 | 30 | 44 | 7.5 |
| 9 | 9.9 | 7.5 | 110 | 26 | 39 | 79 | 154 | 288 | 30 | 19 | 24 | 7.5 |
| 10 | 9.3 | 87 | 100 | 24 | 60 | 166 | 104 | 259 | 28 | 16 | 14 | 8.3 |
| 11 | 9.7 | 751 | 150 | 23 | 409 | 520 | 86 | 221 | 29 | 13 | 56 | 7.9 |
| 12 | 11 | 722 | 580 | 21 | 258 | 799 | 72 | 235 | 27 | 12 | 43 | 7.9 |
| 13 | 11 | 463 | 350 | 20 | 287 | 458 | 68 | 219 | 23 | 10 | 18 | 8.3 |
| 14 | 11 | 395 | 210 | 18 | 907 | 395 | 77 | 164 | 25 | 9.5 | 12 | 6.9 |
| 15 | 10 | 485 | 130 | 18 | 607 | 242 | 134 | 62 | 25 | 9.1 | 9.5 | 6.6 |
| 16 | 11 | 553 | 100 | 17 | 423 | 1170 | 121 | 53 | 20 | 9.1 | 7.9 | 6.3 |
| 17 | 11 | 480 | 84 | 16 | 365 | 2020 | 321 | 53 | 20 | 8.7 | 7.2 | 6.0 |
| 18 | 15 | 407 | 70 | 15 | 360 | 1790 | 405 | 48 | 20 | 8.7 | 6.6 | 6.6 |
| 19 | 16 | 385 | 64 | 15 | 339 | 863 | 347 | 44 | 20 | 12 | 6.0 | 6.0 |
| 20 | 18 | 388 | 60 | 15 | 168 | 645 | 162 | 43 | 20 | 10 | 6.0 | 6.0 |
| 21 | 28 | 392 | 58 | 14 | 106 | 1090 | 106 | 195 | 18 | 8.7 | 5.5 | 6.6 |
| 22 | 46 | 367 | 230 | 14 | 80 | 875 | 360 | 154 | 16 | 9.5 | 9.1 | 5.7 |
| 23 | 263 | 345 | 170 | 15 | 71 | 680 | 970 | 781 | 14 | 10 | 9.1 | 5.0 |
| 24 | 125 | 330 | 120 | 250 | 65 | 1110 | 861 | 790 | 14 | 9.9 | 6.3 | 6.4 |
| 25 | 40 | 310 | 86 | 1030 | 123 | 999 | 545 | 463 | 28 | 11 | 5.5 | 7.0 |
| 26 | 19 | 250 | 70 | 806 | 94 | 676 | 377 | 302 | 23 | 10 | 5.2 | 7.8 |
| 27 | 13 | 270 | 62 | 469 | 69 | 588 | 328 | 318 | 16 | 13 | 5.7 | 7.0 |
| 28 | 10 | 1500 | 58 | 363 | 68 | 535 | 290 | 511 | 14 | 12 | 6.9 | 6.6 |
| 29 | 7.5 | 920 | 54 | 336 | 62 | 496 | 252 | 783 | 12 | 12 | 11 | 6.9 |
| 30 | 5.7 | 560 | 52 | 204 | --- | 383 | 185 | 537 | 11 | 14 | 11 | 7.0 |
| 31 | 5.2 | --- | 48 | 39 | --- | 674 | --- | 302 | --- | 14 | 10 | --- |
| TOTAL | 779.3 | 10627.2 | 5986 | 4064 | 6733 | 18937 | 10127 | 7754 | 914 | 416.1 | 556.5 | 215.2 |
| MEAN | 25.1 | 354 | 193 | 131 | 232 | 611 | 338 | 250 | 30.5 | 13.4 | 18.0 | 7.17 |
| MAX | 263 | 1500 | 1200 | 1030 | 907 | 2020 | 970 | 790 | 129 | 48 | 66 | 9.1 |
| MIN | 5.2 | 5.5 | 48 | 14 | 39 | 53 | 68 | 43 | 11 | 8.7 | 5.2 | 5.0 |

CAL YR 1983 TOTAL 58997.5 MEAN 162 MAX 2020 MIN 4.1
WTR YR 1984 TOTAL 67109.3 MEAN 183 MAX 2020 MIN 5.0

03146500 LICKING RIVER NEAR NEWARK, OH

LOCATION.--Lat 40°03'33", long 82°20'23", in SW 1/4 T.2 N., R.11 W., Licking County, Hydrologic Unit 05040006, on right bank at downstream side of Stadden Bridge, 1.0 mi downstream from Shawnee Run, 1.5 mi upstream from Equality Run, and 3.5 mi east of Newark.

DRAINAGE AREA.--537 mi².

PERIOD OF RECORD.--October 1939 to current year.

REVISED RECORDS.--WSP 973: 1940(M). WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 779.02 ft National Geodetic Vertical Datum of 1929. Prior to May 9, 1940, nonrecording gage at same site and datum.

REMARKS.--Records good. Occasional regulation by Buckeye Lake, capacity, 27,300 acre-ft, on South Fork 15.2 mi upstream. Water-quality data collected at this site 1962 to 1980.

AVERAGE DISCHARGE.--45 years, 593 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 45,000 ft³/s Jan. 21, 1959, gage height, 20.3 ft (from high-water mark), from rating curve extended above 24,000 ft³/s on basis of flood-routing studies from station at Toboso; minimum daily, 28 ft³/s Sept. 27, 1954.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 6,500 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Dec. 4 | 2200 | 6,930 | 9.63 | Mar. 21 | 1300 | *15,600 | *13.68 |

Minimum daily discharge, 51 ft³/s Oct. 3.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|--------|----------|------|-------|--------|-------|-------|------|------|------|------|
| 1 | 71 | 107 | 894 | 130 | 178 | 377 | 1810 | 669 | 744 | 150 | 89 | 82 |
| 2 | 69 | 128 | 681 | 120 | 206 | 366 | 1580 | 580 | 580 | 144 | 111 | 76 |
| 3 | 51 | 1140 | 630 | 120 | 2120 | 330 | 1470 | 650 | 489 | 139 | 141 | 76 |
| 4 | 84 | 981 | 4470 | 110 | 2250 | 311 | 1720 | 1900 | 428 | 139 | 185 | 72 |
| 5 | 107 | 476 | 4240 | 110 | 981 | 921 | 3240 | 1300 | 372 | 179 | 352 | 72 |
| 6 | 84 | 301 | 2500 | 110 | 553 | 2370 | 3030 | 955 | 342 | 228 | 189 | 68 |
| 7 | 77 | 225 | 2180 | 110 | 311 | 1440 | 2420 | 816 | 319 | 362 | 133 | 68 |
| 8 | 69 | 188 | 1410 | 100 | 252 | 1040 | 1690 | 1100 | 293 | 297 | 139 | 66 |
| 9 | 67 | 161 | 1140 | 100 | 236 | 681 | 1240 | 1520 | 267 | 206 | 133 | 62 |
| 10 | 65 | 171 | 1020 | 98 | 306 | 567 | 1020 | 1160 | 243 | 185 | 382 | 78 |
| 11 | 65 | 2280 | 1090 | 96 | 2110 | 533 | 876 | 955 | 240 | 172 | 392 | 74 |
| 12 | 75 | 2160 | 2250 | 94 | 1300 | 405 | 780 | 998 | 228 | 150 | 288 | 70 |
| 13 | 79 | 1110 | 1710 | 92 | 1190 | 428 | 744 | 899 | 224 | 156 | 172 | 68 |
| 14 | 73 | 808 | 1200 | 90 | 4290 | 488 | 758 | 758 | 293 | 139 | 147 | 70 |
| 15 | 70 | 719 | 800 | 90 | 2050 | 851 | 1080 | 592 | 221 | 124 | 119 | 70 |
| 16 | 68 | 1270 | 630 | 90 | 1390 | 4100 | 964 | 513 | 199 | 163 | 111 | 58 |
| 17 | 70 | 1280 | 501 | 88 | 1150 | 3050 | 1630 | 467 | 192 | 182 | 101 | 58 |
| 18 | 100 | 921 | 405 | 88 | 1100 | 1830 | 1540 | 434 | 192 | 141 | 94 | 56 |
| 19 | 93 | 751 | 356 | 86 | 1050 | 1430 | 1350 | 412 | 189 | 127 | 89 | 56 |
| 20 | 100 | 719 | 311 | 86 | 825 | 1450 | 1010 | 418 | 175 | 116 | 85 | 50 |
| 21 | 123 | 775 | 292 | 88 | 651 | 13400 | 846 | 1640 | 172 | 109 | 80 | 58 |
| 22 | 274 | 704 | 851 | 88 | 533 | 7390 | 1490 | 1200 | 163 | 103 | 89 | 56 |
| 23 | 903 | 644 | 868 | 96 | 469 | 3990 | 3340 | 2850 | 156 | 101 | 103 | 53 |
| 24 | 622 | 972 | 433 | 600 | 433 | 3290 | 3300 | 2410 | 243 | 101 | 109 | 58 |
| 25 | 341 | 767 | 297 | 2350 | 759 | 3340 | 2270 | 1400 | 247 | 101 | 96 | 55 |
| 26 | 217 | 451 | 230 | 1410 | 681 | 5000 | 1570 | 998 | 205 | 101 | 87 | 68 |
| 27 | 164 | 341 | 210 | 1080 | 527 | 2750 | 1320 | 846 | 172 | 111 | 80 | 55 |
| 28 | 137 | 4390 | 180 | 674 | 482 | 2610 | 1220 | 1320 | 159 | 99 | 82 | 53 |
| 29 | 120 | 3110 | 160 | 547 | 405 | 4670 | 1020 | 2470 | 153 | 91 | 82 | 55 |
| 30 | 105 | 1480 | 150 | 445 | --- | 2900 | 891 | 1570 | 144 | 89 | 101 | 55 |
| 31 | 100 | --- | 140 | 225 | --- | 2150 | --- | 1060 | --- | 87 | 96 | --- |
| TOTAL | 4643 | 29530 | 32229 | 9611 | 28788 | 74458 | 47219 | 34860 | 8045 | 4592 | 4457 | 1926 |
| MEAN | 150 | 984 | 1040 | 310 | 993 | 2402 | 1574 | 1125 | 268 | 148 | 144 | 64.2 |
| MAX | 903 | 4390 | 4470 | 2350 | 4290 | 13400 | 3340 | 2850 | 744 | 362 | 392 | 82 |
| MIN | 51 | 107 | 140 | 86 | 178 | 311 | 744 | 412 | 144 | 87 | 80 | 53 |
| CAL YR 1983 | TOTAL | 237142 | MEAN 650 | MAX | 7150 | MIN 51 | | | | | | |
| WTR YR 1984 | TOTAL | 280358 | MEAN 766 | MAX | 13400 | MIN 51 | | | | | | |

MUSKINGUM RIVER BASIN

03147500 LICKING RIVER BELOW DILLON DAM, NEAR DILLON FALLS, OH

LOCATION.--Lat 39°59'18", long 82°04'50", in T.1 N., R.8 W., Muskingum County, Hydrologic Unit 05040006, on left bank 500 ft downstream from Dillon Dam, 2.0 mi northwest of Dillon Falls, and 5.8 mi upstream from mouth.

DRAINAGE AREA.--742 mi².

PERIOD OF RECORD.--October 1939 to current year. Prior to October 1962, published as Licking River at Dillon.

REVISED RECORDS.--WSP 2107: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 700.0 ft Corps of Engineers bench mark. Prior to Oct. 27, 1940, water-stage recorder at site 2.3 mi downstream at different datum. Oct. 27, 1940, to Sept. 30, 1962, water-stage recorder at site 2.6 mi downstream at datum 16.3 ft lower.

REMARKS.--Records good. Flow regulated by Dillon Lake since December 1960. Water-quality data collected at this site 1965 to 1977. Water-temperature data collected 1961 to 1975.

AVERAGE DISCHARGE.--21 years (water years 1940-60), 760 ft³/s; 24 years (water years 1961-84); 888 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 47,000 ft³/s Jan. 22, 1959, gage height, 32.46 ft; minimum daily, 19 ft³/s Dec. 22, 1960.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in March 1913 reached a stage of 37.0 ft site and datum in use 1940-62, from floodmark, backwater from Muskingum River.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 4,410 ft³/s Apr 12, gage height, 9.38 ft; minimum daily, 67 ft³/s June 28,29.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|--------|-------|-------|-------|-------|--------|-------|-------|------|------|------|
| 1 | 120 | 234 | 3200 | 370 | 324 | 561 | 4090 | 1400 | 953 | 185 | 231 | 122 |
| 2 | 120 | 251 | 1570 | 320 | 276 | 527 | 4190 | 929 | 947 | 366 | 228 | 122 |
| 3 | 120 | 551 | 444 | 366 | 1000 | 596 | 4160 | 824 | 947 | 228 | 164 | 122 |
| 4 | 120 | 1910 | 929 | 387 | 2740 | 527 | 3360 | 1890 | 640 | 170 | 137 | 122 |
| 5 | 120 | 1300 | 2260 | 383 | 2130 | 652 | 2600 | 1540 | 358 | 231 | 137 | 122 |
| 6 | 117 | 173 | 2890 | 378 | 1510 | 2000 | 4290 | 1150 | 448 | 262 | 204 | 125 |
| 7 | 117 | 324 | 2880 | 378 | 731 | 2720 | 4240 | 1360 | 466 | 258 | 301 | 125 |
| 8 | 117 | 395 | 2870 | 324 | 466 | 2200 | 4200 | 1050 | 453 | 258 | 362 | 125 |
| 9 | 117 | 404 | 2820 | 290 | 453 | 1190 | 4240 | 1620 | 383 | 354 | 245 | 122 |
| 10 | 120 | 347 | 2750 | 301 | 471 | 1000 | 4300 | 1630 | 383 | 426 | 294 | 125 |
| 11 | 120 | 652 | 2680 | 305 | 561 | 923 | 4260 | 1120 | 383 | 430 | 383 | 122 |
| 12 | 120 | 2040 | 2630 | 258 | 1180 | 662 | 4250 | 959 | 324 | 255 | 387 | 122 |
| 13 | 117 | 2000 | 2630 | 221 | 2070 | 683 | 4230 | 959 | 290 | 170 | 413 | 122 |
| 14 | 117 | 1410 | 2590 | 305 | 2370 | 763 | 4310 | 1240 | 404 | 143 | 313 | 122 |
| 15 | 114 | 1570 | 2520 | 313 | 1660 | 853 | 4300 | 1100 | 339 | 143 | 241 | 122 |
| 16 | 114 | 1310 | 1790 | 228 | 1670 | 1990 | 4290 | 802 | 276 | 182 | 137 | 125 |
| 17 | 114 | 1460 | 996 | 211 | 1660 | 3360 | 4310 | 657 | 276 | 201 | 106 | 125 |
| 18 | 117 | 1550 | 693 | 208 | 1650 | 3690 | 4270 | 591 | 276 | 198 | 97 | 125 |
| 19 | 114 | 1290 | 736 | 231 | 1650 | 2860 | 4160 | 537 | 269 | 158 | 97 | 125 |
| 20 | 117 | 899 | 601 | 224 | 1630 | 2240 | 3070 | 518 | 255 | 111 | 111 | 125 |
| 21 | 120 | 859 | 513 | 188 | 2690 | 905 | 1580 | 1130 | 251 | 86 | 125 | 125 |
| 22 | 125 | 971 | 763 | 152 | 3200 | 117 | 1400 | 1650 | 198 | 86 | 125 | 125 |
| 23 | 457 | 882 | 1220 | 158 | 1690 | 176 | 2250 | 1370 | 176 | 125 | 131 | 125 |
| 24 | 1240 | 830 | 899 | 366 | 876 | 1320 | 2360 | 2080 | 173 | 137 | 108 | 125 |
| 25 | 870 | 1050 | 758 | 2050 | 636 | 2020 | 1890 | 2100 | 214 | 140 | 97 | 125 |
| 26 | 280 | 1130 | 596 | 2870 | 1150 | 1310 | 2640 | 2090 | 287 | 176 | 97 | 125 |
| 27 | 182 | 780 | 301 | 2010 | 1000 | 2160 | 2840 | 2030 | 313 | 94 | 106 | 125 |
| 28 | 185 | 1420 | 331 | 1150 | 742 | 2550 | 2800 | 2010 | 251 | 67 | 122 | 125 |
| 29 | 201 | 3370 | 551 | 888 | 736 | 1070 | 2860 | 2960 | 204 | 67 | 122 | 125 |
| 30 | 214 | 3340 | 537 | 802 | --- | 2710 | 2230 | 3020 | 170 | 89 | 122 | 125 |
| 31 | 221 | --- | 462 | 646 | --- | 3530 | --- | 1570 | --- | 94 | 122 | --- |
| TOTAL | 6447 | 34702 | 47410 | 17281 | 38922 | 47865 | 103970 | 43886 | 11313 | 5890 | 5865 | 3717 |
| MEAN | 208 | 1157 | 1529 | 557 | 1342 | 1544 | 3466 | 1416 | 377 | 190 | 189 | 124 |
| MAX | 1240 | 3370 | 3200 | 2870 | 3200 | 3690 | 4310 | 3020 | 953 | 430 | 413 | 125 |
| MIN | 114 | 173 | 301 | 152 | 276 | 117 | 1400 | 518 | 170 | 67 | 97 | 122 |
| CAL YR 1983 | TOTAL | 332488 | MEAN | 911 | MAX | 4650 | MIN | 97 | | | | |
| WTR YR 1984 | TOTAL | 367268 | MEAN | 1003 | MAX | 4310 | MIN | 67 | | | | |

MUSKINGUM RIVER BASIN

95

03150000 MUSKINGUM RIVER AT MCCONNELLSVILLE, OH

(National stream quality accounting network station)

LOCATION.--Lat 39°38'42", long 81°51'00", in SE 1/4 sec. 11, T.10 N., R.12 W., Morgan County, Hydrologic Unit 05040004, on left bank just upstream from Dam 7, at McConnelssville, and 3.5 mi downstream from Oilspring Run.

DRAINAGE AREA.--7,422 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--October 1921 to current year.

REVISED RECORDS.--WSP 783: 1913(M). WSP 853: 1933(M). WSP 1173: 1922-24, 1928(M). WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 650.31 ft National Geodetic Vertical Datum of 1929. Prior to July 27, 1922, nonrecording gage at site 0.5 mi upstream at same datum. July 27, 1922, to Aug. 10, 1926, nonrecording gage and Aug. 11, 1926, to Sept. 8, 1959, water-stage recorder at present site and datum. Sept. 9, 1959, to July 18, 1960, nonrecording gage at site 0.5 mi upstream at same datum.

REMARKS.--Records good. Flow regulated by 17 flood-control reservoirs 36.6 mi to 148 mi upstream from station.

AVERAGE DISCHARGE.--63 years, 7,630 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 126,000 ft³/s Jan. 26, 1937, gage height, 21.14 ft; minimum daily, 325 ft³/s Oct. 12, 1930, may have been lower during August 1930.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of Mar. 27, 1913 reached a stage of 33.5 ft, discharge, 270,000 ft³/s, computed by Corps of Engineers.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 35,400 ft³/s Mar. 29, gage height, 9.96 ft; minimum daily, 1,120 ft³/s Oct. 3.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------------|---------|--------|--------|-----------|-----------|----------|--------|--------|--------|--------|-------|-------|
| 1 | 1230 | 2920 | 17000 | 7290 | 5700 | 6340 | 31500 | 16500 | 15500 | 4520 | 2090 | 3400 |
| 2 | 1190 | 2830 | 14000 | 6520 | 4940 | 6480 | 30500 | 13800 | 13900 | 4420 | 2120 | 3920 |
| 3 | 1120 | 4310 | 10500 | 5960 | 5390 | 6310 | 29700 | 12600 | 11900 | 4100 | 2100 | 2930 |
| 4 | 1200 | 7680 | 14200 | 5600 | 11900 | 5770 | 30500 | 14500 | 10200 | 3260 | 2390 | 2480 |
| 5 | 1470 | 9030 | 20600 | 5280 | 16300 | 6050 | 28400 | 17900 | 8580 | 3270 | 3120 | 2320 |
| 6 | 1600 | 6690 | 23800 | 5270 | 14400 | 10800 | 30500 | 18000 | 7650 | 7830 | 3250 | 2320 |
| 7 | 1600 | 5890 | 24100 | 5420 | 10400 | 15100 | 29700 | 16900 | 7190 | 8810 | 2990 | 2090 |
| 8 | 1650 | 5410 | 22800 | 5170 | 8530 | 15600 | 27900 | 14600 | 6920 | 8450 | 3340 | 1920 |
| 9 | 1600 | 4910 | 20900 | 4610 | 7630 | 13700 | 25900 | 14800 | 6110 | 7290 | 3240 | 1790 |
| 10 | 1510 | 4570 | 19100 | 4190 | 6840 | 11400 | 24100 | 15300 | 5440 | 5950 | 3710 | 1720 |
| 11 | 1480 | 6310 | 17300 | 3740 | 6860 | 10400 | 22300 | 15900 | 4900 | 5230 | 4880 | 1670 |
| 12 | 1610 | 8770 | 18300 | 3340 | 11700 | 9430 | 18900 | 14800 | 4490 | 4730 | 5490 | 1810 |
| 13 | 1680 | 12700 | 20100 | 2980 | 15300 | 8570 | 19400 | 13800 | 4080 | 4410 | 4520 | 1900 |
| 14 | 1950 | 11600 | 21100 | 3010 | 21200 | 8290 | 19000 | 14100 | 4350 | 4030 | 3740 | 1770 |
| 15 | 2230 | 10400 | 20500 | 3240 | 24000 | 8150 | 19700 | 13300 | 4210 | 3630 | 3020 | 1750 |
| 16 | 2300 | 10100 | 18800 | 2980 | 24400 | 10300 | 20200 | 12100 | 4080 | 3450 | 2620 | 1810 |
| 17 | 2240 | 10700 | 16300 | 2830 | 23600 | 17800 | 21900 | 10600 | 3910 | 3340 | 2290 | 1890 |
| 18 | 2140 | 11900 | 14000 | 2740 | 20500 | 22900 | 21500 | 9450 | 3590 | 3230 | 2090 | 1800 |
| 19 | 2230 | 12100 | 12000 | 2640 | 18100 | 23100 | 20000 | 8640 | 3500 | 2970 | 1970 | 1640 |
| 20 | 2270 | 11100 | 11000 | 2320 | 16500 | 21100 | 19100 | 7870 | 5170 | 2720 | 2020 | 1510 |
| 21 | 3040 | 10500 | 9300 | 1910 | 15100 | 30600 | 16700 | 8920 | 6230 | 2510 | 2600 | 1460 |
| 22 | 3560 | 10200 | 10500 | 1750 | 15100 | 34000 | 19000 | 14300 | 4880 | 2370 | 2310 | 1400 |
| 23 | 8160 | 9780 | 12000 | 1800 | 12100 | 31400 | 22600 | 19600 | 4120 | 2270 | 2210 | 1350 |
| 24 | 9050 | 9230 | 11400 | 3150 | 10200 | 28000 | 25900 | 24300 | 3980 | 2200 | 2040 | 1360 |
| 25 | 9330 | 9060 | 7700 | 7960 | 8990 | 29700 | 27000 | 23800 | 3500 | 2100 | 2000 | 1290 |
| 26 | 7400 | 8970 | 6000 | 12300 | 8670 | 32400 | 27400 | 21200 | 3430 | 2040 | 1950 | 1310 |
| 27 | 6200 | 8280 | 6000 | 12700 | 8440 | 29600 | 26700 | 18200 | 3130 | 2110 | 1830 | 1400 |
| 28 | 5000 | 10900 | 6040 | 12000 | 7760 | 30700 | 25400 | 17300 | 3000 | 2050 | 1720 | 1460 |
| 29 | 4200 | 17300 | 7940 | 11500 | 6480 | 33600 | 22900 | 20600 | 2840 | 2840 | 1520 | 1520 |
| 30 | 3500 | 18300 | 7900 | 8480 | --- | 31700 | 20300 | 18900 | 2900 | 2730 | 1630 | 1470 |
| 31 | 3100 | --- | 7400 | 7160 | --- | 31400 | --- | 17300 | --- | 2290 | 2270 | --- |
| TOTAL | 96840 | 272440 | 448580 | 165840 | 367030 | 580700 | 724600 | 480880 | 173480 | 121240 | 83170 | 55510 |
| MEAN | 3124 | 9081 | 14470 | 5350 | 12660 | 18730 | 24150 | 15510 | 5783 | 3911 | 2683 | 1894 |
| MAX | 9330 | 18300 | 24100 | 12700 | 24400 | 34000 | 31500 | 24300 | 15500 | 8810 | 5490 | 3920 |
| MIN | 1120 | 2830 | 6000 | 1750 | 4940 | 5770 | 16700 | 7870 | 2840 | 2040 | 1620 | 1290 |
| CAL YR 1983 TOTAL | 3344670 | | | MEAN 9163 | MAX 36400 | MIN 1120 | | | | | | |
| WTR YR 1984 TOTAL | 3571310 | | | MEAN 9758 | MAX 34000 | MIN 1120 | | | | | | |

MUSKINGUM RIVER BASIN

03150000 MUSKINGUM RIVER AT MCCONNELSVILLE, OH--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water year 1950 to current year.

PERIOD OF DAILY RECORD.--

SUSPENDED SEDIMENT DISCHARGE: November 1978 to current year.

REMARKS.--Samples collected each month as part of the National Stream Quality Accounting Network. Water-quality monitor data collected at site, 1.0 mi upstream from discharge station, from 1973 to 1980.

COOPERATION.--Pesticide analyses furnished by Environmental Protection Agency.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SEDIMENT CONCENTRATIONS: Maximum daily mean, 1,710 mg/L Aug. 11, 1980; minimum daily mean 2 mg/L Jan. 28, 1983.

SEDIMENT LOADS: Maximum daily 167,000 tons Aug. 11, 1980; minimum daily, 19 tons Jan. 22, 23, 1984.

EXTREMES FOR CURRENT YEAR.--

SEDIMENT CONCENTRATIONS: Maximum daily mean, 615 mg/L Feb. 15; minimum daily mean, 4 mg/L Jan. 21-23.

SEDIMENT LOADS: Maximum daily, 39,900 tons Feb. 15; minimum daily, 19 tons Jan. 22, 23.

WATER QUALITY DATA, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | SPE- CIFIC CON- DUCT- ANCE (UMHOS) | PH (STAND- ARD) UNITS | TEMPER- ATURE, AIR (DEG C) | TEMPER- ATURE (DEG C) | TUR- BID- ITY (NTU) | OXYGEN, DIS- SOLVED (MG/L) | OXYGEN, DIS- SOLVED SATUR- ATION | COLI- FORM, FECAL, 0.7 UM-4F (COLS./ 100 ML) |
|-----------|------|---|---|--------------------------------|-------------------------------------|-----------------------------|------------------------------|-------------------------------------|--|--|
| OCT 18... | 1130 | 2120 | 920 | 7.7 | 11.0 | 15.5 | 14 | 8.8 | 90 | 83 |
| DEC 13... | 0900 | 20000 | 505 | 7.8 | 4.0 | 6.0 | 28 | 10.8 | 90 | 4000 |
| FEB 09... | 1000 | 7760 | 485 | 7.4 | 1.0 | 1.0 | 22 | 12.6 | 92 | 8000 |
| MAY 03... | 0930 | 12400 | 520 | 7.5 | 14.5 | 14.0 | 17 | 9.7 | 98 | 420 |
| JUL 05... | 1030 | 3150 | 695 | 8.2 | 26.0 | 23.0 | 13 | 7.9 | 96 | 75 |
| AUG 10... | 1110 | 3720 | 780 | 7.8 | 26.0 | 25.5 | 6.8 | 7.0 | 89 | 70 |

| DATE | STREP- TOCUCCI FECAL, KF AGAR (COLS. PER 100 ML) | CALCIUM DIS- SOLVED (MG/L AS CA) | MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) | SODIUM, DIS- SOLVED (MG/L AS NA) | PERCENT SODIUM | SODIUM AD- SORP- TION RATIO | POTAS- SIUM, DIS- SOLVED (MG/L AS K) | ALKA- LINITY LAB (MG/L AS CACO3) | SULFATE DIS- SOLVED (MG/L AS SO4) | CHLO- RIDE, DIS- SOLVED (MG/L AS CL) |
|-----------|--|--|--|--|-------------------|---|---|---|---|---|
| OCT 18... | 87 | 88 | 27 | 61 | 28 | 2 | 6.4 | 141 | 190 | 110 |
| DEC 13... | 6400 | 52 | 16 | 24 | 21 | .8 | 2.9 | 85 | 110 | 39 |
| FEB 09... | 6400 | 45 | 14 | 26 | 24 | .9 | 6.1 | 77 | 95 | 46 |
| MAY 03... | 1200 | 56 | 17 | 17 | 15 | .5 | 2.7 | 91 | 110 | 30 |
| JUL 05... | 50 | 69 | 22 | 32 | 21 | .9 | 4.3 | 102 | 160 | 59 |
| AUG 10... | 36 | 75 | 26 | 39 | 22 | 1 | 5.7 | 115 | 190 | 73 |

| DATE | FLUO- RIDE, DIS- SOLVED (MG/L AS F) | SILICA, DIS- SOLVED (MG/L AS SiO2) | SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) | NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N) | NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) | NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH4) | NITRO- GEN,AM- MONIA + ORGANIC TOTAL (MG/L AS N) | PHOS- PHORUS, TOTAL (MG/L AS P) | PHOS- PHORUS, DIS- SOLVED (MG/L AS P) | PHOS- PHORUS, ORTHOPHOS- PHATE, DIS- SOLVED (MG/L AS P) |
|-----------|--|---|--|---|---|---|--|---|--|--|
| OCT 18... | .30 | 3.7 | 613 | 1.90 | .220 | .28 | 1.1 | .170 | .170 | .020 |
| DEC 13... | .10 | 7.4 | 314 | .720 | .110 | .14 | .70 | .060 | .040 | .040 |
| FEB 09... | .20 | 5.9 | 268 | 1.70 | .670 | .86 | 2.5 | .290 | .110 | .060 |
| MAY 03... | <.20 | 5.9 | 353 | 1.40 | .550 | .71 | 1.0 | .170 | .110 | .090 |
| JUL 05... | .30 | .7 | 497 | 1.20 | <.010 | -- | 1.6 | .100 | <.010 | <.010 |
| AUG 10... | .30 | 2.7 | 496 | 1.20 | .180 | .23 | 2.1 | .140 | .020 | <.010 |

MUSKINGUM RIVER BASIN

97

03150000 MUSKINGUM RIVER AT MCCONNELLSVILLE, OH--Continued

WATER QUALITY DATA, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | ALUM- INUM, DIS- SOLVED (UG/L AS AL) | ARSENIC DIS- SOLVED (UG/L AS AS) | BARIUM, DIS- SOLVED (UG/L AS BA) | BERYL- LIUM, DIS- SOLVED (UG/L AS BE) | CADMIUM DIS- SOLVED (UG/L AS CD) | CHRO- MIUM, DIS- SOLVED (UG/L AS CR) | COBALT, DIS- SOLVED (UG/L AS CO) | COPPER, DIS- SOLVED (UG/L AS CJ) | IRON, DIS- SOLVED (UG/L AS FE) |
|-----------|------|---|---|--|--|--|--|---|--|--|--|
| OCT 18... | 1130 | 2120 | 70 | 1 | 89 | <.5 | <1 | 1 | <3 | 11 | 10 |
| DEC 13... | 0900 | 20000 | 170 | 1 | 54 | <.5 | <1 | 20 | <3 | 7 | 9 |
| FEB 09... | 1000 | 7760 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MAY 03... | 0930 | 12400 | 30 | 1 | 54 | <1 | <1 | <1 | <3 | 9 | 19 |
| JUL 05... | 1030 | 3150 | 90 | 1 | 66 | <1 | <1 | 1 | <3 | 9 | 12 |
| AUG 10... | 1110 | 3720 | -- | -- | -- | -- | -- | -- | -- | -- | -- |

| DATE | LEAD, DIS- SOLVED (UG/L AS PB) | LITHIUM DIS- SOLVED (UG/L AS LI) | MANGA- NESE, DIS- SOLVED (UG/L AS MN) | MERCURY DIS- SOLVED (UG/L AS HG) | MOLYB- DENUM, DIS- SOLVED (UG/L AS MO) | NICKEL, DIS- SOLVED (UG/L AS NI) | SELE- NIUM, DIS- SOLVED (UG/L AS SE) | SILVER, DIS- SOLVED (UG/L AS AG) | STRON- TIUM, DIS- SOLVED (UG/L AS SR) | VANA- DIUM, DIS- SOLVED (UG/L AS V) | ZINC, DIS- SOLVED (UG/L AS ZN) |
|-----------|--|--|--|--|---|--|---|--|--|--|--|
| OCT 18... | 6 | 18 | 300 | .3 | <10 | 6 | <1 | <1 | 350 | <6 | 8 |
| DEC 13... | 2 | 9 | 170 | .1 | <10 | 5 | <1 | <1 | 240 | <6 | 10 |
| FEB 09... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| MAY 03... | 2 | 9 | 74 | <.1 | <10 | 6 | <1 | <1 | 240 | <6 | 9 |
| JUL 05... | 1 | 10 | 9 | .2 | <10 | 2 | <1 | <1 | 290 | <6 | 10 |
| AUG 10... | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | TEMPER- ATURE (DEG C) | SEDI- MENT, DIS- SUS- PENDED (MG/L) | SEDI- MENT, DIS- CHARGE, SUS- PENDED (T/DAY) |
|-----------|------|---|-----------------------------|--|--|
| OCT 18... | 1130 | 2120 | 15.5 | 33 | 189 |
| DEC 13... | 0900 | 20000 | 6.0 | 74 | 4000 |
| FEB 09... | 1000 | 7760 | 1.0 | 39 | 817 |
| MAY 03... | 0930 | 12400 | 14.0 | 59 | 1980 |
| JUL 05... | 1030 | 3150 | 23.0 | 23 | 196 |
| AUG 10... | 1110 | 3720 | 25.5 | 29 | 291 |

MUSKINGUM RIVER BASIN

03150000 MUSKINGUM RIVER AT MCCONNELSVILLE, OH--Continued
 SEDIMENT DISCHARGE, SUSPENDED (TONS/DAY), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
|---------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| OCTOBER | | | | NOVEMBER | | | DECEMBER | | |
| 1 | 1230 | 36 | 120 | 2920 | 110 | 867 | 17000 | 109 | 5000 |
| 2 | 1190 | 48 | 154 | 2830 | 30 | 229 | 14000 | 77 | 2910 |
| 3 | 1120 | 48 | 145 | 4310 | 119 | 1380 | 10500 | 46 | 1300 |
| 4 | 1200 | 50 | 162 | 7680 | 139 | 2890 | 14200 | 78 | 2990 |
| 5 | 1470 | 50 | 198 | 9030 | 121 | 2930 | 20600 | 158 | 8790 |
| 6 | 1600 | 52 | 225 | 6690 | 62 | 1120 | 23800 | 218 | 14000 |
| 7 | 1600 | 56 | 242 | 5890 | 42 | 668 | 24100 | 230 | 15000 |
| 8 | 1650 | 39 | 174 | 5410 | 32 | 457 | 22800 | 195 | 12000 |
| 9 | 1600 | 60 | 259 | 4910 | 30 | 398 | 20900 | 159 | 8970 |
| 10 | 1510 | 42 | 171 | 4570 | 70 | 864 | 19100 | 136 | 7010 |
| 11 | 1480 | 52 | 208 | 6310 | 88 | 1500 | 17300 | 111 | 5180 |
| 12 | 1610 | 56 | 243 | 8770 | 108 | 2560 | 18300 | 125 | 6190 |
| 13 | 1680 | 34 | 154 | 12700 | 164 | 5620 | 20100 | 151 | 8190 |
| 14 | 1950 | 44 | 232 | 11600 | 54 | 1690 | 21100 | 168 | 9570 |
| 15 | 2230 | 42 | 253 | 10400 | 43 | 1210 | 20500 | 155 | 8590 |
| 16 | 2300 | 40 | 248 | 10100 | 44 | 1200 | 18800 | 126 | 6400 |
| 17 | 2240 | 40 | 242 | 10700 | 48 | 1390 | 16300 | 100 | 4400 |
| 18 | 2140 | 39 | 225 | 11900 | 59 | 1900 | 14000 | 79 | 2990 |
| 19 | 2230 | 17 | 102 | 12100 | 58 | 1890 | 12000 | 59 | 1910 |
| 20 | 2270 | 28 | 172 | 11100 | 50 | 1500 | 11000 | 51 | 1510 |
| 21 | 3040 | 39 | 320 | 10500 | 46 | 1300 | 9300 | 36 | 904 |
| 22 | 3560 | 45 | 433 | 10200 | 44 | 1210 | 10500 | 46 | 1300 |
| 23 | 8160 | 54 | 1190 | 9780 | 42 | 1110 | 12000 | 59 | 1910 |
| 24 | 9050 | 48 | 1170 | 9230 | 37 | 922 | 11400 | 55 | 1690 |
| 25 | 9330 | 38 | 957 | 9060 | 37 | 905 | 7700 | 28 | 582 |
| 26 | 7400 | 45 | 899 | 8970 | 36 | 872 | 6000 | 18 | 292 |
| 27 | 6200 | 31 | 519 | 8280 | 31 | 693 | 6000 | 18 | 292 |
| 28 | 5000 | 42 | 567 | 10900 | 51 | 1500 | 6040 | 21 | 342 |
| 29 | 4200 | 30 | 340 | 17300 | 107 | 5000 | 7940 | 29 | 622 |
| 30 | 3500 | 68 | 643 | 18300 | 121 | 5980 | 7900 | 29 | 619 |
| 31 | 3100 | 30 | 251 | --- | --- | --- | 7400 | 26 | 519 |
| TOTAL | 96840 | --- | 11218 | 272440 | --- | 51775 | 448580 | --- | 141952 |
| JANUARY | | | | FEBRUARY | | | MARCH | | |
| 1 | 7290 | 25 | 492 | 5700 | 17 | 262 | 6340 | 32 | 548 |
| 2 | 6520 | 21 | 370 | 4940 | 13 | 173 | 6480 | 30 | 525 |
| 3 | 5960 | 18 | 290 | 5390 | 15 | 218 | 6310 | 25 | 426 |
| 4 | 5600 | 16 | 242 | 11900 | 56 | 1800 | 5770 | 20 | 312 |
| 5 | 5280 | 15 | 214 | 16300 | 100 | 4400 | 6060 | 16 | 262 |
| 6 | 5270 | 15 | 213 | 14400 | 80 | 3110 | 10800 | 152 | 4430 |
| 7 | 5420 | 16 | 234 | 10400 | 46 | 1290 | 15100 | 104 | 4240 |
| 8 | 5170 | 14 | 195 | 8530 | 32 | 737 | 15600 | 104 | 4380 |
| 9 | 4610 | 14 | 174 | 7630 | 27 | 556 | 13700 | 68 | 2520 |
| 10 | 4190 | 11 | 124 | 6840 | 21 | 388 | 11400 | 40 | 1230 |
| 11 | 3740 | 9 | 91 | 6860 | 24 | 445 | 10400 | 35 | 983 |
| 12 | 3340 | 8 | 72 | 11700 | 57 | 1800 | 9430 | 24 | 611 |
| 13 | 2980 | 6 | 48 | 15300 | 90 | 3720 | 8570 | 20 | 463 |
| 14 | 3010 | 7 | 57 | 21200 | 484 | 29200 | 8290 | 23 | 515 |
| 15 | 3240 | 7 | 61 | 24000 | 615 | 39900 | 8150 | 20 | 440 |
| 16 | 2980 | 6 | 48 | 24400 | 320 | 21100 | 10300 | 70 | 1950 |
| 17 | 2830 | 6 | 46 | 23600 | 218 | 13900 | 17800 | 115 | 5530 |
| 18 | 2740 | 6 | 44 | 20500 | 138 | 7640 | 22900 | 263 | 16300 |
| 19 | 2640 | 6 | 43 | 18100 | 119 | 5820 | 23100 | 198 | 12300 |
| 20 | 2320 | 5 | 31 | 16500 | 94 | 4190 | 21100 | 170 | 9680 |
| 21 | 1910 | 4 | 21 | 15100 | 90 | 3670 | 30600 | 163 | 13500 |
| 22 | 1750 | 4 | 19 | 15100 | 70 | 2850 | 34000 | 191 | 17500 |
| 23 | 1800 | 4 | 19 | 12100 | 52 | 1700 | 31400 | 200 | 17000 |
| 24 | 3150 | 7 | 60 | 10200 | 52 | 1430 | 28000 | 190 | 14400 |
| 25 | 7960 | 30 | 645 | 8990 | 89 | 2160 | 29700 | 180 | 14400 |
| 26 | 12300 | 63 | 2090 | 8670 | 34 | 796 | 32400 | 170 | 14900 |
| 27 | 12700 | 64 | 2190 | 8440 | 38 | 856 | 29600 | 150 | 12000 |
| 28 | 12000 | 59 | 1910 | 7760 | 27 | 566 | 30700 | 140 | 11600 |
| 29 | 11500 | 55 | 1710 | 6480 | 22 | 385 | 33600 | 160 | 14500 |
| 30 | 8480 | 31 | 710 | --- | --- | --- | 31700 | 170 | 14600 |
| 31 | 7160 | 25 | 483 | --- | --- | --- | 31400 | 150 | 12700 |
| TOTAL | 165840 | --- | 12946 | 367030 | --- | 155072 | 580700 | --- | 224745 |

03150000 MUSKINGUM RIVER AT MCCONNELLSVILLE, OH--Continued

SEDIMENT DISCHARGE, SUSPENDED (TONS/DAY), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| APRIL | | | MAY | | | JUNE | | | |
| 1 | 31500 | 145 | 12300 | 16500 | 150 | 6680 | 15500 | 82 | 3430 |
| 2 | 30600 | 139 | 11500 | 13800 | 145 | 5400 | 13900 | 90 | 3380 |
| 3 | 29700 | 150 | 12000 | 12600 | 130 | 4420 | 11900 | 65 | 2090 |
| 4 | 30500 | 144 | 11900 | 14500 | 120 | 4700 | 10200 | 50 | 1380 |
| 5 | 28400 | 130 | 9970 | 17900 | 115 | 5560 | 8580 | 40 | 927 |
| 6 | 30600 | 120 | 9910 | 18000 | 110 | 5350 | 7650 | 38 | 785 |
| 7 | 29700 | 106 | 8500 | 16900 | 112 | 5110 | 7190 | 36 | 699 |
| 8 | 27900 | 102 | 7680 | 14600 | 90 | 3150 | 6820 | 31 | 571 |
| 9 | 25900 | 80 | 5590 | 14800 | 68 | 2720 | 6110 | 30 | 495 |
| 10 | 24100 | 76 | 4950 | 16300 | 106 | 4670 | 5440 | 28 | 411 |
| 11 | 22300 | 75 | 4520 | 15900 | 70 | 3010 | 4900 | 25 | 331 |
| 12 | 18900 | 74 | 3780 | 14800 | 70 | 2800 | 4490 | 20 | 242 |
| 13 | 19400 | 72 | 3770 | 13800 | 55 | 2420 | 4080 | 18 | 198 |
| 14 | 19000 | 70 | 3590 | 14100 | 70 | 2660 | 4350 | 20 | 235 |
| 15 | 19700 | 72 | 3830 | 13300 | 80 | 2870 | 4210 | 28 | 318 |
| 16 | 20200 | 74 | 4040 | 12100 | 65 | 2120 | 4080 | 36 | 397 |
| 17 | 21800 | 76 | 4470 | 10600 | 54 | 1550 | 3810 | 32 | 329 |
| 18 | 21500 | 78 | 4530 | 9450 | 46 | 1170 | 3590 | 28 | 271 |
| 19 | 20000 | 68 | 3670 | 8640 | 48 | 1120 | 3500 | 30 | 283 |
| 20 | 19100 | 60 | 3090 | 7870 | 45 | 956 | 5170 | 86 | 1200 |
| 21 | 16700 | 55 | 2480 | 8920 | 54 | 1300 | 6230 | 92 | 1550 |
| 22 | 19000 | 136 | 6980 | 14300 | 97 | 3750 | 4880 | 65 | 856 |
| 23 | 22600 | 197 | 12000 | 19600 | 225 | 11900 | 4120 | 38 | 423 |
| 24 | 25800 | 244 | 17000 | 24300 | 315 | 20700 | 3880 | 36 | 377 |
| 25 | 27000 | 274 | 20000 | 23800 | 205 | 13200 | 3600 | 30 | 292 |
| 26 | 27400 | 284 | 21000 | 21200 | 150 | 8590 | 3430 | 25 | 232 |
| 27 | 26700 | 190 | 13700 | 18200 | 110 | 5410 | 3130 | 20 | 169 |
| 28 | 25400 | 175 | 12000 | 17300 | 88 | 4110 | 3000 | 18 | 146 |
| 29 | 22900 | 160 | 9890 | 20600 | 115 | 6400 | 2840 | 24 | 184 |
| 30 | 20300 | 150 | 8220 | 18900 | 120 | 6120 | 2900 | 28 | 219 |
| 31 | --- | --- | --- | 17300 | 91 | 4250 | --- | --- | --- |
| TOTAL | 724600 | --- | 255860 | 480880 | --- | 154166 | 173480 | --- | 22420 |
| JULY | | | AUGUST | | | SEPTEMBER | | | |
| 1 | 4520 | 30 | 366 | 2090 | 34 | 192 | 3400 | 35 | 321 |
| 2 | 4420 | 29 | 346 | 2120 | 36 | 206 | 3920 | 35 | 370 |
| 3 | 4100 | 26 | 288 | 2100 | 32 | 181 | 2980 | 36 | 290 |
| 4 | 3260 | 25 | 220 | 2390 | 30 | 194 | 2480 | 34 | 228 |
| 5 | 3270 | 23 | 203 | 3120 | 28 | 236 | 2320 | 32 | 200 |
| 6 | 7830 | 225 | 5040 | 3250 | 26 | 228 | 2320 | 32 | 200 |
| 7 | 8810 | 143 | 3400 | 2990 | 30 | 242 | 2090 | 30 | 169 |
| 8 | 8460 | 74 | 1690 | 3340 | 30 | 271 | 1920 | 30 | 156 |
| 9 | 7290 | 63 | 1240 | 3240 | 34 | 297 | 1780 | 30 | 144 |
| 10 | 5960 | 60 | 966 | 3710 | 36 | 351 | 1720 | 30 | 139 |
| 11 | 5230 | 55 | 777 | 4880 | 42 | 553 | 1670 | 30 | 135 |
| 12 | 4780 | 40 | 516 | 5490 | 40 | 593 | 1810 | 28 | 137 |
| 13 | 4410 | 25 | 298 | 4520 | 36 | 439 | 1900 | 28 | 144 |
| 14 | 4030 | 23 | 250 | 3740 | 32 | 323 | 1770 | 30 | 143 |
| 15 | 3630 | 24 | 235 | 3020 | 30 | 245 | 1760 | 30 | 143 |
| 16 | 3460 | 25 | 234 | 2620 | 26 | 184 | 1810 | 30 | 147 |
| 17 | 3340 | 26 | 234 | 2290 | 22 | 136 | 1890 | 28 | 143 |
| 18 | 3230 | 25 | 218 | 2090 | 24 | 135 | 1800 | 28 | 136 |
| 19 | 2970 | 24 | 192 | 1970 | 26 | 138 | 1640 | 26 | 115 |
| 20 | 2720 | 20 | 147 | 2020 | 28 | 153 | 1510 | 26 | 106 |
| 21 | 2510 | 18 | 122 | 2600 | 30 | 211 | 1460 | 26 | 102 |
| 22 | 2370 | 19 | 122 | 2310 | 32 | 200 | 1400 | 26 | 98 |
| 23 | 2270 | 17 | 104 | 2210 | 34 | 203 | 1350 | 26 | 95 |
| 24 | 2200 | 18 | 107 | 2040 | 32 | 176 | 1360 | 30 | 110 |
| 25 | 2100 | 19 | 108 | 2000 | 30 | 162 | 1290 | 33 | 115 |
| 26 | 2040 | 21 | 116 | 1950 | 30 | 158 | 1310 | 35 | 124 |
| 27 | 2110 | 22 | 125 | 1830 | 28 | 138 | 1400 | 32 | 121 |
| 28 | 2060 | 24 | 133 | 1720 | 28 | 130 | 1460 | 30 | 118 |
| 29 | 2840 | 26 | 199 | 1620 | 27 | 118 | 1520 | 30 | 123 |
| 30 | 2730 | 30 | 221 | 1630 | 27 | 119 | 1470 | 30 | 119 |
| 31 | 2290 | 32 | 198 | 2270 | 27 | 165 | --- | --- | --- |
| TOTAL | 121240 | --- | 18415 | 83170 | --- | 7087 | 56510 | --- | 4691 |
| YEAR | 3571310 | | 1061347 | | | | | | |

MUSKINGUM RIVER BASIN

03150000 MUSKINGUM RIVER AT MCCONNELSVILLE, OH--Continued

PARTICLE-SIZE DISTRIBUTION OF SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | SEDI- MENT, SUS- PENDE (MG/L) | SEDI- MENT, DIS- CHARGE, SUS- PENDE (T/DAY) | SED. SUSP. FALL DIAM. % FINER THAN .002 MM | SED. SUSP. FALL DIAM. % FINER THAN .004 MM | SED. SUSP. FALL DIAM. % FINER THAN .008 MM | |
|--------------|------|--|--|---|---|---|---|---|
| FEB 14... | 0940 | 21200 | 249 | 14300 | 33 | 46 | 58 | |
| DATE | | SED. SUSP. FALL DIAM. % FINER THAN .016 MM | SED. SUSP. FALL DIAM. % FINER THAN .031 MM | SED. SUSP. SIEVE DIAM. % FINER THAN .062 MM | SED. SUSP. SIEVE DIAM. % FINER THAN .125 MM | SED. SUSP. SIEVE DIAM. % FINER THAN .250 MM | SED. SUSP. SIEVE DIAM. % FINER THAN .500 MM | SED. SUSP. SIEVE DIAM. % FINER THAN 1.00 MM |
| FEB 14... | 70 | 82 | 90 | 95 | 98 | 99 | 100 | |

HOCKING RIVER BASIN

101

03157000 CLEAR CREEK NEAR ROCKBRIDGE, OH

LOCATION.--Lat 39°35'18", long 82°34'43", in NE 1/4 sec. 20, T.13 N., R.18 W., Hocking County, Hydrologic Unit 05030204, on left bank at upstream side of county road bridge, 400 ft downstream from unnamed right bank tributary, 2.0 mi upstream from mouth, and 3 mi west of Rockbridge.

DRAINAGE AREA.--89.0 mi².

PERIOD OF RECORD.--October 1939 to current year.

REVISED RECORDS.--WSP 1305: 1940(M), 1943(M), 1945(M). WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 760.13 ft National Geodetic Vertical Datum of 1929. Prior to May 2, 1940, nonrecording gage at same site and datum.

REMARKS.--Records good except those for winter periods which are fair. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--45 years, 89.3 ft³/s, 13.63 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 16,000 ft³/s July 22, 1948, gage height, 17.68 ft (from high-water mark in well), from rating curve extended above 4,300 ft³/s on basis of slope-area measurement of peak flow; minimum, 3.0 ft³/s Dec. 29, 1947, result of freezeup.

EXTREMES FOR CURRENT YEAR.--Peak discharge above base of 1,900 ft³/s and maximums (*);

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|--------------------------------|------------------|---------------------------|------|--------------------------------|------------------|
| Mar 21 | 0315 | *2,450 | * 8.91 | No other peak above base. | | | |

Minimum discharge, 13 ft³/s Oct. 1-4.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1 | 13 | 30 | 112 | 45 | 46 | 69 | 176 | 89 | 120 | 27 | 19 | 19 |
| 2 | 14 | 30 | 93 | 44 | 110 | 70 | 147 | 84 | 101 | 35 | 19 | 23 |
| 3 | 13 | 68 | 104 | 43 | 279 | 65 | 139 | 126 | 86 | 32 | 20 | 24 |
| 4 | 22 | 55 | 577 | 42 | 155 | 61 | 345 | 173 | 74 | 27 | 21 | 24 |
| 5 | 36 | 43 | 297 | 41 | 113 | 260 | 422 | 118 | 67 | 28 | 25 | 21 |
| 6 | 24 | 37 | 307 | 40 | 73 | 312 | 381 | 140 | 61 | 31 | 23 | 21 |
| 7 | 19 | 35 | 220 | 39 | 57 | 186 | 238 | 130 | 57 | 33 | 22 | 21 |
| 8 | 18 | 32 | 148 | 39 | 52 | 155 | 183 | 209 | 53 | 26 | 24 | 20 |
| 9 | 18 | 30 | 125 | 38 | 49 | 117 | 156 | 185 | 49 | 26 | 20 | 19 |
| 10 | 18 | 41 | 131 | 38 | 53 | 92 | 134 | 137 | 47 | 27 | 19 | 20 |
| 11 | 19 | 224 | 128 | 37 | 68 | 80 | 117 | 117 | 44 | 26 | 26 | 21 |
| 12 | 21 | 133 | 166 | 37 | 115 | 70 | 105 | 114 | 42 | 27 | 21 | 21 |
| 13 | 24 | 82 | 134 | 36 | 141 | 68 | 104 | 95 | 40 | 24 | 20 | 23 |
| 14 | 27 | 64 | 120 | 35 | 504 | 100 | 103 | 86 | 40 | 24 | 19 | 24 |
| 15 | 21 | 67 | 108 | 34 | 241 | 193 | 97 | 77 | 37 | 27 | 19 | 25 |
| 16 | 20 | 114 | 91 | 34 | 168 | 279 | 89 | 70 | 36 | 43 | 18 | 20 |
| 17 | 19 | 137 | 75 | 33 | 131 | 171 | 147 | 65 | 36 | 25 | 18 | 21 |
| 18 | 28 | 91 | 69 | 32 | 129 | 140 | 179 | 62 | 35 | 24 | 19 | 21 |
| 19 | 32 | 74 | 64 | 32 | 135 | 121 | 177 | 60 | 34 | 22 | 19 | 21 |
| 20 | 27 | 70 | 71 | 32 | 114 | 273 | 137 | 58 | 32 | 21 | 19 | 21 |
| 21 | 76 | 70 | 62 | 31 | 98 | 1630 | 116 | 58 | 35 | 22 | 18 | 20 |
| 22 | 64 | 59 | 160 | 31 | 83 | 521 | 502 | 54 | 32 | 21 | 22 | 20 |
| 23 | 189 | 61 | 104 | 31 | 78 | 329 | 421 | 241 | 40 | 21 | 31 | 20 |
| 24 | 88 | 124 | 98 | 960 | 77 | 234 | 400 | 137 | 80 | 20 | 19 | 21 |
| 25 | 63 | 84 | 84 | 232 | 87 | 276 | 236 | 92 | 40 | 23 | 18 | 22 |
| 26 | 45 | 70 | 72 | 110 | 74 | 332 | 182 | 84 | 32 | 22 | 18 | 20 |
| 27 | 38 | 61 | 64 | 99 | 72 | 215 | 153 | 68 | 29 | 25 | 19 | 19 |
| 28 | 34 | 578 | 58 | 63 | 85 | 477 | 130 | 411 | 28 | 22 | 18 | 19 |
| 29 | 32 | 258 | 54 | 58 | 74 | 632 | 111 | 465 | 27 | 21 | 17 | 18 |
| 30 | 30 | 152 | 50 | 53 | --- | 303 | 105 | 206 | 27 | 20 | 19 | 19 |
| 31 | 30 | --- | 48 | 48 | --- | 219 | --- | 151 | --- | 20 | 22 | --- |
| TOTAL | 1122 | 2974 | 3994 | 2467 | 3461 | 8050 | 6032 | 4162 | 1461 | 792 | 631 | 628 |
| MEAN | 36.2 | 99.1 | 129 | 79.6 | 119 | 260 | 201 | 134 | 48.7 | 25.5 | 20.4 | 20.9 |
| MAX | 189 | 578 | 577 | 960 | 504 | 1630 | 502 | 465 | 120 | 43 | 31 | 25 |
| MIN | 13 | 30 | 48 | 31 | 46 | 61 | 89 | 54 | 27 | 20 | 17 | 18 |
| CFSM | .41 | 1.11 | 1.45 | .89 | 1.34 | 2.92 | 2.26 | 1.51 | .55 | .29 | .23 | .24 |
| IN. | .47 | 1.24 | 1.67 | 1.03 | 1.45 | 3.36 | 2.52 | 1.74 | .61 | .33 | .26 | .26 |

| | | | | | | | |
|-------------|-------|-------|-----------|----------|--------|-----------|----------|
| CAL YR 1983 | TOTAL | 35888 | MEAN 98.3 | MAX 1990 | MIN 12 | CFSM 1.10 | IN 15.00 |
| WTR YR 1984 | TOTAL | 35774 | MEAN 97.7 | MAX 1630 | MIN 13 | CFSM 1.10 | IN 14.95 |

HOCKING RIVER BASIN

03157500 HOCKING RIVER AT ENTERPRISE, OH

LOCATION.--Lat 39°33'54", long 82°28'30", in NW 1/4 sec. 5, T.14 N., R.17 W., Hocking County, Hydrologic Unit 05030204, at right bank at upstream side of bridge at Enterprise, 4.0 mi downstream from Buck Run, and 4.3 mi upstream from Scott Creek.

DRAINAGE AREA.--459 mi².

PERIOD OF RECORD.--October 1930 to current year. Prior to May 1931 monthly discharge only, published in WSP 1305

REVISED RECORDS.--WSP 873: 1938. WSP 1907: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 723.58 ft National Geodetic Vertical Datum of 1929. Prior to Oct. 24, 1933, nonrecording gage at same site and datum.

REMARKS.--Records good. Flood flow affected by temporary retention in eight retarding basins, combined capacity, 8,710 acre-ft constructed between 1955 and 1961 upstream from station. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--54 years, 461 ft³/s, 13.64 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 26,000 ft³/s Mar. 10, 1964, gage height, 21.31 ft, from rating curve extended above 17,000 ft³/s on basis of contracted-opening and slope-area measurement of peak flow; minimum daily, 23 ft³/s Aug. 12, 13, 1944.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in March 1907, reached a stage of 22.0 ft, from floodmark, discharge, 36,000 ft³/s, from reports of Corps of Engineers.

EXTREMES FOR CURRENT YEAR.--Peak discharge above base of 3,500 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Dec. 4 | 1800 | 3780 | 9.42 | Apr. 23 | 0230 | 5100 | 11.42 |
| Mar. 21 | 1830 | *6770 | *13.29 | May 29 | 0430 | 4230 | 10.16 |
| Mar. 29 | 1330 | 4780 | 11.03 | | | | |

Minimum daily discharge, 45 ft³/s Sept. 23.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|-------|-------|------|-------|-------|-------|-------|------|------|------|------|
| 1 | 54 | 140 | 553 | 230 | 228 | 280 | 1190 | 549 | 677 | 159 | 73 | 56 |
| 2 | 53 | 136 | 441 | 220 | 278 | 280 | 934 | 490 | 543 | 273 | 83 | 54 |
| 3 | 52 | 293 | 507 | 220 | 1040 | 270 | 815 | 599 | 450 | 276 | 106 | 54 |
| 4 | 67 | 327 | 2400 | 210 | 1060 | 270 | 1340 | 1070 | 380 | 161 | 91 | 56 |
| 5 | 172 | 237 | 2230 | 210 | 572 | 450 | 2530 | 737 | 336 | 149 | 97 | 57 |
| 6 | 132 | 195 | 1450 | 200 | 396 | 1760 | 2210 | 722 | 304 | 151 | 116 | 61 |
| 7 | 90 | 174 | 1320 | 190 | 283 | 1080 | 1620 | 719 | 276 | 179 | 106 | 57 |
| 8 | 73 | 159 | 855 | 180 | 270 | 837 | 1160 | 823 | 250 | 141 | 137 | 56 |
| 9 | 66 | 149 | 678 | 180 | 268 | 610 | 932 | 953 | 227 | 122 | 114 | 52 |
| 10 | 62 | 173 | 656 | 170 | 271 | 470 | 789 | 735 | 205 | 124 | 86 | 49 |
| 11 | 66 | 996 | 633 | 170 | 365 | 410 | 670 | 616 | 193 | 118 | 120 | 53 |
| 12 | 72 | 898 | 821 | 160 | 469 | 370 | 590 | 610 | 179 | 179 | 86 | 52 |
| 13 | 81 | 496 | 772 | 160 | 587 | 350 | 566 | 545 | 174 | 143 | 73 | 48 |
| 14 | 100 | 361 | 651 | 150 | 2590 | 450 | 555 | 474 | 167 | 114 | 69 | 53 |
| 15 | 92 | 342 | 614 | 150 | 1600 | 683 | 588 | 420 | 161 | 110 | 66 | 85 |
| 16 | 76 | 576 | 548 | 150 | 988 | 1050 | 532 | 380 | 153 | 287 | 64 | 54 |
| 17 | 71 | 647 | 464 | 150 | 779 | 893 | 997 | 349 | 149 | 161 | 63 | 57 |
| 18 | 96 | 465 | 406 | 140 | 785 | 695 | 1340 | 327 | 147 | 122 | 63 | 53 |
| 19 | 143 | 378 | 377 | 140 | 730 | 595 | 1300 | 309 | 147 | 102 | 61 | 52 |
| 20 | 133 | 348 | 320 | 140 | 619 | 612 | 977 | 293 | 147 | 94 | 58 | 49 |
| 21 | 371 | 366 | 334 | 140 | 517 | 5610 | 779 | 325 | 145 | 93 | 58 | 48 |
| 22 | 382 | 322 | 692 | 140 | 448 | 4450 | 2270 | 312 | 133 | 90 | 61 | 47 |
| 23 | 1390 | 298 | 580 | 150 | 407 | 2390 | 4270 | 1120 | 143 | 85 | 174 | 45 |
| 24 | 714 | 469 | 500 | 900 | 380 | 1660 | 2940 | 1110 | 327 | 83 | 99 | 48 |
| 25 | 423 | 400 | 440 | 1780 | 340 | 1450 | 1920 | 581 | 205 | 90 | 72 | 52 |
| 26 | 293 | 324 | 370 | 782 | 320 | 2340 | 1320 | 451 | 153 | 93 | 63 | 54 |
| 27 | 231 | 283 | 320 | 540 | 300 | 1550 | 1030 | 374 | 135 | 102 | 58 | 50 |
| 28 | 194 | 2170 | 290 | 381 | 290 | 1660 | 873 | 807 | 133 | 90 | 57 | 49 |
| 29 | 169 | 1710 | 270 | 330 | 280 | 4660 | 717 | 3670 | 128 | 85 | 57 | 50 |
| 30 | 152 | 831 | 250 | 292 | --- | 2640 | 643 | 1550 | 145 | 80 | 57 | 53 |
| 31 | 144 | --- | 240 | 266 | --- | 1660 | --- | 942 | --- | 76 | 60 | --- |
| TOTAL | 6214 | 14663 | 20982 | 9221 | 17460 | 42485 | 38397 | 22962 | 6912 | 4142 | 2548 | 1624 |
| MEAN | 200 | 489 | 677 | 297 | 602 | 1370 | 1280 | 741 | 230 | 134 | 82.2 | 54.1 |
| MAX | 1390 | 2170 | 2400 | 1780 | 2590 | 5610 | 4270 | 3670 | 677 | 287 | 174 | 85 |
| MIN | 52 | 136 | 240 | 140 | 228 | 270 | 532 | 293 | 128 | 76 | 57 | 45 |
| CFSM | .44 | 1.07 | 1.48 | .65 | 1.31 | 2.99 | 2.79 | 1.61 | .50 | .29 | .18 | .12 |
| IN. | .50 | 1.19 | 1.70 | .75 | 1.42 | 3.44 | 3.11 | 1.86 | .56 | .34 | .21 | .13 |

CAL YR 1983 TOTAL 185361 MEAN 508 MAX 7610 MIN 52 CFSM 1.11 IN 15.02
WTR YR 1984 TOTAL 187610 MEAN 513 MAX 5610 MIN 45 CFSM 1.12 IN 15.20

03159510 HOCKING RIVER BELOW ATHENS, OH

NATIONAL STREAM-QUALITY ACCOUNTING NETWORK STATION

LOCATION.--Lat 39°19'39", long 82°00'18", Athens County, Hydrologic Unit 05030204, at downstream side of Harmony Lane Bridge, 3.5 mi east of Athens, 1.1 mi downstream from Strouds Run, and 2.8 mi upstream from Scott Creek.

DRAINAGE AREA.--957 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--October 1976 to current year.

GAGE.--Water-stage recorder. Datum of gage is 600.00 ft National Geodetic Vertical Datum of 1929. Prior to Aug. 17, 1931, nonrecording gage at site 5.3 mi upstream at datum 11.26 ft higher, Aug. 18, 1931 to June 18, 1970, at datum 14.81 ft higher, and Oct. 1, 1971 to Sept. 30, 1976, at datum 11.26 ft higher.

REMARKS.--Records good except for winter periods which are fair. Some regulation by Burr Oak Reservoir on East Branch Sunday Creek 34.3 mi upstream beginning 1952; by Hocking Lake, capacity 3,080 acre-ft, on Clear Fork 44.7 mi upstream beginning in 1949; by temporary retention in eight retarding basins, combined capacity, 8,710 acre-ft, constructed between 1955 and 1961 upstream from Lancaster, and Dow Lake capacity 1,884 acre-ft, on Strouds Run, 1.1 mi upstream.

AVERAGE DISCHARGE.--8 years, 1,166 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 25,600 ft³/s Feb. 27, 1979, gage height, 25.45 ft; minimum daily, 71 ft³/s Sept. 23, 1984.

EXTREMES OUTSIDE PERIOD RECORD.--Flood of Mar. 11, 1964 reached a stage of 24.18 ft at site and datum then in use, discharge, 32,900 ft³/s. Flood in March 1907 reached a stage of 27 ft, site and datum then in use, discharge 50,000 ft³/s, estimated by Corps of Engineers.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 9,590 ft³/s Mar. 23, gage height, 21.19 ft; minimum daily, 71 ft³/s Sept. 23.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------------|--------|-------|-------|-----------|-----------|--------|-------|-------|-------|------|------|------|
| 1 | 76 | 240 | 1340 | 560 | 733 | 660 | 3300 | 1450 | 1630 | 309 | 140 | 96 |
| 2 | 75 | 222 | 1000 | 520 | 661 | 640 | 2460 | 1250 | 1250 | 322 | 137 | 94 |
| 3 | 75 | 248 | 895 | 500 | 864 | 620 | 1970 | 1280 | 1040 | 372 | 142 | 90 |
| 4 | 80 | 430 | 1940 | 480 | 1840 | 600 | 3260 | 2360 | 875 | 384 | 161 | 94 |
| 5 | 90 | 474 | 5380 | 460 | 1530 | 580 | 6160 | 2100 | 751 | 355 | 165 | 94 |
| 6 | 165 | 377 | 3540 | 450 | 1130 | 2000 | 5720 | 1740 | 668 | 384 | 171 | 96 |
| 7 | 173 | 316 | 3220 | 430 | 914 | 3040 | 4590 | 2010 | 595 | 369 | 180 | 92 |
| 8 | 134 | 308 | 2350 | 420 | 747 | 2120 | 3250 | 1770 | 539 | 311 | 225 | 94 |
| 9 | 108 | 316 | 1730 | 390 | 711 | 1720 | 2390 | 1980 | 488 | 251 | 188 | 90 |
| 10 | 98 | 486 | 1760 | 380 | 658 | 1290 | 2000 | 1840 | 445 | 227 | 178 | 87 |
| 11 | 90 | 1980 | 1650 | 360 | 675 | 1000 | 1680 | 1560 | 415 | 219 | 156 | 83 |
| 12 | 110 | 2430 | 2140 | 350 | 868 | 900 | 1480 | 1570 | 386 | 236 | 160 | 82 |
| 13 | 105 | 1590 | 2410 | 350 | 1090 | 800 | 1370 | 1580 | 361 | 306 | 154 | 82 |
| 14 | 106 | 1010 | 2030 | 340 | 3200 | 760 | 1310 | 1340 | 336 | 244 | 135 | 80 |
| 15 | 118 | 835 | 1780 | 340 | 5270 | 900 | 1300 | 1180 | 317 | 207 | 126 | 96 |
| 16 | 123 | 1170 | 1460 | 330 | 2850 | 1390 | 1270 | 1010 | 298 | 195 | 121 | 89 |
| 17 | 111 | 1490 | 1240 | 320 | 2070 | 1680 | 1240 | 906 | 285 | 336 | 121 | 99 |
| 18 | 111 | 1270 | 1030 | 310 | 1630 | 1420 | 1890 | 829 | 275 | 251 | 124 | 87 |
| 19 | 144 | 964 | 906 | 310 | 1580 | 1240 | 2220 | 777 | 267 | 199 | 113 | 80 |
| 20 | 215 | 824 | 803 | 310 | 1480 | 1220 | 2030 | 726 | 251 | 182 | 108 | 78 |
| 21 | 368 | 806 | 740 | 300 | 1290 | 4540 | 1680 | 650 | 248 | 174 | 104 | 76 |
| 22 | 870 | 748 | 1210 | 300 | 1130 | 8600 | 2120 | 633 | 242 | 165 | 104 | 73 |
| 23 | 2490 | 639 | 1860 | 320 | 1010 | 8750 | 6320 | 807 | 235 | 161 | 113 | 71 |
| 24 | 2580 | 611 | 1410 | 340 | 941 | 4420 | 8470 | 2410 | 236 | 156 | 154 | 73 |
| 25 | 1500 | 737 | 1130 | 1500 | 883 | 3230 | 5510 | 1430 | 407 | 154 | 154 | 78 |
| 26 | 1080 | 646 | 1000 | 5990 | 780 | 4230 | 3440 | 1020 | 314 | 156 | 124 | 78 |
| 27 | 677 | 552 | 900 | 4610 | 720 | 4420 | 2700 | 945 | 246 | 184 | 113 | 73 |
| 28 | 462 | 1190 | 800 | 3310 | 700 | 3640 | 2430 | 826 | 229 | 178 | 106 | 74 |
| 29 | 366 | 3960 | 700 | 1820 | 680 | 7870 | 2050 | 4580 | 227 | 163 | 99 | 74 |
| 30 | 311 | 2200 | 620 | 1130 | --- | 9190 | 1790 | 5880 | 223 | 151 | 96 | 73 |
| 31 | 267 | --- | 580 | 930 | --- | 5790 | --- | 2620 | --- | 144 | 96 | --- |
| TOTAL | 13278 | 29069 | 49554 | 28460 | 38635 | 89260 | 87400 | 51059 | 14079 | 7445 | 4268 | 2526 |
| MEAN | 428 | 969 | 1599 | 918 | 1332 | 2879 | 2913 | 1647 | 469 | 240 | 138 | 84.2 |
| MAX | 2580 | 3960 | 5380 | 5990 | 5270 | 9190 | 8470 | 5880 | 1630 | 384 | 225 | 99 |
| MIN | 75 | 222 | 580 | 300 | 658 | 580 | 1240 | 633 | 223 | 144 | 96 | 71 |
| CAL YR 1983 TOTAL | 401901 | | | MEAN 1101 | MAX 15400 | MIN 75 | | | | | | |
| WTR YR 1984 TOTAL | 415033 | | | MEAN 1134 | MAX 9190 | MIN 71 | | | | | | |

HOCKING RIVER BASIN

03159510 HOCKING RIVER BELOW ATHENS, OH--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 1966 to current year.

REMARKS.--Water-quality monitor data collected at this site 1966 to 1980. Daily Sediment data collected 1978-1982.

WATER QUALITY DATA, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | SPE- CIFIC CON- DUCT- ANCE (UMHOS) | PH (STAND- ARD) UNITS) | TEMPER- ATURE, AIR (DEG C) | TEMPER- ATURE (DEG C) | TUR- BID- ITY (NTU) | OXYGEN, DIS- SOLVED (MG/L) | OXYGEN, DIS- SOLVED (PER- CENT SATUR- ATION) | COLI- FORM, FECAL, 0.7 UM-MF (COLS./ 100 ML) |
|--------------|------|---|---|---------------------------------|-------------------------------------|-----------------------------|------------------------------|-------------------------------------|--|--|
| NOV 16... | 0900 | 1190 | 565 | 7.5 | 4.0 | 6.0 | 20 | 11.0 | 92 | 6500 |
| JAN 25... | 1300 | 3380 | 665 | 7.6 | 2.5 | 2.0 | 120 | 10.8 | 80 | 5000 |
| MAY 09... | 1300 | 2100 | 475 | 7.3 | 12.5 | 14.0 | 30 | 12.4 | 125 | 5600 |
| JUL 17... | 1430 | 378 | 830 | 8.3 | 28.5 | 25.5 | 6.0 | 11.2 | 142 | 230 |

| DATE | STREP- TOCOCCI FECAL, KF AGAR (COLS. PER 100 ML) | CALCIUM DIS- SOLVED (MG/L AS CA) | MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) | SODIUM, DIS- SOLVED (MG/L AS NA) | PERCENT SODIUM | SODIUM AD- SORP- TION RATIO | POTAS- SIUM, DIS- SOLVED (MG/L AS K) | ALKA- LITY LAB (MG/L AS CAC03) | SULFATE DIS- SOLVED (MG/L AS SO4) | CHLO- RIDE, DIS- SOLVED (MG/L AS CL) |
|--------------|--|--|--|--|-------------------|---|---|---|---|---|
| NOV 16... | 4500 | 53 | 18 | 26 | 21 | .8 | 2.8 | 63 | 130 | 52 |
| JAN 25... | 8900 | 56 | 21 | 41 | 28 | 1 | 3.2 | 89 | 130 | 74 |
| MAY 09... | 1600 | 45 | 17 | 18 | 17 | .6 | 2.0 | 63 | 110 | 33 |
| JUL 17... | K32 | 77 | 29 | 44 | 23 | 1 | 3.4 | 109 | 210 | 78 |

| DATE | FLUO- RIDE, DIS- SOLVED (MG/L AS F) | SILICA, DIS- SOLVED (MG/L AS SiO2) | SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) | NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N) | NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) | NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH4) | NITRO- GEN+AM- MONIA + ORGANIC TOTAL (MG/L AS N) | PHOS- PHORUS, TOTAL (MG/L AS P) | PHOS- PHORUS, DIS- SOLVED (MG/L AS P) | PHOS- PHORUS, ORTH0, DIS- SOLVED (MG/L AS P) |
|--------------|--|---|--|---|---|---|--|---|--|--|
| NOV 16... | .20 | 8.2 | 352 | 1.50 | .250 | .32 | 1.0 | .130 | .020 | .010 |
| JAN 25... | .20 | 7.8 | 430 | 1.10 | .760 | .98 | 2.4 | .800 | .040 | .010 |
| MAY 09... | .20 | 8.7 | 349 | .930 | .060 | .08 | .60 | .120 | <.010 | <.010 |
| JUL 17... | .30 | 5.9 | 613 | .540 | <.010 | -- | .50 | .060 | .010 | <.010 |

03159510 HOCKING RIVER BELOW ATHENS, OH--Continued

WATER QUALITY DATA, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | ALUM- INUM, DIS- SOLVED (UG/L AS AL) | ARSENIC DIS- SOLVED (UG/L AS AS) | BARIUM, DIS- SOLVED (UG/L AS BA) | BERYL- LIUM, DIS- SOLVED (UG/L AS BE) | CADMIUM DIS- SOLVED (UG/L AS CD) | CHRO- MIUM, DIS- SOLVED (UG/L AS CR) | COBALT, DIS- SOLVED (UG/L AS CO) | COPPER, DIS- SOLVED (UG/L AS CU) | IRON, DIS- SOLVED (UG/L AS FE) |
|--------------|------|---|---|--|--|--|--|---|--|--|--|
| NOV 16... | 0900 | 1190 | 20 | 1 | 62 | <.5 | <1 | 9 | <3 | 7 | 15 |
| JAN 25... | 1300 | 3380 | 60 | 1 | 68 | <.5 | <1 | 2 | 8 | 7 | 13 |
| MAY 09... | 1300 | 2100 | 180 | 1 | 56 | <1 | <1 | 10 | 5 | 5 | 260 |
| JUL 17... | 1430 | 378 | 80 | 1 | 65 | <1 | <1 | 6 | <3 | 4 | 33 |

| DATE | LEAD, DIS- SOLVED (UG/L AS PB) | LITHIUM DIS- SOLVED (UG/L AS LI) | MANGA- NESE, DIS- SOLVED (UG/L AS MN) | MERCURY DIS- SOLVED (UG/L AS HG) | MOLYB- DENUM, DIS- SOLVED (UG/L AS MO) | NICKEL, DIS- SOLVED (UG/L AS NI) | SELE- NIUM, DIS- SOLVED (UG/L AS SE) | SILVER, DIS- SOLVED (UG/L AS AG) | STRON- TIUM, DIS- SOLVED (UG/L AS SR) | VANA- DIUM, DIS- SOLVED (UG/L AS V) | ZINC, DIS- SOLVED (UG/L AS ZN) |
|--------------|--|--|--|--|---|--|---|--|--|--|--|
| NOV 16... | 6 | 8 | 550 | .1 | <10 | 11 | <1 | <1 | 320 | <6 | 10 |
| JAN 25... | 2 | 12 | 1000 | .2 | <10 | 13 | <1 | <1 | 330 | <6 | 17 |
| MAY 09... | 2 | 14 | 290 | .2 | <10 | 11 | <1 | <1 | 260 | <6 | 8 |
| JUL 17... | 3 | 31 | 120 | .4 | <10 | 4 | <1 | 1 | 430 | <6 | 5 |

WATER QUALITY DATA, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | TEMPER- ATURE (DEG C) | SEDI- MENT, SUS- PENDED (MG/L) | SEDI- MENT, DIS- CHARGE, SUS- PENDED (T/DAY) |
|--------------|------|---|-----------------------------|--|--|
| NOV 16... | 0900 | 1190 | 6.0 | 56 | 180 |
| JAN 25... | 1300 | 3380 | 2.0 | 524 | 4780 |
| MAY 09... | 1300 | 2100 | 14.0 | 3050 | 17300 |
| JUL 17... | 1430 | 378 | 25.5 | 33 | 34 |

SHADE RIVER BASIN

03159534 WEST BRANCH SHADE RIVER NEAR BURLINGHAM, OH

LOCATION.--Lat 39°10'14", long 82°03'04", Meigs County, Hydrologic Unit 05030202, on right bank at downstream side of bridge on S.R. 681, 1.6 mi west of Burlington, 9.6 mi upstream from Langsbury Creek, and 11.4 mi south-southeast of Athens.

DRAINAGE AREA.--22.2 mi².

WATER-DISCHARGE RECORD

PERIOD OF RECORD.--June 1983 to current year.

GAGE.--Water-stage recorder. Altitude of gage is 680 ft from topographic map.

REMARKS.--Records good except those for winter periods which are fair.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 582 ft³/s May 28, 1984, gage height, 9.02 ft; minimum daily discharge, no flow many days Aug, Sept, Oct. 1983 and July, Aug, and Sept. 1984.

EXTREMES FOR PERIOD JUNE TO SEPTEMBER 1983.--Maximum discharge, 147 ft³/s July 1, gage height 5.02 ft, no peaks above base of 300 ft³/s; minimum daily discharge, no flow for many days during Aug. and Sept.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 300 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|--------|------|-----------------------------------|---------------------|
| Jan. 24 | 2045 | 324 | 6.93 | Apr. 4 | 2030 | 402 | 7.61 |
| Mar. 28 | 2400 | 345 | 7.12 | May 28 | 2130 | *582 | *9.02 |

Minimum daily discharge, no flow for many days in Oct, Jul, Aug, and Sept.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1982 TO SEPTEMBER 1983
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-----|-----|-----|-----|-----|-----|-----|-----|-------|--------|-------|------|
| 1 | | | | | | | | | 15 | 45 | 21 | .00 |
| 2 | | | | | | | | | 11 | 6.4 | 3.2 | .00 |
| 3 | | | | | | | | | 18 | 3.7 | 1.6 | .00 |
| 4 | | | | | | | | | 60 | 3.9 | .97 | .00 |
| 5 | | | | | | | | | 22 | 5.8 | .68 | .00 |
| 6 | | | | | | | | | 15 | 1.7 | 1.7 | .00 |
| 7 | | | | | | | | | 12 | 1.3 | .76 | .00 |
| 8 | | | | | | | | | 7.6 | 1.0 | .55 | .00 |
| 9 | | | | | | | | | 5.6 | .82 | .55 | .00 |
| 10 | | | | | | | | | 5.2 | .73 | .21 | .00 |
| 11 | | | | | | | | | 4.6 | .61 | .33 | .00 |
| 12 | | | | | | | | | 4.5 | .55 | 1.1 | .00 |
| 13 | | | | | | | | | 4.2 | .50 | .38 | .00 |
| 14 | | | | | | | | | 4.1 | .51 | .21 | .00 |
| 15 | | | | | | | | | 3.9 | .50 | .18 | .05 |
| 16 | | | | | | | | | 3.8 | .49 | .14 | .10 |
| 17 | | | | | | | | | 3.9 | .49 | .12 | .15 |
| 18 | | | | | | | | | 4.7 | 7.6 | .12 | .06 |
| 19 | | | | | | | | | 18 | 1.9 | .10 | .05 |
| 20 | | | | | | | | | 15 | 1.2 | .03 | .05 |
| 21 | | | | | | | | | 8.7 | 1.0 | .02 | .21 |
| 22 | | | | | | | | | 4.5 | .94 | .02 | .14 |
| 23 | | | | | | | | | 3.4 | .91 | .00 | .06 |
| 24 | | | | | | | | | 3.1 | 42 | .00 | .04 |
| 25 | | | | | | | | | 3.0 | 9.3 | .00 | .04 |
| 26 | | | | | | | | | 3.0 | 7.0 | .00 | .00 |
| 27 | | | | | | | | | 3.0 | 2.3 | .00 | .00 |
| 28 | | | | | | | | | 3.3 | 1.4 | .00 | .00 |
| 29 | | | | | | | | | 4.3 | .97 | .00 | .00 |
| 30 | | | | | | | | | 13 | .76 | .00 | .00 |
| 31 | | | | | | | | | --- | .60 | .00 | --- |
| TOTAL | | | | | | | | | 287.4 | 151.88 | 33.97 | .95 |
| MEAN | | | | | | | | | 9.58 | 4.90 | 1.10 | .032 |
| MAX | | | | | | | | | 60 | 45 | 21 | .21 |
| MIN | | | | | | | | | 3.0 | .49 | .00 | .00 |
| CFSM | | | | | | | | | .43 | .22 | .05 | .001 |
| IN. | | | | | | | | | .48 | .25 | .06 | .00 |

03159534 WEST BRANCH SHADE RIVER NEAR BURLINGHAM, OH--Continued

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|--------|---------|------|-------|------|------|------|-------|-------|--------|-------|-------|
| 1 | .00 | 2.0 | 14 | 11 | 42 | 14 | 33 | 20 | 21 | 23 | 1.0 | .00 |
| 2 | .00 | 1.7 | 13 | 10 | 44 | 14 | 26 | 18 | 16 | 5.2 | 1.0 | .00 |
| 3 | .00 | 5.0 | 14 | 10 | 42 | 26 | 40 | 38 | 12 | 2.0 | 1.0 | .00 |
| 4 | .00 | 6.6 | 121 | 9.6 | 33 | 34 | 232 | 42 | 7.8 | 1.6 | 1.7 | .00 |
| 5 | .00 | 6.0 | 51 | 9.4 | 23 | 84 | 160 | 27 | 6.3 | 23 | 4.6 | .00 |
| 6 | .00 | 4.8 | 80 | 9.0 | 19 | 75 | 98 | 33 | 4.8 | 16 | 2.2 | .00 |
| 7 | .00 | 3.1 | 51 | 8.6 | 20 | 37 | 57 | 34 | 3.7 | 4.3 | 2.0 | .00 |
| 8 | .00 | 2.8 | 30 | 8.2 | 23 | 29 | 40 | 35 | 3.5 | 1.4 | 1.8 | .00 |
| 9 | .00 | 2.6 | 41 | 7.8 | 19 | 27 | 32 | 37 | 3.0 | .68 | 1.7 | .00 |
| 10 | .00 | 140 | 96 | 7.6 | 16 | 24 | 27 | 27 | 2.8 | .62 | 1.8 | .00 |
| 11 | .04 | 128 | 46 | 7.4 | 20 | 19 | 22 | 21 | 2.8 | 5.7 | 3.5 | .00 |
| 12 | .18 | 31 | 170 | 7.2 | 23 | 17 | 19 | 29 | 3.0 | 3.2 | 1.8 | .00 |
| 13 | .18 | 17 | 73 | 7.0 | 30 | 18 | 20 | 22 | 1.8 | .45 | .89 | .00 |
| 14 | .08 | 12 | 47 | 6.8 | 75 | 17 | 17 | 18 | 1.6 | .04 | .40 | .00 |
| 15 | .05 | 36 | 42 | 6.8 | 42 | 10 | 16 | 16 | 1.7 | .01 | .21 | .00 |
| 16 | .04 | 50 | 29 | 6.6 | 29 | 15 | 14 | 13 | 1.6 | .00 | .08 | .00 |
| 17 | .04 | 37 | 23 | 6.2 | 26 | 15 | 14 | 10 | 1.4 | .00 | .02 | .00 |
| 18 | .10 | 21 | 17 | 5.8 | 23 | 14 | 19 | 9.6 | 2.0 | .00 | .01 | .00 |
| 19 | .10 | 17 | 15 | 5.2 | 25 | 13 | 18 | 6.9 | 3.3 | .00 | .01 | .00 |
| 20 | .50 | 15 | 13 | 4.7 | 24 | 15 | 16 | 5.2 | 1.6 | .00 | .00 | .00 |
| 21 | 14 | 17 | 20 | 4.3 | 20 | 171 | 14 | 5.8 | 1.8 | .00 | .00 | .00 |
| 22 | 27 | 14 | 110 | 4.0 | 15 | 75 | 117 | 6.0 | 1.4 | .00 | .00 | .00 |
| 23 | 136 | 12 | 90 | 50 | 17 | 50 | 107 | 13 | 1.4 | .00 | .00 | .00 |
| 24 | 107 | 12 | 33 | 277 | 15 | 28 | 100 | 7.8 | 14 | .00 | .00 | .00 |
| 25 | 52 | 10 | 21 | 157 | 16 | 28 | 55 | 8.5 | 3.3 | .01 | .00 | .00 |
| 26 | 15 | 8.2 | 16 | 93 | 15 | 30 | 40 | 4.3 | 1.3 | .21 | .00 | .00 |
| 27 | 9.2 | 7.2 | 14 | 70 | 14 | 25 | 44 | 3.9 | 1.1 | 2.1 | .00 | .00 |
| 28 | 6.6 | 107 | 12 | 55 | 14 | 234 | 35 | 103 | 1.6 | 10 | .00 | .00 |
| 29 | 5.2 | 35 | 11 | 45 | 14 | 218 | 27 | 184 | 2.8 | 5.0 | .00 | .00 |
| 30 | 3.5 | 19 | 11 | 41 | --- | 74 | 26 | 41 | 3.0 | 1.1 | .00 | .00 |
| 31 | 2.5 | --- | 11 | 39 | --- | 44 | --- | 29 | --- | 1.1 | .00 | --- |
| TOTAL | 379.31 | 780.0 | 1335 | 990.2 | 738 | 1494 | 1485 | 868.0 | 133.4 | 106.72 | 25.72 | .00 |
| MEAN | 12.2 | 26.0 | 43.1 | 31.9 | 25.4 | 48.2 | 49.5 | 28.0 | 4.45 | 3.44 | .83 | .000 |
| MAX | 136 | 140 | 170 | 277 | 75 | 234 | 232 | 184 | 21 | 23 | 4.6 | .00 |
| MIN | .00 | 1.7 | 11 | 4.0 | 14 | 10 | 14 | 3.9 | 1.1 | .00 | .00 | .00 |
| CFSM | .55 | 1.17 | 1.94 | 1.44 | 1.14 | 2.17 | 2.23 | 1.26 | .20 | .16 | .04 | .000 |
| IN. | .64 | 1.31 | 2.24 | 1.66 | 1.24 | 2.50 | 2.49 | 1.45 | .22 | .18 | .04 | .00 |
| WTR YR 1984 | TOTAL | 8335.35 | MEAN | 22.8 | MAX | 277 | MIN | .00 | CFSM | 1.03 | IN | 13.97 |

03159534 WEST BRANCH SHADE RIVER NEAR BURLINGHAM, OH--Continued

WATER QUALITY RECORDS

PERIOD OF DAILY RECORD.--

SUSPENDED SEDIMENT DISCHARGE: June 1983 to current year.

INSTRUMENTATION.--Sediment-pumping sampler since June 1983.

REMARKS.--In addition to the sediment-pumping sampler, sediment samples were collected by a local observer on a daily basis.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SUSPENDED SEDIMENT CONCENTRATIONS: Maximum daily mean, 8130 mg/L July 1, 1983; minimum daily mean, 0 mg/L many days 1983, 1984.

SEDIMENT LOADS: Maximum daily 1510 tons July 1, 1983; minimum daily, 0.0 tons many days 1983, 1984.

EXTREMES FOR PERIOD JUNE TO SEPTEMBER 1983.--

SUSPENDED SEDIMENT CONCENTRATIONS: Maximum daily mean, 8130 mg/L July 1; minimum daily mean, 0 mg/L many days during the year.

SEDIMENT LOADS: Maximum daily, 1510 tons July 1, minimum daily 0.0 tons many days during the year.

EXTREMES FOR CURRENT YEAR.--

SUSPENDED SEDIMENT CONCENTRATIONS: Maximum daily mean, 2990 mg/L July 11; minimum daily mean, 0 mg/L many days during the year

SEDIMENT LOADS: Maximum daily 868 tons May 28; minimum daily, 0.0 tons many days during the year.

WATER QUALITY DATA, WATER YEAR OCTOBER 1982 TO SEPTEMBER 1983

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | SPE- CIFIC CON- DUCT- ANCE (UMHOS) | PH (STAND- ARD UNITS) | TEMPER- ATURE (DEG C) | ACIDITY (MG/L AS H) | ALKA- LINITY FIELD (MG/L AS CACO3) | SULFATE DIS- SOLVED (MG/L AS SO4) | |
|--------------|------|--|---|---|---|---|---|--|------|
| JUN 28... | 1400 | 2.4 | 502 | 6.5 | 25.0 | 1.0 | 33 | 210 | |
| DATE | TIME | ALUM- INUM, TOTAL RECOV- ERABLE (UG/L AS AL) | ALUM- INUM, DIS- SOLVED (UG/L AS AL) | IRON, SUS- PENDE RECOV- ERABLE (UG/L AS FE) | IRON, SUS- PENDE RECOV- ERABLE (UG/L AS FE) | MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN) | MANGA- NESE, SUS- PENDE RECOV- ERABLE (UG/L AS MN) | MANGA- NESE, DIS- SOLVED (UG/L AS MN) | |
| JUN 28... | 1000 | <100 | | 1700 | 1500 | 210 | 3300 | 0 | 3300 |

WATER QUALITY DATA, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | SPE- CIFIC CON- DUCT- ANCE (UMHOS) | PH (STAND- ARD UNITS) | TEMPER- ATURE (DEG C) | TEMPER- ATURE (DEG C) | ACIDITY (MG/L AS H) | ALKA- LINITY FIELD (MG/L AS CACO3) | SULFATE DIS- SOLVED (MG/L AS SO4) |
|--------------|------|--|---|---|---|--|---|---|--|
| JAN 16... | 1200 | 6.7 | 455 | 5.8 | 2.5 | .5 | .1 | 18 | 200 |
| MAY 21... | 1450 | 5.4 | 411 | 6.7 | 27.0 | 24.5 | .1 | 30 | 170 |
| DATE | TIME | ALUM- INUM, TOTAL RECOV- ERABLE (UG/L AS AL) | ALUM- INUM, DIS- SOLVED (UG/L AS AL) | IRON, TOTAL RECOV- ERABLE (UG/L AS FE) | IRON, SUS- PENDE RECOV- ERABLE (UG/L AS FE) | IRON, DIS- SOLVED (UG/L AS FE) | MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN) | MANGA- NESE, SUS- PENDE RECOV- ERABLE (UG/L AS MN) | MANGA- NESE, DIS- SOLVED (UG/L AS MN) |
| JAN 16... | 1000 | <100 | | 1400 | 200 | 1200 | 3300 | 0 | 3300 |
| MAY 21... | 400 | 100 | | 570 | -- | 650 | 2200 | -- | 2000 |

SHADE RIVER BASIN

109

03159534 WEST BRANCH SHADE RIVER NEAR BURLINGHAM, OH--Continued

SEDIMENT DISCHARGE, SUSPENDED (TONS/DAY), WATER YEAR OCTOBER 1982 TO SEPTEMBER 1983

| DAY | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| APRIL | | | MAY | | | JUNE | | | |
| 1 | | | | | | | 15 | 5 | .20 |
| 2 | | | | | | | 11 | 5 | .15 |
| 3 | | | | | | | 18 | 2300 | 334 |
| 4 | | | | | | | 60 | 6050 | 1100 |
| 5 | | | | | | | 22 | 413 | 29 |
| 6 | | | | | | | 15 | 1130 | 59 |
| 7 | | | | | | | 12 | 275 | 11 |
| 8 | | | | | | | 7.6 | 10 | .21 |
| 9 | | | | | | | 5.6 | 5 | .08 |
| 10 | | | | | | | 5.2 | 5 | .07 |
| 11 | | | | | | | 4.6 | 5 | .06 |
| 12 | | | | | | | 4.5 | 5 | .06 |
| 13 | | | | | | | 4.2 | 5 | .06 |
| 14 | | | | | | | 4.1 | 5 | .06 |
| 15 | | | | | | | 3.9 | 5 | .05 |
| 16 | | | | | | | 3.8 | 5 | .05 |
| 17 | | | | | | | 3.9 | 5 | .05 |
| 18 | | | | | | | 4.7 | 5 | .06 |
| 19 | | | | | | | 18 | 2030 | 231 |
| 20 | | | | | | | 15 | 820 | 38 |
| 21 | | | | | | | 8.7 | 25 | .59 |
| 22 | | | | | | | 4.5 | 5 | .06 |
| 23 | | | | | | | 3.4 | 5 | .05 |
| 24 | | | | | | | 3.1 | 5 | .04 |
| 25 | | | | | | | 3.0 | 5 | .04 |
| 26 | | | | | | | 3.0 | 5 | .04 |
| 27 | | | | | | | 3.0 | 5 | .04 |
| 28 | | | | | | | 3.3 | 5 | .04 |
| 29 | | | | | | | 4.3 | 10 | .12 |
| 30 | | | | | | | 13 | 1820 | 242 |
| 31 | | | | | | | --- | --- | --- |
| TOTAL | | | | | | | | | |
| JULY | | | AUGUST | | | SEPTEMBER | | | |
| 1 | 45 | 8130 | 1510 | 21 | 7340 | 156 | .00 | 0 | .00 |
| 2 | 6.4 | 353 | 8.8 | 3.2 | 60 | .60 | .00 | 0 | .00 |
| 3 | 3.7 | 30 | .30 | 1.6 | 10 | .04 | .00 | 0 | .00 |
| 4 | 3.9 | 219 | 5.9 | .97 | 10 | .30 | .00 | 0 | .00 |
| 5 | 5.8 | 134 | 2.2 | .68 | 5 | .00 | .00 | 0 | .00 |
| 6 | 1.7 | 30 | .14 | 1.7 | 5 | .02 | .00 | 0 | .00 |
| 7 | 1.3 | 30 | .11 | .76 | 5 | .01 | .00 | 0 | .00 |
| 8 | 1.0 | 28 | .08 | .55 | 5 | .00 | .00 | 0 | .00 |
| 9 | .82 | 20 | .04 | .55 | 5 | .00 | .00 | 0 | .00 |
| 10 | .73 | 20 | .04 | .21 | 5 | .00 | .00 | 0 | .00 |
| 11 | .61 | 20 | .03 | .33 | 5 | .00 | .00 | 0 | .00 |
| 12 | .55 | 20 | .03 | 1.1 | 5 | .01 | .00 | 0 | .00 |
| 13 | .50 | 16 | .02 | .38 | 5 | .00 | .00 | 0 | .00 |
| 14 | .51 | 15 | .02 | .21 | 5 | .00 | .00 | 0 | .00 |
| 15 | .50 | 14 | .02 | .18 | 5 | .00 | .05 | 5 | .00 |
| 16 | .49 | 12 | .02 | .14 | 5 | .00 | .10 | 5 | .00 |
| 17 | .49 | 10 | .01 | .12 | 5 | .00 | .15 | 5 | .00 |
| 18 | 7.6 | 2170 | 93 | .12 | 5 | .00 | .06 | 5 | .00 |
| 19 | 1.9 | 80 | .48 | .10 | 5 | .00 | .05 | 5 | .00 |
| 20 | 1.2 | 20 | .06 | .03 | 5 | .00 | .05 | 5 | .00 |
| 21 | 1.0 | 15 | .04 | .02 | 5 | .00 | .21 | 5 | .00 |
| 22 | .94 | 15 | .04 | .02 | 5 | .00 | .14 | 5 | .00 |
| 23 | .91 | 10 | .02 | .00 | 0 | .00 | .06 | 5 | .00 |
| 24 | 42 | 4290 | 826 | .00 | 0 | .00 | .04 | 5 | .00 |
| 25 | 9.3 | 1830 | 147 | .00 | 0 | .00 | .04 | 5 | .00 |
| 26 | 7.0 | 1090 | 30 | .00 | 0 | .00 | .00 | 0 | .00 |
| 27 | 2.3 | 15 | .09 | .00 | 0 | .00 | .00 | 0 | .00 |
| 28 | 1.4 | 15 | .06 | .00 | 0 | .00 | .00 | 0 | .00 |
| 29 | .97 | 10 | .03 | .00 | 0 | .00 | .00 | 0 | .00 |
| 30 | .76 | 10 | .02 | .00 | 0 | .00 | .00 | 0 | .00 |
| 31 | .60 | 10 | .02 | .00 | 0 | .00 | --- | --- | --- |
| TOTAL | 151.88 | --- | 2624.62 | 33.97 | --- | 156.98 | 0.95 | --- | 0.00 |
| YEAR | 474.20 | | 4827.78 | | | | | | |

NOTE: NUMBER OF MISSING DAYS OF RECORD EXCEEDED 20% OF YEAR

SHADE RIVER BASIN

03159534 WEST BRANCH SHADE RIVER NEAR BURLINGHAM, OH--Continued
 SEDIMENT DISCHARGE, SUSPENDED (TONS/DAY), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
|---------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| OCTOBER | | | NOVEMBER | | | DECEMBER | | | |
| 1 | .00 | 0 | .00 | 2.0 | 8 | .04 | 14 | 55 | 2.1 |
| 2 | .00 | 0 | .00 | 1.7 | 8 | .04 | 13 | 49 | 1.7 |
| 3 | .00 | 0 | .00 | 5.0 | 8 | .11 | 14 | 44 | 1.7 |
| 4 | .00 | 0 | .00 | 6.6 | 8 | .14 | 121 | 364 | 120 |
| 5 | .00 | 0 | .00 | 6.0 | 8 | .13 | 51 | 121 | 17 |
| 6 | .00 | 0 | .00 | 4.8 | 8 | .10 | 80 | 196 | 48 |
| 7 | .00 | 0 | .00 | 3.1 | 8 | .07 | 51 | 112 | 110 |
| 8 | .00 | 0 | .00 | 2.8 | 8 | .06 | 30 | 47 | 3.8 |
| 9 | .00 | 0 | .00 | 2.6 | 8 | .06 | 41 | 85 | 19 |
| 10 | .00 | 0 | .00 | 140 | 552 | 318 | 96 | 221 | 55 |
| 11 | .04 | 4 | .00 | 128 | 346 | 150 | 46 | 169 | 20 |
| 12 | .18 | 4 | .00 | 31 | 42 | 3.5 | 170 | 389 | 180 |
| 13 | .18 | 1120 | .88 | 17 | 10 | .46 | 73 | 247 | 59 |
| 14 | .08 | 71 | .02 | 12 | 8 | .26 | 47 | 117 | 14 |
| 15 | .05 | 8 | .00 | 36 | 110 | 15 | 42 | 69 | 7.7 |
| 16 | .04 | 4 | .00 | 50 | 128 | 17 | 29 | 27 | 2.1 |
| 17 | .04 | 4 | .00 | 37 | 76 | 7.6 | 23 | 17 | 1.1 |
| 18 | .10 | 4 | .00 | 21 | 59 | 3.3 | 17 | 15 | .69 |
| 19 | .10 | 4 | .00 | 17 | 49 | 2.2 | 15 | 14 | .57 |
| 20 | .50 | 4 | .00 | 15 | 45 | 1.8 | 13 | 13 | .46 |
| 21 | 14 | 89 | 3.5 | 17 | 41 | 1.9 | 20 | 70 | 3.8 |
| 22 | 27 | 313 | 47 | 14 | 33 | 1.2 | 110 | 168 | 50 |
| 23 | 136 | 903 | 414 | 12 | 29 | .94 | 90 | 55 | 13 |
| 24 | 107 | 416 | 191 | 12 | 25 | .81 | 33 | 28 | 2.5 |
| 25 | 52 | 372 | 63 | 10 | 22 | .59 | 21 | 20 | 1.1 |
| 26 | 15 | 67 | 2.7 | 8.2 | 18 | .40 | 16 | 17 | .73 |
| 27 | 9.2 | 17 | .42 | 7.2 | 22 | .43 | 14 | 16 | .60 |
| 28 | 6.6 | 8 | .14 | 107 | 288 | 90 | 12 | 16 | .52 |
| 29 | 5.2 | 8 | .11 | 35 | 101 | 9.5 | 11 | 16 | .48 |
| 30 | 3.5 | 8 | .08 | 19 | 67 | 3.4 | 11 | 15 | .45 |
| 31 | 2.5 | 8 | .05 | --- | --- | --- | 11 | 14 | .42 |
| TOTAL | 379.31 | --- | 722.90 | 780.0 | --- | 629.04 | 1335 | --- | 737.52 |
| JANUARY | | | FEBRUARY | | | MARCH | | | |
| 1 | 11 | 12 | .36 | 42 | 47 | 5.3 | 14 | 10 | .38 |
| 2 | 10 | 12 | .32 | 44 | 26 | 3.1 | 14 | 10 | .38 |
| 3 | 10 | 13 | .35 | 42 | 60 | 6.8 | 26 | 11 | .77 |
| 4 | 9.6 | 12 | .31 | 33 | 39 | 3.5 | 34 | 17 | 1.6 |
| 5 | 9.4 | 12 | .30 | 23 | 25 | 1.6 | 84 | 109 | 25 |
| 6 | 9.0 | 12 | .29 | 19 | 22 | 1.1 | 75 | 25 | 5.1 |
| 7 | 8.6 | 12 | .28 | 20 | 60 | 3.2 | 37 | 14 | 1.4 |
| 8 | 8.2 | 12 | .27 | 23 | 63 | 3.9 | 29 | 13 | 1.0 |
| 9 | 7.6 | 12 | .25 | 19 | 31 | 1.6 | 27 | 13 | .95 |
| 10 | 7.6 | 11 | .23 | 16 | 27 | 1.2 | 24 | 13 | .84 |
| 11 | 7.4 | 13 | .26 | 20 | 42 | 2.3 | 19 | 12 | .62 |
| 12 | 7.2 | 15 | .29 | 23 | 50 | 3.1 | 17 | 12 | .55 |
| 13 | 7.0 | 15 | .28 | 30 | 94 | 9.0 | 18 | 12 | .58 |
| 14 | 6.8 | 16 | .29 | 75 | 235 | 50 | 17 | 12 | .55 |
| 15 | 6.8 | 16 | .29 | 42 | 98 | 11 | 10 | 18 | .49 |
| 16 | 6.6 | 18 | .32 | 29 | 46 | 3.6 | 15 | 13 | .53 |
| 17 | 6.2 | 16 | .27 | 26 | 25 | 1.8 | 15 | 12 | .49 |
| 18 | 5.8 | 16 | .25 | 23 | 17 | 1.1 | 14 | 17 | .64 |
| 19 | 5.2 | 16 | .22 | 25 | 15 | 1.0 | 13 | 23 | .81 |
| 20 | 4.7 | 14 | .18 | 24 | 15 | .97 | 15 | 23 | .93 |
| 21 | 4.3 | 14 | .16 | 20 | 13 | .70 | 171 | 1150 | 565 |
| 22 | 4.0 | 14 | .15 | 15 | 13 | .53 | 75 | 356 | 74 |
| 23 | 50 | 13 | 1.8 | 17 | 14 | .64 | 50 | 185 | 25 |
| 24 | 277 | 156 | 117 | 15 | 13 | .53 | 28 | 42 | 3.2 |
| 25 | 157 | 34 | 36 | 16 | 13 | .56 | 28 | 29 | 2.2 |
| 26 | 93 | 59 | 15 | 15 | 12 | .49 | 30 | 24 | 1.9 |
| 27 | 70 | 57 | 11 | 14 | 12 | .45 | 25 | 24 | 1.6 |
| 28 | 55 | 38 | 5.6 | 14 | 11 | .42 | 234 | 755 | 545 |
| 29 | 45 | 24 | 2.9 | 14 | 11 | .42 | 218 | 1030 | 649 |
| 30 | 41 | 20 | 2.2 | --- | --- | --- | 74 | 332 | 69 |
| 31 | 39 | 19 | 2.0 | --- | --- | --- | 44 | 157 | 19 |
| TOTAL | 990.2 | --- | 199.42 | 738 | --- | 119.91 | 1494 | --- | 1998.51 |

SHADE RIVER BASIN

111

03159534 WEST BRANCH SHADE RIVER NEAR BURLINGHAM, OH--Continued
 SEDIMENT DISCHARGE, SUSPENDED (TONS/DAY), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| APRIL | | | | MAY | | | JUNE | | |
| 1 | 33 | 60 | 5.4 | 20 | 59 | 3.1 | 21 | 320 | 17 |
| 2 | 26 | 48 | 3.4 | 18 | 46 | 2.2 | 16 | 99 | 4.0 |
| 3 | 40 | 210 | 52 | 38 | 417 | 42 | 12 | 29 | .94 |
| 4 | 232 | 1080 | 706 | 42 | 143 | 19 | 7.8 | 15 | .32 |
| 5 | 160 | 621 | 270 | 27 | 67 | 5.1 | 6.3 | 18 | .31 |
| 6 | 98 | 466 | 99 | 33 | 153 | 15 | 4.8 | 21 | .27 |
| 7 | 57 | 185 | 26 | 34 | 70 | 6.4 | 3.7 | 11 | .11 |
| 8 | 40 | 88 | 9.5 | 35 | 92 | 11 | 3.5 | 53 | 4.7 |
| 9 | 32 | 67 | 5.8 | 37 | 152 | 15 | 3.0 | 8 | .06 |
| 10 | 27 | 53 | 3.9 | 27 | 145 | 11 | 2.8 | 6 | .05 |
| 11 | 22 | 39 | 2.3 | 21 | 44 | 2.5 | 2.8 | 7 | .05 |
| 12 | 19 | 34 | 1.7 | 29 | 158 | 14 | 3.0 | 69 | .77 |
| 13 | 20 | 34 | 1.6 | 22 | 43 | 2.6 | 1.8 | 17 | .08 |
| 14 | 17 | 24 | 1.1 | 18 | 67 | 3.4 | 1.6 | 35 | .15 |
| 15 | 16 | 24 | 1.0 | 16 | 95 | 4.3 | 1.7 | 37 | .17 |
| 16 | 14 | 22 | .33 | 15 | 77 | 2.5 | 1.6 | 13 | .06 |
| 17 | 14 | 55 | 2.1 | 10 | 30 | .81 | 1.4 | 13 | .05 |
| 18 | 19 | 124 | 6.5 | 9.6 | 150 | 4.3 | 2.0 | --- | --- |
| 19 | 18 | 70 | 3.5 | 6.9 | 35 | .69 | 3.3 | 73 | .88 |
| 20 | 16 | 24 | 1.0 | 5.2 | 10 | .14 | 1.6 | 17 | .07 |
| 21 | 14 | 17 | .64 | 5.8 | 73 | 1.6 | 1.8 | 40 | .25 |
| 22 | 117 | 692 | 410 | 6.0 | 69 | 1.6 | 1.4 | 21 | .08 |
| 23 | 107 | 399 | 126 | 13 | 132 | 5.9 | 1.4 | 15 | .06 |
| 24 | 100 | 374 | 106 | 7.8 | 27 | .57 | 14 | 203 | 9.3 |
| 25 | 55 | 158 | 25 | 8.5 | 88 | 2.7 | 3.3 | 241 | 2.1 |
| 26 | 40 | 52 | 5.6 | 4.3 | 11 | .13 | 1.3 | 108 | .38 |
| 27 | 44 | 116 | 13 | 3.9 | 8 | .08 | 1.1 | 21 | .06 |
| 28 | 35 | 116 | 11 | 103 | 2820 | 868 | 1.6 | 7 | .03 |
| 29 | 27 | 42 | 3.1 | 184 | 397 | 204 | 2.8 | 76 | 1.6 |
| 30 | 26 | 42 | 2.9 | 41 | 189 | 21 | 3.0 | 169 | 1.4 |
| 31 | --- | --- | --- | 29 | 569 | 42 | --- | --- | --- |
| TOTAL | 1485 | --- | 1908.07 | 870.0 | --- | 1312.62 | 133.4 | --- | 45.30 |
| JULY | | | | AUGUST | | | SEPTEMBER | | |
| 1 | 23 | 237 | 13 | 1.0 | 27 | .07 | .00 | 0 | .00 |
| 2 | 5.2 | 86 | 1.3 | 1.0 | 13 | .04 | .00 | 0 | .00 |
| 3 | 2.0 | 19 | .10 | 1.0 | 8 | .02 | .00 | 0 | .00 |
| 4 | 1.6 | 13 | .06 | 1.7 | 7 | .03 | .00 | 0 | .00 |
| 5 | 23 | 2120 | 257 | 4.6 | 6 | .07 | .00 | 0 | .00 |
| 6 | 16 | 688 | 37 | 2.2 | 3 | .02 | .00 | 0 | .00 |
| 7 | 4.3 | 106 | 1.2 | 2.0 | 3 | .02 | .00 | 0 | .00 |
| 8 | 1.4 | 34 | .13 | 1.8 | 3 | .01 | .00 | 0 | .00 |
| 9 | .68 | 13 | .02 | 1.7 | 2 | .00 | .00 | 0 | .00 |
| 10 | .62 | 6 | .01 | 1.8 | 2 | .00 | .00 | 0 | .00 |
| 11 | 5.7 | 2990 | 123 | 3.5 | 2 | .02 | .00 | 0 | .00 |
| 12 | 3.2 | 1600 | 21 | 1.3 | 2 | .00 | .00 | 0 | .00 |
| 13 | .45 | 6 | .00 | .89 | 2 | .00 | .00 | 0 | .00 |
| 14 | .04 | 3 | .00 | .40 | 2 | .00 | .00 | 0 | .00 |
| 15 | .01 | 2 | .00 | .21 | 2 | .00 | .00 | 0 | .00 |
| 16 | .00 | 0 | .00 | .08 | 2 | .00 | .00 | 0 | .00 |
| 17 | .00 | 0 | .00 | .02 | 2 | .00 | .00 | 0 | .00 |
| 18 | .00 | 0 | .00 | .01 | 2 | .00 | .00 | 0 | .00 |
| 19 | .00 | 0 | .00 | .01 | 0 | .00 | .00 | 0 | .00 |
| 20 | .00 | 0 | .00 | .00 | 0 | .00 | .00 | 0 | .00 |
| 21 | .00 | 0 | .00 | .00 | 0 | .00 | .00 | 0 | .00 |
| 22 | .00 | 0 | .00 | .00 | 0 | .00 | .00 | 0 | .00 |
| 23 | .00 | 0 | .00 | .00 | 0 | .00 | .00 | 0 | .00 |
| 24 | .00 | 0 | .00 | .00 | 0 | .00 | .00 | 0 | .00 |
| 25 | .01 | 0 | .00 | .00 | 0 | .00 | .00 | 0 | .00 |
| 26 | .21 | 6 | .00 | .00 | 0 | .00 | .00 | 0 | .00 |
| 27 | 2.1 | 8 | .05 | .00 | 0 | .00 | .00 | 0 | .00 |
| 28 | 10 | 2260 | 257 | .00 | 0 | .00 | .00 | 0 | .00 |
| 29 | 5.0 | 1590 | 37 | .00 | 0 | .00 | .00 | 0 | .00 |
| 30 | 1.1 | 95 | .28 | .00 | 0 | .00 | .00 | 0 | .00 |
| 31 | 1.1 | 54 | .18 | .00 | 0 | .00 | --- | --- | --- |
| TOTAL | 106.72 | --- | 748.33 | 25.72 | --- | 0.30 | 0.00 | --- | 0.00 |
| YEAR | 8337.35 | | 8421.92 | | | | | | |

03159540 SHADE RIVER NEAR CHESTER, OH

LOCATION.--Lat 39°03'49", long 81°52'55", in NE 1/4 sec. 10, T.3N., R.12 W., Meigs County, Hydrologic Unit 05030202, on right bank at downstream side of bridge on Oak Hill Road, 200 ft upstream from Sugar Run, 2.8 mi southeast of Chester, and 8.5 mi northeast of Pomeroy.

DRAINAGE AREA.--156 mi², includes that of Sugar Run.

PERIOD OF RECORD.--Water years 1956, 1962-64 (Occasional low-flow measurements), June 1965 to current year.

GAGE.--Water-stage recorder. Datum of gage is 576.91 ft National Geodetic Vertical Datum of 1929.

REMARKS.--Records good except for winter periods which are fair. Water-quality data collected at this site 1965-77, 1979-81. Sediment data collected 1970-74.

AVERAGE DISCHARGE.--19 years, 173 ft³/s, 15.06 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 8,170 ft³/s May 25, 1968, gage height, 27.39 ft; minimum, 0.30 ft³/s Sept. 7-10, 1966.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 2,400 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--|------|-----------------------------------|---------------------|----------------------------|------|-----------------------------------|---------------------|
| May 29 | 1830 | * 2820 | * 17.70 | No other peaks above base. | | | |
| Minimum discharge, 0.45 ft ³ /s Oct. 3-6, 10, 11. | | | | | | | |

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|---------|----------|------|------|------|------|-------|------|-------|-------|-------|-------|
| 1 | .90 | 28 | 104 | 68 | 144 | 299 | 223 | 130 | 120 | 31 | 8.4 | 5.5 |
| 2 | .87 | 26 | 80 | 64 | 117 | 228 | 167 | 112 | 93 | 51 | 6.4 | 4.9 |
| 3 | .45 | 33 | 78 | 62 | 124 | 191 | 141 | 117 | 75 | 28 | 35 | 4.9 |
| 4 | .60 | 54 | 477 | 58 | 190 | 179 | 1180 | 234 | 61 | 13 | 27 | 4.6 |
| 5 | .45 | 55 | 559 | 56 | 179 | 319 | 1680 | 172 | 51 | 10 | 116 | 4.3 |
| 6 | .45 | 41 | 380 | 52 | 126 | 577 | 708 | 158 | 45 | 51 | 93 | 4.3 |
| 7 | .60 | 34 | 485 | 50 | 100 | 293 | 423 | 190 | 40 | 53 | 42 | 4.1 |
| 8 | .60 | 30 | 227 | 48 | 101 | 194 | 282 | 164 | 36 | 40 | 38 | 4.1 |
| 9 | .60 | 28 | 186 | 44 | 79 | 149 | 223 | 234 | 32 | 23 | 21 | 4.1 |
| 10 | .45 | 590 | 711 | 42 | 69 | 111 | 188 | 179 | 28 | 16 | 19 | 4.1 |
| 11 | .60 | 1410 | 376 | 40 | 72 | 123 | 161 | 142 | 23 | 13 | 16 | 3.8 |
| 12 | 1.7 | 360 | 1190 | 38 | 100 | 95 | 139 | 155 | 20 | 31 | 11 | 3.3 |
| 13 | 2.6 | 156 | 744 | 37 | 120 | 89 | 132 | 183 | 17 | 29 | 13 | 3.1 |
| 14 | 3.1 | 103 | 368 | 35 | 288 | 90 | 128 | 131 | 15 | 15 | 8.8 | 2.9 |
| 15 | 3.1 | 249 | 351 | 33 | 312 | 82 | 154 | 111 | 12 | 10 | 6.7 | 4.6 |
| 16 | 3.1 | 479 | 260 | 32 | 173 | 81 | 139 | 99 | 9.2 | 8.4 | 5.5 | 5.2 |
| 17 | 3.3 | 338 | 177 | 31 | 137 | 80 | 130 | 90 | 7.7 | 7.4 | 4.6 | 4.3 |
| 18 | 4.3 | 200 | 131 | 30 | 116 | 74 | 160 | 83 | 7.1 | 8.8 | 4.3 | 3.6 |
| 19 | 4.3 | 129 | 111 | 29 | 109 | 71 | 193 | 80 | 6.7 | 7.7 | 4.3 | 3.1 |
| 20 | 4.6 | 107 | 89 | 28 | 119 | 68 | 154 | 75 | 12 | 6.1 | 11 | 2.6 |
| 21 | 33 | 108 | 83 | 28 | 106 | 1100 | 130 | 70 | 9.9 | 5.5 | 7.4 | 2.4 |
| 22 | 164 | 101 | 996 | 27 | 90 | 812 | 599 | 74 | 6.1 | 4.9 | 5.5 | 1.9 |
| 23 | 750 | 81 | 741 | 27 | 80 | 409 | 1160 | 93 | 4.9 | 4.6 | 5.2 | 1.7 |
| 24 | 533 | 77 | 233 | 150 | 75 | 255 | 622 | 92 | 4.3 | 4.6 | 4.9 | 1.7 |
| 25 | 640 | 73 | 160 | 995 | 71 | 190 | 394 | 71 | 15 | 4.9 | 4.3 | 1.7 |
| 26 | 151 | 63 | 120 | 543 | 68 | 198 | 250 | 65 | 15 | 5.2 | 4.1 | 1.9 |
| 27 | 74 | 55 | 100 | 347 | 61 | 189 | 193 | 61 | 7.1 | 7.1 | 4.6 | 1.5 |
| 28 | 51 | 436 | 88 | 256 | 611 | 379 | 216 | 286 | 4.3 | 14 | 4.9 | 1.5 |
| 29 | 40 | 409 | 82 | 182 | 744 | 1370 | 169 | 2550 | 3.6 | 40 | 4.9 | 1.2 |
| 30 | 34 | 158 | 76 | 151 | --- | 647 | 148 | 676 | 3.8 | 32 | 4.9 | 1.1 |
| 31 | 30 | --- | 74 | 182 | --- | 328 | --- | 183 | --- | 14 | 5.5 | --- |
| TOTAL | 2536.67 | 6011 | 9837 | 3765 | 4581 | 9270 | 10586 | 7060 | 785.7 | 589.2 | 547.2 | 98.0 |
| MEAN | 81.8 | 200 | 317 | 121 | 161 | 299 | 353 | 228 | 26.2 | 19.0 | 17.7 | 3.27 |
| MAX | 750 | 1410 | 1190 | 995 | 744 | 1370 | 1680 | 2550 | 120 | 53 | 116 | 5.5 |
| MIN | .45 | 26 | 74 | 27 | 61 | 68 | 128 | 61 | 3.6 | 4.6 | 4.1 | 1.1 |
| CFSM | .52 | 1.28 | 2.03 | .78 | 1.03 | 1.92 | 2.26 | 1.46 | .17 | .12 | .11 | .02 |
| IN. | .60 | 1.43 | 2.35 | .90 | 1.12 | 2.21 | 2.52 | 1.68 | .19 | .14 | .13 | .02 |
| CAL YR 1983 | TOTAL | 62163.47 | MEAN | 170 | MAX | 2740 | MIN | .45 | CFSM | 1.09 | IN | 14.82 |
| WTR YR 1984 | TOTAL | 55766.77 | MEAN | 152 | MAX | 2550 | MIN | .45 | CFSM | .97 | IN | 13.30 |

03159555 EAST BRANCH SHADE RIVER NEAR TUPPERS PLAINS, OH

LOCATION.--Lat 39°08'29", long 81°52'39", Meigs County, Hydrologic Unit 05030202, on right bank at upstream side of bridge on Township Road, 2.1 mi downstream from Meigs Creek, 2.8 mi upstream from Big Run and 2.7 mi southwest of Tuppers Plains.

DRAINAGE AREA.--37.5 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--April 1980 to September 1981, May 1983 to current year.

GAGE.--Water-stage recorder. Altitude of gage is 600 ft from topographic map.

REMARKS.--

May-September 1983: Records good.

Water year 1984: Records good.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 1320 ft³/s Feb. 2, 1981, gage height, 13.26 ft; minimum daily, no flow many days during summer and fall.

EXTREMES FOR PERIOD MAY TO SEPTEMBER 1983.--Maximum discharge, 618 ft³/s May 23, gage height 10.18 ft, no other peaks above base of 550 ft³/s; minimum daily, no flow many days in Aug. and all of Sept.

EXTREMES FOR CURRENT YEAR.--Peak discharge above base of 550 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|--------|------|-----------------------------------|---------------------|
| Oct. 24 | 1915 | 556 | 9.83 | Apr. 4 | 2045 | 658 | 10.40 |
| Dec. 12 | 1130 | 664 | 10.43 | May 29 | 0300 | *1020 | *12.20 |
| Mar. 21 | 1130 | 653 | 10.37 | | | | |

Minimum daily discharge, no flow many days in Oct.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1982 TO SEPTEMBER 1983
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-----|-----|-----|-----|-----|-----|-----|-----|-------|--------|-------|------|
| 1 | | | | | | | | --- | 24 | 3.0 | 2.1 | .00 |
| 2 | | | | | | | | --- | 21 | 3.4 | 4.5 | .00 |
| 3 | | | | | | | | --- | 30 | 1.3 | 1.8 | .00 |
| 4 | | | | | | | | --- | 84 | 2.2 | 1.2 | .00 |
| 5 | | | | | | | | --- | 48 | 3.4 | 1.0 | .00 |
| 6 | | | | | | | | --- | 30 | 2.7 | 27 | .00 |
| 7 | | | | | | | | --- | 47 | 1.6 | 5.0 | .00 |
| 8 | | | | | | | | --- | 26 | 1.2 | 2.7 | .00 |
| 9 | | | | | | | | --- | 18 | .97 | 1.8 | .00 |
| 10 | | | | | | | | --- | 14 | .73 | 1.2 | .00 |
| 11 | | | | | | | | --- | 11 | .73 | .84 | .00 |
| 12 | | | | | | | | --- | 8.8 | .54 | .54 | .00 |
| 13 | | | | | | | | --- | 7.1 | .22 | 1.1 | .00 |
| 14 | | | | | | | | --- | 6.1 | .22 | .63 | .00 |
| 15 | | | | | | | | 62 | 5.2 | .19 | .30 | .00 |
| 16 | | | | | | | | 235 | 4.7 | .12 | .19 | .00 |
| 17 | | | | | | | | 109 | 4.5 | .10 | .14 | .00 |
| 18 | | | | | | | | 60 | 4.3 | .22 | .10 | .00 |
| 19 | | | | | | | | 134 | 15 | .47 | .10 | .00 |
| 20 | | | | | | | | 266 | 22 | .47 | .14 | .00 |
| 21 | | | | | | | | 134 | 8.8 | .47 | .26 | .00 |
| 22 | | | | | | | | 262 | 6.6 | .47 | .16 | .00 |
| 23 | | | | | | | | 335 | 5.2 | 2.8 | .00 | .00 |
| 24 | | | | | | | | 101 | 4.1 | 83 | .00 | .00 |
| 25 | | | | | | | | 65 | 3.4 | 8.2 | .03 | .00 |
| 26 | | | | | | | | 46 | 2.8 | 4.4 | .02 | .00 |
| 27 | | | | | | | | 34 | 2.3 | 2.3 | .00 | .00 |
| 28 | | | | | | | | 28 | 2.7 | 1.8 | .00 | .00 |
| 29 | | | | | | | | 42 | 2.8 | 1.3 | .00 | .00 |
| 30 | | | | | | | | 71 | 2.8 | 1.1 | .00 | .00 |
| 31 | | | | | | | | 31 | --- | .84 | .00 | --- |
| TOTAL | | | | | | | | --- | 472.2 | 130.46 | 52.85 | .00 |
| MEAN | | | | | | | | --- | 15.7 | 4.21 | 1.70 | .000 |
| MAX | | | | | | | | --- | 84 | 83 | 27 | .00 |
| MIN | | | | | | | | --- | 2.3 | .10 | .00 | .00 |
| CFSM | | | | | | | | --- | .42 | .11 | .05 | .000 |
| IN. | | | | | | | | --- | .47 | .13 | .05 | .00 |

SHADE RIVER BASIN

03159555 EAST BRANCH SHADE RIVER NEAR TUPPERS PLAINS, OH--Continued

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|--------|------|-------|------|------|------|-------|-------|-------|--------|------|
| 1 | .00 | 5.0 | 31 | 15 | 42 | 83 | 60 | 26 | 26 | 9.8 | 1.2 | .35 |
| 2 | .00 | 4.8 | 24 | 14 | 36 | 69 | 47 | 22 | 19 | 5.7 | 1.2 | .35 |
| 3 | .00 | 5.0 | 22 | 14 | 36 | 59 | 53 | 26 | 15 | 3.0 | 9.1 | .30 |
| 4 | .00 | 7.4 | 180 | 14 | 48 | 54 | 414 | 45 | 12 | 2.0 | 34 | .30 |
| 5 | .00 | 6.4 | 110 | 14 | 40 | 95 | 274 | 31 | 9.5 | 1.8 | 45 | .26 |
| 6 | .00 | 5.5 | 131 | 14 | 34 | 119 | 126 | 32 | 7.9 | 7.4 | 15 | .22 |
| 7 | .00 | 4.6 | 103 | 14 | 23 | 76 | 94 | 36 | 6.6 | 4.1 | 7.1 | .19 |
| 8 | .00 | 3.8 | 65 | 14 | 25 | 60 | 67 | 36 | 5.7 | 2.8 | 7.6 | .19 |
| 9 | .00 | 3.3 | 74 | 15 | 18 | 38 | 53 | 58 | 5.0 | 1.9 | 5.0 | .19 |
| 10 | .00 | 238 | 198 | 14 | 17 | 33 | 43 | 39 | 4.3 | 1.4 | 3.3 | .16 |
| 11 | .00 | 408 | 93 | 14 | 19 | 35 | 37 | 31 | 3.7 | 2.4 | 3.9 | .16 |
| 12 | .00 | 76 | 437 | 13 | 27 | 24 | 33 | 49 | 3.1 | 4.8 | 3.1 | .16 |
| 13 | .00 | 41 | 144 | 13 | 34 | 25 | 31 | 41 | 2.8 | 2.2 | 2.2 | .14 |
| 14 | .40 | 28 | 90 | 13 | 119 | 24 | 28 | 31 | 2.3 | 1.4 | 1.9 | .12 |
| 15 | .11 | 118 | 92 | 12 | 80 | 23 | 28 | 25 | 2.0 | 1.1 | 1.6 | .30 |
| 16 | 1.0 | 128 | 66 | 12 | 55 | 22 | 29 | 20 | 1.5 | .97 | 1.4 | .26 |
| 17 | .84 | 94 | 49 | 11 | 44 | 21 | 29 | 18 | 1.5 | .84 | 1.2 | .22 |
| 18 | .63 | 57 | 40 | 10 | 38 | 20 | 48 | 15 | 1.5 | .54 | 1.0 | .19 |
| 19 | .63 | 40 | 34 | 8.0 | 36 | 19 | 57 | 14 | 2.0 | .54 | 3.3 | .16 |
| 20 | .63 | 32 | 26 | 7.0 | 38 | 18 | 42 | 12 | 1.7 | .47 | 2.0 | .16 |
| 21 | 31 | 29 | 25 | 6.6 | 33 | 410 | 35 | 10 | 1.7 | .47 | 1.4 | .16 |
| 22 | 39 | 24 | 306 | 6.2 | 29 | 172 | 216 | 9.1 | 1.4 | .47 | 1.2 | .14 |
| 23 | 254 | 21 | 128 | 6.0 | 27 | 116 | 217 | 13 | 1.4 | .40 | 1.2 | .12 |
| 24 | 228 | 21 | 70 | 172 | 24 | 79 | 158 | 12 | 1.5 | .40 | 1.1 | .12 |
| 25 | 118 | 19 | 44 | 196 | 23 | 66 | 93 | 8.2 | 3.4 | .40 | 1.4 | .12 |
| 26 | 27 | 16 | 31 | 101 | 20 | 82 | 64 | 7.1 | 2.1 | .40 | 1.2 | .12 |
| 27 | 19 | 14 | 26 | 66 | 18 | 76 | 51 | 6.6 | 1.5 | 1.2 | 1.0 | .06 |
| 28 | 12 | 155 | 22 | 51 | 178 | 167 | 45 | 33 | 1.2 | 1.7 | .63 | .06 |
| 29 | 9.1 | 79 | 20 | 43 | 154 | 262 | 36 | 161 | 1.7 | 9.1 | .54 | .06 |
| 30 | 7.1 | 47 | 18 | 38 | --- | 119 | 32 | 76 | 1.3 | 2.8 | .30 | .06 |
| 31 | 5.5 | --- | 16 | 43 | --- | 80 | --- | 40 | --- | 1.5 | .35 | --- |
| TOTAL | 753.94 | 1730.8 | 2715 | 983.8 | 1315 | 2546 | 2540 | 983.0 | 150.3 | 74.00 | 160.42 | 5.40 |
| MEAN | 24.3 | 57.7 | 87.6 | 31.7 | 45.3 | 82.1 | 84.7 | 31.7 | 5.01 | 2.39 | 5.17 | .18 |
| MAX | 254 | 408 | 437 | 196 | 178 | 410 | 414 | 161 | 26 | 9.8 | 45 | .35 |
| MIN | .00 | 3.3 | 16 | 6.0 | 17 | 18 | 28 | 6.6 | 1.2 | .40 | .30 | .06 |
| CFSM | .65 | 1.54 | 2.34 | .85 | 1.21 | 2.19 | 2.26 | .85 | .13 | .06 | .14 | .005 |
| IN. | .75 | 1.72 | 2.69 | .98 | 1.30 | 2.53 | 2.52 | .98 | .15 | .07 | .16 | .01 |

WTR YR 1984 TOTAL 13957.66 MEAN 38.1 MAX 437 MIN .00 CFSM 1.02 IN 13.85

03159555 EAST BRANCH SHADE RIVER NEAR TUPPERS PLAINS, OH--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--April 1980 to September 1981, May 1983 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: April 1980 to September 1981.

pH: December 1980 to September 1981.

WATER TEMPERATURES: April 1980 to September 1981.

SUSPENDED SEDIMENT DISCHARGE: April 1980 to September 1981, May 1983 to current year.

INSTRUMENTATION.--Sediment-pumping sampler.

REMARKS.--Sediment samples were collected by a sediment-pumping sampler. Daily sediment samples collected by a local observer.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SEDIMENT CONCENTRATIONS: Maximum daily mean, 1590 mg/L July 24, 1983; minimum daily mean, 0 mg/L many days.

SEDIMENT LOADS: Maximum daily, 1350 tons May 28, 1984; minimum daily, 0.0 tons many days.

EXTREMES FOR MAY-SEPTEMBER 1983.--

SEDIMENT CONCENTRATIONS: Maximum daily mean, 1590 mg/L July 24; minimum daily mean, 0 mg/L many days.

SEDIMENT LOADS: Maximum daily, 364 tons July 24; minimum daily 0.0 tons many days.

EXTREMES FOR WATER YEAR 1984.--

SEDIMENT CONCENTRATIONS: Maximum daily mean, 933 mg/L May 28; minimum daily mean, 0 mg/L many days.

SEDIMENT LOADS: Maximum daily, 1350 tons May 28; minimum daily 0.0 tons many days.

WATER QUALITY DATA, WATER YEAR OCTOBER 1982 TO SEPTEMBER 1983

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | SPE- CIFIC CON- DUCT- ANCE (UMHOS) | PH (STAND- ARD UNITS) | TEMPER- ATURE, AIR (DEG C) | TEMPER- ATURE (DEG C) | ALKA- LITY FIELD (MG/L AS CAC03) | SULFATE DIS- SOLVED (MG/L AS SO4) | ALUM- INUM, TOTAL RECOV- ERABLE (UG/L AS AL) |
|--------------|------|--|---|---|---|--|---|---|--|
| JUL 05... | 1215 | 3.5 | 441 | 7.0 | 25.0 | 25.5 | 139 | 28 | 700 |
| DATE | TIME | ALUM- INUM, SUS- PENDE RECOV. (UG/L AS AL) | ALUM- INUM, DIS- SOLVED (UG/L AS AL) | IRON, TOTAL RECOV- ERABLE (UG/L AS FE) | IRON, SUS- PENDE RECOV- ERABLE (UG/L AS FE) | IRON, DIS- SOLVED (UG/L AS FE) | MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN) | MANGA- NESE, SUS- PENDE RECOV. (UG/L AS MN) | MANGA- NESE, DIS- SOLVED (UG/L AS MN) |
| JUL 05... | | 400 | 300 | 1200 | 1200 | 30 | 400 | 60 | 340 |

WATER QUALITY DATA, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | SPE- CIFIC CON- DUCT- ANCE (UMHOS) | PH (STAND- ARD UNITS) | TEMPER- ATURE, AIR (DEG C) | TEMPER- ATURE (DEG C) | ALKA- LITY FIELD (MG/L AS CAC03) | SULFATE DIS- SOLVED (MG/L AS SO4) |
|--------------|------|---|---|--------------------------------|-------------------------------------|-----------------------------|---|---|
| JAN 17... | 0930 | 11 | 355 | 7.8 | 1.0 | .0 | 110 | 44 |
| MAY 21... | 1245 | 11 | 392 | 7.8 | -- | 20.0 | 134 | 40 |

| DATE | ALUM- INUM, TOTAL RECOV- ERABLE (UG/L AS AL) | ALUM- INUM, DIS- SOLVED (UG/L AS AL) | IRON, TOTAL RECOV- ERABLE (UG/L AS FE) | IRON, SUS- PENDE RECOV- ERABLE (UG/L AS FE) | IRON, DIS- SOLVED (UG/L AS FE) | MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN) | MANGA- NESE, SUS- PENDE RECOV. (UG/L AS MN) | MANGA- NESE, DIS- SOLVED (UG/L AS MN) |
|--------------|--|---|---|---|--|---|---|--|
| JAN 17... | <100 | <100 | 130 | 70 | 60 | 160 | 0 | 160 |
| MAY 21... | 200 | 100 | 760 | -- | 50 | 230 | -- | 160 |

SHADE RIVER BASIN

03159555 EAST BRANCH SHADE RIVER NEAR TUPPERS PLAINS, OH--Continued
 SEDIMENT DISCHARGE, SUSPENDED (TONS/DAY), WATER YEAR OCTOBER 1982 TO SEPTEMBER 1983

| DAY | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| APRIL | | | MAY | | | JUNE | | | |
| 1 | | | --- | --- | --- | 24 | 17 | 1.1 | |
| 2 | | | --- | --- | --- | 21 | 11 | .62 | |
| 3 | | | --- | --- | --- | 30 | 41 | 7.1 | |
| 4 | | | --- | --- | --- | 84 | 37 | 9.8 | |
| 5 | | | --- | --- | --- | 48 | 25 | 3.2 | |
| 6 | | | --- | --- | --- | 30 | 25 | 2.0 | |
| 7 | | | --- | --- | --- | 47 | 50 | 6.3 | |
| 8 | | | --- | --- | --- | 26 | 13 | .91 | |
| 9 | | | --- | --- | --- | 18 | 10 | .49 | |
| 10 | | | --- | --- | --- | 14 | 10 | .38 | |
| 11 | | | --- | --- | --- | 11 | 10 | .30 | |
| 12 | | | --- | --- | --- | 8.8 | 10 | .24 | |
| 13 | | | --- | --- | --- | 7.1 | 10 | .19 | |
| 14 | | | --- | --- | --- | 6.1 | 10 | .16 | |
| 15 | | | 62 | 89 | 20 | 5.2 | 10 | .14 | |
| 16 | | | 235 | 199 | 120 | 4.7 | 10 | .13 | |
| 17 | | | 109 | 50 | 16 | 4.5 | 10 | .12 | |
| 18 | | | 60 | 15 | 2.4 | 4.3 | 10 | .12 | |
| 19 | | | 134 | 163 | 67 | 15 | 50 | 4.6 | |
| 20 | | | 266 | 209 | 153 | 22 | 41 | 2.4 | |
| 21 | | | 134 | 40 | 14 | 8.8 | 10 | .24 | |
| 22 | | | 262 | 373 | 338 | 6.6 | 10 | .18 | |
| 23 | | | 335 | 275 | 299 | 5.2 | 10 | .14 | |
| 24 | | | 101 | 45 | 12 | 4.1 | 10 | .11 | |
| 25 | | | 65 | 16 | 2.8 | 3.4 | 10 | .09 | |
| 26 | | | 46 | 11 | 1.4 | 2.8 | 10 | .08 | |
| 27 | | | 34 | 10 | .92 | 2.3 | 10 | .06 | |
| 28 | | | 28 | 9 | .68 | 2.7 | 10 | .07 | |
| 29 | | | 42 | 71 | 13 | 2.8 | 10 | .08 | |
| 30 | | | 71 | 110 | 21 | 2.8 | 10 | .08 | |
| 31 | | | 31 | 40 | 3.3 | --- | --- | --- | |
| TOTAL | | | 2015 | --- | 1084.50 | 472.2 | --- | 41.43 | |
| JULY | | | AUGUST | | | SEPTEMBER | | | |
| 1 | 3.0 | 13 | .11 | 2.1 | 62 | .35 | .00 | .00 | |
| 2 | 3.4 | 10 | .09 | 4.5 | 28 | .34 | .00 | .00 | |
| 3 | 1.3 | 10 | .04 | 1.8 | 25 | .12 | .00 | .00 | |
| 4 | 2.2 | 14 | .08 | 1.2 | 14 | .05 | .00 | .00 | |
| 5 | 3.4 | 27 | .25 | 1.0 | 25 | .07 | .00 | .00 | |
| 6 | 2.7 | 25 | .18 | 27 | 301 | 24 | .00 | .00 | |
| 7 | 1.6 | 16 | .07 | 5.0 | 156 | 2.1 | .00 | .00 | |
| 8 | 1.2 | 18 | .06 | 2.7 | 95 | .69 | .00 | .00 | |
| 9 | .97 | 15 | .04 | 1.8 | 50 | .24 | .00 | .00 | |
| 10 | .73 | 17 | .03 | 1.2 | 30 | .10 | .00 | .00 | |
| 11 | .73 | 20 | .04 | .84 | 46 | .10 | .00 | .00 | |
| 12 | .54 | 18 | .03 | .54 | 25 | .04 | .00 | .00 | |
| 13 | .22 | 19 | .01 | 1.1 | 57 | .17 | .00 | .00 | |
| 14 | .22 | 15 | .00 | .63 | 55 | .09 | .00 | .00 | |
| 15 | .19 | 15 | .00 | .30 | 32 | .03 | .00 | .00 | |
| 16 | .12 | 16 | .00 | .19 | 34 | .02 | .00 | .00 | |
| 17 | .10 | 14 | .00 | .14 | 20 | .00 | .00 | .00 | |
| 18 | .22 | 21 | .01 | .10 | 19 | .00 | .00 | .00 | |
| 19 | .47 | 26 | .03 | .10 | 16 | .00 | .00 | .00 | |
| 20 | .47 | 17 | .02 | .14 | 20 | .00 | .00 | .00 | |
| 21 | .47 | 20 | .03 | .26 | 25 | .02 | .00 | .00 | |
| 22 | .47 | 16 | .02 | .16 | 21 | .00 | .00 | .00 | |
| 23 | 2.8 | 681 | 21 | .00 | 0 | .00 | .00 | .00 | |
| 24 | 83 | 1590 | 364 | .00 | 0 | .00 | .00 | .00 | |
| 25 | 8.2 | 135 | 3.0 | .03 | 24 | .00 | .00 | .00 | |
| 26 | 4.4 | 68 | .81 | .02 | 23 | .00 | .00 | .00 | |
| 27 | 2.3 | 65 | .40 | .00 | 0 | .00 | .00 | .00 | |
| 28 | 1.8 | 42 | .20 | .00 | 0 | .00 | .00 | .00 | |
| 29 | 1.3 | 34 | .12 | .00 | 0 | .00 | .00 | .00 | |
| 30 | 1.1 | 28 | .08 | .00 | 0 | .00 | .00 | .00 | |
| 31 | .84 | 22 | .05 | .00 | 0 | .00 | --- | --- | |
| TOTAL | 130.46 | --- | 390.80 | 52.85 | --- | 28.53 | 0.00 | --- | 0.00 |
| YEAR | 2670.51 | | 1545.26 | | | | | | |

NOTE: .NUMBER OF MISSING DAYS OF RECORD EXCEEDED 20% OF YEAR

SHADE RIVER BASIN

117

03159555 EAST BRANCH SHADE RIVER NEAR TUPPERS PLAINS, OH--Continued

SEDIMENT DISCHARGE, SUSPENDED (TONS/DAY), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
|---------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| OCTOBER | | | | NOVEMBER | | | DECEMBER | | |
| 1 | .00 | 0 | .00 | 5.0 | 21 | .28 | 31 | 4 | .33 |
| 2 | .00 | 0 | .00 | 4.8 | 30 | .39 | 24 | 3 | .19 |
| 3 | .00 | 0 | .00 | 5.0 | 27 | .36 | 22 | 3 | .18 |
| 4 | .00 | 0 | .00 | 7.4 | 23 | .46 | 180 | 91 | 49 |
| 5 | .00 | 0 | .00 | 6.4 | 14 | .24 | 110 | 33 | 10 |
| 6 | .00 | 0 | .00 | 5.5 | 10 | .15 | 131 | 61 | 24 |
| 7 | .00 | 0 | .00 | 4.6 | 10 | .12 | 103 | 29 | 8.7 |
| 8 | .00 | 0 | .00 | 3.8 | 10 | .10 | 65 | 12 | 2.1 |
| 9 | .00 | 0 | .00 | 3.3 | 11 | .10 | 74 | 25 | 8.1 |
| 10 | .00 | 0 | .00 | 238 | 239 | 200 | 198 | 89 | 51 |
| 11 | .00 | 0 | .00 | 408 | 158 | 115 | 93 | 25 | 6.2 |
| 12 | .00 | 0 | .00 | 76 | 31 | 6.7 | 437 | 248 | 297 |
| 13 | .00 | 0 | .00 | 41 | 14 | 1.5 | 144 | 45 | 18 |
| 14 | .40 | 24 | .03 | 28 | 9 | .68 | 90 | 23 | 5.6 |
| 15 | .11 | 11 | .00 | 118 | 75 | 36 | 92 | 30 | 7.4 |
| 16 | 1.0 | 13 | .04 | 128 | 55 | 19 | 66 | 6 | 1.1 |
| 17 | .84 | 16 | .04 | 94 | 25 | 6.3 | 49 | 2 | .26 |
| 18 | .63 | 16 | .03 | 57 | 14 | 2.2 | 40 | 2 | .22 |
| 19 | .63 | 18 | .03 | 40 | 20 | 2.2 | 34 | 2 | .18 |
| 20 | .63 | 20 | .03 | 32 | 20 | 1.7 | 26 | 2 | .14 |
| 21 | 31 | 53 | 5.5 | 29 | 12 | .94 | 25 | 3 | .20 |
| 22 | 39 | 51 | 7.2 | 24 | 5 | .32 | 306 | 254 | 211 |
| 23 | 254 | 480 | 393 | 21 | 3 | .17 | 128 | 48 | 18 |
| 24 | 228 | 185 | 140 | 21 | 7 | .40 | 70 | 9 | 1.7 |
| 25 | 118 | 68 | 26 | 19 | 8 | .41 | 44 | 7 | .83 |
| 26 | 27 | 22 | 1.6 | 16 | 5 | .22 | 31 | 7 | .59 |
| 27 | 19 | 15 | .77 | 14 | 6 | .23 | 26 | 13 | .91 |
| 28 | 12 | 17 | .55 | 155 | 106 | 48 | 22 | 27 | 1.6 |
| 29 | 9.1 | 20 | .49 | 79 | 27 | 5.8 | 20 | 24 | 1.3 |
| 30 | 7.1 | 20 | .38 | 47 | 7 | .89 | 18 | 13 | .63 |
| 31 | 5.5 | 18 | .27 | --- | --- | --- | 16 | 5 | .22 |
| TOTAL | 753.94 | --- | 575.96 | 1730.8 | --- | 450.86 | 2715 | --- | 726.68 |
| JANUARY | | | | FEBRUARY | | | MARCH | | |
| 1 | 15 | 4 | .16 | 42 | 14 | 1.6 | 83 | 30 | 6.7 |
| 2 | 14 | 3 | .11 | 36 | 13 | 1.3 | 69 | 21 | 3.9 |
| 3 | 14 | 2 | .08 | 36 | 17 | 1.7 | 59 | 19 | 3.0 |
| 4 | 14 | 2 | .08 | 48 | 25 | 3.2 | 54 | 23 | 3.4 |
| 5 | 14 | 2 | .08 | 40 | 18 | 1.9 | 95 | 95 | 24 |
| 6 | 14 | 3 | .11 | 34 | 8 | .73 | 119 | 119 | 39 |
| 7 | 14 | 2 | .08 | 23 | 6 | .37 | 76 | 23 | 4.7 |
| 8 | 14 | 3 | .11 | 25 | 7 | .47 | 60 | 8 | 1.3 |
| 9 | 15 | 3 | .12 | 18 | 5 | .24 | 38 | 19 | 2.0 |
| 10 | 14 | 3 | .11 | 17 | 5 | .23 | 33 | 23 | 1.9 |
| 11 | 14 | 3 | .11 | 19 | 8 | .41 | 35 | 15 | 1.4 |
| 12 | 13 | 5 | .18 | 27 | 17 | 1.2 | 24 | 13 | .84 |
| 13 | 13 | 4 | .14 | 34 | 36 | 4.7 | 25 | 13 | .88 |
| 14 | 13 | 3 | .11 | 119 | 179 | 63 | 24 | 8 | .52 |
| 15 | 12 | 4 | .13 | 80 | 45 | 9.9 | 23 | 9 | .56 |
| 16 | 12 | 4 | .13 | 55 | 18 | 2.7 | 22 | 16 | .95 |
| 17 | 11 | 5 | .15 | 44 | 16 | 1.9 | 21 | 12 | .68 |
| 18 | 10 | 7 | .19 | 38 | 17 | 1.7 | 20 | 12 | .65 |
| 19 | 8.0 | 7 | .15 | 36 | 21 | 2.0 | 19 | 15 | .77 |
| 20 | 7.0 | 7 | .13 | 38 | 14 | 1.4 | 18 | 36 | 2.0 |
| 21 | 6.6 | 8 | .14 | 33 | 7 | .62 | 410 | 905 | 1040 |
| 22 | 6.2 | 6 | .10 | 29 | 6 | .47 | 172 | 128 | 61 |
| 23 | 6.0 | 6 | .10 | 27 | 6 | .44 | 116 | 50 | 16 |
| 24 | 172 | 139 | 96 | 24 | 9 | .58 | 79 | 31 | 6.6 |
| 25 | 196 | 125 | 74 | 23 | 10 | .62 | 66 | 28 | 5.0 |
| 26 | 101 | 58 | 16 | 20 | 10 | .54 | 82 | 45 | 10 |
| 27 | 66 | 31 | 5.5 | 18 | 10 | .49 | 76 | 32 | 6.6 |
| 28 | 51 | 18 | 2.5 | 178 | 512 | 350 | 167 | 176 | 139 |
| 29 | 43 | 13 | 1.5 | 154 | 138 | 63 | 262 | 305 | 234 |
| 30 | 38 | 11 | 1.1 | --- | --- | --- | 119 | 63 | 20 |
| 31 | 43 | 13 | 1.5 | --- | --- | --- | 80 | 30 | 6.5 |
| TOTAL | 983.8 | --- | 200.90 | 1315 | --- | 517.41 | 2546 | --- | 1643.85 |

SHADE RIVER BASIN

03159555 EAST BRANCH SHADE RIVER NEAR TUPPERS PLAINS, OH--Continued

SEDIMENT DISCHARGE, SUSPENDED (TONS/DAY), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCEN- TRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
|-------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|----------------------------|--------------------------------------|-------------------------------------|
| APRIL | | | | MAY | | | | JUNE | |
| 1 | 60 | 20 | 3.2 | 26 | 20 | 1.4 | 26 | 22 | 1.5 |
| 2 | 47 | 15 | 1.9 | 22 | 20 | 1.2 | 19 | 28 | 1.4 |
| 3 | 53 | 36 | 6.8 | 26 | 35 | 2.8 | 15 | 27 | 1.1 |
| 4 | 414 | 531 | 572 | 45 | 80 | 11 | 12 | 22 | .71 |
| 5 | 274 | 229 | 181 | 31 | 20 | 1.7 | 9.5 | 17 | .44 |
| 6 | 126 | 65 | 22 | 32 | 23 | 2.0 | 7.9 | 14 | .30 |
| 7 | 94 | 33 | 8.4 | 36 | 22 | 2.1 | 6.6 | 13 | .23 |
| 8 | 67 | 22 | 4.0 | 36 | 32 | 3.6 | 5.7 | 19 | .29 |
| 9 | 53 | 21 | 3.0 | 58 | 55 | 13 | 5.0 | 24 | .32 |
| 10 | 43 | 20 | 2.3 | 39 | 16 | 1.7 | 4.3 | 19 | .22 |
| 11 | 37 | 20 | 2.0 | 31 | 11 | .92 | 3.7 | 17 | .17 |
| 12 | 33 | 16 | 1.4 | 49 | 76 | 26 | 3.1 | 23 | .19 |
| 13 | 31 | 12 | 1.0 | 41 | 27 | 3.0 | 2.8 | 23 | .17 |
| 14 | 28 | 13 | .98 | 31 | 15 | 1.3 | 2.3 | 27 | .17 |
| 15 | 28 | 17 | 1.3 | 25 | 15 | 1.0 | 2.0 | 25 | .14 |
| 16 | 29 | 14 | 1.1 | 20 | 17 | .92 | 1.5 | 27 | .11 |
| 17 | 29 | 22 | 1.7 | 18 | 18 | .87 | 1.5 | 34 | .14 |
| 18 | 48 | 26 | 3.4 | 15 | 19 | .77 | 1.5 | 33 | .13 |
| 19 | 57 | 24 | 3.7 | 14 | 20 | .76 | 2.0 | 32 | .17 |
| 20 | 42 | 17 | 1.9 | 12 | 20 | .65 | 1.7 | 25 | .11 |
| 21 | 35 | 10 | .95 | 10 | 21 | .57 | 1.7 | 16 | .07 |
| 22 | 216 | 371 | 384 | 9.1 | 23 | .57 | 1.4 | 17 | .06 |
| 23 | 217 | 208 | 136 | 13 | 30 | 1.1 | 1.4 | 22 | .08 |
| 24 | 158 | 66 | 28 | 12 | 39 | 1.3 | 1.5 | 30 | .12 |
| 25 | 93 | 30 | 7.5 | 8.2 | 25 | .55 | 3.4 | 40 | .37 |
| 26 | 64 | 20 | 3.5 | 7.1 | 25 | .48 | 2.1 | 19 | .11 |
| 27 | 51 | 20 | 2.8 | 6.6 | 25 | .45 | 1.5 | 28 | .11 |
| 28 | 45 | 20 | 2.4 | 33 | 933 | 1350 | 1.2 | 20 | .06 |
| 29 | 36 | 17 | 1.7 | 161 | 344 | 634 | 1.7 | 45 | .26 |
| 30 | 32 | 20 | 1.7 | 76 | 57 | 13 | 1.3 | 46 | .15 |
| 31 | --- | --- | --- | 40 | 27 | 2.9 | --- | --- | --- |
| TOTAL | 2540 | --- | 1391.63 | 983.0 | --- | 2081.61 | 150.3 | --- | 9.40 |
| JULY | | | | AUGUST | | | | SEPTEMBER | |
| 1 | 9.8 | 74 | 1.7 | 1.2 | 18 | .06 | .35 | 18 | .02 |
| 2 | 5.7 | 38 | .58 | 1.2 | 24 | .10 | .35 | 19 | .02 |
| 3 | 3.0 | 30 | .24 | 9.1 | 83 | 2.1 | .30 | 23 | .02 |
| 4 | 2.0 | 18 | .10 | 34 | 260 | 53 | .30 | 23 | .02 |
| 5 | 1.8 | 12 | .06 | 45 | 323 | 41 | .26 | 22 | .02 |
| 6 | 7.4 | 54 | .85 | 15 | 63 | 2.6 | .22 | 22 | .01 |
| 7 | 4.1 | 19 | .21 | 7.1 | 75 | 1.4 | .19 | 22 | .01 |
| 8 | 2.8 | 15 | .11 | 7.6 | 66 | 1.4 | .19 | 21 | .01 |
| 9 | 1.9 | 13 | .07 | 5.0 | 41 | .55 | .19 | 21 | .01 |
| 10 | 1.4 | 12 | .05 | 3.3 | 30 | .27 | .16 | 21 | .00 |
| 11 | 2.4 | 33 | .33 | 3.9 | 31 | .33 | .16 | 20 | .00 |
| 12 | 4.8 | 64 | .83 | 3.1 | 22 | .18 | .16 | 20 | .00 |
| 13 | 2.2 | 42 | .25 | 2.2 | 18 | .11 | .14 | 20 | .00 |
| 14 | 1.4 | 33 | .12 | 1.9 | 15 | .08 | .12 | 19 | .00 |
| 15 | 1.1 | 25 | .07 | 1.6 | 14 | .06 | .30 | 19 | .02 |
| 16 | .97 | 20 | .05 | 1.4 | 16 | .06 | .26 | 19 | .01 |
| 17 | .84 | 16 | .04 | 1.2 | 20 | .06 | .22 | 19 | .01 |
| 18 | .54 | 14 | .02 | 1.0 | 18 | .05 | .19 | 19 | .00 |
| 19 | .54 | 12 | .02 | 3.3 | 39 | .28 | .16 | 18 | .00 |
| 20 | .47 | 11 | .01 | 2.0 | 20 | .11 | .16 | 18 | .00 |
| 21 | .47 | 10 | .01 | 1.4 | 20 | .08 | .16 | 18 | .00 |
| 22 | .47 | 11 | .01 | 1.2 | 20 | .06 | .14 | 18 | .00 |
| 23 | .40 | 11 | .01 | 1.2 | 20 | .06 | .12 | 18 | .00 |
| 24 | .40 | 11 | .01 | 1.1 | 19 | .06 | .12 | 17 | .00 |
| 25 | .40 | 10 | .01 | 1.4 | 16 | .06 | .12 | 17 | .00 |
| 26 | .40 | 10 | .01 | 1.2 | 18 | .06 | .12 | 17 | .00 |
| 27 | 1.2 | 11 | .04 | 1.0 | 21 | .06 | .06 | 17 | .00 |
| 28 | 1.7 | 11 | .05 | .63 | 18 | .03 | .06 | 17 | .00 |
| 29 | 9.1 | 137 | 3.3 | .54 | 21 | .03 | .06 | 17 | .00 |
| 30 | 2.8 | 24 | .18 | .30 | 25 | .02 | .06 | 16 | .00 |
| 31 | 1.5 | 17 | .07 | .35 | 21 | .02 | --- | --- | --- |
| TOTAL | 74.00 | --- | 9.41 | 160.42 | --- | 104.34 | 5.40 | --- | 0.18 |
| YEAR | 13957.66 | | 7712.23 | | | | | | |

03202000 RACCOON CREEK AT ADAMSVILLE, OH

LOCATION.--Lat 38°52'25", long 82°21'22", in SE 1/4 sec. 26, T.6N., R.16W., Gallia County, Hydrologic Unit 05090101, on left bank at downstream side of U.S. Highway 35 bridge at Adamsville, 1.3 mi upstream from Ryan Run, and 1.4 mi downstream from Indian Creek.

DRAINAGE AREA.--585 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--June 1915 to December 1935, October 1938 to current year. Monthly discharge only for December 1935, published in WSP 1305.

REVISED RECORDS.--WSP 873: 1916-18, 1920, 1922, 1924, 1926-27, 1931, 1933, 1935(M). WSP 1908: Drainage area. WSP 2108: 1968-70(M).

GAGE.--Water-stage recorder. Datum of gage is 570.04 ft National Geodetic Vertical Datum of 1929. Prior to June 13, 1940, nonrecording gage, June 13, 1940 to Oct. 27, 1970 water-stage recorder 480 ft upstream at same datum.

REMARKS.--Records fair. Sediment data collected at this site 1969 to 1974.

AVERAGE DISCHARGE.--66 years, 647 ft³/s, 15.02 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 20,000 ft³/s May 28, 1968, gage height 28.69 ft, from rating curve extended above 13,000 ft³/s on basis of slope-conveyance estimate of peak flow; minimum, 1.1 ft³/s Oct. 17-19, 1964.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in January 1937 reached a stage of 25.2 ft, from floodmark, discharge, 16,000 ft³/s.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 3,000 ft³/s and maximums (*).

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---|------|--------------------------------|------------------|----------------------------|------|--------------------------------|------------------|
| Apr. 7 | 1300 | *3670 | *14.92 | No other peaks above base. | | | |
| Minimum daily discharge, 5.1 ft ³ /s Oct. 1. | | | | | | | |

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|-------|-------|-------|-------|-------|-------|-------|------|------|------|-------|
| 1 | 5.1 | 121 | 982 | 280 | 810 | 1090 | 2810 | 658 | 1140 | 89 | 59 | 15 |
| 2 | 6.5 | 106 | 653 | 260 | 725 | 971 | 2250 | 572 | 868 | 123 | 59 | 12 |
| 3 | 5.1 | 107 | 498 | 230 | 653 | 855 | 1290 | 556 | 463 | 130 | 60 | 10 |
| 4 | 6.5 | 121 | 794 | 210 | 670 | 795 | 2320 | 909 | 336 | 118 | 59 | 9.0 |
| 5 | 8.3 | 130 | 1220 | 190 | 773 | 900 | 3180 | 1260 | 270 | 115 | 75 | 8.6 |
| 6 | 11 | 133 | 1650 | 170 | 786 | 1250 | 3540 | 1210 | 220 | 184 | 192 | 7.4 |
| 7 | 11 | 134 | 1450 | 160 | 664 | 1550 | 3650 | 1020 | 184 | 400 | 194 | 6.8 |
| 8 | 9.7 | 121 | 1180 | 150 | 538 | 1510 | 3520 | 978 | 160 | 294 | 115 | 6.2 |
| 9 | 12 | 109 | 1100 | 130 | 506 | 1200 | 2730 | 1010 | 141 | 213 | 99 | 6.0 |
| 10 | 18 | 419 | 1120 | 120 | 442 | 895 | 1400 | 934 | 127 | 141 | 93 | 6.0 |
| 11 | 21 | 1190 | 1070 | 110 | 414 | 747 | 1020 | 835 | 202 | 105 | 105 | 6.0 |
| 12 | 22 | 1340 | 1250 | 110 | 448 | 658 | 859 | 731 | 220 | 90 | 88 | 5.8 |
| 13 | 24 | 1200 | 1250 | 100 | 528 | 613 | 758 | 677 | 113 | 90 | 87 | 5.4 |
| 14 | 28 | 785 | 1170 | 96 | 828 | 558 | 585 | 683 | 100 | 86 | 72 | 5.2 |
| 15 | 31 | 638 | 1000 | 94 | 1360 | 538 | 630 | 609 | 90 | 73 | 66 | 7.8 |
| 16 | 36 | 743 | 869 | 92 | 1580 | 536 | 585 | 516 | 84 | 59 | 64 | 11 |
| 17 | 39 | 899 | 779 | 90 | 1450 | 534 | 566 | 446 | 81 | 56 | 62 | 15 |
| 18 | 40 | 1070 | 663 | 90 | 1040 | 552 | 554 | 383 | 74 | 75 | 57 | 11 |
| 19 | 43 | 976 | 554 | 88 | 812 | 522 | 574 | 340 | 70 | 59 | 46 | 8.8 |
| 20 | 50 | 726 | 473 | 88 | 738 | 490 | 613 | 303 | 70 | 53 | 39 | 6.4 |
| 21 | 70 | 594 | 418 | 86 | 679 | 1190 | 620 | 270 | 71 | 59 | 30 | 5.2 |
| 22 | 119 | 526 | 959 | 86 | 601 | 2150 | 1460 | 240 | 70 | 56 | 28 | 5.4 |
| 23 | 680 | 468 | 1100 | 84 | 526 | 2550 | 2350 | 237 | 68 | 54 | 20 | 5.8 |
| 24 | 1040 | 412 | 940 | 300 | 475 | 2660 | 2480 | 252 | 65 | 54 | 15 | 6.0 |
| 25 | 1210 | 365 | 780 | 985 | 444 | 2370 | 2370 | 349 | 64 | 52 | 13 | 5.8 |
| 26 | 1170 | 329 | 640 | 1270 | 408 | 1800 | 2070 | 440 | 62 | 51 | 11 | 5.4 |
| 27 | 724 | 294 | 520 | 1480 | 375 | 1260 | 1530 | 290 | 61 | 52 | 12 | 5.6 |
| 28 | 383 | 583 | 450 | 1290 | 607 | 1550 | 1040 | 326 | 58 | 53 | 13 | 5.8 |
| 29 | 246 | 916 | 380 | 1020 | 1010 | 2450 | 873 | 904 | 55 | 56 | 14 | 6.3 |
| 30 | 179 | 1100 | 320 | 882 | --- | 2730 | 762 | 952 | 56 | 53 | 16 | 6.9 |
| 31 | 144 | --- | 300 | 841 | --- | 2900 | --- | 1140 | --- | 62 | 17 | --- |
| TOTAL | 6392.2 | 16655 | 26532 | 11182 | 20890 | 40374 | 49089 | 20030 | 5644 | 3205 | 1880 | 227.6 |
| MEAN | 206 | 555 | 856 | 361 | 720 | 1302 | 1636 | 646 | 188 | 103 | 60.6 | 7.59 |
| MAX | 1210 | 1340 | 1650 | 1480 | 1580 | 2900 | 3650 | 1260 | 1140 | 400 | 194 | 15 |
| MIN | 5.1 | 106 | 300 | 84 | 375 | 490 | 554 | 237 | 55 | 51 | 11 | 5.2 |
| CFSM | .35 | .95 | 1.46 | .62 | 1.23 | 2.23 | 2.80 | 1.10 | .32 | .18 | .10 | .01 |
| IN. | .41 | 1.06 | 1.69 | .71 | 1.33 | 2.57 | 3.12 | 1.27 | .36 | .20 | .12 | .01 |

| | | | | | | | |
|-------------|-------|----------|----------|----------|---------|-----------|----------|
| CAL YR 1983 | TOTAL | 214165.5 | MEAN 587 | MAX 5070 | MIN 4.0 | CFSM 1.00 | IN 13.62 |
| WTR YR 1984 | TOTAL | 202100.8 | MEAN 552 | MAX 3650 | MIN 5.1 | CFSM .94 | IN 12.85 |

RACCOON CREEK BASIN

03202000 RACCOON CREEK AT ADAMSVILLE, OH--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 1951-54, 1964 to September 1984 (discontinued).

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: May 1967 to September 1984 (discontinued).

pH: May 1967 to September 1984 (discontinued).

WATER TEMPERATURES: October 1951 to September 1954, October 1964 to September 1984 (discontinued).

DISSOLVED OXYGEN: May 1967 to September 1984 (discontinued).

INSTRUMENTATION.--Water-quality monitor.

REMARKS.--Interruptions in the water-quality record were due to malfunction of the instrument.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: Maximum, 2,930 micromhos Nov. 20, 1964; minimum, 81 micromhos July 9, 1980.

pH: Maximum, 8.8 units Feb. 16, 1972; minimum, 2.0 units May 6, 1972.

WATER TEMPERATURES: Maximum, 29.0°C June 16, 1952; minimum, 0.0°C on many days during winter periods.

DISSOLVED OXYGEN: Maximum, 15.7 mg/L Mar. 4, 1980; minimum recorded, 2.5 mg/L May 6, 1972.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum, 1050 micromhos Sept. 15; minimum, 117 micromhos June 11.

pH: Maximum, 7.2 units Feb. 28; minimum, 4.3 units Oct. 26.

WATER TEMPERATURES: Maximum, 27.5°C June 19, Aug. 9; minimum, 0.0°C on many days during the winter period.

DISSOLVED OXYGEN: Maximum, 14.0 mg/L Feb. 9, 10, 11, 12; minimum, 4.4 mg/L Oct. 20.

03202000 RACCOON CREEK AT ADAMSVILLE, OH--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|-----|-----|----------|-----|-----|----------|-----|-----|---------|-----|-----|------|
| OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | | |
| 1 | 834 | 723 | 756 | 525 | 498 | 511 | 345 | 294 | 318 | 369 | 351 | 358 |
| 2 | 825 | 729 | 757 | 567 | 519 | 543 | 315 | 297 | 306 | 375 | 363 | 369 |
| 3 | 783 | 735 | 750 | 561 | 303 | 538 | 315 | 300 | 312 | 360 | 357 | 358 |
| 4 | 825 | 750 | 789 | 522 | 501 | 510 | 309 | 258 | 275 | 360 | 345 | 357 |
| 5 | 906 | 807 | 850 | 576 | 300 | 528 | 309 | 264 | 290 | 354 | 339 | 348 |
| 6 | 822 | 720 | 766 | 576 | 558 | 565 | 294 | 249 | 267 | 357 | 345 | 350 |
| 7 | 723 | 705 | 713 | 618 | 564 | 597 | 261 | 255 | 258 | 351 | 345 | 348 |
| 8 | 744 | 708 | 724 | 621 | 591 | 602 | 267 | 261 | 264 | 360 | 342 | 354 |
| 9 | 777 | 738 | 762 | 636 | 600 | 626 | 282 | 264 | 271 | 363 | 351 | 355 |
| 10 | 774 | 729 | 751 | 627 | 285 | 486 | 267 | 255 | 260 | 351 | 345 | 348 |
| 11 | 741 | 678 | 709 | 441 | 243 | 319 | 282 | 270 | 276 | 381 | 354 | 367 |
| 12 | 810 | 735 | 765 | 450 | 378 | 413 | 270 | 258 | 265 | 393 | 378 | 385 |
| 13 | 801 | 732 | 781 | 447 | 300 | 372 | 285 | 264 | 275 | 408 | 378 | 394 |
| 14 | 762 | 684 | 722 | 378 | 348 | 362 | 282 | 276 | 278 | 417 | 396 | 404 |
| 15 | 699 | 678 | 689 | 399 | 300 | 363 | 279 | 276 | 279 | 420 | 405 | 411 |
| 16 | 759 | 678 | 709 | 324 | 300 | 311 | 291 | 279 | 286 | 420 | 405 | 410 |
| 17 | 744 | 657 | 691 | 342 | 300 | 331 | 309 | 294 | 298 | 411 | 402 | 407 |
| 18 | 729 | 666 | 708 | 378 | 336 | 362 | 315 | 300 | 307 | 405 | 393 | 400 |
| 19 | 735 | 636 | 688 | 369 | 348 | 357 | 324 | 300 | 317 | 405 | 393 | 400 |
| 20 | 738 | 645 | 691 | 363 | 336 | 348 | 333 | 324 | 327 | 420 | 402 | 413 |
| 21 | 600 | 468 | 502 | 342 | 330 | 336 | 336 | 300 | 331 | 432 | 411 | 421 |
| 22 | 591 | 543 | 574 | 357 | 330 | 345 | 327 | 210 | 250 | 456 | 429 | 444 |
| 23 | 501 | 348 | 418 | 366 | 357 | 362 | 285 | 210 | 257 | 471 | 456 | 465 |
| 24 | 714 | 465 | 582 | 369 | 363 | 367 | 297 | 264 | 282 | 465 | 435 | 458 |
| 25 | 603 | 498 | 545 | 375 | 366 | 370 | 309 | 285 | 293 | --- | --- | --- |
| 26 | 486 | 408 | 439 | 384 | 369 | 377 | 318 | 297 | 305 | --- | --- | --- |
| 27 | 420 | 387 | 404 | 387 | 378 | 382 | 345 | 300 | 324 | --- | --- | --- |
| 28 | 456 | 420 | 440 | 375 | 285 | 318 | 345 | 297 | 323 | --- | --- | --- |
| 29 | 450 | 432 | 437 | 366 | 282 | 327 | 315 | 297 | 307 | --- | --- | --- |
| 30 | 462 | 432 | 448 | 348 | 300 | 326 | 348 | 303 | 331 | --- | --- | --- |
| 31 | 498 | 462 | 484 | --- | --- | --- | 363 | 342 | 354 | --- | --- | --- |
| MONTH | 906 | 348 | 647 | 636 | 243 | 418 | 363 | 210 | 293 | 471 | 339 | 389 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| FEBRUARY | | | MARCH | | | APRIL | | | MAY | | | |
| 1 | --- | --- | --- | 303 | 279 | 290 | 216 | 192 | 203 | 285 | 267 | 277 |
| 2 | --- | --- | --- | 294 | 279 | 287 | 231 | 210 | 220 | 288 | 279 | 283 |
| 3 | --- | --- | --- | 291 | 279 | 285 | 243 | 201 | 234 | 288 | 279 | 294 |
| 4 | --- | --- | --- | 288 | 276 | 285 | 207 | 189 | 200 | 306 | 273 | 283 |
| 5 | --- | --- | --- | 288 | 267 | 282 | 195 | 183 | 188 | 303 | 267 | 287 |
| 6 | --- | --- | --- | 297 | 261 | 280 | 186 | 183 | 185 | 279 | 255 | 268 |
| 7 | --- | --- | --- | 294 | 270 | 284 | 201 | 183 | 192 | 276 | 255 | 268 |
| 8 | --- | --- | --- | 276 | 261 | 270 | 213 | 192 | 202 | 270 | 258 | 265 |
| 9 | 342 | 327 | 334 | 270 | 261 | 266 | 222 | 204 | 216 | 270 | 252 | 260 |
| 10 | 327 | 300 | 316 | 276 | 264 | 271 | 255 | 222 | 240 | 291 | 267 | 281 |
| 11 | 333 | 300 | 326 | 285 | 270 | 278 | 267 | 246 | 256 | 291 | 282 | 288 |
| 12 | 345 | 303 | 336 | 297 | 276 | 289 | 276 | 255 | 266 | 297 | 285 | 292 |
| 13 | 339 | 330 | 335 | 300 | 291 | 296 | 282 | 270 | 277 | 300 | 279 | 293 |
| 14 | 324 | 300 | 313 | 309 | 294 | 302 | 291 | 276 | 284 | 300 | 291 | 295 |
| 15 | 339 | 300 | 319 | 330 | 300 | 316 | 297 | 285 | 290 | 309 | 288 | 297 |
| 16 | 297 | 237 | 266 | 324 | 300 | 318 | 303 | 291 | 296 | 327 | 291 | 307 |
| 17 | 255 | 237 | 246 | 327 | 300 | 320 | 303 | 294 | 300 | 324 | 300 | 313 |
| 18 | 273 | 258 | 266 | 336 | 300 | 323 | 309 | 300 | 306 | 330 | 300 | 319 |
| 19 | 276 | 267 | 270 | 339 | 330 | 335 | 321 | 300 | 313 | 333 | 312 | 325 |
| 20 | 279 | 270 | 274 | 339 | 300 | 329 | 327 | 303 | 321 | 336 | 300 | 326 |
| 21 | 297 | 276 | 287 | 315 | 243 | 264 | 321 | 312 | 320 | 342 | 324 | 334 |
| 22 | 306 | 285 | 295 | 264 | 222 | 245 | 318 | 174 | 245 | 354 | 342 | 347 |
| 23 | 306 | 294 | 298 | 219 | 204 | 213 | 252 | 174 | 222 | 348 | 345 | 346 |
| 24 | 318 | 294 | 306 | 222 | 198 | 210 | 237 | 216 | 224 | 354 | 333 | 344 |
| 25 | 312 | 300 | 306 | 234 | 222 | 228 | 231 | 207 | 221 | 375 | 348 | 350 |
| 26 | 321 | 300 | 313 | 246 | 228 | 236 | 243 | 219 | 233 | 402 | 360 | 377 |
| 27 | 318 | 312 | 314 | 261 | 246 | 253 | 252 | 231 | 241 | 396 | 381 | 387 |
| 28 | 312 | 243 | 282 | 258 | 210 | 244 | 258 | 240 | 249 | 408 | 210 | 363 |
| 29 | 294 | 234 | 264 | 222 | 198 | 213 | 270 | 249 | 260 | 291 | 210 | 244 |
| 30 | --- | --- | --- | 213 | 195 | 205 | 276 | 267 | 271 | 390 | 267 | 312 |
| 31 | --- | --- | --- | 195 | 186 | 192 | --- | --- | --- | 315 | 219 | 278 |
| MONTH | 345 | 234 | 298 | 339 | 186 | 271 | 327 | 174 | 249 | 408 | 210 | 307 |

RACCOON CREEK BASIN

03202000 RACCOON CREEK AT ADAMSVILLE, OH--Continued
 SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|-----|------|--|-----|------|--------|-----|------|-----------|-----|------|
| | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | 240 | 219 | 230 | 549 | 495 | 517 | 561 | 549 | 552 | 651 | 600 | 637 |
| 2 | 273 | 240 | 257 | 525 | 444 | 491 | 549 | 531 | 539 | 717 | 603 | 642 |
| 3 | 297 | 273 | 286 | 540 | 447 | 495 | 531 | 513 | 521 | 690 | 600 | 637 |
| 4 | 315 | 285 | 298 | 513 | 465 | 482 | 516 | 498 | 507 | 648 | 600 | 620 |
| 5 | 333 | 300 | 320 | 474 | 417 | 454 | 579 | 516 | 529 | 636 | 612 | 621 |
| 6 | 345 | 300 | 334 | 471 | 411 | 431 | 732 | 510 | 627 | 633 | 597 | 611 |
| 7 | 357 | 342 | 350 | 558 | 453 | 503 | 648 | 600 | 629 | 615 | 582 | 592 |
| 8 | 375 | 357 | 364 | 453 | 375 | 408 | 639 | 588 | 623 | 621 | 567 | 586 |
| 9 | 381 | 363 | 373 | 438 | 420 | 432 | 585 | 540 | 570 | 693 | 600 | 626 |
| 10 | 390 | 375 | 383 | 432 | 423 | 427 | 537 | 435 | 491 | 705 | 603 | 648 |
| 11 | 396 | 117 | 346 | 474 | 423 | 450 | 516 | 432 | 477 | 765 | 627 | 700 |
| 12 | 357 | 207 | 323 | 486 | 474 | 481 | 516 | 486 | 503 | 840 | 666 | 739 |
| 13 | 372 | 348 | 359 | 480 | 471 | 475 | 552 | 492 | 524 | 735 | 654 | 696 |
| 14 | 390 | 351 | 375 | 522 | 477 | 499 | 573 | 552 | 563 | 723 | 642 | 664 |
| 15 | 408 | 387 | 397 | 549 | 522 | 538 | 633 | 573 | 598 | 1050 | 585 | 704 |
| 16 | 420 | 402 | 411 | 543 | 528 | 539 | 657 | 633 | 645 | 687 | 573 | 603 |
| 17 | 435 | 414 | 425 | 540 | 519 | 530 | 648 | 600 | 623 | 612 | 573 | 589 |
| 18 | 447 | 432 | 438 | 555 | 531 | 543 | 597 | 555 | 572 | 600 | 552 | 574 |
| 19 | 447 | 435 | 441 | 600 | 555 | 580 | 552 | 534 | 539 | 612 | 561 | 591 |
| 20 | 447 | 435 | 441 | 570 | 552 | 560 | 552 | 534 | 543 | 699 | 558 | 605 |
| 21 | 453 | 435 | 443 | 570 | 555 | 561 | 555 | 537 | 547 | 816 | 639 | 734 |
| 22 | 468 | 450 | 459 | 570 | 558 | 563 | 579 | 549 | 563 | 825 | 651 | 769 |
| 23 | 462 | 456 | 459 | 576 | 558 | 564 | 570 | 552 | 561 | 768 | 678 | 741 |
| 24 | 468 | 456 | 460 | 567 | 555 | 560 | 576 | 546 | 557 | 846 | 735 | 799 |
| 25 | 480 | 459 | 468 | 573 | 558 | 566 | 594 | 543 | 557 | 867 | 840 | 852 |
| 26 | 516 | 477 | 497 | 570 | 552 | 562 | 603 | 555 | 576 | 867 | 606 | 707 |
| 27 | 516 | 507 | 513 | 555 | 531 | 541 | 600 | 573 | 583 | 651 | 573 | 615 |
| 28 | 528 | 510 | 518 | 564 | 543 | 549 | 627 | 597 | 609 | 618 | 585 | 598 |
| 29 | 522 | 507 | 513 | 549 | 537 | 546 | 672 | 624 | 646 | 642 | 588 | 617 |
| 30 | 525 | 507 | 513 | 555 | 534 | 540 | 663 | 642 | 650 | 657 | 564 | 604 |
| 31 | --- | --- | --- | 576 | 555 | 562 | 651 | 630 | 642 | --- | --- | --- |
| MONTH | 528 | 117 | 400 | 600 | 375 | 514 | 732 | 432 | 570 | 1050 | 552 | 657 |
| YEAR | 1050 | 117 | 422 | PH (STANDARD UNITS), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984 | | | | | | | | |

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
| 1 | 6.7 | 6.5 | 6.6 | 5.2 | 5.1 | 5.2 | 6.1 | 5.8 | 5.9 | 5.5 | 4.4 | 4.9 |
| 2 | 6.7 | 6.5 | 6.6 | 5.2 | 5.0 | 5.1 | 6.4 | 5.9 | 6.2 | 5.5 | 5.1 | 5.3 |
| 3 | 6.7 | 6.5 | 6.6 | 5.1 | 4.8 | 5.0 | 6.5 | 6.3 | 6.4 | 5.5 | 5.2 | 5.4 |
| 4 | 6.5 | 6.4 | 6.4 | 5.5 | 5.2 | 5.4 | 7.0 | 6.5 | 6.8 | 5.7 | 5.4 | 5.4 |
| 5 | 6.4 | 6.3 | 6.4 | 5.4 | 5.2 | 5.3 | 6.7 | 5.7 | 6.1 | 5.8 | 5.6 | 5.6 |
| 6 | 6.7 | 6.3 | 6.5 | 5.3 | 5.2 | 5.2 | 6.7 | 6.1 | 6.5 | 5.6 | 5.6 | 5.6 |
| 7 | 6.7 | 6.4 | 6.5 | 5.2 | 5.1 | 5.2 | 6.6 | 6.2 | 6.4 | 5.7 | 5.6 | 5.6 |
| 8 | 6.7 | 6.5 | 6.6 | 5.1 | 4.9 | 5.1 | 6.6 | 6.3 | 6.4 | 5.6 | 5.5 | 5.6 |
| 9 | 6.6 | 6.4 | 6.5 | 5.1 | 4.9 | 5.0 | 6.6 | 6.4 | 6.5 | 5.7 | 5.5 | 5.6 |
| 10 | 6.7 | 6.4 | 6.6 | 6.5 | 4.8 | 5.6 | 6.8 | 6.5 | 6.7 | 5.8 | 5.6 | 5.7 |
| 11 | 6.6 | 6.5 | 6.6 | 6.6 | 5.2 | 6.2 | 6.5 | 6.3 | 6.4 | 5.6 | 5.3 | 5.4 |
| 12 | 6.5 | 6.3 | 6.5 | 5.5 | 4.9 | 5.2 | 6.8 | 6.5 | 6.7 | --- | --- | --- |
| 13 | 6.6 | 6.3 | 6.4 | 6.1 | 5.6 | 5.8 | 6.5 | 6.2 | 6.3 | --- | --- | --- |
| 14 | 6.7 | 6.3 | 6.6 | 5.8 | 5.6 | 5.7 | 6.6 | 6.3 | 6.5 | --- | --- | --- |
| 15 | 6.7 | 6.6 | 6.6 | 6.7 | 5.6 | 6.0 | 6.5 | 6.4 | 6.4 | --- | --- | --- |
| 16 | 6.8 | 6.6 | 6.7 | 6.5 | 6.2 | 6.4 | 6.4 | 6.3 | 6.4 | --- | --- | --- |
| 17 | 6.8 | 6.6 | 6.7 | 6.2 | 5.9 | 6.0 | 6.8 | 6.4 | 6.5 | --- | --- | --- |
| 18 | 6.6 | 6.5 | 6.6 | 6.1 | 6.0 | 6.0 | --- | --- | --- | --- | --- | --- |
| 19 | 6.7 | 6.5 | 6.6 | 6.1 | 5.8 | 6.0 | --- | --- | --- | --- | --- | --- |
| 20 | 6.7 | 6.5 | 6.6 | 6.1 | 5.8 | 5.9 | --- | --- | --- | --- | --- | --- |
| 21 | 7.0 | 6.7 | 6.8 | 6.4 | 6.1 | 6.3 | --- | --- | --- | --- | --- | --- |
| 22 | 6.6 | 5.4 | 6.1 | 6.5 | 5.8 | 6.3 | 6.5 | 6.3 | 6.4 | --- | --- | --- |
| 23 | 5.7 | 4.6 | 5.2 | 5.8 | 5.7 | 5.7 | 6.3 | 5.6 | 5.9 | --- | --- | --- |
| 24 | --- | --- | --- | 5.8 | 5.7 | 5.8 | 6.3 | 5.7 | 6.0 | --- | --- | --- |
| 25 | --- | --- | --- | 6.0 | 5.8 | 5.9 | 6.3 | 5.9 | 6.2 | --- | --- | --- |
| 26 | 5.0 | 4.3 | 4.6 | 6.0 | 5.9 | 5.9 | 6.0 | 5.0 | 5.7 | --- | --- | --- |
| 27 | 5.2 | 5.0 | 5.2 | 6.2 | 5.9 | 6.0 | 5.3 | 4.9 | 5.2 | --- | --- | --- |
| 28 | 5.2 | 5.1 | 5.2 | 6.9 | 6.3 | 6.8 | 5.7 | 5.0 | 5.3 | --- | --- | --- |
| 29 | 5.3 | 5.2 | 5.2 | 6.7 | 5.4 | 6.0 | 5.6 | 5.2 | 5.4 | --- | --- | --- |
| 30 | 5.3 | 5.2 | 5.2 | 6.3 | 5.6 | 6.1 | 5.2 | 4.8 | 5.1 | --- | --- | --- |
| 31 | 5.2 | 5.1 | 5.2 | --- | --- | --- | 5.3 | 4.5 | 5.1 | --- | --- | --- |
| MONTH | 7.0 | 4.3 | 6.2 | 6.9 | 4.8 | 5.7 | 7.0 | 4.5 | 6.1 | 5.8 | 4.4 | 5.5 |

123

PH (STANDARD UNITS), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|-----|-----|------|-------|-----|------|--------|-----|------|-----------|-----|------|
| FEBRUARY | | | | MARCH | | | APRIL | | | MAY | | |
| 1 | --- | --- | --- | 6.6 | 6.4 | 6.5 | 6.3 | 6.0 | 6.2 | 6.5 | 6.4 | 6.5 |
| 2 | --- | --- | --- | 6.6 | 6.6 | 6.6 | 6.4 | 6.2 | 6.3 | 6.4 | 6.3 | 6.4 |
| 3 | --- | --- | --- | 6.6 | 6.5 | 6.5 | 6.9 | 6.3 | 6.4 | 6.6 | 6.4 | 6.5 |
| 4 | --- | --- | --- | 6.6 | 6.4 | 6.5 | 6.9 | 6.5 | 6.7 | 6.6 | 5.7 | 6.4 |
| 5 | --- | --- | --- | 6.7 | 6.5 | 6.6 | 6.5 | 6.3 | 6.3 | 6.5 | 5.7 | 6.1 |
| 6 | --- | --- | --- | 6.6 | 6.0 | 6.3 | 6.4 | 6.3 | 6.3 | 6.5 | 6.2 | 6.4 |
| 7 | --- | --- | --- | 6.4 | 6.2 | 6.3 | 6.3 | 6.2 | 6.2 | 6.5 | 6.3 | 6.5 |
| 8 | --- | --- | --- | 6.3 | 6.2 | 6.3 | 6.3 | 6.2 | 6.2 | 6.6 | 6.3 | 6.5 |
| 9 | 6.5 | 5.8 | 6.1 | 6.4 | 6.3 | 6.3 | 6.3 | 6.1 | 6.3 | 6.6 | 6.4 | 6.5 |
| 10 | 6.6 | 6.4 | 6.5 | 6.4 | 6.0 | 6.2 | 6.1 | 5.9 | 6.0 | 6.5 | 6.2 | 6.4 |
| 11 | 6.9 | 6.3 | 6.6 | 6.4 | 6.2 | 6.3 | 5.9 | 5.8 | 5.8 | 6.6 | 6.4 | 6.5 |
| 12 | 7.0 | 6.0 | 6.5 | 6.4 | 6.1 | 6.3 | 5.9 | 5.7 | 5.8 | 6.7 | 6.5 | 6.6 |
| 13 | 6.7 | 6.4 | 6.5 | 6.4 | 6.3 | 6.3 | 6.0 | 5.8 | 5.9 | 6.6 | 6.4 | 6.5 |
| 14 | 7.1 | 6.7 | 6.9 | 6.4 | 6.3 | 6.4 | 6.0 | 5.8 | 5.9 | 6.5 | 6.3 | 6.4 |
| 15 | 6.8 | 6.1 | 6.4 | 6.3 | 6.0 | 6.2 | 6.0 | 5.8 | 5.9 | 6.5 | 6.3 | 6.4 |
| 16 | 6.6 | 6.3 | 6.4 | 6.4 | 6.3 | 6.4 | 5.9 | 5.8 | 5.9 | 6.5 | 6.2 | 6.4 |
| 17 | 6.7 | 6.6 | 6.7 | 6.4 | 6.3 | 6.4 | 5.9 | 5.9 | 5.9 | 6.5 | 6.3 | 6.4 |
| 18 | 6.9 | 6.7 | 6.8 | 6.3 | 6.3 | 6.3 | 5.9 | 5.8 | 5.8 | 6.6 | 6.4 | 6.5 |
| 19 | 6.9 | 6.8 | 6.9 | 6.3 | 6.3 | 6.3 | 5.8 | 5.7 | 5.8 | 6.6 | 6.4 | 6.5 |
| 20 | 6.9 | 6.8 | 6.9 | 6.3 | 6.0 | 6.2 | 5.8 | 5.7 | 5.7 | 6.6 | 6.5 | 6.6 |
| 21 | 6.8 | 6.6 | 6.7 | 6.9 | 6.3 | 6.7 | 6.0 | 5.8 | 5.9 | 6.6 | 6.5 | 6.6 |
| 22 | 6.7 | 6.5 | 6.7 | 6.3 | 5.7 | 6.0 | 6.8 | 6.0 | 6.5 | 6.6 | 6.5 | 6.6 |
| 23 | 6.7 | 6.6 | 6.7 | 6.2 | 6.0 | 6.1 | 6.8 | 6.0 | 6.4 | 6.7 | 6.5 | 6.6 |
| 24 | 6.7 | 6.5 | 6.7 | 6.1 | 6.0 | 6.1 | 6.4 | 6.2 | 6.3 | 6.7 | 6.5 | 6.6 |
| 25 | 6.8 | 6.7 | 6.8 | 6.2 | 6.0 | 6.1 | 6.5 | 6.2 | 6.3 | 6.6 | 6.4 | 6.5 |
| 26 | 6.8 | 6.7 | 6.7 | 6.4 | 6.2 | 6.3 | 6.6 | 6.4 | 6.5 | 6.5 | 6.3 | 6.4 |
| 27 | 6.7 | 6.7 | 6.7 | 6.3 | 6.2 | 6.3 | 6.7 | 6.6 | 6.6 | 6.5 | 6.3 | 6.4 |
| 28 | 7.2 | 6.8 | 7.0 | 6.7 | 5.9 | 6.4 | 6.7 | 6.6 | 6.6 | 7.0 | 6.4 | 6.6 |
| 29 | 7.1 | 6.4 | 6.7 | 6.6 | 5.9 | 6.3 | 6.6 | 6.5 | 6.6 | 6.8 | 6.5 | 6.7 |
| 30 | --- | --- | --- | 6.2 | 5.9 | 6.1 | 6.7 | 6.5 | 6.6 | 6.5 | 6.0 | 6.3 |
| 31 | --- | --- | --- | 6.2 | 6.1 | 6.2 | --- | --- | --- | 6.5 | 6.3 | 6.4 |
| MONTH | 7.2 | 5.8 | 6.7 | 6.9 | 5.7 | 6.3 | 6.9 | 5.7 | 6.2 | 7.0 | 5.7 | 6.5 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| JUNE | | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | 6.5 | 6.3 | 6.4 | 6.7 | 6.5 | 6.6 | 6.8 | 6.6 | 6.7 | 6.4 | 6.0 | 6.2 |
| 2 | 6.6 | 6.3 | 6.5 | 6.9 | 6.5 | 6.7 | 6.8 | 6.6 | 6.7 | 6.6 | 6.2 | 6.3 |
| 3 | 6.7 | 6.5 | 6.6 | 6.7 | 6.6 | 6.6 | 6.9 | 6.6 | 6.8 | 6.5 | 6.3 | 6.4 |
| 4 | 6.6 | 6.5 | 6.6 | 6.5 | 6.3 | 6.4 | 6.9 | 6.7 | 6.8 | 6.4 | 6.2 | 6.3 |
| 5 | 6.8 | 6.4 | 6.6 | 6.7 | 6.2 | 6.4 | 6.9 | 6.6 | 6.7 | 6.2 | 6.1 | 6.2 |
| 6 | 6.7 | 6.6 | 6.6 | 6.7 | 6.0 | 6.5 | 6.6 | 5.3 | 5.9 | 6.4 | 6.2 | 6.3 |
| 7 | 6.7 | 6.5 | 6.6 | 6.4 | 5.9 | 6.2 | 5.3 | 5.1 | 5.2 | 6.5 | 6.3 | 6.4 |
| 8 | 6.6 | 6.5 | 6.6 | 6.4 | 5.8 | 6.0 | 5.5 | 5.1 | 5.3 | 6.9 | 6.5 | 6.7 |
| 9 | 6.7 | 6.5 | 6.6 | 6.5 | 6.3 | 6.4 | 5.6 | 5.5 | 5.5 | 6.7 | 6.5 | 6.6 |
| 10 | 6.7 | 6.6 | 6.6 | 6.7 | 6.4 | 6.5 | 6.5 | 5.6 | 5.7 | 6.6 | 6.4 | 6.6 |
| 11 | 6.9 | 6.6 | 6.7 | 6.7 | 6.5 | 6.6 | 6.6 | 6.3 | 6.4 | 6.6 | 6.4 | 6.5 |
| 12 | 6.8 | 6.6 | 6.7 | 6.8 | 6.5 | 6.6 | 6.6 | 6.1 | 6.5 | 6.6 | 6.4 | 6.5 |
| 13 | 6.8 | 6.6 | 6.7 | 6.8 | 6.5 | 6.7 | 6.0 | 5.8 | 5.8 | 6.6 | 6.3 | 6.5 |
| 14 | 6.8 | 6.7 | 6.7 | 6.7 | 6.5 | 6.6 | 5.8 | 5.6 | 5.7 | 6.6 | 6.4 | 6.5 |
| 15 | 6.8 | 6.6 | 6.7 | 6.6 | 6.4 | 6.5 | 5.7 | 5.4 | 5.6 | 6.8 | 6.4 | 6.5 |
| 16 | 6.8 | 6.5 | 6.6 | 6.7 | 6.4 | 6.5 | 5.4 | 5.1 | 5.2 | 6.9 | 6.4 | 6.6 |
| 17 | 6.8 | 6.6 | 6.7 | 6.6 | 6.4 | 6.5 | 5.5 | 5.2 | 5.3 | 6.9 | 6.7 | 6.8 |
| 18 | 6.8 | 6.6 | 6.7 | 6.5 | 6.1 | 6.2 | 5.9 | 5.4 | 5.6 | 6.8 | 6.6 | 6.7 |
| 19 | 6.8 | 6.6 | 6.7 | 6.1 | 5.8 | 5.9 | 6.3 | 5.8 | 6.0 | 6.8 | 6.5 | 6.7 |
| 20 | 6.7 | 6.6 | 6.7 | 6.4 | 6.1 | 6.3 | 6.2 | 6.1 | 6.1 | 6.8 | 6.5 | 6.7 |
| 21 | 6.8 | 6.5 | 6.7 | 6.6 | 6.4 | 6.5 | 6.6 | 6.1 | 6.2 | 6.8 | 6.5 | 6.7 |
| 22 | 6.8 | 6.5 | 6.7 | 6.7 | 6.4 | 6.5 | 6.5 | 6.1 | 6.3 | 6.8 | 6.6 | 6.7 |
| 23 | 6.8 | 6.6 | 6.7 | 6.7 | 6.4 | 6.6 | 6.2 | 6.0 | 6.1 | 6.7 | 6.6 | 6.7 |
| 24 | 6.9 | 6.6 | 6.7 | 6.7 | 6.4 | 6.6 | 6.3 | 6.0 | 6.1 | 6.6 | 6.5 | 6.5 |
| 25 | 6.9 | 6.6 | 6.7 | 6.6 | 6.4 | 6.5 | 6.5 | 6.2 | 6.3 | 6.8 | 6.5 | 6.6 |
| 26 | 6.8 | 6.5 | 6.6 | 6.6 | 6.4 | 6.5 | 6.5 | 6.2 | 6.3 | 6.8 | 6.6 | 6.7 |
| 27 | 6.6 | 6.4 | 6.5 | 6.8 | 6.5 | 6.6 | 6.5 | 6.2 | 6.4 | 6.6 | 6.4 | 6.5 |
| 28 | 6.8 | 6.5 | 6.6 | 6.8 | 6.5 | 6.6 | 6.4 | 6.3 | 6.4 | 6.5 | 6.4 | 6.5 |
| 29 | 6.7 | 6.5 | 6.6 | 6.8 | 6.5 | 6.6 | 6.4 | 6.3 | 6.3 | 6.5 | 6.4 | 6.4 |
| 30 | 6.7 | 6.5 | 6.6 | 6.8 | 6.5 | 6.6 | 6.4 | 6.2 | 6.3 | 6.5 | 6.4 | 6.5 |
| 31 | --- | --- | --- | 6.8 | 6.5 | 6.6 | 6.4 | 6.2 | 6.3 | --- | --- | --- |
| MONTH | 6.9 | 6.3 | 6.6 | 6.9 | 5.8 | 6.5 | 6.9 | 5.1 | 6.1 | 6.9 | 6.0 | 6.5 |
| YEAR | 7.2 | 4.3 | 6.3 | | | | | | | | | |

RACCOON CREEK BASIN

03202000 RACCOON CREEK AT ADAMSVILLE, OH--Continued

TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|---------|------|------|----------|------|------|----------|-----|-----|---------|-----|-----|------|
| OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | | |
| 1 | 16.0 | 15.0 | 15.5 | 11.5 | 10.0 | 11.0 | 5.5 | 5.0 | 5.0 | .5 | .0 | .5 |
| 2 | 16.0 | 15.0 | 15.5 | 12.0 | 10.5 | 11.5 | 4.5 | 4.0 | 4.5 | .5 | .0 | .5 |
| 3 | 16.0 | 15.0 | 15.5 | 12.5 | 12.0 | 12.5 | 4.0 | 4.0 | 4.0 | .5 | .0 | .5 |
| 4 | 16.5 | 16.0 | 16.0 | 12.0 | 10.5 | 11.0 | 5.5 | 4.5 | 5.0 | .5 | .0 | .5 |
| 5 | 17.0 | 16.0 | 16.5 | 10.5 | 9.5 | 10.0 | 5.5 | 5.0 | 5.5 | .5 | .0 | .0 |
| 6 | 16.5 | 16.0 | 16.5 | 10.0 | 9.0 | 9.5 | 6.5 | 5.5 | 6.0 | .5 | .0 | .0 |
| 7 | 16.0 | 14.5 | 15.0 | 9.0 | 8.5 | 9.0 | 6.0 | 5.0 | 5.5 | .5 | .0 | .0 |
| 8 | 15.0 | 13.5 | 14.0 | 9.0 | 7.5 | 8.5 | 5.0 | 5.0 | 5.0 | .5 | .0 | .5 |
| 9 | 14.5 | 13.5 | 14.0 | 9.0 | 7.5 | 8.5 | 5.0 | 4.5 | 4.5 | .5 | .0 | .5 |
| 10 | 14.5 | 14.0 | 14.0 | 11.0 | 9.0 | 9.5 | 5.0 | 4.5 | 5.0 | .5 | .0 | .5 |
| 11 | 14.5 | 14.5 | 14.5 | 10.5 | 9.0 | 9.5 | 5.5 | 5.0 | 5.0 | .5 | .0 | .5 |
| 12 | 15.5 | 14.5 | 15.0 | 9.0 | 8.0 | 8.5 | 6.5 | 5.5 | 6.0 | 1.0 | .5 | .5 |
| 13 | 16.0 | 15.0 | 15.5 | 8.0 | 7.0 | 7.0 | 7.0 | 6.5 | 7.0 | 1.0 | .5 | .5 |
| 14 | 15.0 | 13.5 | 14.0 | 7.0 | 6.0 | 6.5 | 7.5 | 7.0 | 7.0 | 1.0 | .5 | 1.0 |
| 15 | 13.5 | 12.5 | 13.0 | 7.0 | 6.5 | 6.5 | 7.0 | 7.0 | 7.0 | 1.0 | 1.0 | 1.0 |
| 16 | 13.0 | 12.0 | 12.5 | 7.0 | 7.0 | 7.0 | 7.0 | 5.5 | 6.0 | 1.0 | .5 | 1.0 |
| 17 | 13.0 | 12.5 | 13.0 | 7.0 | 6.0 | 7.0 | 5.5 | 4.5 | 5.0 | 1.0 | 1.0 | 1.0 |
| 18 | 13.5 | 13.0 | 13.5 | 6.5 | 6.0 | 6.5 | 4.0 | 3.0 | 3.5 | 1.0 | .5 | 1.0 |
| 19 | 14.0 | 13.5 | 13.5 | 7.5 | 6.5 | 7.0 | 3.0 | 2.0 | 2.5 | 1.0 | .5 | .5 |
| 20 | 14.0 | 13.5 | 13.5 | 8.5 | 7.5 | 8.0 | 2.0 | 1.5 | 1.5 | .5 | .0 | .5 |
| 21 | 13.5 | 13.0 | 13.5 | 8.5 | 8.0 | 8.0 | 1.5 | 1.0 | 1.5 | .5 | .5 | .5 |
| 22 | 13.0 | 12.5 | 12.5 | 8.5 | 7.5 | 8.0 | 3.0 | 1.5 | 2.5 | 1.0 | .5 | .5 |
| 23 | 13.0 | 12.5 | 12.5 | 8.5 | 8.0 | 8.0 | 2.0 | .5 | 1.0 | 1.0 | .5 | .5 |
| 24 | 13.0 | 13.0 | 13.0 | 8.5 | 8.0 | 8.5 | .5 | .0 | .0 | 1.0 | .5 | .5 |
| 25 | 13.0 | 12.5 | 13.0 | 8.0 | 7.0 | 7.5 | .5 | .0 | .0 | --- | --- | --- |
| 26 | 12.5 | 12.0 | 12.5 | 7.5 | 6.5 | 7.0 | .5 | .0 | .0 | --- | --- | --- |
| 27 | 12.0 | 11.5 | 11.5 | 6.5 | 6.0 | 6.5 | .5 | .0 | .5 | --- | --- | --- |
| 28 | 11.5 | 10.5 | 11.0 | 8.0 | 6.5 | 7.5 | .5 | .0 | .5 | --- | --- | --- |
| 29 | 12.0 | 11.5 | 11.5 | 7.5 | 6.5 | 7.0 | .5 | .0 | .5 | --- | --- | --- |
| 30 | 11.0 | 10.5 | 11.0 | 6.5 | 5.5 | 6.0 | .5 | .0 | .5 | --- | --- | --- |
| 31 | 11.0 | 10.0 | 10.5 | --- | --- | --- | .5 | .0 | .5 | --- | --- | --- |
| MONTH | 17.0 | 10.0 | 13.5 | 12.5 | 5.5 | 8.5 | 7.5 | .0 | 3.5 | 1.0 | .0 | .5 |

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|-----|-----|-------|-----|-----|-------|------|------|------|------|------|------|
| FEBRUARY | | | MARCH | | | APRIL | | | MAY | | | |
| 1 | --- | --- | --- | 4.0 | 1.5 | 2.5 | 7.0 | 6.0 | 6.5 | 16.5 | 15.5 | 16.0 |
| 2 | --- | --- | --- | 4.5 | 1.5 | 3.0 | 8.0 | 6.5 | 7.0 | 16.0 | 14.5 | 15.0 |
| 3 | --- | --- | --- | 4.0 | 2.0 | 3.0 | 8.0 | 7.5 | 8.0 | 14.5 | 14.0 | 14.5 |
| 4 | --- | --- | --- | 3.5 | 2.0 | 2.5 | 7.5 | 7.5 | 7.5 | 14.0 | 13.0 | 13.5 |
| 5 | --- | --- | --- | 6.5 | 3.5 | 5.0 | 7.5 | 7.0 | 7.5 | 13.0 | 12.5 | 13.0 |
| 6 | --- | --- | --- | 4.0 | 2.5 | 3.0 | 7.0 | 6.5 | 7.0 | 13.5 | 13.0 | 13.0 |
| 7 | --- | --- | --- | 3.0 | 2.0 | 2.5 | 8.0 | 6.5 | 7.0 | 14.5 | 13.0 | 13.5 |
| 8 | --- | --- | --- | 2.5 | 2.0 | 2.5 | 8.5 | 7.5 | 8.0 | 14.5 | 13.5 | 14.0 |
| 9 | .5 | .0 | .5 | 2.0 | 1.5 | 2.0 | 8.5 | 8.0 | 8.5 | 13.5 | 12.0 | 12.5 |
| 10 | .5 | .0 | .5 | 2.0 | 1.0 | 1.5 | 10.0 | 8.5 | 9.0 | 13.0 | 11.5 | 12.5 |
| 11 | 2.0 | .5 | 1.0 | 2.5 | 1.5 | 2.0 | 10.5 | 9.0 | 10.0 | 14.5 | 12.5 | 13.5 |
| 12 | 3.0 | 1.5 | 2.5 | 2.5 | 1.5 | 2.0 | 11.0 | 9.5 | 10.5 | 16.0 | 14.0 | 15.0 |
| 13 | 3.5 | 3.0 | 3.5 | 3.0 | 2.0 | 2.5 | 13.0 | 10.5 | 11.5 | 15.5 | 15.0 | 15.0 |
| 14 | 5.0 | 3.5 | 4.5 | 4.0 | 3.0 | 3.5 | 13.0 | 11.5 | 12.5 | 15.0 | 14.0 | 14.5 |
| 15 | 4.5 | 4.0 | 4.5 | 5.0 | 3.5 | 4.0 | 13.0 | 12.0 | 12.5 | 15.0 | 13.5 | 14.0 |
| 16 | 4.5 | 4.0 | 4.0 | 6.0 | 5.0 | 5.5 | 12.5 | 11.5 | 12.0 | 14.5 | 13.0 | 14.0 |
| 17 | 5.0 | 4.0 | 4.5 | 6.0 | 5.0 | 5.5 | 12.0 | 10.5 | 11.0 | 14.5 | 13.0 | 14.0 |
| 18 | 7.0 | 5.0 | 6.0 | 6.0 | 5.5 | 6.0 | 10.5 | 9.0 | 9.5 | 15.0 | 13.5 | 14.0 |
| 19 | 8.0 | 7.0 | 7.5 | 7.0 | 5.5 | 6.5 | 9.5 | 9.0 | 9.0 | 16.5 | 14.0 | 15.5 |
| 20 | 7.5 | 6.0 | 7.0 | 7.5 | 6.5 | 7.0 | 10.5 | 9.0 | 9.5 | 17.5 | 16.0 | 17.0 |
| 21 | 6.0 | 5.0 | 5.5 | 7.5 | 7.0 | 7.0 | 10.5 | 10.0 | 10.0 | 18.5 | 17.5 | 18.0 |
| 22 | 6.0 | 4.5 | 5.5 | 6.5 | 5.5 | 6.0 | 10.0 | 9.0 | 9.5 | 19.5 | 18.5 | 19.0 |
| 23 | 7.5 | 5.0 | 5.5 | 5.5 | 5.0 | 5.5 | 10.0 | 9.0 | 9.5 | 20.5 | 19.0 | 19.5 |
| 24 | 7.0 | 4.5 | 5.5 | 5.5 | 5.0 | 5.5 | 9.5 | 9.0 | 9.5 | 20.5 | 18.5 | 19.5 |
| 25 | 7.5 | 6.0 | 7.0 | 6.0 | 5.5 | 5.5 | 10.0 | 8.5 | 9.5 | 20.0 | 19.0 | 19.5 |
| 26 | 8.0 | 6.0 | 7.0 | 7.0 | 6.0 | 6.5 | 12.0 | 10.0 | 11.0 | 20.0 | 19.5 | 19.5 |
| 27 | 6.5 | 4.0 | 5.0 | 7.5 | 7.0 | 7.0 | 14.5 | 12.0 | 13.0 | 20.5 | 19.0 | 19.5 |
| 28 | 4.0 | 2.5 | 3.5 | 7.5 | 7.5 | 7.5 | 15.5 | 14.0 | 14.5 | 20.0 | 19.0 | 20.0 |
| 29 | 3.0 | 2.0 | 2.5 | 7.5 | 6.5 | 7.0 | 16.0 | 14.5 | 15.5 | 19.0 | 16.5 | 17.5 |
| 30 | --- | --- | --- | 6.0 | 5.5 | 6.0 | 17.5 | 16.0 | 16.5 | 16.0 | 15.0 | 15.5 |
| 31 | --- | --- | --- | 6.0 | 5.0 | 5.5 | --- | --- | --- | 15.5 | 14.5 | 15.0 |
| MONTH | 8.0 | .0 | 4.5 | 7.5 | 1.0 | 4.5 | 17.5 | 6.0 | 10.0 | 20.5 | 11.5 | 15.5 |

RACCOON CREEK BASIN

125

03202000 RACCOON CREEK AT ADAMSVILLE, OH--Continued
TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|------|------|---|------|------|--------|------|------|-----------|------|------|
| | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | 14.5 | 13.5 | 14.0 | 21.5 | 20.5 | 21.0 | 25.0 | 23.0 | 24.0 | 23.0 | 21.5 | 22.0 |
| 2 | 15.5 | 13.5 | 14.5 | 23.0 | 20.5 | 21.5 | 26.0 | 24.0 | 25.0 | 23.5 | 21.0 | 22.0 |
| 3 | 17.5 | 15.0 | 16.5 | 23.5 | 21.0 | 22.0 | 26.5 | 24.5 | 25.5 | 23.5 | 23.0 | 23.5 |
| 4 | 18.5 | 16.5 | 17.5 | 23.0 | 22.0 | 22.5 | 26.5 | 25.0 | 25.5 | 23.0 | 21.5 | 22.0 |
| 5 | 20.0 | 17.5 | 19.0 | 22.5 | 22.0 | 22.0 | 26.5 | 24.5 | 25.5 | 21.0 | 19.0 | 20.0 |
| 6 | 21.0 | 19.5 | 20.0 | 23.0 | 21.5 | 22.5 | 26.0 | 25.0 | 25.5 | 19.0 | 17.5 | 18.0 |
| 7 | 22.5 | 20.0 | 21.5 | 23.0 | 21.5 | 22.5 | 26.5 | 25.0 | 25.5 | 18.0 | 17.0 | 17.5 |
| 8 | 23.5 | 21.5 | 22.5 | 22.0 | 20.5 | 21.0 | 26.0 | 25.0 | 25.5 | 18.5 | 17.0 | 17.5 |
| 9 | 24.5 | 22.0 | 23.0 | 22.0 | 20.5 | 21.0 | 27.5 | 25.0 | 26.0 | 19.5 | 18.0 | 18.5 |
| 10 | 25.5 | 21.5 | 24.0 | 23.5 | 21.5 | 22.5 | 26.5 | 25.0 | 26.0 | 20.0 | 19.0 | 19.5 |
| 11 | 25.0 | 20.0 | 23.5 | 25.0 | 23.0 | 24.0 | 25.5 | 24.5 | 25.0 | 20.5 | 19.5 | 20.0 |
| 12 | 25.0 | 21.0 | 23.5 | 25.5 | 23.0 | 24.5 | 25.5 | 24.0 | 24.5 | 21.5 | 20.5 | 21.0 |
| 13 | 26.0 | 23.5 | 25.0 | 26.0 | 23.0 | 24.5 | 26.0 | 24.0 | 25.0 | 21.5 | 20.5 | 21.0 |
| 14 | 26.5 | 24.5 | 25.5 | 26.0 | 23.5 | 25.0 | 26.0 | 24.0 | 25.0 | 22.0 | 21.5 | 21.5 |
| 15 | 26.5 | 24.5 | 25.5 | 26.0 | 24.5 | 25.0 | 26.5 | 24.0 | 25.5 | 22.0 | 20.5 | 21.5 |
| 16 | 25.0 | 23.5 | 24.5 | 27.0 | 24.5 | 25.5 | 26.5 | 24.0 | 25.0 | 20.0 | 18.5 | 19.0 |
| 17 | 26.0 | 23.5 | 24.5 | 26.0 | 23.5 | 25.0 | 26.0 | 23.5 | 25.0 | 18.5 | 16.5 | 17.5 |
| 18 | 27.0 | 24.5 | 25.5 | 26.0 | 24.0 | 25.0 | 25.5 | 24.0 | 25.0 | 17.5 | 16.5 | 17.0 |
| 19 | 27.5 | 24.5 | 26.0 | 25.0 | 22.0 | 23.5 | 25.5 | 23.5 | 24.5 | 17.5 | 16.5 | 17.0 |
| 20 | 26.5 | 25.0 | 25.5 | 24.5 | 22.0 | 23.5 | 25.5 | 23.0 | 24.0 | 17.5 | 16.5 | 17.0 |
| 21 | 26.0 | 24.0 | 25.0 | 24.5 | 22.5 | 23.5 | 24.5 | 22.0 | 23.5 | 18.5 | 17.5 | 18.0 |
| 22 | 25.5 | 23.5 | 24.5 | 24.5 | 22.5 | 23.5 | 24.5 | 23.0 | 24.0 | 19.5 | 18.5 | 19.0 |
| 23 | 25.0 | 24.0 | 24.5 | 26.0 | 23.0 | 24.5 | 24.5 | 24.0 | 24.0 | 20.0 | 19.5 | 20.0 |
| 24 | 25.5 | 23.5 | 24.5 | 26.0 | 24.0 | 25.0 | 23.5 | 22.5 | 23.0 | 20.0 | 20.0 | 20.0 |
| 25 | 24.5 | 22.0 | 23.5 | 25.5 | 23.5 | 24.5 | 22.5 | 21.0 | 22.0 | 21.0 | 20.0 | 20.0 |
| 26 | 24.5 | 21.0 | 23.0 | 24.0 | 22.5 | 23.0 | 22.5 | 20.5 | 21.5 | 20.5 | 19.0 | 20.0 |
| 27 | 23.5 | 21.5 | 22.5 | 23.5 | 22.5 | 23.0 | 23.0 | 21.0 | 22.0 | 19.0 | 17.0 | 18.0 |
| 28 | 24.0 | 21.5 | 23.0 | 23.0 | 21.5 | 22.5 | 24.0 | 22.0 | 23.0 | 17.0 | 15.0 | 16.0 |
| 29 | 23.5 | 22.0 | 23.0 | 23.0 | 21.0 | 22.0 | 25.0 | 23.0 | 24.0 | 15.0 | 14.0 | 14.5 |
| 30 | 23.0 | 21.0 | 21.5 | 23.0 | 21.0 | 22.0 | 25.0 | 23.5 | 24.0 | 14.0 | 13.5 | 13.5 |
| 31 | --- | --- | --- | 24.5 | 21.5 | 23.0 | 24.0 | 22.5 | 23.5 | --- | --- | --- |
| MONTH | 27.5 | 13.5 | 22.5 | 27.0 | 20.5 | 23.0 | 27.5 | 20.5 | 24.5 | 23.5 | 13.5 | 19.0 |
| YEAR | 27.5 | .0 | 13.0 | OXYGEN, DISSOLVED (DO), MG/L, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984 | | | | | | | | |

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|---------|-----|------|----------|------|------|----------|------|------|---------|------|------|
| | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
| 1 | 7.6 | 6.9 | 7.4 | 9.5 | 9.2 | 9.3 | 11.2 | 10.8 | 11.0 | 10.3 | 9.8 | 10.2 |
| 2 | 7.4 | 6.8 | 7.2 | 9.2 | 9.0 | 9.1 | 11.3 | 11.1 | 11.1 | 10.3 | 9.9 | 10.1 |
| 3 | 7.8 | 6.8 | 7.3 | 9.0 | 8.7 | 8.8 | 11.1 | 11.1 | 11.1 | 10.3 | 9.8 | 10.2 |
| 4 | 7.3 | 6.6 | 6.9 | 8.9 | 8.5 | 8.7 | 11.1 | 10.6 | 10.8 | 12.3 | 9.9 | 11.3 |
| 5 | 6.6 | 5.9 | 6.3 | 9.2 | 8.8 | 9.1 | 10.7 | 10.4 | 10.6 | 12.1 | 11.8 | 12.0 |
| 6 | 7.4 | 5.5 | 6.6 | 9.3 | 9.2 | 9.3 | 10.4 | 10.1 | 10.3 | 12.1 | 12.0 | 12.0 |
| 7 | 7.1 | 6.2 | 6.7 | 9.5 | 9.3 | 9.4 | 10.6 | 10.1 | 10.4 | 12.2 | 11.8 | 12.1 |
| 8 | 7.0 | 6.3 | 6.6 | 9.7 | 9.5 | 9.6 | 10.8 | 10.6 | 10.7 | 12.3 | 12.1 | 12.2 |
| 9 | 7.0 | 5.7 | 6.4 | 9.7 | 8.0 | 9.5 | 11.0 | 10.8 | 10.9 | 12.3 | 12.2 | 12.3 |
| 10 | 7.3 | 5.8 | 6.8 | 9.5 | 8.6 | 9.1 | 11.1 | 10.7 | 11.0 | 12.3 | 11.9 | 12.2 |
| 11 | 7.1 | 6.1 | 6.7 | 9.2 | 8.9 | 9.0 | 11.0 | 10.8 | 11.0 | 12.2 | 12.0 | 12.1 |
| 12 | 6.4 | 5.3 | 5.8 | 9.4 | 9.2 | 9.3 | 10.8 | 10.4 | 10.6 | 12.2 | 11.9 | 12.1 |
| 13 | 5.9 | 4.7 | 5.4 | 9.9 | 9.4 | 9.7 | 10.4 | 10.1 | 10.3 | 12.0 | 11.6 | 11.8 |
| 14 | 6.4 | 4.5 | 5.7 | 10.3 | 9.9 | 10.1 | 10.2 | 9.9 | 10.1 | 11.6 | 11.2 | 11.4 |
| 15 | 5.9 | 5.5 | 5.7 | 10.3 | 10.0 | 10.2 | 10.3 | 10.0 | 10.2 | 11.9 | 11.0 | 11.3 |
| 16 | 6.2 | 5.5 | 6.0 | 11.2 | 9.8 | 10.3 | 10.6 | 10.3 | 10.5 | 11.9 | 11.8 | 11.8 |
| 17 | 6.5 | 5.2 | 6.0 | 10.7 | 10.4 | 10.6 | 11.0 | 10.6 | 10.8 | 12.0 | 11.7 | 11.9 |
| 18 | 5.9 | 4.7 | 5.2 | 10.6 | 10.5 | 10.5 | 11.3 | 11.0 | 11.2 | 12.0 | 11.6 | 12.0 |
| 19 | 6.7 | 4.6 | 5.4 | 10.5 | 10.4 | 10.5 | 11.5 | 11.3 | 11.4 | 12.0 | 11.8 | 11.9 |
| 20 | 7.0 | 4.4 | 5.8 | 10.4 | 10.0 | 10.2 | 11.7 | 11.5 | 11.6 | 11.9 | 11.7 | 11.8 |
| 21 | 7.8 | 6.4 | 7.2 | 10.1 | 10.0 | 10.1 | 11.7 | 11.6 | 11.6 | 11.7 | 11.1 | 11.5 |
| 22 | 8.7 | 7.9 | 8.4 | 10.6 | 9.8 | 10.3 | 11.9 | 11.1 | 11.5 | 11.6 | 11.2 | 11.4 |
| 23 | 8.5 | 8.1 | 8.4 | 10.5 | 10.2 | 10.3 | 12.0 | 11.8 | 11.8 | 11.5 | 11.0 | 11.3 |
| 24 | 8.6 | 8.4 | 8.5 | 10.2 | 10.0 | 10.1 | 12.1 | 11.9 | 12.0 | 11.1 | 11.0 | 11.1 |
| 25 | 8.5 | 8.3 | 8.4 | 10.3 | 10.0 | 10.2 | 12.0 | 11.8 | 11.9 | --- | --- | --- |
| 26 | 8.6 | 8.5 | 8.5 | 10.6 | 10.2 | 10.4 | 11.8 | 11.5 | 11.6 | --- | --- | --- |
| 27 | 9.2 | 8.5 | 8.9 | 10.7 | 10.6 | 10.7 | 11.5 | 11.1 | 11.3 | --- | --- | --- |
| 28 | 9.4 | 9.2 | 9.3 | 10.5 | 10.2 | 10.3 | 11.0 | 10.7 | 10.8 | --- | --- | --- |
| 29 | 9.3 | 9.1 | 9.2 | 10.6 | 10.3 | 10.5 | 10.7 | 10.6 | 10.6 | --- | --- | --- |
| 30 | 9.3 | 9.2 | 9.3 | 10.8 | 10.6 | 10.7 | 10.7 | 10.2 | 10.5 | --- | --- | --- |
| 31 | 9.6 | 9.2 | 9.4 | --- | --- | --- | 10.5 | 10.0 | 10.4 | --- | --- | --- |
| MONTH | 9.6 | 4.4 | 7.1 | 11.2 | 8.0 | 9.9 | 12.1 | 9.9 | 11.0 | 12.3 | 9.8 | 11.6 |

RACCOON CREEK BASIN

03202000 RACCOON CREEK AT ADAMSVILLE, OH--Continued

OXYGEN, DISSOLVED (DO), MG/L, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|------|------|------|-------|------|------|--------|------|------|-----------|-----|------|
| FEBRUARY | | | | MARCH | | | APRIL | | | MAY | | |
| 1 | --- | --- | --- | 11.2 | 11.0 | 11.1 | 11.3 | 10.6 | 11.0 | 9.2 | 8.9 | 9.0 |
| 2 | --- | --- | --- | 11.1 | 10.1 | 10.5 | 10.6 | 10.0 | 10.3 | 9.5 | 8.9 | 9.2 |
| 3 | --- | --- | --- | --- | --- | --- | 10.3 | 9.9 | 10.1 | 9.5 | 9.4 | 9.5 |
| 4 | --- | --- | --- | --- | --- | --- | 10.3 | 10.2 | 10.3 | 9.7 | 9.4 | 9.6 |
| 5 | --- | --- | --- | --- | --- | --- | 10.3 | 10.1 | 10.2 | 9.9 | 9.5 | 9.8 |
| 6 | --- | --- | --- | 12.7 | 10.5 | 12.4 | 10.1 | 10.0 | 10.1 | 9.8 | 9.8 | 9.8 |
| 7 | --- | --- | --- | 10.3 | 9.9 | 10.2 | 10.3 | 10.0 | 10.2 | 9.8 | 9.6 | 9.8 |
| 8 | --- | --- | --- | 10.9 | 10.3 | 10.7 | 10.3 | 10.0 | 10.2 | 9.6 | 9.4 | 9.5 |
| 9 | 14.0 | 12.0 | 13.0 | 11.3 | 10.8 | 11.1 | 10.1 | 9.8 | 10.0 | 9.9 | 9.5 | 9.7 |
| 10 | 14.0 | 13.4 | 13.6 | 11.8 | 11.3 | 11.6 | 10.0 | 9.8 | 9.9 | 10.1 | 9.9 | 10.0 |
| 11 | 14.0 | 13.0 | 13.4 | 11.8 | 11.7 | 11.7 | 10.0 | 9.9 | 9.9 | 9.9 | 9.8 | 9.9 |
| 12 | 14.0 | 13.0 | 13.4 | 11.9 | 11.6 | 11.8 | 10.0 | 9.8 | 9.9 | 9.7 | 9.4 | 9.6 |
| 13 | 13.0 | 12.8 | 12.9 | 11.8 | 11.5 | 11.7 | 9.8 | 9.6 | 9.7 | 9.5 | 9.3 | 9.4 |
| 14 | 12.7 | 12.5 | 12.6 | 11.6 | 11.5 | 11.5 | 9.6 | 9.5 | 9.6 | 9.6 | 9.4 | 9.5 |
| 15 | 13.1 | 11.2 | 12.7 | 11.5 | 11.4 | 11.5 | 9.6 | 9.4 | 9.5 | 9.7 | 9.5 | 9.6 |
| 16 | 11.5 | 11.1 | 11.3 | 11.4 | 11.0 | 11.2 | 9.6 | 9.4 | 9.5 | 9.8 | 9.6 | 9.7 |
| 17 | 11.3 | 11.0 | 11.1 | 11.2 | 11.0 | 11.1 | 9.8 | 9.5 | 9.6 | 9.7 | 9.6 | 9.7 |
| 18 | 11.1 | 9.8 | 10.5 | 11.1 | 10.9 | 11.0 | 10.1 | 9.7 | 9.9 | 9.6 | 9.3 | 9.5 |
| 19 | 10.6 | 9.9 | 10.3 | 11.0 | 10.8 | 10.9 | 10.3 | 10.0 | 10.2 | 9.4 | 9.1 | 9.3 |
| 20 | 10.7 | 9.6 | 10.4 | 11.4 | 10.6 | 10.8 | 10.4 | 10.2 | 10.3 | 9.1 | 8.9 | 9.1 |
| 21 | 10.6 | 10.4 | 10.5 | 10.8 | 10.3 | 10.5 | 10.3 | 10.2 | 10.2 | 8.9 | 8.8 | 8.8 |
| 22 | 10.7 | 10.3 | 10.5 | 10.4 | 10.2 | 10.3 | 10.2 | 9.9 | 10.1 | 8.8 | 8.7 | 8.8 |
| 23 | 11.1 | 10.1 | 10.5 | 10.5 | 10.3 | 10.4 | 10.0 | 9.9 | 10.0 | 8.8 | 8.6 | 8.7 |
| 24 | 11.4 | 9.4 | 10.9 | 10.6 | 10.4 | 10.5 | 9.9 | 9.2 | 9.8 | 8.9 | 8.5 | 8.7 |
| 25 | 10.9 | 8.6 | 9.5 | 10.5 | 10.4 | 10.5 | 10.1 | 9.9 | 10.0 | 9.0 | 8.6 | 8.8 |
| 26 | 10.6 | 8.4 | 9.4 | 10.4 | 10.0 | 10.2 | 10.0 | 9.7 | 9.9 | 9.3 | 8.8 | 9.0 |
| 27 | 10.5 | 10.4 | 10.5 | 10.3 | 10.0 | 10.1 | 9.6 | 9.3 | 9.4 | 9.2 | 9.0 | 9.1 |
| 28 | 10.5 | 10.3 | 10.4 | 12.4 | 9.9 | 11.0 | 9.4 | 9.2 | 9.3 | 9.0 | 7.6 | 8.8 |
| 29 | 10.7 | 10.5 | 10.6 | 13.6 | 11.0 | 12.3 | 9.3 | 9.2 | 9.3 | 9.2 | 8.5 | 8.8 |
| 30 | --- | --- | --- | 12.8 | 11.7 | 12.2 | 9.1 | 8.9 | 9.0 | 9.6 | 9.2 | 9.5 |
| 31 | --- | --- | --- | 11.7 | 11.3 | 11.4 | --- | --- | --- | 9.6 | 9.4 | 9.5 |
| MONTH | 14.0 | 8.4 | 11.3 | 13.6 | 9.9 | 11.1 | 11.3 | 8.9 | 9.9 | 10.1 | 7.6 | 9.4 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| JUNE | | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | 9.7 | 9.5 | 9.6 | 8.2 | 7.1 | 7.7 | 8.7 | 7.5 | 8.0 | 8.3 | 7.5 | 7.8 |
| 2 | 9.7 | 9.5 | 9.6 | 8.4 | 7.9 | 8.1 | 8.3 | 7.2 | 7.7 | 8.3 | 8.0 | 8.1 |
| 3 | 9.4 | 9.1 | 9.3 | 8.8 | 8.0 | 8.4 | 8.3 | 6.8 | 7.4 | 8.0 | 7.7 | 7.9 |
| 4 | 9.2 | 9.0 | 9.1 | 8.4 | 8.0 | 8.3 | 8.1 | 6.9 | 7.5 | 8.0 | 7.3 | 7.6 |
| 5 | 9.1 | 8.8 | 9.0 | 8.4 | 7.8 | 8.1 | 8.2 | 7.0 | 7.5 | 7.7 | 7.1 | 7.4 |
| 6 | 8.9 | 8.7 | 8.8 | 8.4 | 7.8 | 8.0 | 7.8 | 7.3 | 7.6 | 8.6 | 7.2 | 7.9 |
| 7 | 8.7 | 8.5 | 8.6 | 8.5 | 8.0 | 8.3 | 7.6 | 7.3 | 7.5 | 8.7 | 8.3 | 8.5 |
| 8 | 8.5 | 8.4 | 8.5 | 8.5 | 8.0 | 8.4 | 7.8 | 7.4 | 7.6 | 8.8 | 8.5 | 8.6 |
| 9 | 8.5 | 8.3 | 8.4 | 8.5 | 8.2 | 8.4 | 8.0 | 7.5 | 7.7 | 8.7 | 8.2 | 8.5 |
| 10 | 8.5 | 8.1 | 8.3 | 8.5 | 8.0 | 8.3 | 7.8 | 7.1 | 7.5 | 8.5 | 8.0 | 8.3 |
| 11 | 8.4 | 6.8 | 8.1 | 8.2 | 7.6 | 8.0 | 8.0 | 6.9 | 7.2 | 8.4 | 7.7 | 8.1 |
| 12 | 8.0 | 7.3 | 7.8 | 8.0 | 7.4 | 7.7 | 8.4 | 7.4 | 7.8 | 8.0 | 7.4 | 7.6 |
| 13 | 7.9 | 7.0 | 7.5 | 8.1 | 7.6 | 7.8 | 8.2 | 7.3 | 7.7 | 7.6 | 6.9 | 7.3 |
| 14 | 8.0 | 7.0 | 7.5 | 8.2 | 7.6 | 8.0 | 8.2 | 7.4 | 7.8 | 7.2 | 6.8 | 7.0 |
| 15 | 8.3 | 7.5 | 7.8 | 8.4 | 7.8 | 8.2 | 8.1 | 7.3 | 7.7 | 7.3 | 6.7 | 7.0 |
| 16 | 8.5 | 7.6 | 8.0 | 8.7 | 8.1 | 8.5 | 7.8 | 6.9 | 7.3 | 7.0 | 6.5 | 6.7 |
| 17 | 8.8 | 7.7 | 8.1 | 8.3 | 7.7 | 7.9 | 8.0 | 6.7 | 7.3 | 6.8 | 6.2 | 6.5 |
| 18 | 8.6 | 7.7 | 8.1 | 8.2 | 7.5 | 7.8 | 8.7 | 6.3 | 7.1 | 8.6 | 6.3 | 7.0 |
| 19 | 8.5 | 7.4 | 7.9 | 8.4 | 7.8 | 8.0 | 8.7 | 7.0 | 7.9 | 8.7 | 8.0 | 8.3 |
| 20 | 8.1 | 7.3 | 7.7 | 8.5 | 7.7 | 8.1 | 8.3 | 7.0 | 7.7 | 8.5 | 8.1 | 8.4 |
| 21 | 8.4 | 7.4 | 7.8 | 8.7 | 7.6 | 8.1 | 8.4 | 6.9 | 7.6 | 8.3 | 7.6 | 7.9 |
| 22 | 8.6 | 7.2 | 7.9 | 8.7 | 7.7 | 8.2 | 8.9 | 6.6 | 7.8 | 8.1 | 7.2 | 7.7 |
| 23 | 8.5 | 7.5 | 7.9 | 8.4 | 7.6 | 8.0 | 8.6 | 7.0 | 7.9 | 8.0 | 7.2 | 7.8 |
| 24 | 8.5 | 7.4 | 7.9 | 8.5 | 7.3 | 7.8 | 8.6 | 7.2 | 8.0 | 7.5 | 6.6 | 7.0 |
| 25 | 8.4 | 7.4 | 7.9 | 8.4 | 7.1 | 7.7 | 8.5 | 7.4 | 8.0 | 6.8 | 6.0 | 6.5 |
| 26 | 8.3 | 7.4 | 7.8 | 8.6 | 7.5 | 8.0 | 8.3 | 7.4 | 7.9 | 7.9 | 6.1 | 7.4 |
| 27 | 7.6 | 7.1 | 7.3 | 9.0 | 7.3 | 8.0 | 8.2 | 7.3 | 7.7 | 7.4 | 6.9 | 7.2 |
| 28 | 7.3 | 6.5 | 6.9 | 8.9 | 7.6 | 8.2 | 7.9 | 7.2 | 7.5 | 7.7 | 7.0 | 7.4 |
| 29 | 7.7 | 5.9 | 7.1 | 8.9 | 7.6 | 8.2 | 8.1 | 7.0 | 7.4 | 8.1 | 7.4 | 7.7 |
| 30 | 7.9 | 6.9 | 7.3 | 8.5 | 7.5 | 8.0 | 8.0 | 7.7 | 7.8 | 8.6 | 8.2 | 8.3 |
| 31 | --- | --- | --- | 9.0 | 7.1 | 8.0 | 7.9 | 7.4 | 7.7 | --- | --- | --- |
| MONTH | 9.7 | 5.9 | 8.1 | 9.0 | 7.1 | 8.1 | 8.9 | 6.3 | 7.6 | 8.8 | 6.0 | 7.7 |
| YEAR | 14.0 | 4.4 | 9.3 | | | | | | | | | |

RACCOON CREEK BASIN

127

03202000 RACCOON CREEK AT ADAMSVILLE, OH--Continued
SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 738 | 509 | 323 | 357 | --- | 288 | 203 | 279 | 231 | 518 | 549 | 639 |
| 2 | 735 | 542 | 311 | 369 | --- | 285 | 224 | 282 | 257 | 500 | 537 | 624 |
| 3 | 741 | 549 | 312 | 357 | --- | 285 | 237 | 285 | 288 | 510 | 521 | 626 |
| 4 | 785 | 510 | 270 | 357 | --- | 287 | 201 | 279 | 299 | 477 | 504 | 624 |
| 5 | 846 | 542 | 296 | 351 | --- | 284 | 188 | 290 | 317 | 470 | 521 | 621 |
| 6 | 767 | 564 | 257 | 350 | --- | 294 | 186 | 266 | 338 | 428 | 648 | 609 |
| 7 | 711 | 603 | 258 | 348 | --- | 285 | 192 | 270 | 351 | 510 | 632 | 588 |
| 8 | 723 | 597 | 264 | 354 | --- | 272 | 203 | 266 | 365 | 414 | 633 | 584 |
| 9 | 761 | 627 | 270 | 354 | 336 | 267 | 216 | 258 | 372 | 435 | 573 | 620 |
| 10 | 747 | 590 | 261 | 348 | 321 | 270 | 242 | 281 | 383 | 426 | 494 | 636 |
| 11 | 710 | 311 | 276 | 366 | 327 | 276 | 257 | 288 | 384 | 453 | 486 | 705 |
| 12 | 762 | 411 | 266 | 384 | 339 | 294 | 266 | 291 | 339 | 480 | 504 | 740 |
| 13 | 788 | 375 | 276 | 398 | 336 | 297 | 279 | 294 | 357 | 476 | 527 | 696 |
| 14 | 725 | 363 | 279 | 402 | 312 | 303 | 285 | 294 | 380 | 500 | 563 | 660 |
| 15 | 690 | 383 | 279 | 408 | 320 | 315 | 293 | 297 | 398 | 542 | 596 | 626 |
| 16 | 705 | 312 | 285 | 408 | 269 | 321 | 297 | 302 | 410 | 540 | 648 | 591 |
| 17 | 689 | 333 | 297 | 408 | 248 | 321 | 299 | 315 | 426 | 528 | 624 | 593 |
| 18 | 714 | 363 | 309 | 402 | 266 | 324 | 306 | 318 | 438 | 545 | 570 | 567 |
| 19 | 696 | 354 | 321 | 402 | 270 | 336 | 315 | 326 | 440 | 581 | 537 | 591 |
| 20 | 696 | 348 | 327 | 414 | 273 | 330 | 321 | 330 | 441 | 560 | 543 | 605 |
| 21 | 492 | 336 | 333 | 420 | 287 | 260 | 321 | 336 | 441 | 558 | 546 | 725 |
| 22 | 575 | 350 | 254 | 449 | 296 | 243 | 222 | 348 | 461 | 551 | 567 | 770 |
| 23 | 422 | 363 | 269 | 465 | 297 | 213 | 230 | 345 | 459 | 561 | 561 | 749 |
| 24 | 591 | 366 | 282 | 462 | 311 | 209 | 222 | 344 | 458 | 561 | 555 | 786 |
| 25 | 540 | 369 | 293 | --- | 306 | 228 | 222 | 359 | 468 | 566 | 548 | 851 |
| 26 | 435 | 381 | 303 | --- | 312 | 233 | 236 | 371 | 500 | 561 | 575 | 698 |
| 27 | 404 | 381 | 323 | --- | 315 | 252 | 242 | 387 | 513 | 540 | 581 | 627 |
| 28 | 443 | 318 | 329 | --- | 281 | 245 | 251 | 392 | 516 | 546 | 605 | 597 |
| 29 | 435 | 341 | 309 | --- | 258 | 218 | 264 | 242 | 513 | 546 | 645 | 618 |
| 30 | 449 | 326 | 341 | --- | --- | 204 | 273 | 308 | 510 | 537 | 648 | 600 |
| 31 | 488 | --- | 354 | --- | --- | 192 | --- | 290 | --- | 560 | 642 | --- |
| MEAN | 645 | 424 | 294 | 389 | 299 | 272 | 250 | 308 | 402 | 516 | 570 | 652 |

WTR YR 1984 MEAN 422 MAX 851 MIN 186
PH (STANDARD UNITS), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 6.6 | 5.2 | 5.9 | 5.1 | --- | 6.6 | 6.2 | 6.5 | 6.4 | 6.6 | 6.7 | 6.3 |
| 2 | 6.6 | 5.1 | 6.3 | 5.4 | --- | 6.6 | 6.3 | 6.7 | 6.5 | 6.7 | 6.7 | 6.3 |
| 3 | 6.6 | 5.0 | 6.4 | 5.4 | --- | 6.5 | 6.4 | 6.4 | 6.6 | 6.7 | 6.7 | 6.4 |
| 4 | 6.4 | 5.4 | 6.9 | 5.4 | --- | 6.5 | 6.7 | 6.4 | 6.6 | 6.4 | 6.8 | 6.3 |
| 5 | 6.4 | 5.3 | 6.1 | 5.6 | --- | 6.6 | 6.3 | 6.2 | 6.5 | 6.3 | 6.7 | 6.2 |
| 6 | 6.5 | 5.2 | 6.6 | 5.6 | --- | 6.2 | 6.3 | 6.4 | 6.6 | 6.6 | 5.9 | 6.2 |
| 7 | 6.5 | 5.2 | 6.4 | 5.7 | --- | 6.3 | 6.2 | 6.5 | 6.6 | 6.2 | 5.2 | 6.4 |
| 8 | 6.6 | 5.1 | 6.4 | 5.6 | --- | 6.3 | 6.2 | 6.4 | 6.6 | 5.9 | 5.2 | 6.7 |
| 9 | 6.6 | 5.0 | 6.4 | 5.6 | 6.0 | 6.3 | 6.3 | 6.5 | 6.6 | 6.4 | 5.5 | 6.7 |
| 10 | 6.6 | 5.0 | 6.7 | 5.7 | 6.5 | 6.3 | 6.0 | 6.3 | 6.6 | 6.5 | 5.7 | 6.6 |
| 11 | 6.6 | 6.4 | 6.4 | 5.4 | 6.6 | 6.3 | 5.8 | 6.5 | 6.6 | 6.6 | 6.4 | 6.5 |
| 12 | 6.5 | 5.2 | 6.7 | --- | 6.6 | 6.2 | 5.8 | 6.6 | 6.7 | 6.6 | 6.5 | 6.5 |
| 13 | 6.4 | 5.7 | 6.3 | --- | 6.5 | 6.3 | 5.9 | 6.5 | 6.7 | 6.7 | 5.8 | 6.5 |
| 14 | 6.6 | 5.7 | 6.5 | --- | 6.9 | 6.4 | 5.9 | 6.4 | 6.7 | 6.6 | 5.7 | 6.5 |
| 15 | 6.6 | 5.8 | 6.4 | --- | 6.3 | 6.2 | 5.9 | 6.4 | 6.7 | 6.5 | 5.7 | 6.5 |
| 16 | 6.7 | 6.4 | 6.4 | --- | 6.4 | 6.4 | 5.9 | 6.4 | 6.7 | 6.5 | 5.2 | 6.6 |
| 17 | 6.7 | 6.0 | 6.6 | --- | 6.7 | 6.4 | 5.9 | 6.4 | 6.7 | 6.5 | 5.2 | 6.8 |
| 18 | 6.6 | 6.0 | --- | --- | 6.7 | 6.3 | 5.9 | 6.4 | 6.7 | 6.2 | 5.6 | 6.7 |
| 19 | 6.6 | 6.0 | --- | --- | 6.9 | 6.3 | 5.8 | 6.6 | 6.7 | 5.9 | 6.0 | 6.7 |
| 20 | 6.6 | 5.9 | --- | --- | 6.9 | 6.2 | 5.7 | 6.6 | 6.7 | 6.2 | 6.1 | 6.7 |
| 21 | 6.8 | 6.4 | --- | --- | 6.7 | 6.7 | 5.9 | 6.6 | 6.7 | 6.4 | 6.1 | 6.7 |
| 22 | 6.2 | 6.4 | 6.4 | --- | 6.7 | 6.0 | 6.8 | 6.6 | 6.7 | 6.5 | 6.3 | 6.7 |
| 23 | 5.3 | 5.7 | 6.0 | --- | 6.7 | 6.1 | 6.5 | 6.6 | 6.7 | 6.6 | 6.1 | 6.7 |
| 24 | --- | 5.8 | 6.0 | --- | 6.7 | 6.1 | 6.3 | 6.6 | 6.7 | 6.6 | 6.1 | 6.5 |
| 25 | --- | 5.9 | 6.2 | --- | 6.8 | 6.2 | 6.3 | 6.5 | 6.7 | 6.5 | 6.3 | 6.5 |
| 26 | 4.6 | 5.9 | 5.7 | --- | 6.7 | 6.3 | 6.5 | 6.4 | 6.6 | 6.4 | 6.3 | 6.7 |
| 27 | 5.2 | 6.0 | 5.2 | --- | 6.7 | 6.3 | 6.6 | 6.4 | 6.5 | 6.6 | 6.4 | 6.5 |
| 28 | 5.2 | 6.8 | 5.2 | --- | 7.0 | 6.3 | 6.6 | 6.4 | 6.6 | 6.7 | 6.4 | 6.5 |
| 29 | 5.2 | 5.9 | 5.4 | --- | 6.8 | 6.4 | 6.6 | 6.7 | 6.6 | 6.6 | 6.3 | 6.4 |
| 30 | 5.2 | 6.1 | 5.1 | --- | --- | 6.1 | 6.6 | 6.3 | 6.6 | 6.6 | 6.3 | 6.5 |
| 31 | 5.2 | --- | 5.1 | --- | --- | 6.2 | --- | 6.4 | --- | 6.6 | 6.3 | --- |
| MEAN | 6.2 | 5.7 | 6.1 | 5.5 | 6.7 | 6.3 | 6.2 | 6.5 | 6.6 | 6.5 | 6.1 | 6.5 |

WTR YR 1984 MEAN 6.3 MAX 7.0 MIN 4.6

RACCOON CREEK BASIN

03202000 RACCOON CREEK AT ADAMSVILLE, OH--Continued
 TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
 MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|------|------|------|-----|-----|-----|-----|------|------|------|------|------|------|
| 1 | 15.5 | 10.5 | 5.0 | .5 | --- | 3.0 | 6.0 | 16.0 | 14.0 | 21.0 | 24.5 | 22.0 |
| 2 | 15.5 | 11.0 | 4.5 | .5 | --- | 3.0 | 7.0 | 15.0 | 14.0 | 21.0 | 25.0 | 22.0 |
| 3 | 16.0 | 12.5 | 4.0 | .5 | --- | 3.0 | 9.0 | 14.0 | 16.0 | 22.0 | 25.5 | 23.5 |
| 4 | 16.0 | 11.0 | 5.5 | .5 | --- | 2.5 | 7.5 | 13.5 | 17.0 | 22.5 | 25.5 | 22.5 |
| 5 | 16.5 | 9.5 | 5.5 | .0 | --- | 5.0 | 7.5 | 13.0 | 18.5 | 22.0 | 25.5 | 20.0 |
| 6 | 16.5 | 9.5 | 6.0 | .0 | --- | 2.5 | 7.0 | 13.0 | 20.0 | 22.0 | 26.0 | 18.5 |
| 7 | 15.0 | 9.0 | 5.5 | .0 | --- | 2.5 | 7.0 | 14.0 | 21.5 | 22.5 | 25.5 | 17.5 |
| 8 | 14.0 | 8.5 | 5.0 | .5 | --- | 2.5 | 8.0 | 14.5 | 22.0 | 21.0 | 25.5 | 17.5 |
| 9 | 14.0 | 8.5 | 4.5 | .5 | .5 | 2.0 | 8.5 | 12.5 | 23.0 | 21.0 | 25.5 | 18.5 |
| 10 | 14.5 | 9.5 | 5.0 | .5 | .5 | 1.5 | 9.0 | 12.0 | 23.5 | 22.5 | 25.5 | 19.5 |
| 11 | 14.5 | 9.5 | 5.0 | .5 | 1.0 | 2.0 | 10.0 | 13.0 | 23.5 | 23.5 | 25.0 | 20.0 |
| 12 | 15.0 | 8.5 | 6.0 | .5 | 2.0 | 2.0 | 10.5 | 15.0 | 23.0 | 24.0 | 24.5 | 20.5 |
| 13 | 15.5 | 7.0 | 7.0 | .5 | 3.5 | 2.5 | 11.5 | 15.0 | 24.5 | 24.5 | 25.0 | 21.0 |
| 14 | 14.0 | 6.5 | 7.0 | 1.0 | 4.0 | 3.0 | 12.5 | 14.5 | 25.0 | 24.5 | 25.0 | 21.5 |
| 15 | 13.0 | 6.5 | 7.0 | 1.0 | 4.5 | 4.0 | 12.5 | 14.0 | 25.5 | 25.0 | 25.0 | 21.5 |
| 16 | 12.5 | 7.0 | 6.0 | 1.0 | 4.5 | 6.0 | 12.0 | 14.0 | 24.5 | 25.0 | 25.0 | 19.0 |
| 17 | 12.5 | 7.0 | 4.5 | 1.0 | 4.5 | 6.0 | 11.0 | 14.0 | 24.5 | 25.0 | 25.0 | 17.5 |
| 18 | 13.5 | 6.5 | 3.5 | 1.0 | 5.5 | 6.0 | 9.5 | 14.0 | 25.0 | 24.5 | 25.0 | 17.0 |
| 19 | 13.5 | 7.0 | 2.5 | .5 | 7.5 | 6.0 | 9.5 | 15.0 | 26.0 | 23.5 | 24.5 | 17.0 |
| 20 | 13.5 | 8.0 | 1.5 | .5 | 7.0 | 7.0 | 9.5 | 16.5 | 25.5 | 23.5 | 24.0 | 17.0 |
| 21 | 13.5 | 8.5 | 1.0 | .5 | 6.0 | 7.0 | 10.0 | 18.0 | 25.0 | 23.5 | 23.5 | 18.0 |
| 22 | 12.5 | 8.0 | 2.5 | .5 | 5.5 | 6.0 | 9.5 | 19.0 | 24.5 | 23.5 | 23.5 | 19.0 |
| 23 | 12.5 | 8.0 | 1.0 | .5 | 5.5 | 5.5 | 9.5 | 19.5 | 24.5 | 24.0 | 24.0 | 20.0 |
| 24 | 13.0 | 8.5 | .0 | .5 | 5.5 | 5.5 | 9.5 | 19.5 | 24.5 | 25.5 | 23.0 | 20.0 |
| 25 | 13.0 | 7.5 | .0 | --- | 7.0 | 5.5 | 9.5 | 19.5 | 23.5 | 24.0 | 22.0 | 20.0 |
| 26 | 12.5 | 7.0 | .0 | --- | 7.0 | 6.5 | 11.5 | 19.5 | 23.0 | 23.0 | 21.5 | 20.0 |
| 27 | 11.5 | 6.5 | .5 | --- | 5.0 | 7.0 | 13.5 | 19.5 | 22.5 | 23.0 | 22.0 | 17.5 |
| 28 | 11.0 | 7.5 | .5 | --- | 3.5 | 7.5 | 15.0 | 19.5 | 22.5 | 22.5 | 22.5 | 16.0 |
| 29 | 11.5 | 7.0 | .5 | --- | 2.5 | 7.0 | 15.5 | 17.5 | 23.0 | 22.0 | 23.5 | 14.5 |
| 30 | 11.0 | 6.0 | .5 | --- | --- | 5.5 | 16.5 | 15.5 | 21.5 | 22.0 | 24.0 | 13.5 |
| 31 | 10.5 | --- | .5 | --- | --- | 5.5 | --- | 15.0 | --- | 22.5 | 23.5 | --- |
| MEAN | 13.5 | 8.5 | 3.5 | .5 | 4.5 | 4.5 | 10.0 | 15.5 | 22.5 | 23.0 | 24.5 | 19.0 |

WTR YR 1984 MEAN 13.0 MAX 26.0 MIN .0
 OXYGEN, DISSOLVED (DO), MG/L, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
 MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|------|-----|------|------|------|------|------|------|------|-----|-----|-----|-----|
| 1 | 7.4 | 9.4 | 11.0 | 10.2 | --- | 11.1 | 11.0 | 9.1 | 9.6 | 7.7 | 8.0 | 7.8 |
| 2 | 7.3 | 9.2 | 11.1 | 10.1 | --- | 10.5 | 10.4 | 9.2 | 9.6 | 8.2 | 7.7 | 8.1 |
| 3 | 7.3 | 8.8 | 11.1 | 10.2 | --- | --- | 10.1 | 9.5 | 9.3 | 8.4 | 7.4 | 7.9 |
| 4 | 6.9 | 8.8 | 10.7 | 12.0 | --- | --- | 10.3 | 9.7 | 9.1 | 8.2 | 7.5 | 7.6 |
| 5 | 6.3 | 9.1 | 10.5 | 12.0 | --- | --- | 10.2 | 9.8 | 9.0 | 8.1 | 7.5 | 7.4 |
| 6 | 6.8 | 9.3 | 10.3 | 12.0 | --- | 12.7 | 10.1 | 9.8 | 8.8 | 8.0 | 7.5 | 7.8 |
| 7 | 6.7 | 9.4 | 10.5 | 12.1 | --- | 10.2 | 10.2 | 9.8 | 8.6 | 8.4 | 7.5 | 8.5 |
| 8 | 6.6 | 9.6 | 10.7 | 12.2 | --- | 10.8 | 10.2 | 9.5 | 8.5 | 8.5 | 7.6 | 8.6 |
| 9 | 6.3 | 9.5 | 10.9 | 12.3 | 13.0 | 11.1 | 10.0 | 9.8 | 8.4 | 8.4 | 7.7 | 8.5 |
| 10 | 6.9 | 9.4 | 11.0 | 12.2 | 13.6 | 11.6 | 9.9 | 10.0 | 8.2 | 8.2 | 7.5 | 8.4 |
| 11 | 6.8 | 9.0 | 11.0 | 12.2 | 13.6 | 11.7 | 9.9 | 9.9 | 8.2 | 8.0 | 7.2 | 8.1 |
| 12 | 5.8 | 9.3 | 10.6 | 12.0 | 13.6 | 11.8 | 9.9 | 9.6 | 7.9 | 7.6 | 7.7 | 7.6 |
| 13 | 5.4 | 9.7 | 10.3 | 11.9 | 12.8 | 11.8 | 9.8 | 9.4 | 7.5 | 7.7 | 7.8 | 7.3 |
| 14 | 5.9 | 10.1 | 10.2 | 11.5 | 12.6 | 11.5 | 9.6 | 9.5 | 7.5 | 8.0 | 7.8 | 7.0 |
| 15 | 5.7 | 10.2 | 10.2 | 11.2 | 12.6 | 11.5 | 9.5 | 9.6 | 7.8 | 8.2 | 7.7 | 7.0 |
| 16 | 6.0 | 10.1 | 10.5 | 11.8 | 11.3 | 11.1 | 9.5 | 9.7 | 8.1 | 8.5 | 7.3 | 6.7 |
| 17 | 6.2 | 10.6 | 10.9 | 11.8 | 11.1 | 11.1 | 9.7 | 9.7 | 8.1 | 7.9 | 7.3 | 6.5 |
| 18 | 5.1 | 10.5 | 11.2 | 12.0 | 10.6 | 11.0 | 9.9 | 9.5 | 8.0 | 7.9 | 6.9 | 6.4 |
| 19 | 5.2 | 10.5 | 11.4 | 11.9 | 10.3 | 10.9 | 10.3 | 9.3 | 7.7 | 8.0 | 7.9 | 8.4 |
| 20 | 5.8 | 10.2 | 11.6 | 11.8 | 10.4 | 10.7 | 10.3 | 9.1 | 7.7 | 8.1 | 7.8 | 8.4 |
| 21 | 7.3 | 10.1 | 11.6 | 11.5 | 10.5 | 10.5 | 10.2 | 8.8 | 7.7 | 8.0 | 7.6 | 7.9 |
| 22 | 8.4 | 10.5 | 11.6 | 11.5 | 10.6 | 10.3 | 10.1 | 8.8 | 7.9 | 8.1 | 7.9 | 7.6 |
| 23 | 8.4 | 10.4 | 11.9 | 11.4 | 10.5 | 10.4 | 10.0 | 8.7 | 7.9 | 7.9 | 8.0 | 7.8 |
| 24 | 8.5 | 10.1 | 12.0 | 11.1 | 11.0 | 10.5 | 9.9 | 8.8 | 7.8 | 7.8 | 8.0 | 7.0 |
| 25 | 8.4 | 10.2 | 11.9 | --- | 9.7 | 10.5 | 10.0 | 8.9 | 7.8 | 7.7 | 8.1 | 6.5 |
| 26 | 8.5 | 10.3 | 11.7 | --- | 9.1 | 10.2 | 9.9 | 9.1 | 7.7 | 8.0 | 8.0 | 7.6 |
| 27 | 9.0 | 10.7 | 11.3 | --- | 10.5 | 10.2 | 9.4 | 9.1 | 7.3 | 7.9 | 7.7 | 7.3 |
| 28 | 9.3 | 10.3 | 10.9 | --- | 10.4 | 11.1 | 9.3 | 8.9 | 6.9 | 8.2 | 7.5 | 7.4 |
| 29 | 9.2 | 10.5 | 10.7 | --- | 10.6 | 12.2 | 9.3 | 8.8 | 7.4 | 8.1 | 7.2 | 7.7 |
| 30 | 9.3 | 10.7 | 10.6 | --- | --- | 12.1 | 9.1 | 9.5 | 7.3 | 7.9 | 7.9 | 8.3 |
| 31 | 9.3 | --- | 10.4 | --- | --- | 11.4 | --- | 9.6 | --- | 7.6 | 7.7 | --- |
| MEAN | 7.2 | 9.9 | 11.0 | 11.6 | 11.4 | 11.1 | 9.9 | 9.4 | 8.1 | 8.0 | 7.6 | 7.6 |

WTR YR 1984 MEAN 9.3 MAX 13.6 MIN 5.1

03219500 SCIOTO RIVER NEAR PROSPECT, OH

LOCATION.--Lat 40°25'10", long 83°11'50", Delaware County, Hydrologic Unit 05060001, on right bank at downstream side of Hoskins Bridge, 1.5 mi upstream from Ottawa Creek, 2.0 mi south of Prospect, and 2.5 mi downstream from Patton Run.

DRAINAGE AREA.--567 mi².

PERIOD OF RECORD.--July 1925 to October 1932, October 1939 to current year. Published as "at Prospect" 1925-32. Gage-height records collected in this vicinity since 1915 are contained in reports of National Weather Service.

REVISED RECORDS.--WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 886.9 ft National Geodetic Vertical Datum of 1929 (levels by Corps of Engineers). July 24, 1925, to Oct. 31, 1932, nonrecording gage at site 2.5 mi upstream at datum 4.8 ft higher. Oct. 16 to Dec. 5, 1939, nonrecording gage at present site and datum.

REMARKS.--Records good except those for the winter period, which are poor. Water-quality data collected at this site 1964 to 1977. Sediment data collected 1951 to 1953.

AVERAGE DISCHARGE.--52 years, 456 ft³/s, 10.92 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 10,100 ft³/s Mar. 22, 1927, gage-height, 15.0 ft, from graph based on gage readings at site and datum then in use, and Jan. 21, 1959, gage height, 15.30 ft; minimum, 3.5 ft³/s Sept. 13, 1953.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of March 25, 1913, reached a stage of 21.1 ft, discharge, 27,000 ft³/s, computed by Franklin County Conservancy District, at site and datum used 1925-32.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 3,600 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Feb. 15 | 2000 | 4300 | 9.60 | Apr. 7 | 1400 | 4080 | 9.31 |
| Mar. 18 | 2100 | 5010 | 10.50 | Apr. 25 | 0400 | 4460 | 9.81 |
| Mar. 23 | 1000 | *5390 | *10.96 | | | | |

minimum discharge 12 ft³/s Oct. 1-4.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|-------|-------|------|-------|-------|-------|-------|------|------|------|------|
| 1 | 12 | 92 | 520 | 110 | 200 | 244 | 976 | 456 | 205 | 80 | 27 | 14 |
| 2 | 12 | 85 | 500 | 110 | 150 | 241 | 702 | 369 | 188 | 68 | 24 | 13 |
| 3 | 12 | 239 | 470 | 100 | 400 | 224 | 571 | 309 | 168 | 54 | 25 | 14 |
| 4 | 12 | 777 | 660 | 96 | 1700 | 201 | 621 | 303 | 149 | 58 | 33 | 26 |
| 5 | 27 | 834 | 1100 | 90 | 1200 | 226 | 1570 | 289 | 138 | 54 | 34 | 21 |
| 6 | 88 | 489 | 1800 | 84 | 900 | 333 | 3070 | 259 | 128 | 79 | 28 | 23 |
| 7 | 168 | 312 | 2800 | 80 | 639 | 504 | 4000 | 231 | 115 | 112 | 27 | 21 |
| 8 | 97 | 229 | 1600 | 76 | 453 | 567 | 3370 | 217 | 104 | 133 | 29 | 17 |
| 9 | 56 | 174 | 1100 | 70 | 300 | 360 | 1880 | 219 | 94 | 136 | 26 | 16 |
| 10 | 37 | 149 | 700 | 68 | 283 | 389 | 1020 | 217 | 85 | 133 | 25 | 21 |
| 11 | 27 | 716 | 500 | 64 | 1030 | 366 | 716 | 210 | 76 | 112 | 23 | 25 |
| 12 | 24 | 923 | 1400 | 60 | 1570 | 283 | 551 | 226 | 68 | 90 | 26 | 19 |
| 13 | 123 | 906 | 3000 | 56 | 2260 | 234 | 474 | 286 | 65 | 77 | 25 | 17 |
| 14 | 357 | 889 | 2700 | 54 | 3670 | 217 | 432 | 336 | 84 | 68 | 23 | 19 |
| 15 | 392 | 851 | 2000 | 52 | 4100 | 234 | 493 | 278 | 77 | 56 | 21 | 21 |
| 16 | 234 | 972 | 1320 | 50 | 4060 | 1450 | 976 | 231 | 82 | 43 | 20 | 18 |
| 17 | 128 | 932 | 838 | 48 | 2840 | 3070 | 1060 | 199 | 92 | 33 | 19 | 15 |
| 18 | 94 | 902 | 555 | 47 | 1640 | 4750 | 1060 | 178 | 79 | 30 | 17 | 15 |
| 19 | 72 | 822 | 360 | 46 | 1170 | 4570 | 1090 | 162 | 67 | 26 | 16 | 16 |
| 20 | 68 | 805 | 351 | 45 | 1010 | 3130 | 963 | 160 | 58 | 24 | 14 | 15 |
| 21 | 77 | 817 | 370 | 44 | 822 | 3700 | 716 | 354 | 56 | 24 | 15 | 15 |
| 22 | 369 | 822 | 320 | 43 | 626 | 4700 | 570 | 863 | 59 | 22 | 16 | 14 |
| 23 | 945 | 805 | 240 | 44 | 489 | 5330 | 1760 | 945 | 138 | 21 | 19 | 13 |
| 24 | 884 | 906 | 200 | 80 | 412 | 4520 | 3980 | 801 | 369 | 21 | 17 | 16 |
| 25 | 600 | 910 | 170 | 180 | 363 | 3280 | 4370 | 661 | 312 | 23 | 15 | 17 |
| 26 | 450 | 867 | 150 | 400 | 348 | 2950 | 3430 | 449 | 219 | 23 | 16 | 17 |
| 27 | 320 | 813 | 140 | 820 | 382 | 3300 | 1910 | 336 | 160 | 32 | 15 | 15 |
| 28 | 220 | 773 | 130 | 600 | 379 | 3130 | 1090 | 278 | 135 | 36 | 14 | 15 |
| 29 | 160 | 600 | 130 | 450 | 251 | 2320 | 738 | 259 | 107 | 34 | 14 | 14 |
| 30 | 110 | 560 | 120 | 350 | --- | 1630 | 567 | 241 | 89 | 33 | 14 | 13 |
| 31 | 100 | --- | 110 | 270 | --- | 1220 | --- | 229 | --- | 31 | 15 | --- |
| TOTAL | 6275 | 19971 | 26354 | 4687 | 33647 | 57673 | 44826 | 10551 | 3767 | 1776 | 652 | 515 |
| MEAN | 202 | 666 | 850 | 151 | 1160 | 1860 | 1494 | 340 | 126 | 57.3 | 21.0 | 17.2 |
| MAX | 945 | 972 | 3000 | 820 | 4100 | 5330 | 4370 | 945 | 369 | 136 | 34 | 26 |
| MIN | 12 | 85 | 110 | 43 | 150 | 201 | 432 | 160 | 56 | 21 | 14 | 13 |
| CFSM | .36 | 1.18 | 1.50 | .27 | 2.05 | 3.28 | 2.64 | .60 | .22 | .10 | .04 | .03 |
| IN. | .41 | 1.31 | 1.73 | .31 | 2.21 | 3.78 | 2.94 | .69 | .25 | .12 | .04 | .03 |

| | | | | | | | |
|-------------|-------|--------|----------|----------|--------|-----------|----------|
| CAL YR 1983 | TOTAL | 136538 | MEAN 374 | MAX 5390 | MIN 12 | CFSM .66 | IN 8.96 |
| WTR YR 1984 | TOTAL | 210694 | MEAN 576 | MAX 5330 | MIN 12 | CFSM 1.02 | IN 13.82 |

03219590 BOKES CREEK NEAR WARRENSBURG, OH

LOCATION.--Lat 40°19'20", long 83°10'30", Delaware County, Hydrologic Unit 05060001, on right bank at downstream side of bridge on State Highway 257, 3.4 mi downstream from Fulton Creek, 0.7 mi upstream from Moors Run, and 1.2 mi north of Warrensburg.

DRAINAGE AREA.--83.2 mi².

PERIOD OF RECORD.--May 1982 to current year.

GAGE.--Water-stage recorder. Altitude of gage is 870 ft from topographic map.

REMARKS.--Records good.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 2,190 ft³/s June 20, 1983, gage height 11.60 ft; minimum, no flow many days during 1982, 1983, 1984.

EXTREMES FOR CURRENT YEAR.--Peak discharge above base of 800 ft³/s "revised" and maximums (*).

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Feb. 15 | 0330 | 1050 | 9.96 | Mar. 22 | 0715 | 1220 | 10.25 |
| Mar. 17 | 1845 | *1490 | *10.66 | Apr. 6 | 0345 | 876 | 9.62 |

Minimum, No flow many days during the year.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|--------|----------|------|--------|------|------|------|------|-------|-------|------|-------|
| 1 | .00 | 16 | 146 | 18 | 39 | 40 | 90 | 38 | 23 | 11 | .00 | .00 |
| 2 | .00 | 16 | 103 | 17 | 44 | 38 | 65 | 34 | 20 | 7.5 | .00 | .00 |
| 3 | .00 | 86 | 87 | 15 | 260 | 37 | 60 | 30 | 16 | 5.5 | .00 | .00 |
| 4 | .00 | 131 | 125 | 14 | 420 | 36 | 112 | 26 | 15 | 4.2 | .00 | .00 |
| 5 | .00 | 113 | 401 | 13 | 277 | 35 | 522 | 25 | 13 | 3.9 | .00 | .00 |
| 6 | .00 | 74 | 522 | 12 | 100 | 34 | 775 | 24 | 12 | 4.6 | .00 | .00 |
| 7 | .00 | 53 | 594 | 11 | 80 | 33 | 392 | 22 | 10 | 5.5 | .00 | .00 |
| 8 | .00 | 40 | 279 | 11 | 68 | 33 | 175 | 21 | 9.6 | 11 | .00 | .00 |
| 9 | .00 | 32 | 146 | 10 | 60 | 32 | 111 | 21 | 8.0 | 11 | .00 | .00 |
| 10 | .00 | 36 | 118 | 9.8 | 56 | 32 | 84 | 21 | 7.1 | 8.0 | .00 | .00 |
| 11 | .00 | 319 | 117 | 9.6 | 120 | 31 | 68 | 20 | 6.2 | 7.1 | .00 | .00 |
| 12 | .00 | 567 | 383 | 9.0 | 362 | 31 | 58 | 20 | 5.9 | 5.0 | .00 | .00 |
| 13 | .05 | 266 | 614 | 8.6 | 353 | 30 | 51 | 19 | 5.5 | 3.5 | .00 | .00 |
| 14 | 9.6 | 133 | 263 | 8.2 | 930 | 30 | 49 | 19 | 5.5 | 2.5 | .00 | .00 |
| 15 | 6.2 | 107 | 169 | 7.8 | 820 | 40 | 48 | 20 | 5.5 | 1.8 | .00 | .00 |
| 16 | 19 | 154 | 138 | 7.6 | 237 | 657 | 70 | 19 | 5.5 | 1.3 | .00 | .00 |
| 17 | 23 | 325 | 97 | 7.2 | 152 | 1210 | 179 | 17 | 5.5 | .89 | .00 | .00 |
| 18 | 19 | 222 | 79 | 6.8 | 124 | 685 | 131 | 16 | 5.0 | .53 | .00 | .00 |
| 19 | 22 | 135 | 70 | 6.6 | 113 | 239 | 117 | 16 | 4.6 | .42 | .28 | .00 |
| 20 | 20 | 118 | 62 | 6.4 | 105 | 255 | 90 | 17 | 4.6 | .38 | .25 | .00 |
| 21 | 31 | 118 | 56 | 6.2 | 87 | 970 | 70 | 67 | 4.6 | .31 | .05 | .00 |
| 22 | 74 | 129 | 50 | 6.2 | 74 | 1080 | 62 | 203 | 4.2 | .18 | .02 | .00 |
| 23 | 173 | 159 | 46 | 7.0 | 64 | 430 | 383 | 127 | 4.6 | .07 | .04 | .00 |
| 24 | 177 | 392 | 42 | 25 | 57 | 242 | 456 | 120 | 5.9 | .02 | .01 | .00 |
| 25 | 115 | 350 | 38 | 146 | 51 | 247 | 206 | 68 | 39 | .01 | .00 | .00 |
| 26 | 76 | 150 | 35 | 247 | 48 | 665 | 110 | 45 | 77 | .01 | .00 | .00 |
| 27 | 51 | 105 | 32 | 260 | 45 | 480 | 80 | 34 | 45 | .07 | .00 | .00 |
| 28 | 40 | 446 | 27 | 210 | 44 | 212 | 61 | 33 | 29 | .05 | .00 | .00 |
| 29 | 33 | 698 | 24 | 125 | 42 | 222 | 50 | 39 | 19 | .01 | .00 | .00 |
| 30 | 24 | 356 | 22 | 84 | --- | 169 | 45 | 35 | 14 | .00 | .00 | .00 |
| 31 | 19 | --- | 20 | 55 | --- | 110 | --- | 29 | --- | .00 | .00 | --- |
| TOTAL | 931.85 | 5846 | 4905 | 1380.0 | 5232 | 8385 | 4870 | 1245 | 429.8 | 96.45 | .65 | .00 |
| MEAN | 30.1 | 195 | 158 | 44.5 | 180 | 270 | 162 | 40.2 | 14.3 | 3.11 | .021 | .000 |
| MAX | 177 | 698 | 614 | 260 | 930 | 1210 | 775 | 203 | 77 | 11 | .28 | .00 |
| MIN | .00 | 16 | 20 | 6.2 | 39 | 30 | 45 | 16 | 4.2 | .00 | .00 | .00 |
| CFSM | .36 | 2.34 | 1.90 | .54 | 2.16 | 3.25 | 1.95 | .48 | .17 | .04 | .000 | .000 |
| IN. | .42 | 2.61 | 2.19 | .62 | 2.34 | 3.75 | 2.18 | .56 | .19 | .04 | .00 | .00 |
| CAL YR 1983 | TOTAL | 26946.63 | MEAN | 73.8 | MAX | 1800 | MIN | .00 | CFSM | .89 | IN | 12.05 |
| WTR YR 1984 | TOTAL | 33321.75 | MEAN | 91.0 | MAX | 1210 | MIN | .00 | CFSM | 1.09 | IN | 14.90 |

SCIOTO RIVER BASIN

131

03220000 MILL CREEK NEAR BELLEPOINT, OH

LOCATION.--Lat 40°14'54", long 83°10'26", Delaware County, Hydrologic Unit 05060001, on left bank at upstream side of county road bridge, 1.2 mi west of Bellepoint, 1.5 mi upstream from mouth, and 2.3 mi downstream from Blues Creek.

DRAINAGE AREA.--178 mi².

PERIOD OF RECORD.--October 1942 to current year. Monthly discharge only for some periods, published in WSP 1305.

REVISED RECORDS.--WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 865.14 ft National Geodetic Vertical Datum of 1929 (levels by students of Ohio State University, City of Columbus bench mark). Prior to Jan. 1, 1948, nonrecording gage, at same site and datum.

REMARKS.--Records good. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--42 years, 154 ft³/s, 11.75 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 20,300 ft³/s Jan. 21, 1959, gage height, 13.85 ft, from rating curve extended above 14,000 ft³/s; no flow Sept. 25, 26, 1944, Sept. 19, 1948.

EXTREMES OUTSIDE PERIOD OF RECORD.--A stage of 18.0 ft occurred in March 1913.

EXTREMES FOR CURRENT YEAR.--Peak discharge above base of 2,500 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Feb. 14 | 1330 | 2,620 | 6.56 | Mar. 21 | 1130 | 3,120 | 7.06 |
| Mar. 16 | 2345 | *3,280 | *7.21 | | | | |

Minimum daily discharge, 2.9 ft³/s Aug. 29.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|--------|----------|----------|----------|---------|-----------|----------|------|-------|-------|-------|-------|
| 1 | 4.6 | 10 | 176 | 30 | 35 | 66 | 160 | 73 | 49 | 9.1 | 6.3 | 4.6 |
| 2 | 5.6 | 13 | 116 | 29 | 46 | 61 | 125 | 61 | 40 | 8.7 | 5.7 | 4.9 |
| 3 | 5.5 | 113 | 91 | 28 | 927 | 64 | 110 | 60 | 32 | 9.1 | 5.1 | 6.3 |
| 4 | 6.8 | 317 | 432 | 27 | 985 | 59 | 397 | 85 | 27 | 8.3 | 12 | 4.4 |
| 5 | 7.2 | 137 | 1100 | 26 | 316 | 76 | 1750 | 73 | 26 | 11 | 13 | 4.6 |
| 6 | 13 | 69 | 1190 | 25 | 119 | 244 | 1450 | 61 | 22 | 12 | 13 | 5.1 |
| 7 | 9.6 | 42 | 1020 | 24 | 77 | 313 | 697 | 54 | 21 | 14 | 17 | 5.7 |
| 8 | 5.7 | 31 | 337 | 23 | 68 | 197 | 302 | 82 | 18 | 27 | 12 | 4.6 |
| 9 | 6.3 | 22 | 195 | 22 | 54 | 100 | 188 | 81 | 16 | 21 | 9.5 | 4.4 |
| 10 | 7.2 | 33 | 159 | 21 | 115 | 78 | 138 | 66 | 15 | 14 | 7.6 | 5.1 |
| 11 | 5.6 | 1160 | 198 | 20 | 927 | 64 | 108 | 58 | 13 | 13 | 38 | 6.0 |
| 12 | 4.9 | 1060 | 1140 | 19 | 723 | 60 | 87 | 58 | 12 | 9.9 | 28 | 5.3 |
| 13 | 26 | 296 | 894 | 18 | 986 | 60 | 87 | 50 | 12 | 8.7 | 11 | 5.4 |
| 14 | 62 | 150 | 344 | 17 | 2430 | 89 | 81 | 50 | 13 | 8.7 | 11 | 6.6 |
| 15 | 18 | 116 | 260 | 17 | 1150 | 194 | 85 | 43 | 15 | 8.0 | 10 | 9.5 |
| 16 | 17 | 304 | 202 | 16 | 437 | 2500 | 154 | 39 | 12 | 6.9 | 7.3 | 7.6 |
| 17 | 11 | 462 | 117 | 15 | 302 | 2670 | 311 | 35 | 11 | 6.9 | 6.3 | 5.4 |
| 18 | 9.9 | 268 | 78 | 15 | 250 | 879 | 299 | 33 | 12 | 5.7 | 7.3 | 4.4 |
| 19 | 32 | 144 | 60 | 14 | 231 | 453 | 221 | 31 | 10 | 6.9 | 7.6 | 3.3 |
| 20 | 22 | 119 | 75 | 14 | 204 | 743 | 154 | 34 | 11 | 6.0 | 6.3 | 3.5 |
| 21 | 77 | 155 | 73 | 14 | 146 | 2850 | 115 | 265 | 10 | 6.6 | 5.4 | 3.7 |
| 22 | 128 | 177 | 68 | 13 | 111 | 1610 | 154 | 561 | 9.5 | 5.7 | 4.9 | 3.7 |
| 23 | 397 | 401 | 56 | 14 | 91 | 688 | 839 | 317 | 12 | 6.0 | 7.3 | 4.1 |
| 24 | 289 | 1210 | 48 | 60 | 80 | 486 | 912 | 279 | 35 | 4.4 | 8.3 | 4.4 |
| 25 | 143 | 475 | 42 | 508 | 74 | 770 | 418 | 123 | 41 | 4.6 | 6.6 | 6.3 |
| 26 | 73 | 191 | 38 | 792 | 87 | 2110 | 207 | 75 | 28 | 6.6 | 5.4 | 7.6 |
| 27 | 42 | 125 | 36 | 441 | 89 | 829 | 238 | 55 | 18 | 9.5 | 5.1 | 13 |
| 28 | 25 | 1520 | 34 | 215 | 116 | 456 | 140 | 55 | 13 | 8.0 | 3.7 | 6.3 |
| 29 | 18 | 1480 | 33 | 101 | 157 | 611 | 95 | 115 | 12 | 7.6 | 2.9 | 5.1 |
| 30 | 14 | 371 | 32 | 53 | --- | 394 | 85 | 93 | 11 | 7.6 | 4.4 | 4.4 |
| 31 | 11 | --- | 31 | 47 | --- | 223 | --- | 64 | --- | 4.9 | 6.0 | --- |
| TOTAL | 1496.9 | 10971 | 8675 | 2678 | 11333 | 19997 | 10107 | 3129 | 576.5 | 286.4 | 294.0 | 156.3 |
| MEAN | 48.3 | 366 | 280 | 86.4 | 391 | 645 | 337 | 101 | 19.2 | 9.24 | 9.48 | 5.54 |
| MAX | 397 | 1520 | 1190 | 792 | 2430 | 2850 | 1750 | 561 | 49 | 27 | 38 | 13 |
| MIN | 4.6 | 10 | 31 | 13 | 35 | 59 | 81 | 31 | 9.5 | 4.4 | 2.9 | 3.3 |
| CFSM | .27 | 2.06 | 1.57 | .49 | 2.20 | 3.62 | 1.89 | .57 | .11 | .05 | .05 | .03 |
| IN. | .31 | 2.29 | 1.81 | .56 | 2.37 | 4.18 | 2.11 | .65 | .12 | .06 | .06 | .03 |
| CAL YR 1983 | TOTAL | 54311.84 | MEAN 149 | MAX 4200 | MIN .67 | CFSM .84 | IN 11.35 | | | | | |
| WTR YR 1984 | TOTAL | 69710.10 | MEAN 190 | MAX 2850 | MIN 2.9 | CFSM 1.07 | IN 14.57 | | | | | |

03221000 SCIOTO RIVER BELOW O'SHAUGHNESSY DAM, NEAR DUBLIN, OH

LOCATION.--Lat 40°08'36", long 83°07'14", Delaware County, Hydrologic Unit 05060001, on left bank, 0.2 mi north of county line, 0.8 mi downstream from O'Shaughnessy Dam, and 3.0 mi north of Dublin.

DRAINAGE AREA.--980 mi².

PERIOD OF RECORD.--April 1921 to current year.

REVISED RECORDS.--WSP 803: 1924-35. WSP 1725: 1924. WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 775.00 ft National Geodetic Vertical Datum of 1929. Prior to Aug. 26, 1921, nonrecording gage at site 0.8 mi upstream at same datum. Aug. 26, 1921, to Oct. 13, 1924, nonrecording gage at site 100 ft downstream at same datum.

REMARKS.--Records good. Flow regulated since 1924 by O'Shaughnessy Reservoir 0.8 mi upstream (see station 03220500). Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--63 years, 792 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 55,200 ft³/s Jan. 22, 1959, gage height, 22.04 ft, from flood-mark; minimum daily, 0.4 ft³/s Nov. 8, 1924.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of March 25, 1913 reached a stage of 24.6 ft, discharge, 74,500 ft³/s at Griggs Dam, 9 mi downstream from gage, computed by C.E. Sherman, Ohio State University.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 11,100 ft³/s Mar. 21, gage height, 10.75 ft; minimum daily, 17 ft³/s Oct. 17.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------------|--------|-------|-------|-----------|----------|--------|-------|-------|------|------|------|------|
| 1 | 42 | 148 | 3420 | 200 | 296 | 424 | 1490 | 788 | 407 | 106 | 37 | 61 |
| 2 | 42 | 151 | 2220 | 190 | 287 | 413 | 1150 | 659 | 363 | 103 | 50 | 61 |
| 3 | 42 | 331 | 1230 | 190 | 1570 | 402 | 952 | 624 | 326 | 96 | 90 | 61 |
| 4 | 45 | 961 | 1540 | 180 | 2890 | 368 | 1190 | 638 | 277 | 98 | 99 | 59 |
| 5 | 45 | 1220 | 3370 | 170 | 2400 | 430 | 4470 | 555 | 263 | 106 | 99 | 59 |
| 6 | 37 | 820 | 4510 | 160 | 1820 | 772 | 6220 | 503 | 254 | 103 | 99 | 59 |
| 7 | 42 | 523 | 5060 | 150 | 1120 | 1100 | 5730 | 454 | 232 | 119 | 99 | 59 |
| 8 | 42 | 379 | 4260 | 150 | 652 | 1150 | 4550 | 523 | 211 | 144 | 96 | 61 |
| 9 | 44 | 316 | 3480 | 140 | 497 | 704 | 3010 | 510 | 193 | 184 | 96 | 61 |
| 10 | 44 | 296 | 2320 | 130 | 536 | 704 | 1820 | 454 | 172 | 189 | 103 | 59 |
| 11 | 44 | 1780 | 1570 | 120 | 2340 | 704 | 1240 | 424 | 159 | 172 | 96 | 59 |
| 12 | 44 | 3600 | 3060 | 110 | 3120 | 536 | 969 | 430 | 129 | 133 | 93 | 59 |
| 13 | 48 | 2910 | 4130 | 110 | 3850 | 491 | 852 | 430 | 133 | 109 | 93 | 59 |
| 14 | 44 | 2690 | 3670 | 100 | 8270 | 478 | 780 | 516 | 148 | 96 | 90 | 61 |
| 15 | 44 | 1910 | 3030 | 100 | 7020 | 603 | 734 | 497 | 129 | 88 | 93 | 59 |
| 16 | 44 | 1660 | 2100 | 94 | 5220 | 5860 | 1170 | 436 | 129 | 82 | 93 | 59 |
| 17 | 44 | 2590 | 1390 | 90 | 3990 | 8510 | 1820 | 379 | 136 | 61 | 90 | 59 |
| 18 | 46 | 2750 | 935 | 86 | 2660 | 7220 | 1870 | 347 | 148 | 51 | 90 | 59 |
| 19 | 44 | 2580 | 652 | 82 | 1940 | 5880 | 1740 | 331 | 148 | 46 | 88 | 59 |
| 20 | 38 | 2130 | 497 | 78 | 1650 | 5040 | 1560 | 342 | 119 | 46 | 88 | 59 |
| 21 | 17 | 1770 | 478 | 76 | 1360 | 9980 | 1230 | 652 | 115 | 46 | 88 | 61 |
| 22 | 28 | 1650 | 536 | 74 | 1060 | 8720 | 1070 | 1730 | 103 | 46 | 88 | 61 |
| 23 | 228 | 1670 | 390 | 74 | 852 | 7020 | 2720 | 1820 | 112 | 44 | 88 | 61 |
| 24 | 1720 | 3240 | 316 | 140 | 726 | 5860 | 5630 | 1570 | 311 | 44 | 88 | 61 |
| 25 | 1630 | 2940 | 290 | 510 | 624 | 4910 | 5520 | 1190 | 379 | 44 | 88 | 42 |
| 26 | 1100 | 2340 | 270 | 961 | 596 | 6950 | 4380 | 868 | 352 | 44 | 88 | 22 |
| 27 | 624 | 1780 | 250 | 1470 | 652 | 5300 | 3100 | 624 | 268 | 38 | 90 | 21 |
| 28 | 419 | 3650 | 240 | 1260 | 719 | 4350 | 1890 | 562 | 215 | 37 | 90 | 21 |
| 29 | 306 | 5060 | 220 | 986 | 448 | 3680 | 1230 | 569 | 184 | 35 | 79 | 20 |
| 30 | 215 | 4020 | 210 | 638 | --- | 2760 | 969 | 529 | 148 | 35 | 64 | 19 |
| 31 | 172 | --- | 200 | 407 | --- | 2040 | --- | 466 | --- | 37 | 61 | --- |
| TOTAL | 7324 | 57865 | 55844 | 9226 | 59165 | 103359 | 71056 | 20420 | 6263 | 2582 | 2694 | 1581 |
| MEAN | 236 | 1929 | 1801 | 298 | 2040 | 3334 | 2369 | 659 | 209 | 83.3 | 86.9 | 52.7 |
| MAX | 1720 | 5060 | 5060 | 1470 | 8270 | 9980 | 6220 | 1820 | 407 | 189 | 103 | 61 |
| MIN | 17 | 148 | 200 | 74 | 287 | 368 | 734 | 331 | 103 | 35 | 37 | 19 |
| CAL YR 1983 TOTAL | 283717 | | | MEAN 777 | MAX 9530 | MIN 17 | | | | | | |
| WTR YR 1984 TOTAL | 397379 | | | MEAN 1086 | MAX 9980 | MIN 17 | | | | | | |

03223000 OLENTANGY RIVER AT CLARIDON, OH

LOCATION.--Lat 40°34'58", long 82°59'20", in NW 1/4 sec. 26, T.5 S., R.16 E., Marion County, Hydrologic Unit 05060001, on left bank 900 ft downstream from bridge on State Highway 95, 0.5 mi east of Claridon, 0.8 mi downstream from Otter Creek, and 1.4 mi upstream from Beaver Run.

DRAINAGE AREA.--157 mi².

PERIOD OF RECORD.--October 1946 to current year.

REVISED RECORDS.--WSP 1235: 1947, 1948(P). WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 961.72 ft National Geodetic Vertical Datum of 1929. (levels by Corps of Engineers). Prior to Aug. 18, 1969 water-stage recorder at site 1,000 ft upstream at same datum.

REMARKS.--Records good except those for winter periods which are fair. Small diversion at gage for irrigation of golf course. Water-quality data collected at this site 1965 to 1977. Sediment data collected 1969 to 1974.

AVERAGE DISCHARGE.--38 years, 154 ft³/s, 13.32 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 14,900 ft³/s Jan. 22, 1959, gage height, 16.77 ft, from rating curve extended above 4,700 ft³/s on basis of contracted-opening measurement of peak flow; no flow Oct. 2-26, 1953, Sept. 14-22, 1955.

EXTREMES FOR CURRENT YEAR.--Peak discharge above base of 1,500 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Nov. 12 | 0530 | 1500 | 8.30 | Mar. 17 | 0300 | 2160 | 9.79 |
| Feb. 4 | 0800 | 1580 | 8.55 | Mar. 22 | 1130 | *2910 | *10.90 |
| Feb. 14 | 1630 | 1570 | 8.52 | | | | |

Minimum discharge, 1.8 ft³/s Oct. 4,5; minimum gage-height, 0.30 ft Aug. 30.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------------|---------|-------|------|----------|----------|---------|-----------|----------|------|-------|-------|-------|
| 1 | 2.8 | 36 | 248 | 37 | 90 | 52 | 216 | 105 | 75 | 14 | 5.1 | 55 |
| 2 | 2.7 | 81 | 168 | 34 | 80 | 52 | 179 | 87 | 64 | 13 | 4.7 | 18 |
| 3 | 2.5 | 651 | 135 | 32 | 737 | 50 | 149 | 79 | 57 | 12 | 6.9 | 13 |
| 4 | 2.0 | 547 | 494 | 31 | 1420 | 50 | 153 | 100 | 49 | 10 | 8.4 | 13 |
| 5 | 8.7 | 222 | 1300 | 29 | 995 | 83 | 396 | 123 | 43 | 15 | 10 | 30 |
| 6 | 111 | 126 | 1320 | 28 | 390 | 224 | 542 | 100 | 38 | 34 | 16 | 15 |
| 7 | 64 | 88 | 1140 | 26 | 250 | 288 | 512 | 89 | 34 | 37 | 11 | 8.9 |
| 8 | 26 | 69 | 575 | 25 | 170 | 189 | 280 | 87 | 31 | 29 | 8.6 | 6.7 |
| 9 | 14 | 58 | 302 | 24 | 120 | 150 | 196 | 133 | 29 | 19 | 25 | 5.3 |
| 10 | 8.9 | 56 | 233 | 22 | 150 | 130 | 153 | 128 | 25 | 17 | 29 | 10 |
| 11 | 7.0 | 788 | 245 | 21 | 450 | 100 | 126 | 100 | 22 | 15 | 32 | 41 |
| 12 | 5.3 | 1410 | 885 | 20 | 700 | 90 | 108 | 233 | 20 | 38 | 16 | 32 |
| 13 | 40 | 829 | 747 | 19 | 450 | 74 | 101 | 293 | 20 | 44 | 9.9 | 14 |
| 14 | 292 | 367 | 354 | 18 | 1450 | 70 | 103 | 153 | 78 | 20 | 7.4 | 11 |
| 15 | 134 | 265 | 262 | 17 | 900 | 141 | 154 | 112 | 109 | 13 | 5.8 | 8.6 |
| 16 | 58 | 552 | 204 | 17 | 400 | 1360 | 204 | 84 | 47 | 10 | 5.4 | 6.7 |
| 17 | 35 | 772 | 148 | 16 | 300 | 2050 | 250 | 70 | 32 | 8.8 | 4.9 | 6.8 |
| 18 | 26 | 436 | 105 | 15 | 250 | 1460 | 300 | 61 | 27 | 8.0 | 4.7 | 6.0 |
| 19 | 30 | 392 | 96 | 15 | 200 | 434 | 312 | 57 | 25 | 7.1 | 4.4 | 5.6 |
| 20 | 38 | 650 | 90 | 14 | 150 | 475 | 238 | 59 | 54 | 6.7 | 4.2 | 4.8 |
| 21 | 43 | 545 | 84 | 14 | 120 | 2100 | 173 | 501 | 46 | 6.7 | 4.1 | 4.3 |
| 22 | 195 | 361 | 100 | 14 | 100 | 2710 | 316 | 632 | 44 | 6.3 | 4.8 | 3.9 |
| 23 | 990 | 278 | 150 | 13 | 90 | 1590 | 1110 | 535 | 35 | 6.0 | 5.2 | 3.9 |
| 24 | 758 | 782 | 130 | 13 | 80 | 808 | 1200 | 485 | 74 | 6.0 | 5.4 | 6.0 |
| 25 | 308 | 497 | 100 | 100 | 70 | 658 | 927 | 220 | 53 | 5.6 | 7.4 | 4.9 |
| 26 | 164 | 248 | 70 | 600 | 64 | 888 | 365 | 141 | 31 | 5.8 | 5.4 | 5.4 |
| 27 | 105 | 177 | 60 | 880 | 58 | 559 | 242 | 104 | 24 | 11 | 4.4 | 6.7 |
| 28 | 76 | 913 | 54 | 500 | 54 | 380 | 196 | 88 | 20 | 22 | 3.9 | 10 |
| 29 | 59 | 1220 | 49 | 250 | 52 | 424 | 152 | 98 | 17 | 16 | 3.5 | 8.3 |
| 30 | 46 | 592 | 45 | 150 | --- | 354 | 127 | 105 | 15 | 9.3 | 3.1 | 7.2 |
| 31 | 39 | --- | 40 | 110 | --- | 250 | --- | 87 | --- | 6.5 | 48 | --- |
| TOTAL | 3690.9 | 14008 | 9933 | 3104 | 10340 | 18243 | 9480 | 5249 | 1237 | 471.8 | 314.6 | 372.0 |
| MEAN | 119 | 467 | 320 | 100 | 357 | 588 | 316 | 169 | 41.2 | 15.2 | 10.1 | 12.4 |
| MAX | 990 | 1410 | 1320 | 880 | 1450 | 2710 | 1200 | 632 | 109 | 44 | 48 | 55 |
| MIN | 2.0 | 36 | 40 | 13 | 52 | 50 | 101 | 57 | 15 | 5.6 | 3.1 | 3.9 |
| CFSM | .76 | 2.98 | 2.04 | .64 | 2.27 | 3.75 | 2.01 | 1.08 | .26 | .10 | .06 | .08 |
| IN. | .87 | 3.32 | 2.35 | .74 | 2.45 | 4.32 | 2.25 | 1.24 | .29 | .11 | .07 | .09 |
| CAL YR 1983 TOTAL | 55337.3 | | | MEAN 152 | MAX 1740 | MIN 1.9 | CFSM .97 | IN 13.11 | | | | |
| WTR YR 1984 TOTAL | 76443.3 | | | MEAN 209 | MAX 2710 | MIN 2.0 | CFSM 1.33 | IN 18.11 | | | | |

03225500 OLENTANGY RIVER NEAR DELAWARE, OH

LOCATION.--Lat 40°21'18", long 83°04'02", in NE 1/4 T.5 N., R.19 W., Delaware County, Hydrologic Unit 05060001, on left bank 500 ft upstream from highway bridge, 1,000 ft downstream from Delaware Dam, 1,300 ft upstream from Norfolk and Western Railway bridge, and 4.0 mi north of Delaware.

DRAINAGE AREA.--393 mi².

PERIOD OF RECORD.--October 1923 to September 1934, April 1938 to current year. Monthly discharge only for some periods, published in WSP 1305.

GAGE.--Water-stage recorder and concrete control. Datum of gage is 799.58 ft National Geodetic Vertical Datum of 1929 (levels by Corps of Engineers). Prior to Oct. 1, 1950, water-stage recorder at site 500 ft downstream at datum 76.7 ft higher.

REMARKS.--Records good. Flow completely regulated by Delaware Lake since 1951. Water-quality data collected at this site 1965 to 1977. Water-temperature data collected 1946 to 1961.

AVERAGE DISCHARGE.--57 years, 353 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 14,100 ft³/s Mar. 21, 1927, gage height, 16.9 ft, site and datum then in use; minimum daily, 0.1 ft³/s Sept. 14-29, 1934.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 4,140 ft³/s Mar. 18, gage height, 86.59 ft; minimum daily, 17 ft³/s July 5.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------------|--------|-------|-------|----------|----------|--------|-------|-------|------|------|------|------|
| 1 | 19 | 88 | 1520 | 74 | 109 | 154 | 2020 | 338 | 122 | 51 | 36 | 23 |
| 2 | 19 | 150 | 845 | 66 | 111 | 158 | 890 | 172 | 122 | 36 | 38 | 23 |
| 3 | 19 | 845 | 501 | 106 | 845 | 168 | 563 | 168 | 122 | 22 | 39 | 22 |
| 4 | 19 | 1090 | 897 | 90 | 2070 | 168 | 425 | 184 | 122 | 18 | 39 | 19 |
| 5 | 19 | 692 | 1900 | 74 | 1550 | 172 | 1420 | 184 | 88 | 17 | 39 | 19 |
| 6 | 19 | 686 | 2440 | 74 | 516 | 516 | 1900 | 184 | 73 | 18 | 39 | 19 |
| 7 | 19 | 383 | 2550 | 73 | 172 | 686 | 1910 | 345 | 73 | 19 | 39 | 20 |
| 8 | 19 | 245 | 2110 | 73 | 273 | 686 | 1000 | 401 | 45 | 18 | 40 | 21 |
| 9 | 19 | 245 | 1100 | 73 | 210 | 389 | 324 | 215 | 23 | 19 | 40 | 21 |
| 10 | 19 | 240 | 662 | 73 | 144 | 225 | 262 | 304 | 22 | 27 | 41 | 21 |
| 11 | 19 | 304 | 501 | 58 | 465 | 225 | 291 | 338 | 21 | 31 | 41 | 21 |
| 12 | 19 | 279 | 1220 | 53 | 556 | 215 | 273 | 256 | 19 | 30 | 40 | 21 |
| 13 | 21 | 769 | 1760 | 51 | 2040 | 215 | 94 | 256 | 19 | 28 | 41 | 21 |
| 14 | 20 | 1380 | 1310 | 51 | 3220 | 215 | 76 | 413 | 20 | 30 | 41 | 22 |
| 15 | 19 | 1650 | 730 | 51 | 3500 | 230 | 76 | 571 | 20 | 30 | 40 | 21 |
| 16 | 19 | 1630 | 419 | 51 | 3040 | 1560 | 122 | 53 | 21 | 30 | 40 | 21 |
| 17 | 19 | 1210 | 251 | 51 | 1700 | 2630 | 304 | 137 | 22 | 30 | 39 | 21 |
| 18 | 21 | 1460 | 251 | 51 | 641 | 3410 | 531 | 106 | 82 | 31 | 40 | 22 |
| 19 | 21 | 1700 | 210 | 51 | 704 | 3840 | 571 | 84 | 106 | 31 | 40 | 22 |
| 20 | 21 | 1670 | 161 | 46 | 810 | 2530 | 563 | 88 | 106 | 32 | 38 | 22 |
| 21 | 22 | 1630 | 176 | 43 | 389 | 704 | 571 | 338 | 86 | 35 | 37 | 23 |
| 22 | 31 | 1310 | 273 | 43 | 125 | 50 | 571 | 1330 | 74 | 35 | 36 | 23 |
| 23 | 458 | 1100 | 165 | 30 | 125 | 298 | 762 | 1700 | 74 | 35 | 35 | 25 |
| 24 | 1040 | 1100 | 67 | 55 | 161 | 2550 | 556 | 1450 | 74 | 35 | 35 | 24 |
| 25 | 1100 | 1230 | 67 | 479 | 176 | 2970 | 1590 | 516 | 90 | 35 | 32 | 23 |
| 26 | 494 | 1290 | 67 | 984 | 176 | 2960 | 2150 | 125 | 97 | 35 | 32 | 23 |
| 27 | 150 | 1230 | 279 | 912 | 215 | 2910 | 2110 | 120 | 97 | 35 | 32 | 22 |
| 28 | 51 | 1160 | 168 | 723 | 225 | 2930 | 1540 | 206 | 82 | 34 | 31 | 22 |
| 29 | 29 | 1370 | 101 | 445 | 157 | 2910 | 395 | 445 | 57 | 33 | 31 | 22 |
| 30 | 29 | 1790 | 88 | 235 | --- | 2840 | 353 | 419 | 50 | 31 | 31 | 22 |
| 31 | 24 | --- | 74 | 125 | --- | 2670 | --- | 235 | --- | 32 | 27 | --- |
| TOTAL | 3817 | 29926 | 22863 | 5364 | 24525 | 42194 | 24313 | 11681 | 2030 | 923 | 1149 | 651 |
| MEAN | 123 | 998 | 738 | 173 | 846 | 1351 | 810 | 377 | 67.7 | 29.8 | 37.1 | 21.7 |
| MAX | 1100 | 1790 | 2550 | 984 | 3500 | 3840 | 2150 | 1700 | 122 | 51 | 41 | 25 |
| MIN | 19 | 88 | 67 | 30 | 109 | 50 | 76 | 53 | 19 | 17 | 27 | 19 |
| CAL YR 1983 TOTAL | 122762 | | | MEAN 336 | MAX 4180 | MIN 15 | | | | | | |
| WTR YR 1984 TOTAL | 169436 | | | MEAN 463 | MAX 3840 | MIN 17 | | | | | | |

03226800 OLENTANGY RIVER NEAR WORTHINGTON, OH

LOCATION.--Lat 40°06'37", long 83°01'55", in NW 1/4 T.2N., R.18W., Franklin County, Hydrologic Unit 05060001, on left bank 350 ft downstream from Interstate Highway 270 bridge, 1.5 mi northwest of Worthington and 2.8 mi upstream from Rush Run.

DRAINAGE AREA.--497 mi².

PERIOD OF RECORD.--October 1955 to current year.

REVISED RECORDS.--WSP 1625: 1952(M). WSP 1908 Drainage area. WRD Ohio 1972: 1971(M). WRD-OH-80-1: 1976 (M), 1978 (M).

GAGE.--Water-stage recorder. Datum of gage is 743.20 ft National Geodetic Vertical Datum of 1929.

REMARKS.--Records fair except for winter periods which are poor. Flow regulated by Delaware Lake 21 mi upstream see station 03225000). Water-quality data collected at this site 1965 to 1977. Water-temperature records collected 1955 to 1968. Daily suspended sediment data collected 1978 to 1981.

AVERAGE DISCHARGE.--29 years, 456 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 16,500 ft³/s Jan. 21, 1959, gage height, 15.68 ft, from high-water mark in well; minimum daily, 8.5 ft³/s Sept. 26, 1967

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in January 1952 reached a stage of 15.3 ft, discharge, 15,000 ft³/s, from information by Corps of Engineers.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 5,700 ft³/s Mar. 21, gage height 8.42 ft; minimum daily 13 ft³/s Oct. 2, 3

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|-------|-------|------|-------|-------|-------|-------|------|------|------|------|
| 1 | 15 | 40 | 1580 | 94 | 270 | 192 | 2160 | 492 | 188 | 52 | 35 | 35 |
| 2 | 13 | 181 | 1050 | 84 | 200 | 231 | 1060 | 337 | 171 | 54 | 37 | 31 |
| 3 | 13 | 678 | 678 | 80 | 180 | 231 | 918 | 332 | 167 | 53 | 43 | 29 |
| 4 | 19 | 1290 | 1450 | 120 | 1800 | 227 | 578 | 473 | 160 | 37 | 49 | 31 |
| 5 | 26 | 786 | 1980 | 100 | 1400 | 302 | 1470 | 327 | 144 | 41 | 53 | 26 |
| 6 | 44 | 746 | 2600 | 92 | 450 | 593 | 2030 | 297 | 102 | 72 | 47 | 20 |
| 7 | 23 | 621 | 2600 | 86 | 250 | 885 | 1950 | 347 | 97 | 58 | 46 | 17 |
| 8 | 19 | 307 | 2250 | 84 | 330 | 818 | 1390 | 671 | 94 | 35 | 53 | 18 |
| 9 | 16 | 307 | 1350 | 80 | 400 | 649 | 528 | 518 | 63 | 30 | 46 | 22 |
| 10 | 16 | 307 | 693 | 78 | 200 | 327 | 327 | 327 | 41 | 35 | 49 | 40 |
| 11 | 16 | 851 | 649 | 74 | 450 | 327 | 419 | 492 | 38 | 31 | 112 | 35 |
| 12 | 16 | 628 | 1110 | 66 | 800 | 297 | 368 | 390 | 33 | 38 | 64 | 26 |
| 13 | 80 | 586 | 1710 | 62 | 1300 | 312 | 347 | 363 | 30 | 40 | 49 | 20 |
| 14 | 72 | 1200 | 1540 | 60 | 2500 | 337 | 154 | 390 | 35 | 37 | 46 | 26 |
| 15 | 30 | 1530 | 843 | 56 | 3550 | 461 | 188 | 642 | 34 | 35 | 44 | 29 |
| 16 | 23 | 1620 | 600 | 54 | 3240 | 2790 | 188 | 322 | 28 | 41 | 44 | 24 |
| 17 | 22 | 1470 | 327 | 52 | 2070 | 2980 | 379 | 141 | 29 | 41 | 44 | 20 |
| 18 | 26 | 1260 | 290 | 49 | 818 | 3250 | 535 | 196 | 34 | 35 | 44 | 20 |
| 19 | 62 | 1610 | 250 | 47 | 826 | 3900 | 708 | 144 | 107 | 34 | 43 | 19 |
| 20 | 47 | 1600 | 200 | 45 | 964 | 3340 | 586 | 154 | 123 | 34 | 43 | 19 |
| 21 | 78 | 1580 | 200 | 43 | 746 | 3430 | 564 | 454 | 121 | 35 | 41 | 19 |
| 22 | 85 | 1420 | 240 | 39 | 235 | 770 | 910 | 1040 | 89 | 38 | 46 | 21 |
| 23 | 92 | 1380 | 300 | 35 | 219 | 473 | 1030 | 2250 | 89 | 41 | 53 | 22 |
| 24 | 955 | 1440 | 400 | 30 | 223 | 2150 | 1120 | 1480 | 141 | 40 | 43 | 23 |
| 25 | 1090 | 1260 | 210 | 250 | 265 | 3240 | 1380 | 982 | 129 | 41 | 37 | 26 |
| 26 | 843 | 1290 | 130 | 600 | 261 | 3490 | 2090 | 223 | 115 | 40 | 35 | 44 |
| 27 | 293 | 1240 | 200 | 1200 | 261 | 2980 | 2380 | 185 | 118 | 44 | 33 | 33 |
| 28 | 154 | 1890 | 390 | 900 | 317 | 3030 | 1960 | 261 | 112 | 43 | 34 | 23 |
| 29 | 68 | 1330 | 230 | 800 | 283 | 3080 | 770 | 486 | 92 | 49 | 35 | 20 |
| 30 | 43 | 1730 | 150 | 620 | --- | 2820 | 436 | 551 | 68 | 43 | 37 | 20 |
| 31 | 41 | --- | 110 | 400 | --- | 2670 | --- | 413 | --- | 37 | 38 | --- |
| TOTAL | 4340 | 32178 | 26310 | 6380 | 24808 | 50582 | 29123 | 15680 | 2797 | 1304 | 1423 | 758 |
| MEAN | 140 | 1073 | 849 | 206 | 855 | 1632 | 971 | 506 | 93.2 | 42.1 | 45.9 | 25.3 |
| MAX | 1090 | 1890 | 2600 | 1200 | 3550 | 3900 | 2380 | 2250 | 188 | 72 | 112 | 44 |
| MIN | 13 | 40 | 110 | 30 | 180 | 192 | 154 | 141 | 28 | 30 | 33 | 17 |

CAL YR 1983 TOTAL 145984 MEAN 400 MAX 4000 MIN 13
WTR YR 1984 TOTAL 195683 MEAN 535 MAX 3900 MIN 13

SCIOTO RIVER BASIN

03227500 SCIOTO RIVER AT COLUMBUS, OH

LOCATION.--Lat 39°54'34", long 83°00'33", Franklin County, Hydrologic Unit 05060001, on right bank at sewage-treatment plant of city of Columbus, 0.4 mi downstream from bridge on Frank Road, 2.8 mi upstream from Scioto Big Run, and 5 mi downstream from Olentangy River.

DRAINAGE AREA.--1,629 mi².

PERIOD OF RECORD.--October 1920 to current year. Monthly discharge only for some periods, published in WSP 1305.

REVISED RECORDS.--WSP 743: 1927(M). WSP 803: 1922-24, 1926-30, 1932-33. WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 680.00 ft National Geodetic Vertical Datum of 1929. Prior to Oct. 1, 1924, nonrecording gage at site 200 ft upstream at same datum.

REMARKS.--Records good except for winter periods which are fair. Flow regulated by Griggs Reservoir 10.4 mi upstream (see station 03221500), O'Shaughnessy Reservoir 20.4 mi upstream (see station 03220500), and Delaware Lake 35 mi upstream from station. Records include sewage return flow from Frank Road Treatment Plant. Shadeville Treatment Plant flow enters downstream. Water supply for city of Columbus is obtained from Scioto River downstream from Griggs Dam and Big Walnut Creek downstream from Central College. For statement on diversions from Big Walnut Creek, see REMARKS for station 03229500. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--64 years, 1,397 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 68,200 ft³/s Jan. 22, 1959, gage height, 27.22 ft, from high-water mark in well, from rating curve extended above 46,000 ft³/s; minimum daily, 47 ft³/s Sept. 6, 1930.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of Mar. 25, 1913 reached a stage of 25.9 ft, discharge, 138,000 ft³/s, estimated by Franklin County Conservancy District.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 18,200 ft³/s Mar. 21, gage height, 19.11 ft; minimum daily, 127 ft³/s Oct. 9.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|--------|-------|-------|-------|--------|--------|-------|-------|------|------|------|
| 1 | 139 | 318 | 4920 | 340 | 581 | 790 | 4260 | 1470 | 841 | 323 | 197 | 191 |
| 2 | 139 | 471 | 3970 | 320 | 531 | 798 | 2320 | 1230 | 693 | 295 | 199 | 172 |
| 3 | 148 | 1010 | 2510 | 310 | 1820 | 822 | 2250 | 1500 | 630 | 249 | 210 | 182 |
| 4 | 157 | 2020 | 3580 | 300 | 4460 | 788 | 2090 | 2040 | 553 | 252 | 315 | 191 |
| 5 | 182 | 2150 | 5230 | 290 | 4510 | 1080 | 4950 | 1240 | 527 | 550 | 257 | 175 |
| 6 | 182 | 1820 | 7250 | 280 | 2880 | 1460 | 8390 | 1100 | 466 | 309 | 213 | 152 |
| 7 | 155 | 1480 | 8300 | 280 | 1680 | 2120 | 8010 | 985 | 415 | 350 | 277 | 156 |
| 8 | 138 | 923 | 7330 | 270 | 1020 | 2220 | 6490 | 1560 | 390 | 266 | 284 | 150 |
| 9 | 127 | 772 | 5620 | 260 | 893 | 1830 | 4190 | 1520 | 356 | 278 | 218 | 149 |
| 10 | 133 | 995 | 3690 | 250 | 797 | 1270 | 2550 | 1040 | 313 | 343 | 231 | 319 |
| 11 | 137 | 2540 | 2790 | 250 | 2320 | 1280 | 1980 | 1060 | 284 | 307 | 379 | 210 |
| 12 | 138 | 4250 | 3660 | 240 | 3760 | 1130 | 1590 | 1060 | 264 | 280 | 286 | 172 |
| 13 | 392 | 3570 | 6060 | 230 | 4160 | 1090 | 1490 | 916 | 243 | 250 | 243 | 155 |
| 14 | 318 | 3870 | 5640 | 230 | 12000 | 1110 | 1240 | 937 | 399 | 231 | 229 | 228 |
| 15 | 171 | 3840 | 5680 | 220 | 11900 | 1300 | 1130 | 1150 | 279 | 217 | 216 | 225 |
| 16 | 143 | 3390 | 3230 | 220 | 9400 | 7500 | 1230 | 1070 | 242 | 217 | 215 | 190 |
| 17 | 143 | 4000 | 2200 | 220 | 7100 | 12200 | 2200 | 573 | 253 | 207 | 219 | 195 |
| 18 | 240 | 3900 | 1600 | 210 | 4220 | 11400 | 2560 | 625 | 253 | 195 | 208 | 183 |
| 19 | 275 | 4290 | 1270 | 210 | 3020 | 10500 | 2460 | 563 | 314 | 181 | 209 | 192 |
| 20 | 359 | 3950 | 976 | 210 | 2730 | 9460 | 2320 | 710 | 353 | 186 | 211 | 191 |
| 21 | 617 | 3520 | 887 | 210 | 2460 | 16300 | 2030 | 1390 | 319 | 179 | 202 | 177 |
| 22 | 834 | 3240 | 1220 | 210 | 1630 | 11000 | 2270 | 2050 | 302 | 173 | 423 | 174 |
| 23 | 1240 | 3160 | 984 | 220 | 1310 | 8340 | 3320 | 4720 | 270 | 188 | 397 | 170 |
| 24 | 2010 | 4820 | 712 | 300 | 1150 | 8090 | 6310 | 3320 | 507 | 191 | 232 | 184 |
| 25 | 2760 | 4520 | 499 | 1200 | 1100 | 8570 | 6530 | 2670 | 602 | 192 | 216 | 197 |
| 26 | 2410 | 3850 | 460 | 1580 | 996 | 11200 | 6560 | 1490 | 575 | 195 | 213 | 291 |
| 27 | 1330 | 3360 | 430 | 2540 | 1010 | 9460 | 5550 | 1040 | 525 | 224 | 220 | 198 |
| 28 | 839 | 6310 | 400 | 2200 | 1200 | 8320 | 4350 | 1160 | 456 | 197 | 213 | 171 |
| 29 | 620 | 6950 | 380 | 1870 | 970 | 8220 | 2580 | 1330 | 377 | 194 | 213 | 155 |
| 30 | 405 | 5960 | 360 | 1320 | --- | 6350 | 1560 | 1320 | 328 | 203 | 208 | 147 |
| 31 | 344 | --- | 350 | 849 | --- | 5230 | --- | 1110 | --- | 196 | 199 | --- |
| TOTAL | 17225 | 95249 | 92188 | 17639 | 91608 | 171228 | 105460 | 43949 | 12329 | 7628 | 7552 | 5602 |
| MEAN | 556 | 3175 | 2974 | 569 | 3159 | 5523 | 3515 | 1418 | 411 | 246 | 244 | 197 |
| MAX | 2760 | 6950 | 8300 | 2540 | 12000 | 16300 | 8390 | 4720 | 841 | 550 | 423 | 319 |
| MIN | 127 | 318 | 350 | 210 | 531 | 788 | 1130 | 563 | 242 | 173 | 197 | 147 |
| CAL YR 1983 | TOTAL | 483172 | MEAN | 1324 | MAX | 12500 | MIN | 127 | | | | |
| WTR YR 1984 | TOTAL | 667657 | MEAN | 1824 | MAX | 16300 | MIN | 127 | | | | |

03228500 BIG WALNUT CREEK AT CENTRAL COLLEGE, OH

LOCATION.--Lat 40°06'13", long 82°53'03", T.2 N., R.17 W., Franklin County, Hydrologic Unit 05060001, on right bank at upstream side of county road bridge, 0.2 mi east of Central College, 0.4 mi downstream from Hoover Dam, and 3 mi southeast of Westerville.

DRAINAGE AREA.--190 mi².

PERIOD OF RECORD.--July 1938 to current year.

REVISED RECORDS.--WSP 873: 1938. WSP 1435: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 815.16 ft National Geodetic Vertical Datum of 1929.

REMARKS.--Records good. Flow completely regulated by Hoover Reservoir since September 1954. (see station 03228400). Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--46 years, 189 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 23,800 ft³/s Jan. 21, 1959, gage height, 19.75 ft, from rating curve extended above 7,200 ft³/s on basis of computation of peak flow over Hoover Dam; no flow for many days in 1944 and 1955.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 3,400 ft³/s May 21, gage height, 9.87 ft; minimum daily, 77 ft³/s Nov. 24.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|----------|----------|--------|-------|-------|------|------|------|------|------|
| 1 | 116 | 100 | 99 | 119 | 113 | 229 | 374 | 142 | 178 | 114 | 163 | 119 |
| 2 | 112 | 103 | 98 | 123 | 113 | 117 | 390 | 112 | 137 | 128 | 142 | 131 |
| 3 | 104 | 89 | 102 | 130 | 117 | 107 | 533 | 161 | 133 | 144 | 139 | 114 |
| 4 | 114 | 107 | 119 | 117 | 336 | 110 | 609 | 1250 | 127 | 116 | 122 | 112 |
| 5 | 102 | 102 | 698 | 131 | 368 | 120 | 848 | 488 | 144 | 110 | 106 | 103 |
| 6 | 104 | 95 | 734 | 117 | 229 | 104 | 1020 | 279 | 161 | 114 | 131 | 117 |
| 7 | 110 | 112 | 664 | 117 | 152 | 102 | 918 | 191 | 159 | 113 | 113 | 112 |
| 8 | 103 | 104 | 499 | 110 | 120 | 104 | 694 | 189 | 159 | 106 | 113 | 122 |
| 9 | 113 | 109 | 333 | 127 | 123 | 109 | 303 | 350 | 176 | 120 | 127 | 110 |
| 10 | 112 | 110 | 267 | 117 | 125 | 110 | 104 | 706 | 172 | 112 | 125 | 114 |
| 11 | 109 | 78 | 247 | 110 | 726 | 109 | 109 | 339 | 163 | 130 | 116 | 113 |
| 12 | 112 | 90 | 601 | 110 | 677 | 106 | 120 | 191 | 170 | 125 | 117 | 112 |
| 13 | 95 | 103 | 593 | 122 | 409 | 109 | 119 | 238 | 166 | 155 | 113 | 119 |
| 14 | 117 | 99 | 412 | 103 | 776 | 112 | 116 | 170 | 127 | 151 | 127 | 109 |
| 15 | 104 | 109 | 316 | 116 | 548 | 119 | 116 | 168 | 156 | 142 | 136 | 99 |
| 16 | 107 | 104 | 252 | 106 | 292 | 1050 | 117 | 141 | 113 | 141 | 144 | 106 |
| 17 | 110 | 104 | 199 | 130 | 297 | 1500 | 113 | 125 | 152 | 146 | 142 | 114 |
| 18 | 100 | 94 | 203 | 103 | 297 | 1010 | 174 | 123 | 146 | 139 | 136 | 109 |
| 19 | 103 | 94 | 197 | 125 | 289 | 823 | 287 | 137 | 142 | 141 | 128 | 114 |
| 20 | 104 | 116 | 159 | 122 | 292 | 1420 | 240 | 117 | 139 | 149 | 142 | 127 |
| 21 | 98 | 91 | 154 | 139 | 282 | 2470 | 181 | 133 | 149 | 156 | 137 | 123 |
| 22 | 90 | 123 | 166 | 113 | 238 | 2240 | 178 | 131 | 159 | 189 | 116 | 128 |
| 23 | 90 | 106 | 144 | 119 | 245 | 1610 | 1080 | 436 | 137 | 189 | 116 | 119 |
| 24 | 109 | 77 | 134 | 128 | 311 | 1440 | 1280 | 1560 | 123 | 165 | 112 | 112 |
| 25 | 102 | 98 | 158 | 110 | 359 | 1530 | 913 | 811 | 144 | 127 | 112 | 110 |
| 26 | 100 | 82 | 201 | 99 | 303 | 1950 | 548 | 231 | 136 | 122 | 123 | 106 |
| 27 | 109 | 90 | 197 | 122 | 325 | 1630 | 289 | 197 | 130 | 120 | 128 | 104 |
| 28 | 99 | 137 | 137 | 117 | 412 | 1050 | 460 | 137 | 154 | 112 | 131 | 104 |
| 29 | 99 | 99 | 128 | 99 | 292 | 481 | 229 | 141 | 152 | 114 | 127 | 100 |
| 30 | 107 | 94 | 161 | 123 | --- | 456 | 137 | 308 | 144 | 139 | 131 | 98 |
| 31 | 110 | --- | 122 | 109 | --- | 412 | --- | 274 | --- | 156 | 119 | --- |
| TOTAL | 3264 | 3019 | 8494 | 3633 | 9166 | 22839 | 12599 | 9976 | 4448 | 4195 | 3934 | 3390 |
| MEAN | 105 | 101 | 274 | 117 | 316 | 737 | 420 | 322 | 148 | 135 | 127 | 113 |
| MAX | 117 | 137 | 734 | 139 | 776 | 2470 | 1280 | 1560 | 178 | 189 | 163 | 131 |
| MIN | 90 | 77 | 98 | 99 | 113 | 102 | 104 | 112 | 113 | 106 | 106 | 98 |
| CAL YR 1983 | TOTAL | 62960 | MEAN 172 | MAX 2090 | MIN 77 | | | | | | | |
| WTR YR 1984 | TOTAL | 88947 | MEAN 243 | MAX 2470 | MIN 77 | | | | | | | |

SCIOTO RIVER BASIN

03228805 ALUM CREEK AT AFRICA, OH

LOCATION.--Lat 40°11'00", long 82°57'47", in SE 1/4 sec. 1, T.3 N., R.18 W., Delaware County, Hydrologic Unit 05060001, on right bank 400 ft upstream of bridge on Lewis Center Road, 1,200 ft downstream from outlet of Alum Creek dam, 0.3 mi west of Africa, 2.8 mi upstream from Westerville Reservoir outlet, and 4.2 mi northwest of Westerville.

DRAINAGE AREA.--122 mi².

PERIOD OF RECORD.--Water year 1962 (occasional low-flow measurements) June 1963 to current year.

GAGE.--Water-stage recorder. Datum of gage is 800.00 ft National Geodetic Vertical Datum of 1929. (levels by Corps of Engineers). Oct. 17, 1973 to July 9, 1974 nonrecording gage at bridge 400 ft downstream at same datum. Prior to Oct. 17, 1973 water-stage recorder 600 ft downstream at datum 17.37 ft higher.

REMARKS.--Records fair. Flow regulated by Alum Creek Lake since August 1973. Water-quality data collected at this site 1965 to 1977. Sediment data collected 1969 to 1974.

AVERAGE DISCHARGE.--9 years (water years 1964-72), 115 ft³/s, 11 years (water years 1974-84), 109 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 6,160 ft³/s Mar. 10, 1964, gage height, 13.95 ft, from graph based on gage readings, site and datum then in use; no flow at times 1963-65.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of Mar. 5, 1963 reached a stage of 14.2 ft, from floodmarks, discharge, 6,460 ft³/s.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 1,450 ft³/s Mar. 24, gage height, 27.03 ft; minimum daily, 4.6 ft³/s Oct. 10, 16.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------------|---------|------|------|----------|----------|---------|------|------|-------|-------|------|-------|
| 1 | 5.5 | 91 | 655 | 34 | 87 | 83 | 257 | 296 | 44 | 10 | 11 | 12 |
| 2 | 5.5 | 91 | 331 | 33 | 87 | 83 | 124 | 296 | 22 | 9.5 | 11 | 12 |
| 3 | 5.2 | 140 | 98 | 28 | 129 | 83 | 89 | 176 | 22 | 9.5 | 11 | 12 |
| 4 | 5.5 | 247 | 104 | 15 | 392 | 83 | 89 | 159 | 22 | 9.5 | 11 | 13 |
| 5 | 6.1 | 250 | 415 | 14 | 449 | 83 | 143 | 203 | 23 | 10 | 11 | 13 |
| 6 | 5.2 | 253 | 674 | 14 | 444 | 131 | 206 | 203 | 22 | 12 | 11 | 13 |
| 7 | 5.5 | 250 | 667 | 14 | 434 | 159 | 264 | 82 | 22 | 10 | 11 | 13 |
| 8 | 5.5 | 133 | 661 | 14 | 247 | 257 | 271 | 46 | 18 | 10 | 11 | 13 |
| 9 | 5.2 | 75 | 327 | 14 | 108 | 215 | 392 | 176 | 16 | 10 | 11 | 13 |
| 10 | 4.6 | 76 | 98 | 14 | 65 | 91 | 374 | 257 | 16 | 11 | 11 | 13 |
| 11 | 4.9 | 80 | 98 | 14 | 30 | 91 | 136 | 300 | 15 | 10 | 12 | 12 |
| 12 | 5.8 | 76 | 243 | 14 | 28 | 91 | 92 | 267 | 15 | 11 | 12 | 12 |
| 13 | 6.8 | 76 | 571 | 14 | 224 | 91 | 92 | 129 | 7.5 | 11 | 12 | 12 |
| 14 | 6.4 | 164 | 356 | 14 | 699 | 91 | 91 | 76 | 9.1 | 11 | 12 | 13 |
| 15 | 5.8 | 247 | 131 | 14 | 686 | 91 | 91 | 44 | 9.5 | 11 | 12 | 13 |
| 16 | 4.6 | 247 | 47 | 14 | 693 | 484 | 91 | 34 | 8.3 | 10 | 12 | 13 |
| 17 | 5.8 | 253 | 32 | 14 | 479 | 699 | 91 | 33 | 8.3 | 14 | 12 | 13 |
| 18 | 7.5 | 253 | 32 | 14 | 237 | 699 | 92 | 33 | 8.7 | 8.3 | 12 | 12 |
| 19 | 7.1 | 253 | 33 | 14 | 237 | 699 | 92 | 33 | 9.1 | 6.4 | 12 | 9.5 |
| 20 | 7.5 | 253 | 33 | 14 | 237 | 699 | 143 | 35 | 9.1 | 8.3 | 12 | 9.5 |
| 21 | 7.5 | 253 | 33 | 14 | 327 | 271 | 164 | 78 | 9.1 | 6.4 | 12 | 10 |
| 22 | 8.7 | 253 | 33 | 14 | 365 | 13 | 169 | 181 | 8.7 | 14 | 12 | 10 |
| 23 | 6.4 | 257 | 33 | 14 | 206 | 150 | 257 | 292 | 8.7 | 15 | 12 | 10 |
| 24 | 66 | 257 | 33 | 15 | 63 | 913 | 212 | 340 | 9.5 | 14 | 12 | 10 |
| 25 | 181 | 257 | 33 | 14 | 34 | 1040 | 278 | 335 | 9.1 | 13 | 12 | 10 |
| 26 | 184 | 257 | 32 | 41 | 33 | 521 | 323 | 335 | 9.5 | 13 | 12 | 12 |
| 27 | 181 | 257 | 32 | 87 | 34 | 243 | 319 | 278 | 9.5 | 11 | 12 | 11 |
| 28 | 140 | 315 | 32 | 89 | 36 | 667 | 327 | 212 | 9.5 | 11 | 11 | 11 |
| 29 | 92 | 489 | 34 | 87 | 65 | 667 | 327 | 212 | 10 | 11 | 10 | 11 |
| 30 | 91 | 661 | 34 | 87 | --- | 543 | 315 | 131 | 10 | 11 | 11 | 10 |
| 31 | 91 | --- | 34 | 85 | --- | 374 | --- | 92 | --- | 11 | 11 | --- |
| TOTAL | 1164.6 | 6764 | 5969 | 881 | 7155 | 10405 | 5911 | 5364 | 420.2 | 332.9 | 357 | 351.0 |
| MEAN | 37.6 | 225 | 193 | 28.4 | 247 | 336 | 197 | 173 | 14.0 | 10.7 | 11.5 | 11.7 |
| MAX | 184 | 661 | 674 | 89 | 699 | 1040 | 392 | 340 | 44 | 15 | 12 | 13 |
| MIN | 4.6 | 75 | 32 | 14 | 28 | 13 | 89 | 33 | 7.5 | 6.4 | 10 | 9.5 |
| CAL YR 1983 TOTAL | 36492.2 | | | MEAN 100 | MAX 1780 | MIN 3.9 | | | | | | |
| WTR YR 1984 TOTAL | 45074.7 | | | MEAN 123 | MAX 1040 | MIN 4.6 | | | | | | |

03229000 ALUM CREEK AT COLUMBUS, OH

LOCATION.--Lat 39°56'42", long 82°56'28", in NW 1/4 sec. 24, T.5 N., R.22 W., Franklin County, Hydrologic Unit 05060001, on left bank 0.2 mi downstream from Livingston Avenue bridge in Columbus, and 6 mi upstream from mouth.

DRAINAGE AREA.--189 mi².

PERIOD OF RECORD.--July 1923 to December 1935, January 1938 to current year.

REVISED RECORDS.--WSP 758: 1933. WSP 1305: 1928(M). WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 733.69 ft National Geodetic Vertical Datum of 1929.

REMARKS.--Records poor. Flow regulated by Alum Creek Lake 19 mi upstream, since Aug. 1973. Water-quality data collected at this site 1960 to 1977. Sediment data collected 1960 to 1965.

AVERAGE DISCHARGE.--58 years, 173 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 26,400 ft³/s Jan. 22, 1959, gage height, 19.59 ft (from high-water mark in well), from rating curve extended above 17,000 ft³/s on basis of contracted-opening measurement of peak flow; no flow Sept. 21-29, 1959.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 4,690 ft³/s Mar. 21, gage height, 9.00 ft; minimum daily, 7.0 ft³/s Oct. 3.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|--------|---------|-------|------|-------|-------|-------|------|------|------|------|------|
| 1 | 7.5 | 101 | 872 | 47 | 152 | 134 | 425 | 355 | 115 | 22 | 14 | 16 |
| 2 | 7.5 | 149 | 834 | 49 | 168 | 134 | 232 | 355 | 60 | 24 | 14 | 20 |
| 3 | 7.0 | 320 | 179 | 55 | 594 | 144 | 160 | 621 | 55 | 18 | 26 | 18 |
| 4 | 29 | 296 | 951 | 38 | 676 | 134 | 306 | 573 | 51 | 23 | 64 | 23 |
| 5 | 82 | 306 | 542 | 36 | 594 | 292 | 448 | 310 | 49 | 125 | 32 | 15 |
| 6 | 32 | 292 | 1080 | 34 | 568 | 335 | 512 | 274 | 47 | 39 | 25 | 14 |
| 7 | 13 | 287 | 985 | 32 | 542 | 310 | 454 | 215 | 43 | 53 | 35 | 13 |
| 8 | 9.9 | 261 | 928 | 29 | 287 | 325 | 386 | 212 | 39 | 23 | 39 | 12 |
| 9 | 8.1 | 79 | 872 | 27 | 131 | 443 | 431 | 232 | 35 | 28 | 22 | 13 |
| 10 | 8.1 | 168 | 187 | 26 | 155 | 168 | 557 | 278 | 28 | 32 | 20 | 71 |
| 11 | 8.6 | 578 | 179 | 25 | 381 | 155 | 252 | 355 | 26 | 20 | 38 | 23 |
| 12 | 9.2 | 183 | 408 | 25 | 157 | 147 | 131 | 381 | 24 | 18 | 24 | 15 |
| 13 | 65 | 110 | 665 | 24 | 478 | 171 | 149 | 212 | 24 | 17 | 18 | 13 |
| 14 | 58 | 110 | 791 | 24 | 1350 | 196 | 152 | 105 | 53 | 17 | 16 | 38 |
| 15 | 17 | 350 | 287 | 24 | 974 | 296 | 149 | 91 | 23 | 16 | 14 | 30 |
| 16 | 12 | 408 | 134 | 24 | 923 | 1230 | 147 | 58 | 20 | 15 | 14 | 19 |
| 17 | 9.2 | 381 | 73 | 24 | 850 | 1110 | 171 | 57 | 19 | 15 | 13 | 16 |
| 18 | 30 | 320 | 65 | 24 | 360 | 1030 | 168 | 57 | 20 | 17 | 12 | 15 |
| 19 | 55 | 310 | 64 | 24 | 355 | 968 | 152 | 60 | 32 | 17 | 12 | 14 |
| 20 | 62 | 325 | 58 | 24 | 345 | 1550 | 157 | 215 | 22 | 11 | 11 | 13 |
| 21 | 125 | 320 | 60 | 24 | 392 | 2810 | 208 | 320 | 17 | 12 | 11 | 11 |
| 22 | 287 | 296 | 175 | 25 | 502 | 397 | 431 | 200 | 14 | 11 | 108 | 11 |
| 23 | 292 | 443 | 149 | 36 | 403 | 223 | 537 | 889 | 12 | 11 | 53 | 11 |
| 24 | 69 | 532 | 79 | 386 | 171 | 940 | 764 | 527 | 119 | 18 | 19 | 14 |
| 25 | 196 | 345 | 68 | 310 | 95 | 1550 | 502 | 448 | 36 | 19 | 15 | 17 |
| 26 | 204 | 310 | 60 | 130 | 82 | 1460 | 431 | 443 | 22 | 22 | 14 | 62 |
| 27 | 183 | 306 | 54 | 132 | 76 | 171 | 437 | 386 | 19 | 33 | 13 | 22 |
| 28 | 179 | 1250 | 50 | 120 | 79 | 1060 | 403 | 414 | 17 | 22 | 12 | 17 |
| 29 | 98 | 648 | 48 | 122 | 82 | 1210 | 392 | 350 | 15 | 18 | 12 | 17 |
| 30 | 88 | 906 | 45 | 130 | --- | 900 | 392 | 232 | 13 | 17 | 15 | 16 |
| 31 | 85 | --- | 44 | 145 | --- | 537 | --- | 134 | --- | 15 | 35 | --- |
| TOTAL | 2336.1 | 10690 | 10986 | 2175 | 11922 | 20530 | 10136 | 9359 | 1070 | 748 | 770 | 609 |
| MEAN | 75.4 | 356 | 354 | 70.2 | 411 | 662 | 338 | 302 | 35.7 | 24.1 | 24.8 | 20.3 |
| MAX | 292 | 1250 | 1080 | 386 | 1350 | 2810 | 764 | 889 | 119 | 125 | 108 | 71 |
| MIN | 7.0 | 79 | 44 | 24 | 76 | 134 | 131 | 57 | 12 | 11 | 11 | 11 |
| CAL YR 1983 | TOTAL | 66514.0 | MEAN | 182 | MAX | 2080 | MIN | 7.0 | | | | |
| WTR YR 1984 | TOTAL | 81331.1 | MEAN | 222 | MAX | 2810 | MIN | 7.0 | | | | |

SCIOTO RIVER BASIN

03229500 BIG WALNUT CREEK AT REES, OH

LOCATION.--Lat 39°51'24", long 82°57'26", in NE 1/4 sec. 26, T.4 N., R.22 W., Franklin County, Hydrologic Unit 05060001, on right bank at downstream side of bridge on Reese Road, 0.5 mi southwest of Rees, 4.2 mi downstream from Alum Creek, and 10.5 mi upstream from mouth.

DRAINAGE AREA.--544 mi².

PERIOD OF RECORD.--August 1921 to December 1935, October 1938 to current year. Monthly discharge only for some periods, published in WSP 1305.

REVISED RECORDS.--WSP 1053: 1929, 1933(M), 1945. WSP 1305: 1923(M), 1925-26(M).

GAGE.--Water-stage recorder. Datum of gage is 698.20 ft National Geodetic Vertical Datum of 1929. Aug. 18, 1921, to Oct. 23, 1927, nonrecording gage at site 0.3 mi upstream at datum 2.00 ft higher prior to Oct. 1, 1924, at present datum thereafter.

REMARKS.--Records good. Flow regulated by Hoover Reservoir 26 mi upstream (see station 03228400) and Alum Creek Lake 30 mi upstream since August 1973. Beginning June 15, 1956, diversion at Morse Road Treatment Plant, 21 mi upstream from station, for municipal water supply for the city of Columbus. Water-quality data collected at this site 1964 to 1977.

AVERAGE DISCHARGE.--60 years, 522 ft³/s (adjusted for diversion).

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 59,800 ft³/s Jan. 22, 1959, gage height, 22.03 ft (from high-water mark in well), from rating curve extended above 13,000 ft³/s on basis of contracted-opening measurement of peak flow; minimum, 5 ft³/s Sept. 4, 5, 10-12, 1925; minimum daily since 1956, 9.4 ft³/s Sept. 13, 1964.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of Mar. 25, 1913 reached a stage of 20.5 ft, present datum, at site 0.3 mi upstream.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 10,400 ft³/s Mar. 21, gage height, 13.51 ft; minimum daily, 24 ft³/s Oct. 2.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------------|--------|-------|-------|----------|----------|--------|---------|-------|------|------|------|------|
| 1 | 26 | 151 | 1130 | 118 | 173 | 377 | 359 | 497 | 302 | 90 | 45 | 55 |
| 2 | 24 | 169 | 1030 | 116 | 210 | 309 | 507 | 472 | 197 | 117 | 44 | 56 |
| 3 | 26 | 621 | 990 | 114 | 1070 | 248 | 507 | 636 | 160 | 140 | 48 | 58 |
| 4 | 38 | 617 | 464 | 111 | 1240 | 237 | 955 | 2060 | 140 | 119 | 162 | 97 |
| 5 | 187 | 485 | 2640 | 110 | 1040 | 514 | 1690 | 1260 | 130 | 406 | 178 | 51 |
| 6 | 112 | 406 | 1630 | 108 | 826 | 1010 | 1900 | 740 | 147 | 218 | 75 | 52 |
| 7 | 47 | 377 | 2050 | 102 | 665 | 660 | 1610 | 571 | 138 | 218 | 72 | 44 |
| 8 | 34 | 359 | 1910 | 98 | 437 | 535 | 1150 | 645 | 127 | 108 | 151 | 40 |
| 9 | 29 | 290 | 1540 | 92 | 262 | 535 | 931 | 1100 | 114 | 87 | 78 | 39 |
| 10 | 27 | 153 | 1340 | 87 | 226 | 352 | 640 | 859 | 103 | 125 | 56 | 125 |
| 11 | 26 | 783 | 735 | 82 | 1110 | 290 | 421 | 645 | 99 | 83 | 65 | 105 |
| 12 | 28 | 1310 | 566 | 80 | 1090 | 251 | 231 | 645 | 106 | 72 | 72 | 61 |
| 13 | 71 | 480 | 1160 | 78 | 937 | 271 | 251 | 510 | 92 | 54 | 52 | 49 |
| 14 | 183 | 296 | 1380 | 74 | 3160 | 349 | 242 | 322 | 140 | 61 | 52 | 69 |
| 15 | 63 | 286 | 1420 | 71 | 1980 | 535 | 271 | 257 | 106 | 71 | 47 | 86 |
| 16 | 42 | 584 | 848 | 70 | 1360 | 2260 | 242 | 192 | 84 | 51 | 41 | 63 |
| 17 | 35 | 735 | 531 | 68 | 1240 | 3100 | 429 | 166 | 89 | 55 | 39 | 46 |
| 18 | 45 | 660 | 363 | 66 | 815 | 2240 | 433 | 149 | 80 | 55 | 37 | 41 |
| 19 | 173 | 497 | 293 | 64 | 740 | 1840 | 468 | 140 | 91 | 54 | 35 | 39 |
| 20 | 80 | 456 | 271 | 63 | 675 | 2150 | 429 | 183 | 94 | 50 | 34 | 39 |
| 21 | 395 | 476 | 245 | 63 | 636 | 8940 | 399 | 1080 | 84 | 53 | 33 | 37 |
| 22 | 220 | 476 | 218 | 64 | 715 | 3980 | 842 | 549 | 78 | 48 | 42 | 36 |
| 23 | 1260 | 433 | 437 | 68 | 621 | 2340 | 1870 | 2230 | 72 | 55 | 197 | 41 |
| 24 | 425 | 725 | 391 | 735 | 429 | 2230 | 2780 | 2090 | 205 | 83 | 83 | 37 |
| 25 | 325 | 875 | 245 | 1340 | 437 | 2910 | 1670 | 831 | 160 | 72 | 56 | 41 |
| 26 | 325 | 535 | 166 | 448 | 381 | 4360 | 1260 | 631 | 98 | 77 | 48 | 101 |
| 27 | 283 | 448 | 147 | 352 | 366 | 1950 | 831 | 562 | 83 | 91 | 45 | 77 |
| 28 | 262 | 485 | 128 | 268 | 391 | 2550 | 892 | 645 | 74 | 72 | 43 | 48 |
| 29 | 223 | 3170 | 122 | 239 | 421 | 2410 | 777 | 949 | 69 | 57 | 41 | 41 |
| 30 | 155 | 1220 | 121 | 207 | --- | 1530 | 612 | 675 | 60 | 53 | 44 | 38 |
| 31 | 151 | --- | 120 | 197 | --- | 1050 | --- | 391 | --- | 47 | 114 | --- |
| TOTAL | 5320 | 18558 | 24631 | 5753 | 23653 | 52313 | 26299 | 22682 | 3522 | 2972 | 2129 | 1722 |
| MEAN | 172 | 619 | 795 | 186 | 816 | 1688 | 877 | 732 | 117 | 95.9 | 68.7 | 57.4 |
| MAX | 1260 | 3170 | 2640 | 1340 | 3160 | 8940 | 2780 | 2230 | 302 | 406 | 197 | 125 |
| MIN | 24 | 151 | 120 | 63 | 173 | 237 | 231 | 140 | 60 | 47 | 33 | 36 |
| (+) | 122 | 115 | 116 | 121 | 112 | 110 | 108 | 110 | 136 | 131 | 127 | 115 |
| CAL YR 1983 TOTAL | 152815 | | | MEAN 419 | MAX 4890 | MIN 24 | (+) 119 | | | | | |
| WTR YR 1984 TOTAL | 189554 | | | MEAN 518 | MAX 8940 | MIN 24 | (+) 119 | | | | | |

03230500 BIG DARBY CREEK AT DARBYVILLE, OH

LOCATION.--Lat 39°42'02", long 83°06'37", Pickaway County, Hydrologic Unit 05060001, on right bank on downstream side of bridge on State Highway 316, 0.4 mi northeast of Darbyville, 0.4 mi upstream from Lizzard Run, and 3.0 mi downstream from Greenbrier Creek.

DRAINAGE AREA.--534 mi².

PERIOD OF RECORD.--October 1921 to December 1935, January 1938 to current year. Prior to October 1959, published as Darby Creek at Darbyville.

REVISED RECORDS.--WSP 1083: 1922(M), 1924(M), 1927(M), 1933(M), 1938(M). WSP 1305: 1928-31(M), 1934(M), 1945(M). WSP 1505: 1932(M). WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 713.69 ft National Geodetic Vertical Datum of 1929. Prior to Mar. 17, 1940, nonrecording gage at same site and datum.

REMARKS.--Records good except those for winter periods and periods of no gage height record, Nov. 12 to Dec. 20, which are fair. Water-quality data collected at this site 1964 to 1977. Sediment data collected 1969 to 1974.

AVERAGE DISCHARGE.--60 years, 454 ft³/s, 11.55 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 49,000 ft³/s Jan. 22, 1959, gage height, 17.94 ft from rating curve extended above 22,000 ft³/s on basis of contracted-opening measurement of peak flow; minimum observed, 1.4 ft³/s Sept. 17, 1932.

EXTREMES FOR CURRENT YEAR.--Peak discharge above base of 4,500 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Feb. 15 | 0930 | 4720 | 9.04 | Mar. 22 | 0700 | *6250 | *10.46 |
| Mar. 17 | 2300 | 5850 | 10.16 | Apr. 6 | 0730 | 4560 | 8.86 |

Minimum discharge, 17 ft³/s Oct. 2-4.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|-------|-------|------|-------|-------|-------|-------|------|------|------|------|
| 1 | 19 | 92 | 1600 | 90 | 172 | 240 | 1020 | 432 | 412 | 95 | 46 | 25 |
| 2 | 18 | 87 | 1200 | 88 | 211 | 250 | 846 | 368 | 350 | 86 | 46 | 24 |
| 3 | 17 | 114 | 1000 | 86 | 846 | 233 | 724 | 422 | 307 | 111 | 44 | 23 |
| 4 | 19 | 124 | 1400 | 84 | 2090 | 216 | 1060 | 1190 | 266 | 89 | 45 | 24 |
| 5 | 22 | 274 | 2000 | 83 | 1560 | 269 | 2950 | 903 | 235 | 198 | 56 | 23 |
| 6 | 23 | 211 | 2700 | 82 | 708 | 489 | 4160 | 692 | 211 | 172 | 59 | 23 |
| 7 | 23 | 159 | 3000 | 81 | 399 | 736 | 2490 | 579 | 192 | 301 | 56 | 22 |
| 8 | 24 | 133 | 2400 | 80 | 277 | 720 | 1530 | 656 | 174 | 223 | 81 | 22 |
| 9 | 24 | 116 | 2000 | 79 | 290 | 452 | 1120 | 782 | 159 | 152 | 79 | 21 |
| 10 | 24 | 118 | 1400 | 78 | 253 | 412 | 985 | 633 | 147 | 131 | 65 | 20 |
| 11 | 23 | 561 | 1100 | 78 | 816 | 458 | 728 | 503 | 133 | 106 | 84 | 22 |
| 12 | 22 | 2100 | 1500 | 77 | 1880 | 344 | 517 | 452 | 124 | 92 | 75 | 24 |
| 13 | 28 | 1150 | 2400 | 77 | 1360 | 330 | 557 | 393 | 114 | 91 | 111 | 24 |
| 14 | 46 | 1300 | 1900 | 76 | 3130 | 378 | 517 | 356 | 111 | 73 | 89 | 28 |
| 15 | 62 | 1200 | 1400 | 76 | 4150 | 575 | 482 | 312 | 113 | 69 | 67 | 40 |
| 16 | 66 | 1100 | 1000 | 76 | 1940 | 2460 | 475 | 279 | 125 | 65 | 56 | 35 |
| 17 | 59 | 1300 | 760 | 76 | 1410 | 5200 | 528 | 253 | 113 | 59 | 48 | 31 |
| 18 | 59 | 1300 | 550 | 75 | 1140 | 3900 | 981 | 238 | 107 | 55 | 45 | 30 |
| 19 | 58 | 1500 | 420 | 75 | 986 | 2050 | 794 | 223 | 102 | 54 | 45 | 28 |
| 20 | 54 | 1300 | 332 | 75 | 850 | 1890 | 584 | 216 | 135 | 51 | 40 | 27 |
| 21 | 76 | 1200 | 347 | 75 | 692 | 5050 | 579 | 409 | 157 | 50 | 38 | 26 |
| 22 | 129 | 1100 | 399 | 75 | 568 | 5800 | 769 | 842 | 169 | 50 | 36 | 21 |
| 23 | 368 | 1300 | 301 | 75 | 479 | 3170 | 1300 | 1220 | 141 | 48 | 37 | 24 |
| 24 | 617 | 1700 | 170 | 300 | 425 | 2070 | 1710 | 1260 | 143 | 45 | 40 | 24 |
| 25 | 500 | 1500 | 124 | 939 | 387 | 1770 | 1440 | 877 | 271 | 44 | 36 | 24 |
| 26 | 330 | 1300 | 120 | 912 | 338 | 2870 | 1000 | 613 | 335 | 44 | 34 | 24 |
| 27 | 221 | 1100 | 110 | 1020 | 327 | 2970 | 769 | 462 | 211 | 45 | 30 | 23 |
| 28 | 168 | 2200 | 105 | 799 | 344 | 1980 | 556 | 403 | 151 | 45 | 27 | 26 |
| 29 | 135 | 2400 | 100 | 493 | 282 | 2240 | 542 | 550 | 124 | 45 | 26 | 26 |
| 30 | 114 | 1800 | 97 | 312 | --- | 1710 | 472 | 664 | 104 | 45 | 26 | 27 |
| 31 | 102 | --- | 94 | 218 | --- | 1290 | --- | 521 | --- | 45 | 25 | --- |
| TOTAL | 3450 | 29839 | 32029 | 6810 | 28310 | 52532 | 32285 | 17703 | 5436 | 2769 | 1592 | 761 |
| MEAN | 111 | 995 | 1033 | 220 | 976 | 1695 | 1076 | 571 | 181 | 89.3 | 51.4 | 25.4 |
| MAX | 617 | 2400 | 3000 | 1020 | 4150 | 5800 | 4160 | 1260 | 412 | 301 | 111 | 40 |
| MIN | 17 | 87 | 94 | 75 | 172 | 216 | 472 | 216 | 102 | 44 | 25 | 20 |
| CFSM | .21 | 1.86 | 1.93 | .41 | 1.83 | 3.17 | 2.02 | 1.07 | .34 | .17 | .10 | .05 |
| IN. | .24 | 2.08 | 2.23 | .47 | 1.97 | 3.66 | 2.25 | 1.23 | .38 | .19 | .11 | .05 |

| | | | | | | | |
|-------------|-------|--------|----------|----------|--------|-----------|----------|
| CAL YR 1983 | TOTAL | 175156 | MEAN 480 | MAX 5980 | MIN 17 | CFSM .90 | IN 12.20 |
| WTR YR 1984 | TOTAL | 213516 | MEAN 583 | MAX 5800 | MIN 17 | CFSM 1.09 | IN 14.87 |

SCIOTO RIVER BASIN

03230900 DEER CREEK NEAR PANCOASTBURG, OH

LOCATION.--Lat 39°37'14", long 83°12'47", Pickaway County, Hydrologic Unit 05060002, on left bank 200 ft downstream from bridge on Crownover Mill Road, 1,200 ft downstream from Deer Creek Dam, and 2.8 mi east of Pancoastburg.

DRAINAGE AREA.--277 mi².

PERIOD OF RECORD.--Water years 1964-66 (Occasional low-flow measurements and annual maximums), July 1966 to current year.

REVISED RECORDS.--WRD Ohio 1972: 1971.

GAGE.--Water-stage recorder. Datum of gage is 768.00 ft Corps of Engineers bench mark. Oct. 23, 1963, to June 30, 1966, crest-stage gage at site 200 ft upstream at datum 8.16 ft lower. July 1, 1966 to Sept. 30, 1983 at datum 68.00 ft lower.

REMARKS.--Records good. Flow regulated by Deer Creek Lake. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--18 years 268 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 19,500 ft³/s (estimated) Mar. 10, 1964, gage height, 12.93 ft, present datum; no flow May 25-27, 1968, result of dam closure.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 1,550 ft³/s Mar. 17, gage height, 4.81 ft; minimum daily, 11 ft³/s Aug. 29, 30.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|--------|-------|------|-------|-------|-------|-------|------|------|------|------|
| 1 | 14 | 197 | 1380 | 90 | 120 | 135 | 814 | 179 | 222 | 57 | 15 | 13 |
| 2 | 14 | 197 | 962 | 90 | 73 | 135 | 763 | 166 | 168 | 55 | 12 | 13 |
| 3 | 14 | 194 | 590 | 90 | 498 | 135 | 645 | 166 | 166 | 55 | 12 | 13 |
| 4 | 14 | 194 | 594 | 92 | 740 | 135 | 546 | 531 | 135 | 55 | 13 | 13 |
| 5 | 98 | 194 | 1020 | 111 | 735 | 135 | 840 | 754 | 100 | 55 | 12 | 13 |
| 6 | 146 | 194 | 1370 | 118 | 614 | 222 | 1250 | 749 | 100 | 55 | 12 | 13 |
| 7 | 142 | 194 | 1350 | 92 | 351 | 304 | 1400 | 594 | 100 | 55 | 39 | 13 |
| 8 | 137 | 191 | 1310 | 94 | 200 | 401 | 1170 | 531 | 100 | 55 | 52 | 13 |
| 9 | 137 | 191 | 777 | 94 | 197 | 319 | 522 | 531 | 100 | 96 | 52 | 13 |
| 10 | 135 | 191 | 436 | 94 | 168 | 166 | 476 | 445 | 98 | 155 | 52 | 13 |
| 11 | 137 | 191 | 432 | 72 | 158 | 166 | 311 | 347 | 71 | 155 | 52 | 13 |
| 12 | 137 | 191 | 740 | 60 | 163 | 296 | 260 | 343 | 50 | 116 | 52 | 13 |
| 13 | 137 | 194 | 1080 | 55 | 489 | 296 | 315 | 304 | 53 | 55 | 52 | 13 |
| 14 | 171 | 327 | 786 | 55 | 1210 | 216 | 335 | 197 | 53 | 55 | 40 | 13 |
| 15 | 194 | 436 | 494 | 55 | 1430 | 179 | 335 | 168 | 53 | 57 | 24 | 13 |
| 16 | 194 | 432 | 414 | 55 | 1390 | 950 | 209 | 168 | 53 | 55 | 24 | 13 |
| 17 | 194 | 427 | 292 | 55 | 1050 | 1520 | 160 | 168 | 53 | 30 | 24 | 13 |
| 18 | 194 | 423 | 246 | 66 | 620 | 1540 | 209 | 137 | 30 | 19 | 24 | 13 |
| 19 | 194 | 418 | 246 | 80 | 614 | 1510 | 191 | 127 | 20 | 19 | 24 | 13 |
| 20 | 194 | 410 | 200 | 52 | 517 | 1440 | 264 | 130 | 21 | 19 | 24 | 13 |
| 21 | 191 | 323 | 203 | 40 | 388 | 47 | 264 | 132 | 20 | 19 | 24 | 13 |
| 22 | 191 | 177 | 239 | 40 | 253 | 21 | 335 | 200 | 31 | 19 | 24 | 13 |
| 23 | 331 | 177 | 239 | 40 | 239 | 21 | 536 | 351 | 50 | 19 | 24 | 13 |
| 24 | 401 | 179 | 209 | 40 | 197 | 687 | 861 | 599 | 127 | 19 | 24 | 13 |
| 25 | 397 | 311 | 100 | 645 | 177 | 1410 | 852 | 546 | 250 | 19 | 24 | 13 |
| 26 | 285 | 536 | 66 | 754 | 177 | 1400 | 536 | 384 | 250 | 19 | 23 | 13 |
| 27 | 200 | 526 | 111 | 498 | 160 | 1390 | 397 | 289 | 250 | 19 | 23 | 13 |
| 28 | 200 | 531 | 179 | 436 | 135 | 1320 | 359 | 177 | 163 | 19 | 15 | 13 |
| 29 | 200 | 1130 | 222 | 200 | 135 | 1050 | 257 | 177 | 82 | 19 | 11 | 13 |
| 30 | 197 | 1390 | 166 | 179 | --- | 1310 | 226 | 308 | 55 | 18 | 11 | 13 |
| 31 | 197 | --- | 92 | 158 | --- | 823 | --- | 355 | --- | 18 | 12 | --- |
| TOTAL | 5387 | 10666 | 16545 | 4600 | 13198 | 19679 | 15638 | 10253 | 3024 | 1480 | 826 | 390 |
| MEAN | 174 | 356 | 534 | 148 | 455 | 635 | 521 | 331 | 101 | 47.7 | 26.6 | 13.0 |
| MAX | 401 | 1390 | 1380 | 754 | 1430 | 1540 | 1400 | 754 | 250 | 155 | 52 | 13 |
| MIN | 14 | 177 | 66 | 40 | 73 | 21 | 160 | 127 | 20 | 18 | 11 | 13 |
| CAL YR 1983 | TOTAL | 83243 | MEAN | 228 | MAX | 1760 | MIN | 10 | | | | |
| WTR YR 1984 | TOTAL | 101686 | MEAN | 278 | MAX | 1540 | MIN | 11 | | | | |

03231000 DEER CREEK AT WILLIAMSPORT, OH

LOCATION.--Lat 39°35'09", long 83°07'22", Pickaway County, Hydrologic Unit 05060002, on left bank at downstream side of bridge on U.S. Highway 22 at west edge of Williamsport, 2.0 mi downstream from Dry Run, and 7.6 mi upstream from Hay Run.

DRAINAGE AREA.--333 mi².

PERIOD OF RECORD.--August 1926 to December 1935, January 1938 to September 1956, water years 1959, 1961-62, annual maximum. July 1962 to current year.

REVISED RECORDS.--WSP 1083: 1929. WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 718.66 ft National Geodetic Vertical Datum of 1929. Prior to Feb. 29, 1940, nonrecording gage, and Feb. 29, 1940, to Aug. 24, 1954, water-stage recorder, same site at datum 3.00 ft higher. Aug. 24, 1954 to Sept. 30, 1956, nonrecording gage at same site and datum. Oct. 1, 1958, to June 1962, crest-stage gage at site 120 ft downstream at same datum.

REMARKS.--Records good. Flow regulated by Deer Creek Lake 9.0 mi upstream beginning in 1968. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--49 years (1926-35, 1938-56, 1962-84), 301 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 39,600 ft³/s Jan. 22, 1959, gage height, 17.6 ft (from flood-marks), from rating curve extended above 25,000 ft³/s on basis of contracted-opening measurement of peak flow; minimum daily, 1.8 ft³/s July 25, 1934, Oct. 1-4, 1954.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 3,360 ft³/s Mar. 21, gage height, 9.15 ft; minimum daily, 7.9 ft³/s Oct. 2, 3.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|-------|-------|------|-------|-------|-------|-------|------|------|------|------|
| 1 | 8.4 | 223 | 1640 | 205 | 110 | 162 | 969 | 217 | 295 | 58 | 18 | 10 |
| 2 | 7.9 | 220 | 1260 | 181 | 90 | 158 | 909 | 186 | 196 | 56 | 16 | 11 |
| 3 | 7.9 | 235 | 741 | 170 | 400 | 158 | 792 | 208 | 187 | 55 | 14 | 13 |
| 4 | 11 | 238 | 1320 | 142 | 900 | 158 | 713 | 554 | 170 | 57 | 17 | 17 |
| 5 | 57 | 228 | 1230 | 135 | 960 | 158 | 940 | 856 | 117 | 57 | 28 | 20 |
| 6 | 147 | 223 | 1810 | 157 | 700 | 258 | 1500 | 875 | 104 | 56 | 28 | 18 |
| 7 | 147 | 218 | 1720 | 150 | 430 | 401 | 1700 | 743 | 103 | 55 | 29 | 18 |
| 8 | 147 | 218 | 1610 | 136 | 350 | 458 | 1200 | 692 | 102 | 52 | 75 | 17 |
| 9 | 147 | 218 | 1080 | 123 | 240 | 448 | 700 | 668 | 102 | 74 | 66 | 17 |
| 10 | 147 | 220 | 586 | 119 | 180 | 223 | 500 | 530 | 101 | 158 | 66 | 19 |
| 11 | 147 | 287 | 594 | 80 | 150 | 218 | 370 | 393 | 85 | 158 | 64 | 18 |
| 12 | 147 | 322 | 902 | 66 | 300 | 308 | 305 | 376 | 54 | 141 | 56 | 17 |
| 13 | 154 | 271 | 1330 | 66 | 560 | 342 | 339 | 341 | 57 | 60 | 56 | 17 |
| 14 | 174 | 293 | 1130 | 66 | 1100 | 321 | 371 | 236 | 57 | 58 | 55 | 18 |
| 15 | 210 | 474 | 699 | 66 | 1700 | 363 | 362 | 188 | 55 | 58 | 28 | 18 |
| 16 | 210 | 559 | 526 | 68 | 1620 | 1290 | 273 | 184 | 55 | 50 | 26 | 15 |
| 17 | 210 | 552 | 392 | 68 | 1380 | 1870 | 193 | 183 | 56 | 49 | 25 | 14 |
| 18 | 215 | 518 | 293 | 78 | 760 | 1830 | 219 | 165 | 55 | 21 | 26 | 14 |
| 19 | 215 | 503 | 287 | 94 | 739 | 1760 | 209 | 144 | 30 | 20 | 25 | 14 |
| 20 | 215 | 492 | 272 | 70 | 608 | 1940 | 277 | 140 | 42 | 20 | 25 | 13 |
| 21 | 228 | 439 | 213 | 56 | 489 | 1510 | 279 | 141 | 99 | 20 | 24 | 12 |
| 22 | 257 | 238 | 270 | 48 | 312 | 374 | 585 | 161 | 57 | 19 | 28 | 12 |
| 23 | 474 | 268 | 249 | 48 | 283 | 270 | 1040 | 425 | 88 | 19 | 28 | 11 |
| 24 | 526 | 375 | 270 | 56 | 250 | 621 | 1250 | 630 | 199 | 19 | 24 | 11 |
| 25 | 489 | 379 | 196 | 500 | 216 | 1710 | 1140 | 681 | 304 | 19 | 24 | 12 |
| 26 | 389 | 646 | 143 | 900 | 209 | 1820 | 741 | 421 | 285 | 19 | 24 | 12 |
| 27 | 241 | 633 | 177 | 640 | 203 | 1670 | 487 | 358 | 276 | 19 | 24 | 11 |
| 28 | 233 | 1760 | 259 | 450 | 177 | 1940 | 441 | 261 | 215 | 19 | 23 | 11 |
| 29 | 225 | 1470 | 427 | 270 | 166 | 1570 | 305 | 279 | 111 | 19 | 13 | 12 |
| 30 | 223 | 1720 | 446 | 180 | --- | 1590 | 261 | 320 | 71 | 19 | 11 | 11 |
| 31 | 220 | --- | 243 | 130 | --- | 1030 | --- | 399 | --- | 17 | 11 | --- |
| TOTAL | 6229.2 | 14440 | 22315 | 5518 | 15582 | 26929 | 19371 | 11955 | 3733 | 1611 | 977 | 433 |
| MEAN | 201 | 481 | 720 | 178 | 537 | 869 | 546 | 386 | 124 | 52.0 | 31.5 | 14.4 |
| MAX | 526 | 1760 | 1810 | 900 | 1700 | 1940 | 1700 | 875 | 304 | 158 | 75 | 20 |
| MIN | 7.9 | 218 | 143 | 48 | 90 | 158 | 193 | 140 | 30 | 17 | 11 | 10 |

CAL YR 1983 TOTAL 115712.7 MEAN 317 MAX 2260 MIN 7.5
WTR YR 1984 TOTAL 129093.2 MEAN 353 MAX 1940 MIN 7.9

03231500 SCIOTO RIVER AT CHILLICOTHE, OH

LOCATION.--Lat 39°20'29", long 82°58'16", Ross County, Hydrologic Unit 05060002, on right bank at north end of Chillicothe, 1,400 ft downstream from Bridge Street bridge, 7.4 mi upstream from Paint Creek, and 15.4 mi downstream from Deer Creek.

DRAINAGE AREA.--3,849 mi².

PERIOD OF RECORD.--December 1913 to September 1914 (gage heights and discharge measurements only). October 1920 to current year. Monthly discharge only for some periods, published in WSP 1305. Gage-height records collected in this vicinity since 1907 are contained in reports of the National Weather Service.

REVISED RECORDS.--WSP 803: 1929(M). WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 594.05 ft National Geodetic Vertical Datum of 1929. Prior to Sept. 30, 1914, nonrecording gage at site 1,300 ft upstream of different datum. Apr. 1, 1921, to Aug. 6, 1930, nonrecording gage, at site 1,400 ft upstream at present datum. Aug. 7, 1930, to Sept. 30, 1969, water-stage recorder 900 ft upstream at same datum.

REMARKS.--Records good except those for winter period, which are fair. Flow regulated by 6 reservoirs 36 mi to 91 mi upstream from station (see stations 03220500, 03221500, 03225000, 03228400, 03228850, 03230890).

AVERAGE DISCHARGE.--64 years, 3,448 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 144,000 ft³/s Jan. 23, 1959, gage height, 32.5 ft, (from high-water mark in well); minimum daily, 166 ft³/s Sept. 27, 1944.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of Mar. 26, 1913 reached a stage of 39.8 ft, discharge, 260,000 ft³/s (estimated by Franklin County Conservancy District).

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 34,600 ft³/s Mar. 28, gage height, 14.34 ft; minimum daily, 394 ft³/s Oct. 3.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|---------|--------|-------|--------|--------|--------|--------|-------|-------|-------|-------|
| 1 | 408 | 1120 | 11900 | 1600 | 1970 | 2500 | 11100 | 4090 | 3510 | 977 | 570 | 505 |
| 2 | 415 | 1050 | 9980 | 1500 | 1630 | 2300 | 9080 | 3570 | 2730 | 925 | 570 | 505 |
| 3 | 394 | 1330 | 7640 | 1300 | 2780 | 2220 | 6880 | 3280 | 2330 | 946 | 562 | 475 |
| 4 | 430 | 2550 | 8810 | 1200 | 8590 | 2150 | 6730 | 5460 | 2090 | 935 | 570 | 475 |
| 5 | 498 | 3400 | 14200 | 1200 | 10200 | 2580 | 10900 | 7470 | 1850 | 956 | 874 | 482 |
| 6 | 853 | 3420 | 14400 | 1200 | 8340 | 5700 | 15900 | 5440 | 1720 | 1670 | 967 | 498 |
| 7 | 794 | 2900 | 15000 | 1100 | 5530 | 6070 | 18000 | 4770 | 1620 | 1250 | 710 | 475 |
| 8 | 647 | 2450 | 15300 | 1000 | 3650 | 5750 | 16400 | 4430 | 1500 | 1360 | 756 | 445 |
| 9 | 578 | 1880 | 13100 | 960 | 2630 | 5250 | 12300 | 6420 | 1390 | 1050 | 1210 | 423 |
| 10 | 537 | 1620 | 10000 | 920 | 2350 | 4070 | 8660 | 5560 | 1320 | 988 | 814 | 408 |
| 11 | 521 | 2960 | 7380 | 900 | 2430 | 3270 | 6210 | 4130 | 1220 | 1100 | 814 | 529 |
| 12 | 545 | 7430 | 7250 | 900 | 7150 | 3080 | 4750 | 3770 | 1130 | 1040 | 1080 | 638 |
| 13 | 562 | 7870 | 10400 | 880 | 8250 | 2900 | 4030 | 3630 | 1080 | 914 | 874 | 505 |
| 14 | 728 | 5840 | 11900 | 860 | 12500 | 3250 | 3910 | 3120 | 1020 | 804 | 775 | 459 |
| 15 | 1030 | 5920 | 10300 | 860 | 18000 | 3830 | 3510 | 2750 | 1150 | 756 | 682 | 545 |
| 16 | 785 | 6320 | 7920 | 840 | 20300 | 7290 | 3420 | 2710 | 1090 | 756 | 629 | 612 |
| 17 | 691 | 6600 | 5990 | 840 | 17100 | 15300 | 3510 | 2480 | 988 | 737 | 604 | 521 |
| 18 | 701 | 7150 | 4300 | 820 | 12200 | 20300 | 5250 | 1970 | 967 | 682 | 595 | 467 |
| 19 | 775 | 6570 | 3470 | 820 | 8300 | 21000 | 6190 | 1870 | 967 | 647 | 587 | 459 |
| 20 | 1040 | 6570 | 2940 | 810 | 6830 | 18500 | 5700 | 1770 | 977 | 621 | 554 | 445 |
| 21 | 1380 | 6090 | 2530 | 800 | 5970 | 24200 | 5110 | 2370 | 1210 | 621 | 537 | 437 |
| 22 | 1770 | 5370 | 2760 | 800 | 5020 | 29300 | 6240 | 3750 | 1130 | 604 | 529 | 437 |
| 23 | 3510 | 5000 | 3510 | 780 | 3970 | 33200 | 11300 | 5700 | 1090 | 570 | 665 | 430 |
| 24 | 4240 | 6600 | 2850 | 780 | 3470 | 23200 | 13400 | 11500 | 1190 | 545 | 946 | 437 |
| 25 | 4690 | 9050 | 1840 | 7940 | 3030 | 17200 | 15200 | 8900 | 1590 | 587 | 665 | 437 |
| 26 | 4580 | 7870 | 1400 | 5890 | 2890 | 17600 | 13400 | 5800 | 1810 | 629 | 587 | 452 |
| 27 | 3630 | 6600 | 1200 | 5090 | 2660 | 20700 | 11400 | 4010 | 1660 | 656 | 537 | 521 |
| 28 | 2370 | 10900 | 1600 | 5230 | 2710 | 20900 | 9550 | 3470 | 1470 | 656 | 529 | 545 |
| 29 | 1810 | 16200 | 2500 | 4190 | 2830 | 21000 | 7730 | 7360 | 1240 | 629 | 537 | 475 |
| 30 | 1500 | 16000 | 2200 | 3300 | --- | 20500 | 5300 | 5800 | 1080 | 595 | 505 | 430 |
| 31 | 1220 | --- | 1900 | 2550 | --- | 15100 | --- | 4490 | --- | 587 | 498 | --- |
| TOTAL | 43632 | 174630 | 216470 | 57860 | 193280 | 380210 | 261060 | 141840 | 44119 | 25793 | 21332 | 14472 |
| MEAN | 1407 | 5821 | 6983 | 1866 | 6665 | 12260 | 8702 | 4575 | 1471 | 832 | 688 | 482 |
| MAX | 4690 | 16200 | 15300 | 7940 | 20300 | 33200 | 18000 | 11500 | 3510 | 1670 | 1210 | 638 |
| MIN | 394 | 1050 | 1200 | 780 | 1630 | 2150 | 3420 | 1770 | 967 | 545 | 498 | 408 |
| CAL YR 1983 | TOTAL | 1230161 | MEAN | 3370 | MAX | 33600 | MIN | 379 | | | | |
| WTR YR 1984 | TOTAL | 1574698 | MEAN | 4302 | MAX | 33200 | MIN | 394 | | | | |

03232470 PAINT CREEK BELOW PAINT CREEK DAM, NEAR BAINBRIDGE, OH

LOCATION.--Lat 39°15'08", long 83°20'58", Highland County, Hydrologic Unit 05060003, on right bank, 400 ft downstream from Paint Creek dam, 700 ft upstream from Cliff Creek, and 4.5 mi northwest of Bainbridge.

DRAINAGE AREA.--570 mi².

PERIOD OF RECORD.--Water years 1962-67, (occasional low-flow measurements), water years 1963-67 (annual maximums). Published as "at damsite near Bainbridge" 1963-67, October 1967 to current year.

GAGE.--Water-stage recorder. Datum of gage is 700.00 ft National Geodetic Vertical Datum of 1929. (levels by Corps of Engineers). Prior to May 3, 1968, water-stage recorder and crest-stage gage at partial-record site 1,000 ft downstream at datum 42.96 ft higher.

REMARKS.--Records good. Flow regulated by Paint Creek Lake (see station 03232460). Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--17 years, 578 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, about 45,000 ft³/s Mar. 10, 1964, gage height, 27.3 ft, site and datum then in use; minimum daily, 4.7 ft³/s Sept. 1, 1975.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 3,730 ft³/s Mar. 31, gage height, 52.78 ft; minimum daily, 13 ft³/s Aug. 31, Sept. 1, 2, 4.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|------|------|
| 1 | 47 | 723 | 2810 | 297 | 205 | 259 | 3610 | 422 | 1140 | 37 | 15 | 13 |
| 2 | 47 | 723 | 1590 | 170 | 205 | 202 | 3380 | 575 | 1130 | 45 | 15 | 13 |
| 3 | 47 | 607 | 924 | 202 | 1150 | 292 | 1540 | 437 | 1110 | 143 | 15 | 14 |
| 4 | 48 | 463 | 1870 | 294 | 2110 | 282 | 1140 | 788 | 696 | 199 | 20 | 13 |
| 5 | 48 | 460 | 2560 | 346 | 1310 | 795 | 1830 | 1030 | 390 | 171 | 21 | 14 |
| 6 | 48 | 456 | 2480 | 246 | 762 | 1920 | 1990 | 1100 | 210 | 157 | 28 | 14 |
| 7 | 51 | 449 | 1860 | 262 | 428 | 1620 | 1980 | 1100 | 147 | 179 | 107 | 14 |
| 8 | 48 | 441 | 1250 | 292 | 231 | 973 | 1620 | 1360 | 144 | 157 | 178 | 14 |
| 9 | 51 | 429 | 985 | 232 | 305 | 823 | 1190 | 1870 | 142 | 147 | 549 | 15 |
| 10 | 51 | 278 | 1030 | 211 | 340 | 803 | 925 | 1290 | 142 | 141 | 585 | 15 |
| 11 | 48 | 234 | 825 | 147 | 667 | 354 | 747 | 683 | 120 | 227 | 563 | 15 |
| 12 | 51 | 282 | 1150 | 121 | 1250 | 348 | 651 | 663 | 108 | 202 | 440 | 16 |
| 13 | 48 | 397 | 1350 | 121 | 1310 | 678 | 536 | 759 | 90 | 53 | 59 | 17 |
| 14 | 48 | 411 | 1220 | 123 | 2520 | 688 | 438 | 472 | 88 | 33 | 54 | 16 |
| 15 | 48 | 403 | 935 | 124 | 2660 | 956 | 451 | 267 | 87 | 54 | 34 | 16 |
| 16 | 48 | 444 | 895 | 124 | 2530 | 1940 | 506 | 244 | 92 | 65 | 29 | 16 |
| 17 | 115 | 487 | 662 | 124 | 2430 | 2510 | 567 | 298 | 96 | 61 | 29 | 17 |
| 18 | 162 | 385 | 508 | 124 | 1570 | 2480 | 496 | 379 | 108 | 61 | 24 | 17 |
| 19 | 228 | 339 | 512 | 124 | 973 | 2400 | 374 | 386 | 160 | 63 | 22 | 17 |
| 20 | 256 | 360 | 344 | 123 | 893 | 1890 | 419 | 263 | 110 | 66 | 26 | 17 |
| 21 | 957 | 304 | 370 | 122 | 571 | 968 | 433 | 228 | 192 | 50 | 30 | 17 |
| 22 | 1330 | 312 | 677 | 121 | 473 | 22 | 813 | 216 | 209 | 35 | 47 | 17 |
| 23 | 1890 | 354 | 613 | 65 | 643 | 21 | 1750 | 738 | 361 | 36 | 172 | 18 |
| 24 | 2080 | 741 | 341 | 990 | 433 | 941 | 2580 | 1150 | 269 | 31 | 211 | 18 |
| 25 | 2110 | 1150 | 208 | 2180 | 361 | 2780 | 2800 | 1020 | 152 | 32 | 93 | 18 |
| 26 | 2090 | 1180 | 208 | 1580 | 371 | 2800 | 2780 | 677 | 326 | 34 | 48 | 18 |
| 27 | 1190 | 1160 | 209 | 1060 | 362 | 2790 | 1630 | 424 | 384 | 36 | 28 | 17 |
| 28 | 687 | 2170 | 301 | 969 | 421 | 2580 | 844 | 629 | 117 | 30 | 16 | 17 |
| 29 | 698 | 3280 | 521 | 567 | 432 | 1030 | 590 | 1130 | 40 | 20 | 16 | 17 |
| 30 | 716 | 3230 | 662 | 282 | --- | 2580 | 319 | 1190 | 41 | 23 | 15 | 17 |
| 31 | 715 | --- | 516 | 205 | --- | 3620 | --- | 1180 | --- | 15 | 13 | --- |
| TOTAL | 16001 | 22652 | 30386 | 11948 | 27916 | 42345 | 39029 | 22968 | 8401 | 2603 | 3602 | 477 |
| MEAN | 516 | 755 | 980 | 385 | 963 | 1366 | 1301 | 741 | 280 | 84.0 | 116 | 15.9 |
| MAX | 2110 | 3280 | 2810 | 2180 | 2660 | 3620 | 3610 | 1870 | 1140 | 227 | 685 | 18 |
| MIN | 47 | 234 | 208 | 65 | 205 | 21 | 319 | 216 | 40 | 15 | 13 | 13 |

CAL YR 1983 TOTAL 216514.7 MEAN 593 MAX 4920 MIN 8.7
WTR YR 1984 TOTAL 228328.0 MEAN 624 MAX 3620 MIN 13

SCIOTO RIVER BASIN

03232500 ROCKY FORK NEAR BARRETT'S MILLS, OH

LOCATION.--Lat 39°13'06", long 83°23'08", Highland County, Hydrologic Unit 05060003, on left bank at downstream side of highway bridge, 1.1 mi north of Barretts Mills, 2 mi east of Rainsboro, 2.8 mi upstream from mouth, and 6 mi downstream from Rocky Fork Lake.

DRAINAGE AREA.--140 mi².

PERIOD OF RECORD.--October 1939 to current year.

REVISED RECORDS.--WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 770.8 ft National Geodetic Vertical Datum of 1929, (levels by Corps of Engineers). Prior to Feb. 15, 1940, nonrecording gage at same site and datum.

REMARKS.--Records fair. Some diurnal fluctuation caused by mill 6 mi upstream from station. Flow regulated by Rocky Fork Lake 6 mi upstream, since 1952, capacity, 34,100 acre-ft. Water-quality data collected at this site 1965 to 1977.

AVERAGE DISCHARGE.--45 years, 154 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 13,400 ft³/s Mar. 10, 1964 from rating curve extended above 8,800 ft³/s on basis of velocity-area studies; maximum gage height, 15.56 ft Mar. 6, 1945; minimum daily discharge, 0.90 ft³/s Sept. 10, 1966.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 2,000 ft³/s Nov. 28, gage height, 6.50 ft; minimum daily, 7.0 ft³/s Oct. 7-11.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|--------|---------|----------|----------|---------|-------|-------|------|------|------|------|------|
| 1 | 7.8 | 84 | 860 | 80 | 130 | 136 | 370 | 143 | 234 | 17 | 14 | 11 |
| 2 | 7.4 | 76 | 640 | 68 | 92 | 132 | 292 | 125 | 146 | 16 | 14 | 12 |
| 3 | 7.4 | 91 | 440 | 70 | 113 | 134 | 256 | 161 | 126 | 16 | 14 | 13 |
| 4 | 12 | 96 | 660 | 74 | 196 | 131 | 344 | 244 | 104 | 16 | 15 | 14 |
| 5 | 16 | 90 | 860 | 76 | 214 | 306 | 677 | 237 | 92 | 33 | 16 | 13 |
| 6 | 8.6 | 82 | 740 | 52 | 175 | 377 | 805 | 211 | 80 | 53 | 15 | 13 |
| 7 | 7.0 | 74 | 580 | 26 | 144 | 312 | 554 | 167 | 70 | 74 | 14 | 12 |
| 8 | 7.0 | 67 | 430 | 17 | 125 | 271 | 396 | 295 | 62 | 56 | 15 | 12 |
| 9 | 7.0 | 61 | 340 | 16 | 117 | 219 | 313 | 312 | 54 | 45 | 15 | 12 |
| 10 | 7.0 | 50 | 290 | 16 | 117 | 190 | 264 | 252 | 48 | 39 | 21 | 14 |
| 11 | 7.0 | 82 | 280 | 15 | 136 | 182 | 228 | 217 | 44 | 38 | 80 | 13 |
| 12 | 8.2 | 88 | 260 | 15 | 144 | 165 | 196 | 199 | 39 | 41 | 107 | 13 |
| 13 | 15 | 78 | 223 | 14 | 217 | 181 | 172 | 171 | 38 | 33 | 79 | 13 |
| 14 | 16 | 73 | 212 | 14 | 590 | 199 | 82 | 155 | 35 | 28 | 56 | 17 |
| 15 | 11 | 79 | 204 | 14 | 462 | 196 | 97 | 136 | 29 | 26 | 42 | 15 |
| 16 | 8.6 | 118 | 195 | 14 | 349 | 229 | 107 | 118 | 26 | 31 | 33 | 13 |
| 17 | 7.8 | 137 | 191 | 14 | 280 | 225 | 139 | 105 | 25 | 24 | 26 | 13 |
| 18 | 32 | 130 | 190 | 14 | 236 | 223 | 163 | 99 | 24 | 21 | 35 | 13 |
| 19 | 45 | 220 | 187 | 14 | 212 | 209 | 168 | 93 | 29 | 18 | 34 | 13 |
| 20 | 156 | 244 | 188 | 14 | 180 | 357 | 165 | 86 | 30 | 16 | 26 | 13 |
| 21 | 1300 | 154 | 193 | 14 | 159 | 1080 | 172 | 80 | 36 | 16 | 20 | 13 |
| 22 | 1000 | 36 | 229 | 15 | 142 | 838 | 866 | 78 | 35 | 15 | 17 | 13 |
| 23 | 1200 | 91 | 197 | 25 | 133 | 604 | 1210 | 341 | 32 | 15 | 17 | 13 |
| 24 | 800 | 260 | 160 | 274 | 125 | 435 | 1000 | 262 | 32 | 15 | 15 | 19 |
| 25 | 580 | 235 | 78 | 226 | 123 | 390 | 645 | 198 | 28 | 15 | 13 | 16 |
| 26 | 399 | 287 | 70 | 263 | 116 | 365 | 451 | 174 | 24 | 16 | 12 | 14 |
| 27 | 262 | 291 | 70 | 221 | 116 | 308 | 288 | 144 | 22 | 17 | 12 | 14 |
| 28 | 204 | 1670 | 84 | 181 | 147 | 697 | 198 | 341 | 20 | 15 | 12 | 14 |
| 29 | 155 | 1200 | 120 | 157 | 146 | 1230 | 173 | 757 | 19 | 15 | 12 | 15 |
| 30 | 121 | 1000 | 160 | 144 | --- | 780 | 171 | 466 | 18 | 15 | 12 | 15 |
| 31 | 104 | --- | 100 | 134 | --- | 509 | --- | 324 | --- | 14 | 12 | --- |
| TOTAL | 6518.8 | 7244 | 9431 | 2291 | 5436 | 11610 | 10962 | 6691 | 1601 | 809 | 825 | 408 |
| MEAN | 210 | 241 | 304 | 73.9 | 187 | 375 | 365 | 216 | 53.4 | 26.1 | 26.6 | 13.6 |
| MAX | 1300 | 1670 | 860 | 274 | 590 | 1230 | 1210 | 757 | 234 | 74 | 107 | 19 |
| MIN | 7.0 | 36 | 70 | 14 | 92 | 131 | 82 | 78 | 18 | 14 | 12 | 11 |
| CAL YR 1983 | TOTAL | 66925.6 | MEAN 183 | MAX 3460 | MIN 6.1 | | | | | | | |
| WTR YR 1984 | TOTAL | 63826.8 | MEAN 174 | MAX 1670 | MIN 7.0 | | | | | | | |

03234000 PAINT CREEK NEAR BOURNEVILLE, OH

LOCATION.--Lat 39°15'49", long 83°10'01", Ross County, Hydrologic Unit 05060003, on upstream side of left abutment of highway bridge, 0.2 mi downstream from Sulfur Lick, 1.2 mi southwest of Bourneville, and 1.2 mi upstream from Upper Twin Creek.

DRAINAGE AREA.--807 mi².

PERIOD OF RECORD.--October 1921 to January 1937, January 1938 to current year. Monthly discharge only for some periods, published in WSP 1305. Published as "at Bainbridge" October 1921 to September 1923 and as "near Bainbridge" January 1938 to May 1939.

REVISED RECORDS.--WRD Ohio 1972: 1971.

GAGE.--Water-stage recorder. Datum of gage is 665.56 ft National Geodetic Vertical Datum of 1929. See WSP 1725 for history of changes prior to May 3, 1939.

REMARKS.--Records fair, except those for winter periods which are poor. Flow regulated by Paint Creek Lake 17 mi upstream since 1971, capacity 145,000 acre-ft and Rocky Fork Lake 23 mi upstream since 1952, capacity, 34,100 acre-ft. Water-quality data collected at this site 1965 to 1977. Sediment data 1956 to 1962.

AVERAGE DISCHARGE.--61 years (1921-36, 1939-84), 805 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 56,900 ft³/s Mar. 10, 1964, gage height, 20.50 ft, from rating curve extended above 30,000 ft³/s on basis of contracted-opening measurement at gage height 20.08 ft; minimum daily, 5 ft³/s Oct. 29, 1965.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 7,010 ft³/s Mar. 21, gage height, 8.94 ft; minimum daily, 40 ft³/s Sept. 13.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|--------|----------|----------|--------|-------|-------|-------|-------|------|------|------|
| 1 | 60 | 843 | 4260 | 400 | 341 | 484 | 4580 | 544 | 1560 | 109 | 70 | 47 |
| 2 | 58 | 843 | 2590 | 280 | 344 | 371 | 4450 | 706 | 1420 | 107 | 69 | 45 |
| 3 | 58 | 812 | 1500 | 320 | 1010 | 406 | 2570 | 729 | 1360 | 122 | 69 | 47 |
| 4 | 64 | 740 | 2970 | 440 | 2580 | 440 | 1910 | 1090 | 1060 | 226 | 69 | 52 |
| 5 | 78 | 640 | 3960 | 450 | 1920 | 1180 | 3260 | 1410 | 549 | 215 | 90 | 47 |
| 6 | 56 | 620 | 3740 | 390 | 1130 | 2830 | 3860 | 1490 | 378 | 231 | 84 | 46 |
| 7 | 65 | 600 | 3180 | 320 | 668 | 2450 | 3250 | 1480 | 285 | 251 | 93 | 44 |
| 8 | 64 | 569 | 2130 | 300 | 410 | 1620 | 2710 | 1870 | 260 | 254 | 184 | 43 |
| 9 | 61 | 544 | 1480 | 270 | 414 | 1150 | 1900 | 2670 | 248 | 215 | 317 | 42 |
| 10 | 64 | 448 | 1560 | 250 | 444 | 1100 | 1560 | 2040 | 237 | 207 | 651 | 42 |
| 11 | 61 | 375 | 1360 | 230 | 625 | 776 | 1200 | 1200 | 228 | 207 | 559 | 43 |
| 12 | 64 | 390 | 1560 | 220 | 1510 | 493 | 1010 | 874 | 191 | 301 | 559 | 41 |
| 13 | 69 | 475 | 1870 | 174 | 1580 | 862 | 868 | 1050 | 186 | 179 | 251 | 40 |
| 14 | 76 | 520 | 1820 | 172 | 3860 | 973 | 641 | 788 | 176 | 116 | 151 | 45 |
| 15 | 68 | 525 | 1280 | 169 | 3810 | 1260 | 589 | 502 | 172 | 105 | 132 | 52 |
| 16 | 65 | 584 | 1320 | 169 | 3500 | 2140 | 646 | 402 | 167 | 136 | 109 | 44 |
| 17 | 66 | 706 | 960 | 167 | 3250 | 3160 | 741 | 398 | 169 | 128 | 97 | 42 |
| 18 | 174 | 620 | 735 | 167 | 2440 | 3170 | 782 | 444 | 165 | 124 | 99 | 42 |
| 19 | 215 | 609 | 706 | 165 | 1360 | 3060 | 579 | 461 | 212 | 122 | 93 | 41 |
| 20 | 297 | 690 | 630 | 186 | 1240 | 2790 | 630 | 406 | 181 | 120 | 87 | 41 |
| 21 | 2000 | 635 | 479 | 189 | 907 | 4620 | 651 | 331 | 228 | 118 | 82 | 42 |
| 22 | 2440 | 378 | 980 | 186 | 609 | 1580 | 2000 | 317 | 234 | 109 | 81 | 42 |
| 23 | 3340 | 436 | 987 | 153 | 735 | 1110 | 3470 | 1110 | 327 | 92 | 107 | 43 |
| 24 | 3750 | 874 | 560 | 1010 | 641 | 1140 | 4350 | 1600 | 310 | 92 | 263 | 50 |
| 25 | 3480 | 1610 | 320 | 2890 | 484 | 3680 | 4170 | 1390 | 240 | 99 | 134 | 55 |
| 26 | 3150 | 1670 | 300 | 2040 | 479 | 3790 | 3860 | 1050 | 260 | 92 | 105 | 51 |
| 27 | 2320 | 1730 | 300 | 1480 | 475 | 3680 | 2760 | 646 | 359 | 99 | 84 | 46 |
| 28 | 980 | 4480 | 450 | 1230 | 554 | 4260 | 1310 | 887 | 263 | 97 | 64 | 45 |
| 29 | 907 | 5460 | 760 | 776 | 625 | 3390 | 940 | 2610 | 128 | 89 | 56 | 45 |
| 30 | 887 | 4710 | 940 | 475 | --- | 3800 | 625 | 1980 | 115 | 76 | 53 | 45 |
| 31 | 849 | --- | 740 | 355 | --- | 4840 | --- | 1760 | --- | 78 | 51 | --- |
| TOTAL | 25886 | 34136 | 46427 | 16023 | 38045 | 66605 | 62172 | 34235 | 11668 | 4506 | 4913 | 1350 |
| MEAN | 835 | 1138 | 1498 | 517 | 1312 | 2149 | 2072 | 1104 | 389 | 145 | 158 | 45.0 |
| MAX | 3750 | 5460 | 4260 | 2890 | 3860 | 4840 | 4580 | 2670 | 1560 | 301 | 651 | 55 |
| MIN | 56 | 375 | 300 | 153 | 341 | 371 | 589 | 317 | 115 | 76 | 51 | 40 |
| CAL YR 1983 | TOTAL | 336784 | MEAN 923 | MAX 6400 | MIN 30 | | | | | | | |
| WTR YR 1984 | TOTAL | 345966 | MEAN 945 | MAX 5460 | MIN 40 | | | | | | | |

SCIOTO RIVER BASIN

03234500 SCIOTO RIVER AT HIGBY, OH
(National stream quality accounting network station)

LOCATION.--Lat 39°12'44", long 82°51'50", in sec. 6, T.7 N., R.20 W., Ross County, Hydrologic Unit 05060002, on left bank at downstream side of highway bridge, 0.8 mi downstream from Walnut Creek, 1.2 mi north of Higby, 3 mi northwest of Richmondale and 5.0 mi upstream from Salt Creek.

DRAINAGE AREA.--5,131 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--October 1930 to current year. Monthly discharge only for some periods, published in WSP 1305.

REVISED RECORDS.--WSP 893: 1937(M). WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 567.28 ft National Geodetic Vertical Datum of 1929. Prior to Nov. 7, 1930, nonrecording gage at same site and datum.

REMARKS.--Records good except those for winter periods and those below 540 cfs, which are fair. Flow slightly regulated by 8 reservoirs 45 mi to 105 mi upstream from station.

AVERAGE DISCHARGE.--54 years, 4,594 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 177,000 ft³/s Jan. 23, 1937, from rating curve extended above 112,000 ft³/s; maximum gage height, 26.4 ft Jan. 23, 1937, from floodmarks, and Jan. 23, 1959; minimum daily discharge, 244 ft³/s Oct. 23, 1930.

EXTREMES OUTSIDE PERIOD OF RECORD.--A stage of 31.6 ft occurred Mar. 26, 1913, and has not been exceeded since.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 36,900 ft³/s Mar. 21, gage height, 16.97 ft; minimum daily, 520 ft³/s Sept. 25.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------------|---------|--------|--------|-----------|-----------|---------|--------|--------|-------|-------|-------|-------|
| 1 | 609 | 2020 | 15600 | 1200 | 2550 | 3280 | 16300 | 5120 | 5470 | 1340 | 762 | 642 |
| 2 | 624 | 1970 | 12200 | 1000 | 2140 | 2880 | 13800 | 4690 | 4510 | 1290 | 750 | 678 |
| 3 | 605 | 2050 | 8940 | 1000 | 2920 | 2770 | 10900 | 4760 | 3910 | 1300 | 873 | 642 |
| 4 | 647 | 2950 | 11600 | 1100 | 9400 | 2740 | 9730 | 6470 | 3560 | 1340 | 1370 | 619 |
| 5 | 733 | 3590 | 17900 | 1200 | 11800 | 4070 | 16100 | 9160 | 2810 | 1430 | 1410 | 619 |
| 6 | 985 | 3780 | 18000 | 1300 | 9560 | 8590 | 22100 | 7480 | 2440 | 1980 | 1150 | 642 |
| 7 | 1090 | 3340 | 18100 | 1200 | 6400 | 8680 | 22500 | 6910 | 2230 | 1750 | 1040 | 590 |
| 8 | 918 | 2940 | 17200 | 1100 | 4400 | 7480 | 20600 | 6510 | 2120 | 1850 | 1060 | 580 |
| 9 | 818 | 2460 | 14400 | 1000 | 3260 | 5250 | 15800 | 9330 | 2010 | 1590 | 1680 | 580 |
| 10 | 760 | 2210 | 11400 | 1000 | 2930 | 5260 | 11200 | 8470 | 1890 | 1440 | 1620 | 600 |
| 11 | 736 | 2820 | 8650 | 980 | 2880 | 4380 | 8230 | 6130 | 1790 | 1520 | 1630 | 620 |
| 12 | 762 | 6410 | 8200 | 960 | 6590 | 3700 | 6590 | 5140 | 1660 | 1580 | 1850 | 836 |
| 13 | 806 | 7550 | 11100 | 940 | 9180 | 3710 | 5600 | 4990 | 1590 | 1450 | 1550 | 678 |
| 14 | 842 | 5880 | 13000 | 900 | 16200 | 4500 | 5190 | 4470 | 1510 | 1220 | 1210 | 580 |
| 15 | 1280 | 5800 | 11300 | 880 | 20900 | 5110 | 4550 | 3750 | 1550 | 1100 | 1080 | 620 |
| 16 | 1080 | 6200 | 8970 | 860 | 23300 | 8480 | 4490 | 3530 | 1560 | 1050 | 960 | 775 |
| 17 | 957 | 6530 | 6910 | 860 | 20900 | 17200 | 4540 | 3300 | 1470 | 1080 | 898 | 690 |
| 18 | 1000 | 6910 | 5220 | 840 | 15500 | 22100 | 6240 | 2760 | 1410 | 1040 | 873 | 580 |
| 19 | 1140 | 6370 | 4290 | 820 | 9870 | 23600 | 7150 | 2640 | 1410 | 985 | 860 | 550 |
| 20 | 1450 | 6430 | 3800 | 820 | 7880 | 21800 | 6660 | 2500 | 1440 | 947 | 824 | 540 |
| 21 | 2700 | 6110 | 3230 | 800 | 6760 | 34900 | 6090 | 2530 | 1580 | 910 | 787 | 540 |
| 22 | 4040 | 5410 | 3780 | 800 | 5660 | 32700 | 8730 | 4210 | 1720 | 910 | 775 | 540 |
| 23 | 6290 | 5010 | 4630 | 800 | 4680 | 34500 | 16800 | 6470 | 1630 | 848 | 824 | 540 |
| 24 | 7630 | 6400 | 3490 | 1000 | 4250 | 27500 | 18600 | 12300 | 1780 | 811 | 1320 | 540 |
| 25 | 7440 | 9340 | 1630 | 9730 | 3640 | 20900 | 19900 | 10900 | 2090 | 910 | 1100 | 520 |
| 26 | 6920 | 8620 | 1600 | 8320 | 3440 | 21600 | 17800 | 7440 | 2210 | 935 | 910 | 540 |
| 27 | 5880 | 7450 | 1500 | 6580 | 3230 | 23800 | 14900 | 5210 | 2230 | 910 | 799 | 580 |
| 28 | 3680 | 15500 | 1400 | 6160 | 3410 | 26100 | 11100 | 4720 | 2090 | 850 | 738 | 702 |
| 29 | 2790 | 21500 | 1700 | 5220 | 3650 | 29800 | 8980 | 12600 | 1730 | 811 | 738 | 600 |
| 30 | 2420 | 20400 | 1800 | 4050 | --- | 25400 | 6620 | 8570 | 1480 | 775 | 690 | 540 |
| 31 | 2150 | --- | 1600 | 3220 | --- | 21400 | --- | 6680 | --- | 762 | 666 | --- |
| TOTAL | 69582 | 193950 | 253140 | 66640 | 227280 | 465180 | 347890 | 189740 | 64880 | 36734 | 32797 | 18303 |
| MEAN | 2245 | 6465 | 8166 | 2150 | 7837 | 15010 | 11600 | 6121 | 2163 | 1185 | 1058 | 610 |
| MAX | 7630 | 21500 | 18100 | 9730 | 23300 | 34900 | 22500 | 12600 | 5470 | 1980 | 1850 | 836 |
| MIN | 605 | 1970 | 1400 | 800 | 2140 | 2740 | 4490 | 2500 | 1410 | 762 | 666 | 520 |
| CAL YR 1983 TOTAL | 1654322 | | | MEAN 4532 | MAX 44600 | MIN 605 | | | | | | |
| WTR YR 1984 TOTAL | 1966116 | | | MEAN 5372 | MAX 34900 | MIN 520 | | | | | | |

03234500 SCIOTO RIVER AT HIGBY, OH--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 1954 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: March 1967 to current year.

pH: March 1967 to current year.

WATER TEMPERATURES: October 1953 to current year.

DISSOLVED OXYGEN: March 1967 to current year.

INSTRUMENTATION.--Water-quality monitor since March 1967.

REMARKS.--Samples were collected each month as part of the National Stream Quality Accounting Network.

Interruptions in the water-quality record were due to malfunction of the instrument. Daily Sediment data collected 1954-1974, 1979-1982.

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: Maximum, 1,070 micromhos Sept. 29, 1984; minimum, 113 micromhos Sept. 16, 1975.

pH: Maximum, 9.3 units July 21, 1982, July 19, Aug. 21, 1984; minimum, 5.9 units Mar. 8, 1980.

WATER TEMPERATURES: Maximum, 34.0°C June 29, 1966; minimum, 0.0°C on many days during winter periods.

DISSOLVED OXYGEN: Maximum, >20.0 mg/L on several days during period 1982 to 1984; minimum, 0.0 mg/L on many days during 1968, Sept. 13, 1969.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum, 1,070 micromhos Sept. 29; minimum, 268 micromhos March 21.

pH: Maximum, 9.3 units July 19, Aug. 21; minimum 7.4 units Nov. 5.

WATER TEMPERATURES: Maximum, 28.0°C Aug. 9; minimum, 0.0°C Jan. 21, Feb. 8.

DISSOLVED OXYGEN: Maximum, >20.0 mg/L June 15, July 17, 18, 19, 20; minimum, 3.9 mg/L Sept. 25.

WATER QUALITY DATA, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | ALUM- INUM, DIS- SOLVED (UG/L AS AL) | ARSENIC DIS- SOLVED (UG/L AS AS) | BARIUM, DIS- SOLVED (UG/L AS BA) | BERYL- LIUM, DIS- SOLVED (UG/L AS BE) | CADMIUM DIS- SOLVED (UG/L AS CD) | CHRO- MIUM, DIS- SOLVED (UG/L AS CR) | COBALT, DIS- SOLVED (UG/L AS CO) | COPPER, DIS- SOLVED (UG/L AS CJ) | IRON, DIS- SOLVED (UG/L AS FE) |
|--------------|------|---|---|--|--|--|--|---|--|--|--|
| NOV 15... | 1400 | 5820 | 30 | 1 | 79 | <.5 | <1 | <1 | <3 | 10 | 46 |
| JAN 25... | 0830 | 11300 | 40 | 2 | 74 | <.5 | <1 | <1 | <3 | 10 | 32 |
| MAY 09... | 1000 | 9470 | 10 | 1 | 71 | <1 | <1 | 20 | <3 | 11 | 33 |
| JUL 17... | 1000 | 1060 | 50 | 2 | 110 | 1 | <1 | <1 | <3 | 16 | 13 |

| DATE | LEAD, DIS- SOLVED (UG/L AS PB) | LITHIUM DIS- SOLVED (UG/L AS LI) | MANGA- NESE, DIS- SOLVED (UG/L AS MN) | MERCURY DIS- SOLVED (UG/L AS HG) | MOLYB- DENUM, DIS- SOLVED (UG/L AS MO) | NICKEL, DIS- SOLVED (UG/L AS NI) | SELE- NIUM, DIS- SOLVED (UG/L AS SE) | SILVER, DIS- SOLVED (UG/L AS AG) | STRON- TIUM, DIS- SOLVED (UG/L AS SR) | VANA- DIUM, DIS- SOLVED (UG/L AS V) | ZINC, DIS- SOLVED (UG/L AS ZN) |
|--------------|--|--|--|--|---|--|---|--|--|--|--|
| NOV 15... | 3 | <4 | 6 | .2 | <10 | 3 | <1 | <1 | 1700 | <6 | 7 |
| JAN 25... | 3 | <4 | 25 | .2 | <10 | 5 | <1 | <1 | 940 | <6 | 15 |
| MAY 09... | 2 | <4 | 3 | .2 | <10 | 5 | <1 | <1 | 850 | <6 | 6 |
| JUL 17... | 6 | 16 | 3 | .2 | 10 | 3 | <1 | 1 | 1400 | <6 | 11 |

SCIOTO RIVER BASIN

03234500 SCIOTO RIVER AT HIGBY, OH--Continued

WATER QUALITY DATA, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | SPE- CIFIC CON- DUCT- ANCE (UMHOS) | PH (STAND- ARD) UNITS) | TEMPER- ATURE, AIR (DEG C) | TEMPER- ATURE (DEG C) | TUR- BID- ITY (NTU) | OXYGEN, DIS- SOLVED (MG/L) | OXYGEN, DIS- SOLVED (PER- CENT SATUR- ATION) | COLI- FORM, FECAL, 0.7 UM-4F (COLS./ 100 ML) |
|--------------|------|---|---|---------------------------------|-------------------------------------|-----------------------------|------------------------------|-------------------------------------|--|--|
| NOV 15... | 1400 | 5820 | 630 | 7.9 | 9.0 | 8.0 | 22 | 10.4 | 91 | 4000 |
| JAN 25... | 0830 | 11300 | 515 | 8.0 | 1.0 | 1.0 | 100 | 13.2 | 95 | 2000 |
| MAY 09... | 1000 | 9470 | 515 | 7.8 | 12.0 | 12.0 | 40 | 10.6 | 101 | 3500 |
| JUL 17... | 1000 | 1060 | 735 | 8.8 | 27.0 | 25.0 | 12 | 10.8 | 135 | 220 |

| DATE | TIME | STREP- TOCOCCI FECAL, KF AGAR (COLS. PER 100 ML) | CALCIUM DIS- SOLVED (MG/L AS CA) | MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) | SODIUM, DIS- SOLVED (MG/L AS NA) | PERCENT SODIUM | SODIUM AD- SORP- TION RATIO | POTAS- SIUM, DIS- SOLVED (MG/L AS K) | ALKA- LINITY LAB (MG/L AS CAC03) | SULFATE DIS- SOLVED (MG/L AS SO4) | CHLO- RIDE, DIS- SOLVED (MG/L AS CL) |
|--------------|-------|--|--|--|--|-------------------|---|---|---|---|---|
| NOV 15... | 3100 | 75 | 25 | 19 | 12 | .5 | 4.0 | 159 | 100 | 35 | |
| JAN 25... | 17000 | 48 | 19 | 21 | 18 | .7 | 8.3 | 135 | 65 | 38 | |
| MAY 09... | 8000 | 58 | 22 | 12 | 10 | .4 | 2.3 | 162 | 58 | 23 | |
| JUL 17... | K30 | 74 | 27 | 37 | 21 | 1 | 3.9 | 219 | 98 | 52 | |

| DATE | TIME | FLUO- RIDE, DIS- SOLVED (MG/L AS F) | SILICA, DIS- SOLVED (MG/L AS SiO2) | SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) | NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N) | NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) | NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH4) | NITRO- GEN,AM- MONIA + ORGANIC TOTAL (MG/L AS N) | PHOS- PHORUS, TOTAL (MG/L AS P) | PHOS- PHORUS, DIS- SOLVED (MG/L AS P) | PHOS- PHORUS, ORTH0, DIS- SOLVED (MG/L AS P) |
|--------------|------|--|---|--|---|---|---|--|---|--|--|
| NOV 15... | .40 | 7.9 | 414 | 7.70 | .160 | .21 | 2.6 | .370 | .240 | .240 | |
| JAN 25... | .30 | 4.2 | 320 | 3.00 | .720 | .93 | 2.9 | .910 | .610 | .580 | |
| MAY 09... | .30 | 5.4 | 369 | 3.80 | .080 | .10 | 1.1 | .270 | .140 | .120 | |
| JUL 17... | .50 | 1.7 | 490 | 2.00 | <.010 | -- | 1.2 | .330 | .270 | .240 | |

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | TEMPER- ATURE (DEG C) | SEDI- MENT, SUS- PENDED (MG/L) | SEDI- MENT, DIS- CHARGE, SUS- PENDED (T/DAY) |
|--------------|------|---|-----------------------------|--|--|
| NOV 15... | 1400 | 5820 | 8.0 | 75 | 1180 |
| JAN 25... | 0830 | 11300 | 1.0 | 498 | 15200 |
| MAY 09... | 1000 | 9470 | 12.0 | 128 | 3270 |
| JUL 17... | 1000 | 1060 | 25.0 | 30 | 86 |

03234500 SCIOTO RIVER AT HIGBY, OH--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|----------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
| 1 | 876 | 852 | 858 | 618 | 604 | 612 | 470 | 446 | 460 | 766 | 740 | 755 |
| 2 | 896 | 878 | 885 | 628 | 612 | 617 | 476 | 468 | 472 | 782 | 766 | 777 |
| 3 | 908 | 888 | 897 | 640 | 624 | 632 | 480 | 470 | 475 | 796 | 782 | 791 |
| 4 | 896 | 868 | 884 | 694 | 642 | 663 | 480 | 428 | 451 | 788 | 746 | 772 |
| 5 | 882 | 818 | 848 | 694 | 598 | 634 | 440 | 412 | 435 | 744 | 726 | 732 |
| 6 | 826 | 806 | 819 | 634 | 586 | 602 | 438 | 404 | 427 | 756 | 732 | 745 |
| 7 | 810 | 806 | 808 | 632 | 604 | 616 | 456 | 440 | 445 | 756 | 744 | 750 |
| 8 | 822 | 812 | 817 | 632 | 624 | 628 | 462 | 454 | 460 | 758 | 750 | 755 |
| 9 | 818 | 800 | 813 | 640 | 628 | 636 | 468 | 462 | 464 | 782 | 752 | 764 |
| 10 | 800 | 776 | 787 | 638 | 620 | 633 | 478 | 470 | 475 | 788 | 776 | 784 |
| 11 | 774 | 754 | 760 | 614 | 538 | 577 | 490 | 476 | 483 | 780 | 764 | 771 |
| 12 | 762 | 754 | 758 | 624 | 514 | 575 | 504 | 490 | 497 | 796 | 754 | 770 |
| 13 | 786 | 762 | 771 | 538 | 498 | 517 | 508 | 500 | 503 | 786 | 754 | 756 |
| 14 | 806 | 790 | 796 | --- | --- | --- | 500 | 484 | 492 | 792 | 764 | 778 |
| 15 | 808 | 762 | 778 | 628 | 618 | 625 | 504 | 486 | 495 | 800 | 788 | 795 |
| 16 | 814 | 788 | 806 | 616 | 568 | 600 | 512 | 484 | 507 | 802 | 790 | 797 |
| 17 | 828 | 814 | 823 | 566 | 546 | 554 | --- | --- | --- | 812 | 794 | 802 |
| 18 | 818 | 734 | 770 | 550 | 538 | 545 | 550 | 528 | 539 | 812 | 798 | 803 |
| 19 | 726 | 672 | 685 | 550 | 538 | 545 | 572 | 528 | 546 | 806 | 796 | 800 |
| 20 | 670 | 634 | 651 | 550 | 544 | 548 | 580 | 570 | 574 | 840 | 808 | 817 |
| 21 | 630 | 518 | 566 | 570 | 544 | 559 | 596 | 576 | 587 | 856 | 838 | 845 |
| 22 | 520 | 480 | 504 | 576 | 562 | 569 | 604 | 560 | 583 | 882 | 856 | 870 |
| 23 | 482 | 408 | 435 | 574 | 568 | 572 | 602 | 572 | 587 | 882 | 866 | 873 |
| 24 | 482 | 428 | 449 | 574 | 556 | 569 | 658 | 602 | 632 | 870 | 528 | 768 |
| 25 | 470 | 430 | 446 | 552 | 518 | 529 | 692 | 660 | 676 | 526 | 452 | 483 |
| 26 | 530 | 464 | 498 | 540 | 524 | 532 | 704 | 694 | 698 | 526 | 478 | 506 |
| 27 | 550 | 528 | 536 | 556 | 542 | 552 | 702 | 690 | 696 | 588 | 512 | 546 |
| 28 | 592 | 556 | 581 | 550 | 368 | 417 | 700 | 678 | 686 | 592 | 564 | 573 |
| 29 | 594 | 584 | 587 | 420 | 374 | 406 | 682 | 626 | 649 | 596 | 526 | 579 |
| 30 | 602 | 586 | 591 | 444 | 402 | 428 | 662 | 582 | 613 | 630 | 598 | 619 |
| 31 | 612 | 604 | 608 | --- | --- | --- | 740 | 670 | 720 | 640 | 624 | 629 |
| MONTH | 908 | 408 | 704 | 694 | 368 | 569 | 740 | 404 | 544 | 882 | 452 | 736 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| | FEBRUARY | | | MARCH | | | APRIL | | | MAY | | |
| 1 | 656 | 640 | 647 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | 662 | 642 | 652 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | 660 | 576 | 635 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | 580 | 502 | 526 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | 536 | 418 | 473 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | 476 | 416 | 451 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | 478 | 468 | 472 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | 486 | 476 | 482 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | 680 | 665 | 675 | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | 660 | 640 | 645 | --- | --- | --- | --- | --- | --- |
| 15 | 411 | 407 | 409 | 660 | 630 | 640 | 592 | 582 | 587 | --- | --- | --- |
| 16 | 410 | 406 | 408 | 640 | 615 | 625 | 596 | 592 | 595 | --- | --- | --- |
| 17 | 414 | 406 | 408 | 615 | 525 | 570 | 592 | 576 | 583 | --- | --- | --- |
| 18 | 445 | 415 | 430 | 515 | 429 | 487 | 584 | 534 | 559 | --- | --- | --- |
| 19 | 489 | 446 | 468 | 477 | 433 | 455 | 552 | 534 | 544 | --- | --- | --- |
| 20 | 510 | 496 | 500 | 432 | 334 | 572 | 562 | 542 | 550 | --- | --- | --- |
| 21 | 525 | 515 | 525 | 318 | 268 | 288 | 574 | 562 | 568 | --- | --- | --- |
| 22 | 540 | 525 | 535 | 338 | 304 | 329 | 572 | 288 | 486 | --- | --- | --- |
| 23 | 565 | 540 | 550 | 380 | 336 | 352 | --- | --- | --- | --- | --- | --- |
| 24 | 580 | 570 | 575 | 416 | 378 | 398 | --- | --- | --- | --- | --- | --- |
| 25 | 595 | 580 | 585 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 615 | 595 | 605 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 620 | 615 | 620 | 414 | 394 | 335 | --- | --- | --- | --- | --- | --- |
| 28 | 615 | 570 | 600 | 416 | 348 | 396 | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | 376 | 346 | 359 | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | 402 | 378 | 390 | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 662 | 406 | 525 | 680 | 268 | 470 | 596 | 288 | 559 | --- | --- | --- |

SCIOTO RIVER BASIN

03234500 SCIOTO RIVER AT HIGBY, OH--Continued
 SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|------|------|
| | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | --- | --- | --- | 728 | 714 | 722 | 816 | 800 | 808 | 832 | 820 | 826 |
| 2 | --- | --- | --- | 738 | 728 | 733 | 820 | 790 | 811 | 852 | 826 | 838 |
| 3 | --- | --- | --- | 744 | 736 | 739 | 800 | 788 | 793 | 848 | 834 | 840 |
| 4 | --- | --- | --- | 752 | 744 | 749 | 818 | 810 | 792 | 866 | 848 | 857 |
| 5 | --- | --- | --- | 742 | 716 | 733 | 736 | 624 | 684 | 862 | 854 | 858 |
| 6 | --- | --- | --- | 726 | 704 | 716 | 730 | 672 | 713 | 858 | 850 | 855 |
| 7 | --- | --- | --- | 716 | 700 | 710 | 800 | 734 | 771 | --- | --- | --- |
| 8 | --- | --- | --- | 706 | 644 | 671 | 794 | 764 | 784 | --- | --- | --- |
| 9 | --- | --- | --- | 642 | 624 | 631 | 754 | 682 | 717 | --- | --- | --- |
| 10 | --- | --- | --- | 674 | 644 | 664 | 686 | 636 | 656 | --- | --- | --- |
| 11 | --- | --- | --- | 686 | 674 | 681 | 636 | 616 | 625 | --- | --- | --- |
| 12 | --- | --- | --- | 690 | 670 | 682 | 632 | 604 | 617 | --- | --- | --- |
| 13 | --- | --- | --- | 682 | 672 | 678 | 678 | 620 | 654 | 910 | 890 | 897 |
| 14 | --- | --- | --- | 698 | 684 | 693 | 712 | 680 | 701 | 1000 | 912 | 955 |
| 15 | 708 | 678 | 698 | 728 | 700 | 719 | 696 | 670 | 680 | 948 | 890 | 935 |
| 16 | 728 | 696 | 718 | 758 | 724 | 741 | 718 | 686 | 702 | 946 | 852 | 908 |
| 17 | 748 | 732 | 742 | 738 | 722 | 730 | 706 | 686 | 698 | 866 | 844 | 848 |
| 18 | 762 | 718 | 746 | 752 | 736 | 742 | 710 | 692 | 702 | 882 | 852 | 865 |
| 19 | 732 | 714 | 724 | 754 | 724 | 742 | 724 | 696 | 711 | 914 | 884 | 900 |
| 20 | 732 | 722 | 727 | 744 | 712 | 729 | 730 | 692 | 712 | 976 | 892 | 919 |
| 21 | 760 | 734 | 752 | 736 | 702 | 715 | 800 | 702 | 752 | 986 | 922 | 954 |
| 22 | 754 | 714 | 728 | --- | --- | --- | 820 | 798 | 811 | 968 | 930 | 950 |
| 23 | 728 | 712 | 721 | --- | --- | --- | 840 | 818 | 827 | 968 | 946 | 959 |
| 24 | 716 | 704 | 711 | --- | --- | --- | 832 | 770 | 806 | 990 | 946 | 961 |
| 25 | 712 | 700 | 706 | --- | --- | --- | 764 | 726 | 741 | 1010 | 958 | 983 |
| 26 | 730 | 694 | 711 | --- | --- | --- | 766 | 732 | 750 | 964 | 950 | 957 |
| 27 | 746 | 692 | 723 | --- | --- | --- | 780 | 744 | 765 | 972 | 962 | 965 |
| 28 | 698 | 686 | 690 | --- | --- | --- | 762 | 738 | 752 | 990 | 968 | 978 |
| 29 | 726 | 700 | 714 | --- | --- | --- | 784 | 762 | 772 | 1070 | 1000 | 1030 |
| 30 | 728 | 724 | 725 | --- | --- | --- | 800 | 774 | 789 | 1020 | 1000 | 1010 |
| 31 | --- | --- | --- | 802 | 784 | 369 | 828 | 802 | 818 | --- | --- | --- |
| MONTH | 762 | 678 | 721 | 802 | 624 | 695 | 840 | 604 | 739 | 1070 | 820 | 919 |
| YEAR | 1070 | 268 | 665 | | | | | | | | | |

NOTE: NUMBER OF MISSING DAYS OF RECORD EXCEEDED 20% OF YEAR
 PH (STANDARD UNITS), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
| 1 | 7.7 | 7.7 | 7.7 | 7.8 | 7.7 | 7.8 | 7.7 | 7.6 | 7.6 | 8.2 | 7.9 | 8.1 |
| 2 | 7.7 | 7.6 | 7.6 | 7.8 | 7.7 | 7.8 | 7.7 | 7.6 | 7.6 | 8.1 | 7.9 | 8.0 |
| 3 | 7.7 | 7.5 | 7.7 | 7.9 | 7.8 | 7.8 | 7.7 | 7.6 | 7.6 | 7.9 | 7.9 | 7.9 |
| 4 | 7.7 | 7.6 | 7.7 | 7.9 | 7.8 | 7.8 | 7.7 | 7.6 | 7.6 | 8.0 | 7.9 | 7.9 |
| 5 | 7.6 | 7.6 | 7.6 | 7.8 | 7.4 | 7.7 | 7.6 | 7.6 | 7.6 | 8.1 | 8.0 | 8.1 |
| 6 | 8.0 | 7.6 | 7.8 | 7.8 | 7.7 | 7.8 | 7.6 | 7.6 | 7.6 | 8.1 | 8.1 | 8.1 |
| 7 | 8.0 | 7.9 | 8.0 | 7.9 | 7.8 | 7.9 | 7.7 | 7.6 | 7.6 | 8.1 | 8.1 | 8.1 |
| 8 | 7.9 | 7.7 | 7.8 | 7.9 | 7.7 | 7.9 | 7.6 | 7.6 | 7.6 | 8.1 | 8.1 | 8.1 |
| 9 | 7.7 | 7.7 | 7.7 | 7.9 | 7.7 | 7.8 | 7.6 | 7.6 | 7.6 | 8.1 | 8.1 | 8.1 |
| 10 | 7.8 | 7.7 | 7.7 | 7.8 | 7.8 | 7.8 | 7.6 | 7.6 | 7.6 | 8.1 | 8.0 | 8.0 |
| 11 | 7.8 | 7.7 | 7.7 | 7.9 | 7.8 | 7.8 | 7.7 | 7.6 | 7.6 | 8.1 | 8.1 | 8.1 |
| 12 | 7.7 | 7.6 | 7.7 | 7.8 | 7.6 | 7.7 | 7.9 | 7.6 | 7.7 | 8.1 | 8.1 | 8.1 |
| 13 | 7.7 | 7.6 | 7.7 | 7.7 | 7.6 | 7.7 | 7.8 | 7.6 | 7.6 | 8.1 | 8.1 | 8.1 |
| 14 | 7.7 | 7.6 | 7.7 | --- | --- | --- | 7.7 | 7.6 | 7.6 | 8.2 | 8.1 | 8.2 |
| 15 | 7.9 | 7.7 | 7.8 | 7.9 | 7.8 | 7.9 | 7.7 | 7.6 | 7.6 | 8.2 | 8.2 | 8.2 |
| 16 | 7.8 | 7.6 | 7.7 | 7.9 | 7.6 | 7.8 | 7.7 | 7.6 | 7.6 | 8.2 | 8.1 | 8.1 |
| 17 | 7.7 | 7.6 | 7.6 | 7.7 | 7.7 | 7.7 | --- | --- | --- | 8.1 | 7.9 | 8.0 |
| 18 | 7.7 | 7.6 | 7.7 | 7.7 | 7.7 | 7.7 | 7.9 | 7.7 | 7.9 | 8.0 | 7.9 | 8.0 |
| 19 | 7.8 | 7.7 | 7.7 | 7.7 | 7.6 | 7.7 | 7.9 | 7.9 | 7.9 | 8.1 | 8.0 | 8.0 |
| 20 | 7.9 | 7.8 | 7.8 | 7.7 | 7.5 | 7.7 | 7.9 | 7.9 | 7.9 | 8.1 | 8.1 | 8.1 |
| 21 | 7.8 | 7.8 | 7.8 | 7.8 | 7.6 | 7.7 | 7.9 | 7.9 | 7.9 | 8.2 | 8.1 | 8.1 |
| 22 | 7.9 | 7.8 | 7.8 | 8.0 | 7.8 | 8.0 | 8.2 | 7.9 | 8.0 | 8.1 | 8.1 | 8.1 |
| 23 | 7.8 | 7.7 | 7.7 | 8.0 | 8.0 | 8.0 | 8.0 | 7.9 | 7.9 | 8.1 | 8.0 | 8.0 |
| 24 | 7.7 | 7.6 | 7.7 | 8.0 | 8.0 | 8.0 | 8.0 | 7.9 | 8.0 | 8.0 | 8.0 | 8.0 |
| 25 | 7.8 | 7.8 | 7.8 | 8.0 | 7.9 | 7.9 | 8.0 | 7.9 | 7.9 | 8.0 | 7.9 | 8.0 |
| 26 | 7.9 | 7.8 | 7.8 | 8.0 | 8.0 | 8.0 | 7.9 | 7.9 | 7.9 | 8.0 | 7.9 | 8.0 |
| 27 | 7.9 | 7.9 | 7.9 | 8.1 | 8.0 | 8.0 | 7.9 | 7.9 | 7.9 | 8.0 | 7.9 | 8.0 |
| 28 | 7.9 | 7.8 | 7.9 | 8.1 | 7.7 | 7.9 | 7.9 | 7.9 | 7.9 | 8.0 | 7.9 | 8.0 |
| 29 | 7.9 | 7.8 | 7.8 | 7.7 | 7.6 | 7.6 | 8.0 | 7.9 | 7.9 | 8.1 | 8.0 | 8.1 |
| 30 | 7.9 | 7.8 | 7.9 | 7.7 | 7.6 | 7.6 | 7.9 | 7.8 | 7.9 | 8.1 | 8.1 | 8.1 |
| 31 | 7.9 | 7.8 | 7.8 | --- | --- | --- | 7.9 | 7.9 | 7.9 | 8.1 | 8.1 | 8.1 |
| MONTH | 8.0 | 7.5 | 7.8 | 8.1 | 7.4 | 7.8 | 8.2 | 7.6 | 7.8 | 8.2 | 7.9 | 8.1 |

03234500 SCIOTO RIVER AT HIGBY, OH--Continued
PH (STANDARD UNITS), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|-----|-----|------|-------|-----|------|--------|-----|------|-----------|-----|------|
| FEBRUARY | | | | MARCH | | | APRIL | | | MAY | | |
| 1 | 8.1 | 8.0 | 8.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | 8.0 | 7.9 | 8.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | 8.0 | 7.9 | 7.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | 8.0 | 7.8 | 7.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | 7.8 | 7.8 | 7.8 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | 7.9 | 7.7 | 7.8 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | 7.9 | 7.9 | 7.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | 7.9 | 7.8 | 7.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | 7.9 | 7.8 | 7.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | 7.9 | 7.9 | 7.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | 7.9 | 7.9 | 7.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | 8.0 | 7.9 | 7.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | 8.0 | 7.9 | 7.9 | 8.0 | 7.9 | 8.0 | --- | --- | --- | --- | --- | --- |
| 14 | 7.9 | 7.8 | 7.9 | 8.1 | 8.0 | 8.1 | --- | --- | --- | --- | --- | --- |
| 15 | 7.9 | 7.8 | 7.8 | 8.2 | 8.1 | 8.1 | 8.2 | 8.0 | 8.1 | --- | --- | --- |
| 16 | 7.9 | 7.8 | 7.9 | 8.2 | 8.1 | 8.2 | 8.1 | 8.0 | 8.0 | --- | --- | --- |
| 17 | 7.9 | 7.9 | 7.9 | 8.1 | 8.1 | 8.1 | 8.1 | 8.0 | 8.0 | --- | --- | --- |
| 18 | 7.9 | 7.9 | 7.9 | 8.1 | 8.1 | 8.1 | 8.1 | 8.0 | 8.1 | --- | --- | --- |
| 19 | 8.0 | 7.9 | 7.9 | 8.1 | 8.0 | 8.1 | 8.1 | 8.1 | 8.1 | --- | --- | --- |
| 20 | 8.0 | 8.0 | 8.0 | 8.1 | 7.8 | 8.0 | 8.2 | 8.1 | 8.1 | --- | --- | --- |
| 21 | 8.1 | 8.0 | 8.0 | 7.9 | 7.8 | 7.9 | 8.2 | 8.1 | 8.1 | --- | --- | --- |
| 22 | 8.1 | 8.0 | 8.0 | 7.9 | 7.9 | 7.9 | 8.1 | 8.0 | 8.1 | --- | --- | --- |
| 23 | 8.1 | 8.0 | 8.0 | 7.9 | 7.9 | 7.9 | --- | --- | --- | --- | --- | --- |
| 24 | 8.1 | 8.0 | 8.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | 8.1 | 8.0 | 8.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 8.1 | 8.1 | 8.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 8.1 | 8.1 | 8.1 | 7.9 | 7.9 | 7.8 | --- | --- | --- | --- | --- | --- |
| 28 | 8.2 | 8.1 | 8.1 | 8.0 | 7.9 | 7.9 | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | 8.0 | 7.9 | 7.9 | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | 8.0 | 7.9 | 7.9 | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 8.2 | 7.7 | 8.0 | 8.2 | 7.8 | 8.0 | 8.2 | 8.0 | 8.1 | --- | --- | --- |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| JUNE | | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | --- | --- | --- | 8.8 | 8.4 | 8.6 | 9.0 | 8.8 | 8.9 | 8.6 | 8.0 | 8.2 |
| 2 | --- | --- | --- | 9.0 | 8.6 | 8.8 | 8.8 | 8.6 | 8.7 | 8.9 | 7.9 | 8.4 |
| 3 | --- | --- | --- | 8.9 | 8.6 | 8.8 | 8.7 | 8.5 | 8.6 | 8.7 | 8.3 | 8.4 |
| 4 | --- | --- | --- | 8.9 | 8.6 | 8.7 | 8.5 | 8.1 | 8.4 | 8.5 | 8.1 | 8.2 |
| 5 | --- | --- | --- | 8.7 | 8.5 | 8.6 | 8.1 | 8.0 | 8.1 | 8.3 | 8.0 | 8.1 |
| 6 | --- | --- | --- | 8.5 | 8.3 | 8.4 | 8.4 | 8.1 | 8.2 | 8.2 | 8.0 | 8.0 |
| 7 | --- | --- | --- | 8.5 | 8.2 | 8.3 | 8.5 | 8.1 | 8.3 | --- | --- | --- |
| 8 | --- | --- | --- | 8.7 | 8.2 | 8.4 | 8.7 | 8.2 | 8.4 | --- | --- | --- |
| 9 | --- | --- | --- | 8.5 | 8.2 | 8.4 | 8.8 | 8.5 | 8.6 | --- | --- | --- |
| 10 | --- | --- | --- | 8.6 | 8.2 | 8.4 | 8.6 | 8.3 | 8.4 | --- | --- | --- |
| 11 | --- | --- | --- | 8.5 | 8.3 | 8.4 | 8.3 | 8.0 | 8.1 | --- | --- | --- |
| 12 | --- | --- | --- | 8.7 | 8.2 | 8.4 | 8.4 | 8.1 | 8.2 | --- | --- | --- |
| 13 | --- | --- | --- | 8.9 | 8.4 | 8.6 | 8.7 | 8.2 | 8.4 | --- | --- | --- |
| 14 | --- | --- | --- | 9.0 | 8.5 | 8.7 | 8.8 | 8.3 | 8.5 | --- | --- | --- |
| 15 | 9.2 | 8.8 | 9.0 | 8.9 | 8.6 | 8.7 | 8.7 | 8.2 | 8.4 | --- | --- | --- |
| 16 | 9.1 | 8.8 | 8.9 | 9.1 | 8.6 | 8.8 | 8.5 | 8.3 | 8.4 | --- | --- | --- |
| 17 | 9.0 | 8.7 | 8.9 | 9.2 | 8.7 | 9.0 | 8.4 | 8.2 | 8.3 | --- | --- | --- |
| 18 | 9.0 | 8.6 | 8.8 | 9.2 | 8.8 | 9.0 | 8.4 | 8.2 | 8.2 | --- | --- | --- |
| 19 | 9.0 | 8.6 | 8.8 | 9.3 | 8.9 | 9.1 | 8.4 | 8.2 | 8.3 | --- | --- | --- |
| 20 | 8.8 | 8.5 | 8.6 | 9.2 | 8.9 | 9.1 | 8.8 | 8.2 | 8.5 | 8.8 | 8.5 | 8.7 |
| 21 | 8.6 | 8.3 | 8.5 | 9.0 | 8.7 | 8.9 | 9.3 | 8.5 | 8.8 | 8.8 | 8.2 | 8.5 |
| 22 | 8.4 | 8.2 | 8.3 | --- | --- | --- | 9.1 | 8.9 | 9.0 | 8.7 | 8.2 | 8.4 |
| 23 | 8.6 | 8.3 | 8.4 | --- | --- | --- | 9.0 | 8.7 | 8.8 | 8.4 | 8.1 | 8.2 |
| 24 | 8.8 | 8.4 | 8.6 | --- | --- | --- | 8.8 | 8.4 | 8.7 | 8.1 | 7.8 | 7.9 |
| 25 | 8.7 | 8.4 | 8.5 | --- | --- | --- | 8.4 | 7.9 | 8.1 | 7.9 | 7.7 | 7.8 |
| 26 | 8.6 | 8.2 | 8.4 | --- | --- | --- | 8.1 | 7.9 | 8.0 | 7.8 | 7.7 | 7.7 |
| 27 | 8.6 | 8.3 | 8.5 | --- | --- | --- | 8.1 | 7.9 | 8.0 | 7.7 | 7.7 | 7.7 |
| 28 | 8.6 | 8.3 | 8.5 | --- | --- | --- | 9.1 | 8.1 | 8.4 | 7.7 | 7.6 | 7.7 |
| 29 | 8.6 | 8.4 | 8.5 | --- | --- | --- | 9.1 | 8.7 | 8.9 | 7.8 | 7.7 | 7.8 |
| 30 | 8.5 | 8.4 | 8.4 | --- | --- | --- | 9.0 | 8.7 | 8.8 | 8.1 | 7.7 | 8.0 |
| 31 | --- | --- | --- | 9.2 | 8.9 | 8.7 | 8.9 | 8.4 | 8.6 | --- | --- | --- |
| MONTH | 9.2 | 8.2 | 8.6 | 9.3 | 8.2 | 8.7 | 9.3 | 7.9 | 8.5 | 8.9 | 7.6 | 8.1 |
| YEAR | 9.3 | 7.4 | 8.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |

NOTE: NUMBER OF MISSING DAYS OF RECORD EXCEEDED 20% OF YEAR

SCIOTO RIVER BASIN

03234500 SCIOTO RIVER AT HIGBY, OH--Continued

TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|---------|------|------|----------|------|------|----------|-----|-----|---------|-----|-----|------|
| OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | | |
| 1 | 20.0 | 19.0 | 19.5 | 13.5 | 12.0 | 13.0 | 7.5 | 6.5 | 7.0 | 1.5 | .5 | 1.0 |
| 2 | 20.5 | 18.0 | 19.0 | 14.0 | 13.0 | 13.5 | 6.5 | 6.0 | 6.5 | 1.5 | 1.0 | 1.0 |
| 3 | 20.5 | 18.5 | 19.5 | 14.5 | 13.5 | 14.0 | 6.0 | 6.0 | 6.0 | 1.5 | 1.0 | 1.0 |
| 4 | 20.0 | 19.5 | 19.5 | 13.5 | 12.5 | 12.5 | 7.0 | 6.0 | 6.5 | 1.5 | 1.0 | 1.0 |
| 5 | 20.5 | 19.5 | 20.0 | 12.5 | 11.0 | 11.5 | 7.0 | 6.5 | 7.0 | 1.5 | 1.0 | 1.0 |
| 6 | 20.0 | 18.5 | 19.0 | 11.5 | 10.5 | 11.0 | 7.0 | 6.5 | 7.0 | 3.0 | 1.0 | 2.5 |
| 7 | 19.5 | 17.5 | 18.5 | 10.5 | 9.5 | 10.0 | 7.0 | 6.0 | 6.5 | 3.5 | 2.5 | 3.0 |
| 8 | 19.5 | 17.0 | 18.5 | 11.0 | 9.5 | 10.5 | 6.0 | 5.5 | 6.0 | 3.5 | 2.5 | 3.0 |
| 9 | 18.5 | 18.0 | 18.0 | 11.5 | 10.0 | 10.5 | 6.0 | 5.5 | 5.5 | 4.0 | 3.0 | 3.5 |
| 10 | 19.0 | 17.0 | 18.0 | 11.5 | 11.0 | 11.5 | 6.5 | 6.0 | 6.0 | 4.5 | 3.0 | 3.5 |
| 11 | 18.5 | 17.0 | 18.0 | 11.5 | 9.5 | 10.5 | 7.5 | 6.0 | 7.0 | 2.5 | 1.5 | 2.0 |
| 12 | 19.0 | 17.5 | 18.0 | 9.5 | 9.0 | 9.5 | 7.5 | 6.5 | 7.0 | 2.0 | .5 | 1.5 |
| 13 | 19.0 | 17.0 | 18.0 | 8.5 | 7.5 | 8.0 | 7.5 | 7.0 | 7.5 | 2.0 | 1.0 | 1.5 |
| 14 | 17.0 | 15.0 | 16.0 | --- | --- | --- | 7.5 | 7.0 | 7.5 | 2.0 | 2.0 | 2.0 |
| 15 | 16.5 | 14.5 | 15.5 | 8.0 | 8.0 | 8.0 | 7.0 | 6.5 | 7.0 | 2.5 | 2.0 | 2.0 |
| 16 | 17.0 | 15.0 | 16.0 | 8.0 | 7.5 | 7.5 | 6.5 | 6.0 | 6.5 | 2.5 | 1.5 | 2.0 |
| 17 | 17.0 | 16.0 | 16.5 | 7.5 | 7.0 | 7.0 | --- | --- | --- | 2.5 | 2.0 | 2.5 |
| 18 | 17.0 | 15.5 | 16.5 | 7.0 | 6.5 | 7.0 | 5.0 | 4.5 | 4.5 | 2.5 | 1.5 | 2.0 |
| 19 | 15.5 | 14.5 | 15.0 | 8.5 | 7.0 | 8.0 | 4.0 | 3.0 | 3.5 | 1.5 | .5 | 1.0 |
| 20 | 15.0 | 14.0 | 14.5 | 8.5 | 8.5 | 8.5 | 3.5 | 3.0 | 3.0 | 1.0 | .5 | .5 |
| 21 | 14.0 | 13.5 | 14.0 | 9.0 | 8.0 | 8.5 | 3.5 | 3.0 | 3.0 | .5 | .0 | .5 |
| 22 | 14.0 | 13.5 | 14.0 | 9.0 | 8.0 | 8.5 | 4.0 | 2.5 | 3.5 | .5 | .5 | .5 |
| 23 | 14.0 | 13.5 | 13.5 | 9.5 | 9.0 | 9.0 | 2.5 | 2.0 | 2.0 | 1.5 | .5 | .5 |
| 24 | 14.5 | 14.0 | 14.0 | 9.5 | 8.5 | 9.5 | 2.0 | .5 | 1.0 | 1.5 | .5 | 1.5 |
| 25 | 14.0 | 13.5 | 14.0 | 8.5 | 8.0 | 8.5 | .5 | .5 | .5 | 1.0 | .5 | .5 |
| 26 | 13.5 | 12.5 | 13.0 | 8.0 | 7.5 | 7.5 | .5 | .5 | .5 | 2.0 | .5 | 1.0 |
| 27 | 13.0 | 12.0 | 12.5 | 7.5 | 7.5 | 7.5 | .5 | .5 | .5 | 1.5 | 1.5 | 1.5 |
| 28 | 13.5 | 11.5 | 12.5 | 8.5 | 7.5 | 8.5 | 1.0 | .5 | .5 | 2.0 | 1.5 | 1.5 |
| 29 | 13.5 | 12.5 | 13.0 | 9.0 | 7.5 | 8.5 | .5 | .5 | .5 | 2.0 | 1.5 | 2.0 |
| 30 | 13.0 | 12.0 | 12.5 | 8.0 | 7.5 | 7.5 | .5 | .5 | .5 | 2.0 | 1.5 | 2.0 |
| 31 | 12.5 | 11.5 | 12.0 | --- | --- | --- | 1.0 | .5 | .5 | 2.0 | 1.5 | 2.0 |
| MONTH | 20.5 | 11.5 | 16.0 | 14.5 | 6.5 | 9.5 | 7.5 | .5 | 4.5 | 4.5 | .0 | 1.5 |

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|-----|-----|-------|-----|-----|-------|------|------|------|-----|-----|------|
| FEBRUARY | | | MARCH | | | APRIL | | | MAY | | | |
| 1 | 2.5 | 1.5 | 2.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | 3.5 | 1.5 | 2.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | 4.0 | 3.0 | 3.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | 3.0 | 2.0 | 2.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | 2.0 | 1.5 | 1.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | 1.5 | 1.0 | 1.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | 1.0 | .5 | .5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | 1.5 | .0 | .5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | 3.0 | 1.0 | 2.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | 4.0 | 2.5 | 3.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | 5.5 | 4.0 | 4.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | 5.5 | 4.5 | 5.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | 5.5 | 4.0 | 4.5 | 4.5 | 4.0 | 4.5 | --- | --- | --- | --- | --- | --- |
| 14 | 5.5 | 5.0 | 5.0 | 5.0 | 4.0 | 4.5 | --- | --- | --- | --- | --- | --- |
| 15 | 5.0 | 4.0 | 4.5 | 6.0 | 4.0 | 5.0 | 13.5 | 12.0 | 12.5 | --- | --- | --- |
| 16 | 4.5 | 4.0 | 4.5 | 7.0 | 6.0 | 6.5 | 12.5 | 12.0 | 12.5 | --- | --- | --- |
| 17 | 5.5 | 4.5 | 5.0 | 6.5 | 4.5 | 5.5 | 12.5 | 11.0 | 11.5 | --- | --- | --- |
| 18 | 6.5 | 5.5 | 6.0 | 4.5 | 3.5 | 4.0 | 11.0 | 9.5 | 10.0 | --- | --- | --- |
| 19 | 8.0 | 6.0 | 7.0 | 4.0 | 3.5 | 3.5 | 10.5 | 9.0 | 9.5 | --- | --- | --- |
| 20 | 7.5 | 6.5 | 7.0 | 6.0 | 4.0 | 4.5 | 11.5 | 9.5 | 10.5 | --- | --- | --- |
| 21 | 7.5 | 6.0 | 6.5 | 6.5 | 5.5 | 6.0 | 11.0 | 11.0 | 11.0 | --- | --- | --- |
| 22 | 7.5 | 6.0 | 6.5 | 5.5 | 4.5 | 5.0 | 11.0 | 9.5 | 10.5 | --- | --- | --- |
| 23 | 7.5 | 6.5 | 7.0 | 6.0 | 4.0 | 5.0 | --- | --- | --- | --- | --- | --- |
| 24 | 8.0 | 6.5 | 7.5 | 8.0 | 5.5 | 6.5 | --- | --- | --- | --- | --- | --- |
| 25 | 8.0 | 7.0 | 7.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 7.5 | 6.0 | 7.0 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 7.0 | 5.5 | 6.0 | 8.5 | 7.0 | 8.0 | --- | --- | --- | --- | --- | --- |
| 28 | 5.5 | 3.0 | 4.5 | 8.0 | 7.0 | 7.5 | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | 7.5 | 5.0 | 6.5 | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | 6.5 | 5.0 | 6.0 | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 8.0 | .0 | 4.5 | 8.5 | 3.5 | 5.5 | 13.5 | 9.0 | 11.0 | --- | --- | --- |

03234500 SCIOTO RIVER AT HIGBY, OH--Continued
TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | --- | --- | --- | 23.0 | 22.0 | 22.5 | 26.5 | 24.5 | 25.5 | 24.5 | 22.0 | 23.0 |
| 2 | --- | --- | --- | 24.0 | 22.0 | 23.0 | 26.5 | 25.0 | 25.5 | 25.0 | 21.5 | 23.0 |
| 3 | --- | --- | --- | 24.0 | 22.0 | 23.0 | 26.5 | 24.5 | 25.5 | 24.5 | 23.5 | 23.5 |
| 4 | --- | --- | --- | 24.5 | 23.5 | 24.0 | 26.0 | 24.0 | 25.5 | 23.5 | 21.5 | 22.5 |
| 5 | --- | --- | --- | 24.0 | 23.0 | 23.5 | 25.5 | 23.5 | 24.5 | 22.5 | 20.5 | 21.0 |
| 6 | --- | --- | --- | 24.0 | 22.5 | 23.5 | 26.5 | 25.0 | 25.5 | 20.0 | 19.0 | 19.5 |
| 7 | --- | --- | --- | 24.5 | 22.0 | 23.5 | 27.0 | 25.5 | 26.0 | --- | --- | --- |
| 8 | --- | --- | --- | 24.5 | 21.5 | 23.0 | 27.0 | 25.5 | 26.5 | --- | --- | --- |
| 9 | --- | --- | --- | 24.0 | 22.5 | 23.0 | 28.0 | 26.0 | 27.0 | --- | --- | --- |
| 10 | --- | --- | --- | 26.0 | 22.5 | 24.0 | 27.5 | 26.5 | 27.0 | --- | --- | --- |
| 11 | --- | --- | --- | 25.5 | 25.0 | 25.5 | 26.5 | 25.5 | 26.0 | --- | --- | --- |
| 12 | --- | --- | --- | 26.5 | 24.0 | 25.5 | 26.0 | 24.5 | 25.5 | --- | --- | --- |
| 13 | --- | --- | --- | 27.0 | 24.5 | 25.5 | 27.0 | 24.5 | 25.5 | 25.0 | 22.0 | 24.0 |
| 14 | --- | --- | --- | 27.5 | 25.0 | 26.0 | 27.5 | 25.0 | 26.0 | 25.0 | 23.0 | 24.0 |
| 15 | 27.0 | 24.5 | 26.0 | 27.0 | 25.5 | 26.0 | 27.5 | 25.5 | 26.5 | 23.5 | 21.5 | 22.5 |
| 16 | 26.0 | 24.0 | 25.0 | 27.5 | 25.0 | 26.0 | 27.5 | 25.0 | 26.0 | 21.5 | 19.5 | 20.5 |
| 17 | 26.5 | 24.0 | 25.0 | 26.5 | 24.5 | 26.0 | 27.0 | 25.0 | 26.0 | 20.5 | 18.0 | 19.5 |
| 18 | 27.0 | 24.5 | 26.0 | 26.0 | 24.5 | 25.5 | 27.5 | 25.0 | 26.0 | 21.0 | 18.0 | 19.5 |
| 19 | 27.5 | 25.0 | 26.0 | 25.5 | 23.0 | 24.0 | 27.0 | 25.0 | 26.0 | 21.5 | 18.5 | 20.0 |
| 20 | 27.0 | 24.5 | 25.5 | 24.5 | 23.0 | 24.0 | 26.5 | 24.0 | 25.0 | 22.0 | 19.0 | 20.5 |
| 21 | 25.5 | 23.5 | 24.5 | 25.5 | 23.0 | 24.0 | 26.0 | 23.0 | 24.5 | 23.0 | 20.0 | 21.5 |
| 22 | 25.0 | 23.5 | 24.5 | --- | --- | --- | 25.5 | 23.5 | 24.5 | 23.5 | 21.0 | 22.5 |
| 23 | 24.5 | 23.5 | 24.0 | --- | --- | --- | 25.5 | 23.5 | 24.5 | 23.0 | 22.0 | 22.0 |
| 24 | 25.0 | 23.0 | 24.0 | --- | --- | --- | 24.5 | 23.0 | 23.5 | 22.0 | 21.0 | 21.5 |
| 25 | 24.5 | 22.5 | 23.5 | --- | --- | --- | 24.5 | 21.5 | 23.0 | 22.5 | 20.5 | 21.5 |
| 26 | 25.0 | 22.0 | 23.5 | --- | --- | --- | 25.0 | 22.0 | 23.5 | 22.0 | 17.5 | 21.0 |
| 27 | 24.0 | 23.0 | 23.5 | --- | --- | --- | 25.0 | 22.5 | 23.5 | 19.5 | 17.0 | 18.0 |
| 28 | 25.0 | 22.0 | 23.5 | --- | --- | --- | 25.0 | 23.0 | 24.0 | 17.0 | 15.5 | 16.0 |
| 29 | 24.5 | 23.5 | 24.0 | --- | --- | --- | 25.5 | 24.0 | 24.5 | 16.5 | 14.5 | 15.5 |
| 30 | 24.5 | 22.5 | 23.5 | --- | --- | --- | 25.5 | 24.5 | 25.0 | 15.5 | 14.5 | 15.5 |
| 31 | --- | --- | --- | 26.0 | 24.5 | 24.5 | 25.5 | 22.5 | 24.0 | --- | --- | --- |
| MONTH | 27.5 | 22.0 | 24.5 | 27.5 | 21.5 | 24.5 | 28.0 | 21.5 | 25.0 | 25.0 | 14.5 | 21.0 |
| YEAR | 28.0 | .0 | 13.0 | | | | | | | | | |

NOTE: NUMBER OF MISSING DAYS OF RECORD EXCEEDED 20% OF YEAR
OXYGEN, DISSOLVED (DO), MG/L, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|---------|-----|------|----------|------|------|----------|------|------|---------|------|------|
| | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
| 1 | 6.5 | 5.6 | 6.1 | 8.9 | 8.7 | 8.8 | 13.6 | 12.3 | 13.1 | 13.1 | 12.5 | 12.8 |
| 2 | 6.7 | 5.2 | 5.9 | 8.7 | 8.5 | 8.6 | 13.8 | 11.8 | 12.7 | 12.7 | 12.1 | 12.4 |
| 3 | 6.7 | 5.6 | 6.1 | 8.5 | 8.2 | 8.3 | 13.6 | 11.2 | 12.4 | 12.1 | 11.7 | 12.0 |
| 4 | 6.2 | 5.6 | 5.9 | 8.4 | 8.1 | 8.3 | 13.5 | 11.7 | 12.6 | 12.1 | 10.6 | 11.8 |
| 5 | 5.7 | 5.1 | 5.4 | 8.3 | 7.7 | 7.9 | 12.9 | 11.9 | 12.5 | 13.4 | 11.5 | 12.9 |
| 6 | 9.0 | 5.6 | 7.0 | 9.2 | 8.3 | 8.8 | 12.5 | 11.6 | 12.1 | 13.4 | 12.9 | 13.1 |
| 7 | 10.2 | 7.5 | 8.7 | 9.5 | 9.2 | 9.4 | 13.3 | 11.9 | 12.3 | 13.4 | 12.9 | 13.1 |
| 8 | 8.5 | 6.6 | 7.4 | 9.6 | 9.3 | 9.4 | 12.9 | 12.1 | 12.6 | 13.2 | 12.4 | 12.8 |
| 9 | 7.4 | 6.8 | 7.1 | 9.3 | 9.2 | 9.3 | 12.8 | 11.6 | 12.3 | 14.1 | 12.6 | 13.2 |
| 10 | 7.2 | 6.6 | 6.8 | 9.1 | 8.7 | 8.9 | 12.2 | 9.5 | 11.1 | 13.4 | 12.8 | 13.1 |
| 11 | 7.2 | 6.5 | 6.8 | 9.1 | 8.7 | 8.9 | 12.0 | 8.5 | 10.3 | --- | --- | --- |
| 12 | 6.6 | 5.9 | 6.3 | 8.8 | 8.1 | 8.5 | 13.4 | 11.1 | 12.1 | --- | --- | --- |
| 13 | 6.0 | 5.4 | 5.8 | 9.7 | 8.7 | 9.2 | 12.7 | 11.3 | 11.9 | --- | --- | --- |
| 14 | 6.0 | 5.3 | 5.6 | --- | --- | --- | 12.1 | 11.3 | 11.6 | --- | --- | --- |
| 15 | 7.4 | 6.2 | 7.1 | 10.3 | 9.9 | 10.1 | 12.0 | 11.0 | 11.4 | --- | --- | --- |
| 16 | 7.2 | 6.7 | 6.8 | 9.9 | 9.7 | 9.8 | 11.8 | 8.5 | 10.0 | --- | --- | --- |
| 17 | 6.9 | 6.3 | 6.6 | 9.7 | 9.5 | 9.6 | --- | --- | --- | --- | --- | --- |
| 18 | 6.8 | 6.5 | 6.7 | 9.8 | 9.6 | 9.7 | 13.8 | 12.0 | 13.1 | --- | --- | --- |
| 19 | 7.7 | 6.7 | 7.2 | 9.8 | 9.6 | 9.7 | 13.8 | 13.2 | 13.5 | --- | --- | --- |
| 20 | 8.2 | 7.7 | 8.0 | 9.6 | 9.3 | 9.5 | 13.8 | 13.3 | 13.6 | --- | --- | --- |
| 21 | 8.4 | 8.0 | 8.2 | 9.3 | 9.3 | 9.3 | 13.8 | 12.9 | 13.3 | --- | --- | --- |
| 22 | 8.5 | 8.2 | 8.3 | 10.0 | 9.1 | 9.6 | 13.6 | 12.0 | 13.1 | --- | --- | --- |
| 23 | 8.7 | 8.0 | 8.4 | 10.0 | 9.8 | 10.0 | 13.6 | 12.3 | 13.2 | --- | --- | --- |
| 24 | 8.3 | 7.4 | 7.8 | 10.1 | 9.7 | 9.8 | 14.4 | 11.4 | 12.5 | --- | --- | --- |
| 25 | 8.5 | 8.3 | 8.5 | 10.3 | 9.3 | 9.8 | 13.6 | 12.4 | 13.0 | --- | --- | --- |
| 26 | 8.9 | 8.3 | 8.6 | 10.6 | 10.3 | 10.5 | 12.7 | 11.2 | 12.4 | 12.1 | 11.5 | 11.6 |
| 27 | 9.2 | 8.9 | 9.1 | 10.7 | 10.4 | 10.5 | 12.5 | 12.2 | 12.5 | 11.8 | 11.6 | 11.7 |
| 28 | 9.0 | 8.7 | 8.9 | 13.5 | 8.3 | 10.1 | 13.0 | 12.7 | 12.7 | 11.8 | 11.6 | 11.7 |
| 29 | 8.8 | 8.7 | 8.7 | 14.1 | 8.7 | 13.3 | 13.1 | 12.5 | 13.0 | 11.8 | 11.7 | 11.7 |
| 30 | 9.0 | 8.7 | 8.9 | 14.2 | 12.5 | 13.4 | 13.1 | 12.1 | 13.0 | 11.6 | 11.5 | 11.5 |
| 31 | 9.1 | 8.9 | 9.0 | --- | --- | --- | 13.1 | 12.5 | 12.8 | 11.8 | 11.5 | 11.6 |
| MONTH | 10.2 | 5.1 | 7.4 | 14.2 | 7.7 | 9.6 | 14.4 | 8.5 | 12.4 | 14.1 | 10.6 | 12.3 |

SCIOTO RIVER BASIN

03234500 SCIOTO RIVER AT HIGBY, OH--Continued

OXYGEN, DISSOLVED (DO), MG/L, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1994

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|------|------|------|-------|------|------|--------|------|------|-----------|-----|------|
| FEBRUARY | | | | MARCH | | | APRIL | | | MAY | | |
| 1 | 11.7 | 11.5 | 11.6 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 2 | 11.4 | 11.2 | 11.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 3 | 11.3 | 11.0 | 11.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 4 | 11.3 | 10.9 | 11.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 5 | 11.5 | 11.0 | 11.3 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 6 | 11.7 | 11.3 | 11.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 7 | 11.9 | 11.6 | 11.7 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 8 | 11.8 | 11.5 | 11.7 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 9 | 11.5 | 11.1 | 11.4 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 10 | 11.1 | 10.8 | 11.1 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 11 | 10.8 | 10.7 | 10.7 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 12 | 11.3 | 10.7 | 10.9 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 13 | 11.3 | 11.0 | 11.2 | 12.4 | 12.1 | 12.3 | --- | --- | --- | --- | --- | --- |
| 14 | 11.1 | 10.9 | 11.1 | 12.6 | 12.3 | 12.4 | --- | --- | --- | --- | --- | --- |
| 15 | 12.5 | 10.8 | 11.6 | 12.7 | 12.2 | 12.4 | 8.9 | 8.6 | 8.8 | --- | --- | --- |
| 16 | 12.2 | 12.1 | 12.1 | 12.2 | 11.6 | 11.8 | 9.2 | 8.9 | 9.0 | --- | --- | --- |
| 17 | 12.1 | 11.8 | 11.9 | 12.4 | 11.5 | 11.9 | 9.5 | 9.0 | 9.2 | --- | --- | --- |
| 18 | 11.8 | 11.5 | 11.7 | 12.9 | 12.4 | 12.7 | 9.9 | 9.5 | 9.7 | --- | --- | --- |
| 19 | 11.5 | 11.0 | 11.2 | 13.0 | 12.8 | 12.9 | 10.3 | 9.8 | 10.1 | --- | --- | --- |
| 20 | 10.9 | 10.8 | 10.9 | 12.9 | 11.9 | 12.8 | 10.4 | 10.1 | 10.2 | --- | --- | --- |
| 21 | 11.1 | 10.9 | 11.0 | 11.9 | 11.4 | 11.6 | 10.3 | 10.0 | 10.2 | --- | --- | --- |
| 22 | 11.2 | 11.0 | 11.1 | 15.9 | 11.2 | 11.7 | 10.6 | 10.0 | 10.1 | --- | --- | --- |
| 23 | 11.0 | 10.9 | 10.9 | 16.1 | 11.7 | 14.4 | --- | --- | --- | --- | --- | --- |
| 24 | 10.9 | 10.7 | 10.8 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 25 | 10.7 | 10.4 | 10.5 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 26 | 10.9 | 10.6 | 10.8 | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 27 | 11.0 | 10.8 | 10.9 | 14.1 | 11.1 | 11.6 | --- | --- | --- | --- | --- | --- |
| 28 | 11.6 | 11.0 | 11.1 | 15.8 | 10.2 | 11.7 | --- | --- | --- | --- | --- | --- |
| 29 | --- | --- | --- | 13.8 | 10.9 | 12.1 | --- | --- | --- | --- | --- | --- |
| 30 | --- | --- | --- | 13.2 | 9.2 | 10.6 | --- | --- | --- | --- | --- | --- |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 12.5 | 10.4 | 11.2 | 16.1 | 9.2 | 12.2 | 10.6 | 8.6 | 9.7 | --- | --- | --- |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| JUNE | | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | --- | --- | --- | 16.7 | 9.1 | 12.3 | 17.1 | 10.2 | 13.8 | --- | --- | --- |
| 2 | --- | --- | --- | 18.7 | 10.5 | 14.4 | 13.2 | 8.4 | 11.1 | --- | --- | --- |
| 3 | --- | --- | --- | 17.8 | 9.7 | 13.5 | 12.7 | 7.4 | 9.8 | --- | --- | --- |
| 4 | --- | --- | --- | 14.8 | 9.6 | 12.3 | --- | --- | --- | --- | --- | --- |
| 5 | --- | --- | --- | 11.8 | 8.4 | 10.0 | --- | --- | --- | --- | --- | --- |
| 6 | --- | --- | --- | 10.7 | 7.9 | 9.4 | --- | --- | --- | --- | --- | --- |
| 7 | --- | --- | --- | 13.1 | 7.3 | 9.7 | --- | --- | --- | --- | --- | --- |
| 8 | --- | --- | --- | 14.4 | 8.1 | 10.6 | --- | --- | --- | --- | --- | --- |
| 9 | --- | --- | --- | 12.1 | 8.4 | 10.2 | --- | --- | --- | --- | --- | --- |
| 10 | --- | --- | --- | 14.0 | 7.8 | 10.4 | --- | --- | --- | --- | --- | --- |
| 11 | --- | --- | --- | 11.5 | 8.5 | 9.6 | --- | --- | --- | --- | --- | --- |
| 12 | --- | --- | --- | 14.1 | 7.1 | 10.0 | --- | --- | --- | --- | --- | --- |
| 13 | --- | --- | --- | 16.4 | 8.2 | 11.9 | --- | --- | --- | --- | --- | --- |
| 14 | --- | --- | --- | 16.7 | 7.9 | 11.9 | --- | --- | --- | --- | --- | --- |
| 15 | 20.0 | 11.0 | 15.7 | 13.7 | 8.4 | 11.4 | --- | --- | --- | --- | --- | --- |
| 16 | 18.6 | 11.0 | 14.6 | 19.8 | 8.2 | 13.0 | --- | --- | --- | --- | --- | --- |
| 17 | 19.0 | 9.6 | 14.1 | 20.0 | 9.8 | 15.3 | --- | --- | --- | --- | --- | --- |
| 18 | 18.2 | 8.9 | 13.0 | 20.0 | 10.3 | 15.3 | --- | --- | --- | --- | --- | --- |
| 19 | 17.8 | 7.9 | 12.4 | 20.0 | 11.3 | 16.8 | --- | --- | --- | --- | --- | --- |
| 20 | 13.0 | 8.2 | 10.0 | 20.0 | 12.0 | 16.5 | --- | --- | --- | --- | --- | --- |
| 21 | 13.3 | 7.0 | 9.7 | 18.7 | 9.9 | 13.6 | --- | --- | --- | 13.3 | 7.2 | 10.3 |
| 22 | 9.4 | 6.6 | 7.9 | --- | --- | --- | --- | --- | --- | 11.7 | 6.5 | 9.1 |
| 23 | 11.7 | 7.1 | 9.5 | --- | --- | --- | --- | --- | --- | 9.0 | 6.0 | 7.0 |
| 24 | 14.4 | 8.0 | 10.8 | --- | --- | --- | --- | --- | --- | 6.0 | 4.4 | 5.2 |
| 25 | 12.9 | 8.6 | 10.3 | --- | --- | --- | --- | --- | --- | 6.3 | 3.9 | 4.9 |
| 26 | 13.0 | 7.3 | 9.9 | --- | --- | --- | --- | --- | --- | 7.4 | 4.4 | 5.8 |
| 27 | 11.4 | 8.1 | 9.7 | --- | --- | --- | --- | --- | --- | 6.2 | 5.3 | 5.7 |
| 28 | 12.3 | 8.2 | 10.0 | --- | --- | --- | --- | --- | --- | 6.7 | 5.1 | 5.8 |
| 29 | 12.1 | 8.5 | 10.2 | --- | --- | --- | --- | --- | --- | 8.0 | 5.9 | 6.9 |
| 30 | 11.0 | 8.6 | 9.8 | --- | --- | --- | --- | --- | --- | 7.9 | 6.5 | 7.2 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MONTH | 20.0 | 6.6 | 11.1 | 20.0 | 7.1 | 12.3 | 17.1 | 7.4 | 11.6 | 13.3 | 3.9 | 6.8 |
| YEAR | 20.0 | 3.9 | 10.6 | --- | --- | --- | --- | --- | --- | --- | --- | --- |

NOTE: NUMBER OF MISSING DAYS OF RECORD EXCEEDED 20% OF YEAR

03234500 SCIOTO RIVER AT HIGBY, OH--Continued
 SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
 MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|
| 1 | 854 | 614 | 462 | 757 | 646 | --- | --- | --- | --- | 722 | 808 | 826 |
| 2 | 884 | 616 | 472 | 779 | 651 | --- | --- | --- | --- | 734 | 816 | 834 |
| 3 | 897 | 632 | 474 | 792 | 654 | --- | --- | --- | --- | 742 | 793 | 840 |
| 4 | 888 | 661 | 443 | 774 | 515 | --- | --- | --- | --- | 750 | 811 | 856 |
| 5 | 844 | 624 | 436 | 729 | 472 | --- | --- | --- | --- | 738 | 689 | 858 |
| 6 | 823 | 597 | 430 | 747 | 456 | --- | --- | --- | --- | 716 | 716 | 856 |
| 7 | 808 | 614 | 442 | 752 | 472 | --- | --- | --- | --- | 710 | 774 | --- |
| 8 | 818 | 628 | 460 | 755 | 482 | --- | --- | --- | --- | 670 | 783 | --- |
| 9 | 815 | 637 | 464 | 762 | --- | --- | --- | --- | --- | 630 | 722 | --- |
| 10 | 786 | 634 | 475 | 784 | --- | --- | --- | --- | --- | 670 | 642 | --- |
| 11 | 758 | 578 | 483 | 770 | --- | --- | --- | --- | --- | 682 | 624 | --- |
| 12 | 759 | 577 | 497 | 764 | --- | --- | --- | --- | --- | 690 | 616 | --- |
| 13 | 770 | 518 | 502 | 764 | --- | 675 | --- | --- | --- | 678 | 660 | 890 |
| 14 | 794 | --- | 490 | 778 | --- | 645 | --- | --- | --- | 693 | 700 | 951 |
| 15 | 771 | 626 | 496 | 794 | 409 | 640 | 588 | --- | 702 | 722 | 678 | 946 |
| 16 | 809 | 608 | 508 | 798 | 408 | 625 | 594 | --- | 720 | 741 | 701 | 922 |
| 17 | 824 | 555 | --- | 800 | 408 | 575 | 582 | --- | 744 | 730 | 700 | 846 |
| 18 | 762 | 546 | 548 | 802 | 428 | 482 | 555 | --- | 753 | 741 | 703 | 865 |
| 19 | 676 | 546 | 538 | 800 | 469 | 456 | 544 | --- | 723 | 749 | 712 | 899 |
| 20 | 650 | 548 | 574 | 816 | 505 | 417 | 550 | --- | 726 | 731 | 712 | 930 |
| 21 | 560 | 561 | 586 | 844 | 525 | 287 | 567 | --- | 756 | 730 | 742 | 952 |
| 22 | 507 | 570 | 586 | 873 | 535 | 335 | 564 | --- | 722 | --- | 811 | 953 |
| 23 | 438 | 572 | 588 | 872 | 550 | 348 | --- | --- | 720 | --- | 825 | 964 |
| 24 | 445 | 570 | 632 | 807 | 575 | 396 | --- | --- | 710 | --- | 802 | 954 |
| 25 | 441 | 528 | 675 | 484 | 585 | --- | --- | --- | 707 | --- | 739 | 984 |
| 26 | 500 | 531 | 697 | 513 | 605 | --- | --- | --- | 713 | --- | 749 | 956 |
| 27 | 535 | 554 | 696 | 549 | 620 | 406 | --- | --- | 728 | --- | 766 | 965 |
| 28 | 584 | 388 | 685 | 570 | 600 | 405 | --- | --- | 690 | --- | 751 | 976 |
| 29 | 588 | 410 | 649 | 585 | --- | 360 | --- | --- | 716 | --- | 772 | 1030 |
| 30 | 590 | 430 | 611 | 623 | --- | 390 | --- | --- | 724 | --- | 792 | 1010 |
| 31 | 608 | --- | 731 | 626 | --- | --- | --- | --- | --- | 213 | 828 | --- |
| MEAN | 703 | 568 | 544 | 738 | 526 | 455 | 568 | --- | 722 | 690 | 740 | 920 |

WTR YR 1984 MEAN 664 MAX 1030 MIN 213
 PH (STANDARD UNITS), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
 MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 7.7 | 7.8 | 7.6 | 8.1 | 8.1 | --- | --- | --- | --- | 8.6 | 8.9 | 8.2 |
| 2 | 7.6 | 7.8 | 7.6 | 7.9 | 8.0 | --- | --- | --- | --- | 8.8 | 8.7 | 8.5 |
| 3 | 7.7 | 7.8 | 7.6 | 7.9 | 7.9 | --- | --- | --- | --- | 8.7 | 8.6 | 8.4 |
| 4 | 7.7 | 7.8 | 7.6 | 7.9 | 7.9 | --- | --- | --- | --- | 8.7 | 8.4 | 8.2 |
| 5 | 7.6 | 7.7 | 7.6 | 8.1 | 7.8 | --- | --- | --- | --- | 8.5 | 8.1 | 8.1 |
| 6 | 7.7 | 7.8 | 7.6 | 8.1 | 7.8 | --- | --- | --- | --- | 8.4 | 8.1 | 8.0 |
| 7 | 8.0 | 7.9 | 7.6 | 8.1 | 7.9 | --- | --- | --- | --- | 8.4 | 8.3 | --- |
| 8 | 7.8 | 7.9 | 7.6 | 8.1 | 7.9 | --- | --- | --- | --- | 8.3 | 8.4 | --- |
| 9 | 7.7 | 7.8 | 7.6 | 8.1 | 7.9 | --- | --- | --- | --- | 8.4 | 8.5 | --- |
| 10 | 7.7 | 7.8 | 7.6 | 8.0 | 7.9 | --- | --- | --- | --- | 8.3 | 8.7 | --- |
| 11 | 7.7 | 7.8 | 7.6 | 8.1 | 7.9 | --- | --- | --- | --- | 8.4 | 8.1 | --- |
| 12 | 7.7 | 7.7 | 7.7 | 8.1 | 7.9 | --- | --- | --- | --- | 8.4 | 8.2 | --- |
| 13 | 7.7 | 7.7 | 7.6 | 8.1 | 7.9 | 8.0 | --- | --- | --- | 8.6 | 8.4 | --- |
| 14 | 7.7 | --- | 7.6 | 8.2 | 7.9 | 8.1 | --- | --- | --- | 8.7 | 8.5 | --- |
| 15 | 7.8 | 7.9 | 7.6 | 8.2 | 7.8 | 8.1 | 8.0 | --- | 9.0 | 8.8 | 8.4 | --- |
| 16 | 7.7 | 7.8 | 7.6 | 8.1 | 7.9 | 8.2 | 8.0 | --- | 9.0 | 8.8 | 8.4 | --- |
| 17 | 7.7 | 7.7 | --- | 8.1 | 7.9 | 8.1 | 8.0 | --- | 8.9 | 9.0 | 8.3 | --- |
| 18 | 7.7 | 7.7 | 7.9 | 8.0 | 7.9 | 8.1 | 8.1 | --- | 8.8 | 9.0 | 8.2 | --- |
| 19 | 7.7 | 7.7 | 7.9 | 8.0 | 7.9 | 8.1 | 8.1 | --- | 8.8 | 9.1 | 8.2 | --- |
| 20 | 7.8 | 7.7 | 7.9 | 8.1 | 8.0 | 8.0 | 8.1 | --- | 8.6 | 9.1 | 8.4 | 8.7 |
| 21 | 7.8 | 7.8 | 7.9 | 8.1 | 8.0 | 7.9 | 8.1 | --- | 8.5 | 8.9 | 8.6 | 8.5 |
| 22 | 7.8 | 8.0 | 7.9 | 8.1 | 8.0 | 7.9 | 8.1 | --- | 8.3 | --- | 9.0 | 8.5 |
| 23 | 7.7 | 8.0 | 7.9 | 8.0 | 8.0 | 7.9 | --- | --- | 8.5 | --- | 8.9 | 8.2 |
| 24 | 7.7 | 8.0 | 8.0 | 8.0 | 8.1 | --- | --- | --- | 8.5 | --- | 8.7 | 7.9 |
| 25 | 7.8 | 7.9 | 7.9 | 8.0 | 8.1 | --- | --- | --- | 8.5 | --- | 8.2 | 7.8 |
| 26 | 7.8 | 8.0 | 7.9 | 8.0 | 8.1 | --- | --- | --- | 8.4 | --- | 8.0 | 7.7 |
| 27 | 7.9 | 8.0 | 7.9 | 8.0 | 8.1 | 7.9 | --- | --- | 8.5 | --- | 8.0 | 7.7 |
| 28 | 7.9 | 7.9 | 7.9 | 8.0 | 8.1 | 7.9 | --- | --- | 8.5 | --- | 8.2 | 7.7 |
| 29 | 7.8 | 7.6 | 7.9 | 8.1 | --- | 7.9 | --- | --- | 8.5 | --- | 8.9 | 7.8 |
| 30 | 7.9 | 7.6 | 7.9 | 8.1 | --- | 7.9 | --- | --- | 8.4 | --- | 8.8 | 8.0 |
| 31 | 7.8 | --- | 7.9 | 8.1 | --- | --- | --- | --- | --- | 8.6 | 8.4 | --- |
| MEAN | 7.8 | 7.8 | 7.8 | 8.1 | 8.0 | 8.0 | 8.1 | --- | 8.6 | 8.7 | 8.4 | 8.1 |

WTR YR 1984 MEAN 8.1 MAX 9.1 MIN 7.6

NOTE: NUMBER OF MISSING DAYS OF RECORD EXCEEDED 20% OF YEAR

SCIOTO RIVER BASIN

03234500 SCIOTO RIVER AT HIGBY, OH--Continued
 TEMPERATURE, WATER (DEG. C); WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
 MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|------|------|------|-----|-----|-----|-----|------|-----|------|------|------|------|
| 1 | 19.5 | 13.0 | 7.0 | 1.0 | 2.0 | --- | --- | --- | --- | 22.5 | 25.0 | 23.0 |
| 2 | 19.0 | 13.5 | 6.5 | 1.0 | 2.5 | --- | --- | --- | --- | 23.0 | 25.5 | 22.5 |
| 3 | 19.5 | 14.5 | 6.0 | 1.0 | 3.5 | --- | --- | --- | --- | 23.0 | 25.5 | 23.5 |
| 4 | 19.5 | 12.5 | 6.5 | 1.5 | 2.5 | --- | --- | --- | --- | 24.0 | 25.5 | 22.5 |
| 5 | 19.5 | 11.5 | 7.0 | 1.0 | 1.5 | --- | --- | --- | --- | 23.0 | 24.0 | 20.5 |
| 6 | 19.0 | 11.0 | 7.0 | 2.5 | 1.5 | --- | --- | --- | --- | 23.0 | 25.0 | 19.5 |
| 7 | 18.5 | 10.5 | 6.5 | 3.0 | 1.0 | --- | --- | --- | --- | 23.5 | 26.0 | --- |
| 8 | 18.5 | 10.0 | 6.0 | 3.0 | .5 | --- | --- | --- | --- | 23.0 | 26.0 | --- |
| 9 | 18.0 | 10.5 | 5.5 | 3.5 | 1.5 | --- | --- | --- | --- | 23.5 | 26.5 | --- |
| 10 | 18.0 | 11.5 | 6.0 | 3.5 | 2.5 | --- | --- | --- | --- | 23.5 | 27.0 | --- |
| 11 | 18.0 | 10.5 | 7.0 | 2.0 | 4.0 | --- | --- | --- | --- | 25.5 | 25.5 | --- |
| 12 | 18.0 | 9.5 | 7.5 | 1.5 | 5.0 | --- | --- | --- | --- | 25.0 | 25.0 | --- |
| 13 | 18.0 | 8.0 | 7.5 | 1.5 | 4.5 | 4.0 | --- | --- | --- | 25.5 | 25.5 | 24.5 |
| 14 | 16.5 | --- | 7.5 | 2.0 | 5.0 | 4.5 | --- | --- | --- | 26.0 | 26.0 | 24.0 |
| 15 | 15.5 | 8.0 | 7.0 | 2.0 | 4.5 | 5.0 | 12.5 | --- | 26.0 | 26.0 | 26.0 | 22.5 |
| 16 | 15.5 | 8.0 | 6.5 | 2.0 | 4.0 | 7.0 | 12.5 | --- | 25.0 | 25.5 | 26.5 | 20.5 |
| 17 | 16.5 | 7.0 | --- | 2.5 | 5.0 | 5.5 | 11.5 | --- | 25.0 | 26.0 | 26.0 | 19.5 |
| 18 | 16.5 | 7.0 | 4.5 | 2.0 | 5.5 | 4.0 | 10.0 | --- | 25.5 | 25.5 | 26.5 | 19.5 |
| 19 | 15.0 | 7.5 | 3.5 | 1.0 | 7.0 | 3.5 | 9.5 | --- | 26.0 | 24.0 | 26.0 | 19.5 |
| 20 | 14.5 | 8.5 | 3.0 | .5 | 7.0 | 4.5 | 9.5 | --- | 25.5 | 24.0 | 25.5 | 20.5 |
| 21 | 13.5 | 8.5 | 3.0 | .5 | 6.5 | 6.0 | 11.0 | --- | 24.5 | 23.5 | 25.0 | 21.0 |
| 22 | 14.0 | 8.5 | 3.5 | .5 | 6.5 | 5.0 | 10.5 | --- | 24.5 | --- | 25.0 | 22.0 |
| 23 | 13.5 | 9.0 | 2.0 | .5 | 7.0 | 5.0 | --- | --- | 24.0 | --- | 24.5 | 22.0 |
| 24 | 14.0 | 9.5 | .5 | 1.5 | 7.0 | 6.0 | --- | --- | 24.0 | --- | 23.5 | 21.5 |
| 25 | 14.0 | 8.5 | .5 | .5 | 7.5 | --- | --- | --- | 24.0 | --- | 23.0 | 21.5 |
| 26 | 13.0 | 8.0 | .5 | 1.0 | 7.0 | --- | --- | --- | 23.5 | --- | 23.0 | 21.0 |
| 27 | 12.5 | 7.5 | .5 | 1.5 | 6.0 | 8.0 | --- | --- | 23.5 | --- | 23.5 | 18.0 |
| 28 | 12.5 | 8.5 | .5 | 1.5 | 4.5 | 7.5 | --- | --- | 23.0 | --- | 24.0 | 16.5 |
| 29 | 13.0 | 8.5 | .5 | 2.0 | --- | 6.5 | --- | --- | 24.0 | --- | 24.5 | 16.0 |
| 30 | 12.5 | 7.5 | .5 | 2.0 | --- | 6.0 | --- | --- | 23.0 | --- | 25.0 | 15.5 |
| 31 | 12.0 | --- | .5 | 2.0 | --- | --- | --- | --- | --- | 25.0 | 22.5 | --- |
| MEAN | 16.0 | 9.5 | 4.5 | 1.5 | 4.5 | 5.5 | 11.0 | --- | 24.5 | 24.5 | 25.0 | 20.5 |

WTR YR 1984 MEAN 13.0 MAX 27.0 MIN .5
 OXYGEN, DISSOLVED (DO), MG/L, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
 MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|------|-----|------|------|------|------|------|------|-----|------|------|------|------|
| 1 | 6.1 | 8.8 | 13.1 | 12.7 | 11.6 | --- | --- | --- | --- | 11.8 | 14.1 | --- |
| 2 | 5.9 | 8.6 | 12.6 | 12.4 | 11.3 | --- | --- | --- | --- | 14.3 | 10.1 | --- |
| 3 | 6.1 | 8.3 | 12.5 | 12.1 | 11.1 | --- | --- | --- | --- | 13.1 | 9.6 | --- |
| 4 | 5.9 | 8.3 | 12.7 | 11.9 | 11.1 | --- | --- | --- | --- | 12.2 | --- | --- |
| 5 | 5.4 | 8.0 | 12.6 | 13.1 | 11.3 | --- | --- | --- | --- | 9.9 | --- | --- |
| 6 | 6.4 | 8.9 | 12.1 | 13.1 | 11.6 | --- | --- | --- | --- | 9.7 | --- | --- |
| 7 | 8.6 | 9.4 | 12.3 | 13.2 | 11.8 | --- | --- | --- | --- | 9.2 | --- | --- |
| 8 | 7.5 | 9.4 | 12.5 | 12.8 | 11.7 | --- | --- | --- | --- | 9.8 | --- | --- |
| 9 | 7.1 | 9.3 | 12.3 | 13.1 | 11.4 | --- | --- | --- | --- | 10.4 | --- | --- |
| 10 | 6.8 | 8.9 | 11.3 | 13.1 | 11.1 | --- | --- | --- | --- | 9.8 | --- | --- |
| 11 | 6.7 | 8.9 | 10.6 | --- | 10.7 | --- | --- | --- | --- | 8.7 | --- | --- |
| 12 | 6.4 | 8.6 | 12.0 | --- | 10.9 | --- | --- | --- | --- | 10.0 | --- | --- |
| 13 | 5.8 | 9.1 | 11.9 | --- | 11.2 | 12.3 | --- | --- | --- | 11.3 | --- | --- |
| 14 | 5.6 | --- | 11.6 | --- | 11.1 | 12.4 | --- | --- | --- | 11.3 | --- | --- |
| 15 | 7.3 | 10.0 | 11.4 | --- | 12.1 | 12.4 | 8.9 | --- | 14.7 | 12.0 | --- | --- |
| 16 | 6.8 | 9.8 | 10.4 | --- | 12.1 | 11.9 | 9.0 | --- | 14.8 | 11.6 | --- | --- |
| 17 | 6.7 | 9.5 | --- | --- | 11.9 | 11.8 | 9.3 | --- | 14.1 | 13.5 | --- | --- |
| 18 | 6.7 | 9.7 | 13.3 | --- | 11.7 | 12.8 | 9.7 | --- | 12.7 | 14.0 | --- | --- |
| 19 | 7.2 | 9.7 | 13.5 | --- | 11.3 | 12.9 | 10.2 | --- | 11.9 | 16.0 | --- | --- |
| 20 | 7.9 | 9.4 | 13.6 | --- | 10.9 | 12.9 | 10.1 | --- | 9.9 | 16.5 | --- | --- |
| 21 | 8.2 | 9.3 | 13.4 | --- | 11.0 | 11.6 | 10.1 | --- | 9.6 | 13.1 | --- | 10.4 |
| 22 | 8.3 | 9.6 | 13.2 | --- | 11.0 | 11.3 | --- | --- | 7.9 | --- | --- | 9.1 |
| 23 | 8.3 | 10.0 | 13.2 | --- | 10.9 | 14.8 | --- | --- | 9.5 | --- | --- | 7.0 |
| 24 | 7.9 | 9.8 | 12.9 | --- | 10.8 | --- | --- | --- | 10.4 | --- | --- | 5.2 |
| 25 | 8.5 | 9.8 | 13.0 | --- | 10.6 | --- | --- | --- | 10.2 | --- | --- | 4.8 |
| 26 | 8.7 | 10.5 | 12.5 | 11.5 | 10.8 | --- | --- | --- | 9.6 | --- | --- | 6.0 |
| 27 | 9.1 | 10.5 | 12.5 | 11.7 | 10.9 | 11.6 | --- | --- | 9.8 | --- | --- | 5.7 |
| 28 | 8.9 | 10.2 | 12.7 | 11.8 | 11.1 | 11.7 | --- | --- | 9.9 | --- | --- | 6.0 |
| 29 | 8.7 | 13.4 | 13.0 | 11.7 | --- | 12.1 | --- | --- | 10.1 | --- | --- | 7.0 |
| 30 | 8.9 | 13.4 | 13.0 | 11.5 | --- | 10.7 | --- | --- | 10.1 | --- | --- | 7.1 |
| 31 | 9.0 | --- | 13.0 | 11.6 | --- | --- | --- | --- | --- | --- | --- | --- |
| MEAN | 7.3 | 9.6 | 12.5 | 12.3 | 11.3 | 12.2 | 9.6 | --- | 11.0 | 11.8 | 11.3 | 6.8 |

WTR YR 1984 MEAN 10.5 MAX 16.5 MIN 4.8

NOTE: NUMBER OF MISSING DAYS OF RECORD EXCEEDED 20% OF YEAR

RESERVOIRS IN SCIOTO RIVER BASIN

03220500 O'SHAUGHNESSY RESERVOIR NEAR DUBLIN.--Lat 40°09'14", long 83°07'33", Delaware County, Hydrologic Unit 05060001, in gate house of dam on Scioto River, 4.0 mi north of Dublin. DRAINAGE AREA, 979 mi. PERIOD OF RECORD, October 1924 to current year. GAGE, water-stage recorder. Monthend contents only for some periods published in WSP 1305. Datum of gage is National Geodetic Vertical Datum of 1929 (levels by city of Columbus). Prior to Dec. 2, 1940, nonrecording gage at same site and datum.

Reservoir is formed by concrete dam; dam completed and storage began in 1924. Usable capacity, 14,500 acre-ft, between elevations, 789.5 ft (sill of outlet gate), and 845 ft (crest of spillway), based on survey made in 1942. Flashboards installed May 8, 1945, additional capacity, 2,480 acre-ft, between elevations 845 ft (crest of spillway), and 847.9 ft (crest of flashboards). Dead storage below elevation 789.5 ft, 55 acre-ft. Figures given herein represent usable contents. Water used for municipal supply of city of Columbus and recreational purposes. Capacity table computed from data furnished by city of Columbus.

EXTREMES FOR PERIOD OF RECORD: Maximum contents, 24,240 acre-ft Jan. 22, 1959, elevation, 854.40 ft; minimum, 43 acre-ft Feb. 11, 1945, elevation, 791.97 ft.

EXTREMES FOR CURRENT YEAR: Maximum contents, 19,800 acre-ft Mar. 21, elevation, 850.64 ft; minimum, 11,700 acre-ft Oct. 6, elevation, 841.09 ft.

03221500 GRIGGS RESERVOIR NEAR COLUMBUS.--Lat 40°00'54", long 83°05'38", Franklin County, Hydrologic Unit 05060001, on left abutment of dam on Scioto River, 6.2 mi northwest of State Capitol building in Columbus, and 6.5 mi upstream from Olentangy River. DRAINAGE AREA, 1,044 mi. PERIOD OF RECORD, January 1921 to current year. GAGE, water-stage recorder. Monthend contents only for some periods, published in WSP 1305. Daily readings have been obtained by city of Columbus, Division of Water, since 1908. Datum of gage is 680.38 ft National Geodetic Vertical Datum, adjustment of 1929 (levels by city of Columbus). Prior to Oct. 4, 1940 nonrecording gage at same site and datum.

Reservoir formed by concrete dam; dam completed and storage began in 1905. Usable capacity, 3,700 acre-ft between elevations, 735.4 ft (lowest outlets), and 753.4 ft (crest of spillway), based on survey made in 1935. Flashboards installed July 28, 1945, additional capacity, 750 acre-ft, between elevations, 753.4 ft (crest of spillway) and 755.6 ft (crest of flashboards). Dead storage below elevation, 735.4 ft, 239 acre-ft. Figures given herein represent usable contents. Water is used for municipal supply of city of Columbus and recreational purposes. Capacity table computed from data furnished by city of Columbus.

EXTREMES FOR PERIOD OF RECORD: Maximum contents, 7,490 acre-ft Jan. 22, 1959, elevation, 763.91 ft; minimum, 38 acre-ft Jan. 24, 1945, elevation, 735.78 ft.

EXTREMES FOR CURRENT YEAR: Maximum contents, 5,180 acre-ft Apr. 6, elevation, 757.67 ft; minimum, 3,870 acre-ft Aug. 2, elevation, 753.90 ft.

03228400 HOOVER RESERVOIR AT CENTRAL COLLEGE.--Lat 40°06'30", long 82°52'59", in T.2 N., R.17 W., Franklin County, Hydrologic Unit 05060001, in gate house of dam on Big Walnut Creek, 0.5 mi northeast of Central College, and 12 mi northeast of Columbus. DRAINAGE AREA, 190 mi. PERIOD OF RECORD, March 1955 to current year. REVISED RECORDS, WRD OH-78-1: 1975 (M). GAGE, water-stage recorder. Datum of gage is National Geodetic Vertical Datum of 1929. Prior to Sept. 10, 1956, nonrecording gage at same site and datum.

Reservoir formed by earthfill dam with concrete spillway; dam completed in 1954 and storage began in March 1955. Usable capacity, 60,130 acre-ft between elevations 830.0 ft (lowest outlet), and 890.0 ft (crest of spillway). Additional flood-control storage above elevation 890.0 ft by bascule gates installed in May 1970, 25,750 acre-ft. Dead storage below elevation 830.0 ft, 214 acre-ft. Figures given herein represent usable contents. Reservoir is used for municipal supply of city of Columbus and for recreational purposes. Outflow is controlled mostly by operation of valves in tunnel through dam, but above spillway level bascule gates can be used. Capacity table computed from data furnished by city of Columbus.

EXTREMES FOR PERIOD OF RECORD: Maximum contents, 83,258 acre-ft, revised, Feb. 24, 1975, elevation, 897.26 ft; minimum, 19,010 acre-ft Mar. 1, 1964, elevation, 868.58 ft.

EXTREMES FOR CURRENT YEAR: Maximum contents, 79,220 acre-ft Mar. 21, elevation, 896.12 ft; minimum, 38,780 acre-ft Sept. 30, elevation, 881.32 ft.

MONTHEND ELEVATION AND CONTENTS AT 2400, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| Date | Elevation (feet) | Contents (acre- feet) | Change in contents (acre-feet) | Elevation (feet) | Contents (acre- feet) | Change in contents (acre-feet) | Elevation (feet) | Contents (acre- feet) | Change in contents (acre-feet) |
|----------------------------------|---------------------|-----------------------------|--------------------------------------|---------------------------|-----------------------------|--------------------------------------|---------------------------|-----------------------------|--------------------------------------|
| 03220500 O'SHAUGHNESSY RESERVOIR | | | | 03221500 GRIGGS RESERVOIR | | | 03228400 HOOVER RESERVOIR | | |
| Sept. 30..... | 841.70 | 12,110 | -- | 754.16 | 3,960 | -- | 885.23 | 47,670 | -- |
| Oct. 31..... | 848.08 | 17,140 | +5,030 | 755.51 | 4,420 | +460 | 883.07 | 42,530 | -5,150 |
| Nov. 30..... | 849.31 | 18,380 | +1,240 | 757.16 | 4,990 | +570 | 889.00 | 57,440 | +14,910 |
| Dec. 31..... | 848.23 | 17,290 | -1,090 | 755.85 | 4,530 | -460 | 889.75 | 59,460 | +2,020 |
| CAL YR 1983 | -- | -- | -460 | -- | -- | -170 | -- | -- | +7,530 |
| Jan. 31..... | 848.24 | 17,300 | +10 | 755.89 | 4,540 | +10 | 889.07 | 57,630 | -1,830 |
| Feb. 29..... | 848.30 | 17,360 | +60 | 755.95 | 4,560 | +20 | 891.23 | 63,510 | +5,880 |
| Mar. 31..... | 848.93 | 17,990 | +630 | 756.58 | 4,780 | +220 | 893.84 | 71,370 | +7,860 |
| Apr. 30..... | 848.60 | 17,660 | -330 | 755.99 | 4,580 | -200 | 893.33 | 69,720 | -1,650 |
| May 31..... | 848.34 | 17,400 | -260 | 755.76 | 4,500 | -80 | 893.32 | 69,690 | -30 |
| June 30..... | 848.07 | 17,130 | -270 | 755.49 | 4,410 | -90 | 890.50 | 61,490 | -8,200 |
| July 31..... | 847.91 | 16,980 | -150 | 754.19 | 3,970 | -440 | 885.64 | 48,710 | -12,780 |
| Aug. 31..... | 844.90 | 14,420 | -2,560 | 755.35 | 4,360 | +390 | 884.52 | 45,940 | -2,770 |
| Sept. 30..... | 843.50 | 13,380 | -1,040 | 754.33 | 4,010 | -350 | 881.32 | 38,780 | -7,160 |
| WTR YR 1984 | -- | -- | +1,270 | -- | -- | +50 | -- | -- | -8,900 |

UPPER TWIN CREEK BASIN

03237280 UPPER TWIN CREEK AT MCGAW, OH

(HYDROLOGIC BENCH-MARK STATION)

LOCATION.--Lat 38°38'37", long 83°12'57", Scioto County, Hydrologic Unit 05090201, on right bank, 0.3 mi downstream from Brown Run 0.3 mi upstream from Tucker Run, 0.7 mi upstream from bridge on U.S. Highway 52 at McGaw, 2.7 mi northeast of Buena Vista, and 3.2 mi upstream from mouth.

DRAINAGE AREA.-- 12.2 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--June 1963 to current year.

GAGE.--Water-stage recorder. Datum of gage is 543.41 ft National Geodetic Vertical Datum of 1929. Ohio Department of Highways bench mark. Prior to July 21, 1972 at site 0.7 mi downstream at datum 23.41 ft lower.

REMARKS.--Records poor.

AVERAGE DISCHARGE.--21 years, 13.6 ft³/s, 15.14 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 3,500 ft³/s Mar. 4, 1964, gage height, 9.7 ft, in gage well, 10.2 ft, from outside highwater mark from rating curve extended above 300 ft³/s on basis of slope-area measurement of peak flow; no flow for many days most years.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of July 3, 1960 reached a stage of 11.62 ft, discharge, 7,230 ft³/s, on basis of contracted-opening and flow over road measurement of peak flow.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 450 ft³/s and maximums (*).

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Oct. 22 | 2145 | 911 | 2.37 | Mar. 28 | 1545 | 711 | 2.12 |
| Mar. 20 | 1930 | *1590 | *3.22 | Apr. 22 | 1130 | 578 | 1.93 |

No flow all or part of each day Oct. 1-12, 14-18, Sept. 3, 5-23.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|-------|-------|--------|-------|--------|------|-------|-------|-------|-------|------|
| 1 | .00 | 1.7 | 7.7 | 2.4 | 11 | 23 | 12 | 11 | 2.0 | .25 | 1.1 | .02 |
| 2 | .00 | 1.7 | 6.6 | 2.3 | 12 | 18 | 20 | 10 | 1.7 | .12 | .86 | .02 |
| 3 | .00 | 2.4 | 6.2 | 2.2 | 17 | 16 | 19 | 19 | 1.5 | .12 | .86 | .00 |
| 4 | .00 | 3.0 | 7.4 | 2.0 | 22 | 15 | 78 | 59 | 1.3 | .02 | .64 | .02 |
| 5 | .00 | 3.0 | 4.0 | 1.9 | 19 | 20 | 163 | 44 | 1.1 | .25 | .46 | .00 |
| 6 | .00 | 3.2 | 7.2 | 1.8 | 14 | 23 | 122 | 52 | 1.1 | .25 | .64 | .00 |
| 7 | .00 | 3.2 | 4.5 | 1.7 | 11 | 18 | 48 | 33 | .86 | .86 | .46 | .00 |
| 8 | .00 | 3.2 | 2.6 | 1.6 | 9.4 | 16 | 29 | 47 | .86 | .86 | .25 | .00 |
| 9 | .00 | 3.2 | 2.1 | 1.5 | 9.4 | 11 | 22 | 32 | .86 | .86 | .25 | .00 |
| 10 | .00 | 8.9 | 4.4 | 1.4 | 9.4 | 9.8 | 19 | 13 | .64 | .54 | .86 | .00 |
| 11 | .00 | 1.7 | 3.1 | 1.4 | 11 | 9.4 | 18 | 7.7 | .64 | .86 | 1.5 | .00 |
| 12 | .00 | 6.6 | 2.5 | 1.3 | 11 | 8.1 | 16 | 5.9 | 2.4 | 2.2 | 1.5 | .00 |
| 13 | .01 | 4.4 | 1.7 | 1.3 | 13 | 7.7 | 16 | 4.1 | 1.7 | 1.5 | 1.5 | .00 |
| 14 | .00 | 3.8 | 1.4 | 1.2 | 48 | 7.7 | 16 | 3.5 | 1.3 | 1.1 | 1.3 | .00 |
| 15 | .00 | 5.0 | 1.1 | 1.2 | 30 | 7.3 | 16 | 3.0 | .86 | 2.4 | 1.1 | .00 |
| 16 | .00 | 1.4 | 1.1 | 1.1 | 22 | 8.1 | 16 | 3.0 | .86 | 4.1 | .86 | .00 |
| 17 | .00 | 1.6 | 8.9 | 1.1 | 17 | 7.7 | 16 | 3.0 | .64 | 3.2 | .46 | .00 |
| 18 | .00 | 7.7 | 8.1 | 1.0 | 12 | 16 | 16 | 3.0 | .46 | 2.4 | 1.5 | .00 |
| 19 | .02 | 5.6 | 6.9 | .98 | 14 | 26 | 18 | 3.0 | .46 | 2.0 | 2.4 | .00 |
| 20 | 1.5 | 5.0 | 6.2 | .96 | 13 | 290 | 17 | 3.0 | .25 | 1.5 | 1.7 | .00 |
| 21 | 22 | 4.7 | 5.9 | .92 | 11 | 178 | 33 | 2.7 | .12 | 1.3 | 1.3 | .00 |
| 22 | 63 | 4.1 | 4.7 | .84 | 9.8 | 54 | 240 | 2.4 | .02 | 1.1 | 1.1 | .00 |
| 23 | 44 | 3.8 | 3.9 | .78 | 8.9 | 27 | 118 | 2.7 | .25 | 1.1 | .86 | .00 |
| 24 | 42 | 3.8 | 2.1 | 56 | 8.1 | 18 | 50 | 2.4 | 1.3 | .86 | .46 | .12 |
| 25 | 17 | 3.8 | 2.0 | 46 | 9.8 | 17 | 29 | 2.2 | 1.5 | .64 | .46 | .12 |
| 26 | 5.0 | 3.5 | 1.8 | 2.7 | 8.9 | 16 | 21 | 2.2 | .86 | .86 | .25 | .25 |
| 27 | 3.8 | 3.2 | 1.6 | 2.1 | 9.4 | 14 | 17 | 2.4 | 1.0 | 2.0 | .12 | .25 |
| 28 | 3.0 | 4.8 | 1.9 | 1.6 | 36 | 85 | 16 | 2.4 | .76 | 2.0 | .02 | .25 |
| 29 | 2.4 | 2.8 | 2.6 | 1.3 | 32 | 75 | 14 | 2.7 | .54 | 1.5 | .25 | .86 |
| 30 | 2.2 | 1.2 | 2.7 | 1.2 | --- | 32 | 13 | 2.4 | .26 | 1.3 | .02 | .86 |
| 31 | 2.0 | --- | 2.6 | 1.3 | --- | 18 | --- | 2.2 | --- | 1.1 | .02 | --- |
| TOTAL | 207.93 | 233.5 | 609.7 | 236.88 | 459.1 | 1091.8 | 1248 | 385.9 | 28.10 | 39.25 | 25.06 | 2.77 |
| MEAN | 6.71 | 7.78 | 19.7 | 7.64 | 15.8 | 35.2 | 41.6 | 12.4 | .94 | 1.27 | .81 | .092 |
| MAX | 63 | 48 | 74 | 56 | 48 | 290 | 240 | 59 | 2.4 | 4.1 | 2.4 | .96 |
| MIN | .00 | 1.7 | 1.6 | .78 | 8.1 | 7.3 | 12 | 2.2 | .02 | .02 | .02 | .00 |
| CFSM | .55 | .64 | 1.62 | .63 | 1.30 | 2.89 | 3.41 | 1.02 | .08 | .10 | .07 | .008 |
| IN. | .63 | .71 | 1.86 | .72 | 1.40 | 3.33 | 3.81 | 1.18 | .09 | .12 | .08 | .01 |

CAL YR 1983 TOTAL 5569.38 MEAN 15.3 MAX 584 MIN .00 CFSM 1.25 IN 16.98
WTR YR 1984 TOTAL 4567.99 MEAN 12.5 MAX 290 MIN .00 CFSM 1.03 IN 13.93

UPPER TWIN CREEK BASIN

161

03237280 UPPER TWIN CREEK AT MCGAW, OH--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--Water years 1964 to current year.

PERIOD OF RECORD.--

WATER TEMPERATURES: Water years 1963-66, 1967-70, 1972-1982.

SUSPENDED SEDIMENT DISCHARGE: Water years 1964-69 (periodic), 1969 to 1973 (daily), 1974 to current year (periodic).

INSTRUMENTATION.--Water temperature recorder since July 1972.

REMARKS.--Water temperature unavailable for 1983 water year due to malfunction of the instrument or probe out of water.

EXTREMES FOR PERIOD OF DAILY RECORD.--

WATER TEMPERATURES: Maximum, 36.0°C July 20, 21, 1977; minimum, 0.0°C on many days during winter periods.

WATER QUALITY DATA, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | SPE- CIFIC CON- DUCT- ANCE (UMHOS) | PH (STAND- ARD UNITS) | TEMPER- ATURE, AIR (DEG C) | TEMPER- ATURE (DEG C) | TUR- BID- ITY (NTU) | OXYGEN, DIS- SOLVED (MG/L) | OXYGEN, DIS- SOLVED (PER- CENT SATUR- ATION) | COLI- FORM, FECAL, 0.7 UM-4F (COLS./ 100 ML) |
|--------------|------|---|---|--------------------------------|-------------------------------------|-----------------------------|------------------------------|-------------------------------------|--|--|
| NOV 15... | 1100 | 4.1 | 95 | 6.4 | 8.0 | 8.5 | <1.0 | 11.6 | 103 | 90 |
| DEC 12... | 1400 | 28 | 70 | 6.9 | 5.0 | 9.0 | 3.2 | 10.8 | 96 | 44 |
| FEB 08... | 1200 | 8.5 | 85 | 6.7 | 1.0 | 1.0 | 1.5 | 13.8 | 101 | 4 |
| MAY 01... | 1200 | 11 | 82 | 6.6 | 15.0 | 14.5 | 1.4 | 11.2 | 111 | 14 |
| JUL 06... | 1000 | .18 | 120 | 6.9 | 24.5 | 22.5 | <1.0 | 6.7 | 80 | 120 |
| AUG 08... | 0930 | .14 | 128 | 6.7 | 25.0 | 21.0 | .30 | 5.8 | 66 | 21 |

| DATE | TIME | STREP- TOCOCCEI FECAL, KF AGAR (COLS. PER 100 ML) | HARD- NESS (MG/L AS CAC03) | HARD- NESS NONCAR- BONATE (MG/L AS CAC03) | CALCIUM DIS- SOLVED (MG/L AS CA) | MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) | SODIUM, DIS- SOLVED (MG/L AS NA) | POTAS- SIUM, DIS- SOLVED (MG/L AS K) | ALKA- LITY LAB (MG/L AS CAC03) | SULFATE DIS- SOLVED (MG/L AS SO4) | CHLO- RIDE, DIS- SOLVED (MG/L AS CL) |
|--------------|------|---|--|---|--|--|--|---|---|---|---|
| NOV 15... | 360 | 35 | 19 | 6.1 | 4.8 | 2.3 | 1.7 | 16 | 25 | 1.9 | |
| DEC 12... | 150 | 27 | 15 | 4.4 | 3.9 | 2.2 | 1.6 | 12 | 22 | 1.5 | |
| FEB 08... | 11 | 29 | 21 | 4.7 | 4.3 | 2.8 | 1.4 | 8.0 | 27 | 1.9 | |
| MAY 01... | 32 | 30 | 21 | 4.8 | 4.3 | 2.4 | 1.7 | 9.0 | 26 | 1.4 | |
| JUL 06... | 700 | 42 | 23 | 7.1 | 6.0 | 3.6 | 2.5 | .19 | 35 | 2.6 | |
| AUG 08... | 240 | 46 | 25 | 7.9 | 6.5 | 3.8 | 2.6 | 22 | 31 | 2.9 | |

| DATE | TIME | FLUO- RIDE, DIS- SOLVED (MG/L AS F) | SILICA, DIS- SOLVED (MG/L AS SiO2) | SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) | NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N) | NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) | NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH4) | NITRO- GEN,AM- MONIA + ORGANIC TOTAL (MG/L AS N) | PHOS- PHORUS, DIS- SOLVED (MG/L AS P) | PHOS- PHORUS, ORTHOPHOS- PHATE, DIS- SOLVED (MG/L AS P) |
|--------------|------|--|---|--|---|---|---|--|--|--|
| NOV 15... | .10 | 8.4 | 60 | .330 | .140 | .18 | 1.9 | .010 | .010 | <.010 |
| DEC 12... | <.10 | 9.1 | 51 | 2.20 | .110 | .14 | .10 | .030 | .030 | <.010 |
| FEB 08... | <.10 | 8.6 | 63 | .270 | .060 | .08 | .40 | .020 | <.010 | <.010 |
| MAY 01... | <.10 | 10 | 70 | .220 | .010 | .01 | .30 | <.030 | <.020 | .010 |
| JUL 06... | <.10 | 10 | 88 | .310 | <.010 | -- | .10 | .030 | <.010 | <.010 |
| AUG 08... | <.10 | 11 | 87 | .180 | <.010 | -- | <.10 | .010 | .010 | <.010 |

UPPER TWIN CREEK BASIN

03237280 UPPER TWIN CREEK AT MCGAW, OH--Continued

WATER QUALITY DATA, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | ALUM- INUM, DIS- SOLVED (UG/L AS AL) | ARSENIC DIS- SOLVED (UG/L AS AS) | BARIUM, DIS- SOLVED (UG/L AS BA) | BERYL- LIUM, DIS- SOLVED (UG/L AS BE) | CADMIUM DIS- SOLVED (UG/L AS CD) | CHRO- MIUM, DIS- SOLVED (UG/L AS CR) | COBALT, DIS- SOLVED (UG/L AS CO) | COPPER, DIS- SOLVED (UG/L AS CU) |
|--------------|------|---|---|--|--|--|--|---|--|--|
| NOV 15... | 1100 | 4.1 | 10 | <1 | 31 | <.5 | <1 | <1 | <3 | 5 |
| MAY 01... | 1200 | 11 | <10 | 1 | 27 | <1 | <1 | <1 | <3 | 2 |

| DATE | TIME | IRON, DIS- SOLVED (UG/L AS FE) | LEAD, DIS- SOLVED (UG/L AS PB) | LITHIUM DIS- SOLVED (UG/L AS LI) | MANGA- NESE, DIS- SOLVED (UG/L AS MN) | MERCURY DIS- SOLVED (UG/L AS HG) | MOLYB- DENUM, DIS- SOLVED (UG/L AS MO) | NICKEL, DIS- SOLVED (UG/L AS NI) | SELE- NIUM, DIS- SOLVED (UG/L AS SE) | SILVER, DIS- SOLVED (UG/L AS AG) | STRON- TIUM, DIS- SOLVED (UG/L AS SR) |
|--------------|------|--|--|--|--|--|---|--|---|--|--|
| NOV 15... | 11 | 4 | <4 | <4 | <1 | .1 | <10 | <1 | <1 | <1 | 40 |
| MAY 01... | 7 | 1 | <4 | 1 | .2 | <10 | 3 | <1 | <1 | <1 | 46 |

| | VANA- DIUM, DIS- SOLVED (UG/L AS V) | ZINC, DIS- SOLVED (UG/L AS ZN) | GROSS ALPHA, DIS- SOLVED (UG/L AS U-NAT) | GROSS ALPHA, SUSP. TOTAL (UG/L AS U-NAT) | GROSS BETA, DIS- SOLVED (PCI/L AS CS-137) | GROSS BETA, SUSP. TOTAL (PCI/L AS CS-137) | GROSS BETA, DIS- SOLVED (PCI/L AS SR/ YT-90) | GROSS BETA, SUSP. TOTAL (PCI/L AS SR/ YT-90) | RADIUM 226, DIS- SOLVED, RADON METHOD (PCI/L) | URANIUM DIS- SOLVED, EXTRAC- TION (UG/L) |
|--------------|--|--|--|--|---|---|--|--|---|---|
| NOV 15... | <6 | 10 | -- | -- | -- | -- | -- | -- | -- | -- |
| MAY 01... | <6 | 11 | <1.0 | <.4 | 2.0 | <.4 | 1.8 | <.4 | .09 | .03 |

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | TEMPER- ATURE (DEG C) | SEDI- MENT, SUS- PENDED (MG/L) | SEDI- MENT, DIS- CHARGE, SUS- PENDED (T/DAY) |
|--------------|------|---|-----------------------------|--|--|
| NOV 15... | 1100 | 4.1 | 8.5 | 7 | .08 |
| DEC 12... | 1400 | 28 | 9.0 | 36 | 2.7 |
| FEB 08... | 1200 | 8.5 | 1.0 | 4 | .09 |
| MAY 01... | 1200 | 11 | 14.5 | <1 | -- |
| JUL 06... | 1000 | .18 | 22.5 | <1 | -- |
| AUG 08... | 0930 | .14 | 21.0 | <1 | -- |

03237500 OHIO BRUSH CREEK NEAR WEST UNION, OH

LOCATION.--Lat 38°48'13", long 83°25'16", Adams County, Hydrologic Unit 05090201, on right bank at downstream side of bridge on State Highway 348, 0.3 mi downstream from Cedar Run, 7.0 mi east of West Union, and 7.1 mi upstream from Beasley Fork.

DRAINAGE AREA.--387 mi².

PERIOD OF RECORD.--August 1926 to November 1935 September 1940 to current year.

REVISED RECORDS.--WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 510.6 ft National Geodetic Vertical Datum of 1929. Prior to Nov. 22, 1940, nonrecording gage at same site and datum.

REMARKS.--Records good except those for winter periods which are fair. Water-quality data collected at this site 1965 to 1977; Sediment data collected 1969 to 1974.

AVERAGE DISCHARGE.--53 years, 455 ft³/s, 15.97 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 59,200 ft³/s Mar. 10, 1964, gage height, 27.91 ft, from rating curve extended above 22,000 ft³/s on basis of slope-area measurement at gage heights 22.70 ft, 26.5 ft, and 27.91 ft; no flow Sept. 13-23, 27, 28, 1955 and for part of each day Sept. 17, 18, 1964.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 11,000 ft³/s and maximums (*)

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Nov. 28 | 1115 | 15200 | 15.23 | Apr. 22 | 1845 | 12400 | 13.79 |
| Mar. 29 | 0100 | *15900 | *15.59 | | | | |

Minimum discharge, 0.48 ft³/s Oct. 4.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|----------|-------|-------|------|-------|-------|-------|-------|------|--------|--------|-------|
| 1 | .57 | 65 | 368 | 190 | 235 | 492 | 562 | 221 | 129 | 12 | 17 | 4.7 |
| 2 | .57 | 61 | 282 | 160 | 293 | 436 | 445 | 181 | 115 | 11 | 12 | 4.2 |
| 3 | .57 | 110 | 271 | 150 | 1270 | 589 | 414 | 393 | 97 | 10 | 10 | 4.0 |
| 4 | .55 | 108 | 4130 | 140 | 1080 | 468 | 1590 | 860 | 83 | 9.7 | 195 | 4.0 |
| 5 | .72 | 93 | 1330 | 120 | 547 | 1210 | 3440 | 526 | 68 | 14 | 260 | 3.5 |
| 6 | .80 | 75 | 1050 | 110 | 380 | 1340 | 2960 | 436 | 57 | 18 | 62 | 3.7 |
| 7 | .80 | 64 | 814 | 100 | 242 | 633 | 1120 | 756 | 50 | 52 | 38 | 3.7 |
| 8 | .92 | 56 | 473 | 92 | 190 | 459 | 561 | 3530 | 42 | 42 | 115 | 4.0 |
| 9 | 1.0 | 51 | 427 | 84 | 202 | 356 | 511 | 1590 | 36 | 36 | 147 | 3.7 |
| 10 | 1.1 | 49 | 807 | 76 | 205 | 297 | 432 | 690 | 31 | 21 | 59 | 4.2 |
| 11 | 1.4 | 69 | 532 | 72 | 557 | 300 | 360 | 464 | 28 | 16 | 32 | 3.7 |
| 12 | 1.3 | 81 | 744 | 66 | 672 | 249 | 304 | 360 | 25 | 25 | 97 | 3.5 |
| 13 | 2.2 | 81 | 526 | 60 | 901 | 308 | 300 | 311 | 23 | 34 | 70 | 3.2 |
| 14 | 3.2 | 66 | 423 | 56 | 3260 | 860 | 304 | 260 | 21 | 24 | 36 | 3.2 |
| 15 | 2.9 | 284 | 432 | 52 | 994 | 507 | 263 | 218 | 19 | 23 | 22 | 3.3 |
| 16 | 4.2 | 594 | 337 | 48 | 578 | 726 | 228 | 179 | 17 | 68 | 15 | 3.3 |
| 17 | 4.0 | 511 | 256 | 44 | 450 | 644 | 252 | 152 | 16 | 76 | 11 | 3.7 |
| 18 | 17 | 292 | 208 | 41 | 372 | 507 | 330 | 135 | 14 | 38 | 600 | 4.2 |
| 19 | 14 | 195 | 184 | 38 | 376 | 464 | 341 | 123 | 13 | 21 | 282 | 4.2 |
| 20 | 59 | 165 | 144 | 36 | 376 | 1130 | 278 | 112 | 14 | 14 | 102 | 4.0 |
| 21 | 3040 | 224 | 154 | 34 | 290 | 6620 | 562 | 102 | 152 | 9.9 | 53 | 4.0 |
| 22 | 1130 | 217 | 1230 | 32 | 238 | 2410 | 6670 | 95 | 106 | 7.4 | 81 | 4.0 |
| 23 | 4770 | 183 | 690 | 30 | 208 | 1220 | 2630 | 1190 | 48 | 6.3 | 39 | 4.0 |
| 24 | 1830 | 1470 | 311 | 2500 | 190 | 720 | 2000 | 684 | 115 | 5.0 | 22 | 14 |
| 25 | 1270 | 484 | 202 | 1710 | 187 | 702 | 936 | 278 | 139 | 5.6 | 16 | 360 |
| 26 | 458 | 276 | 193 | 661 | 181 | 950 | 595 | 252 | 59 | 10 | 12 | 74 |
| 27 | 249 | 204 | 130 | 406 | 165 | 584 | 445 | 322 | 31 | 263 | 9.9 | 31 |
| 28 | 163 | 6770 | 150 | 315 | 972 | 4150 | 356 | 196 | 23 | 81 | 8.3 | 19 |
| 29 | 116 | 1300 | 400 | 249 | 788 | 5330 | 293 | 468 | 17 | 31 | 7.0 | 13 |
| 30 | 90 | 568 | 300 | 231 | --- | 1440 | 256 | 278 | 15 | 23 | 5.9 | 9.9 |
| 31 | 72 | --- | 230 | 356 | --- | 788 | --- | 179 | --- | 21 | 5.9 | --- |
| TOTAL | 13304.80 | 14766 | 17728 | 8259 | 16399 | 36889 | 29938 | 15541 | 1602 | 1027.9 | 2443.0 | 608.9 |
| MEAN | 429 | 492 | 572 | 266 | 565 | 1190 | 995 | 501 | 53.4 | 33.2 | 78.8 | 20.3 |
| MAX | 4770 | 6770 | 4130 | 2500 | 3260 | 6620 | 6670 | 3530 | 152 | 253 | 600 | 350 |
| MIN | .55 | 49 | 130 | 30 | 165 | 249 | 228 | 95 | 13 | 5.0 | 5.9 | 3.2 |
| CFSM | 1.11 | 1.27 | 1.48 | .69 | 1.46 | 3.08 | 2.57 | 1.30 | .14 | .09 | .20 | .05 |
| IN. | 1.28 | 1.42 | 1.70 | .79 | 1.58 | 3.55 | 2.87 | 1.49 | .15 | .10 | .23 | .06 |

| | | | | | | | | | | | | |
|-------------|-------|-----------|------|-----|-----|-------|-----|-----|------|------|----|-------|
| CAL YR 1983 | TOTAL | 161143.25 | MEAN | 441 | MAX | 12200 | MIN | .28 | CFSM | 1.14 | IN | 15.49 |
| WTR YR 1984 | TOTAL | 158406.60 | MEAN | 433 | MAX | 6770 | MIN | .55 | CFSM | 1.12 | IN | 15.23 |

WHITEOAK CREEK BASIN

03238500 WHITEOAK CREEK NEAR GEORGETOWN, OH

LOCATION.--Lat 38°51'29", long 83°55'43", Brown County, Hydrologic Unit 05090201, on left bank 150 ft upstream from diversion dam for Georgetown water treatment plant, 0.7 mi upstream from Town Run, 1.4 mi southwest of Georgetown, and 7.2 mi upstream from mouth.

DRAINAGE AREA.--218 mi².

PERIOD OF RECORD.--October 1923 to November 1935, October 1939 to current year.

REVISED RECORDS.--WSP 728: 1924-31. WSP 758: 1933. WSP 1908: Drainage area. WRD OH-74-1: 1973 (P)

GAGE.--Water-stage recorder. Datum of gage is 604.20 ft National Geodetic Vertical Datum of 1929. Prior to Oct. 12, 1972 nonrecording gage at a site 1.0 mi downstream at datum 35.24 ft lower. See WSP 2108 for history of changes prior to Dec. 8, 1940.

REMARKS.--Records fair except those below 30 ft³/s and for periods of doubtful gage height record, October 23-26 and Jan. 25 to Mar. 20 which are poor. Water-quality data collected at this site 1965 to 1977. Sediment data collected 1970 to 1974.

AVERAGE DISCHARGE.--57 years, 259 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 22,400 ft³/s Mar. 10, 1964; maximum gage height, 20.87 ft May 14, 1933, site and datum then in use; no flow at times in 1930, 1940-41, 1943, 1948, 1951-53, 1959, 1969, 1970, 1976-1978, 1983, 1984.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 5,500 ft³/s, and maximum (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Oct. 23 | 1400 | 6400 | 6.42 | Mar. 29 | 0430 | 7140 | 6.67 |
| Nov. 28 | 1600 | 7360 | 6.74 | Apr. 22 | 2100 | *7390 | *6.75 |
| Mar. 21 | 0530 | 6900 | 6.59 | | | | |

Minimum daily discharge, no flow Oct. 1-3, Sept. 16, 17, 20-23.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|----------|-----------|-------|------|-------|-------|-------|-------|-------|-------|---------|--------|
| 1 | .00 | 39 | 149 | 62 | 120 | 200 | 161 | 72 | 82 | 6.5 | 8.7 | 3.4 |
| 2 | .00 | 34 | 108 | 60 | 120 | 190 | 128 | 57 | 61 | 6.5 | 5.5 | 3.4 |
| 3 | .00 | 31 | 104 | 58 | 760 | 300 | 116 | 72 | 46 | 5.5 | 5.5 | 3.8 |
| 4 | 1.5 | 39 | 3110 | 56 | 600 | 220 | 431 | 441 | 36 | 5.5 | 5.5 | 4.3 |
| 5 | 10 | 49 | 869 | 54 | 280 | 1700 | 2360 | 288 | 29 | 8.7 | 5.5 | 1.2 |
| 6 | 7.6 | 46 | 808 | 52 | 180 | 1400 | 1920 | 238 | 26 | 46 | 3.4 | .50 |
| 7 | 1.5 | 31 | 667 | 50 | 130 | 290 | 422 | 268 | 24 | 39 | 2.3 | .56 |
| 8 | 3.4 | 29 | 215 | 48 | 100 | 170 | 199 | 2630 | 24 | 49 | 76 | .03 |
| 9 | 6.5 | 22 | 166 | 46 | 94 | 130 | 141 | 890 | 22 | 24 | 39 | .07 |
| 10 | 5.5 | 22 | 331 | 43 | 98 | 96 | 120 | 232 | 22 | 14 | 29 | 2.0 |
| 11 | 2.3 | 67 | 243 | 40 | 110 | 89 | 100 | 141 | 24 | 10 | 180 | 2.4 |
| 12 | 4.3 | 79 | 536 | 38 | 280 | 79 | 79 | 104 | 22 | 14 | 67 | 2.1 |
| 13 | 4.3 | 79 | 316 | 37 | 2400 | 180 | 76 | 89 | 20 | 22 | 26 | 1.3 |
| 14 | 67 | 57 | 204 | 36 | 2000 | 720 | 86 | 79 | 18 | 16 | 14 | 1.1 |
| 15 | 61 | 61 | 243 | 34 | 700 | 390 | 93 | 69 | 18 | 11 | 11 | .18 |
| 16 | 26 | 170 | 170 | 34 | 320 | 470 | 86 | 57 | 18 | 24 | 7.6 | .00 |
| 17 | 13 | 441 | 116 | 33 | 230 | 390 | 104 | 42 | 20 | 42 | 4.3 | .00 |
| 18 | 11 | 220 | 104 | 33 | 190 | 300 | 180 | 36 | 20 | 16 | 268 | .56 |
| 19 | 268 | 141 | 64 | 32 | 160 | 240 | 180 | 31 | 20 | 8.7 | 157 | .03 |
| 20 | 275 | 108 | 42 | 31 | 140 | 1200 | 133 | 29 | 18 | 5.5 | 46 | .00 |
| 21 | 4970 | 262 | 53 | 30 | 100 | 5280 | 492 | 26 | 16 | 5.5 | 20 | .00 |
| 22 | 2790 | 180 | 769 | 29 | 74 | 1410 | 5430 | 26 | 49 | 4.3 | 14 | .00 |
| 23 | 5600 | 514 | 464 | 29 | 61 | 624 | 2630 | 1750 | 26 | 3.4 | 11 | .00 |
| 24 | 2200 | 2850 | 140 | 700 | 49 | 262 | 2100 | 506 | 20 | 2.3 | 6.7 | 17 |
| 25 | 860 | 658 | 120 | 1600 | 46 | 331 | 492 | 133 | 57 | 2.3 | 6.0 | 92 |
| 26 | 330 | 170 | 100 | 270 | 42 | 606 | 232 | 89 | 26 | 6.5 | 4.6 | 33 |
| 27 | 153 | 128 | 100 | 200 | 46 | 232 | 153 | 82 | 16 | 34 | 3.1 | 14 |
| 28 | 124 | 5780 | 170 | 150 | 460 | 1810 | 116 | 89 | 11 | 26 | 2.2 | 5.8 |
| 29 | 89 | 1910 | 100 | 120 | 380 | 4050 | 89 | 1460 | 8.7 | 49 | .40 | 4.4 |
| 30 | 53 | 256 | 80 | 110 | --- | 583 | 79 | 249 | 6.5 | 16 | 1.2 | 3.0 |
| 31 | 42 | --- | 70 | 130 | --- | 249 | --- | 120 | --- | 10 | 1.5 | --- |
| TOTAL | 17978.90 | 14473 | 10731 | 4245 | 10270 | 24191 | 18928 | 10395 | 806.2 | 533.2 | 1032.00 | 197.23 |
| MEAN | 580 | 482 | 346 | 137 | 354 | 780 | 631 | 335 | 26.9 | 17.2 | 33.3 | 6.57 |
| MAX | 5600 | 5780 | 3110 | 1600 | 2400 | 5280 | 5430 | 2630 | 82 | 49 | 268 | 92 |
| MIN | .00 | 22 | 42 | 29 | 42 | 79 | 76 | 26 | 6.5 | 2.3 | .40 | .00 |
| CAL YR 1983 | TOTAL | 105981.47 | MEAN | 290 | MAX | 5780 | MIN | .00 | | | | |
| WTR YR 1984 | TOTAL | 113780.53 | MEAN | 311 | MAX | 5780 | MIN | .00 | | | | |

LITTLE MIAMI RIVER BASIN

165

03240000 LITTLE MIAMI RIVER NEAR OLDTOWN, OH

LOCATION.--Lat 39°44'54", long 83°55'53", in sec. 34, R.7, T.4, Greene County, Hydrologic Unit 05090202, on right bank at downstream side of bridge on U.S. Highway 68, 0.8 mi downstream from Conner Branch, 0.9 mi upstream from Massies Creek, 1.3 mi northeast of Oldtown, and at mile 82.25.

DRAINAGE AREA.--129 mi².

PERIOD OF RECORD.--July 1952 to current year.

GAGE.--Water-stage recorder. Datum of gage is 816.56 ft National Geodetic Vertical Datum of 1929.

REMARKS.--Records good except those for the winter period, which are fair. Water-quality data collected at this site 1965 to 1977. Sediment data collected 1952 to 1958.

AVERAGE DISCHARGE.--32 years, 117 ft³/s, 12.32 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 14,800 ft³/s Jan. 21, 1959, gage height, 12.20 ft, from rating curve extended above 4,400 ft³/s on basis of slope area measurements of peak flow; minimum, 5.4 ft³/s July 29, 1954, result of temporary storage at rock dam upstream.

EXTREMES FOR CURRENT YEAR.--Peak discharge above base of 800 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Feb. 14 | 0900 | * 1,280 | 5.40 | Mar. 21 | 1730 | 1,060 | 4.90 |
| Mar. 16 | 2015 | 1,250 | 5.33 | Apr. 5 | 0715 | 1,100 | 5.01 |

Minimum discharge, 11 ft³/s Oct. 2, 3.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1 | 12 | 34 | 154 | 70 | 69 | 80 | 203 | 110 | 143 | 50 | 31 | 19 |
| 2 | 16 | 37 | 132 | 70 | 102 | 74 | 182 | 255 | 127 | 51 | 29 | 18 |
| 3 | 14 | 65 | 126 | 68 | 561 | 74 | 183 | 232 | 117 | 49 | 32 | 20 |
| 4 | 18 | 67 | 332 | 66 | 326 | 74 | 297 | 183 | 104 | 67 | 53 | 26 |
| 5 | 25 | 58 | 392 | 62 | 165 | 90 | 960 | 185 | 98 | 124 | 39 | 25 |
| 6 | 19 | 51 | 315 | 58 | 100 | 216 | 771 | 176 | 95 | 111 | 35 | 20 |
| 7 | 17 | 46 | 290 | 56 | 74 | 188 | 466 | 222 | 90 | 106 | 32 | 19 |
| 8 | 17 | 42 | 207 | 54 | 70 | 163 | 335 | 189 | 85 | 79 | 54 | 19 |
| 9 | 15 | 39 | 170 | 52 | 68 | 110 | 272 | 157 | 81 | 66 | 43 | 17 |
| 10 | 14 | 40 | 155 | 50 | 68 | 90 | 228 | 145 | 76 | 61 | 34 | 20 |
| 11 | 16 | 90 | 178 | 48 | 495 | 86 | 197 | 129 | 73 | 57 | 77 | 22 |
| 12 | 14 | 130 | 377 | 47 | 262 | 84 | 178 | 120 | 70 | 53 | 51 | 18 |
| 13 | 45 | 89 | 316 | 46 | 413 | 82 | 179 | 110 | 69 | 48 | 40 | 16 |
| 14 | 35 | 73 | 242 | 45 | 1010 | 82 | 167 | 102 | 75 | 46 | 37 | 25 |
| 15 | 24 | 68 | 204 | 44 | 493 | 130 | 162 | 96 | 67 | 42 | 31 | 25 |
| 16 | 22 | 78 | 166 | 43 | 326 | 947 | 157 | 92 | 63 | 44 | 30 | 23 |
| 17 | 20 | 83 | 139 | 42 | 262 | 763 | 154 | 91 | 63 | 41 | 24 | 18 |
| 18 | 24 | 80 | 125 | 41 | 223 | 441 | 152 | 87 | 65 | 39 | 31 | 18 |
| 19 | 26 | 73 | 115 | 40 | 201 | 339 | 144 | 135 | 67 | 42 | 36 | 17 |
| 20 | 36 | 70 | 100 | 39 | 171 | 324 | 135 | 181 | 61 | 36 | 30 | 21 |
| 21 | 78 | 68 | 98 | 39 | 147 | 915 | 127 | 291 | 87 | 38 | 26 | 18 |
| 22 | 64 | 64 | 94 | 38 | 130 | 787 | 162 | 395 | 76 | 37 | 25 | 14 |
| 23 | 93 | 118 | 90 | 38 | 119 | 516 | 292 | 237 | 72 | 32 | 30 | 16 |
| 24 | 92 | 300 | 88 | 250 | 112 | 417 | 324 | 183 | 126 | 36 | 26 | 27 |
| 25 | 70 | 183 | 86 | 340 | 114 | 373 | 240 | 152 | 90 | 36 | 24 | 19 |
| 26 | 55 | 131 | 84 | 189 | 105 | 434 | 194 | 139 | 70 | 36 | 21 | 23 |
| 27 | 48 | 110 | 82 | 184 | 100 | 337 | 168 | 291 | 65 | 38 | 23 | 29 |
| 28 | 43 | 440 | 78 | 110 | 90 | 303 | 148 | 242 | 61 | 35 | 25 | 20 |
| 29 | 38 | 354 | 76 | 78 | 84 | 371 | 126 | 183 | 55 | 34 | 23 | 19 |
| 30 | 36 | 209 | 74 | 69 | --- | 287 | 112 | 170 | 53 | 31 | 23 | 17 |
| 31 | 35 | --- | 72 | 61 | --- | 231 | --- | 160 | --- | 30 | 21 | --- |
| TOTAL | 1081 | 3290 | 5157 | 2437 | 6460 | 9408 | 7415 | 5440 | 2444 | 1595 | 1036 | 608 |
| MEAN | 34.9 | 110 | 166 | 78.6 | 223 | 303 | 247 | 175 | 81.5 | 51.5 | 33.4 | 20.3 |
| MAX | 93 | 440 | 392 | 340 | 1010 | 947 | 960 | 395 | 143 | 124 | 77 | 29 |
| MIN | 12 | 34 | 72 | 38 | 68 | 74 | 112 | 87 | 53 | 30 | 21 | 14 |
| CFSM | .27 | .85 | 1.29 | .61 | 1.73 | 2.35 | 1.92 | 1.36 | .63 | .40 | .26 | .16 |
| IN. | .31 | .95 | 1.49 | .70 | 1.86 | 2.71 | 2.14 | 1.57 | .70 | .46 | .30 | .18 |

| | | | | | | | |
|-------------|-------|-------|----------|----------|--------|----------|----------|
| CAL YR 1983 | TOTAL | 41310 | MEAN 113 | MAX 2130 | MIN 12 | CFSM .88 | IN 11.91 |
| WTR YR 1984 | TOTAL | 46371 | MEAN 127 | MAX 1010 | MIN 12 | CFSM .98 | IN 13.37 |

LITTLE MIAMI RIVER BASIN

03241500 MASSIES CREEK AT WILBERFORCE, OH

LOCATION.--Lat 39°43'22", long 83°52'58", Greene County, Hydrologic Unit 05090202, on left bank at bridge on Wilberforce-Clifton Road, 0.5 mi northwest 200 ft of Wilberforce, 0.6 mi downstream from unnamed right bank tributary and 1.7 mi upstream from Clark Run.

DRAINAGE AREA.--63.2 mi².

PERIOD OF RECORD.--September 1952 to current year. Prior to October 1962, published as Massie Creek at Wilberforce.

REVISIONS.--WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 865.15 ft National Geodetic Vertical Datum of 1929, Aug. 4, 1972 to Sept. 30, 1979 at sight 150 ft downstream at same datum.

REMARKS.--Records fair except those for the winter period, which are poor. Water-quality data collected at this site 1965 to 1977. Sediment data collected 1952 to 1958.

AVERAGE DISCHARGE.--32 years, 62.9 ft³/s, 13.52 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 7,300 ft³/s Jan. 21, 1959, Mar. 4, 1963, gage height, 11.25 ft, from rating curve extended above 3,100 ft³/s; minimum, 0.3 ft³/s Sept. 3-7, 1954.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 600 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Jan. 24 | 1600 | ice jam | *5.32 | Mar. 16 | 2030 | 690 | 5.08 |
| Feb. 13 | 1930 | *761 | 5.26 | Mar. 21 | 1830 | 675 | 5.04 |

Minimum, 3.4 ft /s Oct. 1.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|------|------|------|------|------|------|------|------|-------|-------|-------|
| 1 | 3.6 | 11 | 106 | 32 | 37 | 42 | 110 | 54 | 50 | 13 | 8.1 | 5.9 |
| 2 | 3.9 | 11 | 91 | 31 | 61 | 39 | 93 | 57 | 44 | 13 | 7.2 | 7.2 |
| 3 | 4.1 | 20 | 85 | 30 | 289 | 38 | 92 | 96 | 41 | 13 | 7.6 | 9.5 |
| 4 | 5.7 | 20 | 260 | 29 | 184 | 39 | 165 | 169 | 36 | 25 | 23 | 9.0 |
| 5 | 6.9 | 18 | 275 | 28 | 98 | 45 | 509 | 115 | 34 | 76 | 17 | 8.5 |
| 6 | 5.4 | 16 | 219 | 27 | 50 | 140 | 433 | 107 | 34 | 93 | 13 | 5.9 |
| 7 | 4.9 | 15 | 200 | 27 | 36 | 109 | 240 | 112 | 31 | 101 | 12 | 6.8 |
| 8 | 4.3 | 13 | 141 | 26 | 34 | 91 | 169 | 137 | 30 | 63 | 18 | 6.8 |
| 9 | 4.3 | 12 | 112 | 25 | 33 | 60 | 130 | 141 | 28 | 39 | 36 | 6.8 |
| 10 | 4.6 | 13 | 103 | 24 | 33 | 48 | 107 | 107 | 27 | 31 | 23 | 7.6 |
| 11 | 4.6 | 47 | 112 | 23 | 199 | 46 | 88 | 90 | 26 | 27 | 28 | 7.2 |
| 12 | 4.6 | 57 | 214 | 23 | 134 | 46 | 75 | 81 | 24 | 24 | 26 | 7.2 |
| 13 | 19 | 40 | 181 | 23 | 292 | 46 | 76 | 69 | 24 | 23 | 15 | 6.3 |
| 14 | 9.4 | 31 | 146 | 22 | 625 | 46 | 73 | 62 | 22 | 19 | 11 | 15 |
| 15 | 5.1 | 30 | 118 | 21 | 303 | 46 | 71 | 53 | 20 | 19 | 9.5 | 15 |
| 16 | 4.6 | 32 | 107 | 21 | 197 | 606 | 68 | 52 | 18 | 18 | 7.6 | 11 |
| 17 | 4.3 | 33 | 85 | 21 | 158 | 436 | 65 | 46 | 17 | 16 | 9.5 | 9.0 |
| 18 | 6.0 | 33 | 74 | 21 | 139 | 250 | 66 | 46 | 21 | 15 | 12 | 8.5 |
| 19 | 8.6 | 31 | 60 | 20 | 123 | 191 | 66 | 46 | 24 | 14 | 11 | 8.1 |
| 20 | 16 | 29 | 52 | 20 | 101 | 218 | 60 | 46 | 24 | 12 | 9.0 | 7.2 |
| 21 | 48 | 26 | 50 | 20 | 86 | 588 | 57 | 57 | 22 | 13 | 8.1 | 7.2 |
| 22 | 31 | 25 | 47 | 20 | 73 | 450 | 92 | 52 | 20 | 12 | 11 | 7.2 |
| 23 | 57 | 91 | 44 | 25 | 70 | 297 | 211 | 92 | 20 | 11 | 12 | 8.1 |
| 24 | 48 | 211 | 42 | 60 | 65 | 235 | 206 | 87 | 37 | 11 | 9.0 | 11 |
| 25 | 35 | 117 | 40 | 170 | 63 | 232 | 143 | 66 | 30 | 12 | 5.9 | 13 |
| 26 | 25 | 78 | 38 | 91 | 58 | 235 | 112 | 60 | 23 | 15 | 7.2 | 15 |
| 27 | 20 | 62 | 37 | 86 | 52 | 182 | 93 | 50 | 22 | 16 | 6.8 | 11 |
| 28 | 17 | 309 | 36 | 58 | 47 | 191 | 81 | 66 | 20 | 12 | 6.8 | 8.5 |
| 29 | 15 | 252 | 35 | 45 | 45 | 247 | 68 | 88 | 16 | 10 | 7.2 | 7.6 |
| 30 | 12 | 145 | 34 | 38 | --- | 174 | 65 | 69 | 14 | 9.0 | 7.6 | 7.6 |
| 31 | 11 | --- | 33 | 34 | --- | 132 | --- | 57 | --- | 9.5 | 5.5 | --- |
| TOTAL | 448.9 | 1828 | 3177 | 1141 | 3685 | 5545 | 3984 | 2430 | 799 | 784.5 | 390.6 | 254.7 |
| MEAN | 14.5 | 60.9 | 102 | 36.8 | 127 | 179 | 129 | 78.4 | 26.6 | 25.3 | 12.6 | 9.82 |
| MAX | 57 | 309 | 275 | 170 | 625 | 606 | 509 | 169 | 50 | 101 | 36 | 15 |
| MIN | 3.6 | 11 | 33 | 20 | 33 | 38 | 57 | 46 | 14 | 9.0 | 5.5 | 5.9 |
| CFSM | .23 | .96 | 1.61 | .58 | 2.01 | 2.83 | 2.04 | 1.24 | .42 | .40 | .20 | .14 |
| IN. | .26 | 1.08 | 1.87 | .67 | 2.17 | 3.26 | 2.29 | 1.43 | .47 | .46 | .23 | .16 |

CAL YR 1983 TOTAL 23217.1 MEAN 63.6 MAX 1460 MIN 3.6 CFSM 1.01 IN 13.67
WTR YR 1984 TOTAL 24377.7 MEAN 66.6 MAX 625 MIN 3.6 CFSM 1.05 IN 14.35

03245500 LITTLE MIAMI RIVER AT MILFORD, OH

NATIONAL STREAM-QUALITY ACCOUNTING NETWORK STATION

LOCATION.--Lat 39°10'17", long 84°17'53", Clermont County, Hydrologic Unit 05090202, on right bank 500 ft downstream from Wooster Pike Bridge on U.S. Highway 50 in Milford, 1.2 mi upstream from East Fork, 6.4 mi downstream from North Branch Creek, and at mile 12.9.

DRAINAGE AREA.--1,203 mi².

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--June 1915 to September 1917, October 1917 to May 1920 (gage heights only), March 1925 to September 1936, October 1938 to current year. Monthly discharge only for some periods, published in WSP 1305, published as "at Miamiville" 1915-20.

REVISED RECORDS.--WSP 728: 1931. WSP 743: 1932. WSP 873: 1925-36. WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 494.35 ft National Geodetic Vertical Datum, adjustment of 1929. June 22, 1915, to May 14, 1920, nonrecording gage at site 4 mi upstream at different datum. Mar. 11, 1925, to Aug. 16, 1928, nonrecording gage at bridge 500 ft upstream at datum 5.72 ft higher. Aug. 17, 1928 to Sept. 30, 1977 water-stage recorder at same site at datum 5.00 ft higher.

REMARKS.--Records good except those for winter period which are fair. Some regulation since 1948 by Cowan Lake, capacity 12,000 acre-ft, 45 mi upstream on Cowan Creek, tributary to Todd Fork, and Caesar Creek Lake capacity 242,200 acre-ft 41.3 mi upstream on Caesar Creek.

AVERAGE DISCHARGE.--59 years, (1915-17, 1925-36, 1938-84), 1,248 ft³/s, 14.09 in./yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 84,100 ft³/s Jan. 22, 1959, gage height, 27.30 ft present datum, from rating curve extended above 60,000 ft³/s on basis of slope-area measurement of peak flow; minimum observed, 27 ft³/s Sept. 18, 1954.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in March 1913 reached a stage of 30.5 ft, present datum, from information by Corps of Engineers.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 15,000 ft³/s and maximums (*).

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Feb. 13 | 2400 | *18,800 | *14.14 | Mar. 28 | 2000 | 16,000 | 13.29 |

Minimum daily discharge, 138 ft³/s Oct. 3.

DISCHARGE, 14 CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|------|
| 1 | 140 | 351 | 2670 | 700 | 538 | 915 | 1880 | 997 | 1050 | 304 | 201 | 148 |
| 2 | 140 | 373 | 1630 | 660 | 624 | 915 | 1520 | 915 | 908 | 298 | 205 | 148 |
| 3 | 138 | 561 | 1540 | 620 | 2720 | 937 | 1460 | 2450 | 809 | 284 | 218 | 218 |
| 4 | 192 | 944 | 5550 | 600 | 3520 | 901 | 2530 | 5170 | 730 | 485 | 218 | 222 |
| 5 | 236 | 908 | 3920 | 580 | 2160 | 4710 | 9520 | 3190 | 648 | 1690 | 257 | 265 |
| 6 | 232 | 816 | 4000 | 540 | 1650 | 4340 | 9210 | 3160 | 583 | 1890 | 396 | 211 |
| 7 | 225 | 578 | 3840 | 500 | 1270 | 3100 | 6250 | 2570 | 561 | 1800 | 265 | 195 |
| 8 | 179 | 517 | 2500 | 480 | 796 | 2650 | 4350 | 3360 | 527 | 1130 | 2720 | 173 |
| 9 | 159 | 490 | 1850 | 460 | 595 | 1680 | 2330 | 3460 | 495 | 654 | 1100 | 162 |
| 10 | 151 | 544 | 1430 | 460 | 589 | 1310 | 1750 | 2130 | 469 | 485 | 612 | 188 |
| 11 | 145 | 1000 | 1410 | 450 | 1470 | 1250 | 1440 | 1580 | 420 | 415 | 373 | 170 |
| 12 | 140 | 1230 | 2560 | 450 | 2030 | 1140 | 1180 | 1530 | 391 | 373 | 420 | 164 |
| 13 | 667 | 930 | 2500 | 440 | 5490 | 1600 | 1210 | 1420 | 382 | 346 | 316 | 159 |
| 14 | 1100 | 830 | 2550 | 440 | 10900 | 2670 | 1140 | 1310 | 387 | 316 | 265 | 153 |
| 15 | 464 | 997 | 2280 | 440 | 5530 | 2430 | 1070 | 974 | 511 | 296 | 239 | 304 |
| 16 | 296 | 1500 | 1500 | 440 | 4250 | 6610 | 1220 | 865 | 391 | 284 | 222 | 533 |
| 17 | 239 | 1320 | 1250 | 469 | 3680 | 5220 | 2380 | 803 | 364 | 269 | 215 | 321 |
| 18 | 538 | 967 | 1040 | 459 | 2960 | 3900 | 2280 | 837 | 368 | 251 | 401 | 250 |
| 19 | 691 | 809 | 982 | 396 | 1830 | 3180 | 2010 | 809 | 391 | 250 | 338 | 198 |
| 20 | 1710 | 782 | 908 | 364 | 1660 | 5440 | 1510 | 776 | 538 | 239 | 257 | 179 |
| 21 | 5000 | 937 | 830 | 338 | 1390 | 10800 | 1580 | 830 | 1120 | 228 | 222 | 159 |
| 22 | 2220 | 915 | 1410 | 325 | 1250 | 7910 | 9000 | 930 | 762 | 225 | 208 | 153 |
| 23 | 4000 | 5020 | 1180 | 382 | 1070 | 6000 | 6440 | 3870 | 538 | 218 | 225 | 164 |
| 24 | 2330 | 5460 | 717 | 3030 | 886 | 4340 | 6000 | 2770 | 769 | 211 | 246 | 469 |
| 25 | 2330 | 2390 | 572 | 4780 | 989 | 3370 | 4700 | 1920 | 667 | 236 | 211 | 280 |
| 26 | 1530 | 1990 | 691 | 2680 | 1000 | 3510 | 2910 | 1870 | 495 | 261 | 192 | 387 |
| 27 | 915 | 1820 | 816 | 2320 | 908 | 3230 | 1720 | 1280 | 410 | 387 | 179 | 312 |
| 28 | 730 | 9570 | 1500 | 1350 | 1040 | 8170 | 1420 | 1610 | 368 | 368 | 170 | 257 |
| 29 | 595 | 4470 | 2620 | 908 | 1050 | 7280 | 1230 | 2890 | 342 | 261 | 159 | 236 |
| 30 | 459 | 3230 | 1100 | 796 | --- | 4650 | 1080 | 1750 | 321 | 232 | 162 | 201 |
| 31 | 373 | --- | 800 | 618 | --- | 2720 | --- | 1200 | --- | 215 | 156 | --- |
| TOTAL | 28264 | 52249 | 58146 | 27475 | 63845 | 116878 | 92420 | 59226 | 16715 | 14891 | 11368 | 6979 |
| MEAN | 912 | 1742 | 1876 | 886 | 2202 | 3770 | 3081 | 1911 | 557 | 480 | 367 | 233 |
| MAX | 5000 | 9570 | 5550 | 4780 | 10900 | 10800 | 9520 | 5170 | 1120 | 1890 | 2720 | 533 |
| MIN | 138 | 351 | 572 | 325 | 538 | 901 | 1070 | 776 | 321 | 211 | 156 | 148 |
| CFSM | .76 | 1.45 | 1.56 | .74 | 1.83 | 3.13 | 2.56 | 1.59 | .46 | .40 | .31 | .19 |
| IN. | .87 | 1.62 | 1.80 | .85 | 1.97 | 3.61 | 2.86 | 1.83 | .52 | .46 | .35 | .22 |

CAL YR 1983 TOTAL 508686 MEAN 1394 MAX 26900 MIN 123 CFSM 1.16 IN 15.73
WTR YR 1984 TOTAL 548456 MEAN 1499 MAX 10900 MIN 138 CFSM 1.25 IN 16.96

PERIOD OF RECORD.--Water year 1965 to current year.

SPECIFIC CONDUCTANCE: May 1975 to current year.

pH: May 1975 to current year.

WATER TEMPERATURES: May 1975 to current year.

DISSOLVED OXYGEN: May 1975 to current year.

SUSPENDED SEDIMENT DISCHARGE: January 1979

INSTRUMENTATION.--Water-quality monitor since May 1975. Prior to May 1975, sampling site was 4.2 mi upstream.

REMARKS.--Interruptions in the water-quality record were due to malfunction of the instrument.

SPECIFIC CONDUCTANCE: Maximum, 1,200 micromhos Feb. 12, 1977, Dec. 23, 1981; minimum, 194 micromhos July 10, 1980.

pH: Maximum, 9.3 units June 10, 1977; minimum, 6.6 units Mar. 5, 1980.

WATER TEMPERATURES: Maximum, 33.0°C July 8, 18, 20, 1977; minimum, 0.0°C on many days during winter periods.

DISSOLVED OXYGEN: Maximum, >20.0 mg/L July 18, 19, 1978 July 16-19, 31, 1984; minimum 3.3 mg/L May 20, 1982.

SEDIMENT CONCENTRATIONS: Maximum daily mean, 4,850 mg/L Aug. 8, 1984; minimum daily mean, 1.0 mg/L several

days in 1979, 1980, 1982, 1983, 1984.

SPECIFIC CONDUCTANCE: Maximum, 1190 micromhos Jan. 24; minimum, 248 micromhos Oct. 21.

pH: Maximum, 9.1 units July 31, Aug. 1; minimum, 7.6 units May 23, 24.

WATER TEMPERATURES: Maximum, 29.5°C June 14, 19; minimum, 0.0°C on several days during the winter period.

DISSOLVED OXYGEN: Maximum, >20.0 mg/L July 16-19, 31; minimum, 4.6 mg/L June 20.

SEDIMENT CONCENTRATIONS: Maximum daily mean, 4,850 mg/L Aug. 8; minimum daily mean, 1.0 mg/L Mar. 4.

SEDIMENT LOADS: Maximum daily, 42,800 tons Aug. 8; minimum daily, 2.4 tons Mar. 4.

[illegible][illegible]

LITTLE MIAMI RIVER BASIN

169

03245500 LITTLE MIAMI RIVER AT MILFORD, OH--Continued

WATER QUALITY DATA, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | SPE- CIFIC CON- DUCT- ANCE (UMHOS) | PH (STAND- ARD) UNITS) | TEMPER- ATURE, AIR (DEG C) | TEMPER- ATURE (DEG C) | TUR- BID- ITY (NTU) | OXYGEN, DIS- SOLVED (MG/L) | OXYGEN, DIS- SOLVED (PER- CENT SATUR- ATION) | COLI- FORM, FECAL, 0.7 UM-4F (COLS./ 100 ML) |
|--------------|------|---|---|---------------------------------|-------------------------------------|-----------------------------|------------------------------|-------------------------------------|--|--|
| OCT 25... | 1100 | 2440 | 470 | 8.0 | 10.0 | 14.5 | 40 | 9.3 | 93 | 1700 |
| DEC 14... | 1330 | 2540 | 520 | 8.1 | 5.5 | 7.0 | 18 | 11.4 | 98 | 6000 |
| FEB 22... | 0930 | 1260 | 610 | 8.1 | 1.0 | 5.5 | 12 | 11.4 | 93 | 2800 |
| MAY 02... | 1230 | 922 | 675 | 8.3 | 10.0 | 15.5 | 1.5 | 13.2 | 136 | 3400 |
| JUN 27... | 1000 | 415 | 700 | 8.0 | 21.0 | 23.5 | 45 | 6.8 | 83 | 12000 |
| AUG 14... | 0930 | 269 | 775 | 8.1 | 20.5 | 25.5 | 28 | 7.8 | 98 | 500 |

| DATE | STREP- TOCOCCHI FECAL, KF AGAR (COLS. PER 100 ML) | CALCIUM DIS- SOLVED (MG/L AS CA) | MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) | SODIUM, DIS- SOLVED (MG/L AS NA) | PERCENT SODIUM | SODIUM AD- SORP- TION RATIO | POTAS- SIUM, DIS- SOLVED (MG/L AS K) | ALKA- LINITY LAB (MG/L AS CAC03) | SULFATE DIS- SOLVED (MG/L AS SO4) | CHLO- RIDE, DIS- SOLVED (MG/L AS CL) |
|--------------|---|--|--|--|-------------------|---|---|---|---|---|
| OCT 25... | 2600 | 56 | 19 | 13 | 11 | .4 | 3.3 | 160 | 43 | 27 |
| DEC 14... | 2000 | 64 | 23 | 13 | 10 | .4 | 2.7 | 182 | 44 | 30 |
| FEB 22... | 3200 | 73 | 25 | 17 | 11 | .4 | 2.7 | 212 | 48 | 38 |
| MAY 02... | 620 | 81 | 28 | 24 | 14 | .6 | 2.3 | 244 | 51 | 45 |
| JUN 27... | 2000 | 76 | 26 | 28 | 17 | .7 | 3.7 | 230 | 50 | 51 |
| AUG 14... | 1600 | 76 | 27 | 36 | 20 | .9 | 3.7 | 247 | 55 | 66 |

| DATE | FLUO- RIDE, DIS- SOLVED (MG/L AS F) | SILICA, DIS- SOLVED (MG/L AS SiO2) | SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) | NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N) | NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) | NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH4) | NITRO- GEN+AM- MONIA + ORGANIC TOTAL (MG/L AS N) | PHOS- PHORUS, TOTAL (MG/L AS P) | PHOS- PHORUS, DIS- SOLVED (MG/L AS P) | PHOS- PHORUS, ORTHOPHOS- PHATE, DIS- SOLVED (MG/L AS P) |
|--------------|--|---|--|---|---|---|--|---|--|--|
| OCT 25... | .20 | 6.8 | 285 | 2.90 | .520 | .67 | 1.1 | .330 | .190 | .190 |
| DEC 14... | .20 | 6.3 | 324 | 3.20 | .220 | .28 | .60 | .160 | .150 | .150 |
| FEB 22... | .20 | 6.1 | 388 | 4.10 | .290 | .37 | .70 | .240 | .200 | .190 |
| MAY 02... | .20 | 1.6 | 477 | 3.20 | .030 | .04 | 1.1 | .200 | .160 | .160 |
| JUN 27... | .30 | 8.5 | 437 | 4.10 | .210 | .27 | .40 | .500 | .500 | .450 |
| AUG 14... | .30 | 8.1 | 437 | 3.00 | .090 | .12 | .60 | .690 | .560 | .550 |

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | TEMPER- ATURE (DEG C) | SEDI- MENT, DIS- CHARGE, SUS- PENDED (MG/L) | SEDI- MENT, DIS- CHARGE, SUS- PENDED (T/DAY) |
|--------------|------|---|-----------------------------|---|--|
| OCT 25... | 1100 | 2440 | 14.5 | 80 | 527 |
| DEC 14... | 1330 | 2540 | 7.0 | 42 | 288 |
| FEB 22... | 0930 | 1260 | 5.5 | 16 | 54 |
| MAY 02... | 1230 | 922 | 15.5 | 33 | 82 |
| JUN 27... | 1000 | 415 | 23.5 | 78 | 87 |
| AUG 14... | 0930 | 269 | 25.5 | 64 | 46 |

LITTLE MIAMI RIVER BASIN

03245500 LITTLE MIAMI RIVER AT MILFORD, OH--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|-----|-----|----------|-----|-----|----------|------|-----|---------|------|-----|------|
| OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | | |
| 1 | 794 | 722 | 761 | 680 | 656 | 666 | 488 | 462 | 476 | 820 | 718 | 780 |
| 2 | 822 | 772 | 795 | 734 | 670 | 703 | 544 | 488 | 501 | 752 | 684 | 708 |
| 3 | 828 | 796 | 814 | 742 | 704 | 719 | 564 | 546 | 556 | 698 | 674 | 685 |
| 4 | 840 | 746 | 796 | 704 | 628 | 667 | 550 | 358 | 414 | 682 | 662 | 670 |
| 5 | 780 | 662 | 708 | 644 | 568 | 597 | 448 | 376 | 419 | 744 | 658 | 686 |
| 6 | 782 | 706 | 747 | 578 | 542 | 553 | 470 | 438 | 451 | 772 | 718 | 752 |
| 7 | 800 | 776 | 792 | 574 | 552 | 562 | 474 | 436 | 455 | 710 | 642 | 659 |
| 8 | 814 | 792 | 804 | 614 | 564 | 576 | 516 | 470 | 488 | 644 | 632 | 637 |
| 9 | 816 | 782 | 796 | 656 | 608 | 635 | 556 | 516 | 529 | --- | --- | --- |
| 10 | 820 | 778 | 804 | 656 | 618 | 641 | 604 | 550 | 572 | --- | --- | --- |
| 11 | 854 | 808 | 829 | 602 | 542 | 573 | 616 | 598 | 609 | --- | --- | --- |
| 12 | 866 | 794 | 836 | 606 | 568 | 583 | 594 | 512 | 544 | --- | --- | --- |
| 13 | 804 | 404 | 573 | 618 | 556 | 590 | 538 | 506 | 522 | --- | --- | --- |
| 14 | 638 | 550 | 593 | 590 | 554 | 574 | 538 | 506 | 519 | --- | --- | --- |
| 15 | 616 | 566 | 595 | 606 | 588 | 594 | 532 | 508 | 514 | 926 | 706 | 732 |
| 16 | 562 | 476 | 515 | 580 | 512 | 539 | 570 | 528 | 543 | 742 | 704 | 721 |
| 17 | 486 | 460 | 472 | 514 | 488 | 499 | 600 | 570 | 587 | 724 | 694 | 706 |
| 18 | 476 | 386 | 442 | 574 | 508 | 542 | 616 | 594 | 601 | 720 | 688 | 703 |
| 19 | 590 | 406 | 500 | 600 | 560 | 572 | 640 | 600 | 620 | 752 | 704 | 735 |
| 20 | 620 | 274 | 511 | 612 | 586 | 595 | 632 | 614 | 624 | 778 | 752 | 769 |
| 21 | 368 | 248 | 295 | 606 | 588 | 596 | 640 | 622 | 629 | 822 | 774 | 801 |
| 22 | 404 | 326 | 376 | 604 | 584 | 592 | 658 | 590 | 620 | 842 | 808 | 828 |
| 23 | 370 | 318 | 339 | 618 | 266 | 470 | 604 | 566 | 583 | 850 | 830 | 841 |
| 24 | 444 | 378 | 419 | 382 | 256 | 330 | 716 | 604 | 652 | 1190 | 382 | 794 |
| 25 | 464 | 442 | 453 | 482 | 368 | 425 | 732 | 698 | 716 | 518 | 320 | 383 |
| 26 | 490 | 462 | 474 | 514 | 488 | 504 | 702 | 672 | 682 | 448 | 432 | 438 |
| 27 | 526 | 494 | 508 | 520 | 478 | 510 | 702 | 672 | 686 | 466 | 450 | 457 |
| 28 | 594 | 518 | 539 | 440 | 278 | 321 | 1010 | 680 | 781 | 506 | 462 | 486 |
| 29 | 620 | 590 | 603 | 436 | 334 | 376 | 652 | 504 | 584 | 530 | 504 | 514 |
| 30 | 624 | 594 | 606 | 464 | 436 | 453 | 588 | 504 | 543 | 600 | 526 | 556 |
| 31 | 660 | 620 | 636 | --- | --- | --- | 696 | 590 | 626 | 664 | 610 | 637 |
| MONTH | 866 | 248 | 611 | 742 | 256 | 552 | 1010 | 358 | 569 | 1190 | 320 | 668 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| FEBRUARY | | | MARCH | | | APRIL | | | MAY | | | |
| 1 | 686 | 638 | 651 | 736 | 698 | 719 | 590 | 540 | 564 | 662 | 640 | 649 |
| 2 | 710 | 690 | 700 | 746 | 698 | 714 | 630 | 586 | 604 | 668 | 648 | 657 |
| 3 | 728 | 492 | 646 | 770 | 714 | 736 | 638 | 616 | 628 | 678 | 362 | 581 |
| 4 | 476 | 408 | 437 | 764 | 720 | 741 | 616 | 480 | 564 | 444 | 320 | 380 |
| 5 | 452 | 400 | 422 | 760 | 354 | 568 | 474 | 314 | 367 | 516 | 442 | 482 |
| 6 | 562 | 452 | 507 | 512 | 354 | 412 | 398 | 310 | 340 | 534 | 486 | 502 |
| 7 | 572 | 552 | 562 | 528 | 502 | 518 | 472 | 404 | 445 | 548 | 532 | 541 |
| 8 | 614 | 562 | 585 | 544 | 528 | 535 | 502 | 472 | 489 | 542 | 442 | 480 |
| 9 | 646 | 596 | 610 | 582 | 538 | 552 | 572 | 498 | 536 | 524 | 462 | 497 |
| 10 | 704 | 648 | 673 | 612 | 594 | 603 | 614 | 572 | 590 | 570 | 514 | 536 |
| 11 | 750 | 632 | 706 | 664 | 600 | 636 | 636 | 606 | 621 | 596 | 574 | 585 |
| 12 | 620 | 510 | 568 | 692 | 638 | 663 | 674 | 634 | 652 | 620 | 602 | 611 |
| 13 | 512 | 322 | 463 | 746 | 596 | 689 | 680 | 662 | 671 | 620 | 602 | 611 |
| 14 | 410 | 300 | 354 | 578 | 510 | 537 | 686 | 654 | 666 | 622 | 610 | 615 |
| 15 | 462 | 414 | 435 | 622 | 546 | 581 | 676 | 666 | 670 | 624 | 596 | 614 |
| 16 | 516 | 468 | 495 | 556 | 414 | 465 | 676 | 634 | 654 | 678 | 614 | 656 |
| 17 | 530 | 512 | 520 | 444 | 418 | 434 | 632 | 514 | 566 | 696 | 668 | 682 |
| 18 | 548 | 528 | 539 | 498 | 438 | 467 | 524 | 500 | 514 | 698 | 660 | 681 |
| 19 | 588 | 544 | 563 | 534 | 498 | 518 | 566 | 516 | 538 | 684 | 642 | 658 |
| 20 | 604 | 580 | 591 | 536 | 412 | 505 | 592 | 564 | 578 | 656 | 642 | 647 |
| 21 | 610 | 600 | 604 | 402 | 346 | 368 | 614 | 504 | 585 | 680 | 648 | 668 |
| 22 | 634 | 606 | 617 | 432 | 404 | 418 | 490 | 250 | 327 | 686 | 644 | 667 |
| 23 | 626 | 606 | 617 | 488 | 434 | 461 | 408 | 290 | 354 | 670 | 322 | 476 |
| 24 | 636 | 608 | 619 | 510 | 486 | 498 | 442 | 304 | 382 | 506 | 332 | 451 |
| 25 | 674 | 628 | 659 | 554 | 508 | 529 | 488 | 444 | 466 | 540 | 500 | 521 |
| 26 | 674 | 658 | 664 | 544 | 488 | 512 | 536 | 488 | 514 | 550 | 420 | 488 |
| 27 | 678 | 656 | 666 | 544 | 512 | 526 | 600 | 532 | 559 | 582 | 516 | 549 |
| 28 | 816 | 654 | 727 | 532 | 292 | 464 | 636 | 598 | 616 | 616 | 496 | 594 |
| 29 | 716 | 684 | 696 | 432 | 268 | 335 | 638 | 620 | 628 | 494 | 430 | 461 |
| 30 | --- | --- | --- | 486 | 422 | 457 | 648 | 624 | 634 | 534 | 498 | 510 |
| 31 | --- | --- | --- | 540 | 486 | 514 | --- | --- | --- | 616 | 536 | 578 |
| MONTH | 816 | 300 | 583 | 770 | 268 | 538 | 686 | 250 | 544 | 698 | 320 | 569 |

03245500 LITTLE MIAMI RIVER AT MILFORD, OH--Continued
 SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|-----|------|--|-----|------|--------|-----|------|-----------|-----|------|
| | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | 640 | 606 | 624 | 810 | 772 | 788 | 694 | 588 | 638 | 886 | 854 | 868 |
| 2 | 670 | 638 | 653 | 820 | 792 | 807 | 648 | 546 | 608 | 894 | 862 | 879 |
| 3 | 698 | 672 | 683 | 830 | 812 | 822 | 706 | 564 | 663 | 916 | 780 | 878 |
| 4 | 718 | 678 | 696 | 846 | 730 | 799 | 746 | 706 | 727 | 824 | 636 | 725 |
| 5 | 714 | 688 | 700 | 770 | 408 | 596 | 772 | 702 | 739 | 898 | 824 | 875 |
| 6 | 712 | 692 | 703 | 480 | 404 | 450 | 800 | 766 | 783 | 894 | 870 | 883 |
| 7 | 746 | 704 | 726 | 490 | 422 | 449 | 818 | 672 | 761 | 892 | 864 | 879 |
| 8 | 756 | 716 | 730 | 538 | 452 | 503 | 688 | 256 | 380 | 900 | 866 | 882 |
| 9 | 744 | 722 | 732 | 560 | 500 | 522 | 500 | 326 | 416 | 912 | 792 | 862 |
| 10 | 746 | 724 | 734 | 628 | 562 | 585 | 536 | 492 | 514 | 814 | 736 | 771 |
| 11 | 778 | 740 | 755 | 702 | 626 | 652 | 558 | 500 | 531 | 774 | 722 | 738 |
| 12 | 786 | 754 | 771 | 730 | 706 | 717 | 572 | 530 | 545 | 860 | 782 | 823 |
| 13 | 792 | 758 | 774 | 762 | 730 | 743 | 724 | 580 | 631 | 892 | 862 | 877 |
| 14 | 808 | 786 | 795 | 786 | 752 | 769 | 794 | 722 | 772 | 916 | 866 | 889 |
| 15 | 798 | 770 | 784 | 806 | 772 | 786 | 780 | 722 | 757 | 896 | 856 | 874 |
| 16 | 822 | 782 | 804 | 802 | 678 | 753 | 726 | 658 | 685 | 894 | 806 | 855 |
| 17 | 836 | 796 | 814 | 760 | 684 | 716 | 746 | 474 | 697 | 798 | 716 | 762 |
| 18 | 816 | 610 | 721 | 770 | 684 | 721 | 774 | 632 | 741 | 698 | 564 | 612 |
| 19 | 752 | 664 | 695 | 780 | 674 | 722 | 762 | 680 | 728 | 590 | 546 | 558 |
| 20 | 808 | 594 | 767 | 732 | 680 | 706 | 796 | 750 | 772 | 628 | 562 | 599 |
| 21 | 736 | 446 | 663 | 726 | 682 | 705 | 798 | 676 | 740 | 660 | 636 | 648 |
| 22 | 582 | 432 | 509 | 744 | 696 | 719 | 706 | 648 | 670 | 698 | 646 | 674 |
| 23 | 594 | 540 | 565 | 740 | 686 | 711 | 800 | 714 | 767 | 774 | 706 | 735 |
| 24 | 626 | 534 | 576 | 716 | 686 | 705 | 828 | 760 | 794 | 800 | 274 | 617 |
| 25 | 666 | 592 | 630 | 732 | 690 | 708 | 798 | 768 | 777 | 774 | 346 | 590 |
| 26 | 708 | 588 | 635 | 766 | 690 | 716 | 822 | 772 | 794 | 840 | 788 | 812 |
| 27 | 736 | 702 | 715 | 806 | 718 | 772 | 822 | 778 | 803 | 838 | 798 | 821 |
| 28 | 718 | 678 | 697 | 832 | 756 | 797 | 844 | 792 | 816 | 868 | 828 | 848 |
| 29 | 748 | 712 | 724 | 792 | 756 | 776 | 826 | 782 | 807 | 852 | 706 | 774 |
| 30 | 788 | 734 | 764 | 784 | 704 | 744 | 864 | 810 | 831 | 704 | 630 | 661 |
| 31 | --- | --- | --- | 754 | 642 | 705 | 870 | 832 | 856 | --- | --- | --- |
| MONTH | 836 | 432 | 705 | 846 | 404 | 699 | 870 | 256 | 701 | 916 | 274 | 776 |
| YEAR | 1190 | 248 | 625 | PH (STANDARD UNITS), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984 | | | | | | | | |

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
| 1 | 8.5 | 8.4 | 8.4 | 8.2 | 8.1 | 8.2 | 8.1 | 8.1 | 8.1 | 8.0 | 8.0 | 8.0 |
| 2 | 8.6 | 8.4 | 8.5 | 8.2 | 8.1 | 8.2 | 8.1 | 8.1 | 8.1 | 8.1 | 8.0 | 8.1 |
| 3 | 8.6 | 8.4 | 8.5 | 8.2 | 8.1 | 8.1 | 8.2 | 8.1 | 8.2 | 8.1 | 8.1 | 8.1 |
| 4 | 8.5 | 8.3 | 8.4 | 8.2 | 8.1 | 8.2 | 8.2 | 8.0 | 8.1 | 8.1 | 8.1 | 8.1 |
| 5 | 8.3 | 8.0 | 8.2 | 8.2 | 8.2 | 8.2 | 8.1 | 8.0 | 8.0 | 8.2 | 8.1 | 8.1 |
| 6 | 8.3 | 8.1 | 8.2 | 8.3 | 8.2 | 8.2 | 8.1 | 8.1 | 8.1 | 8.2 | 8.1 | 8.1 |
| 7 | 8.3 | 8.2 | 8.2 | 8.3 | 8.2 | 8.2 | 8.1 | 8.1 | 8.1 | 8.2 | 8.1 | 8.2 |
| 8 | 8.3 | 8.2 | 8.3 | 8.4 | 8.2 | 8.3 | 8.1 | 8.1 | 8.1 | 8.3 | 8.2 | 8.2 |
| 9 | 8.3 | 8.2 | 8.3 | 8.4 | 8.3 | 8.3 | 8.1 | 8.1 | 8.1 | --- | --- | --- |
| 10 | 8.4 | 8.2 | 8.3 | 8.3 | 8.2 | 8.3 | 8.2 | 8.1 | 8.2 | --- | --- | --- |
| 11 | 8.4 | 8.3 | 8.3 | 8.2 | 8.2 | 8.2 | 8.2 | 8.1 | 8.2 | --- | --- | --- |
| 12 | 8.3 | 8.2 | 8.3 | 8.3 | 8.2 | 8.2 | 8.1 | 8.1 | 8.1 | --- | --- | --- |
| 13 | 8.2 | 8.0 | 8.1 | 8.3 | 8.2 | 8.3 | 8.1 | 8.1 | 8.1 | --- | --- | --- |
| 14 | 8.2 | 8.1 | 8.1 | 8.4 | 8.2 | 8.3 | 8.1 | 8.1 | 8.1 | --- | --- | --- |
| 15 | 8.1 | 8.0 | 8.1 | 8.4 | 8.3 | 8.3 | 8.1 | 8.1 | 8.1 | 8.8 | 8.2 | 8.3 |
| 16 | 8.1 | 7.9 | 8.0 | 8.3 | 8.1 | 8.2 | 8.2 | 8.1 | 8.2 | 8.3 | 8.2 | 8.3 |
| 17 | 8.0 | 7.8 | 7.9 | 8.2 | 8.1 | 8.1 | 8.2 | 8.2 | 8.2 | 8.3 | 8.2 | 8.3 |
| 18 | 7.9 | 7.8 | 7.9 | 8.2 | 8.1 | 8.2 | 8.3 | 8.2 | 8.3 | 8.3 | 8.3 | 8.3 |
| 19 | 8.0 | 7.8 | 7.9 | 8.3 | 8.2 | 8.2 | 8.3 | 8.2 | 8.3 | 8.4 | 8.3 | 8.3 |
| 20 | 8.1 | 7.8 | 8.0 | 8.3 | 8.2 | 8.2 | 8.3 | 8.3 | 8.3 | 8.4 | 8.3 | 8.3 |
| 21 | 7.9 | 7.8 | 7.8 | 8.3 | 8.2 | 8.2 | 8.3 | 8.2 | 8.3 | 8.4 | 8.3 | 8.3 |
| 22 | 7.9 | 7.9 | 7.9 | 8.4 | 8.2 | 8.3 | 8.2 | 8.2 | 8.2 | 8.4 | 8.3 | 8.3 |
| 23 | 7.9 | 7.8 | 7.8 | 8.3 | 7.7 | 8.1 | 8.2 | 8.2 | 8.2 | 8.3 | 8.3 | 8.3 |
| 24 | 7.9 | 7.9 | 7.9 | 7.9 | 7.8 | 7.8 | 8.2 | 8.2 | 8.2 | 8.3 | 7.9 | 8.1 |
| 25 | 8.0 | 7.9 | 8.0 | 8.1 | 7.9 | 8.0 | 8.2 | 8.2 | 8.2 | 7.9 | 7.9 | 7.9 |
| 26 | 8.0 | 7.9 | 8.0 | 8.1 | 8.1 | 8.1 | 8.2 | 8.2 | 8.2 | 7.9 | 7.9 | 7.9 |
| 27 | 8.1 | 8.0 | 8.1 | 8.1 | 8.1 | 8.1 | 8.2 | 8.1 | 8.2 | 8.0 | 7.9 | 8.0 |
| 28 | 8.1 | 8.1 | 8.1 | 8.1 | 7.9 | 7.9 | 8.2 | 8.1 | 8.1 | 8.0 | 8.0 | 8.0 |
| 29 | 8.2 | 8.1 | 8.1 | 8.0 | 7.9 | 7.9 | 8.1 | 8.0 | 8.1 | 8.1 | 8.0 | 8.0 |
| 30 | 8.2 | 8.1 | 8.2 | 8.1 | 8.0 | 8.1 | 8.0 | 7.9 | 8.0 | 8.1 | 8.0 | 8.1 |
| 31 | 8.2 | 8.1 | 8.2 | --- | --- | --- | 8.0 | 8.0 | 8.0 | 8.2 | 8.1 | 8.1 |
| MONTH | 8.6 | 7.8 | 8.1 | 8.4 | 7.7 | 8.2 | 8.3 | 7.9 | 8.2 | 8.8 | 7.9 | 8.2 |

PH (STANDARD UNITS), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|-----|-----|------|-------|-----|------|--------|-----|------|-----------|-----|------|
| FEBRUARY | | | | MARCH | | | APRIL | | | MAY | | |
| 1 | 8.2 | 8.1 | 8.2 | 8.4 | 8.3 | 8.4 | 8.1 | 8.1 | 8.1 | 8.5 | 8.2 | 8.4 |
| 2 | 8.3 | 8.2 | 8.2 | 8.4 | 8.3 | 8.4 | 8.2 | 8.1 | 8.1 | 8.5 | 8.2 | 8.4 |
| 3 | 8.2 | 8.0 | 8.1 | 8.4 | 8.3 | 8.3 | 8.2 | 8.1 | 8.1 | 8.4 | 8.0 | 8.2 |
| 4 | 8.2 | 7.9 | 7.9 | 8.4 | 8.3 | 8.3 | 8.1 | 8.1 | 8.1 | 8.0 | 7.9 | 8.0 |
| 5 | 8.0 | 7.9 | 7.9 | 8.3 | 7.9 | 8.1 | 8.1 | 7.9 | 8.0 | 8.2 | 8.1 | 8.0 |
| 6 | 8.1 | 8.0 | 8.0 | 8.1 | 7.9 | 8.0 | 8.0 | 7.9 | 7.9 | 8.1 | 8.1 | 8.1 |
| 7 | 8.2 | 8.1 | 8.1 | 8.2 | 8.1 | 8.1 | 8.1 | 8.0 | 8.0 | 8.1 | 8.1 | 8.1 |
| 8 | 8.2 | 8.1 | 8.2 | 8.2 | 8.2 | 8.2 | 8.1 | 8.1 | 8.1 | 8.1 | 8.0 | 8.1 |
| 9 | 8.3 | 8.2 | 8.2 | 8.3 | 8.2 | 8.3 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 |
| 10 | 8.2 | 8.2 | 8.2 | 8.3 | 8.2 | 8.3 | 8.1 | 8.1 | 8.1 | 8.2 | 8.1 | 8.2 |
| 11 | 8.2 | 8.1 | 8.2 | 8.4 | 8.2 | 8.3 | 8.2 | 8.1 | 8.1 | 8.3 | 8.2 | 8.2 |
| 12 | 8.1 | 7.9 | 8.0 | 8.4 | 8.3 | 8.3 | 8.2 | 8.1 | 8.2 | 8.3 | 8.2 | 8.3 |
| 13 | 8.1 | 7.8 | 7.9 | 8.3 | 8.2 | 8.3 | 8.3 | 8.1 | 8.2 | 8.3 | 8.2 | 8.2 |
| 14 | 7.9 | 7.5 | 7.8 | 8.2 | 8.1 | 8.2 | 8.3 | 8.1 | 8.2 | 8.4 | 8.1 | 8.2 |
| 15 | 7.9 | 7.9 | 7.9 | 8.2 | 8.1 | 8.2 | 8.3 | 8.1 | 8.2 | 8.4 | 8.2 | 8.3 |
| 16 | 8.0 | 7.9 | 8.0 | 8.2 | 7.9 | 8.0 | 8.3 | 8.2 | 8.2 | 8.5 | 8.3 | 8.4 |
| 17 | 8.1 | 8.0 | 8.0 | 8.0 | 8.0 | 8.0 | 8.2 | 8.1 | 8.2 | 8.5 | 8.3 | 8.4 |
| 18 | 8.1 | 8.0 | 8.1 | 8.1 | 8.0 | 8.1 | 8.2 | 8.1 | 8.1 | 8.5 | 8.4 | 8.4 |
| 19 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 | 8.3 | 8.2 | 8.3 | 8.5 | 8.4 | 8.5 |
| 20 | 8.2 | 8.1 | 8.1 | 8.2 | 8.0 | 8.1 | 8.5 | 8.2 | 8.3 | 8.5 | 8.4 | 8.5 |
| 21 | 8.2 | 8.1 | 8.2 | 8.0 | 7.9 | 8.0 | 8.4 | 8.2 | 8.3 | 8.4 | 8.2 | 8.4 |
| 22 | 8.2 | 8.1 | 8.2 | 8.1 | 8.0 | 8.0 | 8.2 | 7.9 | 8.0 | 8.4 | 8.1 | 8.3 |
| 23 | 8.2 | 8.1 | 8.2 | 8.1 | 8.0 | 8.1 | 8.0 | 7.9 | 7.9 | 8.3 | 7.6 | 7.9 |
| 24 | 8.2 | 8.1 | 8.2 | 8.1 | 8.1 | 8.1 | 8.0 | 7.9 | 8.0 | 7.9 | 7.6 | 7.8 |
| 25 | 8.2 | 8.1 | 8.2 | 8.1 | 8.1 | 8.1 | 8.1 | 8.0 | 8.0 | 8.0 | 7.9 | 8.0 |
| 26 | 8.3 | 8.2 | 8.3 | 8.1 | 8.1 | 8.1 | 8.1 | 8.0 | 8.1 | 8.0 | 7.8 | 7.9 |
| 27 | 8.3 | 8.2 | 8.3 | 8.1 | 8.1 | 8.1 | 8.2 | 8.1 | 8.1 | 8.0 | 7.8 | 7.9 |
| 28 | 8.3 | 8.2 | 8.3 | 8.1 | 7.9 | 8.1 | 8.3 | 8.1 | 8.2 | 8.0 | 7.9 | 8.0 |
| 29 | 8.4 | 8.2 | 8.3 | 8.0 | 7.9 | 8.0 | 8.4 | 8.1 | 8.3 | 8.0 | 7.9 | 7.9 |
| 30 | --- | --- | --- | 8.1 | 8.0 | 8.1 | 8.5 | 8.1 | 8.3 | 8.1 | 8.0 | 8.1 |
| 31 | --- | --- | --- | 8.1 | 8.1 | 8.1 | --- | --- | --- | 8.1 | 8.1 | 8.1 |
| MONTH | 8.4 | 7.8 | 8.1 | 8.4 | 7.9 | 8.2 | 8.5 | 7.9 | 8.1 | 8.5 | 7.6 | 8.2 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| JUNE | | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | 8.2 | 8.1 | 8.2 | 8.3 | 8.1 | 8.2 | 9.1 | 8.5 | 8.8 | 8.7 | 8.6 | 8.6 |
| 2 | 8.2 | 8.1 | 8.2 | 8.4 | 8.2 | 8.3 | 9.0 | 8.7 | 8.8 | 8.6 | 8.5 | 8.6 |
| 3 | 8.2 | 8.1 | 8.1 | 8.6 | 8.2 | 8.4 | 8.8 | 8.5 | 8.7 | 8.5 | 8.4 | 8.4 |
| 4 | 8.2 | 8.1 | 8.1 | 8.4 | 8.2 | 8.3 | 8.8 | 8.5 | 8.6 | 8.4 | 8.1 | 8.3 |
| 5 | 8.1 | 8.1 | 8.1 | 8.2 | 7.8 | 8.0 | 8.8 | 8.4 | 8.6 | 8.4 | 8.3 | 8.4 |
| 6 | 8.2 | 8.1 | 8.1 | 7.9 | 7.8 | 7.9 | 8.7 | 8.4 | 8.6 | 8.3 | 8.2 | 8.3 |
| 7 | 8.2 | 8.1 | 8.1 | 8.0 | 7.9 | 7.9 | 8.8 | 8.5 | 8.6 | 8.4 | 8.2 | 8.3 |
| 8 | 8.3 | 8.1 | 8.2 | 8.0 | 7.9 | 8.0 | 8.5 | 7.7 | 7.9 | 8.4 | 8.2 | 8.3 |
| 9 | 8.3 | 8.1 | 8.2 | 8.1 | 8.0 | 8.0 | 7.9 | 7.7 | 7.8 | 8.4 | 8.2 | 8.3 |
| 10 | 8.4 | 8.2 | 8.3 | 8.2 | 8.0 | 8.1 | 7.9 | 7.8 | 7.9 | 8.2 | 8.1 | 8.1 |
| 11 | 8.4 | 8.2 | 8.3 | 8.2 | 8.0 | 8.1 | 8.0 | 7.8 | 7.9 | 8.2 | 8.0 | 8.1 |
| 12 | 8.5 | 8.2 | 8.3 | 8.3 | 8.1 | 8.2 | 8.1 | 7.9 | 8.0 | 8.4 | 8.1 | 8.2 |
| 13 | 8.6 | 8.2 | 8.4 | 8.4 | 8.1 | 8.3 | 8.2 | 8.0 | 8.1 | 8.4 | 8.2 | 8.3 |
| 14 | 8.6 | 8.2 | 8.4 | 8.5 | 8.1 | 8.3 | 8.4 | 8.1 | 8.2 | 8.3 | 8.2 | 8.3 |
| 15 | 8.6 | 8.3 | 8.4 | 8.7 | 8.3 | 8.5 | 8.3 | 8.0 | 8.2 | 8.4 | 8.2 | 8.3 |
| 16 | 8.6 | 8.3 | 8.5 | 8.8 | 8.4 | 8.6 | 8.3 | 8.0 | 8.1 | 8.3 | 8.2 | 8.3 |
| 17 | 8.7 | 8.3 | 8.5 | 8.8 | 8.5 | 8.6 | 8.4 | 8.0 | 8.2 | 8.4 | 8.2 | 8.3 |
| 18 | 8.7 | 8.3 | 8.5 | 8.8 | 8.5 | 8.6 | 8.4 | 8.2 | 8.3 | 8.4 | 8.1 | 8.2 |
| 19 | 8.5 | 8.0 | 8.3 | 8.8 | 8.5 | 8.6 | 8.3 | 8.1 | 8.2 | 8.4 | 8.1 | 8.3 |
| 20 | 8.4 | 8.1 | 8.3 | 8.6 | 8.4 | 8.6 | 8.4 | 8.1 | 8.2 | 8.5 | 8.2 | 8.3 |
| 21 | 8.1 | 7.8 | 8.0 | 8.6 | 8.2 | 8.4 | 8.3 | 8.1 | 8.2 | 8.5 | 8.2 | 8.3 |
| 22 | 7.8 | 7.7 | 7.8 | 8.6 | 8.5 | 8.5 | 8.1 | 7.8 | 7.9 | 8.5 | 8.3 | 8.4 |
| 23 | 7.8 | 7.8 | 7.8 | 8.5 | 8.4 | 8.5 | 8.4 | 7.8 | 8.3 | 8.4 | 8.2 | 8.3 |
| 24 | 7.9 | 7.7 | 7.8 | 8.5 | 8.3 | 8.4 | 8.7 | 8.3 | 8.5 | 8.2 | 7.8 | 8.1 |
| 25 | 8.0 | 7.9 | 7.9 | 8.3 | 8.1 | 8.2 | 8.9 | 8.4 | 8.6 | 8.1 | 7.8 | 8.0 |
| 26 | 8.0 | 7.9 | 7.9 | 8.7 | 8.0 | 8.4 | 9.0 | 8.7 | 8.8 | 8.1 | 8.0 | 8.1 |
| 27 | 8.0 | 8.0 | 8.0 | 8.5 | 8.2 | 8.4 | 8.9 | 8.7 | 8.8 | 8.2 | 8.1 | 8.2 |
| 28 | 8.1 | 7.9 | 8.0 | 8.4 | 8.3 | 8.4 | 8.8 | 8.5 | 8.7 | 8.3 | 8.1 | 8.2 |
| 29 | 8.2 | 7.9 | 8.1 | 8.5 | 8.2 | 8.3 | 8.7 | 8.6 | 8.6 | 8.2 | 8.1 | 8.2 |
| 30 | 8.3 | 8.0 | 8.1 | 8.9 | 8.2 | 8.6 | 8.7 | 8.6 | 8.7 | 8.2 | 8.1 | 8.1 |
| 31 | --- | --- | --- | 9.1 | 8.8 | 8.9 | 8.7 | 8.6 | 8.7 | --- | --- | --- |
| MONTH | 8.7 | 7.7 | 8.2 | 9.1 | 7.8 | 8.3 | 9.1 | 7.7 | 8.4 | 8.7 | 7.8 | 8.3 |
| YEAR | 9.1 | 7.6 | 8.2 | | | | | | | | | |

03245500 LITTLE MIAMI RIVER AT MILFORD, OH--Continued

TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|---------|------|------|----------|------|------|----------|-----|-----|---------|-----|-----|------|
| OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | | |
| 1 | 19.5 | 18.5 | 19.0 | 14.0 | 12.0 | 13.0 | 6.5 | 6.0 | 6.5 | .5 | .5 | .5 |
| 2 | 20.0 | 17.5 | 19.0 | 14.0 | 12.5 | 13.5 | 6.0 | 5.0 | 5.5 | .5 | .5 | .5 |
| 3 | 20.5 | 18.5 | 19.5 | 14.0 | 13.5 | 14.0 | 5.0 | 5.0 | 5.0 | .5 | .5 | .5 |
| 4 | 19.5 | 19.0 | 19.5 | 13.0 | 12.0 | 12.5 | 5.5 | 5.5 | 5.5 | .5 | .5 | .5 |
| 5 | 20.0 | 18.5 | 19.5 | 11.5 | 10.5 | 11.0 | 6.5 | 5.5 | 6.0 | .5 | .5 | .5 |
| 6 | 20.0 | 18.0 | 19.0 | 11.0 | 10.0 | 10.5 | 7.5 | 6.5 | 7.0 | .5 | .5 | .5 |
| 7 | 19.0 | 17.0 | 18.0 | 11.0 | 10.0 | 10.5 | 6.5 | 5.5 | 6.0 | .5 | .5 | .5 |
| 8 | 18.5 | 16.5 | 17.5 | 11.0 | 9.5 | 10.0 | 5.5 | 5.0 | 5.5 | .5 | .5 | .5 |
| 9 | 18.0 | 17.5 | 17.5 | 11.5 | 9.5 | 10.5 | 5.0 | 5.0 | 5.0 | --- | --- | --- |
| 10 | 18.0 | 16.5 | 17.0 | 11.0 | 10.0 | 10.5 | 6.0 | 5.0 | 5.5 | --- | --- | --- |
| 11 | 18.0 | 16.5 | 17.5 | 10.5 | 9.0 | 9.5 | 6.5 | 5.5 | 6.0 | --- | --- | --- |
| 12 | 18.5 | 17.5 | 18.0 | 8.5 | 7.5 | 8.0 | 7.0 | 6.5 | 7.0 | --- | --- | --- |
| 13 | 17.5 | 14.5 | 16.0 | 7.5 | 6.5 | 7.0 | 7.5 | 7.0 | 7.5 | --- | --- | --- |
| 14 | 15.0 | 13.5 | 14.0 | 7.0 | 6.0 | 6.5 | 7.5 | 7.0 | 7.5 | --- | --- | --- |
| 15 | 15.5 | 13.0 | 14.0 | 8.0 | 7.0 | 7.5 | 7.0 | 5.5 | 6.0 | .5 | .5 | .5 |
| 16 | 15.5 | 13.0 | 14.5 | 8.0 | 8.0 | 8.0 | 5.5 | 4.0 | 4.5 | .5 | .5 | .5 |
| 17 | 15.5 | 14.0 | 15.0 | 8.0 | 7.5 | 7.5 | 4.0 | 3.0 | 3.5 | .5 | .5 | .5 |
| 18 | 15.0 | 13.5 | 14.5 | 8.0 | 7.0 | 7.5 | 3.0 | 2.0 | 2.5 | .5 | .5 | .5 |
| 19 | 14.0 | 13.0 | 13.5 | 10.0 | 8.0 | 9.0 | 2.0 | .5 | 1.0 | .5 | .0 | .5 |
| 20 | 13.5 | 12.5 | 13.0 | 10.5 | 9.5 | 10.0 | 1.0 | .5 | .5 | .5 | .0 | .5 |
| 21 | 12.5 | 12.5 | 12.5 | 10.5 | 9.0 | 9.5 | 1.5 | .5 | 1.0 | .5 | .0 | .5 |
| 22 | 13.5 | 12.5 | 13.0 | 10.0 | 9.0 | 9.5 | 2.0 | 1.0 | 1.5 | .5 | .0 | .5 |
| 23 | 14.0 | 13.5 | 13.5 | 11.0 | 9.5 | 10.0 | 1.0 | .0 | .5 | .5 | .5 | .5 |
| 24 | 14.5 | 14.0 | 14.0 | 11.0 | 9.0 | 10.5 | .5 | .0 | .0 | .5 | .0 | .5 |
| 25 | 14.5 | 13.5 | 14.0 | 9.0 | 7.5 | 8.0 | .5 | .0 | .0 | .5 | .0 | .5 |
| 26 | 13.0 | 12.0 | 12.5 | 8.0 | 7.0 | 7.5 | .5 | .0 | .5 | 1.5 | .5 | 1.5 |
| 27 | 13.0 | 11.5 | 12.0 | 8.0 | 7.5 | 7.5 | .5 | .0 | .5 | 1.5 | 1.0 | 1.5 |
| 28 | 13.5 | 11.5 | 12.5 | 8.5 | 8.0 | 8.5 | .5 | .0 | .5 | 1.5 | 1.0 | 1.5 |
| 29 | 13.5 | 12.0 | 12.5 | 8.5 | 7.0 | 7.5 | .5 | .0 | .0 | 2.0 | 1.5 | 1.5 |
| 30 | 13.0 | 11.5 | 12.0 | 7.0 | 6.5 | 6.5 | .5 | .0 | .0 | 2.0 | 1.5 | 1.5 |
| 31 | 13.0 | 11.0 | 12.0 | --- | --- | --- | .5 | .0 | .5 | 2.0 | 1.0 | 1.5 |
| MONTH | 20.5 | 11.0 | 15.5 | 14.0 | 6.0 | 9.5 | 7.5 | .0 | 3.5 | 2.0 | .0 | .5 |

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|-----|-----|-------|-----|-----|-------|------|------|------|------|------|------|
| FEBRUARY | | | MARCH | | | APRIL | | | MAY | | | |
| 1 | 2.5 | 1.0 | 2.0 | 2.5 | .5 | 1.5 | 8.0 | 6.0 | 7.0 | 18.0 | 15.5 | 17.0 |
| 2 | 3.5 | 1.5 | 2.5 | 4.0 | 1.5 | 2.5 | 9.5 | 7.0 | 8.0 | 17.0 | 15.5 | 16.0 |
| 3 | 3.5 | 1.5 | 3.0 | 4.0 | 2.0 | 3.0 | 9.0 | 8.5 | 8.5 | 16.0 | 13.5 | 14.5 |
| 4 | 2.0 | 1.5 | 1.5 | 3.5 | 2.5 | 2.5 | 8.5 | 8.5 | 8.5 | 13.0 | 12.0 | 12.5 |
| 5 | 2.0 | 2.0 | 2.0 | 3.0 | 2.5 | 3.0 | 8.5 | 7.5 | 8.0 | 12.5 | 11.5 | 12.0 |
| 6 | 2.0 | 1.0 | 1.5 | 3.0 | 2.5 | 2.5 | 7.5 | 6.5 | 7.0 | 14.5 | 13.0 | 13.5 |
| 7 | 1.5 | .5 | 1.0 | 3.5 | 2.5 | 3.0 | 7.5 | 5.5 | 6.5 | 14.5 | 14.5 | 14.5 |
| 8 | 1.5 | .5 | 1.0 | 3.5 | 2.0 | 3.0 | 7.5 | 6.5 | 7.5 | 14.5 | 12.5 | 14.0 |
| 9 | 3.0 | 1.0 | 2.0 | 3.0 | 1.0 | 2.0 | 9.0 | 7.5 | 8.5 | 12.5 | 11.0 | 11.5 |
| 10 | 3.5 | 2.5 | 3.0 | 3.0 | 1.0 | 2.0 | 11.5 | 8.5 | 10.0 | 13.0 | 10.0 | 11.5 |
| 11 | 4.5 | 3.5 | 4.0 | 4.0 | 2.0 | 3.0 | 12.5 | 10.0 | 11.5 | 15.5 | 12.5 | 14.0 |
| 12 | 5.5 | 3.5 | 4.5 | 3.5 | 2.0 | 3.0 | 13.0 | 11.0 | 12.0 | 18.0 | 15.0 | 16.5 |
| 13 | 6.5 | 5.5 | 6.0 | 3.5 | 2.5 | 3.0 | 14.0 | 11.5 | 13.0 | 17.0 | 16.0 | 16.0 |
| 14 | 6.5 | 5.5 | 6.0 | 3.0 | 3.0 | 3.0 | 14.5 | 12.5 | 13.5 | 16.5 | 14.5 | 15.5 |
| 15 | 6.0 | 5.0 | 5.5 | 6.5 | 3.0 | 4.5 | 13.5 | 12.5 | 13.0 | 17.5 | 14.0 | 15.5 |
| 16 | 5.5 | 4.5 | 5.0 | 8.0 | 6.5 | 7.5 | 13.0 | 12.0 | 12.5 | 17.5 | 15.0 | 16.0 |
| 17 | 5.0 | 5.0 | 5.0 | 7.0 | 5.0 | 6.0 | 12.0 | 10.0 | 11.0 | 18.5 | 15.0 | 17.0 |
| 18 | 6.0 | 5.0 | 5.5 | 4.5 | 4.5 | 4.5 | 9.5 | 8.0 | 9.0 | 19.5 | 16.0 | 18.0 |
| 19 | 8.5 | 6.0 | 7.5 | 5.5 | 4.0 | 4.5 | 8.5 | 7.5 | 8.0 | 21.0 | 17.5 | 19.5 |
| 20 | 8.0 | 7.0 | 7.5 | 7.5 | 5.5 | 6.0 | 10.5 | 8.0 | 9.0 | 21.0 | 19.5 | 20.5 |
| 21 | 7.0 | 6.0 | 6.5 | 7.5 | 5.0 | 6.0 | 10.0 | 10.0 | 10.0 | 21.5 | 19.5 | 20.5 |
| 22 | 7.0 | 5.5 | 6.5 | 5.0 | 4.0 | 4.5 | 9.5 | 8.5 | 9.0 | 23.0 | 20.0 | 21.5 |
| 23 | 7.5 | 5.5 | 6.5 | 5.5 | 3.5 | 4.5 | 10.5 | 9.5 | 10.0 | 22.0 | 19.5 | 20.5 |
| 24 | 8.0 | 6.0 | 7.0 | 5.5 | 4.5 | 5.0 | 10.0 | 8.5 | 9.0 | 20.5 | 18.5 | 19.5 |
| 25 | 7.0 | 6.5 | 7.0 | 6.0 | 5.5 | 6.0 | 10.5 | 8.0 | 9.0 | 19.5 | 19.0 | 19.0 |
| 26 | 7.0 | 5.5 | 6.0 | 7.0 | 5.5 | 6.5 | 13.5 | 10.5 | 12.0 | 20.5 | 19.0 | 19.5 |
| 27 | 6.0 | 4.0 | 4.5 | 7.5 | 7.0 | 7.0 | 16.5 | 13.5 | 15.0 | 21.0 | 19.5 | 20.0 |
| 28 | 4.0 | 2.0 | 3.0 | 7.0 | 6.5 | 7.0 | 18.0 | 16.0 | 17.0 | 19.5 | 18.0 | 19.0 |
| 29 | 2.0 | 1.5 | 1.5 | 6.5 | 5.5 | 6.0 | 17.5 | 16.0 | 17.0 | 18.0 | 15.5 | 17.0 |
| 30 | --- | --- | --- | 5.5 | 5.0 | 5.0 | 18.5 | 16.5 | 17.5 | 15.5 | 14.5 | 15.0 |
| 31 | --- | --- | --- | 6.0 | 4.5 | 5.5 | --- | --- | --- | 17.0 | 14.0 | 15.5 |
| MONTH | 8.5 | .5 | 4.5 | 8.0 | .5 | 4.5 | 18.5 | 5.5 | 10.5 | 23.0 | 10.0 | 16.5 |

LITTLE MIAMI RIVER BASIN

03245500 LITTLE MIAMI RIVER AT MILFORD, OH--Continued
TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | 17.5 | 14.5 | 16.0 | 26.0 | 22.5 | 24.5 | 27.0 | 25.0 | 26.0 | 25.5 | 23.0 | 24.5 |
| 2 | 20.5 | 16.5 | 18.5 | 26.0 | 23.5 | 25.0 | 27.5 | 25.5 | 26.0 | 26.5 | 23.5 | 25.0 |
| 3 | 22.5 | 19.0 | 21.0 | 26.5 | 23.0 | 25.0 | 28.0 | 25.5 | 27.0 | 25.5 | 23.5 | 24.5 |
| 4 | 23.5 | 20.5 | 22.0 | 25.5 | 24.0 | 24.5 | 28.0 | 26.0 | 27.0 | 23.5 | 21.5 | 22.5 |
| 5 | 24.0 | 21.5 | 23.0 | 24.0 | 22.0 | 23.0 | 28.5 | 25.5 | 27.0 | 22.5 | 20.5 | 21.5 |
| 6 | 25.0 | 22.5 | 23.5 | 23.0 | 21.5 | 22.5 | 28.0 | 26.0 | 27.0 | 22.0 | 19.0 | 20.5 |
| 7 | 25.0 | 23.0 | 24.0 | 23.0 | 21.5 | 22.5 | 28.5 | 26.0 | 27.5 | 22.5 | 20.0 | 21.0 |
| 8 | 26.0 | 23.5 | 24.5 | 23.5 | 21.0 | 22.5 | 27.5 | 23.5 | 25.0 | 23.0 | 20.5 | 22.0 |
| 9 | 27.0 | 24.0 | 25.5 | 24.5 | 21.5 | 23.0 | 27.0 | 24.5 | 25.5 | 22.0 | 21.0 | 21.5 |
| 10 | 27.0 | 24.5 | 26.0 | 27.0 | 23.5 | 25.0 | 27.5 | 25.5 | 26.5 | 23.0 | 21.0 | 22.0 |
| 11 | 27.5 | 25.0 | 26.0 | 27.5 | 25.5 | 26.5 | 28.5 | 26.0 | 27.0 | 24.5 | 22.0 | 23.0 |
| 12 | 28.5 | 25.0 | 26.5 | 28.5 | 25.0 | 26.5 | 27.0 | 26.0 | 26.5 | 25.0 | 22.5 | 24.0 |
| 13 | 29.0 | 26.0 | 27.5 | 28.0 | 25.0 | 27.0 | 28.0 | 25.0 | 26.5 | 26.0 | 23.0 | 24.5 |
| 14 | 29.5 | 26.0 | 27.5 | 29.0 | 25.5 | 27.0 | 28.5 | 25.0 | 27.0 | 26.0 | 24.0 | 25.0 |
| 15 | 28.5 | 26.0 | 27.0 | 28.0 | 25.5 | 26.5 | 28.5 | 25.5 | 27.0 | 24.0 | 21.5 | 23.0 |
| 16 | 28.0 | 25.5 | 26.5 | 28.5 | 25.0 | 26.5 | 28.0 | 25.5 | 27.0 | 21.0 | 19.5 | 20.5 |
| 17 | 28.5 | 25.5 | 27.0 | 27.5 | 25.0 | 26.5 | 28.0 | 25.5 | 27.0 | 20.0 | 18.0 | 19.0 |
| 18 | 29.0 | 26.0 | 27.5 | 26.5 | 24.5 | 26.0 | 26.5 | 25.5 | 26.0 | 21.0 | 17.5 | 19.0 |
| 19 | 29.5 | 25.5 | 27.5 | 26.5 | 23.0 | 25.0 | 26.0 | 24.0 | 25.0 | 21.0 | 18.0 | 19.5 |
| 20 | 28.5 | 25.5 | 27.5 | 25.5 | 23.5 | 24.5 | 26.0 | 23.0 | 24.5 | 22.0 | 19.0 | 20.5 |
| 21 | 26.5 | 24.0 | 25.5 | 26.0 | 23.0 | 24.5 | 26.0 | 22.5 | 24.5 | 22.5 | 20.0 | 21.5 |
| 22 | 25.5 | 22.5 | 24.5 | 27.0 | 23.5 | 25.5 | 25.5 | 24.0 | 24.5 | 23.5 | 21.0 | 22.5 |
| 23 | 25.0 | 24.0 | 25.0 | 28.0 | 24.5 | 26.5 | 25.0 | 23.0 | 24.5 | 22.5 | 21.5 | 22.0 |
| 24 | 26.0 | 24.0 | 25.0 | 28.5 | 25.5 | 27.0 | 25.0 | 22.5 | 24.0 | 21.5 | 20.0 | 21.0 |
| 25 | 25.5 | 23.0 | 24.0 | 27.5 | 25.5 | 26.0 | 24.5 | 22.0 | 23.5 | 23.0 | 20.0 | 21.5 |
| 26 | 25.5 | 22.5 | 24.0 | 25.5 | 24.0 | 24.5 | 25.5 | 22.5 | 24.0 | 22.5 | 19.5 | 20.5 |
| 27 | 25.0 | 24.0 | 24.5 | 24.0 | 22.5 | 23.5 | 25.5 | 23.0 | 24.5 | 19.0 | 16.5 | 18.0 |
| 28 | 26.5 | 23.0 | 24.5 | 24.0 | 22.0 | 23.0 | 25.5 | 24.0 | 24.5 | 17.5 | 15.5 | 16.5 |
| 29 | 26.5 | 24.0 | 25.0 | 25.0 | 21.5 | 23.5 | 26.5 | 24.0 | 25.5 | 17.0 | 15.5 | 16.0 |
| 30 | 26.0 | 23.5 | 24.5 | 25.5 | 22.5 | 24.0 | 27.0 | 25.5 | 26.0 | 16.0 | 14.5 | 15.0 |
| 31 | --- | --- | --- | 26.5 | 23.0 | 25.0 | 26.5 | 24.0 | 25.0 | --- | --- | --- |
| MONTH | 29.5 | 14.5 | 24.5 | 29.0 | 21.0 | 25.0 | 28.5 | 22.0 | 26.0 | 26.5 | 14.5 | 21.5 |
| YEAR | 29.5 | .0 | 13.5 | | | | | | | | | |

OXYGEN, DISSOLVED (DO), MG/L, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|---------|------|------|----------|------|------|----------|------|------|---------|------|------|
| | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
| 1 | 11.4 | 8.2 | 9.5 | 10.4 | 9.5 | 9.9 | 12.3 | 11.9 | 12.1 | 13.3 | 13.0 | 13.2 |
| 2 | 12.2 | 8.2 | 9.9 | 10.1 | 9.3 | 9.7 | 12.1 | 12.0 | 12.0 | 13.3 | 12.9 | 13.1 |
| 3 | 12.3 | 8.1 | 10.0 | 9.5 | 8.9 | 9.3 | 12.3 | 12.1 | 12.2 | 13.3 | 12.9 | 13.0 |
| 4 | 9.0 | 7.5 | 8.0 | 10.2 | 9.4 | 9.8 | 12.0 | 11.8 | 11.9 | 13.1 | 12.9 | 13.0 |
| 5 | 8.5 | 6.5 | 7.4 | 10.6 | 9.8 | 10.1 | 12.1 | 10.6 | 11.5 | 13.3 | 12.8 | 13.0 |
| 6 | 9.5 | 7.1 | 8.2 | 10.9 | 10.1 | 10.4 | 10.7 | 9.7 | 10.3 | 13.3 | 12.9 | 13.1 |
| 7 | 10.1 | 7.6 | 8.7 | 11.6 | 10.2 | 10.8 | 11.3 | 10.3 | 10.8 | 13.5 | 13.1 | 13.3 |
| 8 | 10.4 | 7.7 | 8.9 | 12.0 | 10.7 | 11.2 | 11.5 | 10.6 | 11.2 | 13.4 | 13.2 | 13.2 |
| 9 | 10.4 | 8.0 | 9.0 | 12.0 | 10.7 | 11.1 | 11.4 | 11.0 | 11.2 | --- | --- | --- |
| 10 | 11.1 | 8.2 | 9.4 | 11.1 | 10.3 | 10.7 | 11.1 | 10.5 | 10.9 | --- | --- | --- |
| 11 | 11.0 | 8.3 | 9.3 | 10.5 | 10.1 | 10.3 | 11.6 | 10.5 | 11.1 | --- | --- | --- |
| 12 | 9.6 | 8.0 | 8.6 | 11.2 | 10.3 | 10.8 | 11.7 | 11.5 | 11.6 | --- | --- | --- |
| 13 | 8.7 | 8.1 | 8.4 | 12.0 | 10.9 | 11.3 | 11.7 | 11.5 | 11.5 | --- | --- | --- |
| 14 | 9.3 | 8.6 | 9.0 | 12.3 | 11.1 | 11.7 | 11.7 | 11.4 | 11.5 | --- | --- | --- |
| 15 | 10.0 | 9.1 | 9.4 | 11.8 | 11.0 | 11.4 | 11.6 | 11.1 | 11.4 | 14.4 | 13.6 | 14.1 |
| 16 | 9.7 | 8.7 | 9.1 | 11.0 | 10.6 | 10.9 | 12.0 | 11.5 | 11.8 | 14.1 | 13.4 | 13.7 |
| 17 | 9.4 | 8.4 | 8.9 | 11.3 | 10.7 | 11.0 | 12.5 | 12.0 | 12.3 | 14.1 | 13.3 | 13.6 |
| 18 | 9.0 | 8.7 | 8.8 | 11.2 | 10.4 | 10.9 | 12.8 | 12.1 | 12.5 | 14.2 | 13.4 | 13.7 |
| 19 | 9.4 | 8.7 | 9.0 | 11.4 | 10.0 | 10.6 | 13.6 | 12.6 | 13.2 | 14.3 | 13.4 | 13.9 |
| 20 | 9.7 | 9.1 | 9.3 | 9.8 | 9.1 | 9.6 | 13.9 | 12.6 | 13.5 | 14.5 | 13.4 | 13.9 |
| 21 | 9.7 | 9.3 | 9.6 | 11.2 | 9.1 | 10.2 | 13.7 | 13.1 | 13.5 | 14.6 | 13.4 | 14.0 |
| 22 | 9.7 | 9.5 | 9.6 | 11.7 | 10.4 | 10.8 | 13.0 | 12.8 | 12.9 | 14.7 | 13.5 | 14.1 |
| 23 | 9.6 | 9.2 | 9.4 | 10.5 | 8.2 | 9.6 | 13.2 | 12.6 | 13.0 | 14.4 | 13.4 | 13.9 |
| 24 | 9.4 | 9.1 | 9.2 | 8.3 | 7.8 | 8.0 | 13.5 | 13.1 | 13.3 | 13.3 | 12.4 | 12.9 |
| 25 | 9.6 | 8.4 | 9.3 | 10.6 | 8.1 | 9.6 | 13.8 | 13.2 | 13.4 | 12.9 | 12.6 | 12.8 |
| 26 | 9.4 | 8.5 | 8.9 | 10.4 | 9.9 | 10.2 | 13.7 | 13.2 | 13.5 | 12.6 | 12.4 | 12.5 |
| 27 | 10.4 | 8.5 | 9.6 | 10.0 | 9.5 | 9.8 | 13.5 | 13.0 | 13.2 | 12.4 | 12.1 | 12.2 |
| 28 | 10.4 | 10.0 | 10.2 | 11.3 | 9.4 | 10.4 | 13.1 | 12.9 | 13.0 | 12.1 | 11.8 | 12.0 |
| 29 | 10.4 | 9.9 | 10.1 | 12.0 | 10.8 | 11.4 | 13.2 | 13.0 | 13.1 | 11.9 | 11.4 | 11.6 |
| 30 | 10.6 | 10.0 | 10.2 | 12.2 | 12.0 | 12.2 | 13.3 | 13.1 | 13.1 | 12.3 | 11.0 | 12.0 |
| 31 | 10.5 | 9.7 | 10.1 | --- | --- | --- | 13.4 | 13.1 | 13.2 | 13.3 | 12.2 | 12.7 |
| MONTH | 12.3 | 6.5 | 9.2 | 12.3 | 7.8 | 10.5 | 13.9 | 9.7 | 12.3 | 14.7 | 11.0 | 13.1 |

175

OXYGEN, DISSOLVED (DO), MG/L, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|------|------|------|-------|------|------|--------|------|------|-----------|------|------|
| FEBRUARY | | | | MARCH | | | APRIL | | | MAY | | |
| 1 | 13.5 | 12.7 | 13.0 | 13.4 | 12.5 | 12.9 | 12.6 | 12.1 | 12.4 | 15.2 | 10.4 | 12.7 |
| 2 | 13.5 | 12.5 | 12.9 | 13.4 | 12.5 | 12.8 | 12.3 | 11.6 | 12.0 | 15.5 | 10.5 | 12.9 |
| 3 | 12.6 | 12.1 | 12.3 | 13.4 | 12.1 | 12.7 | 12.1 | 11.4 | 11.8 | 11.9 | 10.7 | 11.0 |
| 4 | 12.2 | 11.7 | 12.0 | 13.0 | 12.0 | 12.4 | 11.9 | 11.7 | 11.8 | 11.0 | 10.6 | 10.9 |
| 5 | 11.9 | 11.7 | 11.8 | 13.0 | 11.9 | 12.5 | 12.1 | 11.7 | 11.9 | 12.2 | 11.0 | 11.7 |
| 6 | 12.5 | 12.0 | 12.3 | 13.5 | 12.6 | 13.0 | 12.1 | 11.9 | 12.0 | 11.4 | 10.2 | 10.7 |
| 7 | 13.3 | 12.5 | 12.9 | 13.9 | 13.4 | 13.5 | 12.5 | 11.7 | 12.1 | 10.7 | 10.0 | 10.5 |
| 8 | 13.8 | 13.0 | 13.3 | 13.7 | 13.2 | 13.4 | 12.1 | 11.6 | 11.9 | 10.9 | 10.0 | 10.6 |
| 9 | 13.7 | 12.9 | 13.2 | 14.4 | 13.4 | 13.9 | 11.7 | 11.0 | 11.4 | 11.9 | 10.9 | 11.6 |
| 10 | 13.0 | 12.2 | 12.7 | 15.9 | 13.4 | 14.8 | 11.3 | 10.7 | 11.0 | 12.9 | 11.7 | 12.2 |
| 11 | 12.5 | 11.9 | 12.1 | 15.6 | 14.4 | 14.9 | 11.2 | 10.4 | 10.8 | 12.5 | 11.3 | 11.9 |
| 12 | 11.9 | 11.4 | 11.7 | 15.5 | 14.0 | 14.7 | 11.8 | 10.0 | 11.0 | 12.5 | 10.4 | 11.4 |
| 13 | 11.5 | 10.9 | 11.3 | 14.8 | 14.0 | 14.3 | 12.0 | 10.5 | 11.0 | 11.8 | 10.2 | 10.9 |
| 14 | 11.5 | 11.3 | 11.4 | 14.0 | 13.6 | 13.9 | 12.1 | 10.0 | 11.0 | 13.2 | 10.5 | 11.7 |
| 15 | 11.9 | 11.4 | 11.7 | 14.2 | 13.4 | 13.8 | 13.0 | 10.3 | 11.6 | 13.4 | 10.9 | 11.7 |
| 16 | 12.1 | 11.9 | 12.0 | 13.3 | 12.1 | 12.5 | 12.4 | 10.7 | 11.6 | 14.3 | 11.0 | 12.4 |
| 17 | 12.0 | 11.9 | 11.9 | 13.3 | 12.4 | 13.0 | 11.4 | 11.2 | 11.3 | 13.8 | 10.7 | 12.2 |
| 18 | 12.0 | 11.6 | 11.9 | 13.9 | 13.3 | 13.6 | 12.2 | 11.4 | 11.8 | 13.4 | 10.3 | 11.7 |
| 19 | 11.5 | 10.8 | 11.1 | 14.2 | 13.8 | 13.9 | 13.2 | 12.2 | 12.7 | 14.4 | 9.5 | 12.0 |
| 20 | 11.2 | 10.7 | 10.9 | 13.9 | 12.7 | 13.4 | 14.0 | 12.1 | 13.0 | 13.0 | 9.8 | 11.1 |
| 21 | 11.6 | 11.0 | 11.3 | 13.1 | 12.6 | 12.8 | 12.4 | 11.2 | 11.9 | 11.7 | 8.4 | 10.1 |
| 22 | 11.7 | 11.2 | 11.4 | 13.6 | 13.0 | 13.3 | 12.1 | 10.8 | 11.4 | 12.6 | 8.4 | 10.4 |
| 23 | 11.9 | 11.1 | 11.4 | 13.8 | 13.5 | 13.6 | 10.9 | 10.5 | 10.7 | 9.8 | 7.9 | 8.4 |
| 24 | 11.4 | 10.6 | 11.0 | 13.5 | 13.2 | 13.4 | 11.2 | 10.7 | 11.0 | 8.7 | 7.4 | 7.9 |
| 25 | 11.3 | 10.4 | 10.9 | 13.1 | 12.7 | 12.8 | 12.2 | 11.0 | 11.4 | 8.3 | 7.4 | 7.9 |
| 26 | 11.9 | 10.7 | 11.3 | 13.1 | 12.7 | 12.9 | 11.8 | 10.7 | 11.2 | 7.8 | 7.4 | 7.5 |
| 27 | 11.5 | 11.0 | 11.2 | 12.9 | 12.4 | 12.6 | 12.0 | 10.7 | 11.4 | 8.2 | 7.3 | 7.5 |
| 28 | 12.2 | 11.1 | 11.7 | 12.6 | 12.2 | 12.5 | 12.7 | 10.3 | 11.4 | 7.9 | 7.4 | 7.6 |
| 29 | 13.1 | 12.0 | 12.6 | 12.8 | 12.2 | 12.5 | 13.4 | 10.3 | 11.6 | 8.5 | 7.9 | 8.2 |
| 30 | --- | --- | --- | 13.1 | 12.8 | 13.0 | 14.1 | 10.0 | 12.0 | 8.9 | 8.5 | 8.8 |
| 31 | --- | --- | --- | 13.0 | 12.5 | 12.8 | --- | --- | --- | 9.2 | 8.7 | 8.9 |
| MONTH | 13.8 | 10.4 | 11.9 | 15.9 | 11.9 | 13.3 | 14.1 | 10.0 | 11.6 | 15.5 | 7.3 | 10.5 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| JUNE | | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | 9.2 | 8.5 | 8.9 | 12.8 | 7.4 | 9.9 | 18.1 | 10.4 | 14.3 | 12.4 | 6.4 | 9.3 |
| 2 | 9.2 | 8.2 | 8.7 | 13.5 | 7.9 | 10.5 | 17.2 | 7.3 | 11.5 | 11.7 | 6.8 | 9.2 |
| 3 | 8.8 | 7.7 | 8.2 | 16.4 | 6.7 | 11.6 | 15.2 | 6.2 | 10.8 | 7.5 | 6.0 | 6.7 |
| 4 | 8.6 | 7.3 | 7.8 | 11.2 | 7.2 | 9.2 | 13.9 | 6.2 | 10.1 | 7.9 | 5.1 | 6.6 |
| 5 | 8.3 | 7.0 | 7.6 | 9.6 | 7.0 | 8.1 | 14.3 | 5.8 | 9.7 | 7.7 | 6.0 | 6.8 |
| 6 | 8.6 | 6.8 | 7.6 | 9.9 | 7.9 | 8.8 | 12.6 | 6.5 | 9.2 | 8.0 | 6.3 | 7.0 |
| 7 | 8.0 | 6.4 | 7.0 | 10.8 | 8.7 | 9.7 | 15.5 | 6.3 | 10.6 | 9.8 | 5.9 | 8.0 |
| 8 | 8.3 | 6.2 | 7.2 | 10.9 | 8.9 | 9.9 | 8.7 | 5.9 | 6.5 | 10.0 | 7.3 | 8.6 |
| 9 | 8.6 | 6.2 | 7.4 | 11.2 | 8.8 | 9.9 | 6.2 | 5.9 | 6.1 | 9.4 | 7.5 | 8.3 |
| 10 | 8.9 | 6.0 | 7.5 | 10.8 | 8.1 | 9.3 | 6.4 | 5.8 | 6.1 | 9.0 | 7.1 | 7.9 |
| 11 | 8.8 | 6.6 | 7.8 | 9.7 | 7.3 | 8.4 | 6.6 | 5.8 | 6.2 | 9.0 | 6.7 | 7.7 |
| 12 | 10.6 | 6.8 | 8.6 | 10.6 | 6.1 | 8.1 | 6.8 | 5.8 | 6.2 | 9.9 | 6.7 | 8.2 |
| 13 | 10.6 | 6.0 | 8.2 | 11.1 | 6.8 | 8.5 | 7.4 | 6.1 | 6.6 | 10.2 | 6.8 | 8.4 |
| 14 | 10.8 | 5.7 | 8.1 | 13.5 | 6.8 | 9.7 | 9.0 | 5.8 | 7.2 | 9.8 | 6.5 | 7.9 |
| 15 | 11.1 | 6.1 | 8.4 | 17.2 | 6.9 | 11.1 | 8.6 | 5.5 | 6.9 | 9.2 | 6.6 | 7.7 |
| 16 | 11.2 | 6.1 | 8.4 | 20.0 | 9.0 | 15.5 | 8.5 | 5.4 | 6.8 | 9.1 | 7.8 | 8.4 |
| 17 | 11.2 | 6.0 | 8.5 | 20.0 | 9.1 | 16.1 | 9.0 | 5.5 | 7.1 | 10.1 | 8.3 | 9.1 |
| 18 | 10.3 | 5.6 | 7.6 | 20.0 | 9.3 | 16.6 | 8.7 | 5.7 | 6.9 | 10.2 | 8.3 | 9.1 |
| 19 | 9.1 | 4.7 | 6.7 | 20.0 | 9.9 | 16.1 | 8.1 | 6.1 | 6.9 | 10.7 | 8.0 | 9.3 |
| 20 | 8.0 | 4.6 | 5.9 | 16.9 | 9.3 | 13.0 | 9.2 | 6.2 | 7.5 | 11.1 | 7.9 | 9.5 |
| 21 | 7.2 | 5.1 | 5.9 | 15.3 | 7.8 | 11.6 | 9.0 | 6.3 | 7.5 | 11.6 | 7.7 | 9.6 |
| 22 | 6.7 | 6.0 | 6.3 | 14.7 | 8.9 | 11.8 | 7.4 | 5.6 | 6.5 | 12.4 | 7.7 | 9.9 |
| 23 | 6.4 | 5.9 | 6.2 | 13.7 | 8.5 | 11.0 | 9.9 | 5.8 | 7.9 | 9.3 | 7.3 | 8.2 |
| 24 | 6.8 | 5.4 | 6.2 | 13.1 | 7.2 | 9.9 | 11.5 | 6.6 | 8.9 | 8.0 | 6.8 | 7.4 |
| 25 | 6.9 | 6.0 | 6.5 | 11.3 | 6.2 | 8.4 | 14.1 | 7.0 | 10.3 | 8.0 | 7.3 | 7.6 |
| 26 | 8.1 | 6.0 | 7.0 | 15.3 | 6.2 | 10.5 | 15.2 | 7.6 | 11.5 | 8.5 | 7.1 | 7.8 |
| 27 | 8.8 | 6.5 | 7.3 | 12.0 | 7.6 | 9.9 | 14.6 | 7.4 | 10.9 | 8.7 | 7.7 | 8.2 |
| 28 | 9.9 | 6.6 | 7.6 | 12.7 | 8.6 | 10.6 | 11.2 | 6.4 | 8.5 | 9.5 | 8.4 | 8.9 |
| 29 | 11.0 | 6.1 | 8.1 | 13.6 | 8.5 | 10.9 | 12.6 | 5.9 | 9.3 | 9.7 | 8.5 | 9.0 |
| 30 | 11.2 | 6.5 | 8.7 | 18.5 | 8.3 | 13.0 | 11.8 | 6.3 | 8.9 | 9.4 | 8.6 | 8.9 |
| 31 | --- | --- | --- | 20.0 | 9.8 | 17.4 | 12.8 | 6.4 | 9.4 | --- | --- | --- |
| MONTH | 11.2 | 4.6 | 7.5 | 20.0 | 6.1 | 11.1 | 18.1 | 5.4 | 8.5 | 12.4 | 5.1 | 8.3 |
| YEAR | 20.0 | 4.6 | 10.6 | | | | | | | | | |

LITTLE MIAMI RIVER BASIN

03245500 LITTLE MIAMI RIVER AT MILFORD, OH--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 762 | 666 | 475 | 779 | 647 | 719 | 569 | 650 | 622 | 786 | 638 | 859 |
| 2 | 796 | 704 | 495 | 701 | 699 | 708 | 597 | 656 | 651 | 807 | 606 | 879 |
| 3 | 814 | 715 | 556 | 684 | 689 | 730 | 628 | 643 | 683 | 822 | 671 | 895 |
| 4 | 791 | 674 | 391 | 670 | 431 | 735 | 565 | 376 | 695 | 812 | 726 | 729 |
| 5 | 709 | 590 | 429 | 673 | 417 | 527 | 346 | 486 | 700 | 648 | 743 | 876 |
| 6 | 747 | 550 | 452 | 758 | 508 | 403 | 333 | 496 | 702 | 453 | 784 | 894 |
| 7 | 796 | 562 | 457 | 665 | 561 | 519 | 448 | 541 | 726 | 446 | 782 | 878 |
| 8 | 806 | 570 | 484 | 635 | 583 | 535 | 493 | 471 | 728 | 506 | 354 | 892 |
| 9 | 794 | 634 | 525 | --- | 606 | 550 | 534 | 499 | 730 | 515 | 406 | 870 |
| 10 | 808 | 644 | 564 | --- | 665 | 603 | 590 | 530 | 733 | 579 | 516 | 769 |
| 11 | 827 | 577 | 608 | --- | 712 | 638 | 617 | 586 | 751 | 658 | 536 | 734 |
| 12 | 833 | 580 | 541 | --- | 576 | 660 | 654 | 610 | 772 | 717 | 542 | 820 |
| 13 | 545 | 595 | 521 | --- | 493 | 681 | 570 | 610 | 772 | 744 | 615 | 874 |
| 14 | 585 | 576 | 512 | --- | 352 | 533 | 663 | 614 | 795 | 770 | 774 | 888 |
| 15 | 598 | 592 | 514 | 714 | 434 | 576 | 669 | 615 | 783 | 786 | 758 | 856 |
| 16 | 506 | 540 | 535 | 720 | 498 | 444 | 660 | 667 | 807 | 762 | 682 | 854 |
| 17 | 472 | 499 | 588 | 705 | 517 | 435 | 572 | 680 | 814 | 722 | 706 | 768 |
| 18 | 460 | 546 | 600 | 700 | 540 | 468 | 517 | 680 | 712 | 720 | 748 | 595 |
| 19 | 494 | 566 | 621 | 739 | 558 | 519 | 536 | 650 | 691 | 726 | 738 | 570 |
| 20 | 577 | 593 | 624 | 770 | 590 | 527 | 577 | 646 | 785 | 704 | 773 | 602 |
| 21 | 286 | 596 | 628 | 800 | 604 | 367 | 601 | 669 | 698 | 707 | 742 | 648 |
| 22 | 377 | 590 | 617 | 832 | 614 | 415 | 276 | 669 | 518 | 724 | 565 | 679 |
| 23 | 338 | 521 | 580 | 840 | 618 | 462 | 350 | 460 | 562 | 710 | 771 | 724 |
| 24 | 420 | 337 | 649 | 848 | 616 | 497 | 387 | 478 | 578 | 707 | 794 | 710 |
| 25 | 455 | 428 | 720 | 355 | 661 | 524 | 467 | 522 | 634 | 708 | 776 | 616 |
| 26 | 473 | 504 | 680 | 436 | 664 | 507 | 518 | 493 | 631 | 711 | 790 | 809 |
| 27 | 509 | 511 | 684 | 456 | 666 | 525 | 561 | 550 | 713 | 781 | 800 | 820 |
| 28 | 528 | 312 | 734 | 487 | 713 | 520 | 618 | 598 | 695 | 804 | 816 | 848 |
| 29 | 604 | 377 | 608 | 514 | 697 | 319 | 627 | 464 | 722 | 776 | 809 | 770 |
| 30 | 602 | 453 | 539 | 551 | --- | 462 | 635 | 508 | 767 | 745 | 834 | 658 |
| 31 | 633 | --- | 619 | 635 | --- | 517 | --- | 583 | --- | 720 | 956 | --- |
| MEAN | 611 | 553 | 566 | 667 | 584 | 536 | 543 | 571 | 706 | 702 | 702 | 779 |
| WTR YR 1984 | MEAN | 626 | MAX | 888 | MIN | 276 | | | | | | |

PH (STANDARD UNITS), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 8.4 | 8.2 | 8.1 | 8.0 | 8.2 | 8.4 | 8.1 | 8.4 | 8.2 | 8.2 | 8.9 | 8.6 |
| 2 | 8.5 | 8.2 | 8.1 | 8.1 | 8.2 | 8.4 | 8.1 | 8.4 | 8.2 | 8.3 | 8.8 | 8.6 |
| 3 | 8.5 | 8.2 | 8.2 | 8.1 | 8.2 | 8.3 | 8.1 | 8.2 | 8.1 | 8.4 | 8.7 | 8.4 |
| 4 | 8.4 | 8.2 | 8.1 | 8.1 | 7.9 | 8.3 | 8.1 | 8.0 | 8.1 | 8.3 | 8.7 | 8.3 |
| 5 | 8.2 | 8.2 | 8.0 | 8.1 | 7.9 | 8.1 | 8.0 | 8.1 | 8.1 | 8.1 | 8.6 | 8.4 |
| 6 | 8.2 | 8.2 | 8.1 | 8.1 | 8.0 | 8.0 | 7.9 | 8.1 | 8.1 | 7.9 | 8.6 | 8.3 |
| 7 | 8.3 | 8.2 | 8.1 | 8.2 | 8.2 | 8.1 | 8.0 | 8.1 | 8.1 | 7.9 | 8.6 | 8.3 |
| 8 | 8.3 | 8.3 | 8.1 | 8.2 | 8.2 | 8.2 | 8.1 | 8.1 | 8.2 | 8.0 | 7.9 | 8.3 |
| 9 | 8.3 | 8.3 | 8.1 | --- | 8.2 | 8.3 | 8.1 | 8.1 | 8.2 | 8.0 | 7.8 | 8.3 |
| 10 | 8.3 | 8.3 | 8.2 | --- | 8.2 | 8.3 | 8.1 | 8.2 | 8.3 | 8.1 | 7.9 | 8.1 |
| 11 | 8.3 | 8.2 | 8.2 | --- | 8.2 | 8.3 | 8.2 | 8.2 | 8.3 | 8.1 | 7.9 | 8.1 |
| 12 | 8.3 | 8.2 | 8.1 | --- | 8.0 | 8.3 | 8.2 | 8.3 | 8.3 | 8.2 | 7.9 | 8.2 |
| 13 | 8.1 | 8.3 | 8.1 | --- | 7.9 | 8.3 | 8.2 | 8.2 | 8.4 | 8.2 | 8.1 | 8.3 |
| 14 | 8.1 | 8.3 | 8.1 | --- | 7.8 | 8.2 | 8.2 | 8.2 | 8.4 | 8.3 | 8.2 | 8.3 |
| 15 | 8.1 | 8.3 | 8.1 | 8.3 | 7.9 | 8.2 | 8.2 | 8.3 | 8.5 | 8.4 | 8.2 | 8.2 |
| 16 | 8.0 | 8.2 | 8.2 | 8.3 | 8.0 | 8.0 | 8.2 | 8.4 | 8.5 | 8.6 | 8.1 | 8.3 |
| 17 | 7.9 | 8.1 | 8.2 | 8.3 | 8.0 | 8.0 | 8.2 | 8.4 | 8.5 | 8.6 | 8.2 | 8.3 |
| 18 | 7.9 | 8.2 | 8.3 | 8.3 | 8.1 | 8.1 | 8.1 | 8.4 | 8.5 | 8.6 | 8.3 | 8.2 |
| 19 | 8.0 | 8.2 | 8.3 | 8.3 | 8.1 | 8.1 | 8.3 | 8.5 | 8.3 | 8.6 | 8.2 | 8.2 |
| 20 | 8.0 | 8.2 | 8.3 | 8.3 | 8.1 | 8.1 | 8.4 | 8.5 | 8.3 | 8.6 | 8.2 | 8.4 |
| 21 | 7.8 | 8.2 | 8.3 | 8.3 | 8.2 | 8.0 | 8.3 | 8.4 | 8.0 | 8.5 | 8.2 | 8.4 |
| 22 | 7.9 | 8.3 | 8.2 | 8.3 | 8.2 | 8.0 | 7.9 | 8.3 | 7.8 | 8.5 | 7.9 | 8.4 |
| 23 | 7.8 | 8.2 | 8.2 | 8.3 | 8.2 | 8.1 | 7.9 | 8.0 | 7.8 | 8.5 | 8.3 | 8.3 |
| 24 | 7.9 | 7.8 | 8.2 | 8.1 | 8.2 | 8.1 | 8.0 | 7.9 | 7.9 | 8.4 | 8.4 | 8.1 |
| 25 | 8.0 | 8.0 | 8.2 | 7.9 | 8.2 | 8.1 | 8.0 | 8.0 | 7.9 | 8.2 | 8.6 | 8.0 |
| 26 | 8.0 | 8.1 | 8.2 | 7.9 | 8.3 | 8.1 | 8.1 | 7.9 | 7.9 | 8.3 | 8.8 | 8.1 |
| 27 | 8.1 | 8.1 | 8.2 | 8.0 | 8.3 | 8.1 | 8.1 | 7.9 | 8.0 | 8.4 | 8.8 | 8.2 |
| 28 | 8.1 | 7.9 | 8.1 | 8.0 | 8.3 | 8.1 | 8.2 | 8.0 | 8.0 | 8.4 | 8.7 | 8.2 |
| 29 | 8.1 | 8.0 | 8.1 | 8.0 | 8.3 | 8.0 | 8.3 | 7.9 | 8.0 | 8.3 | 8.6 | 8.2 |
| 30 | 8.2 | 8.1 | 8.0 | 8.1 | --- | 8.1 | 8.3 | 8.1 | 8.2 | 8.5 | 8.7 | 8.1 |
| 31 | 8.2 | --- | 8.0 | 8.1 | --- | 8.1 | --- | 8.1 | --- | 8.9 | 8.7 | --- |
| MEAN | 8.1 | 8.2 | 8.2 | 8.2 | 8.1 | 8.2 | 8.1 | 8.2 | 8.2 | 8.3 | 8.4 | 8.3 |
| WTR YR 1984 | MEAN | 8.2 | MAX | 8.9 | MIN | 7.8 | | | | | | |

LITTLE MIAMI RIVER BASIN

177

03245500 LITTLE MIAMI RIVER AT MILFORD, OH--Continued
 TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
 MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|------|------|------|-----|-----|-----|-----|------|------|------|------|------|------|
| 1 | 18.5 | 13.0 | 6.5 | .5 | 2.0 | 1.5 | 7.0 | 17.0 | 16.0 | 24.5 | 26.5 | 24.5 |
| 2 | 19.0 | 13.5 | 5.5 | .5 | 2.5 | 3.0 | 9.5 | 16.0 | 18.0 | 25.0 | 26.0 | 25.5 |
| 3 | 19.5 | 14.0 | 5.0 | .5 | 3.0 | 3.5 | 8.5 | 15.0 | 20.5 | 25.0 | 27.0 | 24.5 |
| 4 | 19.5 | 12.5 | 5.5 | .5 | 1.5 | 3.0 | 9.5 | 12.5 | 21.5 | 24.5 | 27.0 | 23.0 |
| 5 | 19.0 | 11.0 | 6.0 | .5 | 2.0 | 3.0 | 9.0 | 12.0 | 23.0 | 22.5 | 27.0 | 21.0 |
| 6 | 19.0 | 10.5 | 7.0 | .5 | 1.5 | 2.5 | 7.0 | 13.0 | 23.5 | 22.0 | 27.0 | 21.0 |
| 7 | 18.0 | 10.5 | 6.0 | .5 | 1.0 | 3.5 | 6.5 | 14.5 | 24.0 | 22.5 | 27.5 | 21.0 |
| 8 | 18.0 | 10.0 | 5.5 | .5 | 1.0 | 3.0 | 7.5 | 14.0 | 24.5 | 22.0 | 25.0 | 22.0 |
| 9 | 18.0 | 10.0 | 5.0 | --- | 1.5 | 2.0 | 8.5 | 11.5 | 25.0 | 22.5 | 25.5 | 21.5 |
| 10 | 17.0 | 10.5 | 5.5 | --- | 3.0 | 2.0 | 10.0 | 11.5 | 25.5 | 24.5 | 26.5 | 21.5 |
| 11 | 17.5 | 9.5 | 6.0 | --- | 4.0 | 3.0 | 11.5 | 14.5 | 26.0 | 26.5 | 27.0 | 23.5 |
| 12 | 17.5 | 8.0 | 7.0 | --- | 4.5 | 3.0 | 12.0 | 16.5 | 26.5 | 26.0 | 26.5 | 24.0 |
| 13 | 16.0 | 7.0 | 7.5 | --- | 6.0 | 3.0 | 13.0 | 16.0 | 27.5 | 27.0 | 26.5 | 24.5 |
| 14 | 14.0 | 6.5 | 7.5 | --- | 6.0 | 3.0 | 14.0 | 15.5 | 27.5 | 27.0 | 26.5 | 25.0 |
| 15 | 14.0 | 7.5 | 6.0 | .5 | 5.5 | 4.5 | 13.0 | 15.5 | 27.0 | 26.5 | 27.0 | 23.0 |
| 16 | 14.5 | 8.0 | 4.5 | .5 | 5.0 | 8.0 | 12.5 | 16.0 | 26.5 | 26.5 | 27.0 | 20.5 |
| 17 | 15.0 | 7.5 | 3.5 | .5 | 5.0 | 5.5 | 11.0 | 16.5 | 27.0 | 26.5 | 27.0 | 19.0 |
| 18 | 14.0 | 7.5 | 2.5 | .5 | 5.5 | 4.5 | 9.0 | 17.5 | 27.5 | 26.0 | 26.0 | 19.0 |
| 19 | 13.5 | 8.5 | 1.0 | .5 | 8.0 | 4.5 | 8.5 | 19.0 | 27.5 | 25.0 | 25.0 | 19.5 |
| 20 | 13.0 | 10.0 | .5 | .5 | 8.0 | 6.0 | 9.5 | 20.5 | 27.0 | 24.5 | 24.5 | 20.5 |
| 21 | 12.5 | 9.5 | 1.0 | .5 | 6.5 | 6.0 | 10.0 | 20.5 | 25.5 | 24.5 | 24.5 | 22.0 |
| 22 | 13.0 | 9.5 | 2.0 | .5 | 6.5 | 4.5 | 9.5 | 21.0 | 24.5 | 25.5 | 25.0 | 22.5 |
| 23 | 13.5 | 10.0 | .5 | .5 | 6.5 | 4.5 | 10.0 | 20.5 | 25.0 | 26.0 | 24.5 | 22.0 |
| 24 | 14.0 | 10.5 | .0 | .5 | 7.0 | 5.5 | 9.0 | 19.5 | 24.5 | 27.5 | 24.0 | 21.0 |
| 25 | 14.5 | 8.0 | .0 | .0 | 7.0 | 6.0 | 9.0 | 19.0 | 24.5 | 26.0 | 23.5 | 21.5 |
| 26 | 12.5 | 7.5 | .5 | 1.5 | 6.0 | 6.5 | 12.0 | 19.5 | 24.0 | 24.0 | 24.0 | 20.5 |
| 27 | 12.0 | 8.0 | .0 | 1.5 | 4.5 | 7.0 | 16.0 | 20.0 | 24.0 | 23.5 | 24.5 | 17.5 |
| 28 | 12.0 | 8.5 | .5 | 1.5 | 3.0 | 7.0 | 17.0 | 19.0 | 24.5 | 23.0 | 25.0 | 16.5 |
| 29 | 12.5 | 7.5 | .0 | 1.5 | 1.5 | 6.0 | 17.0 | 16.5 | 25.0 | 23.0 | 26.0 | 16.5 |
| 30 | 12.0 | 7.0 | .0 | 1.5 | --- | 5.0 | 17.0 | 15.0 | 25.0 | 24.0 | 26.0 | 15.0 |
| 31 | 12.0 | --- | .5 | 1.5 | --- | 5.5 | --- | 15.5 | --- | 24.5 | 25.5 | --- |
| MEAN | 15.5 | 9.5 | 3.5 | .5 | 4.5 | 4.5 | 10.5 | 16.5 | 24.5 | 25.0 | 26.0 | 21.5 |

WTR YR 1984 MEAN 13.5 MAX 27.5 MIN .0
 OXYGEN, DISSOLVED (DO), MG/L, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
 MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|------|------|------|------|------|------|------|------|------|-----|------|------|-----|
| 1 | 9.3 | 9.9 | 12.1 | 13.2 | 12.9 | 12.9 | 12.5 | 12.7 | 8.3 | 10.0 | 14.1 | 9.2 |
| 2 | 9.7 | 9.6 | 12.0 | 13.1 | 12.8 | 12.8 | 12.0 | 12.7 | 8.7 | 10.0 | 10.5 | 9.0 |
| 3 | 9.8 | 9.3 | 12.2 | 13.0 | 12.3 | 12.7 | 11.9 | 10.9 | 8.1 | 11.6 | 10.8 | 6.8 |
| 4 | 8.0 | 9.8 | 12.0 | 13.0 | 12.1 | 12.4 | 11.8 | 10.9 | 7.7 | 9.1 | 10.2 | 6.9 |
| 5 | 7.5 | 10.1 | 11.7 | 13.0 | 11.8 | 12.5 | 12.0 | 11.8 | 7.5 | 8.1 | 9.4 | 6.7 |
| 6 | 8.2 | 10.4 | 10.4 | 13.1 | 12.3 | 13.0 | 12.0 | 10.6 | 7.4 | 8.9 | 8.7 | 6.9 |
| 7 | 8.7 | 10.7 | 10.8 | 13.3 | 13.1 | 13.7 | 12.1 | 10.5 | 6.9 | 9.6 | 10.3 | 8.4 |
| 8 | 8.8 | 11.0 | 11.3 | 13.2 | 13.2 | 13.4 | 11.9 | 10.7 | 7.1 | 10.0 | 6.4 | 8.6 |
| 9 | 8.8 | 11.0 | 11.2 | --- | 13.1 | 13.9 | 11.5 | 11.7 | 7.4 | 9.8 | 6.1 | 8.2 |
| 10 | 9.1 | 10.7 | 10.9 | --- | 12.7 | 15.1 | 11.0 | 12.3 | 7.7 | 9.3 | 6.1 | 7.7 |
| 11 | 9.0 | 10.3 | 11.2 | --- | 12.1 | 14.8 | 10.7 | 11.9 | 8.1 | 8.3 | 6.2 | 7.5 |
| 12 | 8.5 | 10.9 | 11.6 | --- | 11.8 | 14.7 | 11.1 | 11.3 | 8.1 | 7.9 | 6.2 | 8.2 |
| 13 | 8.4 | 11.2 | 11.5 | --- | 11.3 | 14.2 | 10.9 | 10.9 | 7.9 | 8.1 | 6.5 | 8.3 |
| 14 | 9.2 | 11.8 | 11.5 | --- | 11.4 | 13.9 | 11.2 | 11.7 | 8.0 | 9.5 | 7.0 | 7.7 |
| 15 | 9.3 | 11.4 | 11.4 | 14.0 | 11.8 | 13.8 | 11.7 | 11.5 | 8.3 | 10.5 | 6.7 | 7.7 |
| 16 | 9.0 | 10.9 | 11.9 | 13.6 | 12.0 | 12.3 | 11.6 | 12.5 | 8.1 | 15.0 | 6.7 | 8.5 |
| 17 | 8.9 | 11.0 | 12.3 | 13.6 | 11.9 | 13.0 | 11.3 | 12.0 | 8.2 | 16.3 | 7.0 | 9.1 |
| 18 | 8.8 | 10.8 | 12.6 | 13.8 | 11.9 | 13.8 | 11.8 | 11.5 | 7.2 | 16.7 | 6.8 | 9.0 |
| 19 | 9.1 | 10.4 | 13.5 | 13.9 | 11.2 | 14.0 | 12.7 | 11.9 | 6.5 | 15.8 | 6.8 | 9.2 |
| 20 | 9.3 | 9.7 | 13.7 | 13.9 | 11.0 | 13.6 | 13.0 | 10.8 | 5.7 | 12.8 | 7.4 | 9.4 |
| 21 | 9.6 | 10.7 | 13.5 | 14.1 | 11.3 | 12.8 | 11.9 | 10.2 | 6.0 | 11.9 | 7.3 | 9.5 |
| 22 | 9.6 | 10.6 | 12.9 | 14.1 | 11.4 | 13.3 | 11.3 | 10.3 | 6.3 | 11.5 | 5.5 | 9.7 |
| 23 | 9.5 | 9.8 | 13.0 | 13.8 | 11.4 | 13.7 | 10.7 | 8.2 | 6.2 | 10.8 | 8.1 | 8.2 |
| 24 | 9.3 | 7.9 | 13.3 | 12.8 | 11.1 | 13.4 | 11.1 | 7.6 | 6.4 | 9.5 | 8.8 | 7.6 |
| 25 | 9.3 | 10.1 | 13.4 | 12.8 | 10.9 | 12.8 | 11.5 | 7.9 | 6.5 | 8.0 | 10.5 | 7.5 |
| 26 | 8.8 | 10.3 | 13.5 | 12.5 | 11.4 | 12.9 | 11.1 | 7.5 | 7.1 | 10.7 | 11.7 | 7.8 |
| 27 | 10.0 | 9.9 | 13.2 | 12.2 | 11.2 | 12.6 | 11.4 | 7.4 | 7.3 | 10.2 | 10.7 | 8.3 |
| 28 | 10.1 | 10.8 | 13.0 | 12.0 | 11.9 | 12.5 | 11.3 | 7.7 | 7.1 | 10.4 | 8.3 | 8.9 |
| 29 | 10.0 | 11.2 | 13.2 | 11.6 | 12.7 | 12.5 | 11.5 | 8.3 | 7.8 | 10.9 | 9.6 | 9.0 |
| 30 | 10.2 | 12.2 | 13.1 | 12.2 | --- | 13.1 | 12.0 | 8.9 | 8.6 | 12.5 | 8.6 | 9.0 |
| 31 | 10.1 | --- | 13.2 | 12.8 | --- | 12.8 | --- | 8.9 | --- | 17.7 | 9.2 | --- |
| MEAN | 9.2 | 10.5 | 12.3 | 13.1 | 11.9 | 13.3 | 11.6 | 10.4 | 7.4 | 11.0 | 8.4 | 8.3 |

WTR YR 1984 MEAN 10.6 MAX 17.7 MIN 5.7

LITTLE MIAMI RIVER BASIN

03245500 LITTLE MIAMI RIVER AT MILFORD, OH--Continued

SEDIMENT DISCHARGE, SUSPENDED (TONS/DAY), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
|---------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| OCTOBER | | | | NOVEMBER | | | DECEMBER | | |
| 1 | 140 | 42 | 16 | 351 | 18 | 17 | 2670 | 32 | 231 |
| 2 | 140 | 41 | 15 | 373 | 16 | 16 | 1630 | 62 | 273 |
| 3 | 138 | 44 | 16 | 561 | 25 | 38 | 1540 | 14 | 58 |
| 4 | 192 | 41 | 21 | 944 | 38 | 97 | 5550 | 205 | 3360 |
| 5 | 236 | 83 | 53 | 908 | 24 | 59 | 3920 | 83 | 878 |
| 6 | 232 | 50 | 31 | 816 | 17 | 37 | 4000 | 91 | 983 |
| 7 | 225 | 44 | 27 | 578 | 15 | 23 | 3840 | 59 | 612 |
| 8 | 179 | 42 | 20 | 517 | 17 | 24 | 2500 | 93 | 628 |
| 9 | 159 | 48 | 21 | 490 | 12 | 16 | 1850 | 33 | 165 |
| 10 | 151 | 44 | 18 | 544 | 36 | 52 | 1430 | 14 | 54 |
| 11 | 145 | 42 | 16 | 1000 | 60 | 161 | 1410 | 17 | 65 |
| 12 | 140 | 45 | 17 | 1230 | 48 | 159 | 2560 | 36 | 249 |
| 13 | 667 | 271 | 549 | 930 | 15 | 38 | 2500 | 50 | 337 |
| 14 | 1100 | 189 | 563 | 830 | 12 | 27 | 2550 | 56 | 386 |
| 15 | 464 | 69 | 86 | 997 | 16 | 43 | 2280 | 33 | 203 |
| 16 | 296 | 65 | 52 | 1500 | 119 | 482 | 1500 | 24 | 97 |
| 17 | 239 | 60 | 39 | 1320 | 76 | 271 | 1250 | 10 | 34 |
| 18 | 538 | 131 | 209 | 967 | 19 | 50 | 1040 | 50 | 140 |
| 19 | 691 | 85 | 159 | 809 | 22 | 48 | 982 | 60 | 159 |
| 20 | 1710 | 413 | 3920 | 782 | 21 | 44 | 908 | 35 | 86 |
| 21 | 5000 | 800 | 10800 | 937 | 12 | 30 | 830 | 24 | 54 |
| 22 | 2220 | 430 | 2780 | 915 | 19 | 47 | 1410 | 30 | 114 |
| 23 | 4000 | 624 | 5740 | 5020 | 459 | 11400 | 1180 | 25 | 80 |
| 24 | 2330 | 180 | 1130 | 5460 | 438 | 6460 | 717 | 25 | 48 |
| 25 | 2330 | 83 | 522 | 2390 | 132 | 852 | 572 | 30 | 46 |
| 26 | 1530 | 99 | 409 | 1990 | 90 | 484 | 691 | 33 | 62 |
| 27 | 915 | 103 | 254 | 1820 | 35 | 172 | 816 | 40 | 88 |
| 28 | 730 | 44 | 87 | 9570 | 416 | 11600 | 1500 | 75 | 304 |
| 29 | 595 | 39 | 63 | 4470 | 78 | 941 | 2620 | 150 | 1060 |
| 30 | 459 | 28 | 35 | 3230 | 88 | 767 | 1100 | 50 | 148 |
| 31 | 373 | 23 | 23 | --- | --- | --- | 800 | 45 | 97 |
| TOTAL | 28264 | --- | 28691 | 52249 | --- | 34455 | 58146 | --- | 11099 |
| JANUARY | | | | FEBRUARY | | | MARCH | | |
| 1 | 700 | 40 | 76 | 538 | 5 | 7.3 | 915 | 6 | 15 |
| 2 | 660 | 40 | 71 | 624 | 6 | 10 | 915 | 4 | 9.9 |
| 3 | 620 | 35 | 59 | 2720 | 197 | 2260 | 937 | 7 | 18 |
| 4 | 600 | 30 | 49 | 3520 | 255 | 2420 | 901 | 1 | 2.4 |
| 5 | 580 | 30 | 47 | 2160 | 114 | 665 | 4710 | 267 | 5510 |
| 6 | 540 | 30 | 44 | 1650 | 39 | 174 | 4340 | 192 | 2250 |
| 7 | 500 | 78 | 105 | 1270 | 18 | 62 | 3100 | 102 | 854 |
| 8 | 480 | 35 | 45 | 796 | 5 | 11 | 2650 | 35 | 250 |
| 9 | 460 | 40 | 50 | 595 | 11 | 18 | 1680 | 20 | 91 |
| 10 | 460 | 64 | 79 | 589 | 8 | 13 | 1310 | 18 | 64 |
| 11 | 450 | 55 | 67 | 1470 | 89 | 475 | 1250 | 14 | 47 |
| 12 | 450 | 50 | 61 | 2030 | 125 | 685 | 1140 | 12 | 37 |
| 13 | 440 | 45 | 53 | 5490 | 258 | 6110 | 1600 | 30 | 130 |
| 14 | 440 | 40 | 48 | 10900 | 1080 | 36500 | 2670 | 50 | 360 |
| 15 | 440 | 35 | 42 | 5530 | 250 | 3730 | 2430 | 35 | 230 |
| 16 | 440 | 30 | 36 | 4250 | 334 | 3830 | 6610 | 470 | 8960 |
| 17 | 469 | 30 | 38 | 3680 | 127 | 1260 | 5220 | 318 | 4480 |
| 18 | 459 | 25 | 31 | 2960 | 64 | 511 | 3900 | 93 | 979 |
| 19 | 396 | 25 | 27 | 1830 | 34 | 168 | 3180 | 385 | 3310 |
| 20 | 364 | 20 | 20 | 1660 | 28 | 125 | 5440 | 203 | 4630 |
| 21 | 338 | 20 | 18 | 1390 | 31 | 116 | 10800 | 590 | 17200 |
| 22 | 325 | 20 | 18 | 1250 | 16 | 54 | 7910 | 230 | 4910 |
| 23 | 382 | 20 | 21 | 1070 | 14 | 40 | 6000 | 184 | 2980 |
| 24 | 3030 | 1040 | 12600 | 886 | 16 | 38 | 4340 | 113 | 1320 |
| 25 | 4780 | 443 | 9150 | 989 | 16 | 43 | 3370 | 62 | 564 |
| 26 | 2680 | 170 | 1230 | 1000 | 7 | 19 | 3510 | 58 | 550 |
| 27 | 2320 | 94 | 589 | 908 | 28 | 69 | 3230 | 62 | 541 |
| 28 | 1350 | 50 | 182 | 1040 | 12 | 34 | 8170 | 728 | 23200 |
| 29 | 908 | 17 | 42 | 1050 | 10 | 28 | 7280 | 860 | 16900 |
| 30 | 796 | 16 | 34 | --- | --- | --- | 4650 | 530 | 6650 |
| 31 | 618 | 6 | 10 | --- | --- | --- | 2720 | 157 | 1150 |
| TOTAL | 27475 | --- | 23942 | 63845 | --- | 59475.3 | 116878 | --- | 108192.3 |

LITTLE MIAMI RIVER BASIN

179

03245500 LITTLE MIAMI RIVER AT MILFORD, OH--Continued

SEDIMENT DISCHARGE, SUSPENDED (TONS/DAY), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) | MEAN DISCHARGE (CFS) | MEAN CONCENTRATION (MG/L) | SEDIMENT DISCHARGE (TONS/DAY) |
|-------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|----------------------------|---------------------------------|-------------------------------------|
| APRIL | | | MAY | | | JUNE | | | |
| 1 | 1880 | 90 | 457 | 997 | 27 | 73 | 1050 | 56 | 159 |
| 2 | 1520 | 24 | 98 | 915 | 36 | 89 | 908 | 45 | 110 |
| 3 | 1460 | 92 | 363 | 2450 | 104 | 1250 | 809 | 44 | 96 |
| 4 | 2630 | 120 | 852 | 5170 | 264 | 3690 | 730 | 48 | 95 |
| 5 | 9520 | 675 | 17400 | 3190 | 100 | 861 | 648 | 44 | 77 |
| 6 | 9210 | 480 | 11900 | 3160 | 84 | 717 | 583 | 26 | 41 |
| 7 | 6250 | 425 | 7170 | 2570 | 54 | 375 | 561 | 37 | 56 |
| 8 | 4350 | 178 | 2090 | 3360 | 52 | 472 | 527 | 121 | 172 |
| 9 | 2330 | 180 | 1130 | 3460 | 104 | 972 | 495 | 64 | 86 |
| 10 | 1750 | 45 | 213 | 2130 | 50 | 288 | 459 | 52 | 66 |
| 11 | 1440 | 28 | 109 | 1580 | 32 | 137 | 420 | 32 | 36 |
| 12 | 1180 | 27 | 86 | 1530 | 21 | 87 | 391 | 58 | 61 |
| 13 | 1210 | 22 | 72 | 1420 | 23 | 88 | 382 | 42 | 43 |
| 14 | 1140 | 22 | 68 | 1310 | 26 | 92 | 387 | 47 | 49 |
| 15 | 1070 | 36 | 104 | 974 | 15 | 39 | 511 | 33 | 46 |
| 16 | 1220 | 20 | 66 | 865 | 13 | 30 | 391 | 26 | 27 |
| 17 | 2380 | 56 | 360 | 803 | 31 | 67 | 354 | 17 | 17 |
| 18 | 2280 | 42 | 259 | 837 | 24 | 54 | 358 | 19 | 19 |
| 19 | 2010 | 26 | 141 | 809 | 12 | 26 | 391 | 24 | 25 |
| 20 | 1510 | 14 | 57 | 776 | 14 | 29 | 538 | 124 | 281 |
| 21 | 1580 | 580 | 2470 | 830 | 14 | 31 | 1120 | 390 | 1180 |
| 22 | 9000 | 1070 | 27000 | 930 | 15 | 38 | 762 | 300 | 617 |
| 23 | 6440 | 424 | 7370 | 3870 | 341 | 3750 | 538 | 272 | 395 |
| 24 | 6000 | 322 | 5220 | 2770 | 270 | 2070 | 769 | 174 | 361 |
| 25 | 4700 | 94 | 1190 | 1920 | 96 | 498 | 667 | 188 | 339 |
| 26 | 2910 | 62 | 487 | 1870 | 348 | 1760 | 495 | 161 | 215 |
| 27 | 1720 | 41 | 190 | 1280 | 124 | 429 | 410 | 75 | 83 |
| 28 | 1420 | 32 | 123 | 1610 | 118 | 513 | 368 | 70 | 70 |
| 29 | 1230 | 19 | 63 | 2890 | 138 | 1080 | 342 | 58 | 54 |
| 30 | 1080 | 13 | 38 | 1750 | 142 | 671 | 321 | 61 | 53 |
| 31 | --- | --- | --- | 1200 | 62 | 201 | --- | --- | --- |
| TOTAL | 92420 | --- | 87146 | 59226 | --- | 20477 | 16715 | --- | 4929 |
| JULY | | | AUGUST | | | SEPTEMBER | | | |
| 1 | 304 | 52 | 43 | 201 | 94 | 51 | 148 | 52 | 21 |
| 2 | 288 | 49 | 38 | 205 | 100 | 55 | 148 | 56 | 22 |
| 3 | 284 | 33 | 25 | 218 | 124 | 73 | 218 | 62 | 36 |
| 4 | 485 | 43 | 56 | 218 | 115 | 68 | 222 | 67 | 40 |
| 5 | 1680 | 372 | 1690 | 257 | 99 | 69 | 265 | 66 | 47 |
| 6 | 1890 | 535 | 2730 | 396 | 62 | 66 | 211 | 94 | 54 |
| 7 | 1800 | 315 | 1530 | 265 | 84 | 60 | 195 | 62 | 33 |
| 8 | 1130 | 78 | 238 | 2720 | 4850 | 42800 | 173 | 53 | 25 |
| 9 | 654 | 71 | 125 | 1100 | 2100 | 6240 | 162 | 56 | 24 |
| 10 | 485 | 82 | 107 | 612 | 350 | 578 | 188 | 49 | 25 |
| 11 | 415 | 99 | 111 | 373 | 136 | 137 | 170 | 50 | 23 |
| 12 | 373 | 66 | 66 | 420 | 116 | 132 | 164 | 46 | 20 |
| 13 | 346 | 70 | 65 | 316 | 56 | 48 | 159 | 52 | 22 |
| 14 | 316 | 78 | 67 | 265 | 157 | 112 | 153 | 49 | 20 |
| 15 | 296 | 80 | 64 | 239 | 89 | 57 | 304 | 103 | 85 |
| 16 | 284 | 100 | 77 | 222 | 76 | 46 | 533 | 105 | 151 |
| 17 | 269 | 138 | 100 | 215 | 40 | 23 | 321 | 26 | 23 |
| 18 | 261 | 140 | 99 | 401 | 92 | 100 | 250 | 45 | 30 |
| 19 | 250 | 150 | 101 | 338 | 89 | 81 | 198 | 69 | 37 |
| 20 | 239 | 133 | 86 | 257 | 71 | 49 | 179 | 50 | 24 |
| 21 | 228 | 84 | 52 | 222 | 65 | 39 | 159 | 23 | 9.9 |
| 22 | 225 | 66 | 40 | 208 | 67 | 38 | 153 | 55 | 23 |
| 23 | 218 | 52 | 31 | 225 | 71 | 43 | 164 | 56 | 25 |
| 24 | 211 | 62 | 35 | 246 | 90 | 60 | 469 | 305 | 626 |
| 25 | 236 | 56 | 36 | 211 | 106 | 60 | 280 | 160 | 121 |
| 26 | 261 | 44 | 31 | 192 | 22 | 11 | 387 | 95 | 99 |
| 27 | 387 | 88 | 92 | 179 | 61 | 29 | 312 | 43 | 36 |
| 28 | 368 | 56 | 56 | 170 | 42 | 19 | 257 | 35 | 24 |
| 29 | 261 | 86 | 61 | 159 | 80 | 34 | 236 | 52 | 33 |
| 30 | 232 | 92 | 58 | 162 | 78 | 34 | 201 | 52 | 28 |
| 31 | 215 | 72 | 42 | 156 | 68 | 29 | --- | --- | --- |
| TOTAL | 14891 | --- | 7952 | 11368 | --- | 51241 | 6979 | --- | 1786.9 |
| YEAR | 548456 | | 439386.5 | | | | | | |

LITTLE MIAMI RIVER BASIN

03245500 LITTLE MIAMI RIVER AT MILFORD, OH--Continued

PARTICLE-SIZE DISTRIBUTION OF SUSPENDED SEDIMENT, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | SEDI- MENT, SUS- PENDE (MG/L) | SEDI- MENT, DIS- CHARGE, SUS- PENDE (T/DAY) | SED. SUSP. FALL DIAM. % FINER THAN .002 MM | SED. SUSP. FALL DIAM. % FINER THAN .004 MM | SED. SUSP. FALL DIAM. % FINER THAN .008 MM |
|--------------|------|---|---|---|--|--|--|
| FEB 14... | 0930 | 10900 | 1280 | 37700 | 31 | 43 | 57 |
| MAR 21... | 1430 | 9210 | 410 | 10200 | 18 | 30 | 41 |
| AUG 08... | 0700 | 7370 | 6100 | 121000 | 32 | 42 | 55 |

| DATE | SED. SUSP. FALL DIAM. % FINER THAN .015 MM | SED. SUSP. FALL DIAM. % FINER THAN .031 MM | SED. SUSP. SIEVE DIAM. % FINER THAN .062 MM | SED. SUSP. SIEVE DIAM. % FINER THAN .125 MM | SED. SUSP. SIEVE DIAM. % FINER THAN .250 MM | SED. SUSP. SIEVE DIAM. % FINER THAN .500 MM |
|--------------|--|--|---|---|---|---|
| FEB 14... | 75 | 89 | 97 | 98 | 100 | -- |
| MAR 21... | 58 | 75 | 88 | 92 | 97 | 100 |
| AUG 08... | 72 | 87 | 98 | 100 | -- | -- |

181

LOCATION.--Lat 39°03'36", long 84°10'32", Clermont County, Hydrologic Unit 05090202, on right bank on Elk Lick Road, 230 ft upstream from unnamed right bank tributary, 1,400 ft upstream from Lucy Run, 1.3 mi south of Batavia, and at mile 15.7.

PERIOD OF RECORD.--July 1965 to current year.

REMARKS.--Records good except those for winter periods which are fair. Flow regulated by William H. Harsha reservoir, formerly East Fork Lake, since 1977. Water-quality data collected at this site 1965 to 1977.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 28,700 ft³/s Apr. 2, 1970, gage height, 20.31 ft; minimum daily, 0.14 ft/s Sept. 23, 27, 1967. Maximum discharge since start of construction of East Fork Dam 31,000 ft³/s Aug. 30, 1974, gage height, 20.80 ft in gage well, 21.8 ft from floodmarks, result of failure of cofferdam.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in March 1964 reached a stage of 21.46 ft at site 1,100 ft downstream from information by local resident, discharge, about 32,000 ft³/s, from flood study.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 3,190 ft³/s Oct. 25, gage height, 11.59 ft; minimum daily, 18 ft³/s
Many days July 2 to Sept. 7.

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|--------|-------|------|-------|-------|-------|-------|------|------|------|------|
| 1 | 23 | 180 | 800 | 217 | 142 | 429 | 1400 | 100 | 642 | 19 | 18 | 19 |
| 2 | 22 | 53 | 580 | 50 | 102 | 337 | 587 | 89 | 165 | 18 | 18 | 18 |
| 3 | 23 | 72 | 360 | 45 | 263 | 423 | 467 | 133 | 105 | 18 | 18 | 21 |
| 4 | 26 | 180 | 380 | 41 | 403 | 413 | 403 | 408 | 105 | 20 | 18 | 19 |
| 5 | 57 | 198 | 660 | 39 | 398 | 605 | 907 | 862 | 75 | 28 | 18 | 19 |
| 6 | 105 | 105 | 1000 | 37 | 659 | 1200 | 1930 | 712 | 52 | 21 | 19 | 18 |
| 7 | 102 | 102 | 1400 | 35 | 851 | 1620 | 1950 | 447 | 43 | 19 | 18 | 18 |
| 8 | 102 | 102 | 1500 | 33 | 772 | 1390 | 925 | 675 | 32 | 18 | 39 | 19 |
| 9 | 83 | 102 | 760 | 32 | 477 | 731 | 356 | 1260 | 29 | 18 | 170 | 19 |
| 10 | 47 | 105 | 480 | 30 | 151 | 180 | 329 | 1290 | 23 | 19 | 281 | 20 |
| 11 | 47 | 109 | 360 | 29 | 229 | 139 | 196 | 634 | 23 | 21 | 41 | 19 |
| 12 | 49 | 105 | 500 | 29 | 388 | 136 | 89 | 222 | 23 | 21 | 27 | 19 |
| 13 | 151 | 105 | 760 | 28 | 876 | 251 | 60 | 136 | 23 | 20 | 22 | 19 |
| 14 | 255 | 91 | 725 | 28 | 1520 | 512 | 54 | 135 | 23 | 18 | 21 | 20 |
| 15 | 251 | 305 | 567 | 27 | 2310 | 741 | 42 | 135 | 22 | 19 | 21 | 19 |
| 16 | 142 | 259 | 251 | 26 | 2710 | 1070 | 45 | 123 | 21 | 18 | 21 | 19 |
| 17 | 47 | 434 | 85 | 25 | 2390 | 1200 | 50 | 84 | 21 | 18 | 21 | 19 |
| 18 | 81 | 708 | 41 | 25 | 1610 | 942 | 51 | 62 | 22 | 18 | 193 | 19 |
| 19 | 109 | 708 | 26 | 25 | 857 | 484 | 46 | 61 | 22 | 18 | 213 | 19 |
| 20 | 311 | 714 | 26 | 24 | 423 | 419 | 73 | 59 | 21 | 18 | 178 | 19 |
| 21 | 666 | 598 | 30 | 24 | 302 | 1300 | 212 | 58 | 21 | 18 | 92 | 20 |
| 22 | 934 | 477 | 255 | 32 | 194 | 2220 | 586 | 56 | 21 | 18 | 58 | 22 |
| 23 | 359 | 840 | 477 | 40 | 119 | 2350 | 1320 | 252 | 22 | 18 | 43 | 36 |
| 24 | 1560 | 720 | 472 | 87 | 145 | 2180 | 2470 | 668 | 23 | 18 | 36 | 130 |
| 25 | 2780 | 640 | 205 | 778 | 173 | 1600 | 2910 | 684 | 21 | 20 | 18 | 202 |
| 26 | 2990 | 740 | 26 | 1420 | 122 | 1050 | 2880 | 393 | 21 | 19 | 18 | 392 |
| 27 | 2940 | 1100 | 32 | 1250 | 105 | 791 | 2210 | 219 | 21 | 20 | 18 | 297 |
| 28 | 2910 | 1900 | 125 | 778 | 229 | 555 | 977 | 240 | 21 | 18 | 18 | 70 |
| 29 | 2610 | 1900 | 328 | 378 | 434 | 1150 | 239 | 790 | 21 | 18 | 18 | 42 |
| 30 | 1840 | 1600 | 567 | 205 | --- | 1990 | 115 | 1660 | 20 | 18 | 19 | 29 |
| 31 | 915 | --- | 638 | 209 | --- | 1970 | --- | 1590 | --- | 18 | 18 | --- |
| TOTAL | 22537 | 15252 | 14416 | 6026 | 19354 | 30378 | 23779 | 14237 | 1704 | 590 | 1731 | 1611 |
| MEAN | 727 | 508 | 465 | 194 | 667 | 980 | 793 | 459 | 55.8 | 19.0 | 55.8 | 53.7 |
| MAX | 2990 | 1900 | 1500 | 1420 | 2710 | 2350 | 2910 | 1660 | 642 | 28 | 281 | 392 |
| MIN | 22 | 53 | 26 | 24 | 102 | 136 | 42 | 56 | 20 | 18 | 18 | 18 |
| CAL YR 1983 | TOTAL | 176480 | MEAN | 484 | MAX | 4620 | MIN | 17 | | | | |
| WTR YR 1984 | TOTAL | 151615 | MEAN | 414 | MAX | 2990 | MIN | 18 | | | | |

LITTLE MIAMI RIVER BASIN

03247500 EAST FORK LITTLE MIAMI RIVER AT PERINTOWN, OH

LOCATION.--Lat 39°08'14", long 84°14'17", Clermont County, Hydrologic Unit 05090202, on right bank at upstream wingwall of highway bridge at Perintown, 0.2 mi downstream from Sugarcamp Run, 5 mi upstream from mouth, and at mile 6.4.

DRAINAGE AREA.--476 mi².

PERIOD OF RECORD.--May 1915 to September 1917, October 1917 to May 1920 (gage heights only), January 1925 to current year.

GAGE.--Water-stage recorder. Datum of gage is 507.03 ft National Geodetic Vertical Datum of 1929. Prior to Feb. 6, 1940, nonrecording gage at same site and datum.

REMARKS.--Records fair except for winter periods which are poor. Occasional regulation by Stonelick Lake 14 mi upstream. Surface area at spillway level, 171 acres. Flow regulated by William H. Harsha Reservoir, formerly East Fork Lake, since 1977. Water-quality data collected at this site 1964 to 1977.

AVERAGE DISCHARGE.--61 years (1915-17, 1925-84), 552 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 42,400 ft³/s Mar. 10, 1964, gage height, 23.84 ft; minimum daily, 0.4 ft³/s July 24, 1930, Sept. 11, 12, 23, 1939; minimum gage height, -0.18 ft Oct. 3-7, 1917. Maximum discharge since start of construction of East Fork Dam 23,200 ft³/s Aug. 30, 1974, gage height, 19.52 ft, result of failure of cofferdam.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 8,200 ft³/s Feb. 13, gage height, 11.20 ft; minimum daily, 22 ft³/s July 24, Sept. 21.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------------|--------|-------|-------|----------|----------|--------|-------|-------|------|------|------|------|
| 1 | 27 | 95 | 2340 | 387 | 222 | 665 | 1940 | 182 | 1180 | 34 | 24 | 29 |
| 2 | 28 | 111 | 1370 | 110 | 216 | 475 | 993 | 136 | 274 | 35 | 24 | 29 |
| 3 | 28 | 190 | 465 | 84 | 866 | 622 | 647 | 920 | 161 | 33 | 26 | 35 |
| 4 | 41 | 340 | 1700 | 70 | 793 | 622 | 952 | 1150 | 147 | 36 | 23 | 44 |
| 5 | 56 | 310 | 1450 | 60 | 593 | 2290 | 2620 | 1380 | 131 | 55 | 24 | 33 |
| 6 | 113 | 180 | 1990 | 56 | 711 | 1950 | 2780 | 1130 | 85 | 78 | 24 | 31 |
| 7 | 111 | 160 | 2150 | 54 | 1070 | 2140 | 2450 | 691 | 78 | 77 | 25 | 29 |
| 8 | 110 | 160 | 2320 | 49 | 968 | 1940 | 1340 | 1720 | 64 | 44 | 349 | 27 |
| 9 | 105 | 160 | 1530 | 46 | 653 | 1220 | 521 | 1800 | 58 | 36 | 107 | 26 |
| 10 | 72 | 160 | 874 | 44 | 270 | 325 | 490 | 1820 | 57 | 33 | 404 | 30 |
| 11 | 57 | 170 | 460 | 42 | 480 | 250 | 337 | 944 | 49 | 28 | 61 | 29 |
| 12 | 62 | 160 | 960 | 41 | 647 | 225 | 196 | 374 | 50 | 32 | 45 | 26 |
| 13 | 417 | 150 | 1270 | 41 | 3290 | 553 | 152 | 222 | 46 | 30 | 34 | 26 |
| 14 | 370 | 130 | 1030 | 40 | 3000 | 944 | 140 | 207 | 46 | 26 | 29 | 26 |
| 15 | 336 | 448 | 960 | 39 | 2690 | 1060 | 121 | 196 | 45 | 24 | 27 | 26 |
| 16 | 237 | 518 | 500 | 37 | 2950 | 2170 | 161 | 185 | 42 | 26 | 26 | 23 |
| 17 | 130 | 620 | 270 | 36 | 2750 | 1820 | 432 | 145 | 43 | 26 | 25 | 23 |
| 18 | 346 | 883 | 120 | 35 | 2140 | 1510 | 369 | 111 | 43 | 23 | 330 | 23 |
| 19 | 611 | 855 | 82 | 35 | 1290 | 800 | 277 | 98 | 56 | 24 | 357 | 23 |
| 20 | 2290 | 855 | 81 | 37 | 576 | 1210 | 193 | 93 | 52 | 24 | 291 | 23 |
| 21 | 2540 | 812 | 81 | 34 | 422 | 2920 | 968 | 91 | 68 | 25 | 169 | 22 |
| 22 | 2180 | 558 | 532 | 34 | 302 | 2910 | 3520 | 86 | 44 | 24 | 111 | 23 |
| 23 | 2030 | 2560 | 616 | 41 | 177 | 2840 | 2330 | 349 | 45 | 24 | 83 | 34 |
| 24 | 2500 | 1200 | 542 | 793 | 201 | 2640 | 3190 | 738 | 49 | 22 | 75 | 413 |
| 25 | 3200 | 1200 | 387 | 1290 | 237 | 2330 | 3150 | 993 | 46 | 23 | 50 | 310 |
| 26 | 3000 | 1740 | 88 | 1940 | 207 | 1680 | 3130 | 765 | 37 | 30 | 37 | 451 |
| 27 | 2970 | 1900 | 77 | 1840 | 166 | 1200 | 2630 | 413 | 36 | 32 | 34 | 475 |
| 28 | 2800 | 3710 | 475 | 1060 | 404 | 2020 | 1460 | 1360 | 37 | 27 | 35 | 113 |
| 29 | 2180 | 2800 | 653 | 634 | 587 | 2100 | 422 | 1540 | 36 | 24 | 36 | 71 |
| 30 | 1200 | 2820 | 829 | 257 | --- | 2500 | 204 | 2000 | 36 | 23 | 32 | 46 |
| 31 | 248 | --- | 765 | 313 | --- | 2420 | --- | 2180 | --- | 26 | 30 | --- |
| TOTAL | 30395 | 25955 | 26967 | 9579 | 28878 | 48351 | 38115 | 24019 | 3141 | 1004 | 2947 | 2519 |
| MEAN | 980 | 865 | 870 | 309 | 996 | 1560 | 1271 | 775 | 105 | 32.4 | 95.1 | 84.0 |
| MAX | 3200 | 3710 | 2340 | 1940 | 3290 | 2920 | 3520 | 2180 | 1180 | 78 | 404 | 475 |
| MIN | 27 | 95 | 77 | 34 | 166 | 225 | 121 | 86 | 36 | 22 | 23 | 22 |
| CAL YR 1983 TOTAL | 240282 | | | MEAN 658 | MAX 5680 | MIN 25 | | | | | | |
| WTR YR 1984 TOTAL | 241870 | | | MEAN 661 | MAX 3710 | MIN 22 | | | | | | |

MILL CREEK BASIN

183

03255500 MILL CREEK AT READING, OH

LOCATION.--Lat 39°13'14", long 84°26'49", in sec. 32, R.1, T.4, Hamilton County, Hydrologic Unit 05090203, on right bank at upstream side of Koehler Street Bridge at Reading, 1.0 mi upstream from West Fork Mill Creek, and 13.0 mi upstream from mouth.

DRAINAGE AREA.--73.0 mi².

PERIOD OF RECORD.--October 1938 to April 1939, June 1939 to current year.

REVISED RECORDS.--WSP 1908: Drainage area. WRD OH-83-1: 1980-82 (P).

GAGE.--Water-stage recorder. Datum of gage is 527.00 ft Ohio River datum. Prior to Oct. 1, 1951, water-stage recorder or nonrecording gage at same site at datum 4.00 ft higher. Oct. 1, 1951, to Apr. 25, 1954, nonrecording gage at present site and datum.

REMARKS.--Records fair. Some diversion and ground water pumpage from Mill Creek and Great Miami River basin by industrial plants of the greater Cincinnati area upstream from station. Water-quality data collected at this site 1965 to 1977.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 5,780 ft³/s Mar. 6, 1945, gage height, 20.00 ft present datum; no flow for many days in 1940-41, 1944, 1951.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 1,700 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Oct. 13 | 0830 | 1880 | 10.07 | Apr. 5 | ---- | 2260 | ----- |
| Oct. 20 | 1930 | *2460 | *11.55 | Apr. 22 | ---- | 2160 | ----- |

Minimum daily 3.5 ft³/s July 22.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|------|------|-------|------|------|------|------|--------|--------|-------|--------|
| 1 | 6.6 | 20 | 60 | 16 | 27 | 67 | 70 | 45 | 45 | 6.2 | 13 | 8.9 |
| 2 | 6.6 | 47 | 70 | 15 | 35 | 82 | 64 | 40 | 39 | 10 | 15 | 7.3 |
| 3 | 7.0 | 44 | 84 | 14 | 160 | 92 | 74 | 300 | 35 | 10 | 22 | 107 |
| 4 | 86 | 25 | 450 | 13 | 77 | 72 | 250 | 250 | 33 | 188 | 30 | 26 |
| 5 | 65 | 22 | 135 | 13 | 51 | 579 | 940 | 190 | 30 | 538 | 13 | 20 |
| 6 | 13 | 18 | 185 | 12 | 30 | 253 | 490 | 170 | 27 | 253 | 12 | 14 |
| 7 | 8.1 | 18 | 102 | 11 | 25 | 115 | 400 | 120 | 24 | 76 | 10 | 14 |
| 8 | 6.6 | 18 | 75 | 11 | 22 | 106 | 200 | 290 | 23 | 30 | 459 | 12 |
| 9 | 5.9 | 18 | 62 | 11 | 20 | 75 | 120 | 160 | 17 | 25 | 39 | 13 |
| 10 | 7.3 | 119 | 51 | 13 | 25 | 68 | 77 | 100 | 13 | 23 | 21 | 39 |
| 11 | 8.5 | 171 | 133 | 10 | 106 | 68 | 69 | 76 | 16 | 21 | 13 | 14 |
| 12 | 23 | 64 | 208 | 9.0 | 72 | 56 | 71 | 74 | 17 | 18 | 10 | 13 |
| 13 | 671 | 38 | 92 | 8.6 | 519 | 253 | 115 | 70 | 16 | 14 | 11 | 11 |
| 14 | 45 | 31 | 84 | 8.4 | 330 | 179 | 72 | 54 | 28 | 12 | 11 | 16 |
| 15 | 20 | 80 | 90 | 8.0 | 121 | 126 | 65 | 45 | 19 | 10 | 11 | 12 |
| 16 | 12 | 104 | 56 | 7.4 | 84 | 423 | 164 | 38 | 13 | 14 | 9.7 | 8.1 |
| 17 | 12 | 70 | 43 | 7.0 | 70 | 131 | 197 | 32 | 9.7 | 13 | 11 | 8.9 |
| 18 | 193 | 46 | 36 | 6.8 | 56 | 112 | 120 | 25 | 105 | 11 | 76 | 10 |
| 19 | 47 | 38 | 31 | 6.4 | 52 | 96 | 70 | 22 | 175 | 8.9 | 18 | 10 |
| 20 | 811 | 57 | 29 | 6.0 | 45 | 454 | 60 | 25 | 84 | 8.9 | 13 | 10 |
| 21 | 396 | 70 | 55 | 5.2 | 41 | 568 | 200 | 54 | 86 | 7.3 | 12 | 11 |
| 22 | 318 | 56 | 148 | 4.8 | 37 | 231 | 900 | 45 | 59 | 3.5 | 39 | 9.7 |
| 23 | 281 | 652 | 30 | 10 | 35 | 137 | 250 | 520 | 175 | 5.7 | 30 | 71 |
| 24 | 96 | 233 | 26 | 350 | 53 | 100 | 150 | 160 | 79 | 8.9 | 14 | 352 |
| 25 | 55 | 86 | 23 | 84 | 112 | 150 | 130 | 90 | 28 | 86 | 12 | 55 |
| 26 | 39 | 60 | 22 | 72 | 53 | 130 | 120 | 230 | 18 | 50 | 8.1 | 120 |
| 27 | 31 | 143 | 21 | 52 | 47 | 100 | 100 | 50 | 15 | 29 | 10 | 22 |
| 28 | 28 | 624 | 20 | 34 | 121 | 400 | 84 | 250 | 13 | 17 | 14 | 14 |
| 29 | 22 | 171 | 19 | 30 | 80 | 350 | 50 | 150 | 12 | 6.0 | 13 | 11 |
| 30 | 18 | 79 | 18 | 35 | --- | 200 | 80 | 80 | 9.3 | 6.0 | 12 | 17 |
| 31 | 18 | --- | 17 | 30 | --- | 100 | --- | 50 | --- | 8.8 | 11 | --- |
| TOTAL | 3356.6 | 3222 | 2475 | 913.6 | 2506 | 5863 | 5752 | 3805 | 1263.0 | 1518.2 | 991.8 | 1056.9 |
| MEAN | 108 | 107 | 79.8 | 29.5 | 86.4 | 189 | 192 | 123 | 42.1 | 49.0 | 32.0 | 35.2 |
| MAX | 811 | 652 | 450 | 350 | 519 | 579 | 940 | 520 | 175 | 538 | 459 | 352 |
| MIN | 5.9 | 18 | 17 | 4.8 | 20 | 56 | 50 | 22 | 9.3 | 3.5 | 8.1 | 7.3 |

CAL YR 1983 TOTAL 30233.1 MEAN 82.8 MAX 1980 MIN 5.3
WTR YR 1984 TOTAL 32723.1 MEAN 89.4 MAX 940 MIN 3.5

MILL CREEK BASIN

03259000 MILL CREEK AT CARTHAGE, OH

LOCATION.--Lat 39°12'07", long 84°28'16", in SW 1/4 sec. 1, R.1, T.3, Hamilton County, Hydrologic Unit 05090203, on right bank 100 ft downstream from Anthony Wayne Avenue Bridge in Carthage, 1.0 mi downstream from West Fork Mill Creek, and 11.0 mi upstream from mouth.

DRAINAGE AREA.--115 mi².

PERIOD OF RECORD.--November 1946 to current year.

REVISED RECORDS.--WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 507.00 ft Ohio River datum. Prior to Oct. 1, 1954 at site 100 ft upstream at datum 5.00 ft higher. Oct. 1, 1954 to Sept. 30, 1977 at same site at datum 5.00 ft higher.

REMARKS.--Records fair except those for winter periods and periods of doubtful record, April 7-18 and July 8 to August 8 which are poor. Some inter-basin transfers of water between Mill Creek and Great Miami River basins by industrial and municipal operations. Flow regulated by West Fork Mill Creek Reservoir, 6.9 mi upstream, beginning 1953. Water-quality data collected at this site 1965 to 1977.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 9,030 ft³/s Sept. 14, 1979, gage height, 21.82 ft present datum, from rating curve extended above 4,000 ft³/s on basis of slope-area measurement of peak flow; no flow many days in 1947-48.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 2,760 ft³/s Apr. 22, gage height 13.20 ft; minimum daily, 5.0 ft³/s July 22.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|------|------|--------|------|------|------|------|------|--------|------|--------|
| 1 | 8.4 | 14 | 90 | 26 | 33 | 85 | 113 | 70 | 44 | 14 | 20 | 9.9 |
| 2 | 8.4 | 22 | 82 | 24 | 31 | 99 | 102 | 63 | 37 | 16 | 27 | 8.1 |
| 3 | 8.3 | 54 | 110 | 23 | 211 | 109 | 113 | 452 | 31 | 17 | 45 | 125 |
| 4 | 118 | 26 | 571 | 21 | 147 | 113 | 397 | 405 | 31 | 263 | 70 | 58 |
| 5 | 88 | 21 | 308 | 20 | 73 | 687 | 1440 | 293 | 35 | 678 | 25 | 82 |
| 6 | 55 | 34 | 504 | 18 | 45 | 530 | 770 | 307 | 33 | 374 | 18 | 17 |
| 7 | 44 | 22 | 208 | 17 | 25 | 150 | 500 | 184 | 30 | 173 | 12 | 14 |
| 8 | 11 | 15 | 142 | 17 | 20 | 125 | 300 | 422 | 29 | 60 | 600 | 13 |
| 9 | 8.5 | 14 | 100 | 17 | 18 | 92 | 170 | 268 | 19 | 50 | 148 | 12 |
| 10 | 8.1 | 83 | 68 | 19 | 25 | 195 | 120 | 160 | 16 | 32 | 23 | 38 |
| 11 | 8.9 | 337 | 152 | 17 | 111 | 85 | 100 | 120 | 19 | 26 | 16 | 16 |
| 12 | 13 | 180 | 286 | 15 | 110 | 81 | 80 | 144 | 19 | 21 | 13 | 14 |
| 13 | 747 | 65 | 133 | 13 | 526 | 327 | 180 | 108 | 19 | 17 | 13 | 12 |
| 14 | 265 | 50 | 116 | 12 | 550 | 354 | 120 | 84 | 31 | 14 | 14 | 17 |
| 15 | 209 | 46 | 118 | 12 | 323 | 154 | 100 | 68 | 20 | 12 | 13 | 12 |
| 16 | 16 | 104 | 151 | 11 | 119 | 645 | 250 | 60 | 16 | 15 | 13 | 8.4 |
| 17 | 11 | 138 | 150 | 11 | 115 | 360 | 310 | 51 | 16 | 13 | 13 | 8.1 |
| 18 | 239 | 92 | 51 | 10 | 78 | 196 | 160 | 39 | 67 | 11 | 66 | 9.3 |
| 19 | 83 | 56 | 31 | 9.6 | 64 | 134 | 110 | 34 | 42 | 10 | 19 | 9.9 |
| 20 | 915 | 42 | 27 | 9.0 | 62 | 498 | 92 | 36 | 94 | 9.0 | 14 | 10 |
| 21 | 655 | 61 | 49 | 8.4 | 65 | 802 | 328 | 81 | 82 | 7.4 | 14 | 11 |
| 22 | 667 | 82 | 229 | 7.4 | 44 | 535 | 1360 | 64 | 63 | 5.0 | 35 | 10 |
| 23 | 614 | 496 | 70 | 7.0 | 44 | 212 | 748 | 766 | 179 | 7.0 | 31 | 76 |
| 24 | 479 | 415 | 45 | 400 | 50 | 159 | 752 | 241 | 92 | 10 | 15 | 402 |
| 25 | 140 | 317 | 38 | 173 | 211 | 234 | 482 | 139 | 35 | 54 | 13 | 215 |
| 26 | 45 | 126 | 35 | 146 | 88 | 186 | 188 | 333 | 22 | 100 | 14 | 190 |
| 27 | 27 | 171 | 33 | 58 | 62 | 148 | 152 | 73 | 20 | 250 | 14 | 39 |
| 28 | 23 | 918 | 32 | 28 | 176 | 615 | 127 | 363 | 19 | 20 | 16 | 14 |
| 29 | 19 | 365 | 30 | 48 | 133 | 551 | 74 | 245 | 19 | 6.9 | 14 | 11 |
| 30 | 16 | 132 | 29 | 31 | --- | 268 | 101 | 154 | 16 | 6.9 | 13 | 16 |
| 31 | 14 | --- | 28 | 32 | --- | 165 | --- | 78 | --- | 9.3 | 12 | --- |
| TOTAL | 5563.6 | 4498 | 4016 | 1260.4 | 3559 | 8894 | 9839 | 5905 | 1195 | 2301.5 | 1373 | 1487.7 |
| MEAN | 179 | 150 | 130 | 40.7 | 123 | 287 | 328 | 190 | 39.8 | 74.2 | 44.3 | 49.6 |
| MAX | 915 | 918 | 571 | 400 | 550 | 802 | 1440 | 766 | 179 | 678 | 600 | 402 |
| MIN | 8.1 | 14 | 27 | 7.0 | 18 | 81 | 74 | 34 | 16 | 5.0 | 12 | 8.1 |

CAL YR 1983 TOTAL 44660.2 MEAN 122 MAX 2160 MIN 6.0
WTR YR 1984 TOTAL 49892.2 MEAN 136 MAX 1440 MIN 5.0

GREAT MIAMI RIVER BASIN

185

03260700 BOKENGEHALAS CREEK NEAR DE GRAFF, OH

LOCATION.--Lat 40°20'50", long 83°53'28", in E. 1/2 sec. 3, R.14, T.2, Logan County, Hydrologic Unit 05080001, on right bank at downstream side of county road bridge, 2 mi downstream from Bluejacket Creek, 2.8 mi northeast of De Graff, and 4 mi upstream from mouth.

DRAINAGE AREA.--36.3 mi².

PERIOD OF RECORD.--October 1957 to current year. Prior to October 1962, published as Buckongahelas Creek near Degraff.

REVISED RECORDS.--WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 1,008.76 ft National Geodetic Vertical Datum of 1929.

REMARKS.--Records fair except those for the winter period, which are poor. Diurnal fluctuation caused by municipal plant operation in Bellefontaine, 9.8 mi upstream; since storage capacity is small, daily flows are not affected appreciably. Water-quality data collected at this site 1965 to 1973.

COOPERATION.--Gage-height tapes and 9 discharge measurements furnished by Miami Conservancy District.

AVERAGE DISCHARGE.--27 years, 33.1 ft³/s, 12.38 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 1,780 ft³/s Jan. 21, 1959, gage height, 6.83 ft; minimum daily, 2.2 ft³/s Sept. 29, 30, Oct. 7, 1963.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 300 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Jan. 25 | 2215 | 320 | ---- | Mar. 16 | 0915 | * 396 | *4.00 |
| Feb. 3 | 1345 | 328 | 3.53 | Mar. 26 | 0030 | 352 | 3.70 |
| Feb. 14 | 0115 | 367 | 3.80 | | | | |

Minimum daily discharge, 7.3 ft³/s Sept. 16.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|------|------|------|------|------|------|------|------|-------|-------|-------|
| 1 | 8.9 | 13 | 44 | 21 | 14 | 37 | 58 | 59 | 31 | 12 | 9.6 | 8.5 |
| 2 | 8.5 | 17 | 40 | 20 | 18 | 31 | 52 | 55 | 25 | 11 | 9.6 | 7.7 |
| 3 | 8.5 | 53 | 36 | 19 | 207 | 27 | 56 | 54 | 25 | 11 | 9.6 | 15 |
| 4 | 9.6 | 35 | 98 | 19 | 71 | 25 | 103 | 60 | 24 | 11 | 44 | 10 |
| 5 | 42 | 24 | 111 | 18 | 44 | 38 | 199 | 58 | 24 | 27 | 29 | 9.3 |
| 6 | 12 | 19 | 162 | 18 | 31 | 47 | 158 | 54 | 23 | 19 | 14 | 8.9 |
| 7 | 10 | 17 | 104 | 17 | 28 | 41 | 96 | 52 | 22 | 17 | 13 | 8.9 |
| 8 | 10 | 16 | 67 | 17 | 26 | 39 | 74 | 53 | 22 | 13 | 13 | 8.9 |
| 9 | 9.6 | 14 | 56 | 16 | 24 | 43 | 65 | 54 | 19 | 12 | 14 | 8.5 |
| 10 | 9.3 | 23 | 51 | 16 | 40 | 33 | 60 | 52 | 18 | 13 | 12 | 13 |
| 11 | 9.3 | 113 | 79 | 15 | 92 | 29 | 52 | 48 | 17 | 12 | 13 | 9.3 |
| 12 | 9.6 | 59 | 219 | 15 | 73 | 25 | 49 | 53 | 17 | 12 | 12 | 8.9 |
| 13 | 52 | 37 | 103 | 14 | 118 | 25 | 54 | 49 | 17 | 11 | 11 | 8.5 |
| 14 | 21 | 32 | 77 | 14 | 214 | 27 | 65 | 46 | 20 | 10 | 11 | 10 |
| 15 | 12 | 42 | 68 | 13 | 90 | 47 | 77 | 44 | 15 | 9.6 | 11 | 8.9 |
| 16 | 11 | 77 | 54 | 13 | 66 | 286 | 77 | 42 | 15 | 10 | 10 | 7.3 |
| 17 | 10 | 64 | 45 | 13 | 56 | 127 | 132 | 40 | 15 | 10 | 10 | 8.5 |
| 18 | 21 | 44 | 42 | 12 | 50 | 78 | 99 | 39 | 15 | 10 | 11 | 8.5 |
| 19 | 16 | 39 | 39 | 12 | 48 | 63 | 84 | 38 | 15 | 10 | 10 | 8.5 |
| 20 | 16 | 37 | 36 | 12 | 44 | 101 | 75 | 45 | 14 | 10 | 10 | 8.5 |
| 21 | 21 | 44 | 33 | 12 | 42 | 244 | 64 | 100 | 14 | 10 | 9.6 | 8.1 |
| 22 | 50 | 35 | 40 | 15 | 39 | 144 | 143 | 76 | 14 | 10 | 11 | 8.1 |
| 23 | 56 | 88 | 37 | 38 | 37 | 99 | 190 | 90 | 17 | 9.6 | 11 | 8.1 |
| 24 | 33 | 114 | 34 | 80 | 34 | 93 | 165 | 64 | 16 | 9.6 | 10 | 8.5 |
| 25 | 23 | 58 | 31 | 140 | 39 | 144 | 101 | 52 | 13 | 12 | 9.6 | 8.1 |
| 26 | 18 | 43 | 29 | 80 | 38 | 219 | 83 | 48 | 13 | 12 | 9.3 | 13 |
| 27 | 16 | 39 | 27 | 50 | 35 | 119 | 73 | 44 | 12 | 14 | 9.3 | 8.5 |
| 28 | 14 | 197 | 25 | 25 | 29 | 97 | 67 | 41 | 12 | 10 | 9.6 | 9.3 |
| 29 | 13 | 91 | 24 | 20 | 33 | 96 | 60 | 41 | 12 | 9.6 | 9.3 | 8.1 |
| 30 | 13 | 58 | 23 | 17 | --- | 76 | 62 | 39 | 12 | 8.9 | 9.3 | 8.1 |
| 31 | 13 | --- | 22 | 15 | --- | 65 | --- | 34 | --- | 9.6 | 8.9 | --- |
| TOTAL | 576.3 | 1542 | 1856 | 806 | 1680 | 2565 | 2593 | 1624 | 530 | 365.9 | 383.7 | 273.5 |
| MEAN | 18.6 | 51.4 | 59.9 | 26.0 | 57.9 | 82.7 | 89.8 | 52.4 | 17.7 | 11.8 | 12.4 | 9.12 |
| MAX | 56 | 197 | 219 | 140 | 214 | 286 | 199 | 100 | 31 | 27 | 44 | 15 |
| MIN | 8.5 | 13 | 22 | 12 | 14 | 25 | 49 | 34 | 12 | 8.9 | 8.9 | 7.3 |
| CFSM | .51 | 1.42 | 1.65 | .72 | 1.60 | 2.28 | 2.47 | 1.44 | .49 | .33 | .34 | .25 |
| IN. | .59 | 1.58 | 1.90 | .83 | 1.72 | 2.63 | 2.76 | 1.66 | .54 | .37 | .39 | .28 |

| | | | | | | | | | | | | |
|-------------|-------|---------|------|------|-----|-----|-----|-----|------|------|----|-------|
| CAL YR 1983 | TOTAL | 11373.7 | MEAN | 31.2 | MAX | 251 | MIN | 7.1 | CFSM | .86 | IN | 11.66 |
| WTR YR 1984 | TOTAL | 14895.4 | MEAN | 40.7 | MAX | 286 | MIN | 7.3 | CFSM | 1.12 | IN | 15.26 |

03261500 GREAT MIAMI RIVER AT SIDNEY, OH

LOCATION.--Lat 40°17'13", long 84°09'00", Shelby County, Hydrologic Unit 05080001, on right bank 50 ft upstream from North Street Bridge in Sidney, and 0.5 mi downstream from Tawawa Creek.

DRAINAGE AREA.--541 mi².

PERIOD OF RECORD.--February 1914 to current year. Prior to October 1962, published as Miami River at Sidney.

REVISED RECORDS.--WSP 1305: 1914(M), 1922(M). WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 924.70 ft National Geodetic Vertical Datum of 1929. Prior to Sept. 18, 1919, nonrecording gage at site 50 ft downstream at datum 1.76 ft higher. Sept. 18, 1919, to August, 1925, nonrecording gage at site 50 ft downstream at present datum.

REMARKS.--Records good except those for the winter period, which are fair. Water supply for city of Sidney is pumped from the Great Miami River 1,200 ft upstream and from wells adjacent to Great Miami River upstream from station. The pumpage averaged 4.3 ft/s in 1984 and is returned as sewage 1.2 mi downstream from the station. Some regulation by Indian Lake, 28 mi upstream, capacity, 45,900 acre-ft; water diverted into Miami and Erie Canal at Port Jefferson, 2.8 mi upstream, prior to 1926; amount of diversion not published. Sediment data collected at this site 1967 to 1975.

COOPERATION.--Gage-height tapes, and 7 discharge measurements furnished by Miami Conservancy District.

AVERAGE DISCHARGE.--59 years (1925-84) 479 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 20,700 ft³/s Mar. 20, 1927, gage height 14.4 ft, from rating curve extended above 8,700 ft³/s on basis of velocity-area studies; maximum gage height, 15.91 ft Jan. 21, 1959; minimum discharge, 1.5 ft³/s Aug. 13 1963, result of temporary storage behind dam upstream; minimum daily discharge, 8.0 ft³/s Sept. 23, 1935.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of Mar. 25, 1913 reached a stage of 19.6 ft, present datum, discharge, 44,000 ft³/s, computed by Miami Conservancy District.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 4,000 ft³/s and maximums (*).

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Mar. 16 | 1330 | 4,540 | 7.73 | Apr. 24 | 0230 | * 4,700 | * 7.88 |
| Mar. 21 | 2230 | 4,230 | 7.44 | | | | |

Minimum daily discharge 25 ft³/s Oct. 2.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|-------|-------|------|-------|-------|-------|-------|------|------|------|------|
| 1 | 27 | 115 | 1510 | 210 | 270 | 260 | 900 | 538 | 234 | 107 | 63 | 49 |
| 2 | 25 | 117 | 1020 | 200 | 240 | 250 | 700 | 460 | 212 | 99 | 62 | 48 |
| 3 | 27 | 275 | 687 | 200 | 1700 | 230 | 600 | 397 | 208 | 88 | 64 | 54 |
| 4 | 28 | 614 | 1300 | 190 | 1910 | 250 | 800 | 467 | 211 | 87 | 68 | 59 |
| 5 | 68 | 428 | 2360 | 180 | 1080 | 327 | 2000 | 413 | 175 | 184 | 195 | 91 |
| 6 | 128 | 281 | 2920 | 170 | 556 | 636 | 3000 | 343 | 165 | 193 | 151 | 66 |
| 7 | 84 | 203 | 2780 | 160 | 334 | 623 | 2800 | 328 | 158 | 193 | 100 | 58 |
| 8 | 61 | 170 | 2150 | 150 | 240 | 539 | 1900 | 333 | 146 | 182 | 89 | 56 |
| 9 | 50 | 146 | 1620 | 150 | 280 | 350 | 1300 | 372 | 134 | 127 | 90 | 58 |
| 10 | 46 | 148 | 1210 | 140 | 350 | 300 | 900 | 318 | 128 | 112 | 126 | 58 |
| 11 | 43 | 848 | 1280 | 130 | 1260 | 280 | 708 | 278 | 123 | 102 | 133 | 63 |
| 12 | 49 | 1490 | 2780 | 130 | 1390 | 260 | 567 | 329 | 120 | 97 | 119 | 59 |
| 13 | 163 | 1040 | 2490 | 120 | 1560 | 260 | 513 | 419 | 118 | 96 | 95 | 57 |
| 14 | 382 | 613 | 1940 | 110 | 2800 | 280 | 525 | 379 | 129 | 88 | 82 | 56 |
| 15 | 256 | 533 | 1520 | 110 | 2260 | 481 | 794 | 346 | 122 | 82 | 72 | 59 |
| 16 | 152 | 1520 | 1070 | 100 | 1750 | 3800 | 1100 | 289 | 122 | 80 | 65 | 58 |
| 17 | 110 | 1800 | 750 | 94 | 1360 | 3830 | 2040 | 239 | 118 | 74 | 60 | 56 |
| 18 | 109 | 1520 | 570 | 90 | 1030 | 3110 | 2180 | 210 | 111 | 73 | 62 | 51 |
| 19 | 140 | 1100 | 400 | 86 | 897 | 2330 | 1930 | 203 | 108 | 72 | 65 | 47 |
| 20 | 137 | 868 | 370 | 82 | 777 | 2460 | 1500 | 239 | 104 | 75 | 59 | 45 |
| 21 | 205 | 1110 | 400 | 78 | 628 | 3970 | 1100 | 778 | 108 | 68 | 58 | 42 |
| 22 | 489 | 975 | 500 | 74 | 519 | 3880 | 2270 | 858 | 150 | 65 | 67 | 42 |
| 23 | 1260 | 1320 | 400 | 86 | 443 | 3160 | 4130 | 835 | 115 | 63 | 63 | 41 |
| 24 | 1030 | 2520 | 330 | 150 | 398 | 2630 | 4400 | 884 | 175 | 63 | 63 | 41 |
| 25 | 624 | 2040 | 290 | 838 | 478 | 2580 | 3510 | 559 | 304 | 64 | 60 | 52 |
| 26 | 375 | 1440 | 320 | 1360 | 528 | 3430 | 2570 | 415 | 189 | 75 | 55 | 60 |
| 27 | 254 | 968 | 290 | 1620 | 528 | 2820 | 1830 | 401 | 131 | 85 | 52 | 77 |
| 28 | 193 | 2570 | 270 | 1030 | 550 | 2270 | 1270 | 341 | 111 | 95 | 50 | 68 |
| 29 | 155 | 2700 | 250 | 545 | 420 | 2130 | 839 | 384 | 105 | 79 | 48 | 59 |
| 30 | 146 | 2090 | 230 | 380 | --- | 1600 | 630 | 340 | 107 | 71 | 48 | 53 |
| 31 | 127 | --- | 210 | 310 | --- | 1200 | --- | 278 | --- | 66 | 46 | --- |
| TOTAL | 6943 | 31562 | 34217 | 9273 | 26536 | 50526 | 49306 | 12973 | 4441 | 3005 | 2430 | 1693 |
| MEAN | 224 | 1052 | 1104 | 299 | 915 | 1630 | 1644 | 418 | 148 | 96.9 | 78.4 | 56.1 |
| MAX | 1260 | 2700 | 2920 | 1620 | 2800 | 3970 | 4400 | 884 | 304 | 193 | 195 | 81 |
| MIN | 25 | 115 | 210 | 74 | 240 | 230 | 513 | 203 | 104 | 63 | 46 | 41 |

CAL YR 1983 TOTAL 169852 MEAN 465 MAX 4480 MIN 24
WTR YR 1984 TOTAL 232895 MEAN 636 MAX 4400 MIN 25

03261950 LORAMIE CREEK NEAR NEWPORT, OH

LOCATION.--Lat 40°18'25", long 84°23'02", in SE 1/4 sec, 24, T.11 N., R.4 E., Shelby County, Hydrologic Unit 05080001, right bank at downstream side of bridge on Cardo Roman Road, 1.1 mi northwest of Newport, 3 mi south of Fort Loramie, 3 mi downstream from Mile Creek, and at mile 16.5.

DRAINAGE AREA.--152 mi².

PERIOD OF RECORD.--October 1964 to current year.

REVISED RECORDS.--WRD Ohio 1971: 1966(M).

GAGE.--Water-stage recorder. Datum of gage is 926.57 ft National Geodetic Vertical Datum of 1929. October 1, 1964 to September 30, 1980 Water-stage recorder at same site at datum 0.43 ft higher.

REMARKS.--Records good except those for winters period and those for periods of questionable gage-height record Aug. 21 to Sept. 21, which are fair. Some regulation by Lake Loramie 5 mi upstream, capacity, 13,000 acre-ft. Sediment data collected at this site 1967 to 1975.

COOPERATION.--Gage-height tapes and 11 discharge measurements furnished by Miami Conservancy District.

AVERAGE DISCHARGE.--20 years, 133 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 3,600 ft³/s June 14, 1981, maximum gage height, 14.08 ft Feb. 24, 1975; minimum daily, 0.10 ft³/s Aug. 15, 16, 1965, Sept. 10-12, 14, 15, 1966.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of Mar. 25, 1913 reached a stage of 17.0 ft and flood of Jan. 21, 1959 a stage of 14.2 ft, from flood profile furnished by Miami Conservancy District.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 1500 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Mar. 16 | 2400 | * 2,500 | * 12.00 | Apr. 6 | 0430 | 1,750 | 10.90 |
| Mar. 21 | 1200 | 1,740 | 10.88 | Apr. 23 | 2400 | 1,970 | 11.25 |

Minimum daily discharge 1.0 ft³/s Oct. 1-3.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|--------|----------|------|--------|--------|-------|-------|------|-------|-------|-------|-------|
| 1 | 1.0 | 12 | 253 | 15 | 8.0 | 56 | 80 | 34 | 45 | 3.9 | 2.3 | 2.8 |
| 2 | 1.0 | 16 | 162 | 14 | 76 | 50 | 87 | 36 | 37 | 3.3 | 2.6 | 3.1 |
| 3 | 1.0 | 105 | 126 | 14 | 753 | 54 | 98 | 44 | 31 | 14 | 2.7 | 5.1 |
| 4 | 1.3 | 163 | 489 | 13 | 686 | 50 | 246 | 54 | 24 | 9.3 | 10 | 71 |
| 5 | 12 | 139 | 986 | 13 | 357 | 76 | 1020 | 39 | 19 | 89 | 38 | 51 |
| 6 | 6.7 | 98 | 1090 | 12 | 222 | 159 | 1580 | 35 | 17 | 211 | 39 | 29 |
| 7 | 3.8 | 47 | 1040 | 12 | 158 | 191 | 992 | 30 | 14 | 209 | 21 | 13 |
| 8 | 4.8 | 15 | 510 | 11 | 19 | 152 | 427 | 29 | 10 | 77 | 71 | 9.4 |
| 9 | 3.0 | 8.8 | 277 | 11 | 13 | 126 | 244 | 25 | 8.8 | 33 | 174 | 6.1 |
| 10 | 4.8 | 8.8 | 201 | 11 | 38 | 90 | 164 | 26 | 7.3 | 19 | 76 | 6.3 |
| 11 | 2.6 | 313 | 383 | 10 | 430 | 70 | 116 | 24 | 6.7 | 11 | 144 | 14 |
| 12 | 1.7 | 428 | 1050 | 10 | 448 | 52 | 89 | 45 | 5.9 | 8.0 | 81 | 12 |
| 13 | 67 | 245 | 726 | 10 | 465 | 60 | 89 | 41 | 5.8 | 5.6 | 38 | 7.2 |
| 14 | 48 | 189 | 402 | 9.7 | 639 | 66 | 87 | 37 | 12 | 4.1 | 19 | 6.6 |
| 15 | 8.0 | 399 | 287 | 9.2 | 437 | 112 | 106 | 27 | 9.6 | 3.3 | 11 | 8.3 |
| 16 | 2.1 | 937 | 211 | 9.0 | 300 | 1750 | 420 | 21 | 6.8 | 3.3 | 6.3 | 5.3 |
| 17 | 1.2 | 743 | 149 | 8.6 | 236 | 2240 | 1210 | 17 | 6.2 | 2.9 | 4.5 | 3.4 |
| 18 | 3.6 | 426 | 100 | 8.4 | 207 | 1320 | 911 | 15 | 5.9 | 3.4 | 3.7 | 2.7 |
| 19 | 2.8 | 299 | 56 | 8.2 | 206 | 680 | 562 | 13 | 8.0 | 3.2 | 3.1 | 2.5 |
| 20 | 15 | 272 | 35 | 8.0 | 169 | 783 | 365 | 22 | 6.8 | 2.5 | 3.0 | 2.6 |
| 21 | 39 | 226 | 27 | 8.0 | 133 | 1680 | 246 | 122 | 23 | 3.1 | 3.0 | 2.6 |
| 22 | 302 | 202 | 24 | 7.8 | 104 | 1460 | 866 | 116 | 23 | 3.1 | 7.0 | 2.7 |
| 23 | 743 | 325 | 22 | 7.8 | 88 | 953 | 1910 | 472 | 13 | 2.4 | 5.9 | 2.9 |
| 24 | 498 | 897 | 21 | 15 | 77 | 625 | 1730 | 362 | 31 | 2.9 | 4.4 | 4.2 |
| 25 | 247 | 548 | 20 | 112 | 129 | 604 | 1030 | 181 | 34 | 6.3 | 3.1 | 5.6 |
| 26 | 136 | 275 | 23 | 328 | 190 | 1030 | 512 | 118 | 13 | 4.6 | 2.6 | 14 |
| 27 | 75 | 185 | 21 | 479 | 180 | 757 | 313 | 75 | 7.3 | 6.2 | 2.3 | 12 |
| 28 | 31 | 1070 | 19 | 160 | 110 | 597 | 261 | 79 | 5.5 | 4.4 | 2.2 | 8.8 |
| 29 | 28 | 1110 | 18 | 35 | 76 | 532 | 145 | 122 | 4.9 | 2.8 | 2.2 | 6.1 |
| 30 | 20 | 526 | 17 | 13 | --- | 351 | 50 | 81 | 4.7 | 2.3 | 2.8 | 4.9 |
| 31 | 13 | --- | 16 | 7.6 | --- | 99 | --- | 62 | --- | 2.3 | 2.8 | --- |
| TOTAL | 2323.4 | 10227.6 | 8761 | 1390.3 | 6953.0 | 16855 | 15856 | 2404 | 446.2 | 756.2 | 788.5 | 335.2 |
| MEAN | 74.9 | 341 | 283 | 44.8 | 240 | 544 | 529 | 77.5 | 14.9 | 24.4 | 25.4 | 11.2 |
| MAX | 74.3 | 1110 | 1090 | 479 | 753 | 2240 | 1910 | 472 | 45 | 211 | 174 | 71 |
| MIN | 1.0 | 8.8 | 16 | 7.6 | 8.0 | 50 | 50 | 13 | 4.7 | 2.3 | 2.2 | 2.5 |
| CAL YR 1983 | TOTAL | 44306.73 | MEAN | 121 | MAX | 1740 | MIN | .30 | | | | |
| WTR YR 1984 | TOTAL | 67096.40 | MEAN | 183 | MAX | 2240 | MIN | 1.0 | | | | |

GREAT MIAMI RIVER BASIN

03262000 LORAMIE CREEK AT LOCKINGTON, OH

LOCATION.--Lat 40°12'35", long 84°14'32", in NE 1/4 sec. 30, T.7 N., R.6 E., Shelby County, Hydrologic Unit 05080001, on left bank at downstream side of county road bridge, 1,300 ft downstream from Lockington Dam, 0.5 mi northwest of Lockington, and at mile 1.9.

DRAINAGE AREA.--257 mi².

PERIOD OF RECORD.--October 1915 to current year.

REVISED RECORDS.--WSP 923: 1916. WSP 1908: Drainage area.

GAGE.--Water-stage recorder and concrete control. Datum of gage is 800.03 ft National Geodetic Vertical Datum of 1929. Prior to July 3, 1924, nonrecording gage at same site at datum 75.96 ft higher. July 3, 1924, to Aug. 17, 1926, nonrecording gage, and Aug. 18 to Sept. 30, 1926, water-stage recorder, at same site at datum 74.96 ft higher.

REMARKS.--Records good except those for winter period, which are fair. Slight regulation by Lake Loramie 18 mi upstream, capacity, 13,000 acre-ft. Flood flow regulated by Lockington retarding basin beginning in 1921.

COOPERATION.--Gage-height tapes and 9 discharge measurements furnished by Miami Conservancy District.

AVERAGE DISCHARGE.--69 years, 209 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 10,400 ft³/s May 7, 1916, gage height, 86.4 ft, present datum, from rating curve extended above 5,400 ft³/s; minimum daily, 1.4 ft³/s Sept. 20, 1983.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of March 25, 1913 reached a stage of 91.6 ft, present datum, discharge, 25,600 ft³/s, at site upstream from Turtle Creek, drainage area, 211 mi, computed by Miami Conservancy District.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 3,710 ft³/s Mar. 16, gage height, 82.72 ft; minimum daily, 1.9 ft³/s Oct. 1, 3, 4.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|-------|-------|------|-------|-------|-------|------|------|------|--------|-------|
| 1 | 1.9 | 31 | 360 | 49 | 32 | 130 | 170 | 116 | 102 | 18 | 9.5 | 8.0 |
| 2 | 2.0 | 27 | 234 | 46 | 32 | 110 | 160 | 98 | 82 | 17 | 9.2 | 8.3 |
| 3 | 1.9 | 59 | 190 | 44 | 1240 | 100 | 166 | 103 | 70 | 16 | 12 | 8.9 |
| 4 | 1.9 | 128 | 1020 | 41 | 1050 | 90 | 417 | 121 | 65 | 33 | 10 | 51 |
| 5 | 5.4 | 112 | 1470 | 38 | 515 | 150 | 1460 | 106 | 55 | 65 | 29 | 55 |
| 6 | 16 | 88 | 1560 | 36 | 250 | 292 | 2330 | 93 | 45 | 300 | 55 | 37 |
| 7 | 13 | 65 | 1380 | 34 | 160 | 328 | 1380 | 87 | 39 | 336 | 46 | 23 |
| 8 | 7.2 | 52 | 776 | 32 | 130 | 270 | 672 | 86 | 36 | 148 | 38 | 17 |
| 9 | 6.0 | 40 | 424 | 31 | 110 | 190 | 388 | 86 | 32 | 77 | 218 | 15 |
| 10 | 6.0 | 34 | 321 | 30 | 160 | 160 | 270 | 76 | 29 | 51 | 142 | 13 |
| 11 | 4.6 | 292 | 683 | 29 | 599 | 140 | 203 | 72 | 24 | 36 | 250 | 17 |
| 12 | 4.1 | 480 | 1600 | 27 | 683 | 120 | 165 | 91 | 24 | 28 | 208 | 20 |
| 13 | 33 | 303 | 1180 | 26 | 776 | 110 | 159 | 101 | 23 | 24 | 120 | 16 |
| 14 | 100 | 194 | 694 | 25 | 1090 | 120 | 158 | 88 | 23 | 20 | 67 | 13 |
| 15 | 43 | 395 | 497 | 24 | 706 | 215 | 195 | 76 | 31 | 20 | 41 | 13 |
| 16 | 21 | 1200 | 353 | 23 | 472 | 2940 | 551 | 63 | 29 | 17 | 26 | 14 |
| 17 | 12 | 976 | 249 | 22 | 380 | 3340 | 1400 | 55 | 24 | 15 | 21 | 12 |
| 18 | 13 | 542 | 202 | 22 | 334 | 2110 | 1330 | 47 | 20 | 18 | 15 | 9.5 |
| 19 | 16 | 353 | 160 | 21 | 334 | 1080 | 955 | 44 | 21 | 18 | 15 | 8.3 |
| 20 | 18 | 347 | 150 | 20 | 292 | 1390 | 541 | 51 | 24 | 18 | 11 | 7.4 |
| 21 | 74 | 395 | 170 | 20 | 229 | 2500 | 371 | 420 | 22 | 18 | 10 | 6.7 |
| 22 | 464 | 275 | 130 | 19 | 186 | 2170 | 1840 | 253 | 39 | 15 | 12 | 6.4 |
| 23 | 990 | 672 | 110 | 19 | 156 | 1350 | 2930 | 884 | 38 | 12 | 17 | 6.3 |
| 24 | 620 | 1220 | 96 | 39 | 137 | 892 | 2590 | 577 | 30 | 11 | 16 | 6.5 |
| 25 | 328 | 776 | 86 | 194 | 170 | 933 | 1510 | 305 | 55 | 11 | 12 | 7.4 |
| 26 | 190 | 409 | 100 | 388 | 275 | 1360 | 797 | 199 | 41 | 14 | 10 | 13 |
| 27 | 128 | 264 | 90 | 464 | 281 | 1080 | 439 | 143 | 28 | 19 | 10 | 20 |
| 28 | 84 | 1680 | 78 | 250 | 200 | 801 | 361 | 119 | 22 | 15 | 9.0 | 20 |
| 29 | 54 | 1370 | 68 | 110 | 150 | 813 | 265 | 217 | 20 | 17 | 7.6 | 18 |
| 30 | 51 | 729 | 60 | 60 | --- | 515 | 152 | 162 | 19 | 17 | 7.0 | 14 |
| 31 | 39 | --- | 54 | 36 | --- | 264 | --- | 126 | --- | 12 | 7.2 | --- |
| TOTAL | 3348.0 | 13508 | 14545 | 2219 | 11129 | 26063 | 24325 | 5065 | 1111 | 1436 | 1459.5 | 504.7 |
| MEAN | 108 | 450 | 469 | 71.6 | 384 | 841 | 811 | 163 | 37.0 | 46.3 | 47.1 | 16.8 |
| MAX | 990 | 1680 | 1600 | 464 | 1240 | 3340 | 2930 | 884 | 102 | 336 | 250 | 55 |
| MIN | 1.9 | 27 | 54 | 19 | 32 | 90 | 152 | 44 | 19 | 11 | 7.0 | 6.3 |

CAL YR 1983 TOTAL 69620.8 MEAN 191 MAX 2260 MIN 1.4
WTR YR 1984 TOTAL 104713.2 MEAN 286 MAX 3340 MIN 1.9

03262700 GREAT MIAMI RIVER AT TROY, OH

LOCATION.--Lat 40°02'25", long 84°11'52", Miami County, Hydrologic Unit 05080001, 400 ft (122 m) downstream from B. and O. Railroad bridge, 1,300 ft downstream from bridge on State Highway 55 at Troy, 1.2 mi upstream from small left bank tributary, 2.3 mi downstream from Spring Creek, and at mile 105.

DRAINAGE AREA.--926 mi².

PERIOD OF RECORD.--Occasional low-flow measurements, water years 1961, 1962 (published as Miami River at Troy). October 1962 to current year.

GAGE.--Water-stage recorder. Datum of gage is 810.67 ft National Geodetic Vertical Datum of 1929.

REMARKS.--Records good except those for winter periods and those after Apr. 27, which are fair. Flood flow regulated by retarding basin on Loramie Creek, 18 mi upstream. Low and medium flow slightly regulated by Indian Lake; capacity, 45,900 acre-ft, 54 mi upstream. Water supply for city of Troy is pumped from wells adjacent to the Great Miami River upstream from the station. The pumpage averaged 5.1 ft³/s in 1984 and is returned as sewage 1 mi downstream from the station. Water quality data collected at this site 1965 to 1974. Sediment data collected 1970 to 1974.

COOPERATION.--Gage-height tapes and 9 discharge measurements furnished by Miami Conservancy District.

AVERAGE DISCHARGE.--22 years, 813 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 17,300 ft³/s Mar. 6, 1963, gage height, 14.66 ft; minimum, 0.50 ft³/s July 12, 13, 1963, result of temporary storage during repair of dam upstream; minimum daily discharge, 4.3 ft³/s July 17, 1977 result of dam closure upstream.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of June 11, 1958 reached a stage of 16.4 ft, discharge, 21,000 ft³/s.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 8,950 ft³/s Mar. 16, gage height, 10.20 ft; minimum daily, 35 ft³/s Oct. 1.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|--------|-------|------|-------|-------|-------|-------|------|------|------|------|
| 1 | 35 | 174 | 2400 | 320 | 283 | 564 | 1260 | 1320 | 562 | 152 | 99 | 55 |
| 2 | 36 | 170 | 1660 | 310 | 313 | 535 | 1030 | 1170 | 459 | 150 | 105 | 56 |
| 3 | 40 | 210 | 1090 | 300 | 2580 | 489 | 936 | 1070 | 412 | 139 | 109 | 58 |
| 4 | 43 | 644 | 2320 | 290 | 3770 | 466 | 1430 | 1100 | 393 | 159 | 130 | 71 |
| 5 | 140 | 653 | 4320 | 280 | 2200 | 532 | 3980 | 1080 | 344 | 169 | 153 | 142 |
| 6 | 117 | 457 | 4760 | 270 | 1070 | 1010 | 6070 | 931 | 283 | 602 | 232 | 120 |
| 7 | 143 | 336 | 4710 | 260 | 620 | 1180 | 4600 | 859 | 242 | 586 | 206 | 105 |
| 8 | 97 | 273 | 3620 | 250 | 420 | 1020 | 3220 | 824 | 228 | 455 | 168 | 78 |
| 9 | 82 | 220 | 2630 | 230 | 370 | 640 | 2290 | 841 | 219 | 248 | 253 | 81 |
| 10 | 68 | 206 | 1960 | 210 | 430 | 560 | 1620 | 789 | 201 | 190 | 243 | 97 |
| 11 | 63 | 624 | 2090 | 200 | 1760 | 520 | 1200 | 691 | 192 | 171 | 408 | 92 |
| 12 | 54 | 2270 | 4710 | 190 | 2490 | 480 | 919 | 707 | 180 | 152 | 380 | 95 |
| 13 | 230 | 1720 | 4290 | 180 | 2600 | 450 | 878 | 850 | 184 | 139 | 234 | 94 |
| 14 | 403 | 984 | 3290 | 170 | 4250 | 480 | 882 | 789 | 304 | 132 | 166 | 105 |
| 15 | 411 | 801 | 2560 | 160 | 3520 | 690 | 1070 | 789 | 205 | 124 | 138 | 97 |
| 16 | 254 | 2810 | 1870 | 150 | 2740 | 6430 | 1740 | 594 | 180 | 116 | 112 | 86 |
| 17 | 168 | 3330 | 1240 | 140 | 2150 | 7980 | 3500 | 531 | 172 | 104 | 100 | 86 |
| 18 | 161 | 2600 | 928 | 130 | 1700 | 5850 | 3890 | 459 | 168 | 101 | 92 | 86 |
| 19 | 165 | 1840 | 635 | 120 | 1470 | 4040 | 3280 | 299 | 164 | 96 | 98 | 80 |
| 20 | 207 | 1450 | 590 | 120 | 1290 | 3950 | 2730 | 487 | 164 | 93 | 89 | 73 |
| 21 | 270 | 1690 | 660 | 110 | 998 | 7210 | 2210 | 1670 | 159 | 92 | 82 | 58 |
| 22 | 772 | 1560 | 786 | 100 | 812 | 7030 | 3950 | 1900 | 171 | 90 | 77 | 53 |
| 23 | 2790 | 1940 | 640 | 110 | 697 | 5300 | 7540 | 2350 | 202 | 93 | 76 | 63 |
| 24 | 2270 | 4500 | 350 | 130 | 628 | 4120 | 7730 | 2310 | 179 | 92 | 81 | 57 |
| 25 | 1270 | 3580 | 320 | 452 | 660 | 3760 | 5720 | 1580 | 348 | 107 | 77 | 68 |
| 26 | 706 | 2450 | 340 | 903 | 871 | 5470 | 4050 | 1040 | 331 | 100 | 79 | 107 |
| 27 | 460 | 1630 | 400 | 1330 | 893 | 4580 | 3120 | 841 | 223 | 119 | 78 | 94 |
| 28 | 341 | 4090 | 380 | 997 | 888 | 3700 | 2560 | 748 | 172 | 117 | 76 | 109 |
| 29 | 257 | 4720 | 350 | 635 | 757 | 3620 | 2040 | 806 | 150 | 132 | 73 | 105 |
| 30 | 213 | 3580 | 320 | 459 | --- | 2810 | 1670 | 824 | 150 | 115 | 71 | 93 |
| 31 | 206 | --- | 310 | 321 | --- | 1850 | --- | 660 | --- | 106 | 67 | --- |
| TOTAL | 12472 | 51512 | 56529 | 9827 | 43230 | 87316 | 87115 | 30909 | 7341 | 5241 | 4352 | 2624 |
| MEAN | 402 | 1717 | 1824 | 317 | 1491 | 2817 | 2904 | 997 | 245 | 169 | 140 | 87.5 |
| MAX | 2790 | 4720 | 4760 | 1330 | 4250 | 7980 | 7730 | 2350 | 562 | 602 | 408 | 142 |
| MIN | 35 | 170 | 310 | 100 | 283 | 450 | 878 | 299 | 150 | 90 | 67 | 53 |
| CAL YR 1983 | TOTAL | 284128 | MEAN | 778 | MAX | 7050 | MIN | 10 | | | | |
| WTR YR 1984 | TOTAL | 398468 | MEAN | 1089 | MAX | 7980 | MIN | 35 | | | | |

GREAT MIAMI RIVER BASIN

03263000 GREAT MIAMI RIVER AT TAYLORSVILLE, OH

LOCATION.--Lat 39°52'27", long 84°09'45", in SW 1/4 sec. 36, R.8, T.2, Montgomery County, Hydrologic Unit 05080001, on right upstream face of Taylorsville Dam, 0.8 mi north of Taylorsville, 2.1 mi east of Vandalia, 9.5 mi upstream from Stillwater River, and at mile 90.9.

DRAINAGE AREA.--1,149 mi².

PERIOD OF RECORD.--January 1914 to September 1917 (published as Miami River at Tadmor), October 1921 to current year (published as Miami River at Taylorsville 1921-62). Monthly discharge only for some periods, published in WSP 1305. Gage-height records collected at site at Tadmor, January 1914 to July 1920, are contained in reports of the National Weather Service.

REVISED RECORDS.--WSP 743: 1924(M). WSP 853: 1930, 1937. WSP 923: 1922-24. WSP 1385: 1916. WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 760.11 ft, National Geodetic Vertical Datum of 1929, levels by Miami Conservancy District. Prior to October 1921, nonrecording gage at site 1.7 mi upstream at different datum. Jan. 1, 1922, to Nov. 11, 1925, nonrecording gage at site 50 ft downstream at outlet works of Taylorsville Dam at datum 60.03 ft lower, October 1921 to September 1978 at site 650 ft downstream at datum 60.03 ft lower.

REMARKS.--Records good except those for the winter period, which are fair. Flood flow regulated by retarding basins on Great Miami River, just downstream from station and on Loramie Creek 28 mi upstream from station beginning in 1921. Low and medium flow slightly regulated by Indian Lake 64 mi upstream from station, and by Lake Loramie 47 mi upstream from station on Loramie Creek; combined capacity, 58,900 acre-ft.

COOPERATION.--Base data furnished by Miami Conservancy District.

AVERAGE DISCHARGE.--66 years, 1,001 ft³/s, 11.83 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 31,400 ft³/s Jan. 22, 1959, gage height, 75.44 ft at site and datum then in use; minimum daily, 25 ft³/s July 18, 1977.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in March 1913 reached a stage of 25.4 ft at site at Tadmor, discharge, 127,000 ft³/s computed by Miami Conservancy District.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 10,100 ft³/s Mar. 17, gage height, 14.26 ft; minimum daily, 64 ft³/s Oct. 1.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|-------|-------|-------|--------|--------|-------|-------|------|------|------|
| 1 | 64 | 244 | 2500 | 560 | 350 | 784 | 1640 | 1100 | 640 | 232 | 144 | 114 |
| 2 | 67 | 229 | 1700 | 540 | 380 | 717 | 1350 | 979 | 556 | 233 | 149 | 114 |
| 3 | 67 | 275 | 1300 | 520 | 2340 | 657 | 1270 | 961 | 507 | 222 | 144 | 131 |
| 4 | 74 | 530 | 2000 | 500 | 4030 | 625 | 1580 | 1010 | 484 | 276 | 176 | 124 |
| 5 | 154 | 771 | 3200 | 500 | 2370 | 756 | 4170 | 981 | 456 | 449 | 279 | 160 |
| 6 | 163 | 558 | 4700 | 480 | 1350 | 1290 | 7760 | 864 | 410 | 753 | 265 | 183 |
| 7 | 176 | 428 | 6200 | 460 | 835 | 1450 | 6050 | 804 | 381 | 721 | 308 | 152 |
| 8 | 141 | 350 | 4000 | 440 | 647 | 1320 | 3740 | 806 | 351 | 606 | 741 | 135 |
| 9 | 115 | 300 | 2680 | 420 | 574 | 972 | 2610 | 821 | 336 | 430 | 368 | 127 |
| 10 | 100 | 263 | 2110 | 400 | 587 | 905 | 1950 | 774 | 306 | 338 | 407 | 146 |
| 11 | 98 | 410 | 2040 | 370 | 1510 | 879 | 1520 | 703 | 296 | 276 | 492 | 148 |
| 12 | 91 | 1910 | 5190 | 350 | 2380 | 701 | 1280 | 696 | 280 | 257 | 512 | 135 |
| 13 | 320 | 1800 | 4940 | 320 | 2510 | 709 | 1190 | 766 | 273 | 235 | 388 | 138 |
| 14 | 423 | 1180 | 3540 | 290 | 4720 | 754 | 1110 | 756 | 408 | 219 | 300 | 158 |
| 15 | 491 | 912 | 2780 | 270 | 4030 | 1090 | 1270 | 726 | 340 | 206 | 229 | 161 |
| 16 | 332 | 2040 | 2130 | 250 | 2900 | 6000 | 1860 | 627 | 300 | 210 | 201 | 129 |
| 17 | 229 | 3040 | 1550 | 240 | 2300 | 9860 | 3960 | 559 | 276 | 181 | 181 | 125 |
| 18 | 214 | 2520 | 1230 | 240 | 1890 | 7870 | 4580 | 524 | 269 | 173 | 169 | 126 |
| 19 | 224 | 1900 | 900 | 230 | 1640 | 4920 | 3790 | 452 | 268 | 158 | 167 | 121 |
| 20 | 262 | 1500 | 780 | 230 | 1490 | 4040 | 2920 | 557 | 268 | 151 | 153 | 111 |
| 21 | 375 | 1580 | 820 | 220 | 1240 | 8930 | 2240 | 1740 | 264 | 151 | 147 | 104 |
| 22 | 529 | 1610 | 960 | 220 | 1040 | 9300 | 3020 | 1930 | 243 | 147 | 149 | 98 |
| 23 | 2270 | 2200 | 760 | 240 | 906 | 6860 | 8730 | 2040 | 338 | 142 | 146 | 101 |
| 24 | 2240 | 4200 | 500 | 280 | 821 | 4920 | 9700 | 2210 | 752 | 143 | 142 | 113 |
| 25 | 1450 | 3300 | 460 | 1070 | 853 | 4080 | 7660 | 1540 | 486 | 159 | 138 | 114 |
| 26 | 885 | 2500 | 540 | 2210 | 1040 | 6460 | 4790 | 1110 | 530 | 160 | 137 | 196 |
| 27 | 616 | 1900 | 660 | 1540 | 1100 | 5670 | 3230 | 893 | 375 | 176 | 139 | 158 |
| 28 | 449 | 3500 | 600 | 1250 | 1100 | 4350 | 2370 | 850 | 299 | 170 | 137 | 142 |
| 29 | 353 | 4800 | 560 | 865 | 964 | 4180 | 1790 | 872 | 256 | 177 | 132 | 152 |
| 30 | 280 | 3600 | 520 | 678 | --- | 3180 | 1420 | 871 | 239 | 158 | 125 | 135 |
| 31 | 273 | --- | 540 | 460 | --- | 2230 | --- | 731 | --- | 146 | 118 | --- |
| TOTAL | 13525 | 50350 | 62390 | 16643 | 47897 | 106459 | 100650 | 30253 | 11187 | 8055 | 7283 | 4051 |
| MEAN | 436 | 1678 | 2013 | 537 | 1652 | 3434 | 3355 | 976 | 373 | 260 | 235 | 135 |
| MAX | 2270 | 4800 | 6200 | 2210 | 4720 | 9860 | 9700 | 2210 | 752 | 753 | 741 | 196 |
| MIN | 64 | 229 | 460 | 220 | 350 | 625 | 1110 | 452 | 239 | 142 | 118 | 98 |
| CFSM | .38 | 1.46 | 1.75 | .47 | 1.44 | 2.99 | 2.92 | .85 | .33 | .23 | .21 | .12 |
| IN. | .44 | 1.63 | 2.02 | .54 | 1.55 | 3.45 | 3.26 | .98 | .36 | .26 | .24 | .13 |

CAL YR 1983 TOTAL 338022 MEAN 926 MAX 10500 MIN 52 CFSM .81 IN 10.94
WTR YR 1984 TOTAL 458743 MEAN 1253 MAX 9860 MIN 64 CFSM 1.09 IN 14.85

03264000 GREENVILLE CREEK NEAR BRADFORD, OH

LOCATION --Lat 40°06'08", long 84°25'48", in SW 1/4 NW 1/4 sec. 34, T.9 N., R.4 E., Miami County, Hydrologic Unit 05080001, on left bank at downstream side of bridge on State Highway 721, 0.8 mi downstream from small left bank tributary, 1.8 mi south of Bradford, and 6 mi upstream from mouth.

DRAINAGE AREA.--193 mi².

PERIOD OF RECORD.--October 1930 to current year. Prior to April 1931, monthly discharge only, published in WSP 1305.

REVISED RECORDS.--WSP 803: 1933(M). WSP 1235: 1936, 1937(M). WSP 1908: Drainage area. WRD-OH-82-1: 1980.

GAGE.--Water-stage recorder. Datum of gage is 948.9 ft National Geodetic Vertical Datum of 1929. Prior to Oct. 1, 1942, nonrecording gage at same site and datum. Apr. 6, 1962 to Nov. 13, 1963, water-stage recorder at site 200 ft downstream at same datum.

REMARKS.--Records fair. Some diurnal fluctuation caused by mill 8 mi upstream from station; daily flows are not affected appreciably. Sediment data collected at this site 1970 to 1974.

COOPERATION.--Gage-height tapes and 7 discharge measurements furnished by Miami Conservancy District.

AVERAGE DISCHARGE.--54 years, 172 ft³/s, 12.10 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 9,320 ft³/s May 14, 1933, gage height, 9.2 ft; maximum gage height, 10.31 ft Mar. 5, 1963, from high-water mark in well (ice jam); minimum discharge, 4.8 ft³/s Sept. 17, 1963.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in March 1913 reached a stage of 12.1 ft, discharge, 18,200 ft³/s, at site with drainage area of 213 mi, computed by Miami Conservancy District.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 1500 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Mar. 17 | 0600 | * 2,090 | *6.02 | Apr. 23 | 1600 | 2,050 | 5.97 |
| Apr. 6 | 0900 | 1,600 | 5.31 | | | | |

Minimum daily discharge 14 ft³/s Oct. 1-4.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|------|------|------|------|-------|-------|------|------|------|------|------|
| 1 | 14 | 41 | 191 | 64 | 126 | 130 | 289 | 243 | 90 | 75 | 32 | 20 |
| 2 | 14 | 43 | 156 | 62 | 127 | 120 | 252 | 219 | 84 | 70 | 30 | 21 |
| 3 | 14 | 52 | 137 | 60 | 835 | 110 | 240 | 218 | 83 | 67 | 29 | 20 |
| 4 | 14 | 51 | 286 | 60 | 793 | 100 | 338 | 233 | 78 | 98 | 30 | 24 |
| 5 | 33 | 50 | 476 | 60 | 328 | 120 | 893 | 212 | 75 | 194 | 43 | 24 |
| 6 | 37 | 47 | 519 | 60 | 180 | 195 | 1500 | 201 | 70 | 234 | 66 | 24 |
| 7 | 27 | 45 | 488 | 58 | 100 | 215 | 874 | 196 | 69 | 151 | 46 | 24 |
| 8 | 21 | 44 | 304 | 56 | 94 | 195 | 544 | 197 | 64 | 103 | 36 | 25 |
| 9 | 17 | 42 | 229 | 54 | 90 | 150 | 401 | 198 | 62 | 91 | 33 | 27 |
| 10 | 17 | 40 | 199 | 52 | 105 | 130 | 321 | 187 | 60 | 74 | 36 | 27 |
| 11 | 17 | 54 | 347 | 50 | 397 | 120 | 274 | 183 | 56 | 67 | 38 | 28 |
| 12 | 18 | 79 | 903 | 50 | 375 | 110 | 238 | 189 | 54 | 62 | 61 | 29 |
| 13 | 69 | 71 | 636 | 49 | 372 | 100 | 233 | 184 | 52 | 58 | 46 | 27 |
| 14 | 60 | 60 | 418 | 48 | 500 | 110 | 226 | 177 | 56 | 54 | 38 | 24 |
| 15 | 37 | 93 | 335 | 47 | 338 | 167 | 271 | 164 | 52 | 50 | 34 | 25 |
| 16 | 28 | 299 | 259 | 46 | 267 | 1560 | 454 | 158 | 49 | 48 | 30 | 27 |
| 17 | 23 | 209 | 199 | 45 | 239 | 1890 | 718 | 151 | 48 | 46 | 26 | 25 |
| 18 | 22 | 142 | 150 | 45 | 214 | 893 | 620 | 146 | 47 | 44 | 27 | 23 |
| 19 | 32 | 111 | 130 | 44 | 207 | 606 | 489 | 134 | 46 | 45 | 32 | 23 |
| 20 | 42 | 110 | 100 | 43 | 195 | 738 | 409 | 146 | 50 | 42 | 30 | 23 |
| 21 | 87 | 153 | 100 | 42 | 168 | 1230 | 341 | 533 | 54 | 45 | 28 | 23 |
| 22 | 127 | 139 | 110 | 41 | 146 | 890 | 928 | 578 | 52 | 46 | 26 | 22 |
| 23 | 229 | 206 | 96 | 40 | 133 | 633 | 1900 | 484 | 50 | 43 | 26 | 22 |
| 24 | 145 | 465 | 84 | 92 | 122 | 549 | 1470 | 315 | 330 | 40 | 29 | 21 |
| 25 | 89 | 275 | 86 | 150 | 139 | 563 | 948 | 237 | 280 | 37 | 30 | 26 |
| 26 | 67 | 185 | 88 | 300 | 188 | 841 | 597 | 190 | 229 | 43 | 29 | 57 |
| 27 | 58 | 145 | 82 | 453 | 209 | 600 | 452 | 197 | 177 | 48 | 26 | 50 |
| 28 | 53 | 575 | 78 | 272 | 180 | 521 | 360 | 161 | 134 | 45 | 25 | 37 |
| 29 | 44 | 518 | 74 | 183 | 150 | 600 | 298 | 140 | 104 | 38 | 24 | 32 |
| 30 | 40 | 277 | 72 | 161 | --- | 443 | 279 | 130 | 89 | 35 | 23 | 29 |
| 31 | 39 | --- | 68 | 138 | --- | 339 | --- | 119 | --- | 34 | 21 | --- |
| TOTAL | 1534 | 4621 | 7400 | 2925 | 7317 | 14968 | 17057 | 6820 | 2744 | 2107 | 1030 | 809 |
| MEAN | 49.5 | 154 | 239 | 94.4 | 252 | 483 | 569 | 220 | 91.5 | 68.0 | 33.2 | 27.0 |
| MAX | 229 | 575 | 903 | 453 | 835 | 1890 | 1900 | 578 | 330 | 234 | 66 | 57 |
| MIN | 14 | 40 | 68 | 40 | 90 | 100 | 226 | 119 | 45 | 34 | 21 | 20 |
| CFSM | .26 | .80 | 1.24 | .49 | 1.31 | 2.50 | 2.95 | 1.14 | .47 | .35 | .17 | .14 |
| IN. | .30 | .89 | 1.43 | .56 | 1.41 | 2.89 | 3.29 | 1.31 | .53 | .41 | .20 | .16 |

| | | | | | | | |
|-------------|-------|---------|----------|----------|---------|----------|----------|
| CAL YR 1983 | TOTAL | 46124.6 | MEAN 126 | MAX 1380 | MIN 8.2 | CFSM .65 | IN 8.89 |
| WTR YR 1984 | TOTAL | 69332.0 | MEAN 189 | MAX 1900 | MIN 14 | CFSM .98 | IN 13.36 |

03265000 STILLWATER RIVER AT PLEASANT HILL, OH

LOCATION.--Lat 40°03'28", long 84°21'22", in SW 1/4 sec. 18, T.7 N., R.5 E., Miami County, Hydrologic Unit 05080001, on left bank at downstream side of bridge on Laurer Road, 0.8 mi northwest of Pleasant Hill, 2 mi downstream from Painter Creek, 2 mi upstream from Canyon Run, and at mile 28.35.

DRAINAGE AREA.--503 mi².

PERIOD OF RECORD.--October 1916 to September 1928, October 1934 to current year. Monthly discharge only for some periods, published in WSP 1305. Gage-height records collected at same site March 1922 to December 1963 are contained in reports of the National Weather Service.

REVISED RECORDS.--WSP 523: 1917. WSP 1305: 1920(M). WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 846.73 ft National Geodetic Vertical Datum of 1912. Prior to Dec. 23, 1934, nonrecording gage at same site and datum.

REMARKS.--Records good except those for winter periods, which are fair. Sediment data collected at this site 1963 to 1975.

COOPERATION.--Gage-height tapes and 8 discharge measurements furnished by Miami Conservancy District.

AVERAGE DISCHARGE.--62 years, 444 ft³/s, 11.99 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 26,400 ft³/s Jan. 14, 1937, from rating curve extended above 14,500 ft³/s on basis of velocity-area study; maximum gage height, 18.46 ft June 29, 1980; minimum discharge observed, 4 ft³/s Oct. 17, 1920, July 12, 22, Aug. 30, 1921.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of March 25, 1913 reached a stage of 17.5 ft. Discharge, at site about 3 mi upstream, 51,400 ft³/s, computed by Miami Conservancy District. This stage is not comparable with present gage heights because of failure of levee in 1913.

EXTREMES FOR CURRENT YEAR.--Peaks above base discharge of 5,000 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Mar. 16 | 2300 | * 7,690 | * 11.34 | Apr. 6 | 0330 | 6,110 | 9.86 |
| Mar. 21 | 0430 | 5,200 | 8.89 | Apr. 23 | 0230 | 6,420 | 10.16 |

Minimum discharge 16 ft³/s Oct. 3, 4.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------------|--------|-------|-------|----------|----------|--------|-----------|----------|------|------|------|------|
| 1 | 19 | 80 | 525 | 130 | 134 | 300 | 570 | 455 | 280 | 112 | 43 | 25 |
| 2 | 20 | 88 | 404 | 130 | 164 | 280 | 564 | 389 | 252 | 103 | 40 | 28 |
| 3 | 19 | 106 | 347 | 120 | 1810 | 260 | 524 | 392 | 231 | 107 | 41 | 33 |
| 4 | 18 | 134 | 1020 | 120 | 2350 | 240 | 925 | 420 | 209 | 175 | 55 | 33 |
| 5 | 52 | 141 | 1950 | 120 | 1100 | 280 | 3330 | 363 | 194 | 238 | 55 | 39 |
| 6 | 75 | 121 | 2090 | 110 | 457 | 564 | 5330 | 328 | 184 | 873 | 83 | 40 |
| 7 | 61 | 107 | 1840 | 110 | 240 | 623 | 2410 | 315 | 174 | 451 | 73 | 39 |
| 8 | 40 | 96 | 907 | 110 | 200 | 529 | 1340 | 326 | 153 | 253 | 62 | 36 |
| 9 | 32 | 91 | 632 | 100 | 200 | 350 | 952 | 321 | 149 | 170 | 51 | 35 |
| 10 | 26 | 88 | 529 | 100 | 180 | 300 | 732 | 294 | 140 | 138 | 88 | 41 |
| 11 | 24 | 106 | 1010 | 96 | 800 | 270 | 588 | 276 | 132 | 120 | 70 | 41 |
| 12 | 27 | 273 | 3310 | 94 | 1130 | 240 | 499 | 289 | 124 | 106 | 91 | 42 |
| 13 | 129 | 197 | 1870 | 92 | 1110 | 250 | 480 | 290 | 122 | 98 | 90 | 40 |
| 14 | 189 | 144 | 1140 | 92 | 1740 | 260 | 458 | 267 | 126 | 87 | 65 | 42 |
| 15 | 107 | 145 | 916 | 90 | 1040 | 400 | 592 | 241 | 119 | 80 | 51 | 39 |
| 16 | 65 | 1460 | 666 | 86 | 790 | 5920 | 1370 | 223 | 115 | 75 | 44 | 42 |
| 17 | 47 | 865 | 477 | 82 | 699 | 6040 | 2250 | 211 | 112 | 73 | 38 | 36 |
| 18 | 48 | 462 | 389 | 78 | 628 | 2560 | 1550 | 204 | 109 | 58 | 39 | 33 |
| 19 | 64 | 318 | 270 | 74 | 627 | 1550 | 1180 | 198 | 103 | 70 | 41 | 32 |
| 20 | 101 | 286 | 230 | 70 | 555 | 2480 | 965 | 219 | 100 | 56 | 43 | 30 |
| 21 | 238 | 570 | 240 | 72 | 437 | 4810 | 779 | 1240 | 131 | 56 | 41 | 29 |
| 22 | 485 | 411 | 260 | 74 | 360 | 3100 | 3100 | 1020 | 129 | 57 | 37 | 29 |
| 23 | 1250 | 627 | 210 | 82 | 314 | 1910 | 5840 | 2000 | 117 | 62 | 38 | 30 |
| 24 | 600 | 1900 | 180 | 110 | 289 | 1450 | 4210 | 1420 | 636 | 58 | 43 | 32 |
| 25 | 295 | 893 | 200 | 300 | 329 | 1560 | 2120 | 765 | 871 | 62 | 45 | 37 |
| 26 | 191 | 521 | 190 | 537 | 595 | 2810 | 1350 | 541 | 348 | 71 | 42 | 35 |
| 27 | 147 | 385 | 180 | 703 | 601 | 1650 | 977 | 399 | 231 | 77 | 35 | 92 |
| 28 | 120 | 2360 | 170 | 438 | 400 | 1400 | 746 | 355 | 182 | 71 | 32 | 69 |
| 29 | 102 | 1900 | 160 | 236 | 320 | 1630 | 590 | 491 | 147 | 51 | 28 | 57 |
| 30 | 90 | 839 | 150 | 171 | --- | 1100 | 540 | 389 | 128 | 54 | 26 | 49 |
| 31 | 84 | --- | 140 | 144 | --- | 808 | --- | 321 | --- | 48 | 26 | --- |
| TOTAL | 4765 | 15714 | 22602 | 4871 | 19599 | 45924 | 47061 | 14962 | 6047 | 4160 | 1556 | 1235 |
| MEAN | 154 | 524 | 729 | 157 | 676 | 1481 | 1569 | 483 | 202 | 134 | 50.2 | 41.2 |
| MAX | 1250 | 2360 | 3310 | 703 | 2350 | 6040 | 5840 | 2000 | 871 | 873 | 91 | 92 |
| MIN | 18 | 80 | 140 | 70 | 134 | 240 | 458 | 198 | 100 | 48 | 26 | 25 |
| CFSM | .31 | 1.04 | 1.45 | .31 | 1.34 | 2.94 | 3.12 | .96 | .40 | .27 | .10 | .08 |
| IN. | .35 | 1.16 | 1.67 | .36 | 1.45 | 3.40 | 3.48 | 1.11 | .45 | .31 | .12 | .09 |
| CAL YR 1983 TOTAL | 126426 | | | MEAN 346 | MAX 4400 | MIN 13 | CFSM .69 | IN 9.35 | | | | |
| WTR YR 1984 TOTAL | 188496 | | | MEAN 515 | MAX 6040 | MIN 18 | CFSM 1.02 | IN 13.94 | | | | |

03266000 STILLWATER RIVER AT ENGLEWOOD, OH

LOCATION.--Lat 39°52'10", long 84°16'57", in NW 1/4 sec. 23, T.5 N., R.5 E., Montgomery County, Hydrologic Unit 05080001, on right bank 1,000 ft downstream from Englewood Dam, 1 mi southeast of Englewood, and at mile 8.9.

DRAINAGE AREA.--650 mi².

PERIOD OF RECORD.--October 1925 to current year (monthly discharge only, October 1925, published in WSP 1305).

REVISED RECORDS.--WSP 1908: Drainage area.

GAGE.--Water-stage recorder and concrete control. Datum of gage is 699.97 ft National Geodetic Vertical Datum of 1929.

REMARKS.--Records good except those for the winter period, which are fair. Flood flow regulated by Englewood retarding basin.

COOPERATION.--Gage-height tapes and 7 discharge measurements furnished by Miami Conservancy District.

AVERAGE DISCHARGE.--59 years, 580 ft³/s, 12.12 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 9,980 ft³/s June 15, 1958, gage height, 80.88 ft; minimum, 3.7 ft³/s Sept. 30, Oct. 1, 1944, gage height, 71.36 ft.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in March 1913 reached a discharge of 85,400 ft³/s at site 1 mi downstream, computed by Miami Conservancy District.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 5,900 ft³/s Mar. 17, gage height, 78.18 ft; minimum, 25 ft³/s Oct. 2.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|-------|-------|------|-------|-------|-------|-------|------|------|------|------|
| 1 | 28 | 98 | 764 | 170 | 157 | 380 | 994 | 629 | 394 | 162 | 70 | 44 |
| 2 | 26 | 95 | 545 | 160 | 172 | 360 | 803 | 524 | 344 | 152 | 65 | 44 |
| 3 | 29 | 110 | 462 | 160 | 891 | 330 | 712 | 531 | 308 | 152 | 68 | 52 |
| 4 | 30 | 113 | 795 | 150 | 2380 | 320 | 1040 | 588 | 276 | 197 | 73 | 61 |
| 5 | 54 | 129 | 2420 | 150 | 1170 | 380 | 2420 | 527 | 254 | 291 | 92 | 54 |
| 6 | 66 | 132 | 2430 | 140 | 563 | 698 | 4770 | 478 | 240 | 929 | 86 | 54 |
| 7 | 69 | 121 | 2600 | 140 | 240 | 891 | 5080 | 457 | 226 | 803 | 113 | 56 |
| 8 | 63 | 108 | 1450 | 130 | 200 | 779 | 3620 | 463 | 211 | 417 | 177 | 55 |
| 9 | 51 | 98 | 899 | 130 | 200 | 520 | 1570 | 480 | 195 | 254 | 128 | 54 |
| 10 | 43 | 98 | 691 | 130 | 220 | 420 | 1170 | 436 | 185 | 198 | 111 | 60 |
| 11 | 39 | 141 | 818 | 120 | 532 | 370 | 875 | 390 | 175 | 171 | 124 | 56 |
| 12 | 39 | 192 | 3150 | 120 | 1490 | 350 | 712 | 380 | 165 | 153 | 106 | 54 |
| 13 | 135 | 254 | 3210 | 120 | 1330 | 330 | 649 | 371 | 162 | 142 | 119 | 55 |
| 14 | 184 | 196 | 1720 | 120 | 2230 | 360 | 629 | 351 | 174 | 135 | 108 | 73 |
| 15 | 160 | 176 | 1370 | 110 | 1580 | 440 | 677 | 318 | 160 | 125 | 86 | 55 |
| 16 | 108 | 1130 | 1010 | 110 | 1150 | 3360 | 1340 | 288 | 154 | 120 | 74 | 56 |
| 17 | 80 | 1350 | 663 | 110 | 950 | 5650 | 2680 | 271 | 152 | 110 | 67 | 55 |
| 18 | 77 | 642 | 500 | 100 | 810 | 5620 | 2480 | 263 | 147 | 105 | 71 | 53 |
| 19 | 78 | 410 | 360 | 100 | 764 | 4480 | 1810 | 255 | 146 | 100 | 66 | 50 |
| 20 | 105 | 328 | 300 | 94 | 720 | 2500 | 1390 | 305 | 154 | 100 | 62 | 47 |
| 21 | 201 | 491 | 340 | 92 | 563 | 4420 | 1150 | 1810 | 198 | 98 | 63 | 46 |
| 22 | 310 | 551 | 360 | 96 | 468 | 5000 | 1650 | 2070 | 182 | 91 | 67 | 43 |
| 23 | 1450 | 602 | 290 | 100 | 395 | 4220 | 4580 | 2090 | 255 | 92 | 68 | 48 |
| 24 | 1000 | 2380 | 240 | 168 | 361 | 2480 | 5480 | 2640 | 880 | 86 | 59 | 55 |
| 25 | 462 | 1540 | 260 | 233 | 388 | 1830 | 5010 | 1350 | 1450 | 99 | 62 | 56 |
| 26 | 270 | 803 | 240 | 410 | 563 | 3080 | 3200 | 900 | 623 | 94 | 63 | 94 |
| 27 | 201 | 545 | 220 | 557 | 757 | 2840 | 1490 | 620 | 347 | 103 | 62 | 95 |
| 28 | 160 | 1710 | 210 | 582 | 677 | 1970 | 1130 | 530 | 256 | 99 | 58 | 96 |
| 29 | 138 | 3090 | 200 | 310 | 440 | 2360 | 842 | 604 | 210 | 91 | 55 | 79 |
| 30 | 115 | 1410 | 190 | 214 | --- | 1760 | 745 | 587 | 182 | 80 | 52 | 70 |
| 31 | 105 | --- | 180 | 172 | --- | 1280 | --- | 469 | --- | 74 | 46 | --- |
| TOTAL | 5876 | 19043 | 28887 | 5498 | 22361 | 59778 | 60698 | 21975 | 8805 | 5813 | 2521 | 1790 |
| MEAN | 190 | 635 | 932 | 177 | 771 | 1928 | 2023 | 709 | 294 | 188 | 81.3 | 59.7 |
| MAX | 1450 | 3090 | 3210 | 582 | 2380 | 5650 | 5480 | 2640 | 1450 | 929 | 177 | 96 |
| MIN | 26 | 95 | 180 | 92 | 157 | 320 | 629 | 255 | 146 | 74 | 46 | 43 |
| CFSM | .29 | .98 | 1.43 | .27 | 1.19 | 2.97 | 3.11 | 1.09 | .45 | .29 | .13 | .09 |
| IN. | .34 | 1.09 | 1.65 | .31 | 1.28 | 3.42 | 3.47 | 1.26 | .50 | .33 | .14 | .10 |

CAL YR 1983 TOTAL 169771 MEAN 465 MAX 5200 MIN 21 CFSM .72 IN 9.72
WTR YR 1984 TOTAL 243045 MEAN 664 MAX 5650 MIN 26 CFSM 1.02 IN 13.91

GREAT MIAMI RIVER BASIN

03267000 MAD RIVER NEAR URBANA, OH

LOCATION.--Lat 40°06'27", long 83°47'57", on west line of sec. 35, T.5 E., R.11 N., Champaign County, Hydrologic Unit 05080001, on left bank at downstream side of bridge on U.S. Highway 36, 1.8 mi upstream from Dugan Run, 1.8 mi downstream from Muddy Creek, 2.5 mi west of Urbana, and at mile 39.7.

DRAINAGE AREA.--162 mi²

PERIOD OF RECORD.--September 1925 to September 1931, August 1939 to current year.

REVISED RECORDS.--WSP 1305: 1930(M). WSP 1505: 1956. WSP 1625: 1929. WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 985.22 ft National Geodetic Vertical Datum of 1929. Prior to May 18, 1930, nonrecording gage at same site and datum. May 18, 1930, to Sept. 30, 1931, nonrecording gage at site 600 ft downstream at datum 0.36 ft lower. Aug. 1 to Sept. 25, 1939, nonrecording gage at present site and datum.

REMARKS.--Records fair. Sediment data collected at this site 1970 to 1974.

COOPERATION.--Gage-height tapes and 7 discharge measurements furnished by Miami Conservancy District.

AVERAGE DISCHARGE.--51 years, 145 ft³/s, 12.16 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 8,000 ft³/s Jan. 22, 1959, gage height, 12.05 ft, from rating curve extended above 4,000 ft³/s on basis of estimate of peak flow based on contracted-opening measurement at site 3 mi downstream with drainage area of 235 mi adjusted to gage site by 0.8 power of the drainage-area ratio; minimum, 2.1 ft³/s Jan. 21, 1963, gage height, 2.33 ft, result of freezeup; minimum daily, 24 ft³/s Feb. 2, 3, 1945, Jan. 13, 1964.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 1,400 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Feb. 14 | 0100 | 1,430 | 5.49 | Mar. 16 | 0930 | * 1,520 | * 5.63 |

minimum discharge 53 ft³/s Oct. 18.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|------|------|------|------|------|-------|------|------|------|------|------|
| 1 | 59 | 78 | 150 | 110 | 93 | 130 | 284 | 248 | 171 | 115 | 89 | 75 |
| 2 | 59 | 80 | 135 | 120 | 95 | 130 | 265 | 226 | 165 | 115 | 89 | 77 |
| 3 | 59 | 112 | 132 | 110 | 744 | 120 | 256 | 230 | 158 | 125 | 93 | 74 |
| 4 | 59 | 102 | 198 | 110 | 276 | 120 | 509 | 235 | 153 | 123 | 100 | 73 |
| 5 | 69 | 89 | 265 | 100 | 172 | 140 | 857 | 214 | 147 | 140 | 115 | 72 |
| 6 | 71 | 87 | 399 | 100 | 127 | 200 | 654 | 217 | 147 | 153 | 94 | 71 |
| 7 | 63 | 82 | 307 | 100 | 112 | 170 | 473 | 209 | 144 | 148 | 89 | 67 |
| 8 | 63 | 80 | 222 | 100 | 106 | 160 | 388 | 215 | 140 | 127 | 88 | 65 |
| 9 | 59 | 78 | 194 | 98 | 104 | 140 | 346 | 219 | 136 | 122 | 89 | 65 |
| 10 | 59 | 82 | 179 | 96 | 186 | 140 | 312 | 209 | 136 | 120 | 83 | 69 |
| 11 | 59 | 226 | 194 | 94 | 432 | 130 | 288 | 204 | 132 | 115 | 157 | 69 |
| 12 | 55 | 147 | 570 | 92 | 243 | 130 | 270 | 206 | 129 | 110 | 96 | 69 |
| 13 | 73 | 112 | 317 | 92 | 372 | 120 | 274 | 198 | 129 | 110 | 90 | 67 |
| 14 | 78 | 102 | 261 | 90 | 730 | 120 | 274 | 190 | 132 | 110 | 99 | 67 |
| 15 | 65 | 97 | 247 | 90 | 341 | 150 | 326 | 179 | 127 | 107 | 97 | 67 |
| 16 | 59 | 126 | 222 | 88 | 270 | 916 | 326 | 172 | 125 | 104 | 94 | 63 |
| 17 | 57 | 144 | 197 | 84 | 243 | 461 | 550 | 171 | 125 | 99 | 95 | 63 |
| 18 | 59 | 123 | 170 | 80 | 226 | 317 | 377 | 168 | 122 | 99 | 101 | 63 |
| 19 | 69 | 115 | 160 | 76 | 222 | 270 | 336 | 167 | 123 | 99 | 95 | 66 |
| 20 | 71 | 110 | 150 | 72 | 202 | 336 | 298 | 173 | 123 | 97 | 90 | 71 |
| 21 | 82 | 118 | 140 | 70 | 186 | 764 | 274 | 324 | 122 | 97 | 87 | 68 |
| 22 | 92 | 107 | 150 | 70 | 175 | 509 | 351 | 278 | 115 | 94 | 84 | 67 |
| 23 | 147 | 179 | 140 | 90 | 168 | 383 | 550 | 276 | 115 | 92 | 87 | 68 |
| 24 | 120 | 270 | 130 | 120 | 160 | 383 | 479 | 245 | 212 | 92 | 86 | 69 |
| 25 | 104 | 168 | 120 | 170 | 157 | 467 | 383 | 220 | 159 | 94 | 82 | 69 |
| 26 | 97 | 141 | 120 | 224 | 157 | 730 | 321 | 205 | 138 | 94 | 82 | 72 |
| 27 | 89 | 126 | 120 | 197 | 150 | 485 | 288 | 185 | 131 | 97 | 82 | 53 |
| 28 | 87 | 461 | 130 | 122 | 150 | 410 | 270 | 187 | 127 | 92 | 82 | 63 |
| 29 | 84 | 252 | 120 | 111 | 130 | 404 | 252 | 199 | 121 | 89 | 82 | 63 |
| 30 | 84 | 179 | 110 | 103 | --- | 341 | 252 | 183 | 120 | 87 | 82 | 61 |
| 31 | 82 | --- | 110 | 96 | --- | 307 | --- | 176 | --- | 88 | 78 | --- |
| TOTAL | 2333 | 4173 | 6059 | 3275 | 6729 | 9583 | 11083 | 6528 | 4124 | 3354 | 2857 | 2036 |
| MEAN | 75.3 | 139 | 195 | 106 | 232 | 309 | 369 | 211 | 137 | 108 | 92.2 | 67.9 |
| MAX | 147 | 461 | 570 | 224 | 744 | 916 | 857 | 324 | 212 | 153 | 157 | 77 |
| MIN | 55 | 78 | 110 | 70 | 93 | 120 | 252 | 167 | 115 | 97 | 78 | 51 |
| CFSM | .47 | .86 | 1.20 | .65 | 1.43 | 1.91 | 2.28 | 1.30 | .85 | .67 | .57 | .42 |
| IN. | .54 | .96 | 1.39 | .75 | 1.55 | 2.20 | 2.54 | 1.50 | .95 | .77 | .66 | .47 |

| | | | | | | | |
|-------------|-------|-------|----------|----------|--------|-----------|----------|
| CAL YR 1983 | TOTAL | 49195 | MEAN 135 | MAX 1070 | MIN 55 | CFSM .83 | IN 11.30 |
| WTR YR 1984 | TOTAL | 62134 | MEAN 170 | MAX 916 | MIN 55 | CFSM 1.05 | IN 14.27 |

03267900 MAD RIVER AT ST. PARIS PIKE AT EAGLE CITY, OH

LOCATION.--Lat 39°57'51", long 83°49'54", in W 1/2 sec. 1, R. 10, T.4, Clark County, Hydrologic Unit 05080001, on left bank at downstream side of bridge on St. Paris Pike, 0.8 mi southeast of Eagle City, 1.1 mi downstream from Moore Run, 3.1 mi upstream from Buck Creek, 3.3 mi south of Tremont City, and at mile 29.5.

DRAINAGE AREA.--310 mi².

PERIOD OF RECORD.--October 1965 to current year.

GAGE.--Water-stage recorder. Datum of gage is 904.66 ft National Geodetic Vertical Datum of 1929.

REMARKS.--Records good except those for the winter period, which are fair. Water supply for city of Springfield is pumped from wells, adjacent to Mad River, just upstream from station. Recharge to the well field is largely by induced infiltration from Mad River and Moore Run. Pumpage, averaging 25.3 ft³/s in 1984, is returned as sewage 1.4 mi upstream from gaging station near Springfield (station 03269500). Water-quality data collected at this site 1966 to 1977.

AVERAGE DISCHARGE.--19 years, 310 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 9,700 ft³/s June 26, 1971, gage height, 16.00 ft, from rating curve extended above 3,060 ft³/s; minimum daily, 60 ft³/s Jan. 27, 28, 1977 (result of freezeup).

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood in March 1913 reached a stage of 19.8 ft, from data furnished by Miami Conservancy District. Flood of Jan. 21, 1959 reached a stage of 15.7 ft.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 2500 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--|------|-----------------------------------|---------------------|---------------------------|------|-----------------------------------|---------------------|
| Mar. 16 | 0900 | * 3,070 | * 10.11 | No other peak above base. | | | |
| Minimum daily discharge, 93 ft ³ /s Oct. 1-3. | | | | | | | |

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|------|-------|------|-------|-------|-------|-------|------|------|------|------|
| 1 | 93 | 134 | 290 | 200 | 160 | 220 | 474 | 396 | 308 | 216 | 147 | 125 |
| 2 | 93 | 146 | 270 | 200 | 205 | 220 | 444 | 381 | 295 | 216 | 149 | 125 |
| 3 | 93 | 175 | 254 | 190 | 1400 | 210 | 448 | 400 | 284 | 213 | 149 | 128 |
| 4 | 98 | 176 | 410 | 180 | 537 | 210 | 925 | 410 | 275 | 227 | 169 | 129 |
| 5 | 117 | 159 | 546 | 170 | 346 | 230 | 1780 | 377 | 268 | 319 | 172 | 125 |
| 6 | 114 | 149 | 699 | 170 | 246 | 408 | 1230 | 365 | 262 | 348 | 153 | 123 |
| 7 | 103 | 144 | 553 | 170 | 209 | 340 | 811 | 359 | 255 | 298 | 149 | 123 |
| 8 | 100 | 139 | 403 | 170 | 192 | 280 | 648 | 364 | 249 | 240 | 149 | 121 |
| 9 | 98 | 136 | 349 | 170 | 189 | 250 | 575 | 357 | 244 | 224 | 149 | 118 |
| 10 | 99 | 160 | 325 | 160 | 307 | 230 | 524 | 340 | 239 | 216 | 145 | 129 |
| 11 | 100 | 311 | 414 | 160 | 747 | 230 | 484 | 331 | 235 | 208 | 413 | 123 |
| 12 | 101 | 275 | 1020 | 150 | 429 | 230 | 460 | 336 | 231 | 201 | 198 | 119 |
| 13 | 167 | 213 | 575 | 150 | 725 | 210 | 459 | 319 | 232 | 198 | 175 | 119 |
| 14 | 145 | 192 | 458 | 150 | 1300 | 210 | 455 | 312 | 271 | 191 | 163 | 150 |
| 15 | 121 | 191 | 426 | 140 | 614 | 210 | 503 | 299 | 235 | 191 | 156 | 131 |
| 16 | 115 | 219 | 361 | 140 | 482 | 2070 | 601 | 291 | 229 | 188 | 151 | 123 |
| 17 | 113 | 249 | 317 | 130 | 427 | 911 | 942 | 285 | 229 | 193 | 148 | 122 |
| 18 | 132 | 223 | 293 | 120 | 390 | 626 | 579 | 281 | 232 | 181 | 171 | 121 |
| 19 | 130 | 202 | 272 | 120 | 376 | 512 | 598 | 274 | 235 | 174 | 149 | 119 |
| 20 | 148 | 198 | 259 | 120 | 347 | 700 | 523 | 302 | 248 | 172 | 144 | 118 |
| 21 | 159 | 204 | 254 | 110 | 321 | 1530 | 475 | 658 | 232 | 172 | 140 | 116 |
| 22 | 185 | 195 | 291 | 110 | 299 | 979 | 510 | 512 | 221 | 165 | 149 | 114 |
| 23 | 245 | 338 | 238 | 150 | 286 | 737 | 933 | 554 | 221 | 162 | 144 | 122 |
| 24 | 204 | 533 | 220 | 350 | 276 | 701 | 847 | 451 | 504 | 162 | 138 | 126 |
| 25 | 176 | 333 | 200 | 424 | 286 | 864 | 634 | 390 | 319 | 169 | 135 | 125 |
| 26 | 162 | 270 | 200 | 447 | 283 | 1270 | 540 | 359 | 265 | 169 | 131 | 162 |
| 27 | 154 | 247 | 210 | 367 | 275 | 813 | 489 | 329 | 251 | 179 | 131 | 133 |
| 28 | 147 | 736 | 210 | 214 | 250 | 716 | 453 | 364 | 237 | 160 | 130 | 129 |
| 29 | 140 | 476 | 210 | 191 | 230 | 734 | 425 | 382 | 235 | 153 | 129 | 126 |
| 30 | 136 | 341 | 200 | 179 | --- | 581 | 425 | 343 | 224 | 151 | 128 | 125 |
| 31 | 136 | --- | 200 | 165 | --- | 514 | --- | 323 | --- | 149 | 125 | --- |
| TOTAL | 4124 | 7464 | 10927 | 5867 | 12134 | 17946 | 19294 | 11444 | 7765 | 6195 | 4879 | 3769 |
| MEAN | 133 | 249 | 352 | 189 | 418 | 579 | 643 | 369 | 259 | 200 | 157 | 126 |
| MAX | 245 | 736 | 1020 | 447 | 1400 | 2070 | 1780 | 658 | 504 | 348 | 413 | 162 |
| MIN | 93 | 134 | 200 | 110 | 160 | 210 | 425 | 274 | 221 | 149 | 125 | 114 |

CAL YR 1983 TOTAL 89437 MEAN 245 MAX 2570 MIN 88
WTR YR 1984 TOTAL 111808 MEAN 305 MAX 2070 MIN 93

GREAT MIAMI RIVER BASIN

03269500 MAD RIVER NEAR SPRINGFIELD, OH

LOCATION.--Lat 39°55'23", long 83°52'13", in NW 1/4 sec. 16, R.9, T.4, Clark County, Hydrologic Unit 05080001, on right bank 150 ft downstream from Rock Run, 300 ft downstream from bridge on Lower Valley Pike, 2 mi downstream from Buck Creek, 3 mi west of Springfield, and at mile 24.1.

DRAINAGE AREA.--490 mi².

PERIOD OF RECORD.--January 1904 to March 1906 (fragmentary), February 1914 to current year. Monthly discharge only for some periods, published in WSP 1305.

REVISED RECORDS.--WSP 603: 1924. WSP 823: 1929(M). WSP 1305: 1914(M), 1916-17(M), 1922-23(M), 1925(M). WSP 1625: 1924(M). WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 881.42 ft National Geodetic Vertical Datum of 1929. Jan. 1, 1904 to Mar. 31, 1906, nonrecording gage at site 0.3 mi downstream at different datum. Feb. 1, 1914, to Feb. 29, 1924, nonrecording gage at site 1.8 mi upstream at datum 6.39 ft higher. Mar. 1, 1924, to July 31, 1925, nonrecording gage at site 300 ft upstream at same datum.

REMARKS.--Records good. Some regulation by C.J. Brown Reservoir, 8.3 mi upstream on Buck Creek, since 1972. Occasional low-flow regulation by powerplant 2.3 mi upstream; daily flows are not affected appreciably. Water-quality data collected at this site 1965 to 1973.

COOPERATION.--Gage height charts, tapes, and 7 discharge measurements furnished by Miami Conservancy District.

AVERAGE DISCHARGE.--71 years, (1904-05, 1914-84), 491 ft³/s, 13.61 in/yr unadjusted.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 30,500 ft³/s Jan. 21, 1959, gage height, 15.76 ft, from rating curve extended above 14,000 ft³/s on basis of slope-area and contracted opening measurements of peak flow; minimum daily discharge, 30 ft³/s Sept. 15, 1904.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of March 25, 1913 reached a stage of 16.9 ft, present datum, discharge, 55,400 ft³/s computed by Miami Conservancy District.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 3,950 ft³/s Mar. 16, gage height, 6.51 ft; minimum daily, 180 ft³/s Jan. 22.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|------|
| 1 | 196 | 207 | 550 | 346 | 280 | 373 | 701 | 637 | 537 | 334 | 226 | 189 |
| 2 | 193 | 319 | 527 | 349 | 330 | 373 | 554 | 592 | 502 | 335 | 231 | 186 |
| 3 | 193 | 333 | 504 | 336 | 2010 | 360 | 590 | 659 | 416 | 327 | 229 | 210 |
| 4 | 220 | 312 | 759 | 312 | 944 | 345 | 1130 | 697 | 400 | 380 | 330 | 193 |
| 5 | 301 | 291 | 868 | 308 | 647 | 476 | 2600 | 617 | 388 | 464 | 272 | 186 |
| 6 | 210 | 277 | 1020 | 313 | 494 | 615 | 1840 | 592 | 386 | 508 | 250 | 193 |
| 7 | 199 | 274 | 925 | 308 | 438 | 529 | 1330 | 580 | 389 | 445 | 296 | 186 |
| 8 | 201 | 269 | 705 | 299 | 414 | 488 | 1070 | 630 | 373 | 370 | 252 | 183 |
| 9 | 198 | 274 | 617 | 300 | 405 | 428 | 946 | 609 | 359 | 348 | 237 | 183 |
| 10 | 200 | 378 | 575 | 318 | 531 | 411 | 850 | 582 | 348 | 315 | 227 | 196 |
| 11 | 198 | 565 | 642 | 290 | 1290 | 400 | 782 | 563 | 344 | 305 | 606 | 189 |
| 12 | 201 | 486 | 1450 | 286 | 759 | 375 | 739 | 556 | 337 | 294 | 318 | 183 |
| 13 | 411 | 407 | 960 | 287 | 1270 | 418 | 746 | 523 | 346 | 288 | 282 | 181 |
| 14 | 256 | 377 | 801 | 281 | 2180 | 427 | 734 | 517 | 398 | 275 | 267 | 325 |
| 15 | 222 | 396 | 749 | 276 | 1290 | 622 | 775 | 503 | 333 | 265 | 257 | 223 |
| 16 | 212 | 412 | 591 | 250 | 987 | 2850 | 839 | 490 | 325 | 270 | 251 | 225 |
| 17 | 210 | 460 | 531 | 240 | 736 | 1430 | 1330 | 478 | 322 | 260 | 247 | 245 |
| 18 | 255 | 437 | 500 | 230 | 667 | 1000 | 1050 | 471 | 330 | 253 | 280 | 227 |
| 19 | 232 | 416 | 474 | 210 | 634 | 793 | 933 | 429 | 352 | 246 | 247 | 202 |
| 20 | 321 | 423 | 442 | 200 | 593 | 1050 | 920 | 517 | 374 | 244 | 236 | 197 |
| 21 | 303 | 419 | 410 | 190 | 558 | 2250 | 749 | 1040 | 400 | 245 | 230 | 195 |
| 22 | 358 | 407 | 460 | 180 | 528 | 1530 | 932 | 788 | 350 | 240 | 251 | 192 |
| 23 | 412 | 711 | 380 | 210 | 491 | 1150 | 1400 | 1050 | 364 | 239 | 240 | 208 |
| 24 | 343 | 958 | 320 | 700 | 422 | 1060 | 1330 | 778 | 650 | 235 | 230 | 247 |
| 25 | 322 | 625 | 280 | 750 | 436 | 1200 | 1040 | 631 | 465 | 240 | 219 | 316 |
| 26 | 312 | 527 | 300 | 620 | 418 | 1420 | 882 | 603 | 401 | 254 | 204 | 406 |
| 27 | 287 | 528 | 350 | 660 | 413 | 1180 | 794 | 554 | 386 | 260 | 203 | 300 |
| 28 | 219 | 1350 | 387 | 430 | 409 | 1070 | 732 | 683 | 368 | 239 | 203 | 293 |
| 29 | 206 | 899 | 360 | 380 | 374 | 1180 | 586 | 743 | 354 | 231 | 200 | 286 |
| 30 | 200 | 636 | 324 | 340 | --- | 924 | 592 | 613 | 343 | 229 | 197 | 269 |
| 31 | 201 | --- | 333 | 310 | --- | 774 | --- | 569 | --- | 227 | 192 | --- |
| TOTAL | 7792 | 14373 | 18094 | 10509 | 20948 | 27501 | 29596 | 19294 | 11640 | 9165 | 7910 | 6804 |
| MEAN | 251 | 479 | 584 | 339 | 722 | 887 | 990 | 622 | 388 | 296 | 255 | 227 |
| MAX | 412 | 1350 | 1450 | 750 | 2180 | 2850 | 2600 | 1050 | 650 | 508 | 606 | 406 |
| MIN | 193 | 207 | 280 | 180 | 280 | 345 | 590 | 429 | 322 | 227 | 192 | 181 |
| CFS4 | .51 | .98 | 1.19 | .69 | 1.47 | 1.81 | 2.02 | 1.27 | .79 | .60 | .52 | .46 |
| IN. | .59 | 1.09 | 1.37 | .80 | 1.59 | 2.09 | 2.25 | 1.46 | .88 | .70 | .60 | .52 |

CAL YR 1983 TOTAL 150697 MEAN 413 MAX 3440 MIN 181 CFS4 .84 IN 11.44
WTR YR 1984 TOTAL 183726 MEAN 502 MAX 2850 MIN 180 CFS4 1.02 IN 13.95

03270000 MAD RIVER NEAR DAYTON, OH

LOCATION.--Lat 39°47'50". long 84°05'19", in SW 1/4 sec. 7, R. 8, T.2, Green County, Hydrologic Unit 05080001, on left bank in retarding basin 300 ft upstream from Huffman Dam, 2.3 mi downstream from Mud Run, 6.2 mi northeast of Dayton and at mile 6.1. Water-quality sampling site was on left bank 900 ft downstream.

DRAINAGE AREA.--635 mi².

PERIOD OF RECORD.--October 1914 to current year. Monthly discharge only for some periods, published in WSP 1305.

REVISED RECORDS.--WSP 453: 1915. WSP 743: 1929-32. WSP 1305: 1916(M), 1925(M) 1930-32(M). drainage area. WRD-OH-82-1: 1980.

GAGE.--Water-stage recorder. Datum of gage is 777.06 ft National Geodetic Vertical Datum of 1929. Jan. 21, 1959 to Dec. 14, 1967, at site 900 ft downstream, at datum 77.01 ft lower. See WSP 1725 for history of changes prior to Jan. 21, 1959. Water-quality data collected at this site 1947-1948, 1962-1963, 1966-1980.

REMARKS.--Records good. Flood flows affected by backwater from Huffman retarding dam beginning in 1921, some regulation by C.J. Brown Reservoir 26 mi upstream on Buck Creek since 1972. Also see REMARKS for station 03269500.

COOPERATION.--Gage-height tapes and 7 discharge measurements furnished by Miami Conservancy District.

AVERAGE DISCHARGE.--70 years, 630 ft³/s, 13.48 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 21,200 ft³/s Jan. 22, 1959 (based on Huffman retarding basin outflow records); maximum gage height, 87.9 ft Feb. 26, 1929 at site and datum then in use; minimum daily discharge, 94 ft³/s Aug. 6, 1934, but may have been less during period 1921-24.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of March 25, 1913 reached a stage of 14.0 ft, original site and datum, discharge 75,700 ft³/s, computed by Miami Conservancy District.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 4,300 ft³/s Mar. 16, Apr. 5, gage height, 9.92 ft; minimum daily, 212 ft³/s Oct. 3.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|
| 1 | 220 | 247 | 713 | 430 | 417 | 498 | 979 | 834 | 709 | 438 | 275 | 231 |
| 2 | 220 | 298 | 660 | 420 | 446 | 499 | 903 | 780 | 670 | 437 | 272 | 227 |
| 3 | 212 | 412 | 655 | 420 | 2030 | 484 | 912 | 854 | 585 | 431 | 272 | 266 |
| 4 | 220 | 370 | 995 | 412 | 1570 | 472 | 1190 | 977 | 542 | 530 | 302 | 257 |
| 5 | 365 | 342 | 1150 | 403 | 902 | 601 | 3580 | 841 | 526 | 553 | 385 | 232 |
| 6 | 272 | 329 | 1170 | 403 | 640 | 872 | 2970 | 826 | 514 | 705 | 316 | 224 |
| 7 | 239 | 320 | 1200 | 407 | 551 | 752 | 1900 | 781 | 510 | 601 | 329 | 223 |
| 8 | 231 | 316 | 917 | 393 | 507 | 682 | 1480 | 808 | 500 | 503 | 422 | 222 |
| 9 | 220 | 311 | 791 | 388 | 504 | 589 | 1290 | 822 | 483 | 461 | 287 | 220 |
| 10 | 223 | 333 | 742 | 403 | 529 | 567 | 1170 | 772 | 474 | 428 | 272 | 236 |
| 11 | 235 | 593 | 791 | 379 | 1420 | 553 | 1070 | 729 | 463 | 404 | 616 | 233 |
| 12 | 223 | 570 | 1680 | 384 | 979 | 519 | 1000 | 716 | 453 | 390 | 440 | 224 |
| 13 | 533 | 480 | 1270 | 374 | 1160 | 559 | 998 | 682 | 461 | 381 | 344 | 219 |
| 14 | 361 | 431 | 1030 | 365 | 3000 | 601 | 963 | 666 | 532 | 370 | 319 | 377 |
| 15 | 285 | 431 | 933 | 361 | 1690 | 853 | 1010 | 647 | 458 | 355 | 302 | 303 |
| 16 | 264 | 465 | 781 | 361 | 1310 | 3340 | 1130 | 631 | 443 | 352 | 289 | 263 |
| 17 | 251 | 485 | 679 | 361 | 983 | 2280 | 1590 | 620 | 437 | 352 | 285 | 286 |
| 18 | 281 | 490 | 626 | 350 | 870 | 1450 | 1370 | 615 | 456 | 338 | 308 | 289 |
| 19 | 302 | 470 | 593 | 320 | 812 | 1160 | 1220 | 600 | 463 | 330 | 302 | 257 |
| 20 | 361 | 460 | 570 | 300 | 754 | 1270 | 1080 | 580 | 459 | 323 | 284 | 246 |
| 21 | 455 | 475 | 528 | 280 | 700 | 3150 | 993 | 1170 | 522 | 327 | 277 | 238 |
| 22 | 388 | 455 | 603 | 310 | 655 | 2380 | 1140 | 1060 | 473 | 320 | 277 | 234 |
| 23 | 505 | 752 | 500 | 380 | 626 | 1660 | 1710 | 1200 | 554 | 314 | 303 | 254 |
| 24 | 441 | 1180 | 430 | 700 | 556 | 1470 | 1780 | 1100 | 888 | 309 | 278 | 290 |
| 25 | 398 | 806 | 400 | 1200 | 577 | 1430 | 1390 | 876 | 724 | 312 | 268 | 361 |
| 26 | 370 | 664 | 400 | 820 | 555 | 2280 | 1180 | 823 | 549 | 323 | 254 | 524 |
| 27 | 365 | 621 | 440 | 912 | 542 | 1620 | 1060 | 738 | 513 | 348 | 247 | 384 |
| 28 | 289 | 1530 | 480 | 579 | 543 | 1400 | 974 | 883 | 490 | 313 | 247 | 356 |
| 29 | 268 | 1250 | 440 | 519 | 502 | 1610 | 907 | 1060 | 466 | 299 | 244 | 358 |
| 30 | 256 | 856 | 420 | 495 | --- | 1280 | 904 | 851 | 452 | 285 | 240 | 354 |
| 31 | 251 | --- | 440 | 465 | --- | 1080 | --- | 763 | --- | 279 | 233 | --- |
| TOTAL | 9504 | 16742 | 23027 | 14294 | 26330 | 37961 | 39843 | 25305 | 15769 | 12111 | 9489 | 8398 |
| MEAN | 307 | 558 | 743 | 461 | 908 | 1225 | 1328 | 816 | 526 | 391 | 306 | 280 |
| MAX | 533 | 1530 | 1680 | 1200 | 3000 | 3340 | 3580 | 1200 | 888 | 705 | 616 | 524 |
| MIN | 212 | 247 | 400 | 280 | 417 | 472 | 903 | 580 | 437 | 279 | 233 | 219 |
| CFSM | .48 | .88 | 1.17 | .73 | 1.43 | 1.93 | 2.09 | 1.29 | .83 | .62 | .48 | .44 |
| IN. | .56 | .98 | 1.35 | .84 | 1.54 | 2.22 | 2.33 | 1.48 | .92 | .71 | .56 | .49 |

CAL YR 1983 TOTAL 192411 MEAN 527 MAX 4480 MIN 200 CFSM .83 IN 11.27
WTR YR 1984 TOTAL 238773 MEAN 652 MAX 3580 MIN 212 CFSM 1.03 IN 13.99

GREAT MIAMI RIVER BASIN

03270500 GREAT MIAMI RIVER AT DAYTON, OH

LOCATION.--Lat 39°45'55", long 84°11'51", in sec. 10, R.7, T.1, Montgomery County, Hydrologic Unit 05080002, on left bank 1,000 ft downstream from Main Street Bridge in Dayton, 0.7 mi upstream from Wolf Creek, 0.8 mi downstream from Mad River, and at mile 80.0.

DRAINAGE AREA.--2,511 mi².

PERIOD OF RECORD.--April to September 1905, January to September 1906, January 1907 to December 1909 (gage heights only), April 1913 to current year. Monthly discharge only for October 1919 to September 1921, published in WSP 1305. Gage-height records collected at Main Street Bridge since January 1892 are contained in reports of National Weather Service. Prior to October 1962, published as Miami River at Dayton.

REVISED RECORDS.--WSP 1385: 1917. WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 700.00 ft National Geodetic Vertical Datum adjustment of 1912 as requested by cooperator (699.71 ft adjustment of 1929). Prior to Oct. 1, 1921, nonrecording gage at Main Street Bridge at datum 23.73 ft higher. Oct. 1, 1921, to July 24, 1931, nonrecording gage at Main Street Bridge at datum 21.00 ft higher.

REMARKS.--Records good except those for the winter period and those below 550 ft³/s, which are fair. Flood flow regulated by four retarding basins upstream from station beginning in 1920 on Mad River 6.5 mi upstream, on Stillwater River 10.5 mi upstream, on Great Miami River 11.5 mi upstream, and on Loramie Creek 40 mi upstream. Also see REMARKS for stations 03261500, 03261950 and 03269500. Water is diverted 6 mi upstream from station for use in Dayton; most of return flow from diversions bypasses station in Dayton sewer systems. Sediment data collected at this site 1951 to 1953.

COOPERATION.--Gage-height charts, tapes, and 7 discharge measurements furnished by Miami Conservancy District.

AVERAGE DISCHARGE.--55 years (1929-84). 2,160 ft³/s.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 60,900 ft³/s Jan. 22, 1959, gage height, 35.45 ft in gage well, from graph based on gage readings; 36.0 ft, from outside floodmarks; minimum daily, 109 ft³/s Aug. 8, 1934.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of Mar. 26, 1913 reached a stage of 29.0 ft, site and datum then in use, discharge, 250,000 ft³/s, computed by Miami Conservancy District.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 17,000 ft³/s Mar. 21, gage height 29.72 ft; minimum daily, 225 ft³/s Oct. 2.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|--------|-------|--------|--------|--------|-------|-------|-------|-------|-------|
| 1 | 237 | 651 | 4130 | 1300 | 1090 | 1910 | 3860 | 2920 | 1880 | 841 | 469 | 334 |
| 2 | 225 | 715 | 3160 | 1300 | 1110 | 1790 | 3340 | 2640 | 1730 | 859 | 485 | 329 |
| 3 | 229 | 904 | 2610 | 1300 | 4130 | 1690 | 3210 | 2730 | 1530 | 875 | 467 | 528 |
| 4 | 292 | 972 | 3460 | 1200 | 8580 | 1580 | 3880 | 2950 | 1410 | 1200 | 499 | 486 |
| 5 | 577 | 1330 | 7640 | 1200 | 5080 | 1930 | 10000 | 2700 | 1360 | 1420 | 791 | 406 |
| 6 | 530 | 1130 | 8210 | 1100 | 2980 | 2930 | 14800 | 2560 | 1260 | 2120 | 590 | 443 |
| 7 | 448 | 954 | 9150 | 1100 | 1900 | 3340 | 13200 | 2360 | 1210 | 2310 | 664 | 416 |
| 8 | 456 | 854 | 6560 | 1000 | 1620 | 3060 | 9490 | 2360 | 1150 | 1720 | 1600 | 380 |
| 9 | 387 | 779 | 4680 | 1000 | 1520 | 2410 | 5960 | 2390 | 1110 | 1310 | 919 | 358 |
| 10 | 361 | 797 | 3780 | 920 | 1510 | 2130 | 4560 | 2300 | 1040 | 1060 | 839 | 393 |
| 11 | 358 | 1240 | 3670 | 860 | 3240 | 2130 | 3750 | 2120 | 1010 | 913 | 1250 | 401 |
| 12 | 390 | 2520 | 9340 | 820 | 5120 | 1800 | 3280 | 2050 | 935 | 805 | 1200 | 365 |
| 13 | 1440 | 2750 | 9700 | 780 | 5200 | 1820 | 3100 | 2070 | 913 | 746 | 916 | 347 |
| 14 | 1060 | 2020 | 6670 | 760 | 9840 | 1920 | 2950 | 2060 | 1180 | 712 | 810 | 708 |
| 15 | 1060 | 1670 | 5310 | 740 | 7780 | 2600 | 3070 | 1960 | 1030 | 658 | 673 | 558 |
| 16 | 824 | 3190 | 4200 | 720 | 5790 | 10700 | 4130 | 1870 | 887 | 647 | 596 | 416 |
| 17 | 652 | 5020 | 3210 | 700 | 4650 | 16600 | 7920 | 1720 | 818 | 623 | 553 | 422 |
| 18 | 657 | 3980 | 2600 | 680 | 3940 | 15000 | 8580 | 1680 | 955 | 573 | 553 | 414 |
| 19 | 671 | 3060 | 2100 | 640 | 3530 | 11200 | 7130 | 1560 | 929 | 567 | 535 | 389 |
| 20 | 944 | 2520 | 1880 | 620 | 3310 | 8090 | 5790 | 1490 | 1010 | 558 | 499 | 360 |
| 21 | 1230 | 2600 | 1960 | 600 | 2850 | 15000 | 4750 | 4210 | 1040 | 534 | 468 | 323 |
| 22 | 1260 | 2840 | 2140 | 600 | 2500 | 15900 | 5110 | 5410 | 918 | 496 | 457 | 313 |
| 23 | 3740 | 3380 | 1880 | 780 | 2200 | 13200 | 13900 | 5020 | 1140 | 484 | 504 | 353 |
| 24 | 4030 | 7940 | 1130 | 1300 | 1980 | 9490 | 15900 | 6400 | 2450 | 489 | 459 | 488 |
| 25 | 2630 | 6600 | 1030 | 2200 | 2050 | 7590 | 14400 | 4050 | 2650 | 521 | 447 | 516 |
| 26 | 1760 | 4510 | 1300 | 2520 | 2240 | 11400 | 10200 | 3080 | 1950 | 589 | 428 | 875 |
| 27 | 1350 | 3380 | 1500 | 3190 | 2570 | 10400 | 6440 | 2450 | 1450 | 590 | 413 | 594 |
| 28 | 1020 | 6150 | 1600 | 2770 | 2570 | 8090 | 4980 | 2450 | 1180 | 525 | 409 | 544 |
| 29 | 851 | 9450 | 1500 | 1990 | 2150 | 8340 | 3970 | 2640 | 983 | 493 | 398 | 538 |
| 30 | 719 | 6360 | 1400 | 1580 | --- | 6650 | 3430 | 2490 | 902 | 484 | 380 | 505 |
| 31 | 680 | --- | 1300 | 1260 | --- | 4900 | --- | 2140 | --- | 491 | 359 | --- |
| TOTAL | 31068 | 90266 | 118800 | 37530 | 103030 | 205590 | 205180 | 84830 | 38010 | 26223 | 19630 | 13502 |
| MEAN | 1002 | 3009 | 3832 | 1211 | 3553 | 6632 | 6839 | 2736 | 1267 | 846 | 633 | 450 |
| MAX | 4030 | 9450 | 9700 | 3190 | 9840 | 16600 | 15900 | 6400 | 2650 | 2310 | 1600 | 875 |
| MIN | 225 | 651 | 1030 | 600 | 1090 | 1580 | 2950 | 1490 | 818 | 484 | 359 | 313 |

CAL YR 1983 TOTAL 730953 MEAN 2003 MAX 20000 MIN 213
WTR YR 1984 TOTAL 973659 MEAN 2660 MAX 16600 MIN 225

03270800 WOLF CREEK AT TROTWOOD, OH

LOCATION.--Lat 39°47'39", long 84°18'36", Montgomery County, Hydrologic Unit 05080002, on right bank 350 ft downstream from Union Road Bridge, 700 ft downstream from unnamed right bank tributary, 0.2 mi south of Trotwood, and 0.3 mi upstream from North Branch.

DRAINAGE AREA.--22.7 mi².

PERIOD OF RECORD.--October 1962 to current year.

GAGE.--Water-stage recorder. Datum of gage is 826.28 ft National Geodetic Vertical Datum of 1929.

REMARKS.--Records fair except those for winter periods and those for periods of no gage-height record; Oct. 1-6, Mar. 16 to Apr. 6, and June 20 to July 25, which are poor.

COOPERATION.--Gage-height tapes and 8 discharge measurements furnished by Miami Conservancy District.

AVERAGE DISCHARGE.--22 years, 22.6 ft³/s, 13.52 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 2,970 ft³/s May 24, 1968, gage height, 6.47 ft, from rating curve extended above 1,000 ft³/s; no flow all or part of each day Sept. 8-17, Oct. 3, 1964, Sept. 16-19, 1967.

EXTREMES OUTSIDE PERIOD OF RECORD.--Maximum discharge during flood in January 1959, about 3,900 ft³/s gage height, 8.0 ft, computed by Miami Conservancy District on basis of estimate of peak flow based on contracted-opening measurement at site 1.1 mi downstream with drainage area of 48.2 mi, adjusted to gage site by 0.8 power of the drainage-area ratio. Flood in March 1913 reached a stage of 9.4 ft, computed by Miami Conservancy District.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 700 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---|------|-----------------------------------|---------------------|---------------------|------|-----------------------------------|---------------------|
| Mar. 16 | ---- | * 690 | ---- | No peak above base. | | | |
| minimum recorded discharge 0.23 ft ³ /s Sept. 18, 20, 21 but may have been less during period of no gage-height record Oct. 1-7. | | | | | | | |

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|--------|---------|-----------|---------|---------|-----------|----------|-------|-------|--------|-------|-------|
| 1 | .36 | 2.4 | 16 | 6.6 | 5.8 | 15 | 18 | 14 | 8.7 | 2.3 | 1.1 | .32 |
| 2 | .36 | 3.4 | 14 | 6.4 | 5.6 | 13 | 14 | 13 | 8.1 | 2.1 | 1.3 | .43 |
| 3 | .36 | 8.3 | 13 | 6.2 | 121 | 12 | 17 | 31 | 7.1 | 3.0 | 1.8 | 4.8 |
| 4 | .45 | 8.4 | 125 | 6.0 | 31 | 11 | 60 | 35 | 6.1 | 5.0 | 2.0 | 2.3 |
| 5 | .60 | 7.1 | 75 | 5.8 | 15 | 62 | 220 | 26 | 5.5 | 21 | 2.4 | 1.1 |
| 6 | 2.2 | 5.6 | 64 | 5.6 | 11 | 74 | 180 | 41 | 5.1 | 24 | 3.4 | .72 |
| 7 | 1.5 | 4.6 | 37 | 5.4 | 10 | 47 | 74 | 34 | 4.5 | 14 | 2.0 | .43 |
| 8 | 1.1 | 4.1 | 26 | 5.2 | 8.4 | 35 | 44 | 41 | 4.1 | 10 | 2.0 | .43 |
| 9 | 1.2 | 3.6 | 20 | 5.0 | 7.4 | 23 | 32 | 34 | 3.6 | 7.8 | 1.4 | .56 |
| 10 | 1.5 | 4.9 | 19 | 4.8 | 9.0 | 20 | 24 | 25 | 3.2 | 6.2 | 1.4 | 1.1 |
| 11 | 2.2 | 24 | 108 | 4.7 | 20 | 16 | 19 | 21 | 3.0 | 5.4 | 1.6 | .72 |
| 12 | 4.5 | 15 | 138 | 4.6 | 27 | 14 | 16 | 19 | 2.8 | 4.6 | 1.1 | .43 |
| 13 | 29 | 9.6 | 57 | 4.5 | 100 | 23 | 16 | 14 | 4.7 | 4.0 | .90 | .43 |
| 14 | 5.2 | 8.0 | 42 | 4.3 | 92 | 68 | 21 | 13 | 9.1 | 3.5 | .90 | 2.0 |
| 15 | 2.1 | 11 | 36 | 4.1 | 46 | 210 | 32 | 11 | 4.2 | 3.1 | .72 | 1.6 |
| 16 | 1.3 | 24 | 23 | 3.9 | 35 | 330 | 131 | 10 | 3.3 | 2.8 | .72 | .56 |
| 17 | 1.1 | 14 | 15 | 3.7 | 29 | 290 | 179 | 9.6 | 3.0 | 2.6 | .72 | .43 |
| 18 | 2.6 | 11 | 13 | 3.5 | 24 | 110 | 72 | 9.2 | 2.9 | 2.4 | 1.1 | .32 |
| 19 | 3.4 | 10 | 12 | 3.3 | 26 | 85 | 46 | 8.7 | 6.0 | 2.5 | 1.1 | .32 |
| 20 | 10 | 17 | 11 | 3.1 | 19 | 270 | 34 | 13 | 7.8 | 2.3 | .56 | .32 |
| 21 | 19 | 23 | 10 | 2.9 | 15 | 150 | 27 | 42 | 7.2 | 2.1 | .56 | .32 |
| 22 | 13 | 14 | 11 | 2.7 | 13 | 90 | 134 | 21 | 5.4 | 2.1 | .90 | .43 |
| 23 | 28 | 138 | 9.8 | 5.0 | 12 | 68 | 183 | 38 | 7.4 | 2.1 | 2.3 | 1.4 |
| 24 | 14 | 80 | 8.8 | 60 | 12 | 54 | 119 | 20 | 8.0 | 2.2 | .90 | 3.1 |
| 25 | 9.5 | 32 | 8.2 | 50 | 48 | 130 | 57 | 14 | 6.0 | 2.5 | .72 | 3.1 |
| 26 | 6.8 | 19 | 9.4 | 58 | 40 | 90 | 39 | 12 | 4.8 | 2.9 | .56 | 8.7 |
| 27 | 5.2 | 17 | 8.6 | 36 | 29 | 60 | 28 | 9.5 | 4.0 | 3.7 | .43 | 1.4 |
| 28 | 3.6 | 159 | 8.2 | 13 | 22 | 56 | 22 | 16 | 3.4 | 1.7 | .72 | .56 |
| 29 | 3.2 | 47 | 7.6 | 9.5 | 17 | 110 | 18 | 14 | 2.9 | 1.2 | 1.1 | .43 |
| 30 | 2.8 | 24 | 7.2 | 7.4 | --- | 50 | 21 | 11 | 2.5 | .94 | .72 | .32 |
| 31 | 2.6 | --- | 6.8 | 6.4 | --- | 20 | --- | 9.6 | --- | 1.0 | .43 | --- |
| TOTAL | 178.73 | 749.0 | 959.6 | 347.6 | 850.2 | 2606 | 1897 | 629.6 | 154.4 | 151.04 | 37.56 | 39.08 |
| MEAN | 5.77 | 25.0 | 31.0 | 11.2 | 29.3 | 84.1 | 63.2 | 20.3 | 5.15 | 4.87 | 1.21 | 1.30 |
| MAX | 29 | 159 | 138 | 60 | 121 | 330 | 220 | 42 | 9.1 | 24 | 3.4 | 8.7 |
| MIN | .36 | 2.4 | 6.8 | 2.7 | 5.6 | 11 | 14 | 8.7 | 2.5 | .94 | .43 | .32 |
| CFSM | .25 | 1.10 | 1.37 | .49 | 1.29 | 3.71 | 2.78 | .89 | .23 | .22 | .05 | .06 |
| IN. | .29 | 1.23 | 1.57 | .57 | 1.39 | 4.27 | 3.11 | 1.03 | .25 | .25 | .06 | .06 |
| CAL YR 1983 | TOTAL | 7640.39 | MEAN 20.9 | MAX 482 | MIN .20 | CFSM .92 | IN 12.52 | | | | | |
| WTR YR 1984 | TOTAL | 8599.81 | MEAN 23.5 | MAX 330 | MIN .32 | CFSM 1.04 | IN 14.09 | | | | | |

GREAT MIAMI RIVER BASIN

03271500 GREAT MIAMI RIVER AT MIAMISBURG, OH

LOCATION.--Lat 39°38'40", long 84°17'23", in sec. 31, R.6, T.1, Montgomery County, Hydrologic Unit 05080002, on left bank 600 ft downstream from bridge on State Highway 725 at Miamisburg, 0.3 mi downstream from Bear Creek, 3.2 mi upstream from Crains Run, and at mile 66.4.

DRAINAGE AREA.--2,711 mi².

PERIOD OF RECORD.--March 1916 to September 1920 (published as Miami River at Franklin 1916-17), August 1924 to September 1935 (published as Miami River near Miamisburg), October 1952 to current year (published as Miami River at Miamisburg 1952-62). Monthly discharge only for some periods, published in WSP 1305.

REVISED RECORDS.--WSP 743: 1929(M). WSP 1385: 1926. WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 678.60 ft National Geodetic Vertical Datum of 1929. Mar. 16, 1916 to Sept. 30, 1920, nonrecording gage at site 6.7 mi downstream at different datum. Aug. 29 to Sept. 16, 1924, nonrecording gage, and Sept. 17, 1924 to Sept. 30, 1935, water-stage recorder, at site 2.2 mi downstream at datum 677.06 ft National Geodetic Vertical Datum.

REMARKS.--Records fair. Diurnal fluctuation caused by powerplant 0.4 mi upstream from station. Flood flow regulated by retarding dams beginning in 1920 on Mad River 19 mi upstream, on Stillwater River 23 mi upstream, on Great Miami River 23 mi upstream and on Loramie Creek 52 mi upstream. Also see REMARKS for stations 03261500 and 03269500.

COOPERATION.--Gage-height charts, tapes, and 7 discharge measurements furnished by Miami Conservancy District.

AVERAGE DISCHARGE.--47 years, 2,433 ft³/s, 12.19 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 61,800 ft³/s Jan. 21, 22, 1959, gage height, 20.65 ft in gage well, from graph based on gage readings; 21.3 ft, from outside floodmarks; minimum daily, 148 ft³/s Sept. 7, 1925.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of March 26, 1913 reached a discharge of 257,000 ft³/s, computed by Miami Conservancy District.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 18,400 ft³/s Mar. 22, gage height, 10.70 ft; minimum daily, 404 ft³/s Oct. 2.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|-------|--------|-------|--------|--------|--------|-------|-------|-------|-------|-------|
| 1 | 419 | 752 | 4570 | 1400 | 1210 | 2220 | 4150 | 3260 | 2120 | 925 | 532 | 423 |
| 2 | 404 | 829 | 3540 | 1400 | 1270 | 2080 | 3630 | 2910 | 1930 | 937 | 558 | 413 |
| 3 | 430 | 1140 | 2990 | 1400 | 3930 | 1990 | 3600 | 3160 | 1750 | 1010 | 550 | 668 |
| 4 | 486 | 969 | 4020 | 1300 | 8460 | 1860 | 4270 | 3510 | 1600 | 1500 | 694 | 700 |
| 5 | 749 | 1390 | 7560 | 1300 | 5320 | 2500 | 11800 | 3020 | 1560 | 1980 | 830 | 522 |
| 6 | 704 | 1260 | 8380 | 1300 | 3240 | 3450 | 16100 | 3050 | 1460 | 2140 | 647 | 546 |
| 7 | 569 | 1070 | 9260 | 1300 | 2080 | 3740 | 14400 | 2750 | 1350 | 2490 | 715 | 515 |
| 8 | 568 | 963 | 6930 | 1200 | 1740 | 3480 | 10300 | 2760 | 1300 | 1870 | 1730 | 492 |
| 9 | 500 | 892 | 4980 | 1100 | 1650 | 2890 | 6630 | 2740 | 1250 | 1490 | 1080 | 462 |
| 10 | 478 | 846 | 4030 | 1000 | 1620 | 2500 | 5010 | 2590 | 1180 | 1130 | 899 | 494 |
| 11 | 493 | 1500 | 3990 | 900 | 2960 | 2450 | 4120 | 2340 | 1080 | 960 | 1310 | 490 |
| 12 | 494 | 2180 | 9110 | 850 | 4990 | 2170 | 3600 | 2250 | 1070 | 902 | 1370 | 471 |
| 13 | 1950 | 2780 | 10200 | 800 | 5520 | 2330 | 3400 | 2160 | 1050 | 845 | 1010 | 413 |
| 14 | 1240 | 2170 | 7150 | 780 | 9610 | 2590 | 3270 | 2160 | 1440 | 787 | 858 | 878 |
| 15 | 1050 | 1840 | 5680 | 760 | 8050 | 3450 | 3370 | 2000 | 1230 | 739 | 733 | 795 |
| 16 | 875 | 2590 | 4530 | 740 | 5940 | 10700 | 4520 | 1940 | 1040 | 723 | 629 | 524 |
| 17 | 709 | 4720 | 3470 | 740 | 4880 | 16900 | 8310 | 1760 | 962 | 701 | 597 | 508 |
| 18 | 806 | 3910 | 2850 | 720 | 4150 | 15700 | 9130 | 1690 | 916 | 665 | 680 | 523 |
| 19 | 781 | 3130 | 2380 | 720 | 3710 | 11800 | 7570 | 1630 | 1170 | 649 | 516 | 501 |
| 20 | 1190 | 2650 | 2030 | 700 | 3500 | 9040 | 6180 | 1520 | 1170 | 650 | 566 | 471 |
| 21 | 1740 | 2610 | 2130 | 700 | 3090 | 15900 | 5120 | 3670 | 1600 | 656 | 509 | 454 |
| 22 | 1350 | 2870 | 2410 | 680 | 2710 | 17600 | 5240 | 5510 | 1120 | 608 | 532 | 438 |
| 23 | 3190 | 4050 | 2150 | 800 | 2410 | 14300 | 13600 | 5010 | 1120 | 542 | 600 | 492 |
| 24 | 3820 | 7200 | 1800 | 1600 | 2180 | 10000 | 16900 | 6400 | 2430 | 554 | 541 | 685 |
| 25 | 2670 | 6640 | 1400 | 2740 | 2390 | 8030 | 15500 | 4350 | 2840 | 625 | 516 | 770 |
| 26 | 1890 | 4570 | 1400 | 2600 | 2420 | 11200 | 11200 | 3350 | 2180 | 769 | 498 | 1100 |
| 27 | 1440 | 3460 | 1600 | 3270 | 2760 | 10800 | 7070 | 2660 | 1650 | 856 | 539 | 735 |
| 28 | 1180 | 6320 | 1900 | 2900 | 2810 | 8440 | 5400 | 2790 | 1350 | 641 | 495 | 599 |
| 29 | 960 | 9940 | 2100 | 2180 | 2460 | 8580 | 4370 | 2930 | 1100 | 589 | 443 | 622 |
| 30 | 819 | 6800 | 1700 | 1710 | --- | 7100 | 3860 | 2740 | 996 | 582 | 444 | 593 |
| 31 | 738 | --- | 1500 | 1400 | --- | 5310 | --- | 2370 | --- | 578 | 445 | --- |
| TOTAL | 34692 | 92041 | 127740 | 40990 | 107060 | 221100 | 221620 | 90980 | 43014 | 30083 | 22166 | 17297 |
| MEAN | 1119 | 3068 | 4121 | 1322 | 3692 | 7132 | 7387 | 2935 | 1434 | 970 | 715 | 577 |
| MAX | 3820 | 9940 | 10200 | 3270 | 9610 | 17600 | 16900 | 6400 | 2840 | 2490 | 1730 | 1100 |
| MIN | 404 | 752 | 1400 | 680 | 1210 | 1860 | 3270 | 1520 | 916 | 542 | 443 | 413 |
| CFSM | .41 | 1.13 | 1.52 | .49 | 1.36 | 2.63 | 2.73 | 1.08 | .53 | .36 | .26 | .21 |
| IN. | .48 | 1.26 | 1.75 | .56 | 1.47 | 3.03 | 3.04 | 1.25 | .59 | .41 | .30 | .24 |

CAL YR 1983 TOTAL 809369 MEAN 2217 MAX 22800 MIN 346 CFSM .82 IN 11.11
WTR YR 1984 TOTAL 1048783 MEAN 2866 MAX 17600 MIN 404 CFSM 1.06 IN 14.39

03271510 GREAT MIAMI RIVER NEAR LINDEN AVENUE AT MIAMISBURG, OH

LOCATION.--Lat 39°38'14", long 84°17'33", Montgomery County, Hydrologic Unit 05080002, on left bank at Miamisburg, 1.0 mi downstream from Bear Creek, 0.6 mi downstream from discharge station at Miamisburg, 0.65 mi downstream from discharge station at Miamisburg, and at mile 65.75.

DRAINAGE AREA.--2,713 mi².

PERIOD OF RECORD.--June 1978 to current year.

PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: June 1978 to current year.

pH: June 1978 to current year.

WATER TEMPERATURES: June 1978 to current year.

DISSOLVED OXYGEN: June 1978 to current year.

INSTRUMENTATION.--Water-quality monitor.

REMARKS.--Interruptions in the water-quality record were due to malfunction of the instrument. Prior to June 1978, records published as 03271600, Great Miami River near Miamisburg, Ohio. See records of discharge for gaging station at Miamisburg (station 03271500).

EXTREMES FOR PERIOD OF DAILY RECORD.--

SPECIFIC CONDUCTANCE: Maximum, 1,340 micromhos Jan. 23, 1984; minimum 206 micromhos Feb. 18, 1982.

pH: Maximum, 9.1 units July 7, 1979, July 13-15, 23, 1983; minimum, 7.0 units July 30, Aug. 30, 1979.

WATER TEMPERATURES: Maximum, 33.0°C July 20, 22, 1978; minimum, 0.0°C on several days during winter periods 1979, 1980, 1982, 1984.

DISSOLVED OXYGEN: Maximum, >20.0 mg/L July 12, 1978, Aug. 15, 16, 1982; minimum, 0.4 mg/L Aug. 27, 1981, Aug. 2, 1982.

EXTREMES FOR CURRENT YEAR.--

SPECIFIC CONDUCTANCE: Maximum 1,340 micromhos Jan. 23; minimum, 362 micromhos Apr. 24.

pH: Maximum, 8.9 units June 17, July 1, 2, 3; minimum, 7.2 units Oct. 28.

WATER TEMPERATURES: Maximum, 28.0°C July 14; minimum, 0.0°C on several days during winter period.

DISSOLVED OXYGEN: Maximum 16.4 mg/L June 15; minimum, 0.7 mg/L Sept. 9.

GREAT MIAMI RIVER BASIN

03271510 GREAT MIAMI RIVER NEAR LINDEN AVENUE AT MIAMISBURG, OH.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|-----|-----|----------|-----|-----|----------|------|-----|---------|------|-----|------|
| OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | | |
| 1 | 930 | 896 | 915 | 844 | 816 | 836 | 584 | 534 | 558 | 1020 | 808 | 859 |
| 2 | 926 | 882 | 902 | 854 | 796 | 831 | 710 | 588 | 619 | 1070 | 844 | 772 |
| 3 | 918 | 874 | 892 | 796 | 684 | 734 | 752 | 656 | 696 | 934 | 870 | 905 |
| 4 | 908 | 848 | 886 | 760 | 738 | 750 | 658 | 636 | 649 | 868 | 844 | 854 |
| 5 | 880 | 728 | 810 | 794 | 764 | 774 | 632 | 538 | 592 | 856 | 816 | 834 |
| 6 | 726 | 674 | 698 | 804 | 778 | 791 | 536 | 518 | 525 | 816 | 790 | 804 |
| 7 | 806 | 700 | 761 | 822 | 802 | 810 | 528 | 494 | 506 | 816 | 786 | 797 |
| 8 | 820 | 780 | 797 | 830 | 790 | 811 | 546 | 494 | 521 | 810 | 780 | 792 |
| 9 | 840 | 784 | 813 | 828 | 798 | 816 | 598 | 544 | 570 | 814 | 782 | 793 |
| 10 | 858 | 812 | 828 | 836 | 694 | 803 | 630 | 600 | 613 | 856 | 794 | 817 |
| 11 | 886 | 838 | 862 | 784 | 674 | 713 | 642 | 620 | 633 | 904 | 844 | 874 |
| 12 | 884 | 762 | 861 | 722 | 654 | 694 | 618 | 494 | 578 | 858 | 824 | 840 |
| 13 | 736 | 420 | 540 | 720 | 648 | 679 | 494 | 474 | 482 | 856 | 822 | 839 |
| 14 | 620 | 456 | 552 | 670 | 638 | 650 | 558 | 496 | 524 | 848 | 830 | 838 |
| 15 | 642 | 598 | 611 | 690 | 674 | 680 | 598 | 556 | 575 | 860 | 814 | 832 |
| 16 | 706 | 652 | 687 | 686 | 668 | 678 | 626 | 596 | 610 | 848 | 822 | 834 |
| 17 | 754 | 708 | 742 | 674 | 580 | 611 | 656 | 626 | 637 | 892 | 848 | 872 |
| 18 | 770 | 732 | 750 | 594 | 568 | 577 | 674 | 654 | 660 | 898 | 836 | 861 |
| 19 | 730 | 704 | 716 | 620 | 592 | 601 | 710 | 672 | 685 | 954 | 862 | 917 |
| 20 | 754 | 544 | 660 | 644 | 616 | 625 | 730 | 708 | 719 | 918 | 888 | 906 |
| 21 | 634 | 502 | 538 | 672 | 634 | 651 | 792 | 722 | 742 | 934 | 898 | 913 |
| 22 | 662 | 670 | 677 | 684 | 670 | 677 | 822 | 752 | 783 | 960 | 892 | 923 |
| 23 | 648 | 592 | 622 | 688 | 490 | 596 | 768 | 744 | 754 | 1340 | 892 | 926 |
| 24 | 636 | 558 | 588 | 568 | 508 | 541 | 810 | 762 | 782 | 1320 | 986 | 1160 |
| 25 | 622 | 604 | 610 | 540 | 514 | 524 | 824 | 808 | 816 | 1190 | 760 | 929 |
| 26 | 664 | 624 | 641 | 584 | 542 | 559 | 820 | 806 | 814 | 750 | 670 | 706 |
| 27 | 702 | 662 | 676 | 612 | 554 | 589 | 810 | 802 | 806 | 752 | 620 | 682 |
| 28 | 742 | 704 | 719 | 580 | 530 | 551 | 1270 | 804 | 960 | 616 | 582 | 602 |
| 29 | 758 | 740 | 747 | 578 | 480 | 503 | 1280 | 872 | 1060 | 614 | 564 | 581 |
| 30 | 780 | 762 | 772 | 534 | 488 | 507 | 900 | 848 | 877 | 746 | 614 | 646 |
| 31 | 816 | 768 | 798 | --- | --- | --- | 874 | 826 | 841 | 782 | 692 | 733 |
| MONTH | 930 | 420 | 731 | 854 | 480 | 672 | 1280 | 474 | 683 | 1340 | 564 | 827 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| FEBRUARY | | | MARCH | | | APRIL | | | MAY | | | |
| 1 | 768 | 702 | 721 | 838 | 768 | 798 | --- | --- | --- | 674 | 644 | 657 |
| 2 | 794 | 758 | 772 | 852 | 794 | 818 | 684 | 656 | 671 | 694 | 668 | 679 |
| 3 | 812 | 554 | 734 | 850 | 792 | 819 | 684 | 650 | 673 | 696 | 616 | 658 |
| 4 | 524 | 388 | 427 | 792 | 778 | 784 | 678 | 656 | 665 | 668 | 616 | 649 |
| 5 | 454 | 388 | 414 | 820 | 762 | 795 | 634 | 464 | 507 | 700 | 668 | 684 |
| 6 | 516 | 448 | 473 | 796 | 726 | 764 | 470 | 410 | 437 | 696 | 664 | 676 |
| 7 | 598 | 518 | 552 | 720 | 700 | 706 | 446 | 408 | 420 | 714 | 684 | 700 |
| 8 | 652 | 594 | 618 | 724 | 680 | 703 | 532 | 448 | 490 | 712 | 690 | 700 |
| 9 | 678 | 650 | 657 | 752 | 700 | 722 | 596 | 536 | 565 | 708 | 696 | 702 |
| 10 | 682 | 670 | 674 | 804 | 728 | 755 | 636 | 596 | 611 | 722 | 698 | 708 |
| 11 | --- | --- | --- | 738 | 724 | 732 | 660 | 636 | 643 | 732 | 702 | 714 |
| 12 | --- | --- | --- | 750 | 714 | 726 | 680 | 658 | 668 | 722 | 698 | 710 |
| 13 | --- | --- | --- | 944 | 802 | 865 | 690 | 674 | 682 | 712 | 700 | 705 |
| 14 | 480 | 472 | 477 | 884 | 818 | 835 | 688 | 674 | 680 | 728 | 696 | 708 |
| 15 | 512 | 476 | 494 | 814 | 716 | 764 | 684 | 664 | 678 | 740 | 710 | 721 |
| 16 | 562 | 512 | 538 | 688 | 444 | 570 | 674 | 632 | 648 | 738 | 710 | 725 |
| 17 | 594 | 564 | 577 | --- | --- | --- | 626 | 532 | 572 | 740 | 704 | 720 |
| 18 | 628 | 594 | 606 | --- | --- | --- | 530 | 504 | 511 | 742 | 698 | 722 |
| 19 | 646 | 622 | 632 | --- | --- | --- | 550 | 516 | 529 | 740 | 686 | 711 |
| 20 | 666 | 636 | 647 | --- | --- | --- | 580 | 552 | 564 | 732 | 702 | 718 |
| 21 | 676 | 654 | 663 | --- | --- | --- | 614 | 582 | 594 | 726 | 556 | 650 |
| 22 | 694 | 666 | 678 | --- | --- | --- | 610 | 494 | 578 | 614 | 554 | 591 |
| 23 | 712 | 686 | 696 | --- | --- | --- | 552 | 370 | 428 | 614 | 524 | 598 |
| 24 | 718 | 698 | 709 | --- | --- | --- | 380 | 362 | 370 | 604 | 546 | 568 |
| 25 | 718 | 684 | 705 | --- | --- | --- | 430 | 382 | 405 | 620 | 566 | 594 |
| 26 | 716 | 702 | 711 | --- | --- | --- | 504 | 432 | 468 | 644 | 616 | 626 |
| 27 | 710 | 692 | 703 | --- | --- | --- | 552 | 506 | 528 | 672 | 646 | 655 |
| 28 | 786 | 708 | 751 | --- | --- | --- | 588 | 554 | 568 | 674 | 576 | 637 |
| 29 | 794 | 736 | 758 | --- | --- | --- | 618 | 584 | 600 | 662 | 596 | 635 |
| 30 | --- | --- | --- | --- | --- | --- | 650 | 612 | 629 | 698 | 662 | 678 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 704 | 694 | 700 |
| MONTH | 812 | 388 | 630 | 944 | 444 | 760 | 690 | 362 | 565 | 742 | 524 | 674 |

03271510 GREAT MIAMI RIVER NEAR LINDEN AVENUE AT MIAMISBURG, OH.--Continued
SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|-----|------|------|-----|------|--------|-----|------|-----------|-----|------|
| | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | --- | --- | --- | 766 | 716 | 740 | 842 | 778 | 815 | 934 | 876 | 908 |
| 2 | --- | --- | --- | 750 | 696 | 726 | 854 | 784 | 822 | 936 | 900 | 916 |
| 3 | --- | --- | --- | 766 | 684 | 725 | 836 | 780 | 811 | 934 | 806 | 828 |
| 4 | --- | --- | --- | 692 | 486 | 579 | 854 | 690 | 809 | 744 | 654 | 688 |
| 5 | --- | --- | --- | 592 | 542 | 566 | 786 | 666 | 727 | 886 | 754 | 835 |
| 6 | --- | --- | --- | 640 | 570 | 606 | 780 | 728 | 767 | 902 | 806 | 851 |
| 7 | --- | --- | --- | 640 | 618 | 628 | 788 | 664 | 748 | 878 | 798 | 845 |
| 8 | 766 | 720 | 743 | 646 | 614 | 629 | 734 | 562 | 641 | 894 | 864 | 885 |
| 9 | 780 | 718 | 751 | 710 | 648 | 665 | 650 | 586 | 622 | 910 | 868 | 894 |
| 10 | 754 | 708 | 729 | 740 | 706 | 720 | 682 | 598 | 654 | 916 | 864 | 895 |
| 11 | 742 | 708 | 728 | 762 | 730 | 745 | 698 | 658 | 681 | 924 | 880 | 905 |
| 12 | 768 | 714 | 742 | 800 | 740 | 770 | 694 | 616 | 653 | 932 | 876 | 911 |
| 13 | 774 | 646 | 739 | 786 | 736 | 762 | 686 | 630 | 640 | 944 | 890 | 922 |
| 14 | 708 | 600 | 660 | 796 | 750 | 771 | 728 | 696 | 706 | 936 | 616 | 802 |
| 15 | 730 | 682 | 714 | 816 | 740 | 775 | 754 | 722 | 735 | 718 | 610 | 666 |
| 16 | 730 | 690 | 709 | 794 | 760 | 776 | 772 | 742 | 761 | 804 | 718 | 763 |
| 17 | 748 | 704 | 727 | 832 | 750 | 785 | 808 | 756 | 794 | 846 | 788 | 819 |
| 18 | 770 | 708 | 741 | 808 | 762 | 784 | 792 | 736 | 765 | 876 | 828 | 858 |
| 19 | 774 | 662 | 709 | 836 | 758 | 795 | 786 | 746 | 767 | 880 | 848 | 865 |
| 20 | 758 | 730 | 748 | 838 | 774 | 804 | 780 | 754 | 766 | 922 | 862 | 901 |
| 21 | --- | --- | --- | 828 | 780 | 810 | 836 | 770 | 807 | 932 | 876 | 913 |
| 22 | --- | --- | --- | 840 | 786 | 809 | 852 | 750 | 804 | 922 | 894 | 906 |
| 23 | --- | --- | --- | 826 | 780 | 799 | 820 | 786 | 804 | 922 | 864 | 895 |
| 24 | --- | --- | --- | 832 | 792 | 811 | 830 | 788 | 809 | 866 | 646 | 793 |
| 25 | --- | --- | --- | 828 | 762 | 805 | 858 | 800 | 834 | 716 | 602 | 656 |
| 26 | --- | --- | --- | 838 | 642 | 786 | 856 | 810 | 838 | 774 | 614 | 681 |
| 27 | --- | --- | --- | 784 | 668 | 704 | 858 | 818 | 842 | 754 | 664 | 715 |
| 28 | --- | --- | --- | 782 | 708 | 768 | 890 | 810 | 858 | 750 | 722 | 738 |
| 29 | 758 | 730 | 740 | 826 | 778 | 801 | 898 | 838 | 875 | 822 | 748 | 795 |
| 30 | 804 | 738 | 768 | 838 | 776 | 810 | 902 | 856 | 881 | 814 | 774 | 798 |
| 31 | --- | --- | --- | 872 | 804 | 835 | 900 | 848 | 881 | --- | --- | --- |
| MONTH | 804 | 600 | 730 | 872 | 486 | 745 | 902 | 562 | 772 | 944 | 602 | 828 |
| YEAR | 1340 | 362 | 718 | | | | | | | | | |

PH (STANDARD UNITS), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|---------|-----|------|----------|-----|------|----------|-----|------|---------|-----|------|
| | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
| 1 | 8.0 | 7.6 | 7.9 | 8.0 | 7.8 | 7.8 | 8.1 | 8.0 | 8.1 | 8.1 | 8.0 | 8.1 |
| 2 | 8.5 | 8.0 | 8.2 | 8.0 | 7.8 | 7.9 | 8.1 | 7.9 | 8.0 | 8.1 | 8.0 | 8.1 |
| 3 | 8.5 | 8.0 | 8.2 | 7.9 | 7.8 | 7.9 | 8.0 | 7.9 | 8.0 | 8.1 | 8.0 | 8.1 |
| 4 | 8.1 | 7.9 | 8.0 | 8.1 | 7.9 | 8.0 | 8.1 | 8.0 | 8.1 | 8.2 | 8.1 | 8.1 |
| 5 | 8.1 | 7.9 | 8.0 | 8.2 | 7.9 | 8.1 | 8.1 | 7.7 | 8.1 | 8.2 | 8.0 | 8.1 |
| 6 | 8.1 | 7.7 | 7.9 | 8.3 | 7.9 | 8.1 | 8.3 | 8.2 | 8.3 | 8.3 | 8.1 | 8.2 |
| 7 | 8.4 | 7.8 | 8.1 | 8.2 | 8.0 | 8.1 | 8.3 | 7.9 | 8.2 | 8.3 | 8.2 | 8.2 |
| 8 | 8.4 | 7.9 | 8.2 | 8.2 | 8.0 | 8.1 | 8.2 | 8.0 | 8.1 | 8.3 | 8.2 | 8.2 |
| 9 | 8.5 | 8.1 | 8.3 | 8.2 | 7.9 | 8.1 | 8.2 | 8.1 | 8.1 | 8.3 | 8.1 | 8.3 |
| 10 | 8.7 | 8.3 | 8.4 | 8.1 | 7.9 | 8.0 | 8.3 | 7.9 | 8.2 | 8.3 | 8.1 | 8.2 |
| 11 | 8.4 | 8.0 | 8.1 | 8.0 | 7.9 | 7.9 | 8.5 | 8.3 | 8.3 | 8.4 | 8.2 | 8.3 |
| 12 | 8.1 | 7.9 | 8.0 | 8.1 | 7.5 | 8.0 | 8.5 | 8.4 | 8.5 | 8.3 | 8.2 | 8.2 |
| 13 | 8.0 | 7.6 | 7.8 | 8.2 | 8.0 | 8.1 | 8.4 | 8.3 | 8.3 | 8.3 | 8.1 | 8.2 |
| 14 | 8.0 | 7.6 | 7.8 | 8.2 | 8.0 | 8.1 | 8.4 | 8.3 | 8.4 | 8.3 | 8.0 | 8.2 |
| 15 | 8.2 | 7.7 | 7.9 | 8.1 | 7.9 | 8.0 | 8.4 | 8.3 | 8.3 | 8.4 | 8.2 | 8.3 |
| 16 | 8.2 | 7.7 | 8.0 | 8.1 | 7.9 | 8.0 | 8.3 | 7.8 | 8.1 | 8.3 | 8.2 | 8.3 |
| 17 | 8.1 | 7.9 | 8.0 | 8.1 | 7.9 | 8.0 | 8.3 | 8.0 | 8.1 | 8.3 | 8.2 | 8.3 |
| 18 | 8.0 | 7.8 | 7.9 | 8.0 | 7.9 | 8.0 | 8.2 | 7.8 | 8.0 | 8.4 | 8.2 | 8.3 |
| 19 | 7.9 | 7.8 | 7.8 | 8.1 | 7.9 | 8.0 | 7.8 | 7.5 | 7.6 | 8.4 | 8.3 | 8.3 |
| 20 | 8.0 | 7.8 | 7.9 | 8.0 | 7.9 | 7.9 | 8.2 | 7.9 | 8.1 | 8.4 | 8.3 | 8.3 |
| 21 | 7.8 | 7.8 | 7.8 | 8.0 | 7.9 | 7.9 | 8.2 | 8.2 | 8.2 | 8.3 | 8.2 | 8.3 |
| 22 | 7.9 | 7.8 | 7.9 | 8.0 | 7.8 | 8.0 | 8.3 | 8.1 | 8.2 | 8.4 | 8.2 | 8.3 |
| 23 | 8.0 | 7.8 | 7.9 | 8.1 | 7.9 | 8.0 | 8.3 | 8.2 | 8.2 | 8.3 | 8.1 | 8.3 |
| 24 | 8.0 | 7.9 | 7.9 | 8.0 | 7.9 | 8.0 | 8.2 | 8.2 | 8.2 | 8.2 | 8.0 | 8.1 |
| 25 | 8.0 | 7.9 | 7.9 | 8.0 | 8.0 | 8.0 | 8.2 | 8.2 | 8.2 | 8.2 | 8.1 | 8.2 |
| 26 | 8.0 | 7.9 | 7.9 | 8.1 | 8.0 | 8.0 | 8.2 | 8.1 | 8.2 | 8.2 | 8.1 | 8.1 |
| 27 | 8.1 | 8.0 | 8.0 | 8.2 | 8.1 | 8.1 | 8.2 | 7.9 | 8.1 | 8.3 | 8.1 | 8.2 |
| 28 | 8.1 | 7.2 | 7.9 | 8.2 | 8.1 | 8.1 | 8.1 | 8.0 | 8.1 | 8.1 | 8.0 | 8.1 |
| 29 | 8.1 | 7.8 | 8.0 | 8.3 | 8.0 | 8.1 | 8.1 | 8.0 | 8.1 | 8.1 | 8.1 | 8.1 |
| 30 | 8.1 | 7.9 | 8.0 | 8.0 | 8.0 | 8.0 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 | 8.1 |
| 31 | 8.0 | 7.9 | 8.0 | --- | --- | --- | 8.1 | 8.0 | 8.1 | 8.2 | 8.1 | 8.2 |
| MONTH | 8.7 | 7.2 | 8.0 | 8.3 | 7.5 | 8.0 | 8.5 | 7.5 | 8.2 | 8.4 | 8.0 | 8.2 |

GREAT MIAMI RIVER BASIN

03271510 GREAT MIAMI RIVER NEAR LINDEN AVENUE AT MIAMISBURG, OH.--Continued

PH (STANDARD UNITS), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|-----|-----|------|-------|-----|------|--------|-----|------|-----------|-----|------|
| FEBRUARY | | | | MARCH | | | APRIL | | | MAY | | |
| 1 | 8.3 | 8.2 | 8.2 | 8.4 | 8.3 | 8.3 | --- | --- | --- | 8.2 | 8.2 | 8.2 |
| 2 | 8.3 | 8.2 | 8.2 | 8.4 | 8.2 | 8.3 | 8.2 | 8.2 | 8.2 | 8.3 | 8.2 | 8.2 |
| 3 | 8.2 | 8.1 | 8.2 | 8.4 | 7.9 | 8.3 | 8.2 | 8.1 | 8.2 | 8.3 | 8.0 | 8.2 |
| 4 | 8.1 | 8.0 | 8.1 | 8.4 | 8.3 | 8.3 | 8.1 | 8.1 | 8.1 | 8.1 | 8.0 | 8.1 |
| 5 | 8.0 | 8.0 | 8.0 | 8.3 | 8.2 | 8.3 | 8.2 | 8.1 | 8.1 | 8.2 | 8.0 | 8.1 |
| 6 | 8.1 | 8.0 | 8.1 | 8.4 | 8.2 | 8.3 | 8.1 | 8.1 | 8.1 | 8.3 | 8.2 | 8.2 |
| 7 | 8.2 | 8.1 | 8.1 | 8.5 | 8.4 | 8.4 | 8.1 | 8.0 | 8.1 | 8.3 | 8.1 | 8.2 |
| 8 | 8.2 | 8.1 | 8.1 | 8.5 | 8.4 | 8.4 | 8.2 | 8.1 | 8.1 | 8.3 | 8.0 | 8.2 |
| 9 | 8.2 | 8.1 | 8.1 | 8.5 | 8.4 | 8.4 | 8.2 | 8.1 | 8.1 | 8.3 | 8.2 | 8.3 |
| 10 | 8.2 | 8.1 | 8.1 | 8.5 | 8.4 | 8.5 | 8.2 | 8.1 | 8.1 | 8.4 | 8.2 | 8.3 |
| 11 | --- | --- | --- | 8.6 | 8.5 | 8.5 | 8.3 | 8.2 | 8.2 | 8.4 | 8.2 | 8.3 |
| 12 | --- | --- | --- | 8.6 | 8.5 | 8.5 | 8.3 | 8.1 | 8.2 | 8.4 | 8.1 | 8.3 |
| 13 | --- | --- | --- | 8.5 | 8.2 | 8.4 | 8.3 | 8.2 | 8.3 | 8.3 | 8.2 | 8.3 |
| 14 | 8.0 | 7.9 | 7.9 | 8.4 | 8.2 | 8.3 | 8.3 | 8.0 | 8.3 | 8.4 | 8.2 | 8.3 |
| 15 | 8.0 | 7.9 | 8.0 | 8.5 | 8.4 | 8.4 | 8.4 | 8.2 | 8.3 | 8.4 | 8.1 | 8.2 |
| 16 | 8.1 | 7.6 | 8.0 | 8.4 | 7.9 | 8.2 | 8.4 | 8.3 | 8.3 | 8.6 | 8.1 | 8.3 |
| 17 | 8.2 | 8.1 | 8.1 | --- | --- | --- | 8.3 | 8.2 | 8.3 | 8.7 | 8.4 | 8.5 |
| 18 | 8.2 | 8.1 | 8.2 | --- | --- | --- | 8.2 | 8.2 | 8.2 | 8.7 | 8.1 | 8.5 |
| 19 | 8.3 | 8.1 | 8.2 | --- | --- | --- | 8.2 | 8.2 | 8.2 | 8.8 | 8.4 | 8.6 |
| 20 | 8.3 | 8.2 | 8.2 | --- | --- | --- | 8.3 | 8.2 | 8.2 | 8.5 | 8.3 | 8.4 |
| 21 | 8.3 | 8.2 | 8.2 | --- | --- | --- | 8.3 | 8.2 | 8.3 | 8.3 | 8.0 | 8.2 |
| 22 | 8.3 | 8.2 | 8.2 | --- | --- | --- | 8.3 | 8.2 | 8.3 | 8.1 | 7.9 | 8.0 |
| 23 | 8.2 | 8.1 | 8.2 | --- | --- | --- | 8.3 | 8.0 | 8.2 | 8.0 | 7.9 | 8.0 |
| 24 | 8.3 | 8.1 | 8.2 | --- | --- | --- | 8.1 | 8.0 | 8.0 | 8.0 | 7.9 | 8.0 |
| 25 | 8.3 | 7.7 | 8.2 | --- | --- | --- | 8.1 | 8.0 | 8.1 | 8.1 | 7.9 | 8.0 |
| 26 | 8.4 | 8.3 | 8.3 | --- | --- | --- | 8.2 | 8.1 | 8.1 | 8.1 | 8.0 | 8.1 |
| 27 | 8.4 | 8.4 | 8.4 | --- | --- | --- | 8.1 | 8.1 | 8.1 | 8.2 | 8.0 | 8.1 |
| 28 | 8.4 | 8.3 | 8.4 | --- | --- | --- | 8.2 | 8.1 | 8.1 | 8.1 | 8.0 | 8.1 |
| 29 | 8.4 | 8.2 | 8.4 | --- | --- | --- | 8.2 | 8.1 | 8.1 | 8.1 | 8.0 | 8.0 |
| 30 | --- | --- | --- | --- | --- | --- | 8.2 | 8.1 | 8.2 | 8.2 | 8.0 | 8.1 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 8.2 | 8.2 | 8.2 |
| MONTH | 8.4 | 7.6 | 8.2 | 8.6 | 7.9 | 8.4 | 8.4 | 8.0 | 8.2 | 8.8 | 7.9 | 8.2 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| JUNE | | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | --- | --- | --- | 8.9 | 8.2 | 8.5 | 8.4 | 7.8 | 8.0 | 7.8 | 7.6 | 7.7 |
| 2 | --- | --- | --- | 8.9 | 8.1 | 8.5 | 8.3 | 7.7 | 8.0 | 7.8 | 7.5 | 7.7 |
| 3 | --- | --- | --- | 8.9 | 8.1 | 8.5 | 8.2 | 7.7 | 7.9 | 7.9 | 7.7 | 7.8 |
| 4 | --- | --- | --- | 8.4 | 7.9 | 8.2 | 8.0 | 7.7 | 7.8 | 8.0 | 7.6 | 7.7 |
| 5 | --- | --- | --- | 8.0 | 7.8 | 7.9 | 8.2 | 7.5 | 7.8 | 8.0 | 7.7 | 7.8 |
| 6 | --- | --- | --- | 8.2 | 7.8 | 8.0 | 8.5 | 7.7 | 8.0 | 7.9 | 7.7 | 7.8 |
| 7 | --- | --- | --- | 8.2 | 7.9 | 8.1 | 8.3 | 7.6 | 7.9 | 8.1 | 7.7 | 7.9 |
| 8 | 8.7 | 8.4 | 8.5 | 8.3 | 7.9 | 8.1 | 7.8 | 7.6 | 7.7 | 8.3 | 7.8 | 8.0 |
| 9 | 8.8 | 8.2 | 8.4 | 8.2 | 7.9 | 8.0 | 7.7 | 7.5 | 7.6 | 8.2 | 8.0 | 8.1 |
| 10 | 8.8 | 8.4 | 8.6 | 8.3 | 7.9 | 8.1 | 7.7 | 7.5 | 7.6 | 8.2 | 8.0 | 8.1 |
| 11 | 8.7 | 8.0 | 8.4 | 8.4 | 7.9 | 8.1 | 7.9 | 7.3 | 7.6 | 8.3 | 7.8 | 8.0 |
| 12 | 8.8 | 7.8 | 8.3 | 8.5 | 7.9 | 8.2 | 7.9 | 7.6 | 7.7 | 8.3 | 7.9 | 8.1 |
| 13 | 8.5 | 7.8 | 8.1 | 8.7 | 7.9 | 8.2 | 7.9 | 7.6 | 7.7 | 8.2 | 7.8 | 8.0 |
| 14 | 8.4 | 7.7 | 8.0 | 8.8 | 7.9 | 8.4 | 7.9 | 7.6 | 7.7 | 8.0 | 7.7 | 7.9 |
| 15 | 8.8 | 8.0 | 8.3 | 8.6 | 7.9 | 8.3 | 7.8 | 7.6 | 7.7 | 8.0 | 7.6 | 7.8 |
| 16 | 8.6 | 7.6 | 8.2 | 8.7 | 7.9 | 8.3 | 8.0 | 7.5 | 7.7 | 8.1 | 7.7 | 7.9 |
| 17 | 8.9 | 7.8 | 8.3 | 8.7 | 8.0 | 8.3 | 8.0 | 7.6 | 7.7 | 8.0 | 7.7 | 7.9 |
| 18 | 8.7 | 7.9 | 8.3 | 8.7 | 7.9 | 8.3 | 8.1 | 7.6 | 7.9 | 7.8 | 7.7 | 7.8 |
| 19 | 8.5 | 7.7 | 8.1 | 8.8 | 8.0 | 8.4 | 8.3 | 7.7 | 7.9 | 8.0 | 7.7 | 7.8 |
| 20 | 8.4 | 7.8 | 8.0 | 8.4 | 7.9 | 8.1 | 8.5 | 7.8 | 8.1 | 8.1 | 7.8 | 7.9 |
| 21 | --- | --- | --- | 8.4 | 7.8 | 8.1 | 8.2 | 7.8 | 8.0 | 7.9 | 7.8 | 7.9 |
| 22 | --- | --- | --- | 8.6 | 7.7 | 8.1 | 8.0 | 7.6 | 7.8 | 8.1 | 7.8 | 7.9 |
| 23 | --- | --- | --- | 8.5 | 7.8 | 8.1 | 8.1 | 7.6 | 7.8 | 7.9 | 7.8 | 7.8 |
| 24 | --- | --- | --- | 8.1 | 7.7 | 7.8 | 8.1 | 7.7 | 7.9 | 7.8 | 7.6 | 7.7 |
| 25 | --- | --- | --- | 8.1 | 7.7 | 7.8 | 8.1 | 7.7 | 7.8 | 7.7 | 7.5 | 7.6 |
| 26 | --- | --- | --- | 7.9 | 7.7 | 7.8 | 8.1 | 7.8 | 7.9 | 7.8 | 7.5 | 7.6 |
| 27 | --- | --- | --- | 8.0 | 7.8 | 7.9 | 8.1 | 7.8 | 8.0 | 7.9 | 7.6 | 7.8 |
| 28 | --- | --- | --- | 8.4 | 7.7 | 8.0 | 8.0 | 7.8 | 7.9 | 7.9 | 7.7 | 7.8 |
| 29 | 8.2 | 8.0 | 8.1 | 8.5 | 7.8 | 8.1 | 7.9 | 7.7 | 7.8 | 7.8 | 7.7 | 7.8 |
| 30 | 8.6 | 7.9 | 8.3 | 8.7 | 8.0 | 8.3 | 8.0 | 7.7 | 7.8 | 7.9 | 7.7 | 7.8 |
| 31 | --- | --- | --- | 8.5 | 8.0 | 8.3 | 8.0 | 7.7 | 7.8 | --- | --- | --- |
| MONTH | 8.9 | 7.6 | 8.3 | 8.9 | 7.7 | 8.2 | 8.5 | 7.3 | 7.8 | 8.3 | 7.5 | 7.9 |
| YEAR | 8.9 | 7.2 | 8.1 | | | | | | | | | |

03271510 GREAT MIAMI RIVER NEAR LINDEN AVENUE AT MIAMISBURG, OH.--Continued

TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|------|------|----------|------|------|----------|------|------|---------|------|------|------|
| OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | | |
| 1 | 20.0 | 19.0 | 19.5 | 15.0 | 13.0 | 14.0 | 5.0 | 4.0 | 4.5 | .5 | .0 | .0 |
| 2 | 21.0 | 18.0 | 19.5 | 15.0 | 14.0 | 14.5 | 4.0 | 3.5 | 4.0 | 1.5 | .5 | .5 |
| 3 | 21.0 | 18.5 | 20.0 | 15.0 | 13.0 | 14.5 | 4.5 | 3.5 | 4.0 | 1.5 | 1.0 | 1.0 |
| 4 | 20.5 | 19.5 | 20.0 | 13.0 | 11.5 | 12.0 | 5.0 | 4.5 | 4.5 | 2.0 | 1.0 | 1.5 |
| 5 | 20.0 | 19.5 | 19.5 | 11.0 | 10.5 | 11.0 | 5.5 | 5.0 | 5.0 | 2.0 | 1.5 | 1.5 |
| 6 | 20.0 | 18.0 | 19.0 | 11.0 | 10.0 | 10.5 | 6.5 | 5.5 | 6.0 | 2.5 | 2.0 | 2.0 |
| 7 | 19.0 | 17.0 | 18.0 | 11.0 | 10.5 | 10.5 | 5.5 | 4.5 | 5.0 | 2.5 | 1.5 | 2.0 |
| 8 | 19.0 | 17.0 | 18.0 | 12.0 | 10.0 | 11.0 | 4.5 | 4.0 | 4.0 | 2.5 | 2.0 | 2.5 |
| 9 | 19.0 | 17.5 | 18.0 | 12.5 | 10.5 | 11.5 | 4.5 | 3.5 | 4.0 | 3.0 | 2.0 | 2.5 |
| 10 | 18.5 | 16.5 | 17.5 | 12.5 | 11.5 | 12.0 | 5.0 | 4.0 | 4.5 | 3.0 | 1.5 | 2.5 |
| 11 | 19.0 | 16.5 | 17.5 | 11.0 | 9.0 | 10.0 | 6.0 | 5.0 | 5.5 | 1.5 | .5 | 1.0 |
| 12 | 19.0 | 18.0 | 18.5 | 9.0 | 8.0 | 8.0 | 7.0 | 6.0 | 6.5 | 1.5 | .5 | 1.0 |
| 13 | 18.0 | 14.5 | 16.0 | 7.5 | 6.5 | 7.0 | 7.0 | 6.5 | 6.5 | 1.5 | .5 | 1.0 |
| 14 | 14.5 | 13.0 | 14.0 | 7.0 | 6.0 | 6.5 | 7.0 | 6.5 | 6.5 | 2.0 | 1.5 | 1.5 |
| 15 | 15.0 | 13.5 | 14.0 | 8.0 | 7.0 | 7.5 | 6.5 | 5.0 | 5.5 | 2.0 | 1.0 | 1.5 |
| 16 | 16.0 | 14.0 | 15.0 | 7.5 | 7.0 | 7.5 | 5.0 | 3.5 | 4.0 | 1.5 | 1.0 | 1.5 |
| 17 | 16.5 | 15.0 | 15.5 | 7.0 | 6.0 | 6.5 | 3.5 | 2.5 | 3.0 | 2.0 | 1.5 | 1.5 |
| 18 | 16.0 | 14.5 | 15.0 | 7.5 | 6.5 | 7.0 | 2.5 | 2.0 | 2.0 | 1.5 | 1.0 | 1.5 |
| 19 | 14.5 | 13.5 | 14.0 | 9.5 | 7.5 | 8.5 | 1.5 | .5 | 1.0 | 1.0 | .5 | .5 |
| 20 | 13.5 | 13.0 | 13.0 | 10.0 | 9.5 | 10.0 | 1.0 | .5 | .5 | .5 | .0 | .5 |
| 21 | 13.0 | 12.5 | 13.0 | 10.0 | 9.0 | 9.5 | 2.0 | 1.0 | 1.5 | .5 | .0 | .5 |
| 22 | 13.5 | 13.0 | 13.0 | 10.0 | 9.0 | 9.5 | 2.5 | 1.0 | 2.0 | .5 | .0 | .0 |
| 23 | 13.5 | 13.5 | 13.5 | 11.0 | 10.0 | 10.5 | 1.0 | .5 | .5 | .5 | .0 | .5 |
| 24 | 13.5 | 13.0 | 13.5 | 11.0 | 9.0 | 10.0 | .5 | .5 | .5 | 1.5 | .5 | 1.0 |
| 25 | 13.5 | 13.0 | 13.5 | 9.0 | 7.5 | 8.0 | .5 | .5 | .5 | 1.0 | .5 | 1.0 |
| 26 | 13.0 | 12.0 | 12.5 | 7.5 | 7.0 | 7.5 | .5 | .5 | .5 | 2.0 | 1.0 | 1.5 |
| 27 | 12.5 | 11.0 | 11.5 | 7.5 | 7.0 | 7.5 | .5 | .0 | .5 | 1.5 | 1.0 | 1.0 |
| 28 | 13.0 | 11.0 | 12.0 | 9.0 | 7.5 | 8.5 | .5 | .0 | .0 | 1.5 | .5 | 1.0 |
| 29 | 13.5 | 12.5 | 13.0 | 8.0 | 6.5 | 7.5 | .5 | .0 | .5 | 1.5 | 1.0 | 1.5 |
| 30 | 12.5 | 11.5 | 12.0 | 6.5 | 5.5 | 6.0 | .5 | .0 | .5 | 2.0 | 1.0 | 1.5 |
| 31 | 13.0 | 11.5 | 12.5 | --- | --- | --- | .5 | .0 | .5 | 2.0 | 1.0 | 1.5 |
| MONTH | 21.0 | 11.0 | 15.5 | 15.0 | 5.5 | 9.5 | 7.0 | .0 | 3.0 | 3.0 | .0 | 1.0 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| FEBRUARY | | | MARCH | | | APRIL | | | MAY | | | |
| 1 | 3.0 | 1.5 | 2.0 | 3.0 | 1.5 | 2.0 | --- | --- | --- | 16.0 | 14.5 | 15.0 |
| 2 | 4.0 | 2.5 | 3.0 | 4.5 | 2.5 | 3.5 | 9.5 | 9.0 | 9.5 | 15.5 | 14.5 | 15.0 |
| 3 | 4.5 | 2.5 | 3.5 | 5.0 | 3.5 | 4.0 | 9.5 | 8.5 | 9.0 | 15.0 | 14.0 | 14.0 |
| 4 | 2.0 | .5 | 1.0 | 4.0 | 3.5 | 3.5 | 8.5 | 8.5 | 8.5 | 13.5 | 12.5 | 13.0 |
| 5 | 2.0 | 1.0 | 1.5 | 4.5 | 3.5 | 4.0 | 8.5 | 7.0 | 8.0 | 13.5 | 12.0 | 12.5 |
| 6 | 1.5 | 1.0 | 1.0 | 4.0 | 3.5 | 4.0 | 7.0 | 6.0 | 6.5 | 14.5 | 13.0 | 13.5 |
| 7 | 1.0 | .5 | .5 | 4.5 | 3.0 | 3.5 | 7.0 | 5.5 | 6.0 | 15.5 | 14.5 | 15.0 |
| 8 | 2.0 | .5 | 1.0 | 4.0 | 2.0 | 3.0 | 8.0 | 6.5 | 7.0 | 15.5 | 14.0 | 15.0 |
| 9 | 3.0 | 1.5 | 2.0 | 3.0 | 1.0 | 2.0 | 9.5 | 8.0 | 8.5 | 13.5 | 11.5 | 12.5 |
| 10 | 3.5 | 3.0 | 3.0 | 3.0 | 1.5 | 2.5 | 11.0 | 9.0 | 10.0 | 13.5 | 11.0 | 12.5 |
| 11 | --- | --- | --- | 4.0 | 2.0 | 3.0 | 11.5 | 9.5 | 11.0 | 15.5 | 13.5 | 14.5 |
| 12 | --- | --- | --- | 3.0 | 2.5 | 3.0 | 12.0 | 11.0 | 11.5 | 18.0 | 15.5 | 16.5 |
| 13 | --- | --- | --- | 4.0 | 2.5 | 3.0 | 13.0 | 11.5 | 12.0 | 17.0 | 16.0 | 16.5 |
| 14 | 6.5 | 6.0 | 6.0 | 4.5 | 3.5 | 4.0 | 14.0 | 12.5 | 13.0 | 16.5 | 15.0 | 16.0 |
| 15 | 6.0 | 5.0 | 5.5 | 7.5 | 4.5 | 6.0 | 13.5 | 12.5 | 13.0 | 17.5 | 15.0 | 16.0 |
| 16 | 6.0 | 5.5 | 5.5 | 8.0 | 5.0 | 7.0 | 12.5 | 11.5 | 11.5 | 18.0 | 15.0 | 16.5 |
| 17 | 6.5 | 6.0 | 6.0 | --- | --- | --- | 11.5 | 9.0 | 10.5 | 18.5 | 16.0 | 17.0 |
| 18 | 7.5 | 6.5 | 7.0 | --- | --- | --- | 9.0 | 8.0 | 8.5 | 19.5 | 17.0 | 18.0 |
| 19 | 8.5 | 7.5 | 8.0 | --- | --- | --- | 8.5 | 7.5 | 8.0 | 21.0 | 18.0 | 19.5 |
| 20 | 8.5 | 7.5 | 7.5 | --- | --- | --- | 10.0 | 8.0 | 9.0 | 20.5 | 19.5 | 20.0 |
| 21 | 7.5 | 6.5 | 7.0 | --- | --- | --- | 10.0 | 9.5 | 10.0 | 20.0 | 19.5 | 20.0 |
| 22 | 7.5 | 6.5 | 7.0 | --- | --- | --- | 10.5 | 9.0 | 9.5 | 20.0 | 18.0 | 19.0 |
| 23 | 8.0 | 7.0 | 7.5 | --- | --- | --- | 9.5 | 7.5 | 8.5 | 20.5 | 19.0 | 19.5 |
| 24 | 8.5 | 7.5 | 8.0 | --- | --- | --- | 8.0 | 7.5 | 8.0 | 19.5 | 18.0 | 19.0 |
| 25 | 8.0 | 7.0 | 7.5 | --- | --- | --- | 9.5 | 8.0 | 8.5 | 19.5 | 18.0 | 18.5 |
| 26 | 7.0 | 6.5 | 7.0 | --- | --- | --- | 13.0 | 9.5 | 11.5 | 20.5 | 19.0 | 19.5 |
| 27 | 6.5 | 3.5 | 4.5 | --- | --- | --- | 15.5 | 13.0 | 14.5 | 20.0 | 19.0 | 19.5 |
| 28 | 3.0 | 2.0 | 2.5 | --- | --- | --- | 16.5 | 15.5 | 16.0 | 19.0 | 17.5 | 18.0 |
| 29 | 2.0 | 1.0 | 1.5 | --- | --- | --- | 16.5 | 15.5 | 16.0 | 17.5 | 15.0 | 16.0 |
| 30 | --- | --- | --- | --- | --- | --- | 16.5 | 15.5 | 16.0 | 15.0 | 13.5 | 14.5 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 14.5 | 14.0 | 14.5 |
| MONTH | 8.5 | .5 | 4.5 | 8.0 | 1.0 | 3.5 | 16.5 | 5.5 | 10.5 | 21.0 | 11.0 | 16.5 |

GREAT MIAMI RIVER BASIN

03271510 GREAT MIAMI RIVER NEAR LINDEN AVENUE AT MIAMISBURG, OH.--Continued
TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|------|------|------|------|------|------|--------|------|------|-----------|------|------|
| | JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | |
| 1 | --- | --- | --- | 23.5 | 21.5 | 22.5 | 26.0 | 24.0 | 25.0 | 24.0 | 22.0 | 23.0 |
| 2 | --- | --- | --- | 24.5 | 22.0 | 23.0 | 26.5 | 24.5 | 25.5 | 25.5 | 22.0 | 23.5 |
| 3 | --- | --- | --- | 24.5 | 22.0 | 23.5 | 26.5 | 25.0 | 25.5 | 24.5 | 22.0 | 23.0 |
| 4 | --- | --- | --- | 23.5 | 22.5 | 23.0 | 26.0 | 25.0 | 25.5 | 23.0 | 20.5 | 21.5 |
| 5 | --- | --- | --- | 22.5 | 22.0 | 22.5 | 26.0 | 24.0 | 25.0 | 22.0 | 20.0 | 21.0 |
| 6 | --- | --- | --- | 23.0 | 22.0 | 22.5 | 27.0 | 24.5 | 25.5 | 22.0 | 19.0 | 20.5 |
| 7 | --- | --- | --- | 22.5 | 21.0 | 22.0 | 27.0 | 25.0 | 26.0 | 22.5 | 20.0 | 21.0 |
| 8 | 24.5 | 23.0 | 24.0 | 23.0 | 20.5 | 22.0 | 26.5 | 25.0 | 25.5 | 23.0 | 20.0 | 21.5 |
| 9 | 25.0 | 22.5 | 24.0 | 23.0 | 21.5 | 22.5 | 27.0 | 25.5 | 26.0 | 21.5 | 20.0 | 21.0 |
| 10 | 26.0 | 23.5 | 24.5 | 26.0 | 22.5 | 24.0 | 27.0 | 25.5 | 26.0 | 22.5 | 20.0 | 21.0 |
| 11 | 26.5 | 24.0 | 25.5 | 26.0 | 24.5 | 25.5 | 27.0 | 25.0 | 26.0 | 25.0 | 21.5 | 23.0 |
| 12 | 27.0 | 24.0 | 25.5 | 27.0 | 23.5 | 25.0 | 25.5 | 24.5 | 25.0 | 25.5 | 22.0 | 23.5 |
| 13 | 27.0 | 25.0 | 26.0 | 27.0 | 24.5 | 26.0 | 26.5 | 24.0 | 25.0 | 26.0 | 22.5 | 24.0 |
| 14 | 26.5 | 24.5 | 25.5 | 28.0 | 25.0 | 26.5 | 27.0 | 24.0 | 25.5 | 25.0 | 22.0 | 23.5 |
| 15 | 26.0 | 24.0 | 25.0 | 26.5 | 25.0 | 26.0 | 27.5 | 24.5 | 26.0 | 22.0 | 20.0 | 21.0 |
| 16 | 25.5 | 23.5 | 24.5 | 27.0 | 24.0 | 25.5 | 27.0 | 24.5 | 26.0 | 21.0 | 18.5 | 19.5 |
| 17 | 26.5 | 23.5 | 25.0 | 26.5 | 23.5 | 25.0 | 27.0 | 25.0 | 26.0 | 20.0 | 17.5 | 19.0 |
| 18 | 26.5 | 24.5 | 25.5 | 25.5 | 23.5 | 24.5 | 27.0 | 24.5 | 26.0 | 21.0 | 17.5 | 19.0 |
| 19 | 27.0 | 24.5 | 26.0 | 25.5 | 22.0 | 24.0 | 26.5 | 24.5 | 25.5 | 22.0 | 18.0 | 20.0 |
| 20 | 26.5 | 25.5 | 26.0 | 24.5 | 22.5 | 23.5 | 25.5 | 22.5 | 24.0 | 22.5 | 19.5 | 21.0 |
| 21 | --- | --- | --- | 25.0 | 22.0 | 23.5 | 25.5 | 22.5 | 24.0 | 23.5 | 20.5 | 22.0 |
| 22 | --- | --- | --- | 26.5 | 23.0 | 25.0 | 24.5 | 23.5 | 23.5 | 24.0 | 21.5 | 22.5 |
| 23 | --- | --- | --- | 27.5 | 24.0 | 26.0 | 24.5 | 22.0 | 23.0 | 23.0 | 21.5 | 22.0 |
| 24 | --- | --- | --- | 26.5 | 25.0 | 25.5 | 24.5 | 21.5 | 23.0 | 21.5 | 20.5 | 21.0 |
| 25 | --- | --- | --- | 25.5 | 23.5 | 24.5 | 24.5 | 21.5 | 23.0 | 22.0 | 20.0 | 21.0 |
| 26 | --- | --- | --- | 24.0 | 22.5 | 23.0 | 25.0 | 22.0 | 23.5 | 21.0 | 18.5 | 20.0 |
| 27 | --- | --- | --- | 23.5 | 21.5 | 22.5 | 25.0 | 22.5 | 23.5 | 18.5 | 15.5 | 17.0 |
| 28 | --- | --- | --- | 24.0 | 21.5 | 22.5 | 24.5 | 23.0 | 23.5 | 16.5 | 14.5 | 15.5 |
| 29 | 24.5 | 23.5 | 24.0 | 24.5 | 21.5 | 23.0 | 26.5 | 22.5 | 24.5 | 16.5 | 15.5 | 16.0 |
| 30 | 23.5 | 21.5 | 22.5 | 24.5 | 22.0 | 23.5 | 26.5 | 24.5 | 25.0 | 16.0 | 14.5 | 15.0 |
| 31 | --- | --- | --- | 26.0 | 23.0 | 24.5 | 26.0 | 22.5 | 24.0 | --- | --- | --- |
| MONTH | 27.0 | 21.5 | 25.0 | 28.0 | 20.5 | 24.0 | 27.5 | 21.5 | 25.0 | 26.0 | 14.5 | 21.0 |
| YEAR | 28.0 | .0 | 13.0 | | | | | | | | | |

OXYGEN, DISSOLVED (DO), MG/L, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|-------|---------|-----|------|----------|------|------|----------|------|------|---------|------|------|
| | OCTOBER | | | NOVEMBER | | | DECEMBER | | | JANUARY | | |
| 1 | 7.3 | 3.6 | 5.1 | 7.1 | 6.2 | 6.7 | 12.3 | 12.0 | 12.2 | 12.1 | 11.7 | 11.8 |
| 2 | 10.0 | 3.6 | 6.2 | 6.6 | 5.7 | 6.2 | 12.5 | 12.2 | 12.4 | 12.0 | 11.7 | 11.8 |
| 3 | 10.4 | 3.8 | 6.6 | 6.5 | 5.6 | 6.0 | 12.6 | 12.3 | 12.4 | 12.1 | 11.6 | 11.9 |
| 4 | 5.3 | 3.4 | 4.2 | 8.0 | 6.3 | 7.1 | 12.3 | 12.0 | 12.1 | 12.9 | 11.5 | 12.3 |
| 5 | 4.7 | 2.7 | 3.9 | 9.3 | 7.2 | 8.4 | 12.4 | 12.0 | 12.2 | 12.6 | 12.3 | 12.5 |
| 6 | 7.9 | 3.8 | 5.5 | 9.4 | 8.2 | 8.7 | 12.0 | 11.8 | 11.9 | 12.4 | 12.2 | 12.3 |
| 7 | 8.9 | 4.5 | 6.6 | 8.9 | 7.9 | 8.4 | 12.4 | 11.9 | 12.2 | 12.7 | 12.2 | 12.4 |
| 8 | 9.9 | 4.5 | 7.1 | 8.5 | 7.4 | 7.9 | 12.6 | 12.3 | 12.5 | 12.7 | 12.4 | 12.5 |
| 9 | 10.5 | 5.1 | 7.6 | 8.4 | 7.2 | 7.7 | 12.6 | 12.4 | 12.5 | 12.7 | 12.2 | 12.5 |
| 10 | 11.5 | 6.3 | 8.3 | 7.6 | 6.7 | 7.1 | 12.5 | 12.3 | 12.4 | 12.7 | 12.1 | 12.5 |
| 11 | 8.8 | 4.7 | 6.6 | 8.5 | 7.1 | 7.8 | 12.3 | 11.8 | 12.1 | 13.3 | 12.6 | 12.9 |
| 12 | 5.6 | 3.8 | 4.7 | 10.1 | 8.6 | 9.4 | 11.8 | 11.6 | 11.7 | 13.1 | 12.8 | 13.0 |
| 13 | 7.3 | 5.0 | 6.3 | 10.6 | 10.1 | 10.4 | 11.8 | 11.6 | 11.7 | 12.8 | 12.4 | 12.6 |
| 14 | 8.1 | 7.1 | 7.5 | 10.7 | 10.1 | 10.4 | 11.6 | 11.5 | 11.5 | 13.0 | 12.4 | 12.7 |
| 15 | 9.4 | 7.1 | 8.0 | 10.1 | 9.3 | 9.8 | 12.0 | 11.6 | 11.8 | 13.3 | 12.3 | 12.8 |
| 16 | 8.8 | 6.8 | 7.8 | 10.4 | 9.3 | 9.9 | 12.6 | 12.0 | 12.4 | 13.2 | 12.5 | 12.9 |
| 17 | 7.9 | 6.1 | 7.1 | 10.7 | 10.4 | 10.6 | 12.9 | 12.6 | 12.8 | 13.0 | 12.2 | 12.7 |
| 18 | 7.0 | 5.7 | 6.3 | 10.7 | 10.5 | 10.6 | 13.1 | 12.8 | 13.0 | 13.3 | 12.6 | 12.9 |
| 19 | 7.4 | 5.9 | 6.6 | 10.4 | 9.7 | 10.2 | 13.4 | 13.1 | 13.3 | 13.8 | 12.8 | 13.4 |
| 20 | 8.2 | 6.6 | 7.3 | 9.7 | 9.0 | 9.4 | 13.3 | 13.0 | 13.2 | 13.8 | 13.4 | 13.5 |
| 21 | 8.1 | 7.4 | 7.9 | 9.8 | 6.9 | 8.8 | 13.1 | 12.7 | 12.9 | 13.9 | 13.2 | 13.5 |
| 22 | 7.8 | 7.1 | 7.4 | 10.2 | 9.5 | 9.8 | 12.8 | 12.4 | 12.6 | 13.9 | 12.3 | 13.1 |
| 23 | 8.5 | 7.4 | 8.1 | 9.9 | 9.4 | 9.7 | 13.1 | 12.8 | 12.9 | 13.7 | 12.6 | 13.1 |
| 24 | 8.6 | 8.3 | 8.5 | 10.3 | 9.5 | 9.9 | 13.9 | 13.1 | 13.7 | 12.8 | 12.1 | 12.6 |
| 25 | 8.5 | 8.2 | 8.4 | 11.1 | 10.3 | 10.8 | 13.8 | 13.1 | 13.4 | 13.1 | 12.5 | 12.9 |
| 26 | 8.7 | 8.2 | 8.4 | 11.4 | 11.2 | 11.3 | 13.2 | 12.8 | 13.0 | 12.9 | 12.7 | 12.8 |
| 27 | 9.1 | 8.2 | 8.6 | 11.4 | 11.2 | 11.3 | 12.7 | 12.2 | 12.5 | 12.9 | 12.5 | 12.8 |
| 28 | 8.7 | 7.7 | 8.3 | 11.2 | 10.9 | 11.0 | 12.2 | 11.9 | 12.1 | 12.7 | 12.3 | 12.5 |
| 29 | 8.2 | 7.0 | 7.6 | 11.5 | 11.0 | 11.2 | 12.5 | 11.9 | 12.3 | 12.3 | 11.9 | 12.1 |
| 30 | 8.3 | 6.8 | 7.6 | 11.9 | 11.5 | 11.8 | 12.6 | 12.4 | 12.5 | 12.2 | 11.8 | 11.9 |
| 31 | 8.1 | 7.0 | 7.4 | --- | --- | --- | 12.4 | 12.0 | 12.2 | 12.9 | 12.0 | 12.5 |
| MONTH | 11.5 | 2.7 | 7.0 | 11.9 | 5.6 | 9.3 | 13.9 | 11.5 | 12.5 | 13.9 | 11.5 | 12.6 |

03271510 GREAT MIAMI RIVER NEAR LINDEN AVENUE AT MIAMISBURG, OH.--Continued
OXYGEN, DISSOLVED (DO), MG/L, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
|----------|------|------|-------|------|------|--------|------|------|-----------|------|-----|------|
| FEBRUARY | | | MARCH | | | APRIL | | | MAY | | | |
| 1 | 12.8 | 12.4 | 12.5 | 14.4 | 12.8 | 13.5 | --- | --- | --- | 9.3 | 8.0 | 8.6 |
| 2 | 12.7 | 12.0 | 12.3 | 13.9 | 12.2 | 12.9 | 10.2 | 9.4 | 9.8 | 9.8 | 7.9 | 8.8 |
| 3 | 12.2 | 11.3 | 11.9 | 13.6 | 11.5 | 12.4 | 9.5 | 9.1 | 9.3 | 8.7 | 7.8 | 8.3 |
| 4 | 12.9 | 12.2 | 12.7 | 12.8 | 11.3 | 12.0 | 9.7 | 9.2 | 9.4 | 8.7 | 7.8 | 8.2 |
| 5 | 12.7 | 12.6 | 12.6 | 12.4 | 11.0 | 11.7 | 10.2 | 9.6 | 10.0 | 9.8 | 8.1 | 8.8 |
| 6 | 13.0 | 12.6 | 12.9 | 13.0 | 11.8 | 12.5 | 10.7 | 10.2 | 10.5 | 9.4 | 8.2 | 8.8 |
| 7 | 13.2 | 12.9 | 13.0 | 14.2 | 12.5 | 13.3 | 11.0 | 10.7 | 10.8 | 9.3 | 7.6 | 8.2 |
| 8 | 13.2 | 12.8 | 13.0 | 13.7 | 11.9 | 12.7 | 10.7 | 10.3 | 10.5 | 9.6 | 7.2 | 8.4 |
| 9 | 12.8 | 12.3 | 12.5 | 14.6 | 12.5 | 13.6 | 10.2 | 9.7 | 10.0 | 9.3 | 8.0 | 8.6 |
| 10 | 12.2 | 11.7 | 11.9 | 14.5 | 12.6 | 13.4 | 10.1 | 9.4 | 9.8 | 11.6 | 8.2 | 9.4 |
| 11 | --- | --- | --- | 14.4 | 12.0 | 13.1 | 10.5 | 9.1 | 9.8 | 10.7 | 7.1 | 8.7 |
| 12 | --- | --- | --- | 14.0 | 11.7 | 12.7 | 10.3 | 9.1 | 9.6 | 11.2 | 6.3 | 8.6 |
| 13 | --- | --- | --- | 12.2 | 10.9 | 11.5 | 10.2 | 8.7 | 9.4 | 9.5 | 6.7 | 8.0 |
| 14 | 13.1 | 12.4 | 12.8 | 12.5 | 10.8 | 11.6 | 10.6 | 8.7 | 9.5 | 10.9 | 6.8 | 8.3 |
| 15 | 13.4 | 12.9 | 13.2 | 12.4 | 10.3 | 11.3 | 10.9 | 8.6 | 9.6 | 10.8 | 6.4 | 8.3 |
| 16 | 13.3 | 12.9 | 13.1 | 11.1 | 9.3 | 10.4 | 10.2 | 9.1 | 9.7 | 12.4 | 5.9 | 8.8 |
| 17 | 12.9 | 12.6 | 12.8 | --- | --- | --- | 10.0 | 9.6 | 9.8 | 12.8 | 7.0 | 9.6 |
| 18 | 12.7 | 11.8 | 12.4 | --- | --- | --- | 10.6 | 10.0 | 10.4 | 13.0 | 6.5 | 9.5 |
| 19 | 12.1 | 11.8 | 11.9 | --- | --- | --- | 10.9 | 10.6 | 10.7 | 13.5 | 6.0 | 9.4 |
| 20 | 12.4 | 11.7 | 12.0 | --- | --- | --- | 11.1 | 10.5 | 10.8 | 9.7 | 5.2 | 7.5 |
| 21 | 12.7 | 12.0 | 12.3 | --- | --- | --- | 10.6 | 10.1 | 10.3 | 8.0 | 4.9 | 6.5 |
| 22 | 12.7 | 11.6 | 12.1 | --- | --- | --- | 10.3 | 10.0 | 10.1 | 7.8 | 6.7 | 7.3 |
| 23 | 12.0 | 11.2 | 11.5 | --- | --- | --- | 10.8 | 10.1 | 10.5 | 7.3 | 6.6 | 7.0 |
| 24 | 11.8 | 10.3 | 11.0 | --- | --- | --- | 10.9 | 10.7 | 10.8 | 7.4 | 7.0 | 7.3 |
| 25 | 11.7 | 10.2 | 11.0 | --- | --- | --- | 11.0 | 10.6 | 10.9 | 7.5 | 7.0 | 7.2 |
| 26 | 12.6 | 10.9 | 11.8 | --- | --- | --- | 10.5 | 9.6 | 10.2 | 7.7 | 6.7 | 7.1 |
| 27 | 12.7 | 11.9 | 12.3 | --- | --- | --- | 9.5 | 8.5 | 9.0 | 8.6 | 6.4 | 7.2 |
| 28 | 13.4 | 12.6 | 13.0 | --- | --- | --- | 9.0 | 8.4 | 8.7 | 8.0 | 6.3 | 7.2 |
| 29 | 14.4 | 13.0 | 13.6 | --- | --- | --- | 8.9 | 8.3 | 8.6 | 8.4 | 7.4 | 7.9 |
| 30 | --- | --- | --- | --- | --- | --- | 8.9 | 8.1 | 8.5 | 9.7 | 8.2 | 9.0 |
| 31 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 9.4 | 8.2 | 8.6 |
| MONTH | 14.4 | 10.2 | 12.4 | 14.6 | 9.3 | 12.4 | 11.1 | 8.1 | 9.9 | 13.5 | 4.9 | 8.2 |
| DAY | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN | MAX | MIN | MEAN |
| JUNE | | | JULY | | | AUGUST | | | SEPTEMBER | | | |
| 1 | --- | --- | --- | --- | --- | --- | 7.1 | 2.7 | 4.7 | 3.8 | 1.6 | 2.5 |
| 2 | --- | --- | --- | --- | --- | --- | 6.4 | 2.2 | 4.0 | 2.7 | .7 | 1.3 |
| 3 | --- | --- | --- | --- | --- | --- | 5.7 | 2.1 | 3.8 | 4.1 | 1.3 | 2.6 |
| 4 | --- | --- | --- | --- | --- | --- | 5.0 | 1.9 | 3.2 | 7.3 | 2.5 | 4.3 |
| 5 | --- | --- | --- | --- | --- | --- | 5.1 | 1.9 | 3.2 | 6.1 | 2.4 | 4.1 |
| 6 | --- | --- | --- | --- | --- | --- | 7.4 | 2.2 | 4.4 | 6.5 | 3.5 | 4.8 |
| 7 | --- | --- | --- | --- | --- | --- | 6.3 | 2.0 | 3.9 | 7.9 | 3.6 | 5.2 |
| 8 | 13.0 | 6.9 | 10.4 | --- | --- | --- | 6.0 | 2.1 | 4.3 | 8.7 | 3.5 | 5.8 |
| 9 | 14.2 | 3.9 | 8.6 | --- | --- | --- | 6.0 | 3.3 | 4.5 | 6.6 | 3.5 | 5.0 |
| 10 | 14.2 | 5.5 | 9.7 | --- | --- | --- | 5.7 | 3.0 | 4.1 | 7.3 | 3.0 | 4.8 |
| 11 | 14.2 | 4.2 | 9.0 | --- | --- | --- | 6.7 | 2.9 | 4.6 | 8.1 | 2.7 | 4.9 |
| 12 | 15.1 | 2.4 | 8.4 | --- | --- | --- | 6.0 | 3.5 | 4.5 | 8.4 | 2.4 | 4.9 |
| 13 | 12.0 | 3.7 | 7.6 | --- | --- | --- | 7.0 | 3.5 | 4.8 | 8.4 | 1.9 | 4.7 |
| 14 | 11.1 | 2.6 | 6.3 | --- | --- | --- | 7.3 | 3.3 | 4.8 | 4.6 | 1.8 | 3.7 |
| 15 | 16.4 | 3.7 | 9.1 | --- | --- | --- | 6.9 | 3.1 | 4.5 | 6.1 | 2.8 | 4.0 |
| 16 | 13.4 | 3.5 | 8.3 | --- | --- | --- | 7.4 | 2.5 | 4.4 | 7.7 | 3.0 | 4.9 |
| 17 | 15.8 | 4.1 | 9.3 | --- | --- | --- | 8.3 | 2.4 | 5.0 | 7.1 | 3.2 | 4.8 |
| 18 | 14.3 | 3.6 | 8.2 | --- | --- | --- | 8.8 | 3.1 | 5.4 | 4.7 | 3.0 | 3.9 |
| 19 | 11.1 | 2.4 | 6.5 | --- | --- | --- | 8.8 | 2.5 | 5.2 | 7.4 | 2.8 | 4.6 |
| 20 | 8.7 | 2.3 | 4.3 | --- | --- | --- | 11.2 | 2.7 | 6.3 | 7.5 | 2.7 | 4.8 |
| 21 | --- | --- | --- | --- | --- | --- | 9.4 | 2.4 | 5.6 | 5.2 | 2.1 | 3.6 |
| 22 | --- | --- | --- | --- | --- | --- | 4.7 | 2.4 | 3.3 | 8.2 | 1.8 | 4.5 |
| 23 | --- | --- | --- | --- | --- | --- | 7.9 | 2.5 | 4.7 | 4.8 | 2.0 | 3.1 |
| 24 | --- | --- | --- | --- | --- | --- | 8.1 | 3.1 | 5.3 | 4.0 | 1.9 | 2.8 |
| 25 | --- | --- | --- | --- | --- | --- | 7.7 | 2.8 | 4.8 | 5.2 | 3.0 | 3.8 |
| 26 | --- | --- | --- | --- | --- | --- | 7.6 | 2.7 | 4.8 | 5.8 | 2.7 | 4.0 |
| 27 | --- | --- | --- | --- | --- | --- | 7.4 | 2.6 | 4.5 | 5.8 | 3.8 | 4.7 |
| 28 | --- | --- | --- | 8.1 | 4.5 | 5.9 | 4.9 | 2.1 | 3.3 | 6.2 | 4.5 | 5.2 |
| 29 | --- | --- | --- | 8.2 | 3.6 | 5.8 | 5.8 | 1.8 | 3.4 | 5.5 | 4.4 | 4.8 |
| 30 | --- | --- | --- | 8.4 | 3.4 | 5.9 | 5.5 | 1.5 | 2.8 | 5.8 | 4.2 | 4.9 |
| 31 | --- | --- | --- | 8.4 | 3.1 | 5.6 | 6.1 | 1.6 | 3.3 | --- | --- | --- |
| MONTH | 16.4 | 2.3 | 8.1 | 8.4 | 3.1 | 5.8 | 11.2 | 1.5 | 4.4 | 8.7 | .7 | 4.2 |
| YEAR | 16.4 | .7 | 9.0 | | | | | | | | | |

GREAT MIAMI RIVER BASIN

03271510 GREAT MIAMI RIVER NEAR LINDEN AVENUE AT MIAMISBURG, OH.--Continued

SPECIFIC CONDUCTANCE (MICROMHOS/CM AT 25 DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|------|-----|------|------|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 915 | 838 | 556 | 829 | 712 | 792 | --- | 652 | --- | 740 | 813 | 913 |
| 2 | 902 | 838 | 597 | 899 | 772 | 812 | 570 | 678 | --- | 730 | 820 | 916 |
| 3 | 887 | 728 | 680 | 906 | 748 | 819 | 675 | 659 | --- | 720 | 810 | 849 |
| 4 | 890 | 750 | 651 | 850 | 411 | 782 | 563 | 656 | --- | 613 | 820 | 678 |
| 5 | 823 | 774 | 603 | 833 | 401 | 799 | 488 | 683 | --- | 566 | 711 | 838 |
| 6 | 696 | 791 | 524 | 804 | 459 | 763 | 438 | 675 | --- | 605 | 769 | 848 |
| 7 | 760 | 810 | 503 | 794 | 549 | 704 | 415 | 700 | --- | 629 | 751 | 849 |
| 8 | 794 | 808 | 525 | 790 | 615 | 701 | 488 | 699 | 746 | 627 | 621 | 890 |
| 9 | 819 | 817 | 569 | 792 | 654 | 723 | 560 | 702 | 747 | 661 | 626 | 900 |
| 10 | 824 | 822 | 609 | 813 | 674 | 742 | 508 | 708 | 728 | 719 | 659 | 901 |
| 11 | 865 | 697 | 634 | 874 | --- | 732 | 542 | 710 | 728 | 744 | 684 | 905 |
| 12 | 870 | 699 | 600 | 842 | --- | 727 | 666 | 710 | 738 | 766 | 642 | 915 |
| 13 | 516 | 673 | 480 | 836 | --- | 841 | 681 | 704 | 748 | 760 | 636 | 926 |
| 14 | 561 | 643 | 522 | 838 | 478 | 833 | 680 | 703 | 658 | 770 | 703 | 850 |
| 15 | 609 | 679 | 572 | 826 | 493 | 760 | 678 | 716 | 720 | 768 | 733 | 664 |
| 16 | 690 | 677 | 610 | 832 | 537 | 566 | 642 | 727 | 706 | 772 | 762 | 754 |
| 17 | 746 | 587 | 632 | 876 | 571 | --- | 574 | 718 | 727 | 758 | 801 | 828 |
| 18 | 749 | 575 | 658 | 859 | 599 | --- | 510 | 723 | 742 | 780 | 767 | 862 |
| 19 | 714 | 596 | 679 | 922 | 628 | --- | 525 | 710 | 704 | 793 | 767 | 855 |
| 20 | 670 | 622 | 716 | 906 | 642 | --- | 561 | 716 | 752 | 798 | 765 | 910 |
| 21 | 521 | 644 | 728 | 912 | 661 | --- | 593 | 649 | --- | 809 | 803 | 920 |
| 22 | 651 | 676 | 773 | 919 | 674 | --- | 589 | 596 | --- | 805 | 799 | 904 |
| 23 | 623 | 574 | 752 | 905 | 694 | --- | 384 | 586 | --- | 797 | 803 | 899 |
| 24 | 585 | 546 | 782 | 1160 | 708 | --- | 370 | 564 | --- | 810 | 807 | 836 |
| 25 | 610 | 519 | 816 | 920 | 707 | --- | 404 | 591 | --- | 810 | 833 | 654 |
| 26 | 636 | 554 | 814 | 709 | 710 | --- | 465 | 625 | --- | 803 | 844 | 678 |
| 27 | 671 | 592 | 806 | 671 | 703 | --- | 526 | 652 | --- | 685 | 842 | 715 |
| 28 | 719 | 545 | 977 | 604 | 751 | --- | 564 | 644 | --- | 776 | 872 | 738 |
| 29 | 746 | 486 | 1040 | 577 | 752 | --- | 596 | 640 | 738 | 798 | 884 | 799 |
| 30 | 772 | 505 | 874 | 631 | --- | --- | 625 | 677 | 766 | 814 | 883 | 800 |
| 31 | 799 | --- | 841 | 718 | --- | --- | --- | 700 | --- | 824 | 889 | --- |
| MEAN | 730 | 669 | 681 | 827 | 627 | 756 | 561 | 673 | 730 | 744 | 772 | 834 |
| WTR YR 1984 | MEAN | 717 | MAX | 1160 | MIN | 370 | | | | | | |

PH (STANDARD UNITS), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 1 | 7.9 | 7.8 | 8.1 | 8.1 | 8.2 | 8.3 | --- | 8.2 | --- | 8.5 | 8.1 | 7.8 |
| 2 | 8.1 | 7.9 | 8.0 | 8.1 | 8.2 | 8.3 | 8.2 | 8.2 | --- | 8.5 | 8.0 | 7.7 |
| 3 | 8.1 | 7.9 | 8.0 | 8.1 | 8.2 | 8.3 | 8.2 | 8.2 | --- | 8.6 | 7.9 | 7.8 |
| 4 | 8.0 | 7.9 | 8.1 | 8.1 | 8.1 | 8.3 | 8.1 | 8.1 | --- | 8.2 | 7.8 | 7.7 |
| 5 | 8.0 | 8.1 | 8.1 | 8.1 | 8.0 | 8.2 | 8.1 | 8.2 | --- | 7.9 | 7.7 | 7.9 |
| 6 | 7.8 | 8.0 | 8.3 | 8.2 | 8.1 | 8.3 | 8.1 | 8.2 | --- | 8.1 | 8.0 | 7.8 |
| 7 | 8.0 | 8.1 | 8.2 | 8.2 | 8.1 | 8.4 | 8.1 | 8.2 | --- | 8.1 | 7.8 | 7.8 |
| 8 | 8.2 | 8.1 | 8.1 | 8.2 | 8.2 | 8.4 | 8.1 | 8.2 | 8.5 | 8.0 | 7.7 | 8.0 |
| 9 | 8.3 | 8.1 | 8.1 | 8.3 | 8.2 | 8.4 | 8.1 | 8.3 | 8.4 | 8.0 | 7.6 | 8.1 |
| 10 | 8.4 | 8.0 | 8.3 | 8.2 | 8.1 | 8.5 | 8.2 | 8.3 | 8.5 | 8.0 | 7.6 | 8.1 |
| 11 | 8.1 | 7.9 | 8.3 | 8.3 | --- | 8.5 | 8.2 | 8.3 | 8.4 | 8.1 | 7.6 | 8.0 |
| 12 | 8.0 | 8.0 | 8.5 | 8.2 | --- | 8.5 | 8.2 | 8.3 | 8.2 | 8.1 | 7.7 | 8.0 |
| 13 | 7.8 | 8.1 | 8.3 | 8.2 | --- | 8.4 | 8.3 | 8.3 | 8.1 | 8.3 | 7.7 | 8.0 |
| 14 | 7.8 | 8.1 | 8.4 | 8.2 | 7.9 | 8.3 | 8.3 | 8.2 | 7.9 | 8.4 | 7.6 | 7.9 |
| 15 | 8.0 | 8.1 | 8.3 | 8.3 | 8.0 | 8.4 | 8.3 | 8.2 | 8.4 | 8.2 | 7.6 | 7.8 |
| 16 | 8.0 | 8.0 | 8.1 | 8.3 | 8.1 | 8.2 | 8.3 | 8.3 | 8.3 | 8.3 | 7.7 | 7.9 |
| 17 | 8.0 | 8.0 | 8.1 | 8.3 | 8.1 | --- | 8.3 | 8.5 | 8.3 | 8.3 | 7.7 | 7.8 |
| 18 | 7.8 | 8.0 | 8.1 | 8.3 | 8.2 | --- | 8.2 | 8.5 | 8.3 | 8.4 | 7.8 | 7.8 |
| 19 | 7.8 | 8.0 | 7.6 | 8.3 | 8.2 | --- | 8.2 | 8.6 | 8.1 | 8.6 | 7.9 | 7.8 |
| 20 | 7.8 | 7.9 | 8.1 | 8.3 | 8.2 | --- | 8.2 | 8.4 | 7.9 | 8.1 | 8.1 | 7.9 |
| 21 | 7.8 | 7.9 | 8.2 | 8.3 | 8.2 | --- | 8.3 | 8.2 | --- | 8.1 | 8.0 | 7.8 |
| 22 | 7.9 | 8.0 | 8.2 | 8.3 | 8.2 | --- | 8.3 | 8.0 | --- | 8.1 | 7.7 | 7.9 |
| 23 | 8.0 | 8.0 | 8.2 | 8.3 | 8.2 | --- | 8.2 | 8.0 | --- | 8.2 | 7.9 | 7.8 |
| 24 | 7.9 | 8.0 | 8.2 | 8.1 | 8.2 | --- | 8.0 | 8.0 | --- | 7.8 | 7.8 | 7.7 |
| 25 | 7.9 | 8.0 | 8.2 | 8.2 | 8.2 | --- | 8.1 | 8.0 | --- | 7.7 | 7.8 | 7.6 |
| 26 | 7.9 | 8.0 | 8.2 | 8.1 | 8.3 | --- | 8.1 | 8.1 | --- | 7.8 | 7.9 | 7.6 |
| 27 | 8.0 | 8.1 | 8.1 | 8.2 | 8.4 | --- | 8.1 | 8.1 | --- | 7.8 | 7.9 | 7.8 |
| 28 | 8.0 | 8.1 | 8.1 | 8.1 | 8.4 | --- | 8.1 | 8.1 | --- | 7.9 | 7.9 | 7.8 |
| 29 | 8.0 | 8.1 | 8.1 | 8.1 | 8.4 | --- | 8.1 | 8.0 | 8.1 | 8.1 | 7.7 | 7.8 |
| 30 | 8.0 | 8.0 | 8.1 | 8.1 | --- | --- | 8.2 | 8.2 | 8.4 | 8.3 | 7.8 | 7.8 |
| 31 | 8.0 | --- | 8.1 | 8.2 | --- | --- | --- | 8.2 | --- | 8.3 | 7.8 | --- |
| MEAN | 8.0 | 8.0 | 8.2 | 8.2 | 8.2 | 8.4 | 8.2 | 8.2 | 8.3 | 8.2 | 7.8 | 7.8 |
| WTR YR 1984 | MEAN | 8.1 | MAX | 8.6 | MIN | 7.6 | | | | | | |

03271510 GREAT MIAMI RIVER NEAR LINDEN AVENUE AT MIAMISBURG, OH.--Continued
 TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
 MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|------|------|-----|------|-----|-----|------|------|------|------|------|------|
| 1 | 19.5 | 14.0 | 4.5 | .0 | 2.0 | 2.0 | --- | 15.5 | --- | 22.5 | 25.0 | 23.0 |
| 2 | 19.0 | 14.5 | 3.5 | .5 | 3.5 | 3.5 | 9.5 | 15.0 | --- | 23.0 | 25.5 | 23.5 |
| 3 | 19.5 | 15.0 | 4.0 | 1.0 | 3.0 | 4.0 | 9.0 | 14.0 | --- | 23.5 | 25.5 | 23.5 |
| 4 | 20.0 | 12.0 | 4.5 | 1.5 | 1.0 | 3.5 | 8.5 | 13.0 | --- | 23.0 | 25.5 | 21.5 |
| 5 | 19.5 | 11.0 | 5.0 | 2.0 | 1.0 | 4.0 | 8.0 | 12.5 | --- | 22.5 | 25.0 | 20.5 |
| 6 | 19.0 | 10.5 | 6.0 | 2.0 | 1.0 | 4.0 | 6.5 | 13.5 | --- | 22.0 | 25.5 | 20.5 |
| 7 | 18.5 | 11.0 | 5.0 | 2.0 | 1.0 | 3.5 | 6.0 | 15.0 | --- | 22.0 | 26.0 | 20.5 |
| 8 | 18.0 | 11.0 | 4.0 | 2.5 | 1.0 | 3.0 | 7.0 | 15.0 | 24.0 | 22.0 | 25.5 | 21.0 |
| 9 | 18.0 | 11.5 | 4.0 | 2.5 | 2.0 | 2.0 | 8.5 | 12.5 | 23.5 | 22.0 | 26.0 | 21.0 |
| 10 | 17.5 | 11.5 | 4.5 | 2.5 | 3.0 | 2.5 | 10.0 | 13.0 | 24.5 | 24.0 | 26.0 | 20.5 |
| 11 | 17.5 | 10.5 | 5.0 | 1.0 | --- | 3.0 | 10.5 | 15.0 | 25.0 | 25.0 | 26.0 | 23.0 |
| 12 | 18.0 | 8.0 | 6.5 | 1.0 | --- | 3.0 | 11.5 | 17.0 | 25.5 | 25.0 | 25.0 | 23.5 |
| 13 | 16.0 | 7.0 | 6.5 | 1.0 | --- | 3.0 | 12.0 | 16.5 | 26.0 | 26.0 | 25.0 | 24.0 |
| 14 | 14.0 | 6.5 | 6.5 | 1.5 | 6.0 | 4.0 | 13.5 | 16.0 | 25.5 | 26.5 | 25.5 | 24.0 |
| 15 | 14.0 | 7.5 | 5.5 | 1.5 | 5.5 | 5.5 | 12.5 | 16.0 | 25.0 | 25.5 | 26.0 | 21.0 |
| 16 | 15.0 | 7.5 | 4.0 | 1.5 | 5.5 | 7.5 | 11.5 | 16.5 | 24.5 | 25.0 | 26.0 | 19.5 |
| 17 | 15.5 | 6.5 | 3.0 | 1.5 | 6.0 | --- | 10.5 | 16.5 | 25.0 | 25.0 | 26.0 | 19.0 |
| 18 | 15.0 | 6.5 | 2.0 | 1.0 | 6.5 | --- | 8.5 | 17.5 | 25.5 | 24.5 | 26.0 | 19.0 |
| 19 | 14.0 | 8.0 | 1.0 | .5 | 8.0 | --- | 8.0 | 19.0 | 25.5 | 24.0 | 25.5 | 20.0 |
| 20 | 13.0 | 10.0 | .5 | .5 | 7.5 | --- | 9.0 | 20.0 | 26.0 | 23.5 | 24.0 | 21.0 |
| 21 | 13.0 | 9.5 | 1.0 | .5 | 7.0 | --- | 10.0 | 20.0 | --- | 23.5 | 24.0 | 21.5 |
| 22 | 13.5 | 9.5 | 2.0 | .0 | 7.0 | --- | 9.5 | 19.0 | --- | 24.5 | 23.5 | 22.5 |
| 23 | 13.5 | 10.5 | .5 | .5 | 7.5 | --- | 8.0 | 20.0 | --- | 25.5 | 23.0 | 22.0 |
| 24 | 13.5 | 10.0 | .5 | 1.0 | 8.5 | --- | 8.0 | 19.0 | --- | 26.0 | 23.0 | 21.0 |
| 25 | 13.5 | 8.0 | .5 | 1.0 | 7.5 | --- | 8.5 | 18.5 | --- | 24.5 | 23.0 | 21.0 |
| 26 | 12.5 | 7.5 | .5 | 1.0 | 7.0 | --- | 11.0 | 19.5 | --- | 23.0 | 23.5 | 20.0 |
| 27 | 12.0 | 7.5 | .5 | 1.0 | 4.5 | --- | 14.5 | 19.5 | --- | 22.5 | 24.0 | 17.0 |
| 28 | 12.0 | 8.5 | .0 | 1.0 | 2.5 | --- | 16.0 | 18.0 | --- | 22.0 | 23.5 | 15.5 |
| 29 | 13.0 | 7.5 | .5 | 1.5 | 2.0 | --- | 16.0 | 15.5 | 24.0 | 23.0 | 24.0 | 16.0 |
| 30 | 12.0 | 6.0 | .5 | 1.5 | --- | --- | 16.0 | 14.5 | 23.0 | 23.5 | 25.0 | 15.0 |
| 31 | 12.5 | --- | .0 | 1.5 | --- | --- | --- | 14.5 | --- | 24.5 | 24.0 | --- |
| MEAN | 15.5 | 9.5 | 3.0 | 1.0 | 4.5 | 3.5 | 10.5 | 16.5 | 25.0 | 24.0 | 25.0 | 20.5 |
| WTR YR 1984 | MEAN | 13.0 | MAX | 26.5 | MIN | .0 | | | | | | |

OXYGEN, DISSOLVED (DO), MG/L, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
 MEDIAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|------|------|------|------|------|------|------|-----|------|-----|-----|-----|
| 1 | 5.0 | 6.8 | 12.2 | 11.9 | 12.5 | 13.5 | --- | 8.6 | --- | --- | 4.5 | 2.4 |
| 2 | 5.6 | 6.3 | 12.4 | 11.8 | 12.3 | 12.9 | 9.9 | 8.9 | --- | --- | 3.9 | 1.0 |
| 3 | 5.9 | 6.0 | 12.4 | 11.9 | 12.0 | 12.3 | 9.4 | 8.3 | --- | --- | 3.6 | 3.0 |
| 4 | 4.3 | 7.3 | 12.1 | 12.7 | 12.8 | 12.0 | 9.5 | 8.2 | --- | --- | 3.0 | 3.7 |
| 5 | 4.1 | 8.6 | 12.2 | 12.5 | 12.6 | 11.7 | 10.0 | 8.9 | --- | --- | 3.0 | 4.3 |
| 6 | 5.2 | 8.6 | 11.9 | 12.3 | 12.9 | 12.7 | 10.6 | 8.7 | --- | --- | 4.4 | 4.7 |
| 7 | 6.4 | 8.3 | 12.2 | 12.5 | 13.1 | 13.2 | 10.8 | 8.1 | --- | --- | 3.8 | 4.7 |
| 8 | 7.3 | 7.9 | 12.5 | 12.5 | 13.0 | 12.7 | 10.6 | 8.4 | 10.5 | --- | 4.7 | 5.6 |
| 9 | 7.3 | 7.7 | 12.5 | 12.5 | 12.6 | 13.6 | 10.1 | 8.5 | 8.6 | --- | 4.3 | 5.1 |
| 10 | 7.4 | 7.1 | 12.4 | 12.5 | 11.9 | 13.3 | 9.7 | 8.9 | 9.7 | --- | 3.9 | 4.5 |
| 11 | 6.3 | 7.8 | 12.1 | 12.8 | --- | 12.9 | 9.7 | 8.4 | 8.8 | --- | 4.3 | 4.6 |
| 12 | 4.9 | 9.5 | 11.7 | 13.0 | --- | 12.5 | 9.5 | 8.5 | 8.5 | --- | 4.4 | 4.4 |
| 13 | 6.4 | 10.4 | 11.7 | 12.7 | --- | 11.5 | 9.4 | 7.9 | 7.1 | --- | 4.4 | 4.3 |
| 14 | 7.5 | 10.4 | 11.6 | 12.6 | 12.8 | 11.7 | 9.5 | 7.8 | 5.7 | --- | 4.3 | 3.5 |
| 15 | 7.8 | 9.9 | 11.8 | 12.9 | 13.2 | 11.4 | 9.7 | 7.9 | 8.5 | --- | 4.0 | 4.0 |
| 16 | 7.9 | 10.0 | 12.4 | 12.9 | 13.1 | 10.8 | 9.8 | 8.6 | 8.2 | --- | 4.0 | 4.5 |
| 17 | 7.2 | 10.6 | 12.9 | 12.8 | 12.8 | --- | 9.9 | 9.1 | 8.5 | --- | 4.9 | 4.5 |
| 18 | 6.3 | 10.6 | 13.0 | 13.0 | 12.6 | --- | 10.5 | 9.1 | 7.3 | --- | 4.9 | 3.8 |
| 19 | 6.5 | 10.2 | 13.3 | 13.5 | 11.9 | --- | 10.7 | 8.9 | 5.8 | --- | 4.7 | 4.4 |
| 20 | 7.2 | 9.5 | 13.2 | 13.5 | 12.0 | --- | 10.8 | 7.4 | 3.4 | --- | 5.9 | 4.4 |
| 21 | 7.9 | 9.4 | 12.9 | 13.5 | 12.3 | --- | 10.3 | 6.8 | --- | --- | 5.4 | 3.5 |
| 22 | 7.3 | 9.9 | 12.6 | 13.2 | 12.1 | --- | 10.1 | 7.2 | --- | --- | 3.6 | 3.8 |
| 23 | 8.3 | 9.7 | 12.9 | 13.1 | 11.5 | --- | 10.7 | 7.1 | --- | --- | 4.7 | 2.9 |
| 24 | 8.5 | 9.9 | 13.7 | 12.6 | 11.0 | --- | 10.8 | 7.4 | --- | --- | 4.7 | 2.9 |
| 25 | 8.4 | 10.9 | 13.3 | 12.9 | 11.2 | --- | 10.9 | 7.2 | --- | --- | 4.3 | 3.5 |
| 26 | 8.3 | 11.3 | 13.0 | 12.8 | 12.0 | --- | 10.3 | 7.1 | --- | --- | 4.5 | 3.9 |
| 27 | 8.5 | 11.3 | 12.6 | 12.8 | 12.4 | --- | 9.2 | 7.0 | --- | --- | 4.0 | 4.9 |
| 28 | 8.3 | 11.0 | 12.1 | 12.5 | 13.1 | --- | 8.7 | 7.4 | --- | 5.6 | 3.1 | 5.2 |
| 29 | 7.6 | 11.2 | 12.3 | 12.1 | 13.6 | --- | 9.6 | 8.1 | --- | 5.8 | 3.1 | 4.9 |
| 30 | 7.6 | 11.8 | 12.5 | 11.9 | --- | --- | 8.5 | 9.1 | --- | 5.9 | 2.6 | 4.9 |
| 31 | 7.5 | --- | 12.2 | 12.6 | --- | --- | --- | 8.6 | --- | 5.3 | 2.9 | --- |
| MEAN | 6.9 | 9.3 | 12.5 | 12.7 | 12.4 | 12.4 | 9.9 | 8.1 | 7.7 | 5.7 | 4.1 | 4.1 |
| WTR YR 1984 | MEAN | 8.9 | MAX | 13.7 | MIN | 1.0 | | | | | | |

03271800 TWIN CREEK NEAR INGOMAR, OH

LOCATION.--Lat 39°42'28", long 84°31'30", in sec. 15, T.5 N., R.3 E., Preble County, Hydrologic Unit 05080002, on left bank at downstream side of bridge on Halderman Road, 0.5 mi downstream from Bantas Fork, 1.4 mi west of Ingomar, and 4.8 mi upstream from Aukerman Creek.

DRAINAGE AREA.--197 mi².

PERIOD OF RECORD.--Occasional low-flow measurements water years 1959, 1961-62, October 1962 to current year.

GAGE.--Water-stage recorder. Datum of gage is 815.42 ft National Geodetic Vertical Datum of 1929.

REMARKS.--Records fair except those for the winter period, which are poor. Sediment data collected at this site 1970 to 1974.

COOPERATION.--Gage-height tapes and 7 discharge measurements furnished by Miami Conservancy District.

AVERAGE DISCHARGE.--22 years, 193 ft³/s, 13.30 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 19,300 ft³/s Mar. 4, 1963, gage height, 14.40 ft, from rating curve extended above 7,000 ft³/s on basis of contracted-opening measurement at gage height 18.8 ft; minimum daily, 2.5 ft³/s Sept. 12-14, 1964.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of Jan. 21, 1959 reached a stage of 18.8 ft, discharge, 30,300 ft³/s, computed by Miami Conservancy District. Flood of Mar. 25, 1913 reached a stage of 28.0 ft.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 4700 ft³/s and maximums (*):

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|---------|------|-----------------------------------|---------------------|---------------------|------|-----------------------------------|---------------------|
| Mar. 16 | 0645 | * 4,050 | * 6.64 | No peak above base. | | | |

Minimum discharge, 2.9 ft³/s Oct. 2.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|------|------|------|------|-------|-------|------|------|------|-------|-------|
| 1 | 3.2 | 25 | 197 | 54 | 45 | 100 | 258 | 161 | 102 | 29 | 14 | 7.6 |
| 2 | 3.2 | 24 | 165 | 52 | 151 | 96 | 219 | 142 | 93 | 28 | 15 | 7.1 |
| 3 | 3.5 | 28 | 146 | 50 | 1040 | 92 | 219 | 168 | 84 | 26 | 14 | 11 |
| 4 | 3.8 | 48 | 611 | 48 | 326 | 90 | 396 | 213 | 75 | 50 | 20 | 24 |
| 5 | 4.5 | 52 | 756 | 47 | 173 | 183 | 2550 | 176 | 69 | 128 | 100 | 18 |
| 6 | 12 | 43 | 806 | 46 | 82 | 381 | 1790 | 208 | 66 | 255 | 33 | 14 |
| 7 | 10 | 37 | 465 | 45 | 64 | 288 | 783 | 216 | 60 | 130 | 22 | 12 |
| 8 | 7.8 | 33 | 278 | 44 | 54 | 200 | 448 | 252 | 54 | 80 | 19 | 9.9 |
| 9 | 6.4 | 30 | 216 | 42 | 49 | 150 | 326 | 255 | 50 | 57 | 17 | 9.5 |
| 10 | 5.6 | 30 | 202 | 40 | 52 | 120 | 255 | 197 | 47 | 48 | 18 | 10 |
| 11 | 6.0 | 98 | 723 | 39 | 165 | 110 | 211 | 168 | 43 | 42 | 15 | 9.9 |
| 12 | 6.4 | 156 | 1380 | 38 | 208 | 100 | 183 | 151 | 40 | 36 | 14 | 9.0 |
| 13 | 37 | 96 | 596 | 37 | 404 | 130 | 181 | 128 | 39 | 33 | 14 | 8.2 |
| 14 | 35 | 71 | 408 | 35 | 767 | 246 | 181 | 120 | 45 | 29 | 13 | 10 |
| 15 | 22 | 89 | 358 | 33 | 384 | 911 | 246 | 106 | 38 | 26 | 12 | 15 |
| 16 | 16 | 333 | 243 | 31 | 294 | 3020 | 558 | 98 | 35 | 25 | 11 | 13 |
| 17 | 12 | 191 | 183 | 29 | 252 | 1180 | 935 | 91 | 33 | 23 | 11 | 11 |
| 18 | 13 | 133 | 140 | 27 | 219 | 707 | 601 | 87 | 31 | 22 | 17 | 9.6 |
| 19 | 13 | 110 | 120 | 24 | 231 | 482 | 420 | 84 | 32 | 20 | 17 | 9.1 |
| 20 | 23 | 158 | 100 | 22 | 194 | 1250 | 326 | 85 | 53 | 19 | 13 | 8.6 |
| 21 | 91 | 288 | 100 | 21 | 158 | 2060 | 265 | 954 | 53 | 20 | 11 | 7.8 |
| 22 | 79 | 173 | 110 | 20 | 133 | 1120 | 1000 | 504 | 34 | 18 | 11 | 7.0 |
| 23 | 262 | 917 | 82 | 22 | 120 | 767 | 1820 | 1100 | 39 | 17 | 12 | 8.5 |
| 24 | 173 | 954 | 70 | 120 | 114 | 596 | 1350 | 517 | 144 | 15 | 12 | 15 |
| 25 | 104 | 369 | 64 | 258 | 199 | 636 | 666 | 281 | 142 | 18 | 11 | 18 |
| 26 | 66 | 228 | 80 | 197 | 262 | 1060 | 424 | 199 | 72 | 23 | 9.6 | 32 |
| 27 | 49 | 197 | 74 | 284 | 228 | 661 | 308 | 149 | 49 | 25 | 8.8 | 31 |
| 28 | 40 | 1330 | 70 | 104 | 197 | 592 | 243 | 144 | 42 | 21 | 9.3 | 21 |
| 29 | 33 | 549 | 64 | 66 | 120 | 911 | 199 | 168 | 35 | 18 | 9.6 | 17 |
| 30 | 29 | 278 | 60 | 53 | --- | 452 | 197 | 135 | 31 | 16 | 9.1 | 14 |
| 31 | 27 | --- | 56 | 48 | --- | 315 | --- | 118 | --- | 15 | 8.1 | --- |
| TOTAL | 1196.4 | 7068 | 8923 | 1976 | 6685 | 19006 | 17558 | 7375 | 1730 | 1312 | 520.5 | 397.8 |
| MEAN | 38.6 | 236 | 288 | 63.7 | 231 | 613 | 585 | 238 | 57.7 | 42.3 | 16.8 | 13.3 |
| MAX | 262 | 1330 | 1380 | 284 | 1040 | 3020 | 2550 | 1100 | 144 | 255 | 100 | 32 |
| MIN | 3.2 | 24 | 56 | 20 | 45 | 90 | 181 | 84 | 31 | 15 | 8.1 | 7.0 |
| CFSM | .20 | 1.20 | 1.46 | .32 | 1.17 | 3.11 | 2.97 | 1.21 | .29 | .22 | .09 | .07 |
| IN. | .23 | 1.33 | 1.68 | .37 | 1.26 | 3.59 | 3.32 | 1.39 | .33 | .25 | .10 | .08 |

| | | | | | | | |
|-------------|-------|---------|----------|----------|---------|-----------|----------|
| CAL YR 1983 | TOTAL | 58053.7 | MEAN 159 | MAX 3480 | MIN 3.2 | CFSM .81 | IN 10.96 |
| WTR YR 1984 | TOTAL | 73747.7 | MEAN 201 | MAX 3020 | MIN 3.2 | CFSM 1.02 | IN 13.93 |

GREAT MIAMI RIVER BASIN

211

03272000 TWIN CREEK NEAR GERMANTOWN, OH

LOCATION.--Lat 39°38'10", long 84°23'48", in NW 1/4 sec. 11, T.3 N., R.4 E., Montgomery County, Hydrologic Unit 05080002, on right bank 0.3 mi downstream from Germantown Dam, 1.5 mi northwest of Germantown, and 3 mi upstream from Little Twin Creek.

DRAINAGE AREA.--275 mi².

PERIOD OF RECORD.--April 1914 to December 1923, December 1926 to current year.

REVISED RECORDS.--WSP 403: 1914(M). WSP 1385: 1915(M).

GAGE.--Water-stage recorder. Datum of gage is 700.24 ft National Geodetic Vertical Datum of 1929. Prior to Dec. 18, 1926, nonrecording gage at site 1 mi downstream at datum 12.49 ft higher.

REMARKS.--Records fair except those for winter period which are fair. Flood flow regulated by Germantown retarding basin, 0.3 mi upstream beginning in 1920.

COOPERATION.--Gage-height tapes, and 7 discharge measurements furnished by Miami Conservancy District.

AVERAGE DISCHARGE.--66 years (1914-23, 1927-84), 264 ft³/s, 13.04 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 9,390 ft³/s July 8, 1915, gage height 11.7 ft, from graph based on gage readings, site and datum then in use; maximum gage height, 29.19 ft Jan. 22, 1959; minimum discharge, 1.5 ft³/s Sept. 25, 1941.

EXTREMES OUTSIDE PERIOD OF RECORD.--Flood of Mar. 25, 1913 reached a stage of 18.3 ft, original site and datum, discharge, 66,000 ft³/s, computed by Miami Conservancy District.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 4,450 ft³/s Apr. 5, gage height 24.97 ft; minimum, 7.7 ft³/s Oct. 12.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|--------|------|-------|------|------|-------|-------|------|------|------|------|------|
| 1 | 9.5 | 16 | 297 | 68 | 62 | 150 | 380 | 235 | 126 | 41 | 21 | 16 |
| 2 | 9.4 | 16 | 240 | 70 | 82 | 150 | 317 | 206 | 114 | 40 | 21 | 15 |
| 3 | 9.0 | 17 | 219 | 68 | 1270 | 140 | 314 | 297 | 104 | 37 | 21 | 18 |
| 4 | 10 | 22 | 879 | 64 | 583 | 140 | 556 | 386 | 94 | 59 | 27 | 21 |
| 5 | 12 | 33 | 1040 | 60 | 258 | 317 | 3220 | 284 | 87 | 125 | 75 | 29 |
| 6 | 12 | 29 | 1020 | 58 | 130 | 613 | 3000 | 355 | 83 | 235 | 51 | 25 |
| 7 | 13 | 25 | 772 | 58 | 110 | 443 | 1190 | 352 | 78 | 152 | 33 | 21 |
| 8 | 13 | 21 | 437 | 58 | 96 | 362 | 685 | 375 | 72 | 97 | 27 | 19 |
| 9 | 13 | 19 | 324 | 56 | 86 | 220 | 495 | 392 | 66 | 70 | 25 | 18 |
| 10 | 12 | 19 | 289 | 56 | 80 | 200 | 381 | 297 | 62 | 57 | 23 | 18 |
| 11 | 12 | 102 | 605 | 54 | 201 | 180 | 309 | 247 | 58 | 48 | 24 | 18 |
| 12 | 10 | 151 | 2100 | 54 | 266 | 160 | 266 | 224 | 54 | 43 | 21 | 18 |
| 13 | 24 | 90 | 998 | 52 | 515 | 200 | 254 | 192 | 52 | 39 | 20 | 17 |
| 14 | 29 | 60 | 639 | 52 | 1150 | 408 | 256 | 177 | 64 | 34 | 20 | 18 |
| 15 | 19 | 56 | 573 | 50 | 595 | 1040 | 325 | 156 | 55 | 32 | 19 | 22 |
| 16 | 15 | 238 | 393 | 47 | 421 | 3810 | 687 | 142 | 50 | 31 | 18 | 22 |
| 17 | 12 | 202 | 281 | 44 | 360 | 1810 | 1230 | 131 | 48 | 29 | 18 | 20 |
| 18 | 12 | 121 | 230 | 40 | 302 | 1030 | 835 | 123 | 45 | 27 | 20 | 18 |
| 19 | 13 | 91 | 180 | 37 | 299 | 695 | 583 | 116 | 44 | 26 | 24 | 18 |
| 20 | 24 | 93 | 160 | 34 | 267 | 1340 | 456 | 113 | 44 | 25 | 22 | 18 |
| 21 | 148 | 250 | 170 | 32 | 214 | 3070 | 368 | 768 | 74 | 26 | 19 | 17 |
| 22 | 68 | 178 | 140 | 30 | 183 | 1670 | 1100 | 612 | 51 | 25 | 18 | 16 |
| 23 | 221 | 822 | 120 | 30 | 162 | 1140 | 2510 | 1010 | 46 | 23 | 19 | 17 |
| 24 | 164 | 1630 | 100 | 240 | 152 | 858 | 2070 | 649 | 86 | 22 | 19 | 20 |
| 25 | 93 | 628 | 86 | 380 | 292 | 778 | 1010 | 335 | 158 | 24 | 19 | 29 |
| 26 | 53 | 355 | 92 | 248 | 350 | 1460 | 636 | 241 | 92 | 28 | 18 | 28 |
| 27 | 36 | 268 | 100 | 350 | 306 | 944 | 459 | 181 | 67 | 38 | 17 | 39 |
| 28 | 28 | 1600 | 86 | 182 | 275 | 815 | 356 | 168 | 56 | 29 | 17 | 34 |
| 29 | 23 | 965 | 76 | 100 | 198 | 1290 | 286 | 194 | 49 | 26 | 17 | 27 |
| 30 | 19 | 450 | 70 | 82 | --- | 688 | 280 | 164 | 44 | 23 | 17 | 23 |
| 31 | 17 | --- | 66 | 70 | --- | 479 | --- | 143 | --- | 21 | 16 | --- |
| TOTAL | 1152.9 | 8567 | 12782 | 2824 | 9265 | 26600 | 24814 | 9265 | 2123 | 1532 | 726 | 639 |
| MEAN | 37.2 | 286 | 412 | 91.1 | 319 | 858 | 827 | 299 | 70.8 | 49.4 | 23.4 | 21.3 |
| MAX | 221 | 1630 | 2100 | 380 | 1270 | 3810 | 3220 | 1010 | 158 | 235 | 75 | 39 |
| MIN | 9.0 | 16 | 66 | 30 | 62 | 140 | 254 | 113 | 44 | 21 | 16 | 15 |
| CFSM | .14 | 1.04 | 1.50 | .33 | 1.16 | 3.12 | 3.01 | 1.09 | .26 | .18 | .09 | .08 |
| IN. | .16 | 1.16 | 1.73 | .38 | 1.25 | 3.60 | 3.36 | 1.25 | .29 | .21 | .10 | .09 |

CAL YR 1983 TOTAL 87621.9 MEAN 240 MAX 4540 MIN 9.0 CFSM .87 IN 11.85
WTR YR 1984 TOTAL 100289.9 MEAN 274 MAX 3810 MIN 9.0 CFSM 1.00 IN 13.57

GREAT MIAMI RIVER BASIN

03272700 SEVENMILE CREEK AT CAMDEN, OH

LOCATION.--Lat 39°37'45", long 84°38'40", Preble County, Hydrologic Unit 05080002, 0.3 mi downstream from Beasley Run on right bank at downstream side of bridge on State Highway 725 in Camden, and at mile 16.2.

DRAINAGE AREA.--69.0 mi².

PERIOD OF RECORD.--December 1970 to current year.

GAGE.--Water-stage recorder. Datum of gage is 818.57 ft National Geodetic Vertical Datum of 1929. (Levels by Miami Conservancy District). Prior to Oct. 1, 1975, at same site at datum 3.02 ft higher.

REMARKS.--Records fair except those for the winter period, which are poor. Water-quality data collected at this site 1972 to 1974.

COOPERATION.--Gage-height tapes, and 7 discharge measurements furnished by Miami Conservancy District.

AVERAGE DISCHARGE.--13 years (1972-84), 72.1 ft³/s, 14.19 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 6,210 ft³/s June 22, 1974, gage height 13.25 ft, present datum from rating curve extended above 2,200 ft³/s; minimum daily, 1.6 ft³/s July 21, 1977.

EXTREMES FOR CURRENT YEAR.--Peak discharges above base of 1500 ft³/s and maximums (*).

| Date | Time | Discharge (ft ³ /s) | Gage height (ft) | Date | Time | Discharge (ft ³ /s) | Gage height (ft) |
|--------|------|-----------------------------------|---------------------|---------|------|-----------------------------------|---------------------|
| Apr. 5 | 1115 | 1,620 | 7.78 | Apr. 22 | 1815 | * 1,780 | * 8.02 |

Minimum daily discharge, 1.6 ft³/s Oct. 1, 3, 4.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------------|---------|-----------|----------|---------|----------|----------|------|------|------|-------|-------|-------|
| 1 | 1.6 | 11 | 71 | 16 | 15 | 35 | 109 | 66 | 36 | 14 | 5.4 | 2.6 |
| 2 | 1.7 | 11 | 62 | 16 | 63 | 33 | 96 | 60 | 33 | 13 | 5.5 | 2.4 |
| 3 | 1.6 | 13 | 57 | 16 | 265 | 30 | 108 | 99 | 30 | 14 | 5.5 | 3.6 |
| 4 | 1.6 | 19 | 205 | 16 | 90 | 29 | 199 | 102 | 27 | 37 | 8.2 | 6.7 |
| 5 | 4.7 | 22 | 165 | 15 | 55 | 70 | 1110 | 79 | 26 | 112 | 12 | 4.0 |
| 6 | 4.5 | 18 | 165 | 15 | 32 | 136 | 479 | 109 | 23 | 64 | 7.1 | 3.5 |
| 7 | 3.2 | 16 | 126 | 14 | 19 | 98 | 242 | 102 | 22 | 38 | 5.5 | 3.0 |
| 8 | 2.4 | 14 | 92 | 14 | 16 | 70 | 165 | 109 | 20 | 25 | 4.7 | 2.8 |
| 9 | 2.1 | 13 | 73 | 14 | 15 | 50 | 134 | 104 | 19 | 20 | 4.5 | 2.3 |
| 10 | 1.9 | 21 | 67 | 13 | 23 | 46 | 110 | 91 | 17 | 18 | 4.3 | 2.6 |
| 11 | 2.4 | 85 | 206 | 13 | 50 | 42 | 93 | 80 | 17 | 16 | 4.3 | 2.9 |
| 12 | 2.6 | 60 | 344 | 13 | 71 | 40 | 84 | 65 | 17 | 14 | 3.7 | 2.8 |
| 13 | 31 | 40 | 177 | 12 | 143 | 64 | 85 | 55 | 18 | 12 | 3.5 | 2.6 |
| 14 | 15 | 29 | 138 | 12 | 191 | 110 | 85 | 51 | 25 | 10 | 3.6 | 4.1 |
| 15 | 9.1 | 38 | 121 | 11 | 116 | 274 | 103 | 45 | 17 | 9.0 | 3.3 | 7.8 |
| 16 | 6.5 | 93 | 89 | 10 | 96 | 698 | 170 | 42 | 15 | 8.7 | 3.1 | 4.3 |
| 17 | 5.4 | 61 | 69 | 9.4 | 85 | 278 | 238 | 40 | 15 | 8.5 | 3.0 | 3.2 |
| 18 | 6.8 | 46 | 54 | 8.6 | 76 | 197 | 199 | 38 | 14 | 7.5 | 5.3 | 2.8 |
| 19 | 6.8 | 40 | 44 | 7.8 | 81 | 155 | 147 | 36 | 13 | 7.1 | 5.1 | 2.8 |
| 20 | 36 | 55 | 40 | 7.2 | 69 | 466 | 121 | 36 | 92 | 6.7 | 3.6 | 2.6 |
| 21 | 76 | 87 | 45 | 7.0 | 60 | 530 | 105 | 77 | 142 | 8.1 | 3.3 | 2.5 |
| 22 | 40 | 59 | 62 | 7.4 | 52 | 303 | 454 | 69 | 48 | 7.0 | 3.5 | 2.4 |
| 23 | 90 | 262 | 34 | 9.4 | 49 | 230 | 491 | 163 | 44 | 6.0 | 4.0 | 3.2 |
| 24 | 48 | 243 | 23 | 103 | 47 | 205 | 356 | 112 | 139 | 5.5 | 4.0 | 9.4 |
| 25 | 32 | 129 | 21 | 64 | 78 | 194 | 205 | 77 | 60 | 6.8 | 3.4 | 11 |
| 26 | 24 | 85 | 25 | 57 | 76 | 232 | 149 | 61 | 34 | 12 | 3.0 | 16 |
| 27 | 20 | 75 | 23 | 64 | 70 | 180 | 120 | 47 | 27 | 18 | 2.8 | 10 |
| 28 | 16 | 315 | 20 | 29 | 67 | 209 | 110 | 53 | 23 | 9.2 | 3.1 | 6.1 |
| 29 | 14 | 156 | 18 | 20 | 42 | 238 | 107 | 58 | 18 | 7.0 | 3.5 | 4.7 |
| 30 | 12 | 96 | 17 | 15 | --- | 153 | 83 | 46 | 16 | 6.0 | 3.2 | 4.2 |
| 31 | 11 | --- | 16 | 14 | --- | 123 | --- | 40 | --- | 5.5 | 2.9 | --- |
| TOTAL | 529.9 | 2212 | 2669 | 642.8 | 2112 | 5518 | 6257 | 2212 | 1047 | 545.6 | 137.9 | 138.9 |
| MEAN | 17.1 | 73.7 | 86.1 | 20.7 | 72.8 | 178 | 209 | 71.4 | 34.9 | 17.6 | 4.45 | 4.63 |
| MAX | 90 | 315 | 344 | 103 | 265 | 698 | 1110 | 163 | 142 | 112 | 12 | 16 |
| MIN | 1.6 | 11 | 16 | 7.0 | 15 | 29 | 83 | 36 | 13 | 5.5 | 2.8 | 2.3 |
| CFSM | .25 | 1.07 | 1.25 | .30 | 1.06 | 2.58 | 3.03 | 1.04 | .51 | .26 | .06 | .07 |
| IN. | .29 | 1.19 | 1.44 | .35 | 1.14 | 2.97 | 3.37 | 1.19 | .56 | .29 | .07 | .07 |
| CAL YR 1983 TOTAL | 22327.1 | MEAN 61.2 | MAX 1570 | MIN 1.6 | CFSM .89 | IN 12.04 | | | | | | |
| WTR YR 1984 TOTAL | 24022.1 | MEAN 65.6 | MAX 1110 | MIN 1.6 | CFSM .95 | IN 12.95 | | | | | | |

03274000 GREAT MIAMI RIVER AT HAMILTON, OH

LOCATION.--Lat 39°23'28", long 84°34'20", in NE 1/4 sec. 6, T.1 N., R.3 E., Butler County, Hydrologic Unit 05080002, on right bank 1,000 ft downstream from Columbia Bridge at Hamilton, 3 mi downstream from Four Mile Creek, 4.3 mi upstream from Pleasant Run, and at mile 34.8.

DRAINAGE AREA.--3,630 mi².

PERIOD OF RECORD.--January 1907 to June 1909 (fragmentary), January 1910 to September 1918, April 1927 to current year. Monthly discharge only for some periods, published in WSP 1305. Gage-height records collected at site 0.7 mi upstream since 1911 are contained in reports of National Weather Service. Prior to October 1962, published as Miami River at Hamilton.

REVISED RECORDS.--WSP 803: 1936. WSP 1908: Drainage area.

GAGE.--Water-stage recorder. Datum of gage is 499.98 ft National Geodetic Vertical Datum of 1929. Prior to Apr. 12, 1927, nonrecording gage at site 0.7 mi upstream at datum 64.65 ft higher.

REMARKS.--Records good. Some regulation at low flow by industrial plants upstream from station. Flood flow regulated by five retarding basins upstream from station beginning in 1920 (see REMARKS for station numbers 03271500 and 03272000). Small diversion about 6 mi upstream from gage for municipal supply of Hamilton. Diversion averaged 0.58 ft³/s in 1984 and is returned as sewage 1.4 mi downstream from the station. The Miami and Erie Canal diverted water from the basin 1.7 mi upstream from station until Nov. 1, 1930, when the canal was abandoned; amount of diversion not known. Water-quality data collected at this site for water years 1950, 1951, 1973. Water temperature data collected at this site October 1950 to September 1951, October 1957 to September 1976.

COOPERATION.--Gage-height charts, tapes and 7 discharge measurements furnished by Miami Conservancy District.

AVERAGE DISCHARGE.--53 years (1931-84), 3,290 ft³/s, 12.31 in/yr.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 352,000 ft³/s Mar. 26, 1913, gage height, 38.5 ft, site and datum then in use, computed by Miami Conservancy District; maximum discharge since construction of five retarding basins upstream in 1922, 108,000 ft³/s Jan. 21, 1959, gage height 79.47 ft; minimum daily discharge, 155 ft³/s Sept 27, 1941.

EXTREMES FOR CURRENT YEAR.--Maximum discharge, 27,400 ft³/s Apr. 5, gage height, 67.28 ft; minimum daily, 407 ft³/s Oct. 3.

DISCHARGE, IN CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MEAN VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------|-------|--------|--------|-------|--------|--------|--------|--------|-------|-------|-------|-------|
| 1 | 419 | 847 | 6400 | 1760 | 1710 | 3140 | 6130 | 4810 | 2790 | 1200 | 802 | 556 |
| 2 | 415 | 876 | 5010 | 1800 | 1780 | 2890 | 5260 | 4090 | 2540 | 1140 | 798 | 547 |
| 3 | 407 | 1150 | 4410 | 1920 | 5330 | 2860 | 4930 | 4630 | 2310 | 1270 | 811 | 547 |
| 4 | 439 | 1210 | 7060 | 1870 | 9710 | 2650 | 6430 | 6090 | 2080 | 1830 | 815 | 957 |
| 5 | 573 | 1240 | 8940 | 1840 | 7230 | 4200 | 21600 | 4610 | 1980 | 3090 | 975 | 762 |
| 6 | 819 | 1420 | 10200 | 1880 | 4680 | 5890 | 22500 | 4770 | 1930 | 3250 | 1070 | 704 |
| 7 | 659 | 1220 | 10500 | 1920 | 3100 | 5500 | 17400 | 4530 | 1790 | 3620 | 920 | 665 |
| 8 | 562 | 1080 | 9020 | 1770 | 2370 | 5080 | 13100 | 4490 | 1700 | 2710 | 1550 | 644 |
| 9 | 561 | 1000 | 6850 | 1660 | 2210 | 4320 | 9240 | 4450 | 1600 | 2080 | 1660 | 614 |
| 10 | 505 | 1040 | 5580 | 1650 | 2170 | 3620 | 7080 | 3980 | 1520 | 1700 | 1140 | 595 |
| 11 | 470 | 2570 | 5540 | 1580 | 3700 | 3490 | 5860 | 3580 | 1440 | 1450 | 1220 | 619 |
| 12 | 512 | 2480 | 11900 | 1420 | 5830 | 3170 | 5090 | 3400 | 1400 | 1280 | 1540 | 633 |
| 13 | 1880 | 3280 | 12800 | 1450 | 7370 | 3520 | 4810 | 3180 | 1330 | 1180 | 1310 | 608 |
| 14 | 1900 | 2740 | 9530 | 1410 | 12200 | 4670 | 4630 | 3110 | 1770 | 1100 | 1120 | 657 |
| 15 | 1180 | 2320 | 7800 | 1290 | 10600 | 5740 | 4810 | 2840 | 1660 | 1040 | 1020 | 1140 |
| 16 | 1080 | 2730 | 6380 | 1220 | 7930 | 16200 | 6000 | 2660 | 1410 | 990 | 889 | 807 |
| 17 | 896 | 5230 | 5070 | 1250 | 6540 | 19500 | 10400 | 2460 | 1270 | 965 | 828 | 656 |
| 18 | 932 | 4820 | 4160 | 1210 | 5590 | 17600 | 11500 | 2350 | 1220 | 925 | 964 | 631 |
| 19 | 1030 | 3860 | 3560 | 1140 | 5020 | 13900 | 9780 | 2260 | 1430 | 888 | 914 | 659 |
| 20 | 1230 | 3260 | 2930 | 1040 | 4700 | 12700 | 8080 | 2110 | 1360 | 870 | 813 | 602 |
| 21 | 3620 | 3290 | 2980 | 944 | 4230 | 21700 | 7330 | 3300 | 2190 | 871 | 770 | 627 |
| 22 | 1970 | 3510 | 3560 | 894 | 3720 | 21000 | 10200 | 6820 | 1660 | 849 | 767 | 569 |
| 23 | 3590 | 6920 | 3160 | 1000 | 3350 | 17300 | 18900 | 6330 | 1400 | 815 | 839 | 586 |
| 24 | 4950 | 10200 | 2050 | 3090 | 3050 | 12800 | 21700 | 7920 | 2230 | 807 | 767 | 721 |
| 25 | 3680 | 9020 | 1460 | 4670 | 3610 | 10400 | 18300 | 5970 | 3520 | 815 | 694 | 1100 |
| 26 | 2570 | 6430 | 1690 | 3400 | 3620 | 12800 | 13900 | 4530 | 3040 | 1120 | 665 | 1180 |
| 27 | 1900 | 4870 | 2090 | 4300 | 3830 | 13500 | 9550 | 3650 | 2220 | 1550 | 637 | 1140 |
| 28 | 1560 | 9600 | 2350 | 3900 | 3980 | 11600 | 7470 | 3470 | 1790 | 998 | 705 | 889 |
| 29 | 1280 | 11900 | 2400 | 3090 | 3630 | 12100 | 6220 | 4110 | 1480 | 861 | 653 | 804 |
| 30 | 1030 | 9120 | 2140 | 2390 | --- | 9860 | 5450 | 3560 | 1260 | 809 | 626 | 771 |
| 31 | 909 | --- | 1880 | 2020 | --- | 7620 | --- | 3210 | --- | 799 | 607 | --- |
| TOTAL | 43528 | 119233 | 169400 | 60778 | 142790 | 291320 | 303750 | 127270 | 55320 | 42872 | 28889 | 21990 |
| MEAN | 1404 | 3974 | 5465 | 1961 | 4924 | 9397 | 10130 | 4105 | 1844 | 1383 | 932 | 733 |
| MAX | 4950 | 11900 | 12800 | 4670 | 12200 | 21700 | 22500 | 7920 | 3520 | 3620 | 1660 | 1180 |
| MIN | 407 | 847 | 1460 | 894 | 1710 | 2650 | 4630 | 2110 | 1220 | 799 | 607 | 547 |
| CFSM | .39 | 1.10 | 1.51 | .54 | 1.36 | 2.59 | 2.79 | 1.13 | .51 | .38 | .26 | .20 |
| IN. | .45 | 1.22 | 1.74 | .62 | 1.46 | 2.99 | 3.11 | 1.30 | .57 | .44 | .30 | .23 |

CAL YR 1983 TOTAL 1112542 MEAN 3048 MAX 37700 MIN 396 CFSM .84 IN 11.40
WTR YR 1984 TOTAL 1407140 MEAN 3845 MAX 22500 MIN 407 CFSM 1.06 IN 14.42

DRAINAGE AREA.--3,814 mi .

PERIOD OF RECORD.--July 1966 to current year.

REMARKS.--Four parameter (Specific conductance, pH, Water temperature, and Dissolved oxygen) water quality monitor at site from July 1966 to September 1981. See records of daily discharge for station at Hamilton (station 03274000).

WATER QUALITY DATA, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

[illegible][illegible]

03274600 GREAT MIAMI RIVER AT NEW BALTIMORE, OH--Continued

WATER QUALITY DATA, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | SPE- CIFIC CON- DUCT- ANCE (UMHOS) | PH (STAND- ARD) UNITS) | TEMPER- ATURE, AIR (DEG C) | TEMPER- ATURE (DEG C) | TUR- BID- ITY (NTU) | OXYGEN, DIS- SOLVED (MG/L) | OXYGEN, DIS- SOLVED (PER- CENT SATUR- ATION) | COLI- FORM, FECAL, 0.7 UM-4F (COLS./ 100 ML) |
|--------------|------|---|---|---------------------------------|-------------------------------------|-----------------------------|------------------------------|-------------------------------------|--|--|
| OCT 25... | 1530 | 3470 | 605 | 8.1 | 12.0 | 14.0 | 65 | 9.4 | 93 | 8000 |
| DEC 14... | 0930 | 9740 | 520 | 8.1 | 4.5 | 8.0 | 85 | 10.2 | 90 | 12000 |
| FEB 22... | 1230 | 3470 | 675 | 8.2 | 5.0 | 8.0 | 13 | 12.2 | 106 | 2200 |
| MAY 02... | 0900 | 4350 | 680 | 8.0 | 7.0 | 14.5 | 20 | 10.0 | 101 | 1700 |
| JUN 27... | 1300 | 2180 | 620 | 8.1 | 25.0 | 24.0 | 60 | 8.5 | 106 | 8500 |
| AUG 14... | 1200 | 1110 | 740 | -- | 27.0 | 25.0 | 1.2 | 7.9 | 99 | 980 |

| DATE | TIME | STREP- TOCUCCI FECAL, KF AGAR (COLS. PER 100 ML) | CALCIUM DIS- SOLVED (MG/L AS CA) | MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) | SODIUM, DIS- SOLVED (MG/L AS NA) | PERCENT SODIUM | SODIUM AD- SORP- TION RATIO | POTAS- SIUM, DIS- SOLVED (MG/L AS K) | ALKA- LINITY LAB (MG/L CAC03) | SULFATE DIS- SOLVED (MG/L AS SO4) | CHLO- RIDE, DIS- SOLVED (MG/L AS CL) |
|--------------|-------|--|--|--|--|-------------------|---|---|---|---|---|
| OCT 25... | 5900 | 68 | 24 | 20 | 14 | .5 | 4.9 | 162 | 71 | 37 | |
| DEC 14... | 18000 | 61 | 21 | 11 | 9 | .3 | 2.6 | 152 | 52 | 27 | |
| FEB 22... | 1000 | 78 | 29 | 21 | 13 | .5 | 2.7 | 209 | 68 | 43 | |
| MAY 02... | 520 | 78 | 29 | 19 | 12 | .5 | 2.6 | 212 | 65 | 37 | |
| JUN 27... | 2800 | 65 | 25 | 22 | 15 | .6 | 3.7 | 181 | 58 | 40 | |
| AUG 14... | 4000 | 68 | 29 | 36 | 21 | .9 | 4.0 | 211 | 78 | 64 | |

| DATE | TIME | FLUO- RIDE, DIS- SOLVED (MG/L AS F) | SILICA, DIS- SOLVED (MG/L AS SiO2) | SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) | NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N) | NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N) | NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS NH4) | NITRO- GEN+AM- MONIA + ORGANIC TOTAL (MG/L AS N) | PHOS- PHORUS, DIS- SOLVED (MG/L AS P) | PHOS- PHORUS, DIS- SOLVED (MG/L AS P) | PHOS- PHORUS, ORTHOPHOS- PHATE, DIS- SOLVED (MG/L AS P) |
|--------------|------|--|---|--|---|---|---|--|--|--|--|
| OCT 25... | .30 | 8.1 | 391 | 8.00 | .240 | .31 | 1.6 | .620 | .240 | .240 | |
| DEC 14... | .20 | 7.1 | 315 | 1.10 | .080 | .10 | .80 | .240 | .160 | .010 | |
| FEB 22... | .30 | 5.9 | 436 | 6.60 | .520 | .67 | .80 | .340 | .290 | .250 | |
| MAY 02... | .30 | 4.8 | 456 | 5.20 | .130 | .17 | 2.3 | .290 | .210 | .190 | |
| JUN 27... | .40 | 7.2 | 401 | 6.80 | .220 | .28 | .80 | .360 | .320 | .280 | |
| AUG 14... | .50 | 3.7 | 411 | 3.50 | <.010 | -- | 1.5 | .610 | .400 | .380 | |

| DATE | TIME | STREAM- FLOW, INSTAN- TANEOUS (CFS) | TEMPER- ATURE (DEG C) | SEDI- MENT, SUS- PENDED (MG/L) | SEDI- MENT, DIS- CHARGE, SUS- PENDED (T/DAY) |
|--------------|------|---|-----------------------------|--|--|
| OCT 25... | 1530 | 3470 | 14.0 | 140 | 1310 |
| DEC 14... | 0930 | 9740 | 8.0 | 184 | 4840 |
| FEB 22... | 1230 | 3470 | 8.0 | 24 | 225 |
| MAY 02... | 0900 | 4350 | 14.5 | 64 | 752 |
| JUN 27... | 1300 | 2180 | 24.0 | 88 | 518 |
| AUG 14... | 1200 | 1110 | 26.0 | 54 | 162 |

PARTIAL-RECORD STATIONS AND MISCELLANEOUS SITES

CREST-STAGE PARTIAL-RECORD STATIONS

The following table contains annual maximum discharge for crest-stage stations. A crest-stage is a device which will register the peak stage occurring between inspections of the gage. A stage-discharge relation for each gage is developed from discharge measurements made by indirect measurements of peak flow or by current meter. The date of the maximum discharge is not always certain but is usually determined by comparison with nearby continuous-record stations, weather records, or local inquiry. Only the maximum discharge for each water year is given. Information on some lower floods may have been obtained, and discharge measurements may have been made for purposes of establishing the stage-discharge relation, but these are not published herein. The years given in the period of record represent water years for which the annual maximum has been determined.

Annual maximum discharge at crest-stage partial-record stations during water year 1984

| | | | | | | Annual maximum | |
|------------------------------|--|---|-------------------------------------|------------------------|---------------------|--------------------------|---------------------------------------|
| Station No. | Station name | Location | Drainage area (mi ²) | Period of record | Date | Gage height (feet) | Dis charge (ft ³ /s) |
| Cross Creek basin | | | | | | | |
| 03110980 | Consol Run at Bloomingdale, OH | Lat 40°19'56", long 80°48'44", Jefferson County, Hydrologic Unit 05030101, at culvert on Township Road, 0.8 mi southeast of Bloomingdale. | 0.04 | 1978-84 | 7-10-84 | 103.38 | 16 |
| 03113802 (d) | Chestnut Creek near Barnesville, OH | Lat 39°56'50", long 81°09'25", Belmont County, Hydrologic Unit 05030106, at culvert on SR 148, .98 mi east of SR 800, 200 ft upstream from an unnamed tributary to North Fork Captina Creek, and 2.45 mi south of Barnesville. | 0.22 | 1982-84 | 5-28-84 | 11.14 | 17 |
| Short Creek basin | | | | | | | |
| 03111450 | Branson Run at Georgetown, OH | Lat 40°12'26", long 80°55'22", Harrison County, Hydrologic Unit 05030101, at culvert on County Highway 41, 300 ft southwest from intersection with U.S. Highway 250 in Georgetown. | 1.31 | 1978-83 1978-84 | 5-15-83 6-19-84 | 94.87 94.74 | *40 33 |
| 03111455 | South Fork Short Creek at Georgetown, OH | Lat 40°12'27", long 80°55'12", Harrison County, Hydrologic Unit 05030101, at bridge on U.S. Highway 250 in Georgetown. | 10.9 | 1978-84 | ----- | <86.51 | <190 |
| 03111470 | Little Piney Fork at Parlett, OH | Lat 40°18'07", long 80°50'55", Jefferson County, Hydrologic Unit 05030101, at culvert on State Route 151, 0.9 mi east of Parlett. | 1.57 | 1978-84 | 12-12-83 | 94.10 | 32 |
| 03111490 | Piney Fork tributary near Piney Fork, OH | Lat 40°16'18", long 80°50'48", Jefferson County, Hydrologic Unit 05030101, at culvert on County Road 12, 0.08 mi east of Penn Central Railroad crossing on Smithfield-Adena Road, 1.6 mi northwest of Piney Fork and 3.0 mi west of Smithfield. | 0.44 | 1978-84 | ----- | <97.37 | <15 |
| Wheeling Creek basin | | | | | | | |
| 03111540 | Sloan Run tributary near Harrisville, OH | Lat 40°09'07", long 80°52'59", Belmont County, Hydrologic Unit 05030106, at culvert on unnamed R & F Coal Company private road, 1.7 mi south of Harrisville, and 2.1 mi west of Pleasant Grove. | 0.34 | 1978-84 | 5-23-84 | 101.57 | 18 |
| Sunfish Creek basin | | | | | | | |
| 03114240 | Wood Run near Woodsfield, OH | Lat 39°46'56", long 81°03'21", Monroe County, Hydrologic Unit 05030201, at culvert on State Highway 26, 0.5 mi upstream from Standing Stone Run, and 3.5 mi northeast of Woodsfield. | 0.53 | 1978-84 | 5-29-84 | 98.68 | 134 |
| Little Muskingum River basin | | | | | | | |
| 03115280 | Trail Run near Antioch, OH | Lat 39°37'29", long 81°02'54", Monroe County, Hydrologic Unit 05030201, at private road bridge, adjacent to State Route 800, 2.7 mi southeast of Antioch. | 5.45 | 1978-83 1978-84 | 7-24-83 12-22-83 | 94.53 93.15 | *680 365 |
| 03115410 | Graham Run near Bloomfield, OH | Lat 39°32'36", long 81°12'32", Washington County, Hydrologic Unit 05030201, at culvert on State Highway 26, 0.25 mi upstream from mouth, and 1.2 mi southwest of Bloomfield. | 0.13 | 1978-84 | ----- | <97.10 | < 6.1 |

CREST-STAGE PARTIAL-RECORD STATIONS--Continued

| Station No. | Station name | Location | Drainage area (mi ²) | Period of record | Date | Annual maximum | |
|-----------------------|--|--|-------------------------------------|-------------------------------|-------------------------------|--------------------------|---------------------------------------|
| | | | | | | Gage height (feet) | Dis charge (ft ³ /s) |
| 03115510 | Moss Run near Wingett, OH | Lat 39°28'24", long 81°18'52", Washington County, Hydrologic Unit 05030201, at culvert on State Route 26 at Moss Run and 8 mi southwest of Wingett. | 1.52 | 1978-82 1978-83 1978-84 | 7- 4-82 5-29-83 5-28-84 | 89.99 90.93 90.20 | *157 *337 193 |
| 03115596 (d) | Barnes Run at Summerfield, OH | Lat 39°47'18", long 81°21'08", Noble County, Hydrologic Unit 05030201, at culvert on State Route 78, 0.83 mi west of State Route 513 and State Route 146, 1.25 upstream from the discontinued site Barnes Run near Summerfield (03115600) and 0.67 mi southwest of Summerfield. | 1.02 | 1982-84 | 4-23-84 | 12.79 | 74 |
| Duck Creek basin | | | | | | | |
| 03115710 | Buffalo Run tributary near Dexter City, OH | Lat 39°39'41", long 81°26'58", Noble County, Hydrologic Unit 05030201, at culvert on County Road 2, 1.3 mi east of Dexter City. | 0.19 | 1978-84 | 5-29-84 | 97.46 | 69 |
| Muskingum River basin | | | | | | | |
| 03120580 (d) | Falling Branch at Sherrodsville, OH | Lat 40°30'28", long 81°14'25", Carroll County, Hydrologic Unit 05040001, at culvert on State Route 39, 0.28 mi northeast of State Route 212, 250 ft upstream of Thompson Run, and 0.81 mi north of Sherrodsville. | 0.33 | 1982-84 | 7- 4-84 | 12.51 | 64 |
| 03123060 (d) | Cattail Creek at Baltic, OH | Lat 40°27'12", long 81°42'01", Holmes County, Hydrologic Unit 05040001, at culvert on County Road 575, 0.67 mi north of State Route 651, 550 ft upstream of Brush Run, and 0.60 mi north of Baltic. | 0.14 | 1982-84 | 8- 2-84 | 11.21 | 16 |
| 03123400 (d) | Dundee Creek at Dundee, OH | Lat 40°35'35", long 81°36'13", Tuscarawas County, Hydrologic Unit 05040001, at culvert on State Highway 93, 0.4 mi upstream from mouth, 0.5 mi northeast of Dundee. | *0.74 | 1966-84 | 6-18-84 | 26.10 | 258 |
| 03125450 | Robinson Run near Hendrysburg, OH | Lat 40°05'08", long 81°10'27", Belmont County, Hydrologic Unit 05040001, at culvert on County Road 108, 1.7 mi north of Hendrysburg. | 1.97 | 1978-84 | 5-29-84 | 98.52 | 66 |
| 03127950 | Clear Fork near Jewett, OH | Lat 40°19'28", long 81°01'20", Harrison County, Hydrologic Unit 05040001, at bridge 150 ft north of County Road 13, 0.5 mi east of State Route 9, and 3.1 mi south of Jewett. | 5.45 | 1978-84 | 12-12-83 | 95.40 | 107 |
| 03128650 | Mud Run tributary at Wainwright, OH | Lat 40°25'07", long 81°24'57", Tuscarawas County, Hydrologic Unit 05040001, at culvert on Warwick Township Road 461, 0.5 mi west of State Route 416, and 0.7 mi east of Wainwright. | 0.55 | 1978-84 | 6-19-84 | 98.80 | 5.2 |
| 03144865 (d) | Slim Creek at Kirkersville, OH | Lat 39°56'51", long 82°36'13", Licking County, Hydrologic Unit 05040006, at culvert on the Interstate 70-U.S. Highway 40 connector, .20 mi west of State Route 158, 1.17 mi upstream of a reservoir feeder to Buckeye Lake, and .85 mi south of Kirkersville. | 0.13 | 1982-84 | 5-23-84 | 11.82 | 20 |
| 03148300 | Moxahala Creek at Roseville, OH | Lat 39°48'38", long 82°04'13", Muskingum County, Hydrologic Unit 05040004, at pumping station about 2,500 ft downstream from First Street bridge in Roseville. | 80.6 | 1964-84 | 4-24-84 | 11.73 | 2,120 |

PARTIAL-RECORD STATIONS AND MISCELLANEOUS SITES

CREST-STAGE PARTIAL-RECORD STATIONS--Continued

| Station No. | Station name | Location | Drainage area (mi ²) | Period of record | Date | Annual maximum | |
|---------------------|--|---|--|------------------------|----------|--------------------------|---------------------------------------|
| | | | | | | Gage height (feet) | Dis charge (ft ³ /s) |
| 03148395 (d) | Claypit Creek near Roseville, OH | Lat 39°50'28", long 82°04'15", Muskingum County, Hydrologic Unit 05040004, at culvert on State Route 93, 2.90 mi south of U.S. Highway 22, 1.13 mi upstream of Moxahala Creek, and 1.75 mi north of Roseville. | 2.25 | 1982-84 | 4-22-84 | 13.38 | 52 |
| 03150602 (d) | Second Creek near Marietta, OH | Lat 39°27'36", long 81°26'24", Washington County, Hydrologic Unit 05040004, at culvert on State Route 821, 1.20 mi northeast of State Route 60, 1.34 mi upstream from the Muskingum River, and 1.28 mi north of Marietta. | 1.04 | 1982-84 | 10-23-83 | 12.59 | 73 |
| Hocking River basin | | | | | | | |
| 03158102 (d) | Wolfkilm Run at Haydenville, OH | Lat 39°28'35", long 82°18'51", Hocking County, Hydrologic Unit 05030204, at culvert on U.S. Highway 33, 1.54 mi southeast of State Route 595, 500 ft upstream of an unnamed tributary to the Hocking River, and .9 mi southeast of Haydenville. | 0.88 | 1982-84 | 5-28-84 | 13.10 | 67 |
| 03158220 | Glen Run near Doanville, OH | Lat 39°24'06", long 82°11'44", Athens County, Hydrologic Unit 05030204, at culvert on County Road 4, 0.8 mi west of U.S. Highway 33, and 2.3 mi south of Doanville. | 1.09 | 1978-84 | ----- | <95.90 | <83 |
| 03159450 | Mill Creek near Chauncey, OH | Lat 39°22'46", long 82°05'04", Athens County, Hydrologic Unit 05030204, at Culvert on U.S. Highway 50, 200 ft above mouth, 4.5 mi north of Athens, and 3.0 mi southeast of Chauncey. | 1.48 | 1978-84 | ----- | <94.16 | <78 |
| 03159537 (d) | Elk Run near Alfred, OH | Lat 39°09'41", long 81°57'47", Meigs County, Hydrologic Unit 05030202, at culvert on State Route 681, .94 mi east of Flora, 1.05 mi upstream from Middle Branch Shade River, and 2.37 mi from Alfred. | 0.48 | 1982-84 | 5-28-84 | 12.50 | 62 |
| Raccoon Creek basin | | | | | | | |
| 03201550 | Starr Run near New Plymouth, OH | Lat 39°23'46", long 82°20'49", Hocking County, Hydrologic Unit 05090101, at culvert on State Route 56, 0.8 mi east of State Route 328, and 3.0 mi east of New Plymouth. | 0.30 | 1978-84 | 4-22-84 | 98.03 | 84 |
| Charlie Creek basin | | | | | | | |
| 03205995 (d) | Sandusky Creek near Burlington, OH | Lat 38°25'03", long 82°30'36", Lawrence County, Hydrologic Unit 05090101, at culvert on U.S. Highway 52, 0.35 mi west of Charley Creek Road, and 1.25 mi northeast of Burlington. | 0.73 | 1978-84 | 4-22-84 | 13.74 | 93 |
| Scioto River basin | | | | | | | |
| 03219849 (d) | Tombstone Creek near Marysville, OH. (Prior to September 1983 published as Scott Creek nr Marysville, OH). | Lat 40°12'42", long 83°18'15", Union County, Hydrologic Unit 05060001, at culvert on U.S. Highway 33, 1.12 mi upstream of Mill Creek, and 3.0 mi southeast of Marysville. | 4.03 | 1982-84 | 3-25-84 | 13.34 | 124 |
| 03223330 (d) | March Run near West Point, OH | Lat 40°37'55", long 82°45'56", Morrow County, Hydrologic Unit 05060001, at culvert on State Route 19, .8 mi up- stream of Whetstone creek, .5 mi south of West Point - Bellville Road, and 1.15 mi southeast of West Point. | 0.18 | 1982-84 | 5-21-84 | 11.14 | 9.7 |

CREST-STAGE PARTIAL-RECORD STATIONS--Continued

| Station No. | Station name | Location | Drainage area (mi ²) | Period of record | Date | Gage height (feet) | Dis charge (ft ³ /s) |
|--------------------------|---|---|----------------------------------|------------------|----------|--------------------|---------------------------------|
| 03226860 (c) | Rush Run near Huntley Road at Worthington, OH | Lat 40°05'41", long 82°59'56", Franklin County, Hydrological Unit 05060001, at culvert on G.E. Drive, 50 ft west of Huntley Road at Worthington. | *0.72 | 1980-84 | 3-20-84 | 12.39 | 44 |
| 03226890 | Turkey Run at Upper Arlington, OH | Lat 40°02'10", long 83°04'06", Franklin County, Hydrologic Unit 05060001, at culvert on Lytham Road at Upper Arlington. | 0.90 | 1972-84 | 5-23-84 | 13.67 | 86 |
| 03228900 | Casto Creek at Columbus, Oh | Lat 40°04'54", long 82°55'37", Franklin County, Hydrologic Unit 05060001, at culvert on K-Mart service road east of Westerville Road at Columbus. | 1.96 | 1983-84 | 5- 3-84 | 12.36 | 135 |
| 03235080 (d) | Bull Creek near Adelphi, OH | Lat 39°27'11", long 82°46'46", Ross County, Hydrologic Unit 05060002, at culvert on State Route 180, 1.9 mi southwest of Adelphi. | 3.13 | 1978-84 | 3-21-84 | 68.83 | 194 |
| 03236090 | South Branch Little Salt Creek near Jackson, OH | Lat 39°00'50", long 82°39'01", Jackson County, Hydrologic Unit 05010002, at culvert on State Highway 124, 300 ft east of State Highway 139, and 2.7 mi south of Jackson. | 1.28 | 1978-84 | 3-21-84 | 93.07 | 80 |
| 03237095 | Devers Run at Lucasville, OH | Lat 38°52'54", long 83°01'13" Scioto County, Hydrologic Unit 05060002, at culvert on State Highway 104, 300 ft north of State Highway 348, and 1.2 mi northwest of Lucasville. | 1.22 | 1978-84 | ----- | <93.63 | <139 |
| 03237120 (d) | Stone Branch near Peebles, OH | Lat 38°57'03", long 83°22'29", Adams County, Hydrologic Unit 05060002, at culvert on State Route 32, 700 ft upstreams from Plum Run, 2.72 mi northeast of State Route 41, and 1.10 mi east of Peebles. | 0.85 | 1982-84 | 8-18-84 | 13.25 | 82 |
| 03237198 (d) | Duncan Hollow Creek near McDermott, OH | Lat 38°52'29", long 83°03'37", Scioto County, Hydrologic Unit 05060002, at culvert on State Route 348, 2.23 mi west of State Route 104, .78 mi upstream from Duck Run, and 2.75 mi north of McDermott. | 0.51 | 1982-84 | 10-22-83 | 12.10 | 42 |
| 03237315 (d) | Elk Fork at Winchester, OH | Lat 38°56'49", long 83°37'21", Adams County, Hydrologic Unit 05090201, at culvert on State Route 32, 3.08 mi west of State Route 247 in Seaman, 1.72 mi upstream from West Fork Ohio Brush Creek, and .82 mi east of Winchester. | 6.45 | 1982-84 | 7-26-84 | 16.71 | 516 |
| 03238285 (d) | Sugar Run near New Market, OH | Lat 39°06'30", long 83°40'36", Highland County, Hydrologic Unit 05090201, at culvert on U.S. Highway 62, .55 mi south of State Route 136, 900 ft upstream from an unnamed tributary, .62 mi upstream from East Fork White Oak Creek, and 1.97 mi south of New Market. | 1.37 | 1982-84 | 5-28-84 | 15.50 | 257 |
| Little Miami River basin | | | | | | | |
| 03241994 (d) | Twist Run at Xenia, OH | Lat 39°39'53", long 83°56'00", Greene County, Hydrologic Unit 05090202, at culvert on State Route 380 (S. Detroit St.), 600 ft south of Ledbetter Road, .60 mi upstream from a tributary to Gladys Run, and on the corporate line of Xenia. | 0.65 | 1982-84 | 5- 3-84 | 11.53 | 18 |

PARTIAL-RECORD STATIONS AND MISCELLANEOUS SITES

CREST-STAGE PARTIAL-RECORD STATIONS--Continued

| Station No. | Station name | Location | Drainage area (mi ²) | Period of record | Date | Annual maximum | |
|-------------------------|--------------------------------------|--|-------------------------------------|------------------------|---------|--------------------------|---------------------------------------|
| | | | | | | Gage height (feet) | Dis charge (ft ³ /s) |
| Great Miami River basin | | | | | | | |
| 03263171 (d) | Harte Run near Greenville, OH | Lat 40°08'41", long 84°36'41", Darke County, Hydrologic Unit 05080001, at culvert on U.S. Highway 127, 1.31 mi north of State Route 121, .45 mi up- stream of an unnamed tributary to Boyd Creek, and 3.15 mi north of Greenville. | 0.86 | 1982-84 | 4-22-84 | 12.01 | 34 |
| 03267435 (d) | Kitty Creek at Terre Haute, OH | Lat 40°03'09", long 83°52'57", Champaign County, Hydrologic Unit 05080001, at culvert on State Route 55, 1,000 ft up- stream from Storms Creek, and .40 mi northwest of Terre Haute. | 1.75 | 1982-84 | 6-24-84 | 11.07 | 14 |
| 03272695 (d) | Trippetts Branch at Camden, OH | Lat 39°38'03", long 84°39'08" Preble County, Hydrologic Unit 05080002, at culvert on U.S. Highway 127, 0.3 mi north of State Highway 725 at Camden. | 0.33 | 1978-84 | 4-22-84 | 14.15 | 93 |

* Revised

c operated as an urban hydrology site where additional data may be available.

d operated as a rural flood volume site where additional data may be available.

e estimate

ASHLAND COUNTY

405303082170700. Local number, AS-2.

LOCATION.--Lat 40°53'03", long 82°17'07", Hydrologic Unit 05040002, Jerome Fork well field 2 mi northeast of Ashland.

Owner: Ashland Water Department.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 6 in, depth 64 ft, cased.

DATUM.--Altitude of land-surface datum is 980 ft, from topographic map. Measuring point: Floor of instrument shelter 2.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--March 1964 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 34.22 ft March 17, 1972; minimum daily low, 13.20 ft May 15, 18, 1967.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 32.09 ft; Jan. 14-15; minimum daily low, 21.46 ft June 17.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 27.71 | 29.71 | 31.37 | 31.56 | 31.52 | 31.19 | 23.97 | 22.80 | 21.94 | 22.39 | 22.62 | 24.58 |
| 2 | 27.80 | 29.82 | 31.37 | 31.60 | 31.49 | 31.17 | 23.71 | 22.79 | 21.84 | 22.40 | 22.61 | 24.69 |
| 3 | 27.80 | 29.93 | 31.47 | 31.66 | 31.45 | 31.16 | 23.61 | 22.79 | 21.84 | 22.44 | 22.56 | 24.74 |
| 4 | 27.81 | 30.07 | 31.48 | 31.73 | 31.41 | 31.14 | 23.37 | 22.93 | 21.75 | 22.47 | 22.52 | 24.87 |
| 5 | 27.83 | 30.15 | 31.57 | 31.77 | 31.37 | 31.11 | 23.19 | 22.01 | 21.74 | 22.45 | 22.49 | 24.97 |
| 6 | 27.86 | 30.28 | 31.59 | 31.85 | 31.34 | 31.10 | 23.13 | 23.04 | 21.71 | 22.44 | 22.47 | 25.06 |
| 7 | 27.87 | 30.39 | 31.62 | 31.89 | 31.29 | 31.10 | 23.12 | 23.06 | 21.69 | 22.43 | 22.42 | 25.14 |
| 8 | 27.88 | 30.47 | 31.60 | 31.95 | 31.30 | 31.16 | 23.09 | 23.10 | 21.71 | 22.39 | 22.39 | 25.22 |
| 9 | 27.89 | 30.56 | 31.60 | 31.96 | 31.31 | 31.14 | 23.03 | 23.19 | 21.72 | 22.31 | 22.43 | 25.31 |
| 10 | 27.89 | 30.69 | 31.57 | 32.01 | 31.33 | 31.03 | 23.01 | 23.23 | 21.68 | 22.20 | 22.53 | 25.39 |
| 11 | 27.94 | 30.77 | 31.54 | 32.05 | 31.40 | 30.96 | 22.92 | 23.26 | 21.65 | 22.12 | 22.64 | 25.49 |
| 12 | 28.00 | 30.85 | 31.53 | 32.06 | 31.43 | 30.90 | 22.88 | 23.24 | 21.60 | 22.09 | 22.75 | 25.56 |
| 13 | 28.08 | 30.90 | 31.63 | 32.07 | 31.44 | 30.79 | 22.92 | 23.21 | 21.57 | 22.04 | 22.84 | 25.65 |
| 14 | 28.17 | 30.89 | 31.67 | 32.09 | 31.49 | 30.75 | 22.87 | 23.08 | 21.53 | 21.97 | 22.94 | 25.73 |
| 15 | 28.25 | 30.91 | 31.70 | 32.09 | 31.53 | 30.65 | 22.84 | 22.98 | 21.53 | 21.97 | 23.04 | 25.83 |
| 16 | 28.32 | 30.92 | 31.73 | 32.03 | 31.54 | 30.59 | 22.85 | 22.92 | 21.49 | 21.92 | 23.13 | 25.88 |
| 17 | 28.40 | 30.91 | 31.76 | 31.97 | 31.57 | 30.20 | 22.94 | 22.84 | 21.46 | 22.01 | 23.19 | 25.95 |
| 18 | 28.48 | 30.97 | 31.80 | 31.91 | 31.51 | 29.62 | 23.07 | 22.72 | 21.58 | 22.15 | 23.28 | 26.01 |
| 19 | 28.56 | 31.04 | 31.85 | 31.87 | 31.37 | 29.39 | 23.12 | 22.58 | 21.72 | 22.26 | 23.42 | 26.08 |
| 20 | 28.63 | 31.08 | 31.85 | 31.83 | 31.36 | 29.15 | 23.15 | 22.53 | 21.77 | 22.36 | 23.52 | 26.19 |
| 21 | 28.71 | 31.12 | 31.85 | 31.79 | 31.35 | 28.76 | 23.09 | 22.53 | 21.85 | 22.47 | 23.61 | 26.28 |
| 22 | 28.78 | 31.15 | 31.83 | 31.73 | 31.33 | 27.74 | 22.96 | 22.46 | 21.91 | 22.52 | 23.70 | 26.35 |
| 23 | 28.88 | 31.23 | 31.78 | 31.69 | 31.28 | 27.02 | 22.84 | 22.44 | 21.97 | 22.54 | 23.82 | 26.43 |
| 24 | 28.98 | 31.29 | 31.76 | 31.72 | 31.27 | 26.45 | 22.85 | 22.44 | 22.06 | 22.54 | 23.93 | 26.51 |
| 25 | 29.08 | 31.31 | 31.72 | 31.75 | 31.27 | 25.93 | 22.87 | 22.38 | 22.11 | 22.54 | 23.99 | 26.61 |
| 26 | 29.18 | 31.31 | 31.71 | 31.67 | 31.25 | 25.46 | 22.88 | 22.44 | 22.16 | 22.53 | 24.07 | 26.69 |
| 27 | 29.25 | 31.32 | 31.69 | 31.71 | 31.23 | 25.11 | 22.86 | 22.38 | 22.23 | 22.60 | 24.19 | 26.75 |
| 28 | 29.37 | 31.35 | 31.67 | 31.71 | 31.22 | 24.80 | 22.84 | 22.22 | 22.28 | 22.63 | 24.29 | 26.83 |
| 29 | 29.45 | 31.39 | 31.61 | 31.64 | 31.21 | 24.51 | 22.84 | 22.13 | 22.35 | 22.63 | 24.39 | 26.91 |
| 30 | 29.53 | 31.39 | 31.59 | 31.61 | --- | 24.35 | 22.80 | 22.07 | 22.39 | 22.63 | 24.52 | 26.98 |
| 31 | 29.64 | --- | 31.53 | 31.58 | --- | 24.12 | --- | 22.02 | --- | 22.64 | 24.55 | --- |
| MAX | 29.64 | 31.39 | 31.85 | 32.09 | 31.57 | 31.19 | 23.97 | 23.26 | 22.39 | 22.64 | 24.55 | 26.98 |
| WTR YR 1984 | MEAN | 26.84 | | HIGH | 21.46 | | LOW | 32.09 | | | | |

GROUND-WATER RECORDS

ASHLAND COUNTY--Continued

405425082173000. Local number. As-3.

LOCATION.--Lat 40°54'25", long 82°17'30", Hydrologic Unit 05040002, Ashland Bates well field along Jerome Fork near Ashland.

Owner: Ashland Water Department.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 8 in, depth 78 ft, cased.

DATUM.--Altitude of land-surface datum is 990 ft, from topographic map. Measuring point: Floor of instrument shelter 5.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--August 1974 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 32.05 ft Oct. 22, 1980; minimum daily low, 3.10 ft above land surface Feb. 23, 1978.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 28.22 ft July 16; minimum daily low, 13.05 ft Sept. 30.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 23.63 | 23.12 | 24.78 | 22.62 | 27.09 | 17.67 | 18.94 | 19.96 | 14.68 | 27.59 | 24.36 | 19.19 |
| 2 | 25.49 | 19.51 | 24.95 | 21.40 | 27.08 | 19.29 | 19.35 | 24.00 | 14.71 | 27.77 | 24.80 | 19.99 |
| 3 | 26.72 | 17.74 | 25.00 | 20.28 | 27.04 | 19.86 | 19.40 | 18.48 | 14.99 | 23.42 | 24.85 | 19.07 |
| 4 | 27.07 | 16.31 | 20.14 | 18.92 | 26.88 | 20.07 | 18.02 | 17.60 | 15.07 | 23.36 | 24.22 | 20.20 |
| 5 | 27.33 | 15.32 | 18.01 | 17.92 | 26.70 | 20.56 | 16.86 | 17.46 | 22.15 | 23.37 | 23.74 | 19.13 |
| 6 | 27.53 | 20.02 | 22.43 | 16.80 | 26.65 | 20.86 | 16.44 | 16.98 | 25.08 | 22.78 | 23.40 | 19.13 |
| 7 | 27.65 | 22.11 | 23.00 | 16.22 | 26.61 | 21.07 | 16.23 | 15.69 | 18.80 | 22.91 | 23.63 | 17.18 |
| 8 | 27.67 | 22.94 | 23.44 | 15.38 | 22.27 | 21.38 | 16.10 | 15.61 | 21.83 | 22.42 | 23.88 | 16.30 |
| 9 | 23.08 | 23.37 | 23.65 | 14.77 | 21.18 | 21.40 | 15.74 | 15.49 | 23.43 | 27.01 | 24.03 | 15.44 |
| 10 | 22.15 | 23.77 | 23.89 | 13.86 | 20.28 | 19.67 | 15.54 | 15.51 | 24.11 | 27.40 | 27.46 | 14.71 |
| 11 | 26.00 | 23.97 | 23.91 | 13.32 | 19.30 | 18.74 | 15.36 | 15.34 | 24.47 | 27.67 | 23.53 | 15.57 |
| 12 | 22.75 | 24.12 | 24.04 | 19.59 | 18.40 | 25.04 | 15.27 | 15.16 | 24.64 | 27.85 | 23.12 | 15.83 |
| 13 | 21.26 | 24.31 | 24.24 | 20.16 | 19.13 | 25.49 | 21.40 | 14.83 | 25.85 | 27.98 | 22.76 | 16.04 |
| 14 | 20.46 | 24.47 | 24.73 | 21.76 | 17.46 | 25.66 | 23.30 | 21.92 | 26.41 | 28.09 | 22.42 | 16.19 |
| 15 | 20.13 | 24.63 | 25.11 | 22.07 | 19.95 | 25.73 | 23.54 | 23.10 | 26.39 | 28.17 | 22.12 | 15.65 |
| 16 | 19.30 | 24.67 | 25.45 | 20.46 | 21.65 | 25.95 | 23.85 | 23.88 | 26.40 | 28.22 | 21.83 | 14.57 |
| 17 | 18.56 | 24.99 | 25.60 | 22.99 | 22.39 | 20.29 | 24.25 | 24.19 | 26.46 | 23.47 | 21.55 | 13.92 |
| 18 | 18.46 | 25.78 | 20.85 | 23.62 | 22.65 | 16.91 | 24.63 | 24.38 | 26.49 | 22.67 | 21.08 | 14.45 |
| 19 | 18.25 | 25.92 | 19.71 | 25.60 | 22.60 | 15.94 | 24.80 | 24.61 | 21.94 | 22.13 | 20.65 | 14.94 |
| 20 | 18.04 | 25.87 | 20.74 | 26.55 | 21.59 | 22.49 | 25.34 | 19.35 | 22.00 | 21.65 | 20.52 | 15.39 |
| 21 | 17.47 | 25.89 | 21.09 | 27.59 | 15.37 | 18.26 | 25.36 | 17.04 | 22.01 | 21.26 | 20.34 | 15.76 |
| 22 | 16.73 | 25.86 | 21.66 | 27.89 | 20.92 | 19.99 | 25.27 | 20.61 | 22.11 | 21.29 | 20.14 | 15.75 |
| 23 | 15.98 | 20.55 | 21.87 | 24.13 | 22.45 | 20.96 | 18.98 | 22.82 | 22.22 | 21.67 | 19.96 | 14.17 |
| 24 | 21.77 | 19.41 | 22.21 | 24.02 | 20.99 | 21.34 | 19.32 | 16.34 | 22.34 | 22.27 | 19.89 | 14.67 |
| 25 | 23.03 | 18.19 | 22.27 | 27.61 | 16.63 | 21.38 | 19.67 | 23.37 | 22.18 | 22.90 | 19.77 | 15.19 |
| 26 | 23.66 | 23.42 | 25.64 | 27.69 | 14.93 | 20.16 | 19.90 | 17.33 | 22.34 | 23.41 | 19.64 | 15.67 |
| 27 | 24.02 | 23.87 | 26.90 | 27.66 | 17.45 | 21.39 | 20.16 | 16.39 | 22.53 | 23.50 | 19.49 | 15.76 |
| 28 | 24.35 | 19.13 | 27.51 | 27.60 | 14.62 | 17.89 | 20.45 | 15.81 | 22.63 | 23.25 | 19.36 | 14.97 |
| 29 | 20.01 | 23.15 | 27.63 | 27.54 | 15.03 | 18.56 | 20.48 | 14.50 | 22.80 | 23.47 | 19.30 | 13.84 |
| 30 | 17.93 | 24.22 | 26.48 | 27.02 | --- | 18.73 | 19.43 | 14.56 | 26.70 | 23.59 | 19.15 | 13.05 |
| 31 | 16.82 | --- | 26.62 | 27.05 | --- | 18.44 | --- | 14.61 | --- | 23.89 | 21.33 | --- |
| MAX | 27.67 | 25.92 | 27.63 | 27.89 | 27.09 | 25.95 | 25.36 | 24.61 | 26.70 | 28.22 | 27.46 | 20.20 |
| 4TR YR 1984 | MEAN | 21.34 | | HIGH | 13.05 | | LOW | 28.22 | | | | |

GROUND-WATER RECORDS

223

ATHENS COUNTY

392004082071600. Local number, AT-2A.

LOCATION.--Lat 39°20'04", long 82°07'16", Hydrologic Unit 05030204, 1.1 mi west of city hall in Athens.

Owner: City of Athens.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Unused drilled water-table well, diameter 12 in, depth 35.5 ft, cased.

DATUM.--Altitude of land-surface datum is 641.81 ft. Measuring point: Floor of instrument shelter, 5.80 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water. Prior to water year 1978, well depth reported as 43 ft.

PERIOD OF RECORD.--March 1954 to September 1982 continuous, periodic thereafter.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 20.25 ft Sept. 29, 1982; minimum daily low, 1.05 ft May 25, 28, 1968.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM.

| DATE | WATER LEVEL | DATE | WATER LEVEL |
|---------------|----------------|---------------|----------------|
| Oct. 25, 1983 | 19.32 | Apr. 23, 1984 | 15.87 |

GROUND-WATER RECORDS

ATHENS COUNTY--Continued

392009082072200. Local number, AT-5

LOCATION.--Lat 39°20'09", long 82°07'22", Hydrologic Unit 05030204, in Athens well field along Hocking River.

Owner: Athens Water Department.

AQUIFER.--Sand and gravel of Quaternary Age.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 12 in, depth 48 ft, cased.

DATUM.--Altitude of land surface datum is 640 ft, from topographic map. Measuring point: floor of instrument shelter, 4.75 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--July 1982 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 21.45 ft July 25, 1982; Minimum daily low 12.07 ft May 5, 1983.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 20.08 ft Oct. 11, 15; minimum daily low, 14.42 ft Apr. 6.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 19.82 | 18.91 | 17.32 | 17.40 | 18.78 | 17.66 | 15.02 | 15.82 | 16.53 | 18.83 | 19.37 | 19.56 |
| 2 | 19.80 | 18.91 | 17.42 | 17.42 | 18.73 | 17.61 | 15.37 | 16.01 | 16.71 | 18.92 | 19.36 | 19.57 |
| 3 | 19.76 | 18.95 | 17.45 | 17.51 | 18.63 | 17.72 | 15.46 | 16.04 | 16.98 | 18.81 | 19.35 | 19.60 |
| 4 | 19.80 | 18.95 | 17.35 | 17.57 | 18.53 | 17.76 | 15.29 | 15.99 | 17.05 | 18.73 | 19.36 | 19.54 |
| 5 | 19.79 | 18.82 | 16.78 | 17.63 | 18.42 | 17.76 | 14.83 | 16.01 | 17.11 | 18.75 | 19.36 | 19.68 |
| 6 | 19.74 | 18.93 | 16.48 | 17.80 | 18.49 | 17.54 | 14.42 | 16.05 | 17.21 | 18.83 | 19.44 | 19.71 |
| 7 | 19.67 | 18.94 | 16.48 | 17.91 | 18.65 | 17.14 | 14.74 | 16.05 | 17.34 | 18.95 | 19.46 | 19.73 |
| 8 | 19.79 | 19.11 | 16.47 | 17.98 | 18.73 | 17.16 | 14.76 | 16.13 | 17.54 | 18.84 | 19.35 | 19.71 |
| 9 | 19.92 | 19.14 | 16.44 | 18.04 | 18.69 | 17.27 | 15.09 | 16.21 | 17.70 | 18.87 | 19.35 | 19.67 |
| 10 | 19.99 | 19.14 | 16.58 | 18.16 | 18.68 | 17.37 | 15.17 | 16.40 | 17.79 | 18.90 | 19.39 | 19.70 |
| 11 | 20.08 | 19.01 | 16.57 | 18.23 | 18.71 | 17.47 | 15.32 | 16.46 | 17.95 | 18.96 | 19.42 | 19.75 |
| 12 | 20.05 | 18.49 | 16.55 | 18.34 | 18.69 | 17.59 | 15.52 | 16.45 | 17.99 | 18.98 | 19.42 | 19.77 |
| 13 | 20.03 | 18.28 | 16.29 | 18.39 | 18.54 | 17.77 | 15.84 | 16.49 | 18.04 | 18.84 | 19.46 | 19.80 |
| 14 | 19.98 | 18.28 | 16.34 | 18.43 | 18.46 | 17.92 | 15.86 | 16.60 | 18.10 | 18.87 | 19.51 | 19.83 |
| 15 | 20.08 | 18.24 | 16.62 | 18.50 | 17.79 | 17.92 | 15.92 | 16.71 | 18.20 | 18.91 | 19.55 | 19.83 |
| 16 | 20.05 | 18.27 | 16.78 | 18.49 | 17.54 | 17.79 | 16.05 | 16.83 | 18.26 | 18.91 | 19.57 | 19.83 |
| 17 | 19.94 | 18.14 | 16.84 | 18.62 | 17.51 | 17.61 | 16.32 | 16.92 | 18.32 | 18.87 | 19.60 | 19.78 |
| 18 | 19.91 | 17.98 | 16.82 | 18.60 | 17.54 | 17.60 | 16.29 | 16.93 | 18.46 | 18.81 | 19.62 | 19.83 |
| 19 | 19.86 | 17.90 | 16.84 | 18.64 | 17.55 | 17.71 | 16.12 | 17.02 | 18.50 | 18.82 | 19.60 | 19.85 |
| 20 | 19.81 | 17.98 | 17.01 | 18.74 | 17.55 | 17.65 | 16.34 | 17.11 | 18.61 | 18.93 | 19.57 | 19.87 |
| 21 | 19.74 | 18.18 | 17.10 | 18.90 | 17.63 | 17.58 | 16.31 | 17.21 | 18.68 | 18.95 | 19.54 | 19.88 |
| 22 | 19.58 | 18.27 | 17.11 | 19.08 | 17.79 | 16.76 | 16.28 | 17.32 | 18.72 | 18.95 | 19.54 | 19.90 |
| 23 | 19.23 | 18.27 | 16.97 | 19.21 | 17.86 | 16.05 | 15.64 | 17.36 | 18.72 | 18.94 | 19.54 | 19.92 |
| 24 | 18.46 | 18.25 | 17.12 | 19.24 | 17.86 | 16.11 | 14.86 | 17.09 | 18.71 | 18.98 | 19.45 | 19.94 |
| 25 | 18.43 | 18.15 | 17.24 | 19.04 | 17.91 | 16.21 | 14.88 | 17.26 | 18.59 | 19.04 | 19.37 | 19.94 |
| 26 | 18.29 | 18.12 | 17.24 | 18.50 | 17.86 | 16.21 | 14.96 | 17.45 | 18.72 | 19.08 | 19.36 | 19.95 |
| 27 | 18.30 | 18.29 | 17.26 | 18.52 | 17.83 | 15.96 | 15.28 | 17.41 | 18.80 | 19.08 | 19.37 | 19.95 |
| 28 | 18.52 | 18.28 | 17.26 | 18.60 | 17.85 | 16.01 | 15.41 | 17.52 | 18.82 | 19.09 | 19.46 | 19.92 |
| 29 | 18.66 | 17.59 | 17.27 | 18.73 | 17.78 | 15.68 | 15.33 | 17.33 | 18.82 | 19.15 | 19.49 | 19.92 |
| 30 | 18.66 | 17.26 | 17.20 | 18.75 | --- | 14.92 | 15.68 | 16.36 | 18.84 | 19.20 | 19.55 | 19.86 |
| 31 | 18.77 | --- | 17.34 | 18.81 | --- | 14.79 | --- | 16.38 | --- | 19.27 | 19.56 | --- |
| MAX | 20.08 | 19.14 | 17.45 | 19.24 | 18.78 | 17.92 | 16.34 | 17.52 | 18.84 | 19.27 | 19.62 | 19.95 |
| WTR YR 1984 | MEAN | 18.07 | | HIGH | 14.42 | | LOW | 20.08 | | | | |

GROUND-WATER RECORDS

225

AUGLAIZE COUNTY

403233083574500. Local number, AU-3.

LOCATION.--Lat 40°32'33", long 83°57'45", Hydrologic Unit 05080001, 1.0 mi southwest of New Hampshire.

Owner: State of Ohio.

AQUIFER.--Limestone of Silurian Age.

WELL CHARACTERISTICS.--Drilled test artesian well, diameter 12 in, depth 380 ft, cased to 52 ft.

DATUM.--Altitude of land-surface datum is 1,020 ft, from topographic map. Measuring point: Floor of instrument shelter, 3.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--December 1974 to September 1982 continuous, periodic thereafter.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 11.87 ft Feb. 7-8, 1977; minimum daily low, 5.18 ft, Apr. 14, 1980.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM.

| DATE | WATER LEVEL | DATE | WATER LEVEL |
|---------------|----------------|---------------|----------------|
| Oct. 25, 1983 | 9.03 | Apr. 19, 1984 | 5.33 |

GROUND-WATER RECORDS

BELMONT COUNTY

400118081082200. Local number, B-3.

LOCATION.--Lat 40°01'18", long 81°08'22", Hydrologic Unit 05040001, Mt. Olivett Public Square, Mt. Olivett, OH.

Owner: Village of Mt. Olivett.

AQUIFER.--Shale of Pennsylvanian Age.

WELL CHARACTERISTICS.--Drilled observation well, diameter 6 in, depth 119 ft.

DATUM.--Altitude of land-surface datum is 1265 ft, from topographic map. Measuring point: Floor of instrument shelter, 1.5 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--July 19, 1984 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 59.92 ft Sept. 17, 1984; minimum daily low, 56.61 ft July 19-20, 1984.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 59.92 ft Sept. 17; minimum daily low, 56.61 ft July 19-20.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|------|-------|-----|------|-------|-----|-----|-------|-----|-------|-------|-------|
| 1 | | | | | | | | | | --- | 57.39 | 59.44 |
| 2 | | | | | | | | | | --- | 57.48 | 59.46 |
| 3 | | | | | | | | | | --- | 57.54 | 59.50 |
| 4 | | | | | | | | | | --- | 57.62 | --- |
| 5 | | | | | | | | | | --- | 57.69 | --- |
| 6 | | | | | | | | | | --- | 57.76 | --- |
| 7 | | | | | | | | | | --- | 57.82 | --- |
| 8 | | | | | | | | | | --- | 57.88 | --- |
| 9 | | | | | | | | | | --- | 57.95 | --- |
| 10 | | | | | | | | | | --- | 58.03 | --- |
| 11 | | | | | | | | | | --- | 58.13 | --- |
| 12 | | | | | | | | | | --- | 58.22 | --- |
| 13 | | | | | | | | | | --- | 58.32 | --- |
| 14 | | | | | | | | | | --- | 58.39 | 59.76 |
| 15 | | | | | | | | | | --- | 58.48 | 59.81 |
| 16 | | | | | | | | | | --- | 58.56 | 59.86 |
| 17 | | | | | | | | | | --- | 58.63 | 59.92 |
| 18 | | | | | | | | | | --- | 58.70 | --- |
| 19 | | | | | | | | | | 56.61 | 58.78 | --- |
| 20 | | | | | | | | | | 56.61 | 58.88 | --- |
| 21 | | | | | | | | | | 56.62 | 58.98 | --- |
| 22 | | | | | | | | | | 56.68 | 59.03 | --- |
| 23 | | | | | | | | | | 56.71 | 59.08 | --- |
| 24 | | | | | | | | | | 56.78 | 59.11 | --- |
| 25 | | | | | | | | | | 56.85 | 59.16 | --- |
| 26 | | | | | | | | | | 56.89 | 59.21 | --- |
| 27 | | | | | | | | | | 56.96 | 59.24 | --- |
| 28 | | | | | | | | | | 57.03 | 59.29 | --- |
| 29 | | | | | | | | | | 57.13 | 59.33 | --- |
| 30 | | | | | | | | | | 57.23 | 59.37 | --- |
| 31 | | | | | | | | | | 57.32 | 59.41 | --- |
| MAX | | | | | | | | | | 57.32 | 59.41 | 59.92 |
| WTR YR 1984 | MEAN | 58.25 | | HIGH | 56.61 | | LOW | 59.92 | | | | |

NOTE: NUMBER OF MISSING DAYS OF RECORD EXCEEDED 20% OF YEAR

GROUND-WATER RECORDS

227

BUTLER COUNTY

391805084261800. Local number, BU-9.

LOCATION.--Lat 39°18'05", long 84°26'18", Hydrologic Unit 05090203, 2.5 mi northwest of Sharonville.

Owner: Olinkraft, Inc.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 8 in depth 85 ft.

DATUM.--Altitude of land-surface datum is 586.89 ft. Measuring point: Floor of instrument shelter, 4.66 ft above land surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water. Prior to water year 1978, well diameter reported as 26 in.

PERIOD OF RECORD.--July 1938 to September 1982 continuous, periodic thereafter.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 24.40 ft Mar. 16, 1954; minimum daily low, 4.40 ft Aug. 3, 1958.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM.

| DATE | WATER LEVEL |
|-------------|----------------|
| May 1, 1984 | 10.74 |

GROUND-WATER RECORDS

BUTLER COUNTY--Continued

393202084241500. Local number, BU-15.

LOCATION.--Lat 39°32'02", long 84°24'15", Hydrologic Unit 05080002, at Hook Field (municipal airport) at Middletown.

Owner: City of Middletown.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled observation water-table well, diameter 6 in, depth 23 ft cased.

DATUM.--Altitude of land-surface datum is 641 ft, from topographic map. Measuring point: Floor of instrument shelter 3.50 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water. Water level affected by pumping wells nearby in Middletown well field.

PERIOD OF RECORD.--June 1972 to September 1982 continuous, periodic thereafter.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 14.60 ft Jan. 26, 1981; minimum daily low, 0.06 ft Feb. 25, 1975.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM.

| DATE | WATER LEVEL | DATE | WATER LEVEL |
|---------------|----------------|--------------|----------------|
| Oct. 29, 1983 | 11.47 | June 1, 1984 | 9.44 |

GROUND-WATER RECORDS

229

BUTLER COUNTY--Continued

391904084371800. Local number, BU-12.

LOCATION.--Lat 39°19'04", long 84°37'18", Hydrologic Unit 05080002. Cincinnati well field 1.5 mi east of Ross.

Owner: City of Cincinnati.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 6 in, depth 157 ft, cased.

DATUM.--Altitude of land-surface datum is 547.73 ft. Measuring point: Floor of instrument shelter 7.80 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--April 1968 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 22.85 ft Oct. 10, 1982; Minimum daily low, 2.00 ft above land surface, May 24, 25, 1968.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 20.85 ft Oct. 3-5; minimum daily low, 10.50 ft Apr. 6.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 20.75 | 18.95 | 16.95 | 19.70 | 17.55 | 17.00 | 14.65 | 15.50 | 16.25 | 17.60 | 18.60 | 19.70 |
| 2 | 20.80 | 19.30 | 17.60 | 19.75 | 17.90 | 17.20 | 15.10 | 15.80 | 16.40 | 17.90 | 18.75 | 19.75 |
| 3 | 20.85 | 19.35 | 17.90 | 19.75 | 17.90 | 17.45 | 15.35 | 15.90 | 16.55 | 18.00 | 18.80 | 19.75 |
| 4 | 20.85 | 19.40 | 17.90 | 19.65 | 17.05 | 17.45 | 15.35 | 15.35 | 17.25 | 18.00 | 18.85 | 19.70 |
| 5 | 20.85 | 19.45 | 17.45 | 19.55 | 16.20 | 17.45 | 14.50 | 15.70 | 17.45 | 17.55 | 18.85 | 19.80 |
| 6 | 20.40 | 19.45 | 17.00 | 19.25 | 16.55 | 16.50 | 10.50 | 15.75 | 17.65 | 17.20 | 18.85 | 19.90 |
| 7 | 20.15 | 19.45 | 16.20 | 19.50 | 17.05 | 16.25 | 11.25 | 15.85 | 17.75 | 16.90 | 18.90 | 19.95 |
| 8 | 20.10 | 19.05 | 16.05 | 19.45 | 17.35 | 16.25 | 12.50 | 15.85 | 17.55 | 16.95 | 18.90 | 19.95 |
| 9 | 20.15 | 19.00 | 16.60 | 19.40 | 17.60 | 16.15 | 13.50 | 15.85 | 17.55 | 16.90 | 18.50 | 19.95 |
| 10 | 20.55 | 19.05 | 17.35 | 19.35 | 17.75 | 16.15 | 14.30 | 16.20 | 17.90 | 17.10 | 18.50 | 19.95 |
| 11 | 20.75 | 19.00 | 17.65 | 19.40 | 17.75 | 16.25 | 14.85 | 16.35 | 17.95 | 17.30 | 18.50 | 19.20 |
| 12 | 20.80 | 18.55 | 17.60 | 19.70 | 17.40 | 16.45 | 14.95 | 16.45 | 17.85 | 17.65 | 18.40 | 19.25 |
| 13 | 20.75 | 18.30 | 15.80 | 19.85 | 16.80 | 16.55 | 14.90 | 16.65 | 17.75 | 17.80 | 18.30 | 19.10 |
| 14 | 19.65 | 18.40 | 15.50 | 19.65 | 15.70 | 16.45 | 15.00 | 16.65 | 17.95 | 17.95 | 18.10 | 19.00 |
| 15 | 19.40 | 18.60 | 16.00 | 19.60 | 14.35 | 16.20 | 15.05 | 16.60 | 18.10 | 18.00 | 18.15 | 19.85 |
| 16 | 19.40 | 18.60 | 16.40 | 19.60 | 15.05 | 15.75 | 15.40 | 16.70 | 18.15 | 18.05 | 18.50 | 19.50 |
| 17 | 19.55 | 18.10 | 16.85 | 19.10 | 15.65 | 13.05 | 15.15 | 16.85 | 18.25 | 17.90 | 18.55 | 19.50 |
| 18 | 19.50 | 17.35 | 17.20 | 18.65 | 15.95 | 12.05 | 14.25 | 16.85 | 18.25 | 18.20 | 18.55 | 19.55 |
| 19 | 19.10 | 17.10 | 17.55 | 18.50 | 16.15 | 12.55 | 13.85 | 16.80 | 18.15 | 18.20 | 18.55 | 19.90 |
| 20 | 19.00 | 16.90 | 17.90 | 18.55 | 16.30 | 12.90 | 14.10 | 16.95 | 18.20 | 18.00 | 18.75 | 19.25 |
| 21 | 18.65 | 16.55 | 18.10 | 18.65 | 16.35 | 11.50 | 14.25 | 17.10 | 17.85 | 18.10 | 18.95 | 19.15 |
| 22 | 18.25 | 16.50 | 18.30 | 18.70 | 16.45 | 10.60 | 13.95 | 16.60 | 17.80 | 18.10 | 19.15 | 19.00 |
| 23 | 18.15 | 16.50 | 18.60 | 18.70 | 16.65 | 11.40 | 12.30 | 16.05 | 17.80 | 18.45 | 19.15 | 19.95 |
| 24 | 17.75 | 15.35 | 19.00 | 18.60 | 16.75 | 12.45 | 10.75 | 15.90 | 17.75 | 18.55 | 18.75 | 19.90 |
| 25 | 17.60 | 14.80 | 19.35 | 17.90 | 16.75 | 13.00 | 11.30 | 15.85 | 17.40 | 18.70 | 18.60 | 19.90 |
| 26 | 17.75 | 15.45 | 19.45 | 17.50 | 16.70 | 13.05 | 12.10 | 16.10 | 16.90 | 18.65 | 18.55 | 19.70 |
| 27 | 17.90 | 15.90 | 19.45 | 17.35 | 16.70 | 12.80 | 13.05 | 16.40 | 17.00 | 18.05 | 18.85 | 19.75 |
| 28 | 18.05 | 15.90 | 19.45 | 17.10 | 16.50 | 13.05 | 13.70 | 16.50 | 17.15 | 18.00 | 18.95 | 19.85 |
| 29 | 18.25 | 15.15 | 19.45 | 17.25 | 16.60 | 13.10 | 14.45 | 16.45 | 17.35 | 18.10 | 18.95 | 19.95 |
| 30 | 18.40 | 15.25 | 19.50 | 17.40 | --- | 13.65 | 15.15 | 16.05 | 17.50 | 18.40 | 18.90 | 19.05 |
| 31 | 18.50 | --- | 19.60 | 17.50 | --- | 14.20 | --- | 16.15 | --- | 18.50 | 18.70 | --- |
| MAX | 20.85 | 19.45 | 19.60 | 19.85 | 17.90 | 17.45 | 15.40 | 17.10 | 18.25 | 18.70 | 19.15 | 19.25 |
| WTR YR 1984 | MEAN | 17.36 | | HIGH | 10.50 | | LOW | 20.85 | | | | |

GROUND-WATER RECORDS

BUTLER COUNTY--Continued

392017084345200. Local number, BU-7.

LOCATION.--Lat 39°20'17", long 84°34'52", Hydrologic Unit 05080002, 5584 East River Road in Fairfield.

Owner: C. E. Schiering.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 6 in, depth 176 ft, cased.

DATUM.--Altitude of land-surface datum is 572.54 ft, measuring point: Floor of instrument shelter 1.93 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--August 1943 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 31.17 ft Jan. 13, 1977; minimum daily low, 11.45 ft June 6, 1947.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 30.59 ft Oct. 12; minimum daily low, 22.31 ft Apr 27.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 30.52 | 29.60 | 28.46 | 27.45 | 27.99 | 27.13 | 24.91 | 22.49 | 23.55 | 27.10 | 27.67 | 29.61 |
| 2 | 30.53 | 29.61 | 28.29 | 27.47 | 27.99 | 27.14 | 24.91 | 22.51 | 23.66 | 27.19 | 27.71 | 29.68 |
| 3 | 30.56 | 29.61 | 28.28 | 27.47 | 27.98 | 27.15 | 24.90 | 22.51 | 23.78 | 27.23 | 27.72 | 29.76 |
| 4 | 30.58 | 29.56 | 28.26 | 27.48 | 27.93 | 27.15 | 24.89 | 22.54 | 23.89 | 27.27 | 27.74 | 29.78 |
| 5 | 30.57 | 29.53 | 28.23 | 27.49 | 27.84 | 27.13 | 24.86 | 22.58 | 24.00 | 27.29 | 27.75 | 29.77 |
| 6 | 30.58 | 29.54 | 28.14 | 27.50 | 27.78 | 27.09 | 24.59 | 22.62 | 24.02 | 27.17 | 27.77 | 29.79 |
| 7 | 30.56 | 29.44 | 28.04 | 27.54 | 27.80 | 27.04 | 24.28 | 22.63 | 24.10 | 27.12 | 27.84 | 29.77 |
| 8 | 30.56 | 29.37 | 27.95 | 27.56 | 27.80 | 27.03 | 24.04 | 22.66 | 24.22 | 27.11 | 27.96 | 29.78 |
| 9 | 30.56 | 29.33 | 27.86 | 27.59 | 27.82 | 27.03 | 23.86 | 22.68 | 24.33 | 27.10 | 28.01 | 29.72 |
| 10 | 30.54 | 29.29 | 27.76 | 27.61 | 27.83 | 27.00 | 23.75 | 22.72 | 24.44 | 27.13 | 27.99 | 29.52 |
| 11 | 30.57 | 29.27 | 27.74 | 27.63 | 27.84 | 27.02 | 23.71 | 22.75 | 24.53 | 27.17 | 28.11 | 29.50 |
| 12 | 30.59 | 29.26 | 27.70 | 27.67 | 27.84 | 27.02 | 23.71 | 22.82 | 24.68 | 27.24 | 28.10 | 29.66 |
| 13 | 30.55 | 29.23 | 27.61 | 27.69 | 27.80 | 27.01 | 23.65 | 22.87 | 24.85 | 27.32 | 28.16 | 29.78 |
| 14 | 30.50 | 29.18 | 27.46 | 27.72 | 27.74 | 27.00 | 23.49 | 22.94 | --- | 27.41 | 28.41 | 29.79 |
| 15 | 30.36 | 29.12 | 27.36 | 27.76 | 27.64 | 26.91 | 23.36 | 23.00 | --- | 27.47 | 28.53 | 29.85 |
| 16 | 30.34 | 29.08 | 27.33 | 27.78 | 27.48 | 26.74 | 23.28 | 23.06 | --- | 27.53 | 28.69 | 29.68 |
| 17 | 30.34 | 29.05 | 27.31 | 27.80 | 27.41 | 26.60 | 23.21 | 23.11 | --- | 27.59 | 28.78 | 29.56 |
| 18 | 30.34 | 29.01 | 27.30 | 27.84 | 27.37 | 26.34 | 23.14 | 23.15 | --- | 27.59 | 28.79 | 29.63 |
| 19 | 30.33 | 28.99 | 27.27 | 27.88 | 27.31 | 26.19 | 23.07 | 23.18 | --- | 27.73 | 28.73 | 29.73 |
| 20 | 30.30 | 29.05 | 27.27 | 27.92 | 27.25 | 26.05 | 23.01 | 23.23 | --- | 27.83 | 28.75 | 29.97 |
| 21 | 30.29 | 29.11 | 27.27 | 27.97 | 27.17 | 25.91 | 22.99 | 23.30 | --- | 27.82 | 28.78 | 30.13 |
| 22 | 30.18 | 29.14 | 27.26 | 28.01 | 27.14 | 25.73 | 22.97 | 23.33 | --- | 27.89 | 28.84 | 30.24 |
| 23 | 30.07 | 29.15 | 27.23 | 28.05 | 27.14 | 25.56 | 22.84 | 23.34 | --- | 27.98 | 28.77 | 30.34 |
| 24 | 29.96 | 29.12 | 27.26 | 28.08 | 27.13 | 25.44 | 22.64 | 23.34 | --- | 28.08 | 28.86 | 30.38 |
| 25 | 29.84 | 28.99 | 27.26 | 28.09 | 27.14 | 25.33 | 22.50 | 23.32 | --- | 28.17 | 29.00 | 30.37 |
| 26 | 29.73 | 28.91 | 27.30 | 28.06 | 27.14 | 25.28 | 22.38 | 23.30 | --- | 28.17 | 29.15 | 30.07 |
| 27 | 29.65 | 28.84 | 27.33 | 28.00 | 27.14 | 25.19 | 22.31 | 23.36 | --- | 27.90 | 29.27 | 29.91 |
| 28 | 29.60 | 28.76 | 27.34 | 27.98 | 27.12 | 25.07 | 22.35 | 23.38 | 26.80 | 27.73 | 29.33 | 29.80 |
| 29 | 29.56 | 28.69 | 27.42 | 27.95 | 27.12 | 24.98 | 22.36 | 23.41 | 26.92 | 27.67 | 29.40 | 29.92 |
| 30 | 29.53 | 28.58 | 27.44 | 27.94 | --- | 24.93 | 22.45 | 23.43 | 26.99 | 27.62 | 29.44 | 29.98 |
| 31 | 29.59 | --- | 27.44 | 27.98 | --- | 24.91 | --- | 23.47 | --- | 27.58 | 29.51 | --- |
| MAX | 30.59 | 29.61 | 28.46 | 28.09 | 27.99 | 27.15 | 24.91 | 23.47 | 26.99 | 28.17 | 29.51 | 30.38 |
| WTR YR 1984 | MEAN | 27.24 | | HIGH | 22.31 | | LOW | 30.59 | | | | |

GROUND-WATER RECORDS

231

BUTLER COUNTY--Continued

392021084340300. Local number, BU-56.

LOCATION.--Lat 39°20'21", long 84°34'03", Hydrologic Unit 05080002, 1.3 mi east of the Great Miami River in Fairfield.

Owner: Hamilton Water Department.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 5 in, depth 58 ft, cased.

DATUM.--Altitude of land-surface datum is 583.62 ft. (Levels by Miami Conservancy District.)

Measuring point: Floor of instrument shelter, 3.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--November 1969 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 39.11 ft Feb. 25-26, 1977; minimum daily low, 26.81 ft Apr. 10, 1975.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 36.96 ft Sept. 24; minimum daily low, 28.49 ft May 6.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 35.87 | 34.86 | 34.28 | 33.14 | 33.48 | --- | 30.94 | 29.10 | 29.38 | 32.60 | 33.98 | 35.85 |
| 2 | 35.91 | 34.84 | 34.24 | 33.13 | 33.48 | 32.78 | 30.88 | 29.12 | 29.46 | 32.70 | 34.03 | 35.93 |
| 3 | 35.94 | 34.84 | 34.16 | 33.11 | 33.44 | 32.74 | 30.79 | 28.77 | 29.66 | 32.73 | 33.99 | 36.00 |
| 4 | 35.98 | 34.83 | 34.07 | 33.11 | 33.42 | 32.74 | 30.70 | 28.60 | 29.80 | 32.76 | 33.99 | 36.04 |
| 5 | 35.98 | 34.78 | 34.01 | 33.09 | 33.44 | 32.72 | 30.58 | 28.56 | 29.96 | 32.62 | 33.95 | 35.87 |
| 6 | 35.94 | 34.75 | 33.94 | 33.12 | 33.45 | 32.72 | 30.43 | 28.49 | 29.97 | 32.42 | 34.04 | 35.85 |
| 7 | 35.88 | 34.75 | 33.88 | 33.12 | --- | 32.72 | 30.29 | 28.74 | 29.94 | 32.40 | 34.18 | 35.91 |
| 8 | 35.85 | 34.81 | 33.82 | 33.15 | --- | 32.72 | 30.15 | 28.96 | 30.13 | 32.33 | 34.24 | 36.05 |
| 9 | 35.85 | 34.84 | 33.78 | 33.15 | --- | 32.63 | 29.99 | 29.08 | 30.27 | 32.42 | 34.34 | 36.15 |
| 10 | 35.87 | 34.84 | 33.73 | 33.13 | --- | 32.59 | 29.87 | 29.17 | 30.41 | 32.58 | 34.40 | 36.23 |
| 11 | 35.91 | 34.88 | 33.64 | 33.16 | --- | 32.57 | 29.71 | 29.22 | 30.53 | 32.64 | 34.42 | 36.29 |
| 12 | 35.91 | 34.88 | 33.56 | 33.16 | --- | 32.57 | 29.56 | 29.27 | 30.66 | 32.72 | 34.51 | 36.35 |
| 13 | 35.90 | 34.88 | 33.51 | 33.19 | --- | 32.52 | 29.75 | 29.08 | 30.81 | 32.86 | 34.56 | 36.36 |
| 14 | 35.84 | 34.89 | 33.43 | 33.21 | --- | 32.51 | 29.72 | 28.91 | 30.81 | 32.92 | 34.62 | 36.43 |
| 15 | 35.75 | 34.90 | 33.37 | 33.21 | --- | 32.44 | 29.47 | 28.83 | 30.77 | 32.99 | 34.70 | 36.41 |
| 16 | 35.66 | 34.90 | 33.33 | 33.22 | --- | 32.38 | 29.35 | 28.96 | 31.00 | 33.05 | 34.78 | 36.49 |
| 17 | 35.64 | 34.90 | 33.29 | 33.26 | --- | 32.34 | 29.29 | 28.88 | 31.18 | 33.01 | 34.86 | 36.54 |
| 18 | 35.64 | 34.86 | 33.24 | 33.26 | --- | 32.27 | 29.25 | 29.00 | 31.37 | 33.14 | 34.94 | 36.59 |
| 19 | 35.63 | 34.82 | 33.19 | 33.29 | --- | 32.18 | 29.20 | 29.21 | 31.46 | 33.25 | 34.94 | 36.56 |
| 20 | 35.61 | 34.78 | 33.15 | 33.34 | --- | 32.07 | 29.16 | 29.24 | 31.63 | 33.37 | 34.97 | 36.72 |
| 21 | 35.55 | 34.76 | 33.10 | --- | --- | 31.99 | 29.13 | 29.26 | 31.59 | 33.44 | 35.07 | 36.78 |
| 22 | 35.46 | 34.74 | 33.01 | --- | --- | 31.90 | 29.04 | 29.34 | 31.62 | 33.54 | 35.11 | 36.86 |
| 23 | 35.36 | 34.71 | 33.01 | --- | --- | 31.86 | 28.93 | 29.40 | 31.61 | 33.66 | 35.12 | 36.91 |
| 24 | 35.27 | 34.67 | 32.96 | --- | --- | 31.74 | 28.89 | 29.26 | 31.49 | 33.76 | 35.21 | 36.96 |
| 25 | 35.22 | 34.64 | 32.95 | --- | --- | 31.59 | 28.99 | 29.34 | 31.56 | 33.86 | 35.21 | 36.88 |
| 26 | 35.15 | 34.58 | 32.97 | --- | --- | 31.51 | 28.91 | 29.41 | 31.64 | 33.73 | 35.28 | 36.55 |
| 27 | 35.09 | 34.51 | 33.02 | --- | --- | 31.39 | 28.77 | 29.36 | 31.75 | 33.76 | 35.39 | 36.33 |
| 28 | 35.02 | 34.43 | 33.12 | --- | --- | 31.26 | 28.73 | 29.16 | 32.07 | 33.76 | 35.49 | 36.35 |
| 29 | 34.99 | 34.40 | 33.16 | --- | --- | 31.17 | 28.69 | 29.26 | 32.29 | 33.74 | 35.59 | 36.54 |
| 30 | 34.94 | 34.33 | 33.16 | --- | --- | 31.09 | 29.03 | 29.21 | 32.55 | 33.76 | 35.69 | 36.55 |
| 31 | 34.90 | --- | 33.16 | 33.52 | --- | 31.03 | --- | 29.26 | --- | 33.85 | 35.77 | --- |
| MAX | 35.98 | 34.90 | 34.28 | 33.52 | 33.48 | 32.78 | 30.94 | 29.41 | 32.55 | 33.86 | 35.77 | 36.96 |
| WTR YR 1984 | MEAN | 33.01 | | HIGH | 28.49 | | LOW | 36.96 | | | | |

GROUND-WATER RECORDS

BUTLER COUNTY--Continued

392048084311400. Local number, BU-8.

LOCATION.--Lat 39°20'48", long 84°31'14", Hydrologic Unit 05080002, Symmes and Gilmore Road, east of Hamilton.

Owner: Hamilton Water Department.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test artesian well, diameter 6 in, depth 200 ft, cased.

DATUM.--Altitude of land-surface datum is 630 ft, from topographic map. Measuring point: Floor of instrument shelter 4.13 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--April 1944 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 71.70 ft Oct. 24, 1944; minimum daily low, 38.24 ft June 8, 1947.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 56.17 ft Oct. 21-22; minimum daily low, 44.63 ft May 11.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 55.19 | 55.81 | 55.30 | 53.80 | 53.99 | 52.43 | 49.03 | 44.96 | 45.08 | 46.68 | 48.35 | 50.95 |
| 2 | 55.22 | 55.81 | 55.29 | 53.72 | 53.99 | 52.45 | 48.83 | 44.98 | 45.07 | 46.82 | 48.49 | 50.99 |
| 3 | 55.23 | 55.83 | 55.01 | 53.66 | 53.89 | 52.45 | 48.63 | 44.96 | 45.06 | 46.94 | 48.57 | 51.02 |
| 4 | 55.26 | 55.85 | 54.63 | 53.60 | 53.83 | 52.45 | 48.45 | 44.77 | 45.11 | 47.01 | 48.63 | 51.15 |
| 5 | 55.33 | 55.86 | 54.64 | 53.51 | 53.77 | 52.12 | 48.17 | 44.85 | 45.17 | 47.02 | 48.70 | 51.32 |
| 6 | 55.48 | 55.86 | 54.60 | 53.54 | 53.76 | 52.07 | 47.92 | 44.86 | 45.26 | 46.83 | 48.78 | 51.44 |
| 7 | 55.56 | 55.87 | 54.57 | 53.68 | 53.85 | 52.08 | 47.64 | 44.77 | 45.33 | 46.53 | 48.83 | 51.49 |
| 8 | 55.59 | 55.89 | 54.57 | 53.73 | 53.88 | 52.05 | 47.35 | 44.76 | 45.38 | 46.51 | 48.88 | 51.53 |
| 9 | 55.65 | 55.90 | 54.56 | 53.76 | 53.87 | 51.86 | 46.91 | 44.70 | 45.43 | 46.41 | 48.94 | 51.54 |
| 10 | 55.69 | 55.88 | 54.50 | 53.82 | 53.76 | 51.86 | 46.72 | 44.72 | 45.47 | 46.28 | 48.99 | 51.58 |
| 11 | 55.71 | 55.80 | 54.38 | 53.92 | 53.63 | 51.64 | 46.63 | 44.63 | 45.57 | 46.23 | 49.01 | 51.68 |
| 12 | 55.72 | 55.89 | 53.95 | 53.96 | 53.64 | 51.64 | 46.54 | 44.67 | 45.62 | 46.27 | 49.02 | 51.78 |
| 13 | 55.75 | 55.90 | 53.96 | 53.99 | 53.51 | 51.58 | 46.37 | 44.68 | 45.68 | 46.33 | 49.07 | 51.83 |
| 14 | 55.91 | 55.90 | 53.65 | 54.05 | 53.48 | 51.56 | 46.28 | 44.68 | 45.78 | 46.41 | 49.18 | 51.87 |
| 15 | 56.00 | 55.88 | 53.58 | 54.06 | 53.48 | 51.56 | 46.22 | 44.75 | 45.88 | 46.43 | 49.32 | 52.02 |
| 16 | 56.03 | 55.89 | 53.75 | 53.90 | 53.44 | 51.25 | 46.12 | 44.82 | 45.92 | 46.47 | 49.44 | 52.16 |
| 17 | 56.05 | 55.94 | 53.80 | 54.03 | 53.16 | 51.26 | 46.10 | 44.87 | 45.93 | 46.51 | 49.51 | 52.27 |
| 18 | 56.09 | 55.95 | 53.80 | 54.09 | 53.13 | 51.00 | 46.16 | 44.88 | 45.97 | 46.67 | 49.56 | 52.31 |
| 19 | 56.14 | 55.95 | 53.73 | 54.17 | 52.86 | 50.85 | 46.23 | 44.86 | 46.06 | 46.81 | 49.64 | 52.38 |
| 20 | 56.16 | 55.85 | 53.67 | 54.29 | 52.82 | 50.47 | 46.25 | 44.81 | 46.12 | 46.95 | 49.79 | 52.39 |
| 21 | 56.17 | 55.81 | 53.61 | 54.33 | 52.82 | 50.28 | 46.23 | 44.88 | 46.18 | 47.06 | 49.94 | 52.43 |
| 22 | 56.17 | 55.82 | 53.44 | 54.34 | 52.79 | 50.16 | 46.12 | 44.96 | 46.21 | 47.20 | 50.10 | 52.52 |
| 23 | 55.97 | 55.83 | 53.46 | 54.32 | 52.74 | 50.21 | 45.53 | 45.09 | 46.22 | 47.43 | 50.21 | 52.59 |
| 24 | 55.80 | 55.80 | 53.48 | 54.08 | 52.63 | 50.21 | 45.28 | 45.13 | 46.26 | 47.57 | 50.30 | 52.66 |
| 25 | 55.81 | 55.80 | 53.49 | 54.14 | 52.64 | 49.75 | 45.26 | 45.12 | 46.33 | 47.72 | 50.35 | 52.68 |
| 26 | 55.81 | 55.76 | 53.49 | 54.16 | 52.68 | 49.54 | 45.19 | 45.07 | 46.38 | 47.77 | 50.40 | 52.73 |
| 27 | 55.74 | 55.68 | 53.46 | 54.10 | 52.63 | 49.48 | 45.13 | 45.12 | 46.43 | 47.84 | 50.51 | 52.73 |
| 28 | 55.75 | 55.24 | 53.34 | 54.08 | 52.25 | 49.22 | 45.04 | 45.12 | 46.46 | 47.98 | 50.58 | 52.72 |
| 29 | 55.78 | 55.25 | 53.62 | 53.83 | 52.40 | 49.01 | 45.05 | 45.11 | 46.53 | 48.07 | 50.63 | 52.69 |
| 30 | 55.81 | 55.28 | 53.79 | 53.92 | --- | 49.08 | 44.89 | 45.12 | 46.59 | 48.15 | 50.73 | 52.69 |
| 31 | 55.81 | --- | 53.81 | 53.99 | --- | 49.10 | --- | 45.11 | --- | 48.25 | 50.87 | --- |
| MAX | 56.17 | 55.95 | 55.30 | 54.34 | 53.99 | 52.45 | 49.03 | 45.13 | 46.59 | 48.25 | 50.87 | 52.73 |
| WTR YR 1984 | MEAN | 50.79 | | HIGH | 44.63 | | LOW | 56.17 | | | | |

GROUND-WATER RECORDS

233

BUTLER COUNTY--Continued

392445084333000. Local number BU-36.

LOCATION.--Lat 39°24'45", long 84°33'30", Hydrologic Unit 05080002, on right bank of Great Miami River 300 ft downstream from Twomile Creek in Hamilton.

Owner: Champion Paper Company.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled industrial supply water-table well, diameter 30 in, depth 168 ft cased.

PERIOD OF RECORD.--December 1965 to current year.

WATER QUALITY DATA, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DATE | TIME | SPECIFIC CONDUCTANCE (UMHOS) | PH (STANDARD UNITS) | TEMPERATURE, AIR (DEG C) | TEMPERATURE (DEG C) | OXYGEN DEMAND, CHEMICAL (HIGH LEVEL) (MG/L) | HARDNESS (MG/L AS CAC03) | HARDNESS, NONCARBONATE (MG/L AS CAC03) | CALCIUM DIS-SOLVED (MG/L AS CA) | MAGNESIUM, DIS-SOLVED (MG/L AS MG) |
|-----------|------|------------------------------|---------------------|--------------------------|---------------------|---|--------------------------|--|---------------------------------|------------------------------------|
| OCT 26... | 1100 | 885 | 7.2 | 5.5 | 15.0 | 10 | 410 | 81 | 110 | 33 |
| FEB 22... | 1500 | 860 | 7.5 | 15.0 | 15.0 | <10 | 450 | 120 | 120 | 36 |
| JUN 28... | 1030 | 900 | 7.3 | 25.0 | 25.5 | <10 | 410 | 83 | 120 | 27 |
| AUG 15... | 0900 | 875 | 7.2 | 16.0 | 15.0 | 14 | 410 | 85 | 110 | 33 |

| DATE | ALKALINITY FIELD (MG/L AS CAC03) | SULFATE DIS-SOLVED (MG/L AS SO4) | CHLORIDE, DIS-SOLVED (MG/L AS CL) | FLUORIDE, TOTAL (MG/L AS F) | SOLIDS, RESIDUE AT 180 DEG. C DIS-SOLVED (MG/L) | SOLIDS, RESIDUE AT 105 DEG. C, TOTAL (MG/L) | NITROGEN, NITRITE TOTAL (MG/L AS N) | NITROGEN, NO2+NO3 TOTAL (MG/L AS N) | ARSENIC DIS-SOLVED (UG/L AS AS) | CHROMIUM, TOTAL RECOVERABLE (UG/L AS CR) |
|-----------|----------------------------------|----------------------------------|-----------------------------------|-----------------------------|---|---|-------------------------------------|-------------------------------------|---------------------------------|--|
| OCT 26... | 330 | 100 | 48 | .2 | 536 | 567 | <.010 | 1.70 | 1 | 20 |
| FEB 22... | 328 | 100 | 52 | .6 | 520 | 528 | <.010 | 1.40 | -- | -- |
| JUN 28... | 328 | 98 | 49 | .2 | 570 | 599 | <.010 | 1.40 | -- | -- |
| AUG 15... | 326 | 110 | 51 | -- | 597 | 598 | <.010 | 1.60 | 1 | 10 |

| DATE | CHROMIUM, DIS-SOLVED (UG/L AS CR) | COPPER, TOTAL RECOVERABLE (UG/L AS CU) | COPPER, DIS-SOLVED (UG/L AS CU) | IRON, TOTAL RECOVERABLE (UG/L AS FE) | LEAD, TOTAL RECOVERABLE (UG/L AS PB) | LEAD, DIS-SOLVED (UG/L AS PB) | MANGANESE, TOTAL RECOVERABLE (UG/L AS MN) | ZINC, TOTAL RECOVERABLE (UG/L AS ZN) | ZINC, DIS-SOLVED (UG/L AS ZN) | CARBON, ORGANIC TOTAL (MG/L AS C) |
|-----------|-----------------------------------|--|---------------------------------|--------------------------------------|--------------------------------------|-------------------------------|---|--------------------------------------|-------------------------------|-----------------------------------|
| OCT 26... | 10 | 6 | 6 | 80 | 3 | 3 | 10 | 20 | 7 | 1.1 |
| FEB 22... | -- | -- | -- | 100 | -- | -- | 10 | -- | -- | 1.3 |
| JUN 28... | -- | -- | -- | 130 | -- | -- | 10 | -- | -- | 1.0 |
| AUG 15... | 10 | 3 | 3 | 100 | 5 | 3 | <10 | 10 | 9 | .90 |

GROUND-WATER RECORDS

BUTLER COUNTY--Continued

392515084322000. Local number, BU-5.

LOCATION.--Lat 39°25'15", long 84°32'22", Hydrologic Unit 05080002, 2.0 mi north of courthouse in Hamilton.

Owner: Hamilton Water Department

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 18 in, depth 110 ft cased.

DATUM.--Altitude of land-surface datum is 590 ft, from topographic map. Measuring point: Floor of instrument shelter 5.71 ft above land surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water. Water level affected by pumping of nearby North Hamilton well field and by stage of the Great Miami River.

PERIOD OF RECORD.--July 1939 to Current year

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 42.05 ft Sept. 16-17, 1954; minimum daily low, 4.10 ft Jan. 23, 1959.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 25.03 ft Oct. 5; minimum daily low, 13.55 ft Apr. 25.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 19.21 | 19.14 | 21.99 | 17.63 | 18.06 | 17.34 | 15.12 | 13.87 | 14.45 | 21.77 | 17.18 | 18.33 |
| 2 | 19.15 | 19.10 | 18.25 | 21.61 | 18.09 | 17.33 | 15.18 | 19.42 | 14.49 | 16.94 | 17.24 | 19.27 |
| 3 | 22.83 | 23.12 | 18.20 | 17.85 | 18.10 | 17.33 | 15.19 | 14.24 | 14.57 | 21.36 | 17.28 | 19.24 |
| 4 | 24.92 | 19.42 | 18.16 | 17.65 | 17.94 | 17.32 | 15.92 | 13.90 | 14.73 | 16.81 | 17.28 | 19.28 |
| 5 | 25.03 | 19.19 | 18.06 | 17.66 | 17.82 | 21.43 | 15.07 | 13.94 | 14.85 | 16.58 | 17.26 | 19.26 |
| 6 | 23.73 | 19.12 | 17.89 | 17.73 | 22.78 | 17.58 | 17.43 | 13.86 | 21.21 | 16.47 | 17.33 | 23.13 |
| 7 | 23.83 | 19.12 | 17.80 | 17.77 | 18.19 | 17.33 | 14.07 | 13.86 | 21.56 | 16.36 | 17.40 | 19.52 |
| 8 | 19.92 | 19.16 | 17.69 | 17.78 | 18.13 | 17.22 | 13.93 | 13.87 | 15.67 | 16.27 | 17.44 | 19.41 |
| 9 | 19.57 | 22.86 | 17.58 | 22.56 | 18.14 | 17.19 | 13.94 | 18.42 | 15.76 | 16.33 | 21.41 | 19.36 |
| 10 | 19.49 | 19.25 | 17.64 | 18.06 | 17.87 | 17.14 | 14.01 | 14.12 | 21.81 | 16.38 | 17.72 | 19.35 |
| 11 | 19.48 | 19.13 | 17.68 | 18.00 | 17.84 | 17.15 | 18.15 | 14.03 | 22.01 | 16.54 | 17.65 | 19.36 |
| 12 | 24.25 | 19.06 | 17.51 | 18.04 | 17.77 | 21.18 | 14.36 | 14.08 | 22.38 | 16.60 | 17.64 | 19.40 |
| 13 | 19.71 | 18.99 | 17.44 | 17.99 | 17.62 | 17.40 | 14.37 | 14.10 | 20.81 | 16.66 | 17.62 | 19.34 |
| 14 | 19.40 | 18.91 | 17.11 | 17.95 | 17.46 | 22.95 | 14.41 | 14.14 | 22.62 | 16.68 | 17.63 | 19.41 |
| 15 | 19.33 | 18.90 | 22.00 | 17.94 | 21.24 | 23.14 | 14.47 | 14.18 | 16.52 | 16.71 | 17.67 | 19.39 |
| 16 | 19.33 | 18.97 | 17.43 | 23.21 | 17.42 | 17.66 | 14.51 | 14.21 | 16.32 | 16.76 | 17.72 | 19.39 |
| 17 | 23.42 | 18.92 | 17.42 | 18.27 | 17.19 | 16.88 | 14.47 | 14.21 | 16.21 | 20.78 | 23.97 | 19.42 |
| 18 | 19.67 | 24.41 | 17.34 | 18.12 | 17.12 | 16.35 | 18.38 | 14.25 | 22.44 | 17.03 | 18.39 | 19.40 |
| 19 | 19.51 | 19.15 | 17.39 | 18.09 | 17.09 | 20.40 | 14.43 | 14.24 | 16.99 | 17.00 | 17.93 | 19.42 |
| 20 | 19.60 | 18.89 | 17.46 | 18.40 | 21.19 | 16.06 | 14.42 | 14.30 | 16.42 | 17.10 | 17.93 | 19.43 |
| 21 | 19.31 | 18.93 | 17.48 | 18.11 | 17.39 | 15.74 | 14.45 | 14.33 | 20.36 | 16.95 | 17.92 | 19.49 |
| 22 | 19.15 | 18.93 | 22.02 | 18.10 | 17.24 | 15.32 | 14.39 | 14.23 | 16.50 | 16.95 | 17.90 | 19.58 |
| 23 | 19.06 | 18.87 | 17.83 | 22.62 | 17.25 | 15.07 | 14.16 | 14.20 | 16.35 | 16.98 | 21.78 | 19.50 |
| 24 | 18.97 | 18.62 | 17.77 | 18.42 | 17.22 | 14.96 | 13.82 | 18.13 | 16.34 | 23.79 | 18.16 | 21.54 |
| 25 | 18.90 | 18.41 | 17.63 | 18.11 | 17.33 | 14.94 | 13.55 | 14.30 | 16.25 | 17.80 | 18.17 | 19.55 |
| 26 | 18.87 | 18.35 | 17.87 | 18.00 | 17.24 | 14.92 | 17.61 | 14.28 | 16.21 | 17.39 | 18.14 | 24.80 |
| 27 | 23.25 | 18.35 | 17.47 | 17.97 | 21.33 | 19.33 | 13.75 | 14.32 | 16.23 | 17.24 | 18.14 | 24.95 |
| 28 | 19.12 | 18.26 | 17.45 | 17.82 | 17.48 | 18.97 | 13.67 | 14.30 | 21.08 | 17.18 | 18.12 | 19.11 |
| 29 | 19.08 | 18.11 | 21.95 | 17.78 | 17.36 | 19.09 | 13.75 | 14.33 | 16.48 | 17.16 | 18.14 | 18.96 |
| 30 | 19.05 | 17.98 | 17.75 | 17.83 | --- | 15.17 | 13.80 | 14.38 | 16.38 | 17.15 | 23.06 | 19.79 |
| 31 | 19.05 | --- | 17.62 | 17.96 | --- | 15.12 | --- | 14.38 | --- | 17.17 | 18.43 | --- |
| MAX | 25.03 | 24.41 | 22.02 | 23.21 | 22.78 | 23.14 | 18.38 | 19.42 | 22.62 | 23.79 | 23.97 | 24.95 |
| WTR YR 1984 | MEAN | 17.88 | | HIGH | 13.55 | | LOW | 25.03 | | | | |

BUTLER COUNTY--Continued

392733084293000 Local number, BU-16.

LOCATION.--Lat 39°27'33", long 84°29'30", Hydrologic Unit 05080002, Wayn-Madison Rd. 2 mi southwest of Trenton.

Owner: Miller Brewing Co.

AQUIFER.--Sand and gravel of pleistocene Age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 4 in, depth 218 ft, cased.

DATUM.--Altitude of land surface datum is 640 ft, from topographic map. Measuring point: floor of instrument shelter, 1.5 ft above land surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--May 1982 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 18.12 ft Nov. 17, 1983; Minimum daily low, 10.63 ft May 5-6, 8-13, 1984.

EXTREMES FOR CURRENT YEAR.--Maximum recorded daily low 18.12 ft Nov. 17; Minimum daily low 10.63 ft May 5-6, 8-13.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 16.04 | 17.07 | 16.20 | 16.32 | 16.27 | 15.99 | 13.76 | 10.82 | 11.24 | 12.41 | 13.21 | 14.52 |
| 2 | 16.05 | 16.92 | 16.21 | 16.31 | 16.57 | 15.99 | 13.76 | 10.84 | 11.24 | 12.42 | 13.21 | 14.52 |
| 3 | 17.29 | 16.75 | 16.23 | 16.31 | 16.48 | 15.98 | 14.65 | 10.84 | 11.31 | 12.42 | 13.22 | 14.53 |
| 4 | 16.22 | 17.60 | 16.25 | 16.31 | 16.28 | 15.98 | 13.89 | 10.85 | 11.65 | 12.34 | 13.26 | 14.72 |
| 5 | 16.22 | 16.80 | 16.16 | 16.31 | 16.17 | 15.98 | 13.82 | 10.63 | 11.51 | 12.34 | 13.32 | 14.64 |
| 6 | 17.39 | 16.80 | 16.04 | 16.31 | 16.14 | 15.88 | 12.38 | 10.63 | 11.51 | 12.27 | 13.36 | 14.55 |
| 7 | 17.58 | 17.06 | 16.04 | 16.32 | 16.97 | 15.64 | 11.88 | 10.81 | 11.52 | 12.13 | 13.39 | 14.66 |
| 8 | 16.35 | 16.89 | 16.31 | 16.32 | 16.26 | 15.59 | 11.98 | 10.63 | 11.83 | 12.07 | 13.44 | 14.59 |
| 9 | 16.35 | 17.77 | 16.18 | 16.32 | 16.26 | 15.80 | 12.06 | 10.63 | 11.66 | 12.10 | 13.48 | 14.73 |
| 10 | 16.77 | 18.01 | 16.17 | 16.59 | 16.26 | 15.64 | 13.03 | 10.63 | 11.66 | 12.18 | 13.52 | 14.76 |
| 11 | 16.64 | 17.13 | 16.17 | 17.22 | 16.26 | 15.63 | 12.26 | 10.63 | 11.70 | 12.26 | 13.57 | 14.80 |
| 12 | 16.47 | 16.87 | 17.16 | 16.65 | 16.16 | 15.63 | 12.26 | 10.63 | 12.60 | 12.33 | 13.61 | 14.84 |
| 13 | 16.61 | 16.83 | 15.91 | 16.50 | 16.08 | 16.07 | 12.26 | 10.63 | 11.81 | 12.39 | 13.64 | 14.88 |
| 14 | 16.31 | 16.83 | 15.81 | 16.49 | 15.98 | 16.63 | 12.27 | 11.63 | 11.81 | 12.44 | 13.78 | 14.91 |
| 15 | 16.33 | 16.87 | 15.79 | 16.49 | 15.59 | 15.52 | 12.28 | 11.07 | 11.82 | 12.49 | 13.99 | 14.96 |
| 16 | 16.38 | 17.83 | 15.80 | 17.29 | 15.58 | 15.41 | 12.28 | 11.54 | 11.83 | 12.53 | 13.86 | 15.00 |
| 17 | 16.69 | 18.12 | 15.84 | 16.55 | 15.78 | 14.84 | 12.28 | 11.14 | 11.85 | 12.57 | 14.74 | 15.03 |
| 18 | 17.39 | 17.02 | 15.87 | 16.55 | 15.68 | 14.78 | 12.23 | 10.95 | 11.88 | 12.90 | 13.96 | 15.06 |
| 19 | 16.85 | 17.01 | 16.18 | 17.34 | 15.68 | 14.78 | 12.22 | 10.95 | 11.94 | 12.76 | 13.96 | 15.09 |
| 20 | 17.68 | 17.02 | 16.03 | 16.78 | 15.68 | 14.96 | 12.15 | 10.96 | 12.88 | 13.04 | 13.97 | 15.12 |
| 21 | 16.56 | 17.03 | 16.03 | 16.63 | 15.69 | 14.71 | 12.14 | 10.96 | 12.11 | 12.87 | 14.26 | 15.17 |
| 22 | 16.25 | 17.05 | 16.02 | 16.62 | 15.70 | 13.98 | 12.13 | 11.00 | 12.07 | 12.87 | 14.11 | 15.21 |
| 23 | 16.24 | 17.05 | 16.02 | 17.41 | 15.71 | 13.87 | 11.49 | 11.38 | 12.07 | 12.88 | 14.35 | 15.26 |
| 24 | 17.37 | 16.91 | 16.03 | 16.64 | 15.73 | 13.84 | 10.63 | 11.19 | 12.08 | 12.91 | 14.21 | 15.30 |
| 25 | 16.31 | 16.54 | 17.03 | 16.63 | 15.78 | 13.84 | 10.63 | 11.19 | 12.11 | 12.95 | 14.21 | 15.31 |
| 26 | 16.32 | 16.53 | 16.16 | 16.63 | 15.79 | 13.85 | 10.63 | 11.19 | 12.14 | 12.97 | 14.21 | 15.33 |
| 27 | 17.56 | 16.53 | 17.24 | 16.62 | 16.03 | 14.79 | 10.63 | 11.20 | 12.16 | 12.97 | 14.22 | 15.21 |
| 28 | 16.51 | 16.54 | 16.20 | 16.37 | 15.89 | 13.99 | 10.63 | 11.21 | 13.18 | 12.93 | 14.24 | 15.45 |
| 29 | 16.51 | 16.36 | 17.05 | 16.29 | 16.70 | 13.96 | 10.68 | 11.21 | 12.59 | 12.99 | 14.59 | 15.46 |
| 30 | 16.53 | 16.19 | 17.06 | 16.28 | --- | 13.81 | 10.76 | 11.21 | 12.41 | 13.03 | 15.28 | 15.46 |
| 31 | 16.83 | --- | 16.33 | 16.27 | --- | 13.76 | --- | 11.23 | --- | 13.09 | 15.29 | --- |
| MAX | 17.68 | 18.12 | 17.24 | 17.41 | 16.97 | 16.63 | 14.65 | 11.63 | 13.18 | 13.09 | 15.29 | 16.21 |
| WTR YR 1984 | MEAN | 14.51 | | HIGH | 10.63 | | LOW | 18.12 | | | | |

GROUND-WATER RECORDS

BUTLER COUNTY--Continued

392939084231700. Local number, BU-3.

LOCATION.--Lat 39°29'39", long 84°23'17", Hydrologic Unit 05080002, Armco Steel Corp. Rt. 122 in Middletown.

Owner: Armco Steel Corp.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 24 in, depth 250 ft, cased.

DATUM.--Altitude of land-surface datum is 668 ft, from topographic map. Measuring point: Floor of instrument shelter 1.08 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--July 1938 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 147.27 ft Apr. 4, 1955; minimum daily low, 45.27 ft July 21, 1980.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 60.55 ft Sept. 5; minimum daily low, 51.86 ft Nov. 28.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 52.38 | 52.23 | 52.09 | 54.12 | 54.91 | 54.17 | 54.22 | 55.20 | 53.89 | 53.67 | 56.85 | 60.28 |
| 2 | 52.42 | 52.24 | 52.01 | 54.17 | 54.91 | 54.16 | 54.15 | 55.04 | 53.78 | 53.84 | 58.07 | 60.25 |
| 3 | 52.44 | 52.29 | 51.89 | 54.17 | 54.85 | 54.20 | 54.08 | 54.92 | 53.75 | 54.55 | 58.23 | 60.43 |
| 4 | 52.46 | 52.30 | 51.88 | 54.14 | 54.88 | 54.17 | 54.45 | 54.99 | 53.76 | 54.72 | 58.25 | 60.51 |
| 5 | 52.59 | 52.27 | 51.88 | 54.16 | 54.93 | 54.03 | 54.35 | 54.99 | 53.81 | 54.90 | 58.30 | 60.55 |
| 6 | 52.65 | 52.27 | 51.90 | 54.34 | 55.30 | 54.06 | 54.46 | 55.00 | 53.83 | 55.31 | 58.40 | 60.55 |
| 7 | 52.67 | 52.88 | 51.99 | 54.49 | 55.27 | 54.09 | 54.57 | 54.90 | 53.89 | 55.82 | 58.49 | 60.04 |
| 8 | 52.66 | 52.88 | 52.80 | 54.68 | 55.24 | 54.13 | 54.58 | 54.86 | 53.86 | 55.97 | 58.52 | 58.71 |
| 9 | 52.69 | 52.74 | 53.18 | 54.70 | 54.07 | 54.13 | 54.50 | 54.83 | 53.79 | 56.18 | 58.73 | 58.09 |
| 10 | 52.69 | 52.50 | 53.42 | 54.79 | 54.69 | 54.09 | 54.50 | 54.86 | 53.74 | 56.38 | 58.78 | 57.81 |
| 11 | 52.67 | 52.59 | 53.41 | 54.79 | 54.48 | 54.08 | 54.49 | 54.69 | 53.07 | 56.59 | 58.83 | 57.63 |
| 12 | 52.65 | 52.59 | 53.57 | 54.51 | 54.44 | 54.09 | 54.41 | 54.65 | 53.01 | 56.77 | 58.92 | 57.62 |
| 13 | 52.78 | 52.56 | 53.55 | 54.53 | 54.28 | 54.00 | 54.38 | 54.67 | 53.01 | 56.87 | 59.07 | 57.46 |
| 14 | 52.87 | 52.42 | 53.47 | 54.60 | 54.35 | 54.13 | 54.40 | 54.62 | 52.95 | 56.95 | 59.19 | 57.35 |
| 15 | 52.86 | 52.35 | 53.67 | 54.58 | 54.33 | 54.11 | 54.41 | 54.58 | 52.93 | 56.95 | 59.20 | 57.30 |
| 16 | 52.77 | 52.43 | 53.87 | 54.50 | 54.25 | 54.24 | 54.38 | 54.56 | 52.89 | 56.30 | 59.23 | 57.30 |
| 17 | 52.87 | 52.50 | 53.97 | 54.56 | 54.11 | 54.24 | 54.44 | 54.51 | 52.79 | 56.36 | 59.25 | 57.21 |
| 18 | 52.86 | 52.49 | 53.97 | 54.54 | 54.34 | 54.06 | 54.51 | 54.49 | 52.75 | 56.52 | 59.27 | 57.12 |
| 19 | 52.96 | 52.45 | 53.97 | 54.53 | 54.23 | 54.10 | 54.51 | 54.40 | 52.84 | 56.60 | 59.36 | 57.01 |
| 20 | 52.98 | 52.35 | 54.01 | 54.56 | 54.12 | 53.94 | 54.71 | 54.27 | 52.89 | 56.67 | 59.53 | 56.87 |
| 21 | 52.91 | 52.49 | 54.01 | 54.59 | 54.11 | 53.93 | 54.90 | 54.29 | 52.88 | 56.74 | 59.63 | 56.87 |
| 22 | 52.86 | 52.00 | 54.22 | 54.63 | 54.29 | 54.15 | 54.86 | 54.41 | 52.89 | 56.83 | 59.65 | 56.86 |
| 23 | 52.67 | 51.96 | 54.22 | 54.74 | 54.31 | 54.24 | 54.70 | 54.39 | 52.89 | 56.94 | 59.71 | 56.82 |
| 24 | 52.75 | 52.03 | 54.19 | 54.66 | 54.31 | 54.16 | 54.55 | 54.37 | 52.90 | 57.01 | 59.76 | 56.78 |
| 25 | 52.76 | 52.02 | 54.16 | 54.77 | 54.63 | 54.04 | 54.95 | 54.35 | 52.97 | 57.28 | 59.76 | 56.70 |
| 26 | 52.76 | 52.03 | 54.14 | 54.77 | 54.63 | 54.04 | 55.10 | 54.23 | 53.13 | 58.45 | 59.76 | 56.81 |
| 27 | 52.80 | 52.03 | 54.07 | 54.76 | 54.48 | 54.00 | 55.17 | 54.17 | 53.39 | 59.29 | 59.79 | 56.80 |
| 28 | 52.77 | 51.86 | 53.89 | 54.76 | 54.01 | 53.91 | 55.29 | 54.09 | 53.53 | 58.01 | 59.88 | 56.57 |
| 29 | 52.88 | 51.99 | 54.13 | 54.79 | 54.13 | 54.11 | 55.29 | 54.01 | 53.58 | 57.58 | 59.95 | 56.54 |
| 30 | 52.84 | 52.01 | 54.19 | 54.85 | --- | 54.27 | 55.15 | 54.00 | 53.59 | 57.26 | 60.17 | 56.46 |
| 31 | 52.62 | --- | 54.15 | 55.00 | --- | 54.26 | --- | 53.89 | --- | 57.00 | 60.23 | --- |
| MAX | 52.98 | 52.88 | 54.22 | 55.00 | 55.30 | 54.27 | 55.29 | 55.20 | 53.89 | 59.29 | 60.23 | 60.55 |
| WTR YR 1984 | MEAN | 54.81 | | HIGH | 51.86 | | LOW | 60.55 | | | | |

GROUND-WATER RECORDS

237

BUTLER COUNTY--Continued

393103084240900. Local number, BU-2

LOCATION.--Lat 39°31'03", long 84°24'09", Hydrologic Unit 05080002, in basement of YMCA in Middletown.

Owner: Middletown YMCA.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 12 in, depth 88 ft, cased.

DATUM.--Altitude of land-surface datum is 636.27 ft. Measuring point: Top of platform 14.77 ft below land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--October 1942 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 52.15 ft Sept. 28, Nov. 5, 1953 and Jan. 22, 1954; minimum daily low, 27.30 ft June 17, 1980.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 38.30 ft Sept. 18; minimum daily low, 29.60 ft Dec. 25.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 35.45 | 34.00 | 32.70 | 31.10 | 33.50 | 35.25 | 31.50 | 33.95 | 32.70 | 36.55 | 36.80 | 36.95 |
| 2 | 35.25 | 33.85 | 32.60 | 30.90 | 33.35 | 35.50 | 32.30 | 34.05 | 32.25 | 36.25 | 35.70 | 36.75 |
| 3 | 36.90 | 33.95 | 32.75 | 31.40 | 33.30 | 34.10 | 32.20 | 32.05 | 32.25 | 34.90 | 36.35 | 37.00 |
| 4 | 37.50 | 34.10 | 32.55 | 31.95 | 33.15 | 34.05 | 32.45 | 32.45 | 32.40 | 35.00 | 35.15 | 36.35 |
| 5 | 36.05 | 33.80 | 32.30 | 31.90 | 33.35 | 35.55 | 32.05 | 32.85 | 33.70 | 35.75 | 34.70 | 35.90 |
| 6 | 36.75 | 33.45 | 32.45 | 31.70 | 33.65 | 35.65 | 32.50 | 31.85 | 33.80 | 35.95 | 36.40 | 35.85 |
| 7 | 35.85 | 33.95 | 32.00 | 31.55 | 33.60 | 35.50 | 32.30 | 32.00 | 33.05 | 34.45 | 36.85 | 35.75 |
| 8 | 35.70 | 33.60 | 32.30 | 32.70 | 33.50 | 35.80 | 32.70 | 32.05 | 33.10 | 34.15 | 37.00 | 35.30 |
| 9 | 35.70 | 34.50 | 31.85 | 32.60 | 33.70 | 35.70 | 31.95 | 32.20 | 33.35 | 36.45 | 36.25 | 35.30 |
| 10 | 35.45 | 34.25 | 31.95 | 33.60 | 34.35 | 35.25 | 32.40 | 32.40 | 33.15 | 36.10 | 36.95 | 37.35 |
| 11 | 37.75 | 35.80 | 31.60 | 33.60 | 34.15 | 34.10 | 33.70 | 32.20 | 34.40 | 36.25 | 36.30 | 35.60 |
| 12 | 37.60 | 35.70 | 33.15 | 34.00 | 33.95 | 35.20 | 33.55 | 32.45 | 35.05 | 35.90 | 35.95 | 37.10 |
| 13 | 36.95 | 35.50 | 33.35 | 34.30 | 33.80 | 36.05 | 33.60 | 32.05 | 35.60 | 36.20 | 36.75 | 37.95 |
| 14 | 34.85 | 35.95 | 33.50 | 34.20 | 34.00 | 36.10 | 31.60 | 31.80 | 35.50 | 35.30 | 36.85 | 37.55 |
| 15 | 36.05 | 35.70 | 32.00 | 33.95 | 34.15 | 36.00 | 31.55 | 30.75 | 33.45 | 34.65 | 36.60 | 37.00 |
| 16 | 35.80 | 35.75 | 31.60 | 34.10 | 35.50 | 35.30 | 33.40 | 30.90 | 33.65 | 35.90 | 36.20 | 35.90 |
| 17 | 37.65 | 35.85 | 31.65 | 33.20 | 36.05 | 34.10 | 32.55 | 30.30 | 34.65 | 35.75 | 37.35 | 37.85 |
| 18 | 37.65 | 34.50 | 31.35 | 33.10 | 36.05 | 34.55 | 32.95 | 30.60 | 34.95 | 35.90 | 35.90 | 38.30 |
| 19 | 37.55 | 34.10 | 31.55 | 33.10 | 35.75 | 35.30 | 32.10 | 30.75 | 35.60 | 36.15 | 35.90 | 38.10 |
| 20 | 37.80 | 34.00 | 31.50 | 32.90 | 35.90 | 34.40 | 31.70 | 30.30 | 35.25 | 36.55 | 37.60 | 38.15 |
| 21 | 37.00 | 34.80 | 31.95 | 32.55 | 36.05 | 33.05 | 31.65 | 30.25 | 35.25 | 36.25 | 37.50 | 38.10 |
| 22 | 37.15 | 34.30 | 31.80 | 32.40 | 33.55 | 32.90 | 31.40 | 30.45 | 35.55 | 36.30 | 37.00 | 37.85 |
| 23 | 36.85 | 34.15 | 31.80 | 32.55 | 33.90 | 32.75 | 32.05 | 30.85 | 36.00 | 37.65 | 37.30 | 37.55 |
| 24 | 36.70 | 33.50 | 29.75 | 32.85 | 33.65 | 32.40 | 32.05 | 31.55 | 34.50 | 38.05 | 36.65 | 35.90 |
| 25 | 35.40 | 33.05 | 29.60 | 32.60 | 33.05 | 32.10 | 31.80 | 32.05 | 35.30 | 37.30 | 36.05 | 36.65 |
| 26 | 34.65 | 32.95 | 29.90 | 32.65 | 33.15 | 31.95 | 31.60 | 32.55 | 35.40 | 36.75 | 36.30 | 36.90 |
| 27 | 34.40 | 32.45 | 31.15 | 33.05 | 33.70 | 32.30 | 31.40 | 32.00 | 35.65 | 35.30 | 37.15 | 36.55 |
| 28 | 34.35 | 33.15 | 31.45 | 32.65 | 33.30 | 32.00 | 31.45 | 31.80 | 36.00 | 35.05 | 37.30 | 37.00 |
| 29 | 34.35 | 33.25 | 31.75 | 33.05 | 33.75 | 31.60 | 31.65 | 31.80 | 36.35 | 34.80 | 37.00 | 36.45 |
| 30 | 34.00 | 32.90 | 31.55 | 32.50 | --- | 32.20 | 33.55 | 32.45 | 36.45 | --- | 36.95 | 35.80 |
| 31 | 34.20 | --- | 30.65 | 32.20 | --- | 31.55 | --- | 31.75 | --- | --- | 36.90 | --- |
| MAX | 37.80 | 35.95 | 33.50 | 34.30 | 36.05 | 36.10 | 33.70 | 34.05 | 36.45 | 38.05 | 37.60 | 38.30 |
| WTR YR 1984 | MEAN | 34.24 | | HIGH | 29.60 | | LOW | 38.30 | | | | |

GROUND-WATER RECORDS

CARROLL COUNTY

403709081052800. Local number, C-1.

LOCATION.--Lat 40°37'09", long 81°05'28", Hydrologic Unit 05040001, Carrollton well field, State Route 171, 3 mi north of Carrollton.

Owner: Carrollton Water Department.

AQUIFER.--Sandstone of Pennsylvanian Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 10 in, depth 70 ft, cased.

DATUM.--Altitude of land-surface datum is 1050 ft, from topographic map. Measuring point: Top of platform 3.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--August 1951 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 40.70 ft Nov. 19, 1957; minimum daily low, 7.20 ft Jan. 10, 1971.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 36.16 ft Oct. 23; minimum daily low, 16.95 ft May 11.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 35.13 | 35.59 | 29.34 | 22.59 | 26.13 | 23.29 | 18.97 | 17.17 | 16.98 | 23.38 | 26.39 | 32.72 |
| 2 | 35.25 | 35.54 | 29.02 | 22.54 | 26.27 | 23.20 | 18.82 | 17.15 | 17.03 | 23.52 | 26.40 | 32.79 |
| 3 | 35.27 | 35.46 | 28.76 | 22.49 | 26.24 | 23.21 | 18.69 | 17.01 | 17.16 | 23.64 | 26.83 | 32.86 |
| 4 | 35.33 | 35.37 | 28.57 | 22.46 | 26.18 | 23.17 | 18.48 | 17.14 | 17.26 | 23.81 | 26.98 | 32.95 |
| 5 | 35.32 | 35.23 | 28.40 | 22.45 | 26.17 | 23.05 | 18.26 | 17.15 | 17.31 | 23.97 | 27.23 | 33.02 |
| 6 | 35.29 | 35.09 | 27.90 | 22.59 | 26.20 | 23.07 | 18.28 | 17.09 | 17.51 | 24.00 | 27.40 | 33.09 |
| 7 | 35.31 | 35.00 | 27.87 | 22.47 | 26.18 | 23.06 | 18.29 | 17.06 | 17.76 | 24.14 | 27.63 | 33.13 |
| 8 | 35.51 | 34.84 | 27.48 | 22.18 | 26.13 | 22.88 | 18.21 | 17.08 | 18.08 | 24.12 | 27.84 | 33.20 |
| 9 | 35.60 | 34.67 | 27.24 | 22.06 | 26.05 | 22.94 | 18.06 | 17.02 | 18.40 | 24.09 | 28.06 | 33.29 |
| 10 | 35.67 | 34.50 | 26.90 | 22.19 | 26.02 | 22.70 | 17.97 | 17.09 | 18.73 | 24.04 | 28.25 | 33.36 |
| 11 | 35.77 | 34.41 | 26.62 | 22.40 | 26.01 | 22.74 | 17.87 | 16.95 | 19.03 | 24.08 | 28.49 | 33.48 |
| 12 | 35.84 | 34.28 | 26.17 | 22.47 | 25.99 | 22.68 | 17.86 | 17.06 | 19.26 | 24.12 | 28.72 | 33.54 |
| 13 | 35.92 | 34.08 | 25.99 | 22.58 | 25.89 | 22.43 | 17.81 | 17.07 | 19.54 | 24.12 | 28.92 | 33.61 |
| 14 | 35.90 | 33.91 | 25.46 | 22.83 | 25.79 | 22.52 | 17.76 | 17.13 | 19.88 | 24.17 | 29.11 | 33.65 |
| 15 | 35.95 | 33.55 | 25.05 | 22.86 | 25.71 | 22.34 | 17.76 | 17.14 | 20.12 | 24.18 | 29.32 | 33.79 |
| 16 | 36.06 | 33.38 | 24.65 | 23.00 | 25.41 | 22.44 | 17.67 | 17.20 | 20.35 | 24.27 | 29.52 | 33.90 |
| 17 | 36.07 | 33.16 | 24.11 | 23.18 | 25.09 | 22.25 | 17.73 | 17.27 | 20.61 | 24.32 | 29.70 | 33.94 |
| 18 | 36.11 | 32.85 | 23.58 | 23.26 | 25.05 | 21.88 | 17.76 | 17.30 | 20.85 | 24.44 | 29.92 | 34.23 |
| 19 | 36.11 | 32.50 | 23.08 | 23.47 | 24.68 | 21.79 | 17.75 | 17.38 | 21.10 | 24.51 | 30.16 | 34.14 |
| 20 | 36.13 | 32.14 | 22.73 | 23.65 | 24.67 | 21.44 | 17.78 | 17.55 | 21.32 | 24.58 | 30.35 | 34.23 |
| 21 | 36.13 | 32.00 | 22.64 | 23.72 | 24.35 | 21.21 | 17.82 | 17.64 | 21.46 | 24.66 | 30.42 | 34.24 |
| 22 | 36.12 | 31.54 | 22.49 | 23.87 | 24.25 | 21.15 | 17.78 | 17.61 | 21.61 | 24.84 | 30.71 | 34.40 |
| 23 | 36.16 | 31.20 | 22.44 | 23.92 | 23.95 | 21.13 | 17.70 | 17.59 | 21.78 | 25.00 | 31.00 | 34.54 |
| 24 | 36.13 | 30.88 | 22.31 | 24.01 | 23.82 | 20.76 | 17.70 | 17.58 | 22.07 | 25.21 | 31.38 | 34.70 |
| 25 | 36.07 | 30.63 | 22.36 | 24.22 | 23.81 | 20.35 | 17.53 | 17.35 | 22.18 | 25.43 | 32.03 | 34.72 |
| 26 | 35.97 | 30.48 | 22.34 | 24.26 | 23.71 | 20.28 | 17.44 | 17.32 | 22.33 | 25.56 | 32.58 | 34.77 |
| 27 | 35.89 | 30.24 | 22.38 | 24.53 | 23.52 | 19.96 | 17.35 | 17.36 | 22.53 | 25.90 | 32.71 | 34.77 |
| 28 | 35.79 | 29.92 | 22.58 | 24.69 | 23.28 | 19.65 | 17.27 | 17.17 | 22.74 | 26.00 | 32.58 | 34.86 |
| 29 | 35.79 | 29.86 | 22.84 | 25.25 | 23.38 | 19.64 | 17.26 | 17.16 | 22.92 | 26.12 | 32.55 | 35.01 |
| 30 | 35.68 | 29.62 | 22.69 | 25.60 | --- | 19.45 | 17.16 | 17.07 | 23.12 | 26.20 | 32.59 | 35.15 |
| 31 | 35.66 | --- | 22.64 | 25.84 | --- | 19.23 | --- | 16.99 | --- | 26.32 | 32.65 | --- |
| MAX | 36.16 | 35.59 | 29.34 | 25.84 | 26.27 | 23.29 | 18.97 | 17.64 | 23.12 | 26.32 | 32.71 | 35.15 |
| WTR YR 1984 | MEAN | 25.62 | | HIGH | 16.95 | | LOW | 36.16 | | | | |

GROUND-WATER RECORDS

239

CHAMPAIGN COUNTY

400638083453900. Local number, CH-3.

LOCATION.--Lat 40°06'38", long 83°45'39", Hydrologic Unit 05080001, in Urbana.

Owner: Howard Paper Company.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 8 in, depth 40 ft, cased.

DATUM.--Altitude of land-surface datum is 1030 ft, from topographic map. Measuring point: Floor of instrument shelter 4.50 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--May 1957, to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 24.80 ft Feb. 26-29, Mar. 13, 1964; minimum daily low, 12.45 ft Mar. 24, 1975.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 19.74 ft Jan. 23; minimum daily low, 16.14 ft July 8.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 19.36 | 19.57 | 19.53 | 19.48 | 19.66 | 19.15 | 17.96 | 16.79 | 16.75 | 16.55 | 17.18 | 17.43 |
| 2 | 19.39 | 19.59 | 19.57 | 19.50 | 19.69 | 19.15 | 17.92 | 16.79 | 16.75 | 16.57 | 17.21 | 17.36 |
| 3 | 19.39 | 19.61 | 19.55 | 19.49 | 16.67 | 19.18 | 17.89 | 16.77 | 16.76 | 16.60 | 17.24 | 17.33 |
| 4 | 19.41 | 19.60 | 19.54 | 19.48 | 19.57 | 19.18 | 17.86 | 16.75 | 16.81 | 16.61 | 17.27 | 17.43 |
| 5 | 19.44 | 19.61 | 19.51 | 19.48 | 19.50 | 19.17 | 17.78 | 16.77 | 16.86 | 16.41 | 17.28 | 17.47 |
| 6 | 19.44 | 19.61 | 19.51 | 19.50 | 19.48 | 19.14 | 17.70 | 16.77 | 16.91 | 16.21 | 17.30 | 17.52 |
| 7 | 19.46 | 19.62 | 19.51 | 19.50 | 19.50 | 19.16 | 17.62 | 16.77 | 16.93 | 16.17 | 17.33 | 17.56 |
| 8 | 19.50 | 19.63 | 19.51 | 19.50 | 19.52 | 19.17 | 17.54 | 16.78 | 16.95 | 16.14 | 17.35 | 17.61 |
| 9 | 19.47 | 19.64 | 19.50 | 19.51 | 19.53 | 19.17 | 17.46 | 16.79 | 16.98 | 16.34 | 17.37 | 17.62 |
| 10 | 19.53 | 19.67 | 19.47 | 19.53 | 19.55 | 19.16 | 17.40 | 16.82 | 16.99 | 16.42 | 17.40 | 17.67 |
| 11 | 19.56 | 19.63 | 19.48 | 19.55 | 19.53 | 19.15 | 17.35 | 16.83 | 17.02 | 16.51 | 16.93 | 17.72 |
| 12 | 19.57 | 19.57 | 19.43 | 19.57 | 19.48 | 19.14 | 17.32 | 16.85 | 17.04 | 16.58 | 16.83 | 17.73 |
| 13 | 19.55 | 19.54 | 19.45 | 19.59 | 19.45 | 19.15 | 17.30 | 16.88 | 17.07 | 16.63 | 16.90 | 17.70 |
| 14 | 19.50 | 19.57 | 19.45 | 19.60 | 19.32 | 19.14 | 17.28 | 16.90 | 16.88 | 16.67 | 16.97 | 17.68 |
| 15 | 19.55 | 19.61 | 19.41 | 19.57 | 19.26 | 19.13 | 17.24 | 16.91 | 16.97 | 16.68 | 17.06 | 17.66 |
| 16 | 19.58 | 19.61 | 19.41 | 19.58 | 19.25 | 19.09 | 17.18 | 16.92 | 16.98 | 16.71 | 17.09 | 17.60 |
| 17 | 19.60 | 19.62 | 19.43 | 19.63 | 19.24 | 19.02 | 17.14 | 16.92 | 16.97 | 16.75 | 17.15 | 17.69 |
| 18 | 19.62 | 19.62 | 19.43 | 19.64 | 19.24 | 18.97 | 17.12 | 16.93 | 17.04 | 16.80 | 17.16 | 17.69 |
| 19 | 19.62 | 19.62 | 19.43 | 19.65 | 19.20 | 18.92 | 17.13 | 16.94 | 17.06 | 16.84 | 16.83 | 17.72 |
| 20 | 19.64 | 19.65 | 19.44 | 19.66 | 19.20 | 18.84 | 17.12 | 16.92 | 17.08 | 16.88 | 16.93 | 17.78 |
| 21 | 19.55 | 19.69 | 19.46 | 19.71 | 19.22 | 18.75 | 16.92 | 16.80 | 17.02 | 16.90 | 16.98 | 17.83 |
| 22 | 19.56 | 19.71 | 19.45 | 19.73 | 19.20 | 18.65 | 16.81 | 16.76 | 17.07 | 16.93 | 17.03 | 17.87 |
| 23 | 19.46 | 19.73 | 19.46 | 19.74 | 19.20 | 18.57 | 16.85 | 16.74 | 17.10 | 16.96 | 17.09 | 17.84 |
| 24 | 19.42 | 19.64 | 19.44 | 19.71 | 19.22 | 18.47 | 16.86 | 16.73 | 17.04 | 17.01 | 17.12 | 17.90 |
| 25 | 19.44 | 19.59 | 19.23 | 19.67 | 19.21 | 18.42 | 16.88 | 16.76 | 16.44 | 17.07 | 17.17 | 17.91 |
| 26 | 19.43 | 19.56 | 19.30 | 19.65 | 19.18 | 18.32 | 16.89 | 16.78 | 16.48 | 17.06 | 17.20 | 17.85 |
| 27 | 19.44 | 19.55 | 19.35 | 19.64 | 19.16 | 18.24 | 16.87 | 16.79 | 16.48 | 17.07 | 17.25 | 17.88 |
| 28 | 19.46 | 19.57 | 19.41 | 19.63 | 19.15 | 18.16 | 16.86 | 16.70 | 16.50 | 17.08 | 17.28 | 17.92 |
| 29 | 19.47 | 19.58 | 19.42 | 19.63 | 19.17 | 18.10 | 16.83 | 16.70 | 16.52 | 17.11 | 17.32 | 17.94 |
| 30 | 19.48 | 19.54 | 19.44 | 19.63 | --- | 18.06 | 16.80 | 16.71 | 16.53 | 17.14 | 17.36 | 17.89 |
| 31 | 19.52 | --- | 19.46 | 19.65 | --- | 18.01 | --- | 16.73 | --- | 17.14 | 17.40 | --- |
| MAX | 19.64 | 19.73 | 19.57 | 19.74 | 19.69 | 19.18 | 17.96 | 16.94 | 17.10 | 17.14 | 17.40 | 17.94 |
| WTR YR 1984 | MEAN | 18.23 | | HIGH | 16.14 | | LOW | 19.74 | | | | |

GROUND-WATER RECORDS

CLARK COUNTY

395639084012200. Local number, CL-9.

LOCATION.--Lat 39°56'39", long 84°01'22", Hydrologic Unit 05080001, at north edge of New Carlisle.

Owner: New Carlisle Water Department.

AQUIFER.--Sand and Gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 12 in, depth 113 ft, cased.

DATUM.--Altitude of land-surface datum is 900 ft, from topographic map. Measuring point: Top of platform 2.50 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--September 1974 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 31.25 ft July 13, 1977; minimum daily low, 18.20 ft July 4, 1980.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 30.65 ft Jan. 5; minimum daily low, 25.04 ft May 30.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 28.52 | 28.02 | 28.93 | 27.48 | 29.43 | 29.30 | 28.07 | 26.23 | 26.74 | --- | 26.56 | 25.08 |
| 2 | 28.63 | 28.52 | 28.81 | 27.45 | 29.61 | 29.12 | 27.99 | 26.60 | 26.25 | --- | 27.04 | 25.11 |
| 3 | 28.58 | 28.02 | 29.02 | 29.39 | 29.72 | 29.11 | 27.67 | 26.31 | 26.18 | --- | 27.00 | 25.68 |
| 4 | 28.57 | 28.02 | 28.93 | 30.41 | 29.54 | 29.18 | 27.84 | 26.56 | 26.55 | --- | 27.01 | 25.40 |
| 5 | 28.68 | 28.02 | 28.92 | 30.65 | 29.17 | 29.39 | 27.89 | 25.93 | 25.97 | --- | 26.85 | 25.65 |
| 6 | 28.77 | 28.02 | 28.98 | 29.74 | 29.80 | 29.31 | 27.52 | 26.19 | 26.38 | --- | 26.91 | 25.55 |
| 7 | 28.49 | 28.79 | 28.99 | 29.78 | 29.46 | 29.03 | 27.50 | 26.63 | 26.12 | --- | 26.92 | 25.32 |
| 8 | 28.59 | 28.82 | 28.66 | 29.59 | 29.45 | 29.25 | 27.36 | 26.31 | 26.65 | --- | 26.67 | 25.58 |
| 9 | 28.28 | 28.77 | 28.42 | 29.15 | 29.54 | 29.29 | 27.57 | 25.68 | 26.86 | --- | 26.42 | 25.59 |
| 10 | 28.63 | 28.58 | 28.40 | 29.37 | 29.53 | 29.06 | 27.43 | 26.19 | 26.43 | --- | 26.22 | 25.80 |
| 11 | 28.75 | 29.04 | 28.36 | 29.18 | 29.17 | 28.94 | 27.23 | 26.32 | 26.27 | 26.48 | 25.83 | 25.76 |
| 12 | 28.40 | 28.89 | 28.46 | 29.11 | 29.42 | 29.87 | 27.40 | 26.29 | 26.90 | 26.50 | 25.90 | 25.43 |
| 13 | 28.12 | 28.82 | 28.41 | 29.30 | 29.44 | 29.09 | 27.39 | 26.35 | 26.97 | 26.45 | 25.89 | 25.55 |
| 14 | 28.53 | 29.06 | 28.36 | 29.36 | 29.25 | 29.56 | 27.25 | 26.57 | 26.54 | 26.50 | 25.95 | 25.53 |
| 15 | 28.53 | 29.07 | 28.43 | 29.31 | 28.99 | 29.23 | 27.14 | 26.50 | 26.74 | 26.71 | 26.38 | 25.37 |
| 16 | 28.30 | 29.17 | 28.43 | 29.58 | 28.80 | 28.98 | 27.28 | 26.45 | 26.53 | 26.52 | 26.16 | 25.67 |
| 17 | 29.51 | 29.17 | 28.35 | 29.64 | 28.99 | 29.19 | 26.90 | 25.95 | 25.86 | 26.63 | 25.99 | 25.94 |
| 18 | 28.73 | 29.04 | 28.58 | 30.18 | 29.09 | 28.81 | 26.76 | 25.95 | 26.89 | 26.74 | 26.03 | 26.82 |
| 19 | 28.36 | 29.14 | 29.06 | 29.72 | 28.95 | 29.11 | 26.92 | 26.45 | 26.94 | 26.73 | 26.31 | 25.48 |
| 20 | 28.02 | 29.06 | 28.69 | 30.04 | 28.86 | 28.72 | 26.98 | 26.51 | 26.63 | 26.38 | 26.19 | 25.84 |
| 21 | 28.02 | 29.27 | 28.54 | 29.67 | 28.92 | 28.78 | 26.90 | 25.57 | 26.43 | 26.56 | 26.06 | 25.74 |
| 22 | 28.02 | 29.18 | 28.61 | 30.58 | 28.86 | 28.56 | 27.16 | 26.39 | 26.91 | 26.62 | 26.05 | 27.30 |
| 23 | 28.02 | 29.08 | 28.56 | 29.98 | 29.10 | 28.67 | 27.12 | 26.10 | 26.78 | 27.02 | 26.06 | 25.91 |
| 24 | 27.88 | 28.82 | 28.52 | 29.93 | 29.11 | 28.64 | 26.64 | 25.97 | 25.87 | 26.11 | 26.19 | 25.92 |
| 25 | 28.02 | 29.09 | 27.32 | 29.90 | 29.02 | 28.53 | 26.83 | 25.62 | 26.09 | 26.53 | 26.37 | 25.39 |
| 26 | 28.02 | 29.02 | 27.15 | 29.65 | 28.89 | 28.22 | 26.87 | 26.06 | 25.43 | 27.08 | 26.59 | 25.92 |
| 27 | 28.02 | 29.06 | 27.31 | 29.49 | 29.23 | 28.11 | 26.80 | 25.57 | 25.81 | 26.93 | 26.18 | 25.94 |
| 28 | 28.02 | 29.05 | 27.50 | 29.57 | 29.14 | 28.13 | 26.99 | 25.73 | 26.26 | 26.85 | 26.09 | 25.83 |
| 29 | 28.02 | 28.98 | 27.54 | 29.76 | 29.14 | 28.13 | 26.41 | 25.52 | 25.75 | 26.63 | 26.86 | 25.58 |
| 30 | 28.02 | 28.92 | 27.45 | 29.79 | --- | 28.13 | 26.55 | 25.04 | 25.61 | 27.39 | 26.43 | 27.13 |
| 31 | 28.02 | --- | 27.51 | 30.13 | --- | 28.06 | --- | 26.64 | --- | 26.84 | 26.67 | --- |
| MAX | 29.51 | 29.27 | 29.06 | 30.65 | 29.80 | 29.87 | 28.07 | 26.64 | 26.97 | 27.39 | 27.04 | 27.30 |
| WTR YR 1984 | MEAN | 27.75 | | HIGH | 25.04 | | LOW | 30.65 | | | | |

GROUND-WATER RECORDS

241

CLARK COUNTY--Continued

395840083495200. Local number, CL-7.

LOCATION.--Lat 39°58'40", long 83°49'52", Hydrologic Unit 05080001. Eagle City Road northwest of Springfield.

Owner: State of Ohio.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 6 in, depth 50 ft, cased.

DATUM.--Altitude of land-surface datum is 928.02 ft. Measuring point: Floor of instrument shelter 2.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--September 1960 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 30.17 ft Feb. 18, 19, 1961; minimum daily low, 10.04 ft June 16, 1981.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 16.86 ft Nov. 23; minimum recorded daily low, 12.03 ft Apr. 10.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-----|-------|-------|-------|-------|-------|-------|
| 1 | 16.61 | 16.74 | 16.54 | 15.59 | | | --- | 12.39 | 13.09 | 14.48 | 15.64 | 16.31 |
| 2 | 16.61 | 16.74 | 16.52 | 15.66 | | | --- | 12.43 | 13.10 | 14.51 | 15.69 | 16.31 |
| 3 | 16.62 | 16.74 | 16.51 | 15.72 | | | --- | 12.44 | 13.16 | 14.55 | 15.73 | 16.30 |
| 4 | 16.65 | 16.73 | 16.50 | 15.80 | | | --- | 12.53 | 13.19 | 14.56 | 15.76 | 16.30 |
| 5 | 16.69 | 16.74 | 16.46 | 15.88 | | | --- | 12.57 | 13.23 | 14.56 | 15.76 | 16.33 |
| 6 | 16.71 | 16.76 | 16.40 | 15.97 | | | --- | 12.58 | 13.30 | 14.52 | 15.73 | 16.36 |
| 7 | 16.72 | 16.76 | 16.35 | 16.01 | | | --- | 12.60 | 13.37 | 14.50 | 15.71 | 16.37 |
| 8 | 16.74 | 16.77 | 16.27 | 16.03 | | | --- | 12.62 | 13.45 | 14.52 | 15.73 | 16.39 |
| 9 | 16.74 | 16.79 | 16.20 | 16.07 | | | --- | 12.67 | 13.53 | 14.52 | 15.75 | 16.41 |
| 10 | 16.73 | 16.80 | 16.17 | 16.14 | | | 12.03 | 12.72 | 13.60 | 14.56 | 15.76 | 16.41 |
| 11 | 16.74 | 16.80 | 16.12 | 16.20 | | | 12.04 | 12.77 | 13.66 | 14.61 | 15.76 | 16.43 |
| 12 | 16.76 | 16.78 | 16.05 | 16.25 | | | 12.11 | 12.81 | 13.76 | 14.67 | 15.73 | 16.46 |
| 13 | 16.76 | 16.75 | 15.98 | 16.33 | | | 12.17 | 12.83 | 13.84 | 14.73 | 15.71 | 16.50 |
| 14 | 16.75 | 16.74 | 15.90 | 16.38 | | | 12.17 | 12.89 | 13.94 | 14.80 | 15.72 | 16.53 |
| 15 | 16.75 | 16.75 | 15.80 | 16.39 | | | 12.16 | 12.98 | 14.01 | 14.87 | 15.76 | 16.55 |
| 16 | 16.75 | 16.78 | 15.75 | 16.43 | | | 12.16 | 13.05 | 14.04 | 14.90 | 15.79 | 16.55 |
| 17 | 16.73 | 16.81 | 15.71 | 16.49 | | | 12.18 | 13.12 | 14.09 | 14.96 | 15.83 | 16.55 |
| 18 | 16.76 | 16.83 | 15.66 | 16.54 | | | 12.23 | 13.17 | 14.11 | 15.05 | 15.87 | 16.57 |
| 19 | 16.78 | 16.84 | 15.63 | 16.59 | | | 12.29 | 13.24 | 14.16 | 15.13 | 15.89 | 16.50 |
| 20 | 16.79 | 16.84 | 15.61 | 16.63 | | | 12.35 | 13.30 | 14.22 | 15.19 | 15.89 | 16.63 |
| 21 | 16.76 | 16.84 | 15.62 | 16.66 | | | 12.38 | 13.29 | 14.25 | 15.24 | 15.91 | 16.67 |
| 22 | 16.73 | 16.84 | 15.69 | 16.69 | | | 12.34 | 13.26 | 14.25 | 15.29 | 15.94 | 16.72 |
| 23 | 16.71 | 16.86 | 15.71 | --- | | | 12.28 | 13.24 | 14.28 | 15.34 | 15.99 | 16.74 |
| 24 | 16.65 | 16.85 | 15.68 | --- | | | 12.27 | 13.23 | 14.28 | 15.41 | 16.01 | 16.74 |
| 25 | 16.59 | 16.79 | 15.64 | --- | | | 12.28 | 13.18 | 14.24 | 15.47 | 16.04 | 16.75 |
| 26 | 16.59 | 16.73 | 15.60 | --- | | | 12.27 | 13.18 | 14.23 | 15.50 | 16.06 | 16.75 |
| 27 | 16.61 | 16.70 | 15.55 | --- | | | 12.31 | 13.18 | 14.29 | 15.52 | 16.07 | 16.75 |
| 28 | 16.63 | 16.70 | 15.47 | --- | | | 12.36 | 13.15 | 14.35 | 15.52 | 16.13 | 16.77 |
| 29 | 16.67 | 16.62 | 15.52 | --- | | | 12.36 | 13.11 | 14.40 | 15.53 | 16.18 | 16.79 |
| 30 | 16.70 | 16.57 | 15.52 | --- | | | 12.38 | 13.07 | 14.45 | 15.53 | 16.23 | 16.79 |
| 31 | 16.72 | --- | 15.55 | --- | | | --- | 13.06 | --- | 15.57 | 16.28 | --- |
| MAX | 16.79 | 16.86 | 16.54 | 16.69 | | | 12.38 | 13.30 | 14.45 | 15.57 | 16.28 | 16.79 |
| WTR YR 1984 | MEAN | 15.27 | | HIGH | 12.03 | | LOW | 16.86 | | | | |

NOTE: NUMBER OF MISSING DAYS OF RECORD EXCEEDED 20% OF YEAR

GROUND-WATER RECORDS

COSHOCTON COUNTY

401256081525100. Local number, CS-3.

LOCATION.--Lat 40°12'56", long 81°52'51", Hydrologic Unit 05040004, 1.5 mi north of Conesville.

Owner: Universal Cyclops Corp.

AQUIFER.--Sand and gravel of Quaternary Age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 8 in, depth 110 ft, cased.

DATUM.--Altitude of land-surface datum is 745 ft from topographic map. Measuring point: Floor of instrument shelter 2.80 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--April 1958 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 36.98 ft Oct. 16, 1973; minimum daily low, 21.40 ft July 10, 1969.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 33.01 ft Oct. 11; minimum daily low, 22.55 ft Apr. 2.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 32.59 | 32.13 | 29.49 | 27.01 | 30.63 | 29.59 | 22.89 | 26.11 | 26.90 | 30.97 | 31.98 | 32.33 |
| 2 | 32.66 | 32.22 | 29.36 | 27.23 | 30.72 | 29.79 | 22.55 | 26.46 | 26.98 | 30.94 | 32.07 | 31.93 |
| 3 | 32.82 | 32.23 | 29.38 | 27.46 | 30.70 | 29.78 | 22.78 | 26.75 | 27.27 | 30.86 | 32.11 | 31.76 |
| 4 | 32.70 | 32.10 | 29.34 | 27.67 | 30.28 | 29.88 | 23.12 | 26.87 | 27.72 | 30.88 | 32.02 | 32.09 |
| 5 | 32.69 | 31.85 | 29.33 | 27.96 | 29.77 | 29.95 | 23.29 | 26.82 | 28.17 | 30.90 | 31.67 | 32.20 |
| 6 | 32.70 | 31.61 | 29.08 | 28.39 | 29.53 | 29.95 | 23.39 | 26.47 | 28.55 | 30.76 | 31.48 | 32.24 |
| 7 | 32.71 | 31.45 | 28.54 | 28.90 | 29.82 | 29.61 | 23.39 | 26.47 | 28.80 | 30.37 | 31.49 | 32.30 |
| 8 | 32.76 | 31.46 | 28.14 | 29.12 | 29.90 | 29.35 | 23.46 | 26.69 | 29.02 | 30.00 | 31.51 | 32.26 |
| 9 | 32.79 | 31.46 | 27.79 | 29.38 | 30.00 | 29.24 | 23.69 | 26.87 | 29.17 | 29.77 | 31.53 | 32.15 |
| 10 | 32.95 | 31.47 | 27.53 | 29.63 | 30.07 | 29.21 | 23.92 | 26.91 | 29.22 | 29.82 | 31.53 | 32.42 |
| 11 | 33.01 | 31.51 | 27.31 | 30.01 | 30.03 | 29.07 | 24.44 | 26.92 | 29.58 | 29.99 | 31.43 | 32.51 |
| 12 | 32.87 | 31.49 | 27.20 | 30.31 | 29.67 | 29.17 | 24.76 | 27.02 | 29.82 | 30.15 | 31.21 | 32.57 |
| 13 | 32.83 | 31.38 | 27.10 | 30.52 | 29.55 | 29.65 | 25.07 | 27.13 | 29.98 | 30.28 | 31.16 | 32.61 |
| 14 | 32.78 | 31.03 | 27.30 | 30.63 | 29.33 | 29.80 | 25.32 | 27.26 | 30.10 | 30.39 | 31.27 | 32.64 |
| 15 | 32.65 | 30.93 | 27.29 | 30.66 | 28.91 | 29.90 | 25.37 | 27.37 | 30.17 | 30.47 | 31.36 | 32.61 |
| 16 | 32.53 | 30.90 | 27.13 | 30.78 | 28.44 | 29.92 | 25.62 | 27.61 | 30.18 | 30.60 | 31.45 | 32.48 |
| 17 | 32.39 | 30.86 | 26.89 | 30.92 | 28.01 | 29.81 | 25.79 | 27.84 | 30.29 | 30.72 | 31.54 | 32.61 |
| 18 | 32.42 | 30.77 | 26.83 | 31.04 | 27.78 | 29.34 | 25.96 | 28.05 | 30.60 | 30.85 | 31.53 | 32.63 |
| 19 | 32.43 | 30.59 | 26.93 | 31.14 | 27.60 | 28.76 | 26.11 | 28.15 | 30.75 | 30.96 | 31.51 | 32.65 |
| 20 | 32.44 | 30.39 | 26.98 | 31.34 | 27.72 | 28.37 | 26.00 | 28.35 | 30.73 | 31.04 | 31.57 | 32.73 |
| 21 | 32.43 | 30.12 | 27.06 | 31.37 | 27.89 | 27.95 | 26.01 | 28.49 | 30.64 | 31.10 | 31.82 | 32.78 |
| 22 | 32.47 | 29.99 | 27.32 | 31.38 | 28.00 | 27.10 | 26.17 | 28.45 | 30.74 | 31.33 | 31.89 | 32.73 |
| 23 | 32.43 | 29.92 | 27.56 | 31.39 | 28.24 | 26.37 | 26.43 | 28.15 | 30.74 | 31.71 | 31.86 | 32.67 |
| 24 | 32.16 | 29.90 | 27.79 | 31.34 | 28.41 | 25.60 | 26.42 | 27.76 | 30.74 | 31.84 | 31.99 | 32.79 |
| 25 | 32.04 | 29.76 | 27.86 | 31.06 | 28.55 | 24.76 | 26.17 | 27.24 | 30.86 | 31.91 | 31.98 | 32.83 |
| 26 | 31.90 | 29.75 | 27.80 | 30.78 | 28.75 | 24.19 | 25.78 | 26.83 | 30.99 | 32.01 | 31.95 | 32.87 |
| 27 | 31.95 | 29.76 | 27.63 | 30.56 | 28.97 | 23.83 | 25.50 | 26.43 | 31.14 | 32.13 | 32.22 | 32.92 |
| 28 | 31.92 | 29.95 | 27.40 | 30.37 | 29.20 | 23.65 | 25.38 | 26.29 | 31.20 | 32.08 | 32.40 | 32.96 |
| 29 | 31.98 | 29.87 | 27.24 | 30.33 | 29.39 | 23.48 | 25.40 | 26.60 | 31.20 | 31.84 | 32.52 | 32.93 |
| 30 | 31.91 | 29.68 | 27.14 | 30.43 | --- | 23.36 | 25.74 | 26.69 | 31.06 | 31.85 | 32.53 | 32.68 |
| 31 | 32.03 | --- | 27.09 | 30.56 | --- | 23.10 | --- | 26.76 | --- | 31.90 | 32.50 | --- |
| MAX | 33.01 | 32.23 | 29.49 | 31.39 | 30.72 | 29.95 | 26.43 | 28.49 | 31.20 | 32.13 | 32.53 | 32.96 |
| WTR YR 1984 | MEAN | 29.61 | | HIGH | 22.55 | | LOW | 33.01 | | | | |

GROUND-WATER RECORDS

243

DARKE COUNTY

400514084345700. Local number, D-2.

LOCATION.--Lat 40°05'14", long 84°34'57", Hydrologic Unit 05080001, State Route 571, 3 mi east of Greenville.

Owner: Greenville Water Department.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 6 in, depth 70 ft, cased.

DATUM.--Altitude of land-surface datum is 1038 ft, from topographic map. Measuring point: Floor of instrument shelter 4.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--August 1977 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 20.43 ft Nov. 29, 1977; minimum daily low, 16.76 ft Apr. 14, 1980.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 20.00 ft, Oct. 29; minimum daily low, 17.50 ft May 3.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 19.46 | 19.77 | 19.87 | 19.24 | 19.27 | 19.17 | 18.41 | 17.86 | 17.62 | 18.01 | 18.35 | 18.87 |
| 2 | 19.48 | 19.72 | 19.73 | 19.19 | 19.24 | 19.16 | 18.38 | 17.73 | 17.55 | 18.02 | 18.39 | 18.74 |
| 3 | 19.45 | 19.77 | 19.67 | 19.15 | 19.20 | 19.23 | 18.26 | 17.50 | 17.69 | 17.99 | 18.36 | 18.83 |
| 4 | 19.49 | 19.77 | 19.71 | 19.09 | 19.13 | 19.06 | 18.06 | 17.84 | 17.66 | 17.89 | 18.38 | 18.90 |
| 5 | 19.64 | 19.71 | 19.70 | 19.08 | 19.38 | 19.03 | 18.14 | 17.85 | 17.64 | 17.94 | 18.41 | 18.91 |
| 6 | 19.71 | 19.75 | 19.75 | 19.34 | 19.47 | 19.10 | 18.32 | 17.83 | 17.68 | 18.05 | 18.39 | 18.90 |
| 7 | 19.68 | 19.77 | 19.81 | 19.37 | 19.55 | 19.14 | 18.37 | 17.76 | 17.69 | 18.16 | 18.36 | 18.88 |
| 8 | 19.69 | 19.83 | 19.68 | 19.39 | 19.44 | 19.25 | 18.31 | 17.73 | 17.65 | 18.16 | 18.40 | 18.88 |
| 9 | 19.70 | 19.76 | 19.68 | 19.38 | 19.22 | 19.24 | 18.08 | 17.86 | 17.71 | 18.04 | 18.48 | 18.78 |
| 10 | 19.62 | 19.59 | 19.71 | 19.36 | 19.18 | 19.03 | 18.11 | 17.87 | 17.71 | 18.02 | 18.51 | 18.81 |
| 11 | 19.54 | 19.95 | 19.49 | 19.36 | 19.25 | 19.13 | 18.05 | 17.71 | 17.81 | 18.07 | 18.52 | 18.95 |
| 12 | 19.48 | 19.98 | 19.46 | 19.35 | 19.23 | 19.12 | 17.97 | 17.93 | 17.75 | 18.14 | 18.56 | 19.01 |
| 13 | 19.65 | 19.87 | 19.46 | 19.29 | 19.19 | 19.08 | 18.03 | 17.91 | 17.73 | 18.17 | 18.55 | 18.88 |
| 14 | 19.76 | 19.77 | 19.23 | 19.42 | 19.28 | 19.14 | 17.99 | 17.98 | 17.77 | 18.21 | 18.55 | 18.92 |
| 15 | 19.75 | 19.75 | 19.50 | 19.35 | 19.34 | 18.86 | 17.94 | 17.93 | 17.87 | 18.10 | 18.58 | 19.07 |
| 16 | 19.64 | 19.87 | 19.70 | 19.14 | 19.11 | 19.10 | 17.92 | 17.96 | 17.78 | 18.11 | 18.55 | 19.10 |
| 17 | 19.72 | 19.95 | 19.66 | 19.35 | 19.19 | 18.92 | 17.98 | 17.90 | 17.69 | 18.09 | 18.52 | 19.06 |
| 18 | 19.69 | 19.86 | 19.52 | 19.33 | 19.19 | 18.74 | 18.14 | 17.77 | 17.74 | 18.26 | 18.50 | 18.94 |
| 19 | 19.74 | 19.79 | 19.41 | 19.33 | 19.18 | 18.64 | 18.10 | 17.65 | 17.86 | 18.31 | 18.62 | 18.91 |
| 20 | 19.67 | 19.86 | 19.36 | 19.41 | 19.20 | 18.35 | 18.12 | 17.74 | 17.85 | 18.23 | 18.69 | 18.93 |
| 21 | 19.69 | 19.97 | 19.27 | 19.41 | 19.11 | 18.46 | 18.07 | 17.76 | 17.86 | 18.25 | 18.65 | 19.04 |
| 22 | 19.62 | 19.95 | 19.39 | 19.31 | 19.12 | 18.86 | 17.67 | 17.78 | 17.80 | 18.30 | 18.59 | 19.09 |
| 23 | 19.62 | 19.79 | 19.39 | 19.23 | 19.00 | 18.90 | 17.65 | 17.84 | 17.76 | 18.28 | 18.69 | 19.09 |
| 24 | 19.77 | 19.92 | 19.34 | 19.12 | 19.15 | 18.58 | 17.77 | 17.85 | 17.88 | 18.28 | 18.76 | 19.04 |
| 25 | 19.77 | 19.84 | 19.26 | 19.24 | 19.29 | 18.48 | 17.81 | 17.57 | 17.88 | 18.29 | 18.78 | 19.11 |
| 26 | 19.75 | 19.86 | 19.20 | 19.25 | 19.30 | 18.49 | 17.79 | 17.85 | 17.88 | 18.23 | 18.72 | 19.27 |
| 27 | 19.84 | 19.84 | 19.18 | 19.27 | 19.00 | 18.28 | 17.73 | 17.86 | 17.90 | 18.32 | 18.63 | 19.18 |
| 28 | 19.78 | 19.67 | 19.25 | 19.16 | 19.10 | 18.23 | 17.89 | 17.61 | 17.95 | 18.40 | 18.63 | 19.08 |
| 29 | 20.00 | 19.82 | 19.49 | 19.29 | 19.19 | 18.56 | 17.88 | 17.74 | 17.94 | 18.40 | 18.69 | 19.11 |
| 30 | 19.90 | 19.86 | 19.49 | 19.50 | --- | 18.56 | 17.85 | 17.67 | 17.96 | 18.33 | 18.79 | 19.07 |
| 31 | 19.73 | --- | 19.30 | 19.48 | --- | 18.54 | --- | 17.63 | --- | 18.31 | 18.82 | --- |
| MAX | 20.00 | 19.98 | 19.87 | 19.50 | 19.55 | 19.25 | 18.41 | 17.98 | 17.96 | 18.40 | 18.82 | 19.27 |
| WTR YR 1984 | MEAN | 18.81 | | HIGH | 17.50 | | LOW | 20.00 | | | | |

GROUND-WATER RECORDS

DELAWARE COUNTY

402126083040400. Local number, DL-3.

LOCATION.--Lat 40°21'26", long 83°04'04", Hydrologic Unit 05060001, east bank of Olen tangy River at toe of Delaware dam.

Owner: U.S. Army Corps Engineers.

AQUIFER.--Limestone of Devonian Age.

WELL CHARACTERISTICS.--Drilled test artesian well, diameter 12 in, depth 135 ft, cased.

DATUM.--Altitude of land-surface datum is 900 ft, from topographic map. Measuring point: Floor of instrument shelter 2.60 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--October 1948 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 37.04 ft Nov. 1, 1948, Dec. 2, 3, 1948; minimum daily low, 20.43 ft Jan. 27, 1959.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 31.98 ft Oct. 9; minimum recorded daily low, 26.54 ft Mar. 28.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 31.89 | 31.50 | 30.34 | --- | 31.90 | 31.55 | 28.62 | 29.88 | 30.67 | 31.11 | 31.35 | 31.63 |
| 2 | 31.89 | 31.34 | 30.61 | --- | 31.91 | 31.58 | 28.97 | 30.03 | 30.68 | 31.14 | 31.36 | 31.58 |
| 3 | 31.88 | 31.23 | 30.73 | --- | 31.83 | 31.63 | 29.29 | 30.03 | 30.75 | 31.18 | 31.34 | 31.60 |
| 4 | 31.89 | 30.79 | 30.63 | --- | 31.28 | 31.63 | 29.35 | 30.00 | 30.78 | 31.19 | 31.33 | 31.66 |
| 5 | 31.91 | 30.79 | 30.33 | --- | 31.16 | 31.51 | 29.15 | 30.18 | 30.83 | 31.19 | 31.33 | 31.69 |
| 6 | 31.95 | 30.80 | 29.79 | --- | 31.48 | 31.46 | 28.88 | 30.23 | 30.88 | 31.21 | 31.33 | 31.71 |
| 7 | 31.95 | 31.00 | 29.78 | --- | 31.72 | 31.24 | 29.09 | 30.25 | 30.92 | 31.25 | 31.31 | 31.71 |
| 8 | 31.95 | 31.05 | 30.12 | --- | 31.83 | 31.21 | 29.56 | 30.23 | 30.96 | 31.30 | 31.34 | 31.69 |
| 9 | 31.98 | 31.07 | 30.60 | --- | 31.81 | 31.38 | 29.86 | 30.13 | 31.06 | 31.33 | 31.35 | 31.67 |
| 10 | 31.96 | 31.04 | 30.70 | --- | 31.81 | 31.38 | 30.14 | 30.49 | 31.09 | 31.33 | 31.35 | 31.63 |
| 11 | 31.92 | 30.95 | 30.74 | --- | 31.82 | 31.38 | 30.06 | 30.57 | 31.16 | 31.25 | 31.36 | 31.64 |
| 12 | 31.88 | 30.81 | 30.72 | --- | 31.69 | 31.46 | 30.13 | 30.32 | 31.18 | 31.20 | 31.36 | 31.71 |
| 13 | 31.83 | 30.73 | 30.35 | --- | 31.43 | --- | 30.35 | 30.43 | 31.18 | 31.26 | 31.37 | 31.69 |
| 14 | 31.84 | 30.28 | 30.51 | --- | 31.20 | --- | 30.38 | 30.40 | 31.19 | 31.29 | 31.37 | 31.68 |
| 15 | 31.87 | 30.00 | 30.78 | --- | 30.31 | --- | 30.42 | 30.41 | 31.23 | 31.31 | 31.38 | 31.71 |
| 16 | 31.84 | 29.88 | 31.10 | --- | 30.00 | --- | 30.40 | 30.88 | 31.21 | 31.27 | 31.38 | 31.73 |
| 17 | 31.85 | 29.98 | 31.20 | --- | 29.99 | --- | 30.25 | 31.09 | 31.17 | 31.24 | 31.38 | 31.75 |
| 18 | 31.83 | 29.98 | 31.23 | --- | 30.63 | --- | 30.11 | 30.81 | 31.12 | 31.23 | 31.36 | 31.67 |
| 19 | 31.80 | 29.78 | 31.32 | --- | 30.72 | --- | 30.08 | 30.79 | 31.01 | 31.27 | 31.40 | 31.68 |
| 20 | 31.78 | 29.79 | 31.40 | --- | 30.76 | --- | 30.09 | 30.78 | 31.00 | 31.31 | 31.44 | 31.64 |
| 21 | 31.73 | 29.90 | 31.42 | --- | 30.80 | --- | 30.12 | 30.82 | 31.02 | 31.30 | 31.46 | 31.71 |
| 22 | 31.72 | 30.12 | 31.38 | --- | 31.17 | --- | 30.09 | 30.74 | 31.03 | 31.30 | 31.45 | 31.74 |
| 23 | 31.50 | 30.17 | 31.47 | --- | 31.24 | --- | 29.85 | 30.42 | 31.00 | 31.32 | 31.47 | 31.76 |
| 24 | 31.04 | 30.13 | --- | --- | --- | --- | 29.83 | 30.01 | 30.99 | 31.33 | 31.51 | 31.76 |
| 25 | 30.93 | 30.15 | --- | --- | --- | --- | 29.38 | 30.00 | 30.99 | 31.33 | 31.54 | 31.72 |
| 26 | 31.09 | 30.25 | --- | --- | --- | --- | 28.99 | 30.39 | 30.98 | 31.33 | 31.54 | 31.78 |
| 27 | 31.20 | 30.33 | --- | --- | --- | --- | 28.89 | 30.63 | 30.95 | 31.30 | 31.53 | 31.79 |
| 28 | 31.40 | 30.30 | 31.74 | --- | --- | 26.54 | 29.26 | 30.67 | 31.01 | 31.31 | 31.51 | 31.76 |
| 29 | 31.51 | 30.25 | --- | --- | --- | 27.04 | 29.59 | 30.64 | 31.06 | 31.34 | 31.51 | 31.74 |
| 30 | 31.51 | 30.13 | --- | 31.83 | --- | 27.40 | 29.73 | 30.50 | 31.08 | 31.36 | 31.53 | 31.72 |
| 31 | 31.51 | --- | --- | 31.88 | --- | 27.84 | --- | 30.62 | --- | 31.35 | 31.59 | --- |
| MAX | 31.98 | 31.50 | 31.74 | 31.88 | 31.91 | 31.63 | 30.42 | 31.09 | 31.23 | 31.36 | 31.59 | 31.79 |
| WTR YR 1984 | MEAN | 30.95 | | HIGH | 26.54 | | LOW | 31.98 | | | | |

GROUND-WATER RECORDS

245

FAIRFIELD COUNTY

394257082362900. Local number, F-6.

LOCATION.--Lat 39°42'57", long 82°36'29", Hydrologic Unit 05030204, near Hocking River in well field at Lancaster.

Owner: Lancaster Water Department.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 12 in, depth 108 ft, cased.

DATUM.--Altitude of land-surface datum is 820 ft, from topographic map. Measuring point: Floor of instrument shelter 3.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--June 1978 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum recorded daily low, 27.00 ft Nov. 11-12, 1982; minimum daily low, 16.40 ft June 25, 1981.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 25.25 ft Aug. 31, Sept. 18; minimum daily low, 19.95 ft June 3.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 21.35 | 22.65 | 22.60 | 22.60 | 23.45 | 23.80 | 21.85 | 22.00 | 21.00 | 23.10 | 23.40 | 24.05 |
| 2 | 21.30 | 23.40 | 22.30 | 22.00 | 22.70 | 23.85 | 22.15 | 22.10 | 20.35 | 22.40 | 23.80 | 24.25 |
| 3 | 22.15 | 21.75 | 22.50 | 22.30 | 22.30 | 23.65 | 21.85 | 21.65 | 19.95 | 22.50 | 23.95 | 24.15 |
| 4 | 22.45 | 21.90 | 22.25 | 22.45 | 22.80 | 23.45 | 21.75 | 21.60 | 21.05 | 22.85 | 23.65 | 24.05 |
| 5 | 23.00 | 22.05 | 21.40 | 22.15 | 22.70 | 23.60 | 21.85 | 21.45 | 21.10 | 22.70 | 22.90 | 24.15 |
| 6 | 22.45 | 22.05 | 21.80 | 23.10 | 23.15 | 23.70 | 21.80 | 21.50 | 21.05 | 22.90 | 22.30 | 23.75 |
| 7 | 23.50 | 22.40 | 21.25 | 23.10 | 23.80 | 23.35 | 22.05 | 22.10 | 21.25 | 23.00 | 23.20 | 23.85 |
| 8 | 23.25 | 23.20 | 21.65 | 21.95 | 23.85 | 23.80 | 21.50 | 22.20 | 21.25 | 22.90 | 23.30 | 23.15 |
| 9 | 22.35 | 22.45 | 22.50 | 22.35 | 23.50 | 23.80 | 22.35 | 22.25 | 21.30 | 23.50 | 23.45 | 24.85 |
| 10 | 22.80 | 22.20 | 22.65 | 23.10 | 23.50 | 23.55 | 22.05 | 22.15 | 21.35 | 23.45 | 22.75 | 24.70 |
| 11 | 22.95 | 22.40 | 22.50 | 23.00 | 23.55 | 23.40 | 22.35 | 21.85 | 21.30 | 23.80 | 21.05 | 24.35 |
| 12 | 23.15 | 21.15 | 21.25 | 22.65 | 23.45 | 23.70 | 21.65 | 21.65 | 22.45 | 22.95 | 22.00 | 24.35 |
| 13 | 22.85 | 21.70 | 21.65 | 22.65 | 23.75 | 22.75 | 21.15 | 22.30 | 22.15 | 23.05 | 21.70 | 24.25 |
| 14 | 23.20 | 23.10 | 21.95 | 22.80 | 24.35 | 22.55 | 20.30 | 21.70 | 22.40 | 22.90 | 22.85 | 24.15 |
| 15 | 22.80 | 22.60 | 22.10 | 23.00 | 23.95 | 23.70 | 21.80 | 22.55 | 22.80 | 22.85 | 23.65 | 23.55 |
| 16 | 22.15 | 22.15 | 22.30 | 22.95 | 23.25 | 23.80 | 22.25 | 21.70 | 22.50 | 22.60 | 23.25 | 24.05 |
| 17 | 22.55 | 21.60 | 22.80 | 22.20 | 23.45 | 23.85 | 22.35 | 21.70 | 22.30 | 22.65 | 23.20 | 25.00 |
| 18 | 23.60 | 22.00 | 22.15 | 22.75 | 23.15 | 22.20 | 22.15 | 22.35 | 22.50 | 23.05 | 22.70 | 25.25 |
| 19 | 24.10 | 22.45 | 22.65 | 22.75 | 23.45 | 23.35 | 22.25 | 21.45 | 23.10 | 23.00 | 22.85 | 24.95 |
| 20 | 22.30 | 22.50 | 22.85 | 22.85 | 23.50 | 23.75 | 22.60 | 21.40 | 23.20 | 22.70 | 23.90 | 24.55 |
| 21 | 22.95 | 22.15 | 21.45 | --- | 23.75 | 23.75 | 22.40 | 22.25 | 23.25 | 22.30 | 24.75 | 24.10 |
| 22 | 22.55 | 22.15 | 21.55 | --- | 23.05 | 23.70 | 21.85 | 22.05 | 23.60 | 22.70 | 24.85 | 24.30 |
| 23 | 21.90 | 22.00 | 21.95 | --- | 23.65 | 23.20 | 21.40 | 22.05 | 23.25 | 22.50 | 24.50 | 24.30 |
| 24 | 22.55 | 22.45 | 20.75 | --- | 23.35 | 22.55 | 22.60 | 22.00 | 23.25 | 23.45 | 24.75 | 23.45 |
| 25 | 23.25 | 21.45 | 21.75 | 22.70 | 23.60 | 22.60 | 22.00 | 22.05 | 23.45 | 23.20 | 24.90 | 24.35 |
| 26 | 21.65 | 22.15 | --- | 22.70 | 21.50 | 23.10 | 22.15 | 21.15 | 23.00 | 22.45 | 24.60 | 24.65 |
| 27 | 22.50 | 21.60 | --- | 22.55 | 22.15 | 23.10 | 20.85 | 21.90 | 22.95 | 22.70 | 24.00 | 24.75 |
| 28 | 23.30 | 22.20 | --- | 23.65 | --- | 22.60 | 21.75 | 21.55 | 23.35 | 22.80 | 24.05 | 24.30 |
| 29 | 21.95 | 22.90 | 23.05 | 23.95 | --- | 22.65 | 22.00 | 21.75 | 23.65 | 22.75 | 24.80 | --- |
| 30 | 22.35 | --- | 23.15 | 23.55 | --- | 22.55 | 22.00 | 21.45 | 23.25 | 23.10 | 25.10 | --- |
| 31 | 22.30 | --- | 23.00 | 23.15 | --- | 21.50 | --- | 21.30 | --- | 23.35 | 25.25 | --- |
| MAX | 24.10 | 23.40 | 23.15 | 23.95 | 24.35 | 23.85 | 22.60 | 22.55 | 23.65 | 23.80 | 25.25 | 25.25 |
| WTR YR 1984 | MEAN | 22.75 | | HIGH | 19.95 | | LOW | 25.25 | | | | |

GROUND-WATER RECORDS

FAIRFIELD COUNTY--Continued

394544082271000. Local number, F-1.

LOCATION.--Lat 39°45'44", long 82°27'10", Hydrologic Unit 05030204, near the west edge of West Rushville.

Owner: State of Ohio.

AQUIFER.--Sandstone of Mississippian Age.

WELL CHARACTERISTICS.--Drilled observation well, diameter 6 in, depth 84 ft, cased.

DATUM.--Altitude of land-surface datum is 980 ft, from topographic map. Measuring point: Floor of instrument shelter 8.02 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--March 1946 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 19.81 ft Mar. 1-4, 1964; minimum daily low, 7.27 ft May 5-6, 1962.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 18.81 ft Oct. 17-18; minimum daily low, 11.61 ft Apr. 29.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 18.59 | 18.40 | 16.79 | 14.47 | 16.07 | 15.35 | 11.95 | 11.78 | 13.68 | 15.60 | 16.94 | 17.94 |
| 2 | 18.59 | 18.38 | 16.69 | 14.51 | 16.11 | 15.33 | 11.88 | 11.79 | 13.61 | 15.77 | 17.02 | 17.93 |
| 3 | 18.61 | 18.31 | 16.46 | 14.55 | 16.11 | 15.35 | 11.86 | 11.83 | 13.60 | 15.77 | 17.02 | 17.93 |
| 4 | 18.61 | 18.28 | 16.33 | 14.55 | 16.13 | 15.35 | 11.80 | 11.91 | 13.65 | 15.79 | 17.06 | 17.96 |
| 5 | 18.56 | 18.25 | 16.16 | 14.56 | 16.16 | 15.26 | 11.74 | 12.06 | 13.73 | 15.86 | 17.06 | 17.99 |
| 6 | 18.64 | 18.23 | 16.03 | 14.61 | 16.28 | 15.24 | 11.75 | 12.13 | 13.71 | 15.86 | 17.19 | 18.01 |
| 7 | 18.64 | 18.21 | 15.85 | 14.71 | 16.31 | 15.22 | 11.76 | 12.24 | 13.76 | 15.99 | 17.19 | 18.05 |
| 8 | 18.67 | 18.23 | 15.68 | 14.78 | 16.31 | 15.15 | 11.76 | 12.33 | 13.81 | 16.03 | 17.12 | 18.06 |
| 9 | 18.67 | 18.22 | 15.52 | 14.86 | 16.33 | 15.04 | 11.74 | 12.39 | 13.94 | 16.14 | 17.15 | 18.06 |
| 10 | 18.72 | 18.17 | 15.33 | 14.88 | 16.33 | 14.97 | 11.72 | --- | 14.02 | 16.22 | 17.15 | 18.08 |
| 11 | 18.73 | 18.02 | 15.24 | 14.96 | 16.33 | 14.81 | 11.70 | --- | 14.14 | 16.20 | 17.16 | 18.09 |
| 12 | 18.70 | 18.04 | 15.00 | 15.07 | 16.35 | 14.81 | 11.74 | --- | 14.23 | 16.33 | 17.16 | 18.26 |
| 13 | 18.66 | 18.04 | 14.95 | 15.07 | 16.38 | 14.72 | 11.75 | --- | 14.23 | 16.30 | 17.33 | 18.26 |
| 14 | 18.68 | 17.97 | 14.85 | 15.18 | 16.40 | 14.63 | 11.83 | --- | 14.31 | 16.39 | 17.90 | 18.26 |
| 15 | 18.75 | 17.95 | 14.63 | 15.21 | 16.40 | 14.62 | 11.91 | --- | 14.39 | 16.63 | 17.53 | 18.26 |
| 16 | 18.75 | 17.80 | 14.61 | 15.31 | 16.40 | 14.48 | 12.03 | --- | 14.47 | 16.55 | 17.43 | 18.26 |
| 17 | 18.81 | 17.72 | 14.61 | 15.36 | 16.30 | 14.49 | 12.08 | --- | 14.50 | 16.59 | 17.47 | 18.33 |
| 18 | 18.81 | 17.73 | 14.61 | 15.36 | 16.23 | 14.38 | 12.14 | --- | 14.66 | 16.47 | 17.46 | 18.46 |
| 19 | 18.78 | 17.63 | 14.54 | 15.43 | 16.14 | 14.38 | 12.26 | --- | 14.79 | 16.53 | 17.44 | 18.50 |
| 20 | 18.79 | 17.55 | 14.54 | 15.48 | 16.02 | 14.34 | 12.28 | --- | 14.87 | 16.53 | 17.52 | 18.47 |
| 21 | 18.72 | 17.42 | 14.51 | 15.57 | 15.99 | 14.10 | 12.35 | --- | 14.94 | 16.65 | 17.58 | 18.44 |
| 22 | 18.70 | 17.43 | 14.42 | 15.63 | 15.91 | 13.88 | 12.35 | --- | 14.99 | 16.55 | 17.58 | 18.51 |
| 23 | 18.60 | 17.37 | 14.40 | 15.73 | 15.79 | 13.65 | 12.27 | --- | 15.04 | 16.67 | 17.52 | 18.52 |
| 24 | 18.60 | 17.23 | 14.39 | 15.76 | 15.68 | 13.44 | 12.14 | --- | 15.04 | 16.69 | 17.64 | 18.54 |
| 25 | 18.61 | 17.19 | 14.40 | 15.76 | 15.57 | 13.27 | 11.99 | --- | 15.23 | 16.68 | 17.68 | 18.54 |
| 26 | 18.57 | 17.18 | 14.40 | 15.81 | 15.53 | 12.98 | 11.81 | --- | 15.30 | 16.68 | 17.72 | 18.57 |
| 27 | 18.48 | 17.16 | 14.39 | 15.83 | 15.52 | 12.87 | 11.75 | --- | 15.32 | 16.63 | 17.80 | 18.58 |
| 28 | 18.47 | 17.05 | 14.39 | 15.83 | 15.43 | 12.64 | 11.69 | --- | 15.44 | 16.76 | 17.79 | 18.58 |
| 29 | 18.46 | 16.90 | 14.34 | 15.90 | 15.30 | 12.38 | 11.61 | --- | 15.48 | 16.77 | 17.83 | 18.58 |
| 30 | 18.46 | 16.89 | 14.38 | 15.95 | --- | 12.22 | 11.63 | --- | 15.56 | 16.89 | 17.85 | 18.58 |
| 31 | 18.42 | --- | 14.43 | 16.01 | --- | 12.04 | --- | 13.69 | --- | 16.94 | 17.90 | --- |
| MAX | 18.81 | 18.40 | 16.79 | 16.01 | 16.40 | 15.35 | 12.35 | 13.69 | 15.56 | 16.94 | 17.90 | 18.58 |
| WTR YR 1984 | MEAN | 15.85 | | HIGH | 11.61 | | LOW | 18.81 | | | | |

GROUND-WATER RECORDS

247

FAIRFIELD COUNTY--Continued

395053082361900. Local number, F-5.

LOCATION.--Lat 39°50'53", long 82°36'19", Hydrologic Unit 05060001, Gaylord Paper Co., Baltimore.

Owner: Crown Zellerbach - Gaylord Paper Division.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 12 in, depth 180, cased.

DATUM.--Altitude of land-surface datum is 850 ft, from topographic map. Measuring point: Floor of instrument shelter 3.5 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--June 1971 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 34.50 ft Sept. 13, 1984; minimum daily low, 0.98 ft above land surface Nov. 7, 1979.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 34.50 ft Sept. 13; minimum daily low, 5.30 ft May 6.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 27.60 | 11.50 | 10.30 | --- | 8.30 | 9.80 | 8.60 | 6.00 | 9.00 | 22.00 | 25.00 | 25.30 |
| 2 | 27.40 | 21.00 | 10.10 | --- | 8.90 | 8.70 | 8.30 | 6.90 | 10.30 | 26.10 | 25.00 | 24.00 |
| 3 | 27.30 | 11.10 | 10.80 | 12.50 | 11.50 | 8.70 | 8.10 | 6.70 | 10.20 | 25.45 | 25.20 | 23.50 |
| 4 | 27.80 | 11.10 | 11.10 | 12.15 | 8.90 | 7.80 | 11.30 | 9.60 | 7.60 | 24.70 | 22.30 | 29.30 |
| 5 | 28.00 | 11.90 | 11.30 | 10.15 | 8.70 | 7.50 | 9.20 | 6.00 | 9.10 | 19.80 | 23.50 | 24.50 |
| 6 | 27.80 | 11.30 | 10.20 | 10.00 | 9.00 | 11.20 | 8.50 | 5.30 | 9.80 | 18.10 | 25.70 | 25.20 |
| 7 | 27.90 | 11.50 | 9.50 | 9.60 | 9.20 | 15.80 | 8.55 | 6.70 | 13.90 | 19.90 | 26.00 | 24.30 |
| 8 | 26.60 | 9.90 | 9.90 | 9.00 | 8.60 | 10.90 | 11.30 | 8.20 | 12.00 | 17.20 | 25.05 | 24.10 |
| 9 | 26.20 | 9.70 | 10.90 | 10.50 | 10.00 | 9.30 | 9.50 | 7.40 | 10.40 | 20.30 | 25.50 | 27.50 |
| 10 | 26.40 | 9.50 | 9.50 | 9.30 | 7.90 | 8.20 | 8.10 | 10.50 | 9.70 | 16.00 | 29.70 | 29.90 |
| 11 | 26.90 | 9.10 | 9.70 | 8.20 | 7.80 | 7.30 | 9.30 | 10.50 | 10.15 | 13.80 | 22.30 | 33.50 |
| 12 | 26.70 | 9.20 | 9.80 | 9.40 | 11.60 | 12.00 | 12.55 | 8.50 | 9.40 | 15.00 | 22.40 | 34.40 |
| 13 | 25.50 | 9.10 | 10.40 | 8.20 | 7.90 | 13.20 | 11.35 | 5.90 | 16.50 | 11.90 | 26.90 | 34.50 |
| 14 | 25.40 | 9.50 | 9.50 | 8.30 | 12.50 | 9.20 | 7.90 | 7.20 | 15.60 | 13.15 | 27.60 | 24.70 |
| 15 | 25.00 | 8.90 | 9.10 | 7.40 | 14.50 | 9.50 | 7.95 | 9.70 | 20.10 | 15.70 | 27.80 | 18.90 |
| 16 | 25.30 | 9.70 | 9.90 | 7.20 | 11.90 | 9.40 | 9.95 | 9.10 | 16.10 | 14.40 | 29.00 | 16.30 |
| 17 | 25.50 | 9.30 | 8.30 | 8.10 | 8.90 | 8.45 | 8.70 | 11.50 | 18.30 | 12.00 | 27.40 | 15.40 |
| 18 | 25.50 | 9.40 | 8.40 | 7.60 | 8.20 | 8.30 | 7.40 | 11.25 | 17.70 | 11.80 | 27.50 | 22.10 |
| 19 | 18.00 | 9.10 | 8.60 | 7.70 | 8.30 | 7.70 | 8.50 | 12.30 | 19.00 | 13.20 | 26.70 | 21.70 |
| 20 | 16.00 | 9.70 | 9.00 | 8.20 | 7.80 | 9.10 | 7.20 | 12.80 | 20.15 | 13.80 | 24.00 | 24.00 |
| 21 | 14.30 | 8.50 | 10.00 | 8.60 | 8.30 | 8.00 | 7.20 | 11.30 | 20.50 | 14.50 | 24.40 | 27.70 |
| 22 | 13.00 | 9.20 | 8.40 | 9.00 | 12.10 | 9.40 | 7.15 | 7.80 | 20.20 | 10.60 | 24.30 | 24.00 |
| 23 | 11.80 | 10.00 | 8.30 | 8.80 | 15.10 | 9.00 | 6.90 | 8.90 | 19.85 | 20.40 | 25.60 | 23.50 |
| 24 | 12.00 | 9.80 | 9.30 | 8.00 | 14.30 | 8.60 | 5.80 | 8.70 | 20.70 | 22.30 | 22.60 | 24.80 |
| 25 | 16.90 | 11.30 | 8.70 | 7.80 | 8.40 | 11.30 | 10.50 | 9.90 | 20.80 | 22.20 | 22.20 | 25.50 |
| 26 | 17.10 | 6.70 | 5.70 | --- | 7.50 | 13.70 | 8.40 | 8.10 | 20.60 | 22.50 | 26.40 | 29.40 |
| 27 | 17.40 | 18.00 | 17.00 | --- | 8.50 | 8.70 | 7.60 | 9.30 | 22.30 | 23.90 | 29.60 | 29.70 |
| 28 | 12.40 | 16.40 | 18.10 | --- | 11.30 | 7.40 | 6.60 | 8.40 | 21.90 | 23.80 | 24.40 | 26.85 |
| 29 | 11.40 | 10.70 | 17.00 | --- | 10.30 | 10.40 | 5.60 | 6.95 | 22.30 | 24.10 | 28.20 | 27.30 |
| 30 | 10.90 | 10.70 | 18.40 | --- | --- | 8.00 | 6.60 | 11.30 | 22.40 | 23.80 | 24.30 | 27.00 |
| 31 | 12.00 | --- | --- | --- | --- | 7.90 | --- | 9.40 | --- | 23.70 | 23.60 | --- |
| MAX | 28.00 | 21.00 | 18.40 | 12.50 | 15.10 | 15.80 | 12.55 | 12.80 | 22.40 | 26.10 | 29.70 | 34.50 |
| WTR YR 1984 | MEAN | 14.64 | | HIGH | 5.30 | | LOW | 34.50 | | | | |

GROUND-WATER RECORDS

FAYETTE COUNTY

393153083322000. Local number, FA-1.

LOCATION.--Lat 39°31'53", long 83°32'20", Hydrologic Unit 05060003, Burnett-Perill Road about 6 mi west of Washington Court House.

Owner: Martha Slagle.

AQUIFER.--Limestone of Silurian Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 5 in, depth 78 ft, cased.

DATUM.--Altitude of land-surface datum is 1010 ft, from topographic map. Measuring point: Floor of instrument shelter 3.30 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--February 1946 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 13.45 ft Sep. 30 1982; minimum daily low, 3.26 ft Apr. 28, 1964.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 12.25 ft Nov. 8; minimum daily low, 5.90 ft Apr. 9.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|------|------|------|------|------|-------|------|------|------|------|
| 1 | 10.10 | 8.85 | 6.40 | 6.60 | 7.15 | 6.65 | 6.10 | 6.30 | 6.50 | 7.80 | 7.80 | 8.20 |
| 2 | 9.95 | 8.70 | 6.75 | 6.75 | 7.05 | 6.70 | 6.35 | 6.35 | 6.65 | 7.35 | 7.80 | 8.05 |
| 3 | 10.10 | 8.70 | 6.40 | 6.75 | 7.05 | 6.70 | 6.15 | 6.20 | 6.70 | 7.25 | 7.85 | 8.15 |
| 4 | 9.95 | 8.60 | 6.25 | 6.40 | 7.05 | 5.55 | 6.05 | 6.20 | 6.90 | 7.15 | 7.90 | 8.15 |
| 5 | 10.05 | 8.30 | 6.20 | 6.60 | 7.15 | 7.00 | 5.90 | --- | 6.85 | 7.20 | 7.90 | 8.25 |
| 6 | 10.00 | 10.95 | 6.25 | 6.45 | 7.05 | 6.60 | 6.00 | --- | 6.65 | 7.30 | 7.95 | 8.25 |
| 7 | 10.35 | 11.70 | 6.25 | 6.70 | 7.20 | 6.75 | 5.95 | --- | 6.95 | 7.30 | 9.75 | 8.35 |
| 8 | 10.25 | 12.25 | 6.25 | 6.55 | 7.30 | 6.50 | 6.10 | 6.35 | 6.60 | 7.25 | 8.30 | 8.45 |
| 9 | 10.35 | 10.10 | 6.15 | 6.80 | 7.10 | 6.65 | 5.90 | 6.15 | 7.15 | 7.20 | 8.50 | 8.45 |
| 10 | 10.25 | 8.60 | 6.25 | 6.60 | 7.10 | 6.45 | 6.05 | 6.20 | 7.15 | 7.40 | 8.10 | 8.35 |
| 11 | 10.30 | 8.05 | 6.00 | 6.75 | 7.05 | 6.50 | 6.15 | --- | 6.90 | 7.25 | 7.75 | 8.60 |
| 12 | 10.10 | 8.00 | 6.05 | 6.65 | 7.00 | 6.40 | 6.25 | 6.25 | 7.75 | 7.45 | 7.80 | 8.65 |
| 13 | 10.20 | 7.75 | 6.20 | 6.80 | 7.15 | 6.55 | 6.00 | 6.20 | 7.45 | 7.30 | 7.65 | 8.60 |
| 14 | 10.10 | 7.60 | 6.05 | 6.80 | 6.90 | 6.55 | 6.15 | 6.25 | 7.60 | 7.40 | 7.65 | 8.50 |
| 15 | 10.25 | 7.30 | 6.10 | 6.90 | 6.95 | 6.70 | 6.10 | 6.35 | 7.10 | 7.35 | 7.55 | 8.45 |
| 16 | 10.20 | 7.45 | 6.10 | 6.90 | 6.90 | 6.60 | 6.15 | --- | 6.90 | 7.30 | 8.00 | 8.55 |
| 17 | 10.30 | 7.30 | 6.15 | 6.85 | 6.85 | 6.65 | 6.30 | --- | 7.35 | 7.60 | 8.00 | 8.55 |
| 18 | 10.35 | 7.30 | 6.15 | 7.00 | 6.80 | 6.45 | 6.30 | --- | 7.55 | 7.45 | 7.85 | 8.45 |
| 19 | 10.45 | 7.25 | 6.20 | 6.90 | 6.75 | 6.45 | 6.35 | --- | 7.35 | 7.50 | 7.65 | 8.50 |
| 20 | 10.30 | 7.10 | 6.10 | 7.15 | 6.65 | 6.30 | 6.45 | 6.25 | 7.30 | 7.75 | 8.15 | 8.50 |
| 21 | 10.15 | 7.10 | 6.15 | 7.00 | 6.65 | 6.20 | 6.30 | 6.25 | 7.10 | 7.60 | 7.85 | 8.60 |
| 22 | 9.95 | 7.15 | 6.05 | 7.05 | 6.85 | 6.40 | 6.35 | 6.30 | 7.00 | 7.65 | 7.90 | 8.65 |
| 23 | 9.90 | 6.95 | 6.25 | 7.00 | 6.65 | 6.35 | 6.35 | --- | 7.00 | 7.80 | 7.85 | 8.65 |
| 24 | 9.70 | 7.05 | 6.20 | 7.05 | 6.70 | 6.15 | 6.25 | --- | 6.90 | 8.20 | 7.85 | 8.55 |
| 25 | 9.80 | 6.85 | --- | 7.00 | 6.55 | 6.15 | 6.25 | --- | 7.10 | 8.20 | 7.90 | 8.30 |
| 26 | 9.50 | 6.95 | --- | 7.00 | 6.70 | 6.00 | 6.50 | --- | 7.15 | 8.70 | 8.00 | 8.70 |
| 27 | 9.60 | 6.80 | --- | 6.95 | 6.50 | 6.10 | 6.35 | --- | 7.55 | 8.00 | 8.15 | 8.85 |
| 28 | 9.45 | 6.60 | --- | 7.15 | 6.50 | 6.00 | 6.35 | --- | 7.75 | 7.75 | 8.15 | 8.65 |
| 29 | 9.45 | 6.50 | --- | 7.20 | 6.45 | 5.95 | 6.30 | --- | 7.25 | 7.70 | 8.10 | 8.75 |
| 30 | 9.15 | 6.55 | 6.45 | 7.15 | --- | 5.95 | 6.35 | --- | 7.20 | 7.95 | 8.10 | 8.65 |
| 31 | 9.05 | --- | 6.50 | 7.10 | --- | 6.10 | --- | --- | --- | 7.95 | 8.00 | --- |
| MAX | 10.45 | 12.25 | 6.75 | 7.20 | 7.30 | 7.00 | 6.50 | 6.35 | 7.75 | 8.70 | 9.75 | 8.85 |
| WTR YR 1984 | MEAN | 7.41 | | HIGH | 5.90 | | LOW | 12.25 | | | | |

GROUND-WATER RECORDS

249

FRANKLIN COUNTY

395118082573300. Local number, FR-3.

LOCATION.--Lat 39°51'14", long 82°57'32", Hydrologic Unit 05060001, 0.7 mi southwest of Reese.

Owner: R. Hann

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 12 in, depth drilled 60 ft, present depth 53 ft, cased.

DATUM.--Altitude of land-surface datum is 712.94 ft. Measuring point: Floor of instrument shelter 3.43 ft above land-surface datum.

PERIOD OF RECORD.--April 1946 to September 1982 continuous, periodic thereafter.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 20.75 ft July 7, 1966; minimum daily low, 0.0 ft Jan. 22, 1959.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM.

| DATE | WATER LEVEL | DATE | WATER LEVEL | DATE | WATER LEVEL | DATE | WATER LEVEL |
|--------------|----------------|---------------|----------------|---------------|----------------|---------------|----------------|
| Oct. 31 1983 | 12.42 | Jan. 30, 1984 | 11.94 | Apr. 30, 1984 | 10.24 | July 30, 1984 | 12.64 |
| Nov. 30 | 10.79 | Feb. 29 | 11.79 | May 31 | 10.87 | Aug. 31 | 13.03 |
| Dec. 29 | 11.84 | Mar. 30 | 8.33 | June 28 | 12.32 | Sept. 28 | 13.21 |

GROUND-WATER RECORDS

FRANKLIN COUNTY--Continued

395157083003500. Local number, FR-109.

LOCATION.--Lat 39°51'57", long 83°00'35", Hydrologic Unit 05060001, 6.6 mi south of the State capital in Columbus.

Owner: City of Columbus.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 6 in, depth 92 ft, cased to 82 ft.

DATUM.--Altitude of land-surface datum is 702.24 ft. Measuring point: Floor of instrument shelter 3.00 ft above land-surface datum.

PERIOD OF RECORD.--July 1975 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 22.09 ft Sept. 30, 1984; minimum daily low, 12.43 ft Mar. 27, 1978.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 22.09 ft Sept. 30; minimum daily low, 13.90 ft Mar. 29.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 20.86 | 21.41 | 20.00 | 17.87 | 20.00 | 17.31 | 14.22 | 15.03 | 16.63 | 18.59 | 20.19 | 21.29 |
| 2 | 20.89 | 21.42 | 19.87 | 17.93 | 20.02 | 17.35 | 14.30 | 15.05 | 16.69 | 18.64 | 20.23 | 21.33 |
| 3 | 20.92 | 21.40 | 19.77 | 17.96 | 20.04 | 17.40 | 14.31 | 15.04 | 16.76 | 18.70 | 20.28 | 21.37 |
| 4 | 20.94 | 21.40 | 19.60 | 18.01 | 20.05 | 17.40 | 14.30 | 15.09 | 16.82 | 18.74 | 20.31 | 21.41 |
| 5 | 20.97 | 21.41 | 19.41 | 18.04 | 20.10 | 17.42 | 14.27 | 15.14 | 16.88 | 18.77 | 20.34 | 21.44 |
| 6 | 21.00 | 21.41 | 19.23 | 18.16 | 20.16 | 17.46 | 14.24 | 15.16 | 16.95 | 18.81 | 20.39 | 21.47 |
| 7 | 21.01 | 21.42 | 18.96 | 18.23 | 20.20 | 17.50 | 14.08 | 15.20 | 17.01 | 18.87 | 20.43 | 21.50 |
| 8 | 21.05 | 21.43 | 18.59 | 18.32 | 20.23 | 17.57 | 14.12 | 15.23 | 17.08 | 18.93 | 20.47 | 21.53 |
| 9 | 21.07 | 21.43 | 18.39 | 18.35 | 20.26 | 17.58 | 14.28 | 15.29 | 17.14 | 18.97 | 20.52 | 21.56 |
| 10 | 21.10 | 21.43 | 18.26 | 18.45 | 20.29 | --- | 14.36 | 15.29 | 17.21 | 19.03 | 20.55 | 21.59 |
| 11 | 21.12 | 21.41 | 18.15 | 18.53 | 20.31 | --- | 14.42 | 15.38 | 17.28 | 19.09 | 20.52 | 21.63 |
| 12 | 21.15 | 21.38 | 17.99 | 18.59 | 20.31 | --- | 14.45 | 15.48 | 17.34 | 19.15 | 20.56 | 21.65 |
| 13 | 21.18 | 21.35 | 17.90 | 18.68 | 20.30 | 17.77 | 14.54 | 15.52 | 17.40 | 19.22 | 20.60 | 21.69 |
| 14 | 21.21 | 21.33 | 17.69 | 18.76 | 20.22 | 17.81 | 14.60 | 15.59 | 17.47 | 19.27 | 20.64 | 21.69 |
| 15 | 21.23 | 21.30 | 17.64 | 18.81 | 18.96 | 17.81 | 14.65 | 15.67 | 17.54 | 19.31 | 20.68 | 21.72 |
| 16 | 21.26 | 21.27 | 17.64 | 18.90 | 18.23 | 17.80 | 14.70 | 15.74 | 17.60 | 19.37 | 20.72 | 21.75 |
| 17 | 21.29 | 21.25 | 17.62 | 18.99 | 17.88 | 17.26 | 14.80 | 15.80 | 17.66 | 19.43 | 20.75 | 21.77 |
| 18 | 21.30 | 21.21 | 17.59 | 19.08 | 17.72 | 16.36 | 14.88 | 15.85 | 17.72 | 19.50 | 20.79 | 21.80 |
| 19 | 21.33 | 21.18 | 17.55 | 19.16 | 17.61 | 15.93 | 14.93 | 15.92 | 17.80 | 19.54 | 20.84 | 21.82 |
| 20 | 21.33 | 21.14 | 17.54 | 19.25 | 17.52 | 15.62 | 15.00 | 15.98 | 17.87 | 19.59 | 20.87 | 21.86 |
| 21 | 21.33 | 21.12 | 17.53 | 19.32 | 17.39 | 15.22 | 15.05 | 16.05 | 17.94 | 19.65 | 20.90 | 21.89 |
| 22 | 21.33 | 21.09 | 17.53 | 19.40 | 17.33 | 14.28 | 15.05 | 16.12 | 17.99 | 19.70 | 20.93 | 21.92 |
| 23 | 21.27 | 21.05 | 17.53 | 19.45 | 17.25 | 14.35 | 14.91 | 16.14 | 18.04 | 19.75 | 20.97 | 21.94 |
| 24 | 21.29 | 20.99 | 17.54 | 19.48 | 17.20 | 14.37 | 14.88 | 16.19 | 18.13 | 19.80 | 21.01 | 21.96 |
| 25 | 21.30 | 20.93 | 17.58 | 19.53 | 17.21 | 14.31 | 14.75 | 16.24 | 18.20 | 19.85 | 21.05 | 21.98 |
| 26 | 21.32 | 20.90 | 17.60 | 19.59 | 17.22 | 14.21 | 14.72 | 16.34 | 18.25 | 19.88 | 21.08 | 22.01 |
| 27 | 21.33 | 20.87 | 17.62 | 19.67 | 17.21 | 13.92 | 14.77 | 16.38 | 18.33 | 19.95 | 21.12 | 22.03 |
| 28 | 21.34 | 20.77 | 17.66 | 19.70 | 17.22 | 13.92 | 14.91 | 16.41 | 18.40 | 20.00 | 21.15 | 22.05 |
| 29 | 21.38 | 20.49 | 17.73 | 19.80 | 17.27 | 13.90 | 14.93 | 16.48 | 18.46 | 20.05 | 21.19 | 22.07 |
| 30 | 21.38 | 20.18 | 17.80 | 19.88 | --- | 14.02 | 14.99 | 16.52 | 18.52 | 20.09 | 21.23 | 22.09 |
| 31 | 21.39 | --- | 17.83 | 19.93 | --- | 14.13 | --- | 16.58 | --- | 20.14 | 21.26 | --- |
| MAX | 21.39 | 21.43 | 20.00 | 19.93 | 20.31 | 17.81 | 15.05 | 16.58 | 18.52 | 20.14 | 21.26 | 22.09 |
| WTR YR 1984 | MEAN | 18.69 | | HIGH | 13.90 | | LOW | 22.09 | | | | |

FRANKLIN COUNTY--Continued

400101083021800. Local number, FR-10.

LOCATION.--Lat 40°01'01", long 83°02'18", Hydrologic Unit 05060001, Kenny and Ackerman Roads, Columbus.

Owner: Ohio State University..

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test artesian well, diameter 4 in, depth 75 ft, cased.

DATUM.--Altitude of land-surface datum is 775 ft from topographic map. Measuring point: Floor of instrument shelter 4.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--March 1944 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 48.20 ft Oct. 7, 1954; minimum daily low, 37.76 ft Apr. 13, 1951.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 44.34 ft Sept. 26; minimum daily low, 40.73 ft May 20.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 43.61 | 43.38 | 43.07 | 42.73 | 42.38 | 42.19 | 41.55 | 41.05 | 40.83 | 42.03 | 43.55 | 43.83 |
| 2 | 43.55 | 43.31 | 43.03 | 42.66 | 42.36 | 42.25 | 41.52 | 40.99 | 40.78 | 42.14 | 43.20 | 43.72 |
| 3 | 43.44 | 43.26 | 42.93 | 42.57 | 42.21 | 42.33 | 41.47 | 40.78 | 40.86 | 42.52 | 43.11 | 43.78 |
| 4 | 43.38 | 43.22 | 42.84 | 42.43 | 42.15 | 42.29 | 41.25 | 40.83 | 41.23 | 42.20 | 43.07 | 43.88 |
| 5 | 43.43 | 43.14 | 42.82 | 42.32 | 42.25 | 42.07 | 41.06 | 40.87 | 41.00 | 42.09 | 43.09 | 43.88 |
| 6 | 43.57 | 43.13 | 42.88 | 42.33 | 42.47 | 42.14 | 41.28 | 40.87 | 41.29 | 42.10 | 43.09 | 43.99 |
| 7 | 43.60 | 43.16 | 42.89 | 42.42 | 42.59 | 42.19 | 41.42 | 40.82 | 41.29 | 42.23 | 43.12 | 43.98 |
| 8 | 43.59 | 43.17 | 42.93 | 42.50 | 42.59 | 42.32 | 41.43 | 40.78 | 41.24 | 42.33 | 43.15 | 43.99 |
| 9 | 43.63 | 43.15 | 42.93 | 42.51 | 42.47 | 42.32 | 41.33 | 40.87 | 41.11 | 42.41 | 43.35 | 43.92 |
| 10 | 43.55 | 42.94 | 42.93 | 42.48 | 42.42 | 42.24 | 41.25 | 40.86 | 41.09 | 42.35 | 43.22 | 43.91 |
| 11 | 43.49 | 43.09 | 42.79 | 42.58 | 42.38 | 42.27 | 41.20 | 40.82 | 41.61 | 42.55 | 43.21 | 43.88 |
| 12 | 43.33 | 43.10 | 42.71 | 42.60 | 42.36 | 42.26 | 41.15 | 40.89 | 41.63 | 42.73 | 43.25 | 43.93 |
| 13 | 43.34 | 43.10 | 42.69 | 42.55 | 42.25 | 42.22 | 41.04 | 40.92 | 41.83 | 42.76 | 43.33 | 43.93 |
| 14 | 43.48 | 43.04 | 42.53 | 42.65 | 42.36 | 42.24 | 41.00 | 40.94 | 41.74 | 42.88 | 43.35 | 43.93 |
| 15 | 43.51 | 42.88 | 42.78 | 42.65 | 42.38 | 42.12 | 40.97 | 40.98 | 41.55 | 42.67 | 43.68 | 44.01 |
| 16 | 43.48 | 43.03 | 42.91 | 42.43 | 42.29 | 42.22 | 40.88 | 41.00 | 41.49 | 42.55 | 43.46 | 44.16 |
| 17 | 43.43 | 43.07 | 42.93 | 42.53 | 42.25 | 42.15 | 40.93 | 41.00 | 41.53 | 42.84 | 43.58 | 44.16 |
| 18 | 43.43 | 43.03 | 42.89 | 42.51 | 42.25 | 41.97 | 41.05 | 40.94 | 41.79 | 42.90 | 43.51 | 44.09 |
| 19 | 43.48 | 43.01 | 42.87 | 42.51 | 42.17 | 41.93 | 41.12 | 40.81 | 41.90 | 42.89 | 43.48 | 44.00 |
| 20 | 43.47 | 42.90 | 42.84 | 42.62 | 42.19 | 41.69 | 41.19 | 40.73 | 41.78 | 43.07 | 43.75 | 44.08 |
| 21 | 43.38 | 43.01 | 42.73 | 42.64 | 42.16 | 41.55 | 41.21 | 40.78 | 41.86 | 43.10 | 43.75 | 44.14 |
| 22 | 43.33 | 43.00 | 42.72 | 42.60 | 42.16 | 41.83 | 41.06 | 40.90 | 42.00 | 42.81 | 43.66 | 44.19 |
| 23 | 43.14 | 42.93 | 42.68 | 42.52 | 42.10 | 41.86 | 40.82 | 40.95 | 41.67 | 42.97 | 43.47 | 44.19 |
| 24 | 43.20 | 42.95 | --- | 42.25 | 42.06 | 41.79 | 40.92 | 40.95 | 41.72 | 43.03 | 43.72 | 44.18 |
| 25 | 43.23 | 43.02 | --- | 42.31 | 42.27 | 41.57 | 40.93 | 40.92 | 42.01 | 43.25 | 43.92 | 44.30 |
| 26 | 43.23 | 43.03 | --- | 42.29 | 42.31 | 41.58 | 40.97 | 40.98 | 42.15 | 43.13 | 43.93 | 44.34 |
| 27 | 43.31 | 43.03 | --- | 42.27 | 42.23 | 41.48 | 40.96 | 40.98 | 42.04 | 42.95 | 43.61 | 44.30 |
| 28 | 43.25 | 42.86 | --- | 42.20 | 42.03 | 41.23 | 41.11 | 40.85 | 42.15 | 42.90 | 43.65 | 44.12 |
| 29 | 43.47 | 42.97 | --- | 42.23 | 42.16 | 41.45 | 41.13 | 40.86 | 42.18 | 42.95 | 43.66 | 44.09 |
| 30 | 43.50 | 43.03 | 42.78 | 42.37 | --- | 41.55 | 41.00 | 40.83 | 42.04 | 43.00 | 43.60 | 44.05 |
| 31 | 43.42 | --- | 42.73 | 42.37 | --- | 41.56 | --- | 40.78 | --- | 43.08 | 43.80 | --- |
| MAX | 43.63 | 43.38 | 43.07 | 42.73 | 42.59 | 42.33 | 41.55 | 41.05 | 42.18 | 43.25 | 43.93 | 44.34 |
| WTR YR 1984 | MEAN | 42.48 | | HIGH | 40.73 | | LOW | 44.34 | | | | |

GROUND-WATER RECORDS

GALLIA COUNTY

383638082103300. Local number, G-2.

LOCATION.--Lat 38°36'38", long 82°10'33", Hydrologic Unit 05090101, 5.9 mi east of Crown City.

Owner: State of Ohio.

AQUIFER.--Sand and gravel of Quaternary Age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 12 in, depth 65 ft, cased.

DATUM.--Altitude of land-surface datum is 552 ft, from topographic map. Measuring point: Floor of instrument shelter 3.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--June 1975 to September 1982 continuous, periodic thereafter.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 33.94 ft Oct. 4, 1982; minimum daily low 16.43 ft Mar. 8, 1979.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM.

| DATE | WATER LEVEL |
|---------------|----------------|
| Apr. 20, 1984 | 24.75 |

GREENE COUNTY

394411083561300. Local number, GR-1.

LOCATION.--Lat 39°44'11", long 83°56'13", Hydrologic Unit 05090202, along Massies Creek near U.S. 68 north of Xenia.

Owner: Xenia Water Department.

AQUIFER.--Sand and Gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 30 in, depth 77 ft, cased.

DATUM.--Altitude of land-surface datum is 818.88 ft. Measuring point: Floor of instrument shelter 4.50 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--August 1944 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 21.60 ft July 7, 1916; minimum daily low, 0.70 ft above land surface Aug. 3, 1958.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 10.37 ft Sept. 28; minimum daily low, 5.52 ft Apr. 6.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|------|------|------|------|------|------|------|-------|------|------|------|-------|
| 1 | 9.19 | 8.11 | 7.69 | 7.79 | 8.68 | 8.19 | 6.91 | 7.24 | 7.77 | 8.19 | 9.17 | 9.63 |
| 2 | 9.08 | 8.19 | 7.83 | 7.59 | 8.43 | 8.15 | 7.18 | 7.29 | 7.69 | 8.35 | 9.17 | 9.92 |
| 3 | 9.06 | 8.32 | 7.91 | 7.73 | 7.73 | 8.12 | 7.29 | 7.32 | 7.67 | 8.86 | 9.19 | 9.91 |
| 4 | 8.96 | 8.42 | 7.90 | 7.99 | 8.00 | 8.25 | 6.82 | 6.72 | 7.65 | 8.77 | 9.18 | 9.84 |
| 5 | 8.86 | 8.26 | 7.24 | 7.83 | 8.30 | 7.91 | 5.54 | 6.88 | 7.63 | 7.79 | 9.15 | 10.01 |
| 6 | 8.89 | 8.38 | 7.36 | 7.99 | 8.67 | 7.96 | 5.52 | 6.90 | 7.73 | 7.65 | 9.06 | 10.12 |
| 7 | 8.95 | 8.53 | 7.35 | 7.86 | 8.67 | 7.74 | 6.32 | 6.93 | 7.91 | 7.95 | 8.77 | 10.14 |
| 8 | 9.06 | 8.42 | 7.59 | 7.96 | 8.64 | 7.69 | 6.44 | 6.82 | 7.92 | 8.28 | 9.18 | 10.15 |
| 9 | 9.26 | 8.18 | 7.81 | 7.98 | 8.76 | 7.84 | 6.86 | 6.89 | 7.86 | 8.39 | 8.92 | 10.19 |
| 10 | 9.25 | 8.42 | 7.71 | 8.01 | 8.65 | 8.11 | 6.86 | 7.01 | 7.95 | 8.48 | 8.92 | 9.79 |
| 11 | 9.25 | 8.14 | 7.87 | 8.16 | 7.90 | 7.92 | 6.96 | 7.13 | 8.13 | 8.31 | 8.75 | 9.97 |
| 12 | 9.27 | 8.04 | 7.50 | 8.24 | 7.84 | 8.01 | 7.05 | 7.23 | 8.04 | 8.39 | 8.94 | 9.97 |
| 13 | 8.20 | 7.95 | 7.61 | 8.20 | 7.49 | 7.99 | 7.06 | 7.41 | 8.26 | 8.48 | 9.20 | 9.85 |
| 14 | 8.65 | 8.17 | 7.59 | 8.33 | 6.56 | 7.89 | 7.11 | 7.15 | 8.47 | 8.56 | 9.45 | 9.82 |
| 15 | 8.90 | 8.21 | 7.70 | 8.33 | 6.66 | 7.59 | 7.04 | 7.39 | 7.99 | 8.64 | 9.50 | 9.99 |
| 16 | 8.99 | 7.95 | 7.90 | 8.43 | 6.87 | 6.00 | 7.07 | 7.51 | 7.97 | 8.64 | 9.62 | 9.92 |
| 17 | 9.08 | 8.14 | 8.07 | 8.49 | 7.30 | 6.50 | 7.13 | 7.53 | 8.45 | 8.46 | 9.68 | 9.83 |
| 18 | 9.09 | 8.16 | 8.15 | 8.35 | 7.30 | 6.82 | 7.13 | 7.39 | 8.49 | 8.52 | 9.75 | 9.58 |
| 19 | 9.05 | 8.16 | 8.17 | 8.64 | 7.47 | 7.03 | 7.15 | 7.52 | 8.44 | 8.67 | 9.69 | 9.66 |
| 20 | 9.08 | 8.23 | 8.21 | 8.76 | 7.72 | 6.65 | 7.31 | 7.55 | 8.44 | 8.61 | 9.52 | 9.80 |
| 21 | 8.39 | 8.16 | 8.24 | 8.81 | 7.71 | 5.59 | 7.37 | 7.42 | 8.47 | 8.76 | 9.37 | 9.98 |
| 22 | 8.29 | 8.22 | 8.10 | 8.83 | 7.73 | 5.76 | 6.96 | 7.45 | 8.46 | 8.86 | 9.37 | 9.92 |
| 23 | 8.22 | 7.78 | 7.91 | 8.98 | 7.80 | 6.03 | 7.07 | 7.42 | 8.47 | 9.33 | 9.27 | 10.25 |
| 24 | 8.16 | 7.45 | 7.60 | 8.31 | 7.87 | 6.28 | 6.85 | 7.31 | 8.41 | 9.34 | 9.28 | 10.24 |
| 25 | 7.89 | 7.54 | 7.65 | 8.16 | 7.77 | 6.37 | 7.07 | 7.45 | 7.98 | 9.36 | 9.36 | 10.25 |
| 26 | 7.95 | 7.75 | 7.93 | 8.09 | 7.84 | 6.63 | 7.15 | 7.51 | 8.03 | 9.31 | 9.26 | 10.27 |
| 27 | 8.12 | 7.99 | 7.45 | 8.24 | 7.88 | 6.60 | 7.34 | 7.52 | 8.10 | 9.39 | 9.35 | 10.32 |
| 28 | 8.23 | 6.51 | 7.62 | 8.39 | 7.97 | 6.60 | 7.19 | 7.32 | 8.18 | 9.37 | 9.58 | 10.37 |
| 29 | 8.63 | 7.31 | 7.70 | 8.36 | 8.20 | 6.62 | 7.19 | 7.39 | 8.23 | 9.26 | 9.49 | 10.36 |
| 30 | 8.64 | 7.58 | 7.60 | 8.42 | --- | 6.81 | 7.13 | 7.47 | 8.25 | 9.10 | 9.37 | 10.36 |
| 31 | 8.46 | --- | 7.80 | 8.71 | --- | 6.97 | --- | 7.60 | --- | 9.17 | 9.59 | --- |
| MAX | 9.27 | 8.53 | 8.24 | 8.98 | 8.76 | 8.25 | 7.37 | 7.60 | 8.49 | 9.39 | 9.75 | 10.37 |
| WTR YR 1984 | MEAN | 8.18 | | HIGH | 5.52 | | LOW | 10.37 | | | | |

GROUND-WATER RECORDS

GREENE COUNTY--Continued

394425083551100. Local number, GR-10.

LOCATION.--Lat 39°44'25", long 83°55'11", Hydrologic Unit 05090202, in well field along Massies Creek north of Xenia.

Owner: Xenia Water Department.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 6 in, depth 100 ft, cased.

DATUM.--Altitude of land-surface datum is 835 ft, from topographic map. Measuring point: Floor of instrument shelter at land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--March 1976 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 20.40 ft Nov. 5, 1977; minimum daily low, 0.15 ft Feb. 1, 1982.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 10.19 ft Sept. 23; minimum daily low, 5.06 ft Nov. 29.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|------|------|------|------|------|------|------|-------|------|------|-------|-------|
| 1 | 8.76 | 6.23 | 5.49 | --- | 6.97 | 6.75 | 7.68 | 8.16 | 6.55 | 9.26 | 7.53 | 10.07 |
| 2 | 8.76 | 7.07 | 5.60 | --- | 6.91 | 6.80 | 7.80 | 8.22 | 6.59 | 9.34 | 7.59 | 10.11 |
| 3 | 8.71 | 6.96 | 5.67 | --- | 7.28 | 6.88 | 7.80 | 8.27 | 6.60 | 9.44 | 7.60 | 8.52 |
| 4 | 8.71 | 6.96 | 7.17 | --- | 7.41 | 7.62 | 7.69 | 8.06 | 6.29 | 9.44 | 9.40 | 8.39 |
| 5 | 7.57 | 6.91 | 7.17 | --- | 7.58 | 8.84 | 6.77 | 8.07 | 6.38 | 8.98 | 7.99 | 8.39 |
| 6 | 7.50 | 6.12 | 7.24 | --- | 7.70 | 8.97 | 6.53 | 7.27 | 6.48 | 9.01 | 9.60 | 8.37 |
| 7 | 7.45 | 7.06 | 7.27 | --- | 7.80 | 8.66 | 6.88 | 5.90 | 6.51 | 8.80 | 9.62 | 8.33 |
| 8 | 7.40 | 7.14 | 7.43 | --- | 7.88 | 8.67 | 5.16 | 5.90 | 6.58 | 8.54 | 9.58 | 8.30 |
| 9 | 8.57 | 8.02 | 7.55 | --- | 8.96 | 8.68 | 5.28 | 5.86 | 6.65 | 7.25 | 9.61 | 8.27 |
| 10 | 8.59 | 7.98 | 7.57 | --- | 8.17 | 8.66 | 5.44 | 5.88 | 8.69 | 6.78 | 9.64 | 7.79 |
| 11 | 8.60 | 7.95 | 7.61 | --- | 7.45 | 6.74 | 5.57 | 5.96 | 8.97 | 6.88 | 9.62 | 7.87 |
| 12 | 8.60 | 7.97 | 6.33 | --- | 7.16 | 6.76 | 5.64 | 6.04 | 8.97 | 6.95 | 9.37 | 7.91 |
| 13 | 8.33 | 7.05 | 6.28 | --- | 6.18 | 6.79 | 5.72 | 8.06 | 9.10 | 7.05 | 7.85 | 7.95 |
| 14 | 8.41 | 7.06 | 6.34 | --- | 5.18 | 6.77 | 5.77 | 8.18 | 8.98 | 7.13 | 7.78 | 8.40 |
| 15 | 8.48 | 6.79 | 6.48 | --- | 5.45 | 6.59 | 7.76 | 8.33 | 9.07 | 9.15 | 7.76 | 8.40 |
| 16 | 8.50 | 6.18 | 6.68 | --- | 5.59 | 5.37 | 7.87 | 8.38 | 9.07 | 9.28 | 7.78 | 9.85 |
| 17 | 7.49 | --- | 6.78 | --- | 6.37 | 5.08 | 7.96 | 8.48 | 9.08 | 9.37 | 7.78 | 9.91 |
| 18 | 7.50 | --- | 5.95 | --- | 5.80 | 7.38 | 7.98 | 8.44 | 7.60 | 9.44 | 7.79 | 9.97 |
| 19 | 7.42 | --- | 5.98 | 6.98 | 6.90 | 7.57 | 7.98 | 8.39 | 7.50 | 9.51 | 7.76 | 10.00 |
| 20 | 7.46 | --- | 6.07 | 7.00 | 6.98 | 7.50 | 8.05 | 8.48 | 7.45 | 9.57 | 7.47 | 10.07 |
| 21 | 6.87 | --- | 6.07 | 7.08 | 7.14 | 6.80 | 8.07 | 6.46 | 7.38 | 9.57 | 7.54 | 10.13 |
| 22 | 6.84 | --- | 6.08 | 7.18 | 7.18 | 6.80 | 6.02 | 6.35 | 7.35 | 9.58 | 7.57 | 10.17 |
| 23 | 7.55 | --- | --- | 8.17 | 7.27 | 6.94 | 7.60 | 6.63 | 7.35 | 8.08 | 7.62 | 10.19 |
| 24 | 7.66 | --- | --- | 7.97 | 7.34 | 7.07 | 5.98 | 6.56 | 7.31 | 8.01 | 7.68 | 8.54 |
| 25 | 7.79 | 6.24 | --- | 7.65 | 6.38 | 5.07 | 5.74 | 6.58 | 6.84 | 7.96 | 7.74 | 8.50 |
| 26 | 7.87 | 6.48 | --- | 7.62 | 6.41 | 6.57 | 5.95 | 6.58 | 6.89 | 7.88 | 9.79 | 8.42 |
| 27 | 7.97 | 5.83 | --- | 7.69 | 6.42 | 5.28 | 5.97 | 6.59 | 6.97 | 7.78 | 9.85 | 8.36 |
| 28 | 8.03 | 5.35 | --- | 7.76 | 6.55 | 5.37 | 5.99 | 6.48 | 7.06 | 7.79 | 9.92 | 8.32 |
| 29 | 8.17 | 5.06 | --- | 6.81 | 6.65 | 5.29 | 7.97 | 6.35 | 9.04 | 7.78 | 9.89 | 8.28 |
| 30 | 8.17 | 5.31 | --- | 6.88 | --- | 5.48 | 8.14 | 6.40 | 7.22 | 7.36 | 9.97 | 8.27 |
| 31 | 6.94 | --- | --- | 6.95 | --- | 5.63 | --- | 6.49 | --- | 7.47 | 10.03 | --- |
| MAX | 8.76 | 8.02 | 7.61 | 8.17 | 8.96 | 8.97 | 8.14 | 8.48 | 9.10 | 9.58 | 10.03 | 10.19 |
| WTR YR 1984 | MEAN | 7.54 | | HIGH | 5.06 | | LOW | 10.19 | | | | |

GROUND-WATER RECORDS

255

HAMILTON COUNTY

391039084291500. Local number, H-11.

LOCATION.--Lat 39°10'39", long 84°29'15", Hydrologic Unit 05090203, 5.6 mi north of Riverfront Stadium in Cincinnati.

Owner: Procter and Gamble Company.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test artesian well, diameter 6 in, depth 148 ft, cased.

DATUM.--Altitude of land-surface datum is 539 ft, from topographic map. Measuring point: floor of instrument shelter 2.23 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--August 1939 to September 1982 continuous, periodic thereafter.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 129.72 ft Oct 25, 1948; minimum daily low, 72.75 ft Sept. 30, 1983.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM.

| DATE | WATER LEVEL |
|-------------|----------------|
| May 1, 1984 | 71.45 |

GROUND-WATER RECORDS

HAMILTON COUNTY--Continued

391101084172100. Local number, H-3.

LOCATION.--Lat 39°11'01", long 84°17'21", Hydrologic Unit 05090202, southeast of Miamiville.

Owner: Indian Hills Water Department.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 4 in, depth 60 ft, cased.

DATUM.--Altitude of land-surface datum is 532.22 ft. Measuring point: Floor of instrument shelter 3.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--August, 1952 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 35.75 ft Aug. 29, 1955; minimum daily low, 15.60 ft Feb. 28, 1962.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 29.25 ft July. 24-25; minimum daily low, 20.70 ft Apr 6.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 27.20 | 25.80 | 22.90 | 27.35 | 26.60 | 25.15 | 22.75 | 24.35 | 25.10 | 26.50 | 28.20 | 27.20 |
| 2 | 27.05 | 25.85 | 23.45 | 27.40 | 26.05 | 24.95 | 23.25 | 24.60 | 25.60 | 26.50 | 28.25 | 27.30 |
| 3 | 27.15 | 25.75 | 23.60 | 28.30 | 26.05 | 25.15 | 23.35 | 24.65 | 26.05 | 27.10 | 27.50 | 27.35 |
| 4 | 27.05 | 25.50 | 23.50 | 27.75 | 25.10 | 25.10 | 23.35 | 23.60 | 26.00 | 27.40 | 27.20 | 27.85 |
| 5 | 26.85 | 25.35 | 22.65 | 27.10 | 24.75 | 25.10 | 22.65 | 23.05 | 25.70 | 27.15 | 26.65 | 27.75 |
| 6 | 26.50 | 25.25 | 22.55 | 26.05 | 24.85 | 23.55 | 20.70 | 22.90 | 25.65 | 24.95 | 26.95 | 27.05 |
| 7 | 26.85 | 25.45 | 22.65 | 26.15 | 25.00 | 23.50 | 21.25 | 23.15 | 25.85 | 24.50 | 27.60 | 28.25 |
| 8 | 26.90 | 25.50 | 23.00 | 26.15 | 25.30 | 23.55 | 21.90 | 23.35 | 25.95 | 24.95 | 26.80 | 28.40 |
| 9 | 26.95 | 25.50 | 23.50 | 26.15 | 25.55 | 24.00 | 22.80 | 22.65 | 26.15 | 25.85 | 26.05 | 28.50 |
| 10 | 26.80 | 25.55 | 23.85 | 26.25 | 25.70 | 24.25 | 23.40 | 23.25 | 27.40 | 26.90 | 26.20 | 28.35 |
| 11 | 26.95 | 25.35 | 23.80 | 26.30 | 25.70 | 24.55 | 24.20 | 23.80 | 27.60 | 27.00 | 26.60 | 28.40 |
| 12 | 27.00 | 25.10 | 23.60 | 26.25 | 25.25 | 25.00 | 24.30 | 23.95 | 27.85 | 27.10 | 26.60 | 28.35 |
| 13 | 26.90 | 24.95 | 23.65 | 26.45 | 24.95 | 24.75 | 24.05 | 23.95 | 27.90 | 27.55 | 27.70 | 28.65 |
| 14 | 26.35 | 25.15 | 23.65 | 26.50 | 22.50 | 24.45 | 24.20 | 24.30 | 27.25 | 27.70 | 28.05 | 28.75 |
| 15 | 26.25 | 25.05 | 23.75 | 26.45 | 22.10 | 24.05 | 24.25 | 24.55 | 26.70 | 27.95 | 28.10 | 28.50 |
| 16 | 26.35 | 24.85 | 23.75 | 26.60 | 22.25 | 23.90 | 24.35 | 24.65 | 27.65 | 27.60 | 28.40 | 27.85 |
| 17 | 26.45 | 24.75 | 24.00 | 26.75 | 22.75 | 22.85 | 24.30 | 24.85 | 28.00 | 28.10 | 28.55 | 29.05 |
| 18 | 26.45 | 24.85 | 24.45 | 26.75 | 22.75 | 22.70 | 23.70 | 25.00 | 28.10 | 28.05 | 28.05 | 28.40 |
| 19 | 26.15 | 24.90 | 24.65 | 26.75 | 23.40 | 22.90 | 23.95 | 25.05 | 28.45 | 28.40 | 27.35 | 28.45 |
| 20 | 26.05 | 24.90 | 24.85 | 26.85 | 23.80 | 23.05 | 24.35 | 26.50 | 28.45 | 28.50 | 27.85 | 28.75 |
| 21 | 24.50 | 25.00 | 25.00 | 26.85 | 23.85 | 22.00 | 24.45 | 25.75 | 26.45 | 28.20 | 27.85 | 28.95 |
| 22 | 24.20 | 25.05 | 24.80 | 26.85 | 24.30 | 20.90 | 23.35 | 25.45 | 26.25 | 28.50 | 28.20 | 29.05 |
| 23 | 23.60 | 25.05 | 25.00 | 26.85 | 24.35 | 21.40 | 21.30 | 25.10 | 26.20 | 28.95 | 27.80 | 29.20 |
| 24 | 23.70 | 22.90 | --- | 26.75 | 24.70 | 21.95 | 21.35 | 24.50 | 26.05 | 29.25 | 28.05 | 29.05 |
| 25 | 23.70 | 23.25 | --- | 25.50 | 24.80 | 22.20 | 21.60 | 24.50 | 25.70 | 29.25 | 27.80 | 29.00 |
| 26 | 23.90 | 23.75 | 29.25 | 25.15 | 24.90 | 22.35 | 22.70 | 24.25 | 26.15 | 28.05 | 26.95 | 27.95 |
| 27 | 24.55 | 23.70 | 29.15 | 25.10 | 25.00 | 22.60 | 23.45 | 24.50 | 26.35 | 26.95 | 28.30 | 27.95 |
| 28 | 24.85 | 23.40 | 27.75 | 25.25 | 24.95 | 22.60 | 23.55 | 24.55 | 26.60 | 26.70 | 28.35 | 27.85 |
| 29 | 25.25 | 22.25 | 28.15 | 25.55 | 24.80 | 20.90 | 23.95 | 23.70 | 27.10 | 26.80 | 27.20 | 27.90 |
| 30 | 25.45 | 22.65 | 27.35 | 25.75 | --- | 21.20 | 24.10 | 23.95 | 27.40 | 27.10 | 27.05 | 27.90 |
| 31 | 25.65 | --- | 27.35 | 25.85 | --- | 22.50 | --- | 24.40 | --- | 28.10 | 27.60 | --- |
| MAX | 27.20 | 25.85 | 29.25 | 28.30 | 26.60 | 25.15 | 24.45 | 26.50 | 28.45 | 29.25 | 28.55 | 29.20 |
| WTR YR 1984 | MEAN | 25.59 | | HIGH | 20.70 | | LOW | 29.25 | | | | |

HAMILTON COUNTY--Continued

391201084281600. Local number, H-10.

LOCATION.--Lat 39°12'01", long 84°28'16", Hydrologic Unit 05090203, Section Road, Cincinnati.

Owner: National Distillers.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 8 in, depth 170 ft, cased.

DATUM.--Altitude of land-surface datum is 544.7 ft. Measuring point: Floor of instrument shelter 8.13 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--January 1944 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 121.58 ft Nov. 3, 10, 1950; minimum daily low, 62.23 ft Aug. 18, 1984.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 65.86 ft Nov. 12; minimum daily low, 62.23 ft Aug. 18.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | --- | 64.37 | 64.26 | 64.08 | 63.80 | 63.74 | 63.58 | 63.14 | 62.69 | 62.55 | 62.37 | 62.38 |
| 2 | --- | 64.27 | 64.17 | 63.99 | 63.77 | 63.76 | 63.56 | 63.03 | 62.62 | 62.53 | 62.37 | 62.28 |
| 3 | --- | 64.19 | 64.07 | 63.90 | 63.61 | 63.83 | 63.47 | 62.83 | 62.65 | 62.55 | 62.37 | 62.24 |
| 4 | --- | 64.22 | 64.04 | 63.72 | 63.61 | 63.76 | 63.24 | 62.99 | 62.67 | 62.54 | 62.32 | 62.27 |
| 5 | --- | 64.15 | 64.06 | 63.70 | 63.53 | 63.58 | 63.19 | 63.02 | 62.66 | 62.41 | 62.30 | 62.37 |
| 6 | --- | 64.14 | 64.08 | 63.83 | 63.83 | 63.64 | 63.34 | 63.06 | 62.64 | 62.40 | 62.28 | 62.37 |
| 7 | --- | 64.13 | 64.19 | 63.90 | 64.03 | 63.70 | 63.49 | 62.96 | 62.67 | 62.40 | 62.27 | 62.44 |
| 8 | --- | 64.19 | 64.17 | 63.95 | 64.03 | 63.84 | 63.52 | 62.92 | 62.67 | 62.56 | 62.26 | 62.45 |
| 9 | --- | 64.12 | 64.17 | 63.94 | 63.87 | 63.86 | 63.32 | 62.91 | 62.65 | 62.61 | 62.33 | 62.47 |
| 10 | --- | 63.91 | 64.23 | 63.95 | 63.75 | 63.72 | 63.29 | 62.97 | 62.60 | 62.59 | 62.34 | 62.42 |
| 11 | --- | 64.27 | 64.13 | 64.03 | 63.72 | 63.76 | 63.24 | 62.87 | 62.63 | 62.42 | 62.39 | 62.40 |
| 12 | --- | 65.86 | 63.93 | 64.04 | 63.72 | 63.68 | 63.16 | 62.94 | 62.63 | 62.43 | 62.39 | 62.41 |
| 13 | --- | 64.21 | 63.95 | 63.95 | 63.62 | 63.73 | 63.10 | 62.98 | 62.67 | 62.51 | 62.38 | 62.26 |
| 14 | --- | 64.04 | 63.76 | 64.09 | 63.69 | 63.76 | 63.11 | 62.99 | 62.62 | 62.52 | 62.37 | 62.30 |
| 15 | --- | 64.06 | 63.86 | 64.06 | 63.80 | 63.56 | 63.06 | 62.98 | 62.64 | 62.37 | 62.39 | 62.38 |
| 16 | --- | 64.22 | 64.23 | 63.82 | 63.79 | 63.73 | 62.97 | 63.03 | 62.62 | 62.34 | 62.37 | 62.27 |
| 17 | --- | 64.19 | 64.33 | 63.87 | 63.64 | 63.67 | 63.08 | 62.99 | 62.57 | 62.36 | 62.27 | 62.45 |
| 18 | --- | 64.10 | 64.31 | 63.89 | 63.69 | 63.52 | 63.24 | 62.89 | 62.51 | 62.52 | 62.23 | 62.53 |
| 19 | --- | 64.04 | 64.24 | 63.95 | 63.69 | 63.44 | 63.27 | 62.73 | 62.59 | 62.46 | 62.27 | 62.51 |
| 20 | --- | 63.99 | 64.18 | 64.02 | 63.66 | 63.21 | 63.32 | 62.69 | 64.15 | 62.46 | 62.35 | 62.29 |
| 21 | --- | 64.17 | 64.13 | 64.06 | 63.63 | 63.26 | 63.35 | 62.73 | 62.76 | 62.48 | 62.37 | 62.35 |
| 22 | --- | 64.22 | 63.96 | 63.99 | 63.61 | 63.63 | 63.01 | 62.77 | 62.61 | 62.46 | 62.29 | 62.39 |
| 23 | --- | 64.09 | 64.10 | 63.86 | 63.51 | 63.73 | 62.96 | 62.84 | 62.50 | 62.46 | 62.32 | 62.32 |
| 24 | 64.28 | 64.11 | 64.06 | 63.62 | 63.45 | 63.58 | 63.05 | 62.89 | 62.52 | 62.44 | 62.40 | 62.26 |
| 25 | 64.33 | 64.14 | 64.11 | 63.72 | 63.70 | 63.41 | 63.11 | 62.71 | 62.53 | 62.37 | 62.45 | 62.34 |
| 26 | 64.34 | 64.18 | 63.97 | 63.73 | 63.81 | 63.44 | 63.12 | 62.84 | 62.52 | 62.39 | 62.44 | 62.50 |
| 27 | 64.39 | 64.15 | 63.87 | 63.68 | 63.76 | 63.29 | 63.07 | 62.90 | 62.52 | 62.49 | 62.42 | 62.38 |
| 28 | 64.29 | 64.12 | 63.93 | 63.69 | 63.44 | 63.12 | 63.19 | 62.73 | 62.52 | 62.45 | 62.25 | 62.35 |
| 29 | 64.49 | 63.91 | 64.18 | 63.67 | 63.72 | 63.51 | 63.16 | 62.82 | 62.50 | 62.41 | 62.24 | 62.38 |
| 30 | 64.49 | 64.18 | 64.29 | 63.78 | --- | 63.60 | 63.12 | 62.80 | 62.51 | 62.40 | 62.32 | 62.38 |
| 31 | 64.37 | --- | 64.19 | 63.87 | --- | 63.64 | --- | 62.73 | --- | 62.42 | 62.36 | --- |
| MAX | 64.49 | 65.86 | 64.33 | 64.09 | 64.03 | 63.86 | 63.58 | 63.14 | 64.15 | 62.61 | 62.45 | 62.53 |
| WTR YR 1984 | MEAN | 63.25 | | HIGH | 62.23 | | LOW | 65.86 | | | | |

GROUND-WATER RECORDS

HAMILTON COUNTY--Continued

391214084470100. Local number, H-1.

LOCATION.--Lat 39°12'14", long 84°47'01", Hydrologic Unit 05080003, Kilby Road 4 mi southeast of Harrison.

Owner: Robert Weber.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 6 in, depth 124 ft, cased.

DATUM.--Altitude of land-surface datum is 500 ft, from topographic map. Measuring point: Floor of instrument shelter 2.70 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--February 1948 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 25.80 ft Jan. 18-20, 1964; minimum daily low, 14.00 ft Jan. 22, 1959.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 24.82 ft Oct. 12; minimum daily low, 19.00 ft Apr 23.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 24.68 | 23.78 | 22.43 | 22.31 | 22.74 | 22.35 | 21.16 | 20.83 | 21.77 | --- | 23.26 | 23.92 |
| 2 | 24.69 | 23.78 | 22.57 | 22.35 | 22.74 | 22.39 | 21.29 | 20.92 | 21.86 | --- | 23.35 | 23.94 |
| 3 | 24.72 | 23.80 | 22.61 | 22.39 | 22.68 | 22.41 | 21.33 | 20.94 | 21.93 | --- | 23.33 | 23.95 |
| 4 | 24.73 | 23.81 | 22.61 | 22.47 | 21.91 | 22.41 | 21.32 | 20.48 | 22.01 | --- | 23.38 | 23.96 |
| 5 | 24.72 | 23.82 | 22.27 | 22.56 | 22.10 | 22.41 | 20.71 | 20.77 | 22.05 | --- | 23.41 | 23.98 |
| 6 | 24.74 | 23.83 | 22.12 | 22.60 | 22.37 | 21.75 | 19.76 | 20.80 | 22.10 | --- | 23.37 | 24.00 |
| 7 | 24.75 | 23.84 | 22.07 | 22.62 | 22.54 | 21.84 | 20.17 | 20.78 | 22.15 | --- | 23.41 | 24.02 |
| 8 | 24.76 | 23.85 | 22.13 | 22.68 | 22.61 | 21.93 | 20.51 | 20.80 | 22.21 | --- | 23.41 | 24.06 |
| 9 | 24.77 | 23.87 | 22.34 | 22.70 | 22.66 | 22.11 | 20.70 | 20.92 | 22.26 | --- | 23.42 | 24.07 |
| 10 | 24.80 | 23.87 | 22.41 | 22.75 | 22.68 | 22.14 | 20.84 | 21.03 | 22.31 | --- | 23.44 | 24.09 |
| 11 | 24.81 | 23.70 | 22.42 | 22.74 | 22.62 | 22.21 | 21.05 | 21.12 | 22.37 | --- | 23.36 | 24.12 |
| 12 | 24.82 | 23.42 | 21.24 | 22.76 | 22.19 | 22.23 | 21.16 | 21.19 | 22.42 | --- | 23.33 | 24.14 |
| 13 | 24.56 | 23.47 | 21.28 | 22.83 | 22.19 | 22.23 | 21.18 | 21.24 | 22.47 | --- | 23.33 | 24.16 |
| 14 | 24.45 | 23.51 | 21.40 | 22.89 | 21.88 | 21.83 | 21.24 | 21.31 | 22.50 | 22.98 | 23.43 | 24.18 |
| 15 | 24.48 | 23.51 | 21.53 | --- | 22.07 | 21.83 | 21.23 | 21.43 | 22.50 | 23.00 | 23.49 | 24.20 |
| 16 | 24.49 | 23.33 | 21.71 | --- | 22.15 | 20.45 | 21.21 | 21.51 | 22.54 | 23.07 | 23.53 | 24.21 |
| 17 | 24.50 | 23.23 | 21.78 | --- | 22.18 | 20.70 | 20.85 | 21.58 | 22.56 | 23.10 | 23.57 | 24.23 |
| 18 | 24.43 | 23.27 | 22.05 | --- | 22.20 | 21.05 | 20.49 | 21.62 | 22.63 | 23.13 | 23.59 | 24.26 |
| 19 | 24.55 | 23.29 | 22.13 | --- | 22.29 | 21.17 | 20.70 | 21.67 | 22.66 | 23.17 | 23.62 | 24.27 |
| 20 | 24.46 | 23.29 | 22.18 | --- | 22.36 | 21.17 | 20.84 | 21.72 | 22.69 | 23.19 | 23.65 | 24.30 |
| 21 | 23.97 | 23.19 | 22.21 | --- | 22.40 | 20.24 | 20.85 | 21.72 | 22.69 | 23.23 | 23.68 | 24.32 |
| 22 | 23.98 | 23.20 | 22.21 | --- | 22.43 | 20.32 | 19.35 | 21.43 | 22.72 | 23.25 | 23.70 | 24.33 |
| 23 | 23.67 | 23.20 | 21.89 | 22.87 | 22.48 | 20.70 | 19.00 | 21.42 | 22.74 | 23.28 | 23.73 | 24.34 |
| 24 | 23.71 | 22.37 | 21.92 | 22.85 | 22.49 | 20.75 | 19.11 | 20.95 | 22.72 | 23.33 | 23.76 | 24.33 |
| 25 | 23.71 | 22.49 | 21.94 | 22.56 | 22.36 | 20.81 | 19.32 | 20.93 | 22.72 | 23.33 | 23.79 | 24.21 |
| 26 | 23.71 | 22.43 | 21.97 | 22.58 | 22.28 | 20.67 | 19.97 | 21.33 | 22.66 | 23.33 | 23.81 | 24.01 |
| 27 | 23.71 | 22.45 | 21.98 | 22.43 | 22.24 | 20.85 | 20.30 | 21.46 | 22.69 | 23.32 | 23.83 | 23.98 |
| 28 | 23.73 | 21.93 | 22.01 | 22.58 | 22.27 | 20.89 | 20.49 | 21.48 | 22.70 | 23.21 | 23.83 | 23.99 |
| 29 | 23.73 | 21.94 | 22.09 | 22.64 | 22.30 | 20.57 | 20.62 | 21.51 | --- | 23.26 | 23.85 | 24.09 |
| 30 | 23.74 | 22.30 | 22.21 | 22.67 | --- | 20.90 | 20.72 | 21.58 | --- | 23.30 | 23.86 | 24.14 |
| 31 | 23.77 | --- | 22.30 | 22.66 | --- | 21.06 | --- | 21.63 | --- | 23.28 | 23.89 | --- |
| MAX | 24.82 | 23.87 | 22.61 | 22.89 | 22.74 | 22.41 | 21.33 | 21.72 | 22.74 | 23.33 | 23.89 | 24.34 |
| WTR YR 1984 | MEAN | 22.58 | | HIGH | 19.00 | | LOW | 24.82 | | | | |

GROUND-WATER RECORDS

259

HAMILTON COUNTY--Continued

391324084272500. Local number, H-9.

LOCATION.--Lat 39°13'24", long 84°27'25", Hydrologic Unit 05090203, 9.1 mi north of Riverfront Stadium in Cincinnati.

Owner: Diamond National Corporation.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 10 in, depth drilled 168 ft present depth 163 ft, cased.

DATUM.--Altitude of land-surface datum is 555.30 ft. Measuring point: Floor of instrument shelter, 2.76 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--July 1938 to September 1982 continuous, periodic thereafter.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low 136.80 ft Nov. 9, 1947, Feb. 15, 1948; minimum, daily low, 67.57 Sept. 30, 1983.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM.

| DATE | WATER LEVEL |
|-------------|----------------|
| May 1, 1984 | 65.74 |

GROUND-WATER RECORDS

HAMILTON COUNTY--Continued

391341084275300. Local number, H-8.

LOCATION.--Lat 39°13'41", long 84°27'53", Hydrologic Unit 05090203. Vine and Water Streets, Wyoming.

Owner.--Wyoming Water Department.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 8 in, depth 194 ft, cased.

DATUM.--Altitude of land-surface datum is 576.2 ft. Measuring point: Top of platform 3.30 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--June 1938 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 148.86 ft Dec. 1, 1948; minimum daily low, 91.05 ft May 3, 1983.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 100.10 ft Oct. 6; minimum daily low, 92.45 ft Sept. 14.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|--------|-------|--------|-------|-------|-------|-------|--------|-------|-------|-------|-------|
| 1 | 96.00 | 95.30 | 95.70 | 96.05 | 97.75 | 93.95 | 93.65 | 93.70 | 93.60 | 94.85 | 94.05 | 94.10 |
| 2 | 99.70 | 95.20 | 95.55 | 95.65 | 94.65 | 94.00 | 93.55 | 95.35 | 96.85 | 94.80 | 94.00 | 98.00 |
| 3 | 95.85 | 95.00 | 95.35 | 95.50 | 94.35 | 94.20 | 93.50 | 93.00 | 93.80 | 94.85 | 93.75 | 94.30 |
| 4 | 98.40 | 98.05 | 95.25 | 95.50 | 94.15 | 94.10 | 93.10 | 93.15 | 93.75 | 94.70 | 93.65 | 93.85 |
| 5 | 95.65 | 94.95 | 95.35 | 95.10 | 94.45 | 93.65 | 93.05 | 93.40 | 93.90 | 94.15 | 93.90 | 93.95 |
| 6 | 100.10 | 94.90 | 95.45 | 94.95 | 94.65 | 94.10 | 93.15 | 93.25 | 93.90 | 94.80 | 93.75 | 94.05 |
| 7 | 99.80 | 94.90 | 95.70 | --- | 94.95 | 94.10 | 93.60 | 93.45 | 94.20 | 94.15 | 93.70 | 93.65 |
| 8 | 95.90 | 94.95 | 99.75 | 95.65 | 94.80 | 94.25 | 93.55 | 93.35 | 97.75 | 94.30 | 93.60 | 93.45 |
| 9 | 95.95 | 94.75 | 95.80 | 95.65 | 94.55 | 98.25 | 93.40 | 93.25 | 98.10 | 94.25 | 93.50 | 93.35 |
| 10 | 95.85 | 94.50 | 100.00 | 95.35 | 94.35 | 94.55 | 93.35 | 93.50 | 98.85 | 96.65 | 93.55 | 93.10 |
| 11 | 99.35 | 94.75 | 98.80 | 95.55 | 94.30 | 94.30 | 93.25 | 93.10 | 94.85 | 94.05 | 93.50 | 93.35 |
| 12 | 95.30 | 94.95 | 95.65 | 95.40 | 94.30 | 95.70 | 93.00 | 93.80 | 98.65 | 94.40 | 93.65 | 92.85 |
| 13 | 95.35 | 98.55 | 98.65 | 95.45 | 94.05 | 97.85 | 92.95 | 93.50 | 95.05 | 94.55 | 93.75 | 92.50 |
| 14 | 95.65 | 94.65 | 95.05 | 95.40 | 94.25 | 93.75 | 92.95 | 93.75 | 97.00 | 98.40 | 93.95 | 92.45 |
| 15 | 95.65 | 94.45 | 95.45 | 95.30 | 94.35 | 93.30 | 92.95 | 93.85 | 94.85 | 94.50 | 93.90 | 92.75 |
| 16 | 95.60 | 97.30 | 99.85 | 94.95 | 94.05 | 97.00 | 92.80 | 93.85 | 94.90 | 94.35 | 94.05 | 93.00 |
| 17 | 95.60 | 94.75 | 99.80 | 95.15 | 94.25 | 96.80 | 93.00 | 93.85 | 94.95 | 94.15 | 95.80 | 92.95 |
| 18 | 95.50 | 94.70 | 99.75 | 95.10 | 94.10 | 93.30 | 93.20 | 93.70 | 94.60 | 94.60 | 93.50 | 92.75 |
| 19 | 95.50 | 94.55 | 96.05 | 95.25 | 94.00 | 93.15 | 93.30 | 93.60 | 94.65 | 94.65 | 93.75 | 92.60 |
| 20 | 95.45 | 94.45 | 95.90 | 95.40 | 94.05 | 92.55 | 93.50 | 93.55 | 94.55 | 94.45 | 93.75 | 92.65 |
| 21 | 95.45 | 94.65 | 95.50 | 95.50 | 94.10 | 92.60 | 93.35 | 93.50 | --- | 94.55 | 93.95 | 92.65 |
| 22 | 95.15 | 95.35 | 99.50 | 95.35 | 93.95 | 93.15 | 92.95 | 96.95 | 94.30 | 94.95 | 93.95 | 93.00 |
| 23 | 94.95 | 95.10 | 95.75 | 95.10 | 93.75 | 93.75 | 92.75 | 97.25 | 93.95 | 95.00 | 93.40 | 94.10 |
| 24 | 95.20 | 95.50 | 95.95 | 94.55 | 93.75 | 93.50 | 93.00 | 93.85 | 94.10 | 95.15 | 93.60 | 92.90 |
| 25 | 95.35 | 95.55 | 95.75 | 94.65 | 94.05 | 93.35 | 93.05 | 93.55 | 94.05 | 94.80 | 93.90 | 92.50 |
| 26 | 95.15 | 95.65 | 95.70 | 94.75 | 94.20 | 93.35 | 93.25 | 93.85 | 93.85 | 94.30 | 93.95 | 92.75 |
| 27 | 95.35 | 95.35 | 99.15 | 94.95 | 93.60 | 93.00 | 93.20 | 93.85 | 94.00 | 94.10 | 94.00 | 93.45 |
| 28 | 95.40 | 95.15 | 99.85 | 94.40 | 93.65 | 92.55 | 93.45 | 94.15 | 94.15 | 94.25 | 93.85 | 92.70 |
| 29 | 95.60 | 95.35 | 99.85 | 94.50 | 93.95 | 93.15 | 93.35 | 93.70 | 94.25 | 94.10 | 93.65 | 92.45 |
| 30 | 95.55 | 95.55 | 100.10 | 94.80 | --- | 93.50 | 93.40 | 93.65 | 94.60 | 94.20 | 93.65 | 92.80 |
| 31 | 95.40 | --- | 98.75 | 94.90 | --- | 93.60 | --- | 93.75 | --- | 94.10 | 94.05 | --- |
| MAX | 100.10 | 98.55 | 100.10 | 96.05 | 97.75 | 98.25 | 93.65 | 97.25 | 98.85 | 98.40 | 95.80 | 98.00 |
| WTR YR 1984 | MEAN | 94.70 | | HIGH | 92.45 | | LOW | 100.10 | | | | |

HAMILTON COUNTY--Continued

391442084262900. Local number, H-7.

LOCATION.--Lat 39°14'42", long 84°26'29", Hydrologic Unit 05090203, at Evendale.

Owner: General Electric Corp.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test artesian well, diameter 6 in, depth 180 ft, cased.

DATUM.--Altitude of land-surface datum is 555.40 ft. Measuring point: Floor of instrument shelter 7.78 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--April, 1941 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 101.09 ft Jan. 29, 1964; minimum daily low, 43.17 ft Apr. 13, 1941.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 53.32 ft Nov. 25; minimum daily low, 47.61 ft Aug. 8.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 52.37 | 52.74 | 53.19 | 51.84 | 50.91 | 50.73 | 50.24 | 49.92 | 48.26 | 48.37 | 48.53 | 50.26 |
| 2 | 52.32 | 52.71 | 53.10 | 53.21 | 50.85 | 50.86 | 50.13 | 50.43 | 48.13 | 48.36 | 48.60 | 49.10 |
| 3 | 52.20 | 52.68 | 52.69 | 52.90 | 50.56 | 50.96 | 49.94 | 49.98 | 48.20 | 48.31 | 48.58 | 49.58 |
| 4 | 52.11 | 52.71 | 52.19 | 51.62 | 50.53 | 50.85 | 49.51 | 49.28 | 48.30 | 48.18 | 48.52 | 48.43 |
| 5 | 52.44 | 52.63 | 52.21 | 51.31 | 50.45 | 50.18 | 49.38 | 49.31 | 48.45 | 48.08 | 48.33 | 48.52 |
| 6 | 52.71 | 52.63 | 52.23 | 51.21 | 50.94 | 50.31 | 49.71 | 49.25 | 48.32 | 48.17 | 48.11 | 48.67 |
| 7 | 52.76 | 52.58 | 52.44 | 51.38 | 51.26 | 50.42 | 49.84 | 48.99 | 48.27 | 48.29 | 47.83 | 49.59 |
| 8 | 52.64 | 52.62 | 52.53 | 51.53 | 51.27 | 50.66 | 49.85 | 48.97 | 48.19 | 48.33 | 47.61 | 49.73 |
| 9 | 52.63 | 52.57 | 52.53 | 51.55 | 50.99 | 50.79 | 49.52 | 48.96 | 48.23 | 48.12 | 48.21 | 49.44 |
| 10 | 52.49 | 52.18 | 52.58 | 51.52 | 50.77 | 50.70 | 49.51 | 49.00 | 48.23 | 48.05 | 48.98 | 49.11 |
| 11 | 52.41 | 52.77 | 52.35 | 51.65 | 50.59 | 50.61 | 49.56 | 48.80 | 48.31 | 48.03 | 48.94 | 51.35 |
| 12 | 52.22 | 52.87 | 51.95 | 51.65 | 50.58 | 50.72 | 49.50 | 49.01 | 48.31 | 48.17 | 49.56 | 51.73 |
| 13 | 52.54 | 52.85 | 51.94 | 51.52 | 50.38 | 50.37 | 50.81 | 49.00 | 48.28 | 48.31 | 49.57 | 49.92 |
| 14 | 52.75 | 52.64 | 51.66 | 51.60 | 50.75 | 50.57 | 50.56 | 48.99 | 48.28 | 48.40 | 49.14 | 49.48 |
| 15 | 52.78 | 52.51 | 52.12 | 51.57 | 50.91 | 50.48 | 49.34 | 49.04 | 48.39 | 48.29 | 48.86 | 49.49 |
| 16 | 52.59 | 52.81 | 52.51 | 51.09 | 50.84 | 50.35 | 48.93 | 49.16 | 48.35 | 48.05 | 48.46 | 49.27 |
| 17 | 52.49 | 52.95 | 52.58 | 51.30 | 50.66 | 50.32 | 49.12 | 49.12 | 48.26 | 48.07 | 48.27 | 49.23 |
| 18 | 52.64 | 52.93 | 52.53 | 51.31 | 50.67 | 49.83 | 49.38 | 48.93 | 48.08 | 48.48 | 47.98 | 49.15 |
| 19 | 52.66 | 52.86 | 52.31 | 51.44 | 50.41 | 49.79 | 49.78 | 48.65 | 48.17 | 48.55 | 47.88 | 48.99 |
| 20 | 52.59 | 52.62 | 52.16 | 51.54 | 50.48 | 49.35 | 49.94 | 48.42 | 48.22 | 48.63 | 48.13 | 48.69 |
| 21 | 52.58 | 52.90 | 51.99 | 51.58 | 50.44 | 49.52 | 49.96 | 48.46 | 48.22 | 48.70 | 48.44 | 49.10 |
| 22 | 52.45 | 53.01 | 51.97 | 51.39 | 50.49 | 50.34 | 48.98 | 48.61 | 49.75 | 48.73 | 48.34 | 49.16 |
| 23 | 52.30 | 52.87 | 51.94 | 51.18 | 50.31 | 50.49 | 49.19 | 48.83 | 50.40 | 48.58 | 48.48 | 49.16 |
| 24 | 52.56 | 52.96 | 51.83 | 50.71 | 50.24 | 50.27 | 49.67 | 48.96 | 49.70 | 48.57 | 48.63 | 48.98 |
| 25 | 52.66 | 53.32 | 51.72 | 50.86 | 50.53 | 49.65 | 50.65 | 48.76 | 49.50 | 48.64 | 48.84 | 49.25 |
| 26 | 52.79 | 53.10 | 51.56 | 50.90 | 50.61 | 49.64 | 50.24 | 48.77 | 49.08 | 48.58 | 48.88 | 49.32 |
| 27 | 52.80 | 52.98 | 51.33 | 50.88 | 50.41 | 49.68 | 49.93 | 48.84 | 48.58 | 48.61 | 48.80 | 49.08 |
| 28 | 52.87 | 52.56 | 51.42 | 50.86 | 50.24 | 49.50 | 50.04 | 48.58 | 48.44 | 48.76 | 49.03 | 49.00 |
| 29 | 53.03 | 52.95 | 51.84 | 50.59 | 50.57 | 50.13 | 49.90 | 48.45 | 48.38 | 48.78 | 49.38 | 49.03 |
| 30 | 53.01 | 53.10 | 52.09 | 50.60 | --- | 50.22 | 49.78 | 48.44 | 48.35 | 48.72 | 49.50 | 49.85 |
| 31 | 52.73 | --- | 52.08 | 50.97 | --- | 50.25 | --- | 48.32 | --- | 48.54 | 50.27 | --- |
| MAX | 53.03 | 53.32 | 53.19 | 53.21 | 51.27 | 50.96 | 50.81 | 50.43 | 50.40 | 48.78 | 50.27 | 51.73 |
| WTR YR 1984 | MEAN | 50.29 | | HIGH | 47.61 | | LOW | 53.32 | | | | |

GROUND-WATER RECORDS

HAMILTON COUNTY--Continued

391608084254400. Local number, H-6.

LOCATION.--Lat 39°16'08", long 84°25'44", Hydrologic Unit 05090203, water-treatment plant in Glendale.

Owner: Glendale Water Department.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 8 in, depth 167 ft, cased.

DATUM.--Altitude of land-surface datum is 570.65 ft. Measuring point: Floor of instrument shelter 4.05 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--July, 1938 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 84.10 ft Oct. 14, 1960; minimum daily low, 23.10 ft Apr. 28, 1939.

EXTREMES FOR CURRENT YEAR.--Maximum recorded daily low, 49.70 ft Sept. 22; minimum recorded daily low, 39.70 ft July 8.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 43.90 | 43.50 | 45.40 | 44.00 | 46.10 | 45.90 | 42.50 | 42.50 | 42.50 | 41.70 | 43.60 | 43.70 |
| 2 | 43.50 | 43.60 | 45.10 | 42.50 | 46.00 | 45.60 | --- | 43.20 | 42.40 | 42.30 | 43.60 | 48.60 |
| 3 | 43.90 | 43.90 | 44.70 | 44.00 | 45.90 | 44.90 | --- | --- | 40.50 | 42.60 | 43.50 | 48.80 |
| 4 | 43.60 | 44.20 | 43.40 | --- | 45.90 | 43.40 | --- | --- | 42.10 | 42.60 | 43.00 | 42.80 |
| 5 | 43.70 | 43.80 | 44.40 | --- | 44.20 | 44.70 | --- | --- | 42.80 | 41.30 | 41.50 | 43.50 |
| 6 | 44.90 | 43.10 | 45.10 | --- | 45.20 | 45.30 | --- | --- | 43.10 | 42.00 | 42.50 | 43.90 |
| 7 | 44.30 | 43.50 | --- | --- | 46.30 | --- | --- | --- | 43.30 | 42.00 | 43.50 | 43.90 |
| 8 | 44.50 | 44.10 | --- | --- | 46.60 | --- | --- | --- | 43.30 | 39.70 | 43.60 | 43.60 |
| 9 | 43.00 | 44.60 | --- | --- | 46.70 | --- | --- | --- | 43.20 | 42.00 | 43.80 | 42.80 |
| 10 | 43.90 | 44.20 | --- | --- | 46.70 | --- | --- | --- | 42.10 | 42.70 | 43.60 | 43.30 |
| 11 | 44.20 | 44.90 | --- | --- | 46.10 | --- | --- | --- | 43.00 | 43.50 | 43.50 | 43.50 |
| 12 | 43.90 | 43.80 | --- | --- | 43.80 | --- | --- | --- | 43.40 | 43.70 | 42.20 | 43.80 |
| 13 | 44.80 | 43.70 | --- | --- | 44.80 | --- | --- | --- | 43.50 | 43.60 | 43.00 | 44.00 |
| 14 | 43.60 | 43.90 | --- | --- | 45.70 | --- | --- | --- | 43.45 | 43.40 | 43.60 | 43.90 |
| 15 | 43.30 | 44.70 | --- | --- | 46.10 | --- | --- | --- | 43.40 | 41.90 | 44.00 | 43.80 |
| 16 | 42.80 | 44.90 | --- | --- | 46.10 | --- | --- | --- | 43.00 | 42.60 | 44.00 | 43.40 |
| 17 | 43.90 | 45.40 | --- | --- | 46.10 | --- | 46.60 | --- | 42.80 | 43.30 | 43.40 | 43.70 |
| 18 | 44.40 | 44.70 | --- | --- | 45.50 | --- | --- | --- | 42.60 | 44.00 | 42.50 | 43.90 |
| 19 | 44.90 | 43.90 | --- | --- | 43.90 | --- | --- | --- | 43.20 | 44.00 | 42.50 | 43.70 |
| 20 | 45.10 | 43.20 | --- | --- | 44.70 | --- | --- | --- | 43.50 | 43.50 | 43.20 | 43.80 |
| 21 | 45.20 | 44.10 | --- | --- | 45.00 | --- | --- | --- | 43.50 | 42.30 | 43.70 | 43.90 |
| 22 | 44.30 | 44.40 | --- | --- | 46.90 | --- | --- | --- | 43.00 | 40.90 | 43.80 | 49.70 |
| 23 | 43.60 | 44.60 | --- | --- | 47.50 | --- | --- | --- | 42.50 | 42.90 | 43.90 | 42.70 |
| 24 | 44.30 | 42.80 | --- | --- | 45.10 | --- | --- | --- | 41.70 | 43.30 | 43.50 | 43.50 |
| 25 | 44.50 | 43.70 | --- | --- | 45.10 | --- | --- | --- | 42.20 | 47.20 | 43.30 | 44.10 |
| 26 | 44.10 | 43.30 | --- | --- | 43.60 | --- | --- | --- | 42.50 | 45.90 | 43.10 | 44.50 |
| 27 | 44.30 | 43.00 | --- | --- | 44.20 | --- | --- | --- | 42.90 | 42.90 | 43.50 | 43.90 |
| 28 | 44.50 | 44.50 | --- | --- | 45.00 | --- | --- | --- | 42.60 | 41.60 | 43.60 | 44.10 |
| 29 | 43.40 | 45.10 | 44.80 | --- | 45.70 | --- | --- | --- | 42.85 | 42.10 | 44.10 | 43.50 |
| 30 | 43.20 | 45.30 | 44.90 | --- | --- | 44.00 | --- | --- | 42.85 | 45.60 | 43.90 | 43.20 |
| 31 | 43.30 | --- | 44.40 | 45.90 | --- | 44.10 | --- | --- | --- | 46.70 | 43.80 | --- |
| MAX | 45.20 | 45.40 | 45.40 | 45.90 | 47.50 | 45.90 | 46.60 | 43.20 | 43.50 | 47.20 | 44.10 | 49.70 |
| WTR YR 1984 | MEAN | 43.91 | | HIGH | 39.70 | | LOW | 49.70 | | | | |

NOTE: NUMBER OF MISSING DAYS OF RECORD EXCEEDED 20% OF YEAR

HAMILTON COUNTY--Continued

391733084392400. Local number, H-2.

LOCATION.--Lat 39°17'33", long 84°39'24", Hydrologic Unit 05080002, East Miami River Road 1.5 mi south of Ross.

Owner: Lee Wilhelm.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test water table well, diameter 6 in, depth 89 ft, cased.

DATUM.--Altitude of land-surface datum is 534.21 ft, Measuring point: Floor of instrument shelter 8.97 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--August 1952 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 24.37 ft Sept. 24, 25, 1972; minimum daily low 1.60 ft June, 16, 1958. (Water level above land surface but could not be measured during January 1959 flood.)

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 18.23 ft Sept. 15-16; minimum daily low, 10.70 ft Apr 9.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 17.88 | 17.03 | 15.54 | 16.17 | 17.62 | 16.16 | 12.06 | 12.32 | 14.96 | 16.76 | 17.31 | 18.08 |
| 2 | 17.89 | 17.09 | 15.56 | 16.29 | 17.71 | 16.20 | 12.34 | 12.67 | 15.06 | 16.78 | 17.45 | 18.08 |
| 3 | 17.89 | 17.15 | 15.61 | 16.33 | 17.74 | 16.23 | 12.57 | 13.01 | 15.16 | 16.79 | 17.56 | 18.07 |
| 4 | 17.95 | 17.19 | 15.69 | 16.43 | 17.68 | 16.24 | 12.82 | 13.23 | 15.26 | 16.80 | 17.59 | 18.04 |
| 5 | 18.02 | 17.22 | 15.68 | 16.52 | 17.42 | 16.26 | 12.83 | 13.41 | 15.37 | 16.76 | 17.59 | 17.97 |
| 6 | 18.03 | 17.24 | 15.61 | 16.64 | 17.15 | 16.26 | 12.36 | 13.49 | 15.51 | 16.56 | 17.52 | 17.93 |
| 7 | 18.03 | 17.24 | 15.50 | 16.74 | 16.98 | 16.17 | 11.40 | 13.56 | 15.66 | 16.40 | 17.59 | 17.92 |
| 8 | 17.96 | 17.26 | 15.35 | 16.86 | 17.04 | 16.06 | 10.80 | 13.71 | 15.81 | 16.22 | 17.66 | 17.92 |
| 9 | 17.90 | 17.37 | 15.27 | 16.93 | 17.18 | 16.08 | 10.70 | 13.87 | 15.91 | 16.08 | 17.68 | 17.90 |
| 10 | 17.93 | 17.54 | 15.26 | 17.07 | 17.29 | 16.23 | 11.08 | 13.97 | 15.97 | 16.09 | 17.71 | 17.84 |
| 11 | 17.92 | 17.66 | 15.33 | 17.16 | 17.33 | 16.37 | 11.51 | 14.14 | 15.98 | 16.25 | 17.73 | 17.95 |
| 12 | 17.99 | 17.66 | 15.38 | 17.24 | 17.32 | 16.43 | 11.84 | 14.36 | 16.08 | 16.43 | 17.69 | 18.05 |
| 13 | 18.00 | 17.63 | 15.36 | 17.33 | 17.16 | 16.48 | 12.15 | 14.50 | 16.23 | 16.57 | 17.66 | 18.13 |
| 14 | 17.97 | 17.56 | 15.18 | 17.38 | 16.99 | 16.48 | 12.49 | 14.58 | 16.42 | 16.59 | 17.47 | 18.20 |
| 15 | 17.81 | 17.48 | 15.21 | 17.38 | 16.73 | 16.43 | 12.75 | 14.66 | 16.54 | 16.59 | 17.53 | 18.23 |
| 16 | 17.71 | 17.41 | 15.30 | 17.40 | 16.42 | 16.32 | 12.95 | 14.75 | 16.63 | 16.63 | 17.59 | 18.23 |
| 17 | 17.74 | 17.37 | 15.35 | 17.49 | 16.15 | 16.00 | 12.96 | 14.86 | 16.73 | 16.73 | 17.64 | 18.14 |
| 18 | 17.85 | 17.37 | 15.41 | 17.57 | 15.98 | 15.17 | 12.88 | 14.93 | 16.79 | 16.82 | 17.65 | 18.06 |
| 19 | 17.89 | 17.43 | 15.49 | 17.67 | 15.86 | 14.38 | 12.68 | 14.95 | 16.90 | 16.86 | 17.65 | --- |
| 20 | 17.89 | 17.49 | 15.58 | 17.77 | 15.83 | 13.72 | 12.67 | 15.00 | 16.96 | 16.89 | 17.64 | --- |
| 21 | 17.83 | 17.50 | 15.60 | 17.87 | 15.89 | 13.31 | 12.77 | 15.11 | 16.63 | 16.89 | 17.65 | --- |
| 22 | 17.63 | 17.43 | 15.67 | 17.95 | 15.95 | 12.77 | 12.75 | 15.11 | 16.72 | 16.87 | 17.68 | --- |
| 23 | 17.39 | 17.30 | 15.75 | 18.05 | 15.99 | 12.04 | 12.60 | 15.02 | 16.82 | 16.88 | 17.69 | --- |
| 24 | 17.17 | 17.10 | 15.86 | 18.13 | 16.03 | 11.45 | 12.00 | 14.91 | 16.83 | 16.97 | 17.70 | --- |
| 25 | 16.97 | 16.67 | 15.92 | 18.11 | 16.09 | 11.21 | 11.30 | 14.74 | 16.83 | 17.09 | 17.70 | --- |
| 26 | 16.80 | 16.25 | 15.95 | 18.02 | 16.09 | 11.26 | 10.83 | 14.60 | 16.75 | 17.16 | 17.68 | --- |
| 27 | 16.72 | 16.03 | 15.93 | 17.92 | 16.08 | 11.30 | 10.92 | 14.59 | 16.65 | 17.16 | 17.63 | --- |
| 28 | 16.72 | 15.96 | 15.95 | 17.81 | 16.03 | 11.36 | 11.29 | 14.70 | 16.67 | 17.13 | 17.70 | --- |
| 29 | 16.81 | 15.93 | 16.12 | 17.66 | 16.09 | 11.50 | 11.50 | 14.74 | 16.74 | 17.07 | 17.80 | --- |
| 30 | 16.88 | 15.75 | 16.17 | 17.57 | --- | 11.58 | 11.95 | 14.78 | 16.76 | 17.04 | 17.97 | --- |
| 31 | 16.96 | --- | 16.12 | 17.52 | --- | 11.74 | --- | 14.85 | --- | 17.17 | 18.06 | --- |
| MAX | 18.03 | 17.66 | 16.17 | 18.13 | 17.74 | 16.48 | 12.96 | 15.11 | 16.96 | 17.17 | 18.06 | 18.23 |
| WTR YR 1984 | MEAN | 16.09 | | HIGH | 10.70 | | LOW | 18.23 | | | | |

GROUND-WATER RECORDS

HAMILTON COUNTY--Continued

391748084393800. Local number, H-19.

LOCATION.--Lat 39°17'48", long 84°39'38", Hydrologic Unit 05080002, on left bank of Great Miami River 1.3 mi southwest of Venice.

Owner: Southwest Ohio Water Company.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Collector-type industrial supply water-table well, diameter 20 ft, depth 144 ft horizontal intakes at 95-100 ft.

PERIOD OF RECORD.--1964 to current year.

WATER QUALITY DATA, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DATE | TIME | SPE- CIFIC CON- DUCT- ANCE (UMHOS) | PH (STAND- ARD UNITS) | TEMPER- ATURE, AIR (DEG C) | TEMPER- ATURE (DEG C) | OXYGEN DEMAND, CHEM- ICAL (HIGH LEVEL) (MG/L) | HARD- NESS (MG/L AS CACO3) | HARD- NESS, NONCAR- BONATE (MG/L CACO3) | CALCIUM DIS- SOLVED (MG/L AS CA) | MAGNE- SIUM, DIS- SOLVED (MG/L AS MG) |
|-----------|------|---|--------------------------------|-------------------------------------|-----------------------------|---|--|--|--|--|
| OCT 26... | 0930 | 770 | 8.1 | 3.0 | 15.0 | 16 | 330 | 76 | 86 | 28 |
| FEB 22... | 1630 | 740 | 7.6 | 16.0 | 15.0 | <10 | 330 | 84 | 86 | 28 |
| JUN 28... | 0900 | 720 | 8.0 | 21.0 | 15.0 | <10 | 280 | 44 | 85 | 17 |
| AUG 14... | 1400 | 720 | 7.5 | 30.0 | 16.5 | <10 | 300 | 62 | 79 | 26 |

| DATE | ALKA- LINIT FIELD (MG/L AS CACO3) | SULFATE DIS- SOLVED (MG/L AS SO4) | CHLO- RIDE, DIS- SOLVED (MG/L AS CL) | FLUO- RIDE, TOTAL (MG/L AS F) | SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L) | SOLIDS, RESIDUE AT 105 DEG. C, TOTAL (MG/L) | NITRO- GEN, NITRITE TOTAL (MG/L AS N) | NITRO- GEN, NO2+NO3 TOTAL (MG/L AS N) | ARSENIC DIS- SOLVED (UG/L AS AS) | CHRO- MIUM, TOTAL RECOV- ERABLE (UG/L AS CR) |
|-----------|--|---|---|---|--|--|--|--|--|--|
| OCT 26... | 254 | 81 | 64 | .3 | 464 | 487 | .020 | 1.50 | 1 | 10 |
| FEB 22... | 246 | 75 | 54 | .5 | 352 | 411 | .020 | 2.50 | -- | -- |
| JUN 28... | 239 | 70 | 47 | .3 | 496 | 496 | .020 | 2.80 | -- | -- |
| AUG 14... | 243 | 75 | 52 | -- | 473 | 475 | .020 | 2.20 | 1 | 10 |

| DATE | CHRO- MIUM, DIS- SOLVED (UG/L AS CR) | COPPER, TOTAL RECOV- ERABLE (UG/L AS CU) | COPPER, DIS- SOLVED (UG/L AS CU) | IRON, TOTAL RECOV- ERABLE (UG/L AS FE) | LEAD, TOTAL RECOV- ERABLE (UG/L AS PB) | LEAD, DIS- SOLVED (UG/L AS PB) | MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN) | ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN) | ZINC, DIS- SOLVED (UG/L AS ZN) | CARBON, ORGANIC TOTAL (MG/L AS C) |
|-----------|---|---|--|---|---|--|---|---|--|---|
| OCT 26... | 10 | 12 | 12 | 140 | 5 | 5 | 270 | 40 | 18 | 1.6 |
| FEB 22... | -- | -- | -- | 120 | -- | -- | 250 | -- | -- | 2.5 |
| JUN 28... | -- | -- | -- | 220 | -- | -- | 250 | -- | -- | 1.2 |
| AUG 14... | 10 | 4 | 4 | 110 | 4 | 2 | 260 | 10 | 10 | 1.2 |

HAMILTON COUNTY--Continued

391817084393300. Local number, H-4.

LOCATION.--Lat 39°18'17", long 84°39'33", Hydrologic Unit 05080002, 0.7 mi southwest of Ross.

Owner: Southwestern Ohio Water Company.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 6 in, depth 100 ft, cased.

DATUM.--Altitude of land-surface datum is 541.57 ft. (Levels by Miami Conservancy District.) Measuring point: Floor of instrument shelter 3.00 ft above land-surface datum.

PERIOD OF RECORD.--December 1954 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 32.16 ft Nov. 20, 1971; minimum daily low, 11.60 ft June 16, 1958.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 24.43 ft Sept. 29; minimum daily low, 16.57 ft Apr. 26.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 24.40 | 23.86 | 22.37 | --- | --- | 22.30 | 17.78 | 17.59 | 19.49 | 21.21 | 22.51 | 23.51 |
| 2 | 24.35 | 24.01 | 22.41 | --- | --- | 22.36 | 18.06 | 17.79 | 19.63 | 21.32 | 22.55 | 23.33 |
| 3 | 24.27 | 24.09 | 22.49 | --- | --- | 22.40 | 18.34 | 17.84 | 19.73 | 21.43 | 22.63 | 23.17 |
| 4 | 24.31 | 24.14 | 22.40 | --- | --- | 22.41 | 18.46 | 17.87 | 19.86 | 21.51 | 22.77 | 23.37 |
| 5 | 24.32 | 24.18 | 22.39 | --- | --- | 22.28 | 18.46 | 17.97 | 19.95 | 21.53 | 22.86 | 23.39 |
| 6 | 24.33 | 24.11 | 22.37 | --- | --- | 22.27 | 17.93 | 18.01 | 20.04 | 21.45 | 22.86 | 23.52 |
| 7 | 24.38 | 24.13 | 22.29 | --- | --- | 22.21 | 17.28 | 18.04 | 20.12 | 21.39 | 22.83 | 23.56 |
| 8 | 24.41 | 24.19 | 22.16 | --- | --- | 22.13 | 16.92 | 18.08 | 20.22 | 21.36 | 22.84 | 23.75 |
| 9 | 24.25 | 24.12 | 22.10 | --- | --- | 22.06 | 16.82 | 18.12 | 20.31 | 21.22 | 22.84 | 23.85 |
| 10 | 24.06 | 23.88 | 22.08 | --- | --- | 21.77 | 17.03 | 18.24 | 20.50 | 21.32 | 22.88 | 23.88 |
| 11 | 24.22 | 23.71 | 21.85 | --- | --- | 21.47 | 17.31 | 18.26 | 20.58 | 21.40 | 22.99 | 23.92 |
| 12 | 24.34 | 23.57 | 21.53 | --- | --- | 21.41 | 17.61 | 17.94 | 20.63 | 21.41 | 22.99 | 23.95 |
| 13 | 24.41 | 23.43 | 21.25 | --- | --- | 21.64 | 17.86 | 17.94 | 20.65 | 21.51 | 22.92 | 24.01 |
| 14 | 24.41 | 23.40 | 20.88 | --- | --- | 21.72 | 17.91 | 18.14 | 20.70 | 21.54 | 22.92 | 24.05 |
| 15 | 24.20 | 23.63 | 20.62 | --- | --- | 21.76 | 17.80 | 18.63 | 20.74 | 21.66 | 22.99 | 24.06 |
| 16 | 23.92 | 23.73 | 20.48 | --- | --- | 21.76 | 17.97 | 18.80 | 20.78 | 21.73 | 23.04 | 23.87 |
| 17 | 23.72 | 23.59 | 20.46 | --- | --- | 21.55 | 18.04 | 18.94 | 20.86 | 21.80 | 23.11 | 23.99 |
| 18 | 23.57 | 23.33 | 20.51 | --- | --- | 21.03 | 18.03 | 19.10 | 20.96 | 21.90 | 23.17 | 24.09 |
| 19 | 23.62 | 22.93 | 20.73 | --- | --- | 20.07 | 17.96 | 19.27 | 21.01 | 22.00 | 23.19 | 24.15 |
| 20 | 23.94 | 22.78 | 21.11 | --- | --- | 19.59 | 17.78 | 19.33 | 21.03 | 22.09 | 23.21 | 24.21 |
| 21 | 24.01 | 23.16 | 21.39 | --- | 21.98 | 19.46 | 17.47 | 19.43 | 20.94 | 22.11 | 23.27 | 24.28 |
| 22 | 24.02 | 23.40 | 21.48 | --- | 22.07 | 19.05 | 17.30 | 19.43 | 20.79 | 22.19 | 23.33 | 24.30 |
| 23 | 24.02 | 23.51 | 21.41 | --- | 22.20 | 18.64 | 17.25 | 19.40 | 20.90 | 22.23 | 23.37 | 24.12 |
| 24 | 23.74 | 23.51 | 21.22 | --- | 22.31 | 18.34 | 17.13 | 19.36 | 20.88 | 22.28 | 23.43 | 24.22 |
| 25 | 23.70 | 23.40 | --- | --- | 22.37 | 18.14 | 16.76 | 19.24 | 20.64 | 22.34 | 23.49 | 24.29 |
| 26 | 23.69 | 22.80 | --- | --- | 22.37 | 18.03 | 16.57 | 19.22 | 20.73 | 22.39 | 23.52 | 24.30 |
| 27 | 23.75 | 22.62 | --- | --- | 22.36 | 17.91 | 16.65 | 19.11 | 20.83 | 22.43 | 23.56 | 24.31 |
| 28 | 23.82 | 22.44 | --- | --- | 22.32 | 17.84 | 16.95 | 18.89 | 20.92 | 22.51 | 23.56 | 24.41 |
| 29 | 23.80 | 22.38 | 21.31 | --- | 22.31 | 17.84 | 17.18 | 18.95 | 21.04 | 22.51 | 23.51 | 24.43 |
| 30 | 23.80 | 22.38 | --- | --- | --- | 17.92 | 17.41 | 19.18 | 21.15 | 22.46 | 23.53 | 24.25 |
| 31 | 23.64 | --- | --- | 23.52 | --- | 17.95 | --- | 19.34 | --- | 22.48 | 23.57 | --- |
| MAX | 24.41 | 24.19 | 22.49 | 23.52 | 22.37 | 22.41 | 18.46 | 19.43 | 21.15 | 22.51 | 23.57 | 24.43 |
| WTR YR 1984 | MEAN | 21.55 | HIGH | 16.57 | LOW | 24.43 | | | | | | |

GROUND-WATER RECORDS

HARDIN COUNTY

404218083503700. Local number, HN-1.

LOCATION.--Lat 40°42'18", long 83°50'37", Hydrologic Unit 05060001, at grain elevator in Alger.

Owner: Village of Alger.

AQUIFER.--Limestone of Silurian Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 6 in, depth 40 ft, cased.

DATUM.--Altitude of land-surface datum is 975 ft, from topographic map. Measuring point: Floor of instrument shelter 1.5 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--April 1946 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 22.15 ft Dec. 14, 1964; minimum daily low, 5.85 ft July 1, 1946.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 20.65 ft July 3; minimum daily low, 9.50 ft Apr 27.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 18.25 | 15.25 | 12.50 | 14.25 | 12.80 | 11.25 | 10.10 | 9.95 | 11.25 | 20.15 | 13.15 | 13.80 |
| 2 | 17.55 | 15.25 | 12.20 | 13.60 | 12.75 | 11.15 | 10.60 | 10.15 | 11.35 | 20.60 | 13.25 | 13.40 |
| 3 | 18.00 | 15.00 | 12.40 | 13.80 | 12.25 | 12.25 | 9.90 | 10.05 | 11.30 | 20.55 | 12.75 | 13.50 |
| 4 | 17.15 | 14.95 | 12.40 | 13.20 | 12.40 | 11.80 | 9.80 | 10.00 | 11.45 | 20.10 | 12.50 | 13.50 |
| 5 | 17.95 | 14.60 | 12.20 | 15.15 | 12.65 | 11.50 | 9.75 | 10.00 | 11.75 | 19.05 | 12.60 | 13.60 |
| 6 | 16.75 | 14.15 | 12.00 | 15.20 | 12.90 | 11.25 | 9.75 | 10.15 | 12.60 | 19.05 | 13.30 | 13.65 |
| 7 | 17.00 | 14.55 | 12.35 | 13.65 | 12.75 | 11.70 | 10.35 | 10.60 | 12.85 | 19.25 | 12.90 | 13.60 |
| 8 | 16.85 | 14.15 | 12.55 | 13.10 | 12.65 | 11.80 | 10.10 | 10.85 | 12.25 | 19.65 | 13.15 | 13.80 |
| 9 | 17.15 | 14.50 | 12.30 | 13.15 | 12.95 | 11.85 | 9.95 | 10.05 | 13.55 | 19.80 | 12.75 | 13.65 |
| 10 | 17.60 | 14.15 | 12.30 | 13.10 | 12.55 | 11.90 | 9.95 | 10.95 | 14.00 | 16.55 | 12.85 | 13.50 |
| 11 | 17.50 | 14.55 | 11.70 | 13.55 | 12.45 | 12.00 | 9.95 | 10.25 | 13.80 | 15.00 | 12.80 | 13.80 |
| 12 | 17.30 | 14.75 | 12.05 | 13.40 | 12.75 | 11.90 | 10.75 | 10.85 | 14.70 | 13.75 | 12.75 | 13.80 |
| 13 | 17.25 | 13.75 | 11.75 | 13.45 | 12.30 | 11.40 | 9.70 | 10.45 | 13.25 | 14.85 | 13.20 | 13.60 |
| 14 | 16.90 | 13.90 | 11.80 | 13.40 | 11.80 | 11.50 | 10.25 | 10.95 | 11.75 | 14.55 | 13.00 | 13.75 |
| 15 | 17.20 | 13.70 | 11.75 | 13.30 | 11.95 | 11.25 | 9.85 | 10.90 | 12.45 | 14.10 | 13.10 | 13.90 |
| 16 | 16.85 | 13.60 | 12.05 | 13.30 | 11.80 | 11.15 | 9.80 | 11.10 | 12.20 | 14.25 | 13.30 | 13.50 |
| 17 | 17.10 | 13.80 | 11.75 | 13.00 | 11.85 | 11.50 | 9.85 | 10.80 | 13.10 | 13.40 | 13.25 | 14.05 |
| 18 | 17.40 | 13.40 | 12.45 | 13.25 | 12.05 | 11.10 | 10.40 | 11.95 | 13.35 | 13.05 | 13.30 | 13.85 |
| 19 | 17.05 | 13.20 | 12.55 | 13.45 | 12.10 | 11.35 | 9.90 | 12.20 | 14.30 | 13.65 | 13.25 | 13.70 |
| 20 | 16.90 | 12.80 | 12.25 | 14.00 | 12.30 | 10.55 | 10.15 | 11.85 | 13.85 | 13.30 | 13.50 | 13.70 |
| 21 | 16.90 | 13.20 | 12.45 | 14.55 | 11.65 | 10.75 | 11.45 | 11.45 | 13.85 | 14.45 | 13.45 | 13.75 |
| 22 | 16.50 | 13.05 | 13.05 | 14.05 | 11.75 | 11.05 | 10.40 | 11.40 | 13.15 | 14.55 | 13.05 | 14.15 |
| 23 | 16.35 | 13.00 | 14.95 | 13.75 | 11.85 | 10.80 | 10.90 | 10.75 | 13.40 | 14.60 | 12.80 | 14.30 |
| 24 | 16.35 | 13.15 | 15.70 | 13.55 | 11.50 | 11.20 | 10.40 | 11.40 | 14.10 | 13.65 | 13.20 | 13.30 |
| 25 | 16.30 | 12.15 | 16.80 | 13.65 | 11.45 | 10.50 | 10.40 | 11.40 | 14.35 | 12.65 | 13.45 | 14.05 |
| 26 | 16.10 | 12.90 | 17.85 | 13.05 | 11.25 | 13.40 | 10.45 | 11.45 | 14.25 | 12.95 | 13.70 | 14.25 |
| 27 | 16.65 | 13.15 | 16.55 | 13.00 | 11.65 | 10.60 | 9.50 | 11.55 | 17.55 | 12.25 | 14.10 | 14.15 |
| 28 | 15.45 | 12.40 | 15.15 | 13.50 | 11.60 | 10.65 | 9.65 | 11.55 | 19.45 | 12.40 | 13.60 | 14.25 |
| 29 | 15.85 | 12.45 | 14.15 | 13.30 | 11.25 | 11.10 | 9.85 | 12.00 | 19.70 | 12.30 | 14.60 | 14.55 |
| 30 | 15.60 | 12.60 | 13.85 | 13.25 | --- | 10.50 | 9.65 | 11.95 | 20.10 | 13.45 | 13.50 | 14.10 |
| 31 | 15.00 | --- | 14.20 | 13.15 | --- | 10.10 | --- | 11.65 | --- | 12.50 | 13.95 | --- |
| MAX | 18.25 | 15.25 | 17.85 | 15.20 | 12.95 | 13.40 | 11.45 | 12.20 | 20.10 | 20.65 | 14.60 | 14.55 |
| WTR YR 1984 | MEAN | 13.20 | | HIGH | 9.50 | | LOW | 20.65 | | | | |

GROUND-WATER RECORDS

267

HOCKING COUNTY

3932000822353C0. Local number, HK-1.

LOCATION.--Lat 39°32'00", long 82°23'53", Hydrologic Unit 05060002, at railroad yards southeast edge of Logan.

Owner: Chessie System.

AQUIFER.--Sand and gravel of Quaternary Age.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 6 in, depth 88 ft, cased.

DATUM.--Altitude of land-surface datum is 710 ft, from topographic map. Measuring point: Top of gage platform 4.90 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--August 1962 to September 1982 continuous, preiodic thereafter.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 21.35 ft Dec. 21, 22, 1967; minimum daily low, 9.11 ft Apr. 22, 1964.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM.

| DATE | WATER LEVEL | DATE | WATER LEVEL |
|---------------|----------------|---------------|----------------|
| Oct. 25, 1983 | 16.83 | Apr. 23, 1984 | 13.56 |

KNOX COUNTY

402344082300700. Local number, K-1.

LOCATION.--Lat 40°23'44", long 82°30'07", Hydrologic Unit 05040003, in city park, Mt. Vernon.

Owner: Mt. Vernon Water Department.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 8 in, depth 90 ft, cased.

DATUM.--Altitude of land-surface datum is 1000 ft, from topographic map. Measuring point: Floor of instrument shelter 3.50 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--April 1946 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 19.98 ft Oct. 1, 1983; minimum daily low, 1.43 ft Apr. 9, 1950.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 17.16 ft Oct. 12; minimum daily low, 7.05 ft May 28.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-------|-------|-------|
| 1 | 14.93 | 14.78 | 12.62 | 10.65 | 12.61 | 13.15 | 8.59 | 11.45 | | --- | 12.73 | 12.31 |
| 2 | 12.50 | 14.50 | 12.83 | 11.17 | 13.54 | 13.42 | 10.04 | 11.32 | | --- | 12.98 | 10.43 |
| 3 | 14.08 | 14.18 | 10.30 | 12.00 | 12.59 | 12.14 | 10.25 | 11.22 | | --- | 12.92 | 10.21 |
| 4 | 14.21 | 15.28 | 10.21 | 12.48 | 11.88 | 11.69 | 11.46 | 10.32 | | --- | 11.41 | 11.77 |
| 5 | 14.48 | 13.23 | 11.85 | 12.35 | 11.52 | 12.24 | 11.33 | 10.62 | | --- | 10.04 | 13.15 |
| 6 | 14.57 | 11.83 | 12.14 | 12.04 | 11.70 | 12.53 | 11.26 | 9.48 | | --- | 11.54 | 13.21 |
| 7 | 14.44 | 13.42 | 12.10 | 10.14 | 12.41 | 12.78 | 10.10 | 11.05 | | --- | 11.80 | 12.17 |
| 8 | 14.74 | 13.34 | 11.58 | 9.24 | 12.32 | 12.52 | 9.59 | 10.86 | | --- | 12.24 | 12.79 |
| 9 | 14.52 | 13.52 | 11.52 | 11.05 | 13.15 | 11.33 | 11.02 | 10.63 | | --- | 12.26 | 12.89 |
| 10 | 14.74 | 13.51 | 10.80 | 11.54 | 13.23 | 10.93 | 10.14 | 10.99 | | --- | 12.49 | 11.78 |
| 11 | 15.51 | 13.73 | 9.86 | 12.13 | 12.78 | 11.14 | 10.45 | 11.22 | | --- | 12.47 | 13.02 |
| 12 | 17.16 | 11.62 | 12.02 | 11.65 | 12.47 | 10.87 | 11.13 | 11.28 | | --- | 10.16 | 13.33 |
| 13 | 16.35 | 11.32 | 11.21 | 11.45 | 12.82 | 11.10 | 11.40 | 9.27 | | --- | 11.71 | 13.31 |
| 14 | 16.18 | 13.50 | 10.82 | 11.58 | 12.32 | 12.10 | 9.86 | 11.09 | | --- | 11.80 | 13.54 |
| 15 | 14.32 | 13.20 | 11.58 | 10.88 | 12.38 | 11.90 | 9.09 | 11.13 | | --- | 11.81 | 12.47 |
| 16 | 14.61 | 13.19 | 10.72 | 12.40 | 12.76 | 11.78 | 11.00 | 11.27 | | --- | 11.92 | 11.73 |
| 17 | 15.52 | 13.71 | 10.88 | 12.22 | 12.88 | 10.44 | 10.99 | 10.90 | | --- | 11.78 | 12.79 |
| 18 | 14.79 | 13.21 | 10.73 | 13.02 | 12.62 | 10.88 | 12.92 | 10.30 | | --- | 11.79 | 13.25 |
| 19 | 13.92 | 12.36 | 11.77 | 12.34 | 11.21 | 11.72 | 11.60 | 10.23 | | --- | 10.47 | 13.23 |
| 20 | 15.10 | 11.91 | 10.61 | 13.17 | 11.64 | 11.91 | 11.04 | 9.81 | | --- | 11.84 | 13.57 |
| 21 | 16.16 | 12.12 | 11.01 | 13.31 | 11.96 | 10.90 | 10.70 | 9.57 | | --- | 11.75 | 13.76 |
| 22 | 15.51 | 12.97 | 10.44 | 13.21 | 11.83 | 10.99 | 9.67 | 10.38 | | --- | 10.80 | 12.83 |
| 23 | 13.03 | 10.42 | 9.33 | 14.62 | 12.05 | 10.44 | 10.68 | 10.87 | | --- | 11.60 | 10.40 |
| 24 | 15.05 | 9.54 | 11.57 | 14.68 | 12.09 | 8.83 | 11.03 | 10.25 | | 12.52 | 11.53 | 12.85 |
| 25 | 16.62 | 9.93 | 9.31 | 13.71 | 12.09 | 7.90 | 13.05 | 9.80 | | 12.54 | 10.06 | 12.60 |
| 26 | 16.81 | 10.07 | 10.37 | 13.62 | 10.61 | 9.04 | 13.46 | 9.04 | | 12.35 | 10.20 | 12.75 |
| 27 | 15.45 | 10.33 | 11.93 | 13.45 | 11.65 | 10.55 | 13.52 | 8.44 | | 12.40 | 11.53 | 12.85 |
| 28 | 15.14 | 11.89 | 11.89 | 12.87 | 11.58 | 10.48 | 12.65 | 7.05 | | 12.48 | 11.86 | 12.61 |
| 29 | 13.91 | 10.18 | 11.70 | 11.30 | 12.54 | 9.41 | 10.84 | 8.91 | | 10.55 | 11.92 | 12.05 |
| 30 | 13.34 | 12.45 | 11.52 | 13.09 | --- | 9.58 | 12.94 | --- | | 11.91 | 12.26 | 9.82 |
| 31 | 13.19 | --- | 11.85 | 12.97 | --- | 9.52 | --- | --- | | 12.41 | 12.38 | --- |
| MAX | 17.16 | 15.28 | 12.83 | 14.68 | 13.54 | 13.42 | 13.52 | 11.45 | | 12.54 | 12.98 | 13.76 |
| WTR YR 1984 | MEAN | 11.98 | | HIGH | 7.05 | | LOW | 17.16 | | | | |

MADISON COUNTY

395301083272200. Local number, M-2.

LOCATION.--Lat 39°53'01", long 83°27'22", Hydrologic Unit 05060002, U.S. 42 and Westmore Dr., London.

Owner: State of Ohio

AQUIFER.--Limestone of Silurian Age.

WELL CHARACTERISTICS.--Drilled test artesian well, diameter 12 in, depth 350 ft, cased.

DATUM.--Altitude of land-surface datum is 1035 ft, from topographic map. Measuring point: Floor of instrument shelter 1.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--August, 1971 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 37.57 ft May 11, 1984; minimum daily low, 0.55 ft above land-surface Apr. 13, 1980.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 37.57 ft May 11; minimum daily low, 1.88 ft Apr. 17.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 26.61 | 21.87 | 19.20 | --- | 14.86 | 13.41 | 6.77 | 35.33 | 4.07 | 22.27 | 23.02 | 11.54 |
| 2 | 24.04 | 23.77 | 19.14 | --- | 15.74 | 15.15 | 5.41 | 35.31 | 8.67 | 21.64 | 22.96 | 9.43 |
| 3 | 24.10 | 22.88 | 16.96 | --- | 15.52 | 14.14 | 4.54 | 34.93 | 6.19 | 19.02 | 21.92 | 9.16 |
| 4 | 25.24 | 22.54 | 15.99 | --- | 16.93 | 12.92 | 3.82 | 35.40 | 17.47 | 17.17 | 15.11 | 10.97 |
| 5 | 25.72 | 22.79 | 20.53 | --- | --- | 13.39 | 3.23 | 35.59 | 17.92 | 21.31 | 12.03 | 11.85 |
| 6 | 24.42 | 22.36 | 18.19 | --- | --- | 12.38 | 3.06 | 35.67 | 21.12 | 22.83 | 14.98 | 11.71 |
| 7 | 24.70 | 23.07 | 15.92 | --- | 18.26 | 12.27 | 2.98 | 35.74 | 22.38 | 15.16 | 10.93 | 11.42 |
| 8 | 25.20 | 24.23 | 19.30 | --- | 17.45 | 11.37 | 2.90 | 35.82 | 23.67 | 11.70 | 9.32 | 8.39 |
| 9 | 25.46 | 23.26 | 17.30 | --- | 18.82 | 11.17 | 2.61 | 35.96 | 24.12 | 9.58 | 8.37 | 7.35 |
| 10 | 24.90 | 25.42 | 15.69 | --- | 19.56 | 10.28 | 2.43 | 36.01 | 25.71 | 8.21 | 7.79 | 5.66 |
| 11 | 24.42 | 24.17 | 15.81 | --- | 18.83 | 9.40 | 2.30 | 37.57 | 30.71 | 18.10 | 7.38 | 5.21 |
| 12 | 25.37 | 23.23 | 15.43 | --- | 18.31 | 13.36 | 2.20 | 37.22 | 31.66 | 18.89 | 7.05 | 11.29 |
| 13 | 24.82 | 22.52 | 12.74 | --- | 19.60 | 12.39 | 2.08 | 37.19 | 32.06 | 26.72 | 6.78 | 8.92 |
| 14 | 25.23 | 22.87 | 9.82 | --- | 19.85 | 10.28 | 2.05 | 37.21 | 32.19 | 27.77 | 6.57 | 7.34 |
| 15 | 23.96 | 23.05 | 8.24 | --- | 20.03 | 16.09 | 1.99 | 37.10 | 28.62 | 28.13 | 6.43 | 5.50 |
| 16 | 23.59 | 21.79 | 9.44 | --- | 22.36 | 13.87 | 1.90 | 24.32 | 24.35 | 26.41 | 6.34 | 5.30 |
| 17 | 24.12 | 21.77 | 10.13 | --- | 19.40 | 12.91 | 1.88 | 17.47 | 22.34 | 29.13 | 6.25 | 5.02 |
| 18 | 27.10 | 19.78 | 8.40 | --- | 15.98 | 12.44 | 1.98 | 13.42 | 26.08 | 29.31 | 6.15 | 5.77 |
| 19 | 34.70 | 20.32 | 10.49 | 11.72 | 15.01 | 11.64 | 11.34 | 10.75 | 26.61 | 25.23 | 6.08 | 5.61 |
| 20 | 34.92 | 21.19 | --- | 10.34 | 14.99 | 8.01 | 9.36 | 19.38 | 29.67 | 26.04 | 6.09 | 5.47 |
| 21 | 29.51 | 20.52 | --- | 14.91 | 15.18 | 10.80 | 5.94 | 20.78 | 24.35 | 26.35 | 6.05 | 5.48 |
| 22 | 26.47 | 19.98 | --- | 17.37 | 15.48 | 10.38 | 4.50 | 21.64 | 21.94 | 17.19 | 9.58 | 5.50 |
| 23 | 24.81 | 20.89 | --- | 19.16 | 15.31 | 9.92 | 3.42 | 21.73 | 22.73 | 22.04 | 7.84 | 5.47 |
| 24 | 25.34 | 19.20 | --- | 17.23 | 16.01 | 10.80 | 2.87 | 14.28 | 20.40 | 27.85 | 6.81 | 5.40 |
| 25 | 25.83 | 20.67 | --- | 18.37 | 16.14 | 10.14 | 2.63 | 10.58 | 13.95 | 26.32 | 6.37 | 5.32 |
| 26 | 25.43 | 18.88 | --- | 19.92 | 13.16 | 6.71 | 13.30 | 8.38 | 19.66 | 17.27 | 6.07 | 5.37 |
| 27 | 25.00 | 19.19 | --- | 16.18 | 9.80 | 9.46 | 23.68 | 7.15 | 16.55 | 18.36 | 11.12 | 5.37 |
| 28 | 21.41 | 19.77 | --- | 14.70 | 11.69 | 10.50 | 27.92 | 6.08 | 21.75 | 15.31 | 19.23 | 5.33 |
| 29 | 22.88 | 20.68 | --- | 14.86 | 11.96 | 11.33 | 30.28 | 5.31 | 21.98 | 11.87 | 14.86 | 5.33 |
| 30 | 23.31 | 19.75 | --- | 19.36 | --- | 10.68 | 31.85 | 4.83 | 23.97 | 23.02 | 19.28 | 5.28 |
| 31 | 22.52 | --- | --- | 15.02 | --- | 9.84 | --- | 4.40 | --- | 22.81 | 15.91 | --- |
| MAX | 34.92 | 25.42 | 20.53 | 19.92 | 22.36 | 16.09 | 31.85 | 37.57 | 32.19 | 29.31 | 23.02 | 11.85 |
| WTR YR 1984 | MEAN | 16.71 | | HIGH | 1.88 | | LOW | 37.57 | | | | |

GROUND-WATER RECORDS

MADISON COUNTY--Continued.

395357083304400. Local number, M-4

LOCATION.--Lat 39°53'57", long 83°30'44" Hydrologic Unit 05060002, 3.5 mi northwest of London, Ohio.

Owner.--State of Ohio.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused water table well, diameter 10 in, depth 49 ft, cased.

DATUM.--Altitude of land surface datum is 1,112 ft, from topographic map. Measuring point: Floor of instrument shelter 4.00 ft above land surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--June 1983 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 25.55 ft June 6, 1983; minimum daily low 0.65 ft Aug. 24, 1983.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 21.30 ft Oct. 12; minimum daily low, 1.75 ft Apr. 27.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|-------|-------|
| 1 | 18.60 | 11.50 | --- | 16.05 | 16.10 | 15.00 | 6.90 | 2.10 | 1.75 | 9.05 | 12.65 | 12.75 |
| 2 | 18.60 | 11.45 | --- | 16.10 | 16.35 | 15.00 | 6.85 | 2.25 | 3.45 | 9.15 | 12.95 | 12.80 |
| 3 | 18.95 | 11.45 | --- | 16.10 | 16.10 | 15.10 | 6.85 | 4.50 | 3.85 | 9.40 | 13.10 | 12.80 |
| 4 | 18.85 | 11.45 | --- | 16.10 | 15.95 | 15.10 | 6.75 | 4.95 | 4.65 | 9.45 | 13.15 | 12.90 |
| 5 | 19.20 | 13.55 | --- | 16.00 | 16.05 | 15.05 | 6.35 | 2.15 | 4.85 | 9.50 | 13.30 | 12.90 |
| 6 | 21.15 | 13.65 | --- | 15.35 | 16.15 | 14.90 | 6.20 | 1.85 | 4.95 | 10.10 | 13.30 | 13.00 |
| 7 | 20.30 | 11.75 | --- | 15.40 | 16.20 | 14.75 | 5.10 | 1.95 | 7.80 | 10.25 | 13.25 | 15.55 |
| 8 | 19.65 | --- | 8.40 | 15.40 | 16.20 | 14.75 | 5.05 | 4.75 | 7.85 | 10.25 | 13.20 | 15.65 |
| 9 | 19.85 | --- | 8.45 | 15.45 | 16.25 | 14.80 | 4.95 | 2.40 | 13.80 | 10.15 | 13.25 | 13.25 |
| 10 | 19.90 | --- | --- | 15.35 | 16.20 | 14.75 | 4.95 | 2.45 | 14.65 | 10.20 | 13.30 | 13.15 |
| 11 | 21.15 | --- | --- | 15.25 | 15.95 | 14.85 | 2.50 | 2.30 | 15.25 | 10.40 | 13.35 | 13.20 |
| 12 | 21.30 | --- | --- | 15.25 | 15.90 | 14.85 | 6.25 | 2.00 | 15.55 | 16.95 | 12.00 | 13.30 |
| 13 | 19.10 | --- | --- | 15.25 | 15.65 | 14.85 | 2.25 | 2.00 | 15.65 | 17.10 | 13.00 | 13.40 |
| 14 | 19.80 | --- | --- | 15.00 | 15.30 | 14.85 | 2.25 | 2.35 | 15.65 | 12.70 | 16.85 | 13.45 |
| 15 | 19.85 | --- | --- | 15.00 | 15.20 | 14.75 | 2.35 | 2.50 | 6.40 | 11.30 | 17.00 | 13.55 |
| 16 | 14.70 | --- | --- | 15.00 | 15.05 | 14.55 | 2.20 | 4.75 | 6.15 | 10.90 | 17.05 | 13.60 |
| 17 | 14.75 | --- | --- | 15.05 | 14.95 | 13.50 | 2.25 | 4.10 | 6.10 | 12.65 | 17.35 | 13.60 |
| 18 | 14.00 | --- | --- | 15.05 | 14.90 | 13.40 | 5.10 | 2.15 | 15.35 | 12.80 | 17.40 | 13.55 |
| 19 | 13.60 | --- | --- | 15.10 | 14.70 | 13.35 | 5.35 | 4.10 | 16.05 | 11.10 | 17.45 | 13.60 |
| 20 | 14.30 | --- | --- | 15.85 | 14.00 | 13.25 | 2.60 | 4.35 | 9.80 | 12.45 | 17.55 | 13.65 |
| 21 | 13.45 | --- | --- | 15.95 | 14.45 | 13.00 | 2.35 | 4.35 | 9.85 | 12.20 | 18.25 | 13.75 |
| 22 | 13.65 | --- | --- | 16.00 | 14.50 | 12.85 | 5.00 | 4.45 | 9.85 | 12.50 | 17.05 | 13.75 |
| 23 | 13.70 | --- | 13.15 | 16.00 | 14.50 | 13.50 | 5.15 | 5.05 | 10.00 | 19.60 | 16.55 | 13.80 |
| 24 | 13.50 | --- | 13.45 | 15.65 | 14.55 | 13.50 | 4.40 | 5.05 | 9.60 | 18.85 | 16.20 | 13.85 |
| 25 | 13.55 | --- | 14.55 | 15.30 | 14.70 | 12.95 | 1.95 | 4.15 | 11.65 | 18.95 | 14.55 | 15.90 |
| 26 | 13.45 | --- | 15.00 | 15.00 | 14.70 | 12.85 | 2.10 | 2.75 | 12.10 | 18.60 | 12.75 | 16.25 |
| 27 | 13.65 | --- | 14.90 | 15.10 | 15.20 | 12.65 | 1.75 | 2.75 | 12.35 | 11.80 | 12.70 | 16.30 |
| 28 | 13.65 | --- | 15.15 | 15.15 | 14.90 | 12.50 | 1.95 | 7.75 | 12.40 | 11.50 | 12.70 | 16.35 |
| 29 | 11.75 | --- | 15.40 | 15.25 | 15.00 | 6.65 | 2.15 | 7.90 | 12.40 | 11.60 | 12.75 | 16.45 |
| 30 | 11.65 | --- | 15.85 | 16.65 | --- | 6.85 | 2.25 | 2.25 | 9.25 | 12.45 | 12.75 | 16.50 |
| 31 | 11.55 | --- | 16.00 | 16.15 | --- | 6.95 | --- | 2.10 | --- | 11.80 | 12.75 | --- |
| MAX | 21.30 | 13.65 | 16.00 | 16.65 | 16.35 | 15.10 | 6.90 | 7.90 | 16.05 | 19.60 | 18.25 | 16.50 |
| WTR YR 1984 | MEAN | 12.00 | | HIGH | 1.75 | | LOW | 21.30 | | | | |

GROUND-WATER RECORDS

271

MADISON COUNTY--Continued

395740083255700. Local number, M-3.

LOCATION.--Lat 39°57'40", long 83°25'57", Hydrologic Unit 05060002, 5.2 mi north of London.

Owner: State of Ohio.

AQUIFER.--Limestone of Silurian Age.

WELL CHARACTERISTICS.--Drilled test artesian well, diameter 12 in, depth 290 ft cased to 145 ft.

DATUM.--Altitude of land-surface datum is 1,020 ft, from topographic map. Measuring point: Floor of instrument shelter 3.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--November 1974 to September 1982 continuous, periodic thereafter.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 10.03 ft Oct. 6, 1982; minimum daily low, 3.93 ft Feb. 25, 1975.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM.

| DATE | WATER LEVEL | DATE | WATER LEVEL |
|--------------|----------------|--------------|----------------|
| Nov. 8, 1983 | 8.39 | Apr. 6, 1984 | 4.43 |

GROUND-WATER RECORDS

MAHONING COUNTY

410042080453800. Local number, MA-1.

LOCATION.--Lat 41°00'42", long 80°45'38", Hydrologic Unit, 05030103, in county fairgrounds at south edge of Canfield.

Owner: Canfield Water Department.

AQUIFER.--Sandstone of Pennsylvanian Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 8 in, depth 170 ft cased to 99.5 ft.

DATUM.--Altitude of land-surface datum is 1,160 ft, from topographic map. Measuring point: Floor of instrument shelter at land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water. Influenced by seasonal water demand at county fairgrounds.

PERIOD OF RECORD.--May 1946 to September 1982 continuous, periodic thereafter.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 110.75 ft Sept. 18, 1946; minimum daily low, 30.35 ft Apr. 23, 1951.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM.

| DATE | WATER LEVEL | DATE | WATER LEVEL |
|---------------|----------------|---------------|----------------|
| Oct. 20, 1983 | 38.06 | Mar. 30, 1984 | 34.32 |

GROUND-WATER RECORDS

273

MARION COUNTY

403413083170500. Local number, MN-4.

LOCATION.--Lat 40°34'13", long 83°17'05", Hydrologic Unit 05060001, 1.9 mi southeast of New Bloomington.

Owner: State of Ohio.

AQUIFER.--Limestone of Silurian Age.

WELL CHARACTERISTICS.--Drilled test artesian well, diameter 12 in, depth drilled 290 ft, present depth 286 ft, cased to 33 ft.

DATUM.--Altitude of land-surface datum is 915.96 ft. Measuring point: Floor of shelter 3.00 ft above land-surface datum.

REMARKS.--Influenced by seasonal water demand for nearby wildlife refuge.

PERIOD OF RECORD.--January 1973 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 32.57 ft Aug. 14, 1983. minimum daily low, 0.61 ft. Mar. 18, 1974.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 32.30 ft Oct. 6; minimum daily low, 4.24 ft Mar. 28.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|------|------|------|------|------|-------|------|-------|-------|-------|
| 1 | 31.59 | 29.03 | 6.49 | 6.87 | 7.10 | 6.02 | 4.79 | 5.06 | 5.74 | 6.82 | 7.17 | 22.22 |
| 2 | 31.77 | 29.36 | 6.47 | 6.89 | 7.10 | 6.10 | 4.89 | 5.10 | 5.75 | 6.82 | 7.18 | 23.65 |
| 3 | 31.88 | 29.37 | 6.43 | 6.89 | 6.97 | 6.17 | 4.90 | 5.04 | 5.86 | 6.83 | 7.16 | 22.02 |
| 4 | 32.03 | 16.38 | 6.38 | 6.76 | 6.88 | 6.17 | 4.84 | 5.21 | 5.90 | 6.79 | 7.15 | 24.46 |
| 5 | 32.21 | 13.71 | 6.38 | 6.77 | 6.64 | 6.02 | 4.66 | 5.35 | 5.92 | 6.79 | 7.15 | 25.34 |
| 6 | 32.30 | 12.56 | 6.16 | 6.87 | 6.81 | 6.07 | 4.48 | 5.39 | 5.98 | 6.77 | 7.14 | 25.73 |
| 7 | 27.82 | 11.88 | 6.06 | 6.93 | 6.94 | 6.11 | 4.54 | 5.42 | 6.04 | 6.84 | 7.13 | 25.79 |
| 8 | 17.68 | 11.42 | 5.93 | 7.06 | 6.95 | 6.09 | 4.57 | 5.44 | 6.10 | 6.87 | 7.15 | 14.88 |
| 9 | 15.49 | 11.06 | 5.96 | 7.07 | 6.84 | 6.13 | 4.60 | 5.55 | 6.16 | 6.83 | 7.20 | 22.70 |
| 10 | 14.50 | 10.58 | 6.04 | 7.06 | 6.81 | 6.07 | 4.68 | 5.59 | 6.21 | 6.75 | 7.28 | 24.75 |
| 11 | 23.75 | 10.09 | 6.02 | 7.15 | 6.74 | 6.12 | 4.72 | 5.55 | 6.32 | 6.73 | 7.35 | 25.64 |
| 12 | 28.54 | 9.79 | 5.82 | 7.16 | 6.70 | 6.15 | 4.74 | 5.70 | 6.35 | 6.84 | 7.39 | 26.03 |
| 13 | 29.78 | 9.27 | 5.77 | 7.12 | 6.43 | 6.10 | 4.86 | 5.70 | 6.35 | 6.93 | 7.42 | 26.30 |
| 14 | 30.58 | 8.81 | 5.48 | 7.25 | 6.23 | 6.17 | 4.91 | 5.75 | 6.58 | 7.04 | 7.49 | 26.46 |
| 15 | 30.87 | 8.51 | 5.70 | 7.22 | 6.05 | 6.15 | 4.93 | 5.79 | 6.72 | 7.00 | 7.56 | 17.25 |
| 16 | 31.03 | 8.26 | 5.96 | 7.07 | 5.86 | 6.03 | 4.88 | 5.83 | 6.72 | 7.13 | 7.56 | 14.02 |
| 17 | 31.40 | 8.10 | 6.07 | 7.18 | 5.69 | 5.91 | 4.93 | 5.84 | 6.66 | 17.79 | 7.57 | 21.96 |
| 18 | 31.57 | 7.87 | 6.10 | 7.18 | 5.70 | 5.24 | 5.07 | 5.78 | 6.66 | 20.79 | 7.60 | 24.75 |
| 19 | 31.74 | 7.65 | 6.17 | 7.18 | 5.59 | 5.13 | 5.14 | 5.73 | 6.80 | 21.64 | 7.78 | 25.56 |
| 20 | 31.81 | 7.43 | 6.23 | 7.28 | 5.64 | 4.98 | 5.24 | 5.77 | 6.83 | 12.89 | 14.82 | 19.45 |
| 21 | 23.44 | 7.40 | 6.23 | 7.30 | 5.67 | 4.70 | 5.30 | 5.77 | 6.86 | 9.97 | 20.97 | 13.92 |
| 22 | 16.95 | 7.41 | 6.28 | 7.27 | 5.69 | 4.44 | 5.25 | 5.70 | 6.84 | 8.91 | 22.85 | 12.68 |
| 23 | 14.94 | 7.33 | 6.31 | 7.27 | 5.67 | 4.57 | 4.96 | 5.69 | 6.80 | 8.16 | 23.72 | 12.03 |
| 24 | 13.85 | 7.18 | 6.35 | 7.10 | 5.70 | 4.54 | 4.54 | 5.69 | 6.69 | 8.10 | 16.47 | 11.59 |
| 25 | 13.21 | 7.06 | 6.41 | 7.15 | 5.93 | 4.46 | 4.59 | 5.57 | 6.69 | 7.61 | 12.08 | 11.20 |
| 26 | 12.69 | 6.97 | 6.43 | 7.11 | 6.02 | 4.44 | 4.65 | 5.68 | 6.69 | 7.40 | 10.66 | 10.93 |
| 27 | 12.30 | 6.99 | 6.49 | 7.03 | 5.98 | 4.29 | 4.72 | 5.74 | 6.63 | 7.25 | 9.84 | 10.76 |
| 28 | 11.94 | 6.76 | 6.51 | 7.01 | 5.80 | 4.24 | 4.90 | 5.67 | 6.73 | 7.25 | 20.53 | 10.41 |
| 29 | 22.08 | 6.59 | 6.77 | 6.97 | 5.97 | 4.45 | 4.95 | 5.73 | 6.77 | 7.23 | 23.17 | 10.23 |
| 30 | 26.90 | 6.44 | 6.89 | 7.05 | --- | 4.60 | 4.98 | 5.74 | 6.78 | 7.18 | 24.22 | 10.09 |
| 31 | 28.36 | --- | 6.87 | 7.09 | --- | 4.70 | --- | 5.75 | --- | 7.18 | 24.50 | --- |
| MAX | 32.30 | 29.37 | 6.89 | 7.30 | 7.10 | 6.17 | 5.30 | 5.84 | 6.86 | 21.64 | 24.50 | 26.46 |
| WTR YR 1984 | MEAN | 9.77 | | HIGH | 4.24 | | LOW | 32.30 | | | | |

GROUND-WATER RECORDS

MARION COUNTY--Continued

403443083230400. Local number, MN-1.

LOCATION.--Lat 40°34'43, long 83°23'04", Hydrologic Unit 05060001, SR 37 at Baptist Church in LaRue.

Owner: Village of LaRue.

AQUIFER.--Limestone of Silurian Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 4 in, depth 100 ft, cased.

DATUM.--Altitude of land-surface datum is 930 ft, from topographic map. Measuring point: Floor of instrument shelter 3.30 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--March 1946 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 14.72 ft Oct. 8, 1983; minimum daily low, 5.67 ft Jan. 23, 1959.

EXTREMES FOR CURRENT YEAR.--Maximum recorded daily low, 14.72 ft Oct. 8; minimum daily low, 7.12 ft Mar. 22.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|------|------|-------|-------|-------|-------|-------|
| 1 | 13.99 | 12.69 | 8.47 | 10.60 | 10.76 | 9.58 | 8.39 | 8.97 | 10.11 | 11.37 | 12.29 | 13.48 |
| 2 | 14.01 | 12.59 | 8.65 | 10.70 | 10.82 | 9.59 | 8.69 | 9.11 | 10.13 | 11.43 | 11.73 | 13.41 |
| 3 | 14.03 | 12.40 | 8.87 | 10.62 | 11.00 | 9.76 | 8.64 | 9.18 | 10.14 | 11.50 | 12.55 | 13.41 |
| 4 | 14.02 | 12.03 | 8.74 | 10.77 | 10.80 | 9.80 | 8.60 | 9.27 | 10.81 | 11.35 | 12.57 | 13.27 |
| 5 | 13.96 | 11.92 | 8.60 | 10.73 | 10.10 | 9.72 | 8.20 | 9.49 | 10.89 | 11.02 | --- | 13.23 |
| 6 | 13.94 | 11.85 | 8.10 | 10.67 | 9.84 | 9.70 | 7.39 | 9.67 | 10.80 | 11.18 | --- | 13.14 |
| 7 | 14.54 | 11.94 | 7.70 | 10.79 | 9.95 | 9.58 | 7.63 | 9.64 | 11.10 | 11.12 | --- | 13.28 |
| 8 | 14.72 | 11.92 | 7.95 | 10.90 | 10.01 | 9.53 | 7.85 | 9.64 | 11.03 | 11.07 | --- | 13.73 |
| 9 | --- | 12.07 | 8.15 | 10.84 | 10.06 | 9.69 | 8.13 | 9.70 | 11.01 | 11.01 | --- | 13.88 |
| 10 | --- | 12.11 | 8.46 | 10.84 | 10.08 | 9.61 | 8.33 | 9.75 | 10.95 | 11.21 | --- | 13.28 |
| 11 | --- | 11.29 | 8.44 | 10.83 | 9.93 | 9.74 | 8.51 | 9.84 | 11.10 | 11.29 | --- | 13.50 |
| 12 | --- | 10.15 | 8.20 | 10.92 | 9.86 | 9.78 | 8.66 | 9.86 | 11.10 | 11.37 | --- | 14.12 |
| 13 | --- | 9.81 | 7.72 | 10.80 | 9.76 | 9.85 | 8.73 | 9.75 | 11.10 | 11.24 | --- | 14.08 |
| 14 | --- | 9.84 | 7.89 | 10.88 | 8.90 | 9.89 | 8.92 | 9.76 | 11.09 | 11.58 | --- | 13.72 |
| 15 | --- | 9.80 | 8.18 | 10.74 | 8.38 | 9.80 | 8.90 | 9.81 | 11.07 | 11.71 | --- | 13.82 |
| 16 | --- | 9.55 | 8.46 | 10.80 | 8.38 | 9.55 | 8.47 | 10.04 | 10.88 | 11.63 | --- | 13.93 |
| 17 | --- | 8.99 | 8.72 | 10.80 | 8.50 | 7.78 | 8.48 | 10.21 | 11.06 | 11.53 | --- | 14.00 |
| 18 | --- | 8.87 | 8.96 | 11.03 | 8.67 | 7.83 | 8.51 | 10.23 | 11.11 | 11.62 | --- | 13.81 |
| 19 | --- | 9.08 | 9.13 | 11.04 | 8.65 | 8.05 | 8.60 | 10.37 | 11.34 | 11.79 | --- | 13.89 |
| 20 | --- | 9.20 | 9.24 | 10.91 | 8.92 | 8.01 | 8.81 | 10.91 | 11.34 | 11.71 | --- | 13.93 |
| 21 | --- | 9.26 | 9.29 | 11.03 | 8.92 | 7.38 | 9.00 | 10.51 | 11.33 | 11.68 | --- | 13.87 |
| 22 | --- | 9.29 | 9.46 | 11.01 | 9.06 | 7.12 | 8.95 | 10.15 | 11.45 | 11.97 | --- | 13.88 |
| 23 | --- | 9.25 | 9.42 | 11.00 | 9.15 | 7.72 | 8.22 | 9.93 | 11.23 | 12.32 | --- | 13.80 |
| 24 | --- | 9.06 | 9.66 | 10.99 | 9.23 | 7.71 | 7.50 | 9.71 | 10.69 | 12.32 | --- | 13.81 |
| 25 | --- | 8.79 | 9.95 | 10.82 | 9.37 | 7.86 | 7.70 | 9.64 | 11.07 | 12.03 | --- | 13.59 |
| 26 | --- | 9.01 | 10.07 | 10.66 | 9.48 | 7.32 | 7.94 | 9.76 | 10.95 | 12.04 | --- | 13.54 |
| 27 | --- | 9.09 | 10.39 | 10.37 | 9.37 | 7.33 | 8.24 | 9.76 | 10.90 | 12.09 | --- | 13.61 |
| 28 | 12.28 | 8.78 | 10.63 | 10.30 | 9.38 | 7.55 | 8.54 | 10.20 | 10.92 | 11.83 | --- | 13.64 |
| 29 | 12.42 | 8.09 | 10.69 | 10.47 | 9.57 | 7.85 | 8.64 | 10.37 | 11.36 | 11.75 | 13.10 | 13.44 |
| 30 | 12.54 | 8.31 | 10.90 | 10.62 | --- | 7.96 | 8.81 | 10.22 | 11.32 | 12.15 | 13.15 | 13.42 |
| 31 | 12.73 | --- | 10.73 | 10.87 | --- | 8.25 | --- | 10.24 | --- | 12.29 | 13.01 | --- |
| MAX | 14.72 | 12.69 | 10.90 | 11.04 | 11.00 | 9.89 | 9.00 | 10.91 | 11.45 | 12.32 | 13.15 | 14.12 |
| WTR YR 1984 | MEAN | 10.46 | | HIGH | 7.12 | | LOW | 14.72 | | | | |

GROUND-WATER RECORDS

275

MARION COUNTY--Continued

403601083110400. Local number, MN-2.

LOCATION.--Lat 40°36'01, long 83°11'04", Hydrologic Unit 05060001 water treatment plant 2 mi west of Marion.

Owner: Marion Water Department.

AQUIFER.--Limestone of Silurian Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 12 in, depth 67 ft, cased.

DATUM.--Altitude of land-surface datum is 910 ft, from topographic map. Measuring point: Floor of instrument shelter 2.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--May, 1959 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 49.50 ft Feb. 11, 1956; minimum daily low, 7.35 ft Apr. 2, 1974.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 17.53 ft Feb. 12; minimum daily low, 12.10 ft Aug. 16.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 16.36 | 15.92 | 16.89 | 16.27 | 16.59 | 16.92 | 15.42 | 14.56 | 13.23 | 12.48 | 12.53 | 14.39 |
| 2 | 16.37 | 15.87 | 16.86 | 16.28 | 16.66 | 16.86 | 15.36 | 14.53 | 13.18 | 12.47 | 12.48 | 14.27 |
| 3 | 16.44 | 15.83 | 16.81 | 16.29 | 16.73 | 16.81 | 15.28 | 14.46 | 13.12 | 12.45 | 12.42 | 14.13 |
| 4 | 16.50 | 15.90 | 16.70 | 16.31 | 16.77 | 16.76 | 15.14 | 14.32 | 13.09 | 12.41 | 12.35 | 14.03 |
| 5 | 16.56 | 15.99 | 16.76 | 16.32 | 16.91 | 16.62 | 14.98 | 14.31 | 13.05 | 12.36 | 12.30 | 13.99 |
| 6 | 16.56 | 15.99 | 16.69 | 16.25 | 17.02 | 16.52 | 15.00 | 14.29 | 13.00 | 12.40 | 12.24 | 13.93 |
| 7 | 16.56 | 16.04 | 16.74 | 16.26 | 17.18 | 16.50 | 15.02 | 14.19 | 12.97 | 12.53 | 12.18 | 13.84 |
| 8 | 16.56 | 16.06 | 16.78 | 16.20 | 17.27 | 16.45 | 14.97 | 14.13 | 12.91 | 12.56 | 12.21 | 13.78 |
| 9 | 16.57 | 16.08 | 16.79 | 16.17 | 17.37 | 16.48 | 14.85 | 14.00 | 12.87 | 12.53 | 12.29 | 13.71 |
| 10 | 16.57 | 15.97 | 16.78 | 16.08 | 17.46 | 16.40 | 14.83 | 13.97 | 12.85 | 12.49 | 12.32 | 13.82 |
| 11 | 16.53 | 15.87 | 16.74 | 16.06 | 17.51 | 16.28 | 14.75 | 13.88 | 12.83 | 12.49 | 12.29 | 13.90 |
| 12 | 16.50 | 16.02 | 16.63 | 16.01 | 17.53 | 16.26 | 14.66 | 13.81 | 12.82 | 12.49 | 12.26 | 13.89 |
| 13 | 16.39 | 16.03 | 16.63 | 15.93 | 17.46 | 16.18 | 14.55 | 13.80 | 12.76 | 12.48 | 12.20 | 13.80 |
| 14 | 16.37 | 16.05 | 16.59 | 15.91 | 17.34 | 16.12 | 14.47 | 13.81 | 12.74 | 12.48 | 12.15 | 13.71 |
| 15 | 16.37 | 16.00 | 16.67 | 15.87 | 17.24 | 16.08 | 14.37 | 13.81 | 12.73 | 12.46 | 12.12 | 13.66 |
| 16 | 16.36 | 16.09 | 16.76 | 15.74 | 17.18 | 16.01 | 14.27 | 13.83 | 12.72 | 12.37 | 12.10 | 13.65 |
| 17 | 16.39 | 16.18 | 16.80 | 15.69 | 17.16 | 16.01 | 14.20 | 13.79 | 12.68 | 12.33 | 12.28 | 13.65 |
| 18 | 16.34 | 16.24 | 16.77 | 15.65 | 17.19 | 16.01 | 14.45 | 13.69 | 12.62 | 12.68 | 12.36 | 13.70 |
| 19 | 16.31 | 16.26 | 16.70 | 15.57 | 17.19 | 16.01 | 14.54 | 13.63 | 12.59 | 13.01 | 12.49 | 13.73 |
| 20 | 16.29 | 16.33 | 16.63 | 15.55 | 17.21 | 15.87 | 14.63 | 13.55 | 12.59 | 13.17 | 12.58 | 13.77 |
| 21 | 16.25 | 16.42 | 16.54 | 15.50 | 17.30 | 15.67 | 14.63 | 13.50 | 12.58 | 12.95 | 12.82 | 13.93 |
| 22 | 16.20 | 16.46 | 16.40 | 15.46 | 17.32 | 15.61 | 14.58 | 13.53 | 12.56 | 12.82 | 13.07 | 13.98 |
| 23 | 16.08 | 16.44 | 16.39 | 15.41 | 17.30 | 15.61 | 14.59 | 13.55 | 12.52 | 12.68 | 13.34 | 13.98 |
| 24 | 16.13 | 16.49 | 16.35 | 15.43 | 17.22 | 15.53 | 14.77 | 13.57 | 12.51 | 12.63 | 13.56 | 14.27 |
| 25 | 16.14 | 16.56 | 16.30 | 15.40 | 17.21 | 15.46 | 14.84 | 13.46 | 12.54 | 12.68 | 13.73 | 14.35 |
| 26 | 16.05 | 16.61 | 16.25 | 15.53 | 17.23 | 15.45 | 14.83 | 13.48 | 12.54 | 12.69 | 13.83 | 14.62 |
| 27 | 16.05 | 16.65 | 16.17 | 15.76 | 17.14 | 15.35 | 14.83 | 13.49 | 12.48 | 12.78 | 13.95 | 14.74 |
| 28 | 16.00 | 16.68 | 16.12 | 15.84 | 16.97 | 15.32 | 14.78 | 13.41 | 12.49 | 12.78 | 14.07 | 14.91 |
| 29 | 16.03 | 16.84 | 16.22 | 16.09 | 16.96 | 15.45 | 14.76 | 13.36 | 12.49 | 12.77 | 14.20 | 14.99 |
| 30 | 16.03 | 16.91 | 16.25 | 16.29 | --- | 15.47 | 14.61 | 13.35 | 12.49 | 12.68 | 14.36 | 15.09 |
| 31 | 15.95 | --- | 16.26 | 16.45 | --- | 15.49 | --- | 13.30 | --- | 12.58 | 14.45 | --- |
| MAX | 16.57 | 16.91 | 16.89 | 16.45 | 17.53 | 16.92 | 15.42 | 14.56 | 13.23 | 13.17 | 14.45 | 15.09 |
| WTR YR 1984 | MEAN | 14.92 | | HIGH | 12.10 | | LOW | 17.53 | | | | |

GROUND-WATER RECORDS

MEDINA COUNTY

410120081431800. Local number, MD-3.

LOCATION.--Lat 41°01'20", long 81°43'18", Hydrologic Unit 05040001, Auble Street at water treatment plant in Wadsworth.

Owner: Wadsworth Water Department.

AQUIFER.--Sandstone of Mississippian Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 12 in, depth 275 ft, cased.

DATUM.--Altitude of land-surface datum is 1180 ft, from topographic map. Measuring point: Floor of instrument shelter 1.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--December 1973 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 186.74 ft Jan. 21, 1975; minimum daily low, 140.60 ft Apr. 16, 1983

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 168.30 ft Oct. 14, Jan. 11-12, 14-15; minimum daily low, 144.60 ft Sept. 3.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 1 | 167.30 | 165.50 | 166.20 | 167.60 | 165.30 | 164.40 | 166.30 | 163.40 | 164.80 | 164.30 | 150.70 | 162.10 |
| 2 | 168.00 | 167.00 | 166.10 | 167.80 | 165.25 | 165.90 | 166.40 | 163.50 | 165.00 | 165.20 | 160.80 | 161.50 |
| 3 | 168.00 | 167.70 | 165.90 | 167.90 | 165.90 | 165.50 | 166.40 | 163.30 | 165.30 | 152.00 | 148.50 | 144.60 |
| 4 | 166.40 | 166.30 | 165.30 | 166.70 | 164.90 | 165.90 | 166.30 | 163.10 | 165.70 | 151.40 | 147.80 | 159.80 |
| 5 | 166.30 | 165.70 | 165.40 | 166.90 | 164.10 | 165.70 | 165.70 | 163.30 | 165.70 | 150.70 | 147.40 | 161.30 |
| 6 | 166.40 | 165.60 | 165.20 | 167.60 | 164.40 | 166.30 | 166.00 | 163.20 | 165.80 | 148.70 | --- | 161.30 |
| 7 | 166.50 | 167.20 | 167.20 | 167.80 | 166.30 | 166.35 | 165.90 | 163.10 | 165.90 | 149.50 | --- | 161.10 |
| 8 | 166.40 | 167.70 | 167.30 | 166.40 | 166.50 | 166.40 | 166.00 | 162.90 | 165.90 | 147.20 | --- | --- |
| 9 | 165.70 | 166.40 | 167.30 | 167.50 | 166.50 | 166.60 | 164.70 | 163.00 | 166.00 | 147.90 | --- | --- |
| 10 | 165.40 | 167.20 | 167.50 | 167.95 | 166.50 | 165.80 | 165.70 | 164.20 | 166.00 | 148.10 | --- | --- |
| 11 | 165.50 | 167.30 | 166.10 | 168.30 | 166.20 | 166.50 | 165.70 | 164.50 | 166.80 | 148.10 | --- | --- |
| 12 | 165.50 | 166.20 | 167.20 | 168.30 | 166.30 | 165.50 | 164.20 | 164.00 | 167.10 | 157.30 | --- | --- |
| 13 | 168.00 | 166.10 | 167.30 | 167.90 | 166.20 | 166.45 | 165.40 | 164.50 | 167.70 | 161.10 | --- | --- |
| 14 | 168.30 | 165.90 | 166.60 | 168.30 | 166.30 | 166.50 | 165.40 | 164.60 | 167.80 | 150.30 | --- | --- |
| 15 | 165.90 | 167.20 | 167.20 | 168.30 | 166.30 | 166.00 | 165.10 | 165.20 | 165.70 | 160.90 | --- | --- |
| 16 | 166.00 | 167.20 | 166.20 | 167.40 | 166.40 | 166.60 | 163.50 | 165.30 | --- | 149.70 | --- | --- |
| 17 | 166.00 | 166.10 | 167.60 | 167.90 | 164.95 | 165.00 | 164.80 | 164.80 | 163.00 | 148.70 | --- | --- |
| 18 | 166.00 | 167.70 | 167.70 | 167.90 | 165.95 | 166.50 | 164.00 | 165.00 | 164.70 | 148.30 | --- | --- |
| 19 | 167.60 | 167.80 | 166.30 | 167.90 | 165.90 | 166.60 | --- | 164.20 | 165.10 | 148.30 | --- | --- |
| 20 | 167.90 | 166.10 | 167.70 | 168.10 | 164.50 | 165.50 | --- | 164.30 | 164.40 | 160.70 | --- | --- |
| 21 | 166.50 | 165.70 | 167.70 | 167.70 | 166.10 | 165.90 | --- | 164.30 | 165.10 | 159.90 | --- | --- |
| 22 | 166.90 | 167.40 | 167.20 | 168.00 | 166.20 | 164.90 | --- | 164.70 | 165.15 | 150.80 | --- | --- |
| 23 | 165.60 | 167.70 | 167.40 | 168.10 | 164.90 | 166.40 | --- | 165.30 | 165.20 | 160.40 | --- | --- |
| 24 | 165.30 | 168.00 | 166.20 | 167.90 | 165.50 | 166.50 | --- | 165.40 | 165.20 | 161.90 | --- | --- |
| 25 | 167.20 | 167.10 | 166.00 | 168.00 | 165.60 | 165.40 | --- | 165.40 | 164.70 | 151.20 | --- | --- |
| 26 | 167.20 | 167.80 | 165.90 | 168.10 | 165.40 | 165.90 | --- | 165.80 | 166.15 | 161.10 | --- | --- |
| 27 | 166.00 | 166.60 | 166.70 | 168.00 | 164.90 | 166.10 | --- | 165.90 | 166.90 | 148.10 | --- | --- |
| 28 | 167.70 | 167.20 | 167.10 | 166.00 | 165.00 | 164.80 | --- | 164.70 | 166.90 | 148.20 | --- | --- |
| 29 | 167.90 | 166.20 | 167.90 | 166.40 | 164.30 | 165.80 | --- | 164.40 | 165.50 | --- | --- | --- |
| 30 | 165.20 | 166.20 | 168.20 | 165.30 | --- | 166.20 | --- | 163.80 | 165.60 | --- | --- | --- |
| 31 | 165.30 | --- | 168.20 | 165.35 | --- | 166.00 | --- | 164.50 | --- | --- | 162.10 | --- |
| MAX | 168.30 | 168.00 | 168.20 | 168.30 | 166.50 | 166.60 | 166.40 | 165.90 | 167.80 | 165.20 | 162.10 | 162.10 |
| WTR YR 1984 | MEAN | 164.55 | | HIGH | 144.60 | | LOW | 168.30 | | | | |

GROUND-WATER RECORDS

277

MERCER COUNTY

402833084375200. Local number, MR-2.

LOCATION.--Lat 40°28'33", long 84°37'52", Hydrologic Unit 05120101, at AVCO Mfg. Co. building in Coldwater.

Owner: AVCO Mfg. Company.

AQUIFER.--Limestone of Silurian Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 6 in, depth 253 ft, cased.

DATUM.--Altitude of land-surface datum is 915 ft, from topographic map. Measuring point: Top of platform 1.2 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--February 1967 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 74.75 ft May 15, 1980; minimum daily low, 60.13 ft Feb. 14, 1967.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 74.49 ft May 5; minimum daily low, 66.99 ft Nov. 13.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-----|-------|-------|-------|-------|-------|-----|
| 1 | 69.39 | 67.91 | 70.14 | 68.82 | 70.06 | | --- | 74.18 | 72.26 | 72.98 | 73.00 | |
| 2 | 69.22 | 69.56 | 69.90 | 69.77 | 69.82 | | --- | 74.00 | 72.27 | 73.04 | 73.13 | |
| 3 | 68.89 | 69.66 | 69.81 | 69.78 | 69.84 | | --- | 74.04 | 71.87 | 73.22 | 73.15 | |
| 4 | 69.06 | 68.31 | 69.84 | 69.56 | 69.77 | | --- | 74.34 | 71.88 | 73.30 | --- | |
| 5 | 69.36 | 68.16 | 69.85 | 69.56 | 70.11 | | --- | 74.49 | 71.72 | 73.37 | --- | |
| 6 | 69.42 | 67.59 | 69.97 | 69.67 | 70.43 | | --- | 72.91 | 71.85 | 73.21 | --- | |
| 7 | 68.96 | 67.94 | 70.13 | 69.73 | 70.53 | | --- | 72.39 | 72.11 | --- | --- | |
| 8 | 68.77 | 67.95 | 70.29 | 69.63 | 70.30 | | --- | 72.40 | 72.29 | --- | --- | |
| 9 | 68.50 | 67.96 | 70.30 | 68.61 | 70.25 | | --- | 72.68 | 72.36 | --- | --- | |
| 10 | 68.20 | 67.40 | 70.42 | 69.78 | 71.57 | | 72.48 | 72.71 | 72.34 | --- | --- | |
| 11 | 68.17 | 67.86 | 69.94 | 69.89 | 71.96 | | 72.52 | 72.32 | 72.38 | 71.28 | --- | |
| 12 | 68.05 | 67.58 | 70.22 | 69.97 | 72.01 | | 72.51 | 72.15 | 73.76 | 71.48 | --- | |
| 13 | 68.04 | 66.99 | 70.26 | 69.98 | 72.06 | | 72.54 | 72.18 | 73.85 | 71.83 | --- | |
| 14 | 68.21 | 67.42 | 69.97 | 70.31 | 71.85 | | 72.56 | 72.34 | 73.58 | 72.44 | --- | |
| 15 | 68.30 | 67.42 | 70.33 | 70.31 | 71.87 | | 72.28 | 72.42 | 73.65 | 72.79 | --- | |
| 16 | 68.18 | 67.68 | 70.78 | 69.76 | 71.69 | | 72.35 | 72.53 | 72.46 | 72.29 | --- | |
| 17 | 67.97 | 67.78 | 70.88 | 69.99 | 71.58 | | 72.50 | 72.44 | 70.75 | 72.30 | --- | |
| 18 | 68.03 | 67.95 | 70.73 | 70.03 | 71.57 | | 72.70 | 72.00 | 72.86 | 72.68 | --- | |
| 19 | 69.64 | 67.81 | 70.63 | 69.91 | 71.12 | | 72.87 | 72.18 | 72.65 | 72.76 | --- | |
| 20 | 69.64 | 67.94 | 70.60 | 70.17 | 71.33 | | 72.88 | 72.23 | 72.91 | 72.57 | --- | |
| 21 | 67.66 | 68.09 | 70.51 | 70.21 | 71.46 | | 71.56 | 72.01 | 72.93 | 72.90 | --- | |
| 22 | 68.38 | 69.28 | 70.47 | 70.12 | 71.34 | | 71.69 | 72.21 | 72.39 | 72.99 | --- | |
| 23 | 68.46 | 69.03 | 70.49 | 69.78 | 71.34 | | 71.97 | 72.22 | 72.37 | 73.03 | --- | |
| 24 | 68.67 | 69.44 | 70.40 | 69.85 | 71.12 | | 72.13 | 72.32 | 72.48 | 73.15 | --- | |
| 25 | 68.99 | 69.43 | 70.47 | 69.92 | 71.38 | | 72.43 | 72.20 | 72.37 | 73.23 | --- | |
| 26 | 69.00 | 69.66 | 70.43 | 69.85 | 71.49 | | 73.03 | 72.55 | 72.42 | 73.18 | --- | |
| 27 | 68.90 | 69.72 | 70.33 | 69.94 | 70.99 | | 72.17 | 72.38 | 71.98 | 73.19 | --- | |
| 28 | 69.16 | 69.34 | 70.37 | 69.93 | 70.95 | | 72.51 | 72.07 | 71.37 | 73.22 | --- | |
| 29 | 69.11 | 69.77 | 70.83 | 69.69 | --- | | 72.55 | 71.87 | 72.84 | 73.12 | --- | |
| 30 | 68.44 | 69.98 | 70.87 | 70.21 | --- | | 74.16 | 71.90 | 72.90 | 72.98 | --- | |
| 31 | 68.04 | --- | 69.19 | 70.08 | --- | | --- | 72.18 | --- | 72.96 | --- | |
| MAX | 69.64 | 69.98 | 70.88 | 70.31 | 72.06 | | 74.16 | 74.49 | 73.85 | 73.37 | 73.15 | |
| WTR YR 1984 | MEAN | 70.90 | | HIGH | 66.99 | | LOW | 74.49 | | | | |

NOTE: NUMBER OF MISSING DAYS OF RECORD EXCEEDED 20% OF YEAR

GROUND-WATER RECORDS

MIAMI COUNTY

395848084085500. Local number, MI-3.

LOCATION.--Lat 39°58'48", long 84°08'55", Hydrologic Unit 05080001, 2.0 mi northeast of Tipp City.

Owner: Fulton Fruit Farms.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 5 in, depth 48 ft, cased.

DATUM.--Altitude of land-surface datum is 804.78 ft. (Levels by Miami Conservancy District.) Measuring point:

Floor of shelter 3.50 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--October 1966 to September 1982 continuous, periodic thereafter.

EXTREMES FOR PERIOD OF RECORD---Maximum daily low, 15.61 ft Feb. 4, 1971; minimum daily low, 7.53 ft Feb. 25, 1975.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM.

| DATE | WATER LEVEL | DATE | WATER LEVEL |
|---------------|----------------|---------------|----------------|
| Oct. 19, 1983 | 12.20 | Apr. 24, 1984 | 9.12 |

GROUND-WATER RECORDS

279

MIAMI COUNTY--Continued

400208084112900. Local number, MI-44.

LOCATION.--Lat 40°02'08", long 84°11'29", Hydrologic Unit 05080001, on left bank of Great Miami River 0.7 mi east of city hall in Troy.

Owner: City of Troy.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled public supply water-table well, diameter 26 in, depth 105 ft, screened below 89 ft.

PERIOD OF RECORD.--August 1974 to current year.

WATER QUALITY DATA, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DATE | TIME | SPECIFIC CONDUCTANCE (UMH/CM) | PH (STANDARD UNITS) | TEMPERATURE, AIR (DEG C) | TEMPERATURE (DEG C) | OXYGEN DEMAND, CHEMICAL (HIGH LEVEL) (MG/L) | HARDNESS (MG/L AS CaCO3) | HARDNESS, NONCARBONATE (MG/L AS CaCO3) | CALCIUM DIS-SOLVED (MG/L AS Ca) | MAGNESIUM DIS-SOLVED (MG/L AS Mg) |
|-----------|------|-------------------------------|---------------------|--------------------------|---------------------|---|--------------------------|--|---------------------------------|-----------------------------------|
| OCT 26... | 1500 | 725 | 7.6 | 11.0 | 13.0 | 12 | 340 | 26 | 83 | 33 |
| FEB 23... | 0900 | 695 | 7.5 | 2.0 | 12.0 | <10 | 350 | 41 | 83 | 34 |
| JUN 28... | 1530 | 720 | 7.6 | 31.0 | 13.5 | <10 | 320 | 13 | 85 | 26 |
| AUG 15... | 1430 | 705 | 7.8 | 27.0 | 13.5 | <10 | 330 | 19 | 78 | 32 |

| DATE | ALKALINITY FIELD (MG/L AS CaCO3) | SULFATE DIS-SOLVED (MG/L AS SO4) | CHLORIDE, DIS-SOLVED (MG/L AS CL) | FLUORIDE, TOTAL (MG/L AS F) | SOLIDS, RESIDUE AT 180 DEG. C DIS-SOLVED (MG/L) | SOLIDS, RESIDUE AT 105 DEG. C, TOTAL (MG/L) | NITROGEN, NITRITE (MG/L AS N) | NITROGEN, NO2+NO3 TOTAL (MG/L AS N) | ARSENIC DIS-SOLVED (UG/L AS AS) | CHROMIUM, TOTAL RECOVERABLE (UG/L AS CR) |
|-----------|----------------------------------|----------------------------------|-----------------------------------|-----------------------------|---|---|-------------------------------|-------------------------------------|---------------------------------|--|
| OCT 26... | 318 | 63 | 28 | .5 | 424 | 442 | .010 | .100 | 1 | 10 |
| FEB 23... | 307 | 64 | 30 | 1.6 | 358 | 407 | <.010 | <.100 | -- | -- |
| JUN 28... | 307 | 63 | 28 | 1.0 | 463 | 465 | <.010 | <.100 | -- | -- |
| AUG 15... | 308 | 65 | 29 | -- | 433 | 435 | <.010 | <.100 | 1 | 10 |

| DATE | CHROMIUM, DIS-SOLVED (UG/L AS CR) | COPPER, TOTAL RECOVERABLE (UG/L AS CU) | COPPER, DIS-SOLVED (UG/L AS CU) | IRON, TOTAL RECOVERABLE (UG/L AS FE) | LEAD, TOTAL RECOVERABLE (UG/L AS PB) | LEAD, DIS-SOLVED (UG/L AS PB) | MANGANESE, TOTAL RECOVERABLE (UG/L AS MN) | ZINC, TOTAL RECOVERABLE (UG/L AS ZN) | ZINC, DIS-SOLVED (UG/L AS ZN) | CARBON, ORGANIC TOTAL (MG/L AS C) |
|-----------|-----------------------------------|--|---------------------------------|--------------------------------------|--------------------------------------|-------------------------------|---|--------------------------------------|-------------------------------|-----------------------------------|
| OCT 26... | 10 | 10 | 10 | 1500 | 3 | 3 | 50 | 20 | 7 | 1.5 |
| FEB 23... | -- | -- | -- | 1500 | -- | -- | 50 | -- | -- | 1.6 |
| JUN 28... | -- | -- | -- | 1700 | -- | -- | 50 | -- | -- | 1.1 |
| AUG 15... | 10 | 3 | 1 | 1700 | 4 | 4 | 40 | 30 | 12 | .90 |

GROUND-WATER RECORDS

MONTGOMERY COUNTY

393757084173600. Local number, MT-928

LOCATION.--Lat 39°37'57", long 84°17'36", Hydrologic Unit 05080002, on right bank of Great Miami River 0.2 mi south of Linden Ave. bridge, Miamisburg

Owner: City of Miamisburg.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled municipal supply water table well, 20 in, depth 95 ft, screened below 70 ft.

PERIOD OF RECORD.--September 1983.

WATER QUALITY DATA, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984

| DATE | TIME | SPECIFIC CONDUCTANCE (UMHOS) | PH (STANDARD UNITS) | TEMPERATURE, AIR (DEG C) | TEMPERATURE (DEG C) | OXYGEN DEMAND, CHEMICAL (HIGH LEVEL) (MG/L) | HARDNESS (MG/L AS CAC03) | HARDNESS, NONCARBONATE (MG/L AS CAC03) | CALCIUM DIS-SOLVED (MG/L AS CA) | MAGNESIUM, DIS-SOLVED (MG/L AS MG) |
|-----------|------|------------------------------|---------------------|--------------------------|---------------------|---|--------------------------|--|---------------------------------|------------------------------------|
| OCT 27... | 0900 | 820 | 7.4 | 1.0 | 13.0 | 12 | 370 | 69 | 94 | 32 |
| APR 25... | 1100 | 730 | 7.4 | 20.5 | 16.5 | <10 | 360 | 61 | 93 | 30 |
| JUN 28... | 1300 | 810 | 7.5 | 30.0 | 14.0 | <10 | 320 | 27 | 93 | 21 |
| AUG 15... | 1130 | 835 | 7.6 | 29.0 | 12.5 | <10 | 360 | 39 | 90 | 32 |

| DATE | ALKALINITY FIELD (MG/L AS CAC03) | SULFATE DIS-SOLVED (MG/L AS S04) | CHLORIDE, DIS-SOLVED (MG/L AS CL) | FLUORIDE, TOTAL (MG/L AS F) | SOLIDS, RESIDUE AT 180 DEG. C DIS-SOLVED (MG/L) | SOLIDS, RESIDUE AT 105 DEG. C, TOTAL (MG/L) | NITROGEN, NITRITE TOTAL (MG/L AS N) | NITROGEN, NO2+NO3 TOTAL (MG/L AS N) | ARSENIC DIS-SOLVED (UG/L AS AS) | CHROMIUM, TOTAL RECOVERABLE (UG/L AS CR) |
|-----------|----------------------------------|----------------------------------|-----------------------------------|-----------------------------|---|---|-------------------------------------|-------------------------------------|---------------------------------|--|
| OCT 27... | 298 | 67 | 69 | .2 | 488 | 490 | .020 | .700 | 1 | 10 |
| APR 25... | 295 | 64 | 54 | .8 | 469 | -- | .020 | 2.20 | -- | -- |
| JUN 28... | 292 | 59 | 58 | .3 | 539 | 586 | .030 | 2.60 | -- | -- |
| AUG 15... | 318 | 64 | 67 | -- | 527 | 530 | .010 | 1.60 | 1 | 10 |

| DATE | CHROMIUM, DIS-SOLVED (UG/L AS CR) | COPPER, TOTAL RECOVERABLE (UG/L AS CU) | COPPER, DIS-SOLVED (UG/L AS CU) | IRON, TOTAL RECOVERABLE (UG/L AS FE) | LEAD, TOTAL RECOVERABLE (UG/L AS PB) | LEAD, DIS-SOLVED (UG/L AS PB) | MANGANESE, TOTAL RECOVERABLE (UG/L AS MN) | ZINC, TOTAL RECOVERABLE (UG/L AS ZN) | ZINC, DIS-SOLVED (UG/L AS ZN) | CARBON, ORGANIC TOTAL (MG/L AS C) |
|-----------|-----------------------------------|--|---------------------------------|--------------------------------------|--------------------------------------|-------------------------------|---|--------------------------------------|-------------------------------|-----------------------------------|
| OCT 27... | 10 | 8 | 8 | 80 | 5 | 2 | 160 | 20 | 14 | 1.7 |
| APR 25... | -- | -- | -- | 110 | -- | -- | 170 | -- | -- | 1.0 |
| JUN 28... | -- | -- | -- | 140 | -- | -- | 150 | -- | -- | 2.2 |
| AUG 15... | 10 | 9 | 9 | 100 | 6 | 5 | 160 | 20 | 8 | 1.0 |

GROUND-WATER RECORDS

281

MONTGOMERY COUNTY--Continued

394012084151700. Local number, MT-55.

LOCATION.--Lat 39°40'12", long 84°15'17", Hydrologic Unit 05080002, Elm Street in West Carrollton.

Owner: Oxford Paper Company.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 12 in, depth 84 ft, cased.

DATUM.--Altitude of land-surface datum is 717.6 ft. Measuring point: Floor of instrument shelter 0.30 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--April 1970 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 58.57 ft Nov. 24, 1974; minimum daily low, 26.16 ft Mar. 22, 23, 1982.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 34.64 ft Oct. 12; minimum daily low, 26.36 ft Apr. 27-28.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 34.43 | 33.24 | 31.01 | 30.79 | 31.62 | 31.10 | 27.72 | 26.83 | 28.59 | 30.53 | 32.36 | 33.05 |
| 2 | 34.34 | 33.22 | 31.02 | 30.91 | 31.59 | 31.22 | 27.79 | 26.86 | 28.60 | 30.57 | 32.39 | 32.94 |
| 3 | 34.46 | 33.20 | 30.98 | 30.96 | 31.61 | 31.17 | 27.85 | 26.90 | 28.54 | 30.62 | 32.41 | 33.02 |
| 4 | 34.43 | 33.18 | 30.97 | 30.86 | 31.39 | 31.09 | 27.90 | 27.02 | 28.71 | 30.59 | 32.37 | 33.08 |
| 5 | 34.50 | 32.96 | 31.01 | 30.91 | 31.27 | 31.12 | 27.88 | 26.94 | 28.98 | 30.55 | 32.35 | 33.17 |
| 6 | 34.58 | 32.85 | 30.93 | 30.98 | 31.36 | 31.14 | 27.65 | 26.97 | 29.14 | 30.56 | 32.28 | 33.20 |
| 7 | 34.43 | 32.74 | 30.71 | 30.92 | 31.46 | 31.17 | 27.35 | 27.03 | 29.21 | 30.65 | 32.35 | 33.21 |
| 8 | 34.58 | 32.85 | 30.71 | 30.91 | 31.47 | 31.16 | 27.12 | 27.08 | 29.34 | 30.68 | 32.26 | 33.22 |
| 9 | 34.39 | 32.86 | 30.60 | 31.05 | 31.57 | 31.30 | 26.94 | 27.14 | 29.35 | 30.76 | 32.18 | 33.16 |
| 10 | 34.38 | 32.79 | 30.51 | 31.15 | 31.49 | 31.30 | 26.98 | 27.34 | 29.36 | 30.82 | 32.16 | 33.27 |
| 11 | 34.35 | 32.96 | 30.45 | 31.29 | 31.53 | 31.22 | 27.08 | 27.62 | 29.65 | 30.91 | 32.15 | 33.42 |
| 12 | 34.64 | 32.82 | 30.46 | 31.39 | 31.42 | 31.23 | 27.15 | 27.72 | 29.87 | 30.97 | 32.02 | 33.47 |
| 13 | 34.58 | 32.55 | 30.30 | 31.42 | 31.35 | 31.26 | 27.30 | 27.74 | 30.02 | 31.01 | 32.12 | 33.53 |
| 14 | 34.23 | 32.48 | 30.17 | 31.45 | 31.29 | 31.18 | 27.35 | 27.86 | 30.03 | 31.10 | 32.26 | 33.55 |
| 15 | 34.11 | 32.54 | 30.18 | 31.51 | 31.21 | 31.11 | 27.36 | 28.00 | 30.09 | 31.16 | 32.34 | 33.45 |
| 16 | 33.96 | 32.39 | 30.21 | 31.64 | 30.99 | 30.97 | 27.53 | 28.11 | 30.11 | 31.24 | 32.38 | 33.29 |
| 17 | 33.95 | 32.48 | 30.21 | 31.78 | 30.89 | 30.89 | 27.53 | 28.15 | 29.98 | 31.38 | 32.44 | 33.35 |
| 18 | 33.95 | 32.34 | 30.21 | 31.93 | 30.78 | 30.31 | 27.40 | 28.15 | 30.14 | 31.51 | 32.47 | 33.40 |
| 19 | 33.87 | 32.22 | 30.36 | 31.97 | 30.63 | 29.85 | 27.40 | 28.17 | 30.23 | 31.68 | 32.47 | 33.45 |
| 20 | 33.92 | 32.06 | 30.43 | 31.86 | 30.68 | 29.44 | 27.28 | 28.19 | 30.25 | 31.84 | 32.42 | 33.53 |
| 21 | 33.75 | 32.07 | 30.43 | 31.84 | 30.77 | 29.33 | 27.24 | 28.32 | 30.29 | 31.97 | 32.45 | 33.57 |
| 22 | 33.65 | 32.13 | 30.44 | 31.82 | 30.87 | 29.15 | 27.17 | 28.46 | 30.31 | 32.07 | 32.48 | 33.59 |
| 23 | 33.51 | 31.97 | 30.36 | 31.85 | 30.89 | 28.85 | 27.08 | 28.45 | 30.30 | 32.20 | 32.49 | 33.53 |
| 24 | 33.37 | 31.88 | 30.50 | 31.93 | 30.96 | 28.59 | 26.89 | 28.37 | 30.25 | 32.31 | 32.46 | 33.63 |
| 25 | 33.14 | 31.61 | 30.50 | 31.88 | 30.95 | 28.41 | 26.69 | 28.32 | 30.22 | 32.40 | 32.48 | 33.68 |
| 26 | 33.06 | 31.41 | 30.62 | 31.80 | 30.94 | 28.28 | 26.45 | 28.28 | 30.26 | 32.41 | 32.48 | 33.70 |
| 27 | 33.06 | 31.26 | 30.64 | 31.73 | 30.88 | 28.12 | 26.36 | 28.28 | 30.23 | 32.42 | 32.62 | 33.67 |
| 28 | 33.17 | 31.16 | 30.68 | 31.62 | 30.95 | 28.02 | 26.36 | 28.27 | 30.31 | 32.42 | 32.73 | 33.67 |
| 29 | 33.12 | 31.11 | 30.76 | 31.56 | 31.14 | 28.04 | 26.37 | 28.38 | 30.41 | 32.39 | 32.80 | 33.65 |
| 30 | 33.10 | 30.99 | 30.71 | 31.56 | --- | 27.90 | 26.65 | 28.43 | 30.45 | 32.38 | 32.90 | 33.55 |
| 31 | 33.15 | --- | 30.76 | 31.67 | --- | 27.87 | --- | 28.50 | --- | 32.36 | 33.01 | --- |
| MAX | 34.64 | 33.24 | 31.02 | 31.97 | 31.62 | 31.30 | 27.90 | 28.50 | 30.45 | 32.42 | 33.01 | 33.70 |
| WTR YR 1984 | MEAN | 30.97 | | HIGH | 26.36 | | LOW | 34.64 | | | | |

GROUND-WATER RECORDS

MONTGOMERY COUNTY--Continued

394025084162800. Local number, MT-49.

LOCATION.--Lat 39°40'25", long 84°16'28", Hydrologic Unit 05080002, 1.2 mi west of city hall in West Carrollton.

Owner: Metal Shredders, Inc.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 6 in, depth 220 ft, cased.

DATUM.--Altitude of land-surface datum is 714.61 ft. (Levels by Miami Conservancy District.) Measuring point:

Floor of shelter 2.50 ft above land-surface datum.

PERIOD OF RECORD.--November 1947 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 36.30 ft Dec. 8, 1974; minimum daily low, 10.58 ft Jan. 23, 1959.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 23.07 ft Oct. 12; minimum daily low, 16.93 ft Apr. 28-29.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 22.59 | 22.51 | 21.41 | 20.76 | 21.23 | 20.72 | 18.21 | 17.32 | 18.39 | 19.47 | 20.98 | --- |
| 2 | 22.57 | 22.52 | --- | 20.77 | 21.24 | 20.77 | 18.27 | 17.39 | 18.23 | 19.78 | 21.02 | --- |
| 3 | 22.85 | 22.53 | --- | 20.77 | 21.16 | 20.80 | 18.26 | 17.32 | 18.24 | 19.84 | 21.04 | --- |
| 4 | 22.82 | 22.52 | --- | 20.98 | 20.98 | 20.80 | 18.38 | 17.47 | 18.55 | 19.66 | 20.83 | --- |
| 5 | 22.92 | 22.28 | --- | 20.96 | 20.87 | 20.75 | 18.20 | 17.29 | 18.66 | 19.79 | 20.76 | --- |
| 6 | 22.98 | 22.22 | --- | 20.89 | 20.93 | 20.72 | 17.76 | 17.25 | 18.71 | 19.83 | 21.03 | --- |
| 7 | 23.00 | 22.45 | --- | 20.90 | 20.99 | 20.68 | 17.46 | 17.29 | 18.78 | 19.66 | 21.06 | --- |
| 8 | 22.75 | 22.52 | 20.96 | 20.94 | 21.00 | 20.68 | 17.34 | 17.32 | 18.81 | 19.62 | 20.93 | 21.80 |
| 9 | 22.74 | 22.52 | 20.99 | 21.05 | 21.02 | 20.67 | 17.53 | 17.62 | 18.64 | 19.90 | 21.23 | 21.80 |
| 10 | 22.99 | 22.51 | 20.82 | 20.97 | 21.02 | 20.66 | 17.56 | 17.68 | 18.66 | 19.91 | 21.05 | 22.08 |
| 11 | 23.06 | 22.57 | 20.74 | 21.01 | 21.03 | 20.68 | 17.65 | 17.74 | 18.98 | 20.02 | --- | 22.14 |
| 12 | 23.07 | 22.35 | 20.82 | 21.02 | 20.98 | 20.70 | 17.69 | 17.61 | 19.07 | 20.09 | --- | 22.19 |
| 13 | 22.93 | 22.23 | 20.62 | 21.06 | 20.88 | 20.70 | 17.74 | 17.63 | 19.10 | 20.20 | --- | 22.23 |
| 14 | 22.88 | 22.36 | 20.60 | 21.10 | 20.73 | 20.71 | 17.58 | 17.83 | 19.10 | 20.01 | --- | 22.00 |
| 15 | 22.65 | 22.39 | 20.67 | 21.08 | 20.53 | 20.63 | 17.54 | 17.80 | 19.15 | 19.97 | --- | 21.94 |
| 16 | 22.59 | 22.40 | 20.73 | 21.12 | 20.49 | 20.48 | 17.76 | 17.82 | 18.96 | 20.29 | --- | 21.95 |
| 17 | 22.79 | 22.31 | 20.53 | 21.18 | 20.48 | 20.10 | 17.71 | 17.83 | 18.92 | 20.34 | --- | 22.19 |
| 18 | 22.82 | 22.24 | 20.53 | 21.20 | 20.49 | 19.71 | 17.64 | 17.83 | 19.19 | 20.46 | --- | 22.27 |
| 19 | 22.87 | 22.04 | 20.53 | 21.24 | 20.50 | 19.52 | 17.83 | 17.83 | 19.24 | 20.52 | --- | 22.29 |
| 20 | 22.83 | 22.01 | 20.57 | 21.30 | 20.52 | 19.43 | 17.44 | 17.83 | 19.34 | 20.54 | --- | 22.31 |
| 21 | 22.66 | 22.24 | 20.55 | 21.32 | 20.53 | 19.25 | 17.44 | 18.27 | 19.37 | 20.33 | --- | 22.38 |
| 22 | 22.38 | 22.26 | 20.61 | 21.36 | 20.55 | 18.85 | 17.42 | 18.21 | 19.45 | 20.34 | --- | 22.17 |
| 23 | 22.27 | 22.15 | 20.59 | 21.36 | 20.55 | 18.69 | 17.29 | 18.25 | 19.26 | 20.66 | --- | 22.15 |
| 24 | 22.35 | 21.89 | 20.65 | 21.31 | 20.59 | 18.58 | 17.11 | 18.15 | 19.21 | 20.76 | --- | 22.39 |
| 25 | 22.36 | 21.82 | 20.66 | 21.24 | 20.67 | 18.49 | 17.00 | 18.18 | 19.45 | 20.79 | --- | 22.38 |
| 26 | 22.27 | 21.61 | 20.66 | 21.22 | 20.69 | 18.46 | 16.99 | 18.07 | 19.49 | 20.79 | --- | 22.44 |
| 27 | 22.31 | 21.58 | 20.65 | 21.13 | 20.64 | 18.22 | 17.08 | 18.10 | 19.33 | 20.84 | --- | 22.43 |
| 28 | 22.37 | 21.64 | 20.68 | 21.10 | 20.65 | 18.13 | 16.93 | 18.08 | 19.40 | 20.62 | --- | 22.48 |
| 29 | 22.26 | 21.43 | 20.74 | 21.11 | 20.71 | 18.13 | 16.93 | 18.41 | 19.42 | 20.58 | --- | 22.26 |
| 30 | 22.23 | 21.41 | 20.77 | 21.24 | --- | 18.15 | 17.03 | 18.43 | 19.41 | 20.87 | --- | 22.20 |
| 31 | 22.45 | --- | 20.75 | 21.32 | --- | 18.17 | --- | 18.31 | --- | 20.93 | --- | --- |
| MAX | 23.07 | 22.57 | 21.41 | 21.36 | 21.24 | 20.80 | 18.38 | 18.43 | 19.49 | 20.93 | 21.23 | 22.48 |
| WTR YR 1984 | MEAN | 20.34 | | HIGH | 16.93 | | LOW | 23.07 | | | | |

MONTGOMERY COUNTY--Continued

394425084113200. Local number, MT-3.

LOCATION.--Lat 39°44'25", long 84°11'32", Hydrologic Unit 05080002, Patterson Blvd. at Stewart St., in Dayton.

Owner: State of Ohio.

AQUIFER.--Sand and gravel of Pleistocene age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 6 in, depth 80 ft, cased.

DATUM.--Altitude of land-surface datum is 744 ft, from topographic map. Measuring point: Floor of instrument shelter 1.20 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--May 1945 to June 1974. Re-activated June 1980.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low 79.45 ft Apr. 6, 1971; minimum daily low, 25.72 ft Mar. 21, 1982.

EXTREMES FOR CURRENT YEAR.--Maximum daily low 40.51 ft Oct. 5; minimum daily low, 27.79 ft Apr. 25.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 39.84 | 38.26 | 33.56 | 31.80 | 32.39 | 31.30 | 29.23 | 30.63 | 33.03 | 35.40 | 37.80 | 38.38 |
| 2 | 39.73 | 37.79 | 33.56 | 31.75 | 32.80 | 31.27 | 29.34 | 31.31 | 32.91 | 35.47 | 37.68 | 38.23 |
| 3 | 40.40 | 37.42 | 33.52 | 31.74 | 32.08 | 31.29 | 29.31 | 30.61 | 33.04 | 35.59 | 37.67 | 38.27 |
| 4 | 40.40 | 37.33 | 33.49 | 31.74 | 31.44 | 31.25 | 29.22 | 30.55 | 34.05 | 35.58 | 37.68 | 38.68 |
| 5 | 40.51 | 37.06 | 34.43 | 31.78 | 31.31 | 31.20 | 29.14 | 31.98 | 33.79 | 35.38 | 37.66 | 38.83 |
| 6 | 40.29 | 36.32 | 33.39 | 31.93 | 31.48 | 31.16 | 28.79 | 32.40 | 34.47 | 36.40 | 37.57 | 38.28 |
| 7 | 40.36 | 35.98 | 33.21 | 31.93 | 31.59 | 31.12 | 28.57 | 32.65 | 34.82 | 36.54 | 37.33 | 38.57 |
| 8 | 40.09 | 35.89 | 33.09 | 31.89 | 31.51 | 31.12 | 28.51 | 31.42 | 33.84 | 35.94 | 37.42 | 38.57 |
| 9 | 39.87 | 36.29 | 33.02 | 33.53 | 31.45 | 31.12 | 28.63 | 31.32 | 34.94 | 35.56 | 37.42 | 38.42 |
| 10 | 40.36 | 36.54 | 32.99 | 34.23 | 32.23 | 31.02 | 28.76 | 31.52 | 35.26 | 36.73 | 37.48 | 38.76 |
| 11 | 39.81 | 36.67 | 32.95 | 33.41 | 31.79 | 31.01 | 28.82 | 31.56 | 35.30 | 36.87 | 37.48 | 38.73 |
| 12 | 39.46 | 36.16 | 32.80 | 32.40 | 31.35 | 31.03 | 28.84 | 32.49 | 35.34 | 36.72 | 37.42 | 38.41 |
| 13 | 39.14 | 35.57 | 32.55 | 32.98 | 31.18 | 31.02 | 28.89 | 32.83 | 35.37 | 36.18 | 37.36 | 38.89 |
| 14 | 38.81 | 35.17 | 32.41 | 32.71 | 31.01 | 31.13 | 28.87 | 32.86 | 35.54 | 36.08 | 37.51 | 38.96 |
| 15 | 38.85 | 35.02 | 32.56 | 32.15 | 30.86 | 30.94 | 28.86 | 32.84 | 35.60 | 36.05 | 37.51 | 38.71 |
| 16 | 38.31 | 34.97 | 32.63 | 31.92 | 30.80 | 30.73 | 28.81 | 32.99 | 35.59 | 36.57 | 37.55 | 38.66 |
| 17 | 38.15 | 34.75 | 32.65 | 32.02 | 30.86 | 29.99 | 28.75 | 33.31 | 35.79 | 36.14 | 37.55 | 39.04 |
| 18 | 38.21 | 34.41 | 32.62 | 31.95 | 30.88 | 29.52 | 28.64 | 33.51 | 36.19 | 36.48 | 37.35 | 38.51 |
| 19 | 38.15 | 34.23 | 32.68 | 31.99 | 30.91 | 29.41 | 28.62 | 33.73 | 36.21 | 37.04 | 37.36 | 38.34 |
| 20 | 38.12 | 34.23 | 32.69 | 31.88 | 31.97 | 29.49 | 28.62 | 33.80 | 35.36 | 37.34 | 37.75 | 38.65 |
| 21 | 37.86 | 34.26 | 32.67 | 31.86 | 32.19 | 29.31 | 28.63 | 33.93 | 36.08 | 37.10 | 37.79 | 38.43 |
| 22 | 37.95 | 35.77 | 34.22 | 31.74 | 31.51 | 28.96 | 28.48 | 33.87 | 36.32 | 36.87 | 37.88 | 38.62 |
| 23 | 37.95 | 35.98 | 33.08 | 31.69 | 31.28 | 28.94 | 28.33 | 34.08 | 36.47 | 36.66 | 37.88 | 38.59 |
| 24 | 37.70 | 35.53 | 32.71 | 32.55 | 31.25 | 28.89 | 27.96 | 34.05 | 36.48 | 37.17 | 37.96 | 39.22 |
| 25 | 37.18 | 33.94 | 32.53 | 32.44 | 31.31 | 29.00 | 27.79 | 34.12 | 36.41 | 36.79 | 38.20 | 39.21 |
| 26 | 37.08 | 33.74 | 32.34 | 32.69 | 31.30 | 28.98 | 28.76 | 34.34 | 35.44 | 36.79 | 38.22 | 39.61 |
| 27 | 36.93 | 33.74 | 32.14 | 31.92 | 31.19 | 28.93 | 30.17 | 34.37 | 36.33 | 36.72 | 38.18 | 39.19 |
| 28 | 37.12 | 34.77 | 32.04 | 31.52 | 31.23 | 28.87 | 30.85 | 34.47 | 36.39 | 37.56 | 38.26 | 38.70 |
| 29 | 37.43 | 33.80 | 32.05 | 31.38 | 31.30 | 29.08 | 31.12 | 34.47 | 35.66 | 37.91 | 38.27 | 38.71 |
| 30 | 37.49 | 33.49 | 32.02 | 31.59 | --- | 29.13 | 31.54 | 33.13 | 35.52 | 38.06 | 38.50 | 38.75 |
| 31 | 37.76 | --- | 31.92 | 31.59 | --- | 29.18 | --- | 32.87 | --- | 37.78 | 38.50 | --- |
| MAX | 40.51 | 38.26 | 34.43 | 34.23 | 32.80 | 31.30 | 31.54 | 34.47 | 36.48 | 38.06 | 38.50 | 39.61 |
| WTR YR 1984 | MEAN | 34.26 | | HIGH | 27.79 | | LOW | 40.51 | | | | |

GROUND-WATER RECORDS

MONTGOMERY COUNTY--Continued

394533084113800. Local number, MT-6.

LOCATION.--Lat 39°45'33", long 84°11'38", Hydrologic Unit 05080002, 3rd and Ludlow Sts., Dayton.

Owner: City of Dayton

AQUIFER.--Sand and gravel of Pleistocene age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 8 in, depth 60 ft, cased.

DATUM.--Altitude of land-surface datum is 740 ft from topographic map. Measuring point: Floor of instrument shelter 13.00 ft below land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--February 1946 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 60.20 ft Oct. 2, 1970; minimum daily low, 21.23 ft Feb. 26, 1982.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 35.24 ft Sept. 13; minimum daily low, 24.99 ft Apr. 1.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 33.04 | 31.79 | 29.93 | 26.85 | 28.33 | 28.81 | 24.99 | 26.98 | 28.58 | 31.65 | 33.64 | 34.21 |
| 2 | 32.78 | 31.58 | 29.79 | 26.81 | 28.59 | 28.83 | 26.02 | 26.92 | 28.40 | 32.48 | 33.95 | 33.88 |
| 3 | 33.10 | 31.66 | 29.51 | 26.98 | 28.69 | 28.47 | 26.07 | 26.90 | 28.06 | 32.45 | 34.10 | 33.55 |
| 4 | 33.78 | 31.46 | 29.19 | 27.33 | 28.33 | 28.14 | 26.25 | 26.80 | 29.24 | 31.74 | 34.12 | 34.41 |
| 5 | 33.89 | 31.03 | 29.58 | 27.50 | 27.97 | 28.57 | 26.44 | 26.41 | 29.18 | 32.51 | 33.17 | 33.87 |
| 6 | 33.43 | 30.92 | 29.70 | 27.70 | 28.42 | 28.65 | 26.02 | 26.16 | 29.63 | 32.52 | 33.81 | 34.16 |
| 7 | 33.66 | 31.20 | 29.69 | 27.43 | 28.58 | 28.64 | 25.67 | 26.92 | 30.09 | 32.04 | 34.17 | 34.52 |
| 8 | 33.15 | 31.26 | 29.62 | 27.17 | 28.57 | 28.25 | 25.44 | 26.83 | 30.42 | 31.64 | 34.39 | 34.31 |
| 9 | 32.86 | 31.37 | 29.52 | 27.66 | 28.72 | 28.03 | 26.06 | 26.35 | 30.24 | 31.99 | 34.55 | 33.53 |
| 10 | 32.73 | 31.29 | 29.26 | 27.81 | 28.76 | 27.85 | 26.30 | 26.94 | 29.61 | 32.58 | 34.76 | 34.26 |
| 11 | 33.16 | 31.28 | 29.08 | 27.95 | 28.36 | 27.71 | 26.44 | 27.20 | 30.67 | 32.93 | 34.05 | 34.66 |
| 12 | 32.92 | 31.05 | 29.19 | 28.07 | 27.94 | 27.65 | 26.58 | 27.39 | 30.93 | 32.78 | 33.46 | 34.96 |
| 13 | 32.74 | 30.68 | 29.07 | 28.08 | 28.29 | 27.63 | 26.76 | 26.99 | 31.23 | 32.96 | 34.20 | 35.24 |
| 14 | 32.44 | 30.82 | 29.05 | 27.72 | 28.62 | 27.91 | 26.62 | 27.35 | 31.26 | 33.12 | 34.48 | 35.11 |
| 15 | 32.08 | 30.88 | 28.97 | 27.34 | 28.68 | 28.36 | 26.24 | 27.74 | 31.51 | 32.13 | 34.70 | 34.39 |
| 16 | 31.78 | 30.91 | 28.93 | 27.77 | 28.69 | 28.30 | 26.55 | 27.73 | 31.55 | 32.52 | 34.91 | 33.97 |
| 17 | 32.03 | 30.90 | 28.57 | 27.89 | 28.70 | 27.90 | 26.17 | 28.28 | 30.54 | 32.96 | 34.79 | 33.85 |
| 18 | 31.97 | 30.87 | 28.25 | 27.91 | 28.60 | 27.39 | 25.86 | 28.35 | 31.46 | 33.21 | 34.90 | 34.16 |
| 19 | 31.91 | 30.81 | 28.22 | 27.76 | 28.20 | 27.44 | 26.17 | 28.03 | 31.67 | 33.11 | 33.85 | 34.40 |
| 20 | 31.95 | 30.66 | 28.13 | 27.75 | 28.50 | 27.43 | 26.16 | 27.62 | 32.16 | 33.23 | 34.48 | 34.55 |
| 21 | 31.94 | 30.82 | 28.02 | 27.42 | 28.56 | 27.01 | 25.88 | 28.44 | 32.33 | 33.21 | 34.59 | 34.52 |
| 22 | 31.82 | 30.89 | 28.06 | 27.15 | 28.76 | 26.64 | 25.60 | 28.95 | 32.51 | 32.29 | 34.70 | 34.76 |
| 23 | 31.70 | 30.85 | 27.86 | 27.52 | 28.86 | 26.10 | 26.06 | 29.23 | 32.35 | 33.00 | 34.70 | 33.94 |
| 24 | 31.74 | 30.65 | 27.49 | 27.94 | 28.86 | 25.72 | 26.04 | 29.41 | 31.70 | 33.23 | 34.68 | 34.46 |
| 25 | 31.72 | 30.22 | 27.22 | 28.25 | 28.52 | 25.40 | 26.77 | 29.72 | 32.11 | 33.36 | 34.18 | 34.67 |
| 26 | 31.43 | 29.92 | 27.04 | 28.46 | 28.22 | 25.94 | 26.71 | 29.03 | 32.13 | 33.58 | 33.61 | 34.03 |
| 27 | 31.31 | 29.88 | 27.34 | 28.52 | 28.52 | 25.94 | 27.13 | 28.59 | 32.54 | 33.72 | 34.25 | 33.64 |
| 28 | 31.49 | 30.06 | 27.12 | 28.17 | 28.63 | 25.85 | 26.77 | 28.06 | 32.69 | 33.06 | 34.48 | 33.12 |
| 29 | 31.31 | 30.09 | 27.09 | 27.84 | 28.74 | 25.42 | 26.37 | 28.12 | 32.73 | 32.64 | 34.72 | 32.81 |
| 30 | 31.08 | 30.03 | 26.82 | 28.37 | --- | 25.19 | 27.17 | 27.29 | 32.03 | 33.37 | 34.95 | 32.47 |
| 31 | 31.26 | --- | 26.66 | 28.24 | --- | 25.09 | --- | 27.92 | --- | 33.44 | 34.92 | --- |
| MAX | 33.89 | 31.79 | 29.93 | 28.52 | 28.86 | 28.83 | 27.17 | 29.72 | 32.73 | 33.72 | 34.95 | 35.24 |
| WTR YR 1984 | MEAN | 30.12 | | HIGH | 24.99 | | LOW | 35.24 | | | | |

MUSKINGUM COUNTY

395804081593200. Local number, MU-1A.

LOCATION.--Lat 39°58'04", long 81°59'32", Hydrologic Unit 05040004, 2.2 mi northeast of the "Y" bridge in Zanesville.

Owner: Zanesville Water Department.

AQUIFER.--Sand and gravel of Quaternary Age.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 6 in, depth 109 ft, cased.

DATUM.--Altitude of land-surface datum is 700 ft, from topographic map. Measuring point: Floor of instrument shelter 4.48 ft above land-surface datum.

REMARKS.--Water level affected by nearby municipal wells and by stage of the Muskingum River. Prior to water year 1978, well depth reported as 132 ft.

PERIOD OF RECORD.--May 1942 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 37.25 ft Aug. 1-2, 1954; minimum daily low, 8.50 ft May 25, 1967.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 28.69 ft Mar. 13; minimum daily low, 14.52 ft Apr. 26-30.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 24.15 | 24.42 | 23.44 | 24.35 | 27.69 | 27.69 | 17.70 | 15.07 | 16.04 | 18.97 | 21.78 | 22.74 |
| 2 | 23.90 | 24.55 | 23.48 | 24.20 | 27.84 | 27.69 | 16.65 | 15.49 | 16.08 | 19.13 | 22.10 | 22.54 |
| 3 | 24.35 | 24.58 | 23.51 | 24.14 | 27.93 | 27.67 | 16.33 | 15.69 | 15.87 | 19.37 | 22.09 | 22.79 |
| 4 | 24.32 | 24.62 | 23.24 | 24.45 | 28.08 | 27.50 | 15.91 | 16.85 | 16.43 | 19.00 | 22.03 | 22.72 |
| 5 | 24.24 | 24.58 | 22.84 | 24.59 | 28.40 | 27.19 | 15.42 | 16.66 | 17.00 | 18.78 | 22.43 | 22.53 |
| 6 | 24.06 | 24.33 | 23.06 | 24.89 | 28.40 | 27.27 | 15.43 | 15.87 | 17.51 | 18.68 | 22.63 | 22.54 |
| 7 | 24.23 | 24.34 | 22.80 | 25.09 | 28.39 | 27.84 | 15.37 | 15.55 | 18.05 | 18.63 | 22.31 | 22.36 |
| 8 | 24.23 | 24.35 | 22.45 | 25.14 | 28.45 | 28.03 | 14.92 | 16.17 | 17.81 | 18.68 | 21.97 | 22.44 |
| 9 | 23.80 | 24.10 | 22.24 | 24.70 | 28.49 | 28.04 | 14.98 | 16.39 | 18.12 | 18.43 | 21.77 | 22.11 |
| 10 | 23.90 | 23.78 | 21.93 | 24.94 | 28.48 | 28.25 | 15.24 | 16.69 | 17.55 | 19.08 | 21.03 | 22.17 |
| 11 | 23.98 | 23.89 | 21.76 | 25.34 | 28.24 | 28.47 | 16.12 | 17.38 | 18.18 | 18.94 | 20.80 | 22.85 |
| 12 | 24.02 | 24.19 | 21.92 | 25.61 | 28.00 | 28.65 | 16.30 | 17.22 | 18.32 | 18.76 | 20.50 | 22.89 |
| 13 | 24.33 | 24.13 | 22.44 | 25.86 | 28.32 | 28.69 | 15.88 | 17.19 | 18.43 | 19.57 | 21.08 | 23.26 |
| 14 | 24.93 | 24.14 | 22.67 | 26.06 | 28.32 | 28.43 | 16.02 | 17.22 | 18.20 | 19.18 | 21.01 | 23.43 |
| 15 | 24.95 | 24.23 | 22.83 | 26.06 | 28.28 | 28.24 | 16.26 | 17.85 | 18.33 | 19.03 | 20.90 | 23.20 |
| 16 | 24.23 | 23.90 | 23.09 | 26.05 | 28.09 | 28.50 | 16.52 | 17.94 | 18.69 | 18.95 | 21.43 | 22.31 |
| 17 | 24.07 | 23.67 | 23.33 | 26.25 | 27.86 | 28.64 | 15.88 | 17.75 | 18.76 | 19.57 | 21.79 | 22.29 |
| 18 | 24.26 | 23.89 | 23.37 | 26.44 | 27.64 | 28.59 | 16.28 | 17.75 | 18.40 | 19.95 | 22.29 | 22.24 |
| 19 | 24.29 | 24.34 | 23.69 | 26.72 | 27.63 | 28.42 | 16.28 | 17.74 | 18.07 | 20.18 | 22.30 | 22.26 |
| 20 | 24.09 | 24.03 | 23.78 | 27.01 | 27.63 | 28.51 | 15.92 | 17.74 | 18.28 | 20.36 | 22.51 | 22.45 |
| 21 | 24.09 | 23.74 | 23.79 | 26.90 | 27.77 | 28.51 | 16.00 | 18.05 | 18.54 | 20.49 | 22.75 | 22.69 |
| 22 | 24.15 | 24.22 | 23.84 | 26.94 | 27.82 | 27.90 | 15.60 | 18.32 | 18.65 | 20.30 | 22.58 | 23.22 |
| 23 | 24.33 | 24.43 | 23.59 | 27.20 | 27.47 | 26.89 | 15.35 | 18.33 | 18.70 | 20.27 | 22.69 | 23.32 |
| 24 | 24.34 | 24.49 | 23.53 | 27.43 | 27.51 | 25.60 | 15.21 | 18.37 | 18.69 | 20.51 | 22.73 | 23.50 |
| 25 | 24.36 | 24.56 | 23.30 | 27.64 | 27.49 | 24.33 | 14.79 | 17.94 | 17.99 | 21.29 | 22.66 | 23.28 |
| 26 | 24.52 | 24.56 | 23.45 | 27.74 | 27.40 | 22.88 | 14.52 | 17.76 | 18.36 | 21.42 | 22.68 | 23.45 |
| 27 | 24.71 | 24.30 | 23.87 | 27.78 | 27.43 | 22.01 | 14.52 | 16.30 | 18.35 | 21.72 | 22.34 | 23.79 |
| 28 | 24.76 | 23.86 | 23.89 | 27.76 | 27.39 | 21.52 | 14.52 | 16.43 | 18.55 | 22.19 | 22.23 | 23.66 |
| 29 | 24.68 | 23.86 | 24.19 | 27.76 | 27.46 | 21.14 | 14.52 | 16.58 | 19.31 | 21.89 | 22.78 | 23.89 |
| 30 | 24.61 | 23.25 | 24.16 | 27.80 | --- | 20.28 | 14.52 | 16.68 | 19.32 | 21.87 | 22.89 | 23.86 |
| 31 | 24.35 | --- | 24.16 | 27.40 | --- | 19.32 | --- | 16.00 | --- | 21.78 | 22.69 | --- |
| MAX | 24.95 | 24.62 | 24.19 | 27.80 | 28.49 | 28.69 | 17.70 | 18.37 | 19.32 | 22.19 | 22.89 | 23.89 |
| WTR YR 1984 | MEAN | 22.31 | | HIGH | 14.52 | | LOW | 28.69 | | | | |

GROUND-WATER RECORDS

PICKAWAY COUNTY

393327082571600. Local number, PK-7.

LOCATION.--Lat 39°33'27", long 82°57'16", Hydrologic Unit 05060002, 3.1 mi south of Circleville.

Owner: State of Ohio.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test artesian well, diameter 6 in, depth drilled 172 ft, present depth 169 ft, cased to 164 ft.

DATUM.--Altitude of land-surface datum is 705 ft, from topographic map. Measuring point: Floor of instrument shelter, 3.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--July 1972 to September 1982 continuous, periodic thereafter.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 54.80 ft Sept. 15, 1977; minimum daily low, 38.32 ft Dec. 25, 1979.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM.

| DATE | WATER LEVEL | DATE | WATER LEVEL | DATE | WATER LEVEL | DATE | WATER LEVEL |
|---------------|----------------|---------------|----------------|---------------|----------------|--------------|----------------|
| Oct. 28, 1983 | 48.25 | Apr. 30, 1984 | 44.63 | Aug. 29, 1984 | 43.56 | Mar. 1, 1984 | 47.45 |
| July 2, 1984 | 42.65 | | | | | | |

PICKAWAY COUNTY--Continued

393402082572500. Local number, Pk-4.

LOCATION.--Lat 39°34'02", long 82°57'25", Hydrologic Unit 05060002, 2 mi south of Circleville.

Owner: E.I. DuPont DeNemours.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 6 in, depth 136 ft, cased.

DATUM.--Altitude of land-surface datum is 707 ft, from topographic map. Measuring point: Floor of instrument shelter 3.50 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--January, 1960 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 80.15 ft Nov. 3, 1972; minimum daily low, 47.40 ft Feb. 25, 1960.

EXTREMES FOR CURRENT YEAR.--Maximum recorded daily low, 72.60 ft Nov. 5; minimum recorded daily low, 61.15 ft June 23-24, July 1.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 70.00 | 69.15 | 70.25 | | 66.15 | 69.30 | 68.10 | --- | 61.85 | 61.15 | 63.65 | 64.00 |
| 2 | 69.90 | 69.15 | 70.05 | | 66.10 | 68.40 | 69.85 | --- | 61.60 | 61.30 | 64.15 | 64.00 |
| 3 | 69.65 | 72.15 | --- | | 65.75 | --- | 69.85 | --- | 61.60 | 66.70 | 65.65 | 64.15 |
| 4 | 69.30 | 71.85 | --- | | 65.65 | --- | 70.15 | --- | 62.25 | --- | 67.35 | 64.35 |
| 5 | 69.60 | 72.60 | --- | | 65.60 | --- | 69.95 | --- | 61.95 | --- | 65.05 | 67.05 |
| 6 | 70.15 | 70.65 | --- | | 66.00 | --- | 69.80 | --- | 61.65 | --- | 65.50 | 67.15 |
| 7 | 69.45 | 70.15 | --- | | 66.25 | --- | 69.30 | --- | 61.80 | --- | 65.50 | 67.55 |
| 8 | 69.05 | 70.50 | --- | | 69.40 | --- | 69.15 | --- | 61.75 | --- | 65.85 | 67.40 |
| 9 | 69.00 | 70.65 | --- | | 66.30 | --- | 69.85 | --- | 61.75 | --- | 66.15 | 66.50 |
| 10 | 69.15 | 70.50 | --- | | 66.05 | --- | 69.95 | --- | 61.70 | --- | 66.25 | 67.15 |
| 11 | 69.45 | 70.65 | --- | | 66.00 | --- | 69.55 | --- | 61.95 | 67.85 | 66.15 | 67.50 |
| 12 | 69.30 | 70.75 | --- | | 65.85 | --- | 69.30 | --- | 61.95 | --- | 65.85 | 67.50 |
| 13 | 69.45 | 70.15 | --- | | 65.75 | --- | --- | --- | 61.85 | 64.10 | 66.30 | 67.70 |
| 14 | 69.40 | 69.70 | --- | | 65.80 | --- | --- | --- | 62.15 | 68.90 | 66.00 | 65.40 |
| 15 | 69.40 | 70.00 | --- | | 68.60 | --- | --- | --- | 61.80 | 63.30 | 66.25 | 64.50 |
| 16 | 69.00 | 70.05 | --- | | 65.40 | --- | --- | --- | 61.45 | 66.70 | 66.40 | 64.45 |
| 17 | 69.45 | 70.30 | --- | | 65.60 | --- | --- | --- | 61.40 | 63.40 | 64.30 | 64.60 |
| 18 | 69.25 | 70.60 | --- | | 67.15 | --- | 69.25 | --- | 63.20 | 63.85 | 64.15 | 64.80 |
| 19 | 69.15 | 70.05 | --- | | 67.80 | --- | --- | 65.00 | 64.15 | 64.00 | 64.10 | 65.10 |
| 20 | 67.60 | 69.65 | --- | | 68.15 | --- | --- | 62.10 | 63.70 | 64.50 | 64.35 | 65.25 |
| 21 | 69.55 | 70.10 | --- | | 65.70 | --- | 70.00 | 62.00 | 61.55 | 64.00 | 64.30 | 65.75 |
| 22 | 69.45 | 70.30 | --- | | 65.75 | --- | 70.85 | 62.00 | 61.45 | 63.50 | 64.30 | 65.70 |
| 23 | 69.75 | 70.35 | --- | | 65.65 | --- | 67.55 | 62.15 | 61.15 | 68.10 | 64.15 | 65.50 |
| 24 | 70.40 | 70.00 | --- | | 65.65 | --- | 67.65 | 62.05 | 61.15 | --- | 65.55 | 65.45 |
| 25 | 70.15 | 69.80 | --- | | 65.95 | --- | 67.75 | 61.95 | 61.30 | --- | 64.25 | 63.90 |
| 26 | 70.10 | 69.90 | --- | | 65.80 | --- | 67.95 | 61.80 | 64.35 | --- | 63.95 | 62.80 |
| 27 | 70.15 | 69.90 | --- | | 67.65 | --- | 70.75 | 61.65 | 61.30 | --- | 63.80 | 67.10 |
| 28 | 70.00 | 69.75 | --- | | 68.15 | --- | 70.90 | 61.65 | 64.55 | --- | 65.95 | 67.20 |
| 29 | 70.35 | 69.80 | --- | | 68.30 | 68.25 | 70.90 | 61.65 | 61.65 | --- | 64.30 | 65.75 |
| 30 | 68.70 | 70.10 | --- | | --- | 68.05 | 70.70 | 61.80 | 61.20 | 69.15 | 64.05 | 66.75 |
| 31 | 69.50 | --- | --- | | --- | 67.75 | --- | 61.85 | --- | 63.10 | 64.00 | --- |
| MAX | 70.40 | 72.60 | 70.25 | | 69.40 | 68.40 | 70.90 | 65.00 | 64.55 | 69.15 | 67.35 | 67.70 |
| WTR YR 1984 | MEAN | 66.54 | | HIGH | 61.15 | | LOW | 72.60 | | | | |

NOTE: NUMBER OF MISSING DAYS OF RECORD EXCEEDED 20% OF YEAR

GROUND-WATER RECORDS

PICKAWAY COUNTY--Continued

393638082572300. Local number, PK-6.

LOCATION.--Lat 39°36'38", long 82°57'23", Hydrologic Unit 05060002, water works plant 1 mi northwest of Circleville.

Owner: Circleville Water Dept.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 6 in, depth 120 ft, cased.

DATUM.--Altitude of land-surface datum is 672 ft, from topographic map. Measuring point: Floor of instrument shelter 3.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--July 1966 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 37.32 ft Feb. 24, 1977; minimum daily low, 14.50 ft Feb. 2, 1969.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 35.55 ft Aug. 17; minimum daily low, 21.35 ft Mar 29.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 33.20 | 32.20 | 26.70 | 28.35 | 34.05 | 32.50 | 27.00 | 29.20 | 31.75 | 30.30 | 30.45 | 35.10 |
| 2 | 33.20 | 32.55 | 26.55 | 28.15 | 34.05 | 32.85 | 23.05 | 30.75 | 31.10 | 33.45 | 30.40 | 31.00 |
| 3 | 33.15 | 32.45 | 26.25 | 28.85 | 33.95 | --- | 25.55 | 30.15 | 27.45 | 34.05 | 30.70 | 33.50 |
| 4 | 33.30 | 32.35 | 26.10 | 28.45 | 33.55 | 32.65 | 29.35 | 30.90 | 27.00 | 34.15 | 30.65 | 33.80 |
| 5 | 33.25 | 31.80 | 25.80 | 28.95 | 33.10 | 32.80 | 28.55 | 30.85 | 30.00 | 33.95 | 30.15 | 34.45 |
| 6 | 33.05 | 31.75 | 25.00 | 29.15 | 32.80 | 33.00 | 27.30 | 30.30 | 32.10 | 34.05 | 29.95 | 35.05 |
| 7 | 33.10 | 32.25 | 25.10 | 29.15 | 33.15 | 32.65 | 26.05 | 30.65 | 32.20 | 33.70 | 30.40 | 35.10 |
| 8 | 33.00 | 32.15 | 25.15 | 28.80 | 33.45 | 32.60 | 22.60 | 31.40 | 32.35 | 33.15 | 33.20 | 35.20 |
| 9 | 33.05 | 31.85 | 25.15 | 28.95 | 33.70 | --- | 25.85 | 31.55 | 31.70 | 33.95 | 33.95 | 34.35 |
| 10 | 33.05 | 31.80 | 25.20 | 28.30 | 33.05 | --- | 28.55 | 31.70 | 32.55 | 34.75 | 34.35 | 31.20 |
| 11 | 33.15 | 31.75 | 25.50 | 28.45 | 33.25 | 33.00 | 28.55 | 31.75 | 32.00 | 34.85 | 31.00 | 31.15 |
| 12 | 32.95 | 31.30 | 25.55 | --- | 32.85 | --- | 28.05 | 31.10 | 33.15 | 34.25 | 30.55 | --- |
| 13 | 33.15 | 30.80 | 25.95 | --- | 32.35 | 33.00 | 28.90 | 31.10 | 31.25 | 30.25 | 30.65 | --- |
| 14 | 33.05 | 30.80 | 25.35 | 34.25 | 32.50 | 33.10 | 28.35 | 31.25 | 31.15 | 33.60 | 33.55 | --- |
| 15 | 32.95 | 31.85 | 25.35 | 34.35 | 31.40 | 32.70 | 30.85 | 31.25 | 32.80 | 34.40 | 32.80 | --- |
| 16 | 33.00 | 32.60 | 25.00 | 33.45 | 30.45 | --- | 30.45 | 26.15 | 33.50 | 34.65 | 34.90 | --- |
| 17 | 33.10 | 31.40 | 25.30 | 34.15 | 29.55 | 29.00 | 30.50 | 25.75 | 31.55 | 34.50 | 35.55 | --- |
| 18 | 33.10 | 29.30 | 26.05 | 34.15 | 29.85 | 26.45 | 29.80 | 26.55 | 32.70 | 34.55 | 34.70 | --- |
| 19 | 33.05 | 30.40 | 25.70 | 34.40 | 30.25 | 24.20 | 30.15 | 27.10 | 33.55 | 34.25 | 34.65 | --- |
| 20 | 33.00 | 30.75 | 26.15 | 34.40 | 30.70 | 26.45 | 29.45 | 27.45 | 33.60 | 34.70 | 34.85 | --- |
| 21 | 32.90 | 29.60 | 26.00 | --- | 30.80 | --- | 30.05 | 27.00 | 33.10 | 34.70 | 34.75 | --- |
| 22 | 32.75 | --- | 26.75 | --- | 31.25 | 26.75 | 30.50 | 27.20 | 33.20 | 34.85 | 34.85 | --- |
| 23 | 32.65 | --- | 26.40 | --- | 31.35 | 25.15 | 29.15 | 27.50 | 29.90 | 34.80 | 35.00 | --- |
| 24 | 32.30 | --- | 26.40 | --- | 31.65 | 26.00 | 29.20 | 26.95 | 27.75 | 34.15 | 35.00 | --- |
| 25 | 32.15 | --- | 26.15 | --- | 31.55 | 26.30 | 29.25 | 26.25 | 32.55 | 31.10 | 35.05 | --- |
| 26 | 32.05 | --- | 27.45 | --- | 32.20 | --- | 29.25 | 25.50 | 32.95 | 29.85 | 35.00 | --- |
| 27 | 32.05 | --- | 27.85 | --- | 32.25 | --- | 28.80 | 25.65 | 33.10 | 30.65 | 34.45 | --- |
| 28 | 32.10 | --- | 27.90 | --- | 32.30 | --- | 29.35 | 25.85 | 33.25 | 30.35 | 35.05 | --- |
| 29 | 32.10 | 26.00 | 28.45 | --- | 31.50 | 21.35 | 29.80 | 25.60 | 33.95 | 33.25 | 35.30 | --- |
| 30 | 32.15 | 26.25 | 28.50 | --- | --- | 21.50 | 29.80 | 26.75 | 33.00 | 31.25 | 35.35 | --- |
| 31 | 32.20 | --- | 28.20 | --- | --- | 24.15 | --- | 29.10 | --- | 30.45 | 35.30 | --- |
| MAX | 33.30 | 32.60 | 28.50 | 34.40 | 34.05 | 33.10 | 30.85 | 31.75 | 33.95 | 34.85 | 35.55 | 35.20 |
| WTR YR 1984 | MEAN | 30.83 | | HIGH | 21.35 | | LOW | 35.55 | | | | |

PICKAWAY COUNTY--Continued

39348083072200. Local number, Pk-8.

LOCATION.--Lat 39°34'38", long 83°07'22", Hydrologic Unit 05060002, 0.5 mi south of Williamsport.

Owner: Village of Williamsport.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 10 in, depth 18 ft, cased.

DATUM.--Altitude of land-surface datum is 723 ft, from topographic map. Measuring point: Floor of instrument shelter 0.9 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--April 1980 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low 9.98 ft Sept. 26, 1983; minimum recorded daily low, 0.08 ft above land-surface datum, Mar. 29, 1984.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 9.02 ft Sept. 27; minimum recorded daily low, 0.08 ft above land-surface datum, Mar. 29.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|------|------|------|------|------|-------|------|-------|------|------|------|------|
| 1 | --- | 7.04 | --- | 4.44 | 4.43 | 5.08 | .35 | 2.59 | 3.15 | 5.76 | 7.53 | 8.08 |
| 2 | --- | 7.20 | --- | 4.40 | 4.46 | 4.72 | .55 | 2.85 | 3.41 | 5.99 | 7.53 | 8.12 |
| 3 | --- | 7.11 | --- | 4.39 | 4.51 | 4.75 | --- | 2.99 | 3.69 | 5.99 | 7.50 | 8.21 |
| 4 | --- | 7.05 | --- | 4.38 | 4.16 | 4.78 | --- | 2.72 | 4.06 | 6.16 | 7.67 | 8.25 |
| 5 | --- | 6.93 | .56 | 4.34 | 3.90 | 4.67 | .65 | --- | 4.20 | 6.04 | 7.46 | 8.25 |
| 6 | --- | 6.82 | .51 | 4.36 | 3.79 | 4.41 | .20 | --- | 4.62 | 6.08 | 7.49 | 8.33 |
| 7 | --- | 6.97 | .55 | 4.42 | 3.85 | 4.11 | .01 | --- | 4.69 | 6.11 | 7.49 | 8.35 |
| 8 | --- | 6.97 | .56 | 4.33 | 3.89 | 3.74 | .08 | --- | 4.82 | 6.11 | 7.54 | 8.32 |
| 9 | --- | 6.92 | --- | 4.19 | 4.09 | 3.74 | .12 | --- | 4.91 | 6.24 | 7.58 | 8.48 |
| 10 | --- | 7.08 | --- | 4.19 | 4.12 | 3.66 | .58 | --- | 5.08 | 6.25 | 7.56 | 8.53 |
| 11 | --- | 6.70 | --- | 4.42 | 4.14 | 3.63 | .63 | --- | 5.16 | 6.35 | 7.25 | 8.53 |
| 12 | --- | 6.57 | --- | 4.51 | 4.18 | 3.73 | --- | --- | 5.18 | 6.35 | 7.24 | 8.53 |
| 13 | --- | 6.38 | --- | 4.54 | 4.14 | 3.71 | --- | --- | 5.32 | 6.47 | 7.33 | 8.63 |
| 14 | --- | 6.26 | --- | 4.71 | 4.10 | 3.64 | --- | --- | 5.38 | 6.53 | 7.38 | 8.62 |
| 15 | --- | 6.08 | --- | 4.65 | 3.50 | 3.49 | --- | --- | 5.45 | 6.54 | 7.50 | 8.60 |
| 16 | --- | 5.89 | --- | 4.93 | 3.08 | 3.08 | --- | --- | 5.72 | 7.00 | 7.53 | 8.70 |
| 17 | --- | 5.64 | --- | 4.95 | 2.61 | --- | --- | --- | 5.79 | 6.99 | 7.62 | 8.72 |
| 18 | --- | 5.62 | --- | 4.98 | 2.99 | --- | --- | --- | 5.76 | 6.83 | 7.61 | 8.94 |
| 19 | --- | 5.41 | --- | 5.06 | 3.57 | --- | --- | --- | 5.81 | 6.87 | 7.61 | 8.92 |
| 20 | --- | 5.33 | --- | 5.18 | 4.50 | --- | --- | --- | 5.83 | 7.27 | 7.69 | 8.79 |
| 21 | --- | 5.30 | --- | 5.26 | 4.37 | --- | --- | --- | 5.72 | 7.27 | 7.76 | 8.76 |
| 22 | --- | 5.30 | --- | 5.34 | 3.95 | --- | --- | --- | 5.81 | 7.09 | 7.77 | 8.86 |
| 23 | --- | 5.33 | --- | 5.48 | 3.79 | --- | --- | --- | 5.90 | 7.18 | 7.81 | 8.93 |
| 24 | --- | 5.18 | --- | 5.37 | 3.69 | --- | --- | --- | 5.85 | 7.22 | 7.81 | 8.93 |
| 25 | --- | 5.18 | --- | 5.00 | 3.59 | --- | --- | --- | 5.68 | 7.16 | 7.83 | 8.85 |
| 26 | --- | 4.97 | --- | 4.42 | 3.79 | --- | --- | --- | 5.71 | 7.17 | 7.83 | 8.94 |
| 27 | --- | 4.88 | --- | 3.38 | 4.46 | --- | --- | --- | 5.70 | 7.11 | 7.87 | 9.02 |
| 28 | 7.06 | 4.40 | --- | 3.47 | 5.36 | --- | --- | --- | 5.76 | 7.28 | 7.99 | 8.80 |
| 29 | 7.16 | 1.11 | --- | 3.75 | 5.64 | -0.08 | --- | --- | 5.79 | 7.28 | 8.00 | 8.88 |
| 30 | 7.14 | 0.88 | 4.28 | 4.13 | --- | .03 | 2.42 | --- | 5.83 | 7.38 | 8.07 | 8.91 |
| 31 | 7.03 | --- | 4.39 | 4.30 | --- | .08 | --- | 2.96 | --- | 7.39 | 8.08 | --- |
| MAX | 7.16 | 7.20 | 4.39 | 5.48 | 5.64 | 5.08 | 2.42 | 2.99 | 5.90 | 7.39 | 8.08 | 9.02 |
| WTR YR 1984 | MEAN | 5.52 | | MAX | 9.02 | | MIN | -0.08 | | | | |

NOTE: NUMBER OF MISSING DAYS OF RECORD EXCEEDED 20% OF YEAR

GROUND-WATER RECORDS

PIKE COUNTY

390359083015100. Local number, PI-2.

LOCATION.--Lat 39°03'59", long 83°01'51", Hydrologic Unit 05060002, 1 mi west of Piketon.

Owner: Goodyear Atomic Corporation.

AQUIFER.--Sand and gravel of Quaternary Age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 6 in, depth 60 ft, cased.

DATUM.--Altitude of land-surface datum is 550 ft, from topographic map. Measuring point: Floor of instrument shelter, 3.00 ft above land-surface datum.

PERIOD OF RECORD.--September 1969 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 27.46 ft Feb. 15, 1977; minimum daily low, 10.06 ft Mar. 1, 1979.

EXTREMES FOR CURRENT YEAR.--Maximum recorded daily low, 25.93 ft Sept. 30; minimum recorded daily low, 15.92 ft Apr. 9.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 25.54 | 24.99 | --- | 22.00 | 23.54 | 22.27 | 16.07 | --- | 20.57 | 23.07 | --- | 25.30 |
| 2 | 25.56 | 24.94 | --- | 22.01 | 23.53 | 22.33 | 15.96 | --- | 20.57 | 23.13 | --- | 25.32 |
| 3 | 25.59 | 24.91 | --- | 22.03 | 23.52 | 22.39 | 15.95 | --- | 20.62 | 23.18 | --- | 25.34 |
| 4 | 25.61 | 24.89 | --- | 22.05 | 23.53 | 22.41 | 15.97 | --- | 20.67 | --- | --- | 25.38 |
| 5 | 25.63 | 24.89 | --- | 22.07 | 23.53 | 22.45 | 15.97 | --- | 20.73 | --- | --- | 25.40 |
| 6 | 25.64 | 24.89 | --- | 22.14 | 23.53 | 22.50 | 15.98 | --- | 20.81 | --- | --- | 25.43 |
| 7 | 25.66 | 24.87 | --- | 22.22 | 23.51 | 22.53 | 16.00 | --- | 20.88 | --- | --- | 25.45 |
| 8 | 25.68 | 24.86 | --- | 22.30 | 23.46 | 22.53 | 15.99 | --- | 20.98 | --- | --- | 25.48 |
| 9 | 25.69 | 24.84 | --- | 22.37 | 23.38 | 22.53 | 15.92 | --- | 21.07 | --- | --- | 25.51 |
| 10 | 25.71 | 24.83 | --- | 22.46 | 23.33 | 22.49 | 15.97 | 18.97 | 21.17 | --- | --- | 25.53 |
| 11 | 25.73 | 24.81 | --- | 22.57 | 23.30 | 22.45 | 16.07 | 19.03 | 21.28 | --- | --- | 25.56 |
| 12 | 25.73 | 24.82 | --- | 22.65 | 23.31 | 22.45 | 16.17 | 19.13 | 21.39 | --- | --- | 25.58 |
| 13 | 25.75 | 24.81 | --- | 22.76 | 23.32 | 22.46 | 16.36 | 19.18 | 21.50 | --- | --- | 25.61 |
| 14 | 25.76 | 24.80 | --- | 22.85 | 23.29 | 22.51 | 16.55 | 19.28 | 21.60 | --- | --- | 25.64 |
| 15 | 25.77 | 24.75 | --- | 22.94 | 23.26 | 22.51 | 16.77 | 19.39 | 21.72 | --- | --- | 25.66 |
| 16 | 25.78 | 24.70 | --- | 23.03 | 23.21 | 22.57 | 16.98 | 19.49 | 21.82 | --- | --- | 25.68 |
| 17 | 25.78 | 24.65 | --- | 23.13 | 23.06 | 22.57 | 17.24 | 19.59 | 21.91 | --- | 24.95 | 25.70 |
| 18 | 25.79 | --- | --- | 23.22 | 22.87 | 22.54 | 17.48 | 19.68 | 22.02 | --- | 24.97 | 25.72 |
| 19 | 25.82 | --- | --- | 23.32 | 22.63 | 22.49 | 17.67 | 19.81 | 22.13 | --- | 24.99 | 25.73 |
| 20 | 25.82 | --- | --- | 23.41 | 22.42 | 22.36 | --- | 19.93 | 22.24 | --- | 25.12 | 25.75 |
| 21 | 25.81 | --- | --- | 23.49 | 22.25 | 22.00 | --- | 20.07 | 22.33 | --- | 25.14 | 25.78 |
| 22 | 25.78 | --- | --- | 23.56 | 22.13 | 21.66 | --- | 20.21 | 22.42 | --- | 25.16 | 25.80 |
| 23 | 25.71 | --- | 21.52 | 23.63 | 22.06 | 20.76 | --- | 20.34 | 22.50 | --- | 25.19 | 25.81 |
| 24 | 25.64 | --- | 21.61 | 23.67 | 22.00 | 19.49 | --- | 20.43 | 22.59 | --- | 25.19 | 25.83 |
| 25 | 25.57 | --- | 21.68 | 23.69 | 22.03 | 18.49 | --- | 20.47 | 22.67 | --- | 25.14 | 25.84 |
| 26 | 25.51 | --- | 21.75 | 23.70 | 22.06 | 17.86 | --- | 20.52 | 22.74 | --- | 25.16 | 25.86 |
| 27 | 25.41 | --- | 21.81 | 23.69 | 22.06 | 17.54 | --- | 20.53 | 22.82 | --- | 25.18 | 25.87 |
| 28 | 25.31 | --- | 21.87 | 23.68 | 22.14 | 17.30 | --- | 20.55 | 22.88 | --- | 25.20 | 25.90 |
| 29 | 25.21 | --- | 21.95 | 23.61 | 22.22 | 16.88 | --- | 20.60 | 22.94 | --- | 25.22 | 25.91 |
| 30 | 25.12 | --- | 21.99 | 23.60 | --- | 16.66 | --- | 20.61 | 23.01 | --- | 25.25 | 25.93 |
| 31 | 25.04 | --- | 21.99 | 23.56 | --- | 16.36 | --- | 20.60 | --- | --- | 25.27 | --- |
| MAX | 25.82 | 24.99 | 21.99 | 23.70 | 23.54 | 22.57 | 17.67 | 20.61 | 23.01 | 23.18 | 25.27 | 25.93 |
| WTR YR 1984 | MEAN | 22.70 | | HIGH | 15.92 | | LOW | 25.93 | | | | |

NOTE: NUMBER OF MISSING DAYS OF RECORD EXCEEDED 20% OF YEAR

PORTAGE COUNTY--Continued

411401081025000. Local number, PO-1.

LOCATION.--Lat 41°14'01", long 81°02'50" Hydrologic Unit 05030103. Bauer Street in Windham.

Owner: Edward Liddle.

AQUIFER.--Sandstone of Pennsylvanian Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 6 in, depth 55 ft, cased.

DATUM.--Altitude of land-surface datum is 980 ft from topographic map. Measuring point: Floor of instrument shelter 0.60 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORDED.--May 1946 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 23.08 ft Feb. 22, 1954; minimum daily low, 14.59 ft June 24, 1947.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 21.46 ft Sept. 25-26, 28-29; minimum daily low, 19.23 ft May 29-31, June 1-2, 7-8.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 20.74 | 21.01 | 20.54 | 20.18 | 20.47 | 20.67 | 20.20 | 19.97 | 19.23 | 19.54 | 20.31 | 20.95 |
| 2 | 20.74 | 21.01 | 20.53 | 20.17 | 20.45 | 20.69 | 20.18 | 19.97 | 19.23 | 19.57 | 20.33 | 20.94 |
| 3 | 20.74 | 20.96 | 20.52 | 20.17 | 20.40 | 20.72 | 20.17 | 19.94 | 19.25 | 19.58 | 20.33 | 20.96 |
| 4 | 20.75 | 20.96 | 20.40 | 20.14 | 20.39 | 20.68 | 20.11 | 19.92 | 19.26 | 19.58 | 20.33 | 21.00 |
| 5 | 20.80 | 20.94 | 20.39 | 20.15 | 20.44 | 20.63 | 19.99 | 19.94 | 19.26 | 19.61 | 20.33 | 21.04 |
| 6 | 20.82 | 20.96 | 20.34 | 20.20 | 20.50 | 20.65 | 20.03 | 19.94 | 19.24 | 19.61 | 20.34 | 21.05 |
| 7 | 20.84 | 20.96 | 20.38 | 20.23 | 20.56 | 20.68 | 20.09 | 19.93 | 19.23 | 19.66 | 20.36 | 21.06 |
| 8 | 20.86 | 20.99 | 20.39 | 20.26 | 20.57 | 20.69 | 20.09 | 19.89 | 19.23 | 19.69 | 20.39 | 21.08 |
| 9 | 20.87 | 20.98 | 20.39 | 20.27 | 20.56 | 20.72 | 20.04 | 19.83 | 19.24 | 19.69 | 20.43 | 21.07 |
| 10 | 20.86 | 20.90 | 20.40 | 20.26 | 20.57 | 20.69 | 20.01 | 19.84 | 19.25 | 19.68 | 20.46 | 21.09 |
| 11 | 20.86 | 20.88 | 20.36 | 20.32 | 20.56 | 20.73 | 19.98 | 19.80 | 19.31 | 19.73 | 20.48 | 21.16 |
| 12 | 20.83 | 20.91 | 20.24 | 20.34 | 20.56 | 20.75 | 19.96 | 19.69 | 19.31 | 19.76 | 20.50 | 21.18 |
| 13 | 20.86 | 20.89 | 20.20 | 20.31 | 20.54 | 20.68 | 19.96 | 19.68 | 19.30 | 19.80 | 20.52 | 21.16 |
| 14 | 20.89 | 20.84 | 20.17 | 20.37 | 20.53 | 20.75 | 19.95 | 19.64 | 19.33 | 19.83 | 20.54 | 21.17 |
| 15 | 20.91 | 20.81 | 20.23 | 20.37 | 20.56 | 20.74 | 19.93 | 19.64 | 19.36 | 19.83 | 20.56 | 21.22 |
| 16 | 20.90 | 20.68 | 20.26 | 20.33 | 20.56 | 20.63 | 19.90 | 19.64 | 19.34 | 19.86 | 20.58 | 21.26 |
| 17 | 20.91 | 20.68 | 20.26 | 20.39 | 20.56 | 20.61 | 19.94 | 19.64 | 19.33 | 19.86 | 20.59 | 21.26 |
| 18 | 20.91 | 20.68 | 20.24 | 20.39 | 20.60 | 20.53 | 19.98 | 19.62 | 19.31 | 19.95 | 20.61 | 21.25 |
| 19 | 20.94 | 20.66 | 20.22 | 20.42 | 20.55 | 20.53 | 19.98 | 19.52 | 19.36 | 19.98 | 20.66 | 21.24 |
| 20 | 20.93 | 20.62 | 20.22 | 20.47 | 20.57 | 20.50 | 20.00 | 19.50 | 19.38 | 19.99 | 20.70 | 21.32 |
| 21 | 20.95 | 20.63 | 20.18 | 20.49 | 20.58 | 20.36 | 20.01 | 19.44 | 19.38 | 20.03 | 20.71 | 21.35 |
| 22 | 20.94 | 20.64 | 20.09 | 20.50 | 20.59 | 20.40 | 19.97 | 19.44 | 19.38 | 20.06 | 20.70 | 21.37 |
| 23 | 20.86 | 20.63 | 20.09 | 20.50 | 20.57 | 20.44 | 19.88 | 19.41 | 19.37 | 20.08 | 20.76 | 21.37 |
| 24 | 20.90 | 20.60 | 20.05 | 20.47 | 20.54 | 20.43 | 19.90 | 19.37 | 19.42 | 20.11 | 20.78 | 21.37 |
| 25 | 20.91 | 20.60 | 20.08 | 20.47 | 20.65 | 20.36 | 19.94 | 19.30 | 19.44 | 20.14 | 20.81 | 21.46 |
| 26 | 20.91 | 20.61 | 20.08 | 20.48 | 20.68 | 20.34 | 19.96 | 19.34 | 19.46 | 20.14 | 20.81 | 21.46 |
| 27 | 20.94 | 20.61 | 20.08 | 20.48 | 20.68 | 20.33 | 19.96 | 19.38 | 19.45 | 20.15 | 20.81 | 21.45 |
| 28 | 20.96 | 20.53 | 20.11 | 20.48 | 20.56 | 20.29 | 19.97 | 19.33 | 19.46 | 20.20 | 20.84 | 21.46 |
| 29 | 21.01 | 20.48 | 20.17 | 20.47 | 20.64 | 20.19 | 19.98 | 19.23 | 19.49 | 20.23 | 20.88 | 21.46 |
| 30 | 21.01 | 20.53 | 20.21 | 20.48 | --- | 20.20 | 19.97 | 19.23 | 19.50 | 20.24 | 20.89 | 21.44 |
| 31 | 21.00 | --- | 20.21 | 20.49 | --- | 20.21 | --- | 19.23 | --- | 20.27 | 20.92 | --- |
| MAX | 21.01 | 21.01 | 20.54 | 20.50 | 20.68 | 20.75 | 20.20 | 19.97 | 19.50 | 20.27 | 20.92 | 21.46 |
| WTR YR 1984 | MEAN | 20.33 | | HIGH | 19.23 | | LOW | 21.46 | | | | |

GROUND-WATER RECORDS

PREBLE COUNTY

394438084335900. Local number, PR-2.

LOCATION.--Lat 39°44'38", long 84°33'59", Hydrologic Unit 05080002, Stover Rd 4 mi east of Eaton.

Owner: Eaton Water Department.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 6 in, depth 78.5 ft, cased.

DATUM.--Altitude of land-surface datum is 900 ft, from topographic map. Measuring point: Floor of instrument shelter 1.50 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--May 1972 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 15.28 ft Aug. 26, 1983; minimum daily low, 7.94 ft May 4, 1975.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 13.90 ft Oct. 2; minimum daily low, 8.98 ft Apr. 27-28.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 13.78 | 13.30 | 12.49 | 11.86 | 12.03 | 11.70 | 9.73 | 9.08 | 10.83 | 12.07 | 12.80 | 13.46 |
| 2 | 13.90 | 13.18 | 12.27 | 11.84 | 12.05 | 11.85 | 10.15 | 9.37 | 10.90 | 12.17 | 12.79 | 13.61 |
| 3 | 13.77 | 12.80 | 12.04 | 11.84 | 11.69 | 11.79 | 9.82 | 9.37 | 11.07 | 12.14 | 12.86 | 13.42 |
| 4 | 13.70 | 12.95 | 12.12 | 11.70 | 11.58 | 11.52 | 10.06 | 9.36 | 11.42 | 12.14 | 12.81 | 13.40 |
| 5 | 13.68 | 12.79 | 11.89 | 11.70 | 11.92 | 11.60 | 10.00 | 9.50 | 11.39 | 11.98 | 12.90 | 13.16 |
| 6 | 13.60 | 12.72 | 11.79 | 11.62 | 11.84 | 11.70 | 9.85 | 9.49 | 11.19 | 11.89 | 12.88 | 13.33 |
| 7 | 13.66 | 13.03 | 12.03 | 11.61 | 11.95 | 11.70 | 9.76 | 9.49 | 11.46 | 11.72 | 12.91 | 13.11 |
| 8 | 13.81 | 12.76 | 12.12 | 11.66 | 12.06 | 11.67 | 9.62 | 9.47 | 11.57 | 12.02 | 12.91 | 13.36 |
| 9 | 13.73 | 12.71 | 12.13 | 11.84 | 11.85 | 11.69 | 9.53 | 9.40 | 11.56 | 12.11 | 12.94 | 13.24 |
| 10 | 13.78 | 12.92 | 12.24 | 11.79 | 11.79 | 11.44 | 9.53 | 9.45 | 11.52 | 12.06 | 12.73 | 13.44 |
| 11 | 13.69 | 12.66 | 12.14 | 11.83 | 12.08 | 11.41 | 9.57 | 9.50 | 11.74 | 12.06 | 12.94 | 13.44 |
| 12 | 13.51 | 12.67 | 11.89 | 11.82 | 11.80 | 11.45 | 9.42 | 9.61 | 11.80 | 12.17 | 12.93 | 13.57 |
| 13 | 13.22 | 12.99 | 11.90 | 11.64 | 11.69 | 11.45 | 9.37 | 9.60 | 11.88 | 12.02 | 13.31 | 13.59 |
| 14 | 13.48 | 12.70 | 11.81 | 11.68 | 12.04 | 11.44 | 9.44 | 9.74 | 11.76 | 12.32 | 13.16 | 13.65 |
| 15 | 13.10 | 12.59 | 11.69 | 11.81 | 12.11 | 11.40 | 9.41 | 9.79 | 11.60 | 12.10 | 13.30 | 13.76 |
| 16 | 13.02 | 12.91 | 11.80 | 11.71 | 12.08 | 11.39 | 9.42 | 10.01 | 11.90 | 12.30 | 13.30 | 13.77 |
| 17 | 13.32 | 13.07 | 11.69 | 11.73 | 12.18 | 11.06 | 9.50 | 10.08 | 12.03 | 12.24 | 13.48 | 13.73 |
| 18 | 13.08 | 13.00 | 11.67 | 12.00 | 12.15 | 10.99 | 9.48 | 10.08 | 11.99 | 12.61 | 13.43 | 13.80 |
| 19 | 13.39 | 13.06 | 11.82 | 12.11 | 12.00 | 10.80 | 9.51 | 10.10 | 12.15 | 12.53 | 13.39 | 13.80 |
| 20 | 13.50 | 13.03 | 11.67 | 12.38 | 12.06 | 10.57 | 9.68 | 10.14 | 12.26 | 12.70 | 13.15 | 13.54 |
| 21 | 13.35 | 13.04 | 11.61 | 12.56 | 12.06 | 10.61 | 9.53 | 10.16 | 12.23 | 12.71 | 13.35 | 13.40 |
| 22 | 13.27 | 13.08 | 11.53 | 12.59 | 11.98 | 10.49 | 9.33 | 10.09 | 12.18 | 12.81 | 13.40 | 13.66 |
| 23 | 13.25 | 13.01 | 11.33 | 12.52 | 11.96 | 10.45 | 9.44 | 10.27 | 12.16 | 13.23 | 13.55 | 13.47 |
| 24 | 13.24 | 12.81 | 11.46 | 12.47 | 11.88 | 10.48 | 9.22 | 10.14 | 12.12 | 13.23 | 13.55 | 13.52 |
| 25 | 13.26 | 12.91 | 11.89 | 12.43 | 11.93 | 10.16 | 9.13 | 10.24 | 12.06 | 13.00 | 13.56 | 13.35 |
| 26 | 13.21 | 12.81 | 11.58 | 12.37 | 11.98 | 10.06 | 9.19 | 10.60 | 12.10 | 12.62 | 13.72 | 13.58 |
| 27 | 13.10 | 12.77 | 11.59 | 12.27 | 11.86 | 10.18 | 8.98 | 10.50 | 12.07 | 12.44 | 13.72 | 13.55 |
| 28 | 13.12 | 12.64 | 11.70 | 12.27 | 11.70 | 9.83 | 8.98 | 10.48 | 12.07 | 12.58 | 13.72 | 13.49 |
| 29 | 13.36 | 12.59 | 11.73 | 12.02 | 11.84 | 9.72 | 9.20 | 10.62 | 12.10 | 12.51 | 13.62 | 13.50 |
| 30 | 13.14 | 12.59 | 11.89 | 12.11 | --- | 10.13 | 8.99 | 10.69 | 12.16 | 12.59 | 13.30 | 13.53 |
| 31 | 13.16 | --- | 12.00 | 12.07 | --- | 9.81 | --- | 10.73 | --- | 12.51 | 13.37 | --- |
| MAX | 13.90 | 13.30 | 12.49 | 12.59 | 12.18 | 11.85 | 10.15 | 10.73 | 12.26 | 13.23 | 13.72 | 13.80 |
| WTR YR 1984 | MEAN | 11.95 | | HIGH | 8.98 | | LOW | 13.90 | | | | |

RICHLAND COUNTY

404625082305100. Local number, R-4.

LOCATION.--Lat 40°46'25", long 82°30'51", Hydrologic Unit 05040002, at Ohio Brass Plant in Mansfield.

Owner: Ohio Brass Company

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 14 in, depth 127 ft, cased.

DATUM.--Altitude of land-surface datum is 1150 ft from topographic map. Measuring point: Top of platform 5.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--May, 1942 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 60.10 ft Oct. 12, 13, 19, 20, 1962; minimum daily low, 6.14 ft May 15, 1984.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 7.87 ft Oct. 22; minimum daily low, 6.14 ft May 15.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1 | 7.71 | 7.79 | 7.22 | 6.94 | 6.97 | 6.79 | 6.26 | 6.19 | 6.21 | 6.64 | 7.11 | 7.37 |
| 2 | 7.71 | 7.79 | 7.23 | 6.94 | 6.99 | 6.83 | 6.29 | 6.20 | 6.21 | 6.64 | 7.14 | 7.37 |
| 3 | 7.69 | 7.79 | 7.24 | 6.92 | 6.99 | 6.88 | 6.31 | 6.21 | 6.21 | 6.65 | 7.15 | 7.37 |
| 4 | 7.67 | 7.78 | 7.23 | 6.90 | 6.97 | 6.91 | 6.31 | 6.19 | 6.22 | 6.66 | 7.16 | 7.37 |
| 5 | 7.66 | 7.77 | 7.17 | 6.89 | 6.93 | 6.91 | 6.31 | 6.16 | 6.24 | 6.66 | 7.16 | 7.38 |
| 6 | 7.68 | 7.73 | 7.15 | 6.86 | 6.89 | 6.90 | 6.26 | 6.17 | 6.27 | 6.66 | 7.16 | 7.41 |
| 7 | 7.73 | 7.69 | 7.07 | 6.85 | 6.94 | 6.90 | 6.27 | 6.17 | 6.31 | 6.67 | 7.17 | 7.44 |
| 8 | 7.75 | 7.67 | 7.09 | 6.85 | 7.00 | 6.91 | 6.31 | 6.17 | 6.34 | 6.70 | 7.17 | 7.45 |
| 9 | 7.75 | 7.67 | 7.12 | 6.87 | 7.02 | 6.94 | 6.33 | 6.16 | 6.37 | 6.71 | 7.19 | 7.45 |
| 10 | 7.75 | 7.67 | 7.15 | 6.90 | 7.03 | 6.95 | 6.34 | 6.17 | 6.37 | 6.71 | 7.22 | 7.45 |
| 11 | 7.73 | 7.64 | 7.15 | 6.95 | 7.03 | 6.95 | 6.38 | 6.17 | 6.38 | 6.72 | 7.24 | 7.44 |
| 12 | 7.73 | 7.59 | 7.13 | 7.00 | 7.02 | 6.95 | 6.39 | 6.17 | 6.42 | 6.72 | 7.25 | 7.45 |
| 13 | 7.71 | 7.59 | 7.08 | 7.03 | 6.99 | 6.95 | 6.38 | 6.16 | 6.44 | 6.75 | 7.25 | 7.45 |
| 14 | 7.71 | 7.57 | 7.04 | 7.05 | 6.93 | 6.99 | 6.37 | 6.15 | 6.46 | 6.79 | 7.27 | 7.45 |
| 15 | 7.75 | 7.53 | 6.96 | 7.07 | 6.89 | 7.01 | 6.35 | 6.14 | 6.49 | 6.82 | 7.30 | 7.46 |
| 16 | 7.77 | 7.47 | 6.92 | 7.07 | 6.89 | 7.01 | 6.31 | 6.17 | 6.51 | 6.84 | 7.32 | 7.47 |
| 17 | 7.77 | 7.43 | 6.96 | 7.05 | 6.86 | 7.00 | 6.26 | 6.20 | 6.51 | 6.86 | 7.33 | 7.49 |
| 18 | 7.79 | 7.44 | 6.98 | 7.06 | 6.82 | 6.98 | 6.23 | 6.22 | 6.51 | 6.86 | 7.34 | 7.50 |
| 19 | 7.80 | 7.44 | 6.99 | 7.08 | 6.79 | 6.91 | 6.25 | 6.22 | 6.50 | 6.88 | 7.34 | 7.50 |
| 20 | 7.82 | 7.43 | 7.03 | 7.11 | 6.72 | 6.84 | 6.28 | 6.22 | 6.52 | 6.89 | 7.33 | 7.50 |
| 21 | 7.86 | 7.36 | 7.04 | 7.15 | 6.71 | 6.74 | 6.31 | 6.19 | 6.55 | 6.91 | 7.32 | 7.48 |
| 22 | 7.87 | 7.34 | 7.04 | 7.17 | 6.72 | 6.61 | 6.31 | 6.16 | 6.56 | 6.92 | 7.32 | 7.48 |
| 23 | 7.85 | 7.35 | 7.03 | 7.17 | 6.73 | 6.52 | 6.29 | 6.15 | 6.56 | 6.93 | 7.32 | 7.48 |
| 24 | 7.80 | 7.33 | 7.02 | 7.17 | 6.73 | 6.50 | 6.21 | 6.15 | 6.56 | 6.95 | 7.34 | 7.48 |
| 25 | 7.77 | 7.31 | 6.98 | 7.12 | 6.74 | 6.49 | 6.16 | 6.16 | 6.56 | 6.98 | 7.35 | 7.47 |
| 26 | 7.77 | 7.29 | 6.95 | 7.09 | 6.79 | 6.42 | 6.15 | 6.16 | 6.56 | 6.99 | 7.37 | --- |
| 27 | 7.76 | 7.27 | 6.92 | 7.08 | 6.80 | 6.37 | 6.16 | 6.18 | 6.56 | 7.00 | 7.37 | --- |
| 28 | 7.76 | 7.25 | 6.89 | 7.05 | 6.80 | 6.32 | 6.18 | 6.18 | 6.57 | 7.01 | 7.37 | --- |
| 29 | 7.76 | 7.19 | 6.83 | 7.02 | 6.77 | 6.24 | 6.20 | 6.18 | 6.59 | 7.03 | 7.37 | --- |
| 30 | 7.78 | 7.19 | 6.89 | 6.96 | --- | 6.21 | 6.20 | 6.19 | 6.62 | 7.05 | 7.37 | --- |
| 31 | 7.79 | --- | 6.92 | 6.94 | --- | 6.24 | --- | 6.20 | --- | 7.08 | 7.36 | --- |
| MAX | 7.87 | 7.79 | 7.24 | 7.17 | 7.03 | 7.01 | 6.39 | 6.22 | 6.62 | 7.08 | 7.37 | 7.50 |
| WTR YR 1984 | MEAN | 6.94 | | HIGH | 6.14 | | LOW | 7.87 | | | | |

GROUND-WATER RECORDS

ROSS COUNTY

391341083172200. Local number, RO-7.

LOCATION.--Lat 39°13'41", long 83°17'22", Hydrologic Unit 05060003, Highland County well field, 1 mi west of Bainbridge.

Owner: Highland County Water Company.

AQUIFER.--Sand and gravel of Quaternary Age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 6 in, depth 67 ft, cased.

DATUM.--Altitude of land-surface datum is 740 ft from topographic map. Measuring point: Floor of instrument shelter 3.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--February 1971 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 42.66 ft Sept. 29-30, 1984; minimum daily low, 20.93 ft Feb. 28, 1971.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 42.66 ft Sept. 29-30; minimum daily low, 33.95 ft Apr. 11.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 40.02 | 36.70 | 37.14 | 39.24 | 39.83 | 38.47 | 35.24 | 35.61 | 36.83 | 40.21 | 40.88 | 41.83 |
| 2 | 40.14 | 36.77 | 36.80 | 39.42 | 39.69 | 38.38 | 34.88 | 35.75 | 37.23 | 40.35 | 41.00 | 42.09 |
| 3 | 40.07 | 36.46 | 36.53 | 39.59 | 39.64 | 38.31 | 34.64 | 35.75 | 37.53 | 40.38 | 40.97 | 42.19 |
| 4 | 39.99 | 36.37 | 36.60 | 39.76 | 39.28 | 38.46 | 34.38 | 36.03 | 37.67 | 40.43 | 41.08 | 42.05 |
| 5 | 40.10 | 36.76 | 36.70 | 39.87 | 39.18 | 38.41 | 34.35 | 35.98 | 37.80 | 40.41 | 41.06 | 41.93 |
| 6 | 40.17 | 36.82 | 36.38 | 40.03 | 39.17 | 38.58 | 34.23 | 35.94 | 38.26 | 40.08 | 41.17 | 41.75 |
| 7 | 40.24 | 36.94 | 36.40 | 40.19 | 39.23 | 38.59 | 34.32 | 35.79 | 38.43 | 40.05 | 41.30 | 41.55 |
| 8 | 40.35 | 37.00 | 36.43 | 40.21 | 39.05 | 38.47 | 34.34 | 35.75 | 38.53 | 39.97 | 40.84 | 41.65 |
| 9 | 40.39 | 36.90 | 36.13 | 39.83 | 39.18 | 38.52 | 34.09 | 35.63 | 39.04 | 39.96 | 41.01 | 41.70 |
| 10 | 40.36 | 37.06 | 36.08 | 39.81 | 39.27 | 38.53 | 34.02 | 35.57 | 39.60 | 40.02 | 40.93 | 41.61 |
| 11 | 40.70 | 37.03 | 36.29 | 39.77 | 39.27 | 38.60 | 33.95 | 35.56 | 39.58 | 40.16 | 40.95 | 41.96 |
| 12 | 40.59 | 37.07 | 36.41 | 39.76 | 39.33 | 38.61 | 34.12 | 35.55 | 39.65 | 39.85 | 41.12 | 42.12 |
| 13 | 40.54 | 37.19 | 36.27 | 39.77 | 39.35 | 38.70 | 34.23 | 35.55 | 40.01 | 39.97 | 40.93 | 42.11 |
| 14 | 40.50 | 37.38 | 36.26 | 40.05 | 39.35 | 38.65 | 34.34 | 35.66 | 40.16 | 40.21 | 40.71 | 42.12 |
| 15 | 40.57 | 37.22 | 36.25 | 40.05 | 39.00 | 38.57 | 34.24 | 35.72 | 39.96 | 40.21 | 40.92 | 42.01 |
| 16 | 40.60 | 37.38 | 36.14 | 39.86 | 38.93 | 38.66 | 34.45 | 35.64 | 40.01 | 40.20 | 41.37 | 41.96 |
| 17 | 40.76 | 37.53 | 36.25 | 39.99 | 38.79 | 38.50 | 34.68 | 35.75 | 40.35 | 40.20 | 41.38 | 41.85 |
| 18 | 40.80 | 37.45 | 36.25 | 39.83 | 38.69 | 38.50 | 34.99 | 35.95 | 40.43 | 40.06 | 41.35 | 41.77 |
| 19 | 40.35 | 37.55 | 36.53 | 39.98 | 38.54 | 38.14 | 35.27 | 36.39 | 40.39 | 40.06 | 41.40 | 41.45 |
| 20 | 40.34 | 37.56 | 36.48 | 40.12 | 38.26 | 37.91 | 35.45 | 36.57 | 40.23 | 40.18 | 41.28 | 41.73 |
| 21 | 40.20 | 37.57 | 36.85 | 40.41 | 38.30 | 37.64 | 35.64 | 36.82 | 40.13 | 40.47 | 41.48 | 42.03 |
| 22 | 39.89 | 37.66 | 36.98 | 40.62 | 38.38 | 37.65 | 35.67 | 37.22 | 40.01 | 40.59 | 41.62 | 42.15 |
| 23 | 39.48 | 37.68 | 37.37 | 40.64 | 38.39 | 37.42 | 35.65 | 37.44 | 39.98 | 40.81 | 41.58 | 42.23 |
| 24 | 39.10 | 37.62 | 37.45 | 40.57 | 38.39 | 37.18 | 35.61 | 37.54 | 39.88 | 41.01 | 41.37 | 42.24 |
| 25 | 38.70 | 37.60 | 37.81 | 40.57 | 38.25 | 36.85 | 35.46 | 37.45 | 39.76 | 40.89 | 41.27 | 42.17 |
| 26 | 37.95 | 37.76 | 38.14 | 40.16 | 38.04 | 36.49 | 35.53 | 37.45 | 39.94 | 40.92 | 41.35 | 42.32 |
| 27 | 37.76 | 37.75 | 38.37 | 40.05 | 38.26 | 36.30 | 35.33 | 37.57 | 39.83 | 40.75 | 41.44 | 42.34 |
| 28 | 37.29 | 37.58 | 38.62 | 40.06 | 38.14 | 36.07 | 35.50 | 37.55 | 39.81 | 40.51 | 41.44 | 42.39 |
| 29 | 37.24 | 37.67 | 38.79 | 39.90 | 38.31 | 35.59 | 35.47 | 37.53 | 39.83 | 40.73 | 41.58 | 42.56 |
| 30 | 37.18 | 37.28 | 38.95 | 39.79 | --- | 35.53 | 35.45 | 37.35 | 40.16 | 40.57 | 41.71 | 42.66 |
| 31 | 36.96 | --- | 39.05 | 39.85 | --- | 35.38 | --- | 36.86 | --- | 40.62 | 41.85 | --- |
| MAX | 40.80 | 37.76 | 39.05 | 40.64 | 39.83 | 38.70 | 35.67 | 37.57 | 40.43 | 41.01 | 41.85 | 42.66 |
| WTR YR 1984 | MEAN | 38.73 | | HIGH | 33.95 | | LOW | 42.66 | | | | |

ROSS COUNTY--Continued.

391913082580500. Local number, RO-8.

LOCATION.--Lat 39°19'13", long 82°58'05", Hydrologic Unit 05060003, Mead Paper wood yard in Chillicothe.

Owner: Mead Paper Corp.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 6 in (0.15 m), depth 95 ft (30.0 m), cased.

DATUM.--Altitude of land-surface datum is 631.30 ft (186.93 m) Measuring point: Floor of instrument shelter 3.30 ft (1.006 m) above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--May 1983 to September 1983.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 28.44 ft Oct. 18, 1983; minimum daily low, 21.79 ft May 29, 1984.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 28.44 ft Oct. 18; minimum daily low, 21.79 ft May 29.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 28.22 | 27.16 | 25.70 | 25.47 | 26.89 | 26.70 | 24.54 | 23.73 | 22.37 | 24.26 | 26.00 | 27.06 |
| 2 | 28.27 | 27.15 | 25.70 | 25.47 | 26.96 | 26.71 | 24.59 | 23.76 | 22.48 | 24.33 | 26.05 | 27.09 |
| 3 | 28.33 | 27.16 | 25.74 | 25.49 | 26.98 | 26.73 | 24.62 | 23.76 | 22.57 | 24.40 | 26.08 | 27.12 |
| 4 | 28.34 | 27.16 | 25.79 | 25.48 | 26.98 | 26.74 | 24.68 | 23.74 | 22.61 | 24.46 | 26.12 | 27.14 |
| 5 | 28.31 | 27.10 | 25.75 | 25.48 | 26.98 | 26.74 | 24.68 | 23.75 | 22.69 | 24.50 | 26.12 | 27.18 |
| 6 | 28.23 | 27.08 | 25.63 | 25.48 | 26.97 | 26.72 | 24.60 | 23.73 | 22.82 | 24.62 | 26.12 | 27.23 |
| 7 | 28.23 | 27.04 | 25.63 | 25.49 | 26.98 | 26.58 | 24.41 | 23.66 | 22.95 | 24.66 | 26.14 | 27.25 |
| 8 | 28.29 | 27.01 | 25.63 | 25.53 | 26.98 | 26.46 | 24.35 | 23.64 | 23.04 | 24.73 | 26.06 | 27.26 |
| 9 | 28.32 | 26.99 | 25.63 | 25.56 | 26.96 | 26.47 | 24.29 | 23.61 | 23.09 | 24.79 | 25.79 | 27.30 |
| 10 | 28.33 | 26.95 | 25.63 | 25.63 | 26.96 | 26.44 | 24.25 | 23.54 | 23.15 | 24.85 | 25.60 | 27.32 |
| 11 | 28.36 | 26.93 | 25.62 | 25.64 | 26.97 | 26.39 | 24.21 | 23.49 | 23.22 | 24.95 | 25.62 | 27.33 |
| 12 | 28.37 | 26.93 | 25.59 | 25.40 | 26.97 | 26.38 | 24.19 | 23.60 | 23.28 | 25.00 | 25.81 | 27.35 |
| 13 | 28.36 | 26.93 | 25.56 | 25.48 | 26.92 | 26.32 | 24.16 | 23.61 | 23.36 | 25.07 | 25.99 | 27.35 |
| 14 | 28.35 | 26.89 | 25.50 | 25.61 | 26.82 | --- | 24.14 | 23.65 | 23.41 | 25.13 | 26.11 | 27.35 |
| 15 | 28.36 | 26.85 | 25.51 | 25.67 | 26.70 | --- | 24.13 | 23.73 | 23.50 | 25.19 | 26.22 | 27.35 |
| 16 | 28.37 | 26.82 | 25.51 | 25.75 | 26.61 | --- | 24.18 | 23.74 | 23.54 | 25.25 | 26.37 | 27.40 |
| 17 | 28.43 | 26.81 | 25.51 | 25.87 | 26.54 | --- | 24.24 | 23.72 | 23.58 | 25.30 | 26.43 | 27.44 |
| 18 | 28.44 | 26.78 | 25.51 | 25.97 | 26.54 | --- | 24.27 | 23.63 | 23.63 | 25.38 | 26.48 | 27.50 |
| 19 | 28.42 | 26.74 | 25.51 | 26.05 | 26.49 | --- | 24.29 | 23.52 | 23.70 | 25.46 | 26.50 | 27.65 |
| 20 | 28.36 | 26.72 | 25.52 | 26.08 | 26.51 | --- | 24.34 | 23.15 | 23.75 | 25.49 | 26.57 | 27.86 |
| 21 | 28.24 | 26.73 | 25.52 | --- | 26.52 | --- | 24.37 | 22.73 | 23.81 | 25.53 | 26.60 | 28.02 |
| 22 | 28.08 | 26.72 | 25.56 | --- | 26.56 | --- | 24.37 | 22.35 | 23.82 | 25.53 | 26.64 | 28.16 |
| 23 | 27.76 | 26.67 | 25.53 | --- | 26.58 | --- | 24.24 | 22.13 | 23.85 | 25.68 | 26.67 | 28.30 |
| 24 | 27.54 | 26.66 | --- | --- | 26.61 | --- | 24.01 | 21.96 | 23.88 | 25.70 | 26.72 | 28.38 |
| 25 | 27.41 | 26.61 | --- | --- | 26.63 | --- | 23.92 | 21.87 | 23.90 | 25.74 | 26.73 | 28.43 |
| 26 | 27.29 | 26.54 | --- | --- | 26.65 | --- | 23.87 | 21.86 | 23.93 | 25.77 | 26.73 | 28.43 |
| 27 | 27.23 | 26.49 | --- | --- | 26.65 | --- | 23.83 | 21.85 | 23.98 | 25.80 | 26.76 | 28.40 |
| 28 | 27.19 | 26.42 | --- | --- | 26.69 | --- | 23.74 | 21.84 | 24.01 | 25.81 | 26.81 | 28.33 |
| 29 | 27.20 | 26.16 | --- | --- | 26.70 | 24.58 | 23.72 | 21.79 | 24.10 | 25.84 | 26.90 | 28.31 |
| 30 | 27.19 | 25.72 | 25.50 | --- | --- | 24.40 | 23.71 | 22.03 | 24.18 | 25.89 | 26.95 | 28.28 |
| 31 | 27.18 | --- | 25.50 | --- | --- | 24.49 | --- | 22.22 | --- | 25.99 | 27.02 | --- |
| MAX | 28.44 | 27.16 | 25.79 | 26.08 | 26.98 | 26.74 | 24.68 | 23.76 | 24.18 | 25.99 | 27.02 | 28.43 |
| WTR YR 1984 | MEAN | 25.73 | | HIGH | 21.79 | | LOW | 28.44 | | | | |

GROUND-WATER RECORDS

SHELBY COUNTY

401712084103500. Local number, SH-4.

LOCATION.--Lat 40°17'12", long 84°10'35", Hydrologic Unit 05080001, State Route 47 in Sidney.

Owner: Stolle Corporation.

AQUIFER.--Limestone of Silurian Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 8 in, depth 280 ft, cased to 136 ft.

DATUM.--Altitude of land-surface datum is 1,033.72 ft. Measuring point: Top of platform 4.50 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--September 1979 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 94.19 ft Oct. 26, 1982; minimum daily low, 63.45 ft Jan. 2, 1981.

EXTREMES FOR CURRENT YEAR.--Maximum daily low 93.90 ft Nov. 17; minimum daily low, 65.63 ft July 15, 17.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 91.40 | 92.29 | 91.21 | 87.36 | 92.20 | 92.27 | 84.11 | 90.29 | 86.47 | 66.20 | 87.08 | 82.93 |
| 2 | 86.60 | 93.09 | 91.93 | 86.51 | 89.87 | 92.17 | 87.83 | 88.95 | 82.62 | 66.39 | 86.29 | 78.09 |
| 3 | 90.64 | 93.22 | 89.97 | 91.55 | 89.37 | 89.31 | 88.89 | 88.14 | 82.46 | 66.21 | 85.63 | 75.71 |
| 4 | 91.12 | 92.95 | 86.36 | 92.24 | 86.11 | 88.54 | 89.51 | 88.20 | 84.19 | 65.97 | 84.29 | 85.59 |
| 5 | 91.91 | 91.53 | 91.48 | 91.30 | 83.42 | 91.30 | 89.71 | 86.97 | 84.26 | 65.87 | 80.26 | 85.08 |
| 6 | 92.09 | 87.89 | 92.03 | 92.09 | 91.27 | 91.97 | 87.89 | 82.87 | 84.67 | 65.87 | 85.44 | 86.24 |
| 7 | 91.70 | 92.89 | 92.50 | 90.16 | 90.50 | 91.44 | 87.31 | 86.47 | 86.35 | 65.93 | 84.48 | 85.20 |
| 8 | 87.56 | 93.25 | 90.52 | 86.67 | 90.19 | 91.33 | 85.71 | 87.66 | 84.03 | 65.92 | 84.16 | 83.19 |
| 9 | 86.16 | 93.52 | 89.12 | 92.25 | 90.60 | 91.45 | 89.12 | 87.06 | 83.60 | 65.95 | 83.92 | 80.03 |
| 10 | 88.92 | 92.88 | 90.99 | 90.95 | 91.30 | 89.91 | 88.06 | 89.03 | 77.79 | 65.95 | 84.99 | 85.28 |
| 11 | 88.87 | 92.74 | 87.93 | 92.41 | 88.46 | 84.90 | 90.28 | 87.20 | 82.71 | 65.68 | 81.13 | 84.59 |
| 12 | 91.48 | 90.42 | 91.16 | 90.64 | 82.54 | 89.98 | 90.61 | 82.69 | 83.60 | 65.91 | 80.88 | 85.19 |
| 13 | 91.96 | 85.49 | 91.65 | 90.60 | 91.98 | 91.08 | 90.42 | 80.06 | 83.39 | 65.95 | 85.27 | 85.12 |
| 14 | 92.65 | 91.93 | 91.88 | 87.89 | 92.00 | 89.75 | 88.86 | 89.51 | 84.80 | 65.78 | 85.10 | 84.82 |
| 15 | 92.07 | 92.55 | 91.95 | 87.32 | 91.84 | 90.55 | 83.50 | 89.97 | 84.14 | 65.53 | 85.59 | 82.40 |
| 16 | 88.16 | 93.28 | 91.64 | 90.67 | 90.82 | 90.91 | 90.68 | 89.79 | 81.63 | 65.70 | 84.05 | 78.04 |
| 17 | 90.87 | 93.90 | 88.88 | 91.39 | 91.26 | 84.32 | 90.37 | 88.25 | 78.22 | 65.53 | 83.30 | 85.94 |
| 18 | 92.13 | 91.60 | 88.36 | 92.50 | 87.38 | 82.73 | 90.80 | 88.46 | 83.30 | 66.00 | 82.15 | 85.37 |
| 19 | 92.20 | 89.36 | 91.29 | 91.97 | 85.21 | 90.65 | 90.65 | 83.93 | 84.44 | 66.07 | 80.87 | 85.48 |
| 20 | 92.09 | 87.06 | 92.13 | 92.15 | 90.89 | 91.54 | 84.76 | 79.42 | 83.49 | 65.90 | 83.78 | 85.02 |
| 21 | 92.45 | 92.98 | 90.53 | 90.32 | 90.53 | 90.45 | 77.13 | 88.57 | 81.92 | 67.11 | 85.45 | 85.29 |
| 22 | 91.90 | 93.59 | 88.50 | 88.10 | 91.36 | 89.51 | 80.37 | 88.74 | 80.84 | 75.79 | 85.68 | 82.82 |
| 23 | 88.41 | 92.64 | 90.38 | 91.89 | 90.81 | 90.49 | 87.99 | 89.46 | 78.77 | 84.60 | 86.59 | 80.09 |
| 24 | 91.82 | 90.34 | 82.95 | 92.24 | 90.51 | 89.81 | 88.93 | 88.69 | 78.53 | 86.44 | 85.76 | 84.98 |
| 25 | 91.21 | 78.14 | 83.31 | 92.24 | 89.89 | 84.48 | 89.68 | 87.54 | 81.85 | 85.82 | 83.81 | 85.06 |
| 26 | 91.13 | 85.20 | 85.03 | 92.59 | 86.42 | 90.40 | 89.76 | 82.57 | 81.53 | 84.92 | 77.46 | 86.16 |
| 27 | 88.92 | 82.54 | 88.60 | 92.35 | 91.10 | 90.55 | 89.26 | 78.23 | 81.83 | 85.17 | 84.10 | 86.75 |
| 28 | 90.52 | 91.30 | 91.43 | 90.37 | 88.97 | 90.11 | 87.74 | 79.47 | 81.65 | 83.38 | 86.20 | 85.19 |
| 29 | 87.45 | 91.88 | 91.83 | 83.59 | 91.18 | 88.93 | 86.54 | 88.15 | 67.77 | 80.36 | 86.50 | 82.28 |
| 30 | 85.73 | 91.43 | 91.19 | 90.83 | --- | 89.53 | 90.35 | 87.93 | 66.45 | 86.01 | 87.01 | 78.40 |
| 31 | 93.06 | --- | 86.67 | 92.02 | --- | 89.18 | --- | 87.73 | --- | 86.55 | 85.42 | --- |
| MAX | 93.06 | 93.90 | 92.50 | 92.59 | 92.20 | 92.27 | 90.80 | 90.29 | 86.47 | 86.55 | 87.08 | 85.75 |
| WTR YR 1984 | MEAN | 86.35 | | HIGH | 65.63 | | LOW | 93.90 | | | | |

GROUND-WATER RECORDS

297

STARK COUNTY

404939081203800. Local number, ST-5A.

LOCATION.--Lat 40°49'39", long 81°20'38", Hydrologic Unit 05040001, Northeast well field off Harrisburg Rd, Canton.

Owner: Canton Water Department.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 12 in, depth 132 ft, cased.

DATUM.--Altitude of land-surface datum is 1060 ft, from topographic map. Measuring point: Floor of instrument shelter 1.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--June 1949 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 54.00 ft Feb. 10, 1956; minimum daily low, 26.13 ft May 18, 1964.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 39.74 ft Dec. 29; minimum daily low, 35.11 ft June 13.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 37.49 | 38.53 | 39.22 | 39.06 | 38.43 | 38.87 | 36.82 | 36.32 | 35.44 | 35.74 | 35.98 | 36.78 |
| 2 | 37.61 | 38.48 | 38.88 | 38.86 | 38.83 | --- | 36.84 | 36.25 | 35.26 | 35.79 | 35.95 | 36.79 |
| 3 | 37.57 | 38.33 | 38.88 | 38.83 | 38.50 | --- | 36.67 | 36.44 | 35.34 | 35.81 | 36.16 | 36.79 |
| 4 | 37.60 | 38.28 | 38.87 | 38.60 | 38.32 | --- | 36.63 | 36.38 | 35.31 | 36.00 | 35.65 | 36.84 |
| 5 | 37.42 | 38.55 | 38.99 | 38.67 | 38.30 | 38.06 | 36.63 | 36.43 | 35.32 | 35.84 | 35.54 | 36.85 |
| 6 | 37.38 | 38.35 | 38.78 | 38.32 | 38.23 | 38.03 | 36.66 | 36.42 | 35.43 | 36.32 | 36.01 | 36.23 |
| 7 | 37.40 | 38.40 | 38.74 | 38.36 | 38.42 | 38.05 | 36.52 | 36.40 | 35.72 | 35.84 | 35.75 | 36.50 |
| 8 | 37.42 | 38.58 | 38.73 | 38.41 | 38.37 | 38.07 | 36.56 | 36.44 | 35.46 | 35.71 | 35.94 | 36.10 |
| 9 | 37.48 | 38.63 | 38.73 | 38.58 | 38.40 | 38.03 | 36.34 | 36.55 | 35.69 | 35.62 | 36.08 | 36.03 |
| 10 | 37.50 | 38.59 | 38.91 | 38.67 | 38.33 | 38.03 | 36.27 | 36.44 | 35.49 | 35.60 | 35.59 | 36.56 |
| 11 | 37.45 | 38.74 | 38.78 | 38.55 | 38.35 | 38.02 | 36.66 | 36.48 | 35.38 | 35.58 | 35.95 | 36.11 |
| 12 | 37.74 | 38.82 | 38.69 | 38.52 | 38.33 | 38.02 | 36.78 | 36.48 | 35.18 | 35.84 | 35.98 | 36.56 |
| 13 | 37.81 | 38.76 | 38.50 | 38.44 | 38.39 | 37.90 | 36.76 | 36.47 | 35.11 | 36.04 | 36.13 | 36.09 |
| 14 | 37.70 | 38.87 | 38.51 | 38.45 | 38.47 | 38.03 | 36.67 | 36.43 | 35.66 | 36.12 | 35.96 | 36.46 |
| 15 | 37.69 | 38.93 | 38.43 | 38.33 | 38.35 | 37.91 | 36.61 | 36.24 | 35.73 | 36.18 | 36.21 | 36.49 |
| 16 | 37.91 | 39.11 | 38.29 | 38.30 | 38.43 | 37.67 | 36.61 | 36.18 | 35.73 | 36.20 | 36.13 | 36.04 |
| 17 | 38.38 | 38.95 | 38.29 | 38.06 | 38.38 | 37.98 | 36.65 | 36.00 | 35.62 | 36.11 | 36.24 | 36.52 |
| 18 | 38.47 | 39.05 | 38.30 | 38.25 | 38.33 | 37.92 | 36.73 | 36.44 | 35.65 | 36.24 | 36.26 | 36.04 |
| 19 | 38.53 | 39.01 | 38.29 | 38.41 | 38.31 | 37.50 | 36.75 | 36.34 | 35.55 | 36.35 | 36.14 | 36.49 |
| 20 | 38.45 | 39.00 | 38.19 | 38.29 | 38.18 | 37.82 | 36.78 | 36.36 | 35.53 | 36.39 | 35.99 | 36.46 |
| 21 | 38.67 | 38.99 | 38.97 | 38.29 | 38.52 | 37.71 | 36.78 | 36.36 | 35.37 | 36.49 | 36.18 | 36.44 |
| 22 | 38.11 | 39.24 | 39.00 | 38.29 | 38.65 | 37.68 | 36.74 | 36.38 | 35.79 | 36.19 | 36.20 | 36.04 |
| 23 | 38.26 | 39.00 | 38.78 | 38.31 | 38.63 | 37.61 | 36.75 | 36.28 | 35.78 | 36.94 | 36.20 | 36.99 |
| 24 | 38.28 | 38.95 | 38.53 | 38.25 | 38.72 | 37.50 | 36.77 | 35.91 | 35.65 | 36.25 | 35.78 | 36.47 |
| 25 | 38.41 | 38.50 | 38.42 | 38.23 | 38.76 | 37.44 | 36.44 | 35.83 | 35.98 | 36.18 | 36.23 | 36.68 |
| 26 | 38.12 | 39.09 | 38.93 | 38.23 | 38.82 | 37.34 | 36.63 | 35.78 | 35.57 | 36.07 | 36.36 | 37.20 |
| 27 | 38.00 | 39.06 | 39.05 | 38.43 | 38.80 | 37.32 | 36.66 | 35.72 | 35.77 | 36.00 | 36.45 | 37.28 |
| 28 | 37.93 | 39.13 | 39.50 | 38.28 | 38.84 | 37.18 | --- | 35.62 | 35.79 | 36.24 | 36.58 | 36.90 |
| 29 | 38.31 | 38.93 | 39.74 | 38.07 | 38.88 | 37.11 | --- | 35.84 | 35.78 | --- | 36.65 | 36.88 |
| 30 | 38.34 | 39.42 | 39.41 | 38.08 | --- | 36.97 | --- | 35.45 | 35.77 | --- | 36.64 | 36.88 |
| 31 | 38.44 | --- | 39.17 | 38.20 | --- | 36.92 | --- | 35.33 | --- | --- | 36.83 | --- |
| MAX | 38.67 | 39.42 | 39.74 | 39.06 | 38.88 | 38.87 | 36.84 | 36.55 | 35.98 | 36.94 | 36.83 | 37.28 |
| WTR YR 1984 | MEAN | 37.28 | | HIGH | 35.11 | | LOW | 39.74 | | | | |

GROUND-WATER RECORDS

STARK COUNTY--Continued

405051081244200. Local number, ST-28.

LOCATION.--Lat 40°50'51", long 81°24'42", Hydrologic Unit 05040001, Salway St., northwest of Canton.

Owner: North Canton Water Dept.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 8 in, depth 70 ft, cased.

DATUM.--Altitude of land-surface datum is 1060 ft, from topographic map. Measuring point: Floor of instrument shelter 1.50 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--September 1975 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 16.00 ft July 27, 28, 1978; minimum daily low, 9.00 ft June 29, 1984.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 10.98 ft Feb. 10-12; minimum daily low, 9.00 ft June 29.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-----|-------|------|------|------|------|
| 1 | 10.74 | 10.91 | 10.69 | 10.47 | 10.91 | 10.76 | | 9.75 | 9.04 | 9.02 | 9.28 | 9.31 |
| 2 | 10.76 | 10.92 | 10.67 | 10.48 | 10.93 | 10.76 | | 9.75 | 9.02 | 9.03 | 9.28 | 9.30 |
| 3 | 10.77 | 10.92 | 10.64 | 10.48 | 10.93 | 10.76 | | 9.75 | 9.02 | 9.05 | 9.28 | 9.28 |
| 4 | 10.79 | 10.92 | 10.63 | 10.49 | 10.93 | 10.77 | | 9.74 | 9.01 | 9.06 | 9.28 | 9.26 |
| 5 | 10.80 | 10.91 | 10.60 | 10.49 | 10.93 | 10.78 | | 9.72 | 9.01 | 9.07 | 9.28 | 9.24 |
| 6 | 10.80 | 10.91 | 10.57 | 10.51 | 10.94 | 10.78 | | 9.71 | 9.01 | 9.07 | 9.28 | 9.24 |
| 7 | 10.80 | 10.91 | 10.52 | 10.52 | 10.95 | 10.78 | | 9.69 | 9.01 | 9.08 | 9.28 | 9.26 |
| 8 | 10.80 | 10.90 | 10.47 | 10.53 | 10.96 | 10.78 | | 9.67 | 9.01 | 9.08 | 9.28 | 9.27 |
| 9 | 10.80 | 10.90 | 10.44 | 10.54 | 10.97 | 10.78 | | 9.66 | 9.01 | 9.08 | 9.28 | 9.29 |
| 10 | 10.81 | 10.90 | 10.41 | 10.56 | 10.98 | 10.77 | | 9.62 | 9.01 | 9.08 | 9.27 | 9.32 |
| 11 | 10.81 | 10.90 | 10.39 | 10.57 | 10.98 | 10.77 | | 9.59 | 9.02 | 9.08 | 9.26 | 9.34 |
| 12 | 10.81 | 10.90 | 10.37 | 10.58 | 10.98 | 10.77 | | 9.55 | 9.02 | 9.08 | 9.25 | 9.36 |
| 13 | 10.81 | 10.89 | 10.36 | 10.61 | 10.97 | 10.76 | | 9.52 | 9.02 | 9.08 | 9.26 | 9.39 |
| 14 | 10.81 | 10.89 | 10.35 | 10.64 | 10.93 | 10.76 | | 9.50 | 9.02 | 9.09 | 9.26 | 9.41 |
| 15 | 10.82 | 10.88 | 10.33 | 10.65 | 10.91 | 10.76 | | 9.48 | 9.03 | 9.09 | 9.26 | 9.43 |
| 16 | 10.82 | 10.88 | 10.31 | 10.66 | 10.89 | 10.75 | | 9.47 | 9.03 | 9.10 | 9.27 | 9.45 |
| 17 | 10.83 | 10.87 | 10.29 | 10.67 | 10.86 | 10.75 | | 9.45 | 9.03 | 9.11 | 9.28 | 9.47 |
| 18 | 10.84 | 10.85 | 10.30 | 10.69 | 10.84 | 10.72 | | 9.43 | 9.04 | 9.11 | 9.29 | 9.48 |
| 19 | 10.86 | 10.81 | 10.31 | 10.71 | 10.82 | 10.69 | | 9.42 | 9.04 | 9.12 | 9.31 | 9.50 |
| 20 | 10.87 | 10.80 | 10.32 | 10.73 | 10.79 | 10.64 | | 9.40 | 9.03 | 9.14 | 9.33 | 9.51 |
| 21 | 10.89 | 10.78 | 10.33 | 10.74 | 10.78 | 10.59 | | 9.38 | 9.03 | 9.16 | 9.34 | 9.53 |
| 22 | 10.89 | 10.77 | 10.33 | 10.76 | 10.77 | 10.53 | | 9.36 | 9.02 | 9.17 | 9.37 | 9.55 |
| 23 | 10.89 | 10.76 | 10.34 | 10.77 | 10.76 | 10.48 | | 9.33 | 9.02 | 9.19 | 9.38 | 9.57 |
| 24 | 10.90 | 10.76 | 10.35 | 10.79 | 10.75 | 10.41 | | 9.30 | 9.02 | 9.21 | 9.39 | 9.59 |
| 25 | 10.90 | 10.75 | 10.36 | 10.81 | 10.74 | 10.35 | | 9.26 | 9.01 | 9.23 | 9.39 | 9.60 |
| 26 | 10.90 | 10.74 | 10.38 | 10.83 | 10.74 | 10.28 | | 9.23 | 9.01 | 9.24 | 9.38 | 9.62 |
| 27 | 10.90 | 10.74 | 10.39 | 10.84 | 10.74 | 10.23 | | 9.20 | 9.01 | 9.24 | 9.37 | 9.63 |
| 28 | 10.91 | 10.74 | 10.42 | 10.85 | 10.75 | 10.17 | | 9.18 | 9.01 | 9.25 | 9.36 | 9.65 |
| 29 | 10.91 | 10.74 | 10.43 | 10.87 | 10.75 | 10.10 | | 9.14 | 9.00 | 9.25 | 9.35 | 9.67 |
| 30 | 10.91 | 10.72 | 10.44 | 10.88 | --- | --- | | 9.10 | 9.01 | 9.26 | 9.34 | 9.69 |
| 31 | 10.91 | --- | 10.46 | 10.89 | --- | --- | | 9.08 | --- | 9.27 | 9.33 | --- |
| MAX | 10.91 | 10.92 | 10.69 | 10.89 | 10.98 | 10.78 | | 9.75 | 9.04 | 9.27 | 9.39 | 9.69 |
| WTR YR 1984 | MEAN | 10.05 | | HIGH | 9.00 | | LOW | 10.98 | | | | |

GROUND-WATER RECORDS

299

STARK COUNTY--Continued

405211081253500. Local number, ST-27.

LOCATION.--Lat 40°52'11", long 81°25'35", Hydrologic Unit 05040001, Dresler Rd near North Canton.

Owner: North Canton Water Department

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 8 in, depth 55 ft, cased.

DATUM.--Altitude of land-surface datum is 1060 ft, from topographic map. Measuring point: Floor of instrument shelter 2.50 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--April 1975 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 40.80 ft Aug. 29, 1982; minimum daily low, 7.10 ft June 15, 1981.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 31.45 ft Feb. 17; minimum daily low, 9.35 ft May 15.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 14.80 | 12.75 | 10.80 | 10.20 | 20.10 | 27.40 | 12.05 | 9.95 | 11.85 | 11.25 | 15.90 | 15.00 |
| 2 | 14.65 | 12.70 | 10.80 | 10.05 | 23.90 | 28.05 | 11.85 | 10.00 | 11.40 | 11.30 | 15.15 | 14.75 |
| 3 | 14.55 | 12.55 | 10.75 | 10.05 | 25.25 | 28.30 | 22.00 | 10.05 | 11.05 | 11.30 | 14.70 | 14.45 |
| 4 | 14.45 | 12.50 | 10.65 | 10.15 | 26.65 | --- | 22.65 | 9.95 | 10.70 | 11.35 | 23.55 | 14.30 |
| 5 | 14.45 | 12.40 | 10.45 | 10.20 | 27.50 | 17.00 | 15.10 | 10.00 | 10.60 | 11.35 | 26.20 | 14.30 |
| 6 | 15.35 | 12.35 | 10.20 | 10.25 | 27.95 | 16.15 | 13.50 | 10.00 | --- | 11.35 | 26.50 | 14.25 |
| 7 | 14.40 | 12.25 | 10.15 | 10.25 | 28.20 | 15.55 | 12.85 | 9.95 | --- | 11.25 | 18.60 | 14.15 |
| 8 | 14.30 | 12.20 | 10.15 | 10.25 | 28.35 | 15.10 | 20.55 | 9.70 | --- | 11.30 | 16.75 | 20.10 |
| 9 | 14.25 | 12.15 | 10.25 | 10.35 | 26.95 | 14.55 | 23.35 | 9.65 | --- | 11.20 | 25.30 | 22.25 |
| 10 | 14.10 | 12.10 | 10.15 | 10.40 | 28.45 | 14.25 | 18.40 | 9.50 | --- | 11.20 | 26.55 | 17.05 |
| 11 | 14.15 | 12.05 | 10.10 | 10.80 | 29.35 | 13.95 | 14.80 | 9.45 | --- | 11.20 | --- | 15.25 |
| 12 | 14.05 | 12.05 | 9.95 | 10.50 | 30.10 | 13.80 | 13.75 | 9.55 | 10.55 | 11.35 | --- | 14.90 |
| 13 | 14.00 | 11.95 | 9.90 | 10.35 | 30.45 | 13.55 | 13.15 | 9.55 | 10.55 | 13.75 | --- | 14.70 |
| 14 | 14.00 | 11.75 | 9.80 | 10.50 | 30.75 | 20.20 | 12.85 | 9.40 | 10.70 | 11.70 | --- | 14.50 |
| 15 | 14.00 | 11.65 | 10.00 | 10.50 | 31.05 | 24.50 | 12.35 | 9.35 | 10.75 | 11.65 | --- | 14.40 |
| 16 | 13.85 | 11.50 | 10.05 | 10.35 | 31.30 | 25.35 | 11.40 | 9.45 | 10.75 | 11.70 | --- | 14.35 |
| 17 | 13.75 | 11.50 | 10.00 | 10.55 | 31.45 | 18.35 | 10.65 | 9.50 | 10.70 | 11.75 | --- | 14.10 |
| 18 | 13.80 | 11.45 | 9.90 | 10.60 | 24.50 | 15.85 | 10.40 | 9.50 | 10.75 | 11.85 | --- | 14.00 |
| 19 | 13.80 | 11.35 | 9.95 | 10.50 | 20.45 | 14.65 | 10.45 | 9.55 | 10.75 | 11.85 | --- | 14.00 |
| 20 | 13.75 | 11.25 | 10.05 | 10.75 | 18.65 | 14.00 | 10.50 | 9.55 | 10.70 | 14.90 | --- | 13.95 |
| 21 | 13.75 | 11.15 | 10.05 | 10.75 | 17.45 | 13.55 | 10.45 | 15.40 | 10.75 | 20.50 | --- | 14.15 |
| 22 | 13.65 | 11.15 | 9.90 | 10.70 | 16.60 | 12.80 | 10.35 | 17.65 | 10.75 | 15.35 | --- | 14.00 |
| 23 | 13.45 | 11.15 | 9.85 | 10.65 | 15.80 | 12.45 | 10.25 | 20.20 | 10.80 | 13.85 | --- | 13.80 |
| 24 | 13.35 | 11.10 | 9.95 | 10.65 | 15.25 | 12.30 | 10.25 | 21.75 | 10.75 | 13.20 | --- | 13.80 |
| 25 | 13.25 | 11.05 | 9.95 | 11.60 | 14.85 | 22.10 | 10.20 | 22.40 | 10.80 | 12.90 | --- | 13.80 |
| 26 | 13.15 | 11.10 | 9.90 | 10.70 | 14.35 | 23.90 | 9.95 | 17.60 | 10.85 | 12.75 | --- | 13.90 |
| 27 | 13.10 | 11.20 | 10.00 | 10.50 | 14.05 | 18.30 | 10.00 | 16.45 | 10.95 | 14.65 | --- | 13.90 |
| 28 | 13.05 | 11.05 | 10.00 | 10.45 | 23.70 | 14.75 | 9.95 | 20.80 | 11.05 | 23.00 | --- | 13.90 |
| 29 | 13.05 | 10.85 | 9.95 | 10.55 | 26.05 | 13.60 | 10.05 | 18.30 | 11.25 | 25.45 | --- | 13.70 |
| 30 | 13.00 | 10.85 | 10.10 | 17.30 | --- | 13.00 | 9.85 | 13.60 | 11.20 | 25.70 | 15.20 | 20.55 |
| 31 | 12.85 | --- | 10.15 | 20.50 | --- | 12.55 | --- | 12.40 | --- | 18.00 | 15.15 | --- |
| MAX | 15.35 | 12.75 | 10.80 | 20.50 | 31.45 | 28.30 | 23.35 | 22.40 | 11.85 | 25.70 | 26.55 | 22.25 |
| WTR YR 1984 | MEAN | 14.18 | | HIGH | 9.35 | | LOW | 31.45 | | | | |

GROUND-WATER RECORDS

SUMMIT COUNTY

410141081315200. Local number, SU-4A.

LOCATION.--Lat 41°01'41", long 81°31'52", Hydrologic Unit 05040001, Firestone well field, Akron.

Owner: Firestone Tire and Rubber Co.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test artesian well, diameter 6 in, depth 60 ft, cased.

DATUM.--Altitude of land-surface datum is 970 ft, from topographic map. Measuring point: Floor of instrument shelter 3.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--July 1951 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 42.60 ft Oct. 21, 1966; minimum daily low, 3.45 ft Jan. 23, 1959.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 19.98 ft Oct. 19; minimum daily low, 8.34 ft Apr. 18.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|-------|-------|
| 1 | 19.63 | 19.41 | 16.55 | 13.81 | 13.06 | 11.03 | 8.76 | 9.38 | 11.04 | 14.44 | 16.19 | 17.57 |
| 2 | 19.65 | 19.37 | 16.46 | 13.80 | 13.01 | 11.04 | 8.70 | 9.51 | 11.11 | 14.53 | 16.27 | 17.59 |
| 3 | 19.67 | 19.32 | 16.36 | 13.79 | 12.97 | 11.06 | 8.66 | 9.63 | 11.22 | 14.62 | 16.35 | --- |
| 4 | 19.69 | 19.29 | 16.25 | 13.79 | 12.91 | 11.07 | 8.61 | 9.64 | 11.32 | 14.53 | 16.36 | --- |
| 5 | 19.71 | 19.27 | 16.14 | 13.77 | 12.84 | 11.07 | 8.56 | 9.64 | 11.44 | 14.53 | 16.36 | --- |
| 6 | 19.75 | 19.26 | 15.96 | 13.77 | 12.78 | 11.07 | 8.51 | 9.64 | 11.60 | 14.62 | 16.31 | --- |
| 7 | 19.78 | 19.27 | 15.79 | 13.76 | 12.71 | 11.07 | 8.48 | 9.67 | 11.75 | 14.56 | 16.27 | --- |
| 8 | 19.80 | 19.29 | 15.59 | 13.76 | 12.65 | 11.05 | 8.45 | 9.70 | 11.89 | 14.47 | 16.29 | --- |
| 9 | 19.83 | 19.31 | 15.41 | 13.76 | 12.60 | 11.01 | 8.43 | 9.72 | 12.01 | 14.38 | 16.33 | --- |
| 10 | 19.86 | 19.32 | 15.27 | 13.76 | 12.54 | 10.96 | 8.41 | 9.76 | 12.13 | 14.33 | 16.38 | --- |
| 11 | 19.88 | 19.32 | 15.16 | 13.77 | 12.48 | 10.90 | 8.39 | 9.82 | 12.26 | 14.32 | 16.42 | --- |
| 12 | 19.90 | 19.24 | 15.07 | 13.78 | 12.42 | 10.83 | 8.42 | 9.89 | 12.39 | 14.37 | 16.42 | --- |
| 13 | 19.91 | 19.08 | 14.97 | 13.78 | 12.34 | 10.78 | 8.41 | 9.95 | 12.52 | 14.44 | 16.40 | --- |
| 14 | 19.92 | 18.87 | 14.89 | 13.78 | 12.26 | 10.72 | 8.40 | 10.00 | 12.66 | 14.52 | 16.41 | --- |
| 15 | 19.94 | 18.68 | 14.80 | 13.77 | 12.14 | 10.68 | 8.39 | 10.07 | 12.78 | 14.62 | 16.45 | --- |
| 16 | 19.95 | 18.49 | 14.70 | 13.76 | 12.00 | 10.63 | 8.38 | 10.15 | 12.89 | 14.73 | 16.50 | --- |
| 17 | 19.96 | 18.31 | 14.57 | 13.72 | 11.88 | 10.57 | 8.36 | 10.25 | 13.00 | 14.85 | 16.57 | --- |
| 18 | 19.97 | 18.14 | 14.44 | 13.69 | 11.76 | 10.47 | 8.34 | 10.35 | 13.10 | 14.97 | 16.63 | --- |
| 19 | 19.98 | 17.96 | 14.32 | 13.66 | 11.63 | 10.36 | 8.37 | 10.45 | 13.19 | 15.09 | 16.69 | --- |
| 20 | 19.94 | 17.80 | 14.23 | 13.62 | 11.51 | 10.25 | 8.48 | 10.54 | 13.29 | 15.21 | 16.74 | --- |
| 21 | 19.95 | 17.65 | 14.16 | 13.59 | 11.38 | 10.14 | 8.58 | 10.58 | 13.38 | 15.34 | 16.82 | --- |
| 22 | 19.95 | 17.50 | 14.10 | 13.56 | 11.29 | 9.96 | 8.70 | 10.62 | 13.47 | 15.46 | 16.88 | --- |
| 23 | 19.95 | 17.37 | 14.04 | 13.52 | 11.22 | 9.76 | 8.77 | 10.65 | 13.56 | 15.58 | 16.92 | --- |
| 24 | 19.92 | 17.26 | 13.98 | 13.48 | 11.16 | 9.59 | 8.82 | 10.69 | 13.65 | 15.69 | 16.97 | --- |
| 25 | 19.88 | 17.14 | 13.93 | 13.44 | 11.09 | 9.45 | 8.91 | 10.73 | 13.73 | 15.82 | 17.07 | --- |
| 26 | 19.84 | 17.05 | 13.90 | 13.41 | 11.07 | 9.30 | 8.98 | 10.78 | 13.83 | 15.93 | 17.17 | --- |
| 27 | 19.78 | 16.96 | 13.87 | 13.35 | 11.06 | 9.19 | 9.04 | 10.83 | 13.93 | 15.97 | 17.25 | --- |
| 28 | 19.69 | 16.87 | 13.85 | 13.30 | 11.05 | 9.09 | 9.11 | 10.85 | 14.05 | 15.99 | 17.33 | --- |
| 29 | 19.58 | 16.77 | 13.82 | 13.23 | 11.03 | 9.00 | 9.19 | 10.87 | 14.18 | 16.02 | 17.41 | --- |
| 30 | 19.51 | 16.66 | 13.81 | 13.17 | --- | 8.92 | 9.27 | 10.91 | 14.31 | 16.05 | 17.49 | --- |
| 31 | 19.45 | --- | 13.81 | 13.11 | --- | 8.84 | --- | 10.97 | --- | 16.11 | 17.54 | --- |
| MAX | 19.98 | 19.41 | 16.55 | 13.81 | 13.06 | 11.07 | 9.27 | 10.97 | 14.31 | 16.11 | 17.54 | 17.59 |
| WTR YR 1984 | MEAN | 13.88 | | HIGH | 8.34 | | LOW | 19.98 | | | | |

TRUMBULL COUNTY

411604080505600. Local number, T-3.

LOCATION.--Lat 41°16'04", long 80°50'56", Hydrologic Unit 05030103, N. River Rd near Warren.

Owner: Copperweld Steel Corp.

AQUIFER.--Sandstone of Mississippian Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 12 in, depth 125 ft, cased.

DATUM.--Altitude of land-surface datum is 890 ft, from topographic map. Measuring point: Floor of instrument shelter 2.50 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--September 1969 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 60.30 ft, July 2, 1975; minimum daily low, 19.35 ft Feb. 21, 1982.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 52.82 ft Jan. 9; minimum daily low, 27.59 ft Mar. 31.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-----|
| 1 | 32.83 | 35.55 | 35.19 | 51.71 | 45.33 | 31.86 | 27.69 | 30.95 | 30.85 | 35.54 | | |
| 2 | 32.61 | 37.56 | 35.17 | 51.70 | 45.46 | 31.54 | 28.18 | 30.64 | 30.75 | 35.69 | | |
| 3 | 33.79 | 38.60 | 35.05 | 51.85 | 46.36 | 31.03 | 28.78 | 30.30 | 30.48 | 34.75 | | |
| 4 | 34.46 | 38.50 | 34.78 | 51.94 | 46.30 | 30.66 | 28.83 | 29.68 | 31.90 | 37.83 | | |
| 5 | 33.71 | 37.51 | 34.27 | 51.98 | 45.48 | 30.27 | 29.03 | 30.13 | 32.89 | 37.14 | | |
| 6 | 33.83 | 36.87 | 34.39 | 52.19 | 46.02 | 30.05 | 29.13 | 30.08 | 33.20 | 38.30 | | |
| 7 | 34.17 | 37.67 | 36.54 | 52.27 | 46.39 | 29.59 | 29.31 | 31.03 | 33.31 | 38.16 | | |
| 8 | 33.55 | 37.62 | 37.80 | 52.47 | 46.41 | 30.08 | 29.31 | 31.54 | 34.42 | 38.72 | | |
| 9 | 32.94 | 37.52 | 38.10 | 52.82 | 46.52 | 30.68 | 29.65 | 30.54 | 34.46 | 38.59 | | |
| 10 | 33.28 | 37.21 | 38.07 | 52.71 | 46.44 | 30.74 | 29.95 | 30.08 | 32.50 | 38.46 | | |
| 11 | 33.46 | 37.00 | 37.84 | 52.56 | 46.16 | 30.53 | 30.36 | 30.35 | 32.72 | 39.44 | | |
| 12 | 33.17 | 36.91 | 37.50 | 50.40 | 45.94 | 30.02 | 30.75 | 29.90 | 32.98 | 39.68 | | |
| 13 | 33.53 | 36.84 | 37.49 | 50.10 | 45.76 | 30.12 | 31.18 | 28.99 | 32.98 | 39.84 | | |
| 14 | 33.50 | 36.75 | 37.79 | 49.65 | 45.87 | 30.31 | 30.86 | 29.18 | 33.21 | 39.32 | | |
| 15 | 33.40 | 36.60 | 39.11 | 48.43 | 46.05 | 30.23 | 29.87 | 29.55 | 32.88 | 39.05 | | |
| 16 | 33.30 | 35.75 | 40.26 | 47.30 | 46.05 | 29.49 | 29.70 | 29.19 | 32.43 | 39.04 | | |
| 17 | 33.63 | 35.91 | 40.74 | 46.50 | 45.97 | 28.95 | 30.30 | 29.49 | 32.19 | 38.96 | | |
| 18 | 33.86 | 36.82 | 40.59 | 46.13 | 44.50 | 28.14 | 30.31 | 29.63 | 32.65 | 38.72 | | |
| 19 | 33.97 | 37.04 | 40.51 | 45.98 | 46.87 | 28.27 | 29.50 | 29.21 | 32.59 | 38.55 | | |
| 20 | 34.45 | 36.77 | 40.68 | 46.37 | 47.71 | 28.26 | 29.41 | 28.90 | 34.41 | 37.92 | | |
| 21 | 35.13 | 38.00 | 43.44 | 46.85 | 46.44 | 27.88 | 29.31 | 29.31 | 34.97 | 37.30 | | |
| 22 | 34.84 | 38.03 | 46.62 | 47.20 | 41.43 | 27.60 | 29.15 | 30.07 | 35.03 | 36.57 | | |
| 23 | 33.69 | 37.39 | 47.45 | 47.20 | 37.66 | 28.12 | 28.92 | 30.00 | 35.19 | 34.71 | | |
| 24 | 34.62 | 36.18 | 47.78 | 47.05 | 35.92 | 28.13 | 28.89 | 29.76 | 35.40 | --- | | |
| 25 | 35.20 | 35.76 | 48.02 | 46.71 | 35.22 | 27.84 | 28.12 | 30.40 | 34.92 | --- | | |
| 26 | 35.19 | 35.64 | 48.44 | 46.09 | 34.08 | 27.73 | 28.39 | 30.50 | 36.39 | --- | | |
| 27 | 35.48 | 35.22 | 49.12 | 45.45 | 33.29 | 27.87 | 28.59 | 30.12 | 37.16 | --- | | |
| 28 | 35.73 | 35.20 | 50.09 | 45.38 | 32.65 | 27.85 | 28.53 | 29.80 | 36.75 | --- | | |
| 29 | 35.78 | 35.19 | 51.56 | 44.99 | 31.85 | 27.60 | 28.35 | 29.79 | 36.69 | --- | | |
| 30 | 35.66 | 35.19 | 52.47 | 44.52 | --- | 27.64 | 28.79 | 29.85 | 36.10 | --- | | |
| 31 | 35.57 | --- | 52.32 | 45.22 | --- | 27.59 | --- | 31.00 | --- | --- | | |
| MAX | 35.78 | 38.60 | 52.47 | 52.82 | 47.71 | 31.86 | 31.18 | 31.54 | 37.16 | 39.84 | | |
| WTR YR 1984 | MEAN | 36.41 | | HIGH | 27.59 | | LOW | 52.82 | | | | |

GROUND-WATER RECORDS

TUSCARAWAS COUNTY

403207081293800. Local number, TU-3.

LOCATION.--Lat 40°32'07", long 81°29'38", Hydrologic Unit 05040001, in the northwest part of Dover.

Owner: Dover City Water Department.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 6 in, depth 62 ft, cased.

DATUM.--Altitude of land-surface datum is 880 ft, from topographic map. Measuring point: Floor of instrument shelter 3.00 ft above land-surface datum.

PERIOD OF RECORD.--May 1960 to September 1982 continuous, periodic thereafter.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 19.35 ft Nov. 29-30, Dec. 6-8, 1962; minimum daily low, 3.20 ft July 15, 1969.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM.

| DATE | WATER LEVEL | DATE | WATER LEVEL | DATE | WATER LEVEL | DATE | WATER LEVEL |
|---------------|----------------|---------------|----------------|---------------|----------------|---------------|----------------|
| Oct. 31, 1983 | 10.10 | Jan. 30, 1984 | 8.17 | Apr. 30, 1984 | 6.40 | July 31, 1984 | 8.35 |
| Nov. 30 | 9.50 | Feb. 29 | 8.20 | May 31 | 6.09 | Aug. 30 | 8.69 |
| Dec. 28 | 8.72 | Mar. 30 | 5.77 | June 29 | 7.79 | Sept. 28 | 9.39 |

GROUND-WATER RECORDS

303

TUSCARAWAS COUNTY--Continued.

403557081313600. Local number, TU-4.

LOCATION.--Lat 40°35'57", long 81°31'36", Hydrologic Unit 05040001, near Fire Dept. building in Strasburg.

Owner: Strasburg Water Dept.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 6 in, depth 42.5 ft, cased.

DATUM.--Altitude of land-surface datum is 920 ft, from topographic map. Measuring point: Floor of instrument shelter 3.50 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--June 1960 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 10.68 ft Nov. 3, 1982; minimum daily low, 4.05 ft July 13, 1969.

EXTREMES FOR CURRENT YEAR.--Maximum recorded daily low, 10.11 ft Oct. 31; minimum daily low, 6.78 ft Apr. 1.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|------|------|------|------|------|-------|------|------|------|------|
| 1 | --- | --- | 9.55 | 8.97 | 9.19 | 8.69 | 6.78 | 7.13 | 7.05 | 7.85 | 8.54 | 8.97 |
| 2 | --- | --- | 9.54 | 8.97 | 9.19 | 8.76 | 6.87 | 7.18 | 7.14 | 7.93 | 8.57 | 8.89 |
| 3 | --- | 10.01 | 9.50 | 8.94 | 9.19 | 8.75 | 6.86 | 7.18 | 7.13 | 8.06 | 8.63 | 8.91 |
| 4 | --- | 10.00 | 9.45 | 9.01 | 8.95 | 8.76 | 6.88 | 7.10 | 7.17 | 7.99 | 8.51 | 9.00 |
| 5 | --- | 10.00 | 9.25 | 8.78 | 8.88 | 8.76 | 6.88 | 7.08 | 7.30 | 7.95 | 8.53 | 9.00 |
| 6 | --- | 9.97 | 9.10 | 9.08 | 8.95 | 8.65 | 7.01 | 7.02 | 7.30 | 7.78 | 8.59 | 9.08 |
| 7 | --- | 10.01 | 9.01 | 8.99 | 9.00 | 8.58 | 6.94 | 7.13 | 7.36 | 7.53 | 8.62 | 9.14 |
| 8 | --- | 10.01 | 8.97 | 9.03 | 9.01 | 8.52 | 6.95 | 7.10 | 7.49 | 7.65 | 8.65 | 9.07 |
| 9 | --- | 10.01 | 9.02 | 9.12 | 9.05 | 8.63 | 7.01 | 7.10 | 7.43 | 7.59 | 8.67 | 9.07 |
| 10 | --- | 10.01 | 8.93 | 9.13 | 9.07 | 8.52 | 7.04 | 7.12 | 7.47 | 7.58 | 8.60 | 9.16 |
| 11 | --- | 10.00 | 8.91 | 9.16 | 8.99 | 8.52 | 7.05 | 7.14 | 7.62 | 7.70 | 8.48 | 9.14 |
| 12 | --- | 9.89 | 8.86 | 9.18 | 8.78 | 8.60 | 7.09 | 7.08 | 7.60 | 7.74 | 8.49 | 9.17 |
| 13 | --- | 9.85 | 8.75 | 9.27 | 8.78 | 8.60 | 7.20 | 7.10 | 7.66 | 7.90 | 8.55 | 9.19 |
| 14 | --- | 9.94 | 8.69 | 9.19 | 8.63 | 8.63 | 7.10 | 7.18 | 7.65 | 7.82 | 8.60 | 9.18 |
| 15 | --- | 9.88 | 8.70 | 9.19 | 8.48 | 8.64 | 7.12 | 7.21 | 7.75 | 7.85 | 8.64 | 9.16 |
| 16 | --- | 9.87 | 8.73 | 9.28 | 8.38 | 8.50 | 7.15 | 7.25 | 7.69 | 7.96 | 8.67 | 9.18 |
| 17 | --- | 9.84 | 8.69 | 9.29 | 8.45 | 8.24 | 7.20 | 7.33 | 7.72 | 7.96 | 8.77 | 9.32 |
| 18 | --- | 9.87 | 8.75 | 9.31 | 8.34 | 8.07 | 7.21 | 7.42 | 7.84 | 8.02 | 8.71 | 9.29 |
| 19 | --- | 9.76 | 8.78 | 9.34 | 8.35 | 8.06 | 7.21 | 7.36 | 7.62 | 8.07 | 8.72 | 9.29 |
| 20 | --- | 9.75 | 8.81 | 9.36 | 8.42 | 7.97 | 7.30 | 7.38 | 7.37 | 8.15 | 8.79 | 9.31 |
| 21 | --- | 9.81 | 8.83 | 9.47 | 8.45 | 7.85 | 7.25 | 7.30 | 7.42 | 8.11 | 8.82 | 9.41 |
| 22 | --- | 9.78 | 8.78 | 9.36 | 8.45 | 7.54 | 7.30 | 7.18 | 7.56 | 8.16 | 8.82 | 9.33 |
| 23 | --- | 9.77 | 8.78 | 9.46 | 8.46 | 7.51 | 7.22 | 7.09 | 7.53 | 8.28 | 8.88 | 9.34 |
| 24 | 10.00 | 9.72 | 8.72 | 9.42 | 8.50 | 7.36 | 7.07 | 6.93 | 7.50 | 8.28 | 8.88 | 9.40 |
| 25 | 10.00 | 9.77 | 8.74 | 9.16 | 8.58 | 7.32 | 6.99 | 6.95 | 7.63 | 8.34 | 8.89 | 9.42 |
| 26 | 10.00 | 9.73 | 8.75 | 9.05 | 8.55 | 7.33 | 6.93 | 6.89 | 7.74 | 8.36 | 8.91 | 9.44 |
| 27 | 10.00 | 9.74 | 8.81 | 9.07 | 8.61 | 7.31 | 6.93 | 6.93 | 7.71 | 8.34 | 9.07 | 9.52 |
| 28 | 10.00 | 9.72 | 8.78 | 8.96 | 8.60 | 7.20 | 7.00 | 6.95 | 7.78 | 8.33 | 9.06 | 9.46 |
| 29 | --- | 9.63 | 8.80 | 9.02 | 8.66 | 7.01 | 6.93 | 6.98 | 7.86 | 8.34 | 9.03 | 9.44 |
| 30 | --- | 9.56 | 8.81 | 9.09 | --- | 6.99 | 7.00 | 6.97 | 7.82 | 8.43 | 9.07 | 9.45 |
| 31 | 10.11 | --- | 8.78 | 9.16 | --- | 6.82 | --- | 7.00 | --- | 8.47 | 8.98 | --- |
| MAX | 10.11 | 10.01 | 9.55 | 9.47 | 9.19 | 8.76 | 7.30 | 7.42 | 7.86 | 8.47 | 9.07 | 9.52 |
| WTR YR 1984 | MEAN | 8.42 | | HIGH | 6.78 | | LOW | 10.11 | | | | |

TUSCARAWAS COUNTY--continued

403653081321800. Local number, TU-1.

LOCATION.--Lat 40°36'53", long 81°32'18", Hydrologic Unit 05040001, 1.3 mi north of Strasburg.

Owner: Everett Waltz.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 4 in, depth 23 ft, cased.

DATUM.--Altitude of land-surface datum is 928.24 ft. Measuring point: Floor of instrument shelter 0.90 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--July 1946 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 15.51 ft Nov. 20-22, 1982; minimum daily low, 6.64 ft July 14, 1969.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 14.96 ft Oct. 17; minimum daily low, 10.14 ft Apr. 2.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|
| 1 | 14.82 | 14.91 | 14.23 | 13.07 | 13.77 | 13.10 | 10.21 | 10.56 | 10.57 | 12.00 | 13.11 | |
| 2 | 14.83 | 14.92 | 14.20 | 13.12 | 13.81 | 13.11 | 10.14 | 10.62 | 10.65 | 12.06 | 13.14 | |
| 3 | 14.84 | 14.92 | 14.18 | 13.17 | 13.81 | 13.12 | 10.15 | 10.63 | 10.77 | 12.11 | 13.15 | |
| 4 | 14.86 | 14.89 | 14.16 | 13.23 | 13.61 | 13.13 | 10.16 | 10.65 | 10.87 | 12.16 | 13.15 | |
| 5 | 14.86 | 14.85 | 14.03 | 13.26 | 13.48 | 13.15 | 10.17 | 10.63 | 10.97 | 12.16 | 13.16 | |
| 6 | 14.88 | 14.83 | 13.74 | 13.33 | 13.54 | 13.14 | 10.22 | 10.57 | 11.00 | 12.02 | 13.19 | |
| 7 | 14.89 | 14.83 | 13.48 | 13.38 | 13.61 | 13.03 | 10.26 | 10.57 | 11.05 | 11.87 | 13.23 | |
| 8 | 14.89 | 14.84 | --- | 13.44 | 13.65 | 12.88 | 10.32 | 10.59 | 11.12 | 11.78 | 13.26 | |
| 9 | 14.91 | 14.84 | --- | 13.48 | 13.69 | 12.83 | 10.40 | 10.58 | 11.20 | 11.80 | 13.27 | |
| 10 | 14.92 | 14.85 | --- | 13.52 | 13.68 | 12.80 | 10.48 | 10.57 | 11.29 | 11.85 | 13.24 | |
| 11 | 14.93 | 14.85 | --- | 13.58 | 13.51 | 12.83 | 10.54 | 10.55 | 11.38 | 11.93 | 13.18 | |
| 12 | 14.93 | 14.83 | --- | 13.61 | 13.36 | 12.86 | 10.60 | 10.64 | 11.45 | 11.99 | 13.16 | |
| 13 | 14.93 | 14.78 | --- | 13.66 | 13.29 | 12.89 | 10.68 | 10.71 | 11.55 | 12.07 | 13.19 | |
| 14 | 14.93 | 14.76 | --- | 13.70 | 13.15 | 12.93 | 10.74 | 10.80 | 11.56 | 12.12 | 13.24 | |
| 15 | 14.94 | 14.73 | --- | 13.72 | 12.97 | 12.93 | 10.74 | 10.87 | 11.63 | 12.16 | 13.28 | |
| 16 | 14.94 | 14.70 | --- | 13.77 | 12.83 | 12.89 | 10.70 | 10.95 | 11.69 | 12.21 | 13.31 | |
| 17 | 14.96 | 14.67 | --- | 13.80 | 12.77 | 12.68 | 10.70 | 11.00 | 11.74 | 12.26 | 13.36 | |
| 18 | 14.92 | 14.64 | --- | 13.83 | 12.72 | 12.39 | 10.73 | 11.05 | 11.82 | 12.34 | 13.40 | |
| 19 | 14.92 | 14.62 | --- | 13.86 | 12.68 | 12.20 | 10.80 | 11.09 | 11.52 | 12.39 | 13.40 | |
| 20 | 14.92 | 14.59 | --- | 13.89 | 12.68 | 12.00 | 10.86 | 11.13 | 11.27 | 12.44 | 13.43 | |
| 21 | 14.92 | 14.58 | --- | 13.92 | 12.70 | 11.87 | 10.91 | 11.07 | 11.30 | 12.50 | 13.46 | |
| 22 | 14.92 | 14.56 | --- | 13.96 | 12.74 | 11.54 | 10.91 | 10.88 | 11.39 | 12.55 | 13.49 | |
| 23 | 14.91 | 14.55 | --- | 13.98 | 12.79 | 11.30 | 10.89 | 10.70 | 11.45 | 12.61 | 13.52 | |
| 24 | 14.88 | 14.52 | --- | 13.95 | 12.88 | 11.13 | 10.83 | 10.56 | 11.50 | 12.67 | 13.55 | |
| 25 | 14.83 | 14.51 | --- | 13.82 | 12.92 | 10.98 | 10.68 | 10.43 | 11.58 | 12.70 | 13.58 | |
| 26 | 14.82 | 14.51 | --- | 13.70 | 12.93 | 10.90 | 10.54 | 10.47 | 11.64 | 12.73 | 13.62 | |
| 27 | 14.82 | 14.51 | --- | 13.59 | 12.97 | 10.81 | 10.47 | 10.52 | 11.73 | 12.76 | 13.65 | |
| 28 | 14.83 | 14.50 | --- | 13.53 | 13.03 | 10.70 | 10.43 | 10.53 | 11.80 | 12.78 | 13.71 | |
| 29 | 14.86 | 14.43 | 12.99 | 13.54 | 13.06 | 10.58 | 10.44 | 10.51 | 11.87 | 12.91 | 13.73 | |
| 30 | 14.87 | 14.29 | 13.00 | 13.68 | --- | 10.50 | 10.49 | 10.48 | 11.93 | 12.88 | 13.74 | |
| 31 | 14.90 | --- | 13.03 | 13.73 | --- | 10.34 | --- | 10.51 | --- | 12.93 | --- | |
| MAX | 14.96 | 14.92 | 14.23 | 13.98 | 13.81 | 13.15 | 10.91 | 11.13 | 11.93 | 12.93 | 13.74 | |
| WTR YR 1984 | MEAN | 12.72 | | HIGH | 10.14 | | LOW | 14.96 | | | | |

GROUND-WATER RECORDS

305

TUSCARAWAS COUNTY--Continued.

403823081324200. Local number, TU-5.

LOCATION.--Lat 40°38'23", long 81°32'42", Hydrologic Unit 05040001, Sugar Creek well field near Strasburg.

Owner: Canton Water Dept.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 6 in, depth 100 ft, cased.

DATUM.--Altitude of land-surface datum is 937.93 ft. Measuring point: Floor of instrument shelter 4.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--June 1960 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 12.68 ft Feb. 14, 24, 1977; minimum daily low, 1.05 ft July 9, 1969.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 9.96 ft Feb. 3; minimum daily low, 2.27 ft Apr 1.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1 | 8.83 | 8.85 | 8.07 | 8.05 | 9.66 | 8.10 | 2.27 | 4.87 | 5.34 | 6.77 | 8.29 | 7.50 |
| 2 | 8.69 | 8.97 | 8.07 | --- | 9.95 | --- | 2.89 | 4.99 | 5.62 | 6.97 | 8.30 | 7.73 |
| 3 | 8.93 | 9.24 | 7.46 | --- | 9.96 | --- | 3.08 | 5.02 | 5.65 | 6.99 | 8.17 | 7.93 |
| 4 | 9.19 | 9.34 | 7.42 | --- | 9.92 | --- | 3.11 | 4.74 | 5.92 | 6.45 | 7.67 | 8.04 |
| 5 | 9.15 | 8.84 | 7.27 | 8.84 | 9.66 | 8.25 | 3.33 | 4.63 | 5.66 | 6.08 | 7.77 | 8.07 |
| 6 | 9.32 | 8.48 | 6.64 | 8.61 | 9.30 | 8.27 | 3.49 | 4.36 | 5.89 | 5.56 | 8.18 | 8.12 |
| 7 | 8.92 | 8.83 | 6.23 | 8.63 | 9.50 | 8.02 | 3.40 | 4.62 | 6.06 | 5.16 | 8.20 | 7.90 |
| 8 | 9.02 | 8.67 | 6.43 | 9.07 | --- | 8.04 | 3.05 | 4.78 | 6.23 | 5.37 | 8.19 | 8.19 |
| 9 | 8.91 | 8.82 | 6.54 | 8.96 | 9.74 | 7.92 | 3.95 | 4.94 | 6.20 | 5.61 | 8.63 | 8.54 |
| 10 | 8.95 | 9.05 | 6.52 | 9.28 | --- | 7.98 | 4.05 | 4.75 | 6.49 | 6.07 | 8.02 | 8.46 |
| 11 | 9.16 | 8.88 | 6.53 | 9.22 | 9.72 | 7.99 | 4.14 | 4.78 | 6.32 | 6.57 | 7.76 | 8.52 |
| 12 | 9.26 | 8.85 | 6.94 | --- | 9.29 | --- | 4.41 | 4.71 | 6.61 | 6.76 | 7.34 | 8.49 |
| 13 | 9.20 | 8.56 | 6.90 | --- | 8.96 | --- | 4.72 | 4.58 | 7.26 | 6.68 | 7.70 | 8.62 |
| 14 | 9.36 | 8.36 | 6.80 | 9.58 | 8.89 | 8.23 | 4.81 | 4.59 | 7.38 | 7.24 | 7.78 | 8.67 |
| 15 | 8.96 | 8.47 | 7.07 | 9.68 | 8.38 | 8.39 | 4.70 | 4.95 | 6.92 | 7.37 | 8.07 | 8.45 |
| 16 | 9.39 | 8.20 | 6.81 | 9.72 | 7.19 | 8.48 | 4.45 | 5.15 | 6.74 | 7.25 | 8.20 | 8.15 |
| 17 | 9.38 | 8.59 | 6.53 | 9.85 | 6.98 | 7.39 | 4.76 | 5.54 | 6.68 | 7.07 | 8.28 | 8.75 |
| 18 | 9.35 | 9.13 | 6.87 | --- | 7.21 | 6.50 | 4.85 | 5.67 | 7.24 | 6.99 | 8.17 | 8.60 |
| 19 | 9.47 | 9.01 | --- | --- | 7.03 | 6.23 | 4.80 | 5.60 | 7.06 | 7.25 | 8.03 | 8.74 |
| 20 | 9.53 | 8.44 | --- | --- | 7.58 | 5.86 | 5.25 | 5.56 | 6.65 | 7.38 | 7.95 | 8.87 |
| 21 | 9.26 | 8.47 | --- | --- | 7.33 | 5.82 | 4.66 | 5.59 | 6.80 | 7.62 | 7.96 | 8.85 |
| 22 | 9.19 | 8.92 | 7.09 | --- | 7.96 | 4.69 | 4.42 | 5.51 | 6.86 | 7.41 | 8.03 | 9.18 |
| 23 | 9.00 | 9.00 | 6.90 | --- | 7.98 | 4.34 | 4.71 | 5.83 | 7.10 | 7.35 | 8.03 | 8.78 |
| 24 | 8.95 | 8.87 | 6.98 | --- | 7.83 | 3.57 | 4.93 | 4.78 | 6.80 | 7.51 | 8.01 | 9.10 |
| 25 | 8.79 | 8.13 | 6.68 | --- | 7.66 | 3.18 | 4.73 | 5.11 | 7.35 | 7.72 | 8.10 | 9.00 |
| 26 | 9.00 | 8.35 | 7.68 | --- | 7.57 | 3.26 | 4.18 | 4.45 | 7.57 | 7.53 | 8.03 | 9.01 |
| 27 | 8.84 | 8.37 | 7.82 | --- | 7.82 | 3.69 | 4.74 | 4.58 | 7.64 | 7.83 | 8.43 | 8.94 |
| 28 | 8.65 | 8.42 | 7.97 | --- | 7.89 | 2.95 | 4.50 | 4.14 | 7.40 | 7.63 | 8.57 | 8.92 |
| 29 | 8.67 | 8.34 | 8.57 | --- | 8.17 | 2.80 | 4.44 | 4.64 | 7.24 | 7.49 | 8.59 | 8.94 |
| 30 | 8.87 | 8.19 | 8.40 | 9.22 | --- | 2.47 | 4.61 | 5.01 | 7.07 | 7.44 | 8.64 | 8.84 |
| 31 | 9.09 | --- | 8.37 | 9.39 | --- | 2.34 | --- | 5.04 | --- | 7.77 | 8.33 | --- |
| MAX | 9.53 | 9.34 | 8.57 | 9.85 | 9.96 | 8.48 | 5.25 | 5.83 | 7.64 | 7.83 | 8.64 | 9.18 |
| WTR YR 1984 | MEAN | 7.25 | | HIGH | 2.27 | | LOW | 9.96 | | | | |

GROUND-WATER RECORDS

UNION COUNTY

401826083255200. Local number, U-4.

LOCATION.--Lat 40°18'26", long 83°25'52", Hydrologic Unit 05060001, 2.6 mi southeast of Raymond.

Owner: State of Ohio.

AQUIFER.--Limestone of Silurian Age.

WELL CHARACTERISTICS.--Drilled test artesian well, diameter 12 in, depth 350 ft, cased to 37 ft.

DATUM.--Altitude of land-surface datum is 1,040 ft, from topographic map. Measuring point: Floor of instrument shelter 3.00 ft above land-surface datum.

PERIOD OF RECORD.--January 1973 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 24.56 ft Oct. 9, 1983; minimum daily low, 19.32 ft Feb. 24, 1975.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 24.56 ft Oct. 9; minimum daily low, 20.29 ft Mar. 26.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 24.42 | 24.05 | 22.13 | 22.66 | 22.92 | 22.18 | 21.00 | 21.50 | 21.92 | 22.81 | 23.46 | 24.08 |
| 2 | 24.43 | 24.03 | 22.10 | 22.64 | 22.93 | 22.24 | 21.09 | 21.50 | 21.91 | 22.89 | 23.46 | 24.05 |
| 3 | 24.37 | 23.81 | 22.16 | 22.64 | 22.74 | 22.31 | 21.11 | 21.40 | 22.00 | 22.87 | 23.48 | 24.03 |
| 4 | 24.37 | 23.59 | 21.94 | 22.52 | 22.32 | 22.32 | 20.95 | 21.49 | 22.07 | 22.79 | 23.51 | 24.11 |
| 5 | 24.39 | 23.55 | 21.74 | 22.55 | 22.45 | 22.14 | 20.32 | 21.62 | 22.08 | 22.77 | 23.39 | 24.15 |
| 6 | 24.47 | 23.55 | 21.49 | 22.61 | 22.66 | 22.04 | 20.33 | 21.66 | 22.12 | 22.74 | 23.43 | 24.19 |
| 7 | 24.50 | 23.60 | 21.56 | 22.71 | 22.82 | 21.99 | 20.65 | 21.71 | 22.14 | 22.80 | 23.40 | 24.17 |
| 8 | 24.51 | 23.65 | 21.73 | 22.79 | 22.87 | 21.99 | 20.76 | 21.69 | 22.15 | 22.87 | 23.41 | 24.19 |
| 9 | 24.56 | 23.67 | 21.78 | 22.83 | 22.81 | 22.10 | 20.84 | 21.76 | 22.25 | 22.84 | 23.45 | 24.13 |
| 10 | 24.55 | 23.54 | 21.87 | 22.82 | 22.75 | 22.03 | 20.93 | 21.82 | 22.29 | 22.80 | 23.52 | 24.09 |
| 11 | 24.47 | 23.06 | 21.85 | 22.92 | 22.48 | 22.13 | 21.02 | 21.79 | 22.40 | 22.77 | 23.54 | 24.15 |
| 12 | 24.42 | 22.93 | 21.39 | 22.92 | 22.30 | 22.15 | 21.03 | 21.95 | 22.42 | 22.88 | 23.56 | 24.22 |
| 13 | 24.33 | 22.93 | 21.37 | 22.90 | 22.15 | 22.12 | 21.08 | 21.94 | 22.43 | 22.95 | 23.60 | 24.20 |
| 14 | 24.39 | 22.93 | 21.31 | 23.06 | 21.68 | 22.20 | 21.13 | 22.06 | 22.45 | 23.03 | 23.63 | 24.18 |
| 15 | 24.50 | 22.84 | 21.53 | 23.00 | 21.82 | 22.16 | 21.10 | 22.07 | 22.53 | 22.99 | 23.65 | 24.27 |
| 16 | 24.45 | 22.69 | 21.82 | 22.88 | 21.81 | 21.75 | 21.08 | 22.16 | 22.53 | 22.97 | 23.67 | 24.34 |
| 17 | 24.46 | 22.73 | 21.96 | 22.99 | 21.80 | 21.06 | 20.99 | 22.14 | 22.47 | 22.98 | 23.66 | 24.37 |
| 18 | 24.44 | 22.72 | 21.99 | 23.01 | 21.83 | 21.07 | 21.14 | 22.09 | 22.44 | 23.03 | 23.67 | --- |
| 19 | 24.42 | 22.72 | 22.06 | 22.99 | 21.74 | 21.09 | 21.24 | 22.03 | 22.56 | 23.12 | 23.71 | --- |
| 20 | 24.38 | 22.63 | 22.13 | 23.12 | 21.83 | 20.95 | 21.36 | 22.04 | 22.61 | 23.13 | 23.78 | --- |
| 21 | 24.30 | 22.69 | 22.12 | 23.16 | 21.87 | 20.36 | 21.47 | 21.98 | 22.60 | 23.15 | 23.84 | --- |
| 22 | 24.24 | 22.74 | 22.12 | 23.13 | 21.91 | 20.55 | 21.38 | 21.76 | 22.60 | 23.21 | 23.80 | --- |
| 23 | 23.93 | 22.71 | 22.16 | 23.09 | 21.89 | 20.76 | 20.84 | 21.77 | 22.58 | 23.23 | 23.82 | --- |
| 24 | 23.87 | 22.24 | 22.20 | 22.91 | 21.87 | 20.77 | 20.87 | 21.84 | 22.61 | 23.26 | 23.92 | --- |
| 25 | 23.91 | 22.31 | 22.26 | 22.76 | 22.10 | 20.67 | 21.02 | 21.77 | 22.65 | 23.28 | 23.97 | --- |
| 26 | 23.95 | 22.39 | 22.29 | 22.69 | 22.16 | 20.29 | 21.10 | 21.95 | 22.68 | 23.23 | 23.98 | --- |
| 27 | 23.99 | 22.42 | 22.33 | 22.62 | 22.12 | 20.33 | 21.19 | 22.06 | 22.62 | 23.27 | 23.91 | --- |
| 28 | 23.94 | 22.13 | 22.32 | 22.61 | 21.96 | 20.31 | 21.38 | 21.97 | 22.73 | 23.36 | 23.89 | --- |
| 29 | 24.13 | 21.86 | 22.57 | 22.72 | 22.12 | 20.56 | 21.43 | 21.98 | 22.77 | 23.41 | 23.91 | --- |
| 30 | 24.13 | 21.99 | 22.69 | 22.83 | --- | 20.77 | 21.42 | 21.95 | 22.77 | 23.40 | 23.96 | --- |
| 31 | 24.11 | --- | 22.68 | 22.89 | --- | 20.90 | --- | 21.91 | --- | 23.40 | 24.01 | --- |
| MAX | 24.56 | 24.05 | 22.69 | 23.16 | 22.93 | 22.32 | 21.47 | 22.16 | 22.77 | 23.41 | 24.01 | 24.37 |
| WTR YR 1984 | MEAN | 22.61 | | HIGH | 20.29 | | LOW | 24.56 | | | | |

GROUND-WATER RECORDS

307

VINTON COUNTY

391452082282900. Local number, V-1.

LOCATION.--Lat 39°14'52", long 82°28'29", Hydrologic Unit 05090101, State Highway garage in Vinton.

Owner: Ohio Department of Highways.

AQUIFER.--Sandstone of Mississippian Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 6 in, depth 218 ft, cased.

DATUM.--Altitude of land-surface datum is 730 ft from topographic map. Measuring Point: Top of platform 2.50 ft below land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--September 1959 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 93.23 ft Apr. 12, 1979; minimum daily low, 49.55 ft Mar. 20, 1963.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 87.90 ft Oct. 9; minimum daily low, 83.71 ft, June 1.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 87.72 | 87.50 | 86.29 | 87.27 | 87.11 | 85.48 | 84.90 | 84.34 | 83.71 | 84.61 | 84.45 | 85.07 |
| 2 | 87.70 | 87.55 | 86.27 | 87.18 | 87.04 | 85.53 | 84.96 | 84.37 | 83.80 | 84.66 | 84.55 | 84.93 |
| 3 | 87.80 | 87.47 | 86.01 | 87.21 | 86.91 | 85.65 | 84.90 | 84.32 | 83.77 | 84.56 | 84.49 | 84.94 |
| 4 | 87.69 | 87.49 | 85.73 | 87.05 | 86.83 | 85.60 | 84.68 | 84.10 | 83.89 | 84.46 | 84.61 | 84.89 |
| 5 | 87.51 | 87.50 | 85.84 | 86.81 | 86.80 | 85.19 | 84.41 | 84.12 | 83.84 | 84.41 | 84.40 | 84.96 |
| 6 | 87.51 | 87.56 | 85.79 | 86.49 | 86.93 | 85.28 | 84.50 | 84.00 | 83.95 | 84.40 | 84.46 | 85.03 |
| 7 | 87.49 | 87.62 | 85.81 | 86.64 | 87.09 | 85.30 | 84.57 | 83.98 | 84.09 | 84.46 | 84.46 | 85.10 |
| 8 | 87.82 | 87.65 | 85.73 | 86.66 | 87.11 | 85.32 | 84.77 | 83.87 | 83.98 | 84.41 | 84.33 | 85.07 |
| 9 | 87.90 | 87.70 | 85.67 | 86.50 | 87.10 | 85.63 | 84.71 | 83.97 | 84.02 | 84.27 | 84.44 | 85.10 |
| 10 | 87.86 | 87.54 | 85.68 | 86.37 | 86.83 | 85.51 | 84.49 | 83.96 | 84.09 | 84.31 | 84.49 | 84.96 |
| 11 | 87.60 | 87.37 | 85.57 | 86.36 | 86.69 | 85.33 | 84.51 | 83.93 | 84.21 | 84.22 | 84.59 | 84.97 |
| 12 | 87.56 | 87.38 | 85.27 | 86.38 | 86.63 | 85.34 | 84.37 | 84.09 | 84.44 | 84.36 | 84.54 | 85.08 |
| 13 | 87.64 | 87.36 | 85.38 | 86.29 | 86.50 | 85.37 | 84.36 | 84.09 | 84.57 | 84.51 | 84.44 | 85.01 |
| 14 | 87.74 | 87.12 | 85.27 | 86.49 | 86.50 | 85.40 | 84.44 | 84.14 | 84.93 | 84.71 | 84.48 | 84.95 |
| 15 | 87.82 | 87.13 | 85.28 | 86.49 | 86.55 | 85.44 | 84.47 | 84.17 | 85.30 | 84.49 | 84.60 | 85.26 |
| 16 | 87.80 | 87.02 | 85.52 | 86.18 | 86.45 | 85.34 | 84.20 | 84.11 | 85.31 | 84.44 | 84.62 | 85.30 |
| 17 | 87.76 | 86.97 | 85.66 | 86.18 | 86.33 | 85.36 | 84.36 | 84.25 | 85.08 | 84.46 | 84.58 | 85.27 |
| 18 | 87.75 | 86.96 | 85.62 | 86.17 | 86.31 | 85.26 | 84.44 | 84.09 | 84.85 | 84.53 | 84.57 | 85.30 |
| 19 | 87.70 | 86.67 | 85.44 | 86.21 | 86.16 | 85.12 | 84.48 | 84.05 | 84.84 | 84.55 | 84.52 | 85.17 |
| 20 | 87.75 | 86.61 | 85.43 | 86.14 | 86.06 | 85.04 | 84.63 | 83.89 | 84.79 | 84.64 | 84.71 | 85.12 |
| 21 | 87.51 | 86.38 | 85.42 | 86.38 | 86.00 | 84.73 | 84.70 | 84.03 | 84.96 | 84.69 | 84.70 | 85.07 |
| 22 | 87.45 | 86.53 | 85.25 | 86.44 | 86.06 | 84.90 | 84.56 | 84.06 | 84.90 | 84.59 | 84.69 | 85.10 |
| 23 | 87.13 | 86.40 | 85.42 | 86.53 | 85.92 | 85.05 | 84.27 | 84.13 | 84.81 | 84.61 | 84.76 | 85.10 |
| 24 | 86.97 | 86.29 | 85.42 | 86.42 | 85.67 | 85.04 | 84.37 | 84.21 | 84.71 | 84.61 | 84.90 | 85.08 |
| 25 | 86.96 | 86.52 | 85.48 | 86.71 | 85.66 | 84.84 | 84.38 | 84.07 | 84.75 | 84.70 | 84.95 | 84.95 |
| 26 | 86.96 | 86.62 | 85.55 | 86.71 | 85.85 | 84.78 | 84.35 | 84.10 | 84.81 | 84.61 | 84.94 | 84.99 |
| 27 | 87.14 | 86.53 | 85.62 | 86.78 | 85.78 | 84.76 | 84.37 | 84.10 | 84.89 | 84.58 | 84.76 | 84.98 |
| 28 | 87.16 | 86.21 | 85.93 | 86.77 | 85.36 | 84.68 | 84.28 | 84.01 | 84.81 | 84.72 | 84.80 | 84.91 |
| 29 | 87.35 | 86.26 | 86.60 | 86.85 | 85.36 | 84.69 | 84.29 | 83.90 | 84.80 | 84.73 | 84.87 | 84.85 |
| 30 | 87.39 | 86.31 | 86.97 | 86.93 | --- | 84.75 | 84.35 | 83.89 | 84.75 | 84.55 | 84.83 | 84.74 |
| 31 | 87.45 | --- | 87.23 | 87.08 | --- | 84.89 | --- | 83.77 | --- | 84.52 | 84.96 | --- |
| MAX | 87.90 | 87.70 | 87.23 | 87.27 | 87.11 | 85.65 | 84.96 | 84.37 | 85.31 | 84.73 | 84.96 | 85.30 |
| WTR YR 1984 | MEAN | 85.48 | | HIGH | 83.71 | | LOW | 87.90 | | | | |

GROUND-WATER RECORDS

WARREN COUNTY

392712084191700. Local number, W-5.

LOCATION.--Lat 39°27'12", long 84°19'17", Hydrologic Unit 05080002, Union Rd., 2 mi east of Monroe.

Owner: Bob Proeschel.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 12 in, depth 121 ft, cased.

DATUM.--Altitude of land-surface datum is 660 ft, from topographic map. Measuring point: Floor of instrument shelter 3.50 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--March 1972 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 44.60 ft Oct. 29, 1983; minimum daily low, 17.70 ft Apr. 30, 1975.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 44.60 ft Oct. 29; minimum daily low, 38.50 ft July 5.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 43.55 | 44.25 | 44.50 | 43.60 | 42.85 | 42.40 | 41.35 | 40.15 | 38.75 | 39.15 | 39.00 | 39.40 |
| 2 | 43.65 | 44.20 | 44.30 | 43.40 | 42.75 | 42.40 | 41.35 | 39.85 | 38.75 | 39.15 | 39.10 | 39.35 |
| 3 | 43.65 | 44.25 | 44.25 | 43.45 | 42.70 | 42.50 | 41.20 | 39.50 | 38.55 | 39.00 | 38.95 | 39.20 |
| 4 | 43.70 | 44.20 | 44.20 | 43.05 | 42.65 | 42.15 | 40.90 | 39.70 | 38.80 | 38.75 | 39.05 | 39.30 |
| 5 | 43.80 | 44.25 | 44.20 | 43.05 | 42.65 | 42.10 | 40.90 | 40.00 | 38.80 | 38.50 | 38.85 | 39.35 |
| 6 | 43.80 | 44.20 | 44.15 | 43.05 | 42.85 | 42.15 | 40.95 | 39.85 | 38.90 | 38.85 | 39.10 | 39.25 |
| 7 | 43.80 | 44.15 | 44.30 | 43.25 | 43.10 | 42.25 | 41.20 | 39.70 | 38.95 | 38.90 | 39.10 | 39.25 |
| 8 | 43.90 | 44.25 | 44.30 | 43.35 | 42.90 | 42.40 | 41.00 | 39.55 | 38.95 | 38.60 | 39.05 | 39.20 |
| 9 | 43.90 | 44.15 | 44.15 | 43.30 | 42.70 | 42.35 | 41.00 | 39.55 | 39.00 | 38.75 | 39.10 | 39.15 |
| 10 | 43.85 | 43.95 | 44.40 | 43.20 | 42.60 | 42.15 | 41.00 | 39.60 | 38.95 | 38.70 | 39.15 | 39.10 |
| 11 | 43.90 | 44.25 | 43.90 | 43.35 | 42.65 | 42.25 | 41.25 | 39.50 | 39.35 | 38.75 | 39.25 | 39.20 |
| 12 | 43.65 | 44.35 | 43.90 | 43.35 | 42.60 | 42.15 | 40.85 | 39.55 | 39.15 | 38.85 | 39.25 | 39.20 |
| 13 | 43.80 | 44.20 | 43.80 | 43.20 | 42.45 | 42.25 | 40.65 | 39.40 | 39.35 | 38.95 | 39.15 | 39.25 |
| 14 | 44.10 | 44.20 | 43.55 | 43.10 | 42.65 | 42.30 | 40.60 | 39.50 | 39.00 | 39.05 | 39.35 | 39.30 |
| 15 | 44.05 | 44.05 | 43.85 | 43.15 | 42.75 | 41.95 | 40.40 | 39.55 | 39.00 | 38.80 | 39.35 | 39.40 |
| 16 | 44.05 | 44.20 | 44.05 | 43.20 | 42.55 | 42.05 | 40.45 | 39.65 | 39.10 | 38.90 | 39.40 | 39.40 |
| 17 | 44.05 | 44.35 | 44.20 | 42.95 | 42.50 | 42.00 | 40.50 | 39.60 | 39.10 | 38.85 | 39.40 | 39.45 |
| 18 | 44.00 | 44.20 | 43.95 | 43.05 | 42.45 | 41.85 | 40.65 | 39.35 | 38.95 | 39.05 | 39.10 | 39.20 |
| 19 | 44.10 | 44.15 | 43.85 | 43.00 | 42.25 | 41.70 | 40.70 | 39.20 | 38.95 | 39.35 | 39.25 | 39.05 |
| 20 | 44.00 | 44.20 | 43.70 | 43.00 | 42.45 | 41.30 | 40.75 | 39.15 | 38.90 | 39.20 | 39.50 | 39.15 |
| 21 | 43.95 | 44.35 | 43.30 | 43.00 | 42.35 | 41.30 | 40.55 | 39.05 | 38.90 | 39.20 | 39.40 | 39.35 |
| 22 | 43.95 | 44.45 | 43.60 | 43.25 | 42.35 | 41.60 | 40.10 | 39.05 | 38.75 | 39.35 | 39.10 | 39.50 |
| 23 | 43.85 | 44.15 | 43.65 | 42.75 | 42.20 | 41.80 | 39.85 | 39.20 | 38.80 | 39.45 | 39.10 | 39.45 |
| 24 | 44.05 | 44.35 | 43.75 | 42.75 | 42.20 | 41.85 | 40.15 | 39.05 | 38.65 | 39.45 | 39.15 | 39.20 |
| 25 | 44.25 | 44.35 | 43.60 | 42.85 | 42.55 | 41.55 | 40.15 | 39.00 | 38.85 | 39.05 | 39.40 | --- |
| 26 | 44.10 | 44.40 | 43.65 | 42.90 | 42.55 | 41.35 | 40.25 | 39.10 | 38.85 | 39.05 | 39.35 | 39.35 |
| 27 | 44.30 | 44.25 | 43.50 | 42.85 | 42.05 | 41.15 | 40.05 | 39.20 | 38.85 | 38.95 | 39.30 | 39.35 |
| 28 | 44.20 | 44.10 | 43.50 | 42.65 | 42.10 | 41.00 | 40.25 | 38.75 | 38.90 | 39.05 | 39.05 | 39.45 |
| 29 | 44.60 | 44.25 | 43.85 | 42.85 | 42.40 | 41.35 | 40.05 | 39.00 | 39.05 | 38.95 | 39.25 | 39.50 |
| 30 | 44.45 | 44.35 | 43.85 | 42.95 | --- | 41.50 | 40.00 | 38.95 | 39.05 | 39.00 | 39.35 | 39.45 |
| 31 | 44.25 | --- | 43.60 | 43.00 | --- | 41.55 | --- | 38.80 | --- | 39.00 | 39.45 | --- |
| MAX | 44.60 | 44.45 | 44.50 | 43.60 | 43.10 | 42.50 | 41.35 | 40.15 | 39.35 | 39.45 | 39.50 | 39.50 |
| WTR YR 1984 | MEAN | 41.35 | | HIGH | 38.50 | | LOW | 44.60 | | | | |

WASHINGTON COUNTY

392553081281600. Local number, WA-2.

LOCATION.--Lat 39°25'53", long 81°28'16", Hydrologic Unit 05040004 near county fairgrounds north of Marietta.

Owner: Marietta Water Dept.

AQUIFER.--Sand and gravel of Quaternary Age.

WELL CHARACTERISTICS.--Drilled unused water-table well, diameter 8 in depth, 50 ft, cased.

DATUM.--Altitude of land-surface datum is 605 ft, from topographic map. Measuring point: Floor of instrument shelter 3.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--August 1971 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 34.84 ft Feb. 10, 1984; minimum daily low, 18.72 ft June 28, 1972.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 34.84 ft Feb. 10; minimum daily low, 26.56 ft Apr. 7.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 32.51 | 32.75 | 31.73 | 31.70 | 34.58 | 31.76 | 28.10 | 29.72 | 28.57 | 31.71 | 32.56 | 32.18 |
| 2 | 32.45 | 32.88 | 31.84 | 31.94 | 34.60 | 31.99 | 28.61 | 29.99 | 28.92 | 31.84 | 32.37 | 32.04 |
| 3 | 32.56 | 33.09 | 32.06 | 32.13 | 34.64 | 32.25 | 28.61 | 30.19 | 29.32 | 31.63 | 32.25 | 32.18 |
| 4 | 32.44 | 33.00 | 31.92 | 32.36 | 34.58 | 32.32 | 28.70 | 30.49 | 29.85 | 31.79 | 32.21 | 32.16 |
| 5 | 32.58 | 32.93 | 31.24 | 32.39 | 34.31 | 32.84 | 27.85 | 30.43 | 30.25 | 31.79 | 32.19 | 32.41 |
| 6 | 32.65 | 32.81 | 30.72 | 32.62 | 34.22 | 32.37 | 27.77 | 30.41 | 30.71 | 31.75 | 32.03 | 32.51 |
| 7 | 32.68 | 32.85 | 30.58 | 32.64 | 34.39 | 32.22 | 26.56 | 30.45 | 31.04 | 31.83 | 31.63 | 32.55 |
| 8 | 32.66 | 33.11 | 30.42 | 32.41 | 34.59 | 32.00 | 26.98 | 30.69 | 31.04 | 31.19 | 31.72 | 32.41 |
| 9 | 32.60 | 33.35 | 30.26 | 32.77 | 34.67 | 32.24 | 27.61 | 30.54 | 31.30 | 31.45 | 31.55 | 32.37 |
| 10 | 32.58 | 33.24 | 30.42 | 33.13 | 34.84 | 32.29 | 27.41 | 30.38 | 31.35 | 31.84 | 31.64 | 32.25 |
| 11 | 32.76 | 32.84 | 30.40 | 33.36 | 34.83 | 32.63 | 27.14 | 30.20 | 31.62 | 31.22 | 31.81 | 32.15 |
| 12 | 32.76 | 32.54 | 30.05 | 33.47 | 34.65 | 32.68 | 27.39 | 30.29 | --- | 30.14 | 31.64 | 32.73 |
| 13 | 32.74 | 32.24 | 29.32 | 33.65 | 34.38 | 32.89 | 29.18 | 29.94 | 31.90 | 30.33 | 31.40 | 32.70 |
| 14 | 32.84 | 32.83 | 29.13 | 33.60 | 33.63 | 32.84 | 29.88 | 29.53 | 32.02 | 30.80 | 30.92 | 32.74 |
| 15 | 32.73 | 32.82 | 29.43 | 33.81 | 32.49 | 32.74 | 30.00 | 29.56 | 32.07 | 31.12 | 31.18 | 32.79 |
| 16 | 32.59 | 32.38 | 29.83 | 33.86 | 31.03 | 32.64 | 29.66 | 29.86 | 32.18 | 31.48 | 31.26 | 32.81 |
| 17 | 32.70 | 32.58 | 30.10 | 33.92 | 30.99 | 32.67 | 29.54 | 29.92 | 32.27 | 31.45 | 30.94 | 32.79 |
| 18 | 32.90 | 32.60 | 30.08 | 34.01 | 30.98 | 32.40 | 29.71 | 30.49 | 32.23 | 31.90 | 31.05 | 32.86 |
| 19 | 32.50 | 32.19 | 30.16 | 34.20 | 30.72 | 32.28 | 29.80 | 30.74 | 32.09 | 32.10 | 31.14 | 32.90 |
| 20 | 32.84 | 32.45 | 30.70 | 34.37 | 30.63 | 32.33 | 30.01 | 30.84 | 31.79 | 32.17 | 31.39 | 32.93 |
| 21 | 32.70 | 32.53 | 31.24 | 34.39 | 30.54 | 31.83 | 30.13 | 30.86 | 31.65 | 32.16 | 31.42 | 32.99 |
| 22 | 32.76 | 32.45 | 30.74 | 34.48 | 30.48 | 30.87 | 30.09 | 30.60 | 31.62 | 32.12 | 31.50 | 32.96 |
| 23 | 32.68 | 32.51 | 30.21 | 34.60 | 30.85 | 30.47 | 28.94 | 30.21 | 31.80 | 32.28 | 31.44 | 32.75 |
| 24 | 32.04 | 32.23 | 30.04 | 34.68 | 30.96 | 30.34 | 28.71 | 29.84 | 31.55 | 32.33 | 31.66 | 32.93 |
| 25 | 32.04 | 32.13 | 30.87 | 34.60 | 31.36 | 30.39 | 28.35 | 29.47 | 31.95 | 32.24 | 31.39 | 32.39 |
| 26 | 32.09 | 32.02 | 31.45 | 34.44 | 31.37 | 29.63 | 28.33 | 29.74 | 31.49 | 32.17 | 31.39 | 32.96 |
| 27 | 32.12 | 31.99 | 31.92 | 34.38 | 31.44 | 29.12 | 28.49 | 29.68 | 31.53 | 32.02 | 31.38 | 32.75 |
| 28 | 32.27 | 32.34 | 31.83 | 34.40 | 31.64 | 29.00 | 29.15 | 30.10 | 31.96 | 32.14 | 31.49 | 33.33 |
| 29 | 32.62 | 31.65 | 31.92 | 34.39 | 31.58 | 28.50 | 29.44 | 28.53 | 32.13 | 32.00 | 31.73 | 33.06 |
| 30 | 32.79 | 31.24 | 31.77 | 34.36 | --- | 27.75 | 29.47 | 27.22 | 31.83 | 32.05 | 31.87 | 32.94 |
| 31 | 32.76 | --- | 31.73 | 34.39 | --- | 28.05 | --- | 27.94 | --- | 32.20 | 32.14 | --- |
| MAX | 32.90 | 33.35 | 32.06 | 34.68 | 34.84 | 32.89 | 30.13 | 30.86 | 32.27 | 32.33 | 32.56 | 33.23 |
| WTR YR 1984 | MEAN | 31.64 | | HIGH | 26.56 | | LOW | 34.84 | | | | |

GROUND-WATER RECORDS

WAYNE COUNTY

404655081553200. Local number, WN-3.

LOCATION.--Lat 40°46'55", long 81°55'32", Hydrologic Unit 05040003, OARDC-OSU Experiment Station near Wooster.

Owner: OARDC-OSU.

AQUIFER.--Shale of Mississippian Age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 8 in, depth 20 ft, cased.

DATUM.--Altitude of land-surface datum is 1040 ft, from topographic map. Measuring point: Floor of instrument shelter 3.50 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--June 1955 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 16.17 ft Jan. 27, 29, 1956; minimum daily low, 10.51 ft Feb. 12, 1981.

EXTREMES FOR CURRENT YEAR.--Maximum recorded daily low, 14.63 ft Jan. 23-24; minimum recorded daily low, 10.65 ft Mar. 16.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-------|-----|-------|
| 1 | --- | 13.50 | 11.99 | 13.73 | 13.08 | 13.42 | 12.07 | | | --- | | --- |
| 2 | --- | 12.93 | 12.16 | 13.79 | 13.23 | 13.48 | 12.17 | | | --- | | --- |
| 3 | --- | 12.70 | 12.49 | 13.87 | 13.28 | 13.52 | 12.23 | | | --- | | --- |
| 4 | --- | 12.47 | 12.61 | 13.92 | 11.33 | 13.53 | --- | | | --- | | --- |
| 5 | --- | 12.66 | 11.33 | 13.95 | 11.93 | 11.32 | --- | | | --- | | --- |
| 6 | --- | 12.88 | 11.36 | 13.98 | 12.12 | 11.64 | --- | | | --- | | --- |
| 7 | --- | 13.08 | 11.51 | 13.98 | 12.31 | 11.93 | --- | | | --- | | --- |
| 8 | --- | 13.24 | 11.88 | 14.00 | 12.58 | 12.28 | --- | | | --- | | --- |
| 9 | --- | 13.28 | 12.06 | 14.02 | 12.79 | 12.40 | --- | | | --- | | --- |
| 10 | --- | 11.53 | 12.16 | 14.05 | 12.89 | 12.59 | --- | | | --- | | 13.71 |
| 11 | --- | 12.01 | 12.26 | 14.08 | 12.92 | 12.70 | --- | | | --- | | 13.64 |
| 12 | --- | 12.15 | 12.33 | 14.11 | 11.68 | 12.80 | 12.79 | | | --- | | 13.68 |
| 13 | --- | 12.28 | 12.33 | 14.16 | 11.86 | 12.87 | 12.87 | | | --- | | 13.74 |
| 14 | --- | 12.38 | 12.35 | 14.21 | 11.90 | 12.98 | 12.89 | | | --- | | 13.75 |
| 15 | --- | 12.40 | 12.40 | 14.24 | 11.31 | 12.98 | 12.15 | | | --- | | 13.73 |
| 16 | --- | 12.46 | 12.48 | 14.27 | 11.82 | 10.65 | 11.91 | | | --- | | 13.75 |
| 17 | --- | 12.55 | 12.61 | 14.31 | 11.96 | 11.17 | 11.10 | | | --- | | 13.84 |
| 18 | --- | 12.65 | 12.80 | 14.35 | 12.05 | 11.32 | 11.40 | | | --- | | 13.90 |
| 19 | 12.99 | 12.68 | 12.94 | 14.39 | 12.11 | 11.35 | 11.83 | | | 14.00 | | 13.96 |
| 20 | 13.05 | 12.73 | 13.07 | 14.41 | 12.24 | 11.30 | 12.06 | | | 14.06 | | 14.01 |
| 21 | 13.19 | 12.79 | 13.18 | 14.50 | 12.39 | 10.72 | 12.17 | | | 14.10 | | 14.03 |
| 22 | 13.27 | 12.89 | 13.25 | 14.60 | 12.52 | 11.10 | 12.20 | | | 14.14 | | 14.05 |
| 23 | 12.10 | 12.98 | 13.25 | 14.63 | 12.72 | 11.18 | 11.24 | | | 14.18 | | 14.07 |
| 24 | 11.82 | 13.02 | 13.14 | 14.63 | 12.88 | 11.31 | 11.22 | | | 14.21 | | 14.10 |
| 25 | 12.08 | 13.10 | 13.26 | 11.84 | 13.00 | 11.57 | 11.58 | | | --- | | 14.12 |
| 26 | 12.27 | 13.20 | 13.39 | 11.89 | 13.14 | 11.68 | 11.81 | | | --- | | 14.14 |
| 27 | 12.45 | 13.30 | 13.45 | 11.94 | 13.19 | 11.80 | 11.98 | | | --- | | 14.14 |
| 28 | 12.83 | 13.34 | 13.48 | 12.10 | 13.25 | 11.06 | --- | | | --- | | 14.15 |
| 29 | 13.00 | 13.38 | 13.48 | 12.30 | 13.35 | 11.26 | --- | | | --- | | 14.16 |
| 30 | 13.25 | 11.53 | 13.57 | 12.50 | --- | 11.56 | --- | | | --- | | 14.17 |
| 31 | 13.44 | --- | 13.66 | 12.80 | --- | 11.86 | --- | | | --- | | --- |
| MAX | 13.44 | 13.50 | 13.66 | 14.63 | 13.35 | 13.53 | 12.89 | | | 14.21 | | 14.17 |
| WTR YR 1984 | MEAN | 12.82 | | HIGH | 10.65 | | LOW | 14.63 | | | | |

NOTE: NUMBER OF MISSING DAYS OF RECORD EXCEEDED 20% OF YEAR

GROUND-WATER RECORDS

311

WAYNE COUNTY--Continued.

404802081583100. Local number, WN-2A.

LOCATION.--Lat 40°48'02", long 81°58'31", Hydrologic Unit 05040003, in well field by Kilbuck Creek near Wooster.

Owner: Wooster Water Dept.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled test water-table well, diameter 6 in, depth 65 ft, cased.

DATUM.--Altitude of land-surface datum is 855 ft, from topographic map. Measuring point: Floor of instrument shelter 6.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--July 1951 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 34.45 ft Feb. 17, 1972; minimum daily low, 2.35 ft Jan. 28, 1952.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 32.01 ft Sept. 27; minimum daily low, 22.08 ft June 5-6.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 24.97 | 26.79 | 28.33 | --- | 30.11 | 30.54 | 27.48 | 23.64 | 22.16 | 26.55 | 29.37 | 30.90 |
| 2 | 25.02 | 26.85 | 28.38 | --- | 30.13 | 30.54 | 27.19 | 23.57 | 22.14 | --- | 29.50 | 29.69 |
| 3 | 25.07 | 26.90 | 28.42 | --- | 30.16 | 30.54 | 26.96 | 23.50 | 22.12 | 27.44 | 29.48 | 29.14 |
| 4 | 25.13 | 26.97 | 28.46 | --- | 30.18 | 30.54 | 26.74 | 23.43 | 22.09 | 27.20 | 29.04 | 30.25 |
| 5 | 25.20 | 27.02 | 28.50 | --- | 30.19 | 30.54 | 26.52 | 23.37 | 22.08 | 27.02 | 28.04 | 30.36 |
| 6 | 25.26 | 27.07 | 28.54 | --- | 30.22 | 30.54 | 26.32 | 23.28 | 22.08 | 26.75 | 29.00 | 30.57 |
| 7 | 25.32 | 27.12 | 28.59 | --- | 30.24 | 30.55 | 26.14 | 23.20 | 22.09 | 26.30 | 29.21 | 30.82 |
| 8 | 25.38 | 27.18 | 28.63 | --- | 30.27 | 30.55 | 25.95 | 23.13 | --- | 26.17 | 29.48 | 30.35 |
| 9 | 25.43 | 27.24 | 28.68 | --- | 30.29 | 30.56 | 25.78 | 23.08 | --- | 26.75 | 29.62 | 30.38 |
| 10 | 25.49 | 27.30 | 28.71 | --- | 30.31 | 30.56 | 25.64 | 23.01 | --- | 27.26 | 29.59 | 30.54 |
| 11 | 25.54 | 27.36 | 28.74 | --- | 30.33 | 30.56 | 25.52 | 22.96 | --- | 27.54 | 29.61 | 31.01 |
| 12 | 25.61 | 27.41 | 28.78 | --- | 30.35 | 30.57 | 25.39 | 22.90 | --- | 27.61 | 28.61 | 31.06 |
| 13 | 25.67 | 27.46 | 28.82 | --- | 30.36 | 30.57 | 25.28 | 22.83 | --- | 27.88 | 29.08 | 31.22 |
| 14 | 25.73 | 27.51 | 28.86 | --- | 30.38 | 30.57 | 25.17 | 22.76 | --- | 27.90 | 29.38 | 31.32 |
| 15 | 25.79 | 27.57 | 28.89 | --- | 30.41 | 30.58 | 25.04 | 22.71 | --- | 27.54 | 29.89 | 30.93 |
| 16 | 25.85 | 27.62 | 28.93 | --- | 30.43 | 30.58 | 24.92 | 22.67 | --- | 27.85 | 30.10 | 30.58 |
| 17 | 25.91 | 27.67 | 28.96 | --- | 30.44 | 30.58 | 24.82 | 22.63 | --- | 27.92 | 30.10 | 30.97 |
| 18 | 25.97 | 27.73 | 28.99 | --- | 30.46 | 30.58 | 24.74 | 22.60 | --- | 28.04 | 30.06 | 31.02 |
| 19 | 26.02 | 27.78 | 29.02 | --- | 30.46 | 30.58 | 24.65 | 22.57 | --- | 27.99 | 29.89 | 31.25 |
| 20 | 26.08 | 27.83 | --- | --- | 30.47 | 30.58 | 24.58 | 22.53 | --- | 28.33 | 29.73 | 31.44 |
| 21 | 26.14 | 27.88 | --- | --- | 30.48 | 30.58 | 24.48 | 22.50 | --- | 28.38 | 30.27 | 31.59 |
| 22 | 26.20 | 27.92 | --- | --- | 30.49 | 30.57 | 24.38 | 22.47 | --- | 27.93 | 30.46 | 31.55 |
| 23 | 26.25 | 27.99 | --- | --- | 30.50 | 30.49 | 24.27 | 22.45 | --- | 28.28 | 30.57 | 31.09 |
| 24 | 26.31 | 28.04 | --- | --- | 30.52 | 30.30 | 24.21 | 22.43 | --- | 28.80 | 30.66 | 31.23 |
| 25 | 26.37 | 28.08 | --- | 29.93 | 30.52 | 29.95 | 24.15 | 22.41 | --- | 29.15 | 30.50 | 31.50 |
| 26 | 26.43 | 28.12 | --- | 29.96 | 30.53 | 29.53 | 24.07 | 22.39 | 26.49 | 29.37 | 29.81 | 31.63 |
| 27 | 26.49 | 28.15 | --- | 29.99 | 30.53 | 29.15 | 23.99 | 22.34 | 26.54 | 29.49 | 30.00 | 32.01 |
| 28 | 26.56 | 28.19 | --- | 30.02 | 30.53 | 28.77 | 23.91 | 22.30 | 26.83 | 28.92 | 30.56 | 31.71 |
| 29 | 26.61 | 28.24 | --- | 30.04 | 30.54 | 28.42 | 23.81 | 22.24 | 27.15 | 28.40 | 30.85 | 31.41 |
| 30 | 26.67 | 28.28 | --- | 30.06 | --- | 28.09 | 23.71 | 22.21 | 26.80 | 28.86 | 30.89 | 31.24 |
| 31 | 26.72 | --- | --- | 30.08 | --- | 27.79 | --- | 22.18 | --- | 29.07 | 30.89 | --- |
| MAX | 26.72 | 28.28 | 29.02 | 30.08 | 30.54 | 30.58 | 27.48 | 23.64 | 27.15 | 29.49 | 30.89 | 32.01 |
| WTR YR 1984 | MEAN | 27.78 | | HIGH | 22.08 | | LOW | 32.01 | | | | |

GROUND-WATER RECORDS

WAYNE COUNTY--continued

405745081510200. Local number, WN-7.

LOCATION.--Lat 40°57'45", long 81°51'02", Hydrologic Unit 05040001, in well field along Steele Ditch near Sterling.

Owner: Rittman Water Department

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 8 in, depth 123 ft, cased.

DATUM.--Altitude of land-surface datum is 965 ft, from topographic map. Measuring point: Floor of instrument shelter 5.00 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--April 1979 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 24.25 ft Jan. 1, 1984; minimum daily low, 5.38 ft Jan. 17, 1980.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 24.25 ft Jan. 1; minimum daily low, 15.95 ft May. 28.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 18.60 | 20.00 | 20.50 | 24.25 | 19.30 | 19.85 | --- | 16.55 | 16.30 | 18.25 | 18.25 | 20.00 |
| 2 | 18.55 | 20.05 | 20.40 | 23.70 | 19.35 | 19.30 | 16.60 | 16.50 | 16.55 | 18.95 | 18.15 | 19.20 |
| 3 | 18.75 | 20.05 | 20.50 | 23.25 | 19.15 | 19.30 | 16.55 | 16.35 | 16.50 | 19.40 | 18.10 | 19.25 |
| 4 | 18.60 | 18.75 | 20.45 | 21.85 | 19.25 | 19.10 | 16.40 | 16.15 | 17.10 | 19.10 | 22.45 | 19.35 |
| 5 | 18.55 | 18.80 | 20.95 | 21.65 | 19.15 | 19.00 | 16.40 | 16.15 | 16.85 | 18.90 | 19.10 | 19.40 |
| 6 | 18.60 | 18.80 | 20.25 | 21.45 | 19.35 | 18.90 | 16.30 | 16.15 | 18.05 | 18.65 | 18.25 | 19.70 |
| 7 | 19.85 | 18.85 | --- | 21.65 | 19.45 | 18.95 | 16.50 | 18.85 | 17.35 | 18.85 | 19.10 | 19.40 |
| 8 | 19.90 | 19.00 | --- | 21.30 | 19.60 | 18.75 | --- | 18.25 | 17.10 | 19.75 | 18.70 | 19.45 |
| 9 | 19.80 | 22.25 | --- | 21.35 | 22.15 | 18.75 | 16.45 | 16.30 | 17.30 | 18.20 | 18.50 | 19.25 |
| 10 | 19.90 | 18.80 | --- | 21.40 | 19.50 | 18.75 | 16.50 | 19.25 | 17.35 | 18.70 | 18.15 | 19.30 |
| 11 | 19.85 | 18.70 | --- | 20.95 | 19.60 | 18.65 | 16.50 | 16.40 | 17.55 | 20.40 | 18.25 | 19.40 |
| 12 | 19.80 | 18.75 | --- | 22.35 | 19.45 | 18.75 | --- | 16.45 | 17.80 | 18.70 | 18.15 | 19.55 |
| 13 | 19.75 | 18.65 | --- | 21.60 | 19.40 | 18.70 | --- | 16.20 | --- | 18.00 | 17.90 | 19.45 |
| 14 | 19.80 | 18.75 | --- | 22.15 | 19.35 | 18.80 | --- | 16.85 | --- | 17.85 | 18.10 | 19.35 |
| 15 | 19.85 | 18.55 | --- | 21.30 | 19.40 | 18.65 | --- | 16.45 | --- | 17.75 | 18.25 | 19.75 |
| 16 | 19.75 | 18.55 | --- | 21.25 | 19.35 | 18.70 | --- | 16.90 | --- | 17.75 | 18.35 | 18.55 |
| 17 | 19.90 | 18.55 | --- | 18.65 | 19.15 | 17.35 | --- | 16.75 | --- | 17.70 | 18.90 | 18.60 |
| 18 | 19.85 | 18.75 | --- | 21.05 | 19.25 | 17.20 | --- | 16.80 | --- | 17.70 | 19.90 | 19.35 |
| 19 | 19.85 | 21.50 | --- | 19.60 | 19.25 | 17.25 | --- | 16.50 | --- | 17.75 | 18.55 | 18.60 |
| 20 | 19.90 | 18.50 | --- | 19.80 | 19.30 | 17.15 | --- | 16.10 | --- | 17.95 | 18.20 | 18.60 |
| 21 | 19.85 | 18.65 | --- | 19.65 | 19.10 | 16.95 | --- | 16.30 | --- | 18.00 | 19.65 | 18.70 |
| 22 | 19.80 | 18.65 | --- | 19.75 | 19.10 | 17.05 | --- | 16.40 | --- | 18.50 | 19.65 | 18.85 |
| 23 | 19.60 | 18.55 | --- | 19.70 | 19.05 | 19.05 | --- | 16.50 | --- | 18.25 | 19.40 | 18.55 |
| 24 | 19.75 | 18.50 | --- | 22.00 | 18.85 | 17.20 | --- | 16.70 | --- | 18.10 | 19.80 | 18.95 |
| 25 | 22.65 | 19.55 | --- | 20.40 | 18.95 | 16.95 | --- | 16.70 | --- | 18.00 | 19.65 | 18.65 |
| 26 | 22.15 | 19.95 | --- | 19.60 | 19.00 | 17.10 | 16.25 | 16.30 | --- | 17.75 | 22.00 | 18.60 |
| 27 | 21.85 | 20.05 | --- | 19.70 | 18.90 | --- | 16.30 | 16.20 | --- | 18.15 | 19.50 | 18.55 |
| 28 | 21.95 | 20.10 | --- | 19.55 | 21.00 | --- | 16.35 | 15.95 | --- | 17.70 | 19.65 | 18.30 |
| 29 | 22.60 | 20.25 | --- | 19.50 | 21.65 | --- | 16.25 | 18.05 | 18.65 | 17.95 | 19.80 | 18.55 |
| 30 | 22.55 | 20.45 | --- | 19.30 | --- | --- | 16.85 | 16.10 | 18.30 | --- | 19.60 | 18.30 |
| 31 | 21.00 | --- | 22.45 | 19.35 | --- | --- | --- | 16.35 | --- | 21.30 | 19.45 | --- |
| MAX | 22.65 | 22.25 | 22.45 | 24.25 | 22.15 | 19.85 | 16.85 | 19.25 | 18.65 | 21.30 | 22.45 | 20.00 |
| WTR YR 1984 | MEAN | 18.89 | | HIGH | 15.95 | | LOW | 24.25 | | | | |

GROUND-WATER RECORDS

313

WAYNE COUNTY--Continued

405805081462300. Local number, WN-6.

LOCATION.--Lat 40°58'05", long 81°46'23", Hydrologic Unit 05040001, Salt Street, Rittman.

Owner: Tenneco, Inc.

AQUIFER.--Sand and gravel of Pleistocene Age.

WELL CHARACTERISTICS.--Drilled unused artesian well, diameter 8 in, depth 180 ft, cased.

DATUM.--Altitude of land-surface datum is 960 ft, from topographic map. Measuring point: Floor of instrument shelter 2.30 ft above land-surface datum.

REMARKS.--Station operated by Ohio Department of Natural Resources, Division of Water.

PERIOD OF RECORD.--May 1971 to current year.

EXTREMES FOR PERIOD OF RECORD.--Maximum daily low, 92.80 ft July 21, 1971; minimum daily low, 69.87 ft Apr. 22, 1984.

EXTREMES FOR CURRENT YEAR.--Maximum daily low, 76.39 ft Sept. 1; minimum daily low, 69.87 ft Apr. 22.

WATER LEVEL, IN FEET BELOW LAND SURFACE DATUM, WATER YEAR OCTOBER 1983 TO SEPTEMBER 1984
MAXIMUM VALUES

| DAY | OCT | NOV | DEC | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP |
|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 1 | 73.39 | 76.06 | 71.84 | 70.60 | 72.15 | 72.55 | 72.21 | 71.52 | 71.10 | 72.11 | 71.36 | 75.39 |
| 2 | 73.32 | 73.23 | 71.81 | 70.33 | 72.13 | 72.63 | 71.99 | 71.50 | 69.89 | 72.17 | 71.40 | 70.95 |
| 3 | 73.20 | 72.89 | 71.74 | 72.28 | 71.81 | 72.57 | 72.00 | 71.32 | 69.89 | 72.13 | 71.34 | 70.81 |
| 4 | 73.03 | 72.89 | 71.46 | 72.17 | 71.76 | 72.57 | 71.49 | 71.26 | 71.12 | 71.98 | 71.29 | 71.16 |
| 5 | 73.13 | 72.70 | 71.51 | 72.17 | 71.84 | 72.02 | 70.97 | 71.47 | --- | 71.92 | 71.28 | 71.35 |
| 6 | 73.38 | 72.67 | 71.33 | 72.24 | 72.21 | 72.15 | 71.26 | 71.47 | --- | 71.94 | 71.21 | 73.01 |
| 7 | 73.47 | 72.74 | 71.54 | 72.44 | 72.49 | 72.30 | 71.59 | 71.31 | --- | 72.19 | 71.08 | 71.37 |
| 8 | 73.47 | 72.81 | 71.72 | 72.65 | 72.52 | 72.24 | 71.63 | 71.17 | --- | 72.25 | 71.07 | 71.36 |
| 9 | 73.55 | 72.77 | 71.72 | 72.72 | 72.24 | 72.04 | 71.73 | 71.31 | --- | 72.17 | 71.42 | 71.01 |
| 10 | 73.50 | 72.49 | 71.88 | 72.64 | 72.13 | 71.86 | 71.78 | 71.42 | --- | 71.28 | 71.47 | 70.84 |
| 11 | 73.38 | 72.32 | 71.85 | 72.86 | 72.04 | 71.87 | 71.68 | 71.28 | --- | 71.15 | 71.52 | 71.01 |
| 12 | 73.20 | 72.64 | 71.36 | 72.91 | 72.06 | 71.95 | 71.61 | 71.33 | --- | 71.24 | 71.54 | 71.30 |
| 13 | 73.03 | 72.64 | 71.37 | 72.72 | 71.86 | 71.65 | 71.40 | 71.32 | --- | 71.35 | 71.54 | 74.62 |
| 14 | 73.30 | 72.50 | 71.06 | 72.88 | 71.94 | 71.84 | 71.38 | 71.49 | --- | 71.42 | 71.80 | 75.28 |
| 15 | 73.44 | 72.38 | 71.22 | 72.86 | 72.04 | 71.65 | 71.21 | 71.67 | --- | 71.31 | 71.56 | 71.08 |
| 16 | 73.42 | 72.15 | 71.70 | 72.53 | 72.02 | 71.81 | 71.06 | 71.74 | --- | 71.11 | 71.38 | 71.20 |
| 17 | 73.35 | 72.48 | 71.81 | 72.64 | 71.77 | 71.77 | 71.04 | 70.67 | --- | 71.11 | 71.27 | 71.35 |
| 18 | 73.38 | 72.48 | 71.81 | 72.65 | 71.86 | 71.45 | 71.39 | 70.45 | --- | 71.29 | 70.79 | 71.43 |
| 19 | 73.47 | 72.40 | 71.74 | 72.50 | 72.21 | 71.40 | 71.49 | 70.35 | --- | 71.44 | 70.84 | 70.90 |
| 20 | 73.41 | 72.24 | 71.75 | 72.64 | 72.33 | 70.83 | 71.72 | 70.46 | --- | 71.43 | 71.41 | 73.28 |
| 21 | 73.37 | 72.36 | 71.74 | 72.71 | 72.44 | 70.37 | 71.75 | 70.52 | --- | 71.48 | 71.49 | 71.62 |
| 22 | 73.30 | 72.48 | 71.54 | 72.65 | 72.45 | 71.69 | 69.87 | 70.47 | --- | 71.55 | 71.24 | 71.55 |
| 23 | 72.96 | 72.40 | 71.58 | 72.51 | 72.29 | 72.06 | 70.86 | 70.85 | --- | 71.50 | 71.37 | 71.67 |
| 24 | 73.03 | 72.26 | --- | 72.00 | 72.14 | 72.01 | 71.17 | 71.40 | --- | 71.43 | 70.99 | 71.53 |
| 25 | 73.06 | 71.43 | --- | 72.07 | 72.62 | 71.82 | 71.37 | 71.47 | --- | 71.46 | 71.07 | 71.42 |
| 26 | 73.03 | 71.56 | --- | 72.11 | 72.80 | 71.88 | 71.45 | 70.35 | --- | 71.38 | 71.05 | 71.77 |
| 27 | 73.14 | 71.46 | --- | 72.08 | 72.71 | 71.86 | 71.46 | 70.36 | --- | 71.37 | 70.92 | 71.77 |
| 28 | 73.01 | 71.14 | --- | 72.05 | 72.07 | 71.58 | 71.70 | 70.04 | --- | 71.51 | 75.76 | 71.64 |
| 29 | 73.49 | 71.43 | --- | 71.96 | 72.41 | 71.86 | 71.78 | 71.14 | 71.94 | 71.54 | 75.95 | 71.63 |
| 30 | 73.49 | 71.70 | 72.03 | 72.03 | --- | 72.13 | 71.45 | 70.75 | 71.97 | 71.49 | 76.09 | 71.61 |
| 31 | 73.33 | --- | 72.03 | 72.17 | --- | 72.21 | --- | 70.90 | --- | 71.39 | 76.30 | --- |
| MAX | 73.55 | 76.06 | 72.03 | 72.91 | 72.80 | 72.63 | 72.21 | 71.74 | 71.97 | 72.25 | 76.30 | 76.39 |
| WTR YR 1984 | MEAN | 71.96 | | HIGH | 69.87 | | LOW | 76.39 | | | | |

| Page | Page |
|---|------|
| Access to WATSTORE..... | 18 |
| Accuracy of the records..... | 14 |
| Acknowledgements..... | III |
| Acre-foot, definition of | 3 |
| Adamsville, Raccoon Creek at | 119 |
| Adenosine triphosphate (ATP), definition of | 3 |
| Africa, Alum Creek at | 138 |
| Algae, definition of..... | 3 |
| Algal growth potential, definition of | 3 |
| Alliance, Mahoning River at | 27 |
| Alum Creek, at Africa | 138 |
| at Columbus | 139 |
| Aquifer, definition of | 3 |
| Armstrongs Mills, Captina Creek at | 54 |
| Artesian, definition of | 3 |
| Artificial substrate, definition of | 8 |
| Ash mass, definition of | 3 |
| Athens, Hocking River below | 103 |
| Bacteria, definition of | 3 |
| Bainbridge, Paint Creek | |
| below Paint Creek Dam near | 145 |
| Barretts Mills, Rocky Fork near | 146 |
| Batavia, East Fork Little Miami River near.. | 181 |
| Beach City, Sugar Creek below Beach City | |
| Dam near | 70 |
| Beaver River basin, | |
| gaging-station records in | 27 |
| Bed load, definition of | 7 |
| Bed load discharge, definition of | 7 |
| Bed material, definition of | 3 |
| Bellepoint, Mill Creek near | 131 |
| Berlin Center, Mahoning River near | 28 |
| Big Darby Creek, at Darbyville | 141 |
| Big Walnut Creek, at Central College | 137 |
| at Rees | 140 |
| Biochemical oxygen demand, definition of ... | 3 |
| Biomass, definition of | 3 |
| Black Fork, at Loudonville | 78 |
| below Charles Mill Dam, near Mifflin..... | 77 |
| Blaine, Wheeling Creek below..... | 50 |
| Blue-green algae, definition of | 6 |
| Bokengehalas Creek near DeGraff | 185 |
| Bokes Creek near Warrensburg..... | 130 |
| Bottom material (see Bed material)..... | 4 |
| Bourneville, Paint Creek near | 147 |
| Bradford, Greenville Creek near | 191 |
| Burlingham, West Branch Shade River near ... | 106 |
| Cambridge, Wills Creek at | 87 |
| Salt Fork Lake near | 88 |
| Camden, Sevenmile Creek at | 212 |
| Canton, Middle Branch Nimishillen Creek at .. | 66 |
| Captina Creek at Armstrong Mills | 54 |
| Carthage, Mill Creek at | 184 |
| Cells/volume, definition of | 4 |
| Central College, Big Walnut Creek at | 137 |
| Hoover Reservoir at | 159 |
| Cfs-day, definition of | 4 |
| Chemical oxygen demand, definition of | 4 |
| Chester, Shade River near | 112 |
| Chillicothe, Scioto River at | 144 |
| Chlorophyll, definition of | 4 |
| Claridon, Olentangy River at | 133 |
| Clear Creek near Rockbridge..... | 101 |
| Clear Fork below Pleasant Hill Dam, | |
| near Perrysville | 79 |
| Color Unit, definition of | 4 |
| Columbus, Alum Creek at | 139 |
| Griggs Reservoir near | 159 |
| Scioto River at | 136 |
| Contents, definition of | 4 |
| Control, definition of | 4 |
| Control structure, definition of | 4 |
| Cooperation | 1 |
| Cortland, Mosquito Creek near..... | 35 |
| Coshocton, Mill Creek near | 84 |
| Muskingum River near | 85 |
| Crest-stage partial-record stations | 216 |
| Cubic feet per second per square mile, | |
| definition of | 4 |
| Cubic foot per second, definition of | 4 |
| Darbyville, Big Darby Creek at | 141 |
| Dayton, Great Miami River at | 198 |
| Mad River near | 197 |
| DeGraff, Bokengehalas Creek near | 185 |
| Deer Creek, at Williamsport.. .. | 143 |
| near Pancoastburg | 142 |
| Definition of terms | 3 |
| Delaware, Olentangy River near | 134 |
| Diatoms, definition of | 6 |
| Dillon Falls, Licking River near | 94 |
| Dillonvale, Short Creek near | 49 |
| Discharge, definition of | 4 |
| Dissolved, definition of | 4 |
| Dissolved-solids concentration, | |
| definition of | 4 |
| Dover, Tuscarawas River near | 69 |
| Downstream order and station number | 11 |
| Drainage area, definition of | 4 |
| Drainage basin, definition of | 4 |
| Dresden, Muskingum River at | 91 |
| Dry mass, definition of | 3 |
| Dublin, Scioto River near | 132 |
| O'Shaughnessy Reservoir near | 159 |
| Eagle City, Mad River at St. Paris Pike at .. | 195 |
| Eagle Creek at Phalanx Station | 33 |
| East Branch Shade River near Tupper's Plains. | 113 |
| East Fork Little Miami River near Batavia .. | 181 |
| East Fork Little Miami River at Perintown .. | 182 |
| East Liverpool, Little Beaver Creek near ... | 47 |
| Englewood, Stillwater River at | 193 |
| Enterprise, Hocking River at | 102 |
| Factors for converting U.S. customary units .. | |
| to International System (SI) units .Inside back cover | |
| Fecal-coliform bacteria, definition of | 3 |
| Fecal streptococcal bacteria, definition of .. | 3 |
| Frazeysburg, Wakatomika Creek near | 90 |
| Gage height, definition of | 4 |
| Gaging Station, definition of | 4 |
| Gaging-stations, in downstream order, | |
| for which records are published | 27 |
| Georgetown, Whiteoak Creek near | 164 |
| Germantown, Twin Creek near | 211 |
| Great Miami River at Dayton | 198 |
| at Hamilton | 213 |
| near Linden Avenue at Miamisburg | 201 |
| at Miamisburg | 200 |
| at New Baltimore | 214 |
| at Sidney | 186 |
| at Taylorsville | 190 |
| at Troy | 189 |
| Great Miami River basin, gaging-station | |
| records in | 185 |
| Green algae, definition of | 6 |
| Greenville Creek near Bradford | 191 |
| Griggs Reservoir near Columbus | 159 |
| Ground water records | |
| Data Collection and Computation, | |
| explanation of | 17 |
| Data Presentation, explanation of | 17 |
| Ground-water stations for which records .. | |
| are published | 221 |
| Hamilton, Great Miami River at | 213 |
| Hammondsville, Yellow Creek near | 48 |
| Hardness, definition of | 5 |
| Hebron, South Fork Licking River near | 92 |
| Higby, Scioto River at | 148 |
| Hocking River at Enterprise | 102 |
| below Athens | 103 |
| Hocking River basin, gaging-station | |
| records in | 101 |
| Hoover Reservoir at Central College | 159 |
| Hydrologic bench-mark station, | |
| explanation of | 5 |
| Hydrologic conditions for 1984 water year .. | 2 |
| Hydrologic unit, definition of | 5 |
| Ingomar, Twin Creek near | 210 |
| Instantaneous discharge, definition of | 4 |

| | Page | | Page |
|---|------|--|------|
| Introduction | 1 | Mill Creek (Scioto River basin) near Bellepoint | 131 |
| Kale Creek near Princetown | 30 | Milligrams per liter, definition of | 5 |
| Killbuck, Killbuck Creek at | 83 | Mohicanville, Lake Fork near | 80 |
| Killbuck Creek, at Killbuck | 83 | Mosquito Creek below Mosquito Creek Dam near Cortland | 35 |
| Kinsman, Pymatuning Creek at | 46 | Mount Vernon, Kokosing river at | 81 |
| Kokosing River at Mount Vernon | 81 | Muskingum River at Dresden | 91 |
| Lake Fork below Mohicanville Dam near Mohicanville | 80 | at McConnellsville | 95 |
| Lakes and reservoirs: | | near Coshocton | 85 |
| Griggs Reservoir | 159 | Muskingum River basin, gaging station records in | 55 |
| Hoover Reservoir | 159 | National Geodetic Vertical Datum of 1929 (NGVD), explanation of | 5 |
| O'Shaughnessy Reservoir | 159 | National stream-quality accounting network (NASQAN), explanation of | 5 |
| Salt Fork Lake | 88 | Navarre, Tuscarawas River at | 56 |
| Leavittsburg, Mahoning River at | 34 | Nellie, Walhonding River at | 82 |
| Leesville, McGuire Creek below Leesville Dam near | 68 | New Baltimore, Great Miami River at | 214 |
| Licking River below Dillon Dam near Dillon Falls | 94 | Newark, Licking River near | 93 |
| near Newark | 93 | Newcomerstown, Tuscarawas River at | 76 |
| South Fork, near Hebron | 92 | Newport, Loramie Creek near | 187 |
| List of gaging-stations in downstream order, for which records are published | VI | Nimishillen Creek, at North Industry | 67 |
| List of ground water stations for which records are published | VIII | North Industry, Nimishillen Creek at | 67 |
| Little Beaver Creek, near East Liverpool .. | 47 | Numbering system for wells and miscellaneous sites | 11 |
| Little Beaver Creek, basin, gaging-station records in | 47 | O'Shaughnessy Reservoir, near Dublin | 159 |
| Little Miami River at Milford | 167 | Ohio Brush Creek near West Union | 163 |
| East Fork, at Perintown | 182 | Oldtown, Little Miami River near | 165 |
| near Batavia | 181 | Olentangy River at Claridon | 133 |
| near Oldtown | 165 | near Delaware | 134 |
| Little Miami River basin, gaging station records in | 165 | near Worthington | 135 |
| Little Stillwater Creek, below Tappan Dam at Tappan | 75 | Organic mass, definition of | 3 |
| Lockington, Loramie Creek at | 188 | Organism, definition of | 5 |
| Loramie Creek at Lockington | 188 | count/area, definition of | 5 |
| near Newport | 187 | count/volume, definition of | 5 |
| Loudonville, Black Fork at | 78 | Other records available | 14 |
| Lowellville, Mahoning River at | 36 | Paint Creek, below Paint Creek Dam, near Bainbridge | 145 |
| Mahoning River at OH-PA state line below .. | 37 | near Bourneville | 147 |
| Mad River at St. Paris Pike at Eagle City .. | 195 | Pancoastburg, Deer Creek near | 142 |
| near Dayton | 197 | Parameter code, definition of | 5 |
| near Springfield | 196 | Partial-record station, definition of | 6 |
| near Urbana | 194 | Partial-record stations and miscellaneous sites | 216 |
| Mahoning River at Alliance | 27 | Particle-size, definition of | 6 |
| at Leavittsburg | 34 | Particle-size classification, definition of .. | 6 |
| at Lowellville | 36 | Percent composition, definition of | 6 |
| at OH-PA State Line, below Lowellville ... | 37 | Perintown, East Fork Little Miami River at .. | 182 |
| at Pricetown below Berlin Dam, near Berlin Center | 28 | Periphyton, definition of | 6 |
| West Branch, below Michael J. Kirwan Dam, at Wayland | 32 | Perrysville, Clear Fork near | 79 |
| near Ravenna | 31 | Pesticides, definition of | 6 |
| Massies Creek at Wilberforce | 166 | Pesticide program, explanation of | 6 |
| Massillon, Tuscarawas River at | 55 | Phalanx Station, Eagle Creek at | 33 |
| McConnellsville, Muskingum River at | 95 | Phytoplankton, definition of | 6 |
| McGaw, Upper Twin Creek at | 160 | Picocurie, definition of | 6 |
| McGuire Creek below Leesville Dam near Leesville | 68 | Piedmont, Stillwater Creek at | 72 |
| Mean concentration, definition of | 7 | Plankton, definition of | 6 |
| Mean discharge, definition of | 4 | Pleasant Hill, Stillwater River at | 192 |
| Measuring point (MP), definition of | 5 | Pricetown, Kale Creek near | 30 |
| Metamorphic stage, definition of | 5 | Mahoning River at | 29 |
| Methylene blue active substance, definition of | 5 | Primary productivity, definition of | 6 |
| Miamisburg, Great Miami River at | 200 | Prospect, Scioto River near | 129 |
| Great Miami River near Linden Avenue at .. | 201 | Publications on techniques of water-resources investigations | 19 |
| Micrograms per gram, definition of | 5 | Pymatuning Creek at Kinsman | 46 |
| Micrograms per kilogram, definition of | 5 | Raccoon Creek at Adamsville | 119 |
| Micrograms per liter, definition of | 5 | Raccoon Creek basin, gaging-station records in | 119 |
| Middle Branch Nimishillen Creek at Canton .. | 66 | Radiochemical program, definition of | 7 |
| Mifflin, Black Fork near | 77 | Ravenna, West Branch Mahoning River near ... | 31 |
| Milford, Little Miami River at | 167 | Reading, Mill Creek at | 183 |
| Mill Creek basin, gaging-station records in .. | 183 | Records of discharge collected by agencies other than the Geological Survey | 11 |
| Mill Creek (Mill Creek basin) at Carthage .. | 184 | Recoverable from bottom material | 7 |
| at Reading | 183 | Rees, Big Walnut Creek at | 140 |
| Mill Creek (Muskingum River basin) near Coshocton | 84 | Return period, definition of | 7 |
| | | Rockbridge, Clear Creek near | 101 |

| | Page | | Page |
|---|------|---|------|
| Rocky Fork near Barretts Mills | 146 | Tappan, Little Stillwater Creek at | 75 |
| Runoff in inches, definition of | 7 | Taxonomy, definition of | 9 |
| Salt Fork Lake near Cambridge | 88 | Taylorville, Great Miami River at | 190 |
| Sandy Creek at Waynesburg | 65 | Terms, definition of | 3 |
| Scioto River at Chillicothe | 144 | Thermograph, definition of | 9 |
| at Columbus | 136 | Time-weighted average, definition of | 9 |
| at Higby | 148 | Tippecanoe, Stillwater Creek at | 73 |
| below O'Shaughnessy Dam, near Dublin | 132 | Tons per acre foot, definition of | 9 |
| near Prospect | 129 | Tons per day, definition of | 9 |
| Scioto River basin, gaging-station | | Total, definition of | 9 |
| records in | 129 | Total coliform bacteria, definition of | 3 |
| reservoir records in | 159 | Total discharge, definition of | 9 |
| Sediment, data collection | 16 | Total in bottom material, definition of | 9 |
| Sediment, definition of | 7 | Total load, definition of | 9 |
| Seneca Fork below Senecaville Dam, | | Total organism count, definition of | 5 |
| near Senecaville | 86 | Total sediment discharge, definition of | 7 |
| Senecaville, Seneca Fork near | 86 | Total recoverable, definition of | 9 |
| Seven day/ 10-year, definition of | 7 | Trotwood, Wolf Creek at | 199 |
| Sevenmile Creek at Camden | 212 | Troy, Great Miami River at | 189 |
| Shade River basin, gaging-station records in. | 106 | Tuppers Plains, East Branch Shade River nr . | 113 |
| Shade River near Chester | 112 | Tuscarawas River at Massillon | 55 |
| Short Creek basin, gaging-station records in. | 49 | at Navarre | 56 |
| Short Creek near Dillonvale | 49 | at Newcomerstown | 76 |
| Sidney, Great Miami River at | 186 | below Dover Dam, near Dover | 69 |
| Sodium-adsorption ratio (SAR), definition of. | 7 | Twin Creek, near Germantown | 211 |
| Solute, definition of | 8 | near Ingomar | 210 |
| South Fork Licking River near Hebron | 92 | Uhrichville, Stillwater Creek at | 74 |
| Specific conductance, definition of | 8 | Upper Twin Creek at McGaw | 160 |
| Springfield, Mad River near | 196 | Upper Twin Creek basin | |
| Stage-discharge relation, definition of | 8 | gaging-station records in | 160 |
| Stillwater Creek, at Piedmont | 72 | Urbana, Mad River near | 194 |
| at Tippecanoe | 73 | | |
| at Uhrichville | 74 | Wakatomika Creek near Frazeyburg | 90 |
| Stillwater River, at Englewood | 193 | Walhonding River below Mohawk Dam, at Nellie. | 82 |
| at Pleasant Hill | 192 | Warrensburg, Bokes Creek near | 130 |
| Strasburg, Sugar Creek at | 71 | Water analysis | 15 |
| Streamflow, definition of | 8 | Water temperature, data collection | 16 |
| Substrate, definition of | 8 | Water year, definition of | 9 |
| Sugar Creek (Muskingum River basin) | | Wayland, West Branch Mahoning River at | 32 |
| at Strasburg | 71 | Waynesburg, Sandy Creek at | 65 |
| below Beach City Dam, near Beach City | 70 | Weighted average, definition of | 10 |
| Surface area, definition of | 8 | West Branch Shade River near Burlingham | 106 |
| Surface Water Records | | West Union, Ohio Brush Creek near | 163 |
| Data Collection and Computation, | | Wet mass, definition of | 4 |
| explanation of | 12 | Wheeling Creek Basin, gaging-stations in ... | 50 |
| Data Presentation, explanation of | 12 | Wheeling Creek below Blaine | 50 |
| Surface Water Quality | | Whiteoak Creek basin gaging-stations in | 164 |
| Classification of Records, explanation of. | 15 | Whiteoak Creek near Georgetown | 164 |
| Arrangement of Records, explanation of ... | 15 | Wilberforce, Massies Creek at | 166 |
| Onsite measurement and sample collection, | | Williamsport, Deer Creek at | 143 |
| explanation of | 15 | Wills Creek, at Cambridge | 87 |
| Water Temperature, explanation of | 16 | below Wills Creek Dam at Wills Creek | 89 |
| Sediment, explanation of | 16 | Wolf Creek at Trotwood | 199 |
| Laboratory Measurements, explanation of .. | 16 | Worthington, Olentangy River near | 135 |
| Data Presentation, explanation of | 16 | WDR, definition of | 9 |
| Surficial bed material, definition of | 8 | WRD, definition of | 10 |
| Suspended, definition of | 8 | WSP, definition of | 10 |
| Suspended recoverable, definition of | 8 | | |
| Suspended sediment, definition of | 7 | Yellow Creek basin gaging-stations in | 48 |
| Suspended sediment concentration, | | Yellow Creek near Hammondsville | 48 |
| definition of | 7 | | |
| Suspended sediment discharge, definition of. | 7 | Zooplankton, definition of | 6 |
| Suspended sediment load, definition of | 7 | | |
| Suspended total, definition of | 8 | | |

FACTORS FOR CONVERTING INCH-POUND UNITS TO INTERNATIONAL SYSTEM UNITS (SI)

The following factors may be used to convert the inch-pound units published herein to the International System of Units (SI). This report contains both the inch-pound and SI unit equivalents in the station manuscript descriptions.

| Multiply inch-pound units | By | To obtain SI units |
|--|------------------------|--|
| <i>Length</i> | | |
| inches (in) | 2.54×10^1 | millimeters (mm) |
| | 2.54×10^{-2} | meters (m) |
| feet (ft) | 3.048×10^{-1} | meters (m) |
| miles (mi) | 1.609×10^0 | kilometers (km) |
| <i>Area</i> | | |
| acres | 4.047×10^3 | square meters (m ²) |
| | 4.047×10^{-1} | square hectometers (hm ²) |
| | 4.047×10^{-3} | square kilometers (km ²) |
| square miles (mi ²) | 2.590×10^0 | square kilometers (km ²) |
| <i>Volume</i> | | |
| gallons (gal) | 3.785×10^0 | liters (L) |
| | 3.785×10^0 | cubic decimeters (dm ³) |
| | 3.785×10^{-3} | cubic meters (m ³) |
| million gallons | 3.785×10^3 | cubic meters (m ³) |
| | 3.785×10^{-3} | cubic hectometers (hm ³) |
| cubic feet (ft ³) | 2.832×10^1 | cubic decimeters (dm ³) |
| | 2.832×10^{-2} | cubic meters (m ³) |
| cfs-days | 2.447×10^3 | cubic meters (m ³) |
| | 2.447×10^{-3} | cubic hectometers (hm ³) |
| acre-feet (acre-ft) | 1.233×10^3 | cubic meters (m ³) |
| | 1.233×10^{-3} | cubic hectometers (hm ³) |
| | 1.233×10^{-6} | cubic kilometers (km ³) |
| <i>Flow</i> | | |
| cubic feet per second (ft ³ /s) | 2.832×10^1 | liters per second (L/s) |
| | 2.832×10^1 | cubic decimeters per second (dm ³ /s) |
| | 2.832×10^{-2} | cubic meters per second (m ³ /s) |
| gallons per minute (gal/min) | 6.309×10^{-2} | liters per second (L/s) |
| | 6.309×10^{-2} | cubic decimeters per second (dm ³ /s) |
| | 6.309×10^{-5} | cubic meters per second (m ³ /s) |
| million gallons per day | 4.381×10^1 | cubic decimeters per second (dm ³ /s) |
| | 4.381×10^{-2} | cubic meters per second (m ³ /s) |
| <i>Mass</i> | | |
| tons (short) | 9.072×10^{-1} | megagrams (Mg) or metric tons |

USGS LIBRARY - RESTON



3 1818 00453575 1

ERIOR

U.S. DEPARTMENT OF THE INTERIOR
Geological Survey
975 West Third Avenue
Columbus, OH 43212



OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300
SPECIAL 4TH CLASS BOOK RATE