

# Water Resources Data California Water Year 1986

Volume 5. Ground-water data for California




U.S. GEOLOGICAL SURVEY WATER-DATA REPORT CA-86-5  
Prepared in cooperation with other Federal, State,  
and local agencies

## FACTORS FOR CONVERTING INCH-POUND UNITS TO INTERNATIONAL SYSTEM UNITS (SI)

The following factors may be used to convert the inch-pound units published herein to the International System of Units (SI). This report contains both the inch-pound and SI unit equivalents in the station manuscript descriptions.

Multiply inch-pound units	By	To obtain SI units
<i>Length</i>		
inches (in)	$2.54 \times 10^1$	millimeters (mm)
	$2.54 \times 10^{-2}$	meters (m)
feet (ft)	$3.048 \times 10^{-1}$	meters (m)
miles (mi)	$1.609 \times 10^0$	kilometers (km)
<i>Area</i>		
acres	$4.047 \times 10^3$	square meters (m <sup>2</sup> )
	$4.047 \times 10^{-1}$	square hectometers (hm <sup>2</sup> )
	$4.047 \times 10^{-3}$	square kilometers (km <sup>2</sup> )
square miles (mi <sup>2</sup> )	$2.590 \times 10^0$	square kilometers (km <sup>2</sup> )
<i>Volume</i>		
gallons (gal)	$3.785 \times 10^0$	liters (L)
	$3.785 \times 10^0$	cubic decimeters (dm <sup>3</sup> )
	$3.785 \times 10^{-3}$	cubic meters (m <sup>3</sup> )
million gallons	$3.785 \times 10^3$	cubic meters (m <sup>3</sup> )
	$3.785 \times 10^{-3}$	cubic hectometers (hm <sup>3</sup> )
cubic feet (ft <sup>3</sup> )	$2.832 \times 10^1$	cubic decimeters (dm <sup>3</sup> )
	$2.832 \times 10^{-2}$	cubic meters (m <sup>3</sup> )
cfs-days	$2.447 \times 10^3$	cubic meters (m <sup>3</sup> )
	$2.447 \times 10^{-3}$	cubic hectometers (hm <sup>3</sup> )
acre-feet (acre-ft)	$1.233 \times 10^3$	cubic meters (m <sup>3</sup> )
	$1.233 \times 10^{-3}$	cubic hectometers (hm <sup>3</sup> )
	$1.233 \times 10^{-6}$	cubic kilometers (km <sup>3</sup> )
<i>Flow</i>		
cubic feet per second (ft <sup>3</sup> /s)	$2.832 \times 10^1$	liters per second (L/s)
	$2.832 \times 10^1$	cubic decimeters per second (dm <sup>3</sup> /s)
	$2.832 \times 10^{-2}$	cubic meters per second (m <sup>3</sup> /s)
gallons per minute (gal/min)	$6.309 \times 10^{-2}$	liters per second (L/s)
	$6.309 \times 10^{-2}$	cubic decimeters per second (dm <sup>3</sup> /s)
	$6.309 \times 10^{-5}$	cubic meters per second (m <sup>3</sup> /s)
million gallons per day	$4.381 \times 10^1$	cubic decimeters per second (dm <sup>3</sup> /s)
	$4.381 \times 10^{-2}$	cubic meters per second (m <sup>3</sup> /s)
<i>Mass</i>		
tons (short)	$9.072 \times 10^{-1}$	megagrams (Mg) or metric tons



U.S. GEOLOGICAL SURVEY  
RECEIVED

JUL 25 1986

San Diego, CA  
WATER RESOURCES DIV.

# Water Resources Data California Water Year 1986

Volume 5. Ground-water data for California  
by C.E. Lamb, G.L. Keeter, and D.A. Grillo



U.S. GEOLOGICAL SURVEY WATER-DATA REPORT CA-86-5  
Prepared in cooperation with other Federal, State,  
and local agencies

DEPARTMENT OF THE INTERIOR  
DONALD PAUL HODEL, Secretary  
U.S. GEOLOGICAL SURVEY  
Dallas L. Peck, Director

For information on the water program in California write to  
District Chief, Water Resources Division  
U.S. Geological Survey  
Room W-2234, Federal Building  
2800 Cottage Way  
Sacramento, California 95825



## PREFACE

This volume of the annual hydrologic data report of California is one of a series of annual reports that document hydrologic data gathered from the U.S. Geological Survey's surface- and ground-water data-collection networks in each State, Puerto Rico, and the Trust Territories. These records of streamflow, ground-water levels, and quality of water provide the hydrologic information needed by State, local, and Federal agencies, and the private sector for developing and managing our Nation's land and water resources. Hydrologic data for California are contained in five volumes:

- Volume 1. Southern Great Basin from Mexican Border to Mono Lake Basin, and Pacific Slope Basins from Tijuana River to Santa Maria River
- Volume 2. Pacific Slope Basins from Arroyo Grande to Oregon State Line except Central Valley
- Volume 3. Southern Central Valley Basins and The Great Basin from Walker River to Truckee River
- Volume 4. Northern Central Valley Basins and The Great Basin from Honey Lake Basin to Oregon State Line
- Volume 5. Ground-water data for California

This report is the culmination of a concerted effort by dedicated personnel of the U.S. Geological Survey who collected, compiled, analyzed, verified, and organized the data. In addition to the authors, who had primary responsibility for assuring that the information contained herein is accurate, complete, and adheres to U.S. Geological Survey policy and established guidelines, the individuals contributing significantly to the collection, processing, and tabulation of the data are given on page V.

This report was prepared in cooperation with the California Department of Water Resources and with other agencies, under the general supervision of John M. Klein, District Chief, California.

<b>REPORT DOCUMENTATION PAGE</b>	<b>1. REPORT NO.</b> USGS/WRD/HD-88/225	<b>2.</b>	<b>3. Recipient's Accession No.</b>
<b>4. Title and Subtitle</b> Water Resources Data for California, Water Year 1986 Volume 5. Ground-Water Data for California			<b>5. Report Date</b> April 1988
			<b>6.</b>
<b>7. Author(s)</b> C.E. Lamb, G.L. Keeter, and D.A. Grillo			<b>8. Performing Organization Rept. No.</b> USGS-WDR-CA-86-5
<b>9. Performing Organization Name and Address</b> U.S. Geological Survey, Water Resources Division California District 2800 Cottage Way, Room W-2234 Sacramento, CA 95825			<b>10. Project/Task/Work Unit No.</b>
			<b>11. Contract(C) or Grant(G) No.</b> (C)
			(G)
<b>12. Sponsoring Organization Name and Address</b> U.S. Geological Survey, Water Resources Division California District 2800 Cottage Way, Room W-2234 Sacramento, CA 95825			<b>13. Type of Report &amp; Period Covered</b> Annual--Oct. 1, 1985 to Sept. 30, 1986
			<b>14.</b>
<b>15. Supplementary Notes</b> Prepared in cooperation with other Federal, State, and local agencies.			
<b>16. Abstract (Limit: 200 words)</b> Water resources data for the 1986 water year for California consist of records of stage, discharge, and water quality of streams; stage and contents in lakes and reservoirs; and water levels and water quality in wells. Volume 5 contains water levels for 765 observation wells and water-quality data for 174 observation wells. These data represent that part of the National Water Data System operated by the U.S. Geological Survey and cooperating State and Federal agencies in California.			
<b>17. Document Analysis a. Descriptors</b> *California, *Hydrologic data, *Ground water, Chemical analyses, Water temperature, Sampling sites, Water levels, Water analyses  <b>b. Identifiers/Open-Ended Terms</b>   <b>c. COSATI Field/Group</b>			
<b>18. Availability Statement:</b> No restriction on distribution. This report may be purchased from National Technical Information Service Springfield, VA 22161		<b>19. Security Class (This Report)</b> Unclassified <b>20. Security Class (This Page)</b> Unclassified	<b>21. No. of Pages</b> 326 <b>22. Price</b>

WATER RESOURCES DIVISION

E. Jerre McClelland, Assistant District Chief for Hydrologic Data  
Kenneth W. Lee, Chief of Operations  
Ronald P. Fogelman, Hydrologist

Jeffrey Agajanian, Hydrologic Technician  
Joy L. Anderson, Technical Publications Editor  
Brian S. Baharie, Hydrologic Technician  
Charles Berenbrock, Hydrologist  
James C. Bowers, Supervisory Hydrologist  
Louis A. Caldwell, Hydrologic Technician  
Frank A. Carson, Hydrologic Technician  
Michael J. Degrand, Hydrologic Technician  
Daniel J. Downing, Hydrologic Technician  
Ronald G. Fay, Hydrologic Technician  
David M. Flynn, Hydrologic Technician  
Lawrence A. Freeman, Hydrologic Technician  
James J. Gibbons, Hydrologic Technician  
Debra A. Grillo, Editorial Assistant  
Marti E. Ikehara, Hydrologist  
Randy M. Jensen, Hydrologic Technician  
Mark V. Johnson, Hydrologic Technician  
Willie B. Kinsey, Hydrologic Technician  
Floyd E. Lee, Hydrologic Technician  
David A. Leighton, Hydrologic Technician  
Kenneth L. Markham, Supervisory Hydrologic Technician  
Peter Martin, Hydrologist  
Bradley E. Mayo, Hydrologic Technician  
Michael C. McFadden, Hydrologist  
Jon C. McNulty, Hydrologic Technician  
James R. Mullen, Hydrologist  
Keith G. Polinoski, Supervisory Hydrologic Technician  
Julia A. Schulenburg, Data Management Assistant  
Johnnevan M. Shay, Hydrologic Technician  
David W. Sheets, Hydrologic Technician  
G. Bryant Smith, Supervisory Hydrologic Technician  
John M. Smith, Hydrologic Technician  
Teresa M. Templin, Publications Clerk  
John T. Van Den Bergh, Hydrologic Technician  
Scott B. Vincent, Hydrologic Technician  
Michael D. Webster, Hydrologic Technician  
Michelle D. Wilson, Editorial Assistant  
Michael L. Wulfeck, Hydrologic Technician

Stuart H. Hoffard, Hydrologist  
Richard A. Hunrichs, Hydrologist  
Rick T. Iwatsubo, Biologist  
Robert W. Meyer, Hydrologist



## CONTENTS

	Page
Preface.....	III
Introduction.....	1
Cooperation.....	2
Summary of hydrologic conditions.....	2
Ground water.....	2
Explanation of the records.....	3
Latitude-longitude system.....	3
Local well numbers.....	3
Records of ground-water levels.....	4
Data collection and computation.....	4
Records of ground-water quality.....	4
Data collection and computation.....	4
Data presentation.....	5
Access to WATSTORE data.....	5
Definition of terms.....	5
Remark codes.....	7
Publications of Techniques of Water-Resources Investigations.....	8
Ground-water records.....	10
Ground-water wells, by county, for which records are published.....	10
Index.....	317

## ILLUSTRATIONS

	Page
Figure 1. System for numbering wells and miscellaneous sites (latitude and longitude).....	3
2. California well-numbering system.....	3
3-19. Index maps to location of wells:	
3. Glenn County.....	11
4. Imperial County.....	16
5. Inyo County.....	27
6. Kern County.....	38
7. Los Angeles County.....	70
8. Mendocino County.....	109
9. Merced County.....	112
10. Orange County.....	137
11. Riverside County.....	159
12. San Bernardino County.....	173
13. San Diego County.....	189
14. San Joaquin County.....	197
15. San Luis Obispo County.....	207
16. Santa Barbara County.....	216
17. Sutter County.....	303
18. Ventura County.....	309
19. Yolo County.....	312

1-4

1-4

1-4

1-4

WATER RESOURCES DATA--CALIFORNIA, WATER YEAR 1986

VOLUME 5--GROUND-WATER DATA FOR CALIFORNIA

---

By C.E. Lamb, G.L. Keeter, and D.A. Grillo

---

INTRODUCTION

The Water Resources Division of the U.S. Geological Survey, in cooperation with State agencies, obtains a large amount of data pertaining to the water resources of California each water year. These data, accumulated during many water years, constitute a valuable data base for developing an improved understanding of the water resources of the State. To make these data readily available to interested parties outside the Geological Survey, the data are published annually in this report series entitled "Water Resources Data for California."

This report includes records on ground water in the State. Specifically, it contains water level and quality records for 913 observation wells.

This series of annual reports for California began with the 1961 water year report that contained only data relating to the quantities of surface water. For the 1964 water year, a similar report was introduced that contained only data relating to water quality. Beginning with the 1975 water year, the report format changed to one volume containing data on quantities of surface water, quality of surface and ground water, and ground-water levels. Beginning with the 1985 water year, ground-water levels and quality were published in a separate volume for California.

Prior to introduction of this series and for several water years concurrent with it, water-resources data for California were published in U.S. Geological Survey Water-Supply Papers. Data on stream discharge and stage and on lake or reservoir contents and stage through September 1960 were published annually under the title "Surface-Water Supply of the United States, Parts 9, 10, and 11." For the 1961 through 1970 water years, the data were published in two 5-year reports. Data on chemical quality, temperature, and suspended sediment for the 1941 through 1970 water years were published annually under the title "Quality of Surface Waters of the United States." Water levels for the 1935 through 1974 water years were published under the title "Ground-Water Levels in the United States, Southwestern States." The above-mentioned Water-Supply Papers may be consulted in public libraries of the principal cities of the United States and may be purchased from U.S. Geological Survey, Books and Open-File Reports Section, Federal Center, Building 810, Box 25425, Denver, CO 80225.

Publications similar to this report are published annually by the U.S. Geological Survey for all States. These official reports have an identification number consisting of the two-letter State abbreviation, the last two digits of the water year, and the volume number. For example, this volume is "U.S. Geological Survey Water-Data Report CA-86-5." For archiving and general distribution, the reports for 1971-74 water years also are identified as water-data reports. These water-data reports are for sale in paper copy or in microfiche by the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22161.

Additional information, including current prices, for ordering specific reports may be obtained from the District Chief at the address given on back of title page or by telephone (916) 978-4668.

## COOPERATION

The U.S. Geological Survey and organizations of the State of California have had cooperative agreements for the systematic collection of water-resource records since 1903. Organizations that supplied data are acknowledged in well descriptions. Organizations that assisted in collecting data through cooperative agreement with the Survey are:

Antelope Valley-East Kern Water Agency, Wallace G. Spinarski, General Manager.  
 California Department of Water Resources, David N. Kennedy, Director.  
 California State Water Resources Control Board, James Easton, Director.  
 Carpinteria County Water District, Robert R. Lieberknecht, General Manager-Secretary.  
 Coachella Valley Water District, Lowell O. Weeks, General Manager-Chief Engineer.  
 Desert Water Agency, Paul G. Payne, General Manager.  
 East Valley Water District, Larry W. Rowe, General Manager.  
 Imperial County Department of Public Works, David E. Pierson, Director.  
 Indian Wells Valley Water District, James H. Stramler, General Manager.  
 Merced, City of, Stevan M. Stroud, City Engineer.  
 Mojave Water Agency, Jon D. Edson, General Manager.  
 Orange County Water District, Neil M. Cline, Secretary-Manager.  
 Riverside County Flood Control and Water Conservation District, Kenneth L. Edwards, Chief Engineer.  
 San Bernardino Valley Municipal Water District, G. Louis Fletcher, General Manager.  
 Santa Barbara, City of, Robert W. Puddicombe, Director.  
 Santa Barbara County Water Agency, James M. Stubchaer, Engineer-Manager.

Assistance in the form of funds or services was given by Vandenberg Air Force Base, U.S. Air Force; Army Corps of Engineers, U.S. Army; Bureau of Indian Affairs, Bureau of Land Management, Bureau of Reclamation, and National Park Service, U.S. Department of the Interior; Marine Corps, and Naval Weapons Center, U.S. Navy.

## SUMMARY OF HYDROLOGIC CONDITIONS

Ground Water

The geography and geology of California are sufficiently complex that a summary of ground-water conditions in the State is difficult. Descriptions of conditions in specific basins and valleys apply only to those areas and cannot be transferred to other areas.

Ground-water levels fluctuate in response to a variety of stresses and changes in stress. Short- and long-term climatic conditions can lead to changes in natural recharge and discharge. Ground-water pumping also can cause changes in ground-water levels.

During 1985 and 1986, two to three hundred ground-water wells were sampled as part of the Western San Joaquin Valley Study. Physical measurements were made on water samples collected at each well, and samples were analyzed for selected chemical constituents. The results of these measurements and analyses will be published in separate open-file reports.

An unprecedented amount of precipitation fell in most of northern California during the 10-day period ending February 21, 1986. Water levels in some wells responded rapidly to recharge from surface flows. In well 019N001W32G02M, near the Sacramento River at Butte City in Glenn County, the high water level of record on February 19 coincides with the 1986 peak discharge of 145,000 ft<sup>3</sup>/s at station 11389000 on the same date.

In southern California in the San Gabriel Valley of Los Angeles County, the net increase of water level in the index well was more than 3 feet in 1986, while water levels in four observation wells in the Coastal Plain of Orange County had net decreases of 2.6, 2.5, 0.6, and 0.4 feet in 1986.

In the Buttes subunit of the Antelope Valley in Los Angeles County, the water level in index well 006N010W22D01S continued to rise as it has since 1982. Water level declined 1.56 feet in index well 026S040E19P01M in Indian Wells Valley in Kern County.



## WATER RESOURCES DATA -- CALIFORNIA, WATER YEAR 1986

## EXPLANATION OF THE RECORDS

The ground-water records published in this report are for the 1986 water year that began October 1, 1985, and ended September 30, 1986. A calendar of the water year is provided on the inside of the front cover. The records contain quality of ground water and ground-water level data. The following sections of the introductory text are presented to provide users with a more detailed explanation of how the hydrologic data published in this report were collected, analyzed, computed, and arranged for presentation.

Latitude-Longitude System

The identification numbers for wells are assigned according to the grid system of latitude and longitude (fig. 1). The number consists of 15 digits. The first six digits denote the degrees, minutes, and seconds of latitude, the next seven digits denote degrees, minutes, and seconds of longitude, and the last two digits (assigned sequentially) identify the wells or other sites within a 1-second grid. This site-identification number, once assigned, is a pure number, and has no locational significance. In the rare instance where the initial determination of latitude and longitude are found to be in error, the station will retain its initial identification number.




Figure 1.--System for numbering wells and miscellaneous sites (latitude and longitude).

Local Well Numbers

Wells and springs in California are assigned numbers according to their location on the grid system for the subdivision of public land (fig. 2). For example, in the number 005S010E22G01M, the first four characters indicate the township (T.5 S.), and the next four characters indicate the range (R.10 E.); the digits following the range indicate the section (sec. 22); the letter following the section number indicates the 40-acre subdivision of the section. Within each 40-acre tract, the wells are numbered serially, as indicated by the last two digits. The final letter indicates the base line and meridian designations as follows: H, Humboldt; M, Mount Diablo; S, San Bernardino.




Figure 2.--California well-numbering system.

## WATER RESOURCES DATA -- CALIFORNIA, WATER YEAR 1986

Records of Ground-Water Levels

Records are obtained through cooperative efforts of many Federal, State, and local agencies for several thousand observation wells throughout California and are placed in computer storage. Information about the availability of the data in the water-level file may be obtained from the District Chief, California District. (See address on back of front page.)

## Data Collection and Computation

Measurements of water levels are made in many types of wells under varying conditions, but the methods of measurement are standardized to the extent possible. The equipment and measuring techniques used at each observation well ensure that measurements at each well are of consistent accuracy and reliability.

Tables of water-level data are presented by counties arranged in alphabetical order. The prime identification number of a given well is the local well number, an alpha numeric number, derived from the township-range location of the well. The secondary identification number of a given well is the 15-digit number that precedes the local well number.

Water-level records are obtained from direct measurements with a steel tape or electric sounder or from the graph or punched tape of a water-stage recorder. The water-level measurements in this report are given in feet with reference to land-surface datum (lsd). Land-surface datum is a datum plane that is approximately at land surface at each well. If known, the elevation of the land-surface datum is given in the well description. Water levels in wells equipped with recording gages are reported daily at 1200 hours.

Water levels are reported to as many significant figures as can be justified by local conditions. For example, in a measurement of a depth to water of several hundred feet, the error of determining the water value of the total depth to water may be a few tenths of a foot, whereas the error in determining the net change of water level between successive measurements may be only a hundredth or a few hundredths of a foot. For lesser depths to water, the accuracy is greater. Accordingly, most measurements are reported to a hundredth of a foot, but some are given to a tenth of a foot or a larger unit.

A table of water levels follows the station description of each well. Water levels are reported in feet below land-surface datum, and all measurements of water level are listed. The highest and lowest water levels of record and their dates of occurrence are shown below the data table. Missing records on daily tables are indicated by dashes in place of the water level.

Records of Ground-Water Quality

Records of ground-water quality in this report differ from other types of records; for most sampling sites they consist of only one set of measurements for the water year. The quality of ground water ordinarily changes only slowly; therefore, for most general purposes one annual sampling, or only a few samples taken at infrequent intervals during the year, is sufficient. Frequent measurement of the same constituents is not necessary unless there is concern with a particular problem, such as monitoring for trends in nitrate concentration. In special cases where the quality of ground water may change more rapidly, more frequent measurements are made to identify the nature of the changes.

## Data Collection and Computation

The records of ground-water quality in this report were obtained mostly as a part of special studies in specific areas. Consequently, a number of chemical analyses may be presented for some counties but none are presented for others. As a result, the records for a year, by themselves, do not provide a balanced view of ground-water quality statewide. Such a view can be attained only by considering records for this year in context with similar records obtained for these and other counties in earlier years.

Most methods for collecting and analyzing water samples are described in the "U.S. Geological Survey Techniques of Water-Resources Investigations" manuals listed in this report. The values reported in this report represent water-quality conditions at the time of sampling as much as possible, consistent with available sampling techniques and methods of analysis. All samples were obtained by trained personnel. The wells sampled were pumped long enough to ensure that the water collected came directly from the aquifer and had not stood for a long time in the well casing where it would have been exposed to the atmosphere and to the material composing the casings.

## WATER RESOURCES DATA -- CALIFORNIA, WATER YEAR 1986

## Data Presentation

The records of ground-water quality are published in a section titled QUALITY OF GROUND WATER immediately following the ground-water-level records. Data for quality of ground water are listed alphabetically by county and are identified by well number. The prime identification number for wells sampled is the 15-digit number derived from the latitude-longitude location. No descriptive statements are given for ground-water-quality records; however, the well number, date of sampling, and other pertinent data are given in the table containing the chemical analyses of the ground water.

Values for dissolved nitrite plus nitrate ( $\text{NO}_2 + \text{NO}_3$ , as N) are not included in the calculation for dissolved solids, sum of constituents. Dissolved solids, sum of constituents (in milligrams per liter), is rounded automatically by computer program and reported to two significant figures.

## ACCESS TO WATSTORE DATA

The National WATER Data STORAGE and RETRIEVAL System (WATSTORE) was established for handling water data collected through the activities of the U.S. Geological Survey and to provide more effective and efficient means of releasing the data to the public. The system is operated and maintained on the central computer facilities of the Survey at its National Center in Reston, Virginia.

WATSTORE can provide a variety of useful products ranging from simple data tables to complex statistical analyses. A minimal fee, plus the actual computer cost incurred in producing a desired product, is charged to the requester. Information about the availability of specific types of data, the acquisition of data or products, and user charges can be obtained locally from each of the Water Resources Division's District offices (see address given on the back of the title page).

General inquiries about WATSTORE may be directed to:

Chief Hydrologist  
U.S. Geological Survey  
437 National Center  
Reston, VA 22092

## DEFINITION OF TERMS

Terms related to water-quality, and other hydrologic data, as used in this report are defined below. A table for converting inch-pound units to International System (SI) Units is printed on the inside of the back cover.

Aquifer is a geologic formation, group of formations, or part of a formation that contains sufficient saturated permeable material to yield significant quantities of water to wells and springs.

Artesian means confined and is used to describe a well in which the water level stands above the top of the aquifer tapped by a well. A flowing artesian well is one in which the water level is above the land surface.

Chemical oxygen demand (COD) is a measure of the chemically oxidizable material in the water and furnishes an approximation of the amount of organic and reducing material present. The determined value may correlate with natural water color or with carbonaceous organic pollution from sewage or industrial wastes.

Color unit is produced by 1 milligram per liter of platinum in the form of the chloroplatinate ion. Color is expressed in units of the platinum-cobalt scale.

Dissolved is that material in a representative water sample which passes through a 0.45-micrometer membrane filter. This is a convenient operational definition used by Federal agencies that collect water data. Determinations of "dissolved" constituents are made on subsamples of the filtrate. It is recognized that certain kinds of samples cannot be filtered; to provide for this, procedures that are considered equivalent to filtering through a 0.45-micrometer membrane filter will be identified and announced at a later date.

Hardness of water is a physical-chemical characteristic that is commonly recognized by the increased quantity of soap that is required to produce lather. It is attributable to the presence of alkaline earths (principally calcium and magnesium) and is expressed as equivalent calcium carbonate ( $\text{CaCO}_3$ ).

Hydrologic unit is a geographic area representing part or all of a surface drainage basin or distinct hydrologic feature as delineated by the Office of Water Data Coordination on the State Hydrologic Unit Maps; each hydrologic unit is identified by an eight-digit number.

Methylene blue active substance (MBAS) is a measure of apparent detergents. This determination depends on the formation of a blue color when methylene blue dye reacts with synthetic detergent compounds.

Micrograms per liter (UG/L, ug/L) is a unit expressing the concentration of chemical constituents in solution as mass (micrograms) of solute per unit volume (liter) of water. One thousand micrograms per liter is equivalent to 1 milligram per liter.

Milligrams per liter (MG/L, mg/L) is a unit for expressing the concentration of chemical constituents in solution. Milligrams per liter represent the mass of solute per unit volume (liter) of water. Concentration of suspended sediment also is expressed in milligrams per liter and is based on the mass of sediment per liter of water-sediment mixture.

National Geodetic Vertical Datum of 1929 (NGVD) is a geodetic datum derived from a general adjustment of the first order level nets of both the United States and Canada. It was formerly called sea level datum of 1929 or mean sea level in this series of reports. Although the datum was derived from the average sea level over a period of many years at 26 tide stations along the Atlantic, Gulf of Mexico, and Pacific Coasts, it does not necessarily represent local mean sea level at any particular place.

Pesticides are chemical compounds used to control undesirable organisms. Major categories of pesticides include insecticides, miticides, fungicides, herbicides, and rodenticides. Insecticides and herbicides, which control insects and plants respectively, are the two categories reported.

pH of water is the negative logarithm of the hydrogen-ion activity. Solutions with pH less than 7 are termed "acidic," and solutions with a pH greater than 7 are termed "basic." Solutions with a pH of 7 are neutral. The presence and concentration of many dissolved chemical constituents found in water are, in part, influenced by the hydrogen-ion activity of water. Biological processes including growth, distribution of organisms, and toxicity of the water to organisms also are influenced, in part, by the hydrogen-ion activity of water.

Polychlorinated biphenyls (PCBs) are industrial chemicals that are mixtures of chlorinated biphenyl compounds having various percentages of chlorine. They are similar in structure to organochlorine insecticides.

Sodium-adsorption-ratio (SAR) is the expression of relative activity of sodium ions in exchange reactions with soil and is an index of sodium or alkali hazard to the soil. Waters range in respect to sodium hazard from those which can be used for irrigation on almost all soils to those which are generally unsatisfactory for irrigation.

Specific conductance is a measure of the ability of water to conduct an electrical current. It is expressed in microsiemens per centimeter at 25 °C. Specific conductance is related to the type and concentration of ions in solution and can be used for approximating the dissolved-solids content in water. Commonly, the concentration of dissolved solids (in milligrams per liter) is about 65 percent of the specific conductance (in microsiemens). This relation is not constant from stream to stream, and it may vary in the same source with changes in the composition of the water.

Suspended (as used in tables of chemical analyses) refers to the amount (concentration) of undissolved material in a water-sediment mixture. The water-sediment mixture is associated with (or sorbed on) the material retained on a 0.45-micrometer filter.

Suspended, recoverable is the amount of a given constituent that is in solution after the part of a representative water-suspended sediment sample that is retained on a 0.45-micrometer membrane filter has been digested by a method (usually using a dilute acid solution) that results in dissolution of only readily soluble substances. Complete dissolution of all the particulate matter is not achieved by the digestion treatment; thus, the determination represents something less than the "total" amount (that is, less than 95 percent) of the constituent present in the sample. To achieve comparability of analytical data, equivalent digestion procedures would be required of all laboratories performing such analyses because different digestion procedures are likely to produce different analytical results.

Determinations of "suspended, recoverable" constituents are made either by analyzing portions of the material collected on the filter or, more commonly, by difference, based on determinations of (1) dissolved and (2) total recoverable concentrations of the constituent.

Suspended, total is the total amount of a given constituent in the part of a representative water-suspended sediment sample that is retained on a 0.45-micrometer membrane filter. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent determined. A knowledge of the expected form of the constituent in the sample, as well as the analytical methodology used, is required to determine when the results should be reported as "suspended, total."

Total, recoverable is the amount of a given constituent that is in solution after a representative water-suspended sediment sample has been digested by a method (usually using a dilute acid solution) that results in dissolution of only readily soluble substances. Complete dissolution of all particulate matter is not achieved by the digestion treatment; thus, the determination represents something less than the "total" amount (that is, less than 95 percent) of the constituent present in the dissolved and suspended phases of the sample. To achieve comparability of analytical data, equivalent digestion procedures would be required of all laboratories performing such analyses, because different digestion procedures are likely to produce different analytical results.

Total is the total amount of a given constituent in a representative water-suspended sediment sample, regardless of the constituent's physical or chemical form. This term is used only when the analytical procedure assures measurement of at least 95 percent of the constituent present in the dissolved and suspended phases of the sample. A knowledge of the expected form is required to judge when the results should be reported as "total." (Note that the word "total" does double duty here, indicating both that the sample consists of a water-suspended sediment mixture and that the analytical method determines all the constituent in the sample.)

WSP is used as an abbreviation for "Water-Supply Paper" in reference to previously published reports.

## REMARK CODES

Two remark codes may follow water-level data under the headings "M" (method) and "S" (status). In this report the following remark codes may appear with the data:

PRINTED OUTPUT "M"A  
H  
R  
S  
TREMARKAirline  
Calibrated pressure gage  
Reported  
Steel tape  
Electric tapePRINTED OUTPUT "S"D  
F  
G  
H  
O  
P  
R  
S  
T  
V  
W  
X  
ZREMARKDry  
Flowing  
Nearby flowing  
Nearby recently flowing  
Obstruction  
Pumping  
Recently pumped  
Nearby pumping  
Nearby recently pumped  
Foreign substance  
Well destroyed  
Surface-water effects  
Other

The following remarks codes may appear with water-quality data in this volume:

PRINTED OUTPUTE  
>  
<  
aREMARKEstimated value  
Actual value is known to be greater than the value shown.  
Actual value is known to be less than the value shown  
Results based on laboratory value

## PUBLICATIONS ON TECHNIQUES OF WATER-RESOURCES INVESTIGATIONS

The U.S. Geological Survey publishes a series of manuals describing procedures for planning and conducting specialized work in water-resources investigations. The material is grouped under major subject headings called books and is further divided into sections and chapters. For example, Section A of Book 3 (Applications of Hydraulics) pertains to surface water. The chapter, the unit of publication, is limited to a narrow field of subject matter. This format permits flexibility in revision and publication as the need arises.

The reports listed below are for sale by the U.S. Geological Survey, Books and Open-File Reports Section, Federal Center, Box 25425, Building 810, Denver, CO 80225. Prepayment is required. Remittance should be sent by check or money order payable to U.S. Geological Survey, Department of the Interior. Prices are not included because they are subject to change. Current prices can be obtained by writing to the above address. When ordering or inquiring about prices for any of these publications, please give the title, book number, chapter number, and "U.S. Geological Survey Techniques of Water-Resources Investigations."

- 1-D1. Water temperature--influential factors, field measurement, and data presentation, by H.H. Stevens, Jr., J.F. Ficke, and G.F. Smoot: USGS--TWRI Book 1, Chapter D1. 1975. 65 pages.
- 1-D2. Guidelines for collection and field analysis of ground-water samples for selected unstable constituents, by W.W. Wood: USGS--TWRI Book 1, Chapter D2. 1976. 24 pages.
- 2-D1. Application of surface geophysics to ground-water investigations, by A.A.R. Zohdy, G.P. Eaton, and D.R. Mabey: USGS--TWRI Book 2, Chapter D1. 1974. 116 pages.
- 2-E1. Application of borehole geophysics to water-resources investigations, by W.S. Keys, and L.M. MacCary: USGS--TWRI Book 2, Chapter E1. 1971. 126 pages.
- 3-A1. General field and office procedures for indirect discharge measurements, by M.A. Benson and Tate Dalrymple: USGS--TWRI Book 3, Chapter A1. 1967. 30 pages.
- 3-A2. Measurement of peak discharge by slope-area method, by Tate Dalrymple and M.A. Benson: USGS--TWRI Book 3, Chapter A2. 1967. 12 pages.
- 3-A3. Measurement of peak discharge at culverts by indirect methods, by G.L. Bodhaine: USGS--TWRI Book 3, Chapter A3. 1968. 60 pages.
- 3-A4. Measurement of peak discharge at width contractions by indirect methods, by H.F. Matthai: USGS--TWRI Book 3, Chapter A4. 1967. 44 pages.
- 3-A5. Measurement of peak discharge at dams by indirect methods, by Harry Hulsing: USGS--TWRI Book 3, Chapter A5. 1967. 29 pages.
- 3-A6. General procedure for gaging streams, by R.W. Carter and Jacob Davidian: USGS--TWRI Book 3, Chapter A6. 1968. 13 pages.
- 3-A7. Stage measurements at gaging stations, by T.J. Buchanan and W.P. Somers: USGS--TWRI Book 3, Chapter A7. 1968. 28 pages.
- 3-A8. Discharge measurements at gaging stations, by T.J. Buchanan and W.P. Somers: USGS--TWRI Book 3, Chapter A8. 1969. 65 pages.
- 3-A9. Measurement of time of travel and dispersion in streams by dye tracing, by E.F. Hubbard, F.A. Kilpatrick, L.A. Martens, and J.F. Wilson, Jr.: USGS--TWRI Book 3, Chapter A9. 1982. 44 pages.
- 3-A10. Discharge ratings at gaging stations, by E.J. Kennedy: USGS--TWRI Book 3, Chapter A10. 1984. 59 pages.
- 3-A11. Measurement of discharge by moving-boat method, by G.F. Smoot and C.E. Novak: USGS--TWRI Book 3, Chapter A11. 1969. 22 pages.
- 3-A13. Computation of continuous records of streamflow, by E.J. Kennedy: USGS--TWRI Book 3, Chapter A13. 1983. 53 pages.
- 3-A14. Use of flumes in measuring discharge, by F.A. Kilpatrick and V.R. Schneider: USGS--TWRI Book 3, Chapter A14. 1983. 46 pages.
- 3-A15. Computation of water-surface profiles in open channels, by Jacob Davidian: USGS--TWRI Book 3, Chapter A15. 1984. 48 pages.

- 3-B1. Aquifer-test design, observation, and data analysis, by R.W. Stallman: USGS--TWRI Book 3, Chapter B1. 1971. 26 pages.
- 3-B2. Introduction to ground-water hydraulics, a programmed text for self-instruction, by G.D. Bennett: USGS--TWRI Book 3, Chapter B2. 1976. 172 pages.
- 3-B3. Type curves for selected problems of flow to wells in confined aquifers, by J.E. Reed: USGS--TWRI Book 3, Chapter B3. 1980. 106 pages.
- 3-C1. Fluvial sediment concepts, by H.P. Guy: USGS--TWRI Book 3, Chapter C1. 1970. 55 pages.
- 3-C2. Field methods for measurement of fluvial sediment, by H.P. Guy and V.W. Norman: USGS--TWRI Book 3, Chapter C2. 1970. 59 pages.
- 3-C3. Computation of fluvial sediment discharge, by George Porterfield: USGS--TWRI Book 3, Chapter C3. 1972. 66 pages.
- 4-A1. Some statistical tools in hydrology, by H.C. Riggs: USGS--TWRI Book 4, Chapter A1. 1968. 39 pages.
- 4-A2. Frequency curves, by H.C. Riggs: USGS--TWRI Book 4, Chapter A2. 1968. 15 pages.
- 4-B1. Low-flow investigations by H.C. Riggs: USGS--TWRI Book 4, Chapter B1. 1972. 18 pages.
- 4-B2. Storage analyses for water supply, by H.C. Riggs and C.H. Hardison: USGS--TWRI Book 4, Chapter B2. 1973. 20 pages.
- 4-B3. Regional analyses of streamflow characteristics, by H.C. Riggs: USGS--TWRI Book 4, Chapter B3. 1973. 15 pages.
- 4-D1. Computation of rate and volume of stream depletion by wells, by C.T. Jenkins: USGS--TWRI Book 4, Chapter D1. 1970. 17 pages.
- 5-A1. Methods for determination of inorganic substances in water and fluvial sediments, edited by M.W. Skougstad and others: USGS--TWRI Book 5, Chapter A1. 1979. 626 pages.
- 5-A2. Determination of minor elements in water by emission spectroscopy, by P.R. Barnett and E.C. Mallory, Jr.: USGS--TWRI Book 5, Chapter A2. 1971. 31 pages.
- 5-A3. Methods for analysis of organic substances in water, by D.F. Goerlitz and Eugene Brown: USGS--TWRI Book 5, Chapter A3. 1972. 40 pages.
- 5-A4. Methods for collection and analysis of aquatic biological and microbiological samples, edited by P.E. Greeson, T.A. Ehlke, G.A. Irwin, B.W. Lium, and K.V. Slack: USGS--TWRI Book 5, Chapter A4. 1977. 322 pages.
- 5-A5. Methods for determination of radioactive substances in water and fluvial sediments, by L.L. Thatcher, V.J. Janzer, and K.W. Edwards: USGS--TWRI Book 5, Chapter A5. 1977. 95 pages.
- 5-A6. Quality assurance practices for the chemical and biological analyses of water and fluvial sediments, by L.C. Friedman, and D.E. Erdmann: USGS--TWRI Book 5, Chapter A6. 1982. 181 pages.
- 5-C1. Laboratory theory and methods for sediment analysis, by H.P. Guy: USGS--TWRI Book 5, Chapter C1. 1969. 58 pages.
- 7-C1. Finite difference model for aquifer simulation in two dimensions with results of numerical experiments, by P.C. Trescott, G.F. Pinder, and S.P. Larson: USGS--TWRI Book 7, Chapter C1. 1976. 116 pages.
- 7-C2. Computer model of two-dimensional solute transport and dispersion in ground water, by L.F. Konikow and J.D. Bredehoeft: USGS--TWRI Book 7, Chapter C2. 1978. 90 pages.
- 7-C3. A model for simulation of flow in singular and interconnected channels by R.W. Shaffranek, R.A. Baltzer, and D.E. Goldberg: USGS--TWRI Book 7, Chapter C3. 1981. 110 pages.
- 8-A1. Methods of measuring water levels in deep wells, by M.S. Garber and F.C. Koopman: USGS--TWRI Book 8, Chapter A1. 1968. 23 pages.
- 8-A2. Installation and service manual for U.S. Geological Survey manometers, by J.D. Craig: USGS--TWRI Book 8, Chapter A2. 1983. 57 pages.
- 8-B2. Calibration and maintenance of vertical-axis type current meters, by G.F. Smoot and C.E. Novak: USGS--TWRI Book 8, Chapter B2. 1968. 15 pages.

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

GLENN COUNTY

	<u>Page</u>
LOCAL NUMBER 019N001W32G01M.....	12
LOCAL NUMBER 019N001W32G02M.....	13
LOCAL NUMBER 019N001W32G03M.....	14






Figure 3.--Index map to location of wells in Glenn County.

WATER LEVELS, GLENN COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 392730121593001

LOCAL NUMBER 019N001W32G01M

0.5 MI SOUTH OF BUTTE CITY. HYDRAULIC ROTARY OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM  
3 IN, DEPTH 1333 FT, SCREENED 1328-1333 FT. ALTITUDE OF LSD 87.40 FT. RECORDS AVAILABLE 1979 TO  
CURRENT YEAR. RECORDER INSTALLED 1979.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	2.25	2.24	1.81	2.16	1.26	---	0.79	0.39	0.17	0.32	0.72	1.14
2	2.25	2.24	1.81	2.15	1.36	---	0.84	0.38	0.17	0.35	0.73	1.14
3	2.25	2.19	1.66	2.12	1.13	---	0.84	0.37	0.21	0.35	0.73	1.17
4	2.26	2.16	1.67	2.06	1.22	---	0.79	0.36	0.21	0.35	0.73	1.18
5	2.26	2.11	1.67	2.03	1.36	---	0.73	0.30	0.21	0.35	0.73	1.21
6	2.21	2.07	1.67	2.07	1.44	---	0.71	0.23	0.22	0.35	0.73	1.21
7	2.24	2.11	1.67	2.07	1.44	---	0.76	0.23	0.26	0.35	0.73	1.21
8	2.25	2.25	1.84	2.13	1.48	---	0.76	0.23	0.26	0.35	0.73	1.25
9	2.26	2.28	1.84	2.13	1.53	---	0.75	0.23	0.26	0.35	0.79	1.26
10	2.26	2.28	1.84	2.11	1.57	---	0.68	0.19	0.26	0.35	0.79	1.33
11	2.28	2.28	1.84	2.11	1.57	---	0.63	0.19	0.26	0.35	0.79	1.34
12	2.28	2.24	1.84	2.11	1.46	---	0.59	0.19	0.26	0.35	0.79	1.33
13	2.25	2.21	1.84	2.09	0.91	---	0.67	0.19	0.26	0.35	0.79	1.35
14	2.25	2.27	1.84	1.95	0.69	---	0.64	0.15	0.26	0.35	0.79	1.37
15	2.26	2.30	1.84	1.97	---	---	0.60	0.11	0.26	0.35	0.79	1.37
16	2.19	2.29	1.84	1.97	---	---	0.60	0.11	0.26	0.35	0.79	1.35
17	---	---	1.84	1.78	---	---	0.60	0.11	0.26	0.35	0.79	1.35
18	---	---	1.84	1.76	---	---	0.60	0.12	0.26	0.35	0.79	1.36
19	---	---	1.84	1.77	---	---	0.60	0.12	0.26	0.66	0.79	1.35
20	---	---	1.84	1.91	---	---	0.60	0.12	0.26	0.62	0.79	1.35
21	2.18	---	1.84	1.88	---	---	0.54	0.17	0.26	0.52	0.79	1.35
22	2.18	2.24	1.84	1.90	---	---	0.46	0.17	0.26	0.58	0.79	1.35
23	2.18	2.21	2.25	1.94	---	---	0.42	0.17	0.26	0.63	0.79	1.35
24	2.21	2.03	2.24	1.94	---	---	0.43	0.17	0.29	0.67	0.79	1.25
25	2.21	1.95	2.24	1.94	---	---	0.44	0.17	0.29	0.69	0.79	1.28
26	2.21	2.04	2.24	1.94	---	0.84	0.44	0.17	0.29	0.69	1.10	1.36
27	2.21	2.12	2.22	1.92	---	0.82	0.44	0.17	0.32	0.69	1.12	1.39
28	2.21	2.01	2.23	1.85	---	0.80	0.44	0.17	0.34	0.69	1.14	1.39
29	2.21	1.65	2.23	1.82	---	0.80	0.43	0.17	0.34	0.69	1.14	1.39
30	2.21	1.66	2.16	1.26	---	0.81	0.43	0.17	0.31	0.69	1.18	1.39
31	2.22	---	2.16	1.16	---	0.81	---	0.17	---	0.69	1.18	---
MAX	2.28	2.30	2.25	2.16	---	---	0.84	0.39	0.34	0.69	1.18	1.39
MIN	2.18	1.65	1.66	1.16	---	---	0.42	0.11	0.17	0.32	0.72	1.14

HIGHEST +1.03 DEC 12, 1983  
LOWEST 8.03 NOV 15, 1979

WATER LEVELS, GLENN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 392730121593002

LOCAL NUMBER 019N001W32G02M

0.5 MI SOUTH OF BUTTE CITY. HYDRAULIC ROTARY OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN, DEPTH 968 FT, SCREENED 963-968 FT. ALTITUDE OF LSD 87.40 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR. RECORDER INSTALLED 1979.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	9.12	8.60	8.43	8.38	6.85	5.30	6.01	5.83	6.51	7.31	8.29	8.65
2	9.10	8.60	8.32	8.35	7.20	5.46	6.05	5.79	6.59	7.39	8.30	8.63
3	9.10	8.60	7.78	8.35	6.69	5.72	6.03	5.79	6.68	7.41	8.36	8.63
4	9.08	8.60	8.24	8.28	6.85	6.03	5.96	5.79	6.68	7.40	8.28	8.64
5	9.06	8.63	8.50	8.18	7.22	6.43	5.91	5.68	6.73	7.44	8.30	8.65
6	8.96	8.64	8.44	8.18	7.39	6.63	5.90	5.73	6.77	7.54	8.40	8.65
7	8.96	8.61	8.48	8.20	7.38	6.64	5.91	5.81	6.79	7.58	8.43	8.65
8	8.90	8.57	8.51	8.30	7.47	6.14	5.90	5.86	6.76	7.64	8.42	8.65
9	8.97	8.60	8.49	8.30	7.52	4.93	5.84	5.93	6.84	7.63	8.49	8.66
10	8.95	8.49	8.48	8.30	7.54	4.73	5.77	5.90	6.77	7.67	8.49	8.69
11	8.95	8.52	8.54	8.31	7.52	4.46	5.71	5.92	6.84	7.71	8.47	8.69
12	8.92	8.58	8.59	8.29	7.37	4.52	5.69	5.94	6.87	7.74	8.51	8.68
13	8.92	8.68	8.60	8.26	6.35	4.71	5.76	5.98	6.87	7.79	8.52	8.68
14	8.90	8.71	8.59	8.15	6.08	4.91	5.71	5.89	6.90	7.81	8.57	8.67
15	8.87	8.72	8.58	8.16	4.85	4.89	5.68	5.82	6.90	7.83	8.58	8.59
16	8.81	8.67	8.57	8.14	3.64	4.78	5.68	5.98	6.94	7.84	8.62	8.56
17	8.78	8.64	8.57	7.59	3.82	4.55	5.69	6.09	6.95	7.96	8.64	8.58
18	8.81	8.72	8.57	7.65	3.24	5.26	5.70	6.16	7.09	8.08	8.58	8.56
19	8.82	8.77	8.55	7.83	1.95	5.70	5.70	6.11	7.04	8.11	8.61	8.49
20	8.73	8.72	8.53	8.01	3.17	5.98	5.70	6.15	7.08	8.03	8.62	8.49
21	8.63	8.70	8.52	7.95	3.54	6.08	5.67	6.21	7.06	7.96	8.65	8.48
22	8.65	8.76	8.50	8.01	3.95	6.08	5.62	6.23	7.16	8.04	8.65	8.46
23	8.66	8.71	8.55	8.06	4.22	6.06	5.61	6.32	7.08	8.09	8.64	8.42
24	8.65	8.57	8.54	8.01	4.49	6.11	5.64	6.32	7.13	8.06	8.61	8.21
25	8.64	8.47	8.52	8.04	4.69	6.10	5.65	6.32	7.15	8.12	8.63	8.26
26	8.62	8.60	8.50	8.04	4.78	6.10	5.65	6.31	7.19	8.14	8.63	8.36
27	8.60	8.67	8.50	7.99	4.90	6.09	5.66	6.39	7.27	8.20	8.67	8.37
28	8.60	8.55	8.50	7.93	5.04	6.07	5.71	6.40	7.35	8.20	8.68	8.33
29	8.61	8.09	8.45	7.89	---	6.09	5.64	6.41	7.27	8.25	8.67	8.35
30	8.60	7.86	8.39	6.94	---	6.09	5.75	6.44	7.29	8.17	8.70	8.28
31	8.60	---	8.40	6.81	---	6.04	---	6.50	---	8.21	8.70	---
MAX	9.12	8.77	8.60	8.38	7.54	6.64	6.05	6.50	7.35	8.25	8.70	8.69
MIN	8.60	7.86	7.78	6.81	1.95	4.46	5.61	5.68	6.51	7.31	8.28	8.21

HIGHEST 1.95 FEB 19, 1986  
LOWEST 12.02 SEP 08, 1981

WATER LEVELS, GLENN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 392730121593003

LOCAL NUMBER 019N001W32G03M

0.5 MI SOUTH OF BUTTE CITY. HYDRAULIC ROTARY OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM  
3 IN, DEPTH 595 FT, SCREENED 590-595 FT. ALTITUDE OF LSD 87.40 FT. RECORDS AVAILABLE 1979 TO  
CURRENT YEAR. RECORDER INSTALLED 1979.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	16.42	16.34	16.09	15.40	13.70	8.90	8.95	12.83	16.01	18.78	19.94	18.09
2	16.38	16.34	15.93	15.40	13.71	8.90	9.03	12.99	16.09	18.93	19.84	17.97
3	16.36	16.35	15.71	15.39	13.46	8.91	9.09	13.09	16.22	19.08	19.73	17.90
4	16.35	16.37	15.84	15.33	13.44	9.02	9.13	13.17	16.23	19.16	19.61	17.86
5	16.33	16.42	15.88	15.25	13.47	9.11	9.25	13.20	16.14	19.24	19.50	17.79
6	16.25	16.47	15.84	15.25	13.47	9.11	9.28	13.22	16.14	19.35	19.42	17.70
7	16.21	16.48	15.77	15.25	13.42	9.11	9.51	13.32	16.21	19.49	19.41	17.60
8	16.19	16.47	15.73	15.25	13.34	8.89	9.63	13.40	16.30	19.46	19.41	17.50
9	16.20	16.50	15.68	15.25	13.28	7.91	9.74	13.57	16.39	19.35	19.41	17.41
10	16.21	16.44	15.59	15.25	13.21	7.70	9.79	13.72	16.42	19.33	19.41	17.34
11	16.21	16.47	15.57	15.23	13.14	7.75	9.86	13.95	16.44	19.37	19.41	17.25
12	16.21	16.52	15.56	15.19	12.97	7.73	9.90	14.26	16.49	19.45	19.38	17.14
13	16.21	16.65	15.56	15.14	12.39	7.98	10.06	14.63	16.71	19.46	19.29	17.07
14	16.21	16.70	15.51	15.03	12.13	7.99	10.13	14.76	17.04	19.40	19.25	17.00
15	16.20	16.71	15.49	14.99	10.94	8.00	10.22	14.92	17.28	19.25	19.25	16.89
16	16.18	16.70	15.47	14.98	9.84	7.91	10.44	15.07	17.40	19.18	19.25	16.79
17	16.15	16.66	15.45	14.74	10.13	7.64	10.63	15.09	17.39	19.16	19.23	16.73
18	16.18	16.69	15.42	14.67	9.60	7.68	10.81	15.13	17.38	19.23	19.13	16.66
19	16.22	16.72	15.39	14.70	8.83	7.72	11.02	15.13	17.38	19.45	18.95	16.56
20	16.20	16.71	15.36	14.73	9.22	7.72	11.19	15.19	17.38	19.58	18.82	16.52
21	16.14	16.66	15.35	14.71	9.29	7.80	11.28	15.29	17.32	19.58	18.72	16.47
22	16.23	16.61	15.34	14.71	9.38	7.85	11.33	15.36	17.27	19.47	18.57	16.39
23	16.28	16.56	15.43	14.66	9.38	7.88	11.48	15.44	17.27	19.39	18.44	16.29
24	16.31	16.41	15.43	14.63	9.32	7.93	11.64	15.56	17.29	19.27	18.37	16.12
25	16.32	16.29	15.43	14.60	9.22	7.94	11.82	15.69	17.34	19.28	18.34	16.11
26	16.32	16.34	15.43	14.56	9.09	8.60	11.97	15.81	17.55	19.29	18.31	16.09
27	16.31	16.38	15.43	14.48	8.96	8.64	12.15	15.85	17.98	19.46	18.31	16.08
28	16.31	16.28	15.43	14.40	8.90	8.68	12.30	15.92	18.37	19.76	18.31	16.03
29	16.33	15.96	15.43	14.35	---	8.75	12.47	15.96	18.66	19.95	18.28	15.99
30	16.33	15.87	15.40	13.81	---	8.84	12.67	16.01	18.77	20.03	18.22	15.92
31	16.33	---	15.40	13.69	---	8.92	---	16.01	---	20.03	18.14	---
MAX	16.42	16.72	16.09	15.40	13.71	9.11	12.67	16.01	18.77	20.03	19.94	18.09
MIN	16.14	15.87	15.34	13.69	8.83	7.64	8.95	12.83	16.01	18.78	18.14	15.92

HIGHEST 5.52 MAR 03, 1983  
LOWEST 22.49 AUG 01, 1981

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

IMPERIAL COUNTY

	<u>Page</u>
LOCAL NUMBER 015S011E32R01S.....	17
LOCAL NUMBER 016S009E24B01S.....	17,25
LOCAL NUMBER 016S009E24D01S.....	17,25
LOCAL NUMBER 016S009E24R01S.....	17,25
LOCAL NUMBER 016S009E25K02S.....	18
LOCAL NUMBER 016S009E25K04S.....	25
LOCAL NUMBER 016S009E25Q01S.....	18
LOCAL NUMBER 016S009E35M01S.....	18
LOCAL NUMBER 016S009E36D02S.....	18,25
LOCAL NUMBER 016S009E36G04S.....	19
LOCAL NUMBER 016S009E36H01S.....	19,25
LOCAL NUMBER 016S010E14N01S.....	19
LOCAL NUMBER 016S010E16D01S.....	19
LOCAL NUMBER 016S010E18P01S.....	20
LOCAL NUMBER 016S010E27R01S.....	20
LOCAL NUMBER 016S010E29H01S.....	20
LOCAL NUMBER 016S010E29L01S.....	20,25
LOCAL NUMBER 016S010E29R02S.....	21
LOCAL NUMBER 016S010E30R01S.....	25
LOCAL NUMBER 016S010E42A05S.....	21,25
LOCAL NUMBER 016S011E23B01S.....	21
LOCAL NUMBER 016S011E27F01S.....	21
LOCAL NUMBER 016S011E42L01S.....	22
LOCAL NUMBER 016S011E42M01S.....	22
LOCAL NUMBER 016S011E42M05S.....	22
LOCAL NUMBER 017S010E11B01S.....	22
LOCAL NUMBER 017S010E11G01S.....	23
LOCAL NUMBER 017S010E11G04S.....	23
LOCAL NUMBER 017S010E11H01S.....	23
LOCAL NUMBER 017S010E11H02S.....	23,25
LOCAL NUMBER 017S011E16J01S.....	24
LOCAL NUMBER 017S011E18K01S.....	24
LOCAL NUMBER 017S011E22E02S.....	24




Figure 4.--Index map to location of wells in Imperial County.

WATER LEVELS, IMPERIAL COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 324851115505901

LOCAL NUMBER 015S011E32R01S

ABOUT 1.5 MI NORTH OF PLASTER CITY. DRILLED UNUSED WATER-TABLE WELL. DIAM 1.25 IN, DEPTH 152 FT, PERFORATED 138-140 FT. WELL FILLED IN TO 145.8 FT IN 1974. ALTITUDE OF LSD 65 FT. RECORDS AVAILABLE 1964, 1974, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 29, 1985	49.21 S	APR 03, 1986	49.03 S
	HIGHEST	49.03	APR 03, 1986
	LOWEST	101.00	MAR 19, 1964

SITE NUMBER 324608115593501

LOCAL NUMBER 016S009E24B01S

ABOUT 2 MI NORTH OF OCOTILLO. BORED OBSERVATION WATER-TABLE WELL IN SAND AND CLAY OF QUATERNARY AGE. DIAM 2 IN, DEPTH 128.8 FT, SAND POINT 125-128.5 FT. ALTITUDE OF LSD 385 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 29, 1985	106.42 S	APR 02, 1986	106.51 S
	HIGHEST	105.34	NOV 17, 1976
	LOWEST	106.51	APR 02, 1986

SITE NUMBER 324558115595201

LOCAL NUMBER 016S009E24D01S

ABOUT 2 MI NORTH OF OCOTILLO. BORED UNUSED WATER-TABLE WELL IN SAND AND CLAY OF QUATERNARY AGE. DIAM 2 IN, DEPTH 150 FT, CASED TO 145.5 FT, SAND POINT 145.5-149 FT. ALTITUDE OF LSD 382 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 29, 1985	105.44 S	APR 02, 1986	105.52 S
	HIGHEST	103.86	APR 28, 1977
	LOWEST	105.52	APR 02, 1986

SITE NUMBER 324518115591501

LOCAL NUMBER 016S009E24R01S

ABOUT 1 MI NORTH OF OCOTILLO. BORED UNUSED WATER-TABLE WELL IN SAND AND CLAY OF QUATERNARY AGE. DIAM 2 IN, DEPTH 105 FT, CASED TO 101.5 FT, SAND POINT 98-101.5 FT. ALTITUDE OF LSD 335 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	59.89 S	APR 03, 1986	59.82 S
	HIGHEST	58.00	NOV 17, 1976
	LOWEST	60.23	SEP 22, 1983

WATER LEVELS, IMPERIAL COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 324439115593401

LOCAL NUMBER 016S009E25K02S

IN OCOTILLO, EAST OF IMPERIAL HWY. DRILLED COMMERCIAL WATER-TABLE WELL. DIAM 10 IN, DEPTH 420 FT IN 1974, PERFORATED 132-192, 242-372 FT. ALTITUDE OF LSD 364 FT. RECORDS AVAILABLE 1972, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	93.86 S	MAR 27, 1986	93.63 SR	APR 04, 1986	93.54 S
	HIGHEST	83.00	AUG 24, 1972		
	LOWEST	101.47	MAR 14, 1979		

SITE NUMBER 324426115593601

LOCAL NUMBER 016S009E25Q01S

IN OCOTILLO, NORTH OF INTERSTATE 8 AND EAST OF IMPERIAL HWY. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 128 FT. ALTITUDE OF LSD 372 FT. RECORDS AVAILABLE 1974, 1976, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	106.56 S	MAR 25, 1986	105.92 S
	HIGHEST	104.24	DEC 01, 1974
	LOWEST	107.20	OCT 06, 1982

SITE NUMBER 324345116010001

LOCAL NUMBER 016S009E35M01S

ABOUT 1 MI WEST OF SHELL CANYON ROAD. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 535 FT, PERFORATED 415-425, 470-495 FT. ALTITUDE OF LSD 610 FT. RECORDS AVAILABLE 1962, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	324.87 S	MAR 25, 1986	325.81 SR
	HIGHEST	321.00	MAR 01, 1962
	LOWEST	327.04	APR 28, 1977

SITE NUMBER 324422116000301

LOCAL NUMBER 016S009E36D02S

ABOUT 300 FT EAST OF SHELL CANYON ROAD. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 200 FT, PERFORATED 150-200 FT. ALTITUDE OF LSD 435 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	160.56 S	MAR 27, 1986	160.37 S
	HIGHEST	157.90	JUN 26, 1975
	LOWEST	160.56	OCT 30, 1985



WATER LEVELS, IMPERIAL COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 324401115593201

LOCAL NUMBER 016S009E36G04S

SOUTH OF INTERSTATE 8 AND EAST OF IMPERIAL HWY. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 10.75 FT, DEPTH 561 FT, PERFORATED 340-560 FT. ALTITUDE OF LSD 382 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	122.63 S	MAR 28, 1986	122.14 S
	HIGHEST	122.14	MAR 28, 1986
	LOWEST	136.47	JUN 28, 1975

SITE NUMBER 324407115590901

LOCAL NUMBER 016S009E36H01S

ABOUT 0.56 MI EAST OF HWY S-2 SOUTH OF INTERSTATE 8. DRILLED INDUSTRIAL-DOMESTIC WATER-TABLE WELL IN SAND AND CLAY. DIAM 10.75 IN, DEPTH 410 FT, PERFORATED 60-380 FT. ALTITUDE OF LSD 342 FT. RECORDS AVAILABLE 1954, 1960, 1966, 1974, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	84.08 SR	MAR 27, 1986	83.29 S
	HIGHEST	68.50	MAR 21, 1954
	LOWEST	85.00	MAY 01, 1960

SITE NUMBER 324620115544301

LOCAL NUMBER 016S010E14N01S

ABOUT 1.25 MI NORTHEAST OF PAINTED GORGE ROAD AND HWY 80. DRILLED UNUSED WATER-TABLE WELL. DIAM 2 IN, WELL POINT 120-122 FT. ALTITUDE OF LSD 225 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	95.35 S	MAR 25, 1986	95.33 S
	HIGHEST	92.37	DEC 08, 1975
	LOWEST	96.78	MAY 13, 1975

SITE NUMBER 324700115565201

LOCAL NUMBER 016S010E16D01S

ABOUT 2.17 MI NORTH OF HWY 80 ON JEEP TRAIL ABOUT 1.5 MI NORTHEAST OF COYOTE WELLS. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH DRILLED 105 FT, 60 FT IN 1975. ALTITUDE OF LSD 240 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	42.91 S	MAR 25, 1986	43.03 S
	HIGHEST	39.60	APR 26, 1977
	LOWEST	46.25	JUN 23, 1975

WATER LEVELS, IMPERIAL COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 324612115583901

LOCAL NUMBER 016S010E18P01S

ABOUT 2.5 MI NORTHEAST OF OCOTILLO AND 2 MI NORTHWEST OF COYOTE WELLS. DRILLED UNUSED WATER-TABLE WELL. DIAM 6.6 IN, DEPTH DRILLED 300 FT, 196.2 FT IN 1975, 70 FT ON 04-11-1985. ALTITUDE OF LSD 340 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 29, 1985	D	APR 02, 1986	D
	HIGHEST	69.57	OCT 15, 1976
	LOWEST	73.24	OCT 06, 1978

SITE NUMBER 324430115555501

LOCAL NUMBER 016S010E27R01S

ABOUT 2 MI EAST OF COYOTE WELLS. DRILLED UNUSED WATER-TABLE WELL. DIAM 2 IN, DEPTH 104 FT, SAND POINT 102-104 FT. ALTITUDE OF LSD 300 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	98.59 S	APR 04, 1986	98.58 S
	HIGHEST	98.56	OCT 07, 1982
	LOWEST	98.97	MAY 12, 1975

SITE NUMBER 324458115570301

LOCAL NUMBER 016S010E29H01S

ABOUT 2.6 MI NORTHEAST OF COYOTE WELLS ON HWY 80. DRILLED UNUSED WATER-TABLE WELL. DIAM 2 IN, DEPTH 38.7 FT, SAND POINT 36.7-38.7 FT. ALTITUDE OF LSD 250 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	23.43 S	MAR 25, 1986	23.43 S
	HIGHEST	21.53	APR 26, 1978
	LOWEST	23.50	APR 26, 1985

SITE NUMBER 324440115574301

LOCAL NUMBER 016S010E29L01S

ABOUT 2 MI EAST OF OCOTILLO ON HWY 80. UNUSED WATER-TABLE WELL. DIAM 2 IN, DEPTH 50 FT, SAND POINT 44.5-48 FT. ALTITUDE OF LSD 280 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	28.56 S	APR 03, 1986	28.60 S
	HIGHEST	23.32	NOV 09, 1976
	LOWEST	28.60	APR 03, 1986

WATER LEVELS, IMPERIAL COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 324428115570701

LOCAL NUMBER 016S010E29R02S

ABOUT 1 MI EAST OF COYOTE WELLS. DRILLED UNUSED WATER-TABLE WELL. DIAM 2 IN, DEPTH 30.15 FT, SAND POINT 28-30 FT. ALTITUDE OF LSD 258 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	D	APR 04, 1986	D
	HIGHEST	9.74	MAY 12, 1975
	LOWEST	16.24	OCT 23, 1984

SITE NUMBER 324329115580501

LOCAL NUMBER 016S010E42A05S

ABOUT 2 MI SOUTHEAST OF OCOTILLO IN NO MIRAGE SUBDIVISION OFF HWY 98. DOMESTIC WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 328 FT. RECORDS AVAILABLE 1974, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	77.11 S	MAR 28, 1986	77.18 S
	HIGHEST	73.21	DEC 30, 1974
	LOWEST	77.18	MAR 28, 1986

SITE NUMBER 324603115480501

LOCAL NUMBER 016S011E23B01S

ABOUT 3.5 MI SOUTHEAST OF PLASTER CITY. AUGERED UNUSED WATER-TABLE WELL. DIAM 1.25 IN, DEPTH 127 FT IN 1964, 114.7 FT IN 1974, PERFORATED 121-123 FT. ALTITUDE OF LSD 30 FT. RECORDS AVAILABLE 1964, 1974, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 29, 1985	40.36 S	APR 04, 1986	40.43 S
	HIGHEST	39.34	APR 25, 1978
	LOWEST	101.17	MAR 19, 1964

SITE NUMBER 324500115492101

LOCAL NUMBER 016S011E27F01S

ABOUT 1.85 MI SOUTHWEST OF INTERSTATE 8 AND DUNAWAY RD. DRILLED UNUSED WATER-TABLE WELL. DIAM 2 IN, DEPTH 134.5 FT, SAND POINT 132.5-134.5 FT. ALTITUDE OF LSD 100 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 29, 1985	98.92 S	APR 04, 1986	98.95 S
	HIGHEST	92.95	MAY 07, 1975
	LOWEST	99.16	OCT 08, 1982

WATER LEVELS, IMPERIAL COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 324251115522201

LOCAL NUMBER 016S011E42L01S

ABOUT 7.2 MI SOUTHEAST OF OCOTILLO. BORED UNUSED WATER-TABLE WELL IN SAND AND CLAY OF QUATERNARY AND TERTIARY AGE. DIAM 2 IN, DEPTH 143.5 FT, SAND POINT 141.5-143.5 FT. ALTITUDE OF LSD 195 FT. RECORDS AVAILABLE 1975-76, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	36.83 S	APR 04, 1986	37.23 S
	HIGHEST	22.85	OCT 07, 1982
	LOWEST	44.77	MAY 09, 1975

SITE NUMBER 324258115523501

LOCAL NUMBER 016S011E42M01S

ABOUT 7 MI SOUTHEAST OF OCOTILLO. UNUSED WATER-TABLE WELL. DIAM 50 IN, DEPTH 7 FT IN 1980. ALTITUDE OF LSD 220 FT. RECORDS AVAILABLE 1949, 1962, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	D	APR 04, 1986	D
	HIGHEST	4.17	MAR 30, 1983
	LOWEST	7.50	JAN 18, 1949

SITE NUMBER 324258115524101

LOCAL NUMBER 016S011E42M05S

ABOUT 6.9 MI SOUTHEAST OF OCOTILLO. UNUSED WATER-TABLE WELL. DIAM 5 IN, DEPTH 6.5 FT, 4.9 FT IN 1980, DEEPENED TO 10 FT ON 12/18/1981. ALTITUDE OF LSD 220 FT. RECORDS AVAILABLE 1949, 1974, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	4.88 S	APR 04, 1986	4.01 S
	HIGHEST	3.33	APR 27, 1977
	LOWEST	DRY	OCT 05, 1978 SEP 12, 1979 SEP 24, 1980

SITE NUMBER 324138115552901

LOCAL NUMBER 017S010E11B01S

SOUTHEAST OF OCOTILLO ALONG HWY 98 IN YUHA ESTATES. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 7 IN, DEPTH 301 FT. ALTITUDE OF LSD 376 FT. RECORDS AVAILABLE 1975-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	163.29 S	APR 04, 1986	162.99 S
	HIGHEST	154.80	JAN 08, 1976
	LOWEST	163.49	OCT 24, 1984

WATER LEVELS, IMPERIAL COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 324123115552901

LOCAL NUMBER 017S010E11G01S

SOUTHEAST OF OCOTILLO ALONG HWY 98 IN YUHA ESTATES. DRILLED COMMERCIAL WATER-TABLE WELL. DIAM 8.6 IN, DEPTH 300 FT, CASED TO 300 FT, PERFORATED 160-300 FT. ALTITUDE OF LSD 375 FT. RECORDS AVAILABLE 1967, 1971-72, 1975-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	185.31 S	APR 03, 1986	182.92 S
	HIGHEST	164.94	JUN 27, 1975
	LOWEST	232.80	NOV 06, 1981

SITE NUMBER 324119115553201

LOCAL NUMBER 017S010E11G04S

SOUTHEAST OF OCOTILLO ALONG HWY 98 IN YUHA ESTATES. DRILLED UNUSED WATER-TABLE WELL. DIAM 10.75 IN, DEPTH 200.6 FT. ALTITUDE OF LSD 375 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	189.71 S	APR 03, 1986	188.26 S
	HIGHEST	188.26	APR 03, 1986
	LOWEST	206.21	OCT 07, 1982

SITE NUMBER 324114115552301

LOCAL NUMBER 017S010E11H01S

SOUTHEAST OF OCOTILLO ALONG HWY 98 IN YUHA ESTATES. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 350 FT. ALTITUDE OF LSD 380 FT. RECORDS AVAILABLE 1964, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	171.69 S	APR 03, 1986	171.37 S
	HIGHEST	158.27	JUN 15, 1964
	LOWEST	174.33	OCT 26, 1983

SITE NUMBER 324118115552101

LOCAL NUMBER 017S010E11H02S

SOUTHEAST OF OCOTILLO ALONG HWY 98 IN YUHA ESTATES. DRILLED DOMESTIC WATER-TABLE WELL IN SAND AND CLAY. DIAM 4 IN, DEPTH 344 FT. ALTITUDE OF LSD 376 FT. RECORDS AVAILABLE 1973, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	190.27 SR	APR 04, 1986	185.06 SR
	HIGHEST	165.00	MAR 01, 1973
	LOWEST	189.87	OCT 07, 1982

WATER LEVELS, IMPERIAL COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 324013115511101

LOCAL NUMBER 017S011E16J01S

ABOUT 11.5 MI EAST OF HWY 98 AND INTERSTATE 8 NEAR SUNRISE BUTTE. DRILLED UNUSED WATER-TABLE WELL IN CLAY AND SILT. DIAM 4 IN, DEPTH 336.5 FT, PERFORATED 226-366 FT. ALTITUDE OF LSD 298.7 FT. RECORDS AVAILABLE 1970, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	95.44 S	MAR 28, 1986	95.52 S
	HIGHEST	95.00	MAY 19, 1970
	LOWEST	96.66	FEB 04, 1975

SITE NUMBER 324009115532301

LOCAL NUMBER 017S011E18K01S

ABOUT 8 MI SOUTHEAST OF HWY 98 AND INTERSTATE 8 IN SOUTHERN END OF CRUCIFIXION THORNS AREA. DRILLED UNUSED WATER-TABLE WELL. DIAM 2 IN, DEPTH 147.29 FT, SAND POINT 145.5-147.5 FT. ALTITUDE OF LSD 341.6 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	135.74 S	MAR 28, 1986	135.75 S
	HIGHEST	135.74	OCT 30, 1985
	LOWEST	136.76	MAY 14, 1975

SITE NUMBER 323934115504701

LOCAL NUMBER 017S011E22E02S

ABOUT 12 MI SOUTHEAST OF HWY 98 AND INTERSTATE 8 AND ABOUT 1 MI SOUTHEAST OF SUNRISE BUTTE. DRILLED UNUSED WATER-TABLE WELL. DIAM 2 IN, DEPTH 119.65 FT, SAND POINT 117.6-119.6 FT. ALTITUDE OF LSD 303.9 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	100.94 S	MAR 28, 1986	101.04 S
	HIGHEST	100.94	OCT 30, 1985
	LOWEST	102.48	MAY 08, 1975

## WATER QUALITY, IMPERIAL COUNTY

## INORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE (DEG C)	HARD- NESS (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO3)	CALCIUM DIS- SOLVED (MG/L AS CA)
016S009E24B01S	04-02-86	1130	106.51	2210	8.50	29.5	26	0	7.0
016S009E24D01S	04-02-86	1400	105.52	810	8.40	29.5	39	0	10
016S009E24R01S	04-03-86	1130	59.82	675	8.30	28.0	58	0	14
016S009E25K04S	03-27-86	1300	--	650	8.20	29.5	68	0	19
016S009E36D02S	03-27-86	1100	160.37	585	8.20	29.5	45	0	14
016S009E36H01S	03-27-86	0900	83.29	490	8.10	31.0	61	0	18
016S010E29L01S	04-03-86	0900	28.60	1170	8.40	28.0	33	0	7.8
016S010E30R01S	03-27-86	1430	--	1040	7.90	28.0	170	34	45
016S010E42A05S	03-28-86	1100	77.18	750	8.30	29.0	34	0	8.7
017S010E11H02S	04-04-86	0830	--	495	8.10	31.5	68	0	20

LOCAL NUMBER	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	PERCENT SODIUM	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WH WAT TOTAL FIELD (MG/L AS CACO3)	CARBON DIOXIDE DIS- SOLVED (MG/L AS CO2)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)
016S009E24B01S	2.1	500	97	44	2.9	187	1.1	300	390
016S009E24D01S	3.3	150	88	11	4.0	99	0.8	130	86
016S009E24R01S	5.6	110	79	6	5.3	97	0.9	91	79
016S009E25K04S	5.0	100	75	5	4.5	125	1.5	55	87
016S009E36D02S	2.5	98	81	7	3.9	131	1.6	33	81
016S009E36H01S	3.8	73	71	4	4.2	103	1.6	31	61
016S010E29L01S	3.4	230	93	18	3.2	148	1.1	67	220
016S010E30R01S	14	130	62	4	5.2	136	3.3	65	200
016S010E42A05S	3.1	140	89	11	2.8	177	1.7	68	83
017S010E11H02S	4.5	75	69	4	4.4	117	1.8	52	47

LOCAL NUMBER	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
016S009E24B01S	1.8	23	1300	<0.10	<0.01	760	90	<10
016S009E24D01S	1.1	16	460	1.40	<0.01	420	6	<1
016S009E24R01S	0.9	23	390	1.20	<0.01	260	49	16
016S009E25K04S	1.0	30	380	1.70	0.02	270	18	1
016S009E36D02S	2.2	32	350	0.72	0.02	650	38	9
016S009E36H01S	0.8	34	290	1.80	0.02	200	15	1
016S010E29L01S	0.9	18	640	<0.10	<0.01	370	150	3
016S010E30R01S	1.0	38	580	6.60	0.02	430	17	1
016S010E42A05S	2.8	34	450	0.89	0.02	700	12	1
017S010E11H02S	0.5	19	290	<0.10	<0.01	170	11	5

&lt; Actual value is known to be less than the value shown.

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

INYO COUNTYPage

LOCAL NUMBER 015S044E36G01M.....	28, 34
LOCAL NUMBER 015S044E36G02M.....	28
LOCAL NUMBER 015S044E36H01M.....	28, 34
LOCAL NUMBER 015S044E36H02M.....	28
LOCAL NUMBER 015S044E36J01M.....	29, 34
LOCAL NUMBER 015S044E36J05M.....	29, 34
LOCAL NUMBER 015S044E36J06M.....	29, 34
LOCAL NUMBER 015S044E36K03M.....	29, 34
LOCAL NUMBER 015S044E36K04M.....	30, 34
LOCAL NUMBER 015S044E36K05M.....	30, 34
LOCAL NUMBER 015S044E36L01M.....	30, 34
LOCAL NUMBER 015S044E36M01M.....	30, 34
LOCAL NUMBER 015S044E36M02M.....	31
LOCAL NUMBER 015S044E36Q02M.....	34
LOCAL NUMBER 015S044E36Q03M.....	31
LOCAL NUMBER 015S044E36Q04M.....	31
LOCAL NUMBER 015S045E31M01M.....	31, 34
LOCAL NUMBER 015S045E31M02M.....	32
LOCAL NUMBER 016S044E01C01M.....	32, 34
LOCAL NUMBER 024S040E34E01M.....	32
LOCAL NUMBER 027N001E24E01S.....	32
LOCAL NUMBER 028N001E36G03S.....	33






Figure 5.--Index map to location of wells in Inyo County.

## WATER LEVELS, INYO COUNTY

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 363633117083201

LOCAL NUMBER 015S044E36G01M

ABOUT 0.25 MI NORTHEAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 47 FT, CASED TO 46.9 FT, SAND POINT 44.9-46.9 FT. ALTITUDE OF LSD -25.21 FT. RECORDS AVAILABLE 1973-75, 1977 TO CURRENT YEAR. RECORDER FROM NOVEMBER 1973-APRIL 1975.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUN 12, 1986	23.54 S	SEP 04, 1986	23.80 S
	HIGHEST	20.45	SEP 21, 1978
	LOWEST	23.80	SEP 04, 1986

SITE NUMBER 363633117083202

LOCAL NUMBER 015S044E36G02M

ABOUT 0.25 MI NORTHEAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 27.7 FT, CASED TO 27.7 FT, SAND POINT 24.7-27.7 FT. ALTITUDE OF LSD -25.31 FT. RECORDS AVAILABLE 1973-75, 1977 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUN 12, 1986	22.95 S	SEP 04, 1986	23.41 S
	HIGHEST	21.05	NOV 03, 1973
	LOWEST	23.41	SEP 04, 1986

SITE NUMBER 363633117083001

LOCAL NUMBER 015S044E36H01M

ABOUT 0.35 MI NORTHEAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 52 FT, CASED TO 51.2 FT, SAND POINT 49.2-51.2 FT. ALTITUDE OF LSD -26.20 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUN 12, 1986	23.95 S	SEP 04, 1986	24.15 S
	HIGHEST	22.25	NOV 03, 1973
	LOWEST	24.15	SEP 04, 1986

SITE NUMBER 363633117083002

LOCAL NUMBER 015S044E36H02M

ABOUT 0.35 MI NORTHEAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 28.25 FT, CASED TO 28.25 FT, SAND POINT 25.25-28.25 FT. ALTITUDE OF LSD -26.10 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUN 12, 1986	24.00 S	SEP 04, 1986	24.24 S
	HIGHEST	18.04	NOV 03, 1973
	LOWEST	24.24	SEP 04, 1986

WATER LEVELS, INYO COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 363629117083001

LOCAL NUMBER 015S044E36J01M

ABOUT 0.25 MI NORTHEAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 52 FT, CASSED TO 50.7 FT, SAND POINT 48.7-50.7 FT. ALTITUDE OF LSD -22.76 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUN 12, 1986	27.61 S	SEP 04, 1986	27.80 S
	HIGHEST	24.90	NOV 28, 1973
	LOWEST	29.00	NOV 02, 1973

SITE NUMBER 363624117083601

LOCAL NUMBER 015S044E36J05M

ABOUT 0.3 MI EAST OF STOVEPIPE WELLS GAS STATION AND 180 FT SOUTH OF HWY 190. DRILLED OBSERVATION WELL IN ALLUVIAL FAN DEPOSITS. DIAM 2 IN, DEPTH 44.3 FT, CASSED TO 44.3 FT, PERFORATED 32.55-44.3 FT. ALTITUDE OF LSD -15.30 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUN 12, 1986	36.58 S	SEP 04, 1986	36.74 S
	HIGHEST	36.06	MAY 16, 1980
	LOWEST	36.74	SEP 04, 1986

SITE NUMBER 363624117083101

LOCAL NUMBER 015S044E36J06M

ABOUT 0.25 MI EAST OF STOVEPIPE WELLS GAS STATION AND 280 FT SOUTH OF HWY 190. DRILLED OBSERVATION WELL IN ALLUVIAL FAN DEPOSITS. DIAM 2 IN, DEPTH 46 FT, CASSED TO 46 FT, PERFORATED 36-46 FT. ALTITUDE OF LSD -12.64 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUN 12, 1986	38.23 S	SEP 04, 1986	38.36 S
	HIGHEST	37.69	MAY 16, 1980
	LOWEST	38.36	SEP 04, 1986

SITE NUMBER 363624117082401

LOCAL NUMBER 015S044E36K03M

ABOUT 780 FT EAST OF STOVEPIPE WELLS GAS STATION AND 280 FT SOUTH OF HWY 190. DRILLED OBSERVATION WELL IN ALLUVIAL FAN DEPOSITS. DIAM 2 IN, DEPTH 46 FT, CASSED TO 45.42 FT, PERFORATED 37.42-45.42 FT. ALTITUDE OF LSD -9.66 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUN 12, 1986	40.16 S	SEP 04, 1986	40.32 S
	HIGHEST	39.42	JUN 17, 1980
	LOWEST	40.32	SEP 04, 1986

WATER LEVELS, INYO COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 363624117082001

LOCAL NUMBER 015S044E36K04M

ABOUT 280 FT EAST OF STOVEPIPE WELLS GAS STATION AND 113 FT SOUTH OF HWY 190. DRILLED OBSERVATION WELL IN ALLUVIAL FAN DEPOSITS. DIAM 2 IN, DEPTH 47 FT, CASED TO 47 FT, PERFORATED 38-47 FT. ALTITUDE OF LSD -7.98 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUN 12, 1986	40.86 S	SEP 04, 1986	41.04 S
	HIGHEST	40.53	JUN 17, 1980
	LOWEST	41.04	SEP 04, 1986

SITE NUMBER 363623117084001

LOCAL NUMBER 015S044E36K05M

ABOUT 270 FT SOUTHEAST OF STOVEPIPE WELLS GROCERY STORE NEAR SWIMMING POOL. DRILLED OBSERVATION WELL IN ALLUVIAL FAN DEPOSITS. DIAM 2 IN, DEPTH 60 FT, CASED TO 59 FT, PERFORATED 49-59 FT. ALTITUDE OF LSD 0.73 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUN 12, 1986	49.39 S	SEP 03, 1986	49.53 S
	HIGHEST	49.02	APR 28, 1985
	LOWEST	49.53	SEP 03, 1986

SITE NUMBER 363623117084901

LOCAL NUMBER 015S044E36L01M

ABOUT 150 FT SOUTHWEST OF STOVEPIPE WELLS GROCERY STORE. DRILLED OBSERVATION WELL IN ALLUVIAL FAN DEPOSITS. DIAM 2 IN, DEPTH 56.6 FT, CASED TO 56.6 FT, PERFORATED 46.5-56.6 FT. ALTITUDE OF LSD -1.85 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUN 12, 1986	46.17 S	SEP 02, 1986	46.33 S
	HIGHEST	45.07	JUN 17, 1980
	LOWEST	46.33	SEP 02, 1986

SITE NUMBER 363621117091801

LOCAL NUMBER 015S044E36M01M

ABOUT 0.5 MI WEST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 43.8 FT, CASED TO 45.3 FT, SAND POINT 43.3-45.3 FT. ALTITUDE OF LSD -15.22 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUN 12, 1986	28.62 S	SEP 05, 1986	28.73 S
	HIGHEST	27.70	APR 09, 1974
	LOWEST	28.73	SEP 05, 1986

WATER LEVELS, INYO COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 363621117091802

LOCAL NUMBER 015S044E36M02M

ABOUT 0.5 MI WEST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 32.7 FT, CASED TO 32.7 FT, SAND POINT 29.7-32.7 FT. ALTITUDE OF LSD -15.33 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUN 12, 1986	28.60 S	SEP 05, 1986	28.65 S
	HIGHEST	18.46	NOV 03, 1973
	LOWEST	28.65	SEP 05, 1986

SITE NUMBER 363607117083703

LOCAL NUMBER 015S044E36Q03M

ABOUT .37 MI SOUTH OF STATE HWY 190. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 296 FT. PERFORATED 276-296 FT. ALTITUDE OF LSD 80 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
SEP 03, 1986	129.92 S		
	HIGHEST	129.92	SEP 03, 1986
	LOWEST	129.92	SEP 03, 1986

SITE NUMBER 363607117083501

LOCAL NUMBER 015S044E36Q04M

ABOUT .37 MI SOUTH OF STATE HWY 190. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 290 FT, PERFORATED 270-290 FT. ALTITUDE OF LSD 80 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUN 12, 1986	130.82 T	SEP 03, 1986	130.46 S
	HIGHEST	130.46	SEP 03, 1986
	LOWEST	130.82	JUN 12, 1986

SITE NUMBER 363627117080301

LOCAL NUMBER 015S045E31M01M

ABOUT 0.75 MI EAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 37.4 FT, CASED TO 37.4 FT, SAND POINT 35.4-37.4 FT. ALTITUDE OF LSD -26.50 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR. PREVIOUSLY PUBLISHED AS 015S044E36J03M.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUN 12, 1986	28.07 S	SEP 03, 1986	28.16 S
	HIGHEST	26.83	JAN 18, 1978
	LOWEST	28.16	SEP 03, 1986

WATER LEVELS, INYO COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 363627117080302

LOCAL NUMBER 015S045E31M02M

ABOUT 0.75 MI EAST OF STOVEPIPE WELLS HOTEL. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 2 IN, DEPTH 30.3 FT, CASED TO 30.3 FT, SAND POINT 28.3-30.3 FT. ALTITUDE OF LSD -26.64 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR. PREVIOUSLY PUBLISHED AS 015S044E36J04M.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JUN 12, 1986	28.01 S	SEP 03, 1986	D
	HIGHEST	27.20	NOV 29, 1973
	LOWEST	28.03	OCT 21, 1982

SITE NUMBER 363604117084701

LOCAL NUMBER 016S044E01C01M

ABOUT 0.4 MI SOUTHWEST OF STOVEPIPE WELLS HOTEL. DRILLED DESALINATION WATER-TABLE WELL IN ALLUVIAL FAN DEPOSITS OF QUATERNARY AGE. DIAM 8 IN, DEPTH 315 FT, CASED TO 294 FT, PERFORATED 264-294 FT. ALTITUDE OF LSD 97.19 FT. RECORDS AVAILABLE 1973-74, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
JUN 12, 1986	146.68 S		
	HIGHEST	144.46	SEP 21, 1978
	LOWEST	146.68	JUN 12, 1986

SITE NUMBER 354824117385701

LOCAL NUMBER 024S040E34E01M

AT CHINA LAKE NAVAL WEAPONS CENTER ABOUT 10.5 MI NORTH-NORTHEAST OF MAIN GATE. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 1.25 IN, DEPTH 21.9 FT IN 1972, SCREENED 20.3-22.3 FT. ALTITUDE OF LSD 2176.7 FT. RECORDS AVAILABLE 1953-54, 1959, 1961-63, 1965-67, 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 15, 1986	3.99 S		
	HIGHEST	3.99	MAY 11, 1953
	LOWEST	4.97	DEC 15, 1982

SITE NUMBER 362711116494401

LOCAL NUMBER 027N001E24E01S

EAST OF FURNACE CREEK INN. DRILLED UNUSED WATER-TABLE WELL IN LACUSTRINE OF PLEISTOCENE AGE. DIAM 14 IN, DEPTH 250 FT. ALTITUDE OF LSD 480 FT. RECORDS AVAILABLE 1958-59, 1962, 1964, 1966-67, 1971-72, 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
JAN 23, 1986	76.04 S		
	HIGHEST	74.51	NOV 20, 1958
	LOWEST	76.14	JUN 16, 1980

WATER LEVELS, INYO COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 363044116491502

LOCAL NUMBER 028N001E36G03S

IN NEVARES SPRING AREA OF DEATH VALLEY NATIONAL MONUMENT. OBSERVATION WELL. DIAM 1.25 IN,  
DEPTH 19.8 FT. ALTITUDE OF LSD 950 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 23, 1986	2.05 S
HIGHEST	1.44 JAN 17, 1978
LOWEST	2.11 JAN 13, 1982

## WATER QUALITY, INYO COUNTY

## INORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE (DEG C)	HARD- NESS (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO3)	CALCIUM DIS- SOLVED (MG/L AS CA)
015S044E36G01M	09-05-86	1345	23.80	10600	8.00	27.5	620	230	50
015S044E36H01M	09-04-86	1530	24.15	9120	7.20	27.5	710	360	70
015S044E36J01M	09-04-86	1715	27.80	11100	7.60	28.5	780	420	80
015S044E36J05M	09-04-86	1230	36.74	12500	7.40	28.5	820	490	80
015S044E36J06M	09-04-86	1130	38.36	12900	7.40	29.0	740	190	50
015S044E36K03M	09-04-86	1030	40.32	13600	7.50	28.5	690	0	30
015S044E36K04M	09-04-86	0845	41.04	12400	7.50	30.0	750	0	21
015S044E36K05M	09-03-86	1700	49.53	12800	7.10	29.5	1300	720	110
015S044E36L01M	09-03-86	0900	46.33	11700	7.20	28.5	820	490	80
015S044E36M01M	09-05-86	1200	28.73	10500	7.60	28.5	640	350	60
015S044E36Q02M	09-03-86	1415	--	4670	7.10	30.5	670	360	120
015S045E31M01M	09-05-86	1430	28.16	12500	8.10	28.0	580	250	50
016S044E01C01M	09-03-86	1245	--	4700	7.10	29.0	690	370	140

LOCAL NUMBER	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	PERCENT SODIUM	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WH WAT TOTAL FIELD (MG/L AS CACO3)	CARBON DIOXIDE DIS- SOLVED (MG/L AS CO2)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)
015S044E36G01M	120	2200	86	39	150	392	7.6	1200	3000
015S044E36H01M	130	1800	82	30	110	352	43	1000	2400
015S044E36J01M	140	2200	84	35	130	352	17	1200	2900
015S044E36J05M	150	2500	84	39	180	328	25	1300	3800
015S044E36J06M	150	2600	85	42	180	551	42	1000	3700
015S044E36K03M	150	2800	87	47	160	933	57	430	4300
015S044E36K04M	170	2500	85	40	140	1250	77	710	3300
015S044E36K05M	250	2400	78	29	140	580	89	1100	3800
015S044E36L01M	150	2300	83	35	160	325	40	1000	3500
015S044E36M01M	120	2000	84	35	150	290	14	890	3000
015S044E36Q02M	90	740	68	13	56	309	48	420	1200
015S045E31M01M	110	2600	88	48	170	330	5.0	1400	3800
016S044E01C01M	82	680	66	12	60	317	49	410	1100

LOCAL NUMBER	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, SUM OF CONSTITUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
015S044E36G01M	1.0	38	7000	1.40	0.03	19000	40	170
015S044E36H01M	1.3	48	5800	2.50	0.02	18000	50	30
015S044E36J01M	1.2	49	6900	2.50	<0.01	19000	300	50
015S044E36J05M	1.2	62	8300	<0.10	0.02	22000	60	90
015S044E36J06M	1.2	50	8100	<0.10	0.01	25000	130	840
015S044E36K03M	1.2	42	8500	<0.10	0.02	24000	130	370
015S044E36K04M	1.4	33	7700	<0.10	0.01	27000	53	240
015S044E36K05M	1.3	41	8200	<0.10	<0.01	20000	280	970
015S044E36L01M	1.2	61	7500	0.19	<0.01	18000	30	130
015S044E36M01M	1.1	54	6500	0.17	0.02	17000	40	50
015S044E36Q02M	1.8	57	2900	<0.10	<0.01	6200	40	20
015S045E31M01M	1.1	45	8400	1.00	0.02	24000	40	20
016S044E01C01M	1.6	57	2700	<0.10	<0.01	6000	190	30

&lt; Actual value is known to be less than the value shown.



## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

KERN COUNTY

	<u>Page</u>
LOCAL NUMBER 025S038E23G01M.....	39
LOCAL NUMBER 025S038E23J01M.....	64
LOCAL NUMBER 025S038E25L01M.....	39
LOCAL NUMBER 025S039E26H01M.....	39
LOCAL NUMBER 025S039E31E01M.....	39
 LOCAL NUMBER 025S040E08A01M.....	 40
LOCAL NUMBER 025S040E11K01M.....	40
LOCAL NUMBER 025S040E20F01M.....	40
LOCAL NUMBER 025S040E35P01M.....	40
LOCAL NUMBER 026S039E07N01M.....	41
 LOCAL NUMBER 026S039E08E01M.....	 41
LOCAL NUMBER 026S039E19Q01M.....	41
LOCAL NUMBER 026S039E23J01M.....	64
LOCAL NUMBER 026S039E24K01M.....	41
LOCAL NUMBER 026S039E24R01M.....	42
 LOCAL NUMBER 026S039E30F01M.....	 42
LOCAL NUMBER 026S040E14B01M.....	42, 64
LOCAL NUMBER 026S040E14L01M.....	42
LOCAL NUMBER 026S040E19P01M.....	43
LOCAL NUMBER 026S040E21A01M.....	64, 66
 LOCAL NUMBER 026S040E22B01M.....	 43, 64, 66
LOCAL NUMBER 026S040E22H01M.....	43
LOCAL NUMBER 026S040E22H02M.....	43
LOCAL NUMBER 026S040E22H03M.....	44, 64, 66
LOCAL NUMBER 026S040E22J01M.....	44
 LOCAL NUMBER 026S040E22P01M.....	 44
LOCAL NUMBER 026S040E22P04M.....	64, 66
LOCAL NUMBER 026S040E23D01M.....	64, 66
LOCAL NUMBER 026S040E23D02M.....	64
LOCAL NUMBER 026S040E28J01M.....	44
 LOCAL NUMBER 026S040E30K02M.....	 45
LOCAL NUMBER 026S040E30K03M.....	45
LOCAL NUMBER 026S040E33P04M.....	45
LOCAL NUMBER 027S038E01M01M.....	45
LOCAL NUMBER 027S039E09L01M.....	46
 LOCAL NUMBER 027S040E02J01M.....	 46
LOCAL NUMBER 027S040E04A01M.....	46
LOCAL NUMBER 027S040E04C02M.....	46
LOCAL NUMBER 029S039E32E01M.....	47
LOCAL NUMBER 029S039E34D01M.....	47

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

KERN COUNTY-Continued

	<u>Page</u>
LOCAL NUMBER 030S037E13C01M.....	47
LOCAL NUMBER 030S037E24J03M.....	64
LOCAL NUMBER 030S037E24M02M.....	64
LOCAL NUMBER 030S037E34R01M.....	64
LOCAL NUMBER 030S037E27H02M.....	47
 LOCAL NUMBER 030S037E34H02M.....	 48, 64
LOCAL NUMBER 030S037E34R01M.....	64
LOCAL NUMBER 030S037E36G01M.....	48
LOCAL NUMBER 030S037E36H02M.....	64
LOCAL NUMBER 030S038E03K02M.....	48
 LOCAL NUMBER 030S038E04D02M.....	 64
LOCAL NUMBER 030S038E24F01M.....	48
LOCAL NUMBER 030S038E29A01M.....	64
LOCAL NUMBER 030S038E30P01M.....	49
LOCAL NUMBER 030S038E30Q01M.....	49
 LOCAL NUMBER 030S038E31C01M.....	 49
LOCAL NUMBER 030S038E32D03M.....	64
LOCAL NUMBER 031S037E04Q01M.....	49
LOCAL NUMBER 030S038E05M01M.....	64
LOCAL NUMBER 030S038E10B01M.....	64
 LOCAL NUMBER 031S037E33H01M.....	 50
LOCAL NUMBER 031S037E35N01M.....	50
LOCAL NUMBER 031S038E18P01M.....	50
LOCAL NUMBER 031S039E24P01M.....	50
LOCAL NUMBER 032S037E09Q01M.....	51
 LOCAL NUMBER 032S037E11N01M.....	 51
LOCAL NUMBER 032S037E12M01M.....	51
LOCAL NUMBER 032S037E22N01M.....	51
LOCAL NUMBER 032S037E26N01M.....	52
LOCAL NUMBER 032S039E33L01M.....	52
 LOCAL NUMBER 009N009W06E01S.....	 52
LOCAL NUMBER 009N009W10R01S.....	52
LOCAL NUMBER 009N009W27H02S.....	53
LOCAL NUMBER 009N010W08P01S.....	53
LOCAL NUMBER 009N010W12R01S.....	53
 LOCAL NUMBER 009N010W24C01S.....	 53
LOCAL NUMBER 009N010W28F02S.....	54
LOCAL NUMBER 009N011W36L01S.....	54
LOCAL NUMBER 009N012W16E04S.....	54
LOCAL NUMBER 009N012W23N01S.....	54

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

KERN COUNTY-Continued

	<u>Page</u>
LOCAL NUMBER 009N012W33P01S.....	55
LOCAL NUMBER 009N013W04A01S.....	55
LOCAL NUMBER 009N013W07Q03S.....	55
LOCAL NUMBER 009N013W14Q01S.....	55
LOCAL NUMBER 009N014W01H01S.....	56
LOCAL NUMBER 009N014W20B01S.....	56
LOCAL NUMBER 009N014W24D03S.....	56
LOCAL NUMBER 009N014W27R01S.....	56
LOCAL NUMBER 009N015W26N01S.....	57
LOCAL NUMBER 009N015W30Q01S.....	57
LOCAL NUMBER 009N016W36A01S.....	57
LOCAL NUMBER 010N009W04D01S.....	57
LOCAL NUMBER 010N009W24A02S.....	58
LOCAL NUMBER 010N011W08P01S.....	58
LOCAL NUMBER 010N012W12K01S.....	58
LOCAL NUMBER 010N012W13H01S.....	58
LOCAL NUMBER 010N012W20C06S.....	59
LOCAL NUMBER 010N012W22J01S.....	59
LOCAL NUMBER 010N013W19M01S.....	59
LOCAL NUMBER 010N014W24A01S.....	59
LOCAL NUMBER 011N008W29K01S.....	60
LOCAL NUMBER 011N009W13D01S.....	60
LOCAL NUMBER 011N009W17N01S.....	60
LOCAL NUMBER 011N009W24A01S.....	60
LOCAL NUMBER 011N009W30H01S.....	61
LOCAL NUMBER 011N009W36R01S.....	61
LOCAL NUMBER 011N010W12F01S.....	61
LOCAL NUMBER 011N011W07A01S.....	61
LOCAL NUMBER 011N011W09A01S.....	62
LOCAL NUMBER 011N012W22F02S.....	62
LOCAL NUMBER 011N012W26J01S.....	62
LOCAL NUMBER 011N013W19C01S.....	62
LOCAL NUMBER 011N013W29M01S.....	63
LOCAL NUMBER 012N012W35R01S.....	63




Figure 6.--Index map to location of wells in Kern County.

## WATER LEVELS, KERN COUNTY

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 354458117511801

LOCAL NUMBER 025S038E23G01M

ABOUT 0.80 MI WEST OF RAILROAD TRACKS AND 2.65 MI NORTH OF LELITER ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 259 FT IN 1953. ALTITUDE OF LSD 2412 FT. RECORDS AVAILABLE 1921, 1946, 1953-54, 1959, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JUN 26, 1986	226.15 S
HIGHEST	202.22 APR 07, 1953
LOWEST	226.15 JUN 26, 1986

SITE NUMBER 354346117503001

LOCAL NUMBER 025S038E25L01M

ABOUT 0.25 MI WEST OF RAILROAD TRACKS AND 1.25 MI NORTH OF LELITER ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 222.2 FT, PERFORATED 212-232 FT. ALTITUDE OF LSD 2329.2 FT. RECORDS AVAILABLE 1952-59, 1961-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JUN 26, 1986	147.99 S
HIGHEST	119.39 JAN 20, 1954
LOWEST	147.99 JUN 26, 1986

SITE NUMBER 354359117443201

LOCAL NUMBER 025S039E26H01M

ABOUT 0.20 MI WEST OF EAST CAMERA ROAD AND 2.25 MI NORTH OF SNORT ACCESS ROAD. DRILLED INDUSTRIAL WATER-TABLE WELL. DIAM 12 IN, DEPTH 186 FT IN 1965. ALTITUDE OF LSD 2202.8 FT. RECORDS AVAILABLE 1952-55, 1957-59, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 13, 1986	18.20 S	JUN 25, 1986	18.27 S
HIGHEST	13.14 OCT 21, 1952		
LOWEST	18.27 JUN 25, 1986		

SITE NUMBER 354308117494401

LOCAL NUMBER 025S039E31E01M

ABOUT 0.50 MI NORTH OF LELITER ROAD AND 0.20 MI EAST OF RAILROAD TRACKS. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 164 FT IN 1952. ALTITUDE OF LSD 2283.7 FT. RECORDS AVAILABLE 1946, 1952-54, 1959, 1961-69, 1971-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 15, 1986	102.45 S
HIGHEST	74.26 JUN 06, 1952
LOWEST	102.45 APR 15, 1986

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 354658117411201

LOCAL NUMBER 025S040E08A01M

AT CHINA LAKE NAVAL WEAPONS CENTER ABOUT 1 MI EAST OF RANGE ACCESS ROAD. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 1.25 IN, DEPTH 17.4 FT, PERFORATED 12.8-18.8 FT. ALTITUDE OF LSD 2183.18 FT. RECORDS AVAILABLE 1953-54, 1959, 1961, 1965-67, 1969, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
JUN 25, 1986	7.33 S		
	HIGHEST	6.34	JUN 20, 1978
	LOWEST	7.85	OCT 15, 1975

SITE NUMBER 354626117381601

LOCAL NUMBER 025S040E11K01M

AT CHINA LAKE NAVAL WEAPONS CENTER. DRILLED UNUSED WATER-TABLE WELL. DIAM 3 IN, DEPTH 62.3 FT IN 1952. ALTITUDE OF LSD 2166.4 FT. RECORDS AVAILABLE 1952-54, 1959, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 15, 1986	3.15 S		
	HIGHEST	+4.80	FEB 08, 1972
	LOWEST	3.15	APR 15, 1986

SITE NUMBER 354450117415301

LOCAL NUMBER 025S040E20F01M

ABOUT 2.25 MI NORTHEAST OF SNORT ACCESS ROAD AND 1.3 MI WEST OF TOWER ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 182.6 FT IN 1952. ALTITUDE OF LSD 2179.5 FT. RECORDS AVAILABLE 1952-54, 1959, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
JAN 09, 1986	1.42		
	HIGHEST	+0.83	MAY 13, 1952
	LOWEST	1.42	JAN 09, 1986

SITE NUMBER 354240117383501

LOCAL NUMBER 025S040E35P01M

ABOUT 250 FT SOUTHWEST OF TOWER ROAD AND 2.5 MI NORTH OF GOVERNMENT RAILROAD. BORED OBSERVATION WATER-TABLE WELL. DIAM 1.25 IN, DEPTH 15.4 FT, PERFORATED 8.3-17.6 FT. ALTITUDE OF LSD 2158.8 FT. RECORDS AVAILABLE 1953-54, 1959, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 15, 1986	8.23 S		
	HIGHEST	7.77	APR 22, 1985
	LOWEST	9.59	DEC 17, 1953

## WATER LEVELS, KERN COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 354055117494401

LOCAL NUMBER 026S039E07N01M

ABOUT 0.50 MI WEST OF RAILROAD TRACKS AND ON ATHEL STREET. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 368 FT IN 1952. ALTITUDE OF LSD 2394.3 FT. RECORDS AVAILABLE 1946, 1952-53, 1958, 1960-62, 1964-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 15, 1986	206.23 S	JUN 26, 1986	206.97 S
	HIGHEST	184.11	OCT 20, 1953
	LOWEST	207.65	DEC 12, 1979

SITE NUMBER 354123117482601

LOCAL NUMBER 026S039E08E01M

ABOUT 1 MI EAST OF BROWN RD AND 1.2 MI NORTH OF CADDY RD. DRILLED WELL. DIAM 4 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2318 FT. RECORDS AVAILABLE 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
JUN 25, 1986	131.26 S		
	HIGHEST	129.95	MAY 13, 1985
	LOWEST	131.26	JUN 25, 1986

SITE NUMBER 354408117485801

LOCAL NUMBER 026S039E19Q01M

AT INYOKERN. DRILLED UNUSED WATER-TABLE WELL IN GRAVEL OF QUATERNARY AGE. DIAM 16 IN, DEPTH 371 FT, CASED TO 256 FT. ALTITUDE OF LSD 2418.3 FT. RECORDS AVAILABLE 1945, 1952-64, 1966-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 15, 1986	234.30 S	JUN 26, 1986	233.54 S
	HIGHEST	207.50	SEP 07, 1945
	LOWEST	234.30	APR 15, 1986

SITE NUMBER 353921117433901

LOCAL NUMBER 026S039E24K01M

ABOUT 0.30 MI NORTH OF GOVERNMENT RAILROAD AND 3.15 MI WEST OF SANDQUIST ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH 323.1 FT IN 1953, PERFORATED 190-197, 230-278, 287-301 FT. ALTITUDE OF LSD 2347.4 FT. RECORDS AVAILABLE 1952-79, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 13, 1986	200.17 S	APR 13, 1986	200.17 S	JUN 25, 1986	201.38 S
	HIGHEST	153.54	MAR 16, 1953		
	LOWEST	201.38	JUN 25, 1986		

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 353911117432601

LOCAL NUMBER 026S039E24R01M

ABOUT 150 FT SOUTH OF GOVERNMENT RAILROAD AND 3.1 MI WEST OF INTERSECTION OF RIDGECREST INYOKERN ROAD AND NORTH CHINA LAKE BLVD. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 16 IN, DEPTH 480 FT, PERFORATED 160-281, 412-460 FT. ALTITUDE OF LSD 2344.9 FT. RECORDS AVAILABLE 1944-50, 1952 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 15, 1986	202.68 S	JUN 26, 1986	205.57 S
	HIGHEST	128.00	APR 20, 1944
	LOWEST	205.57	JUN 26, 1986

SITE NUMBER 353851117491401

LOCAL NUMBER 026S039E30F01M

AT INYOKERN. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 16 IN, DEPTH 385 FT IN 1966, PERFORATED 250-321, 369-386 FT. ALTITUDE OF LSD 2433.5 FT. RECORDS AVAILABLE 1944, 1950, 1966-79, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
JUN 26, 1986	247.52 S		
	HIGHEST	220.00	SEP 17, 1944
	LOWEST	247.52	JUN 26, 1986

SITE NUMBER 354039117382801

LOCAL NUMBER 026S040E14B01M

ABOUT 200 FT EAST OF NORTH POLE LINE ROAD AND 0.60 MI SOUTHWEST OF INTERSECTION OF WATER AND POLE LINE ROADS. BORED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 22 FT, WELL POINT 20-22 FT. ALTITUDE OF LSD 2186.5 FT. RECORDS AVAILABLE 1972, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 16, 1986	1.66 S	JUN 25, 1986	3.35 S
	HIGHEST	1.43	APR 01, 1985
	LOWEST	6.96	OCT 16, 1975

SITE NUMBER 354020117384201

LOCAL NUMBER 026S040E14L01M

ABOUT 100 FT EAST OF NORTH POLE LINE ROAD AND 0.15 MI NORTHEAST OF INTERSECTION OF POLE LINE ROAD AND GOVERNMENT RAILROAD. BORED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 57 FT, WELL POINT 55-57 FT. ALTITUDE OF LSD 2203.9 FT. RECORDS AVAILABLE 1971-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
JUN 25, 1986	10.79 S		
	HIGHEST	7.76	APR 01, 1985
	LOWEST	15.21	OCT 22, 1974



WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 353910117430201

LOCAL NUMBER 026S040E19P01M

ABOUT 150 FT SOUTH OF GOVERNMENT RAILROAD AND 0.30 MI EAST OF EXTENSION OF JACKS RANCH ROAD. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 16 IN, DEPTH 261 FT, PERFORATED 192-220, 253-259 FT. ALTITUDE OF LSD 2336 FT. RECORDS AVAILABLE 1944, 1946, 1952-60, 1963, 1965 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 15, 1986	190.26 S	JUN 26, 1986	190.65 S
	HIGHEST	135.90	FEB 20, 1946
	LOWEST	190.65	JUN 26, 1986

SITE NUMBER 353955117393101

LOCAL NUMBER 026S040E22B01M

ABOUT 0.5 MI NORTHWEST OF POLE LINE ROAD AND LAURISTEN ROAD INTERSECTION. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 67 FT, PERFORATED 58-60 FT. ALTITUDE OF LSD 2232.45 FT. RECORDS AVAILABLE 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 16, 1986	30.08 S	JUN 25, 1986	30.43 S
	HIGHEST	30.08	APR 16, 1986
	LOWEST	30.43	JUN 25, 1986

SITE NUMBER 353942117390801

LOCAL NUMBER 026S040E22H01M

ABOUT 200 FT EAST OF INTERSECTION OF NORTH KNOX ROAD AND SOUTH LAURISTEN ROAD. BORED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 49 FT, WELL POINT 47-49 FT. ALTITUDE OF LSD 2226.62 FT. RECORDS AVAILABLE 1972, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
JUN 25, 1986	20.86 S		
	HIGHEST	17.93	OCT 22, 1974
	LOWEST	20.86	JUN 25, 1986

SITE NUMBER 353942117390802

LOCAL NUMBER 026S040E22H02M

ABOUT 200 FT EAST OF INTERSECTION OF NORTH KNOX ROAD AND SOUTH LAURISTEN ROAD. BORED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 77 FT, WELL POINT 75-77 FT. ALTITUDE OF LSD 2227.03 FT. RECORDS AVAILABLE 1972, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
JUN 25, 1986	21.52 S		
	HIGHEST	17.29	FEB 16, 1972
	LOWEST	21.52	JUN 25, 1986

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 353942117390803

LOCAL NUMBER 026S040E22H03M

ABOUT 200 FT EAST OF INTERSECTION OF NORTH KNOX ROAD AND SOUTH LAURISTEN ROAD. BORED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 97 FT, WELL POINT 95-97 FT. ALTITUDE OF LSD 2226.23 FT. RECORDS AVAILABLE 1972, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 16, 1986	20.90 S	JUN 25, 1986	21.11 S
	HIGHEST	18.29	OCT 22, 1974
	LOWEST	21.11	JUN 25, 1986

SITE NUMBER 353930117391801

LOCAL NUMBER 026S040E22J01M

ABOUT 0.3 MI NORTHEAST OF KNOX ROAD AND EAST INYOKERN ROAD INTERSECTION. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 77 FT, PERFORATED 69-71 FT. ALTITUDE OF LSD 2235.8 FT. RECORDS AVAILABLE 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 07, 1986	28.65 S	JUN 25, 1986	29.25 S
	HIGHEST	28.65	JAN 07, 1986
	LOWEST	29.25	JUN 25, 1986

SITE NUMBER 353908117395201

LOCAL NUMBER 026S040E22P01M

AT CHINA LAKE. DRILLED UNUSED WATER-TABLE WELL IN SAND OF QUATERNARY AGE. DIAM 8 IN, DEPTH 1358 FT, PERFORATED 530-830 FT. ALTITUDE OF LSD 2258.7 FT. RECORDS AVAILABLE 1954 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 07, 1986	99.25 S	JAN 08, 1986	99.17 S	JUN 25, 1986	101.73 S
	HIGHEST	64.28	MAY 13, 1954		
	LOWEST	101.73	JUN 25, 1986		

SITE NUMBER 353828117401301

LOCAL NUMBER 026S040E28J01M

ABOUT 0.70 MI SOUTH OF RIDGECREST INYOKERN ROAD AND 0.10 MI WEST OF NORTH CHINA LAKE BLVD. DRILLED WITHDRAWAL WATER-TABLE WELL. DIAM 16 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2288.9 FT. RECORDS AVAILABLE 1948, 1952-69, 1971-74, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	120.80 S	JAN 23, 1986	120.72 S	APR 15, 1986	121.09 S	JUN 25, 1986	121.47 S
	HIGHEST	98.30	DEC 30, 1948				
	LOWEST	196.38	APR 01, 1985				

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 353844117424401

LOCAL NUMBER 026S040E30K02M

SOUTHEAST OF INYOKERN HWY AND JACKS RANCH ROAD INTERSECTION. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 16 IN, DEPTH 802 FT, PERFORATED 220-470, 600-760 FT. ALTITUDE OF LSD 2340 FT. RECORDS AVAILABLE 1968-71, 1974-79, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 22, 1986	217.45 S	APR 15, 1986	219.73 S	JUN 26, 1986	239.45 SP
	HIGHEST	183.03	OCT 13, 1970		
	LOWEST	239.45	JUN 26, 1986		

SITE NUMBER 353833117424001

LOCAL NUMBER 026S040E30K03M

ABOUT 10.5 MI SOUTHEAST OF INYOKERN HWY AND JACKS RANCH ROAD INTERSECTION. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 823 FT, PERFORATED 250-800 FT. ALTITUDE OF LSD 2343 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 22, 1986	214.48 S	JUN 26, 1986	247.24 SP
	HIGHEST	214.48	JAN 22, 1986
	LOWEST	247.24	JUN 26, 1986

SITE NUMBER 353723117404303

LOCAL NUMBER 026S040E33P04M

ABOUT 100 FT NORTH OF WEST RIDGECREST BLVD AND 0.30 MI WEST OF COURTHOUSE. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 16 IN, DEPTH 304 FT, PERFORATED 169-182, 198-216, 233-252, 256-272, 278-290 FT. ALTITUDE OF LSD 2300 FT. RECORDS AVAILABLE 1966, 1970-72, 1974-75, 1976-78 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 22, 1986	167.72 S	APR 15, 1986	168.61 S	JUN 25, 1986	170.25 S
	HIGHEST	144.49	OCT 28, 1971		
	LOWEST	170.25	JUN 25, 1986		

SITE NUMBER 353647117503901

LOCAL NUMBER 027S038E01M01M

ABOUT 2.55 MI WEST OF RAILROAD TRACKS AND 0.50 MI NORTH OF BOWMAN ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 305.6 FT IN 1953. ALTITUDE OF LSD 2639 FT. RECORDS AVAILABLE 1921, 1946, 1953-54, 1961-66, 1969, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 15, 1986	297.89 S	JUN 24, 1986	297.36 S
	HIGHEST	292.34	MAR 17, 1954
	LOWEST	297.89	APR 15, 1986

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 353551117472001

LOCAL NUMBER 027S039E09L01M

ABOUT 0.4 MI EAST OF RANDBURG-INYOKERN ROAD INTERSECTION. DRILLED IRRIGATION WELL. DIAM 8.6 IN, DEPTH 502 FT, PERFORATED 370-502 FT. ALTITUDE OF LSD 2558 FT. RECORDS AVAILABLE 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 23, 1986	387.34 S	APR 15, 1986	387.58 S	JUN 24, 1986	387.75 S
	HIGHEST 387.34	JAN 23, 1986			
	LOWEST 387.75	JUN 24, 1986			

SITE NUMBER 353644117380601

LOCAL NUMBER 027S040E02J01M

SOUTHEAST OF RIDGECREST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 10 IN, DEPTH 220 FT. ALTITUDE OF LSD 2300 FT. RECORDS AVAILABLE 1958, 1960-62, 1964-66, 1968, 1977-82, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
JAN 24, 1986	130.38 SP		
	HIGHEST 106.36	JAN 21, 1960	
	LOWEST 138.47	APR 01, 1985	

SITE NUMBER 353717117402001

LOCAL NUMBER 027S040E04A01M

ABOUT 200 FT EAST OF WARNER STREET AND 0.10 MI SOUTH OF WEST RIDGECREST BLVD. DIAM 16 IN, DEPTH 273 FT. ALTITUDE OF LSD 2305 FT. RECORDS AVAILABLE 1959 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
JUN 25, 1986	146.18 S		
	HIGHEST 126.50	SEP 18, 1969	
	LOWEST 146.18	JUN 25, 1986	

SITE NUMBER 353714117403901

LOCAL NUMBER 027S040E04C02M

ABOUT 0.05 MI SOUTH OF WEST RIDGECREST BLVD AND 0.13 MI EAST OF SOUTH SUNSET STREET. DIAM 10 IN, DEPTH 280 FT, PERFORATED 150-280 FT. ALTITUDE OF LSD 2315 FT. RECORDS AVAILABLE 1949, 1959-63, 1965, 1971-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 22, 1986	168.16 S	JUN 25, 1986	169.83 S
	HIGHEST 122.00	JAN 01, 1949	
	LOWEST 171.26	APR 01, 1985	

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 352204117493001

LOCAL NUMBER 029S039E32E01M

SOUTHWEST OF INTERSECTION OF REDROCK ROAD AND GARLOCK ROAD. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 6 IN, DEPTH 125 FT. ALTITUDE OF LSD 1965 FT. RECORDS AVAILABLE 1956, 1958, 1976, 1978-81, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 27, 1986	68.28 S
	HIGHEST 54.06 OCT 11, 1956
	LOWEST 68.28 MAR 27, 1986

SITE NUMBER 342233117470601

LOCAL NUMBER 029S039E34D01M

NORTHEAST OF CANTIL. DRILLED IRRIGATION WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2110 FT. RECORDS AVAILABLE 1978-79, 1982-83, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 27, 1986	223.89 S
	HIGHEST 193.90 MAR 14, 1979
	LOWEST 224.30 MAY 16, 1985

SITE NUMBER 351948117573901

LOCAL NUMBER 030S037E13C01M

ABOUT 1.5 MI NORTH OF CANTIL. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 16 IN, DEPTH 650 FT, PERFORATED 90-336 FT. ALTITUDE OF LSD 2150 FT. RECORDS AVAILABLE 1974, 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 27, 1986	134.65 S
	HIGHEST 125.45 FEB 03, 1981
	LOWEST 144.84 JAN 14, 1976

SITE NUMBER 351741117590901

LOCAL NUMBER 030S037E27H02M

ABOUT 0.9 MI NORTHEAST OF RANCHO SECO, 1.2 MI SOUTH OF STATE HWY 14 AND 100 FT WEST OF NEURALIA ROAD. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2040 FT. RECORDS AVAILABLE 1973-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 26, 1986	233.35 S
	HIGHEST 170.79 FEB 15, 1973
	LOWEST 251.70 MAR 07, 1984

## WATER LEVELS, KERN COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 351659117591901

LOCAL NUMBER 030S037E34H02M

ABOUT 0.33 MI SOUTH OF MUNSEY ROAD AND 0.11 MI WEST OF NEURALIA ROAD. DOMESTIC WATER-TABLE WELL. DIAM 12 IN, DEPTH 456 FT. ALTITUDE OF LSD 2025 FT. RECORDS AVAILABLE 1978-79, 1982-84 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAR 26, 1986	232.56 S		
	HIGHEST 232.56	MAR 26, 1986	
	LOWEST 247.37	MAR 07, 1984	

SITE NUMBER 351659117571001

LOCAL NUMBER 030S037E36G01M

ABOUT 2 MI SOUTH OF CANTIL. DRILLED DOMESTIC WELL IN ALLUVIUM. DIAM 14 IN, DEPTH 938 FT, PERFORATED 12-52, 106-110, 138-144, 171-180, 238-250, 293-309, 418-424, 436-440, 446-450, 457-463, 767-787, 816-824, 832-838, 902-907, 916-919 FT. ALTITUDE OF LSD 1968 FT. RECORDS AVAILABLE 1917, 1929, 1953, 1958, 1960 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	133.63 S	APR 23, 1986	121.80 S
	HIGHEST 18.00	OCT 29, 1929	
	LOWEST 148.40	APR 17, 1980	

SITE NUMBER 352101117530401

LOCAL NUMBER 030S038E03K02M

ABOUT 1.5 MI SOUTH OF SALTDALE. DRILLED INDUSTRIAL WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 10 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1895 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAR 27, 1986	15.86 S		
	HIGHEST 15.86	MAR 27, 1986	
	LOWEST 52.91	MAR 08, 1977	

SITE NUMBER 351838117511601

LOCAL NUMBER 030S038E24F01M

IN FREMONT VALLEY, ABOUT 1 MI EAST OF CANTIL. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 5 IN, DEPTH 449.9 FT. ALTITUDE OF LSD 1940 FT. RECORDS AVAILABLE 1953, 1958, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAR 27, 1986	38.80 S		
	HIGHEST 12.19	MAY 07, 1953	
	LOWEST 38.80	MAR 27, 1986	

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 351714117563001

LOCAL NUMBER 030S038E30P01M

EAST OF INTERSECTION OF MUNSEY ROAD AND NEURALIA ROAD. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 20-12 IN, DEPTH 643 FT, 20-IN CSG 0-150 FT, 12-IN CSG 150-643 FT, PERFORATED 130-150, 153-643 FT. ALTITUDE OF LSD 1957 FT. RECORDS AVAILABLE 1953, 1958-59, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 27, 1986	125.94 S
	HIGHEST 23.88 JAN 31, 1958
	LOWEST 133.12 APR 17, 1980

SITE NUMBER 351714117562801

LOCAL NUMBER 030S038E30Q01M

NEAR INTERSECTION OF PAPPAS ROAD AND MUNSEY ROAD. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 12 IN, DEPTH 78.5 FT IN 1976. ALTITUDE OF LSD 1955 FT. RECORDS AVAILABLE 1958, 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 27, 1986	45.85 S
	HIGHEST 13.01 JAN 31, 1958
	LOWEST 61.82 FEB 17, 1982

SITE NUMBER 351712117562801

LOCAL NUMBER 030S038E31C01M

NEAR INTERSECTION OF PAPPAS ROAD AND MUNSEY ROAD. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 16 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1957 FT. RECORDS AVAILABLE 1967, 1976, 1978-84 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 27, 1986	112.68 S
	HIGHEST 112.68 MAR 27, 1986
	LOWEST 142.90 APR 23, 1980

SITE NUMBER 351528118003201

LOCAL NUMBER 031S037E04Q01M

ABOUT 2 MI SOUTH OF MUNSEY ROAD AND 1.28 MI WEST OF NEURALIA ROAD. UNUSED WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2100 FT. RECORDS AVAILABLE 1974-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 23, 1986	401.50 T
	HIGHEST 152.00 FEB 15, 1974
	LOWEST 415.45 MAY 16, 1985

## WATER LEVELS, KERN COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 351131118001201

LOCAL NUMBER 031S037E33H01M

SOUTH OF CANTIL. DRILLED IRRIGATION WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 535 FT. ALTITUDE OF LSD 2340 FT. RECORDS AVAILABLE 1956, 1958-59, 1961, 1964-65, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	278.42 S	MAR 26, 1986	277.74 S
	HIGHEST	230.00	JUN 19, 1956
	LOWEST	281.05	OCT 15, 1980

SITE NUMBER 351104117590401

LOCAL NUMBER 031S037E35N01M

ABOUT 4 MI NORTH OF CALIFORNIA CITY. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF PLEISTOCENE AGE. DIAM 16 IN, DEPTH 429.2 FT. ALTITUDE OF LSD 2320 FT. RECORDS AVAILABLE 1953, 1958 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	256.36 S	MAR 26, 1986	255.35 S
	HIGHEST	230.79	JAN 22, 1953
	LOWEST	267.04	APR 15, 1969

SITE NUMBER 351347117562601

LOCAL NUMBER 031S038E18P01M

ABOUT 3 MI EAST-NORTHEAST OF INTERSECTION OF PHILLIPS ROAD AND NEURALIA ROAD. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 151.5 FT. ALTITUDE OF LSD 2225 FT. RECORDS AVAILABLE 1917, 1953, 1958, 1964-65, 1974-77, 1979-81, 1983 TO CURRENT YEAR

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAR 26, 1986	132.74 S		
	HIGHEST	132.74	MAR 26, 1986
	LOWEST	DRY	JAN 08, 1976

SITE NUMBER 351256117445401

LOCAL NUMBER 031S039E24P01M

ABOUT 19 MI SOUTHWEST OF RED MTN. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 840 FT, CASED TO 793 FT. ALTITUDE OF LSD 2925 FT. RECORDS AVAILABLE 1957, 1961, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAR 26, 1986	421.73 S		
	HIGHEST	384.00	NOV 09, 1957
	LOWEST	426.50	APR 30, 1980



WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 350919118003701

LOCAL NUMBER 032S037E09Q01M

IN FREMONT VALLEY, ABOUT 12 MI NORTHEAST OF MOJAVE. DRILLED IRRIGATION WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 711 FT. ALTITUDE OF LSD 2410 FT. RECORDS AVAILABLE 1953, 1956, 1958, 1961, 1967-84 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 23, 1986	341.00 S
HIGHEST	275.00 APR 15, 1953
LOWEST	364.67 JAN 28, 1958

SITE NUMBER 350919117590301

LOCAL NUMBER 032S037E11N01M

ABOUT 2 MI NORTH OF CALIFORNIA CITY. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 600 FT. ALTITUDE OF LSD 2375 FT. RECORDS AVAILABLE 1953, 1958-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 26, 1986	291.68 S
HIGHEST	268.09 JAN 22, 1953
LOWEST	291.68 MAR 26, 1986

SITE NUMBER 350933117575001

LOCAL NUMBER 032S037E12M01M

IN FREMONT VALLEY, ABOUT 13 MI NORTHWEST OF MUROC JUNCTION. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 430.8 FT. ALTITUDE OF LSD 2350 FT. RECORDS AVAILABLE 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 26, 1986	245.31 S
HIGHEST	242.00 MAR 17, 1970
LOWEST	245.31 MAR 26, 1986

SITE NUMBER 350737118000301

LOCAL NUMBER 032S037E22N01M

ABOUT 500 FT NORTH OF CALIFORNIA CITY BLVD AND 30 FT EAST OF YORBA BLVD. DRILLED WITHDRAWAL WATER-TABLE WELL. DIAM 16 IN, DEPTH 730 FT. ALTITUDE OF LSD 2460 FT. RECORDS AVAILABLE 1953-56, 1958-59, 1961-62, 1964-80, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 26, 1986	370.95 S
HIGHEST	353.00 JAN 21, 1953
LOWEST	394.25 JAN 28, 1958

## WATER LEVELS, KERN COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 350623117590401

LOCAL NUMBER 032S037E26N01M

NORTHEAST OF INTERSECTION OF NEURALIA ROAD AND REDWOOD BLVD. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 8 IN, DEPTH 1000 FT. ALTITUDE OF LSD 2420 FT. RECORDS AVAILABLE 1952-55, 1958, 1961-62, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	337.57 S	MAR 26, 1986	335.06 S
	HIGHEST 323.08	JUL 26, 1961	
	LOWEST 441.00	JUL 15, 1958	

SITE NUMBER 350616117475501

LOCAL NUMBER 032S039E33L01M

IN PEERLESS VALLEY, APPROXIMATELY 1 MI NORTHWEST OF AERIAL ACRES. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 1400 FT. ALTITUDE OF LSD 2465 FT. RECORDS AVAILABLE 1956-57, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	490.80 T	APR 01, 1986	490.1 T
	HIGHEST 267.50	DEC 12, 1956	
	LOWEST 518.60	SEP 14, 1978	

SITE NUMBER 345420117524801

LOCAL NUMBER 009N009W06E01S

ON THE WEST SIDE OF SOUTH BASE OF EDWARDS AIR FORCE BASE. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 14 IN, DEPTH 112 FT IN 1942 AND 103.7 FT IN 1951, PERFORATED 35-96 FT. ALTITUDE OF LSD 2290.2 FT. RECORDS AVAILABLE 1948, 1951-53, 1956 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 02, 1986	52.30 S		
	HIGHEST 41.30	JAN 22, 1948	
	LOWEST 52.30	APR 02, 1986	

SITE NUMBER 345244117484201

LOCAL NUMBER 009N009W10R01S

AT EAST EDGE OF ROGERS LAKE. DRILLED UNUSED WELL IN DUNE SAND. DIAM 9 IN, DEPTH 106 FT. ALTITUDE OF LSD 2280 FT. RECORDS AVAILABLE 1951-53, 1958-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	86.79 S	APR 02, 1986	87.19 S
	HIGHEST 17.59	MAY 06, 1952	
	LOWEST 87.19	APR 02, 1986	

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345051117485001

LOCAL NUMBER 009N009W27H02S

ON EAST EDGE OF ROGERS LAKE. DRILLED UNUSED WELL IN DUNE SAND. DIAM 8 IN, DEPTH 200 FT, PERFORATED 100-200 FT. ALTITUDE OF LSD 2280 FT. RECORDS AVAILABLE 1957 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS			
APR 02, 1986	86.02 S			
	HIGHEST	22.71	AUG 14, 1957	
	LOWEST	86.02	APR 02, 1986	

SITE NUMBER 345302117574001

LOCAL NUMBER 009N010W08P01S

ABOUT 0.2 MI SOUTH OF ROSAMOND BLVD AND 2.5 MI WEST OF LANCASTER BLVD. STOCK WATER-TABLE WELL. DIAM 6 IN, DEPTH 136.65 FT. ALTITUDE OF LSD 2372 FT. RECORDS AVAILABLE 1951-52, 1954, 1963-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS			
APR 02, 1986	82.35 S			
	HIGHEST	82.24	JUN 02, 1952	
	LOWEST	88.04	MAR 14, 1963	

SITE NUMBER 345252117525201

LOCAL NUMBER 009N010W12R01S

ABOUT 2 MI EAST OF LANCASTER BLVD AND 2.75 MI SOUTHEAST OF CONTROL TOWER. DRILLED UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH 252 FT WHEN DRILLED, 186.6 FT IN 1951. ALTITUDE OF LSD 2280.69 FT. RECORDS AVAILABLE 1948, 1951-54, 1956-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	95.67 S	APR 02, 1986	94.14 S
	HIGHEST	11.10	JAN 28, 1948
	LOWEST	95.67	OCT 31, 1985

SITE NUMBER 345158117533201

LOCAL NUMBER 009N010W24C01S

ABOUT 1.4 MI EAST OF LANCASTER BLVD AND 0.7 MI NORTH OF ROGERS LAKE. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 750 FT, PERFORATED 156-733 FT. ALTITUDE OF LSD 2285 FT. RECORDS AVAILABLE 1952-53, 1958, 1960, 1962-81, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS			
APR 02, 1986	108.18 S			
	HIGHEST	20.29	DEC 08, 1952	
	LOWEST	115.20	MAR 07, 1984	

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345042117564301

LOCAL NUMBER 009N010W28F02S

ABOUT 2 MI WEST OF SOUTHWEST CORNER OF ROGERS LAKE. UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 140.3 FT. ALTITUDE OF LSD 2290 FT. RECORDS AVAILABLE 1957-78, 1980-82, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 02, 1986	85.94 S
HIGHEST	44.55 JUL 17, 1957
LOWEST	85.94 APR 02, 1986

SITE NUMBER 344947117594801

LOCAL NUMBER 009N011W36L01S

ABOUT 1 MI EAST OF ROSAMOND LAKE. DRILLED UNUSED WELL. DIAM 12 IN, DEPTH 134.7 FT. ALTITUDE OF LSD 2295 FT. RECORDS AVAILABLE 1951-54, 1956-71, 1974-78, 1981-82, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 02, 1986	97.80 S
HIGHEST	25.22 APR 10, 1951
LOWEST	106.78 APR 14, 1981

SITE NUMBER 345237118095101

LOCAL NUMBER 009N012W16E04S

ABOUT 0.7 MI NORTH OF ROSAMOND BLVD AND 50 FT WEST OF SIERRA HWY. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2380 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 25, 1986	21.83 S
HIGHEST	21.38 MAR 26, 1985
LOWEST	29.18 FEB 15, 1974

SITE NUMBER 345112118075101

LOCAL NUMBER 009N012W23N01S

ABOUT 0.77 MI SOUTH OF ROSAMOND BLVD AND 125 FT EAST OF DIVISION STREET. DRILLED UNUSED WELL. DIAM 12 IN, DEPTH 266.7 FT IN 1951, 263.65 FT IN 1973. ALTITUDE OF LSD 2294 FT. RECORDS AVAILABLE 1951-54, 1956-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 25, 1986	67.12 S
HIGHEST	17.41 MAR 22, 1951
LOWEST	67.12 MAR 25, 1986

## WATER LEVELS, KERN COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344917118093501

LOCAL NUMBER 009N012W33P01S

ABOUT 200 FT NORTH OF AVENUE A AND 0.25 MI WEST OF SIERRA HWY. UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2310 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 25, 1986	71.61 S
HIGHEST	69.74 FEB 28, 1979
LOWEST	71.61 MAR 25, 1986

SITE NUMBER 345423118152101

LOCAL NUMBER 009N013W04A01S

ABOUT 3 MI NORTHEAST OF WILLOW SPRINGS. DRILLED DOMESTIC WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 282 FT. ALTITUDE OF LSD 2636.8 FT. RECORDS AVAILABLE 1929, 1954-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 27, 1986	133.95 S
HIGHEST	69.70 NOV 15, 1929
LOWEST	154.82 FEB 20, 1975

SITE NUMBER 345252118174601

LOCAL NUMBER 009N013W07Q03S

ABOUT 0.03 MI WEST OF MANLEY ROAD AND 0.1 MI NORTH OF WILLOW SPRINGS TOWN. DRILLED PUBLIC SUPPLY WELL IN ALLUVIUM. DIAM 8 IN, DEPTH 185 FT. ALTITUDE OF LSD 2605 FT. RECORDS AVAILABLE 1929, 1956, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	86.22 S	FEB 27, 1986	73.24 S
HIGHEST	0.31 NOV 14, 1929		
LOWEST	89.65 OCT 15, 1975		

SITE NUMBER 345202118133501

LOCAL NUMBER 009N013W14Q01S

ABOUT 0.08 MI EAST OF 55TH STREET WEST AND 0.14 MI NORTH OF ROSAMOND BLVD. PUBLIC SUPPLY WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2442 FT. RECORDS AVAILABLE 1967-76, 1978-80, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 27, 1986	190.73 S
HIGHEST	187.36 NOV 15, 1967
LOWEST	202.88 MAR 30, 1978

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344400118184501

LOCAL NUMBER 009N014W01H01S

ABOUT 1.25 MI WEST OF WILLOW SPRINGS ROAD AND ON NORTH SIDE OF DIRT ROAD WHICH IS 1.5 MI NORTH OF WILLOW SPRINGS. DRILLED UNUSED WATER-TABLE WELL. DIAM 18 IN, DEPTH 760.5 FT. ALTITUDE OF LSD 2700 FT. RECORDS AVAILABLE 1956, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 27, 1986 158.23 S

HIGHEST	115.00	MAY 23, 1956
LOWEST	177.50	OCT 26, 1971

SITE NUMBER 345143118231401

LOCAL NUMBER 009N014W20B01S

ABOUT 120 FT SOUTH OF ROSAMOND BLVD AND 35 FT EAST OF 145TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 540 FT, PERFORATED 290-540 FT. ALTITUDE OF LSD 2656.4 FT. RECORDS AVAILABLE 1955, 1960-63, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
------	-------------------	------	-------------------

OCT 30, 1985 339.09 S      FEB 27, 1986 339.04 S

HIGHEST	231.60	MAY 24, 1955
LOWEST	339.59	OCT 27, 1983

SITE NUMBER 345147118193201

LOCAL NUMBER 009N014W24D03S

ABOUT 110 FT EAST OF 110TH STREET WEST AND 100 FT SOUTH OF ROSAMOND BLVD. IRRIGATION WELL. DIAM 14 IN, DEPTH 600 FT. ALTITUDE OF LSD 2500 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 27, 1986 308.85 S

HIGHEST	218.26	FEB 15, 1973
LOWEST	359.41	MAR 08, 1977

SITE NUMBER 345007118205001

LOCAL NUMBER 009N014W27R01S

ABOUT 1 MI NORTH OF AVENUE A AND 0.8 MI EAST OF 130TH STREET EAST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 12 IN, DEPTH 400 FT. ALTITUDE OF LSD 2522.9 FT. RECORDS AVAILABLE 1957-63, 1967-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 26, 1986 325.42 S

HIGHEST	220.20	NOV 21, 1957
LOWEST	382.50	MAR 10, 1977

## WATER LEVELS, KERN COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345001118264501

LOCAL NUMBER 009N015W26N01S

NEAR INTERSECTION OF 170TH STREET WEST AND GASKILL ROAD. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 8 IN, DEPTH 600 FT, PERFORATED 280-600 FT. ALTITUDE OF LSD 2642.4 FT. RECORDS AVAILABLE 1962-63, 1978-81, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	281.79 S
HIGHEST	182.35 FEB 19, 1963
LOWEST	300.62 APR 15, 1981

SITE NUMBER 345000118302201

LOCAL NUMBER 009N015W30Q01S

ABOUT 1 MI NORTH OF KERN COUNTY LINE AND 0.3 MI WEST OF 210TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL. DIAM 1.5-2 IN, DEPTH 404 FT, 1.5-IN CSG 0-401.5 FT, 2-IN CSG 401.5-413 FT, PERFORATED 401.5-413 FT. ALTITUDE OF LSD 2880 FT. RECORDS AVAILABLE 1965, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	393.48 S
HIGHEST	336.39 APR 13, 1965
LOWEST	393.48 FEB 26, 1986

SITE NUMBER 344953118310601

LOCAL NUMBER 009N016W36A01S

ABOUT 100 FT WEST OF 220TH STREET WEST AND 1 MI NORTH OF AVENUE A. DRILLED UNUSED WELL. DIAM 14-12 IN, 14-IN CSG 0-605 FT, 12-IN CSG 605-1085 FT, PERFORATED 340-1085 FT. ALTITUDE OF LSD 2885 FT. MEASUREMENTS FURNISHED 1955-60. RECORDS AVAILABLE 1955-60, 1962, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	298.58 S
HIGHEST	264. DEC , 1955
LOWEST	299.65 MAR 07, 1984

SITE NUMBER 345951117503501

LOCAL NUMBER 010N009W04D01S

NORTHEAST OF ROSAMOND BLVD AND LAKE SHORE DRIVE, AT NORTH END OF ROGERS LAKE. DRILLED UNUSED WATER-TABLE WELL IN LAKESHORE DEPOSITS. DIAM 12 IN, DEPTH 502 FT, CASED TO 500 FT, PERFORATED 144-195, 200-433 FT. ALTITUDE OF LSD 2280 FT. RECORDS AVAILABLE 1957 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	123.64 S	MAR 31, 1986	123.27 S
HIGHEST	94.21 JUL 08, 1959		
LOWEST	123.64 OCT 31, 1985		

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345712117463601

LOCAL NUMBER 010N009W24A02S

ON EAST EDGE OF ROGERS LAKE. DRILLED UNUSED WELL. DIAM 14 IN, DEPTH 281 FT. ALTITUDE OF LSD 2287 FT. RECORDS AVAILABLE 1954, 1956 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAR 31, 1986	89.39 S		
	HIGHEST	72.25	NOV 29, 1956
	LOWEST	89.39	MAR 25, 1985

SITE NUMBER 345809118040901

LOCAL NUMBER 010N011W08P01S

ABOUT 0.05 MI NORTH OF NORTHERN BOUNDARY OF EDWARDS AIR FORCE BASE, 2.5 MI SOUTHWEST OF BROWN BUTTE. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 280 FT. ALTITUDE OF LSD 2504 FT. RECORDS AVAILABLE 1974-79, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAR 25, 1986	56.01 S		
	HIGHEST	53.00	MAR 09, 1977
	LOWEST	57.45	FEB 12, 1974

SITE NUMBER 345829118061301

LOCAL NUMBER 010N012W12K01S

NEAR EDWARDS AIR FORCE BASE. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 224 FT. ALTITUDE OF LSD 2520 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAR 25, 1986	82.81 S		
	HIGHEST	81.43	MAR 25, 1985
	LOWEST	82.81	MAR 25, 1986

SITE NUMBER 345747118054301

LOCAL NUMBER 010N012W13H01S

ABOUT 4 MI SOUTHWEST OF BROWN BUTTE AND 0.35 MI SOUTH OF NORTHERN MILITARY BOUNDARY. DRILLED TEST WELL. DIAM 12 IN, DEPTH 185 FT, CASED 0-153 FT, OPEN HOLE 153-175 FT, PERFORATED 75-147 FT. ALTITUDE OF LSD 2505 FT. RECORDS AVAILABLE 1956, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAR 25, 1986	59.08 S		
	HIGHEST	51.76	NOV 08, 1956
	LOWEST	63.24	FEB 04, 1975



WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345701118103601

LOCAL NUMBER 010N012W20C06S

ABOUT 200 FT SOUTH OF BACKUS ROAD AND 15 FT NORTHWEST OF TANK TOWER. DOMESTIC WATER-TABLE WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 2655 FT. RECORDS AVAILABLE 1973-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS			
MAR 25, 1986	106.98 S			
	HIGHEST	101.60	MAR 27, 1978	
	LOWEST	108.80	MAR 24, 1973	

SITE NUMBER 345640118080301

LOCAL NUMBER 010N012W22J01S

ABOUT 1.25 MI SOUTHEAST OF ACTIS. DRILLED TEST WELL. DIAM 12 IN, DEPTH 242 FT, CASED TO 237 FT, PERFORATED 130-230 FT. ALTITUDE OF LSD 2530 FT. RECORDS AVAILABLE 1956, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS			
MAR 25, 1986	42.16 S			
	HIGHEST	33.00	MAY 18, 1956	
	LOWEST	42.67	APR 14, 1983	

SITE NUMBER 345636118182001

LOCAL NUMBER 010N013W19M01S

ABOUT 0.5 MI SOUTH OF BACKUS ROAD AND 0.8 MI WEST OF WILLOW SPRINGS ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH 770 FT. ALTITUDE OF LSD 2905 FT. RECORDS AVAILABLE 1953 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	317.28 S	MAR 25, 1986	317.14 S
	HIGHEST	217.20	OCT 30, 1984
	LOWEST	319.38	SEP 18, 1969

SITE NUMBER 345651118183201

LOCAL NUMBER 010N014W24A01S

ABOUT 1 MI WEST OF WILLOW SPRINGS ROAD AND 0.24 MI SOUTH OF BACKUS ROAD. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2945 FT. RECORDS AVAILABLE 1978-83, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS			
MAR 25, 1986	341.47 S			
	HIGHEST	337.92	FEB 22, 1979	
	LOWEST	346.35	DEC 05, 1978	

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 350113117444801

LOCAL NUMBER 011N008W29K01S

ABOUT 5.5 MI WEST OF BORON. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 485.37 FT IN 1973, PERFORATED 96-495 FT. ALTITUDE OF LSD 2351.82 FT. RECORDS AVAILABLE 1955, 1958-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1986	179.33 S
HIGHEST	139.24 JAN 15, 1958
LOWEST	179.33 MAR 31, 1986

SITE NUMBER 350323117471901

LOCAL NUMBER 011N009W13D01S

ABOUT 4 MI NORTHEAST OF NORTH EDWARDS. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 312 FT, CASSED TO 312 FT, PERFORATED 96-312 FT. ALTITUDE OF LSD 2375 FT. RECORDS AVAILABLE 1958, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 01, 1986	199.83 S
HIGHEST	158.34 JAN 16, 1958
LOWEST	201.83 MAR 26, 1985

SITE NUMBER 350249117514301

LOCAL NUMBER 011N009W17N01S

ABOUT 3 MI NORTHWEST OF NORTH EDWARDS. UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 184.6 FT. ALTITUDE OF LSD 2319.9 FT. RECORDS AVAILABLE 1951-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 01, 1986	151.20 S
HIGHEST	129.53 NOV 03, 1952
LOWEST	151.20 APR 01, 1986

SITE NUMBER 350232117463201

LOCAL NUMBER 011N009W24A01S

ABOUT 2.1 MI WEST OF GEPHARDT ROAD AND 2.5 MI NORTH OF HWY 58 NEAR BORON. DRILLED UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH 900 FT, CASSED TO 888 FT, PERFORATED 200-870 FT. ALTITUDE OF LSD 2348.77 FT. RECORDS AVAILABLE 1958, 1966-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1986	170.99 S
HIGHEST	136.28 JAN 16, 1958
LOWEST	170.99 MAR 31, 1986

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 350114117514901

LOCAL NUMBER 011N009W30H01S

ABOUT 0.85 MI NORTH OF HWY 466 AND 200 FT WEST OF CASTLE BUTTE ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 270 FT IN 1958, 248.6 FT IN 1973. ALTITUDE OF LSD 2298.31 FT. RECORDS AVAILABLE 1958-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 01, 1986	115.01 S
HIGHEST	93.20 JAN 28, 1958
LOWEST	115.01 APR 01, 1986

SITE NUMBER 350002117463301

LOCAL NUMBER 011N009W36R01S

ABOUT 1.5 MI SOUTHWEST OF INTERSECTION OF TWENTY MULE TEAM ROAD AND HWY 58 NEAR BORON. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 258 FT, CASED TO 298 FT, PERFORATED 100-132 FT. ALTITUDE OF LSD 2312.46 FT. RECORDS AVAILABLE 1954, 1956, 1958-68, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1986	117.91 S
HIGHEST	98.25 MAY 05, 1954
LOWEST	117.91 MAR 31, 1986

SITE NUMBER 350405117532201

LOCAL NUMBER 011N010W12F01S

ABOUT 0.68 MI NORTH OF TWIN BUTTES AVENUE AND 100 FT WEST OF JACINTO STREET. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2350 FT. RECORDS AVAILABLE 1967, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 01, 1986	182.86 S
HIGHEST	170.90 APR 25, 1967
LOWEST	182.86 APR 01, 1986

SITE NUMBER 350411118044101

LOCAL NUMBER 011N011W07A01S

ABOUT 5 MI SOUTHWEST OF CALIFORNIA CITY. DRILLED TEST WELL. DIAM 14 IN, DEPTH 414 FT, CASED TO 414 FT, PERFORATED 305-356 FT. ALTITUDE OF LSD 2627.9 FT. RECORDS AVAILABLE 1957-58, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	208.83 S	APR 01, 1986	208.74 S
HIGHEST	200.82 MAR 16, 1970		
LOWEST	208.83 OCT 31, 1985		

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 350411118023601

LOCAL NUMBER 011N011W09A01S

NORTHEAST OF MOJAVE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 14 IN, DEPTH 422 FT, CASED TO 422 FT, PERFORATED 262-295, 352-362 FT. ALTITUDE OF LSD 2549.6 FT. RECORDS AVAILABLE 1956-58, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	131.17 S	APR 01, 1986	131.30 S
	HIGHEST	124.59	OCT 17, 1956
	LOWEST	131.30	APR 01, 1986

SITE NUMBER 350212118083701

LOCAL NUMBER 011N012W22F02S

ABOUT 2.3 MI SOUTHEAST OF MOJAVE, 0.45 MI SOUTH OF STATE HWY 58 AND 11.45 MI EAST OF STATE HWY 14. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 350 FT, PERFORATED 244-346 FT. ALTITUDE OF LSD 2663 FT. RECORDS AVAILABLE 1968, 1974, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAR 26, 1986	248.07 S		
	HIGHEST	248.07	MAR 26, 1986
	LOWEST	260.50	JUN 03, 1974

SITE NUMBER 350206118065801

LOCAL NUMBER 011N012W26J01S

ABOUT 3 MI EAST OF MOJAVE, 1 MI SOUTH OF HWY 466 AND 300 FT WEST OF DIRT ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 225 FT. ALTITUDE OF LSD 2594.6 FT. RECORDS AVAILABLE 1918, 1929-30, 1952, 1954-71, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAR 26, 1986	172.54 S		
	HIGHEST	155.00	JAN 01, 1918
	LOWEST	211.33	OCT 20, 1970

SITE NUMBER 350214118180701

LOCAL NUMBER 011N013W19C01S

WEST OF OAK CREEK. UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH 430 FT, PERFORATED 230-358 AND 376-430 FT. ALTITUDE OF LSD 3610 FT. RECORDS AVAILABLE 1953, 1955-56, 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	226.06 S	MAR 25, 1986	249.00 S
	HIGHEST	180.88	OCT 27, 1983
	LOWEST	344.69	MAR 30, 1978

WATER LEVELS, KERN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 350055118172601

LOCAL NUMBER 011N013W29M01S

WEST OF MOJAVE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 16 IN, DEPTH 749 FT, CASED TO 744 FT, PERFORATED 520-724 FT. ALTITUDE OF LSD 3350 FT. RECORDS AVAILABLE 1954-56, 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 25, 1986	287.09 S
HIGHEST	278.40 NOV 01, 1984
LOWEST	336.19 OCT 17, 1978

SITE NUMBER 350505118065001

LOCAL NUMBER 012N012W35R01S

ABOUT 4.25 MI NORTHEAST OF MOJAVE. DRILLED TEST WELL. DIAM 14 IN, DEPTH 640 FT, CASED TO 640 FT, PERFORATED 375-380, 396-402, 422-434, 452-472, 482-514, 546-560 FT. ALTITUDE OF LSD 2743.3 FT. RECORDS AVAILABLE 1957-58, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 01, 1986	323.83 S
HIGHEST	316.11 JUL 17, 1957
LOWEST	323.98 MAR 26, 1985

## WATER QUALITY, KERN COUNTY

## INORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	DATE	TIME	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE (DEG C)	HARD- NESS (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO3)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)
025S038E23J01M	04-16-86	0805	660	7.90	22.5	220	0	56	19
026S039E23J01M	04-13-86	1500	445	8.00	24.0	110	20	35	5.4
026S040E14B01M	04-16-86	1330	5500	7.40	18.5	710	400	200	50
026S040E21A01M	04-17-86	0705	960	8.30	22.0	41	0	9.8	4.1
026S040E22B01M	04-17-86	0840	7000	7.50	22.5	680	380	40	140
026S040E22H03M	04-17-86	0750	7000	7.70	22.0	2300	2100	330	370
026S040E22P04M	01-09-86	1215	2210	7.53	24.5	800	710	220	60
026S040E23D01M	01-07-86	1500	2960	9.30	23.0	--	--	3.0	<1.0
026S040E23D01M	01-09-86	1420	2780	9.10	22.5	--	--	--	--
026S040E23D01M	06-25-86	1200	3500	9.00	26.5	36	0	3.0	7.0
026S040E23D02M	01-09-86	1500	6800	8.71	22.0	340	89	42	58
026S040E23D02M	06-25-86	1025	7320	8.40	25.5	580	310	100	80
029S039E23J02M	07-24-86	1330	747	7.60	26.0	160	6	40	15
030S037E24J03M	07-23-86	1355	830	7.50	22.0	220	0	69	11
030S037E24M02M	07-23-86	1105	735	7.60	29.0	220	0	62	16
030S037E26E01M	07-23-86	1015	767	8.00	29.0	240	0	63	19
030S037E34H02M	07-23-86	0925	776	7.60	25.0	210	0	63	12
030S037E34R01M	07-23-86	0815	845	7.60	22.5	240	0	68	18
030S037E36H02M	07-24-86	0835	1020	7.60	24.5	290	180	86	19
030S038E04D02M *	07-24-86	0940	5060	8.00	31.5	450	370	130	30
030S038E29A01M	07-23-86	1305	659	7.80	28.0	120	0	36	8.1
030S038E32D03M	07-23-86	1210	1980	7.40	26.0	730	630	210	50
031S037E05M01M	07-23-86	1620	741	7.50	30.0	180	0	54	12
031S037E10B01M	07-24-86	1050	664	8.10	27.5	80	0	21	6.6

LOCAL NUMBER	SODIUM, DIS- SOLVED (MG/L AS NA)	PERCENT SODIUM	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LITY WH WAT TOTAL FIELD (MG/L AS CACO3)	CARBON DIOXIDE DIS- SOLVED (MG/L AS CO2)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)
025S038E23J01M	64	38	2	7.4	226	5.5	75	35	0.5
026S039E23J01M	36	41	2	2.6	90	1.7	49	29	0.6
026S040E14B01M	800	70	14	19	305	23	670	1200	1.0
026S040E21A01M	200	89	14	9.4	371	3.6	74	53	1.9
026S040E22B01M	1300	79	22	42	298	18	3000	260	1.4
026S040E22H03M	980	47	9	38	245	9.4	3700	210	2.1
026S040E22P04M	150	28	2	26	89	5.1	940	140	0.4
026S040E23D01M	670	--	--	10	772	0.7	--	--	6.7
026S040E23D01M	--	--	--	--	790	1.1	--	--	--
026S040E23D01M	710	96	52	17	730	1.3	390	380	6.0
026S040E23D02M	1000	85	24	31	255	0.9	2300	1000	1.1
026S040E23D02M	1500	84	28	40	265	2.0	2300	1000	1.1
029S039E23J02M	86	52	3	6.2	156	7.6	90	76	0.2
030S037E24J03M	94	48	3	3.4	275	17	98	36	0.8
030S037E24M02M	67	39	2	2.3	236	11	110	24	0.9
030S037E26E01M	70	39	2	2.4	247	4.8	110	30	0.9
030S037E34H02M	80	45	3	2.4	227	11	130	33	0.7
030S037E34R01M	84	42	2	3.6	260	13	140	26	0.5
030S037E36H02M	75	35	2	4.6	112	5.4	140	170	0.3
030S038E04D02M	910	81	19	14	77	1.5	990	930	2.2
030S038E29A01M	87	60	4	3.9	178	5.4	100	33	0.8
030S038E32D03M	130	28	2	5.6	99	7.6	350	390	0.2
031S037E05M01M	82	48	3	4.5	220	13	130	18	0.4
031S037E10B01M	87	69	4	5.4	81	1.2	66	100	0.4

See footnotes at end of table.

## WATER QUALITY, KERN COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N)	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N)	NITRO- GEN,AM- MONIA + ORGANIC DIS- SOLVED (MG/L AS N)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P)	BARIUM, DIS- SOLVED (UG/L AS BA)
025S038E23J01M	30	420	1.50	0.05	0.15	0.2	0.02	0.02	--
026S039E23J01M	33	240	1.20	0.05	0.15	0.2	0.01	<0.01	--
026S040E14B01M	72	3200	3.40	0.11	0.29	0.4	0.05	0.06	--
026S040E21A01M	64	640	0.21	0.70	0.3	1.0	0.47	0.41	22
026S040E22B01M	73	5100	3.40	0.06	0.34	0.4	0.07	0.21	<100
026S040E22H03M	71	5900	<0.10	1.40	0.3	1.7	0.04	0.05	100
026S040E22P04M	56	1600	0.63	0.13	0.77	0.9	0.02	<0.01	--
026S040E23D01M	8.9	--	--	--	--	--	--	--	--
026S040E23D01M	--	--	--	--	--	--	--	--	--
026S040E23D01M	34	2000	<0.10	1.60	0.7	2.3	0.14	0.12	--
026S040E23D02M	35	4600	<0.10	2.10	0.3	2.4	0.03	0.02	--
026S040E23D02M	60	5300	<0.10	2.30	0.0	2.2	0.02	0.02	--
029S039E23J02M	32	440	1.90	--	--	--	--	<0.01	--
030S037E24J03M	35	510	0.39	--	--	--	--	0.07	--
030S037E24M02M	23	450	0.41	--	--	--	--	0.03	--
030S037E26E01M	25	470	0.74	--	--	--	--	0.10	--
030S037E34H02M	28	490	0.33	--	--	--	--	0.04	--
030S037E34R01M	27	520	4.20	--	--	--	--	0.04	--
030S037E36H02M	29	590	0.42	--	--	--	--	0.01	--
030S038E04D02M	31	3100	0.27	--	--	--	--	<0.01	--
030S038E29A01M	21	400	<0.10	--	--	--	--	0.06	--
030S038E32D03M	0.3	1200	0.87	--	--	--	--	0.01	--
031S037E05M01M	29	460	1.20	--	--	--	--	0.02	--
031S037E10B01M	14	350	0.17	--	--	--	--	<0.01	--

LOCAL NUMBER	BORON, DIS- SOLVED (UG/L AS B)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	SILVER, DIS- SOLVED (UG/L AS AG)	ZINC, DIS- SOLVED (UG/L AS ZN)
025S038E23J01M	360	--	--	--	10	--	1	--	--
026S039E23J01M	220	--	--	--	52	--	7	--	--
026S040E14B01M	6700	--	--	--	70	--	40	--	--
026S040E21A01M	1700	3	<10	3	100	3	25	<1	26
026S040E22B01M	12000	2	<10	11	160	1	210	<1	100
026S040E22H03M	8500	<1	<10	<1	70	1	390	<1	30
026S040E22P04M	540	--	--	--	100	--	80	--	--
026S040E23D01M	--	--	--	--	80	--	<10	--	--
026S040E23D01M	--	--	--	--	--	--	--	--	--
026S040E23D01M	18000	--	--	--	12000	--	230	--	--
026S040E23D02M	1700	--	--	--	330	--	100	--	--
026S040E23D02M	18000	--	--	--	160	--	70	--	--
029S039E23J02M	550	--	--	--	9	--	26	--	--
030S037E24J03M	760	--	--	--	25	--	230	--	--
030S037E24M02M	350	--	--	--	13	--	2	--	--
030S037E26E01M	370	--	--	--	7	--	6	--	--
030S037E34H02M	430	--	--	--	7	--	380	--	--
030S037E34R01M	460	--	--	--	12	--	12	--	--
030S037E36H02M	300	--	--	--	48	--	3	--	--
030S038E04D02M	23000	--	--	--	40	--	10	--	--
030S038E29A01M	460	--	--	--	10	--	180	--	--
030S038E32D03M	660	--	--	--	30	--	<10	--	--
031S037E05M01M	260	--	--	--	<3	--	5	--	--
031S037E10B01M	240	--	--	--	12	--	73	--	--

&lt; Actual value is known to be less than the value shown.

\* Samples previously published as 030S038E05A01M for water years 1980-85 were published in error; samples were actually from 030S038E04D02M.

## WATER QUALITY, KERN COUNTY--Continued

## ORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	DATE	TIME	BENZENE TOTAL (UG/L)	BROM- OFORM TOTAL (UG/L)	CARBON- TETRA- CHLO- RIDE TOTAL (UG/L)	CHLORO- BENZENE TOTAL (UG/L)	CHLORO- DI- BROMO- METHANE TOTAL (UG/L)	CHLORO- ETHANE TOTAL (UG/L)	CHLORO- FORM TOTAL (UG/L)
026S040E21A01M	04-17-86	0705	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E22B01M	04-17-86	0840	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	7.9
026S040E22H03M	04-17-86	0750	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E22P04M	01-09-86	1215	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E23D01M	01-09-86	1420	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0

LOCAL NUMBER	CIS 1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	DI- CHLORO- BROMO- METHANE TOTAL (UG/L)	DI- CHLORO- DI- FLUORO- METHANE TOTAL (UG/L)	ETHYL- BENZENE TOTAL (UG/L)	METHYL- BROMIDE TOTAL (UG/L)	METHYL CHLOR- IDE TOTAL (UG/L)	METHYL- ENE CHLO- RIDE TOTAL (UG/L)	1,4-DI- CHLORO- BENZENE TOTAL (UG/L)	1,1-DI- CHLORO- ETHANE TOTAL (UG/L)
026S040E21A01M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E22B01M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E22H03M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E22P04M	--	<3.0	<3.0	<3.0	<3.0	--	<3.0	--	<3.0
026S040E23D01M	--	<3.0	<3.0	<3.0	<3.0	--	<3.0	--	<3.0

LOCAL NUMBER	1,1-DI- CHLORO- ETHYL- ENE TOTAL (UG/L)	1,1,1- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,1,2- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,1,2,2 TETRA- CHLORO- ETHANE TOTAL (UG/L)	1,3-DI- CHLORO- BENZENE TOTAL (UG/L)	1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	1,2-DI- CHLORO- BENZENE TOTAL (UG/L)	1,2-DI- CHLORO- ETHANE TOTAL (UG/L)	1,2-DI- CHLORO- PROPANE TOTAL (UG/L)
026S040E21A01M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E22B01M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E22H03M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E22P04M	<3.0	<3.0	<3.0	<3.0	--	<3.0	--	<3.0	<3.0
026S040E23D01M	<3.0	8.0	<3.0	<3.0	--	<3.0	--	<3.0	<3.0

LOCAL NUMBER	1,2- TRANS DI- CHLORO- ETHYL- ENE TOTAL (UG/L)	TETRA- CHLORO- ETHYL- ENE TOTAL (UG/L)	TOLUENE TOTAL (UG/L)	TRANS- 1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	TRI- CHLORO- ETHYL- ENE TOTAL (UG/L)	TRI- CHLORO- FLUORO- METHANE TOTAL (UG/L)	2- CHLORO- ETHYL- VINYL- ETHER TOTAL (UG/L)	VINYL CHLO- RIDE TOTAL (UG/L)
026S040E21A01M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E22B01M	5.3	<3.0	<3.0	<3.0	170	<3.0	<3.0	<3.0
026S040E22H03M	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
026S040E22P04M	<3.0	<3.0	<3.0	--	<3.0	<3.0	<3.0	<3.0
026S040E23D01M	<3.0	<3.0	3.1	--	<3.0	<3.0	<3.0	<3.0

&lt; Actual value is known to be less than the value shown.



## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

LOS ANGELES COUNTY

	<u>Page</u>
LOCAL NUMBER 004N008W07R01S.....	71
LOCAL NUMBER 004N013W07Q01S.....	71
LOCAL NUMBER 004N013W12C03S.....	71
LOCAL NUMBER 004N013W13L01S.....	71
LOCAL NUMBER 004N013W15A01S.....	72
LOCAL NUMBER 005N009W02D01S.....	72
LOCAL NUMBER 005N009W05E02S.....	72
LOCAL NUMBER 005N009W05R02S.....	72
LOCAL NUMBER 005N009W08R01S.....	73
LOCAL NUMBER 005N009W20K01S.....	73
LOCAL NUMBER 005N010W03L01S.....	73
LOCAL NUMBER 005N010W06N01S.....	73
LOCAL NUMBER 005N010W12M02S.....	74
LOCAL NUMBER 005N010W17L01S.....	74
LOCAL NUMBER 005N010W17R01S.....	74
LOCAL NUMBER 005N011W01M01S.....	74
LOCAL NUMBER 005N011W04R02S.....	75
LOCAL NUMBER 005N011W12R01S.....	75
LOCAL NUMBER 005N012W32M01S.....	75
LOCAL NUMBER 006N008W09Q01S.....	75
LOCAL NUMBER 006N008W19E01S.....	76
LOCAL NUMBER 006N009W04H02S.....	76
LOCAL NUMBER 006N009W07J01S.....	76
LOCAL NUMBER 006N009W11N01S.....	76
LOCAL NUMBER 006N009W30F01S.....	77
LOCAL NUMBER 006N009W33C01S.....	77
LOCAL NUMBER 006N010W05H01S.....	77
LOCAL NUMBER 006N010W17N01S.....	77
LOCAL NUMBER 006N010W22D01S.....	78
LOCAL NUMBER 006N010W31A01S.....	78
LOCAL NUMBER 006N010W34D01S.....	78
LOCAL NUMBER 006N010W35A01S.....	78
LOCAL NUMBER 006N011W03E02S.....	79
LOCAL NUMBER 006N011W09P01S.....	79
LOCAL NUMBER 006N011W11M01S.....	79
LOCAL NUMBER 006N011W16J01S.....	79
LOCAL NUMBER 006N011W25C01S.....	80
LOCAL NUMBER 006N011W33Q04S.....	80
LOCAL NUMBER 006N011W36G01S.....	80
LOCAL NUMBER 006N012W07A01S.....	80
LOCAL NUMBER 006N012W11P01S.....	81
LOCAL NUMBER 006N012W12M01S.....	81
LOCAL NUMBER 007N009W17N02S.....	81
LOCAL NUMBER 007N010W01P03S.....	81
LOCAL NUMBER 007N010W05E01S.....	82
LOCAL NUMBER 007N010W05N05S.....	82
LOCAL NUMBER 007N010W09H01S.....	82
LOCAL NUMBER 007N010W14R03S.....	82
LOCAL NUMBER 007N010W19D01S.....	83
LOCAL NUMBER 007N010W19Q01S.....	83
LOCAL NUMBER 007N010W22P01S.....	83
LOCAL NUMBER 007N010W29B01S.....	83
LOCAL NUMBER 007N010W29P01S.....	84
LOCAL NUMBER 007N010W32B01S.....	84
LOCAL NUMBER 007N010W33J01S.....	84
LOCAL NUMBER 007N011W01Q01S.....	84
LOCAL NUMBER 007N011W05L01S.....	85
LOCAL NUMBER 007N011W09P02S.....	85
LOCAL NUMBER 007N011W10F02S.....	85
LOCAL NUMBER 007N011W14P02S.....	85
LOCAL NUMBER 007N011W21E01S.....	86
LOCAL NUMBER 007N011W27Q01S.....	86
LOCAL NUMBER 007N011W28Q01S.....	86
LOCAL NUMBER 007N011W29H01S.....	86
LOCAL NUMBER 007N011W31M01S.....	87
LOCAL NUMBER 007N011W33N01S.....	87
LOCAL NUMBER 007N012W12R01S.....	87
LOCAL NUMBER 007N012W13H02S.....	87

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

LOS ANGELES COUNTY--Continued

	<u>Page</u>
LOCAL NUMBER 007N012W21A04S.....	88
LOCAL NUMBER 007N012W22K01S.....	88
LOCAL NUMBER 007N012W24A01S.....	89
LOCAL NUMBER 007N012W24Q03S.....	89
LOCAL NUMBER 007N012W27H01S.....	89
LOCAL NUMBER 007N012W29P01S.....	89
LOCAL NUMBER 007N012W35M01S.....	90
LOCAL NUMBER 007N013W03E01S.....	90
LOCAL NUMBER 007N013W06A04S.....	90
LOCAL NUMBER 007N013W13N01S.....	90
LOCAL NUMBER 007N013W26J02S.....	91
LOCAL NUMBER 007N013W34B01S.....	91
LOCAL NUMBER 007N014W13A01S.....	91
LOCAL NUMBER 008N009W06D01S.....	91
LOCAL NUMBER 008N010W04E01S.....	92
LOCAL NUMBER 008N010W08R03S.....	92
LOCAL NUMBER 008N010W23F02S.....	92
LOCAL NUMBER 008N010W28B01S.....	92
LOCAL NUMBER 008N010W30R01S.....	93
LOCAL NUMBER 008N011W14R01S.....	93
LOCAL NUMBER 008N011W15Q01S.....	93
LOCAL NUMBER 008N011W22P02S.....	93
LOCAL NUMBER 008N011W24R02S.....	94
LOCAL NUMBER 008N011W24R03S.....	94
LOCAL NUMBER 008N011W34D02S.....	94
LOCAL NUMBER 008N011W34R02S.....	94
LOCAL NUMBER 008N012W02Q01S.....	95
LOCAL NUMBER 008N012W05D01S.....	95
LOCAL NUMBER 008N012W10J01S.....	95
LOCAL NUMBER 008N012W14R01S.....	95
LOCAL NUMBER 008N012W20B02S.....	96
LOCAL NUMBER 008N012W21R01S.....	96
LOCAL NUMBER 008N012W22M01S.....	96
LOCAL NUMBER 008N012W26F01S.....	96
LOCAL NUMBER 008N012W28D01S.....	97
LOCAL NUMBER 008N012W30K01S.....	97
LOCAL NUMBER 008N012W31Q02S.....	97
LOCAL NUMBER 008N012W32L01S.....	97
LOCAL NUMBER 008N012W34K01S.....	98
LOCAL NUMBER 008N013W02Q01S.....	98
LOCAL NUMBER 008N013W03M01S.....	98
LOCAL NUMBER 008N013W05E01S.....	98
LOCAL NUMBER 008N013W06E01S.....	99
LOCAL NUMBER 008N013W07B01S.....	99
LOCAL NUMBER 008N013W09K01S.....	99
LOCAL NUMBER 008N013W11Q01S.....	99
LOCAL NUMBER 008N013W14B02S.....	100
LOCAL NUMBER 008N013W18Q02S.....	100
LOCAL NUMBER 008N013W20B01S.....	100
LOCAL NUMBER 008N013W23E01S.....	100
LOCAL NUMBER 008N013W23M01S.....	101
LOCAL NUMBER 008N013W25Q01S.....	101
LOCAL NUMBER 008N013W26K01S.....	101
LOCAL NUMBER 008N013W31Q01S.....	101
LOCAL NUMBER 008N013W35M01S.....	102
LOCAL NUMBER 008N013W36L01S.....	102
LOCAL NUMBER 008N014W05Q01S.....	102
LOCAL NUMBER 008N014W10L01S.....	102
LOCAL NUMBER 008N014W12C01S.....	103
LOCAL NUMBER 008N014W17M01S.....	103
LOCAL NUMBER 008N014W18N01S.....	103
LOCAL NUMBER 008N014W23G01S.....	103
LOCAL NUMBER 008N014W24C01S.....	104
LOCAL NUMBER 008N015W02Q02S.....	104
LOCAL NUMBER 008N015W08L01S.....	104
LOCAL NUMBER 008N015W27H02S.....	104
LOCAL NUMBER 008N015W33G01S.....	105
LOCAL NUMBER 008N016W02R01S.....	105

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

LOS ANGELES COUNTY--Continued

	<u>Page</u>
LOCAL NUMBER 008N016W09G02S.....	106
LOCAL NUMBER 008N016W18H02S.....	106
LOCAL NUMBER 008N016W22Q04S.....	106
LOCAL NUMBER 008N016W23G01S.....	106
LOCAL NUMBER 008N017W01N01S.....	107
LOCAL NUMBER 008N017W04D01S.....	107
LOCAL NUMBER 001S010W07R02S.....	107




Figure 7.--Index map to location of wells in Los Angeles County.

WATER LEVELS, LOS ANGELES COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342631117445101

LOCAL NUMBER 004N008W07R01S

ABOUT 4.4 MI SOUTH OF INTERSECTION OF PEARBLOSSOM HWY AND 213TH STREET EAST. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 4307 FT. RECORDS AVAILABLE 1964, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
FEB 28, 1986	108.26 S		
	HIGHEST	94.68	APR 15, 1983
	LOWEST	130.75	MAR 28, 1978

SITE NUMBER 342612118163401

LOCAL NUMBER 004N013W07Q01S

ABOUT 300 FT NORTH OF SOLEDAD CYN ROAD AND 0.1 MI EAST OF INDIAN CYN ROAD TO SANTA CLARA DIVIDE. DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 8 IN, DEPTH 40 FT. ALTITUDE OF LSD 2200 FT. RECORDS AVAILABLE 1965, 1978-82, 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
FEB 26, 1986	7.94 S		
	HIGHEST	3.56	MAR 13, 1980
	LOWEST	7.94	FEB 26, 1986

SITE NUMBER 342706118114501

LOCAL NUMBER 004N013W12C03S

ABOUT 0.1 MI NORTHEAST OF ACTON CAMP. PUBLIC SUPPLY WATER-TABLE WELL. DIAM 12 IN, DEPTH 115 FT. ALTITUDE OF LSD 2635 FT. REPORTED MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT. RECORDS AVAILABLE 1950-51, 1953, 1955-58, 1963, 1965, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	7.84 S	FEB 26, 1986	7.11 S
	HIGHEST	3.07	MAR 06, 1984
	LOWEST	50.11	SEP 21, 1965

SITE NUMBER 342539118113601

LOCAL NUMBER 004N013W13L01S

EAST OF MOODY CYN ROAD NEAR RESERVOIR. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2960 FT. RECORDS AVAILABLE 1965, 1974-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
FEB 26, 1986	22.48 S		
	HIGHEST	7.68	MAR 13, 1980
	LOWEST	56.65	SEP 21, 1965

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342609118131101

LOCAL NUMBER 004N013W15A01S

ABOUT 2 MI SOUTHWEST OF ACTON. DOMESTIC WATER-TABLE WELL. DIAM 14 IN, DEPTH 60 FT. ALTITUDE OF LSD 2475 FT. RECORDS AVAILABLE 1965, 1978-80, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	14.41 S
HIGHEST	6.64 MAR 13, 1980
LOWEST	29.05 SEP 20, 1965

SITE NUMBER 343327117475401

LOCAL NUMBER 005N009W02D01S

ABOUT 70 FT SOUTH OF AVENUE S AND 270 FT EAST OF 185TH STREET EAST. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 286 FT. ALTITUDE OF LSD 2865 FT. RECORDS AVAILABLE 1964, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 27, 1986	152.58 S
HIGHEST	147.45 MAY 06, 1964
LOWEST	164.22 APR 14, 1981

SITE NUMBER 343312117510101

LOCAL NUMBER 005N009W05E02S

ABOUT 0.32 MI SOUTH OF AVENUE S AND 0.87 MI WEST OF 165TH STREET EAST. DRILLED UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2866 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1986	58.56 S
HIGHEST	53.50 MAR 08, 1984
LOWEST	67.57 AUG 20, 1981

SITE NUMBER 343242117500601

LOCAL NUMBER 005N009W05R02S

ABOUT 0.9 MI SOUTH OF AVENUE S AND 100 FT WEST OF 165TH STREET EAST. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 143.7 FT IN 1964, DEPTH ABOUT 134 FT IN 1981. ALTITUDE OF LSD 2908 FT. RECORDS AVAILABLE 1964, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1986	100.46 S
HIGHEST	97.18 MAR 05, 1984
LOWEST	138.34 MAY 05, 1964

## WATER LEVELS, LOS ANGELES COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343141117501201

LOCAL NUMBER 005N009W08R01S

NEAR INTERSECTION OF PEARBLOSSOM HWY AND 165TH STREET EAST. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 10 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 3000 FT. RECORDS AVAILABLE 1964, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1986	133.14 S
HIGHEST	128.83 MAR 28, 1985
LOWEST	188.30 MAR 31, 1978

SITE NUMBER 343011117502901

LOCAL NUMBER 005N009W20K01S

ABOUT 100 FT WEST OF DIRT ROAD, 0.27 MI WEST OF 165TH STREET EAST AND 0.24 MI SOUTH OF PEARBLOSSOM HWY. UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 286 FT, CASED TO 286 FT. ALTITUDE OF LSD 3178 FT. RECORDS FURNISHED BY CALIFORNIA DEPARTMENT OF WATER RESOURCES, LOS ANGELES COUNTY FLOOD CONTROL DISTRICT AND U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1957-62, 1964 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	179.22 S	FEB 25, 1986	185.52 T
HIGHEST	127.50 MAR 05, 1984		
LOWEST	269.40 AUG 01, 1966		

SITE NUMBER 343251117545901

LOCAL NUMBER 005N010W03L01S

ABOUT 0.30 MI EAST OF 16TH STREET EAST AND 0.31 MI NORTH OF AVENUE T. PUBLIC SUPPLY WATER-TABLE WELL. DIAM 8 IN. ALTITUDE OF LSD 2802 FT. RECORDS AVAILABLE 1961, 1963, 1968-70, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	96.70 S
HIGHEST	89.29 DEC 10, 1963
LOWEST	110.55 FEB 23, 1979

SITE NUMBER 343237117582601

LOCAL NUMBER 005N010W06N01S

NEAR INTERSECTION OF AVENUE T AND 87TH STREET EAST. UNUSED WELL. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2777 FT. MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT. RECORDS AVAILABLE 1926, 1928, 1930, 1938-78, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	107.21 S
HIGHEST	85.05 MAR 02, 1945
LOWEST	147.30 JUL 17, 1956

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343205117525801

LOCAL NUMBER 005N010W12M02S

ABOUT 2 MI NORTH OF HWY 138 AND 0.24 MI EAST OF 136TH STREET EAST. UNUSED WELL. DIAM 8 IN, DEPTH 116.7 FT. ALTITUDE OF LSD 2912 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
FEB 25, 1986	55.47 S		
	HIGHEST	55.43	MAR 28, 1985
	LOWEST	58.66	MAY 06, 1983

SITE NUMBER 343115117565601

LOCAL NUMBER 005N010W17L01S

ABOUT 0.48 MI EAST OF 96TH STREET EAST AND 100 FT SOUTH OF PEARBLOSSOM HWY. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 370 FT, PERFORATED 250-370 FT. ALTITUDE OF LSD 2955 FT. RECORDS FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT 1960-81. MEASUREMENTS BY U.S. GEOLOGICAL SURVEY BEGINNING 1982. RECORDS AVAILABLE 1960, 1964, 1976-78, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
FEB 26, 1986	193.18 S		
	HIGHEST	166.60	APR 19, 1960
	LOWEST	217.50	NOV 04, 1977

SITE NUMBER 343051117563001

LOCAL NUMBER 005N010W17R01S

ABOUT 0.1 MI WEST OF 106TH STREET EAST AND 50 FT NORTH OF AVENUE V. UNUSED WELL. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 3032 FT. RECORDS AVAILABLE 1964, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
FEB 26, 1986	273.23 S		
	HIGHEST	249.02	JAN 09, 1964
	LOWEST	273.23	FEB 26, 1986

SITE NUMBER 343259117593101

LOCAL NUMBER 005N011W01M01S

NORTHWEST OF INTERSECTION OF 80TH STREET EAST AND AVENUE T. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 14 IN, DEPTH 414 FT IN 1963, 396.29 FT IN 1967, CASED TO 392 FT, PERFORATED 100-364 FT. ALTITUDE OF LSD 2739 FT. RECORDS AVAILABLE 1955, 1963, 1967-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	96.84 S	FEB 26, 1986	96.48 T
	HIGHEST	64.48	APR 10, 1980
	LOWEST	111.37	OCT 11, 1977



WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343234118015101

LOCAL NUMBER 005N011W04R02S

ABOUT 50 FT NORTH OF AVENUE T AND 300 FT WEST OF PEARBLOSSOM HWY. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH REPORTED 300 FT IN 1949, PERFORATED 140-280 FT. ALTITUDE OF LSD 2755 FT. RECORDS AVAILABLE 1949, 1951-52, 1963, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	155.10 S
HIGHEST	147.75 NOV 23, 1949
LOWEST	182.69 MAR 26, 1980

SITE NUMBER 343148117582901

LOCAL NUMBER 005N011W12R01S

ABOUT 120 FT WEST OF 87TH STREET EAST AND 0.12 MI NORTH OF AVENUE U. PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 602 FT. ALTITUDE OF LSD 2841 FT. RECORDS 1937-45, 1949-52 FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT. RECORDS AVAILABLE 1927, 1937-45, 1949-52, 1961, 1963-64, 1968, 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	174.17 S
HIGHEST	110.00 NOV 01, 1927
LOWEST	204.40 AUG 09, 1972

SITE NUMBER 342824118094301

LOCAL NUMBER 005N012W32M01S

ABOUT 25 FT NORTH OF CARSON MESA ROAD AND ABOUT 10 FT WEST OF DRIVE. DOMESTIC WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2835 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	88.79 S
HIGHEST	40.25 APR 12, 1983
LOWEST	88.79 FEB 26, 1986

SITE NUMBER 343701117433001

LOCAL NUMBER 006N008W09Q01S

ABOUT 200 FT NORTH OF AVENUE O AND 0.55 MI EAST OF 220TH STREET EAST. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2791 FT. RECORDS AVAILABLE 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 27, 1986	53.13 S
HIGHEST	48.79 MAR 29, 1978
LOWEST	53.76 FEB 27, 1979

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343541117461801

LOCAL NUMBER 006N008W19E01S

NEAR INTERSECTION OF 200TH STREET EAST AND AVENUE P-8. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2774 FT. RECORDS AVAILABLE 1964, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 27, 1986	155.94 S
HIGHEST	147.44 MAR 26, 1964
LOWEST	156.33 APR 14, 1981

SITE NUMBER 343824117493801

LOCAL NUMBER 006N009W04H02S

ABOUT 0.58 MI NORTH OF AVENUE N AND 100 FT WEST OF 170TH STREET EAST. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 10 IN, DEPTH 336 FT. ALTITUDE OF LSD 2595 FT. RECORDS AVAILABLE 1949-62, 1964, 1967-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
OCT 30, 1985	188.68 S
HIGHEST	120.56 NOV 23, 1949
LOWEST	189.07 OCT 30, 1984

SITE NUMBER 343726117514501

LOCAL NUMBER 006N009W07J01S

ABOUT 140 FT WEST OF 150TH STREET EAST AND 0.52 MI SOUTH OF AVENUE N. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 243 FT, CASED TO 243 FT, PERFORATED 163-243 FT. ALTITUDE OF LSD 2618 FT. RECORDS AVAILABLE 1964, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 27, 1986	133.78 S
HIGHEST	128.02 JAN 27, 1964
LOWEST	150.59 FEB 27, 1979

SITE NUMBER 343703117482801

LOCAL NUMBER 006N009W11N01S

ABOUT 550 FT NORTH OF AVENUE O AND 300 FT EAST OF 180TH STREET EAST. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 295 FT. ALTITUDE OF LSD 2666 FT. RECORDS AVAILABLE 1951-62, 1964, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 27, 1986	177.95 S
HIGHEST	132.80 FEB 17, 1958
LOWEST	179.00 MAR 29, 1985

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343450117522501

LOCAL NUMBER 006N009W30F01S

ABOUT 130 FT NORTH OF PALMDALE BLVD AND 0.7 MI WEST OF 150TH STREET EAST. UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH REPORTED 312 FT IN 1922 AND 92.3 FT IN 1964. ALTITUDE OF LSD 2758 FT. RECORDS AVAILABLE 1951, 1954-62, 1964, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1986	39.62 S
	HIGHEST 15.05 APR 14, 1969
	LOWEST 59.63 MAR 08, 1977

SITE NUMBER 343408117500701

LOCAL NUMBER 006N009W33C01S

ABOUT 0.25 MI SOUTH OF AVENUE R AND 140 FT WEST OF 165TH STREET EAST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 738 FT, PERFORATED 180-738 FT. ALTITUDE OF LSD 2823 FT. RECORDS AVAILABLE 1964, 1967, 1973-80, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1986	109.28 S
	HIGHEST 109.28 FEB 25, 1986
	LOWEST 196.53 FEB 26, 1976

SITE NUMBER 343820117570501

LOCAL NUMBER 006N010W05H01S

ABOUT 20 FT NORTH OF AVENUE M-8 AND 40 FT WEST OF 100TH STREET EAST. PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 425 FT. ALTITUDE OF LSD 2552 FT. RECORDS IN 1956 FURNISHED BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. RECORDS AVAILABLE 1952-53, 1956, 1963, 1974-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 27, 1986	236.20 S
	HIGHEST 230.00 JUL 01, 1952
	LOWEST 266.2 APR 15, 1981

SITE NUMBER 343608117580501

LOCAL NUMBER 006N010W17N01S

ABOUT 58 FT EAST OF 90TH STREET EAST AND 45 FT NORTH OF AVENUE P. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2605 FT. MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT. RECORDS AVAILABLE 1945, 1964, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 27, 1986	152.38 S
	HIGHEST 132.64 MAR 08, 1984
	LOWEST 202.85 JAN 20, 1964

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343557117554801

LOCAL NUMBER 006N010W22D01S

ABOUT 120 FT NORTH OF ACCESS ROAD, 0.25 MI SOUTH OF AVENUE P AND 0.16 MI EAST OF 110TH STREET EAST. DOMESTIC WATER-TABLE WELL. DIAM 12 IN, DEPTH 200 FT, PERFORATED 100-200 FT. ALTITUDE OF LSD 2645 FT. RECORDS AVAILABLE 1951, 1957, 1964, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	156.90 S	FEB 27, 1986	156.31 S
	HIGHEST	143.00	JAN 01, 1951
	LOWEST	172.22	NOV 17, 1981

SITE NUMBER 343410117581301

LOCAL NUMBER 006N010W31A01S

ABOUT 400 FT WEST OF 90TH STREET EAST AND 0.17 MI SOUTH OF AVENUE R. DRILLED DOMESTIC WELL. DIAM 6 IN, DEPTH 250 FT. ALTITUDE OF LSD 2674 FT. RECORDS AVAILABLE 1956, 1964, 1974-75, 1977-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 26, 1986	98.06 S	FEB 27, 1986	96.76 S
	HIGHEST	64.25	MAR 12, 1980
	LOWEST	131.74	MAR 06, 1964

SITE NUMBER 343422117555801

LOCAL NUMBER 006N010W34D01S

ABOUT 100 FT EAST OF 110TH STREET EAST AND 90 FT SOUTH OF CENTERLINE AVENUE R. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 8 IN, DEPTH 300 FT. ALTITUDE OF LSD 2706 FT. RECORDS AVAILABLE 1957-60, 1964, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 26, 1986	129.96 S		
	HIGHEST	124.50	OCT 09, 1957
	LOWEST	141.87	FEB 14, 1973

SITE NUMBER 343420117535501

LOCAL NUMBER 006N010W35A01S

ABOUT 1.95 MI EAST OF 110TH STREET EAST AND 160 FT SOUTH OF AVENUE R. UNUSED WELL. DIAM 10 IN, DEPTH 81.5 FT. ALTITUDE OF LSD 2750 FT. RECORDS AVAILABLE 1964, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
FEB 26, 1986	49.47 S		
	HIGHEST	49.47	FEB 26, 1986
	LOWEST	68.70	MAR 09, 1964

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343820118022101

LOCAL NUMBER 006N011W03E02S

ABOUT 0.25 MI EAST OF 50TH STREET EAST AND 0.5 MI SOUTH OF AVENUE M. DIAM 16 IN, DEPTH 700 FT. ALTITUDE OF LSD 2493 FT. RECORDS AVAILABLE 1960, 1962-63, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 28, 1986	312.35 S
HIGHEST	202.00 FEB 12, 1962
LOWEST	352.35 SEP 03, 1981

SITE NUMBER 343700118031101

LOCAL NUMBER 006N011W09P01S

ABOUT 0.26 MI EAST OF INTERSECTION OF AVENUE O AND 40TH STREET EAST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 652 FT, PERFORATED 537-652 FT. ALTITUDE OF LSD 2523 FT. RECORDS AVAILABLE 1956, 1963, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 28, 1986	271.70 S
HIGHEST	257.00 AUG 01, 1956
LOWEST	341.30 SEP 03, 1981

SITE NUMBER 343726118012001

LOCAL NUMBER 006N011W11M01S

ABOUT 0.02 MI EAST OF 60TH STREET EAST AND 0.54 MI SOUTH OF AVENUE N. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH REPORTED 445 FT, CASED TO 431 FT, PERFORATED 311-431 FT. ALTITUDE OF LSD 2523 FT. RECORDS AVAILABLE 1960, 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 28, 1986	305.75 S
HIGHEST	300.00 APR 01, 1963
LOWEST	341.48 APR 10, 1980

SITE NUMBER 343628118022701

LOCAL NUMBER 006N011W16J01S

ABOUT 0.39 MI NORTH OF INTERSECTION OF AVENUE P AND 50TH STREET EAST. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM, DIAM 14 IN, DEPTH 630 FT, PERFORATED 322-630 FT. ALTITUDE OF LSD 2547 FT. RECORDS AVAILABLE 1964, 1970, 1972-75, 1977-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 28, 1986	314.09 S
HIGHEST	314.09 FEB 28, 1986
LOWEST	370.65 OCT 22, 1970

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343502117594501

LOCAL NUMBER 006N011W25C01S

ABOUT 0.28 MI NORTH OF PALMDALE BLVD AND 150 FT WEST OF 75TH STREET EAST. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2628 FT. RECORDS AVAILABLE 1963, 1966, 1973-78, 1980 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 27, 1986	143.19 S
HIGHEST	127.70 MAR 09, 1984
LOWEST	241.73 DEC 03, 1963

SITE NUMBER 343332118025201

LOCAL NUMBER 006N011W33Q04S

ABOUT 0.6 MI NORTHWEST OF INTERSECTION OF AVENUE S AND 47TH STREET EAST. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 8 IN, DEPTH 200 FT. ALTITUDE OF LSD 2672 FT. RECORDS AVAILABLE 1963, 1973-79, 1981 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	164.44 S
HIGHEST	153.80 NOV 14, 1963
LOWEST	168.24 APR 13, 1981

SITE NUMBER 343404117593101

LOCAL NUMBER 006N011W36G01S

ABOUT 0.26 MI SOUTH OF AVENUE R AND 0.31 MI WEST OF 80TH STREET EAST. INDUSTRIAL WATER-TABLE WELL. DIAM 12 IN, DEPTH 572 FT, PERFORATED 235-572 FT. ALTITUDE OF LSD 2679 FT. RECORDS AVAILABLE 1956, 1974-78, 1980 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 27, 1986	91.29 S
HIGHEST	73.51 MAR 09, 1984
LOWEST	192.00 JAN 12, 1956

SITE NUMBER 343741118110301

LOCAL NUMBER 006N012W07A01S

ABOUT 500 FT WEST OF 30TH STREET WEST AND 40 FT SOUTH OF AVENUE N-3. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14, DEPTH 432 FT IN 1951, 411 FT IN 1961, CASED TO 432 FT, PERFORATED 276-432 FT. ALTITUDE OF LSD 2597 FT. RECORDS AVAILABLE 1955, 1957, 1961, 1974 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	349.43 S
HIGHEST	284.10 MAR 12, 1957
LOWEST	349.43 FEB 26, 1986

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343703118072601

LOCAL NUMBER 006N012W11P01S

ABOUT 0.94 MI SOUTH OF AVENUE N AND 300 FT WEST OF SIERRA HWY. UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH REPORTED 500 FT IN 1951. ALTITUDE OF LSD 2595 FT. RECORDS AVAILABLE 1951, 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	443.30 S
	HIGHEST 283.30 NOV 07, 1951
	LOWEST 469.71 MAR 13, 1980

SITE NUMBER 343716118063501

LOCAL NUMBER 006N012W12M01S

ABOUT 1.4 MI NORTHWEST OF INTERSECTION OF AVENUE P AND 15TH STREET EAST. DRILLED UNUSED WATER-TABLE WELL. DIAM 10.5 IN, DEPTH 430 FT. ALTITUDE OF LSD 2560 FT. RECORDS AVAILABLE 1963, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 27, 1986	410.12 S
	HIGHEST 308.40 MAY 13, 1963
	LOWEST 410.12 FEB 27, 1986

SITE NUMBER 344124117514301

LOCAL NUMBER 007N009W17N02S

ABOUT 250 FT EAST OF 150TH STREET EAST AND 100 FT NORTH OF AVENUE J. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 303 FT. ALTITUDE OF LSD 2492 FT. RECORDS AVAILABLE 1959 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 20, 1986	249.46 S
	HIGHEST 192.35 MAR 01, 1960
	LOWEST 255.70 NOV 03, 1967

SITE NUMBER 344312117532101

LOCAL NUMBER 007N010W01P03S

ABOUT 200 FT NORTH OF AVENUE H AND 0.52 MI WEST OF 140TH STREET EAST. DRILLED DOMESTIC WATER-TABLE WELL. DIAM ABOUT 8.5 IN, DEPTH 544 FT, PERFORATED 347-544 FT. ALTITUDE OF LSD 2435 FT. RECORDS AVAILABLE 1970, 1973, 1975-83, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 20, 1986	349.14 S
	HIGHEST 335.00 JUL 14, 1970
	LOWEST 370.00 MAR 08, 1977

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344337117575501

LOCAL NUMBER 007N010W05E01S

ABOUT 0.21 MI EAST OF 90TH STREET EAST AND 35 FT NORTH OF AVENUE G-8. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 601 FT, PERFORATED 120-400 FT. ALTITUDE OF LSD 2391 FT. RECORDS AVAILABLE 1951-53, 1967-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 20, 1986	167.71 S
HIGHEST	112.04 FEB 14, 1952
LOWEST	213.95 OCT 21, 1970

SITE NUMBER 344320117575601

LOCAL NUMBER 007N010W05N05S

ABOUT 500 FT NORTH OF AVENUE H AND 0.23 MI EAST OF 90TH STREET EAST. IRRIGATION WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 400 FT. ALTITUDE OF LSD 2398 FT. RECORDS AVAILABLE 1971, 1973-74, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	231.18 S	MAR 20, 1986	228.11 S
HIGHEST	228.11 MAR 20, 1986		
LOWEST	264.75 MAR 09, 1976		

SITE NUMBER 344244117555901

LOCAL NUMBER 007N010W09H01S

ABOUT 0.49 MI SOUTH OF AVENUE H AND 90 FT WEST OF 110TH STREET EAST. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2421 FT. RECORDS AVAILABLE 1978-84 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 20, 1986	271.19 S
HIGHEST	266.37 MAR 08, 1984
LOWEST	294.75 SEP 21, 1978

SITE NUMBER 344124117540201

LOCAL NUMBER 007N010W14R03S

ABOUT 45 FT NORTH OF AVENUE J AND 900 FT WEST OF 130TH STREET EAST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 480 FT. ALTITUDE OF LSD 2466 FT. RECORDS AVAILABLE 1951, 1967-71, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 20, 1986	371.53 S
HIGHEST	169.54 NOV 14, 1951
LOWEST	388.81 FEB 11, 1982



WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344119117591201

LOCAL NUMBER 007N010W19D01S

ABOUT 0.11 MI SOUTH OF AVENUE J AND 50 FT EAST OF 80TH STREET EAST. DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 333 FT. ALTITUDE OF LSD 2446 FT. RECORDS AVAILABLE 1951, 1956-57, 1966-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 20, 1986	291.66 SR
HIGHEST	183.83 MAR 27, 1951
LOWEST	293.05 MAR 07, 1977

SITE NUMBER 344033117582401

LOCAL NUMBER 007N010W19Q01S

ABOUT 60 FT NORTH OF AVENUE K AND 0.27 MI WEST OF 90TH STREET EAST. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 600 FT. ALTITUDE OF LSD 2473 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 20, 1986	321.59 S
HIGHEST	321.59 MAR 20, 1986
LOWEST	344.60 SEP 03, 1981

SITE NUMBER 344044117552901

LOCAL NUMBER 007N010W22P01S

ABOUT 0.5 MI EAST OF 110TH STREET EAST AND 0.5 MI SOUTH OF AVENUE J. DRILLED UNUSED WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 474 FT IN 1974. ALTITUDE OF LSD 2481 FT. RECORDS AVAILABLE 1967, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 20, 1986	337.87 S
HIGHEST	322.00 MAR 16, 1967
LOWEST	345.80 MAR 07, 1977

SITE NUMBER 344029117573601

LOCAL NUMBER 007N010W29B01S

ABOUT 0.25 MI SOUTH OF AVENUE K AND 0.5 MI EAST OF 90TH STREET EAST. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 585 FT. ALTITUDE OF LSD 2503 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 20, 1986	330.46 S
HIGHEST	201.52 DEC 19, 1950
LOWEST	348.70 SEP 03, 1981

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343946117574701

LOCAL NUMBER 007N010W29P01S

ABOUT 0.35 MI EAST OF 90TH STREET EAST AND 0.15 MI NORTH OF AVENUE L. DRILLED UNUSED WELL.  
DIAM 16 IN, DEPTH 585 FT. ALTITUDE OF LSD 2487 FT. RECORDS AVAILABLE 1950, 1981 TO CURRENT  
YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 20, 1986	339.48 S
HIGHEST	339.48 MAR 20, 1986
LOWEST	355.02 SEP 02, 1981

SITE NUMBER 343926117573701

LOCAL NUMBER 007N010W32B01S

ABOUT 0.5 MI EAST OF 90TH STREET EAST AND 0.26 MI SOUTH OF AVENUE L. DRILLED UNUSED WELL.  
DIAM 16 IN, DEPTH 504 FT. ALTITUDE OF LSD 2517 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 20, 1986	332.60 S
HIGHEST	332.60 MAR 20, 1986
LOWEST	343.50 SEP 02, 1981

SITE NUMBER 343925117561301

LOCAL NUMBER 007N010W33J01S

ABOUT 0.75 MI NORTH OF AVENUE M AND 0.21 MI WEST OF 110TH STREET EAST. DRILLED IRRIGATION  
WATER-TABLE WELL. DIAM 14 IN, DEPTH 415 FT. ALTITUDE OF LSD 2538 FT. RECORDS AVAILABLE  
1950-51, 1957, 1973-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 20, 1986	330.15 S
HIGHEST	241.32 DEC 21, 1950
LOWEST	341.60 MAR 21, 1973

SITE NUMBER 344310117593001

LOCAL NUMBER 007N011W01Q01S

ABOUT 30 FT NORTH OF AVENUE H AND 0.25 MI WEST OF 80TH STREET EAST. DRILLED IRRIGATION WELL IN  
ALLUVIUM. DIAM 10 IN, DEPTH 350 FT. ALTITUDE OF LSD 2385 FT. RECORDS AVAILABLE 1958-63, 1965-68,  
1970-71, 1973, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 20, 1986	188.99 S
HIGHEST	179.49 MAR 12, 1958
LOWEST	218.72 OCT 21, 1970

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344323118041001

LOCAL NUMBER 007N011W05L01S

ABOUT 0.38 MI EAST OF 30TH STREET EAST AND 0.25 MI NORTH OF AVENUE H TO ACCESS ROAD, 115 FT NORTH OF ACCESS ROAD. DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2363 FT. RECORDS AVAILABLE 1963, 1974-83 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 19, 1986	127.89 S
	HIGHEST 104.05 OCT 31, 1963
	LOWEST 130.46 MAR 09, 1976

SITE NUMBER 344218118030701

LOCAL NUMBER 007N011W09P02S

ABOUT 0.36 MI EAST OF 40TH STREET EAST AND 200 FT NORTH OF CENTERLINE AVENUE I. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2386 FT. RECORDS AVAILABLE 1963, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 19, 1986	210.51 S
	HIGHEST 192.56 NOV 14, 1963
	LOWEST 223.59 MAR 08, 1977

SITE NUMBER 344244118015301

LOCAL NUMBER 007N011W10F02S

ABOUT 0.6 MI NORTH OF AVENUE I AND 0.5 MI EAST OF 50TH STREET EAST. UNUSED WELL. DIAM 12 IN, DEPTH 307.3 FT, CASED TO 150 FT. ALTITUDE OF LSD 2396 FT. RECORDS AVAILABLE 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 19, 1986	182.52 S
	HIGHEST 182.44 MAR 06, 1984
	LOWEST 218.12 MAR 09, 1976

SITE NUMBER 344125118005201

LOCAL NUMBER 007N011W14P02S

ABOUT 0.57 MI WEST OF 70TH STREET EAST AND 70 FT NORTH OF AVENUE J. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 500 FT IN 1963, 472 FT IN 1973, CASED TO 280 FT. ALTITUDE OF LSD 2425 FT. RECORDS AVAILABLE 1963, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 20, 1986	274.10 S
	HIGHEST 238.10 NOV 21, 1963
	LOWEST 294.38 MAR 09, 1976

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344058118032401

LOCAL NUMBER 007N011W21E01S

ABOUT 0.54 MI NORTH OF AVENUE K AND 0.12 MI EAST OF 40TH STREET EAST. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2422 FT. RECORDS AVAILABLE 1963, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 19, 1986	143.21 S
HIGHEST	102.76 MAR 20, 1967
LOWEST	143.21 MAR 19, 1986

SITE NUMBER 343939118013701

LOCAL NUMBER 007N011W27Q01S

ABOUT 0.27 MI WEST OF 60TH STREET EAST AND 40 FT NORTH OF CENTERLINE AVENUE L. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 650 FT. ALTITUDE OF LSD 2467 FT. RECORDS AVAILABLE 1953-54, 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 20, 1986	307.55 S
HIGHEST	200.00 JAN 01, 1953
LOWEST	343.41 MAR 07, 1977

SITE NUMBER 343939118025201

LOCAL NUMBER 007N011W28Q01S

ABOUT 0.45 MI WEST OF 50TH STREET EAST AND 100 FT NORTH OF AVENUE L. UNUSED WELL. DIAM 17 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2453 FT. RECORDS AVAILABLE 1963, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 19, 1986	291.40 S
HIGHEST	267.84 DEC 31, 1963
LOWEST	315.85 OCT 08, 1982

SITE NUMBER 344006118033001

LOCAL NUMBER 007N011W29H01S

ABOUT 35 FT WEST OF CENTERLINE 40TH STREET EAST AND 85 FT NORTH OF AVENUE K-8. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 679 FT, PERFORATED 319-679 FT. ALTITUDE OF LSD 2442 FT. RECORDS AVAILABLE 1959-60, 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 19, 1986	276.13 S
HIGHEST	249.00 DEC 10, 1963
LOWEST	313.02 APR 15, 1981

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343909118053601

LOCAL NUMBER 007N011W31M01S

ABOUT 140 FT EAST OF CENTERLINE 20TH STREET EAST AND 0.47 MI NORTH OF AVENUE M. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 385.6 FT. ALTITUDE OF LSD 2468 FT. RECORDS AVAILABLE 1951-52, 1964, 1974-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 19, 1986	307.69 S
HIGHEST	184.57 MAR 04, 1952
LOWEST	307.69 MAR 25, 1985

SITE NUMBER 343847118032001

LOCAL NUMBER 007N011W33N01S

ABOUT 0.14 MI EAST OF 40TH STREET EAST AND 40 FT NORTH OF CENTERLINE AVENUE M. IRRIGATION WATER-TABLE WELL. DIAM 20 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2473 FT. RECORDS AVAILABLE 1951, 1954, 1956-65, 1967-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 19, 1986	307.43 S
HIGHEST	215.39 NOV 17, 1951
LOWEST	327.80 MAR 09, 1976

SITE NUMBER 344217118054101

LOCAL NUMBER 007N012W12R01S

ABOUT 225 FT WEST OF 20TH STREET EAST AND 250 FT NORTH OF AVENUE I. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2375 FT. RECORDS AVAILABLE 1963, 1978-81, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 19, 1986	129.52 S
HIGHEST	94.90 SEP 25, 1963
LOWEST	142.00 SEP 20, 1978

SITE NUMBER 344150118055401

LOCAL NUMBER 007N012W13H02S

ABOUT 225 FT NORTH OF LANCASTER BLVD AND 0.21 MI WEST OF 20TH STREET EAST. DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 218 FT. ALTITUDE OF LSD 2385 FT. RECORDS AVAILABLE 1963, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	159.09 S	MAR 19, 1986	159.36 S
HIGHEST	113.95 SEP 25, 1963		
LOWEST	159.36 MAR 19, 1986		

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344159118083101

LOCAL NUMBER 007N012W15F01S

ABOUT 50 FT NORTH OF KITTING STREET AND 130 FT WEST OF ELM STREET. DOMESTIC WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2348 FT. RECORDS AVAILABLE 1924, 1934, 1942-63, 1965-66, 1968 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 18, 1986	179.73 S
HIGHEST	26.70 OCT 28, 1942
LOWEST	179.73 MAR 18, 1986

SITE NUMBER 344030118110001

LOCAL NUMBER 007N012W19R01S

ABOUT 100 FT NORTH OF AVENUE K AND 200 FT WEST OF 30TH STREET WEST. PUBLIC SUPPLY WATER-TABLE WELL. DIAM 12 IN, DEPTH 400 FT, PERFORATED 100-400 FT. ALTITUDE OF LSD 2386 FT. REPORTED MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT; LOS ANGELES COUNTY ENGINEERS; AND CALIFORNIA WATER RIGHTS BOARD. RECORDS AVAILABLE 1951, 1953, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 18, 1986	222.79 S
HIGHEST	96.00 NOV 07, 1951
LOWEST	222.79 MAR 18, 1986

SITE NUMBER 344109118090601

LOCAL NUMBER 007N012W21A04S

ABOUT 0.25 MI WEST OF 10TH STREET WEST AND 0.25 MI SOUTH OF AVENUE J. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2365 FT. RECORDS AVAILABLE 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 22, 1986	194.45 S
HIGHEST	124.70 DEC 13, 1963
LOWEST	194.45 APR 22, 1986

SITE NUMBER 344043118080301

LOCAL NUMBER 007N012W22K01S

ABOUT 360 FT WEST OF SIERRA HWY AND 0.26 MI NORTH OF AVENUE K. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 400 FT. ALTITUDE OF LSD 2407 FT. REPORTED MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT. RECORDS AVAILABLE 1961, 1963 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 22, 1986	251.20 S
HIGHEST	169.60 MAY 01, 1961
LOWEST	251.20 APR 22, 1986

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344120118055301

LOCAL NUMBER 007N012W24A01S

ABOUT 0.77 MI EAST OF 10TH STREET EAST AND 250 FT SOUTH OF AVENUE J. DRILLED UNUSED WELL.  
DIAM 8 IN, DEPTH 230.5 FT, PERFORATED 180-400 FT. ALTITUDE OF LSD 2401 FT. RECORDS AVAILABLE  
1963, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 20, 1986 217.04 S

HIGHEST	177.74	OCT 03, 1963
LOWEST	217.20	MAR 28, 1985

SITE NUMBER 344032118060601

LOCAL NUMBER 007N012W24Q03S

ABOUT 0.47 MI WEST OF 20TH STREET EAST AND 200 FT NORTH OF AVENUE K. DRILLED DOMESTIC WELL.  
DIAM 8 IN, DEPTH 630 FT. ALTITUDE OF LSD 2435 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 19, 1986 266.17 S

HIGHEST	263.07	MAY 09, 1983
LOWEST	266.17	MAR 19, 1986

SITE NUMBER 344004118075901

LOCAL NUMBER 007N012W27H01S

ABOUT 0.14 MI WEST OF SIERRA HWY AND 0.49 MI SOUTH OF AVENUE K. IRRIGATION WATER-TABLE WELL.  
DIAM 14 IN, DEPTH 500 FT, PERFORATED 189-500 FT. ALTITUDE OF LSD 2449 FT. RECORDS AVAILABLE  
1949, 1954, 1959, 1964, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 18, 1986 304.19 S

HIGHEST	151.00	DEC 01, 1949
LOWEST	318.90	MAY 06, 1983

SITE NUMBER 343938118102901

LOCAL NUMBER 007N012W29P01S

ABOUT 40 FT NORTH OF AVENUE L AND 300 FT WEST OF 25TH STREET WEST. UNUSED WELL. DIAM 14 IN,  
DEPTH 445 FT. ALTITUDE OF LSD 2449 FT. RECORDS AVAILABLE 1939-43, 1945-47, 1949-52, 1963,  
1969, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 18, 1986 300.45 S

HIGHEST	111.3	DEC 09, 1939
LOWEST	300.45	MAR 18, 1986

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343900118074401

LOCAL NUMBER 007N012W35M01S

ABOUT 0.71 MI SOUTH OF AVENUE L AND 290 FT WEST OF SIERRA HWY. DRILLED PUBLIC SUPPLY WELL. DIAM 12 IN, DEPTH 504.5 FT, PERFORATED 220-540 FT. ALTITUDE OF LSD 2512 FT. RECORDS AVAILABLE 1948, 1957, 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	365.59 S	MAR 19, 1986	363.06 S
	HIGHEST 209.00	JAN 01, 1948	
	LOWEST 365.59	OCT 30, 1985	

SITE NUMBER 344338118151301

LOCAL NUMBER 007N013W03E01S

ABOUT 0.39 MI SOUTH OF AVENUE G AND 50 FT EAST OF 70TH STREET EAST. UNUSED WATER-TABLE WELL. DIAM 12-10 IN, DEPTH 400 FT, 12-IN CSG 0-75 FT, 10-IN CSG 75-400 FT, PERFORATED 69-400 FT. ALTITUDE OF LSD 2381 FT. RECORDS AVAILABLE 1920, 1963, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	163.89 S	MAR 18, 1986	160.74 S
	HIGHEST 32.00	JAN 16, 1920	
	LOWEST 219.10	MAY 29, 1963	

SITE NUMBER 344353118172401

LOCAL NUMBER 007N013W06A04S

ABOUT 250 FT WEST OF 90TH STREET WEST AND 450 FT SOUTH OF AVENUE G. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 12 IN, DEPTH 400 FT. ALTITUDE OF LSD 2431 FT. RECORDS AVAILABLE 1963, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAR 18, 1986	213.23 S		
	HIGHEST 213.23	MAR 18, 1986	
	LOWEST 243.25	SEP 21, 1978	

SITE NUMBER 344122118125701

LOCAL NUMBER 007N013W13N01S

ABOUT 55 FT NORTH OF AVENUE J AND 0.12 MI EAST OF 50TH STREET WEST. UNUSED WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2350 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAR 18, 1986	144.91 S		
	HIGHEST 142.72	MAR 24, 1980	
	LOWEST 157.55	DEC 08, 1978	



## WATER LEVELS, LOS ANGELES COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344000118130601

LOCAL NUMBER 007N013W26J02S

ABOUT 0.08 MI NORTH OF AVENUE K-10 AND 70 FT WEST OF 50TH STREET WEST. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 606 FT, CASED TO 606 FT, PERFORATED 288-606 FT. ALTITUDE OF LSD 2417 FT. RECORDS AVAILABLE 1957-61, 1963-64, 1967, 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 18, 1986	245.58 S
HIGHEST	216.00 APR 05, 1957
LOWEST	329.60 AUG 24, 1972

SITE NUMBER 343932118144001

LOCAL NUMBER 007N013W34B01S

ABOUT 0.35 MI WEST OF 60TH STREET WEST AND 0.08 MI SOUTH OF AVENUE L. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 26-14 IN, DEPTH 485 FT, 26-IN CSG 0-15 FT, 14-IN CSG 15-475 FT, PERFORATED 250-475 FT. ALTITUDE OF LSD 2433 FT. RECORDS AVAILABLE 1963, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 18, 1986	223.79 S
HIGHEST	223.79 MAR 18, 1986
LOWEST	371.14 OCT 27, 1971

SITE NUMBER 344209118183801

LOCAL NUMBER 007N014W13A01S

ABOUT 200 FT SOUTH OF AVENUE I AND 0.23 MI WEST OF 100TH STREET WEST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 12 IN, DEPTH 519 FT, CASED TO 519 FT, PERFORATED 249-519 FT. ALTITUDE OF LSD 2467 FT. RECORDS AVAILABLE 1953, 1955-57, 1959-60, 1962-63, 1967-68, 1970-80, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 18, 1986	271.02 S
HIGHEST	219.00 OCT 14, 1953
LOWEST	307.23 OCT 22, 1970

SITE NUMBER 344911117524001

LOCAL NUMBER 008N009W06D01S

ABOUT 0.8 MI NORTH OF AVENUE B, 75 FT WEST OF DIRT ROAD AND 300 FT SOUTH OF RAILROAD TRACK. DRILLED BASE SUPPLY WELL IN DUNE SAND. DIAM 8 IN, DEPTH 200 FT. ALTITUDE OF LSD 2293 FT. RECORDS AVAILABLE 1959 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 01, 1986	37.44 S
HIGHEST	26.90 MAR 12, 1959
LOWEST	47.30 APR 13, 1983

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344957117565801

LOCAL NUMBER 008N010W04E01S

ABOUT 0.56 MI NORTH OF AVENUE B AND 400 FT EAST OF 100TH STREET EAST. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH 128.6 FT. ALTITUDE OF LSD 2300 FT. RECORDS AVAILABLE 1966, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 01, 1986	D
HIGHEST	88.10 MAR 10, 1966
LOWEST	119.30 MAR 28, 1985

SITE NUMBER 344736117571801

LOCAL NUMBER 008N010W08R03S

ABOUT 0.21 MI WEST OF 100TH STREET EAST AND 50 FT NORTH OF CENTERLINE AVENUE C. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 14 IN, DEPTH 230 FT. ALTITUDE OF LSD 2318 FT. RECORDS AVAILABLE 1961-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 01, 1986	85.19 S
HIGHEST	55.84 JAN 09, 1961
LOWEST	85.19 APR 01, 1986

SITE NUMBER 344627117543001

LOCAL NUMBER 008N010W23F02S

ABOUT 0.25 MI EAST OF 120TH STREET EAST AND 0.25 MI SOUTH OF AVENUE D. DRILLED UNUSED WELL IN DUNE SAND. DIAM 12 IN, DEPTH 250 FT, PERFORATED 120-226 FT. ALTITUDE OF LSD 2350 FT. RECORDS AVAILABLE 1968, 1970-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 02, 1986	134.78 S
HIGHEST	108.10 MAR 06, 1968
LOWEST	134.78 APR 02, 1986

SITE NUMBER 344542117562301

LOCAL NUMBER 008N010W28B01S

ABOUT 0.78 MI EAST OF 100TH STREET EAST, 0.2 MI SOUTH OF AVENUE E, AND 240 FT WEST OF DIRT ROAD. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 215 FT. ALTITUDE OF LSD 2358 FT. RECORDS AVAILABLE 1951-54, 1956-78, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 02, 1986	150.22 S
HIGHEST	66.75 JAN 23, 1951
LOWEST	150.22 APR 02, 1986

## WATER LEVELS, LOS ANGELES COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344457117581001

LOCAL NUMBER 008N010W30R01S

ABOUT 68 FT WEST OF 90TH STREET EAST AND 25 FT NORTH OF AVENUE F. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH 1064 FT, PERFORATED 650-1064 FT. ALTITUDE OF LSD 2361 FT. RECORDS AVAILABLE 1973, 1975, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 20, 1986	146.0 T
HIGHEST	131.84 MAR 30, 1978
LOWEST	158.2 APR 16, 1981

SITE NUMBER 344643118002001

LOCAL NUMBER 008N011W14R01S

ABOUT 57 FT WEST OF 70TH STREET EAST AND 24 FT NORTH OF AVENUE D. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 186 FT. ALTITUDE OF LSD 2317 FT. RECORDS AVAILABLE 1960, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 02, 1986	84.88 S
HIGHEST	84.88 APR 02, 1986
LOWEST	99.47 OCT 15, 1968

SITE NUMBER 344641118015301

LOCAL NUMBER 008N011W15Q01S

ABOUT 0.51 MI EAST OF 50TH STREET EAST AND 36 FT NORTH OF CENTERLINE AVENUE D. DRILLED WATER-TABLE WELL. DIAM 12 IN, DEPTH 179.2 FT. ALTITUDE OF LSD 2307 FT. RECORDS AVAILABLE 1952, 1954, 1958-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 03, 1986	78.75 S
HIGHEST	77.98 NOV 06, 1952
LOWEST	90.85 FEB 28, 1961

SITE NUMBER 344548118005401

LOCAL NUMBER 008N011W22P02S

ABOUT 0.5 MI EAST OF 50TH STREET EAST AND 40 FT NORTH OF AVENUE E. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2323 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 03, 1986	100.44 S
HIGHEST	100.44 APR 03, 1986
LOWEST	109.75 DEC 08, 1978

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344551117591401

LOCAL NUMBER 008N011W24R02S

ABOUT 175 FT WEST OF 80TH STREET EAST AND 175 FT NORTH OF AVENUE E. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 132.5 FT, PERFORATED 120-270 FT. ALTITUDE OF LSD 2337 FT. RECORDS AVAILABLE 1951, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 03, 1986	105.24 S
HIGHEST	103.31 APR 13, 1983
LOWEST	124.86 MAY 25, 1951

SITE NUMBER 344550117591901

LOCAL NUMBER 008N011W24R03S

ABOUT 0.11 MI WEST OF 80TH STREET EAST AND 25 FT NORTH OF AVENUE E. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 302 FT. ALTITUDE OF LSD 2337 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 03, 1986	110.84 S
HIGHEST	108.00 APR 13, 1983
LOWEST	121.03 MAR 07, 1977

SITE NUMBER 344443118021301

LOCAL NUMBER 008N011W34D02S

ABOUT 0.25 MI SOUTH OF AVENUE F AND 0.2 MI EAST OF 50TH STREET EAST. DRILLED DOMESTIC WELL. DIAM 12 IN, DEPTH 250.5 FT. ALTITUDE OF LSD 2340 FT. RECORDS AVAILABLE 1951-54, 1956 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	125.29 S	FEB 27, 1986	123.40 S
HIGHEST	110.89 FEB 15, 1952		
LOWEST	158.09 OCT 26, 1961		

SITE NUMBER 344403118012101

LOCAL NUMBER 008N011W34R02S

ABOUT 90 FT NORTH OF AVENUE G AND 42 FT WEST OF 60TH STREET EAST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2358 FT. RECORDS AVAILABLE 1951-52, 1956 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 03, 1986	129.27 S
HIGHEST	127.18 FEB 13, 1973
LOWEST	215.30 SEP 19, 1964

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344825118071801

LOCAL NUMBER 008N012W02Q01S

AT WEST EDGE OF ROSAMOND LAKE. DRILLED UNUSED WELL IN DUNE SAND. DIAM 7 IN, DEPTH 260 FT IN 1951 AND 226.4 FT IN 1965. ALTITUDE OF LSD 2283 FT. RECORDS AVAILABLE 1951-54, 1956-77, 1979-83 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 19, 1986	49.54 S
	HIGHEST .66 APR 14, 1953
	LOWEST 50.84 FEB 10, 1982

SITE NUMBER 344913118110001

LOCAL NUMBER 008N012W05D01S

ABOUT 200 FT EAST OF 30TH STREET WEST AND 130 FT SOUTH OF AVENUE A. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 465.3 FT. ALTITUDE OF LSD 2329 FT. RECORDS AVAILABLE 1951, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 18, 1986	118.96 S
	HIGHEST 41.70 APR 19, 1951
	LOWEST 154.30 FEB 12, 1974

SITE NUMBER 344747118075001

LOCAL NUMBER 008N012W10J01S

ABOUT 0.3 MI NORTH OF AVENUE C AND 100 FT WEST OF DIVISION STREET. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH 91 FT. ALTITUDE OF LSD 2285 FT. RECORDS AVAILABLE 1960, 1965-67, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 19, 1986	36.51 S
	HIGHEST 13.67 MAR 23, 1960
	LOWEST 36.51 MAR 19, 1986

SITE NUMBER 344646118065201

LOCAL NUMBER 008N012W14R01S

ABOUT 1.1 MI NORTH OF AVENUE E AND 0.14 MI WEST OF 10TH STREET EAST. DRILLED STOCK WELL. DIAM 12 IN, DEPTH 404 FT IN 1949, 187.7 FT IN 1958. ALTITUDE OF LSD 2291 FT. RECORDS AVAILABLE 1951-52, 1958 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 19, 1986	68.96 S
	HIGHEST 26.15 MAY 02, 1958
	LOWEST 72.35 MAR 08, 1977

## WATER LEVELS, LOS ANGELES COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344635118102301

LOCAL NUMBER 008N012W20B02S

ABOUT 75 FT SOUTH OF AVENUE D AND 0.45 MI WEST OF 20TH STREET WEST. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 6 IN, DEPTH 287.2 FT. ALTITUDE OF LSD 2317.5 FT. RECORDS AVAILABLE 1941-44, 1951-54, 1956-68, 1973 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 18, 1986	80.56 S
HIGHEST	5.9 DEC 26, 1942
LOWEST	82.24 APR 14, 1981

SITE NUMBER 344547118090601

LOCAL NUMBER 008N012W21R01S

ABOUT 0.32 MI WEST OF SIERRA HWY AND 200 FT NORTH OF AVENUE E. UNUSED WELL. DIAM 8 IN, DEPTH 139.4 FT. ALTITUDE OF LSD 2303 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 19, 1986	72.34 S
HIGHEST	72.16 MAR 08, 1984
LOWEST	83.65 OCT 08, 1982

SITE NUMBER 344610118075201

LOCAL NUMBER 008N012W22M01S

ABOUT 0.53 MI SOUTH OF AVENUE D AND 190 FT WEST OF U.S. 14. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 6 IN, DEPTH 298.5 FT. ALTITUDE OF LSD 2302 FT. RECORDS AVAILABLE 1943-49, 1951-54, 1956-68, 1974-82, 1984 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 19, 1986	59.83 S
HIGHEST	2.0 DEC 09, 1946
LOWEST	62.08 FEB 12, 1979

SITE NUMBER 344523118073301

LOCAL NUMBER 008N012W26F01S

ABOUT 1425 FT EAST OF DIVISION STREET AND 2300 FT SOUTH OF AVENUE E. DRILLED UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2303 FT. RECORDS AVAILABLE 1951, 1974 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 19, 1986	20.69 S
HIGHEST	14.27 JAN 24, 1951
LOWEST	22.49 FEB 12, 1974

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344534118094301

LOCAL NUMBER 008N012W28D01S

ABOUT 0.2 MI SOUTH OF AVENUE E AND 0.76 MI WEST OF 10TH STREET WEST. DRILLED WATER-TABLE WELL. DIAM 12 IN, DEPTH 316 FT, PERFORATED 48-316 FT. ALTITUDE OF LSD 2308 FT. RECORDS AVAILABLE 1951, 1974-75, 1978-80, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 19, 1986	64.39 S
HIGHEST	11.89 APR 26, 1951
LOWEST	64.39 MAR 19, 1986

SITE NUMBER 344517118112801

LOCAL NUMBER 008N012W30K01S

ABOUT 0.5 MI SOUTH OF AVENUE E AND 0.4 MI WEST OF 30TH STREET WEST. DRILLED UNUSED WELL IN ALLUVIUM. DIAM 6 IN, DEPTH 170.9 FT. ALTITUDE OF LSD 2324 FT. RECORDS AVAILABLE 1951, 1956-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 18, 1986	93.63 S
HIGHEST	33.68 APR 26, 1951
LOWEST	105.85 OCT 20, 1970

SITE NUMBER 344405118111901

LOCAL NUMBER 008N012W31Q02S

ABOUT 0.08 MI NORTH OF AVENUE G, 0.26 MI WEST OF 30TH STREET WEST AND 200 FT SOUTH OF DIRT ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2322 FT. RECORDS AVAILABLE 1963, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 18, 1986	68.12 S
HIGHEST	42.80 NOV 02, 1967
LOWEST	68.12 MAR 18, 1986

SITE NUMBER 344426118104101

LOCAL NUMBER 008N012W32L01S

ABOUT 0.5 MI SOUTH OF AVENUE F AND 0.28 MI EAST OF 30TH STREET WEST. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2317 FT. RECORDS AVAILABLE 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 22, 1986	64.53 S
HIGHEST	45.47 AUG 15, 1963
LOWEST	65.23 APR 15, 1983

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344418118081401

LOCAL NUMBER 008N012W34K01S

ABOUT 0.63 MI SOUTH OF AVENUE F AND 0.08 MI EAST OF 5TH STREET WEST. DOMESTIC WATER-TABLE WELL.  
DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2316 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAR 19, 1986	53.89	S	
	HIGHEST	48.75	FEB 13, 1979
	LOWEST	53.89	MAR 19, 1986

SITE NUMBER 344822118134001

LOCAL NUMBER 008N013W02Q01S

ABOUT 0.55 MI EAST OF 60TH STREET WEST AND 100 FT NORTH OF AVENUE B. UNUSED WATER-TABLE WELL.  
DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2373 FT. RECORDS AVAILABLE 1963, 1973 TO CURRENT  
YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
FEB 25, 1986	174.84	S	
	HIGHEST	174.84	FEB 25, 1986
	LOWEST	216.90	MAR 09, 1977

SITE NUMBER 344834118151401

LOCAL NUMBER 008N013W03M01S

IN CENTER OF AVENUE A-12 AND 25 FT EAST OF 70TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL. DIAM  
14 IN, DEPTH 765 FT, CASED TO 765 FT, PERFORATED 350-765 FT. ALTITUDE OF LSD 2400 FT. RECORDS  
AVAILABLE 1955-56, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
FEB 25, 1986	205.95	S	
	HIGHEST	205.95	FEB 25, 1986
	LOWEST	265.90	MAR 09, 1977

SITE NUMBER 344848118172301

LOCAL NUMBER 008N013W05E01S

ABOUT 70 FT EAST OF 90TH STREET WEST AND 45 FT NORTH OF AVENUE A-8. IRRIGATION WATER-TABLE WELL.  
DIAM 18 IN, DEPTH 552 FT. ALTITUDE OF LSD 2440 FT. RECORDS AVAILABLE 1945, 1957-63, 1967 TO CURRENT  
YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
FEB 26, 1986	251.55	S	
	HIGHEST	104.00	DEC 03, 1945
	LOWEST	322.60	NOV 01, 1967



WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343852118182601

LOCAL NUMBER 008N013W06E01S

ABOUT 50 FT EAST OF 100TH STREET WEST AND 0.39 MI SOUTH OF AVENUE A. DOMESTIC WATER-TABLE WELL. DIAM 16 IN, DEPTH 457 FT. ALTITUDE OF LSD 2462 FT. RECORDS AVAILABLE 1956, 1963, 1974-77, 1979, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	283.15 S
HIGHEST	258.70 MAR 27, 1963
LOWEST	344.40 FEB 12, 1974

SITE NUMBER 344819118175201

LOCAL NUMBER 008N013W07B01S

ABOUT 0.49 MI WEST OF INTERSECTION OF AVENUE B AND 90TH STREET WEST AND 50 FT SOUTH OF AVENUE B. DRILLED UNUSED WELL. DIAM 14 IN, DEPTH 496 FT, PERFORATED 320-496 FT. ALTITUDE OF LSD 2453 FT. RECORDS AVAILABLE 1961, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	271.13 S
HIGHEST	270.00 JAN 01, 1961
LOWEST	290.83 MAY 18, 1983

SITE NUMBER 344758118154401

LOCAL NUMBER 008N013W09K01S

SOUTHEAST CORNER OF INTERSECTION OF 75TH STREET WEST AND AVENUE B-6. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2412 FT. RECORDS AVAILABLE 1957-63, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1986	217.28 S
HIGHEST	169.50 MAR 12, 1958
LOWEST	228.35 OCT 13, 1970

SITE NUMBER 344733118133901

LOCAL NUMBER 008N013W11Q01S

ABOUT 0.51 MI EAST OF 60TH STREET WEST AND 0.1 MI NORTH OF AVENUE L. IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH 575 FT, PERFORATED 200-575 FT. ALTITUDE OF LSD 2374 FT. RECORDS AVAILABLE 1947, 1951, 1956-63, 1974-76, 1979-80, 1982-83 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1986	184.80 S
HIGHEST	110.00 JAN 26, 1947
LOWEST	209.06 FEB 10, 1976

## WATER LEVELS, LOS ANGELES COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344725118132701

LOCAL NUMBER 008N013W14B02S

ABOUT 250 FT SOUTH OF AVENUE C AND 200 FT WEST OF 52ND STREET WEST. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM ABOUT 6.5 IN, DEPTH 159 FT. ALTITUDE OF LSD 2370 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1986	147.58 S

HIGHEST	134.80	MAR 28, 1978
LOWEST	148.46	APR 08, 1980

SITE NUMBER 344647118175401

LOCAL NUMBER 008N013W18Q02S

ABOUT 0.5 MI WEST OF 90TH STREET WEST AND 0.21 MI NORTH OF AVENUE D. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 533 FT, PERFORATED 255-533 FT. ALTITUDE OF LSD 2453 FT. RECORDS AVAILABLE 1963, 1973 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	253.66 S

HIGHEST	253.66	FEB 26, 1986
LOWEST	295.00	FEB 01, 1973

SITE NUMBER 344623118164901

LOCAL NUMBER 008N013W20B01S

ABOUT 0.5 MI EAST OF 90TH STREET WEST AND 0.2 MI SOUTH OF AVENUE D. IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH 610 FT, PERFORATED 232-610 FT. ALTITUDE OF LSD 2430 FT. RECORDS AVAILABLE 1952-59, 1961-63, 1967, 1970, 1973 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	233.00 S

HIGHEST	165.00	DEC 01, 1952
LOWEST	298.50	OCT 23, 1970

SITE NUMBER 344620118140901

LOCAL NUMBER 008N013W23E01S

ABOUT 250 FT EAST OF 60TH STREET WEST AND 0.18 MI NORTH OF AVENUE D-8. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 2063 FT IN 1928, CASED TO 529 FT. ALTITUDE OF LSD 2382 FT. RECORDS AVAILABLE 1963, 1974 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1986	179.46 S

HIGHEST	176.57	MAR 21, 1963
LOWEST	208.67	FEB 13, 1974

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344607118140801

LOCAL NUMBER 008N013W23M01S

ABOUT 125 FT EAST OF 60TH STREET WEST AND 100 FT SOUTH OF AVENUE D8. UNUSED WELL. DIAM 8 IN, DEPTH 450 FT, PERFORATED 50-450 FT. ALTITUDE OF LSD 2376 FT. MEASUREMENTS PRIOR TO 1983 FURNISHED BY LOS ANGELES COUNTY FLOOD CONTROL DISTRICT, SOUTHERN CALIFORNIA ELECTRIC AND CALIFORNIA DEPARTMENT OF WATER RESOURCES. RECORDS AVAILABLE 1942-43, 1945-56, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1986	162.40 S
HIGHEST	50.62 NOV 28, 1942
LOWEST	186.95 APR 26, 1983

SITE NUMBER 344500118122201

LOCAL NUMBER 008N013W25Q01S

ABOUT 0.18 MI NORTH OF AVENUE F AND 200 FT WEST OF 42ND STREET WEST. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2333 FT. RECORDS AVAILABLE 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 25, 1986	84.17 S
HIGHEST	55.98 FEB 18, 1975
LOWEST	84.17 FEB 25, 1986

SITE NUMBER 344509118133801

LOCAL NUMBER 008N013W26K01S

ABOUT 0.32 MI NORTH OF AVENUE F AND EAST OF 55TH STREET WEST. DRILLED DOMESTIC WATER-TABLE WELL. ALTITUDE OF LSD 2348 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 27, 1986	117.86 S
HIGHEST	117.86 FEB 27, 1986
LOWEST	120.58 FEB 08, 1982

SITE NUMBER 344403118175001

LOCAL NUMBER 008N013W31Q01S

ABOUT 0.11 MI NORTH OF AVENUE G AND 0.49 MI WEST OF 90TH STREET WEST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 655 FT, PERFORATED 300-655 FT. ALTITUDE OF LSD 2440 FT. RECORDS AVAILABLE 1962, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	221.78 S
HIGHEST	221.78 FEB 26, 1986
LOWEST	293.10 OCT 02, 1962

## WATER LEVELS, LOS ANGELES COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344425118141001

LOCAL NUMBER 008N013W35M01S

ABOUT 30 FT SOUTH OF CENTERLINE AVENUE F-8 AND 50 FT EAST OF CENTERLINE 60TH STREET WEST. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH 255.5 FT. ALTITUDE OF LSD 2354 FT. RECORDS AVAILABLE 1952, 1959, 1963, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 25, 1986	131.62 S
--------------	----------

HIGHEST	78.90	NOV 13, 1952
LOWEST	141.70	MAR 13, 1980

SITE NUMBER 344415118130501

LOCAL NUMBER 008N013W36L01S

ABOUT 0.5 MI NORTH OF AVENUE G AND 0.3 MI WEST OF 50TH STREET WEST. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 1200 FT, CASED TO 1100 FT, PERFORATED 117-1100 FT. ALTITUDE OF LSD 2340 FT. REPORTED MEASUREMENTS FURNISHED BY LOS ANGELES COUNTY ENGINEERS. RECORDS AVAILABLE 1958-83, 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 25, 1986	131.20 S
--------------	----------

HIGHEST	102.00	JUN 02, 1959
LOWEST	206.00	OCT 11, 1965

SITE NUMBER 344818118225701

LOCAL NUMBER 008N014W05Q01S

ABOUT 0.25 MI WEST OF INTERSECTION OF 140TH STREET WEST AND AVENUE B. UNUSED WELL. DIAM 10 IN, DEPTH 500 FT. ALTITUDE OF LSD 2558 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 26, 1986	268.78 S
--------------	----------

HIGHEST	268.78	FEB 26, 1986
LOWEST	282.37	MAY 18, 1983

SITE NUMBER 344751118210701

LOCAL NUMBER 008N014W10L01S

ABOUT 0.5 MI SOUTH OF INTERSECTION OF AVENUE B AND 130TH STREET WEST. UNUSED WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2525 FT. RECORDS AVAILABLE 1967, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 26, 1986	265.88 S
--------------	----------

HIGHEST	252.00	DEC 27, 1967
LOWEST	276.05	MAY 18, 1983

## WATER LEVELS, LOS ANGELES COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344819118191301

LOCAL NUMBER 008N014W12C01S

ABOUT 50 FT SOUTH OF AVENUE B AND 0.25 MI EAST OF 110TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 653 FT. ALTITUDE OF LSD 2480 FT. RECORDS AVAILABLE 1963, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 26, 1986 305.38 S

HIGHEST	305.38	FEB 26, 1986
LOWEST	354.40	SEP 21, 1978

SITE NUMBER 344658118234201

LOCAL NUMBER 008N014W17M01S

ABOUT 0.45 MI NORTH OF AVENUE D AND 150 FT EAST OF 150TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 828 FT, CASED TO 670 FT, PERFORATED 270-670 FT. ALTITUDE OF LSD 2592 FT. RECORDS AVAILABLE 1958, 1962, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 26, 1986 173.78 S

HIGHEST	172.50	MAY 08, 1962
LOWEST	190.00	NOV 20, 1958

SITE NUMBER 344635118244301

LOCAL NUMBER 008N014W18N01S

ABOUT 350 FT NORTH OF AVENUE D AND 50 FT EAST OF 160TH STREET WEST. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 16-14 IN, DEPTH 865 FT, 16-IN CSG 0-450 FT, 14-IN CSG 450-865 FT, PERFORATED 250-865 FT. ALTITUDE OF LSD 2642 FT. RECORDS AVAILABLE 1954-55, 1958, 1960, 1962, 1967-68, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
------	-------------------	------	-------------------

OCT 30, 1985 119.11 S      FEB 26, 1986 114.49 S

HIGHEST	114.49	FEB 26, 1986
LOWEST	205.30	NOV 26, 1958

SITE NUMBER 344607118195901

LOCAL NUMBER 008N014W23G01S

ABOUT 100 FT EAST OF 115TH STREET WEST AND 0.5 MI SOUTH OF AVENUE D. UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 420 FT. ALTITUDE OF LSD 2500 FT. RECORDS AVAILABLE 1952, 1954, 1956-60, 1974-79, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

FEB 26, 1986 276.98 S

HIGHEST	182.40	JUL 22, 1952
LOWEST	293.69	FEB 22, 1979

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344652118185701

LOCAL NUMBER 008N014W24C01S

ABOUT 0.48 MI EAST OF 110TH STREET WEST AND 100 FT SOUTH OF AVENUE D. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 618 FT, PERFORATED 500-618 FT. ALTITUDE OF LSD 2475 FT. RECORDS AVAILABLE 1955, 1967, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	266.30 S
HIGHEST	230.5 JUN 15, 1955
LOWEST	289.02 DEC 26, 1967

SITE NUMBER 344816118260901

LOCAL NUMBER 008N015W02Q02S

ABOUT 0.3 MI WEST OF 170TH STREET WEST AND 100 FT NORTH OF AVENUE B. DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2635 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	291.39 S
HIGHEST	291.39 FEB 26, 1986
LOWEST	296.42 AUG 18, 1981

SITE NUMBER 344745118293301

LOCAL NUMBER 008N015W08L01S

NEAR INTERSECTION OF 205TH STREET WEST AND AVENUE B-8. UNUSED WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2720 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	151.60 S
HIGHEST	151.60 FEB 26, 1986
LOWEST	165.07 AUG 19, 1981

SITE NUMBER 344522118270801

LOCAL NUMBER 008N015W27H02S

ABOUT 0.25 MI SOUTH OF AVENUE E AND 0.24 MI WEST OF 180TH STREET WEST. DOMESTIC WELL. DIAM 6 IN, DEPTH 353 FT. ALTITUDE OF LSD 2798 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	152.97 S
HIGHEST	152.97 FEB 26, 1986
LOWEST	161.78 MAY 18, 1983

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344421118282201

LOCAL NUMBER 008N015W33G01S

ABOUT 100 FT NORTH OF AVENUE F-8 AND 0.4 MI WEST OF 190TH STREET WEST. DOMESTIC WATER-TABLE WELL. DIAM 12 IN, DEPTH 281.5 FT. ALTITUDE OF LSD 2930 FT. MEASUREMENTS PRIOR TO 1968 FURNISHED BY CALIFORNIA STATE DEPARTMENT OF WATER RESOURCES. RECORDS AVAILABLE 1946-50, 1953-63, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	204.76 S
	HIGHEST 194.00 JAN 23, 1946
	LOWEST 284.00 NOV 12, 1959

SITE NUMBER 344814118322401

LOCAL NUMBER 008N016W02R01S

ABOUT 0.22 MI WEST OF 230TH STREET WEST AND 60 FT NORTH OF AVENUE B. DRILLED TEST WELL. DIAM 1.5 IN, DEPTH 319 FT, CASED TO 343.5 FT, PERFORATED 343.5-347 FT. ALTITUDE OF LSD 2795 FT. RECORDS AVAILABLE 1965, 1973-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	176.35 S
	HIGHEST 165.03 APR 06, 1965
	LOWEST 190.67 MAR 24, 1978

SITE NUMBER 344841118335001

LOCAL NUMBER 008N016W03F01S

ABOUT 0.5 MI NORTH OF AVENUE B AND 0.5 MI WEST OF 240TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 1.5-2 IN, DEPTH 326 FT, 1.5-IN CSG 0-295.5 FT, 2-IN CSG 295.5-326 FT, PERFORATED 317-326 FT. ALTITUDE OF LSD 2835 FT. RECORDS AVAILABLE 1965, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	212.27 S	FEB 26, 1986	211.95 S
	HIGHEST 191.64 APR 13, 1965		
	LOWEST 220.57 OCT 14, 1980		

SITE NUMBER 344857118360901

LOCAL NUMBER 008N016W05C01S

ABOUT 0.25 MI EAST OF 270TH STREET WEST AND 0.19 MI SOUTH OF AVENUE A. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 1000 FT. ALTITUDE OF LSD 2900 FT. RECORDS AVAILABLE 1959, 1962, 1973-76, 1978-80, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	240.55 S
	HIGHEST 212.73 APR 02, 1962
	LOWEST 255.02 FEB 21, 1975

WATER LEVELS, LOS ANGELES COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344806118343801

LOCAL NUMBER 008N016W09G02S

ABOUT 300 FT WEST-SOUTHWEST OF LAKE HOLIDAY AND 0.47 MI EAST OF L.A. AQUEDUCT. DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH 300 FT. ALTITUDE OF LSD 2890 FT. RECORDS AVAILABLE 1965, 1974-77, 1980-84 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	240.29 S
	HIGHEST 240.29 FEB 26, 1986
	LOWEST 260.90 MAR 11, 1977

SITE NUMBER 344701118363401

LOCAL NUMBER 008N016W18H02S

ABOUT 0.15 MI WEST OF 270TH STREET WEST AND 150 FT NORTH OF HWY 138. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 10-8 IN, DEPTH 400 FT, 10-IN CSG 0-183 FT, 8-IN CSG 183-400 FT. ALTITUDE OF LSD 2987 FT. RECORDS AVAILABLE 1956-62, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	157.16 S
	HIGHEST 120.40 OCT 07, 1958
	LOWEST 308.00 NOV 08, 1962

SITE NUMBER 344541118333901

LOCAL NUMBER 008N016W22Q04S

ABOUT 1 MI SOUTH OF INTERSECTION OF AVENUE D AND 245TH STREET WEST. DRILLED DOMESTIC WELL. DIAM 9 IN, DEPTH 160 FT, PERFORATED 60-160 FT. ALTITUDE OF LSD 3049 FT. RECORDS AVAILABLE 1956-63, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	55.70 SR
	HIGHEST 32.77 MAY 19, 1983
	LOWEST 76.2 OCT 26, 1960

SITE NUMBER 344605118324601

LOCAL NUMBER 008N016W23G01S

ABOUT 0.11 MI WEST OF 235TH STREET WEST AND 0.5 MI SOUTH OF HWY 138. UNUSED WELL. DIAM 8 IN, DEPTH 90 FT. ALTITUDE OF LSD 2913 FT. MEASUREMENTS PRIOR TO 1973 FURNISHED BY CALIFORNIA DEPARTMENT OF WATER RESOURCES. RECORDS AVAILABLE 1956-63, 1973-78, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	65.90 S
	HIGHEST DRY FEB 12, 1976 MAR 10, 1977 MAR 28, 1978
	LOWEST 93.70 NOV 12, 1957



## WATER LEVELS, LOS ANGELES COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344812118383401

LOCAL NUMBER 008N017W01N01S

NEAR INTERSECTION OF AVENUE B AND 290TH STREET WEST. DRILLED UNUSED WATER-TABLE WELL. DIAM 14-12-10 IN, DEPTH 787 FT, 14-IN CSG 0-489 FT, 12-IN CSG 489-603 FT, 10-IN CSG 603-787 FT. ALTITUDE OF LSD 2955 FT. RECORDS AVAILABLE 1945, 1953-54, 1962, 1964, 1967-68, 1970-72, 1974 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
FEB 26, 1986	261.92 S
HIGHEST	199.60 NOV 13, 1945
LOWEST	315.91 MAR 21, 1967

SITE NUMBER 344858118414101

LOCAL NUMBER 008N017W04D01S

ABOUT 1.5 MI NORTH OF HWY 138, 2 MI WEST OF 300TH STREET WEST AND 0.16 MI NORTH OF ROAD. UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 530 FT. ALTITUDE OF LSD 3036 FT. RECORDS AVAILABLE 1948, 1951, 1962, 1972 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 30, 1985	118.50 T	FEB 26, 1986	127.80 T
HIGHEST	105.56 OCT 23, 1979		
LOWEST	161.33 OCT 11, 1972		

SITE NUMBER 340535117573501

LOCAL NUMBER 001S010W07R02S

NEAR INTERSECTION OF LOS ANGELES AND MAINE STREETS IN BALDWIN PARK. DRILLED OBSERVATION WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE. DIAM 16 IN, DEPTH 200 FT, PERFORATED 74-174, 181-196 FT. ALTITUDE OF LSD 387 FT. RECORDS AVAILABLE 1932 TO CURRENT YEAR. COMPARABLE RECORDS 1903-32 AS PUBLISHED IN PREVIOUS WATER-SUPPLY PAPERS WERE FOR WELL 42(001S010W18A01S).

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1985	148.88 S	JAN 27, 1986	140.00 S	APR 24, 1986	132.80 S	JUL 28, 1986	139.53 S
NOV 21, 1985	146.10 S	FEB 25, 1986	139.70 S	MAY 27, 1986	133.67 S	AUG 25, 1986	142.80 S
DEC 18, 1985	143.30 S	MAR 26, 1986	135.15 S	JUN 24, 1986	135.93 S	SEP 22, 1986	145.85 S
HIGHEST	62.40 MAY 31, 1943	JUN 30, 1944					
LOWEST	183.79 DEC 22, 1977						

GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

MENDOCINO COUNTY

Page

LOCAL NUMBER 013N011W18E01M..... 110




Figure 8.--Index map to location of wells in Mendocino County.

WATER LEVELS, MENDOCINO COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 385917123070401

LOCAL NUMBER 013N011W18E01M

1.2 MI NORTH OF HOPLAND. DRILLED IRRIGATION WELL IN ALLUVIUM OF QUATERNARY AGE. DIAM 12 IN, DEPTH 52 FT. ALTITUDE OF LSD 490 FT. RECORDS AVAILABLE 1953 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 08, 1985	13.77 SR	APR 15, 1986	12.42 SR
	HIGHEST	3.7	MAR 26, 1975

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

MERCED COUNTY

	<u>Page</u>
LOCAL NUMBER 005S012E19M01M.....	113
LOCAL NUMBER 005S012E22P01M.....	113
LOCAL NUMBER 005S013E07L01M.....	113, 129, 134
LOCAL NUMBER 005S013E14P01M.....	113, 129, 134
LOCAL NUMBER 005S013E36F02M.....	129, 134
LOCAL NUMBER 005S014E02Q02M.....	114, 129, 134
LOCAL NUMBER 005S014E05D01M.....	114
LOCAL NUMBER 005S014E11A01M.....	129, 134
LOCAL NUMBER 006S010E02P02M.....	114
LOCAL NUMBER 006S010E20R02M.....	114
LOCAL NUMBER 006S011E06L01M.....	115
LOCAL NUMBER 006S011E19J01M.....	115
LOCAL NUMBER 006S011E34F01M.....	115
LOCAL NUMBER 006S012E27B01M.....	115
LOCAL NUMBER 006S012E34D01M.....	116
LOCAL NUMBER 006S012E35K01M.....	116
LOCAL NUMBER 006S013E04Q01M.....	129, 134
LOCAL NUMBER 006S013E19B01M.....	116
LOCAL NUMBER 006S013E28A01M.....	116
LOCAL NUMBER 006S013E31N01M.....	117
LOCAL NUMBER 006S013E32N02M.....	129, 134
LOCAL NUMBER 006S014E32A02M.....	117, 129, 134
LOCAL NUMBER 007S009E12H01M.....	117
LOCAL NUMBER 007S010E04Q01M.....	117
LOCAL NUMBER 007S010E21A01M.....	118
LOCAL NUMBER 007S010E23K03M.....	118
LOCAL NUMBER 007S012E06R01M.....	118
LOCAL NUMBER 007S012E10F02M.....	118
LOCAL NUMBER 007S012E24J01M.....	119
LOCAL NUMBER 007S013E03D01M.....	119, 129, 134
LOCAL NUMBER 007S013E12E01M.....	119
LOCAL NUMBER 007S013E16N01M.....	119, 129, 134
LOCAL NUMBER 007S013E18E01M.....	120
LOCAL NUMBER 007S013E22R01M.....	120
LOCAL NUMBER 007S013E29G01M.....	120
LOCAL NUMBER 007S014E09R01M.....	129, 134
LOCAL NUMBER 007S014E15P01M.....	129, 134
LOCAL NUMBER 007S014E22F01M.....	120
LOCAL NUMBER 007S014E26H01M.....	121
LOCAL NUMBER 007S014E27R01M.....	121
LOCAL NUMBER 007S014E31J01M.....	121
LOCAL NUMBER 007S015E18K01M.....	121
LOCAL NUMBER 008S010E16Q02M.....	121, 129
LOCAL NUMBER 008S010E16Q03M.....	122, 129
LOCAL NUMBER 008S010E21B01M.....	122, 129
LOCAL NUMBER 008S010E21G01M.....	122, 129
LOCAL NUMBER 008S010E21G02M.....	122, 129
LOCAL NUMBER 008S010E21G03M.....	122, 129
LOCAL NUMBER 008S010E21G04M.....	123, 129
LOCAL NUMBER 008S010E21G05M.....	123, 129
LOCAL NUMBER 008S010E21H01M.....	123, 129
LOCAL NUMBER 008S010E21H02M.....	123, 129
LOCAL NUMBER 008S010E22L01M.....	124, 129
LOCAL NUMBER 008S010E22L02M.....	129
LOCAL NUMBER 008S010E22M01M.....	124, 129
LOCAL NUMBER 008S010E22M02M.....	124, 129
LOCAL NUMBER 008S010E22P02M.....	124, 129
LOCAL NUMBER 008S010E22R02M.....	125, 129
LOCAL NUMBER 008S010E22R03M.....	125, 129
LOCAL NUMBER 008S010E22R04M.....	125, 129
LOCAL NUMBER 008S012E03P01M.....	125
LOCAL NUMBER 008S012E34L01M.....	125
LOCAL NUMBER 008S013E19H01M.....	126
LOCAL NUMBER 008S013E19H02M.....	126
LOCAL NUMBER 008S014E11A01M.....	126
LOCAL NUMBER 008S015E16J01M.....	126
LOCAL NUMBER 008S016E21A01M.....	127
LOCAL NUMBER 009S012E02G01M.....	127
LOCAL NUMBER 009S014E01J01M.....	127
LOCAL NUMBER 009S014E19D01M.....	127
LOCAL NUMBER 009S015E29F01M.....	128
LOCAL NUMBER 009S016E18D01M.....	128
LOCAL NUMBER 010S013E02F02M.....	128




Figure 9.--Index map to location of wells in Merced County.

WATER LEVELS, MERCED COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 372904120415501

LOCAL NUMBER 005S012E19M01M

8.0 MI WEST OF TURLOCK. OBSERVATION WELL. DIAM 6.62 IN, DEPTH 194 FT, PERFORATED 155-165 FT AND 184-194 FT. ALTITUDE OF LSD 156 FT. RECORDS AVAILABLE APRIL 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 14	77.82 S	JUL 16	106.07 S
	HIGHEST 77.82	FEB 14, 1986	
	LOWEST 106.07	JUL 16, 1986	

SITE NUMBER 372842120382601

LOCAL NUMBER 005S012E22P01M

6 MI SOUTHEAST OF MONTPELIER. STOCK WELL. ALTITUDE OF LSD 206 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS
JUL 16	131.29 S
	HIGHEST 118.85 MAR 15, 1978
	LOWEST 131.29 JUL 16, 1986

SITE NUMBER 373044120350801

LOCAL NUMBER 005S013E07L01M

2 MI SOUTH OF SNELLING. IRRIGATION WELL. ALTITUDE OF 200 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS
JUL 14	110.24 S
	HIGHEST 110.24 JUL 14, 1986
	LOWEST 110.24 JUL 14, 1986

SITE NUMBER 372935120305601

LOCAL NUMBER 005S013E14P01M

1 MI EAST OF HOPETON. DOMESTIC WELL. ALTITUDE OF LSD 190 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS
JUL 14	38.00 S
	HIGHEST 22.95 JAN 23, 1984
	LOWEST 38.00 JUL 14, 1986

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 373116120235701

LOCAL NUMBER 005S014E02Q02M

3 MI EAST OF SNELLING. DOMESTIC WELL. ALTITUDE OF 276 FT. RECORDS AVAILABLE 1986 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

WATER  
LEVEL MS

JUL 15    16.43 R

HIGHEST    16.43    JUL 15, 1986  
LOWEST    16.43    JUL 15, 1986

SITE NUMBER 373203120274401

LOCAL NUMBER 005S014E05D01M

1.6 MI NORTHWEST OF SNELLING. STOCK WELL. ALTITUDE OF LSD 310 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

WATER  
LEVEL MS

WATER  
LEVEL MS

FEB 14    124.70 S                  JUL 16    128.00 S

HIGHEST    110.10    APR 28, 1981  
LOWEST    136.15    JUN 24, 1985

SITE NUMBER 372602120503201

LOCAL NUMBER 006S010E02P02M

1.7 MI NORTH OF HILMAR. DOMESTIC WELL. ALTITUDE OF LSD 95 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

WATER  
LEVEL MS

WATER  
LEVEL MS

WATER  
LEVEL MS

FEB 13    9.81 S                  FEB 26    9.53 S                  JUL 16    9.04 S

HIGHEST    7.61    JUL 27, 1983  
LOWEST    14.80    MAY 02, 1978

SITE NUMBER 372329120532401

LOCAL NUMBER 006S010E20R02M

2.3 MI SOUTHWEST OF IRWIN. IRRIGATION WELL. ALTITUDE OF LSD 80 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

WATER  
LEVEL MS

WATER  
LEVEL MS

WATER  
LEVEL MS

FEB 14    12.44 S                  FEB 26    12.40 S                  JUL 16    23.09 S

HIGHEST    10.83    FEB 01, 1983  
LOWEST    40.53    AUG 19, 1981



WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 372627120482301

LOCAL NUMBER 006S011E06L01M

1.5 MI NORTHWEST OF DELHI. IRRIGATION WELL. ALTITUDE OF LSD 105 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS
FEB 13	19.65 S	FEB 26	19.26 S	JUL 16	45.90 S
	HIGHEST	17.67	FEB 09, 1981		
	LOWEST	50.73	APR 29, 1981		

SITE NUMBER 372338120474401

LOCAL NUMBER 006S011E19J01M

2.8 MI SOUTHWEST OF DELHI. DOMESTIC WELL. ALTITUDE OF LSD 110 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 14	30.10 S	JUL 16	33.78 S
	HIGHEST	24.92	FEB 01, 1983
	LOWEST	36.45	JUN 27, 1985

SITE NUMBER 372209120451201

LOCAL NUMBER 006S011E34F01M

2.2 MI SOUTHWEST OF LIVINGSTON. IRRIGATION WELL. ALTITUDE OF LSD 117 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS
FEB 12	25.50 S
	HIGHEST 5.25 OCT 27, 1980
	LOWEST 25.50 FEB 12, 1986

SITE NUMBER 372318120381601

LOCAL NUMBER 006S012E27B01M

1.4 MI WEST OF WINTON. IRRIGATION WELL. ALTITUDE OF LSD 158 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 26	49.85 S	JUL 17	48.19 S
	HIGHEST	36.68	JAN 25, 1984
	LOWEST	55.17	AUG 21, 1981

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 372217120384501

LOCAL NUMBER 006S012E34D01M

2.3 MI SOUTHWEST OF WINTON. IRRIGATION WELL. ALTITUDE OF LSD 155 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 26	30.93 S	JUL 17	36.51 S
	HIGHEST 25.29	JAN 25, 1984	
	LOWEST 36.55	FEB 26, 1981	

SITE NUMBER 372151120370301

LOCAL NUMBER 006S012E35K01M

1.3 MI NORTH OF ATWATER. DOMESTIC WELL. ALTITUDE OF LSD 155 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 27	34.42 S	JUL 17	46.64 S
	HIGHEST 27.30	JAN 25, 1984	
	LOWEST 47.22	AUG 21, 1981	

SITE NUMBER 372407120345701

LOCAL NUMBER 006S013E19B01M

1.8 MI NORTHEAST OF WINTON. IRRIGATION WELL. ALTITUDE OF LSD 199 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 26	63.30 S	JUL 17	75.58 S
	HIGHEST 60.80	JAN 25, 1984	
	LOWEST 80.90	AUG 21, 1981	

SITE NUMBER 372323120323401

LOCAL NUMBER 006S013E28A01M

3.8 MI WEST OF WINTON. IRRIGATION WELL. ALTITUDE OF LSD 195 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 27	52.49 S	JUL 17	65.77 S
	HIGHEST 52.49	FEB 27, 1986	
	LOWEST 75.20	JUN 19, 1984	

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 372145120352501

LOCAL NUMBER 006S013E31N01M

1 MI NORTHWEST OF ATWATER. IRRIGATION WELL. ALTITUDE OF LSD 163 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 27	35.58 S	JUL 17	36.18 S
	HIGHEST	33.27	JAN 25, 1984
	LOWEST	44.83	FEB 03, 1983

SITE NUMBER 372226120270001

LOCAL NUMBER 006S014E32A02M

3 MI NORTH OF MERCED. DOMESTIC WELL. ALTITUDE OF LSD 229 FT. RECORDS AVAILABLE 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 27	62.10 S	JUL 15	63.88 S
	HIGHEST	62.10	FEB 27, 1986
	LOWEST	64.96	JUN 26, 1985

SITE NUMBER 372032120552301

LOCAL NUMBER 007S009E12H01M

4.1 MI NORTHWEST OF STEVINSON. IRRIGATION WELL. ALTITUDE OF LSD 71 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 14	10.25 S	JUL 16	6.75 S
	HIGHEST	4.06	JUL 28, 1983
	LOWEST	10.25	FEB 14, 1986

SITE NUMBER 372251120522501

LOCAL NUMBER 007S010E04Q01M

1.9 MI NORTHWEST OF STEVINSON. IRRIGATION WELL. ALTITUDE OF LSD 82 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 14	15.70 S	JUL 16	16.59 S
	HIGHEST	8.71	JAN 23, 1984
	LOWEST	17.77	JUN 26, 1985

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 371849120521901

LOCAL NUMBER 007S010E21A01M

1.7 MI SOUTHWEST OF STEVINSON. DOMESTIC WELL. ALTITUDE OF LSD 75 FT. RECORDS AVAILABLE 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS	
FEB 03	5.52 SS	FEB 13	4.32 S	JUL 16	4.48 S
	HIGHEST	1.70	JAN 24, 1984		
	LOWEST	5.52	FEB 03, 1986		

SITE NUMBER 371626120501201

LOCAL NUMBER 007S010E23K03M

1.6 MI SOUTHEAST OF STEVINSON. IRRIGATION WELL. ALTITUDE OF LSD 81 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

WATER LEVEL MS		WATER LEVEL MS	
FEB 13	6.09 S	JUL 16	7.75 S
	HIGHEST	1.43	FEB 01, 1986
	LOWEST	12.12	JUN 27, 1985

SITE NUMBER 372058120411001

LOCAL NUMBER 007S012E06R01M

3.2 MI WEST OF LIVINGSTON. IRRIGATION WELL. ALTITUDE OF LSD 126 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

WATER LEVEL MS		WATER LEVEL MS	
FEB 12	24.08 S	JUL 16	28.90 S
	HIGHEST	19.66	JAN 23, 1984
	LOWEST	28.90	JUL 16, 1986

SITE NUMBER 372020120383501

LOCAL NUMBER 007S012E10F02M

0.1 MI SOUTHWEST OF ATWATER. CABLE TOOL IRRIGATION WELL IN ALLUVIUM. DIAM UNKNOWN, DEPTH 55 FT. ALTITUDE OF LSD 145 FT. RECORDS AVAILABLE 1952 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

WATER LEVEL MS		WATER LEVEL MS	
FEB 12	27.48 S	JUL 16	28.33 S
	HIGHEST	23.36	JAN 23, 1984
	LOWEST	48.40	JUN 01, 1977

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR 1985 TO SEPTEMBER 1986

SITE NUMBER 371830120354401

LOCAL NUMBER 007S012E24J01M

2.7 MI SOUTH OF ATWATER. IRRIGATION ARTESIAN WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 232 FT. ALTITUDE OF LSD 136 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 12	14.50 S	JUL 16	17.30 S
	HIGHEST	10.21	JAN 24, 1984
	LOWEST	29.00	MAY 30, 1978

SITE NUMBER 372128120322001

LOCAL NUMBER 007S013E03D01M

3.5 MI WEST OF ATWATER. IRRIGATION WELL. ALTITUDE OF LSD 171 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 27	36.52 S		
	HIGHEST	33.74	JAN 25, 1984
	LOWEST	48.42	APR 28, 1981

SITE NUMBER 372033120295801

LOCAL NUMBER 007S013E12E01M

2.9 MI NORTHWEST OF MERCED. DOMESTIC WELL. ALTITUDE OF LSD 167 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 27	28.33 S	JUL 17	31.97 S
	HIGHEST	27.02	JAN 25, 1984
	LOWEST	38.66	AUG 19, 1981

SITE NUMBER 371914120331901

LOCAL NUMBER 007S013E16N01M

4.3 MI NORTHWEST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 149 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 12	14.13 S		
	HIGHEST	9.61	JUL 25, 1983
	LOWEST	18.67	FEB 10, 1981

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 371927120354201

LOCAL NUMBER 007S013E18E01M

1.9 MI SOUTH OF ATWATER. IRRIGATION WELL. ALTITUDE OF LSD 145 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 12	19.35 S	JUL 16	24.62 S
	HIGHEST	10.69	JUL 27, 1983
	LOWEST	24.62	JUL 16, 1986

SITE NUMBER 371818120312201

LOCAL NUMBER 007S013E22R01M

2.3 MI WEST OF MERCED. UNUSED WELL. ALTITUDE OF LSD 156 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 12	20.22 S	JUL 16	27.78 S
	HIGHEST	15.76	JAN 24, 1984
	LOWEST	32.10	DEC 29, 1977

SITE NUMBER 371745120340401

LOCAL NUMBER 007S013E29G01M

4.7 MI WEST OF MERCED. UNUSED WELL. ALTITUDE OF LSD 140 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 12	14.82 S	JUL 16	18.84 S
	HIGHEST	10.56	FEB 02, 1983
	LOWEST	18.84	JUL 16, 1986

SITE NUMBER 371839120252401

LOCAL NUMBER 007S014E22F01M

3.4 MI EAST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 191 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 26	22.88 S	JUL 17	21.39 S
	HIGHEST	18.68	JUL 26, 1983
	LOWEST	33.06	FEB 13, 1981

## WATER LEVELS, MERCED COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 371753120234601  
 LOCAL NUMBER 007S014E26H01M

4.8 MI EAST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 195 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 26	15.50 S	JUL 17	9.78 S
	HIGHEST	9.58	JUN 25, 1985
	LOWEST	27.05	JAN 28, 1982

SITE NUMBER 371729120245301

LOCAL NUMBER 007S014E27R01M

3.8 MI EAST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 186 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 26	18.90 S	JUL 17	18.70 S
	HIGHEST	15.52	JAN 24, 1984
	LOWEST	26.62	JUN 29, 1984

SITE NUMBER 371649120280901

LOCAL NUMBER 007S014E31J01M

1.7 MI SOUTH OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 165 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 26	18.77 S	JUL 17	46.50 S
	HIGHEST	11.18	FEB 02, 1983
	LOWEST	50.08	JUL 06, 1981

SITE NUMBER 371919120215801

LOCAL NUMBER 007S015E18K01M

6.5 MI EAST OF MERCED. UNUSED WELL. ALTITUDE OF LSD 212 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 26	27.90 S	JUL 17	29.98 S
	HIGHEST	25.80	JUL 26, 1983
	LOWEST	29.98	JUL 17, 1986

SITE NUMBER 371352120522501

LOCAL NUMBER 008S010E16Q02M

6.9 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 4 IN, DEPTH 346 FT, PERFORATED 326-336 FT. ALTITUDE OF LSD 77 FT. RECORDS AVAILABLE MAY TO SEPTEMBER 1986.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
MAY 19	5.82 S	SEP 09	12.98 S

## WATER LEVELS, MERCED COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 371352120522502  
 LOCAL NUMBER 008S010E16Q03M

6.9 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 4 IN, DEPTH 210 FT, PERFORATED 200-210 FT. ALTITUDE OF LSD 77 FT. RECORDS AVAILABLE MAY TO SEPTEMBER 1986.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
MAY 19	1.82 S	SEP 10	8.18 S
	HIGHEST 1.82	MAY 19, 1986	
	LOWEST 8.18	SEP 10, 1986	

SITE NUMBER 371345120522301

LOCAL NUMBER 008S010E21B01M

7.1 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 5 IN, DEPTH 17 FT, PERFORATED 7-17 FT. ALTITUDE OF LSD 77.2 FT. RECORDS AVAILABLE MAY TO SEPTEMBER 1986.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
MAY 19	3.13 S	SEP 08	5.56 S
	HIGHEST 3.13	MAY 19, 1986	
	LOWEST 5.56	SEP 08, 1986	

SITE NUMBER 371331120521501

LOCAL NUMBER 008S010E21G01M

7.2 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 14.5 FT. ALTITUDE OF LSD 76.0 FT. RECORDS AVAILABLE MAY TO SEPTEMBER 1986.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
MAY 19	1.80 S	SEP 08	5.24 S
	HIGHEST 1.80	MAY 19, 1986	
	LOWEST 5.24	SEP 08, 1986	

SITE NUMBER 371339120522001

LOCAL NUMBER 008S010E21G02M

7.1 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 70 FT, PERFORATED 20-70 FT. ALTITUDE OF LSD 76.3 FT. RECORDS AVAILABLE MAY TO SEPTEMBER 1986.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
MAY 19	1.53 S	SEP 08	4.61 S
	HIGHEST 1.53	MAY 19, 1986	
	LOWEST 4.61	SEP 08, 1986	

SITE NUMBER 371333120521701

LOCAL NUMBER 008S010E21G03M

7.2 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 18.7 FT, PERFORATED 15.7-18.7 FT. ALTITUDE OF LSD 76.3 FT. RECORDS AVAILABLE MAY TO SEPTEMBER 1986.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
MAY 19	2.05 S	SEP 08	5.35 S



WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 371333120521703

LOCAL NUMBER 008S010E21G04M

7.2 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 38.6 FT, PERFORATED 35.6-38.6 FT. ALTITUDE OF LSD 76.3 FT. RECORDS AVAILABLE MAY TO SEPTEMBER 1986.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
MAY 19	2.11 S	SEP 08	5.53 S
	HIGHEST 2.11	MAY 19, 1986	
	LOWEST 5.53	SEP 08, 1986	

SITE NUMBER 371333120521702

LOCAL NUMBER 008S010E21G05M

7.2 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 28.6 FT, PERFORATED 25.6-28.6 FT. ALTITUDE OF LSD 76.3 FT. RECORDS AVAILABLE MAY TO SEPTEMBER 1986.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
MAY 19	2.05 S	SEP 08	5.55 S
	HIGHEST 2.05	MAY 19, 1986	
	LOWEST 5.55	SEP 08, 1986	

SITE NUMBER 371327120520701

LOCAL NUMBER 008S010E21H01M

7.3 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 5 IN, DEPTH 15 FT, PERFORATED 5-15 FT. ALTITUDE OF LSD 76.0 FT. RECORDS AVAILABLE MAY TO SEPTEMBER 1986.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
MAY 20	3.80 S	SEP 08	7.99 S
	HIGHEST 3.80	MAY 20, 1986	
	LOWEST 7.99	SEP 08, 1986	

SITE NUMBER 371325120520001

LOCAL NUMBER 008S010E21H02M

7.4 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 10.3 FT, PERFORATED 5.3-10.3 FT. ALTITUDE OF LSD 77.1 FT. RECORDS AVAILABLE MAY TO SEPTEMBER 1986.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
MAY 20	3.31 S	SEP 08	9.00 S
	HIGHEST 3.31	MAY 20, 1986	
	LOWEST 9.00	SEP 08, 1986	

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 371315120514101

LOCAL NUMBER 008S010E22L01M

8.1 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 5 IN, DEPTH 15 FT, PERFORATED 5-15 FT. ALTITUDE OF LSD 76.3 FT. RECORDS AVAILABLE MAY TO SEPTEMBER 1986.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
MAY 21	3.21 S	SEP 09	7.99 S
	HIGHEST 3.21	MAY 21, 1986	
	LOWEST 7.99	SEP 09, 1986	

SITE NUMBER 371322120515301

LOCAL NUMBER 008S010E22M01M

7.6 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 1.25 IN, DEPTH 20 FT, PERFORATED 5-20 FT. ALTITUDE OF LSD 76.5 FT. RECORDS AVAILABLE MAY TO SEPTEMBER 1986.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
MAY 19	2.68 S	SEP 08	8.76 S
	HIGHEST 2.68	MAY 19, 1986	
	LOWEST 8.76	SEP 08, 1986	

SITE NUMBER 371320120514801

LOCAL NUMBER 008S010E22M02M

7.8 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 10.5 FT, PERFORATED 5.5-10.5 FT. ALTITUDE OF LSD 74.6 FT. RECORDS AVAILABLE MAY TO SEPTEMBER 1986.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
MAY 20	1.91 S	SEP 09	7.27 S
	HIGHEST 1.91	MAY 20, 1986	
	LOWEST 7.27	SEP 09, 1986	

SITE NUMBER 371310120512801

LOCAL NUMBER 008S010E22P02M

8.4 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 11 FT, PERFORATED 6-11 FT. ALTITUDE OF LSD 77.1 FT. RECORDS AVAILABLE MAY TO SEPTEMBER 1986.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
MAY 21	4.70 S	SEP 09	9.13 S
	HIGHEST 4.70	MAY 21, 1986	
	LOWEST 9.13	SEP 09, 1986	

## WATER LEVELS, MERCED COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 371312120510301  
 LOCAL NUMBER 008S010E22R02M

8.5 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 19 FT, PERFORATED 14-19 FT. ALTITUDE OF LSD 77 FT.  
 RECORDS AVAILABLE MAY TO SEPTEMBER 1986.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
MAY 21	5.57 S	SEP 09	8.66 S
	HIGHEST 5.57	MAY 21, 1986	
	LOWEST 8.66	SEP 09, 1986	

SITE NUMBER 371312120510302

LOCAL NUMBER 008S010E22R03M

8.5 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 39 FT, PERFORATED 34-39 FT. ALTITUDE OF LSD 77 FT.  
 RECORDS AVAILABLE MAY TO SEPTEMBER 1986.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
MAY 21	6.82 S	SEP 09	9.21 S
	HIGHEST 6.82	MAY 21, 1986	
	LOWEST 9.21	SEP 09, 1986	

SITE NUMBER 371312120510303

LOCAL NUMBER 008S010E22R04M

8.5 MI SOUTHEAST OF GUSTINE. OBSERVATION WELL. DIAM 2 IN, DEPTH 79 FT, PERFORATED 74-79 FT. ALTITUDE OF LSD 77 FT.  
 RECORDS AVAILABLE MAY TO SEPTEMBER 1986.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
MAY 21	5.46 S	SEP 09	9.35 S
	HIGHEST 5.46	MAY 21, 1986	
	LOWEST 9.35	SEP 09, 1986	

SITE NUMBER 371538120383001

LOCAL NUMBER 008S012E03P01M

9.3 MI SOUTHWEST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 109 FT. RECORDS AVAILABLE 1982 TO  
 CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 12	14.00 S	JUL 16	13.18 S
	HIGHEST 3.59	FEB 02, 1983	
	LOWEST 16.30	JUN 26, 1985	

SITE NUMBER 371126120384101

LOCAL NUMBER 008S012E34L01M

9.3 MI NORTHWEST OF EL NIDO. DOMESTIC WELL. ALTITUDE OF LSD 100 FT. RECORDS AVAILABLE 1982 TO  
 CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 12	10.61 S	JUL 16	9.25 S

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 371320120344301

LOCAL NUMBER 008S013E19H01M

7.6 MI SOUTHWEST OF MERCED. DOMESTIC WELL. ALTITUDE OF LSD 121 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 13	18.93 S	JUL 16	37.79 S
	HIGHEST	17.70	FEB 14, 1985
	LOWEST	38.74	JUN 18, 1984

SITE NUMBER 371326120344201

LOCAL NUMBER 008S013E19H02M

7.7 MI SOUTHWEST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 121 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 13	15.61 S	JUL 16	25.03 S
	HIGHEST	12.19	FEB 02, 1983
	LOWEST	36.60	DEC 27, 1979

SITE NUMBER 371524120234901

LOCAL NUMBER 008S014E11A01M

5.8 MI SOUTHWEST OF MERCED. IRRIGATION WELL. ALTITUDE OF LSD 188 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 26	23.70 S	JUL 17	31.50 S
	HIGHEST	23.70	FEB 26, 1986
	LOWEST	31.50	JUL 17, 1986

SITE NUMBER 371411120194001

LOCAL NUMBER 008S015E16J01M

0.3 MI NORTHWEST OF PLAINSBURG. IRRIGATION WELL. ALTITUDE OF LSD 216 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 26	84.52 S	JUL 17	89.23 S
	HIGHEST	75.15	FEB 14, 1985
	LOWEST	104.38	JUL 02, 1982

## WATER LEVELS, MERCED COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 371342120132901

LOCAL NUMBER 008S016E21A01M

2 MI EAST OF LEGRAND. IRRIGATION WELL. ALTITUDE OF LSD 265 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 26	45.68 S	JUL 16	91.00 S
	HIGHEST	38.20	JAN 24, 1984
	LOWEST	91.00	JUL 16, 1986

SITE NUMBER 371050120373101

LOCAL NUMBER 009S012E02G01M

8 MI NORTHWEST OF EL NIDO. IRRIGATION WELL. ALTITUDE OF LSD 105 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS
FEB 12	12.01 S	JUL 16	8.65 S
	HIGHEST	2.26	FEB 02, 1983
	LOWEST	20.51	JUN 24, 1985

SITE NUMBER 371034120225601

LOCAL NUMBER 009S014E01J01M

2.6 MI SOUTHWEST OF ATHLONE. IRRIGATION WELL. ALTITUDE OF LSD 147 FT. RECORDS AVAILABLE 1979, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		
JUL 16	81.75 S		
	HIGHEST	49.60	JAN 14, 1985
	LOWEST	99.33	JUN 26, 1985

SITE NUMBER 370831120291201

LOCAL NUMBER 009S014E19D01M

0.6 MI NORTH OF EL NIDO. IRRIGATION WELL. ALTITUDE OF LSD 143 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		
FEB 12	55.70 S		
	HIGHEST	52.16	JAN 24, 1984
	LOWEST	183.94	JUL 03, 1979

WATER LEVELS, MERCED COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 370713120212401

LOCAL NUMBER 009S015E29F01M

5.2 MI WEST OF CHOWCHILLA. IRRIGATION WELL. ALTITUDE OF LSD 196 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

WATER  
LEVEL MS

FEB 13 72.38 S

HIGHEST	55.55	FEB 14, 1985
LOWEST	146.81	SEP 03, 1979

SITE NUMBER 370915120162301

LOCAL NUMBER 009S016E18D01M

2.5 MI NORTH OF CHOWCHILLA. DOMESTIC WELL. ALTITUDE OF LSD 239 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

WATER  
LEVEL MS

WATER  
LEVEL MS

FEB 02 128.60 S      JUL 16 134.91 S

HIGHEST	122.82	JAN 24, 1984
LOWEST	134.91	JUL 16, 1986

SITE NUMBER 370528120311501

LOCAL NUMBER 010S013E02F02M

1.5 MI NORTHWEST OF RED TOP. IRRIGATION WELL. ALTITUDE OF LSD 124 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

WATER  
LEVEL MS

FEB 12 57.94 S

HIGHEST	47.10	JAN 24, 1984
LOWEST	95.23	JUN 26, 1985

## WATER QUALITY, MERCED COUNTY

## INORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	DATE	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LITY WH WAT TOTAL FIELD (MG/L AS CACO3)	SULFATE DIS- SOLVED (MG/L AS SO4)
005S013E07L01M	07-14-86	172	7.80	21.5	13	5.8	13	1.4	67	3.2
005S013E14P01M	07-14-86	97	8.00	23.5	8.3	2.9	7.5	1.0	38	2.4
005S013E36F02M	07-14-86	269	7.90	22.0	21	7.2	22	1.5	77	4.5
005S014E02Q02M	07-15-86	240	7.40	22.5	20	12	17	2.5	--	5.1
005S014E11A01M	07-14-86	176	7.30	23.0	13	6.2	10	2.9	60	3.9
006S013E04Q01M	07-14-86	369	7.10	21.5	36	14	26	2.1	163	8.1
006S013E32N02M	07-14-86	246	7.40	24.0	21	5.2	22	6.8	80	7.8
006S014E32A02M	07-15-86	270	7.70	21.0	19	7.3	22	2.7	111	2.8
007S013E03D01M	07-15-86	283	7.60	22.0	24	8.5	24	5.0	92	8.0
007S013E16N01M	07-15-86	528	7.30	21.0	65	24	22	3.3	241	17
007S014E09R01M	07-15-86	285	7.80	20.0	23	11	25	2.5	123	7.7
007S014E15P01M	07-15-86	164	7.70	22.5	12	6.7	9.5	0.40	65	3.3
008S010E16Q01M	05-19-86	3310	7.39	21.5	100	30	530	2.4	156	590
008S010E16Q01M	09-08-86	2820	7.68	22.0	110	35	540	2.5	153	570
008S010E16Q02M	05-22-86	2920	6.91	20.0	100	53	490	3.9	698	530
008S010E16Q02M	09-11-86	2700	7.00	20.5	80	30	490	3.0	337	660
008S010E16Q03M	05-22-86	2110	5.80	20.0	110	50	290	4.6	280	270
008S010E16Q03M	09-11-86	4790	6.69	22.0	160	100	720	4.4	505	810
008S010E21B01M	05-19-86	13000	7.12	23.5	310	260	2700	6.0	459	5200
008S010E21B01M	09-08-86	13600	7.14	24.5	330	280	3100	6.9	473	5500
008S010E21G01M	05-20-86	11700	7.05	21.5	350	300	2400	1.5	461	4800
008S010E21G01M	09-09-86	12600	6.45	28.0	400	320	2500	3.0	264	5100
008S010E21G02M	05-19-86	15200	6.83	20.5	560	470	3000	10	612	5800
008S010E21G02M	09-08-86	15800	6.82	21.5	530	450	3400	8.4	616	6700
008S010E21G02M	09-08-86	15800	6.82	21.5	550	450	3500	8.7	616	7000
008S010E21G03M	05-20-86	12600	6.99	18.5	430	360	2400	6.5	247	5700
008S010E21G03M	09-09-86	12700	7.05	21.5	470	380	2700	6.6	292	5500
008S010E21G04M	05-19-86	13200	7.01	22.0	410	350	2700	7.6	406	5600
008S010E21G04M	09-09-86	11200	7.11	19.0	370	350	2200	6.0	467	3800
008S010E21G05M	05-19-86	11900	7.29	20.5	430	350	2400	9.2	412	4800
008S010E21G05M	09-09-86	11300	6.92	20.5	420	340	2300	1.0	421	4500
008S010E21H01M	05-20-86	12700	7.05	21.0	430	420	2700	3.0	523	5000
008S010E21H01M	09-09-86	14300	7.57	24.0	490	410	3100	6.5	758	6100
008S010E21H02M	05-20-86	12900	7.00	21.5	480	370	2600	3.2	607	5100
008S010E21H02M	09-09-86	12900	6.95	26.0	470	360	2700	4.8	577	5100
008S010E22L01M	05-21-86	3060	7.09	18.0	200	80	410	1.6	333	900
008S010E22L01M	09-10-86	2620	7.20	30.0	150	55	360	1.7	249	700
008S010E22L02M	05-21-86	4480	7.43	19.5	110	80	760	2.2	147	520
008S010E22L02M	09-10-86	4540	7.55	20.5	120	80	740	2.2	149	560
008S010E22L02M	09-10-86	4540	7.55	20.5	110	80	730	2.2	149	560
008S010E22M01M	05-20-86	6770	7.05	20.0	260	160	1200	1.4	461	2200
008S010E22M01M	09-10-86	11400	6.97	19.0	490	360	2200	3.8	512	4500
008S010E22M02M	05-21-86	3360	6.91	17.5	210	80	470	1.0	380	950
008S010E22M02M	09-10-86	2720	6.95	25.0	160	57	380	0.90	250	760
008S010E22P02M	05-21-86	3410	7.26	19.5	130	70	580	0.40	436	900
008S010E22P02M	09-11-86	3360	7.68	--	--	--	--	--	--	--
008S010E22R02M	05-22-86	3540	6.85	19.5	170	100	480	4.9	347	710
008S010E22R02M	09-11-86	2930	6.84	21.0	140	80	410	4.6	296	650
008S010E22R03M	05-22-86	3820	6.89	17.5	210	120	490	5.3	250	610
008S010E22R03M	09-11-86	4180	6.87	21.5	230	140	470	5.1	200	570
008S010E22R04M	05-21-86	4450	7.40	20.5	200	120	540	4.5	180	330
008S010E22R04M	09-10-86	4850	7.41	22.0	210	130	570	4.4	138	310

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, MERCED COUNTY--Continued

## INORGANIC DATA--Continued

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- GEN, ORTHO, DIS- SOLVED (MG/L AS P)	ALUM- INUM, DIS- SOLVED (UG/L AS AL)	ARSENIC TOTAL (UG/L AS AS)	ARSENIC DIS- SOLVED (UG/L AS AS)	BORON, TOTAL RECOV- ERABLE (UG/L AS B)
005S013E07L01M	4.6	0.20	35	117	2.20	0.040	<10	--	<1	--
005S013E14F01M	2.8	0.20	31	80	1.10	0.040	<10	--	<1	--
005S013E36F02M	8.9	0.20	61	210	6.10	0.100	<10	--	<1	--
005S014E02Q02M	7.4	0.20	83	197	0.500	0.040	<10	--	<1	--
005S014E11A01M	7.8	0.10	87	178	1.90	0.050	<10	--	1	--
006S013E04Q01M	7.4	0.10	64	254	3.30	0.110	<10	--	<1	--
006S013E32N02M	10	0.20	60	191	5.10	0.020	<10	--	3	--
006S014E32A02M	3.4	0.10	44	148	1.40	0.080	<10	--	1	--
007S013E03D01M	14	0.20	67	218	6.00	0.020	<10	--	2	--
007S013E16N01M	16	0.20	67	359	5.50	0.040	<10	--	2	--
007S014E09R01M	9.2	0.20	64	211	2.30	0.110	<10	--	4	--
007S014E15P01M	1.8	0.20	56	123	0.550	0.110	10	--	7	--
008S010E16Q01M	570	0.20	55	1970	<0.100	0.030	--	<1	--	2800
008S010E16Q01M	610	0.20	49	2060	0.110	0.020	--	<1	--	2800
008S010E16Q02M	330	0.20	32	1930	<0.100	0.300	--	4	--	3500
008S010E16Q02M	300	0.30	31	1740	<0.100	0.040	--	4	--	3600
008S010E16Q03M	290	0.10	23	1520	<0.100	0.270	--	2	--	960
008S010E16Q03M	890	0.20	27	3080	<0.100	0.470	--	3	--	1800
008S010E21B01M	2000	0.30	27	10700	<0.100	0.040	--	6	--	14000
008S010E21B01M	2100	0.40	0.3	11100	<0.100	0.060	--	3	--	17000
008S010E21G01M	1800	0.50	18	10100	<0.100	<0.010	--	2	--	17000
008S010E21G01M	2100	0.40	14	11000	0.170	<0.010	--	21	--	17000
008S010E21G02M	2400	0.20	35	13400	<0.100	<0.010	--	19	--	19000
008S010E21G02M	2700	0.20	35	13800	<0.100	<0.010	--	11	--	24000
008S010E21G02M	2700	0.20	35	14500	<0.100	<0.010	--	12	--	23000
008S010E21G03M	1900	0.60	28	11200	1.70	0.060	--	2	--	14000
008S010E21G03M	1900	0.60	28	11700	<0.100	0.070	--	2	--	16000
008S010E21G04M	2000	0.50	29	11100	<0.100	0.010	--	10	--	15000
008S010E21G04M	2000	0.50	29	9600	<0.100	<0.010	--	4	--	10000
008S010E21G05M	2100	0.40	32	10400	<0.100	<0.010	--	7	--	13000
008S010E21G05M	2100	0.40	31	9500	<0.100	<0.010	--	5	--	12000
008S010E21H01M	1900	0.79	21	11500	5.50	<0.010	--	1	--	15000
008S010E21H01M	2400	0.90	23	12600	3.70	<0.010	--	6	--	19000
008S010E21H02M	2300	0.40	33	11200	<0.100	0.050	--	3	--	13000
008S010E21H02M	2300	0.40	0.3	10800	<0.100	0.060	--	14	--	14000
008S010E22L01M	390	0.40	27	2300	0.140	0.040	--	4	--	4300
008S010E22L01M	310	0.50	25	1820	<0.100	0.030	--	3	--	3700
008S010E22L02M	1200	0.10	26	2720	<0.100	0.080	--	2	--	1200
008S010E22L02M	1200	<0.10	26	2860	<0.100	0.090	--	2	--	1300
008S010E22L02M	1200	0.10	25	2780	<0.100	0.080	--	2	--	1200
008S010E22M01M	1000	0.60	28	5350	1.70	0.020	--	3	--	8200
008S010E22M01M	1800	0.40	24	9800	<0.100	0.010	--	3	--	15000
008S010E22M02M	430	0.40	25	2490	<0.100	0.020	--	2	--	5100
008S010E22M02M	330	0.50	25	1900	<0.100	0.020	--	1	--	4400
008S010E22P02M	430	0.30	21	2390	0.920	0.370	--	24	--	4500
008S010E22P02M	--	--	--	--	--	--	--	--	--	--
008S010E22R02M	650	0.10	33	2470	<0.100	0.060	--	3	--	2000
008S010E22R02M	500	0.30	34	2100	<0.100	0.040	--	2	--	2000
008S010E22R03M	870	0.10	31	2670	<0.100	0.030	--	7	--	1600
008S010E22R03M	1100	0.10	29	2580	<0.100	<0.010	--	9	--	1300
008S010E22R04M	1200	<0.10	23	2580	0.100	0.050	--	13	--	620
008S010E22R04M	1500	0.10	21	3040	<0.100	0.030	--	16	--	500

&lt; Actual value is known to be less than shown.



## WATER QUALITY, MERCED COUNTY--Continued

## INORGANIC DATA--Continued

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	CADMIUM TOTAL RECOV- ERABLE (UG/L AS CD)	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, TOTAL RECOV- ERABLE (UG/L AS CR)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)	COBALT, DIS- SOLVED (UG/L AS CO)	COPPER, TOTAL RECOV- ERABLE (UG/L AS CU)	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, TOTAL RECOV- ERABLE (UG/L AS FE)	IRON, DIS- SOLVED (UG/L AS FE)
005S013E07L01M	--	<1	--	3	<1	--	2	--	4
005S013E14P01M	--	<1	--	1	<1	--	2	--	10
005S013E36F02M	--	<1	--	2	<1	--	3	--	4
005S014E02Q02M	--	<1	--	<1	<1	--	3	--	57
005S014E11A01M	--	1	--	1	<1	--	6	--	12
006S013E04Q01M	--	<1	--	<1	<1	--	1	--	<3
006S013E32N02M	--	<1	--	4	1	--	1	--	4
006S014E32A02M	--	<1	--	<1	<1	--	1	--	6
007S013E03D01M	--	<1	--	2	<1	--	<1	--	<3
007S013E16N01M	--	<1	--	<1	<1	--	<1	--	9
007S014E09R01M	--	<1	--	2	<1	--	<1	--	<3
007S014E15P01M	--	<1	--	1	<1	--	2	--	<3
008S010E16Q01M	<1	--	6	--	--	2	--	430	--
008S010E16Q01M	<1	--	5	--	--	5	--	2100	--
008S010E16Q02M	<1	--	10	--	--	7	--	1800	--
008S010E16Q02M	<1	--	2	--	--	4	--	2200	--
008S010E16Q03M	1	--	9	--	--	5	--	4300	--
008S010E16Q03M	<1	--	7	--	--	4	--	670	--
008S010E21B01M	1	--	31	--	--	14	--	16000	--
008S010E21B01M	2	--	12	--	--	12	--	7000	--
008S010E21G01M	<1	--	2	--	--	6	--	39000	--
008S010E21G01M	1	--	2	--	--	300	--	500000	--
008S010E21G02M	<1	--	16	--	--	19	--	35000	--
008S010E21G02M	1	--	2	--	--	3	--	13000	--
008S010E21G02M	1	--	3	--	--	5	--	13000	--
008S010E21G03M	1	--	10	--	--	4	--	190	--
008S010E21G03M	<1	--	2	--	--	3	--	80	--
008S010E21G04M	<1	--	7	--	--	5	--	8800	--
008S010E21G04M	<1	--	3	--	--	6	--	5500	--
008S010E21G05M	<1	--	8	--	--	8	--	12000	--
008S010E21G05M	<1	--	3	--	--	11	--	11000	--
008S010E21H01M	<1	--	4	--	--	42	--	4200	--
008S010E21H01M	<1	--	3	--	--	5	--	550	--
008S010E21H02M	1	--	5	--	--	8	--	1500	--
008S010E21H02M	1	--	3	--	--	230	--	200000	--
008S010E22L01M	<1	--	11	--	--	9	--	4800	--
008S010E22L01M	<1	--	2	--	--	6	--	160	--
008S010E22L02M	<1	--	24	--	--	11	--	8900	--
008S010E22L02M	<1	--	6	--	--	28	--	32000	--
008S010E22L02M	<1	--	28	--	--	32	--	30000	--
008S010E22M01M	<1	--	16	--	--	14	--	14000	--
008S010E22M01M	<1	--	13	--	--	12	--	11000	--
008S010E22M02M	<1	--	2	--	--	3	--	280	--
008S010E22M02M	<1	--	5	--	--	4	--	1000	--
008S010E22P02M	<1	--	48	--	--	44	--	62000	--
008S010E22P02M	--	--	--	--	--	--	--	--	--
008S010E22R02M	<1	--	2	--	--	3	--	160	--
008S010E22R02M	1	--	<1	--	--	4	--	80	--
008S010E22R03M	<1	--	1	--	--	4	--	8800	--
008S010E22R03M	<1	--	2	--	--	4	--	1100	--
008S010E22R04M	<1	--	10	--	--	9	--	1400	--
008S010E22R04M	<1	--	4	--	--	4	--	330	--

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, MERCED COUNTY--Continued

## INORGANIC DATA--Continued

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	LEAD, TOTAL RECOV- ERABLE (UG/L AS PB)	LEAD, DIS- SOLVED (UG/L AS PB)	LITHIUM DIS- SOLVED (UG/L AS LI)	MANGA- NESE, TOTAL RECOV- ERABLE (UG/L AS MN)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	MERCURY TOTAL RECOV- ERABLE (UG/L AS HG)	MERCURY DIS- SOLVED (UG/L AS HG)	MOLYB- DENUM, TOTAL RECOV- ERABLE (UG/L AS MO)	MOLYB- DENUM, DIS- SOLVED (UG/L AS MO)
005S013E07L01M	--	<5	<4	--	2	--	<0.1	--	1
005S013E14P01M	--	<5	<4	--	<1	--	<0.1	--	<1
005S013E36F02M	--	<5	6	--	<1	--	<0.1	--	<1
005S014E02Q02M	--	<5	<4	--	36	--	<0.1	--	2
005S014E11A01M	--	<5	4	--	5	--	<0.1	--	<1
006S013E04Q01M	--	<5	7	--	<1	--	<0.1	--	<1
006S013E32N02M	--	<5	<4	--	2	--	<0.1	--	3
006S014E32A02M	--	<5	5	--	2	--	<0.1	--	<1
007S013E03D01M	--	<5	<4	--	<1	--	<0.1	--	1
007S013E16N01M	--	<5	10	--	<1	--	<0.1	--	<1
007S014E09R01M	--	<5	6	--	<1	--	<0.1	--	1
007S014E15P01M	--	<5	<4	--	<1	--	<0.1	--	1
008S010E16Q01M	1	--	--	510	--	<0.10	--	19	--
008S010E16Q01M	<5	--	--	560	--	<0.10	--	17	--
008S010E16Q02M	3	--	--	1000	--	<0.10	--	4	--
008S010E16Q02M	<5	--	--	4100	--	<0.10	--	18	--
008S010E16Q03M	4	--	--	5000	--	<0.10	--	5	--
008S010E16Q03M	<5	--	--	4900	--	<0.10	--	1	--
008S010E21B01M	12	--	--	4500	--	0.20	--	20	--
008S010E21B01M	<5	--	--	5200	--	<0.10	--	45	--
008S010E21G01M	4	--	--	5400	--	<0.10	--	24	--
008S010E21G01M	200	--	--	23000	--	0.70	--	15	--
008S010E21G02M	9	--	--	13000	--	0.20	--	13	--
008S010E21G02M	<5	--	--	13000	--	<0.10	--	14	--
008S010E21G02M	<5	--	--	13000	--	<0.10	--	18	--
008S010E21G03M	3	--	--	4100	--	<0.10	--	34	--
008S010E21G03M	<5	--	--	4600	--	<0.10	--	40	--
008S010E21G04M	4	--	--	4500	--	<0.10	--	42	--
008S010E21G04M	<5	--	--	5600	--	<0.10	--	24	--
008S010E21G05M	6	--	--	6100	--	<0.10	--	28	--
008S010E21G05M	<5	--	--	6400	--	<0.10	--	36	--
008S010E21H01M	5	--	--	5900	--	<0.10	--	47	--
008S010E21H01M	<5	--	--	10000	--	<0.10	--	82	--
008S010E21H02M	2	--	--	970	--	<0.10	--	8	--
008S010E21H02M	36	--	--	6600	--	0.20	--	18	--
008S010E22L01M	4	--	--	360	--	<0.10	--	9	--
008S010E22L01M	<5	--	--	460	--	<0.10	--	24	--
008S010E22L02M	7	--	--	1400	--	<0.10	--	13	--
008S010E22L02M	5	--	--	1900	--	<0.10	--	11	--
008S010E22L02M	5	--	--	1800	--	<0.10	--	13	--
008S010E22M01M	4	--	--	790	--	<0.10	--	7	--
008S010E22M01M	<5	--	--	6800	--	<0.10	--	19	--
008S010E22M02M	2	--	--	420	--	<0.10	--	12	--
008S010E22M02M	<5	--	--	590	--	<0.10	--	11	--
008S010E22P02M	12	--	--	2400	--	0.10	--	6	--
008S010E22P02M	--	--	--	--	--	--	--	--	--
008S010E22R02M	1	--	--	5200	--	<0.10	--	9	--
008S010E22R02M	<5	--	--	5300	--	<0.10	--	13	--
008S010E22R03M	5	--	--	3700	--	<0.10	--	7	--
008S010E22R03M	<5	--	--	3800	--	<0.10	--	6	--
008S010E22R04M	6	--	--	2200	--	<0.10	--	8	--
008S010E22R04M	<5	--	--	1300	--	<0.10	--	9	--

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, MERCED COUNTY--Continued

## INORGANIC DATA--Continued

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	NICKEL, TOTAL RECOV- ERABLE (UG/L AS NI)	NICKEL, DIS- SOLVED (UG/L AS NI)	SELE- NIUM, TOTAL (UG/L AS SE)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)	SILVER, TOTAL RECOV- ERABLE (UG/L AS AG)	STRON- TIUM, DIS- SOLVED (UG/L AS SR)	VANA- DIUM, DIS- SOLVED (UG/L AS V)	ZINC, TOTAL RECOV- ERABLE (UG/L AS ZN)	ZINC, DIS- SOLVED (UG/L AS ZN)
005S013E07L01M	--	1	--	<1	--	150	10	--	7
005S013E14P01M	--	1	--	<1	--	95	6	--	15
005S013E36F02M	--	2	--	<1	--	280	11	--	30
005S014E02Q02M	--	<1	--	<1	--	150	2	--	46
005S014E11A01M	--	1	--	<1	--	150	6	--	2000
006S013E04Q01M	--	1	--	<1	--	460	9	--	9
006S013E32N02M	--	<1	--	<1	--	250	28	--	8
006S014E32A02M	--	<1	--	<1	--	240	6	--	180
007S013E03D01M	--	<1	--	<1	--	300	22	--	<3
007S013E16N01M	--	<1	--	<1	--	750	17	--	15
007S014E09R01M	--	<1	--	<1	--	260	17	--	9
007S014E15P01M	--	2	--	<1	--	91	33	--	12
008S010E16Q01M	4	--	<1	--	<1	--	--	100	--
008S010E16Q01M	7	--	<1	--	2	--	--	150	--
008S010E16Q02M	12	--	<1	--	<1	--	--	20	--
008S010E16Q02M	7	--	<1	--	<1	--	--	140	--
008S010E16Q03M	12	--	<1	--	<1	--	--	20	--
008S010E16Q03M	37	--	<1	--	<1	--	--	10	--
008S010E21B01M	56	--	1	--	<1	--	--	90	--
008S010E21B01M	3	--	1	--	<1	--	--	50	--
008S010E21G01M	25	--	<1	--	<1	--	--	380	--
008S010E21G01M	700	--	2	--	2	--	--	4500	--
008S010E21G02M	14	--	2	--	<1	--	--	70	--
008S010E21G02M	13	--	<1	--	<1	--	--	40	--
008S010E21G02M	13	--	2	--	<1	--	--	30	--
008S010E21G03M	7	--	20	--	<1	--	--	10	--
008S010E21G03M	6	--	2	--	2	--	--	20	--
008S010E21G04M	1	--	1	--	<1	--	--	20	--
008S010E21G04M	4	--	<1	--	<1	--	--	30	--
008S010E21G05M	26	--	1	--	<1	--	--	40	--
008S010E21G05M	10	--	1	--	<1	--	--	30	--
008S010E21H01M	28	--	7	--	<1	--	--	790	--
008S010E21H01M	22	--	5	--	<1	--	--	30	--
008S010E21H02M	15	--	1	--	<1	--	--	30	--
008S010E21H02M	500	--	<1	--	2	--	--	700	--
008S010E22L01M	10	--	4	--	<1	--	--	20	--
008S010E22L01M	5	--	3	--	2	--	--	10	--
008S010E22L02M	6	--	<1	--	<1	--	--	30	--
008S010E22L02M	9	--	<1	--	<1	--	--	130	--
008S010E22L02M	18	--	<1	--	1	--	--	100	--
008S010E22M01M	29	--	11	--	<1	--	--	50	--
008S010E22M01M	6	--	<1	--	<1	--	--	50	--
008S010E22M02M	11	--	<1	--	<1	--	--	<10	--
008S010E22M02M	38	--	<1	--	2	--	--	20	--
008S010E22P02M	230	--	4	--	<1	--	--	180	--
008S010E22P02M	--	--	<1	--	--	--	--	--	--
008S010E22R02M	18	--	<1	--	1	--	--	<10	--
008S010E22R02M	6	--	<1	--	<1	--	--	<10	--
008S010E22R03M	1	--	<1	--	<1	--	--	20	--
008S010E22R03M	6	--	<1	--	<1	--	--	80	--
008S010E22R04M	170	--	<1	--	<1	--	--	380	--
008S010E22R04M	32	--	<1	--	<1	--	--	10	--

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, MERCED COUNTY--Continued

## ORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	DATE	PCB, TOTAL (UG/L)	NAPH- THA- LENES, POLY- CHLOR. TOTAL (UG/L)	ALDRIN, TOTAL (UG/L)	CHLOR- DANE, TOTAL (UG/L)	DDD, TOTAL (UG/L)	DDE, TOTAL (UG/L)	DDT, TOTAL (UG/L)	DI- AZINON, TOTAL (UG/L)
005S013E07L01M	07-14-86	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010	<0.010	<0.01
005S013E14P01M	07-14-86	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010	<0.010	<0.01
005S013E36F02M	07-14-86	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010	<0.010	<0.01
005S014E02Q02M	07-15-86	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010	<0.010	<0.01
005S014E11A01M	07-14-86	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010	<0.010	<0.01
006S013E04Q01M	07-14-86	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010	<0.010	<0.01
006S013E32N02M	07-14-86	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010	<0.010	<0.01
006S014E32A02M	07-15-86	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010	<0.010	<0.01
007S013E03D01M	07-15-86	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010	<0.010	<0.01
007S013E16N01M	07-15-86	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010	<0.010	<0.01
007S014E09R01M	07-15-86	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010	<0.010	<0.01
007S014E15P01M	07-15-86	<0.1	<0.10	<0.010	<0.1	<0.010	<0.010	<0.010	<0.01

LOCAL NUMBER	DI- ELDRIN TOTAL (UG/L)	DI- SYSTON TOTAL (UG/L)	ENDO- SULFAN, TOTAL (UG/L)	ETHION, TOTAL (UG/L)	HEPTA- CHLOR, TOTAL (UG/L)	HEPTA- CHLOR EPOXIDE TOTAL (UG/L)	LINDANE TOTAL (UG/L)	MALA- THION, TOTAL (UG/L)
005S013E07L01M	<0.010	<0.01	<0.010	<0.01	<0.010	<0.010	<0.010	<0.01
005S013E14P01M	<0.010	<0.01	<0.010	<0.01	<0.010	<0.010	<0.010	<0.01
005S013E36F02M	<0.010	<0.01	<0.010	<0.01	<0.010	<0.010	<0.010	0.07
005S014E02Q02M	<0.010	<0.01	<0.010	<0.01	<0.010	<0.010	<0.010	<0.01
005S014E11A01M	<0.010	<0.01	<0.010	<0.01	<0.010	<0.010	<0.010	<0.01
006S013E04Q01M	<0.010	<0.01	<0.010	<0.01	<0.010	<0.010	<0.010	<0.01
006S013E32N02M	<0.010	<0.01	<0.010	<0.01	<0.010	<0.010	<0.010	<0.01
006S014E32A02M	<0.010	<0.01	<0.010	<0.01	<0.010	<0.010	<0.010	<0.01
007S013E03D01M	<0.010	<0.01	<0.010	<0.01	<0.010	<0.010	<0.010	<0.01
007S013E16N01M	<0.010	<0.01	<0.010	<0.01	<0.010	<0.010	<0.010	<0.01
007S014E09R01M	<0.010	<0.01	<0.010	<0.01	<0.010	<0.010	<0.010	<0.01
007S014E15P01M	<0.010	<0.01	<0.010	<0.01	<0.010	<0.010	<0.010	<0.01

LOCAL NUMBER	METHYL PARA- THION, TOTAL (UG/L)	METHYL TRI- THION, TOTAL (UG/L)	MIREX, TOTAL (UG/L)	PARA- THION, TOTAL (UG/L)	PER- THANE TOTAL (UG/L)	PHORATE OTAL (UG/L)	TOX- APHENE, TOTAL (UG/L)	TOTAL TRI- THION (UG/L)
005S013E07L01M	<0.01	<0.01	<0.01	<0.01	<0.1	<0.01	<1	<0.01
005S013E14P01M	<0.01	<0.01	<0.01	<0.01	<0.1	<0.01	<1	<0.01
005S013E36F02M	<0.01	<0.01	<0.01	<0.01	<0.1	<0.01	<1	<0.01
005S014E02Q02M	<0.01	<0.01	<0.01	<0.01	<0.1	<0.01	<1	<0.01
005S014E11A01M	<0.01	<0.01	<0.01	<0.01	<0.1	<0.01	<1	<0.01
006S013E04Q01M	<0.01	<0.01	<0.01	<0.01	<0.1	<0.01	<1	<0.01
006S013E32N02M	<0.01	<0.01	<0.01	<0.01	<0.1	<0.01	<1	<0.01
006S014E32A02M	<0.01	<0.01	<0.01	<0.01	<0.1	<0.01	<1	<0.01
007S013E03D01M	<0.01	<0.01	<0.01	<0.01	<0.1	<0.01	<1	<0.01
007S013E16N01M	<0.01	<0.01	<0.01	<0.01	<0.1	<0.01	<1	<0.01
007S014E09R01M	<0.01	<0.01	<0.01	<0.01	<0.1	<0.01	<1	<0.01
007S014E15P01M	<0.01	<0.01	<0.01	<0.01	<0.1	<0.01	<1	<0.01

&lt; Actual value is known to be less than the value shown.

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

ORANGE COUNTY

	<u>Page</u>
LOCAL NUMBER 003S009W20M01S.....	138
LOCAL NUMBER 003S009W21M05S.....	138
LOCAL NUMBER 003S009W31J02S.....	138
LOCAL NUMBER 003S009W32P02S.....	138
LOCAL NUMBER 003S009W33N03S.....	139
LOCAL NUMBER 003S009W34L02S.....	139
LOCAL NUMBER 003S010W02N02S.....	139
LOCAL NUMBER 003S010W09M02S.....	139
LOCAL NUMBER 003S010W10N02S.....	140
LOCAL NUMBER 003S010W18C01S.....	140
LOCAL NUMBER 003S010W32P01S.....	140
LOCAL NUMBER 003S010W34E01S.....	140
LOCAL NUMBER 004S009W04D01S.....	141
LOCAL NUMBER 004S009W17Q01S.....	141
LOCAL NUMBER 004S009W28R01S.....	141
LOCAL NUMBER 004S009W33M01S.....	141
LOCAL NUMBER 004S010W07J03S.....	142
LOCAL NUMBER 004S010W07K04S.....	142
LOCAL NUMBER 004S010W08K01S.....	142
LOCAL NUMBER 004S010W18A01S.....	142
LOCAL NUMBER 004S010W21F01S.....	143
LOCAL NUMBER 004S010W27C02S.....	143
LOCAL NUMBER 004S010W31B02S.....	143
LOCAL NUMBER 004S010W31P01S.....	143
LOCAL NUMBER 004S010W34D03S.....	144
LOCAL NUMBER 004S011W01J03S.....	144
LOCAL NUMBER 004S011W08P01S.....	144
LOCAL NUMBER 004S011W12R07S.....	144
LOCAL NUMBER 004S011W15L06S.....	145
LOCAL NUMBER 004S011W16P01S.....	145
LOCAL NUMBER 004S011W27D01S.....	145
LOCAL NUMBER 004S011W31F03S.....	145
LOCAL NUMBER 004S011W35B01S.....	146
LOCAL NUMBER 004S012W36J01S.....	146
LOCAL NUMBER 005S008W31K01S.....	146
LOCAL NUMBER 005S008W32L01S.....	146
LOCAL NUMBER 005S009W14Q02S.....	147
LOCAL NUMBER 005S009W15J01S.....	147
LOCAL NUMBER 005S009W15R03S.....	147
LOCAL NUMBER 005S009W21P02S.....	147
LOCAL NUMBER 005S009W22A02S.....	148
LOCAL NUMBER 005S009W23N01S.....	148
LOCAL NUMBER 005S009W28D01S.....	148
LOCAL NUMBER 005S009W30P01S.....	148
LOCAL NUMBER 005S009W31B01S.....	149
LOCAL NUMBER 005S009W31D01S.....	149
LOCAL NUMBER 005S009W31M02S.....	149
LOCAL NUMBER 005S009W33R01S.....	149
LOCAL NUMBER 005S009W36B01S.....	150
LOCAL NUMBER 005S010W09R01S.....	150
LOCAL NUMBER 005S010W10D04S.....	150
LOCAL NUMBER 005S010W10P01S.....	150
LOCAL NUMBER 005S010W15B02S.....	151
LOCAL NUMBER 005S010W21M02S.....	151
LOCAL NUMBER 005S010W26R02S.....	151
LOCAL NUMBER 005S010W29E01S.....	151
LOCAL NUMBER 005S010W31D04S.....	152
LOCAL NUMBER 005S010W33Q01S.....	152
LOCAL NUMBER 005S010W35K01S.....	152
LOCAL NUMBER 005S011W07C01S.....	152
LOCAL NUMBER 005S011W12L02S.....	153
LOCAL NUMBER 005S011W13A02S.....	153
LOCAL NUMBER 005S011W14C04S.....	153
LOCAL NUMBER 005S011W20J06S.....	153
LOCAL NUMBER 005S011W20R04S.....	154

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

ORANGE COUNTY--Continued

	<u>Page</u>
LOCAL NUMBER 005S011W21L05S.....	154
LOCAL NUMBER 005S011W21R02S.....	154
LOCAL NUMBER 005S011W23F01S.....	154
LOCAL NUMBER 005S011W24N02S.....	155
LOCAL NUMBER 006S008W06J01S.....	155
LOCAL NUMBER 006S008W07E01S.....	155
LOCAL NUMBER 006S008W07Q01S.....	156
LOCAL NUMBER 006S009W01L01S.....	156
LOCAL NUMBER 006S009W09E01S.....	156
LOCAL NUMBER 006S010W05B03S.....	157
LOCAL NUMBER 006S010W11G01S.....	157
LOCAL NUMBER 006S010W13E01S.....	157




Figure 10.--Index map to location of wells in Orange County.

WATER LEVELS, ORANGE COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 335342117511301

LOCAL NUMBER 003S009W20M01S

ABOUT 200 FT NORTH OF HOLMES AVE AND 75 FT EAST OF VALENCIA AVE IN PLACENTIA. UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 311 FT. ALTITUDE OF LSD 335.2 FT. MEASURED BY USGS STARTING 1978. RECORDS AVAILABLE 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
NOV 04, 1985	154.34 S
HIGHEST	148.20 APR 27, 1970
LOWEST	182.90 NOV 01, 1977

SITE NUMBER 335339117500701

LOCAL NUMBER 003S009W21M05S

ABOUT 0.4 MI NORTH OF YORBA LINDA BLVD AND 500 FT EAST OF PROSPECT AVE IN YORBA LINDA. DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH 300 FT, PERFORATED 117-137 FT. ALTITUDE OF LSD 356 FT. MEASURED BY USGS STARTING AUGUST 1978. RECORDS AVAILABLE 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	66.62 S	FEB 11, 1986	67.05 S	MAY 05, 1986	66.56 S	SEP 04, 1986	66.36 S
HIGHEST	64.10 MAY 27, 1976						
LOWEST	74.67 MAR 10, 1977						

SITE NUMBER 335146117512101

LOCAL NUMBER 003S009W31J02S

ABOUT 0.25 MI EAST OF KRAEMER BLVD AND 0.3 MI NORTH OF MIRALOMA AVE IN ANAHEIM. UNUSED WATER-TABLE WELL. DIAM 18 IN, DEPTH OF HOLE 350 FT. ALTITUDE OF LSD 223 FT. MEASURED BY USGS STARTING AUGUST 1978. RECORDS AVAILABLE 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	86.34 S	FEB 11, 1986	93.82 S	MAY 05, 1986	105.88 S	SEP 04, 1986	117.33 S
HIGHEST	72.80 MAY 05, 1981						
LOWEST	168.90 OCT 31, 1972						

SITE NUMBER 335141117504701

LOCAL NUMBER 003S009W32P02S

ABOUT 650 FT EAST OF MILLER ST AND 25 FT NORTH OF MIRALOMA AVE IN ANAHEIM. IRRIGATION WATER-TABLE WELL. DIAM 16 TO 14 IN, DEPTH OF HOLE 320 FT. ALTITUDE OF LSD 230 FT. MEASURED BY USGS STARTING AUGUST 1978. RECORDS AVAILABLE 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS.	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	68.88 S	FEB 11, 1986	80.60 S	MAY 05, 1986	94.62 S	SEP 04, 1986	103.04 S
HIGHEST	61.59 MAY 05, 1981						
LOWEST	130.30 JAN 13, 1977						



WATER LEVELS, ORANGE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 335143117495501

LOCAL NUMBER 003S009W33N03S

ABOUT 500 FT WEST OF VAN BUREN ST AND 1000 FT NORTH OF LA PALMA AVE IN ANAHEIM. IRRIGATION WATER-TABLE WELL. DIAM 18 IN, DEPTH OF HOLE 378 FT. ALTITUDE OF LSD 244.5 FT. MEASURED BY USGS STARTING NOVEMBER 1978. RECORDS AVAILABLE 1972-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	56.76 S	FEB 11, 1986	55.89 S	MAY 05, 1986	65.45 S	SEP 04, 1986	70.39 S
	HIGHEST	47.36	FEB 04, 1981				
	LOWEST	93.70	OCT 27, 1976				

SITE NUMBER 335154117484801

LOCAL NUMBER 003S009W34L02S

ABOUT 1300 FT EAST OF LAKEVIEW AVE AND 425 FT SOUTH OF ORANGETHORPE AVE IN ANAHEIM. IRRIGATION WATER-TABLE WELL. DIAM 18 IN, DEPTH OF HOLE 260 FT, PERFORATED 85-185 FT. ALTITUDE OF LSD 260 FT. MEASURED BY USGS STARTING AUGUST 1978. RECORDS AVAILABLE 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	21.94 S	FEB 11, 1986	22.56 S	MAY 05, 1986	24.50 S	SEP 04, 1986	27.67 S
	HIGHEST	19.72	MAY 05, 1981				
	LOWEST	73.60	AUG 29, 1972				

SITE NUMBER 335547117541901

LOCAL NUMBER 003S010W02N02S

ABOUT 150 FT EAST OF BERRY ST AND 250 FT NORTH OF CENTRAL AVE IN BREA. IRRIGATION WATER-TABLE WELL. DIAM 12 IN, DEPTH OF HOLE 530 FT. ALTITUDE OF LSD 423 FT. MEASURED BY USGS STARTING AUGUST 1978. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	129.59 S	FEB 12, 1986	127.13 S	MAY 07, 1986	129.60 S
	HIGHEST	120.50	JUN 28, 1972		
	LOWEST	175.10	FEB 27, 1975		

SITE NUMBER 335528117562301

LOCAL NUMBER 003S010W09M02S

ABOUT 25 FT SOUTH OF LAMBERT RD AND 325 FT EAST OF CYPRESS ST IN LA HABRA. DOMESTIC WATER-TABLE WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 305 FT. MEASURED BY USGS STARTING AUGUST 1978. RECORDS AVAILABLE 1969-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	31.48 S	FEB 12, 1986	31.32 S	MAY 05, 1986	30.43 S	SEP 03, 1986	30.73 S
	HIGHEST	29.56	MAY 10., 1983				
	LOWEST	47.50	AUG 27, 1970				

WATER LEVELS, ORANGE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 335515117551201

LOCAL NUMBER 003S010W10N02S

ABOUT 1250 FT NORTH OF IMPERIAL HWY AND 1050 FT EAST OF PALM ST IN BREA. IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH OF HOLE 165 FT. ALTITUDE OF LSD 315 FT. MEASURED BY USGS STARTING AUGUST 1978. RECORDS AVAILABLE 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	17.49 S	FEB 12, 1986	17.24 S	MAY 05, 1986	16.36 S	SEP 03, 1986	16.38 S
	HIGHEST	15.84	FEB 17, 1984				
	LOWEST	31.70	JAN 11, 1977				

SITE NUMBER 335459117580701

LOCAL NUMBER 003S010W18C01S

NEAR INTERSECTION OF IMPERIAL HWY AND BEACH BLVD IN LA HABRA. UNUSED WATER-TABLE WELL. DIAM 26.25 TO 14.25 IN, DEPTH 385 FT, 26.25-IN CSG 0-24 FT, 14.25-IN CSG 0-385 FT, PERFORATED 144-385 FT. ALTITUDE OF LSD 211 FT. MEASURED BY USGS STARTING 1978. RECORDS AVAILABLE 1968 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	91.39 S	FEB 12, 1986	93.25 S	MAY 05, 1986	92.63 S	SEP 03, 1986	93.94 S
	HIGHEST	82.40	FEB 17, 1984				
	LOWEST	127.80	OCT 29, 1969				

SITE NUMBER 335136117565901

LOCAL NUMBER 003S010W32P01S

ABOUT 100 FT SOUTH OF PORTER AVE AND 200 FT WEST OF BASQUE AVE IN FULLERTON. DIAM 6 IN, DEPTH OF HOLE 200 FT. ALTITUDE OF LSD 121 FT. MEASURED BY USGS STARTING AUGUST 1978. RECORDS AVAILABLE 1930 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	81.52 S	FEB 12, 1986	78.62 S	MAY 05, 1986	78.49 S	SEP 04, 1986	85.31 S
	HIGHEST	65.20	MAY 03, 1967				
	LOWEST	127.90	OCT 07, 1957				

SITE NUMBER 335204117552101

LOCAL NUMBER 003S010W34E01S

ABOUT 250 FT EAST OF HARBOR BLVD AND 110 FT SOUTH OF WALNUT AVE IN FULLERTON. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH DRILLED 210 FT. ALTITUDE OF LSD 158 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	105.06 S	FEB 12, 1986	101.70 S	MAY 05, 1986	102.13 S	SEP 04, 1986	108.91 S
	HIGHEST	89.41	MAY 23, 1984				
	LOWEST	108.91	SEP 04, 1986				

WATER LEVELS, ORANGE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 335127117494801

LOCAL NUMBER 004S009W04D01S

ABOUT 100 FT SOUTHEAST OF LA PALMA AVE AND 0.3 MI WEST OF RICHFIELD RD IN ANAHEIM. IRRIGATION WATER-TABLE WELL. DIAM UNKNOWN, DEPTH OF HOLE 398 FT. ALTITUDE OF LSD 245.4 FT. MEASURED BY USGS STARTING AUGUST 1978. RECORDS AVAILABLE 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	63.41 S	FEB 11, 1986	70.65 S	MAY 05, 1986	79.60 S	SEP 04, 1986	82.46 S
	HIGHEST	54.22	MAY 05, 1981				
	LOWEST	147.20	OCT 27, 1972				

SITE NUMBER 334900117502301

LOCAL NUMBER 004S009W17Q01S

NEAR INTERSECTION OF TUSTIN AVE AND TAFT AVE IN ORANGE. UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 239 FT. MEASURED BY USGS STARTING 1978. RECORDS AVAILABLE 1932-35, 1937 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	177.10 S	FEB 11, 1986	173.62 S	MAY 06, 1986	172.70 S	SEP 04, 1986	179.59 S
	HIGHEST	142.79	AUG 29, 1980				
	LOWEST	241.34	OCT 19, 1951				

SITE NUMBER 334722117491601

LOCAL NUMBER 004S009W28R01S

ABOUT 100 FT EAST OF MCPHERSON RD AND 200 FT NORTH OF CENTER ST IN ORANGE. DOMESTIC WATER-TABLE WELL. DIAM 20 IN, DEPTH 800 FT. ALTITUDE OF LSD 262 FT. MEASURED BY USGS STARTING SEPTEMBER 1978. RECORDS AVAILABLE 1970-72, 1975-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 06, 1985	237.08 S	FEB 11, 1986	229.49 S	MAY 06, 1986	236.50 S	AUG 29, 1986	243.89 S
	HIGHEST	180.54	AUG 29, 1980				
	LOWEST	271.61	OCT 28, 1977				

SITE NUMBER 334650117495101

LOCAL NUMBER 004S009W33M01S

ABOUT 100 FT WEST OF NEWPORT FWY AND 0.25 MI NORTH OF GARDEN GROVE FWY IN ORANGE. UNUSED WATER-TABLE WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 226 FT. MEASURED BY USGS STARTING SEPTEMBER 1978. RECORDS AVAILABLE 1973-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	221.01 S	FEB 11, 1986	211.60 S	MAY 06, 1986	220.33 S	AUG 29, 1986	227.16 S
	HIGHEST	156.80	JUN 11, 1980				
	LOWEST	233.20	DEC 28, 1976				

WATER LEVELS, ORANGE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 335019117574301

LOCAL NUMBER 004S010W07J03S

ABOUT 430 FT SOUTH OF CRESCENT ST AND 1420 FT EAST OF GILBERT ST IN ANAHEIM. UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH OF HOLE 267 FT. ALTITUDE OF LSD 94.8 FT. MEASURED BY USGS STARTING SEPTEMBER 1978. RECORDS AVAILABLE 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	47.51 S	FEB 12, 1986	41.33 S	MAY 05, 1986	40.63 S	SEP 03, 1986	42.22 S
	HIGHEST	38.89	APR 15, 1985				
	LOWEST	99.80	MAY 09, 1973				

SITE NUMBER 335016117575901

LOCAL NUMBER 004S010W07K04S

ABOUT 740 FT SOUTH OF CRESCENT ST AND 110 FT EAST OF GILBERT ST IN ANAHEIM. UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH OF HOLE 176 FT, PERFORATED 71-107, 141-162 FT. ALTITUDE OF LSD 95.2 FT. MEASURED BY USGS STARTING NOVEMBER 1978. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	40.01 S	FEB 12, 1986	45.49 S	MAY 05, 1986	45.10 S	SEP 03, 1986	44.94 S
	HIGHEST	11.00	JAN 23, 1974				
	LOWEST	57.50	NOV 02, 1977				

SITE NUMBER 335017117564601

LOCAL NUMBER 004S010W08K01S

ABOUT 90 FT EAST OF CRESCENT WAY AND 0.4 MI NORTH OF LINCOLN AVE IN ANAHEIM. DIAM UNKNOWN DEPTH UNKNOWN. ALTITUDE OF LSD 126.1 FT. MEASURED BY USGS STARTING SEPTEMBER 1978. RECORDS AVAILABLE 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	109.12 S	FEB 12, 1986	101.14 S	MAY 06, 1986	106.75 S	SEP 04, 1986	119.89 S
	HIGHEST	78.59	FEB 16, 1984				
	LOWEST	136.90	OCT 28, 1976				

SITE NUMBER 334955117573801

LOCAL NUMBER 004S010W18A01S

ABOUT 200 FT SOUTH OF LINCOLN AVE AND 800 FT WEST OF BROOKHURST ST IN ANAHEIM. UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH OF HOLE 402 FT. ALTITUDE OF LSD 107 FT. MEASURED BY USGS STARTING SEPTEMBER 1978. RECORDS AVAILABLE 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	71.16 S	FEB 12, 1986	68.63 S	MAY 05, 1986	70.55 S	SEP 04, 1986	76.39 S
	HIGHEST	60.10	FEB 02, 1986				
	LOWEST	96.90	MAR 15, 1977				

WATER LEVELS, ORANGE COUNTY--Continued

WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 334838117561201

LOCAL NUMBER 004S010W21F01S

ABOUT 1300 FT EAST OF EUCLID ST AND 50 FT NORTH OF CERRITOS AVE IN ANAHEIM. WITHDRAWAL WATER-TABLE WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 118 FT. MEASURED BY USGS STARTING 1975. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	70.79 S	FEB 12, 1986	71.10 S	MAY 06, 1986	70.82 S	SEP 02, 1986	72.54 S
	HIGHEST	65.02	MAY 17, 1984				
	LOWEST	108.40	OCT 31, 1977				

SITE NUMBER 334811117550001

LOCAL NUMBER 004S010W27C02S

ABOUT 10 FT SOUTH OF KATELLA AVE AND 700 FT WEST OF HARBOR BLVD IN ANAHEIM. UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH OF HOLE 226 FT, PERFORATED 140-163, 178-190 FT. ALTITUDE OF LSD 128 FT. MEASURED BY USGS STARTING SEPTEMBER 1978. RECORDS AVAILABLE 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	75.06 S	FEB 12, 1986	75.67 S	MAY 06, 1986	74.70 S	AUG 29, 1986	76.37 S
	HIGHEST	67.68	MAY 17, 1984				
	LOWEST	115.00	OCT 28, 1977				

SITE NUMBER 334713117575901

LOCAL NUMBER 004S010W31B02S

ABOUT 645 FT SOUTH OF CHARMAN AVE AND 40 FT EAST OF GILBERT ST IN GARDEN GROVE. UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH OF HOLE 192 FT. ALTITUDE OF LSD 81 FT. MEASURED BY USGS STARTING SEPTEMBER 1978. RECORDS AVAILABLE 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	45.49 S	FEB 20, 1986	43.74 S	MAY 06, 1986	43.95 S	SEP 02, 1986	46.82 S
	HIGHEST	39.36	FEB 15, 1984				
	LOWEST	77.30	NOV 03, 1977				

SITE NUMBER 334637117580001

LOCAL NUMBER 004S010W31F01S

ABOUT 0.2 MI NORTH OF GARDEN GROVE BLVD AND 20 FT WEST OF GILBERT ST IN GARDEN GROVE. DRILLED UNUSED WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 180 FT, PERFORATED 157-178 FT. ALTITUDE OF LSD 72 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 06, 1985	37.24 S	FEB 20, 1986	35.19 S	MAY 07, 1986	35.54 S	SEP 03, 1986	38.47 S
	HIGHEST	30.48	FEB 16, 1984				
	LOWEST	63.76	SEP 18, 1978				

WATER LEVELS, ORANGE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 334717117551601

LOCAL NUMBER 004S010W34D03S

ABOUT 530 FT EAST OF WEST ST AND 250 FT SOUTH OF CHAPMAN AVE IN GARDEN GROVE. DIAM 12 IN, DEPTH 161 FT. ALTITUDE OF LSD 113 FT. MEASURED BY USGS STARTING NOVEMBER 1978. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	61.42 S	SEP 02, 1986	19.08 S
	HIGHEST	15.09	JUN 11, 1980
	LOWEST	73.87	OCT 28, 1980

SITE NUMBER 335106117583203

LOCAL NUMBER 004S011W01J03S

ABOUT 0.25 MI NORTH OF INTERSECTION OF LA PALMA AVE AND MAGNOLIA AVE IN ANAHEIM. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 690 FT WHEN DRILLED, 460 FT IN 1972, PERFORATED 383-404, 661-668 FT. ALTITUDE OF LSD 94 FT. RECORDS AVAILABLE 1953, 1971, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	87.37 S	FEB 12, 1986	79.15 S	MAY 05, 1986	85.65 S	SEP 03, 1986	97.85 S
	HIGHEST	57.70	FEB 16, 1984				
	LOWEST	125.00	MAY 27, 1953				

SITE NUMBER 334957118031201

LOCAL NUMBER 004S011W08P01S

ABOUT 300 FT NORTH OF INTERSECTION OF LINCOLN AVE AND DENNI ST IN CYPRESS. IRRIGATION WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 550 FT. ALTITUDE OF LSD 37.8 FT. RECORDS AVAILABLE 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	33.51 SR	FEB 20, 1986	27.22 S	MAY 06, 1986	30.20 S	SEP 03, 1986	32.83 S
	HIGHEST	23.25	FEB 16, 1984				
	LOWEST	72.60	JUL 02, 1974				

SITE NUMBER 334957117584701

LOCAL NUMBER 004S011W12R07S

ABOUT 0.25 MI WEST OF MAGNOLIA ST AND 100 FT NORTH OF LINCOLN AVE IN ANAHEIM. DIAM UNKNOWN, DEPTH OF HOLE 294 FT. ALTITUDE OF LSD 91 FT. MEASURED BY USGS STARTING SEPTEMBER 1978. RECORDS AVAILABLE 1968 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	66.37 SR	FEB 20, 1986	56.74 S	MAY 06, 1986	62.12 S	SEP 03, 1986	68.20 S
	HIGHEST	50.65	FEB 16, 1984				
	LOWEST	102.90	OCT 28, 1976				

WATER LEVELS, ORANGE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 334924118011101

LOCAL NUMBER 004S011W15L06S

ABOUT 250 FT SOUTH OF ORANGE AVE AND 250 FT WEST OF HOLDER ST IN CYPRESS. UNUSED WATER-TABLE WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 58 FT. MEASURED BY USGS STARTING SEPTEMBER 1978. RECORDS AVAILABLE 1968 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	17.65 S	FEB 20, 1986	14.30 S	MAY 06, 1986	15.81 S	SEP 02, 1986	16.97 S
	HIGHEST	14.30	FEB 20, 1986				
	LOWEST	27.00	AUG 31, 1971				

SITE NUMBER 334913118021201

LOCAL NUMBER 004S011W16P01S

ABOUT 200 FT WEST OF WALKER ST AND 0.28 MI SOUTH OF ORANGE AVE IN CYPRESS. DOMESTIC WATER-TABLE WELL. DIAM 4 IN, DEPTH REPORTED 84 FT. ALTITUDE OF LSD 37 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 06, 1985	7.22 S	FEB 20, 1986	4.20 S	MAY 06, 1986	6.01 S	SEP 02, 1986	7.44 S
	HIGHEST	4.20	FEB 20, 1986				
	LOWEST	8.94	JUL 28, 1982				

SITE NUMBER 334806118012701

LOCAL NUMBER 004S011W27D01S

ABOUT 400 FT SOUTH OF KATELLA AVE AND 1000 FT EAST OF VALLEY VIEW ST IN CYPRESS. UNUSED WATER-TABLE WELL. DIAM UNKNOWN, DEPTH OF HOLE 900 FT. ALTITUDE OF LSD 33.5 FT. MEASURED BY USGS STARTING SEPTEMBER 1978. RECORDS AVAILABLE 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	59.84 S	FEB 20, 1986	46.94 S	MAY 06, 1986	52.91 S	SEP 02, 1986	65.33 S
	HIGHEST	27.70	APR 28, 1969				
	LOWEST	75.80	AUG 29, 1974				

SITE NUMBER 334710118041701

LOCAL NUMBER 004S011W31F03S

ABOUT 10 FT WEST OF SEAL BEACH BLVD AND 100 FT NORTH OF ROSSMOOR CENTER WAY IN SEAL BEACH. UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH OF HOLE 400 FT, PERFORATED 182-214, 260-283, 370-379 FT. ALTITUDE OF LSD 16 FT. MEASURED BY USGS STARTING 1978. RECORDS AVAILABLE 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 01, 1985	24.50 S	MAR 03, 1986	18.72 S	MAY 01, 1986	19.12 S	AUG 18, 1986	23.55 S
	HIGHEST	8.69	NOV 02, 1983				
	LOWEST	38.40	JAN 11, 1977				

WATER LEVELS, ORANGE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 334708117595201

LOCAL NUMBER 004S011W35B01S

ABOUT 1000 FT SOUTH OF CHAPMAN AVE AND 800 FT EAST OF WESTERN AVE IN GARDEN GROVE. IRRIGATION WATER-TABLE WELL. DIAM UNKNOWN, DEPTH OF HOLE 590 FT. ALTITUDE OF LSD 55.4 FT. MEASURED BY USGS STARTING SEPTEMBER 1978. RECORDS AVAILABLE 1969-73, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	31.81 S	FEB 20, 1986	27.84 S	MAY 06, 1986	29.20 S	SEP 02, 1986	33.77 S
	HIGHEST	20.70	FEB 16, 1984				
	LOWEST	56.50	OCT 31, 1973				

SITE NUMBER 334648118050001

LOCAL NUMBER 004S012W36J01S

ABOUT 200 FT NORTHEAST OF INTERSECTION OF FOSTER RD AND COPA DE ORO DR NEAR SEAL BEACH. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 680 FT, CASED TO 680 FT, PERFORATED 250-680 FT. ALTITUDE OF LSD 8 FT. RECORDS AVAILABLE 1984 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 01, 1985	31.52 S	FEB 26, 1986	25.47 S	MAY 01, 1986	24.70 S	AUG 18, 1986	32.80 S
	HIGHEST	14.98	FEB 14, 1984				
	LOWEST	38.52	AUG 23, 1984				

SITE NUMBER 334130117451401

LOCAL NUMBER 005S008W31K01S

ABOUT 0.5 MI NORTHWEST OF INTERSECTION OF SAND CANYON AVE AND TRABUCO RD NEAR IRVINE. DRILLED IRRIGATION WELL. DIAM 20 IN, DRILLED DEPTH 1660 FT, PERFORATED 255-1305 FT. ALTITUDE OF LSD 220 FT. RECORDS AVAILABLE 1962, 1966, 1970-71, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	116.95 S	FEB 12, 1986	99.50 S	APR 30, 1986	95.32 S	AUG 14, 1986	114.67 S
	HIGHEST	91.35	MAY 13, 1983				
	LOWEST	222.00	NOV 01, 1962				

SITE NUMBER 334134117443401

LOCAL NUMBER 005S008W32L01S

ABOUT 0.5 MI NORTHEAST OF INTERSECTION OF TRABUCO RD AND SAND CANYON AVE NEAR IRVINE. DRILLED UNUSED WELL. DIAM 8 TO 12 IN, DEPTH DRILLED 830 FT, PERFORATED 310-330, 365-400, 428-450, 475-540 FT. ALTITUDE OF LSD 270 FT. RECORDS AVAILABLE 1928, 1966, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	139.44 S	FEB 12, 1986	135.08 S	APR 30, 1986	133.10 S	AUG 14, 1986	136.93 S
	HIGHEST	133.03	FEB 06, 1984				
	LOWEST	254.00	SEP 12, 1966				



WATER LEVELS, ORANGE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 334458117471301

LOCAL NUMBER 005S009W14Q02S

ABOUT 0.25 MI NORTHWEST OF INTERSECTION OF IRVINE BLVD AND MYFORD RD NEAR TUSTIN. IRRIGATION WATER-TABLE WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 124 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	126.15 S	FEB 20, 1986	77.98 S	APR 30, 1986	109.22 S	AUG 15, 1986	128.09 S
	HIGHEST	48.22	FEB 06, 1981				
	LOWEST	128.09	AUG 15, 1986				

SITE NUMBER 334413117475801

LOCAL NUMBER 005S009W15J01S

ABOUT 0.25 MI NORTH OF BRYAN AVE AND 100 FT EAST OF BROWNING AVE IN TUSTIN. IRRIGATION WATER-TABLE WELL. DIAM 15 IN, DEPTH OF HOLE 1192 FT. ALTITUDE OF LSD 107 FT. MEASURED BY USGS STARTING SEPTEMBER 1978. RECORDS AVAILABLE 1969-72, 1975, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	105.60 S	FEB 11, 1986	88.54 S	APR 30, 1986	92.14 S	AUG 15, 1986	112.94 S
	HIGHEST	51.15	FEB 09, 1981				
	LOWEST	116.20	NOV 10, 1975				

SITE NUMBER 334404117480701

LOCAL NUMBER 005S009W15R03S

NEAR INTERSECTION OF BRYAN AVE AND BROWNING AVE IN TUSTIN. UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH 787 FT. ALTITUDE OF LSD 96.7 FT. MEASURED BY USGS STARTING 1978. RECORDS AVAILABLE 1969-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	21.62 S	FEB 20, 1986	20.41 S	APR 30, 1986	20.81 S	AUG 14, 1986	22.02 S
	HIGHEST	17.54	AUG 09, 1983				
	LOWEST	32.60	OCT 22, 1974				

SITE NUMBER 334309117494201

LOCAL NUMBER 005S009W21P02S

ABOUT 0.25 MI SOUTHWEST OF INTERSECTION OF RED HILL AVE AND MOULTON PKWY IN TUSTIN. UNUSED WATER-TABLE WELL. DIAM UNKNOWN, DEPTH OF HOLE 294 FT. ALTITUDE OF LSD 74.5 FT. MEASURED BY USGS STARTING SEPTEMBER 1978. RECORDS AVAILABLE 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 06, 1985	16.50 S	FEB 20, 1986	15.34 S	MAY 06, 1986	15.17 S	AUG 14, 1986	15.80 S
	HIGHEST	13.20	MAY 05, 1969				
	LOWEST	30.70	MAR 04, 1975				

WATER LEVELS, ORANGE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 334344117480501

LOCAL NUMBER 005S009W22A02S

NORTH OF INTERSECTION OF INTERSTATE 5 AND MYFORD RD. IRRIGATION WATER-TABLE WELL. DIAM 20-10 IN, DRILLED DEPTH 1488 FT, PERFORATED 475-1070 FT. ALTITUDE OF LSD 85 FT. RECORDS AVAILABLE 1967, 1970-71, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 06, 1985	84.63 S	FEB 20, 1986	65.34 S	AUG 15, 1986	98.60 S
	HIGHEST	29.28	FEB 09, 1981		
	LOWEST	98.60	AUG 15, 1986		

SITE NUMBER 334308117474101

LOCAL NUMBER 005S009W23N01S

ABOUT 200 FT SOUTHWEST OF INTERSECTION OF MYFORD RD AND SANTA ANA FWY IN IRVINE. IRRIGATION WELL. DIAM 20 IN, DEPTH OF HOLE 1553 FT. ALTITUDE OF LSD 77 FT. MEASURED BY USGS STARTING SEPTEMBER 1978. RECORDS AVAILABLE 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	67.95 S	FEB 20, 1986	31.55 S	MAY 06, 1986	45.74 S	AUG 19, 1986	69.20 S
	HIGHEST	9.48	APR 30, 1982				
	LOWEST	97.40	DEC 29, 1976				

SITE NUMBER 334257117494401

LOCAL NUMBER 005S009W28D01S

ABOUT 300 FT SOUTHWEST OF INTERSECTION OF REDHILL AVE AND VALENCIA AVE IN TUSTIN. DRILLED UNUSED WELL. DIAM 20 TO 16 IN, DEPTH 516 FT, 20-IN CSG 0-102 FT, 16-IN CSG 102-516 FT, PERFORATED 224-236, 278-290 FT. ALTITUDE OF LSD 69 FT. RECORDS AVAILABLE 1966, 1971, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	64.51 S	MAR 04, 1986	55.75 S	MAY 06, 1986	60.30 S	AUG 15, 1986	70.23 S
	HIGHEST	32.90	FEB 06, 1981				
	LOWEST	70.23	AUG 15, 1986				

SITE NUMBER 334210117513701

LOCAL NUMBER 005S009W30P01S

ABOUT 250 FT WEST OF INTERSECTION OF HALLADAY ST AND COLUMBINE ST IN SANTA ANA. UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH DRILLED 200 FT. ALTITUDE OF LSD 41 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	43.50 S	MAR 03, 1986	38.39 S	MAY 02, 1986	40.01 S	AUG 13, 1986	45.88 S
	HIGHEST	18.52	FEB 06, 1984				
	LOWEST	45.88	AUG 13, 1986				

WATER LEVELS, ORANGE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 334205117512501

LOCAL NUMBER 005S009W31B01S

ABOUT 100 FT SOUTH OF INTERSECTION OF MCGAW AVE AND PULLMAN ST IN IRVINE. DRILLED IRRIGATION WELL. DIAM 12.75 IN, DRILLED DEPTH 775 FT, CASED TO 750 FT, PERFORATED 427-488, 563-622, 730-750 FT. ALTITUDE OF LSD 39 FT. RECORDS AVAILABLE 1965, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	51.30 S	MAR 03, 1986	43.92 S	MAY 02, 1986	47.98 S	AUG 13, 1986	57.76 S
	HIGHEST	26.68	MAY 07, 1981				
	LOWEST	60.60	AUG 07, 1985				

SITE NUMBER 334204117514701

LOCAL NUMBER 005S009W31D01S

ABOUT 0.25 MI NORTHEAST OF INTERSECTION OF MAIN ST AND MACARTHUR BLVD IN SANTA ANA. IRRIGATION WATER-TABLE WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 38 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	50.55 S	MAR 03, 1986	49.04 S	MAY 02, 1986	51.23 S	AUG 13, 1986	63.80 SR
	HIGHEST	27.24	FEB 06, 1984				
	LOWEST	66.40	AUG 07, 1985				

SITE NUMBER 334138117520001

LOCAL NUMBER 005S009W31M02S

ABOUT 400 FT SOUTHEAST OF INTERSECTION OF MAIN ST AND SUNFLOWER AVE IN SANTA ANA. DOMESTIC WATER-TABLE WELL. DIAM UNKNOWN, DEPTH OF HOLE 458 FT. ALTITUDE OF LSD 34.3 FT. MEASURED BY USGS STARTING OCTOBER 1978. RECORDS AVAILABLE 1971-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	45.65 S	MAR 04, 1986	42.97 S	APR 29, 1986	45.08 S	AUG 19, 1986	55.72 S
	HIGHEST	19.10	MAR 04, 1971				
	LOWEST	59.13	AUG 19, 1985				

SITE NUMBER 334113117495601

LOCAL NUMBER 005S009W33R01S

ABOUT 70 FT WEST OF HARVARD AVE AND 0.05 MI SOUTH OF BARRANCA RD IN IRVINE. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 725 FT, CASED TO 725 FT, PERFORATED 405-414, 421-432, 530-553, 667-715 FT. ALTITUDE OF LSD 55 FT. RECORDS AVAILABLE 1967, 1970-71, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	55.45 S	FEB 20, 1986	44.03 S	MAY 06, 1986	46.44 S	AUG 15, 1986	56.54 S
	HIGHEST	30.32	FEB 06, 1981				
	LOWEST	57.00	OCT 21, 1970				

WATER LEVELS, ORANGE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 334202117460401

LOCAL NUMBER 005S009W36B01S

ABOUT 0.5 MI NORTHWEST OF INTERSECTION OF TRABUCO RD AND JEFFREY RD IN IRVINE. UNUSED WATER-TABLE WELL. DIAM 20 IN, DEPTH OF HOLE 1603 FT. ALTITUDE OF LSD 157 FT. MEASURED BY USGS STARTING SEPTEMBER 1978. RECORDS AVAILABLE 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	64.59 S	FEB 20, 1986	47.71 S	APR 30, 1986	44.84 S	AUG 14, 1986	62.25 S
	HIGHEST	38.87	MAY 12, 1983				
	LOWEST	172.50	SEP 02, 1970				

SITE NUMBER 334456117551201

LOCAL NUMBER 005S010W09R01S

ABOUT 50 FT SOUTH OF 5TH ST AND 200 FT WEST OF HARBOR BLVD IN SANTA ANA. DRILLED UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH 115 FT. ALTITUDE OF LSD 74.2 FT. MEASURED BY USGS STARTING 1978. RECORDS AVAILABLE 1938-55, 1964 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 06, 1985	34.90 S	FEB 20, 1986	33.22 S	MAY 07, 1986	33.00 S	AUG 29, 1986	35.47 S
	HIGHEST	27.90	MAR 07, 1984				
	LOWEST	82.80	APR 22, 1953				

SITE NUMBER 334532117550801

LOCAL NUMBER 005S010W10D04S

ABOUT 350 FT SOUTH OF 17TH ST AND 100 FT EAST OF HARBOR BLVD IN SANTA ANA. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 182 FT, PERFORATED 168-174 FT. ALTITUDE OF LSD 84 FT. MEASURED BY USGS STARTING 1978. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 06, 1985	46.07 S	FEB 20, 1986	43.93 S	MAY 07, 1986	43.98 S	AUG 29, 1986	46.75 S
	HIGHEST	38.24	FEB 07, 1984				
	LOWEST	79.50	OCT 25, 1977				

SITE NUMBER 334454117544201

LOCAL NUMBER 005S010W10P01S

ABOUT 230 FT SOUTH OF 5TH ST AND 800 FT WEST OF SANTA ANA RIVER IN SANTA ANA. IRRIGATION WATER-TABLE WELL. DIAM UNKNOWN, DEPTH OF HOLE 172 FT. ALTITUDE OF LSD 82.4 FT. MEASURED BY USGS STARTING OCTOBER 1978. RECORDS AVAILABLE 1930 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 06, 1985	44.57 S	FEB 20, 1986	42.04 S	MAY 07, 1986	42.30 S	AUG 29, 1986	45.40 S
	HIGHEST	36.49	FEB 07, 1984				
	LOWEST	107.40	OCT 11, 1957				

WATER LEVELS, ORANGE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 334441117542301

LOCAL NUMBER 005S010W15B02S

ABOUT 600 FT WEST OF FAIRVIEW ST AND 200 FT SOUTH OF 1ST ST IN SANTA ANA. UNUSED WATER-TABLE WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 79 FT. MEASURED BY USGS STARTING 1978. RECORDS AVAILABLE 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 06, 1985	40.57 S	FEB 20, 1986	38.05 S	MAY 07, 1986	38.24 S	AUG 29, 1986	41.38 S
	HIGHEST	32.79	FEB 07, 1984				
	LOWEST	71.80	OCT 26, 1977				

SITE NUMBER 334311117561001

LOCAL NUMBER 005S010W21M02S

ABOUT 0.25 MI NORTH OF INTERSECTION OF EUCLID ST AND WARNER AVE IN FOUNTAIN VALLEY. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 40 FT. MEASURED BY USGS STARTING 1978. RECORDS AVAILABLE 1971-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	20.29 S	MAR 03, 1986	17.76 S	MAY 02, 1986	17.21 S	AUG 19, 1986	21.89 S
	HIGHEST	12.09	FEB 08, 1984				
	LOWEST	44.99	OCT 29, 1976				

SITE NUMBER 334213117530801

LOCAL NUMBER 005S010W26R02S

ABOUT 278 FT WEST OF BRISTOL ST AND 38 FT SOUTH OF ALTON AVE IN SANTA ANA. IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH OF HOLE 120 FT. ALTITUDE OF LSD 37.2 FT. MEASURED BY USGS STARTING SEPTEMBER 1978. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	9.58 S	MAR 03, 1986	W
	HIGHEST	6.43	FEB 15, 1984
	LOWEST	20.10	MAR 07, 1977

SITE NUMBER 334245117571001

LOCAL NUMBER 005S010W29E01S

ABOUT 0.2 MI SOUTHEAST OF INTERSECTION OF BROOKHURST ST AND WARNER AVE IN FOUNTAIN VALLEY. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 32 FT. MEASURED BY USGS STARTING OCTOBER 1978. RECORDS AVAILABLE 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	17.29 S	MAR 03, 1986	14.35 S	MAY 02, 1986	13.50 S	AUG 19, 1986	17.82 S
	HIGHEST	8.26	FEB 08, 1984				
	LOWEST	43.60	JAN 12, 1977				

WATER LEVELS, ORANGE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 334156117580801

LOCAL NUMBER 005S010W31D04S

ABOUT 400 FT NORTH OF INTERSECTION OF HELM AVE AND 3RD ST IN FOUNTAIN VALLEY. UNUSED WATER-TABLE WELL. DIAM 6 TO 4 IN, DEPTH OF HOLE 115 FT. ALTITUDE OF LSD 20 FT. MEASURED BY USGS STARTING 1978. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	23.37 S	MAR 03, 1986	20.63 S	MAY 01, 1986	18.07 S	AUG 19, 1986	23.38 S
	HIGHEST	12.66	FEB 08, 1984				
	LOWEST	41.50	JAN 11, 1977				

SITE NUMBER 334114117552901

LOCAL NUMBER 005S010W33Q01S

ABOUT 25 FT NORTH OF GISLER AVE AND 100 FT EAST OF GIBRALTAR AVE IN COSTA MESA. UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH OF HOLE 297 FT. ALTITUDE OF LSD 38.07 FT. MEASURED BY USGS STARTING 1978. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	36.93 S	FEB 11, 1986	34.92 S	APR 29, 1986	33.82 S	AUG 13, 1986	35.45 S
	HIGHEST	29.53	FEB 03, 1984				
	LOWEST	50.17	JAN 12, 1977				

SITE NUMBER 334138117532101

LOCAL NUMBER 005S010W35K01S

ABOUT 50 FT SOUTH OF SUNFLOWER AVE AND 600 FT EAST OF BEAR ST IN COSTA MESA. UNUSED WATER-TABLE WELL. DIAM UNKNOWN, DEPTH OF HOLE 780 FT. ALTITUDE OF LSD 32.7 FT. MEASURED BY USGS STARTING 1978. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	48.13 S	FEB 11, 1986	48.99 S	APR 29, 1986	47.40 S	AUG 13, 1986	57.52 S
	HIGHEST	12.07	JAN 09, 1942				
	LOWEST	79.02	MAR 16, 1961				

SITE NUMBER 334534118042001

LOCAL NUMBER 005S011W07C01S

ABOUT 0.2 MI EAST OF SEAL BEACH BLVD AND 10 FT SOUTH OF WESTMINSTER AVE IN SEAL BEACH. DOMESTIC WATER-TABLE WELL. DIAM 12 IN, DEPTH 802 FT, CAGED TO 802 FT. ALTITUDE OF LSD 7 FT. MEASURED BY USGS STARTING OCTOBER 1978. RECORDS AVAILABLE 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 01, 1985	45.70 S	FEB 26, 1986	33.88 S	MAY 01, 1986	31.22 S	AUG 18, 1986	46.36 S
	HIGHEST	15.14	FEB 08, 1984				
	LOWEST	58.70	NOV 05, 1975				

WATER LEVELS, ORANGE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 334455117585802

LOCAL NUMBER 005S011W12L02S

ABOUT 135 FT EAST OF JEFFERSON ST AND 30 FT NORTH OF MADISON AVE IN MIDWAY CITY. DRILLED PUBLIC SUPPLY WELL. DIAM 14 IN, DEPTH 560 FT, CASED TO 540 FT, PERFORATED 240-480 FT, SCREENED 480-520 FT. ALTITUDE OF LSD 42 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	58.75 S	FEB 26, 1986	47.45 S	MAY 06, 1986	49.96 S	AUG 19, 1986	61.62 S
	HIGHEST	41.64	FEB 10, 1983				
	LOWEST	61.62	AUG 19, 1986				

SITE NUMBER 334441117582901

LOCAL NUMBER 005S011W13A02S

ABOUT 100 FT WEST OF NEECE ST AND 100 FT SOUTH OF BOLSA AVE IN WESTMINSTER. WITHDRAWAL WATER-TABLE WELL. DIAM 12 TO 10 IN, DEPTH 764 FT. ALTITUDE OF LSD 42 FT. MEASURED BY USGS STARTING 1978. RECORDS AVAILABLE 1972-76, 1979, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 01, 1985	57.71 S	MAR 03, 1986	47.22 S	MAY 06, 1986	49.11 SR	AUG 19, 1986	60.74 S
	HIGHEST	24.50	MAY 05, 1972				
	LOWEST	60.74	AUG 19, 1986				

SITE NUMBER 334439117595302

LOCAL NUMBER 005S011W14C04S

ABOUT 185 FT SOUTH OF BOLSA AVE AND 0.03 MI WEST OF HOOVER ST IN WESTMINSTER. WITHDRAWAL WATER-TABLE WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 31 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 01, 1985	16.72 S	FEB 26, 1986	10.18 S	MAY 01, 1986	11.59 S	AUG 19, 1986	15.55 S
	HIGHEST	5.72	FEB 08, 1984				
	LOWEST	24.43	NOV 16, 1979				

SITE NUMBER 334310118023501

LOCAL NUMBER 005S011W20J06S

ABOUT 50 FT WEST OF GREEN ST AND 120 FT NORTH OF PEARCE ST IN HUNTINGTON BEACH. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 6 IN, DEPTH DRILLED 130 FT. ALTITUDE OF LSD 22 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	35.63 S	FEB 26, 1986	29.60 S	MAY 01, 1986	27.93 S	AUG 19, 1986	32.57 S
	HIGHEST	21.29	FEB 08, 1984				
	LOWEST	35.63	NOV 04, 1985				

WATER LEVELS, ORANGE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 334259118023001

LOCAL NUMBER 005S011W20R04S

ABOUT 0.06 MI NORTH OF WARNER AVE AND 250 FT WEST OF BOLSA CHICA ST IN HUNTINGTON BEACH.  
DRILLED DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH 135 FT IN 1935. ALTITUDE OF LSD 31.24 FT.  
RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	46.54 S	FEB 26, 1986	41.28 S	MAY 01, 1986	39.44 S	AUG 19, 1986	43.60 S
	HIGHEST	33.49	FEB 08, 1984				
	LOWEST	46.54	NOV 04, 1985				

SITE NUMBER 334310118020001

LOCAL NUMBER 005S011W21L05S

ABOUT 500 FT WEST OF GRAHAM ST AND 15 FT SOUTH OF OLD PIRATE LANE IN HUNTINGTON BEACH.  
DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 6 IN, DEPTH DRILLED 156 FT. ALTITUDE OF LSD 23  
FT. RECORDS AVAILABLE 1957, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	38.68 S	FEB 26, 1986	32.03 S	MAY 01, 1986	30.39 S	AUG 19, 1986	35.60 S
	HIGHEST	23.67	FEB 08, 1984				
	LOWEST	62.00	JUN 14, 1957				

SITE NUMBER 334306118013201

LOCAL NUMBER 005S011W21R02S

ON MEADOWLARK GOLF COURSE IN HUNTINGTON BEACH. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 6  
IN, DEPTH 269 FT, CASED TO 269 FT, PERFORATED 236-241, 261-267 FT. ALTITUDE OF LSD 15 FT.  
RECORDS AVAILABLE 1954, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	47.62 S	FEB 26, 1986	36.73 S	MAY 01, 1986	33.56 S	AUG 18, 1986	43.38 S
	HIGHEST	26.23	FEB 28, 1985				
	LOWEST	47.90	AUG 17, 1985				

SITE NUMBER 334323117595201

LOCAL NUMBER 005S011W23F01S

ABOUT 20 FT NORTH OF HEIL AVE AND 150 FT WEST OF RHONE LANE IN HUNTINGTON BEACH. IRRIGATION  
WATER-TABLE WELL. DIAM 12 IN, DEPTH 272 FT, PERFORATED 176-215 FT. ALTITUDE OF LSD 20 FT.  
RECORDS AVAILABLE 1959, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	37.55 S	FEB 26, 1986	28.02 S	MAY 01, 1986	27.02 S	AUG 19, 1986	36.75 S
	HIGHEST	19.30	FEB 08, 1984				
	LOWEST	52.00	FEB 02, 1959				



WATER LEVELS, ORANGE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 334258117591301

LOCAL NUMBER 005S011W24N02S

ABOUT 190 FT NORTH OF WARNER AVE AND 400 FT EAST OF BEACH BLVD IN HUNTINGTON BEACH. DOMESTIC WATER-TABLE WELL. DIAM UNKNOWN, DEPTH OF HOLE 200 FT. ALTITUDE OF LSD 25 FT. MEASURED BY USGS STARTING OCTOBER 1978. RECORDS AVAILABLE 1968-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	37.05 S	FEB 26, 1986	28.79 S	MAY 01, 1986	28.10 S	AUG 19, 1986	36.98 S
	HIGHEST	14.30	JAN 05, 1968				
	LOWEST	44.20	JUL 30, 1972				

SITE NUMBER 334046117450101

LOCAL NUMBER 006S008W06J01S

ABOUT 0.46 MI SOUTH OF TRABUCO RD AND 0.24 MI SOUTHEAST OF SAND CANYON AVE NEAR IRVINE. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 10 TO 15 IN, DEPTH 898 FT, 10-IN CSG 0-336 FT, 15-IN CSG 336-646 FT, PERFORATED 0-336 FT. ALTITUDE OF LSD 239 FT. RECORDS AVAILABLE 1952, 1966, 1970-71, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 14, 1985	121.55 S	FEB 12, 1986	109.28 S	APR 29, 1986	108.94 S
	HIGHEST	104.81	MAY 10, 1983		
	LOWEST	275.50	JUL 24, 1952		

SITE NUMBER 334004117453901

LOCAL NUMBER 006S008W07E01S

ABOUT 0.33 MI SOUTHEAST OF SAND CANYON AVE AND 70 FT NORTH OF IRVINE CENTER DR NEAR IRVINE. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 10 TO 20 IN, DEPTH 15.25 FT, 10-IN CSG 0-263 FT, 20-IN CSG 263-1107.5 FT, PERFORATED 268-1107.5 FT. ALTITUDE OF LSD 181 FT. RECORDS AVAILABLE 1962, 1966, 1970-71, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	67.00 S	FEB 12, 1986	51.92 S	APR 29, 1986	49.20 S
	HIGHEST	47.90	MAY 10, 1983		
	LOWEST	163.00	SEP 07, 1966		

WATER LEVELS, ORANGE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 333940117450501

LOCAL NUMBER 006S008W07Q01S

ABOUT 0.1 MI SOUTH OF INTERSECTION OF IRVINE CENTER DR AND LAGUNA FWY IN IRVINE. UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH OF HOLE 408 FT, CASSED TO 408 FT, PERFORATED 210-220, 274-403 FT. ALTITUDE OF LSD 202 FT. MEASURED BY USGS STARTING 1978. RECORDS AVAILABLE 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	66.21 S	FEB 12, 1986	56.75 S	AUG 14, 1986	64.33 S
	HIGHEST	54.05	FEB 11, 1985		
	LOWEST	152.50	SEP 02, 1970		

SITE NUMBER 334035117462301

LOCAL NUMBER 006S009W01L01S

ABOUT 0.35 MI SOUTHEAST OF JEFFREY RD AND 30 FT NORTH OF IRVINE CENTER DR IN IRVINE. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 20 TO 10 IN, DEPTH 1503 FT, 20-IN CSG 0-250 FT, 10-IN CSG 250-1503 FT, PERFORATED 263-1503 FT. ALTITUDE OF LSD 142 FT. RECORDS AVAILABLE 1928, 1952, 1962, 1970-71, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 05, 1985	64.75 S	FEB 12, 1986	42.79 S	APR 30, 1986	37.53 S	AUG 15, 1986	67.30 S
	HIGHEST	33.29	MAY 11, 1983				
	LOWEST	156.00	NOV 01, 1962				

SITE NUMBER 334002117495201

LOCAL NUMBER 006S009W09E01S

ON RANCHO SAN JOAQUIN GOLF COURSE IN IRVINE. DRILLED IRRIGATION WATER-TABLE WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 50 FT. MEASURED BY USGS STARTING OCTOBER 1978. RECORDS AVAILABLE 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 13, 1985	50.42 S	AUG 22, 1986	50.18 S
	HIGHEST	24.50	AUG 02, 1970
	LOWEST	74.60	OCT 22, 1976

WATER LEVELS, ORANGE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 334107117562901

LOCAL NUMBER 006S010W05B03S

ABOUT 300 FT SOUTHEAST OF INTERSECTION OF GARFIELD AVE AND WARD ST IN HUNTINGTON BEACH. INDUSTRIAL WATER-TABLE WELL. DIAM 12 IN, DEPTH OF HOLE 218 FT, PERFORATED 125-180 FT. ALTITUDE OF LSD 18.4 FT. MEASURED BY USGS STARTING OCTOBER 1978. RECORDS AVAILABLE 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	29.56 S	MAR 03, 1986	27.00 S	MAY 01, 1986	23.87 S	AUG 13, 1986	29.45 S
	HIGHEST	16.60	JAN 13, 1972				
	LOWEST	36.70	JUL 09, 1974				

SITE NUMBER 334008117532201

LOCAL NUMBER 006S010W11G01S

ABOUT 100 FT SOUTHWEST OF INTERSECTION OF ARLINGTON DR AND NEWPORT BLVD IN COSTA MESA. DOMESTIC WATER-TABLE WELL. DIAM 14 IN, DEPTH OF HOLE 725 FT, PERFORATED 254-262, 365-407 FT. ALTITUDE OF LSD 54 FT. MEASURED BY USGS STARTING SEPTEMBER 1978. RECORDS AVAILABLE 1970-74, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	64.96 S	FEB 11, 1986	62.06 S	APR 29, 1986	64.95 S	AUG 13, 1986	68.64 S
	HIGHEST	42.20	FEB 16, 1970				
	LOWEST	69.13	SEP 29, 1978				

SITE NUMBER 333909117525801

LOCAL NUMBER 006S010W13E01S

ABOUT 0.3 MI SOUTH OF INTERSECTION OF MESA DR AND BIRCH ST IN NEWPORT BEACH. UNUSED WATER-TABLE WELL. DIAM 2 IN, DEPTH OF HOLE 200 FT, PERFORATED 15-35 FT. ALTITUDE OF LSD 11.4 FT. MEASURED BY USGS STARTING SEPTEMBER 1978. RECORDS AVAILABLE 1969 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 04, 1985	10.80 S	FEB 11, 1986	10.02 S	APR 29, 1986	9.89 S	AUG 13, 1986	10.65 S
	HIGHEST	7.75	DEC 16, 1970				
	LOWEST	11.06	OCT 26, 1977				

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

RIVERSIDE COUNTY

	<u>Page</u>
LOCAL NUMBER 003S004E20D01S.....	160, 168
LOCAL NUMBER 003S004E20F01S.....	160, 168
LOCAL NUMBER 003S004E20F02S.....	160, 168
LOCAL NUMBER 003S004E20F03S.....	160, 168
LOCAL NUMBER 003S004E20J01S.....	161, 168
LOCAL NUMBER 003S004E20J02S.....	161, 168
LOCAL NUMBER 003S004E20J03S.....	161, 168
LOCAL NUMBER 003S004E29F01S.....	161, 168
LOCAL NUMBER 003S004E29R01S.....	162, 168
LOCAL NUMBER 003S004E30C01S.....	168
LOCAL NUMBER 007S003E07C02S.....	162
LOCAL NUMBER 007S003E31Q01S.....	162
LOCAL NUMBER 007S003E34E01S.....	162
LOCAL NUMBER 007S004E13N01S.....	163
LOCAL NUMBER 007S004E24E01S.....	163
LOCAL NUMBER 007S004E24Q01S.....	163
LOCAL NUMBER 008S003E02K01S.....	163
LOCAL NUMBER 002S006W03C01S.....	168, 170
LOCAL NUMBER 002S006W03D01S.....	168, 170
LOCAL NUMBER 002S006W04D01S.....	168
LOCAL NUMBER 002S006W09F01S.....	168
LOCAL NUMBER 002S006W31C01S.....	164
LOCAL NUMBER 002S007W11B02S.....	168
LOCAL NUMBER 003S003W15F01S.....	164
LOCAL NUMBER 004S003W29Q01S.....	164
LOCAL NUMBER 008S002W28M01S.....	165
LOCAL NUMBER 008S002W28M02S.....	165
LOCAL NUMBER 008S002W28M03S.....	165
LOCAL NUMBER 008S002W28P01S.....	165
LOCAL NUMBER 008S002W28Q02S.....	166
LOCAL NUMBER 008S002W28Q03S.....	166
LOCAL NUMBER 008S002W28R01S.....	166
LOCAL NUMBER 008S002W29A01S.....	166
LOCAL NUMBER 008S002W29C01S.....	167
LOCAL NUMBER 008S002W29G01S.....	167
LOCAL NUMBER 008S002W29J02S.....	167
LOCAL NUMBER 008S002W34B02S.....	167




Figure 11.--Index map to location of wells in Riverside County.

WATER LEVELS, RIVERSIDE COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 335407116353401

LOCAL NUMBER 003S004E20D01S

ABOUT 0.75 MI SOUTH OF INTERSTATE 10 NEAR 29 PALMS ROAD. DRILLED OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN, DEPTH 580 FT, PERFORATED 560-580 FT. ALTITUDE OF LSD 910 FT. RECORDS AVAILABLE 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 07, 1985	241.72 S	MAY 07, 1986	221.83 S	MAY 09, 1986	221.43 S
	HIGHEST	221.43	MAY 09, 1986		
	LOWEST	554.50	MAR 14, 1978		

SITE NUMBER 335348116352701

LOCAL NUMBER 003S004E20F01S

ABOUT 0.24 MI SOUTH OF SOUTHERN PACIFIC RAILROAD TRACKS AND 2.7 MI WEST OF INDIAN AVENUE. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 640 FT, PERFORATED 600-640 FT. ALTITUDE OF LSD 890 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 06, 1985	141.74 S	MAY 05, 1986	149.08 S
	HIGHEST	141.74	NOV 06, 1985
	LOWEST	486.40	SEP 25, 1979

SITE NUMBER 335348116352702

LOCAL NUMBER 003S004E20F02S

ABOUT 0.24 MI SOUTH OF SOUTHERN PACIFIC RAILROAD TRACKS AND 2.7 MI WEST OF INDIAN AVENUE. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 890 FT, PERFORATED 850-890 FT. ALTITUDE OF LSD 890 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 06, 1985	239.46 S	MAY 05, 1986	218.86 S
	HIGHEST	218.86	MAY 05, 1986
	LOWEST	490.60	SEP 25, 1979

SITE NUMBER 335348116352703

LOCAL NUMBER 003S004E20F03S

ABOUT 0.24 MI SOUTH OF SOUTHERN PACIFIC RAILROAD TRACKS AND 2.7 MI WEST OF INDIAN AVENUE. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 1140 FT, PERFORATED 1100-1140 FT. ALTITUDE OF LSD 890 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 06, 1985	251.05 S	MAY 05, 1986	229.25 S	MAY 06, 1986	229.2 T
	HIGHEST	229.2	MAY 06, 1986		
	LOWEST	494.20	SEP 25, 1979		

WATER LEVELS, RIVERSIDE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 335339116345301

LOCAL NUMBER 003S004E20J01S

ABOUT 0.45 MI SOUTH OF SOUTHERN PACIFIC RAILROAD TRACKS AND 2.1 MI WEST OF INDIAN AVENUE.  
DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 590 FT, PERFORATED 550-590 FT.  
ALTITUDE OF LSD 840 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 07, 1985	129.23 S	MAY 06, 1986	141.19 S
	HIGHEST 129.23	NOV 07, 1985	
	LOWEST 417.20	OCT 02, 1980	

SITE NUMBER 335339116345302

LOCAL NUMBER 003S004E20J02S

ABOUT 0.45 MI SOUTH OF SOUTHERN PACIFIC RAILROAD TRACKS AND 2.1 MI WEST OF INDIAN AVENUE.  
DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 730 FT, PERFORATED 690-730 FT.  
ALTITUDE OF LSD 840 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 07, 1985	198.96 S	MAY 06, 1986	179.16 S	MAY 08, 1986	180.3 T
	HIGHEST 179.16	MAY 06, 1986			
	LOWEST 419.00	JUL 16, 1980			

SITE NUMBER 335339116345303

LOCAL NUMBER 003S004E20J03S

ABOUT 0.45 MI SOUTH OF SOUTHERN PACIFIC RAILROAD TRACKS AND 2.1 MI WEST OF INDIAN AVENUE.  
DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 890 FT, PERFORATED 850-890 FT.  
ALTITUDE OF LSD 840 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 07, 1985	210.70 S	MAY 06, 1986	188.96
	HIGHEST 188.96	MAY 06, 1986	
	LOWEST 423.40	JUL 16, 1980	

SITE NUMBER 335304116353001

LOCAL NUMBER 003S004E29F01S

NEAR HWY 111 NORTHWEST OF PALM SPRINGS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN,  
DEPTH 575 FT, CASSED TO 575 FT, PERFORATED 555-575 FT. ALTITUDE OF LSD 865 FT. RECORDS AVAILABLE  
1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 08, 1985	204.30 S	MAY 07, 1986	191.76 S	MAY 08, 1986	191.70 S
	HIGHEST 191.70	MAY 08, 1986			
	LOWEST 547.00	DEC 21, 1977			

WATER LEVELS, RIVERSIDE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 335231116345401

LOCAL NUMBER 003S004E29R01S

NEAR HWY 111 NORTHWEST OF PALM SPRINGS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 8 IN, DEPTH 551 FT, CASSED TO 551 FT, PERFORATED 431-551 FT. ALTITUDE OF LSD 777 FT. RECORDS AVAILABLE 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 08, 1985	275.28 S	MAY 07, 1986	237.34 S	MAY 09, 1986	237.18 S
	HIGHEST	237.18	MAY 09, 1986		
	LOWEST	516.39	MAR 14, 1978		

SITE NUMBER 333501116424601

LOCAL NUMBER 007S003E07C02S

ABOUT .69 MI WEST OF BAUTISTA ROAD. DRILLED IRRIGATION WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 201 FT, PERFORATED 160-200 FT. ALTITUDE OF LSD 4055 FT. RECORDS AVAILABLE 1962, 1969, 1973, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 06, 1985	114.19 S	JUL 30, 1986	113.65 S
	HIGHEST	110.55	AUG 20, 1973
	LOWEST	140.00	OCT 11, 1962

SITE NUMBER 333044116422501

LOCAL NUMBER 007S003E31Q01S

ABOUT 3.30 MI SOUTHEAST OF HWY 71. DRILLED WITHDRAWAL WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 150 FT. ALTITUDE OF LSD 3841 FT. RECORDS AVAILABLE 1970, 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 06, 1985	33.28 S	JUL 14, 1986	37.86 S
	HIGHEST	28.77	MAR 31, 1980
	LOWEST	57.85	JAN 28, 1975

SITE NUMBER 333122116394001

LOCAL NUMBER 007S003E34E01S

ABOUT .35 MI NORTH OF RESERVATION ROAD. DRILLED WITHDRAWAL WATER-TABLE WELL. DIAM 9 IN, DEPTH 249 FT, PERFORATED 40-182 FT. ALTITUDE OF LSD 3870 FT. RECORDS AVAILABLE 1946, 1951-54, 1960, 1969, 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 06, 1985	54.65 S	JUN 13, 1986	56.02 S	JUN 18, 1986	57.14 S	JUL 31, 1986	61.50 S
	HIGHEST	34.50	JAN 31, 1951				
	LOWEST	76.75	JUL 24, 1973				



WATER LEVELS, RIVERSIDE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 333335116315501

LOCAL NUMBER 007S004E13N01S

ON SANTA ROSA INDIAN RESERVATION. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 83.4 FT, PERFORATED 18-103 FT. ALTITUDE OF LSD 4577.2 FT. RECORDS AVAILABLE 1938, 1976, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
DEC 06, 1985	21.09 S
HIGHEST	18. SEP 10, 1938
LOWEST	42.40 AUG 24, 1978

SITE NUMBER 333316116315801

LOCAL NUMBER 007S004E24E01S

ON SANTA ROSA INDIAN RESERVATION. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DIAM 8.5 FT, DEPTH 194 FT, PERFORATED 64-194 FT. ALTITUDE OF LSD 4620 FT. RECORDS AVAILABLE 1962, 1968, 1976, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
DEC 06, 1985	25.27 SR
HIGHEST	24.15 DEC 06, 1984
LOWEST	66.67 MAR 30, 1978

SITE NUMBER 333249116312401

LOCAL NUMBER 007S004E24Q01S

ON SANTA ROSA INDIAN RESERVATION. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN 0-85 FT, 6 IN 78-150 FT, DEPTH 90 FT IN 1938, DEEPENED TO 150 FT IN 1939, PERFORATED 45-83 FT. ALTITUDE OF LSD 4725 FT. RECORDS AVAILABLE 1938, 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
DEC 06, 1985	52.33 S
HIGHEST	18.06 JUN 15, 1983
LOWEST	56.80 SEP 07, 1976

SITE NUMBER 333012116380801

LOCAL NUMBER 008S003E02K01S

ABOUT 0.16 MI WEST OF INTERSECTION OF BAILEY AND TERWILLIGER ROADS, 0.26 MI NORTHWEST OF WINDMILL. DRILLED UNUSED WATER-TABLE WELL. DIAM 7.75 IN, DEPTH 296.25 FT. ALTITUDE OF LSD 3870 FT. RECORDS AVAILABLE 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
DEC 06, 1985	49.86 S	JUN 18, 1986	46.70 S	JUL 17, 1986	48.23 S		
JUN 13, 1986	46.58 S	JUN 29, 1986	47.33 S				
HIGHEST	36.20 MAR 12, 1973						
LOWEST	60.45 SEP 15, 1981						

WATER LEVELS, RIVERSIDE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 335731117330601

LOCAL NUMBER 002S006W31C01S

ABOUT 0.35 MI SOUTHEAST OF INTERSECTION OF ADAMS AVE AND SCHLEISMAN ROAD. DRILLED DOMESTIC WATER-TABLE WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 601 FT. MOST MEASUREMENTS FURNISHED BY RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT PRIOR TO 1982; MEASURED PERIODICALLY BY U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1962 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1985	31.28 SZ	SEP 15, 1986	31.39 S
	HIGHEST	22.50	JUL 02, 1970
	LOWEST	41.20	JUN 06, 1974

SITE NUMBER 335437117110101

LOCAL NUMBER 003S003W15F01S

WEST OF INTERSECTION OF OLIVER STREET AND CACTUS AVENUE. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 243.6 FT. ALTITUDE OF LSD 1539 FT. MOST MEASUREMENTS FURNISHED BY RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT; MEASURED PERIODICALLY BY U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1951 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1985	123.57 SZ	MAY 15, 1986	126.32 S	SEP 15, 1986	134.63 S
	HIGHEST	99.85	APR 01, 1952		
	LOWEST	159.09	OCT 23, 1956		

SITE NUMBER 334717117124401

LOCAL NUMBER 004S003W29Q01S

NORTH OF INTERSECTION OF WILSON AND SAN JACINTO ROADS. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH 1624 FT, CASED TO 1624 FT. ALTITUDE OF LSD 1417 FT. MOST MEASUREMENTS FURNISHED BY RIVERSIDE COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT; MEASURED PERIODICALLY BY U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1974-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 01, 1985	141.79 SZ	MAY 15, 1986	137.54 S	SEP 15, 1986	139.44 S
	HIGHEST	137.54	MAY 15, 1986		
	LOWEST	209.60	OCT 16, 1977		

WATER LEVELS, RIVERSIDE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 332657117054601

LOCAL NUMBER 008S002W28M01S

ABOUT .13 MI SOUTHWEST OF PALA-TEMECULA HWY. DRILLED DOMESTIC WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 269 FT. ALTITUDE OF LSD 1126 FT. RECORDS FURNISHED BY CALIFORNIA STATE WATER RESOURCES AND U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1953-54, 1958-68, 1971-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
DEC 05, 1985	87.87 SR
HIGHEST	51.49 MAY 14, 1980
LOWEST	165.23 JUL 15, 1976

SITE NUMBER 332657117055101

LOCAL NUMBER 008S002W28M02S

ON PECHANGA INDIAN RESERVATION, WEST OF PALA-TEMECULA HWY. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 100 FT. ALTITUDE OF LSD 1120 FT. RECORDS AVAILABLE 1958-61, 1967, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
DEC 05, 1985	49.45 S
HIGHEST	27.06 APR 08, 1980
LOWEST	DRY SEP 13, 1960 OCT 25, 1960 DEC 08, 1960 JAN 17, 1961

SITE NUMBER 332705117054901

LOCAL NUMBER 008S002W28M03S

ON PECHANGA INDIAN RESERVATION, WEST OF PALA-TEMECULA HWY. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH 600 FT, PERFORATED 200-600 FT. ALTITUDE OF LSD 1130 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
DEC 05, 1985	74.53 SR
HIGHEST	49.33 MAY 14, 1980
LOWEST	116.65 SEP 23, 1977

SITE NUMBER 332649117053701

LOCAL NUMBER 008S002W28P01S

ABOUT .10 MI WEST OF PALA-TEMECULA HWY. DRILLED WITHDRAWAL WATER-TABLE WELL. DIAM 6 IN, DEPTH 138 FT. ALTITUDE OF LSD 1150 FT. RECORDS AVAILABLE 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
DEC 05, 1985	23.88 S
HIGHEST	6.77 FEB 29, 1980
LOWEST	32.40 NOV 07, 1975

WATER LEVELS, RIVERSIDE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 332646117052201

LOCAL NUMBER 008S002W28Q02S

ON PECHANGA INDIAN RESERVATION, ABOUT 200 FT SOUTHEAST OF WINDMILL. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 96 FT. ALTITUDE OF LSD 1160 FT. RECORDS AVAILABLE 1967, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
DEC 05, 1985	35.39 SR
HIGHEST	24.59 APR 08, 1980
LOWEST	44.61 FEB 17, 1978

SITE NUMBER 332655117051801

LOCAL NUMBER 008S002W28Q03S

ON PECHANGA INDIAN RESERVATION, ABOUT .32 MI EAST OF PALA-TEMECULA HWY. DRILLED UNUSED WATER-TABLE WELL. DIAM 8.5 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1170 FT. RECORDS AVAILABLE 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
DEC 05, 1985	91.41 S
HIGHEST	54.47 MAY 14, 1980
LOWEST	95.56 MAR 30, 1973

SITE NUMBER 332653117050301

LOCAL NUMBER 008S002W28R01S

SOUTHEAST OF TEMECULA ON PECHANGA INDIAN RESERVATION. DRILLED UNUSED WATER-TABLE WELL IN SAND AND GRAVEL OF QUATERNARY AGE. DIAM 12.25 IN, DEPTH 1002 FT, CASED TO 1000 FT, PERFORATED 130-220, 250-350, 400-710, 750-780, 830-870, 930-940, 975-1000 FT. ALTITUDE OF LSD 1190 FT. RECORDS AVAILABLE 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
DEC 05, 1985	73.71 S
HIGHEST	46.86 APR 08, 1980
LOWEST	133.50 DEC 18, 1973

SITE NUMBER 332724117061101

LOCAL NUMBER 008S002W29A01S

ABOUT 2 MI SOUTH OF HWY 71 AND 60 FT SOUTHWEST OF PALA-TEMECULA HWY. DIAM 8.6 IN, DEPTH 348 FT. ALTITUDE OF LSD 1090 FT. RECORDS AVAILABLE 1980-81, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
DEC 05, 1985	51.34 SR
HIGHEST	21.21 FEB 29, 1980
LOWEST	41.03 JUN 04, 1985

WATER LEVELS, RIVERSIDE COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 332732117063001

LOCAL NUMBER 008S002W29C01S

ON PECHANGA INDIAN RESERVATION, ABOUT 550 FT WEST OF PALA-TEMECULA HWY. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 500 FT. ALTITUDE OF LSD 1071 FT. RECORDS FURNISHED BY CALIFORNIA STATE WATER RESOURCES AND U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1918, 1951, 1953-54, 1958-68, 1972-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
DEC 05, 1985	5.14 S	
	HIGHEST	0.08 FEB 08, 1979
	LOWEST	18.55 SEP 24, 1975

SITE NUMBER 332719117061501

LOCAL NUMBER 008S002W29G01S

SOUTHEAST OF TEMECULA ON PECHANGA INDIAN RESERVATION. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 176 FT IN 1951, 159.1 FT IN 1972. ALTITUDE OF LSD 1091.1 FT. RECORDS AVAILABLE 1925-28, 1934-37, 1940, 1951-54, 1956, 1958-68, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
DEC 05, 1985	47.89 ST	
	HIGHEST	17.70 APR 08, 1980
	LOWEST	55.40 SEP 03, 1951

SITE NUMBER 332703117060401

LOCAL NUMBER 008S002W29J02S

ON PECHANGA INDIAN RESERVATION, SOUTHEAST OF TEMECULA. DRILLED WITHDRAWAL WATER-TABLE WELL. DIAM 8 IN, DEPTH 150 FT. ALTITUDE OF LSD 1110 FT. RECORDS AVAILABLE 1967, 1972 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
DEC 05, 1985	30.68 SR	
	HIGHEST	12.33 APR 08, 1980
	LOWEST	39.37 AUG 25, 1975

SITE NUMBER 332639117042301

LOCAL NUMBER 008S002W34B02S

ABOUT 7.1 MI NORTH OF PALA. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 415 FT. ALTITUDE OF LSD 1240 FT. RECORDS AVAILABLE 1972, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
DEC 05, 1985	42.17 S	
	HIGHEST	7.38 MAY 14, 1980
	LOWEST	44.44 AUG 15, 1972

## WATER QUALITY, RIVERSIDE COUNTY

## INORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE (DEG C)	HARD- NESS (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO3)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)
003S004E20D01S	11-07-85	1500	241.70	805	8.10	17.5	290	170	88	17
003S004E20D01S	05-09-86	1000	221.43	890	8.00	17.0	300	180	92	18
003S004E20F01S	11-06-85	1000	141.70	850	7.70	19.5	260	130	76	17
003S004E20F01S	05-05-86	1530	149.08	845	8.20	16.5	260	130	76	18
003S004E20F01S	05-06-86	0930	149.08	850	7.90	17.0	260	140	74	19
003S004E20F02S	11-06-85	1200	239.50	395	7.80	20.0	160	0	47	9.9
003S004E20F02S	05-06-86	1130	218.86	360	7.90	18.5	140	0	42	8.8
003S004E20F03S	11-06-85	1400	251.10	475	8.00	20.0	79	0	22	5.8
003S004E20F03S	05-06-86	1130	229.25	265	8.20	18.0	81	0	23	5.7
003S004E20F03S	05-07-86	1100	229.20	270	8.30	18.5	80	0	23	5.5
003S004E20J01S	11-07-85	1330	129.20	875	7.90	20.0	320	180	98	19
003S004E20J01S	05-08-86	1400	141.19	865	8.20	17.0	290	160	87	18
003S004E20J01S	05-07-86	1430	141.19	845	8.10	18.0	290	160	85	18
003S004E20J02S	11-07-85	1200	199.00	635	8.00	20.0	230	100	65	16
003S004E20J02S	05-08-86	1000	180.30	580	8.30	18.0	180	110	49	14
003S004E20J03S	11-07-85	1000	210.70	350	7.80	20.0	140	7	40	9.1
003S004E20J03S	05-07-86	1600	188.96	515	7.80	18.0	210	85	61	14
003S004E29F01S	11-08-85	1000	204.30	675	10.40	17.0	180	150	55	10
003S004E29F01S	05-08-86	1500	191.70	750	8.90	16.5	250	190	72	18
003S004E29R01S	11-08-85	1200	275.30	195	8.90	19.0	54	12	17	2.9
003S004E29R01S	05-09-86	1200	237.18	625	7.90	19.5	250	150	79	12
003S004E30C01S	11-05-85	1300	--	750	7.80	23.0	330	200	99	19
003S004E30C01S	05-09-86	1500	--	790	7.80	19.5	360	230	110	20
002S006W03C01S	01-29-86	1140	--	450	7.70	17.5	150	37	53	4.7
002S006W03D01S	01-29-86	1100	--	537	7.70	18.5	180	50	62	5.2
002S006W04D01S	01-28-86	1230	--	358	7.40	23.0	130	16	46	4.7
002S006W09F01S	01-28-86	1300	--	417	7.60	22.5	150	28	53	5.1
002S007W11B02S	01-30-86	1300	--	426	7.40	19.0	180	14	52	12

LOCAL NUMBER	SODIUM, DIS- SOLVED (MG/L AS NA)	PERCENT SODIUM	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LITY WH WAT TOTAL FIELD (MG/L AS CACO3)	CARBON DIOXIDE DIS- SOLVED (MG/L AS CO2)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SiO2)
003S004E20D01S	47	26	1	5.8	123	1.9	200	59	0.6	15
003S004E20D01S	47	25	1	7.7	126	2.4	240	63	0.5	16
003S004E20F01S	69	36	2	8.9	126	4.9	220	62	0.6	13
003S004E20F01S	66	35	2	6.7	133	1.6	220	53	0.4	13
003S004E20F01S	67	35	2	7.6	126	3.1	220	58	0.4	11
003S004E20F02S	20	21	0.7	2.6	161	4.9	20	14	0.8	23
003S004E20F02S	18	21	0.7	3.3	148	3.6	19	14	0.4	23
003S004E20F03S	70	63	4	8.1	205	4.0	47	9.2	1.1	28
003S004E20F03S	24	38	1	4.5	107	1.3	14	12	0.8	23
003S004E20F03S	23	37	1	3.5	108	1.0	13	11	0.7	23
003S004E20J01S	48	24	1	11	143	3.5	220	62	0.6	23
003S004E20J01S	61	31	2	7.5	131	1.6	220	60	0.5	19
003S004E20J01S	62	31	2	8.8	130	2.0	220	57	0.4	17
003S004E20J02S	30	22	0.9	7.6	125	2.4	130	44	0.6	21
003S004E20J02S	34	28	1	9.7	74	0.7	140	44	0.5	18
003S004E20J03S	18	22	0.7	3.0	130	4.0	30	12	0.8	23
003S004E20J03S	22	18	0.7	3.6	125	3.8	88	32	0.6	23
003S004E29F01S	54	39	2	6.7	27	0	190	63	0.4	0.2
003S004E29F01S	49	29	1	6.5	86	0.2	210	62	0.4	6.1
003S004E29R01S	13	32	0.8	3.5	42	0.1	32	11	0.6	1.5
003S004E29R01S	24	17	0.7	5.2	97	2.4	150	44	0.5	14
003S004E30C01S	23	13	0.6	5.9	130	4.0	180	56	0.6	19
003S004E30C01S	22	12	0.5	6.1	130	4.0	190	58	0.5	19
002S006W03C01S	33	32	1	2.1	115	4.4	13	55	0.1	23
002S006W03D01S	36	30	1	2.3	126	4.9	18	59	<0.1	23
002S006W04D01S	21	25	0.8	2.3	118	9.1	12	14	0.1	25

## WATER QUALITY, RIVERSIDE COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTITUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N)	NITRO- GEN, AM- MONIA + ORGANIC DIS- SOLVED (MG/L AS N)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
003S004E20D01S	513	510	0.42	--	--	--	0.01	50	<3	4
003S004E20D01S	588	560	0.33	--	--	--	<0.01	60	7	2
003S004E20F01S	513	540	0.56	--	--	--	0.01	70	<3	3
003S004E20F01S	545	530	0.41	--	--	--	0.02	90	69	<1
003S004E20F01S	544	530	0.40	--	--	--	0.01	90	16	<1
003S004E20F02S	217	230	1.50	--	--	--	0.01	20	<3	3
003S004E20F02S	254	220	1.30	--	--	--	0.02	100	80	10
003S004E20F03S	310	310	<0.10	--	--	--	0.07	140	290	140
003S004E20F03S	170	170	0.54	--	--	--	0.02	40	43	62
003S004E20F03S	169	170	0.50	--	--	--	0.03	40	33	40
003S004E20J01S	560	570	0.46	--	--	--	0.01	70	13	13
003S004E20J01S	567	550	0.59	--	--	--	0.01	90	11	20
003S004E20J01S	548	550	0.40	--	--	--	<0.01	80	11	31
003S004E20J02S	387	390	0.58	--	--	--	0.01	20	<3	10
003S004E20J02S	359	350	0.22	--	--	--	<0.01	20	10	3
003S004E20J03S	214	210	0.98	--	--	--	0.01	20	<3	3
003S004E20J03S	322	320	0.64	--	--	--	0.01	20	11	2
003S004E29F01S	386	400	<0.10	--	--	--	<0.01	50	<3	<1
003S004E29F01S	474	460	0.34	--	--	--	<0.01	60	13	3
003S004E29R01S	97	110	<0.10	--	--	--	0.01	20	<3	98
003S004E29R01S	393	390	0.22	--	--	--	<0.01	40	16	160
003S004E30C01S	474	480	0.37	--	--	--	0.01	20	6	3
003S004E30C01S	511	500	0.35	--	--	--	0.02	30	10	<1
002S006W03C01S	--	250	6.20	0.02	0.8	0.01	<0.01	40	12	1
002S006W03D01S	--	280	7.40	0.05	0.8	0.02	0.02	30	14	1
002S006W04D01S	--	200	2.60	0.04	0.3	0.02	0.02	30	45	4
002S006W09F01S	--	230	4.00	0.03	0.5	0.01	0.01	30	6	<1
002S007W11B02S	--	250	4.80	0.02	0.4	0.04	0.04	10	26	<1

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, RIVERSIDE COUNTY--Continued

## ORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	DATE	TIME	BENZENE TOTAL (UG/L)	BROM- OFORM TOTAL (UG/L)	CARBON- TETRA- CHLO- RIDE TOTAL (UG/L)	CHLORO- BENZENE TOTAL (UG/L)	CHLORO- DI- BROMO- METHANE TOTAL (UG/L)	CHLORO- ETHANE TOTAL (UG/L)
002S006W03C01S	01-29-86	1140	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
002S006W03D01S	01-29-86	1100	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0

LOCAL NUMBER	CHLORO- FORM TOTAL (UG/L)	DI- CHLORO- BROMO- METHANE TOTAL (UG/L)	DI- CHLORO- DI- FLUORO- METHANE TOTAL (UG/L)	ETHYL- BENZENE TOTAL (UG/L)	METHYL- BROMIDE TOTAL (UG/L)	METHYL- CHLOR- IDE TOTAL (UG/L)	METHYL- ENE CHLO- RIDE TOTAL (UG/L)	1,1-DI- CHLORO- ETHANE TOTAL (UG/L)
002S006W03C01S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
002S006W03D01S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0

LOCAL NUMBER	1,1-DI- CHLORO- ETHYL- ENE TOTAL (UG/L)	1,1,1- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,1,2- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,1,2,2 TETRA- CHLORO- ETHANE TOTAL (UG/L)	1,3-DI- CHLORO- BENZENE TOTAL (UG/L)	1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	1,2-DI- CHLORO- BENZENE TOTAL (UG/L)	1,2-DI- CHLORO- ETHANE TOTAL (UG/L)
002S006W03C01S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
002S006W03D01S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0

LOCAL NUMBER	1,2-DI- CHLORO- PROPANE TOTAL (UG/L)	1,2- TRANS DI- CHLORO- ETHYL- ENE TOTAL (UG/L)	TETRA- CHLORO- ETHYL- ENE TOTAL (UG/L)	TOLUENE TOTAL (UG/L)	TRI- CHLORO- ETHYL- ENE TOTAL (UG/L)	TRI- CHLORO- FLUORO- METHANE TOTAL (UG/L)	2- CHLORO- ETHYL- VINYL- ETHER TOTAL (UG/L)	VINYL CHLO- RIDE TOTAL (UG/L)
002S006W03C01S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
002S006W03D01S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0

&lt; Actual value is known to be less than the value shown.



## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SAN BERNARDINO COUNTY

	<u>Page</u>
LOCAL NUMBER 026S040E01A02M.....	185
LOCAL NUMBER 027S040E01K01M.....	174
LOCAL NUMBER 001N005E02N01S.....	174
LOCAL NUMBER 001N005E36K02S.....	174, 185
LOCAL NUMBER 001N006E31C01S.....	174
LOCAL NUMBER 001N007E22L02S.....	185
LOCAL NUMBER 001N007E23A01S.....	175
LOCAL NUMBER 002N006E18B01S.....	175
LOCAL NUMBER 002N006E30L01S.....	175
LOCAL NUMBER 004N001E13M01S.....	175
LOCAL NUMBER 004N002E13P01S.....	176
LOCAL NUMBER 004N003E23G01S.....	176
LOCAL NUMBER 004N003E24Q01S.....	176
LOCAL NUMBER 005N001E17D01S.....	176
LOCAL NUMBER 005N001E32L01S.....	177
LOCAL NUMBER 009N001E03H01S.....	177, 185
LOCAL NUMBER 009N002E11H01S.....	177
LOCAL NUMBER 009N002E14N02S.....	177
LOCAL NUMBER 009N002E20Q01S.....	178
LOCAL NUMBER 009N003E06H01S.....	178
LOCAL NUMBER 009N003E15E01S.....	178
LOCAL NUMBER 009N003E34N01S.....	178
LOCAL NUMBER 010N003E15Q01S.....	179
LOCAL NUMBER 004N001W14B03S.....	179
LOCAL NUMBER 004N001W14C02S.....	179
LOCAL NUMBER 004N001W21G01S.....	179, 185
LOCAL NUMBER 004N003W05A02S.....	180, 185
LOCAL NUMBER 004N004W01D02S.....	180
LOCAL NUMBER 004N004W28E02S.....	180
LOCAL NUMBER 005N004W11P03S.....	180
LOCAL NUMBER 005N005W22E02S.....	181
LOCAL NUMBER 005N007W24D03S.....	185

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SAN BERNARDINO COUNTY--Continued

	<u>Page</u>
LOCAL NUMBER 006N005W19J02S.....	181
LOCAL NUMBER 006N007W10P02S.....	185
LOCAL NUMBER 006N007W23C01S.....	181
LOCAL NUMBER 008N001W21G01S.....	181
LOCAL NUMBER 008N004W12Q01S.....	182
LOCAL NUMBER 008N004W13B01S.....	185
LOCAL NUMBER 008N005W21C01S.....	182
LOCAL NUMBER 009N001W11R02S.....	182
LOCAL NUMBER 009N002W21R02S.....	182, 185
LOCAL NUMBER 009N003W13R01S.....	183
LOCAL NUMBER 010N003W26R01S.....	183
LOCAL NUMBER 010N004W33D01S.....	183
LOCAL NUMBER 011N003W26R02S.....	183
LOCAL NUMBER 011N004W29R01S.....	184
LOCAL NUMBER 011N004W32A01S.....	185
LOCAL NUMBER 011N006W17P02S.....	184
LOCAL NUMBER 001S004W19E01S.....	184
LOCAL NUMBER 001S005W21D01S.....	185
LOCAL NUMBER 001S006W23D01S.....	185
LOCAL NUMBER 001S006W28N03S.....	185, 186




Figure 12 --Index map to location of wells in San Bernardino County.

WATER LEVELS, SAN BERNARDINO COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 353652117372701

LOCAL NUMBER 027S040E01K01M

ABOUT 0.50 MI SOUTH OF STATE HWY 178 AND 1.3 MI EAST OF SOUTH RICHMOND STREET. DRILLED UNUSED WATER-TABLE WELL. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2318.1 FT. RECORDS AVAILABLE 1952-58, 1960 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 15, 1986	137.05 S
HIGHEST	127.65 MAY 21, 1952
LOWEST	142.92 NOV 14, 1967

SITE NUMBER 341144116260601

LOCAL NUMBER 001N005E02N01S

ABOUT 5.5 MI NORTH OF YUCCA VALLEY. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 3520 FT. RECORDS AVAILABLE 1952-53, 1958-71, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 15, 1985	38.27 S	JAN 24, 1986	38.60 S	APR 25, 1986	38.41 S	JUL 16, 1986	39.08 S
HIGHEST	30.41	APR 14, 1982					
LOWEST	80.17	APR 04, 1968					

SITE NUMBER 340736116244601

LOCAL NUMBER 001N005E36K02S

IN YUCCA VALLEY AT HI DESERT WATER DISTRICT OFFICE. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 805 FT REPORTED IN 1978, PERFORATED 250-805 FT. ALTITUDE OF LSD 3230 FT. RECORDS FURNISHED BY HI DESERT WATER DISTRICT, PERIODICALLY BY U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 15, 1985	346.62 S	JAN 24, 1986	325.06 S	APR 25, 1986	379. HP	JUL 16, 1986	372.00 HP
HIGHEST	203.60	MAR 07, 1978					
LOWEST	346.62	OCT 15, 1986					

SITE NUMBER 340750116234401

LOCAL NUMBER 001N006E31C01S

SOUTHWEST OF INTERSECTION OF PAXTON AND Balsa ROADS IN YUCCA VALLEY. PUBLIC SUPPLY WELL. DIAM UNKNOWN, DEPTH 730 FT WHEN DRILLED. ALTITUDE OF LSD 3199 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 15, 1985	195.36 S	JAN 24, 1986	184.58 S	JUL 16, 1986	209.86 S
HIGHEST	158.78	MAR 25, 1981			
LOWEST	209.86	JUL 16, 1986			

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 340945116125001

LOCAL NUMBER 001N007E23A01S

ABOUT 1.9 MI EAST OF SUNFAIR. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 368.5 FT, PERFORATED 360-370 FT. ALTITUDE OF LSD 2376 FT. RECORDS AVAILABLE 1969, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 15, 1985	210.97 S	JAN 24, 1986	211.10 S	APR 25, 1986	210.94 S	JUL 16, 1986	210.98 S
	HIGHEST	209.96	JAN 09, 1980				
	LOWEST	211.06	DEC 21, 1984				

SITE NUMBER 341556116233401

LOCAL NUMBER 002N006E18B01S

IN LANDERS, SOUTHWEST OF POST OFFICE. DRILLED PUBLIC SUPPLY WELL. DIAM 14 IN, DEPTH 310 FT, PERFORATED 187-305 FT. ALTITUDE OF LSD 3087 FT. RECORDS AVAILABLE 1963, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 15, 1985	221.40 SP	APR 25, 1986	215.45 SR
	HIGHEST	185.60	JUL 01, 1963
	LOWEST	211.41	MAY 16, 1985

SITE NUMBER 341345116234701

LOCAL NUMBER 002N006E30L01S

ABOUT 20 MI NORTHWEST OF TWENTYNINE PALMS. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DIAM 6 IN, DEPTH 377 FT. ALTITUDE OF LSD 3328 FT. RECORDS AVAILABLE 1958, 1966-71, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 15, 1985	300.39 Z	APR 25, 1986	321.61 S
	HIGHEST	311.65	MAY 22, 1958
	LOWEST	359.04	APR 21, 1969

SITE NUMBER 342603116501801

LOCAL NUMBER 004N001E13M01S

ABOUT 0.35 MI SOUTH OF HWY 247 ON DALLAS AVE IN LUCERNE VALLEY. DRILLED DOMESTIC WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 270 FT IN 1954. ALTITUDE OF LSD 3014 FT. RECORDS AVAILABLE 1953-71, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 16, 1985	175.10 S	JAN 24, 1986	174.85 S	APR 24, 1986	174.60 S	JUL 16, 1986	174.59 S
	HIGHEST	170.00	JAN 01, 1953				
	LOWEST	182.00	MAR 26, 1981				

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342551116434301

LOCAL NUMBER 004N002E13P01S

ABOUT 1.3 MI NORTH OF HWY 247 ON GREEN ROCK MINE ROAD. DRILLED DOMESTIC WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2995 FT. RECORDS AVAILABLE 1975, 1980 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 15, 1985	108.59 S	APR 24, 1986	108.58 S
	HIGHEST	108.54	JAN 18, 1985
	LOWEST	110.92	JAN 21, 1975

SITE NUMBER 342517116380601

LOCAL NUMBER 004N003E23G01S

ABOUT 4.5 MI NORTH OF HWY 247. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 107 FT, PERFORATED 76-107 FT. ALTITUDE OF LSD 2850 FT. RECORDS AVAILABLE 1950, 1975, 1979 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 16, 1985	73.16 S	JAN 24, 1986	73.07 S	APR 24, 1986	73.05 S	JUL 16, 1986	73.08 S
	HIGHEST	71.80	OCT 14, 1950				
	LOWEST	75.50	APR 25, 1975				

SITE NUMBER 342448116371501

LOCAL NUMBER 004N003E24Q01S

ABOUT 3 MI NORTH OF HWY 247, NORTHEAST OF OLD WOMAN SPRINGS. DRILLED WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 240.8 FT. ALTITUDE OF LSD 2833 FT. RECORDS AVAILABLE 1954-67, 1969-71, 1975, 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 16, 1985	56.13 S	APR 24, 1986	55.97 S
	HIGHEST	54.60	MAY 06, 1954
	LOWEST	58.56	FEB 28, 1980

SITE NUMBER 343153116542301

LOCAL NUMBER 005N001E17D01S

ABOUT 6.5 MI NORTH OF LUCERNE VALLEY. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 14 IN, DEPTH 169.5 FT. ALTITUDE OF LSD 2880 FT. RECORDS AVAILABLE 1954-55, 1960-71, 1976, 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 24, 1986	148.14 S	APR 24, 1986	148.07 S	JUL 16, 1986	148.64 S
	HIGHEST	62.27	APR 22, 1954		
	LOWEST	148.64	JUL 16, 1986		

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342837116540401

LOCAL NUMBER 005N001E32L01S

ABOUT 2.25 MI NORTH OF HWY 247 ON MIDWAY AVE. DOMESTIC WELL. DIAM 12 IN, DEPTH 200 FT.  
ALTITUDE OF LSD 2870 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 16, 1985	161.35 S	APR 24, 1986	152.34 S
	HIGHEST	136.88	MAR 19, 1980
	LOWEST	161.35	OCT 16, 1985

SITE NUMBER 345413116512901

LOCAL NUMBER 009N001E03H01S

ABOUT 2 MI WEST OF YERMO. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH  
137 FT REPORTED WHEN DRILLED, DEPTH 125 FT IN 1960. ALTITUDE OF LSD 1948 FT. RECORDS  
FURNISHED BY BUREAU OF RECLAMATION AND SAN BERNARDINO COUNTY FLOOD CONTROL DISTRICT 1946-60.  
RECORDS AVAILABLE 1946-60, 1962, 1964, 1967-69, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 18, 1985	109.68 S	JAN 22, 1986	114.03 S	APR 23, 1986	113.08 S	JUL 15, 1986	115.99 S
	HIGHEST	55.00	JUL 22, 1946				
	LOWEST	115.99	JUL 15, 1986				

SITE NUMBER 345316116441001

LOCAL NUMBER 009N002E11H01S

ABOUT 0.25 MI WEST OF CONDOR AND 0.5 MI NORTH OF VALLEY CENTER. DRILLED DOMESTIC WATER-TABLE  
WELL. DIAM 8 IN, DEPTH 140 FT. ALTITUDE OF LSD 1865 FT. RECORDS AVAILABLE 1967-71, 1980  
TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 18, 1985	46.84 S	APR 23, 1986	42.67 S
	HIGHEST	17.50	JAN 12, 1960
	LOWEST	46.84	OCT 18, 1985

SITE NUMBER 345206116445201

LOCAL NUMBER 009N002E14N02S

ABOUT 5 MI WEST OF INTERSECTION OF NEWBERRY AND SILVER VALLEY ROADS. IRRIGATION WATER-TABLE  
WELL. DIAM 12 IN, REPORTED DEPTH 300 FT, DEPTH 215.3 FT IN 1961. ALTITUDE OF LSD 1886 FT.  
RECORDS AVAILABLE 1928, 1930-35, 1937-58, 1960-61, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 18, 1985	62.02 S	JAN 22, 1986	58.46 S	APR 23, 1986	100.65 SP	JUL 15, 1986	69.23 S
	HIGHEST	15.30	NOV 16, 1945				
	LOWEST	69.23	JUL 15, 1986				

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345110116473601

LOCAL NUMBER 009N002E20Q01S

AT DAGGETT AIRPORT. UNUSED WATER TABLE WELL. DIAM 8 IN, DEPTH 90 FT. ALTITUDE OF LSD 1921.4 FT. RECORDS IN 1932, 1941-48, 1952-57, 1959 FURNISHED BY U.S. BUREAU OF RECLAMATION AND SAN BERNARDINO COUNTY FLOOD CONTROL DISTRICT. RECORDS AVAILABLE 1932, 1941-48, 1952-71, 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 18, 1985	D	JAN 24, 1986	D	APR 23, 1986	D	JUL 15, 1986	D
	HIGHEST	41.81	NOV 15, 1945				
	LOWEST	89.77	OCT 19, 1984				

SITE NUMBER 345410116415101

LOCAL NUMBER 009N003E06H01S

ABOUT 2 MI WEST OF NEWBERRY ROAD AND 1.6 MI NORTH OF VALLEY CENTER ROAD. DOMESTIC WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1832 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 22, 1986	72.65 S	APR 23, 1986	79.08 SP	JUL 15, 1986	79.32 SP
	HIGHEST	60.66	DEC 04, 1980		
	LOWEST	79.32	JUL 15, 1986		

SITE NUMBER 345224116393901

LOCAL NUMBER 009N003E15E01S

ABOUT 0.5 MI SOUTH OF VALLEY CENTER ROAD ON NEWBERRY ROAD. DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1828 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 18, 1985	86.24 S	JAN 22, 1986	83.38 S	APR 23, 1986	82.04 S	JUL 15, 1986	83.38 SR
	HIGHEST	70.09	DEC 04, 1980				
	LOWEST	86.24	OCT 18, 1985				

SITE NUMBER 344927116394101

LOCAL NUMBER 009N003E34N01S

EAST OF POST OFFICE AT NEWBERRY. DRILLED DOMESTIC WELL. DIAM 8 IN, DEPTH 99 FT IN 1959. ALTITUDE OF LSD 1820 FT. RECORDS AVAILABLE 1959, 1964, 1967-71, 1980 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 18, 1985	52.29 S	APR 23, 1986	53.47 S
	HIGHEST	23.10	DEC 17, 1959
	LOWEST	53.47	APR 23, 1986



## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345709116390501

LOCAL NUMBER 010N003E15Q01S

ABOUT 0.5 MI WEST OF HARVARD ROAD AND NORTH OF CHEROKEE ROAD, DRILLED DOMESTIC WATER-TABLE WELL. DIAM 12 IN, DEPTH 186.4 FT IN 1959, 165 FT IN 1980. ALTITUDE OF LSD 1808 FT. RECORDS AVAILABLE 1959, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 18, 1985	119.22 S	APR 23, 1986	117.99 S
	HIGHEST	78.00	JUN 12, 1959
	LOWEST	119.22	OCT 18, 1985

SITE NUMBER 342636116570201

LOCAL NUMBER 004N001W14B03S

SOUTHEAST OF INTERSECTION OF HWY 247 AND HIGHLAND ROAD IN LUCERNE VALLEY. COMMERCIAL WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2035 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 16, 1985	93.57 S	APR 24, 1986	99.49 SP
	HIGHEST	84.96	MAR 20, 1980
	LOWEST	93.57	OCT 16, 1985

SITE NUMBER 342625116571301

LOCAL NUMBER 004N001W14C02S

NEAR INTERSECTION OF HWY 247 AND HWY 18. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 105 FT, CASED TO 30 FT. ALTITUDE OF LSD 2950 FT. RECORDS AVAILABLE 1954, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 16, 1985	28.27 S	APR 24, 1986	22.71 S
	HIGHEST	1.50	FEB 19, 1954
	LOWEST	28.27	OCT 16, 1985

SITE NUMBER 342519116591401

LOCAL NUMBER 004N001W21G01S

ABOUT 0.4 MI WEST OF INTERSECTION OF CUSTER AVENUE AND SUTTER ROAD. DOMESTIC WELL. DIAM UNKNOWN, DEPTH 250 FT. ALTITUDE OF LSD 3121 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 16, 1985	183.00 S	APR 24, 1986	170.02 S	JUL 16, 1986	171.39 SR
	HIGHEST	168.35	DEC 11, 1980		
	LOWEST	183.00	OCT 16, 1985		

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342813117123301

LOCAL NUMBER 004N003W05A02S

ABOUT 0.1 MI WEST OF INTERSECTION OF BEAR VALLEY ROAD AND KIOWA ROAD IN APPLE VALLEY. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 300 FT, PERFORATED 238-268 FT. ALTITUDE OF LSD 3002 FT. RECORDS AVAILABLE 1953, 1956, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1985	199.06 S	JAN 22, 1986	204.35 S	APR 22, 1986	200.34 S	JUL 14, 1986	212.53 S
	HIGHEST	182.12	MAR 21, 1980				
	LOWEST	212.53	JUL 14, 1986				

SITE NUMBER 342815117152701

LOCAL NUMBER 004N004W01D02S

WEST OF INTERSECTION OF BEAR VALLEY ROAD AND FISH HATCHERY ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 50 FT. ALTITUDE OF LSD 2827 FT. RECORDS AVAILABLE 1957, 1967-71, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 16, 1985	33.40 S	JAN 22, 1986	30.56 S	APR 22, 1986	24.55 S	JUL 14, 1986	29.71 S
	HIGHEST	14.72	APR 02, 1969				
	LOWEST	33.40	OCT 16, 1985				

SITE NUMBER 342425117182602

LOCAL NUMBER 004N004W28E02S

NEAR INTERSECTION OF LIME STREET AND HESPERIA ROAD IN HESPERIA. DRILLED PUBLIC-SUPPLY WELL. DIAM 14 IN, DEPTH 593 FT. ALTITUDE OF LSD 3280 FT. MEASUREMENTS FURNISHED BY HESPERIA COUNTY WATER DISTRICT 1971-81; BY USGS STARTING IN 1982. RECORDS AVAILABLE 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 16, 1985	462.58 S	APR 22, 1986	463.16 S
	HIGHEST	454.00	MAR 04, 1980
	LOWEST	514.80	JUN 12, 1979

SITE NUMBER 343150117151502

LOCAL NUMBER 005N004W11P03S

IN APPLE VALLEY. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 145 FT. ALTITUDE OF LSD 2788 FT. RECORDS AVAILABLE 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 16, 1985	55.28 S	JAN 22, 1986	53.34 S	APR 22, 1986	55.34 S	JUL 14, 1986	58.09 S
	HIGHEST	51.27	OCT 19, 1983				
	LOWEST	58.09	JUL 14, 1986				

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343027117235001

LOCAL NUMBER 005N005W22E02S

AT INTERSECTION OF PEARBLOSSOM HWY AND HWY 395. DOMESTIC WELL. DIAM 8 IN, DEPTH REPORTED 510 FT IN 1960. ALTITUDE OF LSD 3122 FT. RECORDS AVAILABLE 1960-71, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	LEVEL MS	DATE	LEVEL MS	DATE	LEVEL MS
OCT 17, 1985	380.68 SP	JAN 23, 1986	334.70 S	JUL 14, 1986	0
	HIGHEST	301.94	MAR 15, 1961		
	LOWEST	333.40	OCT 07, 1981		

SITE NUMBER 343900117261801

LOCAL NUMBER 006N005W19J02S

ABOUT 1.5 MI NORTHWEST OF ADELANTO. DRILLED UNUSED WATER-TABLE WELL. DIAM 9 IN, DEPTH 1200 FT. ALTITUDE OF LSD 2838 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	80.03 S	APR 22, 1986	78.66 S
	HIGHEST	78.3	APR 17, 1979
	LOWEST	78.87	MAR 06, 1980

SITE NUMBER 343555117351201

LOCAL NUMBER 006N007W23C01S

SOUTH OF EL MIRAGE ROAD ABOUT 1 MI EAST OF EL MIRAGE AIRPORT ROAD. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2913 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JAN 23, 1986	103.60 SZ
	HIGHEST 103.55 DEC 09, 1980
	LOWEST 105.40 JAN 16, 1985

SITE NUMBER 344610116590301

LOCAL NUMBER 008N001W21G01S

NEAR STODDARD. DRILLED UNUSED WATER-TABLE WELL. DIAM 20 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2920 FT. RECORDS AVAILABLE 1962, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 24, 1986	130.14 S	APR 24, 1986	129.94 S	JUL 16, 1986	129.72 S
	HIGHEST	129.72	JUL 16, 1986		
	LOWEST	131.15	FEB 21, 1962		

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344728117145601

LOCAL NUMBER 008N004W12Q01S

ABOUT 16 MI SOUTHWEST OF BARSTOW. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DIAM 8 IN, DEPTH 49.1 FT. ALTITUDE OF LSD 2329 FT. RECORDS AVAILABLE 1931-32, 1935-37, 1939-41, 1943-64, 1966-70, 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 18, 1985	12.56 S	APR 23, 1986	10.98 S
	HIGHEST	7.16	MAY 13, 1954
	LOWEST	33.50	OCT 31, 1963

SITE NUMBER 344636117243801

LOCAL NUMBER 008N005W21C01S

ABOUT 3.9 MI EAST OF HWY 395 AND ASTLEY RANCHO. UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2620 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	206.39 S	JAN 23, 1986	206.35 S	APR 22, 1986	206.35 S	JUL 14, 1986	206.38 S
	HIGHEST	200.35	OCT 18, 1984				
	LOWEST	206.57	DEC 10, 1980				

SITE NUMBER 345243116563802

LOCAL NUMBER 009N001W11R02S

NEAR GOLF COURSE AT U.S.M.C. NEBO BASE IN BARSTOW. DRILLED UNUSED WATER-TABLE WELL. DIAM 2 IN, DEPTH 102 FT, SAND POINT 100-102 FT. ALTITUDE OF LSD 2032.51 FT. RECORDS AVAILABLE 1972-73, 1975 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 18, 1985	21.05 S	JAN 22, 1986	20.60 S	APR 23, 1986	20.58 S	JUL 15, 1986	21.43 S
	HIGHEST	19.02	JUN 17, 1983				
	LOWEST	31.80	NOV 03, 1976				

SITE NUMBER 345105117045701

LOCAL NUMBER 009N002W21R02S

ON EAST SIDE OF JUNCTION OF LENWOOD ROAD AND INTERSTATE 15. COMMERCIAL WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 2392 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 22, 1986	233.04 S	APR 24, 1986	234.14 S	JUL 15, 1986	244.55 S
	HIGHEST	233.04	JAN 22, 1986		
	LOWEST	244.55	JUL 15, 1986		

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345153117080701

LOCAL NUMBER 009N003W13R01S

ABOUT 2 MI SOUTHWEST OF LENWOOD. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 212 FT. ALTITUDE OF LSD 2245 FT. RECORDS AVAILABLE 1954, 1963-71, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	81.14 S	JAN 22, 1986	81.75 S	APR 23, 1986	82.69 S	JUL 15, 1986	84.47 S
	HIGHEST	60.60	APR 20, 1954				
	LOWEST	89.14	NOV 14, 1968				

SITE NUMBER 345520117081901

LOCAL NUMBER 010N003W26R01S

ABOUT 0.2 MI WEST OF SUMMERSET ROAD ON HWY 58. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 215 FT, PERFORATED 117-160, 180-196 FT, CASED TO 203 FT. ALTITUDE OF LSD 2182 FT. RECORDS AVAILABLE 1953-55, 1957-61, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	98.35 S	APR 23, 1986	97.30 S
	HIGHEST	68.97	DEC 17, 1953
	LOWEST	114.40	DEC 11, 1980

SITE NUMBER 345516117183601

LOCAL NUMBER 010N004W33D01S

ABOUT 1 MI EAST OF HARPER LAKE ROAD AND SOUTH OF HWY 58. UNUSED WELL. DIAM 8 IN, DEPTH 363 FT. ALTITUDE OF LSD 2279 FT. RECORDS AVAILABLE 1967, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	265.87 S	JAN 22, 1986	266.16 S	APR 23, 1986	266.25 S	JUL 15, 1986	266.45 S
	HIGHEST	257.03	MAR 15, 1967				
	LOWEST	266.45	JUL 15, 1986				

SITE NUMBER 350039117112101

LOCAL NUMBER 011N003W28R02S

ABOUT 5 MI NORTH OF HINKLEY. DRILLED UNUSED WELL. DIAM 12 IN, DEPTH 241.8 FT IN 1978. ALTITUDE OF LSD 2073 FT. RECORDS AVAILABLE 1953-71, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	53.79	JAN 22, 1986	52.92 S	APR 23, 1986	53.14 S	JUL 15, 1986	53.54 S
	HIGHEST	26.00	JUN 26, 1953				
	LOWEST	53.79	OCT 17, 1985				

## WATER LEVELS, SAN BERNARDINO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 350039117185301

LOCAL NUMBER 011N004W29R01S

ABOUT 2.9 MI EAST OF LOCKHART. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 500 FT IN 1952, 303 FT IN 1968, 361.2 FT IN 1978. ALTITUDE OF LSD 2045 FT. RECORDS AVAILABLE 1953-71, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 23, 1986	175.76 S	JUL 15, 1986	183.27 S
	HIGHEST	83.42	NOV 17, 1960
	LOWEST	183.27	JUL 15, 1986

SITE NUMBER 350235117321501

LOCAL NUMBER 011N006W17P02S

ABOUT 6 MI NORTHEAST OF BORON. DRILLED UNUSED WATER-TABLE WELL. DIAM 10 IN, DEPTH 647 FT. ALTITUDE OF LSD 2550 FT. RECORDS AVAILABLE 1953, 1968, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	264.00 S	JAN 23, 1986	264.17 S	APR 22, 1986	263.88 S	JUL 14, 1986	263.99 S
	HIGHEST	262.00	JUL 13, 1953				
	LOWEST	265.52	AUG 09, 1968				

SITE NUMBER 340416117205101

LOCAL NUMBER 001S004W19E01S

EAST OF MERIDIAN AVENUE, NORTH OF VALLEY BLVD. DRILLED OBSERVATION WELL IN ALLUVIUM. DIAM 2 IN, DEPTH 222 FT, CASSED TO 251 FT, PERFORATED 223-244 FT. ALTITUDE OF LSD 1038.9 FT. RECORDS AVAILABLE 1964, 1967-70, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAY 15, 1986	148.38 S	SEP 15, 1986	149.58 S
	HIGHEST	148.38	MAY 15, 1986
	LOWEST	193.94	JAN 02, 1969

## WATER QUALITY, SAN BERNARDINO COUNTY

## INORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	DATE	TIME	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE (DEG C)	HARD- NESS (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO3)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)
026S040E01A02M	09-17-86	1830	15900	a9.5	24.5	5	0	1.3	0.40	4300
001N005E36K02S	09-22-86	1115	270	8.10	24.0	62	0	20	3.0	31
001N007E22L02S	09-22-86	1230	272	8.20	24.5	57	0	18	2.9	34
009N001E03H01S	09-19-86	1500	1020	7.80	21.5	290	150	94	13	99
004N001W21G01S	09-22-86	1530	400	7.90	24.0	110	0	35	6.7	37
004N003W05A02S	09-18-86	1400	325	8.00	20.0	110	28	31	7.4	21
005N007W24D03S	09-18-86	0915	488	8.50	29.0	51	0	17	2.1	79
006N007W10P02S	09-18-86	1130	554	8.30	19.5	110	47	34	5.2	79
008N004W13B01S	09-19-86	0930	1340	7.40	18.5	370	66	120	18	130
009N002W21R02S	09-19-86	1715	1210	7.80	25.0	240	82	73	15	170
011N004W32A01S	09-19-86	1130	1950	7.90	23.5	220	97	71	9.9	290
001S005W21D01S	01-29-86	1400	422	7.50	19.5	180	44	62	7.1	13
001S006W23D01S	01-29-86	1500	305	7.60	17.0	140	15	46	7.0	8.1
001S006W28N03S	01-29-86	0800	526	7.50	--	210	58	75	6.2	25

LOCAL NUMBER	PERCENT SODIUM	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LITY WH WAT TOTAL FIELD (MG/L AS CACO3)	CARBON DIOXIDE DIS- SOLVED (MG/L AS CO2)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)
026S040E01A02M	99	880	44	a4020	--	1100	3200	9.6	110	11000
001N005E36K02S	51	2	1.4	93	1.4	13	11	0.40	26	160
001N007E22L02S	56	2	1.5	109	1.3	12	6.3	0.50	25	170
009N001E03H01S	42	3	3.1	136	4.2	92	180	0.50	21	580
004N001W21G01S	41	2	2.5	139	3.4	50	8.7	0.50	29	250
004N003W05A02S	29	0.9	2.3	80	1.5	61	9.3	0.40	31	210
005N007W24D03S	76	5	3.4	62	0.4	150	4.0	0.30	14	310
006N007W10P02S	61	3	3.7	59	0.6	180	8.8	0.50	17	360
008N004W13B01S	43	3	3.0	308	24	160	140	0.60	28	780
009N002W21R02S	60	5	3.2	162	5.0	270	98	2.9	49	780
011N004W32A01S	74	9	6.2	121	2.9	240	390	0.70	56	1100
001S005W21D01S	13	0.4	2.5	140	8.6	26	12	0.30	21	230
001S006W23D01S	11	0.3	2.3	129	6.3	17	3.1	0.30	17	180
001S006W28N03S	20	0.8	2.6	155	9.5	15	52	<0.10	27	300

LOCAL NUMBER	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA DIS- SOLVED (MG/L AS N)	NITRO- GEN, ORGANIC DIS- SOLVED (MG/L AS N)	NITRO- GEN, AM- MONIA + ORGANIC DIS- SOLVED (MG/L AS N)	PHOS- PHORUS, DIS- SOLVED (MG/L AS P)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
026S040E01A02M	<0.100	4.50	8.5	13	7.60	7.60	160000	120	<10
001N005E36K02S	3.00	--	--	--	--	0.020	40	8	2
001N007E22L02S	2.60	--	--	--	--	<0.010	60	<3	2
009N001E03H01S	3.70	--	--	--	--	0.010	310	9	7
004N001W21G01S	0.830	--	--	--	--	<0.010	70	12	2
004N003W05A02S	0.540	--	--	--	--	0.030	60	6	2
005N007W24D03S	0.660	--	--	--	--	<0.010	20	7	2
006N007W10P02S	0.460	--	--	--	--	<0.010	20	7	6
008N004W13B01S	5.70	--	--	--	--	0.030	320	9	4
009N002W21R02S	3.10	--	--	--	--	<0.010	1300	14	4
011N004W32A01S	1.80	--	--	--	0.050	<0.010	1300	9	2
001S005W21D01S	8.20	0.020	0.48	0.50	0.010	0.010	30	11	<1
001S006W23D01S	1.10	<0.010	--	0.30	0.010	<0.010	40	12	<1
001S006W28N03S	7.20	0.030	0.47	0.50	0.050	0.050	20	49	9

a Result based on laboratory value.

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, SAN BERNARDINO COUNTY--Continued

## ORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	DATE	TIME	BENZENE TOTAL (UG/L)	BROM- OFORM TOTAL (UG/L)	CARBON- TETRA- CHLO- RIDE TOTAL (UG/L)	CHLORO- BENZENE TOTAL (UG/L)	CHLORO- DI- BROMO- METHANE TOTAL (UG/L)	CHLORO- ETHANE TOTAL (UG/L)
001S006W28N03S	01-29-86	0800	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
LOCAL NUMBER	CHLORO- FORM TOTAL (UG/L)	DI- CHLORO- BROMO- METHANE TOTAL (UG/L)	DI- CHLORO- DI- FLUORO- METHANE TOTAL (UG/L)	ETHYL- BENZENE TOTAL (UG/L)	METHYL- BROMIDE TOTAL (UG/L)	METHYL- CHLOR- IDE TOTAL (UG/L)	METHYL- ENE CHLO- RIDE TOTAL (UG/L)	1,1-DI- CHLORO- ETHANE TOTAL (UG/L)
001S006W28N03S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
LOCAL NUMBER	1,1-DI- CHLORO- ETHYL- ENE TOTAL (UG/L)	1,1,1- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,1,2- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,1,2,2 TETRA- CHLORO- ETHANE TOTAL (UG/L)	1,3-DI- CHLORO- BENZENE TOTAL (UG/L)	1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	1,2-DI- CHLORO- BENZENE TOTAL (UG/L)	1,2-DI- CHLORO- ETHANE TOTAL (UG/L)
001S006W28N03S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
LOCAL NUMBER	1,2-DI- CHLORO- PROPANE TOTAL (UG/L)	1,2- TRANS DI- CHLORO- ETHYL- ENE TOTAL (UG/L)	TETRA- CHLORO- ETHYL- ENE TOTAL (UG/L)	TOLUENE TOTAL (UG/L)	TRI- CHLORO- ETHYL- ENE TOTAL (UG/L)	TRI- CHLORO- FLUORO- METHANE TOTAL (UG/L)	2- CHLORO- ETHYL- VINYL- ETHER TOTAL (UG/L)	VINYL CHLO- RIDE TOTAL (UG/L)
001S006W28N03S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0

&lt; Actual value is known to be less than the value shown.



## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SAN DIEGO COUNTY

	<u>Page</u>
LOCAL NUMBER 010S001E20G01S.....	190
LOCAL NUMBER 010S001E27Q02S.....	190
LOCAL NUMBER 010S006E21A01S.....	190
LOCAL NUMBER 011S006E11D02S.....	190
LOCAL NUMBER 014S006E08F03S.....	191
LOCAL NUMBER 015S001E18L03S.....	191
LOCAL NUMBER 015S008E17D02S.....	191
LOCAL NUMBER 009S002W26E01S.....	191
LOCAL NUMBER 009S002W26F01S.....	192
LOCAL NUMBER 009S002W26M02S.....	192
LOCAL NUMBER 009S002W26P01S.....	192
LOCAL NUMBER 009S002W28K03S.....	192
LOCAL NUMBER 009S002W32A01S.....	193
LOCAL NUMBER 009S002W34A01S.....	193
LOCAL NUMBER 010S001W05M01S.....	193

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SAN DIEGO COUNTY--Continued

	<u>Page</u>
LOCAL NUMBER 010S001W08Q01S.....	193
LOCAL NUMBER 010S001W35C01S.....	194
LOCAL NUMBER 010S002W06C02S.....	194
LOCAL NUMBER 010S002W06F07S.....	194
LOCAL NUMBER 011S001W02F01S.....	194
LOCAL NUMBER 011S001W22R01S.....	195
LOCAL NUMBER 016S003W13Q04S.....	195
LOCAL NUMBER 017S001W30B01S.....	195
LOCAL NUMBER 018S002W21H03S.....	195




Figure 13 --Index map to location of wells in San Diego County.

WATER LEVELS, SAN DIEGO COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 331737116540701

LOCAL NUMBER 010S001E20G01S

ABOUT 5.1 MI EAST OF RINCON SPRINGS ON HWY 76, ABOUT 126 FT SOUTH OF HWY. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 8 IN, DEPTH 70 FT. ALTITUDE OF LSD 2580 FT. RECORDS AVAILABLE 1960, 1967, 1971, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 18, 1985	21.76 SR	DEC 27, 1985	19.92 SR
	HIGHEST	7.25	MAR 31, 1980
	LOWEST	37.75	AUG 25, 1977

SITE NUMBER 331621116520101

LOCAL NUMBER 010S001E27Q02S

LA JOLLA INDIAN RESERVATION. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 8.5 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 2440 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 18, 1985	19.18 S	DEC 27, 1985	13.49 S
	HIGHEST	.92	FEB 25, 1983 JUL 08, 1983
	LOWEST	21.00	OCT 29, 1981

SITE NUMBER 331800116210001

LOCAL NUMBER 010S006E21A01S

ABOUT 0.1 MI SOUTHEAST OF INTERSECTION OF BORREGO VALLEY AND HENDERSON CANYON ROADS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 310 FT. ALTITUDE OF LSD 640 FT. RECORDER INSTALLED BY CALIFORNIA STATE WATER RESOURCES DEPARTMENT IN 1952. RECORDS AVAILABLE 1952-76, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 07, 1986	182.42 S
	HIGHEST 130.55 JAN 03, 1953
	LOWEST 185.48 JUL 22, 1965

SITE NUMBER 331432116194602

LOCAL NUMBER 011S006E11D02S

ABOUT 1 MI SOUTHEAST OF INTERSECTION OF BORREGO VALLEY ROAD AND PALM CANYON DRIVE. DRILLED DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DIAM 14 IN, DEPTH 218 FT. ALTITUDE OF LSD 500 FT. RECORDS AVAILABLE 1953-71, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAY 07, 1986	49.35 S
	HIGHEST 17.53 NOV 16, 1953
	LOWEST 65.60 AUG 14, 1958

WATER LEVELS, SAN DIEGO COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 325808116232801

LOCAL NUMBER 014S006E08F03S

ABOUT 1 MI NORTHEAST OF TROUTMAN MTN. UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH 110 FT. ALTITUDE OF LSD 1645 FT. RECORDS AVAILABLE 1960, 1962, 1964-66, 1968, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JUN 18, 1986	68.29 S
HIGHEST	65.31 MAR 16, 1962
LOWEST	78.20 OCT 01, 1982

SITE NUMBER 325159116551101

LOCAL NUMBER 015S001E18L03S

ABOUT 0.3 MI NORTHEAST OF INTERSECTION OF MAPLEVIEW STREET AND HWY 67, NORTH OF LAKESIDE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 395 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 09, 1986	17.22 S
HIGHEST	15.41 MAR 11, 1983
LOWEST	22.43 AUG 13, 1985

SITE NUMBER 325215116110701

LOCAL NUMBER 015S008E17D02S

WEST OF BOW WILLOW RANGER STATION. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 6 IN, DEPTH 87 FT. ALTITUDE OF LSD 610 FT. RECORDS AVAILABLE 1966, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
JUN 18, 1986	40.20 S
HIGHEST	38.48 MAR 01, 1985
LOWEST	71.40 FEB 01, 1979

SITE NUMBER 332203117035101

LOCAL NUMBER 009S002W26E01S

ABOUT .16 MI NORTH OF HWY 76. DRILLED UNUSED WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 120 FT, PERFORATIONS 68-95 FT. ALTITUDE OF LSD 455 FT. RECORDS AVAILABLE 1953, 1967, 1971-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	73.57 S	DEC 26, 1985	66.36 S
HIGHEST	56.84 MAY 15, 1980		
LOWEST	90.02 SEP 26, 1977		

WATER LEVELS, SAN DIEGO COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 332201117034201

LOCAL NUMBER 009S002W26F01S

ABOUT .25 MI NORTH OF HWY 76. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 10 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 482 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	94.02 S	DEC 26, 1985	87.33 S
	HIGHEST	75.35	MAR 31, 1980
	LOWEST	111.55	SEP 26, 1977

SITE NUMBER 332254117035201

LOCAL NUMBER 009S002W26M02S

ON PALA INDIAN RESERVATION, NORTH OF HWY 76. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 20 IN, DEPTH 143 FT. ALTITUDE OF LSD 435 FT. RECORDS AVAILABLE 1955, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	78.82 SP	DEC 26, 1985	46.87 S
	HIGHEST	36.64	MAR 31, 1980
	LOWEST	71.22	DEC 20, 1977

SITE NUMBER 332141117033401

LOCAL NUMBER 009S002W26P01S

ABOUT .24 MI SOUTH OF HWY 76. DUG PUBLIC SUPPLY WATER-TABLE WELL. DIAM 96 IN, DEPTH 63 FT. ALTITUDE OF LSD 422.7 FT. RECORDS AVAILABLE 1915, 1941, 1961, 1971-72, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	22.28 S	DEC 26, 1985	13.02 S
	HIGHEST	7.01	MAR 02, 1915
	LOWEST	40.56	NOV 17, 1977

SITE NUMBER 332147117052301

LOCAL NUMBER 009S002W28K03S

ABOUT 550 FT SOUTH OF HWY 76. DRILLED IRRIGATION WATER-TABLE WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 355 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	13.64 SR	DEC 26, 1985	11.54 S
	HIGHEST	4.47	APR 11, 1979
	LOWEST	23.10	NOV 03, 1980

WATER LEVELS, SAN DIEGO COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 332118117061701

LOCAL NUMBER 009S002W32A01S

ABOUT 300 FT SOUTH OF SAN LUIS REY RIVER AND 2000 FT EAST PALA ROAD. DRILLED IRRIGATION WATER-TABLE WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 330 FT. RECORDS AVAILABLE 1966, 1971-72, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	12.99 S	DEC 26, 1985	11.80 S
	HIGHEST	3.58 JUN 26, 1980	
	LOWEST	12.99 OCT 17, 1985	

SITE NUMBER 332121117041901

LOCAL NUMBER 009S002W34A01S

NORTH OF LILAC ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH 47 FT. ALTITUDE OF LSD 395 FT. RECORDS AVAILABLE 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	16.76 S	DEC 26, 1985	17.29 S
	HIGHEST	6.35 APR 03, 1980	
	LOWEST	33.78 DEC 20, 1977	

SITE NUMBER 332001117004401

LOCAL NUMBER 010S001W05M01S

SOUTHWEST OF HWY 76. DRILLED WITHDRAWAL WATER-TABLE WELL. DIAM 16 IN, DEPTH 270 FT. ALTITUDE OF LSD 710 FT. RECORDS AVAILABLE 1964-69, 1972-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	80.48 SP	DEC 26, 1985	9.67 S
	HIGHEST	1.00 MAR 11, 1981	
	LOWEST	62.06 DEC 20, 1977	

SITE NUMBER 331856117001901

LOCAL NUMBER 010S001W08Q01S

ABOUT .38 MI NORTHWEST OF COLE GRADE ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 733 FT. RECORDS AVAILABLE 1971, 1973, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	50.82 SS	DEC 26, 1985	3.61 S
	HIGHEST	+1.47 APR 10, 1979	
	LOWEST	107.93 SEP 03, 1976	

WATER LEVELS, SAN DIEGO COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 331613116570901

LOCAL NUMBER 010S001W35C01S

WEST OF HWY 6 AND SOUTH OF SECTION LINE ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH 105 FT. ALTITUDE OF LSD 860 FT. RECORDS AVAILABLE 1938, 1940, 1950, 1959-63, 1971-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	15.24 S	DEC 27, 1985	15.53 S
	HIGHEST	9.16	MAR 31, 1980
	LOWEST	48.50	JUN 01, 1963

SITE NUMBER 332030117075101

LOCAL NUMBER 010S002W06C02S

ABOUT 550 FT SOUTH OF PALA ROAD AND 20 FT WEST OF COUSER CANYON ROAD. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 295 FT. RECORDS AVAILABLE 1966, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	8.83 S	DEC 26, 1985	6.15 S
	HIGHEST	2.40	MAR 22, 1979
	LOWEST	21.89	AUG 18, 1966

SITE NUMBER 332018117080401

LOCAL NUMBER 010S002W06F07S

ABOUT .50 MI WEST OF COUSER CANYON ROAD AND SOUTH OF HWY 76. DRILLED IRRIGATION WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 80 FT, PERFORATIONS 40-80 FT. ALTITUDE OF LSD 285 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	11.64 S	DEC 26, 1985	8.88 S
	HIGHEST	.65	AUG 24, 1982
	LOWEST	11.64	OCT 17, 1985

SITE NUMBER 331504116571901

LOCAL NUMBER 011S001W02F01S

ON RINCON INDIAN RESERVATION. DRILLED DOMESTIC WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 82 FT. ALTITUDE OF LSD 910 FT. RECORDS AVAILABLE 1971-72 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	16.12 S	DEC 27, 1985	17.37 S
	HIGHEST	10.69	FEB 11, 1985
	LOWEST	28.59	APR 25, 1972



WATER LEVELS, SAN DIEGO COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 331205116575601

LOCAL NUMBER 011S001W22R01S

ABOUT .30 MI WEST OF LAKE WOHLFORD ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 3 IN, DEPTH 27 FT. ALTITUDE OF LSD 1675 FT. RECORDS AVAILABLE 1967, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	12.59 S	DEC 27, 1985	7.28 S
	HIGHEST	2.67	MAR 22, 1979
	LOWEST	23.30	DEC 20, 1977

SITE NUMBER 324630117082701

LOCAL NUMBER 016S003W13Q04S

ABOUT 0.3 MI SOUTHWEST OF INTERSECTION OF FRIARS ROAD AND STADIUM WAY, NORTH OF UNIVERSITY HEIGHTS. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH 52.45 FT. ALTITUDE OF LSD 45 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 09, 1986	11.39 S		
	HIGHEST	11.39	APR 09, 1986
	LOWEST	14.86	AUG 25, 1981

SITE NUMBER 324005117012001

LOCAL NUMBER 017S001W30B01S

ABOUT 0.25 MI FROM SOUTHEAST CORNER OF BONITA AND CENTRAL AVENUES IN SUNNYSIDE. DRILLED UNUSED WATER-TABLE WELL IN ALLUVIUM. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 85 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 09, 1986	9.92 S		
	HIGHEST	7.02	MAR 11, 1983
	LOWEST	12.83	AUG 25, 1981

SITE NUMBER 323530117050701

LOCAL NUMBER 018S002W21H03S

ABOUT 0.25 MI SOUTH OF MAIN STREET NEAR INTERSTATE 5, EAST OF IMPERIAL BEACH. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM. DIAM 13 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 12 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 09, 1986	7.60 S		
	HIGHEST	7.52	MAR 11, 1983
	LOWEST	11.03	DEC 07, 1978

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SAN JOAQUIN COUNTY

	<u>Page</u>
LOCAL NUMBER 002N004E02L01M.....	198
LOCAL NUMBER 002N004E02L02M.....	199
LOCAL NUMBER 002N004E02L03M.....	200
LOCAL NUMBER 002N004E02L04M.....	201
LOCAL NUMBER 002N005E28F01M.....	202
LOCAL NUMBER 002N005E28F02M.....	203
LOCAL NUMBER 002N005E28F03M.....	204
LOCAL NUMBER 002N005E28F04M.....	205




Figure 14. Index map to location of wells in San Joaquin County.

WATER LEVELS, SAN JOAQUIN COUNTY  
WELL DESCRIPTIONS AND WATER LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 380250121301601

LOCAL NUMBER 002N004E02L01M

ABOUT 12 MI NORTHWEST OF STOCKTON, ALONG THE STOCKTON DEEP WATER SHIP CHANNEL. DRILLED WATER-TABLE OBSERVATION WELL IN FLOOD-BASIN DEPOSITS. DIAM 3 IN, DEPTH 57 FT, PERFORATED 52-57 FT. ALTITUDE OF LSD 7.15 FT. MEASURED BY U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1983 TO CURRENT YEAR. RECORDER INSTALLED 1983.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	14.71	14.46	13.91	13.65	13.04	12.81	13.04	---	14.38	14.88	14.76	15.12
2	14.65	14.36	13.36	13.50	12.78	12.76	13.16	---	14.65	15.00	14.75	14.98
3	14.60	14.33	13.51	13.45	12.78	12.75	13.17	---	14.90	14.96	14.73	14.92
4	14.42	14.36	13.67	13.28	12.88	12.76	13.26	---	14.97	14.84	14.64	14.90
5	14.34	14.45	13.53	13.07	13.04	12.72	13.45	---	14.92	14.89	14.58	14.82
6	14.27	14.70	13.69	13.16	13.21	12.82	13.68	---	14.87	14.70	14.56	14.75
7	14.39	14.71	13.65	13.30	13.44	13.03	13.91	---	14.80	14.71	14.57	14.70
8	14.58	14.63	13.60	13.43	13.65	12.91	13.99	---	14.74	14.43	14.54	14.66
9	14.78	14.65	13.68	13.51	13.87	13.37	13.97	14.59	14.64	14.32	14.54	14.60
10	14.94	14.47	13.68	13.72	13.98	13.06	---	14.39	14.54	14.44	14.48	14.52
11	14.99	14.59	13.82	13.96	13.98	12.94	---	14.38	14.22	14.43	14.42	14.62
12	15.02	14.66	13.96	13.99	13.85	12.90	---	14.34	14.14	14.38	14.35	14.60
13	15.03	14.84	---	13.82	13.51	12.83	---	14.22	14.04	14.26	14.41	14.85
14	15.03	14.76	13.99	13.60	13.33	12.96	---	14.12	14.12	14.25	14.52	15.03
15	14.93	14.60	13.88	13.45	12.82	12.88	---	14.04	14.19	14.27	14.72	15.23
16	14.71	14.38	13.76	13.33	12.93	12.79	---	14.19	14.35	14.57	14.76	15.23
17	14.50	14.24	13.65	13.29	12.53	12.92	---	14.18	14.66	14.90	14.93	15.15
18	14.24	14.32	13.64	13.24	12.33	13.16	---	14.22	14.95	14.97	14.95	15.07
19	14.23	14.53	13.62	13.09	11.87	13.23	---	14.39	15.14	14.95	14.97	14.95
20	14.27	14.66	13.59	13.09	11.91	13.19	---	14.63	15.06	14.92	14.84	14.90
21	14.20	14.68	13.59	13.18	11.88	13.20	---	14.96	14.92	14.63	14.76	14.77
22	14.57	14.70	13.60	13.26	12.16	13.30	---	15.15	14.72	14.34	14.70	14.65
23	14.76	14.71	13.59	13.37	12.50	13.45	---	15.05	14.45	14.39	14.66	14.37
24	14.85	14.45	13.66	13.54	12.75	13.65	---	14.88	14.20	14.38	14.54	14.25
25	14.92	14.31	13.69	13.73	12.75	13.87	---	14.69	14.10	14.38	14.42	14.41
26	14.93	14.45	13.71	13.86	12.82	13.90	---	14.44	14.10	14.38	14.42	14.65
27	14.91	14.53	13.82	13.86	12.85	13.80	---	14.26	14.16	14.37	14.49	14.79
28	14.84	14.30	13.90	13.79	12.86	13.62	---	14.13	14.24	14.33	14.65	15.03
29	14.76	13.82	13.89	13.60	---	13.32	---	14.08	14.43	14.50	14.89	15.13
30	14.67	14.16	13.76	13.39	---	13.30	---	13.98	14.65	14.75	15.06	15.18
31	14.58	---	13.75	13.17	---	13.19	---	14.11	---	14.75	15.16	---
MAX	15.03	14.84	13.99	13.99	13.98	13.90	---	15.15	15.14	15.00	15.16	15.23
MIN	14.20	13.82	13.36	13.07	11.87	12.72	---	13.98	14.04	14.25	14.35	14.25

HIGHEST 11.57 DEC 27, 1983

LOWEST 15.23 SEP 15, 1986 SEP 16, 1986

## WATER LEVELS, SAN JOAQUIN COUNTY--Continued

## WELL DESCRIPTIONS AND WATER LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 380250121301602

LOCAL NUMBER 002N004E02L02M

ABOUT 12 MI NORTHWEST OF STOCKTON, ALONG THE STOCKTON DEEP WATER SHIP CHANNEL. DRILLED WATER-TABLE OBSERVATION WELL IN FLOOD-BASIN DEPOSITS. DIAM 3 IN, DEPTH 32 FT, PERFORATED 27-32 FT. ALTITUDE OF LSD 7.15 FT. MEASURED BY U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1983 TO CURRENT YEAR. RECORDER INSTALLED 1983.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	15.42	15.35	14.79	---	14.04	13.75	---	---	15.49	15.74	15.55	15.89
2	15.40	15.32	14.40	---	13.91	13.75	---	---	15.65	15.76	15.49	15.69
3	15.40	15.35	14.48	---	13.94	13.79	---	---	15.75	15.63	15.42	15.68
4	15.36	15.39	14.68	---	14.04	13.86	---	---	15.76	15.47	15.34	15.64
5	15.33	15.45	14.58	---	14.19	13.91	---	---	15.65	15.49	15.33	15.59
6	15.30	15.63	14.71	---	14.30	14.00	---	---	15.60	15.38	15.34	15.55
7	15.36	15.65	14.67	---	14.47	14.17	---	---	15.54	15.40	15.38	15.51
8	15.50	15.57	14.62	---	14.59	14.03	---	---	15.51	15.15	15.39	15.50
9	15.62	15.58	14.67	---	14.67	14.31	---	15.31	15.43	15.04	15.37	15.55
10	15.73	15.42	14.64	---	14.72	14.01	---	15.18	15.39	15.33	15.37	15.67
11	15.72	15.47	14.70	---	14.73	13.87	---	15.16	15.14	15.36	15.40	15.84
12	15.68	15.48	14.77	14.71	14.64	13.82	---	15.15	15.04	15.36	15.46	15.76
13	15.67	15.56	14.79	14.59	14.40	13.76	---	15.06	14.94	15.30	15.55	15.91
14	15.66	15.52	14.74	14.41	14.26	13.89	---	15.00	15.07	15.36	15.61	15.95
15	15.56	15.42	14.65	14.33	13.88	13.82	---	14.96	15.26	15.45	15.68	15.97
16	15.41	15.30	14.60	14.30	13.99	13.79	---	15.16	15.44	15.64	15.42	15.92
17	15.28	15.24	14.59	14.31	13.71	13.92	---	15.26	15.58	15.85	15.44	15.86
18	15.18	15.34	14.61	14.29	13.54	14.14	---	15.34	15.76	15.75	15.42	15.76
19	15.21	15.52	14.64	14.20	13.17	14.24	---	15.45	15.79	15.68	15.40	15.71
20	15.29	15.62	14.64	14.20	13.18	14.25	---	15.57	15.67	15.59	15.36	15.63
21	15.23	15.63	14.64	14.27	13.11	14.30	---	15.75	15.51	15.39	15.30	15.60
22	15.49	15.65	14.64	14.33	13.28	14.41	---	15.93	15.39	15.18	15.28	15.55
23	15.62	15.64	14.61	14.40	13.52	14.54	---	15.83	15.21	15.27	15.22	15.49
24	15.67	15.42	14.67	14.54	13.72	14.67	---	15.70	15.01	15.30	15.17	15.51
25	15.71	15.28	14.70	14.63	13.70	14.74	---	15.53	14.95	15.31	15.15	15.69
26	15.67	15.36	14.70	14.65	13.72	14.75	---	15.38	14.98	15.34	15.20	15.87
27	15.63	15.39	14.70	14.63	13.74	---	---	15.22	15.07	15.42	15.23	15.93
28	15.55	15.19	14.70	14.54	13.76	---	---	15.14	15.23	15.48	15.30	16.04
29	15.52	14.83	14.68	14.40	---	---	---	15.11	15.44	15.59	15.84	15.98
30	15.44	15.00	14.55	14.24	---	---	---	15.16	15.62	15.77	15.94	15.89
31	15.40	---	---	14.10	---	---	---	15.28	---	15.66	15.95	---
MAX	15.73	15.65	14.79	14.71	14.73	14.75	---	15.93	15.79	15.85	15.95	16.04
MIN	15.18	14.83	14.40	14.10	13.11	13.75	---	14.96	14.94	15.04	15.15	15.49

HIGHEST 12.60 DEC 27, 1983  
 LOWEST 16.04 SEP 28, 1986

WATER LEVELS, SAN JOAQUIN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 380250121301603

LOCAL NUMBER 002N004E02L03M

ABOUT 12 MI NORTHWEST OF STOCKTON, ALONG THE STOCKTON DEEP WATER SHIP CHANNEL. DRILLED WATER-TABLE OBSERVATION WELL IN FLOOD-BASIN DEPOSITS. DIAM 3 IN, DEPTH 47 FT, PERFORATED 42-47 FT. ALTITUDE OF LSD -5.71 FT. MEASURED BY U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1983 TO CURRENT YEAR. RECORDER INSTALLED 1983.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	2.45	2.36	1.84	---	---	---	1.33	1.93	2.61	2.94	2.73	3.04
2	2.42	2.36	1.43	---	---	---	1.55	2.12	2.78	2.97	2.70	2.86
3	2.43	2.38	1.54	---	---	---	1.67	2.34	2.90	2.80	2.64	2.78
4	2.41	2.43	1.72	---	---	---	1.83	2.53	2.95	2.64	2.56	2.76
5	2.41	2.52	1.62	---	---	---	1.98	2.57	2.85	2.67	2.54	2.71
6	2.44	2.73	1.77	---	---	---	2.10	2.50	2.79	2.52	2.54	2.67
7	2.52	2.78	1.75	---	---	---	2.20	2.54	2.74	2.54	2.57	2.63
8	2.68	2.70	1.71	---	---	---	2.25	2.68	2.69	2.27	2.57	2.62
9	2.78	2.70	1.77	---	---	---	2.21	2.65	2.60	2.18	2.57	2.66
10	2.87	2.52	1.75	---	---	---	2.10	2.51	2.53	2.39	2.56	2.75
11	2.87	2.54	1.81	---	---	---	1.99	2.51	2.25	2.41	2.56	2.90
12	2.81	2.54	1.85	---	---	---	1.81	2.48	2.15	2.40	2.59	2.89
13	2.82	2.63	1.83	---	---	---	2.00	2.38	2.09	2.32	2.67	3.08
14	2.71	2.57	---	---	---	1.04	1.96	2.27	2.24	2.42	2.73	3.11
15	2.61	2.45	---	---	---	0.93	1.83	2.23	2.44	2.53	2.83	3.17
16	2.41	2.34	---	---	---	0.90	1.84	2.40	2.64	2.78	2.74	3.12
17	2.27	2.27	---	---	---	1.03	1.90	2.42	2.81	2.99	2.87	3.04
18	2.18	2.36	---	---	---	1.27	2.01	2.42	2.97	2.88	2.89	2.96
19	2.25	2.62	---	---	---	1.38	2.18	2.51	3.02	2.80	2.91	2.88
20	2.36	2.73	---	---	---	1.39	2.33	2.69	2.88	2.77	2.82	2.84
21	2.30	2.75	---	---	---	1.44	2.37	2.93	2.71	2.52	2.77	2.77
22	2.61	2.74	---	---	---	1.56	2.28	3.16	2.56	2.28	2.74	2.70
23	2.74	2.74	---	---	---	1.69	2.31	3.11	2.35	2.37	2.70	2.60
24	2.77	2.50	---	---	---	1.81	2.26	2.95	2.18	2.38	2.62	2.56
25	2.81	2.33	---	---	---	1.91	2.15	2.76	2.09	2.41	2.59	2.71
26	2.76	2.41	---	---	---	1.90	2.10	2.58	2.11	2.44	2.63	2.92
27	2.70	2.45	---	---	---	1.81	2.04	2.41	2.21	2.52	2.70	3.01
28	2.64	2.24	---	---	---	1.64	1.90	2.32	2.41	2.55	2.81	3.20
29	2.54	1.84	---	---	---	1.44	1.79	2.28	2.63	2.70	3.02	3.23
30	2.46	2.04	---	---	---	1.44	1.83	2.26	2.81	2.88	3.11	3.20
31	2.40	---	---	---	---	1.40	---	2.40	---	2.81	3.11	---
MAX	2.87	2.78	---	---	---	1.91	2.37	3.16	3.02	2.99	3.11	3.23
MIN	2.18	1.84	---	---	---	0.90	1.33	1.93	2.09	2.18	2.54	2.56

HIGHEST    +.04    DEC 27, 1983  
LOWEST    3.23    SEP 29, 1986

## WATER LEVELS, SAN JOAQUIN COUNTY--Continued

## WELL DESCRIPTIONS AND WATER LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 380250121301604

LOCAL NUMBER 002N004E02L04M

ABOUT 12 MI NORTHWEST OF STOCKTON, ALONG THE STOCKTON DEEP WATER SHIP CHANNEL. DRILLED WATER-TABLE OBSERVATION WELL IN FLOOD-BASIN DEPOSITS. DIAM 3 IN, DEPTH 20 FT, PERFORATED 15-20 FT. ALTITUDE OF LSD -5.71 FT. MEASURED BY U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1983 TO CURRENT YEAR. RECORDER INSTALLED 1983.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	---	---	2.58	2.18	1.97	2.49	2.99	3.45	3.77	3.48	3.91
2	---	---	---	2.56	2.10	1.98	2.67	3.09	3.59	3.75	3.46	3.78
3	---	---	---	2.52	2.14	2.04	2.73	3.25	3.65	3.66	3.43	3.75
4	---	---	---	2.41	2.22	2.13	2.84	3.39	3.67	3.52	3.34	3.75
5	---	---	---	2.27	2.33	2.17	2.96	3.41	3.63	3.54	3.43	3.72
6	---	---	---	2.30	2.46	2.23	3.02	3.37	3.60	3.48	3.46	3.71
7	---	---	---	2.47	2.56	2.34	3.08	3.41	3.50	3.50	3.49	3.68
8	---	---	---	2.53	2.67	2.23	3.13	3.35	3.48	3.20	3.50	3.69
9	---	---	---	2.55	2.70	2.40	3.10	3.33	3.44	3.12	3.52	3.70
10	---	---	---	2.63	2.76	2.19	3.02	3.26	3.40	3.33	3.54	3.76
11	---	---	---	2.68	2.78	2.09	2.97	3.27	3.18	3.37	3.54	3.85
12	---	---	---	2.69	2.71	2.05	2.85	3.25	3.04	3.41	3.57	3.82
13	---	---	---	2.58	2.53	2.00	2.99	3.16	2.93	3.39	3.61	3.91
14	---	---	2.71	2.49	2.47	2.15	2.98	3.11	3.10	3.43	3.64	3.96
15	---	---	2.63	2.39	2.11	2.05	2.89	3.10	3.28	3.49	3.68	4.03
16	---	---	2.59	2.42	2.20	2.03	2.88	3.28	3.44	3.65	3.51	4.02
17	---	---	2.61	2.43	1.99	2.14	2.93	3.32	3.63	3.80	3.66	3.96
18	---	---	2.63	2.43	1.86	2.34	3.04	3.32	3.74	3.64	3.70	3.92
19	---	---	2.64	2.32	1.53	2.44	3.16	3.33	3.80	3.57	3.74	3.88
20	---	---	2.64	2.32	1.54	2.50	3.25	3.44	3.71	3.60	3.70	3.86
21	---	---	2.65	2.38	1.49	2.53	3.27	3.67	3.57	3.39	3.68	3.82
22	---	---	2.63	2.44	1.58	2.63	3.19	3.90	3.48	3.22	3.66	3.75
23	---	---	2.59	2.48	1.78	2.69	3.21	3.90	3.32	3.32	3.61	3.65
24	---	---	2.68	2.56	1.93	2.76	3.19	3.77	3.19	3.35	3.54	3.59
25	---	---	2.69	2.65	1.89	2.83	3.11	3.66	3.13	3.37	3.51	3.67
26	---	---	2.69	2.66	1.91	2.83	3.08	3.50	3.16	3.43	3.56	3.81
27	---	---	2.70	2.63	1.94	2.76	3.01	3.35	3.24	3.49	3.58	3.86
28	---	---	2.71	2.56	1.96	2.68	2.93	3.28	3.36	3.49	3.63	4.01
29	---	---	2.70	2.47	---	2.54	2.89	3.26	3.56	3.56	3.86	4.04
30	---	---	2.60	2.31	---	2.54	2.91	3.25	3.67	3.67	3.94	4.03
31	---	---	2.59	2.21	---	2.52	---	3.35	---	3.54	3.95	---
MAX	---	---	2.71	2.69	2.78	2.83	3.27	3.90	3.80	3.80	3.95	4.04
MIN	---	---	2.59	2.21	1.49	1.97	2.49	2.99	2.93	3.12	3.34	3.59

HIGHEST .88 DEC 27, 1983  
 LOWEST 4.04 SEP 29, 1986

WATER LEVELS, SAN JOAQUIN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 375942121260101

LOCAL NUMBER 002N005E28F01M

ABOUT 7 MI NORTHWEST OF STOCKTON, ALONG THE STOCKTON DEEP WATER SHIP CHANNEL. DRILLED WATER-TABLE OBSERVATION WELL IN FLOOD-BASIN DEPOSITS. DIAM 3 IN, DEPTH 50 FT, PERFORATED 45-50 FT. ALTITUDE OF LSD 2.66 FT. MEASURED BY U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1983 TO CURRENT YEAR. RECORDER INSTALLED 1983 TO JUNE 1986.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	7.58	7.85	7.49	7.70	7.51	6.83	7.11	7.84	7.62	---	---	---
2	7.65	7.90	7.41	7.76	7.49	6.92	7.32	7.94	7.61	---	---	---
3	7.75	7.92	7.24	7.86	7.50	7.04	7.55	7.96	7.56	---	---	---
4	7.80	7.93	7.52	7.98	7.51	7.21	7.62	7.99	7.58	---	---	---
5	7.74	7.88	7.57	7.81	7.63	7.30	7.62	7.99	7.50	---	---	---
6	7.61	8.08	7.62	7.81	7.57	7.30	7.57	7.80	7.50	---	---	---
7	7.49	8.11	7.65	7.86	7.61	7.29	7.56	7.83	7.51	---	---	---
8	7.60	7.98	7.53	7.89	7.60	7.02	7.59	7.81	7.57	---	---	---
9	7.62	7.86	7.50	7.86	7.62	6.93	7.54	7.79	7.60	---	---	---
10	7.75	7.75	7.44	7.85	7.74	6.82	7.46	7.66	7.69	---	---	---
11	7.78	7.70	7.38	7.90	7.77	6.41	7.39	7.65	7.55	---	---	---
12	7.73	7.73	7.40	8.01	7.77	6.39	7.26	7.70	7.59	---	---	---
13	7.79	7.84	7.44	7.98	7.52	6.42	7.40	7.68	7.66	---	---	---
14	7.85	7.91	7.48	7.89	7.54	6.51	7.54	7.66	7.71	---	---	---
15	7.84	7.90	7.54	7.82	7.01	6.56	7.47	7.70	7.84	---	---	---
16	7.75	7.87	7.64	7.93	7.02	6.56	7.57	7.90	---	---	---	---
17	7.67	7.84	7.79	7.97	6.93	6.72	7.68	8.08	---	---	---	---
18	7.63	7.87	7.92	8.07	6.49	7.06	7.88	8.13	---	---	---	---
19	7.64	8.22	8.03	7.97	6.00	7.26	8.02	8.02	---	---	---	---
20	7.71	8.34	8.06	7.85	5.80	7.33	8.06	7.90	---	---	---	---
21	7.54	8.32	8.03	7.92	5.60	7.36	7.95	7.80	---	---	---	---
22	7.74	8.27	8.00	7.94	5.72	7.39	7.72	7.76	---	---	---	---
23	7.86	8.22	7.92	7.91	6.06	7.37	7.59	7.65	---	---	---	---
24	7.89	8.02	7.89	7.95	6.32	7.37	7.58	7.52	---	---	---	---
25	7.93	7.63	7.82	7.99	6.46	7.36	7.46	7.48	---	---	---	---
26	7.90	7.61	7.77	8.02	6.55	7.35	7.45	7.45	---	---	---	---
27	7.88	7.70	7.71	7.99	6.59	7.27	7.51	7.48	---	---	---	---
28	7.81	7.62	7.71	7.92	6.71	7.15	7.49	7.55	---	---	---	---
29	7.78	7.30	7.71	7.82	---	7.02	7.49	7.65	---	---	---	---
30	7.77	7.21	7.61	7.66	---	6.98	7.70	7.69	---	---	---	---
31	7.80	---	7.60	7.58	---	7.08	---	7.65	---	---	---	---
MAX	7.93	8.34	8.06	8.07	7.77	7.39	8.06	8.13	---	---	---	---
MIN	7.49	7.21	7.24	7.58	5.60	6.39	7.11	7.45	---	---	---	---

HIGHEST 5.60 FEB 21, 1986  
LOWEST 9.11 JUL 18, 1983



WATER LEVELS, SAN JOAQUIN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 375942121260102

LOCAL NUMBER 002N005E28F02M

ABOUT 7 MI NORTHWEST OF STOCKTON, ALONG THE STOCKTON DEEP WATER SHIP CHANNEL. DRILLED WATER-TABLE OBSERVATION WELL IN FLOOD-BASIN DEPOSITS. DIAM 3 IN, DEPTH 20 FT, PERFORATED 15-20 FT. ALTITUDE OF LSD 2.66 FT. MEASURED BY U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1983 TO CURRENT YEAR. RECORDER INSTALLED 1983 TO JUNE 1986.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	9.71	9.67	9.31	9.31	9.02	8.84	8.87	9.34	9.67	---	---	---
2	9.68	9.58	9.02	9.27	8.88	8.80	9.05	9.53	9.89	---	---	---
3	9.64	9.54	9.13	9.27	8.92	8.77	9.15	9.76	9.98	---	---	---
4	9.53	9.52	9.20	9.29	9.01	8.79	9.29	10.03	10.02	---	---	---
5	9.50	9.58	9.20	9.15	9.15	8.83	9.53	10.06	9.94	---	---	---
6	9.46	9.76	9.30	9.26	9.28	8.94	9.67	9.97	9.87	---	---	---
7	9.58	9.82	9.32	9.37	9.50	9.13	9.68	10.00	9.81	---	---	---
8	9.73	9.73	9.30	9.46	9.64	9.02	9.69	9.92	9.74	---	---	---
9	9.89	9.74	9.34	9.60	9.71	9.26	9.66	9.94	9.68	---	---	---
10	10.04	9.63	9.33	9.77	9.75	8.97	9.56	9.78	9.61	---	---	---
11	10.11	9.73	9.43	9.90	9.69	8.83	9.47	9.73	9.40	---	---	---
12	10.07	9.78	9.55	9.90	9.61	8.80	9.28	9.70	9.42	---	---	---
13	10.08	9.89	9.58	9.73	9.29	8.74	9.44	9.62	9.39	---	---	---
14	10.09	9.82	9.55	9.58	9.15	8.81	9.41	9.55	9.38	---	---	---
15	9.99	9.66	9.45	9.43	8.73	8.73	9.32	9.49	9.50	---	---	---
16	9.79	9.51	9.38	9.36	8.79	8.65	9.33	9.52	---	---	---	---
17	9.67	9.43	9.38	9.35	8.51	8.72	9.33	9.62	---	---	---	---
18	9.46	9.52	9.42	9.34	8.40	8.94	9.43	9.67	---	---	---	---
19	9.47	9.75	9.44	9.24	8.07	9.00	9.58	9.83	---	---	---	---
20	9.52	9.86	9.45	9.25	8.17	8.99	9.71	10.01	---	---	---	---
21	9.46	9.88	9.46	9.36	8.14	9.04	9.85	10.09	---	---	---	---
22	9.73	9.89	9.46	9.44	8.38	9.16	9.81	10.10	---	---	---	---
23	9.85	9.90	9.47	9.55	8.63	9.33	9.80	9.96	---	---	---	---
24	9.94	9.69	9.48	9.71	8.81	9.45	9.73	9.77	---	---	---	---
25	10.00	9.57	9.50	9.85	8.89	9.52	9.60	9.64	---	---	---	---
26	10.02	9.66	9.51	9.86	8.94	9.53	9.52	9.45	---	---	---	---
27	10.03	9.68	9.59	9.84	8.92	9.40	9.47	9.35	---	---	---	---
28	9.92	9.50	9.61	9.75	8.89	9.24	9.35	9.30	---	---	---	---
29	9.86	9.07	9.59	9.62	---	9.01	9.27	9.25	---	---	---	---
30	9.80	9.34	9.41	9.40	---	9.00	9.24	9.27	---	---	---	---
31	9.72	---	9.37	9.16	---	8.97	---	9.43	---	---	---	---
MAX	10.11	9.90	9.61	9.90	9.75	9.53	9.85	10.10	---	---	---	---
MIN	9.46	9.07	9.02	9.15	8.07	8.65	8.87	9.25	---	---	---	---

HIGHEST 7.15 DEC 09, 1983  
LOWEST 10.34 MAY 27, 1984

WATER LEVELS, SAN JOAQUIN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 375942121260103

LOCAL NUMBER 002N005E28F03M

ABOUT 7 MI NORTHWEST OF STOCKTON, ALONG THE STOCKTON DEEP WATER SHIP CHANNEL. DRILLED WATER-TABLE OBSERVATION WELL IN FLOOD-BASIN DEPOSITS. DIAM 3 IN, DEPTH 35 FT, PERFORATED 30-35 FT. ALTITUDE OF LSD -4.01 FT. MEASURED BY U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1983 TO CURRENT YEAR. RECORDER INSTALLED 1983 TO JUNE 1986.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	3.20	3.16	2.81	2.77	2.51	2.30	2.49	3.47	3.29	---	---	---
2	3.15	3.07	2.55	2.75	2.39	2.26	2.59	3.49	3.08	---	---	---
3	3.11	3.04	2.63	2.76	2.44	2.24	2.60	3.44	2.97	---	---	---
4	3.03	3.01	2.71	2.78	2.53	2.30	2.63	3.48	2.99	---	---	---
5	3.01	3.09	2.71	2.65	2.66	2.35	2.74	3.42	3.10	---	---	---
6	2.98	3.27	2.79	2.75	2.79	2.47	2.84	---	3.26	---	---	---
7	3.08	3.33	2.81	2.86	2.98	2.64	3.02	---	3.49	---	---	---
8	3.24	3.25	2.78	2.95	3.09	2.54	3.22	---	3.57	---	---	---
9	3.40	3.25	2.83	3.08	3.18	2.73	3.28	3.33	3.52	---	---	---
10	3.54	3.14	2.83	3.25	3.20	2.47	3.24	3.14	3.43	---	---	---
11	3.59	3.24	2.92	3.34	3.14	2.30	3.17	3.02	3.15	---	---	---
12	3.54	3.28	3.00	3.34	3.05	2.28	3.02	2.95	3.08	---	---	---
13	3.55	3.36	3.00	3.20	2.76	2.24	3.22	2.80	2.98	---	---	---
14	3.55	3.29	2.97	3.01	2.63	2.28	3.17	2.76	2.91	---	---	---
15	3.46	3.15	2.89	2.88	2.21	2.23	3.42	2.80	2.96	---	---	---
16	3.28	3.00	2.83	2.84	2.27	2.14	3.47	3.09	---	---	---	---
17	3.15	2.95	2.85	2.83	2.03	2.22	3.44	3.29	---	---	---	---
18	2.94	3.03	2.89	2.82	1.92	2.43	3.41	3.33	---	---	---	---
19	2.99	3.27	2.94	2.75	1.61	2.50	3.32	3.19	---	---	---	---
20	3.03	3.37	2.94	2.76	1.73	2.50	3.15	3.02	---	---	---	---
21	2.98	3.38	2.94	2.85	1.71	2.52	2.98	2.80	---	---	---	---
22	3.24	3.39	2.95	2.94	1.90	2.62	2.83	2.75	---	---	---	---
23	3.35	3.40	2.95	3.03	2.15	2.77	2.61	2.67	---	---	---	---
24	3.45	3.20	2.96	3.19	2.30	2.89	2.85	2.72	---	---	---	---
25	3.51	3.07	2.97	3.30	2.39	2.98	2.73	2.82	---	---	---	---
26	3.52	3.16	2.98	3.31	2.44	3.01	2.65	2.98	---	---	---	---
27	3.52	3.17	3.02	3.29	2.43	2.94	2.73	3.12	---	---	---	---
28	3.39	2.99	3.05	3.21	2.39	2.82	2.82	3.03	---	---	---	---
29	3.35	2.60	3.03	3.07	---	2.60	3.00	3.51	---	---	---	---
30	3.28	2.84	2.85	2.86	---	2.59	3.20	3.49	---	---	---	---
31	3.23	---	2.81	2.62	---	2.58	---	3.40	---	---	---	---
MAX	3.59	3.40	3.05	3.34	3.20	3.01	3.47	3.51	---	---	---	---
MIN	2.94	2.60	2.55	2.62	1.61	2.14	2.49	2.67	---	---	---	---

HIGHEST .76 DEC 09, 1983  
LOWEST 3.89 APR 28, 1984 APR 29, 1984

WATER LEVELS, SAN JOAQUIN COUNTY--Continued  
WELL DESCRIPTIONS AND WATER LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 375942121260104

LOCAL NUMBER 002N005E28F04M

ABOUT 7 MI NORTHWEST OF STOCKTON, ALONG THE STOCKTON DEEP WATER SHIP CHANNEL, DRILLED WATER-TABLE OBSERVATION WELL IN FLOOD-BASIN DEPOSITS. DIAM 3 IN, DEPTH 15 FT, PERFORATED 10-15 FT. ALTITUDE OF LSD -4.01. MEASURED BY U.S. GEOLOGICAL SURVEY. RECORDS AVAILABLE 1983 TO CURRENT YEAR, RECORDER INSTALLED 1983 TO JUNE 1986.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	3.09	3.05	2.75	2.62	---	---	---	---	3.01	---	---	---
2	3.06	2.96	2.47	2.83	---	---	---	---	3.21	---	---	---
3	3.02	2.94	2.54	3.13	---	---	---	---	3.36	---	---	---
4	2.92	2.97	2.60	3.21	---	---	---	---	3.42	---	---	---
5	2.90	3.06	2.58	3.27	---	---	---	---	3.34	---	---	---
6	2.89	3.26	2.63	3.32	---	---	---	---	3.29	---	---	---
7	3.01	3.31	2.60	3.31	---	---	---	---	3.24	---	---	---
8	3.18	3.23	2.55	2.45	---	---	---	---	3.03	---	---	---
9	3.30	3.29	2.55	3.01	---	---	---	3.24	3.00	---	---	---
10	3.45	3.21	2.50	---	---	---	---	3.10	2.93	---	---	---
11	3.50	3.26	2.54	---	---	---	---	3.06	2.76	---	---	---
12	3.47	3.23	2.57	---	---	---	---	3.04	2.77	---	---	---
13	3.47	3.27	2.70	---	---	---	---	2.95	2.75	---	---	---
14	3.46	3.17	2.83	---	---	---	---	2.89	2.75	---	---	---
15	3.35	2.98	2.97	---	---	---	---	2.84	2.87	---	---	---
16	3.17	2.89	3.04	---	---	---	---	2.90	---	---	---	---
17	3.05	2.87	3.06	---	---	---	---	2.98	---	---	---	---
18	2.87	3.01	3.05	---	---	---	---	3.07	---	---	---	---
19	2.87	3.28	2.98	---	---	---	---	3.23	---	---	---	---
20	2.93	3.39	2.89	---	---	---	---	3.40	---	---	---	---
21	2.90	3.44	2.84	---	---	---	---	3.46	---	---	---	---
22	3.18	3.24	2.80	---	---	---	---	3.45	---	---	---	---
23	3.26	3.26	2.72	---	---	---	---	3.30	---	---	---	---
24	3.35	3.05	2.63	---	---	---	---	3.17	---	---	---	---
25	3.41	2.90	2.57	---	---	---	---	3.02	---	---	---	---
26	3.43	3.01	2.48	---	---	---	---	2.85	---	---	---	---
27	3.43	3.09	2.45	---	---	---	---	2.76	---	---	---	---
28	3.31	2.90	2.44	---	---	---	---	2.71	---	---	---	---
29	3.27	2.53	2.39	---	---	---	---	2.67	---	---	---	---
30	3.20	2.78	2.34	---	---	---	---	2.67	---	---	---	---
31	3.11	---	2.49	---	---	---	---	2.81	---	---	---	---
MAX	3.50	3.44	3.06	---	---	---	---	3.46	---	---	---	---
MIN	2.87	2.53	2.34	---	---	---	---	2.67	---	---	---	---

HIGHEST .63 DEC 09, 1983  
LOWEST 3.84 APR 29, 1984

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SAN LUIS OBISPO COUNTY

	<u>Page</u>
LOCAL NUMBER 010N025W17K01S.....	208
LOCAL NUMBER 010N025W20H01S.....	208
LOCAL NUMBER 010N025W22E01S.....	210
LOCAL NUMBER 010N025W23E01S.....	208
LOCAL NUMBER 010N026W04R01S.....	208
LOCAL NUMBER 010N036W02Q01S.....	210
LOCAL NUMBER 010N036W02Q03S.....	210
LOCAL NUMBER 010N036W02Q04S.....	210
LOCAL NUMBER 010N036W02Q07S.....	209, 210
LOCAL NUMBER 011N036W35J02S.....	210
LOCAL NUMBER 011N036W35J03S.....	210
LOCAL NUMBER 011N036W35J04S.....	210
LOCAL NUMBER 011N036W35J05S.....	210




Figure 15.--Index map to location of wells in San Luis Obispo County.

WATER LEVELS, SAN LUIS OBISPO COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345644119341501

LOCAL NUMBER 010N025W17K01S

EAST OF CUYAMA, NORTH OF HWY 166. DRILLED UNUSED WATER-TABLE WELL. DIAM 16 IN, DEPTH DRILLED 304 FT. ALTITUDE OF LSD 2310 FT. RECORDS AVAILABLE 1947, 1955, 1966, 1968, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 12, 1986	196.37 S
HIGHEST	49.10 OCT 23, 1947
LOWEST	217.74 DEC 11, 1968

SITE NUMBER 345604119340001

LOCAL NUMBER 010N025W20H01S

ABOUT 1.4 MI EAST OF CUYAMA NEAR HWY 166. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 10 IN, DEPTH 656 FT IN 1946, PERFORATED 108-656 FT. ALTITUDE OF LSD 2335 FT. RECORDS AVAILABLE 1946-47, 1956, 1961, 1966, 1968, 1979-81, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 12, 1986	301.38 S
HIGHEST	59.00 JUL 08, 1946
LOWEST	336.49 APR 26, 1979

SITE NUMBER 345612119313001

LOCAL NUMBER 010N025W23E01S

ABOUT 5 MI EAST OF CUYAMA. DRILLED WATER-TABLE WELL. DIAM 16 IN, DEPTH DRILLED 810 FT, PERFORATED 175-810 FT. ALTITUDE OF LSD 2385 FT. RECORDS AVAILABLE 1947-48, 1953, 1955, 1966, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 11, 1986	352.67 S
HIGHEST	106.10 FEB 10, 1947
LOWEST	364.95 APR 22, 1983

SITE NUMBER 345822119391801

LOCAL NUMBER 010N026W04R01S

ABOUT 3.15 MI NORTHWEST OF CUYAMA. DRILLED DOMESTIC WELL. DIAM 16 IN, DEPTH 238 FT, PERFORATED 108-232 FT. ALTITUDE OF LSD 2116 FT. RECORDS AVAILABLE 1947, 1955, 1957 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 12, 1986	80.78 S
HIGHEST	18.60 APR 13, 1955
LOWEST	80.78 APR 12, 1986

## WATER LEVELS, SAN LUIS OBISPO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345823120383907

LOCAL NUMBER 010N036W02Q07S

WEST OF GUADALUPE. DRILLED UNUSED WELL. DIAM 2 IN, DEPTH 47 FT, PERFORATED 18.5-46.5 FT.  
ALTITUDE OF LSD 15.2 FT. RECORDS AVAILABLE 1962 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
OCT 16, 1985	4.13 S	
	HIGHEST	3.83 OCT 16, 1981
	LOWEST	8.8 JUN 03, 1970

## WATER QUALITY, SAN LUIS OBISPO COUNTY

## INORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE (DEG C)	HARD- NESS (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO3)	CALCIUM DIS- SOLVED (MG/L AS CA)
010N025W22E01S	07-14-86	1115	--	2100	7.30	19.0	1200	1000	280
010N036W02Q01S	10-16-85	1100	--	1100	7.50	22.0	510	310	120
010N036W02Q03S	10-16-85	1415	--	990	7.50	20.0	440	240	100
010N036W02Q04S	10-16-85	1440	--	960	7.50	19.0	440	240	99
010N036W02Q07S	10-16-85	1350	4.10	1110	7.50	16.5	400	150	96
011N036W35J02S	10-16-85	1100	--	1070	7.40	20.5	480	270	110
011N036W35J03S	10-16-85	1130	--	1600	7.40	18.0	780	540	190
011N036W35J04S	10-16-85	1015	--	1830	7.30	17.0	920	640	220
011N036W35J05S	10-16-85	1200	--	1460	7.40	17.0	690	460	170

LOCAL NUMBER	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)	SODIUM, DIS- SOLVED (MG/L AS NA)	PERCENT SODIUM	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WH WAT TOTAL FIELD (MG/L AS CACO3)	CARBON DIOXIDE DIS- SOLVED (MG/L AS CO2)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)
010N025W22E01S	110	96	15	1	4.3	a147	14	1100	29
010N036W02Q01S	51	55	19	1	2.9	203	12	360	29
010N036W02Q03S	47	50	20	1	2.7	203	12	320	23
010N036W02Q04S	47	50	20	1	2.6	199	12	290	22
010N036W02Q07S	39	77	29	2	3.4	250	15	130	150
011N036W35J02S	49	59	21	1	3.0	209	16	340	29
011N036W35J03S	73	89	20	1	3.6	234	18	600	66
011N036W35J04S	89	94	18	1	3.8	274	27	710	80
011N036W35J05S	65	69	18	1	3.2	234	18	530	54

LOCAL NUMBER	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, SUM OF CONSTI- TUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
010N025W22E01S	0.7	16	1700	9.50	0.01	210	30	<10
010N036W02Q01S	0.2	42	780	0.46	0.02	140	<3	<1
010N036W02Q03S	0.2	39	700	0.42	0.02	140	11	3
010N036W02Q04S	0.2	38	670	0.53	0.03	130	6	1
010N036W02Q07S	0.4	30	680	<0.10	0.20	160	1400	310
011N036W35J02S	0.2	41	760	0.49	0.03	150	<3	2
011N036W35J03S	0.4	32	1200	3.20	0.02	210	5	<1
011N036W35J04S	0.4	30	1400	2.50	0.03	220	9	2
011N036W35J05S	0.5	29	1100	1.00	0.04	200	13	35

a Result based on laboratory value.

&lt; Actual value is known to be less than the value shown.



## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SANTA BARBARA COUNTY

	<u>Page</u>
LOCAL NUMBER 004N025W19F04S.....	217
LOCAL NUMBER 004N025W19H01S.....	217
LOCAL NUMBER 004N025W19J05S.....	217
LOCAL NUMBER 004N025W19M03S.....	217
LOCAL NUMBER 004N025W20K03S.....	218
LOCAL NUMBER 004N025W20L04S.....	218
LOCAL NUMBER 004N025W21N01S.....	218
LOCAL NUMBER 004N025W21N04S.....	219
LOCAL NUMBER 004N025W21R01S.....	219
LOCAL NUMBER 004N025W22R01S.....	219
LOCAL NUMBER 004N025W22R04S.....	220
LOCAL NUMBER 004N025W23P01S.....	220
LOCAL NUMBER 004N025W26A01S.....	220
LOCAL NUMBER 004N025W27F02S.....	221
LOCAL NUMBER 004N025W27G01S.....	221
LOCAL NUMBER 004N025W27R02S.....	221
LOCAL NUMBER 004N025W28F07S.....	222
LOCAL NUMBER 004N025W28F08S.....	222
LOCAL NUMBER 004N025W28F09S.....	222
LOCAL NUMBER 004N025W28F10S.....	223
LOCAL NUMBER 004N025W28J01S.....	223
LOCAL NUMBER 004N025W28M01S.....	223
LOCAL NUMBER 004N025W29D01S.....	224
LOCAL NUMBER 004N025W29D07S.....	224
LOCAL NUMBER 004N025W29L01S.....	224
LOCAL NUMBER 004N025W29R01S.....	225
LOCAL NUMBER 004N025W30D01S.....	225
LOCAL NUMBER 004N025W35E01S.....	225
LOCAL NUMBER 004N025W35E02S.....	226
LOCAL NUMBER 004N026W23A02S.....	226
LOCAL NUMBER 004N027W07D01S.....	289
LOCAL NUMBER 004N027W07G07S.....	289
LOCAL NUMBER 004N027W07H05S.....	289
LOCAL NUMBER 004N027W08R02S.....	226, 289
LOCAL NUMBER 004N027W09M01S.....	227
LOCAL NUMBER 004N027W14K02S.....	227
LOCAL NUMBER 004N027W14P01S.....	227
LOCAL NUMBER 004N027W14R01S.....	228
LOCAL NUMBER 004N027W15E01S.....	228
LOCAL NUMBER 004N027W15K01S.....	228
LOCAL NUMBER 004N027W16C01S.....	229
LOCAL NUMBER 004N027W16C02S.....	229
LOCAL NUMBER 004N027W16R01S.....	230, 289
LOCAL NUMBER 004N027W17J01S.....	230, 289
LOCAL NUMBER 004N027W18Q04S.....	289
LOCAL NUMBER 004N027W21B01S.....	231
LOCAL NUMBER 004N027W22B02S.....	231, 289
LOCAL NUMBER 004N027W22B03S.....	231, 289
LOCAL NUMBER 004N027W22B04S.....	232, 289
LOCAL NUMBER 004N027W22B05S.....	232, 289
LOCAL NUMBER 004N027W23D01S.....	233, 289
LOCAL NUMBER 004N027W23E01S.....	233, 289
LOCAL NUMBER 004N027W23E02S.....	234, 289
LOCAL NUMBER 004N027W23E03S.....	234, 289
LOCAL NUMBER 004N027W23E04S.....	234, 289
LOCAL NUMBER 004N027W23E05S.....	289
LOCAL NUMBER 004N027W23E06S.....	289
LOCAL NUMBER 004N027W23F02S.....	289
LOCAL NUMBER 004N027W23F03S.....	292
LOCAL NUMBER 004N027W23F04S.....	292
LOCAL NUMBER 004N027W23F05S.....	292
LOCAL NUMBER 004N027W23F06S.....	292
LOCAL NUMBER 004N027W23F07S.....	292
LOCAL NUMBER 004N027W23H01S.....	235
LOCAL NUMBER 004N027W23H03S.....	235, 292

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SANTA BARBARA COUNTY--Continued

	<u>Page</u>
LOCAL NUMBER 004N027W23H04S.....	235
LOCAL NUMBER 004N028W01R01S.....	292
LOCAL NUMBER 004N028W02P03S.....	236
LOCAL NUMBER 004N028W12C02S.....	292
LOCAL NUMBER 004N028W12H03S.....	292
LOCAL NUMBER 004N028W12K02S.....	292
LOCAL NUMBER 004N028W12R03S.....	292
LOCAL NUMBER 004N028W16J05S.....	236
LOCAL NUMBER 004N030W01G01S.....	236
LOCAL NUMBER 005N029W01C01S.....	236
LOCAL NUMBER 005N029W31C01S.....	237
LOCAL NUMBER 005N030W19E01S.....	237
LOCAL NUMBER 005N030W28R01S.....	237
LOCAL NUMBER 005N030W30N02S.....	237
LOCAL NUMBER 005N031W35B01S.....	238
LOCAL NUMBER 006N029W05A01S.....	238
LOCAL NUMBER 006N029W06F01S.....	238
LOCAL NUMBER 006N029W06G01S.....	238
LOCAL NUMBER 006N029W07L01S.....	239
LOCAL NUMBER 006N029W08P01S.....	239
LOCAL NUMBER 006N029W08P02S.....	239, 292
LOCAL NUMBER 006N029W09J01S.....	239
LOCAL NUMBER 006N030W01R03S.....	240
LOCAL NUMBER 006N030W07G06S.....	240
LOCAL NUMBER 006N030W09N01S.....	240
LOCAL NUMBER 006N030W11G01S.....	240
LOCAL NUMBER 006N031W01P02S.....	241
LOCAL NUMBER 006N031W01P03S.....	241
LOCAL NUMBER 006N031W02K01S.....	241
LOCAL NUMBER 006N031W03A01S.....	241
LOCAL NUMBER 006N031W04A01S.....	242
LOCAL NUMBER 006N031W10F01S.....	242
LOCAL NUMBER 006N031W11D04S.....	242
LOCAL NUMBER 006N031W13D01S.....	242
LOCAL NUMBER 006N031W16N02S.....	243
LOCAL NUMBER 006N031W17F01S.....	243
LOCAL NUMBER 006N032W02Q01S.....	243
LOCAL NUMBER 006N032W06K01S.....	243
LOCAL NUMBER 006N032W11L03S.....	244
LOCAL NUMBER 006N032W16P03S.....	244
LOCAL NUMBER 006N032W18H01S.....	244
LOCAL NUMBER 006N034W01P01S.....	244
LOCAL NUMBER 006N034W06C01S.....	245
LOCAL NUMBER 007N029W28D01S.....	245
LOCAL NUMBER 007N029W29R01S.....	245
LOCAL NUMBER 007N029W29R02S.....	245
LOCAL NUMBER 007N030W16B01S.....	246
LOCAL NUMBER 007N030W19H01S.....	246
LOCAL NUMBER 007N030W19P01S.....	246
LOCAL NUMBER 007N030W22E01S.....	246
LOCAL NUMBER 007N030W24Q01S.....	247
LOCAL NUMBER 007N030W27H01S.....	247
LOCAL NUMBER 007N030W27Q01S.....	247
LOCAL NUMBER 007N030W29D01S.....	247
LOCAL NUMBER 007N030W29N02S.....	248
LOCAL NUMBER 007N030W30M01S.....	248
LOCAL NUMBER 007N030W32R01S.....	248
LOCAL NUMBER 007N030W33M01S.....	292
LOCAL NUMBER 007N030W33M02S.....	248
LOCAL NUMBER 007N030W34G01S.....	292
LOCAL NUMBER 007N030W35R01S.....	249
LOCAL NUMBER 007N031W22A03S.....	249
LOCAL NUMBER 007N031W23P01S.....	249
LOCAL NUMBER 007N031W34M01S.....	249
LOCAL NUMBER 007N031W35K01S.....	250

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SANTA BARBARA COUNTY--Continued

	<u>Page</u>
LOCAL NUMBER 007N031W36L02S.....	250
LOCAL NUMBER 007N032W07B01S.....	250
LOCAL NUMBER 007N032W31M01S.....	250
LOCAL NUMBER 007N033W17N02S.....	251
LOCAL NUMBER 007N033W19D01S.....	251
LOCAL NUMBER 007N033W21N01S.....	251, 292
LOCAL NUMBER 007N033W27G01S.....	251
LOCAL NUMBER 007N033W27J01S.....	252
LOCAL NUMBER 007N033W36J01S.....	252
LOCAL NUMBER 007N033W36J02S.....	252
LOCAL NUMBER 007N034W09H05S.....	252
LOCAL NUMBER 007N034W09H06S.....	253
LOCAL NUMBER 007N034W12E01S.....	253
LOCAL NUMBER 007N034W14F03S.....	253
LOCAL NUMBER 007N034W14L01S.....	253
LOCAL NUMBER 007N034W15D01S.....	254
LOCAL NUMBER 007N034W15D02S.....	254
LOCAL NUMBER 007N034W15E01S.....	254
LOCAL NUMBER 007N034W19C01S.....	254, 292, 300
LOCAL NUMBER 007N034W19C02S.....	255, 292, 300
LOCAL NUMBER 007N034W19C03S.....	255, 292, 300
LOCAL NUMBER 007N034W19C04S.....	255, 292, 300
LOCAL NUMBER 007N034W19E01S.....	255, 292, 300
LOCAL NUMBER 007N034W19F01S.....	256, 292, 300
LOCAL NUMBER 007N034W19F02S.....	256, 296, 300
LOCAL NUMBER 007N034W19F03S.....	256, 296, 300
LOCAL NUMBER 007N034W19J06S.....	296, 300
LOCAL NUMBER 007N034W20K04S.....	256
LOCAL NUMBER 007N034W20K06S.....	296
LOCAL NUMBER 007N034W20L03S.....	296
LOCAL NUMBER 007N034W20M02S.....	257
LOCAL NUMBER 007N034W20P03S.....	296
LOCAL NUMBER 007N034W24N01S.....	257
LOCAL NUMBER 007N034W27P05S.....	296
LOCAL NUMBER 007N034W29E04S.....	257
LOCAL NUMBER 007N034W30L03S.....	257
LOCAL NUMBER 007N034W31C02S.....	258
LOCAL NUMBER 007N034W35F02S.....	258
LOCAL NUMBER 007N035W17G01S.....	296
LOCAL NUMBER 007N035W17K01S.....	258
LOCAL NUMBER 007N035W17K20S.....	258, 296
LOCAL NUMBER 007N035W17M01S.....	259
LOCAL NUMBER 007N035W17Q06S.....	259, 296
LOCAL NUMBER 007N035W18H01S.....	259
LOCAL NUMBER 007N035W18J02S.....	259
LOCAL NUMBER 007N035W21G02S.....	260, 296
LOCAL NUMBER 007N035W22J01S.....	260
LOCAL NUMBER 007N035W22L01S.....	260
LOCAL NUMBER 007N035W22M01S.....	260
LOCAL NUMBER 007N035W23B02S.....	296
LOCAL NUMBER 007N035W23E02S.....	261
LOCAL NUMBER 007N035W23J05S.....	261
LOCAL NUMBER 007N035W25F05S.....	261
LOCAL NUMBER 007N035W25F06S.....	261
LOCAL NUMBER 007N035W25F07S.....	262
LOCAL NUMBER 007N035W26F04S.....	262, 296
LOCAL NUMBER 007N035W27F01S.....	262
LOCAL NUMBER 007N035W27H01S.....	262
LOCAL NUMBER 007N035W27P01S.....	263
LOCAL NUMBER 007N035W30G01S.....	263
LOCAL NUMBER 007N035W31J01S.....	263
LOCAL NUMBER 007N035W31M02S.....	263
LOCAL NUMBER 007N035W32N01S.....	264
LOCAL NUMBER 007N035W33J01S.....	264
LOCAL NUMBER 007N035W33J02S.....	264, 296

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SANTA BARBARA COUNTY--Continued

	<u>Page</u>
LOCAL NUMBER 007N035W33J03S.....	264
LOCAL NUMBER 007N035W33J04S.....	296
LOCAL NUMBER 007N035W35A03S.....	265
LOCAL NUMBER 007N035W36J03S.....	265
LOCAL NUMBER 008N031W23D01S.....	265
LOCAL NUMBER 008N031W25Q01S.....	265
LOCAL NUMBER 008N032W27H01S.....	296
LOCAL NUMBER 008N032W28F01S.....	266
LOCAL NUMBER 008N032W29L02S.....	266
LOCAL NUMBER 008N032W29L03S.....	296
LOCAL NUMBER 008N032W30D01S.....	266
LOCAL NUMBER 008N033W19G02S.....	296
LOCAL NUMBER 008N033W19K01S.....	266
LOCAL NUMBER 008N033W20Q02S.....	267
LOCAL NUMBER 008N033W20R01S.....	267
LOCAL NUMBER 008N033W22E01S.....	296
LOCAL NUMBER 008N033W23Q02S.....	267
LOCAL NUMBER 008N033W24B02S.....	296
LOCAL NUMBER 008N034W02M01S.....	267, 296
LOCAL NUMBER 008N034W09K01S.....	268
LOCAL NUMBER 008N034W14L01S.....	268
LOCAL NUMBER 008N034W15F02S.....	269
LOCAL NUMBER 008N034W15F04S.....	269
LOCAL NUMBER 008N034W16C05S.....	296
LOCAL NUMBER 008N034W16D02S.....	270
LOCAL NUMBER 008N034W16F01S.....	270
LOCAL NUMBER 008N034W16G02S.....	270
LOCAL NUMBER 008N034W16G03S.....	271
LOCAL NUMBER 008N034W16J01S.....	271
LOCAL NUMBER 008N034W17E01S.....	271
LOCAL NUMBER 008N034W17G01S.....	272
LOCAL NUMBER 008N034W17H01S.....	272
LOCAL NUMBER 008N034W17K02S.....	272
LOCAL NUMBER 008N034W17Q01S.....	273
LOCAL NUMBER 008N034W21A01S.....	273
LOCAL NUMBER 008N034W23B01S.....	273
LOCAL NUMBER 008N034W24E01S.....	296
LOCAL NUMBER 008N035W12M01S.....	274, 296
LOCAL NUMBER 009N024W33M01S.....	274, 296
LOCAL NUMBER 009N025W13B01S.....	274
LOCAL NUMBER 009N025W27C01S.....	274
LOCAL NUMBER 009N032W06D01S.....	275
LOCAL NUMBER 009N032W07A01S.....	275
LOCAL NUMBER 009N032W07Q01S.....	275
LOCAL NUMBER 009N032W08N01S.....	275, 296
LOCAL NUMBER 009N032W16L01S.....	276
LOCAL NUMBER 009N032W17G01S.....	276
LOCAL NUMBER 009N032W19A01S.....	276
LOCAL NUMBER 009N032W20E01S.....	276
LOCAL NUMBER 009N032W22D01S.....	277
LOCAL NUMBER 009N032W23K01S.....	277
LOCAL NUMBER 009N032W32K01S.....	277
LOCAL NUMBER 009N032W33M01S.....	277
LOCAL NUMBER 009N033W12C01S.....	278
LOCAL NUMBER 009N033W24L01S.....	278
LOCAL NUMBER 009N033W28M01S.....	278
LOCAL NUMBER 009N034W03A02S.....	278
LOCAL NUMBER 009N034W03F01S.....	279
LOCAL NUMBER 009N034W03N01S.....	279
LOCAL NUMBER 009N034W06C01S.....	279
LOCAL NUMBER 009N034W06K02S.....	279
LOCAL NUMBER 009N034W08H01S.....	280
LOCAL NUMBER 009N034W09R01S.....	280
LOCAL NUMBER 009N034W15Q01S.....	280
LOCAL NUMBER 009N034W34F01S.....	280

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SANTA BARBARA COUNTY--Continued

	<u>Page</u>
LOCAL NUMBER 010N025W30F01S.....	281
LOCAL NUMBER 010N026W09R03S.....	296
LOCAL NUMBER 010N026W15N01S.....	281
LOCAL NUMBER 010N026W20M01S.....	281
LOCAL NUMBER 010N026W21G01S.....	296
LOCAL NUMBER 010N027W11A03S.....	281
LOCAL NUMBER 010N032W19E01S.....	282
LOCAL NUMBER 010N032W19M01S.....	282
LOCAL NUMBER 010N033W07M01S.....	282
LOCAL NUMBER 010N033W07Q02S.....	282
LOCAL NUMBER 010N033W07R01S.....	283
LOCAL NUMBER 010N033W16N01S.....	283
LOCAL NUMBER 010N033W16N02S.....	283
LOCAL NUMBER 010N033W19K01S.....	283
LOCAL NUMBER 010N033W20F01S.....	296
LOCAL NUMBER 010N033W20H01S.....	284
LOCAL NUMBER 010N033W20L01S.....	284
LOCAL NUMBER 010N033W27K02S.....	284
LOCAL NUMBER 010N033W27R01S.....	284
LOCAL NUMBER 010N033W28F01S.....	285
LOCAL NUMBER 010N033W29F01S.....	285
LOCAL NUMBER 010N033W33H01S.....	285
LOCAL NUMBER 010N033W35C01S.....	285
LOCAL NUMBER 010N033W36A01S.....	286
LOCAL NUMBER 010N034W13C01S.....	286
LOCAL NUMBER 010N034W13G01S.....	286
LOCAL NUMBER 010N034W13J01S.....	286
LOCAL NUMBER 010N034W26H02S.....	287, 296
LOCAL NUMBER 010N034W29N01S.....	296
LOCAL NUMBER 010N034W31L02S.....	287
LOCAL NUMBER 010N035W09F01S.....	287
LOCAL NUMBER 010N035W14D01S.....	296
LOCAL NUMBER 010N035W14P01S.....	287
LOCAL NUMBER 010N035W18F02S.....	288
LOCAL NUMBER 010N035W23M02S.....	288
LOCAL NUMBER 010N035W24Q01S.....	288
LOCAL NUMBER 010N036W12P01S.....	288




Figure 16.--Index map to location of wells in Santa Barbara County.

WATER LEVELS, SANTA BARBARA COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342501119323101

LOCAL NUMBER 004N025W19F04S

ABOUT 1.2 MI EAST OF NIDEVER ROAD AND NORTH OF FOOTHILL ROAD. DRILLED WATER-TABLE WELL. DIAM 8 IN, DEPTH 250 FT IN 1941. ALTITUDE OF LSD 106 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING JANUARY 1978. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1985	89.86 S	JAN 24, 1986	87.03 S	JUN 17, 1986	76.55 S	SEP 10, 1986	85.40 S
NOV 19, 1985	90.20 S	FEB 26, 1986	84.18 S	JUL 17, 1986	79.54 S		
DEC 31, 1985	88.15 S	MAR 25, 1986	79.58 S	AUG 14, 1986	82.36 S		
	HIGHEST	52.93	MAR 22, 1983				
	LOWEST	123.40	MAR 22, 1950				

SITE NUMBER 342503119320101

LOCAL NUMBER 004N025W19H01S

EAST OF CRAVENS LANE AND NORTH OF FOOTHILL ROAD. DRILLED WATER-TABLE WELL. DIAM 10 IN, DEPTH 360 FT IN 1949. ALTITUDE OF LSD 120 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING OCTOBER 1977. RECORDS AVAILABLE 1948-50, 1956, 1972, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1985	89.37 S	JAN 24, 1986	86.85 S	JUN 17, 1986	81.92 S	SEP 10, 1986	90.30 S
NOV 19, 1985	91.90 S	FEB 26, 1986	85.55 S	JUL 17, 1986	84.15 S		
DEC 31, 1985	88.17 S	MAR 25, 1986	83.06 S	AUG 14, 1986	87.70 S		
	HIGHEST	62.74	JUN 16, 1983				
	LOWEST	112.14	DEC 12, 1949				

SITE NUMBER 342446119315701

LOCAL NUMBER 004N025W19J05S

SOUTH OF FOOTHILL ROAD AND EAST OF CRAVENS LANE. DRILLED ARTESIAN WELL. DIAM 8 IN, DEPTH 100 FT. ALTITUDE OF LSD 55 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING AUGUST 1978. RECORDS AVAILABLE 1941-74, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 22, 1985	52.36 S	MAR 25, 1986	43.20 S	AUG 15, 1986	50.14 S		
FEB 26, 1986	45.80 S	JUN 20, 1986	44.42 S	SEP 10, 1986	53.72 S		
	HIGHEST	20.67	MAY 17, 1983				
	LOWEST	92.95	SEP 25, 1951				

SITE NUMBER 342448119323601

LOCAL NUMBER 004N025W19M03S

WEST OF CRAVENS LANE AND SOUTH OF FOOTHILL ROAD. DRILLED ARTESIAN WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 65 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING OCTOBER 1977. RECORDS AVAILABLE 1949-50, 1956, 1959, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1985	57.52 S	JAN 24, 1986	55.05 S	APR 28, 1986	47.47 S	AUG 13, 1986	53.22 S
NOV 19, 1985	57.68 S	FEB 26, 1986	52.66 S	JUN 16, 1986	47.97 S	SEP 11, 1986	56.15 S
DEC 31, 1985	56.10 S	MAR 25, 1986	49.20 S	JUL 16, 1986	51.17 S		
	HIGHEST	20.66	MAR 22, 1983				

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342440119310601

LOCAL NUMBER 004N025W20K03S

AT CARPINTERIA HIGH SCHOOL. DRILLED WATER-TABLE WELL. DIAM UNKNOWN, DEPTH 408 FT IN 1949. ALTITUDE OF LSD 60 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING OCTOBER 1977. RECORDS AVAILABLE 1949-50, 1956, 1959, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 25, 1985	29.72 S	JAN 24, 1986	29.15 S	JUN 17, 1986	26.14 S	SEP 10, 1986	32.88 S
NOV 19, 1985	30.86 S	FEB 26, 1986	26.79 S	JUL 16, 1986	27.51 S		
DEC 31, 1985	29.89 S	MAR 26, 1986	25.11 S	AUG 14, 1986	30.05 S		
	HIGHEST	.32	JUN 17, 1983				
	LOWEST	70.90	NOV 22, 1950				

SITE NUMBER 342451119313001

LOCAL NUMBER 004N025W20L04S

ABOUT 60 FT EAST OF SANTA MONICA CREEK AND NORTH OF FOOTHILL ROAD. DRILLED WATER-TABLE WELL. DIAM 10 IN, DEPTH 264 FT, PERFORATED 62-254 FT. ALTITUDE OF LSD 111 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING FEBRUARY 1977. RECORDS AVAILABLE 1947, 1949 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1985	103.13 S	JAN 24, 1986	101.34 S	JUN 17, 1986	93.50 S	SEP 10, 1986	102.40 S
NOV 19, 1985	103.70 S	FEB 26, 1986	98.16 S	JUL 16, 1986	95.84 S		
DEC 31, 1985	102.56 S	MAR 25, 1986	96.14 S	AUG 14, 1986	99.14 S		
	HIGHEST	71.04	JUN 15, 1983				
	LOWEST	153.17	SEP 25, 1951				

SITE NUMBER 342428119304201

LOCAL NUMBER 004N025W21N01S

ABOUT 100 FT NORTH OF FOOTHILL ROAD AND 700 FT EAST OF LINDEN AVENUE. DRILLED IRRIGATION WELL. DIAM 12 TO 6 IN, DEPTH 405 FT. ALTITUDE OF LSD 44 FT. RECORDS AVAILABLE 1936, 1938, 1941-42, 1945-46, 1949-50, 1959, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 25, 1985	25.49 S	JAN 24, 1986	7.04 S	JUN 17, 1986	10.64 S	SEP 10, 1986	28.69 S
NOV 19, 1985	15.83 S	FEB 26, 1986	5.46 S	JUL 17, 1986	26.90 S		
DEC 31, 1985	7.16 S	MAR 26, 1986	2.82 S	AUG 13, 1986	27.06 S		
	HIGHEST	+0.29	JUL 21, 1982				
	LOWEST	67.14	NOV 22, 1950				



## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342425119303302

LOCAL NUMBER 004N025W21N04S

IN CARPINTERIA. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 406 FT. ALTITUDE OF LSD 60 FT.  
RECORDS AVAILABLE 1949, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 25, 1985	45.74 S	JAN 24, 1986	11.08 S	JUN 17, 1986	23.68 S	SEP 10, 1986	43.90 S
NOV 20, 1985	20.86 S	FEB 26, 1986	9.46 S	JUL 17, 1986	43.22 S		
DEC 31, 1985	11.14 S	MAR 26, 1986	6.43 S	AUG 14, 1986	44.59 S		
	HIGHEST	0.22	SEP 17, 1982				
	LOWEST	55.00	APR 01, 1949				

SITE NUMBER 342427119294601

LOCAL NUMBER 004N025W21R01S

NORTHEAST OF CARPINTERIA. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH 468 FT, CASED TO  
434 FT, PERFORATED 82-90, 120-150, 170-176, 239-240, 289-304, 314-318, 340-341, 356-386, 412-416 FT.  
ALTITUDE OF LSD 127 FT. MEASUREMENTS BEGINNING 2/15/78 COLLECTED BY U.S. GEOLOGICAL SURVEY AND  
CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 25, 1985	54.17 S	JAN 27, 1986	51.62 S	JUN 17, 1986	48.93 S	SEP 10, 1986	58.66 S
NOV 20, 1985	54.76 S	FEB 25, 1986	50.88 S	JUL 17, 1986	52.92 S		
DEC 30, 1985	51.50 S	MAR 26, 1986	48.06 S	AUG 12, 1986	56.18 S		
	HIGHEST	30.28	FEB 17, 1984				
	LOWEST	126.08	NOV 26, 1951				

SITE NUMBER 342429119284901

LOCAL NUMBER 004N025W22R01S

EAST OF CARPINTERIA. DIAM UNKNOWN, DEPTH 128.9 FT IN 1941. ALTITUDE OF LSD 211 FT.  
MEASUREMENTS BEGINNING 1/25/78 COLLECTED BY USGS AND CARPINTERIA COUNTY WATER DISTRICT.  
RECORDS AVAILABLE 1941-44, 1949-50, 1956 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 25, 1985	31.10 S	JAN 27, 1986	18.96 S	JUN 17, 1986	18.56 S	SEP 10, 1986	26.52 SR
NOV 20, 1985	30.14 S	FEB 25, 1986	15.64 S	JUL 17, 1986	19.36 SS		
DEC 31, 1985	20.75 S	MAR 26, 1986	14.15 S	AUG 12, 1986	24.13 S		
	HIGHEST	11.26	APR 06, 1944				
	LOWEST	115.14	OCT 30, 1961				

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342430119284701

LOCAL NUMBER 004N025W22R04S

EAST OF LILLINGSTON CANYON ROAD IN CARPINTERIA. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 10 IN, DEPTH REPORTED 504 FT, PERFORATED 192-504 FT. ALTITUDE OF LSD 218 FT. RECORDS AVAILABLE 1949, 1950, 1956, 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 20, 1985	25.96 S	JAN 27, 1986	13.50 S	MAR 26, 1986	9.55 S	JUN 28, 1986	9.55 S
DEC 31, 1985	14.93 S	FEB 25, 1986	11.30 S	JUN 17, 1986	21.66 S	AUG 12, 1986	24.34 S
	HIGHEST	7.26	MAY 16, 1983				
	LOWEST	97.43	NOV 24, 1950				

SITE NUMBER 342427119281701

LOCAL NUMBER 004N025W23P01S

EAST OF CARPINTERIA. DRILLED OBSERVATION WELL. DIAM 10 IN, DEPTH 465 FT. ALTITUDE OF LSD 480 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT BEGINNING IN 1977. RECORDS AVAILABLE 1945-46, 1948-50, 1954-55, 1959, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 25, 1985	227.40 S	JAN 27, 1986	217.30 S	JUN 17, 1986	216.22 S	SEP 10, 1986	223.72 S
NOV 20, 1985	225.80 S	FEB 25, 1986	213.92 S	JUL 17, 1986	222.76 S		
DEC 31, 1985	219.48 S	MAR 26, 1986	211.55 S	AUG 12, 1986	220.10 S		
	HIGHEST	204.85	JAN 17, 1984				
	LOWEST	341.80	DEC 14, 1949				

SITE NUMBER 342414119274201

LOCAL NUMBER 004N025W26A01S

NORTH OF SHEPHERD RD AND WEST OF JUNCTION HWY 150. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 480 FT, PERFORATED 228-480 FT. ALTITUDE OF LSD 420 FT. MEASUREMENTS BEGINNING IN 1978 FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1941, 1944 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 25, 1985	194.15 S	JAN 27, 1986	187.70 S	JUN 17, 1986	204.00 S	SEP 09, 1986	190.60 S
NOV 20, 1985	193.20 S	FEB 25, 1986	185.66 S	JUL 17, 1986	196.42 S		
DEC 27, 1985	190.00 S	MAR 24, 1986	183.84 S	AUG 13, 1986	196.97 S		
	HIGHEST	174.44	JAN 17, 1984				
	LOWEST	387.00	NOV 28, 1955				

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342404119291201

LOCAL NUMBER 004N025W27F02S

SOUTH OF LILLINGSTON CYN RD AND WEST OF CASITAS PASS RD. PUBLIC SUPPLY WELL. DIAM 10-14 IN, DEPTH 1150 FT, PERFORATED 455-801 FT. ALTITUDE OF LSD 140 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT BEGINNING IN 1977. RECORDS AVAILABLE 1975, 1977 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 26, 1986	75.17 S
HIGHEST	31.57 MAR 14, 1984
LOWEST	314.00 APR 19, 1985

SITE NUMBER 342400119285401

LOCAL NUMBER 004N025W27G01S

NORTH OF CASITAS PASS ROAD AND SOUTH OF GOBENADOR CREEK. DRILLED IRRIGATION WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 174 FT. MEASUREMENTS BEGINNING IN 1977 FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1941, 1949, 1977 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 25, 1985	105.05 S	JAN 27, 1986	106.76 S	JUN 17, 1986	93.65 S	SEP 10, 1986	105.83 S
NOV 21, 1985	106.67 S	FEB 25, 1986	106.55 S	JUL 17, 1986	98.99 S		
DEC 31, 1985	107.40 S	MAR 24, 1986	99.14 S	AUG 12, 1986	102.74 S		
HIGHEST	6.40 JUN 19, 1941						
LOWEST	146.00 NOV 16, 1977						

SITE NUMBER 342339119284301

LOCAL NUMBER 004N025W27R02S

EAST OF CARPINTERIA. DRILLED ARTESIAN WELL. DIAM 12 IN, DEPTH 421 FT, PERFORATED 295-310, 350-378, 392-420 FT. ALTITUDE OF LSD 132 FT. MEASUREMENTS BEGINNING IN 1977 FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 22, 1985	98.70 A	FEB 03, 1986	83.70 A	MAR 24, 1986	67.70 A	JUL 17, 1986	81.90 A
DEC 31, 1985	59.70 A	FEB 25, 1986	44.20 A	JUN 20, 1986	72.70 A		
HIGHEST	32.70 JAN 18, 1984						
LOWEST	186.20 FEB 22, 1977						

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342409119302101

LOCAL NUMBER 004N025W28F07S

ON CORNER OF CASITAS PASS ROAD AND SHEMARA STREET. DRILLED PUBLIC SUPPLY ARTESIAN WELL. DIAM 16 IN 0-290 FT, 10 IN 290-1245 FT, DEPTH 1271 FT, CASED TO 1245 FT, PERFORATED 310-350, 400-420, 890-930, 1140-1180, 1210-1230 FT. ALTITUDE OF LSD 60 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 17, 1985	252.40 SP	DEC 30, 1985	30.44 S	FEB 25, 1986	28.90 S		
NOV 21, 1985	49.00 S	JAN 24, 1986	30.13 S	MAR 25, 1986	23.16 S		
	HIGHEST	5.71	FEB 17, 1984				
	LOWEST	252.40	OCT 17, 1985				

SITE NUMBER 342407119302201

LOCAL NUMBER 004N025W28F08S

SOUTH OF INTERSECTION OF CASITAS PASS ROAD AND SHEMARA STREET. DRILLED TEST ARTESIAN WELL. DIAM UNKNOWN, DEPTH 300 FT. ALTITUDE OF LSD 62 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 25, 1985	1.92 SS	FEB 26, 1986	76.82 S	JUL 25, 1986	68.27 SS		
NOV 22, 1985	2.00 S	MAR 26, 1986	74.28 S	AUG 14, 1986	67.59 SS		
FEB 03, 1986	78.91 S	JUN 20, 1986	69.48 S	SEP 11, 1986	66.92 SS		
	HIGHEST	1.00	FEB 18, 1981				
	LOWEST	78.91	FEB 03, 1986				

SITE NUMBER 342407119302202

LOCAL NUMBER 004N025W28F09S

SOUTH OF INTERSECTION OF CASITAS PASS ROAD AND SHEMARA STREET. DRILLED OBSERVATION ARTESIAN WELL. DIAM UNKNOWN, DEPTH 900 FT. ALTITUDE OF LSD 62 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 25, 1985	10.03 SS	FEB 26, 1986	26.34 S	JUL 25, 1986	18.47 SS		
NOV 22, 1985	10.12 S	MAR 26, 1986	24.78 S	AUG 14, 1986	19.61 SS		
FEB 03, 1986	26.30 S	JUN 20, 1986	17.78 S	SEP 11, 1986	20.81 SS		
	HIGHEST	6.45	OCT 17, 1977				
	LOWEST	26.34	FEB 26, 1986				

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342407119302203

LOCAL NUMBER 004N025W28F10S

SOUTH OF INTERSECTION OF CASITAS PASS ROAD AND SHEMARA STREET. DRILLED OBSERVATION ARTESIAN WELL. DIAM UNKNOWN, DEPTH 1140 FT. ALTITUDE OF LSD 62 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 25, 1985	20.15 SS	FEB 03, 1986	11.96 S	JUN 20, 1986	8.60 S	SEP 11, 1986	10.25 SS
NOV 22, 1985	15.60 S	FEB 26, 1986	11.64 S	JUL 25, 1986	9.21 SS		
DEC 31, 1985	12.68 S	MAR 26, 1986	9.28 S	AUG 14, 1986	9.62 SS		
	HIGHEST	1.75	MAR 17, 1982				
	LOWEST	33.07	AUG 18, 1978				

SITE NUMBER 342357119295501

LOCAL NUMBER 004N025W28J01S

EAST OF CARPINTERIA. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 175 FT. ALTITUDE OF LSD 89 FT. MEASUREMENTS BEGINNING IN 1977 FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1919, 1930, 1937-38, 1940-50, 1952 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 19, 1985	39.49 S	JAN 27, 1986	35.87 S	MAR 26, 1986	32.60 S	JUL 17, 1986	45.73 SR
DEC 31, 1985	35.57 S	FEB 25, 1986	34.60 S	JUN 17, 1986	38.30 S		
	HIGHEST	14.44	JAN 16, 1984				
	LOWEST	140.59	AUG 31, 1948				

SITE NUMBER 342354119303001

LOCAL NUMBER 004N025W28M01S

ABOUT 1700 FT NORTHEAST OF U.S. HWY 101 AND 200 FT NORTHWEST OF CASITAS PASS ROAD. DRILLED OBSERVATION ARTESIAN WELL. DIAM 2 IN, DEPTH 151.7 FT. ALTITUDE OF LSD 57 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING JANUARY 1978. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1985	12.47 S	JAN 24, 1986	2.28 S	JUN 19, 1986	5.61 S	SEP 11, 1986	17.85 S
NOV 21, 1985	7.36 S	FEB 25, 1986	1.78 S	JUL 17, 1986	16.88 S		
DEC 30, 1985	2.12 S	MAR 25, 1986	+0.75 S	AUG 14, 1986	15.48 S		
	HIGHEST	+0.75	MAR 25, 1986				
	LOWEST	95.61	OCT 31, 1951				

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342418119314601

LOCAL NUMBER 004N025W29D01S

ABOUT 1 MI NORTH OF HWY 101 ON WEST SIDE OF SANTA MONICA ROAD, 60 FT WEST OF HOUSE.  
 DRILLED DOMESTIC ARTESIAN WELL. DIAM 12 IN, DEPTH 147 FT. ALTITUDE OF LSD 17 FT.  
 MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING FEBRUARY 1977. RECORDS  
 AVAILABLE 1938, 1941 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 25, 1985	14.60 SS	JAN 23, 1986	9.67 S	APR 28, 1986	1.22 S	AUG 13, 1986	13.22 SS
NOV 19, 1985	14.90 SS	FEB 25, 1986	6.10 S	JUN 16, 1986	6.44 S	SEP 10, 1986	15.57 SS
DEC 23, 1985	11.72 SS	MAR 25, 1986	3.73 S	JUL 16, 1986	10.50 SS		
	HIGHEST	+1.00	OCT 28, 1969	MAR 26, 1970			
	LOWEST	57.28	SEP 25, 1951				

SITE NUMBER 342420119313801

LOCAL NUMBER 004N025W29D07S

ABOUT 0.04 MI NORTH OF CENTERLINE OF VIA REAL AND 0.11 MI EAST OF SANTA MONICA ROAD. DRILLED  
 PUBLIC SUPPLY ARTESIAN WELL. DIAM 14.5 IN, DEPTH 950 FT, PERFORATED 215-950 FT. ALTITUDE  
 OF LSD 45 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE  
 1977 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
JAN 23, 1986	15.82 S	FEB 26, 1986	11.33 S	MAR 24, 1986	9.67 S	APR 28, 1986	6.60 S
	HIGHEST	+2.06	APR 17, 1981				
	LOWEST	53.40	DEC 19, 1977				

SITE NUMBER 342349119312801

LOCAL NUMBER 004N025W29L01S

NEAR INTERSECTION OF HOLLY AVENUE AND 3RD STREET. DRILLED ABANDONED ARTESIAN WELL. DIAM 2  
 IN, DEPTH 110 FT. ALTITUDE OF LSD 18 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER  
 DISTRICT STARTING JANUARY 1978. RECORDS AVAILABLE 1946, 1950-71, 1977 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1985	12.86 S	JAN 23, 1986	F	JUN 16, 1986	5.40 S	SEP 11, 1986	21.35 S
NOV 19, 1985	10.33 S	FEB 24, 1986	F	JUL 16, 1986	15.24 S		
DEC 23, 1985	3.65 S	MAR 24, 1986	F	AUG 12, 1986	18.87 S		
	HIGHEST	+1.60	OCT 28, 1969				
	LOWEST	51.24	SEP 25, 1951				

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342343119305201

LOCAL NUMBER 004N025W29R01S

NEAR CARPINTERIA UNION JR. HIGH SCHOOL, SOUTH OF TENNIS COURT. DRILLED PUBLIC SUPPLY ARTESIAN WELL. DIAM 10 IN, DEPTH 176 FT. ALTITUDE OF LSD 32 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING JANUARY 1978. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1985	3.61 S	JAN 24, 1986	F	JUN 18, 1986	.04 S	SEP 10, 1986	7.30 S
NOV 21, 1985	3.40 S	FEB 25, 1986	F	JUL 17, 1986	3.42 S		
DEC 30, 1985	F	MAR 24, 1986	F	AUG 14, 1986	5.92 S		
	HIGHEST	+1.28	AUG 15, 1985				
	LOWEST	73.90	SEP 21, 1961				

SITE NUMBER 342419119323701

LOCAL NUMBER 004N025W30D01S

NEAR SANDYLAND PROTECTIVE ASSOCIATION, 400 FT EAST OF DRIVEWAY. DRILLED DOMESTIC-PUBLIC SUPPLY ARTESIAN WELL. DIAM 10 IN, DEPTH 210 FT. ALTITUDE OF LSD 7 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING JANUARY 1978. RECORDS AVAILABLE 1941, 1945, 1947-66, 1969-71, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1985	1.51 S	JAN 27, 1986	0.23 S	JUN 17, 1986	+0.72 S	SEP 10, 1986	0.50 S
NOV 19, 1985	1.55 S	FEB 26, 1986	+0.20 S	JUL 16, 1986	+0.30 S		
DEC 26, 1985	0.32 S	MAR 25, 1986	+0.52 S	AUG 13, 1986	+0.03 S		
	HIGHEST	+1.92	NOV 19, 1979				
	LOWEST	53.70	DEC 07, 1949				

SITE NUMBER 342315119282901

LOCAL NUMBER 004N025W35E01S

ABOUT 2 MI SOUTHEAST OF CARPINTERIA. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 420 FT, PERFORATED 260-385 FT. ALTITUDE OF LSD 249 FT. MEASUREMENTS BEGINNING 1977 FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1939, 1941, 1949, 1956, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
NOV 22, 1985	174.52 S	JAN 27, 1986	165.94 S	MAR 24, 1986	164.53 S	JUL 17, 1986	174.30 SS
DEC 27, 1985	170.97 S	FEB 25, 1986	166.46 S	JUN 17, 1986	168.52 S		
	HIGHEST	113.00	DEC 27, 1983				
	LOWEST	230.00	MAY , 1949				

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342315119282902

LOCAL NUMBER 004N025W35E02S

SOUTHEAST OF CARPINTERIA. DRILLED IRRIGATION WELL. DIAM UNKNOWN, DEPTH 518 FT, PERFORATED 394-403, 412-420 FT. ALTITUDE OF LSD 245 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT BEGINNING IN 1977. RECORDS AVAILABLE 1943, 1946, 1950, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
NOV 22, 1985	144.50 A

HIGHEST	87.50	AUG 25, 1985
LOWEST	226.65	SEP 19, 1978

SITE NUMBER 342512119335701

LOCAL NUMBER 004N026W23A02S

WEST OF FLEISCHMANN FIELD IN SERENA PARK. DRILLED DOMESTIC WATER-TABLE WELL. DIAM 10 IN, DEPTH 330 FT. ALTITUDE OF LSD 63 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT STARTING 1978. RECORDS AVAILABLE 1941, 1947-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1985	O	JAN 27, 1986	O	JUN 17, 1986	48.44 S	SEP 10, 1986	50.80 S
NOV 19, 1985	O	FEB 26, 1986	46.92 S	JUL 17, 1986	48.30 S		
DEC 26, 1985	O	MAR 25, 1986	46.02 S	AUG 14, 1986	50.09 S		
	HIGHEST	40.20	JUN 16, 1983				
	LOWEST	96.46	SEP 28, 1948				

SITE NUMBER 342618119432501

LOCAL NUMBER 004N027W08R02S

NEAR INTERSECTION OF ALAMAR AVENUE AND STATE STREET. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 6 IN, DEPTH 265 FT, PERFORATED 155-205 FT, CASED TO 205 FT. ALTITUDE OF LSD 230 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 03, 1985	106.90 T	FEB 07, 1986	107.75 T	JUN 06, 1986	107.23 T	SEP 12, 1986	105.80 T
NOV 06, 1985	107.05 T	MAR 11, 1986	108.21 T	JUN 16, 1986	105.90 S		
DEC 04, 1985	107.33 T	APR 15, 1986	108.25 T	JUL 07, 1986	105.63 T		
JAN 07, 1986	107.64 T	MAY 09, 1986	107.95 T	AUG 13, 1986	106.97 T		
	HIGHEST	86.50	SEP 01, 1983				
	LOWEST	115.17	APR 03, 1985				



## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342611119432701

LOCAL NUMBER 004N027W09M01S

ALONG MISSION CREEK NORTH OF STATE STREET. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 6 IN, DEPTH DRILLED 180 FT, CASED TO 120 FT, PERFORATED 30-110 FT. ALTITUDE OF LSD 240 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 03, 1985	109.58 T	JAN 07, 1986	109.50 T	APR 15, 1986	109.35 T	JUL 07, 1986	108.02 T
NOV 06, 1985	109.50 T	FEB 07, 1986	109.48 T	MAY 09, 1986	109.30 T	AUG 13, 1986	110.80 T
DEC 04, 1985	109.50 T	MAR 11, 1986	109.20 T	JUN 06, 1986	110.25 T	SEP 12, 1986	107.98 T
	HIGHEST	92.92	SEP 01, 1983				
	LOWEST	116.90	JUL 14, 1982				

SITE NUMBER 342534119404301

LOCAL NUMBER 004N027W14K02S

NORTH OF VOLUNTARIO STREET IN SCHOOL PARKING LOT. DRILLED OBSERVATION WATER-TABLE WELL IN SANTA BARBARA FORMATION OF PLEISTOCENE AGE. DIAM 8 IN, DEPTH 450 FT, CASED TO 380 FT, PERFORATED 260-380 FT. ALTITUDE OF LSD 42.3 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 03, 1985	52.58 T	JAN 07, 1986	36.13 T	APR 15, 1986	52.07 T	JUL 07, 1986	50.83 T
NOV 06, 1985	43.95 T	FEB 07, 1986	46.28 T	MAY 09, 1986	43.25 T	AUG 13, 1986	46.95 T
DEC 04, 1985	39.09 T	MAR 11, 1986	52.55 T	JUN 06, 1986	44.21 T	SEP 12, 1986	46.55 T
	HIGHEST	30.00	JUN 08, 1983				
	LOWEST	66.08	SEP 08, 1980				

SITE NUMBER 342524119405201

LOCAL NUMBER 004N027W14P01S

SOUTHWEST OF MILPAS STREET AND NORTH OF HIGHWAY 101. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 950 FT, CASED TO 783 FT, PERFORATED 181-783 FT. ALTITUDE OF LSD 18 FT. MEASUREMENTS BEGINNING 7/13/76 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1950-55, 1957, 1968, 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 03, 1985	56.97 T	JAN 07, 1986	23.06 T	APR 15, 1986	56.24 T	JUL 07, 1986	64.62 T
NOV 06, 1985	30.58 T	FEB 07, 1986	59.00 T	MAY 08, 1986	31.00 T	AUG 13, 1986	72.10 T
DEC 04, 1985	24.20 T	MAR 11, 1986	57.55 T	JUN 06, 1986	43.87 T	SEP 12, 1986	73.30 T
	HIGHEST	12.25	JUN 08, 1983				
	LOWEST	88.80	JUL 23, 1968				

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342523119402001

LOCAL NUMBER 004N027W14R01S

ABOUT 0.3 MI NORTHEAST OF MILPAS STREET AND 0.1 MI SOUTHEAST OF CARPINTERIA STREET, DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 13 IN, DEPTH 700 FT, PERFORATED 107-635 FT. ALTITUDE OF LSD 27.84 FT. MEASUREMENTS BEGINNING 6/17/76 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1948-55, 1968, 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 03, 1985	35.41 T	JAN 07, 1986	23.25 T	APR 15, 1986	31.90 T	JUL 07, 1986	31.96 T
NOV 06, 1985	29.00 T	FEB 07, 1986	32.38 T	MAY 08, 1986	27.00 T	AUG 13, 1986	45.63 T
DEC 04, 1985	25.30 T	MAR 11, 1986	34.60 T	JUN 06, 1986	26.13 T	SEP 12, 1986	45.10 T
	HIGHEST	18.30	JUN 08, 1983				
	LOWEST	130.60	JUL 23, 1968				

SITE NUMBER 342546119421701

LOCAL NUMBER 004N027W15E01S

NEAR ALAMEDA PLAZA IN SANTA BARBARA. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 145 FT. MEASUREMENTS BEGINNING 5/11/76 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 03, 1985	115.27 T	JAN 07, 1986	106.17 T	APR 15, 1986	114.73 T	JUL 07, 1986	115.00 T
NOV 06, 1985	112.00 T	FEB 07, 1986	113.66 T	MAY 08, 1986	111.00 T	AUG 13, 1986	119.00 T
DEC 04, 1985	107.60 T	MAR 11, 1986	114.77 T	JUN 06, 1986	110.54 T	SEP 12, 1986	119.16 T
	HIGHEST	91.30	APR 08, 1976				
	LOWEST	122.47	OCT 13, 1980				

SITE NUMBER 342538119413401

LOCAL NUMBER 004N027W15K01S

NEAR INTERSECTION OF SALSIPUEDES AND CANON PERDIDO STREETS. DRILLED OBSERVATION WATER-TABLE WELL IN SANTA BARBARA FORMATION OF PLEISTOCENE AGE. DIAM 8 IN, DEPTH 500 FT, CASED TO 464 FT, PERFORATED 280-464 FT. ALTITUDE OF LSD 18.9 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 03, 1985	45.35 T	JAN 07, 1986	16.18 T	APR 15, 1986	44.16 T	JUL 07, 1986	48.56 T
NOV 06, 1985	21.96 T	FEB 07, 1986	44.37 T	MAY 08, 1986	27.26 T	AUG 13, 1986	43.70 T
DEC 04, 1985	17.17 T	MAR 11, 1986	41.23 T	JUN 06, 1986	37.45 T	SEP 12, 1986	54.20 T
	HIGHEST	8.31	JUN 08, 1983				
	LOWEST	77.77	NOV 13, 1979				

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342603119430401

LOCAL NUMBER 004N027W16C01S

STATE AND PUEBLO STREETS. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 6 IN, DEPTH 330 FT, PERFORATED 290-330 FT, CASED TO 330 FT. ALTITUDE OF LSD 210 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

OCT 03, 1985 119.16 T

HIGHEST	109.33	APR 10, 1984
LOWEST	119.91	OCT 08, 1982

SITE NUMBER 342603119430402

LOCAL NUMBER 004N027W16C02S

STATE AND PUEBLO STREETS. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 230 FT, PERFORATED 190-230 FT. ALTITUDE OF LSD 210 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

OCT 03, 1985 121.35 T

HIGHEST	113.54	MAY 03, 1984
LOWEST	121.55	OCT 08, 1982

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342521119422401

LOCAL NUMBER 004N027W16R01S

NEAR INTERSECTION OF VICTORIA AND DE LA VINA STREETS. DRILLED OBSERVATION WATER-TABLE WELL IN SANTA BARBARA FORMATION OF PLEISTOCENE AGE. DIAM 6 IN, DEPTH 720 FT, CASED TO 625 FT, PERFORATED 545-625 FT. ALTITUDE OF LSD 84.8 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	107.21	81.29	72.24	67.60	109.82	114.71	115.01	84.45	82.51	119.58	125.93	128.98
2	107.17	80.80	71.96	68.57	110.80	115.57	112.01	83.69	84.33	119.95	126.07	129.05
3	107.09	80.31	71.74	70.43	110.80	116.32	109.69	82.96	85.83	120.29	126.21	129.11
4	107.04	79.81	71.51	70.95	111.75	116.95	107.86	82.24	88.29	120.64	126.31	129.19
5	106.97	79.33	71.28	72.15	112.67	117.55	---	82.04	91.07	120.97	126.41	129.25
6	106.88	78.86	71.06	72.10	113.50	116.37	---	81.79	92.80	121.29	126.52	129.30
7	106.82	78.40	70.82	71.67	114.21	112.34	---	81.53	95.57	120.58	126.62	129.39
8	106.80	77.94	70.61	72.02	114.88	108.85	---	80.64	97.94	119.69	126.69	129.46
9	106.25	77.52	70.39	73.87	115.60	108.08	---	79.91	100.08	120.35	126.83	129.52
10	103.79	77.05	70.15	75.85	116.24	110.07	---	80.37	101.95	120.92	126.95	129.66
11	101.58	76.64	70.26	77.42	116.23	111.80	---	81.38	103.64	121.35	127.06	129.74
12	99.68	77.38	70.09	78.84	112.20	113.10	---	82.23	105.07	121.75	127.16	129.80
13	98.06	79.23	70.41	79.06	108.35	114.18	---	82.35	106.19	122.11	127.23	129.90
14	96.60	78.60	70.77	82.34	107.28	115.14	99.02	82.23	107.47	122.44	127.31	129.97
15	95.21	78.52	70.46	83.40	109.24	115.86	98.79	81.33	108.63	122.73	127.36	130.04
16	93.94	78.14	70.10	85.31	110.91	114.65	97.52	80.63	109.73	123.00	127.47	130.10
17	92.81	77.64	69.94	86.19	111.22	110.87	96.13	80.07	111.14	123.28	127.54	130.14
18	91.82	77.21	70.34	86.88	110.24	108.38	94.80	79.64	112.03	123.57	127.60	130.18
19	90.77	76.72	70.34	88.56	111.70	---	93.56	79.37	112.86	123.77	127.62	130.25
20	89.79	76.20	70.40	91.52	113.04	---	92.34	79.81	113.68	123.95	127.96	130.31
21	88.85	75.90	70.07	92.76	114.14	---	92.23	83.50	114.40	124.16	128.06	130.39
22	88.00	75.44	69.77	94.28	112.19	105.88	92.85	82.59	115.06	124.36	128.11	128.10
23	87.20	74.99	69.48	96.76	108.67	107.93	91.38	81.73	115.69	124.60	128.19	124.15
24	86.40	74.49	69.22	98.93	107.65	109.57	90.08	81.02	116.28	124.77	128.29	121.17
25	85.62	74.11	68.98	---	109.53	110.91	88.89	80.62	116.82	124.94	128.41	120.59
26	84.88	73.84	68.77	---	111.23	112.09	87.86	80.54	117.35	125.09	128.50	120.15
27	84.22	73.51	68.57	---	112.61	113.07	86.88	81.07	117.86	125.25	128.59	119.67
28	83.56	73.10	68.36	---	113.73	114.01	86.15	80.79	118.33	125.44	128.65	119.19
29	82.93	72.74	68.14	---	---	114.83	85.92	81.56	118.75	125.56	128.72	118.74
30	82.29	72.53	67.97	---	---	---	85.25	80.79	119.16	125.69	128.82	118.79
31	81.71	---	67.79	108.78	---	---	---	80.50	---	125.83	128.90	---
MAX	107.21	81.29	72.24	108.78	116.24	117.55	115.01	84.45	119.16	125.83	128.90	130.39
MIN	81.71	72.53	67.79	67.60	107.28	105.88	85.25	79.37	82.51	119.58	125.93	118.74

HIGHEST 60.64 MAR 10, 1984  
 LOWEST 136.14 AUG 06, 1984

SITE NUMBER 342541119433501

LOCAL NUMBER 004N027W17J01S

ON BANK OF MISSION CREEK WEST OF JUNIPERO STREET. DRILLED OBSERVATION WATER-TABLE WELL IN SANTA BARBARA FORMATION OF PLEISTOCENE AGE. DIAM 8 IN, DEPTH 385 FT, CASED TO 320 FT, PERFORATED 190-320 FT. ALTITUDE OF LSD 138.8 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 03, 1985	45.30 T	JAN 07, 1986	43.85 T	APR 15, 1986	44.42 T	JUL 07, 1986	44.48 T
NOV 06, 1985	44.75 T	FEB 07, 1986	44.70 T	MAY 09, 1986	43.75 T	AUG 13, 1986	44.61 T
DEC 04, 1985	44.14 T	MAR 11, 1986	45.20 T	JUN 06, 1986	43.65 T	SEP 12, 1986	45.30 T

HIGHEST 35.90 MAY 03, 1985  
 LOWEST 53.09 JUL 14, 1981

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342506119423801

LOCAL NUMBER 004N027W21B01S

NEAR WILSON SCHOOL IN SANTA BARBARA. UNUSED ARTESIAN WELL IN SANTA BARBARA FORMATION. DIAM 16 IN, DEPTH 454 FT, CASED TO 454 FT, PERFORATED 145-350 FT. ALTITUDE OF LSD 68 FT. MEASUREMENTS BEGINNING 5/11/76 FURNISHED BY CITY OF SANTA BARBARA. RECORDER INSTALLED 3/1979. RECORDS AVAILABLE 1931, 1948-50, 1956 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 03, 1985	75.74 T	JAN 07, 1986	51.09 T	APR 15, 1986	70.66 T	JUL 07, 1986	75.38 T
NOV 06, 1985	59.76 T	FEB 07, 1986	70.89 T	MAY 08, 1986	59.13 T	AUG 13, 1986	82.31 T
DEC 04, 1985	52.34 T	MAR 11, 1986	73.37 T	JUN 06, 1986	63.07 T	SEP 12, 1986	81.81 T
HIGHEST		37.00	JAN 23, 1948				
LOWEST		94.84	SEP 14, 1948				

SITE NUMBER 342509119413701

LOCAL NUMBER 004N027W22B02S

IN VERA CRUZ PARK. DRILLED TEST WATER-TABLE WELL. DIAM 2 IN, DEPTH 230 FT, CASED TO 230 FT, PERFORATED 220-230 FT. ALTITUDE OF LSD 20 FT. MEASUREMENTS BEGINNING 6/16/76 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 03, 1985	61.07 T	FEB 07, 1986	70.77 T	JUN 06, 1986	55.35 TT	SEP 12, 1986	80.90 TS
NOV 06, 1985	16.00 T	MAR 11, 1986	65.68 T	JUL 03, 1986	72.09 S		
DEC 04, 1985	9.68 T	APR 15, 1986	43.67 T	JUL 07, 1986	70.45 TT		
JAN 07, 1986	19.39 T	MAY 08, 1986	15.85 T	AUG 13, 1986	81.59 T		
HIGHEST		2.59	FEB 06, 1984				
LOWEST		81.59	AUG 13, 1986				

SITE NUMBER 342509119413702

LOCAL NUMBER 004N027W22B03S

IN VERA CRUZ PARK. DRILLED TEST WATER-TABLE WELL. DIAM 2 IN, DEPTH 435 FT, CASED TO 435 FT, PERFORATED 425-435 FT. ALTITUDE OF LSD 20 FT. MEASUREMENTS BEGINNING 6/16/76 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 03, 1985	42.53 T	FEB 07, 1986	66.77 T	JUN 06, 1986	48.52 TT	SEP 12, 1986	79.59 TS
NOV 06, 1985	16.90 T	MAR 11, 1986	66.23 T	JUL 03, 1986	73.85 S		
DEC 04, 1985	10.36 T	APR 15, 1986	36.15 T	JUL 07, 1986	59.78 TT		
JAN 07, 1986	11.64 T	MAY 08, 1986	17.60 T	AUG 13, 1986	43.28 T		
HIGHEST		3.04	FEB 06, 1984				
LOWEST		78.75	OCT 08, 1980				

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342509119413703

LOCAL NUMBER 004N027W22B04S

IN VERA CRUZ PARK. DRILLED TEST WATER-TABLE WELL. DIAM 2 IN, DEPTH 660 FT, CASED TO 660 FT, PERFORATED 650-660 FT. ALTITUDE OF LSD 20 FT. MEASUREMENTS BEGINNING 6/16/76 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 03, 1985	59.50 T	JAN 07, 1986	17.88 T	APR 15, 1986	49.86 T	JUL 07, 1986	81.05 TT
NOV 06, 1985	22.25 T	FEB 07, 1986	87.74 T	MAY 08, 1986	24.50 T	AUG 13, 1986	29.50 T
DEC 04, 1985	14.84 T	MAR 11, 1986	78.35 T	JUN 06, 1986	57.88 TT	SEP 12, 1986	105.64 TS
	HIGHEST	3.48	APR 08, 1976				
	LOWEST	113.04	MAY 19, 1980				

SITE NUMBER 342509119413704

LOCAL NUMBER 004N027W22B05S

IN VERA CRUZ PARK. DRILLED TEST WATER-TABLE WELL. DIAM 2 IN, DEPTH 780 FT, CASED TO 780 FT, PERFORATED 770-780 FT. ALTITUDE OF LSD 20 FT. MEASUREMENTS BEGINNING 6/16/76 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 03, 1985	59.44 T	FEB 07, 1986	80.79 T	JUN 06, 1986	53.55 TT	SEP 12, 1986	105.55 TS
NOV 06, 1985	22.67 T	MAR 11, 1986	72.60 T	JUL 03, 1986	83.29 S		
DEC 04, 1985	15.34 T	APR 15, 1986	50.25 TT	JUL 07, 1986	79.62 TT		
JAN 07, 1986	18.20 T	MAY 08, 1986	24.88 T	AUG 13, 1986	59.37 T		
	HIGHEST	1.18	APR 08, 1976				
	LOWEST	87.78	AUG 06, 1980				

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342507119411101

LOCAL NUMBER 004N027W23D01S

SOUTH OF HWY 101 NEAR TREATMENT PLANT. DRILLED OBSERVATION WATER-TABLE WELL IN SANTA BARBARA FORMATION OF PLEISTOCENE AGE. DIAM 8 IN, DEPTH 400 FT, CASED TO 380 FT, PERFORATED 240-380 FT. ALTITUDE OF LSD 12 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	22.77	9.95	4.48	2.40	19.59	21.50	22.25	9.32	12.93	23.01	25.10	25.88
2	22.82	9.70	4.39	2.78	19.96	21.82	22.06	8.96	13.38	23.11	25.09	25.90
3	22.88	9.42	4.33	2.98	20.07	22.15	21.75	8.59	13.91	23.13	25.10	25.95
4	22.95	9.11	4.22	3.20	20.39	22.41	---	8.21	14.49	23.20	25.14	25.99
5	22.99	8.81	4.14	3.55	20.68	22.69	21.03	7.88	15.12	23.29	25.17	26.02
6	22.96	8.49	4.08	4.22	20.96	22.32	20.71	7.66	15.71	23.40	25.23	26.09
7	22.92	8.15	3.94	4.98	21.19	21.44	20.43	7.45	16.27	23.43	25.29	26.13
8	22.92	7.84	3.81	5.65	21.41	20.37	20.13	7.13	16.83	23.47	25.35	26.18
9	22.90	7.54	3.76	6.24	21.74	20.02	19.82	6.85	17.40	23.57	25.45	26.21
10	22.59	7.17	3.66	6.62	22.00	20.15	19.58	6.71	17.94	23.68	25.49	26.29
11	21.71	6.93	3.78	6.99	21.95	20.52	19.35	6.85	18.43	23.78	25.55	26.31
12	20.72	6.92	3.83	7.33	21.09	20.86	19.18	7.02	18.87	23.88	25.60	26.29
13	19.69	6.97	3.86	7.66	20.10	21.17	19.00	7.59	19.29	23.99	25.61	26.28
14	18.76	6.99	3.80	8.14	19.62	21.53	18.85	8.07	19.67	24.09	25.65	26.24
15	19.94	7.27	3.75	8.74	19.78	21.70	18.45	8.65	19.99	24.14	25.64	26.21
16	17.19	7.49	3.75	9.51	20.12	21.36	17.72	9.16	20.31	24.26	25.59	26.26
17	16.52	7.40	3.74	10.41	20.19	21.10	16.89	9.56	20.46	24.33	25.55	26.30
18	15.43	7.28	3.69	11.09	20.15	20.43	16.07	9.91	20.80	24.34	25.60	26.32
19	14.84	7.04	3.61	11.73	20.42	19.47	15.29	10.20	20.92	24.33	25.72	26.39
20	14.26	6.72	3.60	12.62	20.78	18.48	14.50	10.54	21.06	24.30	25.62	26.44
21	13.70	6.49	3.49	13.44	21.14	18.17	13.89	11.10	21.24	24.41	25.71	26.44
22	13.21	6.22	3.37	14.10	20.75	18.47	13.53	11.38	21.46	24.51	25.78	26.09
23	12.71	5.97	3.23	14.87	20.30	18.96	12.97	11.58	21.70	24.67	25.79	25.05
24	12.23	5.64	3.11	15.57	20.10	19.47	12.37	11.69	21.90	24.79	25.84	24.26
25	11.76	5.45	3.00	16.23	20.25	19.94	11.75	11.85	22.11	24.88	25.88	24.19
26	11.31	5.36	2.89	16.86	20.50	20.38	11.19	12.03	22.34	24.88	25.93	24.18
27	10.92	5.17	2.84	17.39	20.82	20.75	10.72	12.29	22.50	24.94	25.93	24.19
28	10.57	4.83	2.73	17.92	21.14	21.16	10.36	12.43	22.66	25.02	25.92	24.19
29	10.23	4.70	2.59	18.33	---	21.52	10.00	12.33	22.79	25.07	25.92	24.20
30	9.88	4.63	2.57	18.77	---	21.83	9.69	12.39	22.91	25.05	25.92	24.23
31	9.87	---	2.50	19.17	---	22.16	---	12.53	---	25.09	25.89	---
MAX	22.99	9.95	4.48	19.17	22.00	22.69	22.25	12.53	22.91	25.09	25.93	26.44
MIN	9.87	4.63	2.50	2.40	19.59	18.17	9.69	6.71	12.93	23.01	25.09	24.18
HIGHEST				+1.50	FEB 21, 1983							
LOWEST				35.98	SEP 04, 1979							

SITE NUMBER 342453119411101

LOCAL NUMBER 004N027W23E01S

IN SANTA BARBARA, NORTHWEST OF CABRILLO BLVD AND SANTA BARBARA STREET. DIAM 2 IN, DEPTH 850 FT, CASED TO 805 FT, SCREENED 775-780, 785-790, 795-800 FT. ALTITUDE OF LSD 7.5 FT. MEASUREMENTS BEGINNING JANUARY 1980 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 03, 1985	28.60 T	FEB 07, 1986	25.75 T	MAY 08, 1986	13.70 T	SEP 12, 1986	30.09 T
NOV 06, 1985	14.70 T	MAR 11, 1986	25.26 T	JUN 06, 1986	15.17 T		
DEC 04, 1985	8.10 T	APR 15, 1986	22.98 T	JUL 07, 1986	28.75 T		
JAN 07, 1986	5.45 T	APR 23, 1986	21.06 S	AUG 13, 1986	34.06 T		
HIGHEST				0.38	APR 10, 1984		
LOWEST				57.22	MAY 20, 1980		

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342453119411102

LOCAL NUMBER 004N027W23E02S

IN SANTA BARBARA, NORTHWEST OF CABRILLO BLVD AND SANTA BARBARA STREET. DIAM 2 IN, DEPTH 850 FT, CASED TO 660 FT, SCREENED 600-605, 640-645, 650-655 FT. ALTITUDE OF LSD 7.5 FT. MEASUREMENTS BEGINNING JANUARY 1980 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 03, 1985	8.60 T	JAN 07, 1986	5.10 T	APR 15, 1986	21.15 T	JUL 07, 1986	27.08 T
NOV 06, 1985	13.95 T	FEB 07, 1986	20.23 T	MAY 08, 1986	13.60 T	AUG 13, 1986	32.03 T
DEC 04, 1985	7.80 T	MAR 11, 1986	23.60 T	JUN 06, 1986	14.35 T	SEP 12, 1986	28.25 T
	HIGHEST	+0.63	APR 06, 1982				
	LOWEST	34.66	MAY 20, 1980				

SITE NUMBER 342453119411103

LOCAL NUMBER 004N027W23E03S

IN SANTA BARBARA, NORTHWEST OF CABRILLO BLVD AND SANTA BARBARA STREET. DIAM 4 IN, DEPTH 850 FT, CASED TO 385 FT, SCREENED 355-370, 375-380 FT. ALTITUDE OF LSD 7.5 FT. MEASUREMENTS BEGINNING JANUARY 1980 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 03, 1985	41.33 T	FEB 07, 1986	40.15 T	MAY 08, 1986	8.95 T	SEP 12, 1986	49.63 T
NOV 06, 1985	8.60 T	MAR 11, 1986	37.40 T	JUN 06, 1986	31.33 T		
DEC 04, 1985	1.20 T	APR 15, 1986	33.10 T	JUL 07, 1986	44.63 T		
JAN 07, 1986	7.43 T	APR 23, 1986	19.69 S	AUG 13, 1986	49.37 T		
	HIGHEST	+0.95	MAY 27, 1982				
	LOWEST	51.00	SEP 12, 1984				

SITE NUMBER 342453119411104

LOCAL NUMBER 004N027W23E04S

IN SANTA BARBARA, NORTHWEST OF CABRILLO BLVD AND SANTA BARBARA STREET. DIAM 2 IN, DEPTH 850 FT, CASED TO 180 FT, SCREENED 150-155, 160-165, 170-175 FT. ALTITUDE OF LSD 7.5 FT. MEASUREMENTS BEGINNING JANUARY 1980 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 03, 1985	2.78 T	FEB 07, 1986	5.46 T	MAY 08, 1986	1.64 T	SEP 12, 1986	5.72 T
NOV 06, 1985	3.50 T	MAR 11, 1986	4.70 T	JUN 06, 1986	2.46 T		
DEC 04, 1985	2.49 T	APR 15, 1986	4.45 T	JUL 07, 1986	4.53 T		
JAN 07, 1986	2.40 T	APR 23, 1986	2.85 S	AUG 13, 1986	5.36 T		
	HIGHEST	+1.36	FEB 23, 1982				
	LOWEST	5.72	SEP 12, 1986				



## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342459119402601

LOCAL NUMBER 004N027W23H01S

IN SANTA BARBARA, NORTHEAST OF CABRILLO BLVD AND PUNTA GORDA. DIAM 2 IN, DEPTH 845 FT, CASED TO 781 FT, SCREENED 746.5-751.5, 756.7-761.7, 766.9-771.9, 777.5-781 FT. ALTITUDE OF LSD 7 FT. MEASUREMENTS BEGINNING JANUARY 1980 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 03, 1985	11.00 T	FEB 07, 1986	9.37 T	MAY 08, 1986	6.60 T	AUG 13, 1986	16.60 T
DEC 04, 1985	2.22 T	MAR 11, 1986	11.90 T	JUN 06, 1986	5.12 T	SEP 12, 1986	17.60 T
JAN 07, 1986	1.95 T	APR 15, 1986	11.30 T	JUL 07, 1986	12.73 T		
	HIGHEST	+0.75	MAR 01, 1984				
	LOWEST	25.53	JUL 23, 1980				

SITE NUMBER 342459119402603

LOCAL NUMBER 004N027W23H03S

IN SANTA BARBARA, NORTHEAST OF CABRILLO BLVD AND PUNTA GORDA. DIAM 4 IN, DEPTH 635 FT, CASED TO 310 FT, SCREENED 284-299 FT. ALTITUDE OF LSD 7 FT. MEASUREMENTS BEGINNING JANUARY 1980 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 03, 1985	8.05 T	FEB 07, 1986	7.12 T	MAY 08, 1986	4.00 T	AUG 13, 1986	9.50 T
DEC 04, 1985	2.67 T	MAR 11, 1986	7.77 T	JUN 06, 1986	4.79 T	SEP 12, 1986	9.13 T
JAN 07, 1986	2.73 T	APR 15, 1986	6.93 T	JUL 07, 1986	7.92 T		
	HIGHEST	+0.75	APR 12, 1983				
	LOWEST	13.67	SEP 22, 1980				

SITE NUMBER 342459119402604

LOCAL NUMBER 004N027W23H04S

IN SANTA BARBARA, NORTHEAST OF CABRILLO BLVD AND PUNTA GORDA. DIAM 2 IN, DEPTH 635 FT, CASED TO 95 FT, SCREENED 75.5-91 FT. ALTITUDE OF LSD 7 FT. MEASUREMENTS BEGINNING JANUARY 1980 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 03, 1985	2.40 T	FEB 07, 1986	6.00 T	MAY 08, 1986	2.50 T	AUG 13, 1986	2.68 T
DEC 04, 1985	5.55 T	MAR 11, 1986	4.48 T	JUN 06, 1986	1.71 T	SEP 12, 1986	2.36 T
JAN 07, 1986	5.33 T	APR 15, 1986	3.67 T	JUL 07, 1986	1.97 T		
	HIGHEST	+0.75	APR 12, 1983				
	LOWEST	6.00	FEB 07, 1986				

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342709119471401

LOCAL NUMBER 004N028W02P03S

NORTH OF CATHEDRAL OAKS RD AT EAST END OF TUCKERS GROVE. DRILLED IRRIGATION WELL. DIAM 8 IN, DEPTH 271.4 FT, PERFORATED 40-297 FT. ALTITUDE OF LSD 180 FT. RECORDS AVAILABLE 1946, 1951-52, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 24, 1986	31.44 S
HIGHEST	23.88 APR 12, 1984
LOWEST	73.38 OCT 10, 1968

SITE NUMBER 342539119483504

LOCAL NUMBER 004N028W16J05S

SOUTH OF HOLLISTER AND EAST OF MORE RD. DRILLED OBSERVATION WELL. DIAM 1.25 IN, DEPTH 62 FT, SAND POINT 18.2-20.2 FT. ALTITUDE OF LSD 25 FT. RECORDS AVAILABLE 1962 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 24, 1986	7.87 S
HIGHEST	3.00 DEC 13, 1962
LOWEST	8.60 APR 15, 1977

SITE NUMBER 342792119583101

LOCAL NUMBER 004N030W01G01S

NORTH OF LAS VARAS RANCH HEDQ. IRRIGATION WELL. DIAM UNKNOWN, DEPTH 350 FT. ALTITUDE OF LSD 180 FT. RECORDS AVAILABLE 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 24, 1986	180.62 S
HIGHEST	89.80 MAR 25, 1971
LOWEST	180.62 MAR 24, 1986

SITE NUMBER 343251119522201

LOCAL NUMBER 005N029W01C01S

NORTH OF SAN MARCOS PASS RD FROM SAN MARCOS RANCH ENTRANCE. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 790 FT. RECORDS AVAILABLE 1950, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 25, 1986	5.74 S
HIGHEST	4.05 MAR 27, 1978
LOWEST	15.12 NOV 28, 1977

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342838119573501

LOCAL NUMBER 005N029W31C01S

ABOUT 1.75 MI NORTH OF HWY 101 IN DOTY CANYON. DRILLED UNUSED WELL. DIAM 10-8 IN, DEPTH 1510 FT, 10-IN CSG 0-209 FT, 8-IN CSG 0-1510 FT, PERFORATED 290-320, 400-420, 470-510, 550-600, 620-1510 FT. ALTITUDE OF LSD 400 FT. RECORDS AVAILABLE 1962 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 24, 1986	34.33 S
HIGHEST	33.42 APR 04, 1983
LOWEST	81.22 NOV 16, 1962

SITE NUMBER 343008120035801

LOCAL NUMBER 005N030W19E01S

ABOUT 200 FT FROM REFUGIO PASS RD. DRILLED IRRIGATION WELL. DIAM 12-8 IN, DEPTH 505 FT, 12-IN CSG 0-43 FT, 8-IN CSG 0-211 FT, PERFORATED 205-347 FT. ALTITUDE OF LSD 330 FT. RECORDS AVAILABLE 1962 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 24, 1986	9.66 S
HIGHEST	+0.82 MAR 31, 1983
LOWEST	31.21 SEP 30, 1963

SITE NUMBER 342845120010701

LOCAL NUMBER 005N030W28R01S

ABOUT 1.18 MI NORTH OF HWY 101 AND 50 FT EAST OF CANADA DEL CAPITAN. DOMESTIC WELL. DIAM UNKNOWN, DEPTH 198 FT. ALTITUDE OF LSD 350 FT. RECORDS AVAILABLE 1963-75, 1977 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 24, 1986	47.48 S
HIGHEST	18.30 MAR 31, 1970
LOWEST	56.79 OCT 23, 1963

SITE NUMBER 342850120040002

LOCAL NUMBER 005N030W30N02S

NORTH OF HWY 101 AND WEST OF REFUGIO RD. IRRIGATION WELL. DIAM 10 IN, DEPTH 93 FT. ALTITUDE OF LSD 85 FT. RECORDS AVAILABLE 1962-76, 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 24, 1986	11.87 S
HIGHEST	11.87 MAR 24, 1986
LOWEST	36.46 JUL 27, 1964

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342845120053801

LOCAL NUMBER 005N031W35B01S

ABOUT 1.2 MI NORTH OF HWY 101 IN TAJIGUAS CANYON. DRILLED IRRIGATION WELL. DIAM 48-12 IN, DEPTH 76 FT, 48-IN CSG 0-30 FT, 12-IN CSG 0-76 FT. ALTITUDE OF LSD 80 FT. RECORDS AVAILABLE 1962 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAR 24, 1986	7.20 S		
	HIGHEST	5.49	MAY 01, 1979
	LOWEST	13.75	APR 15, 1977

SITE NUMBER 343755119570901

LOCAL NUMBER 006N029W05A01S

IN JOHNSON CANYON. STOCK WELL. DIAM UNKNOWN, DEPTH 93 FT. ALTITUDE OF LSD 1190 FT. RECORDS AVAILABLE 1964, 1966-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAR 25, 1986	8.36 S		
	HIGHEST	+0.01	APR 01, 1983
	LOWEST	23.95	OCT 19, 1967

SITE NUMBER 343746119583101

LOCAL NUMBER 006N029W06F01S

ABOUT 0.8 MI NORTHEAST ON HAPPY CANYON ROAD FROM HAPPY CANYON CREEK BRIDGE. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 72 FT, PERFORATED 35-53 FT. ALTITUDE OF LSD 840 FT. RECORDS AVAILABLE 1952, 1954-59, 1963-64, 1967-74, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAR 26, 1986	14.67 S		
	HIGHEST	7.69	MAR 24, 1969
	LOWEST	33.68	OCT 11, 1955

SITE NUMBER 343746119582201

LOCAL NUMBER 006N029W06G01S

ABOUT 0.2 MI NORTHEAST OF HAPPY CANYON RANCH ROAD. DRILLED UNUSED WELL. DIAM 10 IN, DEPTH 128 FT, CASED TO 102 FT, PERFORATED 57-96 FT. ALTITUDE OF LSD 875 FT. RECORDS AVAILABLE 1954, 1957-58, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
MAR 26, 1986	49.12 S		
	HIGHEST	27.99	MAR 24, 1969
	LOWEST	55.00	AUG 10, 1954

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343646119583001

LOCAL NUMBER 006N029W07L01S

NORTHEAST OF CACHUMA VILLAGE. UNUSED WELL. DIAM 8 IN, DEPTH 440 FT. ALTITUDE OF LSD 868 FT.  
RECORDS AVAILABLE 1960, 1963-64, 1966-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 25, 1986	194.56 S
HIGHEST	193.58 APR 13, 1984
LOWEST	225.85 OCT 14, 1969

SITE NUMBER 343632119573301

LOCAL NUMBER 006N029W08P01S

NORTHEAST OF CACHUMA VILLAGE. DRILLED DOMESTIC WELL. DIAM 10 IN, DEPTH 252 FT, PERFORATED  
210-237 FT. ALTITUDE OF LSD 910 FT. RECORDS AVAILABLE 1934, 1964, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 25, 1986	218.58 S
HIGHEST	198.00 OCT 06, 1934
LOWEST	247.95 MAR 24, 1967

SITE NUMBER 343632119573302

LOCAL NUMBER 006N029W08P02S

NORTHEAST OF CACHUMA VILLAGE. DOMESTIC WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD  
910 FT. RECORDS AVAILABLE 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 25, 1986	218.25 S
HIGHEST	218.25 MAR 25, 1986
LOWEST	261.89 OCT 15, 1968

SITE NUMBER 343636119555701

LOCAL NUMBER 006N029W09J01S

ON JANEWAY RANCH, NORTH OF CACHUMA LAKE. DOMESTIC WELL. DIAM 8 IN, DEPTH 200 FT. ALTITUDE OF  
LSD 803 FT. RECORDS AVAILABLE 1963-64, 1966-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 25, 1986	12.32 S
HIGHEST	10.58 MAR 27, 1981
LOWEST	28.13 APR 01, 1983

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343718119592001

LOCAL NUMBER 006N030W01R03S

ABOUT 250 FT SOUTH OF HAPPY CANYON ROAD. DRILLED UNUSED WELL. DIAM 12 IN, DEPTH 400 FT, CASED TO 340 FT, PERFORATED 28-110 FT. ALTITUDE OF LSD 760 FT. RECORDS AVAILABLE 1949, 1954-59, 1963-64, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 25, 1986	14.25 S
HIGHEST	8.48 APR 01, 1983
LOWEST	31.26 MAR 15, 1971

SITE NUMBER 343651120043402

LOCAL NUMBER 006N030W07G06S

WEST OF SANTA BARBARA AVENUE EXTENSION. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 667 FT, CASED TO 564 FT, PERFORATED 305-326, 331-355, 395-410 FT. ALTITUDE OF LSD 600 FT. RECORDS AVAILABLE 1962-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1986	61.79 S
HIGHEST	40.06 APR 22, 1963
LOWEST	69.72 APR 22, 1980

SITE NUMBER 343627120030801

LOCAL NUMBER 006N030W09N01S

SOUTH OF HWY 150 NEAR INTERSECTION TO LOS OLIVOS AND SANTA YNEZ. DRILLED STOCK WELL. DIAM 8 IN, DEPTH 160 FT. ALTITUDE OF LSD 660.01 FT. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 25, 1986	43.05 S
HIGHEST	24.06 JUL 27, 1960
LOWEST	57.35 APR 27, 1978

SITE NUMBER 343649120001801

LOCAL NUMBER 006N030W11G01S

WEST OF ALISOS AVENUE IN HAPPY CANYON. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 680 FT. RECORDS AVAILABLE 1974, 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 25, 1986	39.49 S
HIGHEST	19.9 NOV 18, 1943
LOWEST	45.45 APR 09, 1974

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343727120055801

LOCAL NUMBER 006N031W01P02S

NORTH OF SANTA YNEZ UNION HIGH SCHOOL AND WEST OF REFUGIO ROAD. IRRIGATION WELL. DIAM UNKNOWN, DEPTH REPORTED 350 FT. ALTITUDE OF LSD 620 FT. RECORDS AVAILABLE 1956-58, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1986	60.57 S
HIGHEST	40.90 MAR 12, 1958
LOWEST	72.29 APR 01, 1981

SITE NUMBER 343728120055101

LOCAL NUMBER 006N031W01P03S

NORTH OF SANTA YNEZ UNION HIGH SCHOOL AND WEST OF REFUGIO ROAD. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 1006 FT, CASED TO 508 FT, PERFORATED 195-360, 410-490 FT. ALTITUDE OF LSD 640 FT. RECORDS AVAILABLE 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1986	90.03 S
HIGHEST	79.76 MAR 27, 1969
LOWEST	113.25 APR 22, 1980

SITE NUMBER 343741120064801

LOCAL NUMBER 006N031W02K01S

ABOUT 2850 FT SOUTH OF BASELINE AVENUE AND 700 FT EAST OF ALAMO-PINTADO ROAD. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 71.3 FT. ALTITUDE OF LSD 627 FT. RECORDS AVAILABLE 1942, 1947 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 27, 1986	22.93 S
HIGHEST	18.02 APR 05, 1983
LOWEST	58.90 OCT 11, 1968

SITE NUMBER 343759120072901

LOCAL NUMBER 006N031W03A01S

ABOUT 0.25 MI SOUTH OF BALLARD ON ALAMO PINTADO ROAD AND 0.5 MI WEST OF ALAMO PINTADO ROAD. UNUSED WELL. DIAM 12 IN, DEPTH 196 FT. ALTITUDE OF LSD 760 FT. RECORDS AVAILABLE 1963-64, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 27, 1986	159.04 S
HIGHEST	148.65 SEP 14, 1971
LOWEST	168.49 APR 19, 1984

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343800120083001

LOCAL NUMBER 006N031W04A01S

ABOUT 150 FT WEST OF BALLARD ROAD. DOMESTIC WELL. DIAM 7 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 615 FT. RECORDS AVAILABLE 1956-58, 1963-64, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1986	91.11 S
HIGHEST	80.17 NOV 26, 1956
LOWEST	91.11 MAR 28, 1986

SITE NUMBER 343656120080601

LOCAL NUMBER 006N031W10F01S

ABOUT 1.5 MI NORTH ALONG ROAD FROM HWY 150 IN SOLVANG AND 100 FT WEST OF ADOBE CANYON ROAD. DRILLED IRRIGATION WELL. DIAM 8 IN, DEPTH 265 FT. ALTITUDE OF LSD 540 FT. RECORDS AVAILABLE 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1986	64.32 SR
HIGHEST	62.59 MAR 22, 1985
LOWEST	74.90 OCT 12, 1966

SITE NUMBER 343705120071001

LOCAL NUMBER 006N031W11D04S

ON NORTH BANK OF ALAMO PINTADO CREEK AT BRIDGE ON SOLVANG-LOS OLIVOS ROAD ABOUT 30 FT EAST OF ROAD. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 452 FT, PERFORATED 93-102, 131-147, 197-205, 227-447 FT. ALTITUDE OF LSD 558.51 FT. RECORDS AVAILABLE 1955-59, 1963-64, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1986	24.66 S
HIGHEST	23.40 APR 06, 1983
LOWEST	67.19 OCT 31, 1957

SITE NUMBER 343623120061201

LOCAL NUMBER 006N031W13D01S

ABOUT 150 FT SOUTH OF HWY 150 AND 1850 FT WEST OF REFUGIO ROAD. DRILLED DOMESTIC WELL. DIAM 10 IN, DEPTH REPORTED 170 FT IN 1941. ALTITUDE OF LSD 608 FT. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 27, 1986	110.13 S
HIGHEST	102.58 MAR 09, 1942
LOWEST	132.10 OCT 23, 1961



## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343535120091101

LOCAL NUMBER 006N031W16N02S

ABOUT 2.5 MI EAST OF BUELLTON. DIAM 16 IN, DEPTH 47 FT. ALTITUDE OF LSD 366.29 FT. RECORDS AVAILABLE 1941-42, 1949 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1986	20.87 S
HIGHEST	6.48 APR 06, 1942
LOWEST	35.92 NOV 24, 1961

SITE NUMBER 343609120101201

LOCAL NUMBER 006N031W17F01S

ABOUT 1.5 MI EAST OF BUELLTON. DUG DOMESTIC WELL. DIAM 12 IN, DEPTH 43 FT. ALTITUDE OF LSD 362.9 FT. RECORDS IN 1931-41 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1931 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1986	36.61 S
HIGHEST	14.80 APR 09, 1941
LOWEST	DRY SEP 26, 1961 OCT 23, 1961

SITE NUMBER 343719120124901

LOCAL NUMBER 006N032W02Q01S

ABOUT 100 FT NORTH OF HWY 150 AND 1.3 MI NORTHWEST OF BUELLTON. DRILLED DOMESTIC WELL. DIAM 8 IN, DEPTH 110 FT, PERFORATED 50-76 FT. ALTITUDE OF LSD 359.46 FT. RECORDS AVAILABLE 1949 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1986	60.45 S
HIGHEST	55.33 APR 01, 1969
LOWEST	63.28 OCT 11, 1968

SITE NUMBER 343739120171301

LOCAL NUMBER 006N032W06K01S

ABOUT 50 FT SOUTH AND 200 FT WEST OF JUNCTION OF HWY 150 AND SANTA ROSA ROAD. DRILLED DOMESTIC WELL. DIAM 12 IN, DEPTH 74 FT. ALTITUDE OF LSD 383.55 FT. RECORDS IN 1932-34 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1932-34, 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1986	33.46 S
HIGHEST	10.50 JUL 09, 1932
LOWEST	33.32 MAR 26, 1985

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343646120131801

LOCAL NUMBER 006N032W11L03S

ABOUT 1.6 MI WEST OF BUELLTON, 2400 FT NORTH OF SANTA ROSA ROAD. DUG DOMESTIC WELL. DIAM 12 IN, DEPTH 22 FT IN 1949, PERFORATED 31-39 FT. ALTITUDE OF LSD 302.38 FT. RECORDS AVAILABLE 1949-55, 1970-72, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1986	9.50 S
HIGHEST	5.13 APR 25, 1978
LOWEST	15.00 OCT 27, 1955

SITE NUMBER 343544120151801

LOCAL NUMBER 006N032W16P03S

IN RANCH JABALI. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 70 FT. ALTITUDE OF LSD 293.18 FT. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 01, 1986	45.72 S
HIGHEST	41.82 FEB 24, 1943
LOWEST	53.66 NOV 27, 1961

SITE NUMBER 343613120164501

LOCAL NUMBER 006N032W18H01S

ABOUT 5 MI WEST OF BUELLTON, 75 FT NORTH OF SANTA ROSA ROAD. DRILLED OBSERVATION WELL. DIAM 8 IN, DEPTH 50 FT. ALTITUDE OF LSD 267.09 FT. RECORDS IN 1932-34, 1936-42 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1932-34, 1936-42, 1949 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1986	33.86 S
HIGHEST	27.90 MAR 07, 1941
LOWEST	42.79 SEP 27, 1961

SITE NUMBER 343737120245901

LOCAL NUMBER 006N034W01P01S

ABOUT 2 MI SOUTHEAST OF LOMPOC. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 164 FT, PERFORATED 54-72, 127-162 FT. ALTITUDE OF LSD 150.36 FT. RECORDS AVAILABLE 1948-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1986	39.49 S
HIGHEST	34.47 MAR 22, 1967
LOWEST	46.86 SEP 27, 1961

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
 WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343815120300601

LOCAL NUMBER 006N034W06C01S

SOUTH OF HWY 246 ON SAN PASQUAL ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH DRILLED 100 FT. ALTITUDE OF LSD 103 FT. MEASUREMENTS FURNISHED BY CITY OF SANTA BARBARA 1930-34, 1939-41. RECORDS AVAILABLE 1930-34, 1939-42, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 01, 1986	61.63 S
HIGHEST	44.49 MAY 08, 1941
LOWEST	65.43 APR 24, 1984

SITE NUMBER 343946119563701

LOCAL NUMBER 007N029W28D01S

ABOUT 125 FT WEST OF HAPPY CANYON ROAD AND 50 FT EAST OF HAPPY CANYON CREEK. DIAM 12 IN, DEPTH 73.8 FT. ALTITUDE OF LSD 1130 FT. RECORDS AVAILABLE 1941-43, 1954-59, 1963-64, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 26, 1986	28.46 S
HIGHEST	6.05 APR 26, 1978
LOWEST	60.44 OCT 10, 1966

SITE NUMBER 343900119570201

LOCAL NUMBER 007N029W29R01S

IN HAPPY CANYON. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 1050 FT. RECORDS AVAILABLE 1956, 1964, 1966-74, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 26, 1986	49.71 S
HIGHEST	17.82 APR 25, 1978
LOWEST	75.20 MAR 08, 1972

SITE NUMBER 343900119570301

LOCAL NUMBER 007N029W29R02S

IN HAPPY CANYON. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 1050 FT. RECORDS AVAILABLE 1964, 1966-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 26, 1986	48.74 S
HIGHEST	18.15 APR 04, 1983
LOWEST	96.93 OCT 17, 1964

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344127120023301

LOCAL NUMBER 007N030W16B01S

NORTHEAST OF LOS OLIVOS. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 150 FT. ALTITUDE OF LSD 1077 FT. RECORDS AVAILABLE 1950, 1954-59, 1963-64, 1966-72, 1975, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 26, 1986	18.00 S
HIGHEST	8.48 APR 04, 1983
LOWEST	36.10 SEP 19, 1950

SITE NUMBER 344028120041801

LOCAL NUMBER 007N030W19H01S

ABOUT 2.3 MI EAST OF LOS OLIVOS AND 1.8 MI NORTH OF ROBLAR AVENUE. STOCK WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1120 FT. RECORDS AVAILABLE 1954-58, 1963-64, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 26, 1986	172.86 S
HIGHEST	171.69 APR 20, 1984 MAR 25, 1985
LOWEST	199.89 APR 08, 1977

SITE NUMBER 344005120045501

LOCAL NUMBER 007N030W19P01S

ABOUT 1.6 MI EAST OF LOS OLIVOS AND 1.2 MI NORTH OF ROBLAR AVENUE. STOCK WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 920 FT. RECORDS AVAILABLE 1954-59, 1964, 1966-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 26, 1986	71.11 S
HIGHEST	67.18 APR 05, 1983
LOWEST	85.80 APR 27, 1978

SITE NUMBER 344023120015101

LOCAL NUMBER 007N030W22E01S

ABOUT 0.1 MI NORTH OF BAR GO RANCH. DRILLED DOMESTIC WELL. DIAM 12 IN, DEPTH 229 FT. ALTITUDE OF LSD 920 FT. RECORDS AVAILABLE 1948, 1954-59, 1963-64, 1966-73, 1975 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 27, 1986	6.58 S
HIGHEST	1.28 MAR 16, 1971
LOWEST	11.19 APR 20, 1964

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343956119592401

LOCAL NUMBER 007N030W24Q01S

IN MARRE CANYON. STOCK WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1190 FT. RECORDS AVAILABLE 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS			
MAR 26, 1986	49.46 S			
	HIGHEST	37.05	OCT 14,	1970
	LOWEST	63.60	SEP 13,	1971

SITE NUMBER 343935120010801

LOCAL NUMBER 007N030W27H01S

ABOUT 0.6 MI UP CORRALES CANYON. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 188 FT, PERFORATED 145-171 FT. ALTITUDE OF LSD 852 FT. RECORDS AVAILABLE 1939, 1942, 1954-59, 1963, 1966, 1968 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS			
MAR 26, 1986	4.98 S			
	HIGHEST	4.28	APR 15,	1980
	LOWEST	22.60	OCT 11,	1966

SITE NUMBER 343900120013401

LOCAL NUMBER 007N030W27Q01S

ABOUT 500 FT NORTH OF ROBLAR AVENUE AND 9500 FT EAST OF BRINKERHOF RD. DRILLED STOCK WELL. DIAM 12 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 789 FT. RECORDS AVAILABLE 1942, 1945, 1950, 1954-59, 1963-64, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS			
MAR 26, 1986	27.49 S			
	HIGHEST	8.55	APR 04,	1983
	LOWEST	43.25	SEP 09,	1950

SITE NUMBER 343946120035801

LOCAL NUMBER 007N030W29D01S

ABOUT 5000 FT NORTH OF ROBLAR AVENUE AND 4100 FT EAST OF TORRENCE AVENUE. STOCK WELL. DIAM 6 IN, DEPTH 290 FT. ALTITUDE OF LSD 910 FT. RECORDS AVAILABLE 1941, 1957-59, 1963-64, 1966-72, 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS			
MAR 26, 1986	31.62 S			
	HIGHEST	15.57	APR 05,	1983
	LOWEST	110.60	OCT 16,	1968

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343903120040701

LOCAL NUMBER 007N030W29N02S

ABOUT 360 FT NORTH OF ROBLAR AVENUE. DRILLED IRRIGATION WELL. DIAM UNKNOWN, DEPTH 485 FT. ALTITUDE OF LSD 820 FT. RECORDS AVAILABLE 1954-59, 1963-64, 1966-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 26, 1986 275.61 S

HIGHEST	230.44	MAR 18, 1954
LOWEST	255.06	APR 11, 1977

SITE NUMBER 343921120051601

LOCAL NUMBER 007N030W30M01S

ABOUT 2000 FT NORTH OF ROBLAR AVENUE AND 2500 FT WEST OF TORRENCE AVENUE. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 200 FT. ALTITUDE OF LSD 795 FT. RECORDS AVAILABLE 1939, 1956-59, 1966-74, 1976, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 26, 1986 153.93 S

HIGHEST	102.00	JAN 01, 1939
LOWEST	184.74	APR 27, 1978

SITE NUMBER 343812120031701

LOCAL NUMBER 007N030W32R01S

ABOUT 225 FT NORTH OF BASELINE AVENUE AND 6800 FT EAST OF TORRENCE AVENUE. DOMESTIC WELL. DIAM 10 IN, DEPTH 242 FT. ALTITUDE OF LSD 701 FT. RECORDS AVAILABLE 1942-43, 1945, 1950, 1952-59, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 26, 1986 165.88 S

HIGHEST	82.15	APR 10, 1945
LOWEST	191.09	JUN 12, 1978

SITE NUMBER 343834120030001

LOCAL NUMBER 007N030W33M02S

NORTH OF BASELINE AVENUE AND EAST OF MORO AVENUE. DRILLED UNUSED WELL. DIAM 10 IN, DEPTH 318 FT, PERFORATED 165-173, 178-183, 196-199, 211-216, 221-241, 254-292, 299-318 FT. ALTITUDE OF LSD 746 FT. RECORDS AVAILABLE 1953-72, 1974-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

MAR 26, 1986 196.53 S

HIGHEST	158.00	FEB 13, 1953
LOWEST	214.20	APR 11, 1979

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343809120000601

LOCAL NUMBER 007N030W35R01S

ABOUT 1000 FT NORTHWEST OF ENTRANCE TO STARLANE RANCH. DRILLED STOCK WELL. DIAM 10 IN, DEPTH 300 FT, PERFORATED 201-203, 223-242, 264-268, 283-288 FT. ALTITUDE OF LSD 880 FT. RECORDS AVAILABLE 1952, 1956-59, 1963-64, 1966-72, 1974-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 25, 1986	187.30 S
	HIGHEST 186.49 MAR 20, 1985
	LOWEST 236.73 APR 26, 1978

SITE NUMBER 344044120072801

LOCAL NUMBER 007N031W22A03S

ABOUT 1 MI NORTH OF SAN MARCOS PASS ROAD ON FOXEN CANYON ROAD. IRRIGATION WELL. DIAM 9 IN, DEPTH 224 FT, CASED TO 224 FT, PERFORATED 95-105, 110-135, 140-150, 182-188, 210-218 FT. ALTITUDE OF LSD 865 FT. RECORDS AVAILABLE 1958-59, 1963-64, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 26, 1986	51.62 S
	HIGHEST 31.62 APR 20, 1984
	LOWEST 67.99 APR 11, 1977

SITE NUMBER 344002120070001

LOCAL NUMBER 007N031W23P01S

ABOUT 850 FT WEST OF GRAND AVENUE AND 450 FT EAST OF ALAMO PINTADO CREEK. DRILLED IRRIGATION WELL. DIAM 8 IN, DEPTH 141.4 FT. ALTITUDE OF LSD 822 FT. RECORDS AVAILABLE 1942 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 27, 1986	25.85 S
	HIGHEST 8.09 AUG 07, 1942
	LOWEST 105.08 AUG 22, 1966

SITE NUMBER 343824120081801

LOCAL NUMBER 007N031W34M01S

ABOUT 3.8 MI NORTH ON BALLARD CANYON ROAD. STOCK WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 650 FT. RECORDS AVAILABLE 1966-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 28, 1986	143.48 S
	HIGHEST 126.88 APR 03, 1967
	LOWEST 145.10 APR 24, 1973

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343827120064601

LOCAL NUMBER 007N031W35K01S

ABOUT 1900 FT NORTH OF BASELINE AVENUE AND 550 FT EAST OF ALAMO-PINTADO ROAD. IRRIGATION WELL.  
DIAM UNKNOWN, DEPTH 149.4 FT. ALTITUDE OF LSD 683 FT. RECORDS AVAILABLE 1942-43, 1945, 1957-  
59, 1964, 1967-72, 1974 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 27, 1986	31.60 S
HIGHEST	20.47 APR 05, 1983
LOWEST	100.54 OCT 23, 1967

SITE NUMBER 343831120055001

LOCAL NUMBER 007N031W36L02S

ABOUT 2000 FT NORTH OF BASELINE ROAD AND 50 FT WEST OF REFUGIO ROAD. DRILLED DOMESTIC WELL.  
DIAM 12 IN, DEPTH 230 FT. ALTITUDE OF LSD 721 FT. RECORDS AVAILABLE 1942 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 27, 1986	46.48 S
HIGHEST	16.54 APR 07, 1943
LOWEST	128.20 OCT 14, 1968

SITE NUMBER 344215120170001

LOCAL NUMBER 007N032W07B01S

IN DRUM CANYON. STOCK WELL. DIAM 16 IN, DEPTH 77 FT. ALTITUDE OF LSD 1030 FT. RECORDS  
AVAILABLE 1941, 1945, 1954-59, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1986	45.58 S
HIGHEST	5.01 APR 06, 1983
LOWEST	58.84 OCT 21, 1969

SITE NUMBER 343821120173601

LOCAL NUMBER 007N032W31M01S

NORTH OF HWY 150 IN WALNUT ORCHARD. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD  
450 FT. RECORDS AVAILABLE 1954-59, 1966-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1986	55.85 S
HIGHEST	48.62 APR 23, 1984
LOWEST	111.05 MAR 15, 1972



## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344051120224901

LOCAL NUMBER 007N033W17N02S

ABOUT 2.1 MI UP CEBADA CANYON FROM LOMPOC. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 360 FT. RECORDS AVAILABLE 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 01, 1986	280.29 S
HIGHEST	262.98 MAR 30, 1967
LOWEST	301.15 APR 02, 1981

SITE NUMBER 344035120235901

LOCAL NUMBER 007N033W19D01S

ABOUT 75 MI NORTH INTO CEBADA CANYON FROM HWY 154. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 760 FT, CASSED TO 552 FT, PERFORATED 228-264, 300-552 FT. ALTITUDE OF LSD 270 FT. RECORDS AVAILABLE 1958, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 01, 1986	193.24 S
HIGHEST	186.30 MAR 30, 1967
LOWEST	202.38 OCT 19, 1970

SITE NUMBER 343956120214001

LOCAL NUMBER 007N033W21N01S

ABOUT 5 MI NORTHEAST OF LOMPOC. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 360 FT. RECORDS AVAILABLE 1967-71, 1973-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1986	287.51 S
HIGHEST	278.35 MAR 26, 1969
LOWEST	299.15 APR 05, 1976

SITE NUMBER 343926120201001

LOCAL NUMBER 007N033W27G01S

ABOUT 1 MI SOUTH OF HWY 150. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 750 FT, CASSED TO 735 FT, PERFORATED 435-735 FT. ALTITUDE OF LSD 432 FT. RECORDS AVAILABLE 1967, 1969-71, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1986	353.22 S
HIGHEST	347.77 APR 11, 1974
LOWEST	374.08 DEC 27, 1977

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343923120200101

LOCAL NUMBER 007N033W27J01S

IN SANTA RITA VALLEY. DUG STOCK WELL. DIAM 20 IN, DEPTH 52.5 FT. ALTITUDE OF LSD 458.2 FT. RECORDS AVAILABLE 1941, 1945, 1955-58, 1966-74, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1986	18.07 S
HIGHEST	17.11 APR 06, 1983
LOWEST	35.05 NOV 08, 1957

SITE NUMBER 343824120175201

LOCAL NUMBER 007N033W36J01S

ABOUT .73 MI UP HWY 150 FROM INTERSECTION OF DRUM CANYON ROAD AND HWY 150. DRILLED IRRIGATION WELL. DIAM 8 IN, DEPTH 190 FT, PERFORATED 125-190 FT. ALTITUDE OF LSD 495 FT. RECORDS AVAILABLE 1941, 1945-46, 1948, 1954-59, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1986	147.59 S
HIGHEST	114.10 OCT 22, 1946
LOWEST	152.20 OCT 19, 1970

SITE NUMBER 343825120174601

LOCAL NUMBER 007N033W36J02S

ABOUT .65 MI WEST OF HWY 154. UNUSED WELL. DIAM 8 IN, DEPTH 97.5 FT. ALTITUDE OF LSD 478 FT. RECORDS AVAILABLE 1941, 1954, 1957, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 31, 1986	57.77 S
HIGHEST	51.00 APR 23, 1984
LOWEST	69.77 NOV 03, 1954

SITE NUMBER 344221120273501

LOCAL NUMBER 007N034W09H05S

ABOUT 1.12 MI NORTHWEST OF STATE HWY 1 AND .51 MI NORTHEAST OF LOMPOC-CASMALIA RD. DRILLED UNUSED WELL. DIAM 14 IN, DEPTH 960 FT, CASED TO 853 FT, PERFORATED 653-853 FT. ALTITUDE OF LSD 275 FT. RECORDS AVAILABLE 1960-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 02, 1986	250.78
HIGHEST	218.90 MAR 28, 1962
LOWEST	284.70 MAR 03, 1966

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344221120273502

LOCAL NUMBER 007N034W09H06S

ABOUT 1.9 MI NORTH OF INTERSECTION OF LOMPOC-CASMALIA ROAD AND CABRILLO HWY. INDUSTRIAL WELL.  
DIAM 16 IN, DEPTH 816 FT, CASED TO 810 FT, PERFORATED 594-810 FT. ALTITUDE OF LSD 275 FT.  
RECORDS AVAILABLE 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 02, 1986	251.91
HIGHEST	241.60 MAR 23, 1976
LOWEST	252.00 APR 25, 1984

SITE NUMBER 344219120250601

LOCAL NUMBER 007N034W12E01S

ABOUT 5 MI NORTH-NORTHEAST OF LOMPOC. DRILLED OBSERVATION WELL. DIAM 8 TO 6 IN, DEPTH 377  
FT, 8-IN CSG 0-278 FT, 6-IN CSG 278-385 FT, PERFORATED 345-385 FT. ALTITUDE OF LSD 385.83  
FT. RECORDS AVAILABLE 1949-50, 1956, 1959, 1961-66, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 02, 1986	320.79
HIGHEST	301.00 JUN 19, 1949
LOWEST	320.79 APR 02, 1986

SITE NUMBER 344130120255201

LOCAL NUMBER 007N034W14F03S

ABOUT 2.5 MI NORTH OF PURISIMA MISSION. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 397  
FT, PERFORATED 169-397 FT. ALTITUDE OF LSD 268 FT. RECORDS AVAILABLE 1958, 1962-75, 1978  
TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 02, 1986	216.10 T
HIGHEST	194.40 FEB 25, 1963
LOWEST	224.40 APR 16, 1973

SITE NUMBER 344117120255001

LOCAL NUMBER 007N034W14L01S

NORTH OF LOMPOC ON BURTON MESA ROAD. TEST WELL. DIAM 6 IN, DEPTH 550 FT, PERFORATED 200-550  
FT. ALTITUDE OF LSD 280 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 02, 1986	208.20 S
HIGHEST	205.85 APR 25, 1984
LOWEST	208.20 APR 02, 1986

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344140120272301

LOCAL NUMBER 007N034W15D01S

ABOUT 3.75 MI NORTH OF LOMPOC ON LOMPOC-CASMALIA RD. DRILLED PUBLIC SUPPLY WELL. DIAM 24 TO 16 IN, DEPTH 790 FT, PERFORATED 450-790 FT. ALTITUDE OF LSD 180 FT. RECORDS AVAILABLE 1960-74, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 02, 1986	128.78 ST
HIGHEST	111.22 JUL 27, 1960
LOWEST	150.00 JAN 28, 1960

SITE NUMBER 344140120272302

LOCAL NUMBER 007N034W15D02S

ABOUT 1.2 MI NORTH OF INTERSECTION OF HWY 1 AND LOMPOC-CASMALIA RD. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 690 FT, CASED TO 690 FT, PERFORATED 486-666 FT. ALTITUDE OF LSD 180 FT. RECORDS AVAILABLE 1970, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 02, 1986	127.84 ST
HIGHEST	123.54 OCT 20, 1970
LOWEST	129.50 NOV 28, 1977

SITE NUMBER 344134120272201

LOCAL NUMBER 007N034W15E01S

IN CANYON SOUTHEAST OF VANDENBERG VILLAGE. DRILLED PUBLIC SUPPLY WELL. DIAM 18 IN, DEPTH 770 FT, CASED TO 749 FT, PERFORATED 511-725 FT. ALTITUDE OF LSD 180 FT. RECORDS AVAILABLE 1964, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 02, 1986	129.17 S
HIGHEST	122.06 MAR 07, 1968
LOWEST	136.30 APR 10, 1974

SITE NUMBER 344057120300901

LOCAL NUMBER 007N034W19C01S

NORTH OF FCI AND WEST OF FLORADALE AVE. DRILLED OBSERVATION WELL IN SAND AND GRAVEL. DIAM 6 IN, DEPTH 138 FT, PERFORATED 118-138 FT. ALTITUDE OF LSD 130.5 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
AUG 26, 1986	89.82 S
HIGHEST	85.47 JAN 10, 1984
LOWEST	89.33 SEP 04, 1985

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344045120300701

LOCAL NUMBER 007N034W19C02S

AT FCI. DRILLED OBSERVATION WELL IN TERRACE DEPOSITS. DIAM 6 IN, DEPTH 158 FT, PERFORATED 118-158 FT. ALTITUDE OF LSD 118.5 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
AUG 27, 1986	83.69 S
HIGHEST	75.80 APR 05, 1983
LOWEST	84.45 SEP 04, 1985

SITE NUMBER 344045120300702

LOCAL NUMBER 007N034W19C03S

AT FCI. DRILLED OBSERVATION WELL IN TERRACE DEPOSITS. DIAM 6 IN, DEPTH 85 FT, PERFORATED 65-85 FT. ALTITUDE OF LSD 118.5 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
AUG 27, 1986	76.11 S
HIGHEST	74.43 JAN 11, 1984
LOWEST	76.11 SEP 04, 1985

SITE NUMBER 344046120300801

LOCAL NUMBER 007N034W19C04S

AT U.S. PENITENTIARY. DRILLED OBSERVATION WELL IN TERRACE DEPOSITS. DIAM 2 IN, DEPTH 83 FT, SCREENED 73-83 FT. ALTITUDE OF LSD 119 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
AUG 26, 1986	74.95 T
HIGHEST	73.28 JAN 11, 1984
LOWEST	74.95 AUG 26, 1986

SITE NUMBER 344035120301901

LOCAL NUMBER 007N034W19E01S

ALONG MAIN GATE RD AT FCI. DRILLED OBSERVATION WELL IN TERRACE DEPOSITS. DIAM 2 IN, DEPTH 158 FT, PERFORATED 118-158 FT. ALTITUDE OF LSD 108.7 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
AUG 28, 1986	76.70 S
HIGHEST	72.10 APR 05, 1983
LOWEST	76.74 AUG 08, 1982

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344040120300601

LOCAL NUMBER 007N034W19F01S

NEAR FCI. DRILLED PRODUCTION WELL IN TERRACE DEPOSITS. DIAM 12 IN, DEPTH 200 FT, PERFORATED 133-153 FT. ALTITUDE OF LSD 119.5 FT. RECORDS AVAILABLE 1978, 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS			
AUG 27, 1986	94.17	S		
	HIGHEST	75.48	JAN 11, 1984	
	LOWEST	92.97	JUN 26, 1984	

SITE NUMBER 344036120301101

LOCAL NUMBER 007N034W19F02S

ALONG MAIN GATE RD AT FCI. DRILLED OBSERVATION WELL IN TERRACE DEPOSITS. DIAM 6 IN, DEPTH 158 FT, PERFORATED 118-158 FT. ALTITUDE OF LSD 115.9 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS			
AUG 28, 1986	86.69			
	HIGHEST	73.09	JUN 02, 1983	
	LOWEST	87.33	JUN 26, 1984	

SITE NUMBER 344036120301102

LOCAL NUMBER 007N034W19F03S

ALONG MAIN GATE RD AT FCI. DRILLED OBSERVATION WELL IN TERRACE DEPOSITS. DIAM 6 IN, DEPTH 94 FT, PERFORATED 74-94 FT. ALTITUDE OF LSD 115.9 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS			
AUG 28, 1986	74.83			
	HIGHEST	73.22	JUN 29, 1983	
	LOWEST	78.07	JAN 31, 1985	

SITE NUMBER 344017120285502

LOCAL NUMBER 007N034W20K04S

ON VANDENBERG AFB, SOUTH OF FCI. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 18 IN, DRILLED DEPTH 186 FT, DEPTH 144.5 FT IN 1966, PERFORATED 90-174 FT. ALTITUDE OF LSD 72 FT. RECORDS AVAILABLE 1941-42, 1955, 1966-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	31.02 S	MAY 16, 1986	31.30 S
	HIGHEST	15.70	OCT 18, 1942
	LOWEST	37.00	APR 04, 1974

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344023120292802

LOCAL NUMBER 007N034W20M02S

ON VANDENBERG AFB, SOUTHWEST OF FCI. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 18 IN, DEPTH 192 FT, PERFORATED 77-93, 101-177 FT. ALTITUDE OF LSD 70 FT. RECORDS AVAILABLE 1941-42, 1955-56, 1966-73, 1975-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	32.37 SH	MAY 16, 1986	42.67 S
	HIGHEST	18.40	APR 01, 1942
	LOWEST	42.67	MAY 16, 1986

SITE NUMBER 344010120251601

LOCAL NUMBER 007N034W24N01S

SOUTHEAST OF LA PURISIMA MISSION ALONG LOMPOC-CASMALIA ROAD. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 183 FT. ALTITUDE OF LSD 130.4 FT. MEASUREMENTS 1930-35 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1924, 1930-35, 1949, 1953 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 01, 1986	71.45 S		
	HIGHEST	38.00	JUL 01, 1924
	LOWEST	78.99	SEP 21, 1971

SITE NUMBER 343948120292002

LOCAL NUMBER 007N034W29E04S

ABOUT 2.5 MI NORTHWEST OF LOMPOC. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 176 FT. ALTITUDE OF LSD 67.71 FT. RECORDS AVAILABLE 1945-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 01, 1986	26.02 S		
	HIGHEST	18.36	MAR 31, 1958
	LOWEST	48.14	JUL 24, 1963

SITE NUMBER 343941120300102

LOCAL NUMBER 007N034W30L03S

SOUTH OF CENTRAL AVENUE AND EAST OF ARTESIA SCHOOL. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 31.8 FT IN 1947. ALTITUDE OF LSD 58.79 FT. RECORDS AVAILABLE 1945 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 01, 1986	21.30 S		
	HIGHEST	13.74	APR 08, 1983
	LOWEST	26.41	APR 24, 1951

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343901120300301

LOCAL NUMBER 007N034W31C02S

ABOUT 50 FT WEST OF LEGGE AVENUE AND 3200 FT NORTH OF OCEAN AVENUE. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 64.72 FT. RECORDS AVAILABLE 1937, 1941, 1943, 1947-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 01, 1986	25.90 S
HIGHEST	8.06 APR 16, 1941
LOWEST	47.38 JUL 27, 1965

SITE NUMBER 343846120255101

LOCAL NUMBER 007N034W35F02S

ABOUT 1 MI EAST OF LOMPOC. DRILLED IRRIGATION WELL. DIAM 15 IN, DEPTH 102 FT IN 1963, 101 FT IN 1965, PERFORATED 30-54, 96-136 FT. ALTITUDE OF LSD 99.8 FT. RECORDS 1930-40, 1942 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1930-68, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 01, 1986	17.25 S
HIGHEST	9.50 MAR 06, 1941
LOWEST	37.48 OCT 25, 1966

SITE NUMBER 344116120351401

LOCAL NUMBER 007N035W17K01S

ON VANDENBERG AFB, SOUTH OF LAGOON. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DRILLED DEPTH 190 FT, DEPTH 186.7 FT IN 1966, PERFORATED 175-185 FT. ALTITUDE OF LSD 10 FT. RECORDS AVAILABLE 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	4.25 S	MAY 16, 1986	4.36 S
HIGHEST	0.02 APR 05, 1967		
LOWEST	4.36 MAY 16, 1986		

SITE NUMBER 344112120351001

LOCAL NUMBER 007N035W17K20S

NORTH OF OCEAN PARK ROAD. DIAM 6 INCHES, DEPTH 126 FT, PERFORATED 96-116 FT. ALTITUDE OF LSD 24 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	18.60 S	MAY 16, 1986	18.27 S
HIGHEST	15.21 NOV 20, 1984		
LOWEST	18.60 OCT 31, 1985		



## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344114120353501

LOCAL NUMBER 007N035W17M01S

NEAR OCEAN BEACH COUNTY PARK AT SURF. DRILLED OBSERVATION WELL. DIAM 8 IN, DEPTH 165 FT IN 1966, PERFORATED 115-120 FT. ALTITUDE OF LSD 9.74 FT. RECORDS AVAILABLE 1964 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 02, 1986	4.30 S		
	HIGHEST	1.68	JAN 26, 1968
	LOWEST	5.40	AUG 07, 1978

SITE NUMBER 344110120351201

LOCAL NUMBER 007N035W17Q06S

ON VANDENBERG AIR FORCE BASE. DIAM 6 INCHES, DEPTH 87 FT, PERFORATED 57-77 FT. ALTITUDE OF LSD 20 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	12.50 S	MAY 16, 1986	11.86 S
	HIGHEST	9.57	NOV 20, 1984
	LOWEST	12.50	OCT 31, 1985

SITE NUMBER 344135120355201

LOCAL NUMBER 007N035W18H01S

ON VANDENBERG AFB, NORTH OF LAGOON. DRILLED OBSERVATION WELL. DIAM 8 IN, DEPTH 111.5 FT IN 1966, PERFORATED 83-88 FT. ALTITUDE OF LSD 5.87 FT. RECORDS AVAILABLE 1963-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 02, 1986	1.31 S		
	HIGHEST	0.44	APR 07, 1981
	LOWEST	2.60	APR 05, 1967

SITE NUMBER 344118120355902

LOCAL NUMBER 007N035W18J02S

NEAR SOUTH EXIT ROAD AT OCEAN BEACH COUNTY PARK. DRILLED OBSERVATION WELL. DIAM 8 IN, DEPTH 121.7 FT IN 1966, PERFORATED 100-105 FT. ALTITUDE OF LSD 7.38 FT. RECORDS AVAILABLE 1963 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 02, 1986	3.05 S		
	HIGHEST	2.34	DEC 29, 1964
	LOWEST	4.85	MAR 26, 1969

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344041120341101

LOCAL NUMBER 007N035W21G02S

ON VANDENBERG AIR FORCE BASE. DIAM 6 INCHES, DEPTH 180 FT, PERFORATED 150-170 FT. ALTITUDE OF  
LSD 20 FT. RECORDS AVAILABLE 1982 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	13.06 S	MAY 16, 1986	12.90 S
	HIGHEST	10.14	MAY 25, 1983
	LOWEST	13.55	JUN 20, 1982

SITE NUMBER 344021120324101

LOCAL NUMBER 007N035W22J01S

ABOUT 1 MI WEST OF MAIN GATE OF PT. ARGUELLO U.S.N.S. BORED IRRIGATION WELL. DIAM 16 IN,  
DEPTH 182 FT, PERFORATED 133-180 FT. ALTITUDE OF LSD 31.76 FT. RECORDS 1930-35 FURNISHED BY  
CITY OF SANTA BARBARA. RECORDS AVAILABLE 1930-35, 1941-42, 1945-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 03, 1986	14.54 S		
	HIGHEST	6.01	APR 08, 1958
	LOWEST	24.06	MAY 08, 1984

SITE NUMBER 344025120331301

LOCAL NUMBER 007N035W22L01S

ON VANDENBERG AFB, ABOUT 0.50 MI NORTH OF HWY 246. DRILLED IRRIGATION WATER-TABLE WELL. DIAM  
12 IN, DEPTH 219 FT, PERFORATED 172-189 FT. ALTITUDE OF LSD 30 FT. RECORDS AVAILABLE 1934-35,  
1953, 1960, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	19.77 S	MAY 16, 1986	20.66 S
	HIGHEST	10.70	APR 05, 1967
	LOWEST	24.80	SEP 19, 1935

SITE NUMBER 344025120333401

LOCAL NUMBER 007N035W22M01S

ON VANDENBERG AFB, WEST OF RENWICK AVE. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 12 IN,  
DEPTH 180 FT. ALTITUDE OF LSD 29 FT. RECORDS AVAILABLE 1933, 1935, 1937, 1947 TO CURRENT  
YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	12.24 S	MAY 16, 1986	14.04 S
	HIGHEST	2.87	MAR 27, 1952
	LOWEST	20.20	SEP 19, 1935

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344043120322402

LOCAL NUMBER 007N035W23E02S

ABOUT 5.29 MI NORTHWEST OF LOMPOC. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 212 FT, PERFORATED 170-190 FT. ALTITUDE OF LSD 36.11 FT. RECORDS 1930-35 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1930-35, 1937-38, 1941-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 03, 1986	17.07 S
	HIGHEST 8.03 SEP 28, 1954
	LOWEST 65.00 APR 28, 1943

SITE NUMBER 344025120313701

LOCAL NUMBER 007N035W23J05S

ABOUT 0.84 MI NORTH OF INTERSECTION OF ARTESIA AVENUE AND CENTRAL AVENUE, 30 FT WEST OF ARTESIA AVENUE. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 43 FT. RECORDS AVAILABLE 1966-72, 1974-75, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 03, 1986	18.07 S
	HIGHEST 12.76 APR 25, 1978
	LOWEST 39.15 SEP 17, 1971

SITE NUMBER 343947120310701

LOCAL NUMBER 007N035W25F05S

ABOUT 0.25 FT WEST OF DE WOLF AVENUE AND 500 FT NORTH OF CENTRAL AVENUE. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 184 FT, PERFORATED 145-175 FT. ALTITUDE OF LSD 47 FT. RECORDS AVAILABLE 1939-41, 1945-48, 1950, 1952-55, 1957-73, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 02, 1986	18.64 S
	HIGHEST 5.72 MAR 27, 1941
	LOWEST 37.45 JUL 24, 1963

SITE NUMBER 343947120310703

LOCAL NUMBER 007N035W25F06S

NORTH OF CENTRAL AVENUE AND WEST OF DE WOLF AVENUE. DRILLED OBSERVATION WELL. DIAM 2 IN, DEPTH 19.3 FT IN 1945. ALTITUDE OF LSD 47 FT. RECORDS AVAILABLE 1945 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 02, 1986	10.10 S
	HIGHEST 3.84 APR 04, 1969
	LOWEST 16.18 OCT 28, 1964

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343947120310702

LOCAL NUMBER 007N035W25F07S

NORTH OF CENTRAL AVENUE AND WEST OF DE WOLF AVENUE. DRILLED OBSERVATION WELL. DIAM 1.25 IN, DEPTH 32 FT, CASED TO 29.5 FT, SAND POINT 29.5 FT. ALTITUDE OF LSD 46.9 FT. RECORDS AVAILABLE 1962 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS			
APR 02, 1986	11.13 S			
	HIGHEST	5.70	APR 25, 1978	
	LOWEST	19.96	FEB 04, 1964	

SITE NUMBER 343948120320901

LOCAL NUMBER 007N035W26F04S

NORTH OF CENTRAL AVENUE AND WEST OF UNION AVENUE. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 190 FT IN 1952. ALTITUDE OF LSD 35 FT. RECORDS AVAILABLE 1970-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS			
APR 03, 1986	15.52 S			
	HIGHEST	10.43	APR 02, 1982	
	LOWEST	25.80	MAY 08, 1984	

SITE NUMBER 343952120332001

LOCAL NUMBER 007N035W27F01S

ON VANDENBERG AFB, ABOUT 0.45 MI EAST OF ARGUELLO BLVD AND 50 FT NORTH OF CLARK STREET. DRILLED UNUSED WATER-TABLE WELL. DIAM 12 IN, DEPTH DRILLED 123 FT. ALTITUDE OF LSD 27.63 FT. RECORDS PRIOR TO 1942 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1930-32, 1934, 1942, 1953 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	12.67 S	MAY 16, 1986	14.80 S
	HIGHEST	2.52	APR 21, 1958
	LOWEST	23.23	AUG 05, 1930

SITE NUMBER 343948120330101

LOCAL NUMBER 007N035W27H01S

ON VANDENBERG AFB, ABOUT 200 FT SOUTH OF HWY 246. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 16 IN, DEPTH 142 FT, PERFORATED 80-124 FT. ALTITUDE OF LSD 27 FT. RECORDS IN 1935-42 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1935-42, 1953-59, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	11.46 S	MAY 16, 1986	15.97 S
	HIGHEST	1.50	APR 02, 1941
	LOWEST	21.40	JUL 31, 1936

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343923120332501

LOCAL NUMBER 007N035W27P01S

ON VANDENBERG AFB, SOUTH OF HWY 246. DRILLED UNUSED WATER-TABLE WELL. DIAM 6 IN CASING TO 582 FT, DEPTH 677 FT, PERFORATED 562-577 FT. ALTITUDE OF LSD 260 FT. RECORDS AVAILABLE 1963-69, 1971 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	226.89 S	MAY 16, 1986	225.92 S
	HIGHEST	222.24	APR 24, 1963
	LOWEST	235.20	APR 10, 1979

SITE NUMBER 343944120361901

LOCAL NUMBER 007N035W30G01S

ON VANDENBERG AFB, ABOUT 0.1 MI SOUTH OF ROAD TO LAUNCH COMPLEX A. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 8 IN, DEPTH DRILLED 277 FT, PERFORATED 115-275 FT. ALTITUDE OF LSD 130 FT. RECORDS AVAILABLE 1958-61, 1963 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	96.64 S	MAY 16, 1986	96.71 S
	HIGHEST	95.82	MAR 13, 1985
	LOWEST	98.34	JUL 31, 1958

SITE NUMBER 343841120355201

LOCAL NUMBER 007N035W31J01S

ON VANDENBERG AFB, IN BEAR CREEK AREA. DIAM 6 IN, DEPTH 625 FT, PERFORATED 571-591 FT. ALTITUDE OF LSD 160 FT. RECORDS AVAILABLE 1963-69, 1971 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	55.61 S	MAY 16, 1986	53.32 S
	HIGHEST	48.18	OCT 30, 1963
	LOWEST	66.49	JAN 04, 1963

SITE NUMBER 343839120365301

LOCAL NUMBER 007N035W31M02S

ON SOUTH VANDENBERG AFB. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 200 FT. RECORDS AVAILABLE 1966-69, 1971 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	8.09 S	MAY 16, 1986	8.12 S
	HIGHEST	6.75	APR 14, 1975
	LOWEST	13.05	NOV 12, 1968

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343831120354301

LOCAL NUMBER 007N035W32N01S

ON SOUTH VANDENBERG AFB IN BEAR CREEK AREA. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH DRILLED 300 FT, DEPTH 224.6 FT IN 1966, PERFORATED 10-210 FT. ALTITUDE OF LSD 175 FT. RECORDS AVAILABLE 1958-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	4.05 S	MAY 16, 1986	3.18 S
	HIGHEST	3.18	MAY 16, 1986
	LOWEST	9.47	JUN 25, 1958

SITE NUMBER 343846120334801

LOCAL NUMBER 007N035W33J01S

ON SOUTH VANDENBERG AFB IN LOMPOC CANYON. DRILLED UNUSED WATER-TABLE WELL. DIAM 8 IN, DEPTH DRILLED 380 FT, DEPTH 186 FT IN 1966, PERFORATED 113-155, 173-244 FT. ALTITUDE OF LSD 177 FT. RECORDS AVAILABLE 1958-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	122.91 S	MAY 16, 1986	122.02 ST
	HIGHEST	109.89	NOV 25, 1958
	LOWEST	127.29	JUN 05, 1967

SITE NUMBER 343846120334802

LOCAL NUMBER 007N035W33J02S

ON VANDENBERG AFB, ABOUT 1.8 MI SOUTH OF SOUTH BASE ENTRANCE IN LOMPOC CANYON. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 530 FT, PERFORATED 170-210, 375-465 FT. ALTITUDE OF LSD 177 FT. RECORDS AVAILABLE 1958-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	147.75 SR	MAY 16, 1986	133.24 SR
	HIGHEST	112.94	OCT 29, 1958
	LOWEST	177.50	APR 27, 1966

SITE NUMBER 343837120335201

LOCAL NUMBER 007N035W33J03S

ON SOUTH VANDENBERG AFB IN LOMPOC CANYON. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH DRILLED 660 FT, 14 IN CSG 0-518 FT, PERFORATED 96-160, 428-460 FT. ALTITUDE OF LSD 220 FT. RECORDS AVAILABLE 1960-69, 1971 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 31, 1985	131.34 SS	MAY 16, 1986	131.66 ST
	HIGHEST	127.92	MAR 13, 1985
	LOWEST	164.74	OCT 28, 1964

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 343859120314003

LOCAL NUMBER 007N035W35A03S

NORTH OF ARTESIA AVENUE AND EAST OF OCEAN AVENUE. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 100 FT, PERFORATED 78-92 FT. ALTITUDE OF LSD 45.68 FT. RECORDS AVAILABLE 1945, 1947-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 02, 1986	12.74 S
HIGHEST	5.41 APR 29, 1958
LOWEST	25.81 JUL 27, 1950

SITE NUMBER 343840120304801

LOCAL NUMBER 007N035W36J03S

ABOUT 3 MI WEST OF LOMPOC. DRILLED UNUSED ARTESIAN WELL IN ALLUVIUM. DIAM 16 IN, DEPTH 102 FT, PERFORATED 71-95 FT. ALTITUDE OF LSD 58.76 FT. RECORDS 1930-42 FURNISHED BY CITY OF SANTA BARBARA. RECORDS AVAILABLE 1929-42, 1944, 1952, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 23, 1985	28.69 S	NOV 22, 1985	26.58 S	JAN 28, 1986	15.70
HIGHEST	4.60 APR 16, 1941				
LOWEST	81.00 JUL 18, 1933				

SITE NUMBER 344547120070901

LOCAL NUMBER 008N031W23D01S

IN FOXEN CANYON. UNUSED WELL. DIAM 8.5 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 1500 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 26, 1986	354.16 S
HIGHEST	348.03 APR 20, 1984
LOWEST	404.00 JUN 14, 1977

SITE NUMBER 344418120053101

LOCAL NUMBER 008N031W25Q01S

IN SYCAMORE CANYON. STOCK WELL. DIAM 12 IN, DEPTH 190 FT, CASED TO 190 FT. ALTITUDE OF LSD 1220 FT. RECORDS AVAILABLE 1967-73, 1975-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
MAR 27, 1986	45.65 S
HIGHEST	15.49 APR 05, 1983
LOWEST	49.36 MAR 31, 1976

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344417120151001

LOCAL NUMBER 008N032W28P01S

ABOUT 1.5 MI EAST OF LOS ALAMOS. IRRIGATION WELL. DIAM 12 IN, DEPTH 235 FT, PERFORATED 67-79, 81-101 FT. ALTITUDE OF LSD 616 FT. RECORDS AVAILABLE 1943, 1955, 1958, 1978, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 26, 1986	54.63 S	SEP 19, 1986	76.38 S
	HIGHEST	23.12	DEC 02, 1943
	LOWEST	76.38	SEP 19, 1986

SITE NUMBER 344437120161401

LOCAL NUMBER 008N032W29L02S

NORTH OF LOS ALAMOS, NEAR HWY 101. DRILLED WATER-TABLE WELL. DIAM 9 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 590 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
APR 03, 1986	26.33		
	HIGHEST	13.89	APR 14, 1983
	LOWEST	37.33	AUG 24, 1977

SITE NUMBER 344457120174001

LOCAL NUMBER 008N032W30D01S

NORTH OF HWY 135 AND 0.33 MI WEST OF BELL STREET. DRILLED UNUSED WATER-TABLE WELL IN SAND AND GRAVEL. DIAM 16 IN, DEPTH 899 FT, PERFORATED 265-355, 378-409, 463-523, 667-895 FT. ALTITUDE OF LSD 540 FT. RECORDER INSTALLED 12/1977. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1985	55.48 S	JAN 27, 1986	49.94 S	APR 24, 1986	48.95 S	AUG 26, 1986	60.79 S
NOV 22, 1985	53.73 S	FEB 26, 1986	48.87 S	MAY 27, 1986	53.48 S	SEP 18, 1986	58.10 S
DEC 26, 1985	50.96 S	MAR 25, 1986	48.62 S	JUL 25, 1986	60.75 S		
	HIGHEST	23.18	APR 30, 1978				
	LOWEST	67.73	AUG 01, 1985				

SITE NUMBER 344530120231601

LOCAL NUMBER 008N033W19K01S

NEAR LOS ALAMOS. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 300 FT. ALTITUDE OF LSD 368 FT. RECORDS AVAILABLE 1952, 1958, 1978, 1983 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 26, 1986	63.07 S	SEP 18, 1986	65.53 S
	HIGHEST	45.58	JUN 17, 1958
	LOWEST	65.53	SEP 18, 1986



## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344518120221002

LOCAL NUMBER 008N033W20Q02S

ABOUT 5.5 MI WEST OF LOS ALAMOS ON HWY 137 AND 200 FT WEST OF BACHELOR ROAD. DRILLED WATER-TABLE WELL. DIAM 16 IN, DEPTH 260 FT. ALTITUDE OF LSD 408 FT. RECORDS AVAILABLE 1958, 1967-71, 1973 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS			
APR 11, 1986	25.40 S			
	HIGHEST	7.37	JAN 16, 1958	
	LOWEST	46.34	AUG 29, 1968	

SITE NUMBER 344517120220701

LOCAL NUMBER 008N033W20R01S

ABOUT 5.15 MI WEST OF LOS ALAMOS AND 50 FT SOUTH OF LOS ALAMOS ROAD. DRILLED WATER-TABLE WELL. DIAM 10 IN, DEPTH 75 FT. ALTITUDE OF LSD 410 FT. RECORDS AVAILABLE 1943 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS			
APR 11, 1986	33.37 S			
	HIGHEST	21.20	JAN 30, 1947	
	LOWEST	39.05	JUL 24, 1964	

SITE NUMBER 344516120190201

LOCAL NUMBER 008N033W23Q02S

WEST OF LOS ALAMOS AND NORTH OF HWY 135. DRILLED IRRIGATION WATER-TABLE WELL. DIAM 14 IN, DEPTH 311 FT, CASED TO 220 FT, PERFORATED 52-220 FT. ALTITUDE OF LSD 495 FT. RECORDS AVAILABLE 1955, 1978, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 26, 1986	18.61 S	SEP 19, 1986	20.83 S
	HIGHEST	6.90	APR 21, 1955
	LOWEST	44.53	SEP 25, 1985

SITE NUMBER 344802120255901

LOCAL NUMBER 008N034W02M01S

ABOUT 0.50 MI EAST OF INTERSECTION OF CABRILLO HWY AND VANDENBERG ROAD. IRRIGATION WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 420 FT. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 26, 1986	118.05 S	SEP 19, 1986	113.85 S
	HIGHEST	83.52	JAN 18, 1978
	LOWEST	120.53	SEP 26, 1983

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344712120273901

LOCAL NUMBER 008N034W09K01S

ON VANDENBERG AFB, ABOUT 1.7 MI NORTHEAST OF INTERSECTION OF VANDENBERG ROAD AND SAN ANTONIO ROAD. DRILLED UNUSED WATER-TABLE WELL. DIAM 6 IN, DEPTH 620 FT, PERFORATED 120-320, 380-580 FT. ALTITUDE OF LSD 425 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 26, 1986	92.94 S	SEP 18, 1986	93.90 S
	HIGHEST	82.75	MAR 22, 1979
	LOWEST	93.90	SEP 18, 1986

SITE NUMBER 344624120253901

LOCAL NUMBER 008N034W14L01S

ABOUT 80 FT WEST OF HWY 1 AND 85 FT NORTH OF SAN ANTONIO ROAD. DRILLED OBSERVATION WELL. DIAM 4 IN, DEPTH 640 FT, CASED TO 593 FT, PERFORATED 320-440, 500-560 FT. ALTITUDE OF LSD 330 FT. RECORDER INSTALLED JUNE 20, 1980. RECORDS AVAILABLE 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	---	25.42	24.98	24.79	24.56	27.25	24.87	25.48	26.96	28.69	27.34	27.13
2	---	25.40	24.96	24.77	24.63	27.54	24.83	25.56	26.96	28.70	27.45	27.02
3	---	25.40	25.04	24.76	24.62	27.38	24.74	25.58	26.90	28.79	27.50	27.23
4	---	25.40	25.06	24.74	24.61	26.91	24.69	25.52	26.86	28.81	27.56	27.67
5	---	25.39	25.07	24.78	24.60	26.50	24.68	25.39	26.96	28.68	27.99	27.93
6	---	25.38	25.06	24.80	24.55	26.29	24.78	25.32	27.46	28.48	28.72	28.03
7	---	25.38	25.06	24.83	24.48	26.14	24.84	25.49	27.63	27.63	29.09	27.69
8	---	25.40	25.03	24.82	24.46	25.92	24.83	25.69	27.55	27.95	29.15	27.43
9	---	25.41	24.98	24.79	24.51	25.63	24.74	25.86	27.65	28.41	29.03	27.51
10	26.43	25.31	24.90	24.74	24.54	25.40	24.71	25.98	27.49	28.64	28.93	27.92
11	26.39	25.22	24.94	24.71	24.40	25.34	24.71	26.02	27.32	28.70	28.86	28.15
12	26.32	25.24	25.02	24.68	24.38	25.22	24.74	25.83	27.29	28.85	28.78	28.23
13	26.38	25.36	25.04	24.65	24.38	25.05	24.73	25.64	27.38	28.95	28.65	27.97
14	26.45	25.37	25.03	24.59	25.10	25.06	24.74	25.60	27.40	28.99	28.68	27.81
15	26.46	25.37	24.98	24.66	26.10	24.90	24.84	25.61	26.72	28.93	28.82	27.55
16	26.46	25.29	24.95	24.74	---	24.81	24.91	26.16	26.36	29.11	28.91	27.36
17	26.48	25.25	24.95	24.75	---	24.91	25.02	26.65	26.93	29.28	28.94	27.28
18	26.64	25.26	24.94	24.68	---	24.97	25.15	26.84	27.49	29.39	28.83	27.27
19	27.26	25.28	24.91	24.64	---	25.03	25.40	26.95	27.70	29.48	28.71	27.23
20	26.88	25.22	24.88	24.63	---	25.05	25.47	26.63	27.84	29.43	28.64	27.26
21	26.48	25.20	24.87	24.62	---	25.03	25.58	26.65	27.86	29.19	28.71	27.14
22	26.12	25.13	24.87	24.66	---	24.93	25.84	26.68	27.96	28.69	28.86	26.99
23	25.91	25.11	24.83	24.67	---	24.89	26.13	26.69	28.05	28.09	28.92	26.86
24	25.79	24.94	24.80	24.67	---	24.87	26.22	26.55	---	27.95	28.77	26.69
25	25.68	24.92	24.79	24.66	---	24.86	26.10	26.44	28.40	27.86	28.53	26.70
26	25.59	25.08	24.76	24.63	26.78	24.85	26.00	26.18	28.69	27.64	28.14	26.74
27	25.55	25.07	24.83	24.55	26.56	24.82	25.68	26.58	28.84	27.51	27.92	26.70
28	25.55	24.97	24.82	24.53	26.65	24.81	25.49	26.82	28.90	27.32	27.85	26.66
29	25.55	24.85	24.77	24.46	---	24.86	25.44	27.16	28.94	27.24	27.70	26.64
30	25.51	24.97	24.78	24.41	---	24.83	25.47	27.28	28.80	27.18	27.51	26.60
31	25.44	---	24.79	24.45	---	24.81	---	27.14	---	27.73	27.32	---
MAX	27.26	25.42	25.07	24.83	---	27.54	26.22	27.28	28.94	29.48	29.15	28.23
MIN	25.44	24.85	24.76	24.41	---	24.81	24.68	25.32	26.36	27.18	27.32	26.60
		HIGHEST		17.59	MAR 19, 1981							
		LOWEST		29.73	OCT 01, 1987							

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344628120264201

LOCAL NUMBER 008N034W15F02S

ON VANDENBERG AFB, AT THE EAST END OF BARKA SLOUGH. DRILLED OBSERVATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLEISTOCENE AGE. DIAM 6 IN, DEPTH 338 FT, PERFORATED 98-298 FT. ALTITUDE OF LSD 310 FT. RECORDER INSTALLED OCT. 20, 1978. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	16.73	16.64	16.40	15.87	15.81	15.62	15.35	15.29	15.41	15.58	15.75	16.19
2	16.73	16.66	16.53	15.91	15.82	15.60	15.25	15.26	15.47	15.55	15.77	16.21
3	16.81	16.64	16.47	15.87	15.67	15.58	15.21	15.30	15.47	15.51	15.76	16.23
4	16.84	16.63	16.40	15.88	15.77	15.53	15.20	15.27	15.44	15.55	15.73	16.24
5	16.75	16.59	16.35	15.94	15.71	15.52	15.27	15.24	15.49	15.62	15.75	16.23
6	16.68	16.57	16.34	15.88	15.71	15.54	15.41	15.29	15.49	15.64	15.79	16.23
7	16.72	16.55	16.31	15.94	15.63	15.43	15.44	15.34	15.45	15.71	15.82	16.25
8	16.70	16.58	16.25	15.83	15.72	15.47	15.36	15.26	15.43	15.64	15.81	16.28
9	16.76	16.58	16.21	15.83	15.83	15.36	15.23	15.28	15.45	15.64	15.84	16.28
10	16.85	16.45	16.13	15.77	15.81	15.51	15.26	15.32	15.54	15.59	15.87	16.36
11	16.85	16.50	16.33	15.77	15.74	15.57	15.28	15.35	15.51	15.57	15.89	16.35
12	16.79	16.70	16.33	15.76	15.60	15.51	15.39	15.32	15.48	15.61	15.88	16.34
13	16.81	16.70	16.26	15.67	15.67	15.47	15.28	15.31	15.52	15.64	15.89	16.38
14	16.81	16.64	16.16	15.73	15.57	15.54	15.34	15.32	15.49	15.64	15.97	16.41
15	16.77	16.52	16.14	15.87	15.77	15.23	15.36	15.35	15.45	15.65	16.01	16.41
16	16.77	16.44	16.14	15.92	15.82	15.37	15.37	15.36	15.48	15.67	16.04	16.43
17	16.87	16.57	16.14	15.79	15.74	15.55	15.35	15.35	15.54	15.69	16.06	16.39
18	16.90	16.61	16.09	15.75	15.63	15.55	15.34	15.31	15.50	15.71	16.08	16.39
19	16.79	16.59	16.07	15.80	15.73	15.56	15.35	15.36	15.48	15.68	16.09	16.45
20	16.74	16.47	16.06	15.76	15.79	15.55	15.25	15.39	15.50	15.57	16.10	16.46
21	16.87	16.52	16.06	15.84	15.75	15.42	15.26	15.39	15.49	15.61	16.13	16.43
22	16.89	16.53	16.03	15.92	15.75	15.37	15.28	15.38	15.50	15.68	16.10	16.43
23	16.80	16.46	15.97	15.85	15.65	15.42	15.30	15.41	15.00	15.71	16.07	16.40
24	16.74	16.32	15.97	15.87	15.71	15.42	15.32	15.38	15.49	15.73	16.11	16.44
25	16.65	16.51	16.01	15.87	15.64	15.40	15.25	15.42	15.50	15.73	16.17	16.52
26	16.61	16.66	15.97	15.82	15.62	15.37	15.26	15.40	15.53	15.63	16.20	16.52
27	16.76	16.53	16.03	15.76	15.59	15.35	15.31	15.41	15.56	15.65	16.20	16.47
28	16.78	16.27	15.94	15.74	15.59	15.43	15.27	15.43	15.56	15.73	16.15	16.48
29	16.75	16.39	15.88	15.67	---	15.44	15.26	15.44	15.50	15.71	16.20	16.49
30	16.70	16.58	15.98	15.74	---	15.31	15.34	15.45	15.53	15.66	16.23	16.44
31	16.65	---	15.95	15.80	---	15.33	---	15.41	---	15.68	16.21	---
MAX	16.90	16.53	15.94	15.83	15.62	15.44	15.45	15.56	15.73	15.73	16.23	16.52
MIN	16.61	16.27	15.88	15.57	15.23	15.20	15.24	15.41	15.51	15.51	15.73	16.19

HIGHEST 10.52 MAR 15, 1979 MAR 20, 1979  
 LOWEST 18.15 OCT 01, 1987

SITE NUMBER 344628120264203

LOCAL NUMBER 008N034W15F04S

ON VANDENBERG AFB, AT EAST END OF BARKA SLOUGH. DRILLED OBSERVATION WATER-TABLE WELL IN PASO ROBLES FORMATION OF PLEISTOCENE AGE. DIAM 6 IN, DEPTH 475 FT, PERFORATED 375-435 FT. ALTITUDE OF LSD 310 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1985	15.05 S	JAN 27, 1986	14.63 S	APR 24, 1986	14.17 S	JUL 25, 1986	14.54 S
NOV 22, 1985	15.03 S	FEB 26, 1986	14.48 S	MAY 27, 1986	14.26 S	AUG 26, 1986	14.86 S
DEC 26, 1985	14.65 S	MAR 25, 1986	14.21 SG	JUN 25, 1986	14.26 S	SEP 18, 1986	15.16 S

HIGHEST 10.05 FEB 24, 1984  
 LOWEST 16.24 OCT 22, 1982

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344638120280701

LOCAL NUMBER 008N034W16D02S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 62 FT, SAND POINT 60.5-62 FT. ALTITUDE OF LSD 280 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1985	14.98 S	JAN 27, 1986	13.42 S	APR 24, 1986	12.01 S	JUL 25, 1986	13.15 S
NOV 22, 1985	14.65 S	FEB 26, 1986	13.09 S	MAY 27, 1986	12.48 S	AUG 26, 1986	14.83 S
DEC 26, 1985	13.80 S	MAR 25, 1986	12.55 S	JUN 25, 1986	12.51 S	SEP 18, 1986	15.22 S
HIGHEST		+2.66	APR 26, 1977				
LOWEST		15.22	SEP 18, 1986				

SITE NUMBER 344636120274201

LOCAL NUMBER 008N034W16F01S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 59 FT, SAND POINT 57.5-59 FT. ALTITUDE OF LSD 290 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1985	16.81 SS	JAN 27, 1986	13.13 S	APR 24, 1986	10.32 S	JUL 25, 1986	13.26 S
NOV 22, 1985	15.53 SS	FEB 26, 1986	12.53 S	MAY 27, 1986	11.65 SS	AUG 26, 1986	17.81 SS
DEC 26, 1985	13.78 SS	MAR 25, 1986	11.73 S	JUN 25, 1986	11.34 S	SEP 18, 1986	18.49 S
HIGHEST		+0.99	JAN 22, 1979				
LOWEST		18.49	SEP 18, 1986				

SITE NUMBER 344628120273201

LOCAL NUMBER 008N034W16G02S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED PUBLIC SUPPLY WATER-TABLE WELL IN PASO ROBLES FORMATION. DIAM 14 IN, DEPTH DRILLED 700 FT, PERFORATED 52-680 FT. ALTITUDE OF LSD 306 FT. RECORDS AVAILABLE 1964, 1966-69, 1971 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1985	38.96 S	JAN 27, 1986	35.50 S	APR 24, 1986	34.24 S	JUL 25, 1986	36.55 S
NOV 22, 1985	39.50 S	FEB 26, 1986	35.94 S	MAY 27, 1986	35.12 S	AUG 26, 1986	42.83 S
DEC 26, 1985	36.87 S	MAR 25, 1986	25.50 S	JUN 25, 1986	22.19 S	SEP 18, 1986	42.90 S
HIGHEST		14.67	DEC 01, 1966				
LOWEST		42.90	SEP 18, 1986				

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344626120272901

LOCAL NUMBER 008N034W16G03S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH 58 FT, SAND POINT 54.5-56 FT. ALTITUDE OF LSD 290 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1985	24.65 SS	JAN 27, 1986	23.09 S	APR 24, 1986	21.88 S	JUL 25, 1986	22.41 S
NOV 22, 1985	24.39 SS	FEB 26, 1986	22.66 SS	MAY 27, 1986	22.02 SS	AUG 26, 1986	24.09 SS
DEC 26, 1985	23.18 SS	MAR 25, 1986	21.95 SS	JUN 25, 1986	22.19 S	SEP 18, 1986	24.68 SS
	HIGHEST	10.08	APR 29, 1976				
	LOWEST	24.14	SEP 20, 1984				

SITE NUMBER 344620120271701

LOCAL NUMBER 008N034W16J01S

ON VANDENBERG AFB, IN BARKA SLOUGH. DRILLED PUBLIC SUPPLY WATER-TABLE WELL. DIAM 14 IN, DEPTH 597 FT, PERFORATED 256-558 FT. ALTITUDE OF LSD 320 FT. RECORDS AVAILABLE 1961, 1966-69, 1971 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1985	36.02 S	JAN 27, 1986	33.05 S	APR 24, 1986	33.35 S	JUL 25, 1986	36.09 S
NOV 22, 1985	38.22 S	FEB 26, 1986	22.85	MAY 27, 1986	34.53 S	AUG 26, 1986	39.83 S
DEC 26, 1985	22.79 S	MAR 25, 1986	34.62 S	JUN 25, 1986	34.41 S	SEP 18, 1986	41.51 S
	HIGHEST	2.50	SEP 29, 1961				
	LOWEST	41.51	SEP 20, 1984	SEP 18, 1986			

SITE NUMBER 344630120290101

LOCAL NUMBER 008N034W17E01S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH DRILLED 97 FT, SAND POINT 87.5-89 FT. ALTITUDE OF LSD 270 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1985	10.34 S	JAN 27, 1986	10.46 S	APR 24, 1986	10.00 S	JUL 25, 1986	10.29 S
NOV 22, 1985	10.37 S	FEB 26, 1986	10.32 S	MAY 27, 1986	10.00 S	AUG 26, 1986	10.23 S
DEC 26, 1985	10.43 S	MAR 25, 1986	10.04 S	JUN 25, 1986	10.11 S	SEP 18, 1986	10.34 S
	HIGHEST	5.26	JUN 27, 1983				
	LOWEST	10.46	JAN 27, 1986				

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344637120282901

LOCAL NUMBER 008N034W17G01S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN,  
DEPTH 61 FT, SAND POINT 59.5-61 FT. ALTITUDE OF LSD 260 FT. RECORDS AVAILABLE 1976 TO  
CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1985	+2.44 S	JAN 27, 1986	+2.93 S	APR 24, 1986	+4.12 Z	JUL 25, 1986	+3.00 Z
NOV 22, 1985	+2.42 S	FEB 26, 1986	+3.92 Z	MAY 27, 1986	+3.62 Z	AUG 26, 1986	+2.84 Z
DEC 26, 1985	+2.67 S	MAR 25, 1986	+4.76 Z	JUN 25, 1986	+3.18 S	SEP 18, 1986	+2.71 Z
	HIGHEST	+9.01	SEP 26, 1978				
	LOWEST	+0.27	NOV 21, 1980				

SITE NUMBER 344633120281901

LOCAL NUMBER 008N034W17H01S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN,  
DEPTH 61 FT, SAND POINT 59.5-61 FT. ALTITUDE OF LSD 260 FT. RECORDS AVAILABLE 1976 TO  
CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1985	1.92 S	JAN 27, 1986	0.51 S	APR 24, 1986	0.31 S	JUL 25, 1986	0.44 S
NOV 22, 1985	1.65 S	FEB 26, 1986	0.32 S	MAY 27, 1986	0.41 S	AUG 26, 1986	1.07 S
DEC 26, 1985	0.98 S	MAR 25, 1986	0.18 S	JUN 25, 1986	0.39 S	SEP 18, 1986	1.33 S
	HIGHEST	+7.54	FEB 25, 1983				
	LOWEST	1.92	OCT 28, 1985				

SITE NUMBER 344618120283201

LOCAL NUMBER 008N034W17K02S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN,  
DEPTH 60 FT, SAND POINT 58.5-60 FT. ALTITUDE OF LSD 260 FT. RECORDS AVAILABLE 1976 TO  
CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1985	+3.41 S	JAN 27, 1986	+4.65 Z	APR 24, 1986	+6.43 Z	JUL 25, 1986	+4.28 Z
NOV 22, 1985	+3.66 S	FEB 26, 1986	+6.09 Z	MAY 27, 1986	+5.48 Z	AUG 26, 1986	+3.77 Z
DEC 26, 1985	+4.27 Z	MAR 25, 1986	+7.04 Z	JUN 25, 1986	+4.87 S	SEP 18, 1986	+3.52
	HIGHEST	+9.55	FEB 25, 1983				
	LOWEST	+3.41	OCT 28, 1985				

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344611120283001

LOCAL NUMBER 008N034W17Q01S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 2 IN, DEPTH DRILLED 62 FT, SAND POINT 46-47.5 FT. ALTITUDE OF LSD 270 FT. RECORDS AVAILABLE 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1985	+4.49 Z	JAN 27, 1986	+4.98 Z	APR 24, 1986	+5.32 Z	JUL 25, 1986	+4.60 Z
NOV 22, 1985	+4.56	FEB 26, 1986	+5.21 Z	MAY 27, 1986	+5.16 Z	AUG 26, 1986	+4.38 Z
DEC 26, 1985	+4.81 Z	MAR 25, 1986	+5.42 Z	JUN 25, 1986	+4.85 S	SEP 18, 1986	+4.41 Z
	HIGHEST	+8.55	APR 26, 1983				
	LOWEST	+1.31	APR 23, 1981				

SITE NUMBER 344550120273901

LOCAL NUMBER 008N034W21A01S

ON VANDENBERG AFB IN BARKA SLOUGH AREA. DRILLED OBSERVATION WATER-TABLE WELL IN CAREAGA SAND OF PLIOCENE AGE. DIAM 6 IN, DEPTH 271 FT, PERFORATED 71-271 FT. ALTITUDE OF LSD 300 FT. RECORDER INSTALLED JAN. 5, 1978. RECORDS AVAILABLE 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 28, 1985	9.32 S	JAN 27, 1986	9.05 S	APR 24, 1986	8.95 S	JUL 25, 1986	9.37 S
NOV 22, 1985	9.26 S	FEB 26, 1986	9.04 S	MAY 27, 1986	9.10 S	AUG 26, 1986	9.77 S
DEC 26, 1985	9.12 S	MAR 25, 1986	8.85 S	JUN 25, 1986	9.19 S	SEP 18, 1986	9.88 S
	HIGHEST	2.10	APR 25, 1978				
	LOWEST	9.88	SEP 18, 1986				

SITE NUMBER 344546120252901

LOCAL NUMBER 008N034W23B01S

ABOUT 8.3 MI WEST OF LOS ALAMOS. DRILLED WATER-TABLE WELL. DIAM 12 IN, DEPTH 150 FT. ALTITUDE OF LSD 315 FT. RECORDS AVAILABLE 1943 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 03, 1986	20.72
	HIGHEST
	12.57
	LOWEST
	36.36

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 344650120312001

LOCAL NUMBER 008N035W12M01S

ON VANDENBERG AFB, ALONG SAN ANTONIO CREEK, 2 MI DOWNSTREAM FROM BARKA SLOUGH. DRILLED OBSERVATION WATER-TABLE WELL. DIAM 6 IN, DEPTH 120 FT, PERFORATED 60-100 FT. ALTITUDE OF LSD 145 FT. RECORDS AVAILABLE 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 26, 1986	13.79 S	SEP 19, 1986	14.47 S
	HIGHEST	6.35	APR 08, 1983
	LOWEST	14.71	SEP 24, 1982

SITE NUMBER 344910119270501

LOCAL NUMBER 009N024W33M01S

ABOUT 0.5 MI EAST OF HWY 33, NORTH OF QUATAL CANYON ROAD. DRILLED OBSERVATION WELL. DIAM 13 IN, DEPTH 233 FT. ALTITUDE OF LSD 3049 FT. RECORDS AVAILABLE 1950-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 11, 1986	151.16 S		
	HIGHEST	126.64	MAY 11, 1984
	LOWEST	207.54	APR 06, 1976

SITE NUMBER 345206119294701

LOCAL NUMBER 009N025W13B01S

ABOUT 3 MI NORTH OF VENTUCOPA. DRILLED DOMESTIC WELL. DIAM 10 IN, DEPTH 119 FT, DEEPENED TO 175 FT IN 1966, PERFORATED 120-175 FT. ALTITUDE OF LSD 2700 FT. RECORDS AVAILABLE 1946, 1952-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 11, 1986	98.33 S		
	HIGHEST	84.47	APR 22, 1983
	LOWEST	123.35	DEC 27, 1960

SITE NUMBER 345023119322601

LOCAL NUMBER 009N025W27C01S

IN SANTA BARBARA CANYON. DRILLED STOCK WELL. DIAM 6 IN, DEPTH 95 FT. ALTITUDE OF LSD 2820 FT. RECORDS AVAILABLE 1941-43, 1966, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 11, 1986	67.85 S		
	HIGHEST	33.69	APR 22, 1983
	LOWEST	83.85	DEC 27, 1977



## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345323120173801

LOCAL NUMBER 009N032W06D01S

SOUTH OF SANTA MARIA MESA ROAD. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 435 FT. RECORDS AVAILABLE 1966-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 10, 1986	81.78 S
HIGHEST	60.72 APR 07, 1969
LOWEST	113.50 SEP 30, 1966

SITE NUMBER 345238120164701

LOCAL NUMBER 009N032W07A01S

ABOUT 2100 FT SOUTH-SOUTHWEST FROM SANTA MARIA MESA RD. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 452 FT, PERFORATED 107-115, 154-189, 235-238, 282-290, 410-416, 428-436 FT. ALTITUDE OF LSD 490 FT. RECORDS AVAILABLE 1944, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 10, 1986	126.92 S
HIGHEST	96.00 NOV 18, 1944
LOWEST	159.03 APR 05, 1977

SITE NUMBER 345155120170001

LOCAL NUMBER 009N032W07Q01S

ABOUT 0.5 MI EAST OF SISQUOC. DRILLED DOMESTIC WELL. DIAM 10 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 421 FT. RECORDS AVAILABLE 1935, 1940-42, 1947, 1950, 1966-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 10, 1986	56.58 S
HIGHEST	19.18 AUG 14, 1941
LOWEST	99.40 SEP 29, 1966

SITE NUMBER 345152120162801

LOCAL NUMBER 009N032W08N01S

ABOUT 0.9 MI EAST OF SISQUOC. DOMESTIC WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 420 FT. RECORDS AVAILABLE 1958, 1966-74, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 10, 1986	47.72 S
HIGHEST	17.80 APR 07, 1969
LOWEST	82.07 APR 05, 1977

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345116120150601

LOCAL NUMBER 009N032W16L01S

ABOUT 1200 FT NORTH OF SISQUOC RD AND 2200 FT EAST OF TEPUSQUET CANYON RD. IRRIGATION WELL. DIAM 16 IN, DEPTH 109.7 FT IN 1942, PERFORATED 36-95 FT. ALTITUDE OF LSD 468 FT. RECORDS AVAILABLE 1929, 1938, 1942, 1945, 1947, 1950, 1953, 1958-59, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 10, 1986	32.47 S
HIGHEST	9.75 MAY 20, 1938
LOWEST	67.11 APR 05, 1977

SITE NUMBER 345129120160301

LOCAL NUMBER 009N032W17G01S

ON HWY 148 ABOUT 2 MI EAST OF SISQUOC. DRILLED DOMESTIC WELL. DIAM 6 IN, DEPTH 107 FT. ALTITUDE OF LSD 447 FT. RECORDS AVAILABLE 1941 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 10, 1986	43.62 S
HIGHEST	11.22 APR 05, 1943
LOWEST	86.59 OCT 26, 1960

SITE NUMBER 345056120163901

LOCAL NUMBER 009N032W19A01S

ON WEST SIDE OF LONG CANYON, AT TOP EDGE OF HILLTOP. DOMESTIC WELL. DIAM 13 IN, DEPTH 357.77 FT IN 1961; DRILLED OUT AND CEMENTED AT 550 FT IN 1964, PERFORATED 500-530, 548-578 FT. ALTITUDE OF LSD 727.6 FT. RECORDS AVAILABLE 1961, 1964, 1966-71, 1973-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 10, 1986	359.35 S
HIGHEST	350.59 APR 06, 1970
LOWEST	432.40 APR 07, 1969

SITE NUMBER 345035120162901

LOCAL NUMBER 009N032W20E01S

EAST OF LONG CANYON ROAD. UNUSED WELL. DIAM 6 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 638 FT. RECORDS AVAILABLE 1964, 1966-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 10, 1986	256.55 S
HIGHEST	246.90 MAR 17, 1971
LOWEST	271.70 APR 05, 1977

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345053120141501

LOCAL NUMBER 009N032W22D01S

ABOUT 0.22 MI EAST OF FOXEN ROAD. DRILLED IRRIGATION WELL. DIAM UNKNOWN, DEPTH 219 FT. ALTITUDE OF LSD 495 FT. RECORDS AVAILABLE 1950, 1958, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 10, 1986	17.78 S	
	HIGHEST	4.26 APR 10, 1979
	LOWEST	44.88 JAN 05, 1978

SITE NUMBER 345035120123501

LOCAL NUMBER 009N032W23K01S

ABOUT 7600 FT EAST OF FOXEN CANYON ROAD. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 75 FT, PERFORATED 34-55 FT. ALTITUDE OF LSD 532 FT. RECORDS AVAILABLE 1940, 1943, 1950-52, 1958, 1960-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 10, 1986	11.02 S	
	HIGHEST	5.90 APR 27, 1978
	LOWEST	33. SEP 19, 1940

SITE NUMBER 344840120155701

LOCAL NUMBER 009N032W32K01S

ABOUT 3.5 MI UP LONG CANYON. DOMESTIC WELL. DIAM 8 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 720 FT. RECORDS AVAILABLE 1961, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 10, 1986	40.89 S	
	HIGHEST	13.80 MAR 28, 1974
	LOWEST	58.24 OCT 17, 1968

SITE NUMBER 344835120152701

LOCAL NUMBER 009N032W33M01S

ABOUT 4 MI UP LONG CANYON. STOCK WELL. DIAM 10 IN, DEPTH 120.28 FT IN 1961, 99 FT IN 1967. ALTITUDE OF LSD 745 FT. RECORDS AVAILABLE 1961, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	
APR 10, 1986	55.65 S	
	HIGHEST	53.77 MAR 28, 1974
	LOWEST	73.20 MAR 25, 1976

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345233120181001

LOCAL NUMBER 009N033W12C01S

ABOUT 1.2 MI SOUTHEAST OF GAREY. IRRIGATION WELL. DIAM UNKNOWN, DEPTH UNKNOWN. ALTITUDE OF LSD 399 FT. RECORDS AVAILABLE 1948, 1950, 1966-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 10, 1986	83.13 S		
	HIGHEST	59.50	MAR 09, 1948
	LOWEST	147.70	SEP 29, 1966

SITE NUMBER 345024120181801

LOCAL NUMBER 009N033W24L01S

NORTH OF INTERSECTION OF PALMER AND CAT CANYON ROADS. DRILLED PUBLIC SUPPLY WELL. DIAM 12 IN, DEPTH 622 FT, CASSED TO 622 FT, PERFORATED 432-600 FT. ALTITUDE OF LSD 531 FT. RECORDS AVAILABLE 1951-57, 1961-62, 1964, 1970-71, 1973-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 10, 1986	206.88 S		
	HIGHEST	157.28	JUL 01, 1955
	LOWEST	217.50	APR 13, 1961

SITE NUMBER 344936120214301

LOCAL NUMBER 009N033W28M01S

ABOUT 3.3 MI SOUTH OF ORCUTT RD, 800 FT WEST OF HWY 101. DRILLED STOCK WELL. DIAM 8 IN, DEPTH 385 FT, CASSED TO 318 FT, PERFORATED 188-205, 250-318 FT. ALTITUDE OF LSD 903 FT. RECORDS AVAILABLE 1956, 1961, 1964, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 03, 1986	264.00 T		
	HIGHEST	198.05	APR 12, 1979
	LOWEST	271.40	MAR 13, 1968

SITE NUMBER 345340120261801

LOCAL NUMBER 009N034W03A02S

ABOUT 1000 FT WEST OF ORCUTT RD AND 50 FT SOUTH OF LAKEVIEW RD. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 350 FT, PERFORATED 247-251, 258-271, 284-331 FT. ALTITUDE OF LSD 270 FT. RECORDS AVAILABLE 1967-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 09, 1986	177.13 S		
	HIGHEST	177.13	APR 09, 1986
	LOWEST	235.00	OCT 08, 1968

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345324120263801

LOCAL NUMBER 009N034W03F01S

ABOUT 2700 FT WEST OF ORCUTT RD AND 1900 FT SOUTH OF LAKEVIEW RD. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 461 FT, PERFORATED 321-327, 345-358, 368-376, 382-392, 419-449 FT. ALTITUDE OF LSD 265 FT. RECORDS AVAILABLE 1942, 1966-67, 1969-72, 1974, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 09, 1986 175.55 S

HIGHEST	150.26	AUG 27, 1942
LOWEST	250.50	APR 05, 1977

SITE NUMBER 345251120270701

LOCAL NUMBER 009N034W03N01S

ABOUT 5350 FT NORTH OF MAIN STREET IN ORCUTT AND 250 FT EAST OF LOWER ORCHID RD. DRILLED PUBLIC SUPPLY WELL. DIAM 16 IN, DEPTH 232 FT, PERFORATED 163-190 FT. ALTITUDE OF LSD 258 FT. RECORDS AVAILABLE 1932-34, 1937-42, 1945, 1947, 1955-72, 1974-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 08, 1986 170.72 S

HIGHEST	142.00	JUN 30, 1937
LOWEST	201.06	APR 01, 1970

SITE NUMBER 345330120300801

LOCAL NUMBER 009N034W06C01S

ABOUT 3 MI WEST OF SANTA MARIA. DOMESTIC WELL. DIAM 10 IN, DEPTH 300 FT. ALTITUDE OF LSD 132 FT. RECORDS AVAILABLE 1966-75 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 08, 1986 48.15 S

HIGHEST	48.15	APR 01, 1985
LOWEST	110.95	AUG 02, 1966

SITE NUMBER 345300120294101

LOCAL NUMBER 009N034W06K02S

ABOUT 970 FT NORTH OF JUNCTION OF ORCUTT-CASMALIA RD, 50 FT WEST OF CASMALIA HWY. DRILLED INDUSTRIAL WELL. DIAM 12 IN, DEPTH 139 FT. ALTITUDE OF LSD 161 FT. RECORDS AVAILABLE 1942, 1950 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 08, 1986 70.17 S

HIGHEST	59.22	MAR 26, 1942
LOWEST	99.67	OCT 08, 1968

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345225120283101

LOCAL NUMBER 009N034W08H01S

ABOUT 100 FT SOUTH OF ORCUTT-CASMALIA RD AND 5750 FT WEST OF SOUTH BLOSSER RD. DRILLED INDUSTRIAL WELL. DIAM 12 IN, DEPTH 200 FT. ALTITUDE OF LSD 222 FT. RECORDS AVAILABLE 1955 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 08, 1986	128.80 T
HIGHEST	119.73 MAR 25, 1958
LOWEST	156.20 JUL 27, 1959

SITE NUMBER 345205120271801

LOCAL NUMBER 009N034W09R01S

ABOUT 0.1 MI EAST OF SOUTH BLOSSER RD AND 0.3 MI SOUTH OF HWY 1. DRILLED INDUSTRIAL WELL. DIAM 12 IN, DEPTH 510 FT, CASED TO 510 FT, PERFORATED 363-382, 418-458 FT. ALTITUDE OF LSD 275 FT. RECORDS AVAILABLE 1956, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 08, 1986	168.85 S
HIGHEST	168.85 APR 02, 1985
LOWEST	224.89 DEC 27, 1977

SITE NUMBER 345110120263001

LOCAL NUMBER 009N034W15Q01S

ON ELKHORN GOLF COURSE NEAR ORCUTT. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 512 FT, CASED TO 512 FT, PERFORATED 385-412, 423-435 FT. ALTITUDE OF LSD 430 FT. RECORDS AVAILABLE 1961, 1964, 1966-72, 1974, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 08, 1986	318.63 S
HIGHEST	317.10 APR 02, 1985
LOWEST	369.29 APR 27, 1978

SITE NUMBER 344836120265401

LOCAL NUMBER 009N034W34P01S

ON VANDENBERG AFB ABOUT 4 MI SOUTH OF ORCUTT. DIAM 6 IN, DEPTH 420 FT, CASED TO 240 FT, PERFORATED 100-220 FT. ALTITUDE OF LSD 425 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
MAR 26, 1986	62.02 S	SEP 19, 1986	59.57 S
HIGHEST	46.60 OCT 24, 1979		
LOWEST	62.02 MAR 26, 1986		

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345512119354101

LOCAL NUMBER 010N025W30F01S

ABOUT 0.85 MI SOUTH OF HWY 166 ON KIRSCHENMANN ROAD. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 212 FT IN 1970, PERFORATED 124-160, 170-187, 196-202, 229-232, 241-250, 265-268, 274-313, 332-370 FT. ALTITUDE OF LSD 2320 FT. RECORDS AVAILABLE 1941-56, 1966, 1968, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 12, 1986	164.86 S
HIGHEST	47.36 APR 24, 1945
LOWEST	164.86 APR 06, 1985

SITE NUMBER 345631119391501

LOCAL NUMBER 010N026W15N01S

ON RUSSELL RANCH. DRILLED UNUSED WELL. DIAM 14 IN, DEPTH 781 FT, PERFORATED 94-106, 118-124, 142-154, 172-190, 196-226, 238-244, 262-274, 286-346, 358-370, 382-388, 406-418, 430-484, 502-544 FT. ALTITUDE OF LSD 2210 FT. MEASUREMENTS 3/24/70-4/27/77 FORMERLY PUBLISHED FOR WELL 10N/26W-16Q1. RECORDS AVAILABLE 1948, 1955, 1958, 1966, 1968, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 12, 1986	156.70 S
HIGHEST	25.00 NOV 01, 1948
LOWEST	163.26 APR 06, 1985

SITE NUMBER 345603119411901

LOCAL NUMBER 010N026W20M01S

SOUTH OF NEW CUYAMA. DIAM 16 IN, DEPTH 790 FT, PERFORATED 350-790 FT. ALTITUDE OF LSD 2165 FT. RECORDS AVAILABLE 1981 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 11, 1986	58.37 S
HIGHEST	58.37 APR 11, 1986
LOWEST	88.12 APR 16, 1982

SITE NUMBER 345807119433501

LOCAL NUMBER 010N027W11A03S

ABOUT 3 MI NORTHWEST OF NEW CUYAMA. UNUSED WELL. DIAM 12 IN, DEPTH 115 FT. ALTITUDE OF LSD 1978 FT. RECORDS AVAILABLE 1955-60, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 12, 1986	64.93 S
HIGHEST	21.85 FEB 27, 1959
LOWEST	77.74 AUG 25, 1976

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345555120172701

LOCAL NUMBER 010N032W19E01S

ABOUT 3 MI DOWNSTREAM FROM TWITCHELL DAM. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE. DIAM 18 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 380 FT. RECORDS AVAILABLE 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 10, 1986	10.90 S
HIGHEST	6.35 MAR 18, 1968
LOWEST	15.20 APR 05, 1977

SITE NUMBER 345541120173001

LOCAL NUMBER 010N032W19M01S

ABOUT 2.5 MI UP CUYAMA RIVER VALLEY FROM SANTA MARIA MESA RD. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE. DIAM 18 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 380 FT. RECORDS AVAILABLE 1958, 1967-74, 1976 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 10, 1986	8.18 S
HIGHEST	5.70 NOV 06, 1967
LOWEST	19.20 OCT 14, 1970

SITE NUMBER 345725120235701

LOCAL NUMBER 010N033W07M01S

ABOUT 1650 FT NORTH OF MAIN STREET AND 2450 FT EAST OF SUEY RD. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 253 FT, PERFORATED 130-146, 186-214, 218-226, 229-238 FT. ALTITUDE OF LSD 255 FT. RECORDS AVAILABLE 1940, 1942, 1955, 1958-59, 1967-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 09, 1986	104.07 S
HIGHEST	58.49 APR 11, 1979
LOWEST	132.45 JAN 04, 1955

SITE NUMBER 345716120232301

LOCAL NUMBER 010N033W07Q02S

ABOUT 640 FT NORTH OF EAST MAIN STREET AND 1.12 MI EAST OF SUEY RD. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 200 FT, PERFORATED 120-180 FT. ALTITUDE OF LSD 265 FT. RECORDS AVAILABLE 1951, 1955, 1958-59, 1970-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 09, 1986	103.13 S
HIGHEST	49.38 APR 29, 1980
LOWEST	137.00 JUL 10, 1951



## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345710120230801

LOCAL NUMBER 010N033W07R01S

ABOUT 35 FT NORTH OF MAIN STREET AND 4200 FT EAST OF BATTLES RD. DRILLED UNUSED WELL. DIAM 16 IN, DEPTH 210 FT. ALTITUDE OF LSD 270 FT. RECORDS AVAILABLE 1928, 1934, 1936, 1942, 1947, 1955-74, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 09, 1986	100.40 T
HIGHEST	38.05 APR 11, 1979
LOWEST	139.68 NOV 19, 1964

SITE NUMBER 345627120214201

LOCAL NUMBER 010N033W16N01S

ABOUT 0.65 MI EAST OF PHILBRIC RD AND 1.1 MI NORTHWEST OF GATES. DRILLED IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 292 FT. RECORDS AVAILABLE 1946, 1955, 1968 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 09, 1986	69.65 S
HIGHEST	11.99 APR 29, 1980
LOWEST	102.76 APR 06, 1977

SITE NUMBER 345627120214401

LOCAL NUMBER 010N033W16N02S

ABOUT 0.6 MI EAST OF PHILBRIC RD AND 1.1 MI NORTHWEST OF GATES. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 240 FT. ALTITUDE OF LSD 292 FT. RECORDS AVAILABLE 1952, 1955, 1958-59, 1967-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 09, 1986	71.02 S
HIGHEST	12.61 APR 11, 1979
LOWEST	118.21 APR 06, 1977

SITE NUMBER 345538120231101

LOCAL NUMBER 010N033W19K01S

ABOUT 0.25 MI NORTH OF BETTERAVIA RD, 30 FT NORTHEAST OF RESERVOIR. DRILLED IRRIGATION WELL. DIAM UNKNOWN, DEPTH 292 FT WHEN DRILLED, DEEPENED TO 423 FT IN 1957, PERFORATED 262-295, 305-417 FT. ALTITUDE OF LSD 280 FT. RECORDS AVAILABLE 1950, 1953, 1957, 1966-72, 1974-75, 1977 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 09, 1986	123.27 S
HIGHEST	106.01 APR 02, 1985
LOWEST	183.60 SEP 29, 1966

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345552120220001

LOCAL NUMBER 010N033W20H01S

ABOUT 0.5 MI EAST OF PHILBRIC RD AND 0.7 MI NORTHWEST OF GATES. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 251 FT, PERFORATED 100-106, 126-132, 161-175 FT. ALTITUDE OF LSD 300 FT. REPORTED MEASUREMENTS FURNISHED BY SAN JOAQUIN POWER DIVISION OF PACIFIC GAS AND ELECTRIC COMPANY AND J.B. LIPPINCOTT ENGINEERING OFFICES. RECORDS AVAILABLE 1929-40, 1942, 1950, 1955, 1958 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 09, 1986	88.41 S
HIGHEST	51.10 APR 29, 1980
LOWEST	178.10 JUL 26, 1961

SITE NUMBER 345547120222301

LOCAL NUMBER 010N033W20L01S

ABOUT 30 FT WEST OF SISQUOC RD AND 225 FT SOUTH OF OLD RAILROAD TRACKS. IRRIGATION WELL. DIAM 16 IN, DEPTH 300 FT, PERFORATED 95-105, 114-130, 148-160, 264-278 FT. ALTITUDE OF LSD 294 FT. RECORDS AVAILABLE 1937, 1942, 1950, 1958 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 09, 1986	110.27 S
HIGHEST	63.04 JAN 22, 1970
LOWEST	172.30 JUN 27, 1961

SITE NUMBER 345449120200501

LOCAL NUMBER 010N033W27K02S

ABOUT 1.45 MI SOUTHEAST OF GATES. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 255 FT, PERFORATED 95-110, 138-156 FT. ALTITUDE OF LSD 344 FT. RECORDS AVAILABLE 1933, 1936, 1938-39, 1941, 1943, 1947, 1950, 1955-77, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 10, 1986	64.45 S
HIGHEST	34.18 APR 02, 1970
LOWEST	127.70 DEC 27, 1961

SITE NUMBER 345433120194401

LOCAL NUMBER 010N033W27R01S

ABOUT 1.9 MI SOUTHEAST OF GATES. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 255 FT, PERFORATED 130-224 FT. ALTITUDE OF LSD 352 FT. RECORDS AVAILABLE 1926, 1937-39, 1942-43, 1947, 1949-50, 1955, 1958-59, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 10, 1986	81.98 S
HIGHEST	35.50 MAY 21, 1943
LOWEST	120.50 AUG 09, 1950

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345500120211901

LOCAL NUMBER 010N033W28F01S

ABOUT 0.6 MI SOUTH OF GATES. IRRIGATION WELL. DIAM 16 IN, DEPTH 450 FT, PERFORATED 149-154, 170-175, 196-216, 238-248, 291-311, 320-326, 342-348 FT. ALTITUDE OF LSD 316 FT. RECORDS AVAILABLE 1933, 1936-37, 1942, 1947, 1949-50, 1955, 1958, 1966-76, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 09, 1986 119.86 S

HIGHEST	72.50	JAN 29, 1942
LOWEST	197.90	SEP 29, 1966

SITE NUMBER 345459120222301

LOCAL NUMBER 010N033W29F01S

ABOUT 1.2 MI SOUTHWEST OF GATES. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 315 FT. RECORDS AVAILABLE 1958-59, 1964, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 09, 1986 146.76 S

HIGHEST	137.03	APR 02, 1985
LOWEST	216.95	SEP 29, 1966

SITE NUMBER 345406120204901

LOCAL NUMBER 010N033W33H01S

IN BRADLEY CANYON. DRILLED DOMESTIC WELL. DIAM 16 IN, DEPTH 290 FT, PERFORATED 204-232, 245-250, 270-280 FT. ALTITUDE OF LSD 402 FT. RECORDS AVAILABLE 1929, 1947 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 09, 1986 200.47 S

HIGHEST	179.50	JAN 29, 1947
LOWEST	264.30	SEP 28, 1965

SITE NUMBER 345426120191501

LOCAL NUMBER 010N033W35C01S

ABOUT 1.2 MI NORTH OF GAREY. DRILLED IRRIGATION WELL. DIAM 20 IN, DEPTH UNKNOWN. ALTITUDE OF LSD 348 FT. RECORDS AVAILABLE 1947, 1955, 1958-59, 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
------	-------------------

APR 10, 1986 44.93 S

HIGHEST	3.55	MAR 19, 1968
LOWEST	80.55	MAR 13, 1972

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345423120175001

LOCAL NUMBER 010N033W36A01S

ABOUT 3 MI NORTH OF SISQUOC. DRILLED IRRIGATION WATER-TABLE WELL IN ALLUVIUM OF RECENT AGE. DIAM 16 IN, DEPTH 162 FT, PERFORATED 30-76 FT. ALTITUDE OF LSD 372 FT. RECORDS AVAILABLE 1939-42, 1951-53, 1958-59, 1966-75, 1978 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 10, 1986	26.13 S
HIGHEST	7.05 JAN 20, 1942
LOWEST	26.13 MAR 15, 1967

SITE NUMBER 345657120242901

LOCAL NUMBER 010N034W13C01S

WEST OF SUEY, 0.25 MI SOUTH OF MAIN STREET. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 209 FT, PERFORATED 125-175, 182-204 FT. ALTITUDE OF LSD 249 FT. RECORDS AVAILABLE 1927, 1929-53, 1959, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 09, 1986	113.40 S
HIGHEST	86.30 MAY 10, 1984
LOWEST	190.80 OCT 08, 1953

SITE NUMBER 345644120241801

LOCAL NUMBER 010N034W13G01S

ABOUT 1.7 MI EAST-SOUTHEAST OF SANTA MARIA. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 450 FT, PERFORATED 136-160, 165-170, 344-360, 363-373, 390-395 FT. ALTITUDE OF LSD 253 FT. RECORDS AVAILABLE 1933-53, 1959, 1967 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 09, 1986	112.43 S
HIGHEST	89.50 APR 01, 1970
LOWEST	158.40 MAR 25, 1976

SITE NUMBER 345635120235901

LOCAL NUMBER 010N034W13J01S

ABOUT 0.3 MI NORTH OF INTERSECTION OF ROSEMARY AND STOWELL ROADS. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 308 FT. ALTITUDE OF LSD 260 FT. RECORDS AVAILABLE 1947-52, 1955, 1959, 1967-75, 1977-78, 1980 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 09, 1986	111.52 S
HIGHEST	85.74 MAY 11, 1984
LOWEST	171.00 AUG 08, 1947

## WATER LEVELS, SANTA BARBARA COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345459120250301

LOCAL NUMBER 010N034W26H02S

ABOUT 50 FT SOUTH OF PRELL ROAD AND 75 FT WEST OF BRADLEY ROAD. IRRIGATION WELL. DIAM AND DEPTH UNKNOWN. ALTITUDE OF LSD 260 FT. RECORDS AVAILABLE 1957-59, 1966-75, 1978 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 07, 1986	158.16 S
HIGHEST	153.47 APR 03, 1985
LOWEST	212.00 MAR 22, 1967

SITE NUMBER 345358120295401

LOCAL NUMBER 010N034W31L02S

ABOUT 1.4 MI SOUTH OF BETTERAVIA RD AND 0.5 MI WEST OF MAHONEY RD. DRILLED DOMESTIC WELL. DIAM 8 IN, DEPTH 140 FT, CASED TO 140 FT, PERFORATED 120-140 FT. ALTITUDE OF LSD 175 FT. RECORDS AVAILABLE 1955, 1966-75, 1977 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 08, 1986	91.27 S
HIGHEST	91.27 APR 08, 1986
LOWEST	139.22 OCT 08, 1968

SITE NUMBER 345751120340001

LOCAL NUMBER 010N035W09F01S

ABOUT 0.6 MI NORTHEAST OF GUADALUPE. DRILLED IRRIGATION WELL. DIAM 12 IN, DEPTH 198 FT, PERFORATED 228-240 FT. ALTITUDE OF LSD 88 FT. RECORDS AVAILABLE 1930, 1933, 1935-36, 1938-74, 1976 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 07, 1986	26.96 S
HIGHEST	13.74 FEB 29, 1944
LOWEST	74.24 JUL 24, 1964

SITE NUMBER 345624120320901

LOCAL NUMBER 010N035W14P01S

ABOUT 1500 FT NORTH OF CORRALILLOS CANYON ROAD AND 6500 FT WEST OF INTERSECTION WITH BETTERAVIA ROAD. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 320 FT, PERFORATED 96-103, 129-132, 151-158, 180-193, 280-310 FT. ALTITUDE OF LSD 122 FT. RECORDS AVAILABLE 1983 TO CURRENT YEAR.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 07, 1986	41.72 S
HIGHEST	41.72 APR 01, 1985
LOWEST	57.96 MAY 08, 1984

WATER LEVELS, SANTA BARBARA COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 345659120362002

LOCAL NUMBER 010N035W18F02S

ABOUT 0.8 MI SOUTH OF MAIN ST AND 1.8 MI WEST OF HWY 1. DRILLED IRRIGATION WELL. DIAM 14 IN, DEPTH 360 FT, PERFORATED 143-180, 236-251 FT. ALTITUDE OF LSD 49 FT. RECORDS AVAILABLE 1968 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 08, 1986	3.38 S
HIGHEST	3.38 APR 08, 1986
LOWEST	29.13 OCT 07, 1968

SITE NUMBER 345544120322501

LOCAL NUMBER 010N035W23M02S

ABOUT 3 MI SOUTHEAST OF GUADALUPE. DRILLED IRRIGATION WELL. DIAM 16 IN, DEPTH 180 FT. ALTITUDE OF LSD 125 FT. RECORDS AVAILABLE 1966 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 07, 1986	38.83 S
HIGHEST	38.83 APR 07, 1986
LOWEST	98.00 SEP 15, 1966

SITE NUMBER 345538120304801

LOCAL NUMBER 010N035W24Q01S

ABOUT 0.65 MI NORTH OF BETTERAVIA RD AND 0.1 MI WEST OF SINTON RD. STOCK WELL. DIAM 12 IN, DEPTH 310 FT. ALTITUDE OF LSD 162 FT. RECORDS AVAILABLE 1958, 1970 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS
APR 08, 1986	77.66 S
HIGHEST	77.66 APR 08, 1986
LOWEST	123.20 APR 09, 1973

SITE NUMBER 345724120374101

LOCAL NUMBER 010N036W12P01S

ABOUT 2.85 MI NORTHEAST OF MUSSEL POINT. DRILLED DOMESTIC WELL. DIAM 4 IN, DEPTH 172 FT. ALTITUDE OF LSD 28 FT. RECORDS AVAILABLE 1942, 1961 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DATE	WATER LEVEL MS
APR 08, 1986	+2.24 S
HIGHEST	+2.78 FEB 27, 1962
LOWEST	7.50 OCT 09, 1968

## WATER QUALITY, SANTA BARBARA COUNTY

## INORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO3)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)
004N027W07D01S	08-12-86	1330	--	1510	7.90	23.0	560	190	140	52
004N027W07G07S	08-12-86	1515	--	1390	6.90	21.0	550	290	140	49
004N027W07H05S	08-13-86	1000	--	1090	6.90	20.5	460	200	130	32
004N027W08R02S	06-16-86	1315	107.40	993	6.70	19.5	540	320	150	41
004N027W16R01S	06-17-86	0945	110.48	1100	7.40	23.0	320	0	89	23
004N027W17J01S	06-11-86	1530	--	735	6.70	20.5	330	100	86	27
004N027W18Q04S	06-11-86	1200	8.14	1160	6.90	21.5	580	210	160	44
004N027W22B02S	07-03-86	1030	--	917	6.40	20.5	400	200	100	37
004N027W22B03S	07-03-86	1245	--	604	6.80	20.5	250	1	63	23
004N027W22B04S	07-03-86	1430	--	2420	7.90	21.5	270	3	70	24
004N027W22B05S	07-07-86	1215	--	3410	8.00	21.5	340	40	92	26
004N027W23D01S	06-17-86	1245	23.16	594	6.80	20.5	220	36	57	18
004N027W23E01S	10-30-85	1440	17.30	8200	7.10	21.5	--	--	--	--
004N027W23E01S	12-19-85	1340	5.50	6160	7.20	21.0	--	--	--	--
004N027W23E01S	02-27-86	1445	26.60	3150	7.00	21.0	1500	1300	400	110
004N027W23E01S	04-23-86	1045	19.66	8420	7.30	19.5	--	--	--	--
004N027W23E01S	06-25-86	1250	29.30	3720	7.20	21.0	--	--	--	--
004N027W23E01S	08-14-86	1415	--	a7800	6.90	21.0	3000	2900	800	250
004N027W23E02S	10-30-85	1330	14.30	9100	7.00	21.0	--	--	--	--
004N027W23E02S	12-19-85	1220	5.90	8200	7.00	20.0	--	--	--	--
004N027W23E02S	02-27-86	1220	21.86	a10700	7.10	21.5	2700	2500	700	220
004N027W23E02S	04-23-86	1230	18.51	9100	7.30	21.0	--	--	--	--
004N027W23E02S	06-25-86	1140	28.80	8100	7.20	21.5	--	--	--	--
004N027W23E02S	08-14-86	1530	--	5200	7.10	22.0	--	--	--	--
004N027W23E03S	10-30-85	1200	12.60	620	7.10	20.5	--	--	--	--
004N027W23E03S	12-19-85	1105	2.70	580	7.50	19.5	--	--	--	--
004N027W23E03S	04-23-86	1350	21.00	592	7.70	20.5	--	--	--	--
004N027W23E03S	06-27-86	1115	--	550	7.20	19.5	--	--	--	--
004N027W23E03S	08-14-86	1145	--	600	7.30	19.0	230	32	61	20
004N027W23E04S	10-30-85	1110	4.10	715	7.10	20.5	--	--	--	--
004N027W23E04S	12-19-85	1015	2.10	720	7.10	19.5	--	--	--	--
004N027W23E04S	02-26-86	1045	6.10	730	7.10	20.0	240	40	60	23
004N027W23E04S	04-18-86	1200	--	690	7.00	20.5	--	--	--	--
004N027W23E04S	06-25-86	1015	5.80	720	7.00	19.5	--	--	--	--
004N027W23E04S	08-15-86	1500	--	610	7.10	20.5	--	--	--	--
004N027W23E05S	05-08-86	1240	11.28	2140	6.70	22.5	910	730	240	75
004N027W23E05S	05-30-86	1045	--	6450	6.60	21.5	3100	3000	830	260
004N027W23E05S	06-24-86	1035	--	6150	6.50	23.0	--	--	--	--
004N027W23E05S	07-30-86	1040	32.03	8260	6.70	23.0	--	--	--	--
004N027W23E05S	09-10-86	1515	33.16	7930	6.60	24.0	3700	3400	970	300
004N027W23E06S	05-13-86	1500	11.31	820	7.10	23.0	260	10	67	22
004N027W23E06S	05-30-86	1140	--	740	7.00	23.0	270	0	74	21
004N027W23E06S	06-26-86	1050	--	720	7.20	22.0	--	--	--	--
004N027W23E06S	07-30-86	1155	31.02	733	7.60	21.5	--	--	--	--
004N027W23E06S	09-11-86	1115	33.29	715	7.20	21.5	290	14	78	22
004N027W23F02S	01-07-86	1000	80.00	1460	--	--	150	0	38	14
004N027W23F02S	01-07-86	1015	100.00	770	--	--	170	0	44	15
004N027W23F02S	01-07-86	1030	140.00	675	--	--	160	0	37	17
004N027W23F02S	01-07-86	1100	120.00	605	--	--	--	--	--	--
004N027W23F02S	03-21-86	1525	--	570	--	--	--	--	--	--
004N027W23F02S	03-26-86	1330	32.41	599	8.00	20.5	240	53	60	22
004N027W23F02S	04-24-86	1315	15.11	572	6.90	20.0	220	31	55	19
004N027W23F02S	05-29-86	1420	19.33	595	6.70	20.0	230	42	60	20
004N027W23F02S	06-27-86	1300	--	535	6.80	21.0	--	--	--	--
004N027W23F02S	07-31-86	1310	42.48	595	6.90	21.5	--	--	--	--

a Result based on laboratory value.

## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	SODIUM, DIS- SOLVED (MG/L AS NA)	PERCENT SODIUM	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LITY WH WAT TOTAL FIELD (MG/L AS CACO3)	CARBON DIOXIDE DIS- SOLVED (MG/L AS CO2)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	BROMIDE DIS- SOLVED (MG/L AS BR)
004N027W07D01S	91	26	2	2.5	a308	9.0	350	120	0.60	--
004N027W07G07S	74	23	1	2.1	262	64	340	94	0.50	--
004N027W07H05S	50	19	1	1.7	253	62	260	46	0.40	--
004N027W08R02S	56	18	1	1.0	220	85	330	71	0.30	--
004N027W16R01S	110	43	3	2.0	a261	25	120	130	0.60	--
004N027W17J01S	40	21	1	1.1	223	86	130	46	0.30	--
004N027W18Q04S	70	21	1	2.9	374	91	250	94	0.40	--
004N027W22B02S	55	23	1	1.6	205	158	120	120	0.50	--
004N027W22B03S	43	27	1	1.5	251	77	73	21	0.20	--
004N027W22B04S	450	78	12	5.1	271	6.6	12	730	0.80	--
004N027W22B05S	570	78	14	6.3	297	5.7	31	950	1.1	--
004N027W23D01S	40	29	1	1.2	180	55	98	22	0.30	--
004N027W23E01S	--	--	--	--	--	0	--	3900	--	--
004N027W23E01S	--	--	--	--	--	0	--	3200	--	--
004N027W23E01S	96	13	1	2.8	190	37	170	940	0.20	--
004N027W23E01S	--	--	--	--	--	0	--	4000	--	--
004N027W23E01S	--	--	--	--	--	0	--	1100	--	--
004N027W23E01S	1300	48	11	7.8	148	36	590	3800	0.20	--
004N027W23E02S	--	--	--	--	--	0	--	4000	--	--
004N027W23E02S	--	--	--	--	--	0	--	3600	--	--
004N027W23E02S	1300	52	11	7.5	185	28	560	3600	0.20	--
004N027W23E02S	--	--	--	--	--	0	--	4400	--	--
004N027W23E02S	--	--	--	--	--	0	--	2800	--	--
004N027W23E02S	--	--	--	--	--	0	--	3000	--	--
004N027W23E03S	--	--	--	--	--	0	--	27	--	--
004N027W23E03S	--	--	--	--	--	0	--	29	--	--
004N027W23E03S	--	--	--	--	--	0	--	30	--	--
004N027W23E03S	--	--	--	--	--	0	--	27	--	--
004N027W23E03S	46	30	1	1.4	203	20	93	27	0.40	--
004N027W23E04S	--	--	--	--	--	0	--	48	--	--
004N027W23E04S	--	--	--	--	--	0	--	50	--	--
004N027W23E04S	60	35	2	1.3	205	32	77	45	0.60	--
004N027W23E04S	--	--	--	--	--	0	--	48	--	--
004N027W23E04S	--	--	--	--	--	0	--	47	--	--
004N027W23E04S	--	--	--	--	--	0	--	47	--	--
004N027W23E05S	90	18	1	2.9	176	68	190	540	0.20	--
004N027W23E05S	230	14	2	5.2	146	71	310	2400	0.20	--
004N027W23E05S	--	--	--	--	--	0	--	2500	--	--
004N027W23E05S	--	--	--	--	--	0	--	2700	--	--
004N027W23E05S	270	14	2	5.3	299	145	330	2700	0.20	--
004N027W23E06S	72	37	2	3.2	248	38	170	16	0.30	--
004N027W23E06S	56	31	2	2.3	276	53	110	23	0.40	--
004N027W23E06S	--	--	--	--	--	0	--	15	--	--
004N027W23E06S	--	--	--	--	--	0	--	16	--	--
004N027W23E06S	48	27	1	2.0	271	33	100	16	0.30	0.047
004N027W23F02S	250	77	9	9.2	--	--	11	190	0.20	--
004N027W23F02S	94	54	3	3.4	--	--	82	45	0.30	--
004N027W23F02S	71	48	2	3.9	--	--	110	40	0.90	--
004N027W23F02S	--	--	--	--	--	--	--	6.2	--	--
004N027W23F02S	--	--	--	--	--	--	--	17	--	--
004N027W23F02S	66	37	2	1.9	187	3.6	110	74	0.20	--
004N027W23F02S	42	30	1	1.7	185	45	100	21	0.40	--
004N027W23F02S	40	27	1	2.0	190	73	99	22	0.40	--
004N027W23F02S	--	--	--	--	--	0	--	18	--	--
004N027W23F02S	--	--	--	--	--	0	--	22	--	--

a Results based on laboratory value.



## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, RESIDUE AT 180 DEG. C SOLVED (MG/L)	SOLIDS, SUM OF CONSTITUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	BARIUM, DIS- SOLVED (UG/L AS BA)	BORON, DIS- SOLVED (UG/L AS B)	IRON, DIS- SOLVED (UG/L AS FE)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)
004N027W07D01S	27	995	1000	1.90	0.040	0.12	--	190	21	10
004N027W07G07S	26	905	880	12.0	0.020	0.06	--	130	12	2
004N027W07H05S	25	651	700	4.20	0.030	0.09	--	80	5	<1
004N027W08R02S	30	--	810	4.00	0.090	0.28	--	100	33	<1
004N027W16R01S	32	--	700	<0.100	0.030	0.09	--	800	76	71
004N027W17J01S	34	--	500	0.440	0.090	0.28	--	40	52	240
004N027W18Q04S	30	--	880	<0.100	0.030	0.09	--	160	750	330
004N027W22B02S	36	--	590	15.0	0.020	0.06	--	50	510	79
004N027W22B03S	32	--	410	<0.100	0.010	0.03	--	40	580	71
004N027W22B04S	21	--	1500	<0.100	0.030	0.09	--	4200	180	20
004N027W22B05S	30	--	1900	<0.100	0.040	0.12	--	5700	370	30
004N027W23D01S	38	--	380	0.320	0.090	0.28	--	40	10	3
004N027W23E01S	--	--	--	--	--	--	--	--	--	--
004N027W23E01S	--	--	--	--	--	--	--	--	--	--
004N027W23E01S	32	--	1900	<0.100	<0.010	--	200	70	11000	780
004N027W23E01S	--	--	--	--	--	--	--	--	--	--
004N027W23E01S	--	--	--	--	--	--	--	--	--	--
004N027W23E01S	32	--	6900	<0.100	<0.010	--	300	350	9600	300
004N027W23E02S	--	--	--	--	--	--	--	--	--	--
004N027W23E02S	--	--	--	--	--	--	--	--	--	--
004N027W23E02S	30	--	6500	<0.100	<0.010	--	300	290	13000	300
004N027W23E02S	--	--	--	--	--	--	--	--	--	--
004N027W23E02S	--	--	--	--	--	--	--	--	--	--
004N027W23E02S	--	--	--	--	--	--	--	--	--	--
004N027W23E03S	--	--	--	--	--	--	--	--	--	--
004N027W23E03S	--	--	--	--	--	--	--	--	--	--
004N027W23E03S	--	--	--	--	--	--	--	--	--	--
004N027W23E03S	38	--	410	<0.100	<0.010	--	62	100	2900	47
004N027W23E04S	--	--	--	--	--	--	--	--	--	--
004N027W23E04S	--	--	--	--	--	--	--	--	--	--
004N027W23E04S	34	--	430	0.200	0.060	0.18	77	130	1300	140
004N027W23E04S	--	--	--	--	--	--	--	--	--	--
004N027W23E04S	--	--	--	--	--	--	--	--	--	--
004N027W23E04S	--	--	--	--	--	--	--	--	--	--
004N027W23E05S	42	--	1300	<0.100	0.040	0.12	--	40	50	100
004N027W23E05S	41	--	4200	<0.100	0.060	0.18	--	50	80	300
004N027W23E05S	--	--	--	--	--	--	--	--	--	--
004N027W23E05S	--	--	--	--	--	--	--	--	--	--
004N027W23E05S	39	--	4800	<0.100	0.040	0.12	400	40	110	70
004N027W23E06S	37	--	540	<0.100	0.260	0.80	--	70	21	180
004N027W23E06S	36	--	490	<0.100	0.230	0.71	81	60	41	240
004N027W23E06S	--	--	--	--	--	--	--	--	--	--
004N027W23E06S	--	--	--	--	--	--	--	--	--	--
004N027W23E06S	38	500	470	<0.100	0.100	0.31	110	50	46	260
004N027W23F02S	17	--	820	--	--	--	--	240	940	410
004N027W23F02S	29	--	450	--	--	--	--	120	70	190
004N027W23F02S	19	--	400	--	--	--	--	160	48	360
004N027W23F02S	--	--	--	--	--	--	--	--	--	--
004N027W23F02S	--	--	--	--	--	--	--	--	--	--
004N027W23F02S	42	--	490	<0.100	0.100	0.31	63	50	<3	280
004N027W23F02S	39	--	390	<0.100	0.090	0.28	71	40	10	330
004N027W23F02S	38	--	400	<0.100	0.100	0.31	65	40	12	340
004N027W23F02S	--	--	--	--	--	--	--	--	--	--
004N027W23F02S	--	--	--	--	--	--	--	--	--	--

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO3)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)
004N027W23F02S	09-11-86	1500	44.01	589	6.90	21.0	220	27	55	19
004N027W23F03S	03-21-86	1250	17.45	1540	--	--	--	--	--	--
004N027W23F03S	03-26-86	1045	19.09	680	8.20	20.5	250	49	65	21
004N027W23F03S	04-24-86	1550	14.80	665	6.90	20.0	260	30	66	22
004N027W23F03S	05-29-86	1300	--	652	6.80	20.0	250	56	66	21
004N027W23F03S	06-26-86	1250	--	650	7.10	22.0	--	--	--	--
004N027W23F03S	07-31-86	1300	16.63	663	7.20	20.0	--	--	--	--
004N027W23F03S	09-11-86	1400	23.96	654	7.00	21.0	260	58	66	22
004N027W23F04S	03-14-86	1120	--	26700	6.50	24.0	5800	5700	1000	810
004N027W23F04S	03-21-86	1230	25.79	24700	--	--	--	--	--	--
004N027W23F04S	03-26-86	1200	24.41	26300	7.50	23.0	6500	6400	1200	850
004N027W23F04S	04-24-86	1440	21.77	23100	6.60	22.5	5600	5500	860	840
004N027W23F04S	05-30-86	1415	--	27700	6.40	21.5	5900	5800	1200	710
004N027W23F04S	06-26-86	1350	--	21100	6.60	23.0	--	--	--	--
004N027W23F04S	07-31-86	1000	31.56	31100	6.40	22.0	--	--	--	--
004N027W23F04S	09-10-86	1130	32.77	27100	6.50	24.0	6200	6100	1300	720
004N027W23F05S	02-26-86	1345	24.62	23400	6.20	22.0	7800	7700	1900	750
004N027W23F05S	03-21-86	1120	25.91	20800	--	--	--	--	--	--
004N027W23F05S	03-24-86	1525	25.12	24000	7.50	21.0	7400	7300	1700	770
004N027W23F05S	04-24-86	1030	23.05	21000	6.50	22.0	6900	6700	1400	820
004N027W23F05S	05-30-86	1545	18.55	25900	6.40	19.5	7100	7000	1700	690
004N027W23F05S	06-24-86	1245	--	23800	6.20	24.0	--	--	--	--
004N027W23F05S	07-30-86	1510	33.88	29100	7.30	23.0	--	--	--	--
004N027W23F05S	09-10-86	1300	35.25	26600	6.40	24.0	7200	7100	1700	720
004N027W23F06S	03-21-86	1130	26.41	3760	--	--	--	--	--	--
004N027W23F06S	03-24-86	1045	28.19	3860	8.60	20.0	140	0	40	10
004N027W23F07S	03-21-86	1205	27.62	1180	--	--	270	0	60	30
004N027W23F07S	03-24-86	1300	27.69	1180	8.20	21.0	330	130	84	29
004N027W23H03S	10-30-85	1410	5.90	10300	6.80	20.0	--	--	--	--
004N027W23H03S	12-20-85	1020	2.70	5000	6.80	19.5	--	--	--	--
004N027W23H03S	02-28-86	1100	9.10	5900	7.00	19.0	2700	2500	650	270
004N027W23H03S	04-18-86	1530	--	8520	6.70	20.5	--	--	--	--
004N027W23H03S	06-23-86	1600	8.00	9100	6.80	20.0	--	--	--	--
004N027W23H03S	08-15-86	1330	--	5160	6.70	20.0	--	--	--	--
004N027W23H04S	10-30-85	1500	5.00	2040	6.90	19.5	--	--	--	--
004N027W23H04S	12-20-85	0920	5.60	1810	7.00	19.0	--	--	--	--
004N027W23H04S	02-28-86	--	8.40	3150	7.00	18.5	990	780	240	96
004N027W23H04S	04-18-86	1355	--	1820	6.90	20.5	--	--	--	--
004N027W23H04S	06-23-86	1530	2.70	1530	6.90	19.5	--	--	--	--
004N027W23H04S	08-15-86	1145	--	1530	6.90	19.5	--	--	--	--
004N028W01R01S	08-20-86	0950	--	1520	7.10	21.5	560	260	140	50
004N028W12C02S	08-19-86	1300	--	833	7.00	21.0	--	--	--	--
004N028W12H03S	08-12-86	0945	--	1540	7.20	22.0	600	290	150	55
004N028W12K02S	08-12-86	1030	--	1370	7.30	22.5	490	210	130	39
004N028W12R03S	08-12-86	1400	--	--	6.70	22.0	410	130	110	32
006N029W08P02S	07-15-86	1540	--	636	7.50	23.5	310	7	45	47
007N030W33M01S	07-15-86	1310	--	754	7.70	22.0	390	30	31	77
007N030W34G01S	07-15-86	1350	--	872	7.70	21.5	440	8	37	84
007N033W21N01S	07-15-86	1130	--	623	7.30	22.5	150	34	33	17
007N034W19C01S	08-27-86	0900	89.78	2700	6.80	21.5	--	--	--	--
007N034W19C02S	08-27-86	1630	83.69	1030	6.90	--	--	--	--	--
007N034W19C03S	08-26-86	1500	76.11	1310	6.90	19.0	--	--	--	--
007N034W19C04S	08-27-86	1245	74.95	734	8.80	19.5	--	--	--	--
007N034W19E01S	08-28-86	1430	76.70	530	7.50	20.5	140	40	34	13
007N034W19F01S	08-27-86	1540	94.17	1060	7.10	21.0	--	--	--	--

## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	SODIUM, DIS- SOLVED (MG/L AS NA)	PERCENT SODIUM	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LITY WH WAT TOTAL FIELD (MG/L AS CACO3)	CARBON DIOXIDE DIS- SOLVED (MG/L AS CO2)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)	BROMIDE DIS- SOLVED (MG/L AS BR)
004N027W23F02S	41	29	1	1.7	189	46	100	19	0.40	0.041
004N027W23F03S	--	--	--	--	--	--	--	210	--	--
004N027W23F03S	52	31	1	2.1	200	2.4	130	17	0.40	--
004N027W23F03S	51	30	1	2.0	a183	55	150	23	0.30	--
004N027W23F03S	46	28	1	1.8	195	60	130	11	0.30	--
004N027W23F03S	--	--	--	--	--	0	--	15	--	--
004N027W23F03S	--	--	--	--	--	0	--	19	--	--
004N027W23F03S	45	28	1	1.8	197	38	140	17	0.30	0.029
004N027W23F04S	4700	64	27	16	143	88	1700	11000	<0.10	--
004N027W23F04S	--	--	--	--	--	--	--	11000	--	--
004N027W23F04S	4300	59	24	16	136	8.3	1300	11000	0.10	--
004N027W23F04S	5000	66	30	16	143	70	1500	13000	<0.10	--
004N027W23F04S	5000	65	29	16	139	107	1700	12000	<0.10	--
004N027W23F04S	--	--	--	--	--	0	--	12000	--	--
004N027W23F04S	--	--	--	--	--	0	--	12000	--	--
004N027W23F04S	4700	62	27	17	138	85	1900	13000	0.10	0.37
004N027W23F05S	2900	45	15	14	110	134	1300	9000	<0.10	--
004N027W23F05S	--	--	--	--	--	--	--	8800	--	--
004N027W23F05S	3600	51	19	14	143	8.7	1500	11000	<0.10	--
004N027W23F05S	3800	55	20	14	136	83	1200	10000	<0.10	--
004N027W23F05S	3800	54	20	14	133	103	1900	10000	<0.10	--
004N027W23F05S	--	--	--	--	--	0	--	10000	--	--
004N027W23F05S	--	--	--	--	--	0	--	10000	--	--
004N027W23F05S	4300	56	23	16	126	97	1800	12000	<0.10	39
004N027W23F06S	--	--	--	--	--	--	--	630	--	--
004N027W23F06S	840	92	32	15	558	2.7	550	660	1.1	--
004N027W23F07S	140	52	4	3.4	--	--	--	100	--	--
004N027W23F07S	130	46	3	2.8	202	2.4	120	180	0.40	--
004N027W23H03S	--	--	--	--	--	0	--	4200	--	--
004N027W23H03S	--	--	--	--	--	0	--	3000	--	--
004N027W23H03S	340	21	3	3.8	190	37	380	2200	0.40	--
004N027W23H03S	--	--	--	--	--	0	--	4300	--	--
004N027W23H03S	--	--	--	--	--	0	--	4100	--	--
004N027W23H03S	--	--	--	--	--	0	--	4400	--	--
004N027W23H04S	--	--	--	--	--	0	--	440	--	--
004N027W23H04S	--	--	--	--	--	0	--	500	--	--
004N027W23H04S	300	40	4	2.8	218	42	260	850	0.20	--
004N027W23H04S	--	--	--	--	--	0	--	450	--	--
004N027W23H04S	--	--	--	--	--	0	--	290	--	--
004N027W23H04S	--	--	--	--	--	0	--	390	--	--
004N028W01R01S	140	35	3	2.2	300	46	350	180	0.50	--
004N028W12C02S	--	--	--	--	87	17	--	--	--	--
004N028W12H03S	100	26	2	2.3	315	38	430	87	0.50	--
004N028W12K02S	92	29	2	2.0	a188	27	340	81	0.40	--
004N028W12R03S	65	26	1	2.0	272	105	220	48	0.40	--
006N029W08P02S	26	16	0.7	1.7	299	18	14	32	0.30	--
007N030W33M01S	25	12	0.6	1.7	364	14	24	39	0.20	--
007N030W34G01S	27	12	0.6	1.2	430	17	37	37	0.20	--
007N033W21N01S	64	47	2	3.2	118	11	18	120	0.20	--
007N034W19C01S	--	--	--	--	--	0	--	--	--	--
007N034W19C02S	--	--	--	--	--	0	--	--	--	--
007N034W19C03S	--	--	--	--	--	0	--	--	--	--
007N034W19C04S	--	--	--	--	--	0	--	--	--	--
007N034W19E01S	45	41	2	1.2	--	6.0	46	68	0.10	--
007N034W19F01S	--	--	--	--	--	0	--	--	--	--

a Result based on laboratory value.

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, SANTA BARBARA COUNTY

## INORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTITUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	ARSENIC DIS- SOLVED (UG/L AS AS)	BARIUM, DIS- SOLVED (UG/L AS BA)	BERYL- LIUM, DIS- SOLVED (UG/L AS BE)	BORON, DIS- SOLVED (UG/L AS B)
004N027W23F02S	40	413	390	<0.100	0.100	0.31	--	88	--	40
004N027W23F03S	--	--	--	--	--	--	--	--	--	--
004N027W23F03S	41	--	450	<0.100	0.330	1.0	--	70	--	90
004N027W23F03S	41	--	490	<0.100	0.300	0.92	--	72	--	60
004N027W23F03S	41	--	430	<0.100	0.250	0.77	--	64	--	50
004N027W23F03S	--	--	--	--	--	--	--	--	--	--
004N027W23F03S	--	--	--	--	--	--	--	--	--	--
004N027W23F03S	42	476	450	<0.100	0.130	0.40	--	54	--	30
004N027W23F04S	38	--	19000	<0.100	0.050	0.15	--	200	--	1300
004N027W23F04S	--	--	--	--	--	--	--	--	--	--
004N027W23F04S	37	--	19000	<0.100	0.060	0.18	--	200	--	1500
004N027W23F04S	38	--	21000	<0.100	0.040	0.12	--	200	--	1500
004N027W23F04S	37	--	21000	<0.100	0.030	0.09	--	--	--	1500
004N027W23F04S	--	--	--	--	--	--	--	--	--	--
004N027W23F04S	--	--	--	--	--	--	--	--	--	--
004N027W23F04S	36	21600	22000	<0.100	0.040	0.12	--	200	--	1400
004N027W23F05S	39	--	16000	<0.100	<0.010	--	--	400	--	640
004N027W23F05S	--	--	--	--	--	--	--	--	--	--
004N027W23F05S	37	--	19000	<0.100	0.040	0.12	--	500	--	880
004N027W23F05S	39	--	17000	<0.100	0.050	0.15	--	300	--	890
004N027W23F05S	38	--	18000	<0.100	<0.010	--	--	--	--	960
004N027W23F05S	--	--	--	--	--	--	--	--	--	--
004N027W23F05S	--	--	--	--	--	--	--	--	--	--
004N027W23F05S	38	23000	21000	<0.100	<0.010	--	--	300	--	1200
004N027W23F06S	--	--	--	--	--	--	--	--	--	--
004N027W23F06S	16	--	2500	0.330	1.20	3.7	--	200	--	14000
004N027W23F07S	--	--	--	--	--	--	--	--	--	--
004N027W23F07S	38	--	710	0.100	0.310	0.95	--	110	--	300
004N027W23H03S	--	--	--	--	--	--	--	--	--	--
004N027W23H03S	--	--	--	--	--	--	--	--	--	--
004N027W23H03S	29	--	4000	<0.100	<0.010	--	--	200	--	130
004N027W23H03S	--	--	--	--	--	--	--	--	--	--
004N027W23H03S	--	--	--	--	--	--	--	--	--	--
004N027W23H03S	--	--	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--	--	--
004N027W23H04S	34	--	1900	0.400	<0.010	--	--	200	--	200
004N027W23H04S	--	--	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--	--	--
004N028W01R01S	17	969	1100	1.70	0.020	0.06	--	--	--	200
004N028W12C02S	--	--	--	--	--	--	--	--	--	--
004N028W12H03S	29	1060	1000	1.20	0.020	0.06	--	--	--	210
004N028W12K02S	29	883	880	1.60	0.020	0.06	--	--	--	200
004N028W12R03S	33	621	670	0.710	0.040	0.12	--	--	--	100
006N029W08P02S	41	--	390	1.70	0.020	0.06	--	--	--	50
007N030W33M01S	43	--	460	2.20	0.040	0.12	--	--	--	100
007N030W34G01S	39	--	520	1.80	0.070	0.21	--	--	--	120
007N033W21N01S	14	--	340	<0.100	<0.010	--	--	--	--	90
007N034W19C01S	--	--	--	--	--	--	2	--	<10	--
007N034W19C02S	--	--	--	--	--	--	2	--	<0.5	--
007N034W19C03S	--	--	--	--	--	--	<1	--	<0.5	--
007N034W19C04S	--	--	--	--	--	--	<1	--	<0.5	--
007N034W19E01S	32	--	300	--	--	--	2	--	<0.5	70
007N034W19F01S	--	--	--	--	--	--	6	--	<0.5	--

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	NICKEL, DIS- SOLVED (UG/L AS NI)	ZINC, DIS- SOLVED (UG/L AS ZN)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)
004N027W23F02S	--	--	--	11	--	270	--	--	--
004N027W23F03S	--	--	--	--	--	--	--	--	--
004N027W23F03S	--	--	--	13	--	21	--	--	--
004N027W23F03S	--	--	--	13	--	28	--	--	--
004N027W23F03S	--	--	--	63	--	29	--	--	--
004N027W23F03S	--	--	--	--	--	--	--	--	--
004N027W23F03S	--	--	--	--	--	--	--	--	--
004N027W23F03S	--	--	--	<3	--	35	--	--	--
004N027W23F04S	--	--	--	300	--	250	--	--	--
004N027W23F04S	--	--	--	--	--	--	--	--	--
004N027W23F04S	--	--	--	110	--	190	--	--	--
004N027W23F04S	--	--	--	260	--	200	--	--	--
004N027W23F04S	--	--	--	330	--	190	--	--	--
004N027W23F04S	--	--	--	--	--	--	--	--	--
004N027W23F04S	--	--	--	--	--	--	--	--	--
004N027W23F04S	--	--	--	410	--	220	--	--	--
004N027W23F05S	--	--	--	420	--	190	--	--	--
004N027W23F05S	--	--	--	--	--	--	--	--	--
004N027W23F05S	--	--	--	410	--	280	--	--	--
004N027W23F05S	--	--	--	1500	--	240	--	--	--
004N027W23F05S	--	--	--	130	--	300	--	--	--
004N027W23F05S	--	--	--	--	--	--	--	--	--
004N027W23F05S	--	--	--	--	--	--	--	--	--
004N027W23F05S	--	--	--	570	--	90	--	--	--
004N027W23F06S	--	--	--	--	--	--	--	--	--
004N027W23F06S	--	--	--	50	--	<10	--	--	--
004N027W23F07S	--	--	--	--	--	--	--	--	--
004N027W23F07S	--	--	--	16	--	32	--	--	--
004N027W23H03S	--	--	--	--	--	--	--	--	--
004N027W23H03S	--	--	--	--	--	--	--	--	--
004N027W23H03S	--	--	--	11000	--	3200	--	--	--
004N027W23H03S	--	--	--	--	--	--	--	--	--
004N027W23H03S	--	--	--	--	--	--	--	--	--
004N027W23H03S	--	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	5400	--	1600	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--	--
004N027W23H04S	--	--	--	--	--	--	--	--	--
004N028W01R01S	--	--	--	140	--	150	--	--	--
004N028W12C02S	--	--	--	--	--	--	--	--	--
004N028W12H03S	--	--	--	100	--	2	--	--	--
004N028W12K02S	--	--	--	22	--	3	--	--	--
004N028W12R03S	--	--	--	22	--	20	--	--	--
006N029W08F02S	--	--	--	19	--	<1	--	--	--
007N030W33M01S	--	--	--	45	--	8	--	--	--
007N030W34G01S	--	--	--	11	--	1	--	--	--
007N033W21N01S	--	--	--	66	--	260	--	--	--
007N034W19C01S	3	<10	5	40	<5	50	5	130	1
007N034W19C02S	2	<10	3	7	<5	32	2	43	1
007N034W19C03S	<1	<10	5	6	<5	5	1	160	<1
007N034W19C04S	2	<10	2	3	9	6	2	63	5
007N034W19E01S	<1	<10	3	260	<5	19	3	26	1
007N034W19F01S	2	<10	1	1600	<5	220	1	76	<1

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	DATE	TIME	DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET)	SPE- CIFIC CON- DUCT- ANCE (US/CM)	PH (STAND- ARD UNITS)	TEMPER- ATURE WATER (DEG C)	HARD- NESS (MG/L AS CACO3)	HARD- NESS NONCARB WH WAT TOT FLD (MG/L AS CACO3)	CALCIUM DIS- SOLVED (MG/L AS CA)	MAGNE- SIUM, DIS- SOLVED (MG/L AS MG)
007N034W19F02S	08-28-86	1030	86.69	914	7.50	20.0	--	--	--	--
007N034W19F03S	08-28-86	1230	74.83	977	7.50	20.0	--	--	--	--
007N034W19J06S	07-03-86	0855	--	1640	7.50	21.0	580	270	170	38
007N034W19J06S	08-26-86	1020	--	1650	7.40	20.0	--	--	--	--
007N034W20K06S	08-26-86	1115	--	1300	7.40	21.5	510	240	150	34
007N034W20L03S	07-03-86	0945	--	1610	7.20	21.5	570	240	170	36
007N034W20F03S	06-19-86	1515	--	830	9.20	20.0	60	0	5.9	11
007N034W27P05S	07-15-86	1045	--	1820	7.20	18.0	910	490	200	100
007N035W17G01S	06-18-86	1600	--	5600	7.30	21.0	1100	420	160	160
007N035W17K20S	06-18-86	1300	--	5750	7.20	18.5	1300	910	220	180
007N035W17Q06S	06-18-86	1130	--	11500	7.30	19.5	1900	1400	250	320
007N035W21G02S	06-19-86	1300	--	2530	7.20	19.0	1200	660	260	130
007N035W23B02S	06-19-86	1115	--	1260	7.30	17.0	260	90	63	26
007N035W26F04S	07-15-86	1000	--	1920	7.30	18.0	900	500	180	110
007N035W33J02S	07-03-86	1055	--	762	7.10	18.5	190	55	41	21
007N035W33J04S	07-03-86	1140	--	1080	7.20	19.5	410	200	110	32
008N032W27H01S	07-17-86	1000	--	924	7.70	24.0	400	120	92	41
008N032W29L03S	07-02-86	1015	--	499	6.80	19.0	130	59	32	13
008N033W19G02S	07-02-86	1240	--	1500	7.20	18.0	480	90	100	57
008N033W22E01S	07-02-86	1145	--	1370	7.30	24.0	510	230	140	39
008N033W24B02S	07-16-86	1210	--	469	6.80	20.0	110	57	27	11
008N034W02M01S	07-02-86	1415	--	828	7.40	21.5	200	36	54	16
008N034W16C05S	07-02-86	1515	--	668	7.10	21.0	190	37	58	12
008N034W24E01S	07-02-86	1325	--	1340	7.20	19.0	440	130	110	40
008N035W12M01S	06-19-86	0930	--	5800	6.90	18.0	720	0	160	79
009N024W33M01S	07-14-86	1015	--	1090	7.60	23.5	190	0	62	9.5
009N032W08N01S	07-14-86	1805	--	1010	7.50	18.5	470	280	95	57
010N026W09R03S	07-14-86	1300	--	2010	7.30	20.5	960	810	220	100
010N026W21G01S	07-14-86	1205	--	1880	7.70	24.5	850	730	220	74
010N033W20F01S	07-14-86	1715	--	1210	7.20	18.0	530	330	120	56
010N034W26H02S	07-15-86	0830	--	1800	7.30	18.0	830	650	180	93
010N034W29N01S	07-14-86	1620	--	960	7.40	19.0	380	190	84	42
010N035W14D01S	07-14-86	1530	--	2340	7.30	19.0	1100	810	270	110

## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	SODIUM, DIS- SOLVED (MG/L AS NA)	PERCENT SODIUM	SODIUM AD- SORP- TION RATIO	POTAS- SIUM, DIS- SOLVED (MG/L AS K)	ALKA- LINITY WH WAT TOTAL FIELD (MG/L AS CACO3)	CARBON DIOXIDE DIS- SOLVED (MG/L AS CO2)	SULFATE DIS- SOLVED (MG/L AS SO4)	CHLO- RIDE, DIS- SOLVED (MG/L AS CL)	FLUO- RIDE, DIS- SOLVED (MG/L AS F)
007N034W19F02S	--	--	--	--	--	0	--	--	--
007N034W19F03S	--	--	--	--	--	0	--	--	--
007N034W19J06S	130	32	2	6.8	313	19	210	240	0.20
007N034W19J06S	--	--	--	--	--	0	--	--	--
007N034W20K06S	75	24	1	3.5	272	21	210	120	0.20
007N034W20L03S	120	31	2	5.2	331	40	270	190	<0.10
007N034W20P03S	140	81	8	8.9	94	0.1	120	140	<0.10
007N034W27P05S	110	21	2	4.7	425	52	580	120	0.30
007N035W17G01S	980	66	13	23	638	62	240	1700	0.20
007N035W17K20S	840	58	10	30	381	47	530	1600	0.10
007N035W17Q06S	2400	72	24	63	528	51	1100	4000	0.50
007N035W21G02S	220	29	3	8.9	525	64	540	400	<0.10
007N035W23B02S	170	58	5	2.1	174	17	240	190	0.60
007N035W26F04S	120	22	2	4.5	a407	39	440	240	0.10
007N035W33J02S	77	46	3	3.2	134	21	48	120	0.30
007N035W33J04S	68	26	2	4.8	202	25	100	170	0.10
008N032W27H01S	64	26	1	2.6	278	11	250	31	0.40
008N032W29L03S	38	38	1	2.8	74	23	54	53	0.20
008N033W19G02S	140	38	3	3.7	394	48	240	120	0.10
008N033W22E01S	77	25	2	3.7	280	27	110	190	0.10
008N033W24B02S	38	42	2	2.6	56	17	41	71	0.10
008N034W02M01S	87	48	3	4.6	165	13	67	120	0.20
008N034W16C05S	58	39	2	3.0	157	24	67	75	0.20
008N034W24E01S	120	37	3	4.9	307	37	170	140	0.10
008N035W12M01S	1100	76	18	24	1390	339	61	1400	<0.10
009N024W33M01S	160	64	5	2.3	a246	12	190	90	0.60
009N032W08N01S	50	19	1	2.2	a191	12	360	23	0.30
010N026W09R03S	96	18	1	4.4	a150	15	--	23	0.40
010N026W21G01S	140	26	2	5.8	a125	4.8	1000	12	0.20
010N033W20F01S	81	25	2	3.3	a205	25	460	41	0.40
010N034W26H02S	88	19	1	3.6	a184	18	590	99	0.30
010N034W29N01S	47	21	1	2.5	a188	14	250	59	0.20
010N035W14D01S	160	24	2	4.3	a317	31	800	210	0.40

a Result based on laboratory value.

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	SILICA, DIS- SOLVED (MG/L AS SIO2)	SOLIDS, RESIDUE AT 180 DEG. C DIS- SOLVED (MG/L)	SOLIDS, SUM OF CONSTITUENTS, DIS- SOLVED (MG/L)	NITRO- GEN, NO2+NO3 DIS- SOLVED (MG/L AS N)	PHOS- PHORUS, ORTHO, DIS- SOLVED (MG/L AS P)	PHOS- PHATE, ORTHO, DIS- SOLVED (MG/L AS PO4)	ARSENIC DIS- SOLVED (UG/L AS AS)	BERYL- LIUM, DIS- SOLVED (UG/L AS BE)	BORON, DIS- SOLVED (UG/L AS B)
007N034W19F02S	--	--	--	--	--	--	10	<0.5	--
007N034W19F03S	--	--	--	--	--	--	3	<0.5	--
007N034W19J06S	44	--	1000	<0.100	0.060	0.18	--	--	360
007N034W19J06S	--	--	--	--	--	--	10	<0.5	--
007N034W20K06S	47	910	800	<0.100	0.060	0.18	--	--	180
007N034W20L03S	45	--	1000	<0.100	0.100	0.31	--	--	440
007N034W20P03S	1.7	--	490	<0.100	0.020	0.06	--	--	310
007N034W27P05S	38	--	1400	<0.100	0.010	0.03	--	--	510
007N035W17G01S	42	--	3700	<0.100	0.020	0.06	--	--	1600
007N035W17K20S	35	--	3700	<0.100	0.050	0.15	--	--	500
007N035W17Q06S	34	--	8500	<0.100	0.100	0.31	--	--	1700
007N035W21G02S	40	--	1900	<0.100	0.010	0.03	--	--	310
007N035W23B02S	26	--	820	<0.100	0.100	0.31	--	--	290
007N035W26F04S	38	--	1400	<0.100	<0.010	--	--	--	270
007N035W33J02S	32	--	420	2.40	0.190	0.58	--	--	90
007N035W33J04S	46	--	650	0.330	0.060	0.18	--	--	70
008N032W27H01S	34	--	680	<0.100	0.010	0.03	--	--	110
008N032W29L03S	58	--	300	1.90	0.890	2.7	--	--	90
008N033W19G02S	37	--	940	3.90	0.240	0.74	--	--	460
008N033W22E01S	44	--	770	23.0	0.030	0.09	--	--	130
008N033W24B02S	71	--	300	4.00	0.460	1.4	--	--	80
008N034W02M01S	49	--	500	1.80	0.440	1.3	--	--	190
008N034W16C05S	41	--	410	<0.100	0.610	1.9	--	--	120
008N034W24E01S	39	--	810	3.20	0.070	0.21	--	--	280
008N035W12M01S	35	--	3700	<0.100	0.140	0.43	--	--	9000
009N024W33M01S	26	--	690	0.440	0.030	0.09	--	--	360
009N032W08N01S	24	--	730	0.620	0.020	0.06	--	--	140
010N026W09R03S	23	--	--	2.80	0.010	0.03	--	--	230
010N026W21G01S	36	--	1600	0.310	<0.010	--	--	--	200
010N033W20F01S	27	--	910	2.80	0.010	0.03	--	--	230
010N034W26H02S	22	--	1200	14.0	0.020	0.06	--	--	200
010N034W29N01S	32	--	630	3.60	0.010	0.03	--	--	120
010N035W14D01S	29	--	1800	21.0	0.030	0.09	--	--	310

&lt; Actual value is known to be less than the value shown.



## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## INORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	CADMIUM DIS- SOLVED (UG/L AS CD)	CHRO- MIUM, DIS- SOLVED (UG/L AS CR)	COPPER, DIS- SOLVED (UG/L AS CU)	IRON, DIS- SOLVED (UG/L AS FE)	LEAD, DIS- SOLVED (UG/L AS PB)	MANGA- NESE, DIS- SOLVED (UG/L AS MN)	NICKEL, DIS- SOLVED (UG/L AS NI)	ZINC, DIS- SOLVED (UG/L AS ZN)	SELE- NIUM, DIS- SOLVED (UG/L AS SE)
007N034W19F02S	2	<10	6	12	<5	8	3	64	5
007N034W19F03S	3	<10	6	44	<5	180	3	16	7
007N034W19J06S	--	--	--	250	--	500	--	--	--
007N034W19J06S	4	<10	2	270	<5	500	3	16	<1
007N034W20K06S	--	--	--	310	--	400	--	--	--
007N034W20L03S	--	--	--	280	--	510	--	--	--
007N034W20P03S	--	--	--	14	--	5	--	--	--
007N034W27P05S	--	--	--	2400	--	830	--	--	--
007N035W17G01S	--	--	--	640	--	690	--	--	--
007N035W17K20S	--	--	--	6300	--	920	--	--	--
007N035W17Q06S	--	--	--	6000	--	690	--	--	--
007N035W21G02S	--	--	--	3100	--	1200	--	--	--
007N035W23B02S	--	--	--	600	--	360	--	--	--
007N035W26F04S	--	--	--	4400	--	1300	--	--	--
007N035W33J02S	--	--	--	15	--	7	--	--	--
007N035W33J04S	--	--	--	60	--	40	--	--	--
008N032W27H01S	--	--	--	10	--	14	--	--	--
008N032W29L03S	--	--	--	49	--	22	--	--	--
008N033W19G02S	--	--	--	4	--	3	--	--	--
008N033W22E01S	--	--	--	11	--	8	--	--	--
008N033W24B02S	--	--	--	65	--	4	--	--	--
008N034W02M01S	--	--	--	45	--	72	--	--	--
008N034W16C05S	--	--	--	290	--	52	--	--	--
008N034W24E01S	--	--	--	8	--	110	--	--	--
008N035W12M01S	--	--	--	2200	--	130	--	--	--
009N024W33M01S	--	--	--	12	--	1	--	--	--
009N032W08N01S	--	--	--	23	--	<1	--	--	--
010N026W09R03S	--	--	--	30	--	<10	--	--	--
010N026W21G01S	--	--	--	24	--	54	--	--	--
010N033W20F01S	--	--	--	17	--	4	--	--	--
010N034W26H02S	--	--	--	42	--	11	--	--	--
010N034W29N01S	--	--	--	17	--	<1	--	--	--
010N035W14D01S	--	--	--	30	--	10	--	--	--

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## ORGANIC DATA

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	DATE	TIME	BENZENE TOTAL (UG/L)	BROMO- FORM TOTAL (UG/L)	CARBON- TETRA- CHLO- RIDE TOTAL (UG/L)	CHLORO- BENZENE TOTAL (UG/L)	CHLORO- DI- BROMO- METHANE TOTAL (UG/L)	CHLORO- ETHANE TOTAL (UG/L)	CHLORO- FORM TOTAL (UG/L)
007N034W19C01S	08-27-86	0900	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19C02S	08-27-86	1630	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	3.0
007N034W19C03S	08-26-86	1500	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19C04S	08-27-86	1245	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19E01S	08-28-86	1430	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19F01S	08-27-86	1540	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19F02S	08-28-86	1030	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19F03S	08-28-86	1230	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19J06S	08-26-86	1020	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0

LOCAL NUMBER	CIS 1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	DI- CHLORO- BROMO- METHANE TOTAL (UG/L)	DI- CHLORO- DI- FLUORO- METHANE TOTAL (UG/L)	ETHYL- BENZENE TOTAL (UG/L)	METHYL- BROMIDE TOTAL (UG/L)	METHYL- CHLO- RIDE TOTAL (UG/L)	METHYL- ENE CHLO- RIDE TOTAL (UG/L)	1,4-DI- CHLORO- BENZENE TOTAL (UG/L)	1,1-DI- CHLORO- ETHANE TOTAL (UG/L)
007N034W19C01S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19C02S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19C03S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19C04S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19E01S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19F01S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19F02S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19F03S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19J06S	<3.0	<3.0	<3.0	<3.0	<3.0	10.0	<3.0	<3.0	<3.0

LOCAL NUMBER	1,1-DI- CHLORO- ETHYL- ENE TOTAL (UG/L)	1,1,1- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,1,2- TRI- CHLORO- ETHANE TOTAL (UG/L)	1,1,2,2 TETRA- CHLORO- ETHANE TOTAL (UG/L)	1,3-DI- CHLORO- BENZENE TOTAL (UG/L)	1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	1,2-DI- CHLORO- BENZENE TOTAL (UG/L)	1,2-DI- CHLORO- ETHANE TOTAL (UG/L)	1,2-DI- CHLORO- PROPANE TOTAL (UG/L)
007N034W19C01S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19C02S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19C03S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19C04S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19E01S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19F01S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19F02S	<3.0	3.1	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19F03S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19J06S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0

&lt; Actual value is known to be less than the value shown.

## WATER QUALITY, SANTA BARBARA COUNTY--Continued

## ORGANIC DATA--Continued

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

LOCAL NUMBER	1,2- TRANS- CHLORO- ETHYL- ENE TOTAL (UG/L)	TETRA- CHLORO- ETHYL- ENE TOTAL (UG/L)	TOLUENE TOTAL (UG/L)	TRANS- 1,3-DI- CHLORO- PROPENE TOTAL (UG/L)	TRI- CHLORO- ETHYL- ENE TOTAL (UG/L)	TRI- CHLORO- FLUORO- METHANE TOTAL (UG/L)	2- CHLORO- ETHYL- VINYL- ETHER TOTAL (UG/L)	VINYL CHLO- RIDE TOTAL (UG/L)
007N034W19C01S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19C02S	<3.0	<3.0	<3.0	<3.0	<3.0	3.8	<3.0	<3.0
007N034W19C03S	<3.0	<3.0	<3.0	<3.0	<3.0	3.6	<3.0	<3.0
007N034W19C04S	<3.0	<3.0	<3.0	<3.0	<3.0	20	<3.0	<3.0
007N034W19E01S	<3.0	<3.0	<3.0	<3.0	<3.0	6.7	<3.0	<3.0
007N034W19F01S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19F02S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19F03S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0
007N034W19J06S	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0	<3.0

&lt;Actual value is known to be less than the value shown.

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

SUTTER COUNTY

	<u>Page</u>
LOCAL NUMBER 012N003E02G01M.....	304
LOCAL NUMBER 012N003E02G02M.....	305
LOCAL NUMBER 012N003E02G03M.....	306
LOCAL NUMBER 012N003E02G04M.....	307




Figure 17.--Index map to location of wells in Sutter County.

## WATER LEVELS, SUTTER COUNTY

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 385501121361901

LOCAL NUMBER 012N003E02G01M

1.7 MI NORTHWEST OF NICOLAUS. HYDRAULIC ROTARY OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN, DEPTH 1081 FT, CASED TO 1081 FT, SCREENED 1066-1071 FT. ALTITUDE OF LSD 32.54 FT. RECORDS AVAILABLE 1980 TO CURRENT YEAR. RECORDER INSTALLED 1980.

## WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	20.72	18.85	17.59	16.63	15.39	13.87	13.01	12.28	14.23	15.37	16.78	17.39
2	20.64	18.80	17.56	16.59	15.31	13.89	13.03	12.28	14.24	15.45	16.82	17.39
3	20.56	18.76	17.50	16.56	15.21	13.95	12.99	12.29	14.28	15.50	16.84	17.39
4	20.48	18.71	17.47	16.52	15.10	14.01	12.92	12.32	14.31	15.54	16.87	17.39
5	20.38	18.67	17.46	16.47	15.01	14.01	12.85	12.34	14.32	15.62	16.88	17.39
6	20.29	18.63	17.44	16.46	14.91	14.00	12.84	12.34	14.36	15.72	16.90	17.39
7	20.20	18.59	17.42	16.44	14.85	13.96	12.84	12.38	14.43	15.82	16.94	17.37
8	20.12	18.53	17.39	16.43	14.82	13.83	12.86	12.44	14.46	15.84	16.96	17.36
9	20.06	18.47	17.36	16.41	14.83	13.49	12.83	12.47	14.47	15.89	16.97	17.36
10	20.01	18.40	17.32	16.39	14.87	13.05	12.74	12.51	14.49	15.95	16.99	17.33
11	19.95	18.33	17.27	16.37	14.89	12.80	12.67	12.64	14.54	15.97	17.03	17.33
12	19.90	18.28	17.23	16.33	14.86	12.79	12.61	12.78	14.58	15.99	17.07	17.29
13	19.84	18.28	17.22	16.29	14.80	12.75	12.65	12.89	14.61	16.02	17.08	17.26
14	19.79	18.30	17.22	16.23	14.71	12.78	12.61	12.98	14.64	16.07	17.09	17.24
15	19.72	18.32	17.21	16.17	14.53	12.80	12.57	13.10	14.65	16.10	17.12	17.22
16	19.65	18.31	17.18	16.14	14.26	12.78	12.57	13.25	14.66	16.13	17.14	17.17
17	19.59	18.27	17.15	16.12	13.60	12.86	12.57	13.37	14.70	16.20	17.17	17.11
18	19.54	18.25	17.12	16.09	12.81	13.01	12.58	13.49	14.79	16.26	17.22	17.02
19	19.47	18.25	17.10	16.04	12.52	13.08	12.55	13.56	14.86	16.35	17.24	16.94
20	19.44	18.24	17.06	15.99	12.40	13.13	12.52	13.65	14.87	16.40	17.24	16.90
21	19.42	18.16	17.03	15.95	12.62	13.19	12.44	13.76	14.87	16.39	17.26	16.85
22	19.36	---	16.99	15.91	12.96	13.20	12.35	13.87	14.87	16.41	17.28	16.77
23	19.32	---	16.99	15.88	13.24	13.20	12.31	13.89	14.87	16.48	17.28	16.66
24	19.29	---	16.95	15.87	13.45	13.19	12.30	13.96	15.02	16.55	17.25	16.52
25	19.24	---	16.91	15.85	13.63	13.20	12.30	14.01	15.05	16.60	17.25	16.45
26	19.18	---	16.86	15.82	13.74	13.18	12.31	14.03	15.09	16.62	17.28	16.44
27	19.10	---	16.83	15.77	13.81	13.14	12.31	14.06	15.18	16.62	17.30	16.40
28	19.04	---	16.80	15.71	13.85	13.12	12.29	14.09	15.24	16.65	17.31	16.35
29	18.99	---	16.77	15.64	---	13.11	12.27	14.12	15.30	16.73	17.33	16.27
30	18.95	---	16.72	15.55	---	13.11	12.25	14.16	15.33	16.75	17.35	16.20
31	18.90	---	16.67	15.46	---	13.06	---	14.20	---	16.75	17.39	---
MAX	20.72	18.85	17.59	16.63	15.39	14.01	13.03	14.20	15.33	16.75	17.39	17.39
MIN	18.90	18.16	16.67	15.46	12.40	12.75	12.25	12.28	14.23	15.37	16.78	16.20

HIGHEST 11.57 APR 28, 1984  
 LOWEST 33.88 SEP 09, 1981



WATER LEVELS, SUTTER COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 385501121361903

LOCAL NUMBER 012N003E02G03M

1.7 MI NORTHWEST OF NICOLAUS. HYDRAULIC ROTARY OBSERVATION WATER-TABLE WELL IN ALLUVIUM.  
DIAM 3 IN, DEPTH 321 FT, CASED TO 311 FT, SCREENED 306-311 FT. ALTITUDE OF LSD 32.54 FT.  
RECORDS AVAILABLE 1980 TO CURRENT YEAR. RECORDER INSTALLED 1980.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	9.83	10.35	10.01	9.58	---	2.33	3.77	6.22	7.04	7.54	8.08	8.52
2	9.87	10.37	9.94	9.50	---	2.42	4.02	6.28	7.03	7.50	8.16	8.51
3	9.90	10.37	10.08	9.48	---	2.53	4.02	6.33	7.08	7.43	8.19	8.57
4	9.87	10.39	9.98	9.39	---	2.62	4.05	6.48	7.00	7.46	8.14	8.61
5	9.79	10.46	9.94	9.45	---	2.68	4.15	6.42	7.01	7.41	8.16	8.58
6	9.84	10.48	9.86	9.48	---	2.77	4.32	6.48	7.05	7.51	8.27	8.55
7	9.82	10.42	9.76	9.40	---	2.68	4.59	6.59	7.06	7.55	8.36	8.55
8	9.95	10.38	9.70	9.36	---	2.71	4.70	6.58	7.05	7.63	8.35	8.61
9	10.00	10.42	9.62	9.27	---	2.57	4.67	6.57	7.04	7.68	8.35	8.65
10	---	10.29	9.53	9.25	---	2.32	4.63	6.59	7.12	7.64	8.36	8.71
11	10.08	10.37	9.63	9.19	---	2.37	4.70	6.70	7.17	7.56	8.38	8.73
12	10.10	10.55	9.70	9.14	---	2.15	4.83	6.74	7.16	7.51	8.40	8.71
13	10.16	10.73	9.68	9.04	---	1.92	5.07	6.74	7.18	7.55	8.41	8.78
14	10.14	10.71	9.63	9.02	---	1.94	4.99	6.73	7.25	7.59	8.46	8.85
15	10.10	10.67	9.63	9.13	---	1.72	5.12	6.78	7.24	7.63	8.54	8.85
16	10.13	10.56	9.63	9.19	---	1.76	5.25	6.84	7.31	7.84	8.56	8.82
17	10.25	10.54	---	9.20	---	1.93	5.41	6.84	7.38	7.96	8.62	8.81
18	10.28	10.68	---	---	---	2.13	5.44	6.84	7.51	8.11	8.61	8.75
19	10.12	10.69	---	---	3.76	2.22	5.54	6.78	7.40	8.10	8.55	8.75
20	10.14	10.57	---	---	3.23	2.36	5.54	6.87	7.48	7.89	8.48	8.77
21	10.17	10.58	---	---	2.72	2.45	5.51	7.04	7.58	7.72	8.53	8.74
22	10.32	10.53	---	---	2.43	2.53	5.52	7.03	7.60	7.80	8.49	8.65
23	10.33	10.43	9.70	---	2.27	2.62	5.66	7.11	7.52	7.86	8.44	8.60
24	10.33	10.29	9.68	---	2.22	2.82	5.78	7.15	7.50	7.85	8.45	8.46
25	10.31	10.32	9.68	---	2.23	2.98	5.89	7.11	7.45	7.90	8.54	8.66
26	10.26	10.45	9.66	---	2.19	3.04	5.98	7.08	7.45	7.89	8.56	8.75
27	10.26	10.38	9.71	---	2.23	3.14	6.02	7.09	7.51	7.90	8.56	8.75
28	10.31	10.10	9.72	---	2.25	3.26	6.03	7.13	7.55	7.96	8.56	8.73
29	10.35	9.88	9.64	---	---	3.45	6.14	7.14	7.56	8.05	8.55	8.75
30	10.34	10.23	9.65	---	---	3.60	6.16	7.16	7.52	8.04	8.57	8.71
31	10.32	---	9.64	---	---	3.62	---	7.13	---	8.02	8.54	---
MAX	10.35	10.73	10.08	---	---	3.62	6.16	7.16	7.60	8.11	8.62	8.85
MIN	9.79	9.88	9.53	---	---	1.72	3.77	6.22	7.00	7.41	8.08	8.46

HIGHEST 0.62 MAY 11, 1983  
LOWEST 11.31 DEC 24, 1980



WATER LEVELS, SUTTER COUNTY--Continued  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 385501121361904

LOCAL NUMBER 012N003E02G04M

1.7 MI NORTHWEST OF NICOLAUS. CABLE TOOL DOMESTIC WELL. DIAM 8 IN, DEPTH 80 FT, CASED TO 54 FT, OPEN BOTTOM. RECORDS AVAILABLE JULY 1985 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS
NOV 21	10.10 S	MAR 11	2.59 S	MAY 01	6.27 S	JUN 24	4.62 S	AUG 25	5.51 S
DEC 23	8.25 S	25	3.74 S	27	5.37 S	JUL 24	5.17 S		
		HIGHEST	2.59	MAR 11, 1986					
		LOWEST	10.10	NOV 21, 1985					

## GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

VENTURA COUNTY

	<u>Page</u>
LOCAL NUMBER 004N025W35A02S.....	310
LOCAL NUMBER 004N025W35A03S.....	310
LOCAL NUMBER 007N024W13C02S.....	310




Figure 18.--Index map to location of wells in Ventura County.

WATER LEVELS, VENTURA COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 342323119274601

LOCAL NUMBER 004N025W35A02S

ABOUT 3 MILES EAST OF CARPINTERIA. DRILLED WATER-TABLE WELL. DIAM 12 IN, DEPTH 413 FT, CASED TO 403 FT, PERFORATED 55-179, 231-401 FT. ALTITUDE OF LSD 147 FT. BEGINNING APR. 17, 1979, MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT. RECORDS AVAILABLE 1941, 1945, 1949-50, 1955-56, 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 25, 1985	15.11 S	DEC 27, 1985	14.23 S	JUN 17, 1986	14.66 S		
NOV 20, 1985	14.44 S	MAR 24, 1986	12.78 S	SEP 09, 1986	14.95 S		
	HIGHEST	11.09	FEB 20, 1980				
	LOWEST	85.76	DEC 13, 1949				

SITE NUMBER 342321119274601

LOCAL NUMBER 004N025W35A03S

EAST OF RINCON CREEK RD AND SOUTH OF RINCON CREEK BRIDGE. DRILLED IRRIGATION WELL. DIAM 10 IN, DEPTH 145.8 FT. ALTITUDE OF LSD 147 FT. MEASUREMENTS FURNISHED BY CARPINTERIA COUNTY WATER DISTRICT BEGINNING IN 1978. RECORDS AVAILABLE 1941, 1945-46, 1949-50, 1955-56, 1959 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS	DATE	WATER LEVEL MS
OCT 24, 1985	33.63 S	JAN 27, 1986	32.26 S	JUN 17, 1986	32.19 S	SEP 09, 1986	34.33 SS
NOV 20, 1985	34.87 S	FEB 25, 1986	30.44 S	JUL 17, 1986	33.85 SS		
DEC 27, 1985	32.60 S	MAR 24, 1986	29.45 S	AUG 13, 1986	34.00 S		
	HIGHEST	11.48	APR 24, 1978				
	LOWEST	110.39	SEP 21, 1961				

SITE NUMBER 344224119223901

LOCAL NUMBER 007N024W13C02S

ABOUT 1.8 MI NORTHWEST OF APACHE SCHOOL. DRILLED OBSERVATION WELL. DIAM 8 IN, DEPTH 165 FT. ALTITUDE OF LSD 3435 FT. RECORDS AVAILABLE 1950 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

DATE	WATER LEVEL MS		
APR 11, 1986	20.79 S		
	HIGHEST	17.98	APR 10, 1979
	LOWEST	65.83	MAY 24, 1961

GROUND-WATER WELLS, BY COUNTY, FOR WHICH RECORDS ARE PUBLISHED

YOLO COUNTY

	<u>Page</u>
LOCAL NUMBER 011N001E03D01M.....	313
LOCAL NUMBER 011N001E03E01M.....	313
LOCAL NUMBER 012N001E34Q01M.....	314
LOCAL NUMBER 012N001E34Q02M.....	315
LOCAL NUMBER 012N001E34Q03M.....	315




Figure 19.--Index map to location of wells in Yolo County.

WATER LEVELS, YOLO COUNTY--Continued  
 WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
 WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 385009121512401

LOCAL NUMBER 011N001E03D01M

2.9 MI NORTHEAST OF ZAMORA. UNUSED WATER-TABLE WELL IN ALLUVIUM. DEPTH REPORTED 500 FT.  
 ALTITUDE OF LSD 30.16 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS
APR 24	9.56 S	MAY 27	27.95 S	JUN 24	37.82 S	JUL 24	41.76 S	AUG 25	35.39 S
	HIGHEST	4.85	MAR 02, 1984						
	LOWEST	50.85	JUL 06, 1981						

SITE NUMBER 384951121512401

LOCAL NUMBER 011N001E03E01M

2.7 MI NORTHEAST OF ZAMORA. DOMESTIC WATER-TABLE WELL IN ALLUVIUM. DEPTH 260 FT, PERFORATED  
 220-260 FT. ALTITUDE OF LSD 33.13 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM

	WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS
OCT 21	13.71 S	DEC 23	12.34 S	APR 24	5.50 S	JUN 24	8.60 S	AUG 25	11.12 S
NOV 21	13.39 S	MAR 25	3.58 S	MAY 27	6.80 S	JUL 24	10.27 S	SEP 26	11.45 S
	HIGHEST	2.15	FEB 28, 1985						
	LOWEST	16.19	OCT 05, 1979						

WATER LEVELS, YOLO COUNTY  
WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS  
WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 385020121503601

LOCAL NUMBER 012N001E34001M

4 MI NORTHEAST OF ZAMORA. HYDRAULIC ROTARY OBSERVATION WATER-TABLE WELL IN ALLUVIUM. DIAM 3 IN. DEPTH 2125 FT, CASED TO 2125 FT, SCREENED 2120-2125 FT. ALTITUDE OF LSD 24.27 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR. RECORDER INSTALLED 1979.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	+3.00	+2.86	+2.68	+2.57	+2.63	---	+3.35	+2.87	+3.07	+3.24	+3.30	+3.35
2	+2.99	+2.85	+2.69	+2.57	+2.63	+4.18	+3.31	+2.86	+3.07	+3.24	+3.30	+3.35
3	+2.98	+2.84	+2.69	+2.57	+2.64	+4.15	---	+2.86	+3.08	+3.24	+3.30	+3.35
4	+2.97	+2.84	+2.69	+2.56	+2.65	+4.12	---	+2.86	+3.08	+3.24	+3.30	+3.35
5	+2.96	+2.83	+2.69	+2.56	+2.66	+4.06	---	+2.86	+3.09	+3.25	+3.30	+3.35
6	+2.95	+2.83	+2.69	+2.56	+2.67	+4.01	---	+2.86	+3.10	+3.25	+3.30	+3.35
7	+2.94	+2.81	+2.69	+2.56	+2.68	+3.97	---	+2.86	+3.10	+3.25	+3.31	+3.35
8	+2.94	+2.80	+2.69	+2.56	+2.69	+3.91	---	+2.87	+3.11	+3.26	+3.31	+3.35
9	+2.93	+2.79	+2.69	+2.56	+2.70	+3.85	---	+2.87	+3.11	+3.26	+3.31	+3.35
10	+2.93	+2.78	+2.69	+2.56	+2.70	+3.81	---	+2.88	+3.12	+3.26	+3.31	+3.35
11	+2.92	+2.77	+2.69	+2.56	+2.71	---	---	+2.89	+3.13	+3.27	+3.32	+3.35
12	+2.91	+2.76	+2.69	+2.56	+2.71	---	---	+2.90	+3.13	+3.27	+3.32	+3.34
13	+2.91	+2.75	+2.69	+2.56	+2.72	---	---	+2.91	+3.14	+3.28	+3.32	+3.34
14	+2.90	+2.74	+2.68	+2.56	+2.73	---	---	+2.92	+3.14	+3.28	+3.32	+3.34
15	+2.89	+2.73	+2.67	+2.56	+2.76	---	---	+2.92	+3.15	+3.28	+3.32	+3.33
16	+2.89	+2.72	+2.67	+2.56	+2.78	---	---	+2.93	+3.16	+3.28	+3.32	+3.33
17	+2.88	+2.71	+2.67	+2.56	+2.81	---	---	+2.94	+3.16	+3.28	+3.32	+3.32
18	+2.87	+2.70	+2.67	+2.59	+2.96	---	---	+2.95	+3.17	+3.29	+3.32	+3.32
19	+2.86	+2.69	+2.65	+2.59	+3.26	---	---	+2.95	+3.17	+3.29	+3.33	+3.31
20	+2.90	+2.68	+2.65	+2.59	+3.62	---	---	+2.96	+3.18	+3.29	+3.33	+3.31
21	+2.93	+2.68	+2.65	+2.59	+3.93	---	---	+2.96	+3.19	+3.30	+3.33	+3.30
22	+2.93	+2.68	+2.64	+2.60	+4.13	---	---	+2.96	+3.19	+3.31	+3.33	+3.29
23	+2.92	+2.68	+2.57	+2.60	---	---	---	+2.96	+3.20	+3.31	+3.33	+3.29
24	+2.91	+2.68	+2.57	+2.60	---	---	+2.89	+2.97	+3.22	+3.30	+3.33	+3.29
25	+2.90	+2.68	+2.57	+2.60	---	+3.56	+2.89	+2.98	+3.22	+3.30	+3.35	+3.28
26	+2.89	+2.68	+2.57	+2.60	---	+3.55	+2.89	+2.99	+3.22	+3.30	+3.35	+3.27
27	+2.89	+2.68	+2.57	+2.60	---	+3.52	+2.88	+3.03	+3.22	+3.30	+3.35	---
28	+2.88	+2.68	+2.57	+2.60	---	+3.49	+2.88	+3.03	+3.22	+3.30	+3.35	---
29	+2.87	+2.68	+2.57	+2.60	---	+3.46	+2.87	+3.04	+3.23	+3.30	+3.35	---
30	+2.86	+2.68	+2.57	+2.61	---	+3.42	+2.87	+3.05	+3.23	+3.30	+3.35	---
31	+2.86	---	+2.57	+2.62	---	+3.39	---	+3.06	---	+3.30	+3.35	---
MAX	+3.00	+2.86	+2.69	+2.62	+4.13	---	---	+3.06	+3.23	+3.31	+3.35	+3.35
MIN	+2.86	+2.68	+2.57	+2.56	+2.63	---	---	+2.86	+3.07	+3.24	+3.30	+3.27

HIGHEST	+4.18	MAR 02, 1986
LOWEST	0.64	APR 17, 1980



## WATER LEVELS, YOLO COUNTY--Continued

## WELL DESCRIPTIONS AND WATER-LEVEL MEASUREMENTS

WATER YEAR OCTOBER 1985 TO SEPTEMBER 1986

SITE NUMBER 385020121503602

LOCAL NUMBER 012N001E34Q02M

4 MI NORTHEAST OF ZAMORA. HYDRAULIC ROTARY OBSERVATION WATER-TABLE WELL IN ALLUVIUM.  
 DIAM 3 IN, DEPTH 1401 FT, CASED TO 1401 FT, SCREENED 1396-1401 FT. ALTITUDE OF LSD  
 24.27 FT. RECORDS AVAILABLE 1979 TO CURRENT YEAR. RECORDER INSTALLED 1979 TO JANUARY 1984.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

	WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS		WATER LEVEL MS
OCT 21	+4.89 S	DEC 23	+4.41 S	MAR 25	+5.28 S	MAY 27	+6.09 S	SEP 26	+6.22 S
NOV 21	+4.47 S	JAN 17	+4.39 S	APR 24	+5.39 S	JUN 24	+6.41 S		
		HIGHEST	+6.41	JUN 24, 1986					
		LOWEST	6.31	APR 18, 1979					

SITE NUMBER 385020121503603

LOCAL NUMBER 012N001E34Q03M

4 MI NORTHEAST OF ZAMORA. HYDRAULIC ROTARY OBSERVATION WATER-TABLE WELL IN ALLUVIUM.  
 DIAM 3 IN, DEPTH 947 FT, CASED TO 947 FT, SCREENED 942-947 FT. ALTITUDE OF LSD 24.27 FT.  
 RECORDS AVAILABLE 1979 TO CURRENT YEAR. RECORDER INSTALLED 1979.

WATER LEVELS IN FEET BELOW LAND SURFACE DATUM (READINGS ABOVE LAND SURFACE INDICATED BY "+")

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	8.48	8.31	7.03	5.75	3.80	1.85	1.15	+0.33	+1.12	+0.26	1.63	3.32
2	8.48	8.30	6.91	5.69	3.75	1.96	1.16	+0.37	+1.11	+0.19	1.71	3.35
3	8.52	8.30	6.91	5.64	3.71	2.08	1.11	+0.42	+1.08	+0.14	1.79	3.41
4	8.53	8.30	6.90	---	3.68	2.18	1.02	+0.45	+1.06	+0.11	1.83	3.47
5	8.55	8.30	6.87	---	3.62	2.25	0.95	+0.53	+1.05	+0.06	1.87	3.50
6	8.53	8.30	6.87	---	3.55	2.29	0.89	+0.62	+1.02	0.02	1.93	3.55
7	8.53	8.29	6.84	---	3.52	2.29	0.85	+0.65	+1.01	0.10	2.00	3.55
8	8.51	8.28	6.81	---	3.49	2.24	0.81	+0.70	+1.00	0.15	2.05	3.61
9	8.53	8.28	6.78	---	3.46	2.21	0.71	+0.77	+0.99	0.19	2.09	3.67
10	8.55	8.28	6.73	---	3.44	2.05	0.59	+0.82	+0.97	0.23	2.17	3.73
11	8.57	---	6.69	5.24	3.45	1.89	0.53	+0.83	+0.95	0.27	2.25	3.78
12	8.57	---	6.69	5.18	3.36	1.75	0.50	+0.86	+0.93	0.31	2.31	3.81
13	8.57	---	6.67	5.10	3.23	1.64	0.50	+0.90	+0.92	0.37	2.35	3.86
14	8.57	---	6.63	---	2.95	1.58	0.45	+0.93	+0.89	0.45	2.40	3.93
15	8.56	---	6.58	---	2.69	1.46	0.40	+0.96	+0.87	0.51	2.46	3.99
16	8.55	---	6.54	---	2.53	1.31	0.38	+0.97	+0.85	0.57	2.53	4.02
17	8.54	---	6.50	4.89	2.02	1.26	0.36	+0.97	+0.81	0.65	2.59	4.03
18	8.55	---	6.46	4.77	1.13	1.26	0.31	+0.98	+0.74	0.74	2.67	4.04
19	8.56	---	6.41	4.67	0.60	1.26	0.25	+1.01	+0.71	0.83	2.73	4.05
20	8.52	---	6.35	4.65	0.56	1.26	0.18	+1.03	+0.69	0.86	2.77	4.09
21	8.45	7.64	6.30	4.63	0.55	1.26	0.07	+1.01	+0.66	0.86	2.84	4.12
22	8.47	7.63	6.25	4.58	0.68	1.23	+0.03	+1.02	+0.64	0.94	2.90	4.15
23	8.48	7.58	6.20	4.56	0.88	1.20	+0.07	+1.04	+0.61	1.04	2.93	4.15
24	8.47	7.44	6.19	4.56	1.12	1.20	+0.08	+1.06	+0.47	1.22	2.95	4.14
25	8.45	7.32	6.15	4.53	1.33	1.20	+0.14	+1.09	+0.48	1.23	3.05	4.18
26	8.41	7.31	6.10	4.46	1.49	1.18	+0.16	+1.12	+0.45	1.26	3.17	4.36
27	8.38	7.33	6.05	4.37	1.61	1.19	+0.19	+1.11	+0.41	1.31	3.11	4.36
28	8.36	7.24	6.02	4.29	1.72	1.20	+0.23	+1.12	+0.37	1.41	3.17	4.36
29	8.36	7.06	5.95	4.15	---	1.21	+0.25	+1.12	+0.35	1.50	3.22	4.37
30	8.34	7.06	5.88	3.97	---	1.21	+0.29	+1.12	+0.32	1.54	3.27	4.37
31	8.32	---	5.81	3.87	---	1.17	---	+1.11	---	1.58	3.30	---
MAX	8.57	8.31	7.03	5.75	3.80	2.29	+0.29	+1.12	+1.12	+0.26	3.30	4.37
MIN	8.32	7.06	5.81	3.87	0.55	1.17	0.07	+0.33	+0.32	0.02	1.63	3.32
		HIGHEST	+ 2.16	MAY 03, 1984	MAY 04, 1984	MAY 05, 1984						
		LOWEST	19.30	NOV 09, 1979	NOV 10, 1979							



# INDEX

	Page		Page
Aquifer, definition of.....	5	Los Angeles County, index map to	
Artesian, definition of.....	5	location of wells in.....	70
Chemical oxygen demand, definition of.....	5	Mendocino County, index map to	
Collection and computation of data,		location of wells in.....	109
ground-water levels.....	4	Merced County, index map to location	
ground-water quality.....	4	of wells in.....	112
Color unit, definition of.....	5	Methylene blue active substance,	
Cooperation.....	2	definition of.....	5
Data collection and computation of		Micrograms per liter, definition of.....	5
Ground-water level records.....	4	Milligrams per liter, definition of.....	6
Ground-water quality records.....	4	National Geodetic Vertical Datum of 1929.....	6
Definition of terms.....	5	Orange County, index map to location	
Dissolved, definition of.....	5	of wells in.....	137
Glenn County, index map to location of		Pesticides, definition of.....	6
wells in.....	11	pH, definition of.....	6
Ground-water level records,		Polychlorinated biphenyls, definition of.....	6
explanation of.....	4	Publications of Techniques of Water-	
Ground-water levels and quality, by		Resources Investigations.....	8
county		Remark codes.....	7
Glenn County.....	10	Riverside County, index map to location	
Imperial County.....	15	of wells in.....	159
Inyo County.....	26	San Bernardino County, index map to	
Kern County.....	37	location of wells in.....	173
Los Angeles County.....	69	San Diego County, index map to location	
Mendocino County.....	107	of wells in.....	189
Merced County.....	111	San Joaquin County, index map to	
Orange County.....	136	location of wells in.....	197
Riverside County.....	158	San Luis Obispo County, index map to	
San Bernardino County.....	172	location of wells in.....	207
San Diego County.....	189	Santa Barbara County, index map to	
San Joaquin County.....	196	location of wells in.....	216
San Luis Obispo County.....	206	Sodium-adsorption-ratio, definition of.....	6
Santa Barbara County.....	215	Specific conductance, definition of.....	6
Sutter County.....	302	Suspended, definition of.....	6
Ventura County.....	308	Sutter County, index to location of	
Yolo County.....	311	wells in.....	303
Hardness, definition of.....	5	Total, definition of.....	6
Hydrologic conditions, summary of.....	2	Total, recoverable, definition of.....	6
Hydrologic unit, definition of.....	5	Ventura County, index map to location	
Imperial County, index map to location of		of wells in.....	309
wells in.....	16	WATSTORE data, access to.....	5
Introduction.....	1	WSP, definition of.....	6
Inyo County, index map to location of		Yolo County, index map to location of	
wells in.....	27	wells in.....	312
Kern County, index map to location of			
wells in.....	38		
Local well numbers, explanation of.....	3		







## CALENDAR FOR WATER YEAR 1986

1985

OCTOBER

NOVEMBER

DECEMBER

S	M	T	W	T	F	S
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

S	M	T	W	T	F	S
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30

S	M	T	W	T	F	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

1986

JANUARY

FEBRUARY

MARCH

S	M	T	W	T	F	S
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

S	M	T	W	T	F	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	

S	M	T	W	T	F	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					

APRIL

MAY

JUNE

S	M	T	W	T	F	S
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30			

S	M	T	W	T	F	S
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

S	M	T	W	T	F	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					.

JULY

AUGUST

SEPTMBER

S	M	T	W	T	F	S
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

S	M	T	W	T	F	S
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

S	M	T	W	T	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30				

U.S. DEPARTMENT OF THE INTERIOR  
Geological Survey, Room W-2234  
2800 Cottage Way, Federal Building  
Sacramento, CA 95825

POSTAGE AND FEES PAID  
U.S. DEPARTMENT OF THE INTERIOR  
INT 413



---

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300  
SPECIAL 4TH CLASS BOOK RATE